
EMERSON ELECTRIC CO.

JULY THROUGH OCTOBER 7, 2022 DUAL PHASE EXTRACTION SYSTEM OPERATIONS, MAINTENANCE, AND MONITORING REPORT #28

FORMER EMERSON POWER TRANSMISSION SITE NO. 7-55-010

May 1, 2023



JULY THROUGH OCTOBER 7, 2022 DUAL PHASE EXTRACTION SYSTEM OPERATIONS, MAINTENANCE, AND MONITORING REPORT #28

FORMER EMERSON POWER TRANSMISSION SITE NO. 7-55-010

EMERSON ELECTRIC CO.

PROJECT NO.: 31405608.001
DATE: MAY 1, 2023

WSP USA INC.
SUITE 300
13530 DULLES TECHNOLOGY DRIVE
HERNDON, VA 20171

TEL.: +1 703 709-6500
FAX: +1 703 709-8505
WSP.COM

TABLE OF CONTENTS

1 PROJECT STATUS AND PROGRESS TO DATE 1

2 SUMMARY OF DPE SYSTEM OPERATION, MAINTENANCE, AND MONITORING 2

2.1 Operating Results 2

2.2 Summary of Operation and Maintenance Activities 2

2.2.1 System Preventative Maintenance and Planned Shutdowns 2

2.2.2 System Corrective Maintenance and Unplanned Shutdowns 3

2.3 Extraction Well Evaluation 3

2.3.1 Summary of the Results 3

3 SEMI-ANNUAL PERFORMANCE MONITORING 5

3.1 Site-Wide Groundwater Sampling 5

4 FREE PRODUCT SURVEILLANCE 6

4.1 MW-8B Free Product Monitoring & Recovery 6

4.2 LBA-MW-35 Free Product Monitoring & Recovery 6

4.3 LBA-MW-39 Free Product Monitoring & Recovery 6

4.4 MW-50-160D Free Product Monitoring & Recovery 6

4.5 MW-47A Free Product Monitoring & Recovery 7

BIBLIOGRAPHY 8

FIGURES

FIGURE 1	SITE LOCATION
FIGURE 2	SITE LAYOUT
FIGURE 3	DPE TREATMENT AREA
FIGURE 4	DPE WELL VAPOR AND AQUEOUS RESULTS
FIGURE 5	SELECT B-ZONE WELLS
FIGURE 6	SELECT C-ZONE WELLS
FIGURE 7	SITE-WIDE GROUNDWATER MONITORING WELL LOCATIONS (SEMI-ANNUAL MONITORING PROGRAM)
FIGURE 8	DPE SYSTEM DRAWDOWN 544 AND 550 AMSL FRACTURES SEPTEMBER 2022
FIGURE 9	DPE SYSTEM DRAWDOWN 515 AMSL FRACTURES SEPTEMBER 2022
FIGURE 10	QUARTERLY GROUNDWATER SAMPLING RESULTS (B-ZONE WELLS) SEPTEMBER 2022
FIGURE 11	QUARTERLY GROUNDWATER SAMPLING RESULTS (C-ZONE WELLS) SEPTEMBER 2022
FIGURE 12	SEMI-ANNUAL MONITORING PROGRAM GROUNDWATER SAMPLING RESULTS SEPTEMBER 2022

TABLES

TABLE 1	VAPOR PHASE EXTRACTION SYSTEM OPERATIONAL TIME
TABLE 2	AQUEOUS PHASE VOC MASS REMOVED
TABLE 3	AQUEOUS PHASE SAMPLING RESULTS
TABLE 4	VAPOR PHASE VOC MASS REMOVED
TABLE 5	VAPOR PHASE SAMPLING RESULTS
TABLE 6	EXTRACTION WELL AQUEOUS PHASE SAMPLING RESULTS
TABLE 7	EXTRACTION WELL VAPOR PHASE SAMPLING RESULTS
TABLE 8	SEMI-ANNUAL SITE-WIDE GROUNDWATER ELEVATION MEASUREMENTS
TABLE 9	SEMI-ANNUAL SITE-WIDE GROUNDWATER SAMPLING RESULTS
TABLE 10	HISTORICAL GROUNDWATER SAMPLING RESULTS

APPENDICES

APPENDIX A	LABORATORY ANALYTICAL REPORTS
APPENDIX B	DATA USABILITY SUMMARY REPORTS
APPENDIX C	MONITORING WELL PURGE LOGS
APPENDIX D	FREE PRODUCT SURVEILLANCE REPORT

1 PROJECT STATUS AND PROGRESS TO DATE

WSP USA Inc. (WSP) has prepared this Operations, Maintenance, and Monitoring (OM&M) Report on behalf of Emerson Electric Co. for the former Emerson Power Transmission (EPT) site located in Ithaca, New York (Site No. 7-55-010) (Figures 1 and 2). This report summarizes the OM&M activities performed in association with the Dual Phase Extraction (DPE) system that was installed as an Interim Remedial Measure (IRM) in 1996 and upgraded in 2009. OM&M work was performed in accordance with the March 2009, revised October 2020 OM&M Plan and as required by the Administrative Order on Consent (Index # A7-0125-87-09) entered into by the New York State Department of Environmental Conservation (NYSDEC) and Emerson on July 13, 1987. This report describes the operation and maintenance of the DPE system for the reporting period of July 1 through October 7, 2022.

This DPE Report #28 is the last semi-annual report for documenting OM&M activities. In accordance with Interim Site Management Plan (ISMP) approved on October 7, 2022, a Periodic Review Report (PRR) will be provided as an annual report and will replace the DPE reporting. The PRR will include site-wide groundwater monitoring results, site inspection findings, and DPE treatment system performance information. The March 2023 PRR will cover the time period from October 7 through December 31, 2022.

2 SUMMARY OF DPE SYSTEM OPERATION, MAINTENANCE, AND MONITORING

In accordance with the OM&M Plan, the level of performance of the DPE system is determined from the DPE system operations and on the results of influent and effluent water and vapor sampling and analysis. The results of the quarterly performance samples collected during the reporting period are discussed in the following subsections. The DPE system operational issues and corrective measures implemented during the reporting period are also discussed below. Figure 3 illustrates the layout of the DPE system extraction wells and DPE building.

2.1 OPERATING RESULTS

Operational parameters including system uptime and influent and effluent mass loadings are calculated using flow rates, motor hour readings, and sample results. These parameters are used to determine system effectiveness and efficiency. The following bullets summarize system performance for the reporting period of July through October 7, 2022:

- System maintenance was required during the reporting period and the vapor phase portion of the DPE system was operational for 82 percent of the reporting period (Table 1).
- The vapor phase portion operated for a total of 1,941 hours with 435 hours of downtime for planned/unplanned maintenance and sampling activities during the reporting period (Table 1).
- The system extracted a total of 52,829 gallons of groundwater at an average pumping rate of 0.30 gallons per minute (approximately 437 gallons per day) over the reporting period (Table 2). The total estimated volatile organic compound (VOC) mass removal from the aqueous phase was approximately 0.33 pounds (lbs; Table 2) over the reporting period.
- Four site-related chlorinated VOCs were detected in influent water samples during the reporting period including Vinyl Chloride, Trichloroethene, trans-1,2-Dichloroethene, and cis-1,2-Dichloroethene (Table 3).
- The system extracted an estimated total of 3.03×10^7 standard cubic feet of vapor based on an average system flow capacity of 260 standard cubic feet per minute over the operating duration. The total estimated VOC mass removal from the vapor phase (sum of individual VOC compounds detected in the vapor stream) for this reporting period was approximately 2.3 lbs (Table 4).
- Six site-related chlorinated VOCs were detected in the influent vapor samples during the reporting period including 1,1-Dichloroethene, cis-1,2-Dichloroethene, trans-1,2-Dichloroethene, Vinyl Chloride, Tetrachloroethene, and Trichloroethene (Table 5).
- Since the start of the DPE system in January 2009, approximately 4,784.5 lbs of VOCs have been removed from the combined aqueous and vapor phases. To date, approximately 192.1 lbs have been removed from aqueous phase extraction and 4,592.4 lbs from vapor phase extraction.

2.2 SUMMARY OF OPERATION AND MAINTENANCE ACTIVITIES

The following sections summarize planned and unplanned occurrences of DPE system shutdown and the maintenance activities implemented to restore proper system function.

2.2.1 SYSTEM PREVENTATIVE MAINTENANCE AND PLANNED SHUTDOWNS

Planned operational shutdowns included routine O&M conducted by subcontractor Groundwater and Environmental Services, Inc. (GES) and WSP which corresponded to a total planned downtime of approximately 81 hours (Table 1).

Routine O&M maintenance items were completed in accordance with the March 2009, revised October 2020 OM&M Plan. The following maintenance activities include:

- GES performed routine system maintenance on the following dates:
  - July 6: 3 hours of downtime
  - August 8: 3 hours of downtime
  - September 2: 3 hours of downtime
- The DPE system was shut down between September 16 and September 19 for groundwater elevations measurements associated with the DPE system being offline. This resulted in approximately 72 hours of system downtime.

2.2.2 SYSTEM CORRECTIVE MAINTENANCE AND UNPLANNED SHUTDOWNS

During the reporting period, eleven unplanned shutdowns required corrective maintenance to the DPE system and resulted in a total of 354 hours of unplanned system downtime (Table 1). The corrective maintenance was performed by GES under the direction of WSP. The maintenance activities include:

- On July 11, the treatment building floor sump was activated which shutdown the DPE System. The air stripper door was found to have a small drip emanating around the door seal. The door was tightened to eliminate the drip. The DPE system was restarted on July 13 resulting in 38 hours of unplanned downtime.
- On July 17, a power outage occurred at the DPE system building resulting in 17 hours of unplanned downtime. Once power was restored, the DPE system automatically restarted.
- Between August 2 to August 5 and August 11 to August 15, power outages caused a low air compressor alarm and air stripper high sump alarm. The air compressor was reset, resulting in a total of 171 hours of unplanned shutdown for these two events.
- On August 8, the DPE system air compressor low-pressure alarm was activated. The air compressor was reset and tested, resulting in approximately 21 hours of an unplanned shutdown.
- On August 30, the DPE system air compressor low-pressure and equalization tank low level alarms were activated. The air compressor was reset, resulting in approximately 18 hours of an unplanned shutdown.
- On September 7, September 16, and September 22, the DPE system air compressor low-pressure alarm was activated which shut down the DPE system. The air compressor was reset and tested, resulting in a total of 89 hours of an unplanned shutdown.

2.3 EXTRACTION WELL EVALUATION

Groundwater and vapor samples were collected from the DPE system extraction wells in September 2022 (Figure 4, Tables 6 and 7). The purpose of this sampling event was to evaluate the current VOC extraction conditions of the DPE system extraction wells, in both the vapor and aqueous phase at each individual extraction well. In addition, the average flow rate per extraction well was determined over the reporting period and provided on Figure 4.

2.3.1 SUMMARY OF THE RESULTS

The following observations were made based on the groundwater and vapor samples collected from the DPE system extraction wells:

- The maximum total VOC concentration in groundwater was observed at EW-11 (49,261 ug/l). The remaining 11 extraction wells ranged in total VOC concentration from 389 ug/l in EW-1 to 3,440 ug/l in EW-8, an average of 1,556 ug/l.
- The maximum total VOC concentration in vapor was observed at EW-11 (60,525 parts per billion volume (ppbv)). The remaining 11 extraction wells ranged in total VOC concentration from 3 ppbv in EW-1 to 3,440 ppbv in EW-8, an average of 1,556 ppbv.

- The maximum groundwater flow rate was observed at EW-1 (7,171 gallons per month (GPMo)) and the lowest groundwater flow rate was observed at EW-9R (1 GPMo). The average flow rate across all 12 groundwater extraction wells was 1,559 GPMo. The groundwater extraction rates measured from EW-4 (361 GPMo), EW-9R (1 GPMo), EW-10 (419 GPMo), EW-11 (219 GPMo), and EW-12 (8 GPMo) was very low as compared to the other extraction wells.

Based on the results of the individual extraction well results and flow rate evaluation, no changes are recommended to the operation of the DPE system. Corrective actions, including rebuilding the pneumatic pump in EW-9R, have been taken to improve the flow rate at EW-9R.

3 SEMI-ANNUAL PERFORMANCE MONITORING

Groundwater samples were collected from monitoring wells associated with the semi-annual event in September 2022. B-Zone monitoring wells are presented in Figure 5, C-Zone monitoring wells are presented in Figure 6, and site-wide monitoring wells are presented in Figure 7.

3.1 SITE-WIDE GROUNDWATER SAMPLING

This section provides the results of the depth to water measurements and semi-annual groundwater samples that were collected in September 2022.

- Groundwater depth measurements taken during the semi-annual sampling event as well as the calculated groundwater elevations are presented in Table 8, and shown on Figures 8 and 9.
- Site-wide groundwater samples were collected on a semi-annual basis (scheduled once per reporting period) to assess groundwater quality on the EPT site at various locations including upgradient of the firewater reservoir, in the treatment area, and downgradient of the treatment area in the South Hill neighborhood. Table 9 and Figures 10, 11, and 12 present the analytical results for the semi-annual groundwater monitoring program.
- Historical sampling results for all wells sampled since the DPE system was installed in early 2009 are presented in Table 10.
- The Analytical Laboratory Reports are included in Appendix A, the Data Usability and Summary Reports are included in Appendix B, and monitoring well purge records are included in Appendix C.

4 FREE PRODUCT SURVEILLANCE

On April 29, 2014, NYSDEC requested quarterly free product surveillance monitoring and reporting. Free product surveillance monitoring is performed for groundwater wells that are known to contain free product which include MW-8B, MW-50-160D (replacement of HISTWELL-1), LBA-MW-39, and LBA-MW-35. Free product surveillance monitoring began at MW-8B in December 2009 with product recovery starting in January 2010, HISTWELL-1 in September 2014 starting in January 2016, and ended in March 2021, and MW-5-160D started in June 2021, LBA-MW-39 in September 2018, and LBA-MW-35 in October 2018. In addition, free product surveillance monitoring in AOC 1 wells MW-47A-AOC-1, MW-48A-AOC-1, and MW-49A-AOC-1 were performed between October 9, 2019, and January 21, 2021; however, no free product was detected during this period. During the week of September 19, 2022 free product was detected in MW-47A-AOC-1 while evaluating water levels. NYSDEC was notified via email of this discovery on September 22. Similar to the other free product wells, the thickness of free product in MW-47A-AOC-1 will be monitored and absorbent socks will be used to passively collect the free product quarterly.

Approximately 61 gallons of free product have been removed since free product recovery efforts began. In accordance with the September 2, 2020, NYSDEC letter, the free product surveillance schedule was modified to semi-annual reporting and quarterly monitoring.

Appendix D includes the quarterly free product surveillance report 030 from the period that covers July through December, 2022. For DPE Report 28, quarterly groundwater elevation and free product monitoring and recovery was conducted on September 16, 2022. Free product and recovery after October 7, 2022 will be included in the PRR.

4.1 MW-8B FREE PRODUCT MONITORING & RECOVERY

Free product was detected in MW-8B with an apparent thickness of 0.01-feet (September). In total, 0.43 gallons of the free product were recovered in September; a total of 19.64 gallons of the free product have been removed since recovery was initiated in August 2016 (Appendix D, Table 1).

4.2 LBA-MW-35 FREE PRODUCT MONITORING & RECOVERY

Free product was detected in LBA-MW-35 with an apparent thickness of 0.02 feet (September). In total, 0.49 gallons of the free product were recovered in September; a total of 13.78 gallons of the free product have been removed since recovery was initiated in October 2018 (Appendix D, Table 2).

4.3 LBA-MW-39 FREE PRODUCT MONITORING & RECOVERY

No free product was detected during the September event. In total, 0.40 gallons of the free product were recovered during September; a total of 7.09 gallons of the free product have been removed since recovery was initiated in October 2018 (Appendix D, Table 3).

4.4 MW-50-160D FREE PRODUCT MONITORING & RECOVERY

No free product was detected during the September event. (Appendix D, Table 4). Historically, as the HISTWELL- 1 replacement, a total of 20.43 gallons of the free product has been removed since recovery was initiated in January 2016. The HISTWELL-1 was replaced with MW-50-160D on June 21, 2021, and the June 2022 event concludes 1-year of monitoring without any measurable free product or recovery. NYSDEC granted approval to stop free product monitoring in MW-50-160D on January 23, 2023. Groundwater monitoring for CVOCs will continue at this location in accordance with the ISMP.

4.5 MW-47A FREE PRODUCT MONITORING & RECOVERY

Free product surveillance monitoring in AOC 1 wells MW-47A-AOC-1, MW-48A-AOC-1, and MW-49A-AOC-1 were performed between October 9, 2019, and January 21, 2021; however, no free product was detected between this period. During the week of September 19, 2022 free product was detected in MW-47A-AOC-1 while evaluating water levels.

Free product was detected in MW-47A-AOC-1 with an apparent thickness of 0.20 feet (September). Free product recovery began after October 7, 2022. (Appendix D, Table 5). Free product monitoring and recovery will continue at this monitoring location quarterly.

BIBLIOGRAPHY

- WSP Engineering of New York. March 31, 2009. Operation, Maintenance and Monitoring Plan, Interim Remedial Measure, Emerson Power Transmission, Ithaca, New York.
- WSP. July 18, 2014. IRM Modifications and Enhancements Work Plan, Emerson Power Transmission, Ithaca, New York.
- WSP. March 11, 2016. IRM Modifications and Enhancements Completion Report, Emerson Power Transmission, Ithaca, New York.
- WSP. October 5, 2020. OU-1 IRM System O&M Plan, Emerson Power Transmission, Ithaca, New York.
- WSP. October 14, 2022. Interim Site Management Plan, Emerson Power Transmission, Ithaca, New York.


FIGURES

DWG. Name: 3140151.0001-Figure 1

Checked: JRB 10/18/21
Approved: BAP 10/18/21

Drawn By: RLD 10/15/21

A



REFERENCE:
7.5 MINUTE SERIES TOPOGRAPHIC QUADRANGLE
ITHACA, NEW YORK 1976
SCALE 1:24,000



QUADRANGLE LOCATION

N

0 1000 2000 4000

SCALE, FEET

WSP USA Inc.
13530 DULLES TECHNOLOGY DR.
SUITE 300
HERNDON, VA 20171
TEL: +1 703.709.6500

FIGURE 1


SITE LOCATION

FORMER EMERSON POWER TRANSMISSION
ITHACA, NEW YORK
PREPARED FOR
EMERSON

R:\ACAD\CADD_CLIENT\Emerson\NY_Ithaca\31405608.001\CAD\314V5608.001-009.dwg 2/10/2023 4:25 PM USEC01012

B

NOTICE: THIS DRAWING HAS BEEN PREPARED UNDER THE DIRECTION OF A PROFESSIONAL. DO NOT ALTER THIS DOCUMENT IN ANY WAY WITHOUT THE WRITTEN CONSENT OF WSP USA INC.



WSP USA Inc.
13530 DULLES TECHNOLOGY DR
SUITE 300
HERNDON, VA 20171
TEL: +1 703.709.6500

FIGURE 2


SITE LAYOUT

FORMER EMERSON POWER TRANSMISSION
ITHACA, NEW YORK

PREPARED FOR
EMERSON POWER TRANSMISSION

Drawn By: EGC
Checked: SAS 10/17/2022
Approved: JRB 11/9/2022
DWG Name: 314V5608.001-009

R:\ACAD\CADD_CLIENT\Emerson\NY_Ithaca\31405608.001\CAD\314V5608.001-010.dwg 2/10/2023 4:26 PM USEC01012



NOTICE: THIS DRAWING HAS BEEN PREPARED UNDER THE DIRECTION OF A PROFESSIONAL. DO NOT ALTER THIS DOCUMENT IN ANY WAY WITHOUT THE WRITTEN CONSENT OF WSP USA INC.

A

WSP USA Inc.
13530 DULLES TECHNOLOGY DR
SUITE 300
HERNDON, VA 20171
TEL: +1 703.709.6500

FIGURE 3

DPE TREATMENT AREA

FORMER EMERSON POWER TRANSMISSION
ITHACA, NEW YORK

PREPARED FOR
EMERSON POWER TRANSMISSION

Drawn By: EGC
Checked: JRB 2/10/2023
Approved:
DWG Name: 314V5608.001-010


LEGEND

EW — DUAL PHASE EXTRACTION WELL
✳ — ABANDONED WELL
——— CONVEYANCE PIPING
——— 4" HDPE DISCHARGE PIPING

ID	IDENTIFICATION
"Hg	INCH OF MERCURY
GPMo	GALLONS PER MONTH
ppbV	PARTS PER BILLION BY VOLUME
ug/l	MICROGRAMS PER LITER
1,1-DCE	1,1–DICHLOROETHENE
cis-1,2-DCE	cis–1,2–DICHLOROETHENE
trans-1,2-DCE	TRANS–1,2–DICHLOROETHENE
PCE	TETRACHLOROETHENE
TCE	TRICHLOROETHENE
VC	VINYL CHLORIDE
ND	NOT DETECTED

NOTE:

VAPOR VACUUM AND AQUEOUS FLOW RATES ARE FROM JULY 2022 TO OCTOBER 7, 2022.



Well ID:	EW-4-25B	
Media:	Vapor	Aqueous
Date:	9/22/2022	9/22/2022
Vacuum/Rate:	9 "Hg	361 GPMo
Units:	ppbV	ug/l
1,1-DCE	ND	ND
cis-1,2-DCE	1,330	772
trans-1,2-DCE	12.2	8.4
PCE	ND	ND
TCE	3,370	867
VC	10.5	ND
Total Site-Related	4,723	1,647

Well ID:	EW-5-25B	
Media:	Vapor	Aqueous
Date:	9/22/2022	9/22/2022
Vacuum/Rate:	9 "Hg	1,396 GPMo
Units:	ppbV	ug/l
1,1-DCE	10.2	ND
cis-1,2-DCE	1,490	673
trans-1,2-DCE	21.7	5.5
PCE	ND	ND
TCE	1,390	386
VC	264	8.4
Total Site-Related	3,176	1,073

Well ID:	EW-6-60C	
Media:	Vapor	Aqueous
Date:	9/22/2022	9/22/2022
Vacuum/Rate:	8 "Hg	1,979 GPMo
Units:	ppbV	ug/l
1,1-DCE	6.4	ND
cis-1,2-DCE	2,310	880
trans-1,2-DCE	17.8	3.7
PCE	ND	ND
TCE	817	142
VC	183	4
Total Site-Related	3,334	1,030

Well ID:	EW-10-25B	
Media:	Vapor	Aqueous
Date:	9/22/2022	9/22/2022
Vacuum/Rate:	9 "Hg	419 GPMo
Units:	ppbV	ug/l
1,1-DCE	2.9	ND
cis-1,2-DCE	349	343
trans-1,2-DCE	5.3	3.6
PCE	ND	ND
TCE	604	124
VC	112	4.0
Total Site-Related	1,073	475

Well ID:	EW-8-62C	
Media:	Vapor	Aqueous
Date:	9/22/2022	9/22/2022
Vacuum/Rate:	9.0 "Hg	2,098 GPMo
Units:	ppbV	ug/l
1,1-DCE	0.66	ND
cis-1,2-DCE	339	3,080
trans-1,2-DCE	2.3	15.8
PCE	ND	ND
TCE	85.7	296
VC	22.1	48.5
Total Site-Related	450	3,440

Well ID:	EW-7-25B	
Media:	Vapor	Aqueous
Date:	9/22/2022	9/22/2022
Vacuum/Rate:	8 "Hg	1,700 GPMo
Units:	ppbV	ug/l
1,1-DCE	1	3.6
cis-1,2-DCE	227	2,230
trans-1,2-DCE	3.6	24.4
PCE	0.15	ND
TCE	14.4	92.3
VC	89.4	97.4
Total Site-Related	336	2,448

Well ID:	EW-9R-72C	
Media:	Vapor	Aqueous
Date:	9/22/2022	9/22/2022
Vacuum/Rate:	11 "Hg	1 GPMo
Units:	ppbV	ug/l
1,1-DCE	5.6	ND
cis-1,2-DCE	1,520	1,730
trans-1,2-DCE	15	5
PCE	ND	ND
TCE	477	28.2
VC	483	85.2
Total Site-Related	2,501	1,848

Well ID:	EW-1-62C	
Media:	Vapor	Aqueous
Date:	9/22/2022	9/22/2022
Vacuum/Rate:	9 "Hg	7,171 GPMo
Units:	ppbV	ug/l
1,1-DCE	ND	ND
cis-1,2-DCE	1.6	321
trans-1,2-DCE	ND	3.2
PCE	ND	ND
TCE	ND	33.6
VC	1.3	31.1
Total Site-Related	3	389

Well ID:	EW-2-62C	
Media:	Vapor	Aqueous
Date:	9/22/2022	9/22/2022
Vacuum/Rate:	8 "Hg	1,212 GPMo
Units:	ppbV	ug/l
1,1-DCE	ND	ND
cis-1,2-DCE	29.6	403
trans-1,2-DCE	ND	3.5
PCE	ND	ND
TCE	35.3	70.8
VC	1.3	24.4
Total Site-Related	66	502

Well ID:	EW-3-60C	
Media:	Vapor	Aqueous
Date:	9/22/2022	9/22/2022
Vacuum/Rate:	9 "Hg	1,139 GPMo
Units:	ppbV	ug/l
1,1-DCE	7.1	1.6
cis-1,2-DCE	1,310	1,100
trans-1,2-DCE	18	15.1
PCE	0.73	ND
TCE	992	960
VC	279	36.2
Total Site-Related	2,607	2,113

Well ID:	EW-11-45C	
Media:	Vapor	Aqueous
Date:	9/22/2022	9/22/2022
Vacuum/Rate:	16 "Hg	219 GPMo
Units:	ppbV	ug/l
1,1-DCE	201	49.9
cis-1,2-DCE	13,700	21,900
trans-1,2-DCE	174	124
PCE	ND	ND
TCE	42,200	26,600
VC	4,250	587
Total Site-Related	60,525	49,261

Well ID:	EW-12-45C	
Media:	Vapor	Aqueous
Date:	9/22/2022	9/22/2022
Vacuum/Rate:	19 "Hg	8 GPMo
Units:	ppbV	ug/l
1,1-DCE	0.71	ND
cis-1,2-DCE	84.8	2,030
trans-1,2-DCE	0.64	4.7
PCE	ND	ND
TCE	141	68.6
VC	38.1	44.5
Total Site-Related	265	2,148

THE ORIGINAL VERSION OF THIS DRAWING IS IN COLOR. BLACK AND WHITE COPIES MAY NOT ACCURATELY DEPICT CERTAIN INFORMATION.

NOTICE: THIS DRAWING HAS BEEN PREPARED UNDER THE DIRECTION OF A PROFESSIONAL. DO NOT ALTER THIS DOCUMENT IN ANY WAY WITHOUT THE WRITTEN CONSENT OF WSP USA INC.

0 40 80
SCALE IN FEET

Drawn By: EGC
Checked: JRB 2/13/2023
Approved:
DWG Name: 314V5608.001–008

EMERSON POWER TRANSMISSION
ITHACA, NEW YORK
PREPARED FOR
EMERSON POWER TRANSMISSION

FIGURE 4
DPE WELL
VAPOR AND AQUEOUS RESULTS
SEPTEMBER 22, 2022

WSP USA Inc.
13530 DULLES TECHNOLOGY DR
SUITE 300
HERNDON, VA 20171
TEL: +1 703.709.6500

B

R:\ACAD\CADD_CLIENT\Emerson\NY_Ithaca\314O5608.001\CAD\314V5608.001-008.dwg 3/15/2023 3:26 PM USEC01012

R:\ACAD\CADD_CLIENT\Emerson\NY_Ithaca\31405608.001\CAD\314V5608.001-011.dwg 2/13/2023 10:51 AM USEC01012

B

WEST SPENCER STREET

MW-24B

MW-23B

SOUTH CAYUGA STREET

SOUTH HILL TERRACE

FORMER EPT ACCESS ROAD

FORMER EPT PROPERTY

FORMER EPT PROPERTY BOUNDARY

MW-32B

LEGEND

B-ZONE EXTRACTION WELL

B-ZONE MONITORING WELL

ABANDONED WELL

WASTE STORAGE BUILDING

DPE BUILDING

MW-1B

EW-4-25B

EW-5-25B

MW-5B

EW-7-25B

NYSE&G SUBSTATION

EW-10-25B

FOOT BRIDGE

MW-4B

OU-1

SPDES PERMITTED OUTFALL #001

FORMER FIRE WATER RESERVOIR

MW-5-25

MW-8B

MW-7B

FORMER EPT PROPERTY

FORMER EPT MAIN PLANT BUILDING

FORMER 2-PHASE EXTRACTION SYSTEM BUILDING

N

0 60 120

SCALE IN FEET

NOTICE: THIS DRAWING HAS BEEN PREPARED UNDER THE DIRECTION OF A PROFESSIONAL. DO NOT ALTER THIS DOCUMENT IN ANY WAY WITHOUT THE WRITTEN CONSENT OF WSP USA INC.

WSP USA Inc.
13530 DULLES TECHNOLOGY DR
SUITE 300
HERNDON, VA 20171
TEL: +1 703.709.6500

FIGURE 5

SELECT B-ZONE WELLS

FORMER EMERSON POWER TRANSMISSION
ITHACA, NEW YORK

PREPARED FOR
EMERSON POWER TRANSMISSION

Drawn By: EGC

Checked: JRB 2/10/2023

Approved:

DWG Name: 314V5608.001-011

R:\ACAD\CADD_CLIENT\Emerson\NY_Ithaca\31405608.001\CAD\314V5608.001-012.dwg 2/13/2023 10:51 AM USEC01012

B

WEST SPENCER STREET

SOUTH CAYUGA STREET

SOUTH HILL TERRACE

FORMER EPT ACCESS ROAD

FORMER EPT PROPERTY

FORMER EPT PROPERTY BOUNDARY

LEGEND

EW — C–ZONE EXTRACTION WELL LOCATION

EXB — EXPLORATORY BORING LOCATION (OPEN INTERVAL IN C–ZONE)

MW — C–ZONE MONITORING WELL

* — ABANDONED WELL

EXB-09

WASTE STORAGE BUILDING

DPE BUILDING

EXB-07

EW-1-62C

EW-2-62C

EW-3-60C

EW-6-60C

EW-12-45C (Former EXB-1)

EW-11-43C (Former MW-14C)

MW-15C

EW-8-62C

EW-9R-72C

MW-12C

MW-46-72C

EW-9-86C

MW-46-43C

MW-13C

EXB-01

FOOT BRIDGE

EXB-10

OU–1

SPDES PERMITTED OUTFALL #001

FORMER FIRE WATER RESERVOIR

NYSE&G SUBSTATION

FORMER EPT PROPERTY

FORMER EPT MAIN PLANT BUILDING

FORMER 2–PHASE EXTRACTION SYSTEM BUILDING

N

0 60 120

SCALE IN FEET

NOTICE: THIS DRAWING HAS BEEN PREPARED UNDER THE DIRECTION OF A PROFESSIONAL. DO NOT ALTER THIS DOCUMENT IN ANY WAY WITHOUT THE WRITTEN CONSENT OF WSP USA INC.

WSP USA Inc.
13530 DULLES TECHNOLOGY DR
SUITE 300
HERNDON, VA 20171
TEL: +1 703.709.6500

FIGURE 6

SELECT C–ZONE WELLS

FORMER EMERSON POWER TRANSMISSION
ITHACA, NEW YORK

PREPARED FOR
EMERSON POWER TRANSMISSION

Drawn By: EGC

Checked: JRB 2/10/2023

Approved:

DWG Name: 314V5608.001–012

SOUTH ALBANY STREET
SOUTH GENEVA STREET
WEST SPENCER STREET
SOUTH CAYUGA STREET
SOUTH HILL TERRACE
TURNER PLACE

MW-19A Destroyed
MW-24B
MW-23B
MW-21B Destroyed
MW-22B
MW-17-40
MW-25A
MW-18A
MW-26A
MW-20B
MW-8-40
MW-9-100
MW-32B
MW-31B
MW-16-100
MW-7-40
MW-1B
MW-30B
MW-2B
MW-3B
MW-15B
MW-4B
MW-5-40
MW-5-25
MW-5-100
MW-6B

FORMER R&D BUILDING
WASTE STORAGE BUILDING
NYSE&G SUBSTATION
FORMER EPT MAIN PLANT BUILDING

LEGEND

- SEMI–ANNUAL MONITORING PROGRAM WELL
- OTHER SITE–WIDE MONITORING WELL– NOT INCLUDED IN SAMPLING PLAN (GAUGED BUT NOT SAMPLED)
- ABANDONED MONITORING WELL

THE ORIGINAL VERSION OF THIS DRAWING IS IN COLOR. BLACK AND WHITE COPIES MAY NOT ACCURATELY DEPICT CERTAIN INFORMATION.

NOTICE: THIS DRAWING HAS BEEN PREPARED UNDER THE DIRECTION OF A PROFESSIONAL. DO NOT ALTER THIS DOCUMENT IN ANY WAY WITHOUT THE WRITTEN CONSENT OF WSP USA INC.

0 120 240
SCALE IN FEET

N

Drawn By: EGC
Checked: JRB 2/10/2023
Approved:
DWG Name: 314V5608.001–013

FORMER EMERSON POWER TRANSMISSION
ITHACA, NEW YORK
PREPARED FOR
EMERSON POWER TRANSMISSION

FIGURE 7

SITE–WIDE GROUNDWATER
MONITORING WELL LOCATIONS
(SEMI–ANNUAL MONITORING PROGRAM)

WSP USA Inc.
13530 DULLES TECHNOLOGY DR
SUITE 300
HERNDON, VA 20171
TEL: +1 703.709.6500

B

R:\ACAD\CADD_CLIENT\Emerson\NY_Ithaca\314056608.001\CAD\314V5608.001-013.dwg 2/10/2023 4:34 PM USEC01012

R:\ACAD\CADD_CLIENT\Emerson\NY_Ithaca\31405608.001\CAD\314V5608.001-016.dwg 2/16/2023 7:50 PM USEC01012

B

NOTES:

1. DRAWDOWN CONTOURS WERE CALCULATED BY SUBTRACTING GROUNDWATER ELEVATIONS COLLECTED ON SEPTEMBER 16, 2022 WHILE THE SYSTEM WAS OPERATING, FROM THE GROUNDWATER ELEVATIONS COLLECTED ON SEPTEMBER 19, 2022, WHEN THE SYSTEM WAS OFF.
2. DRAWDOWN CALCULATIONS INCLUDE C–ZONE WELLS MW–46–43C, EW–11–43C, AND EW–12–45C, AND MW–5–40 WHICH INTERCEPT THE 544 AMSL FRACTURE, THE 550 AMSL FRACTURE, OR BOTH, BUT DO NOT INTERCEPT THE 515 AMSL FRACTURE.

LEGEND

- B–ZONE MONITORING WELL THAT INTERCEPTS 544 OR 550 AMSL BEDDING PLANE FRACTURES
- C–ZONE MONITORING WELL THAT INTERCEPTS 544 OR 550 AMSL BEDDING PLANE FRACTURES
- B–ZONE EXTRACTION WELL THAT INTERCEPTS 544 OR 550 AMSL BEDDING PLANE FRACTURES
- C–ZONE EXTRACTION WELL THAT INTERCEPTS 544 OR 550 AMSL BEDDING PLANE FRACTURES
- NM — NOT MEASURED
- 0.16 — CALCULATED DRAWDOWN IN FEET BELOW AMBIENT WATER LEVEL
- DRAWDOWN CONTOUR IN FEET BELOW AMBIENT WATER LEVEL

SOUTH CAYUGA STREET

FORMER EPT PROPERTY

FORMER EPT PROPERTY BOUNDARY

DPE BUILDING

NYSE&G SUBSTATION

FOOT BRIDGE

FORMER FIRE WATER RESERVOIR

MW-1B -7.86

EW-4-25B -1.48

EW-1B NM

MW-2B 0.55

MW-3B -0.9

EW-5-25B -5.84

MW-5B -1.35

EW-7-25B 10.72

EW-10-25B 4.76

MW-15C NM

EW-12-45C -0.01

EW-11-43C -17.94

MW-5-40 NM

MW-12C -0.01

MW-16C

MW-46-43C 0.16

MW-13C -0.11

MW-4B -0.26

MW-6B 0.01

MW-12B NM

MAIN PLANT BUILDING

FORMER EPT

N

0 40 80

SCALE IN FEET

THE ORIGINAL VERSION OF THIS DRAWING IS IN COLOR. BLACK AND WHITE COPIES MAY NOT ACCURATELY DEPICT CERTAIN INFORMATION.

NOTICE: THIS DRAWING HAS BEEN PREPARED UNDER THE DIRECTION OF A PROFESSIONAL. DO NOT ALTER THIS DOCUMENT IN ANY WAY WITHOUT THE WRITTEN CONSENT OF WSP USA INC.

WSP USA Inc.
13530 DULLES TECHNOLOGY DR
SUITE 300
HERNDON, VA 20171
TEL: +1 703.709.6500

FIGURE 8

DPE SYSTEM DRAWDOWN
544 AND 550 AMSL FRACTURES
SEPTEMBER 2022

EMERSON POWER TRANSMISSION
ITHACA, NEW YORK

PREPARED FOR
EMERSON POWER TRANSMISSION

Drawn By: EGC
Checked:
Approved:
DWG Name: 314V5608.001–016

R:\ACAD\CADD_CLIENT\Emerson\NY_Ithaca\31405608.001\CAD\314V5608.001-017.dwg 2/13/2023 4:18 PM USEC01012

B

LEGEND

- B–ZONE MONITORING WELL THAT INTERCEPTS 515 BEDDING PLANE FRACTURE
- C–ZONE MONITORING WELL THAT INTERCEPTS 515 BEDDING PLANE FRACTURE
- C–ZONE EXTRACTION WELL THAT INTERCEPTS 515 BEDDING PLANE FRACTURE
- *NM* NOT MEASURED
- *-8.91* DRAWDOWN IN FEET BELOW AMBIENT WATER LEVEL (NEGATIVE NUMBERS INDICATE HIGHER WATER LEVELS UNDER PUMPING CONDITIONS)
- DRAWDOWN IN FEET BELOW AMBIENT GROUNDWATER ELEVATION (DASHED WHERE INFERRED)

NOTE:

DRAWDOWN CONTOURS WERE CALCULATED BY SUBTRACTING GROUNDWATER ELEVATIONS COLLECTED ON SEPTEMBER 16, 2022 WHILE THE SYSTEM WAS OPERATING, FROM THE GROUNDWATER ELEVATIONS COLLECTED ON SEPTEMBER 19, 2022, WHEN THE SYSTEM WAS OFF.

FORMER EPT PROPERTY

FORMER EPT PROPERTY BOUNDARY

EXB-09 -3.24

EXB-07 -2.29

MW-7-40 NM

EXB-11 -0.45

MW-31B NM

DPE BUILDING

EW-1-62C -9.92

EW-2-62C -16.37

EW-3-60C -18.33

EW-6-60C -8.91

EW-8-62C -15.45

EW-9R-72C -12.18

MW-46-72C -6.28

FORMER FIRE WATER RESERVOIR

MW-30B 0.35

NYSE&G SUBSTATION

FOOT BRIDGE

EXB-10 -9.36

SPDES PERMITTED OUTFALL #001

MW-44T -1.56

FORMER EPT MAIN PLANT BUILDING

N

0 40 80

SCALE IN FEET

THE ORIGINAL VERSION OF THIS DRAWING IS IN COLOR. BLACK AND WHITE COPIES MAY NOT ACCURATELY DEPICT CERTAIN INFORMATION.

NOTICE: THIS DRAWING HAS BEEN PREPARED UNDER THE DIRECTION OF A PROFESSIONAL. DO NOT ALTER THIS DOCUMENT IN ANY WAY WITHOUT THE WRITTEN CONSENT OF WSP USA INC.

WSP USA Inc.
13530 DULLES TECHNOLOGY DR
SUITE 300
HERNDON, VA 20171
TEL: +1 703.709.6500

FIGURE 9

DPE SYSTEM DRAWDOWN
515 AMSL FRACTURES
SEPTEMBER 2022

FORMER EMERSON POWER TRANSMISSION
ITHACA, NEW YORK

PREPARED FOR
EMERSON POWER TRANSMISSION

Drawn By: EGC

Checked:

Approved:

DWG Name: 314V5608.001–017

R:\ACAD\CADD_CLIENT\Emerson\NY_Ithaca\31405608.001\CAD\314V5608.001-014.dwg 2/16/2023 7:09 PM USEC01012

B

LEGEND

- B–ZONE EXTRACTION WELL
- B–ZONE MONITORING WELL
- B–ZONE MONITORING WELL NOT IN QUARTERLY MONITORING PROGRAM (GAUGED ONLY)
- ABANDONED WELL

ABBREVIATIONS

1,1–DCE	1,1–DICHLOROETHENE
cis–1,2–DCE	CIS–1,2–DICHLOROETHENE
trans–1,2–DCE	TRANS–1,2–DICHLOROETHENE
PCE	TETRACHLOROETHENE
TCE	TRICHLOROETHENE
ND	NOT DETECTED
NS	NOT SAMPLED
J	ESTIMATED CONCENTRATION BELOW LABORATORY REPORTING LIMITS
UR	REJECTED NON–DETECT, CONSIDERED UNUSABLE

NOTES:

1. CONCENTRATIONS OF VOLATILE ORGANIC COMPOUNDS REPORTED IN MICROGRAMS PER LITER (ug/l)
2. CONCENTRATIONS IN BOLD EXCEED THE EVALUATION CRITERIA LISTED IN THE NEW YORK STATE DIVISION OF WATER TECHNICAL AND OPERATIONAL GUIDANCE SERIES (TOGS) 1.1.1, TABLE 5: NEW YORK STATE AMBIENT WATER QUALITY STANDARDS AND GUIDANCE VALUES (JUNE 1998).

NOTICE: THIS DRAWING HAS BEEN PREPARED UNDER THE DIRECTION OF A PROFESSIONAL. DO NOT ALTER THIS DOCUMENT IN ANY WAY WITHOUT THE WRITTEN CONSENT OF WSP USA INC.

SOUTH CAYUGA STREET

FORMER EPT ACCESS ROAD

MW-23B

MW-20B

FORMER EPT PROPERTY

FORMER EPT PROPERTY BOUNDARY

MW-32B

Well ID:	MW-32B
Date:	9/20/2022
1,1-DCE	ND
cis-1,2-DCE	**7.8**
trans-1,2-DCE	ND
PCE	ND
TCE	**35.1**
Vinyl Chloride	ND
Total Site-Related	42.9

WASTE STORAGE BUILDING

DPE BUILDING

MW-31B

MW-1B

Well ID:	MW-1B
Date:	9/22/2022
1,1-DCE	ND
cis-1,2-DCE	1.7
trans-1,2-DCE	ND
PCE	ND
TCE	2.5
Vinyl Chloride	ND
Total Site-Related	4.2

Well ID:	MW-5B
Date:	9/22/2022
1,1-DCE	1.5
cis-1,2-DCE	**795**
trans-1,2-DCE	11.7
PCE	0.81 J
TCE	554
Vinyl Chloride	27.7
Total Site-Related	1,391

EW-4-25B

EW-01B

MW-2B

MW-3B

EW-5-25B

MW-5B

EW-7-25B

EW-6-25B

MW-30B

NYSE&G SUBSTATION

Well ID:	MW-5-25
Date:	9/20/2022
1,1-DCE	ND
cis-1,2-DCE	ND
trans-1,2-DCE	ND
PCE	ND
TCE	ND
Vinyl Chloride	ND
Total Site-Related	ND

MW-36B

MW-5-25

MW-8B

MW-7B

FORMER FIRE WATER RESERVOIR

Well ID:	MW-8B
Date:	9/20/2022
1,1-DCE	ND
cis-1,2-DCE	ND
trans-1,2-DCE	ND
PCE	ND
TCE	ND
Vinyl Chloride	ND
Total Site-Related	ND

FOOT BRIDGE

MW-4B

OU–1

SPDES PERMITTED OUTFALL #001

FORMER EPT PROPERTY

FORMER EPT MAIN PLANT BUILDING

Well ID:	MW-4B
Date:	9/21/2022
1,1-DCE	ND
cis-1,2-DCE	ND
trans-1,2-DCE	ND
PCE	ND
TCE	ND
Vinyl Chloride	1.4
Total Site-Related	1.4

Well ID:	MW-7B
Date:	9/21/2022
1,1-DCE	ND
cis-1,2-DCE	1.7
trans-1,2-DCE	ND
PCE	ND
TCE	ND
Vinyl Chloride	ND
Total Site-Related	1.7

Well ID:	MW-36B
Date:	9/21/2022
1,1-DCE	ND
cis-1,2-DCE	**10**
trans-1,2-DCE	ND
PCE	ND
TCE	5.6
Vinyl Chloride	ND
Total Site-Related	15.6

FORMER 2–PHASE EXTRACTION SYSTEM BUILDING

N

0 60 120

SCALE IN FEET

THE ORIGINAL VERSION OF THIS DRAWING IS IN COLOR. BLACK AND WHITE COPIES MAY NOT ACCURATELY DEPICT CERTAIN INFORMATION.

WSP USA Inc.
13530 DULLES TECHNOLOGY DR
SUITE 300
HERNDON, VA 20171
TEL: +1 703.709.6500

FIGURE 10

QUARTERLY GROUNDWATER SAMPLING RESULTS (B–ZONE WELLS) SEPTEMBER 2022

FORMER EMERSON POWER TRANSMISSION
ITHACA, NEW YORK

PREPARED FOR
EMERSON POWER TRANSMISSION

Drawn By: EGC

Checked: JRB 2/16/2023

Approved:

DWG Name: 314V5608.001–014

R:\ACAD\CADD_CLIENT\Emerson\NY_Ithaca\31405608.001\CAD\314V5608.001-014.dwg 2/16/2023 7:09 PM USEC01012

B

LEGEND

- B–ZONE EXTRACTION WELL
- B–ZONE MONITORING WELL
- B–ZONE MONITORING WELL NOT IN QUARTERLY MONITORING PROGRAM (GAUGED ONLY)
- ABANDONED WELL

ABBREVIATIONS

1,1–DCE	1,1–DICHLOROETHENE
cis–1,2–DCE	CIS–1,2–DICHLOROETHENE
trans–1,2–DCE	TRANS–1,2–DICHLOROETHENE
PCE	TETRACHLOROETHENE
TCE	TRICHLOROETHENE
ND	NOT DETECTED
NS	NOT SAMPLED
J	ESTIMATED CONCENTRATION BELOW LABORATORY REPORTING LIMITS
UR	REJECTED NON–DETECT, CONSIDERED UNUSABLE

NOTES:

1. CONCENTRATIONS OF VOLATILE ORGANIC COMPOUNDS REPORTED IN MICROGRAMS PER LITER (ug/l)
2. CONCENTRATIONS IN BOLD EXCEED THE EVALUATION CRITERIA LISTED IN THE NEW YORK STATE DIVISION OF WATER TECHNICAL AND OPERATIONAL GUIDANCE SERIES (TOGS) 1.1.1, TABLE 5: NEW YORK STATE AMBIENT WATER QUALITY STANDARDS AND GUIDANCE VALUES (JUNE 1998).

NOTICE: THIS DRAWING HAS BEEN PREPARED UNDER THE DIRECTION OF A PROFESSIONAL. DO NOT ALTER THIS DOCUMENT IN ANY WAY WITHOUT THE WRITTEN CONSENT OF WSP USA INC.

N

SOUTH CAYUGA STREET

MW-23B

FORMER EPT ACCESS ROAD

FORMER EPT PROPERTY

FORMER EPT PROPERTY BOUNDARY

EXB-9

WASTE STORAGE BUILDING

DPE BUILDING

EXB-7

MW-7-40

EW-1-62C

EW-2-62C

EW-3-60C

EW-6-60C

EW-8-62C

EW-9R-72C

EW-12-45C

EW-11-43C

MW-46-72C

MW-46-43C

EW-9-86C

EXB-1

MW-13C

MW-15C

MW-5-40

MW-12C

MW-5-100

FORMER FIRE WATER RESERVOIR

FOOT BRIDGE

OU–1

SPDES PERMITTED OUTFALL #001

EXB-10

NYSE&G SUBSTATION

FORMER EPT PROPERTY

FORMER EPT MAIN PLANT BUILDING

MW-44T

FORMER 2–PHASE EXTRACTION SYSTEM BUILDING

Well ID:	EXB-9
Date:	9/19/2022
1,1-DCE	ND
cis-1,2-DCE	ND
trans-1,2-DCE	ND
PCE	ND
TCE	ND
Vinyl Chloride	ND
Total Site-Related	ND

Well ID:	MW-15C
Date:	9/20/2022
1,1-DCE	0.61 J
cis-1,2-DCE	**451**
trans-1,2-DCE	1.7
PCE	ND
TCE	**4.7**
Vinyl Chloride	**19.1**
Total Site-Related	477

Well ID:	MW-5-40
Date:	9/22/2022
1,1-DCE	ND
cis-1,2-DCE	**2,420**
trans-1,2-DCE	101
PCE	ND
TCE	**33**
Vinyl Chloride	**4,250**
Total Site-Related	6,804

Well ID:	MW-12C
Date:	9/21/2022
1,1-DCE	ND
cis-1,2-DCE	1.5
trans-1,2-DCE	ND
PCE	ND
TCE	ND
Vinyl Chloride	ND
Total Site-Related	1.5

Well ID:	EXB-10
Date:	9/20/2022
1,1-DCE	ND
cis-1,2-DCE	2.8
trans-1,2-DCE	ND
PCE	ND
TCE	ND
Vinyl Chloride	ND
Total Site-Related	2.8

Well ID:	MW-46-72C
Date:	9/20/2022
1,1-DCE	ND
cis-1,2-DCE	**11,200**
trans-1,2-DCE	42
PCE	ND
TCE	**1,090**
Vinyl Chloride	**964**
Total Site-Related	13,296

Well ID:	MW-46-43C
Date:	9/20/2022
1,1-DCE	ND
cis-1,2-DCE	**14,600**
trans-1,2-DCE	112
PCE	ND
TCE	ND
Vinyl Chloride	**8,960**
Total Site-Related	23,672

Well ID:	MW-13C
Date:	9/21/2022
1,1-DCE	ND
cis-1,2-DCE	**163**
trans-1,2-DCE	ND
PCE	ND
TCE	**219**
Vinyl Chloride	**1.7**
Total Site-Related	384

0 60 120

SCALE IN FEET

THE ORIGINAL VERSION OF THIS DRAWING IS IN COLOR. BLACK AND WHITE COPIES MAY NOT ACCURATELY DEPICT CERTAIN INFORMATION.

WSP USA Inc.
13530 DULLES TECHNOLOGY DR
SUITE 300
HERNDON, VA 20171
TEL: +1 703.709.6500

FIGURE 11

QUARTERLY GROUNDWATER SAMPLING RESULTS (C–ZONE WELLS) SEPTEMBER 2022

FORMER EMERSON POWER TRANSMISSION
ITHACA, NEW YORK


PREPARED FOR
EMERSON POWER TRANSMISSION

Drawn By: EGC

Checked: JRB 2/16/2023

Approved:

DWG Name: 314V5608.001–014



LEGEND

- PROPERTY BOUNDARY
- SEMI-ANNUAL MONITORING PROGRAM WELL
- OTHER SITE-WIDE MONITORING WELL (GAUGED BUT NOT SAMPLED)
- ABANDONED MONITORING WELL

ABBREVIATIONS

1,1-DCE	1,1-DICHLOROETHENE
cis-1,2-DCE	CIS-1,2-DICHLOROETHENE
trans-1,2-DCE	TRANS-1,2-DICHLOROETHENE
PCE	TETRACHLOROETHENE
TCE	TRICHLOROETHENE
J	ESTIMATED CONCENTRATION BELOW LABORATORY REPORTING LIMITS
ND	NOT DETECTED

NOTES:

1. CONCENTRATIONS OF VOLATILE ORGANIC COMPOUNDS REPORTED IN MICROGRAMS PER LITER (ug/l)
2. CONCENTRATIONS IN BOLD EXCEED THE EVALUATION CRITERIA LISTED IN THE NEW YORK STATE DIVISION OF WATER TECHNICAL AND OPERATIONAL GUIDANCE SERIES (TOGS) 1.1.1, TABLE 5: NEW YORK STATE AMBIENT WATER QUALITY STANDARDS AND GUIDANCE VALUES (JUNE 1998).

THE ORIGINAL VERSION OF THIS DRAWING IS IN COLOR. BLACK AND WHITE COPIES MAY NOT ACCURATELY DEPICT CERTAIN INFORMATION.

NOTICE: THIS DRAWING HAS BEEN PREPARED UNDER THE DIRECTION OF A PROFESSIONAL. DO NOT ALTER THIS DOCUMENT IN ANY WAY WITHOUT THE WRITTEN CONSENT OF WSP USA INC.

Drawn By: EGC
Checked: JRB 2/16/2023
Approved:
DWG Name: 314V5608.001-015

FORMER EMERSON POWER TRANSMISSION
ITHACA, NEW YORK
PREPARED FOR
EMERSON POWER TRANSMISSION

FIGURE 12
SEMI-ANNUAL MONITORING PROGRAM
GROUNDWATER SAMPLING RESULTS
SEPTEMBER 2022

WSP USA Inc.
13530 DULLES TECHNOLOGY DR
SUITE 300
HERNDON, VA 20171
TEL: +1 703.709.6500

B

R:\ACAD\CADD_CLIENT\Emerson\NY_Ithaca\314056608.001\CAD\314V5608.001-015.dwg 2/16/2023 7:10 PM USEC01012

TABLES

Table 1

Vapor Phase Extraction System Operational Time
Former Emerson Power Transmission
Ithaca, New York

Reporting Period	Reading Date (a)	Hour Meter Reading	Total Allowable Operational Time (hours)	Downtime due to Planned System Maintenance (hours)	Downtime due to Unplanned System Maintenance (hours) (b)	Total Downtime (hours)	Operational Efficiency (%)
Start Date	6/30/2022	37,618	--			--	--
July	7/31/2022	38,305	744	3	54	57	92.3%
August	8/31/2022	38,836	744	3	210	213	71.4%
September	9/30/2022	39,391	720	75	89	164	77.2%
October (c)	10/7/2022	39,562	168	0	0	0	100.0%
	Total Over Reporting Period :		**2,376**	**81**	**354**	**435**	**82%**

a/ Reading date reflects remote telemetry reading of hour meter for B-201.

b/ Unplanned downtime due to system component malfunctions (See Report Text).

c/ The Interim Site Management Plan was approved on October 7, 2022. System operational information after October 7, 2022 will be provided in Periodic Review Reports.

Table 2

Aqueous Phase VOC Mass Removed
Former Emerson Power Transmission
Ithaca, New York (a)

Sampling Period	Reading Date (b)	Total VOC Influent Concentration (µg/l)	Total VOC Effluent Concentration (µg/l)	Effluent Water Meter Reading (gallons) (b, c)	Volume of Water Extracted (gallons)	VOC Mass Removed (lbs)	Cumulative Mass Removed Since 1/20/2009 (lbs)
Start Date	6/8/2022	--	--	3,211,425	--	--	191.8
Third Quarter 2022	9/2/2022	553	2.4	3,246,633	35,208	0.16	192.0
Fourth Quarter 2022 (d)	10/7/2022	1,166	3.0	3,264,254	17,621	0.17	192.1
			Total Volume Over Reporting Period:		**52,829**	**0.33**	**192.1**
			Total Days in Reporting Period:		**121**		
			Average gallons per day:		**437**		
			Average gallons per minute:		**0.30**		

a/ Abbreviations: VOC = volatile organic compound; µg/l = micrograms per liter; lbs = pounds.

b/ Reading date reflects onsite reading of the discharge flow totalizer at Outfall 01A.

c/ Recorded as the total cumulative flow since startup on January 20, 2009 from the discharge flow totalizer.

d/ The Interim Site Management Plan was approved on October 7, 2022. System operational information after October 7, 2022 will be provided in Periodic Review Reports.

Table 3

Aqueous Phase Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a, b)

Sample ID:	WINF	
Location:	System Influent	
Sample Date:	07/27/22	10/24/22
VOCs (µg/l)		
Acetone	10 U	10 U
Benzene	0.50 U	0.50 U
Bromodichloromethane	1.0 U	1.0 U
Bromoform	1.0 U	1.0 U
Bromomethane	2.0 U	2.0 U
2-Butanone (MEK)	10 U	10 U
Carbon disulfide	2.0 U	2.0 U
Carbon tetrachloride	1.0 U	1.0 U
Chlorobenzene	1.0 U	1.0 U
Chloroethane	1.0 U	1.0 U
Chloroform	1.0 U	1.0 U
Chloromethane	1.0 U	1.0 U
Cyclohexane	5.0 U	5.0 U
1,2-Dibromo-3-chloropropane	2.0 U	2.0 U
Dibromochloromethane	1.0 U	1.0 U
1,2-Dibromoethane	1.0 U	1.0 U
1,2-Dichlorobenzene	1.0 U	1.0 U
1,3-Dichlorobenzene	1.0 U	1.0 U
1,4-Dichlorobenzene	1.0 U	1.0 U
Dichlorodifluoromethane	2.0 U	2.0 U
1,1-Dichloroethane	1.0 U	1.0 U
1,2-Dichloroethane	1.0 U	1.0 U
1,1-Dichloroethene	1.0 U	1.0 U
cis-1,2-Dichloroethene	425	735
trans-1,2-Dichloroethene	2.7	4.4
1,2-Dichloropropane	1.0 U	1.0 U
cis-1,3-Dichloropropene	1.0 U	1.0 U
trans-1,3-Dichloropropene	1.0 U	1.0 U
Ethylbenzene	1.0 U	1.0 U
Freon 113	5.0 U	5.0 U
2-Hexanone	5.0 U	5.0 U
Isopropylbenzene	1.0 U	1.0 U
Methyl Acetate	5.0 U	5.0 U
Methylcyclohexane	5.0 U	5.0 U
Methyl Tert Butyl Ether	1.0 U	1.0 U
4-Methyl-2-pentanone(MIBK)	5.0 U	5.0 U
Methylene chloride	2.0 U	2.0 U
Styrene	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	1.0 U	1.0 U
Tetrachloroethene	1.0 U	1.0 U
Toluene	1.0 U	1.0 U
1,2,4-Trichlorobenzene	1.0 U	1.0 U
1,1,1-Trichloroethane	1.0 U	1.0 U
1,1,2-Trichloroethane	1.0 U	1.0 U
Trichloroethene	124	421
Trichlorofluoromethane	2.0 U	2.0 U
Vinyl chloride	11.8	5.7
Xylene (total)	1.0 U	1.0 U
Total VOCs (µg/l)	**553**	**1,166**

Table 3

Aqueous Phase Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a, b)

Sample ID:	WAS	
Location:	Post Air-Stripper/Pre-Carbon	
Sample Date:	07/27/22	10/24/22
VOCs (µg/l)		
Acetone	10 U	10 U
Benzene	0.50 U	0.50 U
Bromodichloromethane	1.0 U	1.0 U
Bromoform	1.0 U	1.0 U
Bromomethane	2.0 U	2.0 U
2-Butanone (MEK)	10 U	10 U
Carbon disulfide	2.0 U	2.0 U
Carbon tetrachloride	1.0 U	1.0 U
Chlorobenzene	1.0 U	1.0 U
Chloroethane	1.0 U	1.0 U
Chloroform	1.0 U	1.0 U
Chloromethane	1.0 U	1.0 U
Cyclohexane	5.0 U	5.0 U
1,2-Dibromo-3-chloropropane	2.0 U	2.0 U
Dibromochloromethane	1.0 U	1.0 U
1,2-Dibromoethane	1.0 U	1.0 U
1,2-Dichlorobenzene	1.0 U	1.0 U
1,3-Dichlorobenzene	1.0 U	1.0 U
1,4-Dichlorobenzene	1.0 U	1.0 U
Dichlorodifluoromethane	2.0 U	2.0 U
1,1-Dichloroethane	1.0 U	1.0 U
1,2-Dichloroethane	1.0 U	1.0 U
1,1-Dichloroethene	1.0 U	1.0 U
cis-1,2-Dichloroethene	1.0 U	2.4
trans-1,2-Dichloroethene	1.0 U	1.0 U
1,2-Dichloropropane	1.0 U	1.0 U
cis-1,3-Dichloropropene	1.0 U	1.0 U
trans-1,3-Dichloropropene	1.0 U	1.0 U
Ethylbenzene	1.0 U	1.0 U
Freon 113	5.0 U	5.0 U
2-Hexanone	5.0 U	5.0 U
Isopropylbenzene	1.0 U	1.0 U
Methyl Acetate	5.0 U	5.0 U
Methylcyclohexane	5.0 U	5.0 U
Methyl Tert Butyl Ether	1.0 U	1.0 U
4-Methyl-2-pentanone(MIBK)	5.0 U	5.0 U
Methylene chloride	2.0 U	2.0 U
Styrene	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	1.0 U	1.0 U
Tetrachloroethene	1.0 U	1.0 U
Toluene	1.0 U	1.0 U
1,2,4-Trichlorobenzene	1.0 U	1.0 U
1,1,1-Trichloroethane	1.0 U	1.0 U
1,1,2-Trichloroethane	1.0 U	1.0 U
Trichloroethene	1.0 U	0.68 J
Trichlorofluoromethane	2.0 U	2.0 U
Vinyl chloride	1.0 U	1.0 U
Xylene (total)	1.0 U	1.0 U
Total VOCs (µg/l)	ND	3.1

Table 3

Aqueous Phase Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a, b)

Sample ID:	WMID GAC	
Location:	Between Aqueous Carbon Vessels	
Sample Date:	07/27/22	10/24/22
VOCs (µg/l)		
Acetone	10 U	10 U
Benzene	0.50 U	0.50 U
Bromodichloromethane	1.0 U	1.0 U
Bromoform	1.0 U	1.0 U
Bromomethane	2.0 U	2.0 U
2-Butanone (MEK)	10 U	10 U
Carbon disulfide	2.0 U	2.0 U
Carbon tetrachloride	1.0 U	1.0 U
Chlorobenzene	1.0 U	1.0 U
Chloroethane	1.0 U	1.0 U
Chloroform	0.64 J	0.56 J
Chloromethane	1.0 U	1.0 U
Cyclohexane	5.0 U	5.0 U
1,2-Dibromo-3-chloropropane	2.0 U	2.0 U
Dibromochloromethane	1.0 U	1.0 U
1,2-Dibromoethane	1.0 U	1.0 U
1,2-Dichlorobenzene	1.0 U	1.0 U
1,3-Dichlorobenzene	1.0 U	1.0 U
1,4-Dichlorobenzene	1.0 U	1.0 U
Dichlorodifluoromethane	2.0 U	2.0 U
1,1-Dichloroethane	1.0 U	1.0 U
1,2-Dichloroethane	1.0 U	1.0 U
1,1-Dichloroethene	1.0 U	1.0 U
cis-1,2-Dichloroethene	6.9	8.1
trans-1,2-Dichloroethene	1.0 U	1.0 U
1,2-Dichloropropane	1.0 U	1.0 U
cis-1,3-Dichloropropene	1.0 U	1.0 U
trans-1,3-Dichloropropene	1.0 U	1.0 U
Ethylbenzene	1.0 U	1.0 U
Freon 113	5.0 U	5.0 U
2-Hexanone	5.0 U	5.0 U
Isopropylbenzene	1.0 U	1.0 U
Methyl Acetate	5.0 U	5.0 U
Methylcyclohexane	5.0 U	5.0 U
Methyl Tert Butyl Ether	1.0 U	1.0 U
4-Methyl-2-pentanone(MIBK)	5.0 U	5.0 U
Methylene chloride	2.0 U	2.0 U
Styrene	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	1.0 U	1.0 U
Tetrachloroethene	1.0 U	1.0 U
Toluene	1.0 U	1.0 U
1,2,4-Trichlorobenzene	1.0 U	1.0 U
1,1,1-Trichloroethane	1.0 U	1.0 U
1,1,2-Trichloroethane	1.0 U	1.0 U
Trichloroethene	1.0 U	1.0 U
Trichlorofluoromethane	2.0 U	2.0 U
Vinyl chloride	1.0 U	1.0 U
Xylene (total)	1.0 U	1.0 U
Total VOCs (µg/l)	**7.5**	**8.7**

Table 3

Aqueous Phase Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a, b)

Sample ID:	WPOST GAC	
Location:	Post-Carbon (System Discharge)	
Sample Date:	07/27/22	10/24/22
VOCs (µg/l)		
Acetone	10 U	10 U
Benzene	0.50 U	0.50 U
Bromodichloromethane	1.0 U	1.0 U
Bromoform	1.0 U	1.0 U
Bromomethane	2.0 U	2.0 U
2-Butanone (MEK)	10 U	10 U
Carbon disulfide	2.0 U	2.0 U
Carbon tetrachloride	1.0 U	1.0 U
Chlorobenzene	1.0 U	1.0 U
Chloroethane	1.0 U	1.0 U
Chloroform	1.0 U	1.0 U
Chloromethane	1.0 U	1.0 U
Cyclohexane	5.0 U	5.0 U
1,2-Dibromo-3-chloropropane	2.0 U	2.0 U
Dibromochloromethane	1.0 U	1.0 U
1,2-Dibromoethane	1.0 U	1.0 U
1,2-Dichlorobenzene	1.0 U	1.0 U
1,3-Dichlorobenzene	1.0 U	1.0 U
1,4-Dichlorobenzene	1.0 U	1.0 U
Dichlorodifluoromethane	2.0 U	2.0 U
1,1-Dichloroethane	1.0 U	1.0 U
1,2-Dichloroethane	1.0 U	1.0 U
1,1-Dichloroethene	1.0 U	1.0 U
cis-1,2-Dichloroethene	2.4	3.0
trans-1,2-Dichloroethene	1.0 U	1.0 U
1,2-Dichloropropane	1.0 U	1.0 U
cis-1,3-Dichloropropene	1.0 U	1.0 U
trans-1,3-Dichloropropene	1.0 U	1.0 U
Ethylbenzene	1.0 U	1.0 U
Freon 113	5.0 U	5.0 U
2-Hexanone	5.0 U	5.0 U
Isopropylbenzene	1.0 U	1.0 U
Methyl Acetate	5.0 U	5.0 U
Methylcyclohexane	5.0 U	5.0 U
Methyl Tert Butyl Ether	1.0 U	1.0 U
4-Methyl-2-pentanone(MIBK)	5.0 U	5.0 U
Methylene chloride	2.0 U	2.0 U
Styrene	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	1.0 U	1.0 U
Tetrachloroethene	1.0 U	1.0 U
Toluene	1.0 U	1.0 U
1,2,4-Trichlorobenzene	1.0 U	1.0 U
1,1,1-Trichloroethane	1.0 U	1.0 U
1,1,2-Trichloroethane	1.0 U	1.0 U
Trichloroethene	1.0 U	1.0 U
Trichlorofluoromethane	2.0 U	2.0 U
Vinyl chloride	1.0 U	1.0 U
Xylene (total)	1.0 U	1.0 U
Total VOCs (µg/l)	**2.4**	**3.0**

a/ Abbreviations: VOC = volatile organic compound; µg/l = micrograms per liter; J = estimated concentration below reporting limit; U = compound not detected; ND = no compounds detected.

b/ System samples were not collected during the fourth quarter 2020.

Table 4

Vapor Phase VOC Mass Removed
Former Emerson Power Transmission
Ithaca, New York (a)

Sampling Period	Reading Date (b)	Total VOC Influent Concentration (mg/m^3)	Vacuum Blower Meter Reading (hrs) (b)	Sampling Period Vacuum Blower Run Time (hrs)	TCE mass flux (lbs/hr)	1,2-DCE mass flux (lbs/hr)	PCE mass flux (lbs/hr)	1,1-DCE mass flux (lbs/hr)	VC mass flux (lbs/hr)	Quarterly Average Air Flow (m^3/hr)	Total VOC mass flux (lbs/hr) (c)	VOC Mass Removed (lbs)	Cumulative Mass Removed Since 1/20/2009 (lbs)
Start Date	6/30/2022	--	37,618	--	--	--	--	--			--	--	4,590.1
Third Quarter 2022	9/30/2022	1.4	39,391	1,773	0.000	0.001	0.000	0.000	0.000	441	0.001	2.3	4,592.4
Fourth Quarter 2022	10/7/2022	0.0	39,562	171	0.000	0.000	ND	ND	ND	441	0.000	0.0	4,592.4
											Total Over Reporting Period:	**2.3**	**4,592.4**

a/ Abbreviations: VOC = volatile organic compound; mg/m^3 = milligrams per cubic meter; hrs = hours; lbs = pounds; lbs/hr = pounds per hour; m^3/hr = cubic meters per hour; TCE = Trichloroethene; 1,2-DCE = cis/trans-1,2-Dichloroethene; PCE = Tetrachloroethene; 1,1-DCE = 1,1-Dichloroethene; VC = Vinyl chloride; ND = non detect.

b/ Reading date reflects remote telemetry reading of hour meter for B-201.

c/ Mass flux calculations based on an average monthly field measurement of system flow capacity over the operating period.

Table 5

Vapor Phase Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Sample ID:	Molecular	VINF			
Sample Date:	Weight	07/27/22		10/24/22	
Units:	(g/mol)	(ppmv)	(mg/m^3)	(ppmv)	(mg/m^3)
VOCs					
1,1-Dichloroethene	96.9	0.00056	0.0022	0.00016 U	0.00063 U
cis-1,2-Dichloroethene	96.9	0.236	0.936	0.0073	0.029
trans-1,2-Dichloroethene	96.9	0.0016	0.0063	0.0008 U	0.0032 U
Tetrachloroethene	165.8	0.00018	0.0012	0.00016 U	0.0011 U
Trichloroethene	131.4	0.0634	0.341	0.0031	0.017
Vinyl Chloride	62.5	0.0295	0.0754	0.00016 U	0.00041 U
	Total VOCs:	**0.33**	**1.36**	**0.01**	**0.05**

Sample ID:	Molecular	VPOST GAC			
Sample Date:	Weight	07/27/22		10/24/22	
Units:	(g/mol)	(ppmv)	(mg/m^3)	(ppmv)	(mg/m^3)
VOCs					
1,1-Dichloroethene	96.9	0.00016 U	0.00063 U	0.00016 U	0.00063 U
cis-1,2-Dichloroethene	96.9	0.18	0.714	0.0064	0.025
trans-1,2-Dichloroethene	96.9	0.00092	0.0036	0.0008 U	0.0032 U
Tetrachloroethene	165.8	0.00058	0.0039	0.00016 U	0.0011 U
Trichloroethene	131.4	0.159	0.855	0.0095	0.051
Vinyl Chloride	62.5	0.0121	0.0309	0.0015	0.0038
	Total VOCs:	**0.34**	**1.57**	**0.02**	**0.08**

a/ Abbreviations: VOC = volatile organic compound; g/mol = grams per mole; ppmv = parts per million by volume; mg/m^3 = milligrams per cubic meter; U

Table 6

Extraction Well Aqueous Phase Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Sample ID:	**EW-1-62C**			**EW-2-62C**			**EW-3-60C**			**EW-4-25B**		
Sample Date:	7/24/2020	10/7/2021	9/22/2022	7/24/2020	10/7/2021	9/22/2022	7/24/2020	10/7/2021	9/22/2022	7/24/2020	10/7/2021	9/22/2022
VOCs (µg/L)												
Acetone	60 U	10 U	10 U	60 U	12.1 J	10 U	60 U	500 U	20 U	30 U	200 U	40 U
Benzene	4.3 U	0.5 U	0.05 U	4.3 U	2 U	0.5 U	4.3 U	25 U	1 U	2.1 U	10 U	2 U
Bromodichloromethane	5.8 U	1 U	1 U	5.8 U	4 U	1 U	5.8 U	50 U	2 U	2.9 U	20 U	4 U
Bromoform	6.3 U	1 U	1 U	6.3 U	4 U	1 U	6.3 U	50 U	2 U	3.2 U	20 U	4 U
Bromomethane	16 U	2 U	2 U	16 U	8 U	2 U	16 U	100 U	4 U	8.2 U	40 U	8 U
2-Butanone (MEK)	69 U	10 U	10 U	69 U	40 U	10 U	69 U	500 U	20 U	34 U	200 U	40 U
Carbon disulfide	9.5 U	2 U	2 U	9.5 U	8 U	2 U	9.5 U	100 U	4 U	4.8 U	40 U	8 U
Carbon tetrachloride	5.5 U	1 U	1 U	5.5 U	4 U	1 U	5.5 U	50 U	2 U	2.8 U	20 U	4 U
Chlorobenzene	5.6 U	1 U	1 U	5.6 U	4 U	1 U	5.6 U	50 U	2 U	2.8 U	20 U	4 U
Chloroethane	7.3 U	1 U	1 U	7.3 U	4 U	1 U	7.3 U	50 U	2 U	3.6 U	20 U	4 U
Chloroform	5 U	1 U	1 U	5 U	4 U	1 U	5 U	50 U	2 U	2.5 U	20 U	4 U
Chloromethane	7.6 U	1 U	1 U	7.6 U	4 U	1 U	7.6 U	50 U	2 U	3.8 U	20 U	4 U
Cyclohexane	7.8 U	5 U	5 U	7.8 U	20 U	5 U	7.8 U	250 U	10 U	3.9 U	100 U	20 U
1,2-Dibromo-3-chloropropane	12 U	2 U	2 U	12 U	8 U	2 U	12 U	100 U	4 U	6 U	40 U	8 U
Dibromochloromethane	5.6 U	1 U	1 U	5.6 U	4 U	1 U	5.6 U	50 U	2 U	2.8 U	20 U	4 U
1,2-Dibromoethane	4.8 U	1 U	1 U	4.8 U	4 U	1 U	4.8 U	50 U	2 U	2.4 U	20 U	4 U
1,2-Dichlorobenzene	5.3 U	1 U	1 U	5.3 U	4 U	1 U	5.3 U	50 U	2 U	2.7 U	20 U	4 U
1,3-Dichlorobenzene	5.4 U	1 U	1 U	5.4 U	4 U	1 U	5.4 U	50 U	2 U	2.7 U	20 U	4 U
1,4-Dichlorobenzene	5.1 U	1 U	1 U	5.1 U	4 U	1 U	5.1 U	50 U	2 U	2.5 U	20 U	4 U
Dichlorodifluoromethane	14 U	2 U	2 U	14 U	8 U	2 U	14 U	100 U	4 U	6.8 U	40 U	8 U
1,1-Dichloroethane	5.7 U	1 U	1 U	5.7 U	4 U	1 U	5.7 U	50 U	2 U	2.8 U	20 U	4 U
1,2-Dichloroethane	6 U	1 U	1 U	6 U	4 U	1 U	6 U	50 U	2 U	3 U	20 U	4 U
1,1-Dichloroethene	5.9 U	1 U	1 U	5.9 U	4 U	1 U	5.9 U	50 U	1.6 J	3 U	20 U	4 U
cis-1,2-Dichloroethene	1,550	379	321	2,020	2,000	403	4,020	7,480	1,100	521	2,970	772
trans-1,2-Dichloroethene	17.8	8.6	3.2	35	301	3.5	135	42.2 J	15.1	7.9	488	8.4
1,2-Dichloropropane	5.1 U	1 U	1 U	5.1 U	4 U	1 U	5.1 U	50 U	2 U	2.5 U	20 U	4 U
cis-1,3-Dichloropropene	4.7 U	1 U	1 U	4.7 U	4 U	1 U	4.7 U	50 U	2 U	2.4 U	20 U	4 U
trans-1,3-Dichloropropene	4.3 U	1 U	1 U	4.3 U	4 U	1 U	4.3 U	50 U	2 U	2.2 U	20 U	4 U
Ethylbenzene	6 U	1 U	1 U	6 U	4 U	1 U	6 U	50 U	2 U	3 U	20 U	4 U
Freon 113	19 U	5 U	5 U	19 U	20 U	5 U	19 U	250 U	10 U	9.7 U	100 U	20 U
2-Hexanone	20 U	5 U	5 U	20 U	20 U	5 U	20 U	250 U	10 U	10 U	100 U	20 U
Isopropylbenzene	6.5 U	1 U	1 U	6.5 U	4 U	1 U	6.5 U	50 U	2 U	3.2 U	20 U	4 U
Methyl Acetate	8 U	5 U	5 U	8 U	20 U	5 U	8 U	250 U	10 U	4 U	100 U	20 U
Methylcyclohexane	6 U	5 U	5 U	6 U	20 U	5 U	6 U	250 U	10 U	3 U	100 U	20 U
Methyl Tert Butyl Ether	5.1 U	1 U	1 U	5.1 U	4 U	1 U	5.1 U	50 U	2 U	2.5 U	20 U	4 U
4-Methyl-2-pentanone (MIBK)	19 U	5 U	5 U	19 U	20 U	5 U	19 U	250 U	10 U	9.3 U	100 U	20 U
Methylene chloride	10 U	2 U	2 U	10 U	8 U	2 U	10 U	100 U	4 U	5 U	40 U	8 U
Styrene	7 U	1 U	1 U	7 U	4 U	1 U	7 U	50 U	2 U	3.5 U	20 U	4 U
1,1,2,2-Tetrachloroethane	6.5 U	1 U	1 U	6.5 U	4 U	1 U	6.5 U	50 U	2 U	3.3 U	20 U	4 U
Tetrachloroethene	9 U	1 U	1 U	9 U	4 U	1 U	9 U	50 U	2 U	4.5 U	20 U	4 U
Toluene	5.3 U	1 U	1 U	5.3 U	4 U	1 U	5.3 U	50 U	2 U	2.7 U	20 U	4 U
1,2,4-Trichlorobenzene	5 U	1 U	1 U	5 U	4 U	1 U	5 U	50 U	2 U	2.5 U	20 U	4 U
1,1,1-Trichloroethane	5.4 U	1 U	1 U	5.4 U	4 U	1 U	5.4 U	50 U	2 U	2.7 U	20 U	4 U
1,1,2-Trichloroethane	5.3 U	1 U	1 U	5.3 U	4 U	1 U	5.3 U	50 U	2 U	2.7 U	20 U	4 U
Trichloroethene	556	49.9	33.6	2,350	589	70.8	3,380	1,300	960	761	3,570	867
Trichlorofluoromethane	8.4 U	2 U	2 U	8.4 U	8 U	2 U	8.4 U	100 U	4 U	4.2 U	40 U	8 U
Vinyl chloride	55.2	15.5	31.1	7.9 U	25	24.4	14.2	50 U	36.2	3.9 U	20 U	4 U
Xylene (total)	5.9 U	1 U	1 U	5.9 U	4 U	1	5.9 U	50 U	2 U	3 U	20 U	4 U
Total VOCs (µg/L)	**2,179**	**453**	**389**	**4,405**	**2,927**	**503**	**7,549**	**8,822**	**2,113**	**1,290**	**7,028**	**1,647**

a/ Abbreviations: VOC = volatile organic compound; µg/l = micrograms per liter;
U = compound not detected, J = Indicates an estimated value

Table 6

Extraction Well Aqueous Phase Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Sample ID:	EW-5-25B			EW-6-60C			EW-7-25B			EW-8-62C			EW-9R-72C		
Sample Date:	7/24/2020	10/7/2021	9/22/2022	7/24/2020	10/7/2021	9/22/2022	7/24/2020	10/7/2021	9/22/2022	7/24/2020	10/7/2021	9/22/2022	7/24/2020	10/7/2021	9/22/2022
VOCs (µg/L)															
Acetone	30 U	40 U	20 U	60 U	33.3 J	20 U	120 U	100 U	50 U	30 U	100 U	100 U	120 U	100 U	50 U
Benzene	2.1 U	2 U	1 U	4.3 U	2.5 U	1 U	8.5 U	5 U	2.5 U	2.1 U	5 U	5 U	8.5 U	5 U	2.5 U
Bromodichloromethane	2.9 U	4 U	2 U	5.8 U	5 U	2 U	12 U	10 U	5 U	2.9 U	10 U	10 U	12 U	10 U	5 U
Bromoform	3.2 U	4 U	2 U	6.3 U	5 U	2 U	13 U	10 U	5 U	3.2 U	10 U	10 U	13 U	10 U	5 U
Bromomethane	8.2 U	8 U	4 U	16 U	10 U	4 U	33 U	20 U	10 U	10	20 U	20 U	33 U	20 U	10 U
2-Butanone (MEK)	34 U	40 U	20 U	69 U	50 U	20 U	140 U	100 U	50 U	34 U	100 U	100 U	140 U	100 U	50 U
Carbon disulfide	4.8 U	8 U	4 U	9.5 U	10 U	4 U	19 U	20 U	10 U	4.8 U	20 U	20 U	19 U	20 U	10 U
Carbon tetrachloride	2.8 U	4 U	2 U	5.5 U	5 U	2 U	11 U	10 U	5 U	2.8 U	10 U	10 U	11 U	10 U	5 U
Chlorobenzene	2.8 U	4 U	2 U	5.6 U	5 U	2 U	11 U	10 U	5 U	2.8 U	10 U	10 U	11 U	10 U	5 U
Chloroethane	3.6 U	4 U	2 U	7.3 U	5 U	2 U	15 U	10 U	5 U	3.6 U	10 U	10 U	15 U	10 U	5 U
Chloroform	2.5 U	4 U	2 U	5 U	5 U	2 U	10 U	10 U	5 U	2.5 U	10 U	10 U	10 U	10 U	5 U
Chloromethane	3.8 U	4 U	2 U	7.6 U	5 U	2 U	15 U	10 U	5 U	3.8 U	10 U	10 U	15 U	10 U	5 U
Cyclohexane	3.9 U	20 U	10 U	7.8 U	25 U	10 U	16 U	50 U	25 U	3.9 U	50 U	50 U	16 U	50 U	25 U
1,2-Dibromo-3-chloropropane	6 U	8 U	4 U	12 U	10 U	4 U	24 U	20 U	10 U	6 U	20 U	20 U	24 U	20 U	10 U
Dibromochloromethane	2.8 U	4 U	2 U	5.6 U	5 U	2 U	11 U	10 U	5 U	2.8 U	10 U	10 U	11 U	10 U	5 U
1,2-Dibromoethane	2.4 U	4 U	2 U	4.8 U	5 U	2 U	9.5 U	10 U	5 U	2.4 U	10 U	10 U	9.5 U	10 U	5 U
1,2-Dichlorobenzene	2.7 U	4 U	2 U	5.3 U	5 U	2 U	11 U	10 U	5 U	2.7 U	10 U	10 U	11 U	10 U	5 U
1,3-Dichlorobenzene	2.7 U	4 U	2 U	5.4 U	5 U	2 U	11 U	10 U	5 U	2.7 U	10 U	10 U	11 U	10 U	5 U
1,4-Dichlorobenzene	2.5 U	4 U	2 U	5.1 U	5 U	2 U	10 U	10 U	5 U	2.5 U	10 U	10 U	10 U	10 U	5 U
Dichlorodifluoromethane	6.8 U	8 U	4 U	14 U	10 U	4 U	27 U	20 U	10 U	6.8 U	20 U	20 U	27 U	20 U	10 U
1,1-Dichloroethane	2.8 U	4 U	2 U	5.7 U	5 U	2 U	11 U	10 U	5 U	2.8 U	10 U	10 U	11 U	10 U	5 U
1,2-Dichloroethane	3 U	4 U	2 U	6 U	5 U	2 U	12 U	10 U	5 U	3 U	10 U	10 U	12 U	10 U	5 U
1,1-Dichloroethene	3 U	4 U	2 U	5.9 U	5 U	2 U	12 U	10 U	3.6 J	3 U	10 U	10 U	12 U	10 U	5 U
cis-1,2-Dichloroethene	1,040	740	673	1,190	1,200	880	3,920	2,400	2,230	1,270	3,820	3,080	3,080	2,610	1,730
trans-1,2-Dichloroethene	33.3	25.9	5.5	10	7.5	3.7	33.8	89.4	24.4	6.3	30.5	15.8	48.6	25.1	5
1,2-Dichloropropane	2.5 U	4 U	2 U	5.1 U	5 U	2 U	10 U	10 U	5 U	2.5 U	10 U	10 U	10 U	10 U	5 U
cis-1,3-Dichloropropene	2.4 U	4 U	2 U	4.7 U	5 U	2 U	9.4 U	10 U	5 U	2.4 U	10 U	10 U	9.4 U	10 U	5 U
trans-1,3-Dichloropropene	2.2 U	4 U	2 U	4.3 U	5 U	2 U	8.6 U	10 U	5 U	2.2 U	10 U	10 U	8.6 U	10 U	5 U
Ethylbenzene	3 U	4 U	2 U	6 U	5 U	2 U	12 U	10 U	5 U	3 U	10 U	10 U	12 U	10 U	5 U
Freon 113	9.7 U	20 U	10 U	19 U	25 U	10 U	39 U	50 U	25 U	9.7 U	50 U	50 U	39 U	50 U	25 U
2-Hexanone	10 U	20 U	10 U	20 U	25 U	10 U	41 U	50 U	25 U	10 U	50 U	50 U	41 U	50 U	25 U
Isopropylbenzene	3.2 U	4 U	2 U	6.5 U	5 U	2 U	13 U	10 U	5 U	3.2 U	10 U	10 U	13 U	10 U	5 U
Methyl Acetate	4 U	20 U	10 U	8 U	25 U	10 U	16 U	50 U	25 U	4 U	50 U	50 U	16 U	50 U	25 U
Methylcyclohexane	3 U	20 U	10 U	6 U	25 U	10 U	12 U	50 U	25 U	3 U	50 U	50 U	12 U	50 U	25 U
Methyl Tert Butyl Ether	2.5 U	4 U	2 U	5.1 U	5 U	2 U	10 U	10 U	5 U	2.5 U	10 U	10 U	10 U	10 U	5 U
4-Methyl-2-pentanone (MIBK)	9.3 U	20 U	10 U	19 U	25 U	10 U	37 U	50 U	25 U	9.3 U	50 U	50 U	37 U	50 U	25 U
Methylene chloride	5 U	8 U	4 U	10 U	10 U	4 U	20 U	20 U	10 U	5 U	20 U	20 U	20 U	20 U	10 U
Styrene	3.5 U	4 U	2 U	7 U	5 U	2 U	14 U	10 U	5 U	3.5 U	10 U	10 U	14 U	10 U	5 U
1,1,2,2-Tetrachloroethane	3.3 U	4 U	2 U	6.5 U	5 U	2 U	13 U	10 U	5 U	3.3 U	10 U	10 U	13 U	10 U	5 U
Tetrachloroethene	4.5 U	4 U	2 U	9 U	5 U	2 U	18 U	10 U	5 U	4.5 U	10 U	10 U	18 U	10 U	5 U
Toluene	2.7 U	4 U	2 U	5.3 U	5 U	2 U	11 U	10 U	5 U	2.7 U	10 U	10 U	11 U	10 U	5 U
1,2,4-Trichlorobenzene	2.5 U	4 U	2 U	5 U	5 U	2 U	10 U	10 U	5 U	2.5 U	10 U	10 U	10 U	10 U	5 U
1,1,1-Trichloroethane	2.7 U	4 U	2 U	5.4 U	5 U	2 U	11 U	10 U	5 U	2.7 U	10 U	10 U	11 U	10 U	5 U
1,1,2-Trichloroethane	2.7 U	4 U	2 U	5.3 U	5 U	2 U	11 U	10 U	5 U	2.7 U	10 U	10 U	11 U	10 U	5 U
Trichloroethene	962	225	386	1,820	101	142	3,500	15.3	92.3	857	67	296	2,070	10 U	28.2
Trichlorofluoromethane	4.2 U	8 U	4 U	8.4 U	10 U	4 U	17 U	20 U	10 U	4.2 U	20 U	20 U	17 U	20 U	10 U
Vinyl chloride	8.2	4 U	8.4	7.9 U	26.2	4	25.4	10 U	97.4	3.9 U	13.8	48.5	16 U	1,140	85.2
Xylene (total)	3 U	4 U	2 U	5.9 U	5 U	2 U	12 U	10 U	5 U	3 U	10 U	10 U	12 U	10 U	5 U
Total VOCs (µg/L)	**2,044**	**991**	**1,073**	**3,020**	**1,368**	**1,030**	**7,479**	**2,505**	**2,448**	**2,143**	**3,931**	**3,440**	**5,199**	**3,775**	**1,848**

a/ Abbreviations: VOC = volatile or
U = compound not detected, J =

Table 6

Extraction Well Aqueous Phase Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Sample ID:	**EW-10-25B**			**EW-11-45C**			**EW-12-45C**		
Sample Date:	7/24/2020	10/7/2021	9/22/2022	7/24/2020	10/7/2021	9/22/2022	7/24/2020	10/7/2021	9/22/2022
VOCs (µg/L)									
Acetone	15.5	8.2 J	10 U	120 U	1,000 U	500 U	30 U	100	50 U
Benzene	0.43 U	0.5 U	0.5 U	8.5 U	50 U	25 U	2.1 U	2.5 U	2.5 U
Bromodichloromethane	0.58 U	1 U	1 U	12 U	100 U	50 U	2.9 U	5 U	5 U
Bromoform	0.63 U	1 U	1 U	13 U	100 U	50 U	3.2 U	5 U	5 U
Bromomethane	1.6 U	2 U	2 U	33 U	200 U	100 U	8.2 U	10 U	10 U
2-Butanone (MEK)	6.9 U	10 U	10 U	140 U	1,000 U	500 U	34 U	50 U	50 U
Carbon disulfide	0.95 U	2 U	2 U	19 U	200 U	100 U	4.8 U	2.6 J	10 U
Carbon tetrachloride	0.55 U	1 U	1 U	11 U	100 U	50 U	2.8 U	5 U	5 U
Chlorobenzene	0.56 U	1 U	1 U	11 U	100 U	50 U	2.8 U	5 U	5 U
Chloroethane	0.73 U	1 U	1 U	15 U	100 U	50 U	3.6 U	5 U	5 U
Chloroform	0.5 U	1 U	1 U	10 U	100 U	50 U	2.5 U	5.8	3.7 J
Chloromethane	0.76 U	1 U	1 U	15 U	100 U	50 U	3.8 U	5 U	5 U
Cyclohexane	0.78 U	5 U	5 U	16 U	500 U	250 U	3.9 U	25 U	25 U
1,2-Dibromo-3-chloropropane	1.2 U	2 U	2 U	24 U	200 U	100 U	6 U	10 U	10 U
Dibromochloromethane	0.56 U	1 U	1 U	11 U	100 U	50 U	2.8 U	5 U	5 U
1,2-Dibromoethane	0.48 U	1 U	1 U	9.5 U	100 U	50 U	2.4 U	5 U	5 U
1,2-Dichlorobenzene	0.53 U	1 U	1 U	11 U	100 U	50 U	2.7 U	5 U	5 U
1,3-Dichlorobenzene	0.54 U	1 U	1 U	11 U	100 U	50 U	2.7 U	5 U	5 U
1,4-Dichlorobenzene	0.51 U	1 U	1 U	10 U	100 U	50 U	2.5 U	5 U	5 U
Dichlorodifluoromethane	1.4 U	2 U	2 U	27 U	200 U	100 U	6.8 U	10 U	10 U
1,1-Dichloroethane	0.57 U	1 U	1 U	11 U	100 U	50 U	2.8 U	5 U	5 U
1,2-Dichloroethane	0.6 U	1 U	1 U	12 U	100 U	50 U	3 U	5 U	5 U
1,1-Dichloroethene	0.59 U	1 U	1 U	12 U	100 U	49.9 J	3 U	3.2 J	5 U
cis-1,2-Dichloroethene	236	166	343	3,620	8,430	21,900	841	2,100	2,030
trans-1,2-Dichloroethene	6.3	4.3	3.6	59.3	100 U	124	2.7 U	6.4	4.7 J
1,2-Dichloropropane	0.51 U	1 U	1 U	10 U	100 U	50 U	2.5 U	5 U	5 U
cis-1,3-Dichloropropene	0.47 U	1 U	1 U	9.4 U	100 U	50 U	2.4 U	5 U	5 U
trans-1,3-Dichloropropene	0.43 U	1 U	1 U	8.6 U	100 U	50 U	2.2 U	5 U	5 U
Ethylbenzene	0.6 U	1 U	1 U	12 U	100 U	50 U	3 U	5 U	5 U
Freon 113	1.9 U	5 U	5 U	39 U	500 U	250 U	9.7 U	25 U	25 U
2-Hexanone	2 U	5 U	5 U	41 U	500 U	250 U	10 U	25 U	25 U
Isopropylbenzene	0.65 U	1 U	1 U	13 U	100 U	50 U	3.2 U	5 U	5 U
Methyl Acetate	0.8 U	5 U	5 U	16 U	500 U	250 U	4 U	25 U	25 U
Methylcyclohexane	0.6 U	5 U	5 U	12 U	500 U	250 U	3 U	25 U	25 U
Methyl Tert Butyl Ether	0.51 U	1 U	1 U	10 U	100 U	50 U	2.5 U	5 U	5 U
4-Methyl-2-pentanone (MIBK)	1.9 U	5 U	5 U	37 U	500 U	250 U	9.3 U	25 U	25 U
Methylene chloride	1 U	2 U	2 U	20 U	200 U	100 U	5 U	10 U	10 U
Styrene	0.7 U	1 U	1 U	14 U	100 U	50 U	3.5 U	5 U	5 U
1,1,2,2-Tetrachloroethane	0.65 U	1 U	1 U	13 U	100 U	50 U	3.3 U	5 U	5 U
Tetrachloroethene	0.9 U	1 U	1 U	18 U	100 U	50 U	4.5 U	5 U	5 U
Toluene	0.53 U	1 U	1 U	11 U	100 U	50 U	2.7 U	5 U	5 U
1,2,4-Trichlorobenzene	0.5 U	1 U	1 U	10 U	100 U	50 U	2.5 U	5 U	5 U
1,1,1-Trichloroethane	0.54 U	1 U	1 U	11 U	100 U	50 U	2.7 U	5 U	5 U
1,1,2-Trichloroethane	0.53 U	1 U	1 U	11 U	100 U	50 U	2.7 U	5 U	5 U
Trichloroethene	98.2	63.2	124	6,420	13,600	26,600	220	5 U	68.6
Trichlorofluoromethane	0.84 U	2 U	2 U	17 U	200 U	100 U	4.2 U	10 U	10 U
Vinyl chloride	2.4	1 U	4	16 U	100 U	587	3.9 U	150	44.5
Xylene (total)	0.59 U	1 U	1 U	12 U	100 U	50 U	3 U	5 U	5 U
Total VOCs (µg/L)	**358**	**242**	**475**	**10,099**	**22,030**	**49,261**	**1,061**	**2,368**	**2,152**

a/ Abbreviations: VOC = volatile or
U = compound not detected, J =

Table 7

Extraction Well Vapor Phase Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Sample ID:	EW-1-62C						EW-2-62C			
Sample Date:	7/24/2020		10/8/2021		9/22/2022		7/24/2020		10/8/2021	
	(ppbv)	(µg/m3)	(ppbv)	(µg/m^3)	(ppbv)	(µg/m3)	(ppbv)	(µg/m3)	(ppbv)	(µg/m^3)
VOCs										
1,1,1-Trichloroethane	5 U	27 U	0.4 U	2.2 U	0.4 U	2.2 U	5 U	27 U	0.4 U	2.2 U
1,1,2,2-Tetrachloroethane	5 U	34 U	0.4 U	2.7 U	0.4 U	2.7 U	5 U	34 U	0.4 U	2.7 U
1,1,2-Trichloroethane	5 U	27 U	0.4 U	2.2 U	0.4 U	2.2 U	5 U	27 U	0.4 U	2.2 U
1,1-Dichloroethane	5 U	20 U	0.8 U	3.2 U	0.8 U	3.2 U	5 U	20 U	0.8 U	3.2 U
1,1-Dichloroethene	16	62	0.16 U	0.63 U	0.2 U	0.6 U	5 U	20 U	1.3	5.2
1,2,4-Trichlorobenzene	5 U	37 U	0.4 U	3 U	0.4 U	3 U	5 U	37 U	0.4 U	2.6 U
1,2,4-Trimethylbenzene	5 U	25 U	0.38 J	1.9 J	0.8 U	3.9 U	5 U	25 U	0.8 U	3.9 U
1,2-Dibromoethane	5 U	38 U	0.4 U	3.1 U	0.4 U	3.1 U	5 U	38 U	0.4 U	3.1 U
1,2-Dichlorobenzene	5 U	30 U	0.16 U	0.96 U	0.2 U	1 U	5 U	30 U	0.16 U	0.96 U
1,2-Dichloroethane	5 U	20 U	0.8 U	3.2 U	0.8 U	3.2 U	5 U	20 U	0.8 U	3.2 U
1,2-Dichloropropane	5 U	23 U	0.8 U	3.7 U	0.8 U	3.7 U	5 U	23 U	0.8 U	3.7 U
1,3,5-Trimethylbenzene	5 U	25 U	0.8 U	3.9 U	0.8 U	3.9 U	5 U	25 U	0.8 U	3.9 U
1,3-butadiene	5 U	11 U	0.8 U	1.8 U	0.8 U	1.8 U	5 U	11 U	0.8 U	1.8 U
1,3-Dichlorobenzene	5 U	30 U	0.4 U	2.4 U	0.4 U	2.4 U	5 U	30 U	0.4 U	2.4 U
1,4-Dichlorobenzene	5 U	30 U	0.4 U	2.4 U	0.4 U	2.4 U	5 U	30 U	0.4 U	2.4 U
1,4-Dioxane	10 U	36 U	0.8 U	2.9 U	0.8 U	2.9 U	10 U	36 U	0.8 U	2.9 U
2,2,4-trimethylpentane	5 U	23 U	0.8 U	3.7 U	0.8 U	3.7 U	5 U	23 U	0.8 U	3.7 U
2-chlorotoluene	-	-	0.8 U	4.1 U	0.8 U	4.1 U	-	-	0.8 U	4.1 U
4-ethyltoluene	5 U	25 U	0.8 U	3.9 U	0.8 U	3.9 U	5 U	25 U	0.8 U	3.9 U
Acetone	10 U	24 U	40.4	96	3.2	7.6	10 U	24 U	8.2	19
Allyl chloride	5 U	16 U	0.8 U	2.5 U	0.8 U	2.5 U	5 U	16 U	0.8 U	2.5 U
Benzene	5 U	16 U	1.7	5.4	0.8 U	2.6 U	5 U	16 U	0.97	3.1
Benzyl chloride	5 U	29 U	0.8 U	4.1 U	0.8 U	4.1 U	5 U	29 U	0.8 U	4.1 U
Bromodichloromethane	5 U	33 U	0.4 U	2.7 U	0.4 U	2.7 U	5 U	33 U	0.4 U	2.7 U
Bromoform	5 U	52 U	0.16 U	1.7 U	0.2 U	1.7 U	5 U	52 U	0.16 U	1.7 U
Bromomethane	5 U	19 U	0.56 J	2.2 J	0.8 U	3.1 U	5 U	19 U	0.8 U	3.1 U
Carbon disulfide	5 U	16 U	0.41 J	1.3 J	0.8 U	2.5 U	5 U	16 U	0.8 U	2.5 U
Carbon tetrachloride	5 U	31 U	0.16 U	1 U	0.2 U	1 U	5 U	31 U	0.16 U	1 U
Chlorobenzene	5 U	23 U	0.8 U	3.7 U	0.8 U	3.7 U	5 U	23 U	0.8 U	3.7 U
Chloroethane	5 U	13 U	0.8 U	2.1 U	0.8 U	2.1 U	5 U	13 U	0.8 U	2.1 U
Chloroform	5 U	24 U	0.8 U	3.9 U	0.8 U	3.9 U	5 U	24 U	0.8 U	3.9 U
Chloromethane	5 U	10 U	1.3	2.7	0.8 U	1.7 U	5 U	10 U	0.54 J	1.1 J
cis-1,2-Dichloroethene	1	3,900	18.6	73.7	1.6	6.3	290	1,100	118	468
cis-1,3-Dichloropropene	5 U	23 U	0.8 U	3.6 U	0.8 U	3.6 U	5 U	23 U	0.8 U	3.6 U
Cyclohexane	5 U	17 U	0.8 U	2.8 U	0.8 U	2.8 U	5 U	17 U	0.8 U	2.8 U
Dibromochloromethane	5 U	43 U	0.4 U	3.4 U	0.4 U	3.1 U	5 U	43 U	0.4 U	3.4 U
Ethanol	-	-	23.2	43.7	2 U	3.8 U	-	-	5.1	9.6
Ethyl acetate	10 U	36 U	45.4	163	0.8 U	2.9 U	10 U	36 U	22	79.2
Ethylbenzene	5 U	22 U	0.64 J	2.8 J	0.8 U	3.5 U	5 U	22 U	0.8 U	3.5 U
Freon 11	5 U	28 U	0.53	3	0.5	2.9	5 U	28 U	0.4 U	2.2 U
Freon 113	5 U	38 U	0.4 U	3.1 U	0.4 U	3.1 U	5 U	38 U	0.4 U	3.1 U
Freon 114	5 U	35 U	0.4 U	2.8 U	0.4 U	2.8 U	5 U	35 U	0.4 U	2.8 U
Freon 12	5 U	25 U	0.88	4.4	0.4 J	2 J	5 U	25 U	0.41 J	2 J
Heptane	5 U	20 U	0.97	4	0.8 U	3.3 U	5 U	20 U	0.8 U	0.29 U
Hexachloro-1,3-butadiene	5 U	53 U	0.36 U	3.8 U	0.4 U	3.8 U	5 U	53 U	0.36 U	3.8 U
Hexane	5 U	18 U	0.81	2.9	0.8 U	2.8 U	5 U	18 U	0.8 U	2.8 U
Isopropyl alcohol	5 U	12 U	3.6	8.8	0.8 U	2 U	5 U	12 U	0.8 U	2 U
m&p-Xylene	10 U	43 U	2.2	9.6	0.8 U	3.5 U	10 U	43 U	0.51 J	2.2 J
Methyl Butyl Ketone	10 U	41 U	0.8 U	3.3 U	0.8 U	3.3 U	10 U	41 U	0.8 U	3.3 U
Methyl Ethyl Ketone	10 U	29 U	45.3	134	0.8 U	2.4 U	10 U	29 U	7.5	22
Methyl Isobutyl Ketone	10 U	41 U	0.69 J	2.8 J	0.8 U	3.3 U	10 U	41 U	0.8 U	3.3 U
Methyl tert-butyl ether	5 U	18 U	0.8 U	2.9 U	0.8 U	2.9 U	5 U	18 U	0.8 U	2.9 U
Methylene chloride	5 U	17 U	0.8 U	2.8 U	1.5	5.2	5 U	17 U	0.8 U	2.8 U
Methylmethacrylate	-	-	0.8 U	3.3 U	0.8 U	3.3 U	-	-	0.8 U	3.3 U
o-Xylene	5 U	22 U	0.83	3.6	0.8 U	3.5 U	5 U	22 U	0.8 U	3.5 U
Propylene	5 U	8.6 U	2 U	3.4 U	2 U	3.4 U	5 U	8.6 U	2 U	3.4 U
Styrene	5 U	21 U	0.8 U	3.4 U	0.8 U	3.4 U	5 U	21 U	0.8 U	3.4 U
Tertiary Butyl Alcohol	-	-	9.9	30	0.8 U	2.4 U	-	-	1.4	4.2
Tetrachloroethene	5 U	34 U	0.57	3.9	0.2 U	1.1 U	5 U	34 U	0.16 U	1.1 U
Tetrahydrofuran	13	39	0.8 U	2.4 U	0.8 U	2.4 U	5 U	15 U	0.8 U	2.4 U
Toluene	5 U	19 U	10.1	38.1	0.8 U	3 U	5 U	19 U	1.3	4.9
trans-1,2-Dichloroethene	27	110	0.8 U	3.2 U	0.8 U	3.2 U	7.1	28	2.8	11
trans-1,3-Dichloropropene	5 U	23 U	0.8 U	3.6 U	0.8 U	3.6 U	5 U	23 U	0.8 U	3.6 U
Trichloroethene	710	3,800	4.1	22	0.2 U	0.9 U	0.56	3,000	93.7	504
Vinyl acetate	5 U	18 U	0.8 U	2.8 U	0.8 U	2.8 U	5 U	18 U	0.8 U	2.8 U
Vinyl Bromide	5 U	22 U	0.8 U	3.5 U	0.8 U	3.5 U	5 U	22 U	0.8 U	3.5 U
Vinyl chloride	600	1,500	6.8	17	1.3	3.3	9.3	24	12.8	32.7
Total VOCs	**1,367**	**9,411**	**220**	**677**	**9**	**202**	**307**	**4,152**	**277**	**1,168**

a/ Abbreviations: VOC = volatile organic compound; ppbv = parts per billion by volume;
mg/m^3 = milligrams per cubic meter; U = compound not detected.
- = Not sampled

Table 7

Extraction Well Vapor Phase Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Sample ID:	EW-2-62C		EW-3-60C						EW-4-25B	
Sample Date:	9/22/2022		7/24/2020		10/8/2021		9/22/2022		7/24/2020	
	(ppbv)	(µg/m3)	(ppbv)	(µg/m3)	(ppbv)	(µg/m^3)	(ppbv)	(µg/m3)	(ppbv)	(µg/m3)
VOCs										
1,1,1-Trichloroethane	0.4 U	2.2 U	5 U	27 U	0.4 U	2.2 U	2 U	11 U	5 U	27 U
1,1,2,2-Tetrachloroethane	0.4 U	2.7 U	5 U	34 U	0.4 U	2.7 U	2 U	14 U	5 U	34 U
1,1,2-Trichloroethane	0.4 U	2.2 U	5 U	27 U	0.4 U	2.2 U	2 U	11 U	5 U	27 U
1,1-Dichloroethane	0.8 U	3.2 U	5 U	20 U	0.8 U	3.2 U	4 U	16 U	5 U	20 U
1,1-Dichloroethene	0.16 U	0.63 U	5 U	20 U	0.8 U	3.2 U	7.1	28 U	5 U	20 U
1,2,4-Trichlorobenzene	0.4 U	3 U	5 U	37 U	0.4 U	2.6 U	2 U	15 U	5 U	37 U
1,2,4-Trimethylbenzene	0.8 U	3.9 U	5 U	25 U	0.8 U	3.9 U	4 U	20 U	5 U	25 U
1,2-Dibromoethane	0.4 U	3.1 U	5 U	38 U	0.4 U	3.1 U	2 U	15 U	5 U	38 U
1,2-Dichlorobenzene	0.16 U	9.6 U	5 U	30 U	0.16 U	0.96 U	0.8 U	4.8 U	5 U	30 U
1,2-Dichloroethane	0.8 U	3.2 U	5 U	20 U	0.8 U	3.2 U	4 U	16 U	5 U	20 U
1,2-Dichloropropane	0.8 U	3.7 U	5 U	23 U	0.8 U	3.7 U	4 U	18 U	5 U	23 U
1,3,5-Trimethylbenzene	0.8 U	3.9 U	5 U	25 U	0.8 U	3.9 U	4 U	20 U	5 U	25 U
1,3-butadiene	0.8 U	1.8 U	5 U	11 U	0.8 U	1.8 U	4 U	8.8 U	5 U	11 U
1,3-Dichlorobenzene	0.4 U	2.4 U	5 U	30 U	0.4 U	2.4 U	2 U	12 U	5 U	30 U
1,4-Dichlorobenzene	0.4 U	2.4 U	5 U	30 U	0.4 U	2.4 U	2 U	12 U	5 U	30 U
1,4-Dioxane	0.8 U	2.9 U	10 U	36 U	0.8 U	2.9 U	4 U	14 U	10 U	36 U
2,2,4-trimethylpentane	0.8 U	3.7 U	5 U	23 U	0.8 U	3.7 U	4 U	19 U	5 U	23 U
2-chlorotoluene	0.8 U	4.1 U	-	-	0.8 U	4.1 U	4 U	21 U	-	-
4-ethyltoluene	0.8 U	3.9 U	5 U	25 U	0.8 U	3.9 U	4 U	20 U	5 U	25 U
Acetone	2.6	6.2	10 U	24 U	8.2	19	4	9.5	10 U	24 U
Allyl chloride	0.8 U	2.5 U	5 U	16 U	0.8 U	2.5 U	4 U	13 U	5 U	16 U
Benzene	0.8 U	2.6 U	5 U	16 U	0.8 U	2.6 U	4 U	13 U	5 U	16 U
Benzyl chloride	0.8 U	4.1 U	5 U	29 U	0.8 U	4.1 U	4 U	21 U	5 U	29 U
Bromodichloromethane	0.4 U	2.7 U	5 U	33 U	0.4 U	2.7 U	2 U	13 U	5 U	33 U
Bromoform	0.16 U	1.7 U	5 U	52 U	0.47	4.9	0.8 U	8.3 U	5 U	52 U
Bromomethane	0.8 U	3.1 U	5 U	19 U	0.54 J	2.1 J	4 U	16 U	5 U	19 U
Carbon disulfide	0.8 U	2.5 U	5 U	16 U	0.8 U	2.5 U	4 U	12 U	5 U	16 U
Carbon tetrachloride	0.16 U	1 U	5 U	31 U	0.16 U	1 U	0.8 U	5 U	5 U	31 U
Chlorobenzene	0.8 U	3.7 U	5 U	23 U	0.8 U	3.7 U	4 U	18 U	5 U	23 U
Chloroethane	0.8 U	2.1 U	5 U	13 U	0.8 U	2.1 U	4 U	11 U	5 U	13 U
Chloroform	0.8 U	3.9 U	5 U	24 U	0.8 U	3.9 U	4 U	20 U	5 U	24 U
Chloromethane	0.8 U	1.7 U	5 U	10 U	0.57 J	1.2 J	4 U	8.3 U	5 U	10 U
cis-1,2-Dichloroethene	29.6	117	120	480	0.16 U	0.63 U	1,310	5,190	280	1,100
cis-1,3-Dichloropropene	0.8 U	3.6 U	5 U	23 U	0.8 U	3.6 U	4 U	18 U	5 U	23 U
Cyclohexane	0.8 U	2.8 U	5 U	17 U	0.8 U	2.8 U	4 U	14 U	5 U	17 U
Dibromochloromethane	0.4 U	3.4 U	5 U	43 U	0.4 U	3.4 U	2 U	17 U	5 U	43 U
Ethanol	3.4	6.4	-	-	8	15	10 U	19 U	-	-
Ethyl acetate	90.3	325	10 U	36 U	9.7	35	17.1	61.5	10 U	36 U
Ethylbenzene	0.8 U	3.5 U	5 U	22 U	0.8 U	3.5 U	4 U	17 U	5 U	22 U
Freon 11	0.4 U	2.2 U	5 U	28 U	0.4 U	2.2 U	2 U	11 U	5 U	28 U
Freon 113	0.4 U	3.1 U	5 U	38 U	0.4 U	3.1 U	2 U	15 U	5 U	38 U
Freon 114	0.4 U	2.8 U	5 U	35 U	0.4 U	2.8 U	2 U	14 U	5 U	35 U
Freon 12	0.43 J	2.1 J	5 U	25 U	0.41 J	2 J	4 U	20 U	5 U	25 U
Heptane	0.8 U	3.3 U	5 U	20 U	0.8 U	0.29 U	4 U	16 U	5 U	20 U
Hexachloro-1,3-butadiene	3.6 U	3.8 U	5 U	53 U	0.36 U	3.8 U	1.8 U	19 U	5 U	53 U
Hexane	0.8 U	2.8 U	5 U	18 U	0.8 U	2.8 U	4 U	14 U	5 U	18 U
Isopropyl alcohol	1.1	2.7	5 U	12 U	0.8 U	2 U	4 U	9.8 U	5 U	12 U
m&p-Xylene	0.8 U	3.5 U	10 U	43 U	0.8 U	3.5 U	4 U	17 U	10 U	43 U
Methyl Butyl Ketone	0.8 U	3.3 U	10 U	41 U	0.8 U	3.3 U	4 U	16 U	10 U	41 U
Methyl Ethyl Ketone	0.88	2.6	10 U	29 U	5.5	16	4 U	12 U	10 U	29 U
Methyl Isobutyl Ketone	0.8 U	3.3 U	10 U	41 U	0.8 U	3.3 U	4 U	16 U	10 U	41 U
Methyl tert-butyl ether	0.8 U	2.9 U	5 U	18 U	0.8 U	2.9 U	4 U	14 U	5 U	18 U
Methylene chloride	0.79 J	2.7 J	5 U	17 U	0.8 U	2.8 U	4 U	14 U	5 U	17 U
Methylmethacrylate	0.8 U	3.3 U	-	-	0.8 U	3.3 U	4 U	16 U	-	-
o-Xylene	0.8 U	3.5 U	5 U	22 U	0.8 U	3.5 U	4 U	17 U	5 U	22 U
Propylene	2 U	3.4 U	5 U	8.6 U	2 U	3.4 U	10 U	17 U	5 U	8.6 U
Styrene	0.8 U	3.4 U	5 U	21 U	0.8 U	3.4 U	4 U	17 U	5 U	21 U
Tertiary Butyl Alcohol	0.8 U	2.4 U	-	-	1.2	3.6	4 U	12 U	-	-
Tetrachloroethene	0.16 U	1.1 U	5 U	34 U	0.16 U	1.1 U	0.73 J	5 J	5 U	34 U
Tetrahydrofuran	0.8 U	2.4 U	5 U	15 U	0.8 U	2.4 U	4 U	12 U	5 U	15 U
Toluene	1.8	6.8	5 U	19 U	0.77 J	2.9 J	4 U	15 U	5 U	19 U
trans-1,2-Dichloroethene	0.8 U	3.2 U	5 U	20 U	0.8 U	3.2 U	18	71.4	5 U	20 U
trans-1,3-Dichloropropene	0.8 U	3.6	5 U	23 U	0.8 U	3.6 U	4 U	18 U	5 U	23 U
Trichloroethene	35.3	190	360	2,000	0.27	1.5	992	5,330	750	4,000
Vinyl acetate	0.98	3.4	5 U	18 U	0.8 U	2.8 U	4 U	14 U	5 U	18 U
Vinyl Bromide	0.8 U	3.5 U	5 U	22 U	0.8 U	3.5 U	4 U	17 U	5 U	22 U
Vinyl chloride	1.3	3.3	9.5	24	0.16 U	0.41 U	279	713	5 U	13 U
Total VOCs	**168**	**672**	**490**	**2,504**	**36**	**103**	**2,628**	**11,380**	**1,030**	**5,100**

Table 7

Extraction Well Vapor Phase Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Sample ID:	EW-4-25B				EW-5-25B					
Sample Date:	10/8/2021		9/22/2022		7/24/2020		10/8/2021		9/22/2022	
	(ppbv)	(µg/m^3)	(ppbv)	(µg/m3)	(ppbv)	(µg/m3)	(ppbv)	(µg/m^3)	(ppbv)	(µg/m3)
VOCs										
1,1,1-Trichloroethane	0.4 U	2.2 U	8 U	44 U	5 U	27 U	0.4 U	2.2 U	4 U	22 U
1,1,2,2-Tetrachloroethane	0.4 U	2.7 U	8 U	55 U	5 U	34 U	0.4 U	2.7 U	4 U	27 U
1,1,2-Trichloroethane	0.4 U	2.2 U	8 U	44 U	5 U	27 U	0.4 U	2.2 U	4 U	22 U
1,1-Dichloroethane	0.8 U	3.2 U	16 U	65 U	5 U	20 U	0.8 U	3.2 U	8 U	32 U
1,1-Dichloroethene	3.2	13	3.2 U	13 U	5 U	20 U	2.1	8.3	10.2	40.4
1,2,4-Trichlorobenzene	0.4 U	2.6 U	8 U	59 U	5 U	37 U	0.4 U	2.6 U	4 U	30 U
1,2,4-Trimethylbenzene	0.8 U	3.9 U	16 U	79 U	5 U	25 U	0.8 U	3.9 U	8 U	39 U
1,2-Dibromoethane	0.4 U	3.1 U	8 U	61 U	5 U	38 U	0.4 U	3.1 U	4 U	31 U
1,2-Dichlorobenzene	0.16 U	0.96 U	3.2 U	19 U	5 U	30 U	0.16 U	0.96 U	1.6 U	9.6 U
1,2-Dichloroethane	0.8 U	3.2 U	16 U	65 U	5 U	20 U	0.8 U	3.2 U	8 U	32 U
1,2-Dichloropropane	0.8 U	3.7 U	16 U	74 U	5 U	23 U	0.8 U	3.7 U	8 U	37 U
1,3,5-Trimethylbenzene	0.8 U	3.9 U	16 U	79 U	5 U	25 U	0.8 U	3.9 U	8 U	39 U
1,3-butadiene	0.8 U	1.8 U	16 U	35 U	5 U	11 U	0.8 U	1.8 U	8 U	18 U
1,3-Dichlorobenzene	0.4 U	2.4 U	8 U	48 U	5 U	30 U	0.4 U	2.4 U	4 U	24 U
1,4-Dichlorobenzene	0.4 U	2.4 U	8 U	48 U	5 U	30 U	0.4 U	2.4 U	4 U	24 U
1,4-Dioxane	0.8 U	2.9 U	16 U	58 U	10 U	36 U	0.8 U	2.9 U	8 U	29 U
2,2,4-trimethylpentane	0.8 U	3.7 U	16 U	75 U	5 U	23 U	0.8 U	3.7 U	8 U	37 U
2-chlorotoluene	0.8 U	4.1 U	16 U	83 U	-	-	0.8 U	4.1 U	8 U	41 U
4-ethyltoluene	0.8 U	3.9 U	16 U	79 U	5 U	25 U	0.8 U	3.9 U	8 U	39 U
Acetone	17.6	41.8	16 U	38 U	10 U	24 U	21.6	51.3	8 U	19 U
Allyl chloride	0.8 U	2.5 U	16 U	50 U	5 U	16 U	0.8 U	2.5 U	8 U	25 U
Benzene	0.86	2.7	16 U	51 U	5 U	16 U	0.8	2.6	8 U	26 U
Benzyl chloride	0.8 U	4.1 U	16 U	82 U	5 U	29 U	0.8 U	4.1 U	8 U	41 U
Bromodichloromethane	0.4 U	2.7 U	8 U	54 U	5 U	33 U	0.4 U	2.7 U	4 U	27 U
Bromoform	0.16 U	1.7 U	3.2 U	33 U	5 U	52 U	0.16 U	1.7 U	1.6 U	17 U
Bromomethane	0.8 U	3.1 U	16 U	62 U	5 U	19 U	0.8 U	3.1 U	8 U	31 U
Carbon disulfide	0.8 U	2.5 U	16 U	50 U	5 U	16 U	2.2	6.9	8 U	25 U
Carbon tetrachloride	0.16 U	1 U	3.2 U	20 U	5 U	31 U	0.16 U	1 U	1.6 U	10 U
Chlorobenzene	0.8 U	3.7 U	16 U	74 U	5 U	23 U	0.8 U	3.7 U	8 U	37 U
Chloroethane	0.8 U	2.1 U	16 U	42 U	5 U	13 U	0.8 U	2.1 U	8 U	21 U
Chloroform	0.8 U	3.9 U	16 U	78 U	5 U	24 U	0.8 U	3.9 U	8 U	39 U
Chloromethane	0.61 J	1.3 J	16 U	33 U	5 U	10 U	0.71 J	1.5 J	8 U	17 U
cis-1,2-Dichloroethene	560	2,220	1,330	5,270	60	240	350	1,390	1,490	5,910
cis-1,3-Dichloropropene	0.8 U	3.6 U	16 U	73 U	5 U	23 U	0.8 U	3.6 U	8 U	36 U
Cyclohexane	0.8 U	2.8 U	16 U	55 U	5 U	17 U	0.8 U	2.8 U	8 U	28 U
Dibromochloromethane	0.4 U	3.4 U	8 U	68 U	5 U	43 U	0.4 U	3.4 U	4 U	34 U
Ethanol	8.8	17	40 U	75 U	-	-	7.8	15	20 U	38 U
Ethyl acetate	14.3	51.5	21.6	77.7	10 U	36 U	11.7	42.1	8 U	29 U
Ethylbenzene	0.8 U	3.5 U	16 U	69 U	5 U	22 U	0.8 U	3.5 U	8 U	35 U
Freon 11	0.4 U	2.2 U	8 U	45 U	5 U	28 U	0.4 U	2.2 U	4 U	22 U
Freon 113	0.4 U	3.1 U	8 U	61 U	5 U	38 U	0.4 U	3.1 U	4 U	31 U
Freon 114	0.4 U	2.8 U	8 U	56 U	5 U	35 U	0.4 U	2.8 U	4 U	28 U
Freon 12	0.44 J	2.2 J	16 U	79 U	5 U	25 U	0.44 J	2.2 J	8 U	40 U
Heptane	0.6 J	2.5 J	16 U	66 U	5 U	20 U	0.54 J	2.2 J	8 U	33 U
Hexachloro-1,3-butadiene	0.36 U	3.8 U	7.2 U	77 U	5 U	53 U	0.36 U	3.8 U	3.6 U	38 U
Hexane	0.8 U	2.8 U	16 U	56 U	5 U	18 U	0.8 U	2.8 U	8 U	28 U
Isopropyl alcohol	1.6	3.9	16 U	39 U	5 U	12 U	1.3	3.2	8 U	20 U
m&p-Xylene	0.81	3.5	16 U	69 U	10 U	43 U	1	4.3	8 U	35 U
Methyl Butyl Ketone	0.8 U	3.3 U	16 U	65 U	10 U	41 U	6	25	8 U	33 U
Methyl Ethyl Ketone	22.4	66.1	16 U	47 U	10 U	29 U	17.4	51.3	8 U	24 U
Methyl Isobutyl Ketone	0.8 U	3.3 U	16 U	66 U	10 U	41 U	0.8 U	3.3 U	8 U	33 U
Methyl tert-butyl ether	0.8 U	2.9 U	16 U	58 U	5 U	18 U	0.8 U	2.9 U	8 U	29 U
Methylene chloride	0.8 U	2.8 U	16 U	56 U	5 U	17 U	0.83	2.9	8 U	28 U
Methylmethacrylate	0.8 U	3.3 U	16 U	66 U	-	-	0.8 U	3.3 U	8 U	33 U
o-Xylene	0.8 U	3.5 U	16 U	69 U	5 U	22 U	0.41 J	1.8 J	8 U	35 U
Propylene	2 U	3.4 U	40 U	69 U	5 U	8.6 U	2 U	3.4 U	20 U	34 U
Styrene	0.8 U	3.4 U	16 U	68 U	5 U	21 U	0.8 U	3.4 U	8 U	34 U
Tertiary Butyl Alcohol	5.1	15	16 U	49 U	-	-	3.5	11	8 U	24 U
Tetrachloroethene	0.29	2	3.2 U	22 U	5 U	34 U	0.51	3.5	1.6 U	11 U
Tetrahydrofuran	0.8 U	2.4 U	16 U	47 U	5 U	15 U	0.8 U	2.4 U	8 U	24 U
Toluene	4.2	16	16 U	60 U	5 U	19 U	2	7.5	8 U	30 U
trans-1,2-Dichloroethene	7.8	31	12.2 J	48.4 J	5 U	20 U	7.2	29	21.7	86
trans-1,3-Dichloropropene	0.8 U	3.6 U	16 U	73 U	5 U	23 U	0.8 U	3.6 U	8 U	36 U
Trichloroethene	680	3,650	3,370	18,100	86	460	144	774	1390	7,470
Vinyl acetate	0.8 U	2.8 U	16 U	56 U	5 U	18 U	0.8 U	2.8 U	8 U	28 U
Vinyl Bromide	0.8 U	3.5 U	16 U	70 U	5 U	22 U	0.8 U	3.5 U	8 U	35 U
Vinyl chloride	4.6	12	10.5	26.8	5 U	13 U	102	261	264	675
Total VOCs	**1,333**	**6,152**	**4,744**	**23,523**	**146**	**700**	**684**	**2,697**	**3,176**	**14,181**

Table 7

Extraction Well Vapor Phase Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Sample ID:	EW-6-60C						EW-7-25B			
Sample Date:	7/24/2020		10/8/2021		9/22/2022		7/24/2020		10/8/2021	
	(ppbv)	(µg/m3)	(ppbv)	(µg/m^3)	(ppbv)	(µg/m3)	(ppbv)	(µg/m3)	(ppbv)	(µg/m^3)
VOCs										
1,1,1-Trichloroethane	5 U	27 U	1 U	5.5 U	2 U	11 U	5 U	27 U	24 U	130 U
1,1,2,2-Tetrachloroethane	5 U	34 U	1 U	6.9 U	2 U	14 U	5 U	34 U	24 U	160 U
1,1,2-Trichloroethane	5 U	27 U	1 U	5.5 U	2 U	11 U	5 U	27 U	24 U	130 U
1,1-Dichloroethane	5 U	20 U	2 U	8.1 U	4 U	16 U	5 U	20 U	47 U	190 U
1,1-Dichloroethene	11	43	1	4	6.4	25	10	41	67.1	266
1,2,4-Trichlorobenzene	5 U	37 U	1 U	6.6 U	2 U	15 U	5 U	37 U	24 U	180 U
1,2,4-Trimethylbenzene	5 U	25 U	2 U	7.4 U	4 U	20 U	5 U	25 U	47 U	230 U
1,2-Dibromoethane	5 U	38 U	1 U	7.7 U	2 U	15 U	5 U	38 U	24 U	180 U
1,2-Dichlorobenzene	5 U	30 U	0.4 U	2.4 U	0.8 U	4.8 U	5 U	30 U	9.4 U	57 U
1,2-Dichloroethane	5 U	20 U	2 U	8.1 U	4 U	16 U	5 U	20 U	47 U	190 U
1,2-Dichloropropane	5 U	23 U	2 U	9.2 U	4 U	18 U	5 U	23 U	47 U	220 U
1,3,5-Trimethylbenzene	5 U	25 U	2 U	9.8 U	4 U	20 U	5 U	25 U	47 U	230 U
1,3-butadiene	5 U	11 U	2 U	4.4 U	4 U	8.8 U	5 U	11 U	47 U	100 U
1,3-Dichlorobenzene	5 U	30 U	1 U	6 U	2 U	12 U	5 U	30 U	24 U	140 U
1,4-Dichlorobenzene	5 U	30 U	1 U	6 U	2 U	12 U	5 U	30 U	24 U	140 U
1,4-Dioxane	10 U	36 U	2 U	7.2 U	4 U	14 U	10 U	36 U	47 U	170 U
2,2,4-trimethylpentane	5 U	23 U	2 U	9.3 U	4 U	19 U	5 U	23 U	47 U	220 U
2-chlorotoluene	-	-	2 U	10 U	4 U	21 U	-	-	47 U	240 U
4-ethyltoluene	5 U	25 U	2 U	9.8 U	4 U	20 U	5 U	25 U	47 U	230 U
Acetone	10 U	24 U	14.1	33.5	4 U	9.5 U	10 U	24 U	58.9	140
Allyl chloride	5 U	16 U	2 U	6.3 U	4 U	13 U	5 U	16 U	47 U	150 U
Benzene	5 U	16 U	1 J	3.2 J	4 U	13 U	5 U	16 U	2.8 J	1.5 J
Benzyl chloride	5 U	29 U	2 U	10 U	4 U	21 U	5 U	29 U	47 U	240 U
Bromodichloromethane	5 U	33 U	1 U	6.7 U	2 U	13 U	5 U	33 U	24 U	160 U
Bromoform	5 U	52 U	0.4 U	4.1 U	0.8 U	8.3 U	5 U	52 U	9.4 U	97 U
Bromomethane	5 U	19 U	2 U	7.8 U	4 U	16 U	5 U	19 U	47 U	180 U
Carbon disulfide	5 U	16 U	2 U	6.2 U	4 U	12 U	5 U	16 U	47 U	150 U
Carbon tetrachloride	5 U	31 U	0.4 U	2.5 U	0.8 U	5 U	5 U	31 U	9.4 U	59 U
Chlorobenzene	5 U	23 U	2 U	9.2 U	4 U	18 U	5 U	23 U	47 U	220 U
Chloroethane	5 U	13 U	2 U	5.3 U	4 U	11 U	5 U	13 U	47 U	120 U
Chloroform	5 U	24 U	2 U	9.8 U	4 U	20 U	5 U	24 U	47 U	230 U
Chloromethane	5 U	10 U	2 U	4.1 U	4 U	8.3 U	5 U	10 U	47 U	97 U
cis-1,2-Dichloroethene	5,100	20,000	564	2,240	2,310	9,160	1,900	7,700	9,400	37,300
cis-1,3-Dichloropropene	5 U	23 U	2 U	9.1 U	4 U	18 U	5 U	23 U	47 U	210 U
Cyclohexane	5 U	17 U	2 U	6.9 U	4 U	14 U	5 U	17 U	47 U	160 U
Dibromochloromethane	5 U	43 U	1 U	8.5 U	2 U	17 U	5 U	43 U	24 U	200 U
Ethanol	-	-	7.6	14	10 U	19 U	-	-	120 U	230 U
Ethyl acetate	10 U	36 U	13.1	47.1	24.1	86.7	10 U	36 U	47 U	170 U
Ethylbenzene	5 U	22 U	2 U	8.7 U	4 U	17 U	5 U	22 U	47 U	200 U
Freon 11	5 U	28 U	1 U	5.6 U	2 U	11 U	5 U	28 U	24 U	130 U
Freon 113	5 U	38 U	1 U	7.7 U	2 U	15 U	5 U	38 U	24 U	180 U
Freon 114	5 U	35 U	1 U	7 U	2 U	14 U	5 U	35 U	24 U	170 U
Freon 12	5 U	25 U	2 U	9.9 U	4 U	20 U	5 U	25 U	47 U	230 U
Heptane	5 U	20 U	2 U	8.2 U	4 U	16 U	5 U	20 U	47 U	190 U
Hexachloro-1,3-butadiene	5 U	53 U	0.9 U	9.6 U	1.8 U	19 U	5 U	53 U	21 U	220 U
Hexane	5 U	18 U	2 U	7 U	4 U	14 U	5 U	18 U	47 U	170 U
Isopropyl alcohol	5 U	12 U	2 U	4.9 U	4 U	9.8 U	5 U	12 U	47 U	120 U
m&p-Xylene	10 U	43 U	2 U	8.7 U	4 U	17 U	10 U	43 U	47 U	200 U
Methyl Butyl Ketone	10 U	41 U	2 U	8.2 U	4 U	16 U	10 U	41 U	47 U	190 U
Methyl Ethyl Ketone	10 U	29 U	17.8	52.5	4 U	12 U	10 U	29 U	47 U	140 U
Methyl Isobutyl Ketone	10 U	41 U	2 U	8.2 U	4 U	16 U	10 U	41 U	47 U	190 U
Methyl tert-butyl ether	5 U	18 U	2 U	7.2 U	4 U	14 U	5 U	18 U	47 U	170 U
Methylene chloride	5 U	17 U	2 U	6.9 U	4 U	14 U	5 U	17 U	47 U	160 U
Methylmethacrylate	-	-	2 U	8.2 U	4 U	16 U	-	-	47 U	190 U
o-Xylene	5 U	22 U	2 U	87 U	4 U	17 U	5 U	22 U	47 U	200 U
Propylene	5 U	8.6 U	5 U	8.6 U	10 U	17 U	5 U	8.6 U	120 U	210 U
Styrene	5 U	21 U	2 U	8.5 U	4 U	17 U	5 U	21 U	47 U	200 U
Tertiary Butyl Alcohol	-	-	2.8	8.5	4 U	12 U	-	-	47 U	140 U
Tetrachloroethene	5.8	39	0.59	4	0.8 U	5.4 U	5 U	34 U	9.4 U	64 U
Tetrahydrofuran	5 U	15 U	6.5	19	4 U	12 U	5 U	15 U	47 U	140 U
Toluene	5 U	19 U	1.1 J	4.1 J	4 U	15 U	5 U	19 U	47 U	180 U
trans-1,2-Dichloroethene	35	140	4	16	17.8	70.6	37	150	210	833
trans-1,3-Dichloropropene	5 U	23 U	2 U	9.1 U	4 U	18 U	5 U	23 U	47 U	210 U
Trichloroethene	11,000	58,000	131	704	817	4,390	190	1,000	104	559
Vinyl acetate	5 U	18 U	2 U	7 U	4 U	14 U	5 U	18 U	47 U	170 U
Vinyl Bromide	5 U	22 U	2 U	8.7 U	4 U	17 U	5 U	22 U	47 U	210 U
Vinyl chloride	29	75	80.3	205	183	468	1,300	3,200	1,380	3,530
Total VOCs	**16,181**	**78,297**	**845**	**3,355**	**3,358**	**14,200**	**3,437**	**12,091**	**11,223**	**42,630**

Table 7

Extraction Well Vapor Phase Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Sample ID:	EW-7-25B		EW-8-62C						EW-9R-72C	
Sample Date:	9/22/2022		7/24/2020		10/8/2021		9/22/2022		7/24/2020	
	(ppbv)	(µg/m3)	(ppbv)	(µg/m3)	(ppbv)	(µg/m^3)	(ppbv)	(µg/m3)	(ppbv)	(µg/m3)
VOCs										
1,1,1-Trichloroethane	0.4 U	2.2 U	5 U	27 U	0.4 U	2.2 U	0.4 U	2.2 U	5 U	27 U
1,1,2,2-Tetrachloroethane	0.4 U	2.7 U	5 U	34 U	0.4 U	2.7 U	0.4 U	2.7 U	5 U	34 U
1,1,2-Trichloroethane	0.4 U	2.2 U	5 U	27 U	0.4 U	2.2 U	0.4 U	2.2 U	5 U	27 U
1,1-Dichloroethane	0.8 U	3.2 U	5 U	20 U	0.8 U	3.2 U	0.8 U	3.2 U	5 U	20 U
1,1-Dichloroethene	1	4	5 U	20 U	0.57	2.3	0.66	2.6	120	490
1,2,4-Trichlorobenzene	0.4 U	3 U	5 U	37 U	0.4 U	2.6 U	0.4 U	3 U	5 U	37 U
1,2,4-Trimethylbenzene	0.8 U	3.9 U	5 U	25 U	0.8 U	3.9 U	0.8 U	3.9 U	5 U	25 U
1,2-Dibromoethane	0.4 U	3.1 U	5 U	38 U	0.4 U	3.1 U	0.4 U	3.1 U	5 U	38 U
1,2-Dichlorobenzene	0.16 U	0.96 U	5 U	30 U	0.16 U	0.96 U	0.16 U	0.96 U	5 U	30 U
1,2-Dichloroethane	0.8 U	3.2 U	5 U	20 U	0.8 U	3.2 U	0.8 U	3.2 U	5 U	20 U
1,2-Dichloropropane	0.8 U	3.7 U	5 U	23 U	0.8 U	3.7 U	0.8 U	3.7 U	5 U	23 U
1,3,5-Trimethylbenzene	0.8 U	3.9 U	5 U	25 U	0.8 U	3.9 U	0.8 U	3.9 U	5 U	25 U
1,3-butadiene	0.8 U	1.8 U	5 U	11 U	0.8 U	1.8 U	0.8 U	1.8 U	5 U	11 U
1,3-Dichlorobenzene	0.4 U	2.4 U	5 U	30 U	0.4 U	2.4 U	0.4 U	2.4 U	5 U	30 U
1,4-Dichlorobenzene	0.4 U	2.4 U	5 U	30 U	0.4 U	2.4 U	0.4 U	2.4 U	5 U	30 U
1,4-Dioxane	0.8 U	2.9 U	10 U	36 U	0.8 U	2.9 U	0.8 U	2.9 U	10 U	36 U
2,2,4-trimethylpentane	0.8 U	3.7 U	5 U	23 U	0.8 U	3.7 U	0.8 U	3.7 U	5 U	23 U
2-chlorotoluene	0.8 U	4.1 U	-	-	0.8 U	4.1 U	0.8 U	4.1 U	-	-
4-ethyltoluene	0.8 U	3.9 U	5 U	25 U	0.8 U	3.9 U	0.8 U	3.9 U	5 U	25 U
Acetone	2.8	6.7	10 U	24 U	11.8	28	4.3	1	10 U	24 U
Allyl chloride	0.8 U	2.5 U	5 U	16 U	0.8 U	2.5 U	0.8 U	2.5 U	5 U	16 U
Benzene	0.8 U	2.6 U	5 U	16 U	0.47 J	1.5 J	0.8 U	2.6 U	5 U	16 U
Benzyl chloride	0.8 U	4.1 U	5 U	29 U	0.8 U	4.1 U	0.8 U	4.1 U	5 U	29 U
Bromodichloromethane	0.4 U	2.7 U	5 U	33 U	0.4 U	2.7 U	0.4 U	2.7 U	5 U	33 U
Bromoform	0.16 U	1.7 U	5 U	52 U	0.16 U	1.7 U	0.16 U	1.7 U	5 U	52 U
Bromomethane	0.8 U	3.1 U	5 U	19 U	0.8 U	3.1 U	0.8 U	3.1 U	5 U	19 U
Carbon disulfide	0.8 U	2.5 U	5 U	16 U	0.8 U	2.5 U	0.8 U	2.5 U	5 U	16 U
Carbon tetrachloride	0.16 U	1 U	5 U	31 U	0.16 U	1 U	0.16 U	1 U	5 U	31 U
Chlorobenzene	0.8 U	3.7 U	5 U	23 U	0.8 U	3.7 U	0.8 U	3.7 U	5 U	23 U
Chloroethane	0.8 U	2.1 U	5 U	13 U	0.8 U	2.1 U	0.8 U	2.1 U	5 U	13 U
Chloroform	0.8 U	3.9 U	5 U	24 U	0.8 U	3.9 U	0.8 U	3.9 U	5 U	24 U
Chloromethane	0.8 U	1.7 U	5 U	10 U	0.6 J	1.2 J	0.8 U	1.7 U	5 U	10 U
cis-1,2-Dichloroethene	227	900	210	820	210	833	339	1,340	30,000	120,000
cis-1,3-Dichloropropene	0.8 U	3.6 U	5 U	23 U	0.8 U	3.6 U	0.8 U	3.6 U	5 U	23 U
Cyclohexane	0.8 U	2.8 U	5 U	17 U	0.8 U	2.8 U	0.8 U	2.8 U	6.5	22
Dibromochloromethane	0.4 U	3.4 U	5 U	43 U	0.4 U	3.4 U	0.4 U	3.4 U	5 U	43 U
Ethanol	3.1	5.8	-	-	5.8	11	3.1	5.8	-	-
Ethyl acetate	45.8	165	10 U	36 U	12.7	45.7	67.4	243	10 U	36 U
Ethylbenzene	0.8 U	3.5 U	5 U	22 U	0.8 U	3.5 U	0.8 U	3.5 U	5 U	22 U
Freon 11	0.39 J	2.2 J	5 U	28 U	0.4 U	2.2 U	0.4 U	2.2 U	5 U	28 U
Freon 113	0.4 U	3.1 U	5 U	38 U	0.4 U	3.1 U	0.4 U	3.1 U	5 U	38 U
Freon 114	0.4 U	2.8 U	5 U	35 U	0.4 U	2.8 U	0.4 U	2.8 U	5 U	35 U
Freon 12	0.42 J	2.1 J	5 U	25 U	0.42 J	2.1 J	0.39 J	1.9 J	5 U	25 U
Heptane	0.8 U	3.3 U	5 U	20 U	0.8 U	0.29 U	0.8 U	3.3 U	5 U	20 U
Hexachloro-1,3-butadiene	0.36 U	3.8 U	5 U	53 U	0.36 U	3.8 U	0.36 U	3.8 U	5 U	53 U
Hexane	0.8 U	2.8 U	5 U	18 U	0.8 U	2.8 U	0.8 U	2.8 U	8.1	29
Isopropyl alcohol	0.87	2.1	5 U	12 U	0.99	2.4	0.86	2.1	5 U	12 U
m&p-Xylene	0.8 U	3.5 U	10 U	43 U	0.73 J	3.2 J	0.8 U	3.5 U	10 U	43 U
Methyl Butyl Ketone	0.8 U	3.3 U	10 U	41 U	0.8 U	3.3 U	0.8 U	3.3 U	10 U	41 U
Methyl Ethyl Ketone	0.8 U	2.4 U	10 U	29 U	12.1	35.7	0.57 J	1.7 J	10 U	29 U
Methyl Isobutyl Ketone	0.8 U	3.3 U	10 U	41 U	0.8 U	3.3 U	0.8 U	3.3 U	10 U	41 U
Methyl tert-butyl ether	0.8 U	2.9 U	5 U	18 U	0.8 U	2.9 U	0.8 U	2.9 U	5 U	18 U
Methylene chloride	0.82	2.8	5 U	17 U	0.8 U	2.8 U	0.8 U	2.8 U	5 U	17 U
Methylmethacrylate	0.8 U	3.3 U	-	-	0.8 U	3.3 U	0.8 U	3.3 U	-	-
o-Xylene	0.8 U	3.5 U	5 U	22 U	0.8 U	3.5 U	0.8 U	3.5 U	5 U	22 U
Propylene	2 U	3.4 U	5 U	8.6 U	2 U	3.4 U	2 U	3.4 U	5 U	8.6 U
Styrene	0.8 U	3.4 U	5 U	21 U	0.8 U	3.4 U	0.8 U	3.4 U	5 U	21 U
Tertiary Butyl Alcohol	0.8 U	2.4 U	-	-	2.9	8.8	0.8 U	2.4 U	-	-
Tetrachloroethene	0.15 J	1 J	5 U	34 U	0.16 U	1.1 U	0.16 U	1.1 U	8.7	59
Tetrahydrofuran	0.8 U	2.4 U	5 U	15 U	0.8 U	2.4 U	0.8 U	2.4 U	5 U	15 U
Toluene	1.1	4.1	5 U	19 U	1.8	6.8	1.7	6.4	5 U	19 U
trans-1,2-Dichloroethene	3.6	14	5 U	20 U	2	7.9	2.3	9.1	270	1,100
trans-1,3-Dichloropropene	0.8 U	3.6 U	5 U	23 U	0.8 U	3.6 U	0.8 U	3.6 U	5 U	23 U
Trichloroethene	14.4	77.4	930	5,000	11.7	62.9	85.7	461	34,000	180,000
Vinyl acetate	0.8 U	2.8 U	5 U	18 U	0.8 U	2.8 U	0.83	2.9	5 U	18 U
Vinyl Bromide	0.8 U	3.5 U	5 U	22 U	0.8 U	3.5 U	0.8 U	3.5 U	5 U	22 U
Vinyl chloride	89.4	229	5 U	13 U	16.9	43.2	22.1	56.5	1,100	2,800
Total VOCs	**391**	**1,416**	**1,140**	**5,820**	**291**	**1,096**	**529**	**2,134**	**65,513**	**304,500**

Table 7

Extraction Well Vapor Phase Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Sample ID:	**EW-9R-72C**				**EW-10-25B**					
Sample Date:	10/8/2021		9/22/2022		7/24/2020		10/8/2021		9/22/2022	
	(ppbv)	($\mu g/m^3$)	(ppbv)	(µg/m3)	(ppbv)	(µg/m3)	(ppbv)	($\mu g/m^3$)	(ppbv)	(µg/m3)
VOCs										
1,1,1-Trichloroethane	0.4 U	2.2 U	1 U	5.5 U	5 U	27 U	2 U	11 U	2 U	11 U
1,1,2,2-Tetrachloroethane	0.4 U	2.7 U	1 U	6.9 U	5 U	34 U	2 U	14 U	2 U	14 U
1,1,2-Trichloroethane	0.4 U	2.2 U	1 U	5.5 U	5 U	27 U	2 U	11 U	2 U	11 U
1,1-Dichloroethane	0.8 U	3.2 U	2 U	8.1 U	5 U	20 U	4 U	16 U	4 U	16 U
1,1-Dichloroethene	0.16 U	0.63 U	5.6	22	5 U	20 U	3.4	13	2.9	11
1,2,4-Trichlorobenzene	0.4 U	2.6 U	1 U	7.4 U	5 U	37 U	2 U	15 U	2 U	15 U
1,2,4-Trimethylbenzene	0.8 U	3.9 U	2 U	9.8 U	5 U	25 U	4 U	20 U	4 U	20 U
1,2-Dibromoethane	0.4 U	3.1 U	1 U	7.7 U	5 U	38 U	2 U	15 U	2 U	15 U
1,2-Dichlorobenzene	0.16 U	0.96 U	0.4 U	2.4 U	5 U	30 U	0.8 U	4.8 U	0.8 U	4.8 U
1,2-Dichloroethane	0.8 U	3.2 U	2 U	8.1 U	5 U	20 U	4 U	18 U	2 U	16 U
1,2-Dichloropropane	0.8 U	3.7 U	2 U	9.2 U	5 U	23 U	4 U	1.8 U	4 U	18 U
1,3,5-Trimethylbenzene	0.8 U	3.9 U	2 U	9.8 U	5 U	25 U	4 U	20 U	4 U	20 U
1,3-butadiene	0.8 U	1.8 U	2 U	4.4 U	5 U	11 U	4 U	8.8 U	4 U	8.8 U
1,3-Dichlorobenzene	0.4 U	2.4 U	1 U	6 U	5 U	30 U	2 U	12 U	2 U	12 U
1,4-Dichlorobenzene	0.4 U	2.4 U	1 U	6 U	5 U	30 U	2 U	12 U	2 U	12 U
1,4-Dioxane	0.8 U	2.9 U	2 U	7.2 U	10 U	36 U	4 U	14 U	4 U	14 U
2,2,4-trimethylpentane	0.8 U	3.7 U	2 U	9.3 U	5 U	23 U	4 U	19 U	4 U	19 U
2-chlorotoluene	0.8 U	4.1 U	2 U	1 U	-	-	4 U	21 U	4 U	21 U
4-ethyltoluene	0.8 U	3.9 U	2 U	9.8 U	5 U	25 U	4 U	20 U	4 U	20 U
Acetone	5.5	13	7	17	10 U	24 U	12.7	30.2	5.7	14
Allyl chloride	0.8 U	2.5 U	2 U	6.3 U	5 U	16 U	4 U	13 U	4 U	13 U
Benzene	0.8 U	2.6 U	2 U	6.4 U	5 U	16 U	4 U	13 U	4 U	13 U
Benzyl chloride	0.8 U	4.1 U	2 U	10 U	5 U	29 U	4 U	21 U	4 U	21 U
Bromodichloromethane	0.4 U	2.7 U	1 U	6.7 U	5 U	33 U	2 U	13 U	2 U	13 U
Bromoform	0.16 U	1.7 U	0.4 U	4.1 U	5 U	52 U	0.8 U	8.3 U	0.8 U	8.3 U
Bromomethane	0.8 U	3.1 U	2 U	7.8 U	5 U	19 U	4 U	16 U	4 U	16 U
Carbon disulfide	0.8 U	2.5 U	2 U	6.2 U	5 U	16 U	4 U	12 U	4 U	12 U
Carbon tetrachloride	0.16 U	1 U	0.4 U	2.5 U	5 U	31 U	0.8 U	5 U	0.8 U	5 U
Chlorobenzene	0.8 U	3.7 U	2 U	9.2 U	5 U	23 U	4 U	18 U	4 U	18 U
Chloroethane	0.8 U	2.1 U	2 U	5.3 U	5 U	13 U	4 U	11 U	4 U	11 U
Chloroform	0.8 U	3.9 U	2 U	9.8 U	5 U	24 U	4 U	20 U	4 U	20 U
Chloromethane	0.54 J	1.1 J	2 U	4.1 U	5 U	10 U	4 U	8.3 U	4 U	8.3 U
cis-1,2-Dichloroethene	9.4	37	1,520	6,030	46	180	1,100	4,360	349	1,380
cis-1,3-Dichloropropene	0.8 U	3.6 U	2 U	9.1 U	5 U	23 U	4 U	18 U	4 U	18 U
Cyclohexane	0.8 U	2.8 U	2 U	6.9 U	5 U	17 U	4 U	14 U	4 U	14 U
Dibromochloromethane	0.4 U	3.4 U	1 U	8.5 U	5 U	43 U	2 U	17 U	2 U	17 U
Ethanol	2.6	4.9	5 U	9.4 U	-	-	10 U	19 U	10 U	19 U
Ethyl acetate	1.5	5.4	6.9	25	10 U	36 U	11.2	40.3	13.3	47.9
Ethylbenzene	0.8 U	3.5 U	2 U	8.7 U	5 U	22 U	4 U	17 U	4 U	17 U
Freon 11	0.4 U	2.2 U	1 U	5.6 U	5 U	28 U	2 U	11 U	2 U	11 U
Freon 113	0.4 U	3.1 U	1 U	7.7 U	5 U	38 U	2 U	15 U	2 U	15 U
Freon 114	0.4 U	2.8 U	1 U	7 U	5 U	35 U	2 U	14 U	2 U	14 U
Freon 12	0.43 J	2.1 J	2 U	9.9 U	5 U	25 U	4 U	20 U	4 U	20 U
Heptane	0.8 U	0.29 U	2 U	8.2 U	5 U	20 U	4 U	16 U	4 U	16 U
Hexachloro-1,3-butadiene	0.36 U	3.8 U	0.9 U	9.6 U	5 U	53 U	1.8 U	19 U	1.8 U	19 U
Hexane	0.8 U	2.8 U	2 U	7 U	5 U	18 U	4 U	14 U	4 U	14 U
Isopropyl alcohol	0.8 U	2 U	2 U	4.9 U	5 U	12 U	4 U	9.8 U	4 U	9.8 U
m&p-Xylene	0.8 U	3.5 U	2 U	8.7 U	10 U	43 U	4 U	17 U	4 U	17 U
Methyl Butyl Ketone	0.8 U	3.3 U	2 U	8.2 U	10 U	41 U	4 U	16 U	4 U	16 U
Methyl Ethyl Ketone	0.42 J	1.2 J	2.1	6.2	10 U	29 U	6.4	19	4 U	12 U
Methyl Isobutyl Ketone	0.8 U	3.3 U	2 U	8.2 U	10 U	41 U	4 U	16 U	4 U	16 U
Methyl tert-butyl ether	0.8 U	2.9 U	2 U	7.2 U	5 U	18 U	4 U	14 U	4 U	14 U
Methylene chloride	0.8 U	2.8 U	2 U	6.9 U	5 U	17 U	4 U	14 U	4 U	14 U
Methylmethacrylate	0.8 U	3.3 U	2	8.2	-	-	4 U	16 U	4 U	16 U
o-Xylene	0.8 U	3.5 U	2 U	8.7 U	5 U	22 U	4 U	17 U	4 U	17 U
Propylene	2 U	3.4 U	5 U	8.6 U	5 U	8.6 U	10 U	17 U	10 U	17 U
Styrene	0.8 U	3.4 U	2 U	8.5 U	5 U	21 U	4 U	17 U	4 U	17 U
Tertiary Butyl Alcohol	0.8 U	2.4 U	2 U	6.1 U	-	-	4 U	12 U	4 U	12 U
Tetrachloroethene	0.16 U	1.1 U	0.4 U	2.7 U	5 U	34 U	0.8 U	5.4 U	0.8 U	5.4 U
Tetrahydrofuran	0.8 U	2.4 U	3.1	9.1	5 U	15 U	4 U	12 U	4 U	12 U
Toluene	2.8	11	2 U	7.5 U	5 U	19 U	4 U	15 U	4 U	15 U
trans-1,2-Dichloroethene	0.8 U	3.2 U	15	59.5	5 U	20 U	21.8	86.4	5.3	21
trans-1,3-Dichloropropene	0.8 U	3.6 U	2 U	9.1 U	5 U	23 U	4 U	18 U	4 U	18 U
Trichloroethene	12.4	66.6	477	2,560	30	160	409	2,200	604	3,250
Vinyl acetate	0.8 U	2.8 U	2 U	7 U	5 U	18 U	4 U	14 U	4 U	14 U
Vinyl Bromide	0.8 U	3.5 U	2 U	8.7 U	5 U	22 U	4 U	17 U	4 U	17 U
Vinyl chloride	2	5.1	483	1,230	5 U	13 U	157	401	112	286
Total VOCs	**38**	**147**	**2,522**	**9,967**	**76**	**340**	**38**	**7,150**	**1,092**	**5,010**

Table 7

Extraction Well Vapor Phase Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Sample ID:	EW-11-45C						EW-12-45C			
Sample Date:	7/24/2020		10/8/2021		9/22/2022		7/24/2020		10/8/2021	
	(ppbv)	(µg/m3)	(ppbv)	(µg/m^3)	(ppbv)	(µg/m3)	(ppbv)	(µg/m3)	(ppbv)	(µg/m^3)
VOCs										
1,1,1-Trichloroethane	5 U	27 U	200 U	1,100 U	110 U	600 U	5 U	27 U	0.4 U	2.2 U
1,1,2,2-Tetrachloroethane	5 U	34 U	200 U	1,400 U	110 U	760 U	5 U	34 U	0.4 U	2.7 U
1,1,2-Trichloroethane	5 U	27 U	200 U	1,100 U	110 U	600 U	5 U	27 U	0.4 U	2.2 U
1,1-Dichloroethane	5 U	20 U	400 U	1,600 U	220 U	890 U	5 U	20 U	0.8 U	3.2 U
1,1-Dichloroethene	5 U	20 U	312	1,240	201	797	5 U	20 U	1	4
1,2,4-Trichlorobenzene	5 U	37 U	200 U	1,500 U	110 U	820 U	5 U	37 U	0.4 U	2.6 U
1,2,4-Trimethylbenzene	5 U	25 U	400 U	2,000 U	220 U	1,100 U	5 U	25 U	0.8 U	3.9 U
1,2-Dibromoethane	5 U	38 U	200 U	1,500 U	110 U	850 U	5 U	38 U	0.4 U	3.1 U
1,2-Dichlorobenzene	5 U	30 U	79 U	470 U	45 U	270 U	5 U	30 U	0.16 U	0.96 U
1,2-Dichloroethane	5 U	20 U	400 U	1,800 U	220 U	890 U	5 U	20 U	0.8 U	3.2 U
1,2-Dichloropropane	5 U	23 U	400 U	1,800 U	220 U	1,000 U	5 U	23 U	0.8 U	3.7 U
1,3,5-Trimethylbenzene	5 U	25 U	400 U	2,000 U	220 U	1,100 U	5 U	25 U	0.8 U	3.9 U
1,3-butadiene	5 U	11 U	400 U	880 U	220 U	490 U	5 U	11 U	0.8 U	1.8 U
1,3-Dichlorobenzene	5 U	30 U	200 U	1,200 U	110 U	660 U	5 U	30 U	0.4 U	2.4 U
1,4-Dichlorobenzene	5 U	30 U	200 U	1,200 U	110 U	660 U	5 U	30 U	0.4 U	2.4 U
1,4-Dioxane	10 U	36 U	400 U	1,400 U	220 U	790 U	10 U	36 U	0.8 U	2.9 U
2,2,4-trimethylpentane	5 U	23 U	400 U	1,900 U	220 U	1,000 U	5 U	23 U	0.8 U	3.7 U
2-chlorotoluene	-	-	400 U	2,100 U	220 U	1,100 U	-	-	0.8 U	4.1 U
4-ethyltoluene	5 U	25 U	400 U	2,000 U	220 U	1,100 U	5 U	25 U	0.8 U	3.9 U
Acetone	10 U	24 U	400 U	950 U	220 U	520 U	11	24	20.9	49.6
Allyl chloride	5 U	16 U	400 U	1,300 U	220 U	690 U	5 U	16 U	0.8 U	2.5 U
Benzene	5 U	16 U	400 U	1,300 U	220 U	700 U	5 U	16 U	0.58 J	1.9 J
Benzyl chloride	5 U	29 U	400 U	2,100 U	220 U	1,100 U	5 U	29 U	0.8 U	4.1 U
Bromodichloromethane	5 U	33 U	200 U	1,300 U	110 U	740 U	5 U	33 U	0.4 U	2.7 U
Bromoform	5 U	52 U	79 U	820 U	45 U	470 U	5 U	52 U	0.16 U	1.7 U
Bromomethane	5 U	19 U	400 U	1,600 U	220 U	850 U	5 U	19 U	0.8 U	3.1 U
Carbon disulfide	5 U	16 U	400 U	1,200 U	220 U	690 U	5 U	16 U	0.87	2.7
Carbon tetrachloride	5 U	31 U	79 U	500 U	45 U	280 U	5 U	31 U	0.16 U	1 U
Chlorobenzene	5 U	23 U	400 U	1,800 U	220 U	1,000 U	5 U	23 U	0.8 U	3.7 U
Chloroethane	5 U	13 U	400 U	1,100 U	220 U	580 U	5 U	13 U	0.8 U	2.1 U
Chloroform	5 U	24 U	400 U	2,000 U	220 U	1,100 U	5 U	24 U	0.8 U	3.9 U
Chloromethane	5 U	10 U	400 U	830 U	220 U	450 U	5 U	10 U	0.86	1.8
cis-1,2-Dichloroethene	5 U	20 U	35,300	140,000	13,700	54,300	30	120	187	741
cis-1,3-Dichloropropene	5 U	23 U	400 U	1,800 U	220 U	1,000 U	5 U	23 U	0.8 U	3.6 U
Cyclohexane	5 U	17 U	400 U	1,400 U	220 U	760 U	5 U	17 U	0.8 U	2.8 U
Dibromochloromethane	5 U	43 U	200 U	1,700 U	110 U	940 U	5 U	43 U	0.4 U	3.4 U
Ethanol	-	-	990 U	1,900 U	560 U	1,100 U	-	-	3.2	6
Ethyl acetate	10 U	36 U	400 U	1,400 U	220 U	790 U	10 U	36 U	3.2	12
Ethylbenzene	5 U	22 U	400 U	1,700 U	220 U	960 U	5 U	22 U	0.8 U	3.5 U
Freon 11	5 U	28 U	200 U	1,100 U	110 U	620 U	5 U	28 U	0.4 U	2.2 U
Freon 113	5 U	38 U	200 U	1,500 U	110 U	840 U	5 U	38 U	0.4 U	3.1 U
Freon 114	5 U	35 U	200 U	1,400 U	110 U	770 U	5 U	35 U	0.4 U	2.8 U
Freon 12	5 U	25 U	400 U	2,000 U	220 U	1,100 U	5 U	25 U	0.43 J	2.1 J
Heptane	5 U	20 U	400 U	1,600 U	220 U	900 U	5 U	20 U	0.8 U	0.29 U
Hexachloro-1,3-butadiene	5 U	53 U	180 U	1,900 U	100 U	1,100 U	5 U	53 U	0.36 U	3.8 U
Hexane	5 U	18 U	400 U	1,400 U	220 U	780 U	5 U	18 U	0.8 U	2.8 U
Isopropyl alcohol	5 U	12 U	400 U	980 U	220 U	540 U	5 U	12 U	0.8 U	2 U
m&p-Xylene	10 U	43 U	400 U	1,700 U	220 U	960 U	10 U	43 U	1.1	4.8
Methyl Butyl Ketone	10 U	41 U	400 U	1,600 U	220 U	900 U	10 U	41 U	0.8 U	3.3 U
Methyl Ethyl Ketone	10 U	29 U	400 U	1,200 U	220 U	650 U	10 U	29 U	7.4	22
Methyl Isobutyl Ketone	10 U	41 U	400 U	1,600 U	220 U	900 U	10 U	41 U	0.8 U	3.3 U
Methyl tert-butyl ether	5 U	18 U	400 U	1,400 U	220 U	790 U	5 U	18 U	0.8 U	2.9 U
Methylene chloride	5 U	17 U	400 U	1,400 U	220 U	760 U	5 U	17 U	0.8 U	2.8 U
Methylmethacrylate	-	-	400 U	1,600 U	220 U	900 U	-	-	0.8 U	3.3 U
o-Xylene	5 U	22 U	400 U	1,700 U	220 U	960 U	5 U	22 U	0.52 J	2.3 J
Propylene	5 U	8.6 U	990 U	1,700 U	560 U	960 U	5 U	8.6 U	3.8	6.5
Styrene	5 U	21 U	400 U	1,700 U	220 U	940 U	5 U	21 U	0.8 U	3.4 U
Tertiary Butyl Alcohol	-	-	400 U	1,200 U	220 U	670 U	-	-	1.3	3.9
Tetrachloroethene	5 U	34 U	79 U	540 U	45 U	310 U	5 U	34 U	0.56	3.8
Tetrahydrofuran	5 U	15 U	400 U	1,200 U	220 U	650 U	5 U	15 U	2.3	6.8
Toluene	5 U	19 U	400 U	1,500 U	220 U	830 U	5 U	19 U	1.9	7.2
trans-1,2-Dichloroethene	5 U	20 U	380 J	1,510 J	174 J	690 J	5 U	20 U	1.4	5.6
trans-1,3-Dichloropropene	5 U	23 U	400 U	1,800 U	220 U	1,000 U	5 U	23 U	0.8 U	3.6 U
Trichloroethene	9.8	53	94,900	510,000	42,000	227,000	120	640	450	2,420
Vinyl acetate	5 U	18 U	400 U	1,400 U	220 U	770 U	5 U	18 U	0.8 U	2.8 U
Vinyl Bromide	5 U	22 U	400 U	1,700 U	220 U	960 U	5 U	22 U	0.8 U	3.5 U
Vinyl chloride	5 U	13 U	1,230	3,140	4250	10,900	5 U	13 U	3.7	9.5
Total VOCs	**9.80**	**53**	**132,122**	**655,890**	**60,325**	**293,687**	**161**	**784**	**692**	**3,314**

Table 7

Extraction Well Vapor Phase Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Sample ID:	**EW-12-45C**	
Sample Date:	9/22/2022	
	(ppbv)	(µg/m3)
VOCs		
1,1,1-Trichloroethane	0.4 U	2.2 U
1,1,2,2-Tetrachloroethane	0.4 U	2.7 U
1,1,2-Trichloroethane	0.4 U	2.2 U
1,1-Dichloroethane	0.8 U	3.2 U
1,1-Dichloroethene	0.71	2.8
1,2,4-Trichlorobenzene	0.4 U	3 U
1,2,4-Trimethylbenzene	0.8 U	3.9 U
1,2-Dibromoethane	0.4 U	3.1 U
1,2-Dichlorobenzene	0.16 U	0.96 U
1,2-Dichloroethane	0.8 U	3.2 U
1,2-Dichloropropane	0.8 U	3.7 U
1,3,5-Trimethylbenzene	0.8 U	3.9 U
1,3-butadiene	0.8 U	1.8 U
1,3-Dichlorobenzene	0.4 U	2.4 U
1,4-Dichlorobenzene	0.4 U	2.4 U
1,4-Dioxane	0.8 U	2.9 U
2,2,4-trimethylpentane	0.8 U	3.7 U
2-chlorotoluene	0.8 U	4.1 U
4-ethyltoluene	0.8 U	3.9 U
Acetone	5.5	13
Allyl chloride	0.8 U	2.5 U
Benzene	1	3.2
Benzyl chloride	0.8 U	4.1 U
Bromodichloromethane	0.4 U	2.7 U
Bromoform	0.16 U	1.7 U
Bromomethane	0.8 U	3.1 U
Carbon disulfide	0.79 J	2.5 J
Carbon tetrachloride	0.16 U	1 U
Chlorobenzene	0.8 U	3.7 U
Chloroethane	0.8 U	2.1 U
Chloroform	0.8 U	3.9 U
Chloromethane	2.1	4.3
cis-1,2-Dichloroethene	84.8	336
cis-1,3-Dichloropropene	0.8 U	3.6 U
Cyclohexane	0.8 U	2.8 U
Dibromochloromethane	0.4 U	3.4 U
Ethanol	2 U	3.8 U
Ethyl acetate	5.3	19
Ethylbenzene	0.8 U	3.5 U
Freon 11	0.4 U	2.2 U
Freon 113	0.4 U	3.1 U
Freon 114	0.4 U	2.8 U
Freon 12	0.4 J	2 J
Heptane	0.8 U	3.3 U
Hexachloro-1,3-butadiene	0.36 U	3.8 U
Hexane	0.8 U	2.8 U
Isopropyl alcohol	0.8 U	2 U
m&p-Xylene	0.8 U	3.5 U
Methyl Butyl Ketone	0.8 U	3.3 U
Methyl Ethyl Ketone	0.83	2.4
Methyl Isobutyl Ketone	0.8 U	3.3 U
Methyl tert-butyl ether	0.8 U	2.9 U
Methylene chloride	0.8 U	2.8 U
Methylmethacrylate	0.8 U	3.3 U
o-Xylene	0.8 U	3.5 U
Propylene	2.5	4.3
Styrene	0.8 U	3.4 U
Tertiary Butyl Alcohol	0.8 U	2.4 U
Tetrachloroethene	0.16 U	1.1 U
Tetrahydrofuran	0.8 U	2.4 U
Toluene	0.8 U	3 U
trans-1,2-Dichloroethene	0.64 J	2.5 J
trans-1,3-Dichloropropene	0.8 U	3.6 U
Trichloroethene	141	758
Vinyl acetate	0.8 U	2.8 U
Vinyl Bromide	0.8 U	3.5 U
Vinyl chloride	38.1	97.4
Total VOCs	**284**	**1,247**

Table 8

Semi-Annual Site-Wide Groundwater Elevation Measurements
Former Emerson Power Transmission
Ithaca, New York
September 2022 (a)

				DPE System On (September 16, 2022)			DPE System Off (September 19, 2022)			
Well ID	Easting	Northing	Top of casing Elevation (ft amsl)	Depth to Product (ft)	Depth to Groundwater (ft)	Groundwater Elevation (ft amsl)	Depth to Product (ft)	Depth to Groundwater (ft)	Groundwater Elevation (ft amsl)	Groundwater Drawdown (ft)
EXB-7	843046.56	886317.64	529.06	-	8.48	520.58	-	6.19	522.87	-2.29
EXB-9	843148.53	886342.70	565.19	-	45.29	519.90	-	42.05	523.14	-3.24
EXB-10	843018.96	886104.16	560.07	-	44.34	515.73	-	34.98	525.09	-9.36
EXB-11	843046.16	886295.68	532.43	-	66.75	465.68	-	66.3	466.13	-0.45
MW-1B	843143.28	886274.60	566.34	-	12.48	553.86	-	4.62	561.72	-7.86
MW-2B	843116.22	886211.86	564.00	-	12.41	551.59	-	12.96	551.04	0.55
MW-3B	843101.31	886199.75	564.24	-	15.31	548.93	-	14.41	549.83	-0.90
MW-4B	843025.61	886110.77	563.83	-	20.01	543.82	-	19.75	544.08	-0.26
MW-5-25	843185.23	886140.53	586.53	-	8.95	577.58	-	9.00	577.53	0.05
MW-5-40	843192.04	886147.65	586.43	-	0.55	585.88	-	NM	NM	NA
MW-5-100	843188.52	886143.83	586.21	-	94.37	491.84	-	94.33	491.88	-0.04
MW-5B	843087.01	886183.36	563.22	-	14.22	549.00	-	12.87	550.35	-1.35
MW-6B	843008.15	886087.99	560.87	-	2.22	558.65	-	2.23	558.64	0.01
MW-7-40	842994.20	886304.99	533.00	-	NM	NM	-	17.24	515.76	NA
MW-7B	843133.80	886125.12	587.26	-	14.86	572.40	-	14.63	572.63	-0.23
MW-8-40	843130.89	886507.35	517.98	-	36.12	481.86	-	35.04	482.94	-1.08
MW-8B	843183.14	886137.72	586.64	9.20	9.21	577.43	9.19	9.20	577.44	-0.01
MW-12C	843197.93	886141.73	586.35	-	28.25	558.10	-	28.24	558.11	-0.01
MW-13C	843177.31	886115.68	586.62	-	29.00	557.62	-	28.89	557.73	-0.11
MW-15C	843210.89	886168.65	586.27	-	0.62	585.65	-	NM	NM	NA
MW-16-100	843001.02	886309.73	533.47	-	NM	NM	-	76.70	456.77	NA
MW-17-40 (b	842562.71	886569.16	394.21	-	NM	NM	-	0.00	394.21	NA
MW-18A	842535.84	886413.92	394.96	-	NM	NM	-	5.33	389.63	NA
MW-20B	843121.55	886496.75	516.09	-	11.72	504.37	-	11.84	504.25	0.12
MW-22B	843247.83	886844.08	489.46	-	12.24	477.22	-	13.24	476.22	1.00
MW-25A	842284.56	886406.03	391.01	-	NM	NM	-	5.05	385.96	NA
MW-26A	842355.88	886058.61	396.12	-	NM	NM	-	6.00	390.12	NA
MW-30B	842868.03	886178.14	533.48	-	17.40	516.08	-	17.75	515.73	0.35
MW-32B	843045.08	886412.97	512.78	-	4.55	508.23	-	4.60	508.18	0.05
MW-36B	843144.19	886141.80	586.38	-	17.33	569.05	-	17.41	568.97	0.08
MW-44T	842927.90	885982.86	558.22	-	26.35	531.87	-	24.79	533.43	-1.56
MW-46-43C	843149.02	886135.40	586.55	-	31.86	554.69	-	32.02	554.53	0.16
MW-46-72C	843145.48	886138.52	586.21	-	75.01	511.20	-	68.73	517.48	-6.28
MW-50-160D	-	-	587.42	-	128.24	459.18	-	121.18	466.24	-7.06
EW-1-62C	843159.95	886285.60	565.34	-	51.33	514.01	-	41.41	523.93	-9.92
EW-2-62C	843119.30	886255.15	563.93	-	57.01	506.92	-	40.64	523.29	-16.37
EW-3-60C	843108.21	886223.35	563.28	-	56.95	506.33	-	38.62	524.66	-18.33
EW-4-25B	843107.29	886221.29	562.90	-	20.68	542.22	-	19.20	543.70	-1.48
EW-5-25B	843100.60	886196.14	563.37	-	19.48	543.89	-	13.64	549.73	-5.84
EW-6-60C	843099.51	886194.81	563.84	-	47.55	516.29	-	38.64	525.20	-8.91
EW-7-25B	843084.17	886176.33	561.76	-	19.83	541.93	-	9.11	552.65	-10.72
EW-8-62C	843076.90	886167.91	561.82	-	51.95	509.87	-	36.50	525.32	-15.45
EW-9R-72C	843141.52	886147.65	585.10	-	74.04	511.06	-	61.86	523.24	-12.18
EW-10-25B	843068.65	886158.34	561.82	-	20.89	540.93	-	16.13	545.69	-4.76
EW-11-43C	843153.00	886142.06	585.07	-	41.65	543.42	-	23.71	561.36	-17.94
EW-12-45C	843188.42	886146.63	586.47	-	41.99	544.48	-	41.98	544.49	-0.01
LBA-MW-35	-	-	NA	5.68	5.70	NA	5.68	NM	NM	NA
LBA-MW-39	-	-	NA	-	18.40	NA	-	NM	NM	NA

a/ Abbreviations: ft = feet; amsl = above Mean Sea Level; "-" = no measureable thickness of free-phase petroleum product.
b/ Possible artesian conditions.

Table 9

Semi-Annual Site-Wide Groundwater Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Well ID:	**Evaluation**	**MW-1B**		**MW-2B**	**MW-3B**	**MW-4B**	**MW-5B**	**MW-5-25**	**MW-5-40**	**MW-5-100**	**MW-7-40**	**MW-7B**	**MW-8-40**	**MW-8B**	**MW-12C**	**MW-13C**
Sample ID:	**Criteria**	MW-1B	MW-092222	MW-2B	MW-3B	MW-4B	MW-5B	MW-5-25	MW-5-40	MW-5-100	MW-7-40	MW-7B	MW-8-40	MW-8B	MW-12C	MW-13C
Date:	**(b)**	9/22/22	9/22/22	9/22/22	9/22/22	9/21/22	9/22/22	9/19/22	9/19/22	9/21/22	9/21/22	9/21/22	9/22/22	9/20/22	9/21/22	9/21/2022
VOCs (µg/l)																
Acetone	50	10 U	10 U	500 U	10 U	3.2 J	10 U	6.5 J	100 U	10 U	10 U	4.5 J	10 U	10 U	10 U	3.1 J
Benzene	1	0.5 U	0.5 U	25 U	0.5	0.5 U	0.5 U	0.5 U	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**
Carbon disulfide	60	2 U	2 U	100 U	0.5 J	2 U	2 U	2 U	20 U	2 U	2 U	2 U	2 U	1 U	2 U	2 U
Chloroethane	5	1 U	1 U	50 U	1 U	1 U	1 U	1 U	10 U	3.6	1 U	1 U	1 U	1 U	1 U	1 U
Chloroform	7	1 U	1 U	50 U	0.8 J	1 U	1 U	1 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	0.52 J
1,1-Dichloroethene	5	1 U	1 U	50 U	**16.8**	1 U	1.5	1 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,2-Dichloroethene	5	1.7	1.7	**5,720**	**7,150**	1 U	**795**	1 U	**2,420**	**33.4**	**150**	1.7	1 U	1 U	1.5	**163**
trans-1,2-Dichloroethe	5	1 U	1 U	**31.8 J**	**149**	1 U	**11.7**	1 U	**101**	1 U	2.2	1 U	1 U	1 U	1 U	1 U
Tetrachloroethene	5	1 U	1 U	50 U	1.6	1 U	0.81 J	1 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,1-Trichloroethane	5	1 U	1 U	50 U	1 U	1 U	1 U	1 U	10 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	5	2.5	2.7	**7,600**	**4,730**	1 U	**554**	1 U	**33**	1 U	1 U	1 U	1 U	1 U	1 U	**219**
Vinyl chloride	2	1 U	1 U	**67.9**	**110**	1.4	**27.7**	1 U	**4,250**	**35.4**	**41.5**	1 U	1 U	1 U	1 U	1.7
Total VOCs:	-	**4**	**4**	**13,420**	**12,159**	**4.6**	**1,391**	**7**	**6,804**	**72**	**194**	**6**	**ND**	**ND**	**2**	**391**
Total CVOCs:	-	**4**	**4**	**13,420**	**12,157**	**1.4**	**1,391**	**ND**	**6,804**	**72**	**194**	**2**	**ND**	**ND**	**2**	**384**

Table 9

Semi-Annual Site-Wide Groundwater Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Well ID:	**Evaluation**	**MW-15C**	**MW-16-100**	**MW-17-40**	**MW-18A**	**MW-20B**	**MW-22B**	**MW-25A**	**MW-26A**	**MW-32B**	**MW-36B**	**MW-46-43C**	**MW-46-72C**	**MW-50-160D**	
Sample ID:	**Criteria**	MW-15C	MW-16-100	MW-17-40	MW-18A	MW-20B	MW-22B	MW-25A	MW-26A	MW-32B	MW-36B	MW-46-43C	MW-46-72C	MW-50-160D	MW-092022
Date:	**(b)**	9/20/2022	9/21/22	9/22/22	9/22/22	9/21/22	9/22/22	9/22/22	9/22/22	9/20/22	9/20/2022	9/20/2022	9/20/22	9/20/22	9/20/22
VOCs (µg/l)															
Acetone	50	4.6 J	10 U	10 U	4.8 J	10 U	10 U	10 U	10 U	10 U	10 U	1,000 U	200 U	100 U	100 U
Chloroform	7	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.63 J	1 U	100 U	20 U	10 U	10 U
1,1-Dichloroethene	5	0.61 J	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	100 U	20 U	10 U	10 U
cis-1,2-Dichloroethene	5	**451**	4.0	1 U	1 U	1 U	1 U	1 U	1 U	**7.8**	**10**	**14,600**	**11,200**	**3,150**	**3,200**
trans-1,2-Dichloroethe	5	1.7	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	**112**	**42**	**17.1**	**16.8**
1,1,1-Trichloroethane	5	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.58 J	1 U	100 U	20 U	10 U	10 U
Trichloroethene	5	4.7	1 U	1 U	1 U	1 U	1 U	1 U	1 U	**35.1**	**5.6**	100 U	**1,090**	**23**	**24**
Vinyl chloride	2	**19.1**	**19.0**	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	**8,960**	**964**	**1,120**	**1,080**
Total VOCs:	-	**482**	**23**	**ND**	**5**	**ND**	**ND**	**ND**	**ND**	**44**	**16**	**23,672**	**13,296**	**4,310**	**4,321**
Total CVOCs:	-	**477**	**23**	**ND**	**ND**	**ND**	**ND**	**ND**	**ND**	**43**	**16**	**23,672**	**13,296**	**4,310**	**4,321**

Table 9

Semi-Annual Site-Wide Groundwater Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Well ID:	**Evaluation**	**EXB-9**	**EXB-10**	**EXB-11**
Sample ID:	**Criteria**	MW-48A	MW-49A	EXB-11
Date:	**(b)**	9/19/2022	9/20/2022	9/21/2022
VOCs (µg/l)				
Acetone	50	10 U	10 U	50 U
Benzene	1	0.5 U	0.67	2.5 U
Cyclohexane	-	5 U	1.2 J	25 U
cis-1,2-Dichloroethene	5	1 U	2.8	**1,830**
trans-1,2-Dichloroethe	5	1 U	1 U	**33.6**
Methylcyclohexane	5	5 U	0.96 J	25 U
Trichloroethene	5	1 U	1 U	**400**
Vinyl chloride	2	1 U	1 U	**13.8**
Total VOCs:	-	**ND**	**ND**	**2277**
Total CVOCs:	-	**ND**	**2.8**	**2277**

a/ VOC = volatile organic compound; CVOC = chlorinated volatile organic compound; µg/l = micrograms per liter; U = analyte not detected above Reporting Limit; J = estimated concentration below the laboratory Reporting Limit or equal to or greater than the Method Detection Limit; ND = none detected.

b/ Concentrations highlighted and in bold text exceed evaluation criteria. Concentrations in bold text indicate the laboratory method detection limit exceeds evaluation criteria. Evaluation criteria are the New York State Ambient Water Quality Standards or Guidance Values for Class GA groundwater provided in the New York State Department of Environmental Conservation Division of Water Technical and Operational Guidance Series (1.1.1), dated June 1998, and the April 2000 Addendum.

c/ Blind duplicates: MW-092222 is for MW-1B and MW-092022 is for MW-50-160D

Table 10

Historical Groundwater Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Well ID	Date	*1,1-Dichloroethene*	*cis-1,2-Dichloroethene*	*trans-1,2-Dichloroethene*	*Tetrachloroethene*	*Trichloroethene*	*Vinyl Chloride*
Evaluation Criteria (b)		**5**	**5**	**5**	**5**	**5**	**2**
EW-1-62C	9/26/17	3.2 J	**1,750**	**16.8**	5 U	**1,600**	5 U
	7/24/20	10 U	**1,550**	**17.8**	10 U	**556**	**55.2**
	10/7/21	1 U	**379**	**8.6**	1 U	**49.9**	**15.5**
	9/22/22	1 U	**321**	3.2	1 U	**33.6**	**31.1**
EW-2-62C	9/26/17	20 U	**1,760**	**24.8**	20 U	**2,240**	20 U
	7/24/20	10 U	**2,020**	**35**	10 U	**2,350**	10 U
	10/7/21	4 U	**2,000**	**301**	4 U	**589**	**25**
	9/22/22	1 U	**403**	3.5	1 U	**70.8**	**24.4**
EW-3-60C	9/26/17	5 U	**503**	**14.5**	5 U	**1,800**	**3.3 J**
	7/24/20	10 U	**4,020**	**135**	10 U	**3,380**	**14.2**
	10/7/21	50 U	**7,480**	**42.2 J**	50 U	**1,300**	50 U
	9/22/22	1.6 J	**1,100**	**15.1**	2 U	**960**	**36.2**
EW-4-25B	9/26/17	100 U	**5,050**	**106**	100 U	**18,700**	100 U
	7/24/20	5 U	**521**	**7.9**	5 U	**761**	5 U
	10/7/21	20 U	**2,970**	**488**	20 U	**3,570**	20 U
	9/22/22	4 U	**772**	**8.4**	4 U	**867**	4 U
EW-5-25B	9/25/09	3.2	**1,300 DJ**	**24.0 J**	1.3	**1,100 DJ**	**70.0 J**
	9/29/10	3.9	**1,290**	**30.7**	1.2	**793**	**231**
	10/3/11	3.3	**1,280**	**16.4**	1.3	**1,670**	**45.1**
	10/1/12	1 U	**134**	1.9	2.0	**1,040**	**5.3**
	10/18/13	3.1	**897**	**8.8**	3.2	**1,420**	**21.7**
	8/21/14	2.8 J	**863**	**14.7**	1.6	**761**	**61.7**
	8/24/15	3	**1,110**	**36.1**	1	**1,410**	**10.2**
	9/28/16	3.3	**1,650 J**	**94.2**	4.8	**2,280**	**11.1**
	9/26/17	20 U	**2,730**	**60.1**	20 U	**2,530**	**12.7 J**
	8/28/18	1.6	**897**	**14.4**	1 U	**839**	**5.8**
	9/19/19	5 U	**1,200**	**14.3**	5 U	**1,350**	**86.0**
	7/24/20	5 U	**1,040**	**33.3**	5 U	**962**	**8.2**
	10/7/21	4 U	**740**	**25.9**	4 U	**225**	4 U
	9/22/22	2 U	**673**	**5.5**	2 U	**386**	**8.4**
EW-6-60C	9/25/09	**16.0 J**	**8,600 DJ**	**150 J**	**41 J**	**47,000 DJ**	**4.8 J**
	9/29/10	**9.5**	**6,400**	**142**	**28.1**	**25,600**	**5.9**
	10/3/11	**12.0 J**	**12,400 J**	**180 J**	**13.7 J**	**12,500 J**	**3.9 J**
	10/1/12	**10.0**	**6,590**	500 U	**33.6**	**28,400**	**2.42**
	10/18/13	100 U	**15,400**	**55.9 J**	100 U	**23,000**	100 U
	8/21/14	**14.4 J**	**4,810**	**33.3**	**32.4**	**15,500**	0.8 J
	8/24/15	100 U	**5,710**	100 U	100 U	**31,500**	100 U
	9/28/16	**14.6**	**5,950 J**	**168**	**27.4**	**21,000 J**	**45.1**
	9/26/17	100 U	**6,970**	**76.5 J**	100 U	**24,300**	100 U
	9/19/19	10 U	**4,430**	**24.1**	10 U	**11,500**	**16.5**
	7/24/20	10 U	**1,190**	**10.0**	10 U	**1,820**	10 U
	10/7/21	5 U	**1,200**	**7.5**	5 U	**101**	**26.2**
	9/22/22	2 U	**880**	3.7	2 U	**142**	**4**

Table 10

Historical Groundwater Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Well ID	Date	*1,1-Dichloroethene*	*cis-1,2-Dichloroethene*	*trans-1,2-Dichloroethene*	*Tetrachloroethene*	*Trichloroethene*	*Vinyl Chloride*
Evaluation Criteria (b)		**5**	**5**	**5**	**5**	**5**	**2**
EW-7-25B	9/27/17	4.3 J	**2,480**	**29.1**	5 U	**44.1**	**539**
	7/24/20	20 U	**3,920**	**33.8**	20 U	**3,500**	**25.4**
	10/7/21	10 U	**2,400**	**89.4**	10 U	**15.3**	10 U
	9/22/22	3.6 J	**2,230**	**24.4**	5 U	**92.3**	**97.4**
EW-8-62C	9/27/17	**12.5 J**	**5,580**	**48.9**	25 U	**9,870**	**174**
	7/24/20	5 U	**1,270**	**6.3**	5 U	**857**	5 U
	10/7/21	10 U	**3,820**	**30.5**	10 U	**67**	**13.8**
	9/22/22	10 U	**3,080**	**15.8**	10 U	**296**	**48.5**
EW-9R-72C	9/22/22	5 U	**1,730**	5	5 U	**28.2**	**85.2**
EW-10-25B	9/27/17	1 U	**429**	**6.3**	1 U	**248**	0.64 J
	7/24/20	1 U	**236**	**6.3**	1 U	**98.2**	**2.4**
	10/7/21	1 U	**166**	4.3	1 U	**63.2**	1 U
	9/22/22	1 U	**343**	3.6	1 U	**124**	**4**
EW-11-43C	7/24/20	20 U	**3,620**	**59.3**	20 U	**6,420**	20 U
	10/7/21	100 U	**8,430**	100 U	100 U	**13,600**	100 U
	9/22/22	**49.9 J**	**21,900**	**124**	50 U	**26,600**	**587**
EW-12-45C	7/24/20	5 U	**841**	5 U	5 U	**220**	5 U
	10/7/21	3.2 J	**2,100**	**6.4**	5 U	5 U	**150**
	9/22/22	5 U	**2,030**	4.7 J	5 U	**68.8**	**44.5**

Table 10

Historical Groundwater Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Well ID	Date	*1,1-Dichloroethene*	*cis-1,2-Dichloroethene*	*trans-1,2-Dichloroethene*	*Tetrachloroethene*	*Trichloroethene*	*Vinyl Chloride*
Evaluation Criteria (b)		**5**	**5**	**5**	**5**	**5**	**2**
EXB-1	6/10/09	3.2	**3,100 D**	**51.0**	0.78 J	**1,300 D**	**250 D**
(d)	9/22/09	80 U	**3,400 D**	**52.0**	0.66 J	**800 D**	**430 D**
	12/17/09	**6.5**	**2,920 D**	**36.5**	1.3	**2,940 D**	**176 J**
	4/7/10	**7.2**	**2,860 D**	**47.3**	1.3	**774 D**	**446 D**
	6/29/10	**13.0**	**4,260**	**184 J**	1 U	**19.6**	**787**
	9/29/10	**17.2**	**8,370**	**109**	3	**9,580**	**187**
	12/28/10	**6.2**	**3,960**	**21.8**	3	**359**	**140**
	3/22/11	4.5	**2,450**	**23.7**	1 U	**58.9**	**598**
	6/22/11	4.5	**2,090**	**28.1**	1 U	**8,310**	**9.2**
	10/3/11	**32.0 J**	**10,000 J**	**132 J**	2.0 J	**9,080 J**	**321 J**
	12/13/11	**8.0**	**4,850**	**106**	1 U	**18.3**	**372**
	3/29/12	**27.3**	**14,000**	**161**	2.5	**6,680**	**268**
	6/27/12	**43.9 J**	**8,710**	**253 J**	1 UJ	**9,390**	**231**
	10/3/12	200 U	**875**	200 U	200 U	200 U	**674**
	12/4/12	**5.5**	**2,300**	**36.9**	1 U	**533**	**856**
	4/3/13	**7.9**	**1,720**	**47.5**	1 U	**210**	**354**
	6/5/13	**20.0**	**4,800**	**60.2**	10 U	**2,360**	**749**
	10/16/13	10 U	**5,150**	**33.3**	10 U	**843**	**523 J**
	12/4/13	4.5	**4,600**	**81.8**	1 U	**53.9**	**363**
	3/24/14	10 U	**2,360**	**28.6**	10 U	**48.0**	**569**
	6/17/14	20 U	**2,920**	**16.9 J**	20 U	**21.1**	**1,580**
	8/18/14	**31.4 J**	**9,290**	**110**	10 U	**3,600**	**568**
	12/4/14	**34.1**	**15,600**	**139**	1 U	**2,070**	**467**
	3/11/15	**15.0**	**6,960**	**83.8**	10 U	**2,060**	**607**
	5/27/15	4.3 J	**2,330**	**29.3**	10 U	**52.8**	**593**
	----------Abandoned to Facilitate System Expansion----------						
EXB-2 (c)	1/14/09	2	**2,900 D**	**11.0**	**6.1**	**10,000 D**	**10.0**
	6/9/09	2	**2,100 D**	**7.3**	2.4	**6,200 D**	**13.0**
	9/23/09	2	**2,300 D**	**20.0**	**7.2**	**9,300 J**	**7.6**
	12/17/09	3	**2,870 D**	**11.7**	**6.1**	**7,270 D**	**16.8 J**
	4/6/10	1 U	**2,210 D**	**21.8**	4.3	**5,110 D**	**14.5**
	6/29/10	**12.5**	**5,650**	**212 J**	2.2	**2,560**	**21.0**
	9/29/10	**8.3**	**4,750**	**189**	1 U	**1,680**	**30.0**
	12/28/10	**6.0**	**6,740**	**32.7**	4.1	**7,550**	**44.7**
	3/22/11	3.4	**6,680**	**22.4**	3.8	**8,310**	**9.2**
	6/22/11	4.6	**4,850**	**39.2**	3.8	**5,320**	**157**
	10/3/11	2.6 J	**8,080 J**	**20.1 J**	1.9 J	**6,810 J**	**81.1 J**
	12/13/11	1.3	**7,880**	**59.6**	1 U	**3,670**	**7.4**
	3/28/12	4.7	**5,500**	**55.2**	1 U	**3,470**	**44.4**
	6/27/12	4.7 J	**5,040**	**45.6 J**	2.3 J	**7,020**	**33.1 J**
	10/3/12	200 U	**9,760**	200 U	200 U	**308**	**807**
	12/4/12	3	**2,330**	**71.6**	1 U	**327**	**2,070**
	4/4/13	1 U	**2,140**	**16.7**	1.3	**3,550**	**9.2**
	6/3/13	100 U	**23,300**	**214**	100 U	**14,400**	**235**
	10/16/13	**21.6**	**7,930**	**188**	1 U	**1,130**	**230**
	12/4/13	3.3	**6,730**	**68.6**	1 U	**2,720**	**90.4**
	3/24/14	40 U	**11,700**	**59.0**	40 U	**6,130**	**184**
	6/16/14	20 U	**5,890**	**37.5**	20 U	**5,270**	**60.5**
	8/19/14	20 U	**7,010**	**48.8**	20 U	**7,150**	**146**
	12/4/14	**15.5**	**12,300**	**54.0**	1 U	**4,260**	**209 J**
	3/11/15	50 U	**10,000**	**155**	50 U	**3,640**	**686 J**
	5/27/15	**18.6 J**	**11,500**	**94.1**	25 U	**890**	**844**
	----------Converted to Extraction Well EW-12-45C ----------						

Table 10

Historical Groundwater Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Well ID	Date	*1,1-Dichloroethene*	*cis-1,2-Dichloroethene*	*trans-1,2-Dichloroethene*	*Tetrachloroethene*	*Trichloroethene*	*Vinyl Chloride*
Evaluation Criteria (b)		**5**	**5**	**5**	**5**	**5**	**2**
EXB-7	1/14/09	**13**	**7,500 D**	**55.0 DJ**	1 U	**230 D**	**57.0 DJ**
	6/9/09	**6.6**	**3,400 D**	**37.0**	1 U	**890 D**	**30.0**
	9/22/09	**9.2**	**5,000 D**	**78.0**	80 U	**560 D**	**26.0**
	12/17/09	**5.1 J**	**2,790 D**	**45.3**	1 U	**832 D**	**15.5 J**
	4/7/10	3.2	**2,120 D**	**31.1**	1 U	**1,430 D**	**11.8**
	6/29/10	**6.5**	**2,880**	**99.2 J**	1 U	**1,190**	**18.4**
	9/29/10	**7.8**	**4,760**	**105**	1 U	**360**	**26.0**
	12/28/10	2.3	**1,560**	**27.4**	1 U	**394**	**3.4**
	3/22/11	1.1	**1,080**	**11.7**	1 U	**327**	1.9
	6/22/11	2.1	**1,480**	**21.7**	1 U	**398**	**5.0**
	10/5/11	**7.8 J**	**3,940 J**	**65.9 J**	1 UR	**1,850 J**	**21.4 J**
	12/13/11	**9.0**	**4,220**	**115.0**	1 U	**22.0**	**38.5**
	3/27/12	1.2	**1,040**	**20.0**	1 U	**388**	**2.8**
	6/29/12	2.4	**1,500**	**30.1**	1 U	**903**	**5.3**
	10/2/12	50 U	**3,080**	50.0 U	50 U	**1,290**	50.0 U
	12/4/12	2.4	**1,540**	**38.1**	1 U	**1,020**	**3.6**
	4/3/13	5 U	**766**	**22.5**	5 U	**469**	5.0 U
	6/5/13	2.6	**1,180**	**20.7**	1 U	**890**	**4.0**
	10/16/13	**5.4**	**2,580**	**41.2**	1 U	**1,100**	**14.5**
	12/4/13	1 U	**2,290**	**32.9**	1 U	**88.6**	**9.5**
	3/25/14	1 U	**202**	3.2	1 U	**96.6**	0.72 J
	6/17/14	0.97 J	**368**	**8.5**	1 U	**45.0**	**6.6**
	8/19/14	10 U	**1,920**	**19.5**	10 U	**63.4**	10.0 U
	12/4/14	0.54 J	**617**	**17.8**	1 U	4.1	**15.5 J**
	3/11/15	2 U	**1,080**	**45.1**	2 U	**280**	2.0 J
	5/27/15	5 U	**1,100**	**36.6**	5 U	**1,170**	5 U
	8/24/15	1.7	**1,180**	**19.4**	1 U	**774**	**4.2**
	12/14/15	2.1	**1,420**	**22.3**	1 U	**416**	**3.4**
	4/13/16	5 U	**1,040**	**17.4**	5 U	**547**	**4.5 J**
	7/7/16	10 U	**1,040**	**18.1**	10 U	**482**	**11.0**
	9/27/16	5 U	**1,410 J**	**28.3**	5 U	**582**	**6.3**
	11/16/16	10 U	**1,930**	**33.0**	10 U	**735**	**11.0**
	3/28/17	5 U	**980**	**17.3**	5 U	**574**	**5.9**
	6/13/17	2 U	**985**	**25.8**	2 U	**486**	1.3 J
	9/26/17	3.1 J	**1,700**	**31.2**	5 U	**748 J**	**3.4 J**
	12/20/17	1.7	**1,240**	**23.0**	1 U	**513 J**	1
Duplicate	12/20/17	1.7	**843**	**22.5**	1 U	**198 J**	1
	3/21/18	5 U	**869**	**16.5**	5 U	**426**	5 U
Duplicate	3/21/18	5 U	**872**	**16.2**	5 U	**427**	5 U
	5/10/18	2.5 U	**908**	**12.6**	2.5 U	**430**	2.5 U
	3/21/18	5 U	**869**	**16.5**	5 U	**426**	5 U
Duplicate	3/21/18	5 U	**872**	**16.2**	5 U	**427**	5 U
	5/10/18	2.5 U	**908**	**12.6**	2.5 U	**430**	2.5 U
	8/28/18	3.8 J	**2,430**	**30.5**	5 U	**46.2**	**6.5**
	12/11/18	2.5 U	**1,200**	**29.9**	2.5 U	**355**	2.5 U
	3/7/19	5 U	**832**	**11.9**	5 U	**373**	5 U
	6/18/19	0.82 J	**636**	**11.7**	1 U	**334**	**2.5**
	9/18/19	0.73 J	**896**	**13.2**	1 U	**369**	1.1
	12/9/19	5 U	**962**	**16.1**	5 U	**347**	5 U
	3/23/20	2 U	**936**	**18.1**	2 U	**366**	2 U
	5/20/20	5 U	**1,080**	**25.7**	5 U	**726**	5 U
	8/13/20	5 U	**1,160**	**52.8**	5 U	**426**	**4.3 J**
	12/14/20	5 U	**1,140**	**27.5**	5 U	**402**	5 U
	3/23/21	5 U	**1,110**	**22.1**	5 U	**486**	5 U
	6/22/21	10 U	**1,210**	**32.1**	10 U	**365**	10 U
	9/21/21	3.6 J	**1,700 J**	**61.2 J**	5 UJ	**349 J**	**4.3 J**
	12/15/21	10 U	**2,000**	**27.4**	10 U	**8.7 J**	**58.4**
	3/23/22	10 U	**1,310**	**21.1**	10 U	**393**	10 U
	6/15/22	5 U	**1,180**	**21**	5 U	**320**	**10.2**

Table 10

Historical Groundwater Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Well ID	Date	*1,1-Dichloroethene*	*cis-1,2-Dichloroethene*	*trans-1,2-Dichloroethene*	*Tetrachloroethene*	*Trichloroethene*	*Vinyl Chloride*
Evaluation Criteria (b)		**5**	**5**	**5**	**5**	**5**	**2**
EXB-9	6/10/09	1 U	1 U	1 U	1 U	0.46 J	1 U
	9/22/09	1 U	1 U	1 U	1 U	1 U	1 U
	12/17/09	1 U	3	1 U	1 U	1 U	1 U
	4/6/10	1 U	**12.5**	1 U	1 U	1.2	1 U
	6/29/10	1 U	**5.4**	1 UJ	1 U	1 U	1 U
	9/28/10	1 U	4.1	1 U	1 U	1 U	1 U
	12/28/10	1 U	2.6	1 U	1 U	1 U	1 U
	3/22/11	1 U	**5.5**	1 U	1 U	1.6	1 U
	6/22/11	1 U	1.2	1 U	1 U	1 U	1 U
	10/5/11	1 U	1 U	1 U	1 U	1 U	1 U
	12/14/11	1 U	1 U	1 U	1 U	1 U	1 U
	3/27/12	1 U	1 U	1 U	1 U	1 U	1 U
	6/28/12	1 U	1 U	1 U	1 U	1 U	1 U
	10/3/12	1 U	1 U	1 U	1 U	1 U	1 U
	12/4/12	1 U	1 U	1 U	1 U	1 U	1 U
	4/2/13	1 U	1 U	1 U	2.7	1 U	1 U
	6/3/13	1 U	1 U	1 U	1 U	1 U	1 U
	10/16/13	1 U	1 U	1 U	1 U	1 U	1 U
	12/5/13	1 U	1 U	1 U	1 U	1 U	1 U
	3/25/14	1 U	1 U	1 U	1 U	1 U	1 U
	6/17/14	1 U	1 U	1 U	1 U	1 U	1 U
	8/19/14	1 U	1 U	1 U	1 U	1 U	1 U
	12/3/14	1 U	1 U	1 U	1 U	1 U	1 UJ
	3/10/15	1 U	1 U	1 U	1 U	1 U	1 UJ
	5/28/15	1 U	1 U	1 U	1 U	1 U	1 U
	8/24/15	1 U	1 U	1 U	1 U	1 U	1 U
	4/12/16	1 U	1 U	1 U	1 U	1 U	1 UJ
	7/7/16	1 U	1 U	1 U	1 U	1 U	1 U
	9/27/16	1 U	1 UJ	1 U	0.53 U	1 U	1 U
	11/16/16	1 U	1 U	1 U	1 U	1 U	1 U
	3/28/17	1 U	1 U	1 U	1 U	1 U	1 U
	6/13/17	1 U	1 U	1 U	1 U	1 U	1 U
	9/26/17	1 U	1 U	1 U	1 U	1 U	1 U
	12/19/17	1 U	1 U	1 U	1 U	1 U	1 U
	3/21/18	1 U	1 U	1 U	1 U	1 U	1 UJ
	5/9/18	1 U	1 U	1 U	1 U	1 U	1 U
	8/28/18	1 U	1 U	1 U	1 U	1 U	1 U
Duplicate	8/28/18	1 U	1 U	1 U	1 U	1 U	1 U
	12/11/18	1 U	1 U	1 U	1 U	1 U	1 U
	3/7/19	1 U	1 U	1 U	1 U	1 U	1 U
	6/17/19	1 U	1 U	1 U	1 U	1 U	1 U
	9/17/19	1 U	1 U	1 U	1 U	1 U	1 U
	12/12/19	1 U	1 U	1 U	1 U	1 U	1 U
	3/16/20	1 U	1 U	1 U	1 U	1 U	1 U
	5/19/20	1 U	1 U	1 U	1 U	1 U	1 U
	8/13/20	1 U	1 U	1 U	1 U	1 U	1 U
	12/14/20	1 U	1 U	1 U	1 U	1 U	1 U
	3/25/21	1 U	1 U	1 U	1 U	1 U	1 U
	6/22/21	1 U	1 U	1 U	1 U	1 U	1 U
Duplicate	6/22/21	1 U	1 U	1 U	1 U	1 U	1 U
	9/21/21	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ
	12/14/21	1 U	1 U	1 U	1 U	1 U	1 U
	3/22/22	1 U	1 U	1 U	1 U	1 U	1 U
	6/15/22	1 U	1 U	1 U	1 U	1 U	1 U
	8/19/22	1 U	1 U	1 U	1 U	1 U	1 U
	9/19/22	1 U	1 U	1 U	1 U	1 U	1 U

Table 10

Historical Groundwater Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Well ID	Date	*1,1-Dichloroethene*	*cis-1,2-Dichloroethene*	*trans-1,2-Dichloroethene*	*Tetrachloroethene*	*Trichloroethene*	*Vinyl Chloride*
Evaluation Criteria (b)		**5**	**5**	**5**	**5**	**5**	**2**
EXB-10	1/14/09	1 U	**36**	1 U	1 U	1 U	1 U
	9/23/09	1 U	**32**	1 U	1 U	0.78 J	**2.9**
	12/17/09	1 U	**31.7**	1 U	1 U	1 U	**4.6**
	4/6/10	1 U	**13.7**	1 U	1 U	1.6	1.8
	6/29/10	1 U	**97.7**	1 UJ	1 U	1 U	1.2
	9/28/10	1 U	**16.7**	1 U	1 U	1 U	**5.9**
	12/28/10	1 U	**37.9**	1 U	1 U	1 U	1.3
	3/22/11	1 U	**55.4**	1 U	1 U	1 U	1 U
	6/22/11	1 U	**8.7**	1 U	1 U	1 U	1 U
	10/5/11	1 U	4.4	1 U	1 U	1 U	2.0
	12/14/11	1 U	**7.5**	1 U	1 U	1 U	**2.7**
	3/28/12	1 U	1 U	1 U	1 U	1 U	1 U
	6/28/12	1 U	4.4	1 U	1 U	1 U	1 U
	10/2/12	1 U	1 U	1 U	1 U	1 U	1 U
	12/4/12	1 U	1 U	1 U	1 U	1 U	1 U
	4/3/13	1 U	1.5	1 U	1 U	1 U	1 U
	6/3/13	1 U	3.3	1 U	1 U	1 U	**2.3**
	10/16/13	1 U	2.8	1 U	1 U	1 U	**2.1**
	12/5/13	1 U	2.6	1 U	1 U	0.51 J	1.2
	3/25/14	1 U	3	1 U	1 U	1 U	1.2
	6/18/14	1 U	2.4	1 U	1 U	1 U	1.6
	8/19/14	1 U	2.2	1 U	1 U	1 U	**2.4**
	12/3/14	1 U	1.2	1 U	1 U	0.51 J	1 UJ
	3/11/15	1 U	3.1	1 U	1 U	0.51 J	**2.8 J**
	5/27/15	1 U	1.8	1 U	1 U	1 U	1.2
	8/24/15	1 U	1.4	1 U	1 U	1 U	1.1
	12/14/15	1 U	2.1	1 U	1 U	1 U	1.2
	4/12/16	1 U	1.7	1 U	1 U	1 U	1.6
	7/6/16	1 U	1 U	1 U	1 U	1 U	1 U
	9/27/16	1 U	1.6 J	1 U	1 U	1 U	1.3
	11/15/16	1 U	1.3	1 U	1 UJ	1 U	1 UJ
	3/29/17	1 U	1.1	1 U	1 U	1 U	0.54 J
	6/13/17	1 U	1.8	1 U	1 U	1 U	1.8
	9/26/17	1 U	2.1	1 U	1 U	1 U	**6.2**
	12/19/17	1 U	1.6	1 U	1 U	1 U	0.97 J
	3/21/18	1 U	1 U	1 U	1 U	1 U	1 U
	5/9/18	1 U	1.7	1 U	1 U	1 U	0.71 J
	8/28/18	1 U	1.7	1 U	1 U	1 U	1.3
	12/11/18	1 U	1.4	1 U	1 U	1 U	1.3
Duplicate	12/11/18	1 U	1.0 U	1 U	1 U	1 U	1 U
	3/6/19	1 U	1 U	1 U	1 U	1 U	1 U
	6/18/19	1 U	0.64 J	1 U	1 U	1 U	1 U
	9/19/19	1 U	1.0	1 U	1 U	1 U	1.7
	12/12/19	1 U	1 U	1 U	1 U	1 U	1 U
	3/23/20	1 U	1 U	1 U	1 U	1 U	1 U
Duplicate	3/23/20	1 U	1 U	1 U	1 U	1 U	1 U
	5/19/20	1 UJ	1.1	1 U	1 U	1 U	1.4
	8/13/20	1 U	1 U	1 U	1 U	1 U	1 U
	12/15/20	1 U	0.52 J	1 U	1 U	1 U	1 U
Duplicate	12/15/20	1 U	0.53 J	1 U	1 U	1 U	1 U
	3/25/21	1 U	1 J	1 U	1 U	1 U	1 U
	6/22/21	1 U	2.2	1 U	1 U	1 U	1 U
	9/21/21	1 UJ	1 J	1 UJ	1 UJ	1 UJ	1 UJ
	12/15/21	1 U	0.77 J	1 U	1 U	1 U	1 U
	3/22/22	1 U	0.96 J	1 U	1 U	1 U	1
	6/15/22	1 U	0.95 J	1 U	1 U	1 U	0.91 J
	9/20/22	1 U	2.8	1 U	1 U	1 U	1 U
EXB-11	9/21/22	5 U	**1830**	**33.6**	5 U	**400**	**13.8**

Table 10

Historical Groundwater Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Well ID	Date	*1,1-Dichloroethene*	*cis-1,2-Dichloroethene*	*trans-1,2-Dichloroethene*	*Tetrachloroethene*	*Trichloroethene*	*Vinyl Chloride*
Evaluation Criteria (b)		**5**	**5**	**5**	**5**	**5**	**2**
MW-1B	4/1/09	1 U	1 J	1 U	1 U	1.8	1 U
	6/8/09	1 U	0.87 J	1 U	1 U	1.6	1 U
	9/22/09	1 U	0.79 J	1 U	1 U	1.9	1 U
	12/18/09	1 U	1 U	1 U	1 U	1.8	1 U
	4/6/10	1 U	4.5	1 U	1 U	**9.9**	1 U
	6/29/10	1 U	1.4	1 UJ	1 U	1.7	1 U
	9/29/10	1 U	2.2	1 U	1 U	3.6	1 U
	12/29/10	1 U	1.9	1 U	1 U	2.5	1 U
	3/25/11	1 U	4.1	1 U	1 U	4.6	1 U
	6/22/11	1 U	1.1	1 U	1 U	1.6	1.0 U
	10/4/11	1 U	1.1	1 U	1 U	1	1 U
	12/14/11	1 U	1 U	1 U	1 U	1 U	1 U
	3/27/12	1 U	1 U	1 U	1 U	1 U	1 U
	6/29/12	1 U	4.3	1 U	1 U	**6.7**	1 U
	10/3/12	1 U	2.0	1 U	1 U	2.8	1 U
	12/5/12	1 U	1 U	1 U	1 U	1.1	1 U
	4/2/13	1 U	1 U	1 U	1 U	1 U	1 U
	6/5/13	1 U	**20.3**	1 U	1 U	**28.9**	1 U
	10/18/13	1 U	0.67 J	1 U	1 U	1.5	1 U
	12/5/13	1 U	1.2	1 U	1 U	1.3	1 U
	3/27/14	1 U	0.83 J	1 U	1 U	1.1	1 U
	6/17/14	1 U	1 U	1 U	1 U	0.58 J	1 U
	8/20/14	1 U	1	1 U	1 U	1.6	1 U
	12/4/14	1 U	1 U	1 U	1 U	0.95 J	1 U
	3/12/15	1 U	1.6	1 U	1 U	1.1	1 U
	5/28/15	1 U	2.1	1 U	1 U	4.7	1 U
	8/24/15	0.84 J	**253**	1.9	1 U	**484**	**6.2**
	12/14/15	0.84 J	**200**	1.7	1 U	**321**	**2.5**
	4/12/16	1 U	0.70 J	1 U	1 U	1.0	1 U
	7/6/16	1.4 J	**665**	**6.2**	2 U	**1,210**	**13.8**
	9/28/16	3.5	**965 J**	**16.3**	1.1 U	**1,400**	**34.6**
	11/15/16	10 U	**404**	4.4 J	10 UJ	**462**	**5.1 J**
	3/28/17	1 U	**17.9**	1 U	1 U	**29.7**	1 U
	6/14/17	2.5 U	**416**	**8.4**	2.5 U	**769**	**7.2**
	9/26/17	10 U	**663**	**7.9 J**	10 U	**1,120**	**7.8 J**
	12/18/17	1.2	**434**	**5.4**	1 U	**699**	**9.0**
	3/21/18	1 U	0.78 J	1 U	1 U	1 J	1 U
	5/8/18	1 U	4.1	1 U	1 U	**8.5**	1 U
	8/29/18	1 U	**7.0**	1 U	1 U	**14.0**	1 U
	12/12/18	1 U	**72.0**	0.77 J	1 U	**115.0**	1 U
	3/5/19	1 U	**78.5 UJ**	0.72 J	1 U	**154 UJ**	1 U
	6/18/19	1 U	1 U	1 U	1 U	0.67 J	1 U
	9/18/19	1 U	**10.4**	1 U	1 U	**15.7**	1 U
	12/12/19	1 U	1 U	1 U	1 U	0.57 J	1 U
	3/18/20	1 U	1.3	1 U	1 U	1.7	1 U
Duplicate	3/18/20	1 U	1.3	1 U	1 U	1.6	1 U
	5/15/20	1 UJ	4.4	1 U	1 U	**6.5**	1 U
Duplicate	5/15/20	1 U	4.1	1 U	1 U	**6.5**	1 U
	8/12/20	1 U	**25.1**	1 U	1 U	**60**	1 U
	12/18/20	1 U	0.76 J	1 U	1 U	0.56 J	1 U
	3/24/21	1 U	1.0 U	1 U	1 U	1 U	1 U
	6/23/21	1 U	4.1	1 U	1 U	**7.3**	1 U
	9/22/21	1 UJ	**31.1 J**	1 UJ	1 UJ	**57.7 J**	1 UJ
	12/16/21	1 U	1.0 U	1 U	1 U	1.1	1 U
	3/22/22	1 U	1.0 J	1 U	1 U	1.5	1 U
	6/15/22	1 U	**9.5**	1 U	1 U	**15.4**	1 U
	9/22/22	1 U	1.7	1 U	1 U	2.5	1 U
Duplicate	9/22/22	1 U	1.7	1 U	1 U	2.7	1 U

Table 10

Historical Groundwater Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Well ID	Date	*1,1-Dichloroethene*	*cis-1,2-Dichloroethene*	*trans-1,2-Dichloroethene*	*Tetrachloroethene*	*Trichloroethene*	*Vinyl Chloride*
Evaluation Criteria (b)		**5**	**5**	**5**	**5**	**5**	**2**
MW-2B	4/1/09	**8.8**	**5,600 D**	**65.0**	**30.0**	**20,000 D**	**40.0**
	9/22/09	200 U	**6,400 D**	200 U	200 U	**21,000 D**	**82.0 D**
	4/6/10	**14.0**	**5,510 D**	**63.8**	**28.2**	**19,500 D**	**133**
	10/5/10	**19.7**	**7,560**	**122**	**30.8**	**18,100**	**50.1**
	3/24/11	**5.7**	**5,010**	**19.9**	**14.6**	**12,200**	**21.6**
	10/4/11	**28.7 J**	**9,500 J**	**63.8 J**	**32.4 J**	**23,200 J**	**199 J**
	3/27/12	**9.9**	**3,650**	**57.5**	**13.3**	**7,010**	**24.1**
	10/1/12	200 U	**5,900**	200 U	200 U	**13,800**	200 U
	4/3/13	**10.9**	**6,420**	**30.9**	**6.0**	**9,730**	**39.8**
	10/18/13	**19.1 J**	**9,420**	**65.8**	**14.1 J**	**19,800**	**118**
	3/27/14	**40 U**	**6,230**	**24.2 J**	40 U	**13,800**	**52.7**
	8/20/14	**15.8 J**	**5,780**	**48.7**	**12.4**	**11,700 J**	**115 J**
	3/12/15	**13.4**	**6,000**	**38.1**	**19.4**	**11,600**	**19.6**
	8/24/15	**15.9**	**6,820**	**37.5**	**16.3**	**15,700**	**69.2**
	4/12/16	50 U	**5,960**	**26.6 J**	50 U	**13,300**	**52.0**
	9/27/16	50 U	**6,050 J**	**32.2 J**	50 U	**9,730**	50 U
	3/28/17	50 U	**6,980**	**29.5 J**	**12.8 J**	**16,900**	50 U
	9/27/17	100 U	**5,970**	**58.8 J**	100 U	**15,100**	100 U
	3/21/18	50 U	**4,770**	**28.1 J**	50 U	**12,400**	50 U
	8/29/18	20 U	**4,580**	**32.3**	20 U	**9,400**	**48.3**
	3/5/19	20 U	**3,830**	**23.0**	20 U	**7,600**	20 U
	9/19/19	20 U	**3,680**	**20.8**	20 U	**7,100**	**76.8**
	3/18/20	**10.4**	**3,460**	**40.2**	**9.1**	**8,760**	**14.4**
	8/12/20	**13.8 J**	**6,260**	**27.8**	20 U	**1,700**	**149**
	3/24/21	20 U	**5,340**	**19.6 J**	20 U	**12,100**	**17 J**
	9/22/21	**12.3 J**	**5,190 J**	**34 J**	10 UJ	**8,740 J**	**142 J**
	3/22/22	50 U	**5,090**	50 U	50 U	**12,300**	**55.2**
	9/22/22	50 U	**5,720**	**31.8 J**	50 U	**7,600**	**67.9**
MW-3B	4/3/09	4.4	**1,900 D**	**35.0**	1.3	**1,300 D**	**210 D**
	9/22/09	20 U	**1,400 D**	**15.0 J**	20 U	**310 D**	**97.0 D**
	4/6/10	4.0	**1,190 D**	**17.0**	1.5	**1,500 D**	**181**
	10/5/10	3.3	**1,430**	**25.1**	1 U	**752**	**143**
	3/25/11	1 U	**749**	**10.6**	1 U	**77.2**	**146**
	10/4/11	**11.5 J**	**2,450 J**	**55.5 J**	1 U	**1,900 J**	**321 J**
	3/27/12	4.3	**994**	**30.7**	1 U	**456**	**200**
	10/1/12	20 U	**1,150**	**21.1**	20 U	**960 J**	**175**
	4/2/13	3.0	**337**	**9.2**	1 U	**180**	**93.2**
	10/18/13	2.2	**577**	**10.5**	1 U	**444**	**250**
	3/27/14	2 U	**377**	**8.6**	2 U	**69.0**	**83.5**
	8/19/14	1.0 J	**558**	**13.8**	1 U	**101**	**176 J**
	3/11/15	2.4	**723**	**16.9**	1 U	**222**	**199 J**
	8/24/15	1.8	**512**	**16.8**	1 U	**97.2**	**247**
	4/12/16	2 U	**651**	**13.5**	2 U	**27.9**	**183**
	9/28/16	4 U	**957 J**	**18.4**	4 U	**849 J**	**21.8**
	3/28/17	0.85 J	**335**	**7.1**	1 U	**90.8**	**80.9**
	9/27/17	1.8	**766**	**12.9**	1 U	**319**	**153**
	3/21/18	0.81 J	**315**	**6.0**	1 U	**87.7**	**58.8**
	8/29/18	0.96 J	**339**	4.8	1 U	**175**	**91.9**
	3/5/19	1.2	**354**	**6.8**	1 U	**37.2**	**119**
	9/18/19	10 U	**2,550**	**33.8**	10 U	**1,690**	**213**
	3/18/20	3.8 J	**1,830**	**18.9**	5 U	**1,850**	**16.3**
	8/12/20	20 U	**4,160**	**34**	20 U	**3,750**	**192**
	3/24/21	10 U	**1,080**	**12.8**	10 U	**1,400**	10 U
	9/22/21	**10.3 J**	**4,160 J**	**40.5 J**	10 UJ	**5,020 J**	**58.2 J**
	12/16/21	10 U	**1,360**	**13.9**	10 U	**1,770**	**14.8**
	3/22/22	3.4	**1,120**	**10.9**	2 U	**1,100**	**4.3**
	6/16/22	10 U	**2,000**	**22.7**	10 U	**1,890**	**35.9**
	9/22/22	**16.8**	**7,150**	**149**	1.6	**4730**	**110**

Table 10

Historical Groundwater Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Well ID	Date	*1,1-Dichloroethene*	*cis-1,2-Dichloroethene*	*trans-1,2-Dichloroethene*	*Tetrachloroethene*	*Trichloroethene*	*Vinyl Chloride*
Evaluation Criteria (b)		**5**	**5**	**5**	**5**	**5**	**2**
MW-4B	4/1/09	1 U	1 U	1 U	1 U	0.22 J	1 U
	6/8/09	1 U	1 U	1 U	1 U	1 U	1 U
	9/24/09	1 U	1 U	1 U	1 U	1 U	1.2
	12/18/09	1 U	1 U	1 U	1 U	1 U	**4.5**
	4/7/10	1 U	2.2	1 U	1 U	1.4	1 U
	6/30/10	1 U	1 U	1 UJ	1 U	1 U	1.6
	9/29/10	1 U	1 U	1 U	1 U	1 U	**4.1**
	12/29/10	1 U	1 U	1 U	1 U	1 U	**2.1**
	3/24/11	1 U	1 U	1 U	1 U	1 U	1 U
	6/22/11	1 U	1 U	1 U	1 U	1 U	1 U
	10/4/11	1 U	1.6 J	1 U	1 U	1.6 J	**8.3 J**
	12/14/11	1 U	1 U	1 U	1 U	1 U	1.9
	3/27/12	1 U	1 U	1 U	1 U	1 U	1 U
	6/29/12	1 U	1 U	1 U	1 U	1 U	**2.3**
	10/3/12	1 U	1 U	1 U	1 U	1 U	**6.2**
	12/5/12	1 U	1.4	1 U	1 U	1 U	**15.6**
	4/3/13	1 U	1 U	1 U	1 U	1 U	**4.2**
	6/5/13	1 U	1 U	1 U	1 U	1 U	1.3
	10/18/13	1 U	1.3	1 U	1 U	1 U	**15.6**
	12/5/13	1 U	1 U	1 U	1 U	1 U	**2.5**
	3/27/14	1 U	0.62 J	1 U	1 U	1 U	**6.6**
	6/17/14	1 U	0.95 J	1 U	1 U	1 U	**25**
	8/19/14	1 U	0.89 J	1 U	1 U	1 U	**9.7**
	12/4/14	1 U	1 U	1 U	1 U	1 U	**2.4 J**
	3/12/15	1 U	0.95 J	1 U	1 U	1 U	**9.3**
	5/28/15	1 U	1 U	1 U	1 U	1 U	**2.7**
	8/24/15	1 U	0.38 J	1 U	1 U	1 U	**3.9**
	12/14/15	1 U	0.57 J	1 U	1 U	1 U	**4.1**
	4/12/16	1 U	0.6 J	1 U	1 U	1 U	**9.2**
	7/6/16	1 U	0.53 J	1 U	1 U	1 U	**4.5 J**
	9/28/16	1 U	0.91 J	1 U	1 U	1 U	**7.9**
	11/15/16	1 U	1.1	1 U	1 UJ	1 U	**11.3 J**
	3/28/17	1 U	1 U	1 U	1 U	1 U	2.0
	6/12/17	1 U	1 U	1 U	1 U	1 U	**3.0**
	9/27/17	1 U	0.54 J	1 U	1 U	1 U	**4.8**
Duplicate	9/27/17	1 U	0.57 J	1 U	1 U	1 U	**4.8**
	12/18/17	1 U	0.54 J	1 U	1 U	1 U	**4.4**
	3/20/18	1 U	1 U	1 U	1 U	1 U	**4.4**
	5/9/18	1 U	0.69 J	1 U	1 U	1 U	**5.1**
	8/28/18	1 U	1 U	1 U	1 U	1 U	**2.2**
	12/12/18	1 U	0.56 J	1 U	1 U	1 U	**8.0**
	3/6/19	1 U	0.76 J	1 U	1 U	1 U	**9.7**
	6/18/19	1 U	1 U	1 U	1 U	1 U	1.8
	9/19/19	1 U	1 U	1 U	1 U	1 U	**2.1**
	12/12/19	1 U	1 U	1 U	1 U	1 U	**2.7**
	3/19/20	1 U	2.1	1 U	1 U	1 U	**25.1**
	5/14/20	1 UJ	1.4	1 U	1 U	1 U	**14.6**
	8/12/20	1 U	1.2	1 U	1 U	1 U	**14.9**
	12/18/20	1 U	0.84 J	1 U	1 U	1 U	**10.2**
	3/24/21	1 U	1.2	1 U	1 U	1 U	**14.7**
	6/23/21	1 U	0.88 J	1 U	1 U	1 U	**9.6**
	9/22/21	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ	**6.3 J**
	12/15/21	1 U	1 U	1 U	1 U	1 U	1.4
	3/22/22	1 U	1 U	1 U	1 U	1 U	**5.3**
Duplicate	3/22/22	1 U	1 U	1 U	1 U	1 U	1 U
	6/15/22	1 U	1 U	1 U	1 U	1 U	**4.8**
	9/21/22	1 U	1 U	1 U	1 U	1 U	1.4

Table 10

Historical Groundwater Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Well ID	Date	*1,1-Dichloroethene*	*cis-1,2-Dichloroethene*	*trans-1,2-Dichloroethene*	*Tetrachloroethene*	*Trichloroethene*	*Vinyl Chloride*
Evaluation Criteria (b)		**5**	**5**	**5**	**5**	**5**	**2**
MW-5B	1/14/09	**43.0**	**19,000 D**	800 UD	**89**	**52,000 D**	**700 DJ**
	9/23/09	80 U	**5,800 D**	**49.0 J**	80 U	**5,200 D**	**140 D**
	12/21/09	2.3	**1,210 D**	**24.1**	1.3	**657 D**	**52.9**
	4/6/10	**6.4**	**3,990 D**	**101**	**10.2**	**3,750 D**	**257**
	6/30/10	1.4 J	**1,410**	**20.3**	1.7	**781**	**10.3**
	9/29/10	**12.4**	**7,140**	**123**	**11.5**	**4,450**	**511**
	12/29/10	**17.7**	**10,400**	**81.3**	**15.1**	**6,660**	**491**
	3/25/11	1.5	**967**	**10.1**	3.8	**1,330**	**5.6**
	6/22/11	1 U	**407**	4.8	1 U	**297**	1 U
	10/4/11	2.8 J	**1,510 J**	**18.4 J**	1 UR	**161 J**	1 UR
	12/14/11	4.8	**2,480**	**29.3**	1 U	**399**	**89.7**
	3/27/12	**6.0**	**4,420**	**59.6**	3.5	**3,450**	**55**
	6/29/12	1.5	**713**	**11.8**	1 U	**338**	**116**
	10/3/12	20 U	**279**	20 U	20 U	**40.6**	**151**
	12/5/12	4.7	**1,250**	**38.6**	1 U	**261**	**314**
	4/3/13	5 U	**918**	**18.1**	5 U	**406**	**52.8**
	6/5/13	10 U	**1,130**	10 U	10 U	**512**	10 U
	10/18/13	5 U	**1,950**	**29.7**	5 U	**352**	**249**
	12/5/13	1 U	**975**	**10.8**	0.94 J	**347**	**12.7**
	3/27/14	2 U	**515**	**6.8**	2 U	**272**	**5.6**
	6/17/14	5 U	**507**	**6.7**	5 U	**1160**	**29.8**
	8/20/14	2 U	**694**	**12.9**	2 U	**120**	**105 J**
	12/4/14	1.1	**527**	**9.1**	0.94 J	**542**	**51 J**
	3/11/15	2 U	**342**	**7.0**	1.3 J	**742**	1.7 J
	5/28/15	1.4 J	**760**	**14.0**	1.3 J	**727**	**6.4**
	8/24/15	2.2	**716**	**11.5**	2.7	**1,200**	**44.9**
	12/14/15	3	**880**	**13.7**	5	**1,560**	**25**
	4/12/16	2 U	**584**	**13.1**	1.3 J	**649**	**6.5**
	7/7/16	10 U	**705**	**9.6 J**	10 U	**875**	10 U
	9/28/16	4 U	**870 J**	**14.8**	1.8 U	**573**	**26.4**
	11/15/16	5 U	**791**	**12.5**	1.7 J	**682**	**15.4 J**
	3/28/17	0.42 J	**226**	**5.4**	1.3	**591**	**2.3**
	6/14/17	2.5 U	**199**	**5.6**	2.1 J	**864**	**9.4**
	9/27/17	1.1 J	**521**	**8.1**	2.2	**961**	**8.8**
	12/19/17	0.64 J	**331**	**6.6**	0.83 J	**527**	1.1
	3/21/18	1 U	**223**	4.8	1 U	**143**	**29.2**
	5/9/18	1 U	**135**	3.8	0.62 J	**232**	**16.1**
	8/29/18	1 U	**88.4**	2.2	1 U	**248**	**19.1**
	12/12/18	1 U	**53.5**	1.2	1 U	**198**	1.0
	3/6/19	1 U	**104**	2.1	1 U	**478**	1 U
	6/19/19	1 U	**133 J**	2.7	0.99 J	**316**	1.3
Duplicate	6/19/19	1 U	**161**	2.8	1 U	**313**	**2.7**
	9/19/19	2.5 U	**454**	**5.6**	2.5 U	**479**	**4.4**
	12/12/19	5 U	**528**	**8.0**	5 U	**722**	5 U
	3/18/20	5 U	**644**	**17.8**	5 U	**575**	**5.4**
	5/15/20	5 UJ	**394**	**11.5**	5 U	**696**	5 U
	8/12/20	5 U	**898**	**18.7**	5 U	**924**	**16.3**
	12/18/20	1 U	**260**	**8.7**	1 U	**375**	1 U
	3/24/21	1 U	**298**	**9.9**	1 U	**491**	1.9
	6/23/21	0.81 J	**384**	**10.2**	1 U	**290**	**22.3**
	9/22/21	1.2 J	**393 J**	**8 J**	1.3 J	**552 J**	**3.2 J**
	12/16/21	5 U	**538**	**8.5**	5 U	**802**	**9.1**
	3/22/22	1 U	**118**	4.5	1.1	**375**	1.4
	6/15/22	1 U	**329**	**10.2**	1.2	**656**	**2.1**
	9/22/22	1.5	**795**	**11.7**	0.81 J	**554**	**27.7**

Table 10

Historical Groundwater Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Well ID	Date	*1,1-Dichloroethene*	*cis-1,2-Dichloroethene*	*trans-1,2-Dichloroethene*	*Tetrachloroethene*	*Trichloroethene*	*Vinyl Chloride*
Evaluation Criteria (b)		**5**	**5**	**5**	**5**	**5**	**2**
MW-5-25	6/14/17	1 U	1 U	1 U	1 U	1 U	1 U
	9/26/17	1 U	1 U	1 U	1 U	1 U	1 U
	12/19/17	1 U	1 U	1 U	1 U	1 U	1 U
	3/23/18	1 U	1 U	1 U	1 U	1 U	1 U
	5/9/18	1 U	**6.4**	1 U	1 U	2.7	1 U
	8/29/18	1 U	1 U	1 U	1 U	1 U	1 U
	12/12/18	1 U	1 U	1 U	1 U	1 U	1 U
	3/6/19	1 U	1 U	1 U	1 U	1 U	1 U
	6/19/19	1 U	1 U	1 U	1 U	1 U	1 U
	9/19/19	1 U	1 U	1 U	1 U	1 U	1 U
	12/12/19	1 U	1 U	1 U	1 U	1 U	1 U
	8/12/20	1 U	1 U	1 U	1 U	1 U	1 U
	12/16/20	1 U	1 U	1 U	1 U	1 U	1 U
	3/23/21	1 U	1 U	1 U	1 U	1 U	1 U
	6/23/21	1 U	1 U	1 U	1 U	1 U	1 U
	9/21/21	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ
	12/14/21	1 U	1 U	1 U	1 U	1 U	1 U
	3/23/22	1 U	1 U	1 U	1 U	1 U	1 U
	6/15/22	1 U	1 U	1 U	1 U	1 U	1 U
	9/20/22	1 U	1 U	1 U	1 U	1 U	1 U
MW-5-40	4/1/09	**22.0**	**12,000 D**	**92.0 DJ**	2.0	**11,000 D**	**510 D**
	9/22/09	200 U	**16,000**	**200** U	200 U	**28,000 D**	**270**
	4/7/10	**23.2**	**13,400 D**	**177**	3.6	**6,540 D**	**390**
	10/4/10	**28.7**	**11,400**	**128**	**5.3**	**5,550**	**314**
	3/25/11	**5.7**	**18,000**	**111**	2.7	**6,390**	**774**
	10/4/11	**7.7 J**	**6,720 J**	**48.1 J**	3.8	**6,760 J**	**384 J**
	3/28/12	**11.2**	**10,200**	**89.1**	4.0	**6,600**	**314**
	10/4/12	200 U	**9,780**	200 U	200 U	**6,840**	**460**
	4/3/13	**21.6**	**8,470**	**149**	2.5	**4,050**	**452**
	10/18/13	**25.8**	**13,100**	**96.4**	20.0 U	**9,580**	**711**
	3/27/14	50 U	**10,900**	**101**	50 U	**6,080**	**657**
	8/20/14	20 U	**7,740**	**112**	20 U	**4,920**	**563 J**
	3/11/15	**20.2**	**6,820**	**151**	3.0	**2,320**	**565**
	8/24/15	**19.1**	**8,180**	**224**	4.8	**5,370**	**969**
	4/12/16	**17.7 J**	**12,700**	**237**	20 U	**1,550**	**1,140**
	9/27/16	50 U	**12,000 J**	**143**	50 U	**4,490**	**683**
	3/28/17	**22.5 J**	**12,300**	**192**	25 U	**4,430**	**505**
	6/14/17	**30.0**	**15,100**	**264**	25 U	**3,720**	**878**
	9/26/17	**47.3 J**	**19,000**	**284**	100 U	**4,600**	**939**
	12/19/17	**36.9**	**16,500**	**232**	10 U	**3,230**	**975**
	3/20/18	**29.6 J**	**15,400**	**270**	50 U	**2,500**	**1,190**
	5/9/18	**33.9 J**	**18,100**	**294**	50 U	**2,000**	**1,000**
	8/29/18	50 U	**16500**	**256**	50 U	**3,780**	**733**
	12/12/18	50 U	**13,600**	**176**	50 U	**2,630**	**909**
	3/6/19	**22.5 J**	**9,840**	**226**	25 U	**3,910**	**852**
	6/19/19	**27.1**	**11,400**	**247**	1.8	**3,040**	**979**
	9/19/19	**24.0**	**12,200**	**325**	5 U	**1,310**	**1,010**
	12/10/19	25 U	**4,640**	**18.6 J**	25 U	**49.8**	**164**
	3/20/20	**20.6**	**10,100**	**318**	20 U	**2,840**	**1,600**
	5/14/20	**20.6**	**9,130**	**233**	20 U	**2,790 J**	**884**
	8/12/20	**16.7 J**	**10,200**	**263**	25 U	**2,320**	**1,310**
Duplicate	8/12/20	**16.9 J**	**9,830**	**242**	20 U	**2,200**	**1,240**
	12/17/20	**6.9 J**	**3,760**	**133**	10 U	**1,020**	**1,150**
	3/24/21	**16.9**	**8,600**	**327**	10 U	**1,460**	**1,280**
	6/23/21	**21.1**	**8,370**	**158**	20 U	**54.6**	**2,400**
	9/22/21	100 UJ	**10,900 J**	**68.4 J**	100 UJ	**287 J**	**1,580 J**
	12/14/21	50 U	**10,800**	**155**	50 U	**307**	**6,750**
	3/23/22	**6.6 J**	**5,830**	**123**	10 UR	**766**	**5,780**
	6/16/22	50 U	**6,260**	**58.6**	50 U	**3,030**	**1,500**
	9/20/22	10 U	**2,420**	**101**	10 U	**33**	**4,250**

Table 10

Historical Groundwater Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Well ID	Date	*1,1-Dichloroethene*	*cis-1,2-Dichloroethene*	*trans-1,2-Dichloroethene*	*Tetrachloroethene*	*Trichloroethene*	*Vinyl Chloride*
Evaluation Criteria (b)		**5**	**5**	**5**	**5**	**5**	**2**
MW-5-100	4/1/09	1 U	**17**	0.31 J	1 U	0.98 J	**5.9**
	6/10/09	1.5	**1,600 D**	**25**	0.74 J	**580 D**	1 U
	9/22/09	1 U	**23.0**	1 U	1 U	2.8	**5.2**
	4/7/10	1 U	**37.3**	1 U	1 U	4.7	**5.4**
	10/4/10	1 U	**39.9**	1 U	1 U	1.8	**13.1**
	3/25/11	1 U	**13.5**	1 U	1 U	2.2	**7.3**
	6/29/12	1 U	**7.1**	1 U	1 U	1 U	**5.8**
	10/4/12	1 U	3.72	1 U	1 U	2.95	1.72
	4/3/13	1 U	3.5	1 U	1 U	1 U	**3.7**
	10/18/13	1 U	2.5	1 U	1 U	1.4	**2.5**
	3/27/14	1 U	2.0	1 U	1 U	1 U	**3.3**
	8/19/14	1 U	2.5	1 U	1 U	2.6	**3.6 J**
	3/11/15	0.90 J	**20.0**	0.77 J	1 U	0.57 J	**42.9**
	8/24/15	1 U	3.2	0.79 J	1 U	0.41 J	**14.5**
	4/12/16	1 U	2.2	1 U	1 U	1 U	**4.5**
	9/28/16	1 U	2.1 J	1 U	1 U	0.54 J	1.5
	3/29/17	1 U	2.0	1 U	1 U	0.26 J	1.5
	9/27/17	1 U	2.3	1 U	1 U	0.53 J	**2.1**
	3/20/18	1 U	2.2	1 U	1 U	0.39 J	1.8
	8/29/18	1 U	2.5	1 U	1 U	1 U	1.8
	3/6/19	1 U	2.2	1 U	1 U	1 U	1.5
	9/19/19	1 U	2	1 U	1 U	1 U	1.4
	3/20/20	1 U	2	1 U	1 U	1 U	1.1
	8/12/20	1 U	2	1 U	1 U	1 U	1.5
	3/24/21	1 U	2.2	1 U	1 U	1 U	1.4
	9/21/21	0.68 J	**554 J**	2.7 J	1 UJ	4.6 J	**95.3 J**
	3/23/22	1 U	**70.4**	1 U	1 U	0.72	**16.1**
	6/16/22	1 U	**78.9**	1 U	1 U	0.99 J	**48.0**
	9/21/22	1 U	**33.4**	1 U	1 U	1 U	**35.4**
MW-7B	3/11/15	1.7	**951**	**10.8**	1 U	3.0	**401**
	4/12/16	1 UJ	1.3 J	1 UJ	1 UJ	0.79 J	1 UJ
	9/27/16	1 UJ	1.3 J	1 UJ	1 UJ	0.79 J	1 UJ
	3/29/17	1 U	**5.1**	1 U	1 U	0.63 J	**2.4**
	6/13/17	1 U	**251**	1.7	1 U	**13.5**	**97.9**
	9/28/17	1 U	**11.8**	1	1 U	0.73 J	**76.2**
	12/19/17	1 U	1.0	1 U	1 U	1 U	**3.4**
	3/20/18	1 U	0.54 J	1 U	1 U	0.36 J	1.5
	5/8/18	1 U	**199**	1.1	1 U	**175**	**11.3**
	8/29/18	1 U	**25.4**	1 U	1 U	**11.5**	2
	12/12/18	1 U	**17.0**	1 U	1 U	3.2	1 U
	3/5/19	1 U	**5.3**	1 U	1 U	0.84 J	1 U
	6/19/19	1 U	**8.9**	1 U	1 U	0.84 J	1 U
	9/17/19	1 U	**182**	1.6	1 U	**46.3**	**43.0**
	12/11/19	1 U	2.2	1 U	1 U	1 U	1 U
	3/19/20	1 U	**111**	0.74 J	1 U	**19.9**	**13.2**
	5/13/20	1 UJ	**29**	1 U	1 U	**10.1**	**2.9**
	8/12/20	1 U	**115**	0.87 J	1 U	4.5	**86.8**
	12/16/20	1 U	**52**	1 U	1 U	**12.2**	**7.9**
	3/23/21	1 U	**139**	0.78 J	1 U	**39.7**	**15.9**
	6/23/21	1 U	4.0	1 U	1 U	1 U	1 U
	9/21/21	2.5 UJ	**207 J**	1.4 J	2.5 UJ	**9.6 J**	**40 J**
	12/14/21	0.72 J	**346**	1.5	1 U	**118**	**30.3**
	3/22/22	1 U	**10**	1 U	1 U	1.6	1.1
	6/16/22	1 U	1.3	1 U	1 U	1 U	1 U
	9/21/22	1 U	1.7	1 U	1 U	1 U	1 U

Table 10

Historical Groundwater Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Well ID	Date	*1,1-Dichloroethene*	*cis-1,2-Dichloroethene*	*trans-1,2-Dichloroethene*	*Tetrachloroethene*	*Trichloroethene*	*Vinyl Chloride*
Evaluation Criteria (b)		**5**	**5**	**5**	**5**	**5**	**2**
MW-7-40	4/2/09	1 U	**33.0**	1.5	1 U	1 U	**30.0**
	6/11/09	1 U	**140 D**	2.3	1 U	0.51 J	**4.1**
	9/23/09	1 U	**97.0**	2.0	1 U	1 U	**29.0**
	4/8/10	1 U	**227**	1.6	1 U	1 U	**8.2**
	10/6/10	1 U	**145**	1.0	1 U	1 U	**10.7**
	3/25/11	1 U	**150**	1 U	1 U	3.2	**17.7**
	10/4/11	1 U	**267**	2.9	1 U	1 U	**42.7**
	3/27/12	1 U	**206**	1.1	1 U	1 U	**38.3**
	10/4/12	5 U	**130**	5 U	5 U	5 U	**32.9**
	4/4/13	1 U	**155**	1.6	1 U	1 U	**33.4**
	3/26/14	1 U	**138**	1.4	1 U	1 U	**22.6**
	8/19/14	1 U	**218**	2.4	1 U	1 U	**31.9**
	3/12/15	1 U	**115**	0.85 J	1 U	1 U	**14.5**
	8/24/15	1 U	**161**	1.30	1 U	1 U	**33.2**
	4/14/16	1 U	**156**	1.1	1 U	1 U	**64.9**
	9/28/16	1 U	**133 J**	0.95 J	1 U	0.79 J	**39.4**
	3/31/17	1 U	**88.6**	1 U	1 U	1 U	**29.3**
	9/29/17	1 U	**88.2**	0.4 J	1 U	1 U	**38.9**
	3/23/18	1 U	**104**	0.76 J	1 U	1 U	**27.2**
Duplicate	3/23/18	1 U	**102**	0.65 J	1 U	1 U	**25.7**
	8/31/18	1 U	**179**	3.1	1 U	1 U	**23.2**
	3/7/19	1 U	**84.7**	1 U	1 U	1 U	**27.6**
	9/18/19	1 U	**75.6**	1 U	1 U	1 U	**30.3**
	3/23/20	1 U	**127**	0.83 J	1 U	1 U	1 U
	8/13/20	1 U	**83**	0.54 J	1 U	1 U	**22.2**
	3/23/21	1 U	**124**	0.84 J	1 U	1 U	0.81 J
	9/21/21	1 UJ	**86 J**	1.1 J	1 UJ	1 UJ	**15.2 J**
	3/24/22	1 U	1	1 U	1 U	1 U	1 U
	9/21/22	1 U	**150**	2.2	1 U	1 U	**41.5**
MW-8B	3/29/17	1 U	1 U	1 U	1 U	1 U	1 U
	6/13/17	1 U	1 U	1 U	1 U	1 U	1 U
	9/26/17	1 U	1 U	1 U	1 U	1 U	1 U
	12/19/17	1 U	1 U	1 U	1 U	1 U	1 U
	3/20/18	1 U	1 U	1 U	1 U	1 U	1 U
	5/8/18	1 U	1 U	1 U	1 U	1 U	1 U
	8/29/18	1 U	1 U	1 U	1 U	1 U	1 U
	12/12/18	1 U	1 U	1 U	1 U	1 U	1 U
	3/5/19	1 U	1 U	1 U	1 U	1 U	1 U
	6/19/19	1 U	1 U	1 U	1 U	1 U	1 U
	9/19/19	1 U	1 U	1 U	1 U	1 U	1 U
	12/11/19	1 U	1 U	1 U	1 U	1 U	1 U
	3/19/20	1 U	1 U	1 U	1 U	1 U	1 U
	5/13/20	1 UJ	1 U	1 U	1 U	1 U	1 U
	8/11/20	1 U	1 U	1 U	1 U	1 U	1 U
	12/16/20	1 U	1 U	1 U	1 U	1 U	1 U
	3/23/21	1 U	0.63 J	1 U	1 U	1 U	1 U
	6/23/21	1 U	1 U	1 U	1 U	1 U	1 U
	9/21/21	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ
	12/14/21	1 U	1 U	1 U	1 U	1 U	1 U
	3/23/22	1 U	1 U	1 U	1 U	1 U	1 U
	6/15/22	1 U	1 U	1 U	1 U	1 U	1 U
	9/20/22	1 U	1 U	1 U	1 U	1 U	1 U

Table 10

Historical Groundwater Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Well ID	Date	*1,1-Dichloroethene*	*cis-1,2-Dichloroethene*	*trans-1,2-Dichloroethene*	*Tetrachloroethene*	*Trichloroethene*	*Vinyl Chloride*
Evaluation Criteria (b)		**5**	**5**	**5**	**5**	**5**	**2**
MW-8-40	4/3/09	1 U	1 U	1 U	1 U	0.74 J	1 U
	6/9/09	1 U	1 U	1 U	1 U	1 U	1 U
	9/24/09	1 U	1 U	1 U	1 U	1 U	1 U
	4/8/10	1 U	1 U	1 U	1 U	1 U	1 U
	10/7/10	1 U	1 U	1 U	1 U	1 U	1 U
	3/23/11	1 U	1 U	1 U	1 U	1 U	1 U
	10/4/11	1 UR	1 UR	1 UR	1 UR	1 UR	1 UR
	3/27/12	1 U	1 U	1 U	1 U	1 U	1 U
	10/3/12	1 U	1 U	1 U	1 U	1 U	1 U
	4/3/13	1 U	1 U	1 U	1 U	1 U	1 U
	10/28/13	1 U	1 U	1 U	1 U	1 U	1 U
	3/27/14	1 U	1 U	1 U	1 U	1 U	1 U
	8/19/14	1 U	1 U	1 U	1 U	1 UJ	1 U
	3/16/15	1 U	1 U	1 U	1 U	1 U	1 U
	8/24/15	1 U	1 U	1 U	1 U	1 U	1 U
	4/14/16	1 U	1 U	1 U	1 U	1 U	1 U
	9/27/16	1 U	1 UJ	1 U	1 U	1 U	1 U
	3/31/17	1 U	1 U	1 U	1 U	1 U	1 U
	9/28/17	1 U	1 U	1 U	1 U	1 U	1 U
	3/21/18	1 U	1 U	1 U	1 U	1 U	1 U
	8/30/18	1 U	1 U	1 U	1 U	1 U	1 U
Duplicate	8/30/18	1 U	1 U	1 U	1 U	1 U	1 U
	3/8/19	1 U	1 U	1 U	1 U	1 U	1 U
	9/19/19	1 U	1 U	1 U	1 U	1 U	1 U
	12/11/19	1 U	1 U	1 U	1 U	1 U	1 U
	3/18/20	1 U	1 U	1 U	1 U	1 U	1 U
	8/13/20	1 U	1 U	1 U	1 U	1 U	1 U
	3/25/21	1 U	1 U	1 U	1 U	1 U	1 U
	9/23/21	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ
	3/22/22	1 U	1 U	1 U	1 U	1 U	1 U
	9/22/22	1 U	1 U	1 U	1 U	1 U	1 U
MW-9-100	3/23/22	1 U	1 U	1 U	1 U	1 U	1 U
Duplicate	3/23/22	1 U	1 U	1 U			
MW-12C	6/13/17	1 U	4.8	1 U	1 U	1.3	0.66 J
	12/20/17	1 U	**6.8**	1 U	1 U	0.91 J	0.84 J
	3/20/18	1 U	**5.6**	1 U	1 U	0.75 J	0.68 J
	5/9/18	1 U	4.2	1 U	1 U	0.48 J	1 U
	8/29/18	1 U	3.8	1 U	1 U	0.79 J	1 U
	12/12/18	1 U	3.0	1 U	1 U	1.1	1 U
	3/6/19	1 U	3.0	1 U	1 U	1 U	1 U
	6/19/19	1 U	2.2	1 U	1 U	0.60 J	1 U
	9/18/19	1 U	2.7	1 U	1 U	0.72 J	1 U
	12/9/19	1 U	2.0	1 U	1 U	1 U	1 U
	3/20/20	50 U	50 U	50 U	50 U	50 U	50 U
	5/13/20	25 U	25 U	25 U	25 U	25 U	25 U
	8/12/20	1 U	0.71 J	1 U	1 U	1 U	1 U
	12/16/20	1 U	1.4	1 U	1 U	1 U	1 U
	3/24/21	1 U	1.8 J	1 U	1 U	1 U	1 U
	6/22/21	1 U	1.5	1 U	1 U	1 U	1 U
	9/21/21	1 UR	2.2 J	1 UR	1 UR	0.57 J	1 UR
	12/14/21	1 U	3.1	1 U	1 U	0.55 J	1 U
	3/22/22	1 U	1.7	1 U	1 U	1 U	1 U
	6/16/22	1 U	1.1	1 U	1 U	1 U	1 U
	9/21/22	1 U	1.5	1 U	1 U	1 U	1 U

Table 10

Historical Groundwater Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Well ID	Date	*1,1-Dichloroethene*	*cis-1,2-Dichloroethene*	*trans-1,2-Dichloroethene*	*Tetrachloroethene*	*Trichloroethene*	*Vinyl Chloride*
Evaluation Criteria (b)		**5**	**5**	**5**	**5**	**5**	**2**
MW-13C	6/13/17	1.7	**740**	2.3	1 U	**365**	**10.2**
	9/26/17	1.1	**590**	2.1	1 U	**333**	**10.8**
	12/20/17	0.58 J	**460**	0.68 J	1 U	**333**	**5.3**
	3/20/18	1 U	**360**	1 U	1 U	**307**	**4.7**
	5/10/18	2 U	**312**	2 U	2 U	**236**	**8.0**
	8/29/18	1 U	**296**	1 U	1 U	**323**	**2.5**
	12/9/19	1 U	**263**	1 U	1 U	**302**	**6.2**
	3/20/20	1 U	**232 J**	1 U	1 U	**230 J**	1.2 J
	5/13/20	1 UJ	**245**	1 U	1 U	**234**	**12.3**
	8/12/20	1 U	**115**	1 U	1 U	**178**	1 U
	12/16/20	1 U	**183**	1 U	1 U	**225**	**2.6**
	3/24/21	1 U	**181**	1 U	1 U	**287**	**4.6**
	6/22/21	1 U	**165**	1 U	1 U	**210**	**3.9**
	9/22/21	2 UJ	**131 J**	2 UJ	2 UJ	**288 J**	**6.6 J**
	12/14/21	1 U	**289 J**	1 U	1 U	**195**	**3.1**
	3/23/22	1 U	**189**	1 U	1 U	**177**	**2.1**
	9/21/22	1 U	**163**	1 U	1 U	**219**	1.7
MW-15C	6/13/17	2.5 U	**899**	3.6	2.5 U	**791**	**9.3**
	9/28/17	2.5 J	**1,440**	**7.1**	5 U	**973**	**7.2**
	12/19/17	2.7	**1,100**	**6.8**	0.74 J	**728**	**9.7**
	3/20/18	1.3 J	**740**	**9.1**	2 U	**248**	**46.3**
	5/10/18	4 U	**699**	**5.5**	4 U	**175**	**21.5**
	8/28/18	2.5 U	**1,050**	**8.1**	2.5 U	**829**	**3.4**
	12/12/18	5 U	**851**	3.6 J	5 U	**560**	5 U
	3/6/19	2 U	**866**	5	2 U	**178**	**12.4**
	6/21/19	1 U	**47.0**	0.63 J	1 U	**79.5**	**4.9**
	9/18/19	2.5 U	**677**	4.7	2.5 U	**409**	**11.0**
	12/9/19	5 U	**1,110**	**5.5**	5 U	**58.3**	**26.4**
	8/12/20	5 U	**1,070**	**5.4**	5 U	**331**	**28.2**
	12/17/20	2 U	**650**	**5.9**	2 U	**324**	**31.3**
	3/24/21	1 U	**285**	1.4	1 U	**166**	**21.1**
	6/22/21	1 U	**143**	1 U	1 U	**15.8**	**3.2**
	9/21/21	2.5 UR	**273 J**	1.4 J	2.5 UR	**277 J**	**133 J**
	12/16/21	1 U	**362**	1.2	1 U	**390**	**21.4**
	3/22/22	1 U	**186**	0.72 J	1 U	**128**	**10.7**
	6/16/22	1 U	**196**	1.5	1 U	**58.4**	**9.6**
	9/20/22	0.61 J	**451**	1.7	1 U	4.7	**19.1**
MW-16-100	4/2/09	0.63 J	**600 D**	4.6	1 U	1.4	**56.0**
	6/9/09	1.1	**770 D**	3.6	1 U	0.91 J	**93.0**
	9/24/09	10 U	**780**	4.9 J	10 U	10 U	**76.0**
	4/6/10	1 U	**501 D**	1.6	1 U	2.8	**99.4**
	10/6/10	1 U	**65.3**	1 U	1 U	1 U	**28.3**
	10/6/11	1 UR	**165 J**	1.9 J	1 UR	1 UR	**146 J**
	3/27/12	1 U	**293**	2.3	1 U	1 U	**84.5**
	10/4/12	1 U	**176**	1.28	1 U	**6.49**	**49.9**
	4/4/13	1 U	**162**	1 U	1 U	1 U	**33.1**
	10/18/13	1 U	**51.0**	1 U	1 U	1 U	**25.3 J**
	3/26/14	1 U	**137**	0.75 J	1 U	1 U	**23.5**
	8/20/14	1 U	**138**	1 U	1 U	2.3	**41.0**
	3/12/15	1 U	**80.9**	0.53 J	1 U	1 U	**34.2**
	8/24/15	1 U	**42.4**	1.30	1 U	1 U	**45.6**
	4/14/16	1 U	**47.1**	1.00 U	1 U	1 U	**48.8**
	9/27/16	1 U	**22.2 J**	1.00 U	1 U	1 U	**10.6**
	3/30/17	1 U	**54.9**	1.00 U	1 U	1 U	**21.6**
	9/29/17	1 U	**47.7**	1.00 U	1 U	1 U	**11.7**
	3/23/18	1 U	**37.7**	1 U	1 U	1 U	**21.9**
	8/31/18	1 U	**18.9**	1 U	1 U	1 U	**13.0**
	3/7/19	1 U	**32.8**	1 U	1 U	1 U	**19.0**
	9/17/19	1 U	**6.7**	1 U	1 U	1 U	**2.5**
Duplicate	9/17/19	1 U	**8.2**	1 U	1 U	1 U	**2.9**
	3/24/20	1 U	**39.4**	1 U	1 U	1 U	**99.6**
	8/11/20	1 U	**22.3**	1 U	1 U	1 U	**114**
	3/23/21	1 U	**8.7**	1 U	1 U	1 U	**54.4**
	9/21/21	1 UJ	1 J	1 UJ	1 UJ	1 UJ	**17.1 J**
	3/23/22	1 UR	1.0 U	1 U	1 UR	1 U	1 U
	9/21/22	1 U	4	1 U	1 U	1 U	**19**

Table 10

Historical Groundwater Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Well ID	Date	*1,1-Dichloroethene*	*cis-1,2-Dichloroethene*	*trans-1,2-Dichloroethene*	*Tetrachloroethene*	*Trichloroethene*	*Vinyl Chloride*
Evaluation Criteria (b)		**5**	**5**	**5**	**5**	**5**	**2**
MW-17-40	4/2/09	1 U	1 U	1 U	1 U	0.22 J	1 U
	6/9/09	1 U	1 U	1 U	1 U	1 U	1 U
	9/22/09	1 U	1 U	1 U	1 U	1 U	1 U
	4/7/10	1 U	1 U	1 U	1 U	1 U	1 U
	10/6/10	1 U	1 U	1 U	1 U	1 U	1 U
	3/24/11	1 U	1 U	1 U	1 U	1 U	1 U
	10/5/11	1 U	1 U	1 U	1 U	1 U	1 U
	3/27/12	1 U	1 U	1 U	1 U	1 U	1 U
	10/3/12	1 U	1 U	1 U	1 U	1 U	1 U
	4/3/13	1 U	1 U	1 U	1 U	1 U	1 U
	10/17/13	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ
	3/26/14	1 U	1 U	1 U	1 U	1 U	1 U
	8/19/14	1 U	1 U	1 U	1 U	1 UJ	1 U
	3/12/15	1 U	1 U	1 U	1 U	1 U	1 U
	8/24/15	1 U	1 U	1 U	1 U	1 U	1 U
	4/14/16	1 U	1 U	1 U	1 U	1 U	1 U
	9/27/16	1 U	1 UJ	1 U	1 U	1 U	1 U
	3/29/17	1 U	1 U	1 U	1 U	1 U	1 U
	9/28/17	1 U	1 U	1 U	1 U	1 U	1 U
	3/22/18	1 U	1 U	1 U	1 U	1 U	1 U
	8/30/18	1 U	1 U	1 U	1 U	1 U	1 U
	3/6/19	1 U	1 U	1 U	1 U	1 U	1 U
	9/18/19	1 U	1 U	1 U	1 U	1 U	1 U
	3/17/20	1 U	1 U	1 U	1 U	1 U	1 U
	8/11/20	1 U	1 U	1 U	1 U	1 U	1 U
	3/22/21	1 U	1 U	1 U	1 U	1 U	1 U
	9/22/21	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ
	3/24/22	1 U	1 U	1 U	1 U	1 U	1 U
Duplicate	3/24/22	1 U	1 U	1 U	1 U	1 U	1 U
	9/22/22	1 U	1 U	1 U	1 U	1 U	1 U
MW-18A	4/1/09	1 U	0.37 J	1 U	1 U	0.88 J	1 U
	9/24/09	1 U	1 U	1 U	1 U	1 U	1 U
	4/7/10	1 U	1 U	1 U	1 U	1 U	1 U
	10/7/10	1 U	1 U	1 U	1 U	1 U	1 U
	3/24/11	1 U	4.8	1 U	1 U	4.5	1.2
	10/5/11	1 U	1 U	1 U	1 U	1 U	1 U
	3/27/12	1 U	1 U	1 U	1 U	1 U	1 U
	10/3/12	1 U	1 U	1 U	1 U	1 U	1 U
	4/2/13	1 U	1 U	1 U	1 U	1 U	1 U
	10/18/13	1 U	1 U	1 U	1 U	1 U	1 U
	3/25/14	1 U	1 U	1 U	1 U	1 U	1 U
	8/18/14	1 U	2.7	1 U	1 U	2.0	1 U
	3/12/15	1 U	1 U	1 U	1 U	1 U	1 U
	8/24/15	1 U	1 U	1 U	1 U	1 U	1 U
	4/12/16	1 U	1 U	1 U	1 U	1 U	1 U
	9/26/16	1 U	1 UJ	1 U	1 U	1 U	1 U
	3/29/17	1 U	1 U	1 U	1 U	1 U	1 U
	9/28/17	1 U	1 U	1 U	1 U	1 U	1 U
	3/22/18	1 U	1 U	1 U	1 U	1 U	1 U
	8/29/18	1 U	1 U	1 U	1 U	1 U	1 U
	3/8/19	1 U	1 U	1 U	1 U	1 U	1 U
	9/19/19	1 U	1 U	1 U	1 U	1 U	1 U
	3/17/20	1 U	1 U	1 U	1 U	1 U	1 U
	8/13/20	1 U	1 U	1 U	1 U	1 U	1 U
	3/25/21	1 U	1 U	1 U	1 U	1 U	1 U
	9/23/21	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ
	3/22/22	1 U	1 U	1 U	1 U	1 U	1 U
	9/22/22	1 U	1 U	1 U	1 U	1 U	1 U

Table 10

Historical Groundwater Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Well ID	Date	*1,1-Dichloroethene*	*cis-1,2-Dichloroethene*	*trans-1,2-Dichloroethene*	*Tetrachloroethene*	*Trichloroethene*	*Vinyl Chloride*
Evaluation Criteria (b)		**5**	**5**	**5**	**5**	**5**	**2**
MW-19A (d)							
	4/1/09	1 U	1 U	1 U	1 U	0.33 J	1 U
	9/22/09	1 U	1 U	1 U	1 U	1 U	1 U
	4/7/10	1 U	1 U	1 U	1 U	1 U	1 U
	10/5/10	1 U	1 U	1 U	1 U	1 U	1 U
	3/24/11	1 U	1 U	1 U	1 U	1 U	1 U
	10/5/11	1 U	1 U	1 U	1 U	1 U	1 U
	3/27/12	1 U	1 U	1 U	1 U	1 U	1 U
	10/2/12	1 U	1 U	1 U	1 U	1 U	1 U
	4/3/13	1 U	1 U	1 U	1 U	1 U	1 U
	10/17/13	1 U	1 U	1 U	1 U	1 U	1 U
	3/25/14	1 U	1 U	1 U	1 U	1 U	1 U
	8/18/14	1 U	5.0	1 U	1 U	3.3	1 U
	3/12/15	1 U	1 U	1 U	1 U	1 U	1 U
	8/24/15	1 U	1 U	1 U	1 U	1 U	1 U
	4/14/16	1 U	1 U	1 U	1 U	1 U	1 U
	9/26/16	1 U	1 UJ	1 U	1 U	1 U	1 U
	3/30/17	1 U	1 U	1 U	1 U	1 U	1 U
	9/28/17	1 U	1 U	1 U	1 U	1 U	1 U
	3/21/18	1 U	1 U	1 U	1 U	1 U	1 U
Others----------							
MW-20B	4/1/09	1 U	1 U	1 U	1 U	0.25 J	1 U
	9/24/09	1 U	1 U	1 U	1 U	1 U	1 U
	12/18/09	1 U	1 U	1 U	1 U	1 U	1 U
	4/7/10	1 U	1 U	1 U	1 U	1 U	1 U
	10/5/10	1 U	1 U	1 U	1 U	1 U	1 U
	3/23/11	1 U	1 U	1 U	1 U	1 U	1 U
	10/4/11	1 U	1 U	1 U	1 U	1 U	1 U
	12/14/11	1 U	1 U	1 U	1 U	1 U	1 U
	3/27/12	1 U	1 U	1 U	1 U	1 U	1 U
	6/29/12	1 U	1 U	1 U	1 U	1 U	1 U
	10/3/12	1 U	1 U	1 U	1 U	1 U	1 U
	4/3/13	1 U	1 U	1 U	1 U	1 U	1 U
	10/18/13	1 U	1 U	1 U	1 U	1 U	1 U
	3/26/14	1 U	1 U	1 U	1 U	1 U	1 U
	8/19/14	1 U	1 U	1 U	1 U	1 U	1 U
	3/16/15	1 U	1 U	1 U	1 U	1 U	1 U
	8/24/15	1 U	1 U	1 U	1 U	1 U	1 U
	4/13/16	1 U	1 U	1 U	1 U	1 U	1 UJ
	9/26/16	1 U	1 UJ	1 U	1 U	1 U	1 U
	3/30/17	1 U	1 U	1 U	1 U	1 U	1 U
	9/27/17	1 U	1 U	1 U	1 U	1 U	1 U
	3/21/18	1 U	1 U	1 U	1 U	1 U	1 U
	8/29/18	1 U	1 U	1 U	1 U	1 U	1 U
	3/8/19	1 U	1 U	1 U	1 U	1 U	1 U
Duplicate	3/8/19	1 U	1 U	1 U	1 U	1 U	1 U
	6/19/19	1 U	1 U	1 U	1 U	1 U	1 U
	9/19/19	1 U	1 U	1 U	1 U	1 U	1 U
	3/18/20	1 U	1 U	1 U	1 U	1 U	1 U
	8/13/20	1 U	1 U	1 U	1 U	1 U	1 U
	3/25/21	1 U	1 U	1 U	1 U	1 U	1 U
	9/23/21	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ
	3/22/22	1 U	1 U	1 U	1 U	1 U	1 U
	9/21/22	1 U	1 U	1 U	1 U	1 U	1 U

Table 10

Historical Groundwater Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Well ID	Date	*1,1-Dichloroethene*	*cis-1,2-Dichloroethene*	*trans-1,2-Dichloroethene*	*Tetrachloroethene*	*Trichloroethene*	*Vinyl Chloride*
Evaluation Criteria (b)		**5**	**5**	**5**	**5**	**5**	**2**
MW-21B (d)	4/2/09	1 U	1 U	1 U	1 U	3.0	1 U
	9/24/09	1 U	1 U	1 U	0.49 J	**5.4**	1 U
	4/8/10	1 U	1 U	1 U	1 U	2.9	1 U
	10/5/10	1 U	1 U	1 U	1 U	3.1	1 U
	3/23/11	1 U	1.3	1 U	1 U	2.8	1 U
	10/5/11	1 U	1 U	1 U	1 U	2.1	1 U
	3/29/12	1 U	1 U	1 U	1 U	2.0	1 U
	10/3/12	1 U	1 U	1 U	1 U	2.0	1 U
	4/2/13	1 U	1 U	1 U	1 U	1 U	1 U
	10/18/13	1 U	1 U	1 U	1 U	0.69 J	1 U
	3/26/14	1 U	1 U	1 U	1 U	1.3	1 U
	8/19/14	1 U	1 U	1 U	1 U	1.6 J	1 U
	3/12/15	1 U	1 U	1 U	1 U	1.2	1 U
	8/24/15	1 U	1 U	1 U	1 U	1.9	1 U
	4/12/16	1 U	1 U	1 U	1 U	1.4	1 U
	9/27/16	1 U	1 UJ	1 U	1 U	2.9	1 U
	3/29/17	1 U	1 U	1 U	1 U	1.5	1 U
	9/29/17	1 U	1 U	1 U	1 U	2.9	1 U
	3/21/18	1 U	1 U	1 U	1 U	1.2	1 U
	8/31/18	1 U	1 U	1 U	1 U	1.7	1 U
Others----------							
MW-22B	4/2/09	1 U	0.65 J	0.71 J	1 U	0.36 J	1 U
	9/24/09	1 U	1.3	0.57 J	1 U	1 U	1.1
	4/8/10	1 U	1.6	1 U	1 U	1 U	1 U
	10/5/10	1 U	1 U	1 U	1 U	1 U	**3.1**
	3/23/11	1 U	2.3	1 U	1 U	1.1	1.8
	10/5/11	1 U	1.4	1 U	1 U	1 U	1 U
	3/27/12	1 U	1 U	1 U	1 U	1 U	1 U
	10/3/12	1 U	1 U	1 U	1 U	1 U	1 U
	4/2/13	1 U	1 U	1 U	1 U	1 U	1 U
	10/18/13	1 U	0.68 J	1 U	1 U	0.71 J	1 U
	3/25/14	1 U	1 U	1 U	1 U	1 U	1 U
	8/20/14	1 U	1 U	1 U	1 U	0.55 J	1 UJ
	3/12/15	1 U	0.73 J	1 U	1 U	0.28 J	1.1
	8/24/15	1 U	1.1	1 U	1 U	1 U	1.3
	4/12/16	1 U	0.65 J	1 U	1 U	1 U	1.5
	9/26/16	1 U	1.1 J	1 U	1 U	1 U	2
	3/29/17	1 U	0.71 J	1 U	1 U	1 U	1.2
	9/28/17	1 U	1.1	1 U	1 U	1 U	1.6
	9/28/17	1 U	1.2	1 U	1 U	1 U	1.7
	3/21/18	1 U	0.61 J	1 U	1 U	1 U	1.7
	8/31/18	1 U	0.55 J	1 U	1 U	1 U	1.2
	3/8/19	1 U	1 U	1 U	1 U	1 U	1 U
	9/19/19	1 U	1 U	1 U	1 U	1 U	1 U
	3/17/20	1 U	1 U	1 U	1 U	1 U	1 U
	8/13/20	1 U	1 J	1 U	1 U	1 U	1
	3/25/21	1 U	1 U	1 U	1 U	1 U	1 U
	9/23/21	1 UJ	1 J	1 UJ	1 UJ	1 UJ	1 UJ
	3/22/22	1 U	1 U	1 U	1 U	1 U	1 U
	9/22/22	1 U	1 U	1 U	1 U	1 U	1 U

Table 10

Historical Groundwater Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Well ID	Date	*1,1-Dichloroethene*	*cis-1,2-Dichloroethene*	*trans-1,2-Dichloroethene*	*Tetrachloroethene*	*Trichloroethene*	*Vinyl Chloride*
Evaluation Criteria (b)		**5**	**5**	**5**	**5**	**5**	**2**
MW-23B (d)	1/14/09	1 U	**5.8**	1 U	0.5 J	0.53 J	1 U
	4/2/09	1 U	1 U	1 U	1.0 J	0.52 J	1 U
	6/10/09	1 U	1 U	1 U	0.68 J	1 U	1 U
	9/24/09	1 U	1 U	1 U	0.77 J	1 U	1 U
	12/18/09	1 U	1 U	1 U	2.0	1.2	1 U
	4/7/10	1 U	1 U	1 U	1 U	1 U	1 U
	6/29/10	1 U	1 U	1 UJ	1 U	1 U	1 U
	10/5/10	1 U	1 U	1 U	1.2	1 U	1 U
	12/29/10	1 U	1 U	1 U	1.1	1.1	1 U
	3/23/11	1 U	4.3	1 U	1 U	2.2	1 U
	10/4/11	1 U	1 U	1 U	1.7	1 U	1 U
	12/14/11	1 U	1 U	1 U	1 U	1 U	1 U
	3/27/12	1 U	1 U	1 U	1 U	1 U	1 U
	6/29/12	1 U	1 U	1 U	1 U	1 U	1 U
	10/3/12	1 U	1 U	1 U	1 U	1 U	1 U
	12/5/12	1 U	1 U	1 U	1.0	1 U	1 U
	4/3/13	1 U	1 U	1 U	1 U	1 U	1 U
	6/3/13	1 U	1 U	1 U	1.1	0.80 J	1 U
	10/18/13	1 U	1 U	1 U	1.2	0.52 J	1 U
	12/6/13	1 U	1 U	1 U	1 U	0.53 J	1 U
	3/27/14	1 U	1 U	1 U	0.78 J	1 U	1 U
	6/17/14	1 U	1 U	1 U	1.1 J	0.79 J	1 U
	8/19/14	1 U	1 U	1 U	1.0	1 U	1 U
	12/3/14	1 U	1 U	1 U	1.0	0.43 J	1 UJ
	3/11/15	1 U	1 U	1 U	0.77 J	0.54 J	1 UJ
	5/26/15	1 U	1 UJ	1 U	0.75 J	1 U	1 UJ
	8/24/15	1 U	1 U	1 U	1 U	0.45 J	1 U
	12/16/15	1 U	1 U	1 U	1.2	0.41 J	1 UJ
	4/13/16	1 U	1 U	1 U	0.59 J	1 U	1 U
	7/6/16	1 U	1 U	1 U	0.83 J	1 U	1 U
	9/26/16	1 U	1 UJ	1 U	0.92 J	0.51 J	1 U
	11/15/16	1 U	1 U	1 U	0.93 UJ	1 U	1 UJ
	3/30/17	1 U	1 U	1 U	0.41 J	1 U	1 U
	6/15/17	1 U	1 U	1 U	0.72 J	0.32 J	1 U
Others----------							
MW-24B ***(d)***	4/2/09	1 U	1 U	1 U	1 U	1 U	1 U
	9/23/09	1 U	1 U	1 U	1 U	1 U	1 U
	4/7/10	1 U	1 U	1 U	1 U	1 U	1 U
	10/6/10	1 U	1 U	1 U	1 U	1 U	1 U
	3/23/11	1 U	1.1	1 U	1 U	1 U	1 U
	10/6/11	1 U	1.1	1 U	1 U	1 U	1 U
	3/27/12	1 U	1 U	1 U	1 U	1 U	1 U
	10/3/12	1 U	1 U	1 U	1 U	1 U	1 U
	4/30/13	1 U	1 U	1 U	1 U	1 U	1 U
	10/18/13	1 U	1 U	1 U	1 U	1 U	1 U
	3/26/14	1 U	1 U	1 U	1 U	1 U	1 U
	8/19/14	1 U	1 U	1 U	1 U	1 U	1 U
	8/24/15	1 U	1 U	1 U	1 U	1 U	1 U
	4/14/16	1 U	1 U	1 U	1 U	1 U	1 U
----------Abandoned Due to Construction----------							

Table 10

Historical Groundwater Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Well ID	Date	*1,1-Dichloroethene*	*cis-1,2-Dichloroethene*	*trans-1,2-Dichloroethene*	*Tetrachloroethene*	*Trichloroethene*	*Vinyl Chloride*
Evaluation Criteria (b)		**5**	**5**	**5**	**5**	**5**	**2**
MW-25A	4/1/09	1 U	0.30 J	1 U	1 U	0.57 J	1 U
	9/23/09	1 U	1 U	1 U	1 U	1 U	1 U
	4/7/10	1 U	1 U	1 U	1 U	1 U	1 U
	10/7/10	1 U	1 U	1 U	1 U	1 U	1 U
	3/24/11	1 U	1 U	1 U	1 U	1 U	1 U
	10/5/11	1 U	1 U	1 U	1 U	1 U	1 U
	3/27/12	1 U	1 U	1 U	1 U	1 U	1 U
	10/2/12	1 U	1 U	1 U	1 U	1 U	1 U
	4/2/13	1 U	1 U	1 U	1 U	1 U	1 U
	10/18/13	1 U	1 U	1 U	1 U	1 U	1 U
	3/25/14	1 U	1 U	1 U	1 U	1 U	1 U
	8/19/14	1 U	1.5	1 U	1 U	0.87 J	1 U
	3/12/15	1 U	1 U	1 U	1 U	1 U	1 U
	8/24/15	1 U	1 U	1 U	1 U	1 U	1 U
	4/13/16	1 U	1 U	1 U	1 U	1 U	1 U
	9/26/16	1 U	1 UJ	1 U	1 U	1 U	1 U
	9/26/16	1 U	1 UJ	1 U	1 U	1 U	1 U
	3/29/17	1 U	1 U	1 U	1 U	1 U	1 U
	9/28/17	1 U	1 U	1 U	1 U	1 U	1 U
	3/22/18	1 U	1 U	1 U	1 U	1 U	1 U
	8/29/18	1 U	1 U	1 U	1 U	1 U	1 U
	3/8/19	1 U	1 U	1 U	1 U	1 U	1 U
	9/19/19	1 U	1 U	1 U	1 U	1 U	1 U
	3/17/20	1 U	1 U	1 U	1 U	1 U	1 U
	8/13/20	1 U	1 U	1 U	1 U	1 U	1 U
Duplicate	8/13/20	1 U	1 U	1 U	1 U	1 U	1 U
	3/24/21	1 U	1 U	1 U	1 U	1 U	1 U
	9/23/21	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ
	3/22/22	1 U	1 U	1 U	1 U	1 U	1 U
	9/22/22	1 U	1 U	1 U	1 U	1 U	1 U
MW-26A	4/1/09	1 U	0.33 J	1 U	1 U	0.56 J	1 U
	9/24/09	1 U	1 U	1 U	1 U	1 U	1 U
	4/7/10	1 U	1 U	1 U	1 U	1 U	1 U
	10/7/10	1 U	1 U	1 U	1 U	1 U	1 U
	3/24/11	1 U	1 U	1 U	1 U	1 U	1 U
	10/5/11	1 U	1 U	1 U	1 U	1 U	1 U
	3/27/12	1 U	1 U	1 U	1 U	1 U	1 U
	10/3/12	1 U	1 U	1 U	1 U	1 U	1 U
	4/2/13	1 U	1 U	1 U	1 U	1 U	1 U
	10/18/13	1 U	1 U	1 U	1 U	1 U	1 U
	3/26/14	1 U	1 U	1 U	1 U	1 U	1 U
	8/19/14	1 U	1 U	1 U	1 U	1 UJ	1 U
	3/12/15	1 U	1 U	1 U	1 U	1 U	1 U
	8/24/15	1 U	1 U	1 U	1 U	1 U	1 U
	4/13/16	1 U	1 U	1 U	1 U	1 U	1 U
	9/26/16	1 U	1 UJ	1 U	1 U	1 U	1 U
	9/26/16	1 U	1 UJ	1 U	1 U	1 U	1 U
	3/29/17	1 U	1 U	1 U	1 U	1 U	1 U
	9/28/17	1 U	1 U	1 U	1 U	1 U	1 U
	3/22/18	1 U	1 U	1 U	1 U	1 U	1 U
	8/31/18	1 U	1 U	1 U	1 U	1 U	1 U
	3/8/19	1 U	1 U	1 U	1 U	1 U	1 U
	9/19/19	1 U	1 U	1 U	1 U	1 U	1 U
	3/17/20	1 U	1 U	1 U	1 U	1 U	1 U
	8/13/20	1 U	1 U	1 U	1 U	1 U	1 U
	3/25/21	1 U	0.53 J	1 U	1 U	1 U	1 U
	9/23/21	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ
	3/22/22	1 U	1 U	1 U	1 U	1 U	1 U
	9/22/22	1 U	1 U	1 U	1 U	1 U	1 U

Table 10

Historical Groundwater Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Well ID	Date	*1,1-Dichloroethene*	*cis-1,2-Dichloroethene*	*trans-1,2-Dichloroethene*	*Tetrachloroethene*	*Trichloroethene*	*Vinyl Chloride*
Evaluation Criteria (b)		**5**	**5**	**5**	**5**	**5**	**2**
MW-30B	6/11/09	1 U	1 U	1 U	1 U	1 U	1 U
	12/18/09	1 U	1 U	1 U	1 U	1 U	1 U
	3/23/22	1 U	1 U	1 U	1 U	1 U	1 U
MW-31B	3/23/22	2 U	0.9 J	1 U	1 U	**15**	2 U
MW-32B	1/14/09	1 U	**200 D**	1.4	1 U	**140 D**	1 U
	4/1/09	1 U	**240 D**	2	1 U	**170 D**	1 U
	6/10/09	1 U	**190 D**	1.1	1 U	**160 D**	1 U
	9/24/09	2 U	**130**	0.84 J	2 U	**130**	2 U
	12/18/09	1 U	**73**	1 U	1 U	**95.9**	1 U
	4/6/10	1 U	**132**	1 U	1 U	**107**	1 U
	6/29/10	1 U	**94**	1 UJ	1 U	**80.2**	1 U
	10/5/10	1 U	**67.9**	1 U	1 U	**49.1**	1 U
	12/29/10	1 U	**78.9**	1 U	1 U	**46.4**	1 U
	3/23/11	1 U	**50.8**	1 U	1 U	**33.9**	1 U
	10/4/11	1 UR	**57.0 J**	1 UR	1 UR	**59.3 J**	1 UR
	12/14/11	1 U	**28.2**	1 U	1 U	**43.1**	1 U
	3/27/12	1 U	**51.1**	1 U	1 U	**60.9**	1 U
	6/29/12	1 U	**45.8**	1 U	1 U	**77.6**	1 U
	10/3/12	1 U	**37.3**	1 U	1 U	**30**	1 U
	12/5/12	1 U	**38.7**	1 U	1 U	**58.4**	1 U
	4/3/13	1 U	**44.4**	1	1 U	**60.8**	1 U
	6/3/13	1 U	**23.9**	1.9	1 U	**75**	1 U
	10/18/13	1 U	**34.2**	0.7 J	1 U	**64.4**	1 U
	12/6/13	1 U	**13.4**	1 U	1 U	**38.3**	1 U
	3/26/14	1 U	**25.1**	0.56 J	1 U	**39.2**	1 U
	6/17/14	1 U	**15.0**	1 U	1 U	**53.3**	1 U
	8/19/14	1 U	**19.8**	1 U	1 U	**45.4**	1 U
	12/3/14	1 U	**15.2**	1 U	1 U	**32.8**	1 UJ
	3/11/15	1 U	**11.4**	1 U	1 U	**11.5**	1 UJ
	5/26/15	1 U	**16.0 J**	1 U	1 UJ	**50.0**	1 UJ
	8/24/15	1 U	**17.8**	1 U	1 U	**49.9**	1 U
	12/16/15	1 U	**8.6**	1 U	1 U	**34.6**	1 UJ
	4/13/16	1 U	**10.5**	1 U	1 U	**36.6**	1 U
	7/6/16	1 U	**13.2**	1 U	1 U	**56.1**	1 U
	9/26/16	1 U	**13.4 J**	1 U	0.45 J	**53.9**	1 U
	11/15/16	1 U	**8.0**	1 U	0.37 UJ	**34.2**	1 UJ
	3/30/17	1 U	**8.7**	1 U	1 U	**27.2**	1 U
	6/14/17	1 U	**14.5**	0.47 J	1 U	**39.9**	1 U
	9/27/17	1 U	**10.3**	1 U	1 U	**49.0**	1 U
	12/20/17	1 U	**13.0**	1 U	1 U	**31.4**	1 U
	3/21/18	1 U	**14.2**	0.4 J	1 U	**25.8**	1 U
	5/10/18	1 U	**9.4**	0.52 J	1 U	**38.7**	1 U
	8/29/18	1 U	**13.5**	1 U	1 U	**58.2**	1 U
	12/12/18	1 U	**6.7**	1 U	1 U	**23.6**	1 U
	3/8/19	1 U	**11.8**	1 U	1 U	**24.4**	1 U
	6/18/19	1 U	**7.3**	1 U	1 U	**32.2**	1 U
	9/17/19	1 U	**10.3**	1 U	1 U	**41.0**	1 U
Duplicate	9/17/19	1 U	**8.2**	1 U	1 U	1 U	**2.9**
	5/15/20	1 UJ	**7.3**	1 U	1 U	**32.8**	1 U
	8/13/20	1 U	**12.3**	1 U	1 U	**56.5**	1 U
	12/17/20	1 U	**6.9**	1 U	1 U	**30.6**	1 U
	3/24/21	1 U	**9.0**	1 U	1 U	**23.4**	1 U
	9/23/21	1 UJ	**16 J**	1 UJ	1 UJ	**19.5 J**	1 UJ
	12/16/21	1 U	**7.1**	1 U	1 U	**23.4**	1 U
	3/22/22	1 U	**13.2**	1 U	1 U	**22.2**	1 U
	9/20/22	1 U	**7.8**	1 U	1 U	**35.1**	1 U

Table 10

Historical Groundwater Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Well ID	Date	*1,1-Dichloroethene*	*cis-1,2-Dichloroethene*	*trans-1,2-Dichloroethene*	*Tetrachloroethene*	*Trichloroethene*	*Vinyl Chloride*
Evaluation Criteria (b)		**5**	**5**	**5**	**5**	**5**	**2**
MW-36B	6/14/17	1 U	**496**	**5.6**	1 U	**67.2**	1 U
	3/20/18	0.58 J	**303**	3.5	1 U	**25.7**	**146**
	5/8/18	1 U	**200**	3.6	1 U	**13.5**	**19.1**
	6/19/19	1 U	**194**	2.7	1 U	**22.6**	**9.2**
	9/17/19	1 U	**45.8**	0.55 J	1 U	**9.2**	1 U
	12/11/19	1 U	**48.9**	1.4	1 U	3.5	**9.1**
	3/20/20	1 U	**239**	2.4	1 U	3.4	**51.1**
	5/13/20	1 UJ	**189**	2.3	1 U	**5.1**	**10.7**
	12/16/20	1 U	**82.3**	1.1	1 U	2	**61.1**
	3/23/21	1 U	**130**	1.4	1 U	2.4	**50.1**
	6/23/21	0.92 J	**577**	4	1 U	**20.9**	**90.9**
	9/21/21	1 UJ	**64.2 J**	0.94 J	1 UJ	2.6 J	**55.8 J**
	12/16/21	1 U	**60.3**	0.75 J	1 U	2.2	**22.3**
	3/23/22	1 U	**132**	1.7	1 U	3.9	**63.6**
	6/15/22	1 U	**59.9**	0.73 U	1 U	3.7	**21.1**
	9/20/22	1 U	**10.0**	1 U	1 U	**5.6**	1 U
MW-46-43C	8/17/17	50 U	**19,800**	**106**	50 U	**8,710**	**562**
	9/26/17	**30.3 J**	**17,900**	**112**	50 U	**7,900**	**589**
	12/19/17	**34.5**	**21,500**	**107**	25 U	**3,830**	**889**
	3/20/18	100 U	**16,200**	**96.5 J**	100 U	**8,470**	**987**
	5/8/18	**36.1 J**	**18,600**	**135**	50 U	**8,220**	**944**
	8/28/18	**41.1 J**	**29,700**	**173**	50 U	**9,900**	**1,260**
	12/12/18	100 U	**22,200**	**117**	100 U	**4,750**	**1,260**
	3/5/19	200 U	**24,200**	**155 J**	200 U	**6,720**	**1,250**
	6/19/19	**34.3**	**19,100**	**115**	25 U	**6,650**	**1,110**
	9/17/19	**52.8**	**25,700**	**148**	25 U	**5,140**	**1,740**
	12/10/19	**36.1 J**	**22,700**	**145**	50 U	**3,950**	**1,080**
	3/20/20	**38.1 J**	**22,300**	**136**	50 U	**5,340**	**1,490**
	5/13/20	100 UJ	**23,900**	**158 J**	100 UJ	**4,860 J**	**1,220 J**
	8/11/20	100 U	**25,200**	**143**	100 U	**4,140**	**1,650**
	12/17/20	**32.4 J**	**21,500**	**119**	50 U	**3,180**	**1,560**
	3/23/21	**37.7 J**	**25,200**	**115**	50 U	**4,370**	**1,590**
	6/22/21	**39.0**	**18,300 J**	**137 J**	25 U	**3,600 J**	**1,890 J**
	9/22/21	100 UJ	**6,740 J**	**85.1 J**	100 UJ	100 UJ	**13,400 J**
	12/14/21	20 U	**6,160**	**72.3**	20 U	20 U	**6,100**
	3/23/22	**22.5 J**	**13,000**	**99.5**	25 UR	**144**	**5,670**
	6/15/22	100 U	**14,500**	**104**	100 U	**57 J**	**8,700**
	9/20/22	100 U	**14,600**	**112**	100 U	100 U	**8,960**
MW-46-72C	8/17/17	100 U	**1,370**	100 U	**95.1 J**	**19,800**	100 U
	9/26/17	100 U	**3,160**	100 U	**95.2 J**	**17,900**	100 U
	12/19/17	**24.8**	**15,500**	**66.3**	**23.4**	**7,260**	**40.7**
	3/20/18	50 U	**11,600**	**46.8 J**	**43.1 J**	**9,660**	50 U
	5/8/18	**20.8 J**	**9,780**	**57.9**	**18.2 J**	**6,850**	**62.9**
Duplicate	5/8/18	50 U	**16,000**	**60.1**	50 U	**8,050 J**	**59.5**
	8/28/18	**24.2 J**	**14,200**	**100**	25 U	**8,810**	**276**
	12/12/18	**15.5 J**	**7,940**	**41.7**	25 U	**7,570**	**815**
	3/5/19	100 U	**8,630**	100 U	100 U	**19,300**	**220**
Duplicate	3/5/19	25 U	**7,720**	**23.3 J**	25 U	**18,500**	**232**
	6/19/19	**20.1 J**	**14,700**	**55.5**	25 U	**15,700**	**201**
	9/18/19	25 U	**4,720**	**30.5**	**25.2**	**12,800**	**108**
	12/10/19	**27.5**	**24,700**	**165**	**25.9**	**20,500**	**285**
Duplicate	12/10/19	**38.2 J**	**28,300**	**180**	50 U	**13,600**	**275**
	3/20/20	50 U	**14,500**	**54.6**	50 U	**23,400**	**87.1**
	5/13/20	**20.4 J**	**9,740**	**58.7**	25 U	**14,500**	**87.6**
	8/12/20	200 U	**12,200**	200 U	200 U	**48,200**	200 U
	12/16/20	**18.4 J**	**13,000**	**50.1**	25 U	**3,750**	**178**
	3/24/21	20 U	**9,140**	**33.7**	20 U	**4,570**	**199**
Duplicate	3/24/21	20 U	**8,490**	**37.9**	20 U	**5,420**	**212**
	6/23/21	**18.6 J**	**12,900**	**39.3**	25 U	**2,460**	**820**
	9/21/21	50 UJ	**16,400 J**	**133 J**	50 UJ	**1,610 J**	**4,940 J**
Duplicate	9/21/21	**12.9 J**	**16,300 J**	**112 J**	5 UJ	**962 J**	**7,700 J**
	12/16/21	**98 J**	**59,800**	**412**	100 U	**4,870**	**2,680**
	3/23/22	**82 J**	**51,300**	**291**	100 U	**4,280**	**2,150**
	6/15/22	100 U	**22,200**	**119**	100 U	**1,570**	**1,310**
Duplicate	6/15/22	**52.1**	**22,300**	**213**	5 U	**1,310**	**1,090**
	9/20/22	20 U	**11,200**	**42**	20 U	**1,090**	**964**

Table 10

Historical Groundwater Sampling Results
Former Emerson Power Transmission
Ithaca, New York (a)

Well ID	Date	*1,1-Dichloroethene*	*cis-1,2-Dichloroethene*	*trans-1,2-Dichloroethene*	*Tetrachloroethene*	*Trichloroethene*	*Vinyl Chloride*
Evaluation Criteria (b)		**5**	**5**	**5**	**5**	**5**	**2**
MW-47A	9/21/21	1 U	1.3	1.0 U	1.0 U	1.0 U	1.0 U
MW-48A	9/21/21	1 U	0.66 J	1.0 U	1.0 U	1.2	1.0 U
MW-49A	9/21/21	1 U	1.0 U	1.0 U	1.0 U	0.81 J	1.0 U
MW-50-160D		**7.5 J**	**5,010**	**27.5**	10 U	**117**	**1,300**
	3/23/22	25 U	**4,520**	**27.3**	25 U	**61**	**2,280**
	6/15/22	10 U	**2,600**	**15.5**	10 U	**50**	**785**
	9/20/22	10 U	**3,150**	**17.1**	10 U	**23**	**1,120**
Duplicate	9/20/22	10 U	**3,200**	**16.8**	10 U	**24**	**1,080**

a/ All results are reported in micrograms per liter (µg/l). U = analyte not detected above Reporting Limit; J = estimated concentration below the Reporting Limit and greater than or equal to the Method Detection Limit; D = concentration is from a secondary dilution analysis; UJ = non-detects with estimated quantitation limits due to failed quality control sample calibration(s) for that analyte; UR = The quality control associated with the analyte indicates uncertainty with the reported limits (spike/surrogate failed the recovery limits).

b/ Concentrations highlighted and in bold text exceed evaluation criteria. Concentrations in bold text indicate the laboratory method detection limit exceeds evaluation criteria. Evaluation criteria are the New York State Ambient Water Quality Standards or Guidance Values for Class GA groundwater provided in the New York State Department of Environmental Conservation Division of Water Technical and Operational Guidance Series (1.1.1), dated June 1998, and the April 2000 Addendum.

c/ EXB-2 has been converted to extraction well EW-12-45C.

d/ Abandoned wells

APPENDIX

A LABORATORY ANALYTICAL REPORTS

The results set forth herein are provided by SGS North America Inc.

e-Hardcopy 2.0
Automated Report



Technical Report for

WSP Environment & Energy

Former Ithaca Power Transmission, Ithaca, NY

31401545.001 Task 01.62

SGS Job Number: JD49019

Sampling Date: 07/27/22

Report to:

WSP
5411 SkyCenter Drive Suite 650
Tampa, FL 33607
Jeffrey.Baker@wsp.com

ATTN: Jeffrey Baker

Total number of pages in report: 34

Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

David Chastain
General Manager

Client Service contact: Tammy McCloskey 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, FL, IL, IN, KS, KY, LA, MA, MD, ME, MN, NC, OH VAP (CL0056), AK (UST-103), AZ (AZ0786), PA(68-00408), RI, SC, TX, UT, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of SGS.
Test results relate only to samples analyzed.

SGS is the sole authority for authorizing edits or modifications to this document.
Unauthorized modification of this report is strictly prohibited.
Review standard terms at: http://www.sgs.com/en/terms-and-conditions

Please share your ideas about
how we can serve you better at:
EHS.US.CustomerCare@sgs.com

Sections: 1 2 3 4 5 6

Table of Contents

Section 1: Sample Summary **3**
Section 2: Case Narrative/Conformance Summary **4**
Section 3: Summary of Hits **5**
Section 4: Sample Results **6**
4.1: JD49019-1: WPOST GAC 7
4.2: JD49019-2: WMID GAC 9
4.3: JD49019-3: WAS 11
4.4: JD49019-4: WINF 13
Section 5: Misc. Forms **15**
5.1: Chain of Custody 16
Section 6: MS Volatiles - QC Data Summaries **18**
6.1: Method Blank Summary 19
6.2: Blank Spike Summary 22
6.3: Matrix Spike Summary 25
6.4: Matrix Spike/Matrix Spike Duplicate Summary 27
6.5: Duplicate Summary 28
6.6: Instrument Performance Checks (BFB) 30
6.7: Surrogate Recovery Summaries 34

SGS North America Inc.

Sample Summary

WSP Environment & Energy

Job No: JD49019

Former Ithaca Power Transmission, Ithaca, NY
Project No: 31401545.001 Task 01.62

Sample Number	Collected Date	Time	By	Received	Matrix Code	Matrix Type	Client Sample ID
This report contains results reported as ND = Not detected. The following applies:							
Organics ND = Not detected above the MDL							
JD49019-1	07/27/22	10:40	NW	07/28/22	AQ	Water	WPOST GAC
JD49019-2	07/27/22	10:50	NW	07/28/22	AQ	Water	WMID GAC
JD49019-3	07/27/22	10:55	NW	07/28/22	AQ	Water	WAS
JD49019-4	07/27/22	11:00	NW	07/28/22	AQ	Influent	WINF

CASE NARRATIVE / CONFORMANCE SUMMARY

Client:	WSP Environment & Energy	**Job No:**	JD49019
Site:	Former Ithaca Power Transmission, Ithaca, NY	**Report Date**	8/4/2022 11:24:41 AM

On 07/28/2022, 4 Sample(s), 0 Trip Blank(s) and 0 Field Blank(s) were received at SGS North America Inc. at a maximum corrected temperature of 4.3 C. Samples were intact and chemically preserved, unless noted below. A SGS North America Inc. Job Number of JD49019 was assigned to the project. Laboratory sample ID, client sample ID and dates of sample collection are detailed in the report's Results Summary Section.

Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

Compounds qualified as out of range in the continuing calibration summary report are acceptable as per method requirements when there is a high bias but the sample result is non-detect.

MS Volatiles By Method SW846 8260D

Matrix: AQ **Batch ID:** V2B8773

- All samples were analyzed within the recommended method holding time.
- Sample(s) JD48921-3MS, JD48921-3MSD were used as the QC samples indicated.
- All method blanks for this batch meet method specific criteria.

Matrix: AQ **Batch ID:** V3D7580

- All samples were analyzed within the recommended method holding time.
- Sample(s) JD49019-1MS, JD49019-2DUP were used as the QC samples indicated.
- All method blanks for this batch meet method specific criteria.
- Blank Spike Recovery(s) for 1,2-Dibromo-3-chloropropane are outside control limits. High percent recovery and no associated positive reported in the QC batch.
- Matrix Spike Recovery(s) for 1,2-Dibromo-3-chloropropane are outside control limits.
- JD49019-1, -2, -3, 4 for Acetone, Bromomethane, 2-Butanone (MEK), 1,2-Dibromo-3-chloropropan, 2-Hexanone, Methyl Acetate, 4-Methyl-2-pentanone(MIBK), 1,1,2,2-Tetrachloroethane: Associated CCV outside of control limits high, sample was ND.
- JD49019-1, -2, -3, 4 for 1,2-Dibromo-3-chloropropane: Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.
- JD49019-1, -2, -3, -4 for Chloromethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

SGS North America Inc. certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting the Quality System precision, accuracy and completeness objectives except as noted.

Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria.

SGS North America Inc. is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety. Data release is authorized by SGS North America Inc indicated via signature on the report cover

Summary of Hits

Job Number: JD49019
Account: WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY
Collected: 07/27/22

Lab Sample ID / Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
JD49019-1	**WPOST GAC**					
cis-1,2-Dichloroethene		2.4	1.0	0.51	ug/l	SW846 8260D
JD49019-2	**WMID GAC**					
Chloroform		0.64 J	1.0	0.50	ug/l	SW846 8260D
cis-1,2-Dichloroethene		6.9	1.0	0.51	ug/l	SW846 8260D
JD49019-3	**WAS**					
No hits reported in this sample.						
JD49019-4	**WINF**					
cis-1,2-Dichloroethene		425	10	5.1	ug/l	SW846 8260D
trans-1,2-Dichloroethene		2.7	1.0	0.54	ug/l	SW846 8260D
Trichloroethene		124	1.0	0.53	ug/l	SW846 8260D
Vinyl chloride		11.8	1.0	0.79	ug/l	SW846 8260D

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID:	WPOST GAC		
Lab Sample ID:	JD49019-1	**Date Sampled:**	07/27/22
Matrix:	AQ - Water	**Date Received:**	07/28/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	Former Ithaca Power Transmission, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3D179787.D	1	07/30/22 00:20	BK	n/a	n/a	V3D7580
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone [a]	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [a]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK) [a]	ND	10	6.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane [b]	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropan [c]	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	2.4	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone [a]	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	WPOST GAC		
Lab Sample ID:	JD49019-1	**Date Sampled:**	07/27/22
Matrix:	AQ - Water	**Date Received:**	07/28/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	Former Ithaca Power Transmission, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate [a]	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK [a]	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane [a]	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.90	ug/l	
108-88-3	Toluene	ND	1.0	0.53	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	91%		80-120%
17060-07-0	1,2-Dichloroethane-D4	98%		80-120%
2037-26-5	Toluene-D8	96%		80-120%
460-00-4	4-Bromofluorobenzene	102%		82-114%

(a) Associated CCV outside of control limits high, sample was ND.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
(c) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	WMID GAC		
Lab Sample ID:	JD49019-2	**Date Sampled:**	07/27/22
Matrix:	AQ - Water	**Date Received:**	07/28/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	Former Ithaca Power Transmission, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3D179788.D	1	07/30/22 00:44	BK	n/a	n/a	V3D7580
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone [a]	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [a]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK) [a]	ND	10	6.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	0.64	1.0	0.50	ug/l	J
74-87-3	Chloromethane [b]	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropan [c]	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	6.9	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone [a]	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	WMID GAC		
Lab Sample ID:	JD49019-2	**Date Sampled:**	07/27/22
Matrix:	AQ - Water	**Date Received:**	07/28/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	Former Ithaca Power Transmission, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate [a]	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK [a]	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane [a]	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.90	ug/l	
108-88-3	Toluene	ND	1.0	0.53	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	92%		80-120%
17060-07-0	1,2-Dichloroethane-D4	97%		80-120%
2037-26-5	Toluene-D8	97%		80-120%
460-00-4	4-Bromofluorobenzene	101%		82-114%

(a) Associated CCV outside of control limits high, sample was ND.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
(c) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	WAS		
Lab Sample ID:	JD49019-3	**Date Sampled:**	07/27/22
Matrix:	AQ - Water	**Date Received:**	07/28/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	Former Ithaca Power Transmission, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3D179794.D	1	07/30/22 03:05	BK	n/a	n/a	V3D7580
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone [a]	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [a]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK) [a]	ND	10	6.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane [b]	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropan [c]	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone [a]	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	WAS		
Lab Sample ID:	JD49019-3	**Date Sampled:**	07/27/22
Matrix:	AQ - Water	**Date Received:**	07/28/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	Former Ithaca Power Transmission, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate [a]	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK [a]	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane [a]	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.90	ug/l	
108-88-3	Toluene	ND	1.0	0.53	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	92%		80-120%
17060-07-0	1,2-Dichloroethane-D4	98%		80-120%
2037-26-5	Toluene-D8	97%		80-120%
460-00-4	4-Bromofluorobenzene	102%		82-114%

(a) Associated CCV outside of control limits high, sample was ND.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
(c) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	WINF		
Lab Sample ID:	JD49019-4	**Date Sampled:**	07/27/22
Matrix:	AQ - Influent	**Date Received:**	07/28/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	Former Ithaca Power Transmission, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3D179795.D	1	07/30/22 03:28	BK	n/a	n/a	V3D7580
Run #2	2B193367.D	10	08/01/22 15:18	ED	n/a	n/a	V2B8773

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone [a]	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [a]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK) [a]	ND	10	6.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane [b]	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropan [c]	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	425 [d]	10	5.1	ug/l	
156-60-5	trans-1,2-Dichloroethene	2.7	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone [a]	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	WINF		
Lab Sample ID:	JD49019-4	**Date Sampled:**	07/27/22
Matrix:	AQ - Influent	**Date Received:**	07/28/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	Former Ithaca Power Transmission, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate [a]	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK [a]	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane [a]	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.90	ug/l	
108-88-3	Toluene	ND	1.0	0.53	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	124	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	11.8	1.0	0.79	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	93%	98%	80-120%
17060-07-0	1,2-Dichloroethane-D4	97%	108%	80-120%
2037-26-5	Toluene-D8	96%	102%	80-120%
460-00-4	4-Bromofluorobenzene	100%	105%	82-114%

(a) Associated CCV outside of control limits high, sample was ND.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
(c) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.
(d) Result is from Run# 2


ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



wsp WW

Chain of Custody Form

Page 1 of 1

WSP Office Address: 7000 East Genesee, Building D, 2nd Floor, Fayetteville, NY 13066

Project Name: Former EPT Ithaca
WSP Contact Name: Jeffrey Baker
Project Location: Ithaca, NY
WSP Contact E-mail: Jeffrey.Baker@wsp.com
Project Number & Task: 31401545.001 Task 01.63
WSP Contact Phone: 724-882-9723
Sampler(s) Name(s): Nate Winston
Sampler(s) Signature(s):

Requested Analyses & Preservatives

No. JD49019
Laboratory Name & Location: 565 DAYTON, NJ
Laboratory Project Manager: TAMMY McCLATCHEY
Requested Turn-Around-Time: [X] Standard [ ] 24 HR [ ] 48 HR [ ] 72 HR [ ] ___ HR

	Sample Identification	Matrix	Collection Start* Date	Collection Start* Time	Collection Stop* Date	Collection Stop* Time	Number of Containers	8260 VOCs	Sample Comments
1	WPOST GAC	AQ			7/27/22	1040	4	X	V236
2	WMID GAC	"			"	1050	4	X	
3	WAS	"			"	1055	4	X	
4	WINF	"			"	1100	4	X	

VSP
Former Ithaca Power Transmission, Ithaca, NY
M-071422-21
Please place on the back of original (white copy of COC)
this will assist us in processing your samples.
Thank You

Initial Assessment 3B
Label Verification

Relinquished By (Signature)	Date	Time	Received By (Signature)	Date	Time	Shipment Method	Tracking Number(s)
	7/27/22	1500	FedEx	07/28/22	9:49	FedEx	5272 0643 5878
Relinquished By (Signature)	Date	Time	Received By (Signature)	Date	Time	Number of Packages	Custody Seal Number(s)
FedEx	7/28/22	0949	James Lucas	7/28/22	9:49		

*Use stop time/date for composite and/or air samples; use early start times/date for all other samples.

Matrix: AQ = Aqueous, S = Soil, SE = Sediment, A = Air, W = Wipe, B = Bulk, O = Other (detail in comments)

TM-071422-21 • VOA 8C Vial 3.7

5.1 5

JD49019: Chain of Custody
Page 1 of 2

SGS Sample Receipt Summary

Job Number: JD49019 **Client:** WSP **Project:** FORMER ITHACA POWER TRANSMISSIO

Date / Time Received: 7/28/2022 9:49:00 AM **Delivery Method:** Fed Ex **Airbill #'s:** 5272 0643 5878

Cooler Temps (Raw Measured) °C: Cooler 1: (3.7);

Cooler Temps (Corrected) °C: Cooler 1: (4.3);

Cooler Security	Y	or	N		Y	or	N
1. Custody Seals Present:	☑		☐	3. COC Present:	☑		☐
2. Custody Seals Intact:	☑		☐	4. Smpl Dates/Time OK	☑		☐

Cooler Temperature	Y	or	N
1. Temp criteria achieved:	☑		☐
2. Cooler temp verification:	IR Gun		
3. Cooler media:	Ice (Bag)		
4. No. Coolers:	1		

Quality Control Preservation	Y	or	N	N/A
1. Trip Blank present / cooler:	☐		☑	☐
2. Trip Blank listed on COC:	☐		☑	☐
3. Samples preserved properly:	☑		☐	
4. VOCs headspace free:	☑		☐	☐

Sample Integrity - Documentation	Y	or	N
1. Sample labels present on bottles:	☑		☐
2. Container labeling complete:	☑		☐
3. Sample container label / COC agree:	☑		☐

Sample Integrity - Condition	Y	or	N
1. Sample recvd within HT:	☑		☐
2. All containers accounted for:	☑		☐
3. Condition of sample:	Intact		

Sample Integrity - Instructions	Y	or	N	N/A
1. Analysis requested is clear:	☑		☐	
2. Bottles received for unspecified tests	☐		☑	
3. Sufficient volume recvd for analysis:	☑		☐	
4. Compositing instructions clear:	☐		☐	☑
5. Filtering instructions clear:	☐		☐	☑

Test Strip Lot #s: pH 1-12: 231619 pH 12+: 203117A Other: (Specify)

Comments

SM089-03
Rev. Date 12/7/17

MS Volatiles

6

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries
- Instrument Performance Checks (BFB)
- Surrogate Recovery Summaries

Method Blank Summary

Job Number: JD49019
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V3D7580-MB	3D179786.D	1	07/29/22	BK	n/a	n/a	V3D7580

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD49019-1, JD49019-2, JD49019-3, JD49019-4

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	6.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	

Method Blank Summary

Job Number: JD49019
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V3D7580-MB	3D179786.D	1	07/29/22	BK	n/a	n/a	V3D7580

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD49019-1, JD49019-2, JD49019-3, JD49019-4

CAS No.	Compound	Result	RL	MDL	Units	Q
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.90	ug/l	
108-88-3	Toluene	ND	1.0	0.53	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries		Limits
1868-53-7	Dibromofluoromethane	90%	80-120%
17060-07-0	1,2-Dichloroethane-D4	96%	80-120%
2037-26-5	Toluene-D8	97%	80-120%
460-00-4	4-Bromofluorobenzene	100%	82-114%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

Method Blank Summary

Job Number: JD49019
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2B8773-MB	2B193361.D	1	08/01/22	ED	n/a	n/a	V2B8773

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD49019-4

CAS No.	Compound	Result	RL	MDL	Units	Q
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	

CAS No.	Surrogate Recoveries		Limits
1868-53-7	Dibromofluoromethane	99%	80-120%
17060-07-0	1,2-Dichloroethane-D4	107%	80-120%
2037-26-5	Toluene-D8	101%	80-120%
460-00-4	4-Bromofluorobenzene	102%	82-114%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	system artifact	3.66	16	ug/l	J
	Total TIC, Volatile		0	ug/l	

Blank Spike Summary

Job Number: JD49019
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V3D7580-BS	3D179784.D	1	07/29/22	BK	n/a	n/a	V3D7580

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD49019-1, JD49019-2, JD49019-3, JD49019-4

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
67-64-1	Acetone	200	257	129	27-175
71-43-2	Benzene	50	50.0	100	80-115
75-27-4	Bromodichloromethane	50	48.0	96	82-119
75-25-2	Bromoform	50	47.1	94	77-135
74-83-9	Bromomethane	50	53.9	108	40-162
78-93-3	2-Butanone (MEK)	200	286	143	61-150
75-15-0	Carbon disulfide	50	44.8	90	64-130
56-23-5	Carbon tetrachloride	50	40.3	81	75-127
108-90-7	Chlorobenzene	50	45.6	91	80-115
75-00-3	Chloroethane	50	45.1	90	56-144
67-66-3	Chloroform	50	44.2	88	75-116
74-87-3	Chloromethane	50	36.0	72	41-153
110-82-7	Cyclohexane	50	48.1	96	66-129
96-12-8	1,2-Dibromo-3-chloropropane	50	74.9	150* [a]	69-134
124-48-1	Dibromochloromethane	50	45.1	90	81-123
106-93-4	1,2-Dibromoethane	50	51.3	103	67-138
95-50-1	1,2-Dichlorobenzene	50	48.3	97	81-117
541-73-1	1,3-Dichlorobenzene	50	47.7	95	81-115
106-46-7	1,4-Dichlorobenzene	50	45.9	92	80-114
75-71-8	Dichlorodifluoromethane	50	46.5	93	43-152
75-34-3	1,1-Dichloroethane	50	44.4	89	75-125
107-06-2	1,2-Dichloroethane	50	43.1	86	73-117
75-35-4	1,1-Dichloroethene	50	47.5	95	70-124
156-59-2	cis-1,2-Dichloroethene	50	46.6	93	80-120
156-60-5	trans-1,2-Dichloroethene	50	46.9	94	77-121
78-87-5	1,2-Dichloropropane	50	47.8	96	79-121
10061-01-5	cis-1,3-Dichloropropene	50	48.2	96	83-123
10061-02-6	trans-1,3-Dichloropropene	50	43.7	87	83-122
100-41-4	Ethylbenzene	50	45.5	91	78-116
76-13-1	Freon 113	50	46.0	92	68-134
591-78-6	2-Hexanone	200	265	133	66-136
98-82-8	Isopropylbenzene	50	44.3	89	78-121
79-20-9	Methyl Acetate	50	60.9	122	60-143
108-87-2	Methylcyclohexane	50	46.9	94	71-123
1634-04-4	Methyl Tert Butyl Ether	50	53.4	107	76-123
108-10-1	4-Methyl-2-pentanone(MIBK)	200	261	131	73-134

* = Outside of Control Limits.

Blank Spike Summary

Job Number: JD49019
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V3D7580-BS	3D179784.D	1	07/29/22	BK	n/a	n/a	V3D7580

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD49019-1, JD49019-2, JD49019-3, JD49019-4

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
75-09-2	Methylene chloride	50	47.8	96	73-123
100-42-5	Styrene	50	45.6	91	81-125
79-34-5	1,1,2,2-Tetrachloroethane	50	62.4	125	73-126
127-18-4	Tetrachloroethene	50	50.6	101	73-119
108-88-3	Toluene	50	46.8	94	79-116
120-82-1	1,2,4-Trichlorobenzene	50	47.2	94	68-135
71-55-6	1,1,1-Trichloroethane	50	43.7	87	76-124
79-00-5	1,1,2-Trichloroethane	50	49.2	98	83-117
79-01-6	Trichloroethene	50	50.1	100	80-118
75-69-4	Trichlorofluoromethane	50	44.9	90	67-134
75-01-4	Vinyl chloride	50	40.7	81	52-146
1330-20-7	Xylene (total)	150	137	91	80-119

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	93%	80-120%
17060-07-0	1,2-Dichloroethane-D4	90%	80-120%
2037-26-5	Toluene-D8	92%	80-120%
460-00-4	4-Bromofluorobenzene	103%	82-114%

(a) High percent recovery and no associated positive reported in the QC batch.

* = Outside of Control Limits.

Blank Spike Summary

Job Number: JD49019
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2B8773-BS	2B193359.D	1	08/01/22	ED	n/a	n/a	V2B8773

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD49019-4

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
156-59-2	cis-1,2-Dichloroethene	50	43.3	87	80-120

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	98%	80-120%
17060-07-0	1,2-Dichloroethane-D4	100%	80-120%
2037-26-5	Toluene-D8	98%	80-120%
460-00-4	4-Bromofluorobenzene	100%	82-114%

* = Outside of Control Limits.

Matrix Spike Summary

Job Number: JD49019
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD49019-1MS	3D179790.D	1	07/30/22	BK	n/a	n/a	V3D7580
JD49019-1	3D179787.D	1	07/30/22	BK	n/a	n/a	V3D7580

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD49019-1, JD49019-2, JD49019-3, JD49019-4

CAS No.	Compound	JD49019-1 ug/l	Q	Spike ug/l	MS ug/l	MS %	Limits
67-64-1	Acetone	ND		200	233	117	22-134
71-43-2	Benzene	ND		50	49.2	98	49-137
75-27-4	Bromodichloromethane	ND		50	47.5	95	76-121
75-25-2	Bromoform	ND		50	44.6	89	70-133
74-83-9	Bromomethane	ND		50	44.7	89	27-164
78-93-3	2-Butanone (MEK)	ND		200	250	125	52-137
75-15-0	Carbon disulfide	ND		50	43.5	87	54-136
56-23-5	Carbon tetrachloride	ND		50	39.7	79	70-132
108-90-7	Chlorobenzene	ND		50	44.3	89	68-123
75-00-3	Chloroethane	ND		50	43.8	88	48-152
67-66-3	Chloroform	ND		50	41.5	83	68-120
74-87-3	Chloromethane	ND		50	32.2	64	35-156
110-82-7	Cyclohexane	ND		50	46.6	93	53-146
96-12-8	1,2-Dibromo-3-chloropropane	ND		50	68.3	137* [a]	63-134
124-48-1	Dibromochloromethane	ND		50	43.3	87	75-122
106-93-4	1,2-Dibromoethane	ND		50	48.5	97	63-134
95-50-1	1,2-Dichlorobenzene	ND		50	46.5	93	74-119
541-73-1	1,3-Dichlorobenzene	ND		50	45.8	92	75-117
106-46-7	1,4-Dichlorobenzene	ND		50	44.3	89	72-117
75-71-8	Dichlorodifluoromethane	ND		50	44.3	89	34-163
75-34-3	1,1-Dichloroethane	ND		50	41.4	83	68-129
107-06-2	1,2-Dichloroethane	ND		50	41.1	82	66-120
75-35-4	1,1-Dichloroethene	ND		50	46.6	93	59-133
156-59-2	cis-1,2-Dichloroethene	2.4		50	46.0	87	52-140
156-60-5	trans-1,2-Dichloroethene	ND		50	45.0	90	70-125
78-87-5	1,2-Dichloropropane	ND		50	45.4	91	73-124
10061-01-5	cis-1,3-Dichloropropene	ND		50	47.9	96	75-125
10061-02-6	trans-1,3-Dichloropropene	ND		50	41.0	82	75-122
100-41-4	Ethylbenzene	ND		50	44.8	90	37-144
76-13-1	Freon 113	ND		50	43.5	87	61-142
591-78-6	2-Hexanone	ND		200	243	122	56-132
98-82-8	Isopropylbenzene	ND		50	44.2	88	71-126
79-20-9	Methyl Acetate	ND		50	46.3	93	51-139
108-87-2	Methylcyclohexane	ND		50	44.8	90	59-137
1634-04-4	Methyl Tert Butyl Ether	ND		50	48.7	97	66-124
108-10-1	4-Methyl-2-pentanone(MIBK)	ND		200	247	124	65-135

* = Outside of Control Limits.

Matrix Spike Summary

Job Number: JD49019
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD49019-1MS	3D179790.D	1	07/30/22	BK	n/a	n/a	V3D7580
JD49019-1	3D179787.D	1	07/30/22	BK	n/a	n/a	V3D7580

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD49019-1, JD49019-2, JD49019-3, JD49019-4

CAS No.	Compound	JD49019-1 ug/l	Q	Spike ug/l	MS ug/l	MS %	Limits
75-09-2	Methylene chloride	ND		50	44.3	89	66-125
100-42-5	Styrene	ND		50	44.3	89	71-133
79-34-5	1,1,2,2-Tetrachloroethane	ND		50	59.0	118	68-127
127-18-4	Tetrachloroethene	ND		50	49.0	98	58-132
108-88-3	Toluene	ND		50	46.0	92	46-139
120-82-1	1,2,4-Trichlorobenzene	ND		50	45.4	91	61-137
71-55-6	1,1,1-Trichloroethane	ND		50	42.6	85	67-132
79-00-5	1,1,2-Trichloroethane	ND		50	47.5	95	75-120
79-01-6	Trichloroethene	ND		50	51.1	102	56-136
75-69-4	Trichlorofluoromethane	ND		50	43.6	87	61-145
75-01-4	Vinyl chloride	ND		50	40.6	81	41-156
1330-20-7	Xylene (total)	ND		150	134	89	38-147

CAS No.	Surrogate Recoveries	MS	JD49019-1	Limits
1868-53-7	Dibromofluoromethane	90%	91%	80-120%
17060-07-0	1,2-Dichloroethane-D4	91%	98%	80-120%
2037-26-5	Toluene-D8	92%	96%	80-120%
460-00-4	4-Bromofluorobenzene	103%	102%	82-114%

(a) Outside in house control limits.

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: JD49019
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD48921-3MS	2B193368.D	25	08/01/22	ED	n/a	n/a	V2B8773
JD48921-3MSD	2B193369.D	25	08/01/22	ED	n/a	n/a	V2B8773
JD48921-3 [a]	2B193364.D	25	08/01/22	ED	n/a	n/a	V2B8773

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD49019-4

CAS No.	Compound	JD48921-3 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
156-59-2	cis-1,2-Dichloroethene	ND		1250	1090	87	1250	1080	86	1	52-140/12

CAS No.	Surrogate Recoveries	MS	MSD	JD48921-3	Limits
1868-53-7	Dibromofluoromethane	99%	99%	98%	80-120%
17060-07-0	1,2-Dichloroethane-D4	100%	101%	107%	80-120%
2037-26-5	Toluene-D8	97%	98%	100%	80-120%
460-00-4	4-Bromofluorobenzene	99%	98%	100%	82-114%

(a) Dilution required due to high concentration of target compound.

* = Outside of Control Limits.

Duplicate Summary

Job Number: JD49019
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD49019-2DUP	3D179792.D	1	07/30/22	BK	n/a	n/a	V3D7580
JD49019-2	3D179788.D	1	07/30/22	BK	n/a	n/a	V3D7580

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD49019-1, JD49019-2, JD49019-3, JD49019-4

CAS No.	Compound	JD49019-2 ug/l	Q	DUP ug/l	Q	RPD	Limits
67-64-1	Acetone	ND		ND		nc	23
71-43-2	Benzene	ND		ND		nc	14
75-27-4	Bromodichloromethane	ND		ND		nc	10
75-25-2	Bromoform	ND		ND		nc	10
74-83-9	Bromomethane	ND		ND		nc	10
78-93-3	2-Butanone (MEK)	ND		ND		nc	10
75-15-0	Carbon disulfide	ND		ND		nc	10
56-23-5	Carbon tetrachloride	ND		ND		nc	10
108-90-7	Chlorobenzene	ND		ND		nc	10
75-00-3	Chloroethane	ND		ND		nc	10
67-66-3	Chloroform	0.64	J	0.58	J	10	10
74-87-3	Chloromethane	ND		ND		nc	10
110-82-7	Cyclohexane	ND		ND		nc	14
96-12-8	1,2-Dibromo-3-chloropropane	ND		ND		nc	20
124-48-1	Dibromochloromethane	ND		ND		nc	10
106-93-4	1,2-Dibromoethane	ND		ND		nc	20
95-50-1	1,2-Dichlorobenzene	ND		ND		nc	10
541-73-1	1,3-Dichlorobenzene	ND		ND		nc	10
106-46-7	1,4-Dichlorobenzene	ND		ND		nc	10
75-71-8	Dichlorodifluoromethane	ND		ND		nc	20
75-34-3	1,1-Dichloroethane	ND		ND		nc	10
107-06-2	1,2-Dichloroethane	ND		ND		nc	10
75-35-4	1,1-Dichloroethene	ND		ND		nc	15
156-59-2	cis-1,2-Dichloroethene	6.9		6.9		0	10
156-60-5	trans-1,2-Dichloroethene	ND		ND		nc	10
78-87-5	1,2-Dichloropropane	ND		ND		nc	20
10061-01-5	cis-1,3-Dichloropropene	ND		ND		nc	20
10061-02-6	trans-1,3-Dichloropropene	ND		ND		nc	20
100-41-4	Ethylbenzene	ND		ND		nc	20
76-13-1	Freon 113	ND		ND		nc	10
591-78-6	2-Hexanone	ND		ND		nc	10
98-82-8	Isopropylbenzene	ND		ND		nc	15
79-20-9	Methyl Acetate	ND		ND		nc	20
108-87-2	Methylcyclohexane	ND		ND		nc	20
1634-04-4	Methyl Tert Butyl Ether	ND		ND		nc	12
108-10-1	4-Methyl-2-pentanone(MIBK)	ND		ND		nc	10

* = Outside of Control Limits.

Duplicate Summary

Job Number: JD49019
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD49019-2DUP	3D179792.D	1	07/30/22	BK	n/a	n/a	V3D7580
JD49019-2	3D179788.D	1	07/30/22	BK	n/a	n/a	V3D7580

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD49019-1, JD49019-2, JD49019-3, JD49019-4

CAS No.	Compound	JD49019-2 ug/l	Q	DUP ug/l	Q	RPD	Limits
75-09-2	Methylene chloride	ND		ND		nc	10
100-42-5	Styrene	ND		ND		nc	20
79-34-5	1,1,2,2-Tetrachloroethane	ND		ND		nc	10
127-18-4	Tetrachloroethene	ND		ND		nc	10
108-88-3	Toluene	ND		ND		nc	16
120-82-1	1,2,4-Trichlorobenzene	ND		ND		nc	10
71-55-6	1,1,1-Trichloroethane	ND		ND		nc	10
79-00-5	1,1,2-Trichloroethane	ND		ND		nc	10
79-01-6	Trichloroethene	ND		ND		nc	14
75-69-4	Trichlorofluoromethane	ND		ND		nc	10
75-01-4	Vinyl chloride	ND		ND		nc	10
1330-20-7	Xylene (total)	ND		ND		nc	22

CAS No.	Surrogate Recoveries	DUP	JD49019-2	Limits
1868-53-7	Dibromofluoromethane	90%	92%	80-120%
17060-07-0	1,2-Dichloroethane-D4	98%	97%	80-120%
2037-26-5	Toluene-D8	96%	97%	80-120%
460-00-4	4-Bromofluorobenzene	101%	101%	82-114%

* = Outside of Control Limits.

Instrument Performance Check (BFB)

Job Number: JD49019
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample: V2B8767-BFB
Lab File ID: 2B193286.D
Instrument ID: GCMS2B
Injection Date: 07/21/22
Injection Time: 19:23

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	14.99 - 40.0% of mass 95	11995	19.5		Pass
75	30.0 - 60.0% of mass 95	32440	52.7		Pass
95	Base peak, 100% relative abundance	61509	100.0		Pass
96	5.0 - 9.0% of mass 95	3833	6.23		Pass
173	Less than 2.0% of mass 174	715	1.16	(1.13) [a]	Pass
174	50.0 - 120.0% of mass 95	63427	103.1		Pass
175	5.0 - 9.0% of mass 174	4562	7.42	(7.19) [a]	Pass
176	95.0 - 101.0% of mass 174	61267	99.6	(96.6) [a]	Pass
177	5.0 - 9.0% of mass 176	3982	6.47	(6.50) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V2B8767-IC8767	2B193287.D	07/21/22	20:01	00:38	Initial cal 0.2
V2B8767-IC8767	2B193288.D	07/21/22	20:31	01:08	Initial cal 0.5
V2B8767-IC8767	2B193289.D	07/21/22	21:00	01:37	Initial cal 1
V2B8767-IC8767	2B193290.D	07/21/22	21:30	02:07	Initial cal 2
V2B8767-IC8767	2B193291.D	07/21/22	21:59	02:36	Initial cal 4
V2B8767-IC8767	2B193292.D	07/21/22	22:28	03:05	Initial cal 8
V2B8767-IC8767	2B193293.D	07/21/22	22:58	03:35	Initial cal 20
V2B8767-ICC8767	2B193294.D	07/21/22	23:27	04:04	Initial cal 50
V2B8767-IC8767	2B193295.D	07/21/22	23:56	04:33	Initial cal 100
V2B8767-IC8767	2B193296.D	07/22/22	00:25	05:02	Initial cal 200
V2B8767-ICV8767	2B193299.D	07/22/22	01:53	06:30	Initial cal verification 50
V2B8767-ICV8767	2B193300.D	07/22/22	02:22	06:59	Initial cal verification 50

Instrument Performance Check (BFB)

Job Number: JD49019
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample: V2B8773-BFB
Lab File ID: 2B193357.D
Instrument ID: GCMS2B
Injection Date: 08/01/22
Injection Time: 10:18

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	14.99 - 40.0% of mass 95	16502	18.5		Pass
75	30.0 - 60.0% of mass 95	48437	54.2		Pass
95	Base peak, 100% relative abundance	89288	100.0		Pass
96	5.0 - 9.0% of mass 95	5826	6.52		Pass
173	Less than 2.0% of mass 174	934	1.05	(1.05) [a]	Pass
174	50.0 - 120.0% of mass 95	88565	99.2		Pass
175	5.0 - 9.0% of mass 174	6453	7.23	(7.29) [a]	Pass
176	95.0 - 101.0% of mass 174	85573	95.8	(96.6) [a]	Pass
177	5.0 - 9.0% of mass 176	5682	6.36	(6.64) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V2B8773-CC8767	2B193357.D	08/01/22	10:18	00:00	Continuing cal 20
V2B8773-BS	2B193359.D	08/01/22	11:25	01:07	Blank Spike
V2B8773-MB	2B193361.D	08/01/22	12:23	02:05	Method Blank
ZZZZZZ	2B193362.D	08/01/22	12:53	02:35	(unrelated sample)
ZZZZZZ	2B193363.D	08/01/22	13:22	03:04	(unrelated sample)
JD48921-3	2B193364.D	08/01/22	13:51	03:33	(used for QC only; not part of job JD49019)
ZZZZZZ	2B193365.D	08/01/22	14:20	04:02	(unrelated sample)
ZZZZZZ	2B193366.D	08/01/22	14:49	04:31	(unrelated sample)
JD49019-4	2B193367.D	08/01/22	15:18	05:00	WINF
JD48921-3MS	2B193368.D	08/01/22	15:47	05:29	Matrix Spike
JD48921-3MSD	2B193369.D	08/01/22	16:16	05:58	Matrix Spike Duplicate
ZZZZZZ	2B193370.D	08/01/22	16:45	06:27	(unrelated sample)
ZZZZZZ	2B193371.D	08/01/22	17:14	06:56	(unrelated sample)
ZZZZZZ	2B193372.D	08/01/22	17:43	07:25	(unrelated sample)
ZZZZZZ	2B193373.D	08/01/22	18:12	07:54	(unrelated sample)
ZZZZZZ	2B193374.D	08/01/22	18:42	08:24	(unrelated sample)
ZZZZZZ	2B193375.D	08/01/22	19:11	08:53	(unrelated sample)
ZZZZZZ	2B193376.D	08/01/22	19:40	09:22	(unrelated sample)
ZZZZZZ	2B193377.D	08/01/22	20:09	09:51	(unrelated sample)
ZZZZZZ	2B193378.D	08/01/22	20:38	10:20	(unrelated sample)
ZZZZZZ	2B193379.D	08/01/22	21:07	10:49	(unrelated sample)
ZZZZZZ	2B193380.D	08/01/22	21:36	11:18	(unrelated sample)
ZZZZZZ	2B193381.D	08/01/22	22:05	11:47	(unrelated sample)

Instrument Performance Check (BFB)

Job Number: JD49019
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample: V3D7479-BFB
Lab File ID: 3D176945.D
Instrument ID: GCMS3D
Injection Date: 05/17/22
Injection Time: 19:16

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	14.99 - 40.0% of mass 95	36906	22.6		Pass
75	30.0 - 60.0% of mass 95	91253	55.9		Pass
95	Base peak, 100% relative abundance	163114	100.0		Pass
96	5.0 - 9.0% of mass 95	11216	6.88		Pass
173	Less than 2.0% of mass 174	1152	0.71	(1.02) [a]	Pass
174	50.0 - 120.0% of mass 95	113277	69.4		Pass
175	5.0 - 9.0% of mass 174	9185	5.63	(8.11) [a]	Pass
176	95.0 - 101.0% of mass 174	112701	69.1	(99.5) [a]	Pass
177	5.0 - 9.0% of mass 176	7734	4.74	(6.86) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V3D7479-IC7479	3D176946.D	05/17/22	19:46	00:30	Initial cal 0.2
V3D7479-IC7479	3D176947.D	05/17/22	20:09	00:53	Initial cal 0.5
V3D7479-IC7479	3D176948.D	05/17/22	20:33	01:17	Initial cal 1
V3D7479-IC7479	3D176949.D	05/17/22	20:56	01:40	Initial cal 2
V3D7479-IC7479	3D176950.D	05/17/22	21:20	02:04	Initial cal 4
V3D7479-IC7479	3D176951.D	05/17/22	21:43	02:27	Initial cal 8
V3D7479-IC7479	3D176952.D	05/17/22	22:07	02:51	Initial cal 20
V3D7479-ICC7479	3D176953.D	05/17/22	22:30	03:14	Initial cal 50
V3D7479-IC7479	3D176954.D	05/17/22	22:54	03:38	Initial cal 100
V3D7479-IC7479	3D176955.D	05/17/22	23:17	04:01	Initial cal 200
V3D7479-ICV7479	3D176958.D	05/18/22	00:27	05:11	Initial cal verification 50
V3D7479-ICV7479	3D176959.D	05/18/22	00:50	05:34	Initial cal verification 50

Instrument Performance Check (BFB)

Job Number: JD49019
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample: V3D7580-BFB
Lab File ID: 3D179782.D
Instrument ID: GCMS3D
Injection Date: 07/29/22
Injection Time: 22:23

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	14.99 - 40.0% of mass 95	28960	17.5		Pass
75	30.0 - 60.0% of mass 95	88029	53.3		Pass
95	Base peak, 100% relative abundance	165173	100.0		Pass
96	5.0 - 9.0% of mass 95	10702	6.48		Pass
173	Less than 2.0% of mass 174	953	0.58	(0.79) [a]	Pass
174	50.0 - 120.0% of mass 95	120757	73.1		Pass
175	5.0 - 9.0% of mass 174	9258	5.61	(7.67) [a]	Pass
176	95.0 - 101.0% of mass 174	116877	70.8	(96.8) [a]	Pass
177	5.0 - 9.0% of mass 176	7826	4.74	(6.70) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V3D7580-CC7479	3D179782.D	07/29/22	22:23	00:00	Continuing cal 50
V3D7580-BS	3D179784.D	07/29/22	23:10	00:47	Blank Spike
V3D7580-MB	3D179786.D	07/29/22	23:57	01:34	Method Blank
JD49019-1	3D179787.D	07/30/22	00:20	01:57	WPOST GAC
JD49019-2	3D179788.D	07/30/22	00:44	02:21	WMID GAC
ZZZZZZ	3D179789.D	07/30/22	01:07	02:44	(unrelated sample)
JD49019-1MS	3D179790.D	07/30/22	01:31	03:08	Matrix Spike
JD49019-2DUP	3D179792.D	07/30/22	02:18	03:55	Duplicate
ZZZZZZ	3D179793.D	07/30/22	02:41	04:18	(unrelated sample)
JD49019-3	3D179794.D	07/30/22	03:05	04:42	WAS
JD49019-4	3D179795.D	07/30/22	03:28	05:05	WINF
ZZZZZZ	3D179796.D	07/30/22	03:52	05:29	(unrelated sample)
ZZZZZZ	3D179797.D	07/30/22	04:15	05:52	(unrelated sample)
ZZZZZZ	3D179799.D	07/30/22	05:02	06:39	(unrelated sample)
ZZZZZZ	3D179800.D	07/30/22	05:26	07:03	(unrelated sample)
ZZZZZZ	3D179802.D	07/30/22	06:13	07:50	(unrelated sample)
ZZZZZZ	3D179804.D	07/30/22	07:00	08:37	(unrelated sample)
ZZZZZZ	3D179808.D	07/30/22	08:34	10:11	(unrelated sample)
ZZZZZZ	3D179809.D	07/30/22	08:58	10:35	(unrelated sample)

Surrogate Recovery Summary

Job Number: JD49019
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Method: SW846 8260D **Matrix:** AQ

Samples and QC shown here apply to the above method

Lab Sample ID	Lab File ID	S1	S2	S3	S4
JD49019-1	3D179787.D	91	98	96	102
JD49019-2	3D179788.D	92	97	97	101
JD49019-3	3D179794.D	92	98	97	102
JD49019-4	2B193367.D	98	108	102	105
JD49019-4	3D179795.D	93	97	96	100
JD48921-3MS	2B193368.D	99	100	97	99
JD48921-3MSD	2B193369.D	99	101	98	98
JD49019-1MS	3D179790.D	90	91	92	103
JD49019-2DUP	3D179792.D	90	98	96	101
V2B8773-BS	2B193359.D	98	100	98	100
V2B8773-MB	2B193361.D	99	107	101	102
V3D7580-BS	3D179784.D	93	90	92	103
V3D7580-MB	3D179786.D	90	96	97	100

Surrogate Compounds	Recovery Limits
S1 = Dibromofluoromethane	80-120%
S2 = 1,2-Dichloroethane-D4	80-120%
S3 = Toluene-D8	80-120%
S4 = 4-Bromofluorobenzene	82-114%

The results set forth herein are provided by SGS North America Inc.

e-Hardcopy 2.0
Automated Report



Technical Report for

WSP Environment & Energy

Former Ithaca Power Transmission, Ithaca, NY

31401545.001 Task 01.63

SGS Job Number: JD49030

Sampling Date: 07/27/22

Report to:

WSP
5411 SkyCenter Drive Suite 650
Tampa, FL 33607
Jeffrey.Baker@wsp.com

ATTN: Jeffrey Baker

Total number of pages in report: **48**

Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

David Chastain
General Manager

Client Service contact: Tammy McCloskey 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, FL, IL, IN, KS, KY, LA, MA, MD, ME, MN, NC, OH VAP (CL0056), AK (UST-103), AZ (AZ0786), PA(68-00408), RI, SC, TX, UT, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of SGS.
Test results relate only to samples analyzed.

SGS is the sole authority for authorizing edits or modifications to this document.
Unauthorized modification of this report is strictly prohibited.
Review standard terms at: http://www.sgs.com/en/terms-and-conditions

Please share your ideas about
how we can serve you better at:
EHS.US.CustomerCare@sgs.com

Sections: 1 2 3 4 5 6

Table of Contents

Section 1: Sample Summary **3**
Section 2: Case Narrative/Conformance Summary **4**
Section 3: Summary of Hits **5**
Section 4: Sample Results **7**
4.1: JD49030-1: VINF 8
4.2: JD49030-2: VPOST GAC 11
Section 5: Misc. Forms **14**
5.1: Chain of Custody 15
5.2: Summa Canister and Flow Controller Log 17
Section 6: MS Volatiles - QC Data Summaries **18**
6.1: Method Blank Summary 19
6.2: Blank Spike/Blank Spike Duplicate Summary 26
6.3: Duplicate Summary 33
6.4: Summa Cleaning Certification 37
6.5: Instrument Performance Checks (BFB) 40
6.6: Surrogate Recovery Summaries 48

SGS North America Inc.

Sample Summary

WSP Environment & Energy

Job No: JD49030

Former Ithaca Power Transmission, Ithaca, NY
Project No: 31401545.001 Task 01.63

Sample Number	Collected Date	Time	By	Received	Matrix Code	Type	Client Sample ID
This report contains results reported as ND = Not detected. The following applies:							
Organics ND = Not detected above the MDL							
JD49030-1	07/27/22	11:20	NW	07/28/22	AIR	Soil Vapor Comp.	VINF
JD49030-2	07/27/22	11:40	NW	07/28/22	AIR	Soil Vapor Comp.	VPOST GAC

CASE NARRATIVE / CONFORMANCE SUMMARY

Client:	WSP Environment & Energy	**Job No:**	JD49030
Site:	Former Ithaca Power Transmission, Ithaca, NY	**Report Date**	8/5/2022 11:12:20 AM

On 07/28/2022, 2 Sample(s), 0 Trip Blank(s) and 0 Field Blank(s) were received at SGS North America Inc. A SGS North America Inc. Job Number of JD49030 was assigned to the project. Laboratory sample ID, client sample ID and dates of sample collection are detailed in the report's Results Summary Section.

Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

Compounds qualified as out of range in the continuing calibration summary report are acceptable as per method requirements when there is a high bias but the sample result is non-detect.

MS Volatiles By Method TO-15

Matrix: AIR **Batch ID:** V3W3043

- All samples were analyzed within the recommended method holding time.
- Sample(s) JD49030-1DUP were used as the QC samples indicated.
- All method blanks for this batch meet method specific criteria.
- Blank Spike Recovery(s) for 1,2,4-Trichlorobenzene are outside control limits.
- RPD(s) for Duplicate for Isopropyl Alcohol, Methylene chloride, Tetrachloroethylene, Trichlorofluoromethane are outside control limits for sample JD49030-1DUP. RPD acceptable due to low DUP and sample concentrations.
- V3W3043-BS for 1,2,4-Trichlorobenzene: High percent recovery and no associated positive reported in the QC batch.
- JD49030-1 for 1,2,4-Trichlorobenzene: Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.
- JD49030-1 for Hexachlorobutadiene: This compound in blank spike is outside in house QC limits bias high.
- JD49030-2 for 1,2,4-Trichlorobenzene: Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.
- JD49030-2 for Hexachlorobutadiene: This compound in blank spike is outside in house QC limits bias high.

Matrix: AIR **Batch ID:** V3W3044

- All samples were analyzed within the recommended method holding time.
- Sample(s) JD49249-3DUP were used as the QC samples indicated.
- All method blanks for this batch meet method specific criteria.

SGS North America Inc. certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting the Quality System precision, accuracy and completeness objectives except as noted.

Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria.

SGS North America Inc. is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety. Data release is authorized by SGS North America Inc indicated via signature on the report cover

Summary of Hits

Job Number: JD49030
Account: WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY
Collected: 07/27/22

Lab Sample ID / Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
JD49030-1	**VINF**					
Acetone (2-Propanone)		3.5	0.80	0.58	ppbv	TO-15
Chloromethane		0.47 J	0.80	0.36	ppbv	TO-15
1,1-Dichloroethylene		0.56	0.16	0.24	ppbv	TO-15
Dichlorodifluoromethane		0.44 J	0.80	0.13	ppbv	TO-15
trans-1,2-Dichloroethylene		1.6	0.80	0.28	ppbv	TO-15
cis-1,2-Dichloroethylene		236	0.64	1.2	ppbv	TO-15
Ethanol		10.4	2.0	1.6	ppbv	TO-15
Methylene chloride		1.1	0.80	0.22	ppbv	TO-15
Methyl ethyl ketone		0.57 J	0.80	0.44	ppbv	TO-15
Tetrachloroethylene		0.18	0.16	0.056	ppbv	TO-15
Trichloroethylene		63.4	0.16	0.076	ppbv	TO-15
Trichlorofluoromethane		0.90	0.40	0.14	ppbv	TO-15
Vinyl chloride		29.5	0.16	0.28	ppbv	TO-15
Acetone (2-Propanone)		8.3	1.9	1.4	ug/m3	TO-15
Chloromethane		0.97 J	1.7	0.74	ug/m3	TO-15
1,1-Dichloroethylene		2.2	0.63	0.95	ug/m3	TO-15
Dichlorodifluoromethane		2.2 J	4.0	0.64	ug/m3	TO-15
trans-1,2-Dichloroethylene		6.3	3.2	1.1	ug/m3	TO-15
cis-1,2-Dichloroethylene		936	2.5	4.8	ug/m3	TO-15
Ethanol		19.6	3.8	3.0	ug/m3	TO-15
Methylene chloride		3.8	2.8	0.76	ug/m3	TO-15
Methyl ethyl ketone		1.7 J	2.4	1.3	ug/m3	TO-15
Tetrachloroethylene		1.2	1.1	0.38	ug/m3	TO-15
Trichloroethylene		341	0.86	0.41	ug/m3	TO-15
Trichlorofluoromethane		5.1	2.2	0.79	ug/m3	TO-15
Vinyl chloride		75.4	0.41	0.72	ug/m3	TO-15
JD49030-2	**VPOST GAC**					
Acetone (2-Propanone)		1.7	0.80	0.58	ppbv	TO-15
Benzene		0.41 J	0.80	0.25	ppbv	TO-15
Chloromethane		0.56 J	0.80	0.36	ppbv	TO-15
Dichlorodifluoromethane		0.44 J	0.80	0.13	ppbv	TO-15
trans-1,2-Dichloroethylene		0.92	0.80	0.28	ppbv	TO-15
cis-1,2-Dichloroethylene		180	0.16	0.31	ppbv	TO-15
Ethanol		3.5	2.0	1.6	ppbv	TO-15
Hexane		0.58 J	0.80	0.45	ppbv	TO-15
Methylene chloride		0.75 J	0.80	0.22	ppbv	TO-15
Tetrachloroethylene		0.58	0.16	0.056	ppbv	TO-15
Trichloroethylene		159	0.16	0.076	ppbv	TO-15
Vinyl chloride		12.1	0.16	0.28	ppbv	TO-15
m,p-Xylene		0.65 J	0.80	0.56	ppbv	TO-15
Xylenes (total)		0.65 J	0.80	0.31	ppbv	TO-15

Summary of Hits

Job Number: JD49030
Account: WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY
Collected: 07/27/22

Lab Sample ID / Client Sample ID / Analyte	Result/ Qual	RL	MDL	Units	Method
Acetone (2-Propanone)	4.0	1.9	1.4	ug/m3	TO-15
Benzene	1.3 J	2.6	0.80	ug/m3	TO-15
Chloromethane	1.2 J	1.7	0.74	ug/m3	TO-15
Dichlorodifluoromethane	2.2 J	4.0	0.64	ug/m3	TO-15
trans-1,2-Dichloroethylene	3.6	3.2	1.1	ug/m3	TO-15
cis-1,2-Dichloroethylene	714	0.63	1.2	ug/m3	TO-15
Ethanol	6.6	3.8	3.0	ug/m3	TO-15
Hexane	2.0 J	2.8	1.6	ug/m3	TO-15
Methylene chloride	2.6 J	2.8	0.76	ug/m3	TO-15
Tetrachloroethylene	3.9	1.1	0.38	ug/m3	TO-15
Trichloroethylene	855	0.86	0.41	ug/m3	TO-15
Vinyl chloride	30.9	0.41	0.72	ug/m3	TO-15
m,p-Xylene	2.8 J	3.5	2.4	ug/m3	TO-15
Xylenes (total)	2.8 J	3.5	1.3	ug/m3	TO-15

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID: VINF
Lab Sample ID: JD49030-1
Matrix: AIR - Soil Vapor Comp. Summa ID: A799
Method: TO-15
Project: Former Ithaca Power Transmission, Ithaca, NY

Date Sampled: 07/27/22
Date Received: 07/28/22
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3W77320.D	1.6	08/02/22 14:05	TCH	n/a	n/a	V3W3043
Run #2	3W77352.D	1.6	08/03/22 13:48	TCH	n/a	n/a	V3W3044

	Initial Volume
Run #1	160 ml
Run #2	40.0 ml

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone (2-Propanone)	3.5	0.80	0.58	ppbv		8.3	1.9	1.4	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.80	0.34	ppbv		ND	1.8	0.75	ug/m3
71-43-2	78.11	Benzene	ND	0.80	0.25	ppbv		ND	2.6	0.80	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.40	0.12	ppbv		ND	2.7	0.80	ug/m3
75-25-2	252.8	Bromoform	ND	0.16	0.28	ppbv		ND	1.7	2.9	ug/m3
74-83-9	94.94	Bromomethane	ND	0.80	0.28	ppbv		ND	3.1	1.1	ug/m3
593-60-2	106.9	Bromoethene	ND	0.80	0.24	ppbv		ND	3.5	1.0	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.80	0.50	ppbv		ND	4.1	2.6	ug/m3
75-15-0	76.14	Carbon disulfide	ND	0.80	0.18	ppbv		ND	2.5	0.56	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.80	0.30	ppbv		ND	3.7	1.4	ug/m3
75-00-3	64.52	Chloroethane	ND	0.80	0.27	ppbv		ND	2.1	0.71	ug/m3
67-66-3	119.4	Chloroform	ND	0.80	0.15	ppbv		ND	3.9	0.73	ug/m3
74-87-3	50.49	Chloromethane	0.47	0.80	0.36	ppbv	J	0.97	1.7	0.74	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.80	0.33	ppbv		ND	2.5	1.0	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.80	0.29	ppbv		ND	4.1	1.5	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.16	0.16	ppbv		ND	1.0	1.0	ug/m3
110-82-7	84.16	Cyclohexane	ND	0.80	0.44	ppbv		ND	2.8	1.5	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.80	0.23	ppbv		ND	3.2	0.93	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	0.56	0.16	0.24	ppbv		2.2	0.63	0.95	ug/m3
106-93-4	187.9	1,2-Dibromoethane (EDB)	ND	0.40	0.39	ppbv		ND	3.1	3.0	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.80	0.28	ppbv		ND	3.2	1.1	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.80	0.25	ppbv		ND	3.7	1.2	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.80	0.47	ppbv		ND	2.9	1.7	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.44	0.80	0.13	ppbv	J	2.2	4.0	0.64	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.40	0.21	ppbv		ND	3.4	1.8	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	1.6	0.80	0.28	ppbv		6.3	3.2	1.1	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	236 [a]	0.64	1.2	ppbv		936 [a]	2.5	4.8	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.80	0.25	ppbv		ND	3.6	1.1	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.40	0.16	ppbv		ND	2.4	0.96	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.16	0.62	ppbv		ND	0.96	3.7	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.40	0.76	ppbv		ND	2.4	4.6	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.80	0.40	ppbv		ND	3.6	1.8	ug/m3

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: VINF
Lab Sample ID: JD49030-1
Matrix: AIR - Soil Vapor Comp. Summa ID: A799
Method: TO-15
Project: Former Ithaca Power Transmission, Ithaca, NY

Date Sampled: 07/27/22
Date Received: 07/28/22
Percent Solids: n/a

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	10.4	2.0	1.6	ppbv		19.6	3.8	3.0	ug/m3
100-41-4	106.2	Ethylbenzene	ND	0.80	0.24	ppbv		ND	3.5	1.0	ug/m3
141-78-6	88	Ethyl Acetate	ND	0.80	0.42	ppbv		ND	2.9	1.5	ug/m3
622-96-8	120.19	4-Ethyltoluene	ND	0.80	0.38	ppbv		ND	3.9	1.9	ug/m3
76-13-1	187.4	Freon 113	ND	0.40	0.12	ppbv		ND	3.1	0.92	ug/m3
76-14-2	170.9	Freon 114	ND	0.40	0.20	ppbv		ND	2.8	1.4	ug/m3
142-82-5	100.2	Heptane	ND	0.80	0.37	ppbv		ND	3.3	1.5	ug/m3
87-68-3	260.8	Hexachlorobutadiene [b]	ND	0.36	0.25	ppbv		ND	3.8	2.7	ug/m3
110-54-3	86.18	Hexane	ND	0.80	0.45	ppbv		ND	2.8	1.6	ug/m3
591-78-6	100	2-Hexanone	ND	0.80	0.58	ppbv		ND	3.3	2.4	ug/m3
67-63-0	60.1	Isopropyl Alcohol	ND	0.80	0.56	ppbv		ND	2.0	1.4	ug/m3
75-09-2	84.94	Methylene chloride	1.1	0.80	0.22	ppbv		3.8	2.8	0.76	ug/m3
78-93-3	72.11	Methyl ethyl ketone	0.57	0.80	0.44	ppbv	J	1.7	2.4	1.3	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.80	0.29	ppbv		ND	3.3	1.2	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.80	0.32	ppbv		ND	2.9	1.2	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.80	0.28	ppbv		ND	3.3	1.1	ug/m3
115-07-1	42	Propylene	ND	2.0	0.57	ppbv		ND	3.4	0.98	ug/m3
100-42-5	104.1	Styrene	ND	0.80	0.47	ppbv		ND	3.4	2.0	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.40	0.15	ppbv		ND	2.2	0.82	ug/m3
79-34-5	167.85	1,1,2,2-Tetrachloroethane	ND	0.40	0.19	ppbv		ND	2.7	1.3	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.40	0.15	ppbv		ND	2.2	0.82	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene [c]	ND	0.40	0.48	ppbv		ND	3.0	3.6	ug/m3
95-63-6	120.19	1,2,4-Trimethylbenzene	ND	0.80	0.35	ppbv		ND	3.9	1.7	ug/m3
108-67-8	120.19	1,3,5-Trimethylbenzene	ND	0.80	0.32	ppbv		ND	3.9	1.6	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	ND	0.80	0.38	ppbv		ND	3.7	1.8	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	0.80	0.37	ppbv		ND	2.4	1.1	ug/m3
127-18-4	165.8	Tetrachloroethylene	0.18	0.16	0.056	ppbv		1.2	1.1	0.38	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.80	0.36	ppbv		ND	2.4	1.1	ug/m3
108-88-3	92.14	Toluene	ND	0.80	0.23	ppbv		ND	3.0	0.87	ug/m3
79-01-6	131.4	Trichloroethylene	63.4	0.16	0.076	ppbv		341	0.86	0.41	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.90	0.40	0.14	ppbv		5.1	2.2	0.79	ug/m3
75-01-4	62.5	Vinyl chloride	29.5	0.16	0.28	ppbv		75.4	0.41	0.72	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.80	0.45	ppbv		ND	2.8	1.6	ug/m3
	106.2	m,p-Xylene	ND	0.80	0.56	ppbv		ND	3.5	2.4	ug/m3
95-47-6	106.2	o-Xylene	ND	0.80	0.31	ppbv		ND	3.5	1.3	ug/m3
1330-20-7	106.2	Xylenes (total)	ND	0.80	0.31	ppbv		ND	3.5	1.3	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	97%	90%	65-128%

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	VINF		
Lab Sample ID:	JD49030-1	**Date Sampled:**	07/27/22
Matrix:	AIR - Soil Vapor Comp. Summa ID: A799	**Date Received:**	07/28/22
Method:	TO-15	**Percent Solids:**	n/a
Project:	Former Ithaca Power Transmission, Ithaca, NY		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units

(a) Result is from Run# 2
(b) This compound in blank spike is outside in house QC limits bias high.
(c) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: VPOST GAC
Lab Sample ID: JD49030-2
Matrix: AIR - Soil Vapor Comp. Summa ID: A525
Method: TO-15
Project: Former Ithaca Power Transmission, Ithaca, NY

Date Sampled: 07/27/22
Date Received: 07/28/22
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3W77322.D	1	08/02/22 15:25	TCH	n/a	n/a	V3W3043
Run #2							

	Initial Volume
Run #1	100 ml
Run #2	

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone (2-Propanone)	1.7	0.80	0.58	ppbv		4.0	1.9	1.4	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.80	0.34	ppbv		ND	1.8	0.75	ug/m3
71-43-2	78.11	Benzene	0.41	0.80	0.25	ppbv	J	1.3	2.6	0.80	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.40	0.12	ppbv		ND	2.7	0.80	ug/m3
75-25-2	252.8	Bromoform	ND	0.16	0.28	ppbv		ND	1.7	2.9	ug/m3
74-83-9	94.94	Bromomethane	ND	0.80	0.28	ppbv		ND	3.1	1.1	ug/m3
593-60-2	106.9	Bromoethene	ND	0.80	0.24	ppbv		ND	3.5	1.0	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.80	0.50	ppbv		ND	4.1	2.6	ug/m3
75-15-0	76.14	Carbon disulfide	ND	0.80	0.18	ppbv		ND	2.5	0.56	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.80	0.30	ppbv		ND	3.7	1.4	ug/m3
75-00-3	64.52	Chloroethane	ND	0.80	0.27	ppbv		ND	2.1	0.71	ug/m3
67-66-3	119.4	Chloroform	ND	0.80	0.15	ppbv		ND	3.9	0.73	ug/m3
74-87-3	50.49	Chloromethane	0.56	0.80	0.36	ppbv	J	1.2	1.7	0.74	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.80	0.33	ppbv		ND	2.5	1.0	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.80	0.29	ppbv		ND	4.1	1.5	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.16	0.16	ppbv		ND	1.0	1.0	ug/m3
110-82-7	84.16	Cyclohexane	ND	0.80	0.44	ppbv		ND	2.8	1.5	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.80	0.23	ppbv		ND	3.2	0.93	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.16	0.24	ppbv		ND	0.63	0.95	ug/m3
106-93-4	187.9	1,2-Dibromoethane (EDB)	ND	0.40	0.39	ppbv		ND	3.1	3.0	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.80	0.28	ppbv		ND	3.2	1.1	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.80	0.25	ppbv		ND	3.7	1.2	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.80	0.47	ppbv		ND	2.9	1.7	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.44	0.80	0.13	ppbv	J	2.2	4.0	0.64	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.40	0.21	ppbv		ND	3.4	1.8	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	0.92	0.80	0.28	ppbv		3.6	3.2	1.1	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	180	0.16	0.31	ppbv		714	0.63	1.2	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.80	0.25	ppbv		ND	3.6	1.1	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.40	0.16	ppbv		ND	2.4	0.96	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.16	0.62	ppbv		ND	0.96	3.7	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.40	0.76	ppbv		ND	2.4	4.6	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.80	0.40	ppbv		ND	3.6	1.8	ug/m3

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: VPOST GAC
Lab Sample ID: JD49030-2
Matrix: AIR - Soil Vapor Comp. Summa ID: A525
Method: TO-15
Project: Former Ithaca Power Transmission, Ithaca, NY

Date Sampled: 07/27/22
Date Received: 07/28/22
Percent Solids: n/a

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	3.5	2.0	1.6	ppbv		6.6	3.8	3.0	ug/m3
100-41-4	106.2	Ethylbenzene	ND	0.80	0.24	ppbv		ND	3.5	1.0	ug/m3
141-78-6	88	Ethyl Acetate	ND	0.80	0.42	ppbv		ND	2.9	1.5	ug/m3
622-96-8	120.19	4-Ethyltoluene	ND	0.80	0.38	ppbv		ND	3.9	1.9	ug/m3
76-13-1	187.4	Freon 113	ND	0.40	0.12	ppbv		ND	3.1	0.92	ug/m3
76-14-2	170.9	Freon 114	ND	0.40	0.20	ppbv		ND	2.8	1.4	ug/m3
142-82-5	100.2	Heptane	ND	0.80	0.37	ppbv		ND	3.3	1.5	ug/m3
87-68-3	260.8	Hexachlorobutadiene [a]	ND	0.36	0.25	ppbv		ND	3.8	2.7	ug/m3
110-54-3	86.18	Hexane	0.58	0.80	0.45	ppbv	J	2.0	2.8	1.6	ug/m3
591-78-6	100	2-Hexanone	ND	0.80	0.58	ppbv		ND	3.3	2.4	ug/m3
67-63-0	60.1	Isopropyl Alcohol	ND	0.80	0.56	ppbv		ND	2.0	1.4	ug/m3
75-09-2	84.94	Methylene chloride	0.75	0.80	0.22	ppbv	J	2.6	2.8	0.76	ug/m3
78-93-3	72.11	Methyl ethyl ketone	ND	0.80	0.44	ppbv		ND	2.4	1.3	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.80	0.29	ppbv		ND	3.3	1.2	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.80	0.32	ppbv		ND	2.9	1.2	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.80	0.28	ppbv		ND	3.3	1.1	ug/m3
115-07-1	42	Propylene	ND	2.0	0.57	ppbv		ND	3.4	0.98	ug/m3
100-42-5	104.1	Styrene	ND	0.80	0.47	ppbv		ND	3.4	2.0	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.40	0.15	ppbv		ND	2.2	0.82	ug/m3
79-34-5	167.85	1,1,2,2-Tetrachloroethane	ND	0.40	0.19	ppbv		ND	2.7	1.3	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.40	0.15	ppbv		ND	2.2	0.82	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene [b]	ND	0.40	0.48	ppbv		ND	3.0	3.6	ug/m3
95-63-6	120.19	1,2,4-Trimethylbenzene	ND	0.80	0.35	ppbv		ND	3.9	1.7	ug/m3
108-67-8	120.19	1,3,5-Trimethylbenzene	ND	0.80	0.32	ppbv		ND	3.9	1.6	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	ND	0.80	0.38	ppbv		ND	3.7	1.8	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	0.80	0.37	ppbv		ND	2.4	1.1	ug/m3
127-18-4	165.8	Tetrachloroethylene	0.58	0.16	0.056	ppbv		3.9	1.1	0.38	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.80	0.36	ppbv		ND	2.4	1.1	ug/m3
108-88-3	92.14	Toluene	ND	0.80	0.23	ppbv		ND	3.0	0.87	ug/m3
79-01-6	131.4	Trichloroethylene	159	0.16	0.076	ppbv		855	0.86	0.41	ug/m3
75-69-4	137.4	Trichlorofluoromethane	ND	0.40	0.14	ppbv		ND	2.2	0.79	ug/m3
75-01-4	62.5	Vinyl chloride	12.1	0.16	0.28	ppbv		30.9	0.41	0.72	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.80	0.45	ppbv		ND	2.8	1.6	ug/m3
	106.2	m,p-Xylene	0.65	0.80	0.56	ppbv	J	2.8	3.5	2.4	ug/m3
95-47-6	106.2	o-Xylene	ND	0.80	0.31	ppbv		ND	3.5	1.3	ug/m3
1330-20-7	106.2	Xylenes (total)	0.65	0.80	0.31	ppbv	J	2.8	3.5	1.3	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	101%		65-128%

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	VPOST GAC		
Lab Sample ID:	JD49030-2	**Date Sampled:**	07/27/22
Matrix:	AIR - Soil Vapor Comp. Summa ID: A525	**Date Received:**	07/28/22
Method:	TO-15	**Percent Solids:**	n/a
Project:	Former Ithaca Power Transmission, Ithaca, NY		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units

(a) This compound in blank spike is outside in house QC limits bias high.
(b) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- Summa Canister and Flow Controller Log

wsp

Air

Chain of Custody Form 5272 0643 6212

JD49030

Page 1 of 1

WSP Office Address	7000 East Genesee, Building D, 2nd Floor, Fayetteville, NY 13066
Project Name	Former EPT Ithaca
WSP Contact Name	Jeffrey Baker
Project Location	Ithaca, NY
WSP Contact E-mail	Jeffrey.Baker@wsp.com
Project Number & Task	31401545.001 Task 01.63
WSP Contact Phone	724-882-9723
Sampler(s) Name(s)	Nate Winston
Sampler(s) Signature(s)	

Requested Analyses & Preservatives — No.

Laboratory Name & Location: TAMMY MCCLOSKEY

Laboratory Project Manager: SGS, DAYTON NJ

Requested Turn-Around-Time: [X] Standard [ ] 24 HR [ ] 48 HR [ ] 72 HR [ ] ___ HR

	Sample Identification	Matrix	Collection Start* Date	Collection Start* Time	Collection Stop* Date	Collection Stop* Time	Number of Containers	VOCs 10-15	Sample Comments
1	VINF	V			7/27/22	1300	1	X	
2	VPOST GAC	V			7/27/22	1140	1	X	

WSP
Former Ithaca Power Transmission, Ithaca, NY
TM-071422-22
Please place on the back of original (white copy of COC)
This will assist us in processing your samples.
Thank You

Initial Assessment UP

Label Verification ____

Relinquished By (Signature)	Date	Time	Received By (Signature)	Date	Time	Shipment Method	Tracking Number(s)
	7/27/22	1500				FedEx	
Relinquished By (Signature)	Date	Time	Received By (Signature)	Date	Time	Number of Packages	Custody Seal Number(s)
FedEx	7/28/22	09:49					

*Use stop time/date for composite and/or air samples; use only start time/date for all other samples.

Matrix: AQ = Aqueous, S = Soil, SE = Sediment, A = Air, W = Wipe, B = Bulk, O = Other (detail in comments)

5.1 5

JD49030: Chain of Custody
Page 1 of 2

SGS Sample Receipt Summary

Job Number: JD49030 **Client:** WSP **Project:** FORMER ITHACA POWER TRANSMISSI

Date / Time Received: 7/28/2022 9:49:00 AM **Delivery Method:** **Airbill #'s:**

Cooler Temps (Raw Measured) °C:

Cooler Temps (Corrected) °C:

Cooler Security	Y	or	N		Y	or	N
1. Custody Seals Present:	☑		☐	3. COC Present:	☑		☐
2. Custody Seals Intact:	☑		☐	4. Smpl Dates/Time OK	☑		☐

Cooler Temperature	Y	or	N
1. Temp criteria achieved:	☐		☐
2. Cooler temp verification:	N/A		
3. Cooler media:	N/A		
4. No. Coolers:	N/A		

Quality Control Preservation	Y	or	N	N/A
1. Trip Blank present / cooler:	☐		☐	☑
2. Trip Blank listed on COC:	☐		☐	☑
3. Samples preserved properly:	☑		☐	
4. VOCs headspace free:	☐		☐	☑

Sample Integrity - Documentation	Y	or	N
1. Sample labels present on bottles:	☑		☐
2. Container labeling complete:	☑		☐
3. Sample container label / COC agree:	☑		☐

Sample Integrity - Condition	Y	or	N
1. Sample recvd within HT:	☑		☐
2. All containers accounted for:	☑		☐
3. Condition of sample:	Intact		

Sample Integrity - Instructions	Y	or	N	N/A
1. Analysis requested is clear:	☑		☐	
2. Bottles received for unspecified tests	☐		☑	
3. Sufficient volume recvd for analysis:	☑		☐	
4. Compositing instructions clear:	☐		☐	☑
5. Filtering instructions clear:	☐		☐	☑

Test Strip Lot #s: pH 1-12: 231619 pH 12+: 203117A Other: (Specify)

Comments

SM089-03
Rev. Date 12/7/17

JD49030: Chain of Custody
Page 2 of 2

Summa Canister and Flow Controller Log

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY
Received: 07/28/22

SUMMA CANISTERS

Shipping							Receiving						
Summa ID	L	Vac " Hg	Date Out	By	SCC Batch	SCC FileID	Sample Number	Date In	By	Vac " Hg	Pres psig	Final psig	Dil Fact
A799	1	29.4	07/15/22	ML	CP11792	2W60345.D	JD49030-1	07/29/22	ML	10		1.6	1.67
A525	1	29.4	07/15/22	ML	CP11792	2W60345.D	JD49030-2	07/29/22	ML	3.5			1

SGS Bottle Order(s):
TM-071422-22

Prep Date	Room Temp(F)	Bar Pres "Hg
07/15/22	70	29.92

MS Volatiles

6

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries
- Instrument Performance Checks (BFB)
- Surrogate Recovery Summaries

Method Blank Summary

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V3W3043-MB	3W77319.D	1	08/02/22	TCH	n/a	n/a	V3W3043

The QC reported here applies to the following samples: **Method:** TO-15

JD49030-1, JD49030-2

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
67-64-1	Acetone (2-Propanone)	ND	0.20	0.15	ppbv		ND	0.48	ug/m3
106-99-0	1,3-Butadiene	ND	0.20	0.084	ppbv		ND	0.44	ug/m3
71-43-2	Benzene	ND	0.20	0.062	ppbv		ND	0.64	ug/m3
75-27-4	Bromodichloromethane	ND	0.20	0.030	ppbv		ND	1.3	ug/m3
75-25-2	Bromoform	ND	0.20	0.071	ppbv		ND	2.1	ug/m3
74-83-9	Bromomethane	ND	0.20	0.069	ppbv		ND	0.78	ug/m3
593-60-2	Bromoethene	ND	0.20	0.061	ppbv		ND	0.87	ug/m3
100-44-7	Benzyl Chloride	ND	0.20	0.13	ppbv		ND	1.0	ug/m3
75-15-0	Carbon disulfide	ND	0.20	0.045	ppbv		ND	0.62	ug/m3
108-90-7	Chlorobenzene	ND	0.20	0.074	ppbv		ND	0.92	ug/m3
75-00-3	Chloroethane	ND	0.20	0.068	ppbv		ND	0.53	ug/m3
67-66-3	Chloroform	ND	0.20	0.037	ppbv		ND	0.98	ug/m3
74-87-3	Chloromethane	ND	0.20	0.090	ppbv		ND	0.41	ug/m3
107-05-1	3-Chloropropene	ND	0.20	0.083	ppbv		ND	0.63	ug/m3
95-49-8	2-Chlorotoluene	ND	0.20	0.072	ppbv		ND	1.0	ug/m3
56-23-5	Carbon tetrachloride	ND	0.20	0.040	ppbv		ND	1.3	ug/m3
110-82-7	Cyclohexane	ND	0.20	0.11	ppbv		ND	0.69	ug/m3
75-34-3	1,1-Dichloroethane	ND	0.20	0.057	ppbv		ND	0.81	ug/m3
75-35-4	1,1-Dichloroethylene	ND	0.20	0.059	ppbv		ND	0.79	ug/m3
106-93-4	1,2-Dibromoethane (EDB)	ND	0.20	0.097	ppbv		ND	1.5	ug/m3
107-06-2	1,2-Dichloroethane	ND	0.20	0.070	ppbv		ND	0.81	ug/m3
78-87-5	1,2-Dichloropropane	ND	0.20	0.062	ppbv		ND	0.92	ug/m3
123-91-1	1,4-Dioxane	ND	0.20	0.12	ppbv		ND	0.72	ug/m3
75-71-8	Dichlorodifluoromethane	ND	0.20	0.032	ppbv		ND	0.99	ug/m3
124-48-1	Dibromochloromethane	ND	0.20	0.052	ppbv		ND	1.7	ug/m3
156-60-5	trans-1,2-Dichloroethylene	ND	0.20	0.069	ppbv		ND	0.79	ug/m3
156-59-2	cis-1,2-Dichloroethylene	ND	0.20	0.077	ppbv		ND	0.79	ug/m3
10061-01-5	cis-1,3-Dichloropropene	ND	0.20	0.062	ppbv		ND	0.91	ug/m3
541-73-1	m-Dichlorobenzene	ND	0.20	0.040	ppbv		ND	1.2	ug/m3
95-50-1	o-Dichlorobenzene	ND	0.20	0.15	ppbv		ND	1.2	ug/m3
106-46-7	p-Dichlorobenzene	ND	0.20	0.19	ppbv		ND	1.2	ug/m3
10061-02-6	trans-1,3-Dichloropropene	ND	0.20	0.10	ppbv		ND	0.91	ug/m3
64-17-5	Ethanol	ND	0.50	0.39	ppbv		ND	0.94	ug/m3
100-41-4	Ethylbenzene	ND	0.20	0.061	ppbv		ND	0.87	ug/m3
141-78-6	Ethyl Acetate	ND	0.20	0.10	ppbv		ND	0.72	ug/m3
622-96-8	4-Ethyltoluene	ND	0.20	0.095	ppbv		ND	0.98	ug/m3

Method Blank Summary

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V3W3043-MB	3W77319.D	1	08/02/22	TCH	n/a	n/a	V3W3043

The QC reported here applies to the following samples: **Method:** TO-15

JD49030-1, JD49030-2

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
76-13-1	Freon 113	ND	0.20	0.031	ppbv		ND	1.5	ug/m3
76-14-2	Freon 114	ND	0.20	0.050	ppbv		ND	1.4	ug/m3
142-82-5	Heptane	ND	0.20	0.092	ppbv		ND	0.82	ug/m3
87-68-3	Hexachlorobutadiene	ND	0.20	0.062	ppbv		ND	2.1	ug/m3
110-54-3	Hexane	ND	0.20	0.11	ppbv		ND	0.70	ug/m3
591-78-6	2-Hexanone	ND	0.20	0.15	ppbv		ND	0.82	ug/m3
67-63-0	Isopropyl Alcohol	ND	0.20	0.14	ppbv		ND	0.49	ug/m3
75-09-2	Methylene chloride	ND	0.20	0.056	ppbv		ND	0.69	ug/m3
78-93-3	Methyl ethyl ketone	ND	0.20	0.11	ppbv		ND	0.59	ug/m3
108-10-1	Methyl Isobutyl Ketone	ND	0.20	0.073	ppbv		ND	0.82	ug/m3
1634-04-4	Methyl Tert Butyl Ether	ND	0.20	0.080	ppbv		ND	0.72	ug/m3
80-62-6	Methylmethacrylate	ND	0.20	0.070	ppbv		ND	0.82	ug/m3
115-07-1	Propylene	ND	0.50	0.14	ppbv		ND	0.86	ug/m3
100-42-5	Styrene	ND	0.20	0.12	ppbv		ND	0.85	ug/m3
71-55-6	1,1,1-Trichloroethane	ND	0.20	0.037	ppbv		ND	1.1	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.20	0.048	ppbv		ND	1.4	ug/m3
79-00-5	1,1,2-Trichloroethane	ND	0.20	0.038	ppbv		ND	1.1	ug/m3
120-82-1	1,2,4-Trichlorobenzene	ND	0.20	0.12	ppbv		ND	1.5	ug/m3
95-63-6	1,2,4-Trimethylbenzene	ND	0.20	0.087	ppbv		ND	0.98	ug/m3
108-67-8	1,3,5-Trimethylbenzene	ND	0.20	0.080	ppbv		ND	0.98	ug/m3
540-84-1	2,2,4-Trimethylpentane	ND	0.20	0.095	ppbv		ND	0.93	ug/m3
75-65-0	Tertiary Butyl Alcohol	ND	0.20	0.093	ppbv		ND	0.61	ug/m3
127-18-4	Tetrachloroethylene	ND	0.040	0.014	ppbv		ND	0.27	ug/m3
109-99-9	Tetrahydrofuran	ND	0.20	0.090	ppbv		ND	0.59	ug/m3
108-88-3	Toluene	ND	0.20	0.057	ppbv		ND	0.75	ug/m3
79-01-6	Trichloroethylene	ND	0.040	0.019	ppbv		ND	0.21	ug/m3
75-69-4	Trichlorofluoromethane	ND	0.20	0.036	ppbv		ND	1.1	ug/m3
75-01-4	Vinyl chloride	ND	0.20	0.069	ppbv		ND	0.51	ug/m3
108-05-4	Vinyl Acetate	ND	0.20	0.11	ppbv		ND	0.70	ug/m3
	m,p-Xylene	ND	0.20	0.14	ppbv		ND	0.87	ug/m3
95-47-6	o-Xylene	ND	0.20	0.077	ppbv		ND	0.87	ug/m3
1330-20-7	Xylenes (total)	ND	0.20	0.077	ppbv		ND	0.87	ug/m3

Method Blank Summary

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V3W3043-MB	3W77319.D	1	08/02/22	TCH	n/a	n/a	V3W3043

The QC reported here applies to the following samples: **Method:** TO-15

JD49030-1, JD49030-2

CAS No.	Surrogate Recoveries		Limits
460-00-4	4-Bromofluorobenzene	106%	65-128%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
124-38-9	Carbon dioxide	4.18	62	ppbv	JN
	Total TIC, Volatile		0	ppbv	

Method Blank Summary

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V3W3044-MB	3W77351.D	1	08/03/22	TCH	n/a	n/a	V3W3044

The QC reported here applies to the following samples: **Method:** TO-15

JD49030-1

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
156-59-2	cis-1,2-Dichloroethylene	ND	0.20	0.077	ppbv		ND	0.79	ug/m3

CAS No.	Surrogate Recoveries		Limits
460-00-4	4-Bromofluorobenzene	99%	65-128%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
124-38-9	Carbon dioxide	4.18	56	ppbv	JN
	Total TIC, Volatile		0	ppbv	

Method Blank Summary

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2679-MB	2W60327.D	1	07/06/22	TCH	n/a	n/a	V2W2679

The QC reported here applies to the following samples: **Method:** TO-15

V2W2679-SCC

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
67-64-1	Acetone (2-Propanone)	ND	0.20	0.15	ppbv		ND	0.48	ug/m3
106-99-0	1,3-Butadiene	ND	0.20	0.084	ppbv		ND	0.44	ug/m3
71-43-2	Benzene	ND	0.20	0.062	ppbv		ND	0.64	ug/m3
75-27-4	Bromodichloromethane	ND	0.20	0.030	ppbv		ND	1.3	ug/m3
75-25-2	Bromoform	ND	0.20	0.071	ppbv		ND	2.1	ug/m3
74-83-9	Bromomethane	ND	0.20	0.069	ppbv		ND	0.78	ug/m3
593-60-2	Bromoethene	ND	0.20	0.061	ppbv		ND	0.87	ug/m3
100-44-7	Benzyl Chloride	ND	0.20	0.13	ppbv		ND	1.0	ug/m3
75-15-0	Carbon disulfide	ND	0.20	0.045	ppbv		ND	0.62	ug/m3
108-90-7	Chlorobenzene	ND	0.20	0.074	ppbv		ND	0.92	ug/m3
75-00-3	Chloroethane	ND	0.20	0.068	ppbv		ND	0.53	ug/m3
67-66-3	Chloroform	ND	0.20	0.037	ppbv		ND	0.98	ug/m3
74-87-3	Chloromethane	ND	0.20	0.090	ppbv		ND	0.41	ug/m3
107-05-1	3-Chloropropene	ND	0.20	0.083	ppbv		ND	0.63	ug/m3
95-49-8	2-Chlorotoluene	ND	0.20	0.072	ppbv		ND	1.0	ug/m3
56-23-5	Carbon tetrachloride	ND	0.20	0.040	ppbv		ND	1.3	ug/m3
110-82-7	Cyclohexane	ND	0.20	0.11	ppbv		ND	0.69	ug/m3
75-34-3	1,1-Dichloroethane	ND	0.20	0.057	ppbv		ND	0.81	ug/m3
75-35-4	1,1-Dichloroethylene	ND	0.20	0.059	ppbv		ND	0.79	ug/m3
106-93-4	1,2-Dibromoethane (EDB)	ND	0.20	0.097	ppbv		ND	1.5	ug/m3
107-06-2	1,2-Dichloroethane	ND	0.20	0.070	ppbv		ND	0.81	ug/m3
78-87-5	1,2-Dichloropropane	ND	0.20	0.062	ppbv		ND	0.92	ug/m3
123-91-1	1,4-Dioxane	ND	0.20	0.12	ppbv		ND	0.72	ug/m3
75-71-8	Dichlorodifluoromethane	ND	0.20	0.032	ppbv		ND	0.99	ug/m3
124-48-1	Dibromochloromethane	ND	0.20	0.052	ppbv		ND	1.7	ug/m3
156-60-5	trans-1,2-Dichloroethylene	ND	0.20	0.069	ppbv		ND	0.79	ug/m3
156-59-2	cis-1,2-Dichloroethylene	ND	0.20	0.077	ppbv		ND	0.79	ug/m3
10061-01-5	cis-1,3-Dichloropropene	ND	0.20	0.062	ppbv		ND	0.91	ug/m3
541-73-1	m-Dichlorobenzene	ND	0.20	0.040	ppbv		ND	1.2	ug/m3
95-50-1	o-Dichlorobenzene	ND	0.20	0.15	ppbv		ND	1.2	ug/m3
106-46-7	p-Dichlorobenzene	ND	0.20	0.19	ppbv		ND	1.2	ug/m3
10061-02-6	trans-1,3-Dichloropropene	ND	0.20	0.10	ppbv		ND	0.91	ug/m3
64-17-5	Ethanol	ND	0.50	0.39	ppbv		ND	0.94	ug/m3
100-41-4	Ethylbenzene	ND	0.20	0.061	ppbv		ND	0.87	ug/m3
141-78-6	Ethyl Acetate	ND	0.20	0.10	ppbv		ND	0.72	ug/m3
622-96-8	4-Ethyltoluene	ND	0.20	0.095	ppbv		ND	0.98	ug/m3

Method Blank Summary

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2679-MB	2W60327.D	1	07/06/22	TCH	n/a	n/a	V2W2679

The QC reported here applies to the following samples: **Method:** TO-15

V2W2679-SCC

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
76-13-1	Freon 113	ND	0.20	0.031	ppbv		ND	1.5	ug/m3
76-14-2	Freon 114	ND	0.20	0.050	ppbv		ND	1.4	ug/m3
142-82-5	Heptane	ND	0.20	0.092	ppbv		ND	0.82	ug/m3
87-68-3	Hexachlorobutadiene	ND	0.20	0.062	ppbv		ND	2.1	ug/m3
110-54-3	Hexane	ND	0.20	0.11	ppbv		ND	0.70	ug/m3
591-78-6	2-Hexanone	ND	0.20	0.15	ppbv		ND	0.82	ug/m3
67-63-0	Isopropyl Alcohol	ND	0.20	0.14	ppbv		ND	0.49	ug/m3
75-09-2	Methylene chloride	ND	0.20	0.056	ppbv		ND	0.69	ug/m3
78-93-3	Methyl ethyl ketone	ND	0.20	0.11	ppbv		ND	0.59	ug/m3
108-10-1	Methyl Isobutyl Ketone	ND	0.20	0.073	ppbv		ND	0.82	ug/m3
1634-04-4	Methyl Tert Butyl Ether	ND	0.20	0.080	ppbv		ND	0.72	ug/m3
80-62-6	Methylmethacrylate	ND	0.20	0.070	ppbv		ND	0.82	ug/m3
115-07-1	Propylene	ND	0.50	0.14	ppbv		ND	0.86	ug/m3
100-42-5	Styrene	ND	0.20	0.12	ppbv		ND	0.85	ug/m3
71-55-6	1,1,1-Trichloroethane	ND	0.20	0.037	ppbv		ND	1.1	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.20	0.048	ppbv		ND	1.4	ug/m3
79-00-5	1,1,2-Trichloroethane	ND	0.20	0.038	ppbv		ND	1.1	ug/m3
120-82-1	1,2,4-Trichlorobenzene	ND	0.20	0.12	ppbv		ND	1.5	ug/m3
95-63-6	1,2,4-Trimethylbenzene	ND	0.20	0.087	ppbv		ND	0.98	ug/m3
108-67-8	1,3,5-Trimethylbenzene	ND	0.20	0.080	ppbv		ND	0.98	ug/m3
540-84-1	2,2,4-Trimethylpentane	ND	0.20	0.095	ppbv		ND	0.93	ug/m3
75-65-0	Tertiary Butyl Alcohol	ND	0.20	0.093	ppbv		ND	0.61	ug/m3
127-18-4	Tetrachloroethylene	ND	0.040	0.014	ppbv		ND	0.27	ug/m3
109-99-9	Tetrahydrofuran	ND	0.20	0.090	ppbv		ND	0.59	ug/m3
108-88-3	Toluene	ND	0.20	0.057	ppbv		ND	0.75	ug/m3
79-01-6	Trichloroethylene	ND	0.040	0.019	ppbv		ND	0.21	ug/m3
75-69-4	Trichlorofluoromethane	ND	0.20	0.036	ppbv		ND	1.1	ug/m3
75-01-4	Vinyl chloride	ND	0.20	0.069	ppbv		ND	0.51	ug/m3
108-05-4	Vinyl Acetate	ND	0.20	0.11	ppbv		ND	0.70	ug/m3
	m,p-Xylene	ND	0.20	0.14	ppbv		ND	0.87	ug/m3
95-47-6	o-Xylene	ND	0.20	0.077	ppbv		ND	0.87	ug/m3
1330-20-7	Xylenes (total)	ND	0.20	0.077	ppbv		ND	0.87	ug/m3

Method Blank Summary

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2679-MB	2W60327.D	1	07/06/22	TCH	n/a	n/a	V2W2679

The QC reported here applies to the following samples: **Method:** TO-15

V2W2679-SCC

CAS No.	Surrogate Recoveries		Limits
460-00-4	4-Bromofluorobenzene	89%	65-128%

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V3W3043-BS	3W77316.D	1	08/02/22	TCH	n/a	n/a	V3W3043
V3W3043-BSD	3W77317.D	1	08/02/22	TCH	n/a	n/a	V3W3043

The QC reported here applies to the following samples: **Method:** TO-15

JD49030-1, JD49030-2

CAS No.	Compound	Spike ppbv	BSP ppbv	BSP %	BSD ppbv	BSD %	RPD	Limits Rec/RPD
67-64-1	Acetone (2-Propanone)	10	7.4	74	7.4	74	0	70-130/30
106-99-0	1,3-Butadiene	10	7.9	79	7.9	79	0	70-130/30
71-43-2	Benzene	10	8.7	87	8.6	86	1	70-130/30
75-27-4	Bromodichloromethane	10	9.5	95	9.5	95	0	70-130/30
75-25-2	Bromoform	10	11.2	112	11.7	117	4	70-130/30
74-83-9	Bromomethane	10	9.3	93	9.3	93	0	70-130/30
593-60-2	Bromoethene	10	10	100	10.0	100	0	70-130/30
100-44-7	Benzyl Chloride	10	11.2	112	11.4	114	2	70-130/30
75-15-0	Carbon disulfide	10	8.4	84	8.4	84	0	70-130/30
108-90-7	Chlorobenzene	10	9.8	98	10.0	100	2	70-130/30
75-00-3	Chloroethane	10	8.9	89	8.9	89	0	70-130/30
67-66-3	Chloroform	10	8.6	86	8.6	86	0	70-130/30
74-87-3	Chloromethane	10	7.9	79	7.8	78	1	70-130/30
107-05-1	3-Chloropropene	10	8.9	89	8.9	89	0	70-130/30
95-49-8	2-Chlorotoluene	10	10.2	102	10.7	107	5	70-130/30
56-23-5	Carbon tetrachloride	10	9.5	95	9.6	96	1	70-130/30
110-82-7	Cyclohexane	10	8.4	84	8.3	83	1	70-130/30
75-34-3	1,1-Dichloroethane	10	7.9	79	8.0	80	1	70-130/30
75-35-4	1,1-Dichloroethylene	10	8.7	87	8.7	87	0	70-130/30
106-93-4	1,2-Dibromoethane (EDB)	10	10.1	101	10.2	102	1	70-130/30
107-06-2	1,2-Dichloroethane	10	8.9	89	8.9	89	0	70-130/30
78-87-5	1,2-Dichloropropane	10	8.5	85	8.5	85	0	70-130/30
123-91-1	1,4-Dioxane	10	9.4	94	9.4	94	0	70-130/30
75-71-8	Dichlorodifluoromethane	10	9.7	97	9.8	98	1	70-130/30
124-48-1	Dibromochloromethane	10	10.1	101	10.4	104	3	70-130/30
156-60-5	trans-1,2-Dichloroethylene	10	8.6	86	8.6	86	0	70-130/30
156-59-2	cis-1,2-Dichloroethylene	10	8.7	87	8.7	87	0	70-130/30
10061-01-5	cis-1,3-Dichloropropene	10	9.5	95	9.4	94	1	70-130/30
541-73-1	m-Dichlorobenzene	10	11.2	112	11.7	117	4	70-130/30
95-50-1	o-Dichlorobenzene	10	11.2	112	11.5	115	3	70-130/30
106-46-7	p-Dichlorobenzene	10	11.3	113	11.7	117	3	70-130/30
10061-02-6	trans-1,3-Dichloropropene	10	9.7	97	9.6	96	1	70-130/30
64-17-5	Ethanol	10	8.5	85	8.5	85	0	70-130/30
100-41-4	Ethylbenzene	10	9.5	95	9.7	97	2	70-130/30
141-78-6	Ethyl Acetate	10	9.0	90	8.9	89	1	70-130/30
622-96-8	4-Ethyltoluene	10	10.1	101	10.4	104	3	70-130/30

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V3W3043-BS	3W77316.D	1	08/02/22	TCH	n/a	n/a	V3W3043
V3W3043-BSD	3W77317.D	1	08/02/22	TCH	n/a	n/a	V3W3043

The QC reported here applies to the following samples: **Method:** TO-15

JD49030-1, JD49030-2

CAS No.	Compound	Spike ppbv	BSP ppbv	BSP %	BSD ppbv	BSD %	RPD	Limits Rec/RPD
76-13-1	Freon 113	10	9.5	95	9.6	96	1	70-130/30
76-14-2	Freon 114	10	9.9	99	10.0	100	1	70-130/30
142-82-5	Heptane	10	7.9	79	7.8	78	1	70-130/30
87-68-3	Hexachlorobutadiene	10	12.4	124	13.2	132* [a]	6	70-130/30
110-54-3	Hexane	10	7.9	79	7.9	79	0	70-130/30
591-78-6	2-Hexanone	10	8.0	80	8.2	82	2	70-130/30
67-63-0	Isopropyl Alcohol	10	7.3	73	7.3	73	0	70-130/30
75-09-2	Methylene chloride	10	7.9	79	8.0	80	1	70-130/30
78-93-3	Methyl ethyl ketone	10	8.7	87	8.8	88	1	70-130/30
108-10-1	Methyl Isobutyl Ketone	10	8.4	84	8.3	83	1	70-130/30
1634-04-4	Methyl Tert Butyl Ether	10	8.0	80	8.0	80	0	70-130/30
80-62-6	Methylmethacrylate	10	9.1	91	9.1	91	0	70-130/30
115-07-1	Propylene	10	7.4	74	7.4	74	0	70-130/30
100-42-5	Styrene	10	9.5	95	9.7	97	2	70-130/30
71-55-6	1,1,1-Trichloroethane	10	9.0	90	9.0	90	0	70-130/30
79-34-5	1,1,2,2-Tetrachloroethane	10	9.6	96	9.7	97	1	70-130/30
79-00-5	1,1,2-Trichloroethane	10	9.2	92	9.2	92	0	70-130/30
120-82-1	1,2,4-Trichlorobenzene	10	14.3	143* [a]	15.2	152* [a]	6	70-130/30
95-63-6	1,2,4-Trimethylbenzene	10	10.6	106	10.9	109	3	70-130/30
108-67-8	1,3,5-Trimethylbenzene	10	10.1	101	10.2	102	1	70-130/30
540-84-1	2,2,4-Trimethylpentane	10	8.4	84	8.4	84	0	70-130/30
75-65-0	Tertiary Butyl Alcohol	10	7.7	77	7.7	77	0	70-130/30
127-18-4	Tetrachloroethylene	10	9.5	95	9.8	98	3	70-130/30
109-99-9	Tetrahydrofuran	10	8.9	89	8.9	89	0	70-130/30
108-88-3	Toluene	10	9.3	93	9.2	92	1	70-130/30
79-01-6	Trichloroethylene	10	9.2	92	9.2	92	0	70-130/30
75-69-4	Trichlorofluoromethane	10	9.3	93	9.4	94	1	70-130/30
75-01-4	Vinyl chloride	10	9.1	91	9.1	91	0	70-130/30
108-05-4	Vinyl Acetate	10	9.6	96	9.5	95	1	70-130/30
	m,p-Xylene	20	19.6	98	20.1	101	3	70-130/30
95-47-6	o-Xylene	10	9.9	99	10.2	102	3	70-130/30
1330-20-7	Xylenes (total)	30	29.5	98	30.3	101	3	70-130/30

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V3W3043-BS	3W77316.D	1	08/02/22	TCH	n/a	n/a	V3W3043
V3W3043-BSD	3W77317.D	1	08/02/22	TCH	n/a	n/a	V3W3043

The QC reported here applies to the following samples: **Method:** TO-15

JD49030-1, JD49030-2

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
460-00-4	4-Bromofluorobenzene	103%	106%	65-128%

(a) High percent recovery and no associated positive reported in the QC batch.

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V3W3044-BS	3W77348.D	1	08/03/22	TCH	n/a	n/a	V3W3044
V3W3044-BSD	3W77349.D	1	08/03/22	TCH	n/a	n/a	V3W3044

The QC reported here applies to the following samples: **Method:** TO-15

JD49030-1

CAS No.	Compound	Spike ppbv	BSP ppbv	BSP %	BSD ppbv	BSD %	RPD	Limits Rec/RPD
156-59-2	cis-1,2-Dichloroethylene	10	8.5	85	8.6	86	1	70-130/30

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
460-00-4	4-Bromofluorobenzene	100%	100%	65-128%

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2679-BS	2W60324.D	1	07/06/22	TCH	n/a	n/a	V2W2679
V2W2679-BSD	2W60325.D	1	07/06/22	TCH	n/a	n/a	V2W2679

The QC reported here applies to the following samples: **Method:** TO-15

V2W2679-SCC

CAS No.	Compound	Spike ppbv	BSP ppbv	BSP %	BSD ppbv	BSD %	RPD	Limits Rec/RPD
67-64-1	Acetone (2-Propanone)	10	9.3	93	9.3	93	0	70-130/30
106-99-0	1,3-Butadiene	10	10.1	101	10.1	101	0	70-130/30
71-43-2	Benzene	10	9.8	98	10.2	102	4	70-130/30
75-27-4	Bromodichloromethane	10	10.3	103	10.3	103	0	70-130/30
75-25-2	Bromoform	10	11.9	119	12.0	120	1	70-130/30
74-83-9	Bromomethane	10	9.7	97	9.7	97	0	70-130/30
593-60-2	Bromoethene	10	9.7	97	9.8	98	1	70-130/30
100-44-7	Benzyl Chloride	10	12.0	120	12.2	122	2	70-130/30
75-15-0	Carbon disulfide	10	10.1	101	10.1	101	0	70-130/30
108-90-7	Chlorobenzene	10	11.1	111	11.2	112	1	70-130/30
75-00-3	Chloroethane	10	10.1	101	10.1	101	0	70-130/30
67-66-3	Chloroform	10	10.3	103	10.5	105	2	70-130/30
74-87-3	Chloromethane	10	9.4	94	9.5	95	1	70-130/30
107-05-1	3-Chloropropene	10	10.4	104	10.0	100	4	70-130/30
95-49-8	2-Chlorotoluene	10	11.6	116	11.6	116	0	70-130/30
56-23-5	Carbon tetrachloride	10	9.4	94	9.6	96	2	70-130/30
110-82-7	Cyclohexane	10	10.6	106	10.5	105	1	70-130/30
75-34-3	1,1-Dichloroethane	10	10.9	109	11.0	110	1	70-130/30
75-35-4	1,1-Dichloroethylene	10	10.3	103	10.3	103	0	70-130/30
106-93-4	1,2-Dibromoethane (EDB)	10	10.9	109	11.0	110	1	70-130/30
107-06-2	1,2-Dichloroethane	10	9.9	99	10	100	1	70-130/30
78-87-5	1,2-Dichloropropane	10	10.3	103	10.4	104	1	70-130/30
123-91-1	1,4-Dioxane	10	10.3	103	10.3	103	0	70-130/30
75-71-8	Dichlorodifluoromethane	10	8.3	83	8.1	81	2	70-130/30
124-48-1	Dibromochloromethane	10	11.4	114	11.4	114	0	70-130/30
156-60-5	trans-1,2-Dichloroethylene	10	10.6	106	10.7	107	1	70-130/30
156-59-2	cis-1,2-Dichloroethylene	10	10.7	107	10.7	107	0	70-130/30
10061-01-5	cis-1,3-Dichloropropene	10	10.4	104	10.4	104	0	70-130/30
541-73-1	m-Dichlorobenzene	10	12.5	125	12.6	126	1	70-130/30
95-50-1	o-Dichlorobenzene	10	12.7	127	12.8	128	1	70-130/30
106-46-7	p-Dichlorobenzene	10	12.4	124	12.7	127	2	70-130/30
10061-02-6	trans-1,3-Dichloropropene	10	10.3	103	10.5	105	2	70-130/30
64-17-5	Ethanol	10	8.6	86	8.8	88	2	70-130/30
100-41-4	Ethylbenzene	10	11.1	111	11.3	113	2	70-130/30
141-78-6	Ethyl Acetate	10	12.1	121	12.3	123	2	70-130/30
622-96-8	4-Ethyltoluene	10	11.9	119	12.0	120	1	70-130/30

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2679-BS	2W60324.D	1	07/06/22	TCH	n/a	n/a	V2W2679
V2W2679-BSD	2W60325.D	1	07/06/22	TCH	n/a	n/a	V2W2679

The QC reported here applies to the following samples: **Method:** TO-15

V2W2679-SCC

CAS No.	Compound	Spike ppbv	BSP ppbv	BSP %	BSD ppbv	BSD %	RPD	Limits Rec/RPD
76-13-1	Freon 113	10	9.9	99	10	100	1	70-130/30
76-14-2	Freon 114	10	10	100	9.8	98	2	70-130/30
142-82-5	Heptane	10	10.2	102	10.3	103	1	70-130/30
87-68-3	Hexachlorobutadiene	10	13.2	132* [a]	13.4	134* [a]	2	70-130/30
110-54-3	Hexane	10	11.3	113	11.5	115	2	70-130/30
591-78-6	2-Hexanone	10	11.0	110	11.1	111	1	70-130/30
67-63-0	Isopropyl Alcohol	10	11.0	110	11.1	111	1	70-130/30
75-09-2	Methylene chloride	10	9.3	93	9.4	94	1	70-130/30
78-93-3	Methyl ethyl ketone	10	10.0	100	9.9	99	1	70-130/30
108-10-1	Methyl Isobutyl Ketone	10	11.2	112	11.2	112	0	70-130/30
1634-04-4	Methyl Tert Butyl Ether	10	9.7	97	9.7	97	0	70-130/30
80-62-6	Methylmethacrylate	10	10.5	105	10.6	106	1	70-130/30
115-07-1	Propylene	10	8.4	84	8.5	85	1	70-130/30
100-42-5	Styrene	10	11.5	115	11.6	116	1	70-130/30
71-55-6	1,1,1-Trichloroethane	10	10.7	107	10.7	107	0	70-130/30
79-34-5	1,1,2,2-Tetrachloroethane	10	12.5	125	12.6	126	1	70-130/30
79-00-5	1,1,2-Trichloroethane	10	10.8	108	10.8	108	0	70-130/30
120-82-1	1,2,4-Trichlorobenzene	10	13.3	133* [a]	13.6	136* [a]	2	70-130/30
95-63-6	1,2,4-Trimethylbenzene	10	12.3	123	12.4	124	1	70-130/30
108-67-8	1,3,5-Trimethylbenzene	10	11.7	117	11.9	119	2	70-130/30
540-84-1	2,2,4-Trimethylpentane	10	10.8	108	10.9	109	1	70-130/30
75-65-0	Tertiary Butyl Alcohol	10	11.1	111	11.2	112	1	70-130/30
127-18-4	Tetrachloroethylene	10	11.0	110	11.0	110	0	70-130/30
109-99-9	Tetrahydrofuran	10	10.3	103	10.3	103	0	70-130/30
108-88-3	Toluene	10	11.0	110	11.1	111	1	70-130/30
79-01-6	Trichloroethylene	10	10.5	105	10.6	106	1	70-130/30
75-69-4	Trichlorofluoromethane	10	9.4	94	9.5	95	1	70-130/30
75-01-4	Vinyl chloride	10	10.1	101	10.3	103	2	70-130/30
108-05-4	Vinyl Acetate	10	10.9	109	11.1	111	2	70-130/30
	m,p-Xylene	20	23.2	116	23.6	118	2	70-130/30
95-47-6	o-Xylene	10	11.6	116	11.8	118	2	70-130/30
1330-20-7	Xylenes (total)	30	34.9	116	35.4	118	1	70-130/30

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2679-BS	2W60324.D	1	07/06/22	TCH	n/a	n/a	V2W2679
V2W2679-BSD	2W60325.D	1	07/06/22	TCH	n/a	n/a	V2W2679

The QC reported here applies to the following samples: **Method:** TO-15

V2W2679-SCC

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
460-00-4	4-Bromofluorobenzene	101%	103%	65-128%

(a) High percent recovery and no associated positive reported in the QC batch.

* = Outside of Control Limits.

Duplicate Summary

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD49030-1DUP	3W77321.D	1.6	08/02/22	TCH	n/a	n/a	V3W3043
JD49030-1	3W77320.D	1.6	08/02/22	TCH	n/a	n/a	V3W3043

The QC reported here applies to the following samples: **Method:** TO-15

JD49030-1, JD49030-2

CAS No.	Compound	JD49030-1 ppbv	Q	DUP ppbv	Q	RPD	Limits
67-64-1	Acetone (2-Propanone)	3.5		3.9		11	25
106-99-0	1,3-Butadiene	ND		ND		nc	25
71-43-2	Benzene	ND		ND		nc	25
75-27-4	Bromodichloromethane	ND		ND		nc	25
75-25-2	Bromoform	ND		ND		nc	25
74-83-9	Bromomethane	ND		ND		nc	25
593-60-2	Bromoethene	ND		ND		nc	25
100-44-7	Benzyl Chloride	ND		ND		nc	25
75-15-0	Carbon disulfide	ND		ND		nc	25
108-90-7	Chlorobenzene	ND		ND		nc	25
75-00-3	Chloroethane	ND		ND		nc	25
67-66-3	Chloroform	ND		ND		nc	25
74-87-3	Chloromethane	0.47	J	0.47	J	0	25
107-05-1	3-Chloropropene	ND		ND		nc	25
95-49-8	2-Chlorotoluene	ND		ND		nc	25
56-23-5	Carbon tetrachloride	ND		ND		nc	25
110-82-7	Cyclohexane	ND		ND		nc	25
75-34-3	1,1-Dichloroethane	ND		ND		nc	25
75-35-4	1,1-Dichloroethylene	0.56		0.46	J	20	25
106-93-4	1,2-Dibromoethane (EDB)	ND		ND		nc	25
107-06-2	1,2-Dichloroethane	ND		ND		nc	25
78-87-5	1,2-Dichloropropane	ND		ND		nc	25
123-91-1	1,4-Dioxane	ND		ND		nc	25
75-71-8	Dichlorodifluoromethane	0.44	J	0.49	J	11	25
124-48-1	Dibromochloromethane	ND		ND		nc	25
156-60-5	trans-1,2-Dichloroethylene	1.6		1.4		13	25
156-59-2	cis-1,2-Dichloroethylene	251	E	224	E	11	25
10061-01-5	cis-1,3-Dichloropropene	ND		ND		nc	25
541-73-1	m-Dichlorobenzene	ND		ND		nc	25
95-50-1	o-Dichlorobenzene	ND		ND		nc	25
106-46-7	p-Dichlorobenzene	ND		ND		nc	25
10061-02-6	trans-1,3-Dichloropropene	ND		ND		nc	25
64-17-5	Ethanol	10.4		9.6		8	25
100-41-4	Ethylbenzene	ND		ND		nc	25
141-78-6	Ethyl Acetate	ND		ND		nc	25
622-96-8	4-Ethyltoluene	ND		ND		nc	25

* = Outside of Control Limits.

Duplicate Summary

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD49030-1DUP	3W77321.D	1.6	08/02/22	TCH	n/a	n/a	V3W3043
JD49030-1	3W77320.D	1.6	08/02/22	TCH	n/a	n/a	V3W3043

The QC reported here applies to the following samples: **Method:** TO-15

JD49030-1, JD49030-2

CAS No.	Compound	JD49030-1 ppbv	Q	DUP ppbv	Q	RPD	Limits
76-13-1	Freon 113	ND		ND		nc	25
76-14-2	Freon 114	ND		ND		nc	25
142-82-5	Heptane	ND		ND		nc	25
87-68-3	Hexachlorobutadiene	ND		ND		nc	25
110-54-3	Hexane	ND		ND		nc	25
591-78-6	2-Hexanone	ND		ND		nc	25
67-63-0	Isopropyl Alcohol	ND		1.1		200* [a]	25
75-09-2	Methylene chloride	1.1		2.5		78* [a]	25
78-93-3	Methyl ethyl ketone	0.57	J	0.51	J	11	25
108-10-1	Methyl Isobutyl Ketone	ND		ND		nc	25
1634-04-4	Methyl Tert Butyl Ether	ND		ND		nc	25
80-62-6	Methylmethacrylate	ND		ND		nc	25
115-07-1	Propylene	ND		ND		nc	25
100-42-5	Styrene	ND		ND		nc	25
71-55-6	1,1,1-Trichloroethane	ND		ND		nc	25
79-34-5	1,1,2,2-Tetrachloroethane	ND		ND		nc	25
79-00-5	1,1,2-Trichloroethane	ND		ND		nc	25
120-82-1	1,2,4-Trichlorobenzene	ND		ND		nc	25
95-63-6	1,2,4-Trimethylbenzene	ND		ND		nc	25
108-67-8	1,3,5-Trimethylbenzene	ND		ND		nc	25
540-84-1	2,2,4-Trimethylpentane	ND		ND		nc	25
75-65-0	Tertiary Butyl Alcohol	ND		ND		nc	25
127-18-4	Tetrachloroethylene	0.18		0.12	J	40* [a]	25
109-99-9	Tetrahydrofuran	ND		ND		nc	25
108-88-3	Toluene	ND		ND		nc	25
79-01-6	Trichloroethylene	63.4		56.1		12	25
75-69-4	Trichlorofluoromethane	0.90		1.2		29* [a]	25
75-01-4	Vinyl chloride	29.5		26.2		12	25
108-05-4	Vinyl Acetate	ND		ND		nc	25
	m,p-Xylene	ND		ND		nc	25
95-47-6	o-Xylene	ND		ND		nc	25
1330-20-7	Xylenes (total)	ND		ND		nc	25

* = Outside of Control Limits.

Duplicate Summary

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD49030-1DUP	3W77321.D	1.6	08/02/22	TCH	n/a	n/a	V3W3043
JD49030-1	3W77320.D	1.6	08/02/22	TCH	n/a	n/a	V3W3043

The QC reported here applies to the following samples: **Method:** TO-15

JD49030-1, JD49030-2

CAS No.	Surrogate Recoveries	DUP	JD49030-1	Limits
460-00-4	4-Bromofluorobenzene	99%	97%	65-128%

(a) RPD acceptable due to low DUP and sample concentrations.

* = Outside of Control Limits.

Duplicate Summary

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD49249-3DUP	3W77358.D	1	08/03/22	TCH	n/a	n/a	V3W3044
JD49249-3	3W77357.D	1	08/03/22	TCH	n/a	n/a	V3W3044

The QC reported here applies to the following samples: **Method:** TO-15

JD49030-1

CAS No.	Compound	JD49249-3 ppbv	Q	DUP ppbv	Q	RPD	Limits
156-59-2	cis-1,2-Dichloroethylene	ND		ND		nc	25

CAS No.	Surrogate Recoveries	DUP	JD49249-3	Limits
460-00-4	4-Bromofluorobenzene	105%	103%	65-128%

* = Outside of Control Limits.

Summa Cleaning Certification

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2679-SCC	2W60345.D	1	07/06/22	TCH	n/a	n/a	V2W2679

The QC reported here (Summa A1381) applies to the following samples: **Method:** TO-15

Batch CP11792 cleaned 06/14/22: JD49030-1(A799), JD49030-2(A525)

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
67-64-1	Acetone (2-Propanone)	ND	0.80	0.58	ppbv		ND	1.9	ug/m3
106-99-0	1,3-Butadiene	ND	0.80	0.34	ppbv		ND	1.8	ug/m3
71-43-2	Benzene	ND	0.80	0.25	ppbv		ND	2.6	ug/m3
75-27-4	Bromodichloromethane	ND	0.80	0.12	ppbv		ND	5.4	ug/m3
75-25-2	Bromoform	ND	0.80	0.28	ppbv		ND	8.3	ug/m3
74-83-9	Bromomethane	ND	0.80	0.28	ppbv		ND	3.1	ug/m3
593-60-2	Bromoethene	ND	0.80	0.24	ppbv		ND	3.5	ug/m3
100-44-7	Benzyl Chloride	ND	0.80	0.50	ppbv		ND	4.1	ug/m3
75-15-0	Carbon disulfide	ND	0.80	0.18	ppbv		ND	2.5	ug/m3
108-90-7	Chlorobenzene	ND	0.80	0.30	ppbv		ND	3.7	ug/m3
75-00-3	Chloroethane	ND	0.80	0.27	ppbv		ND	2.1	ug/m3
67-66-3	Chloroform	ND	0.80	0.15	ppbv		ND	3.9	ug/m3
74-87-3	Chloromethane	ND	0.80	0.36	ppbv		ND	1.7	ug/m3
107-05-1	3-Chloropropene	ND	0.80	0.33	ppbv		ND	2.5	ug/m3
95-49-8	2-Chlorotoluene	ND	0.80	0.29	ppbv		ND	4.1	ug/m3
56-23-5	Carbon tetrachloride	ND	0.80	0.16	ppbv		ND	5.0	ug/m3
110-82-7	Cyclohexane	ND	0.80	0.44	ppbv		ND	2.8	ug/m3
75-34-3	1,1-Dichloroethane	ND	0.80	0.23	ppbv		ND	3.2	ug/m3
75-35-4	1,1-Dichloroethylene	ND	0.80	0.24	ppbv		ND	3.2	ug/m3
106-93-4	1,2-Dibromoethane (EDB)	ND	0.80	0.39	ppbv		ND	6.1	ug/m3
107-06-2	1,2-Dichloroethane	ND	0.80	0.28	ppbv		ND	3.2	ug/m3
78-87-5	1,2-Dichloropropane	ND	0.80	0.25	ppbv		ND	3.7	ug/m3
123-91-1	1,4-Dioxane	ND	0.80	0.47	ppbv		ND	2.9	ug/m3
75-71-8	Dichlorodifluoromethane	ND	0.80	0.13	ppbv		ND	4.0	ug/m3
124-48-1	Dibromochloromethane	ND	0.80	0.21	ppbv		ND	6.8	ug/m3
156-60-5	trans-1,2-Dichloroethylene	ND	0.80	0.28	ppbv		ND	3.2	ug/m3
156-59-2	cis-1,2-Dichloroethylene	ND	0.80	0.31	ppbv		ND	3.2	ug/m3
10061-01-5	cis-1,3-Dichloropropene	ND	0.80	0.25	ppbv		ND	3.6	ug/m3
541-73-1	m-Dichlorobenzene	ND	0.80	0.16	ppbv		ND	4.8	ug/m3
95-50-1	o-Dichlorobenzene	ND	0.80	0.62	ppbv		ND	4.8	ug/m3
106-46-7	p-Dichlorobenzene	ND	0.80	0.76	ppbv		ND	4.8	ug/m3
10061-02-6	trans-1,3-Dichloropropene	ND	0.80	0.40	ppbv		ND	3.6	ug/m3
64-17-5	Ethanol	ND	2.0	1.6	ppbv		ND	3.8	ug/m3
100-41-4	Ethylbenzene	ND	0.80	0.24	ppbv		ND	3.5	ug/m3
141-78-6	Ethyl Acetate	ND	0.80	0.42	ppbv		ND	2.9	ug/m3
622-96-8	4-Ethyltoluene	ND	0.80	0.38	ppbv		ND	3.9	ug/m3

Summa Cleaning Certification

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2679-SCC	2W60345.D	1	07/06/22	TCH	n/a	n/a	V2W2679

The QC reported here (Summa A1381) applies to the following samples: **Method:** TO-15

Batch CP11792 cleaned 06/14/22: JD49030-1(A799), JD49030-2(A525)

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
76-13-1	Freon 113	ND	0.80	0.12	ppbv		ND	6.1	ug/m3
76-14-2	Freon 114	ND	0.80	0.20	ppbv		ND	5.6	ug/m3
142-82-5	Heptane	ND	0.80	0.37	ppbv		ND	3.3	ug/m3
87-68-3	Hexachlorobutadiene	ND	0.80	0.25	ppbv		ND	8.5	ug/m3
110-54-3	Hexane	ND	0.80	0.45	ppbv		ND	2.8	ug/m3
591-78-6	2-Hexanone	ND	0.80	0.58	ppbv		ND	3.3	ug/m3
67-63-0	Isopropyl Alcohol	ND	0.80	0.56	ppbv		ND	2.0	ug/m3
75-09-2	Methylene chloride	ND	0.80	0.22	ppbv		ND	2.8	ug/m3
78-93-3	Methyl ethyl ketone	ND	0.80	0.44	ppbv		ND	2.4	ug/m3
108-10-1	Methyl Isobutyl Ketone	ND	0.80	0.29	ppbv		ND	3.3	ug/m3
1634-04-4	Methyl Tert Butyl Ether	ND	0.80	0.32	ppbv		ND	2.9	ug/m3
80-62-6	Methylmethacrylate	ND	0.80	0.28	ppbv		ND	3.3	ug/m3
115-07-1	Propylene	ND	2.0	0.57	ppbv		ND	3.4	ug/m3
100-42-5	Styrene	ND	0.80	0.47	ppbv		ND	3.4	ug/m3
71-55-6	1,1,1-Trichloroethane	ND	0.80	0.15	ppbv		ND	4.4	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.80	0.19	ppbv		ND	5.5	ug/m3
79-00-5	1,1,2-Trichloroethane	ND	0.80	0.15	ppbv		ND	4.4	ug/m3
120-82-1	1,2,4-Trichlorobenzene	ND	0.80	0.48	ppbv		ND	5.9	ug/m3
95-63-6	1,2,4-Trimethylbenzene	ND	0.80	0.35	ppbv		ND	3.9	ug/m3
108-67-8	1,3,5-Trimethylbenzene	ND	0.80	0.32	ppbv		ND	3.9	ug/m3
540-84-1	2,2,4-Trimethylpentane	ND	0.80	0.38	ppbv		ND	3.7	ug/m3
75-65-0	Tertiary Butyl Alcohol	ND	0.80	0.37	ppbv		ND	2.4	ug/m3
127-18-4	Tetrachloroethylene	ND	0.16	0.056	ppbv		ND	1.1	ug/m3
109-99-9	Tetrahydrofuran	ND	0.80	0.36	ppbv		ND	2.4	ug/m3
108-88-3	Toluene	ND	0.80	0.23	ppbv		ND	3.0	ug/m3
79-01-6	Trichloroethylene	ND	0.16	0.076	ppbv		ND	0.86	ug/m3
75-69-4	Trichlorofluoromethane	ND	0.80	0.14	ppbv		ND	4.5	ug/m3
75-01-4	Vinyl chloride	ND	0.80	0.28	ppbv		ND	2.0	ug/m3
108-05-4	Vinyl Acetate	ND	0.80	0.45	ppbv		ND	2.8	ug/m3
	m,p-Xylene	ND	0.80	0.56	ppbv		ND	3.5	ug/m3
95-47-6	o-Xylene	ND	0.80	0.31	ppbv		ND	3.5	ug/m3
1330-20-7	Xylenes (total)	ND	0.80	0.31	ppbv		ND	3.5	ug/m3

Summa Cleaning Certification

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2679-SCC	2W60345.D	1	07/06/22	TCH	n/a	n/a	V2W2679

The QC reported here (Summa A1381) applies to the following samples: **Method:** TO-15

Batch CP11792 cleaned 06/14/22: JD49030-1(A799), JD49030-2(A525)

CAS No.	Surrogate Recoveries		Limits
460-00-4	4-Bromofluorobenzene	87%	65-128%

Instrument Performance Check (BFB)

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample:	V2W2640-BFB	**Injection Date:**	05/17/22
Lab File ID:	2W59350.D	**Injection Time:**	15:59
Instrument ID:	GCMS2W		

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	8.0 - 40.0% of mass 95	67301	20.7		Pass
75	30.0 - 66.0% of mass 95	161493	49.8		Pass
95	Base peak, 100% relative abundance	324459	100.0		Pass
96	5.0 - 9.0% of mass 95	20840	6.42		Pass
173	Less than 2.0% of mass 174	0	0.00	(0.00) [a]	Pass
174	50.0 - 120.0% of mass 95	266091	82.0		Pass
175	4.0 - 9.01% of mass 174	18581	5.73	(6.98) [a]	Pass
176	93.0 - 101.0% of mass 174	251008	77.4	(94.3) [a]	Pass
177	5.0 - 9.0% of mass 176	16071	4.95	(6.40) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V2W2640-IC2640	2W59351.D	05/17/22	16:34	00:35	Initial cal 0.04
V2W2640-IC2640	2W59352.D	05/17/22	17:10	01:11	Initial cal 0.1
V2W2640-IC2640	2W59353.D	05/17/22	17:47	01:48	Initial cal 0.2
V2W2640-IC2640	2W59354.D	05/17/22	18:26	02:27	Initial cal 0.5
V2W2640-IC2640	2W59355.D	05/17/22	19:02	03:03	Initial cal 5
V2W2640-ICC2640	2W59356.D	05/17/22	19:39	03:40	Initial cal 10
V2W2640-IC2640	2W59357.D	05/17/22	20:17	04:18	Initial cal 20
V2W2640-IC2640	2W59358.D	05/17/22	21:00	05:01	Initial cal 40
V2W2640-IC2640	2W59359.D	05/17/22	21:44	05:45	Initial cal 50
V2W2640-ICV2640	2W59370.D	05/18/22	15:24	23:25	Initial cal verification 10

Instrument Performance Check (BFB)

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample:	V2W2679-BFB	**Injection Date:**	07/06/22
Lab File ID:	2W60322.D	**Injection Time:**	08:05
Instrument ID:	GCMS2W		

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	8.0 - 40.0% of mass 95	62139	20.5		Pass
75	30.0 - 66.0% of mass 95	144960	47.9		Pass
95	Base peak, 100% relative abundance	302485	100.0		Pass
96	5.0 - 9.0% of mass 95	19397	6.41		Pass
173	Less than 2.0% of mass 174	1293	0.43	(0.51) [a]	Pass
174	50.0 - 120.0% of mass 95	252309	83.4		Pass
175	4.0 - 9.01% of mass 174	17861	5.90	(7.08) [a]	Pass
176	93.0 - 101.0% of mass 174	244843	80.9	(97.0) [a]	Pass
177	5.0 - 9.0% of mass 176	15727	5.20	(6.42) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V2W2679-CC2640	2W60323.D	07/06/22	08:43	00:38	Continuing cal 10
V2W2679-BS	2W60324.D	07/06/22	09:38	01:33	Blank Spike
V2W2679-BSD	2W60325.D	07/06/22	10:15	02:10	Blank Spike Duplicate
V2W2679-MB	2W60327.D	07/06/22	11:43	03:38	Method Blank
JD47781-1	2W60328.D	07/06/22	12:44	04:39	(used for QC only; not part of job JD49030)
JD47781-1DUP	2W60329.D	07/06/22	13:22	05:17	Duplicate
ZZZZZZ	2W60330.D	07/06/22	13:59	05:54	(unrelated sample)
ZZZZZZ	2W60331.D	07/06/22	14:43	06:38	(unrelated sample)
ZZZZZZ	2W60332.D	07/06/22	15:27	07:22	(unrelated sample)
ZZZZZZ	2W60333.D	07/06/22	16:11	08:06	(unrelated sample)
ZZZZZZ	2W60334.D	07/06/22	16:48	08:43	(unrelated sample)
ZZZZZZ	2W60335.D	07/06/22	17:26	09:21	(unrelated sample)
V2W2679-SCC	2W60337.D	07/06/22	18:46	10:41	Summa Cleaning Certification
V2W2679-SCC	2W60338.D	07/06/22	19:23	11:18	Summa Cleaning Certification
V2W2679-SCC	2W60340.D	07/06/22	20:37	12:32	Summa Cleaning Certification
V2W2679-SCC	2W60341.D	07/06/22	21:15	13:10	Summa Cleaning Certification
V2W2679-SCC	2W60343.D	07/06/22	22:30	14:25	Summa Cleaning Certification
V2W2679-SCC	2W60345.D	07/06/22	23:45	15:40	Summa Cleaning Certification
V2W2679-SCC	2W60346.D	07/07/22	00:22	16:17	Summa Cleaning Certification
V2W2679-SCC	2W60348.D	07/07/22	01:47	17:42	Summa Cleaning Certification
V2W2679-SCC	2W60349.D	07/07/22	02:30	18:25	Summa Cleaning Certification
V2W2679-SCC	2W60350.D	07/07/22	03:13	19:08	Summa Cleaning Certification
V2W2679-SCC	2W60351.D	07/07/22	03:56	19:51	Summa Cleaning Certification
V2W2679-SCC	2W60352.D	07/07/22	04:40	20:35	Summa Cleaning Certification

Instrument Performance Check (BFB)

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample: V3W3037-BFB
Lab File ID: 3W77136.D
Instrument ID: GCMS3W
Injection Date: 07/25/22
Injection Time: 08:57

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	8.0 - 40.0% of mass 95	25043	20.5		Pass
75	30.0 - 66.0% of mass 95	60651	49.7		Pass
95	Base peak, 100% relative abundance	122011	100.0		Pass
96	5.0 - 9.0% of mass 95	8304	6.81		Pass
173	Less than 2.0% of mass 174	0	0.00	(0.00) [a]	Pass
174	50.0 - 120.0% of mass 95	115725	94.8		Pass
175	4.0 - 9.01% of mass 174	8850	7.25	(7.65) [a]	Pass
176	93.0 - 101.0% of mass 174	112181	91.9	(96.9) [a]	Pass
177	5.0 - 9.0% of mass 176	7507	6.15	(6.69) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V3W3037-IC3037	3W77138.D	07/25/22	10:25	01:28	Initial cal 0.04
V3W3037-IC3037	3W77139.D	07/25/22	11:04	02:07	Initial cal 0.1
V3W3037-IC3037	3W77140.D	07/25/22	11:43	02:46	Initial cal 0.2
V3W3037-IC3037	3W77142.D	07/25/22	14:31	05:34	Initial cal 5
V3W3037-ICC3037	3W77143.D	07/25/22	15:51	06:54	Initial cal 10
V3W3037-IC3037	3W77144.D	07/25/22	16:32	07:35	Initial cal 20
V3W3037-IC3037	3W77145.D	07/25/22	17:17	08:20	Initial cal 40
V3W3037-IC3037	3W77146.D	07/25/22	18:05	09:08	Initial cal 50

Instrument Performance Check (BFB)

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample:	V3W3037-BFB	**Injection Date:**	07/26/22
Lab File ID:	3W77154.D	**Injection Time:**	08:58
Instrument ID:	GCMS3W		

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	8.0 - 40.0% of mass 95	21392	21.1		Pass
75	30.0 - 66.0% of mass 95	51243	50.5		Pass
95	Base peak, 100% relative abundance	101501	100.0		Pass
96	5.0 - 9.0% of mass 95	6829	6.73		Pass
173	Less than 2.0% of mass 174	0	0.00	(0.00) [a]	Pass
174	50.0 - 120.0% of mass 95	92240	90.9		Pass
175	4.0 - 9.01% of mass 174	7315	7.21	(7.93) [a]	Pass
176	93.0 - 101.0% of mass 174	89637	88.3	(97.2) [a]	Pass
177	5.0 - 9.0% of mass 176	6146	6.06	(6.86) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V3W3037-IC3037	3W77155.D	07/26/22	09:36	00:38	Initial cal 0.5
V3W3037-ICV3037	3W77157.D	07/26/22	11:25	02:27	Initial cal verification 10

Instrument Performance Check (BFB)

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample:	V3W3043-BFB	**Injection Date:**	08/02/22
Lab File ID:	3W77314.D	**Injection Time:**	09:40
Instrument ID:	GCMS3W		

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	8.0 - 40.0% of mass 95	23645	19.8		Pass
75	30.0 - 66.0% of mass 95	61899	51.8		Pass
95	Base peak, 100% relative abundance	119603	100.0		Pass
96	5.0 - 9.0% of mass 95	7755	6.48		Pass
173	Less than 2.0% of mass 174	0	0.00	(0.00) [a]	Pass
174	50.0 - 120.0% of mass 95	118133	98.8		Pass
175	4.0 - 9.01% of mass 174	9243	7.73	(7.82) [a]	Pass
176	93.0 - 101.0% of mass 174	116272	97.2	(98.4) [a]	Pass
177	5.0 - 9.0% of mass 176	7822	6.54	(6.73) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V3W3043-CC3037	3W77315.D	08/02/22	10:20	00:40	Continuing cal 10
V3W3043-BS	3W77316.D	08/02/22	11:02	01:22	Blank Spike
V3W3043-BSD	3W77317.D	08/02/22	11:43	02:03	Blank Spike Duplicate
V3W3043-MB	3W77319.D	08/02/22	13:12	03:32	Method Blank
JD49030-1	3W77320.D	08/02/22	14:05	04:25	VINF
JD49030-1DUP	3W77321.D	08/02/22	14:46	05:06	Duplicate
JD49030-2	3W77322.D	08/02/22	15:25	05:45	VPOST GAC
ZZZZZZ	3W77323.D	08/02/22	16:05	06:25	(unrelated sample)
ZZZZZZ	3W77324.D	08/02/22	16:44	07:04	(unrelated sample)
ZZZZZZ	3W77325.D	08/02/22	17:23	07:43	(unrelated sample)
ZZZZZZ	3W77326.D	08/02/22	18:01	08:21	(unrelated sample)
ZZZZZZ	3W77327.D	08/02/22	18:41	09:01	(unrelated sample)
ZZZZZZ	3W77329.D	08/02/22	20:12	10:32	(unrelated sample)
ZZZZZZ	3W77330.D	08/02/22	20:58	11:18	(unrelated sample)
ZZZZZZ	3W77331.D	08/02/22	21:38	11:58	(unrelated sample)
ZZZZZZ	3W77332.D	08/02/22	22:18	12:38	(unrelated sample)
ZZZZZZ	3W77333.D	08/02/22	23:02	13:22	(unrelated sample)
ZZZZZZ	3W77334.D	08/02/22	23:47	14:07	(unrelated sample)
ZZZZZZ	3W77335.D	08/03/22	00:33	14:53	(unrelated sample)
ZZZZZZ	3W77336.D	08/03/22	01:18	15:38	(unrelated sample)
ZZZZZZ	3W77337.D	08/03/22	02:03	16:23	(unrelated sample)
ZZZZZZ	3W77338.D	08/03/22	02:49	17:09	(unrelated sample)
ZZZZZZ	3W77339.D	08/03/22	03:35	17:55	(unrelated sample)
ZZZZZZ	3W77340.D	08/03/22	04:20	18:40	(unrelated sample)

Instrument Performance Check (BFB)

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample:	V3W3043-BFB	**Injection Date:**	08/02/22
Lab File ID:	3W77314.D	**Injection Time:**	09:40
Instrument ID:	GCMS3W		

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V3W3043-SCC	3W77343.D	08/03/22	06:37	20:57	Summa Cleaning Certification
V3W3043-SCC	3W77344.D	08/03/22	07:23	21:43	Summa Cleaning Certification
V3W3043-SCC	3W77345.D	08/03/22	08:09	22:29	Summa Cleaning Certification

Instrument Performance Check (BFB)

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample:	V3W3044-BFB	**Injection Date:**	08/03/22
Lab File ID:	3W77346.D	**Injection Time:**	09:27
Instrument ID:	GCMS3W		

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	8.0 - 40.0% of mass 95	24208	21.7		Pass
75	30.0 - 66.0% of mass 95	60317	54.1		Pass
95	Base peak, 100% relative abundance	111453	100.0		Pass
96	5.0 - 9.0% of mass 95	7680	6.89		Pass
173	Less than 2.0% of mass 174	0	0.00	(0.00) [a]	Pass
174	50.0 - 120.0% of mass 95	116875	104.9		Pass
175	4.0 - 9.01% of mass 174	9406	8.44	(8.05) [a]	Pass
176	93.0 - 101.0% of mass 174	114531	102.8	(98.0) [a]	Pass
177	5.0 - 9.0% of mass 176	7811	7.01	(6.82) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V3W3044-CC3037	3W77347.D	08/03/22	10:07	00:40	Continuing cal 10
V3W3044-BS	3W77348.D	08/03/22	10:49	01:22	Blank Spike
V3W3044-BSD	3W77349.D	08/03/22	11:29	02:02	Blank Spike Duplicate
V3W3044-MB	3W77351.D	08/03/22	12:57	03:30	Method Blank
JD49030-1	3W77352.D	08/03/22	13:48	04:21	VINF
ZZZZZZ	3W77353.D	08/03/22	14:33	05:06	(unrelated sample)
ZZZZZZ	3W77354.D	08/03/22	15:13	05:46	(unrelated sample)
ZZZZZZ	3W77355.D	08/03/22	15:53	06:26	(unrelated sample)
ZZZZZZ	3W77356.D	08/03/22	16:33	07:06	(unrelated sample)
JD49249-3	3W77357.D	08/03/22	17:18	07:51	(used for QC only; not part of job JD49030)
JD49249-3DUP	3W77358.D	08/03/22	18:03	08:36	Duplicate
ZZZZZZ	3W77360.D	08/03/22	19:36	10:09	(unrelated sample)
ZZZZZZ	3W77361.D	08/03/22	20:21	10:54	(unrelated sample)
ZZZZZZ	3W77362.D	08/03/22	21:01	11:34	(unrelated sample)
ZZZZZZ	3W77363.D	08/03/22	21:46	12:19	(unrelated sample)
ZZZZZZ	3W77364.D	08/03/22	22:31	13:04	(unrelated sample)
ZZZZZZ	3W77365.D	08/03/22	23:12	13:45	(unrelated sample)
ZZZZZZ	3W77366.D	08/03/22	23:52	14:25	(unrelated sample)
ZZZZZZ	3W77367.D	08/04/22	00:32	15:05	(unrelated sample)
ZZZZZZ	3W77368.D	08/04/22	01:12	15:45	(unrelated sample)
ZZZZZZ	3W77369.D	08/04/22	01:51	16:24	(unrelated sample)
ZZZZZZ	3W77370.D	08/04/22	02:31	17:04	(unrelated sample)
ZZZZZZ	3W77371.D	08/04/22	03:11	17:44	(unrelated sample)
ZZZZZZ	3W77372.D	08/04/22	03:49	18:22	(unrelated sample)

Instrument Performance Check (BFB)

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Sample:	V3W3044-BFB	**Injection Date:**	08/03/22
Lab File ID:	3W77346.D	**Injection Time:**	09:27
Instrument ID:	GCMS3W		

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V3W3044-SCC	3W77375.D	08/04/22	06:05	20:38	Summa Cleaning Certification

Surrogate Recovery Summary

Job Number: JD49030
Account: ESCVAR WSP Environment & Energy
Project: Former Ithaca Power Transmission, Ithaca, NY

Method: TO-15 **Matrix:** AIR

Samples and QC shown here apply to the above method

Lab Sample ID	Lab File ID	S1
JD49030-1	3W77352.D	90
JD49030-1	3W77320.D	97
JD49030-2	3W77322.D	101
JD49030-1DUP	3W77321.D	99
JD49249-3DUP	3W77358.D	105
V2W2679-SCC	2W60345.D	87
V3W3043-BS	3W77316.D	103
V3W3043-BSD	3W77317.D	106
V3W3043-MB	3W77319.D	106
V3W3044-BS	3W77348.D	100
V3W3044-BSD	3W77349.D	100
V3W3044-MB	3W77351.D	99
V2W2679-BS	2W60324.D	101
V2W2679-BSD	2W60325.D	103
V2W2679-MB	2W60327.D	89

Surrogate Compounds	Recovery Limits
S1 = 4-Bromofluorobenzene	65-128%

The results set forth herein are provided by SGS North America Inc.

e-Hardcopy 2.0
Automated Report

Technical Report for

WSP USA Environment & Infrastructure Inc

EPT, Ithaca, NY

31405608.00102LBR

SGS Job Number: JD54302

Sampling Date: 10/24/22



Report to:

WSP
13530 DULLES TECHNOLOGY DRIVE Suite 300
Herndon, VA 20171
Nathaniel.Winston@wsp.com; jeffrey.baker@wsp.com

ATTN: Nathaniel Winston

Total number of pages in report: **251**

Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

David Chastain
General Manager

Client Service contact: Tammy McCloskey 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, FL, IL, IN, KS, KY, LA, MA, MD, ME, MN, NC, OH VAP (CL0056), AK (UST-103), AZ (AZ0786), PA(68-00408), RI, SC, TX, UT, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of SGS.
Test results relate only to samples analyzed.

SGS is the sole authority for authorizing edits or modifications to this document.
Unauthorized modification of this report is strictly prohibited.
Review standard terms at: http://www.sgs.com/en/terms-and-conditions

Please share your ideas about how we can serve you better at:
EHS.US.CustomerCare@sgs.com

Sections: 1 2 3 4 5 6 7

Table of Contents

Section 1: Sample Summary **3**
Section 2: Case Narrative/Conformance Summary **4**
Section 3: Summary of Hits **6**
Section 4: Sample Results **7**
4.1: JD54302-1: WPOST GAC 8
4.2: JD54302-2: WMID GAC 10
4.3: JD54302-3: WAS 12
4.4: JD54302-4: WINF 14
4.5: JD54302-5: TRIP BLANK 16
Section 5: Misc. Forms **18**
5.1: Chain of Custody 19
5.2: Sample Tracking Chronicle 21
5.3: Internal Chain of Custody 22
Section 6: MS Volatiles - QC Data Summaries **23**
6.1: Method Blank Summary 24
6.2: Blank Spike Summary 28
6.3: Matrix Spike/Matrix Spike Duplicate Summary 32
6.4: Instrument Performance Checks (BFB) 36
6.5: Internal Standard Area Summaries 41
6.6: Surrogate Recovery Summaries 44
6.7: Initial and Continuing Calibration Summaries 45
6.8: Run Sequence Reports 73
Section 7: MS Volatiles - Raw Data **77**
7.1: Samples 78
7.2: Method Blanks 101
7.3: Blank Spikes 108
7.4: Matrix Spike/Matrix Spike Duplicates 116
7.5: Instrument Performance Checks (BFB) 138
7.6: Initial and Continuing Calibrations 146
7.7: Instrument Run Logs 243

SGS North America Inc.

Sample Summary

WSP USA Environment & Infrastructure Inc

Job No: JD54302

EPT, Ithaca, NY
Project No: 31405608.00102LBR

Sample Number	Collected Date	Time	By	Received	Matrix Code	Type	Client Sample ID
This report contains results reported as ND = Not detected. The following applies:							
Organics ND = Not detected above the MDL							
JD54302-1	10/24/22	11:15	NW	10/25/22	AQ	Ground Water	WPOST GAC
JD54302-2	10/24/22	11:20	NW	10/25/22	AQ	Ground Water	WMID GAC
JD54302-3	10/24/22	11:25	NW	10/25/22	AQ	Ground Water	WAS
JD54302-4	10/24/22	11:30	NW	10/25/22	AQ	Influent	WINF
JD54302-5	10/24/22	11:30	NW	10/25/22	AQ	Trip Blank Water	TRIP BLANK

CASE NARRATIVE / CONFORMANCE SUMMARY

Client:	WSP USA Environment & Infrastructure Inc	**Job No**	JD54302
Site:	EPT, Ithaca, NY	**Report Date**	11/2/2022 5:02:46 PM

On 10/25/2022, 4 Sample(s), 1 Trip Blank(s) and 0 Field Blank(s) were received at SGS North America Inc. at a maximum corrected temperature of 3.1 C. Samples were intact and chemically preserved, unless noted below. A SGS North America Inc. Job Number of JD54302 was assigned to the project. Laboratory sample ID, client sample ID and dates of sample collection are detailed in the report's Results Summary Section.

Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

Compounds qualified as out of range in the continuing calibration summary report are acceptable as per method requirements when there is a high bias but the sample result is non-detect.

MS Volatiles By Method SW846 8260D

Matrix: AQ **Batch ID:** V2A9619

- All samples were analyzed within the recommended method holding time.
- Sample(s) JD54302-4MS, JD54302-4MSD were used as the QC samples indicated.
- All method blanks for this batch meet method specific criteria.
- Matrix Spike Recovery(s) for cis-1,2-Dichloroethene, Trichloroethene are outside control limits. Outside control limits due to matrix interference.
- Matrix Spike Duplicate Recovery(s) for cis-1,2-Dichloroethene, Trichloroethene are outside control limits. Outside control limits due to matrix interference.
- JD54302-5 for Vinyl chloride: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD54302-5 for Methylcyclohexane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD54302-5 for Methyl Acetate: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD54302-5 for Chloromethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD54302-5 for Carbon disulfide: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD54302-1 for 2-Butanone (MEK): Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD54302-5 for 2-Butanone (MEK): Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD54302-1 for Acetone: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD54302-5 for 1,2-Dichloroethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD54302-5 for Acetone: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD54302-1 for Carbon disulfide: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD54302-1 for Chloromethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD54302-1 for Methyl Acetate: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD54302-1 for Methylcyclohexane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD54302-1 for Vinyl chloride: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

MS Volatiles By Method SW846 8260D

Matrix: AQ **Batch ID:** V2A9619

- JD54302-1 for 1,2-Dichloroethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

Matrix: AQ **Batch ID:** VL10552

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) JD54108-4MS, JD54108-4MSD were used as the QC samples indicated.
- JD54302-2 for Acetone: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD54302-3 for Acetone: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD54302-4 for Cyclohexane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD54302-3 for Dichlorodifluoromethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD54302-4 for Acetone: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD54302-4 for Bromomethane: Associated CCV outside of control limits high, sample was ND.
- JD54302-2 for Cyclohexane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD54302-2 for Dichlorodifluoromethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD54302-3 for Bromomethane: Associated CCV outside of control limits high, sample was ND.
- JD54302-2 for Bromomethane: Associated CCV outside of control limits high, sample was ND.
- JD54302-3 for Cyclohexane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD54302-4 for Dichlorodifluoromethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

SGS North America Inc. certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting the Quality System precision, accuracy and completeness objectives except as noted.

Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria.

SGS North America Inc. is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety. Data release is authorized by SGS North America Inc indicated via signature on the report cover

Summary of Hits

Job Number: JD54302
Account: WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Collected: 10/24/22

Lab Sample ID / Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
JD54302-1	**WPOST GAC**					
cis-1,2-Dichloroethene		3.0	1.0	0.51	ug/l	SW846 8260D
JD54302-2	**WMID GAC**					
Chloroform		0.56 J	1.0	0.50	ug/l	SW846 8260D
cis-1,2-Dichloroethene		8.1	1.0	0.51	ug/l	SW846 8260D
JD54302-3	**WAS**					
cis-1,2-Dichloroethene		2.4	1.0	0.51	ug/l	SW846 8260D
Trichloroethene		0.68 J	1.0	0.53	ug/l	SW846 8260D
JD54302-4	**WINF**					
cis-1,2-Dichloroethene		735	10	5.1	ug/l	SW846 8260D
trans-1,2-Dichloroethene		4.4	1.0	0.54	ug/l	SW846 8260D
Trichloroethene		421	10	5.3	ug/l	SW846 8260D
Vinyl chloride		5.7	1.0	0.52	ug/l	SW846 8260D
JD54302-5	**TRIP BLANK**					

No hits reported in this sample.

Sample Results

Report of Analysis

SGS North America Inc.

Report of Analysis

Client Sample ID:	WPOST GAC		
Lab Sample ID:	JD54302-1	**Date Sampled:**	10/24/22
Matrix:	AQ - Ground Water	**Date Received:**	10/25/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2A221308.D	1	10/28/22 08:44	NW	n/a	n/a	V2A9619
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone [a]	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK) [a]	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide [a]	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane [a]	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane [a]	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	3.0	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	WPOST GAC		
Lab Sample ID:	JD54302-1	**Date Sampled:**	10/24/22
Matrix:	AQ - Ground Water	**Date Received:**	10/25/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate [a]	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane [a]	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride [a]	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	95%		80-120%
17060-07-0	1,2-Dichloroethane-D4	86%		80-120%
2037-26-5	Toluene-D8	99%		80-120%
460-00-4	4-Bromofluorobenzene	95%		82-114%

(a) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	WMID GAC		
Lab Sample ID:	JD54302-2	**Date Sampled:**	10/24/22
Matrix:	AQ - Ground Water	**Date Received:**	10/25/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	L348816.D	1	10/29/22 17:24	BK	n/a	n/a	VL10552
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone [a]	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [b]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	0.56	1.0	0.50	ug/l	J
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane [a]	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane [a]	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	8.1	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	WMID GAC		
Lab Sample ID:	JD54302-2	**Date Sampled:**	10/24/22
Matrix:	AQ - Ground Water	**Date Received:**	10/25/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		80-120%
17060-07-0	1,2-Dichloroethane-D4	110%		80-120%
2037-26-5	Toluene-D8	105%		80-120%
460-00-4	4-Bromofluorobenzene	99%		82-114%

(a) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
(b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	WAS		
Lab Sample ID:	JD54302-3	**Date Sampled:**	10/24/22
Matrix:	AQ - Ground Water	**Date Received:**	10/25/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	L348817.D	1	10/29/22 17:48	BK	n/a	n/a	VL10552
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone [a]	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [b]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane [a]	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane [a]	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	2.4	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	WAS		
Lab Sample ID:	JD54302-3	**Date Sampled:**	10/24/22
Matrix:	AQ - Ground Water	**Date Received:**	10/25/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	0.68	1.0	0.53	ug/l	J
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		80-120%
17060-07-0	1,2-Dichloroethane-D4	108%		80-120%
2037-26-5	Toluene-D8	104%		80-120%
460-00-4	4-Bromofluorobenzene	99%		82-114%

(a) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
(b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	WINF		
Lab Sample ID:	JD54302-4	**Date Sampled:**	10/24/22
Matrix:	AQ - Influent	**Date Received:**	10/25/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	L348804.D	1	10/29/22 12:47	BK	n/a	n/a	VL10552
Run #2	2A221293.D	10	10/28/22 01:40	NW	n/a	n/a	V2A9619

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone [a]	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [b]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane [a]	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane [a]	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	735 [c]	10	5.1	ug/l	
156-60-5	trans-1,2-Dichloroethene	4.4	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	WINF		
Lab Sample ID:	JD54302-4	**Date Sampled:**	10/24/22
Matrix:	AQ - Influent	**Date Received:**	10/25/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	421 [c]	10	5.3	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	5.7	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%	98%	80-120%
17060-07-0	1,2-Dichloroethane-D4	107%	91%	80-120%
2037-26-5	Toluene-D8	103%	99%	80-120%
460-00-4	4-Bromofluorobenzene	98%	96%	82-114%

(a) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
(b) Associated CCV outside of control limits high, sample was ND.
(c) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	TRIP BLANK		
Lab Sample ID:	JD54302-5	**Date Sampled:**	10/24/22
Matrix:	AQ - Trip Blank Water	**Date Received:**	10/25/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2A221292.D	1	10/28/22 01:11	NW	n/a	n/a	V2A9619
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone [a]	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK) [a]	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide [a]	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane [a]	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane [a]	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TRIP BLANK		
Lab Sample ID:	JD54302-5	**Date Sampled:**	10/24/22
Matrix:	AQ - Trip Blank Water	**Date Received:**	10/25/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate [a]	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane [a]	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride [a]	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		80-120%
17060-07-0	1,2-Dichloroethane-D4	90%		80-120%
2037-26-5	Toluene-D8	99%		80-120%
460-00-4	4-Bromofluorobenzene	97%		82-114%

(a) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- Sample Tracking Chronicle
- Internal Chain of Custody

GW
TB

CHAIN OF CUSTODY

SGS North America Inc. - Dayton
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200
www.sgs.com/ehsusa

JD54302

Page 1 of 1

FED-EX Tracking #
Bottle Order Control # TS-112321-188
SGS Quote #
SGS Job #

Client / Reporting Information

Company Name: WSP USA
Street Address: 640 LaRiviere Dr
City: Buffalo State: NY Zip:
Project Contact: Jeffrey.Baker@wsp.com E-mail:
Phone #: 724-882-9723
Sampler(s) Name(s): Nate Winsted Phone #:

Project Information

Project Name: EPT, Ithaca, NY
Street: 1
City: Ithaca State: NY
Project #: 31405608.00107.WA
Client Purchase Order #:
Project Manager: Tammy McCloskey
Attention:

Billing Information (if different from Report to)

Company Name:
Street Address:
City: State: Zip:

Matrix Codes: DW - Drinking Water; GW - Ground Water; WW - Water; SW - Surface Water; SO - Soil; SL - Sludge; SED-Sediment; OI - Oil; LIQ - Other Liquid; AIR - Air; SOL - Other Solid; WP - Wipe; FB - Field Blank; EB-Equipment Blank; RB - Rinse Blank; TB - Trip Blank

SGS Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Grab (G) Comp (C)	Source Chlorinated (Y/N)	Matrix	# of bottles	HCl	NaOH	HNO_3	H_2SO_4	NONE	DI Water	MEOH	ENCORE	pH Check (Lab Use Only)	LAB USE ONLY
1	WPOST GAC		10/24/22	1115	NW	C	N	GW	3	X								X	V898
2	WMID GAC		"	1120	"	"	"	"	3	X								X	
3	WAS		"	1125	"	"	"	"	3	X								X	
4	WINF		"	1130	"	"	"	"	3	X								X	
5	TRIP BLANK		—	—	—	—	—	—	2	X								X	

WSP
EPT Ithaca, NY

TS-112321-188

Please place on the back of original (white copy of COC)
This will assist us in processing your samples
Thank You

Turn Around Time (Business Days)

Approved By (SGS PM) / Date:

- [ ] 10 Business Days
- [ ] 5 Business Days
- [ ] 3 Business Days*
- [ ] 2 Business Days*
- [ ] 1 Business Day*
- [x] Other 7-DAY

All data available via SGS Engage

* Approval needed for 1-3 BD TAT

Deliverable

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] NJ Reduced (Level 3)
- [ ] Full Tier I (Level 4)
- [ ] Commercial "C"
- [ ] NJ DKQP
- [x] NYASP Category A
- [ ] NYASP Category B
- [ ] MA MCP Criteria
- [ ] CT RCP Criteria
- [ ] State Forms
- [ ] EDD Format

Commercial "A" = Results only; Commercial "B" = Results + QC Summary
Commercial "C" = Results + QC Summary + Partial Raw data

http://www.sgs.com/en/terms-and-conditions

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by:	Date / Time:	Received By:
1		1500 10/24/22	1 Fedex
2	Fedex	10/25/22 9:30	2
3			3
4			4
5			5

Custody Seal # ☐ Intact ☐ Not intact ☐ Absent
Therm ID: 1C, 3A
On Ice ☐ See Sample Receipt Summary
Cooler Temp. °C

EHSA-QAC-0023-05 Rev.Date:8/5/22

Label Verification

3.1

SGS Sample Receipt Summary

Job Number: JD54302 **Client:** WSP **Project:** EPT, ITHACA, NY

Date / Time Received: 10/25/2022 9:30:00 AM **Delivery Method:** FEDEX **Airbill #'s:**

Cooler Temps (Raw Measured) °C: Cooler 1: (3.1);

Cooler Temps (Corrected) °C: Cooler 1: (3.1);

Cooler Security	Y	or	N		Y	or	N
1. Custody Seals Present:	☑		☐	3. COC Present:	☑		☐
2. Custody Seals Intact:	☑		☐	4. Smpl Dates/Time OK	☑		☐

Cooler Temperature	Y	or	N
1. Temp criteria achieved:	☑		☐
2. Cooler temp verification:			
3. Cooler media:	Ice (Bag)		
4. No. Coolers:	1		

Quality Control Preservation	Y	or	N	N/A
1. Trip Blank present / cooler:	☑		☐	☐
2. Trip Blank listed on COC:	☑		☐	☐
3. Samples preserved properly:	☑		☐	
4. VOCs headspace free:	☑		☐	☐

Sample Integrity - Documentation	Y	or	N
1. Sample labels present on bottles:	☑		☐
2. Container labeling complete:	☑		☐
3. Sample container label / COC agree:	☑		☐

Sample Integrity - Condition	Y	or	N
1. Sample recvd within HT:	☑		☐
2. All containers accounted for:	☑		☐
3. Condition of sample:	Intact		

Sample Integrity - Instructions	Y	or	N	N/A
1. Analysis requested is clear:	☑		☐	
2. Bottles received for unspecified tests	☐		☑	
3. Sufficient volume recvd for analysis:	☑		☐	
4. Compositing instructions clear:	☐		☐	☑
5. Filtering instructions clear:	☐		☐	☑

Test Strip Lot #s: pH 1-12: 231619 pH 12+: 203117A Other: (Specify)

Comments

SM089-03
Rev. Date 12/7/17

Internal Sample Tracking Chronicle

WSP USA Environment & Infrastructure Inc

Job No: JD54302

EPT, Ithaca, NY
Project No: 31405608.00102LBR

Sample Number	Method	Analyzed	By	Prepped	By	Test Codes
JD54302-1	Collected: 24-OCT-22 11:15 By: NW		Received: 25-OCT-22 By: KG			
WPOST GAC						
JD54302-1	SW846 8260D	28-OCT-22 08:44	NW			V8260TCL42
JD54302-2	Collected: 24-OCT-22 11:20 By: NW		Received: 25-OCT-22 By: KG			
WMID GAC						
JD54302-2	SW846 8260D	29-OCT-22 17:24	BK			V8260TCL42
JD54302-3	Collected: 24-OCT-22 11:25 By: NW		Received: 25-OCT-22 By: KG			
WAS						
JD54302-3	SW846 8260D	29-OCT-22 17:48	BK			V8260TCL42
JD54302-4	Collected: 24-OCT-22 11:30 By: NW		Received: 25-OCT-22 By: KG			
WINF						
JD54302-4	SW846 8260D	28-OCT-22 01:40	NW			V8260TCL42
JD54302-4	SW846 8260D	29-OCT-22 12:47	BK			V8260TCL42
JD54302-5	Collected: 24-OCT-22 11:30 By: NW		Received: 25-OCT-22 By: KG			
TRIP BLANK						
JD54302-5	SW846 8260D	28-OCT-22 01:11	NW			V8260TCL42

SGS Internal Chain of Custody

Job Number: JD54302
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Received: 10/25/22

Sample.Bottle Number	Transfer FROM	Transfer TO	Date/Time	Reason
JD54302-1.2	Nicholas Weigand	GCMS2A	10/27/22 17:02	Load on Instrument
JD54302-1.2	GCMS2A	Nicholas Weigand	10/31/22 17:36	Unload from Instrument
JD54302-1.2	Nicholas Weigand	Secured Storage	10/31/22 17:36	Return to Storage
JD54302-2.2	Nicholas Weigand	GCMS2A	10/27/22 17:02	Load on Instrument
JD54302-2.2	GCMS2A	Nicholas Weigand	10/31/22 17:36	Unload from Instrument
JD54302-2.2	Nicholas Weigand	Secured Storage	10/31/22 17:36	Return to Storage
JD54302-3.2	Nicholas Weigand	GCMS2A	10/27/22 17:02	Load on Instrument
JD54302-3.2	GCMS2A	Nicholas Weigand	10/31/22 17:36	Unload from Instrument
JD54302-3.2	Nicholas Weigand	Secured Storage	10/31/22 17:36	Return to Storage
JD54302-4.1	Secured Storage	Bridget Kelly	10/29/22 13:32	Retrieve from Storage
JD54302-4.1	Bridget Kelly	GCMSL	10/29/22 13:32	Load on Instrument
JD54302-4.1	GCMSL	Nicole Hornlien	11/01/22 11:11	Unload from Instrument
JD54302-4.1	Nicole Hornlien	Secured Storage	11/01/22 11:11	Return to Storage
JD54302-4.2	Nicholas Weigand	GCMS2A	10/27/22 17:02	Load on Instrument
JD54302-4.2	GCMS2A	Nicholas Weigand	10/31/22 17:36	Unload from Instrument
JD54302-4.2	Nicholas Weigand	Secured Storage	10/31/22 17:36	Return to Storage
JD54302-5.2	Nicholas Weigand	GCMS2A	10/27/22 17:02	Load on Instrument
JD54302-5.2	GCMS2A	Nicholas Weigand	10/31/22 17:36	Unload from Instrument
JD54302-5.2	Nicholas Weigand	Secured Storage	10/31/22 17:36	Return to Storage

MS Volatiles

6

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries
- Instrument Performance Checks (BFB)
- Internal Standard Area Summaries
- Surrogate Recovery Summaries
- Initial and Continuing Calibration Summaries
- Run Sequence Reports

Method Blank Summary

Job Number: JD54302
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2A9619-MB	2A221291.D	1	10/28/22	NW	n/a	n/a	V2A9619

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD54302-1, JD54302-4, JD54302-5

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	

Method Blank Summary

Job Number: JD54302
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2A9619-MB	2A221291.D	1	10/28/22	NW	n/a	n/a	V2A9619

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD54302-1, JD54302-4, JD54302-5

CAS No.	Compound	Result	RL	MDL	Units	Q
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries		Limits
1868-53-7	Dibromofluoromethane	97%	80-120%
17060-07-0	1,2-Dichloroethane-D4	90%	80-120%
2037-26-5	Toluene-D8	100%	80-120%
460-00-4	4-Bromofluorobenzene	95%	82-114%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

Method Blank Summary

Job Number: JD54302
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL10552-MB	L348803.D	1	10/29/22	BK	n/a	n/a	VL10552

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD54302-2, JD54302-3, JD54302-4

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	

Method Blank Summary

Job Number: JD54302
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL10552-MB	L348803.D	1	10/29/22	BK	n/a	n/a	VL10552

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD54302-2, JD54302-3, JD54302-4

CAS No.	Compound	Result	RL	MDL	Units	Q
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries		Limits
1868-53-7	Dibromofluoromethane	98%	80-120%
17060-07-0	1,2-Dichloroethane-D4	107%	80-120%
2037-26-5	Toluene-D8	107%	80-120%
460-00-4	4-Bromofluorobenzene	100%	82-114%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

Blank Spike Summary

Job Number: JD54302
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2A9619-BS	2A221289.D	1	10/27/22	NW	n/a	n/a	V2A9619

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD54302-1, JD54302-4, JD54302-5

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
67-64-1	Acetone	200	94.7	47	27-175
71-43-2	Benzene	50	43.3	87	80-115
75-27-4	Bromodichloromethane	50	44.8	90	82-119
75-25-2	Bromoform	50	59.1	118	77-135
74-83-9	Bromomethane	50	42.2	84	40-162
78-93-3	2-Butanone (MEK)	200	152	76	61-150
75-15-0	Carbon disulfide	50	40.0	80	64-130
56-23-5	Carbon tetrachloride	50	45.3	91	75-127
108-90-7	Chlorobenzene	50	47.3	95	80-115
75-00-3	Chloroethane	50	42.7	85	56-144
67-66-3	Chloroform	50	41.5	83	75-116
74-87-3	Chloromethane	50	25.5	51	41-153
110-82-7	Cyclohexane	50	41.6	83	66-129
96-12-8	1,2-Dibromo-3-chloropropane	50	57.5	115	69-134
124-48-1	Dibromochloromethane	50	54.2	108	81-123
106-93-4	1,2-Dibromoethane	50	52.1	104	67-138
95-50-1	1,2-Dichlorobenzene	50	46.8	94	81-117
541-73-1	1,3-Dichlorobenzene	50	45.6	91	81-115
106-46-7	1,4-Dichlorobenzene	50	45.7	91	80-114
75-71-8	Dichlorodifluoromethane	50	46.4	93	43-152
75-34-3	1,1-Dichloroethane	50	41.4	83	75-125
107-06-2	1,2-Dichloroethane	50	39.0	78	73-117
75-35-4	1,1-Dichloroethene	50	42.4	85	70-124
156-59-2	cis-1,2-Dichloroethene	50	43.3	87	80-120
156-60-5	trans-1,2-Dichloroethene	50	41.9	84	77-121
78-87-5	1,2-Dichloropropane	50	43.3	87	79-121
10061-01-5	cis-1,3-Dichloropropene	50	42.4	85	83-123
10061-02-6	trans-1,3-Dichloropropene	50	47.1	94	83-122
100-41-4	Ethylbenzene	50	44.1	88	78-116
76-13-1	Freon 113	50	43.5	87	68-134
591-78-6	2-Hexanone	200	169	85	66-136
98-82-8	Isopropylbenzene	50	44.0	88	78-121
79-20-9	Methyl Acetate	50	39.0	78	60-143
108-87-2	Methylcyclohexane	50	40.7	81	71-123
1634-04-4	Methyl Tert Butyl Ether	50	43.5	87	76-123
108-10-1	4-Methyl-2-pentanone(MIBK)	200	179	90	73-134

* = Outside of Control Limits.

Blank Spike Summary

Job Number: JD54302
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2A9619-BS	2A221289.D	1	10/27/22	NW	n/a	n/a	V2A9619

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD54302-1, JD54302-4, JD54302-5

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
75-09-2	Methylene chloride	50	42.9	86	73-123
100-42-5	Styrene	50	46.9	94	81-125
79-34-5	1,1,2,2-Tetrachloroethane	50	47.8	96	73-126
127-18-4	Tetrachloroethene	50	47.9	96	73-119
108-88-3	Toluene	50	46.3	93	79-116
120-82-1	1,2,4-Trichlorobenzene	50	53.3	107	68-135
71-55-6	1,1,1-Trichloroethane	50	43.6	87	76-124
79-00-5	1,1,2-Trichloroethane	50	49.5	99	83-117
79-01-6	Trichloroethene	50	43.8	88	80-118
75-69-4	Trichlorofluoromethane	50	46.1	92	67-134
75-01-4	Vinyl chloride	50	29.0	58	52-146
1330-20-7	Xylene (total)	150	136	91	80-119

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	98%	80-120%
17060-07-0	1,2-Dichloroethane-D4	87%	80-120%
2037-26-5	Toluene-D8	102%	80-120%
460-00-4	4-Bromofluorobenzene	94%	82-114%

* = Outside of Control Limits.

Blank Spike Summary

Job Number: JD54302
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL10552-BS	L348801.D	1	10/29/22	BK	n/a	n/a	VL10552

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD54302-2, JD54302-3, JD54302-4

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
67-64-1	Acetone	200	164	82	27-175
71-43-2	Benzene	50	42.7	85	80-115
75-27-4	Bromodichloromethane	50	45.2	90	82-119
75-25-2	Bromoform	50	42.2	84	77-135
74-83-9	Bromomethane	50	60.2	120	40-162
78-93-3	2-Butanone (MEK)	200	176	88	61-150
75-15-0	Carbon disulfide	50	42.4	85	64-130
56-23-5	Carbon tetrachloride	50	42.4	85	75-127
108-90-7	Chlorobenzene	50	43.8	88	80-115
75-00-3	Chloroethane	50	42.7	85	56-144
67-66-3	Chloroform	50	42.9	86	75-116
74-87-3	Chloromethane	50	42.7	85	41-153
110-82-7	Cyclohexane	50	37.8	76	66-129
96-12-8	1,2-Dibromo-3-chloropropane	50	46.7	93	69-134
124-48-1	Dibromochloromethane	50	43.3	87	81-123
106-93-4	1,2-Dibromoethane	50	45.5	91	67-138
95-50-1	1,2-Dichlorobenzene	50	45.9	92	81-117
541-73-1	1,3-Dichlorobenzene	50	46.6	93	81-115
106-46-7	1,4-Dichlorobenzene	50	45.6	91	80-114
75-71-8	Dichlorodifluoromethane	50	42.0	84	43-152
75-34-3	1,1-Dichloroethane	50	44.9	90	75-125
107-06-2	1,2-Dichloroethane	50	45.8	92	73-117
75-35-4	1,1-Dichloroethene	50	44.3	89	70-124
156-59-2	cis-1,2-Dichloroethene	50	43.4	87	80-120
156-60-5	trans-1,2-Dichloroethene	50	43.8	88	77-121
78-87-5	1,2-Dichloropropane	50	43.3	87	79-121
10061-01-5	cis-1,3-Dichloropropene	50	45.2	90	83-123
10061-02-6	trans-1,3-Dichloropropene	50	43.8	88	83-122
100-41-4	Ethylbenzene	50	40.3	81	78-116
76-13-1	Freon 113	50	45.4	91	68-134
591-78-6	2-Hexanone	200	164	82	66-136
98-82-8	Isopropylbenzene	50	42.5	85	78-121
79-20-9	Methyl Acetate	50	46.5	93	60-143
108-87-2	Methylcyclohexane	50	43.6	87	71-123
1634-04-4	Methyl Tert Butyl Ether	50	48.3	97	76-123
108-10-1	4-Methyl-2-pentanone(MIBK)	200	176	88	73-134

* = Outside of Control Limits.

Blank Spike Summary

Job Number: JD54302
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL10552-BS	L348801.D	1	10/29/22	BK	n/a	n/a	VL10552

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD54302-2, JD54302-3, JD54302-4

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
75-09-2	Methylene chloride	50	45.1	90	73-123
100-42-5	Styrene	50	42.4	85	81-125
79-34-5	1,1,2,2-Tetrachloroethane	50	46.6	93	73-126
127-18-4	Tetrachloroethene	50	42.9	86	73-119
108-88-3	Toluene	50	41.8	84	79-116
120-82-1	1,2,4-Trichlorobenzene	50	52.4	105	68-135
71-55-6	1,1,1-Trichloroethane	50	43.8	88	76-124
79-00-5	1,1,2-Trichloroethane	50	45.6	91	83-117
79-01-6	Trichloroethene	50	44.8	90	80-118
75-69-4	Trichlorofluoromethane	50	44.9	90	67-134
75-01-4	Vinyl chloride	50	42.5	85	52-146
1330-20-7	Xylene (total)	150	126	84	80-119

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	98%	80-120%
17060-07-0	1,2-Dichloroethane-D4	100%	80-120%
2037-26-5	Toluene-D8	95%	80-120%
460-00-4	4-Bromofluorobenzene	103%	82-114%

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: JD54302
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD54302-4MS	2A221296.D	10	10/28/22	NW	n/a	n/a	V2A9619
JD54302-4MSD	2A221297.D	10	10/28/22	NW	n/a	n/a	V2A9619
JD54302-4	2A221293.D	10	10/28/22	NW	n/a	n/a	V2A9619

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD54302-1, JD54302-4, JD54302-5

CAS No.	Compound	JD54302-4 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	ND		2000	826	41	2000	821	41	1	22-134/19
71-43-2	Benzene	ND		500	395	79	500	404	81	2	49-137/12
75-27-4	Bromodichloromethane	ND		500	425	85	500	429	86	1	76-121/12
75-25-2	Bromoform	ND		500	568	114	500	592	118	4	70-133/13
74-83-9	Bromomethane	ND		500	385	77	500	385	77	0	27-164/38
78-93-3	2-Butanone (MEK)	ND		2000	1460	73	2000	1480	74	1	52-137/17
75-15-0	Carbon disulfide	ND		500	354	71	500	358	72	1	54-136/16
56-23-5	Carbon tetrachloride	ND		500	416	83	500	414	83	0	70-132/13
108-90-7	Chlorobenzene	ND		500	449	90	500	462	92	3	68-123/12
75-00-3	Chloroethane	ND		500	398	80	500	401	80	1	48-152/17
67-66-3	Chloroform	ND		500	386	77	500	382	76	1	68-120/13
74-87-3	Chloromethane	ND		500	233	47	500	226	45	3	35-156/18
110-82-7	Cyclohexane	ND		500	395	79	500	392	78	1	53-146/14
96-12-8	1,2-Dibromo-3-chloropropane	ND		500	565	113	500	586	117	4	63-134/16
124-48-1	Dibromochloromethane	ND		500	527	105	500	539	108	2	75-122/12
106-93-4	1,2-Dibromoethane	ND		500	491	98	500	507	101	3	63-134/12
95-50-1	1,2-Dichlorobenzene	ND		500	456	91	500	465	93	2	74-119/12
541-73-1	1,3-Dichlorobenzene	ND		500	436	87	500	449	90	3	75-117/12
106-46-7	1,4-Dichlorobenzene	ND		500	438	88	500	445	89	2	72-117/12
75-71-8	Dichlorodifluoromethane	ND		500	441	88	500	434	87	2	34-163/16
75-34-3	1,1-Dichloroethane	ND		500	377	75	500	375	75	1	68-129/13
107-06-2	1,2-Dichloroethane	ND		500	364	73	500	363	73	0	66-120/13
75-35-4	1,1-Dichloroethene	ND		500	372	74	500	378	76	2	59-133/15
156-59-2	cis-1,2-Dichloroethene	735		500	1030	206* [a]	500	1020	204* [a]	1	52-140/12
156-60-5	trans-1,2-Dichloroethene	9.7	J	500	380	76	500	388	78	2	70-125/13
78-87-5	1,2-Dichloropropane	ND		500	405	81	500	412	82	2	73-124/12
10061-01-5	cis-1,3-Dichloropropene	ND		500	409	82	500	413	83	1	75-125/13
10061-02-6	trans-1,3-Dichloropropene	ND		500	442	88	500	451	90	2	75-122/12
100-41-4	Ethylbenzene	ND		500	410	82	500	426	85	4	37-144/12
76-13-1	Freon 113	ND		500	391	78	500	395	79	1	61-142/14
591-78-6	2-Hexanone	ND		2000	1680	84	2000	1720	86	2	56-132/16
98-82-8	Isopropylbenzene	ND		500	417	83	500	429	86	3	71-126/13
79-20-9	Methyl Acetate	ND		500	357	71	500	353	71	1	51-139/18
108-87-2	Methylcyclohexane	ND		500	361	72	500	373	75	3	59-137/16
1634-04-4	Methyl Tert Butyl Ether	ND		500	405	81	500	405	81	0	66-124/12
108-10-1	4-Methyl-2-pentanone(MIBK)	ND		2000	1770	89	2000	1780	89	1	65-135/14

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: JD54302
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD54302-4MS	2A221296.D	10	10/28/22	NW	n/a	n/a	V2A9619
JD54302-4MSD	2A221297.D	10	10/28/22	NW	n/a	n/a	V2A9619
JD54302-4	2A221293.D	10	10/28/22	NW	n/a	n/a	V2A9619

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD54302-1, JD54302-4, JD54302-5

CAS No.	Compound	JD54302-4 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
75-09-2	Methylene chloride	ND		500	399	80	500	399	80	0	66-125/14
100-42-5	Styrene	ND		500	447	89	500	462	92	3	71-133/12
79-34-5	1,1,2,2-Tetrachloroethane	ND		500	470	94	500	490	98	4	68-127/14
127-18-4	Tetrachloroethene	ND		500	435	87	500	458	92	5	58-132/13
108-88-3	Toluene	ND		500	430	86	500	442	88	3	46-139/12
120-82-1	1,2,4-Trichlorobenzene	ND		500	504	101	500	529	106	5	61-137/16
71-55-6	1,1,1-Trichloroethane	ND		500	397	79	500	397	79	0	67-132/13
79-00-5	1,1,2-Trichloroethane	ND		500	475	95	500	488	98	3	75-120/12
79-01-6	Trichloroethene	421		500	746	149* [a]	500	751	150* [a]	1	56-136/12
75-69-4	Trichlorofluoromethane	ND		500	430	86	500	433	87	1	61-145/16
75-01-4	Vinyl chloride	ND		500	267	53	500	266	53	0	41-156/16
1330-20-7	Xylene (total)	ND		1500	1280	85	1500	1310	87	2	38-147/12

CAS No.	Surrogate Recoveries	MS	MSD	JD54302-4	Limits
1868-53-7	Dibromofluoromethane	98%	97%	98%	80-120%
17060-07-0	1,2-Dichloroethane-D4	86%	86%	91%	80-120%
2037-26-5	Toluene-D8	101%	101%	99%	80-120%
460-00-4	4-Bromofluorobenzene	94%	95%	96%	82-114%

(a) Outside control limits due to matrix interference.

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: JD54302
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD54108-4MS	L348811.D	50	10/29/22	BK	n/a	n/a	VL10552
JD54108-4MSD	L348812.D	50	10/29/22	BK	n/a	n/a	VL10552
JD54108-4 [a]	L348809.D	50	10/29/22	BK	n/a	n/a	VL10552

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD54302-2, JD54302-3, JD54302-4

CAS No.	Compound	JD54108-4 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	ND		10000	7010	70	10000	7170	72	2	22-134/19
71-43-2	Benzene	62.0		2500	2300	90	2500	2260	88	2	49-137/12
75-27-4	Bromodichloromethane	ND		2500	2430	97	2500	2380	95	2	76-121/12
75-25-2	Bromoform	ND		2500	2240	90	2500	2260	90	1	70-133/13
74-83-9	Bromomethane	ND		2500	2340	94	2500	2260	90	3	27-164/38
78-93-3	2-Butanone (MEK)	ND		10000	8620	86	10000	9090	91	5	52-137/17
75-15-0	Carbon disulfide	ND		2500	2030	81	2500	1950	78	4	54-136/16
56-23-5	Carbon tetrachloride	ND		2500	2270	91	2500	2210	88	3	70-132/13
108-90-7	Chlorobenzene	ND		2500	2420	97	2500	2390	96	1	68-123/12
75-00-3	Chloroethane	ND		2500	1700	68	2500	1620	65	5	48-152/17
67-66-3	Chloroform	ND		2500	2310	92	2500	2260	90	2	68-120/13
74-87-3	Chloromethane	ND		2500	1490	60	2500	1410	56	6	35-156/18
110-82-7	Cyclohexane	ND		2500	1550	62	2500	1480	59	5	53-146/14
96-12-8	1,2-Dibromo-3-chloropropane	ND		2500	2360	94	2500	2490	100	5	63-134/16
124-48-1	Dibromochloromethane	ND		2500	2380	95	2500	2350	94	1	75-122/12
106-93-4	1,2-Dibromoethane	ND		2500	2450	98	2500	2450	98	0	63-134/12
95-50-1	1,2-Dichlorobenzene	ND		2500	2390	96	2500	2450	98	2	74-119/12
541-73-1	1,3-Dichlorobenzene	ND		2500	2430	97	2500	2480	99	2	75-117/12
106-46-7	1,4-Dichlorobenzene	ND		2500	2380	95	2500	2400	96	1	72-117/12
75-71-8	Dichlorodifluoromethane	ND		2500	1670	67	2500	1600	64	4	34-163/16
75-34-3	1,1-Dichloroethane	ND		2500	2370	95	2500	2270	91	4	68-129/13
107-06-2	1,2-Dichloroethane	ND		2500	2420	97	2500	2400	96	1	66-120/13
75-35-4	1,1-Dichloroethene	ND		2500	2240	90	2500	2100	84	6	59-133/15
156-59-2	cis-1,2-Dichloroethene	ND		2500	2300	92	2500	2250	90	2	52-140/12
156-60-5	trans-1,2-Dichloroethene	ND		2500	2250	90	2500	2150	86	5	70-125/13
78-87-5	1,2-Dichloropropane	ND		2500	2370	95	2500	2360	94	0	73-124/12
10061-01-5	cis-1,3-Dichloropropene	ND		2500	2470	99	2500	2450	98	1	75-125/13
10061-02-6	trans-1,3-Dichloropropene	ND		2500	2410	96	2500	2420	97	0	75-122/12
100-41-4	Ethylbenzene	190		2500	2340	86	2500	2290	84	2	37-144/12
76-13-1	Freon 113	ND		2500	2250	90	2500	2160	86	4	61-142/14
591-78-6	2-Hexanone	ND		10000	8740	87	10000	9000	90	3	56-132/16
98-82-8	Isopropylbenzene	ND		2500	2380	95	2500	2320	93	3	71-126/13
79-20-9	Methyl Acetate	ND		2500	2240	90	2500	2400	96	7	51-139/18
108-87-2	Methylcyclohexane	ND		2500	2320	93	2500	2210	88	5	59-137/16
1634-04-4	Methyl Tert Butyl Ether	ND		2500	2420	97	2500	2400	96	1	66-124/12
108-10-1	4-Methyl-2-pentanone(MIBK)	ND		10000	9430	94	10000	9630	96	2	65-135/14

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: JD54302
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD54108-4MS	L348811.D	50	10/29/22	BK	n/a	n/a	VL10552
JD54108-4MSD	L348812.D	50	10/29/22	BK	n/a	n/a	VL10552
JD54108-4 [a]	L348809.D	50	10/29/22	BK	n/a	n/a	VL10552

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD54302-2, JD54302-3, JD54302-4

CAS No.	Compound	JD54108-4 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
75-09-2	Methylene chloride	ND		2500	2350	94	2500	2290	92	3	66-125/14
100-42-5	Styrene	33.1	J	2500	2340	92	2500	2310	91	1	71-133/12
79-34-5	1,1,2,2-Tetrachloroethane	ND		2500	2430	97	2500	2520	101	4	68-127/14
127-18-4	Tetrachloroethene	ND		2500	2420	97	2500	2350	94	3	58-132/13
108-88-3	Toluene	224		2500	2430	88	2500	2390	87	2	46-139/12
120-82-1	1,2,4-Trichlorobenzene	ND		2500	2740	110	2500	2770	111	1	61-137/16
71-55-6	1,1,1-Trichloroethane	ND		2500	2290	92	2500	2240	90	2	67-132/13
79-00-5	1,1,2-Trichloroethane	ND		2500	2440	98	2500	2430	97	0	75-120/12
79-01-6	Trichloroethene	ND		2500	2410	96	2500	2300	92	5	56-136/12
75-69-4	Trichlorofluoromethane	ND		2500	1980	79	2500	1930	77	3	61-145/16
75-01-4	Vinyl chloride	ND		2500	1590	64	2500	1520	61	5	41-156/16
1330-20-7	Xylene (total)	570		7500	7300	90	7500	7160	88	2	38-147/12

CAS No.	Surrogate Recoveries	MS	MSD	JD54108-4	Limits
1868-53-7	Dibromofluoromethane	99%	99%	96%	80-120%
17060-07-0	1,2-Dichloroethane-D4	100%	100%	109%	80-120%
2037-26-5	Toluene-D8	95%	96%	104%	80-120%
460-00-4	4-Bromofluorobenzene	101%	104%	102%	82-114%

(a) Sample analyzed outside the holding time. Dilution required due to high concentration of non target compound.

* = Outside of Control Limits.

Instrument Performance Check (BFB)

Job Number: JD54302
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V2A9596-BFB
Lab File ID: 2A220735.D
Instrument ID: GCMS2A
Injection Date: 10/13/22
Injection Time: 17:42

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	15.0 - 40.0% of mass 95	53573	22.3		Pass
75	30.0 - 60.0% of mass 95	110642	46.0		Pass
95	Base peak, 100% relative abundance	240298	100.0		Pass
96	5.0 - 9.0% of mass 95	15575	6.48		Pass
173	Less than 2.0% of mass 174	1954	0.81	(0.92) [a]	Pass
174	50.0 - 120.0% of mass 95	211797	88.1		Pass
175	5.0 - 9.0% of mass 174	15782	6.57	(7.45) [a]	Pass
176	95.0 - 101.0% of mass 174	210837	87.7	(99.5) [a]	Pass
177	5.0 - 9.0% of mass 176	14168	5.90	(6.72) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V2A9596-IC9596	2A220736.D	10/13/22	18:18	00:36	Initial cal 0.2
V2A9596-IC9596	2A220737.D	10/13/22	18:37	00:55	Initial cal 0.5
V2A9596-IC9596	2A220738.D	10/13/22	19:06	01:24	Initial cal 1
V2A9596-IC9596	2A220739.D	10/13/22	19:34	01:52	Initial cal 2
V2A9596-IC9596	2A220740.D	10/13/22	20:03	02:21	Initial cal 4
V2A9596-IC9596	2A220741.D	10/13/22	20:32	02:50	Initial cal 8
V2A9596-IC9596	2A220742.D	10/13/22	21:02	03:20	Initial cal 20
V2A9596-ICC9596	2A220743.D	10/13/22	21:30	03:48	Initial cal 50
V2A9596-IC9596	2A220744.D	10/13/22	22:00	04:18	Initial cal 100
V2A9596-IC9596	2A220745.D	10/13/22	22:28	04:46	Initial cal 200
V2A9596-ICV9596	2A220748.D	10/13/22	23:54	06:12	Initial cal verification 50
V2A9596-ICV9596	2A220749.D	10/14/22	00:22	06:40	Initial cal verification 50

Instrument Performance Check (BFB)

Job Number: JD54302
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V2A9619-BFB
Lab File ID: 2A221287.D
Instrument ID: GCMS2A
Injection Date: 10/27/22
Injection Time: 22:49

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	15.0 - 40.0% of mass 95	36341	17.0		Pass
75	30.0 - 60.0% of mass 95	94723	44.2		Pass
95	Base peak, 100% relative abundance	214251	100.0		Pass
96	5.0 - 9.0% of mass 95	14024	6.55		Pass
173	Less than 2.0% of mass 174	628	0.29	(0.29) [a]	Pass
174	50.0 - 120.0% of mass 95	213035	99.4		Pass
175	5.0 - 9.0% of mass 174	15475	7.22	(7.26) [a]	Pass
176	95.0 - 101.0% of mass 174	210667	98.3	(98.9) [a]	Pass
177	5.0 - 9.0% of mass 176	13250	6.18	(6.29) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V2A9619-CC9596	2A221287.D	10/27/22	22:49	00:00	Continuing cal 50
V2A9619-BS	2A221289.D	10/27/22	23:46	00:57	Blank Spike
V2A9619-MB	2A221291.D	10/28/22	00:43	01:54	Method Blank
JD54302-5	2A221292.D	10/28/22	01:11	02:22	TRIP BLANK
JD54302-4	2A221293.D	10/28/22	01:40	02:51	WINF
ZZZZZZ	2A221294.D	10/28/22	02:08	03:19	(unrelated sample)
ZZZZZZ	2A221295.D	10/28/22	02:37	03:48	(unrelated sample)
JD54302-4MS	2A221296.D	10/28/22	03:05	04:16	Matrix Spike
JD54302-4MSD	2A221297.D	10/28/22	03:33	04:44	Matrix Spike Duplicate
ZZZZZZ	2A221299.D	10/28/22	04:30	05:41	(unrelated sample)
ZZZZZZ	2A221300.D	10/28/22	04:58	06:09	(unrelated sample)
ZZZZZZ	2A221303.D	10/28/22	06:23	07:34	(unrelated sample)
ZZZZZZ	2A221306.D	10/28/22	07:48	08:59	(unrelated sample)
ZZZZZZ	2A221307.D	10/28/22	08:16	09:27	(unrelated sample)
JD54302-1	2A221308.D	10/28/22	08:44	09:55	WPOST GAC

Instrument Performance Check (BFB)

Job Number: JD54302
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: VL10548-BFB
Lab File ID: L348707.D
Instrument ID: GCMSL
Injection Date: 10/27/22
Injection Time: 01:23

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	15.0 - 40.0% of mass 95	15976	17.9		Pass
75	30.0 - 60.0% of mass 95	43467	48.6		Pass
95	Base peak, 100% relative abundance	89389	100.0		Pass
96	5.0 - 9.0% of mass 95	6041	6.76		Pass
173	Less than 2.0% of mass 174	262	0.29	(0.36) [a]	Pass
174	50.0 - 120.0% of mass 95	72101	80.7		Pass
175	5.0 - 9.0% of mass 174	5774	6.46	(8.01) [a]	Pass
176	95.0 - 101.0% of mass 174	69016	77.2	(95.7) [a]	Pass
177	5.0 - 9.0% of mass 176	4622	5.17	(6.70) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
VL10548-IC10548	L348708.D	10/27/22	01:55	00:32	Initial cal 0.2
VL10548-IC10548	L348709.D	10/27/22	02:18	00:55	Initial cal 0.5
VL10548-IC10548	L348710.D	10/27/22	02:41	01:18	Initial cal 1
VL10548-IC10548	L348711.D	10/27/22	03:04	01:41	Initial cal 2
VL10548-IC10548	L348712.D	10/27/22	03:27	02:04	Initial cal 4
VL10548-IC10548	L348713.D	10/27/22	03:50	02:27	Initial cal 8
VL10548-IC10548	L348714.D	10/27/22	04:14	02:51	Initial cal 20
VL10548-ICC10548	L348715.D	10/27/22	04:37	03:14	Initial cal 50
VL10548-IC10548	L348716.D	10/27/22	05:00	03:37	Initial cal 100
VL10548-IC10548	L348717.D	10/27/22	05:23	04:00	Initial cal 200
VL10548-ICV10548	L348720.D	10/27/22	06:33	05:10	Initial cal verification 50
VL10548-ICV10548	L348721.D	10/27/22	06:56	05:33	Initial cal verification 50

Instrument Performance Check (BFB)

Job Number: JD54302
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: VL10552-BFB
Lab File ID: L348799.D
Instrument ID: GCMSL
Injection Date: 10/29/22
Injection Time: 10:33

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	15.0 - 40.0% of mass 95	14503	16.4		Pass
75	30.0 - 60.0% of mass 95	42040	47.5		Pass
95	Base peak, 100% relative abundance	88509	100.0		Pass
96	5.0 - 9.0% of mass 95	5804	6.56		Pass
173	Less than 2.0% of mass 174	0	0.00	(0.00) [a]	Pass
174	50.0 - 120.0% of mass 95	67835	76.6		Pass
175	5.0 - 9.0% of mass 174	5932	6.70	(8.74) [a]	Pass
176	95.0 - 101.0% of mass 174	67064	75.8	(98.9) [a]	Pass
177	5.0 - 9.0% of mass 176	4290	4.85	(6.40) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
VL10552-CC10548	L348799.D	10/29/22	10:33	00:00	Continuing cal 20
VL10552-BS	L348801.D	10/29/22	11:38	01:05	Blank Spike
VL10552-MB	L348803.D	10/29/22	12:24	01:51	Method Blank
JD54302-4	L348804.D	10/29/22	12:47	02:14	WINF
ZZZZZZ	L348805.D	10/29/22	13:10	02:37	(unrelated sample)
ZZZZZZ	L348806.D	10/29/22	13:33	03:00	(unrelated sample)
ZZZZZZ	L348807.D	10/29/22	13:57	03:24	(unrelated sample)
ZZZZZZ	L348808.D	10/29/22	14:20	03:47	(unrelated sample)
JD54108-4	L348809.D	10/29/22	14:43	04:10	(used for QC only; not part of job JD54302)
ZZZZZZ	L348810.D	10/29/22	15:06	04:33	(unrelated sample)
JD54108-4MS	L348811.D	10/29/22	15:29	04:56	Matrix Spike
JD54108-4MSD	L348812.D	10/29/22	15:52	05:19	Matrix Spike Duplicate
ZZZZZZ	L348814.D	10/29/22	16:38	06:05	(unrelated sample)
ZZZZZZ	L348815.D	10/29/22	17:01	06:28	(unrelated sample)
JD54302-2	L348816.D	10/29/22	17:24	06:51	WMID GAC
JD54302-3	L348817.D	10/29/22	17:48	07:15	WAS
ZZZZZZ	L348818.D	10/29/22	18:11	07:38	(unrelated sample)
ZZZZZZ	L348819.D	10/29/22	18:34	08:01	(unrelated sample)
ZZZZZZ	L348820.D	10/29/22	18:57	08:24	(unrelated sample)
ZZZZZZ	L348821.D	10/29/22	19:20	08:47	(unrelated sample)
ZZZZZZ	L348822.D	10/29/22	19:43	09:10	(unrelated sample)
ZZZZZZ	L348823.D	10/29/22	20:06	09:33	(unrelated sample)
ZZZZZZ	L348824.D	10/29/22	20:29	09:56	(unrelated sample)
ZZZZZZ	L348825.D	10/29/22	20:52	10:19	(unrelated sample)

Instrument Performance Check (BFB)

Job Number: JD54302
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample:	VL10552-BFB	**Injection Date:**	10/29/22
Lab File ID:	L348799.D	**Injection Time:**	10:33
Instrument ID:	GCMSL		

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
ZZZZZZ	L348826.D	10/29/22	21:15	10:42	(unrelated sample)
ZZZZZZ	L348827.D	10/29/22	21:39	11:06	(unrelated sample)
ZZZZZZ	L348828.D	10/29/22	22:02	11:29	(unrelated sample)
ZZZZZZ	L348829.D	10/29/22	22:25	11:52	(unrelated sample)

Internal Standard Area Summary

Job Number: JD54302
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Check Std:	V2A9619-CC9596	**Injection Date:**	10/27/22
Lab File ID:	2A221287.D	**Injection Time:**	22:49
Instrument ID:	GCMS2A	**Method:**	SW846 8260D

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
Check Std	323515	7.25	662808	9.51	900072	10.43	731213	13.56	377292	15.89
Upper Limit [a]	647030	7.75	1325616	10.01	1800144	10.93	1462426	14.06	754584	16.39
Lower Limit [b]	161758	6.75	331404	9.01	450036	9.93	365607	13.06	188646	15.39

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
V2A9619-BS	339350	7.25	690717	9.51	931670	10.43	743342	13.56	388243	15.89
V2A9619-MB	338300	7.24	695700	9.51	944877	10.43	772631	13.56	391363	15.89
JD54302-5	329182	7.24	680983	9.51	922186	10.43	758005	13.56	376768	15.89
JD54302-4	330645	7.24	662211	9.51	900265	10.43	739043	13.56	372515	15.89
ZZZZZZ	315270	7.25	644275	9.51	872829	10.43	708412	13.56	369291	15.89
ZZZZZZ	341577	7.24	692101	9.51	930962	10.43	761850	13.56	394099	15.89
JD54302-4MS	336992	7.25	692668	9.51	939455	10.43	757568	13.56	391814	15.89
JD54302-4MSD	352105	7.24	722243	9.51	968078	10.43	771344	13.56	397974	15.89
ZZZZZZ	307607	7.24	738365	9.51	990225	10.43	816299	13.56	409514	15.89
ZZZZZZ	346287	7.25	727331	9.51	978360	10.43	804734	13.56	401809	15.89
ZZZZZZ	373243	7.24	752234	9.51	1008516	10.43	828222	13.56	418668	15.89
ZZZZZZ	378631	7.25	797388	9.51	1068843	10.43	887910	13.56	452133	15.89
ZZZZZZ	378940	7.25	794948	9.51	1060502	10.43	867752	13.56	440191	15.89
JD54302-1	365080	7.24	769186	9.51	1031346	10.43	851185	13.56	430013	15.89

IS 1 = Tert Butyl Alcohol-D9
IS 2 = Pentafluorobenzene
IS 3 = 1,4-Difluorobenzene
IS 4 = Chlorobenzene-D5
IS 5 = 1,4-Dichlorobenzene-d4

(a) Upper Limit = + 100% of check standard area; Retention time + 0.5 minutes.
(b) Lower Limit = -50% of check standard area; Retention time -0.5 minutes.

Internal Standard Area Summary

Job Number: JD54302
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Check Std:	VL10552-CC10548	**Injection Date:**	10/29/22
Lab File ID:	L348799.D	**Injection Time:**	10:33
Instrument ID:	GCMSL	**Method:**	SW846 8260D

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
Check Std	246849	3.06	242496	4.28	334022	4.85	312296	7.24	126617	9.43
Upper Limit [a]	493698	3.56	484992	4.78	668044	5.35	624592	7.74	253234	9.93
Lower Limit [b]	123425	2.56	121248	3.78	167011	4.35	156148	6.74	63309	8.93

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
VL10552-BS	227484	3.07	232878	4.28	328511	4.85	313175	7.24	123919	9.43
VL10552-MB	274853	3.07	274165	4.29	371986	4.85	326352	7.24	140271	9.43
JD54302-4	272742	3.06	235596	4.28	344342	4.85	312282	7.24	138323	9.43
ZZZZZZ	278356	3.06	266104	4.28	359642	4.85	320074	7.24	141419	9.43
ZZZZZZ	285171	3.06	252472	4.28	354421	4.85	303700	7.24	139867	9.43
ZZZZZZ	275507	3.06	267411	4.28	366405	4.85	321152	7.24	142072	9.43
ZZZZZZ	275688	3.06	268426	4.28	368578	4.84	322318	7.24	138462	9.43
JD54108-4	269924	3.06	262049	4.28	357488	4.85	321650	7.24	134099	9.43
ZZZZZZ	291113	3.06	264213	4.28	365486	4.85	321059	7.24	136364	9.43
JD54108-4MS	226681	3.06	219235	4.28	312116	4.85	298775	7.24	121679	9.43
JD54108-4MSD	240780	3.07	221872	4.28	316921	4.85	303090	7.24	119648	9.43
ZZZZZZ	286054	3.06	267636	4.28	362951	4.85	330400	7.24	144588	9.43
ZZZZZZ	261680	3.06	260780	4.28	366061	4.85	324258	7.24	140942	9.43
JD54302-2	290742	3.07	271794	4.28	376162	4.85	330864	7.24	146132	9.43
JD54302-3	286526	3.06	267608	4.28	368037	4.85	334322	7.24	143706	9.43
ZZZZZZ	279545	3.06	267904	4.28	374893	4.85	334166	7.24	146296	9.43
ZZZZZZ	249422	3.06	251557	4.28	341292	4.85	299117	7.24	133639	9.43
ZZZZZZ	275908	3.06	262252	4.29	363809	4.85	321517	7.24	142010	9.43
ZZZZZZ	268564	3.06	230406	4.28	324905	4.85	311728	7.24	132301	9.43
ZZZZZZ	264908	3.06	253310	4.28	350420	4.85	311702	7.24	137116	9.43
ZZZZZZ	260850	3.06	242716	4.28	336805	4.85	299240	7.24	135937	9.43
ZZZZZZ	255872	3.06	269092	4.28	368817	4.85	327090	7.24	140848	9.43
ZZZZZZ	266993	3.06	261680	4.28	349655	4.85	319475	7.24	140390	9.43
ZZZZZZ	254044	3.06	264819	4.28	364496	4.85	318495	7.24	138078	9.43
ZZZZZZ	244535	3.06	257048	4.28	357812	4.85	314211	7.24	134943	9.43
ZZZZZZ	260000	3.06	260642	4.28	364932	4.85	328795	7.24	140806	9.43
ZZZZZZ	235608	3.06	240035	4.28	353602	4.85	317816	7.24	137580	9.43

IS 1 = Tert Butyl Alcohol-D9
IS 2 = Pentafluorobenzene
IS 3 = 1,4-Difluorobenzene
IS 4 = Chlorobenzene-D5
IS 5 = 1,4-Dichlorobenzene-d4

(a) Upper Limit = + 100% of check standard area; Retention time + 0.5 minutes.

Internal Standard Area Summary

Job Number: JD54302
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Check Std:	VL10552-CC10548	**Injection Date:**	10/29/22
Lab File ID:	L348799.D	**Injection Time:**	10:33
Instrument ID:	GCMSL	**Method:**	SW846 8260D

Lab Sample ID	IS 1 AREA	IS 1 RT	IS 2 AREA	IS 2 RT	IS 3 AREA	IS 3 RT	IS 4 AREA	IS 4 RT	IS 5 AREA	IS 5 RT

(b) Lower Limit = -50% of check standard area; Retention time -0.5 minutes.

Surrogate Recovery Summary

Job Number: JD54302
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Method: SW846 8260D **Matrix:** AQ

Samples and QC shown here apply to the above method

Lab Sample ID	Lab File ID	S1	S2	S3	S4
JD54302-1	2A221308.D	95	86	99	95
JD54302-2	L348816.D	97	110	105	99
JD54302-3	L348817.D	100	108	104	99
JD54302-4	L348804.D	100	107	103	98
JD54302-4	2A221293.D	98	91	99	96
JD54302-5	2A221292.D	99	90	99	97
JD54108-4MS	L348811.D	99	100	95	101
JD54108-4MSD	L348812.D	99	100	96	104
JD54302-4MS	2A221296.D	98	86	101	94
JD54302-4MSD	2A221297.D	97	86	101	95
V2A9619-BS	2A221289.D	98	87	102	94
V2A9619-MB	2A221291.D	97	90	100	95
VL10552-BS	L348801.D	98	100	95	103
VL10552-MB	L348803.D	98	107	107	100

Surrogate Compounds	Recovery Limits
S1 = Dibromofluoromethane	80-120%
S2 = 1,2-Dichloroethane-D4	80-120%
S3 = Toluene-D8	80-120%
S4 = 4-Bromofluorobenzene	82-114%

Initial Calibration Summary

Job Number: JD54302 **Sample:** V2A9596-ICC9596
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A220743.D
Project: EPT, Ithaca, NY

Response Factor Report GCMS2A

Method : C:\MSDCHEM\1\METHODS\M2A9596.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
Last Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration

Calibration Files
4 =2A220740.D 8 =2A220741.D 0.5 =2A220737.D 50 =2A220743.D
100 =2A220744.D 1 =2A220738.D 200 =2A220745.D 20 =2A220742.D
2 =2A220739.D 0.2 =2A220736.D = =

Compound	4	8	0.5	50	100	1	200	20	2	0.2	Avg	%RSD
1) I tert butyl alcohol-d9	----------ISTD----------											
2) ethanol	0.102	0.095	0.087	0.098	0.111	0.096	0.120	0.094	0.104		0.101	9.93
3) tertiary butyl alcohol	1.324	1.221		1.248	1.328	1.207	1.293	1.191	1.429		1.280	6.22
4) 1,4-dioxane	0.071	0.075		0.078	0.084		0.083	0.074	0.058		0.075	11.70
5) I pentafluorobenzene	----------ISTD----------											
6) chlorodifluoromethane	0.723	0.723	0.689	0.680	0.691	0.715	0.632	0.690	0.764	0.637	0.694	5.75
7) dichlorodifluoromethane	0.527	0.553	0.474	0.527	0.551	0.514	0.512	0.520	0.567		0.527	5.26
8) chloromethane	0.777	0.789	0.914	0.744	0.763	0.826	0.697	0.714	0.846		0.786	8.67
9) vinyl chloride	0.626	0.619	0.585	0.601	0.631	0.602	0.583	0.589	0.642	0.530	0.601	5.34
10) 1,3-butadiene *This compound fails Initial Calibration criteria*	0.498	0.473		0.437	0.443		0.401	0.453	0.495		0.457	7.50
11) bromomethane	0.379	0.363	0.401	0.349	0.371	0.368	0.345	0.347	0.384		0.368	5.07
12) chloroethane	0.335	0.337	0.296	0.322	0.346	0.327	0.323	0.318	0.361	0.253	0.322	9.26
13) trichlorofluoromethane	0.656	0.665	0.569	0.663	0.697	0.590	0.655	0.644	0.685		0.647	6.48
14) ethyl ether	0.238	0.222	0.214	0.223	0.232	0.215	0.218	0.217	0.245		0.225	4.97
15) acrolein	0.100	0.086		0.092	0.097		0.092	0.089	0.121		0.097	12.22
16) freon 113	0.355	0.358	0.333	0.349	0.360	0.351	0.339	0.344	0.381		0.352	3.94
17) 1,1-dichloroethene	0.386	0.364	0.375	0.347	0.362	0.395	0.335	0.348	0.397		0.368	6.02
18) acetone	0.288	0.266		0.251	0.252	0.306	0.217	0.250	0.325		0.269	13.04
19) acetonitrile	0.073	0.067		0.064	0.066	0.074	0.062	0.063	0.070		0.067	6.68
20) iodomethane	0.737	0.706	0.660	0.702	0.733	0.722	0.677	0.699	0.768	0.607	0.701	6.43
21) carbon disulfide	1.323	1.272	1.323	1.197	1.242	1.382	1.111	1.218	1.352		1.269	6.77
22) methylene chloride	0.426	0.394	0.417	0.395	0.414	0.411	0.384	0.395	0.451		0.410	5.02
23) methyl acetate												

```
      0.474 0.441       0.415 0.424 0.474 0.401 0.404 0.516        0.444    9.18
24)  methyl tert butyl ether
      1.192 1.132 1.084 1.105 1.145 1.163 1.043 1.110 1.276 1.331  1.158    7.60
25)  trans-1,2-dichloroethene
      0.410 0.396 0.423 0.389 0.402 0.447 0.377 0.393 0.469 0.438  0.414    7.02
26)  hexane
      0.811 0.831 0.832 0.797 0.833 0.901 0.736 0.784 0.888        0.824    6.12
27)  di-isopropyl ether
      1.854 1.786 1.821 1.684 1.696 1.861 1.495 1.735 1.981 1.970  1.788    8.11
28)  ethyl tert-butyl ether
      1.601 1.550 1.564 1.491 1.504 1.539 1.340 1.514 1.699 1.658  1.546    6.39
29)  2-butanone
      0.060 0.058       0.058 0.059 0.055 0.055 0.056 0.060        0.057    3.60
30)  1,1-dichloroethane
      0.839 0.816 0.789 0.781 0.812 0.845 0.735 0.788 0.864 0.731  0.800    5.53
31)  chloroprene
      0.775 0.770 0.765 0.753 0.771 0.765 0.704 0.748 0.795 0.761  0.761    3.11
32)  acrylonitrile
      0.206 0.193       0.197 0.206 0.157 0.197 0.190 0.181        0.191    8.34
33)  vinyl acetate   *This compound fails Initial Calibration criteria*
      0.070 0.064       0.062 0.062 0.046 0.060 0.062 0.058        0.061   11.30
34)  ethyl acetate
      0.093 0.088       0.083 0.086 0.084 0.081 0.082 0.093        0.086    5.40
35)  2,2-dichloropropane
      0.619 0.592 0.603 0.564 0.583 0.647 0.531 0.574 0.658 0.653  0.602    6.96
36)  cis-1,2-dichloroethene
      0.461 0.427 0.444 0.428 0.443 0.477 0.413 0.426 0.471 0.471  0.446    5.07
37)  propionitrile
      0.077 0.074 0.064 0.072 0.072 0.067 0.066 0.071 0.082        0.072    7.98
38)  bromochloromethane
      0.297 0.290 0.285 0.286 0.297 0.279 0.278 0.281 0.312 0.243  0.285    6.30
39)  tetrahydrofuran
      0.187 0.174 0.144 0.163 0.166 0.174 0.156 0.159 0.195        0.169    9.33
40)  chloroform
      0.760 0.746 0.870 0.713 0.729 0.829 0.665 0.705 0.826        0.760    8.88
41)  tert-butyl formate  *This compound fails Initial Calibration criteria*
      0.311 0.294 0.295 0.292 0.302 0.304 0.289 0.289 0.343        0.302    5.64
42)  isobutyl alcohol
      0.026 0.026       0.028 0.030       0.027 0.026 0.025        0.027    5.92
43)  dibromofluoromethane (s)
      0.440 0.444 0.441 0.441 0.441 0.444 0.438 0.441 0.442 0.437  0.441    0.47
44)  methacrylonitrile
      0.180 0.174 0.153 0.178 0.186 0.172 0.176 0.175 0.194        0.176    6.37
45)  1,1,1-trichloroethane
      0.654 0.645 0.665 0.637 0.664 0.674 0.608 0.632 0.697 0.620  0.650    4.13
46)  cyclohexane
      0.619 0.626 0.606 0.606 0.642 0.612 0.598 0.595 0.668 0.646  0.622    3.80
47)  1,1-dichloropropene
      0.558 0.559 0.515 0.548 0.564 0.557 0.521 0.549 0.601 0.558  0.553    4.26
48)  tert-amyl alcohol
      0.028 0.028 0.028 0.027 0.028 0.031 0.027 0.026 0.029 0.032  0.028    6.35
49)  carbon tetrachloride
      0.578 0.557 0.513 0.570 0.598 0.559 0.553 0.561 0.613 0.538  0.564    5.01

50) I   1,4-difluorobenzene   ----------------ISTD---------------------
51)  1,2-dichloroethane-d4 (s)
      0.398 0.394 0.398 0.386 0.385 0.399 0.386 0.392 0.399 0.397  0.393    1.44
52)  2,2,4-trimethylpentane
      1.410 1.431 1.358 1.349 1.451 1.420 1.200 1.369 1.512 1.443  1.394    6.01
53)  tert-amyl methyl ether
```

0.959 0.918 0.874 0.875 0.893 0.932 0.801 0.891 1.013 1.056 0.921 8.00

54) n-butyl alcohol

0.011 0.011 0.012 0.012 0.011 0.012 0.012 0.013 0.012 4.46

55) benzene

1.187 1.163 1.109 1.108 1.127 1.161 1.004 1.118 1.218 1.170 1.136 5.18

56) heptane

0.273 0.263 0.258 0.258 0.284 0.258 0.243 0.247 0.290 0.313 0.269 7.99

57) isopropyl acetate

0.071 0.069 0.066 0.069 0.051 0.068 0.065 0.068 0.066 9.55

58) 1,2-dichloroethane

0.499 0.461 0.547 0.451 0.461 0.526 0.425 0.448 0.529 0.483 8.91

59) trichloroethene

0.332 0.324 0.303 0.318 0.326 0.309 0.304 0.315 0.337 0.298 0.317 4.12

60) ethyl acrylate

0.523 0.497 0.502 0.502 0.521 0.463 0.495 0.560 0.508 5.52

61) 2-nitropropane

0.086 0.081 0.087 0.093 0.083 0.090 0.082 0.081 0.085 5.36

62) 2-chloroethyl vinyl ether *This compound fails Initial Calibration criteria*

0.020 0.031 0.091 0.124 0.127 0.058 0.014 0.066 72.03

63) methyl methacrylate

0.086 0.083 0.082 0.086 0.069 0.083 0.084 0.080 0.082 6.54

64) 1,2-dichloropropane

0.354 0.336 0.312 0.331 0.341 0.333 0.316 0.331 0.370 0.325 0.335 5.08

65) methylcyclohexane

0.514 0.531 0.509 0.509 0.553 0.528 0.490 0.510 0.554 0.556 0.526 4.35

66) dibromomethane

0.195 0.183 0.184 0.185 0.193 0.184 0.182 0.177 0.203 0.138 0.182 9.52

67) bromodichloromethane

0.428 0.402 0.378 0.407 0.422 0.412 0.388 0.405 0.449 0.440 0.413 5.35

68) epichlorohydrin

0.039 0.038 0.032 0.038 0.039 0.039 0.037 0.036 0.041 0.038 6.65

69) cis-1,3-dichloropropene

0.514 0.492 0.472 0.491 0.503 0.483 0.463 0.482 0.525 0.484 0.491 3.82

70) 4-methyl-2-pentanone

0.155 0.149 0.137 0.146 0.146 0.134 0.133 0.143 0.163 0.123 0.143 8.07

71) 3-methyl-1-butanol

0.009 0.009 0.009 0.009 0.007 0.009 0.009 0.009 0.009 8.31

72) I chlorobenzene-d5 ----------ISTD----------

73) toluene-d8 (s)

1.259 1.264 1.270 1.274 1.286 1.261 1.304 1.269 1.272 1.260 1.272 1.08

74) toluene

0.815 0.797 0.762 0.783 0.799 0.809 0.735 0.772 0.831 0.797 0.790 3.54

75) trans-1,3-dichloropropene

0.499 0.493 0.471 0.509 0.523 0.503 0.485 0.495 0.527 0.458 0.496 4.30

76) ethyl methacrylate

0.458 0.443 0.369 0.453 0.464 0.401 0.432 0.447 0.486 0.370 0.432 9.17

77) 1,1,2-trichloroethane

0.264 0.258 0.244 0.260 0.264 0.261 0.248 0.250 0.285 0.209 0.254 7.67

78) 2-hexanone

0.185 0.183 0.156 0.181 0.180 0.173 0.162 0.180 0.197 0.178 7.01

79) tetrachloroethene

0.419 0.410 0.390 0.391 0.404 0.428 0.374 0.395 0.462 0.474 0.415 7.78

80) 1,3-dichloropropane

0.499 0.487 0.413 0.484 0.498 0.477 0.463 0.477 0.537 0.474 0.481 6.52

81) butyl acetate

0.286 0.287 0.287 0.290 0.300 0.292 0.285 0.278 0.301 0.247 0.285 5.33

82) dibromochloromethane

0.362 0.352 0.336 0.376 0.396 0.328 0.374 0.359 0.377 0.417 0.368 7.29

83) 1,2-dibromoethane

```
      0.340 0.322 0.323 0.325 0.335 0.334 0.315 0.316 0.341 0.271  0.322    6.31
 84)  n-butyl ether
      1.724 1.703 1.602 1.632 1.602 1.597 1.353 1.660 1.786 1.848  1.651    8.12
 85)  chlorobenzene
      0.920 0.902 0.832 0.879 0.896 0.879 0.802 0.879 0.937 0.890  0.882    4.48
 86)  1,1,1,2-tetrachloroethane
      0.339 0.336 0.301 0.341 0.360 0.334 0.331 0.337 0.364 0.314  0.336    5.57
 87)  ethylbenzene
      1.503 1.466 1.458 1.407 1.382 1.479 1.168 1.443 1.577 1.596  1.448    8.23
 88)  m,p-xylene
      0.574 0.572 0.545 0.562 0.574 0.548 0.519 0.563 0.602 0.579  0.564    4.02
 89)  o-xylene
      1.195 1.171 1.119 1.124 1.114 1.175 0.968 1.147 1.249 1.169  1.143    6.44
 90)  styrene
      0.950 0.914 0.814 0.924 0.931 0.866 0.823 0.920 0.934 0.782  0.886    6.75
 91)  n-amyl acetate
      0.220 0.223       0.235 0.244 0.180 0.236 0.225 0.217        0.223    8.72
 92)  bromoform
      0.246 0.246 0.219 0.269 0.284 0.223 0.272 0.248 0.250 0.244  0.250    8.14
 93)  butyl acrylate
      0.825 0.829       0.870 0.866 0.675 0.774 0.851 0.830        0.815    7.83
 94)  isopropylbenzene
      1.459 1.418 1.413 1.375 1.389 1.443 1.179 1.411 1.534 1.579  1.420    7.48
 95)  cis-1,4-dichloro-2-butene
      0.100 0.110       0.136 0.151       0.147 0.120              0.127   16.03

 96) I   1,4-dichlorobenzene-d ----------------ISTD---------------------
 97)  4-bromofluorobenzene (s)
      0.947 0.942 0.953 0.939 0.941 0.952 0.944 0.937 0.939 0.959  0.945    0.76
 98)  bromobenzene
      0.838 0.802 0.754 0.787 0.807 0.795 0.730 0.789 0.879 0.904  0.808    6.55
 99)  1,1,2,2-tetrachloroethane
      0.764 0.747 0.781 0.744 0.752 0.748 0.685 0.723 0.825 0.748  0.752    4.83
100)  trans-1,4-dichloro-2-butene
      0.183 0.198       0.237 0.259       0.245 0.211 0.178        0.216   14.69
101)  1,2,3-trichloropropane
      0.209 0.197 0.172 0.195 0.199 0.191 0.190 0.191 0.208        0.195    5.65
102)  n-propylbenzene
      3.420 3.358 3.155 3.130 3.116 3.385 2.522 3.236 3.552 3.489  3.236    9.08
103)  2-chlorotoluene
      0.743 0.721 0.681 0.709 0.744 0.718 0.671 0.711 0.756 0.709  0.716    3.74
104)  4-chlorotoluene
      2.159 2.053 2.021 1.943 1.958 2.089 1.688 1.958 2.177 2.121  2.017    7.09
105)  1,3,5-trimethylbenzene
      2.311 2.301 2.246 2.180 2.229 2.267 1.858 2.200 2.351 2.350  2.229    6.41
106)  tert-butylbenzene
      2.042 2.038 1.914 1.959 2.055 2.040 1.723 1.997 2.150 1.977  1.990    5.70
107)  1,2,4-trimethylbenzene
      2.343 2.336 2.181 2.206 2.239 2.238 1.877 2.243 2.429 2.225  2.232    6.53
108)  sec-butylbenzene
      3.015 2.987 2.886 2.799 2.905 2.924 2.318 2.859 3.014 3.074  2.878    7.42
109)  1,3-dichlorobenzene
      1.500 1.481 1.383 1.397 1.441 1.508 1.251 1.425 1.561 1.587  1.453    6.69
110)  p-isopropyltoluene
      2.546 2.532 2.331 2.471 2.564 2.471 2.064 2.512 2.671 2.304  2.447    7.04
111)  benzyl chloride
      1.125 1.159       1.298 1.335 0.928 1.198 1.216 1.114        1.171   10.71
112)  1,2,3-trimethylbenzene
      2.364 2.345 2.307 2.212 2.231 2.314 1.834 2.256 2.470 2.418  2.275    7.68
113)  1,4-dichlorobenzene
```

Initial Calibration Summary

Job Number: JD54302 **Sample:** V2A9596-ICC9596
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A220743.D
Project: EPT, Ithaca, NY

```
       1.506 1.459 1.437 1.411 1.441 1.476 1.230 1.415 1.581 1.643  1.460    7.53
114)  1,2-dichlorobenzene
       1.452 1.408 1.366 1.367 1.398 1.340 1.209 1.387 1.510 1.477  1.391    5.98
115)  n-butylbenzene
       1.206 1.217 1.131 1.221 1.339 1.131 1.101 1.224 1.220 1.196  1.199    5.57
116)  1,2-dibromo-3-chloropropane
       0.152 0.147       0.163 0.175 0.134 0.161 0.156 0.151        0.155    7.79
117)  1,3,5-trichlorobenzene
       1.069 1.089 0.970 1.081 1.169 1.037 0.949 1.082 1.134 1.017  1.060    6.45
118)  1,2,4-trichlorobenzene
       0.850 0.894 0.742 0.925 0.996 0.822 0.817 0.888 0.866 0.748  0.855    9.07
119)  hexachlorobutadiene
       0.446 0.459 0.420 0.460 0.513 0.427 0.416 0.442 0.460 0.520  0.456    7.81
120)  naphthalene
       1.557 1.607       1.717 1.794 1.309 1.502 1.618 1.524        1.578    9.27
121)  1,2,3-trichlorobenzene
       0.691 0.701 0.612 0.747 0.810 0.608 0.666 0.714 0.673 0.671  0.689    8.68
122)  hexachloroethane
       0.305 0.325       0.389 0.456       0.406 0.346 0.256        0.355   19.02
123)  2-methylnaphthalene
             0.347       0.426 0.516       0.470 0.346              0.421   17.82
 ----------------------------------------------------------------------------
 (#) = Out of Range  ###  Number of calibration levels exceeded format  ###

           M2A9596.M         Fri Oct 14 18:47:58 2022   MS2A
```

Initial Calibration Verification

Job Number: JD54302 **Sample:** V2A9596-ICV9596
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A220748.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\MSDCHEM\1\DATA\V2A9596\2A220748.D Vial: 14
Acq On : 13 Oct 2022 11:54 pm Operator: PrashanS
Sample : ICV9596-50 Inst : GCMS2A
Misc : MS62754,V2A9596,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\MSDCHEM\1\METHODS\M2A9596.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
Last Update : Fri Oct 14 09:22:42 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1 I	tert butyl alcohol-d9	1.000	1.000	0.0	104	-0.01	7.24
2	ethanol	0.101	0.099	2.0	105	0.00	5.97
3	tertiary butyl alcohol	1.280	1.288	-0.6	107	0.00	7.36
4	1,4-dioxane	0.075	0.079	-5.3	105	0.00	11.08
5 I	pentafluorobenzene	1.000	1.000	0.0	106	0.00	9.51
6	chlorodifluoromethane		----------NA----------				
7	dichlorodifluoromethane	0.527	0.524	0.6	105	-0.01	3.95
8	chloromethane	0.786	0.662	15.8	94	-0.01	4.34
9	vinyl chloride	0.601	0.586	2.5	103	-0.01	4.56
10	1,3-butadiene	0.457	0.688	-50.5#	166	0.00	4.62
11	bromomethane	0.368	0.356	3.3	108	-0.01	5.19
12	chloroethane	0.322	0.329	-2.2	108	0.00	5.35
13	trichlorofluoromethane	0.647	0.651	-0.6	104	-0.02	5.78
14	ethyl ether	0.225	0.237	-5.3	112	0.00	6.19
15	acrolein	0.097	0.089	8.2	102	0.00	6.41
16	freon 113	0.352	0.342	2.8	104	0.00	6.61
17	1,1-dichloroethene	0.368	0.366	0.5	111	0.00	6.60
18	acetone	0.269	0.206	23.4	87	0.00	6.60
19	acetonitrile		----------NA----------				
20	iodomethane	0.701	0.724	-3.3	109	0.00	6.84
21	carbon disulfide	1.269	1.300	-2.4	115	0.00	6.98
22	methylene chloride	0.410	0.414	-1.0	111	0.00	7.30
23	methyl acetate	0.444	0.472	-6.3	120	0.00	7.06
24	methyl tert butyl ether	1.158	1.174	-1.4	112	0.00	7.65
25	trans-1,2-dichloroethene	0.414	0.406	1.9	110	0.00	7.68
26	hexane	0.824	0.757	8.1	100	0.00	8.04
27	di-isopropyl ether	1.788	1.710	4.4	107	0.00	8.25
28	ethyl tert-butyl ether	1.546	1.506	2.6	107	0.00	8.71
29	2-butanone	0.057	0.054	5.3	99	0.00	8.90
30	1,1-dichloroethane	0.800	0.808	-1.0	109	0.00	8.26
31	chloroprene	0.761	0.816	-7.2	114	0.00	8.36
32	acrylonitrile		----------NA----------				
33	vinyl acetate	0.061	0.042	31.1#	72	0.00	8.19
34	ethyl acetate	0.086	0.085	1.2	108	0.00	8.92
35	2,2-dichloropropane	0.602	0.550	8.6	103	0.00	9.00
36	cis-1,2-dichloroethene	0.446	0.439	1.6	108	0.00	8.97
37	propionitrile	0.072	0.067	6.9	98	0.00	8.98
38	bromochloromethane	0.285	0.296	-3.9	109	0.00	9.26
39	tetrahydrofuran	0.169	0.166	1.8	108	0.00	9.28
40	chloroform	0.760	0.772	-1.6	114	0.00	9.35
41	tert-butyl formate	0.302	0.153	49.3#	55	0.00	9.38

Initial Calibration Verification

Job Number: JD54302 **Sample:** V2A9596-ICV9596
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A220748.D
Project: EPT, Ithaca, NY

42		isobutyl alcohol	0.027	0.027	0.0	99	0.00	9.74
43	S	dibromofluoromethane (s)	0.441	0.437	0.9	105	0.00	9.54
44		methacrylonitrile	0.176	0.185	-5.1	110	0.00	9.17
45		1,1,1-trichloroethane	0.650	0.665	-2.3	110	0.00	9.60
46		cyclohexane	0.622	0.625	-0.5	109	0.00	9.71
47		1,1-dichloropropene	0.553	0.569	-2.9	109	0.00	9.77
48		tert-amyl alcohol	0.028	0.027	3.6	104	0.00	9.90
49		carbon tetrachloride	0.564	0.598	-6.0	111	0.00	9.80
50	I	1,4-difluorobenzene	1.000	1.000	0.0	104	0.00	10.43
51	S	1,2-dichloroethane-d4 (s)	0.393	0.389	1.0	105	0.00	9.95
52		2,2,4-trimethylpentane	1.394	1.337	4.1	103	0.00	10.12
53		tert-amyl methyl ether	0.921	0.882	4.2	105	0.00	10.10
54		n-butyl alcohol	0.012	0.012	0.0	102	0.00	10.49
55		benzene	1.136	1.162	-2.3	109	0.00	10.02
56		heptane	0.269	0.290	-7.8	117	0.00	10.28
57		isopropyl acetate	0.066	0.070	-6.1	110	0.00	9.94
58		1,2-dichloroethane	0.483	0.470	2.7	109	0.00	10.04
59		trichloroethene	0.317	0.342	-7.9	112	0.00	10.74
60		ethyl acrylate	0.508	0.486	4.3	101	0.00	10.73
61		2-nitropropane	0.085	0.091	-7.1	109	0.00	11.50
62		2-chloroethyl vinyl ether	0.066	0.095	-43.9#	109	0.00	11.53
63		methyl methacrylate	0.082	0.090	-9.8	114	0.00	11.00
64		1,2-dichloropropane	0.335	0.345	-3.0	108	0.00	11.03
65		methylcyclohexane	0.526	0.541	-2.9	111	0.00	11.04
66		dibromomethane	0.182	0.192	-5.5	108	0.00	11.14
67		bromodichloromethane	0.413	0.427	-3.4	109	0.00	11.29
68		epichlorohydrin	0.038	0.036	5.3	99	0.00	11.62
69		cis-1,3-dichloropropene	0.491	0.498	-1.4	106	0.00	11.75
70		4-methyl-2-pentanone	0.143	0.149	-4.2	107	0.00	11.86
71		3-methyl-1-butanol	0.009	0.009	0.0	105	0.00	11.86
72	I	chlorobenzene-d5	1.000	1.000	0.0	105	0.00	13.56
73	S	toluene-d8 (s)	1.272	1.277	-0.4	105	0.00	12.06
74		toluene	0.790	0.806	-2.0	108	0.00	12.13
75		trans-1,3-dichloropropene	0.496	0.522	-5.2	107	0.00	12.32
76		ethyl methacrylate	0.432	0.444	-2.8	103	0.00	12.32
77		1,1,2-trichloroethane	0.254	0.266	-4.7	107	0.00	12.54
78		2-hexanone	0.178	0.172	3.4	100	0.00	12.70
79		tetrachloroethene		----------NA----------				
80		1,3-dichloropropane	0.481	0.505	-5.0	109	0.00	12.72
81		butyl acetate	0.285	0.298	-4.6	108	0.00	12.79
82		dibromochloromethane	0.368	0.395	-7.3	110	0.00	12.96
83		1,2-dibromoethane	0.322	0.340	-5.6	110	0.00	13.11
84		n-butyl ether	1.651	1.616	2.1	104	0.00	13.56
85		chlorobenzene	0.882	0.920	-4.3	110	0.00	13.59
86		1,1,1,2-tetrachloroethane	0.336	0.356	-6.0	109	0.00	13.66
87		ethylbenzene	1.448	1.463	-1.0	109	0.00	13.66
88		m,p-xylene	0.564	0.592	-5.0	110	0.00	13.78
89		o-xylene	1.143	1.162	-1.7	108	0.00	14.18
90		styrene	0.886	0.958	-8.1	109	0.00	14.19
91		n-amyl acetate	0.223	0.238	-6.7	106	0.00	14.22
92		bromoform	0.250	0.278	-11.2	108	0.00	14.41
93		butyl acrylate	0.815	0.858	-5.3	103	0.00	14.01
94		isopropylbenzene	1.420	1.425	-0.4	108	0.00	14.52
95		cis-1,4-dichloro-2-butene	0.127	0.127	0.0	98	0.00	14.56
96	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	105	0.00	15.89
97	S	4-bromofluorobenzene (s)	0.945	0.935	1.1	105	0.00	14.72
98		bromobenzene	0.808	0.812	-0.5	109	0.00	14.90

Initial Calibration Verification

Job Number: JD54302 **Sample:** V2A9596-ICV9596
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A220748.D
Project: EPT, Ithaca, NY

99	1,1,2,2-tetrachloroethane	0.752	0.724	3.7	103	0.00	14.80
100	trans-1,4-dichloro-2-bute	0.216	0.245	-13.4	109	0.00	14.84
101	1,2,3-trichloropropane	0.195	0.204	-4.6	110	0.00	14.88
102	n-propylbenzene	3.236	3.212	0.7	108	0.00	14.94
103	2-chlorotoluene	0.716	0.742	-3.6	110	0.00	15.07
104	4-chlorotoluene	2.017	2.009	0.4	109	0.00	15.18
105	1,3,5-trimethylbenzene	2.229	2.234	-0.2	108	0.00	15.09
106	tert-butylbenzene	1.990	2.013	-1.2	108	0.00	15.43
107	1,2,4-trimethylbenzene	2.232	2.259	-1.2	108	0.00	15.48
108	sec-butylbenzene	2.878	2.862	0.6	108	0.00	15.65
109	1,3-dichlorobenzene	1.453	1.443	0.7	109	0.00	15.82
110	p-isopropyltoluene	2.447	2.523	-3.1	108	0.00	15.78
111	benzyl chloride	1.171	1.161	0.9	94	0.00	16.01
112	1,2,3-trimethylbenzene		----------NA----------				
113	1,4-dichlorobenzene	1.460	1.467	-0.5	110	0.00	15.91
114	1,2-dichlorobenzene	1.391	1.396	-0.4	108	0.00	16.28
115	n-butylbenzene	1.199	1.242	-3.6	107	0.00	16.20
116	1,2-dibromo-3-chloropropa	0.155	0.167	-7.7	108	0.00	17.05
117	1,3,5-trichlorobenzene	1.060	1.091	-2.9	106	0.00	17.24
118	1,2,4-trichlorobenzene	0.855	0.918	-7.4	105	0.00	17.88
119	hexachlorobutadiene	0.456	0.455	0.2	104	0.00	18.00
120	naphthalene	1.578	1.675	-6.1	103	0.00	18.17
121	1,2,3-trichlorobenzene	0.689	0.734	-6.5	104	0.00	18.40
122	hexachloroethane	0.355	0.403	-13.5	109	0.00	16.57
123	2-methylnaphthalene	0.421	0.362	14.0	90	0.00	19.40

(#) = Out of Range SPCC's out = 0 CCC's out = 0
2A220743.D M2A9596.M Fri Oct 14 18:47:36 2022 MS2A

Initial Calibration Verification

Job Number: JD54302 **Sample:** V2A9596-ICV9596
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A220749.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\MSDCHEM\1\DATA\V2A9596\2A220749.D Vial: 15
Acq On : 14 Oct 2022 12:22 am Operator: PrashanS
Sample : ICV9596-50 Inst : GCMS2A
Misc : MS62754,V2A9596,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\MSDCHEM\1\METHODS\M2A9596.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
Last Update : Fri Oct 14 09:22:42 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1 I	tert butyl alcohol-d9	1.000	1.000	0.0	101	0.00	7.25
2	ethanol		----------NA----------				
3	tertiary butyl alcohol		----------NA----------				
4	1,4-dioxane		----------NA----------				
5 I	pentafluorobenzene	1.000	1.000	0.0	104	0.00	9.51
6	chlorodifluoromethane	0.694	0.688	0.9	105	0.00	3.99
7	dichlorodifluoromethane		----------NA----------				
8	chloromethane		----------NA----------				
9	vinyl chloride		----------NA----------				
10	1,3-butadiene		----------NA----------				
11	bromomethane		----------NA----------				
12	chloroethane		----------NA----------				
13	trichlorofluoromethane		----------NA----------				
14	ethyl ether		----------NA----------				
15	acrolein		----------NA----------				
16	freon 113		----------NA----------				
17	1,1-dichloroethene		----------NA----------				
18	acetone		----------NA----------				
19	acetonitrile	0.067	0.059	11.9	95	0.00	7.01
20	iodomethane		----------NA----------				
21	carbon disulfide		----------NA----------				
22	methylene chloride		----------NA----------				
23	methyl acetate		----------NA----------				
24	methyl tert butyl ether		----------NA----------				
25	trans-1,2-dichloroethene		----------NA----------				
26	hexane		----------NA----------				
27	di-isopropyl ether		----------NA----------				
28	ethyl tert-butyl ether		----------NA----------				
29	2-butanone		----------NA----------				
30	1,1-dichloroethane		----------NA----------				
31	chloroprene		----------NA----------				
32	acrylonitrile	0.191	0.160	16.2	84	0.00	7.59
33	vinyl acetate		----------NA----------				
34	ethyl acetate		----------NA----------				
35	2,2-dichloropropane		----------NA----------				
36	cis-1,2-dichloroethene		----------NA----------				
37	propionitrile		----------NA----------				
38	bromochloromethane		----------NA----------				
39	tetrahydrofuran		----------NA----------				
40	chloroform		----------NA----------				
41	tert-butyl formate		----------NA----------				

Initial Calibration Verification

Job Number: JD54302 **Sample:** V2A9596-ICV9596
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A220749.D
Project: EPT, Ithaca, NY

42		isobutyl alcohol		----------NA----------					
43	S	dibromofluoromethane (s)	0.441	0.438	0.7	103	0.00	9.54	
44		methacrylonitrile		----------NA----------					
45		1,1,1-trichloroethane		----------NA----------					
46		cyclohexane		----------NA----------					
47		1,1-dichloropropene		----------NA----------					
48		tert-amyl alcohol		----------NA----------					
49		carbon tetrachloride		----------NA----------					
50	I	1,4-difluorobenzene	1.000	1.000	0.0	102	0.00	10.43	
51	S	1,2-dichloroethane-d4 (s)	0.393	0.399	-1.5	105	0.00	9.95	
52		2,2,4-trimethylpentane		----------NA----------					
53		tert-amyl methyl ether		----------NA----------					
54		n-butyl alcohol		----------NA----------					
55		benzene		----------NA----------					
56		heptane		----------NA----------					
57		isopropyl acetate		----------NA----------					
58		1,2-dichloroethane		----------NA----------					
59		trichloroethene		----------NA----------					
60		ethyl acrylate		----------NA----------					
61		2-nitropropane		----------NA----------					
62		2-chloroethyl vinyl ether		----------NA----------					
63		methyl methacrylate		----------NA----------					
64		1,2-dichloropropane		----------NA----------					
65		methylcyclohexane		----------NA----------					
66		dibromomethane		----------NA----------					
67		bromodichloromethane		----------NA----------					
68		epichlorohydrin		----------NA----------					
69		cis-1,3-dichloropropene		----------NA----------					
70		4-methyl-2-pentanone		----------NA----------					
71		3-methyl-1-butanol		----------NA----------					
72	I	chlorobenzene-d5	1.000	1.000	0.0	104	0.00	13.56	
73	S	toluene-d8 (s)	1.272	1.253	1.5	103	0.00	12.06	
74		toluene		----------NA----------					
75		trans-1,3-dichloropropene		----------NA----------					
76		ethyl methacrylate		----------NA----------					
77		1,1,2-trichloroethane		----------NA----------					
78		2-hexanone		----------NA----------					
79		tetrachloroethene	0.415	0.371	10.6	99	0.00	12.68	
80		1,3-dichloropropane		----------NA----------					
81		butyl acetate		----------NA----------					
82		dibromochloromethane		----------NA----------					
83		1,2-dibromoethane		----------NA----------					
84		n-butyl ether		----------NA----------					
85		chlorobenzene		----------NA----------					
86		1,1,1,2-tetrachloroethane		----------NA----------					
87		ethylbenzene		----------NA----------					
88		m,p-xylene		----------NA----------					
89		o-xylene		----------NA----------					
90		styrene		----------NA----------					
91		n-amyl acetate		----------NA----------					
92		bromoform		----------NA----------					
93		butyl acrylate		----------NA----------					
94		isopropylbenzene		----------NA----------					
95		cis-1,4-dichloro-2-butene		----------NA----------					
96	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	102	0.00	15.89	
97	S	4-bromofluorobenzene (s)	0.945	0.958	-1.4	104	0.00	14.72	
98		bromobenzene		----------NA----------					

Initial Calibration Verification

Job Number: JD54302 **Sample:** V2A9596-ICV9596
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A220749.D
Project: EPT, Ithaca, NY

99	1,1,2,2-tetrachloroethane		----------NA----------				
100	trans-1,4-dichloro-2-bute		----------NA----------				
101	1,2,3-trichloropropane		----------NA----------				
102	n-propylbenzene		----------NA----------				
103	2-chlorotoluene		----------NA----------				
104	4-chlorotoluene		----------NA----------				
105	1,3,5-trimethylbenzene		----------NA----------				
106	tert-butylbenzene		----------NA----------				
107	1,2,4-trimethylbenzene		----------NA----------				
108	sec-butylbenzene		----------NA----------				
109	1,3-dichlorobenzene		----------NA----------				
110	p-isopropyltoluene		----------NA----------				
111	benzyl chloride		----------NA----------				
112	1,2,3-trimethylbenzene	2.275	2.370	-4.2	110	0.00	15.91
113	1,4-dichlorobenzene		----------NA----------				
114	1,2-dichlorobenzene		----------NA----------				
115	n-butylbenzene		----------NA----------				
116	1,2-dibromo-3-chloropropa		----------NA----------				
117	1,3,5-trichlorobenzene		----------NA----------				
118	1,2,4-trichlorobenzene		----------NA----------				
119	hexachlorobutadiene		----------NA----------				
120	naphthalene		----------NA----------				
121	1,2,3-trichlorobenzene		----------NA----------				
122	hexachloroethane		----------NA----------				
123	2-methylnaphthalene		----------NA----------				

(#) = Out of Range SPCC's out = 0 CCC's out = 0
2A220743.D M2A9596.M Fri Oct 14 18:47:37 2022 MS2A

Continuing Calibration Summary

Job Number: JD54302 **Sample:** V2A9619-CC9596
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A221287.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\ne...22\v2a9619\2a221287.d Vial: 29
Acq On : 27 Oct 2022 10:49 pm Operator: nickw
Sample : cc9596-50 Inst : GCMS2A
Misc : MS63376,V2A9619,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\MSDCHEM\1\METHODS\M2A9596.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
Last Update : Mon Sep 13 11:48:20 2010
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1 I	tert butyl alcohol-d9	1.000	1.000	0.0	91	0.00	7.25
2	ethanol	0.101	0.091	9.9	85	0.00	5.97
3	tertiary butyl alcohol	1.280	1.157	9.6	84	0.00	7.36
4	1,4-dioxane	0.075	0.079	-5.3	91	0.00	11.08
5 I	pentafluorobenzene	1.000	1.000	0.0	101	0.00	9.51
6	chlorodifluoromethane	0.694	0.508	26.8#	75	-0.01	3.98
7	dichlorodifluoromethane	0.527	0.493	6.5	94	0.00	3.96
8	chloromethane	0.786	0.399	49.2#	54	0.00	4.35
9	vinyl chloride	0.601	0.345	42.6#	58	0.00	4.57
10	1,3-butadiene	0.457	0.218	52.3#	50	0.00	4.62
11	bromomethane	0.368	0.309	16.0	89	-0.01	5.19
12	chloroethane	0.322	0.273	15.2	86	0.00	5.36
13	trichlorofluoromethane	0.647	0.595	8.0	91	-0.01	5.78
14	ethyl ether	0.225	0.199	11.6	90	0.00	6.19
15	acrolein	0.097	0.081	16.5	89	0.00	6.41
16	freon 113	0.352	0.309	12.2	89	0.00	6.61
17	1,1-dichloroethene	0.368	0.308	16.3	89	0.00	6.60
18	acetone	0.269	0.138	48.7#	56	0.00	6.60
19	acetonitrile	0.067	0.058	13.4	92	0.00	7.01
20	iodomethane	0.701	0.666	5.0	96	0.00	6.84
21	carbon disulfide	1.269	1.010	20.4#	85	0.00	6.98
22	methylene chloride	0.410	0.360	12.2	92	0.00	7.30
23	methyl acetate	0.444	0.350	21.2#	85	0.00	7.06
24	methyl tert butyl ether	1.158	1.013	12.5	92	0.00	7.65
25	trans-1,2-dichloroethene	0.414	0.347	16.2	90	0.00	7.68
26	hexane	0.824	0.593	28.0#	75	0.00	8.04
27	di-isopropyl ether	1.788	1.410	21.1#	84	0.00	8.25
28	ethyl tert-butyl ether	1.546	1.319	14.7	89	0.00	8.71
29	2-butanone	0.057	0.045	21.1#	79	0.00	8.90
30	1,1-dichloroethane	0.800	0.671	16.1	87	0.00	8.26
31	chloroprene	0.761	0.604	20.6#	81	0.00	8.36
32	acrylonitrile		----------NA----------				
33	vinyl acetate	0.061	0.072	-18.0	118	0.00	8.19
34	ethyl acetate	0.086	0.074	14.0	90	0.00	8.92
35	2,2-dichloropropane	0.602	0.444	26.2#	79	0.00	9.00
36	cis-1,2-dichloroethene	0.446	0.392	12.1	92	0.00	8.97
37	propionitrile	0.072	0.066	8.3	93	0.00	8.98
38	bromochloromethane	0.285	0.275	3.5	97	0.00	9.26
39	tetrahydrofuran	0.169	0.144	14.8	89	0.00	9.28
40	chloroform	0.760	0.633	16.7	89	0.00	9.35
41	tert-butyl formate	0.302	0.335	-10.9	116	0.00	9.38

Continuing Calibration Summary

Job Number: JD54302 **Sample:** V2A9619-CC9596
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A221287.D
Project: EPT, Ithaca, NY

42		isobutyl alcohol	0.027	0.021	22.2#	76	0.00	9.75
43	S	dibromofluoromethane (s)	0.441	0.437	0.9	100	0.00	9.54
44		methacrylonitrile	0.176	0.170	3.4	96	0.00	9.17
45		1,1,1-trichloroethane	0.650	0.568	12.6	90	0.00	9.61
46		cyclohexane	0.622	0.513	17.5	85	0.00	9.72
47		1,1-dichloropropene	0.553	0.462	16.5	85	0.00	9.77
48		tert-amyl alcohol	0.028	0.024	14.3	89	0.00	9.90
49		carbon tetrachloride	0.564	0.514	8.9	91	0.00	9.80
50	I	1,4-difluorobenzene	1.000	1.000	0.0	100	0.00	10.43
51	S	1,2-dichloroethane-d4 (s)	0.393	0.347	11.7	90	0.00	9.95
52		2,2,4-trimethylpentane	1.394	1.094	21.5#	81	0.00	10.11
53		tert-amyl methyl ether	0.921	0.805	12.6	92	0.00	10.10
54		n-butyl alcohol	0.012	0.011	8.3	88	0.00	10.49
55		benzene	1.136	0.979	13.8	88	0.00	10.02
56		heptane	0.269	0.224	16.7	87	0.00	10.28
57		isopropyl acetate	0.066	0.062	6.1	94	0.00	9.94
58		1,2-dichloroethane	0.483	0.379	21.5#	84	0.00	10.04
59		trichloroethene	0.317	0.279	12.0	88	0.00	10.74
60		ethyl acrylate	0.508	0.457	10.0	91	0.00	10.73
61		2-nitropropane	0.085	0.071	16.5	81	0.00	11.50
62		2-chloroethyl vinyl ether	0.066	0.125	-89.4#	137	0.00	11.53
63		methyl methacrylate	0.082	0.081	1.2	98	0.00	11.00
64		1,2-dichloropropane	0.335	0.293	12.5	88	0.00	11.03
65		methylcyclohexane	0.526	0.417	20.7#	82	0.00	11.04
66		dibromomethane	0.182	0.172	5.5	93	0.00	11.14
67		bromodichloromethane	0.413	0.368	10.9	90	0.00	11.29
68		epichlorohydrin	0.038	0.033	13.2	87	0.00	11.62
69		cis-1,3-dichloropropene	0.491	0.416	15.3	85	0.00	11.75
70		4-methyl-2-pentanone	0.143	0.129	9.8	88	0.00	11.86
71		3-methyl-1-butanol	0.009	0.008	11.1	83	0.00	11.86
72	I	chlorobenzene-d5	1.000	1.000	0.0	93	0.00	13.56
73	S	toluene-d8 (s)	1.272	1.267	0.4	93	0.00	12.06
74		toluene	0.790	0.710	10.1	84	0.00	12.13
75		trans-1,3-dichloropropene	0.496	0.458	7.7	84	0.00	12.32
76		ethyl methacrylate	0.432	0.414	4.2	85	0.00	12.31
77		1,1,2-trichloroethane	0.254	0.247	2.8	88	0.00	12.54
78		2-hexanone	0.178	0.150	15.7	77	0.00	12.70
79		tetrachloroethene	0.415	0.392	5.5	93	0.00	12.68
80		1,3-dichloropropane	0.481	0.442	8.1	85	0.00	12.72
81		butyl acetate	0.285	0.264	7.4	85	0.00	12.79
82		dibromochloromethane	0.368	0.390	-6.0	97	0.00	12.96
83		1,2-dibromoethane	0.322	0.334	-3.7	96	0.00	13.11
84		n-butyl ether	1.651	1.321	20.0	75	0.00	13.56
85		chlorobenzene	0.882	0.817	7.4	87	0.00	13.59
86		1,1,1,2-tetrachloroethane	0.336	0.341	-1.5	93	0.00	13.66
87		ethylbenzene	1.448	1.249	13.7	83	0.00	13.65
88		m,p-xylene	0.564	0.500	11.3	83	0.00	13.77
89		o-xylene	1.143	1.000	12.5	83	0.00	14.17
90		styrene	0.886	0.818	7.7	83	0.00	14.19
91		n-amyl acetate	0.223	0.197	11.7	78	0.00	14.22
92		bromoform	0.250	0.289	-15.6	100	0.00	14.41
93		butyl acrylate	0.815	0.733	10.1	79	0.00	14.01
94		isopropylbenzene	1.420	1.231	13.3	83	0.00	14.52
95		cis-1,4-dichloro-2-butene	0.127	0.125	1.6	86	0.00	14.56
96	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	93	0.00	15.89
97	S	4-bromofluorobenzene (s)	0.945	0.890	5.8	88	0.00	14.72
98		bromobenzene	0.808	0.772	4.5	91	0.00	14.90

Continuing Calibration Summary

Job Number: JD54302 **Sample:** V2A9619-CC9596
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A221287.D
Project: EPT, Ithaca, NY

99	1,1,2,2-tetrachloroethane	0.752	0.713	5.2	89	0.00	14.80
100	trans-1,4-dichloro-2-bute	0.216	0.174	19.4	68	0.00	14.83
101	1,2,3-trichloropropane	0.195	0.200	-2.6	96	0.00	14.88
102	n-propylbenzene	3.236	2.684	17.1	80	0.00	14.94
103	2-chlorotoluene	0.716	0.665	7.1	87	0.00	15.07
104	4-chlorotoluene	2.017	1.722	14.6	82	0.00	15.18
105	1,3,5-trimethylbenzene	2.229	1.931	13.4	82	0.00	15.09
106	tert-butylbenzene	1.990	1.784	10.4	85	0.00	15.43
107	1,2,4-trimethylbenzene	2.232	1.955	12.4	82	0.00	15.48
108	sec-butylbenzene	2.878	2.409	16.3	80	0.00	15.65
109	1,3-dichlorobenzene	1.453	1.318	9.3	88	0.00	15.81
110	p-isopropyltoluene	2.447	2.207	9.8	83	0.00	15.78
111	benzyl chloride	1.171	1.067	8.9	76	0.00	16.00
112	1,2,3-trimethylbenzene	2.275	1.977	13.1	83	0.00	15.91
113	1,4-dichlorobenzene	1.460	1.318	9.7	87	0.00	15.91
114	1,2-dichlorobenzene	1.391	1.312	5.7	89	0.00	16.28
115	n-butylbenzene	1.199	1.018	15.1	77	0.00	16.19
116	1,2-dibromo-3-chloropropa	0.155	0.177	-14.2	101	0.00	17.05
117	1,3,5-trichlorobenzene	1.060	1.060	0.0	91	0.00	17.24
118	1,2,4-trichlorobenzene	0.855	0.911	-6.5	92	0.00	17.88
119	hexachlorobutadiene	0.456	0.452	0.9	91	0.00	18.00
120	naphthalene	1.578	1.737	-10.1	94	0.00	18.17
121	1,2,3-trichlorobenzene	0.689	0.728	-5.7	91	0.00	18.39
122	hexachloroethane	0.355	0.358	-0.8	85	0.00	16.57
123	2-methylnaphthalene	0.421	0.326	22.6#	71	0.00	19.40

(#) = Out of Range SPCC's out = 0 CCC's out = 0
2A220743.D M2A9596.M Sat Oct 29 04:16:28 2022

Initial Calibration Summary

Job Number: JD54302 **Sample:** VL10548-ICC10548
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L348715.D
Project: EPT, Ithaca, NY

Response Factor Report GCMSL

Method : C:\MSDCHEM\1\METHODS\ML10548.M (RTE Integrator)
Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
Last Update : Fri Oct 28 18:07:24 2022
Response via : Initial Calibration

Calibration Files
8 =L348713.D 0.5 =L348709.D 4 =L348712.D 50 =L348715.D
100 =L348716.D 1 =L348710.D 200 =L348717.D 20 =L348714.D
2 =L348711.D 0.2 =L348708.D = =

Compound	8	0.5	4	50	100	1	200	20	2	0.2	Avg	%RSD
1) I tert butyl alcohol-d9	----------ISTD----------											
2) 1,4-dioxane	0.095	0.095	0.100	0.093	0.107	0.100	0.095	0.108			0.099	5.86
3) ethanol	0.134	0.152	0.133	0.137	0.124	0.154	0.118	0.131	0.134		0.135	8.68
4) tertiary butyl alcohol	1.511	1.701	1.525	1.530	1.375	1.395	1.412	1.486	1.543		1.497	6.61
5) I pentafluorobenzene	----------ISTD----------											
6) chlorodifluoromethane	0.954	0.959	0.926	1.008	0.933	1.071	0.870	0.967	0.934	1.107	0.973	7.29
7) dichlorodifluoromethane	1.128	0.968	1.115	1.285	1.213	1.103	1.156	1.174	1.090		1.137	7.73
8) chloromethane	0.839	0.931	0.865	0.929	0.889	0.851	0.840	0.875	0.842		0.873	4.14
9) vinyl chloride	0.914	0.880	0.881	0.983	0.914	0.935	0.844	0.936	0.870	0.884	0.904	4.47
10) 1,3-butadiene	0.695	0.608	0.695	0.671	0.612	0.715	0.543	0.689	0.659		0.654	8.51
11) bromomethane	0.155	0.150	0.224	0.250	0.195	0.125					0.183	26.15
----- Linear regression ----- Coefficient = 0.9933												
Response Ratio = -0.00726 + 0.24088 *A												
12) chloroethane	0.452	0.510	0.454	0.489	0.450	0.500	0.397	0.481	0.482	0.474	0.469	6.92
13) trichlorofluoromethane	0.992	0.916	0.967	1.071	1.016	0.990	0.955	1.008	0.999	0.820	0.973	6.94
14) ethyl ether	0.390	0.493	0.406	0.411	0.382	0.391	0.364	0.400	0.424		0.407	9.06
15) acrolein	0.193	0.195	0.211	0.199	0.199	0.193	0.218				0.201	4.77
16) freon 113	0.450	0.495	0.481	0.474	0.442	0.478	0.415	0.479	0.461	0.452	0.463	5.08
17) 1,1-dichloroethene	0.553	0.567	0.544	0.493	0.576	0.465	0.557	0.595			0.544	7.97
18) acetone	0.134	0.134	0.136	0.125	0.158	0.118	0.136	0.133			0.134	8.35
19) acetonitrile	0.074	0.080	0.075	0.070	0.064	0.075	0.073				0.073	7.18
20) iodomethane	0.223	0.176	0.381	0.407	0.389	0.287	0.162				0.289	36.15
----- Linear regression ----- Coefficient = 0.9955												
Response Ratio = -0.01531 + 0.39418 *A												

21) iso-butyl alcohol
0.067 0.075 0.063 0.055 0.050 0.064 0.062 14.24
22) carbon disulfide
1.836 1.845 1.774 1.662 2.360 1.554 1.765 1.995 1.849 13.20
23) methylene chloride
0.602 0.679 0.582 0.618 0.570 0.640 0.553 0.600 0.667 0.612 7.00
24) methyl acetate
0.175 0.153 0.185 0.185 0.171 0.171 0.160 0.188 0.188 0.175 7.14
25) methyl tert butyl ether
1.914 1.988 1.868 1.885 1.684 1.980 1.545 1.960 1.990 1.592 1.841 9.23
26) trans-1,2-dichloroethene
0.570 0.592 0.564 0.523 0.690 0.486 0.580 0.583 0.574 10.26
27) hexane
1.044 1.251 1.042 1.051 0.998 1.073 0.924 1.028 1.146 1.062 8.69
28) di-isopropyl ether
2.188 2.236 2.070 1.847 1.631 2.178 2.349 2.071 12.03
29) ethyl tert-butyl ether
2.104 2.373 2.121 2.106 1.918 2.278 1.779 2.172 2.281 2.062 2.120 8.30
30) 2-butanone
0.137 0.172 0.136 0.146 0.138 0.145 0.131 0.149 0.146 0.132 0.143 8.27
31) 1,1-dichloroethane
1.187 1.132 1.094 0.988 1.192 0.896 1.122 1.162 1.097 9.46
32) chloroprene
1.011 1.015 0.973 0.915 1.093 0.853 0.996 1.062 0.990 7.78
33) acrylonitrile
0.413 0.399 0.381 0.434 0.420 0.435 0.398 0.415 0.406 0.411 4.26
34) vinyl acetate
0.158 0.149 0.149 0.167 0.148 0.142 0.150 0.169 0.177 0.157 7.48
35) ethyl acetate
0.185 0.201 0.168 0.156 0.146 0.173 0.200 0.175 12.00
36) 2,2-dichloropropane
0.911 0.907 0.832 0.753 1.007 0.703 0.891 1.012 0.877 12.56
37) cis-1,2-dichloroethene
0.662 0.643 0.607 0.544 0.636 0.522 0.622 0.715 0.619 10.06
38) propionitrile
0.166 0.172 0.153 0.140 0.123 0.160 0.152 11.94
39) methyl acrylate
0.156 0.149 0.139 0.136 0.155 0.125 0.141 0.172 0.147 9.96
40) bromochloromethane
0.281 0.272 0.282 0.276 0.257 0.256 0.248 0.281 0.304 0.273 6.27
41) tetrahydrofuran
0.155 0.174 0.165 0.161 0.149 0.154 0.146 0.163 0.169 0.160 5.77
42) chloroform
1.058 1.074 1.037 0.952 1.278 0.899 1.052 1.213 1.070 11.61
43) dibromofluoromethane (s)
0.409 0.406 0.404 0.435 0.432 0.401 0.444 0.423 0.406 0.402 0.416 3.78
44) methacrylonitrile
0.407 0.472 0.401 0.413 0.391 0.464 0.383 0.404 0.425 0.418 7.42
45) 1,1,1-trichloroethane
0.863 0.939 0.833 0.880 0.838 0.961 0.807 0.878 0.866 1.050 0.891 8.13
46) cyclohexane
0.964 0.965 0.918 0.883 1.011 0.823 0.945 0.934 0.930 6.14
47) 1,1-dichloropropene
0.845 0.811 0.811 0.781 0.731 0.978 0.688 0.805 0.813 0.807 9.94
48) carbon tetrachloride
0.725 0.764 0.710 0.697 0.639 0.775 0.604 0.720 0.753 0.710 7.97
49) isopropyl acetate
0.180 0.193 0.185 0.177 0.203 0.175 0.190 0.156 0.182 7.72
50) tert amyl alcohol

	0.064	0.060	0.060	0.055	0.048	0.062	0.079		0.061	15.25
51) I	1,4-difluorobenzene	----------	ISTD	----------						
52)	1,2-dichloroethane-d4 (s)									
	0.360	0.359	0.351	0.326	0.320	0.346	0.307	0.347	0.365	0.343	0.342	5.55
53)	tert-amyl methyl ether									
	1.372	1.330	1.224	1.092	0.975	1.293	1.478		1.252	13.70
54)	2,2,4-trimethylpentane									
	1.515	1.529	1.343	1.224	1.084	1.414	1.604		1.388	13.31
55)	n-butyl alcohol									
	0.028	0.030	0.028	0.025	0.022	0.028	0.030		0.027	11.06
56)	benzene									
	1.714	1.994	1.692	1.543	1.388	1.812	1.236	1.627	1.786		1.644	13.94
57)	heptane									
	0.326	0.376	0.323	0.319	0.314	0.365	0.283	0.311	0.341		0.329	8.64
58)	1,2-dichloroethane									
	0.561	0.553	0.516	0.469	0.643	0.437	0.542	0.595		0.539	12.22
59)	trichloroethene									
	0.403	0.484	0.413	0.414	0.394	0.458	0.369	0.415	0.401	0.480	0.423	9.01
60)	ethyl acrylate									
	0.858	0.837	0.808	0.720	0.656	0.825	0.884		0.798	10.17
61)	2-nitropropane									
	0.205	0.181	0.195	0.184	0.232	0.174	0.193	0.215		0.197	9.70
62)	2-chloroethyl vinyl ether									
	0.325	0.356	0.343	0.304	0.263	0.354	0.231	0.312	0.362	0.294	0.314	13.67
63)	methyl methacrylate									
	0.158	0.167	0.156	0.144	0.180	0.130	0.159	0.154		0.156	9.35
64)	1,2-dichloropropane									
	0.476	0.502	0.448	0.423	0.387	0.492	0.346	0.442	0.506	0.417	0.444	11.79
65)	methylcyclohexane									
	0.798	0.789	0.753	0.698	0.883	0.634	0.742	0.761		0.757	9.64
66)	dibromomethane									
	0.256	0.306	0.245	0.240	0.228	0.283	0.216	0.248	0.293		0.257	11.81
67)	bromodichloromethane									
	0.589	0.675	0.555	0.572	0.539	0.667	0.510	0.574	0.605	0.659	0.594	9.51
68)	cis-1,3-dichloropropene									
	0.751	0.853	0.702	0.702	0.652	0.698	0.610	0.723	0.780	0.661	0.713	9.70
69)	epichlorohydrin									
	0.091	0.092	0.085	0.081	0.099	0.075	0.087	0.095		0.088	9.04
70)	4-methyl-2-pentanone									
	0.305	0.307	0.276	0.243	0.329	0.215	0.286	0.331		0.286	14.30
71)	3-methyl-1-butanol									
	0.027	0.029	0.026	0.022	0.020	0.026	0.031		0.026	14.47
72) I	chlorobenzene-d5	----------	ISTD	----------						
73)	toluene-d8 (s)									
	1.370	1.366	1.384	1.246	1.239	1.388	1.215	1.297	1.350	1.384	1.324	5.15
74)	toluene									
	1.150	1.203	1.149	1.047	0.941	1.309	0.863	1.068	1.158	1.225	1.111	12.08
75)	trans-1,3-dichloropropene									
	0.732	0.691	0.677	0.624	0.843	0.574	0.702	0.761		0.701	11.76
76)	ethyl methacrylate									
	0.791	0.801	0.710	0.627	0.560	0.740	0.807		0.720	13.18
77)	1,1,2-trichloroethane									
	0.390	0.410	0.374	0.364	0.332	0.428	0.309	0.373	0.408	0.344	0.373	10.05
78)	2-hexanone									
	0.358	0.387	0.369	0.307	0.270	0.417	0.225	0.340	0.369	0.304	0.335	17.34
79)	tetrachloroethene									
	0.460	0.512	0.484	0.441	0.408	0.548	0.380	0.449	0.520	0.398	0.460	12.13
80)	1,3-dichloropropane									

```
      0.735 0.835 0.780 0.673 0.610 0.843 0.551 0.739 0.816 0.805  0.739   13.42
 81)  butyl acetate
      0.505       0.516 0.448 0.404       0.367 0.472 0.502        0.459   12.22
 82)  dibromochloromethane
      0.462 0.529 0.483 0.429 0.403 0.511 0.379 0.451 0.461        0.457   10.56
 83)  1,2-dibromoethane
      0.478 0.551 0.463 0.449 0.416 0.515 0.393 0.447 0.498 0.407  0.462   10.84
 84)  n-butyl ether
      2.171       2.154 1.917 1.677       1.414 2.086 2.177        1.942   15.19
 85)  chlorobenzene
      1.132 1.221 1.149 1.074 0.986 1.210 0.903 1.105 1.137 1.307  1.122   10.36
 86)  1,1,1,2-tetrachloroethane
      0.397       0.422 0.359 0.324 0.471 0.289 0.384 0.394        0.380   14.90
 87)  ethylbenzene
      2.087 2.323 2.106 1.786 1.553 2.365 1.317 1.980 2.283 2.299  2.010   17.69
 88)  m,p-xylene
      0.832 0.915 0.811 0.712 0.638 0.882 0.561 0.755 0.845 0.877  0.783   14.69
 89)  o-xylene
      0.848 0.820 0.859 0.734 0.660 0.891 0.590 0.753 0.808        0.773   12.81
 90)  butyl acrylate
      1.171       1.156 1.113 0.992       0.862 1.171 1.254        1.103   12.02
 91)  styrene
      1.349 1.431 1.336 1.183 1.046 1.486 0.911 1.268 1.371 1.369  1.275   14.06
 92)  bromoform
      0.358 0.392 0.349 0.334 0.305 0.399 0.282 0.336 0.361        0.346   10.92
 93)  isopropylbenzene
      2.165 2.220 2.145 1.900 1.666 2.386 1.428 1.998 2.227        2.015   15.14
 94)  cis-1,4-dichloro-2-butene
      0.211       0.205 0.215 0.211 0.191 0.193 0.216 0.196        0.205    4.92

 95) I   1,4-dichlorobenzene-d ----------------ISTD--------------------
 96)  4-bromofluorobenzene (s)
      1.152 1.102 1.109 1.189 1.194 1.128 1.211 1.168 1.133 1.114  1.150    3.38
 97)  bromobenzene
      1.098 1.167 1.042 1.104 1.015 1.221 0.974 1.101 1.138 0.975  1.083    7.52
 98)  1,1,2,2-tetrachloroethane
      1.695 1.734 1.575 1.672 1.534 1.878 1.454 1.657 1.618 1.862  1.668    8.04
 99)  trans-1,4-dichloro-2-butene
      0.408 0.463 0.407 0.443 0.416 0.403 0.398 0.429 0.424        0.421    5.03
100)  1,2,3-trichloropropane
      0.473       0.460 0.456 0.408 0.485 0.395 0.459 0.465        0.450    7.01
101)  n-propylbenzene
      5.589       5.319 5.183 4.658 5.667 4.207 5.239 5.749        5.201   10.19
102)  2-chlorotoluene
      1.044       1.023 1.043 0.967 1.122 0.943 1.029 1.058        1.029    5.37
103)  4-chlorotoluene
      1.036 1.117 1.028 0.997 0.938 1.135 0.909 1.014 1.216 0.916  1.031    9.75
104)  1,3,5-trimethylbenzene
      3.796 4.079 3.749 3.688 3.300 4.156 2.996 3.731 3.902 4.291  3.769   10.33
105)  tert-butylbenzene
      3.345 3.282 3.163 3.183 2.884 3.445 2.683 3.190 3.375 3.525  3.208    8.00
106)  1,2,4-trimethylbenzene
      3.934       3.696 3.682 3.299 4.213 2.990 3.726 3.952        3.686   10.49
107)  sec-butylbenzene
      4.907 5.228 4.762 4.685 4.220 5.145 3.805 4.701 4.735 4.693  4.688    8.87
108)  1,3-dichlorobenzene
      1.968 1.943 1.792 1.958 1.800 2.151 1.710 1.963 1.873 1.710  1.887    7.28
109)  p-isopropyltoluene
      3.790 4.086 3.639 3.555 3.157 4.072 2.828 3.604 3.846 3.768  3.635   10.73
110)  1,4-dichlorobenzene
```

Initial Calibration Summary

Job Number: JD54302 **Sample:** VL10548-ICC10548
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L348715.D
Project: EPT, Ithaca, NY

```
       1.785 1.931 1.761 1.822 1.714 1.892 1.615 1.814 1.946 2.190  1.847    8.47
111)  1,2,3-trimethylbenzene
       3.689       3.615 3.470 3.124 4.160 2.845 3.600 3.759        3.533   11.34
112)  1,2-dichlorobenzene
       1.829 1.818 1.719 1.778 1.629 1.934 1.529 1.791 1.897 1.904  1.783    7.14
113)  n-butylbenzene
       1.898 1.986 1.785 1.950 1.838 1.894 1.719 1.894 1.782 1.772  1.852    4.65
114)  1,2-dibromo-3-chloropropane
       0.411 0.431 0.413 0.459 0.454 0.357 0.469 0.418 0.453        0.429    8.05
115)  1,3,5-trichlorobenzene
       1.285 1.273 1.218 1.390 1.300 1.166 1.251 1.308 1.192 1.196  1.258    5.36
116)  1,2,4-trichlorobenzene
       1.033 0.994 0.929 1.205 1.125 1.023 1.115 1.087 0.933        1.049    8.76
117)  hexachlorobutadiene
       0.459 0.486 0.440 0.467 0.448 0.535 0.445 0.473 0.447        0.467    6.40
118)  naphthalene
       3.517 3.893 3.321 3.851 3.567 3.735 3.435 3.749 3.553 3.261  3.588    6.01
119)  1,2,3-trichlorobenzene
       0.978 0.968 0.872 1.097 1.045 1.054 1.031 1.012 0.968        1.003    6.52
120)  hexachloroethane
       0.726 0.677 0.653 0.740 0.700 0.712 0.678 0.700 0.582        0.685    6.84
121)  benzyl chloride
       2.704 3.276 2.693 2.930 2.655 2.886 2.526 2.871 2.772 3.113  2.843    7.89
122)  2-methylnaphthalene
       1.340             1.964 1.956       2.025 1.652              1.788   16.19

123)     pentafluorobenzene(a) ----------------ISTD---------------------
124)  Freon 142B
       0.808       0.856 0.802 0.800 0.968 0.738 0.804 0.924        0.837    8.97
125)  vinyl bromide
       0.141       0.147 0.148 0.145 0.160 0.130 0.147 0.129        0.144    6.98
126)  allyl chloride
       0.344       0.387 0.359 0.341 0.401 0.314 0.376 0.392        0.364    8.20

127)     1,4-dichlorobenzene-d ----------------ISTD---------------------
128)  pentachloroethane
       0.625       0.636 0.618 0.639 0.759 0.591 0.667 0.558        0.637    9.31
 ---------------------------------------------------------------------------
 (#) = Out of Range  ###  Number of calibration levels exceeded format  ###

           ML10548.M         Fri Oct 28 18:08:02 2022   1
```

Initial Calibration Verification

Job Number: JD54302 **Sample:** VL10548-ICV10548
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L348720.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\DATA\VL10548\L348720.D Vial: 14
Acq On : 27 Oct 2022 6:33 am Operator: PrashanS
Sample : ICV10548-50 Inst : GCMSL
Misc : MS63290,VL10548,5,,,,1 Multiplr: 1.00
MS Integration Params: lscint.p

Method : C:\MSDCHEM\1\METHODS\ML10548.M (RTE Integrator)
Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
Last Update : Fri Oct 28 17:50:59 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	tert butyl alcohol-d9	1.000	1.000	0.0	100	0.00	3.06
2		1,4-dioxane	0.099	0.095	4.0	96	0.00	5.28
3		ethanol	0.135	0.137	-1.5	100	0.00	2.49
4	M	tertiary butyl alcohol	1.497	1.648	-10.1	108	0.00	3.12
5	I	pentafluorobenzene	1.000	1.000	0.0	99	0.00	4.28
6		chlorodifluoromethane		----------NA----------				
7		dichlorodifluoromethane	1.137	1.025	9.9	79	0.00	1.63
8		chloromethane	0.873	0.779	10.8	83	0.00	1.80
9		vinyl chloride	0.904	0.875	3.2	88	0.00	1.88
10		1,3-butadiene	0.654	0.842	-28.7	124	0.00	1.91
		----------	True	Calc.	% Drift	----------		
11		bromomethane	50.000	45.505	9.0	94	0.00	2.13
		----------	AvgRF	CCRF	% Dev	----------		
12		chloroethane	0.469	0.473	-0.9	95	0.00	2.21
13		trichlorofluoromethane	0.973	0.984	-1.1	91	0.00	2.39
14		ethyl ether	0.407	0.384	5.7	92	0.00	2.58
15		acrolein	0.201	0.208	-3.5	97	0.00	2.68
16		freon 113	0.463	0.418	9.7	87	0.00	2.75
17		1,1-dichloroethene	0.544	0.514	5.5	93	0.00	2.76
18		acetone	0.134	0.118	11.9	86	0.00	2.77
19		acetonitrile		----------NA----------				
		----------	True	Calc.	% Drift	----------		
20		iodomethane	50.000	40.021	20.0	78	0.00	2.87
		----------	AvgRF	CCRF	% Dev	----------		
21		iso-butyl alcohol	0.062	0.067	-8.1	106	0.00	4.43
22		carbon disulfide	1.849	1.662	10.1	93	0.00	2.93
23		methylene chloride	0.612	0.573	6.4	92	0.00	3.09
24		methyl acetate	0.175	0.190	-8.6	101	0.00	2.98
25		methyl tert butyl ether	1.841	1.844	-0.2	97	0.00	3.26
26		trans-1,2-dichloroethene	0.574	0.535	6.8	94	0.00	3.27
27		hexane	1.062	0.989	6.9	93	0.00	3.45
28		di-isopropyl ether	2.071	2.039	1.5	97	0.00	3.56
29		ethyl tert-butyl ether	2.120	2.073	2.2	97	0.00	3.81
30		2-butanone	0.143	0.149	-4.2	101	0.00	3.93
31	M	1,1-dichloroethane	1.097	1.062	3.2	96	0.00	3.57
32		chloroprene	0.990	0.947	4.3	96	0.00	3.62
33		acrylonitrile		----------NA----------				

Initial Calibration Verification

Job Number: JD54302 **Sample:** VL10548-ICV10548
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L348720.D
Project: EPT, Ithaca, NY

34		vinyl acetate	0.157	0.118	24.8	70	0.00	3.54
35		ethyl acetate	0.175	0.172	1.7	101	0.00	3.94
36		2,2-dichloropropane	0.877	0.803	8.4	95	0.00	3.96
37		cis-1,2-dichloroethene	0.619	0.588	5.0	96	0.00	3.95
38		propionitrile	0.152	0.146	3.9	94	0.00	3.97
39		methyl acrylate	0.147	0.137	6.8	98	0.00	3.98
40		bromochloromethane	0.273	0.267	2.2	95	0.00	4.13
41		tetrahydrofuran	0.160	0.157	1.9	96	0.00	4.13
42		chloroform	1.070	1.063	0.7	101	0.00	4.18
43	S	dibromofluoromethane (s)	0.416	0.438	-5.3	99	0.00	4.29
44		methacrylonitrile	0.418	0.424	-1.4	101	0.00	4.08
45		1,1,1-trichloroethane	0.891	0.861	3.4	97	0.00	4.31
46		cyclohexane	0.930	0.906	2.6	98	0.00	4.38
47		1,1-dichloropropene	0.807	0.764	5.3	97	0.00	4.42
48		carbon tetrachloride	0.710	0.671	5.5	95	0.00	4.43
49		isopropyl acetate	0.182	0.192	-5.5	103	0.00	4.54
50		tert amyl alcohol	0.061	0.062	-1.6	102	0.00	4.52
51	I	1,4-difluorobenzene	1.000	1.000	0.0	101	0.00	4.85
52	S	1,2-dichloroethane-d4 (s)	0.342	0.333	2.6	103	0.00	4.54
53		tert-amyl methyl ether	1.252	1.153	7.9	95	0.00	4.63
54		2,2,4-trimethylpentane	1.388	1.214	12.5	91	0.00	4.63
55		n-butyl alcohol	0.027	0.029	-7.4	102	0.00	4.90
56	M	benzene	1.644	1.460	11.2	95	0.00	4.57
57		heptane	0.329	0.295	10.3	93	0.00	4.74
58		1,2-dichloroethane	0.539	0.497	7.8	97	0.00	4.60
59		trichloroethene	0.423	0.409	3.3	99	0.00	5.04
60		ethyl acrylate	0.798	0.787	1.4	98	0.00	5.06
61		2-nitropropane	0.197	0.205	-4.1	106	0.00	5.59
62		2-chloroethyl vinyl ether	0.314	0.266	15.3	88	0.00	5.62
63		methyl methacrylate	0.156	0.165	-5.8	107	0.00	5.24
64		1,2-dichloropropane	0.444	0.406	8.6	97	0.00	5.24
65		methylcyclohexane	0.757	0.660	12.8	88	0.00	5.23
66		dibromomethane	0.257	0.233	9.3	97	0.00	5.31
67		bromodichloromethane	0.594	0.573	3.5	101	0.00	5.43
68		cis-1,3-dichloropropene	0.713	0.703	1.4	101	0.00	5.76
69		epichlorohydrin	0.088	0.087	1.1	102	0.00	5.67
70		4-methyl-2-pentanone	0.286	0.282	1.4	103	0.00	5.86
71		3-methyl-1-butanol	0.026	0.026	0.0	103	0.00	5.88
72	I	chlorobenzene-d5	1.000	1.000	0.0	101	0.00	7.24
73	S	toluene-d8 (s)	1.324	1.237	6.6	100	0.00	5.99
74		toluene	1.111	1.025	7.7	99	0.00	6.05
75		trans-1,3-dichloropropene	0.701	0.687	2.0	102	0.00	6.22
76		ethyl methacrylate	0.720	0.695	3.5	99	0.00	6.24
77		1,1,2-trichloroethane	0.373	0.363	2.7	101	0.00	6.39
78		2-hexanone	0.335	0.310	7.5	102	0.00	6.55
79		tetrachloroethene		----------NA----------				
80		1,3-dichloropropane	0.739	0.669	9.5	100	0.00	6.53
81		butyl acetate	0.459	0.469	-2.2	106	0.00	6.64
82		dibromochloromethane	0.457	0.441	3.5	104	0.00	6.72
83		1,2-dibromoethane	0.462	0.450	2.6	101	0.00	6.84
84		n-butyl ether	1.942	1.914	1.4	101	0.00	7.31
85		chlorobenzene	1.122	1.093	2.6	103	0.00	7.27
86		1,1,1,2-tetrachloroethane	0.380	0.367	3.4	103	0.00	7.34
87		ethylbenzene	2.010	1.815	9.7	103	0.00	7.34
88		m,p-xylene	0.783	0.729	6.9	103	0.00	7.46
89		o-xylene	0.773	0.760	1.7	105	0.00	7.81
90		butyl acrylate	1.103	1.137	-3.1	103	0.00	7.73
91		styrene	1.275	1.228	3.7	105	0.00	7.83

Initial Calibration Verification

Job Number: JD54302 **Sample:** VL10548-ICV10548
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L348720.D
Project: EPT, Ithaca, NY

92		bromoform	0.346	0.342	1.2	103	0.00	8.01
93		isopropylbenzene	2.015	1.940	3.7	103	0.00	8.15
94		cis-1,4-dichloro-2-butene	0.205	0.212	-3.4	100	0.00	8.20
95	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	101	0.00	9.43
96	S	4-bromofluorobenzene (s)	1.150	1.181	-2.7	100	0.00	8.32
97		bromobenzene	1.083	1.136	-4.9	104	0.00	8.46
98		1,1,2,2-tetrachloroethane	1.668	1.677	-0.5	101	0.00	8.43
99		trans-1,4-dichloro-2-bute	0.421	0.478	-13.5	109	0.00	8.47
100		1,2,3-trichloropropane	0.450	0.472	-4.9	104	0.00	8.50
101		n-propylbenzene	5.201	5.366	-3.2	104	0.00	8.54
102		2-chlorotoluene	1.029	1.058	-2.8	102	0.00	8.64
103		4-chlorotoluene	1.031	1.057	-2.5	107	0.00	8.75
104		1,3,5-trimethylbenzene	3.769	3.777	-0.2	103	0.00	8.71
105		tert-butylbenzene	3.208	3.357	-4.6	106	0.00	9.02
106		1,2,4-trimethylbenzene	3.686	3.730	-1.2	102	0.00	9.07
107		sec-butylbenzene	4.688	4.917	-4.9	106	0.00	9.23
108		1,3-dichlorobenzene	1.887	2.008	-6.4	103	0.00	9.36
109		p-isopropyltoluene	3.635	3.685	-1.4	105	0.00	9.38
110		1,4-dichlorobenzene	1.847	1.942	-5.1	107	0.00	9.46
111		1,2,3-trimethylbenzene		----------NA----------				
112		1,2-dichlorobenzene	1.783	1.857	-4.2	105	0.00	9.81
113		n-butylbenzene	1.852	2.044	-10.4	106	0.00	9.78
114		1,2-dibromo-3-chloropropa	0.429	0.490	-14.2	108	0.00	10.58
115		1,3,5-trichlorobenzene	1.258	1.426	-13.4	103	0.00	10.76
116		1,2,4-trichlorobenzene	1.049	1.240	-18.2	104	0.00	11.39
117		hexachlorobutadiene	0.467	0.507	-8.6	109	0.00	11.53
118		naphthalene	3.588	3.963	-10.5	104	0.00	11.65
119		1,2,3-trichlorobenzene	1.003	1.131	-12.8	104	0.00	11.88
120		hexachloroethane	0.685	0.772	-12.7	105	0.00	10.08
121		benzyl chloride	2.843	2.823	0.7	97	0.00	9.56
122		2-methylnaphthalene	1.788	2.041	-14.1	105	0.00	12.78
123		pentafluorobenzene(a)	1.000	1.000	0.0	99	0.00	4.28
124		Freon 142B		----------NA----------				
125		vinyl bromide		----------NA----------				
126		allyl chloride		----------NA----------				
127		1,4-dichlorobenzene-d4(a)	1.000	1.000	0.0	101	0.00	9.43

(#) = Out of Range SPCC's out = 0 CCC's out = 0
L348715.D ML10548.M Fri Oct 28 17:52:51 2022 1

Initial Calibration Verification

Job Number: JD54302 **Sample:** VL10548-ICV10548
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L348721.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\DATA\VL10548\L348721.D Vial: 15
Acq On : 27 Oct 2022 6:56 am Operator: PrashanS
Sample : ICV10548-50 Inst : GCMSL
Misc : MS63290,VL10548,5,,,,1 Multiplr: 1.00
MS Integration Params: lscint.p

Method : C:\MSDCHEM\1\METHODS\ML10548.M (RTE Integrator)
Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
Last Update : Thu Oct 27 19:06:54 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	tert butyl alcohol-d9	1.000	1.000	0.0	102	0.00	3.06
2		1,4-dioxane		----------NA----------				
3		ethanol		----------NA----------				
4	M	tertiary butyl alcohol		----------NA----------				
5	I	pentafluorobenzene	1.000	1.000	0.0	110	0.00	4.28
6		chlorodifluoromethane	0.973	0.968	0.5	105	0.00	1.65
7		dichlorodifluoromethane		----------NA----------				
8		chloromethane		----------NA----------				
9		vinyl chloride		----------NA----------				
10		1,3-butadiene		----------NA----------				
11		bromomethane		----------NA----------				
12		chloroethane		----------NA----------				
13		trichlorofluoromethane		----------NA----------				
14		ethyl ether		----------NA----------				
15		acrolein		----------NA----------				
16		freon 113		----------NA----------				
17		1,1-dichloroethene		----------NA----------				
18		acetone		----------NA----------				
19		acetonitrile	0.073	0.076	-4.1	110	0.00	2.96
		----------	True	Calc.	% Drift	----------		
20		iodomethane		----------NA----------				
		----------	AvgRF	CCRF	% Dev	----------		
21		iso-butyl alcohol		----------NA----------				
22		carbon disulfide		----------NA----------				
23		methylene chloride		----------NA----------				
24		methyl acetate		----------NA----------				
25		methyl tert butyl ether		----------NA----------				
26		trans-1,2-dichloroethene		----------NA----------				
27		hexane		----------NA----------				
28		di-isopropyl ether		----------NA----------				
29		ethyl tert-butyl ether		----------NA----------				
30		2-butanone		----------NA----------				
31	M	1,1-dichloroethane		----------NA----------				
32		chloroprene		----------NA----------				
33		acrylonitrile	0.411	0.377	8.3	95	0.00	3.24
34		vinyl acetate		----------NA----------				
35		ethyl acetate		----------NA----------				
36		2,2-dichloropropane		----------NA----------				
37		cis-1,2-dichloroethene		----------NA----------				

Initial Calibration Verification

Job Number: JD54302 **Sample:** VL10548-ICV10548
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L348721.D
Project: EPT, Ithaca, NY

38		propionitrile		----------NA----------				
39		methyl acrylate		----------NA----------				
40		bromochloromethane		----------NA----------				
41		tetrahydrofuran		----------NA----------				
42		chloroform		----------NA----------				
43	S	dibromofluoromethane (s)	0.416	0.424	-1.9	107	0.00	4.29
44		methacrylonitrile		----------NA----------				
45		1,1,1-trichloroethane		----------NA----------				
46		cyclohexane		----------NA----------				
47		1,1-dichloropropene		----------NA----------				
48		carbon tetrachloride		----------NA----------				
49		isopropyl acetate		----------NA----------				
50		tert amyl alcohol		----------NA----------				
51	I	1,4-difluorobenzene	1.000	1.000	0.0	109	0.00	4.85
52	S	1,2-dichloroethane-d4 (s)	0.342	0.359	-5.0	120	0.00	4.54
53		tert-amyl methyl ether		----------NA----------				
54		2,2,4-trimethylpentane		----------NA----------				
55		n-butyl alcohol		----------NA----------				
56	M	benzene		----------NA----------				
57		heptane		----------NA----------				
58		1,2-dichloroethane		----------NA----------				
59		trichloroethene		----------NA----------				
60		ethyl acrylate		----------NA----------				
61		2-nitropropane		----------NA----------				
62		2-chloroethyl vinyl ether		----------NA----------				
63		methyl methacrylate		----------NA----------				
64		1,2-dichloropropane		----------NA----------				
65		methylcyclohexane		----------NA----------				
66		dibromomethane		----------NA----------				
67		bromodichloromethane		----------NA----------				
68		cis-1,3-dichloropropene		----------NA----------				
69		epichlorohydrin		----------NA----------				
70		4-methyl-2-pentanone		----------NA----------				
71		3-methyl-1-butanol		----------NA----------				
72	I	chlorobenzene-d5	1.000	1.000	0.0	101	0.00	7.24
73	S	toluene-d8 (s)	1.324	1.395	-5.4	113	0.00	5.99
74		toluene		----------NA----------				
75		trans-1,3-dichloropropene		----------NA----------				
76		ethyl methacrylate		----------NA----------				
77		1,1,2-trichloroethane		----------NA----------				
78		2-hexanone		----------NA----------				
79		tetrachloroethene	0.460	0.494	-7.4	114	0.00	6.48
80		1,3-dichloropropane		----------NA----------				
81		butyl acetate		----------NA----------				
82		dibromochloromethane		----------NA----------				
83		1,2-dibromoethane		----------NA----------				
84		n-butyl ether		----------NA----------				
85		chlorobenzene		----------NA----------				
86		1,1,1,2-tetrachloroethane		----------NA----------				
87		ethylbenzene		----------NA----------				
88		m,p-xylene		----------NA----------				
89		o-xylene		----------NA----------				
90		butyl acrylate		----------NA----------				
91		styrene		----------NA----------				
92		bromoform		----------NA----------				
93		isopropylbenzene		----------NA----------				
94		cis-1,4-dichloro-2-butene		----------NA----------				

Initial Calibration Verification

Job Number: JD54302 **Sample:** VL10548-ICV10548
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L348721.D
Project: EPT, Ithaca, NY

95	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	112	0.00	9.43
96	S	4-bromofluorobenzene (s)	1.150	1.112	3.3	105	0.00	8.32
97		bromobenzene		----------NA----------				
98		1,1,2,2-tetrachloroethane		----------NA----------				
99		trans-1,4-dichloro-2-bute		----------NA----------				
100		1,2,3-trichloropropane		----------NA----------				
101		n-propylbenzene		----------NA----------				
102		2-chlorotoluene		----------NA----------				
103		4-chlorotoluene		----------NA----------				
104		1,3,5-trimethylbenzene		----------NA----------				
105		tert-butylbenzene		----------NA----------				
106		1,2,4-trimethylbenzene		----------NA----------				
107		sec-butylbenzene		----------NA----------				
108		1,3-dichlorobenzene		----------NA----------				
109		p-isopropyltoluene		----------NA----------				
110		1,4-dichlorobenzene		----------NA----------				
111		1,2,3-trimethylbenzene	3.533	3.616	-2.3	117	0.00	9.48
112		1,2-dichlorobenzene		----------NA----------				
113		n-butylbenzene		----------NA----------				
114		1,2-dibromo-3-chloropropa		----------NA----------				
115		1,3,5-trichlorobenzene		----------NA----------				
116		1,2,4-trichlorobenzene		----------NA----------				
117		hexachlorobutadiene		----------NA----------				
118		naphthalene		----------NA----------				
119		1,2,3-trichlorobenzene		----------NA----------				
120		hexachloroethane		----------NA----------				
121		benzyl chloride		----------NA----------				
122		2-methylnaphthalene		----------NA----------				
123		pentafluorobenzene(a)	1.000	1.000	0.0	110	0.00	4.28
124		Freon 142B		----------NA----------				
125		vinyl bromide		----------NA----------				
126		allyl chloride		----------NA----------				
127		1,4-dichlorobenzene-d4(a)	1.000	1.000	0.0	112	0.00	9.43

(#) = Out of Range SPCC's out = 0 CCC's out = 0
L348715.D ML10548.M Thu Oct 27 19:08:29 2022 1

Continuing Calibration Summary

Job Number: JD54302 **Sample:** VL10552-CC10548
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L348799.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\An...022\vl10552\l348799.d Vial: 2
Acq On : 29 Oct 2022 10:33 am Operator: BridgetK
Sample : cc10548-20 Inst : GCMSL
Misc : MS63359,VL10552,5,,,,1 Multiplr: 1.00
MS Integration Params: lscint.p

Method : C:\MSDCHEM\1\METHODS\ML10548.M (RTE Integrator)
Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
Last Update : Fri Oct 28 18:07:24 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	tert butyl alcohol-d9	1.000	1.000	0.0	97	0.00	3.06
2		1,4-dioxane	0.099	0.077	22.2#	79	0.00	5.28
3		ethanol	0.135	0.119	11.9	88	0.00	2.49
4	M	tertiary butyl alcohol	1.497	1.409	5.9	92	0.00	3.12
5	I	pentafluorobenzene	1.000	1.000	0.0	109	0.00	4.28
6		chlorodifluoromethane	0.973	0.846	13.1	95	0.00	1.65
7		dichlorodifluoromethane	1.137	0.903	20.6#	83	0.00	1.64
8		chloromethane	0.873	0.723	17.2	90	0.00	1.80
9		vinyl chloride	0.904	0.737	18.5	86	0.00	1.88
10		1,3-butadiene	0.654	0.822	-25.7#	130	0.00	1.91
		----------	True	Calc.	% Drift	----------		
11		bromomethane	20.000	24.801	-24.0#	156	0.00	2.14
		----------	AvgRF	CCRF	% Dev	----------		
12		chloroethane	0.469	0.398	15.1	90	0.00	2.22
13		trichlorofluoromethane	0.973	0.859	11.7	92	0.00	2.40
14		ethyl ether	0.407	0.355	12.8	96	0.00	2.58
15		acrolein	0.201	0.207	-3.0	116	0.00	2.68
16		freon 113	0.463	0.404	12.7	92	0.00	2.75
17		1,1-dichloroethene	0.544	0.475	12.7	93	0.00	2.76
18		acetone	0.134	0.104	22.4#	83	0.00	2.77
19		acetonitrile	0.073	0.069	5.5	100	0.00	2.96
		----------	True	Calc.	% Drift	----------		
20		iodomethane	20.000	21.151	-5.8	143	0.00	2.87
		----------	AvgRF	CCRF	% Dev	----------		
21		iso-butyl alcohol	0.062	0.056	9.7	95	0.00	4.43
22		carbon disulfide	1.849	1.532	17.1	94	0.00	2.93
23		methylene chloride	0.612	0.543	11.3	98	0.00	3.09
24		methyl acetate	0.175	0.160	8.6	93	0.00	2.98
25		methyl tert butyl ether	1.841	1.787	2.9	99	0.00	3.26
26		trans-1,2-dichloroethene	0.574	0.506	11.8	95	0.00	3.27
27		hexane	1.062	0.928	12.6	98	0.00	3.45
28		di-isopropyl ether	2.071	1.958	5.5	98	0.00	3.56
29		ethyl tert-butyl ether	2.120	1.992	6.0	100	0.00	3.81
30		2-butanone	0.143	0.130	9.1	95	0.00	3.93
31	M	1,1-dichloroethane	1.097	1.012	7.7	98	0.00	3.57
32		chloroprene	0.990	0.842	14.9	92	0.00	3.62
33		acrylonitrile	0.411	0.360	12.4	94	0.00	3.24

Continuing Calibration Summary

Job Number: JD54302 **Sample:** VL10552-CC10548
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L348799.D
Project: EPT, Ithaca, NY

34		vinyl acetate	0.157	0.158	-0.6	101	0.00	3.54
35		ethyl acetate	0.175	0.161	8.0	101	0.00	3.94
36		2,2-dichloropropane	0.877	0.833	5.0	102	0.00	3.97
37		cis-1,2-dichloroethene	0.619	0.537	13.2	94	0.00	3.96
38		propionitrile	0.152	0.144	5.3	98	0.00	3.98
39		methyl acrylate	0.147	0.135	8.2	104	0.00	3.98
40		bromochloromethane	0.273	0.251	8.1	97	0.00	4.12
41		tetrahydrofuran	0.160	0.151	5.6	101	0.00	4.14
42		chloroform	1.070	0.939	12.2	97	0.00	4.18
43	S	dibromofluoromethane (s)	0.416	0.408	1.9	105	0.00	4.29
44		methacrylonitrile	0.418	0.376	10.0	101	0.00	4.09
45		1,1,1-trichloroethane	0.891	0.745	16.4	92	0.00	4.32
46		cyclohexane	0.930	0.696	25.2#	80	0.00	4.38
47		1,1-dichloropropene	0.807	0.692	14.3	93	0.00	4.43
48		carbon tetrachloride	0.710	0.602	15.2	91	0.00	4.43
49		isopropyl acetate	0.182	0.180	1.1	102	0.00	4.55
50		tert amyl alcohol	0.061	0.052	14.8	91	0.00	4.53
51	I	1,4-difluorobenzene	1.000	1.000	0.0	103	0.00	4.85
52	S	1,2-dichloroethane-d4 (s)	0.342	0.358	-4.7	106	0.00	4.55
53		tert-amyl methyl ether	1.252	1.226	2.1	98	0.00	4.64
54		2,2,4-trimethylpentane	1.388	1.309	5.7	95	0.00	4.64
55		n-butyl alcohol	0.027	0.024	11.1	89	0.00	4.91
56	M	benzene	1.644	1.463	11.0	93	0.00	4.58
57		heptane	0.329	0.301	8.5	100	0.00	4.75
58		1,2-dichloroethane	0.539	0.529	1.9	101	0.00	4.60
59		trichloroethene	0.423	0.373	11.8	93	0.00	5.05
60		ethyl acrylate	0.798	0.811	-1.6	101	0.00	5.06
61		2-nitropropane	0.197	0.183	7.1	98	0.00	5.59
62		2-chloroethyl vinyl ether	0.314	0.303	3.5	100	0.00	5.62
63		methyl methacrylate	0.156	0.161	-3.2	104	0.00	5.24
64		1,2-dichloropropane	0.444	0.422	5.0	98	0.00	5.24
65		methylcyclohexane	0.757	0.689	9.0	95	0.00	5.23
66		dibromomethane	0.257	0.242	5.8	100	0.00	5.31
67		bromodichloromethane	0.594	0.534	10.1	96	0.00	5.43
68		cis-1,3-dichloropropene	0.713	0.653	8.4	93	0.00	5.77
69		epichlorohydrin	0.088	0.084	4.5	100	0.00	5.67
70		4-methyl-2-pentanone	0.286	0.280	2.1	101	0.00	5.86
71		3-methyl-1-butanol	0.026	0.022	15.4	87	0.00	5.89
72	I	chlorobenzene-d5	1.000	1.000	0.0	105	0.00	7.24
73	S	toluene-d8 (s)	1.324	1.280	3.3	104	0.00	6.00
74		toluene	1.111	0.965	13.1	95	0.00	6.05
75		trans-1,3-dichloropropene	0.701	0.645	8.0	97	0.00	6.22
76		ethyl methacrylate	0.720	0.716	0.6	102	0.00	6.24
77		1,1,2-trichloroethane	0.373	0.358	4.0	101	0.00	6.39
78		2-hexanone	0.335	0.316	5.7	98	0.00	6.56
79		tetrachloroethene	0.460	0.414	10.0	97	0.00	6.49
80		1,3-dichloropropane	0.739	0.698	5.5	99	0.00	6.53
81		butyl acetate	0.459	0.442	3.7	98	0.00	6.64
82		dibromochloromethane	0.457	0.413	9.6	96	0.00	6.72
83		1,2-dibromoethane	0.462	0.446	3.5	105	0.00	6.85
84		n-butyl ether	1.942	1.880	3.2	95	0.00	7.31
85		chlorobenzene	1.122	1.022	8.9	97	0.00	7.27
86		1,1,1,2-tetrachloroethane	0.380	0.349	8.2	96	0.00	7.34
87		ethylbenzene	2.010	1.762	12.3	93	0.00	7.34
88		m,p-xylene	0.783	0.690	11.9	96	0.00	7.46
89		o-xylene	0.773	0.698	9.7	97	0.00	7.81
90		butyl acrylate	1.103	1.099	0.4	99	0.00	7.73
91		styrene	1.275	1.174	7.9	97	0.00	7.83

Continuing Calibration Summary

Job Number: JD54302 **Sample:** VL10552-CC10548
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L348799.D
Project: EPT, Ithaca, NY

92		bromoform	0.346	0.300	13.3	94	0.00	8.01
93		isopropylbenzene	2.015	1.816	9.9	95	0.00	8.15
94		cis-1,4-dichloro-2-butene	0.205	0.128	37.6#	62	0.00	8.20
95	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	104	0.00	9.43
96	S	4-bromofluorobenzene (s)	1.150	1.181	-2.7	106	0.00	8.32
97		bromobenzene	1.083	1.035	4.4	98	0.00	8.47
98		1,1,2,2-tetrachloroethane	1.668	1.633	2.1	103	0.00	8.43
99		trans-1,4-dichloro-2-bute	0.421	0.276	34.4#	67	0.00	8.47
100		1,2,3-trichloropropane	0.450	0.433	3.8	99	0.00	8.50
101		n-propylbenzene	5.201	4.904	5.7	98	0.00	8.54
102		2-chlorotoluene	1.029	0.946	8.1	96	0.00	8.64
103		4-chlorotoluene	1.031	0.961	6.8	99	0.00	8.75
104		1,3,5-trimethylbenzene	3.769	3.429	9.0	96	0.00	8.71
105		tert-butylbenzene	3.208	2.877	10.3	94	0.00	9.02
106		1,2,4-trimethylbenzene	3.686	3.461	6.1	97	0.00	9.07
107		sec-butylbenzene	4.688	4.335	7.5	96	0.00	9.23
108		1,3-dichlorobenzene	1.887	1.801	4.6	96	0.00	9.36
109		p-isopropyltoluene	3.635	3.310	8.9	96	0.00	9.38
110		1,4-dichlorobenzene	1.847	1.659	10.2	96	0.00	9.46
111		1,2,3-trimethylbenzene	3.533	3.291	6.8	95	0.00	9.48
112		1,2-dichlorobenzene	1.783	1.703	4.5	99	0.00	9.81
113		n-butylbenzene	1.852	1.751	5.5	97	0.00	9.78
114		1,2-dibromo-3-chloropropa	0.429	0.388	9.6	97	0.00	10.57
115		1,3,5-trichlorobenzene	1.258	1.256	0.2	100	0.00	10.76
116		1,2,4-trichlorobenzene	1.049	1.054	-0.5	101	0.00	11.39
117		hexachlorobutadiene	0.467	0.439	6.0	97	0.00	11.53
118		naphthalene	3.588	3.462	3.5	96	0.00	11.66
119		1,2,3-trichlorobenzene	1.003	0.960	4.3	99	0.00	11.88
120		hexachloroethane	0.685	0.633	7.6	94	0.00	10.08
121		benzyl chloride	2.843	2.934	-3.2	107	0.00	9.56
122		2-methylnaphthalene	1.788	1.425	20.3#	90	0.00	12.78
123		pentafluorobenzene(a)	1.000	1.000	0.0	100	0.00	4.28
124		Freon 142B		----------NA----------				
125		vinyl bromide		----------NA----------				
126		allyl chloride		----------NA----------				
127		1,4-dichlorobenzene-d4(a)	1.000	1.000	0.0	93	0.00	9.43
128		pentachloroethane		----------NA----------				

(#) = Out of Range SPCC's out = 0 CCC's out = 0
L348714.D ML10548.M Tue Nov 01 12:45:30 2022

Run Sequence Report

Job Number: JD54302
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V2A9596	**Method:** SW846 8260D	**Instrument ID:** GCMS2A

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V2A9596-BFB	2A220735.D	10/13/22 17:42	n/a	BFB Tune
V2A9596-IC9596	2A220736.D	10/13/22 18:18	n/a	Initial cal 0.2
V2A9596-IC9596	2A220737.D	10/13/22 18:37	n/a	Initial cal 0.5
V2A9596-IC9596	2A220738.D	10/13/22 19:06	n/a	Initial cal 1
V2A9596-IC9596	2A220739.D	10/13/22 19:34	n/a	Initial cal 2
V2A9596-IC9596	2A220740.D	10/13/22 20:03	n/a	Initial cal 4
V2A9596-IC9596	2A220741.D	10/13/22 20:32	n/a	Initial cal 8
V2A9596-IC9596	2A220742.D	10/13/22 21:02	n/a	Initial cal 20
V2A9596-ICC9596	2A220743.D	10/13/22 21:30	n/a	Initial cal 50
V2A9596-IC9596	2A220744.D	10/13/22 22:00	n/a	Initial cal 100
V2A9596-IC9596	2A220745.D	10/13/22 22:28	n/a	Initial cal 200
V2A9596-ICV9596	2A220748.D	10/13/22 23:54	n/a	Initial cal verification 50
V2A9596-ICV9596	2A220749.D	10/14/22 00:22	n/a	Initial cal verification 50

Run Sequence Report

Job Number: JD54302
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V2A9619	**Method:** SW846 8260D	**Instrument ID:** GCMS2A

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V2A9619-BFB	2A221287.D	10/27/22 22:49	n/a	BFB Tune
V2A9619-CC9596	2A221287.D	10/27/22 22:49	n/a	Continuing cal 50
V2A9619-BS	2A221289.D	10/27/22 23:46	n/a	Blank Spike
V2A9619-MB	2A221291.D	10/28/22 00:43	n/a	Method Blank
JD54302-5	2A221292.D	10/28/22 01:11	n/a	TRIP BLANK
JD54302-4	2A221293.D	10/28/22 01:40	n/a	WINF
ZZZZZZ	2A221294.D	10/28/22 02:08	n/a	(unrelated sample)
ZZZZZZ	2A221295.D	10/28/22 02:37	n/a	(unrelated sample)
JD54302-4MS	2A221296.D	10/28/22 03:05	n/a	Matrix Spike
JD54302-4MSD	2A221297.D	10/28/22 03:33	n/a	Matrix Spike Duplicate
ZZZZZZ	2A221299.D	10/28/22 04:30	n/a	(unrelated sample)
ZZZZZZ	2A221300.D	10/28/22 04:58	n/a	(unrelated sample)
ZZZZZZ	2A221303.D	10/28/22 06:23	n/a	(unrelated sample)
ZZZZZZ	2A221306.D	10/28/22 07:48	n/a	(unrelated sample)
ZZZZZZ	2A221307.D	10/28/22 08:16	n/a	(unrelated sample)
JD54302-1	2A221308.D	10/28/22 08:44	n/a	WPOST GAC

Run Sequence Report

Job Number: JD54302
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: VL10548	**Method:** SW846 8260D	**Instrument ID:** GCMSL

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
VL10548-BFB	L348707.D	10/27/22 01:23	n/a	BFB Tune
VL10548-IC10548	L348708.D	10/27/22 01:55	n/a	Initial cal 0.2
VL10548-IC10548	L348709.D	10/27/22 02:18	n/a	Initial cal 0.5
VL10548-IC10548	L348710.D	10/27/22 02:41	n/a	Initial cal 1
VL10548-IC10548	L348711.D	10/27/22 03:04	n/a	Initial cal 2
VL10548-IC10548	L348712.D	10/27/22 03:27	n/a	Initial cal 4
VL10548-IC10548	L348713.D	10/27/22 03:50	n/a	Initial cal 8
VL10548-IC10548	L348714.D	10/27/22 04:14	n/a	Initial cal 20
VL10548-ICC10548	L348715.D	10/27/22 04:37	n/a	Initial cal 50
VL10548-IC10548	L348716.D	10/27/22 05:00	n/a	Initial cal 100
VL10548-IC10548	L348717.D	10/27/22 05:23	n/a	Initial cal 200
VL10548-ICV10548	L348720.D	10/27/22 06:33	n/a	Initial cal verification 50
VL10548-ICV10548	L348721.D	10/27/22 06:56	n/a	Initial cal verification 50

Run Sequence Report

Job Number: JD54302
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: VL10552	**Method:** SW846 8260D	**Instrument ID:** GCMSL

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
VL10552-BFB	L348799.D	10/29/22 10:33	n/a	BFB Tune
VL10552-CC10548	L348799.D	10/29/22 10:33	n/a	Continuing cal 20
VL10552-BS	L348801.D	10/29/22 11:38	n/a	Blank Spike
VL10552-MB	L348803.D	10/29/22 12:24	n/a	Method Blank
JD54302-4	L348804.D	10/29/22 12:47	n/a	WINF
ZZZZZZ	L348805.D	10/29/22 13:10	n/a	(unrelated sample)
ZZZZZZ	L348806.D	10/29/22 13:33	n/a	(unrelated sample)
ZZZZZZ	L348807.D	10/29/22 13:57	n/a	(unrelated sample)
ZZZZZZ	L348808.D	10/29/22 14:20	n/a	(unrelated sample)
JD54108-4	L348809.D	10/29/22 14:43	n/a	(used for QC only; not part of job JD54302)
ZZZZZZ	L348810.D	10/29/22 15:06	n/a	(unrelated sample)
JD54108-4MS	L348811.D	10/29/22 15:29	n/a	Matrix Spike
JD54108-4MSD	L348812.D	10/29/22 15:52	n/a	Matrix Spike Duplicate
ZZZZZZ	L348814.D	10/29/22 16:38	n/a	(unrelated sample)
ZZZZZZ	L348815.D	10/29/22 17:01	n/a	(unrelated sample)
JD54302-2	L348816.D	10/29/22 17:24	n/a	WMID GAC
JD54302-3	L348817.D	10/29/22 17:48	n/a	WAS
ZZZZZZ	L348818.D	10/29/22 18:11	n/a	(unrelated sample)
ZZZZZZ	L348819.D	10/29/22 18:34	n/a	(unrelated sample)
ZZZZZZ	L348820.D	10/29/22 18:57	n/a	(unrelated sample)
ZZZZZZ	L348821.D	10/29/22 19:20	n/a	(unrelated sample)
ZZZZZZ	L348822.D	10/29/22 19:43	n/a	(unrelated sample)
ZZZZZZ	L348823.D	10/29/22 20:06	n/a	(unrelated sample)
ZZZZZZ	L348824.D	10/29/22 20:29	n/a	(unrelated sample)
ZZZZZZ	L348825.D	10/29/22 20:52	n/a	(unrelated sample)
ZZZZZZ	L348826.D	10/29/22 21:15	n/a	(unrelated sample)
ZZZZZZ	L348827.D	10/29/22 21:39	n/a	(unrelated sample)
ZZZZZZ	L348828.D	10/29/22 22:02	n/a	(unrelated sample)
ZZZZZZ	L348829.D	10/29/22 22:25	n/a	(unrelated sample)

MS Volatiles

Raw Data

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\nelsonf\October\10-29-22\v2a9619\
Data File : 2a221308.d
Acq On : 28 Oct 2022 8:44 am
Operator : nickw
Sample : jd54302-1 Inst : GCMS2A
Misc : MS63421,V2A9619,5,,,,1
ALS Vial : 50 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Results File: M2A9596.RES
Quant Time: Oct 29 04:08:51 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	7.240	65	365080	500.00	ug/L	-0.01
5) pentafluorobenzene	9.505	168	769186	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.434	114	1031346	50.00	ug/L	0.00
72) chlorobenzene-d5	13.558	117	851185	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.886	152	430013	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.537	113	322723	47.58	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.16%			
51) 1,2-dichloroethane-d4 (s)	9.951	65	347631	42.84	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 85.68%			
73) toluene-d8 (s)	12.059	98	1073745	49.58	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.16%			
97) 4-bromofluorobenzene (s)	14.722	95	385195	47.38	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 94.76%			
Target Compounds						Qvalue
36) cis-1,2-dichloroethene	8.965	96	20424	2.98	ug/L	89
40) chloroform	9.348	83	3809	0.33	ug/L	78


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\nelsonf\October\10-29-22\v2a9619\
Data File : 2a221308.d
Acq On : 28 Oct 2022 8:44 am
Operator : nickw
Sample : jd54302-1 Inst : GCMS2A
Misc : MS63421,V2A9619,5,,,,1
ALS Vial : 50 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Results File: M2A9596.RES
Quant Time: Oct 29 04:08:51 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration







#36
cis-1,2-dichloroethene
Concen: 2.98 ug/L
RT: 8.965 min Scan# 1064
Delta R.T. -0.005 min
Lab File: 2a221308.d
Acq: 28 Oct 2022 8:44 am

Tgt Ion: 96 Resp: 20424

Ion	Ratio	Lower	Upper
96	100		
61	136.6	122.8	182.8
98	57.0	33.3	93.3






#40
chloroform
Concen: 0.33 ug/L
RT: 9.348 min Scan# 1137
Delta R.T. 0.000 min
Lab File: 2a221308.d
Acq: 28 Oct 2022 8:44 am

Tgt Ion: 83 Resp: 3809

Ion	Ratio	Lower	Upper
83	100		
85	48.2	34.5	94.5
47	17.9	0.7	60.7



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\Angieg\November 2022\nov. 1, 2022\vl10552\
Data File : l348816.d
Acq On : 29 Oct 2022 5:24 pm
Operator : BridgetK
Sample : jd54302-2 Inst : GCMSL
Misc : MS63421,VL10552,5,,,,1
ALS Vial : 19 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Results File: ML10548.RES
Quant Time: Nov 01 15:10:30 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Oct 28 18:07:24 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	3.066	65	290742	500.00	ug/L	0.00
5) pentafluorobenzene	4.282	168	271794	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.850	114	376162	50.00	ug/L	0.00
72) chlorobenzene-d5	7.241	117	330864	50.00	ug/L	0.00
95) 1,4-dichlorobenzene-d4	9.429	152	146132	50.00	ug/L	0.00
123) pentafluorobenzene(a)	4.282	168	271528	50.00	ug/L	0.00
127) 1,4-dichlorobenzene-d4(a)	9.429	152	146152	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	4.292	113	110066	48.65	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.30%			
52) 1,2-dichloroethane-d4 (s)	4.542	65	141531	54.95	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 109.90%			
73) toluene-d8 (s)	5.993	98	459858	52.49	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 104.98%			
96) 4-bromofluorobenzene (s)	8.319	95	166930	49.67	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.34%			
Target Compounds						Qvalue
37) cis-1,2-dichloroethene	3.958	96	27416	8.15	ug/L	88
42) chloroform	4.180	83	3250	0.56	ug/L	86
59) trichloroethene	5.046	95	1148	0.36	ug/L #	70


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\Angieg\November 2022\nov. 1, 2022\vl10552\
Data File : l348816.d
Acq On : 29 Oct 2022 5:24 pm
Operator : BridgetK
Sample : jd54302-2 Inst : GCMSL
Misc : MS63421,VL10552,5,,,,1
ALS Vial : 19 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Results File: ML10548.RES
Quant Time: Nov 01 15:10:30 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Oct 28 18:07:24 2022
Response via : Initial Calibration







#37
cis-1,2-dichloroethene
Concen: 8.15 ug/L
RT: 3.958 min Scan# 770
Delta R.T. 0.006 min
Lab File: l348816.d
Acq: 29 Oct 2022 5:24 pm

Tgt Ion: 96 Resp: 27416

Ion	Ratio	Lower	Upper
96	100		
61	127.9	116.7	176.7
98	66.2	32.6	92.6







#42
chloroform
Concen: 0.56 ug/L
RT: 4.180 min Scan# 839
Delta R.T. 0.003 min
Lab File: l348816.d
Acq: 29 Oct 2022 5:24 pm

Tgt Ion: 83 Resp: 3250

Ion	Ratio	Lower	Upper
83	100		
85	78.1	34.8	94.8
47	24.5	0.0	52.3






#59
trichloroethene
Concen: 0.36 ug/L
RT: 5.046 min Scan# 1109
Delta R.T. 0.006 min
Lab File: l348816.d
Acq: 29 Oct 2022 5:24 pm

Tgt Ion: 95 Resp: 1148

Ion	Ratio	Lower	Upper
95	100		
130	71.6	57.2	117.2
132	49.6	58.8	118.8#



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\Angieg\November 2022\nov. 1, 2022\vl10552\
Data File : l348817.d
Acq On : 29 Oct 2022 5:48 pm
Operator : BridgetK
Sample : jd54302-3 Inst : GCMSL
Misc : MS63421,VL10552,5,,,,1
ALS Vial : 20 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Results File: ML10548.RES
Quant Time: Nov 01 15:11:52 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Oct 28 18:07:24 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	3.063	65	286526	500.00	ug/L	0.00
5) pentafluorobenzene	4.279	168	267608	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.847	114	368037	50.00	ug/L	0.00
72) chlorobenzene-d5	7.238	117	334322	50.00	ug/L	0.00
95) 1,4-dichlorobenzene-d4	9.429	152	143706	50.00	ug/L	0.00
123) pentafluorobenzene(a)	4.279	168	267608	50.00	ug/L	0.00
127) 1,4-dichlorobenzene-d4(a)	9.429	152	143705	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	4.285	113	110832	49.76	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.52%			
52) 1,2-dichloroethane-d4 (s)	4.542	65	136428	54.14	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 108.28%			
73) toluene-d8 (s)	5.989	98	459336	51.89	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 103.78%			
96) 4-bromofluorobenzene (s)	8.316	95	164096	49.65	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.30%			
Target Compounds						Qvalue
18) acetone	2.771	58	739	1.03	ug/L #	14
37) cis-1,2-dichloroethene	3.955	96	8000	2.42	ug/L	83
59) trichloroethene	5.033	95	2125	0.68	ug/L #	62


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\Angieg\November 2022\nov. 1, 2022\vl10552\
Data File : l348817.d
Acq On : 29 Oct 2022 5:48 pm
Operator : BridgetK
Sample : jd54302-3 Inst : GCMSL
Misc : MS63421,VL10552,5,,,,1
ALS Vial : 20 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Results File: ML10548.RES
Quant Time: Nov 01 15:11:52 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Oct 28 18:07:24 2022
Response via : Initial Calibration







#18
acetone
Concen: 1.03 ug/L
RT: 2.771 min Scan# 400
Delta R.T. 0.003 min
Lab File: l348817.d
Acq: 29 Oct 2022 5:48 pm

Tgt Ion: 58 Resp: 739

Ion	Ratio	Lower	Upper
58	100		
43	127.8	263.8	323.8#







#37
cis-1,2-dichloroethene
Concen: 2.42 ug/L
RT: 3.955 min Scan# 769
Delta R.T. 0.003 min
Lab File: l348817.d
Acq: 29 Oct 2022 5:48 pm

Tgt Ion: 96 Resp: 8000

Ion	Ratio	Lower	Upper
96	100		
61	124.0	116.7	176.7
98	50.3	32.6	92.6






#59
trichloroethene
Concen: 0.68 ug/L
RT: 5.033 min Scan# 1105
Delta R.T. -0.007 min
Lab File: l348817.d
Acq: 29 Oct 2022 5:48 pm

Tgt Ion: 95 Resp: 2125

Ion	Ratio	Lower	Upper
95	100		
130	41.4	57.2	117.2#
132	63.8	58.8	118.8



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\nelsonf\October\10-29-22\v2a9619\
Data File : 2a221293.d
Acq On : 28 Oct 2022 1:40 am
Operator : nickw
Sample : jd54302-4 Inst : GCMS2A
Misc : MS63421,V2A9619,5,,,,10
ALS Vial : 35 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Results File: M2A9596.RES
Quant Time: Oct 29 02:48:46 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	7.240	65	330645	500.00	ug/L	-0.01
5) pentafluorobenzene	9.511	168	662211	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.433	114	900265	50.00	ug/L	0.00
72) chlorobenzene-d5	13.564	117	739043	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.886	152	372515	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.537	113	287576	49.25	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.50%			
51) 1,2-dichloroethane-d4 (s)	9.951	65	321453	45.38	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 90.76%			
73) toluene-d8 (s)	12.059	98	934518	49.70	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.40%			
97) 4-bromofluorobenzene (s)	14.722	95	337993	47.99	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.98%			
Target Compounds						Qvalue
25) trans-1,2-dichloroethene	7.686	96	5309	0.97	ug/L #	83
36) cis-1,2-dichloroethene	8.965	96	434027	73.46	ug/L	91
59) trichloroethene	10.743	95	240106	42.12	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\nelsonf\October\10-29-22\v2a9619\
Data File : 2a221293.d
Acq On : 28 Oct 2022 1:40 am
Operator : nickw
Sample : jd54302-4 Inst : GCMS2A
Misc : MS63421,V2A9619,5,,,,10
ALS Vial : 35 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Results File: M2A9596.RES
Quant Time: Oct 29 02:48:46 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration







#25
trans-1,2-dichloroethene
Concen: 0.97 ug/L
RT: 7.686 min Scan# 820
Delta R.T. 0.000 min
Lab File: 2a221293.d
Acq: 28 Oct 2022 1:40 am

Tgt Ion: 96 Resp: 5309

Ion	Ratio	Lower	Upper
96	100		
61	131.7	132.8	192.8#
98	59.9	31.1	91.1







#36
cis-1,2-dichloroethene
Concen: 73.46 ug/L
RT: 8.965 min Scan# 1064
Delta R.T. -0.005 min
Lab File: 2a221293.d
Acq: 28 Oct 2022 1:40 am

Tgt Ion: 96 Resp: 434027

Ion	Ratio	Lower	Upper
96	100		
61	138.0	122.8	182.8
98	65.3	33.3	93.3






#59
trichloroethene
Concen: 42.12 ug/L
RT: 10.743 min Scan# 1403
Delta R.T. -0.005 min
Lab File: 2a221293.d
Acq: 28 Oct 2022 1:40 am

Tgt Ion: 95 Resp: 240106

Ion	Ratio	Lower	Upper
95	100		
130	106.3	75.5	135.5
132	109.0	76.0	136.0



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\Angieg\October 2022\Oct. 31, 2022\vl10552\
Data File : l348804.d
Acq On : 29 Oct 2022 12:47 pm
Operator : BridgetK
Sample : jd54302-4 Inst : GCMSL
Misc : MS63421,VL10552,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Results File: ML10548.RES
Quant Time: Oct 31 22:31:20 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Oct 28 18:07:24 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	3.060	65	272742	500.00	ug/L	0.00
5) pentafluorobenzene	4.282	168	235596	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.847	114	344342	50.00	ug/L	0.00
72) chlorobenzene-d5	7.241	117	312282	50.00	ug/L	0.00
95) 1,4-dichlorobenzene-d4	9.429	152	138323	50.00	ug/L	0.00
123) pentafluorobenzene(a)	4.282	168	235596	50.00	ug/L	0.00
127) 1,4-dichlorobenzene-d4(a)	9.429	152	138099	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	4.289	113	97629	49.79	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.58%			
52) 1,2-dichloroethane-d4 (s)	4.542	65	126556	53.68	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 107.36%			
73) toluene-d8 (s)	5.993	98	426072	51.53	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 103.06%			
96) 4-bromofluorobenzene (s)	8.319	95	156653	49.24	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.48%			
Target Compounds						Qvalue
9) vinyl chloride	1.882	62	24189	5.68	ug/L	98
17) 1,1-dichloroethene	2.758	96	1505	0.59	ug/L	85
26) trans-1,2-dichloroethene	3.275	96	11975	4.43	ug/L	86
37) cis-1,2-dichloroethene	3.955	96	1700545	583.15	ug/L	82
59) trichloroethene	5.040	95	988929	339.37	ug/L	89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\Angieg\October 2022\Oct. 31, 2022\vl10552\
Data File : l348804.d
Acq On : 29 Oct 2022 12:47 pm
Operator : BridgetK
Sample : jd54302-4 Inst : GCMSL
Misc : MS63421,VL10552,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Results File: ML10548.RES
Quant Time: Oct 31 22:31:20 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Oct 28 18:07:24 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 5.68 ug/L
RT: 1.882 min Scan# 123
Delta R.T. 0.003 min
Lab File: l348804.d
Acq: 29 Oct 2022 12:47 pm

Tgt Ion: 62 Resp: 24189

Ion	Ratio	Lower	Upper
62	100		
64	32.3	2.8	62.8
61	10.5	0.0	37.9







#17
1,1-dichloroethene
Concen: 0.59 ug/L
RT: 2.758 min Scan# 396
Delta R.T. 0.000 min
Lab File: l348804.d
Acq: 29 Oct 2022 12:47 pm

Tgt Ion: 96 Resp: 1505

Ion	Ratio	Lower	Upper
96	100		
61	155.1	139.4	199.4
63	35.2	27.3	87.3







#26
trans-1,2-dichloroethene
Concen: 4.43 ug/L
RT: 3.275 min Scan# 557
Delta R.T. 0.003 min
Lab File: l348804.d
Acq: 29 Oct 2022 12:47 pm

Tgt Ion: 96 Resp: 11975

Ion	Ratio	Lower	Upper
96	100		
61	165.7	116.5	176.5
98	71.1	32.4	92.4







#37
cis-1,2-dichloroethene
Concen: 583.15 ug/L
RT: 3.955 min Scan# 769
Delta R.T. 0.003 min
Lab File: l348804.d
Acq: 29 Oct 2022 12:47 pm

Tgt Ion: 96 Resp: 1700545

Ion	Ratio	Lower	Upper
96	100		
61	118.9	116.7	176.7
98	69.5	32.6	92.6






#59
trichloroethene
Concen: 339.37 ug/L
RT: 5.040 min Scan# 1107
Delta R.T. -0.000 min
Lab File: l348804.d
Acq: 29 Oct 2022 12:47 pm

Tgt Ion: 95 Resp: 988929

Ion	Ratio	Lower	Upper
95	100		
130	99.6	57.2	117.2
132	96.3	58.8	118.8



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\nelsonf\October\10-29-22\v2a9619\
Data File : 2a221292.d
Acq On : 28 Oct 2022 1:11 am
Operator : nickw
Sample : jd54302-5 Inst : GCMS2A
Misc : MS63421,V2A9619,5,,,,1
ALS Vial : 34 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Results File: M2A9596.RES
Quant Time: Oct 29 02:47:58 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	7.240	65	329182	500.00	ug/L	-0.01
5) pentafluorobenzene	9.511	168	680983	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.433	114	922186	50.00	ug/L	0.00
72) chlorobenzene-d5	13.558	117	758005	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.886	152	376768	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.537	113	295855	49.27	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.54%			
51) 1,2-dichloroethane-d4 (s)	9.956	65	324794	44.76	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 89.52%			
73) toluene-d8 (s)	12.059	98	958632	49.71	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.42%			
97) 4-bromofluorobenzene (s)	14.722	95	346168	48.60	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.20%			
Target Compounds						Qvalue
40) chloroform	9.343	83	2111	0.20	ug/L	84


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\nelsonf\October\10-29-22\v2a9619\
Data File : 2a221292.d
Acq On : 28 Oct 2022 1:11 am
Operator : nickw
Sample : jd54302-5 Inst : GCMS2A
Misc : MS63421,V2A9619,5,,,,1
ALS Vial : 34 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Results File: M2A9596.RES
Quant Time: Oct 29 02:47:58 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration






#40
chloroform
Concen: 0.20 ug/L
RT: 9.343 min Scan# 1136
Delta R.T. -0.005 min
Lab File: 2a221292.d
Acq: 28 Oct 2022 1:11 am

Tgt Ion: 83 Resp: 2111

Ion	Ratio	Lower	Upper
83	100		
85	50.7	34.5	94.5
47	23.2	0.7	60.7



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\nelsonf\October\10-29-22\v2a9619\
Data File : 2a221291.d
Acq On : 28 Oct 2022 12:43 am
Operator : nickw
Sample : mb Inst : GCMS2A
Misc : MS46075,V2A9619,5,,,,1
ALS Vial : 33 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Results File: M2A9596.RES
Quant Time: Oct 29 02:45:38 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	7.235	65	338300	500.00	ug/L	-0.02
5) pentafluorobenzene	9.505	168	695700	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.433	114	944877	50.00	ug/L	0.00
72) chlorobenzene-d5	13.558	117	772631	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.886	152	391363	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.537	113	297855	48.55	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.10%			
51) 1,2-dichloroethane-d4 (s)	9.951	65	332797	44.76	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 89.52%			
73) toluene-d8 (s)	12.059	98	983486	50.03	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.06%			
97) 4-bromofluorobenzene (s)	14.722	95	352324	47.62	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.24%			
Target Compounds						Qvalue
21) carbon disulfide	6.978	76	2292	0.13	ug/L	87
40) chloroform	9.338	83	2333	0.22	ug/L	81
121) 1,2,3-trichlorobenzene	18.403	180	1413	0.26	ug/L #	64
123) 2-methylnaphthalene	19.404	142	4121	1.25	ug/L	85


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\nelsonf\October\10-29-22\v2a9619\
Data File : 2a221291.d
Acq On : 28 Oct 2022 12:43 am
Operator : nickw
Sample : mb Inst : GCMS2A
Misc : MS46075,V2A9619,5,,,,1
ALS Vial : 33 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Results File: M2A9596.RES
Quant Time: Oct 29 02:45:38 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration







#21
carbon disulfide
Concen: 0.13 ug/L
RT: 6.978 min Scan# 685
Delta R.T. -0.010 min
Lab File: 2a221291.d
Acq: 28 Oct 2022 12:43 am

Tgt Ion: 76 Resp: 2292

Ion	Ratio	Lower	Upper
76	100		
78	0.0	0.0	39.1
44	19.0	0.0	46.6







#40
chloroform
Concen: 0.22 ug/L
RT: 9.338 min Scan# 1135
Delta R.T. -0.011 min
Lab File: 2a221291.d
Acq: 28 Oct 2022 12:43 am

Tgt Ion: 83 Resp: 2333

Ion	Ratio	Lower	Upper
83	100		
85	50.0	34.5	94.5
47	19.9	0.7	60.7







#121
1,2,3-trichlorobenzene
Concen: 0.26 ug/L
RT: 18.403 min Scan# 2864
Delta R.T. 0.005 min
Lab File: 2a221291.d
Acq: 28 Oct 2022 12:43 am

Tgt Ion:180 Resp: 1413

Ion	Ratio	Lower	Upper
180	100		
182	127.8	68.3	128.3
184	0.0	0.5	60.5#






#123
2-methylnaphthalene
Concen: 1.25 ug/L
RT: 19.404 min Scan# 3055
Delta R.T. 0.000 min
Lab File: 2a221291.d
Acq: 28 Oct 2022 12:43 am

Tgt Ion:142 Resp: 4121

Ion	Ratio	Lower	Upper
142	100		
141	66.9	62.1	102.1
115	25.6	9.8	49.8



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\Angieg\October 2022\Oct. 31, 2022\vl10552\
Data File : l348803.d
Acq On : 29 Oct 2022 12:24 pm
Operator : BridgetK
Sample : mb Inst : GCMSL
Misc : MS46075,VL10552,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Results File: ML10548.RES
Quant Time: Oct 31 22:27:12 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Oct 28 18:07:24 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	3.066	65	274853	500.00	ug/L	0.00
5) pentafluorobenzene	4.289	168	274165	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.853	114	371986	50.00	ug/L	0.00
72) chlorobenzene-d5	7.241	117	326352	50.00	ug/L	0.00
95) 1,4-dichlorobenzene-d4	9.432	152	140271	50.00	ug/L	0.00
123) pentafluorobenzene(a)	4.289	168	273072	50.00	ug/L	0.00
127) 1,4-dichlorobenzene-d4(a)	9.432	152	140272	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	4.295	113	111665	48.93	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.86%			
52) 1,2-dichloroethane-d4 (s)	4.549	65	135911	53.36	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 106.72%			
73) toluene-d8 (s)	5.999	98	460696	53.31	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 106.62%			
96) 4-bromofluorobenzene (s)	8.319	95	160869	49.87	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.74%			
Target Compounds						Qvalue
122) 2-methylnaphthalene	12.795	142	1205	0.24	ug/L	# 63


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\Angieg\October 2022\Oct. 31, 2022\vl10552\
Data File : l348803.d
Acq On : 29 Oct 2022 12:24 pm
Operator : BridgetK
Sample : mb Inst : GCMSL
Misc : MS46075,VL10552,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Results File: ML10548.RES
Quant Time: Oct 31 22:27:12 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Oct 28 18:07:24 2022
Response via : Initial Calibration






#122
2-methylnaphthalene
Concen: 0.24 ug/L
RT: 12.795 min Scan# 3524
Delta R.T. 0.009 min
Lab File: l348803.d
Acq: 29 Oct 2022 12:24 pm

Tgt Ion:142 Resp: 1205

Ion	Ratio	Lower	Upper
142	100		
141	47.3	59.9	99.9#
115	45.9	7.2	47.2



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\nelsonf\October\10-29-22\v2a9619\
Data File : 2a221289.d
Acq On : 27 Oct 2022 11:46 pm
Operator : nickw
Sample : bs Inst : GCMS2A
Misc : MS46075,V2A9619,5,,,,1
ALS Vial : 31 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Results File: M2A9596.RES
Quant Time: Oct 29 02:42:14 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	7.246	65	339350	500.00	ug/L	0.00
5) pentafluorobenzene	9.511	168	690717	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.433	114	931670	50.00	ug/L	0.00
72) chlorobenzene-d5	13.563	117	743342	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.886	152	388243	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.537	113	297023	48.77	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.54%			
51) 1,2-dichloroethane-d4 (s)	9.956	65	320447	43.71	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 87.42%			
73) toluene-d8 (s)	12.059	98	962166	50.88	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.76%			
97) 4-bromofluorobenzene (s)	14.722	95	345047	47.01	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 94.02%			
Target Compounds						Qvalue
2) ethanol	5.972	45	311350	4555.30	ug/L	100
3) tertiary butyl alcohol	7.366	59	191205	220.08	ug/L	93
4) 1,4-dioxane	11.083	88	66232	1303.25	ug/L	88
6) chlorodifluoromethane	3.990	51	343327	35.79	ug/L	99
7) dichlorodifluoromethane	3.963	85	337954	46.39	ug/L	98
8) chloromethane	4.346	50	276266	25.46	ug/L	99
9) vinyl chloride	4.572	62	240318	28.95	ug/L	98
10) 1,3-butadiene	4.624	54	151309	23.97	ug/L	98
11) bromomethane	5.190	94	214109	42.16	ug/L	98
12) chloroethane	5.358	64	189941	42.73	ug/L	96
13) trichlorofluoromethane	5.783	101	411614	46.05	ug/L	98
14) ethyl ether	6.192	74	134503	43.33	ug/L	97
15) acrolein	6.407	56	57137	42.70	ug/L	93
16) freon 113	6.616	151	211615	43.49	ug/L	94
17) 1,1-dichloroethene	6.601	96	215229	42.37	ug/L	90
18) acetone	6.601	43	352250	94.71	ug/L	90
19) acetonitrile	7.015	41	394401	424.24	ug/L	96
20) iodomethane	6.847	142	457864	47.27	ug/L	99
21) carbon disulfide	6.983	76	701420	40.02	ug/L	93
22) methylene chloride	7.303	84	242990	42.92	ug/L	91
23) methyl acetate	7.062	43	239117	39.03	ug/L	92
24) methyl tert butyl ether	7.660	73	695816	43.50	ug/L	94
25) trans-1,2-dichloroethene	7.686	96	240167	41.94	ug/L	93
26) hexane	8.043	57	412450	36.25	ug/L	96
27) di-isopropyl ether	8.252	45	954679	38.64	ug/L	96
28) ethyl tert-butyl ether	8.708	59	899638	42.12	ug/L	99
29) 2-butanone	8.902	72	120330	151.53	ug/L #	89
30) 1,1-dichloroethane	8.257	63	457300	41.37	ug/L	98
31) chloroprene	8.357	53	420102	39.98	ug/L	94
33) vinyl acetate	8.200	86	53056	63.42	ug/L #	61
34) ethyl acetate	8.923	45	48869	40.96	ug/L	79
35) 2,2-dichloropropane	8.997	77	298665	35.89	ug/L	98
36) cis-1,2-dichloroethene	8.971	96	267027	43.33	ug/L	93
37) propionitrile	8.976	54	452700	457.39	ug/L	87
38) bromochloromethane	9.259	130	189754	48.24	ug/L	91
39) tetrahydrofuran	9.285	42	93654	40.23	ug/L	93
40) chloroform	9.348	83	436275	41.53	ug/L	95
41) tert-butyl formate	9.385	59	234100	56.10	ug/L	96
42) isobutyl alcohol	9.741	43	155631	418.49	ug/L	94

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\nelsonf\October\10-29-22\v2a9619\
Data File : 2a221289.d
Acq On : 27 Oct 2022 11:46 pm
Operator : nickw
Sample : bs Inst : GCMS2A
Misc : MS46075,V2A9619,5,,,,1
ALS Vial : 31 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Results File: M2A9596.RES
Quant Time: Oct 29 02:42:14 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44)	methacrylonitrile	9.175	67	114410	46.93	ug/L		93
45)	1,1,1-trichloroethane	9.605	97	391034	43.57	ug/L		95
46)	cyclohexane	9.715	84	357317	41.59	ug/L		89
47)	1,1-dichloropropene	9.773	75	317723	41.59	ug/L		98
48)	tert-amyl alcohol	9.904	73	82080	209.28	ug/L		96
49)	carbon tetrachloride	9.799	117	353354	45.35	ug/L		98
52)	2,2,4-trimethylpentane	10.119	57	1009404	38.86	ug/L		95
53)	tert-amyl methyl ether	10.103	73	739893	43.10	ug/L		98
54)	n-butyl alcohol	10.491	56	507021	2291.29	ug/L		95
55)	benzene	10.019	78	916585	43.28	ug/L		99
56)	heptane	10.281	57	208421	41.62	ug/L		98
57)	isopropyl acetate	9.941	87	59564	48.52	ug/L	#	71
58)	1,2-dichloroethane	10.045	62	350880	38.99	ug/L		97
59)	trichloroethene	10.743	95	258410	43.80	ug/L		95
60)	ethyl acrylate	10.737	55	424178	44.82	ug/L		99
61)	2-nitropropane	11.498	41	62827	39.57	ug/L		93
62)	2-chloroethyl vinyl ether	11.534	63	598152	483.16	ug/L		97
63)	methyl methacrylate	11.005	100	75541	49.64	ug/L	#	67
64)	1,2-dichloropropane	11.031	63	270123	43.26	ug/L		98
65)	methylcyclohexane	11.042	83	398941	40.74	ug/L		95
66)	dibromomethane	11.141	93	161023	47.41	ug/L		93
67)	bromodichloromethane	11.298	83	344760	44.80	ug/L		98
68)	epichlorohydrin	11.618	57	155932	222.62	ug/L		98
69)	cis-1,3-dichloropropene	11.755	75	387743	42.39	ug/L		89
70)	4-methyl-2-pentanone	11.859	58	476228	178.86	ug/L		87
71)	3-methyl-1-butanol	11.865	70	142569	885.15	ug/L		93
74)	toluene	12.132	92	543364	46.26	ug/L		99
75)	trans-1,3-dichloropropene	12.321	75	347773	47.13	ug/L		98
76)	ethyl methacrylate	12.316	69	309295	48.14	ug/L		91
77)	1,1,2-trichloroethane	12.536	83	186990	49.48	ug/L		96
78)	2-hexanone	12.704	58	445432	168.75	ug/L		90
79)	tetrachloroethene	12.683	166	295350	47.92	ug/L		98
80)	1,3-dichloropropane	12.719	76	331924	46.43	ug/L		99
81)	butyl acetate	12.787	56	198033	46.67	ug/L		86
82)	dibromochloromethane	12.960	129	296155	54.16	ug/L		97
83)	1,2-dibromoethane	13.113	107	249685	52.12	ug/L		100
84)	n-butyl ether	13.558	57	999656	40.73	ug/L		98
85)	chlorobenzene	13.595	112	620319	47.33	ug/L		94
86)	1,1,1,2-tetrachloroethane	13.658	131	258644	51.82	ug/L		100
87)	ethylbenzene	13.653	91	949341	44.11	ug/L		99
88)	m,p-xylene	13.778	106	768323	91.68	ug/L		97
89)	o-xylene	14.177	91	752675	44.29	ug/L		100
90)	styrene	14.187	104	617940	46.92	ug/L		99
91)	n-amyl acetate	14.224	70	146212	44.17	ug/L	#	81
92)	bromoform	14.408	173	219719	59.11	ug/L		97
93)	butyl acrylate	14.009	55	547769	45.21	ug/L		97
94)	isopropylbenzene	14.523	105	928754	43.99	ug/L		97
95)	cis-1,4-dichloro-2-butene	14.560	88	89983	47.48	ug/L	#	84
98)	bromobenzene	14.900	156	301209	47.98	ug/L		90
99)	1,1,2,2-tetrachloroethane	14.801	83	279201	47.83	ug/L		99
100)	trans-1,4-dichloro-2-b...	14.838	53	65962	39.36	ug/L		88
101)	1,2,3-trichloropropane	14.885	110	75250	49.77	ug/L		97
102)	n-propylbenzene	14.937	91	1049895	41.78	ug/L		98
103)	2-chlorotoluene	15.068	126	255847	45.99	ug/L		90
104)	4-chlorotoluene	15.178	91	667224	42.61	ug/L		97
105)	1,3,5-trimethylbenzene	15.094	105	757075	43.74	ug/L		100
106)	tert-butylbenzene	15.430	119	695331	45.01	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\nelsonf\October\10-29-22\v2a9619\
Data File : 2a221289.d
Acq On : 27 Oct 2022 11:46 pm
Operator : nickw
Sample : bs Inst : GCMS2A
Misc : MS46075,V2A9619,5,,,,1
ALS Vial : 31 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Results File: M2A9596.RES
Quant Time: Oct 29 02:42:14 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
107) 1,2,4-trimethylbenzene	15.482	105	762752	44.02	ug/L	100
108) sec-butylbenzene	15.650	105	946340	42.34	ug/L	99
109) 1,3-dichlorobenzene	15.818	146	514401	45.58	ug/L	98
110) p-isopropyltoluene	15.781	119	854527	44.98	ug/L	100
111) benzyl chloride	16.001	91	407380	44.79	ug/L	97
112) 1,2,3-trimethylbenzene	15.912	105	774159	43.82	ug/L	100
113) 1,4-dichlorobenzene	15.912	146	517974	45.69	ug/L	97
114) 1,2-dichlorobenzene	16.285	146	506100	46.84	ug/L	98
115) n-butylbenzene	16.195	92	397439	42.70	ug/L	96
116) 1,2-dibromo-3-chloropr...	17.045	157	69202	57.55	ug/L	97
117) 1,3,5-trichlorobenzene	17.239	180	414544	50.37	ug/L	99
118) 1,2,4-trichlorobenzene	17.878	180	353633	53.27	ug/L	99
119) hexachlorobutadiene	17.999	225	175180	49.45	ug/L	98
120) naphthalene	18.167	128	680464	55.52	ug/L	98
121) 1,2,3-trichlorobenzene	18.392	180	284301	53.10	ug/L	97
122) hexachloroethane	16.573	201	143772	52.21	ug/L	96
123) 2-methylnaphthalene	19.399	142	71453	21.86	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\nelsonf\October\10-29-22\v2a9619\
Data File : 2a221289.d
Acq On : 27 Oct 2022 11:46 pm
Operator : nickw
Sample : bs Inst : GCMS2A
Misc : MS46075,V2A9619,5,,,,1
ALS Vial : 31 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Results File: M2A9596.RES
Quant Time: Oct 29 02:42:14 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\Angieg\October 2022\Oct. 31, 2022\vl10552\
Data File : l348801.d
Acq On : 29 Oct 2022 11:38 am
Operator : BridgetK
Sample : bs Inst : GCMSL
Misc : MS46075,VL10552,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Results File: ML10548.RES
Quant Time: Oct 31 22:24:07 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Oct 28 18:07:24 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.066	65	227484	500.00	ug/L		0.00
5) pentafluorobenzene	4.282	168	232878	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.850	114	328511	50.00	ug/L		0.00
72) chlorobenzene-d5	7.241	117	313175	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.433	152	123919	50.00	ug/L		0.00
123) pentafluorobenzene(a)	4.282	168	232878	50.00	ug/L		0.00
127) 1,4-dichlorobenzene-d4(a)	9.433	152	123920	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.292	113	95288	49.16	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.32%				
52) 1,2-dichloroethane-d4 (s)	4.542	65	112536	50.03	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.06%				
73) toluene-d8 (s)	5.996	98	394047	47.52	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.04%				
96) 4-bromofluorobenzene (s)	8.319	95	146075	51.25	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.50%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.280	88	42164	935.87	ug/L		91
3) ethanol	2.485	45	256234	4165.60	ug/L		99
4) tertiary butyl alcohol	3.121	59	161036	236.36	ug/L		97
6) chlorodifluoromethane	1.651	51	217116	47.92	ug/L	#	98
7) dichlorodifluoromethane	1.635	85	222331	41.99	ug/L		98
8) chloromethane	1.795	50	173810	42.72	ug/L		98
9) vinyl chloride	1.879	62	179081	42.53	ug/L		99
10) 1,3-butadiene	1.911	54	181234	59.49	ug/L		98
11) bromomethane	2.132	96	65876	60.22	ug/L		92
12) chloroethane	2.213	64	93249	42.69	ug/L		95
13) trichlorofluoromethane	2.395	101	203319	44.85	ug/L		95
14) ethyl ether	2.578	74	88367	46.64	ug/L		95
15) acrolein	2.678	56	43317	46.21	ug/L		97
16) freon 113	2.755	151	97860	45.41	ug/L		99
17) 1,1-dichloroethene	2.761	96	112085	44.25	ug/L		96
18) acetone	2.771	58	102275	163.61	ug/L		95
19) acetonitrile	2.963	40	148206	436.94	ug/L		89
20) iodomethane	2.877	142	110247	61.99	ug/L		98
21) iso-butyl alcohol	4.430	43	118074	407.51	ug/L		94
22) carbon disulfide	2.935	76	365318	42.42	ug/L		98
23) methylene chloride	3.089	84	128610	45.09	ug/L		97
24) methyl acetate	2.976	74	37941	46.54	ug/L		97
25) methyl tert butyl ether	3.255	73	413843	48.27	ug/L		99
26) trans-1,2-dichloroethene	3.275	96	117072	43.82	ug/L		95
27) hexane	3.451	57	219640	44.41	ug/L		97
28) di-isopropyl ether	3.564	45	438514	45.46	ug/L		98
29) ethyl tert-butyl ether	3.807	59	444717	45.05	ug/L		100
30) 2-butanone	3.929	72	117589	176.40	ug/L		99
31) 1,1-dichloroethane	3.573	63	229465	44.92	ug/L		98
32) chloroprene	3.621	53	202266	43.88	ug/L		97
33) acrylonitrile	3.252	53	3790	1.98	ug/L	#	47
34) vinyl acetate	3.544	86	35760	49.04	ug/L	#	76
35) ethyl acetate	3.936	45	34884	42.69	ug/L	#	45
36) 2,2-dichloropropane	3.968	77	178417	43.68	ug/L		95
37) cis-1,2-dichloroethene	3.961	96	124986	43.36	ug/L		97
38) propionitrile	3.977	54	304358	429.22	ug/L		98
39) methyl acrylate	3.987	85	29091	42.55	ug/L		96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\Angieg\October 2022\Oct. 31, 2022\vl10552\
Data File : l348801.d
Acq On : 29 Oct 2022 11:38 am
Operator : BridgetK
Sample : bs Inst : GCMSL
Misc : MS46075,VL10552,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Results File: ML10548.RES
Quant Time: Oct 31 22:24:07 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Oct 28 18:07:24 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
40) bromochloromethane	4.128	128	57936	45.56	ug/L		93
41) tetrahydrofuran	4.135	72	32800	44.14	ug/L		93
42) chloroform	4.180	83	213720	42.88	ug/L		99
44) methacrylonitrile	4.087	67	85333	43.85	ug/L		92
45) 1,1,1-trichloroethane	4.321	97	181788	43.78	ug/L		98
46) cyclohexane	4.379	84	163857	37.81	ug/L		99
47) 1,1-dichloropropene	4.427	75	159438	42.42	ug/L		98
48) carbon tetrachloride	4.433	117	140134	42.40	ug/L		96
49) isopropyl acetate	4.545	87	40642	47.87	ug/L	#	84
50) tert amyl alcohol	4.520	55	56209	197.48	ug/L		96
53) tert-amyl methyl ether	4.635	73	372521	45.29	ug/L		100
54) 2,2,4-trimethylpentane	4.638	57	402631	44.16	ug/L		99
55) n-butyl alcohol	4.908	56	355232	1985.60	ug/L		99
56) benzene	4.578	78	460704	42.67	ug/L		98
57) heptane	4.748	57	95276	44.13	ug/L		97
58) 1,2-dichloroethane	4.600	62	162224	45.77	ug/L		98
59) trichloroethene	5.043	95	124421	44.76	ug/L		94
60) ethyl acrylate	5.062	55	247564	47.19	ug/L		100
61) 2-nitropropane	5.595	41	58186	44.86	ug/L		98
62) 2-chloroethyl vinyl ether	5.624	63	461806	223.61	ug/L		99
63) methyl methacrylate	5.242	100	47844	46.67	ug/L		95
64) 1,2-dichloropropane	5.242	63	126164	43.25	ug/L		98
65) methylcyclohexane	5.232	83	217032	43.62	ug/L		100
66) dibromomethane	5.312	93	75210	44.49	ug/L		95
67) bromodichloromethane	5.431	83	176524	45.20	ug/L		97
68) cis-1,3-dichloropropene	5.771	75	211999	45.23	ug/L		97
69) epichlorohydrin	5.678	57	125538	216.96	ug/L		96
70) 4-methyl-2-pentanone	5.864	58	331702	176.24	ug/L		97
71) 3-methyl-1-butanol	5.890	70	135851	801.37	ug/L		96
74) toluene	6.054	92	291014	41.82	ug/L		94
75) trans-1,3-dichloropropene	6.224	75	192406	43.84	ug/L		95
76) ethyl methacrylate	6.243	69	208177	46.19	ug/L		99
77) 1,1,2-trichloroethane	6.394	83	106545	45.60	ug/L		99
78) 2-hexanone	6.557	58	344262	164.30	ug/L		94
79) tetrachloroethene	6.487	166	123455	42.85	ug/L		93
80) 1,3-dichloropropane	6.538	76	199658	43.16	ug/L		99
81) butyl acetate	6.638	56	131337	45.66	ug/L		98
82) dibromochloromethane	6.728	129	123839	43.30	ug/L		98
83) 1,2-dibromoethane	6.843	107	131750	45.55	ug/L		99
84) n-butyl ether	7.312	57	549131	45.14	ug/L		99
85) chlorobenzene	7.270	112	308209	43.85	ug/L		96
86) 1,1,1,2-tetrachloroethane	7.340	131	103408	43.44	ug/L		99
87) ethylbenzene	7.344	91	507637	40.32	ug/L		98
88) m,p-xylene	7.456	106	404828	82.54	ug/L		100
89) o-xylene	7.812	106	210162	43.38	ug/L		98
90) butyl acrylate	7.732	55	326517	47.28	ug/L		98
91) styrene	7.831	104	338253	42.36	ug/L		98
92) bromoform	8.011	173	91505	42.18	ug/L		98
93) isopropylbenzene	8.149	105	536032	42.47	ug/L		99
94) cis-1,4-dichloro-2-butene	8.204	88	42722	33.27	ug/L		98
97) bromobenzene	8.460	156	123513	46.00	ug/L		95
98) 1,1,2,2-tetrachloroethane	8.435	83	192551	46.58	ug/L		98
99) trans-1,4-dichloro-2-b...	8.473	53	37228	35.67	ug/L	#	79
100) 1,2,3-trichloropropane	8.496	110	52198	46.77	ug/L		97
101) n-propylbenzene	8.541	91	578333	44.86	ug/L		99
102) 2-chlorotoluene	8.640	126	117329	46.03	ug/L		99
103) 4-chlorotoluene	8.752	126	117192	45.88	ug/L	#	85

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\Angieg\October 2022\Oct. 31, 2022\vl10552\
Data File : l348801.d
Acq On : 29 Oct 2022 11:38 am
Operator : BridgetK
Sample : bs Inst : GCMSL
Misc : MS46075,VL10552,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Results File: ML10548.RES
Quant Time: Oct 31 22:24:07 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Oct 28 18:07:24 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
104) 1,3,5-trimethylbenzene	8.711	105	410462	43.95	ug/L	98
105) tert-butylbenzene	9.015	119	358620	45.11	ug/L	99
106) 1,2,4-trimethylbenzene	9.073	105	407438	44.60	ug/L	99
107) sec-butylbenzene	9.234	105	527073	45.36	ug/L	98
108) 1,3-dichlorobenzene	9.362	146	217828	46.59	ug/L	99
109) p-isopropyltoluene	9.378	119	391974	43.51	ug/L	98
110) 1,4-dichlorobenzene	9.455	146	208592	45.57	ug/L	99
111) 1,2,3-trimethylbenzene	9.474	105	392852	44.87	ug/L	98
112) 1,2-dichlorobenzene	9.811	146	202919	45.93	ug/L	97
113) n-butylbenzene	9.776	92	218246	47.56	ug/L	94
114) 1,2-dibromo-3-chloropr...	10.581	157	49726	46.72	ug/L	97
115) 1,3,5-trichlorobenzene	10.761	180	157963	50.67	ug/L	96
116) 1,2,4-trichlorobenzene	11.390	180	136303	52.41	ug/L	98
117) hexachlorobutadiene	11.531	225	54996	47.54	ug/L	91
118) naphthalene	11.653	128	431543	48.53	ug/L	99
119) 1,2,3-trichlorobenzene	11.875	180	123406	49.66	ug/L	97
120) hexachloroethane	10.074	119	80238	47.24	ug/L	98
121) benzyl chloride	9.564	91	344142	48.85	ug/L	99
122) 2-methylnaphthalene	12.783	142	102005	23.02	ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\Angieg\October 2022\Oct. 31, 2022\vl10552\
Data File : l348801.d
Acq On : 29 Oct 2022 11:38 am
Operator : BridgetK
Sample : bs Inst : GCMSL
Misc : MS46075,VL10552,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Results File: ML10548.RES
Quant Time: Oct 31 22:24:07 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Oct 28 18:07:24 2022
Response via : Initial Calibration



Manual Integrations APPROVED (compounds with "m" flag)
MoHui Huang
11/01/22 21:04

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\nelsonf\October\10-29-22\v2a9619\
Data File : 2a221296.d
Acq On : 28 Oct 2022 3:05 am
Operator : nickw
Sample : jd54302-4ms Inst : GCMS2A
Misc : MS63421,V2A9619,5,,,,10
ALS Vial : 38 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Results File: M2A9596.RES
Quant Time: Oct 29 03:10:24 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	7.246	65	336992	500.00	ug/L	0.00
5) pentafluorobenzene	9.505	168	692668	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.433	114	939455	50.00	ug/L	0.00
72) chlorobenzene-d5	13.558	117	757568	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.886	152	391814	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.537	113	300051	49.12	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.24%			
51) 1,2-dichloroethane-d4 (s)	9.951	65	316966	42.88	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 85.76%			
73) toluene-d8 (s)	12.059	98	972253	50.45	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.90%			
97) 4-bromofluorobenzene (s)	14.722	95	347029	46.85	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 93.70%			
Target Compounds						Qvalue
2) ethanol	5.972	45	320229	4717.99	ug/L	98
3) tertiary butyl alcohol	7.356	59	198227	229.76	ug/L	89
4) 1,4-dioxane	11.078	88	61359	1215.82	ug/L	91
6) chlorodifluoromethane	3.990	51	283130	29.43	ug/L	97
7) dichlorodifluoromethane	3.958	85	321919	44.06	ug/L	99
8) chloromethane	4.346	50	253359	23.28	ug/L	98
9) vinyl chloride	4.572	62	221873	26.65	ug/L	97
10) 1,3-butadiene	4.619	54	133749	21.13	ug/L	94
11) bromomethane	5.190	94	196054	38.49	ug/L	96
12) chloroethane	5.358	64	177294	39.78	ug/L	96
13) trichlorofluoromethane	5.793	101	385568	43.02	ug/L	100
14) ethyl ether	6.192	74	122401	39.32	ug/L	93
15) acrolein	6.412	56	49367	36.79	ug/L	83
16) freon 113	6.611	151	190912	39.12	ug/L	95
17) 1,1-dichloroethene	6.601	96	189346	37.17	ug/L	90
18) acetone	6.601	43	308035	82.58	ug/L	91
19) acetonitrile	7.015	41	374248	401.43	ug/L	95
20) iodomethane	6.842	142	412496	42.47	ug/L	97
21) carbon disulfide	6.984	76	622275	35.40	ug/L	93
22) methylene chloride	7.298	84	226264	39.86	ug/L	91
23) methyl acetate	7.057	43	219161	35.67	ug/L	96
24) methyl tert butyl ether	7.655	73	649058	40.46	ug/L	95
25) trans-1,2-dichloroethene	7.686	96	218346	38.03	ug/L	92
26) hexane	8.037	57	357045	31.29	ug/L	97
27) di-isopropyl ether	8.252	45	888467	35.86	ug/L	97
28) ethyl tert-butyl ether	8.709	59	850692	39.71	ug/L	98
29) 2-butanone	8.903	72	116533	146.34	ug/L	94
30) 1,1-dichloroethane	8.252	63	417848	37.70	ug/L	100
31) chloroprene	8.357	53	378306	35.90	ug/L	94
33) vinyl acetate	8.200	86	49407	58.89	ug/L #	65
34) ethyl acetate	8.918	45	47280	39.52	ug/L	86
35) 2,2-dichloropropane	8.997	77	270539	32.42	ug/L	98
36) cis-1,2-dichloroethene	8.965	96	636559	103.01	ug/L	92
37) propionitrile	8.976	54	436851	440.13	ug/L	88
38) bromochloromethane	9.259	130	177026	44.88	ug/L	89
39) tetrahydrofuran	9.280	42	91048	39.00	ug/L	94
40) chloroform	9.348	83	406652	38.60	ug/L	95
41) tert-butyl formate	9.385	59	150218	35.89	ug/L	96
42) isobutyl alcohol	9.747	43	153679	412.08	ug/L	90

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\nelsonf\October\10-29-22\v2a9619\
Data File : 2a221296.d
Acq On : 28 Oct 2022 3:05 am
Operator : nickw
Sample : jd54302-4ms Inst : GCMS2A
Misc : MS63421,V2A9619,5,,,,10
ALS Vial : 38 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Results File: M2A9596.RES
Quant Time: Oct 29 03:10:24 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) methacrylonitrile	9.175	67	109674	44.86	ug/L		86
45) 1,1,1-trichloroethane	9.605	97	357698	39.74	ug/L		96
46) cyclohexane	9.715	84	340224	39.49	ug/L	#	84
47) 1,1-dichloropropene	9.773	75	286607	37.41	ug/L		95
48) tert-amyl alcohol	9.904	73	85252	216.76	ug/L		97
49) carbon tetrachloride	9.799	117	324813	41.57	ug/L		99
52) 2,2,4-trimethylpentane	10.114	57	894093	34.13	ug/L		96
53) tert-amyl methyl ether	10.103	73	718509	41.51	ug/L		98
54) n-butyl alcohol	10.491	56	508376	2278.37	ug/L		93
55) benzene	10.019	78	843291	39.49	ug/L		98
56) heptane	10.276	57	183100	36.26	ug/L		99
57) isopropyl acetate	9.935	87	56813	45.90	ug/L	#	78
58) 1,2-dichloroethane	10.046	62	329973	36.37	ug/L		97
59) trichloroethene	10.743	95	443823	74.60	ug/L		98
60) ethyl acrylate	10.732	55	406959	42.65	ug/L		99
61) 2-nitropropane	11.498	41	64436m	40.25	ug/L		
63) methyl methacrylate	11.000	100	71193	46.40	ug/L	#	73
64) 1,2-dichloropropane	11.031	63	254815	40.47	ug/L		100
65) methylcyclohexane	11.042	83	356516	36.11	ug/L		95
66) dibromomethane	11.141	93	153496	44.82	ug/L		94
67) bromodichloromethane	11.293	83	329474	42.46	ug/L		100
68) epichlorohydrin	11.618	57	144852	205.09	ug/L		96
69) cis-1,3-dichloropropene	11.755	75	376774	40.85	ug/L		87
70) 4-methyl-2-pentanone	11.860	58	474007	176.55	ug/L		87
71) 3-methyl-1-butanol	11.865	70	146738	903.48	ug/L		89
74) toluene	12.132	92	514716	43.00	ug/L		99
75) trans-1,3-dichloropropene	12.316	75	332767	44.25	ug/L		100
76) ethyl methacrylate	12.316	69	311654	47.59	ug/L		88
77) 1,1,2-trichloroethane	12.536	83	182954	47.50	ug/L		95
78) 2-hexanone	12.704	58	451815	167.96	ug/L	#	87
79) tetrachloroethene	12.683	166	273113	43.48	ug/L		98
80) 1,3-dichloropropane	12.714	76	323776	44.44	ug/L		100
81) butyl acetate	12.788	56	197728	45.73	ug/L		87
82) dibromochloromethane	12.961	129	293563	52.68	ug/L		97
83) 1,2-dibromoethane	13.113	107	239931	49.14	ug/L		99
84) n-butyl ether	13.558	57	968593	38.73	ug/L		98
85) chlorobenzene	13.595	112	599999	44.92	ug/L		95
86) 1,1,1,2-tetrachloroethane	13.658	131	251300	49.41	ug/L		99
87) ethylbenzene	13.653	91	900084	41.03	ug/L		99
88) m,p-xylene	13.773	106	731814	85.68	ug/L		98
89) o-xylene	14.172	91	726861	41.97	ug/L		98
90) styrene	14.188	104	600022	44.71	ug/L		99
91) n-amyl acetate	14.219	70	150064	44.48	ug/L	#	86
92) bromoform	14.408	173	215171	56.80	ug/L		98
93) butyl acrylate	14.009	55	561518	45.48	ug/L		98
94) isopropylbenzene	14.523	105	896385	41.66	ug/L		98
95) cis-1,4-dichloro-2-butene	14.560	88	86045	44.55	ug/L	#	83
98) bromobenzene	14.901	156	294134	46.43	ug/L		89
99) 1,1,2,2-tetrachloroethane	14.801	83	276686	46.96	ug/L		98
100) trans-1,4-dichloro-2-b...	14.832	53	62708	37.08	ug/L		88
101) 1,2,3-trichloropropane	14.885	110	75445	49.45	ug/L		98
102) n-propylbenzene	14.937	91	1011520	39.89	ug/L		98
103) 2-chlorotoluene	15.068	126	250105	44.55	ug/L		89
104) 4-chlorotoluene	15.178	91	647709	40.98	ug/L		97
105) 1,3,5-trimethylbenzene	15.095	105	722106	41.34	ug/L		100
106) tert-butylbenzene	15.430	119	672560	43.14	ug/L		97
107) 1,2,4-trimethylbenzene	15.483	105	732855	41.91	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\nelsonf\October\10-29-22\v2a9619\
Data File : 2a221296.d
Acq On : 28 Oct 2022 3:05 am
Operator : nickw
Sample : jd54302-4ms Inst : GCMS2A
Misc : MS63421,V2A9619,5,,,,10
ALS Vial : 38 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Results File: M2A9596.RES
Quant Time: Oct 29 03:10:24 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
108) sec-butylbenzene	15.650	105	906690	40.20	ug/L	99
109) 1,3-dichlorobenzene	15.818	146	496089	43.56	ug/L	98
110) p-isopropyltoluene	15.781	119	817311	42.63	ug/L	100
111) benzyl chloride	16.002	91	384739	41.91	ug/L	99
112) 1,2,3-trimethylbenzene	15.912	105	755134	42.36	ug/L	99
113) 1,4-dichlorobenzene	15.912	146	501182	43.81	ug/L	98
114) 1,2-dichlorobenzene	16.285	146	497127	45.59	ug/L	99
115) n-butylbenzene	16.190	92	379082	40.36	ug/L	100
116) 1,2-dibromo-3-chloropr...	17.045	157	68586	56.52	ug/L	98
117) 1,3,5-trichlorobenzene	17.239	180	394173	47.46	ug/L	99
118) 1,2,4-trichlorobenzene	17.879	180	337415	50.37	ug/L	99
119) hexachlorobutadiene	17.999	225	169211	47.33	ug/L	97
120) naphthalene	18.167	128	658762	53.26	ug/L	99
121) 1,2,3-trichlorobenzene	18.392	180	272584	50.45	ug/L	98
122) hexachloroethane	16.573	201	140735	50.64	ug/L	98
123) 2-methylnaphthalene	19.399	142	60770	18.42	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\nelsonf\October\10-29-22\v2a9619\
Data File : 2a221296.d
Acq On : 28 Oct 2022 3:05 am
Operator : nickw
Sample : jd54302-4ms Inst : GCMS2A
Misc : MS63421,V2A9619,5,,,,10
ALS Vial : 38 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Results File: M2A9596.RES
Quant Time: Oct 29 03:10:24 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: JD54302-4MS
Lab FileID: 2A221296.D
Injection Time: 10/28/22 03:05
Method: SW846 8260D
Analyst approved: 10/29/22 04:26 Nelson Festin
Supervisor approved: 11/01/22 21:04 MoHui Huang


Parameter	CAS	Sig#	R.T. (min.)	Reason
2-Nitropropane	79-46-9		11.50	Poor instrument integration

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\nelsonf\October\10-29-22\v2a9619\
Data File : 2a221296.d
Acq On : 28 Oct 2022 3:05 am
Operator : nickw
Sample : jd54302-4ms Inst : GCMS2A
Misc : MS63421,V2A9619,5,,,,10
ALS Vial : 38 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Results File: M2A9596.RES
Quant Time: Oct 28 03:28:14 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration





TIC: 2a221296.d\data.ms

(61) 2-nitropropane

11.498min (+0.000) 38.70ug/L


response 61958


Ion	Exp%	Act%
41.00	100	100
43.00	121.10	117.58
39.10	36.30	29.70
46.00	3.40	3.79

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\nelsonf\October\10-29-22\v2a9619\
Data File : 2a221296.d
Acq On : 28 Oct 2022 3:05 am
Operator : nickw
Sample : jd54302-4ms Inst : GCMS2A
Misc : MS63421,V2A9619,5,,,,10
ALS Vial : 38 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Results File: M2A9596.RES
Quant Time: Oct 28 03:28:14 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration





TIC: 2a221296.d\data.ms

(61) 2-nitropropane

11.498min (+0.000) 40.25ug/L m

response 64436

Ion	Exp%	Act%
41.00	100	100
43.00	121.10	117.58
39.10	36.30	29.70
46.00	3.40	3.79

Manual Integrations APPROVED (compounds with "m" flag)
MoHui Huang
11/01/22 21:04

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\nelsonf\October\10-29-22\v2a9619\
Data File : 2a221297.d
Acq On : 28 Oct 2022 3:33 am
Operator : nickw
Sample : jd54302-4msd Inst : GCMS2A
Misc : MS63421,V2A9619,5,,,,10
ALS Vial : 39 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Results File: M2A9596.RES
Quant Time: Oct 29 03:12:17 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	7.240	65	352105	500.00	ug/L		-0.01
5) pentafluorobenzene	9.505	168	722243	50.00	ug/L		0.00
50) 1,4-difluorobenzene	10.433	114	968078	50.00	ug/L		0.00
72) chlorobenzene-d5	13.558	117	771344	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	15.886	152	397974	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	9.532	113	310453	48.75	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.50%				
51) 1,2-dichloroethane-d4 (s)	9.951	65	327528	43.00	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 86.00%				
73) toluene-d8 (s)	12.059	98	995679	50.74	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.48%				
97) 4-bromofluorobenzene (s)	14.722	95	356927	47.44	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 94.88%				
Target Compounds							Qvalue
2) ethanol	5.966	45	340386	4799.72	ug/L		95
3) tertiary butyl alcohol	7.356	59	209452	232.35	ug/L		90
4) 1,4-dioxane	11.078	88	70251	1332.26	ug/L		94
6) chlorodifluoromethane	3.979	51	289504	28.86	ug/L		96
7) dichlorodifluoromethane	3.953	85	330911	43.44	ug/L		99
8) chloromethane	4.336	50	256870	22.64	ug/L		97
9) vinyl chloride	4.561	62	231081	26.62	ug/L		96
10) 1,3-butadiene	4.614	54	138356	20.96	ug/L		97
11) bromomethane	5.180	94	204567	38.52	ug/L		100
12) chloroethane	5.348	64	186164	40.06	ug/L		95
13) trichlorofluoromethane	5.772	101	405129	43.35	ug/L		99
14) ethyl ether	6.186	74	127530	39.29	ug/L		91
15) acrolein	6.401	56	51099	36.52	ug/L		88
16) freon 113	6.601	151	200817	39.47	ug/L		92
17) 1,1-dichloroethene	6.590	96	200937	37.83	ug/L		88
18) acetone	6.595	43	319198	82.07	ug/L		89
19) acetonitrile	7.010	41	382160	393.13	ug/L		97
20) iodomethane	6.837	142	431886	42.64	ug/L		96
21) carbon disulfide	6.978	76	656704	35.83	ug/L		93
22) methylene chloride	7.293	84	236149	39.89	ug/L		89
23) methyl acetate	7.057	43	226002	35.28	ug/L		92
24) methyl tert butyl ether	7.649	73	678041	40.54	ug/L		93
25) trans-1,2-dichloroethene	7.681	96	232143	38.77	ug/L		93
26) hexane	8.037	57	378889	31.84	ug/L		96
27) di-isopropyl ether	8.247	45	905658	35.06	ug/L		94
28) ethyl tert-butyl ether	8.703	59	875970	39.22	ug/L		98
29) 2-butanone	8.897	72	122910	148.02	ug/L	#	84
30) 1,1-dichloroethane	8.252	63	433657	37.52	ug/L		99
31) chloroprene	8.352	53	383565	34.91	ug/L		91
33) vinyl acetate	8.189	86	52074	59.53	ug/L	#	59
34) ethyl acetate	8.913	45	47532	38.10	ug/L		92
35) 2,2-dichloropropane	8.992	77	276453	31.77	ug/L		97
36) cis-1,2-dichloroethene	8.960	96	656211	101.84	ug/L		91
37) propionitrile	8.976	54	455648	440.27	ug/L		96
38) bromochloromethane	9.254	130	186967	45.46	ug/L		88
39) tetrahydrofuran	9.275	42	94887	38.98	ug/L		93
40) chloroform	9.343	83	419909	38.23	ug/L		94
41) tert-butyl formate	9.385	59	152769	35.01	ug/L		95
42) isobutyl alcohol	9.741	43	153775	395.45	ug/L		97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\nelsonf\October\10-29-22\v2a9619\
Data File : 2a221297.d
Acq On : 28 Oct 2022 3:33 am
Operator : nickw
Sample : jd54302-4msd Inst : GCMS2A
Misc : MS63421,V2A9619,5,,,,10
ALS Vial : 39 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Results File: M2A9596.RES
Quant Time: Oct 29 03:12:17 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44)	methacrylonitrile	9.170	67	116840	45.83	ug/L	#	82
45)	1,1,1-trichloroethane	9.600	97	372559	39.70	ug/L		95
46)	cyclohexane	9.710	84	352462	39.24	ug/L		87
47)	1,1-dichloropropene	9.773	75	299957	37.55	ug/L		95
48)	tert-amyl alcohol	9.904	73	90726	221.23	ug/L		92
49)	carbon tetrachloride	9.799	117	337641	41.44	ug/L		98
52)	2,2,4-trimethylpentane	10.114	57	934614	34.62	ug/L		95
53)	tert-amyl methyl ether	10.103	73	739811	41.48	ug/L		96
54)	n-butyl alcohol	10.491	56	549091	2388.08	ug/L		93
55)	benzene	10.014	78	889648	40.43	ug/L		98
56)	heptane	10.276	57	191388	36.78	ug/L		99
57)	isopropyl acetate	9.935	87	59690	46.80	ug/L	#	60
58)	1,2-dichloroethane	10.040	62	339799	36.34	ug/L		99
59)	trichloroethene	10.743	95	460171	75.07	ug/L		95
60)	ethyl acrylate	10.732	55	423733	43.09	ug/L		98
61)	2-nitropropane	11.498	41	65473m	39.68	ug/L		
63)	methyl methacrylate	11.005	100	77285	48.88	ug/L	#	57
64)	1,2-dichloropropane	11.031	63	267033	41.16	ug/L		98
65)	methylcyclohexane	11.042	83	379214	37.27	ug/L		95
66)	dibromomethane	11.136	93	160846	45.58	ug/L		94
67)	bromodichloromethane	11.293	83	343327	42.94	ug/L		96
68)	epichlorohydrin	11.618	57	150066	206.19	ug/L		95
69)	cis-1,3-dichloropropene	11.749	75	392131	41.26	ug/L		89
70)	4-methyl-2-pentanone	11.859	58	493397	178.34	ug/L	#	86
71)	3-methyl-1-butanol	11.865	70	157830	943.04	ug/L	#	84
74)	toluene	12.132	92	538887	44.22	ug/L		99
75)	trans-1,3-dichloropropene	12.316	75	345587	45.13	ug/L		97
76)	ethyl methacrylate	12.316	69	327544	49.13	ug/L		86
77)	1,1,2-trichloroethane	12.536	83	191504	48.83	ug/L		94
78)	2-hexanone	12.704	58	471976	172.32	ug/L	#	88
79)	tetrachloroethene	12.683	166	292911	45.80	ug/L		99
80)	1,3-dichloropropane	12.714	76	337292	45.47	ug/L		99
81)	butyl acetate	12.787	56	209298	47.54	ug/L		85
82)	dibromochloromethane	12.960	129	305688	53.87	ug/L		98
83)	1,2-dibromoethane	13.113	107	251928	50.68	ug/L		99
84)	n-butyl ether	13.558	57	1015841	39.89	ug/L		98
85)	chlorobenzene	13.590	112	628428	46.20	ug/L		97
86)	1,1,1,2-tetrachloroethane	13.658	131	263347	50.85	ug/L		100
87)	ethylbenzene	13.653	91	951061	42.58	ug/L		99
88)	m,p-xylene	13.773	106	765590	88.04	ug/L		96
89)	o-xylene	14.172	91	760120	43.10	ug/L		99
90)	styrene	14.187	104	631757	46.23	ug/L		97
91)	n-amyl acetate	14.219	70	154978	45.12	ug/L	#	83
92)	bromoform	14.408	173	228337	59.20	ug/L		100
93)	butyl acrylate	14.009	55	581550	46.26	ug/L		98
94)	isopropylbenzene	14.523	105	939528	42.89	ug/L		98
95)	cis-1,4-dichloro-2-butene	14.560	88	91407	46.48	ug/L	#	84
98)	bromobenzene	14.900	156	307616	47.80	ug/L		88
99)	1,1,2,2-tetrachloroethane	14.801	83	293338	49.02	ug/L		99
100)	trans-1,4-dichloro-2-b...	14.832	53	66658	38.81	ug/L		91
101)	1,2,3-trichloropropane	14.885	110	79865	51.53	ug/L		95
102)	n-propylbenzene	14.937	91	1055281	40.97	ug/L		97
103)	2-chlorotoluene	15.068	126	259915	45.58	ug/L		85
104)	4-chlorotoluene	15.178	91	678727	42.28	ug/L		96
105)	1,3,5-trimethylbenzene	15.094	105	758324	42.74	ug/L		99
106)	tert-butylbenzene	15.430	119	697686	44.06	ug/L		97
107)	1,2,4-trimethylbenzene	15.482	105	763705	43.00	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\nelsonf\October\10-29-22\v2a9619\
Data File : 2a221297.d
Acq On : 28 Oct 2022 3:33 am
Operator : nickw
Sample : jd54302-4msd Inst : GCMS2A
Misc : MS63421,V2A9619,5,,,,10
ALS Vial : 39 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Results File: M2A9596.RES
Quant Time: Oct 29 03:12:17 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
108) sec-butylbenzene	15.650	105	939328	41.00	ug/L	98
109) 1,3-dichlorobenzene	15.818	146	519869	44.94	ug/L	98
110) p-isopropyltoluene	15.781	119	859019	44.11	ug/L	99
111) benzyl chloride	16.001	91	397448	42.63	ug/L	98
112) 1,2,3-trimethylbenzene	15.912	105	780958	43.13	ug/L	99
113) 1,4-dichlorobenzene	15.907	146	517637	44.54	ug/L	98
114) 1,2-dichlorobenzene	16.285	146	515380	46.54	ug/L	98
115) n-butylbenzene	16.195	92	391726	41.06	ug/L	98
116) 1,2-dibromo-3-chloropr...	17.045	157	72239	58.61	ug/L	98
117) 1,3,5-trichlorobenzene	17.239	180	407526	48.31	ug/L	99
118) 1,2,4-trichlorobenzene	17.878	180	359900	52.89	ug/L	98
119) hexachlorobutadiene	17.999	225	177507	48.88	ug/L	97
120) naphthalene	18.167	128	713513	56.79	ug/L	99
121) 1,2,3-trichlorobenzene	18.392	180	295962	53.93	ug/L	95
122) hexachloroethane	16.573	201	143124	50.70	ug/L	98
123) 2-methylnaphthalene	19.404	142	103319	30.83	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\nelsonf\October\10-29-22\v2a9619\
Data File : 2a221297.d
Acq On : 28 Oct 2022 3:33 am
Operator : nickw
Sample : jd54302-4msd Inst : GCMS2A
Misc : MS63421,V2A9619,5,,,,10
ALS Vial : 39 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Results File: M2A9596.RES
Quant Time: Oct 29 03:12:17 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: JD54302-4MSD
Lab FileID: 2A221297.D
Injection Time: 10/28/22 03:33
Method: SW846 8260D
Analyst approved: 10/29/22 04:26 Nelson Festin
Supervisor approved: 11/01/22 21:04 MoHui Huang


Parameter	CAS	Sig#	R.T. (min.)	Reason
2-Nitropropane	79-46-9		11.50	Poor instrument integration

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\nelsonf\October\10-29-22\v2a9619\
Data File : 2a221297.d
Acq On : 28 Oct 2022 3:33 am
Operator : nickw
Sample : jd54302-4msd Inst : GCMS2A
Misc : MS63421,V2A9619,5,,,,10
ALS Vial : 39 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Results File: M2A9596.RES
Quant Time: Oct 28 03:56:34 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration





TIC: 2a221297.d\data.ms

(61) 2-nitropropane

11.498min (-0.000) 38.27ug/L


response 63132


Ion	Exp%	Act%
41.00	100	100
43.00	121.10	122.02
39.10	36.30	33.96
46.00	3.40	3.76

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\nelsonf\October\10-29-22\v2a9619\
Data File : 2a221297.d
Acq On : 28 Oct 2022 3:33 am
Operator : nickw
Sample : jd54302-4msd Inst : GCMS2A
Misc : MS63421,V2A9619,5,,,,10
ALS Vial : 39 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Results File: M2A9596.RES
Quant Time: Oct 28 03:56:34 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration





TIC: 2a221297.d\data.ms

(61) 2-nitropropane

11.498min (-0.000) 39.68ug/L m

response 65473

Ion	Exp%	Act%
41.00	100	100
43.00	121.10	122.02
39.10	36.30	33.96
46.00	3.40	3.76

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\Angieg\October 2022\Oct. 31, 2022\vl10552\
Data File : l348811.d
Acq On : 29 Oct 2022 3:29 pm
Operator : BridgetK
Sample : jd54108-4ms Inst : GCMSL
Misc : MS63384,VL10552,5,,,,50
ALS Vial : 14 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Results File: ML10548.RES
Quant Time: Oct 31 23:04:32 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Oct 28 18:07:24 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.063	65	226681	500.00	ug/L		0.00
5) pentafluorobenzene	4.279	168	219235	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.850	114	312116	50.00	ug/L		0.00
72) chlorobenzene-d5	7.238	117	298775	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.433	152	121679	50.00	ug/L		0.00
123) pentafluorobenzene(a)	4.279	168	219235	50.00	ug/L		0.00
127) 1,4-dichlorobenzene-d4(a)	9.433	152	121601	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.289	113	90441	49.56	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.12%				
52) 1,2-dichloroethane-d4 (s)	4.542	65	106943	50.04	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.08%				
73) toluene-d8 (s)	5.993	98	376485	47.59	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.18%				
96) 4-bromofluorobenzene (s)	8.316	95	140914	50.35	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.70%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.280	88	42234	940.75	ug/L		93
3) ethanol	2.485	45	255147	4162.62	ug/L		100
4) tertiary butyl alcohol	3.117	59	161940	238.53	ug/L		97
6) chlorodifluoromethane	1.654	51	172934	40.55	ug/L	#	99
7) dichlorodifluoromethane	1.635	85	166011	33.30	ug/L		98
8) chloromethane	1.795	50	113995	29.76	ug/L		98
9) vinyl chloride	1.879	62	125704	31.71	ug/L		98
10) 1,3-butadiene	1.908	54	158707	55.34	ug/L		98
11) bromomethane	2.132	96	47812	46.78	ug/L		97
12) chloroethane	2.213	64	69741	33.91	ug/L		97
13) trichlorofluoromethane	2.395	101	169336	39.68	ug/L		100
14) ethyl ether	2.578	74	83431	46.77	ug/L		96
15) acrolein	2.678	56	36931	41.85	ug/L		95
16) freon 113	2.752	151	91280	44.99	ug/L		99
17) 1,1-dichloroethene	2.758	96	106636	44.72	ug/L		96
18) acetone	2.771	58	82450	140.11	ug/L		97
19) acetonitrile	2.963	40	143785	450.28	ug/L		91
20) iodomethane	2.874	142	73316	44.36	ug/L		97
21) iso-butyl alcohol	4.430	43	116767	428.07	ug/L		97
22) carbon disulfide	2.931	76	329374	40.63	ug/L		99
23) methylene chloride	3.089	84	126160	46.99	ug/L		96
24) methyl acetate	2.976	74	34364	44.77	ug/L	#	79
25) methyl tert butyl ether	3.255	73	389866	48.31	ug/L		99
26) trans-1,2-dichloroethene	3.275	96	113003	44.93	ug/L		97
27) hexane	3.451	57	207316	44.52	ug/L		97
28) di-isopropyl ether	3.560	45	432419	47.61	ug/L		91
29) ethyl tert-butyl ether	3.811	59	436940	47.02	ug/L		99
30) 2-butanone	3.929	72	108223	172.46	ug/L	#	86
31) 1,1-dichloroethane	3.570	63	228148	47.44	ug/L		97
32) chloroprene	3.618	53	197492	45.51	ug/L		98
33) acrylonitrile	3.236	53	65102	36.12	ug/L		90
34) vinyl acetate	3.544	86	35270	51.38	ug/L	#	87
35) ethyl acetate	3.939	45	34427	44.75	ug/L	#	66
36) 2,2-dichloropropane	3.968	77	178509	46.42	ug/L		97
37) cis-1,2-dichloroethene	3.958	96	124645	45.93	ug/L		93
38) propionitrile	3.974	54	300798	450.60	ug/L		94
39) methyl acrylate	3.984	85	28752	44.68	ug/L		100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\Angieg\October 2022\Oct. 31, 2022\vl10552\
Data File : l348811.d
Acq On : 29 Oct 2022 3:29 pm
Operator : BridgetK
Sample : jd54108-4ms Inst : GCMSL
Misc : MS63384,VL10552,5,,,,50
ALS Vial : 14 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Results File: ML10548.RES
Quant Time: Oct 31 23:04:32 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Oct 28 18:07:24 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
40) bromochloromethane	4.128	128	59095	49.37	ug/L	92
41) tetrahydrofuran	4.135	72	31736	45.37	ug/L	93
42) chloroform	4.180	83	216556	46.15	ug/L	98
44) methacrylonitrile	4.083	67	83483	45.57	ug/L	95
45) 1,1,1-trichloroethane	4.318	97	178939	45.78	ug/L	93
46) cyclohexane	4.375	84	126426	30.99	ug/L	90
47) 1,1-dichloropropene	4.423	75	162497	45.93	ug/L	99
48) carbon tetrachloride	4.430	117	141095	45.35	ug/L	99
49) isopropyl acetate	4.545	87	39297	49.16	ug/L	97
50) tert amyl alcohol	4.520	55	56823	212.06	ug/L	97
53) tert-amyl methyl ether	4.635	73	370116	47.36	ug/L	99
54) 2,2,4-trimethylpentane	4.635	57	405322	46.79	ug/L	99
55) n-butyl alcohol	4.905	56	369580	2174.31	ug/L	99
56) benzene	4.574	78	472190	46.03	ug/L	99
57) heptane	4.744	57	98803	48.17	ug/L	96
58) 1,2-dichloroethane	4.597	62	162802	48.35	ug/L	99
59) trichloroethene	5.040	95	127228	48.17	ug/L	96
60) ethyl acrylate	5.059	55	252265	50.61	ug/L	100
61) 2-nitropropane	5.588	41	58341	47.34	ug/L	98
62) 2-chloroethyl vinyl ether	5.624	63	378922	193.11	ug/L	97
63) methyl methacrylate	5.239	100	47807	49.08	ug/L	98
64) 1,2-dichloropropane	5.239	63	131303	47.38	ug/L	98
65) methylcyclohexane	5.229	83	219044	46.33	ug/L	98
66) dibromomethane	5.309	93	76438	47.59	ug/L	97
67) bromodichloromethane	5.431	83	180469	48.64	ug/L	98
68) cis-1,3-dichloropropene	5.768	75	219878	49.38	ug/L	97
69) epichlorohydrin	5.675	57	123769	225.14	ug/L	96
70) 4-methyl-2-pentanone	5.864	58	337165	188.55	ug/L	95
71) 3-methyl-1-butanol	5.887	70	138035	857.02	ug/L	98
74) toluene	6.050	92	323312	48.70	ug/L	99
75) trans-1,3-dichloropropene	6.220	75	201637	48.16	ug/L	98
76) ethyl methacrylate	6.240	69	216576	50.37	ug/L	98
77) 1,1,2-trichloroethane	6.391	83	108953	48.88	ug/L	99
78) 2-hexanone	6.551	58	349424	174.80	ug/L	96
79) tetrachloroethene	6.487	166	132818	48.33	ug/L	92
80) 1,3-dichloropropane	6.535	76	206159	46.71	ug/L	100
81) butyl acetate	6.638	56	137603	50.15	ug/L	100
82) dibromochloromethane	6.724	129	129658	47.52	ug/L	98
83) 1,2-dibromoethane	6.840	107	135303	49.03	ug/L	97
84) n-butyl ether	7.308	57	590374	50.87	ug/L	99
85) chlorobenzene	7.267	112	324596	48.40	ug/L	96
86) 1,1,1,2-tetrachloroethane	7.337	131	108829	47.92	ug/L	99
87) ethylbenzene	7.340	91	561071	46.71	ug/L	98
88) m,p-xylene	7.456	106	448690	95.90	ug/L	98
89) o-xylene	7.809	106	231543	50.10	ug/L	94
90) butyl acrylate	7.729	55	342359	51.96	ug/L	99
91) styrene	7.828	104	357096	46.87	ug/L	99
92) bromoform	8.005	173	92683	44.78	ug/L	94
93) isopropylbenzene	8.146	105	574274	47.69	ug/L	99
94) cis-1,4-dichloro-2-butene	8.197	88	43374	35.41	ug/L	92
97) bromobenzene	8.460	156	130540	49.51	ug/L	98
98) 1,1,2,2-tetrachloroethane	8.431	83	197356	48.62	ug/L	93
99) trans-1,4-dichloro-2-b...	8.467	53	38226	37.30	ug/L	98
100) 1,2,3-trichloropropane	8.492	110	53259	48.60	ug/L	95
101) n-propylbenzene	8.537	91	615722	48.64	ug/L	99
102) 2-chlorotoluene	8.634	126	122947	49.12	ug/L	98
103) 4-chlorotoluene	8.749	126	119283	47.56	ug/L	97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\Angieg\October 2022\Oct. 31, 2022\vl10552\
Data File : l348811.d
Acq On : 29 Oct 2022 3:29 pm
Operator : BridgetK
Sample : jd54108-4ms Inst : GCMSL
Misc : MS63384,VL10552,5,,,,50
ALS Vial : 14 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Results File: ML10548.RES
Quant Time: Oct 31 23:04:32 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Oct 28 18:07:24 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
104) 1,3,5-trimethylbenzene	8.707	105	438959	47.86	ug/L	99
105) tert-butylbenzene	9.015	119	379688	48.64	ug/L	98
106) 1,2,4-trimethylbenzene	9.070	105	454989	50.72	ug/L	99
107) sec-butylbenzene	9.230	105	555959	48.73	ug/L	100
108) 1,3-dichlorobenzene	9.356	146	223086	48.59	ug/L	99
109) p-isopropyltoluene	9.375	119	427163	48.29	ug/L	100
110) 1,4-dichlorobenzene	9.452	146	213950	47.60	ug/L	97
111) 1,2,3-trimethylbenzene	9.474	105	419649	48.81	ug/L	98
112) 1,2-dichlorobenzene	9.808	146	207644	47.86	ug/L	98
113) n-butylbenzene	9.776	92	224848	49.90	ug/L	97
114) 1,2-dibromo-3-chloropr...	10.572	157	49224	47.10	ug/L	94
115) 1,3,5-trichlorobenzene	10.761	180	160090	52.30	ug/L	98
116) 1,2,4-trichlorobenzene	11.390	180	140026	54.83	ug/L	94
117) hexachlorobutadiene	11.528	225	56942	50.13	ug/L	92
118) naphthalene	11.653	128	2471108	282.99	ug/L	89
119) 1,2,3-trichlorobenzene	11.875	180	121845	49.93	ug/L	95
120) hexachloroethane	10.074	119	89679	53.77	ug/L	97
121) benzyl chloride	9.561	91	358542	51.83	ug/L	98
122) 2-methylnaphthalene	12.783	142	238592	54.85	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\Angieg\October 2022\Oct. 31, 2022\vl10552\
Data File : l348811.d
Acq On : 29 Oct 2022 3:29 pm
Operator : BridgetK
Sample : jd54108-4ms Inst : GCMSL
Misc : MS63384,VL10552,5,,,,50
ALS Vial : 14 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Results File: ML10548.RES
Quant Time: Oct 31 23:04:32 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Oct 28 18:07:24 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\Angieg\October 2022\Oct. 31, 2022\vl10552\
Data File : l348812.d
Acq On : 29 Oct 2022 3:52 pm
Operator : BridgetK
Sample : jd54108-4msd Inst : GCMSL
Misc : MS63384,VL10552,5,,,,50
ALS Vial : 15 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Results File: ML10548.RES
Quant Time: Oct 31 23:15:28 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Oct 28 18:07:24 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.066	65	240780	500.00	ug/L		0.00
5) pentafluorobenzene	4.282	168	221872	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.853	114	316921	50.00	ug/L		0.00
72) chlorobenzene-d5	7.241	117	303090	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.429	152	119648	50.00	ug/L		0.00
123) pentafluorobenzene(a)	4.282	168	221872	50.00	ug/L		0.00
127) 1,4-dichlorobenzene-d4(a)	9.429	152	119684	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.295	113	91822	49.72	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.44%				
52) 1,2-dichloroethane-d4 (s)	4.545	65	108649	50.07	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.14%				
73) toluene-d8 (s)	5.996	98	386034	48.10	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.20%				
96) 4-bromofluorobenzene (s)	8.319	95	143599	52.18	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 104.36%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.287	88	48363	1014.19	ug/L		97
3) ethanol	2.489	45	281213	4319.23	ug/L		99
4) tertiary butyl alcohol	3.121	59	170256	236.10	ug/L		99
6) chlorodifluoromethane	1.654	51	165709	38.39	ug/L	#	99
7) dichlorodifluoromethane	1.638	85	161053	31.92	ug/L		98
8) chloromethane	1.795	50	109113	28.15	ug/L		97
9) vinyl chloride	1.882	62	122165	30.45	ug/L		98
10) 1,3-butadiene	1.911	54	154319	53.17	ug/L		98
11) bromomethane	2.132	96	46692	45.19	ug/L		92
12) chloroethane	2.213	64	67315	32.34	ug/L		93
13) trichlorofluoromethane	2.399	101	166596	38.57	ug/L		96
14) ethyl ether	2.582	74	84587	46.86	ug/L		96
15) acrolein	2.681	56	37508	42.00	ug/L		95
16) freon 113	2.758	151	88504	43.11	ug/L		97
17) 1,1-dichloroethene	2.761	96	101360	42.00	ug/L		98
18) acetone	2.774	58	85369	143.34	ug/L		97
19) acetonitrile	2.967	40	153776	475.85	ug/L		91
20) iodomethane	2.877	142	88264	52.40	ug/L		97
21) iso-butyl alcohol	4.433	43	121133	438.80	ug/L		95
22) carbon disulfide	2.938	76	320043	39.01	ug/L		98
23) methylene chloride	3.095	84	124322	45.75	ug/L		97
24) methyl acetate	2.979	74	37356	48.09	ug/L		88
25) methyl tert butyl ether	3.259	73	392617	48.07	ug/L		98
26) trans-1,2-dichloroethene	3.278	96	109246	42.92	ug/L		97
27) hexane	3.458	57	204599	43.42	ug/L		99
28) di-isopropyl ether	3.567	45	429648	46.75	ug/L		98
29) ethyl tert-butyl ether	3.811	59	446134	47.43	ug/L		99
30) 2-butanone	3.933	72	115451	181.79	ug/L		94
31) 1,1-dichloroethane	3.573	63	220966	45.40	ug/L		98
32) chloroprene	3.624	53	193138	43.97	ug/L		97
33) acrylonitrile	3.239	53	66306	36.35	ug/L		98
34) vinyl acetate	3.547	86	35929	51.71	ug/L	#	88
35) ethyl acetate	3.945	45	38947	50.03	ug/L		92
36) 2,2-dichloropropane	3.971	77	174372	44.81	ug/L		97
37) cis-1,2-dichloroethene	3.961	96	123412	44.94	ug/L		98
38) propionitrile	3.981	54	316224	468.07	ug/L		95
39) methyl acrylate	3.990	85	31007	47.61	ug/L	#	73

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\Angieg\October 2022\Oct. 31, 2022\vl10552\
Data File : l348812.d
Acq On : 29 Oct 2022 3:52 pm
Operator : BridgetK
Sample : jd54108-4msd Inst : GCMSL
Misc : MS63384,VL10552,5,,,,50
ALS Vial : 15 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Results File: ML10548.RES
Quant Time: Oct 31 23:15:28 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Oct 28 18:07:24 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
40) bromochloromethane	4.128	128	58553	48.33	ug/L		89
41) tetrahydrofuran	4.138	72	31887	45.04	ug/L	#	76
42) chloroform	4.183	83	214214	45.11	ug/L		99
44) methacrylonitrile	4.090	67	87153	47.00	ug/L		97
45) 1,1,1-trichloroethane	4.321	97	177030	44.75	ug/L		97
46) cyclohexane	4.379	84	122617	29.70	ug/L		88
47) 1,1-dichloropropene	4.430	75	158557	44.28	ug/L		98
48) carbon tetrachloride	4.436	117	139069	44.16	ug/L		98
49) isopropyl acetate	4.549	87	40688	50.30	ug/L	#	92
50) tert amyl alcohol	4.523	55	58377	215.27	ug/L		96
53) tert-amyl methyl ether	4.635	73	378190	47.66	ug/L		99
54) 2,2,4-trimethylpentane	4.638	57	396269	45.05	ug/L		98
55) n-butyl alcohol	4.908	56	387259	2243.78	ug/L		99
56) benzene	4.574	78	470199	45.14	ug/L		98
57) heptane	4.748	57	94987	45.61	ug/L		99
58) 1,2-dichloroethane	4.600	62	164465	48.10	ug/L		100
59) trichloroethene	5.043	95	123583	46.08	ug/L		90
60) ethyl acrylate	5.062	55	257125	50.81	ug/L		99
61) 2-nitropropane	5.592	41	59390	47.46	ug/L		93
62) 2-chloroethyl vinyl ether	5.624	63	360272	180.82	ug/L		98
63) methyl methacrylate	5.245	100	48951	49.49	ug/L	#	88
64) 1,2-dichloropropane	5.242	63	132786	47.19	ug/L		95
65) methylcyclohexane	5.232	83	212452	44.26	ug/L		98
66) dibromomethane	5.312	93	78805	48.32	ug/L		99
67) bromodichloromethane	5.431	83	179302	47.59	ug/L		99
68) cis-1,3-dichloropropene	5.768	75	221524	48.99	ug/L		97
69) epichlorohydrin	5.678	57	132741	237.80	ug/L		96
70) 4-methyl-2-pentanone	5.867	58	349799	192.65	ug/L		96
71) 3-methyl-1-butanol	5.890	70	145925	892.27	ug/L		96
74) toluene	6.054	92	321698	47.76	ug/L		98
75) trans-1,3-dichloropropene	6.220	75	205902	48.48	ug/L		99
76) ethyl methacrylate	6.240	69	219785	50.39	ug/L		99
77) 1,1,2-trichloroethane	6.391	83	109673	48.51	ug/L		98
78) 2-hexanone	6.554	58	364969	179.98	ug/L		98
79) tetrachloroethene	6.487	166	131048	47.00	ug/L		93
80) 1,3-dichloropropane	6.535	76	209142	46.71	ug/L		100
81) butyl acetate	6.641	56	139012	49.94	ug/L		97
82) dibromochloromethane	6.724	129	130284	47.07	ug/L		95
83) 1,2-dibromoethane	6.843	107	137260	49.03	ug/L		96
84) n-butyl ether	7.311	57	598633	50.84	ug/L		99
85) chlorobenzene	7.270	112	324940	47.76	ug/L		97
86) 1,1,1,2-tetrachloroethane	7.337	131	110134	47.81	ug/L		96
87) ethylbenzene	7.344	91	557022	45.72	ug/L		99
88) m,p-xylene	7.456	106	445016	93.76	ug/L		97
89) o-xylene	7.812	106	231994	49.48	ug/L		98
90) butyl acrylate	7.732	55	346224	51.80	ug/L		98
91) styrene	7.828	104	357339	46.24	ug/L		98
92) bromoform	8.005	173	94826	45.17	ug/L		95
93) isopropylbenzene	8.146	105	566436	46.37	ug/L		98
94) cis-1,4-dichloro-2-butene	8.197	88	45553	36.66	ug/L		92
97) bromobenzene	8.463	156	130418	50.30	ug/L		95
98) 1,1,2,2-tetrachloroethane	8.428	83	200791	50.30	ug/L		96
99) trans-1,4-dichloro-2-b...	8.467	53	38892	38.59	ug/L		94
100) 1,2,3-trichloropropane	8.496	110	56017	51.99	ug/L		99
101) n-propylbenzene	8.540	91	613442	49.29	ug/L		97
102) 2-chlorotoluene	8.637	126	122206	49.65	ug/L		98
103) 4-chlorotoluene	8.752	126	119500	48.45	ug/L		88

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\Angieg\October 2022\Oct. 31, 2022\vl10552\
Data File : l348812.d
Acq On : 29 Oct 2022 3:52 pm
Operator : BridgetK
Sample : jd54108-4msd Inst : GCMSL
Misc : MS63384,VL10552,5,,,,50
ALS Vial : 15 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Results File: ML10548.RES
Quant Time: Oct 31 23:15:28 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Oct 28 18:07:24 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
104) 1,3,5-trimethylbenzene	8.711	105	439038	48.68	ug/L	99
105) tert-butylbenzene	9.015	119	377588	49.19	ug/L	99
106) 1,2,4-trimethylbenzene	9.073	105	456242	51.72	ug/L	99
107) sec-butylbenzene	9.230	105	549675	49.00	ug/L	99
108) 1,3-dichlorobenzene	9.356	146	223879	49.59	ug/L	99
109) p-isopropyltoluene	9.375	119	415845	47.81	ug/L	98
110) 1,4-dichlorobenzene	9.455	146	212450	48.07	ug/L	96
111) 1,2,3-trimethylbenzene	9.474	105	416726	49.30	ug/L	100
112) 1,2-dichlorobenzene	9.808	146	208754	48.93	ug/L	97
113) n-butylbenzene	9.776	92	224244	50.61	ug/L	98
114) 1,2-dibromo-3-chloropr...	10.575	157	51184	49.81	ug/L	96
115) 1,3,5-trichlorobenzene	10.761	180	158098	52.52	ug/L	98
116) 1,2,4-trichlorobenzene	11.390	180	139046	55.37	ug/L	98
117) hexachlorobutadiene	11.531	225	57107	51.13	ug/L	94
118) naphthalene	11.656	128	2506744	291.94	ug/L	90
119) 1,2,3-trichlorobenzene	11.875	180	124578	51.92	ug/L	95
120) hexachloroethane	10.078	119	83789	51.09	ug/L	96
121) benzyl chloride	9.561	91	365311	53.71	ug/L	98
122) 2-methylnaphthalene	12.783	142	255520	59.74	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\Angieg\October 2022\Oct. 31, 2022\vl10552\
Data File : l348812.d
Acq On : 29 Oct 2022 3:52 pm
Operator : BridgetK
Sample : jd54108-4msd Inst : GCMSL
Misc : MS63384,VL10552,5,,,,50
ALS Vial : 15 Sample Multiplier: 1


Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Results File: ML10548.RES
Quant Time: Oct 31 23:15:28 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Oct 28 18:07:24 2022
Response via : Initial Calibration




SW-846 Method 8260

Data File : C:\MSDChem\1\DATA\V2A9596\2A220735.D Vial: 1
Acq On : 13 Oct 2022 5:42 pm Operator: PrashanS
Sample : BFB Inst : GCMS2A
Misc : MS62754,V2A9596,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\MSDCHEM\1\METHODS\M2A9596.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022





AutoFind: Scans 2161, 2162, 2163; Background Corrected with Scan 2153

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	22.3	53573	PASS
75	95	30	60	46.0	110642	PASS
95	95	100	100	100.0	240298	PASS
96	95	5	9	6.5	15575	PASS
173	174	0.00	2	0.9	1954	PASS
174	95	50	120	88.1	211797	PASS
175	174	5	9	7.5	15782	PASS
176	174	95	101	99.5	210837	PASS
177	176	5	9	6.7	14168	PASS

2A220735.D M2A9596.M Fri Oct 14 18:42:38 2022 MS2A

Average of 14.717 to 14.728 min.: 2A220735.D
BFB
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.00	2671	49.00	11236	63.00	7819	76.95	1274
37.05	12574	50.00	53573	64.05	674	77.95	892
38.00	11150	51.00	16030	66.95	548	78.90	5935
39.05	4455	52.00	739	68.00	23077	79.90	1660
40.00	183	54.90	519	69.00	22570	80.90	6261
41.10	68	56.00	3351	70.00	1721	81.95	1383
43.10	71	57.00	6893	71.95	1039	83.00	90
44.00	956	57.95	291	73.00	9680	85.95	239
45.00	2343	60.00	2218	74.00	36728	86.95	10342
47.00	4205	61.00	10952	75.00	110642	87.95	9967
48.00	1464	62.00	10823	76.00	9032	90.95	859

Average of 14.717 to 14.728 min.: 2A220735.D
BFB
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
91.95	5615	114.80	91	134.85	396	149.85	187
93.00	8797	115.00	98	136.95	361	152.90	75
94.00	25088	115.90	752	139.80	189	153.80	68
95.00	240298	116.90	1392	140.90	2189	154.90	676
96.00	15575	117.90	682	142.00	307	156.95	449
97.00	528	118.90	1262	142.85	2481	158.80	244
103.85	1028	123.90	85	143.90	68	160.90	206
104.80	320	127.85	946	144.85	135	171.90	79
105.95	1068	128.95	443	145.85	348	173.00	1954
106.95	245	129.90	990	146.90	185	173.90	211797
112.85	184	130.90	371	147.90	608	174.90	15782


Average of 14.717 to 14.728 min.: 2A220735.D
BFB
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
175.90	210837						
176.95	14168						
177.95	440						

SW-846 Method 8260

Data File : C:\msdchem\1\data\ne...22\v2a9619\2a221287.d Vial: 29
Acq On : 27 Oct 2022 10:49 pm Operator: nickw
Sample : bfb Inst : GCMS2A
Misc : MS63376,V2A9619,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\MSDCHEM\1\METHODS\M2A9596.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022



AutoFind: Scans 2161, 2162, 2163; Background Corrected with Scan 2153

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	17.0	36341	PASS
75	95	30	60	44.2	94723	PASS
95	95	100	100	100.0	214251	PASS
96	95	5	9	6.5	14024	PASS
173	174	0.00	2	0.3	628	PASS
174	95	50	120	99.4	213035	PASS
175	174	5	9	7.3	15475	PASS
176	174	95	101	98.9	210667	PASS
177	176	5	9	6.3	13250	PASS

2a221287.d M2A9596.M Sat Oct 29 02:35:13 2022

Average of 14.717 to 14.728 min.: 2a221287.d\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.00	1445	50.00	36341	63.95	589	77.85	681
37.00	7677	51.05	10994	67.05	527	78.90	4477
38.05	6807	52.00	552	68.00	19774	79.95	1362
39.05	2475	55.00	546	69.00	18499	80.90	4786
39.90	97	56.00	2660	70.00	1425	81.95	1115
44.00	795	57.00	5160	71.95	1010	85.90	244
45.00	1842	58.00	69	73.00	8078	86.95	8282
46.10	82	59.95	1539	74.00	31045	87.90	7962
47.00	2633	61.00	9016	75.00	94723	90.90	642
47.95	1027	62.00	8518	76.00	7855	92.00	4875
49.00	7515	63.00	6313	77.00	1089	93.00	7575

Average of 14.717 to 14.728 min.: 2a221287.d\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
94.00	22389	114.70	76	130.85	335	147.90	637
95.00	214251	115.85	651	134.80	87	149.80	85
96.00	14024	116.90	1450	134.95	257	150.00	83
96.95	430	117.85	821	136.95	352	153.00	85
102.90	71	118.90	988	139.90	83	153.85	170
103.95	997	123.85	158	140.95	2382	154.85	664
104.85	346	127.80	613	141.95	282	156.95	525
105.95	853	128.00	255	142.90	2537	158.90	367
106.85	175	128.80	285	145.80	397	160.90	183
109.70	75	129.00	144	146.90	72	171.85	191
110.80	69	129.80	992	147.10	113	172.20	132


Average of 14.717 to 14.728 min.: 2a221287.d\data.ms
bfb
Modified:subtracted


m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
173.00	628						
173.90	213035						
174.95	15475						
175.90	210667						
176.90	13250						
177.90	417						
207.00	182						

SW-846 Method 8260

Data File : C:\msdchem\1\DATA\VL10548\L348707.D Vial: 1
Acq On : 27 Oct 2022 1:23 am Operator: PrashanS
Sample : BFB Inst : GCMSL
Misc : MS63290,VL10548,5,,,,1 Multiplr: 1.00
MS Integration Params: lscint.p

Method : C:\MSDCHEM\1\METHODS\ML10548.M (RTE Integrator)
Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um





AutoFind: Scans 2129, 2130, 2131; Background Corrected with Scan 2114

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	17.9	15976	PASS
75	95	30	60	48.6	43467	PASS
95	95	100	100	100.0	89389	PASS
96	95	5	9	6.8	6041	PASS
173	174	0.00	2	0.4	262	PASS
174	95	50	120	80.7	72101	PASS
175	174	5	9	8.0	5774	PASS
176	174	95	101	95.7	69016	PASS
177	176	5	9	6.7	4622	PASS

L348707.D ML10548.M Thu Oct 27 18:58:44 2022 1

Average of 8.319 to 8.325 min.: L348707.D\data.ms
BFB
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.05	761	50.10	15976	67.05	247	78.30	108
37.10	3986	51.10	4994	68.05	8069	79.00	1840
38.05	3636	52.10	205	69.05	8192	79.95	461
39.05	1440	55.00	65	70.05	722	80.95	1949
40.90	87	56.05	1092	72.05	424	82.00	301
44.00	587	57.05	1933	73.05	3863	83.00	67
45.10	830	60.05	947	74.05	13782	86.20	73
47.05	940	61.05	4226	75.05	43467	87.00	3702
47.80	106	62.05	3985	76.05	3929	88.00	3730
48.15	509	63.10	2550	77.00	512	91.00	322
49.05	3268	64.00	280	77.90	253	92.05	2223


Average of 8.319 to 8.325 min.: L348707.D\data.ms
BFB
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
93.05	3490	118.90	346	154.90	77		
94.05	10243	123.90	109	156.80	100		
95.05	89389	127.95	240	157.00	87		
96.05	6041	129.00	94	172.90	262		
97.00	88	129.80	70	173.95	72101		
97.20	84	131.00	75	175.00	5774		
103.95	436	134.90	117	176.00	69016		
106.00	310	135.10	83	176.95	4622		
115.90	183	140.95	649				
116.90	555	143.05	526				
117.80	417	147.80	226				

SW-846 Method 8260

Data File : C:\msdchem\1\data\An...022\vl10552\l348799.d Vial: 2
Acq On : 29 Oct 2022 10:33 am Operator: BridgetK
Sample : bfb Inst : GCMSL
Misc : MS63359,VL10552,5,,,,1 Multiplr: 1.00
MS Integration Params: lscint.p

Method : C:\MSDCHEM\1\METHODS\ML10548.M (RTE Integrator)
Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um



AutoFind: Scans 2128, 2129, 2130; Background Corrected with Scan 2114

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	16.4	14503	PASS
75	95	30	60	47.5	42040	PASS
95	95	100	100	100.0	88509	PASS
96	95	5	9	6.6	5804	PASS
173	174	0.00	2	0.0	0	PASS
174	95	50	120	76.6	67835	PASS
175	174	5	9	8.7	5932	PASS
176	174	95	101	98.9	67064	PASS
177	176	5	9	6.4	4290	PASS

l348799.d ML10548.M Mon Oct 31 22:18:00 2022

Average of 8.316 to 8.322 min.: l348799.d\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.05	968	51.10	5002	69.05	8309	80.95	2166
37.10	4329	52.20	145	70.05	782	81.80	364
38.10	3646	56.10	1125	72.05	491	82.00	153
39.05	1431	57.05	2218	73.00	3833	87.00	3828
43.00	139	60.00	680	74.05	13416	88.05	4053
44.00	405	61.00	3325	75.05	42040	91.00	310
45.00	837	62.05	3912	76.10	3539	92.00	1934
47.05	1347	63.05	2539	77.05	590	93.00	2907
47.90	588	64.10	460	78.00	399	94.00	10064
49.10	3224	67.10	228	78.95	1882	95.05	88509
50.10	14503	68.00	8374	80.00	544	96.00	5804

Average of 8.316 to 8.322 min.: l348799.d\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
96.90	127	129.95	312	176.95	4290		
103.90	396	140.95	840	206.80	75		
105.00	79	142.90	701				
105.20	77	145.90	81				
105.95	357	148.00	87				
115.95	340	154.90	82				
116.95	586	161.00	78				
117.85	210	172.20	73				
118.95	381	174.00	67835				
127.80	236	174.95	5932				
128.10	75	175.95	67064				

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220736.D
Acq On : 13 Oct 2022 6:18 pm
Operator : PrashanS
Sample : IC9596-0.2
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 14 18:43:52 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	7.25	65	346171	500.00	ug/L		0.00
5) pentafluorobenzene	9.52	168	640998	50.00	ug/L		0.00
50) 1,4-difluorobenzene	10.44	114	876432	50.00	ug/L		0.00
72) chlorobenzene-d5	13.56	117	772505	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	15.89	152	390174	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	9.54	113	280281	49.61	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.22%				
51) 1,2-dichloroethane-d4 (s)	9.96	65	347801	51.38	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 102.76%				
73) toluene-d8 (s)	12.06	98	973540	49.46	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.92%				
97) 4-bromofluorobenzene (s)	14.72	95	374154	51.04	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.08%				
Target Compounds							Qvalue
6) chlorodifluoromethane	3.99	51	1632	0.19	ug/L		67
9) vinyl chloride	4.57	62	1360	0.18	ug/L	#	51
12) chloroethane	5.36	64	648	0.16	ug/L		62
20) iodomethane	6.85	142	1557	0.17	ug/L		83
24) methyl tert butyl ether	7.68	73	3412	0.24	ug/L		96
25) trans-1,2-dichloroethene	7.70	96	1123	0.23	ug/L	#	67
27) di-isopropyl ether	8.26	45	5050	0.23	ug/L	#	65
28) ethyl tert-butyl ether	8.72	59	4252	0.22	ug/L		92
30) 1,1-dichloroethane	8.26	63	1875	0.19	ug/L		85
31) chloroprene	8.38	53	1950	0.20	ug/L	#	56
35) 2,2-dichloropropane	9.01	77	1674	0.23	ug/L		81
36) cis-1,2-dichloroethene	8.98	96	1208	0.22	ug/L	#	49
38) bromochloromethane	9.26	130	623	0.17	ug/L	#	54
45) 1,1,1-trichloroethane	9.61	97	1589	0.19	ug/L	#	71
46) cyclohexane	9.73	84	1656	0.21	ug/L	#	36
47) 1,1-dichloropropene	9.78	75	1431	0.20	ug/L	#	80
48) tert-amyl alcohol	9.92	73	407	1.18	ug/L	#	47
49) carbon tetrachloride	9.80	117	1380	0.19	ug/L	#	61
52) 2,2,4-trimethylpentane	10.12	57	5060	0.21	ug/L		92
53) tert-amyl methyl ether	10.11	73	3702	0.24	ug/L		90
55) benzene	10.02	78	4102	0.21	ug/L		93
56) heptane	10.29	57	1097	0.24	ug/L		81
59) trichloroethene	10.75	95	1045	0.19	ug/L		80
64) 1,2-dichloropropane	11.04	63	1140	0.20	ug/L		99
65) methylcyclohexane	11.05	83	1950	0.22	ug/L		87
66) dibromomethane	11.15	93	483	0.15	ug/L		72
67) bromodichloromethane	11.30	83	1541	0.22	ug/L		78
69) cis-1,3-dichloropropene	11.76	75	1697	0.20	ug/L		79
70) 4-methyl-2-pentanone	11.86	58	1730	0.68	ug/L	#	74
74) toluene	12.14	92	2463	0.20	ug/L		87
75) trans-1,3-dichloropropene	12.33	75	1416	0.18	ug/L		81
76) ethyl methacrylate	12.34	69	1143	0.16	ug/L		88
77) 1,1,2-trichloroethane	12.55	83	645	0.16	ug/L		87

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220736.D
Acq On : 13 Oct 2022 6:18 pm
Operator : PrashanS
Sample : IC9596-0.2
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 14 18:43:52 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
79) tetrachloroethene	12.69	166	1466	0.24	ug/L		89
80) 1,3-dichloropropane	12.72	76	1466	0.20	ug/L		77
81) butyl acetate	12.81	56	762	0.17	ug/L	#	65
82) dibromochloromethane	12.96	129	1290	0.22	ug/L		71
83) 1,2-dibromoethane	13.12	107	837	0.17	ug/L		98
84) n-butyl ether	13.57	57	5709	0.23	ug/L	#	1
85) chlorobenzene	13.59	112	2749	0.20	ug/L		78
86) 1,1,1,2-tetrachloroethane	13.66	131	970	0.18	ug/L		86
87) ethylbenzene	13.66	91	4933	0.23	ug/L		88
88) m,p-xylene	13.79	106	3576	0.41	ug/L		97
89) o-xylene	14.18	91	3613	0.21	ug/L		84
90) styrene	14.20	104	2417	0.17	ug/L		92
92) bromoform	14.42	173	755	0.18	ug/L		92
94) isopropylbenzene	14.53	105	4879	0.23	ug/L		91
98) bromobenzene	14.90	156	1411	0.23	ug/L	#	79
99) 1,1,2,2-tetrachloroethane	14.81	83	1168	0.20	ug/L		81
102) n-propylbenzene	14.94	91	5445	0.22	ug/L		96
103) 2-chlorotoluene	15.08	126	1107	0.20	ug/L	#	77
104) 4-chlorotoluene	15.19	91	3311	0.22	ug/L		97
105) 1,3,5-trimethylbenzene	15.10	105	3668	0.22	ug/L		92
106) tert-butylbenzene	15.44	119	3085	0.20	ug/L		91
107) 1,2,4-trimethylbenzene	15.49	105	3472	0.20	ug/L		91
108) sec-butylbenzene	15.66	105	4797	0.22	ug/L		90
109) 1,3-dichlorobenzene	15.82	146	2477	0.23	ug/L		91
110) p-isopropyltoluene	15.79	119	3596	0.19	ug/L		89
112) 1,2,3-trimethylbenzene	15.92	105	3773	0.22	ug/L		94
113) 1,4-dichlorobenzene	15.91	146	2564	0.23	ug/L		86
114) 1,2-dichlorobenzene	16.29	146	2305	0.22	ug/L		74
115) n-butylbenzene	16.20	92	1867	0.20	ug/L	#	66
117) 1,3,5-trichlorobenzene	17.24	180	1588	0.19	ug/L	#	73
118) 1,2,4-trichlorobenzene	17.89	180	1168	0.16	ug/L		89
119) hexachlorobutadiene	18.00	225	812	0.23	ug/L	#	64
121) 1,2,3-trichlorobenzene	18.40	180	1048	0.18	ug/L		78

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220736.D
Acq On : 13 Oct 2022 6:18 pm
Operator : PrashanS
Sample : IC9596-0.2
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 14 18:43:52 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220737.D
Acq On : 13 Oct 2022 6:37 pm
Operator : PrashanS
Sample : IC9596-0.5
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Oct 14 18:44:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	7.25	65	352634	500.00	ug/L		0.00
5) pentafluorobenzene	9.51	168	645584	50.00	ug/L		0.00
50) 1,4-difluorobenzene	10.43	114	878119	50.00	ug/L		0.00
72) chlorobenzene-d5	13.56	117	771580	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	15.89	152	393384	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	9.54	113	284762	50.04	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.08%				
51) 1,2-dichloroethane-d4 (s)	9.96	65	349478	51.53	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 103.06%				
73) toluene-d8 (s)	12.06	98	980120	49.85	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.70%				
97) 4-bromofluorobenzene (s)	14.72	95	374914	50.73	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.46%				
Target Compounds							Qvalue
2) ethanol	5.98	45	3073	44.44	ug/L	#	37
6) chlorodifluoromethane	3.99	51	4445	0.51	ug/L		67
7) dichlorodifluoromethane	3.96	85	3058	0.45	ug/L		83
8) chloromethane	4.34	50	5903	0.61	ug/L		83
9) vinyl chloride	4.58	62	3776	0.49	ug/L		89
11) bromomethane	5.17	94	2589	0.57	ug/L		72
12) chloroethane	5.38	64	1909	0.46	ug/L		68
13) trichlorofluoromethane	5.79	101	3673	0.43	ug/L		94
14) ethyl ether	6.21	74	1379	0.48	ug/L	#	48
16) freon 113	6.62	151	2153	0.48	ug/L	#	89
17) 1,1-dichloroethene	6.61	96	2420	0.54	ug/L	#	68
20) iodomethane	6.85	142	4263	0.47	ug/L		96
21) carbon disulfide	6.99	76	8538	0.55	ug/L		81
22) methylene chloride	7.30	84	2692	0.53	ug/L		98
24) methyl tert butyl ether	7.66	73	6997	0.49	ug/L		93
25) trans-1,2-dichloroethene	7.70	96	2729	0.54	ug/L		90
26) hexane	8.04	57	5373	0.52	ug/L		92
27) di-isopropyl ether	8.25	45	11756	0.54	ug/L		87
28) ethyl tert-butyl ether	8.71	59	10100	0.52	ug/L		90
30) 1,1-dichloroethane	8.25	63	5091	0.50	ug/L		91
31) chloroprene	8.36	53	4936	0.51	ug/L		95
35) 2,2-dichloropropane	8.99	77	3892	0.53	ug/L		91
36) cis-1,2-dichloroethene	8.97	96	2866	0.52	ug/L	#	70
37) propionitrile	9.00	54	4114	4.45	ug/L		63
38) bromochloromethane	9.26	130	1841	0.50	ug/L		79
39) tetrahydrofuran	9.29	42	928	0.44	ug/L	#	48
40) chloroform	9.35	83	5616	0.61	ug/L		99
41) tert-butyl formate	9.39	59	1905	0.51	ug/L		92
44) methacrylonitrile	9.18	67	988	0.43	ug/L	#	79
45) 1,1,1-trichloroethane	9.61	97	4295	0.52	ug/L		87
46) cyclohexane	9.72	84	3915	0.50	ug/L	#	71
47) 1,1-dichloropropene	9.78	75	3325	0.47	ug/L		92
48) tert-amyl alcohol	9.91	73	917	2.63	ug/L	#	48

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220737.D
Acq On : 13 Oct 2022 6:37 pm
Operator : PrashanS
Sample : IC9596-0.5
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Oct 14 18:44:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
49) carbon tetrachloride	9.80	117	3314	0.45 ug/L		92
52) 2,2,4-trimethylpentane	10.12	57	11926	0.50 ug/L		94
53) tert-amyl methyl ether	10.11	73	7673	0.50 ug/L		91
55) benzene	10.02	78	9740	0.50 ug/L		99
56) heptane	10.28	57	2266	0.50 ug/L	#	82
58) 1,2-dichloroethane	10.05	62	4799	0.61 ug/L		85
59) trichloroethene	10.75	95	2657	0.48 ug/L		81
64) 1,2-dichloropropane	11.04	63	2743	0.47 ug/L		83
65) methylcyclohexane	11.05	83	4474	0.50 ug/L		87
66) dibromomethane	11.15	93	1614	0.50 ug/L		92
67) bromodichloromethane	11.30	83	3316	0.46 ug/L		85
68) epichlorohydrin	11.63	57	1409	2.12 ug/L	#	55
69) cis-1,3-dichloropropene	11.75	75	4149	0.48 ug/L		88
70) 4-methyl-2-pentanone	11.86	58	4811	1.88 ug/L		94
74) toluene	12.13	92	5880	0.49 ug/L		93
75) trans-1,3-dichloropropene	12.33	75	3637	0.46 ug/L		94
76) ethyl methacrylate	12.33	69	2844	0.41 ug/L		98
77) 1,1,2-trichloroethane	12.55	83	1884	0.47 ug/L		92
78) 2-hexanone	12.72	58	4815	1.72 ug/L	#	84
79) tetrachloroethene	12.69	166	3006	0.50 ug/L		87
80) 1,3-dichloropropane	12.72	76	3184	0.43 ug/L		85
81) butyl acetate	12.80	56	2216	0.49 ug/L	#	73
82) dibromochloromethane	12.96	129	2591	0.45 ug/L		96
83) 1,2-dibromoethane	13.11	107	2492	0.50 ug/L		83
84) n-butyl ether	13.56	57	12361	0.49 ug/L	#	1
85) chlorobenzene	13.60	112	6422	0.47 ug/L		90
86) 1,1,1,2-tetrachloroethane	13.66	131	2322	0.44 ug/L		85
87) ethylbenzene	13.66	91	11248	0.52 ug/L		94
88) m,p-xylene	13.78	106	8410	0.97 ug/L		94
89) o-xylene	14.18	91	8631	0.50 ug/L		95
90) styrene	14.19	104	6280	0.44 ug/L		96
92) bromoform	14.42	173	1688	0.41 ug/L		70
94) isopropylbenzene	14.53	105	10904	0.51 ug/L		91
98) bromobenzene	14.91	156	2966	0.48 ug/L		94
99) 1,1,2,2-tetrachloroethane	14.81	83	3074	0.53 ug/L		98
101) 1,2,3-trichloropropane	14.88	110	678	0.44 ug/L		84
102) n-propylbenzene	14.94	91	12412	0.50 ug/L		92
103) 2-chlorotoluene	15.07	126	2680	0.48 ug/L	#	85
104) 4-chlorotoluene	15.18	91	7949	0.52 ug/L		95
105) 1,3,5-trimethylbenzene	15.10	105	8834	0.52 ug/L		96
106) tert-butylbenzene	15.43	119	7529	0.49 ug/L		90
107) 1,2,4-trimethylbenzene	15.49	105	8578	0.49 ug/L		96
108) sec-butylbenzene	15.65	105	11355	0.52 ug/L		96
109) 1,3-dichlorobenzene	15.82	146	5440	0.49 ug/L		93
110) p-isopropyltoluene	15.79	119	9169	0.47 ug/L		96
112) 1,2,3-trimethylbenzene	15.91	105	9075	0.52 ug/L		92
113) 1,4-dichlorobenzene	15.91	146	5653	0.51 ug/L		91
114) 1,2-dichlorobenzene	16.28	146	5375	0.50 ug/L		94
115) n-butylbenzene	16.20	92	4451	0.46 ug/L	#	76
117) 1,3,5-trichlorobenzene	17.24	180	3817	0.45 ug/L		93

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220737.D
Acq On : 13 Oct 2022 6:37 pm
Operator : PrashanS
Sample : IC9596-0.5
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Oct 14 18:44:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
118) 1,2,4-trichlorobenzene	17.89	180	2920	0.40	ug/L	90
119) hexachlorobutadiene	18.00	225	1651	0.46	ug/L	87
121) 1,2,3-trichlorobenzene	18.40	180	2409	0.41	ug/L	85

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220737.D
Acq On : 13 Oct 2022 6:37 pm
Operator : PrashanS
Sample : IC9596-0.5
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Oct 14 18:44:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220738.D
Acq On : 13 Oct 2022 7:06 pm
Operator : PrashanS
Sample : IC9596-1
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Oct 14 18:45:22 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:01:31 2022
QLast Update : Fri Oct 14 09:05:34 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	7.25	65	350767	500.00	ug/L		0.00
5) pentafluorobenzene	9.51	168	642531	50.00	ug/L		0.00
50) 1,4-difluorobenzene	10.43	114	880843	50.00	ug/L		0.00
72) chlorobenzene-d5	13.56	117	775180	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	15.89	152	394172	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	9.54	113	285034	50.31	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.62%				
51) 1,2-dichloroethane-d4 (s)	9.95	65	351586	50.73	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 101.46%				
73) toluene-d8 (s)	12.06	98	977538	49.57	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.14%				
97) 4-bromofluorobenzene (s)	14.72	95	375150	50.34	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.68%				
Target Compounds							Qvalue
2) ethanol	5.98	45	6750	95.54	ug/L		69
3) tertiary butyl alcohol	7.37	59	4235	4.72	ug/L		68
6) chlorodifluoromethane	3.99	51	9192	1.03	ug/L		98
7) dichlorodifluoromethane	3.97	85	6610	0.98	ug/L		89
8) chloromethane	4.35	50	10613	1.05	ug/L		96
9) vinyl chloride	4.57	62	7736	1.00	ug/L		84
11) bromomethane	5.20	94	4734	1.00	ug/L		79
12) chloroethane	5.36	64	4202	1.02	ug/L		94
13) trichlorofluoromethane	5.80	101	7577	0.91	ug/L		92
14) ethyl ether	6.19	74	2757	0.95	ug/L	#	66
16) freon 113	6.61	151	4511	1.00	ug/L	#	85
17) 1,1-dichloroethene	6.61	96	5079	1.07	ug/L		94
18) acetone	6.62	43	15722	4.24	ug/L		88
19) acetonitrile	7.03	41	9454	10.93	ug/L		80
20) iodomethane	6.84	142	9276	1.03	ug/L		94
21) carbon disulfide	6.98	76	17763	1.06	ug/L		92
22) methylene chloride	7.30	84	5278	1.00	ug/L		89
23) methyl acetate	7.07	43	6086	1.07	ug/L		68
24) methyl tert butyl ether	7.67	73	14951	1.00	ug/L		93
25) trans-1,2-dichloroethene	7.69	96	5747	1.08	ug/L		96
26) hexane	8.04	57	11574	1.06	ug/L		95
27) di-isopropyl ether	8.25	45	23915	1.04	ug/L		95
28) ethyl tert-butyl ether	8.71	59	19782	1.00	ug/L		99
29) 2-butanone	8.91	72	2811	3.96	ug/L	#	45
30) 1,1-dichloroethane	8.26	63	10864	1.06	ug/L		95
31) chloroprene	8.36	53	9832	1.01	ug/L		91
32) acrylonitrile	7.60	53	2019	0.82	ug/L	#	80
33) vinyl acetate	8.21	86	593	0.76	ug/L	#	1
34) ethyl acetate	8.93	45	1083	0.98	ug/L	#	55
35) 2,2-dichloropropane	8.99	77	8315	1.07	ug/L		88
36) cis-1,2-dichloroethene	8.97	96	6125	1.07	ug/L		85
37) propionitrile	8.99	54	8607	9.35	ug/L		96
38) bromochloromethane	9.26	130	3585	0.98	ug/L		82

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220738.D
Acq On : 13 Oct 2022 7:06 pm
Operator : PrashanS
Sample : IC9596-1
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Oct 14 18:45:22 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:01:31 2022
QLast Update : Fri Oct 14 09:05:34 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
39) tetrahydrofuran	9.29	42	2239	1.03 ug/L		92
40) chloroform	9.35	83	10647	1.09 ug/L		97
41) tert-butyl formate	9.39	59	3901	1.00 ug/L		91
44) methacrylonitrile	9.19	67	2208	0.97 ug/L		84
45) 1,1,1-trichloroethane	9.60	97	8667	1.04 ug/L		95
46) cyclohexane	9.72	84	7865	0.98 ug/L	#	67
47) 1,1-dichloropropene	9.78	75	7162	1.01 ug/L		93
48) tert-amyl alcohol	9.92	73	2005	5.50 ug/L	#	41
49) carbon tetrachloride	9.80	117	7187	0.99 ug/L		99
52) 2,2,4-trimethylpentane	10.11	57	25009	1.02 ug/L		97
53) tert-amyl methyl ether	10.10	73	16421	1.01 ug/L		95
54) n-butyl alcohol	10.51	56	10020	50.36 ug/L		93
55) benzene	10.02	78	20455	1.02 ug/L		95
56) heptane	10.28	57	4548	0.96 ug/L		92
57) isopropyl acetate	9.95	87	899	0.77 ug/L	#	19
58) 1,2-dichloroethane	10.04	62	9259	1.09 ug/L		94
59) trichloroethene	10.74	95	5444	0.98 ug/L		75
60) ethyl acrylate	10.74	55	9185	1.03 ug/L		98
61) 2-nitropropane	11.50	41	1461	0.97 ug/L	#	75
63) methyl methacrylate	11.01	100	1221	0.85 ug/L	#	70
64) 1,2-dichloropropane	11.04	63	5874	0.99 ug/L		99
65) methylcyclohexane	11.04	83	9293	1.00 ug/L		93
66) dibromomethane	11.15	93	3240	1.01 ug/L		92
67) bromodichloromethane	11.29	83	7250	1.00 ug/L		97
68) epichlorohydrin	11.63	57	3449	5.21 ug/L		93
69) cis-1,3-dichloropropene	11.76	75	8507	0.98 ug/L		93
70) 4-methyl-2-pentanone	11.86	58	9422	3.74 ug/L		93
71) 3-methyl-1-butanol	11.89	70	2469	16.64 ug/L	#	61
74) toluene	12.14	92	12543	1.02 ug/L		98
75) trans-1,3-dichloropropene	12.33	75	7796	1.01 ug/L		94
76) ethyl methacrylate	12.33	69	6223	0.93 ug/L		89
77) 1,1,2-trichloroethane	12.54	83	4039	1.02 ug/L		91
78) 2-hexanone	12.71	58	10743	4.01 ug/L		98
79) tetrachloroethene	12.69	166	6643	1.03 ug/L		92
80) 1,3-dichloropropane	12.72	76	7397	0.99 ug/L		95
81) butyl acetate	12.80	56	4525	1.02 ug/L	#	80
82) dibromochloromethane	12.96	129	5079	0.89 ug/L		91
83) 1,2-dibromoethane	13.11	107	5174	1.04 ug/L		96
84) n-butyl ether	13.56	57	24763	0.97 ug/L	#	41
85) chlorobenzene	13.59	112	13630	1.00 ug/L		96
86) 1,1,1,2-tetrachloroethane	13.66	131	5178	0.99 ug/L		94
87) ethylbenzene	13.66	91	22935	1.02 ug/L		91
88) m,p-xylene	13.78	106	16982	1.94 ug/L		96
89) o-xylene	14.18	91	18224	1.03 ug/L		94
90) styrene	14.19	104	13428	0.98 ug/L		96
91) n-amyl acetate	14.23	70	2794	0.81 ug/L		92
92) bromoform	14.41	173	3461	0.89 ug/L		91
93) butyl acrylate	14.02	55	10472	0.85 ug/L		98
94) isopropylbenzene	14.52	105	22370	1.02 ug/L		98
98) bromobenzene	14.90	156	6265	0.98 ug/L		95

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220738.D
Acq On : 13 Oct 2022 7:06 pm
Operator : PrashanS
Sample : IC9596-1
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Oct 14 18:45:22 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:01:31 2022
QLast Update : Fri Oct 14 09:05:34 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
99) 1,1,2,2-tetrachloroethane	14.80	83	5896	0.99	ug/L	91
101) 1,2,3-trichloropropane	14.89	110	1506	0.98	ug/L	91
102) n-propylbenzene	14.94	91	26686	1.05	ug/L	94
103) 2-chlorotoluene	15.07	126	5662	1.00	ug/L	99
104) 4-chlorotoluene	15.18	91	16472	1.04	ug/L	91
105) 1,3,5-trimethylbenzene	15.09	105	17868	1.02	ug/L	92
106) tert-butylbenzene	15.43	119	16084	1.03	ug/L	100
107) 1,2,4-trimethylbenzene	15.49	105	17642	1.00	ug/L	96
108) sec-butylbenzene	15.65	105	23049	1.02	ug/L	93
109) 1,3-dichlorobenzene	15.82	146	11885	1.04	ug/L	95
110) p-isopropyltoluene	15.79	119	19482	1.01	ug/L	95
111) benzyl chloride	16.01	91	7317	0.82	ug/L	92
112) 1,2,3-trimethylbenzene	15.91	105	18241	1.02	ug/L	98
113) 1,4-dichlorobenzene	15.91	146	11635	1.01	ug/L	90
114) 1,2-dichlorobenzene	16.28	146	10566	0.96	ug/L	95
115) n-butylbenzene	16.20	92	8920	0.94	ug/L	92
116) 1,2-dibromo-3-chloropropan	17.05	157	1056	0.86	ug/L	97
117) 1,3,5-trichlorobenzene	17.24	180	8175	0.98	ug/L	98
118) 1,2,4-trichlorobenzene	17.88	180	6484	0.96	ug/L	89
119) hexachlorobutadiene	18.00	225	3369	0.94	ug/L	83
120) naphthalene	18.18	128	10322	0.86	ug/L	97
121) 1,2,3-trichlorobenzene	18.40	180	4793	0.88	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220738.D
Acq On : 13 Oct 2022 7:06 pm
Operator : PrashanS
Sample : IC9596-1
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Oct 14 18:45:22 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:01:31 2022
QLast Update : Fri Oct 14 09:05:34 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220739.D
Acq On : 13 Oct 2022 7:34 pm
Operator : PrashanS
Sample : IC9596-2
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Oct 14 18:45:50 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	7.25	65	359118	500.00	ug/L	0.00
5) pentafluorobenzene	9.51	168	640339	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.43	114	880120	50.00	ug/L	0.00
72) chlorobenzene-d5	13.56	117	772316	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.89	152	397328	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.54	113	282777	50.10	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.20%			
51) 1,2-dichloroethane-d4 (s)	9.95	65	351128	51.65	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 103.30%			
73) toluene-d8 (s)	12.06	98	982565	49.93	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.86%			
97) 4-bromofluorobenzene (s)	14.72	95	373196	50.00	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.00%			
Target Compounds						Qvalue
2) ethanol	5.98	45	14963	212.46	ug/L	91
3) tertiary butyl alcohol	7.37	59	10265	11.45	ug/L	81
4) 1,4-dioxane	11.08	88	2096	37.24	ug/L #	77
6) chlorodifluoromethane	3.98	51	19564	2.24	ug/L	94
7) dichlorodifluoromethane	3.96	85	14532	2.15	ug/L	88
8) chloromethane	4.34	50	21663	2.27	ug/L	98
9) vinyl chloride	4.57	62	16451	2.14	ug/L	98
10) 1,3-butadiene	4.62	54	12666	2.26	ug/L	95
11) bromomethane	5.20	94	9841	2.20	ug/L	95
12) chloroethane	5.36	64	9243	2.24	ug/L	90
13) trichlorofluoromethane	5.78	101	17540	2.07	ug/L	97
14) ethyl ether	6.20	74	6280	2.20	ug/L	83
15) acrolein	6.43	56	3110	2.63	ug/L	73
16) freon 113	6.61	151	9766	2.19	ug/L	95
17) 1,1-dichloroethene	6.61	96	10177	2.29	ug/L	98
18) acetone	6.61	43	33325	10.39	ug/L	95
19) acetonitrile	7.03	41	18037	22.08	ug/L	87
20) iodomethane	6.84	142	19663	2.19	ug/L	99
21) carbon disulfide	6.98	76	34632	2.26	ug/L	93
22) methylene chloride	7.30	84	11558	2.28	ug/L	96
23) methyl acetate	7.07	43	13204	2.49	ug/L	96
24) methyl tert butyl ether	7.66	73	32672	2.31	ug/L	95
25) trans-1,2-dichloroethene	7.68	96	12002	2.41	ug/L	94
26) hexane	8.04	57	22743	2.23	ug/L	94
27) di-isopropyl ether	8.25	45	50750	2.35	ug/L	96
28) ethyl tert-butyl ether	8.70	59	43528	2.28	ug/L	95
29) 2-butanone	8.91	72	6150	8.34	ug/L #	89
30) 1,1-dichloroethane	8.26	63	22136	2.21	ug/L	96
31) chloroprene	8.36	53	20357	2.11	ug/L	96
32) acrylonitrile	7.60	53	4635	1.84	ug/L	94
33) vinyl acetate	8.20	86	1487	1.88	ug/L #	54
34) ethyl acetate	8.92	45	2390	2.25	ug/L	83
35) 2,2-dichloropropane	8.99	77	16857	2.33	ug/L	93

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220739.D
Acq On : 13 Oct 2022 7:34 pm
Operator : PrashanS
Sample : IC9596-2
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Oct 14 18:45:50 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
36) cis-1,2-dichloroethene	8.97	96	12062	2.20	ug/L		94
37) propionitrile	8.98	54	21084	22.98	ug/L		84
38) bromochloromethane	9.26	130	7979	2.18	ug/L		96
39) tetrahydrofuran	9.29	42	4986	2.39	ug/L		90
40) chloroform	9.34	83	21163	2.32	ug/L		95
41) tert-butyl formate	9.38	59	8789	2.35	ug/L		94
42) isobutyl alcohol	9.76	43	6474	17.85	ug/L	#	76
44) methacrylonitrile	9.19	67	4978	2.18	ug/L		86
45) 1,1,1-trichloroethane	9.60	97	17852	2.19	ug/L		95
46) cyclohexane	9.72	84	17116	2.21	ug/L		95
47) 1,1-dichloropropene	9.77	75	15385	2.19	ug/L		90
48) tert-amyl alcohol	9.91	73	3704	10.71	ug/L	#	76
49) carbon tetrachloride	9.80	117	15694	2.15	ug/L		98
52) 2,2,4-trimethylpentane	10.11	57	53214	2.24	ug/L		98
53) tert-amyl methyl ether	10.11	73	35680	2.32	ug/L		99
54) n-butyl alcohol	10.51	56	22390	103.72	ug/L		97
55) benzene	10.02	78	42884	2.20	ug/L		98
56) heptane	10.28	57	10192	2.25	ug/L		94
57) isopropyl acetate	9.94	87	2395	2.05	ug/L	#	81
58) 1,2-dichloroethane	10.05	62	18629	2.35	ug/L		97
59) trichloroethene	10.74	95	11847	2.12	ug/L		96
60) ethyl acrylate	10.74	55	19705	2.23	ug/L		95
61) 2-nitropropane	11.50	41	2841	1.77	ug/L		83
62) 2-chloroethyl vinyl ether	11.54	63	2420	1.52	ug/L		86
63) methyl methacrylate	11.01	100	2830	1.95	ug/L	#	61
64) 1,2-dichloropropane	11.04	63	13031	2.23	ug/L		90
65) methylcyclohexane	11.04	83	19521	2.18	ug/L		96
66) dibromomethane	11.14	93	7135	2.19	ug/L		91
67) bromodichloromethane	11.29	83	15814	2.21	ug/L		95
68) epichlorohydrin	11.62	57	7149	10.74	ug/L		95
69) cis-1,3-dichloropropene	11.75	75	18471	2.14	ug/L		96
70) 4-methyl-2-pentanone	11.86	58	22907	8.92	ug/L		99
71) 3-methyl-1-butanol	11.87	70	6117	38.13	ug/L	#	86
74) toluene	12.13	92	25673	2.12	ug/L		93
75) trans-1,3-dichloropropene	12.32	75	16286	2.07	ug/L		96
76) ethyl methacrylate	12.32	69	15004	2.15	ug/L		91
77) 1,1,2-trichloroethane	12.54	83	8796	2.19	ug/L		96
78) 2-hexanone	12.71	58	24395	8.73	ug/L		96
79) tetrachloroethene	12.69	166	14258	2.36	ug/L		97
80) 1,3-dichloropropane	12.72	76	16588	2.22	ug/L		97
81) butyl acetate	12.79	56	9310	2.08	ug/L	#	84
82) dibromochloromethane	12.96	129	11643	2.00	ug/L		96
83) 1,2-dibromoethane	13.11	107	10537	2.10	ug/L		96
84) n-butyl ether	13.56	57	55171	2.19	ug/L		73
85) chlorobenzene	13.60	112	28957	2.13	ug/L		96
86) 1,1,1,2-tetrachloroethane	13.66	131	11252	2.14	ug/L		94
87) ethylbenzene	13.66	91	48706	2.24	ug/L		95
88) m,p-xylene	13.78	106	37198	4.29	ug/L		94
89) o-xylene	14.18	91	38582	2.22	ug/L		100
90) styrene	14.19	104	28864	2.02	ug/L		95

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220739.D
Acq On : 13 Oct 2022 7:34 pm
Operator : PrashanS
Sample : IC9596-2
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Oct 14 18:45:50 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
91) n-amyl acetate	14.23	70	6710	1.85	ug/L	92
92) bromoform	14.41	173	7738	1.86	ug/L	94
93) butyl acrylate	14.02	55	25656	1.91	ug/L	98
94) isopropylbenzene	14.52	105	47402	2.23	ug/L	99
98) bromobenzene	14.90	156	13975	2.23	ug/L	96
99) 1,1,2,2-tetrachloroethane	14.80	83	13119	2.22	ug/L	99
100) trans-1,4-dichloro-2-buten	14.84	53	2823	1.50	ug/L	86
101) 1,2,3-trichloropropane	14.88	110	3313	2.14	ug/L	94
102) n-propylbenzene	14.94	91	56458	2.27	ug/L	98
103) 2-chlorotoluene	15.07	126	12014	2.13	ug/L	93
104) 4-chlorotoluene	15.18	91	34603	2.24	ug/L	99
105) 1,3,5-trimethylbenzene	15.10	105	37364	2.16	ug/L	99
106) tert-butylbenzene	15.44	119	34178	2.20	ug/L	95
107) 1,2,4-trimethylbenzene	15.49	105	38603	2.20	ug/L	99
108) sec-butylbenzene	15.66	105	47900	2.15	ug/L	98
109) 1,3-dichlorobenzene	15.82	146	24803	2.23	ug/L	96
110) p-isopropyltoluene	15.79	119	42458	2.16	ug/L	96
111) benzyl chloride	16.01	91	17703	1.72	ug/L	94
112) 1,2,3-trimethylbenzene	15.91	105	39261	2.23	ug/L	95
113) 1,4-dichlorobenzene	15.91	146	25130	2.24	ug/L	96
114) 1,2-dichlorobenzene	16.28	146	23992	2.21	ug/L	96
115) n-butylbenzene	16.20	92	19382	2.00	ug/L	93
116) 1,2-dibromo-3-chloropropan	17.05	157	2400	1.85	ug/L	89
117) 1,3,5-trichlorobenzene	17.24	180	18024	2.10	ug/L	94
118) 1,2,4-trichlorobenzene	17.88	180	13758	1.87	ug/L	87
119) hexachlorobutadiene	18.00	225	7305	2.00	ug/L	96
120) naphthalene	18.17	128	24216	1.77	ug/L	94
121) 1,2,3-trichlorobenzene	18.40	180	10704	1.80	ug/L	98
122) hexachloroethane	16.57	201	4066	1.32	ug/L	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220739.D
Acq On : 13 Oct 2022 7:34 pm
Operator : PrashanS
Sample : IC9596-2
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Oct 14 18:45:50 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220740.D
Acq On : 13 Oct 2022 8:03 pm
Operator : PrashanS
Sample : IC9596-4
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Oct 14 18:46:04 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	7.25	65	344694	500.00	ug/L	0.00
5) pentafluorobenzene	9.51	168	644206	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.43	114	875319	50.00	ug/L	0.00
72) chlorobenzene-d5	13.56	117	777140	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.89	152	394940	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.54	113	283673	49.96	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.92%			
51) 1,2-dichloroethane-d4 (s)	9.96	65	348345	51.52	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 103.04%			
73) toluene-d8 (s)	12.06	98	978492	49.41	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.82%			
97) 4-bromofluorobenzene (s)	14.72	95	373931	50.40	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.80%			
Target Compounds						Qvalue
2) ethanol	5.99	45	28045	414.87	ug/L	92
3) tertiary butyl alcohol	7.37	59	18253	21.21	ug/L	90
4) 1,4-dioxane	11.08	88	4896	90.64	ug/L	92
6) chlorodifluoromethane	4.00	51	37269	4.25	ug/L	98
7) dichlorodifluoromethane	3.97	85	27159	4.00	ug/L	99
8) chloromethane	4.36	50	40045	4.18	ug/L	93
9) vinyl chloride	4.58	62	32278	4.17	ug/L	98
10) 1,3-butadiene	4.63	54	25652	4.56	ug/L	89
11) bromomethane	5.20	94	19520	4.34	ug/L	81
12) chloroethane	5.36	64	17273	4.16	ug/L	97
13) trichlorofluoromethane	5.79	101	33802	3.96	ug/L	88
14) ethyl ether	6.20	74	12275	4.28	ug/L	89
15) acrolein	6.43	56	5176	4.35	ug/L	74
16) freon 113	6.62	151	18285	4.07	ug/L	86
17) 1,1-dichloroethene	6.61	96	19893	4.44	ug/L	99
18) acetone	6.61	43	59335	18.38	ug/L	95
19) acetonitrile	7.02	41	37473	45.59	ug/L	91
20) iodomethane	6.85	142	37978	4.20	ug/L	98
21) carbon disulfide	6.99	76	68183	4.43	ug/L	95
22) methylene chloride	7.30	84	21968	4.32	ug/L	97
23) methyl acetate	7.07	43	24441	4.57	ug/L	95
24) methyl tert butyl ether	7.66	73	61429	4.32	ug/L	99
25) trans-1,2-dichloroethene	7.69	96	21153	4.22	ug/L	98
26) hexane	8.04	57	41808	4.07	ug/L	96
27) di-isopropyl ether	8.25	45	95561	4.40	ug/L	96
28) ethyl tert-butyl ether	8.71	59	82522	4.29	ug/L	96
29) 2-butanone	8.90	72	12300	16.57	ug/L #	83
30) 1,1-dichloroethane	8.26	63	43241	4.29	ug/L	97
31) chloroprene	8.36	53	39948	4.12	ug/L	97
32) acrylonitrile	7.59	53	10592	4.17	ug/L	95
33) vinyl acetate	8.20	86	3616	4.55	ug/L #	59
34) ethyl acetate	8.92	45	4778	4.46	ug/L	83
35) 2,2-dichloropropane	9.00	77	31922	4.39	ug/L	92

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220740.D
Acq On : 13 Oct 2022 8:03 pm
Operator : PrashanS
Sample : IC9596-4
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Oct 14 18:46:04 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
36) cis-1,2-dichloroethene	8.97	96	23758	4.30	ug/L		96
37) propionitrile	8.98	54	39668	42.97	ug/L		80
38) bromochloromethane	9.26	130	15329	4.16	ug/L		94
39) tetrahydrofuran	9.29	42	9627	4.58	ug/L		94
40) chloroform	9.35	83	39185	4.26	ug/L		97
41) tert-butyl formate	9.39	59	16024	4.26	ug/L		96
42) isobutyl alcohol	9.75	43	13394	36.71	ug/L		96
44) methacrylonitrile	9.18	67	9274	4.04	ug/L		98
45) 1,1,1-trichloroethane	9.61	97	33721	4.11	ug/L		98
46) cyclohexane	9.72	84	31916	4.09	ug/L		88
47) 1,1-dichloropropene	9.77	75	28759	4.07	ug/L		95
48) tert-amyl alcohol	9.91	73	7237	20.80	ug/L		97
49) carbon tetrachloride	9.80	117	29802	4.06	ug/L		96
52) 2,2,4-trimethylpentane	10.12	57	98722	4.18	ug/L		96
53) tert-amyl methyl ether	10.10	73	67164	4.39	ug/L		96
54) n-butyl alcohol	10.51	56	39776	185.27	ug/L		98
55) benzene	10.02	78	83104	4.28	ug/L		99
56) heptane	10.28	57	19114	4.23	ug/L		96
57) isopropyl acetate	9.95	87	4948	4.26	ug/L	#	64
58) 1,2-dichloroethane	10.05	62	34925	4.42	ug/L		95
59) trichloroethene	10.75	95	23254	4.18	ug/L		96
60) ethyl acrylate	10.74	55	36652	4.17	ug/L		95
61) 2-nitropropane	11.50	41	6009	3.77	ug/L	#	79
62) 2-chloroethyl vinyl ether	11.54	63	7146	4.50	ug/L		87
63) methyl methacrylate	11.00	100	5996	4.16	ug/L	#	88
64) 1,2-dichloropropane	11.03	63	24786	4.27	ug/L		99
65) methylcyclohexane	11.05	83	36023	4.04	ug/L		94
66) dibromomethane	11.14	93	13652	4.22	ug/L		99
67) bromodichloromethane	11.29	83	29937	4.20	ug/L		97
68) epichlorohydrin	11.62	57	13779	20.82	ug/L		99
69) cis-1,3-dichloropropene	11.75	75	36020	4.19	ug/L		95
70) 4-methyl-2-pentanone	11.86	58	43417	17.00	ug/L		93
71) 3-methyl-1-butanol	11.88	70	12098	75.83	ug/L		98
74) toluene	12.13	92	50695	4.17	ug/L		99
75) trans-1,3-dichloropropene	12.32	75	31017	3.92	ug/L		96
76) ethyl methacrylate	12.32	69	28473	4.05	ug/L		99
77) 1,1,2-trichloroethane	12.54	83	16427	4.06	ug/L		94
78) 2-hexanone	12.71	58	45944	16.33	ug/L	#	87
79) tetrachloroethene	12.69	166	26023	4.28	ug/L		96
80) 1,3-dichloropropane	12.72	76	31000	4.12	ug/L		95
81) butyl acetate	12.79	56	17801	3.95	ug/L		98
82) dibromochloromethane	12.96	129	22526	3.85	ug/L		95
83) 1,2-dibromoethane	13.11	107	21151	4.19	ug/L		94
84) n-butyl ether	13.56	57	107193	4.23	ug/L		89
85) chlorobenzene	13.59	112	57178	4.19	ug/L		86
86) 1,1,1,2-tetrachloroethane	13.66	131	21091	3.98	ug/L		94
87) ethylbenzene	13.66	91	93417	4.27	ug/L		97
88) m,p-xylene	13.78	106	71388	8.18	ug/L		85
89) o-xylene	14.18	91	74265	4.25	ug/L		97
90) styrene	14.19	104	59085	4.12	ug/L		96

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220740.D
Acq On : 13 Oct 2022 8:03 pm
Operator : PrashanS
Sample : IC9596-4
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Oct 14 18:46:04 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
91) n-amyl acetate	14.22	70	13702	3.76	ug/L	88
92) bromoform	14.41	173	15268	3.66	ug/L	94
93) butyl acrylate	14.01	55	51307	3.80	ug/L	96
94) isopropylbenzene	14.52	105	90703	4.24	ug/L	97
95) cis-1,4-dichloro-2-butene	14.56	88	6235	2.95	ug/L	92
98) bromobenzene	14.91	156	26487	4.26	ug/L	92
99) 1,1,2,2-tetrachloroethane	14.80	83	24154	4.11	ug/L	97
100) trans-1,4-dichloro-2-buten	14.84	53	5780	3.09	ug/L	90
101) 1,2,3-trichloropropane	14.88	110	6601	4.30	ug/L	95
102) n-propylbenzene	14.94	91	108048	4.37	ug/L	93
103) 2-chlorotoluene	15.07	126	23486	4.18	ug/L	98
104) 4-chlorotoluene	15.18	91	68211	4.44	ug/L	91
105) 1,3,5-trimethylbenzene	15.10	105	73026	4.24	ug/L	96
106) tert-butylbenzene	15.44	119	64513	4.17	ug/L	98
107) 1,2,4-trimethylbenzene	15.48	105	74036	4.25	ug/L	95
108) sec-butylbenzene	15.65	105	95274	4.31	ug/L	95
109) 1,3-dichlorobenzene	15.82	146	47407	4.29	ug/L	97
110) p-isopropyltoluene	15.79	119	80437	4.12	ug/L	98
111) benzyl chloride	16.01	91	35538	3.47	ug/L	91
112) 1,2,3-trimethylbenzene	15.91	105	74697	4.28	ug/L	94
113) 1,4-dichlorobenzene	15.91	146	47592	4.27	ug/L	94
114) 1,2-dichlorobenzene	16.28	146	45879	4.25	ug/L	99
115) n-butylbenzene	16.20	92	38112	3.95	ug/L	97
116) 1,2-dibromo-3-chloropropan	17.05	157	4817	3.74	ug/L	90
117) 1,3,5-trichlorobenzene	17.24	180	33767	3.96	ug/L	98
118) 1,2,4-trichlorobenzene	17.88	180	26843	3.67	ug/L	99
119) hexachlorobutadiene	18.00	225	14087	3.88	ug/L	90
120) naphthalene	18.17	128	49198	3.63	ug/L	96
121) 1,2,3-trichlorobenzene	18.40	180	21833	3.70	ug/L	95
122) hexachloroethane	16.58	201	9628	3.13	ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220740.D
Acq On : 13 Oct 2022 8:03 pm
Operator : PrashanS
Sample : IC9596-4
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Oct 14 18:46:04 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220741.D
Acq On : 13 Oct 2022 8:32 pm
Operator : PrashanS
Sample : IC9596-8
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Oct 14 08:54:33 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	7.25	65	354327	500.00	ug/L		0.00
5) pentafluorobenzene	9.51	168	646048	50.00	ug/L		0.00
50) 1,4-difluorobenzene	10.43	114	882011	50.00	ug/L		0.00
72) chlorobenzene-d5	13.56	117	778679	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	15.89	152	396655	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	9.54	113	286810	50.36	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.72%				
51) 1,2-dichloroethane-d4 (s)	9.96	65	347114	50.95	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 101.90%				
73) toluene-d8 (s)	12.06	98	984562	49.62	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.24%				
97) 4-bromofluorobenzene (s)	14.72	95	373649	50.14	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.28%				
Target Compounds							Qvalue
2) ethanol	5.99	45	53577	771.02	ug/L		96
3) tertiary butyl alcohol	7.37	59	34601	39.11	ug/L		85
4) 1,4-dioxane	11.08	88	10644	191.69	ug/L		89
6) chlorodifluoromethane	3.99	51	74693	8.49	ug/L		99
7) dichlorodifluoromethane	3.97	85	57151	8.39	ug/L		97
8) chloromethane	4.35	50	81532	8.48	ug/L		97
9) vinyl chloride	4.57	62	63963	8.23	ug/L		98
10) 1,3-butadiene	4.63	54	48844	8.65	ug/L		96
11) bromomethane	5.21	94	37569	8.32	ug/L		99
12) chloroethane	5.37	64	34824	8.37	ug/L		94
13) trichlorofluoromethane	5.79	101	68700	8.02	ug/L		93
14) ethyl ether	6.20	74	22983	7.99	ug/L		93
15) acrolein	6.42	56	8872	7.44	ug/L		90
16) freon 113	6.62	151	36977	8.21	ug/L		95
17) 1,1-dichloroethene	6.61	96	37596	8.38	ug/L		97
18) acetone	6.61	43	109913	33.95	ug/L		96
19) acetonitrile	7.03	41	69465	84.27	ug/L		97
20) iodomethane	6.85	142	72960	8.04	ug/L		97
21) carbon disulfide	6.99	76	131475	8.51	ug/L		98
22) methylene chloride	7.30	84	40765	7.99	ug/L		96
23) methyl acetate	7.07	43	45614	8.51	ug/L		98
24) methyl tert butyl ether	7.67	73	116976	8.20	ug/L		98
25) trans-1,2-dichloroethene	7.69	96	40970	8.16	ug/L		99
26) hexane	8.04	57	85876	8.33	ug/L		97
27) di-isopropyl ether	8.25	45	184569	8.48	ug/L		98
28) ethyl tert-butyl ether	8.71	59	160208	8.31	ug/L		99
29) 2-butanone	8.91	72	23907	32.12	ug/L	#	78
30) 1,1-dichloroethane	8.26	63	84350	8.35	ug/L		94
31) chloroprene	8.36	53	79564	8.18	ug/L		97
32) acrylonitrile	7.60	53	19970	7.84	ug/L		95
33) vinyl acetate	8.20	86	6652	8.35	ug/L	#	84
34) ethyl acetate	8.92	45	9134	8.50	ug/L		88
35) 2,2-dichloropropane	9.00	77	61232	8.40	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220741.D
Acq On : 13 Oct 2022 8:32 pm
Operator : PrashanS
Sample : IC9596-8
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Oct 14 08:54:33 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
36) cis-1,2-dichloroethene	8.97	96	44100	7.97	ug/L		99
37) propionitrile	8.98	54	76312	82.44	ug/L		84
38) bromochloromethane	9.26	130	29963	8.11	ug/L		94
39) tetrahydrofuran	9.29	42	17960	8.52	ug/L		98
40) chloroform	9.35	83	77116	8.37	ug/L		97
41) tert-butyl formate	9.39	59	30378	8.05	ug/L		97
42) isobutyl alcohol	9.75	43	26487	72.38	ug/L	#	87
44) methacrylonitrile	9.18	67	17979	7.81	ug/L		97
45) 1,1,1-trichloroethane	9.61	97	66666	8.10	ug/L		99
46) cyclohexane	9.72	84	64688	8.26	ug/L		95
47) 1,1-dichloropropene	9.77	75	57737	8.15	ug/L		95
48) tert-amyl alcohol	9.90	73	14345	41.11	ug/L		94
49) carbon tetrachloride	9.80	117	57582	7.82	ug/L		96
52) 2,2,4-trimethylpentane	10.12	57	201958	8.49	ug/L		98
53) tert-amyl methyl ether	10.11	73	129502	8.39	ug/L		98
54) n-butyl alcohol	10.50	56	80771	373.37	ug/L		99
55) benzene	10.02	78	164112	8.39	ug/L		97
56) heptane	10.28	57	37170	8.17	ug/L		98
57) isopropyl acetate	9.94	87	9772	8.34	ug/L		98
58) 1,2-dichloroethane	10.05	62	65079	8.18	ug/L		98
59) trichloroethene	10.75	95	45736	8.16	ug/L		97
60) ethyl acrylate	10.74	55	70067	7.92	ug/L		99
61) 2-nitropropane	11.50	41	11365	7.08	ug/L		94
62) 2-chloroethyl vinyl ether	11.54	63	22219	13.88	ug/L		98
63) methyl methacrylate	11.00	100	11673	8.03	ug/L	#	94
64) 1,2-dichloropropane	11.04	63	47382	8.10	ug/L		97
65) methylcyclohexane	11.04	83	74880	8.34	ug/L		97
66) dibromomethane	11.14	93	25836	7.92	ug/L		92
67) bromodichloromethane	11.29	83	56786	7.91	ug/L		95
68) epichlorohydrin	11.62	57	26477	39.70	ug/L		93
69) cis-1,3-dichloropropene	11.75	75	69490	8.03	ug/L		96
70) 4-methyl-2-pentanone	11.86	58	84132	32.69	ug/L		95
71) 3-methyl-1-butanol	11.87	70	24155	150.25	ug/L		89
74) toluene	12.13	92	99257	8.14	ug/L		98
75) trans-1,3-dichloropropene	12.32	75	61462	7.75	ug/L		97
76) ethyl methacrylate	12.32	69	55176	7.83	ug/L		95
77) 1,1,2-trichloroethane	12.54	83	32084	7.92	ug/L		95
78) 2-hexanone	12.71	58	91410	32.43	ug/L		89
79) tetrachloroethene	12.69	166	51064	8.39	ug/L		96
80) 1,3-dichloropropane	12.72	76	60659	8.04	ug/L		96
81) butyl acetate	12.79	56	35790	7.92	ug/L		93
82) dibromochloromethane	12.96	129	43823	7.48	ug/L		99
83) 1,2-dibromoethane	13.11	107	40160	7.94	ug/L		98
84) n-butyl ether	13.56	57	212115	8.35	ug/L		96
85) chlorobenzene	13.59	112	112421	8.22	ug/L		95
86) 1,1,1,2-tetrachloroethane	13.66	131	41855	7.89	ug/L		98
87) ethylbenzene	13.66	91	182671	8.34	ug/L		99
88) m,p-xylene	13.78	106	142561	16.30	ug/L		91
89) o-xylene	14.18	91	145932	8.34	ug/L		97
90) styrene	14.19	104	113822	7.91	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220741.D
Acq On : 13 Oct 2022 8:32 pm
Operator : PrashanS
Sample : IC9596-8
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Oct 14 08:54:33 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
91) n-amyl acetate	14.22	70	27773	7.60	ug/L	93
92) bromoform	14.41	173	30614	7.32	ug/L	99
93) butyl acrylate	14.01	55	103238	7.62	ug/L	99
94) isopropylbenzene	14.52	105	176670	8.25	ug/L	97
95) cis-1,4-dichloro-2-butene	14.56	88	13751	6.50	ug/L	98
98) bromobenzene	14.90	156	50871	8.15	ug/L	99
99) 1,1,2,2-tetrachloroethane	14.80	83	47381	8.03	ug/L	97
100) trans-1,4-dichloro-2-buten	14.84	53	12573	6.69	ug/L	94
101) 1,2,3-trichloropropane	14.88	110	12479	8.09	ug/L	96
102) n-propylbenzene	14.94	91	213118	8.58	ug/L	96
103) 2-chlorotoluene	15.07	126	45730	8.11	ug/L	96
104) 4-chlorotoluene	15.18	91	130322	8.45	ug/L	99
105) 1,3,5-trimethylbenzene	15.09	105	146003	8.44	ug/L	96
106) tert-butylbenzene	15.44	119	129349	8.32	ug/L	98
107) 1,2,4-trimethylbenzene	15.48	105	148251	8.47	ug/L	95
108) sec-butylbenzene	15.65	105	189560	8.54	ug/L	97
109) 1,3-dichlorobenzene	15.82	146	93964	8.48	ug/L	96
110) p-isopropyltoluene	15.79	119	160718	8.20	ug/L	99
111) benzyl chloride	16.01	91	73532	7.14	ug/L	95
112) 1,2,3-trimethylbenzene	15.91	105	148800	8.48	ug/L	96
113) 1,4-dichlorobenzene	15.91	146	92600	8.27	ug/L	98
114) 1,2-dichlorobenzene	16.28	146	89329	8.24	ug/L	98
115) n-butylbenzene	16.20	92	77245	7.98	ug/L	96
116) 1,2-dibromo-3-chloropropan	17.05	157	9337	7.22	ug/L	92
117) 1,3,5-trichlorobenzene	17.24	180	69139	8.07	ug/L	95
118) 1,2,4-trichlorobenzene	17.88	180	56739	7.73	ug/L	98
119) hexachlorobutadiene	18.00	225	29112	7.98	ug/L	97
120) naphthalene	18.17	128	101974	7.49	ug/L	99
121) 1,2,3-trichlorobenzene	18.40	180	44519	7.51	ug/L	93
122) hexachloroethane	16.57	201	20600	6.68	ug/L	95
123) 2-methylnaphthalene	19.41	142	11017	3.26	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220741.D
Acq On : 13 Oct 2022 8:32 pm
Operator : PrashanS
Sample : IC9596-8
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Oct 14 08:54:33 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220742.D
Acq On : 13 Oct 2022 9:02 pm
Operator : PrashanS
Sample : IC9596-20
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Oct 14 08:54:34 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	7.24	65	346823	500.00	ug/L	-0.01
5) pentafluorobenzene	9.51	168	651580	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.43	114	888040	50.00	ug/L	0.00
72) chlorobenzene-d5	13.56	117	779163	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.89	152	403372	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.54	113	287291	50.02	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.04%			
51) 1,2-dichloroethane-d4 (s)	9.95	65	348155	50.76	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 101.52%			
73) toluene-d8 (s)	12.06	98	988907	49.81	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.62%			
97) 4-bromofluorobenzene (s)	14.72	95	377968	49.88	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.76%			
Target Compounds						Qvalue
2) ethanol	5.97	45	129721	1907.18	ug/L	98
3) tertiary butyl alcohol	7.36	59	82613	95.41	ug/L	87
4) 1,4-dioxane	11.08	88	25576	470.58	ug/L	92
6) chlorodifluoromethane	3.99	51	179798	20.27	ug/L	99
7) dichlorodifluoromethane	3.96	85	135636	19.75	ug/L	97
8) chloromethane	4.35	50	185984	19.18	ug/L	98
9) vinyl chloride	4.57	62	153417	19.58	ug/L	99
10) 1,3-butadiene	4.62	54	118018	20.73	ug/L	97
11) bromomethane	5.19	94	90530	19.88	ug/L	95
12) chloroethane	5.36	64	82969	19.77	ug/L	98
13) trichlorofluoromethane	5.78	101	167852	19.43	ug/L	95
14) ethyl ether	6.19	74	56519	19.49	ug/L	99
15) acrolein	6.41	56	23228	19.31	ug/L	86
16) freon 113	6.62	151	89656	19.74	ug/L	98
17) 1,1-dichloroethene	6.60	96	90692	20.03	ug/L	98
18) acetone	6.61	43	260921	79.91	ug/L	97
19) acetonitrile	7.01	41	164663	198.07	ug/L	97
20) iodomethane	6.84	142	182307	19.93	ug/L	100
21) carbon disulfide	6.98	76	317335	20.37	ug/L	99
22) methylene chloride	7.30	84	103043	20.01	ug/L	99
23) methyl acetate	7.06	43	105246	19.47	ug/L	99
24) methyl tert butyl ether	7.66	73	289213	20.09	ug/L	97
25) trans-1,2-dichloroethene	7.69	96	102501	20.24	ug/L	98
26) hexane	8.04	57	204386	19.67	ug/L	97
27) di-isopropyl ether	8.25	45	452291	20.61	ug/L	97
28) ethyl tert-butyl ether	8.71	59	394584	20.30	ug/L	99
29) 2-butanone	8.91	72	58378	77.76	ug/L #	75
30) 1,1-dichloroethane	8.26	63	205435	20.17	ug/L	97
31) chloroprene	8.36	53	195026	19.88	ug/L	98
32) acrylonitrile	7.59	53	49487	19.26	ug/L	96
33) vinyl acetate	8.19	86	16161	20.11	ug/L	98
34) ethyl acetate	8.92	45	21495	19.84	ug/L	89
35) 2,2-dichloropropane	9.00	77	149610	20.34	ug/L	99

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220742.D
Acq On : 13 Oct 2022 9:02 pm
Operator : PrashanS
Sample : IC9596-20
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Oct 14 08:54:34 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
36) cis-1,2-dichloroethene	8.97	96	111102	19.90	ug/L		99
37) propionitrile	8.98	54	184983	198.13	ug/L		83
38) bromochloromethane	9.26	130	73154	19.63	ug/L		94
39) tetrahydrofuran	9.28	42	41445	19.50	ug/L		98
40) chloroform	9.35	83	183794	19.77	ug/L		97
41) tert-butyl formate	9.38	59	75325	19.80	ug/L		97
42) isobutyl alcohol	9.75	43	68714	186.18	ug/L		89
44) methacrylonitrile	9.18	67	45519	19.61	ug/L		95
45) 1,1,1-trichloroethane	9.60	97	164706	19.85	ug/L		99
46) cyclohexane	9.72	84	155175	19.66	ug/L		96
47) 1,1-dichloropropene	9.77	75	143139	20.03	ug/L		97
48) tert-amyl alcohol	9.91	73	34141	97.01	ug/L		92
49) carbon tetrachloride	9.80	117	146253	19.70	ug/L		99
52) 2,2,4-trimethylpentane	10.11	57	486246	20.30	ug/L		98
53) tert-amyl methyl ether	10.11	73	316611	20.38	ug/L		99
54) n-butyl alcohol	10.50	56	207140	951.01	ug/L		97
55) benzene	10.02	78	397014	20.17	ug/L		98
56) heptane	10.28	57	87786	19.17	ug/L		98
57) isopropyl acetate	9.94	87	22930	19.44	ug/L	#	94
58) 1,2-dichloroethane	10.05	62	159313	19.89	ug/L		97
59) trichloroethene	10.75	95	112003	19.84	ug/L		96
60) ethyl acrylate	10.74	55	175890	19.74	ug/L		99
61) 2-nitropropane	11.50	41	28990	17.93	ug/L		94
62) 2-chloroethyl vinyl ether	11.53	63	102762	63.77	ug/L		95
63) methyl methacrylate	11.00	100	29755	20.34	ug/L	#	83
64) 1,2-dichloropropane	11.03	63	117717	20.00	ug/L		97
65) methylcyclohexane	11.04	83	181173	20.03	ug/L		98
66) dibromomethane	11.14	93	62905	19.16	ug/L		94
67) bromodichloromethane	11.29	83	143754	19.90	ug/L		99
68) epichlorohydrin	11.62	57	63816	95.05	ug/L		98
69) cis-1,3-dichloropropene	11.75	75	171092	19.63	ug/L		99
70) 4-methyl-2-pentanone	11.86	58	203790	78.65	ug/L		93
71) 3-methyl-1-butanol	11.87	70	62234	384.48	ug/L		99
74) toluene	12.13	92	240635	19.72	ug/L		98
75) trans-1,3-dichloropropene	12.32	75	154202	19.43	ug/L		97
76) ethyl methacrylate	12.32	69	139297	19.75	ug/L		99
77) 1,1,2-trichloroethane	12.54	83	77959	19.24	ug/L		98
78) 2-hexanone	12.71	58	224217	79.51	ug/L		95
79) tetrachloroethene	12.68	166	123121	20.22	ug/L		97
80) 1,3-dichloropropane	12.72	76	148687	19.70	ug/L		98
81) butyl acetate	12.79	56	86772	19.19	ug/L		95
82) dibromochloromethane	12.96	129	112020	19.10	ug/L		99
83) 1,2-dibromoethane	13.11	107	98554	19.48	ug/L		98
84) n-butyl ether	13.56	57	517508	20.35	ug/L		100
85) chlorobenzene	13.59	112	274041	20.02	ug/L		98
86) 1,1,1,2-tetrachloroethane	13.66	131	104890	19.75	ug/L		98
87) ethylbenzene	13.66	91	449625	20.51	ug/L		100
88) m,p-xylene	13.78	106	351038	40.11	ug/L		95
89) o-xylene	14.18	91	357509	20.42	ug/L		98
90) styrene	14.19	104	286629	19.91	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220742.D
Acq On : 13 Oct 2022 9:02 pm
Operator : PrashanS
Sample : IC9596-20
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Oct 14 08:54:34 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
91) n-amyl acetate	14.22	70	70207	19.21	ug/L	90
92) bromoform	14.41	173	77223	18.45	ug/L	100
93) butyl acrylate	14.01	55	265116	19.57	ug/L	99
94) isopropylbenzene	14.52	105	439713	20.52	ug/L	99
95) cis-1,4-dichloro-2-butene	14.56	88	37497	17.72	ug/L	95
98) bromobenzene	14.90	156	127249	20.04	ug/L	98
99) 1,1,2,2-tetrachloroethane	14.80	83	116663	19.45	ug/L	98
100) trans-1,4-dichloro-2-buten	14.83	53	34081	17.84	ug/L	91
101) 1,2,3-trichloropropane	14.88	110	30867	19.67	ug/L	99
102) n-propylbenzene	14.94	91	522191	20.68	ug/L	99
103) 2-chlorotoluene	15.07	126	114708	20.01	ug/L	98
104) 4-chlorotoluene	15.18	91	315915	20.15	ug/L	98
105) 1,3,5-trimethylbenzene	15.09	105	354958	20.18	ug/L	98
106) tert-butylbenzene	15.43	119	322164	20.39	ug/L	98
107) 1,2,4-trimethylbenzene	15.48	105	361844	20.33	ug/L	97
108) sec-butylbenzene	15.65	105	461365	20.43	ug/L	99
109) 1,3-dichlorobenzene	15.82	146	229867	20.39	ug/L	98
110) p-isopropyltoluene	15.79	119	405318	20.33	ug/L	98
111) benzyl chloride	16.01	91	196181	18.74	ug/L	98
112) 1,2,3-trimethylbenzene	15.91	105	364073	20.40	ug/L	97
113) 1,4-dichlorobenzene	15.91	146	228359	20.05	ug/L	98
114) 1,2-dichlorobenzene	16.28	146	223766	20.29	ug/L	98
115) n-butylbenzene	16.20	92	197544	20.06	ug/L	97
116) 1,2-dibromo-3-chloropropan	17.05	157	25109	19.09	ug/L	98
117) 1,3,5-trichlorobenzene	17.24	180	174648	20.03	ug/L	99
118) 1,2,4-trichlorobenzene	17.88	180	143303	19.20	ug/L	99
119) hexachlorobutadiene	18.00	225	71345	19.22	ug/L	96
120) naphthalene	18.17	128	260998	18.84	ug/L	97
121) 1,2,3-trichlorobenzene	18.40	180	115198	19.11	ug/L	97
122) hexachloroethane	16.58	201	55901	17.82	ug/L	95
123) 2-methylnaphthalene	19.40	142	27902	8.11	ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220742.D
Acq On : 13 Oct 2022 9:02 pm
Operator : PrashanS
Sample : IC9596-20
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Oct 14 08:54:34 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220743.D
Acq On : 13 Oct 2022 9:30 pm
Operator : PrashanS
Sample : ICC9596-50
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Oct 14 08:54:35 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	7.25	65	355678	500.00	ug/L	0.00
5) pentafluorobenzene	9.51	168	657167	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.43	114	902756	50.00	ug/L	0.00
72) chlorobenzene-d5	13.56	117	785268	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.89	152	406067	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.54	113	289638	50.00	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.00%			
51) 1,2-dichloroethane-d4 (s)	9.96	65	348647	50.00	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.00%			
73) toluene-d8 (s)	12.06	98	1000489	50.00	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.00%			
97) 4-bromofluorobenzene (s)	14.72	95	381430	50.00	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.00%			
Target Compounds						Qvalue
2) ethanol	5.97	45	348768	5000.00	ug/L	100
3) tertiary butyl alcohol	7.37	59	222006	250.00	ug/L	100
4) 1,4-dioxane	11.08	88	69672	1250.00	ug/L	100
6) chlorodifluoromethane	4.00	51	447033	49.97	ug/L	100
7) dichlorodifluoromethane	3.96	85	346330	50.00	ug/L	100
8) chloromethane	4.35	50	488899	50.00	ug/L	100
9) vinyl chloride	4.57	62	395178	50.00	ug/L	100
10) 1,3-butadiene	4.63	54	287048	50.00	ug/L	100
11) bromomethane	5.20	94	229621	50.00	ug/L	100
12) chloroethane	5.36	64	211672	50.00	ug/L	100
13) trichlorofluoromethane	5.79	101	435637	50.00	ug/L	100
14) ethyl ether	6.19	74	146231	50.00	ug/L	100
15) acrolein	6.41	56	60647	50.00	ug/L	100
16) freon 113	6.62	151	229086	50.00	ug/L	100
17) 1,1-dichloroethene	6.60	96	228293	50.00	ug/L	100
18) acetone	6.61	43	658642	200.00	ug/L	100
19) acetonitrile	7.01	41	419240	500.00	ug/L	100
20) iodomethane	6.85	142	461373	50.00	ug/L	100
21) carbon disulfide	6.99	76	786827	50.08	ug/L	100
22) methylene chloride	7.30	84	259625	50.00	ug/L	100
23) methyl acetate	7.06	43	272525	50.00	ug/L	100
24) methyl tert butyl ether	7.66	73	725863	50.00	ug/L	100
25) trans-1,2-dichloroethene	7.69	96	255412	50.00	ug/L	100
26) hexane	8.04	57	524067	50.00	ug/L	100
27) di-isopropyl ether	8.25	45	1106575	50.00	ug/L	100
28) ethyl tert-butyl ether	8.71	59	980123	50.00	ug/L	100
29) 2-butanone	8.90	72	151436	200.00	ug/L	100
30) 1,1-dichloroethane	8.26	63	513570	50.00	ug/L	100
31) chloroprene	8.36	53	494750	50.00	ug/L	100
32) acrylonitrile	7.59	53	129599	50.00	ug/L	100
33) vinyl acetate	8.20	86	40527	50.00	ug/L	100
34) ethyl acetate	8.92	45	54628	50.00	ug/L	100
35) 2,2-dichloropropane	9.00	77	370967	50.00	ug/L	100

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220743.D
Acq On : 13 Oct 2022 9:30 pm
Operator : PrashanS
Sample : ICC9596-50
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Oct 14 08:54:35 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
36) cis-1,2-dichloroethene	8.97	96	281573	50.00	ug/L	100
37) propionitrile	8.98	54	470824	500.00	ug/L	100
38) bromochloromethane	9.26	130	187898	50.00	ug/L	100
39) tetrahydrofuran	9.28	42	107164	50.00	ug/L	100
40) chloroform	9.35	83	468871	50.00	ug/L	100
41) tert-butyl formate	9.38	59	191855	50.00	ug/L	100
42) isobutyl alcohol	9.75	43	186123	500.00	ug/L	100
44) methacrylonitrile	9.18	67	117084	50.00	ug/L	100
45) 1,1,1-trichloroethane	9.61	97	418444	50.00	ug/L	100
46) cyclohexane	9.72	84	398074	50.00	ug/L	100
47) 1,1-dichloropropene	9.77	75	360363	50.00	ug/L	100
48) tert-amyl alcohol	9.90	73	88740	250.00	ug/L	100
49) carbon tetrachloride	9.80	117	374475	50.00	ug/L	100
52) 2,2,4-trimethylpentane	10.12	57	1217620	50.00	ug/L	100
53) tert-amyl methyl ether	10.10	73	789588	50.00	ug/L	100
54) n-butyl alcohol	10.50	56	552981	2497.43	ug/L	100
55) benzene	10.02	78	1000680	50.00	ug/L	100
56) heptane	10.28	57	232801	50.00	ug/L	100
57) isopropyl acetate	9.94	87	59946	50.00	ug/L	100
58) 1,2-dichloroethane	10.05	62	407115	50.00	ug/L	100
59) trichloroethene	10.75	95	286964	50.00	ug/L	100
60) ethyl acrylate	10.74	55	452963	50.00	ug/L	100
61) 2-nitropropane	11.50	41	78644	47.84	ug/L	100
62) 2-chloroethyl vinyl ether	11.53	63	409541	250.00	ug/L	100
63) methyl methacrylate	11.00	100	74363	50.00	ug/L	100
64) 1,2-dichloropropane	11.03	63	299185	50.00	ug/L	100
65) methylcyclohexane	11.04	83	459696	50.00	ug/L	100
66) dibromomethane	11.14	93	166886	50.00	ug/L	100
67) bromodichloromethane	11.29	83	367243	50.00	ug/L	100
68) epichlorohydrin	11.62	57	170637	250.00	ug/L	100
69) cis-1,3-dichloropropene	11.75	75	442964	50.00	ug/L	100
70) 4-methyl-2-pentanone	11.86	58	526820	200.00	ug/L	100
71) 3-methyl-1-butanol	11.86	70	164546	1000.00	ug/L	100
74) toluene	12.13	92	614937	50.00	ug/L	100
75) trans-1,3-dichloropropene	12.32	75	399960	50.00	ug/L	100
76) ethyl methacrylate	12.32	69	355352	50.00	ug/L	100
77) 1,1,2-trichloroethane	12.54	83	204199	50.00	ug/L	100
78) 2-hexanone	12.71	58	568431	200.00	ug/L	100
79) tetrachloroethene	12.69	166	306836	50.00	ug/L	100
80) 1,3-dichloropropane	12.72	76	380305	50.00	ug/L	100
81) butyl acetate	12.79	56	227915	50.00	ug/L	100
82) dibromochloromethane	12.96	129	295521	50.00	ug/L	100
83) 1,2-dibromoethane	13.11	107	254926	50.00	ug/L	100
84) n-butyl ether	13.56	57	1281555	50.00	ug/L	100
85) chlorobenzene	13.60	112	689930	50.00	ug/L	100
86) 1,1,1,2-tetrachloroethane	13.66	131	267638	50.00	ug/L	100
87) ethylbenzene	13.66	91	1104569	50.00	ug/L	100
88) m,p-xylene	13.78	106	881963	100.00	ug/L	100
89) o-xylene	14.18	91	882300	50.00	ug/L	100
90) styrene	14.19	104	725359	50.00	ug/L	100

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220743.D
Acq On : 13 Oct 2022 9:30 pm
Operator : PrashanS
Sample : ICC9596-50
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Oct 14 08:54:35 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
91) n-amyl acetate	14.22	70	184146	50.00	ug/L	100
92) bromoform	14.41	173	210962	50.00	ug/L	100
93) butyl acrylate	14.01	55	682821	50.00	ug/L	100
94) isopropylbenzene	14.52	105	1079569	50.00	ug/L	100
95) cis-1,4-dichloro-2-butene	14.56	88	106663	50.00	ug/L	100
98) bromobenzene	14.90	156	319640	50.00	ug/L	100
99) 1,1,2,2-tetrachloroethane	14.80	83	301947	50.00	ug/L	100
100) trans-1,4-dichloro-2-buten	14.84	53	96143	50.00	ug/L	100
101) 1,2,3-trichloropropane	14.88	110	78997	50.00	ug/L	100
102) n-propylbenzene	14.94	91	1270856	50.00	ug/L	100
103) 2-chlorotoluene	15.07	126	288100	49.92	ug/L	100
104) 4-chlorotoluene	15.18	91	789076	50.00	ug/L	100
105) 1,3,5-trimethylbenzene	15.09	105	885224	50.00	ug/L	100
106) tert-butylbenzene	15.43	119	795397	50.00	ug/L	100
107) 1,2,4-trimethylbenzene	15.48	105	895702	50.00	ug/L	100
108) sec-butylbenzene	15.65	105	1136765	50.00	ug/L	100
109) 1,3-dichlorobenzene	15.82	146	567444	50.00	ug/L	100
110) p-isopropyltoluene	15.79	119	1003295	50.00	ug/L	100
111) benzyl chloride	16.01	91	526928	50.00	ug/L	100
112) 1,2,3-trimethylbenzene	15.91	105	898097	50.00	ug/L	100
113) 1,4-dichlorobenzene	15.91	146	573156	50.00	ug/L	100
114) 1,2-dichlorobenzene	16.28	146	555066	50.00	ug/L	100
115) n-butylbenzene	16.20	92	495662	50.00	ug/L	100
116) 1,2-dibromo-3-chloropropan	17.05	157	66195	50.00	ug/L	100
117) 1,3,5-trichlorobenzene	17.24	180	438779	50.00	ug/L	100
118) 1,2,4-trichlorobenzene	17.88	180	375703	50.00	ug/L	100
119) hexachlorobutadiene	18.00	225	186808	50.00	ug/L	100
120) naphthalene	18.17	128	697154	50.00	ug/L	100
121) 1,2,3-trichlorobenzene	18.40	180	303381	50.00	ug/L	100
122) hexachloroethane	16.57	201	157897	50.00	ug/L	100
123) 2-methylnaphthalene	19.40	142	86573	25.00	ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220743.D
Acq On : 13 Oct 2022 9:30 pm
Operator : PrashanS
Sample : ICC9596-50
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Oct 14 08:54:35 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220744.D
Acq On : 13 Oct 2022 10:00 pm
Operator : PrashanS
Sample : IC9596-100
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Oct 14 08:54:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	7.26	65	350857	500.00	ug/L	0.00
5) pentafluorobenzene	9.51	168	664172	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.43	114	903653	50.00	ug/L	0.00
72) chlorobenzene-d5	13.56	117	786281	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.89	152	407136	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.54	113	293155	50.07	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.14%			
51) 1,2-dichloroethane-d4 (s)	9.96	65	348012	49.86	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.72%			
73) toluene-d8 (s)	12.06	98	1011110	50.47	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.94%			
97) 4-bromofluorobenzene (s)	14.72	95	383097	50.09	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.18%			
Target Compounds						Qvalue
2) ethanol	5.98	45	776904	11290.87	ug/L	100
3) tertiary butyl alcohol	7.37	59	465789	531.73	ug/L	92
4) 1,4-dioxane	11.08	88	148175	2694.97	ug/L	95
6) chlorodifluoromethane	4.00	51	918194	101.56	ug/L	98
7) dichlorodifluoromethane	3.96	85	732544	104.64	ug/L	99
8) chloromethane	4.35	50	1014108	102.62	ug/L	98
9) vinyl chloride	4.57	62	837774	104.88	ug/L	99
10) 1,3-butadiene	4.63	54	588500	101.43	ug/L	99
11) bromomethane	5.20	94	492359	106.08	ug/L	99
12) chloroethane	5.36	64	459176	107.32	ug/L	98
13) trichlorofluoromethane	5.81	101	926361	105.20	ug/L	99
14) ethyl ether	6.19	74	307533	104.04	ug/L	94
15) acrolein	6.41	56	128535	104.85	ug/L	99
16) freon 113	6.62	151	478259	103.28	ug/L	97
17) 1,1-dichloroethene	6.60	96	480566	104.14	ug/L	99
18) acetone	6.61	43	1337746	401.93	ug/L	97
19) acetonitrile	7.02	41	874889	1032.42	ug/L	99
20) iodomethane	6.85	142	974164	104.46	ug/L	99
21) carbon disulfide	6.99	76	1649556	103.88	ug/L	99
22) methylene chloride	7.30	84	550052	104.81	ug/L	98
23) methyl acetate	7.06	43	562756	102.16	ug/L	98
24) methyl tert butyl ether	7.66	73	1520412	103.63	ug/L	100
25) trans-1,2-dichloroethene	7.69	96	534588	103.55	ug/L	97
26) hexane	8.04	57	1106141	104.42	ug/L	99
27) di-isopropyl ether	8.25	45	2253033	100.73	ug/L	98
28) ethyl tert-butyl ether	8.71	59	1997564	100.83	ug/L	98
29) 2-butanone	8.90	72	313723	409.96	ug/L #	86
30) 1,1-dichloroethane	8.26	63	1078284	103.87	ug/L	100
31) chloroprene	8.36	53	1024107	102.41	ug/L	98
32) acrylonitrile	7.59	53	274173	104.66	ug/L	96
33) vinyl acetate	8.20	86	82846	101.14	ug/L #	84
34) ethyl acetate	8.92	45	113864	103.12	ug/L	97
35) 2,2-dichloropropane	9.00	77	774110	103.24	ug/L	99

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220744.D
Acq On : 13 Oct 2022 10:00 pm
Operator : PrashanS
Sample : IC9596-100
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Oct 14 08:54:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
36) cis-1,2-dichloroethene	8.97	96	588514	103.40	ug/L		98
37) propionitrile	8.98	54	958634	1007.30	ug/L		97
38) bromochloromethane	9.26	130	394511	103.87	ug/L		99
39) tetrahydrofuran	9.28	42	219890	101.51	ug/L		98
40) chloroform	9.35	83	968186	102.16	ug/L		98
41) tert-butyl formate	9.39	59	401230	103.46	ug/L		97
42) isobutyl alcohol	9.75	43	394264	1047.98	ug/L		94
44) methacrylonitrile	9.18	67	247440	104.55	ug/L		96
45) 1,1,1-trichloroethane	9.61	97	882330	104.32	ug/L		100
46) cyclohexane	9.72	84	853063	106.02	ug/L		99
47) 1,1-dichloropropene	9.78	75	749003	102.83	ug/L		97
48) tert-amyl alcohol	9.91	73	183070	510.31	ug/L		99
49) carbon tetrachloride	9.80	117	794232	104.93	ug/L		99
52) 2,2,4-trimethylpentane	10.12	57	2621684	107.55	ug/L		99
53) tert-amyl methyl ether	10.11	73	1614283	102.12	ug/L		98
54) n-butyl alcohol	10.50	56	1125949	5080.09	ug/L		100
55) benzene	10.02	78	2036293	101.64	ug/L		98
56) heptane	10.28	57	513981	110.28	ug/L		98
57) isopropyl acetate	9.94	87	125464	104.54	ug/L	#	87
58) 1,2-dichloroethane	10.05	62	832807	102.18	ug/L		100
59) trichloroethene	10.75	95	589519	102.61	ug/L		100
60) ethyl acrylate	10.74	55	907997	100.13	ug/L		99
61) 2-nitropropane	11.50	41	167477	101.77	ug/L		98
62) 2-chloroethyl vinyl ether	11.54	63	1120366	683.24	ug/L		97
63) methyl methacrylate	11.01	100	156104	104.86	ug/L		93
64) 1,2-dichloropropane	11.04	63	616379	102.91	ug/L		99
65) methylcyclohexane	11.04	83	999133	108.57	ug/L		98
66) dibromomethane	11.14	93	348683	104.36	ug/L		99
67) bromodichloromethane	11.30	83	762573	103.72	ug/L		100
68) epichlorohydrin	11.62	57	351643	514.68	ug/L		99
69) cis-1,3-dichloropropene	11.75	75	908686	102.47	ug/L		99
70) 4-methyl-2-pentanone	11.86	58	1055120	400.16	ug/L		90
71) 3-methyl-1-butanol	11.86	70	339896	2063.61	ug/L		94
74) toluene	12.13	92	1255776	101.97	ug/L		93
75) trans-1,3-dichloropropene	12.32	75	822327	102.67	ug/L		100
76) ethyl methacrylate	12.32	69	729445	102.50	ug/L		99
77) 1,1,2-trichloroethane	12.54	83	414664	101.40	ug/L		97
78) 2-hexanone	12.71	58	1135257	398.92	ug/L		92
79) tetrachloroethene	12.69	166	634633	103.28	ug/L		98
80) 1,3-dichloropropane	12.72	76	782543	102.75	ug/L		98
81) butyl acetate	12.79	56	471110	103.22	ug/L		95
82) dibromochloromethane	12.96	129	622967	105.27	ug/L		99
83) 1,2-dibromoethane	13.11	107	527441	103.32	ug/L		98
84) n-butyl ether	13.56	57	2519200	98.16	ug/L		97
85) chlorobenzene	13.60	112	1409437	102.01	ug/L		98
86) 1,1,1,2-tetrachloroethane	13.66	131	566247	105.65	ug/L		99
87) ethylbenzene	13.66	91	2172550	98.22	ug/L		95
88) m,p-xylene	13.78	106	1805471	204.45	ug/L		93
89) o-xylene	14.18	91	1752030	99.16	ug/L		95
90) styrene	14.19	104	1464564	100.82	ug/L		97

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220744.D
Acq On : 13 Oct 2022 10:00 pm
Operator : PrashanS
Sample : IC9596-100
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Oct 14 08:54:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
91) n-amyl acetate	14.22	70	384080	104.15	ug/L	94
92) bromoform	14.41	173	446232	105.62	ug/L	99
93) butyl acrylate	14.01	55	1361166	99.54	ug/L	95
94) isopropylbenzene	14.52	105	2184847	101.06	ug/L	97
95) cis-1,4-dichloro-2-butene	14.56	88	237183	111.04	ug/L	98
98) bromobenzene	14.90	156	656977	102.50	ug/L	98
99) 1,1,2,2-tetrachloroethane	14.80	83	612533	101.16	ug/L	99
100) trans-1,4-dichloro-2-buten	14.84	53	211085	109.49	ug/L	96
101) 1,2,3-trichloropropane	14.88	110	162375	102.50	ug/L	96
102) n-propylbenzene	14.94	91	2537246	99.56	ug/L	97
103) 2-chlorotoluene	15.07	126	605555	104.66	ug/L	93
104) 4-chlorotoluene	15.18	91	1594464	100.77	ug/L	98
105) 1,3,5-trimethylbenzene	15.10	105	1815376	102.27	ug/L	98
106) tert-butylbenzene	15.44	119	1673461	104.92	ug/L	99
107) 1,2,4-trimethylbenzene	15.49	105	1822971	101.49	ug/L	97
108) sec-butylbenzene	15.66	105	2365548	103.77	ug/L	96
109) 1,3-dichlorobenzene	15.82	146	1173579	103.14	ug/L	98
110) p-isopropyltoluene	15.79	119	2087820	103.77	ug/L	96
111) benzyl chloride	16.01	91	1087237	102.90	ug/L	99
112) 1,2,3-trimethylbenzene	15.91	105	1816841	100.88	ug/L	98
113) 1,4-dichlorobenzene	15.91	146	1172979	102.06	ug/L	99
114) 1,2-dichlorobenzene	16.28	146	1138720	102.31	ug/L	98
115) n-butylbenzene	16.20	92	1089989	109.66	ug/L	93
116) 1,2-dibromo-3-chloropropan	17.05	157	142353	107.24	ug/L	99
117) 1,3,5-trichlorobenzene	17.24	180	952033	108.20	ug/L	99
118) 1,2,4-trichlorobenzene	17.88	180	811077	107.66	ug/L	96
119) hexachlorobutadiene	18.00	225	417342	111.41	ug/L	100
120) naphthalene	18.17	128	1460831	104.50	ug/L	100
121) 1,2,3-trichlorobenzene	18.40	180	659397	108.39	ug/L	99
122) hexachloroethane	16.58	201	371145	117.22	ug/L	96
123) 2-methylnaphthalene	19.40	142	210040	60.49	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220744.D
Acq On : 13 Oct 2022 10:00 pm
Operator : PrashanS
Sample : IC9596-100
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Oct 14 08:54:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220745.D
Acq On : 13 Oct 2022 10:28 pm
Operator : PrashanS
Sample : IC9596-200
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Oct 14 08:54:37 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	7.25	65	352959	500.00	ug/L	0.00
5) pentafluorobenzene	9.51	168	675260	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.43	114	915731	50.00	ug/L	0.00
72) chlorobenzene-d5	13.56	117	786812	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.89	152	414947	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.54	113	295880	49.71	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.42%			
51) 1,2-dichloroethane-d4 (s)	9.95	65	353927	50.04	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.08%			
73) toluene-d8 (s)	12.06	98	1025972	51.17	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.34%			
97) 4-bromofluorobenzene (s)	14.72	95	391802	50.26	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.52%			
Target Compounds						Qvalue
2) ethanol	5.98	45	1698970	24544.37	ug/L	100
3) tertiary butyl alcohol	7.37	59	912520	1035.50	ug/L	96
4) 1,4-dioxane	11.08	88	293333	5303.29	ug/L	95
6) chlorodifluoromethane	3.98	51	1707913	185.80	ug/L	97
7) dichlorodifluoromethane	3.95	85	1384179	194.48	ug/L	99
8) chloromethane	4.34	50	1883959	187.51	ug/L	96
9) vinyl chloride	4.56	62	1575373	193.98	ug/L	100
10) 1,3-butadiene	4.62	54	1083734	183.71	ug/L	100
11) bromomethane	5.19	94	933173	197.75	ug/L	99
12) chloroethane	5.35	64	872648	200.61	ug/L	98
13) trichlorofluoromethane	5.79	101	1769083	197.61	ug/L	97
14) ethyl ether	6.19	74	587671	195.56	ug/L	94
15) acrolein	6.40	56	249071	199.84	ug/L	98
16) freon 113	6.61	151	916636	194.70	ug/L	99
17) 1,1-dichloroethene	6.60	96	905654	193.04	ug/L	96
18) acetone	6.60	43	2339722	691.43	ug/L	96
19) acetonitrile	7.01	41	1665001	1932.53	ug/L	99
20) iodomethane	6.84	142	1827426	192.74	ug/L	99
21) carbon disulfide	6.98	76	3001183	185.90	ug/L	98
22) methylene chloride	7.30	84	1037520	194.46	ug/L	95
23) methyl acetate	7.06	43	1084139	193.58	ug/L	96
24) methyl tert butyl ether	7.65	73	2816163	188.79	ug/L	100
25) trans-1,2-dichloroethene	7.68	96	1018644	194.07	ug/L	95
26) hexane	8.04	57	1987795	184.57	ug/L	99
27) di-isopropyl ether	8.25	45	4037200	177.53	ug/L	97
28) ethyl tert-butyl ether	8.71	59	3619844	179.71	ug/L	96
29) 2-butanone	8.90	72	594410	764.00	ug/L #	80
30) 1,1-dichloroethane	8.25	63	1986071	188.18	ug/L	98
31) chloroprene	8.35	53	1901326	187.00	ug/L	96
32) acrylonitrile	7.59	53	531067	199.40	ug/L	97
33) vinyl acetate	8.19	86	161228	193.59	ug/L #	74
34) ethyl acetate	8.92	45	218587	194.71	ug/L	94
35) 2,2-dichloropropane	9.00	77	1432995	187.97	ug/L	98

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220745.D
Acq On : 13 Oct 2022 10:28 pm
Operator : PrashanS
Sample : IC9596-200
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Oct 14 08:54:37 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
36) cis-1,2-dichloroethene	8.97	96	1115141	192.71	ug/L		97
37) propionitrile	8.98	54	1788583	1848.52	ug/L		94
38) bromochloromethane	9.26	130	750575	194.38	ug/L		96
39) tetrahydrofuran	9.28	42	421247	191.28	ug/L		99
40) chloroform	9.35	83	1796262	186.42	ug/L		97
41) tert-butyl formate	9.38	59	781168	198.13	ug/L		95
42) isobutyl alcohol	9.75	43	734272	1919.69	ug/L		95
44) methacrylonitrile	9.18	67	475808	197.75	ug/L		95
45) 1,1,1-trichloroethane	9.61	97	1642228	190.97	ug/L		98
46) cyclohexane	9.72	84	1614732	197.38	ug/L		90
47) 1,1-dichloropropene	9.77	75	1407461	190.05	ug/L		95
48) tert-amyl alcohol	9.91	73	364853	1000.33	ug/L		97
49) carbon tetrachloride	9.80	117	1493151	194.02	ug/L		97
52) 2,2,4-trimethylpentane	10.12	57	4396366	177.97	ug/L		97
53) tert-amyl methyl ether	10.10	73	2932956	183.10	ug/L		98
54) n-butyl alcohol	10.50	56	2147958	9563.40	ug/L		97
55) benzene	10.02	78	3676870	181.12	ug/L		96
56) heptane	10.28	57	889909	188.42	ug/L		99
57) isopropyl acetate	9.94	87	247983	203.91	ug/L	#	76
58) 1,2-dichloroethane	10.05	62	1556075	188.40	ug/L		97
59) trichloroethene	10.74	95	1115259	191.57	ug/L		98
60) ethyl acrylate	10.73	55	1695048	184.46	ug/L		98
61) 2-nitropropane	11.50	41	330862	198.41	ug/L		96
62) 2-chloroethyl vinyl ether	11.53	63	2323351	1398.17	ug/L		94
63) methyl methacrylate	11.00	100	303082	200.90	ug/L	#	88
64) 1,2-dichloropropane	11.03	63	1159125	190.97	ug/L		97
65) methylcyclohexane	11.04	83	1795504	192.53	ug/L		96
66) dibromomethane	11.14	93	665254	196.49	ug/L		99
67) bromodichloromethane	11.29	83	1422658	190.95	ug/L		96
68) epichlorohydrin	11.62	57	676410	976.97	ug/L		98
69) cis-1,3-dichloropropene	11.75	75	1694443	188.55	ug/L		99
70) 4-methyl-2-pentanone	11.86	58	1946621	728.54	ug/L	#	74
71) 3-methyl-1-butanol	11.86	70	658137	3943.04	ug/L		87
74) toluene	12.13	92	2313197	187.71	ug/L	#	86
75) trans-1,3-dichloropropene	12.32	75	1525568	190.34	ug/L		97
76) ethyl methacrylate	12.32	69	1360231	191.02	ug/L		98
77) 1,1,2-trichloroethane	12.54	83	781824	191.06	ug/L		99
78) 2-hexanone	12.71	58	2036472	715.12	ug/L	#	83
79) tetrachloroethene	12.69	166	1177318	191.47	ug/L		99
80) 1,3-dichloropropane	12.72	76	1456871	191.16	ug/L		96
81) butyl acetate	12.79	56	897509	196.51	ug/L		86
82) dibromochloromethane	12.96	129	1178178	198.95	ug/L		99
83) 1,2-dibromoethane	13.11	107	991122	194.01	ug/L		98
84) n-butyl ether	13.56	57	4259484	165.86	ug/L		91
85) chlorobenzene	13.60	112	2524343	182.58	ug/L		94
86) 1,1,1,2-tetrachloroethane	13.66	131	1042938	194.46	ug/L		96
87) ethylbenzene	13.66	91	3675438	166.05	ug/L		89
88) m,p-xylene	13.78	106	3265026	369.47	ug/L		83
89) o-xylene	14.18	91	3047807	172.38	ug/L		91
90) styrene	14.19	104	2589311	178.13	ug/L		95

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220745.D
Acq On : 13 Oct 2022 10:28 pm
Operator : PrashanS
Sample : IC9596-200
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Oct 14 08:54:37 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
91) n-amyl acetate	14.22	70	744115	201.65 ug/L #	82
92) bromoform	14.41	173	855307	202.32 ug/L	99
93) butyl acrylate	14.01	55	2435538	177.99 ug/L	89
94) isopropylbenzene	14.52	105	3710505	171.51 ug/L	91
95) cis-1,4-dichloro-2-butene	14.56	88	463202	216.71 ug/L	98
98) bromobenzene	14.90	156	1212296	185.58 ug/L	98
99) 1,1,2,2-tetrachloroethane	14.80	83	1137167	184.28 ug/L	97
100) trans-1,4-dichloro-2-buten	14.84	53	406175	206.71 ug/L	96
101) 1,2,3-trichloropropane	14.88	110	314923	195.06 ug/L	98
102) n-propylbenzene	14.94	91	4186222	161.18 ug/L	89
103) 2-chlorotoluene	15.07	126	1113698	188.86 ug/L #	85
104) 4-chlorotoluene	15.18	91	2801962	173.75 ug/L	94
105) 1,3,5-trimethylbenzene	15.10	105	3084447	170.49 ug/L	92
106) tert-butylbenzene	15.44	119	2859966	175.93 ug/L	96
107) 1,2,4-trimethylbenzene	15.49	105	3116021	170.22 ug/L	91
108) sec-butylbenzene	15.66	105	3848194	165.64 ug/L	91
109) 1,3-dichlorobenzene	15.82	146	2076972	179.09 ug/L	94
110) p-isopropyltoluene	15.79	119	3426395	167.10 ug/L	90
111) benzyl chloride	16.01	91	1987667	184.57 ug/L	96
112) 1,2,3-trimethylbenzene	15.91	105	3043288	165.80 ug/L	92
113) 1,4-dichlorobenzene	15.91	146	2041631	174.29 ug/L	96
114) 1,2-dichlorobenzene	16.28	146	2007171	176.94 ug/L	94
115) n-butylbenzene	16.20	92	1827566	180.41 ug/L	87
116) 1,2-dibromo-3-chloropropan	17.05	157	267041	197.39 ug/L	99
117) 1,3,5-trichlorobenzene	17.24	180	1574841	175.62 ug/L	98
118) 1,2,4-trichlorobenzene	17.88	180	1356429	176.66 ug/L	97
119) hexachlorobutadiene	18.00	225	690185	180.78 ug/L	99
120) naphthalene	18.17	128	2492725	174.95 ug/L	98
121) 1,2,3-trichlorobenzene	18.40	180	1105382	178.28 ug/L	99
122) hexachloroethane	16.57	201	674608	209.05 ug/L	98
123) 2-methylnaphthalene	19.40	142	389985	110.21 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220745.D
Acq On : 13 Oct 2022 10:28 pm
Operator : PrashanS
Sample : IC9596-200
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Oct 14 08:54:37 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 08:54:13 2022
QLast Update : Fri Oct 14 08:54:13 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220748.D
Acq On : 13 Oct 2022 11:54 pm
Operator : PrashanS
Sample : ICV9596-50
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Oct 14 18:46:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	7.24	65	369812	500.00	ug/L	-0.01
5) pentafluorobenzene	9.51	168	693907	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.43	114	940173	50.00	ug/L	0.00
72) chlorobenzene-d5	13.56	117	821608	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.89	152	428192	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.54	113	303264	49.56	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.12%			
51) 1,2-dichloroethane-d4 (s)	9.95	65	366109	49.49	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 98.98%			
73) toluene-d8 (s)	12.06	98	1048982	50.18	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.36%			
97) 4-bromofluorobenzene (s)	14.72	95	400404	49.46	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.92%			
Target Compounds						Qvalue
2) ethanol	5.97	45	366441	4919.71	ug/L	96
3) tertiary butyl alcohol	7.36	59	238222	251.61	ug/L	90
4) 1,4-dioxane	11.08	88	73032	1318.69	ug/L	92
7) dichlorodifluoromethane	3.95	85	363599	49.68	ug/L	99
8) chloromethane	4.34	50	459118	42.11	ug/L	99
9) vinyl chloride	4.56	62	406804	48.78	ug/L	98
10) 1,3-butadiene	4.62	54	477174	75.24	ug/L	97
11) bromomethane	5.19	94	247158	48.44	ug/L	100
12) chloroethane	5.35	64	228201	51.11	ug/L	100
13) trichlorofluoromethane	5.78	101	451462	50.28	ug/L	98
14) ethyl ether	6.19	74	164117	52.63	ug/L	89
15) acrolein	6.41	56	61942	46.08	ug/L	97
16) freon 113	6.61	151	237422	48.57	ug/L	96
17) 1,1-dichloroethene	6.60	96	253842	49.74	ug/L	98
18) acetone	6.60	43	571171	152.86	ug/L	99
20) iodomethane	6.84	142	502572	51.65	ug/L	99
21) carbon disulfide	6.98	76	902402	51.25	ug/L	100
22) methylene chloride	7.30	84	287149	50.49	ug/L	98
23) methyl acetate	7.06	43	327572	53.22	ug/L	96
24) methyl tert butyl ether	7.65	73	814742	50.70	ug/L	99
25) trans-1,2-dichloroethene	7.68	96	281405	48.92	ug/L	99
26) hexane	8.04	57	525349	45.96	ug/L	99
27) di-isopropyl ether	8.25	45	1186631	47.81	ug/L	99
28) ethyl tert-butyl ether	8.71	59	1044759	48.69	ug/L	100
29) 2-butanone	8.90	72	150131	188.19	ug/L	99
30) 1,1-dichloroethane	8.26	63	560419	50.47	ug/L	100
31) chloroprene	8.36	53	566044	53.63	ug/L	98
33) vinyl acetate	8.19	86	29260	34.82	ug/L #	94
34) ethyl acetate	8.92	45	58923	49.16	ug/L	96
35) 2,2-dichloropropane	9.00	77	381368	45.61	ug/L	99
36) cis-1,2-dichloroethene	8.97	96	304351	49.16	ug/L	99
37) propionitrile	8.98	54	462999	465.64	ug/L	93
38) bromochloromethane	9.26	130	205519	52.01	ug/L	96

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220748.D
Acq On : 13 Oct 2022 11:54 pm
Operator : PrashanS
Sample : ICV9596-50
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Oct 14 18:46:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
39) tetrahydrofuran	9.28	42	115256	49.28	ug/L		98
40) chloroform	9.35	83	535983	50.79	ug/L		97
41) tert-butyl formate	9.38	59	106290	25.35	ug/L		99
42) isobutyl alcohol	9.74	43	184173	492.97	ug/L		92
44) methacrylonitrile	9.17	67	128585	52.50	ug/L		94
45) 1,1,1-trichloroethane	9.60	97	461517	51.19	ug/L		98
46) cyclohexane	9.71	84	433866	50.27	ug/L		96
47) 1,1-dichloropropene	9.77	75	394583	51.41	ug/L		98
48) tert-amyl alcohol	9.90	73	92471	234.69	ug/L		92
49) carbon tetrachloride	9.80	117	414725	52.98	ug/L		99
52) 2,2,4-trimethylpentane	10.12	57	1256769	47.94	ug/L		99
53) tert-amyl methyl ether	10.10	73	828943	47.86	ug/L		99
54) n-butyl alcohol	10.49	56	565608	2532.93	ug/L		98
55) benzene	10.02	78	1092064	51.10	ug/L		100
56) heptane	10.28	57	272587	53.94	ug/L		98
57) isopropyl acetate	9.94	87	65963	53.25	ug/L		95
58) 1,2-dichloroethane	10.04	62	442286	48.71	ug/L		100
59) trichloroethene	10.74	95	321667	54.03	ug/L		98
60) ethyl acrylate	10.73	55	457147	47.87	ug/L		100
61) 2-nitropropane	11.50	41	85805	53.55	ug/L		95
62) 2-chloroethyl vinyl ether	11.53	63	447556	358.25	ug/L		99
63) methyl methacrylate	11.00	100	84599	55.09	ug/L	#	68
64) 1,2-dichloropropane	11.03	63	324121	51.44	ug/L		99
65) methylcyclohexane	11.04	83	508216	51.43	ug/L		99
66) dibromomethane	11.14	93	180115	52.55	ug/L		98
67) bromodichloromethane	11.29	83	401420	51.69	ug/L		99
68) epichlorohydrin	11.62	57	169746	240.15	ug/L		99
69) cis-1,3-dichloropropene	11.75	75	468358	50.74	ug/L		99
70) 4-methyl-2-pentanone	11.86	58	561202	208.87	ug/L		99
71) 3-methyl-1-butanol	11.86	70	172605	1061.94	ug/L		98
74) toluene	12.13	92	662446	51.03	ug/L		99
75) trans-1,3-dichloropropene	12.32	75	429282	52.63	ug/L		98
76) ethyl methacrylate	12.32	69	365065	51.40	ug/L		99
77) 1,1,2-trichloroethane	12.54	83	218562	52.32	ug/L		98
78) 2-hexanone	12.70	58	565706	193.90	ug/L		100
80) 1,3-dichloropropane	12.72	76	415139	52.54	ug/L		98
81) butyl acetate	12.79	56	245119	52.27	ug/L		99
82) dibromochloromethane	12.96	129	324893	53.76	ug/L		97
83) 1,2-dibromoethane	13.11	107	279601	52.80	ug/L		100
84) n-butyl ether	13.56	57	1327410	48.94	ug/L		100
85) chlorobenzene	13.59	112	755546	52.15	ug/L		99
86) 1,1,1,2-tetrachloroethane	13.66	131	292537	53.03	ug/L		98
87) ethylbenzene	13.66	91	1202070	50.53	ug/L		99
88) m,p-xylene	13.78	106	972871	105.03	ug/L		96
89) o-xylene	14.18	91	955114	50.85	ug/L		100
90) styrene	14.19	104	787031	54.07	ug/L		100
91) n-amyl acetate	14.22	70	195898	53.55	ug/L		95
92) bromoform	14.41	173	228785	55.69	ug/L		98
93) butyl acrylate	14.01	55	705087	52.65	ug/L		99
94) isopropylbenzene	14.52	105	1170881	50.18	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220748.D
Acq On : 13 Oct 2022 11:54 pm
Operator : PrashanS
Sample : ICV9596-50
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Oct 14 18:46:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
95) cis-1,4-dichloro-2-butene	14.56	88	104124	49.71	ug/L	98
98) bromobenzene	14.90	156	347580	50.20	ug/L	99
99) 1,1,2,2-tetrachloroethane	14.80	83	309798	48.12	ug/L	99
100) trans-1,4-dichloro-2-buten	14.84	53	104955	56.79	ug/L	97
101) 1,2,3-trichloropropane	14.88	110	87149	52.26	ug/L	99
102) n-propylbenzene	14.94	91	1375289	49.62	ug/L	99
103) 2-chlorotoluene	15.07	126	317899	51.82	ug/L	96
104) 4-chlorotoluene	15.18	91	860331	49.81	ug/L	99
105) 1,3,5-trimethylbenzene	15.09	105	956487	50.10	ug/L	98
106) tert-butylbenzene	15.43	119	862045	50.60	ug/L	100
107) 1,2,4-trimethylbenzene	15.48	105	967301	50.62	ug/L	99
108) sec-butylbenzene	15.65	105	1225575	49.72	ug/L	99
109) 1,3-dichlorobenzene	15.82	146	617830	49.64	ug/L	100
110) p-isopropyltoluene	15.78	119	1080357	51.56	ug/L	98
111) benzyl chloride	16.01	91	497101	49.55	ug/L	98
113) 1,4-dichlorobenzene	15.91	146	628301	50.25	ug/L	99
114) 1,2-dichlorobenzene	16.28	146	597742	50.16	ug/L	99
115) n-butylbenzene	16.20	92	531648	51.79	ug/L	100
116) 1,2-dibromo-3-chloropropan	17.05	157	71654	54.03	ug/L	100
117) 1,3,5-trichlorobenzene	17.24	180	467050	51.46	ug/L	100
118) 1,2,4-trichlorobenzene	17.88	180	392872	53.66	ug/L	100
119) hexachlorobutadiene	18.00	225	194688	49.83	ug/L	99
120) naphthalene	18.17	128	717383	53.07	ug/L	99
121) 1,2,3-trichlorobenzene	18.40	180	314127	53.20	ug/L	97
122) hexachloroethane	16.57	201	172567	56.81	ug/L	99
123) 2-methylnaphthalene	19.40	142	77521	21.50	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220748.D
Acq On : 13 Oct 2022 11:54 pm
Operator : PrashanS
Sample : ICV9596-50
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Oct 14 18:46:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220749.D
Acq On : 14 Oct 2022 12:22 am
Operator : PrashanS
Sample : ICV9596-50
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Oct 14 18:47:22 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	7.25	65	359110	500.00	ug/L	0.00
5) pentafluorobenzene	9.51	168	680609	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.43	114	919619	50.00	ug/L	0.00
72) chlorobenzene-d5	13.56	117	818949	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.89	152	415765	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.54	113	298177	49.68	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.36%			
51) 1,2-dichloroethane-d4 (s)	9.95	65	367046	50.72	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 101.44%			
73) toluene-d8 (s)	12.06	98	1025873	49.24	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.48%			
97) 4-bromofluorobenzene (s)	14.72	95	398267	50.67	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.34%			
Target Compounds						Qvalue
6) chlorodifluoromethane	3.99	51	468309	49.55	ug/L	100
19) acetonitrile	7.01	41	399593	436.20	ug/L	98
32) acrylonitrile	7.59	53	109016	41.96	ug/L	95
79) tetrachloroethene	12.68	166	303799	44.74	ug/L	98
112) 1,2,3-trimethylbenzene	15.91	105	985335	52.09	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9596\
Data File : 2A220749.D
Acq On : 14 Oct 2022 12:22 am
Operator : PrashanS
Sample : ICV9596-50
Misc : MS62754,V2A9596,5,,,,1
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Oct 14 18:47:22 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\nelsonf\October\10-29-22\v2a9619\
Data File : 2a221287.d
Acq On : 27 Oct 2022 10:49 pm
Operator : nickw
Sample : cc9596-50 Inst : GCMS2A
Misc : MS63376,V2A9619,5,,,,1
ALS Vial : 29 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Results File: M2A9596.RES
Quant Time: Oct 29 02:37:22 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	7.246	65	323515	500.00	ug/L	0.00
5) pentafluorobenzene	9.506	168	662808	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.434	114	900072	50.00	ug/L	0.00
72) chlorobenzene-d5	13.558	117	731213	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.886	152	377292	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.537	113	289453	49.52	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.04%			
51) 1,2-dichloroethane-d4 (s)	9.951	65	312097	44.07	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 88.14%			
73) toluene-d8 (s)	12.059	98	926332	49.80	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.60%			
97) 4-bromofluorobenzene (s)	14.722	95	335954	47.10	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 94.20%			
Target Compounds						Qvalue
2) ethanol	5.966	45	295151	4529.66	ug/L	99
3) tertiary butyl alcohol	7.361	59	187216	226.04	ug/L	92
4) 1,4-dioxane	11.078	88	63659	1313.94	ug/L	89
6) chlorodifluoromethane	3.985	51	336539	36.56	ug/L	96
7) dichlorodifluoromethane	3.964	85	326945	46.76	ug/L	97
8) chloromethane	4.346	50	264542	25.40	ug/L	97
9) vinyl chloride	4.572	62	228612	28.70	ug/L	94
10) 1,3-butadiene	4.619	54	144629	23.88	ug/L	94
11) bromomethane	5.191	94	205064	42.08	ug/L	99
12) chloroethane	5.358	64	181077	42.45	ug/L	97
13) trichlorofluoromethane	5.783	101	394567	46.00	ug/L	100
14) ethyl ether	6.187	74	132088	44.34	ug/L	96
15) acrolein	6.407	56	53749	41.86	ug/L	93
16) freon 113	6.611	151	204805	43.86	ug/L	94
17) 1,1-dichloroethene	6.601	96	203948	41.84	ug/L	91
18) acetone	6.601	43	365595	102.43	ug/L	89
19) acetonitrile	7.010	41	384072	430.52	ug/L	96
20) iodomethane	6.842	142	441686	47.52	ug/L	97
21) carbon disulfide	6.984	76	669160	39.78	ug/L	94
22) methylene chloride	7.298	84	238412	43.89	ug/L	91
23) methyl acetate	7.057	43	232118	39.48	ug/L	98
24) methyl tert butyl ether	7.655	73	671316	43.74	ug/L	94
25) trans-1,2-dichloroethene	7.681	96	229787	41.82	ug/L	93
26) hexane	8.037	57	393238	36.01	ug/L	98
27) di-isopropyl ether	8.247	45	934862	39.44	ug/L	97
28) ethyl tert-butyl ether	8.709	59	874280	42.65	ug/L	99
29) 2-butanone	8.903	72	119495	156.82	ug/L	100
30) 1,1-dichloroethane	8.258	63	444613	41.92	ug/L	100
31) chloroprene	8.357	53	400514	39.72	ug/L	93
33) vinyl acetate	8.195	86	48007	59.80	ug/L #	76
34) ethyl acetate	8.924	45	49137	42.92	ug/L	81
35) 2,2-dichloropropane	8.997	77	294095	36.83	ug/L	97
36) cis-1,2-dichloroethene	8.965	96	259829	43.94	ug/L	94
37) propionitrile	8.976	54	438784	461.99	ug/L	91
38) bromochloromethane	9.259	130	182558	48.36	ug/L	89
39) tetrahydrofuran	9.280	42	95645	42.81	ug/L	93
40) chloroform	9.348	83	419283	41.60	ug/L	95
41) tert-butyl formate	9.385	59	221760	55.38	ug/L	97
42) isobutyl alcohol	9.747	43	141016	395.16	ug/L	93

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\nelsonf\October\10-29-22\v2a9619\
Data File : 2a221287.d
Acq On : 27 Oct 2022 10:49 pm
Operator : nickw
Sample : cc9596-50 Inst : GCMS2A
Misc : MS63376,V2A9619,5,,,,1
ALS Vial : 29 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Results File: M2A9596.RES
Quant Time: Oct 29 02:37:22 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44)	methacrylonitrile	9.170	67	112454	48.07	ug/L		89
45)	1,1,1-trichloroethane	9.605	97	376799	43.75	ug/L		95
46)	cyclohexane	9.715	84	339826	41.22	ug/L		85
47)	1,1-dichloropropene	9.773	75	306032	41.75	ug/L		96
48)	tert-amyl alcohol	9.904	73	78867	209.56	ug/L		92
49)	carbon tetrachloride	9.799	117	340463	45.53	ug/L		98
52)	2,2,4-trimethylpentane	10.114	57	984826	39.24	ug/L		97
53)	tert-amyl methyl ether	10.103	73	724148	43.67	ug/L		98
54)	n-butyl alcohol	10.491	56	488692	2285.99	ug/L		95
55)	benzene	10.019	78	881441	43.08	ug/L		99
56)	heptane	10.276	57	202024	41.76	ug/L		97
57)	isopropyl acetate	9.935	87	56214	47.40	ug/L	#	76
58)	1,2-dichloroethane	10.040	62	341494	39.28	ug/L		98
59)	trichloroethene	10.743	95	251505	44.13	ug/L		99
60)	ethyl acrylate	10.732	55	411245	44.98	ug/L		98
61)	2-nitropropane	11.498	41	63689	41.52	ug/L		94
62)	2-chloroethyl vinyl ether	11.535	63	562206	470.07	ug/L		97
63)	methyl methacrylate	11.000	100	72873	49.57	ug/L	#	67
64)	1,2-dichloropropane	11.031	63	263418	43.67	ug/L		100
65)	methylcyclohexane	11.042	83	375319	39.68	ug/L		98
66)	dibromomethane	11.141	93	154839	47.19	ug/L		93
67)	bromodichloromethane	11.293	83	331520	44.60	ug/L		98
68)	epichlorohydrin	11.618	57	148073	218.82	ug/L		98
69)	cis-1,3-dichloropropene	11.755	75	374563	42.39	ug/L		89
70)	4-methyl-2-pentanone	11.860	58	464428	180.56	ug/L		87
71)	3-methyl-1-butanol	11.865	70	136499	877.21	ug/L		93
74)	toluene	12.132	92	519085	44.93	ug/L		99
75)	trans-1,3-dichloropropene	12.316	75	335042	46.16	ug/L		99
76)	ethyl methacrylate	12.311	69	303064	47.95	ug/L		92
77)	1,1,2-trichloroethane	12.536	83	180604	48.58	ug/L		95
78)	2-hexanone	12.704	58	438540	168.90	ug/L		90
79)	tetrachloroethene	12.683	166	286425	47.24	ug/L		97
80)	1,3-dichloropropane	12.720	76	323007	45.93	ug/L		99
81)	butyl acetate	12.788	56	192828	46.20	ug/L		86
82)	dibromochloromethane	12.961	129	285356	53.05	ug/L		99
83)	1,2-dibromoethane	13.113	107	243898	51.76	ug/L		99
84)	n-butyl ether	13.558	57	966104	40.02	ug/L		98
85)	chlorobenzene	13.590	112	597361	46.33	ug/L		98
86)	1,1,1,2-tetrachloroethane	13.658	131	249354	50.79	ug/L		99
87)	ethylbenzene	13.653	91	913383	43.14	ug/L		99
88)	m,p-xylene	13.773	106	731423	88.72	ug/L		99
89)	o-xylene	14.172	91	731324	43.75	ug/L		100
90)	styrene	14.188	104	598442	46.20	ug/L		99
91)	n-amyl acetate	14.219	70	144389	44.35	ug/L		88
92)	bromoform	14.408	173	211011	57.71	ug/L		99
93)	butyl acrylate	14.009	55	536216	44.99	ug/L		98
94)	isopropylbenzene	14.523	105	900345	43.35	ug/L		98
95)	cis-1,4-dichloro-2-butene	14.560	88	91280	48.97	ug/L	#	82
98)	bromobenzene	14.901	156	291290	47.75	ug/L		91
99)	1,1,2,2-tetrachloroethane	14.801	83	269150	47.44	ug/L		99
100)	trans-1,4-dichloro-2-b...	14.832	53	65734	40.37	ug/L		89
101)	1,2,3-trichloropropane	14.885	110	75534	51.41	ug/L		99
102)	n-propylbenzene	14.937	91	1012810	41.47	ug/L		98
103)	2-chlorotoluene	15.068	126	250735	46.38	ug/L		88
104)	4-chlorotoluene	15.178	91	649737	42.69	ug/L		96
105)	1,3,5-trimethylbenzene	15.095	105	728448	43.30	ug/L		100
106)	tert-butylbenzene	15.430	119	673151	44.84	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\nelsonf\October\10-29-22\v2a9619\
Data File : 2a221287.d
Acq On : 27 Oct 2022 10:49 pm
Operator : nickw
Sample : cc9596-50 Inst : GCMS2A
Misc : MS63376,V2A9619,5,,,,1
ALS Vial : 29 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Results File: M2A9596.RES
Quant Time: Oct 29 02:37:22 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
107) 1,2,4-trimethylbenzene	15.483	105	737436	43.79	ug/L	99
108) sec-butylbenzene	15.650	105	909072	41.86	ug/L	99
109) 1,3-dichlorobenzene	15.813	146	497174	45.33	ug/L	99
110) p-isopropyltoluene	15.781	119	832809	45.11	ug/L	99
111) benzyl chloride	16.002	91	402612	45.55	ug/L	99
112) 1,2,3-trimethylbenzene	15.913	105	746005	43.46	ug/L	99
113) 1,4-dichlorobenzene	15.913	146	497090	45.12	ug/L	99
114) 1,2-dichlorobenzene	16.285	146	494918	47.14	ug/L	97
115) n-butylbenzene	16.190	92	383997	42.45	ug/L	99
116) 1,2-dibromo-3-chloropr...	17.045	157	66770	57.14	ug/L	98
117) 1,3,5-trichlorobenzene	17.239	180	399972	50.01	ug/L	97
118) 1,2,4-trichlorobenzene	17.879	180	343894	53.31	ug/L	98
119) hexachlorobutadiene	17.999	225	170402	49.50	ug/L	99
120) naphthalene	18.167	128	655448	55.03	ug/L	99
121) 1,2,3-trichlorobenzene	18.392	180	274639	52.79	ug/L	99
122) hexachloroethane	16.573	201	134972	50.43	ug/L	97
123) 2-methylnaphthalene	19.404	142	61473	19.35	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\nelsonf\October\10-29-22\v2a9619\
Data File : 2a221287.d
Acq On : 27 Oct 2022 10:49 pm
Operator : nickw
Sample : cc9596-50 Inst : GCMS2A
Misc : MS63376,V2A9619,5,,,,1
ALS Vial : 29 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9596.M
Quant Results File: M2A9596.RES
Quant Time: Oct 29 02:37:22 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Fri Oct 14 09:22:42 2022
QLast Update : Fri Oct 14 09:22:42 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348708.D
Acq On : 27 Oct 2022 1:55 am
Operator : PrashanS
Sample : IC10548-0.2
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 27 19:00:31 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.063	65	273490	500.00	ug/L		0.00
5) pentafluorobenzene	4.282	168	264112	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.850	114	364197	50.00	ug/L		0.00
72) chlorobenzene-d5	7.241	117	315275	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.436	152	138144	50.00	ug/L		0.00
123) pentafluorobenzene(a)	4.282	168	264042	50.00	ug/L		0.00
127) 1,4-dichlorobenzene-d4(a)	9.436	152	138239	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.289	113	106096	46.19	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 92.38%				
52) 1,2-dichloroethane-d4 (s)	4.542	65	125041	52.72	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 105.44%				
73) toluene-d8 (s)	5.996	98	436466	55.57	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 111.14%				
96) 4-bromofluorobenzene (s)	8.319	95	153892	46.86	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 93.72%				
Target Compounds							Qvalue
6) chlorodifluoromethane	1.654	51	1169	0.22	ug/L	#	64
9) vinyl chloride	1.875	62	934	0.18	ug/L	#	49
12) chloroethane	2.216	64	501	0.19	ug/L		48
13) trichlorofluoromethane	2.392	101	866	0.15	ug/L		79
16) freon 113	2.761	151	478	0.19	ug/L	#	66
25) methyl tert butyl ether	3.262	73	1682	0.17	ug/L		73
29) ethyl tert-butyl ether	3.817	59	2178	0.20	ug/L		91
30) 2-butanone	3.939	72	559	0.73	ug/L	#	52
45) 1,1,1-trichloroethane	4.317	97	1109	0.24	ug/L	#	1
50) tert amyl alcohol	4.523	55	634	2.01	ug/L	#	13
59) trichloroethene	5.052	95	699	0.23	ug/L	#	59
62) 2-chloroethyl vinyl ether	5.630	63	2143	0.97	ug/L		77
64) 1,2-dichloropropane	5.254	63	607	0.20	ug/L	#	42
67) bromodichloromethane	5.434	83	960	0.23	ug/L		93
68) cis-1,3-dichloropropene	5.771	75	963	0.19	ug/L		77
74) toluene	6.050	92	1545	0.23	ug/L		96
77) 1,1,2-trichloroethane	6.387	83	434	0.19	ug/L	#	37
78) 2-hexanone	6.570	58	1531	0.79	ug/L	#	50
79) tetrachloroethene	6.487	166	502	0.18	ug/L	#	39
80) 1,3-dichloropropane	6.548	76	1015	0.24	ug/L	#	50
83) 1,2-dibromoethane	6.840	107	513	0.18	ug/L		74
85) chlorobenzene	7.270	112	1648	0.24	ug/L	#	58
87) ethylbenzene	7.347	91	2899	0.26	ug/L		71
88) m,p-xylene	7.456	106	2213	0.49	ug/L	#	93
91) styrene	7.834	104	1726	0.23	ug/L	#	70
97) bromobenzene	8.463	156	539	0.18	ug/L	#	52
98) 1,1,2,2-tetrachloroethane	8.441	83	1029	0.22	ug/L		90
103) 4-chlorotoluene	8.759	126	506	0.18	ug/L	#	86
104) 1,3,5-trimethylbenzene	8.714	105	2371	0.23	ug/L		67
105) tert-butylbenzene	9.019	119	1948	0.22	ug/L		85

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348708.D
Acq On : 27 Oct 2022 1:55 am
Operator : PrashanS
Sample : IC10548-0.2
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 27 19:00:31 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
107) sec-butylbenzene	9.234	105	2593	0.20	ug/L		91
108) 1,3-dichlorobenzene	9.365	146	945	0.17	ug/L		87
109) p-isopropyltoluene	9.375	119	2082	0.21	ug/L	#	65
110) 1,4-dichlorobenzene	9.458	146	1210	0.24	ug/L		77
112) 1,2-dichlorobenzene	9.821	146	1052	0.21	ug/L	#	69
113) n-butylbenzene	9.785	92	979	0.18	ug/L		84
115) 1,3,5-trichlorobenzene	10.764	180	661	0.17	ug/L	#	60
118) naphthalene	11.656	128	1802	0.17	ug/L		71
121) benzyl chloride	9.570	91	1720	0.21	ug/L		60

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348708.D
Acq On : 27 Oct 2022 1:55 am
Operator : PrashanS
Sample : IC10548-0.2
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 27 19:00:31 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348709.D
Acq On : 27 Oct 2022 2:18 am
Operator : PrashanS
Sample : IC10548-0.5
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Oct 27 19:02:13 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.066	65	284878	500.00	ug/L		0.00
5) pentafluorobenzene	4.282	168	252162	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.850	114	348592	50.00	ug/L		0.00
72) chlorobenzene-d5	7.241	117	312395	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.433	152	136984	50.00	ug/L		0.00
123) pentafluorobenzene(a)	4.282	168	252588	50.00	ug/L		0.00
127) 1,4-dichlorobenzene-d4(a)	9.433	152	136985	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.292	113	102329	46.66	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 93.32%				
52) 1,2-dichloroethane-d4 (s)	4.545	65	125090	55.11	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 110.22%				
73) toluene-d8 (s)	5.996	98	426828	54.85	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 109.70%				
96) 4-bromofluorobenzene (s)	8.322	95	150976	46.36	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 92.72%				
Target Compounds							Qvalue
3) ethanol	2.488	45	4326	55.44	ug/L		92
4) tertiary butyl alcohol	3.124	59	2423	2.78	ug/L		87
6) chlorodifluoromethane	1.654	51	2418	0.48	ug/L	#	75
7) dichlorodifluoromethane	1.635	85	2441	0.38	ug/L		84
8) chloromethane	1.799	50	2347	0.50	ug/L		69
9) vinyl chloride	1.882	62	2218	0.45	ug/L		85
10) 1,3-butadiene	1.908	54	1532	0.45	ug/L		81
12) chloroethane	2.212	64	1287	0.52	ug/L		57
13) trichlorofluoromethane	2.395	101	2309	0.43	ug/L		87
14) ethyl ether	2.575	74	1244	0.60	ug/L	#	59
16) freon 113	2.764	151	1247	0.52	ug/L	#	54
23) methylene chloride	3.095	84	1711	0.55	ug/L		86
24) methyl acetate	2.976	74	387	0.42	ug/L	#	78
25) methyl tert butyl ether	3.265	73	5013	0.53	ug/L		95
27) hexane	3.454	57	3155	0.60	ug/L		79
29) ethyl tert-butyl ether	3.811	59	5985	0.56	ug/L		90
30) 2-butanone	3.932	72	1733	2.36	ug/L	#	68
33) acrylonitrile	3.243	53	1006	0.46	ug/L		80
34) vinyl acetate	3.551	86	375	0.45	ug/L	#	1
35) ethyl acetate	3.942	45	373	0.44	ug/L	#	1
40) bromochloromethane	4.131	128	685	0.49	ug/L	#	57
41) tetrahydrofuran	4.131	72	438	0.54	ug/L	#	48
44) methacrylonitrile	4.093	67	1190	0.57	ug/L	#	51
45) 1,1,1-trichloroethane	4.321	97	2369	0.53	ug/L	#	32
47) 1,1-dichloropropene	4.433	75	2044	0.52	ug/L		87
48) carbon tetrachloride	4.427	117	1927	0.55	ug/L		91
56) benzene	4.581	78	6950	0.65	ug/L		97
57) heptane	4.754	57	1309	0.59	ug/L	#	73
59) trichloroethene	5.046	95	1688	0.59	ug/L		93
62) 2-chloroethyl vinyl ether	5.624	63	6202	2.93	ug/L		93

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348709.D
Acq On : 27 Oct 2022 2:18 am
Operator : PrashanS
Sample : IC10548-0.5
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Oct 27 19:02:13 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
64)	1,2-dichloropropane	5.245	63	1751	0.59	ug/L		78
66)	dibromomethane	5.325	93	1066	0.64	ug/L	#	77
67)	bromodichloromethane	5.431	83	2353	0.59	ug/L		96
68)	cis-1,3-dichloropropene	5.771	75	2975	0.61	ug/L		88
74)	toluene	6.054	92	3757	0.57	ug/L		96
77)	1,1,2-trichloroethane	6.390	83	1280	0.56	ug/L		83
78)	2-hexanone	6.564	58	4840	2.53	ug/L		93
79)	tetrachloroethene	6.490	166	1599	0.58	ug/L		81
80)	1,3-dichloropropane	6.538	76	2609	0.62	ug/L		97
82)	dibromochloromethane	6.727	129	1652	0.62	ug/L		78
83)	1,2-dibromoethane	6.846	107	1720	0.61	ug/L		92
85)	chlorobenzene	7.267	112	3815	0.57	ug/L		86
87)	ethylbenzene	7.344	91	7257	0.65	ug/L		98
88)	m,p-xylene	7.459	106	5718	1.29	ug/L		82
89)	o-xylene	7.815	106	2562	0.56	ug/L		86
91)	styrene	7.828	104	4470	0.60	ug/L		67
92)	bromoform	8.008	173	1226	0.59	ug/L		74
93)	isopropylbenzene	8.146	105	6935	0.58	ug/L		87
97)	bromobenzene	8.470	156	1599	0.53	ug/L	#	58
98)	1,1,2,2-tetrachloroethane	8.438	83	2375	0.52	ug/L		68
99)	trans-1,4-dichloro-2-b...	8.463	53	634	0.52	ug/L	#	42
103)	4-chlorotoluene	8.752	126	1530	0.56	ug/L	#	51
104)	1,3,5-trimethylbenzene	8.714	105	5587	0.55	ug/L		86
105)	tert-butylbenzene	9.022	119	4496	0.52	ug/L		89
107)	sec-butylbenzene	9.237	105	7161	0.56	ug/L		86
108)	1,3-dichlorobenzene	9.365	146	2661	0.50	ug/L		89
109)	p-isopropyltoluene	9.378	119	5597	0.57	ug/L		86
110)	1,4-dichlorobenzene	9.461	146	2645	0.53	ug/L		95
112)	1,2-dichlorobenzene	9.814	146	2490	0.51	ug/L		79
113)	n-butylbenzene	9.776	92	2720	0.51	ug/L	#	65
114)	1,2-dibromo-3-chloropr...	10.578	157	590	0.47	ug/L	#	65
115)	1,3,5-trichlorobenzene	10.771	180	1744	0.46	ug/L	#	59
116)	1,2,4-trichlorobenzene	11.390	180	1362	0.41	ug/L		80
117)	hexachlorobutadiene	11.538	225	666	0.52	ug/L	#	18
118)	naphthalene	11.656	128	5333	0.51	ug/L		90
119)	1,2,3-trichlorobenzene	11.874	180	1326	0.44	ug/L	#	47
120)	hexachloroethane	10.084	119	927	0.46	ug/L	#	58
121)	benzyl chloride	9.567	91	4487	0.56	ug/L		91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348709.D
Acq On : 27 Oct 2022 2:18 am
Operator : PrashanS
Sample : IC10548-0.5
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Oct 27 19:02:13 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348710.D
Acq On : 27 Oct 2022 2:41 am
Operator : PrashanS
Sample : IC10548-1
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Oct 28 17:51:15 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.063	65	268266	500.00	ug/L		0.00
5) pentafluorobenzene	4.279	168	252786	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.847	114	347413	50.00	ug/L		0.00
72) chlorobenzene-d5	7.238	117	307527	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.433	152	132401	50.00	ug/L		0.00
123) pentafluorobenzene(a)	4.279	168	253888	50.00	ug/L		0.00
127) 1,4-dichlorobenzene-d4(a)	9.433	152	132401	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.289	113	101426	46.13	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 92.26%				
52) 1,2-dichloroethane-d4 (s)	4.542	65	120163	53.12	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 106.24%				
73) toluene-d8 (s)	5.993	98	426929	55.73	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 111.46%				
96) 4-bromofluorobenzene (s)	8.319	95	149376	47.46	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 94.92%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.284	88	1440	26.89	ug/L	#	61
3) ethanol	2.482	45	8275	112.62	ug/L		88
4) tertiary butyl alcohol	3.118	59	3741	4.56	ug/L		80
6) chlorodifluoromethane	1.657	51	5413	1.06	ug/L	#	86
7) dichlorodifluoromethane	1.635	85	5576	0.86	ug/L		95
8) chloromethane	1.795	50	4303	0.92	ug/L		80
9) vinyl chloride	1.876	62	4727	0.95	ug/L		92
10) 1,3-butadiene	1.911	54	3613	1.07	ug/L		92
12) chloroethane	2.213	64	2526	1.02	ug/L		95
13) trichlorofluoromethane	2.392	101	5007	0.92	ug/L		93
14) ethyl ether	2.578	74	1976	0.95	ug/L	#	76
16) freon 113	2.748	151	2417	1.01	ug/L		89
17) 1,1-dichloroethene	2.761	96	2910	1.06	ug/L	#	72
18) acetone	2.771	58	3186	4.65	ug/L	#	73
22) carbon disulfide	2.935	76	11932	1.33	ug/L		95
23) methylene chloride	3.092	84	3238	1.04	ug/L		77
24) methyl acetate	2.980	74	863	0.92	ug/L		95
25) methyl tert butyl ether	3.255	73	10009	1.05	ug/L		91
26) trans-1,2-dichloroethene	3.278	96	3487	1.22	ug/L		89
27) hexane	3.451	57	5424	1.02	ug/L		85
29) ethyl tert-butyl ether	3.807	59	11518	1.08	ug/L		91
30) 2-butanone	3.936	72	2929	3.97	ug/L	#	58
31) 1,1-dichloroethane	3.567	63	6025	1.09	ug/L		90
32) chloroprene	3.618	53	5524	1.12	ug/L		79
33) acrylonitrile	3.236	53	2201	1.00	ug/L		85
34) vinyl acetate	3.544	86	720	0.85	ug/L	#	1
36) 2,2-dichloropropane	3.968	77	5092	1.21	ug/L		95
37) cis-1,2-dichloroethene	3.958	96	3214	1.05	ug/L	#	63
39) methyl acrylate	3.994	85	785	1.12	ug/L	#	1
40) bromochloromethane	4.122	128	1293	0.93	ug/L		84

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348710.D
Acq On : 27 Oct 2022 2:41 am
Operator : PrashanS
Sample : IC10548-1
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Oct 28 17:51:15 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
41) tetrahydrofuran	4.135	72	777	0.96	ug/L	#	52
42) chloroform	4.180	83	6459	1.23	ug/L		91
44) methacrylonitrile	4.090	67	2347	1.12	ug/L		93
45) 1,1,1-trichloroethane	4.314	97	4857	1.09	ug/L	#	70
46) cyclohexane	4.382	84	5111	1.10	ug/L		83
47) 1,1-dichloropropene	4.424	75	4945	1.25	ug/L		90
48) carbon tetrachloride	4.433	117	3916	1.11	ug/L		99
49) isopropyl acetate	4.545	87	1026	1.10	ug/L	#	45
56) benzene	4.571	78	12588	1.17	ug/L		98
57) heptane	4.744	57	2538	1.15	ug/L		90
58) 1,2-dichloroethane	4.597	62	4466	1.24	ug/L		83
59) trichloroethene	5.040	95	3183	1.11	ug/L		79
61) 2-nitropropane	5.595	41	1612	1.19	ug/L		87
62) 2-chloroethyl vinyl ether	5.620	63	12285	5.82	ug/L		94
63) methyl methacrylate	5.235	100	1248	1.15	ug/L	#	46
64) 1,2-dichloropropane	5.239	63	3421	1.16	ug/L		83
65) methylcyclohexane	5.229	83	6132	1.17	ug/L		75
66) dibromomethane	5.303	93	1967	1.18	ug/L		84
67) bromodichloromethane	5.431	83	4632	1.17	ug/L		76
68) cis-1,3-dichloropropene	5.768	75	4853	0.99	ug/L		91
69) epichlorohydrin	5.681	57	3451	5.84	ug/L		82
70) 4-methyl-2-pentanone	5.868	58	9144	4.78	ug/L		90
74) toluene	6.044	92	8049	1.25	ug/L		79
75) trans-1,3-dichloropropene	6.217	75	5187	1.25	ug/L		91
77) 1,1,2-trichloroethane	6.394	83	2632	1.18	ug/L		95
78) 2-hexanone	6.554	58	10248	5.43	ug/L		97
79) tetrachloroethene	6.490	166	3372	1.24	ug/L		69
80) 1,3-dichloropropane	6.538	76	5182	1.25	ug/L		85
82) dibromochloromethane	6.731	129	3144	1.19	ug/L		88
83) 1,2-dibromoethane	6.843	107	3168	1.15	ug/L		87
85) chlorobenzene	7.270	112	7440	1.13	ug/L		90
86) 1,1,1,2-tetrachloroethane	7.334	131	2899	1.31	ug/L		71
87) ethylbenzene	7.340	91	14549	1.32	ug/L		99
88) m,p-xylene	7.453	106	10849	2.48	ug/L		90
89) o-xylene	7.812	106	5478	1.21	ug/L		91
91) styrene	7.828	104	9139	1.26	ug/L		90
92) bromoform	8.005	173	2456	1.19	ug/L		70
93) isopropylbenzene	8.146	105	14678	1.26	ug/L		88
94) cis-1,4-dichloro-2-butene	8.197	88	1176	0.89	ug/L	#	80
97) bromobenzene	8.464	156	3232	1.11	ug/L	#	69
98) 1,1,2,2-tetrachloroethane	8.428	83	4974	1.12	ug/L		86
99) trans-1,4-dichloro-2-b...	8.467	53	1068	0.91	ug/L	#	65
100) 1,2,3-trichloropropane	8.499	110	1285	1.06	ug/L	#	39
101) n-propylbenzene	8.541	91	15007	1.09	ug/L		91
102) 2-chlorotoluene	8.637	126	2972	1.08	ug/L		94
103) 4-chlorotoluene	8.759	126	3006	1.14	ug/L	#	66
104) 1,3,5-trimethylbenzene	8.707	105	11006	1.13	ug/L		82
105) tert-butylbenzene	9.015	119	9123	1.08	ug/L		87
106) 1,2,4-trimethylbenzene	9.076	105	11156	1.14	ug/L		98
107) sec-butylbenzene	9.234	105	13624	1.10	ug/L		95

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348710.D
Acq On : 27 Oct 2022 2:41 am
Operator : PrashanS
Sample : IC10548-1
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Oct 28 17:51:15 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
108) 1,3-dichlorobenzene	9.359	146	5696	1.10	ug/L		99
109) p-isopropyltoluene	9.378	119	10784	1.15	ug/L		96
110) 1,4-dichlorobenzene	9.458	146	5010	1.04	ug/L		81
111) 1,2,3-trimethylbenzene	9.484	105	11015	1.20	ug/L		84
112) 1,2-dichlorobenzene	9.811	146	5120	1.09	ug/L		91
113) n-butylbenzene	9.773	92	5015	0.97	ug/L	#	73
114) 1,2-dibromo-3-chloropr...	10.581	157	946	0.78	ug/L	#	75
115) 1,3,5-trichlorobenzene	10.768	180	3088	0.84	ug/L		88
116) 1,2,4-trichlorobenzene	11.393	180	2709	0.85	ug/L		98
117) hexachlorobutadiene	11.534	225	1418	1.15	ug/L	#	69
118) naphthalene	11.656	128	9891	0.97	ug/L		89
119) 1,2,3-trichlorobenzene	11.871	180	2792	0.96	ug/L	#	64
120) hexachloroethane	10.081	119	1886	0.96	ug/L		82
121) benzyl chloride	9.561	91	7643	0.99	ug/L		87

(#) = qualifier out of range (m) = manual integration (+) = signals summed


7.6.16

7

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348710.D
Acq On : 27 Oct 2022 2:41 am
Operator : PrashanS
Sample : IC10548-1
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Oct 28 17:51:15 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348711.D
Acq On : 27 Oct 2022 3:04 am
Operator : PrashanS
Sample : IC10548-2
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Oct 27 19:04:02 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.066	65	287293	500.00	ug/L		0.00
5) pentafluorobenzene	4.285	168	251349	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.850	114	353916	50.00	ug/L		0.00
72) chlorobenzene-d5	7.241	117	315209	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.433	152	135822	50.00	ug/L		0.00
123) pentafluorobenzene(a)	4.285	168	250900	50.00	ug/L		0.00
127) 1,4-dichlorobenzene-d4(a)	9.433	152	135844	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.292	113	102152	46.73	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 93.46%				
52) 1,2-dichloroethane-d4 (s)	4.545	65	129125	56.03	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 112.06%				
73) toluene-d8 (s)	5.996	98	425384	54.17	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 108.34%				
96) 4-bromofluorobenzene (s)	8.322	95	153826	47.64	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.28%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.283	88	3093	53.93	ug/L		97
3) ethanol	2.485	45	15355	195.14	ug/L		97
4) tertiary butyl alcohol	3.127	59	8866	10.09	ug/L		92
6) chlorodifluoromethane	1.661	51	9388	1.85	ug/L	#	100
7) dichlorodifluoromethane	1.638	85	10960	1.70	ug/L		89
8) chloromethane	1.802	50	8465	1.81	ug/L		89
9) vinyl chloride	1.882	62	8743	1.77	ug/L		95
10) 1,3-butadiene	1.911	54	6628	1.97	ug/L		98
11) bromomethane	2.139	96	1256	1.12	ug/L		78
12) chloroethane	2.216	64	4843	1.97	ug/L		92
13) trichlorofluoromethane	2.402	101	10039	1.86	ug/L		76
14) ethyl ether	2.585	74	4262	2.06	ug/L		80
15) acrolein	2.687	56	2189	2.06	ug/L		92
16) freon 113	2.758	151	4636	1.94	ug/L		92
17) 1,1-dichloroethene	2.761	96	5980	2.19	ug/L		85
18) acetone	2.774	58	5348	7.85	ug/L		99
19) acetonitrile	2.963	40	7290	19.24	ug/L		97
20) iodomethane	2.877	142	1624	0.85	ug/L		81
22) carbon disulfide	2.935	76	20057	2.25	ug/L		96
23) methylene chloride	3.095	84	6707	2.16	ug/L		82
24) methyl acetate	2.979	74	1888	2.03	ug/L	#	56
25) methyl tert butyl ether	3.259	73	20012	2.11	ug/L		89
26) trans-1,2-dichloroethene	3.275	96	5864	2.07	ug/L		86
27) hexane	3.454	57	11521	2.18	ug/L		91
28) di-isopropyl ether	3.567	45	23612	2.27	ug/L		90
29) ethyl tert-butyl ether	3.814	59	22935	2.17	ug/L		95
30) 2-butanone	3.929	72	5856	7.98	ug/L	#	74
31) 1,1-dichloroethane	3.576	63	11680	2.12	ug/L		88
32) chloroprene	3.621	53	10682	2.18	ug/L		96
33) acrylonitrile	3.243	53	4084	1.87	ug/L		81

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348711.D
Acq On : 27 Oct 2022 3:04 am
Operator : PrashanS
Sample : IC10548-2
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Oct 27 19:04:02 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
34) vinyl acetate	3.544	86	1777	2.12	ug/L	#	70
35) ethyl acetate	3.945	45	2009	2.39	ug/L	#	58
36) 2,2-dichloropropane	3.968	77	10177	2.43	ug/L		91
37) cis-1,2-dichloroethene	3.965	96	7186	2.36	ug/L		78
39) methyl acrylate	3.997	85	1731	2.48	ug/L	#	38
40) bromochloromethane	4.125	128	3056	2.20	ug/L		78
41) tetrahydrofuran	4.138	72	1702	2.11	ug/L	#	78
42) chloroform	4.180	83	12192	2.34	ug/L		92
44) methacrylonitrile	4.093	67	4276	2.06	ug/L	#	78
45) 1,1,1-trichloroethane	4.324	97	8704	1.97	ug/L		97
46) cyclohexane	4.379	84	9394	2.04	ug/L		87
47) 1,1-dichloropropene	4.427	75	8170	2.08	ug/L		94
48) carbon tetrachloride	4.433	117	7575	2.16	ug/L		85
49) isopropyl acetate	4.545	87	1568	1.69	ug/L	#	75
50) tert amyl alcohol	4.520	55	3958	13.16	ug/L	#	80
53) tert-amyl methyl ether	4.635	73	20927	2.42	ug/L		94
54) 2,2,4-trimethylpentane	4.638	57	22713	2.39	ug/L		86
55) n-butyl alcohol	4.908	56	21360	106.76	ug/L		96
56) benzene	4.577	78	25288	2.31	ug/L		94
57) heptane	4.751	57	4834	2.14	ug/L		87
58) 1,2-dichloroethane	4.597	62	8422	2.30	ug/L		94
59) trichloroethene	5.043	95	5683	1.94	ug/L		91
60) ethyl acrylate	5.062	55	12519	2.19	ug/L		93
61) 2-nitropropane	5.595	41	3037	2.20	ug/L	#	61
62) 2-chloroethyl vinyl ether	5.627	63	25652	11.93	ug/L		95
63) methyl methacrylate	5.248	100	2183	1.98	ug/L	#	71
64) 1,2-dichloropropane	5.242	63	7169	2.39	ug/L		88
65) methylcyclohexane	5.229	83	10778	2.02	ug/L		98
66) dibromomethane	5.309	93	4150	2.44	ug/L		83
67) bromodichloromethane	5.428	83	8562	2.12	ug/L		94
68) cis-1,3-dichloropropene	5.771	75	11042	2.22	ug/L		91
69) epichlorohydrin	5.681	57	6705	11.13	ug/L		87
70) 4-methyl-2-pentanone	5.871	58	18754	9.62	ug/L		98
71) 3-methyl-1-butanol	5.890	70	8790	48.29	ug/L		94
74) toluene	6.054	92	14598	2.21	ug/L		86
75) trans-1,3-dichloropropene	6.220	75	9600	2.25	ug/L		90
76) ethyl methacrylate	6.243	69	10173	2.27	ug/L		84
77) 1,1,2-trichloroethane	6.394	83	5142	2.24	ug/L		91
78) 2-hexanone	6.554	58	18591	9.62	ug/L		87
79) tetrachloroethene	6.487	166	6556	2.36	ug/L		87
80) 1,3-dichloropropane	6.541	76	10286	2.43	ug/L		93
81) butyl acetate	6.644	56	6327	2.24	ug/L		94
82) dibromochloromethane	6.724	129	5818	2.15	ug/L		94
83) 1,2-dibromoethane	6.843	107	6280	2.22	ug/L		93
84) n-butyl ether	7.315	57	27443	2.27	ug/L		96
85) chlorobenzene	7.273	112	14331	2.12	ug/L		98
86) 1,1,1,2-tetrachloroethane	7.340	131	4973	2.20	ug/L		94
87) ethylbenzene	7.344	91	28788	2.56	ug/L		89
88) m,p-xylene	7.456	106	21320	4.75	ug/L		93
89) o-xylene	7.812	106	10183	2.20	ug/L		95

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348711.D
Acq On : 27 Oct 2022 3:04 am
Operator : PrashanS
Sample : IC10548-2
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Oct 27 19:04:02 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
90) butyl acrylate	7.738	55	15807	2.25	ug/L		95
91) styrene	7.835	104	17284	2.32	ug/L		93
92) bromoform	8.005	173	4554	2.16	ug/L		90
93) isopropylbenzene	8.149	105	28082	2.34	ug/L		97
94) cis-1,4-dichloro-2-butene	8.207	88	2474	1.82	ug/L		90
97) bromobenzene	8.463	156	6183	2.06	ug/L	#	76
98) 1,1,2,2-tetrachloroethane	8.435	83	8793	1.94	ug/L		87
99) trans-1,4-dichloro-2-b...	8.470	53	2302	1.91	ug/L		85
100) 1,2,3-trichloropropane	8.492	110	2528	2.04	ug/L		87
101) n-propylbenzene	8.544	91	31235	2.22	ug/L		93
102) 2-chlorotoluene	8.640	126	5747	2.03	ug/L		93
103) 4-chlorotoluene	8.759	126	6608	2.44	ug/L	#	53
104) 1,3,5-trimethylbenzene	8.714	105	21197	2.12	ug/L		88
105) tert-butylbenzene	9.015	119	18338	2.12	ug/L		97
106) 1,2,4-trimethylbenzene	9.076	105	21473	2.15	ug/L		94
107) sec-butylbenzene	9.234	105	25722	2.02	ug/L		91
108) 1,3-dichlorobenzene	9.359	146	10174	1.91	ug/L		93
109) p-isopropyltoluene	9.381	119	20897	2.16	ug/L		94
110) 1,4-dichlorobenzene	9.458	146	10571	2.14	ug/L		91
111) 1,2,3-trimethylbenzene	9.477	105	20420	2.17	ug/L		92
112) 1,2-dichlorobenzene	9.818	146	10304	2.13	ug/L		88
113) n-butylbenzene	9.779	92	9683	1.83	ug/L		88
114) 1,2-dibromo-3-chloropr...	10.581	157	2462	1.97	ug/L		86
115) 1,3,5-trichlorobenzene	10.767	180	6474	1.71	ug/L	#	73
116) 1,2,4-trichlorobenzene	11.393	180	5071	1.55	ug/L		91
117) hexachlorobutadiene	11.528	225	2428	1.91	ug/L		93
118) naphthalene	11.663	128	19305	1.85	ug/L		95
119) 1,2,3-trichlorobenzene	11.878	180	5257	1.76	ug/L		86
120) hexachloroethane	10.078	119	3164	1.57	ug/L		85
121) benzyl chloride	9.567	91	15061	1.89	ug/L		90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348711.D
Acq On : 27 Oct 2022 3:04 am
Operator : PrashanS
Sample : IC10548-2
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Oct 27 19:04:02 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348712.D
Acq On : 27 Oct 2022 3:27 am
Operator : PrashanS
Sample : IC10548-4
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Oct 27 19:04:07 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.066	65	279687	500.00	ug/L		0.00
5) pentafluorobenzene	4.282	168	245159	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.850	114	343111	50.00	ug/L		0.00
72) chlorobenzene-d5	7.244	117	302187	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.433	152	131580	50.00	ug/L		0.00
123) pentafluorobenzene(a)	4.282	168	246007	50.00	ug/L		0.00
127) 1,4-dichlorobenzene-d4(a)	9.433	152	131599	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.292	113	99117	46.49	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 92.98%				
52) 1,2-dichloroethane-d4 (s)	4.545	65	120490	53.93	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 107.86%				
73) toluene-d8 (s)	5.996	98	418100	55.54	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 111.08%				
96) 4-bromofluorobenzene (s)	8.319	95	145910	46.65	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 93.30%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.280	88	5292	94.78	ug/L		99
3) ethanol	2.488	45	29849	389.66	ug/L		100
4) tertiary butyl alcohol	3.124	59	17059	19.94	ug/L		96
6) chlorodifluoromethane	1.657	51	18166	3.67	ug/L	#	96
7) dichlorodifluoromethane	1.638	85	21876	3.47	ug/L		91
8) chloromethane	1.802	50	16971	3.73	ug/L		90
9) vinyl chloride	1.879	62	17271	3.58	ug/L		97
10) 1,3-butadiene	1.911	54	13639	4.15	ug/L		98
11) bromomethane	2.139	96	2943	2.68	ug/L		86
12) chloroethane	2.216	64	8907	3.71	ug/L		87
13) trichlorofluoromethane	2.402	101	18970	3.61	ug/L		97
14) ethyl ether	2.588	74	7961	3.95	ug/L		87
15) acrolein	2.691	56	3832	3.70	ug/L		87
16) freon 113	2.758	151	9437	4.06	ug/L		95
17) 1,1-dichloroethene	2.761	96	11114	4.16	ug/L		95
18) acetone	2.777	58	10479	15.76	ug/L		99
19) acetonitrile	2.967	40	15764	42.65	ug/L		82
20) iodomethane	2.877	142	3457	1.85	ug/L		87
21) iso-butyl alcohol	4.433	43	14703	47.73	ug/L		90
22) carbon disulfide	2.938	76	36179	4.16	ug/L		96
23) methylene chloride	3.095	84	11408	3.77	ug/L		85
24) methyl acetate	2.983	74	3623	4.00	ug/L	#	88
25) methyl tert butyl ether	3.262	73	36630	3.96	ug/L		93
26) trans-1,2-dichloroethene	3.281	96	11613	4.20	ug/L		93
27) hexane	3.454	57	20445	3.97	ug/L		94
28) di-isopropyl ether	3.567	45	43849	4.32	ug/L		95
29) ethyl tert-butyl ether	3.811	59	41600	4.03	ug/L		90
30) 2-butanone	3.936	72	10636	14.87	ug/L	#	70
31) 1,1-dichloroethane	3.576	63	22211	4.14	ug/L		92
32) chloroprene	3.628	53	19911	4.17	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348712.D
Acq On : 27 Oct 2022 3:27 am
Operator : PrashanS
Sample : IC10548-4
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Oct 27 19:04:07 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
33) acrylonitrile	3.246	53	7469	3.51	ug/L		86
34) vinyl acetate	3.554	86	2913	3.56	ug/L	#	84
35) ethyl acetate	3.945	45	3940	4.80	ug/L	#	56
36) 2,2-dichloropropane	3.968	77	17783	4.36	ug/L		96
37) cis-1,2-dichloroethene	3.965	96	12619	4.24	ug/L		96
38) propionitrile	3.981	54	33665	44.98	ug/L		83
39) methyl acrylate	3.981	85	2927	4.29	ug/L	#	83
40) bromochloromethane	4.131	128	5538	4.09	ug/L	#	82
41) tetrahydrofuran	4.147	72	3244	4.12	ug/L		85
42) chloroform	4.186	83	21055	4.14	ug/L		83
44) methacrylonitrile	4.087	67	7859	3.88	ug/L		88
45) 1,1,1-trichloroethane	4.327	97	16346	3.79	ug/L		90
46) cyclohexane	4.382	84	18929	4.20	ug/L		96
47) 1,1-dichloropropene	4.430	75	15912	4.16	ug/L		94
48) carbon tetrachloride	4.436	117	13919	4.08	ug/L		93
49) isopropyl acetate	4.552	87	3779	4.18	ug/L	#	87
50) tert amyl alcohol	4.523	55	5919	20.17	ug/L		95
53) tert-amyl methyl ether	4.638	73	36495	4.35	ug/L		96
54) 2,2,4-trimethylpentane	4.638	57	41961	4.55	ug/L		93
55) n-butyl alcohol	4.911	56	40866	210.68	ug/L		100
56) benzene	4.577	78	46433	4.38	ug/L		97
57) heptane	4.748	57	8854	4.05	ug/L		95
58) 1,2-dichloroethane	4.600	62	15188	4.29	ug/L		90
59) trichloroethene	5.049	95	11331	3.99	ug/L		96
60) ethyl acrylate	5.062	55	22984	4.14	ug/L		94
61) 2-nitropropane	5.595	41	4979	3.72	ug/L		89
62) 2-chloroethyl vinyl ether	5.627	63	47031	22.56	ug/L		98
63) methyl methacrylate	5.242	100	4586	4.29	ug/L		92
64) 1,2-dichloropropane	5.245	63	12300	4.24	ug/L		89
65) methylcyclohexane	5.232	83	21656	4.19	ug/L		96
66) dibromomethane	5.316	93	6725	4.08	ug/L		85
67) bromodichloromethane	5.434	83	15233	3.88	ug/L		89
68) cis-1,3-dichloropropene	5.771	75	19269	4.00	ug/L		89
69) epichlorohydrin	5.678	57	12670	21.70	ug/L		93
70) 4-methyl-2-pentanone	5.867	58	33735	17.84	ug/L		94
71) 3-methyl-1-butanol	5.893	70	15666	88.77	ug/L		92
74) toluene	6.054	92	27768	4.39	ug/L		91
75) trans-1,3-dichloropropene	6.220	75	16716	4.09	ug/L		94
76) ethyl methacrylate	6.243	69	19371	4.51	ug/L		90
77) 1,1,2-trichloroethane	6.391	83	9037	4.11	ug/L		87
78) 2-hexanone	6.554	58	35656	19.24	ug/L		93
79) tetrachloroethene	6.490	166	11690	4.39	ug/L		98
80) 1,3-dichloropropane	6.541	76	18857	4.64	ug/L		98
81) butyl acetate	6.644	56	12472	4.60	ug/L		81
82) dibromochloromethane	6.724	129	11687	4.51	ug/L		87
83) 1,2-dibromoethane	6.846	107	11203	4.13	ug/L		96
84) n-butyl ether	7.311	57	52072	4.50	ug/L		94
85) chlorobenzene	7.270	112	27783	4.28	ug/L		95
86) 1,1,1,2-tetrachloroethane	7.337	131	10192	4.70	ug/L		85
87) ethylbenzene	7.344	91	50917	4.72	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348712.D
Acq On : 27 Oct 2022 3:27 am
Operator : PrashanS
Sample : IC10548-4
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Oct 27 19:04:07 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
88) m,p-xylene	7.459	106	39203	9.11	ug/L		94
89) o-xylene	7.815	106	20761	4.68	ug/L		99
90) butyl acrylate	7.735	55	27949	4.15	ug/L		98
91) styrene	7.831	104	32292	4.52	ug/L		99
92) bromoform	8.008	173	8428	4.17	ug/L		92
93) isopropylbenzene	8.149	105	51865	4.52	ug/L		97
94) cis-1,4-dichloro-2-butene	8.200	88	4966	3.82	ug/L		90
97) bromobenzene	8.467	156	10966	3.77	ug/L		87
98) 1,1,2,2-tetrachloroethane	8.435	83	16581	3.77	ug/L		96
99) trans-1,4-dichloro-2-b...	8.473	53	4280	3.67	ug/L		90
100) 1,2,3-trichloropropane	8.492	110	4841	4.03	ug/L		88
101) n-propylbenzene	8.540	91	55990	4.11	ug/L		92
102) 2-chlorotoluene	8.643	126	10765	3.92	ug/L		92
103) 4-chlorotoluene	8.755	126	10816	4.12	ug/L	#	82
104) 1,3,5-trimethylbenzene	8.711	105	39467	4.07	ug/L		93
105) tert-butylbenzene	9.019	119	33298	3.98	ug/L		93
106) 1,2,4-trimethylbenzene	9.073	105	38903	4.01	ug/L		93
107) sec-butylbenzene	9.234	105	50123	4.07	ug/L		95
108) 1,3-dichlorobenzene	9.362	146	18859	3.66	ug/L		92
109) p-isopropyltoluene	9.378	119	38302	4.09	ug/L		94
110) 1,4-dichlorobenzene	9.458	146	18540	3.87	ug/L		94
111) 1,2,3-trimethylbenzene	9.477	105	38048	4.17	ug/L		95
112) 1,2-dichlorobenzene	9.808	146	18098	3.87	ug/L		88
113) n-butylbenzene	9.776	92	18785	3.66	ug/L		96
114) 1,2-dibromo-3-chloropr...	10.578	157	4346	3.60	ug/L	#	76
115) 1,3,5-trichlorobenzene	10.767	180	12822	3.51	ug/L		85
116) 1,2,4-trichlorobenzene	11.396	180	9779	3.08	ug/L		81
117) hexachlorobutadiene	11.538	225	4633	3.77	ug/L	#	72
118) naphthalene	11.660	128	34954	3.45	ug/L		96
119) 1,2,3-trichlorobenzene	11.875	180	9183	3.18	ug/L		92
120) hexachloroethane	10.071	119	6873	3.53	ug/L	#	66
121) benzyl chloride	9.567	91	28347	3.68	ug/L		96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348712.D
Acq On : 27 Oct 2022 3:27 am
Operator : PrashanS
Sample : IC10548-4
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Oct 27 19:04:07 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348713.D
Acq On : 27 Oct 2022 3:50 am
Operator : PrashanS
Sample : IC10548-8
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Oct 27 08:49:30 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.060	65	251783	500.00	ug/L		0.00
5) pentafluorobenzene	4.279	168	239569	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.847	114	336556	50.00	ug/L		0.00
72) chlorobenzene-d5	7.241	117	298907	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.433	152	125181	50.00	ug/L		0.00
123) pentafluorobenzene(a)	4.279	168	239853	50.00	ug/L		0.00
127) 1,4-dichlorobenzene-d4(a)	9.433	152	125145	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.289	113	98002	47.04	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 94.08%				
52) 1,2-dichloroethane-d4 (s)	4.542	65	121155	55.28	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 110.56%				
73) toluene-d8 (s)	5.993	98	409644	55.02	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 110.04%				
96) 4-bromofluorobenzene (s)	8.319	95	144151	48.44	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.88%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.277	88	9519	189.38	ug/L		87
3) ethanol	2.489	45	54018	783.31	ug/L		94
4) tertiary butyl alcohol	3.118	59	30435	39.51	ug/L		97
6) chlorodifluoromethane	1.657	51	36555	7.57	ug/L	#	92
7) dichlorodifluoromethane	1.638	85	43224	7.02	ug/L		98
8) chloromethane	1.799	50	32152	7.22	ug/L		98
9) vinyl chloride	1.879	62	35028	7.44	ug/L		98
10) 1,3-butadiene	1.911	54	26650	8.29	ug/L		90
11) bromomethane	2.132	96	5954	5.56	ug/L		95
12) chloroethane	2.216	64	17344	7.40	ug/L		90
13) trichlorofluoromethane	2.396	101	38016	7.41	ug/L		96
14) ethyl ether	2.578	74	14951	7.58	ug/L		93
15) acrolein	2.681	56	7388	7.29	ug/L		98
16) freon 113	2.755	151	17242	7.59	ug/L		96
17) 1,1-dichloroethene	2.758	96	21216	8.13	ug/L		90
18) acetone	2.768	58	20511	31.57	ug/L		86
19) acetonitrile	2.964	40	28278	78.29	ug/L		92
20) iodomethane	2.874	142	8561	4.69	ug/L		87
21) iso-butyl alcohol	4.433	43	25586	85.00	ug/L		90
22) carbon disulfide	2.935	76	70370	8.28	ug/L		98
23) methylene chloride	3.085	84	23093	7.80	ug/L		99
24) methyl acetate	2.980	74	6701	7.57	ug/L		88
25) methyl tert butyl ether	3.256	73	73383	8.12	ug/L		99
26) trans-1,2-dichloroethene	3.275	96	21844	8.08	ug/L		94
27) hexane	3.448	57	40015	7.95	ug/L		97
28) di-isopropyl ether	3.560	45	83884	8.46	ug/L		98
29) ethyl tert-butyl ether	3.807	59	80657	7.99	ug/L		96
30) 2-butanone	3.929	72	21015	30.06	ug/L		90
31) 1,1-dichloroethane	3.570	63	45508	8.68	ug/L		94
32) chloroprene	3.618	53	38746	8.31	ug/L		95

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348713.D
Acq On : 27 Oct 2022 3:50 am
Operator : PrashanS
Sample : IC10548-8
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Oct 27 08:49:30 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
33) acrylonitrile	3.236	53	15826	7.62	ug/L		96
34) vinyl acetate	3.544	86	6073	7.60	ug/L	#	54
35) ethyl acetate	3.939	45	7082	8.82	ug/L	#	68
36) 2,2-dichloropropane	3.968	77	34905	8.76	ug/L		94
37) cis-1,2-dichloroethene	3.958	96	25391	8.73	ug/L		81
38) propionitrile	3.978	54	63808	87.25	ug/L		95
39) methyl acrylate	3.981	85	5994	9.00	ug/L		96
40) bromochloromethane	4.122	128	10763	8.13	ug/L		95
41) tetrahydrofuran	4.138	72	5942	7.72	ug/L	#	76
42) chloroform	4.176	83	40540	8.16	ug/L		97
44) methacrylonitrile	4.087	67	15612	7.88	ug/L		100
45) 1,1,1-trichloroethane	4.318	97	33063	7.84	ug/L		96
46) cyclohexane	4.375	84	36935	8.40	ug/L		97
47) 1,1-dichloropropene	4.424	75	32380	8.65	ug/L		92
48) carbon tetrachloride	4.433	117	27786	8.33	ug/L		97
49) isopropyl acetate	4.542	87	6887	7.79	ug/L	#	88
50) tert amyl alcohol	4.520	55	12188	42.51	ug/L		94
53) tert-amyl methyl ether	4.635	73	73883	8.97	ug/L		95
54) 2,2,4-trimethylpentane	4.635	57	81579	9.02	ug/L		95
55) n-butyl alcohol	4.902	56	75555	397.11	ug/L		93
56) benzene	4.574	78	92305	8.89	ug/L		98
57) heptane	4.744	57	17565	8.19	ug/L		96
58) 1,2-dichloroethane	4.597	62	30192	8.69	ug/L		92
59) trichloroethene	5.043	95	21712	7.79	ug/L		96
60) ethyl acrylate	5.062	55	46191	8.49	ug/L		95
61) 2-nitropropane	5.592	41	11059	8.43	ug/L		87
62) 2-chloroethyl vinyl ether	5.620	63	87578	42.82	ug/L		97
63) methyl methacrylate	5.242	100	8498	8.10	ug/L	#	89
64) 1,2-dichloropropane	5.242	63	25620	9.00	ug/L		84
65) methylcyclohexane	5.229	83	42971	8.48	ug/L		96
66) dibromomethane	5.309	93	13810	8.54	ug/L		86
67) bromodichloromethane	5.425	83	31721	8.24	ug/L		97
68) cis-1,3-dichloropropene	5.768	75	40417	8.55	ug/L		95
69) epichlorohydrin	5.672	57	24528	42.82	ug/L		93
70) 4-methyl-2-pentanone	5.868	58	65651	35.40	ug/L		94
71) 3-methyl-1-butanol	5.887	70	28958	167.28	ug/L		98
74) toluene	6.047	92	54999	8.79	ug/L		92
75) trans-1,3-dichloropropene	6.224	75	34996	8.65	ug/L		94
76) ethyl methacrylate	6.243	69	37836	8.91	ug/L		87
77) 1,1,2-trichloroethane	6.394	83	18629	8.57	ug/L		95
78) 2-hexanone	6.554	58	68529	37.39	ug/L		92
79) tetrachloroethene	6.487	166	21988	8.35	ug/L		95
80) 1,3-dichloropropane	6.538	76	35164	8.75	ug/L		99
81) butyl acetate	6.638	56	24130	9.00	ug/L		96
82) dibromochloromethane	6.724	129	22095	8.61	ug/L		97
83) 1,2-dibromoethane	6.843	107	22884	8.52	ug/L		95
84) n-butyl ether	7.312	57	103808	9.06	ug/L		98
85) chlorobenzene	7.267	112	54117	8.43	ug/L		97
86) 1,1,1,2-tetrachloroethane	7.337	131	18996	8.85	ug/L		92
87) ethylbenzene	7.344	91	99820	9.35	ug/L		95

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348713.D
Acq On : 27 Oct 2022 3:50 am
Operator : PrashanS
Sample : IC10548-8
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Oct 27 08:49:30 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
88) m,p-xylene	7.453	106	79607	18.70	ug/L	92
89) o-xylene	7.812	106	40560	9.25	ug/L	95
90) butyl acrylate	7.732	55	55986	8.41	ug/L	96
91) styrene	7.831	104	64513	9.12	ug/L	98
92) bromoform	8.005	173	17126	8.57	ug/L	98
93) isopropylbenzene	8.146	105	103550	9.12	ug/L	96
94) cis-1,4-dichloro-2-butene	8.200	88	10080	7.83	ug/L	96
97) bromobenzene	8.464	156	21984	7.95	ug/L	96
98) 1,1,2,2-tetrachloroethane	8.431	83	33951	8.11	ug/L	96
99) trans-1,4-dichloro-2-b...	8.470	53	8165	7.35	ug/L	99
100) 1,2,3-trichloropropane	8.502	110	9483	8.31	ug/L	84
101) n-propylbenzene	8.544	91	111946	8.63	ug/L	97
102) 2-chlorotoluene	8.637	126	20915	8.01	ug/L	91
103) 4-chlorotoluene	8.752	126	20757	8.31	ug/L	94
104) 1,3,5-trimethylbenzene	8.711	105	76026	8.23	ug/L	98
105) tert-butylbenzene	9.019	119	66989	8.41	ug/L	96
106) 1,2,4-trimethylbenzene	9.073	105	78786	8.55	ug/L	99
107) sec-butylbenzene	9.230	105	98286	8.38	ug/L	96
108) 1,3-dichlorobenzene	9.362	146	39420	8.04	ug/L	96
109) p-isopropyltoluene	9.375	119	75913	8.53	ug/L	95
110) 1,4-dichlorobenzene	9.455	146	35757	7.84	ug/L	96
111) 1,2,3-trimethylbenzene	9.478	105	73877	8.50	ug/L	93
112) 1,2-dichlorobenzene	9.808	146	36642	8.23	ug/L	94
113) n-butylbenzene	9.779	92	38014	7.79	ug/L	97
114) 1,2-dibromo-3-chloropr...	10.581	157	8236	7.17	ug/L	90
115) 1,3,5-trichlorobenzene	10.764	180	25735	7.40	ug/L	94
116) 1,2,4-trichlorobenzene	11.393	180	20692	6.86	ug/L	89
117) hexachlorobutadiene	11.535	225	9198	7.87	ug/L	87
118) naphthalene	11.656	128	70433	7.31	ug/L	97
119) 1,2,3-trichlorobenzene	11.878	180	19588	7.13	ug/L	94
120) hexachloroethane	10.081	119	14535	7.84	ug/L	95
121) benzyl chloride	9.564	91	54158	7.38	ug/L	98
122) 2-methylnaphthalene	12.789	142	13415	2.73	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348713.D
Acq On : 27 Oct 2022 3:50 am
Operator : PrashanS
Sample : IC10548-8
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Oct 27 08:49:30 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348714.D
Acq On : 27 Oct 2022 4:14 am
Operator : PrashanS
Sample : IC10548-20
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Oct 27 08:57:11 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.060	65	253373	500.00	ug/L		0.00
5) pentafluorobenzene	4.282	168	223344	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.847	114	324550	50.00	ug/L		0.00
72) chlorobenzene-d5	7.241	117	297358	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.433	152	121279	50.00	ug/L		0.00
123) pentafluorobenzene(a)	4.282	168	223265	50.00	ug/L		0.00
127) 1,4-dichlorobenzene-d4(a)	9.433	152	121315	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.289	113	94399	48.60	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.20%				
52) 1,2-dichloroethane-d4 (s)	4.539	65	112624	53.29	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 106.58%				
73) toluene-d8 (s)	5.993	98	385621	52.06	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 104.12%				
96) 4-bromofluorobenzene (s)	8.319	95	141705	49.15	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.30%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.277	88	24000	474.49	ug/L		92
3) ethanol	2.482	45	133011	1916.69	ug/L		99
4) tertiary butyl alcohol	3.117	59	75291	97.12	ug/L		95
6) chlorodifluoromethane	1.657	51	86404	19.19	ug/L	#	99
7) dichlorodifluoromethane	1.638	85	104915	18.28	ug/L		97
8) chloromethane	1.799	50	78135	18.83	ug/L		99
9) vinyl chloride	1.879	62	83649	19.05	ug/L		96
10) 1,3-butadiene	1.908	54	61521	20.53	ug/L		95
11) bromomethane	2.132	96	17422	17.44	ug/L		89
12) chloroethane	2.212	64	43011	19.67	ug/L		98
13) trichlorofluoromethane	2.392	101	90091	18.83	ug/L		99
14) ethyl ether	2.578	74	35772	19.46	ug/L		93
15) acrolein	2.681	56	17278	18.29	ug/L		91
16) freon 113	2.752	151	42759	20.19	ug/L		96
17) 1,1-dichloroethene	2.758	96	49798	20.48	ug/L		98
18) acetone	2.768	58	48748	80.48	ug/L		97
19) acetonitrile	2.960	40	66647	197.92	ug/L		89
20) iodomethane	2.874	142	25597	15.03	ug/L		93
21) iso-butyl alcohol	4.430	43	57035	203.24	ug/L		100
22) carbon disulfide	2.931	76	157655	19.89	ug/L		99
23) methylene chloride	3.089	84	53625	19.43	ug/L		97
24) methyl acetate	2.976	74	16808	20.36	ug/L	#	84
25) methyl tert butyl ether	3.255	73	175084	20.79	ug/L		97
26) trans-1,2-dichloroethene	3.271	96	51821	20.56	ug/L		96
27) hexane	3.448	57	91836	19.56	ug/L		97
28) di-isopropyl ether	3.560	45	194533	21.04	ug/L		97
29) ethyl tert-butyl ether	3.807	59	194064	20.63	ug/L		97
30) 2-butanone	3.926	72	53255	81.71	ug/L		96
31) 1,1-dichloroethane	3.567	63	100221	20.50	ug/L		98
32) chloroprene	3.624	53	88946	20.46	ug/L		93

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348714.D
Acq On : 27 Oct 2022 4:14 am
Operator : PrashanS
Sample : IC10548-20
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Oct 27 08:57:11 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
33) acrylonitrile	3.233	53	37068	19.14	ug/L		88
34) vinyl acetate	3.541	86	15084	20.25	ug/L	#	93
35) ethyl acetate	3.936	45	15487	20.69	ug/L	#	58
36) 2,2-dichloropropane	3.965	77	79600	21.42	ug/L		97
37) cis-1,2-dichloroethene	3.955	96	55558	20.49	ug/L		95
38) propionitrile	3.974	54	143010	209.76	ug/L		97
39) methyl acrylate	3.977	85	12598	20.29	ug/L	#	75
40) bromochloromethane	4.122	128	25087	20.32	ug/L		96
41) tetrahydrofuran	4.131	72	14525	20.23	ug/L		91
42) chloroform	4.176	83	94011	20.30	ug/L		94
44) methacrylonitrile	4.083	67	36064	19.53	ug/L		89
45) 1,1,1-trichloroethane	4.314	97	78412	19.95	ug/L		90
46) cyclohexane	4.378	84	84444	20.59	ug/L		96
47) 1,1-dichloropropene	4.423	75	71941	20.62	ug/L		98
48) carbon tetrachloride	4.430	117	64280	20.66	ug/L		90
49) isopropyl acetate	4.545	87	17010	20.63	ug/L	#	87
50) tert amyl alcohol	4.520	55	27706	103.65	ug/L		93
53) tert-amyl methyl ether	4.632	73	167818	21.13	ug/L		98
54) 2,2,4-trimethylpentane	4.635	57	183601	21.06	ug/L		96
55) n-butyl alcohol	4.905	56	180849	985.68	ug/L		98
56) benzene	4.571	78	211155	21.08	ug/L		99
57) heptane	4.741	57	40337	19.51	ug/L		93
58) 1,2-dichloroethane	4.597	62	70300	20.97	ug/L		97
59) trichloroethene	5.040	95	53837	20.04	ug/L		95
60) ethyl acrylate	5.056	55	107080	20.41	ug/L		97
61) 2-nitropropane	5.591	41	25118	19.85	ug/L		96
62) 2-chloroethyl vinyl ether	5.620	63	202231	102.54	ug/L		96
63) methyl methacrylate	5.242	100	20671	20.44	ug/L	#	89
64) 1,2-dichloropropane	5.238	63	57383	20.89	ug/L		95
65) methylcyclohexane	5.229	83	96363	19.71	ug/L		99
66) dibromomethane	5.309	93	32201	20.64	ug/L		97
67) bromodichloromethane	5.428	83	74555	20.09	ug/L		99
68) cis-1,3-dichloropropene	5.765	75	93885	20.59	ug/L		97
69) epichlorohydrin	5.675	57	56180	101.71	ug/L		93
70) 4-methyl-2-pentanone	5.864	58	148670	83.12	ug/L		90
71) 3-methyl-1-butanol	5.887	70	68017	407.45	ug/L		96
74) toluene	6.047	92	127034	20.41	ug/L		92
75) trans-1,3-dichloropropene	6.217	75	83534	20.75	ug/L		98
76) ethyl methacrylate	6.240	69	88072	20.85	ug/L		99
77) 1,1,2-trichloroethane	6.394	83	44396	20.53	ug/L		92
78) 2-hexanone	6.554	58	161932	88.81	ug/L		99
79) tetrachloroethene	6.484	166	53376	20.37	ug/L		99
80) 1,3-dichloropropane	6.535	76	87887	21.97	ug/L		95
81) butyl acetate	6.638	56	56189	21.07	ug/L		96
82) dibromochloromethane	6.724	129	53637	21.02	ug/L		100
83) 1,2-dibromoethane	6.843	107	53212	19.92	ug/L		97
84) n-butyl ether	7.311	57	248174	21.77	ug/L		97
85) chlorobenzene	7.270	112	131439	20.59	ug/L		95
86) 1,1,1,2-tetrachloroethane	7.340	131	45658	21.39	ug/L		99
87) ethylbenzene	7.340	91	235474	22.16	ug/L		100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348714.D
Acq On : 27 Oct 2022 4:14 am
Operator : PrashanS
Sample : IC10548-20
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Oct 27 08:57:11 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
88) m,p-xylene	7.456	106	179599	42.40	ug/L	98
89) o-xylene	7.815	106	89515	20.52	ug/L	97
90) butyl acrylate	7.732	55	139329	21.05	ug/L	97
91) styrene	7.828	104	150770	21.42	ug/L	96
92) bromoform	8.008	173	40020	20.12	ug/L	92
93) isopropylbenzene	8.149	105	237639	21.03	ug/L	99
94) cis-1,4-dichloro-2-butene	8.200	88	25736	20.10	ug/L	91
97) bromobenzene	8.463	156	53398	19.94	ug/L	95
98) 1,1,2,2-tetrachloroethane	8.435	83	80371	19.82	ug/L	98
99) trans-1,4-dichloro-2-b...	8.467	53	20792	19.33	ug/L	90
100) 1,2,3-trichloropropane	8.492	110	22246	20.11	ug/L	89
101) n-propylbenzene	8.540	91	254174	20.22	ug/L	96
102) 2-chlorotoluene	8.637	126	49915	19.73	ug/L	93
103) 4-chlorotoluene	8.752	126	49206	20.34	ug/L	99
104) 1,3,5-trimethylbenzene	8.711	105	180979	20.23	ug/L	100
105) tert-butylbenzene	9.015	119	154776	20.05	ug/L	96
106) 1,2,4-trimethylbenzene	9.076	105	180752	20.24	ug/L	98
107) sec-butylbenzene	9.234	105	228063	20.07	ug/L	98
108) 1,3-dichlorobenzene	9.359	146	95229	20.05	ug/L	97
109) p-isopropyltoluene	9.378	119	174854	20.28	ug/L	95
110) 1,4-dichlorobenzene	9.458	146	87996	19.91	ug/L	97
111) 1,2,3-trimethylbenzene	9.477	105	174654	20.75	ug/L	98
112) 1,2-dichlorobenzene	9.808	146	86868	20.14	ug/L	97
113) n-butylbenzene	9.779	92	91871	19.43	ug/L	99
114) 1,2-dibromo-3-chloropr...	10.575	157	20273	18.21	ug/L	93
115) 1,3,5-trichlorobenzene	10.764	180	63458	18.82	ug/L	95
116) 1,2,4-trichlorobenzene	11.396	180	52743	18.04	ug/L	89
117) hexachlorobutadiene	11.531	225	22947	20.26	ug/L	96
118) naphthalene	11.656	128	181860	19.47	ug/L	99
119) 1,2,3-trichlorobenzene	11.874	180	49090	18.46	ug/L	97
120) hexachloroethane	10.078	119	33978	18.92	ug/L	94
121) benzyl chloride	9.561	91	139257	19.60	ug/L	99
122) 2-methylnaphthalene	12.786	142	40080	8.41	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348714.D
Acq On : 27 Oct 2022 4:14 am
Operator : PrashanS
Sample : IC10548-20
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Oct 27 08:57:11 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348715.D
Acq On : 27 Oct 2022 4:37 am
Operator : PrashanS
Sample : ICC10548-50
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Oct 27 08:57:18 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.060	65	246731	500.00	ug/L		0.00
5) pentafluorobenzene	4.279	168	216854	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.847	114	317373	50.00	ug/L		0.00
72) chlorobenzene-d5	7.241	117	303269	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.429	152	120454	50.00	ug/L		0.00
123) pentafluorobenzene(a)	4.279	168	216067	50.00	ug/L		0.00
127) 1,4-dichlorobenzene-d4(a)	9.429	152	120452	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.289	113	94301	50.00	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.00%				
52) 1,2-dichloroethane-d4 (s)	4.539	65	103334	50.00	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.00%				
73) toluene-d8 (s)	5.989	98	377732	50.00	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.00%				
96) 4-bromofluorobenzene (s)	8.316	95	143167	50.00	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.00%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.277	88	61568	1250.00	ug/L		100
3) ethanol	2.485	45	337886	5000.00	ug/L		100
4) tertiary butyl alcohol	3.118	59	188721	250.00	ug/L		100
6) chlorodifluoromethane	1.654	51	218639	50.00	ug/L	#	100
7) dichlorodifluoromethane	1.635	85	278580	50.00	ug/L		100
8) chloromethane	1.795	50	201474	50.00	ug/L		100
9) vinyl chloride	1.879	62	213116	50.00	ug/L		100
10) 1,3-butadiene	1.908	54	145446	50.00	ug/L		100
11) bromomethane	2.126	96	48499	50.00	ug/L		100
12) chloroethane	2.209	64	106145	50.00	ug/L		100
13) trichlorofluoromethane	2.392	101	232214	50.00	ug/L		100
14) ethyl ether	2.578	74	89232	50.00	ug/L		100
15) acrolein	2.681	56	45849	50.00	ug/L		100
16) freon 113	2.748	151	102832	50.00	ug/L		100
17) 1,1-dichloroethene	2.758	96	118041	50.00	ug/L		100
18) acetone	2.768	58	117625	200.00	ug/L		100
19) acetonitrile	2.960	40	163475	500.00	ug/L		100
20) iodomethane	2.870	142	82656	50.00	ug/L		100
21) iso-butyl alcohol	4.427	43	136235	500.00	ug/L		100
22) carbon disulfide	2.931	76	384754	50.00	ug/L		100
23) methylene chloride	3.089	84	134007	50.00	ug/L		100
24) methyl acetate	2.973	74	40082	50.00	ug/L		100
25) methyl tert butyl ether	3.252	73	408857	50.00	ug/L		100
26) trans-1,2-dichloroethene	3.272	96	122355	50.00	ug/L		100
27) hexane	3.448	57	227933	50.00	ug/L		100
28) di-isopropyl ether	3.560	45	448892	50.00	ug/L		100
29) ethyl tert-butyl ether	3.807	59	456634	50.00	ug/L		100
30) 2-butanone	3.926	72	126563	200.00	ug/L		100
31) 1,1-dichloroethane	3.567	63	237317	50.00	ug/L		100
32) chloroprene	3.618	53	211062	50.00	ug/L		100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348715.D
Acq On : 27 Oct 2022 4:37 am
Operator : PrashanS
Sample : ICC10548-50
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Oct 27 08:57:18 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) acrylonitrile	3.233	53	94014	50.00	ug/L	100
34) vinyl acetate	3.541	86	36156	50.00	ug/L	100
35) ethyl acetate	3.939	45	36332	50.00	ug/L	100
36) 2,2-dichloropropane	3.965	77	180413	50.00	ug/L	100
37) cis-1,2-dichloroethene	3.952	96	131614	50.00	ug/L	100
38) propionitrile	3.974	54	330982	500.00	ug/L	100
39) methyl acrylate	3.984	85	30145	50.00	ug/L	100
40) bromochloromethane	4.122	128	59935	50.00	ug/L	100
41) tetrahydrofuran	4.132	72	34849	50.00	ug/L	100
42) chloroform	4.176	83	224821	50.00	ug/L	100
44) methacrylonitrile	4.083	67	89642	50.00	ug/L	100
45) 1,1,1-trichloroethane	4.318	97	190786	50.00	ug/L	100
46) cyclohexane	4.375	84	199121	50.00	ug/L	100
47) 1,1-dichloropropene	4.420	75	169354	50.00	ug/L	100
48) carbon tetrachloride	4.430	117	151039	50.00	ug/L	100
49) isopropyl acetate	4.545	87	40025	50.00	ug/L	100
50) tert amyl alcohol	4.520	55	64884	250.00	ug/L	100
53) tert-amyl methyl ether	4.629	73	388384	50.00	ug/L	100
54) 2,2,4-trimethylpentane	4.632	57	426203	50.00	ug/L	100
55) n-butyl alcohol	4.905	56	448546	2500.00	ug/L	100
56) benzene	4.571	78	489783	50.00	ug/L	100
57) heptane	4.741	57	101088	50.00	ug/L	100
58) 1,2-dichloroethane	4.594	62	163885	50.00	ug/L	100
59) trichloroethene	5.040	95	131340	50.00	ug/L	100
60) ethyl acrylate	5.056	55	256581	50.00	ug/L	100
61) 2-nitropropane	5.592	41	61864	50.00	ug/L	100
62) 2-chloroethyl vinyl ether	5.620	63	482154	250.00	ug/L	100
63) methyl methacrylate	5.235	100	49452	50.00	ug/L	100
64) 1,2-dichloropropane	5.239	63	134277	50.00	ug/L	100
65) methylcyclohexane	5.226	83	238992	50.00	ug/L	100
66) dibromomethane	5.306	93	76270	50.00	ug/L	100
67) bromodichloromethane	5.425	83	181461	50.00	ug/L	100
68) cis-1,3-dichloropropene	5.765	75	222922	50.00	ug/L	100
69) epichlorohydrin	5.675	57	135041	250.00	ug/L	100
70) 4-methyl-2-pentanone	5.864	58	349809	200.00	ug/L	100
71) 3-methyl-1-butanol	5.887	70	163241	1000.00	ug/L	100
74) toluene	6.047	92	317417	50.00	ug/L	100
75) trans-1,3-dichloropropene	6.221	75	205246	50.00	ug/L	100
76) ethyl methacrylate	6.237	69	215371	50.00	ug/L	100
77) 1,1,2-trichloroethane	6.391	83	110259	50.00	ug/L	100
78) 2-hexanone	6.551	58	371900	200.00	ug/L	100
79) tetrachloroethene	6.487	166	133633	50.00	ug/L	100
80) 1,3-dichloropropane	6.535	76	203960	50.00	ug/L	100
81) butyl acetate	6.638	56	135978	50.00	ug/L	100
82) dibromochloromethane	6.721	129	130147	50.00	ug/L	100
83) 1,2-dibromoethane	6.843	107	136194	50.00	ug/L	100
84) n-butyl ether	7.312	57	581270	50.00	ug/L	100
85) chlorobenzene	7.267	112	325567	50.00	ug/L	100
86) 1,1,1,2-tetrachloroethane	7.337	131	108871	50.00	ug/L	100
87) ethylbenzene	7.340	91	541759	50.00	ug/L	100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348715.D
Acq On : 27 Oct 2022 4:37 am
Operator : PrashanS
Sample : ICC10548-50
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Oct 27 08:57:18 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
88)	m,p-xylene	7.456	106	431955	100.00	ug/L	100
89)	o-xylene	7.812	106	222468	50.00	ug/L	100
90)	butyl acrylate	7.732	55	337598	50.00	ug/L	100
91)	styrene	7.828	104	358866	50.00	ug/L	100
92)	bromoform	8.008	173	101429	50.00	ug/L	100
93)	isopropylbenzene	8.146	105	576163	50.00	ug/L	100
94)	cis-1,4-dichloro-2-butene	8.200	88	65295	50.00	ug/L	100
97)	bromobenzene	8.464	156	132995	50.00	ug/L	100
98)	1,1,2,2-tetrachloroethane	8.431	83	201379	50.00	ug/L	100
99)	trans-1,4-dichloro-2-b...	8.470	53	53419	50.00	ug/L	100
100)	1,2,3-trichloropropane	8.492	110	54935	50.00	ug/L	100
101)	n-propylbenzene	8.541	91	624299	50.00	ug/L	100
102)	2-chlorotoluene	8.637	126	125658	50.00	ug/L	100
103)	4-chlorotoluene	8.752	126	120142	50.00	ug/L	100
104)	1,3,5-trimethylbenzene	8.711	105	444241	50.00	ug/L	100
105)	tert-butylbenzene	9.015	119	383395	50.00	ug/L	100
106)	1,2,4-trimethylbenzene	9.073	105	443542	50.00	ug/L	100
107)	sec-butylbenzene	9.230	105	564380	50.00	ug/L	100
108)	1,3-dichlorobenzene	9.359	146	235862	50.00	ug/L	100
109)	p-isopropyltoluene	9.378	119	428262	50.00	ug/L	100
110)	1,4-dichlorobenzene	9.455	146	219494	50.00	ug/L	100
111)	1,2,3-trimethylbenzene	9.478	105	418015	50.00	ug/L	100
112)	1,2-dichlorobenzene	9.811	146	214204	50.00	ug/L	100
113)	n-butylbenzene	9.776	92	234843	50.00	ug/L	100
114)	1,2-dibromo-3-chloropr...	10.578	157	55278	50.00	ug/L	100
115)	1,3,5-trichlorobenzene	10.764	180	167402	50.00	ug/L	100
116)	1,2,4-trichlorobenzene	11.390	180	145170	50.00	ug/L	100
117)	hexachlorobutadiene	11.531	225	56233	50.00	ug/L	100
118)	naphthalene	11.656	128	463847	50.00	ug/L	100
119)	1,2,3-trichlorobenzene	11.878	180	132092	50.00	ug/L	100
120)	hexachloroethane	10.078	119	89162	50.00	ug/L	100
121)	benzyl chloride	9.564	91	352889	50.00	ug/L	100
122)	2-methylnaphthalene	12.786	142	118302	25.00	ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348715.D
Acq On : 27 Oct 2022 4:37 am
Operator : PrashanS
Sample : ICC10548-50
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Oct 27 08:57:18 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348716.D
Acq On : 27 Oct 2022 5:00 am
Operator : PrashanS
Sample : IC10548-100
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Oct 27 08:57:24 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.066	65	236238	500.00	ug/L		0.00
5) pentafluorobenzene	4.279	168	204150	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.847	114	304073	50.00	ug/L		0.00
72) chlorobenzene-d5	7.241	117	295346	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.432	152	114742	50.00	ug/L		0.00
123) pentafluorobenzene(a)	4.279	168	203541	50.00	ug/L		0.00
127) 1,4-dichlorobenzene-d4(a)	9.432	152	114835	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.289	113	88230	49.69	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.38%				
52) 1,2-dichloroethane-d4 (s)	4.539	65	97364	49.17	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 98.34%				
73) toluene-d8 (s)	5.992	98	366034	49.75	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.50%				
96) 4-bromofluorobenzene (s)	8.319	95	136978	50.22	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.44%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.283	88	110320	2339.29	ug/L		91
3) ethanol	2.488	45	583783	9022.47	ug/L		98
4) tertiary butyl alcohol	3.121	59	324925	449.55	ug/L		96
6) chlorodifluoromethane	1.654	51	380837	92.51	ug/L	#	99
7) dichlorodifluoromethane	1.635	85	495158	94.40	ug/L		98
8) chloromethane	1.798	50	363108	95.72	ug/L		99
9) vinyl chloride	1.879	62	373111	92.98	ug/L		98
10) 1,3-butadiene	1.908	54	250031	91.30	ug/L		97
11) bromomethane	2.116	96	101946	111.64	ug/L		91
12) chloroethane	2.206	64	183818	91.98	ug/L		99
13) trichlorofluoromethane	2.389	101	414671	94.84	ug/L		98
14) ethyl ether	2.575	74	155913	92.80	ug/L		92
15) acrolein	2.678	56	81247	94.12	ug/L		97
16) freon 113	2.748	151	180610	93.28	ug/L		98
17) 1,1-dichloroethene	2.758	96	201375	90.61	ug/L		99
18) acetone	2.771	58	204716	369.74	ug/L		97
19) acetonitrile	2.960	40	284051	922.85	ug/L		91
20) iodomethane	2.873	142	166123	106.74	ug/L		99
21) iso-butyl alcohol	4.433	43	225396	878.71	ug/L		95
22) carbon disulfide	2.931	76	678558	93.67	ug/L		98
23) methylene chloride	3.085	84	232675	92.22	ug/L		93
24) methyl acetate	2.973	74	69814	92.51	ug/L		91
25) methyl tert butyl ether	3.252	73	687556	89.32	ug/L		99
26) trans-1,2-dichloroethene	3.271	96	213528	92.69	ug/L		96
27) hexane	3.448	57	407651	94.99	ug/L		99
28) di-isopropyl ether	3.560	45	754173	89.23	ug/L		98
29) ethyl tert-butyl ether	3.804	59	783252	91.10	ug/L		99
30) 2-butanone	3.926	72	225871	379.14	ug/L	#	88
31) 1,1-dichloroethane	3.567	63	403364	90.27	ug/L		100
32) chloroprene	3.618	53	373511	93.99	ug/L		97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348716.D
Acq On : 27 Oct 2022 5:00 am
Operator : PrashanS
Sample : IC10548-100
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Oct 27 08:57:24 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
33) acrylonitrile	3.233	53	171360	96.81	ug/L		99
34) vinyl acetate	3.538	86	60606	89.03	ug/L		96
35) ethyl acetate	3.936	45	63755	93.20	ug/L	#	69
36) 2,2-dichloropropane	3.964	77	307501	90.52	ug/L		100
37) cis-1,2-dichloroethene	3.955	96	222031	89.60	ug/L		99
38) propionitrile	3.974	54	570069	914.77	ug/L		99
39) methyl acrylate	3.981	85	55603	97.97	ug/L		96
40) bromochloromethane	4.122	128	104869	92.93	ug/L		93
41) tetrahydrofuran	4.131	72	60985	92.94	ug/L		95
42) chloroform	4.176	83	388554	91.79	ug/L		98
44) methacrylonitrile	4.086	67	159467	94.48	ug/L		99
45) 1,1,1-trichloroethane	4.314	97	342348	95.30	ug/L		99
46) cyclohexane	4.372	84	360522	96.16	ug/L		87
47) 1,1-dichloropropene	4.423	75	298290	93.55	ug/L		97
48) carbon tetrachloride	4.430	117	261097	91.81	ug/L		96
49) isopropyl acetate	4.542	87	72464	96.16	ug/L	#	90
50) tert amyl alcohol	4.523	55	111977	458.30	ug/L		96
53) tert-amyl methyl ether	4.632	73	663792	89.19	ug/L		99
54) 2,2,4-trimethylpentane	4.632	57	744248	91.13	ug/L		98
55) n-butyl alcohol	4.911	56	755161	4393.04	ug/L		99
56) benzene	4.574	78	844049	89.93	ug/L		98
57) heptane	4.744	57	190659	98.43	ug/L		92
58) 1,2-dichloroethane	4.593	62	285478	90.91	ug/L		98
59) trichloroethene	5.039	95	239732	95.26	ug/L		93
60) ethyl acrylate	5.059	55	437809	89.05	ug/L		99
61) 2-nitropropane	5.591	41	111827	94.33	ug/L		98
62) 2-chloroethyl vinyl ether	5.620	63	800620	433.28	ug/L		98
63) methyl methacrylate	5.235	100	87648	92.50	ug/L		97
64) 1,2-dichloropropane	5.238	63	235220	91.42	ug/L		99
65) methylcyclohexane	5.229	83	424753	92.75	ug/L		99
66) dibromomethane	5.309	93	138491	94.76	ug/L		92
67) bromodichloromethane	5.428	83	327637	94.23	ug/L		99
68) cis-1,3-dichloropropene	5.768	75	396661	92.86	ug/L		96
69) epichlorohydrin	5.675	57	245711	474.78	ug/L		98
70) 4-methyl-2-pentanone	5.864	58	591449	352.95	ug/L		95
71) 3-methyl-1-butanol	5.890	70	272519	1742.45	ug/L		98
74) toluene	6.047	92	555558	89.86	ug/L		100
75) trans-1,3-dichloropropene	6.220	75	368530	92.19	ug/L		98
76) ethyl methacrylate	6.240	69	370591	88.34	ug/L		99
77) 1,1,2-trichloroethane	6.390	83	195937	91.24	ug/L		98
78) 2-hexanone	6.554	58	638172	352.40	ug/L		99
79) tetrachloroethene	6.487	166	241106	92.63	ug/L		97
80) 1,3-dichloropropane	6.535	76	360339	90.71	ug/L		99
81) butyl acetate	6.638	56	238836	90.18	ug/L		98
82) dibromochloromethane	6.727	129	238204	93.97	ug/L		95
83) 1,2-dibromoethane	6.843	107	245962	92.72	ug/L		99
84) n-butyl ether	7.311	57	990855	87.52	ug/L		98
85) chlorobenzene	7.266	112	582351	91.84	ug/L		97
86) 1,1,1,2-tetrachloroethane	7.337	131	191249	90.19	ug/L		99
87) ethylbenzene	7.340	91	917127	86.91	ug/L		97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348716.D
Acq On : 27 Oct 2022 5:00 am
Operator : PrashanS
Sample : IC10548-100
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Oct 27 08:57:24 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
88) m,p-xylene	7.456	106	754267	179.30	ug/L	99
89) o-xylene	7.815	106	389739	89.94	ug/L	95
90) butyl acrylate	7.732	55	585899	89.10	ug/L	98
91) styrene	7.828	104	618148	88.44	ug/L	97
92) bromoform	8.004	173	179994	91.11	ug/L	94
93) isopropylbenzene	8.146	105	983847	87.67	ug/L	95
94) cis-1,4-dichloro-2-butene	8.200	88	124792	98.12	ug/L	93
97) bromobenzene	8.463	156	233036	91.97	ug/L	97
98) 1,1,2,2-tetrachloroethane	8.434	83	352132	91.78	ug/L	96
99) trans-1,4-dichloro-2-b...	8.467	53	95480	93.82	ug/L	86
100) 1,2,3-trichloropropane	8.495	110	93700	89.53	ug/L	95
101) n-propylbenzene	8.540	91	1068860	89.87	ug/L	95
102) 2-chlorotoluene	8.637	126	221851	92.67	ug/L	94
103) 4-chlorotoluene	8.752	126	215210	94.02	ug/L	95
104) 1,3,5-trimethylbenzene	8.710	105	757195	89.47	ug/L	98
105) tert-butylbenzene	9.015	119	661816	90.61	ug/L	98
106) 1,2,4-trimethylbenzene	9.076	105	756980	89.58	ug/L	98
107) sec-butylbenzene	9.233	105	968483	90.07	ug/L	98
108) 1,3-dichlorobenzene	9.359	146	412982	91.91	ug/L	95
109) p-isopropyltoluene	9.378	119	724395	88.78	ug/L	99
110) 1,4-dichlorobenzene	9.458	146	393340	94.06	ug/L	96
111) 1,2,3-trimethylbenzene	9.477	105	716992	90.03	ug/L	98
112) 1,2-dichlorobenzene	9.811	146	373882	91.62	ug/L	98
113) n-butylbenzene	9.776	92	421706	94.25	ug/L	96
114) 1,2-dibromo-3-chloropr...	10.578	157	104202	98.94	ug/L	96
115) 1,3,5-trichlorobenzene	10.764	180	298285	93.53	ug/L	95
116) 1,2,4-trichlorobenzene	11.393	180	258102	93.32	ug/L	99
117) hexachlorobutadiene	11.531	225	102718	95.88	ug/L	99
118) naphthalene	11.656	128	818666	92.64	ug/L	98
119) 1,2,3-trichlorobenzene	11.878	180	239770	95.28	ug/L	99
120) hexachloroethane	10.081	119	160617	94.55	ug/L	95
121) benzyl chloride	9.564	91	609262	90.62	ug/L	99
122) 2-methylnaphthalene	12.783	142	224478	49.80	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348716.D
Acq On : 27 Oct 2022 5:00 am
Operator : PrashanS
Sample : IC10548-100
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Oct 27 08:57:24 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348717.D
Acq On : 27 Oct 2022 5:23 am
Operator : PrashanS
Sample : IC10548-200
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Oct 28 17:51:22 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.076	65	198716	500.00	ug/L		0.02
5) pentafluorobenzene	4.279	168	191757	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.847	114	293073	50.00	ug/L		0.00
72) chlorobenzene-d5	7.241	117	289829	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.432	152	105209	50.00	ug/L		0.00
123) pentafluorobenzene(a)	4.279	168	191721	50.00	ug/L		0.00
127) 1,4-dichlorobenzene-d4(a)	9.432	152	105207	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.285	113	85053	51.00	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.00%				
52) 1,2-dichloroethane-d4 (s)	4.542	65	89874	47.09	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 94.18%				
73) toluene-d8 (s)	5.992	98	352086	48.77	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.54%				
96) 4-bromofluorobenzene (s)	8.319	95	127446	50.96	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.92%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.290	88	198971	5015.75	ug/L		99
3) ethanol	2.501	45	936864	17213.42	ug/L		100
4) tertiary butyl alcohol	3.130	59	561160	922.99	ug/L		97
6) chlorodifluoromethane	1.654	51	666951	172.49	ug/L	#	99
7) dichlorodifluoromethane	1.635	85	886842	180.00	ug/L		96
8) chloromethane	1.798	50	644663	180.93	ug/L		97
9) vinyl chloride	1.879	62	647546	171.81	ug/L		98
10) 1,3-butadiene	1.904	54	416604	161.96	ug/L		99
12) chloroethane	2.196	64	304258	162.08	ug/L		95
13) trichlorofluoromethane	2.386	101	732181	178.29	ug/L		98
14) ethyl ether	2.575	74	278920	176.74	ug/L		93
15) acrolein	2.678	56	152718	188.34	ug/L		97
16) freon 113	2.745	151	318052	174.89	ug/L		99
17) 1,1-dichloroethene	2.755	96	356835	170.93	ug/L		96
18) acetone	2.771	58	363440	698.84	ug/L		86
19) acetonitrile	2.963	40	487615	1686.60	ug/L		93
21) iso-butyl alcohol	4.439	43	381033	1581.47	ug/L		95
22) carbon disulfide	2.928	76	1192324	175.23	ug/L		98
23) methylene chloride	3.085	84	424154	178.97	ug/L		98
24) methyl acetate	2.973	74	122729	173.13	ug/L		99
25) methyl tert butyl ether	3.255	73	1185092	163.90	ug/L		98
26) trans-1,2-dichloroethene	3.268	96	372983	172.37	ug/L		97
27) hexane	3.445	57	708417	175.74	ug/L		98
28) di-isopropyl ether	3.560	45	1251336	157.62	ug/L		97
29) ethyl tert-butyl ether	3.804	59	1364602	168.98	ug/L		96
30) 2-butanone	3.929	72	401267	717.09	ug/L	#	82
31) 1,1-dichloroethane	3.567	63	687600	163.83	ug/L		99
32) chloroprene	3.618	53	654536	175.35	ug/L		94
33) acrylonitrile	3.233	53	304899	183.38	ug/L		97
34) vinyl acetate	3.541	86	115245	180.23	ug/L	#	75

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348717.D
Acq On : 27 Oct 2022 5:23 am
Operator : PrashanS
Sample : IC10548-200
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Oct 28 17:51:22 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
35) ethyl acetate	3.939	45	111664	173.78	ug/L		96
36) 2,2-dichloropropane	3.964	77	539538	169.10	ug/L		99
37) cis-1,2-dichloroethene	3.955	96	400506	172.07	ug/L		99
38) propionitrile	3.980	54	943727	1612.23	ug/L		83
39) methyl acrylate	3.980	85	95850	179.79	ug/L		96
40) bromochloromethane	4.122	128	190550	179.77	ug/L		97
41) tetrahydrofuran	4.131	72	112089	181.87	ug/L		91
42) chloroform	4.176	83	689858	173.50	ug/L		96
44) methacrylonitrile	4.083	67	294151	185.54	ug/L		98
45) 1,1,1-trichloroethane	4.317	97	619135	183.50	ug/L		97
46) cyclohexane	4.375	84	631620	179.36	ug/L		94
47) 1,1-dichloropropene	4.423	75	527813	176.23	ug/L		96
48) carbon tetrachloride	4.430	117	463620	173.56	ug/L		95
49) isopropyl acetate	4.542	87	134017	189.33	ug/L		98
50) tert amyl alcohol	4.529	55	185534	808.43	ug/L	#	85
53) tert-amyl methyl ether	4.632	73	1143249	159.38	ug/L		96
54) 2,2,4-trimethylpentane	4.632	57	1271201	161.50	ug/L		97
55) n-butyl alcohol	4.918	56	1267827	7652.22	ug/L		99
56) benzene	4.571	78	1449377	160.23	ug/L		93
57) heptane	4.744	57	332279	177.98	ug/L		95
58) 1,2-dichloroethane	4.597	62	511862	169.11	ug/L		96
59) trichloroethene	5.039	95	432508	178.30	ug/L		91
60) ethyl acrylate	5.059	55	769500	162.39	ug/L		98
61) 2-nitropropane	5.591	41	203801	178.37	ug/L		99
62) 2-chloroethyl vinyl ether	5.620	63	1351929	759.11	ug/L		93
63) methyl methacrylate	5.238	100	152957	167.47	ug/L	#	89
64) 1,2-dichloropropane	5.238	63	405932	163.69	ug/L		97
65) methylcyclohexane	5.226	83	743185	168.38	ug/L		97
66) dibromomethane	5.309	93	253529	179.99	ug/L		92
67) bromodichloromethane	5.428	83	597712	178.35	ug/L		97
68) cis-1,3-dichloropropene	5.768	75	715575	173.81	ug/L		95
69) epichlorohydrin	5.678	57	437226	876.55	ug/L		96
70) 4-methyl-2-pentanone	5.864	58	1005907	622.80	ug/L	#	83
71) 3-methyl-1-butanol	5.893	70	464775	3083.24	ug/L		97
74) toluene	6.047	92	1000311	164.88	ug/L		95
75) trans-1,3-dichloropropene	6.220	75	665768	169.71	ug/L		96
76) ethyl methacrylate	6.240	69	649033	157.67	ug/L		99
77) 1,1,2-trichloroethane	6.390	83	357667	169.72	ug/L		99
78) 2-hexanone	6.554	58	1044571	587.80	ug/L		93
79) tetrachloroethene	6.483	166	440865	172.60	ug/L		95
80) 1,3-dichloropropane	6.535	76	638538	163.79	ug/L		97
81) butyl acetate	6.637	56	425488	163.71	ug/L		96
82) dibromochloromethane	6.724	129	439496	176.68	ug/L		96
83) 1,2-dibromoethane	6.843	107	455399	174.94	ug/L		93
84) n-butyl ether	7.311	57	1639545	147.57	ug/L		93
85) chlorobenzene	7.266	112	1047214	168.29	ug/L		99
86) 1,1,1,2-tetrachloroethane	7.337	131	335179	161.07	ug/L		97
87) ethylbenzene	7.340	91	1526824	147.45	ug/L		92
88) m,p-xylene	7.456	106	1301686	315.32	ug/L		89
89) o-xylene	7.812	106	684045	160.87	ug/L		92

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348717.D
Acq On : 27 Oct 2022 5:23 am
Operator : PrashanS
Sample : IC10548-200
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Oct 28 17:51:22 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
90)	butyl acrylate	7.732	55	999080	154.83	ug/L		97
91)	styrene	7.828	104	1055691	153.91	ug/L		96
92)	bromoform	8.008	173	326696	168.51	ug/L		93
93)	isopropylbenzene	8.146	105	1655581	150.34	ug/L		92
94)	cis-1,4-dichloro-2-butene	8.200	88	224131	179.59	ug/L		96
97)	bromobenzene	8.463	156	409858	176.42	ug/L		96
98)	1,1,2,2-tetrachloroethane	8.434	83	611976	173.96	ug/L		95
99)	trans-1,4-dichloro-2-b...	8.470	53	167373	179.36	ug/L		93
100)	1,2,3-trichloropropane	8.495	110	166348	173.34	ug/L		94
101)	n-propylbenzene	8.540	91	1770344	162.33	ug/L		93
102)	2-chlorotoluene	8.637	126	396722	180.73	ug/L		90
103)	4-chlorotoluene	8.752	126	382581	182.29	ug/L	#	86
104)	1,3,5-trimethylbenzene	8.710	105	1260800	162.47	ug/L		95
105)	tert-butylbenzene	9.015	119	1129275	168.61	ug/L		95
106)	1,2,4-trimethylbenzene	9.073	105	1258214	162.39	ug/L		95
107)	sec-butylbenzene	9.233	105	1601223	162.41	ug/L		95
108)	1,3-dichlorobenzene	9.359	146	719590	174.65	ug/L		97
109)	p-isopropyltoluene	9.378	119	1190188	159.09	ug/L		97
110)	1,4-dichlorobenzene	9.455	146	679843	177.31	ug/L		95
111)	1,2,3-trimethylbenzene	9.477	105	1197339	163.97	ug/L		96
112)	1,2-dichlorobenzene	9.811	146	643476	171.97	ug/L		96
113)	n-butylbenzene	9.776	92	723527	176.37	ug/L		93
114)	1,2-dibromo-3-chloropr...	10.575	157	197330	204.35	ug/L		97
115)	1,3,5-trichlorobenzene	10.764	180	526650	180.09	ug/L		99
116)	1,2,4-trichlorobenzene	11.390	180	469282	185.05	ug/L		97
117)	hexachlorobutadiene	11.531	225	187366	190.74	ug/L		98
118)	naphthalene	11.656	128	1445629	178.41	ug/L		95
119)	1,2,3-trichlorobenzene	11.874	180	433991	188.08	ug/L		98
120)	hexachloroethane	10.077	119	285379	183.22	ug/L		98
121)	benzyl chloride	9.564	91	1063169	172.47	ug/L		97
122)	2-methylnaphthalene	12.786	142	426140	103.10	ug/L		94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348717.D
Acq On : 27 Oct 2022 5:23 am
Operator : PrashanS
Sample : IC10548-200
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Oct 28 17:51:22 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 08:49:04 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348720.D
Acq On : 27 Oct 2022 6:33 am
Operator : PrashanS
Sample : ICV10548-50
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Oct 28 17:52:35 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Oct 28 17:50:59 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.063	65	247503	500.00	ug/L		0.00
5) pentafluorobenzene	4.279	168	214189	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.847	114	319370	50.00	ug/L		0.00
72) chlorobenzene-d5	7.241	117	306171	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.433	152	121496	50.00	ug/L		0.00
123) pentafluorobenzene(a)	4.279	168	214338	50.00	ug/L		0.00
127) 1,4-dichlorobenzene-d4(a)	9.433	152	121478	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.289	113	93713	52.56	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 105.12%				
52) 1,2-dichloroethane-d4 (s)	4.539	65	106435	48.67	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 97.34%				
73) toluene-d8 (s)	5.993	98	378791	46.72	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 93.44%				
96) 4-bromofluorobenzene (s)	8.322	95	143466	51.34	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.68%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.277	88	59087	1205.42	ug/L		96
3) ethanol	2.485	45	337933	5049.43	ug/L		99
4) tertiary butyl alcohol	3.117	59	203916	275.09	ug/L		95
7) dichlorodifluoromethane	1.635	85	219598	45.09	ug/L		99
8) chloromethane	1.799	50	166949	44.62	ug/L		97
9) vinyl chloride	1.879	62	187316	48.37	ug/L		98
10) 1,3-butadiene	1.908	54	180296	64.34	ug/L		98
11) bromomethane	2.129	96	45400	45.50	ug/L		93
12) chloroethane	2.209	64	101266	50.40	ug/L		96
13) trichlorofluoromethane	2.392	101	210758	50.55	ug/L		98
14) ethyl ether	2.578	74	82239	47.19	ug/L		94
15) acrolein	2.678	56	44610	51.74	ug/L		92
16) freon 113	2.748	151	89480	45.14	ug/L		98
17) 1,1-dichloroethene	2.758	96	110031	47.23	ug/L		97
18) acetone	2.768	58	101121	175.88	ug/L		99
20) iodomethane	2.870	142	64300	40.02	ug/L		95
21) iso-butyl alcohol	4.427	43	144054	540.55	ug/L		99
22) carbon disulfide	2.931	76	355902	44.94	ug/L		99
23) methylene chloride	3.085	84	122627	46.75	ug/L		99
24) methyl acetate	2.976	74	40595	54.13	ug/L		92
25) methyl tert butyl ether	3.255	73	394940	50.09	ug/L		98
26) trans-1,2-dichloroethene	3.275	96	114637	46.66	ug/L		95
27) hexane	3.451	57	211899	46.58	ug/L		97
28) di-isopropyl ether	3.560	45	436789	49.23	ug/L		100
29) ethyl tert-butyl ether	3.807	59	444082	48.91	ug/L		99
30) 2-butanone	3.929	72	127299	207.63	ug/L		97
31) 1,1-dichloroethane	3.570	63	227424	48.41	ug/L		97
32) chloroprene	3.618	53	202857	47.84	ug/L		98
34) vinyl acetate	3.541	86	25189	37.56	ug/L	#	92
35) ethyl acetate	3.936	45	36747	48.89	ug/L	#	60

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348720.D
Acq On : 27 Oct 2022 6:33 am
Operator : PrashanS
Sample : ICV10548-50
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Oct 28 17:52:35 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Oct 28 17:50:59 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
36) 2,2-dichloropropane	3.965	77	172075	45.80	ug/L		99
37) cis-1,2-dichloroethene	3.955	96	125988	47.52	ug/L		96
38) propionitrile	3.974	54	311724	477.96	ug/L		99
39) methyl acrylate	3.984	85	29437	46.82	ug/L		98
40) bromochloromethane	4.125	128	57141	48.86	ug/L		97
41) tetrahydrofuran	4.131	72	33604	49.17	ug/L		88
42) chloroform	4.176	83	227713	49.67	ug/L		98
44) methacrylonitrile	4.083	67	90799	50.73	ug/L		95
45) 1,1,1-trichloroethane	4.314	97	184464	48.30	ug/L		96
46) cyclohexane	4.379	84	194161	48.71	ug/L		95
47) 1,1-dichloropropene	4.423	75	163731	47.37	ug/L		99
48) carbon tetrachloride	4.430	117	143809	47.31	ug/L		98
49) isopropyl acetate	4.542	87	41104	52.63	ug/L		97
50) tert amyl alcohol	4.520	55	65974	252.01	ug/L	#	88
53) tert-amyl methyl ether	4.629	73	368264	46.06	ug/L		99
54) 2,2,4-trimethylpentane	4.632	57	387657	43.74	ug/L		98
55) n-butyl alcohol	4.905	56	457490	2630.37	ug/L		100
56) benzene	4.571	78	466236	44.41	ug/L		98
57) heptane	4.744	57	94249	44.91	ug/L		98
58) 1,2-dichloroethane	4.597	62	158621	46.03	ug/L		99
59) trichloroethene	5.043	95	130518	48.29	ug/L		93
60) ethyl acrylate	5.059	55	251210	49.26	ug/L		98
61) 2-nitropropane	5.591	41	65627	52.04	ug/L		94
62) 2-chloroethyl vinyl ether	5.620	63	425130	211.74	ug/L		100
63) methyl methacrylate	5.239	100	52745	52.92	ug/L	#	87
64) 1,2-dichloropropane	5.239	63	129604	45.70	ug/L		97
65) methylcyclohexane	5.229	83	210872	43.59	ug/L		98
66) dibromomethane	5.309	93	74266	45.19	ug/L		94
67) bromodichloromethane	5.428	83	183144	48.24	ug/L		97
68) cis-1,3-dichloropropene	5.765	75	224388	49.24	ug/L		95
69) epichlorohydrin	5.672	57	138269	245.81	ug/L		96
70) 4-methyl-2-pentanone	5.864	58	359663	196.56	ug/L		98
71) 3-methyl-1-butanol	5.883	70	167584	1016.85	ug/L		97
74) toluene	6.050	92	313975	46.15	ug/L		98
75) trans-1,3-dichloropropene	6.220	75	210331	49.02	ug/L		96
76) ethyl methacrylate	6.240	69	212903	48.32	ug/L		95
77) 1,1,2-trichloroethane	6.391	83	111121	48.65	ug/L		98
78) 2-hexanone	6.554	58	379810	185.41	ug/L		96
80) 1,3-dichloropropane	6.535	76	204898	45.30	ug/L		99
81) butyl acetate	6.638	56	143556	51.05	ug/L		92
82) dibromochloromethane	6.724	129	135099	48.32	ug/L		95
83) 1,2-dibromoethane	6.840	107	137809	48.73	ug/L		96
84) n-butyl ether	7.311	57	586119	49.28	ug/L		100
85) chlorobenzene	7.267	112	334552	48.68	ug/L		97
86) 1,1,1,2-tetrachloroethane	7.337	131	112282	48.25	ug/L		99
87) ethylbenzene	7.340	91	555752	45.15	ug/L		98
88) m,p-xylene	7.456	106	446552	93.13	ug/L		98
89) o-xylene	7.812	106	232734	49.14	ug/L		97
90) butyl acrylate	7.732	55	348228	51.57	ug/L		98
91) styrene	7.828	104	376031	48.17	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348720.D
Acq On : 27 Oct 2022 6:33 am
Operator : PrashanS
Sample : ICV10548-50
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Oct 28 17:52:35 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Oct 28 17:50:59 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
92) bromoform	8.008	173	104635	49.34	ug/L	96
93) isopropylbenzene	8.146	105	593882	48.13	ug/L	99
94) cis-1,4-dichloro-2-butene	8.200	88	64997	51.78	ug/L	95
97) bromobenzene	8.463	156	137981	52.41	ug/L	94
98) 1,1,2,2-tetrachloroethane	8.431	83	203808	50.28	ug/L	94
99) trans-1,4-dichloro-2-b...	8.470	53	58061	56.74	ug/L	97
100) 1,2,3-trichloropropane	8.496	110	57290	52.36	ug/L	96
101) n-propylbenzene	8.540	91	651935	51.58	ug/L	98
102) 2-chlorotoluene	8.637	126	128598	51.45	ug/L	97
103) 4-chlorotoluene	8.752	126	128455	51.29	ug/L	98
104) 1,3,5-trimethylbenzene	8.707	105	458853	50.11	ug/L	98
105) tert-butylbenzene	9.019	119	407915	52.33	ug/L	100
106) 1,2,4-trimethylbenzene	9.073	105	453136	50.59	ug/L	98
107) sec-butylbenzene	9.230	105	597405	52.44	ug/L	99
108) 1,3-dichlorobenzene	9.359	146	243935	53.21	ug/L	96
109) p-isopropyltoluene	9.378	119	447700	50.69	ug/L	98
110) 1,4-dichlorobenzene	9.458	146	235902	52.56	ug/L	96
112) 1,2-dichlorobenzene	9.808	146	225581	52.07	ug/L	98
113) n-butylbenzene	9.776	92	248303	55.19	ug/L	95
114) 1,2-dibromo-3-chloropr...	10.581	157	59549	57.07	ug/L	95
115) 1,3,5-trichlorobenzene	10.764	180	173246	56.68	ug/L	97
116) 1,2,4-trichlorobenzene	11.390	180	150609	59.06	ug/L	97
117) hexachlorobutadiene	11.531	225	61541	54.26	ug/L	92
118) naphthalene	11.653	128	481526	55.23	ug/L	98
119) 1,2,3-trichlorobenzene	11.878	180	137422	56.40	ug/L	95
120) hexachloroethane	10.078	119	93764	56.30	ug/L	98
121) benzyl chloride	9.564	91	342932	49.65	ug/L	99
122) 2-methylnaphthalene	12.783	142	123960	28.54	ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348720.D
Acq On : 27 Oct 2022 6:33 am
Operator : PrashanS
Sample : ICV10548-50
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Oct 28 17:52:35 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Oct 28 17:50:59 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348721.D
Acq On : 27 Oct 2022 6:56 am
Operator : PrashanS
Sample : ICV10548-50
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Oct 27 19:08:15 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 19:06:54 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	3.063	65	252630	500.00	ug/L	0.00
5) pentafluorobenzene	4.279	168	237506	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.847	114	345732	50.00	ug/L	0.00
72) chlorobenzene-d5	7.241	117	307317	50.00	ug/L	0.00
95) 1,4-dichlorobenzene-d4	9.433	152	135096	50.00	ug/L	0.00
123) pentafluorobenzene(a)	4.279	168	237706	50.00	ug/L	0.00
127) 1,4-dichlorobenzene-d4(a)	9.433	152	135096	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	4.289	113	100761	50.97	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.94%			
52) 1,2-dichloroethane-d4 (s)	4.539	65	124009	52.39	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 104.78%			
73) toluene-d8 (s)	5.993	98	428648	52.68	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 105.36%			
96) 4-bromofluorobenzene (s)	8.319	95	150210	48.34	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.68%			
Target Compounds						Qvalue
6) chlorodifluoromethane	1.654	51	229869	49.75	ug/L #	99
19) acetonitrile	2.960	40	179733	519.56	ug/L	86
33) acrylonitrile	3.236	53	89622	45.90	ug/L	92
79) tetrachloroethene	6.484	166	151906	53.74	ug/L	92
111) 1,2,3-trimethylbenzene	9.477	105	488449	51.17	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10548\
Data File : L348721.D
Acq On : 27 Oct 2022 6:56 am
Operator : PrashanS
Sample : ICV10548-50
Misc : MS63290,VL10548,5,,,,1
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Oct 27 19:08:15 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Oct 27 19:06:54 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\Angieg\October 2022\Oct. 31, 2022\vl10552\
Data File : l348799.d
Acq On : 29 Oct 2022 10:33 am
Operator : BridgetK
Sample : cc10548-20 Inst : GCMSL
Misc : MS63359,VL10552,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Results File: ML10548.RES
Quant Time: Oct 31 22:19:58 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Oct 28 18:07:24 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.063	65	246849	500.00	ug/L		0.00
5) pentafluorobenzene	4.282	168	242496	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.850	114	334022	50.00	ug/L		0.00
72) chlorobenzene-d5	7.244	117	312296	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.432	152	126617	50.00	ug/L		0.00
123) pentafluorobenzene(a)	4.282	168	242358	50.00	ug/L		0.00
127) 1,4-dichlorobenzene-d4(a)	9.432	152	126677	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.289	113	98861	48.98	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.96%				
52) 1,2-dichloroethane-d4 (s)	4.545	65	119733	52.35	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 104.70%				
73) toluene-d8 (s)	5.996	98	399652	48.33	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.66%				
96) 4-bromofluorobenzene (s)	8.319	95	149592	51.37	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.74%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.280	88	18958	387.78	ug/L		98
3) ethanol	2.485	45	117059	1753.74	ug/L		98
4) tertiary butyl alcohol	3.120	59	69563	94.09	ug/L		94
6) chlorodifluoromethane	1.651	51	82105	17.40	ug/L	#	94
7) dichlorodifluoromethane	1.638	85	87552	15.88	ug/L		98
8) chloromethane	1.795	50	70164	16.56	ug/L		99
9) vinyl chloride	1.882	62	71534	16.32	ug/L		97
10) 1,3-butadiene	1.908	54	79710	25.13	ug/L		97
11) bromomethane	2.135	96	27213	24.80	ug/L		97
12) chloroethane	2.216	64	38587	16.96	ug/L		95
13) trichlorofluoromethane	2.398	101	83323	17.65	ug/L		96
14) ethyl ether	2.578	74	34398	17.43	ug/L		97
15) acrolein	2.681	56	20065	20.56	ug/L		94
16) freon 113	2.755	151	39191	17.46	ug/L		99
17) 1,1-dichloroethene	2.761	96	46120	17.49	ug/L		92
18) acetone	2.771	58	40409	62.08	ug/L		97
19) acetonitrile	2.960	40	66478	188.21	ug/L		92
20) iodomethane	2.873	142	36723	21.15	ug/L		97
21) iso-butyl alcohol	4.430	43	54132	179.41	ug/L		97
22) carbon disulfide	2.934	76	148584	16.57	ug/L		99
23) methylene chloride	3.088	84	52668	17.73	ug/L		99
24) methyl acetate	2.983	74	15564	18.33	ug/L		88
25) methyl tert butyl ether	3.255	73	173362	19.42	ug/L		98
26) trans-1,2-dichloroethene	3.275	96	49061	17.64	ug/L		99
27) hexane	3.454	57	90042	17.48	ug/L		98
28) di-isopropyl ether	3.563	45	189897	18.90	ug/L		98
29) ethyl tert-butyl ether	3.810	59	193251	18.80	ug/L		95
30) 2-butanone	3.929	72	50349	72.54	ug/L		97
31) 1,1-dichloroethane	3.573	63	98147	18.45	ug/L		98
32) chloroprene	3.624	53	81706	17.02	ug/L		96
33) acrylonitrile	3.236	53	34871	17.49	ug/L		95
34) vinyl acetate	3.544	86	15296	20.14	ug/L	#	85
35) ethyl acetate	3.936	45	15629	18.37	ug/L	#	41
36) 2,2-dichloropropane	3.971	77	80805	19.00	ug/L		96
37) cis-1,2-dichloroethene	3.958	96	52054	17.34	ug/L		89
38) propionitrile	3.977	54	139972	189.57	ug/L		91
39) methyl acrylate	3.984	85	13080	18.37	ug/L		96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\Angieg\October 2022\Oct. 31, 2022\vl10552\
Data File : l348799.d
Acq On : 29 Oct 2022 10:33 am
Operator : BridgetK
Sample : cc10548-20 Inst : GCMSL
Misc : MS63359,VL10552,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Results File: ML10548.RES
Quant Time: Oct 31 22:19:58 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Oct 28 18:07:24 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
40) bromochloromethane	4.125	128	24375	18.41	ug/L		93
41) tetrahydrofuran	4.141	72	14601	18.87	ug/L		98
42) chloroform	4.179	83	91043	17.54	ug/L		94
44) methacrylonitrile	4.086	67	36483	18.00	ug/L		98
45) 1,1,1-trichloroethane	4.324	97	72299	16.72	ug/L		95
46) cyclohexane	4.378	84	67551	14.97	ug/L		94
47) 1,1-dichloropropene	4.430	75	67158	17.16	ug/L		93
48) carbon tetrachloride	4.433	117	58387	16.96	ug/L		98
49) isopropyl acetate	4.545	87	17430	19.71	ug/L	#	81
50) tert amyl alcohol	4.526	55	25295	85.34	ug/L		95
53) tert-amyl methyl ether	4.638	73	163785	19.58	ug/L		98
54) 2,2,4-trimethylpentane	4.638	57	174920	18.87	ug/L		95
55) n-butyl alcohol	4.908	56	161071	885.47	ug/L		99
56) benzene	4.577	78	195524	17.81	ug/L		99
57) heptane	4.751	57	40199	18.31	ug/L		96
58) 1,2-dichloroethane	4.600	62	70656	19.61	ug/L		97
59) trichloroethene	5.046	95	49898	17.65	ug/L		93
60) ethyl acrylate	5.062	55	108322	20.31	ug/L		98
61) 2-nitropropane	5.591	41	24495	18.57	ug/L		94
62) 2-chloroethyl vinyl ether	5.623	63	202612	96.49	ug/L		98
63) methyl methacrylate	5.242	100	21465	20.59	ug/L		95
64) 1,2-dichloropropane	5.242	63	56386	19.01	ug/L		99
65) methylcyclohexane	5.229	83	91998	18.18	ug/L		94
66) dibromomethane	5.312	93	32305	18.79	ug/L		95
67) bromodichloromethane	5.431	83	71372	17.97	ug/L		98
68) cis-1,3-dichloropropene	5.771	75	87244	18.31	ug/L		93
69) epichlorohydrin	5.675	57	56115	95.38	ug/L		98
70) 4-methyl-2-pentanone	5.864	58	149495	78.12	ug/L		96
71) 3-methyl-1-butanol	5.887	70	59423	344.74	ug/L		90
74) toluene	6.053	92	120511	17.37	ug/L		90
75) trans-1,3-dichloropropene	6.223	75	80614	18.42	ug/L		95
76) ethyl methacrylate	6.240	69	89407	19.89	ug/L		95
77) 1,1,2-trichloroethane	6.394	83	44687	19.18	ug/L		93
78) 2-hexanone	6.557	58	157910	75.58	ug/L		93
79) tetrachloroethene	6.487	166	51729	18.01	ug/L		93
80) 1,3-dichloropropane	6.535	76	87247	18.91	ug/L		98
81) butyl acetate	6.637	56	55183	19.24	ug/L		88
82) dibromochloromethane	6.724	129	51576	18.09	ug/L		94
83) 1,2-dibromoethane	6.846	107	55665	19.30	ug/L		98
84) n-butyl ether	7.311	57	234891	19.36	ug/L		98
85) chlorobenzene	7.270	112	127659	18.21	ug/L		91
86) 1,1,1,2-tetrachloroethane	7.340	131	43611	18.37	ug/L		97
87) ethylbenzene	7.343	91	220150	17.54	ug/L		98
88) m,p-xylene	7.456	106	172425	35.26	ug/L		98
89) o-xylene	7.812	106	87131	18.04	ug/L		97
90) butyl acrylate	7.735	55	137287	19.93	ug/L		99
91) styrene	7.831	104	146593	18.41	ug/L		96
92) bromoform	8.008	173	37461	17.32	ug/L		99
93) isopropylbenzene	8.149	105	226893	18.03	ug/L		99
94) cis-1,4-dichloro-2-butene	8.203	88	15935	12.45	ug/L		88
97) bromobenzene	8.467	156	52418	19.10	ug/L		94
98) 1,1,2,2-tetrachloroethane	8.434	83	82702	19.58	ug/L		96
99) trans-1,4-dichloro-2-b...	8.470	53	13987	13.12	ug/L		94
100) 1,2,3-trichloropropane	8.495	110	21933	19.24	ug/L		94
101) n-propylbenzene	8.544	91	248397	18.86	ug/L		98
102) 2-chlorotoluene	8.640	126	47891	18.39	ug/L		96
103) 4-chlorotoluene	8.752	126	48676	18.65	ug/L		89

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\Angieg\October 2022\Oct. 31, 2022\vl10552\
Data File : l348799.d
Acq On : 29 Oct 2022 10:33 am
Operator : BridgetK
Sample : cc10548-20 Inst : GCMSL
Misc : MS63359,VL10552,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Results File: ML10548.RES
Quant Time: Oct 31 22:19:58 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Oct 28 18:07:24 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
104) 1,3,5-trimethylbenzene	8.710	105	173657	18.20	ug/L	97
105) tert-butylbenzene	9.018	119	145718	17.94	ug/L	98
106) 1,2,4-trimethylbenzene	9.073	105	175286	18.78	ug/L	96
107) sec-butylbenzene	9.233	105	219537	18.49	ug/L	97
108) 1,3-dichlorobenzene	9.362	146	91217	19.09	ug/L	98
109) p-isopropyltoluene	9.378	119	167640	18.21	ug/L	99
110) 1,4-dichlorobenzene	9.458	146	84041	17.97	ug/L	96
111) 1,2,3-trimethylbenzene	9.477	105	166681	18.63	ug/L	96
112) 1,2-dichlorobenzene	9.811	146	86274	19.11	ug/L	93
113) n-butylbenzene	9.776	92	88678	18.91	ug/L	97
114) 1,2-dibromo-3-chloropr...	10.575	157	19675	18.09	ug/L	96
115) 1,3,5-trichlorobenzene	10.764	180	63624	19.97	ug/L	95
116) 1,2,4-trichlorobenzene	11.390	180	53382	20.09	ug/L	96
117) hexachlorobutadiene	11.528	225	22239	18.82	ug/L	88
118) naphthalene	11.656	128	175357	19.30	ug/L	98
119) 1,2,3-trichlorobenzene	11.878	180	48624	19.15	ug/L	96
120) hexachloroethane	10.077	119	32062	18.47	ug/L	94
121) benzyl chloride	9.564	91	148576	20.64	ug/L	99
122) 2-methylnaphthalene	12.779	142	36074	7.97	ug/L	89

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\Angieg\October 2022\Oct. 31, 2022\vl10552\
Data File : l348799.d
Acq On : 29 Oct 2022 10:33 am
Operator : BridgetK
Sample : cc10548-20 Inst : GCMSL
Misc : MS63359,VL10552,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10548.M
Quant Results File: ML10548.RES
Quant Time: Oct 31 22:19:58 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Oct 28 18:07:24 2022
Response via : Initial Calibration



GCMS Volatile Run Log

Standard / Reagents	Lot #					
Standard	ABK: V022-2752-121.51	EC: V022-2756-1.1	AA: V022-2752-125.37	EXT PA: V022-2752-137.1	Column	Rxi-624(60mx0.25mmx1.4um)
Standard Concentration	100-10,000ppm	100ppm	100ppm	10/19/22	Method	v8260d
Expiration Date	10/21/2022	10/19/22	10/27/2022	11/3/2022	Init Calib Date	10/14/22
Standard	EXT ABK: V022-2752-144.1	EXT EC: V022-2752-147	EXT Acrolein: V022-2752-128.1	EXT Chlorodifluoromethane:		
Standard Concentration	100-10,000ppm	100ppm	10/19/22	10/19/22	Analysis Date	10/13/2022
Expiration Date	11/8/2022	10/18/22	10/27/2022	10/20/2022	Sequence loaded by	Prashant S.
Internal Surrogate	V022-2752-135				Data processed by	Bridget K.
Internal Surrogate Concentration	50/500ppm				Batch ID	V2A9596
Expiration Date	10/30/2022				Matrix	AQ
					Approved By:	MOHUI
pH paper Lot# (wide range):	222221	8/1/2024	Initial Calibration Method	M2A9596	Approved Date:	10/28/2022 6:10:02 PM

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
2A	220735	BFB		NA			5			1	ok	5:42pm
2A	220736	IC9596-0.2		NA		AQ Initial Calibration	5			2	ok	2ul abk,ec,aa/1000ml
2A	220737	IC9596-0.5		NA		AQ Initial Calibration	5			3	ok	5ul abk,ec,aa/1000ml
2A	220738	IC9596-1		NA		AQ Initial Calibration	5			4	ok	1ul abk,ec,aa/100ml
2A	220739	IC9596-2		NA		AQ Initial Calibration	5			5	ok	2ul abk,ec,aa/100ml
2A	220740	IC9596-4		NA		AQ Initial Calibration	5			6	ok	4ul abk,ec,aa/100ml
2A	220741	IC9596-8		NA		AQ Initial Calibration	5			7	ok	8ul abk,ec,aa/100ml
2A	220742	IC9596-20		NA		AQ Initial Calibration	5			8	ok	20ul abk,ec,aa/100ml
2A	220743	ICC9596-50		NA		AQ Initial Calibration	5			9	ok	50ul abk,ec,aa/100ml
2A	220744	IC9596-100		NA		AQ Initial Calibration	5			10	ok	100ul abk,ec,aa/100ml
2A	220745	IC9596-200		NA		AQ Initial Calibration	5			11	ok	200ul abk,ec,aa/100ml

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
2A	220746	IB		NA			5			12	ok	
2A	220747	IB		NA			5			13	ok	
2A	220748	ICV9596-50		NA		AQ Initial Calibration	5			14	ok	50ul EXT abk,ec,acrolein/100ml
2A	220749	ICV9596-50		NA		AQ Initial Calibration	5			15	ok	50ul EXT PA, Chlorodifluoromethane/100ml

GCMS Volatile Run Log

Standard / Reagents	Lot #				Column	Rxi-624(60mx0.25mmx1.4um)
Standard	ABK: V022-2756-10.10	EC: V022-2756-13.8	AA: V022-2752-125.8		Method	v8260d
Standard Concentration	100-10,000ppm	100ppm	100ppm		Init Calib Date	10/14/22
Expiration Date	11/18/2022	10/27/22	10/27/2022			
Internal Surrogate	V022-2752-135					
Internal Surrogate Concentration	250/2500ppm				Analysis Date	10/27/2022
Expiration Date	10/30/2022				Sequence loaded by	nickw
					Data processed by	nelsonf
					Batch ID	V2A9619
Rough reviewed by					Matrix	AQ
					Approved By:	MOHUI
pH paper Lot# (wide range):	222221	8/1/2024	Initial Calibration Method	M2A9596	Approved Date:	11/1/2022 5:47:02 PM

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
2a	221286	IB		NA			5			1	OK	
2a	221287	BFB/CC9596-50		NA			5			2	OK/OK	50uL ABK, AA, EC/ 100mL, (10:49PM)
2a	221288	CC9596-1		NA			5			3	OK	1uL ABK, AA, EC/ 100mL
2a	221289	BS		NA			5			4	OK	50uL ABK, AA, EC/ 100mL
2a	221290	IB		NA			5			5	OK	
2a	221291	MB		NA			5			6	OK	
2a	221292	JD54302-5	2	NA	MS63421	V8260TCL42	5		1	7	OK	
2a	221293	JD54302-4	2	10X	MS63421	V8260TCL42	5/50		1	8	RR	O/D
2a	221294	JD54347-1	1	NA	MS63447	V8260TICS+	5		1	9	OK	
2a	221295	JD54347-2	2	NA	MS63447	V8260TICS+	5		1	10	OK	
2a	221296	JD54302-4MS	2	10x	MS63421	V8260TCL42	5/50		1	11	OK	25uL ABK, AA, EC/ 50mL

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
2a	221297	JD54302-4MSD	2	10x	MS63421	V8260TCL42	5/50		1	12	OK	25uL ABK, AA, EC/ 50mL
2a	221298	IB		NA			5			13	OK	
2a	221299	JD54347-3	2	NA	MS63447	V8260TICS+	5		1	14	OK	
2a	221300	JD54347-4	1	NA	MS63447	V8260TICS+	5		1	15	OK	
2a	221301	JD54250-4	2	10x	MS63398	V8260TCL20+	5/50		1	16	RR	CC HIT, O/D
2a	221302	JD54250-5	2	5x	MS63398	V8260TCL20+	10/50		1	17	RR	CC HIT, O/D
2a	221303	JD54250-1	2	NA	MS63398	V8260TCL20+	5		1	18	OK	
2a	221304	JD54250-2	2	NA	MS63398	V8260TCL20+	5		1	19	RR	CC HIT
2a	221305	JD54250-3	2	NA	MS63398	V8260TCL20+	5		1	20	RR	CC HIT, F/D
2a	221306	JD54250-6	2	NA	MS63398	V8260TCL20+	5		1	21	OK	
2a	221307	JD54250-7	4	NA	MS63398	V8260TCL20+	5		1	22	OK	
2a	221308	JD54302-1	2	NA	MS63421	V8260TCL42	5		1	23	OK	8:44A.M.
2a	221309	JD54302-2	2	NA	MS63421	V8260TCL42	5			24	NR	
2a	221310	JD54302-3	2	NA	MS63421	V8260TCL42	5			25	NR	

GCMS Volatile Run Log

Standard / Reagents	Lot #					
Standard	ABK: V022-2756-10.25	EC: V022-2756-13.2	AA :V022-2756-24.21	EXT PA v022-2752-137.1	Column	Rxi-624(60mx0.25mmx1.4um)
Standard Concentration	100-10,000ppm	100ppm	100ppm	100ppm	Method	V8260D
Expiration Date	11/18/22	10/27/22	11/27/2022	11/13/22	Init Calib Date	10/27/22
Internal Surrogate	V022-2752-136					
Internal Surrogate Concentration	50/500ppm				Analysis Date	10/27/2022
Expiration Date	10/30/2022				Sequence loaded by	Prashant S
Standard	EXT ABK v022-2752-144.5	EXT EC v022-2756-22.2	EXT Acro v022-2756-25.4	EXT Chlorodifluoromethane	Data processed by	Bridget Kelly
Standard Concentration	100-10,000ppm	100ppm	100ppm	100ppm	Batch ID	VL10548
Expiration Date	11/8/22	11/3/22	11/27/2022	11/24/22	Matrix	AQ
					Approved By:	MOHUI
pH paper Lot# (narrow range):	222221	8/1/2024	Initial Calibration Method	ML10548	Approved Date:	11/8/2022 9:19:35 AM

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
I	348706	IB		NA			5			1	ok	
I	348707	BFB		NA			5			2	ok	
I	348708	IC10548-0.2		NA			5			3	ok	2 uL ABK EC AA / 1000 mL
I	348709	IC10548-0.5		NA			5			4	ok	5 uL ABK EC AA / 1000 mL
I	348710	IC10548-1		NA			5			5	ok	1 uL ABK EC AA / 100 mL
I	348711	IC10548-2		NA			5			6	ok	2 uL ABK EC AA / 100 mL
I	348712	IC10548-4		NA			5			7	ok	4 uL ABK EC AA / 100 mL
I	348713	IC10548-8		NA			5			8	ok	8 uL ABK EC AA / 100 mL
I	348714	IC10548-20		NA			5			9	ok	20 uL ABK EC AA / 100 mL
I	348715	ICC10548-50		NA			5			10	ok	50 uL ABK EC AA / 100 mL
I	348716	IC10548-100		NA			5			11	ok	100 uL ABK EC AA / 100 mL

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
I	348717	IC10548-200		NA			5			12	ok	200 uL ABK EC AA / 100 mL
I	348718	IB		NA			5			13	ok	
I	348719	IB		NA			5			14	ok	
I	348720	ICV10548-50		NA			5			15	ok	50 uL EXT ABK EC Acro / 100 mL
I	348721	ICV10548-50		NA			5			16	ok	50 uL EXT PA Chlorodifluoromethane

GCMS Volatile Run Log

Standard / Reagents	Lot #					
Standard	ABK: V022-2756-10.24	EC: V022-2756-16.2	AA :V022-2756-24.1		Column	Rxi-624(60mx0.25mmx1.4um)
Standard Concentration	100-10,000ppm	100ppm	100ppm		Method	V8260D
Expiration Date	11/18/22	11/1/2022	11/27/2022		Init Calib Date	10/27/22
Internal Surrogate	V022-2752-136					
Internal Surrogate Concentration	50/500ppm				Analysis Date	10/29/2022
Expiration Date	10/30/2022				Sequence loaded by	Bridget Kelly
					Data processed by	angieg
					Batch ID	VL10552
Rough reviewed by					Matrix	AQ
					Approved By:	MEI
pH paper Lot# (narrow range):	222221	8/1/2024	Initial Calibration Method	ML10548	Approved Date:	11/1/2022 6:26:22 PM

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
I	348797	IB		NA			5			1	ok	
I	348798	CC10548-20		NA			5			2	not used	20 uL ABK EC AA / 100 mL
I	348799	BFB/CC10548-20		NA			5			3	ok/ok	10:33am 20 uL ABK EC AA / 100 mL
I	348800	CC10548-1		NA			5			4	ok	1 uL ABK EC AA / 100 mL
I	348801	BS		NA			5			5	ok	50 uL ABK EC AA / 100 mL
I	348802	IB		NA			5			6	ok	
I	348803	MB		NA			5			7	ok	
I	348804	JD54302-4	1	NA	MS63421	V8260TCL42	5		1	8	rr	f/d
I	348805	JD54227-6	1	10x	MS63376	V8260TCL20	5/50		1	9	ok	
I	348806	JD54227-6	1	NA	MS63376	V8260TCL20	5		1	10	rr	f/d
I	348807	JD54210-28	2	250x	MS63354	V8260MASTD	0.2/50		1	11	ok	

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
I	348808	JD54210-32	2	500x	MS63354	V8260MASTD	0.1/50		1	12	ok	
I	348809	JD54108-4	2	50x	MS63384	V8260SL	1/50		1	13	ok	dilution due to NT
I	348810	JD54108-5	2	50x	MS63384	V8260SL	1/50		1	14	ok	
I	348811	JD54108-4MS	2	50x	MS63384	V8260SL	1/50		1	15	ok	25 uL ABK EC AA / 50 mL
I	348812	JD54108-4MSD	2	50x	MS63384	V8260SL	1/50		1	16	ok	25 uL ABK EC AA / 50 mL
I	348813	IB		NA			5			17	ok	
I	348814	JD54085-3	2	NA	MS63305	V8260MA8010L	5		1	18	ok	
I	348815	JD54263-11	3	NA	MS63401	V8260CP51GTCL20	5		1	19	ok	
I	348816	JD54302-2	2	NA	MS63421	V8260TCL42	5		1	20	ok	
I	348817	JD54302-3	2	NA	MS63421	V8260TCL42	5		1	21	ok	
I	348818	JD54435-1	1	NA	MS63499	V8260BTXMT	5		1	22	ok	
I	348819	JD54435-2	1	NA	MS63499	V8260BTXMT	5		1	23	ok	
I	348820	JD54435-3	1	NA	MS63499	V8260BTXMT	5		1	24	ok	
I	348821	JD54435-4	1	10x	MS63499	V8260BTXMT	5/50		1	25	ok	
I	348822	JD54435-5	2	NA	MS63499	V8260BTXMT	5		1	26	ok	
I	348823	JD54435-6	2	NA	MS63499	V8260BTXMT	5		1	27	ok	
I	348824	JD54435-7	1	NA	MS63499	V8260BTXMT	5		1	28	ok	
I	348825	JD54435-8	1	NA	MS63499	V8260BTXMT	5		1	29	ok	
I	348826	JD54085-1	2	2500x	MS63305	V8260MA8010L	20uL/50 mL		1	30	ok	
I	348827	JD54085-1	2	250x	MS63305	V8260MA8010L	0.2/50		1	31	rr	f/d

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
I	348828	JD54085-2	2	500x	MS63305	V8260MA8010L	0.1/50		1	32	ok	
I	348829	JD54085-2	2	50x	MS63305	V8260MA8010L	1/50		1	33	rr	f/d; 10:25pm
I	348830	IB		NA			5			34	ok	

The results set forth herein are provided by SGS North America Inc.

e-Hardcopy 2.0
Automated Report

Technical Report for

WSP USA Environment & Infrastructure Inc

EPT, Ithaca, NY

31405608.001 02

SGS Job Number: JD54338

Sampling Date: 10/24/22

Report to:

WSP
13530 DULLES TECHNOLOGY DRIVE Suite 300
Herndon, VA 20171
Nathaniel.Winston@wsp.com; jeffrey.baker@wsp.com

ATTN: Nathaniel Winston

Total number of pages in report: **640**

Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

David Chastain
General Manager

Client Service contact: Tammy McCloskey 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, FL, IL, IN, KS, KY, LA, MA, MD, ME, MN, NC, OH VAP (CL0056), AK (UST-103), AZ (AZ0786), PA(68-00408), RI, SC, TX, UT, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of SGS.
Test results relate only to samples analyzed.

SGS is the sole authority for authorizing edits or modifications to this document.
Unauthorized modification of this report is strictly prohibited.
Review standard terms at: http://www.sgs.com/en/terms-and-conditions

Please share your ideas about how we can serve you better at:
EHS.US.CustomerCare@sgs.com

Sections: 1 2 3 4 5 6 7

Table of Contents

-1-

Section 1: Sample Summary **3**
Section 2: Case Narrative/Conformance Summary **4**
Section 3: Summary of Hits **5**
Section 4: Sample Results **7**
4.1: JD54338-1: VPOST GAC 8
4.2: JD54338-2: VINF 11
Section 5: Misc. Forms **13**
5.1: Chain of Custody 14
5.2: Summa Canister and Flow Controller Log 16
5.3: Sample Tracking Chronicle 17
5.4: 2021 MDL Study - Method: TO-15 18
Section 6: MS Volatiles - QC Data Summaries **20**
6.1: Method Blank Summary 21
6.2: Blank Spike/Blank Spike Duplicate Summary 31
6.3: Duplicate Summary 41
6.4: Summa Cleaning Certification 45
6.5: Instrument Performance Checks (BFB) 51
6.6: Internal Standard Area Summaries 59
6.7: Initial Calibration RT/ISTD Area Summaries 63
6.8: Surrogate Recovery Summaries 140
6.9: Initial and Continuing Calibration Summaries 141
6.10: Run Sequence Reports 174
Section 7: MS Volatiles - Raw Data **181**
7.1: Samples 182
7.2: Method Blanks 210
7.3: Blank Spike/Blank Spike Duplicates 218
7.4: Duplicates 267
7.5: Summa Cleaning Certifications 304
7.6: Instrument Performance Checks (BFB) 308
7.7: Initial and Continuing Calibrations 322
7.8: Instrument Run Logs 632

SGS North America Inc.

Sample Summary

WSP USA Environment & Infrastructure Inc

Job No: JD54338

EPT, Ithaca, NY
Project No: 31405608.001 02

Sample Number	Collected Date	Time	By	Received	Matrix Code	Type	Client Sample ID
This report contains results reported as ND = Not detected. The following applies:							
Organics ND = Not detected above the MDL							
JD54338-1	10/24/22	12:00	NW	10/25/22	AIR	Soil Vapor Comp.	VPOST GAC
JD54338-2	10/24/22	12:20	NW	10/25/22	AIR	Soil Vapor Comp.	VINF

CASE NARRATIVE / CONFORMANCE SUMMARY

Client:	WSP USA Environment & Infrastructure Inc	**Job No**	JD54338
Site:	EPT, Ithaca, NY	**Report Date**	11/10/2022 2:34:24 P

On 10/25/2022, 2 Sample(s), 0 Trip Blank(s) and 0 Field Blank(s) were received at SGS North America Inc. at a maximum corrected temperature of XXXXNO TEMPERATURE FOUNDXXXX C. Samples were intact and chemically preserved, unless noted below. A SGS North America Inc. Job Number of JD54338 was assigned to the project. Laboratory sample ID, client sample ID and dates of sample collection are detailed in the report's Results Summary Section.

Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

Compounds qualified as out of range in the continuing calibration summary report are acceptable as per method requirements when there is a high bias but the sample result is non-detect.

MS Volatiles By Method TO-15

Matrix: AIR **Batch ID:** V6W1137

- All samples were analyzed within the recommended method holding time.
- Sample(s) JD53652-1DUP were used as the QC samples indicated.
- All method blanks for this batch meet method specific criteria.

Matrix: AIR **Batch ID:** V6W1138

- All samples were analyzed within the recommended method holding time.
- Sample(s) JD54423-15DUP were used as the QC samples indicated.
- All method blanks for this batch meet method specific criteria.

SGS North America Inc. certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting the Quality System precision, accuracy and completeness objectives except as noted.

Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria.

SGS North America Inc. is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety. Data release is authorized by SGS North America Inc indicated via signature on the report cover

Summary of Hits

Job Number: JD54338
Account: WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Collected: 10/24/22

Lab Sample ID / Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
JD54338-1	**VPOST GAC**					
Acetone (2-Propanone)		11.6	0.80	0.58	ppbv	TO-15
Benzene		3.0	0.80	0.25	ppbv	TO-15
Dichlorodifluoromethane		0.53 J	0.80	0.13	ppbv	TO-15
cis-1,2-Dichloroethylene		6.4	0.16	0.31	ppbv	TO-15
Ethanol		39.8	2.0	1.6	ppbv	TO-15
Ethyl Acetate		411	8.0	4.2	ppbv	TO-15
Heptane		0.42 J	0.80	0.37	ppbv	TO-15
Isopropyl Alcohol		5.5	0.80	0.56	ppbv	TO-15
Methylene chloride		2.4	0.80	0.22	ppbv	TO-15
Toluene		11.3	0.80	0.23	ppbv	TO-15
Trichloroethylene		9.5	0.16	0.076	ppbv	TO-15
Trichlorofluoromethane		0.45	0.40	0.14	ppbv	TO-15
Vinyl chloride		1.5	0.16	0.28	ppbv	TO-15
Vinyl Acetate		7.7	0.80	0.45	ppbv	TO-15
Acetone (2-Propanone)		27.6	1.9	1.4	ug/m3	TO-15
Benzene		9.6	2.6	0.80	ug/m3	TO-15
Dichlorodifluoromethane		2.6 J	4.0	0.64	ug/m3	TO-15
cis-1,2-Dichloroethylene		25	0.63	1.2	ug/m3	TO-15
Ethanol		75.0	3.8	3.0	ug/m3	TO-15
Ethyl Acetate		1480	29	15	ug/m3	TO-15
Heptane		1.7 J	3.3	1.5	ug/m3	TO-15
Isopropyl Alcohol		14	2.0	1.4	ug/m3	TO-15
Methylene chloride		8.3	2.8	0.76	ug/m3	TO-15
Toluene		42.6	3.0	0.87	ug/m3	TO-15
Trichloroethylene		51	0.86	0.41	ug/m3	TO-15
Trichlorofluoromethane		2.5	2.2	0.79	ug/m3	TO-15
Vinyl chloride		3.8	0.41	0.72	ug/m3	TO-15
Vinyl Acetate		27	2.8	1.6	ug/m3	TO-15
JD54338-2	**VINF**					
Acetone (2-Propanone)		8.8	0.80	0.58	ppbv	TO-15
Benzene		0.74 J	0.80	0.25	ppbv	TO-15
Dichlorodifluoromethane		0.50 J	0.80	0.13	ppbv	TO-15
cis-1,2-Dichloroethylene		7.3	0.16	0.31	ppbv	TO-15
Ethanol		17.2	2.0	1.6	ppbv	TO-15
Ethyl Acetate		141	0.80	0.42	ppbv	TO-15
Isopropyl Alcohol		2.1	0.80	0.56	ppbv	TO-15
Methylene chloride		2.0	0.80	0.22	ppbv	TO-15
Toluene		2.6	0.80	0.23	ppbv	TO-15
Trichloroethylene		3.1	0.16	0.076	ppbv	TO-15
Vinyl Acetate		1.4	0.80	0.45	ppbv	TO-15
Acetone (2-Propanone)		21	1.9	1.4	ug/m3	TO-15

Summary of Hits

Job Number: JD54338
Account: WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Collected: 10/24/22

Lab Sample ID / Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
Benzene		2.4 J	2.6	0.80	ug/m3	TO-15
Dichlorodifluoromethane		2.5 J	4.0	0.64	ug/m3	TO-15
cis-1,2-Dichloroethylene		29	0.63	1.2	ug/m3	TO-15
Ethanol		32.4	3.8	3.0	ug/m3	TO-15
Ethyl Acetate		507	2.9	1.5	ug/m3	TO-15
Isopropyl Alcohol		5.2	2.0	1.4	ug/m3	TO-15
Methylene chloride		6.9	2.8	0.76	ug/m3	TO-15
Toluene		9.8	3.0	0.87	ug/m3	TO-15
Trichloroethylene		17	0.86	0.41	ug/m3	TO-15
Vinyl Acetate		4.9	2.8	1.6	ug/m3	TO-15

Sample Results

Report of Analysis

SGS North America Inc.

Report of Analysis

Client Sample ID: VPOST GAC
Lab Sample ID: JD54338-1
Matrix: AIR - Soil Vapor Comp. Summa ID: A502
Method: TO-15
Project: EPT, Ithaca, NY

Date Sampled: 10/24/22
Date Received: 10/25/22
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	6W26841.D	1	11/03/22 21:12	TCH	n/a	n/a	V6W1137
Run #2	6W26868.D	1	11/04/22 12:51	TCH	n/a	n/a	V6W1138

	Initial Volume
Run #1	100 ml
Run #2	10.0 ml

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone (2-Propanone)	11.6	0.80	0.58	ppbv		27.6	1.9	1.4	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.80	0.34	ppbv		ND	1.8	0.75	ug/m3
71-43-2	78.11	Benzene	3.0	0.80	0.25	ppbv		9.6	2.6	0.80	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.40	0.12	ppbv		ND	2.7	0.80	ug/m3
75-25-2	252.8	Bromoform	ND	0.16	0.28	ppbv		ND	1.7	2.9	ug/m3
74-83-9	94.94	Bromomethane	ND	0.80	0.28	ppbv		ND	3.1	1.1	ug/m3
593-60-2	106.9	Bromoethene	ND	0.80	0.24	ppbv		ND	3.5	1.0	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.80	0.50	ppbv		ND	4.1	2.6	ug/m3
75-15-0	76.14	Carbon disulfide	ND	0.80	0.18	ppbv		ND	2.5	0.56	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.80	0.30	ppbv		ND	3.7	1.4	ug/m3
75-00-3	64.52	Chloroethane	ND	0.80	0.27	ppbv		ND	2.1	0.71	ug/m3
67-66-3	119.4	Chloroform	ND	0.80	0.15	ppbv		ND	3.9	0.73	ug/m3
74-87-3	50.49	Chloromethane	ND	0.80	0.36	ppbv		ND	1.7	0.74	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.80	0.33	ppbv		ND	2.5	1.0	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.80	0.29	ppbv		ND	4.1	1.5	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.16	0.16	ppbv		ND	1.0	1.0	ug/m3
110-82-7	84.16	Cyclohexane	ND	0.80	0.44	ppbv		ND	2.8	1.5	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.80	0.23	ppbv		ND	3.2	0.93	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.16	0.24	ppbv		ND	0.63	0.95	ug/m3
106-93-4	187.9	1,2-Dibromoethane (EDB)	ND	0.40	0.39	ppbv		ND	3.1	3.0	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.80	0.28	ppbv		ND	3.2	1.1	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.80	0.25	ppbv		ND	3.7	1.2	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.80	0.47	ppbv		ND	2.9	1.7	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.53	0.80	0.13	ppbv	J	2.6	4.0	0.64	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.40	0.21	ppbv		ND	3.4	1.8	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.80	0.28	ppbv		ND	3.2	1.1	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	6.4	0.16	0.31	ppbv		25	0.63	1.2	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.80	0.25	ppbv		ND	3.6	1.1	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.40	0.16	ppbv		ND	2.4	0.96	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.16	0.62	ppbv		ND	0.96	3.7	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.40	0.76	ppbv		ND	2.4	4.6	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.80	0.40	ppbv		ND	3.6	1.8	ug/m3

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: VPOST GAC
Lab Sample ID: JD54338-1
Matrix: AIR - Soil Vapor Comp. Summa ID: A502
Method: TO-15
Project: EPT, Ithaca, NY

Date Sampled: 10/24/22
Date Received: 10/25/22
Percent Solids: n/a

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	39.8	2.0	1.6	ppbv		75.0	3.8	3.0	ug/m3
100-41-4	106.2	Ethylbenzene	ND	0.80	0.24	ppbv		ND	3.5	1.0	ug/m3
141-78-6	88	Ethyl Acetate	411 [a]	8.0	4.2	ppbv		1480 [a]	29	15	ug/m3
622-96-8	120.19	4-Ethyltoluene	ND	0.80	0.38	ppbv		ND	3.9	1.9	ug/m3
76-13-1	187.4	Freon 113	ND	0.40	0.12	ppbv		ND	3.1	0.92	ug/m3
76-14-2	170.9	Freon 114	ND	0.40	0.20	ppbv		ND	2.8	1.4	ug/m3
142-82-5	100.2	Heptane	0.42	0.80	0.37	ppbv	J	1.7	3.3	1.5	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.36	0.25	ppbv		ND	3.8	2.7	ug/m3
110-54-3	86.18	Hexane	ND	0.80	0.45	ppbv		ND	2.8	1.6	ug/m3
591-78-6	100	2-Hexanone	ND	0.80	0.58	ppbv		ND	3.3	2.4	ug/m3
67-63-0	60.1	Isopropyl Alcohol	5.5	0.80	0.56	ppbv		14	2.0	1.4	ug/m3
75-09-2	84.94	Methylene chloride	2.4	0.80	0.22	ppbv		8.3	2.8	0.76	ug/m3
78-93-3	72.11	Methyl ethyl ketone	ND	0.80	0.44	ppbv		ND	2.4	1.3	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.80	0.29	ppbv		ND	3.3	1.2	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.80	0.32	ppbv		ND	2.9	1.2	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.80	0.28	ppbv		ND	3.3	1.1	ug/m3
115-07-1	42	Propylene	ND	2.0	0.57	ppbv		ND	3.4	0.98	ug/m3
100-42-5	104.1	Styrene	ND	0.80	0.47	ppbv		ND	3.4	2.0	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.40	0.15	ppbv		ND	2.2	0.82	ug/m3
79-34-5	167.85	1,1,2,2-Tetrachloroethane	ND	0.40	0.19	ppbv		ND	2.7	1.3	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.40	0.15	ppbv		ND	2.2	0.82	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.40	0.48	ppbv		ND	3.0	3.6	ug/m3
95-63-6	120.19	1,2,4-Trimethylbenzene	ND	0.80	0.35	ppbv		ND	3.9	1.7	ug/m3
108-67-8	120.19	1,3,5-Trimethylbenzene	ND	0.80	0.32	ppbv		ND	3.9	1.6	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	ND	0.80	0.38	ppbv		ND	3.7	1.8	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	0.80	0.37	ppbv		ND	2.4	1.1	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	0.16	0.056	ppbv		ND	1.1	0.38	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.80	0.36	ppbv		ND	2.4	1.1	ug/m3
108-88-3	92.14	Toluene	11.3	0.80	0.23	ppbv		42.6	3.0	0.87	ug/m3
79-01-6	131.4	Trichloroethylene	9.5	0.16	0.076	ppbv		51	0.86	0.41	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.45	0.40	0.14	ppbv		2.5	2.2	0.79	ug/m3
75-01-4	62.5	Vinyl chloride	1.5	0.16	0.28	ppbv		3.8	0.41	0.72	ug/m3
108-05-4	86	Vinyl Acetate	7.7	0.80	0.45	ppbv		27	2.8	1.6	ug/m3
	106.2	m,p-Xylene	ND	0.80	0.56	ppbv		ND	3.5	2.4	ug/m3
95-47-6	106.2	o-Xylene	ND	0.80	0.31	ppbv		ND	3.5	1.3	ug/m3
1330-20-7	106.2	Xylenes (total)	ND	0.80	0.31	ppbv		ND	3.5	1.3	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	99%	97%	65-128%

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	VPOST GAC		
Lab Sample ID:	JD54338-1	**Date Sampled:**	10/24/22
Matrix:	AIR - Soil Vapor Comp. Summa ID: A502	**Date Received:**	10/25/22
Method:	TO-15	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units

(a) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID: VINF
Lab Sample ID: JD54338-2
Matrix: AIR - Soil Vapor Comp. Summa ID: A409
Method: TO-15
Project: EPT, Ithaca, NY

Date Sampled: 10/24/22
Date Received: 10/25/22
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	6W26842.D	1.48	11/03/22 21:46	TCH	n/a	n/a	V6W1137
Run #2							

	Initial Volume
Run #1	148 ml
Run #2	

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone (2-Propanone)	8.8	0.80	0.58	ppbv		21	1.9	1.4	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.80	0.34	ppbv		ND	1.8	0.75	ug/m3
71-43-2	78.11	Benzene	0.74	0.80	0.25	ppbv	J	2.4	2.6	0.80	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.40	0.12	ppbv		ND	2.7	0.80	ug/m3
75-25-2	252.8	Bromoform	ND	0.16	0.28	ppbv		ND	1.7	2.9	ug/m3
74-83-9	94.94	Bromomethane	ND	0.80	0.28	ppbv		ND	3.1	1.1	ug/m3
593-60-2	106.9	Bromoethene	ND	0.80	0.24	ppbv		ND	3.5	1.0	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.80	0.50	ppbv		ND	4.1	2.6	ug/m3
75-15-0	76.14	Carbon disulfide	ND	0.80	0.18	ppbv		ND	2.5	0.56	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.80	0.30	ppbv		ND	3.7	1.4	ug/m3
75-00-3	64.52	Chloroethane	ND	0.80	0.27	ppbv		ND	2.1	0.71	ug/m3
67-66-3	119.4	Chloroform	ND	0.80	0.15	ppbv		ND	3.9	0.73	ug/m3
74-87-3	50.49	Chloromethane	ND	0.80	0.36	ppbv		ND	1.7	0.74	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.80	0.33	ppbv		ND	2.5	1.0	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.80	0.29	ppbv		ND	4.1	1.5	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.16	0.16	ppbv		ND	1.0	1.0	ug/m3
110-82-7	84.16	Cyclohexane	ND	0.80	0.44	ppbv		ND	2.8	1.5	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.80	0.23	ppbv		ND	3.2	0.93	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.16	0.24	ppbv		ND	0.63	0.95	ug/m3
106-93-4	187.9	1,2-Dibromoethane (EDB)	ND	0.40	0.39	ppbv		ND	3.1	3.0	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.80	0.28	ppbv		ND	3.2	1.1	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.80	0.25	ppbv		ND	3.7	1.2	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.80	0.47	ppbv		ND	2.9	1.7	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.50	0.80	0.13	ppbv	J	2.5	4.0	0.64	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.40	0.21	ppbv		ND	3.4	1.8	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.80	0.28	ppbv		ND	3.2	1.1	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	7.3	0.16	0.31	ppbv		29	0.63	1.2	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.80	0.25	ppbv		ND	3.6	1.1	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.40	0.16	ppbv		ND	2.4	0.96	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.16	0.62	ppbv		ND	0.96	3.7	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.40	0.76	ppbv		ND	2.4	4.6	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.80	0.40	ppbv		ND	3.6	1.8	ug/m3

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: VINF
Lab Sample ID: JD54338-2
Matrix: AIR - Soil Vapor Comp. Summa ID: A409
Method: TO-15
Project: EPT, Ithaca, NY

Date Sampled: 10/24/22
Date Received: 10/25/22
Percent Solids: n/a

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	17.2	2.0	1.6	ppbv		32.4	3.8	3.0	ug/m3
100-41-4	106.2	Ethylbenzene	ND	0.80	0.24	ppbv		ND	3.5	1.0	ug/m3
141-78-6	88	Ethyl Acetate	141	0.80	0.42	ppbv		507	2.9	1.5	ug/m3
622-96-8	120.19	4-Ethyltoluene	ND	0.80	0.38	ppbv		ND	3.9	1.9	ug/m3
76-13-1	187.4	Freon 113	ND	0.40	0.12	ppbv		ND	3.1	0.92	ug/m3
76-14-2	170.9	Freon 114	ND	0.40	0.20	ppbv		ND	2.8	1.4	ug/m3
142-82-5	100.2	Heptane	ND	0.80	0.37	ppbv		ND	3.3	1.5	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.36	0.25	ppbv		ND	3.8	2.7	ug/m3
110-54-3	86.18	Hexane	ND	0.80	0.45	ppbv		ND	2.8	1.6	ug/m3
591-78-6	100	2-Hexanone	ND	0.80	0.58	ppbv		ND	3.3	2.4	ug/m3
67-63-0	60.1	Isopropyl Alcohol	2.1	0.80	0.56	ppbv		5.2	2.0	1.4	ug/m3
75-09-2	84.94	Methylene chloride	2.0	0.80	0.22	ppbv		6.9	2.8	0.76	ug/m3
78-93-3	72.11	Methyl ethyl ketone	ND	0.80	0.44	ppbv		ND	2.4	1.3	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.80	0.29	ppbv		ND	3.3	1.2	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.80	0.32	ppbv		ND	2.9	1.2	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.80	0.28	ppbv		ND	3.3	1.1	ug/m3
115-07-1	42	Propylene	ND	2.0	0.57	ppbv		ND	3.4	0.98	ug/m3
100-42-5	104.1	Styrene	ND	0.80	0.47	ppbv		ND	3.4	2.0	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.40	0.15	ppbv		ND	2.2	0.82	ug/m3
79-34-5	167.85	1,1,2,2-Tetrachloroethane	ND	0.40	0.19	ppbv		ND	2.7	1.3	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.40	0.15	ppbv		ND	2.2	0.82	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.40	0.48	ppbv		ND	3.0	3.6	ug/m3
95-63-6	120.19	1,2,4-Trimethylbenzene	ND	0.80	0.35	ppbv		ND	3.9	1.7	ug/m3
108-67-8	120.19	1,3,5-Trimethylbenzene	ND	0.80	0.32	ppbv		ND	3.9	1.6	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	ND	0.80	0.38	ppbv		ND	3.7	1.8	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	0.80	0.37	ppbv		ND	2.4	1.1	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	0.16	0.056	ppbv		ND	1.1	0.38	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.80	0.36	ppbv		ND	2.4	1.1	ug/m3
108-88-3	92.14	Toluene	2.6	0.80	0.23	ppbv		9.8	3.0	0.87	ug/m3
79-01-6	131.4	Trichloroethylene	3.1	0.16	0.076	ppbv		17	0.86	0.41	ug/m3
75-69-4	137.4	Trichlorofluoromethane	ND	0.40	0.14	ppbv		ND	2.2	0.79	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.16	0.28	ppbv		ND	0.41	0.72	ug/m3
108-05-4	86	Vinyl Acetate	1.4	0.80	0.45	ppbv		4.9	2.8	1.6	ug/m3
	106.2	m,p-Xylene	ND	0.80	0.56	ppbv		ND	3.5	2.4	ug/m3
95-47-6	106.2	o-Xylene	ND	0.80	0.31	ppbv		ND	3.5	1.3	ug/m3
1330-20-7	106.2	Xylenes (total)	ND	0.80	0.31	ppbv		ND	3.5	1.3	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	98%		65-128%

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- Summa Canister and Flow Controller Log
- Sample Tracking Chronicle
- 2021 MDL Study - Method: TO-15

SGS

Air

CHAIN OF CUSTODY - AIR

PAGE 1 OF 1

SGS North America Inc. - Dayton
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX 732-329-3499
www.sgs.com/ehsusa

FED-EX Tracking # 584473675729 | Bottle Order Control # TS-112321-189
SGS Quote # | SGS Job # JD54339

Client / Reporting Information

Company Name: WSP USA
Address: 40 La Riviere Dr. Ste 330
City: Buffalo State: NY Zip: 14202
Project Contact: Jeff Baker E-mail: Jeffrey.Baker@wsp.com
Phone #: 734-883-9723
Sampler(s) Name(s):

Project Information

Project Name: EPT, Ithaca, NY
Street:
City: Ithaca State: NY
Project #: 31405644.001 C'd
Client Purchase Order #:

Weather Parameters

Temperature (Fahrenheit) Start: Maximum: Stop: Minimum:
Atmoshpheric Pressure (inches of Hg) Start: Maximum: Stop: Minimum:
Other weather comment:

Requested Analysis

TO-15

Lab Sample #	Field ID / Point of Collection	Air Type: Ind (I) Soil Vap (SV) Amb (A)	Air Type: Res (R) Non-Res (NR)	Sampling Equipment Info: Canister Serial #	Canister Size 6L or 1L	Flow Controller Serial #	Start Sampling Information: Date	Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.	Stop Sampling Information: Date	Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.	TO-15
1	VPOST 6IAC	SV	NR	A502	1-L	—	—	—	—	—	—	10/24/22	1300	-	66	NW	X
2	VINF	SV	NR	1104	1-L	—	—	—	—	—	—	10/24/22	1330	-	66	NW	X

WSP
EPT Ithaca NY
TS-112321-189



Please place on the back of original (white copy of COC
This will assist us in processing your samples
Thank You

Turnaround Time

- [ ] 15 Business Days
- [X] 10 Business Days
- [ ] 5 Business Days
- [ ] 3 Business Days *
- [ ] 2 Business Days *
- [ ] 1 Business Day *
- [ ] Other

Approved by: Date:
* Approval needed for 1-3 Business Day TAT

Data Deliverable Information

All NJDEP TO-15 is mandatory Full T1
Comm A
Comm B
Reduced T2
Full T1
Other:
DKQP reporting
NYSCATS

Comments / Remarks

Initial Assessment: YB 10/25
Label Verification:
Sample inventory is verified upon receipt in the Laboratory

Sample Custody must be documented below each time samples change possession, including courier delivery.

Relinquished by Laboratory:	Date / Time:	Received By:	Relinquished By:	Date / Time:	Received By:
1 W.	10/25/22 13:15	1	2		2
3	10/24/22 1500	3 Fed Ex	4 Fed Ex	10/25/22 9:30	4
5		5	Custody Seal #		

http://www.sgs.com/en/terms-and-conditions

EHSA-QAC-0022-01-FORM-Dayton-Air COC
Rev.date:1/15/2021

SGS Sample Receipt Summary

Job Number: JD54338 **Client:** WSP **Project:** EPT, ITHACA, NY

Date / Time Received: 10/25/2022 9:30:00 AM **Delivery Method:** Fed Ex **Airbill #'s:** 5894 7367 5179

Cooler Temps (Raw Measured) °C:

Cooler Temps (Corrected) °C:

Cooler Security	Y	or	N		Y	or	N
1. Custody Seals Present:	☑		☐	3. COC Present:	☑		☐
2. Custody Seals Intact:	☑		☐	4. Smpl Dates/Time OK	☑		☐

Cooler Temperature	Y	or	N
1. Temp criteria achieved:	☐		☐
2. Cooler temp verification:	N/A		
3. Cooler media:	N/A		
4. No. Coolers:	N/A		

Quality Control Preservation	Y	or	N	N/A
1. Trip Blank present / cooler:	☐		☐	☑
2. Trip Blank listed on COC:	☐		☐	☑
3. Samples preserved properly:	☑		☐	
4. VOCs headspace free:	☐		☐	☑

Sample Integrity - Documentation	Y	or	N
1. Sample labels present on bottles:	☑		☐
2. Container labeling complete:	☑		☐
3. Sample container label / COC agree:	☑		☐

Sample Integrity - Condition	Y	or	N
1. Sample recvd within HT:	☑		☐
2. All containers accounted for:	☑		☐
3. Condition of sample:	Intact		

Sample Integrity - Instructions	Y	or	N	N/A
1. Analysis requested is clear:	☑		☐	
2. Bottles received for unspecified tests	☐		☑	
3. Sufficient volume recvd for analysis:	☑		☐	
4. Compositing instructions clear:	☐		☐	☑
5. Filtering instructions clear:	☐		☐	☑

Test Strip Lot #s: pH 1-12: 231619 pH 12+: 203117A Other: (Specify)

Comments

SM089-03
Rev. Date 12/7/17

JD54338: Chain of Custody
Page 2 of 2

Summa Canister and Flow Controller Log

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Received: 10/25/22

SUMMA CANISTERS

Shipping							Receiving					
Summa ID	L	Vac " Hg	Date Out	By	SCC Batch	SCC FileID	Sample Number	Date In	By	Vac " Hg	Pres psig	Final psig	Dil Fact
A502	1	29.4	10/04/22	ML	CP11846	6W25454.D	JD54338-1	10/26/22	JL	0			1
A409	1	29.4	10/04/22	ML	CP11872	2W61627.D	JD54338-2	10/26/22	JL	8		1.2	1.48

SGS Bottle Order(s):
TS-112321-189

Prep Date	Room Temp(F)	Bar Pres "Hg
10/04/22	70	29.92

Internal Sample Tracking Chronicle

WSP USA Environment & Infrastructure Inc

Job No: JD54338

EPT, Ithaca, NY
Project No: 31405608.001 02

Sample Number	Method	Analyzed	By	Prepped	By	Test Codes
JD54338-1	Collected: 24-OCT-22 12:00 By: NW		Received: 25-OCT-22 By: JK			
VPOST GAC						
JD54338-1	TO-15	03-NOV-22 21:12	TCH			VTO15NYSVLL
JD54338-1	TO-15	04-NOV-22 12:51	TCH			VTO15NYSVLL
JD54338-2	Collected: 24-OCT-22 12:20 By: NW		Received: 25-OCT-22 By: JK			
VINF						
JD54338-2	TO-15	03-NOV-22 21:46	TCH			VTO15NYSVLL

SGS North America Inc.-Dayton laboratory
TO-15 FINAL MDL for 2020-2021

METHOD	RI	LOGINNUM	SPEC_MAT	SAMPLENUM	CLIENTID	MEASUREDATE	INSTRUME	PARM_STO	PARM_SYN	FINAL MDL	RDLVALUE	COMMENT	UNITS
TO-15		JD18443D	STYA	JD18443D-4D	MDLV : 0.04 PPBV 2W	12/30/21 4:00	GCMS2W	120-82-1	1,2,4-Trichlorobenzene	0.121	0.2	2W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-4D	MDLV : 0.04 PPBV 2W	12/30/21 4:00	GCMS2W	541-73-1	m-Dichlorobenzene	0.04	0.2	2W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-4D	MDLV : 0.04 PPBV 2W	12/30/21 4:00	GCMS2W	91-20-3	Naphthalene	0.127	0.2	2W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-4D	MDLV : 0.04 PPBV 2W	12/30/21 4:00	GCMS2W	127-18-4	Tetrachloroethylene	0.014	0.04	2W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-4D	MDLV : 0.04 PPBV 2W	12/30/21 4:00	GCMS2W	79-01-6	Trichloroethylene	0.019	0.04	2W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	630-20-6	1,1,1,2-Tetrachloroethane	0.042	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	71-55-6	1,1,1-Trichloroethane	0.037	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	79-34-5	1,1,2,2-Tetrachloroethane	0.048	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	79-00-5	1,1,2-Trichloroethane	0.038	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	75-34-3	1,1-Dichloroethane	0.057	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	75-35-4	1,1-Dichloroethylene	0.059	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	96-18-4	1,2,3-Trichloropropane	0.05	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	526-73-8	1,2,3-Trimethylbenzene	0.099	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	95-63-6	1,2,4-Trimethylbenzene	0.087	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	106-93-4	1,2-Dibromoethane (EDB)	0.097	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	107-06-2	1,2-Dichloroethane	0.07	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	78-87-5	1,2-Dichloropropane	0.062	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	108-67-8	1,3,5-Trimethylbenzene	0.062	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	106-99-0	1,3-Butadiene	0.084	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	142-28-9	1,3-Dichloropropane	0.057	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	123-91-1	1,4-Dioxane	0.117	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	540-84-1	2,2,4-Trimethylpentane	0.095	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	565-59-3	2,3-Dimethylpentane	0.089	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	108-08-7	2,4-Dimethylpentane	0.104	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	95-49-8	2-Chlorotoluene	0.072	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	591-78-6	2-Hexanone	0.145	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	107-05-1	3-Chloropropene	0.083	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	622-96-8	4-Ethyltoluene	0.095	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	67-64-1	Acetone (2-Propanone)	0.145	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	75-05-8	Acetonitrile	0.171	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	107-02-8	Acrolein	0.0883	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	107-13-1	Acrylonitrile	0.091	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	71-43-2	Benzene	0.062	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	100-44-7	Benzyl Chloride	0.125	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	108-86-1	Bromobenzene	0.154	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	75-27-4	Bromodichloromethane	0.03	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	593-60-2	Bromoethene	0.061	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	75-25-2	Bromoform	0.071	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	74-83-9	Bromomethane	0.069	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	75-15-0	Carbon disulfide	0.045	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	56-23-5	Carbon tetrachloride	0.04	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	108-90-7	Chlorobenzene	0.074	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	75-45-6	Chlorodifluoromethane	0.106	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	75-00-3	Chloroethane	0.068	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	67-66-3	Chloroform	0.037	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	74-87-3	Chloromethane	0.09	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	79-38-9	Chlorotrifluoroethene	0.024	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	156-59-2	cis-1,2-Dichloroethylene	0.077	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	10061-01-5	cis-1,3-Dichloropropene	0.062	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	110-82-7	Cyclohexane	0.11	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	124-48-1	Dibromochloromethane	0.052	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	74-95-3	Dibromomethane	0.053	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	75-71-8	Dichlorodifluoromethane	0.032	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	75-43-4	Dichlorofluoromethane	0.066	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	108-20-3	Di-isopropyl ether	0.082	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	64-17-5	Ethanol	0.394	0.5	5W Q-4	I ppbv

TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	141-78-6	Ethyl Acetate	0.104	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	140-88-5	Ethyl Acrylate	0.105	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	100-41-4	Ethylbenzene	0.061	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	76-13-1	Freon 113	0.031	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	76-14-2	Freon 114	0.05	0.2	5W	Q-4	I	ppbv
TO-15	JD18443B	STYA	JD18443B-1F	MDLV : 0.2	PPBV	3W	4/27/21	5:01	GCMS3W	76-15-3	Freon 115	0.0077	0.2	3W	Q-2	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	306-83-2	Freon 123	0.083	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	354-23-4	Freon 123A	0.068	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	75-68-3	Freon 142B	0.07	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	75-37-6	Freon 152A	0.06	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	142-82-5	Heptane	0.092	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	87-68-3	Hexachlorobutadiene	0.062	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	67-72-1	Hexachloroethane	0.082	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	110-54-3	Hexane	0.112	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	74-88-4	Iodomethane	0.037	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	67-63-0	Isopropyl Alcohol	0.187	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	98-82-8	Isopropylbenzene	0.064	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	M,P-XYLEN	m,p-Xylene	0.139	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	78-93-3	Methyl ethyl ketone	0.11	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	108-10-1	Methyl Isobutyl Ketone	0.073	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	1634-04-4	Methyl Tert Butyl Ether	0.08	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	75-09-2	Methylene chloride	0.056	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	80-62-6	Methylmethacrylate	0.07	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	106-97-8	n-Butane	0.106	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	104-51-8	n-Butylbenzene	0.106	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	111-84-2	Nonane	0.1	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	103-65-1	n-Propylbenzene	0.091	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	111-65-9	Octane	0.12	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	95-50-1	o-Dichlorobenzene	0.154	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	95-47-6	o-Xylene	0.077	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	106-46-7	p-Dichlorobenzene	0.191	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	109-66-0	Pentane	0.138	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	99-87-6	p-Isopropyltoluene	0.08	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	115-07-1	Propylene	0.142	0.5	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	135-98-8	sec-Butylbenzene	0.081	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	100-42-5	Styrene	0.118	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	98-06-6	tert-Butylbenzene	0.083	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	75-65-0	Tertiary Butyl Alcohol	0.093	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	109-99-9	Tetrahydrofuran	0.09	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	108-88-3	Toluene	0.057	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	156-60-5	trans-1,2-Dichloroethylene	0.069	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	10061-02-6	trans-1,3-Dichloropropene	0.101	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	75-69-4	Trichlorofluoromethane	0.036	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	TVHC AS EC	TVHC As Equiv Pentane	0.136	10	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	108-05-4	Vinyl Acetate	0.112	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	75-01-4	Vinyl chloride	0.069	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-4E	MDLV : 0.1	PPBV	2W	12/30/21	4:35	GCMS2W	67-63-0	Isopropyl Alcohol	0.141	0.2	2W	Q-4	I	ppbv

MS Volatiles

6

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries
- Instrument Performance Checks (BFB)
- Internal Standard Area Summaries
- Initial Calibration RT/ISTD Area Summaries
- Surrogate Recovery Summaries
- Initial and Continuing Calibration Summaries
- Run Sequence Reports

Method Blank Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V6W1137-MB	6W26830.D	1	11/03/22	TCH	n/a	n/a	V6W1137

The QC reported here applies to the following samples: **Method:** TO-15

JD54338-1, JD54338-2

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
67-64-1	Acetone (2-Propanone)	ND	0.20	0.15	ppbv		ND	0.48	ug/m3
106-99-0	1,3-Butadiene	ND	0.20	0.084	ppbv		ND	0.44	ug/m3
71-43-2	Benzene	ND	0.20	0.062	ppbv		ND	0.64	ug/m3
75-27-4	Bromodichloromethane	ND	0.20	0.030	ppbv		ND	1.3	ug/m3
75-25-2	Bromoform	ND	0.20	0.071	ppbv		ND	2.1	ug/m3
74-83-9	Bromomethane	ND	0.20	0.069	ppbv		ND	0.78	ug/m3
593-60-2	Bromoethene	ND	0.20	0.061	ppbv		ND	0.87	ug/m3
100-44-7	Benzyl Chloride	ND	0.20	0.13	ppbv		ND	1.0	ug/m3
75-15-0	Carbon disulfide	ND	0.20	0.045	ppbv		ND	0.62	ug/m3
108-90-7	Chlorobenzene	ND	0.20	0.074	ppbv		ND	0.92	ug/m3
75-00-3	Chloroethane	ND	0.20	0.068	ppbv		ND	0.53	ug/m3
67-66-3	Chloroform	ND	0.20	0.037	ppbv		ND	0.98	ug/m3
74-87-3	Chloromethane	ND	0.20	0.090	ppbv		ND	0.41	ug/m3
107-05-1	3-Chloropropene	ND	0.20	0.083	ppbv		ND	0.63	ug/m3
95-49-8	2-Chlorotoluene	ND	0.20	0.072	ppbv		ND	1.0	ug/m3
56-23-5	Carbon tetrachloride	ND	0.20	0.040	ppbv		ND	1.3	ug/m3
110-82-7	Cyclohexane	ND	0.20	0.11	ppbv		ND	0.69	ug/m3
75-34-3	1,1-Dichloroethane	ND	0.20	0.057	ppbv		ND	0.81	ug/m3
75-35-4	1,1-Dichloroethylene	ND	0.20	0.059	ppbv		ND	0.79	ug/m3
106-93-4	1,2-Dibromoethane (EDB)	ND	0.20	0.097	ppbv		ND	1.5	ug/m3
107-06-2	1,2-Dichloroethane	ND	0.20	0.070	ppbv		ND	0.81	ug/m3
78-87-5	1,2-Dichloropropane	ND	0.20	0.062	ppbv		ND	0.92	ug/m3
123-91-1	1,4-Dioxane	ND	0.20	0.12	ppbv		ND	0.72	ug/m3
75-71-8	Dichlorodifluoromethane	ND	0.20	0.032	ppbv		ND	0.99	ug/m3
124-48-1	Dibromochloromethane	ND	0.20	0.052	ppbv		ND	1.7	ug/m3
156-60-5	trans-1,2-Dichloroethylene	ND	0.20	0.069	ppbv		ND	0.79	ug/m3
156-59-2	cis-1,2-Dichloroethylene	ND	0.20	0.077	ppbv		ND	0.79	ug/m3
10061-01-5	cis-1,3-Dichloropropene	ND	0.20	0.062	ppbv		ND	0.91	ug/m3
541-73-1	m-Dichlorobenzene	ND	0.20	0.040	ppbv		ND	1.2	ug/m3
95-50-1	o-Dichlorobenzene	ND	0.20	0.15	ppbv		ND	1.2	ug/m3
106-46-7	p-Dichlorobenzene	ND	0.20	0.19	ppbv		ND	1.2	ug/m3
10061-02-6	trans-1,3-Dichloropropene	ND	0.20	0.10	ppbv		ND	0.91	ug/m3
64-17-5	Ethanol	ND	0.50	0.39	ppbv		ND	0.94	ug/m3
100-41-4	Ethylbenzene	ND	0.20	0.061	ppbv		ND	0.87	ug/m3
141-78-6	Ethyl Acetate	ND	0.20	0.10	ppbv		ND	0.72	ug/m3
622-96-8	4-Ethyltoluene	ND	0.20	0.095	ppbv		ND	0.98	ug/m3

Method Blank Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V6W1137-MB	6W26830.D	1	11/03/22	TCH	n/a	n/a	V6W1137

The QC reported here applies to the following samples: **Method:** TO-15

JD54338-1, JD54338-2

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
76-13-1	Freon 113	ND	0.20	0.031	ppbv		ND	1.5	ug/m3
76-14-2	Freon 114	ND	0.20	0.050	ppbv		ND	1.4	ug/m3
142-82-5	Heptane	ND	0.20	0.092	ppbv		ND	0.82	ug/m3
87-68-3	Hexachlorobutadiene	ND	0.20	0.062	ppbv		ND	2.1	ug/m3
110-54-3	Hexane	ND	0.20	0.11	ppbv		ND	0.70	ug/m3
591-78-6	2-Hexanone	ND	0.20	0.15	ppbv		ND	0.82	ug/m3
67-63-0	Isopropyl Alcohol	ND	0.20	0.14	ppbv		ND	0.49	ug/m3
75-09-2	Methylene chloride	ND	0.20	0.056	ppbv		ND	0.69	ug/m3
78-93-3	Methyl ethyl ketone	ND	0.20	0.11	ppbv		ND	0.59	ug/m3
108-10-1	Methyl Isobutyl Ketone	ND	0.20	0.073	ppbv		ND	0.82	ug/m3
1634-04-4	Methyl Tert Butyl Ether	ND	0.20	0.080	ppbv		ND	0.72	ug/m3
80-62-6	Methylmethacrylate	ND	0.20	0.070	ppbv		ND	0.82	ug/m3
115-07-1	Propylene	ND	0.50	0.14	ppbv		ND	0.86	ug/m3
100-42-5	Styrene	ND	0.20	0.12	ppbv		ND	0.85	ug/m3
71-55-6	1,1,1-Trichloroethane	ND	0.20	0.037	ppbv		ND	1.1	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.20	0.048	ppbv		ND	1.4	ug/m3
79-00-5	1,1,2-Trichloroethane	ND	0.20	0.038	ppbv		ND	1.1	ug/m3
120-82-1	1,2,4-Trichlorobenzene	ND	0.20	0.12	ppbv		ND	1.5	ug/m3
95-63-6	1,2,4-Trimethylbenzene	ND	0.20	0.087	ppbv		ND	0.98	ug/m3
108-67-8	1,3,5-Trimethylbenzene	ND	0.20	0.080	ppbv		ND	0.98	ug/m3
540-84-1	2,2,4-Trimethylpentane	ND	0.20	0.095	ppbv		ND	0.93	ug/m3
75-65-0	Tertiary Butyl Alcohol	ND	0.20	0.093	ppbv		ND	0.61	ug/m3
127-18-4	Tetrachloroethylene	ND	0.040	0.014	ppbv		ND	0.27	ug/m3
109-99-9	Tetrahydrofuran	ND	0.20	0.090	ppbv		ND	0.59	ug/m3
108-88-3	Toluene	ND	0.20	0.057	ppbv		ND	0.75	ug/m3
79-01-6	Trichloroethylene	ND	0.040	0.019	ppbv		ND	0.21	ug/m3
75-69-4	Trichlorofluoromethane	ND	0.20	0.036	ppbv		ND	1.1	ug/m3
75-01-4	Vinyl chloride	ND	0.20	0.069	ppbv		ND	0.51	ug/m3
108-05-4	Vinyl Acetate	ND	0.20	0.11	ppbv		ND	0.70	ug/m3
	m,p-Xylene	ND	0.20	0.14	ppbv		ND	0.87	ug/m3
95-47-6	o-Xylene	ND	0.20	0.077	ppbv		ND	0.87	ug/m3
1330-20-7	Xylenes (total)	ND	0.20	0.077	ppbv		ND	0.87	ug/m3

Method Blank Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V6W1137-MB	6W26830.D	1	11/03/22	TCH	n/a	n/a	V6W1137

The QC reported here applies to the following samples: **Method:** TO-15

JD54338-1, JD54338-2

CAS No.	Surrogate Recoveries		Limits
460-00-4	4-Bromofluorobenzene	98%	65-128%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
124-38-9	Carbon dioxide	1.66	6.3	ppbv	JN
	Total TIC, Volatile		0	ppbv	

Method Blank Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V6W1138-MB	6W26867.D	1	11/04/22	TCH	n/a	n/a	V6W1138

The QC reported here applies to the following samples: **Method:** TO-15

JD54338-1

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
141-78-6	Ethyl Acetate	ND	0.20	0.10	ppbv		ND	0.72	ug/m3

CAS No.	Surrogate Recoveries		Limits
460-00-4	4-Bromofluorobenzene	98%	65-128%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
124-38-9	Carbon dioxide	1.66	5.5	ppbv	JN
	Total TIC, Volatile		0	ppbv	

Method Blank Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V6W1083-MB	6W25444.D	1	08/11/22	TCH	n/a	n/a	V6W1083

The QC reported here applies to the following samples: **Method:** TO-15

V6W1083-SCC

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
67-64-1	Acetone (2-Propanone)	ND	0.20	0.15	ppbv		ND	0.48	ug/m3
106-99-0	1,3-Butadiene	ND	0.20	0.084	ppbv		ND	0.44	ug/m3
71-43-2	Benzene	ND	0.20	0.062	ppbv		ND	0.64	ug/m3
75-27-4	Bromodichloromethane	ND	0.20	0.030	ppbv		ND	1.3	ug/m3
75-25-2	Bromoform	ND	0.20	0.071	ppbv		ND	2.1	ug/m3
74-83-9	Bromomethane	ND	0.20	0.069	ppbv		ND	0.78	ug/m3
593-60-2	Bromoethene	ND	0.20	0.061	ppbv		ND	0.87	ug/m3
100-44-7	Benzyl Chloride	ND	0.20	0.13	ppbv		ND	1.0	ug/m3
75-15-0	Carbon disulfide	ND	0.20	0.045	ppbv		ND	0.62	ug/m3
108-90-7	Chlorobenzene	ND	0.20	0.074	ppbv		ND	0.92	ug/m3
75-00-3	Chloroethane	ND	0.20	0.068	ppbv		ND	0.53	ug/m3
67-66-3	Chloroform	ND	0.20	0.037	ppbv		ND	0.98	ug/m3
74-87-3	Chloromethane	ND	0.20	0.090	ppbv		ND	0.41	ug/m3
107-05-1	3-Chloropropene	ND	0.20	0.083	ppbv		ND	0.63	ug/m3
95-49-8	2-Chlorotoluene	ND	0.20	0.072	ppbv		ND	1.0	ug/m3
56-23-5	Carbon tetrachloride	ND	0.20	0.040	ppbv		ND	1.3	ug/m3
110-82-7	Cyclohexane	ND	0.20	0.11	ppbv		ND	0.69	ug/m3
75-34-3	1,1-Dichloroethane	ND	0.20	0.057	ppbv		ND	0.81	ug/m3
75-35-4	1,1-Dichloroethylene	ND	0.20	0.059	ppbv		ND	0.79	ug/m3
106-93-4	1,2-Dibromoethane (EDB)	ND	0.20	0.097	ppbv		ND	1.5	ug/m3
107-06-2	1,2-Dichloroethane	ND	0.20	0.070	ppbv		ND	0.81	ug/m3
78-87-5	1,2-Dichloropropane	ND	0.20	0.062	ppbv		ND	0.92	ug/m3
123-91-1	1,4-Dioxane	ND	0.20	0.12	ppbv		ND	0.72	ug/m3
75-71-8	Dichlorodifluoromethane	ND	0.20	0.032	ppbv		ND	0.99	ug/m3
124-48-1	Dibromochloromethane	ND	0.20	0.052	ppbv		ND	1.7	ug/m3
156-60-5	trans-1,2-Dichloroethylene	ND	0.20	0.069	ppbv		ND	0.79	ug/m3
156-59-2	cis-1,2-Dichloroethylene	ND	0.20	0.077	ppbv		ND	0.79	ug/m3
10061-01-5	cis-1,3-Dichloropropene	ND	0.20	0.062	ppbv		ND	0.91	ug/m3
541-73-1	m-Dichlorobenzene	ND	0.20	0.040	ppbv		ND	1.2	ug/m3
95-50-1	o-Dichlorobenzene	ND	0.20	0.15	ppbv		ND	1.2	ug/m3
106-46-7	p-Dichlorobenzene	ND	0.20	0.19	ppbv		ND	1.2	ug/m3
10061-02-6	trans-1,3-Dichloropropene	ND	0.20	0.10	ppbv		ND	0.91	ug/m3
64-17-5	Ethanol	ND	0.50	0.39	ppbv		ND	0.94	ug/m3
100-41-4	Ethylbenzene	ND	0.20	0.061	ppbv		ND	0.87	ug/m3
141-78-6	Ethyl Acetate	ND	0.20	0.10	ppbv		ND	0.72	ug/m3
622-96-8	4-Ethyltoluene	ND	0.20	0.095	ppbv		ND	0.98	ug/m3

Method Blank Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V6W1083-MB	6W25444.D	1	08/11/22	TCH	n/a	n/a	V6W1083

The QC reported here applies to the following samples: **Method:** TO-15

V6W1083-SCC

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
76-13-1	Freon 113	ND	0.20	0.031	ppbv		ND	1.5	ug/m3
76-14-2	Freon 114	ND	0.20	0.050	ppbv		ND	1.4	ug/m3
142-82-5	Heptane	ND	0.20	0.092	ppbv		ND	0.82	ug/m3
87-68-3	Hexachlorobutadiene	ND	0.20	0.062	ppbv		ND	2.1	ug/m3
110-54-3	Hexane	ND	0.20	0.11	ppbv		ND	0.70	ug/m3
591-78-6	2-Hexanone	ND	0.20	0.15	ppbv		ND	0.82	ug/m3
67-63-0	Isopropyl Alcohol	ND	0.20	0.14	ppbv		ND	0.49	ug/m3
75-09-2	Methylene chloride	ND	0.20	0.056	ppbv		ND	0.69	ug/m3
78-93-3	Methyl ethyl ketone	ND	0.20	0.11	ppbv		ND	0.59	ug/m3
108-10-1	Methyl Isobutyl Ketone	ND	0.20	0.073	ppbv		ND	0.82	ug/m3
1634-04-4	Methyl Tert Butyl Ether	ND	0.20	0.080	ppbv		ND	0.72	ug/m3
80-62-6	Methylmethacrylate	ND	0.20	0.070	ppbv		ND	0.82	ug/m3
115-07-1	Propylene	ND	0.50	0.14	ppbv		ND	0.86	ug/m3
100-42-5	Styrene	ND	0.20	0.12	ppbv		ND	0.85	ug/m3
71-55-6	1,1,1-Trichloroethane	ND	0.20	0.037	ppbv		ND	1.1	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.20	0.048	ppbv		ND	1.4	ug/m3
79-00-5	1,1,2-Trichloroethane	ND	0.20	0.038	ppbv		ND	1.1	ug/m3
120-82-1	1,2,4-Trichlorobenzene	ND	0.20	0.12	ppbv		ND	1.5	ug/m3
95-63-6	1,2,4-Trimethylbenzene	ND	0.20	0.087	ppbv		ND	0.98	ug/m3
108-67-8	1,3,5-Trimethylbenzene	ND	0.20	0.080	ppbv		ND	0.98	ug/m3
540-84-1	2,2,4-Trimethylpentane	ND	0.20	0.095	ppbv		ND	0.93	ug/m3
75-65-0	Tertiary Butyl Alcohol	ND	0.20	0.093	ppbv		ND	0.61	ug/m3
127-18-4	Tetrachloroethylene	ND	0.040	0.014	ppbv		ND	0.27	ug/m3
109-99-9	Tetrahydrofuran	ND	0.20	0.090	ppbv		ND	0.59	ug/m3
108-88-3	Toluene	ND	0.20	0.057	ppbv		ND	0.75	ug/m3
79-01-6	Trichloroethylene	ND	0.040	0.019	ppbv		ND	0.21	ug/m3
75-69-4	Trichlorofluoromethane	ND	0.20	0.036	ppbv		ND	1.1	ug/m3
75-01-4	Vinyl chloride	ND	0.20	0.069	ppbv		ND	0.51	ug/m3
108-05-4	Vinyl Acetate	ND	0.20	0.11	ppbv		ND	0.70	ug/m3
	m,p-Xylene	ND	0.20	0.14	ppbv		ND	0.87	ug/m3
95-47-6	o-Xylene	ND	0.20	0.077	ppbv		ND	0.87	ug/m3
1330-20-7	Xylenes (total)	ND	0.20	0.077	ppbv		ND	0.87	ug/m3

Method Blank Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V6W1083-MB	6W25444.D	1	08/11/22	TCH	n/a	n/a	V6W1083

The QC reported here applies to the following samples: **Method:** TO-15

V6W1083-SCC

CAS No.	Surrogate Recoveries		Limits
460-00-4	4-Bromofluorobenzene	94%	65-128%

Method Blank Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2734-MB	2W61615.D	1	09/27/22	TCH	n/a	n/a	V2W2734

The QC reported here applies to the following samples: **Method:** TO-15

V2W2734-SCC

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
67-64-1	Acetone (2-Propanone)	ND	0.20	0.15	ppbv		ND	0.48	ug/m3
106-99-0	1,3-Butadiene	ND	0.20	0.084	ppbv		ND	0.44	ug/m3
71-43-2	Benzene	ND	0.20	0.062	ppbv		ND	0.64	ug/m3
75-27-4	Bromodichloromethane	ND	0.20	0.030	ppbv		ND	1.3	ug/m3
75-25-2	Bromoform	ND	0.20	0.071	ppbv		ND	2.1	ug/m3
74-83-9	Bromomethane	ND	0.20	0.069	ppbv		ND	0.78	ug/m3
593-60-2	Bromoethene	ND	0.20	0.061	ppbv		ND	0.87	ug/m3
100-44-7	Benzyl Chloride	ND	0.20	0.13	ppbv		ND	1.0	ug/m3
75-15-0	Carbon disulfide	ND	0.20	0.045	ppbv		ND	0.62	ug/m3
108-90-7	Chlorobenzene	ND	0.20	0.074	ppbv		ND	0.92	ug/m3
75-00-3	Chloroethane	ND	0.20	0.068	ppbv		ND	0.53	ug/m3
67-66-3	Chloroform	ND	0.20	0.037	ppbv		ND	0.98	ug/m3
74-87-3	Chloromethane	ND	0.20	0.090	ppbv		ND	0.41	ug/m3
107-05-1	3-Chloropropene	ND	0.20	0.083	ppbv		ND	0.63	ug/m3
95-49-8	2-Chlorotoluene	ND	0.20	0.072	ppbv		ND	1.0	ug/m3
56-23-5	Carbon tetrachloride	ND	0.20	0.040	ppbv		ND	1.3	ug/m3
110-82-7	Cyclohexane	ND	0.20	0.11	ppbv		ND	0.69	ug/m3
75-34-3	1,1-Dichloroethane	ND	0.20	0.057	ppbv		ND	0.81	ug/m3
75-35-4	1,1-Dichloroethylene	ND	0.20	0.059	ppbv		ND	0.79	ug/m3
106-93-4	1,2-Dibromoethane (EDB)	ND	0.20	0.097	ppbv		ND	1.5	ug/m3
107-06-2	1,2-Dichloroethane	ND	0.20	0.070	ppbv		ND	0.81	ug/m3
78-87-5	1,2-Dichloropropane	ND	0.20	0.062	ppbv		ND	0.92	ug/m3
123-91-1	1,4-Dioxane	ND	0.20	0.12	ppbv		ND	0.72	ug/m3
75-71-8	Dichlorodifluoromethane	ND	0.20	0.032	ppbv		ND	0.99	ug/m3
124-48-1	Dibromochloromethane	ND	0.20	0.052	ppbv		ND	1.7	ug/m3
156-60-5	trans-1,2-Dichloroethylene	ND	0.20	0.069	ppbv		ND	0.79	ug/m3
156-59-2	cis-1,2-Dichloroethylene	ND	0.20	0.077	ppbv		ND	0.79	ug/m3
10061-01-5	cis-1,3-Dichloropropene	ND	0.20	0.062	ppbv		ND	0.91	ug/m3
541-73-1	m-Dichlorobenzene	ND	0.20	0.040	ppbv		ND	1.2	ug/m3
95-50-1	o-Dichlorobenzene	ND	0.20	0.15	ppbv		ND	1.2	ug/m3
106-46-7	p-Dichlorobenzene	ND	0.20	0.19	ppbv		ND	1.2	ug/m3
10061-02-6	trans-1,3-Dichloropropene	ND	0.20	0.10	ppbv		ND	0.91	ug/m3
64-17-5	Ethanol	ND	0.50	0.39	ppbv		ND	0.94	ug/m3
100-41-4	Ethylbenzene	ND	0.20	0.061	ppbv		ND	0.87	ug/m3
141-78-6	Ethyl Acetate	ND	0.20	0.10	ppbv		ND	0.72	ug/m3
622-96-8	4-Ethyltoluene	ND	0.20	0.095	ppbv		ND	0.98	ug/m3

Method Blank Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2734-MB	2W61615.D	1	09/27/22	TCH	n/a	n/a	V2W2734

The QC reported here applies to the following samples: **Method:** TO-15

V2W2734-SCC

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
76-13-1	Freon 113	ND	0.20	0.031	ppbv		ND	1.5	ug/m3
76-14-2	Freon 114	ND	0.20	0.050	ppbv		ND	1.4	ug/m3
142-82-5	Heptane	ND	0.20	0.092	ppbv		ND	0.82	ug/m3
87-68-3	Hexachlorobutadiene	ND	0.20	0.062	ppbv		ND	2.1	ug/m3
110-54-3	Hexane	ND	0.20	0.11	ppbv		ND	0.70	ug/m3
591-78-6	2-Hexanone	ND	0.20	0.15	ppbv		ND	0.82	ug/m3
67-63-0	Isopropyl Alcohol	ND	0.20	0.14	ppbv		ND	0.49	ug/m3
75-09-2	Methylene chloride	ND	0.20	0.056	ppbv		ND	0.69	ug/m3
78-93-3	Methyl ethyl ketone	ND	0.20	0.11	ppbv		ND	0.59	ug/m3
108-10-1	Methyl Isobutyl Ketone	ND	0.20	0.073	ppbv		ND	0.82	ug/m3
1634-04-4	Methyl Tert Butyl Ether	ND	0.20	0.080	ppbv		ND	0.72	ug/m3
80-62-6	Methylmethacrylate	ND	0.20	0.070	ppbv		ND	0.82	ug/m3
115-07-1	Propylene	ND	0.50	0.14	ppbv		ND	0.86	ug/m3
100-42-5	Styrene	ND	0.20	0.12	ppbv		ND	0.85	ug/m3
71-55-6	1,1,1-Trichloroethane	ND	0.20	0.037	ppbv		ND	1.1	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.20	0.048	ppbv		ND	1.4	ug/m3
79-00-5	1,1,2-Trichloroethane	ND	0.20	0.038	ppbv		ND	1.1	ug/m3
120-82-1	1,2,4-Trichlorobenzene	ND	0.20	0.12	ppbv		ND	1.5	ug/m3
95-63-6	1,2,4-Trimethylbenzene	ND	0.20	0.087	ppbv		ND	0.98	ug/m3
108-67-8	1,3,5-Trimethylbenzene	ND	0.20	0.080	ppbv		ND	0.98	ug/m3
540-84-1	2,2,4-Trimethylpentane	ND	0.20	0.095	ppbv		ND	0.93	ug/m3
75-65-0	Tertiary Butyl Alcohol	ND	0.20	0.093	ppbv		ND	0.61	ug/m3
127-18-4	Tetrachloroethylene	ND	0.040	0.014	ppbv		ND	0.27	ug/m3
109-99-9	Tetrahydrofuran	ND	0.20	0.090	ppbv		ND	0.59	ug/m3
108-88-3	Toluene	ND	0.20	0.057	ppbv		ND	0.75	ug/m3
79-01-6	Trichloroethylene	ND	0.040	0.019	ppbv		ND	0.21	ug/m3
75-69-4	Trichlorofluoromethane	ND	0.20	0.036	ppbv		ND	1.1	ug/m3
75-01-4	Vinyl chloride	ND	0.20	0.069	ppbv		ND	0.51	ug/m3
108-05-4	Vinyl Acetate	ND	0.20	0.11	ppbv		ND	0.70	ug/m3
	m,p-Xylene	ND	0.20	0.14	ppbv		ND	0.87	ug/m3
95-47-6	o-Xylene	ND	0.20	0.077	ppbv		ND	0.87	ug/m3
1330-20-7	Xylenes (total)	ND	0.20	0.077	ppbv		ND	0.87	ug/m3

Method Blank Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2734-MB	2W61615.D	1	09/27/22	TCH	n/a	n/a	V2W2734

The QC reported here applies to the following samples: **Method:** TO-15

V2W2734-SCC

CAS No.	Surrogate Recoveries		Limits
460-00-4	4-Bromofluorobenzene	96%	65-128%

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V6W1137-BS	6W26824.D	1	11/03/22	TCH	n/a	n/a	V6W1137
V6W1137-BSD	6W26825.D	1	11/03/22	TCH	n/a	n/a	V6W1137

The QC reported here applies to the following samples: **Method:** TO-15

JD54338-1, JD54338-2

CAS No.	Compound	Spike ppbv	BSP ppbv	BSP %	BSD ppbv	BSD %	RPD	Limits Rec/RPD
67-64-1	Acetone (2-Propanone)	10	10.2	102	10.3	103	1	70-130/30
106-99-0	1,3-Butadiene	10	10.2	102	10.5	105	3	70-130/30
71-43-2	Benzene	10	9.4	94	9.4	94	0	70-130/30
75-27-4	Bromodichloromethane	10	9.0	90	9.3	93	3	70-130/30
75-25-2	Bromoform	10	9.2	92	9.5	95	3	70-130/30
74-83-9	Bromomethane	10	11.1	111	11.1	111	0	70-130/30
593-60-2	Bromoethene	10	11.0	110	11.0	110	0	70-130/30
100-44-7	Benzyl Chloride	10	11.3	113	11.8	118	4	70-130/30
75-15-0	Carbon disulfide	10	9.9	99	10	100	1	70-130/30
108-90-7	Chlorobenzene	10	9.4	94	9.9	99	5	70-130/30
75-00-3	Chloroethane	10	11.2	112	11.3	113	1	70-130/30
67-66-3	Chloroform	10	9.4	94	9.5	95	1	70-130/30
74-87-3	Chloromethane	10	9.7	97	9.7	97	0	70-130/30
107-05-1	3-Chloropropene	10	10.2	102	10.3	103	1	70-130/30
95-49-8	2-Chlorotoluene	10	10.2	102	10.6	106	4	70-130/30
56-23-5	Carbon tetrachloride	10	8.9	89	9.1	91	2	70-130/30
110-82-7	Cyclohexane	10	9.8	98	10	100	2	70-130/30
75-34-3	1,1-Dichloroethane	10	9.7	97	9.8	98	1	70-130/30
75-35-4	1,1-Dichloroethylene	10	10.0	100	10.2	102	2	70-130/30
106-93-4	1,2-Dibromoethane (EDB)	10	8.9	89	9.2	92	3	70-130/30
107-06-2	1,2-Dichloroethane	10	9.0	90	9.1	91	1	70-130/30
78-87-5	1,2-Dichloropropane	10	9.7	97	10	100	3	70-130/30
123-91-1	1,4-Dioxane	10	11.9	119	12.3	123	3	70-130/30
75-71-8	Dichlorodifluoromethane	10	11.9	119	12.0	120	1	70-130/30
124-48-1	Dibromochloromethane	10	8.6	86	8.8	88	2	70-130/30
156-60-5	trans-1,2-Dichloroethylene	10	9.8	98	10	100	2	70-130/30
156-59-2	cis-1,2-Dichloroethylene	10	9.5	95	9.7	97	2	70-130/30
10061-01-5	cis-1,3-Dichloropropene	10	8.6	86	8.8	88	2	70-130/30
541-73-1	m-Dichlorobenzene	10	10.5	105	10.8	108	3	70-130/30
95-50-1	o-Dichlorobenzene	10	10.5	105	10.9	109	4	70-130/30
106-46-7	p-Dichlorobenzene	10	10.6	106	10.9	109	3	70-130/30
10061-02-6	trans-1,3-Dichloropropene	10	8.6	86	9.0	90	5	70-130/30
64-17-5	Ethanol	10	9.5	95	9.8	98	3	70-130/30
100-41-4	Ethylbenzene	10	8.6	86	8.9	89	3	70-130/30
141-78-6	Ethyl Acetate	10	10.1	101	10.4	104	3	70-130/30
622-96-8	4-Ethyltoluene	10	10.8	108	11.3	113	5	70-130/30

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V6W1137-BS	6W26824.D	1	11/03/22	TCH	n/a	n/a	V6W1137
V6W1137-BSD	6W26825.D	1	11/03/22	TCH	n/a	n/a	V6W1137

The QC reported here applies to the following samples: **Method:** TO-15

JD54338-1, JD54338-2

CAS No.	Compound	Spike ppbv	BSP ppbv	BSP %	BSD ppbv	BSD %	RPD	Limits Rec/RPD
76-13-1	Freon 113	10	9.6	96	9.7	97	1	70-130/30
76-14-2	Freon 114	10	10.1	101	10.3	103	2	70-130/30
142-82-5	Heptane	10	8.1	81	8.3	83	2	70-130/30
87-68-3	Hexachlorobutadiene	10	10.5	105	11.0	110	5	70-130/30
110-54-3	Hexane	10	9.4	94	9.6	96	2	70-130/30
591-78-6	2-Hexanone	10	12.1	121	12.6	126	4	70-130/30
67-63-0	Isopropyl Alcohol	10	9.2	92	9.5	95	3	70-130/30
75-09-2	Methylene chloride	10	9.3	93	9.5	95	2	70-130/30
78-93-3	Methyl ethyl ketone	10	10.3	103	10.4	104	1	70-130/30
108-10-1	Methyl Isobutyl Ketone	10	10.3	103	10.8	108	5	70-130/30
1634-04-4	Methyl Tert Butyl Ether	10	8.2	82	8.4	84	2	70-130/30
80-62-6	Methylmethacrylate	10	9.3	93	9.6	96	3	70-130/30
115-07-1	Propylene	10	7.7	77	7.9	79	3	70-130/30
100-42-5	Styrene	10	10.4	104	10.8	108	4	70-130/30
71-55-6	1,1,1-Trichloroethane	10	8.7	87	8.9	89	2	70-130/30
79-34-5	1,1,2,2-Tetrachloroethane	10	10	100	10.3	103	3	70-130/30
79-00-5	1,1,2-Trichloroethane	10	8.7	87	9.0	90	3	70-130/30
120-82-1	1,2,4-Trichlorobenzene	10	11.6	116	12.0	120	3	70-130/30
95-63-6	1,2,4-Trimethylbenzene	10	10.8	108	11.1	111	3	70-130/30
108-67-8	1,3,5-Trimethylbenzene	10	10.6	106	11.0	110	4	70-130/30
540-84-1	2,2,4-Trimethylpentane	10	9.9	99	10.2	102	3	70-130/30
75-65-0	Tertiary Butyl Alcohol	10	8.8	88	9.1	91	3	70-130/30
127-18-4	Tetrachloroethylene	10	9.1	91	9.3	93	2	70-130/30
109-99-9	Tetrahydrofuran	10	10.5	105	10.6	106	1	70-130/30
108-88-3	Toluene	10	8.2	82	8.4	84	2	70-130/30
79-01-6	Trichloroethylene	10	9.4	94	9.6	96	2	70-130/30
75-69-4	Trichlorofluoromethane	10	9.9	99	10.0	100	1	70-130/30
75-01-4	Vinyl chloride	10	10.3	103	10.5	105	2	70-130/30
108-05-4	Vinyl Acetate	10	10.5	105	10.8	108	3	70-130/30
	m,p-Xylene	20	17.8	89	18.3	92	3	70-130/30
95-47-6	o-Xylene	10	9.0	90	9.4	94	4	70-130/30
1330-20-7	Xylenes (total)	30	26.7	89	27.7	92	4	70-130/30

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V6W1137-BS	6W26824.D	1	11/03/22	TCH	n/a	n/a	V6W1137
V6W1137-BSD	6W26825.D	1	11/03/22	TCH	n/a	n/a	V6W1137

The QC reported here applies to the following samples: **Method:** TO-15

JD54338-1, JD54338-2

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
460-00-4	4-Bromofluorobenzene	101%	102%	65-128%

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V6W1138-BS	6W26864.D	1	11/04/22	TCH	n/a	n/a	V6W1138
V6W1138-BSD	6W26865.D	1	11/04/22	TCH	n/a	n/a	V6W1138

The QC reported here applies to the following samples: **Method:** TO-15

JD54338-1

CAS No.	Compound	Spike ppbv	BSP ppbv	BSP %	BSD ppbv	BSD %	RPD	Limits Rec/RPD
141-78-6	Ethyl Acetate	10	10.2	102	10.9	109	7	70-130/30

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
460-00-4	4-Bromofluorobenzene	102%	100%	65-128%

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V6W1083-BS	6W25440.D	1	08/11/22	TCH	n/a	n/a	V6W1083
V6W1083-BSD	6W25441.D	1	08/11/22	TCH	n/a	n/a	V6W1083

The QC reported here applies to the following samples: **Method:** TO-15

V6W1083-SCC

CAS No.	Compound	Spike ppbv	BSP ppbv	BSP %	BSD ppbv	BSD %	RPD	Limits Rec/RPD
67-64-1	Acetone (2-Propanone)	10	8.7	87	8.8	88	1	70-130/30
106-99-0	1,3-Butadiene	10	9.2	92	9.3	93	1	70-130/30
71-43-2	Benzene	10	8.5	85	8.6	86	1	70-130/30
75-27-4	Bromodichloromethane	10	9.4	94	9.6	96	2	70-130/30
75-25-2	Bromoform	10	11.5	115	11.5	115	0	70-130/30
74-83-9	Bromomethane	10	9.5	95	9.6	96	1	70-130/30
593-60-2	Bromoethene	10	9.9	99	9.9	99	0	70-130/30
100-44-7	Benzyl Chloride	10	8.1	81	8.5	85	5	70-130/30
75-15-0	Carbon disulfide	10	9.6	96	9.6	96	0	70-130/30
108-90-7	Chlorobenzene	10	9.6	96	9.6	96	0	70-130/30
75-00-3	Chloroethane	10	8.2	82	8.2	82	0	70-130/30
67-66-3	Chloroform	10	8.9	89	9.0	90	1	70-130/30
74-87-3	Chloromethane	10	9.3	93	9.3	93	0	70-130/30
107-05-1	3-Chloropropene	10	9.0	90	9.1	91	1	70-130/30
95-49-8	2-Chlorotoluene	10	10.1	101	10.2	102	1	70-130/30
56-23-5	Carbon tetrachloride	10	9.2	92	9.2	92	0	70-130/30
110-82-7	Cyclohexane	10	9.0	90	9.2	92	2	70-130/30
75-34-3	1,1-Dichloroethane	10	9.2	92	9.2	92	0	70-130/30
75-35-4	1,1-Dichloroethylene	10	9.5	95	9.4	94	1	70-130/30
106-93-4	1,2-Dibromoethane (EDB)	10	9.3	93	9.4	94	1	70-130/30
107-06-2	1,2-Dichloroethane	10	7.8	78	7.9	79	1	70-130/30
78-87-5	1,2-Dichloropropane	10	9.1	91	9.1	91	0	70-130/30
123-91-1	1,4-Dioxane	10	10.8	108	11.0	110	2	70-130/30
75-71-8	Dichlorodifluoromethane	10	11.6	116	9.8	98	17	70-130/30
124-48-1	Dibromochloromethane	10	10.2	102	10.2	102	0	70-130/30
156-60-5	trans-1,2-Dichloroethylene	10	9.5	95	9.5	95	0	70-130/30
156-59-2	cis-1,2-Dichloroethylene	10	8.8	88	10	100	13	70-130/30
10061-01-5	cis-1,3-Dichloropropene	10	8.8	88	9.1	91	3	70-130/30
541-73-1	m-Dichlorobenzene	10	10.2	102	10.3	103	1	70-130/30
95-50-1	o-Dichlorobenzene	10	10.4	104	10.2	102	2	70-130/30
106-46-7	p-Dichlorobenzene	10	10.4	104	10.3	103	1	70-130/30
10061-02-6	trans-1,3-Dichloropropene	10	8.4	84	8.6	86	2	70-130/30
64-17-5	Ethanol	10	8.5	85	8.5	85	0	70-130/30
100-41-4	Ethylbenzene	10	9.2	92	9.1	91	1	70-130/30
141-78-6	Ethyl Acetate	10	8.6	86	8.7	87	1	70-130/30
622-96-8	4-Ethyltoluene	10	9.9	99	9.7	97	2	70-130/30

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V6W1083-BS	6W25440.D	1	08/11/22	TCH	n/a	n/a	V6W1083
V6W1083-BSD	6W25441.D	1	08/11/22	TCH	n/a	n/a	V6W1083

The QC reported here applies to the following samples: **Method:** TO-15

V6W1083-SCC

CAS No.	Compound	Spike ppbv	BSP ppbv	BSP %	BSD ppbv	BSD %	RPD	Limits Rec/RPD
76-13-1	Freon 113	10	10.6	106	10.6	106	0	70-130/30
76-14-2	Freon 114	10	9.7	97	9.8	98	1	70-130/30
142-82-5	Heptane	10	7.3	73	7.4	74	1	70-130/30
87-68-3	Hexachlorobutadiene	10	10.2	102	10.2	102	0	70-130/30
110-54-3	Hexane	10	7.8	78	7.8	78	0	70-130/30
591-78-6	2-Hexanone	10	10.6	106	10.8	108	2	70-130/30
67-63-0	Isopropyl Alcohol	10	8.4	84	8.4	84	0	70-130/30
75-09-2	Methylene chloride	10	9.5	95	9.5	95	0	70-130/30
78-93-3	Methyl ethyl ketone	10	10.5	105	10.4	104	1	70-130/30
108-10-1	Methyl Isobutyl Ketone	10	9.3	93	9.5	95	2	70-130/30
1634-04-4	Methyl Tert Butyl Ether	10	8.8	88	8.9	89	1	70-130/30
80-62-6	Methylmethacrylate	10	9.4	94	9.5	95	1	70-130/30
115-07-1	Propylene	10	7.2	72	7.2	72	0	70-130/30
100-42-5	Styrene	10	10.0	100	9.9	99	1	70-130/30
71-55-6	1,1,1-Trichloroethane	10	8.7	87	8.8	88	1	70-130/30
79-34-5	1,1,2,2-Tetrachloroethane	10	9.5	95	9.6	96	1	70-130/30
79-00-5	1,1,2-Trichloroethane	10	9.1	91	9.3	93	2	70-130/30
120-82-1	1,2,4-Trichlorobenzene	10	11.3	113	11.4	114	1	70-130/30
95-63-6	1,2,4-Trimethylbenzene	10	9.8	98	9.8	98	0	70-130/30
108-67-8	1,3,5-Trimethylbenzene	10	9.7	97	9.6	96	1	70-130/30
540-84-1	2,2,4-Trimethylpentane	10	8.2	82	8.3	83	1	70-130/30
75-65-0	Tertiary Butyl Alcohol	10	8.0	80	8.0	80	0	70-130/30
127-18-4	Tetrachloroethylene	10	10.3	103	10.4	104	1	70-130/30
109-99-9	Tetrahydrofuran	10	9.3	93	9.3	93	0	70-130/30
108-88-3	Toluene	10	8.8	88	8.9	89	1	70-130/30
79-01-6	Trichloroethylene	10	9.2	92	9.4	94	2	70-130/30
75-69-4	Trichlorofluoromethane	10	9.4	94	9.4	94	0	70-130/30
75-01-4	Vinyl chloride	10	8.6	86	8.8	88	2	70-130/30
108-05-4	Vinyl Acetate	10	10.4	104	10.6	106	2	70-130/30
	m,p-Xylene	20	18.6	93	18.6	93	0	70-130/30
95-47-6	o-Xylene	10	9.2	92	9.1	91	1	70-130/30
1330-20-7	Xylenes (total)	30	27.8	93	27.8	93	0	70-130/30

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V6W1083-BS	6W25440.D	1	08/11/22	TCH	n/a	n/a	V6W1083
V6W1083-BSD	6W25441.D	1	08/11/22	TCH	n/a	n/a	V6W1083

The QC reported here applies to the following samples: **Method:** TO-15

V6W1083-SCC

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
460-00-4	4-Bromofluorobenzene	96%	96%	65-128%

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2734-BS	2W61612.D	1	09/27/22	TCH	n/a	n/a	V2W2734
V2W2734-BSD	2W61613.D	1	09/27/22	TCH	n/a	n/a	V2W2734

The QC reported here applies to the following samples: **Method:** TO-15

V2W2734-SCC

CAS No.	Compound	Spike ppbv	BSP ppbv	BSP %	BSD ppbv	BSD %	RPD	Limits Rec/RPD
67-64-1	Acetone (2-Propanone)	10	8.4	84	7.9	79	6	70-130/30
106-99-0	1,3-Butadiene	10	9.6	96	9.0	90	6	70-130/30
71-43-2	Benzene	10	10.2	102	9.7	97	5	70-130/30
75-27-4	Bromodichloromethane	10	10.2	102	9.8	98	4	70-130/30
75-25-2	Bromoform	10	10.9	109	10.5	105	4	70-130/30
74-83-9	Bromomethane	10	9.9	99	9.4	94	5	70-130/30
593-60-2	Bromoethene	10	10.7	107	9.9	99	8	70-130/30
100-44-7	Benzyl Chloride	10	8.5	85	8.2	82	4	70-130/30
75-15-0	Carbon disulfide	10	12.2	122	11.2	112	9	70-130/30
108-90-7	Chlorobenzene	10	9.5	95	9.2	92	3	70-130/30
75-00-3	Chloroethane	10	11.5	115	10.7	107	7	70-130/30
67-66-3	Chloroform	10	10.2	102	9.7	97	5	70-130/30
74-87-3	Chloromethane	10	9.0	90	8.3	83	8	70-130/30
107-05-1	3-Chloropropene	10	11.1	111	10.4	104	7	70-130/30
95-49-8	2-Chlorotoluene	10	9.5	95	9.2	92	3	70-130/30
56-23-5	Carbon tetrachloride	10	9.9	99	9.4	94	5	70-130/30
110-82-7	Cyclohexane	10	9.6	96	9.4	94	2	70-130/30
75-34-3	1,1-Dichloroethane	10	11.1	111	10.5	105	6	70-130/30
75-35-4	1,1-Dichloroethylene	10	11.1	111	10.5	105	6	70-130/30
106-93-4	1,2-Dibromoethane (EDB)	10	9.7	97	9.4	94	3	70-130/30
107-06-2	1,2-Dichloroethane	10	10.7	107	10.2	102	5	70-130/30
78-87-5	1,2-Dichloropropane	10	10.4	104	10.1	101	3	70-130/30
123-91-1	1,4-Dioxane	10	11.0	110	10.8	108	2	70-130/30
75-71-8	Dichlorodifluoromethane	10	9.9	99	9.4	94	5	70-130/30
124-48-1	Dibromochloromethane	10	9.9	99	9.7	97	2	70-130/30
156-60-5	trans-1,2-Dichloroethylene	10	10.2	102	9.7	97	5	70-130/30
156-59-2	cis-1,2-Dichloroethylene	10	9.8	98	9.4	94	4	70-130/30
10061-01-5	cis-1,3-Dichloropropene	10	10	100	9.9	99	1	70-130/30
541-73-1	m-Dichlorobenzene	10	10	100	9.6	96	4	70-130/30
95-50-1	o-Dichlorobenzene	10	9.9	99	9.6	96	3	70-130/30
106-46-7	p-Dichlorobenzene	10	10	100	9.6	96	4	70-130/30
10061-02-6	trans-1,3-Dichloropropene	10	9.6	96	9.4	94	2	70-130/30
64-17-5	Ethanol	10	7.5	75	7.0	70	7	70-130/30
100-41-4	Ethylbenzene	10	10.3	103	10	100	3	70-130/30
141-78-6	Ethyl Acetate	10	11.0	110	10.4	104	6	70-130/30
622-96-8	4-Ethyltoluene	10	10.5	105	10.2	102	3	70-130/30

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2734-BS	2W61612.D	1	09/27/22	TCH	n/a	n/a	V2W2734
V2W2734-BSD	2W61613.D	1	09/27/22	TCH	n/a	n/a	V2W2734

The QC reported here applies to the following samples: **Method:** TO-15

V2W2734-SCC

CAS No.	Compound	Spike ppbv	BSP ppbv	BSP %	BSD ppbv	BSD %	RPD	Limits Rec/RPD
76-13-1	Freon 113	10	10.4	104	9.8	98	6	70-130/30
76-14-2	Freon 114	10	10.4	104	9.7	97	7	70-130/30
142-82-5	Heptane	10	8.4	84	8.2	82	2	70-130/30
87-68-3	Hexachlorobutadiene	10	9.3	93	8.9	89	4	70-130/30
110-54-3	Hexane	10	10.1	101	9.7	97	4	70-130/30
591-78-6	2-Hexanone	10	10.9	109	10.6	106	3	70-130/30
67-63-0	Isopropyl Alcohol	10	9.5	95	8.9	89	7	70-130/30
75-09-2	Methylene chloride	10	9.8	98	9.1	91	7	70-130/30
78-93-3	Methyl ethyl ketone	10	11.2	112	10.8	108	4	70-130/30
108-10-1	Methyl Isobutyl Ketone	10	11.7	117	11.2	112	4	70-130/30
1634-04-4	Methyl Tert Butyl Ether	10	9.4	94	9.0	90	4	70-130/30
80-62-6	Methylmethacrylate	10	10.6	106	10.5	105	1	70-130/30
115-07-1	Propylene	10	8.1	81	7.7	77	5	70-130/30
100-42-5	Styrene	10	11.1	111	10.6	106	5	70-130/30
71-55-6	1,1,1-Trichloroethane	10	9.6	96	9.1	91	5	70-130/30
79-34-5	1,1,2,2-Tetrachloroethane	10	10.5	105	10.2	102	3	70-130/30
79-00-5	1,1,2-Trichloroethane	10	9.7	97	9.5	95	2	70-130/30
120-82-1	1,2,4-Trichlorobenzene	10	9.9	99	9.3	93	6	70-130/30
95-63-6	1,2,4-Trimethylbenzene	10	10.4	104	10.3	103	1	70-130/30
108-67-8	1,3,5-Trimethylbenzene	10	10.4	104	10.2	102	2	70-130/30
540-84-1	2,2,4-Trimethylpentane	10	9.6	96	9.4	94	2	70-130/30
75-65-0	Tertiary Butyl Alcohol	10	10.1	101	9.6	96	5	70-130/30
127-18-4	Tetrachloroethylene	10	8.9	89	8.8	88	1	70-130/30
109-99-9	Tetrahydrofuran	10	11.1	111	10.5	105	6	70-130/30
108-88-3	Toluene	10	9.7	97	9.4	94	3	70-130/30
79-01-6	Trichloroethylene	10	10.0	100	9.8	98	2	70-130/30
75-69-4	Trichlorofluoromethane	10	10.9	109	10.2	102	7	70-130/30
75-01-4	Vinyl chloride	10	11.0	110	10.5	105	5	70-130/30
108-05-4	Vinyl Acetate	10	11.0	110	10.4	104	6	70-130/30
	m,p-Xylene	20	20.8	104	20.1	101	3	70-130/30
95-47-6	o-Xylene	10	10.4	104	10	100	4	70-130/30
1330-20-7	Xylenes (total)	30	31.2	104	30.1	100	4	70-130/30

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2734-BS	2W61612.D	1	09/27/22	TCH	n/a	n/a	V2W2734
V2W2734-BSD	2W61613.D	1	09/27/22	TCH	n/a	n/a	V2W2734

The QC reported here applies to the following samples: **Method:** TO-15

V2W2734-SCC

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
460-00-4	4-Bromofluorobenzene	101%	100%	65-128%

* = Outside of Control Limits.

Duplicate Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD53652-1DUP	6W26834.D	1	11/03/22	TCH	n/a	n/a	V6W1137
JD53652-1	6W26833.D	1	11/03/22	TCH	n/a	n/a	V6W1137

The QC reported here applies to the following samples: **Method:** TO-15

JD54338-1, JD54338-2

CAS No.	Compound	JD53652-1 ppbv	Q	DUP ppbv	Q	RPD	Limits
67-64-1	Acetone (2-Propanone)	16.4		16.3		1	25
106-99-0	1,3-Butadiene	ND		ND		nc	25
71-43-2	Benzene	6.8		7.0		3	25
75-27-4	Bromodichloromethane	ND		ND		nc	25
75-25-2	Bromoform	ND		ND		nc	25
74-83-9	Bromomethane	ND		ND		nc	25
593-60-2	Bromoethene	ND		ND		nc	25
100-44-7	Benzyl Chloride	ND		ND		nc	25
75-15-0	Carbon disulfide	ND		ND		nc	25
108-90-7	Chlorobenzene	ND		ND		nc	25
75-00-3	Chloroethane	ND		ND		nc	25
67-66-3	Chloroform	ND		ND		nc	25
74-87-3	Chloromethane	ND		ND		nc	25
107-05-1	3-Chloropropene	ND		ND		nc	25
95-49-8	2-Chlorotoluene	ND		ND		nc	25
56-23-5	Carbon tetrachloride	ND		ND		nc	25
110-82-7	Cyclohexane	3.2		3.2		0	25
75-34-3	1,1-Dichloroethane	ND		ND		nc	25
75-35-4	1,1-Dichloroethylene	ND		ND		nc	25
106-93-4	1,2-Dibromoethane (EDB)	ND		ND		nc	25
107-06-2	1,2-Dichloroethane	ND		ND		nc	25
78-87-5	1,2-Dichloropropane	ND		ND		nc	25
123-91-1	1,4-Dioxane	ND		ND		nc	25
75-71-8	Dichlorodifluoromethane	0.49	J	0.51	J	4	25
124-48-1	Dibromochloromethane	ND		ND		nc	25
156-60-5	trans-1,2-Dichloroethylene	ND		ND		nc	25
156-59-2	cis-1,2-Dichloroethylene	12.6		12.7		1	25
10061-01-5	cis-1,3-Dichloropropene	ND		ND		nc	25
541-73-1	m-Dichlorobenzene	ND		ND		nc	25
95-50-1	o-Dichlorobenzene	ND		ND		nc	25
106-46-7	p-Dichlorobenzene	ND		ND		nc	25
10061-02-6	trans-1,3-Dichloropropene	ND		ND		nc	25
64-17-5	Ethanol	3.6		3.8		5	25
100-41-4	Ethylbenzene	1.0		1.0		0	25
141-78-6	Ethyl Acetate	ND		ND		nc	25
622-96-8	4-Ethyltoluene	ND		ND		nc	25

* = Outside of Control Limits.

Duplicate Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD53652-1DUP	6W26834.D	1	11/03/22	TCH	n/a	n/a	V6W1137
JD53652-1	6W26833.D	1	11/03/22	TCH	n/a	n/a	V6W1137

The QC reported here applies to the following samples: **Method:** TO-15

JD54338-1, JD54338-2

CAS No.	Compound	JD53652-1 ppbv	Q	DUP ppbv	Q	RPD	Limits
76-13-1	Freon 113	ND		ND		nc	25
76-14-2	Freon 114	ND		ND		nc	25
142-82-5	Heptane	3.7		4.2		13	25
87-68-3	Hexachlorobutadiene	ND		ND		nc	25
110-54-3	Hexane	15.8		16.2		2	25
591-78-6	2-Hexanone	ND		ND		nc	25
67-63-0	Isopropyl Alcohol	0.99		1.1		11	25
75-09-2	Methylene chloride	0.93		0.97		4	25
78-93-3	Methyl ethyl ketone	0.50	J	0.50	J	0	25
108-10-1	Methyl Isobutyl Ketone	ND		ND		nc	25
1634-04-4	Methyl Tert Butyl Ether	ND		ND		nc	25
80-62-6	Methylmethacrylate	ND		ND		nc	25
115-07-1	Propylene	42.9		43.9		2	25
100-42-5	Styrene	ND		ND		nc	25
71-55-6	1,1,1-Trichloroethane	2.3		2.4		4	25
79-34-5	1,1,2,2-Tetrachloroethane	ND		ND		nc	25
79-00-5	1,1,2-Trichloroethane	ND		ND		nc	25
120-82-1	1,2,4-Trichlorobenzene	ND		ND		nc	25
95-63-6	1,2,4-Trimethylbenzene	0.39	J	0.38	J	3	25
108-67-8	1,3,5-Trimethylbenzene	ND		ND		nc	25
540-84-1	2,2,4-Trimethylpentane	36.6		40.0		9	25
75-65-0	Tertiary Butyl Alcohol	2.8		2.9		4	25
127-18-4	Tetrachloroethylene	2.6		2.6		0	25
109-99-9	Tetrahydrofuran	ND		ND		nc	25
108-88-3	Toluene	12.0		12.2		2	25
79-01-6	Trichloroethylene	2.8		2.7		4	25
75-69-4	Trichlorofluoromethane	0.59	J	0.63	J	7	25
75-01-4	Vinyl chloride	2.1		2.2		5	25
108-05-4	Vinyl Acetate	ND		ND		nc	25
	m,p-Xylene	4.8		4.9		2	25
95-47-6	o-Xylene	1.5		1.5		0	25
1330-20-7	Xylenes (total)	6.2		6.3		2	25

* = Outside of Control Limits.

Duplicate Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD53652-1DUP	6W26834.D	1	11/03/22	TCH	n/a	n/a	V6W1137
JD53652-1	6W26833.D	1	11/03/22	TCH	n/a	n/a	V6W1137

The QC reported here applies to the following samples: **Method:** TO-15

JD54338-1, JD54338-2

CAS No.	Surrogate Recoveries	DUP	JD53652-1	Limits
460-00-4	4-Bromofluorobenzene	99%	98%	65-128%

* = Outside of Control Limits.

Duplicate Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD54423-15DUP	6W26872.D	1	11/04/22	TCH	n/a	n/a	V6W1138
JD54423-15	6W26871.D	1	11/04/22	TCH	n/a	n/a	V6W1138

The QC reported here applies to the following samples: **Method:** TO-15

JD54338-1

CAS No.	Compound	JD54423-15 ppbv	Q	DUP ppbv	Q	RPD	Limits
141-78-6	Ethyl Acetate	1.5		1.6		6	25

CAS No.	Surrogate Recoveries	DUP	JD54423-15	Limits
460-00-4	4-Bromofluorobenzene	99%	98%	65-128%

* = Outside of Control Limits.

Summa Cleaning Certification

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V6W1083-SCC	6W25452.D	1	08/11/22	TCH	n/a	n/a	V6W1083

The QC reported here (Summa A406) applies to the following samples: **Method:** TO-15

Batch CP11846 cleaned 08/05/22: JD54338-1(A502)

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
67-64-1	Acetone (2-Propanone)	ND	0.80	0.58	ppbv		ND	1.9	ug/m3
106-99-0	1,3-Butadiene	ND	0.80	0.34	ppbv		ND	1.8	ug/m3
71-43-2	Benzene	ND	0.80	0.25	ppbv		ND	2.6	ug/m3
75-27-4	Bromodichloromethane	ND	0.80	0.12	ppbv		ND	5.4	ug/m3
75-25-2	Bromoform	ND	0.80	0.28	ppbv		ND	8.3	ug/m3
74-83-9	Bromomethane	ND	0.80	0.28	ppbv		ND	3.1	ug/m3
593-60-2	Bromoethene	ND	0.80	0.24	ppbv		ND	3.5	ug/m3
100-44-7	Benzyl Chloride	ND	0.80	0.50	ppbv		ND	4.1	ug/m3
75-15-0	Carbon disulfide	ND	0.80	0.18	ppbv		ND	2.5	ug/m3
108-90-7	Chlorobenzene	ND	0.80	0.30	ppbv		ND	3.7	ug/m3
75-00-3	Chloroethane	ND	0.80	0.27	ppbv		ND	2.1	ug/m3
67-66-3	Chloroform	ND	0.80	0.15	ppbv		ND	3.9	ug/m3
74-87-3	Chloromethane	ND	0.80	0.36	ppbv		ND	1.7	ug/m3
107-05-1	3-Chloropropene	ND	0.80	0.33	ppbv		ND	2.5	ug/m3
95-49-8	2-Chlorotoluene	ND	0.80	0.29	ppbv		ND	4.1	ug/m3
56-23-5	Carbon tetrachloride	ND	0.80	0.16	ppbv		ND	5.0	ug/m3
110-82-7	Cyclohexane	ND	0.80	0.44	ppbv		ND	2.8	ug/m3
75-34-3	1,1-Dichloroethane	ND	0.80	0.23	ppbv		ND	3.2	ug/m3
75-35-4	1,1-Dichloroethylene	ND	0.80	0.24	ppbv		ND	3.2	ug/m3
106-93-4	1,2-Dibromoethane (EDB)	ND	0.80	0.39	ppbv		ND	6.1	ug/m3
107-06-2	1,2-Dichloroethane	ND	0.80	0.28	ppbv		ND	3.2	ug/m3
78-87-5	1,2-Dichloropropane	ND	0.80	0.25	ppbv		ND	3.7	ug/m3
123-91-1	1,4-Dioxane	ND	0.80	0.47	ppbv		ND	2.9	ug/m3
75-71-8	Dichlorodifluoromethane	ND	0.80	0.13	ppbv		ND	4.0	ug/m3
124-48-1	Dibromochloromethane	ND	0.80	0.21	ppbv		ND	6.8	ug/m3
156-60-5	trans-1,2-Dichloroethylene	ND	0.80	0.28	ppbv		ND	3.2	ug/m3
156-59-2	cis-1,2-Dichloroethylene	ND	0.80	0.31	ppbv		ND	3.2	ug/m3
10061-01-5	cis-1,3-Dichloropropene	ND	0.80	0.25	ppbv		ND	3.6	ug/m3
541-73-1	m-Dichlorobenzene	ND	0.80	0.16	ppbv		ND	4.8	ug/m3
95-50-1	o-Dichlorobenzene	ND	0.80	0.62	ppbv		ND	4.8	ug/m3
106-46-7	p-Dichlorobenzene	ND	0.80	0.76	ppbv		ND	4.8	ug/m3
10061-02-6	trans-1,3-Dichloropropene	ND	0.80	0.40	ppbv		ND	3.6	ug/m3
64-17-5	Ethanol	ND	2.0	1.6	ppbv		ND	3.8	ug/m3
100-41-4	Ethylbenzene	ND	0.80	0.24	ppbv		ND	3.5	ug/m3
141-78-6	Ethyl Acetate	ND	0.80	0.42	ppbv		ND	2.9	ug/m3
622-96-8	4-Ethyltoluene	ND	0.80	0.38	ppbv		ND	3.9	ug/m3

Summa Cleaning Certification

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V6W1083-SCC	6W25452.D	1	08/11/22	TCH	n/a	n/a	V6W1083

The QC reported here (Summa A406) applies to the following samples: **Method:** TO-15

Batch CP11846 cleaned 08/05/22: JD54338-1(A502)

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
76-13-1	Freon 113	ND	0.80	0.12	ppbv		ND	6.1	ug/m3
76-14-2	Freon 114	ND	0.80	0.20	ppbv		ND	5.6	ug/m3
142-82-5	Heptane	ND	0.80	0.37	ppbv		ND	3.3	ug/m3
87-68-3	Hexachlorobutadiene	ND	0.80	0.25	ppbv		ND	8.5	ug/m3
110-54-3	Hexane	ND	0.80	0.45	ppbv		ND	2.8	ug/m3
591-78-6	2-Hexanone	ND	0.80	0.58	ppbv		ND	3.3	ug/m3
67-63-0	Isopropyl Alcohol	ND	0.80	0.56	ppbv		ND	2.0	ug/m3
75-09-2	Methylene chloride	ND	0.80	0.22	ppbv		ND	2.8	ug/m3
78-93-3	Methyl ethyl ketone	ND	0.80	0.44	ppbv		ND	2.4	ug/m3
108-10-1	Methyl Isobutyl Ketone	ND	0.80	0.29	ppbv		ND	3.3	ug/m3
1634-04-4	Methyl Tert Butyl Ether	ND	0.80	0.32	ppbv		ND	2.9	ug/m3
80-62-6	Methylmethacrylate	ND	0.80	0.28	ppbv		ND	3.3	ug/m3
115-07-1	Propylene	ND	2.0	0.57	ppbv		ND	3.4	ug/m3
100-42-5	Styrene	ND	0.80	0.47	ppbv		ND	3.4	ug/m3
71-55-6	1,1,1-Trichloroethane	ND	0.80	0.15	ppbv		ND	4.4	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.80	0.19	ppbv		ND	5.5	ug/m3
79-00-5	1,1,2-Trichloroethane	ND	0.80	0.15	ppbv		ND	4.4	ug/m3
120-82-1	1,2,4-Trichlorobenzene	ND	0.80	0.48	ppbv		ND	5.9	ug/m3
95-63-6	1,2,4-Trimethylbenzene	ND	0.80	0.35	ppbv		ND	3.9	ug/m3
108-67-8	1,3,5-Trimethylbenzene	ND	0.80	0.32	ppbv		ND	3.9	ug/m3
540-84-1	2,2,4-Trimethylpentane	ND	0.80	0.38	ppbv		ND	3.7	ug/m3
75-65-0	Tertiary Butyl Alcohol	ND	0.80	0.37	ppbv		ND	2.4	ug/m3
127-18-4	Tetrachloroethylene	ND	0.16	0.056	ppbv		ND	1.1	ug/m3
109-99-9	Tetrahydrofuran	ND	0.80	0.36	ppbv		ND	2.4	ug/m3
108-88-3	Toluene	ND	0.80	0.23	ppbv		ND	3.0	ug/m3
79-01-6	Trichloroethylene	ND	0.16	0.076	ppbv		ND	0.86	ug/m3
75-69-4	Trichlorofluoromethane	ND	0.80	0.14	ppbv		ND	4.5	ug/m3
75-01-4	Vinyl chloride	ND	0.80	0.28	ppbv		ND	2.0	ug/m3
108-05-4	Vinyl Acetate	ND	0.80	0.45	ppbv		ND	2.8	ug/m3
	m,p-Xylene	ND	0.80	0.56	ppbv		ND	3.5	ug/m3
95-47-6	o-Xylene	ND	0.80	0.31	ppbv		ND	3.5	ug/m3
1330-20-7	Xylenes (total)	ND	0.80	0.31	ppbv		ND	3.5	ug/m3

Summa Cleaning Certification

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V6W1083-SCC	6W25452.D	1	08/11/22	TCH	n/a	n/a	V6W1083

The QC reported here (Summa A406) applies to the following samples: **Method:** TO-15

Batch CP11846 cleaned 08/05/22: JD54338-1(A502)

CAS No.	Surrogate Recoveries		Limits
460-00-4	4-Bromofluorobenzene	93%	65-128%

Summa Cleaning Certification

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2734-SCC	2W61625.D	1	09/27/22	TCH	n/a	n/a	V2W2734

The QC reported here (Summa M441) applies to the following samples: **Method:** TO-15

Batch CP11872 cleaned 09/21/22: JD54338-2(A409)

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
67-64-1	Acetone (2-Propanone)	ND	0.80	0.58	ppbv		ND	1.9	ug/m3
106-99-0	1,3-Butadiene	ND	0.80	0.34	ppbv		ND	1.8	ug/m3
71-43-2	Benzene	ND	0.80	0.25	ppbv		ND	2.6	ug/m3
75-27-4	Bromodichloromethane	ND	0.80	0.12	ppbv		ND	5.4	ug/m3
75-25-2	Bromoform	ND	0.80	0.28	ppbv		ND	8.3	ug/m3
74-83-9	Bromomethane	ND	0.80	0.28	ppbv		ND	3.1	ug/m3
593-60-2	Bromoethene	ND	0.80	0.24	ppbv		ND	3.5	ug/m3
100-44-7	Benzyl Chloride	ND	0.80	0.50	ppbv		ND	4.1	ug/m3
75-15-0	Carbon disulfide	ND	0.80	0.18	ppbv		ND	2.5	ug/m3
108-90-7	Chlorobenzene	ND	0.80	0.30	ppbv		ND	3.7	ug/m3
75-00-3	Chloroethane	ND	0.80	0.27	ppbv		ND	2.1	ug/m3
67-66-3	Chloroform	ND	0.80	0.15	ppbv		ND	3.9	ug/m3
74-87-3	Chloromethane	ND	0.80	0.36	ppbv		ND	1.7	ug/m3
107-05-1	3-Chloropropene	ND	0.80	0.33	ppbv		ND	2.5	ug/m3
95-49-8	2-Chlorotoluene	ND	0.80	0.29	ppbv		ND	4.1	ug/m3
56-23-5	Carbon tetrachloride	ND	0.80	0.16	ppbv		ND	5.0	ug/m3
110-82-7	Cyclohexane	ND	0.80	0.44	ppbv		ND	2.8	ug/m3
75-34-3	1,1-Dichloroethane	ND	0.80	0.23	ppbv		ND	3.2	ug/m3
75-35-4	1,1-Dichloroethylene	ND	0.80	0.24	ppbv		ND	3.2	ug/m3
106-93-4	1,2-Dibromoethane (EDB)	ND	0.80	0.39	ppbv		ND	6.1	ug/m3
107-06-2	1,2-Dichloroethane	ND	0.80	0.28	ppbv		ND	3.2	ug/m3
78-87-5	1,2-Dichloropropane	ND	0.80	0.25	ppbv		ND	3.7	ug/m3
123-91-1	1,4-Dioxane	ND	0.80	0.47	ppbv		ND	2.9	ug/m3
75-71-8	Dichlorodifluoromethane	ND	0.80	0.13	ppbv		ND	4.0	ug/m3
124-48-1	Dibromochloromethane	ND	0.80	0.21	ppbv		ND	6.8	ug/m3
156-60-5	trans-1,2-Dichloroethylene	ND	0.80	0.28	ppbv		ND	3.2	ug/m3
156-59-2	cis-1,2-Dichloroethylene	ND	0.80	0.31	ppbv		ND	3.2	ug/m3
10061-01-5	cis-1,3-Dichloropropene	ND	0.80	0.25	ppbv		ND	3.6	ug/m3
541-73-1	m-Dichlorobenzene	ND	0.80	0.16	ppbv		ND	4.8	ug/m3
95-50-1	o-Dichlorobenzene	ND	0.80	0.62	ppbv		ND	4.8	ug/m3
106-46-7	p-Dichlorobenzene	ND	0.80	0.76	ppbv		ND	4.8	ug/m3
10061-02-6	trans-1,3-Dichloropropene	ND	0.80	0.40	ppbv		ND	3.6	ug/m3
64-17-5	Ethanol	ND	2.0	1.6	ppbv		ND	3.8	ug/m3
100-41-4	Ethylbenzene	ND	0.80	0.24	ppbv		ND	3.5	ug/m3
141-78-6	Ethyl Acetate	ND	0.80	0.42	ppbv		ND	2.9	ug/m3
622-96-8	4-Ethyltoluene	ND	0.80	0.38	ppbv		ND	3.9	ug/m3

Summa Cleaning Certification

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2734-SCC	2W61625.D	1	09/27/22	TCH	n/a	n/a	V2W2734

The QC reported here (Summa M441) applies to the following samples: **Method:** TO-15

Batch CP11872 cleaned 09/21/22: JD54338-2(A409)

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
76-13-1	Freon 113	ND	0.80	0.12	ppbv		ND	6.1	ug/m3
76-14-2	Freon 114	ND	0.80	0.20	ppbv		ND	5.6	ug/m3
142-82-5	Heptane	ND	0.80	0.37	ppbv		ND	3.3	ug/m3
87-68-3	Hexachlorobutadiene	ND	0.80	0.25	ppbv		ND	8.5	ug/m3
110-54-3	Hexane	ND	0.80	0.45	ppbv		ND	2.8	ug/m3
591-78-6	2-Hexanone	ND	0.80	0.58	ppbv		ND	3.3	ug/m3
67-63-0	Isopropyl Alcohol	ND	0.80	0.56	ppbv		ND	2.0	ug/m3
75-09-2	Methylene chloride	ND	0.80	0.22	ppbv		ND	2.8	ug/m3
78-93-3	Methyl ethyl ketone	ND	0.80	0.44	ppbv		ND	2.4	ug/m3
108-10-1	Methyl Isobutyl Ketone	ND	0.80	0.29	ppbv		ND	3.3	ug/m3
1634-04-4	Methyl Tert Butyl Ether	ND	0.80	0.32	ppbv		ND	2.9	ug/m3
80-62-6	Methylmethacrylate	ND	0.80	0.28	ppbv		ND	3.3	ug/m3
115-07-1	Propylene	ND	2.0	0.57	ppbv		ND	3.4	ug/m3
100-42-5	Styrene	ND	0.80	0.47	ppbv		ND	3.4	ug/m3
71-55-6	1,1,1-Trichloroethane	ND	0.80	0.15	ppbv		ND	4.4	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.80	0.19	ppbv		ND	5.5	ug/m3
79-00-5	1,1,2-Trichloroethane	ND	0.80	0.15	ppbv		ND	4.4	ug/m3
120-82-1	1,2,4-Trichlorobenzene	ND	0.80	0.48	ppbv		ND	5.9	ug/m3
95-63-6	1,2,4-Trimethylbenzene	ND	0.80	0.35	ppbv		ND	3.9	ug/m3
108-67-8	1,3,5-Trimethylbenzene	ND	0.80	0.32	ppbv		ND	3.9	ug/m3
540-84-1	2,2,4-Trimethylpentane	ND	0.80	0.38	ppbv		ND	3.7	ug/m3
75-65-0	Tertiary Butyl Alcohol	ND	0.80	0.37	ppbv		ND	2.4	ug/m3
127-18-4	Tetrachloroethylene	ND	0.16	0.056	ppbv		ND	1.1	ug/m3
109-99-9	Tetrahydrofuran	ND	0.80	0.36	ppbv		ND	2.4	ug/m3
108-88-3	Toluene	ND	0.80	0.23	ppbv		ND	3.0	ug/m3
79-01-6	Trichloroethylene	ND	0.16	0.076	ppbv		ND	0.86	ug/m3
75-69-4	Trichlorofluoromethane	ND	0.80	0.14	ppbv		ND	4.5	ug/m3
75-01-4	Vinyl chloride	ND	0.80	0.28	ppbv		ND	2.0	ug/m3
108-05-4	Vinyl Acetate	ND	0.80	0.45	ppbv		ND	2.8	ug/m3
	m,p-Xylene	ND	0.80	0.56	ppbv		ND	3.5	ug/m3
95-47-6	o-Xylene	ND	0.80	0.31	ppbv		ND	3.5	ug/m3
1330-20-7	Xylenes (total)	ND	0.80	0.31	ppbv		ND	3.5	ug/m3

Summa Cleaning Certification

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2734-SCC	2W61625.D	1	09/27/22	TCH	n/a	n/a	V2W2734

The QC reported here (Summa M441) applies to the following samples: **Method:** TO-15

Batch CP11872 cleaned 09/21/22: JD54338-2(A409)

CAS No.	Surrogate Recoveries		Limits
460-00-4	4-Bromofluorobenzene	93%	65-128%

Instrument Performance Check (BFB)

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V2W2709-BFB
Lab File ID: 2W61009.D
Instrument ID: GCMS2W
Injection Date: 08/19/22
Injection Time: 10:50

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	8.0 - 40.0% of mass 95	14581	21.8		Pass
75	30.0 - 66.0% of mass 95	32835	49.2		Pass
95	Base peak, 100% relative abundance	66739	100.0		Pass
96	5.0 - 9.0% of mass 95	4420	6.62		Pass
173	Less than 2.0% of mass 174	243	0.36	(0.44) [a]	Pass
174	50.0 - 120.0% of mass 95	55160	82.7		Pass
175	4.0 - 9.01% of mass 174	3990	5.98	(7.23) [a]	Pass
176	93.0 - 101.0% of mass 174	52933	79.3	(96.0) [a]	Pass
177	5.0 - 9.0% of mass 176	3276	4.91	(6.19) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V2W2709-IC2709	2W61010.D	08/19/22	11:22	00:32	Initial cal 0.04
V2W2709-IC2709	2W61011.D	08/19/22	11:55	01:05	Initial cal 0.1
V2W2709-IC2709	2W61012.D	08/19/22	12:27	01:37	Initial cal 0.2
V2W2709-IC2709	2W61013.D	08/19/22	12:59	02:09	Initial cal 0.5
V2W2709-IC2709	2W61015.D	08/19/22	14:02	03:12	Initial cal 5
V2W2709-ICC2709	2W61016.D	08/19/22	14:34	03:44	Initial cal 10
V2W2709-IC2709	2W61017.D	08/19/22	15:08	04:18	Initial cal 20
V2W2709-IC2709	2W61018.D	08/19/22	15:45	04:55	Initial cal 40
V2W2709-IC2709	2W61019.D	08/19/22	16:25	05:35	Initial cal 50
V2W2709-ICV2709	2W61022.D	08/19/22	18:00	07:10	Initial cal verification 10

Instrument Performance Check (BFB)

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V2W2734-BFB
Lab File ID: 2W61610.D
Instrument ID: GCMS2W
Injection Date: 09/27/22
Injection Time: 07:25

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	8.0 - 40.0% of mass 95	16757	22.1		Pass
75	30.0 - 66.0% of mass 95	39912	52.7		Pass
95	Base peak, 100% relative abundance	75664	100.0		Pass
96	5.0 - 9.0% of mass 95	4899	6.47		Pass
173	Less than 2.0% of mass 174	263	0.35	(0.42) [a]	Pass
174	50.0 - 120.0% of mass 95	63341	83.7		Pass
175	4.0 - 9.01% of mass 174	4486	5.93	(7.08) [a]	Pass
176	93.0 - 101.0% of mass 174	59096	78.1	(93.3) [a]	Pass
177	5.0 - 9.0% of mass 176	4116	5.44	(6.96) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V2W2734-CC2709	2W61611.D	09/27/22	07:58	00:33	Continuing cal 10
V2W2734-BS	2W61612.D	09/27/22	08:57	01:32	Blank Spike
V2W2734-BSD	2W61613.D	09/27/22	09:29	02:04	Blank Spike Duplicate
V2W2734-MB	2W61615.D	09/27/22	10:49	03:24	Method Blank
ZZZZZZ	2W61616.D	09/27/22	11:38	04:13	(unrelated sample)
ZZZZZZ	2W61617.D	09/27/22	12:16	04:51	(unrelated sample)
JD52279-6	2W61618.D	09/27/22	12:55	05:30	(used for QC only; not part of job JD54338)
JD52279-6DUP	2W61619.D	09/27/22	13:36	06:11	Duplicate
ZZZZZZ	2W61620.D	09/27/22	14:08	06:43	(unrelated sample)
ZZZZZZ	2W61621.D	09/27/22	14:59	07:34	(unrelated sample)
V2W2734-SCC	2W61622.D	09/27/22	15:37	08:12	Summa Cleaning Certification
V2W2734-SCC	2W61623.D	09/27/22	16:15	08:50	Summa Cleaning Certification
V2W2734-SCC	2W61625.D	09/27/22	17:24	09:59	Summa Cleaning Certification
V2W2734-SCC	2W61626.D	09/27/22	17:57	10:32	Summa Cleaning Certification
V2W2734-SCC	2W61627.D	09/27/22	18:29	11:04	Summa Cleaning Certification

Instrument Performance Check (BFB)

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V6W1077-BFB
Lab File ID: 6W25315.D
Instrument ID: GCMS6W
Injection Date: 08/04/22
Injection Time: 17:09

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	8.0 - 40.0% of mass 95	11429	23.1		Pass
75	30.0 - 66.0% of mass 95	25645	51.8		Pass
95	Base peak, 100% relative abundance	49485	100.0		Pass
96	5.0 - 9.0% of mass 95	3335	6.74		Pass
173	Less than 2.0% of mass 174	242	0.49	(0.61) [a]	Pass
174	50.0 - 120.0% of mass 95	39416	79.7		Pass
175	4.0 - 9.01% of mass 174	2844	5.75	(7.22) [a]	Pass
176	93.0 - 101.0% of mass 174	38541	77.9	(97.8) [a]	Pass
177	5.0 - 9.0% of mass 176	2529	5.11	(6.56) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V6W1077-IC1077	6W25316.D	08/04/22	17:54	00:45	Initial cal 0.04
V6W1077-IC1077	6W25317.D	08/04/22	18:39	01:30	Initial cal 0.1
V6W1077-IC1077	6W25318.D	08/04/22	19:25	02:16	Initial cal 0.2
V6W1077-IC1077	6W25319.D	08/04/22	20:11	03:02	Initial cal 0.5
V6W1077-IC1077	6W25321.D	08/04/22	21:41	04:32	Initial cal 5
V6W1077-ICC1077	6W25322.D	08/04/22	22:26	05:17	Initial cal 10
V6W1077-IC1077	6W25323.D	08/04/22	23:14	06:05	Initial cal 20
V6W1077-IC1077	6W25324.D	08/05/22	00:05	06:56	Initial cal 40
V6W1077-IC1077	6W25325.D	08/05/22	00:59	07:50	Initial cal 50
V6W1077-ICV1077	6W25328.D	08/05/22	03:17	10:08	Initial cal verification 10

Instrument Performance Check (BFB)

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V6W1083-BFB
Lab File ID: 6W25438.D
Instrument ID: GCMS6W
Injection Date: 08/11/22
Injection Time: 07:24

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	8.0 - 40.0% of mass 95	11717	20.6		Pass
75	30.0 - 66.0% of mass 95	28251	49.8		Pass
95	Base peak, 100% relative abundance	56760	100.0		Pass
96	5.0 - 9.0% of mass 95	3771	6.64		Pass
173	Less than 2.0% of mass 174	353	0.62	(0.71) [a]	Pass
174	50.0 - 120.0% of mass 95	49619	87.4		Pass
175	4.0 - 9.01% of mass 174	3741	6.59	(7.54) [a]	Pass
176	93.0 - 101.0% of mass 174	48008	84.6	(96.8) [a]	Pass
177	5.0 - 9.0% of mass 176	3126	5.51	(6.51) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V6W1083-CC1077	6W25439.D	08/11/22	08:20	00:56	Continuing cal 10
V6W1083-BS	6W25440.D	08/11/22	09:21	01:57	Blank Spike
V6W1083-BSD	6W25441.D	08/11/22	10:25	03:01	Blank Spike Duplicate
V6W1083-MB	6W25444.D	08/11/22	12:47	05:23	Method Blank
JD49709-1	6W25445.D	08/11/22	13:33	06:09	(used for QC only; not part of job JD54338)
JD49709-1DUP	6W25446.D	08/11/22	14:19	06:55	Duplicate
ZZZZZZ	6W25447.D	08/11/22	15:24	08:00	(unrelated sample)
V6W1083-SCC	6W25451.D	08/11/22	18:38	11:14	Summa Cleaning Certification
V6W1083-SCC	6W25452.D	08/11/22	19:25	12:01	Summa Cleaning Certification
V6W1083-SCC	6W25453.D	08/11/22	20:12	12:48	Summa Cleaning Certification
V6W1083-SCC	6W25454.D	08/11/22	20:58	13:34	Summa Cleaning Certification
V6W1083-SCC	6W25455.D	08/11/22	21:50	14:26	Summa Cleaning Certification

Instrument Performance Check (BFB)

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V6W1125-BFB
Lab File ID: 6W26446.D
Instrument ID: GCMS6W
Injection Date: 10/19/22
Injection Time: 17:44

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	8.0 - 40.0% of mass 95	11894	25.6		Pass
75	30.0 - 66.0% of mass 95	23544	50.6		Pass
95	Base peak, 100% relative abundance	46541	100.0		Pass
96	5.0 - 9.0% of mass 95	3244	6.97		Pass
173	Less than 2.0% of mass 174	352	0.76	(0.98) [a]	Pass
174	50.0 - 120.0% of mass 95	35928	77.2		Pass
175	4.0 - 9.01% of mass 174	2432	5.23	(6.77) [a]	Pass
176	93.0 - 101.0% of mass 174	34165	73.4	(95.1) [a]	Pass
177	5.0 - 9.0% of mass 176	2442	5.25	(7.15) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V6W1125-IC1125	6W26448.D	10/19/22	19:10	01:26	Initial cal 0.04
V6W1125-IC1125	6W26449.D	10/19/22	19:43	01:59	Initial cal 0.1
V6W1125-IC1125	6W26450.D	10/19/22	20:15	02:31	Initial cal 0.2
V6W1125-IC1125	6W26451.D	10/19/22	20:47	03:03	Initial cal 0.5
V6W1125-IC1125	6W26453.D	10/19/22	21:52	04:08	Initial cal 5
V6W1125-ICC1125	6W26454.D	10/19/22	22:25	04:41	Initial cal 10
V6W1125-IC1125	6W26455.D	10/19/22	22:57	05:13	Initial cal 20
V6W1125-IC1125	6W26456.D	10/19/22	23:29	05:45	Initial cal 40
V6W1125-IC1125	6W26457.D	10/20/22	00:03	06:19	Initial cal 50
V6W1125-ICV1125	6W26462.D	10/20/22	09:08	15:24	Initial cal verification 10

Instrument Performance Check (BFB)

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V6W1137-BFB
Lab File ID: 6W26822.D
Instrument ID: GCMS6W
Injection Date: 11/03/22
Injection Time: 09:04

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	8.0 - 40.0% of mass 95	9728	24.4		Pass
75	30.0 - 66.0% of mass 95	20293	50.9		Pass
95	Base peak, 100% relative abundance	39835	100.0		Pass
96	5.0 - 9.0% of mass 95	2732	6.86		Pass
173	Less than 2.0% of mass 174	369	0.93	(1.16) [a]	Pass
174	50.0 - 120.0% of mass 95	31795	79.8		Pass
175	4.0 - 9.01% of mass 174	2169	5.44	(6.82) [a]	Pass
176	93.0 - 101.0% of mass 174	31512	79.1	(99.1) [a]	Pass
177	5.0 - 9.0% of mass 176	2021	5.07	(6.41) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V6W1137-CC1125	6W26823.D	11/03/22	09:36	00:32	Continuing cal 10
V6W1137-BS	6W26824.D	11/03/22	10:14	01:10	Blank Spike
V6W1137-BSD	6W26825.D	11/03/22	10:45	01:41	Blank Spike Duplicate
V6W1137-MB	6W26830.D	11/03/22	14:39	05:35	Method Blank
ZZZZZZ	6W26831.D	11/03/22	15:48	06:44	(unrelated sample)
ZZZZZZ	6W26832.D	11/03/22	16:21	07:17	(unrelated sample)
JD53652-1	6W26833.D	11/03/22	16:53	07:49	(used for QC only; not part of job JD54338)
JD53652-1DUP	6W26834.D	11/03/22	17:26	08:22	Duplicate
ZZZZZZ	6W26835.D	11/03/22	17:59	08:55	(unrelated sample)
ZZZZZZ	6W26836.D	11/03/22	18:31	09:27	(unrelated sample)
ZZZZZZ	6W26837.D	11/03/22	19:03	09:59	(unrelated sample)
ZZZZZZ	6W26838.D	11/03/22	19:35	10:31	(unrelated sample)
ZZZZZZ	6W26839.D	11/03/22	20:07	11:03	(unrelated sample)
ZZZZZZ	6W26840.D	11/03/22	20:40	11:36	(unrelated sample)
JD54338-1	6W26841.D	11/03/22	21:12	12:08	VPOST GAC
JD54338-2	6W26842.D	11/03/22	21:46	12:42	VINF
ZZZZZZ	6W26843.D	11/03/22	22:19	13:15	(unrelated sample)
ZZZZZZ	6W26844.D	11/03/22	22:51	13:47	(unrelated sample)
ZZZZZZ	6W26846.D	11/03/22	23:58	14:54	(unrelated sample)
ZZZZZZ	6W26847.D	11/04/22	00:31	15:27	(unrelated sample)
ZZZZZZ	6W26848.D	11/04/22	01:04	16:00	(unrelated sample)
ZZZZZZ	6W26849.D	11/04/22	01:37	16:33	(unrelated sample)
V6W1137-SCC	6W26852.D	11/04/22	03:16	18:12	Summa Cleaning Certification
V6W1137-SCC	6W26853.D	11/04/22	03:48	18:44	Summa Cleaning Certification

Instrument Performance Check (BFB)

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample:	V6W1137-BFB	**Injection Date:**	11/03/22
Lab File ID:	6W26822.D	**Injection Time:**	09:04
Instrument ID:	GCMS6W		

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V6W1137-SCC	6W26854.D	11/04/22	04:20	19:16	Summa Cleaning Certification
V6W1137-SCC	6W26855.D	11/04/22	04:53	19:49	Summa Cleaning Certification
V6W1137-SCC	6W26856.D	11/04/22	05:25	20:21	Summa Cleaning Certification
V6W1137-SCC	6W26859.D	11/04/22	07:04	22:00	Summa Cleaning Certification
V6W1137-SCC	6W26860.D	11/04/22	07:37	22:33	Summa Cleaning Certification

Instrument Performance Check (BFB)

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V6W1138-BFB
Lab File ID: 6W26862.D
Instrument ID: GCMS6W
Injection Date: 11/04/22
Injection Time: 09:04

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	8.0 - 40.0% of mass 95	10199	24.6		Pass
75	30.0 - 66.0% of mass 95	21080	50.8		Pass
95	Base peak, 100% relative abundance	41456	100.0		Pass
96	5.0 - 9.0% of mass 95	2916	7.03		Pass
173	Less than 2.0% of mass 174	288	0.69	(0.89) [a]	Pass
174	50.0 - 120.0% of mass 95	32229	77.7		Pass
175	4.0 - 9.01% of mass 174	2498	6.03	(7.75) [a]	Pass
176	93.0 - 101.0% of mass 174	31000	74.8	(96.2) [a]	Pass
177	5.0 - 9.0% of mass 176	2186	5.27	(7.05) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V6W1138-CC1125	6W26863.D	11/04/22	09:36	00:32	Continuing cal 10
V6W1138-BS	6W26864.D	11/04/22	10:15	01:11	Blank Spike
V6W1138-BSD	6W26865.D	11/04/22	10:47	01:43	Blank Spike Duplicate
V6W1138-MB	6W26867.D	11/04/22	11:58	02:54	Method Blank
JD54338-1	6W26868.D	11/04/22	12:51	03:47	VPOST GAC
ZZZZZZ	6W26869.D	11/04/22	13:22	04:18	(unrelated sample)
ZZZZZZ	6W26870.D	11/04/22	13:54	04:50	(unrelated sample)
JD54423-15	6W26871.D	11/04/22	14:27	05:23	(used for QC only; not part of job JD54338)
JD54423-15DUP	6W26872.D	11/04/22	15:00	05:56	Duplicate
ZZZZZZ	6W26874.D	11/04/22	16:06	07:02	(unrelated sample)
ZZZZZZ	6W26876.D	11/04/22	17:10	08:06	(unrelated sample)
ZZZZZZ	6W26878.D	11/04/22	18:16	09:12	(unrelated sample)
ZZZZZZ	6W26880.D	11/04/22	19:21	10:17	(unrelated sample)
ZZZZZZ	6W26882.D	11/04/22	20:25	11:21	(unrelated sample)
ZZZZZZ	6W26884.D	11/04/22	21:30	12:26	(unrelated sample)
V6W1138-SCC	6W26899.D	11/05/22	05:49	20:45	Summa Cleaning Certification
V6W1138-SCC	6W26900.D	11/05/22	06:21	21:17	Summa Cleaning Certification

Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Check Std:	V2W2734-CC2709	**Injection Date:**	09/27/22
Lab File ID:	2W61611.D	**Injection Time:**	07:58
Instrument ID:	GCMS2W	**Method:**	TO-15

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
Check Std	79324	3.61	441027	4.93	400342	10.59
Upper Limit [a]	111054	3.94	617438	5.26	560479	10.92
Lower Limit [b]	47594	3.28	264616	4.60	240205	10.26

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
V2W2734-BS	79585	3.61	440838	4.93	389034	10.59
V2W2734-BSD	86056	3.61	462656	4.93	409400	10.59
V2W2734-MB	77815	3.61	428161	4.93	371065	10.58
ZZZZZZ	73348	3.61	403612	4.93	359340	10.58
ZZZZZZ	75503	3.61	406784	4.93	359285	10.59
JD52279-6	71319	3.61	391417	4.93	343130	10.58
JD52279-6DUP	62960	3.61	350279	4.93	333718	10.58
ZZZZZZ	62377	3.62	345287	4.94	328575	10.59
ZZZZZZ	71275	3.62	404314	4.93	345074	10.59
V2W2734-SCC	73103	3.61	402675	4.93	347492	10.59
V2W2734-SCC	72509	3.61	401802	4.93	353462	10.58
V2W2734-SCC	70657	3.61	391460	4.93	335472	10.59
V2W2734-SCC	69380	3.61	382933	4.93	332342	10.59
V2W2734-SCC	69067	3.61	380725	4.93	330185	10.59

IS 1 = Bromochloromethane
IS 2 = 1,4-Difluorobenzene
IS 3 = Chlorobenzene-D5

(a) Upper Limit = + 40% of check standard area; Retention time + 0.33 minutes.
(b) Lower Limit = -40% of check standard area; Retention time -0.33 minutes.

Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Check Std:	V6W1083-CC1077	**Injection Date:**	08/11/22
Lab File ID:	6W25439.D	**Injection Time:**	08:20
Instrument ID:	GCMS6W	**Method:**	TO-15

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
Check Std	58959	3.42	301259	4.79	259233	10.60
Upper Limit [a]	82543	3.75	421763	5.12	362926	10.93
Lower Limit [b]	35375	3.09	180755	4.46	155540	10.27

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
V6W1083-BS	60504	3.42	307857	4.79	263070	10.61
V6W1083-BSD	60081	3.41	304482	4.79	262246	10.61
V6W1083-MB	62033	3.42	317377	4.79	278641	10.60
JD49709-1	62367	3.42	323254	4.79	282750	10.61
JD49709-1DUP	62231	3.42	320711	4.79	278424	10.60
ZZZZZZ	62233	3.42	328767	4.79	279151	10.60
V6W1083-SCC	61133	3.42	310280	4.79	271754	10.61
V6W1083-SCC	58536	3.42	298947	4.79	263446	10.61
V6W1083-SCC	59517	3.42	305815	4.79	270764	10.60
V6W1083-SCC	58606	3.42	300854	4.79	270026	10.61
V6W1083-SCC	59215	3.42	303901	4.79	267290	10.61

IS 1 = Bromochloromethane
IS 2 = 1,4-Difluorobenzene
IS 3 = Chlorobenzene-D5

(a) Upper Limit = + 40% of check standard area; Retention time + 0.33 minutes.
(b) Lower Limit = -40% of check standard area; Retention time -0.33 minutes.

Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Check Std:	V6W1137-CC1125	**Injection Date:**	11/03/22
Lab File ID:	6W26823.D	**Injection Time:**	09:36
Instrument ID:	GCMS6W	**Method:**	TO-15

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
Check Std	45375	3.34	225669	4.73	185640	10.59
Upper Limit [a]	63525	3.67	315937	5.06	259896	10.92
Lower Limit [b]	27225	3.01	135401	4.40	111384	10.26

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
V6W1137-BS	45781	3.34	229465	4.73	188055	10.58
V6W1137-BSD	46044	3.34	228615	4.73	186065	10.59
V6W1137-MB	44863	3.34	225395	4.73	177281	10.58
ZZZZZZ	46311	3.34	233915	4.73	184536	10.58
ZZZZZZ	46321	3.34	231889	4.74	185520	10.59
JD53652-1	46064	3.34	230866	4.74	185266	10.59
JD53652-1DUP	45425	3.34	228554	4.74	185306	10.59
ZZZZZZ	45471	3.34	226890	4.74	186201	10.58
ZZZZZZ	45636	3.34	230801	4.74	187292	10.59
ZZZZZZ	44404	3.34	226103	4.73	182708	10.59
ZZZZZZ	44973	3.34	228366	4.73	185054	10.58
ZZZZZZ	46218	3.34	233544	4.73	185806	10.58
ZZZZZZ	45831	3.34	227794	4.74	182134	10.59
JD54338-1	44814	3.34	228657	4.74	182102	10.59
JD54338-2	44877	3.34	225821	4.74	180115	10.59
ZZZZZZ	46528	3.34	232549	4.74	184554	10.59
ZZZZZZ	46845	3.34	233978	4.74	186850	10.59
ZZZZZZ	45733	3.34	231862	4.73	185363	10.59
ZZZZZZ	45629	3.34	231303	4.74	184161	10.59
ZZZZZZ	46093	3.34	233234	4.74	188550	10.59
ZZZZZZ	45709	3.34	229580	4.73	185671	10.59
V6W1137-SCC	45404	3.34	229315	4.74	183331	10.59
V6W1137-SCC	44537	3.34	226134	4.73	179728	10.59
V6W1137-SCC	44548	3.34	226227	4.73	180042	10.59
V6W1137-SCC	44511	3.34	224346	4.73	177193	10.59
V6W1137-SCC	44942	3.34	223311	4.74	177299	10.59
V6W1137-SCC	45108	3.34	227705	4.73	180276	10.59
V6W1137-SCC	45255	3.34	225281	4.73	179524	10.58

IS 1 = Bromochloromethane
IS 2 = 1,4-Difluorobenzene
IS 3 = Chlorobenzene-D5

(a) Upper Limit = + 40% of check standard area; Retention time + 0.33 minutes.
(b) Lower Limit = -40% of check standard area; Retention time -0.33 minutes.

Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Check Std:	V6W1138-CC1125	**Injection Date:**	11/04/22
Lab File ID:	6W26863.D	**Injection Time:**	09:36
Instrument ID:	GCMS6W	**Method:**	TO-15

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
Check Std	45370	3.34	228035	4.74	188440	10.59
Upper Limit [a]	63518	3.67	319249	5.07	263816	10.92
Lower Limit [b]	27222	3.01	136821	4.41	113064	10.26

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
V6W1138-BS	47373	3.34	236723	4.73	191883	10.59
V6W1138-BSD	45663	3.34	229639	4.73	189185	10.59
V6W1138-MB	46239	3.34	231869	4.73	184569	10.59
JD54338-1	45513	3.34	230658	4.73	180587	10.58
ZZZZZZ	45306	3.34	228528	4.73	182025	10.58
ZZZZZZ	45536	3.34	228467	4.74	181743	10.59
JD54423-15	45433	3.34	229327	4.74	183979	10.59
JD54423-15DUP	45230	3.34	226403	4.73	182016	10.59
ZZZZZZ	46312	3.34	233539	4.74	188202	10.59
ZZZZZZ	44815	3.34	226816	4.73	180341	10.59
ZZZZZZ	45328	3.34	226568	4.73	184172	10.59
ZZZZZZ	44947	3.34	227308	4.73	183588	10.59
ZZZZZZ	46256	3.34	229392	4.74	186227	10.59
ZZZZZZ	44852	3.34	227775	4.73	181525	10.59
V6W1138-SCC	44619	3.34	226255	4.74	180009	10.59
V6W1138-SCC	43545	3.34	220625	4.73	176124	10.59

IS 1 = Bromochloromethane
IS 2 = 1,4-Difluorobenzene
IS 3 = Chlorobenzene-D5

(a) Upper Limit = + 40% of check standard area; Retention time + 0.33 minutes.
(b) Lower Limit = -40% of check standard area; Retention time -0.33 minutes.

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Tetrachloroethylene	9.45	4.93	1.917	ok	1.917	1.857-1.977
Trichloroethylene	5.52	4.93	1.120	ok	1.119	1.059-1.179

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.61	ok	3.61	3.28-3.94	65497	ok	69048	41429-96667
1,4-Difluorobenzene	4.93	ok	4.93	4.60-5.26	359956	ok	370656	222394-518918
Chlorobenzene-D5	10.59	ok	10.59	10.26-10.92	318930	ok	336964	202178-471750

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.47	3.61	0.684	ok	0.682	0.622-0.742
Acrolein	2.42	3.61	0.670	ok	0.670	0.610-0.730
Acrylonitrile	2.60	3.61	0.720	ok	0.721	0.661-0.781
Acetonitrile	2.37	3.61	0.657	ok	0.657	0.597-0.717
1,3-Butadiene	2.08	3.61	0.576	ok	0.578	0.518-0.638
Benzene	4.60	3.61	1.274	ok	1.274	1.214-1.334
Bromobenzene	14.31	10.59	1.351	ok	1.352	1.292-1.412
Bromodichloromethane	5.46	4.93	1.108	ok	1.108	1.048-1.168
Bromoform	11.78	10.59	1.112	ok	1.114	1.054-1.174
Bromomethane	2.18	3.61	0.604	ok	0.606	0.546-0.666
Bromoethene	2.38	3.61	0.659	ok	0.659	0.599-0.719
n-Butane	2.10	3.61	0.582	ok	0.584	0.524-0.644
Benzyl Chloride	16.85	10.59	1.591	ok	1.592	1.532-1.652
n-Butylbenzene	17.57	10.59	1.659	ok	1.660	1.600-1.720
sec-Butylbenzene	17.04	10.59	1.609	ok	1.610	1.550-1.670
tert-Butylbenzene	16.75	10.59	1.582	ok	1.583	1.523-1.643
Carbon disulfide	2.84	3.61	0.787	ok	0.787	0.727-0.847
Chlorobenzene	10.66	10.59	1.007	ok	1.007	0.947-1.067
Chlorodifluoromethane	1.86	3.61	0.515	ok	0.517	0.457-0.577
Chloroethane	2.25	3.61	0.623	ok	0.623	0.563-0.683
Chlorotrifluoroethene	1.87	3.61	0.518	ok	0.520	0.460-0.580
Chloroform	3.69	3.61	1.022	ok	1.021	0.961-1.081
Chloromethane	1.95	3.61	0.540	ok	0.542	0.482-0.602
3-Chloropropene	2.79	3.61	0.773	ok	0.773	0.713-0.833
2-Chlorotoluene	15.45	10.59	1.459	ok	1.459	1.399-1.519
Carbon tetrachloride	4.71	3.61	1.305	ok	1.305	1.245-1.365
Cyclohexane	4.81	4.93	0.976	ok	0.976	0.916-1.036
1,1-Dichloroethane	3.16	3.61	0.875	ok	0.875	0.815-0.935
1,1-Dichloroethylene	2.71	3.61	0.751	ok	0.751	0.691-0.811
1,2-Dibromoethane (EDB)	8.59	4.93	1.742	ok	1.743	1.683-1.803
1,2-Dichloroethane	4.11	3.61	1.139	ok	1.139	1.079-1.199
1,2-Dichloropropane	5.28	4.93	1.071	ok	1.071	1.011-1.131
1,3-Dichloropropane	7.76	4.93	1.574	ok	1.574	1.514-1.634
Dichlorodifluoromethane	1.89	3.61	0.524	ok	0.526	0.466-0.586
Dichlorofluoromethane	2.28	3.61	0.632	ok	0.633	0.573-0.693
Dibromochloromethane	8.24	4.93	1.671	ok	1.671	1.611-1.731
Dibromomethane	5.24	4.93	1.063	ok	1.063	1.003-1.123
trans-1,2-Dichloroethylene	3.08	3.61	0.853	ok	0.853	0.793-0.913
cis-1,2-Dichloroethylene	3.54	3.61	0.981	ok	0.978	0.918-1.038

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,3-Dichloropropene	6.46	4.93	1.310	ok	1.313	1.253-1.373
m-Dichlorobenzene	16.82	10.59	1.588	ok	1.590	1.530-1.650
o-Dichlorobenzene	17.20	10.59	1.624	ok	1.626	1.566-1.686
p-Dichlorobenzene	16.91	10.59	1.597	ok	1.598	1.538-1.658
trans-1,3-Dichloropropene	7.16	4.93	1.452	ok	1.452	1.392-1.512
Di-Isopropyl ether	3.67	3.61	1.017	ok	1.017	0.957-1.077
2,3-Dimethylpentane	5.08	4.93	1.030	ok	1.029	0.969-1.089
2,4-Dimethylpentane	4.19	3.61	1.161	ok	1.162	1.102-1.222
Ethanol	2.28	3.61	0.632	ok	0.634	0.574-0.694
Ethylbenzene	11.54	10.59	1.090	ok	1.091	1.031-1.151
Ethyl Acrylate	5.41	4.93	1.097	ok	1.095	1.035-1.155
4-Ethyltoluene	16.15	10.59	1.525	ok	1.525	1.465-1.585
Freon 113	2.85	3.61	0.789	ok	0.787	0.727-0.847
Freon 114	1.99	3.61	0.551	ok	0.553	0.493-0.613
Freon 123	2.44	3.61	0.676	ok	0.674	0.614-0.734
Freon 123A	2.45	3.61	0.679	ok	0.679	0.619-0.739
Freon 142B	1.94	3.61	0.537	ok	0.540	0.480-0.600
Freon 152A	1.84	3.61	0.510	ok	0.512	0.452-0.572
Heptane	5.93	4.93	1.203	ok	1.204	1.144-1.264
Hexachlorobutadiene	18.80	10.59	1.775	ok	1.776	1.716-1.836
Hexachloroethane	17.75	10.59	1.676	ok	1.677	1.617-1.737
Hexane	3.67	3.61	1.017	ok	1.015	0.955-1.075
2-Hexanone	8.29	4.93	1.682	ok	1.678	1.618-1.738
Iodomethane	2.69	3.61	0.745	ok	0.745	0.685-0.805
Isopropylbenzene	14.43	10.59	1.363	ok	1.364	1.304-1.424
Isopropyl Alcohol	2.54	3.61	0.704	ok	0.702	0.642-0.762
p-Isopropyltoluene	17.22	10.59	1.626	ok	1.627	1.567-1.687
Methylene chloride	2.75	3.61	0.762	ok	0.762	0.702-0.822
Methyl ethyl ketone	3.34	3.61	0.925	ok	0.923	0.863-0.983
Methyl Isobutyl Ketone	6.59	4.93	1.337	ok	1.334	1.274-1.394
Methyl Tert Butyl Ether	3.19	3.61	0.884	ok	0.884	0.824-0.944
Methylmethacrylate	5.84	4.93	1.185	ok	1.182	1.122-1.242
Naphthalene	18.53	10.59	1.750	ok	1.751	1.691-1.811
Nonane	14.03	10.59	1.325	ok	1.326	1.266-1.386
Octane	9.59	4.93	1.945	ok	1.946	1.886-2.006
Pentane	2.63	3.61	0.729	ok	0.729	0.669-0.789
n-Propylbenzene	15.78	10.59	1.490	ok	1.491	1.431-1.551
Propylene	1.87	3.61	0.518	ok	0.520	0.460-0.580
Styrene	12.70	10.59	1.199	ok	1.200	1.140-1.260

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
1,1,1-Trichloroethane	4.27	3.61	1.183	ok	1.185	1.125-1.245
1,1,1,2-Tetrachloroethane	10.67	10.59	1.008	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.92	10.59	1.220	ok	1.221	1.161-1.281
1,1,2-Trichloroethane	7.32	4.93	1.485	ok	1.486	1.426-1.546
1,2,4-Trichlorobenzene	18.49	10.59	1.746	ok	1.747	1.687-1.807
1,2,3-Trichloropropane	13.21	10.59	1.247	ok	1.248	1.188-1.308
1,2,3-Trimethylbenzene	17.15	10.59	1.619	ok	1.620	1.560-1.680
1,2,4-Trimethylbenzene	16.76	10.59	1.583	ok	1.584	1.524-1.644
1,3,5-Trimethylbenzene	16.30	10.59	1.539	ok	1.540	1.480-1.600
2,2,4-Trimethylpentane	5.62	4.93	1.140	ok	1.139	1.079-1.199
Tertiary Butyl Alcohol	2.72	3.61	0.753	ok	0.753	0.693-0.813
Tetrachloroethylene	9.45	4.93	1.917	ok	1.917	1.857-1.977
Tetrahydrofuran	3.93	3.61	1.089	ok	1.083	1.023-1.143
Toluene	7.70	4.93	1.562	ok	1.562	1.502-1.622
Trichloroethylene	5.52	4.93	1.120	ok	1.119	1.059-1.179
Trichlorofluoromethane	2.52	3.61	0.698	ok	0.698	0.638-0.758
Vinyl chloride	2.03	3.61	0.562	ok	0.565	0.505-0.625
Vinyl Acetate	3.23	3.61	0.895	ok	0.895	0.835-0.955
m,p-Xylene	11.98	10.59	1.131	ok	1.132	1.072-1.192
o-Xylene	12.91	10.59	1.219	ok	1.220	1.160-1.280

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.61	ok	3.61	3.28-3.94	64903	ok	69048	41429-96667
1,4-Difluorobenzene	4.93	ok	4.93	4.60-5.26	355487	ok	370656	222394-518918
Chlorobenzene-D5	10.59	ok	10.59	10.26-10.92	317521	ok	336964	202178-471750

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.47	3.61	0.684	ok	0.682	0.622-0.742
Acrolein	2.41	3.61	0.668	ok	0.670	0.610-0.730
Acrylonitrile	2.60	3.61	0.720	ok	0.721	0.661-0.781
Acetonitrile	2.37	3.61	0.657	ok	0.657	0.597-0.717
1,3-Butadiene	2.08	3.61	0.576	ok	0.578	0.518-0.638
Benzene	4.60	3.61	1.274	ok	1.274	1.214-1.334
Bromobenzene	14.30	10.59	1.350	ok	1.352	1.292-1.412
Bromodichloromethane	5.46	4.93	1.108	ok	1.108	1.048-1.168
Bromoform	11.79	10.59	1.113	ok	1.114	1.054-1.174
Bromomethane	2.19	3.61	0.607	ok	0.606	0.546-0.666
Bromoethene	2.38	3.61	0.659	ok	0.659	0.599-0.719
n-Butane	2.11	3.61	0.584	ok	0.584	0.524-0.644
Benzyl Chloride	16.85	10.59	1.591	ok	1.592	1.532-1.652
n-Butylbenzene	17.57	10.59	1.659	ok	1.660	1.600-1.720
sec-Butylbenzene	17.04	10.59	1.609	ok	1.610	1.550-1.670
tert-Butylbenzene	16.76	10.59	1.583	ok	1.583	1.523-1.643
Carbon disulfide	2.85	3.61	0.789	ok	0.787	0.727-0.847
Chlorobenzene	10.66	10.59	1.007	ok	1.007	0.947-1.067
Chlorodifluoromethane	1.86	3.61	0.515	ok	0.517	0.457-0.577
Chloroethane	2.25	3.61	0.623	ok	0.623	0.563-0.683
Chlorotrifluoroethene	1.88	3.61	0.521	ok	0.520	0.460-0.580
Chloroform	3.68	3.61	1.019	ok	1.021	0.961-1.081
Chloromethane	1.95	3.61	0.540	ok	0.542	0.482-0.602
3-Chloropropene	2.79	3.61	0.773	ok	0.773	0.713-0.833
2-Chlorotoluene	15.43	10.59	1.457	ok	1.459	1.399-1.519
Carbon tetrachloride	4.71	3.61	1.305	ok	1.305	1.245-1.365
Cyclohexane	4.81	4.93	0.976	ok	0.976	0.916-1.036
1,1-Dichloroethane	3.15	3.61	0.873	ok	0.875	0.815-0.935
1,1-Dichloroethylene	2.71	3.61	0.751	ok	0.751	0.691-0.811
1,2-Dibromoethane (EDB)	8.58	4.93	1.740	ok	1.743	1.683-1.803
1,2-Dichloroethane	4.11	3.61	1.139	ok	1.139	1.079-1.199
1,2-Dichloropropane	5.28	4.93	1.071	ok	1.071	1.011-1.131
1,3-Dichloropropane	7.75	4.93	1.572	ok	1.574	1.514-1.634
1,4-Dioxane	5.58	4.93	1.132	ok	1.123	1.063-1.183
Dichlorodifluoromethane	1.90	3.61	0.526	ok	0.526	0.466-0.586
Dichlorofluoromethane	2.28	3.61	0.632	ok	0.633	0.573-0.693
Dibromochloromethane	8.23	4.93	1.669	ok	1.671	1.611-1.731
Dibromomethane	5.24	4.93	1.063	ok	1.063	1.003-1.123
trans-1,2-Dichloroethylene	3.08	3.61	0.853	ok	0.853	0.793-0.913

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.53	3.61	0.978	ok	0.978	0.918-1.038
cis-1,3-Dichloropropene	6.47	4.93	1.312	ok	1.313	1.253-1.373
m-Dichlorobenzene	16.83	10.59	1.589	ok	1.590	1.530-1.650
o-Dichlorobenzene	17.21	10.59	1.625	ok	1.626	1.566-1.686
p-Dichlorobenzene	16.91	10.59	1.597	ok	1.598	1.538-1.658
trans-1,3-Dichloropropene	7.16	4.93	1.452	ok	1.452	1.392-1.512
Di-Isopropyl ether	3.67	3.61	1.017	ok	1.017	0.957-1.077
2,3-Dimethylpentane	5.07	4.93	1.028	ok	1.029	0.969-1.089
2,4-Dimethylpentane	4.20	3.61	1.163	ok	1.162	1.102-1.222
Ethanol	2.29	3.61	0.634	ok	0.634	0.574-0.694
Ethylbenzene	11.55	10.59	1.091	ok	1.091	1.031-1.151
Ethyl Acetate	3.67	3.61	1.017	ok	1.018	0.958-1.078
Ethyl Acrylate	5.40	4.93	1.095	ok	1.095	1.035-1.155
4-Ethyltoluene	16.14	10.59	1.524	ok	1.525	1.465-1.585
Freon 113	2.84	3.61	0.787	ok	0.787	0.727-0.847
Freon 114	1.99	3.61	0.551	ok	0.553	0.493-0.613
Freon 123	2.43	3.61	0.673	ok	0.674	0.614-0.734
Freon 123A	2.45	3.61	0.679	ok	0.679	0.619-0.739
Freon 142B	1.95	3.61	0.540	ok	0.540	0.480-0.600
Freon 152A	1.84	3.61	0.510	ok	0.512	0.452-0.572
Heptane	5.93	4.93	1.203	ok	1.204	1.144-1.264
Hexachlorobutadiene	18.80	10.59	1.775	ok	1.776	1.716-1.836
Hexachloroethane	17.75	10.59	1.676	ok	1.677	1.617-1.737
Hexane	3.66	3.61	1.014	ok	1.015	0.955-1.075
2-Hexanone	8.29	4.93	1.682	ok	1.678	1.618-1.738
Iodomethane	2.69	3.61	0.745	ok	0.745	0.685-0.805
Isopropylbenzene	14.43	10.59	1.363	ok	1.364	1.304-1.424
Isopropyl Alcohol	2.53	3.61	0.701	ok	0.702	0.642-0.762
p-Isopropyltoluene	17.22	10.59	1.626	ok	1.627	1.567-1.687
Methylene chloride	2.75	3.61	0.762	ok	0.762	0.702-0.822
Methyl ethyl ketone	3.34	3.61	0.925	ok	0.923	0.863-0.983
Methyl Isobutyl Ketone	6.58	4.93	1.335	ok	1.334	1.274-1.394
Methyl Tert Butyl Ether	3.19	3.61	0.884	ok	0.884	0.824-0.944
Methylmethacrylate	5.83	4.93	1.183	ok	1.182	1.122-1.242
Naphthalene	18.53	10.59	1.750	ok	1.751	1.691-1.811
Nonane	14.03	10.59	1.325	ok	1.326	1.266-1.386
Octane	9.60	4.93	1.947	ok	1.946	1.886-2.006
Pentane	2.63	3.61	0.729	ok	0.729	0.669-0.789
n-Propylbenzene	15.77	10.59	1.489	ok	1.491	1.431-1.551

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.88	3.61	0.521	ok	0.520	0.460-0.580
Styrene	12.70	10.59	1.199	ok	1.200	1.140-1.260
1,1,1-Trichloroethane	4.28	3.61	1.186	ok	1.185	1.125-1.245
1,1,1,2-Tetrachloroethane	10.67	10.59	1.008	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.92	10.59	1.220	ok	1.221	1.161-1.281
1,1,2-Trichloroethane	7.33	4.93	1.487	ok	1.486	1.426-1.546
1,2,4-Trichlorobenzene	18.49	10.59	1.746	ok	1.747	1.687-1.807
1,2,3-Trichloropropane	13.22	10.59	1.248	ok	1.248	1.188-1.308
1,2,3-Trimethylbenzene	17.15	10.59	1.619	ok	1.620	1.560-1.680
1,2,4-Trimethylbenzene	16.77	10.59	1.584	ok	1.584	1.524-1.644
1,3,5-Trimethylbenzene	16.30	10.59	1.539	ok	1.540	1.480-1.600
2,2,4-Trimethylpentane	5.61	4.93	1.138	ok	1.139	1.079-1.199
Tertiary Butyl Alcohol	2.72	3.61	0.753	ok	0.753	0.693-0.813
Tetrachloroethylene	9.45	4.93	1.917	ok	1.917	1.857-1.977
Tetrahydrofuran	3.93	3.61	1.089	ok	1.083	1.023-1.143
Toluene	7.70	4.93	1.562	ok	1.562	1.502-1.622
Trichloroethylene	5.52	4.93	1.120	ok	1.119	1.059-1.179
Trichlorofluoromethane	2.52	3.61	0.698	ok	0.698	0.638-0.758
Vinyl chloride	2.04	3.61	0.565	ok	0.565	0.505-0.625
Vinyl Acetate	3.24	3.61	0.898	ok	0.895	0.835-0.955
m,p-Xylene	11.98	10.59	1.131	ok	1.132	1.072-1.192
o-Xylene	12.91	10.59	1.219	ok	1.220	1.160-1.280

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.61	ok	3.61	3.28-3.94	64509	ok	69048	41429-96667
1,4-Difluorobenzene	4.93	ok	4.93	4.60-5.26	353558	ok	370656	222394-518918
Chlorobenzene-D5	10.59	ok	10.59	10.26-10.92	315511	ok	336964	202178-471750

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.46	3.61	0.681	ok	0.682	0.622-0.742
Acrolein	2.43	3.61	0.673	ok	0.670	0.610-0.730
Acrylonitrile	2.60	3.61	0.720	ok	0.721	0.661-0.781
Acetonitrile	2.37	3.61	0.657	ok	0.657	0.597-0.717
1,3-Butadiene	2.09	3.61	0.579	ok	0.578	0.518-0.638
Benzene	4.60	3.61	1.274	ok	1.274	1.214-1.334
Bromobenzene	14.31	10.58	1.353	ok	1.352	1.292-1.412
Bromodichloromethane	5.46	4.93	1.108	ok	1.108	1.048-1.168
Bromoform	11.79	10.58	1.114	ok	1.114	1.054-1.174
Bromomethane	2.19	3.61	0.607	ok	0.606	0.546-0.666
Bromoethene	2.38	3.61	0.659	ok	0.659	0.599-0.719
n-Butane	2.11	3.61	0.584	ok	0.584	0.524-0.644
Benzyl Chloride	16.85	10.58	1.593	ok	1.592	1.532-1.652
n-Butylbenzene	17.57	10.58	1.661	ok	1.660	1.600-1.720
sec-Butylbenzene	17.04	10.58	1.611	ok	1.610	1.550-1.670
tert-Butylbenzene	16.76	10.58	1.584	ok	1.583	1.523-1.643
Carbon disulfide	2.84	3.61	0.787	ok	0.787	0.727-0.847
Chlorobenzene	10.66	10.58	1.008	ok	1.007	0.947-1.067
Chlorodifluoromethane	1.87	3.61	0.518	ok	0.517	0.457-0.577
Chloroethane	2.25	3.61	0.623	ok	0.623	0.563-0.683
Chlorotrifluoroethene	1.88	3.61	0.521	ok	0.520	0.460-0.580
Chloroform	3.68	3.61	1.019	ok	1.021	0.961-1.081
Chloromethane	1.96	3.61	0.543	ok	0.542	0.482-0.602
3-Chloropropene	2.79	3.61	0.773	ok	0.773	0.713-0.833
2-Chlorotoluene	15.44	10.58	1.459	ok	1.459	1.399-1.519
Carbon tetrachloride	4.71	3.61	1.305	ok	1.305	1.245-1.365
Cyclohexane	4.81	4.93	0.976	ok	0.976	0.916-1.036
1,1-Dichloroethane	3.16	3.61	0.875	ok	0.875	0.815-0.935
1,1-Dichloroethylene	2.71	3.61	0.751	ok	0.751	0.691-0.811
1,2-Dibromoethane (EDB)	8.59	4.93	1.742	ok	1.743	1.683-1.803
1,2-Dichloroethane	4.11	3.61	1.139	ok	1.139	1.079-1.199
1,2-Dichloropropane	5.28	4.93	1.071	ok	1.071	1.011-1.131
1,3-Dichloropropane	7.75	4.93	1.572	ok	1.574	1.514-1.634
1,4-Dioxane	5.55	4.93	1.126	ok	1.123	1.063-1.183
Dichlorodifluoromethane	1.90	3.61	0.526	ok	0.526	0.466-0.586
Dichlorofluoromethane	2.29	3.61	0.634	ok	0.633	0.573-0.693
Dibromochloromethane	8.23	4.93	1.669	ok	1.671	1.611-1.731
Dibromomethane	5.24	4.93	1.063	ok	1.063	1.003-1.123
trans-1,2-Dichloroethylene	3.08	3.61	0.853	ok	0.853	0.793-0.913

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.53	3.61	0.978	ok	0.978	0.918-1.038
cis-1,3-Dichloropropene	6.47	4.93	1.312	ok	1.313	1.253-1.373
m-Dichlorobenzene	16.83	10.58	1.591	ok	1.590	1.530-1.650
o-Dichlorobenzene	17.20	10.58	1.626	ok	1.626	1.566-1.686
p-Dichlorobenzene	16.91	10.58	1.598	ok	1.598	1.538-1.658
trans-1,3-Dichloropropene	7.15	4.93	1.450	ok	1.452	1.392-1.512
Di-Isopropyl ether	3.67	3.61	1.017	ok	1.017	0.957-1.077
2,3-Dimethylpentane	5.07	4.93	1.028	ok	1.029	0.969-1.089
2,4-Dimethylpentane	4.19	3.61	1.161	ok	1.162	1.102-1.222
Ethanol	2.29	3.61	0.634	ok	0.634	0.574-0.694
Ethylbenzene	11.54	10.58	1.091	ok	1.091	1.031-1.151
Ethyl Acetate	3.68	3.61	1.019	ok	1.018	0.958-1.078
Ethyl Acrylate	5.40	4.93	1.095	ok	1.095	1.035-1.155
4-Ethyltoluene	16.14	10.58	1.526	ok	1.525	1.465-1.585
Freon 113	2.84	3.61	0.787	ok	0.787	0.727-0.847
Freon 114	2.00	3.61	0.554	ok	0.553	0.493-0.613
Freon 123	2.43	3.61	0.673	ok	0.674	0.614-0.734
Freon 123A	2.45	3.61	0.679	ok	0.679	0.619-0.739
Freon 142B	1.95	3.61	0.540	ok	0.540	0.480-0.600
Freon 152A	1.85	3.61	0.512	ok	0.512	0.452-0.572
Heptane	5.93	4.93	1.203	ok	1.204	1.144-1.264
Hexachlorobutadiene	18.79	10.58	1.776	ok	1.776	1.716-1.836
Hexachloroethane	17.75	10.58	1.678	ok	1.677	1.617-1.737
Hexane	3.67	3.61	1.017	ok	1.015	0.955-1.075
2-Hexanone	8.29	4.93	1.682	ok	1.678	1.618-1.738
Iodomethane	2.69	3.61	0.745	ok	0.745	0.685-0.805
Isopropylbenzene	14.43	10.58	1.364	ok	1.364	1.304-1.424
Isopropyl Alcohol	2.54	3.61	0.704	ok	0.702	0.642-0.762
p-Isopropyltoluene	17.22	10.58	1.628	ok	1.627	1.567-1.687
Methylene chloride	2.75	3.61	0.762	ok	0.762	0.702-0.822
Methyl ethyl ketone	3.34	3.61	0.925	ok	0.923	0.863-0.983
Methyl Isobutyl Ketone	6.58	4.93	1.335	ok	1.334	1.274-1.394
Methyl Tert Butyl Ether	3.19	3.61	0.884	ok	0.884	0.824-0.944
Methylmethacrylate	5.83	4.93	1.183	ok	1.182	1.122-1.242
Naphthalene	18.53	10.58	1.751	ok	1.751	1.691-1.811
Nonane	14.02	10.58	1.325	ok	1.326	1.266-1.386
Octane	9.59	4.93	1.945	ok	1.946	1.886-2.006
Pentane	2.63	3.61	0.729	ok	0.729	0.669-0.789
n-Propylbenzene	15.78	10.58	1.491	ok	1.491	1.431-1.551

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.88	3.61	0.521	ok	0.520	0.460-0.580
Styrene	12.69	10.58	1.199	ok	1.200	1.140-1.260
1,1,1-Trichloroethane	4.27	3.61	1.183	ok	1.185	1.125-1.245
1,1,1,2-Tetrachloroethane	10.68	10.58	1.009	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.92	10.58	1.221	ok	1.221	1.161-1.281
1,1,2-Trichloroethane	7.32	4.93	1.485	ok	1.486	1.426-1.546
1,2,4-Trichlorobenzene	18.49	10.58	1.748	ok	1.747	1.687-1.807
1,2,3-Trichloropropane	13.20	10.58	1.248	ok	1.248	1.188-1.308
1,2,3-Trimethylbenzene	17.15	10.58	1.621	ok	1.620	1.560-1.680
1,2,4-Trimethylbenzene	16.77	10.58	1.585	ok	1.584	1.524-1.644
1,3,5-Trimethylbenzene	16.30	10.58	1.541	ok	1.540	1.480-1.600
2,2,4-Trimethylpentane	5.61	4.93	1.138	ok	1.139	1.079-1.199
Tertiary Butyl Alcohol	2.72	3.61	0.753	ok	0.753	0.693-0.813
Tetrachloroethylene	9.44	4.93	1.915	ok	1.917	1.857-1.977
Tetrahydrofuran	3.92	3.61	1.086	ok	1.083	1.023-1.143
Toluene	7.70	4.93	1.562	ok	1.562	1.502-1.622
Trichloroethylene	5.52	4.93	1.120	ok	1.119	1.059-1.179
Trichlorofluoromethane	2.52	3.61	0.698	ok	0.698	0.638-0.758
Vinyl chloride	2.04	3.61	0.565	ok	0.565	0.505-0.625
Vinyl Acetate	3.23	3.61	0.895	ok	0.895	0.835-0.955
m,p-Xylene	11.97	10.58	1.131	ok	1.132	1.072-1.192
o-Xylene	12.91	10.58	1.220	ok	1.220	1.160-1.280

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.61	ok	3.61	3.28-3.94	64185	ok	69048	41429-96667
1,4-Difluorobenzene	4.93	ok	4.93	4.60-5.26	349033	ok	370656	222394-518918
Chlorobenzene-D5	10.58	ok	10.59	10.26-10.92	311657	ok	336964	202178-471750

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	Reporting this level
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.46	3.61	0.681	ok	0.682	0.622-0.742
Acrolein	2.42	3.61	0.670	ok	0.670	0.610-0.730
Acrylonitrile	2.60	3.61	0.720	ok	0.721	0.661-0.781
Acetonitrile	2.37	3.61	0.657	ok	0.657	0.597-0.717
1,3-Butadiene	2.09	3.61	0.579	ok	0.578	0.518-0.638
Benzene	4.60	3.61	1.274	ok	1.274	1.214-1.334
Bromobenzene	14.31	10.58	1.353	ok	1.352	1.292-1.412
Bromodichloromethane	5.46	4.93	1.108	ok	1.108	1.048-1.168
Bromoform	11.79	10.58	1.114	ok	1.114	1.054-1.174
Bromomethane	2.19	3.61	0.607	ok	0.606	0.546-0.666
Bromoethene	2.38	3.61	0.659	ok	0.659	0.599-0.719
n-Butane	2.11	3.61	0.584	ok	0.584	0.524-0.644
Benzyl Chloride	16.85	10.58	1.593	ok	1.592	1.532-1.652
n-Butylbenzene	17.57	10.58	1.661	ok	1.660	1.600-1.720
sec-Butylbenzene	17.04	10.58	1.611	ok	1.610	1.550-1.670
tert-Butylbenzene	16.76	10.58	1.584	ok	1.583	1.523-1.643
Carbon disulfide	2.84	3.61	0.787	ok	0.787	0.727-0.847
Chlorobenzene	10.66	10.58	1.008	ok	1.007	0.947-1.067
Chlorodifluoromethane	1.86	3.61	0.515	ok	0.517	0.457-0.577
Chloroethane	2.25	3.61	0.623	ok	0.623	0.563-0.683
Chlorotrifluoroethene	1.88	3.61	0.521	ok	0.520	0.460-0.580
Chloroform	3.69	3.61	1.022	ok	1.021	0.961-1.081
Chloromethane	1.96	3.61	0.543	ok	0.542	0.482-0.602
3-Chloropropene	2.79	3.61	0.773	ok	0.773	0.713-0.833
2-Chlorotoluene	15.44	10.58	1.459	ok	1.459	1.399-1.519
Carbon tetrachloride	4.71	3.61	1.305	ok	1.305	1.245-1.365
Cyclohexane	4.81	4.93	0.976	ok	0.976	0.916-1.036
1,1-Dichloroethane	3.15	3.61	0.873	ok	0.875	0.815-0.935
1,1-Dichloroethylene	2.71	3.61	0.751	ok	0.751	0.691-0.811
1,2-Dibromoethane (EDB)	8.59	4.93	1.742	ok	1.743	1.683-1.803
1,2-Dichloroethane	4.11	3.61	1.139	ok	1.139	1.079-1.199
1,2-Dichloropropane	5.28	4.93	1.071	ok	1.071	1.011-1.131
1,3-Dichloropropane	7.76	4.93	1.574	ok	1.574	1.514-1.634
1,4-Dioxane	5.53	4.93	1.122	ok	1.123	1.063-1.183
Dichlorodifluoromethane	1.90	3.61	0.526	ok	0.526	0.466-0.586
Dichlorofluoromethane	2.29	3.61	0.634	ok	0.633	0.573-0.693
Dibromochloromethane	8.24	4.93	1.671	ok	1.671	1.611-1.731
Dibromomethane	5.24	4.93	1.063	ok	1.063	1.003-1.123
trans-1,2-Dichloroethylene	3.08	3.61	0.853	ok	0.853	0.793-0.913

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	Reporting this level
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.53	3.61	0.978	ok	0.978	0.918-1.038
cis-1,3-Dichloropropene	6.47	4.93	1.312	ok	1.313	1.253-1.373
m-Dichlorobenzene	16.83	10.58	1.591	ok	1.590	1.530-1.650
o-Dichlorobenzene	17.21	10.58	1.627	ok	1.626	1.566-1.686
p-Dichlorobenzene	16.91	10.58	1.598	ok	1.598	1.538-1.658
trans-1,3-Dichloropropene	7.16	4.93	1.452	ok	1.452	1.392-1.512
Di-Isopropyl ether	3.67	3.61	1.017	ok	1.017	0.957-1.077
2,3-Dimethylpentane	5.07	4.93	1.028	ok	1.029	0.969-1.089
2,4-Dimethylpentane	4.19	3.61	1.161	ok	1.162	1.102-1.222
Ethanol	2.29	3.61	0.634	ok	0.634	0.574-0.694
Ethylbenzene	11.55	10.58	1.092	ok	1.091	1.031-1.151
Ethyl Acetate	3.67	3.61	1.017	ok	1.018	0.958-1.078
Ethyl Acrylate	5.39	4.93	1.093	ok	1.095	1.035-1.155
4-Ethyltoluene	16.14	10.58	1.526	ok	1.525	1.465-1.585
Freon 113	2.84	3.61	0.787	ok	0.787	0.727-0.847
Freon 114	2.00	3.61	0.554	ok	0.553	0.493-0.613
Freon 123	2.43	3.61	0.673	ok	0.674	0.614-0.734
Freon 123A	2.45	3.61	0.679	ok	0.679	0.619-0.739
Freon 142B	1.95	3.61	0.540	ok	0.540	0.480-0.600
Freon 152A	1.85	3.61	0.512	ok	0.512	0.452-0.572
Heptane	5.93	4.93	1.203	ok	1.204	1.144-1.264
Hexachlorobutadiene	18.80	10.58	1.777	ok	1.776	1.716-1.836
Hexachloroethane	17.75	10.58	1.678	ok	1.677	1.617-1.737
Hexane	3.66	3.61	1.014	ok	1.015	0.955-1.075
2-Hexanone	8.26	4.93	1.675	ok	1.678	1.618-1.738
Iodomethane	2.69	3.61	0.745	ok	0.745	0.685-0.805
Isopropylbenzene	14.43	10.58	1.364	ok	1.364	1.304-1.424
Isopropyl Alcohol	2.53	3.61	0.701	ok	0.702	0.642-0.762
p-Isopropyltoluene	17.22	10.58	1.628	ok	1.627	1.567-1.687
Methylene chloride	2.75	3.61	0.762	ok	0.762	0.702-0.822
Methyl ethyl ketone	3.33	3.61	0.922	ok	0.923	0.863-0.983
Methyl Isobutyl Ketone	6.57	4.93	1.333	ok	1.334	1.274-1.394
Methyl Tert Butyl Ether	3.19	3.61	0.884	ok	0.884	0.824-0.944
Methylmethacrylate	5.82	4.93	1.181	ok	1.182	1.122-1.242
Naphthalene	18.53	10.58	1.751	ok	1.751	1.691-1.811
Nonane	14.03	10.58	1.326	ok	1.326	1.266-1.386
Octane	9.59	4.93	1.945	ok	1.946	1.886-2.006
Pentane	2.63	3.61	0.729	ok	0.729	0.669-0.789
n-Propylbenzene	15.77	10.58	1.491	ok	1.491	1.431-1.551

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	Reporting this level
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.88	3.61	0.521	ok	0.520	0.460-0.580
Styrene	12.70	10.58	1.200	ok	1.200	1.140-1.260
1,1,1-Trichloroethane	4.27	3.61	1.183	ok	1.185	1.125-1.245
1,1,1,2-Tetrachloroethane	10.67	10.58	1.009	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.92	10.58	1.221	ok	1.221	1.161-1.281
1,1,2-Trichloroethane	7.32	4.93	1.485	ok	1.486	1.426-1.546
1,2,4-Trichlorobenzene	18.49	10.58	1.748	ok	1.747	1.687-1.807
1,2,3-Trichloropropane	13.21	10.58	1.249	ok	1.248	1.188-1.308
1,2,3-Trimethylbenzene	17.15	10.58	1.621	ok	1.620	1.560-1.680
1,2,4-Trimethylbenzene	16.77	10.58	1.585	ok	1.584	1.524-1.644
1,3,5-Trimethylbenzene	16.30	10.58	1.541	ok	1.540	1.480-1.600
2,2,4-Trimethylpentane	5.61	4.93	1.138	ok	1.139	1.079-1.199
Tertiary Butyl Alcohol	2.72	3.61	0.753	ok	0.753	0.693-0.813
Tetrachloroethylene	9.45	4.93	1.917	ok	1.917	1.857-1.977
Tetrahydrofuran	3.90	3.61	1.080	ok	1.083	1.023-1.143
Toluene	7.69	4.93	1.560	ok	1.562	1.502-1.622
Trichloroethylene	5.51	4.93	1.118	ok	1.119	1.059-1.179
Trichlorofluoromethane	2.52	3.61	0.698	ok	0.698	0.638-0.758
Vinyl chloride	2.04	3.61	0.565	ok	0.565	0.505-0.625
Vinyl Acetate	3.23	3.61	0.895	ok	0.895	0.835-0.955
m,p-Xylene	11.98	10.58	1.132	ok	1.132	1.072-1.192
o-Xylene	12.91	10.58	1.220	ok	1.220	1.160-1.280

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.61	ok	3.61	3.28-3.94	68904	ok	69048	41429-96667
1,4-Difluorobenzene	4.93	ok	4.93	4.60-5.26	372933	ok	370656	222394-518918
Chlorobenzene-D5	10.58	ok	10.59	10.26-10.92	337350	ok	336964	202178-471750

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.46	3.61	0.681	ok	0.682	0.622-0.742
Acrolein	2.42	3.61	0.670	ok	0.670	0.610-0.730
Acrylonitrile	2.60	3.61	0.720	ok	0.721	0.661-0.781
Acetonitrile	2.37	3.61	0.657	ok	0.657	0.597-0.717
1,3-Butadiene	2.09	3.61	0.579	ok	0.578	0.518-0.638
Benzene	4.60	3.61	1.274	ok	1.274	1.214-1.334
Bromobenzene	14.31	10.58	1.353	ok	1.352	1.292-1.412
Bromodichloromethane	5.46	4.93	1.108	ok	1.108	1.048-1.168
Bromoform	11.79	10.58	1.114	ok	1.114	1.054-1.174
Bromomethane	2.19	3.61	0.607	ok	0.606	0.546-0.666
Bromoethene	2.38	3.61	0.659	ok	0.659	0.599-0.719
n-Butane	2.11	3.61	0.584	ok	0.584	0.524-0.644
Benzyl Chloride	16.85	10.58	1.593	ok	1.592	1.532-1.652
n-Butylbenzene	17.57	10.58	1.661	ok	1.660	1.600-1.720
sec-Butylbenzene	17.04	10.58	1.611	ok	1.610	1.550-1.670
tert-Butylbenzene	16.76	10.58	1.584	ok	1.583	1.523-1.643
Carbon disulfide	2.84	3.61	0.787	ok	0.787	0.727-0.847
Chlorobenzene	10.66	10.58	1.008	ok	1.007	0.947-1.067
Chlorodifluoromethane	1.87	3.61	0.518	ok	0.517	0.457-0.577
Chloroethane	2.25	3.61	0.623	ok	0.623	0.563-0.683
Chlorotrifluoroethene	1.88	3.61	0.521	ok	0.520	0.460-0.580
Chloroform	3.69	3.61	1.022	ok	1.021	0.961-1.081
Chloromethane	1.96	3.61	0.543	ok	0.542	0.482-0.602
3-Chloropropene	2.79	3.61	0.773	ok	0.773	0.713-0.833
2-Chlorotoluene	15.44	10.58	1.459	ok	1.459	1.399-1.519
Carbon tetrachloride	4.71	3.61	1.305	ok	1.305	1.245-1.365
Cyclohexane	4.81	4.93	0.976	ok	0.976	0.916-1.036
1,1-Dichloroethane	3.16	3.61	0.875	ok	0.875	0.815-0.935
1,1-Dichloroethylene	2.71	3.61	0.751	ok	0.751	0.691-0.811
1,2-Dibromoethane (EDB)	8.59	4.93	1.742	ok	1.743	1.683-1.803
1,2-Dichloroethane	4.11	3.61	1.139	ok	1.139	1.079-1.199
1,2-Dichloropropane	5.28	4.93	1.071	ok	1.071	1.011-1.131
1,3-Dichloropropane	7.76	4.93	1.574	ok	1.574	1.514-1.634
1,4-Dioxane	5.52	4.93	1.120	ok	1.123	1.063-1.183
Dichlorodifluoromethane	1.90	3.61	0.526	ok	0.526	0.466-0.586
Dichlorofluoromethane	2.29	3.61	0.634	ok	0.633	0.573-0.693
Dibromochloromethane	8.24	4.93	1.671	ok	1.671	1.611-1.731
Dibromomethane	5.24	4.93	1.063	ok	1.063	1.003-1.123
trans-1,2-Dichloroethylene	3.08	3.61	0.853	ok	0.853	0.793-0.913

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.53	3.61	0.978	ok	0.978	0.918-1.038
cis-1,3-Dichloropropene	6.47	4.93	1.312	ok	1.313	1.253-1.373
m-Dichlorobenzene	16.83	10.58	1.591	ok	1.590	1.530-1.650
o-Dichlorobenzene	17.21	10.58	1.627	ok	1.626	1.566-1.686
p-Dichlorobenzene	16.91	10.58	1.598	ok	1.598	1.538-1.658
trans-1,3-Dichloropropene	7.16	4.93	1.452	ok	1.452	1.392-1.512
Di-Isopropyl ether	3.67	3.61	1.017	ok	1.017	0.957-1.077
2,3-Dimethylpentane	5.07	4.93	1.028	ok	1.029	0.969-1.089
2,4-Dimethylpentane	4.20	3.61	1.163	ok	1.162	1.102-1.222
Ethanol	2.29	3.61	0.634	ok	0.634	0.574-0.694
Ethylbenzene	11.55	10.58	1.092	ok	1.091	1.031-1.151
Ethyl Acetate	3.67	3.61	1.017	ok	1.018	0.958-1.078
Ethyl Acrylate	5.39	4.93	1.093	ok	1.095	1.035-1.155
4-Ethyltoluene	16.15	10.58	1.526	ok	1.525	1.465-1.585
Freon 113	2.84	3.61	0.787	ok	0.787	0.727-0.847
Freon 114	2.00	3.61	0.554	ok	0.553	0.493-0.613
Freon 123	2.43	3.61	0.673	ok	0.674	0.614-0.734
Freon 123A	2.45	3.61	0.679	ok	0.679	0.619-0.739
Freon 142B	1.95	3.61	0.540	ok	0.540	0.480-0.600
Freon 152A	1.85	3.61	0.512	ok	0.512	0.452-0.572
Heptane	5.93	4.93	1.203	ok	1.204	1.144-1.264
Hexachlorobutadiene	18.79	10.58	1.776	ok	1.776	1.716-1.836
Hexachloroethane	17.75	10.58	1.678	ok	1.677	1.617-1.737
Hexane	3.66	3.61	1.014	ok	1.015	0.955-1.075
2-Hexanone	8.26	4.93	1.675	ok	1.678	1.618-1.738
Iodomethane	2.69	3.61	0.745	ok	0.745	0.685-0.805
Isopropylbenzene	14.44	10.58	1.365	ok	1.364	1.304-1.424
Isopropyl Alcohol	2.53	3.61	0.701	ok	0.702	0.642-0.762
p-Isopropyltoluene	17.22	10.58	1.628	ok	1.627	1.567-1.687
Methylene chloride	2.75	3.61	0.762	ok	0.762	0.702-0.822
Methyl ethyl ketone	3.33	3.61	0.922	ok	0.923	0.863-0.983
Methyl Isobutyl Ketone	6.57	4.93	1.333	ok	1.334	1.274-1.394
Methyl Tert Butyl Ether	3.19	3.61	0.884	ok	0.884	0.824-0.944
Methylmethacrylate	5.82	4.93	1.181	ok	1.182	1.122-1.242
Naphthalene	18.53	10.58	1.751	ok	1.751	1.691-1.811
Nonane	14.03	10.58	1.326	ok	1.326	1.266-1.386
Octane	9.59	4.93	1.945	ok	1.946	1.886-2.006
Pentane	2.63	3.61	0.729	ok	0.729	0.669-0.789
n-Propylbenzene	15.78	10.58	1.491	ok	1.491	1.431-1.551

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.88	3.61	0.521	ok	0.520	0.460-0.580
Styrene	12.70	10.58	1.200	ok	1.200	1.140-1.260
1,1,1-Trichloroethane	4.28	3.61	1.186	ok	1.185	1.125-1.245
1,1,1,2-Tetrachloroethane	10.68	10.58	1.009	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.93	10.58	1.222	ok	1.221	1.161-1.281
1,1,2-Trichloroethane	7.32	4.93	1.485	ok	1.486	1.426-1.546
1,2,4-Trichlorobenzene	18.49	10.58	1.748	ok	1.747	1.687-1.807
1,2,3-Trichloropropane	13.21	10.58	1.249	ok	1.248	1.188-1.308
1,2,3-Trimethylbenzene	17.15	10.58	1.621	ok	1.620	1.560-1.680
1,2,4-Trimethylbenzene	16.77	10.58	1.585	ok	1.584	1.524-1.644
1,3,5-Trimethylbenzene	16.30	10.58	1.541	ok	1.540	1.480-1.600
2,2,4-Trimethylpentane	5.61	4.93	1.138	ok	1.139	1.079-1.199
Tertiary Butyl Alcohol	2.72	3.61	0.753	ok	0.753	0.693-0.813
Tetrachloroethylene	9.45	4.93	1.917	ok	1.917	1.857-1.977
Tetrahydrofuran	3.90	3.61	1.080	ok	1.083	1.023-1.143
Toluene	7.70	4.93	1.562	ok	1.562	1.502-1.622
Trichloroethylene	5.52	4.93	1.120	ok	1.119	1.059-1.179
Trichlorofluoromethane	2.52	3.61	0.698	ok	0.698	0.638-0.758
Vinyl chloride	2.04	3.61	0.565	ok	0.565	0.505-0.625
Vinyl Acetate	3.23	3.61	0.895	ok	0.895	0.835-0.955
m,p-Xylene	11.98	10.58	1.132	ok	1.132	1.072-1.192
o-Xylene	12.92	10.58	1.221	ok	1.220	1.160-1.280

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.61	ok	3.61	3.28-3.94	68573	ok	69048	41429-96667
1,4-Difluorobenzene	4.93	ok	4.93	4.60-5.26	368687	ok	370656	222394-518918
Chlorobenzene-D5	10.58	ok	10.59	10.26-10.92	341921	ok	336964	202178-471750

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.46	3.61	0.681	ok	0.682	0.622-0.742
Acrolein	2.42	3.61	0.670	ok	0.670	0.610-0.730
Acrylonitrile	2.60	3.61	0.720	ok	0.721	0.661-0.781
Acetonitrile	2.37	3.61	0.657	ok	0.657	0.597-0.717
1,3-Butadiene	2.09	3.61	0.579	ok	0.578	0.518-0.638
Benzene	4.60	3.61	1.274	ok	1.274	1.214-1.334
Bromobenzene	14.31	10.59	1.351	ok	1.352	1.292-1.412
Bromodichloromethane	5.46	4.93	1.108	ok	1.108	1.048-1.168
Bromoform	11.80	10.59	1.114	ok	1.114	1.054-1.174
Bromomethane	2.19	3.61	0.607	ok	0.606	0.546-0.666
Bromoethene	2.38	3.61	0.659	ok	0.659	0.599-0.719
n-Butane	2.11	3.61	0.584	ok	0.584	0.524-0.644
Benzyl Chloride	16.85	10.59	1.591	ok	1.592	1.532-1.652
n-Butylbenzene	17.57	10.59	1.659	ok	1.660	1.600-1.720
sec-Butylbenzene	17.04	10.59	1.609	ok	1.610	1.550-1.670
tert-Butylbenzene	16.77	10.59	1.584	ok	1.583	1.523-1.643
Carbon disulfide	2.84	3.61	0.787	ok	0.787	0.727-0.847
Chlorobenzene	10.67	10.59	1.008	ok	1.007	0.947-1.067
Chlorodifluoromethane	1.87	3.61	0.518	ok	0.517	0.457-0.577
Chloroethane	2.25	3.61	0.623	ok	0.623	0.563-0.683
Chlorotrifluoroethene	1.88	3.61	0.521	ok	0.520	0.460-0.580
Chloroform	3.69	3.61	1.022	ok	1.021	0.961-1.081
Chloromethane	1.96	3.61	0.543	ok	0.542	0.482-0.602
3-Chloropropene	2.79	3.61	0.773	ok	0.773	0.713-0.833
2-Chlorotoluene	15.45	10.59	1.459	ok	1.459	1.399-1.519
Carbon tetrachloride	4.71	3.61	1.305	ok	1.305	1.245-1.365
Cyclohexane	4.81	4.93	0.976	ok	0.976	0.916-1.036
1,1-Dichloroethane	3.16	3.61	0.875	ok	0.875	0.815-0.935
1,1-Dichloroethylene	2.71	3.61	0.751	ok	0.751	0.691-0.811
1,2-Dibromoethane (EDB)	8.59	4.93	1.742	ok	1.743	1.683-1.803
1,2-Dichloroethane	4.11	3.61	1.139	ok	1.139	1.079-1.199
1,2-Dichloropropane	5.28	4.93	1.071	ok	1.071	1.011-1.131
1,3-Dichloropropane	7.76	4.93	1.574	ok	1.574	1.514-1.634
1,4-Dioxane	5.52	4.93	1.120	ok	1.123	1.063-1.183
Dichlorodifluoromethane	1.90	3.61	0.526	ok	0.526	0.466-0.586
Dichlorofluoromethane	2.29	3.61	0.634	ok	0.633	0.573-0.693
Dibromochloromethane	8.24	4.93	1.671	ok	1.671	1.611-1.731
Dibromomethane	5.24	4.93	1.063	ok	1.063	1.003-1.123
trans-1,2-Dichloroethylene	3.08	3.61	0.853	ok	0.853	0.793-0.913

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.53	3.61	0.978	ok	0.978	0.918-1.038
cis-1,3-Dichloropropene	6.47	4.93	1.312	ok	1.313	1.253-1.373
m-Dichlorobenzene	16.83	10.59	1.589	ok	1.590	1.530-1.650
o-Dichlorobenzene	17.21	10.59	1.625	ok	1.626	1.566-1.686
p-Dichlorobenzene	16.91	10.59	1.597	ok	1.598	1.538-1.658
trans-1,3-Dichloropropene	7.16	4.93	1.452	ok	1.452	1.392-1.512
Di-Isopropyl ether	3.67	3.61	1.017	ok	1.017	0.957-1.077
2,3-Dimethylpentane	5.07	4.93	1.028	ok	1.029	0.969-1.089
2,4-Dimethylpentane	4.19	3.61	1.161	ok	1.162	1.102-1.222
Ethanol	2.29	3.61	0.634	ok	0.634	0.574-0.694
Ethylbenzene	11.55	10.59	1.091	ok	1.091	1.031-1.151
Ethyl Acetate	3.67	3.61	1.017	ok	1.018	0.958-1.078
Ethyl Acrylate	5.40	4.93	1.095	ok	1.095	1.035-1.155
4-Ethyltoluene	16.15	10.59	1.525	ok	1.525	1.465-1.585
Freon 113	2.84	3.61	0.787	ok	0.787	0.727-0.847
Freon 114	2.00	3.61	0.554	ok	0.553	0.493-0.613
Freon 123	2.43	3.61	0.673	ok	0.674	0.614-0.734
Freon 123A	2.45	3.61	0.679	ok	0.679	0.619-0.739
Freon 142B	1.95	3.61	0.540	ok	0.540	0.480-0.600
Freon 152A	1.85	3.61	0.512	ok	0.512	0.452-0.572
Heptane	5.94	4.93	1.205	ok	1.204	1.144-1.264
Hexachlorobutadiene	18.79	10.59	1.774	ok	1.776	1.716-1.836
Hexachloroethane	17.75	10.59	1.676	ok	1.677	1.617-1.737
Hexane	3.66	3.61	1.014	ok	1.015	0.955-1.075
2-Hexanone	8.26	4.93	1.675	ok	1.678	1.618-1.738
Iodomethane	2.69	3.61	0.745	ok	0.745	0.685-0.805
Isopropylbenzene	14.44	10.59	1.364	ok	1.364	1.304-1.424
Isopropyl Alcohol	2.53	3.61	0.701	ok	0.702	0.642-0.762
p-Isopropyltoluene	17.22	10.59	1.626	ok	1.627	1.567-1.687
Methylene chloride	2.75	3.61	0.762	ok	0.762	0.702-0.822
Methyl ethyl ketone	3.33	3.61	0.922	ok	0.923	0.863-0.983
Methyl Isobutyl Ketone	6.57	4.93	1.333	ok	1.334	1.274-1.394
Methyl Tert Butyl Ether	3.19	3.61	0.884	ok	0.884	0.824-0.944
Methylmethacrylate	5.83	4.93	1.183	ok	1.182	1.122-1.242
Naphthalene	18.53	10.59	1.750	ok	1.751	1.691-1.811
Nonane	14.04	10.59	1.326	ok	1.326	1.266-1.386
Octane	9.59	4.93	1.945	ok	1.946	1.886-2.006
Pentane	2.63	3.61	0.729	ok	0.729	0.669-0.789
n-Propylbenzene	15.78	10.59	1.490	ok	1.491	1.431-1.551

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.88	3.61	0.521	ok	0.520	0.460-0.580
Styrene	12.71	10.59	1.200	ok	1.200	1.140-1.260
1,1,1-Trichloroethane	4.28	3.61	1.186	ok	1.185	1.125-1.245
1,1,1,2-Tetrachloroethane	10.68	10.59	1.008	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.93	10.59	1.221	ok	1.221	1.161-1.281
1,1,2-Trichloroethane	7.32	4.93	1.485	ok	1.486	1.426-1.546
1,2,4-Trichlorobenzene	18.49	10.59	1.746	ok	1.747	1.687-1.807
1,2,3-Trichloropropane	13.22	10.59	1.248	ok	1.248	1.188-1.308
1,2,3-Trimethylbenzene	17.15	10.59	1.619	ok	1.620	1.560-1.680
1,2,4-Trimethylbenzene	16.77	10.59	1.584	ok	1.584	1.524-1.644
1,3,5-Trimethylbenzene	16.31	10.59	1.540	ok	1.540	1.480-1.600
2,2,4-Trimethylpentane	5.61	4.93	1.138	ok	1.139	1.079-1.199
Tertiary Butyl Alcohol	2.72	3.61	0.753	ok	0.753	0.693-0.813
Tetrachloroethylene	9.45	4.93	1.917	ok	1.917	1.857-1.977
Tetrahydrofuran	3.90	3.61	1.080	ok	1.083	1.023-1.143
Toluene	7.70	4.93	1.562	ok	1.562	1.502-1.622
Trichloroethylene	5.52	4.93	1.120	ok	1.119	1.059-1.179
Trichlorofluoromethane	2.52	3.61	0.698	ok	0.698	0.638-0.758
Vinyl chloride	2.04	3.61	0.565	ok	0.565	0.505-0.625
Vinyl Acetate	3.23	3.61	0.895	ok	0.895	0.835-0.955
m,p-Xylene	11.98	10.59	1.131	ok	1.132	1.072-1.192
o-Xylene	12.93	10.59	1.221	ok	1.220	1.160-1.280

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.61	ok	3.61	3.28-3.94	72073	ok	69048	41429-96667
1,4-Difluorobenzene	4.93	ok	4.93	4.60-5.26	384279	ok	370656	222394-518918
Chlorobenzene-D5	10.59	ok	10.59	10.26-10.92	358155	ok	336964	202178-471750

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.46	3.61	0.681	ok	0.682	0.622-0.742
Acrolein	2.42	3.61	0.670	ok	0.670	0.610-0.730
Acrylonitrile	2.61	3.61	0.723	ok	0.721	0.661-0.781
Acetonitrile	2.37	3.61	0.657	ok	0.657	0.597-0.717
1,3-Butadiene	2.09	3.61	0.579	ok	0.578	0.518-0.638
Benzene	4.60	3.61	1.274	ok	1.274	1.214-1.334
Bromobenzene	14.32	10.59	1.352	ok	1.352	1.292-1.412
Bromodichloromethane	5.47	4.93	1.110	ok	1.108	1.048-1.168
Bromoform	11.81	10.59	1.115	ok	1.114	1.054-1.174
Bromomethane	2.19	3.61	0.607	ok	0.606	0.546-0.666
Bromoethene	2.38	3.61	0.659	ok	0.659	0.599-0.719
n-Butane	2.11	3.61	0.584	ok	0.584	0.524-0.644
Benzyl Chloride	16.86	10.59	1.592	ok	1.592	1.532-1.652
n-Butylbenzene	17.57	10.59	1.659	ok	1.660	1.600-1.720
sec-Butylbenzene	17.05	10.59	1.610	ok	1.610	1.550-1.670
tert-Butylbenzene	16.77	10.59	1.584	ok	1.583	1.523-1.643
Carbon disulfide	2.85	3.61	0.789	ok	0.787	0.727-0.847
Chlorobenzene	10.67	10.59	1.008	ok	1.007	0.947-1.067
Chlorodifluoromethane	1.87	3.61	0.518	ok	0.517	0.457-0.577
Chloroethane	2.25	3.61	0.623	ok	0.623	0.563-0.683
Chlorotrifluoroethene	1.88	3.61	0.521	ok	0.520	0.460-0.580
Chloroform	3.69	3.61	1.022	ok	1.021	0.961-1.081
Chloromethane	1.96	3.61	0.543	ok	0.542	0.482-0.602
3-Chloropropene	2.79	3.61	0.773	ok	0.773	0.713-0.833
2-Chlorotoluene	15.45	10.59	1.459	ok	1.459	1.399-1.519
Carbon tetrachloride	4.71	3.61	1.305	ok	1.305	1.245-1.365
Cyclohexane	4.81	4.93	0.976	ok	0.976	0.916-1.036
1,1-Dichloroethane	3.16	3.61	0.875	ok	0.875	0.815-0.935
1,1-Dichloroethylene	2.71	3.61	0.751	ok	0.751	0.691-0.811
1,2-Dibromoethane (EDB)	8.60	4.93	1.744	ok	1.743	1.683-1.803
1,2-Dichloroethane	4.11	3.61	1.139	ok	1.139	1.079-1.199
1,2-Dichloropropane	5.29	4.93	1.073	ok	1.071	1.011-1.131
1,3-Dichloropropane	7.76	4.93	1.574	ok	1.574	1.514-1.634
1,4-Dioxane	5.53	4.93	1.122	ok	1.123	1.063-1.183
Dichlorodifluoromethane	1.90	3.61	0.526	ok	0.526	0.466-0.586
Dichlorofluoromethane	2.29	3.61	0.634	ok	0.633	0.573-0.693
Dibromochloromethane	8.24	4.93	1.671	ok	1.671	1.611-1.731
Dibromomethane	5.24	4.93	1.063	ok	1.063	1.003-1.123
trans-1,2-Dichloroethylene	3.08	3.61	0.853	ok	0.853	0.793-0.913

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.53	3.61	0.978	ok	0.978	0.918-1.038
cis-1,3-Dichloropropene	6.48	4.93	1.314	ok	1.313	1.253-1.373
m-Dichlorobenzene	16.84	10.59	1.590	ok	1.590	1.530-1.650
o-Dichlorobenzene	17.21	10.59	1.625	ok	1.626	1.566-1.686
p-Dichlorobenzene	16.92	10.59	1.598	ok	1.598	1.538-1.658
trans-1,3-Dichloropropene	7.16	4.93	1.452	ok	1.452	1.392-1.512
Di-Isopropyl ether	3.67	3.61	1.017	ok	1.017	0.957-1.077
2,3-Dimethylpentane	5.08	4.93	1.030	ok	1.029	0.969-1.089
2,4-Dimethylpentane	4.20	3.61	1.163	ok	1.162	1.102-1.222
Ethanol	2.29	3.61	0.634	ok	0.634	0.574-0.694
Ethylbenzene	11.56	10.59	1.092	ok	1.091	1.031-1.151
Ethyl Acetate	3.68	3.61	1.019	ok	1.018	0.958-1.078
Ethyl Acrylate	5.40	4.93	1.095	ok	1.095	1.035-1.155
4-Ethyltoluene	16.15	10.59	1.525	ok	1.525	1.465-1.585
Freon 113	2.85	3.61	0.789	ok	0.787	0.727-0.847
Freon 114	2.00	3.61	0.554	ok	0.553	0.493-0.613
Freon 123	2.44	3.61	0.676	ok	0.674	0.614-0.734
Freon 123A	2.46	3.61	0.681	ok	0.679	0.619-0.739
Freon 142B	1.95	3.61	0.540	ok	0.540	0.480-0.600
Freon 152A	1.85	3.61	0.512	ok	0.512	0.452-0.572
Heptane	5.94	4.93	1.205	ok	1.204	1.144-1.264
Hexachlorobutadiene	18.80	10.59	1.775	ok	1.776	1.716-1.836
Hexachloroethane	17.75	10.59	1.676	ok	1.677	1.617-1.737
Hexane	3.67	3.61	1.017	ok	1.015	0.955-1.075
2-Hexanone	8.27	4.93	1.677	ok	1.678	1.618-1.738
Iodomethane	2.69	3.61	0.745	ok	0.745	0.685-0.805
Isopropylbenzene	14.45	10.59	1.364	ok	1.364	1.304-1.424
Isopropyl Alcohol	2.54	3.61	0.704	ok	0.702	0.642-0.762
p-Isopropyltoluene	17.23	10.59	1.627	ok	1.627	1.567-1.687
Methylene chloride	2.75	3.61	0.762	ok	0.762	0.702-0.822
Methyl ethyl ketone	3.33	3.61	0.922	ok	0.923	0.863-0.983
Methyl Isobutyl Ketone	6.58	4.93	1.335	ok	1.334	1.274-1.394
Methyl Tert Butyl Ether	3.19	3.61	0.884	ok	0.884	0.824-0.944
Methylmethacrylate	5.83	4.93	1.183	ok	1.182	1.122-1.242
Naphthalene	18.54	10.59	1.751	ok	1.751	1.691-1.811
Nonane	14.04	10.59	1.326	ok	1.326	1.266-1.386
Octane	9.60	4.93	1.947	ok	1.946	1.886-2.006
Pentane	2.63	3.61	0.729	ok	0.729	0.669-0.789
n-Propylbenzene	15.79	10.59	1.491	ok	1.491	1.431-1.551

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.88	3.61	0.521	ok	0.520	0.460-0.580
Styrene	12.71	10.59	1.200	ok	1.200	1.140-1.260
1,1,1-Trichloroethane	4.28	3.61	1.186	ok	1.185	1.125-1.245
1,1,1,2-Tetrachloroethane	10.69	10.59	1.009	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.94	10.59	1.222	ok	1.221	1.161-1.281
1,1,2-Trichloroethane	7.33	4.93	1.487	ok	1.486	1.426-1.546
1,2,4-Trichlorobenzene	18.49	10.59	1.746	ok	1.747	1.687-1.807
1,2,3-Trichloropropane	13.23	10.59	1.249	ok	1.248	1.188-1.308
1,2,3-Trimethylbenzene	17.16	10.59	1.620	ok	1.620	1.560-1.680
1,2,4-Trimethylbenzene	16.78	10.59	1.585	ok	1.584	1.524-1.644
1,3,5-Trimethylbenzene	16.31	10.59	1.540	ok	1.540	1.480-1.600
2,2,4-Trimethylpentane	5.62	4.93	1.140	ok	1.139	1.079-1.199
Tertiary Butyl Alcohol	2.72	3.61	0.753	ok	0.753	0.693-0.813
Tetrachloroethylene	9.45	4.93	1.917	ok	1.917	1.857-1.977
Tetrahydrofuran	3.90	3.61	1.080	ok	1.083	1.023-1.143
Toluene	7.70	4.93	1.562	ok	1.562	1.502-1.622
Trichloroethylene	5.52	4.93	1.120	ok	1.119	1.059-1.179
Trichlorofluoromethane	2.52	3.61	0.698	ok	0.698	0.638-0.758
Vinyl chloride	2.04	3.61	0.565	ok	0.565	0.505-0.625
Vinyl Acetate	3.23	3.61	0.895	ok	0.895	0.835-0.955
m,p-Xylene	11.99	10.59	1.132	ok	1.132	1.072-1.192
o-Xylene	12.93	10.59	1.221	ok	1.220	1.160-1.280

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.61	ok	3.61	3.28-3.94	75390	ok	69048	41429-96667
1,4-Difluorobenzene	4.93	ok	4.93	4.60-5.26	391613	ok	370656	222394-518918
Chlorobenzene-D5	10.59	ok	10.59	10.26-10.92	360276	ok	336964	202178-471750

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	Reporting this level

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.46	3.61	0.681	ok	0.682	0.622-0.742
Acrolein	2.42	3.61	0.670	ok	0.670	0.610-0.730
Acrylonitrile	2.61	3.61	0.723	ok	0.721	0.661-0.781
Acetonitrile	2.37	3.61	0.657	ok	0.657	0.597-0.717
1,3-Butadiene	2.09	3.61	0.579	ok	0.578	0.518-0.638
Benzene	4.60	3.61	1.274	ok	1.274	1.214-1.334
Bromobenzene	14.33	10.59	1.353	ok	1.352	1.292-1.412
Bromodichloromethane	5.47	4.93	1.110	ok	1.108	1.048-1.168
Bromoform	11.80	10.59	1.114	ok	1.114	1.054-1.174
Bromomethane	2.19	3.61	0.607	ok	0.606	0.546-0.666
Bromoethene	2.38	3.61	0.659	ok	0.659	0.599-0.719
n-Butane	2.11	3.61	0.584	ok	0.584	0.524-0.644
Benzyl Chloride	16.86	10.59	1.592	ok	1.592	1.532-1.652
n-Butylbenzene	17.58	10.59	1.660	ok	1.660	1.600-1.720
sec-Butylbenzene	17.05	10.59	1.610	ok	1.610	1.550-1.670
tert-Butylbenzene	16.77	10.59	1.584	ok	1.583	1.523-1.643
Carbon disulfide	2.84	3.61	0.787	ok	0.787	0.727-0.847
Chlorobenzene	10.68	10.59	1.008	ok	1.007	0.947-1.067
Chlorodifluoromethane	1.86	3.61	0.515	ok	0.517	0.457-0.577
Chloroethane	2.25	3.61	0.623	ok	0.623	0.563-0.683
Chlorotrifluoroethene	1.88	3.61	0.521	ok	0.520	0.460-0.580
Chloroform	3.69	3.61	1.022	ok	1.021	0.961-1.081
Chloromethane	1.96	3.61	0.543	ok	0.542	0.482-0.602
3-Chloropropene	2.79	3.61	0.773	ok	0.773	0.713-0.833
2-Chlorotoluene	15.46	10.59	1.460	ok	1.459	1.399-1.519
Carbon tetrachloride	4.71	3.61	1.305	ok	1.305	1.245-1.365
Cyclohexane	4.81	4.93	0.976	ok	0.976	0.916-1.036
1,1-Dichloroethane	3.16	3.61	0.875	ok	0.875	0.815-0.935
1,1-Dichloroethylene	2.71	3.61	0.751	ok	0.751	0.691-0.811
1,2-Dibromoethane (EDB)	8.60	4.93	1.744	ok	1.743	1.683-1.803
1,2-Dichloroethane	4.11	3.61	1.139	ok	1.139	1.079-1.199
1,2-Dichloropropane	5.28	4.93	1.071	ok	1.071	1.011-1.131
1,3-Dichloropropane	7.77	4.93	1.576	ok	1.574	1.514-1.634
1,4-Dioxane	5.53	4.93	1.122	ok	1.123	1.063-1.183
Dichlorodifluoromethane	1.90	3.61	0.526	ok	0.526	0.466-0.586
Dichlorofluoromethane	2.28	3.61	0.632	ok	0.633	0.573-0.693
Dibromochloromethane	8.25	4.93	1.673	ok	1.671	1.611-1.731
Dibromomethane	5.24	4.93	1.063	ok	1.063	1.003-1.123
trans-1,2-Dichloroethylene	3.08	3.61	0.853	ok	0.853	0.793-0.913

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	Reporting this level

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.53	3.61	0.978	ok	0.978	0.918-1.038
cis-1,3-Dichloropropene	6.48	4.93	1.314	ok	1.313	1.253-1.373
m-Dichlorobenzene	16.84	10.59	1.590	ok	1.590	1.530-1.650
o-Dichlorobenzene	17.22	10.59	1.626	ok	1.626	1.566-1.686
p-Dichlorobenzene	16.92	10.59	1.598	ok	1.598	1.538-1.658
trans-1,3-Dichloropropene	7.16	4.93	1.452	ok	1.452	1.392-1.512
Di-Isopropyl ether	3.67	3.61	1.017	ok	1.017	0.957-1.077
2,3-Dimethylpentane	5.07	4.93	1.028	ok	1.029	0.969-1.089
2,4-Dimethylpentane	4.20	3.61	1.163	ok	1.162	1.102-1.222
Ethanol	2.29	3.61	0.634	ok	0.634	0.574-0.694
Ethylbenzene	11.56	10.59	1.092	ok	1.091	1.031-1.151
Ethyl Acetate	3.68	3.61	1.019	ok	1.018	0.958-1.078
Ethyl Acrylate	5.40	4.93	1.095	ok	1.095	1.035-1.155
4-Ethyltoluene	16.15	10.59	1.525	ok	1.525	1.465-1.585
Freon 113	2.84	3.61	0.787	ok	0.787	0.727-0.847
Freon 114	2.00	3.61	0.554	ok	0.553	0.493-0.613
Freon 123	2.44	3.61	0.676	ok	0.674	0.614-0.734
Freon 123A	2.45	3.61	0.679	ok	0.679	0.619-0.739
Freon 142B	1.95	3.61	0.540	ok	0.540	0.480-0.600
Freon 152A	1.85	3.61	0.512	ok	0.512	0.452-0.572
Heptane	5.94	4.93	1.205	ok	1.204	1.144-1.264
Hexachlorobutadiene	18.80	10.59	1.775	ok	1.776	1.716-1.836
Hexachloroethane	17.75	10.59	1.676	ok	1.677	1.617-1.737
Hexane	3.67	3.61	1.017	ok	1.015	0.955-1.075
2-Hexanone	8.27	4.93	1.677	ok	1.678	1.618-1.738
Iodomethane	2.69	3.61	0.745	ok	0.745	0.685-0.805
Isopropylbenzene	14.45	10.59	1.364	ok	1.364	1.304-1.424
Isopropyl Alcohol	2.53	3.61	0.701	ok	0.702	0.642-0.762
p-Isopropyltoluene	17.23	10.59	1.627	ok	1.627	1.567-1.687
Methylene chloride	2.75	3.61	0.762	ok	0.762	0.702-0.822
Methyl ethyl ketone	3.33	3.61	0.922	ok	0.923	0.863-0.983
Methyl Isobutyl Ketone	6.58	4.93	1.335	ok	1.334	1.274-1.394
Methyl Tert Butyl Ether	3.19	3.61	0.884	ok	0.884	0.824-0.944
Methylmethacrylate	5.83	4.93	1.183	ok	1.182	1.122-1.242
Naphthalene	18.54	10.59	1.751	ok	1.751	1.691-1.811
Nonane	14.05	10.59	1.327	ok	1.326	1.266-1.386
Octane	9.60	4.93	1.947	ok	1.946	1.886-2.006
Pentane	2.63	3.61	0.729	ok	0.729	0.669-0.789
n-Propylbenzene	15.79	10.59	1.491	ok	1.491	1.431-1.551

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	Reporting this level

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.88	3.61	0.521	ok	0.520	0.460-0.580
Styrene	12.72	10.59	1.201	ok	1.200	1.140-1.260
1,1,1-Trichloroethane	4.28	3.61	1.186	ok	1.185	1.125-1.245
1,1,1,2-Tetrachloroethane	10.69	10.59	1.009	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.95	10.59	1.223	ok	1.221	1.161-1.281
1,1,2-Trichloroethane	7.33	4.93	1.487	ok	1.486	1.426-1.546
1,2,4-Trichlorobenzene	18.50	10.59	1.747	ok	1.747	1.687-1.807
1,2,3-Trichloropropane	13.23	10.59	1.249	ok	1.248	1.188-1.308
1,2,3-Trimethylbenzene	17.16	10.59	1.620	ok	1.620	1.560-1.680
1,2,4-Trimethylbenzene	16.78	10.59	1.585	ok	1.584	1.524-1.644
1,3,5-Trimethylbenzene	16.31	10.59	1.540	ok	1.540	1.480-1.600
2,2,4-Trimethylpentane	5.62	4.93	1.140	ok	1.139	1.079-1.199
Tertiary Butyl Alcohol	2.72	3.61	0.753	ok	0.753	0.693-0.813
Tetrachloroethylene	9.45	4.93	1.917	ok	1.917	1.857-1.977
Tetrahydrofuran	3.90	3.61	1.080	ok	1.083	1.023-1.143
Toluene	7.70	4.93	1.562	ok	1.562	1.502-1.622
Trichloroethylene	5.52	4.93	1.120	ok	1.119	1.059-1.179
Trichlorofluoromethane	2.52	3.61	0.698	ok	0.698	0.638-0.758
Vinyl chloride	2.04	3.61	0.565	ok	0.565	0.505-0.625
Vinyl Acetate	3.23	3.61	0.895	ok	0.895	0.835-0.955
m,p-Xylene	12.00	10.59	1.133	ok	1.132	1.072-1.192
o-Xylene	12.94	10.59	1.222	ok	1.220	1.160-1.280

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.61	ok	3.61	3.28-3.94	77394	ok	69048	41429-96667
1,4-Difluorobenzene	4.93	ok	4.93	4.60-5.26	400362	ok	370656	222394-518918
Chlorobenzene-D5	10.59	ok	10.59	10.26-10.92	371357	ok	336964	202178-471750

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1077-IC1077	6W25316.D	08/04/22 17:54	TCH	0.04	GCMS6W	TO-15	Reporting this level
V6W1077-IC1077	6W25317.D	08/04/22 18:39	TCH	0.1	GCMS6W	TO-15	
V6W1077-IC1077	6W25318.D	08/04/22 19:25	TCH	0.2	GCMS6W	TO-15	
V6W1077-IC1077	6W25319.D	08/04/22 20:11	TCH	0.5	GCMS6W	TO-15	
V6W1077-IC1077	6W25321.D	08/04/22 21:41	TCH	5	GCMS6W	TO-15	
V6W1077-ICC1077	6W25322.D	08/04/22 22:26	TCH	10	GCMS6W	TO-15	
V6W1077-IC1077	6W25323.D	08/04/22 23:14	TCH	20	GCMS6W	TO-15	
V6W1077-IC1077	6W25324.D	08/05/22 00:05	TCH	40	GCMS6W	TO-15	
V6W1077-IC1077	6W25325.D	08/05/22 00:59	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Benzene	4.44	3.41	1.302	ok	1.301	1.241-1.361
Bromobenzene	14.38	10.60	1.357	ok	1.357	1.297-1.417
Bromodichloromethane	5.35	4.79	1.117	ok	1.117	1.057-1.177
Bromoform	11.84	10.60	1.117	ok	1.117	1.057-1.177
Bromomethane	1.97	3.41	0.578	ok	0.577	0.517-0.637
Bromoethene	2.12	3.41	0.622	ok	0.621	0.561-0.681
n-Butane	1.91	3.41	0.560	ok	0.560	0.500-0.620
Benzyl Chloride	16.88	10.60	1.592	ok	1.593	1.533-1.653
n-Butylbenzene	17.60	10.60	1.660	ok	1.659	1.599-1.719
sec-Butylbenzene	17.07	10.60	1.610	ok	1.610	1.550-1.670
tert-Butylbenzene	16.80	10.60	1.585	ok	1.584	1.524-1.644
Carbon disulfide	2.59	3.41	0.760	ok	0.759	0.699-0.819
Chlorobenzene	10.69	10.60	1.008	ok	1.008	0.948-1.068
Chloroethane	2.02	3.41	0.592	ok	0.592	0.532-0.652
Chloroform	3.50	3.41	1.026	ok	1.025	0.965-1.085
3-Chloropropene	2.54	3.41	0.745	ok	0.742	0.682-0.802
Carbon tetrachloride	4.56	3.41	1.337	ok	1.337	1.277-1.397
Cyclohexane	4.66	4.79	0.973	ok	0.974	0.914-1.034
1,1-Dichloroethane	2.93	3.41	0.859	ok	0.858	0.798-0.918
1,1-Dichloroethylene	2.45	3.41	0.718	ok	0.717	0.657-0.777
1,2-Dibromoethane (EDB)	8.56	4.79	1.787	ok	1.789	1.729-1.849
1,2-Dichloroethane	3.94	3.41	1.155	ok	1.154	1.094-1.214
1,3-Dichloropropane	7.70	4.79	1.608	ok	1.611	1.551-1.671
Dichlorofluoromethane	2.05	3.41	0.601	ok	0.601	0.541-0.661
Dibromochloromethane	8.22	4.79	1.716	ok	1.715	1.655-1.775
Dibromomethane	5.12	4.79	1.069	ok	1.068	1.008-1.128
trans-1,2-Dichloroethylene	2.84	3.41	0.833	ok	0.834	0.774-0.894
cis-1,3-Dichloropropene	6.39	4.79	1.334	ok	1.335	1.275-1.395
m-Dichlorobenzene	16.87	10.60	1.592	ok	1.591	1.531-1.651
o-Dichlorobenzene	17.24	10.60	1.626	ok	1.626	1.566-1.686
p-Dichlorobenzene	16.95	10.60	1.599	ok	1.598	1.538-1.658
trans-1,3-Dichloropropene	7.10	4.79	1.482	ok	1.484	1.424-1.544
2,4-Dimethylpentane	4.02	3.41	1.179	ok	1.178	1.118-1.238
Ethylbenzene	11.59	10.60	1.093	ok	1.093	1.033-1.153
Ethyl Acrylate	5.30	4.79	1.106	ok	1.104	1.044-1.164
4-Ethyltoluene	16.20	10.60	1.528	ok	1.528	1.468-1.588
Freon 113	2.59	3.41	0.760	ok	0.759	0.699-0.819
Freon 114	1.83	3.41	0.537	ok	0.536	0.476-0.596
Freon 123	2.16	3.41	0.633	ok	0.633	0.573-0.693

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1077-IC1077	6W25316.D	08/04/22 17:54	TCH	0.04	GCMS6W	TO-15	Reporting this level
V6W1077-IC1077	6W25317.D	08/04/22 18:39	TCH	0.1	GCMS6W	TO-15	
V6W1077-IC1077	6W25318.D	08/04/22 19:25	TCH	0.2	GCMS6W	TO-15	
V6W1077-IC1077	6W25319.D	08/04/22 20:11	TCH	0.5	GCMS6W	TO-15	
V6W1077-IC1077	6W25321.D	08/04/22 21:41	TCH	5	GCMS6W	TO-15	
V6W1077-ICC1077	6W25322.D	08/04/22 22:26	TCH	10	GCMS6W	TO-15	
V6W1077-IC1077	6W25323.D	08/04/22 23:14	TCH	20	GCMS6W	TO-15	
V6W1077-IC1077	6W25324.D	08/05/22 00:05	TCH	40	GCMS6W	TO-15	
V6W1077-IC1077	6W25325.D	08/05/22 00:59	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Freon 123A	2.18	3.41	0.639	ok	0.639	0.579-0.699
Freon 142B	1.80	3.41	0.528	ok	0.526	0.466-0.586
Heptane	5.83	4.79	1.217	ok	1.218	1.158-1.278
Hexachlorobutadiene	18.81	10.60	1.775	ok	1.774	1.714-1.834
Hexachloroethane	17.77	10.60	1.676	ok	1.676	1.616-1.736
Hexane	3.47	3.41	1.018	ok	1.017	0.957-1.077
Iodomethane	2.42	3.41	0.710	ok	0.709	0.649-0.769
Isopropylbenzene	14.51	10.60	1.369	ok	1.369	1.309-1.429
p-Isopropyltoluene	17.25	10.60	1.627	ok	1.627	1.567-1.687
Methyl Tert Butyl Ether	2.97	3.41	0.871	ok	0.870	0.810-0.930
Naphthalene	18.56	10.60	1.751	ok	1.750	1.690-1.810
Octane	9.58	4.79	2.000	ok	2.002	1.942-2.062
Pentane	2.35	3.41	0.689	ok	0.691	0.631-0.751
Styrene	12.76	10.60	1.204	ok	1.203	1.143-1.263
1,1,1-Trichloroethane	4.11	3.41	1.205	ok	1.204	1.144-1.264
1,1,1,2-Tetrachloroethane	10.70	10.60	1.009	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.98	10.60	1.225	ok	1.226	1.166-1.286
1,1,2-Trichloroethane	7.27	4.79	1.518	ok	1.519	1.459-1.579
1,2,4-Trichlorobenzene	18.51	10.60	1.746	ok	1.745	1.685-1.805
1,2,3-Trichloropropane	13.27	10.60	1.252	ok	1.253	1.193-1.313
1,2,3-Trimethylbenzene	17.19	10.60	1.622	ok	1.621	1.561-1.681
1,2,4-Trimethylbenzene	16.80	10.60	1.585	ok	1.585	1.525-1.645
1,3,5-Trimethylbenzene	16.35	10.60	1.542	ok	1.542	1.482-1.602
2,2,4-Trimethylpentane	5.50	4.79	1.148	ok	1.148	1.088-1.208
Tertiary Butyl Alcohol	2.47	3.41	0.724	ok	0.722	0.662-0.782
Tetrachloroethylene	9.46	4.79	1.975	ok	1.972	1.912-2.032
Toluene	7.66	4.79	1.599	ok	1.598	1.538-1.658
Trichloroethylene	5.40	4.79	1.127	ok	1.129	1.069-1.189
Trichlorofluoromethane	2.25	3.41	0.660	ok	0.658	0.598-0.718
Vinyl chloride	1.86	3.41	0.545	ok	0.545	0.485-0.605
m,p-Xylene	11.99	10.60	1.131	ok	1.133	1.073-1.193
o-Xylene	12.97	10.60	1.224	ok	1.224	1.164-1.284

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.41	ok	3.41	3.08-3.74	46617	ok	48021	28813-67229
1,4-Difluorobenzene	4.79	ok	4.79	4.46-5.12	250125	ok	247020	148212-345828
Chlorobenzene-D5	10.60	ok	10.60	10.27-10.93	220535	ok	217916	130750-305082

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1077-IC1077	6W25316.D	08/04/22 17:54	TCH	0.04	GCMS6W	TO-15	
V6W1077-IC1077	6W25317.D	08/04/22 18:39	TCH	0.1	GCMS6W	TO-15	Reporting this level
V6W1077-IC1077	6W25318.D	08/04/22 19:25	TCH	0.2	GCMS6W	TO-15	
V6W1077-IC1077	6W25319.D	08/04/22 20:11	TCH	0.5	GCMS6W	TO-15	
V6W1077-IC1077	6W25321.D	08/04/22 21:41	TCH	5	GCMS6W	TO-15	
V6W1077-ICC1077	6W25322.D	08/04/22 22:26	TCH	10	GCMS6W	TO-15	
V6W1077-IC1077	6W25323.D	08/04/22 23:14	TCH	20	GCMS6W	TO-15	
V6W1077-IC1077	6W25324.D	08/05/22 00:05	TCH	40	GCMS6W	TO-15	
V6W1077-IC1077	6W25325.D	08/05/22 00:59	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acrolein	2.15	3.41	0.630	ok	0.630	0.570-0.690
Acrylonitrile	2.33	3.41	0.683	ok	0.683	0.623-0.743
Acetonitrile	2.12	3.41	0.622	ok	0.619	0.559-0.679
Benzene	4.44	3.41	1.302	ok	1.301	1.241-1.361
Bromobenzene	14.38	10.60	1.357	ok	1.357	1.297-1.417
Bromodichloromethane	5.35	4.79	1.117	ok	1.117	1.057-1.177
Bromoform	11.84	10.60	1.117	ok	1.117	1.057-1.177
Bromomethane	1.97	3.41	0.578	ok	0.577	0.517-0.637
Bromoethene	2.12	3.41	0.622	ok	0.621	0.561-0.681
n-Butane	1.91	3.41	0.560	ok	0.560	0.500-0.620
Benzyl Chloride	16.89	10.60	1.593	ok	1.593	1.533-1.653
n-Butylbenzene	17.60	10.60	1.660	ok	1.659	1.599-1.719
sec-Butylbenzene	17.08	10.60	1.611	ok	1.610	1.550-1.670
tert-Butylbenzene	16.79	10.60	1.584	ok	1.584	1.524-1.644
Carbon disulfide	2.59	3.41	0.760	ok	0.759	0.699-0.819
Chlorobenzene	10.68	10.60	1.008	ok	1.008	0.948-1.068
Chlorodifluoromethane	1.73	3.41	0.507	ok	0.507	0.447-0.567
Chloroethane	2.02	3.41	0.592	ok	0.592	0.532-0.652
Chlorotrifluoroethene	1.74	3.41	0.510	ok	0.510	0.450-0.570
Chloroform	3.49	3.41	1.023	ok	1.025	0.965-1.085
3-Chloropropene	2.53	3.41	0.742	ok	0.742	0.682-0.802
2-Chlorotoluene	15.54	10.60	1.466	ok	1.465	1.405-1.525
Carbon tetrachloride	4.56	3.41	1.337	ok	1.337	1.277-1.397
Cyclohexane	4.66	4.79	0.973	ok	0.974	0.914-1.034
1,1-Dichloroethane	2.93	3.41	0.859	ok	0.858	0.798-0.918
1,1-Dichloroethylene	2.44	3.41	0.716	ok	0.717	0.657-0.777
1,2-Dibromoethane (EDB)	8.57	4.79	1.789	ok	1.789	1.729-1.849
1,2-Dichloroethane	3.94	3.41	1.155	ok	1.154	1.094-1.214
1,2-Dichloropropane	5.15	4.79	1.075	ok	1.077	1.017-1.137
1,3-Dichloropropane	7.72	4.79	1.612	ok	1.611	1.551-1.671
1,4-Dioxane	5.49	4.79	1.146	ok	1.136	1.076-1.196
Dichlorodifluoromethane	1.76	3.41	0.516	ok	0.516	0.456-0.576
Dichlorofluoromethane	2.05	3.41	0.601	ok	0.601	0.541-0.661
Dibromochloromethane	8.21	4.79	1.714	ok	1.715	1.655-1.775
Dibromomethane	5.11	4.79	1.067	ok	1.068	1.008-1.128
trans-1,2-Dichloroethylene	2.84	3.41	0.833	ok	0.834	0.774-0.894
cis-1,2-Dichloroethylene	3.33	3.41	0.977	ok	0.976	0.916-1.036
cis-1,3-Dichloropropene	6.39	4.79	1.334	ok	1.335	1.275-1.395
m-Dichlorobenzene	16.87	10.60	1.592	ok	1.591	1.531-1.651

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1077-IC1077	6W25316.D	08/04/22 17:54	TCH	0.04	GCMS6W	TO-15	
V6W1077-IC1077	6W25317.D	08/04/22 18:39	TCH	0.1	GCMS6W	TO-15	Reporting this level
V6W1077-IC1077	6W25318.D	08/04/22 19:25	TCH	0.2	GCMS6W	TO-15	
V6W1077-IC1077	6W25319.D	08/04/22 20:11	TCH	0.5	GCMS6W	TO-15	
V6W1077-IC1077	6W25321.D	08/04/22 21:41	TCH	5	GCMS6W	TO-15	
V6W1077-ICC1077	6W25322.D	08/04/22 22:26	TCH	10	GCMS6W	TO-15	
V6W1077-IC1077	6W25323.D	08/04/22 23:14	TCH	20	GCMS6W	TO-15	
V6W1077-IC1077	6W25324.D	08/05/22 00:05	TCH	40	GCMS6W	TO-15	
V6W1077-IC1077	6W25325.D	08/05/22 00:59	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
o-Dichlorobenzene	17.24	10.60	1.626	ok	1.626	1.566-1.686
p-Dichlorobenzene	16.95	10.60	1.599	ok	1.598	1.538-1.658
trans-1,3-Dichloropropene	7.10	4.79	1.482	ok	1.484	1.424-1.544
Di-Isopropyl ether	3.48	3.41	1.021	ok	1.018	0.958-1.078
2,3-Dimethylpentane	4.94	4.79	1.031	ok	1.031	0.971-1.091
2,4-Dimethylpentane	4.02	3.41	1.179	ok	1.178	1.118-1.238
Ethylbenzene	11.60	10.60	1.094	ok	1.093	1.033-1.153
Ethyl Acetate	3.48	3.41	1.021	ok	1.020	0.960-1.080
Ethyl Acrylate	5.29	4.79	1.104	ok	1.104	1.044-1.164
4-Ethyltoluene	16.21	10.60	1.529	ok	1.528	1.468-1.588
Freon 113	2.59	3.41	0.760	ok	0.759	0.699-0.819
Freon 114	1.83	3.41	0.537	ok	0.536	0.476-0.596
Freon 123	2.16	3.41	0.633	ok	0.633	0.573-0.693
Freon 123A	2.18	3.41	0.639	ok	0.639	0.579-0.699
Freon 142B	1.79	3.41	0.525	ok	0.526	0.466-0.586
Freon 152A	1.72	3.41	0.504	ok	0.504	0.444-0.564
Heptane	5.83	4.79	1.217	ok	1.218	1.158-1.278
Hexachlorobutadiene	18.81	10.60	1.775	ok	1.774	1.714-1.834
Hexachloroethane	17.78	10.60	1.677	ok	1.676	1.616-1.736
Hexane	3.47	3.41	1.018	ok	1.017	0.957-1.077
Iodomethane	2.42	3.41	0.710	ok	0.709	0.649-0.769
Isopropylbenzene	14.51	10.60	1.369	ok	1.369	1.309-1.429
p-Isopropyltoluene	17.25	10.60	1.627	ok	1.627	1.567-1.687
Methyl ethyl ketone	3.12	3.41	0.915	ok	0.914	0.854-0.974
Methyl Isobutyl Ketone	6.52	4.79	1.361	ok	1.359	1.299-1.419
Methyl Tert Butyl Ether	2.97	3.41	0.871	ok	0.870	0.810-0.930
Methylmethacrylate	5.73	4.79	1.196	ok	1.196	1.136-1.256
Naphthalene	18.56	10.60	1.751	ok	1.750	1.690-1.810
Nonane	14.09	10.60	1.329	ok	1.330	1.270-1.390
Octane	9.59	4.79	2.002	ok	2.002	1.942-2.062
n-Propylbenzene	15.87	10.60	1.497	ok	1.497	1.437-1.557
Propylene	1.74	3.41	0.510	ok	0.510	0.450-0.570
Styrene	12.75	10.60	1.203	ok	1.203	1.143-1.263
1,1,1-Trichloroethane	4.10	3.41	1.202	ok	1.204	1.144-1.264
1,1,1,2-Tetrachloroethane	10.69	10.60	1.008	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	13.00	10.60	1.226	ok	1.226	1.166-1.286
1,1,2-Trichloroethane	7.28	4.79	1.520	ok	1.519	1.459-1.579
1,2,4-Trichlorobenzene	18.50	10.60	1.745	ok	1.745	1.685-1.805
1,2,3-Trichloropropane	13.29	10.60	1.254	ok	1.253	1.193-1.313

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1077-IC1077	6W25316.D	08/04/22 17:54	TCH	0.04	GCMS6W	TO-15	
V6W1077-IC1077	6W25317.D	08/04/22 18:39	TCH	0.1	GCMS6W	TO-15	Reporting this level
V6W1077-IC1077	6W25318.D	08/04/22 19:25	TCH	0.2	GCMS6W	TO-15	
V6W1077-IC1077	6W25319.D	08/04/22 20:11	TCH	0.5	GCMS6W	TO-15	
V6W1077-IC1077	6W25321.D	08/04/22 21:41	TCH	5	GCMS6W	TO-15	
V6W1077-ICC1077	6W25322.D	08/04/22 22:26	TCH	10	GCMS6W	TO-15	
V6W1077-IC1077	6W25323.D	08/04/22 23:14	TCH	20	GCMS6W	TO-15	
V6W1077-IC1077	6W25324.D	08/05/22 00:05	TCH	40	GCMS6W	TO-15	
V6W1077-IC1077	6W25325.D	08/05/22 00:59	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
1,2,3-Trimethylbenzene	17.19	10.60	1.622	ok	1.621	1.561-1.681
1,2,4-Trimethylbenzene	16.81	10.60	1.586	ok	1.585	1.525-1.645
1,3,5-Trimethylbenzene	16.35	10.60	1.542	ok	1.542	1.482-1.602
2,2,4-Trimethylpentane	5.50	4.79	1.148	ok	1.148	1.088-1.208
Tertiary Butyl Alcohol	2.47	3.41	0.724	ok	0.722	0.662-0.782
Tetrachloroethylene	9.45	4.79	1.973	ok	1.972	1.912-2.032
Tetrahydrofuran	3.75	3.41	1.100	ok	1.093	1.033-1.153
Toluene	7.65	4.79	1.597	ok	1.598	1.538-1.658
Trichloroethylene	5.40	4.79	1.127	ok	1.129	1.069-1.189
Trichlorofluoromethane	2.24	3.41	0.657	ok	0.658	0.598-0.718
Vinyl chloride	1.86	3.41	0.545	ok	0.545	0.485-0.605
m,p-Xylene	11.98	10.60	1.130	ok	1.133	1.073-1.193
o-Xylene	12.97	10.60	1.224	ok	1.224	1.164-1.284

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.41	ok	3.41	3.08-3.74	45139	ok	48021	28813-67229
1,4-Difluorobenzene	4.79	ok	4.79	4.46-5.12	243010	ok	247020	148212-345828
Chlorobenzene-D5	10.60	ok	10.60	10.27-10.93	215313	ok	217916	130750-305082

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1077-IC1077	6W25316.D	08/04/22 17:54	TCH	0.04	GCMS6W	TO-15	
V6W1077-IC1077	6W25317.D	08/04/22 18:39	TCH	0.1	GCMS6W	TO-15	
V6W1077-IC1077	6W25318.D	08/04/22 19:25	TCH	0.2	GCMS6W	TO-15	Reporting this level
V6W1077-IC1077	6W25319.D	08/04/22 20:11	TCH	0.5	GCMS6W	TO-15	
V6W1077-IC1077	6W25321.D	08/04/22 21:41	TCH	5	GCMS6W	TO-15	
V6W1077-ICC1077	6W25322.D	08/04/22 22:26	TCH	10	GCMS6W	TO-15	
V6W1077-IC1077	6W25323.D	08/04/22 23:14	TCH	20	GCMS6W	TO-15	
V6W1077-IC1077	6W25324.D	08/05/22 00:05	TCH	40	GCMS6W	TO-15	
V6W1077-IC1077	6W25325.D	08/05/22 00:59	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.19	3.41	0.642	ok	0.642	0.582-0.702
Acrolein	2.15	3.41	0.630	ok	0.630	0.570-0.690
Acrylonitrile	2.33	3.41	0.683	ok	0.683	0.623-0.743
Acetonitrile	2.11	3.41	0.619	ok	0.619	0.559-0.679
1,3-Butadiene	1.90	3.41	0.557	ok	0.556	0.496-0.616
Benzene	4.44	3.41	1.302	ok	1.301	1.241-1.361
Bromobenzene	14.38	10.60	1.357	ok	1.357	1.297-1.417
Bromodichloromethane	5.34	4.79	1.115	ok	1.117	1.057-1.177
Bromoform	11.84	10.60	1.117	ok	1.117	1.057-1.177
Bromomethane	1.97	3.41	0.578	ok	0.577	0.517-0.637
Bromoethene	2.12	3.41	0.622	ok	0.621	0.561-0.681
n-Butane	1.91	3.41	0.560	ok	0.560	0.500-0.620
Benzyl Chloride	16.89	10.60	1.593	ok	1.593	1.533-1.653
n-Butylbenzene	17.60	10.60	1.660	ok	1.659	1.599-1.719
sec-Butylbenzene	17.08	10.60	1.611	ok	1.610	1.550-1.670
tert-Butylbenzene	16.80	10.60	1.585	ok	1.584	1.524-1.644
Carbon disulfide	2.59	3.41	0.760	ok	0.759	0.699-0.819
Chlorobenzene	10.68	10.60	1.008	ok	1.008	0.948-1.068
Chlorodifluoromethane	1.73	3.41	0.507	ok	0.507	0.447-0.567
Chloroethane	2.02	3.41	0.592	ok	0.592	0.532-0.652
Chlorotrifluoroethene	1.74	3.41	0.510	ok	0.510	0.450-0.570
Chloroform	3.49	3.41	1.023	ok	1.025	0.965-1.085
Chloromethane	1.80	3.41	0.528	ok	0.527	0.467-0.587
3-Chloropropene	2.53	3.41	0.742	ok	0.742	0.682-0.802
2-Chlorotoluene	15.54	10.60	1.466	ok	1.465	1.405-1.525
Carbon tetrachloride	4.56	3.41	1.337	ok	1.337	1.277-1.397
Cyclohexane	4.67	4.79	0.975	ok	0.974	0.914-1.034
1,1-Dichloroethane	2.93	3.41	0.859	ok	0.858	0.798-0.918
1,1-Dichloroethylene	2.45	3.41	0.718	ok	0.717	0.657-0.777
1,2-Dibromoethane (EDB)	8.57	4.79	1.789	ok	1.789	1.729-1.849
1,2-Dichloroethane	3.94	3.41	1.155	ok	1.154	1.094-1.214
1,2-Dichloropropane	5.15	4.79	1.075	ok	1.077	1.017-1.137
1,3-Dichloropropane	7.71	4.79	1.610	ok	1.611	1.551-1.671
1,4-Dioxane	5.48	4.79	1.144	ok	1.136	1.076-1.196
Dichlorodifluoromethane	1.76	3.41	0.516	ok	0.516	0.456-0.576
Dichlorofluoromethane	2.05	3.41	0.601	ok	0.601	0.541-0.661
Dibromochloromethane	8.21	4.79	1.714	ok	1.715	1.655-1.775
Dibromomethane	5.11	4.79	1.067	ok	1.068	1.008-1.128
trans-1,2-Dichloroethylene	2.85	3.41	0.836	ok	0.834	0.774-0.894

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1077-IC1077	6W25316.D	08/04/22 17:54	TCH	0.04	GCMS6W	TO-15	
V6W1077-IC1077	6W25317.D	08/04/22 18:39	TCH	0.1	GCMS6W	TO-15	
V6W1077-IC1077	6W25318.D	08/04/22 19:25	TCH	0.2	GCMS6W	TO-15	Reporting this level
V6W1077-IC1077	6W25319.D	08/04/22 20:11	TCH	0.5	GCMS6W	TO-15	
V6W1077-IC1077	6W25321.D	08/04/22 21:41	TCH	5	GCMS6W	TO-15	
V6W1077-ICC1077	6W25322.D	08/04/22 22:26	TCH	10	GCMS6W	TO-15	
V6W1077-IC1077	6W25323.D	08/04/22 23:14	TCH	20	GCMS6W	TO-15	
V6W1077-IC1077	6W25324.D	08/05/22 00:05	TCH	40	GCMS6W	TO-15	
V6W1077-IC1077	6W25325.D	08/05/22 00:59	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.33	3.41	0.977	ok	0.976	0.916-1.036
cis-1,3-Dichloropropene	6.39	4.79	1.334	ok	1.335	1.275-1.395
m-Dichlorobenzene	16.87	10.60	1.592	ok	1.591	1.531-1.651
o-Dichlorobenzene	17.24	10.60	1.626	ok	1.626	1.566-1.686
p-Dichlorobenzene	16.95	10.60	1.599	ok	1.598	1.538-1.658
trans-1,3-Dichloropropene	7.11	4.79	1.484	ok	1.484	1.424-1.544
Di-Isopropyl ether	3.48	3.41	1.021	ok	1.018	0.958-1.078
2,3-Dimethylpentane	4.94	4.79	1.031	ok	1.031	0.971-1.091
2,4-Dimethylpentane	4.02	3.41	1.179	ok	1.178	1.118-1.238
Ethylbenzene	11.59	10.60	1.093	ok	1.093	1.033-1.153
Ethyl Acetate	3.49	3.41	1.023	ok	1.020	0.960-1.080
Ethyl Acrylate	5.29	4.79	1.104	ok	1.104	1.044-1.164
4-Ethyltoluene	16.20	10.60	1.528	ok	1.528	1.468-1.588
Freon 113	2.59	3.41	0.760	ok	0.759	0.699-0.819
Freon 114	1.83	3.41	0.537	ok	0.536	0.476-0.596
Freon 123	2.16	3.41	0.633	ok	0.633	0.573-0.693
Freon 123A	2.18	3.41	0.639	ok	0.639	0.579-0.699
Freon 142B	1.79	3.41	0.525	ok	0.526	0.466-0.586
Freon 152A	1.72	3.41	0.504	ok	0.504	0.444-0.564
Heptane	5.83	4.79	1.217	ok	1.218	1.158-1.278
Hexachlorobutadiene	18.81	10.60	1.775	ok	1.774	1.714-1.834
Hexachloroethane	17.77	10.60	1.676	ok	1.676	1.616-1.736
Hexane	3.47	3.41	1.018	ok	1.017	0.957-1.077
2-Hexanone	8.26	4.79	1.724	ok	1.722	1.662-1.782
Iodomethane	2.42	3.41	0.710	ok	0.709	0.649-0.769
Isopropylbenzene	14.51	10.60	1.369	ok	1.369	1.309-1.429
Isopropyl Alcohol	2.27	3.41	0.666	ok	0.663	0.603-0.723
p-Isopropyltoluene	17.25	10.60	1.627	ok	1.627	1.567-1.687
Methylene chloride	2.49	3.41	0.730	ok	0.729	0.669-0.789
Methyl ethyl ketone	3.12	3.41	0.915	ok	0.914	0.854-0.974
Methyl Isobutyl Ketone	6.52	4.79	1.361	ok	1.359	1.299-1.419
Methyl Tert Butyl Ether	2.97	3.41	0.871	ok	0.870	0.810-0.930
Methylmethacrylate	5.73	4.79	1.196	ok	1.196	1.136-1.256
Naphthalene	18.55	10.60	1.750	ok	1.750	1.690-1.810
Nonane	14.09	10.60	1.329	ok	1.330	1.270-1.390
Octane	9.59	4.79	2.002	ok	2.002	1.942-2.062
Pentane	2.36	3.41	0.692	ok	0.691	0.631-0.751
n-Propylbenzene	15.86	10.60	1.496	ok	1.497	1.437-1.557
Propylene	1.74	3.41	0.510	ok	0.510	0.450-0.570

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1077-IC1077	6W25316.D	08/04/22 17:54	TCH	0.04	GCMS6W	TO-15	
V6W1077-IC1077	6W25317.D	08/04/22 18:39	TCH	0.1	GCMS6W	TO-15	
V6W1077-IC1077	6W25318.D	08/04/22 19:25	TCH	0.2	GCMS6W	TO-15	Reporting this level
V6W1077-IC1077	6W25319.D	08/04/22 20:11	TCH	0.5	GCMS6W	TO-15	
V6W1077-IC1077	6W25321.D	08/04/22 21:41	TCH	5	GCMS6W	TO-15	
V6W1077-ICC1077	6W25322.D	08/04/22 22:26	TCH	10	GCMS6W	TO-15	
V6W1077-IC1077	6W25323.D	08/04/22 23:14	TCH	20	GCMS6W	TO-15	
V6W1077-IC1077	6W25324.D	08/05/22 00:05	TCH	40	GCMS6W	TO-15	
V6W1077-IC1077	6W25325.D	08/05/22 00:59	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Styrene	12.76	10.60	1.204	ok	1.203	1.143-1.263
1,1,1-Trichloroethane	4.11	3.41	1.205	ok	1.204	1.144-1.264
1,1,1,2-Tetrachloroethane	10.70	10.60	1.009	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	13.00	10.60	1.226	ok	1.226	1.166-1.286
1,1,2-Trichloroethane	7.28	4.79	1.520	ok	1.519	1.459-1.579
1,2,4-Trichlorobenzene	18.51	10.60	1.746	ok	1.745	1.685-1.805
1,2,3-Trichloropropane	13.27	10.60	1.252	ok	1.253	1.193-1.313
1,2,3-Trimethylbenzene	17.19	10.60	1.622	ok	1.621	1.561-1.681
1,2,4-Trimethylbenzene	16.81	10.60	1.586	ok	1.585	1.525-1.645
1,3,5-Trimethylbenzene	16.35	10.60	1.542	ok	1.542	1.482-1.602
2,2,4-Trimethylpentane	5.50	4.79	1.148	ok	1.148	1.088-1.208
Tertiary Butyl Alcohol	2.47	3.41	0.724	ok	0.722	0.662-0.782
Tetrachloroethylene	9.44	4.79	1.971	ok	1.972	1.912-2.032
Tetrahydrofuran	3.75	3.41	1.100	ok	1.093	1.033-1.153
Toluene	7.65	4.79	1.597	ok	1.598	1.538-1.658
Trichloroethylene	5.41	4.79	1.129	ok	1.129	1.069-1.189
Trichlorofluoromethane	2.25	3.41	0.660	ok	0.658	0.598-0.718
Vinyl chloride	1.86	3.41	0.545	ok	0.545	0.485-0.605
Vinyl Acetate	3.01	3.41	0.883	ok	0.882	0.822-0.942
m,p-Xylene	12.02	10.60	1.134	ok	1.133	1.073-1.193
o-Xylene	12.97	10.60	1.224	ok	1.224	1.164-1.284

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.41	ok	3.41	3.08-3.74	46693	ok	48021	28813-67229
1,4-Difluorobenzene	4.79	ok	4.79	4.46-5.12	249711	ok	247020	148212-345828
Chlorobenzene-D5	10.60	ok	10.60	10.27-10.93	219091	ok	217916	130750-305082

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1077-IC1077	6W25316.D	08/04/22 17:54	TCH	0.04	GCMS6W	TO-15	
V6W1077-IC1077	6W25317.D	08/04/22 18:39	TCH	0.1	GCMS6W	TO-15	
V6W1077-IC1077	6W25318.D	08/04/22 19:25	TCH	0.2	GCMS6W	TO-15	
V6W1077-IC1077	6W25319.D	08/04/22 20:11	TCH	0.5	GCMS6W	TO-15	Reporting this level
V6W1077-IC1077	6W25321.D	08/04/22 21:41	TCH	5	GCMS6W	TO-15	
V6W1077-ICC1077	6W25322.D	08/04/22 22:26	TCH	10	GCMS6W	TO-15	
V6W1077-IC1077	6W25323.D	08/04/22 23:14	TCH	20	GCMS6W	TO-15	
V6W1077-IC1077	6W25324.D	08/05/22 00:05	TCH	40	GCMS6W	TO-15	
V6W1077-IC1077	6W25325.D	08/05/22 00:59	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.20	3.42	0.643	ok	0.642	0.582-0.702
Acrolein	2.15	3.42	0.629	ok	0.630	0.570-0.690
Acrylonitrile	2.34	3.42	0.684	ok	0.683	0.623-0.743
Acetonitrile	2.12	3.42	0.620	ok	0.619	0.559-0.679
1,3-Butadiene	1.90	3.42	0.556	ok	0.556	0.496-0.616
Benzene	4.44	3.42	1.298	ok	1.301	1.241-1.361
Bromobenzene	14.39	10.61	1.356	ok	1.357	1.297-1.417
Bromodichloromethane	5.35	4.79	1.117	ok	1.117	1.057-1.177
Bromoform	11.85	10.61	1.117	ok	1.117	1.057-1.177
Bromomethane	1.98	3.42	0.579	ok	0.577	0.517-0.637
Bromoethene	2.12	3.42	0.620	ok	0.621	0.561-0.681
n-Butane	1.92	3.42	0.561	ok	0.560	0.500-0.620
Benzyl Chloride	16.89	10.61	1.592	ok	1.593	1.533-1.653
n-Butylbenzene	17.60	10.61	1.659	ok	1.659	1.599-1.719
sec-Butylbenzene	17.07	10.61	1.609	ok	1.610	1.550-1.670
tert-Butylbenzene	16.80	10.61	1.583	ok	1.584	1.524-1.644
Carbon disulfide	2.60	3.42	0.760	ok	0.759	0.699-0.819
Chlorobenzene	10.69	10.61	1.008	ok	1.008	0.948-1.068
Chlorodifluoromethane	1.73	3.42	0.506	ok	0.507	0.447-0.567
Chloroethane	2.02	3.42	0.591	ok	0.592	0.532-0.652
Chlorotrifluoroethene	1.75	3.42	0.512	ok	0.510	0.450-0.570
Chloroform	3.50	3.42	1.023	ok	1.025	0.965-1.085
Chloromethane	1.80	3.42	0.526	ok	0.527	0.467-0.587
3-Chloropropene	2.53	3.42	0.740	ok	0.742	0.682-0.802
2-Chlorotoluene	15.54	10.61	1.465	ok	1.465	1.405-1.525
Carbon tetrachloride	4.57	3.42	1.336	ok	1.337	1.277-1.397
Cyclohexane	4.66	4.79	0.973	ok	0.974	0.914-1.034
1,1-Dichloroethane	2.93	3.42	0.857	ok	0.858	0.798-0.918
1,1-Dichloroethylene	2.45	3.42	0.716	ok	0.717	0.657-0.777
1,2-Dibromoethane (EDB)	8.57	4.79	1.789	ok	1.789	1.729-1.849
1,2-Dichloroethane	3.94	3.42	1.152	ok	1.154	1.094-1.214
1,2-Dichloropropane	5.16	4.79	1.077	ok	1.077	1.017-1.137
1,3-Dichloropropane	7.71	4.79	1.610	ok	1.611	1.551-1.671
1,4-Dioxane	5.46	4.79	1.140	ok	1.136	1.076-1.196
Dichlorodifluoromethane	1.76	3.42	0.515	ok	0.516	0.456-0.576
Dichlorofluoromethane	2.05	3.42	0.599	ok	0.601	0.541-0.661
Dibromochloromethane	8.21	4.79	1.714	ok	1.715	1.655-1.775
Dibromomethane	5.12	4.79	1.069	ok	1.068	1.008-1.128
trans-1,2-Dichloroethylene	2.85	3.42	0.833	ok	0.834	0.774-0.894

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1077-IC1077	6W25316.D	08/04/22 17:54	TCH	0.04	GCMS6W	TO-15	
V6W1077-IC1077	6W25317.D	08/04/22 18:39	TCH	0.1	GCMS6W	TO-15	
V6W1077-IC1077	6W25318.D	08/04/22 19:25	TCH	0.2	GCMS6W	TO-15	
V6W1077-IC1077	6W25319.D	08/04/22 20:11	TCH	0.5	GCMS6W	TO-15	Reporting this level
V6W1077-IC1077	6W25321.D	08/04/22 21:41	TCH	5	GCMS6W	TO-15	
V6W1077-ICC1077	6W25322.D	08/04/22 22:26	TCH	10	GCMS6W	TO-15	
V6W1077-IC1077	6W25323.D	08/04/22 23:14	TCH	20	GCMS6W	TO-15	
V6W1077-IC1077	6W25324.D	08/05/22 00:05	TCH	40	GCMS6W	TO-15	
V6W1077-IC1077	6W25325.D	08/05/22 00:59	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.34	3.42	0.977	ok	0.976	0.916-1.036
cis-1,3-Dichloropropene	6.39	4.79	1.334	ok	1.335	1.275-1.395
m-Dichlorobenzene	16.87	10.61	1.590	ok	1.591	1.531-1.651
o-Dichlorobenzene	17.24	10.61	1.625	ok	1.626	1.566-1.686
p-Dichlorobenzene	16.95	10.61	1.598	ok	1.598	1.538-1.658
trans-1,3-Dichloropropene	7.11	4.79	1.484	ok	1.484	1.424-1.544
Di-Isopropyl ether	3.48	3.42	1.018	ok	1.018	0.958-1.078
2,3-Dimethylpentane	4.93	4.79	1.029	ok	1.031	0.971-1.091
2,4-Dimethylpentane	4.03	3.42	1.178	ok	1.178	1.118-1.238
Ethanol	2.06	3.42	0.602	ok	0.601	0.541-0.661
Ethylbenzene	11.58	10.61	1.091	ok	1.093	1.033-1.153
Ethyl Acetate	3.49	3.42	1.020	ok	1.020	0.960-1.080
Ethyl Acrylate	5.29	4.79	1.104	ok	1.104	1.044-1.164
4-Ethyltoluene	16.21	10.61	1.528	ok	1.528	1.468-1.588
Freon 113	2.60	3.42	0.760	ok	0.759	0.699-0.819
Freon 114	1.83	3.42	0.535	ok	0.536	0.476-0.596
Freon 123	2.17	3.42	0.635	ok	0.633	0.573-0.693
Freon 123A	2.18	3.42	0.637	ok	0.639	0.579-0.699
Freon 142B	1.80	3.42	0.526	ok	0.526	0.466-0.586
Freon 152A	1.72	3.42	0.503	ok	0.504	0.444-0.564
Heptane	5.83	4.79	1.217	ok	1.218	1.158-1.278
Hexachlorobutadiene	18.81	10.61	1.773	ok	1.774	1.714-1.834
Hexachloroethane	17.78	10.61	1.676	ok	1.676	1.616-1.736
Hexane	3.47	3.42	1.015	ok	1.017	0.957-1.077
2-Hexanone	8.26	4.79	1.724	ok	1.722	1.662-1.782
Iodomethane	2.42	3.42	0.708	ok	0.709	0.649-0.769
Isopropylbenzene	14.51	10.61	1.368	ok	1.369	1.309-1.429
Isopropyl Alcohol	2.27	3.42	0.664	ok	0.663	0.603-0.723
p-Isopropyltoluene	17.25	10.61	1.626	ok	1.627	1.567-1.687
Methylene chloride	2.49	3.42	0.728	ok	0.729	0.669-0.789
Methyl ethyl ketone	3.13	3.42	0.915	ok	0.914	0.854-0.974
Methyl Isobutyl Ketone	6.52	4.79	1.361	ok	1.359	1.299-1.419
Methyl Tert Butyl Ether	2.97	3.42	0.868	ok	0.870	0.810-0.930
Methylmethacrylate	5.73	4.79	1.196	ok	1.196	1.136-1.256
Naphthalene	18.56	10.61	1.749	ok	1.750	1.690-1.810
Nonane	14.10	10.61	1.329	ok	1.330	1.270-1.390
Octane	9.59	4.79	2.002	ok	2.002	1.942-2.062
Pentane	2.36	3.42	0.690	ok	0.691	0.631-0.751
n-Propylbenzene	15.87	10.61	1.496	ok	1.497	1.437-1.557

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1077-IC1077	6W25316.D	08/04/22 17:54	TCH	0.04	GCMS6W	TO-15	
V6W1077-IC1077	6W25317.D	08/04/22 18:39	TCH	0.1	GCMS6W	TO-15	
V6W1077-IC1077	6W25318.D	08/04/22 19:25	TCH	0.2	GCMS6W	TO-15	
V6W1077-IC1077	6W25319.D	08/04/22 20:11	TCH	0.5	GCMS6W	TO-15	Reporting this level
V6W1077-IC1077	6W25321.D	08/04/22 21:41	TCH	5	GCMS6W	TO-15	
V6W1077-ICC1077	6W25322.D	08/04/22 22:26	TCH	10	GCMS6W	TO-15	
V6W1077-IC1077	6W25323.D	08/04/22 23:14	TCH	20	GCMS6W	TO-15	
V6W1077-IC1077	6W25324.D	08/05/22 00:05	TCH	40	GCMS6W	TO-15	
V6W1077-IC1077	6W25325.D	08/05/22 00:59	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.74	3.42	0.509	ok	0.510	0.450-0.570
Styrene	12.76	10.61	1.203	ok	1.203	1.143-1.263
1,1,1-Trichloroethane	4.11	3.42	1.202	ok	1.204	1.144-1.264
1,1,1,2-Tetrachloroethane	10.70	10.61	1.008	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.99	10.61	1.224	ok	1.226	1.166-1.286
1,1,2-Trichloroethane	7.27	4.79	1.518	ok	1.519	1.459-1.579
1,2,4-Trichlorobenzene	18.50	10.61	1.744	ok	1.745	1.685-1.805
1,2,3-Trichloropropane	13.28	10.61	1.252	ok	1.253	1.193-1.313
1,2,3-Trimethylbenzene	17.19	10.61	1.620	ok	1.621	1.561-1.681
1,2,4-Trimethylbenzene	16.81	10.61	1.584	ok	1.585	1.525-1.645
1,3,5-Trimethylbenzene	16.35	10.61	1.541	ok	1.542	1.482-1.602
2,2,4-Trimethylpentane	5.50	4.79	1.148	ok	1.148	1.088-1.208
Tertiary Butyl Alcohol	2.47	3.42	0.722	ok	0.722	0.662-0.782
Tetrachloroethylene	9.44	4.79	1.971	ok	1.972	1.912-2.032
Tetrahydrofuran	3.74	3.42	1.094	ok	1.093	1.033-1.153
Toluene	7.66	4.79	1.599	ok	1.598	1.538-1.658
Trichloroethylene	5.41	4.79	1.129	ok	1.129	1.069-1.189
Trichlorofluoromethane	2.25	3.42	0.658	ok	0.658	0.598-0.718
Vinyl chloride	1.87	3.42	0.547	ok	0.545	0.485-0.605
Vinyl Acetate	3.01	3.42	0.880	ok	0.882	0.822-0.942
m,p-Xylene	12.03	10.61	1.134	ok	1.133	1.073-1.193
o-Xylene	12.97	10.61	1.222	ok	1.224	1.164-1.284

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.42	ok	3.41	3.08-3.74	44988	ok	48021	28813-67229
1,4-Difluorobenzene	4.79	ok	4.79	4.46-5.12	244084	ok	247020	148212-345828
Chlorobenzene-D5	10.61	ok	10.60	10.27-10.93	214178	ok	217916	130750-305082

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1077-IC1077	6W25316.D	08/04/22 17:54	TCH	0.04	GCMS6W	TO-15	
V6W1077-IC1077	6W25317.D	08/04/22 18:39	TCH	0.1	GCMS6W	TO-15	
V6W1077-IC1077	6W25318.D	08/04/22 19:25	TCH	0.2	GCMS6W	TO-15	
V6W1077-IC1077	6W25319.D	08/04/22 20:11	TCH	0.5	GCMS6W	TO-15	
V6W1077-IC1077	6W25321.D	08/04/22 21:41	TCH	5	GCMS6W	TO-15	Reporting this level
V6W1077-ICC1077	6W25322.D	08/04/22 22:26	TCH	10	GCMS6W	TO-15	
V6W1077-IC1077	6W25323.D	08/04/22 23:14	TCH	20	GCMS6W	TO-15	
V6W1077-IC1077	6W25324.D	08/05/22 00:05	TCH	40	GCMS6W	TO-15	
V6W1077-IC1077	6W25325.D	08/05/22 00:59	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.19	3.41	0.642	ok	0.642	0.582-0.702
Acrolein	2.15	3.41	0.630	ok	0.630	0.570-0.690
Acrylonitrile	2.33	3.41	0.683	ok	0.683	0.623-0.743
Acetonitrile	2.11	3.41	0.619	ok	0.619	0.559-0.679
1,3-Butadiene	1.90	3.41	0.557	ok	0.556	0.496-0.616
Benzene	4.44	3.41	1.302	ok	1.301	1.241-1.361
Bromobenzene	14.39	10.61	1.356	ok	1.357	1.297-1.417
Bromodichloromethane	5.35	4.79	1.117	ok	1.117	1.057-1.177
Bromoform	11.84	10.61	1.116	ok	1.117	1.057-1.177
Bromomethane	1.97	3.41	0.578	ok	0.577	0.517-0.637
Bromoethene	2.12	3.41	0.622	ok	0.621	0.561-0.681
n-Butane	1.91	3.41	0.560	ok	0.560	0.500-0.620
Benzyl Chloride	16.89	10.61	1.592	ok	1.593	1.533-1.653
n-Butylbenzene	17.59	10.61	1.658	ok	1.659	1.599-1.719
sec-Butylbenzene	17.08	10.61	1.610	ok	1.610	1.550-1.670
tert-Butylbenzene	16.80	10.61	1.583	ok	1.584	1.524-1.644
Carbon disulfide	2.59	3.41	0.760	ok	0.759	0.699-0.819
Chlorobenzene	10.69	10.61	1.008	ok	1.008	0.948-1.068
Chlorodifluoromethane	1.73	3.41	0.507	ok	0.507	0.447-0.567
Chloroethane	2.02	3.41	0.592	ok	0.592	0.532-0.652
Chlorotrifluoroethene	1.74	3.41	0.510	ok	0.510	0.450-0.570
Chloroform	3.50	3.41	1.026	ok	1.025	0.965-1.085
Chloromethane	1.80	3.41	0.528	ok	0.527	0.467-0.587
3-Chloropropene	2.53	3.41	0.742	ok	0.742	0.682-0.802
2-Chlorotoluene	15.53	10.61	1.464	ok	1.465	1.405-1.525
Carbon tetrachloride	4.56	3.41	1.337	ok	1.337	1.277-1.397
Cyclohexane	4.67	4.79	0.975	ok	0.974	0.914-1.034
1,1-Dichloroethane	2.93	3.41	0.859	ok	0.858	0.798-0.918
1,1-Dichloroethylene	2.45	3.41	0.718	ok	0.717	0.657-0.777
1,2-Dibromoethane (EDB)	8.57	4.79	1.789	ok	1.789	1.729-1.849
1,2-Dichloroethane	3.94	3.41	1.155	ok	1.154	1.094-1.214
1,2-Dichloropropane	5.16	4.79	1.077	ok	1.077	1.017-1.137
1,3-Dichloropropane	7.72	4.79	1.612	ok	1.611	1.551-1.671
1,4-Dioxane	5.43	4.79	1.134	ok	1.136	1.076-1.196
Dichlorodifluoromethane	1.76	3.41	0.516	ok	0.516	0.456-0.576
Dichlorofluoromethane	2.05	3.41	0.601	ok	0.601	0.541-0.661
Dibromochloromethane	8.22	4.79	1.716	ok	1.715	1.655-1.775
Dibromomethane	5.12	4.79	1.069	ok	1.068	1.008-1.128
trans-1,2-Dichloroethylene	2.85	3.41	0.836	ok	0.834	0.774-0.894

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1077-IC1077	6W25316.D	08/04/22 17:54	TCH	0.04	GCMS6W	TO-15	
V6W1077-IC1077	6W25317.D	08/04/22 18:39	TCH	0.1	GCMS6W	TO-15	
V6W1077-IC1077	6W25318.D	08/04/22 19:25	TCH	0.2	GCMS6W	TO-15	
V6W1077-IC1077	6W25319.D	08/04/22 20:11	TCH	0.5	GCMS6W	TO-15	
V6W1077-IC1077	6W25321.D	08/04/22 21:41	TCH	5	GCMS6W	TO-15	Reporting this level
V6W1077-ICC1077	6W25322.D	08/04/22 22:26	TCH	10	GCMS6W	TO-15	
V6W1077-IC1077	6W25323.D	08/04/22 23:14	TCH	20	GCMS6W	TO-15	
V6W1077-IC1077	6W25324.D	08/05/22 00:05	TCH	40	GCMS6W	TO-15	
V6W1077-IC1077	6W25325.D	08/05/22 00:59	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.33	3.41	0.977	ok	0.976	0.916-1.036
cis-1,3-Dichloropropene	6.39	4.79	1.334	ok	1.335	1.275-1.395
m-Dichlorobenzene	16.87	10.61	1.590	ok	1.591	1.531-1.651
o-Dichlorobenzene	17.24	10.61	1.625	ok	1.626	1.566-1.686
p-Dichlorobenzene	16.95	10.61	1.598	ok	1.598	1.538-1.658
trans-1,3-Dichloropropene	7.11	4.79	1.484	ok	1.484	1.424-1.544
Di-Isopropyl ether	3.47	3.41	1.018	ok	1.018	0.958-1.078
2,3-Dimethylpentane	4.94	4.79	1.031	ok	1.031	0.971-1.091
2,4-Dimethylpentane	4.02	3.41	1.179	ok	1.178	1.118-1.238
Ethanol	2.05	3.41	0.601	ok	0.601	0.541-0.661
Ethylbenzene	11.58	10.61	1.091	ok	1.093	1.033-1.153
Ethyl Acetate	3.48	3.41	1.021	ok	1.020	0.960-1.080
Ethyl Acrylate	5.28	4.79	1.102	ok	1.104	1.044-1.164
4-Ethyltoluene	16.21	10.61	1.528	ok	1.528	1.468-1.588
Freon 113	2.59	3.41	0.760	ok	0.759	0.699-0.819
Freon 114	1.83	3.41	0.537	ok	0.536	0.476-0.596
Freon 123	2.16	3.41	0.633	ok	0.633	0.573-0.693
Freon 123A	2.18	3.41	0.639	ok	0.639	0.579-0.699
Freon 142B	1.80	3.41	0.528	ok	0.526	0.466-0.586
Freon 152A	1.72	3.41	0.504	ok	0.504	0.444-0.564
Heptane	5.83	4.79	1.217	ok	1.218	1.158-1.278
Hexachlorobutadiene	18.81	10.61	1.773	ok	1.774	1.714-1.834
Hexachloroethane	17.77	10.61	1.675	ok	1.676	1.616-1.736
Hexane	3.47	3.41	1.018	ok	1.017	0.957-1.077
2-Hexanone	8.25	4.79	1.722	ok	1.722	1.662-1.782
Iodomethane	2.42	3.41	0.710	ok	0.709	0.649-0.769
Isopropylbenzene	14.51	10.61	1.368	ok	1.369	1.309-1.429
Isopropyl Alcohol	2.26	3.41	0.663	ok	0.663	0.603-0.723
p-Isopropyltoluene	17.25	10.61	1.626	ok	1.627	1.567-1.687
Methylene chloride	2.49	3.41	0.730	ok	0.729	0.669-0.789
Methyl ethyl ketone	3.12	3.41	0.915	ok	0.914	0.854-0.974
Methyl Isobutyl Ketone	6.51	4.79	1.359	ok	1.359	1.299-1.419
Methyl Tert Butyl Ether	2.97	3.41	0.871	ok	0.870	0.810-0.930
Methylmethacrylate	5.73	4.79	1.196	ok	1.196	1.136-1.256
Naphthalene	18.55	10.61	1.748	ok	1.750	1.690-1.810
Nonane	14.10	10.61	1.329	ok	1.330	1.270-1.390
Octane	9.58	4.79	2.000	ok	2.002	1.942-2.062
Pentane	2.36	3.41	0.692	ok	0.691	0.631-0.751
n-Propylbenzene	15.87	10.61	1.496	ok	1.497	1.437-1.557

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1077-IC1077	6W25316.D	08/04/22 17:54	TCH	0.04	GCMS6W	TO-15	
V6W1077-IC1077	6W25317.D	08/04/22 18:39	TCH	0.1	GCMS6W	TO-15	
V6W1077-IC1077	6W25318.D	08/04/22 19:25	TCH	0.2	GCMS6W	TO-15	
V6W1077-IC1077	6W25319.D	08/04/22 20:11	TCH	0.5	GCMS6W	TO-15	
V6W1077-IC1077	6W25321.D	08/04/22 21:41	TCH	5	GCMS6W	TO-15	Reporting this level
V6W1077-ICC1077	6W25322.D	08/04/22 22:26	TCH	10	GCMS6W	TO-15	
V6W1077-IC1077	6W25323.D	08/04/22 23:14	TCH	20	GCMS6W	TO-15	
V6W1077-IC1077	6W25324.D	08/05/22 00:05	TCH	40	GCMS6W	TO-15	
V6W1077-IC1077	6W25325.D	08/05/22 00:59	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.74	3.41	0.510	ok	0.510	0.450-0.570
Styrene	12.76	10.61	1.203	ok	1.203	1.143-1.263
1,1,1-Trichloroethane	4.11	3.41	1.205	ok	1.204	1.144-1.264
1,1,1,2-Tetrachloroethane	10.69	10.61	1.008	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	13.00	10.61	1.225	ok	1.226	1.166-1.286
1,1,2-Trichloroethane	7.27	4.79	1.518	ok	1.519	1.459-1.579
1,2,4-Trichlorobenzene	18.50	10.61	1.744	ok	1.745	1.685-1.805
1,2,3-Trichloropropane	13.29	10.61	1.253	ok	1.253	1.193-1.313
1,2,3-Trimethylbenzene	17.19	10.61	1.620	ok	1.621	1.561-1.681
1,2,4-Trimethylbenzene	16.81	10.61	1.584	ok	1.585	1.525-1.645
1,3,5-Trimethylbenzene	16.35	10.61	1.541	ok	1.542	1.482-1.602
2,2,4-Trimethylpentane	5.50	4.79	1.148	ok	1.148	1.088-1.208
Tertiary Butyl Alcohol	2.46	3.41	0.721	ok	0.722	0.662-0.782
Tetrachloroethylene	9.44	4.79	1.971	ok	1.972	1.912-2.032
Tetrahydrofuran	3.73	3.41	1.094	ok	1.093	1.033-1.153
Toluene	7.65	4.79	1.597	ok	1.598	1.538-1.658
Trichloroethylene	5.40	4.79	1.127	ok	1.129	1.069-1.189
Trichlorofluoromethane	2.25	3.41	0.660	ok	0.658	0.598-0.718
Vinyl chloride	1.86	3.41	0.545	ok	0.545	0.485-0.605
Vinyl Acetate	3.01	3.41	0.883	ok	0.882	0.822-0.942
m,p-Xylene	12.02	10.61	1.133	ok	1.133	1.073-1.193
o-Xylene	12.98	10.61	1.223	ok	1.224	1.164-1.284

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.41	ok	3.41	3.08-3.74	44624	ok	48021	28813-67229
1,4-Difluorobenzene	4.79	ok	4.79	4.46-5.12	241425	ok	247020	148212-345828
Chlorobenzene-D5	10.61	ok	10.60	10.27-10.93	213770	ok	217916	130750-305082

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1077-IC1077	6W25316.D	08/04/22 17:54	TCH	0.04	GCMS6W	TO-15	
V6W1077-IC1077	6W25317.D	08/04/22 18:39	TCH	0.1	GCMS6W	TO-15	
V6W1077-IC1077	6W25318.D	08/04/22 19:25	TCH	0.2	GCMS6W	TO-15	
V6W1077-IC1077	6W25319.D	08/04/22 20:11	TCH	0.5	GCMS6W	TO-15	
V6W1077-IC1077	6W25321.D	08/04/22 21:41	TCH	5	GCMS6W	TO-15	
V6W1077-ICC1077	6W25322.D	08/04/22 22:26	TCH	10	GCMS6W	TO-15	Reporting this level
V6W1077-IC1077	6W25323.D	08/04/22 23:14	TCH	20	GCMS6W	TO-15	
V6W1077-IC1077	6W25324.D	08/05/22 00:05	TCH	40	GCMS6W	TO-15	
V6W1077-IC1077	6W25325.D	08/05/22 00:59	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.19	3.42	0.640	ok	0.642	0.582-0.702
Acrolein	2.15	3.42	0.629	ok	0.630	0.570-0.690
Acrylonitrile	2.33	3.42	0.681	ok	0.683	0.623-0.743
Acetonitrile	2.11	3.42	0.617	ok	0.619	0.559-0.679
1,3-Butadiene	1.90	3.42	0.556	ok	0.556	0.496-0.616
Benzene	4.44	3.42	1.298	ok	1.301	1.241-1.361
Bromobenzene	14.39	10.60	1.358	ok	1.357	1.297-1.417
Bromodichloromethane	5.35	4.79	1.117	ok	1.117	1.057-1.177
Bromoform	11.85	10.60	1.118	ok	1.117	1.057-1.177
Bromomethane	1.97	3.42	0.576	ok	0.577	0.517-0.637
Bromoethene	2.12	3.42	0.620	ok	0.621	0.561-0.681
n-Butane	1.91	3.42	0.558	ok	0.560	0.500-0.620
Benzyl Chloride	16.89	10.60	1.593	ok	1.593	1.533-1.653
n-Butylbenzene	17.59	10.60	1.659	ok	1.659	1.599-1.719
sec-Butylbenzene	17.08	10.60	1.611	ok	1.610	1.550-1.670
tert-Butylbenzene	16.80	10.60	1.585	ok	1.584	1.524-1.644
Carbon disulfide	2.59	3.42	0.757	ok	0.759	0.699-0.819
Chlorobenzene	10.69	10.60	1.008	ok	1.008	0.948-1.068
Chlorodifluoromethane	1.73	3.42	0.506	ok	0.507	0.447-0.567
Chloroethane	2.02	3.42	0.591	ok	0.592	0.532-0.652
Chlorotrifluoroethene	1.74	3.42	0.509	ok	0.510	0.450-0.570
Chloroform	3.50	3.42	1.023	ok	1.025	0.965-1.085
Chloromethane	1.80	3.42	0.526	ok	0.527	0.467-0.587
3-Chloropropene	2.53	3.42	0.740	ok	0.742	0.682-0.802
2-Chlorotoluene	15.54	10.60	1.466	ok	1.465	1.405-1.525
Carbon tetrachloride	4.57	3.42	1.336	ok	1.337	1.277-1.397
Cyclohexane	4.67	4.79	0.975	ok	0.974	0.914-1.034
1,1-Dichloroethane	2.93	3.42	0.857	ok	0.858	0.798-0.918
1,1-Dichloroethylene	2.45	3.42	0.716	ok	0.717	0.657-0.777
1,2-Dibromoethane (EDB)	8.57	4.79	1.789	ok	1.789	1.729-1.849
1,2-Dichloroethane	3.94	3.42	1.152	ok	1.154	1.094-1.214
1,2-Dichloropropane	5.16	4.79	1.077	ok	1.077	1.017-1.137
1,3-Dichloropropane	7.71	4.79	1.610	ok	1.611	1.551-1.671
1,4-Dioxane	5.42	4.79	1.132	ok	1.136	1.076-1.196
Dichlorodifluoromethane	1.76	3.42	0.515	ok	0.516	0.456-0.576
Dichlorofluoromethane	2.05	3.42	0.599	ok	0.601	0.541-0.661
Dibromochloromethane	8.22	4.79	1.716	ok	1.715	1.655-1.775
Dibromomethane	5.12	4.79	1.069	ok	1.068	1.008-1.128
trans-1,2-Dichloroethylene	2.85	3.42	0.833	ok	0.834	0.774-0.894

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1077-IC1077	6W25316.D	08/04/22 17:54	TCH	0.04	GCMS6W	TO-15	
V6W1077-IC1077	6W25317.D	08/04/22 18:39	TCH	0.1	GCMS6W	TO-15	
V6W1077-IC1077	6W25318.D	08/04/22 19:25	TCH	0.2	GCMS6W	TO-15	
V6W1077-IC1077	6W25319.D	08/04/22 20:11	TCH	0.5	GCMS6W	TO-15	
V6W1077-IC1077	6W25321.D	08/04/22 21:41	TCH	5	GCMS6W	TO-15	
V6W1077-ICC1077	6W25322.D	08/04/22 22:26	TCH	10	GCMS6W	TO-15	Reporting this level
V6W1077-IC1077	6W25323.D	08/04/22 23:14	TCH	20	GCMS6W	TO-15	
V6W1077-IC1077	6W25324.D	08/05/22 00:05	TCH	40	GCMS6W	TO-15	
V6W1077-IC1077	6W25325.D	08/05/22 00:59	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.33	3.42	0.974	ok	0.976	0.916-1.036
cis-1,3-Dichloropropene	6.40	4.79	1.336	ok	1.335	1.275-1.395
m-Dichlorobenzene	16.87	10.60	1.592	ok	1.591	1.531-1.651
o-Dichlorobenzene	17.24	10.60	1.626	ok	1.626	1.566-1.686
p-Dichlorobenzene	16.95	10.60	1.599	ok	1.598	1.538-1.658
trans-1,3-Dichloropropene	7.10	4.79	1.482	ok	1.484	1.424-1.544
Di-Isopropyl ether	3.47	3.42	1.015	ok	1.018	0.958-1.078
2,3-Dimethylpentane	4.94	4.79	1.031	ok	1.031	0.971-1.091
2,4-Dimethylpentane	4.02	3.42	1.175	ok	1.178	1.118-1.238
Ethanol	2.05	3.42	0.599	ok	0.601	0.541-0.661
Ethylbenzene	11.59	10.60	1.093	ok	1.093	1.033-1.153
Ethyl Acetate	3.48	3.42	1.018	ok	1.020	0.960-1.080
Ethyl Acrylate	5.28	4.79	1.102	ok	1.104	1.044-1.164
4-Ethyltoluene	16.21	10.60	1.529	ok	1.528	1.468-1.588
Freon 113	2.59	3.42	0.757	ok	0.759	0.699-0.819
Freon 114	1.83	3.42	0.535	ok	0.536	0.476-0.596
Freon 123	2.16	3.42	0.632	ok	0.633	0.573-0.693
Freon 123A	2.18	3.42	0.637	ok	0.639	0.579-0.699
Freon 142B	1.80	3.42	0.526	ok	0.526	0.466-0.586
Freon 152A	1.72	3.42	0.503	ok	0.504	0.444-0.564
Heptane	5.83	4.79	1.217	ok	1.218	1.158-1.278
Hexachlorobutadiene	18.81	10.60	1.775	ok	1.774	1.714-1.834
Hexachloroethane	17.77	10.60	1.676	ok	1.676	1.616-1.736
Hexane	3.47	3.42	1.015	ok	1.017	0.957-1.077
2-Hexanone	8.24	4.79	1.720	ok	1.722	1.662-1.782
Iodomethane	2.42	3.42	0.708	ok	0.709	0.649-0.769
Isopropylbenzene	14.51	10.60	1.369	ok	1.369	1.309-1.429
Isopropyl Alcohol	2.26	3.42	0.661	ok	0.663	0.603-0.723
p-Isopropyltoluene	17.25	10.60	1.627	ok	1.627	1.567-1.687
Methylene chloride	2.49	3.42	0.728	ok	0.729	0.669-0.789
Methyl ethyl ketone	3.12	3.42	0.912	ok	0.914	0.854-0.974
Methyl Isobutyl Ketone	6.50	4.79	1.357	ok	1.359	1.299-1.419
Methyl Tert Butyl Ether	2.97	3.42	0.868	ok	0.870	0.810-0.930
Methylmethacrylate	5.73	4.79	1.196	ok	1.196	1.136-1.256
Naphthalene	18.55	10.60	1.750	ok	1.750	1.690-1.810
Nonane	14.10	10.60	1.330	ok	1.330	1.270-1.390
Octane	9.59	4.79	2.002	ok	2.002	1.942-2.062
Pentane	2.36	3.42	0.690	ok	0.691	0.631-0.751
n-Propylbenzene	15.87	10.60	1.497	ok	1.497	1.437-1.557

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1077-IC1077	6W25316.D	08/04/22 17:54	TCH	0.04	GCMS6W	TO-15	
V6W1077-IC1077	6W25317.D	08/04/22 18:39	TCH	0.1	GCMS6W	TO-15	
V6W1077-IC1077	6W25318.D	08/04/22 19:25	TCH	0.2	GCMS6W	TO-15	
V6W1077-IC1077	6W25319.D	08/04/22 20:11	TCH	0.5	GCMS6W	TO-15	
V6W1077-IC1077	6W25321.D	08/04/22 21:41	TCH	5	GCMS6W	TO-15	
V6W1077-ICC1077	6W25322.D	08/04/22 22:26	TCH	10	GCMS6W	TO-15	Reporting this level
V6W1077-IC1077	6W25323.D	08/04/22 23:14	TCH	20	GCMS6W	TO-15	
V6W1077-IC1077	6W25324.D	08/05/22 00:05	TCH	40	GCMS6W	TO-15	
V6W1077-IC1077	6W25325.D	08/05/22 00:59	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.74	3.42	0.509	ok	0.510	0.450-0.570
Styrene	12.76	10.60	1.204	ok	1.203	1.143-1.263
1,1,1-Trichloroethane	4.11	3.42	1.202	ok	1.204	1.144-1.264
1,1,1,2-Tetrachloroethane	10.70	10.60	1.009	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	13.00	10.60	1.226	ok	1.226	1.166-1.286
1,1,2-Trichloroethane	7.27	4.79	1.518	ok	1.519	1.459-1.579
1,2,4-Trichlorobenzene	18.50	10.60	1.745	ok	1.745	1.685-1.805
1,2,3-Trichloropropane	13.28	10.60	1.253	ok	1.253	1.193-1.313
1,2,3-Trimethylbenzene	17.19	10.60	1.622	ok	1.621	1.561-1.681
1,2,4-Trimethylbenzene	16.81	10.60	1.586	ok	1.585	1.525-1.645
1,3,5-Trimethylbenzene	16.35	10.60	1.542	ok	1.542	1.482-1.602
2,2,4-Trimethylpentane	5.50	4.79	1.148	ok	1.148	1.088-1.208
Tertiary Butyl Alcohol	2.46	3.42	0.719	ok	0.722	0.662-0.782
Tetrachloroethylene	9.44	4.79	1.971	ok	1.972	1.912-2.032
Tetrahydrofuran	3.73	3.42	1.091	ok	1.093	1.033-1.153
Toluene	7.65	4.79	1.597	ok	1.598	1.538-1.658
Trichloroethylene	5.41	4.79	1.129	ok	1.129	1.069-1.189
Trichlorofluoromethane	2.25	3.42	0.658	ok	0.658	0.598-0.718
Vinyl chloride	1.86	3.42	0.544	ok	0.545	0.485-0.605
Vinyl Acetate	3.01	3.42	0.880	ok	0.882	0.822-0.942
m,p-Xylene	12.03	10.60	1.135	ok	1.133	1.073-1.193
o-Xylene	12.98	10.60	1.225	ok	1.224	1.164-1.284

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.42	ok	3.41	3.08-3.74	46792	ok	48021	28813-67229
1,4-Difluorobenzene	4.79	ok	4.79	4.46-5.12	248358	ok	247020	148212-345828
Chlorobenzene-D5	10.60	ok	10.60	10.27-10.93	220143	ok	217916	130750-305082

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1077-IC1077	6W25316.D	08/04/22 17:54	TCH	0.04	GCMS6W	TO-15	
V6W1077-IC1077	6W25317.D	08/04/22 18:39	TCH	0.1	GCMS6W	TO-15	
V6W1077-IC1077	6W25318.D	08/04/22 19:25	TCH	0.2	GCMS6W	TO-15	
V6W1077-IC1077	6W25319.D	08/04/22 20:11	TCH	0.5	GCMS6W	TO-15	
V6W1077-IC1077	6W25321.D	08/04/22 21:41	TCH	5	GCMS6W	TO-15	
V6W1077-ICC1077	6W25322.D	08/04/22 22:26	TCH	10	GCMS6W	TO-15	
V6W1077-IC1077	6W25323.D	08/04/22 23:14	TCH	20	GCMS6W	TO-15	Reporting this level
V6W1077-IC1077	6W25324.D	08/05/22 00:05	TCH	40	GCMS6W	TO-15	
V6W1077-IC1077	6W25325.D	08/05/22 00:59	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.19	3.41	0.642	ok	0.642	0.582-0.702
Acrolein	2.15	3.41	0.630	ok	0.630	0.570-0.690
Acrylonitrile	2.33	3.41	0.683	ok	0.683	0.623-0.743
Acetonitrile	2.11	3.41	0.619	ok	0.619	0.559-0.679
1,3-Butadiene	1.90	3.41	0.557	ok	0.556	0.496-0.616
Benzene	4.44	3.41	1.302	ok	1.301	1.241-1.361
Bromobenzene	14.39	10.60	1.358	ok	1.357	1.297-1.417
Bromodichloromethane	5.35	4.79	1.117	ok	1.117	1.057-1.177
Bromoform	11.85	10.60	1.118	ok	1.117	1.057-1.177
Bromomethane	1.97	3.41	0.578	ok	0.577	0.517-0.637
Bromoethene	2.12	3.41	0.622	ok	0.621	0.561-0.681
n-Butane	1.91	3.41	0.560	ok	0.560	0.500-0.620
Benzyl Chloride	16.89	10.60	1.593	ok	1.593	1.533-1.653
n-Butylbenzene	17.60	10.60	1.660	ok	1.659	1.599-1.719
sec-Butylbenzene	17.08	10.60	1.611	ok	1.610	1.550-1.670
tert-Butylbenzene	16.80	10.60	1.585	ok	1.584	1.524-1.644
Carbon disulfide	2.59	3.41	0.760	ok	0.759	0.699-0.819
Chlorobenzene	10.69	10.60	1.008	ok	1.008	0.948-1.068
Chlorodifluoromethane	1.73	3.41	0.507	ok	0.507	0.447-0.567
Chloroethane	2.02	3.41	0.592	ok	0.592	0.532-0.652
Chlorotrifluoroethene	1.74	3.41	0.510	ok	0.510	0.450-0.570
Chloroform	3.50	3.41	1.026	ok	1.025	0.965-1.085
Chloromethane	1.80	3.41	0.528	ok	0.527	0.467-0.587
3-Chloropropene	2.53	3.41	0.742	ok	0.742	0.682-0.802
2-Chlorotoluene	15.54	10.60	1.466	ok	1.465	1.405-1.525
Carbon tetrachloride	4.56	3.41	1.337	ok	1.337	1.277-1.397
Cyclohexane	4.67	4.79	0.975	ok	0.974	0.914-1.034
1,1-Dichloroethane	2.93	3.41	0.859	ok	0.858	0.798-0.918
1,1-Dichloroethylene	2.45	3.41	0.718	ok	0.717	0.657-0.777
1,2-Dibromoethane (EDB)	8.57	4.79	1.789	ok	1.789	1.729-1.849
1,2-Dichloroethane	3.94	3.41	1.155	ok	1.154	1.094-1.214
1,2-Dichloropropane	5.16	4.79	1.077	ok	1.077	1.017-1.137
1,3-Dichloropropane	7.72	4.79	1.612	ok	1.611	1.551-1.671
1,4-Dioxane	5.42	4.79	1.132	ok	1.136	1.076-1.196
Dichlorodifluoromethane	1.76	3.41	0.516	ok	0.516	0.456-0.576
Dichlorofluoromethane	2.05	3.41	0.601	ok	0.601	0.541-0.661
Dibromochloromethane	8.22	4.79	1.716	ok	1.715	1.655-1.775
Dibromomethane	5.12	4.79	1.069	ok	1.068	1.008-1.128
trans-1,2-Dichloroethylene	2.85	3.41	0.836	ok	0.834	0.774-0.894

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1077-IC1077	6W25316.D	08/04/22 17:54	TCH	0.04	GCMS6W	TO-15	
V6W1077-IC1077	6W25317.D	08/04/22 18:39	TCH	0.1	GCMS6W	TO-15	
V6W1077-IC1077	6W25318.D	08/04/22 19:25	TCH	0.2	GCMS6W	TO-15	
V6W1077-IC1077	6W25319.D	08/04/22 20:11	TCH	0.5	GCMS6W	TO-15	
V6W1077-IC1077	6W25321.D	08/04/22 21:41	TCH	5	GCMS6W	TO-15	
V6W1077-ICC1077	6W25322.D	08/04/22 22:26	TCH	10	GCMS6W	TO-15	
V6W1077-IC1077	6W25323.D	08/04/22 23:14	TCH	20	GCMS6W	TO-15	Reporting this level
V6W1077-IC1077	6W25324.D	08/05/22 00:05	TCH	40	GCMS6W	TO-15	
V6W1077-IC1077	6W25325.D	08/05/22 00:59	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.33	3.41	0.977	ok	0.976	0.916-1.036
cis-1,3-Dichloropropene	6.40	4.79	1.336	ok	1.335	1.275-1.395
m-Dichlorobenzene	16.87	10.60	1.592	ok	1.591	1.531-1.651
o-Dichlorobenzene	17.24	10.60	1.626	ok	1.626	1.566-1.686
p-Dichlorobenzene	16.95	10.60	1.599	ok	1.598	1.538-1.658
trans-1,3-Dichloropropene	7.11	4.79	1.484	ok	1.484	1.424-1.544
Di-Isopropyl ether	3.47	3.41	1.018	ok	1.018	0.958-1.078
2,3-Dimethylpentane	4.94	4.79	1.031	ok	1.031	0.971-1.091
2,4-Dimethylpentane	4.02	3.41	1.179	ok	1.178	1.118-1.238
Ethanol	2.05	3.41	0.601	ok	0.601	0.541-0.661
Ethylbenzene	11.59	10.60	1.093	ok	1.093	1.033-1.153
Ethyl Acetate	3.48	3.41	1.021	ok	1.020	0.960-1.080
Ethyl Acrylate	5.28	4.79	1.102	ok	1.104	1.044-1.164
4-Ethyltoluene	16.21	10.60	1.529	ok	1.528	1.468-1.588
Freon 113	2.59	3.41	0.760	ok	0.759	0.699-0.819
Freon 114	1.83	3.41	0.537	ok	0.536	0.476-0.596
Freon 123	2.16	3.41	0.633	ok	0.633	0.573-0.693
Freon 123A	2.18	3.41	0.639	ok	0.639	0.579-0.699
Freon 142B	1.80	3.41	0.528	ok	0.526	0.466-0.586
Freon 152A	1.72	3.41	0.504	ok	0.504	0.444-0.564
Heptane	5.83	4.79	1.217	ok	1.218	1.158-1.278
Hexachlorobutadiene	18.81	10.60	1.775	ok	1.774	1.714-1.834
Hexachloroethane	17.78	10.60	1.677	ok	1.676	1.616-1.736
Hexane	3.47	3.41	1.018	ok	1.017	0.957-1.077
2-Hexanone	8.24	4.79	1.720	ok	1.722	1.662-1.782
Iodomethane	2.42	3.41	0.710	ok	0.709	0.649-0.769
Isopropylbenzene	14.51	10.60	1.369	ok	1.369	1.309-1.429
Isopropyl Alcohol	2.26	3.41	0.663	ok	0.663	0.603-0.723
p-Isopropyltoluene	17.25	10.60	1.627	ok	1.627	1.567-1.687
Methylene chloride	2.49	3.41	0.730	ok	0.729	0.669-0.789
Methyl ethyl ketone	3.12	3.41	0.915	ok	0.914	0.854-0.974
Methyl Isobutyl Ketone	6.50	4.79	1.357	ok	1.359	1.299-1.419
Methyl Tert Butyl Ether	2.97	3.41	0.871	ok	0.870	0.810-0.930
Methylmethacrylate	5.73	4.79	1.196	ok	1.196	1.136-1.256
Naphthalene	18.55	10.60	1.750	ok	1.750	1.690-1.810
Nonane	14.10	10.60	1.330	ok	1.330	1.270-1.390
Octane	9.59	4.79	2.002	ok	2.002	1.942-2.062
Pentane	2.36	3.41	0.692	ok	0.691	0.631-0.751
n-Propylbenzene	15.87	10.60	1.497	ok	1.497	1.437-1.557

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1077-IC1077	6W25316.D	08/04/22 17:54	TCH	0.04	GCMS6W	TO-15	
V6W1077-IC1077	6W25317.D	08/04/22 18:39	TCH	0.1	GCMS6W	TO-15	
V6W1077-IC1077	6W25318.D	08/04/22 19:25	TCH	0.2	GCMS6W	TO-15	
V6W1077-IC1077	6W25319.D	08/04/22 20:11	TCH	0.5	GCMS6W	TO-15	
V6W1077-IC1077	6W25321.D	08/04/22 21:41	TCH	5	GCMS6W	TO-15	
V6W1077-ICC1077	6W25322.D	08/04/22 22:26	TCH	10	GCMS6W	TO-15	
V6W1077-IC1077	6W25323.D	08/04/22 23:14	TCH	20	GCMS6W	TO-15	Reporting this level
V6W1077-IC1077	6W25324.D	08/05/22 00:05	TCH	40	GCMS6W	TO-15	
V6W1077-IC1077	6W25325.D	08/05/22 00:59	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.74	3.41	0.510	ok	0.510	0.450-0.570
Styrene	12.77	10.60	1.205	ok	1.203	1.143-1.263
1,1,1-Trichloroethane	4.11	3.41	1.205	ok	1.204	1.144-1.264
1,1,1,2-Tetrachloroethane	10.70	10.60	1.009	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	13.00	10.60	1.226	ok	1.226	1.166-1.286
1,1,2-Trichloroethane	7.27	4.79	1.518	ok	1.519	1.459-1.579
1,2,4-Trichlorobenzene	18.50	10.60	1.745	ok	1.745	1.685-1.805
1,2,3-Trichloropropane	13.29	10.60	1.254	ok	1.253	1.193-1.313
1,2,3-Trimethylbenzene	17.19	10.60	1.622	ok	1.621	1.561-1.681
1,2,4-Trimethylbenzene	16.81	10.60	1.586	ok	1.585	1.525-1.645
1,3,5-Trimethylbenzene	16.36	10.60	1.543	ok	1.542	1.482-1.602
2,2,4-Trimethylpentane	5.50	4.79	1.148	ok	1.148	1.088-1.208
Tertiary Butyl Alcohol	2.46	3.41	0.721	ok	0.722	0.662-0.782
Tetrachloroethylene	9.44	4.79	1.971	ok	1.972	1.912-2.032
Tetrahydrofuran	3.72	3.41	1.091	ok	1.093	1.033-1.153
Toluene	7.65	4.79	1.597	ok	1.598	1.538-1.658
Trichloroethylene	5.40	4.79	1.127	ok	1.129	1.069-1.189
Trichlorofluoromethane	2.25	3.41	0.660	ok	0.658	0.598-0.718
Vinyl chloride	1.86	3.41	0.545	ok	0.545	0.485-0.605
Vinyl Acetate	3.01	3.41	0.883	ok	0.882	0.822-0.942
m,p-Xylene	12.03	10.60	1.135	ok	1.133	1.073-1.193
o-Xylene	12.98	10.60	1.225	ok	1.224	1.164-1.284

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.41	ok	3.41	3.08-3.74	47197	ok	48021	28813-67229
1,4-Difluorobenzene	4.79	ok	4.79	4.46-5.12	247829	ok	247020	148212-345828
Chlorobenzene-D5	10.60	ok	10.60	10.27-10.93	218360	ok	217916	130750-305082

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1077-IC1077	6W25316.D	08/04/22 17:54	TCH	0.04	GCMS6W	TO-15	
V6W1077-IC1077	6W25317.D	08/04/22 18:39	TCH	0.1	GCMS6W	TO-15	
V6W1077-IC1077	6W25318.D	08/04/22 19:25	TCH	0.2	GCMS6W	TO-15	
V6W1077-IC1077	6W25319.D	08/04/22 20:11	TCH	0.5	GCMS6W	TO-15	
V6W1077-IC1077	6W25321.D	08/04/22 21:41	TCH	5	GCMS6W	TO-15	
V6W1077-ICC1077	6W25322.D	08/04/22 22:26	TCH	10	GCMS6W	TO-15	
V6W1077-IC1077	6W25323.D	08/04/22 23:14	TCH	20	GCMS6W	TO-15	
V6W1077-IC1077	6W25324.D	08/05/22 00:05	TCH	40	GCMS6W	TO-15	Reporting this level
V6W1077-IC1077	6W25325.D	08/05/22 00:59	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.19	3.42	0.640	ok	0.642	0.582-0.702
Acrolein	2.15	3.42	0.629	ok	0.630	0.570-0.690
Acrylonitrile	2.33	3.42	0.681	ok	0.683	0.623-0.743
Acetonitrile	2.11	3.42	0.617	ok	0.619	0.559-0.679
1,3-Butadiene	1.90	3.42	0.556	ok	0.556	0.496-0.616
Benzene	4.45	3.42	1.301	ok	1.301	1.241-1.361
Bromobenzene	14.40	10.61	1.357	ok	1.357	1.297-1.417
Bromodichloromethane	5.36	4.79	1.119	ok	1.117	1.057-1.177
Bromoform	11.85	10.61	1.117	ok	1.117	1.057-1.177
Bromomethane	1.97	3.42	0.576	ok	0.577	0.517-0.637
Bromoethene	2.12	3.42	0.620	ok	0.621	0.561-0.681
n-Butane	1.91	3.42	0.558	ok	0.560	0.500-0.620
Benzyl Chloride	16.90	10.61	1.593	ok	1.593	1.533-1.653
n-Butylbenzene	17.60	10.61	1.659	ok	1.659	1.599-1.719
sec-Butylbenzene	17.08	10.61	1.610	ok	1.610	1.550-1.670
tert-Butylbenzene	16.81	10.61	1.584	ok	1.584	1.524-1.644
Carbon disulfide	2.59	3.42	0.757	ok	0.759	0.699-0.819
Chlorobenzene	10.69	10.61	1.008	ok	1.008	0.948-1.068
Chlorodifluoromethane	1.73	3.42	0.506	ok	0.507	0.447-0.567
Chloroethane	2.02	3.42	0.591	ok	0.592	0.532-0.652
Chlorotrifluoroethene	1.74	3.42	0.509	ok	0.510	0.450-0.570
Chloroform	3.50	3.42	1.023	ok	1.025	0.965-1.085
Chloromethane	1.80	3.42	0.526	ok	0.527	0.467-0.587
3-Chloropropene	2.53	3.42	0.740	ok	0.742	0.682-0.802
2-Chlorotoluene	15.54	10.61	1.465	ok	1.465	1.405-1.525
Carbon tetrachloride	4.57	3.42	1.336	ok	1.337	1.277-1.397
Cyclohexane	4.67	4.79	0.975	ok	0.974	0.914-1.034
1,1-Dichloroethane	2.93	3.42	0.857	ok	0.858	0.798-0.918
1,1-Dichloroethylene	2.45	3.42	0.716	ok	0.717	0.657-0.777
1,2-Dibromoethane (EDB)	8.58	4.79	1.791	ok	1.789	1.729-1.849
1,2-Dichloroethane	3.94	3.42	1.152	ok	1.154	1.094-1.214
1,2-Dichloropropane	5.16	4.79	1.077	ok	1.077	1.017-1.137
1,3-Dichloropropane	7.72	4.79	1.612	ok	1.611	1.551-1.671
1,4-Dioxane	5.42	4.79	1.132	ok	1.136	1.076-1.196
Dichlorodifluoromethane	1.76	3.42	0.515	ok	0.516	0.456-0.576
Dichlorofluoromethane	2.05	3.42	0.599	ok	0.601	0.541-0.661
Dibromochloromethane	8.22	4.79	1.716	ok	1.715	1.655-1.775
Dibromomethane	5.12	4.79	1.069	ok	1.068	1.008-1.128
trans-1,2-Dichloroethylene	2.85	3.42	0.833	ok	0.834	0.774-0.894

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1077-IC1077	6W25316.D	08/04/22 17:54	TCH	0.04	GCMS6W	TO-15	
V6W1077-IC1077	6W25317.D	08/04/22 18:39	TCH	0.1	GCMS6W	TO-15	
V6W1077-IC1077	6W25318.D	08/04/22 19:25	TCH	0.2	GCMS6W	TO-15	
V6W1077-IC1077	6W25319.D	08/04/22 20:11	TCH	0.5	GCMS6W	TO-15	
V6W1077-IC1077	6W25321.D	08/04/22 21:41	TCH	5	GCMS6W	TO-15	
V6W1077-ICC1077	6W25322.D	08/04/22 22:26	TCH	10	GCMS6W	TO-15	
V6W1077-IC1077	6W25323.D	08/04/22 23:14	TCH	20	GCMS6W	TO-15	
V6W1077-IC1077	6W25324.D	08/05/22 00:05	TCH	40	GCMS6W	TO-15	Reporting this level
V6W1077-IC1077	6W25325.D	08/05/22 00:59	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.33	3.42	0.974	ok	0.976	0.916-1.036
cis-1,3-Dichloropropene	6.40	4.79	1.336	ok	1.335	1.275-1.395
m-Dichlorobenzene	16.87	10.61	1.590	ok	1.591	1.531-1.651
o-Dichlorobenzene	17.24	10.61	1.625	ok	1.626	1.566-1.686
p-Dichlorobenzene	16.95	10.61	1.598	ok	1.598	1.538-1.658
trans-1,3-Dichloropropene	7.11	4.79	1.484	ok	1.484	1.424-1.544
Di-Isopropyl ether	3.48	3.42	1.018	ok	1.018	0.958-1.078
2,3-Dimethylpentane	4.94	4.79	1.031	ok	1.031	0.971-1.091
2,4-Dimethylpentane	4.02	3.42	1.175	ok	1.178	1.118-1.238
Ethanol	2.05	3.42	0.599	ok	0.601	0.541-0.661
Ethylbenzene	11.60	10.61	1.093	ok	1.093	1.033-1.153
Ethyl Acetate	3.48	3.42	1.018	ok	1.020	0.960-1.080
Ethyl Acrylate	5.29	4.79	1.104	ok	1.104	1.044-1.164
4-Ethyltoluene	16.21	10.61	1.528	ok	1.528	1.468-1.588
Freon 113	2.59	3.42	0.757	ok	0.759	0.699-0.819
Freon 114	1.83	3.42	0.535	ok	0.536	0.476-0.596
Freon 123	2.17	3.42	0.635	ok	0.633	0.573-0.693
Freon 123A	2.18	3.42	0.637	ok	0.639	0.579-0.699
Freon 142B	1.80	3.42	0.526	ok	0.526	0.466-0.586
Freon 152A	1.72	3.42	0.503	ok	0.504	0.444-0.564
Heptane	5.84	4.79	1.219	ok	1.218	1.158-1.278
Hexachlorobutadiene	18.81	10.61	1.773	ok	1.774	1.714-1.834
Hexachloroethane	17.78	10.61	1.676	ok	1.676	1.616-1.736
Hexane	3.47	3.42	1.015	ok	1.017	0.957-1.077
2-Hexanone	8.25	4.79	1.722	ok	1.722	1.662-1.782
Iodomethane	2.42	3.42	0.708	ok	0.709	0.649-0.769
Isopropylbenzene	14.52	10.61	1.369	ok	1.369	1.309-1.429
Isopropyl Alcohol	2.26	3.42	0.661	ok	0.663	0.603-0.723
p-Isopropyltoluene	17.26	10.61	1.627	ok	1.627	1.567-1.687
Methylene chloride	2.49	3.42	0.728	ok	0.729	0.669-0.789
Methyl ethyl ketone	3.12	3.42	0.912	ok	0.914	0.854-0.974
Methyl Isobutyl Ketone	6.51	4.79	1.359	ok	1.359	1.299-1.419
Methyl Tert Butyl Ether	2.97	3.42	0.868	ok	0.870	0.810-0.930
Methylmethacrylate	5.73	4.79	1.196	ok	1.196	1.136-1.256
Naphthalene	18.56	10.61	1.749	ok	1.750	1.690-1.810
Nonane	14.11	10.61	1.330	ok	1.330	1.270-1.390
Octane	9.59	4.79	2.002	ok	2.002	1.942-2.062
Pentane	2.36	3.42	0.690	ok	0.691	0.631-0.751
n-Propylbenzene	15.88	10.61	1.497	ok	1.497	1.437-1.557

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1077-IC1077	6W25316.D	08/04/22 17:54	TCH	0.04	GCMS6W	TO-15	
V6W1077-IC1077	6W25317.D	08/04/22 18:39	TCH	0.1	GCMS6W	TO-15	
V6W1077-IC1077	6W25318.D	08/04/22 19:25	TCH	0.2	GCMS6W	TO-15	
V6W1077-IC1077	6W25319.D	08/04/22 20:11	TCH	0.5	GCMS6W	TO-15	
V6W1077-IC1077	6W25321.D	08/04/22 21:41	TCH	5	GCMS6W	TO-15	
V6W1077-ICC1077	6W25322.D	08/04/22 22:26	TCH	10	GCMS6W	TO-15	
V6W1077-IC1077	6W25323.D	08/04/22 23:14	TCH	20	GCMS6W	TO-15	
V6W1077-IC1077	6W25324.D	08/05/22 00:05	TCH	40	GCMS6W	TO-15	Reporting this level
V6W1077-IC1077	6W25325.D	08/05/22 00:59	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.74	3.42	0.509	ok	0.510	0.450-0.570
Styrene	12.77	10.61	1.204	ok	1.203	1.143-1.263
1,1,1-Trichloroethane	4.11	3.42	1.202	ok	1.204	1.144-1.264
1,1,1,2-Tetrachloroethane	10.71	10.61	1.009	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	13.01	10.61	1.226	ok	1.226	1.166-1.286
1,1,2-Trichloroethane	7.28	4.79	1.520	ok	1.519	1.459-1.579
1,2,4-Trichlorobenzene	18.51	10.61	1.745	ok	1.745	1.685-1.805
1,2,3-Trichloropropane	13.30	10.61	1.254	ok	1.253	1.193-1.313
1,2,3-Trimethylbenzene	17.19	10.61	1.620	ok	1.621	1.561-1.681
1,2,4-Trimethylbenzene	16.82	10.61	1.585	ok	1.585	1.525-1.645
1,3,5-Trimethylbenzene	16.36	10.61	1.542	ok	1.542	1.482-1.602
2,2,4-Trimethylpentane	5.50	4.79	1.148	ok	1.148	1.088-1.208
Tertiary Butyl Alcohol	2.46	3.42	0.719	ok	0.722	0.662-0.782
Tetrachloroethylene	9.45	4.79	1.973	ok	1.972	1.912-2.032
Tetrahydrofuran	3.72	3.42	1.088	ok	1.093	1.033-1.153
Toluene	7.66	4.79	1.599	ok	1.598	1.538-1.658
Trichloroethylene	5.41	4.79	1.129	ok	1.129	1.069-1.189
Trichlorofluoromethane	2.24	3.42	0.655	ok	0.658	0.598-0.718
Vinyl chloride	1.86	3.42	0.544	ok	0.545	0.485-0.605
Vinyl Acetate	3.01	3.42	0.880	ok	0.882	0.822-0.942
m,p-Xylene	12.04	10.61	1.135	ok	1.133	1.073-1.193
o-Xylene	12.99	10.61	1.224	ok	1.224	1.164-1.284

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.42	ok	3.41	3.08-3.74	51457	ok	48021	28813-67229
1,4-Difluorobenzene	4.79	ok	4.79	4.46-5.12	252022	ok	247020	148212-345828
Chlorobenzene-D5	10.61	ok	10.60	10.27-10.93	222394	ok	217916	130750-305082

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1077-IC1077	6W25316.D	08/04/22 17:54	TCH	0.04	GCMS6W	TO-15	
V6W1077-IC1077	6W25317.D	08/04/22 18:39	TCH	0.1	GCMS6W	TO-15	
V6W1077-IC1077	6W25318.D	08/04/22 19:25	TCH	0.2	GCMS6W	TO-15	
V6W1077-IC1077	6W25319.D	08/04/22 20:11	TCH	0.5	GCMS6W	TO-15	
V6W1077-IC1077	6W25321.D	08/04/22 21:41	TCH	5	GCMS6W	TO-15	
V6W1077-ICC1077	6W25322.D	08/04/22 22:26	TCH	10	GCMS6W	TO-15	
V6W1077-IC1077	6W25323.D	08/04/22 23:14	TCH	20	GCMS6W	TO-15	
V6W1077-IC1077	6W25324.D	08/05/22 00:05	TCH	40	GCMS6W	TO-15	
V6W1077-IC1077	6W25325.D	08/05/22 00:59	TCH	50	GCMS6W	TO-15	Reporting this level

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.19	3.41	0.642	ok	0.642	0.582-0.702
Acrolein	2.15	3.41	0.630	ok	0.630	0.570-0.690
Acrylonitrile	2.33	3.41	0.683	ok	0.683	0.623-0.743
Acetonitrile	2.11	3.41	0.619	ok	0.619	0.559-0.679
1,3-Butadiene	1.90	3.41	0.557	ok	0.556	0.496-0.616
Benzene	4.44	3.41	1.302	ok	1.301	1.241-1.361
Bromobenzene	14.40	10.61	1.357	ok	1.357	1.297-1.417
Bromodichloromethane	5.36	4.79	1.119	ok	1.117	1.057-1.177
Bromoform	11.86	10.61	1.118	ok	1.117	1.057-1.177
Bromomethane	1.97	3.41	0.578	ok	0.577	0.517-0.637
Bromoethene	2.12	3.41	0.622	ok	0.621	0.561-0.681
n-Butane	1.91	3.41	0.560	ok	0.560	0.500-0.620
Benzyl Chloride	16.90	10.61	1.593	ok	1.593	1.533-1.653
n-Butylbenzene	17.60	10.61	1.659	ok	1.659	1.599-1.719
sec-Butylbenzene	17.08	10.61	1.610	ok	1.610	1.550-1.670
tert-Butylbenzene	16.81	10.61	1.584	ok	1.584	1.524-1.644
Carbon disulfide	2.59	3.41	0.760	ok	0.759	0.699-0.819
Chlorobenzene	10.70	10.61	1.008	ok	1.008	0.948-1.068
Chlorodifluoromethane	1.73	3.41	0.507	ok	0.507	0.447-0.567
Chloroethane	2.02	3.41	0.592	ok	0.592	0.532-0.652
Chlorotrifluoroethene	1.74	3.41	0.510	ok	0.510	0.450-0.570
Chloroform	3.50	3.41	1.026	ok	1.025	0.965-1.085
Chloromethane	1.80	3.41	0.528	ok	0.527	0.467-0.587
3-Chloropropene	2.53	3.41	0.742	ok	0.742	0.682-0.802
2-Chlorotoluene	15.55	10.61	1.466	ok	1.465	1.405-1.525
Carbon tetrachloride	4.56	3.41	1.337	ok	1.337	1.277-1.397
Cyclohexane	4.67	4.79	0.975	ok	0.974	0.914-1.034
1,1-Dichloroethane	2.93	3.41	0.859	ok	0.858	0.798-0.918
1,1-Dichloroethylene	2.45	3.41	0.718	ok	0.717	0.657-0.777
1,2-Dibromoethane (EDB)	8.58	4.79	1.791	ok	1.789	1.729-1.849
1,2-Dichloroethane	3.94	3.41	1.155	ok	1.154	1.094-1.214
1,2-Dichloropropane	5.16	4.79	1.077	ok	1.077	1.017-1.137
1,3-Dichloropropane	7.72	4.79	1.612	ok	1.611	1.551-1.671
1,4-Dioxane	5.42	4.79	1.132	ok	1.136	1.076-1.196
Dichlorodifluoromethane	1.76	3.41	0.516	ok	0.516	0.456-0.576
Dichlorofluoromethane	2.05	3.41	0.601	ok	0.601	0.541-0.661
Dibromochloromethane	8.22	4.79	1.716	ok	1.715	1.655-1.775
Dibromomethane	5.12	4.79	1.069	ok	1.068	1.008-1.128
trans-1,2-Dichloroethylene	2.85	3.41	0.836	ok	0.834	0.774-0.894

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1077-IC1077	6W25316.D	08/04/22 17:54	TCH	0.04	GCMS6W	TO-15	
V6W1077-IC1077	6W25317.D	08/04/22 18:39	TCH	0.1	GCMS6W	TO-15	
V6W1077-IC1077	6W25318.D	08/04/22 19:25	TCH	0.2	GCMS6W	TO-15	
V6W1077-IC1077	6W25319.D	08/04/22 20:11	TCH	0.5	GCMS6W	TO-15	
V6W1077-IC1077	6W25321.D	08/04/22 21:41	TCH	5	GCMS6W	TO-15	
V6W1077-ICC1077	6W25322.D	08/04/22 22:26	TCH	10	GCMS6W	TO-15	
V6W1077-IC1077	6W25323.D	08/04/22 23:14	TCH	20	GCMS6W	TO-15	
V6W1077-IC1077	6W25324.D	08/05/22 00:05	TCH	40	GCMS6W	TO-15	
V6W1077-IC1077	6W25325.D	08/05/22 00:59	TCH	50	GCMS6W	TO-15	Reporting this level

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.33	3.41	0.977	ok	0.976	0.916-1.036
cis-1,3-Dichloropropene	6.40	4.79	1.336	ok	1.335	1.275-1.395
m-Dichlorobenzene	16.88	10.61	1.591	ok	1.591	1.531-1.651
o-Dichlorobenzene	17.25	10.61	1.626	ok	1.626	1.566-1.686
p-Dichlorobenzene	16.96	10.61	1.598	ok	1.598	1.538-1.658
trans-1,3-Dichloropropene	7.11	4.79	1.484	ok	1.484	1.424-1.544
Di-Isopropyl ether	3.48	3.41	1.021	ok	1.018	0.958-1.078
2,3-Dimethylpentane	4.94	4.79	1.031	ok	1.031	0.971-1.091
2,4-Dimethylpentane	4.02	3.41	1.179	ok	1.178	1.118-1.238
Ethanol	2.05	3.41	0.601	ok	0.601	0.541-0.661
Ethylbenzene	11.60	10.61	1.093	ok	1.093	1.033-1.153
Ethyl Acetate	3.48	3.41	1.021	ok	1.020	0.960-1.080
Ethyl Acrylate	5.29	4.79	1.104	ok	1.104	1.044-1.164
4-Ethyltoluene	16.22	10.61	1.529	ok	1.528	1.468-1.588
Freon 113	2.59	3.41	0.760	ok	0.759	0.699-0.819
Freon 114	1.83	3.41	0.537	ok	0.536	0.476-0.596
Freon 123	2.16	3.41	0.633	ok	0.633	0.573-0.693
Freon 123A	2.18	3.41	0.639	ok	0.639	0.579-0.699
Freon 142B	1.79	3.41	0.525	ok	0.526	0.466-0.586
Freon 152A	1.72	3.41	0.504	ok	0.504	0.444-0.564
Heptane	5.84	4.79	1.219	ok	1.218	1.158-1.278
Hexachlorobutadiene	18.81	10.61	1.773	ok	1.774	1.714-1.834
Hexachloroethane	17.78	10.61	1.676	ok	1.676	1.616-1.736
Hexane	3.47	3.41	1.018	ok	1.017	0.957-1.077
2-Hexanone	8.25	4.79	1.722	ok	1.722	1.662-1.782
Iodomethane	2.42	3.41	0.710	ok	0.709	0.649-0.769
Isopropylbenzene	14.53	10.61	1.369	ok	1.369	1.309-1.429
Isopropyl Alcohol	2.26	3.41	0.663	ok	0.663	0.603-0.723
p-Isopropyltoluene	17.26	10.61	1.627	ok	1.627	1.567-1.687
Methylene chloride	2.49	3.41	0.730	ok	0.729	0.669-0.789
Methyl ethyl ketone	3.11	3.41	0.912	ok	0.914	0.854-0.974
Methyl Isobutyl Ketone	6.51	4.79	1.359	ok	1.359	1.299-1.419
Methyl Tert Butyl Ether	2.97	3.41	0.871	ok	0.870	0.810-0.930
Methylmethacrylate	5.73	4.79	1.196	ok	1.196	1.136-1.256
Naphthalene	18.56	10.61	1.749	ok	1.750	1.690-1.810
Nonane	14.12	10.61	1.331	ok	1.330	1.270-1.390
Octane	9.59	4.79	2.002	ok	2.002	1.942-2.062
Pentane	2.36	3.41	0.692	ok	0.691	0.631-0.751
n-Propylbenzene	15.88	10.61	1.497	ok	1.497	1.437-1.557

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1077-IC1077	6W25316.D	08/04/22 17:54	TCH	0.04	GCMS6W	TO-15	
V6W1077-IC1077	6W25317.D	08/04/22 18:39	TCH	0.1	GCMS6W	TO-15	
V6W1077-IC1077	6W25318.D	08/04/22 19:25	TCH	0.2	GCMS6W	TO-15	
V6W1077-IC1077	6W25319.D	08/04/22 20:11	TCH	0.5	GCMS6W	TO-15	
V6W1077-IC1077	6W25321.D	08/04/22 21:41	TCH	5	GCMS6W	TO-15	
V6W1077-ICC1077	6W25322.D	08/04/22 22:26	TCH	10	GCMS6W	TO-15	
V6W1077-IC1077	6W25323.D	08/04/22 23:14	TCH	20	GCMS6W	TO-15	
V6W1077-IC1077	6W25324.D	08/05/22 00:05	TCH	40	GCMS6W	TO-15	
V6W1077-IC1077	6W25325.D	08/05/22 00:59	TCH	50	GCMS6W	TO-15	Reporting this level

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.74	3.41	0.510	ok	0.510	0.450-0.570
Styrene	12.77	10.61	1.204	ok	1.203	1.143-1.263
1,1,1-Trichloroethane	4.11	3.41	1.205	ok	1.204	1.144-1.264
1,1,1,2-Tetrachloroethane	10.71	10.61	1.009	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	13.01	10.61	1.226	ok	1.226	1.166-1.286
1,1,2-Trichloroethane	7.28	4.79	1.520	ok	1.519	1.459-1.579
1,2,4-Trichlorobenzene	18.51	10.61	1.745	ok	1.745	1.685-1.805
1,2,3-Trichloropropane	13.30	10.61	1.254	ok	1.253	1.193-1.313
1,2,3-Trimethylbenzene	17.20	10.61	1.621	ok	1.621	1.561-1.681
1,2,4-Trimethylbenzene	16.82	10.61	1.585	ok	1.585	1.525-1.645
1,3,5-Trimethylbenzene	16.36	10.61	1.542	ok	1.542	1.482-1.602
2,2,4-Trimethylpentane	5.50	4.79	1.148	ok	1.148	1.088-1.208
Tertiary Butyl Alcohol	2.46	3.41	0.721	ok	0.722	0.662-0.782
Tetrachloroethylene	9.45	4.79	1.973	ok	1.972	1.912-2.032
Tetrahydrofuran	3.72	3.41	1.091	ok	1.093	1.033-1.153
Toluene	7.66	4.79	1.599	ok	1.598	1.538-1.658
Trichloroethylene	5.41	4.79	1.129	ok	1.129	1.069-1.189
Trichlorofluoromethane	2.24	3.41	0.657	ok	0.658	0.598-0.718
Vinyl chloride	1.86	3.41	0.545	ok	0.545	0.485-0.605
Vinyl Acetate	3.01	3.41	0.883	ok	0.882	0.822-0.942
m,p-Xylene	12.04	10.61	1.135	ok	1.133	1.073-1.193
o-Xylene	12.99	10.61	1.224	ok	1.224	1.164-1.284

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.41	ok	3.41	3.08-3.74	58685	ok	48021	28813-67229
1,4-Difluorobenzene	4.79	ok	4.79	4.46-5.12	246613	ok	247020	148212-345828
Chlorobenzene-D5	10.61	ok	10.60	10.27-10.93	217461	ok	217916	130750-305082

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1125-IC1125	6W26448.D	10/19/22 19:10	TCH	0.04	GCMS6W	TO-15	Reporting this level
V6W1125-IC1125	6W26449.D	10/19/22 19:43	TCH	0.1	GCMS6W	TO-15	
V6W1125-IC1125	6W26450.D	10/19/22 20:15	TCH	0.2	GCMS6W	TO-15	
V6W1125-IC1125	6W26451.D	10/19/22 20:47	TCH	0.5	GCMS6W	TO-15	
V6W1125-IC1125	6W26453.D	10/19/22 21:52	TCH	5	GCMS6W	TO-15	
V6W1125-ICC1125	6W26454.D	10/19/22 22:25	TCH	10	GCMS6W	TO-15	
V6W1125-IC1125	6W26455.D	10/19/22 22:57	TCH	20	GCMS6W	TO-15	
V6W1125-IC1125	6W26456.D	10/19/22 23:29	TCH	40	GCMS6W	TO-15	
V6W1125-IC1125	6W26457.D	10/20/22 00:03	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Benzene	4.39	3.34	1.314	ok	1.312	1.252-1.372
Bromobenzene	14.37	10.59	1.357	ok	1.358	1.298-1.418
Bromodichloromethane	5.29	4.73	1.118	ok	1.119	1.059-1.179
n-Butane	1.88	3.34	0.563	ok	0.563	0.503-0.623
n-Butylbenzene	17.59	10.59	1.661	ok	1.661	1.601-1.721
sec-Butylbenzene	17.07	10.59	1.612	ok	1.613	1.553-1.673
tert-Butylbenzene	16.80	10.59	1.586	ok	1.587	1.527-1.647
Carbon disulfide	2.52	3.34	0.754	ok	0.754	0.694-0.814
Chlorobenzene	10.67	10.59	1.008	ok	1.008	0.948-1.068
Chloroform	3.42	3.34	1.024	ok	1.024	0.964-1.084
Chloromethane	1.78	3.34	0.533	ok	0.531	0.471-0.591
2-Chlorotoluene	15.52	10.59	1.466	ok	1.466	1.406-1.526
Carbon tetrachloride	4.50	3.34	1.347	ok	1.348	1.288-1.408
1,1-Dichloroethane	2.86	3.34	0.856	ok	0.854	0.794-0.914
Dichlorodifluoromethane	1.73	3.34	0.518	ok	0.518	0.458-0.578
Dichlorofluoromethane	2.00	3.34	0.599	ok	0.599	0.539-0.659
Dibromochloromethane	8.18	4.73	1.729	ok	1.729	1.669-1.789
m-Dichlorobenzene	16.86	10.59	1.592	ok	1.593	1.533-1.653
o-Dichlorobenzene	17.24	10.59	1.628	ok	1.628	1.568-1.688
p-Dichlorobenzene	16.94	10.59	1.600	ok	1.601	1.541-1.661
2,4-Dimethylpentane	3.96	3.34	1.186	ok	1.186	1.126-1.246
Ethylbenzene	11.57	10.59	1.093	ok	1.093	1.033-1.153
4-Ethyltoluene	16.20	10.59	1.530	ok	1.531	1.471-1.591
Freon 114	1.80	3.34	0.539	ok	0.539	0.479-0.599
Freon 123	2.12	3.34	0.635	ok	0.634	0.574-0.694
Freon 142B	1.77	3.34	0.530	ok	0.530	0.470-0.590
Heptane	5.78	4.73	1.222	ok	1.222	1.162-1.282
Hexachloroethane	17.77	10.59	1.678	ok	1.678	1.618-1.738
Iodomethane	2.36	3.34	0.707	ok	0.706	0.646-0.766
Isopropylbenzene	14.50	10.59	1.369	ok	1.370	1.310-1.430
Isopropyl Alcohol	2.22	3.34	0.665	ok	0.662	0.602-0.722
p-Isopropyltoluene	17.25	10.59	1.629	ok	1.629	1.569-1.689
Nonane	14.08	10.59	1.330	ok	1.331	1.271-1.391
Octane	9.56	4.73	2.021	ok	2.020	1.960-2.080
n-Propylbenzene	15.85	10.59	1.497	ok	1.498	1.438-1.558
Styrene	12.74	10.59	1.203	ok	1.204	1.144-1.264
1,1,2,2-Tetrachloroethane	12.98	10.59	1.226	ok	1.227	1.167-1.287
1,2,3-Trimethylbenzene	17.18	10.59	1.622	ok	1.623	1.563-1.683
1,2,4-Trimethylbenzene	16.80	10.59	1.586	ok	1.587	1.527-1.647

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1125-IC1125	6W26448.D	10/19/22 19:10	TCH	0.04	GCMS6W	TO-15	Reporting this level
V6W1125-IC1125	6W26449.D	10/19/22 19:43	TCH	0.1	GCMS6W	TO-15	
V6W1125-IC1125	6W26450.D	10/19/22 20:15	TCH	0.2	GCMS6W	TO-15	
V6W1125-IC1125	6W26451.D	10/19/22 20:47	TCH	0.5	GCMS6W	TO-15	
V6W1125-IC1125	6W26453.D	10/19/22 21:52	TCH	5	GCMS6W	TO-15	
V6W1125-ICC1125	6W26454.D	10/19/22 22:25	TCH	10	GCMS6W	TO-15	
V6W1125-IC1125	6W26455.D	10/19/22 22:57	TCH	20	GCMS6W	TO-15	
V6W1125-IC1125	6W26456.D	10/19/22 23:29	TCH	40	GCMS6W	TO-15	
V6W1125-IC1125	6W26457.D	10/20/22 00:03	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
1,3,5-Trimethylbenzene	16.35	10.59	1.544	ok	1.545	1.485-1.605
2,2,4-Trimethylpentane	5.45	4.73	1.152	ok	1.151	1.091-1.211
Tetrachloroethylene	9.42	4.73	1.992	ok	1.989	1.929-2.049
Toluene	7.61	4.73	1.609	ok	1.609	1.549-1.669
Trichloroethylene	5.34	4.73	1.129	ok	1.130	1.070-1.190
Trichlorofluoromethane	2.19	3.34	0.656	ok	0.656	0.596-0.716
Vinyl chloride	1.83	3.34	0.548	ok	0.548	0.488-0.608
m,p-Xylene	12.02	10.59	1.135	ok	1.135	1.075-1.195
o-Xylene	12.96	10.59	1.224	ok	1.224	1.164-1.284

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.34	ok	3.34	3.01-3.67	49562	ok	48058	28835-67281
1,4-Difluorobenzene	4.73	ok	4.73	4.40-5.06	238408	ok	240724	144434-337014
Chlorobenzene-D5	10.59	ok	10.59	10.26-10.92	206644	ok	213567	128140-298994

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1125-IC1125	6W26448.D	10/19/22 19:10	TCH	0.04	GCMS6W	TO-15	
V6W1125-IC1125	6W26449.D	10/19/22 19:43	TCH	0.1	GCMS6W	TO-15	Reporting this level
V6W1125-IC1125	6W26450.D	10/19/22 20:15	TCH	0.2	GCMS6W	TO-15	
V6W1125-IC1125	6W26451.D	10/19/22 20:47	TCH	0.5	GCMS6W	TO-15	
V6W1125-IC1125	6W26453.D	10/19/22 21:52	TCH	5	GCMS6W	TO-15	
V6W1125-ICC1125	6W26454.D	10/19/22 22:25	TCH	10	GCMS6W	TO-15	
V6W1125-IC1125	6W26455.D	10/19/22 22:57	TCH	20	GCMS6W	TO-15	
V6W1125-IC1125	6W26456.D	10/19/22 23:29	TCH	40	GCMS6W	TO-15	
V6W1125-IC1125	6W26457.D	10/20/22 00:03	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acrylonitrile	2.27	3.34	0.680	ok	0.680	0.620-0.740
Acetonitrile	2.07	3.34	0.620	ok	0.618	0.558-0.678
1,3-Butadiene	1.87	3.34	0.560	ok	0.559	0.499-0.619
Benzene	4.38	3.34	1.311	ok	1.312	1.252-1.372
Bromobenzene	14.38	10.58	1.359	ok	1.358	1.298-1.418
Bromodichloromethane	5.29	4.73	1.118	ok	1.119	1.059-1.179
Bromoform	11.82	10.58	1.117	ok	1.117	1.057-1.177
Bromomethane	1.94	3.34	0.581	ok	0.579	0.519-0.639
Bromoethene	2.08	3.34	0.623	ok	0.620	0.560-0.680
n-Butane	1.88	3.34	0.563	ok	0.563	0.503-0.623
Benzyl Chloride	16.89	10.58	1.596	ok	1.595	1.535-1.655
n-Butylbenzene	17.58	10.58	1.662	ok	1.661	1.601-1.721
sec-Butylbenzene	17.07	10.58	1.613	ok	1.613	1.553-1.673
tert-Butylbenzene	16.79	10.58	1.587	ok	1.587	1.527-1.647
Carbon disulfide	2.52	3.34	0.754	ok	0.754	0.694-0.814
Chlorobenzene	10.66	10.58	1.008	ok	1.008	0.948-1.068
Chloroethane	1.98	3.34	0.593	ok	0.593	0.533-0.653
Chlorotrifluoroethene	1.72	3.34	0.515	ok	0.513	0.453-0.573
Chloroform	3.42	3.34	1.024	ok	1.024	0.964-1.084
Chloromethane	1.78	3.34	0.533	ok	0.531	0.471-0.591
2-Chlorotoluene	15.52	10.58	1.467	ok	1.466	1.406-1.526
Carbon tetrachloride	4.50	3.34	1.347	ok	1.348	1.288-1.408
Cyclohexane	4.61	4.73	0.975	ok	0.973	0.913-1.033
1,1-Dichloroethane	2.86	3.34	0.856	ok	0.854	0.794-0.914
1,1-Dichloroethylene	2.39	3.34	0.716	ok	0.713	0.653-0.773
1,2-Dibromoethane (EDB)	8.52	4.73	1.801	ok	1.803	1.743-1.863
1,2-Dichloroethane	3.87	3.34	1.159	ok	1.158	1.098-1.218
1,2-Dichloropropane	5.10	4.73	1.078	ok	1.078	1.018-1.138
1,3-Dichloropropane	7.68	4.73	1.624	ok	1.623	1.563-1.683
Dichlorodifluoromethane	1.73	3.34	0.518	ok	0.518	0.458-0.578
Dichlorofluoromethane	2.00	3.34	0.599	ok	0.599	0.539-0.659
Dibromochloromethane	8.19	4.73	1.732	ok	1.729	1.669-1.789
Dibromomethane	5.06	4.73	1.070	ok	1.068	1.008-1.128
trans-1,2-Dichloroethylene	2.77	3.34	0.829	ok	0.829	0.769-0.889
cis-1,2-Dichloroethylene	3.25	3.34	0.973	ok	0.973	0.913-1.033
cis-1,3-Dichloropropene	6.35	4.73	1.342	ok	1.341	1.281-1.401
m-Dichlorobenzene	16.86	10.58	1.594	ok	1.593	1.533-1.653
o-Dichlorobenzene	17.23	10.58	1.629	ok	1.628	1.568-1.688
p-Dichlorobenzene	16.95	10.58	1.602	ok	1.601	1.541-1.661

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1125-IC1125	6W26448.D	10/19/22 19:10	TCH	0.04	GCMS6W	TO-15	
V6W1125-IC1125	6W26449.D	10/19/22 19:43	TCH	0.1	GCMS6W	TO-15	Reporting this level
V6W1125-IC1125	6W26450.D	10/19/22 20:15	TCH	0.2	GCMS6W	TO-15	
V6W1125-IC1125	6W26451.D	10/19/22 20:47	TCH	0.5	GCMS6W	TO-15	
V6W1125-IC1125	6W26453.D	10/19/22 21:52	TCH	5	GCMS6W	TO-15	
V6W1125-ICC1125	6W26454.D	10/19/22 22:25	TCH	10	GCMS6W	TO-15	
V6W1125-IC1125	6W26455.D	10/19/22 22:57	TCH	20	GCMS6W	TO-15	
V6W1125-IC1125	6W26456.D	10/19/22 23:29	TCH	40	GCMS6W	TO-15	
V6W1125-IC1125	6W26457.D	10/20/22 00:03	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
trans-1,3-Dichloropropene	7.06	4.73	1.493	ok	1.492	1.432-1.552
2,4-Dimethylpentane	3.96	3.34	1.186	ok	1.186	1.126-1.246
Ethylbenzene	11.56	10.58	1.093	ok	1.093	1.033-1.153
Ethyl Acrylate	5.24	4.73	1.108	ok	1.106	1.046-1.166
4-Ethyltoluene	16.20	10.58	1.531	ok	1.531	1.471-1.591
Freon 113	2.52	3.34	0.754	ok	0.754	0.694-0.814
Freon 114	1.80	3.34	0.539	ok	0.539	0.479-0.599
Freon 123	2.12	3.34	0.635	ok	0.634	0.574-0.694
Freon 123A	2.14	3.34	0.641	ok	0.638	0.578-0.698
Freon 142B	1.77	3.34	0.530	ok	0.530	0.470-0.590
Heptane	5.79	4.73	1.224	ok	1.222	1.162-1.282
Hexachlorobutadiene	18.79	10.58	1.776	ok	1.774	1.714-1.834
Hexachloroethane	17.76	10.58	1.679	ok	1.678	1.618-1.738
Hexane	3.40	3.34	1.018	ok	1.016	0.956-1.076
Iodomethane	2.36	3.34	0.707	ok	0.706	0.646-0.766
Isopropylbenzene	14.50	10.58	1.371	ok	1.370	1.310-1.430
Isopropyl Alcohol	2.22	3.34	0.665	ok	0.662	0.602-0.722
p-Isopropyltoluene	17.24	10.58	1.629	ok	1.629	1.569-1.689
Methyl Isobutyl Ketone	6.48	4.73	1.370	ok	1.367	1.307-1.427
Methyl Tert Butyl Ether	2.89	3.34	0.865	ok	0.865	0.805-0.925
Methylmethacrylate	5.69	4.73	1.203	ok	1.201	1.141-1.261
Nonane	14.08	10.58	1.331	ok	1.331	1.271-1.391
Octane	9.56	4.73	2.021	ok	2.020	1.960-2.080
Pentane	2.30	3.34	0.689	ok	0.689	0.629-0.749
n-Propylbenzene	15.86	10.58	1.499	ok	1.498	1.438-1.558
Propylene	1.71	3.34	0.512	ok	0.512	0.452-0.572
Styrene	12.75	10.58	1.205	ok	1.204	1.144-1.264
1,1,1-Trichloroethane	4.05	3.34	1.213	ok	1.212	1.152-1.272
1,1,1,2-Tetrachloroethane	10.68	10.58	1.009	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.98	10.58	1.227	ok	1.227	1.167-1.287
1,1,2-Trichloroethane	7.23	4.73	1.529	ok	1.528	1.468-1.588
1,2,3-Trichloropropane	13.25	10.58	1.252	ok	1.253	1.193-1.313
1,2,3-Trimethylbenzene	17.18	10.58	1.624	ok	1.623	1.563-1.683
1,2,4-Trimethylbenzene	16.80	10.58	1.588	ok	1.587	1.527-1.647
1,3,5-Trimethylbenzene	16.35	10.58	1.545	ok	1.545	1.485-1.605
2,2,4-Trimethylpentane	5.45	4.73	1.152	ok	1.151	1.091-1.211
Tertiary Butyl Alcohol	2.41	3.34	0.722	ok	0.719	0.659-0.779
Tetrachloroethylene	9.41	4.73	1.989	ok	1.989	1.929-2.049
Toluene	7.62	4.73	1.611	ok	1.609	1.549-1.669

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1125-IC1125	6W26448.D	10/19/22 19:10	TCH	0.04	GCMS6W	TO-15	
V6W1125-IC1125	6W26449.D	10/19/22 19:43	TCH	0.1	GCMS6W	TO-15	Reporting this level
V6W1125-IC1125	6W26450.D	10/19/22 20:15	TCH	0.2	GCMS6W	TO-15	
V6W1125-IC1125	6W26451.D	10/19/22 20:47	TCH	0.5	GCMS6W	TO-15	
V6W1125-IC1125	6W26453.D	10/19/22 21:52	TCH	5	GCMS6W	TO-15	
V6W1125-ICC1125	6W26454.D	10/19/22 22:25	TCH	10	GCMS6W	TO-15	
V6W1125-IC1125	6W26455.D	10/19/22 22:57	TCH	20	GCMS6W	TO-15	
V6W1125-IC1125	6W26456.D	10/19/22 23:29	TCH	40	GCMS6W	TO-15	
V6W1125-IC1125	6W26457.D	10/20/22 00:03	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Trichloroethylene	5.35	4.73	1.131	ok	1.130	1.070-1.190
Trichlorofluoromethane	2.19	3.34	0.656	ok	0.656	0.596-0.716
Vinyl chloride	1.83	3.34	0.548	ok	0.548	0.488-0.608
m,p-Xylene	12.01	10.58	1.135	ok	1.135	1.075-1.195
o-Xylene	12.95	10.58	1.224	ok	1.224	1.164-1.284

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.34	ok	3.34	3.01-3.67	48898	ok	48058	28835-67281
1,4-Difluorobenzene	4.73	ok	4.73	4.40-5.06	236998	ok	240724	144434-337014
Chlorobenzene-D5	10.58	ok	10.59	10.26-10.92	208233	ok	213567	128140-298994

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1125-IC1125	6W26448.D	10/19/22 19:10	TCH	0.04	GCMS6W	TO-15	
V6W1125-IC1125	6W26449.D	10/19/22 19:43	TCH	0.1	GCMS6W	TO-15	
V6W1125-IC1125	6W26450.D	10/19/22 20:15	TCH	0.2	GCMS6W	TO-15	Reporting this level
V6W1125-IC1125	6W26451.D	10/19/22 20:47	TCH	0.5	GCMS6W	TO-15	
V6W1125-IC1125	6W26453.D	10/19/22 21:52	TCH	5	GCMS6W	TO-15	
V6W1125-ICC1125	6W26454.D	10/19/22 22:25	TCH	10	GCMS6W	TO-15	
V6W1125-IC1125	6W26455.D	10/19/22 22:57	TCH	20	GCMS6W	TO-15	
V6W1125-IC1125	6W26456.D	10/19/22 23:29	TCH	40	GCMS6W	TO-15	
V6W1125-IC1125	6W26457.D	10/20/22 00:03	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.14	3.34	0.641	ok	0.641	0.581-0.701
Acrolein	2.10	3.34	0.629	ok	0.629	0.569-0.689
Acrylonitrile	2.27	3.34	0.680	ok	0.680	0.620-0.740
Acetonitrile	2.07	3.34	0.620	ok	0.618	0.558-0.678
1,3-Butadiene	1.87	3.34	0.560	ok	0.559	0.499-0.619
Benzene	4.38	3.34	1.311	ok	1.312	1.252-1.372
Bromobenzene	14.37	10.58	1.358	ok	1.358	1.298-1.418
Bromodichloromethane	5.29	4.73	1.118	ok	1.119	1.059-1.179
Bromoform	11.83	10.58	1.118	ok	1.117	1.057-1.177
Bromomethane	1.93	3.34	0.578	ok	0.579	0.519-0.639
Bromoethene	2.07	3.34	0.620	ok	0.620	0.560-0.680
n-Butane	1.88	3.34	0.563	ok	0.563	0.503-0.623
Benzyl Chloride	16.88	10.58	1.595	ok	1.595	1.535-1.655
n-Butylbenzene	17.59	10.58	1.663	ok	1.661	1.601-1.721
sec-Butylbenzene	17.07	10.58	1.613	ok	1.613	1.553-1.673
tert-Butylbenzene	16.79	10.58	1.587	ok	1.587	1.527-1.647
Carbon disulfide	2.52	3.34	0.754	ok	0.754	0.694-0.814
Chlorobenzene	10.66	10.58	1.008	ok	1.008	0.948-1.068
Chlorodifluoromethane	1.71	3.34	0.512	ok	0.511	0.451-0.571
Chloroethane	1.98	3.34	0.593	ok	0.593	0.533-0.653
Chlorotrifluoroethene	1.72	3.34	0.515	ok	0.513	0.453-0.573
Chloroform	3.42	3.34	1.024	ok	1.024	0.964-1.084
Chloromethane	1.77	3.34	0.530	ok	0.531	0.471-0.591
3-Chloropropene	2.46	3.34	0.737	ok	0.737	0.677-0.797
2-Chlorotoluene	15.52	10.58	1.467	ok	1.466	1.406-1.526
Carbon tetrachloride	4.50	3.34	1.347	ok	1.348	1.288-1.408
Cyclohexane	4.60	4.73	0.973	ok	0.973	0.913-1.033
1,1-Dichloroethane	2.85	3.34	0.853	ok	0.854	0.794-0.914
1,1-Dichloroethylene	2.38	3.34	0.713	ok	0.713	0.653-0.773
1,2-Dibromoethane (EDB)	8.53	4.73	1.803	ok	1.803	1.743-1.863
1,2-Dichloroethane	3.87	3.34	1.159	ok	1.158	1.098-1.218
1,2-Dichloropropane	5.10	4.73	1.078	ok	1.078	1.018-1.138
1,3-Dichloropropane	7.67	4.73	1.622	ok	1.623	1.563-1.683
1,4-Dioxane	5.43	4.73	1.148	ok	1.136	1.076-1.196
Dichlorodifluoromethane	1.73	3.34	0.518	ok	0.518	0.458-0.578
Dichlorofluoromethane	2.00	3.34	0.599	ok	0.599	0.539-0.659
Dibromochloromethane	8.18	4.73	1.729	ok	1.729	1.669-1.789
Dibromomethane	5.05	4.73	1.068	ok	1.068	1.008-1.128
trans-1,2-Dichloroethylene	2.77	3.34	0.829	ok	0.829	0.769-0.889

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1125-IC1125	6W26448.D	10/19/22 19:10	TCH	0.04	GCMS6W	TO-15	
V6W1125-IC1125	6W26449.D	10/19/22 19:43	TCH	0.1	GCMS6W	TO-15	
V6W1125-IC1125	6W26450.D	10/19/22 20:15	TCH	0.2	GCMS6W	TO-15	Reporting this level
V6W1125-IC1125	6W26451.D	10/19/22 20:47	TCH	0.5	GCMS6W	TO-15	
V6W1125-IC1125	6W26453.D	10/19/22 21:52	TCH	5	GCMS6W	TO-15	
V6W1125-ICC1125	6W26454.D	10/19/22 22:25	TCH	10	GCMS6W	TO-15	
V6W1125-IC1125	6W26455.D	10/19/22 22:57	TCH	20	GCMS6W	TO-15	
V6W1125-IC1125	6W26456.D	10/19/22 23:29	TCH	40	GCMS6W	TO-15	
V6W1125-IC1125	6W26457.D	10/20/22 00:03	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.25	3.34	0.973	ok	0.973	0.913-1.033
cis-1,3-Dichloropropene	6.35	4.73	1.342	ok	1.341	1.281-1.401
m-Dichlorobenzene	16.86	10.58	1.594	ok	1.593	1.533-1.653
o-Dichlorobenzene	17.23	10.58	1.629	ok	1.628	1.568-1.688
p-Dichlorobenzene	16.95	10.58	1.602	ok	1.601	1.541-1.661
trans-1,3-Dichloropropene	7.06	4.73	1.493	ok	1.492	1.432-1.552
Di-Isopropyl ether	3.40	3.34	1.018	ok	1.018	0.958-1.078
2,3-Dimethylpentane	4.88	4.73	1.032	ok	1.030	0.970-1.090
2,4-Dimethylpentane	3.96	3.34	1.186	ok	1.186	1.126-1.246
Ethanol	2.01	3.34	0.602	ok	0.601	0.541-0.661
Ethylbenzene	11.57	10.58	1.094	ok	1.093	1.033-1.153
Ethyl Acetate	3.42	3.34	1.024	ok	1.021	0.961-1.081
Ethyl Acrylate	5.24	4.73	1.108	ok	1.106	1.046-1.166
4-Ethyltoluene	16.20	10.58	1.531	ok	1.531	1.471-1.591
Freon 113	2.52	3.34	0.754	ok	0.754	0.694-0.814
Freon 114	1.80	3.34	0.539	ok	0.539	0.479-0.599
Freon 123	2.11	3.34	0.632	ok	0.634	0.574-0.694
Freon 123A	2.13	3.34	0.638	ok	0.638	0.578-0.698
Freon 142B	1.77	3.34	0.530	ok	0.530	0.470-0.590
Freon 152A	1.69	3.34	0.506	ok	0.506	0.446-0.566
Heptane	5.79	4.73	1.224	ok	1.222	1.162-1.282
Hexachlorobutadiene	18.78	10.58	1.775	ok	1.774	1.714-1.834
Hexachloroethane	17.77	10.58	1.680	ok	1.678	1.618-1.738
Hexane	3.39	3.34	1.015	ok	1.016	0.956-1.076
2-Hexanone	8.24	4.73	1.742	ok	1.737	1.677-1.797
Iodomethane	2.36	3.34	0.707	ok	0.706	0.646-0.766
Isopropylbenzene	14.50	10.58	1.371	ok	1.370	1.310-1.430
Isopropyl Alcohol	2.21	3.34	0.662	ok	0.662	0.602-0.722
p-Isopropyltoluene	17.24	10.58	1.629	ok	1.629	1.569-1.689
Methylene chloride	2.42	3.34	0.725	ok	0.725	0.665-0.785
Methyl ethyl ketone	3.05	3.34	0.913	ok	0.911	0.851-0.971
Methyl Isobutyl Ketone	6.48	4.73	1.370	ok	1.367	1.307-1.427
Methyl Tert Butyl Ether	2.89	3.34	0.865	ok	0.865	0.805-0.925
Methylmethacrylate	5.69	4.73	1.203	ok	1.201	1.141-1.261
Naphthalene	18.53	10.58	1.751	ok	1.750	1.690-1.810
Nonane	14.10	10.58	1.333	ok	1.331	1.271-1.391
Octane	9.56	4.73	2.021	ok	2.020	1.960-2.080
Pentane	2.30	3.34	0.689	ok	0.689	0.629-0.749
n-Propylbenzene	15.86	10.58	1.499	ok	1.498	1.438-1.558

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1125-IC1125	6W26448.D	10/19/22 19:10	TCH	0.04	GCMS6W	TO-15	
V6W1125-IC1125	6W26449.D	10/19/22 19:43	TCH	0.1	GCMS6W	TO-15	
V6W1125-IC1125	6W26450.D	10/19/22 20:15	TCH	0.2	GCMS6W	TO-15	Reporting this level
V6W1125-IC1125	6W26451.D	10/19/22 20:47	TCH	0.5	GCMS6W	TO-15	
V6W1125-IC1125	6W26453.D	10/19/22 21:52	TCH	5	GCMS6W	TO-15	
V6W1125-ICC1125	6W26454.D	10/19/22 22:25	TCH	10	GCMS6W	TO-15	
V6W1125-IC1125	6W26455.D	10/19/22 22:57	TCH	20	GCMS6W	TO-15	
V6W1125-IC1125	6W26456.D	10/19/22 23:29	TCH	40	GCMS6W	TO-15	
V6W1125-IC1125	6W26457.D	10/20/22 00:03	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.71	3.34	0.512	ok	0.512	0.452-0.572
Styrene	12.75	10.58	1.205	ok	1.204	1.144-1.264
1,1,1-Trichloroethane	4.05	3.34	1.213	ok	1.212	1.152-1.272
1,1,1,2-Tetrachloroethane	10.68	10.58	1.009	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.99	10.58	1.228	ok	1.227	1.167-1.287
1,1,2-Trichloroethane	7.24	4.73	1.531	ok	1.528	1.468-1.588
1,2,4-Trichlorobenzene	18.49	10.58	1.748	ok	1.746	1.686-1.806
1,2,3-Trichloropropane	13.26	10.58	1.253	ok	1.253	1.193-1.313
1,2,3-Trimethylbenzene	17.18	10.58	1.624	ok	1.623	1.563-1.683
1,2,4-Trimethylbenzene	16.80	10.58	1.588	ok	1.587	1.527-1.647
1,3,5-Trimethylbenzene	16.35	10.58	1.545	ok	1.545	1.485-1.605
2,2,4-Trimethylpentane	5.45	4.73	1.152	ok	1.151	1.091-1.211
Tertiary Butyl Alcohol	2.41	3.34	0.722	ok	0.719	0.659-0.779
Tetrachloroethylene	9.41	4.73	1.989	ok	1.989	1.929-2.049
Tetrahydrofuran	3.67	3.34	1.099	ok	1.094	1.034-1.154
Toluene	7.62	4.73	1.611	ok	1.609	1.549-1.669
Trichloroethylene	5.35	4.73	1.131	ok	1.130	1.070-1.190
Trichlorofluoromethane	2.19	3.34	0.656	ok	0.656	0.596-0.716
Vinyl chloride	1.83	3.34	0.548	ok	0.548	0.488-0.608
Vinyl Acetate	2.93	3.34	0.877	ok	0.877	0.817-0.937
m,p-Xylene	12.01	10.58	1.135	ok	1.135	1.075-1.195
o-Xylene	12.96	10.58	1.225	ok	1.224	1.164-1.284

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.34	ok	3.34	3.01-3.67	46339	ok	48058	28835-67281
1,4-Difluorobenzene	4.73	ok	4.73	4.40-5.06	232045	ok	240724	144434-337014
Chlorobenzene-D5	10.58	ok	10.59	10.26-10.92	202916	ok	213567	128140-298994

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1125-IC1125	6W26448.D	10/19/22 19:10	TCH	0.04	GCMS6W	TO-15	
V6W1125-IC1125	6W26449.D	10/19/22 19:43	TCH	0.1	GCMS6W	TO-15	
V6W1125-IC1125	6W26450.D	10/19/22 20:15	TCH	0.2	GCMS6W	TO-15	
V6W1125-IC1125	6W26451.D	10/19/22 20:47	TCH	0.5	GCMS6W	TO-15	Reporting this level
V6W1125-IC1125	6W26453.D	10/19/22 21:52	TCH	5	GCMS6W	TO-15	
V6W1125-ICC1125	6W26454.D	10/19/22 22:25	TCH	10	GCMS6W	TO-15	
V6W1125-IC1125	6W26455.D	10/19/22 22:57	TCH	20	GCMS6W	TO-15	
V6W1125-IC1125	6W26456.D	10/19/22 23:29	TCH	40	GCMS6W	TO-15	
V6W1125-IC1125	6W26457.D	10/20/22 00:03	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.14	3.34	0.641	ok	0.641	0.581-0.701
Acrolein	2.10	3.34	0.629	ok	0.629	0.569-0.689
Acrylonitrile	2.27	3.34	0.680	ok	0.680	0.620-0.740
Acetonitrile	2.07	3.34	0.620	ok	0.618	0.558-0.678
1,3-Butadiene	1.86	3.34	0.557	ok	0.559	0.499-0.619
Benzene	4.38	3.34	1.311	ok	1.312	1.252-1.372
Bromobenzene	14.37	10.59	1.357	ok	1.358	1.298-1.418
Bromodichloromethane	5.30	4.73	1.121	ok	1.119	1.059-1.179
Bromoform	11.82	10.59	1.116	ok	1.117	1.057-1.177
Bromomethane	1.93	3.34	0.578	ok	0.579	0.519-0.639
Bromoethene	2.07	3.34	0.620	ok	0.620	0.560-0.680
n-Butane	1.88	3.34	0.563	ok	0.563	0.503-0.623
Benzyl Chloride	16.89	10.59	1.595	ok	1.595	1.535-1.655
n-Butylbenzene	17.59	10.59	1.661	ok	1.661	1.601-1.721
sec-Butylbenzene	17.07	10.59	1.612	ok	1.613	1.553-1.673
tert-Butylbenzene	16.80	10.59	1.586	ok	1.587	1.527-1.647
Carbon disulfide	2.52	3.34	0.754	ok	0.754	0.694-0.814
Chlorobenzene	10.66	10.59	1.007	ok	1.008	0.948-1.068
Chlorodifluoromethane	1.71	3.34	0.512	ok	0.511	0.451-0.571
Chloroethane	1.98	3.34	0.593	ok	0.593	0.533-0.653
Chlorotrifluoroethene	1.71	3.34	0.512	ok	0.513	0.453-0.573
Chloroform	3.42	3.34	1.024	ok	1.024	0.964-1.084
Chloromethane	1.77	3.34	0.530	ok	0.531	0.471-0.591
3-Chloropropene	2.46	3.34	0.737	ok	0.737	0.677-0.797
2-Chlorotoluene	15.52	10.59	1.466	ok	1.466	1.406-1.526
Carbon tetrachloride	4.50	3.34	1.347	ok	1.348	1.288-1.408
Cyclohexane	4.60	4.73	0.973	ok	0.973	0.913-1.033
1,1-Dichloroethane	2.85	3.34	0.853	ok	0.854	0.794-0.914
1,1-Dichloroethylene	2.38	3.34	0.713	ok	0.713	0.653-0.773
1,2-Dibromoethane (EDB)	8.54	4.73	1.805	ok	1.803	1.743-1.863
1,2-Dichloroethane	3.86	3.34	1.156	ok	1.158	1.098-1.218
1,2-Dichloropropane	5.10	4.73	1.078	ok	1.078	1.018-1.138
1,3-Dichloropropane	7.68	4.73	1.624	ok	1.623	1.563-1.683
1,4-Dioxane	5.40	4.73	1.142	ok	1.136	1.076-1.196
Dichlorodifluoromethane	1.73	3.34	0.518	ok	0.518	0.458-0.578
Dichlorofluoromethane	2.00	3.34	0.599	ok	0.599	0.539-0.659
Dibromochloromethane	8.19	4.73	1.732	ok	1.729	1.669-1.789
Dibromomethane	5.05	4.73	1.068	ok	1.068	1.008-1.128
trans-1,2-Dichloroethylene	2.77	3.34	0.829	ok	0.829	0.769-0.889

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1125-IC1125	6W26448.D	10/19/22 19:10	TCH	0.04	GCMS6W	TO-15	
V6W1125-IC1125	6W26449.D	10/19/22 19:43	TCH	0.1	GCMS6W	TO-15	
V6W1125-IC1125	6W26450.D	10/19/22 20:15	TCH	0.2	GCMS6W	TO-15	
V6W1125-IC1125	6W26451.D	10/19/22 20:47	TCH	0.5	GCMS6W	TO-15	Reporting this level
V6W1125-IC1125	6W26453.D	10/19/22 21:52	TCH	5	GCMS6W	TO-15	
V6W1125-ICC1125	6W26454.D	10/19/22 22:25	TCH	10	GCMS6W	TO-15	
V6W1125-IC1125	6W26455.D	10/19/22 22:57	TCH	20	GCMS6W	TO-15	
V6W1125-IC1125	6W26456.D	10/19/22 23:29	TCH	40	GCMS6W	TO-15	
V6W1125-IC1125	6W26457.D	10/20/22 00:03	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.25	3.34	0.973	ok	0.973	0.913-1.033
cis-1,3-Dichloropropene	6.35	4.73	1.342	ok	1.341	1.281-1.401
m-Dichlorobenzene	16.86	10.59	1.592	ok	1.593	1.533-1.653
o-Dichlorobenzene	17.23	10.59	1.627	ok	1.628	1.568-1.688
p-Dichlorobenzene	16.94	10.59	1.600	ok	1.601	1.541-1.661
trans-1,3-Dichloropropene	7.06	4.73	1.493	ok	1.492	1.432-1.552
Di-Isopropyl ether	3.40	3.34	1.018	ok	1.018	0.958-1.078
2,3-Dimethylpentane	4.87	4.73	1.030	ok	1.030	0.970-1.090
2,4-Dimethylpentane	3.96	3.34	1.186	ok	1.186	1.126-1.246
Ethanol	2.01	3.34	0.602	ok	0.601	0.541-0.661
Ethylbenzene	11.56	10.59	1.092	ok	1.093	1.033-1.153
Ethyl Acetate	3.41	3.34	1.021	ok	1.021	0.961-1.081
Ethyl Acrylate	5.24	4.73	1.108	ok	1.106	1.046-1.166
4-Ethyltoluene	16.20	10.59	1.530	ok	1.531	1.471-1.591
Freon 113	2.52	3.34	0.754	ok	0.754	0.694-0.814
Freon 114	1.80	3.34	0.539	ok	0.539	0.479-0.599
Freon 123	2.12	3.34	0.635	ok	0.634	0.574-0.694
Freon 123A	2.13	3.34	0.638	ok	0.638	0.578-0.698
Freon 142B	1.77	3.34	0.530	ok	0.530	0.470-0.590
Freon 152A	1.69	3.34	0.506	ok	0.506	0.446-0.566
Heptane	5.78	4.73	1.222	ok	1.222	1.162-1.282
Hexachlorobutadiene	18.78	10.59	1.773	ok	1.774	1.714-1.834
Hexachloroethane	17.76	10.59	1.677	ok	1.678	1.618-1.738
Hexane	3.39	3.34	1.015	ok	1.016	0.956-1.076
2-Hexanone	8.24	4.73	1.742	ok	1.737	1.677-1.797
Iodomethane	2.35	3.34	0.704	ok	0.706	0.646-0.766
Isopropylbenzene	14.51	10.59	1.370	ok	1.370	1.310-1.430
Isopropyl Alcohol	2.21	3.34	0.662	ok	0.662	0.602-0.722
p-Isopropyltoluene	17.24	10.59	1.628	ok	1.629	1.569-1.689
Methylene chloride	2.42	3.34	0.725	ok	0.725	0.665-0.785
Methyl ethyl ketone	3.05	3.34	0.913	ok	0.911	0.851-0.971
Methyl Isobutyl Ketone	6.49	4.73	1.372	ok	1.367	1.307-1.427
Methyl Tert Butyl Ether	2.89	3.34	0.865	ok	0.865	0.805-0.925
Methylmethacrylate	5.69	4.73	1.203	ok	1.201	1.141-1.261
Naphthalene	18.53	10.59	1.750	ok	1.750	1.690-1.810
Nonane	14.09	10.59	1.331	ok	1.331	1.271-1.391
Octane	9.55	4.73	2.019	ok	2.020	1.960-2.080
Pentane	2.30	3.34	0.689	ok	0.689	0.629-0.749
n-Propylbenzene	15.86	10.59	1.498	ok	1.498	1.438-1.558

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1125-IC1125	6W26448.D	10/19/22 19:10	TCH	0.04	GCMS6W	TO-15	
V6W1125-IC1125	6W26449.D	10/19/22 19:43	TCH	0.1	GCMS6W	TO-15	
V6W1125-IC1125	6W26450.D	10/19/22 20:15	TCH	0.2	GCMS6W	TO-15	
V6W1125-IC1125	6W26451.D	10/19/22 20:47	TCH	0.5	GCMS6W	TO-15	Reporting this level
V6W1125-IC1125	6W26453.D	10/19/22 21:52	TCH	5	GCMS6W	TO-15	
V6W1125-ICC1125	6W26454.D	10/19/22 22:25	TCH	10	GCMS6W	TO-15	
V6W1125-IC1125	6W26455.D	10/19/22 22:57	TCH	20	GCMS6W	TO-15	
V6W1125-IC1125	6W26456.D	10/19/22 23:29	TCH	40	GCMS6W	TO-15	
V6W1125-IC1125	6W26457.D	10/20/22 00:03	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.71	3.34	0.512	ok	0.512	0.452-0.572
Styrene	12.74	10.59	1.203	ok	1.204	1.144-1.264
1,1,1-Trichloroethane	4.04	3.34	1.210	ok	1.212	1.152-1.272
1,1,1,2-Tetrachloroethane	10.68	10.59	1.008	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.98	10.59	1.226	ok	1.227	1.167-1.287
1,1,2-Trichloroethane	7.24	4.73	1.531	ok	1.528	1.468-1.588
1,2,4-Trichlorobenzene	18.49	10.59	1.746	ok	1.746	1.686-1.806
1,2,3-Trichloropropane	13.27	10.59	1.253	ok	1.253	1.193-1.313
1,2,3-Trimethylbenzene	17.18	10.59	1.622	ok	1.623	1.563-1.683
1,2,4-Trimethylbenzene	16.80	10.59	1.586	ok	1.587	1.527-1.647
1,3,5-Trimethylbenzene	16.35	10.59	1.544	ok	1.545	1.485-1.605
2,2,4-Trimethylpentane	5.44	4.73	1.150	ok	1.151	1.091-1.211
Tertiary Butyl Alcohol	2.40	3.34	0.719	ok	0.719	0.659-0.779
Tetrachloroethylene	9.41	4.73	1.989	ok	1.989	1.929-2.049
Tetrahydrofuran	3.66	3.34	1.096	ok	1.094	1.034-1.154
Toluene	7.61	4.73	1.609	ok	1.609	1.549-1.669
Trichloroethylene	5.34	4.73	1.129	ok	1.130	1.070-1.190
Trichlorofluoromethane	2.19	3.34	0.656	ok	0.656	0.596-0.716
Vinyl chloride	1.83	3.34	0.548	ok	0.548	0.488-0.608
Vinyl Acetate	2.93	3.34	0.877	ok	0.877	0.817-0.937
m,p-Xylene	12.01	10.59	1.134	ok	1.135	1.075-1.195
o-Xylene	12.96	10.59	1.224	ok	1.224	1.164-1.284

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.34	ok	3.34	3.01-3.67	43611	ok	48058	28835-67281
1,4-Difluorobenzene	4.73	ok	4.73	4.40-5.06	212847	ok	240724	144434-337014
Chlorobenzene-D5	10.59	ok	10.59	10.26-10.92	201898	ok	213567	128140-298994

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1125-IC1125	6W26448.D	10/19/22 19:10	TCH	0.04	GCMS6W	TO-15	
V6W1125-IC1125	6W26449.D	10/19/22 19:43	TCH	0.1	GCMS6W	TO-15	
V6W1125-IC1125	6W26450.D	10/19/22 20:15	TCH	0.2	GCMS6W	TO-15	
V6W1125-IC1125	6W26451.D	10/19/22 20:47	TCH	0.5	GCMS6W	TO-15	
V6W1125-IC1125	6W26453.D	10/19/22 21:52	TCH	5	GCMS6W	TO-15	Reporting this level
V6W1125-ICC1125	6W26454.D	10/19/22 22:25	TCH	10	GCMS6W	TO-15	
V6W1125-IC1125	6W26455.D	10/19/22 22:57	TCH	20	GCMS6W	TO-15	
V6W1125-IC1125	6W26456.D	10/19/22 23:29	TCH	40	GCMS6W	TO-15	
V6W1125-IC1125	6W26457.D	10/20/22 00:03	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.14	3.34	0.641	ok	0.641	0.581-0.701
Acrolein	2.10	3.34	0.629	ok	0.629	0.569-0.689
Acrylonitrile	2.27	3.34	0.680	ok	0.680	0.620-0.740
Acetonitrile	2.06	3.34	0.617	ok	0.618	0.558-0.678
1,3-Butadiene	1.87	3.34	0.560	ok	0.559	0.499-0.619
Benzene	4.38	3.34	1.311	ok	1.312	1.252-1.372
Bromobenzene	14.37	10.58	1.358	ok	1.358	1.298-1.418
Bromodichloromethane	5.29	4.73	1.118	ok	1.119	1.059-1.179
Bromoform	11.82	10.58	1.117	ok	1.117	1.057-1.177
Bromomethane	1.93	3.34	0.578	ok	0.579	0.519-0.639
Bromoethene	2.07	3.34	0.620	ok	0.620	0.560-0.680
n-Butane	1.88	3.34	0.563	ok	0.563	0.503-0.623
Benzyl Chloride	16.89	10.58	1.596	ok	1.595	1.535-1.655
n-Butylbenzene	17.59	10.58	1.663	ok	1.661	1.601-1.721
sec-Butylbenzene	17.07	10.58	1.613	ok	1.613	1.553-1.673
tert-Butylbenzene	16.80	10.58	1.588	ok	1.587	1.527-1.647
Carbon disulfide	2.52	3.34	0.754	ok	0.754	0.694-0.814
Chlorobenzene	10.66	10.58	1.008	ok	1.008	0.948-1.068
Chlorodifluoromethane	1.70	3.34	0.509	ok	0.511	0.451-0.571
Chloroethane	1.98	3.34	0.593	ok	0.593	0.533-0.653
Chlorotrifluoroethene	1.71	3.34	0.512	ok	0.513	0.453-0.573
Chloroform	3.42	3.34	1.024	ok	1.024	0.964-1.084
Chloromethane	1.77	3.34	0.530	ok	0.531	0.471-0.591
3-Chloropropene	2.46	3.34	0.737	ok	0.737	0.677-0.797
2-Chlorotoluene	15.52	10.58	1.467	ok	1.466	1.406-1.526
Carbon tetrachloride	4.50	3.34	1.347	ok	1.348	1.288-1.408
Cyclohexane	4.60	4.73	0.973	ok	0.973	0.913-1.033
1,1-Dichloroethane	2.85	3.34	0.853	ok	0.854	0.794-0.914
1,1-Dichloroethylene	2.38	3.34	0.713	ok	0.713	0.653-0.773
1,2-Dibromoethane (EDB)	8.53	4.73	1.803	ok	1.803	1.743-1.863
1,2-Dichloroethane	3.87	3.34	1.159	ok	1.158	1.098-1.218
1,2-Dichloropropane	5.10	4.73	1.078	ok	1.078	1.018-1.138
1,3-Dichloropropane	7.68	4.73	1.624	ok	1.623	1.563-1.683
1,4-Dioxane	5.37	4.73	1.135	ok	1.136	1.076-1.196
Dichlorodifluoromethane	1.73	3.34	0.518	ok	0.518	0.458-0.578
Dichlorofluoromethane	2.00	3.34	0.599	ok	0.599	0.539-0.659
Dibromochloromethane	8.18	4.73	1.729	ok	1.729	1.669-1.789
Dibromomethane	5.06	4.73	1.070	ok	1.068	1.008-1.128
trans-1,2-Dichloroethylene	2.77	3.34	0.829	ok	0.829	0.769-0.889

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1125-IC1125	6W26448.D	10/19/22 19:10	TCH	0.04	GCMS6W	TO-15	
V6W1125-IC1125	6W26449.D	10/19/22 19:43	TCH	0.1	GCMS6W	TO-15	
V6W1125-IC1125	6W26450.D	10/19/22 20:15	TCH	0.2	GCMS6W	TO-15	
V6W1125-IC1125	6W26451.D	10/19/22 20:47	TCH	0.5	GCMS6W	TO-15	
V6W1125-IC1125	6W26453.D	10/19/22 21:52	TCH	5	GCMS6W	TO-15	Reporting this level
V6W1125-ICC1125	6W26454.D	10/19/22 22:25	TCH	10	GCMS6W	TO-15	
V6W1125-IC1125	6W26455.D	10/19/22 22:57	TCH	20	GCMS6W	TO-15	
V6W1125-IC1125	6W26456.D	10/19/22 23:29	TCH	40	GCMS6W	TO-15	
V6W1125-IC1125	6W26457.D	10/20/22 00:03	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.25	3.34	0.973	ok	0.973	0.913-1.033
cis-1,3-Dichloropropene	6.35	4.73	1.342	ok	1.341	1.281-1.401
m-Dichlorobenzene	16.86	10.58	1.594	ok	1.593	1.533-1.653
o-Dichlorobenzene	17.23	10.58	1.629	ok	1.628	1.568-1.688
p-Dichlorobenzene	16.95	10.58	1.602	ok	1.601	1.541-1.661
trans-1,3-Dichloropropene	7.06	4.73	1.493	ok	1.492	1.432-1.552
Di-Isopropyl ether	3.40	3.34	1.018	ok	1.018	0.958-1.078
2,3-Dimethylpentane	4.88	4.73	1.032	ok	1.030	0.970-1.090
2,4-Dimethylpentane	3.96	3.34	1.186	ok	1.186	1.126-1.246
Ethanol	2.01	3.34	0.602	ok	0.601	0.541-0.661
Ethylbenzene	11.57	10.58	1.094	ok	1.093	1.033-1.153
Ethyl Acetate	3.40	3.34	1.018	ok	1.021	0.961-1.081
Ethyl Acrylate	5.23	4.73	1.106	ok	1.106	1.046-1.166
4-Ethyltoluene	16.20	10.58	1.531	ok	1.531	1.471-1.591
Freon 113	2.52	3.34	0.754	ok	0.754	0.694-0.814
Freon 114	1.80	3.34	0.539	ok	0.539	0.479-0.599
Freon 123	2.12	3.34	0.635	ok	0.634	0.574-0.694
Freon 123A	2.13	3.34	0.638	ok	0.638	0.578-0.698
Freon 142B	1.77	3.34	0.530	ok	0.530	0.470-0.590
Freon 152A	1.69	3.34	0.506	ok	0.506	0.446-0.566
Heptane	5.78	4.73	1.222	ok	1.222	1.162-1.282
Hexachlorobutadiene	18.78	10.58	1.775	ok	1.774	1.714-1.834
Hexachloroethane	17.76	10.58	1.679	ok	1.678	1.618-1.738
Hexane	3.40	3.34	1.018	ok	1.016	0.956-1.076
2-Hexanone	8.21	4.73	1.736	ok	1.737	1.677-1.797
Iodomethane	2.36	3.34	0.707	ok	0.706	0.646-0.766
Isopropylbenzene	14.50	10.58	1.371	ok	1.370	1.310-1.430
Isopropyl Alcohol	2.21	3.34	0.662	ok	0.662	0.602-0.722
p-Isopropyltoluene	17.25	10.58	1.630	ok	1.629	1.569-1.689
Methylene chloride	2.42	3.34	0.725	ok	0.725	0.665-0.785
Methyl ethyl ketone	3.04	3.34	0.910	ok	0.911	0.851-0.971
Methyl Isobutyl Ketone	6.46	4.73	1.366	ok	1.367	1.307-1.427
Methyl Tert Butyl Ether	2.89	3.34	0.865	ok	0.865	0.805-0.925
Methylmethacrylate	5.68	4.73	1.201	ok	1.201	1.141-1.261
Naphthalene	18.53	10.58	1.751	ok	1.750	1.690-1.810
Nonane	14.09	10.58	1.332	ok	1.331	1.271-1.391
Octane	9.57	4.73	2.023	ok	2.020	1.960-2.080
Pentane	2.30	3.34	0.689	ok	0.689	0.629-0.749
n-Propylbenzene	15.86	10.58	1.499	ok	1.498	1.438-1.558

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1125-IC1125	6W26448.D	10/19/22 19:10	TCH	0.04	GCMS6W	TO-15	
V6W1125-IC1125	6W26449.D	10/19/22 19:43	TCH	0.1	GCMS6W	TO-15	
V6W1125-IC1125	6W26450.D	10/19/22 20:15	TCH	0.2	GCMS6W	TO-15	
V6W1125-IC1125	6W26451.D	10/19/22 20:47	TCH	0.5	GCMS6W	TO-15	
V6W1125-IC1125	6W26453.D	10/19/22 21:52	TCH	5	GCMS6W	TO-15	Reporting this level
V6W1125-ICC1125	6W26454.D	10/19/22 22:25	TCH	10	GCMS6W	TO-15	
V6W1125-IC1125	6W26455.D	10/19/22 22:57	TCH	20	GCMS6W	TO-15	
V6W1125-IC1125	6W26456.D	10/19/22 23:29	TCH	40	GCMS6W	TO-15	
V6W1125-IC1125	6W26457.D	10/20/22 00:03	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.71	3.34	0.512	ok	0.512	0.452-0.572
Styrene	12.75	10.58	1.205	ok	1.204	1.144-1.264
1,1,1-Trichloroethane	4.05	3.34	1.213	ok	1.212	1.152-1.272
1,1,1,2-Tetrachloroethane	10.68	10.58	1.009	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.98	10.58	1.227	ok	1.227	1.167-1.287
1,1,2-Trichloroethane	7.23	4.73	1.529	ok	1.528	1.468-1.588
1,2,4-Trichlorobenzene	18.49	10.58	1.748	ok	1.746	1.686-1.806
1,2,3-Trichloropropane	13.26	10.58	1.253	ok	1.253	1.193-1.313
1,2,3-Trimethylbenzene	17.18	10.58	1.624	ok	1.623	1.563-1.683
1,2,4-Trimethylbenzene	16.80	10.58	1.588	ok	1.587	1.527-1.647
1,3,5-Trimethylbenzene	16.35	10.58	1.545	ok	1.545	1.485-1.605
2,2,4-Trimethylpentane	5.45	4.73	1.152	ok	1.151	1.091-1.211
Tertiary Butyl Alcohol	2.40	3.34	0.719	ok	0.719	0.659-0.779
Tetrachloroethylene	9.42	4.73	1.992	ok	1.989	1.929-2.049
Tetrahydrofuran	3.65	3.34	1.093	ok	1.094	1.034-1.154
Toluene	7.62	4.73	1.611	ok	1.609	1.549-1.669
Trichloroethylene	5.35	4.73	1.131	ok	1.130	1.070-1.190
Trichlorofluoromethane	2.19	3.34	0.656	ok	0.656	0.596-0.716
Vinyl chloride	1.83	3.34	0.548	ok	0.548	0.488-0.608
Vinyl Acetate	2.93	3.34	0.877	ok	0.877	0.817-0.937
m,p-Xylene	12.01	10.58	1.135	ok	1.135	1.075-1.195
o-Xylene	12.96	10.58	1.225	ok	1.224	1.164-1.284

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.34	ok	3.34	3.01-3.67	48052	ok	48058	28835-67281
1,4-Difluorobenzene	4.73	ok	4.73	4.40-5.06	238668	ok	240724	144434-337014
Chlorobenzene-D5	10.58	ok	10.59	10.26-10.92	209355	ok	213567	128140-298994

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1125-IC1125	6W26448.D	10/19/22 19:10	TCH	0.04	GCMS6W	TO-15	
V6W1125-IC1125	6W26449.D	10/19/22 19:43	TCH	0.1	GCMS6W	TO-15	
V6W1125-IC1125	6W26450.D	10/19/22 20:15	TCH	0.2	GCMS6W	TO-15	
V6W1125-IC1125	6W26451.D	10/19/22 20:47	TCH	0.5	GCMS6W	TO-15	
V6W1125-IC1125	6W26453.D	10/19/22 21:52	TCH	5	GCMS6W	TO-15	
V6W1125-ICC1125	6W26454.D	10/19/22 22:25	TCH	10	GCMS6W	TO-15	Reporting this level
V6W1125-IC1125	6W26455.D	10/19/22 22:57	TCH	20	GCMS6W	TO-15	
V6W1125-IC1125	6W26456.D	10/19/22 23:29	TCH	40	GCMS6W	TO-15	
V6W1125-IC1125	6W26457.D	10/20/22 00:03	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.14	3.34	0.641	ok	0.641	0.581-0.701
Acrolein	2.10	3.34	0.629	ok	0.629	0.569-0.689
Acrylonitrile	2.27	3.34	0.680	ok	0.680	0.620-0.740
Acetonitrile	2.06	3.34	0.617	ok	0.618	0.558-0.678
1,3-Butadiene	1.87	3.34	0.560	ok	0.559	0.499-0.619
Benzene	4.38	3.34	1.311	ok	1.312	1.252-1.372
Bromobenzene	14.37	10.59	1.357	ok	1.358	1.298-1.418
Bromodichloromethane	5.29	4.73	1.118	ok	1.119	1.059-1.179
Bromoform	11.83	10.59	1.117	ok	1.117	1.057-1.177
Bromomethane	1.93	3.34	0.578	ok	0.579	0.519-0.639
Bromoethene	2.07	3.34	0.620	ok	0.620	0.560-0.680
n-Butane	1.88	3.34	0.563	ok	0.563	0.503-0.623
Benzyl Chloride	16.89	10.59	1.595	ok	1.595	1.535-1.655
n-Butylbenzene	17.58	10.59	1.660	ok	1.661	1.601-1.721
sec-Butylbenzene	17.07	10.59	1.612	ok	1.613	1.553-1.673
tert-Butylbenzene	16.80	10.59	1.586	ok	1.587	1.527-1.647
Carbon disulfide	2.52	3.34	0.754	ok	0.754	0.694-0.814
Chlorobenzene	10.67	10.59	1.008	ok	1.008	0.948-1.068
Chlorodifluoromethane	1.71	3.34	0.512	ok	0.511	0.451-0.571
Chloroethane	1.98	3.34	0.593	ok	0.593	0.533-0.653
Chlorotrifluoroethene	1.72	3.34	0.515	ok	0.513	0.453-0.573
Chloroform	3.42	3.34	1.024	ok	1.024	0.964-1.084
Chloromethane	1.77	3.34	0.530	ok	0.531	0.471-0.591
3-Chloropropene	2.46	3.34	0.737	ok	0.737	0.677-0.797
2-Chlorotoluene	15.52	10.59	1.466	ok	1.466	1.406-1.526
Carbon tetrachloride	4.51	3.34	1.350	ok	1.348	1.288-1.408
Cyclohexane	4.61	4.73	0.975	ok	0.973	0.913-1.033
1,1-Dichloroethane	2.85	3.34	0.853	ok	0.854	0.794-0.914
1,1-Dichloroethylene	2.38	3.34	0.713	ok	0.713	0.653-0.773
1,2-Dibromoethane (EDB)	8.53	4.73	1.803	ok	1.803	1.743-1.863
1,2-Dichloroethane	3.87	3.34	1.159	ok	1.158	1.098-1.218
1,2-Dichloropropane	5.10	4.73	1.078	ok	1.078	1.018-1.138
1,3-Dichloropropane	7.68	4.73	1.624	ok	1.623	1.563-1.683
1,4-Dioxane	5.36	4.73	1.133	ok	1.136	1.076-1.196
Dichlorodifluoromethane	1.73	3.34	0.518	ok	0.518	0.458-0.578
Dichlorofluoromethane	2.00	3.34	0.599	ok	0.599	0.539-0.659
Dibromochloromethane	8.18	4.73	1.729	ok	1.729	1.669-1.789
Dibromomethane	5.06	4.73	1.070	ok	1.068	1.008-1.128
trans-1,2-Dichloroethylene	2.77	3.34	0.829	ok	0.829	0.769-0.889

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1125-IC1125	6W26448.D	10/19/22 19:10	TCH	0.04	GCMS6W	TO-15	
V6W1125-IC1125	6W26449.D	10/19/22 19:43	TCH	0.1	GCMS6W	TO-15	
V6W1125-IC1125	6W26450.D	10/19/22 20:15	TCH	0.2	GCMS6W	TO-15	
V6W1125-IC1125	6W26451.D	10/19/22 20:47	TCH	0.5	GCMS6W	TO-15	
V6W1125-IC1125	6W26453.D	10/19/22 21:52	TCH	5	GCMS6W	TO-15	
V6W1125-ICC1125	6W26454.D	10/19/22 22:25	TCH	10	GCMS6W	TO-15	Reporting this level
V6W1125-IC1125	6W26455.D	10/19/22 22:57	TCH	20	GCMS6W	TO-15	
V6W1125-IC1125	6W26456.D	10/19/22 23:29	TCH	40	GCMS6W	TO-15	
V6W1125-IC1125	6W26457.D	10/20/22 00:03	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.25	3.34	0.973	ok	0.973	0.913-1.033
cis-1,3-Dichloropropene	6.35	4.73	1.342	ok	1.341	1.281-1.401
m-Dichlorobenzene	16.86	10.59	1.592	ok	1.593	1.533-1.653
o-Dichlorobenzene	17.23	10.59	1.627	ok	1.628	1.568-1.688
p-Dichlorobenzene	16.95	10.59	1.601	ok	1.601	1.541-1.661
trans-1,3-Dichloropropene	7.06	4.73	1.493	ok	1.492	1.432-1.552
Di-Isopropyl ether	3.40	3.34	1.018	ok	1.018	0.958-1.078
2,3-Dimethylpentane	4.88	4.73	1.032	ok	1.030	0.970-1.090
2,4-Dimethylpentane	3.96	3.34	1.186	ok	1.186	1.126-1.246
Ethanol	2.01	3.34	0.602	ok	0.601	0.541-0.661
Ethylbenzene	11.57	10.59	1.093	ok	1.093	1.033-1.153
Ethyl Acetate	3.40	3.34	1.018	ok	1.021	0.961-1.081
Ethyl Acrylate	5.23	4.73	1.106	ok	1.106	1.046-1.166
4-Ethyltoluene	16.20	10.59	1.530	ok	1.531	1.471-1.591
Freon 113	2.52	3.34	0.754	ok	0.754	0.694-0.814
Freon 114	1.80	3.34	0.539	ok	0.539	0.479-0.599
Freon 123	2.12	3.34	0.635	ok	0.634	0.574-0.694
Freon 123A	2.13	3.34	0.638	ok	0.638	0.578-0.698
Freon 142B	1.77	3.34	0.530	ok	0.530	0.470-0.590
Freon 152A	1.69	3.34	0.506	ok	0.506	0.446-0.566
Heptane	5.79	4.73	1.224	ok	1.222	1.162-1.282
Hexachlorobutadiene	18.78	10.59	1.773	ok	1.774	1.714-1.834
Hexachloroethane	17.76	10.59	1.677	ok	1.678	1.618-1.738
Hexane	3.40	3.34	1.018	ok	1.016	0.956-1.076
2-Hexanone	8.21	4.73	1.736	ok	1.737	1.677-1.797
Iodomethane	2.36	3.34	0.707	ok	0.706	0.646-0.766
Isopropylbenzene	14.50	10.59	1.369	ok	1.370	1.310-1.430
Isopropyl Alcohol	2.21	3.34	0.662	ok	0.662	0.602-0.722
p-Isopropyltoluene	17.24	10.59	1.628	ok	1.629	1.569-1.689
Methylene chloride	2.42	3.34	0.725	ok	0.725	0.665-0.785
Methyl ethyl ketone	3.04	3.34	0.910	ok	0.911	0.851-0.971
Methyl Isobutyl Ketone	6.45	4.73	1.364	ok	1.367	1.307-1.427
Methyl Tert Butyl Ether	2.89	3.34	0.865	ok	0.865	0.805-0.925
Methylmethacrylate	5.68	4.73	1.201	ok	1.201	1.141-1.261
Naphthalene	18.53	10.59	1.750	ok	1.750	1.690-1.810
Nonane	14.09	10.59	1.331	ok	1.331	1.271-1.391
Octane	9.56	4.73	2.021	ok	2.020	1.960-2.080
Pentane	2.30	3.34	0.689	ok	0.689	0.629-0.749
n-Propylbenzene	15.86	10.59	1.498	ok	1.498	1.438-1.558

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1125-IC1125	6W26448.D	10/19/22 19:10	TCH	0.04	GCMS6W	TO-15	
V6W1125-IC1125	6W26449.D	10/19/22 19:43	TCH	0.1	GCMS6W	TO-15	
V6W1125-IC1125	6W26450.D	10/19/22 20:15	TCH	0.2	GCMS6W	TO-15	
V6W1125-IC1125	6W26451.D	10/19/22 20:47	TCH	0.5	GCMS6W	TO-15	
V6W1125-IC1125	6W26453.D	10/19/22 21:52	TCH	5	GCMS6W	TO-15	
V6W1125-ICC1125	6W26454.D	10/19/22 22:25	TCH	10	GCMS6W	TO-15	Reporting this level
V6W1125-IC1125	6W26455.D	10/19/22 22:57	TCH	20	GCMS6W	TO-15	
V6W1125-IC1125	6W26456.D	10/19/22 23:29	TCH	40	GCMS6W	TO-15	
V6W1125-IC1125	6W26457.D	10/20/22 00:03	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.71	3.34	0.512	ok	0.512	0.452-0.572
Styrene	12.75	10.59	1.204	ok	1.204	1.144-1.264
1,1,1-Trichloroethane	4.05	3.34	1.213	ok	1.212	1.152-1.272
1,1,1,2-Tetrachloroethane	10.68	10.59	1.008	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.98	10.59	1.226	ok	1.227	1.167-1.287
1,1,2-Trichloroethane	7.23	4.73	1.529	ok	1.528	1.468-1.588
1,2,4-Trichlorobenzene	18.48	10.59	1.745	ok	1.746	1.686-1.806
1,2,3-Trichloropropane	13.27	10.59	1.253	ok	1.253	1.193-1.313
1,2,3-Trimethylbenzene	17.18	10.59	1.622	ok	1.623	1.563-1.683
1,2,4-Trimethylbenzene	16.80	10.59	1.586	ok	1.587	1.527-1.647
1,3,5-Trimethylbenzene	16.35	10.59	1.544	ok	1.545	1.485-1.605
2,2,4-Trimethylpentane	5.45	4.73	1.152	ok	1.151	1.091-1.211
Tertiary Butyl Alcohol	2.40	3.34	0.719	ok	0.719	0.659-0.779
Tetrachloroethylene	9.41	4.73	1.989	ok	1.989	1.929-2.049
Tetrahydrofuran	3.65	3.34	1.093	ok	1.094	1.034-1.154
Toluene	7.62	4.73	1.611	ok	1.609	1.549-1.669
Trichloroethylene	5.35	4.73	1.131	ok	1.130	1.070-1.190
Trichlorofluoromethane	2.19	3.34	0.656	ok	0.656	0.596-0.716
Vinyl chloride	1.83	3.34	0.548	ok	0.548	0.488-0.608
Vinyl Acetate	2.93	3.34	0.877	ok	0.877	0.817-0.937
m,p-Xylene	12.01	10.59	1.134	ok	1.135	1.075-1.195
o-Xylene	12.96	10.59	1.224	ok	1.224	1.164-1.284

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.34	ok	3.34	3.01-3.67	50236	ok	48058	28835-67281
1,4-Difluorobenzene	4.73	ok	4.73	4.40-5.06	248131	ok	240724	144434-337014
Chlorobenzene-D5	10.59	ok	10.59	10.26-10.92	216051	ok	213567	128140-298994

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1125-IC1125	6W26448.D	10/19/22 19:10	TCH	0.04	GCMS6W	TO-15	
V6W1125-IC1125	6W26449.D	10/19/22 19:43	TCH	0.1	GCMS6W	TO-15	
V6W1125-IC1125	6W26450.D	10/19/22 20:15	TCH	0.2	GCMS6W	TO-15	
V6W1125-IC1125	6W26451.D	10/19/22 20:47	TCH	0.5	GCMS6W	TO-15	
V6W1125-IC1125	6W26453.D	10/19/22 21:52	TCH	5	GCMS6W	TO-15	
V6W1125-ICC1125	6W26454.D	10/19/22 22:25	TCH	10	GCMS6W	TO-15	
V6W1125-IC1125	6W26455.D	10/19/22 22:57	TCH	20	GCMS6W	TO-15	Reporting this level
V6W1125-IC1125	6W26456.D	10/19/22 23:29	TCH	40	GCMS6W	TO-15	
V6W1125-IC1125	6W26457.D	10/20/22 00:03	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.14	3.34	0.641	ok	0.641	0.581-0.701
Acrolein	2.10	3.34	0.629	ok	0.629	0.569-0.689
Acrylonitrile	2.27	3.34	0.680	ok	0.680	0.620-0.740
Acetonitrile	2.07	3.34	0.620	ok	0.618	0.558-0.678
1,3-Butadiene	1.87	3.34	0.560	ok	0.559	0.499-0.619
Benzene	4.38	3.34	1.311	ok	1.312	1.252-1.372
Bromobenzene	14.38	10.59	1.358	ok	1.358	1.298-1.418
Bromodichloromethane	5.30	4.74	1.118	ok	1.119	1.059-1.179
Bromoform	11.83	10.59	1.117	ok	1.117	1.057-1.177
Bromomethane	1.94	3.34	0.581	ok	0.579	0.519-0.639
Bromoethene	2.07	3.34	0.620	ok	0.620	0.560-0.680
n-Butane	1.88	3.34	0.563	ok	0.563	0.503-0.623
Benzyl Chloride	16.89	10.59	1.595	ok	1.595	1.535-1.655
n-Butylbenzene	17.59	10.59	1.661	ok	1.661	1.601-1.721
sec-Butylbenzene	17.07	10.59	1.612	ok	1.613	1.553-1.673
tert-Butylbenzene	16.80	10.59	1.586	ok	1.587	1.527-1.647
Carbon disulfide	2.52	3.34	0.754	ok	0.754	0.694-0.814
Chlorobenzene	10.67	10.59	1.008	ok	1.008	0.948-1.068
Chlorodifluoromethane	1.71	3.34	0.512	ok	0.511	0.451-0.571
Chloroethane	1.98	3.34	0.593	ok	0.593	0.533-0.653
Chlorotrifluoroethene	1.72	3.34	0.515	ok	0.513	0.453-0.573
Chloroform	3.42	3.34	1.024	ok	1.024	0.964-1.084
Chloromethane	1.77	3.34	0.530	ok	0.531	0.471-0.591
3-Chloropropene	2.46	3.34	0.737	ok	0.737	0.677-0.797
2-Chlorotoluene	15.52	10.59	1.466	ok	1.466	1.406-1.526
Carbon tetrachloride	4.51	3.34	1.350	ok	1.348	1.288-1.408
Cyclohexane	4.61	4.74	0.973	ok	0.973	0.913-1.033
1,1-Dichloroethane	2.86	3.34	0.856	ok	0.854	0.794-0.914
1,1-Dichloroethylene	2.38	3.34	0.713	ok	0.713	0.653-0.773
1,2-Dibromoethane (EDB)	8.54	4.74	1.802	ok	1.803	1.743-1.863
1,2-Dichloroethane	3.87	3.34	1.159	ok	1.158	1.098-1.218
1,2-Dichloropropane	5.10	4.74	1.076	ok	1.078	1.018-1.138
1,3-Dichloropropane	7.68	4.74	1.620	ok	1.623	1.563-1.683
1,4-Dioxane	5.36	4.74	1.131	ok	1.136	1.076-1.196
Dichlorodifluoromethane	1.73	3.34	0.518	ok	0.518	0.458-0.578
Dichlorofluoromethane	2.00	3.34	0.599	ok	0.599	0.539-0.659
Dibromochloromethane	8.19	4.74	1.728	ok	1.729	1.669-1.789
Dibromomethane	5.06	4.74	1.068	ok	1.068	1.008-1.128
trans-1,2-Dichloroethylene	2.77	3.34	0.829	ok	0.829	0.769-0.889

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1125-IC1125	6W26448.D	10/19/22 19:10	TCH	0.04	GCMS6W	TO-15	
V6W1125-IC1125	6W26449.D	10/19/22 19:43	TCH	0.1	GCMS6W	TO-15	
V6W1125-IC1125	6W26450.D	10/19/22 20:15	TCH	0.2	GCMS6W	TO-15	
V6W1125-IC1125	6W26451.D	10/19/22 20:47	TCH	0.5	GCMS6W	TO-15	
V6W1125-IC1125	6W26453.D	10/19/22 21:52	TCH	5	GCMS6W	TO-15	
V6W1125-ICC1125	6W26454.D	10/19/22 22:25	TCH	10	GCMS6W	TO-15	
V6W1125-IC1125	6W26455.D	10/19/22 22:57	TCH	20	GCMS6W	TO-15	Reporting this level
V6W1125-IC1125	6W26456.D	10/19/22 23:29	TCH	40	GCMS6W	TO-15	
V6W1125-IC1125	6W26457.D	10/20/22 00:03	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.26	3.34	0.976	ok	0.973	0.913-1.033
cis-1,3-Dichloropropene	6.35	4.74	1.340	ok	1.341	1.281-1.401
m-Dichlorobenzene	16.87	10.59	1.593	ok	1.593	1.533-1.653
o-Dichlorobenzene	17.23	10.59	1.627	ok	1.628	1.568-1.688
p-Dichlorobenzene	16.95	10.59	1.601	ok	1.601	1.541-1.661
trans-1,3-Dichloropropene	7.07	4.74	1.492	ok	1.492	1.432-1.552
Di-Isopropyl ether	3.40	3.34	1.018	ok	1.018	0.958-1.078
2,3-Dimethylpentane	4.88	4.74	1.030	ok	1.030	0.970-1.090
2,4-Dimethylpentane	3.96	3.34	1.186	ok	1.186	1.126-1.246
Ethanol	2.01	3.34	0.602	ok	0.601	0.541-0.661
Ethylbenzene	11.57	10.59	1.093	ok	1.093	1.033-1.153
Ethyl Acetate	3.41	3.34	1.021	ok	1.021	0.961-1.081
Ethyl Acrylate	5.23	4.74	1.103	ok	1.106	1.046-1.166
4-Ethyltoluene	16.21	10.59	1.531	ok	1.531	1.471-1.591
Freon 113	2.52	3.34	0.754	ok	0.754	0.694-0.814
Freon 114	1.80	3.34	0.539	ok	0.539	0.479-0.599
Freon 123	2.12	3.34	0.635	ok	0.634	0.574-0.694
Freon 123A	2.13	3.34	0.638	ok	0.638	0.578-0.698
Freon 142B	1.77	3.34	0.530	ok	0.530	0.470-0.590
Freon 152A	1.69	3.34	0.506	ok	0.506	0.446-0.566
Heptane	5.79	4.74	1.222	ok	1.222	1.162-1.282
Hexachlorobutadiene	18.78	10.59	1.773	ok	1.774	1.714-1.834
Hexachloroethane	17.77	10.59	1.678	ok	1.678	1.618-1.738
Hexane	3.40	3.34	1.018	ok	1.016	0.956-1.076
2-Hexanone	8.21	4.74	1.732	ok	1.737	1.677-1.797
Iodomethane	2.36	3.34	0.707	ok	0.706	0.646-0.766
Isopropylbenzene	14.50	10.59	1.369	ok	1.370	1.310-1.430
Isopropyl Alcohol	2.21	3.34	0.662	ok	0.662	0.602-0.722
p-Isopropyltoluene	17.25	10.59	1.629	ok	1.629	1.569-1.689
Methylene chloride	2.42	3.34	0.725	ok	0.725	0.665-0.785
Methyl ethyl ketone	3.04	3.34	0.910	ok	0.911	0.851-0.971
Methyl Isobutyl Ketone	6.46	4.74	1.363	ok	1.367	1.307-1.427
Methyl Tert Butyl Ether	2.89	3.34	0.865	ok	0.865	0.805-0.925
Methylmethacrylate	5.68	4.74	1.198	ok	1.201	1.141-1.261
Naphthalene	18.53	10.59	1.750	ok	1.750	1.690-1.810
Nonane	14.09	10.59	1.331	ok	1.331	1.271-1.391
Octane	9.56	4.74	2.017	ok	2.020	1.960-2.080
Pentane	2.30	3.34	0.689	ok	0.689	0.629-0.749
n-Propylbenzene	15.86	10.59	1.498	ok	1.498	1.438-1.558

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1125-IC1125	6W26448.D	10/19/22 19:10	TCH	0.04	GCMS6W	TO-15	
V6W1125-IC1125	6W26449.D	10/19/22 19:43	TCH	0.1	GCMS6W	TO-15	
V6W1125-IC1125	6W26450.D	10/19/22 20:15	TCH	0.2	GCMS6W	TO-15	
V6W1125-IC1125	6W26451.D	10/19/22 20:47	TCH	0.5	GCMS6W	TO-15	
V6W1125-IC1125	6W26453.D	10/19/22 21:52	TCH	5	GCMS6W	TO-15	
V6W1125-ICC1125	6W26454.D	10/19/22 22:25	TCH	10	GCMS6W	TO-15	
V6W1125-IC1125	6W26455.D	10/19/22 22:57	TCH	20	GCMS6W	TO-15	Reporting this level
V6W1125-IC1125	6W26456.D	10/19/22 23:29	TCH	40	GCMS6W	TO-15	
V6W1125-IC1125	6W26457.D	10/20/22 00:03	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.71	3.34	0.512	ok	0.512	0.452-0.572
Styrene	12.75	10.59	1.204	ok	1.204	1.144-1.264
1,1,1-Trichloroethane	4.05	3.34	1.213	ok	1.212	1.152-1.272
1,1,1,2-Tetrachloroethane	10.68	10.59	1.008	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.99	10.59	1.227	ok	1.227	1.167-1.287
1,1,2-Trichloroethane	7.23	4.74	1.525	ok	1.528	1.468-1.588
1,2,4-Trichlorobenzene	18.48	10.59	1.745	ok	1.746	1.686-1.806
1,2,3-Trichloropropane	13.27	10.59	1.253	ok	1.253	1.193-1.313
1,2,3-Trimethylbenzene	17.18	10.59	1.622	ok	1.623	1.563-1.683
1,2,4-Trimethylbenzene	16.81	10.59	1.587	ok	1.587	1.527-1.647
1,3,5-Trimethylbenzene	16.35	10.59	1.544	ok	1.545	1.485-1.605
2,2,4-Trimethylpentane	5.45	4.74	1.150	ok	1.151	1.091-1.211
Tertiary Butyl Alcohol	2.40	3.34	0.719	ok	0.719	0.659-0.779
Tetrachloroethylene	9.42	4.74	1.987	ok	1.989	1.929-2.049
Tetrahydrofuran	3.65	3.34	1.093	ok	1.094	1.034-1.154
Toluene	7.62	4.74	1.608	ok	1.609	1.549-1.669
Trichloroethylene	5.35	4.74	1.129	ok	1.130	1.070-1.190
Trichlorofluoromethane	2.19	3.34	0.656	ok	0.656	0.596-0.716
Vinyl chloride	1.83	3.34	0.548	ok	0.548	0.488-0.608
Vinyl Acetate	2.93	3.34	0.877	ok	0.877	0.817-0.937
m,p-Xylene	12.01	10.59	1.134	ok	1.135	1.075-1.195
o-Xylene	12.97	10.59	1.225	ok	1.224	1.164-1.284

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.34	ok	3.34	3.01-3.67	49377	ok	48058	28835-67281
1,4-Difluorobenzene	4.74	ok	4.73	4.40-5.06	249392	ok	240724	144434-337014
Chlorobenzene-D5	10.59	ok	10.59	10.26-10.92	219656	ok	213567	128140-298994

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1125-IC1125	6W26448.D	10/19/22 19:10	TCH	0.04	GCMS6W	TO-15	
V6W1125-IC1125	6W26449.D	10/19/22 19:43	TCH	0.1	GCMS6W	TO-15	
V6W1125-IC1125	6W26450.D	10/19/22 20:15	TCH	0.2	GCMS6W	TO-15	
V6W1125-IC1125	6W26451.D	10/19/22 20:47	TCH	0.5	GCMS6W	TO-15	
V6W1125-IC1125	6W26453.D	10/19/22 21:52	TCH	5	GCMS6W	TO-15	
V6W1125-ICC1125	6W26454.D	10/19/22 22:25	TCH	10	GCMS6W	TO-15	
V6W1125-IC1125	6W26455.D	10/19/22 22:57	TCH	20	GCMS6W	TO-15	
V6W1125-IC1125	6W26456.D	10/19/22 23:29	TCH	40	GCMS6W	TO-15	Reporting this level
V6W1125-IC1125	6W26457.D	10/20/22 00:03	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.14	3.34	0.641	ok	0.641	0.581-0.701
Acrolein	2.10	3.34	0.629	ok	0.629	0.569-0.689
Acrylonitrile	2.27	3.34	0.680	ok	0.680	0.620-0.740
Acetonitrile	2.06	3.34	0.617	ok	0.618	0.558-0.678
1,3-Butadiene	1.86	3.34	0.557	ok	0.559	0.499-0.619
Benzene	4.38	3.34	1.311	ok	1.312	1.252-1.372
Bromobenzene	14.39	10.59	1.359	ok	1.358	1.298-1.418
Bromodichloromethane	5.30	4.74	1.118	ok	1.119	1.059-1.179
Bromoform	11.84	10.59	1.118	ok	1.117	1.057-1.177
Bromomethane	1.93	3.34	0.578	ok	0.579	0.519-0.639
Bromoethene	2.07	3.34	0.620	ok	0.620	0.560-0.680
n-Butane	1.88	3.34	0.563	ok	0.563	0.503-0.623
Benzyl Chloride	16.89	10.59	1.595	ok	1.595	1.535-1.655
n-Butylbenzene	17.59	10.59	1.661	ok	1.661	1.601-1.721
sec-Butylbenzene	17.07	10.59	1.612	ok	1.613	1.553-1.673
tert-Butylbenzene	16.81	10.59	1.587	ok	1.587	1.527-1.647
Carbon disulfide	2.52	3.34	0.754	ok	0.754	0.694-0.814
Chlorobenzene	10.67	10.59	1.008	ok	1.008	0.948-1.068
Chlorodifluoromethane	1.70	3.34	0.509	ok	0.511	0.451-0.571
Chloroethane	1.98	3.34	0.593	ok	0.593	0.533-0.653
Chlorotrifluoroethene	1.71	3.34	0.512	ok	0.513	0.453-0.573
Chloroform	3.42	3.34	1.024	ok	1.024	0.964-1.084
Chloromethane	1.77	3.34	0.530	ok	0.531	0.471-0.591
3-Chloropropene	2.46	3.34	0.737	ok	0.737	0.677-0.797
2-Chlorotoluene	15.53	10.59	1.466	ok	1.466	1.406-1.526
Carbon tetrachloride	4.50	3.34	1.347	ok	1.348	1.288-1.408
Cyclohexane	4.60	4.74	0.970	ok	0.973	0.913-1.033
1,1-Dichloroethane	2.85	3.34	0.853	ok	0.854	0.794-0.914
1,1-Dichloroethylene	2.38	3.34	0.713	ok	0.713	0.653-0.773
1,2-Dibromoethane (EDB)	8.55	4.74	1.804	ok	1.803	1.743-1.863
1,2-Dichloroethane	3.87	3.34	1.159	ok	1.158	1.098-1.218
1,2-Dichloropropane	5.10	4.74	1.076	ok	1.078	1.018-1.138
1,3-Dichloropropane	7.69	4.74	1.622	ok	1.623	1.563-1.683
1,4-Dioxane	5.37	4.74	1.133	ok	1.136	1.076-1.196
Dichlorodifluoromethane	1.73	3.34	0.518	ok	0.518	0.458-0.578
Dichlorofluoromethane	2.00	3.34	0.599	ok	0.599	0.539-0.659
Dibromochloromethane	8.19	4.74	1.728	ok	1.729	1.669-1.789
Dibromomethane	5.06	4.74	1.068	ok	1.068	1.008-1.128
trans-1,2-Dichloroethylene	2.77	3.34	0.829	ok	0.829	0.769-0.889

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1125-IC1125	6W26448.D	10/19/22 19:10	TCH	0.04	GCMS6W	TO-15	
V6W1125-IC1125	6W26449.D	10/19/22 19:43	TCH	0.1	GCMS6W	TO-15	
V6W1125-IC1125	6W26450.D	10/19/22 20:15	TCH	0.2	GCMS6W	TO-15	
V6W1125-IC1125	6W26451.D	10/19/22 20:47	TCH	0.5	GCMS6W	TO-15	
V6W1125-IC1125	6W26453.D	10/19/22 21:52	TCH	5	GCMS6W	TO-15	
V6W1125-ICC1125	6W26454.D	10/19/22 22:25	TCH	10	GCMS6W	TO-15	
V6W1125-IC1125	6W26455.D	10/19/22 22:57	TCH	20	GCMS6W	TO-15	
V6W1125-IC1125	6W26456.D	10/19/22 23:29	TCH	40	GCMS6W	TO-15	Reporting this level
V6W1125-IC1125	6W26457.D	10/20/22 00:03	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.25	3.34	0.973	ok	0.973	0.913-1.033
cis-1,3-Dichloropropene	6.35	4.74	1.340	ok	1.341	1.281-1.401
m-Dichlorobenzene	16.87	10.59	1.593	ok	1.593	1.533-1.653
o-Dichlorobenzene	17.24	10.59	1.628	ok	1.628	1.568-1.688
p-Dichlorobenzene	16.95	10.59	1.601	ok	1.601	1.541-1.661
trans-1,3-Dichloropropene	7.07	4.74	1.492	ok	1.492	1.432-1.552
Di-Isopropyl ether	3.40	3.34	1.018	ok	1.018	0.958-1.078
2,3-Dimethylpentane	4.88	4.74	1.030	ok	1.030	0.970-1.090
2,4-Dimethylpentane	3.96	3.34	1.186	ok	1.186	1.126-1.246
Ethanol	2.00	3.34	0.599	ok	0.601	0.541-0.661
Ethylbenzene	11.58	10.59	1.093	ok	1.093	1.033-1.153
Ethyl Acetate	3.41	3.34	1.021	ok	1.021	0.961-1.081
Ethyl Acrylate	5.24	4.74	1.105	ok	1.106	1.046-1.166
4-Ethyltoluene	16.21	10.59	1.531	ok	1.531	1.471-1.591
Freon 113	2.52	3.34	0.754	ok	0.754	0.694-0.814
Freon 114	1.80	3.34	0.539	ok	0.539	0.479-0.599
Freon 123	2.12	3.34	0.635	ok	0.634	0.574-0.694
Freon 123A	2.13	3.34	0.638	ok	0.638	0.578-0.698
Freon 142B	1.77	3.34	0.530	ok	0.530	0.470-0.590
Freon 152A	1.70	3.34	0.509	ok	0.506	0.446-0.566
Heptane	5.79	4.74	1.222	ok	1.222	1.162-1.282
Hexachlorobutadiene	18.78	10.59	1.773	ok	1.774	1.714-1.834
Hexachloroethane	17.77	10.59	1.678	ok	1.678	1.618-1.738
Hexane	3.39	3.34	1.015	ok	1.016	0.956-1.076
2-Hexanone	8.22	4.74	1.734	ok	1.737	1.677-1.797
Iodomethane	2.35	3.34	0.704	ok	0.706	0.646-0.766
Isopropylbenzene	14.51	10.59	1.370	ok	1.370	1.310-1.430
Isopropyl Alcohol	2.20	3.34	0.659	ok	0.662	0.602-0.722
p-Isopropyltoluene	17.25	10.59	1.629	ok	1.629	1.569-1.689
Methylene chloride	2.42	3.34	0.725	ok	0.725	0.665-0.785
Methyl ethyl ketone	3.04	3.34	0.910	ok	0.911	0.851-0.971
Methyl Isobutyl Ketone	6.46	4.74	1.363	ok	1.367	1.307-1.427
Methyl Tert Butyl Ether	2.89	3.34	0.865	ok	0.865	0.805-0.925
Methylmethacrylate	5.68	4.74	1.198	ok	1.201	1.141-1.261
Naphthalene	18.53	10.59	1.750	ok	1.750	1.690-1.810
Nonane	14.10	10.59	1.331	ok	1.331	1.271-1.391
Octane	9.57	4.74	2.019	ok	2.020	1.960-2.080
Pentane	2.30	3.34	0.689	ok	0.689	0.629-0.749
n-Propylbenzene	15.87	10.59	1.499	ok	1.498	1.438-1.558

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1125-IC1125	6W26448.D	10/19/22 19:10	TCH	0.04	GCMS6W	TO-15	
V6W1125-IC1125	6W26449.D	10/19/22 19:43	TCH	0.1	GCMS6W	TO-15	
V6W1125-IC1125	6W26450.D	10/19/22 20:15	TCH	0.2	GCMS6W	TO-15	
V6W1125-IC1125	6W26451.D	10/19/22 20:47	TCH	0.5	GCMS6W	TO-15	
V6W1125-IC1125	6W26453.D	10/19/22 21:52	TCH	5	GCMS6W	TO-15	
V6W1125-ICC1125	6W26454.D	10/19/22 22:25	TCH	10	GCMS6W	TO-15	
V6W1125-IC1125	6W26455.D	10/19/22 22:57	TCH	20	GCMS6W	TO-15	
V6W1125-IC1125	6W26456.D	10/19/22 23:29	TCH	40	GCMS6W	TO-15	Reporting this level
V6W1125-IC1125	6W26457.D	10/20/22 00:03	TCH	50	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.71	3.34	0.512	ok	0.512	0.452-0.572
Styrene	12.76	10.59	1.205	ok	1.204	1.144-1.264
1,1,1-Trichloroethane	4.05	3.34	1.213	ok	1.212	1.152-1.272
1,1,1,2-Tetrachloroethane	10.69	10.59	1.009	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	13.00	10.59	1.228	ok	1.227	1.167-1.287
1,1,2-Trichloroethane	7.24	4.74	1.527	ok	1.528	1.468-1.588
1,2,4-Trichlorobenzene	18.49	10.59	1.746	ok	1.746	1.686-1.806
1,2,3-Trichloropropane	13.28	10.59	1.254	ok	1.253	1.193-1.313
1,2,3-Trimethylbenzene	17.18	10.59	1.622	ok	1.623	1.563-1.683
1,2,4-Trimethylbenzene	16.81	10.59	1.587	ok	1.587	1.527-1.647
1,3,5-Trimethylbenzene	16.36	10.59	1.545	ok	1.545	1.485-1.605
2,2,4-Trimethylpentane	5.45	4.74	1.150	ok	1.151	1.091-1.211
Tertiary Butyl Alcohol	2.39	3.34	0.716	ok	0.719	0.659-0.779
Tetrachloroethylene	9.42	4.74	1.987	ok	1.989	1.929-2.049
Tetrahydrofuran	3.65	3.34	1.093	ok	1.094	1.034-1.154
Toluene	7.62	4.74	1.608	ok	1.609	1.549-1.669
Trichloroethylene	5.36	4.74	1.131	ok	1.130	1.070-1.190
Trichlorofluoromethane	2.19	3.34	0.656	ok	0.656	0.596-0.716
Vinyl chloride	1.83	3.34	0.548	ok	0.548	0.488-0.608
Vinyl Acetate	2.93	3.34	0.877	ok	0.877	0.817-0.937
m,p-Xylene	12.02	10.59	1.135	ok	1.135	1.075-1.195
o-Xylene	12.97	10.59	1.225	ok	1.224	1.164-1.284

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.34	ok	3.34	3.01-3.67	46967	ok	48058	28835-67281
1,4-Difluorobenzene	4.74	ok	4.73	4.40-5.06	253136	ok	240724	144434-337014
Chlorobenzene-D5	10.59	ok	10.59	10.26-10.92	227517	ok	213567	128140-298994

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1125-IC1125	6W26448.D	10/19/22 19:10	TCH	0.04	GCMS6W	TO-15	
V6W1125-IC1125	6W26449.D	10/19/22 19:43	TCH	0.1	GCMS6W	TO-15	
V6W1125-IC1125	6W26450.D	10/19/22 20:15	TCH	0.2	GCMS6W	TO-15	
V6W1125-IC1125	6W26451.D	10/19/22 20:47	TCH	0.5	GCMS6W	TO-15	
V6W1125-IC1125	6W26453.D	10/19/22 21:52	TCH	5	GCMS6W	TO-15	
V6W1125-ICC1125	6W26454.D	10/19/22 22:25	TCH	10	GCMS6W	TO-15	
V6W1125-IC1125	6W26455.D	10/19/22 22:57	TCH	20	GCMS6W	TO-15	
V6W1125-IC1125	6W26456.D	10/19/22 23:29	TCH	40	GCMS6W	TO-15	
V6W1125-IC1125	6W26457.D	10/20/22 00:03	TCH	50	GCMS6W	TO-15	Reporting this level

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.14	3.34	0.641	ok	0.641	0.581-0.701
Acrolein	2.10	3.34	0.629	ok	0.629	0.569-0.689
Acrylonitrile	2.27	3.34	0.680	ok	0.680	0.620-0.740
Acetonitrile	2.06	3.34	0.617	ok	0.618	0.558-0.678
1,3-Butadiene	1.86	3.34	0.557	ok	0.559	0.499-0.619
Benzene	4.38	3.34	1.311	ok	1.312	1.252-1.372
Bromobenzene	14.39	10.59	1.359	ok	1.358	1.298-1.418
Bromodichloromethane	5.30	4.74	1.118	ok	1.119	1.059-1.179
Bromoform	11.84	10.59	1.118	ok	1.117	1.057-1.177
Bromomethane	1.93	3.34	0.578	ok	0.579	0.519-0.639
Bromoethene	2.07	3.34	0.620	ok	0.620	0.560-0.680
n-Butane	1.88	3.34	0.563	ok	0.563	0.503-0.623
Benzyl Chloride	16.89	10.59	1.595	ok	1.595	1.535-1.655
n-Butylbenzene	17.59	10.59	1.661	ok	1.661	1.601-1.721
sec-Butylbenzene	17.08	10.59	1.613	ok	1.613	1.553-1.673
tert-Butylbenzene	16.81	10.59	1.587	ok	1.587	1.527-1.647
Carbon disulfide	2.52	3.34	0.754	ok	0.754	0.694-0.814
Chlorobenzene	10.68	10.59	1.008	ok	1.008	0.948-1.068
Chlorodifluoromethane	1.70	3.34	0.509	ok	0.511	0.451-0.571
Chloroethane	1.98	3.34	0.593	ok	0.593	0.533-0.653
Chlorotrifluoroethene	1.71	3.34	0.512	ok	0.513	0.453-0.573
Chloroform	3.42	3.34	1.024	ok	1.024	0.964-1.084
Chloromethane	1.77	3.34	0.530	ok	0.531	0.471-0.591
3-Chloropropene	2.46	3.34	0.737	ok	0.737	0.677-0.797
2-Chlorotoluene	15.53	10.59	1.466	ok	1.466	1.406-1.526
Carbon tetrachloride	4.50	3.34	1.347	ok	1.348	1.288-1.408
Cyclohexane	4.60	4.74	0.970	ok	0.973	0.913-1.033
1,1-Dichloroethane	2.85	3.34	0.853	ok	0.854	0.794-0.914
1,1-Dichloroethylene	2.38	3.34	0.713	ok	0.713	0.653-0.773
1,2-Dibromoethane (EDB)	8.55	4.74	1.804	ok	1.803	1.743-1.863
1,2-Dichloroethane	3.87	3.34	1.159	ok	1.158	1.098-1.218
1,2-Dichloropropane	5.11	4.74	1.078	ok	1.078	1.018-1.138
1,3-Dichloropropane	7.69	4.74	1.622	ok	1.623	1.563-1.683
1,4-Dioxane	5.37	4.74	1.133	ok	1.136	1.076-1.196
Dichlorodifluoromethane	1.73	3.34	0.518	ok	0.518	0.458-0.578
Dichlorofluoromethane	2.00	3.34	0.599	ok	0.599	0.539-0.659
Dibromochloromethane	8.19	4.74	1.728	ok	1.729	1.669-1.789
Dibromomethane	5.06	4.74	1.068	ok	1.068	1.008-1.128
trans-1,2-Dichloroethylene	2.77	3.34	0.829	ok	0.829	0.769-0.889

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1125-IC1125	6W26448.D	10/19/22 19:10	TCH	0.04	GCMS6W	TO-15	
V6W1125-IC1125	6W26449.D	10/19/22 19:43	TCH	0.1	GCMS6W	TO-15	
V6W1125-IC1125	6W26450.D	10/19/22 20:15	TCH	0.2	GCMS6W	TO-15	
V6W1125-IC1125	6W26451.D	10/19/22 20:47	TCH	0.5	GCMS6W	TO-15	
V6W1125-IC1125	6W26453.D	10/19/22 21:52	TCH	5	GCMS6W	TO-15	
V6W1125-ICC1125	6W26454.D	10/19/22 22:25	TCH	10	GCMS6W	TO-15	
V6W1125-IC1125	6W26455.D	10/19/22 22:57	TCH	20	GCMS6W	TO-15	
V6W1125-IC1125	6W26456.D	10/19/22 23:29	TCH	40	GCMS6W	TO-15	
V6W1125-IC1125	6W26457.D	10/20/22 00:03	TCH	50	GCMS6W	TO-15	Reporting this level

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.25	3.34	0.973	ok	0.973	0.913-1.033
cis-1,3-Dichloropropene	6.35	4.74	1.340	ok	1.341	1.281-1.401
m-Dichlorobenzene	16.87	10.59	1.593	ok	1.593	1.533-1.653
o-Dichlorobenzene	17.24	10.59	1.628	ok	1.628	1.568-1.688
p-Dichlorobenzene	16.95	10.59	1.601	ok	1.601	1.541-1.661
trans-1,3-Dichloropropene	7.07	4.74	1.492	ok	1.492	1.432-1.552
Di-Isopropyl ether	3.40	3.34	1.018	ok	1.018	0.958-1.078
2,3-Dimethylpentane	4.88	4.74	1.030	ok	1.030	0.970-1.090
2,4-Dimethylpentane	3.96	3.34	1.186	ok	1.186	1.126-1.246
Ethanol	2.00	3.34	0.599	ok	0.601	0.541-0.661
Ethylbenzene	11.58	10.59	1.093	ok	1.093	1.033-1.153
Ethyl Acetate	3.41	3.34	1.021	ok	1.021	0.961-1.081
Ethyl Acrylate	5.24	4.74	1.105	ok	1.106	1.046-1.166
4-Ethyltoluene	16.21	10.59	1.531	ok	1.531	1.471-1.591
Freon 113	2.52	3.34	0.754	ok	0.754	0.694-0.814
Freon 114	1.80	3.34	0.539	ok	0.539	0.479-0.599
Freon 123	2.11	3.34	0.632	ok	0.634	0.574-0.694
Freon 123A	2.13	3.34	0.638	ok	0.638	0.578-0.698
Freon 142B	1.77	3.34	0.530	ok	0.530	0.470-0.590
Freon 152A	1.69	3.34	0.506	ok	0.506	0.446-0.566
Heptane	5.78	4.74	1.219	ok	1.222	1.162-1.282
Hexachlorobutadiene	18.78	10.59	1.773	ok	1.774	1.714-1.834
Hexachloroethane	17.77	10.59	1.678	ok	1.678	1.618-1.738
Hexane	3.39	3.34	1.015	ok	1.016	0.956-1.076
2-Hexanone	8.22	4.74	1.734	ok	1.737	1.677-1.797
Iodomethane	2.35	3.34	0.704	ok	0.706	0.646-0.766
Isopropylbenzene	14.51	10.59	1.370	ok	1.370	1.310-1.430
Isopropyl Alcohol	2.20	3.34	0.659	ok	0.662	0.602-0.722
p-Isopropyltoluene	17.25	10.59	1.629	ok	1.629	1.569-1.689
Methylene chloride	2.42	3.34	0.725	ok	0.725	0.665-0.785
Methyl ethyl ketone	3.04	3.34	0.910	ok	0.911	0.851-0.971
Methyl Isobutyl Ketone	6.47	4.74	1.365	ok	1.367	1.307-1.427
Methyl Tert Butyl Ether	2.89	3.34	0.865	ok	0.865	0.805-0.925
Methylmethacrylate	5.69	4.74	1.200	ok	1.201	1.141-1.261
Naphthalene	18.53	10.59	1.750	ok	1.750	1.690-1.810
Nonane	14.11	10.59	1.332	ok	1.331	1.271-1.391
Octane	9.57	4.74	2.019	ok	2.020	1.960-2.080
Pentane	2.30	3.34	0.689	ok	0.689	0.629-0.749
n-Propylbenzene	15.87	10.59	1.499	ok	1.498	1.438-1.558

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1125-IC1125	6W26448.D	10/19/22 19:10	TCH	0.04	GCMS6W	TO-15	
V6W1125-IC1125	6W26449.D	10/19/22 19:43	TCH	0.1	GCMS6W	TO-15	
V6W1125-IC1125	6W26450.D	10/19/22 20:15	TCH	0.2	GCMS6W	TO-15	
V6W1125-IC1125	6W26451.D	10/19/22 20:47	TCH	0.5	GCMS6W	TO-15	
V6W1125-IC1125	6W26453.D	10/19/22 21:52	TCH	5	GCMS6W	TO-15	
V6W1125-ICC1125	6W26454.D	10/19/22 22:25	TCH	10	GCMS6W	TO-15	
V6W1125-IC1125	6W26455.D	10/19/22 22:57	TCH	20	GCMS6W	TO-15	
V6W1125-IC1125	6W26456.D	10/19/22 23:29	TCH	40	GCMS6W	TO-15	
V6W1125-IC1125	6W26457.D	10/20/22 00:03	TCH	50	GCMS6W	TO-15	Reporting this level

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.71	3.34	0.512	ok	0.512	0.452-0.572
Styrene	12.76	10.59	1.205	ok	1.204	1.144-1.264
1,1,1-Trichloroethane	4.05	3.34	1.213	ok	1.212	1.152-1.272
1,1,1,2-Tetrachloroethane	10.69	10.59	1.009	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	13.00	10.59	1.228	ok	1.227	1.167-1.287
1,1,2-Trichloroethane	7.24	4.74	1.527	ok	1.528	1.468-1.588
1,2,4-Trichlorobenzene	18.49	10.59	1.746	ok	1.746	1.686-1.806
1,2,3-Trichloropropane	13.29	10.59	1.255	ok	1.253	1.193-1.313
1,2,3-Trimethylbenzene	17.19	10.59	1.623	ok	1.623	1.563-1.683
1,2,4-Trimethylbenzene	16.81	10.59	1.587	ok	1.587	1.527-1.647
1,3,5-Trimethylbenzene	16.36	10.59	1.545	ok	1.545	1.485-1.605
2,2,4-Trimethylpentane	5.45	4.74	1.150	ok	1.151	1.091-1.211
Tertiary Butyl Alcohol	2.39	3.34	0.716	ok	0.719	0.659-0.779
Tetrachloroethylene	9.42	4.74	1.987	ok	1.989	1.929-2.049
Tetrahydrofuran	3.65	3.34	1.093	ok	1.094	1.034-1.154
Toluene	7.62	4.74	1.608	ok	1.609	1.549-1.669
Trichloroethylene	5.35	4.74	1.129	ok	1.130	1.070-1.190
Trichlorofluoromethane	2.19	3.34	0.656	ok	0.656	0.596-0.716
Vinyl chloride	1.83	3.34	0.548	ok	0.548	0.488-0.608
Vinyl Acetate	2.93	3.34	0.877	ok	0.877	0.817-0.937
m,p-Xylene	12.02	10.59	1.135	ok	1.135	1.075-1.195
o-Xylene	12.97	10.59	1.225	ok	1.224	1.164-1.284

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.34	ok	3.34	3.01-3.67	49484	ok	48058	28835-67281
1,4-Difluorobenzene	4.74	ok	4.73	4.40-5.06	256894	ok	240724	144434-337014
Chlorobenzene-D5	10.59	ok	10.59	10.26-10.92	229830	ok	213567	128140-298994

Surrogate Recovery Summary

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Method: TO-15 **Matrix:** AIR

Samples and QC shown here apply to the above method

Lab Sample ID	Lab File ID	S1
JD54338-1	6W26868.D	97
JD54338-1	6W26841.D	99
JD54338-2	6W26842.D	98
JD53652-1DUP	6W26834.D	99
JD54423-15DUP	6W26872.D	99
V2W2734-SCC	2W61625.D	93
V6W1083-SCC	6W25452.D	93
V6W1137-BS	6W26824.D	101
V6W1137-BSD	6W26825.D	102
V6W1137-MB	6W26830.D	98
V6W1138-BS	6W26864.D	102
V6W1138-BSD	6W26865.D	100
V6W1138-MB	6W26867.D	98
V2W2734-BS	2W61612.D	101
V2W2734-BSD	2W61613.D	100
V2W2734-MB	2W61615.D	96
V6W1083-BS	6W25440.D	96
V6W1083-BSD	6W25441.D	96
V6W1083-MB	6W25444.D	94

Surrogate Compounds	Recovery Limits
S1 = 4-Bromofluorobenzene	65-128%

Initial Calibration Summary

Job Number: JD54338 **Sample:** V2W2709-ICC2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61016.D
Project: EPT, Ithaca, NY

Response Factor Report MS2W

Method : C:\msdchem\1\METHODS\M2W2709.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
Last Update : Wed Aug 24 16:16:55 2022
Response via : Initial Calibration

Calibration Files
0.5 =2w61013.D 0.2 =2w61012.D 40 =2w61018.D 0.04=2w61010.D
5 =2w61015.D 10 =2w61016.D 20 =2w61017.D 0.1 =2w61011.D
50 =2w61019.D =

Compound	0.5	0.2	40	0.04	5	10	20	0.1	50	Avg	%RSD
1) I BROMOCHLOROMETHANE	ISTD										
2) FREON 115										0.000	-1.00
3) FREON 152A	0.838	0.825	0.806	0.879	0.869	0.830	0.863	0.815		0.841	3.17
4) CHLORODIFLUOROMETHANE	0.372	0.363	0.362	0.399	0.399	0.373	0.348	0.372		0.373	4.71
5) CHLOROTRIFLUOROETHENE	2.153	2.129	2.081	2.302	2.239	2.145	2.142	2.092		2.160	3.44
6) DICHLORODIFLUOROMETHANE	4.762	4.819	4.906	5.202	5.120	4.926	5.171	4.897		4.975	3.35
7) PROPYLENE	0.914	0.967	0.834	0.972	0.928	0.871	1.162	0.865		0.939	10.91
8) 1-CHLORO-1,1-DIFLUOROETHANE	3.571	3.624	3.719	3.900	3.869	3.704	3.759	3.819		3.746	3.06
9) FREON 114	4.333	4.434	4.426	4.704	4.590	4.410	4.427	4.525		4.481	2.65
10) CHLOROMETHANE	0.506	0.550	0.451	0.514	0.494	0.470	0.572	0.452		0.501	8.74
11) VINYL CHLORIDE	1.663	1.686	1.644	1.860	1.810	1.702	1.894	1.665		1.740	5.66
12) 1,3-BUTADIENE	1.366	1.370	1.281	1.439	1.397	1.310	1.299	1.289		1.344	4.28
13) N-BUTANE	2.269	2.553	2.107	2.376	2.259	2.147	2.874	2.138		2.340	11.13
14) BROMOMETHANE	1.503	1.613	1.479	1.640	1.587	1.512	1.744	1.500		1.572	5.81
15) CHLOROETHANE	0.903	0.856	0.907	1.013	0.976	0.923	0.968	0.902		0.931	5.44
16) DICHLOROFLUOROMETHANE	3.598	3.694	3.583	3.922	3.830	3.629	3.741	3.638		3.704	3.24
17) ACETONITRILE	1.365	1.494	1.251	1.429	1.376	1.297	1.656	1.264		1.391	9.73
18) ACROLEIN	0.319	0.337	0.744	0.842	0.810	0.772	0.330	0.758		0.614	38.79
19) FREON 123	3.923	3.981	4.088	4.370	4.246	4.078	4.038	4.209		4.117	3.60
20) FREON 123A	2.244	2.227	2.340	2.508	2.458	2.356	2.519	2.399		2.381	4.67
21) TRICHLOROFLUOROMETHANE	4.929	4.902	5.160	5.621	5.405	5.201	4.954	5.246		5.177	4.86
22) ISOPROPYL ALCOHOL	4.300	4.269	3.712	4.118	3.969	3.743	5.126	3.820		4.132	11.16
23) ACETONE											

Initial Calibration Summary

Job Number: JD54338 **Sample:** V2W2709-ICC2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61016.D
Project: EPT, Ithaca, NY

	1.566	1.798	1.023	1.159	1.103	1.038	1.821	1.034	1.318	26.64
24)	PENTANE									
	2.200	2.462	2.047	2.324	2.206	2.070	2.693	2.112	2.264	9.77
25)	IODOMETHANE									
	4.826	4.903	4.952	5.421	5.220	4.997	5.092	5.077	5.061	3.75
26)	1,1-DICHLOROETHYLENE									
	1.840	1.956	1.925	2.169	2.055	1.953	2.020	1.978	1.987	4.91
27)	CARBON DISULFIDE									
	5.500	5.433	6.228	6.322	6.234	6.009	5.668	6.481	5.984	6.69
28)	ETHANOL									
	0.938	1.040	0.635	0.703	0.683	0.640	1.231	0.638	0.813	28.02
29)	BROMOETHENE									
	1.567	1.573	1.591	1.739	1.702	1.612	1.461	1.603	1.606	5.30
30)	ACRYLONITRILE									
	1.532	1.618	1.471	1.706	1.642	1.514	1.508	1.496	1.561	5.35
31)	METHYLENE CHLORIDE									
	2.181	2.729	1.734	2.004	1.907	1.773	3.559	1.755	2.205	28.94
32)	3-CHLOROPROPENE									
	1.089	1.098	0.947	1.054	1.007	0.955	1.032	0.974	1.020	5.73
33)	FREON 113									
	3.110	3.182	3.390	3.562	3.457	3.346	3.225	3.519	3.349	4.89
34)	TRANS-1,2-DICHLOROETHENE									
	1.598	1.652	1.617	1.790	1.709	1.623	1.626	1.623	1.655	3.87
35)	TERTIARY BUTYL ALCOHOL									
	4.966	5.245	5.039	5.455	5.245	5.002	5.464	5.234	5.206	3.70
36)	METHYL TERTIARY BUTYL ETHER									
	4.108	4.159	4.200	4.533	4.346	4.204	4.399	4.339	4.286	3.32
37)	TETRAHYDROFURAN									
	0.701	0.710	0.734	0.821	0.801	0.754	0.522	0.740	0.723	12.60
38)	HEXANE									
	2.686	2.707	2.983	3.064	2.974	2.883	2.733	3.087	2.890	5.61
39)	VINYL ACETATE									
	0.394	0.330	0.442	0.438	0.451	0.444	0.310	0.449	0.407	14.02
40)	1,1-DICHLOROETHANE									
	2.855	3.072	2.888	3.174	3.050	2.919	2.786	2.946	2.961	4.32
41)	METHYL ETHYL KETONE									
	0.705	0.708	0.754	0.840	0.800	0.775	0.541	0.768	0.736	12.32
42)	CIS-1,2-DICHLOROETHENE									
	1.764	1.801	1.686	1.898	1.824	1.751	1.766	1.722	1.776	3.66
43)	DIISOPROPYL ETHER									
	0.751	0.796	0.884	0.896	0.872	0.856	0.797	0.918	0.846	6.91
44)	ETHYL ACETATE									
	0.516	0.501	0.624	0.641	0.616	0.602		0.646	0.592	9.99
45)	METHYL ACRYLATE									
	3.029	2.824	3.666	3.700	3.647	3.541	2.972	3.806	3.398	11.44
46)	CHLOROFORM									
	3.475	3.504	3.589	3.867	3.695	3.565	3.587	3.673	3.619	3.44
47)	2,4-DIMETHYLPENTANE									
	3.337	3.430	3.242	3.600	3.413	3.267	3.345	3.303	3.367	3.39
48)	1,1,1-TRICHLOROETHANE									
	3.364	3.500	3.611	3.841	3.752	3.656	3.447	3.706	3.609	4.50
49)	CARBON TETRACHLORIDE									
	3.168	3.172	3.789	3.823	3.833	3.765	3.166	3.894	3.576	9.49
50)	1,2-DICHLOROETHANE									
	2.487	2.397	2.374	2.626	2.541	2.417	2.316	2.454	2.451	4.03
51)	BENZENE									
	5.070	5.326	4.919	5.498	5.233	5.030	5.280	4.976	5.167	3.86
52)	I 1,4-DIFLUOROBENZENE	----------	ISTD	----------						
53)	CYCLOHEXANE									

Initial Calibration Summary

Job Number: JD54338 **Sample:** V2W2709-ICC2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61016.D
Project: EPT, Ithaca, NY

```
          0.413 0.424 0.411       0.449 0.433 0.413 0.416 0.418   0.422    3.07
54)  2,3-DIMETHYLPENTANE
          0.204 0.196 0.207       0.222 0.215 0.206 0.195 0.212   0.207    4.37
55)  TRICHLOROETHENE
          0.425 0.404 0.447 0.320 0.470 0.457 0.442 0.394 0.457   0.424   10.95
56)  1,2-DICHLOROPROPANE
          0.373 0.374 0.377       0.402 0.387 0.374 0.383 0.383   0.382    2.57
57)  DIBROMOMETHANE
          0.444 0.444 0.423       0.448 0.432 0.419 0.449 0.429   0.436    2.71
58)  ETHYL ACRYLATE
          0.578 0.569 0.802       0.813 0.790 0.773 0.587 0.827   0.717   16.27
59)  BROMODICHLOROMETHANE
          0.630 0.616 0.749       0.748 0.747 0.729 0.617 0.763   0.700    9.43
60)  2,2,4-TRIMETHYLPENTANE
          1.662 1.696 1.665       1.773 1.700 1.631 1.683 1.706   1.689    2.47
61)  1,4-DIOXANE
          0.201 0.172 0.211       0.219 0.210 0.206       0.215   0.205    7.62
62)  HEPTANE
          0.497 0.540 0.529       0.557 0.532 0.512 0.539 0.549   0.532    3.66
63)  METHYL METHACRYLATE
          0.259 0.259 0.355       0.372 0.363 0.350 0.288 0.361   0.326   14.90
64)  METHYL ISOBUTYL KETONE
          0.203 0.208 0.307       0.322 0.312 0.300 0.211 0.315   0.272   19.93
65)  CIS-1,3-DICHLOROPROPENE
          0.454 0.430 0.559       0.555 0.546 0.541 0.390 0.571   0.506   13.83
66)  TOLUENE
          1.160 1.113 1.205       1.264 1.238 1.195 1.241 1.228   1.206    4.09
67)  1,3-DICHLOROPROPANE
          0.534 0.533 0.582       0.613 0.600 0.574 0.554 0.592   0.573    5.20
68)  TRANS-1,3-DICHLOROPROPENE
          0.374 0.327 0.526       0.487 0.503 0.502 0.371 0.538   0.453   18.09
69)  1,1,2-TRICHLOROETHANE
          0.362 0.326 0.356       0.377 0.361 0.351 0.332 0.360   0.353    4.74
70)  2-HEXANONE
          0.085 0.075 0.384       0.381 0.382 0.373 0.062 0.394   0.267   59.92
           ----- Linear regression -----  Coefficient =  0.9996
             Response Ratio = -0.01215 + 0.39178 *A

71)  ETHYL METHACRYLATE
          0.330 0.303 0.568       0.564 0.571 0.557 0.326 0.580   0.475   27.13
72)  TETRACHLOROETHENE
          0.486 0.496 0.471 0.463 0.498 0.491 0.469 0.493 0.478   0.483    2.66
73)  DIBROMOCHLOROMETHANE
          0.550 0.528 0.791       0.752 0.768 0.766 0.537 0.809   0.688   18.18
74)  1,2-DIBROMOETHANE
          0.595 0.567 0.673       0.701 0.690 0.667 0.569 0.684   0.643    8.76
75)  OCTANE
          0.678 0.680 0.729       0.761 0.734 0.709 0.674 0.751   0.715    4.81

76) I   CHLOROBENZENE-D5      ----------------ISTD--------------------
77)  1,1,1,2-TETRACHLOROETHANE
          0.454 0.469 0.594       0.579 0.573 0.568 0.489 0.608   0.542   11.21
78)  CHLOROBENZENE
          1.037 1.051 1.098       1.127 1.093 1.060 1.024 1.108   1.075    3.44
79)  ETHYLBENZENE
          1.660 1.581 1.764       1.856 1.775 1.716 1.568 1.783   1.713    5.96
80)  M,P-XYLENE
          1.240 1.186 1.347       1.415 1.362 1.309 1.201 1.364   1.303    6.48
81)  O-XYLENE
          1.223 1.258 1.393       1.437 1.388 1.340 1.201 1.417   1.332    6.94
```

Initial Calibration Summary

Job Number: JD54338 **Sample:** V2W2709-ICC2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61016.D
Project: EPT, Ithaca, NY

82)	STYRENE										
	0.838	0.779	1.051	1.079	1.060	1.019	0.732	1.067	0.953	15.20
83)	NONANE										
	0.795	0.771	0.846	0.868	0.834	0.800	0.796	0.869	0.822	4.50
84)	BROMOFORM										
	0.451	0.392	0.829	0.748	0.771	0.782		0.850	0.689	27.08
85)	1,1,2,2-TETRACHLOROETHANE										
	0.942	0.925	1.030	1.054	1.021	0.987	0.920	1.050	0.991	5.60
86)	1,2,3-TRICHLOROPROPANE										
	0.728	0.674	0.736	0.779	0.746	0.711	0.693	0.750	0.727	4.65
87)	4-BROMOFLUOROBENZENE										
	0.661	0.647	0.681	0.648	0.673	0.673	0.666	0.651	0.692	0.666	2.34
88)	ISOPROPYLBENZENE										
	0.531	0.523	0.582	0.616	0.588	0.566	0.521	0.590	0.565	6.33
89)	BROMOBENZENE										
	0.915	0.859	0.948	0.987	0.950	0.915	0.835	0.967	0.922	5.70
90)	2-CHLOROTOLUENE										
	0.469	0.424	0.489	0.516	0.492	0.479	0.428	0.498	0.474	6.92
91)	N-PROPYLBENZENE										
	0.495	0.447	0.552	0.577	0.558	0.538	0.423	0.561	0.519	11.10
92)	4-ETHYLTOLUENE										
	1.751	1.576	2.103	2.113	2.039	2.004	1.555	2.152	1.912	12.89
93)	1,3,5-TRIMETHYLBENZENE										
	1.453	1.357	1.755	1.748	1.681	1.665	1.306	1.797	1.595	12.13
94)	ALPHA-METHYLSTYRENE										
	0.537	0.491	0.777	0.775	0.745	0.736	0.513	0.795	0.671	19.73
95)	TERT-BUTYLBENZENE										
	0.356	0.358	0.463	0.442	0.427	0.424	0.312	0.482	0.408	14.57
96)	1,2,4-TRIMETHYLBENZENE										
	1.466	1.362	2.000	1.823	1.764	1.806	1.339	2.080	1.705	16.65
97)	BENZYL CHLORIDE										
	0.553	0.489	1.443	1.001	1.134	1.265		1.505	1.056	38.24
98)	M-DICHLOROBENZENE										
	1.019	0.948	1.230	1.229	1.163	1.159	0.954	1.263	1.121	11.43
99)	P-DICHLOROBENZENE										
	1.035	0.926	1.250	1.226	1.176	1.173	1.022	1.279	1.136	11.11
100)	O-DICHLOROBENZENE										
	0.969	0.965	1.235	1.161	1.117	1.125	0.950	1.303	1.103	11.94
101)	SEC-BUTYLBENZENE										
	0.436	0.480	0.561	0.552	0.522	0.519	0.402	0.585	0.507	12.49
102)	1,2,3-TRIMETHYLBENZENE										
	1.423	1.351	1.809	1.771	1.690	1.694	1.312	1.851	1.613	13.41
103)	P-ISOPROPYLTOLUENE										
	0.479	0.471	0.646	0.581	0.575	0.580	0.447	0.690	0.559	15.50
104)	N-BUTYLBENZENE										
	0.428	0.395	0.615	0.553	0.542	0.547	0.399	0.654	0.517	19.07
105)	HEXACHLOROETHANE										
	0.370	0.361	0.824	0.634	0.665	0.709		0.868	0.633	31.73
106)	HEXACHLOROBUTADIENE										
	0.745	0.666	1.121	0.798	0.803	0.846	0.647	1.299	0.866	26.34
107)	1,2,4-TRICHLOROBENZENE										
	0.758	0.662	1.172	0.909	0.933	0.979	0.581	1.314	0.914	27.13
108)	NAPHTHALENE										
	1.746	1.430	2.909	2.216	2.325	2.453		3.260	2.334	26.98

(#) = Out of Range ### Number of calibration levels exceeded format ###

M2W2709.M Wed Aug 24 16:24:15 2022 GCMS2W

Initial Calibration Verification

Job Number: JD54338 **Sample:** V2W2709-ICV2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61022.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\2w61022.D Vial: 4
Acq On : 19 Aug 2022 6:00 pm Operator: thomash
Sample : icv2709-10 Inst : MS2W
Misc : MS61038,V2w2709,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\methods\M2W2709.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
Last Update : Wed Aug 24 16:16:55 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.33min
Max. RRF Dev : 30% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	BROMOCHLOROMETHANE	1.000	1.000	0.0	101	0.00	3.61
2	T	FREON 115	0.000	0.799	0.0	0#	0.00	1.80
3	T	FREON 152A	0.841	0.802	4.6	94	0.00	1.85
4	T	CHLORODIFLUOROMETHANE	0.373	0.359	3.8	91	0.00	1.86
5	T	CHLOROTRIFLUOROETHENE	2.160	2.085	3.5	94	0.00	1.88
6	T	DICHLORODIFLUOROMETHANE	4.975	4.731	4.9	94	0.00	1.90
7	T	PROPYLENE	0.939	0.869	7.5	95	0.00	1.87
8	T	1-CHLORO-1,1-DIFLUOROETHA	3.746	3.571	4.7	94	0.00	1.95
9	T	FREON 114	4.481	4.236	5.5	94	0.00	1.99
10	T	CHLOROMETHANE	0.501	0.453	9.6	93	0.00	1.96
11	T	VINYL CHLORIDE	1.740	1.663	4.4	93	0.00	2.04
12	t	1,3-BUTADIENE	1.344	1.273	5.3	93	0.00	2.09
13	T	N-BUTANE	2.340	2.101	10.2	94	0.00	2.11
14	T	BROMOMETHANE	1.572	1.470	6.5	94	0.00	2.19
15	T	CHLOROETHANE	0.931	0.924	0.8	96	0.00	2.25
16	T	DICHLOROFLUOROMETHANE	3.704	3.487	5.9	92	0.00	2.28
17	T	ACETONITRILE	1.391	1.239	10.9	91	0.00	2.37
18	T	ACROLEIN	0.614	0.815	-32.7#	102	0.00	2.42
19	T	FREON 123	4.117	4.016	2.5	96	0.00	2.43
20	T	FREON 123A	2.381	2.491	-4.6	103	0.00	2.45
21	T	TRICHLOROFLUOROMETHANE	5.177	5.003	3.4	94	0.00	2.52
22	T	ISOPROPYL ALCOHOL	4.132	3.615	12.5	92	0.00	2.53
23	T	ACETONE	1.318	0.972	26.3	89	0.00	2.46
24	T	PENTANE	2.264	2.016	11.0	93	0.00	2.63
25	T	IODOMETHANE	5.061	4.918	2.8	96	0.00	2.69
26	T	1,1-DICHLOROETHYLENE	1.987	1.876	5.6	93	0.00	2.71
27	T	CARBON DISULFIDE	5.984	5.333	10.9	87	0.00	2.84
28	T	ETHANOL	0.813	0.714	12.2	106	0.00	2.29
29	T	BROMOETHENE	1.606	1.553	3.3	93	0.00	2.38
30	T	ACRYLONITRILE	1.561	1.457	6.7	90	0.00	2.60
31	T	METHYLENE CHLORIDE	2.205	1.726	21.7	92	0.00	2.75
32	T	3-CHLOROPROPENE	1.020	0.940	7.8	95	0.00	2.79
33	T	FREON 113	3.349	3.141	6.2	92	0.00	2.84
34	T	TRANS-1,2-DICHLOROETHENE	1.655	1.581	4.5	94	0.00	3.08
35	T	TERTIARY BUTYL ALCOHOL	5.206	4.523	13.1	87	0.00	2.72
36	t	METHYL TERTIARY BUTYL ETH	4.286	4.168	2.8	97	0.00	3.19
37	T	TETRAHYDROFURAN	0.723	0.750	-3.7	95	0.00	3.90
38	T	HEXANE	2.890	2.847	1.5	97	0.00	3.66
39	T	VINYL ACETATE	0.407	0.441	-8.4	99	0.00	3.23
40	T	1,1-DICHLOROETHANE	2.961	2.914	1.6	97	0.00	3.16
41	T	METHYL ETHYL KETONE	0.736	0.790	-7.3	100	0.00	3.33
42	T	CIS-1,2-DICHLOROETHENE	1.776	1.721	3.1	96	0.00	3.53

Initial Calibration Verification

Job Number: JD54338 **Sample:** V2W2709-ICV2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61022.D
Project: EPT, Ithaca, NY

43	T	DIISOPROPYL ETHER	0.846	0.835	1.3	97	0.00	3.67
44	T	ETHYL ACETATE	0.592	0.595	-0.5	98	0.00	3.67
45	T	METHYL ACRYLATE	3.398	3.436	-1.1	96	0.00	3.66
46	T	CHLOROFORM	3.619	3.446	4.8	95	0.00	3.69
47	T	2,4-DIMETHYLPENTANE	3.367	3.239	3.8	96	0.00	4.19
48	T	1,1,1-TRICHLOROETHANE	3.609	3.571	1.1	97	0.00	4.28
49	T	CARBON TETRACHLORIDE	3.576	3.661	-2.4	97	0.00	4.71
50	T	1,2-DICHLOROETHANE	2.451	2.434	0.7	97	0.00	4.11
51	t	BENZENE	5.167	5.034	2.6	98	0.00	4.60
52	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	102	0.00	4.93
53	T	CYCLOHEXANE	0.422	0.410	2.8	97	0.00	4.81
54	T	2,3-DIMETHYLPENTANE	0.207	0.206	0.5	98	0.00	5.07
55	T	TRICHLOROETHENE	0.424	0.432	-1.9	97	0.00	5.52
56	T	1,2-DICHLOROPROPANE	0.382	0.365	4.5	97	0.00	5.28
57	T	DIBROMOMETHANE	0.436	0.408	6.4	97	0.00	5.24
58	T	ETHYL ACRYLATE	0.717	0.769	-7.3	100	0.00	5.40
59	T	BROMODICHLOROMETHANE	0.700	0.697	0.4	95	0.00	5.46
60	T	2,2,4-TRIMETHYLPENTANE	1.689	1.611	4.6	97	0.00	5.62
61	T	1,4-DIOXANE	0.205	0.223	-8.8	109	0.00	5.53
62	T	HEPTANE	0.532	0.506	4.9	97	0.00	5.94
63	T	METHYL METHACRYLATE	0.326	0.348	-6.7	98	0.00	5.83
64	T	METHYL ISOBUTYL KETONE	0.272	0.321	-18.0	105	0.00	6.57
65	T	CIS-1,3-DICHLOROPROPENE	0.506	0.561	-10.9	105	0.00	6.47
66	T	TOLUENE	1.206	1.177	2.4	97	0.00	7.70
67	T	1,3-DICHLOROPROPANE	0.573	0.562	1.9	96	0.00	7.76
68	T	TRANS-1,3-DICHLOROPROPENE	0.453	0.484	-6.8	99	0.00	7.16
69	T	1,1,2-TRICHLOROETHANE	0.353	0.341	3.4	96	0.00	7.32
		----------	True	Calc.	% Drift	----------		
70	T	2-HEXANONE	10.000	11.064	-10.6	113	0.00	8.26
		----------	AvgRF	CCRF	% Dev	----------		
71	T	ETHYL METHACRYLATE	0.475	0.574	-20.8	103	0.00	8.40
72	T	TETRACHLOROETHENE	0.483	0.464	3.9	97	0.00	9.45
73	T	DIBROMOCHLOROMETHANE	0.688	0.725	-5.4	97	0.00	8.24
74	T	1,2-DIBROMOETHANE	0.643	0.661	-2.8	98	0.00	8.59
75	T	OCTANE	0.715	0.695	2.8	97	0.00	9.59
76	I	CHLOROBENZENE-D5	1.000	1.000	0.0	100	0.00	10.59
77	T	1,1,1,2-TETRACHLOROETHANE	0.542	0.558	-3.0	98	0.00	10.67
78	T	CHLOROBENZENE	1.075	1.071	0.4	98	0.00	10.66
79	t	ETHYLBENZENE	1.713	1.721	-0.5	97	0.00	11.55
80	t	M,P-XYLENE	1.303	1.328	-1.9	98	0.00	11.98
81	t	O-XYLENE	1.332	1.363	-2.3	98	0.00	12.92
82	T	STYRENE	0.953	1.064	-11.6	100	0.00	12.70
83	T	NONANE	0.822	0.811	1.3	97	0.00	14.03
84	T	BROMOFORM	0.689	0.778	-12.9	101	0.00	11.79
85	T	1,1,2,2-TETRACHLOROETHANE	0.991	1.000	-0.9	98	0.00	12.92
86	T	1,2,3-TRICHLOROPROPANE	0.727	0.718	1.2	96	0.00	13.21
87	S	4-BROMOFLUOROBENZENE	0.666	0.681	-2.3	101	0.00	13.96
88	T	ISOPROPYLBENZENE	0.565	0.520	8.0	89	0.00	14.44
89	T	BROMOBENZENE	0.922	0.913	1.0	96	0.00	14.31
90	T	2-CHLOROTOLUENE	0.474	0.484	-2.1	99	0.00	15.44
91	T	N-PROPYLBENZENE	0.519	0.541	-4.2	97	0.00	15.78
92	T	4-ETHYLTOLUENE	1.912	2.021	-5.7	99	0.00	16.15
93	T	1,3,5-TRIMETHYLBENZENE	1.595	1.676	-5.1	100	0.00	16.30
94	T	ALPHA-METHYLSTYRENE	0.671	0.861	-28.3	116	0.00	16.50
95	T	TERT-BUTYLBENZENE	0.408	0.417	-2.2	98	0.00	16.76
96	T	1,2,4-TRIMETHYLBENZENE	1.705	1.774	-4.0	101	0.00	16.77

Initial Calibration Verification

Job Number: JD54338 **Sample:** V2W2709-ICV2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61022.D
Project: EPT, Ithaca, NY

97	T	BENZYL CHLORIDE	1.056	1.208	-14.4	107	0.00	16.85
98	T	M-DICHLOROBENZENE	1.121	1.163	-3.7	100	0.00	16.83
99	T	P-DICHLOROBENZENE	1.136	1.177	-3.6	100	0.00	16.91
100	T	O-DICHLOROBENZENE	1.103	1.126	-2.1	101	0.00	17.21
101	T	SEC-BUTYLBENZENE	0.507	0.513	-1.2	98	0.00	17.04
102	T	1,2,3-TRIMETHYLBENZENE	1.613	1.680	-4.2	100	0.00	17.15
103	T	P-ISOPROPYLTOLUENE	0.559	0.565	-1.1	98	0.00	17.22
104	T	N-BUTYLBENZENE	0.517	0.549	-6.2	101	0.00	17.57
105	T	HEXACHLOROETHANE	0.633	0.682	-7.7	103	0.00	17.74
106	T	HEXACHLOROBUTADIENE	0.866	0.818	5.5	102	0.00	18.79
107	T	1,2,4-TRICHLOROBENZENE	0.914	0.983	-7.5	106	0.00	18.48
108	T	NAPHTHALENE	2.334	2.276	2.5	98	0.00	18.53

(#) = Out of Range SPCC's out = 0 CCC's out = 0
2w61016.D M2W2709.M Wed Aug 24 20:27:06 2022

Continuing Calibration Summary

Job Number: JD54338 **Sample:** V2W2734-CC2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61611.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\2w61611.D Vial: 2
Acq On : 27 Sep 2022 7:58 am Operator: thomash
Sample : cc2709-10 Inst : MS2W
Misc : MS62367,V2w2734,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\METHODS\M2W2709.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
Last Update : Wed Aug 24 16:16:55 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.33min
Max. RRF Dev : 30% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	BROMOCHLOROMETHANE	1.000	1.000	0.0	116	0.00	3.61
2	T	FREON 115	0.000	1.215	0.0	0#	0.00	1.80
3	T	FREON 152A	0.841	0.838	0.4	111	0.00	1.84
4	T	CHLORODIFLUOROMETHANE	0.373	0.366	1.9	106	0.00	1.86
5	T	CHLOROTRIFLUOROETHENE	2.160	1.942	10.1	100	0.00	1.88
6	T	DICHLORODIFLUOROMETHANE	4.975	4.793	3.7	108	0.00	1.90
7	T	PROPYLENE	0.939	0.769	18.1	96	0.00	1.87
8	T	1-CHLORO-1,1-DIFLUOROETHA	3.746	3.849	-2.7	115	0.00	1.95
9	T	FREON 114	4.481	4.496	-0.3	113	0.00	1.99
10	T	CHLOROMETHANE	0.501	0.444	11.4	104	0.00	1.95
11	T	VINYL CHLORIDE	1.740	1.908	-9.7	122	0.00	2.04
12	t	1,3-BUTADIENE	1.344	1.300	3.3	108	0.00	2.09
13	T	N-BUTANE	2.340	2.015	13.9	103	0.00	2.11
14	T	BROMOMETHANE	1.572	1.492	5.1	109	0.00	2.19
15	T	CHLOROETHANE	0.931	1.020	-9.6	121	0.00	2.25
16	T	DICHLOROFLUOROMETHANE	3.704	3.852	-4.0	116	0.00	2.28
17	T	ACETONITRILE	1.391	1.212	12.9	102	0.00	2.37
18	T	ACROLEIN	0.614	0.881	-43.5#	126	0.00	2.42
19	T	FREON 123	4.117	4.289	-4.2	117	0.00	2.43
20	T	FREON 123A	2.381	2.312	2.9	109	0.00	2.45
21	T	TRICHLOROFLUOROMETHANE	5.177	5.424	-4.8	116	0.00	2.52
22	T	ISOPROPYL ALCOHOL	4.132	3.756	9.1	109	0.00	2.53
23	T	ACETONE	1.318	1.061	19.5	111	0.00	2.46
24	T	PENTANE	2.264	2.230	1.5	117	0.00	2.63
25	T	IODOMETHANE	5.061	5.077	-0.3	113	0.00	2.69
26	T	1,1-DICHLOROETHYLENE	1.987	2.168	-9.1	122	0.00	2.71
27	T	CARBON DISULFIDE	5.984	7.087	-18.4	132	0.00	2.85
28	T	ETHANOL	0.813	0.597	26.6	101	0.00	2.29
29	T	BROMOETHENE	1.606	1.596	0.6	108	0.00	2.38
30	T	ACRYLONITRILE	1.561	1.681	-7.7	118	0.00	2.61
31	T	METHYLENE CHLORIDE	2.205	2.086	5.4	127	0.00	2.75
32	T	3-CHLOROPROPENE	1.020	1.109	-8.7	127	0.00	2.79
33	T	FREON 113	3.349	3.393	-1.3	114	0.00	2.85
34	T	TRANS-1,2-DICHLOROETHENE	1.655	1.630	1.5	110	0.00	3.08
35	T	TERTIARY BUTYL ALCOHOL	5.206	5.135	1.4	113	0.00	2.72
36	t	METHYL TERTIARY BUTYL ETH	4.286	3.855	10.1	103	0.00	3.19
37	T	TETRAHYDROFURAN	0.723	0.766	-5.9	111	0.00	3.91
38	T	HEXANE	2.890	2.918	-1.0	113	0.00	3.67
39	T	VINYL ACETATE	0.407	0.424	-4.2	109	0.00	3.23
40	T	1,1-DICHLOROETHANE	2.961	3.257	-10.0	124	0.00	3.16
41	T	METHYL ETHYL KETONE	0.736	0.794	-7.9	115	0.00	3.33
42	T	CIS-1,2-DICHLOROETHENE	1.776	1.706	3.9	108	0.00	3.53

Continuing Calibration Summary

Job Number: JD54338 **Sample:** V2W2734-CC2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61611.D
Project: EPT, Ithaca, NY

43	T	DIISOPROPYL ETHER	0.846	0.881	-4.1	117	0.00	3.67
44	T	ETHYL ACETATE	0.592	0.651	-10.0	122	0.00	3.67
45	T	METHYL ACRYLATE	3.398	3.468	-2.1	110	0.00	3.66
46	T	CHLOROFORM	3.619	3.557	1.7	111	0.00	3.69
47	T	2,4-DIMETHYLPENTANE	3.367	3.371	-0.1	114	0.00	4.20
48	T	1,1,1-TRICHLOROETHANE	3.609	3.385	6.2	104	0.00	4.28
49	T	CARBON TETRACHLORIDE	3.576	3.438	3.9	104	0.00	4.71
50	T	1,2-DICHLOROETHANE	2.451	2.609	-6.4	119	0.00	4.11
51	t	BENZENE	5.167	5.189	-0.4	115	0.00	4.60
52	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	120	0.00	4.93
53	T	CYCLOHEXANE	0.422	0.393	6.9	109	0.00	4.81
54	T	2,3-DIMETHYLPENTANE	0.207	0.197	4.8	110	0.00	5.07
55	T	TRICHLOROETHENE	0.424	0.408	3.8	107	0.00	5.52
56	T	1,2-DICHLOROPROPANE	0.382	0.391	-2.4	121	0.00	5.28
57	T	DIBROMOMETHANE	0.436	0.368	15.6	102	0.00	5.24
58	T	ETHYL ACRYLATE	0.717	0.728	-1.5	110	0.00	5.40
59	T	BROMODICHLOROMETHANE	0.700	0.692	1.1	111	0.00	5.46
60	T	2,2,4-TRIMETHYLPENTANE	1.689	1.618	4.2	114	0.00	5.61
61	T	1,4-DIOXANE	0.205	0.214	-4.4	122	0.00	5.53
62	T	HEPTANE	0.532	0.444	16.5	100	0.00	5.94
63	T	METHYL METHACRYLATE	0.326	0.333	-2.1	110	0.00	5.83
64	T	METHYL ISOBUTYL KETONE	0.272	0.312	-14.7	120	0.00	6.57
65	T	CIS-1,3-DICHLOROPROPENE	0.506	0.486	4.0	106	0.00	6.48
66	T	TOLUENE	1.206	1.142	5.3	110	0.00	7.70
67	T	1,3-DICHLOROPROPANE	0.573	0.565	1.4	113	0.00	7.76
68	T	TRANS-1,3-DICHLOROPROPENE	0.453	0.415	8.4	99	0.00	7.16
69	T	1,1,2-TRICHLOROETHANE	0.353	0.337	4.5	112	0.00	7.32
		----------	True	Calc.	% Drift	----------		
70	T	2-HEXANONE	10.000	10.721	-7.2	128	0.00	8.26
		----------	AvgRF	CCRF	% Dev	----------		
71	T	ETHYL METHACRYLATE	0.475	0.544	-14.5	114	0.00	8.40
72	T	TETRACHLOROETHENE	0.483	0.421	12.8	103	0.00	9.44
73	T	DIBROMOCHLOROMETHANE	0.688	0.655	4.8	102	0.00	8.24
74	T	1,2-DIBROMOETHANE	0.643	0.601	6.5	104	0.00	8.59
75	T	OCTANE	0.715	0.609	14.8	99	0.00	9.59
76	I	CHLOROBENZENE-D5	1.000	1.000	0.0	117	0.00	10.59
77	T	1,1,1,2-TETRACHLOROETHANE	0.542	0.495	8.7	101	0.00	10.68
78	T	CHLOROBENZENE	1.075	0.971	9.7	104	0.00	10.67
79	t	ETHYLBENZENE	1.713	1.669	2.6	110	0.00	11.55
80	t	M,P-XYLENE	1.303	1.287	1.2	111	0.00	11.98
81	t	O-XYLENE	1.332	1.318	1.1	111	0.00	12.92
82	T	STYRENE	0.953	0.988	-3.7	109	0.00	12.70
83	T	NONANE	0.822	0.713	13.3	100	0.00	14.03
84	T	BROMOFORM	0.689	0.706	-2.5	107	0.00	11.79
85	T	1,1,2,2-TETRACHLOROETHANE	0.991	0.986	0.5	113	0.00	12.93
86	T	1,2,3-TRICHLOROPROPANE	0.727	0.719	1.1	113	0.00	13.21
87	S	4-BROMOFLUOROBENZENE	0.666	0.663	0.5	115	0.00	13.96
88	T	ISOPROPYLBENZENE	0.565	0.468	17.2	93	0.00	14.43
89	T	BROMOBENZENE	0.922	0.897	2.7	111	0.00	14.31
90	T	2-CHLOROTOLUENE	0.474	0.424	10.5	101	0.00	15.44
91	T	N-PROPYLBENZENE	0.519	0.479	7.7	100	0.00	15.78
92	T	4-ETHYLTOLUENE	1.912	1.903	0.5	109	0.00	16.15
93	T	1,3,5-TRIMETHYLBENZENE	1.595	1.574	1.3	110	0.00	16.30
94	T	ALPHA-METHYLSTYRENE	0.671	0.800	-19.2	126	0.00	16.50
95	T	TERT-BUTYLBENZENE	0.408	0.373	8.6	102	0.00	16.76
96	T	1,2,4-TRIMETHYLBENZENE	1.705	1.698	0.4	113	0.00	16.77

Continuing Calibration Summary

Job Number: JD54338 **Sample:** V2W2734-CC2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61611.D
Project: EPT, Ithaca, NY

97	T	BENZYL CHLORIDE	1.056	0.796	24.6	82	0.00	16.85
98	T	M-DICHLOROBENZENE	1.121	1.039	7.3	105	0.00	16.83
99	T	P-DICHLOROBENZENE	1.136	1.041	8.4	104	0.00	16.91
100	T	O-DICHLOROBENZENE	1.103	1.014	8.1	106	0.00	17.20
101	T	SEC-BUTYLBENZENE	0.507	0.458	9.7	103	0.00	17.04
102	T	1,2,3-TRIMETHYLBENZENE	1.613	1.593	1.2	110	0.00	17.15
103	T	P-ISOPROPYLTOLUENE	0.559	0.499	10.7	102	0.00	17.22
104	T	N-BUTYLBENZENE	0.517	0.460	11.0	99	0.00	17.56
105	T	HEXACHLOROETHANE	0.633	0.611	3.5	108	0.00	17.74
106	T	HEXACHLOROBUTADIENE	0.866	0.741	14.4	108	-0.01	18.78
107	T	1,2,4-TRICHLOROBENZENE	0.914	0.812	11.2	102	-0.01	18.47
108	T	NAPHTHALENE	2.334	1.997	14.4	101	-0.01	18.52

(#) = Out of Range SPCC's out = 0 CCC's out = 0
2w61016.D M2W2709.M Tue Sep 27 10:19:21 2022

Initial Calibration Summary

Job Number: JD54338 **Sample:** V6W1077-ICC1077
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 6W25322.D
Project: EPT, Ithaca, NY

Response Factor Report GCMS6W

Method : C:\msdchem\1\methods\M6W1077.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
Last Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration

Calibration Files
0.5 =6W25319.D 0.2 =6W25318.D 40 =6W25324.D 0.04=6W25316.D
5 =6W25321.D 10 =6W25322.D 20 =6W25323.D 0.1 =6W25317.D
50 =6W25325.D =

Compound	0.5	0.2	40	0.04	5	10	20	0.1	50	Avg	%RSD
1) I BROMOCHLOROMETHANE	----------ISTD----------										
2) FREON 115										0.000	-1.00
3) FREON 152A	0.976	0.949	0.813		0.850	0.830	0.849	1.179	0.728	0.897	15.38
4) CHLORODIFLUOROMETHANE	0.378	0.449	0.367		0.382	0.378	0.388	0.554	0.329	0.403	17.18
5) CHLOROTRIFLUOROETHENE	2.162	1.989	1.831		1.863	1.856	1.870	2.401	1.648	1.953	11.91
6) DICHLORODIFLUOROMETHANE	5.209	5.843	3.839		4.772	4.691	4.501	6.139	3.351	4.793	19.59
7) PROPYLENE	1.433	1.576	1.196		1.212	1.208	1.229	1.724	1.063	1.330	16.92
8) 1-CHLORO-1,1-DIFLUOROETHANE	5.377	5.175	4.574	6.687	4.799	4.665	4.780	5.902	4.066	5.114	15.42
9) FREON 114	5.349	5.157	4.764	6.945	4.901	4.760	4.892	5.951	4.246	5.218	15.31
10) CHLOROMETHANE	0.703	0.699	0.571		0.611	0.611	0.603		0.508	0.615	11.15
11) VINYL CHLORIDE	2.306	2.386	1.955	3.266	2.029	1.989	2.061	2.501	1.729	2.247	20.08
12) 1,3-BUTADIENE	1.803	2.039	1.555		1.639	1.606	1.626		1.374	1.663	12.55
13) N-BUTANE	3.653	3.794	3.125	5.851	3.302	3.248	3.281	4.169	2.741	3.685	24.73
14) BROMOMETHANE	1.842	1.850	1.549	2.585	1.647	1.589	1.626	2.162	1.371	1.802	20.55
15) CHLOROETHANE	1.123	1.249	1.003	2.000	1.051	1.024	1.043	1.480	0.875	1.205	28.58
16) DICHLOROFLUOROMETHANE	4.687	4.813	4.215	5.921	4.434	4.270	4.343	5.352	3.736	4.641	14.14
17) ACETONITRILE	2.274	2.748	1.894		2.059	1.974	1.979	2.663	1.667	2.157	17.54
18) ACROLEIN	0.533	0.694	0.753		0.802	0.776	0.796	0.614	0.670	0.705	13.58
19) FREON 123	4.444	4.550	4.013	6.296	4.107	4.046	4.137	5.027	3.574	4.466	17.85
20) FREON 123A	2.486	2.694	2.226	2.821	2.266	2.219	2.273	3.312	1.971	2.474	16.51
21) TRICHLOROFLUOROMETHANE	5.342	5.169	4.762	6.741	4.870	4.752	4.881	5.793	4.247	5.173	14.09
22) ISOPROPYL ALCOHOL	5.449	5.780	4.249		4.606	4.512	4.524		3.828	4.707	14.43
23) ACETONE											

		1.657	1.734	1.140		1.206	1.175	1.179		1.003	1.299	21.50
24)	PENTANE											
		2.580	2.874	2.195	2.848	2.325	2.251	2.313		1.935	2.415	13.55
25)	IODOMETHANE											
		4.678	4.829	4.301	6.114	4.439	4.315	4.413	5.483	3.833	4.712	14.70
26)	1,1-DICHLOROETHYLENE											
		1.820	1.823	1.673	2.815	1.732	1.689	1.732	2.162	1.485	1.881	20.93
27)	CARBON DISULFIDE											
		5.893	5.846	5.426	7.932	5.435	5.353	5.523	6.569	4.829	5.867	15.48
28)	ETHANOL											
		1.473		0.957		1.031	1.011	1.017		0.854	1.057	20.22
29)	BROMOETHENE											
		1.817	1.698	1.570	2.403	1.627	1.599	1.643	2.005	1.404	1.752	16.88
30)	ACRYLONITRILE											
		1.680	1.709	1.473		1.582	1.545	1.555	2.238	1.300	1.635	16.77
31)	METHYLENE CHLORIDE											
		2.176	2.467	1.555		1.656	1.598	1.619		1.364	1.776	22.13
32)	3-CHLOROPROPENE											
		1.048	1.193	0.896	1.475	0.885	0.895	0.924	1.192	0.787	1.033	21.04
33)	FREON 113											
		3.039	3.215	2.892	4.060	2.934	2.839	2.943	3.257	2.587	3.085	13.50
34)	TRANS-1,2-DICHLOROETHENE											
		2.084	2.138	1.848	3.352	1.900	1.871	1.902	2.315	1.639	2.117	23.74
35)	TERTIARY BUTYL ALCOHOL											
		5.054	5.195	4.647	7.529	4.826	4.779	4.860	6.194	4.185	5.252	19.25
36)	METHYL TERTIARY BUTYL ETHER											
		5.873	6.202	5.529	8.790	5.692	5.596	5.708	7.193	4.963	6.172	18.68
37)	TETRAHYDROFURAN											
		0.756	0.721	0.730		0.740	0.736	0.755	0.696	0.645	0.722	5.11
38)	HEXANE											
		2.750	2.872	2.644	3.904	2.628	2.617	2.683	3.334	2.568	2.889	15.46
39)	VINYL ACETATE											
		0.525	0.593	0.525		0.482	0.490	0.538		0.472	0.518	8.03
40)	1,1-DICHLOROETHANE											
		4.208	3.996	3.615	5.529	3.811	3.709	3.763	4.473	3.185	4.032	16.60
41)	METHYL ETHYL KETONE											
		1.078	1.041	0.969		1.016	1.006	1.004	1.168	0.856	1.017	8.74
42)	CIS-1,2-DICHLOROETHENE											
		1.657	1.728	1.911		1.551	1.563	1.570	1.794	1.698	1.684	7.51
43)	DIISOPROPYL ETHER											
		0.885	0.863	0.817		0.825	0.808	0.840	0.822	0.765	0.828	4.38
44)	ETHYL ACETATE											
		0.553	0.504	0.572		0.557	0.558	0.581	0.614	0.521	0.558	6.10
45)	METHYL ACRYLATE											
		3.444	3.244	3.468	4.457	3.379	3.350	3.496	3.640	3.376	3.539	10.20
46)	CHLOROFORM											
		3.557	3.572	3.210	4.666	3.275	3.244	3.288	4.085	2.872	3.530	15.32
47)	2,4-DIMETHYLPENTANE											
		3.317	3.431	3.019	4.306	3.048	3.033	3.100	3.686	2.682	3.291	14.47
48)	1,1,1-TRICHLOROETHANE											
		3.424	3.382	3.185	4.349	3.227	3.170	3.259	3.972	2.847	3.424	13.38
49)	CARBON TETRACHLORIDE											
		3.356	3.427	3.303	4.076	3.245	3.233	3.388	4.036	2.960	3.447	10.76
50)	1,2-DICHLOROETHANE											
		2.549	2.558	2.245	3.647	2.335	2.262	2.315	2.980	1.994	2.543	19.54
51)	BENZENE											
		4.908	5.221	4.570	7.208	4.699	4.591	4.685	6.165	4.057	5.123	19.01
52)	I 1,4-DIFLUOROBENZENE	----------				ISTD						
53)	CYCLOHEXANE											

		0.394	0.377	0.408	0.538	0.379	0.378	0.391	0.414	0.427	0.412	12.23
54)	2,3-DIMETHYLPENTANE											
		0.207	0.201	0.213		0.199	0.197	0.204	0.240	0.220	0.210	6.82
55)	TRICHLOROETHENE											
		0.423	0.431	0.424	0.484	0.388	0.388	0.403	0.450	0.439	0.426	7.20
56)	1,2-DICHLOROPROPANE											
		0.362	0.358	0.373		0.348	0.344	0.359	0.400	0.389	0.367	5.32
57)	DIBROMOMETHANE											
		0.410	0.437	0.390	0.507	0.356	0.359	0.372	0.455	0.406	0.410	12.02
58)	ETHYL ACRYLATE											
		0.684	0.660	0.846	0.912	0.748	0.775	0.808	0.726	0.878	0.782	11.04
59)	BROMODICHLOROMETHANE											
		0.657	0.677	0.725	0.795	0.662	0.670	0.691	0.712	0.754	0.705	6.58
60)	2,2,4-TRIMETHYLPENTANE											
		1.658	1.692	1.671	2.091	1.545	1.550	1.600	1.847	1.733	1.710	10.00
61)	1,4-DIOXANE											
		0.182	0.179	0.223		0.207	0.209	0.214	0.135	0.234	0.198	15.91
62)	HEPTANE											
		0.590	0.688	0.627	0.826	0.581	0.586	0.606	0.674	0.650	0.648	11.92
63)	METHYL METHACRYLATE											
		0.316	0.311	0.372		0.333	0.339	0.358	0.327	0.386	0.343	7.87
64)	METHYL ISOBUTYL KETONE											
		0.269	0.247	0.329		0.305	0.306	0.317	0.293	0.342	0.301	10.39
65)	CIS-1,3-DICHLOROPROPENE											
		0.518	0.490	0.574	0.629	0.505	0.521	0.543	0.560	0.601	0.549	8.37
66)	TOLUENE											
		1.115	1.244	1.147	1.494	1.043	1.065	1.095	1.262	1.190	1.184	11.73
67)	1,3-DICHLOROPROPANE											
		0.587	0.575	0.591	0.752	0.544	0.552	0.565	0.643	0.613	0.602	10.57
68)	TRANS-1,3-DICHLOROPROPENE											
		0.447	0.483	0.544	0.608	0.471	0.478	0.511	0.549	0.570	0.518	10.23
69)	1,1,2-TRICHLOROETHANE											
		0.355	0.368	0.349	0.407	0.325	0.321	0.333	0.358	0.360	0.353	7.37
70)	2-HEXANONE											
		0.161	0.155	0.412		0.373	0.379	0.397		0.429	0.329	36.04
71)	ETHYL METHACRYLATE											
		0.409	0.423	0.600	0.580	0.536	0.545	0.569	0.395	0.631	0.521	17.06
72)	TETRACHLOROETHENE											
		0.440	0.412	0.430	0.491	0.393	0.397	0.408	0.468	0.448	0.432	7.66
73)	DIBROMOCHLOROMETHANE											
		0.624	0.595	0.734	0.693	0.633	0.654	0.692	0.632	0.767	0.669	8.41
74)	1,2-DIBROMOETHANE											
		0.616	0.621	0.637	0.722	0.583	0.586	0.610	0.686	0.664	0.636	7.30
75)	OCTANE											
		0.861	0.838	0.881	1.092	0.801	0.818	0.844	1.022	0.913	0.897	10.96
76)	I CHLOROBENZENE-D5	----------				ISTD						
77)	1,1,1,2-TETRACHLOROETHANE											
		0.522	0.529	0.574	0.587	0.500	0.513	0.542	0.552	0.600	0.547	6.29
78)	CHLOROBENZENE											
		1.049	1.105	1.073	1.190	0.974	0.975	1.022	1.211	1.118	1.080	7.89
79)	ETHYLBENZENE											
		1.707	1.703	1.764	2.305	1.590	1.609	1.688	1.862	1.829	1.784	12.05
80)	M,P-XYLENE											
		1.293	1.295	1.366	1.609	1.220	1.246	1.302	1.401	1.416	1.350	8.72
81)	O-XYLENE											
		1.323	1.360	1.383	1.766	1.239	1.271	1.317	1.451	1.443	1.395	11.21
82)	STYRENE											
		0.877	0.900	1.061	1.033	0.934	0.959	1.009	0.963	1.101	0.982	7.62
83)	NONANE											

	1.063	1.041	1.067	0.972	0.991	1.022	1.118	1.104	1.047	4.88
84)	BROMOFORM										
	0.564	0.568	0.801	0.733	0.658	0.695	0.748	0.622	0.838	0.692	14.08
85)	1,1,2,2-TETRACHLOROETHANE										
	1.062	1.054	1.087	1.254	0.965	0.983	1.031	1.108	1.132	1.075	8.02
86)	1,2,3-TRICHLOROPROPANE										
	0.781	0.800	0.807	0.939	0.728	0.736	0.770	0.840	0.838	0.804	7.96
87)	4-BROMOFLUOROBENZENE										
	0.699	0.688	0.715	0.698	0.698	0.702	0.701	0.692	0.720	0.702	1.47
88)	ISOPROPYLBENZENE										
	0.515	0.530	0.543	0.630	0.478	0.494	0.513	0.504	0.565	0.530	8.61
89)	BROMOBENZENE										
	0.988	1.034	1.004	1.262	0.902	0.914	0.965	1.095	1.050	1.024	10.61
90)	2-CHLOROTOLUENE										
	0.476	0.437	0.492	0.433	0.441	0.469	0.462	0.510	0.465	5.85
91)	N-PROPYLBENZENE										
	0.527	0.548	0.552	0.481	0.504	0.524	0.553	0.576	0.533	5.71
92)	4-ETHYLTOLUENE										
	1.764	1.749	2.077	2.164	1.769	1.844	1.943	1.945	2.164	1.935	8.67
93)	1,3,5-TRIMETHYLBENZENE										
	1.492	1.465	1.747	1.874	1.457	1.492	1.616	1.625	1.807	1.619	9.73
94)	ALPHA-METHYLSTYRENE										
	0.644	0.643	0.881	0.731	0.729	0.759	0.819	0.662	0.920	0.754	13.40
95)	TERT-BUTYLBENZENE										
	0.377	0.406	0.435	0.553	0.361	0.383	0.396	0.411	0.462	0.420	13.87
96)	1,2,4-TRIMETHYLBENZENE										
	1.501	1.538	1.911	1.890	1.522	1.589	1.714	1.674	2.055	1.710	11.61
97)	BENZYL CHLORIDE										
	1.057	1.020	1.726	1.386	1.213	1.330	1.512	1.132	1.865	1.360	21.66
98)	M-DICHLOROBENZENE										
	1.068	1.114	1.211	1.401	1.023	1.053	1.118	1.270	1.281	1.171	10.85
99)	P-DICHLOROBENZENE										
	1.115	1.071	1.236	1.499	1.048	1.083	1.148	1.150	1.320	1.186	12.26
100)	O-DICHLOROBENZENE										
	1.033	1.037	1.224	1.313	0.986	1.019	1.099	1.151	1.317	1.131	11.25
101)	SEC-BUTYLBENZENE										
	0.455	0.453	0.545	0.609	0.447	0.461	0.497	0.520	0.585	0.508	11.92
102)	1,2,3-TRIMETHYLBENZENE										
	1.495	1.485	1.839	1.979	1.476	1.534	1.662	1.631	1.929	1.670	11.86
103)	P-ISOPROPYLTOLUENE										
	0.522	0.557	0.631	0.614	0.506	0.537	0.585	0.540	0.684	0.575	10.13
104)	N-BUTYLBENZENE										
	0.459	0.464	0.609	0.614	0.487	0.495	0.551	0.540	0.658	0.542	13.30
105)	HEXACHLOROETHANE										
	0.535	0.527	0.828	0.711	0.587	0.636	0.711	0.567	0.899	0.667	19.71
106)	HEXACHLOROBUTADIENE										
	0.824	0.808	1.251	0.973	0.827	0.871	1.022	0.980	1.377	0.992	20.16
107)	1,2,4-TRICHLOROBENZENE										
	0.963	0.987	1.396	1.278	0.989	1.052	1.185	1.061	1.537	1.161	17.53
108)	NAPHTHALENE										
	2.404	2.400	3.435	3.032	2.577	2.703	2.972	2.602	3.849	2.886	17.04

(#) = Out of Range ### Number of calibration levels exceeded format ###

M6W1077.M Fri Aug 05 09:13:28 2022

Initial Calibration Verification

Job Number: JD54338 **Sample:** V6W1077-ICV1077
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 6W25328.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\6W25328.D Vial: 4
Acq On : 5 Aug 2022 3:17 am Operator: thomash
Sample : icv1077-10 Inst : GCMS6W
Misc : MS61009,V6W1077,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\methods\M6W1077.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
Last Update : Fri Aug 05 08:58:59 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.33min
Max. RRF Dev : 30% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	BROMOCHLOROMETHANE	1.000	1.000	0.0	99	0.00	3.41
2	T	FREON 115		----------NA----------				
3	T	FREON 152A	0.897	0.847	5.6	101	0.00	1.72
4	T	CHLORODIFLUOROMETHANE	0.403	0.378	6.2	99	0.00	1.73
5	T	CHLOROTRIFLUOROETHENE	1.953	1.891	3.2	101	0.00	1.74
6	T	DICHLORODIFLUOROMETHANE	4.793	4.888	-2.0	103	0.00	1.76
7	T	PROPYLENE	1.330	1.277	4.0	105	0.00	1.74
8	T	1-CHLORO-1,1-DIFLUOROETHA	5.114	4.818	5.8	102	0.00	1.79
9	T	FREON 114	5.218	4.933	5.5	103	0.00	1.83
10	T	CHLOROMETHANE	0.615	0.616	-0.2	100	0.00	1.80
11	T	VINYL CHLORIDE	2.247	2.070	7.9	103	0.00	1.86
12	t	1,3-BUTADIENE	1.663	1.658	0.3	102	0.00	1.90
13	T	N-BUTANE	3.685	3.309	10.2	101	0.00	1.91
14	T	BROMOMETHANE	1.802	1.631	9.5	102	0.00	1.97
15	T	CHLOROETHANE	1.205	1.059	12.1	103	0.00	2.02
16	T	DICHLOROFLUOROMETHANE	4.641	4.318	7.0	100	0.00	2.05
17	T	ACETONITRILE	2.157	1.922	10.9	97	0.00	2.11
18	T	ACROLEIN	0.705	0.406	42.4#	52	0.00	2.15
19	T	FREON 123	4.466	4.268	4.4	105	0.00	2.16
20	T	FREON 123A	2.474	2.493	-0.8	111	0.00	2.18
21	T	TRICHLOROFLUOROMETHANE	5.173	4.894	5.4	102	0.00	2.25
22	T	ISOPROPYL ALCOHOL	4.707	4.564	3.0	100	0.00	2.26
23	T	ACETONE	1.299	1.409	-8.5	119	0.00	2.19
24	T	PENTANE	2.415	2.368	1.9	104	0.00	2.36
25	T	IODOMETHANE	4.712	4.414	6.3	101	0.00	2.42
26	T	1,1-DICHLOROETHYLENE	1.881	1.746	7.2	103	0.00	2.45
27	T	CARBON DISULFIDE	5.867	5.118	12.8	95	0.00	2.59
28	T	ETHANOL	1.057	1.135	-7.4	111	0.00	2.05
29	T	BROMOETHENE	1.752	1.658	5.4	103	0.00	2.12
30	T	ACRYLONITRILE	1.635	1.536	6.1	99	0.00	2.33
31	T	METHYLENE CHLORIDE	1.776	1.620	8.8	101	0.00	2.49
32	T	3-CHLOROPROPENE	1.033	0.939	9.1	104	0.00	2.53
33	T	FREON 113	3.085	2.850	7.6	100	0.00	2.59
34	T	TRANS-1,2-DICHLOROETHENE	2.117	1.872	11.6	99	0.00	2.85
35	T	TERTIARY BUTYL ALCOHOL	5.252	4.399	16.2	91	0.00	2.46
36	t	METHYL TERTIARY BUTYL ETH	6.172	5.707	7.5	101	0.00	2.97
37	T	TETRAHYDROFURAN	0.722	0.722	0.0	97	0.00	3.72
38	T	HEXANE	2.889	2.716	6.0	103	0.00	3.47
39	T	VINYL ACETATE	0.518	0.469	9.5	95	0.00	3.01
40	T	1,1-DICHLOROETHANE	4.032	3.797	5.8	102	0.00	2.93
41	T	METHYL ETHYL KETONE	1.017	1.025	-0.8	101	0.00	3.12
42	T	CIS-1,2-DICHLOROETHENE	1.684	1.587	5.8	101	0.00	3.33

Initial Calibration Verification

Job Number: JD54338 **Sample:** V6W1077-ICV1077
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 6W25328.D
Project: EPT, Ithaca, NY

43	T	DIISOPROPYL ETHER	0.828	0.828	0.0	102	0.00	3.47
44	T	ETHYL ACETATE	0.558	0.571	-2.3	102	0.00	3.48
45	T	METHYL ACRYLATE	3.539	3.364	4.9	100	0.00	3.46
46	T	CHLOROFORM	3.530	3.228	8.6	99	0.00	3.50
47	T	2,4-DIMETHYLPENTANE	3.291	3.103	5.7	102	0.00	4.02
48	T	1,1,1-TRICHLOROETHANE	3.424	3.222	5.9	101	0.00	4.11
49	T	CARBON TETRACHLORIDE	3.447	3.272	5.1	100	0.00	4.56
50	T	1,2-DICHLOROETHANE	2.543	2.336	8.1	102	0.00	3.93
51	t	BENZENE	5.123	4.674	8.8	101	0.00	4.44
52	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	98	0.00	4.79
53	T	CYCLOHEXANE	0.412	0.395	4.1	103	0.00	4.67
54	T	2,3-DIMETHYLPENTANE	0.210	0.205	2.4	102	0.00	4.94
55	T	TRICHLOROETHENE	0.426	0.403	5.4	102	0.00	5.40
56	T	1,2-DICHLOROPROPANE	0.367	0.355	3.3	101	0.00	5.16
57	T	DIBROMOMETHANE	0.410	0.375	8.5	102	0.00	5.12
58	T	ETHYL ACRYLATE	0.782	0.775	0.9	98	0.00	5.28
59	T	BROMODICHLOROMETHANE	0.705	0.684	3.0	100	0.00	5.35
60	T	2,2,4-TRIMETHYLPENTANE	1.710	1.616	5.5	102	0.00	5.50
61	T	1,4-DIOXANE	0.198	0.213	-7.6	100	0.00	5.42
62	T	HEPTANE	0.648	0.615	5.1	103	0.00	5.83
63	T	METHYL METHACRYLATE	0.343	0.345	-0.6	100	0.00	5.73
64	T	METHYL ISOBUTYL KETONE	0.301	0.305	-1.3	98	0.00	6.50
65	T	CIS-1,3-DICHLOROPROPENE	0.549	0.563	-2.6	106	0.00	6.39
66	T	TOLUENE	1.184	1.098	7.3	101	0.00	7.65
67	T	1,3-DICHLOROPROPANE	0.602	0.556	7.6	99	0.00	7.71
68	T	TRANS-1,3-DICHLOROPROPENE	0.518	0.485	6.4	99	0.00	7.10
69	T	1,1,2-TRICHLOROETHANE	0.353	0.327	7.4	100	0.00	7.27
70	T	2-HEXANONE	0.329	0.318	3.3	82	0.00	8.24
71	T	ETHYL METHACRYLATE	0.521	0.551	-5.8	99	0.00	8.38
72	T	TETRACHLOROETHENE	0.432	0.407	5.8	100	0.00	9.44
73	T	DIBROMOCHLOROMETHANE	0.669	0.653	2.4	98	0.00	8.22
74	T	1,2-DIBROMOETHANE	0.636	0.600	5.7	100	0.00	8.57
75	T	OCTANE	0.897	0.842	6.1	101	0.00	9.59
76	I	CHLOROBENZENE-D5	1.000	1.000	0.0	98	0.00	10.61
77	T	1,1,1,2-TETRACHLOROETHANE	0.547	0.527	3.7	100	0.00	10.70
78	T	CHLOROBENZENE	1.080	1.011	6.4	101	0.00	10.69
79	t	ETHYLBENZENE	1.784	1.632	8.5	99	0.00	11.59
80	t	M,P-XYLENE	1.350	1.274	5.6	100	0.00	12.02
81	t	O-XYLENE	1.395	1.300	6.8	100	0.00	12.98
82	T	STYRENE	0.982	0.977	0.5	100	0.00	12.76
83	T	NONANE	1.047	1.008	3.7	100	0.00	14.10
84	T	BROMOFORM	0.692	0.683	1.3	96	0.00	11.84
85	T	1,1,2,2-TETRACHLOROETHANE	1.075	1.007	6.3	100	0.00	13.00
86	T	1,2,3-TRICHLOROPROPANE	0.804	0.747	7.1	99	0.00	13.28
87	S	4-BROMOFLUOROBENZENE	0.702	0.703	-0.1	98	0.00	14.03
88	T	ISOPROPYLBENZENE	0.530	0.516	2.6	102	0.00	14.51
89	T	BROMOBENZENE	1.024	0.926	9.6	99	0.00	14.38
90	T	2-CHLOROTOLUENE	0.465	0.444	4.5	98	0.00	15.53
91	T	N-PROPYLBENZENE	0.533	0.512	3.9	99	0.00	15.87
92	T	4-ETHYLTOLUENE	1.935	1.886	2.5	100	0.00	16.21
93	T	1,3,5-TRIMETHYLBENZENE	1.619	1.547	4.4	101	0.00	16.35
94	T	ALPHA-METHYLSTYRENE	0.754	0.714	5.3	92	0.00	16.55
95	T	TERT-BUTYLBENZENE	0.420	0.376	10.5	96	0.00	16.80
96	T	1,2,4-TRIMETHYLBENZENE	1.710	1.596	6.7	98	0.00	16.81
97	T	BENZYL CHLORIDE	1.360	1.135	16.5	84	0.00	16.89
98	T	M-DICHLOROBENZENE	1.171	1.054	10.0	98	0.00	16.87
99	T	P-DICHLOROBENZENE	1.186	1.073	9.5	97	0.00	16.95
100	T	O-DICHLOROBENZENE	1.131	1.015	10.3	97	0.00	17.24

Initial Calibration Verification

Job Number: JD54338 **Sample:** V6W1077-ICV1077
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 6W25328.D
Project: EPT, Ithaca, NY

101	T	SEC-BUTYLBENZENE	0.508	0.472	7.1	100	0.00	17.08
102	T	1,2,3-TRIMETHYLBENZENE	1.670	1.531	8.3	98	0.00	17.19
103	T	P-ISOPROPYLTOLUENE	0.575	0.514	10.6	94	0.00	17.25
104	T	N-BUTYLBENZENE	0.542	0.498	8.1	99	0.00	17.59
105	T	HEXACHLOROETHANE	0.667	0.622	6.7	96	0.00	17.77
106	T	HEXACHLOROBUTADIENE	0.992	0.822	17.1	92	-0.01	18.80
107	T	1,2,4-TRICHLOROBENZENE	1.161	0.908	21.8	84	-0.01	18.50
108	T	NAPHTHALENE	2.886	2.168	24.9	78	-0.01	18.55

(#) = Out of Range SPCC's out = 0 CCC's out = 0
6W25322.D M6W1077.M Fri Aug 05 09:12:54 2022

Continuing Calibration Summary

Job Number: JD54338 **Sample:** V6W1083-CC1077
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 6W25439.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\6W25439.D Vial: 2
Acq On : 11 Aug 2022 8:20 am Operator: thomash
Sample : cc1077-10 Inst : GCMS6W
Misc : MS61233,V6W1083,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\methods\M6W1077.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
Last Update : Fri Aug 05 08:58:59 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.33min
Max. RRF Dev : 30% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	BROMOCHLOROMETHANE	1.000	1.000	0.0	126	0.00	3.42
2	T	FREON 115		----------NA----------				
3	T	FREON 152A	0.897	0.775	13.6	118	0.00	1.72
4	T	CHLORODIFLUOROMETHANE	0.403	0.356	11.7	119	0.00	1.73
5	T	CHLOROTRIFLUOROETHENE	1.953	1.948	0.3	132	0.00	1.74
6	T	DICHLORODIFLUOROMETHANE	4.793	5.665	-18.2	152#	0.00	1.76
7	T	PROPYLENE	1.330	0.986	25.9	103	0.00	1.74
8	T	1-CHLORO-1,1-DIFLUOROETHA	5.114	4.496	12.1	121	0.00	1.79
9	T	FREON 114	5.218	5.253	-0.7	139	0.00	1.83
10	T	CHLOROMETHANE	0.615	0.578	6.0	119	0.00	1.80
11	T	VINYL CHLORIDE	2.247	1.990	11.4	126	0.00	1.86
12	t	1,3-BUTADIENE	1.663	1.563	6.0	123	0.00	1.90
13	T	N-BUTANE	3.685	2.983	19.1	116	0.00	1.91
14	T	BROMOMETHANE	1.802	1.759	2.4	140	0.00	1.97
15	T	CHLOROETHANE	1.205	1.024	15.0	126	0.00	2.02
16	T	DICHLOROFLUOROMETHANE	4.641	4.315	7.0	127	0.00	2.05
17	T	ACETONITRILE	2.157	1.752	18.8	112	0.00	2.11
18	T	ACROLEIN	0.705	0.719	-2.0	117	0.00	2.15
19	T	FREON 123	4.466	4.340	2.8	135	0.00	2.16
20	T	FREON 123A	2.474	2.457	0.7	140	0.00	2.18
21	T	TRICHLOROFLUOROMETHANE	5.173	4.962	4.1	132	0.00	2.24
22	T	ISOPROPYL ALCOHOL	4.707	4.000	15.0	112	0.00	2.26
23	T	ACETONE	1.299	1.154	11.2	124	0.00	2.19
24	T	PENTANE	2.415	2.004	17.0	112	0.00	2.36
25	T	IODOMETHANE	4.712	5.011	-6.3	146	0.00	2.42
26	T	1,1-DICHLOROETHYLENE	1.881	1.808	3.9	135	0.00	2.45
27	T	CARBON DISULFIDE	5.867	5.780	1.5	136	0.00	2.59
28	T	ETHANOL	1.057	0.936	11.4	117	0.00	2.05
29	T	BROMOETHENE	1.752	1.770	-1.0	139	0.00	2.12
30	T	ACRYLONITRILE	1.635	1.454	11.1	119	0.00	2.33
31	T	METHYLENE CHLORIDE	1.776	1.737	2.2	137	0.00	2.49
32	T	3-CHLOROPROPENE	1.033	0.956	7.5	135	0.00	2.53
33	T	FREON 113	3.085	3.361	-8.9	149	0.00	2.59
34	T	TRANS-1,2-DICHLOROETHENE	2.117	2.053	3.0	138	0.00	2.85
35	T	TERTIARY BUTYL ALCOHOL	5.252	4.245	19.2	112	0.00	2.46
36	t	METHYL TERTIARY BUTYL ETH	6.172	5.550	10.1	125	0.00	2.97
37	T	TETRAHYDROFURAN	0.722	0.690	4.4	118	0.00	3.72
38	T	HEXANE	2.889	2.318	19.8	112	0.00	3.47
39	T	VINYL ACETATE	0.518	0.550	-6.2	142	0.00	3.01
40	T	1,1-DICHLOROETHANE	4.032	3.827	5.1	130	0.00	2.93
41	T	METHYL ETHYL KETONE	1.017	1.093	-7.5	137	0.00	3.12
42	T	CIS-1,2-DICHLOROETHENE	1.684	1.526	9.4	123	0.00	3.33

Continuing Calibration Summary

Job Number: JD54338 **Sample:** V6W1083-CC1077
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 6W25439.D
Project: EPT, Ithaca, NY

43	T	DIISOPROPYL ETHER	0.828	0.696	15.9	109	0.00	3.48
44	T	ETHYL ACETATE	0.558	0.489	12.4	110	0.00	3.48
45	T	METHYL ACRYLATE	3.539	2.970	16.1	112	0.00	3.47
46	T	CHLOROFORM	3.530	3.253	7.8	126	0.00	3.50
47	T	2,4-DIMETHYLPENTANE	3.291	2.674	18.7	111	0.00	4.02
48	T	1,1,1-TRICHLOROETHANE	3.424	3.037	11.3	121	0.00	4.11
49	T	CARBON TETRACHLORIDE	3.447	3.193	7.4	124	0.00	4.56
50	T	1,2-DICHLOROETHANE	2.543	2.036	19.9	113	0.00	3.94
51	t	BENZENE	5.123	4.455	13.0	122	0.00	4.44
52	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	121	0.00	4.79
53	T	CYCLOHEXANE	0.412	0.377	8.5	121	0.00	4.67
54	T	2,3-DIMETHYLPENTANE	0.210	0.197	6.2	121	0.00	4.94
55	T	TRICHLOROETHENE	0.426	0.400	6.1	125	0.00	5.40
56	T	1,2-DICHLOROPROPANE	0.367	0.337	8.2	119	0.00	5.16
57	T	DIBROMOMETHANE	0.410	0.416	-1.5	141	0.00	5.12
58	T	ETHYL ACRYLATE	0.782	0.693	11.4	108	0.00	5.28
59	T	BROMODICHLOROMETHANE	0.705	0.675	4.3	122	0.00	5.35
60	T	2,2,4-TRIMETHYLPENTANE	1.710	1.434	16.1	112	0.00	5.50
61	T	1,4-DIOXANE	0.198	0.218	-10.1	126	0.00	5.42
62	T	HEPTANE	0.648	0.488	24.7	101	0.00	5.83
63	T	METHYL METHACRYLATE	0.343	0.325	5.2	116	0.00	5.73
64	T	METHYL ISOBUTYL KETONE	0.301	0.290	3.7	115	0.00	6.50
65	T	CIS-1,3-DICHLOROPROPENE	0.549	0.503	8.4	117	0.00	6.39
66	T	TOLUENE	1.184	1.059	10.6	121	0.00	7.65
67	T	1,3-DICHLOROPROPANE	0.602	0.549	8.8	121	0.00	7.72
68	T	TRANS-1,3-DICHLOROPROPENE	0.518	0.445	14.1	113	0.00	7.10
69	T	1,1,2-TRICHLOROETHANE	0.353	0.332	5.9	125	0.00	7.27
70	T	2-HEXANONE	0.329	0.356	-8.2	114	0.00	8.24
71	T	ETHYL METHACRYLATE	0.521	0.531	-1.9	118	0.00	8.38
72	T	TETRACHLOROETHENE	0.432	0.447	-3.5	136	0.00	9.44
73	T	DIBROMOCHLOROMETHANE	0.669	0.694	-3.7	129	0.00	8.22
74	T	1,2-DIBROMOETHANE	0.636	0.603	5.2	125	0.00	8.57
75	T	OCTANE	0.897	0.696	22.4	103	0.00	9.59
76	I	CHLOROBENZENE-D5	1.000	1.000	0.0	118	0.00	10.60
77	T	1,1,1,2-TETRACHLOROETHANE	0.547	0.571	-4.4	131	0.00	10.70
78	T	CHLOROBENZENE	1.080	1.041	3.6	126	0.00	10.69
79	t	ETHYLBENZENE	1.784	1.637	8.2	120	0.00	11.58
80	t	M,P-XYLENE	1.350	1.275	5.6	121	0.00	12.03
81	t	O-XYLENE	1.395	1.298	7.0	120	0.00	12.98
82	T	STYRENE	0.982	0.975	0.7	120	0.00	12.76
83	T	NONANE	1.047	0.876	16.3	104	0.00	14.10
84	T	BROMOFORM	0.692	0.795	-14.9	135	0.00	11.84
85	T	1,1,2,2-TETRACHLOROETHANE	1.075	1.053	2.0	126	0.00	13.00
86	T	1,2,3-TRICHLOROPROPANE	0.804	0.767	4.6	123	0.00	13.28
87	S	4-BROMOFLUOROBENZENE	0.702	0.672	4.3	113	0.00	14.03
88	T	ISOPROPYLBENZENE	0.530	0.528	0.4	126	0.00	14.51
89	T	BROMOBENZENE	1.024	0.936	8.6	121	0.00	14.39
90	T	2-CHLOROTOLUENE	0.465	0.469	-0.9	125	0.00	15.53
91	T	N-PROPYLBENZENE	0.533	0.535	-0.4	125	0.00	15.87
92	T	4-ETHYLTOLUENE	1.935	1.926	0.5	123	0.00	16.21
93	T	1,3,5-TRIMETHYLBENZENE	1.619	1.595	1.5	126	0.00	16.35
94	T	ALPHA-METHYLSTYRENE	0.754	0.813	-7.8	126	0.00	16.55
95	T	TERT-BUTYLBENZENE	0.420	0.422	-0.5	130	0.00	16.80
96	T	1,2,4-TRIMETHYLBENZENE	1.710	1.688	1.3	125	0.00	16.81
97	T	BENZYL CHLORIDE	1.360	1.086	20.1	96	0.00	16.89
98	T	M-DICHLOROBENZENE	1.171	1.213	-3.6	136	0.00	16.87
99	T	P-DICHLOROBENZENE	1.186	1.233	-4.0	134	0.00	16.95
100	T	O-DICHLOROBENZENE	1.131	1.192	-5.4	138	0.00	17.24

Continuing Calibration Summary

Job Number: JD54338 **Sample:** V6W1083-CC1077
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 6W25439.D
Project: EPT, Ithaca, NY

101	T	SEC-BUTYLBENZENE	0.508	0.538	-5.9	137	0.00	17.08
102	T	1,2,3-TRIMETHYLBENZENE	1.670	1.663	0.4	128	0.00	17.19
103	T	P-ISOPROPYLTOLUENE	0.575	0.609	-5.9	134	0.00	17.25
104	T	N-BUTYLBENZENE	0.542	0.578	-6.6	138	0.00	17.60
105	T	HEXACHLOROETHANE	0.667	0.667	0.0	124	0.00	17.78
106	T	HEXACHLOROBUTADIENE	0.992	1.055	-6.4	143	0.00	18.81
107	T	1,2,4-TRICHLOROBENZENE	1.161	1.295	-11.5	145	0.00	18.51
108	T	NAPHTHALENE	2.886	3.080	-6.7	134	0.00	18.56

(#) = Out of Range SPCC's out = 0 CCC's out = 0
6W25322.D M6W1077.M Thu Aug 11 14:29:06 2022

Initial Calibration Summary

Job Number: JD54338 **Sample:** V6W1125-ICC1125
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 6W26454.D
Project: EPT, Ithaca, NY

Response Factor Report GCMS6W

Method : C:\msdchem\1\methods\M6W1125.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
Last Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration

Calibration Files
0.5 =6W26451.D 0.2 =6W26450.D 40 =6W26456.D 0.04=6W26448.D
5 =6W26453.D 10 =6W26454.D 20 =6W26455.D 0.1 =6W26449.D
50 =6W26457.D =

Compound	0.5	0.2	40	0.04	5	10	20	0.1	50	Avg	%RSD
1) I BROMOCHLOROMETHANE	----------ISTD----------										
2) FREON 115										0.000	-1.00
3) FREON 152A	0.934	0.912	0.873		0.829	0.811	0.827		0.832	0.860	5.52
4) CHLORODIFLUOROMETHANE	0.420	0.395	0.400		0.382	0.370	0.376		0.385	0.390	4.35
5) CHLOROTRIFLUOROETHENE	1.960	1.906	1.955		1.804	1.758	1.822	1.971	1.883	1.882	4.26
6) DICHLORODIFLUOROMETHANE	3.357	3.217	3.294	2.916	3.054	3.026	3.039	3.162	3.076	3.127	4.54
7) PROPYLENE	1.494	1.325	1.331		1.220	1.220	1.251	1.153	1.255	1.281	8.08
8) 1-CHLORO-1,1-DIFLUOROETHANE	2.949	2.871	3.044	2.840	2.746	2.692	2.822	2.804	3.010	2.864	4.10
9) FREON 114	3.364	3.288	3.533	3.395	3.023	3.026	3.171	3.313	3.492	3.289	5.61
10) CHLOROMETHANE	0.492	0.442	0.457	0.570	0.419	0.412	0.419	0.409	0.446	0.452	11.43
11) VINYL CHLORIDE	1.472	1.419	1.397	1.357	1.278	1.264	1.325	1.460	1.357	1.370	5.40
12) 1,3-BUTADIENE	1.177	1.139	1.183		1.064	1.040	1.097	1.090	1.171	1.120	4.91
13) N-BUTANE	2.520	2.468	2.396	3.758	2.228	2.149	2.225	2.657	2.326	2.525	19.38
14) BROMOMETHANE	1.098	1.082	1.127		1.025	0.985	1.028	1.033	1.098	1.059	4.59
15) CHLOROETHANE	0.694	0.708	0.693		0.640	0.623	0.647	0.564	0.679	0.656	7.24
16) DICHLOROFLUOROMETHANE	2.888	2.866	2.977	2.810	2.661	2.583	2.713	2.624	2.936	2.784	5.16
17) ACETONITRILE	1.581	1.552	1.473		1.363	1.306	1.365	1.706	1.419	1.471	9.14
18) ACROLEIN	0.519	0.487	0.699		0.628	0.616	0.634		0.677	0.608	12.87
19) FREON 123	2.752	2.686	2.847	2.562	2.453	2.413	2.571	2.663	2.818	2.640	5.79
20) FREON 123A	1.694	1.554	1.729		1.499	1.481	1.555	1.517	1.711	1.592	6.40
21) TRICHLOROFLUOROMETHANE	3.377	3.173	3.409	3.475	3.401	2.960	3.114	3.086	3.350	3.261	5.52
22) ISOPROPYL ALCOHOL	3.252	3.259	3.371	4.111	2.939	2.825	2.976	3.579	3.295	3.290	11.80
23) ACETONE											

	0.935	0.918	0.730		0.596	0.629	0.662		0.713	0.740	18.27
24)	PENTANE										
	1.873	1.831	1.826		1.761	1.536	1.580	1.978	1.652	1.755	8.72
25)	IODOMETHANE										
	3.299	3.098	3.499	2.835	3.391	2.905	2.919	3.162	3.183	3.143	7.27
26)	1,1-DICHLOROETHYLENE										
	1.304	1.243	1.305		1.288	1.197	1.101	1.266	1.212	1.239	5.57
27)	CARBON DISULFIDE										
	4.087	4.029	4.165	3.889	3.954	3.777	3.604	3.841	3.999	3.927	4.36
28)	ETHANOL										
	1.005	0.967	0.721		0.635	0.625	0.661		0.702	0.759	20.89
29)	BROMOETHENE										
	1.176	1.110	1.184		1.028	1.032	1.078	1.119	1.157	1.110	5.48
30)	ACRYLONITRILE										
	1.248	1.048	1.187		1.159	1.002	1.033	1.106	1.092	1.109	7.57
31)	METHYLENE CHLORIDE										
	1.451	1.623	1.198		1.207	1.142	1.010		1.073	1.243	17.49
32)	3-CHLOROPROPENE										
	0.650	0.568	0.653		0.621	0.601	0.550		0.594	0.605	6.47
33)	FREON 113										
	2.299	2.280	2.327		2.279	2.177	1.995	2.023	2.208	2.199	5.77
34)	TRANS-1,2-DICHLOROETHENE										
	1.419	1.382	1.414		1.399	1.343	1.303	1.421	1.392	1.384	3.00
35)	TERTIARY BUTYL ALCOHOL										
	2.800	2.456	3.153		2.386	2.441	2.573	2.734	2.980	2.690	10.29
36)	METHYL TERTIARY BUTYL ETHER										
	3.528	3.479	3.735		3.283	3.303	3.463	3.025	3.743	3.445	6.97
37)	TETRAHYDROFURAN										
	0.654	0.569	0.703		0.627	0.605	0.649		0.674	0.640	6.94
38)	HEXANE										
	2.904	2.704	2.773		2.634	2.550	2.634	2.538	2.740	2.685	4.55
39)	VINYL ACETATE										
	0.250	0.366	0.376		0.297	0.314	0.344		0.375	0.332	14.23
40)	1,1-DICHLOROETHANE										
	2.791	2.661	2.731	2.633	2.658	2.540	2.555	2.497	2.685	2.639	3.58
41)	METHYL ETHYL KETONE										
	0.654	0.686	0.716		0.639	0.644	0.671		0.698	0.673	4.31
42)	CIS-1,2-DICHLOROETHENE										
	1.525	1.498	1.438		1.422	1.381	1.418	1.513	1.427	1.453	3.59
43)	DIISOPROPYL ETHER										
	0.781	0.716	0.819		0.761	0.742	0.774		0.808	0.772	4.64
44)	ETHYL ACETATE										
	0.551	0.511	0.560		0.506	0.503	0.528		0.553	0.530	4.55
45)	METHYL ACRYLATE										
	3.661	3.389	3.601	2.522	3.205	3.202	3.381	3.376	3.540	3.320	10.21
46)	CHLOROFORM										
	3.136	3.071	3.022	2.830	2.955	2.872	2.964	3.000	2.984	2.982	3.14
47)	2,4-DIMETHYLPENTANE										
	3.177	2.936	3.321	2.840	3.027	2.972	3.090	2.843	3.101	3.034	5.18
48)	1,1,1-TRICHLOROETHANE										
	2.950	2.871	3.129		2.796	2.778	2.899	2.980	3.034	2.930	4.05
49)	CARBON TETRACHLORIDE										
	3.118	3.178	3.488	2.764	3.116	3.100	3.212	2.912	3.384	3.141	6.97
50)	1,2-DICHLOROETHANE										
	2.370	2.316	2.358		2.216	2.154	2.204	2.258	2.276	2.269	3.36
51)	BENZENE										
	4.357	4.672	4.576	4.974	4.218	4.103	4.247	4.516	4.462	4.458	5.97
52)	I 1,4-DIFLUOROBENZENE	----------	ISTD	----------							
53)	CYCLOHEXANE										

	0.383	0.356	0.372	0.357	0.359	0.368	0.349	0.374	0.365	3.08
54) 2,3-DIMETHYLPENTANE										
	0.206	0.206	0.198	0.194	0.192	0.194		0.200	0.199	2.90
55) TRICHLOROETHENE										
	0.431	0.403	0.395	0.338	0.399	0.386	0.391	0.389	0.400	0.393	6.22
56) 1,2-DICHLOROPROPANE										
	0.390	0.353	0.359	0.361	0.353	0.357	0.346	0.364	0.361	3.68
57) DIBROMOMETHANE										
	0.362	0.380	0.363	0.357	0.353	0.358	0.419	0.368	0.370	5.82
58) ETHYL ACRYLATE										
	0.773	0.701	0.839	0.751	0.764	0.803	0.634	0.855	0.765	9.47
59) BROMODICHLOROMETHANE										
	0.709	0.646	0.660	0.624	0.656	0.646	0.650	0.695	0.666	0.661	3.93
60) 2,2,4-TRIMETHYLPENTANE										
	1.778	1.654	1.684	1.494	1.682	1.645	1.671	1.576	1.705	1.654	4.86
61) 1,4-DIOXANE										
	0.172	0.140	0.186	0.165	0.171	0.181		0.193	0.173	10.04
62) HEPTANE										
	0.692	0.634	0.666	0.702	0.668	0.647	0.660	0.655	0.675	0.667	3.17
63) METHYL METHACRYLATE										
	0.319	0.293	0.342	0.311	0.317	0.329	0.297	0.349	0.319	6.23
64) METHYL ISOBUTYL KETONE										
	0.240	0.206	0.312	0.282	0.287	0.305	0.211	0.319	0.270	16.72
65) CIS-1,3-DICHLOROPROPENE										
	0.500	0.435	0.513	0.461	0.473	0.493	0.423	0.522	0.478	7.51
66) TOLUENE										
	1.113	1.089	1.064	1.388	1.012	1.014	1.038	1.153	1.083	1.106	10.42
67) 1,3-DICHLOROPROPANE										
	0.554	0.517	0.543	0.531	0.517	0.534	0.520	0.551	0.533	2.78
68) TRANS-1,3-DICHLOROPROPENE										
	0.413	0.353	0.474	0.400	0.419	0.453	0.369	0.487	0.421	11.38
69) 1,1,2-TRICHLOROETHANE										
	0.358	0.315	0.315	0.315	0.307	0.312	0.286	0.320	0.316	6.35
70) 2-HEXANONE										
	0.229	0.186	0.394	0.287	0.325	0.373		0.410	0.315	27.07
71) ETHYL METHACRYLATE										
	0.422	0.365	0.547	0.481	0.498	0.529	0.365	0.562	0.471	16.70
72) TETRACHLOROETHENE										
	0.428	0.387	0.405	0.245	0.393	0.389	0.396	0.384	0.413	0.382	13.91
73) DIBROMOCHLOROMETHANE										
	0.725	0.661	0.725	0.547	0.688	0.683	0.702	0.673	0.736	0.682	8.31
74) 1,2-DIBROMOETHANE										
	0.607	0.561	0.593	0.566	0.561	0.580	0.555	0.604	0.579	3.57
75) OCTANE										
	0.889	0.757	0.930	0.926	0.884	0.884	0.919	0.808	0.939	0.882	6.94
76) I CHLOROBENZENE-D5	----------	----------	ISTD	----------	----------						
77) 1,1,1,2-TETRACHLOROETHANE										
	0.505	0.564	0.548	0.535	0.537	0.543	0.501	0.560	0.537	4.30
78) CHLOROBENZENE										
	0.979	1.000	0.986	0.843	0.977	0.970	0.986	0.946	1.009	0.966	5.12
79) ETHYLBENZENE										
	1.466	1.655	1.598	2.607	1.528	1.551	1.591	1.867	1.633	1.722	20.34
80) M,P-XYLENE										
	1.113	1.192	1.228	1.772	1.195	1.200	1.228	1.384	1.259	1.286	15.25
81) O-XYLENE										
	1.095	1.190	1.240	1.803	1.205	1.212	1.240	1.332	1.265	1.287	15.82
82) STYRENE										
	0.747	0.732	0.967	0.789	0.888	0.925	0.959	0.750	0.986	0.860	12.22
83) NONANE										

Initial Calibration Summary

Job Number: JD54338 **Sample:** V6W1125-ICC1125
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 6W26454.D
Project: EPT, Ithaca, NY

```
          1.108 1.087 1.087 1.126 1.099 1.087 1.098 1.176 1.097   1.107    2.58
 84)  BROMOFORM
          0.664 0.670 0.736       0.693 0.702 0.728 0.660 0.759   0.702    5.22
 85)  1,1,2,2-TETRACHLOROETHANE
          0.972 0.932 0.925 0.767 0.922 0.918 0.925 0.922 0.943   0.914    6.30
 86)  1,2,3-TRICHLOROPROPANE
          0.748 0.671 0.724       0.720 0.711 0.726 0.682 0.739   0.715    3.70
 87)  4-BROMOFLUOROBENZENE
          0.684 0.686 0.710 0.685 0.698 0.708 0.716 0.684 0.714   0.698    1.98
 88)  ISOPROPYLBENZENE
          1.676 1.769 1.849 1.689 1.772 1.799 1.846 1.688 1.880   1.774    4.31
 89)  BROMOBENZENE
          0.845 0.846 0.893 0.734 0.867 0.868 0.894 0.848 0.909   0.856    5.98
 90)  2-CHLOROTOLUENE
          1.063 1.028 1.288 0.968 1.223 1.232 1.276 1.041 1.306   1.158   11.35
 91)  N-PROPYLBENZENE
          1.745 1.692 2.210 1.647 2.092 2.123 2.191 1.632 2.259   1.955   13.69
 92)  4-ETHYLTOLUENE
          1.372 1.250 1.891 1.134 1.764 1.803 1.863 1.236 1.920   1.581   20.56
 93)  1,3,5-TRIMETHYLBENZENE
          1.183 1.097 1.573 1.068 1.456 1.468 1.538 1.039 1.612   1.337   17.65
 94)  ALPHA-METHYLSTYRENE
          0.546 0.529 0.791       0.720 0.733 0.773 0.463 0.806   0.670   20.20
 95)  TERT-BUTYLBENZENE
          1.326 1.218 1.766 1.190 1.642 1.657 1.729 1.180 1.798   1.501   17.69
 96)  1,2,4-TRIMETHYLBENZENE
          1.221 1.118 1.643 1.023 1.538 1.539 1.601 1.074 1.675   1.381   19.32
 97)  BENZYL CHLORIDE
          0.662 0.534 1.156       0.764 0.860 1.027 0.454 1.240   0.837   34.25
 98)  M-DICHLOROBENZENE
          0.951 0.913 1.079 0.694 1.003 1.013 1.058 0.828 1.107   0.961   13.77
 99)  P-DICHLOROBENZENE
          0.940 0.876 1.096 0.737 0.997 1.010 1.058 0.781 1.137   0.959   14.39
100)  O-DICHLOROBENZENE
          0.943 0.886 1.057 0.733 0.976 0.971 1.025 0.763 1.103   0.940   13.41
101)  SEC-BUTYLBENZENE
          1.899 1.766 2.378 1.415 2.244 2.262 2.355 1.644 2.450   2.046   18.24
102)  1,2,3-TRIMETHYLBENZENE
          1.255 1.124 1.596 0.979 1.476 1.499 1.567 1.046 1.635   1.353   18.78
103)  P-ISOPROPYLTOLUENE
          1.632 1.456 2.104 1.114 1.929 1.967 2.048 1.364 2.171   1.754   21.37
104)  N-BUTYLBENZENE
          1.339 1.192 1.986 0.884 1.770 1.804 1.924 1.073 2.056   1.559   28.16
105)  HEXACHLOROETHANE
          0.578 0.566 0.715 0.612 0.611 0.625 0.680 0.605 0.741   0.637    9.59
106)  HEXACHLOROBUTADIENE
          0.626 0.623 0.832       0.650 0.681 0.742 0.502 0.914   0.696   18.67
107)  1,2,4-TRICHLOROBENZENE
          0.561 0.435 1.013       0.691 0.790 0.903       1.070   0.781   29.98
108)  NAPHTHALENE
          1.190 0.816 2.659       1.672 1.979 2.331       2.829   1.925   38.86
 ---------------------------------------------------------------------------
 (#) = Out of Range  ###  Number of calibration levels exceeded format  ###

          M6W1125.M         Thu Oct 20 09:52:34 2022
```

Initial Calibration Verification

Job Number: JD54338 **Sample:** V6W1125-ICV1125
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 6W26462.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\6W26462.D Vial: 5
Acq On : 20 Oct 2022 9:08 am Operator: thomash
Sample : icv1125-10 Inst : GCMS6W
Misc : MS63121,V6W1125,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\methods\M6W1125.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
Last Update : Thu Oct 20 08:34:08 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 60% Max. R.T. Dev 0.33min
Max. RRF Dev : 30% Max. Rel. Area : 140%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	BROMOCHLOROMETHANE	1.000	1.000	0.0	94	0.00	3.34
2	T	FREON 115		----------NA----------				
3	T	FREON 152A	0.860	0.892	-3.7	104	0.00	1.69
4	T	CHLORODIFLUOROMETHANE	0.390	0.396	-1.5	101	0.00	1.71
5	T	CHLOROTRIFLUOROETHENE	1.882	1.926	-2.3	103	0.00	1.72
6	T	DICHLORODIFLUOROMETHANE	3.127	3.309	-5.8	103	0.00	1.73
7	T	PROPYLENE	1.281	1.312	-2.4	102	0.00	1.71
8	T	1-CHLORO-1,1-DIFLUOROETHA	2.864	2.939	-2.6	103	0.00	1.77
9	T	FREON 114	3.289	3.334	-1.4	104	0.00	1.80
10	T	CHLOROMETHANE	0.452	0.457	-1.1	105	0.00	1.77
11	T	VINYL CHLORIDE	1.370	1.380	-0.7	103	0.00	1.83
12	t	1,3-BUTADIENE	1.120	1.166	-4.1	106	0.00	1.87
13	T	N-BUTANE	2.525	2.357	6.7	104	0.00	1.88
14	T	BROMOMETHANE	1.059	1.098	-3.7	105	0.00	1.93
15	T	CHLOROETHANE	0.656	0.691	-5.3	105	0.00	1.98
16	T	DICHLOROFLUOROMETHANE	2.784	2.839	-2.0	104	0.00	2.00
17	T	ACETONITRILE	1.471	1.418	3.6	103	0.00	2.06
18	T	ACROLEIN	0.608	0.618	-1.6	95	0.00	2.10
19	T	FREON 123	2.640	2.774	-5.1	109	0.00	2.11
20	T	FREON 123A	1.592	1.816	-14.1	116	0.00	2.13
21	T	TRICHLOROFLUOROMETHANE	3.261	3.314	-1.6	106	0.00	2.19
22	T	ISOPROPYL ALCOHOL	3.290	3.087	6.2	103	0.00	2.21
23	T	ACETONE	0.740	0.737	0.4	111	0.00	2.14
24	T	PENTANE	1.755	1.688	3.8	104	0.00	2.30
25	T	IODOMETHANE	3.143	3.058	2.7	99	0.00	2.35
26	T	1,1-DICHLOROETHYLENE	1.239	1.162	6.2	92	0.00	2.38
27	T	CARBON DISULFIDE	3.927	3.333	15.1	83	0.00	2.52
28	T	ETHANOL	0.759	0.817	-7.6	123	0.00	2.01
29	T	BROMOETHENE	1.110	1.144	-3.1	105	0.00	2.07
30	T	ACRYLONITRILE	1.109	1.095	1.3	103	0.00	2.27
31	T	METHYLENE CHLORIDE	1.243	1.030	17.1	85	0.00	2.42
32	T	3-CHLOROPROPENE	0.605	0.559	7.6	88	0.00	2.46
33	T	FREON 113	2.199	1.934	12.1	84	0.00	2.52
34	T	TRANS-1,2-DICHLOROETHENE	1.384	1.318	4.8	93	0.00	2.77
35	T	TERTIARY BUTYL ALCOHOL	2.690	2.435	9.5	94	0.00	2.40
36	t	METHYL TERTIARY BUTYL ETH	3.445	3.498	-1.5	100	0.00	2.89
37	T	TETRAHYDROFURAN	0.640	0.635	0.8	99	0.00	3.65
38	T	HEXANE	2.685	2.704	-0.7	100	0.00	3.39
39	T	VINYL ACETATE	0.332	0.332	0.0	100	0.00	2.93
40	T	1,1-DICHLOROETHANE	2.639	2.663	-0.9	99	0.00	2.85
41	T	METHYL ETHYL KETONE	0.673	0.670	0.4	98	0.00	3.04
42	T	CIS-1,2-DICHLOROETHENE	1.453	1.379	5.1	94	0.00	3.25

Initial Calibration Verification

Job Number: JD54338 **Sample:** V6W1125-ICV1125
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 6W26462.D
Project: EPT, Ithaca, NY

43	T	DIISOPROPYL ETHER	0.772	0.762	1.3	97	0.00	3.40
44	T	ETHYL ACETATE	0.530	0.536	-1.1	101	0.00	3.40
45	T	METHYL ACRYLATE	3.320	3.384	-1.9	100	0.00	3.39
46	T	CHLOROFORM	2.982	2.822	5.4	93	0.00	3.42
47	T	2,4-DIMETHYLPENTANE	3.034	3.133	-3.3	100	0.00	3.95
48	T	1,1,1-TRICHLOROETHANE	2.930	2.812	4.0	96	0.00	4.04
49	T	CARBON TETRACHLORIDE	3.141	3.003	4.4	91	0.00	4.50
50	T	1,2-DICHLOROETHANE	2.269	2.259	0.4	99	0.00	3.87
51	t	BENZENE	4.458	4.101	8.0	94	0.00	4.38
52	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	94	0.00	4.73
53	T	CYCLOHEXANE	0.365	0.359	1.6	94	0.00	4.60
54	T	2,3-DIMETHYLPENTANE	0.199	0.194	2.5	95	-0.01	4.87
55	T	TRICHLOROETHENE	0.393	0.371	5.6	90	0.00	5.34
56	T	1,2-DICHLOROPROPANE	0.361	0.356	1.4	95	0.00	5.10
57	T	DIBROMOMETHANE	0.370	0.332	10.3	89	0.00	5.05
58	T	ETHYL ACRYLATE	0.765	0.817	-6.8	101	0.00	5.23
59	T	BROMODICHLOROMETHANE	0.661	0.635	3.9	93	0.00	5.29
60	T	2,2,4-TRIMETHYLPENTANE	1.654	1.719	-3.9	99	0.00	5.44
61	T	1,4-DIOXANE	0.173	0.184	-6.4	101	0.00	5.37
62	T	HEPTANE	0.667	0.686	-2.8	100	-0.01	5.78
63	T	METHYL METHACRYLATE	0.319	0.314	1.6	94	0.00	5.68
64	T	METHYL ISOBUTYL KETONE	0.270	0.307	-13.7	101	0.02	6.47
65	T	CIS-1,3-DICHLOROPROPENE	0.478	0.519	-8.6	104	0.00	6.34
66	T	TOLUENE	1.106	1.062	4.0	99	0.00	7.61
67	T	1,3-DICHLOROPROPANE	0.533	0.542	-1.7	99	0.00	7.68
68	T	TRANS-1,3-DICHLOROPROPENE	0.421	0.441	-4.8	99	0.00	7.06
69	T	1,1,2-TRICHLOROETHANE	0.316	0.316	0.0	97	0.00	7.23
70	T	2-HEXANONE	0.315	0.391	-24.1	113	0.02	8.22
71	T	ETHYL METHACRYLATE	0.471	0.518	-10.0	98	0.00	8.35
72	T	TETRACHLOROETHENE	0.382	0.404	-5.8	98	0.00	9.41
73	T	DIBROMOCHLOROMETHANE	0.682	0.699	-2.5	96	0.00	8.18
74	T	1,2-DIBROMOETHANE	0.579	0.584	-0.9	98	0.00	8.53
75	T	OCTANE	0.882	0.941	-6.7	100	0.00	9.55
76	I	CHLOROBENZENE-D5	1.000	1.000	0.0	104	0.00	10.58
77	T	1,1,1,2-TETRACHLOROETHANE	0.537	0.496	7.6	96	0.00	10.68
78	T	CHLOROBENZENE	0.966	0.923	4.5	99	0.00	10.66
79	t	ETHYLBENZENE	1.722	1.446	16.0	97	0.00	11.56
80	t	M,P-XYLENE	1.286	1.118	13.1	97	0.00	12.00
81	t	O-XYLENE	1.287	1.139	11.5	97	0.00	12.96
82	T	STYRENE	0.860	0.815	5.2	91	0.00	12.74
83	T	NONANE	1.107	1.028	7.1	98	0.00	14.08
84	T	BROMOFORM	0.702	0.656	6.6	97	0.00	11.82
85	T	1,1,2,2-TETRACHLOROETHANE	0.914	0.857	6.2	97	0.00	12.98
86	T	1,2,3-TRICHLOROPROPANE	0.715	0.651	9.0	95	0.00	13.26
87	S	4-BROMOFLUOROBENZENE	0.698	0.707	-1.3	104	0.00	14.02
88	T	ISOPROPYLBENZENE	1.774	1.636	7.8	94	0.00	14.50
89	T	BROMOBENZENE	0.856	0.796	7.0	95	0.00	14.37
90	T	2-CHLOROTOLUENE	1.158	1.097	5.3	92	0.00	15.52
91	T	N-PROPYLBENZENE	1.955	1.917	1.9	94	0.00	15.86
92	T	4-ETHYLTOLUENE	1.581	1.624	-2.7	93	0.00	16.20
93	T	1,3,5-TRIMETHYLBENZENE	1.337	1.317	1.5	93	0.00	16.35
94	T	ALPHA-METHYLSTYRENE	0.670	0.574	14.3	81	0.00	16.54
95	T	TERT-BUTYLBENZENE	1.501	1.461	2.7	91	0.00	16.80
96	T	1,2,4-TRIMETHYLBENZENE	1.381	1.345	2.6	91	0.00	16.80
97	T	BENZYL CHLORIDE	0.837	0.777	7.2	94	0.00	16.89
98	T	M-DICHLOROBENZENE	0.961	0.891	7.3	91	0.00	16.86
99	T	P-DICHLOROBENZENE	0.959	0.899	6.3	92	0.00	16.95
100	T	O-DICHLOROBENZENE	0.940	0.850	9.6	91	0.00	17.23

Initial Calibration Verification

Job Number: JD54338 **Sample:** V6W1125-ICV1125
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 6W26462.D
Project: EPT, Ithaca, NY

101 T	SEC-BUTYLBENZENE	2.046	1.980	3.2	91	0.00	17.07
102 T	1,2,3-TRIMETHYLBENZENE	1.353	1.283	5.2	89	0.00	17.18
103 T	P-ISOPROPYLTOLUENE	1.754	1.646	6.2	87	0.00	17.25
104 T	N-BUTYLBENZENE	1.559	1.552	0.4	89	0.00	17.59
105 T	HEXACHLOROETHANE	0.637	0.494	22.4	82	0.00	17.77
106 T	HEXACHLOROBUTADIENE	0.696	0.507	27.2	77	0.02	18.80
107 T	1,2,4-TRICHLOROBENZENE	0.781	0.630	19.3	83	0.02	18.50
108 T	NAPHTHALENE	1.925	1.665	13.5	87	0.02	18.55

(#) = Out of Range SPCC's out = 0 CCC's out = 0
6W26454.D M6W1125.M Thu Oct 20 09:53:29 2022

Continuing Calibration Summary

Job Number: JD54338 **Sample:** V6W1137-CC1125
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 6W26823.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\6W26823.D Vial: 2
Acq On : 3 Nov 2022 9:36 am Operator: thomash
Sample : cc1125-10 Inst : GCMS6W
Misc : MS63437,V6W1137,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\methods\M6W1125.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
Last Update : Thu Oct 20 08:34:08 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 60% Max. R.T. Dev 0.33min
Max. RRF Dev : 30% Max. Rel. Area : 140%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	BROMOCHLOROMETHANE	1.000	1.000	0.0	90	0.00	3.34
2	T	FREON 115	0.000	0.369	0.0	0#	0.00	1.67
3	T	FREON 152A	0.860	0.705	18.0	78	0.00	1.69
4	T	CHLORODIFLUOROMETHANE	0.390	0.310	20.5	76	0.00	1.71
5	T	CHLOROTRIFLUOROETHENE	1.882	1.608	14.6	83	0.00	1.72
6	T	DICHLORODIFLUOROMETHANE	3.127	3.719	-18.9	111	0.00	1.73
7	T	PROPYLENE	1.281	1.001	21.9	74	0.00	1.72
8	T	1-CHLORO-1,1-DIFLUOROETHA	2.864	2.732	4.6	92	0.00	1.77
9	T	FREON 114	3.289	3.314	-0.8	99	0.00	1.80
10	T	CHLOROMETHANE	0.452	0.441	2.4	97	0.00	1.78
11	T	VINYL CHLORIDE	1.370	1.416	-3.4	101	0.00	1.83
12	t	1,3-BUTADIENE	1.120	1.181	-5.4	103	0.00	1.87
13	T	N-BUTANE	2.525	2.379	5.8	100	0.00	1.88
14	T	BROMOMETHANE	1.059	1.175	-11.0	108	0.00	1.94
15	T	CHLOROETHANE	0.656	0.727	-10.8	105	0.00	1.98
16	T	DICHLOROFLUOROMETHANE	2.784	2.935	-5.4	103	0.00	2.00
17	T	ACETONITRILE	1.471	1.516	-3.1	105	0.00	2.07
18	T	ACROLEIN	0.608	0.713	-17.3	105	0.00	2.10
19	T	FREON 123	2.640	2.858	-8.3	107	0.00	2.12
20	T	FREON 123A	1.592	1.668	-4.8	102	0.00	2.13
21	T	TRICHLOROFLUOROMETHANE	3.261	3.239	0.7	99	0.00	2.19
22	T	ISOPROPYL ALCOHOL	3.290	3.067	6.8	98	0.00	2.21
23	T	ACETONE	0.740	0.772	-4.3	111	0.00	2.14
24	T	PENTANE	1.755	1.725	1.7	101	0.00	2.30
25	T	IODOMETHANE	3.143	3.338	-6.2	104	0.00	2.36
26	T	1,1-DICHLOROETHYLENE	1.239	1.232	0.6	93	0.00	2.39
27	T	CARBON DISULFIDE	3.927	3.887	1.0	93	0.00	2.52
28	T	ETHANOL	0.759	0.746	1.7	108	0.00	2.01
29	T	BROMOETHENE	1.110	1.207	-8.7	106	0.00	2.07
30	T	ACRYLONITRILE	1.109	1.176	-6.0	106	0.00	2.27
31	T	METHYLENE CHLORIDE	1.243	1.166	6.2	92	0.00	2.42
32	T	3-CHLOROPROPENE	0.605	0.611	-1.0	92	0.00	2.46
33	T	FREON 113	2.199	2.084	5.2	86	0.00	2.52
34	T	TRANS-1,2-DICHLOROETHENE	1.384	1.368	1.2	92	0.00	2.77
35	T	TERTIARY BUTYL ALCOHOL	2.690	2.329	13.4	86	0.00	2.40
36	t	METHYL TERTIARY BUTYL ETH	3.445	2.742	20.4	75	0.00	2.89
37	T	TETRAHYDROFURAN	0.640	0.673	-5.2	100	0.00	3.66
38	T	HEXANE	2.685	2.591	3.5	92	0.00	3.39
39	T	VINYL ACETATE	0.332	0.336	-1.2	97	0.00	2.93
40	T	1,1-DICHLOROETHANE	2.639	2.549	3.4	91	0.00	2.86
41	T	METHYL ETHYL KETONE	0.673	0.691	-2.7	97	0.00	3.04
42	T	CIS-1,2-DICHLOROETHENE	1.453	1.411	2.9	92	0.00	3.26

Continuing Calibration Summary

Job Number: JD54338 **Sample:** V6W1137-CC1125
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 6W26823.D
Project: EPT, Ithaca, NY

43	T	DIISOPROPYL ETHER	0.772	0.700	9.3	85	0.00	3.40
44	T	ETHYL ACETATE	0.530	0.546	-3.0	98	0.00	3.41
45	T	METHYL ACRYLATE	3.320	3.394	-2.2	96	0.00	3.39
46	T	CHLOROFORM	2.982	2.798	6.2	88	0.00	3.42
47	T	2,4-DIMETHYLPENTANE	3.034	3.018	0.5	92	0.00	3.96
48	T	1,1,1-TRICHLOROETHANE	2.930	2.540	13.3	83	0.00	4.05
49	T	CARBON TETRACHLORIDE	3.141	2.791	11.1	81	0.00	4.50
50	T	1,2-DICHLOROETHANE	2.269	2.060	9.2	86	0.00	3.87
51	t	BENZENE	4.458	4.169	6.5	92	0.00	4.38
52	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	91	0.00	4.73
53	T	CYCLOHEXANE	0.365	0.357	2.2	90	0.00	4.60
54	T	2,3-DIMETHYLPENTANE	0.199	0.195	2.0	92	0.00	4.87
55	T	TRICHLOROETHENE	0.393	0.349	11.2	82	0.00	5.35
56	T	1,2-DICHLOROPROPANE	0.361	0.357	1.1	92	0.00	5.10
57	T	DIBROMOMETHANE	0.370	0.326	11.9	84	0.00	5.06
58	T	ETHYL ACRYLATE	0.765	0.835	-9.2	99	0.01	5.24
59	T	BROMODICHLOROMETHANE	0.661	0.586	11.3	82	0.00	5.30
60	T	2,2,4-TRIMETHYLPENTANE	1.654	1.434	13.3	79	0.00	5.44
61	T	1,4-DIOXANE	0.173	0.189	-9.2	100	0.02	5.38
62	T	HEPTANE	0.667	0.554	16.9	78	0.00	5.78
63	T	METHYL METHACRYLATE	0.319	0.303	5.0	87	0.01	5.69
64	T	METHYL ISOBUTYL KETONE	0.270	0.288	-6.7	91	0.03	6.48
65	T	CIS-1,3-DICHLOROPROPENE	0.478	0.415	13.2	80	0.00	6.35
66	T	TOLUENE	1.106	0.921	16.7	83	0.00	7.62
67	T	1,3-DICHLOROPROPANE	0.533	0.478	10.3	84	0.00	7.68
68	T	TRANS-1,3-DICHLOROPROPENE	0.421	0.369	12.4	80	0.00	7.07
69	T	1,1,2-TRICHLOROETHANE	0.316	0.283	10.4	84	0.00	7.24
70	T	2-HEXANONE	0.315	0.386	-22.5	108	0.02	8.23
71	T	ETHYL METHACRYLATE	0.471	0.497	-5.5	91	0.02	8.36
72	T	TETRACHLOROETHENE	0.382	0.352	7.9	82	0.00	9.41
73	T	DIBROMOCHLOROMETHANE	0.682	0.594	12.9	79	0.00	8.19
74	T	1,2-DIBROMOETHANE	0.579	0.524	9.5	85	0.00	8.54
75	T	OCTANE	0.882	0.757	14.2	78	0.00	9.56
76	I	CHLOROBENZENE-D5	1.000	1.000	0.0	86	0.00	10.59
77	T	1,1,1,2-TETRACHLOROETHANE	0.537	0.491	8.6	79	0.00	10.68
78	T	CHLOROBENZENE	0.966	0.933	3.4	83	0.00	10.67
79	t	ETHYLBENZENE	1.722	1.499	13.0	83	0.00	11.57
80	t	M,P-XYLENE	1.286	1.166	9.3	84	0.00	12.01
81	t	O-XYLENE	1.287	1.185	7.9	84	0.00	12.96
82	T	STYRENE	0.860	0.902	-4.9	84	0.00	12.75
83	T	NONANE	1.107	0.987	10.8	78	0.00	14.09
84	T	BROMOFORM	0.702	0.661	5.8	81	0.00	11.83
85	T	1,1,2,2-TETRACHLOROETHANE	0.914	0.919	-0.5	86	0.00	12.99
86	T	1,2,3-TRICHLOROPROPANE	0.715	0.696	2.7	84	0.00	13.27
87	S	4-BROMOFLUOROBENZENE	0.698	0.715	-2.4	87	0.00	14.02
88	T	ISOPROPYLBENZENE	1.774	1.715	3.3	82	0.00	14.50
89	T	BROMOBENZENE	0.856	0.847	1.1	84	0.00	14.38
90	T	2-CHLOROTOLUENE	1.158	1.195	-3.2	83	0.00	15.52
91	T	N-PROPYLBENZENE	1.955	2.077	-6.2	84	0.00	15.86
92	T	4-ETHYLTOLUENE	1.581	1.741	-10.1	83	0.00	16.20
93	T	1,3,5-TRIMETHYLBENZENE	1.337	1.433	-7.2	84	0.00	16.35
94	T	ALPHA-METHYLSTYRENE	0.670	0.783	-16.9	92	0.00	16.55
95	T	TERT-BUTYLBENZENE	1.501	1.618	-7.8	84	0.00	16.80
96	T	1,2,4-TRIMETHYLBENZENE	1.381	1.511	-9.4	84	0.00	16.81
97	T	BENZYL CHLORIDE	0.837	0.940	-12.3	94	0.00	16.89
98	T	M-DICHLOROBENZENE	0.961	1.015	-5.6	86	0.00	16.86
99	T	P-DICHLOROBENZENE	0.959	1.032	-7.6	88	0.00	16.95
100	T	O-DICHLOROBENZENE	0.940	0.994	-5.7	88	0.00	17.23

Continuing Calibration Summary

Job Number: JD54338 **Sample:** V6W1137-CC1125
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 6W26823.D
Project: EPT, Ithaca, NY

101	T	SEC-BUTYLBENZENE	2.046	2.225	-8.7	85	0.00	17.07
102	T	1,2,3-TRIMETHYLBENZENE	1.353	1.472	-8.8	84	0.00	17.18
103	T	P-ISOPROPYLTOLUENE	1.754	1.946	-10.9	85	0.00	17.25
104	T	N-BUTYLBENZENE	1.559	1.848	-18.5	88	0.00	17.59
105	T	HEXACHLOROETHANE	0.637	0.639	-0.3	88	0.00	17.77
106	T	HEXACHLOROBUTADIENE	0.696	0.735	-5.6	93	0.01	18.79
107	T	1,2,4-TRICHLOROBENZENE	0.781	0.914	-17.0	99	0.00	18.49
108	T	NAPHTHALENE	1.925	2.441	-26.8	106	0.00	18.54

(#) = Out of Range SPCC's out = 0 CCC's out = 0
6W26454.D M6W1125.M Fri Nov 04 15:14:18 2022

Continuing Calibration Summary

Job Number: JD54338 **Sample:** V6W1138-CC1125
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 6W26863.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\6W26863.D Vial: 2
Acq On : 4 Nov 2022 9:36 am Operator: thomash
Sample : cc1125-10 Inst : GCMS6W
Misc : MS63483,V6W1138,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\methods\M6W1125.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
Last Update : Thu Oct 20 08:34:08 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 60% Max. R.T. Dev 0.33min
Max. RRF Dev : 30% Max. Rel. Area : 140%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	BROMOCHLOROMETHANE	1.000	1.000	0.0	90	0.00	3.34
2	T	FREON 115	0.000	0.258	0.0	0#	0.00	1.67
3	T	FREON 152A	0.860	0.754	12.3	84	0.00	1.69
4	T	CHLORODIFLUOROMETHANE	0.390	0.342	12.3	83	0.00	1.71
5	T	CHLOROTRIFLUOROETHENE	1.882	1.712	9.0	88	0.00	1.72
6	T	DICHLORODIFLUOROMETHANE	3.127	3.269	-4.5	98	0.07	1.80
7	T	PROPYLENE	1.281	1.075	16.1	80	0.00	1.72
8	T	1-CHLORO-1,1-DIFLUOROETHA	2.864	2.959	-3.3	99	0.00	1.77
9	T	FREON 114	3.289	3.555	-8.1	106	0.00	1.80
10	T	CHLOROMETHANE	0.452	0.475	-5.1	104	0.00	1.77
11	T	VINYL CHLORIDE	1.370	1.529	-11.6	109	0.00	1.83
12	t	1,3-BUTADIENE	1.120	1.261	-12.6	110	0.00	1.87
13	T	N-BUTANE	2.525	2.542	-0.7	107	0.00	1.88
14	T	BROMOMETHANE	1.059	1.240	-17.1	114	0.00	1.94
15	T	CHLOROETHANE	0.656	0.778	-18.6	113	0.00	1.98
16	T	DICHLOROFLUOROMETHANE	2.784	3.143	-12.9	110	0.00	2.00
17	T	ACETONITRILE	1.471	1.624	-10.4	112	0.00	2.07
18	T	ACROLEIN	0.608	0.745	-22.5	109	0.00	2.10
19	T	FREON 123	2.640	3.045	-15.3	114	0.00	2.12
20	T	FREON 123A	1.592	1.790	-12.4	109	0.00	2.13
21	T	TRICHLOROFLUOROMETHANE	3.261	3.451	-5.8	105	0.00	2.19
22	T	ISOPROPYL ALCOHOL	3.290	3.223	2.0	103	0.00	2.21
23	T	ACETONE	0.740	0.816	-10.3	117	0.00	2.14
24	T	PENTANE	1.755	1.834	-4.5	108	0.00	2.30
25	T	IODOMETHANE	3.143	3.557	-13.2	111	0.00	2.36
26	T	1,1-DICHLOROETHYLENE	1.239	1.334	-7.7	101	0.00	2.39
27	T	CARBON DISULFIDE	3.927	4.151	-5.7	99	0.00	2.52
28	T	ETHANOL	0.759	0.788	-3.8	114	0.00	2.01
29	T	BROMOETHENE	1.110	1.286	-15.9	113	0.00	2.07
30	T	ACRYLONITRILE	1.109	1.244	-12.2	112	0.00	2.27
31	T	METHYLENE CHLORIDE	1.243	1.238	0.4	98	0.00	2.42
32	T	3-CHLOROPROPENE	0.605	0.653	-7.9	98	0.00	2.46
33	T	FREON 113	2.199	2.225	-1.2	92	0.00	2.52
34	T	TRANS-1,2-DICHLOROETHENE	1.384	1.446	-4.5	97	0.00	2.77
35	T	TERTIARY BUTYL ALCOHOL	2.690	2.227	17.2	82	0.00	2.40
36	t	METHYL TERTIARY BUTYL ETH	3.445	2.550	26.0	70	0.00	2.89
37	T	TETRAHYDROFURAN	0.640	0.712	-11.2	106	0.00	3.66
38	T	HEXANE	2.685	2.766	-3.0	98	0.00	3.39
39	T	VINYL ACETATE	0.332	0.357	-7.5	103	0.00	2.93
40	T	1,1-DICHLOROETHANE	2.639	2.720	-3.1	97	0.00	2.85
41	T	METHYL ETHYL KETONE	0.673	0.735	-9.2	103	0.00	3.04
42	T	CIS-1,2-DICHLOROETHENE	1.453	1.489	-2.5	97	0.00	3.26

Continuing Calibration Summary

Job Number: JD54338 **Sample:** V6W1138-CC1125
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 6W26863.D
Project: EPT, Ithaca, NY

43	T	DIISOPROPYL ETHER	0.772	0.702	9.1	85	0.00	3.40
44	T	ETHYL ACETATE	0.530	0.591	-11.5	106	0.00	3.41
45	T	METHYL ACRYLATE	3.320	3.629	-9.3	102	0.00	3.39
46	T	CHLOROFORM	2.982	2.994	-0.4	94	0.00	3.42
47	T	2,4-DIMETHYLPENTANE	3.034	3.245	-7.0	99	0.00	3.96
48	T	1,1,1-TRICHLOROETHANE	2.930	2.627	10.3	85	0.00	4.05
49	T	CARBON TETRACHLORIDE	3.141	2.965	5.6	86	0.00	4.50
50	T	1,2-DICHLOROETHANE	2.269	2.200	3.0	92	0.00	3.87
51	t	BENZENE	4.458	4.423	0.8	97	0.00	4.38
52	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	92	0.00	4.74
53	T	CYCLOHEXANE	0.365	0.379	-3.8	97	0.00	4.60
54	T	2,3-DIMETHYLPENTANE	0.199	0.205	-3.0	98	0.00	4.87
55	T	TRICHLOROETHENE	0.393	0.361	8.1	86	0.00	5.35
56	T	1,2-DICHLOROPROPANE	0.361	0.370	-2.5	96	0.00	5.10
57	T	DIBROMOMETHANE	0.370	0.343	7.3	89	0.00	5.06
58	T	ETHYL ACRYLATE	0.765	0.765	0.0	92	0.01	5.24
59	T	BROMODICHLOROMETHANE	0.661	0.592	10.4	84	0.00	5.30
60	T	2,2,4-TRIMETHYLPENTANE	1.654	1.514	8.5	85	0.00	5.44
61	T	1,4-DIOXANE	0.173	0.197	-13.9	106	0.01	5.38
62	T	HEPTANE	0.667	0.582	12.7	83	0.00	5.78
63	T	METHYL METHACRYLATE	0.319	0.314	1.6	91	0.01	5.69
64	T	METHYL ISOBUTYL KETONE	0.270	0.299	-10.7	96	0.02	6.47
65	T	CIS-1,3-DICHLOROPROPENE	0.478	0.424	11.3	82	0.00	6.35
66	T	TOLUENE	1.106	0.971	12.2	88	0.00	7.61
67	T	1,3-DICHLOROPROPANE	0.533	0.506	5.1	90	0.00	7.68
68	T	TRANS-1,3-DICHLOROPROPENE	0.421	0.376	10.7	82	0.00	7.07
69	T	1,1,2-TRICHLOROETHANE	0.316	0.298	5.7	89	0.00	7.24
70	T	2-HEXANONE	0.315	0.400	-27.0	113	0.02	8.22
71	T	ETHYL METHACRYLATE	0.471	0.522	-10.8	96	0.01	8.36
72	T	TETRACHLOROETHENE	0.382	0.371	2.9	88	0.00	9.42
73	T	DIBROMOCHLOROMETHANE	0.682	0.625	8.4	84	0.00	8.19
74	T	1,2-DIBROMOETHANE	0.579	0.543	6.2	89	0.00	8.54
75	T	OCTANE	0.882	0.801	9.2	83	0.00	9.56
76	I	CHLOROBENZENE-D5	1.000	1.000	0.0	87	0.00	10.59
77	T	1,1,1,2-TETRACHLOROETHANE	0.537	0.516	3.9	84	0.00	10.68
78	T	CHLOROBENZENE	0.966	0.981	-1.6	88	0.00	10.67
79	t	ETHYLBENZENE	1.722	1.570	8.8	88	0.00	11.57
80	t	M,P-XYLENE	1.286	1.218	5.3	89	0.00	12.01
81	t	O-XYLENE	1.287	1.234	4.1	89	0.00	12.96
82	T	STYRENE	0.860	0.945	-9.9	89	0.00	12.75
83	T	NONANE	1.107	1.038	6.2	83	0.00	14.09
84	T	BROMOFORM	0.702	0.685	2.4	85	0.00	11.83
85	T	1,1,2,2-TETRACHLOROETHANE	0.914	0.972	-6.3	92	0.00	12.99
86	T	1,2,3-TRICHLOROPROPANE	0.715	0.729	-2.0	89	0.00	13.27
87	S	4-BROMOFLUOROBENZENE	0.698	0.704	-0.9	87	0.00	14.03
88	T	ISOPROPYLBENZENE	1.774	1.813	-2.2	88	0.00	14.50
89	T	BROMOBENZENE	0.856	0.896	-4.7	90	0.00	14.37
90	T	2-CHLOROTOLUENE	1.158	1.271	-9.8	90	0.00	15.53
91	T	N-PROPYLBENZENE	1.955	2.198	-12.4	90	0.00	15.86
92	T	4-ETHYLTOLUENE	1.581	1.840	-16.4	89	0.00	16.20
93	T	1,3,5-TRIMETHYLBENZENE	1.337	1.526	-14.1	91	0.00	16.35
94	T	ALPHA-METHYLSTYRENE	0.670	0.819	-22.2	98	0.00	16.55
95	T	TERT-BUTYLBENZENE	1.501	1.718	-14.5	90	0.00	16.80
96	T	1,2,4-TRIMETHYLBENZENE	1.381	1.602	-16.0	91	0.00	16.81
97	T	BENZYL CHLORIDE	0.837	0.932	-11.4	94	0.00	16.89
98	T	M-DICHLOROBENZENE	0.961	1.069	-11.2	92	0.00	16.86
99	T	P-DICHLOROBENZENE	0.959	1.093	-14.0	94	0.00	16.95
100	T	O-DICHLOROBENZENE	0.940	1.055	-12.2	95	0.00	17.24

Continuing Calibration Summary

Job Number: JD54338 **Sample:** V6W1138-CC1125
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 6W26863.D
Project: EPT, Ithaca, NY

101	T	SEC-BUTYLBENZENE	2.046	2.360	-15.3	91	0.00	17.07
102	T	1,2,3-TRIMETHYLBENZENE	1.353	1.555	-14.9	90	0.00	17.18
103	T	P-ISOPROPYLTOLUENE	1.754	2.025	-15.5	90	0.00	17.25
104	T	N-BUTYLBENZENE	1.559	1.949	-25.0	94	0.00	17.59
105	T	HEXACHLOROETHANE	0.637	0.674	-5.8	94	0.00	17.77
106	T	HEXACHLOROBUTADIENE	0.696	0.787	-13.1	101	0.02	18.80
107	T	1,2,4-TRICHLOROBENZENE	0.781	0.945	-21.0	104	0.01	18.49
108	T	NAPHTHALENE	1.925	2.563	-33.1#	113	0.01	18.54

(#) = Out of Range SPCC's out = 0 CCC's out = 0
6W26454.D M6W1125.M Tue Nov 08 15:59:21 2022

Run Sequence Report

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V2W2709	**Method:** TO-15	**Instrument ID:** GCMS2W

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V2W2709-BFB	2W61009.D	08/19/22 10:50	n/a	BFB Tune
V2W2709-IC2709	2W61010.D	08/19/22 11:22	n/a	Initial cal 0.04
V2W2709-IC2709	2W61011.D	08/19/22 11:55	n/a	Initial cal 0.1
V2W2709-IC2709	2W61012.D	08/19/22 12:27	n/a	Initial cal 0.2
V2W2709-IC2709	2W61013.D	08/19/22 12:59	n/a	Initial cal 0.5
V2W2709-IC2709	2W61015.D	08/19/22 14:02	n/a	Initial cal 5
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	n/a	Initial cal 10
V2W2709-IC2709	2W61017.D	08/19/22 15:08	n/a	Initial cal 20
V2W2709-IC2709	2W61018.D	08/19/22 15:45	n/a	Initial cal 40
V2W2709-IC2709	2W61019.D	08/19/22 16:25	n/a	Initial cal 50
V2W2709-ICV2709	2W61022.D	08/19/22 18:00	n/a	Initial cal verification 10

Run Sequence Report

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V2W2734	**Method:** TO-15	**Instrument ID:** GCMS2W

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V2W2734-BFB	2W61610.D	09/27/22 07:25	n/a	BFB Tune
V2W2734-CC2709	2W61611.D	09/27/22 07:58	n/a	Continuing cal 10
V2W2734-BS	2W61612.D	09/27/22 08:57	n/a	Blank Spike
V2W2734-BSD	2W61613.D	09/27/22 09:29	n/a	Blank Spike Duplicate
V2W2734-MB	2W61615.D	09/27/22 10:49	n/a	Method Blank
ZZZZZZ	2W61616.D	09/27/22 11:38	n/a	(unrelated sample)
ZZZZZZ	2W61617.D	09/27/22 12:16	n/a	(unrelated sample)
JD52279-6	2W61618.D	09/27/22 12:55	n/a	(used for QC only; not part of job JD54338)
JD52279-6DUP	2W61619.D	09/27/22 13:36	n/a	Duplicate
ZZZZZZ	2W61620.D	09/27/22 14:08	n/a	(unrelated sample)
ZZZZZZ	2W61621.D	09/27/22 14:59	n/a	(unrelated sample)
V2W2734-SCC	2W61622.D	09/27/22 15:37	n/a	Summa Cleaning Certification
V2W2734-SCC	2W61623.D	09/27/22 16:15	n/a	Summa Cleaning Certification
V2W2734-SCC	2W61625.D	09/27/22 17:24	n/a	Summa Cleaning Certification
V2W2734-SCC	2W61626.D	09/27/22 17:57	n/a	Summa Cleaning Certification
V2W2734-SCC	2W61627.D	09/27/22 18:29	n/a	Summa Cleaning Certification

Run Sequence Report

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V6W1077	**Method:** TO-15	**Instrument ID:** GCMS6W

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V6W1077-BFB	6W25315.D	08/04/22 17:09	n/a	BFB Tune
V6W1077-IC1077	6W25316.D	08/04/22 17:54	n/a	Initial cal 0.04
V6W1077-IC1077	6W25317.D	08/04/22 18:39	n/a	Initial cal 0.1
V6W1077-IC1077	6W25318.D	08/04/22 19:25	n/a	Initial cal 0.2
V6W1077-IC1077	6W25319.D	08/04/22 20:11	n/a	Initial cal 0.5
V6W1077-IC1077	6W25321.D	08/04/22 21:41	n/a	Initial cal 5
V6W1077-ICC1077	6W25322.D	08/04/22 22:26	n/a	Initial cal 10
V6W1077-IC1077	6W25323.D	08/04/22 23:14	n/a	Initial cal 20
V6W1077-IC1077	6W25324.D	08/05/22 00:05	n/a	Initial cal 40
V6W1077-IC1077	6W25325.D	08/05/22 00:59	n/a	Initial cal 50
V6W1077-ICV1077	6W25328.D	08/05/22 03:17	n/a	Initial cal verification 10

Run Sequence Report

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V6W1083	**Method:** TO-15	**Instrument ID:** GCMS6W

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V6W1083-BFB	6W25438.D	08/11/22 07:24	n/a	BFB Tune
V6W1083-CC1077	6W25439.D	08/11/22 08:20	n/a	Continuing cal 10
V6W1083-BS	6W25440.D	08/11/22 09:21	n/a	Blank Spike
V6W1083-BSD	6W25441.D	08/11/22 10:25	n/a	Blank Spike Duplicate
V6W1083-MB	6W25444.D	08/11/22 12:47	n/a	Method Blank
JD49709-1	6W25445.D	08/11/22 13:33	n/a	(used for QC only; not part of job JD54338)
JD49709-1DUP	6W25446.D	08/11/22 14:19	n/a	Duplicate
ZZZZZZ	6W25447.D	08/11/22 15:24	n/a	(unrelated sample)
V6W1083-SCC	6W25451.D	08/11/22 18:38	n/a	Summa Cleaning Certification
V6W1083-SCC	6W25452.D	08/11/22 19:25	n/a	Summa Cleaning Certification
V6W1083-SCC	6W25453.D	08/11/22 20:12	n/a	Summa Cleaning Certification
V6W1083-SCC	6W25454.D	08/11/22 20:58	n/a	Summa Cleaning Certification
V6W1083-SCC	6W25455.D	08/11/22 21:50	n/a	Summa Cleaning Certification

Run Sequence Report

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V6W1125	**Method:** TO-15	**Instrument ID:** GCMS6W

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V6W1125-BFB	6W26446.D	10/19/22 17:44	n/a	BFB Tune
V6W1125-IC1125	6W26448.D	10/19/22 19:10	n/a	Initial cal 0.04
V6W1125-IC1125	6W26449.D	10/19/22 19:43	n/a	Initial cal 0.1
V6W1125-IC1125	6W26450.D	10/19/22 20:15	n/a	Initial cal 0.2
V6W1125-IC1125	6W26451.D	10/19/22 20:47	n/a	Initial cal 0.5
V6W1125-IC1125	6W26453.D	10/19/22 21:52	n/a	Initial cal 5
V6W1125-ICC1125	6W26454.D	10/19/22 22:25	n/a	Initial cal 10
V6W1125-IC1125	6W26455.D	10/19/22 22:57	n/a	Initial cal 20
V6W1125-IC1125	6W26456.D	10/19/22 23:29	n/a	Initial cal 40
V6W1125-IC1125	6W26457.D	10/20/22 00:03	n/a	Initial cal 50
V6W1125-ICV1125	6W26462.D	10/20/22 09:08	n/a	Initial cal verification 10

Run Sequence Report

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V6W1137	**Method:** TO-15	**Instrument ID:** GCMS6W

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V6W1137-BFB	6W26822.D	11/03/22 09:04	n/a	BFB Tune
V6W1137-CC1125	6W26823.D	11/03/22 09:36	n/a	Continuing cal 10
V6W1137-BS	6W26824.D	11/03/22 10:14	n/a	Blank Spike
V6W1137-BSD	6W26825.D	11/03/22 10:45	n/a	Blank Spike Duplicate
V6W1137-MB	6W26830.D	11/03/22 14:39	n/a	Method Blank
ZZZZZZ	6W26831.D	11/03/22 15:48	n/a	(unrelated sample)
ZZZZZZ	6W26832.D	11/03/22 16:21	n/a	(unrelated sample)
JD53652-1	6W26833.D	11/03/22 16:53	n/a	(used for QC only; not part of job JD54338)
JD53652-1DUP	6W26834.D	11/03/22 17:26	n/a	Duplicate
ZZZZZZ	6W26835.D	11/03/22 17:59	n/a	(unrelated sample)
ZZZZZZ	6W26836.D	11/03/22 18:31	n/a	(unrelated sample)
ZZZZZZ	6W26837.D	11/03/22 19:03	n/a	(unrelated sample)
ZZZZZZ	6W26838.D	11/03/22 19:35	n/a	(unrelated sample)
ZZZZZZ	6W26839.D	11/03/22 20:07	n/a	(unrelated sample)
ZZZZZZ	6W26840.D	11/03/22 20:40	n/a	(unrelated sample)
JD54338-1	6W26841.D	11/03/22 21:12	n/a	VPOST GAC
JD54338-2	6W26842.D	11/03/22 21:46	n/a	VINF
ZZZZZZ	6W26843.D	11/03/22 22:19	n/a	(unrelated sample)
ZZZZZZ	6W26844.D	11/03/22 22:51	n/a	(unrelated sample)
ZZZZZZ	6W26846.D	11/03/22 23:58	n/a	(unrelated sample)
ZZZZZZ	6W26847.D	11/04/22 00:31	n/a	(unrelated sample)
ZZZZZZ	6W26848.D	11/04/22 01:04	n/a	(unrelated sample)
ZZZZZZ	6W26849.D	11/04/22 01:37	n/a	(unrelated sample)
V6W1137-SCC	6W26852.D	11/04/22 03:16	n/a	Summa Cleaning Certification
V6W1137-SCC	6W26853.D	11/04/22 03:48	n/a	Summa Cleaning Certification
V6W1137-SCC	6W26854.D	11/04/22 04:20	n/a	Summa Cleaning Certification
V6W1137-SCC	6W26855.D	11/04/22 04:53	n/a	Summa Cleaning Certification
V6W1137-SCC	6W26856.D	11/04/22 05:25	n/a	Summa Cleaning Certification
V6W1137-SCC	6W26859.D	11/04/22 07:04	n/a	Summa Cleaning Certification
V6W1137-SCC	6W26860.D	11/04/22 07:37	n/a	Summa Cleaning Certification

Run Sequence Report

Job Number: JD54338
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V6W1138	**Method:** TO-15	**Instrument ID:** GCMS6W

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V6W1138-BFB	6W26862.D	11/04/22 09:04	n/a	BFB Tune
V6W1138-CC1125	6W26863.D	11/04/22 09:36	n/a	Continuing cal 10
V6W1138-BS	6W26864.D	11/04/22 10:15	n/a	Blank Spike
V6W1138-BSD	6W26865.D	11/04/22 10:47	n/a	Blank Spike Duplicate
V6W1138-MB	6W26867.D	11/04/22 11:58	n/a	Method Blank
JD54338-1	6W26868.D	11/04/22 12:51	n/a	VPOST GAC
ZZZZZZ	6W26869.D	11/04/22 13:22	n/a	(unrelated sample)
ZZZZZZ	6W26870.D	11/04/22 13:54	n/a	(unrelated sample)
JD54423-15	6W26871.D	11/04/22 14:27	n/a	(used for QC only; not part of job JD54338)
JD54423-15DUP	6W26872.D	11/04/22 15:00	n/a	Duplicate
ZZZZZZ	6W26874.D	11/04/22 16:06	n/a	(unrelated sample)
ZZZZZZ	6W26876.D	11/04/22 17:10	n/a	(unrelated sample)
ZZZZZZ	6W26878.D	11/04/22 18:16	n/a	(unrelated sample)
ZZZZZZ	6W26880.D	11/04/22 19:21	n/a	(unrelated sample)
ZZZZZZ	6W26882.D	11/04/22 20:25	n/a	(unrelated sample)
ZZZZZZ	6W26884.D	11/04/22 21:30	n/a	(unrelated sample)
V6W1138-SCC	6W26899.D	11/05/22 05:49	n/a	Summa Cleaning Certification
V6W1138-SCC	6W26900.D	11/05/22 06:21	n/a	Summa Cleaning Certification

MS Volatiles

Raw Data

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 11/10/22 11:08

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26841.D
Acq On : 3 Nov 2022 9:12 pm
Operator : thomash
Sample : jd54338-1
Misc : MS63293,V6W1137,100,,,,1
ALS Vial : 27 Sample Multiplier: 1

Quant Time: Nov 08 13:33:03 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.341	128	44814	10.00	PPBV	# 0.00
52) 1,4-DIFLUOROBENZENE	4.737	114	228657	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.585	117	182102	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	14.022	95	125264	9.85	PPBV	0.00
Target Compounds						Qvalue
6) DICHLORODIFLUOROMETHANE	1.734	85	1842	0.13	PPBV	# 93
11) VINYL CHLORIDE	1.830	62	2245	0.37	PPBV	# 95
13) N-BUTANE	1.881	43	3721	0.33	PPBV	# 60
18) ACROLEIN	2.103	56	969	0.36	PPBV	96
21) TRICHLOROFLUOROMETHANE	2.193	101	1629	0.11	PPBV	# 94
22) ISOPROPYL ALCOHOL	2.213	45	20371	1.38	PPBV	# 88
23) ACETONE	2.142	58	9641	2.91	PPBV	# 45
24) PENTANE	2.303	42	4506	0.57	PPBV	# 94
28) ETHANOL	2.010	45	33856	9.95	PPBV	97
31) METHYLENE CHLORIDE	2.425	84	3283	0.59	PPBV	# 59
39) VINYL ACETATE	2.933	86	2856	1.92	PPBV	# 1
42) CIS-1,2-DICHLOROETHENE	3.258	96	10461	1.61	PPBV	# 79
44) ETHYL ACETATE	3.412	61	414072	174.21	PPBV	# 13
51) BENZENE	4.380	78	15042	0.75	PPBV	81
55) TRICHLOROETHENE	5.351	95	21415	2.39	PPBV	99
62) HEPTANE	5.782	43	1602	0.11	PPBV	# 54
66) TOLUENE	7.614	91	71451	2.82	PPBV	99
80) M,P-XYLENE	11.958	91	2488m	0.11	PPBV	


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26841.D
Acq On : 3 Nov 2022 9:12 pm
Operator : thomash
Sample : jd54338-1
Misc : MS63293,V6W1137,100,,,,1
ALS Vial : 27 Sample Multiplier: 1

Quant Time: Nov 08 13:33:03 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration







#6
DICHLORODIFLUOROMETHANE
Concen: 0.13 PPBV
RT: 1.734 min Scan# 512
Delta R.T. 0.003 min
Lab File: 6W26841.D
Acq: 3 Nov 2022 9:12 pm

Tgt Ion: 85 Resp: 1842

Ion	Ratio	Lower	Upper
85	100		
87	31.2	25.8	38.6
50	0.0	7.4	11.2#







#11
VINYL CHLORIDE
Concen: 0.37 PPBV
RT: 1.830 min Scan# 542
Delta R.T. 0.000 min
Lab File: 6W26841.D
Acq: 3 Nov 2022 9:12 pm

Tgt Ion: 62 Resp: 2245

Ion	Ratio	Lower	Upper
62	100		
64	32.0	25.7	38.5
61	0.0	6.7	10.1#







#13
N-BUTANE
Concen: 0.33 PPBV
RT: 1.881 min Scan# 558
Delta R.T. 0.003 min
Lab File: 6W26841.D
Acq: 3 Nov 2022 9:12 pm

Tgt Ion: 43 Resp: 3721

Ion	Ratio	Lower	Upper
43	100		
58	0.0	14.2	21.2#
44	18.2	4.2	6.4#







#18
ACROLEIN
Concen: 0.36 PPBV
RT: 2.103 min Scan# 627
Delta R.T. 0.003 min
Lab File: 6W26841.D
Acq: 3 Nov 2022 9:12 pm

Tgt Ion: 56 Resp: 969

Ion	Ratio	Lower	Upper
56	100		
55	66.7	56.0	84.0







#21
TRICHLOROFLUOROMETHANE
Concen: 0.11 PPBV
RT: 2.193 min Scan# 655
Delta R.T. 0.003 min
Lab File: 6W26841.D
Acq: 3 Nov 2022 9:12 pm

Tgt Ion:101 Resp: 1629

Ion	Ratio	Lower	Upper
101	100		
103	66.8	51.8	77.6
105	0.0	8.4	12.6#







#22
ISOPROPYL ALCOHOL
Concen: 1.38 PPBV
RT: 2.213 min Scan# 661
Delta R.T. 0.007 min
Lab File: 6W26841.D
Acq: 3 Nov 2022 9:12 pm

Tgt Ion: 45 Resp: 20371

Ion	Ratio	Lower	Upper
45	100		
43	25.9	15.5	23.3#
59	3.4	4.1	6.1#







#23
ACETONE
Concen: 2.91 PPBV
RT: 2.142 min Scan# 639
Delta R.T. 0.003 min
Lab File: 6W26841.D
Acq: 3 Nov 2022 9:12 pm

Tgt Ion: 58 Resp: 9641

Ion	Ratio	Lower	Upper
58	100		
43	340.3	195.9	293.9#







#24
PENTANE
Concen: 0.57 PPBV
RT: 2.303 min Scan# 689
Delta R.T. 0.003 min
Lab File: 6W26841.D
Acq: 3 Nov 2022 9:12 pm

Tgt Ion: 42 Resp: 4506

Ion	Ratio	Lower	Upper
42	100		
41	88.7	69.5	104.3
57	25.0	27.4	41.0#







#28
ETHANOL
Concen: 9.95 PPBV
RT: 2.010 min Scan# 598
Delta R.T. 0.003 min
Lab File: 6W26841.D
Acq: 3 Nov 2022 9:12 pm

Tgt Ion: 45 Resp: 33856

Ion	Ratio	Lower	Upper
45	100		
46	40.6	34.1	51.1
42	8.6	6.1	9.1







#31
METHYLENE CHLORIDE
Concen: 0.59 PPBV
RT: 2.425 min Scan# 727
Delta R.T. 0.003 min
Lab File: 6W26841.D
Acq: 3 Nov 2022 9:12 pm

Tgt Ion: 84 Resp: 3283

Ion	Ratio	Lower	Upper
84	100		
86	66.8	50.9	76.3
49	161.7	78.6	118.0#







#39
VINYL ACETATE
Concen: 1.92 PPBV
RT: 2.933 min Scan# 885
Delta R.T. 0.000 min
Lab File: 6W26841.D
Acq: 3 Nov 2022 9:12 pm

Tgt Ion: 86 Resp: 2856

Ion	Ratio	Lower	Upper
86	100		
43	1279.8	626.3	939.5#
44	124.8	34.5	51.7#







#42
CIS-1,2-DICHLOROETHENE
Concen: 1.61 PPBV
RT: 3.258 min Scan# 986
Delta R.T. 0.003 min
Lab File: 6W26841.D
Acq: 3 Nov 2022 9:12 pm

Tgt Ion: 96 Resp: 10461

Ion	Ratio	Lower	Upper
96	100		
98	64.0	51.1	76.7
61	152.5	93.9	140.9#







#44
ETHYL ACETATE
Concen: 174.21 PPBV
RT: 3.412 min Scan# 1034
Delta R.T. 0.010 min
Lab File: 6W26841.D
Acq: 3 Nov 2022 9:12 pm

Tgt Ion: 61 Resp: 414072

Ion	Ratio	Lower	Upper
61	100		
43	773.5	986.2	1479.2#
88	26.0	38.8	58.2#







#51
BENZENE
Concen: 0.75 PPBV
RT: 4.380 min Scan# 1335
Delta R.T. -0.003 min
Lab File: 6W26841.D
Acq: 3 Nov 2022 9:12 pm

Tgt Ion: 78 Resp: 15042

Ion	Ratio	Lower	Upper
78	100		
52	21.3	0.0	34.0
51	21.5	0.0	33.5







#55
TRICHLOROETHENE
Concen: 2.39 PPBV
RT: 5.351 min Scan# 1637
Delta R.T. 0.000 min
Lab File: 6W26841.D
Acq: 3 Nov 2022 9:12 pm

Tgt Ion: 95 Resp: 21415

Ion	Ratio	Lower	Upper
95	100		
130	104.7	83.2	124.8
132	100.6	79.8	119.6
97	64.8	51.3	76.9







#62
HEPTANE
Concen: 0.11 PPBV
RT: 5.782 min Scan# 1771
Delta R.T. -0.006 min
Lab File: 6W26841.D
Acq: 3 Nov 2022 9:12 pm

Tgt Ion: 43 Resp: 1602

Ion	Ratio	Lower	Upper
43	100		
71	32.2	60.6	90.8#
57	32.5	50.2	75.4#







#66
TOLUENE
Concen: 2.82 PPBV
RT: 7.614 min Scan# 2341
Delta R.T. -0.003 min
Lab File: 6W26841.D
Acq: 3 Nov 2022 9:12 pm

Tgt Ion: 91 Resp: 71451

Ion	Ratio	Lower	Upper
91	100		
92	57.9	38.9	78.9






#80
M,P-XYLENE
Concen: 0.11 PPBV m
RT: 11.958 min Scan# 3692
Delta R.T. -0.051 min
Lab File: 6W26841.D
Acq: 3 Nov 2022 9:12 pm

Tgt Ion: 91 Resp: 2488

Ion	Ratio	Lower	Upper
91	100		
106	48.3	31.5	71.5
105	0.0	3.6	43.6#



Manual Integration Approval Summary


Sample Number:	JD54338-1	**Method:**	TO-15
Lab FileID:	6W26841.D	**Analyst approved:**	11/08/22 13:45 William Cruser
Injection Time:	11/03/22 21:12	**Supervisor approved:**	11/10/22 11:08 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
m,p-Xylene			11.96	Split peak


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26841.D
Acq On : 3 Nov 2022 9:12 pm
Operator : thomash
Sample : jd54338-1
Misc : MS63293,V6W1137,100,,,,1
ALS Vial : 27 Sample Multiplier: 1

Quant Time: Nov 04 14:18:23 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration







TIC: 6W26841.D\data.ms

(80) M,P-XYLENE (t)

11.958min (-0.051) 0.07PPBV

response 1689

Ion	Exp%	Act%
91.10	100	100
106.10	51.50	71.17
105.10	23.60	0.00#
0.00	0.00	0.00

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26868.D
Acq On : 4 Nov 2022 12:51 pm
Operator : thomash
Sample : jd54338-1
Misc : MS63437,V6W1138,10,,,,1
ALS Vial : 18 Sample Multiplier: 1

Quant Time: Nov 10 09:01:31 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.338	128	45513	10.00	PPBV	# 0.00
52) 1,4-DIFLUOROBENZENE	4.733	114	230658	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.582	117	180587	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	14.019	95	122450	9.71	PPBV	0.00
Target Compounds						Qvalue
22) ISOPROPYL ALCOHOL	2.213	45	1783	0.12	PPBV	# 78
23) ACETONE	2.142	58	814	0.24	PPBV	# 40
28) ETHANOL	2.010	45	2487	0.72	PPBV	# 91
42) CIS-1,2-DICHLOROETHENE	3.254	96	677	0.10	PPBV	# 53
44) ETHYL ACETATE	3.409	61	24827	10.28	PPBV	# 18
55) TRICHLOROETHENE	5.344	95	1349	0.15	PPBV	97
66) TOLUENE	7.614	91	4476	0.18	PPBV	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26868.D
Acq On : 4 Nov 2022 12:51 pm
Operator : thomash
Sample : jd54338-1
Misc : MS63437,V6W1138,10,,,,1
ALS Vial : 18 Sample Multiplier: 1

Quant Time: Nov 10 09:01:31 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration







#22
ISOPROPYL ALCOHOL
Concen: 0.12 PPBV
RT: 2.213 min Scan# 661
Delta R.T. 0.007 min
Lab File: 6W26868.D
Acq: 4 Nov 2022 12:51 pm

Tgt Ion: 45 Resp: 1783

Ion	Ratio	Lower	Upper
45	100		
43	30.2	15.5	23.3#
59	0.0	4.1	6.1#







#23
ACETONE
Concen: 0.24 PPBV
RT: 2.142 min Scan# 639
Delta R.T. 0.003 min
Lab File: 6W26868.D
Acq: 4 Nov 2022 12:51 pm

Tgt Ion: 58 Resp: 814

Ion	Ratio	Lower	Upper
58	100		
43	347.9	195.9	293.9#







#28
ETHANOL
Concen: 0.72 PPBV
RT: 2.010 min Scan# 598
Delta R.T. 0.003 min
Lab File: 6W26868.D
Acq: 4 Nov 2022 12:51 pm

Tgt Ion: 45 Resp: 2487

Ion	Ratio	Lower	Upper
45	100		
46	38.6	34.1	51.1
42	0.0	6.1	9.1#







#42
CIS-1,2-DICHLOROETHENE
Concen: 0.10 PPBV
RT: 3.254 min Scan# 985
Delta R.T. 0.000 min
Lab File: 6W26868.D
Acq: 4 Nov 2022 12:51 pm

Tgt Ion: 96 Resp: 677

Ion	Ratio	Lower	Upper
96	100		
98	0.0	51.1	76.7#
61	148.9	93.9	140.9#







#44
ETHYL ACETATE
Concen: 10.28 PPBV
RT: 3.409 min Scan# 1033
Delta R.T. 0.007 min
Lab File: 6W26868.D
Acq: 4 Nov 2022 12:51 pm

Tgt Ion: 61 Resp: 24827

Ion	Ratio	Lower	Upper
61	100		
43	796.4	986.2	1479.2#
88	25.9	38.8	58.2#







#55
TRICHLOROETHENE
Concen: 0.15 PPBV
RT: 5.344 min Scan# 1635
Delta R.T. -0.006 min
Lab File: 6W26868.D
Acq: 4 Nov 2022 12:51 pm

Tgt Ion: 95 Resp: 1349

Ion	Ratio	Lower	Upper
95	100		
130	102.0	83.2	124.8
132	97.0	79.8	119.6
97	61.5	51.3	76.9






#66
TOLUENE
Concen: 0.18 PPBV
RT: 7.614 min Scan# 2341
Delta R.T. -0.003 min
Lab File: 6W26868.D
Acq: 4 Nov 2022 12:51 pm

Tgt Ion: 91 Resp: 4476

Ion	Ratio	Lower	Upper
91	100		
92	56.3	38.9	78.9



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26842.D
Acq On : 3 Nov 2022 9:46 pm
Operator : thomash
Sample : jd54338-2
Misc : MS63293,V6W1137,148,,,,1.48
ALS Vial : 28 Sample Multiplier: 1

Quant Time: Nov 08 13:41:43 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.341	128	44877	10.00	PPBV	# 0.00
52) 1,4-DIFLUOROBENZENE	4.737	114	225821	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.585	117	180115	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	14.029	95	123126	9.79	PPBV	0.00
Target Compounds						Qvalue
6) DICHLORODIFLUOROMETHANE	1.734	85	1745	0.12	PPBV	# 90
13) N-BUTANE	1.881	43	2258	0.20	PPBV	# 65
22) ISOPROPYL ALCOHOL	2.213	45	7771	0.53	PPBV	# 78
23) ACETONE	2.145	58	7317	2.20	PPBV	# 45
24) PENTANE	2.303	42	2464	0.31	PPBV	# 94
28) ETHANOL	2.010	45	14645	4.30	PPBV	95
31) METHYLENE CHLORIDE	2.425	84	2762	0.49	PPBV	# 56
39) VINYL ACETATE	2.933	86	533	0.36	PPBV	# 1
42) CIS-1,2-DICHLOROETHENE	3.258	96	11944	1.83	PPBV	# 79
44) ETHYL ACETATE	3.409	61	84085	35.33	PPBV	# 18
51) BENZENE	4.383	78	3716	0.19	PPBV	82
55) TRICHLOROETHENE	5.348	95	6800	0.77	PPBV	98
66) TOLUENE	7.614	91	16339	0.65	PPBV	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26842.D
Acq On : 3 Nov 2022 9:46 pm
Operator : thomash
Sample : jd54338-2
Misc : MS63293,V6W1137,148,,,,1.48
ALS Vial : 28 Sample Multiplier: 1

Quant Time: Nov 08 13:41:43 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration







#6
DICHLORODIFLUOROMETHANE
Concen: 0.12 PPBV
RT: 1.734 min Scan# 512
Delta R.T. 0.003 min
Lab File: 6W26842.D
Acq: 3 Nov 2022 9:46 pm

Tgt Ion: 85 Resp: 1745

Ion	Ratio	Lower	Upper
85	100		
87	29.3	25.8	38.6
50	0.0	7.4	11.2#







#13
N-BUTANE
Concen: 0.20 PPBV
RT: 1.881 min Scan# 558
Delta R.T. 0.003 min
Lab File: 6W26842.D
Acq: 3 Nov 2022 9:46 pm

Tgt Ion: 43 Resp: 2258

Ion	Ratio	Lower	Upper
43	100		
58	0.0	14.2	21.2#
44	0.0	4.2	6.4#







#22
ISOPROPYL ALCOHOL
Concen: 0.53 PPBV
RT: 2.213 min Scan# 661
Delta R.T. 0.007 min
Lab File: 6W26842.D
Acq: 3 Nov 2022 9:46 pm

Tgt Ion: 45 Resp: 7771

Ion	Ratio	Lower	Upper
45	100		
43	30.3	15.5	23.3#
59	0.0	4.1	6.1#







#23
ACETONE
Concen: 2.20 PPBV
RT: 2.145 min Scan# 640
Delta R.T. 0.007 min
Lab File: 6W26842.D
Acq: 3 Nov 2022 9:46 pm

Tgt Ion: 58 Resp: 7317

Ion	Ratio	Lower	Upper
58	100		
43	338.9	195.9	293.9#







#24
PENTANE
Concen: 0.31 PPBV
RT: 2.303 min Scan# 689
Delta R.T. 0.003 min
Lab File: 6W26842.D
Acq: 3 Nov 2022 9:46 pm

Tgt Ion: 42 Resp: 2464

Ion	Ratio	Lower	Upper
42	100		
41	86.4	69.5	104.3
57	22.9	27.4	41.0#







#28
ETHANOL
Concen: 4.30 PPBV
RT: 2.010 min Scan# 598
Delta R.T. 0.003 min
Lab File: 6W26842.D
Acq: 3 Nov 2022 9:46 pm

Tgt Ion: 45 Resp: 14645

Ion	Ratio	Lower	Upper
45	100		
46	39.2	34.1	51.1
42	8.1	6.1	9.1







#31
METHYLENE CHLORIDE
Concen: 0.49 PPBV
RT: 2.425 min Scan# 727
Delta R.T. 0.003 min
Lab File: 6W26842.D
Acq: 3 Nov 2022 9:46 pm

Tgt Ion: 84 Resp: 2762

Ion	Ratio	Lower	Upper
84	100		
86	69.0	50.9	76.3
49	166.1	78.6	118.0#







#39
VINYL ACETATE
Concen: 0.36 PPBV
RT: 2.933 min Scan# 885
Delta R.T. 0.000 min
Lab File: 6W26842.D
Acq: 3 Nov 2022 9:46 pm

Tgt Ion: 86 Resp: 533

Ion	Ratio	Lower	Upper
86	100		
43	1414.4	626.3	939.5#
44	146.9	34.5	51.7#







#42
CIS-1,2-DICHLOROETHENE
Concen: 1.83 PPBV
RT: 3.258 min Scan# 986
Delta R.T. 0.003 min
Lab File: 6W26842.D
Acq: 3 Nov 2022 9:46 pm

Tgt Ion: 96 Resp: 11944

Ion	Ratio	Lower	Upper
96	100		
98	65.8	51.1	76.7
61	151.6	93.9	140.9#







#44
ETHYL ACETATE
Concen: 35.33 PPBV
RT: 3.409 min Scan# 1033
Delta R.T. 0.007 min
Lab File: 6W26842.D
Acq: 3 Nov 2022 9:46 pm

Tgt Ion: 61 Resp: 84085

Ion	Ratio	Lower	Upper
61	100		
43	796.3	986.2	1479.2#
88	26.3	38.8	58.2#







#51
BENZENE
Concen: 0.19 PPBV
RT: 4.383 min Scan# 1336
Delta R.T. 0.000 min
Lab File: 6W26842.D
Acq: 3 Nov 2022 9:46 pm

Tgt Ion: 78 Resp: 3716

Ion	Ratio	Lower	Upper
78	100		
52	20.2	0.0	34.0
51	22.2	0.0	33.5







#55
TRICHLOROETHENE
Concen: 0.77 PPBV
RT: 5.348 min Scan# 1636
Delta R.T. -0.003 min
Lab File: 6W26842.D
Acq: 3 Nov 2022 9:46 pm

Tgt Ion: 95 Resp: 6800

Ion	Ratio	Lower	Upper
95	100		
130	102.4	83.2	124.8
132	97.2	79.8	119.6
97	64.2	51.3	76.9






#66
TOLUENE
Concen: 0.65 PPBV
RT: 7.614 min Scan# 2341
Delta R.T. -0.003 min
Lab File: 6W26842.D
Acq: 3 Nov 2022 9:46 pm

Tgt Ion: 91 Resp: 16339

Ion	Ratio	Lower	Upper
91	100		
92	57.2	38.9	78.9



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26830.D
Acq On : 3 Nov 2022 2:39 pm
Operator : thomash
Sample : mb
Misc : MS63437,V6W1137,,,,,1
ALS Vial : 17 Sample Multiplier: 1

Quant Time: Nov 04 15:20:12 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.338	128	44863	10.00	PPBV	# 0.00
52) 1,4-DIFLUOROBENZENE	4.734	114	225395	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.582	117	177281	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	14.019	95	121077	9.78	PPBV	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26830.D
Acq On : 3 Nov 2022 2:39 pm
Operator : thomash
Sample : mb
Misc : MS63437,V6W1137,,,,,1
ALS Vial : 17 Sample Multiplier: 1

Quant Time: Nov 04 15:20:12 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration



Quantitation Report (QT/LSC Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26867.D
Acq On : 4 Nov 2022 11:58 am
Operator : thomash
Sample : mb
Misc : MS63483,V6W1138,,,,,1
ALS Vial : 17 Sample Multiplier: 1

Quant Time: Nov 06 15:44:45 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.341	128	46239	10.00	PPBV	# 0.00
52) 1,4-DIFLUOROBENZENE	4.733	114	231869	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.585	117	184569	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	14.022	95	126290	9.80	PPBV	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT/LSC Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26867.D
Acq On : 4 Nov 2022 11:58 am
Operator : thomash
Sample : mb
Misc : MS63483,V6W1138,,,,,1
ALS Vial : 17 Sample Multiplier: 1

Quant Time: Nov 06 15:44:45 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25444.D
Acq On : 11 Aug 2022 12:47 pm
Operator : thomash
Sample : mb
Misc : MS61233,V6W1083,,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Aug 11 14:27:26 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.415	128	62033	10.00	PPBV	# 0.00
52) 1,4-DIFLUOROBENZENE	4.794	114	317377	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.605	117	278641	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	14.038	95	184664	9.45	PPBV	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25444.D
Acq On : 11 Aug 2022 12:47 pm
Operator : thomash
Sample : mb
Misc : MS61233,V6W1083,,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Aug 11 14:27:26 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61615.D
Acq On : 27 Sep 2022 10:49 am
Operator : thomash
Sample : mb
Misc : MS62367,V2w2734,,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 27 12:24:48 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.612	128	77815	10.00	PPBV	0.00
52) 1,4-DIFLUOROBENZENE	4.927	114	428161	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.582	117	371065	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	13.958	95	237014	9.59	PPBV	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61615.D
Acq On : 27 Sep 2022 10:49 am
Operator : thomash
Sample : mb
Misc : MS62367,V2w2734,,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 27 12:24:48 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration



M2W2709.M Tue Sep 27 14:15:37 2022 GCMS2W Page: 2

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 11/07/22 15:11

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26824.D
Acq On : 3 Nov 2022 10:14 am
Operator : thomash
Sample : bs
Misc : MS63437,V6W1137,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 04 15:15:01 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.338	128	45781	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.734	114	229465	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.582	117	188055	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.023	95	132154	10.06	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.695	65	32453m	8.25	PPBV		
4) CHLORODIFLUOROMETHANE	1.708	67	14675	8.23	PPBV		97
5) CHLOROTRIFLUOROETHENE	1.718	116	73588	8.54	PPBV	#	100
6) DICHLORODIFLUOROMETHANE	1.730	85	170322	11.90	PPBV	#	94
7) PROPYLENE	1.714	41	45383	7.74	PPBV		96
8) 1-CHLORO-1,1-DIFLUOROE...	1.766	65	125105	9.54	PPBV	#	89
9) FREON 114	1.798	85	152679	10.14	PPBV		97
10) CHLOROMETHANE	1.772	52	20030	9.69	PPBV		95
11) VINYL CHLORIDE	1.830	62	64728	10.32	PPBV		98
12) 1,3-BUTADIENE	1.866	54	52397	10.22	PPBV	#	76
13) N-BUTANE	1.878	43	105398	9.12	PPBV	#	92
14) BROMOMETHANE	1.933	94	54026	11.14	PPBV		99
15) CHLOROETHANE	1.978	64	33508	11.16	PPBV		97
16) DICHLOROFLUOROMETHANE	2.004	67	133222	10.45	PPBV	#	96
17) ACETONITRILE	2.065	41	67541	10.03	PPBV		97
18) ACROLEIN	2.100	56	31953	11.47	PPBV		100
19) FREON 123	2.116	83	130702	10.81	PPBV		96
20) FREON 123A	2.132	117	76515	10.50	PPBV		85
21) TRICHLOROFLUOROMETHANE	2.190	101	148520	9.95	PPBV		100
22) ISOPROPYL ALCOHOL	2.206	45	138301	9.18	PPBV	#	95
23) ACETONE	2.139	58	34733	10.25	PPBV	#	49
24) PENTANE	2.300	42	76962	9.58	PPBV	#	93
25) IODOMETHANE	2.357	142	153655	10.68	PPBV		88
26) 1,1-DICHLOROETHYLENE	2.383	96	56980	10.04	PPBV	#	60
27) CARBON DISULFIDE	2.521	76	177919	9.90	PPBV	#	91
28) ETHANOL	2.007	45	32893	9.46	PPBV	#	96
29) BROMOETHENE	2.071	106	55969	11.01	PPBV	#	98
30) ACRYLONITRILE	2.271	52	52667	10.37	PPBV		96
31) METHYLENE CHLORIDE	2.422	84	52705	9.26	PPBV	#	51
32) 3-CHLOROPROPENE	2.464	76	28193	10.18	PPBV	#	6
33) FREON 113	2.518	151	97033	9.64	PPBV		89
34) TRANS-1,2-DICHLOROETHENE	2.769	96	62055	9.79	PPBV	#	80
35) TERTIARY BUTYL ALCOHOL	2.396	59	108467	8.81	PPBV	#	87
36) METHYL TERTIARY BUTYL ...	2.888	73	128568	8.15	PPBV	#	93
37) TETRAHYDROFURAN	3.653	72	30706	10.48	PPBV	#	48
38) HEXANE	3.390	57	116144	9.45	PPBV	#	78
39) VINYL ACETATE	2.930	86	15872	10.45	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.853	63	116835	9.67	PPBV		99
41) METHYL ETHYL KETONE	3.039	72	31587	10.26	PPBV	#	7
42) CIS-1,2-DICHLOROETHENE	3.255	96	63495	9.55	PPBV	#	80
43) DIISOPROPYL ETHER	3.399	59	31703	8.97	PPBV	#	46
44) ETHYL ACETATE	3.406	61	24493	10.09	PPBV	#	45
45) METHYL ACRYLATE	3.390	55	152178	10.01	PPBV	#	97
46) CHLOROFORM	3.422	83	128228	9.39	PPBV	#	93
47) 2,4-DIMETHYLPENTANE	3.952	57	137128	9.87	PPBV	#	93
48) 1,1,1-TRICHLOROETHANE	4.042	97	117150	8.73	PPBV	#	91
49) CARBON TETRACHLORIDE	4.499	117	128466	8.93	PPBV		99
50) 1,2-DICHLOROETHANE	3.865	62	93097	8.96	PPBV	#	95
51) BENZENE	4.380	78	190864	9.35	PPBV		81
53) CYCLOHEXANE	4.602	84	81604	9.75	PPBV	#	73
54) 2,3-DIMETHYLPENTANE	4.875	71	44180	9.69	PPBV	#	57
55) TRICHLOROETHENE	5.348	95	84261	9.35	PPBV		99
56) 1,2-DICHLOROPROPANE	5.100	63	80579	9.74	PPBV		99
57) DIBROMOMETHANE	5.058	174	74436	8.76	PPBV		89

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26824.D
Acq On : 3 Nov 2022 10:14 am
Operator : thomash
Sample : bs
Misc : MS63437,V6W1137,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 04 15:15:01 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58)	ETHYL ACRYLATE	5.235	55	189046	10.77	PPBV	#	97
59)	BROMODICHLOROMETHANE	5.296	83	135989	8.96	PPBV		99
60)	2,2,4-TRIMETHYLPENTANE	5.441	57	375427	9.89	PPBV	#	98
61)	1,4-DIOXANE	5.373	88	47121	11.90	PPBV	#	74
62)	HEPTANE	5.775	43	123410	8.07	PPBV	#	78
63)	METHYL METHACRYLATE	5.682	69	68221	9.31	PPBV	#	59
64)	METHYL ISOBUTYL KETONE	6.470	58	63961	10.31	PPBV	#	65
65)	CIS-1,3-DICHLOROPROPENE	6.348	75	93764	8.56	PPBV	#	76
66)	TOLUENE	7.614	91	207309	8.17	PPBV		99
67)	1,3-DICHLOROPROPANE	7.682	76	106865	8.73	PPBV	#	98
68)	TRANS-1,3-DICHLOROPROPENE	7.068	75	83311	8.62	PPBV	#	79
69)	1,1,2-TRICHLOROETHANE	7.238	83	63312	8.73	PPBV		98
70)	2-HEXANONE	8.222	58	87163	12.07	PPBV	#	69
71)	ETHYL METHACRYLATE	8.354	69	112284	10.39	PPBV	#	73
72)	TETRACHLOROETHENE	9.412	164	80149	9.14	PPBV		94
73)	DIBROMOCHLOROMETHANE	8.187	129	134013	8.56	PPBV		99
74)	1,2-DIBROMOETHANE	8.540	107	118289	8.91	PPBV		99
75)	OCTANE	9.557	43	168011	8.30	PPBV	#	78
77)	1,1,1,2-TETRACHLOROETHANE	10.675	131	92122	9.13	PPBV		95
78)	CHLOROBENZENE	10.663	112	171591	9.44	PPBV		98
79)	ETHYLBENZENE	11.566	91	277012	8.55	PPBV		99
80)	M,P-XYLENE	12.003	91	429971	17.79	PPBV	#	66
81)	O-XYLENE	12.962	91	216611	8.95	PPBV		98
82)	STYRENE	12.746	104	168457	10.41	PPBV		98
83)	NONANE	14.084	43	180978	8.69	PPBV	#	77
84)	BROMOFORM	11.823	173	121723	9.23	PPBV	#	98
85)	1,1,2,2-TETRACHLOROETHANE	12.984	83	171784	9.99	PPBV		99
86)	1,2,3-TRICHLOROPROPANE	13.270	75	128467	9.55	PPBV		98
88)	ISOPROPYLBENZENE	14.498	105	317146	9.50	PPBV	#	93
89)	BROMOBENZENE	14.373	77	157229	9.77	PPBV		95
90)	2-CHLOROTOLUENE	15.521	91	221725	10.18	PPBV		99
91)	N-PROPYLBENZENE	15.859	91	385977	10.50	PPBV	#	96
92)	4-ETHYLTOLUENE	16.199	105	321510	10.81	PPBV		100
93)	1,3,5-TRIMETHYLBENZENE	16.350	105	267105	10.62	PPBV		100
94)	ALPHA-METHYLSTYRENE	16.543	118	143897	11.42	PPBV		99
95)	TERT-BUTYLBENZENE	16.797	119	301546	10.69	PPBV		98
96)	1,2,4-TRIMETHYLBENZENE	16.804	105	280909	10.81	PPBV		96
97)	BENZYL CHLORIDE	16.887	91	177463	11.27	PPBV		98
98)	M-DICHLOROBENZENE	16.865	146	190501	10.55	PPBV		99
99)	P-DICHLOROBENZENE	16.945	146	191007	10.59	PPBV		99
100)	O-DICHLOROBENZENE	17.238	146	185805	10.51	PPBV		99
101)	SEC-BUTYLBENZENE	17.074	105	413233	10.74	PPBV		99
102)	1,2,3-TRIMETHYLBENZENE	17.183	105	275839	10.84	PPBV		99
103)	P-ISOPROPYLTOLUENE	17.251	119	359563	10.90	PPBV		96
104)	N-BUTYLBENZENE	17.595	91	343092	11.70	PPBV		98
105)	HEXACHLOROETHANE	17.772	117	118819	9.92	PPBV		90
106)	HEXACHLOROBUTADIENE	18.804	225	137095	10.47	PPBV		100
107)	1,2,4-TRICHLOROBENZENE	18.498	180	170571	11.62	PPBV		98
108)	NAPHTHALENE	18.547	128	457473	12.64	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26824.D
Acq On : 3 Nov 2022 10:14 am
Operator : thomash
Sample : bs
Misc : MS63437,V6W1137,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 04 15:15:01 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V6W1137-BS
Lab FileID: 6W26824.D
Injection Time: 11/03/22 10:14
Method: TO-15
Analyst approved: 11/04/22 15:23 William Cruser
Supervisor approved: 11/07/22 15:11 Kanya Veerawat

Parameter	CAS	Sig#	R.T. (min.)	Reason
Freon 152A	75-37-6		1.70	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26824.D
Acq On : 3 Nov 2022 10:14 am
Operator : thomash
Sample : bs
Misc : MS63437,V6W1137,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 03 10:39:21 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration



TIC: 6W26824.D\data.ms

(3) FREON 152A (T)

1.695min (+0.000) 8.25PPBV m


response 32453


Ion	Exp%	Act%
65.10	100	100
45.10	22.90	101.59#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\Raw Data\
Data File : 6W26824.D
Acq On : 3 Nov 2022 10:14 am
Operator : thomash
Sample : bs
Misc : MS63437,V6W1137,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 07 15:58:08 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration





TIC: 6W26824.D\data.ms

(3) FREON 152A (T)

1.766min (+0.071) 31.79PPBV

response 125105

Ion	Exp%	Act%
65.10	100	100
45.10	22.90	26.35
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (QT Reviewed)

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 11/07/22 15:11

Data Path : C:\msdchem\1\data\
Data File : 6W26825.D
Acq On : 3 Nov 2022 10:45 am
Operator : thomash
Sample : bsd
Misc : MS63437,V6W1137,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 04 15:16:20 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.341	128	46044	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.733	114	228615	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.585	117	186065	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.026	95	132310	10.18	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.695	65	33216m	8.39	PPBV		
4) CHLORODIFLUOROMETHANE	1.708	67	14949	8.33	PPBV		97
5) CHLOROTRIFLUOROETHENE	1.717	116	75776	8.74	PPBV	#	99
6) DICHLORODIFLUOROMETHANE	1.734	85	173290	12.04	PPBV	#	93
7) PROPYLENE	1.717	41	46448	7.87	PPBV		97
8) 1-CHLORO-1,1-DIFLUOROE...	1.769	65	127408	9.66	PPBV	#	89
9) FREON 114	1.801	85	155582	10.27	PPBV		97
10) CHLOROMETHANE	1.772	52	20087	9.66	PPBV		93
11) VINYL CHLORIDE	1.830	62	66209	10.50	PPBV		98
12) 1,3-BUTADIENE	1.865	54	54325	10.53	PPBV	#	78
13) N-BUTANE	1.878	43	107395	9.24	PPBV	#	92
14) BROMOMETHANE	1.936	94	54279	11.13	PPBV		100
15) CHLOROETHANE	1.981	64	34006	11.26	PPBV		96
16) DICHLOROFLUOROMETHANE	2.004	67	136165	10.62	PPBV	#	96
17) ACETONITRILE	2.068	41	69412	10.25	PPBV		98
18) ACROLEIN	2.103	56	32920	11.75	PPBV		100
19) FREON 123	2.116	83	133907	11.01	PPBV		97
20) FREON 123A	2.132	117	78998	10.77	PPBV		87
21) TRICHLOROFLUOROMETHANE	2.193	101	150488	10.02	PPBV		100
22) ISOPROPYL ALCOHOL	2.206	45	143973	9.51	PPBV	#	96
23) ACETONE	2.139	58	35176	10.32	PPBV	#	49
24) PENTANE	2.299	42	77303	9.57	PPBV	#	95
25) IODOMETHANE	2.357	142	157077	10.85	PPBV		88
26) 1,1-DICHLOROETHYLENE	2.386	96	58048	10.17	PPBV	#	60
27) CARBON DISULFIDE	2.521	76	180249	9.97	PPBV	#	91
28) ETHANOL	2.007	45	34132	9.76	PPBV		97
29) BROMOETHENE	2.074	106	56221	11.00	PPBV	#	99
30) ACRYLONITRILE	2.274	52	53411	10.46	PPBV		97
31) METHYLENE CHLORIDE	2.422	84	54219	9.47	PPBV	#	56
32) 3-CHLOROPROPENE	2.463	76	28782	10.33	PPBV	#	6
33) FREON 113	2.521	151	98600	9.74	PPBV		88
34) TRANS-1,2-DICHLOROETHENE	2.772	96	63473	9.96	PPBV	#	80
35) TERTIARY BUTYL ALCOHOL	2.396	59	112444	9.08	PPBV	#	88
36) METHYL TERTIARY BUTYL ...	2.888	73	132947	8.38	PPBV	#	93
37) TETRAHYDROFURAN	3.656	72	31351	10.64	PPBV	#	46
38) HEXANE	3.393	57	118476	9.58	PPBV	#	78
39) VINYL ACETATE	2.933	86	16439	10.76	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.852	63	118607	9.76	PPBV		98
41) METHYL ETHYL KETONE	3.039	72	32160	10.38	PPBV	#	4
42) CIS-1,2-DICHLOROETHENE	3.254	96	65144	9.74	PPBV	#	80
43) DIISOPROPYL ETHER	3.399	59	32911	9.26	PPBV	#	48
44) ETHYL ACETATE	3.409	61	25316	10.37	PPBV	#	45
45) METHYL ACRYLATE	3.393	55	156892	10.26	PPBV	#	97
46) CHLOROFORM	3.422	83	131064	9.55	PPBV	#	94
47) 2,4-DIMETHYLPENTANE	3.955	57	140305	10.04	PPBV	#	94
48) 1,1,1-TRICHLOROETHANE	4.042	97	119399	8.85	PPBV	#	91
49) CARBON TETRACHLORIDE	4.499	117	131670	9.10	PPBV		99
50) 1,2-DICHLOROETHANE	3.868	62	95041	9.10	PPBV	#	95
51) BENZENE	4.380	78	193835	9.44	PPBV		81
53) CYCLOHEXANE	4.602	84	83201	9.98	PPBV	#	72
54) 2,3-DIMETHYLPENTANE	4.878	71	44752	9.86	PPBV	#	55
55) TRICHLOROETHENE	5.351	95	85815	9.56	PPBV		99
56) 1,2-DICHLOROPROPANE	5.103	63	82162	9.97	PPBV		99
57) DIBROMOMETHANE	5.061	174	75718	8.95	PPBV		88

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26825.D
Acq On : 3 Nov 2022 10:45 am
Operator : thomash
Sample : bsd
Misc : MS63437,V6W1137,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 04 15:16:20 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58) ETHYL ACRYLATE	5.238	55	194204	11.11	PPBV	#	97
59) BROMODICHLOROMETHANE	5.299	83	139846	9.25	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.444	57	384577	10.17	PPBV	#	98
61) 1,4-DIOXANE	5.376	88	48379	12.26	PPBV	#	75
62) HEPTANE	5.782	43	126400	8.30	PPBV	#	77
63) METHYL METHACRYLATE	5.688	69	69893	9.57	PPBV	#	58
64) METHYL ISOBUTYL KETONE	6.473	58	66769	10.81	PPBV	#	67
65) CIS-1,3-DICHLOROPROPENE	6.351	75	96570	8.84	PPBV	#	76
66) TOLUENE	7.614	91	213416	8.44	PPBV		98
67) 1,3-DICHLOROPROPANE	7.685	76	109251	8.96	PPBV	#	98
68) TRANS-1,3-DICHLOROPROPENE	7.071	75	86888	9.03	PPBV	#	79
69) 1,1,2-TRICHLOROETHANE	7.238	83	64932	8.99	PPBV		99
70) 2-HEXANONE	8.225	58	90346	12.55	PPBV	#	71
71) ETHYL METHACRYLATE	8.357	69	115476	10.73	PPBV	#	74
72) TETRACHLOROETHENE	9.415	164	81260	9.30	PPBV		93
73) DIBROMOCHLOROMETHANE	8.187	129	136536	8.75	PPBV		98
74) 1,2-DIBROMOETHANE	8.537	107	121318	9.17	PPBV		99
75) OCTANE	9.560	43	172896	8.58	PPBV	#	78
77) 1,1,1,2-TETRACHLOROETHANE	10.679	131	93527	9.37	PPBV		95
78) CHLOROBENZENE	10.666	112	177544	9.88	PPBV		99
79) ETHYLBENZENE	11.569	91	285116	8.90	PPBV		99
80) M,P-XYLENE	12.006	91	438435	18.33	PPBV	#	67
81) O-XYLENE	12.958	91	224408	9.37	PPBV		96
82) STYRENE	12.746	104	172544	10.78	PPBV		97
83) NONANE	14.090	43	185495	9.00	PPBV	#	77
84) BROMOFORM	11.830	173	124184	9.51	PPBV	#	98
85) 1,1,2,2-TETRACHLOROETHANE	12.987	83	174386	10.25	PPBV		98
86) 1,2,3-TRICHLOROPROPANE	13.270	75	130786	9.83	PPBV		99
88) ISOPROPYLBENZENE	14.502	105	326034	9.88	PPBV	#	94
89) BROMOBENZENE	14.376	77	160502	10.08	PPBV		95
90) 2-CHLOROTOLUENE	15.524	91	227471	10.55	PPBV		99
91) N-PROPYLBENZENE	15.862	91	396215	10.89	PPBV	#	96
92) 4-ETHYLTOLUENE	16.202	105	331969	11.28	PPBV		100
93) 1,3,5-TRIMETHYLBENZENE	16.350	105	273657	11.00	PPBV		99
94) ALPHA-METHYLSTYRENE	16.546	118	147551	11.84	PPBV		98
95) TERT-BUTYLBENZENE	16.797	119	305573	10.94	PPBV		98
96) 1,2,4-TRIMETHYLBENZENE	16.807	105	285821	11.12	PPBV		96
97) BENZYL CHLORIDE	16.887	91	183899	11.80	PPBV		98
98) M-DICHLOROBENZENE	16.865	146	193831	10.84	PPBV		99
99) P-DICHLOROBENZENE	16.948	146	194887	10.92	PPBV		99
100) O-DICHLOROBENZENE	17.238	146	190795	10.91	PPBV		99
101) SEC-BUTYLBENZENE	17.074	105	425347	11.17	PPBV		99
102) 1,2,3-TRIMETHYLBENZENE	17.183	105	280585	11.15	PPBV		99
103) P-ISOPROPYLTOLUENE	17.247	119	368422	11.29	PPBV		96
104) N-BUTYLBENZENE	17.591	91	351484	12.12	PPBV		98
105) HEXACHLOROETHANE	17.768	117	121827m	10.28	PPBV		
106) HEXACHLOROBUTADIENE	18.794	225	141949	10.96	PPBV		99
107) 1,2,4-TRICHLOROBENZENE	18.495	180	174827	12.04	PPBV		99
108) NAPHTHALENE	18.540	128	464467	12.97	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26825.D
Acq On : 3 Nov 2022 10:45 am
Operator : thomash
Sample : bsd
Misc : MS63437,V6W1137,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 04 15:16:20 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V6W1137-BSD
Lab FileID: 6W26825.D
Injection Time: 11/03/22 10:45
Method: TO-15
Analyst approved: 11/04/22 15:23 William Cruser
Supervisor approved: 11/07/22 15:11 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Freon 152A	75-37-6		1.69	Missed peak
Hexachloroethane	67-72-1		17.77	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26825.D
Acq On : 3 Nov 2022 10:45 am
Operator : thomash
Sample : bsd
Misc : MS63437,V6W1137,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 03 11:19:27 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration





TIC: 6W26825.D\data.ms

(3) FREON 152A (T)

1.769min (+0.074) 32.18PPBV


response 127376


Ion	Exp%	Act%
65.10	100	100
45.10	22.90	26.36
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26825.D
Acq On : 3 Nov 2022 10:45 am
Operator : thomash
Sample : bsd
Misc : MS63437,V6W1137,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 03 11:19:27 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration





TIC: 6W26825.D\data.ms

(3) FREON 152A (T)

1.695min (-0.000) 8.39PPBV m


response 33216


Ion	Exp%	Act%
65.10	100	100
45.10	22.90	101.07#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26825.D
Acq On : 3 Nov 2022 10:45 am
Operator : thomash
Sample : bsd
Misc : MS63437,V6W1137,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 03 11:19:27 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration





TIC: 6W26825.D\data.ms

(105) HEXACHLOROETHANE (T)

17.762min (-17.762) 0.00PPBV


response 0


Ion	Exp%	Act%
116.90	100	0.00
118.90	95.50	0.00#
200.90	87.80	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26825.D
Acq On : 3 Nov 2022 10:45 am
Operator : thomash
Sample : bsd
Misc : MS63437,V6W1137,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 04 15:16:20 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration





TIC: 6W26825.D\data.ms

(105) HEXACHLOROETHANE (T)

17.768min (+0.006) 10.28PPBV m

response 121827

Ion	Exp%	Act%
116.90	100	100
118.90	95.50	0.00#
200.90	87.80	0.00#
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 11/08/22 16:17

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26864.D
Acq On : 4 Nov 2022 10:15 am
Operator : thomash
Sample : bs
Misc : MS63483,V6W1138,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 08 16:01:49 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.338	128	47373	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.733	114	236723	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.585	117	191883	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.026	95	136001	10.15	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.695	65	34256m	8.41	PPBV		
4) CHLORODIFLUOROMETHANE	1.708	67	15537	8.42	PPBV		99
5) CHLOROTRIFLUOROETHENE	1.717	116	79227	8.88	PPBV	#	99
6) DICHLORODIFLUOROMETHANE	1.798	85	147805	9.98	PPBV		99
7) PROPYLENE	1.717	41	48268	7.95	PPBV		96
8) 1-CHLORO-1,1-DIFLUOROE...	1.769	65	133168	9.81	PPBV	#	90
9) FREON 114	1.801	85	164132	10.53	PPBV		97
10) CHLOROMETHANE	1.772	52	21114	9.87	PPBV		95
11) VINYL CHLORIDE	1.830	62	69065	10.64	PPBV		98
12) 1,3-BUTADIENE	1.865	54	56942	10.73	PPBV	#	79
13) N-BUTANE	1.881	43	113955	9.53	PPBV	#	91
14) BROMOMETHANE	1.936	94	57387	11.43	PPBV		99
15) CHLOROETHANE	1.981	64	35545	11.44	PPBV		96
16) DICHLOROFLUOROMETHANE	2.004	67	142665	10.82	PPBV	#	97
17) ACETONITRILE	2.068	41	73177	10.50	PPBV		99
18) ACROLEIN	2.103	56	34305	11.90	PPBV		100
19) FREON 123	2.116	83	139159	11.13	PPBV		96
20) FREON 123A	2.132	117	82097	10.88	PPBV		86
21) TRICHLOROFLUOROMETHANE	2.193	101	157632	10.21	PPBV		99
22) ISOPROPYL ALCOHOL	2.209	45	146753	9.42	PPBV	#	95
23) ACETONE	2.139	58	36486	10.40	PPBV	#	45
24) PENTANE	2.299	42	81644	9.82	PPBV	#	94
25) IODOMETHANE	2.357	142	163638	10.99	PPBV		88
26) 1,1-DICHLOROETHYLENE	2.386	96	60825	10.36	PPBV	#	61
27) CARBON DISULFIDE	2.521	76	189650	10.19	PPBV	#	91
28) ETHANOL	2.007	45	35594	9.89	PPBV		97
29) BROMOETHENE	2.074	106	58992	11.21	PPBV	#	98
30) ACRYLONITRILE	2.274	52	55295	10.52	PPBV		97
31) METHYLENE CHLORIDE	2.422	84	56434	9.58	PPBV	#	55
32) 3-CHLOROPROPENE	2.463	76	30051	10.48	PPBV	#	5
33) FREON 113	2.521	151	102970	9.89	PPBV		88
34) TRANS-1,2-DICHLOROETHENE	2.772	96	66363	10.12	PPBV	#	81
35) TERTIARY BUTYL ALCOHOL	2.396	59	103985	8.16	PPBV	#	76
36) METHYL TERTIARY BUTYL ...	2.888	73	121526	7.45	PPBV	#	92
37) TETRAHYDROFURAN	3.653	72	32728	10.79	PPBV	#	46
38) HEXANE	3.393	57	124174	9.76	PPBV	#	77
39) VINYL ACETATE	2.933	86	16659	10.60	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.852	63	124069	9.92	PPBV		98
41) METHYL ETHYL KETONE	3.039	72	33424	10.49	PPBV	#	5
42) CIS-1,2-DICHLOROETHENE	3.258	96	68018	9.88	PPBV	#	80
43) DIISOPROPYL ETHER	3.399	59	32381	8.86	PPBV	#	48
44) ETHYL ACETATE	3.406	61	25738	10.24	PPBV	#	45
45) METHYL ACRYLATE	3.393	55	162212	10.31	PPBV	#	97
46) CHLOROFORM	3.422	83	135620	9.60	PPBV	#	93
47) 2,4-DIMETHYLPENTANE	3.955	57	147731	10.28	PPBV	#	94
48) 1,1,1-TRICHLOROETHANE	4.042	97	122719	8.84	PPBV	#	90
49) CARBON TETRACHLORIDE	4.499	117	137135	9.21	PPBV		99
50) 1,2-DICHLOROETHANE	3.869	62	98881	9.20	PPBV	#	95
51) BENZENE	4.380	78	202291	9.58	PPBV		81
53) CYCLOHEXANE	4.605	84	87144	10.09	PPBV	#	73
54) 2,3-DIMETHYLPENTANE	4.878	71	47036	10.00	PPBV	#	56
55) TRICHLOROETHENE	5.348	95	90585	9.75	PPBV		100
56) 1,2-DICHLOROPROPANE	5.103	63	85143	9.98	PPBV		98
57) DIBROMOMETHANE	5.061	174	78303	8.93	PPBV		88

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26864.D
Acq On : 4 Nov 2022 10:15 am
Operator : thomash
Sample : bs
Misc : MS63483,V6W1138,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 08 16:01:49 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58) ETHYL ACRYLATE	5.235	55	198668	10.97	PPBV	#	97
59) BROMODICHLOROMETHANE	5.299	83	143424	9.16	PPBV		98
60) 2,2,4-TRIMETHYLPENTANE	5.441	57	401160	10.24	PPBV	#	98
61) 1,4-DIOXANE	5.377	88	49729	12.18	PPBV	#	75
62) HEPTANE	5.778	43	132545	8.40	PPBV	#	77
63) METHYL METHACRYLATE	5.685	69	72029	9.52	PPBV	#	58
64) METHYL ISOBUTYL KETONE	6.470	58	67407	10.54	PPBV	#	70
65) CIS-1,3-DICHLOROPROPENE	6.348	75	97463	8.62	PPBV	#	76
66) TOLUENE	7.614	91	221006	8.44	PPBV		99
67) 1,3-DICHLOROPROPANE	7.685	76	115357	9.14	PPBV	#	98
68) TRANS-1,3-DICHLOROPROPENE	7.068	75	86964	8.73	PPBV	#	79
69) 1,1,2-TRICHLOROETHANE	7.241	83	67537	9.03	PPBV		98
70) 2-HEXANONE	8.225	58	90926	12.20	PPBV	#	68
71) ETHYL METHACRYLATE	8.360	69	118228	10.61	PPBV	#	74
72) TETRACHLOROETHENE	9.412	164	84861	9.38	PPBV		94
73) DIBROMOCHLOROMETHANE	8.187	129	141476	8.76	PPBV		99
74) 1,2-DIBROMOETHANE	8.540	107	124047	9.06	PPBV		100
75) OCTANE	9.560	43	180642	8.65	PPBV	#	78
77) 1,1,1,2-TETRACHLOROETHANE	10.679	131	97406	9.46	PPBV		95
78) CHLOROBENZENE	10.666	112	183295	9.89	PPBV		98
79) ETHYLBENZENE	11.569	91	294167	8.90	PPBV		100
80) M,P-XYLENE	12.006	91	455635m	18.47	PPBV		
81) O-XYLENE	12.961	91	230791	9.35	PPBV		99
82) STYRENE	12.746	104	177107	10.73	PPBV		97
83) NONANE	14.084	43	192784	9.07	PPBV	#	77
84) BROMOFORM	11.826	173	128802	9.57	PPBV	#	98
85) 1,1,2,2-TETRACHLOROETHANE	12.984	83	180583	10.30	PPBV		98
86) 1,2,3-TRICHLOROPROPANE	13.273	75	136140	9.92	PPBV		98
88) ISOPROPYLBENZENE	14.498	105	339084	9.96	PPBV	#	94
89) BROMOBENZENE	14.373	77	166998	10.17	PPBV		95
90) 2-CHLOROTOLUENE	15.521	91	236190	10.63	PPBV		99
91) N-PROPYLBENZENE	15.858	91	404154	10.78	PPBV	#	96
92) 4-ETHYLTOLUENE	16.199	105	341387	11.25	PPBV		100
93) 1,3,5-TRIMETHYLBENZENE	16.350	105	283633	11.05	PPBV		99
94) ALPHA-METHYLSTYRENE	16.546	118	151938	11.82	PPBV		99
95) TERT-BUTYLBENZENE	16.797	119	318387	11.06	PPBV		98
96) 1,2,4-TRIMETHYLBENZENE	16.804	105	298108	11.25	PPBV		96
97) BENZYL CHLORIDE	16.887	91	176978	11.02	PPBV		98
98) M-DICHLOROBENZENE	16.865	146	199980	10.85	PPBV		99
99) P-DICHLOROBENZENE	16.945	146	202174	10.99	PPBV		99
100) O-DICHLOROBENZENE	17.235	146	195196	10.82	PPBV		99
101) SEC-BUTYLBENZENE	17.074	105	439600	11.20	PPBV		99
102) 1,2,3-TRIMETHYLBENZENE	17.183	105	288579	11.12	PPBV		99
103) P-ISOPROPYLTOLUENE	17.251	119	381859	11.35	PPBV		97
104) N-BUTYLBENZENE	17.591	91	363553	12.16	PPBV		99
105) HEXACHLOROETHANE	17.772	117	121545m	9.94	PPBV		
106) HEXACHLOROBUTADIENE	18.797	225	145248	10.87	PPBV		100
107) 1,2,4-TRICHLOROBENZENE	18.495	180	180071	12.02	PPBV		99
108) NAPHTHALENE	18.543	128	483817	13.10	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26864.D
Acq On : 4 Nov 2022 10:15 am
Operator : thomash
Sample : bs
Misc : MS63483,V6W1138,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 08 16:01:49 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V6W1138-BS
Lab FileID: 6W26864.D
Injection Time: 11/04/22 10:15
Method: TO-15
Analyst approved: 11/08/22 16:03 William Cruser
Supervisor approved: 11/08/22 16:17 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Freon 152A	75-37-6		1.69	Missed peak
m,p-Xylene			12.01	Split peak
Hexachloroethane	67-72-1		17.77	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26864.D
Acq On : 4 Nov 2022 10:15 am
Operator : thomash
Sample : bs
Misc : MS63483,V6W1138,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 04 09:41:14 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration





TIC: 6W26864.D\data.ms

(3) FREON 152A (T)

1.769min (+0.074) 32.70PPBV


response 133168


Ion	Exp%	Act%
65.10	100	100
45.10	22.90	25.84
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26864.D
Acq On : 4 Nov 2022 10:15 am
Operator : thomash
Sample : bs
Misc : MS63483,V6W1138,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 04 09:41:14 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration





TIC: 6W26864.D\data.ms

(3) FREON 152A (T)

1.695min (-0.000) 8.41PPBV m


response 34256


Ion	Exp%	Act%
65.10	100	100
45.10	22.90	100.46#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26864.D
Acq On : 4 Nov 2022 10:15 am
Operator : thomash
Sample : bs
Misc : MS63483,V6W1138,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 04 09:41:14 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration





TIC: 6W26864.D\data.ms

(80) M,P-XYLENE (t)

11.958min (-0.051) 10.55PPBV


response 260225


Ion	Exp%	Act%
91.10	100	100
106.10	51.50	45.27
105.10	23.60	20.22
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26864.D
Acq On : 4 Nov 2022 10:15 am
Operator : thomash
Sample : bs
Misc : MS63483,V6W1138,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 04 09:41:14 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration





TIC: 6W26864.D\data.ms

(80) M,P-XYLENE (t)

12.006min (-0.003) 18.47PPBV m


response 455635


Ion	Exp%	Act%
91.10	100	100
106.10	51.50	25.85#
105.10	23.60	11.55
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26864.D
Acq On : 4 Nov 2022 10:15 am
Operator : thomash
Sample : bs
Misc : MS63483,V6W1138,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 04 09:41:14 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration





TIC: 6W26864.D\data.ms

(105) HEXACHLOROETHANE (T)

17.762min (-17.762) 0.00PPBV


response 0


Ion	Exp%	Act%
116.90	100	0.00
118.90	95.50	0.00#
200.90	87.80	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26864.D
Acq On : 4 Nov 2022 10:15 am
Operator : thomash
Sample : bs
Misc : MS63483,V6W1138,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 04 09:41:14 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration





TIC: 6W26864.D\data.ms

(105) HEXACHLOROETHANE (T)

17.772min (+0.009) 9.94PPBV m

response 121545

Ion	Exp%	Act%
116.90	100	100
118.90	95.50	0.00#
200.90	87.80	0.00#
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 11/08/22 16:17

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26865.D
Acq On : 4 Nov 2022 10:47 am
Operator : thomash
Sample : bsd
Misc : MS63483,V6W1138,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 08 16:02:51 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.338	128	45663	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.733	114	229639	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.585	117	189185	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.026	95	132495	10.03	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.695	65	34599m	8.81	PPBV		
4) CHLORODIFLUOROMETHANE	1.708	67	15605	8.77	PPBV		96
5) CHLOROTRIFLUOROETHENE	1.718	116	79048	9.20	PPBV	#	100
6) DICHLORODIFLUOROMETHANE	1.730	85	183746	12.87	PPBV	#	94
7) PROPYLENE	1.714	41	49447	8.45	PPBV		96
8) 1-CHLORO-1,1-DIFLUOROE...	1.766	65	134143	10.26	PPBV	#	89
9) FREON 114	1.798	85	165058	10.99	PPBV		97
10) CHLOROMETHANE	1.772	52	21435	10.39	PPBV		93
11) VINYL CHLORIDE	1.830	62	69753	11.15	PPBV		97
12) 1,3-BUTADIENE	1.865	54	56947	11.13	PPBV	#	77
13) N-BUTANE	1.878	43	114659	9.94	PPBV	#	92
14) BROMOMETHANE	1.933	94	57779	11.94	PPBV		100
15) CHLOROETHANE	1.978	64	35918	11.99	PPBV		96
16) DICHLOROFLUOROMETHANE	2.004	67	144278	11.35	PPBV	#	96
17) ACETONITRILE	2.065	41	73634	10.97	PPBV		98
18) ACROLEIN	2.100	56	34390	12.38	PPBV		99
19) FREON 123	2.116	83	140872	11.68	PPBV		96
20) FREON 123A	2.132	117	83695	11.51	PPBV		87
21) TRICHLOROFLUOROMETHANE	2.190	101	160252	10.76	PPBV		99
22) ISOPROPYL ALCOHOL	2.206	45	148449	9.88	PPBV	#	95
23) ACETONE	2.139	58	37159	10.99	PPBV	#	47
24) PENTANE	2.296	42	83965	10.48	PPBV	#	93
25) IODOMETHANE	2.357	142	166558	11.60	PPBV		89
26) 1,1-DICHLOROETHYLENE	2.383	96	61633	10.89	PPBV	#	61
27) CARBON DISULFIDE	2.521	76	190365	10.62	PPBV	#	90
28) ETHANOL	2.007	45	35559	10.25	PPBV		96
29) BROMOETHENE	2.071	106	59626	11.76	PPBV	#	98
30) ACRYLONITRILE	2.271	52	56800	11.21	PPBV		97
31) METHYLENE CHLORIDE	2.422	84	56900	10.02	PPBV	#	51
32) 3-CHLOROPROPENE	2.463	76	29860	10.81	PPBV	#	1
33) FREON 113	2.518	151	103369	10.30	PPBV		87
34) TRANS-1,2-DICHLOROETHENE	2.769	96	66927	10.59	PPBV	#	80
35) TERTIARY BUTYL ALCOHOL	2.396	59	109220	8.89	PPBV	#	79
36) METHYL TERTIARY BUTYL ...	2.888	73	126960	8.07	PPBV	#	93
37) TETRAHYDROFURAN	3.656	72	32889	11.25	PPBV	#	45
38) HEXANE	3.393	57	125406	10.23	PPBV	#	76
39) VINYL ACETATE	2.930	86	16757	11.06	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.853	63	125971	10.45	PPBV		98
41) METHYL ETHYL KETONE	3.039	72	33566	10.93	PPBV	#	1
42) CIS-1,2-DICHLOROETHENE	3.254	96	69188	10.43	PPBV	#	82
43) DIISOPROPYL ETHER	3.399	59	33396	9.48	PPBV	#	47
44) ETHYL ACETATE	3.409	61	26368	10.89	PPBV	#	45
45) METHYL ACRYLATE	3.389	55	164209	10.83	PPBV	#	97
46) CHLOROFORM	3.422	83	138128	10.15	PPBV	#	93
47) 2,4-DIMETHYLPENTANE	3.952	57	148321	10.71	PPBV	#	94
48) 1,1,1-TRICHLOROETHANE	4.045	97	123605	9.24	PPBV	#	90
49) CARBON TETRACHLORIDE	4.499	117	138654	9.67	PPBV		99
50) 1,2-DICHLOROETHANE	3.869	62	101425	9.79	PPBV	#	94
51) BENZENE	4.380	78	204786	10.06	PPBV		81
53) CYCLOHEXANE	4.605	84	87751	10.48	PPBV	#	72
54) 2,3-DIMETHYLPENTANE	4.875	71	47655	10.45	PPBV	#	58
55) TRICHLOROETHENE	5.348	95	88741	9.84	PPBV		99
56) 1,2-DICHLOROPROPANE	5.100	63	87235	10.54	PPBV		98
57) DIBROMOMETHANE	5.058	174	79849	9.39	PPBV		89

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26865.D
Acq On : 4 Nov 2022 10:47 am
Operator : thomash
Sample : bsd
Misc : MS63483,V6W1138,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 08 16:02:51 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58) ETHYL ACRYLATE	5.235	55	201656	11.48	PPBV	#	97
59) BROMODICHLOROMETHANE	5.296	83	147127	9.69	PPBV		98
60) 2,2,4-TRIMETHYLPENTANE	5.444	57	349715	9.20	PPBV		98
61) 1,4-DIOXANE	5.380	88	46438	11.72	PPBV	#	79
62) HEPTANE	5.778	43	134005	8.76	PPBV	#	77
63) METHYL METHACRYLATE	5.688	69	73202	9.98	PPBV	#	59
64) METHYL ISOBUTYL KETONE	6.470	58	69028	11.12	PPBV	#	69
65) CIS-1,3-DICHLOROPROPENE	6.351	75	100342	9.15	PPBV	#	76
66) TOLUENE	7.614	91	224894	8.85	PPBV		99
67) 1,3-DICHLOROPROPANE	7.685	76	115796	9.45	PPBV	#	98
68) TRANS-1,3-DICHLOROPROPENE	7.071	75	88989	9.20	PPBV	#	78
69) 1,1,2-TRICHLOROETHANE	7.241	83	68878	9.49	PPBV		99
70) 2-HEXANONE	8.225	58	93381	12.92	PPBV	#	68
71) ETHYL METHACRYLATE	8.357	69	121199	11.21	PPBV	#	73
72) TETRACHLOROETHENE	9.415	164	86297	9.83	PPBV		93
73) DIBROMOCHLOROMETHANE	8.187	129	144591	9.23	PPBV		99
74) 1,2-DIBROMOETHANE	8.540	107	127459	9.59	PPBV		99
75) OCTANE	9.560	43	184278	9.10	PPBV	#	78
77) 1,1,1,2-TETRACHLOROETHANE	10.682	131	98765	9.73	PPBV		95
78) CHLOROBENZENE	10.666	112	188237	10.30	PPBV		99
79) ETHYLBENZENE	11.569	91	300147	9.21	PPBV		99
80) M,P-XYLENE	12.006	91	464954m	19.12	PPBV		
81) O-XYLENE	12.961	91	236572	9.72	PPBV		97
82) STYRENE	12.743	104	182308	11.20	PPBV		98
83) NONANE	14.087	43	196085	9.36	PPBV	#	77
84) BROMOFORM	11.826	173	130890	9.86	PPBV	#	98
85) 1,1,2,2-TETRACHLOROETHANE	12.987	83	183619	10.62	PPBV		98
86) 1,2,3-TRICHLOROPROPANE	13.273	75	138987	10.27	PPBV		98
88) ISOPROPYLBENZENE	14.502	105	344335	10.26	PPBV	#	94
89) BROMOBENZENE	14.376	77	170921	10.55	PPBV		95
90) 2-CHLOROTOLUENE	15.524	91	240444	10.97	PPBV		99
91) N-PROPYLBENZENE	15.862	91	417082	11.28	PPBV	#	96
92) 4-ETHYLTOLUENE	16.206	105	348392	11.65	PPBV		99
93) 1,3,5-TRIMETHYLBENZENE	16.350	105	291607	11.53	PPBV		99
94) ALPHA-METHYLSTYRENE	16.546	118	155906	12.30	PPBV		98
95) TERT-BUTYLBENZENE	16.801	119	324306	11.42	PPBV		98
96) 1,2,4-TRIMETHYLBENZENE	16.804	105	303702	11.62	PPBV		96
97) BENZYL CHLORIDE	16.887	91	182741	11.54	PPBV		98
98) M-DICHLOROBENZENE	16.865	146	204686	11.26	PPBV		99
99) P-DICHLOROBENZENE	16.945	146	206250	11.37	PPBV		99
100) O-DICHLOROBENZENE	17.235	146	201091	11.31	PPBV		99
101) SEC-BUTYLBENZENE	17.074	105	446410	11.53	PPBV		99
102) 1,2,3-TRIMETHYLBENZENE	17.183	105	298666	11.67	PPBV		99
103) P-ISOPROPYLTOLUENE	17.247	119	387690	11.68	PPBV		97
104) N-BUTYLBENZENE	17.591	91	367752	12.47	PPBV		98
105) HEXACHLOROETHANE	17.772	117	124523	10.33	PPBV		90
106) HEXACHLOROBUTADIENE	18.794	225	148276	11.26	PPBV		100
107) 1,2,4-TRICHLOROBENZENE	18.495	180	182375	12.35	PPBV		99
108) NAPHTHALENE	18.543	128	492042	13.51	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26865.D
Acq On : 4 Nov 2022 10:47 am
Operator : thomash
Sample : bsd
Misc : MS63483,V6W1138,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 08 16:02:51 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V6W1138-BSD
Lab FileID: 6W26865.D
Injection Time: 11/04/22 10:47
Method: TO-15
Analyst approved: 11/08/22 16:03 William Cruser
Supervisor approved: 11/08/22 16:17 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Freon 152A	75-37-6		1.69	Missed peak
m,p-Xylene			12.01	Split peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26865.D
Acq On : 4 Nov 2022 10:47 am
Operator : thomash
Sample : bsd
Misc : MS63483,V6W1138,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 06 15:43:50 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration





TIC: 6W26865.D\data.ms

(3) FREON 152A (T)

1.766min (+0.071) 34.17PPBV


response 134143


Ion	Exp%	Act%
65.10	100	100
45.10	22.90	26.16
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26865.D
Acq On : 4 Nov 2022 10:47 am
Operator : thomash
Sample : bsd
Misc : MS63483,V6W1138,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 06 15:43:50 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration





TIC: 6W26865.D\data.ms

(3) FREON 152A (T)

1.695min (-0.000) 8.81PPBV m


response 34599


Ion	Exp%	Act%
65.10	100	100
45.10	22.90	101.44#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26865.D
Acq On : 4 Nov 2022 10:47 am
Operator : thomash
Sample : bsd
Misc : MS63483,V6W1138,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 06 15:43:50 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration





TIC: 6W26865.D\data.ms

(80) M,P-XYLENE (t)

11.965min (-0.045) 10.56PPBV


response 256873


Ion	Exp%	Act%
91.10	100	100
106.10	51.50	45.11
105.10	23.60	20.20
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26865.D
Acq On : 4 Nov 2022 10:47 am
Operator : thomash
Sample : bsd
Misc : MS63483,V6W1138,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 06 15:43:50 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration





TIC: 6W26865.D\data.ms

(80) M,P-XYLENE (t)

12.006min (-0.003) 19.12PPBV m

response 464954

Ion	Exp%	Act%
91.10	100	100
106.10	51.50	24.92#
105.10	23.60	11.16
0.00	0.00	0.00

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25440.D
Acq On : 11 Aug 2022 9:21 am
Operator : thomash
Sample : bs
Misc : MS61233,V6W1083,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 11 14:25:28 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.415	128	60504	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.791	114	307857	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.608	117	263070	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.032	95	177911	9.64	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.721	65	46907	8.65	PPBV	#	87
4) CHLORODIFLUOROMETHANE	1.734	67	20993	8.61	PPBV		97
5) CHLOROTRIFLUOROETHENE	1.743	116	115483	9.78	PPBV	#	99
6) DICHLORODIFLUOROMETHANE	1.759	85	336746	11.61	PPBV	#	94
7) PROPYLENE	1.740	41	57712	7.17	PPBV		98
8) 1-CHLORO-1,1-DIFLUOROE...	1.795	65	267716	8.65	PPBV	#	89
9) FREON 114	1.830	85	306562	9.71	PPBV		98
10) CHLOROMETHANE	1.801	52	34517	9.27	PPBV		94
11) VINYL CHLORIDE	1.862	62	116717	8.59	PPBV		99
12) 1,3-BUTADIENE	1.898	54	92779	9.22	PPBV	#	80
13) N-BUTANE	1.914	43	174975	7.85	PPBV	#	93
14) BROMOMETHANE	1.972	94	103585	9.50	PPBV		100
15) CHLOROETHANE	2.020	64	60098	8.24	PPBV		99
16) DICHLOROFLUOROMETHANE	2.045	67	253220	9.02	PPBV	#	97
17) ACETONITRILE	2.113	41	104623	8.02	PPBV		96
18) ACROLEIN	2.148	56	42258	9.91	PPBV		97
19) FREON 123	2.164	83	257514	9.53	PPBV		98
20) FREON 123A	2.180	117	145328	9.71	PPBV		86
21) TRICHLOROFLUOROMETHANE	2.245	101	295310	9.44	PPBV		100
22) ISOPROPYL ALCOHOL	2.261	45	237844	8.35	PPBV	#	96
23) ACETONE	2.190	58	68319	8.69	PPBV		73
24) PENTANE	2.357	42	118792	8.13	PPBV		94
25) IODOMETHANE	2.418	142	298891	10.48	PPBV		89
26) 1,1-DICHLOROETHYLENE	2.447	96	108210	9.51	PPBV	#	68
27) CARBON DISULFIDE	2.592	76	339973	9.58	PPBV	#	89
28) ETHANOL	2.049	45	54437	8.51	PPBV	#	97
29) BROMOETHENE	2.119	106	105060	9.91	PPBV	#	98
30) ACRYLONITRILE	2.328	52	85297	8.62	PPBV		96
31) METHYLENE CHLORIDE	2.486	84	101698	9.46	PPBV	#	69
32) 3-CHLOROPROPENE	2.531	76	56289	9.01	PPBV	#	35
33) FREON 113	2.592	151	198256	10.62	PPBV		96
34) TRANS-1,2-DICHLOROETHENE	2.846	96	121199	9.46	PPBV		88
35) TERTIARY BUTYL ALCOHOL	2.460	59	253119	7.97	PPBV	#	82
36) METHYL TERTIARY BUTYL ...	2.968	73	328618	8.80	PPBV	#	94
37) TETRAHYDROFURAN	3.724	72	40716	9.32	PPBV		84
38) HEXANE	3.467	57	136792	7.83	PPBV	#	85
39) VINYL ACETATE	3.007	86	32737	10.45	PPBV	#	22
40) 1,1-DICHLOROETHANE	2.933	63	223882	9.18	PPBV		99
41) METHYL ETHYL KETONE	3.116	72	64647	10.50	PPBV	#	43
42) CIS-1,2-DICHLOROETHENE	3.328	96	89549	8.79	PPBV		93
43) DIISOPROPYL ETHER	3.473	59	41838	8.35	PPBV		84
44) ETHYL ACETATE	3.479	61	28846	8.55	PPBV		66
45) METHYL ACRYLATE	3.463	55	173565	8.11	PPBV	#	98
46) CHLOROFORM	3.492	83	190589	8.92	PPBV	#	97
47) 2,4-DIMETHYLPENTANE	4.023	57	157126	7.89	PPBV		96
48) 1,1,1-TRICHLOROETHANE	4.110	97	179788	8.68	PPBV		97
49) CARBON TETRACHLORIDE	4.563	117	191234	9.17	PPBV		100
50) 1,2-DICHLOROETHANE	3.936	62	120076	7.81	PPBV	#	97
51) BENZENE	4.444	78	262417	8.47	PPBV		91
53) CYCLOHEXANE	4.663	84	113605	8.96	PPBV		95
54) 2,3-DIMETHYLPENTANE	4.936	71	57639	8.91	PPBV		80
55) TRICHLOROETHENE	5.405	95	120443	9.19	PPBV		95
56) 1,2-DICHLOROPROPANE	5.158	63	102499	9.08	PPBV		94
57) DIBROMOMETHANE	5.113	174	128078	10.14	PPBV		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25440.D
Acq On : 11 Aug 2022 9:21 am
Operator : thomash
Sample : bs
Misc : MS61233,V6W1083,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 11 14:25:28 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58) ETHYL ACRYLATE	5.280	55	209842	8.72	PPBV		99
59) BROMODICHLOROMETHANE	5.348	83	203544	9.38	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.495	57	431459	8.20	PPBV		99
61) 1,4-DIOXANE	5.422	88	65989	10.83	PPBV	#	97
62) HEPTANE	5.833	43	145107	7.28	PPBV		90
63) METHYL METHACRYLATE	5.727	69	98867	9.37	PPBV	#	81
64) METHYL ISOBUTYL KETONE	6.499	58	86562	9.34	PPBV		82
65) CIS-1,3-DICHLOROPROPENE	6.393	75	149306	8.83	PPBV	#	84
66) TOLUENE	7.650	91	320796	8.80	PPBV		99
67) 1,3-DICHLOROPROPANE	7.714	76	165952	8.95	PPBV	#	99
68) TRANS-1,3-DICHLOROPROPENE	7.100	75	133354	8.36	PPBV	#	85
69) 1,1,2-TRICHLOROETHANE	7.270	83	98790	9.09	PPBV		98
70) 2-HEXANONE	8.241	58	107579	10.61	PPBV	#	78
71) ETHYL METHACRYLATE	8.380	69	160892	10.04	PPBV	#	85
72) TETRACHLOROETHENE	9.441	164	136633	10.27	PPBV		99
73) DIBROMOCHLOROMETHANE	8.216	129	209802	10.18	PPBV		99
74) 1,2-DIBROMOETHANE	8.566	107	182566	9.32	PPBV		100
75) OCTANE	9.585	43	208831	7.56	PPBV	#	87
77) 1,1,1,2-TETRACHLOROETHANE	10.698	131	149750	10.41	PPBV		99
78) CHLOROBENZENE	10.685	112	271236	9.55	PPBV		100
79) ETHYLBENZENE	11.588	91	429503	9.15	PPBV		100
80) M,P-XYLENE	12.026	91	660019	18.59	PPBV	#	67
81) O-XYLENE	12.971	91	336321	9.17	PPBV		96
82) STYRENE	12.762	104	258927	10.03	PPBV		97
83) NONANE	14.100	43	226113	8.21	PPBV	#	85
84) BROMOFORM	11.839	173	209020	11.48	PPBV	#	98
85) 1,1,2,2-TETRACHLOROETHANE	12.997	83	269670	9.53	PPBV		99
86) 1,2,3-TRICHLOROPROPANE	13.283	75	197606	9.34	PPBV	#	100
88) ISOPROPYLBENZENE	14.514	120	136161	9.76	PPBV		92
89) BROMOBENZENE	14.386	77	242968	9.02	PPBV		96
90) 2-CHLOROTOLUENE	15.534	126	123899	10.13	PPBV		98
91) N-PROPYLBENZENE	15.868	120	141665	10.10	PPBV	#	89
92) 4-ETHYLTOLUENE	16.209	105	504385	9.91	PPBV	#	99
93) 1,3,5-TRIMETHYLBENZENE	16.357	105	414683	9.73	PPBV		99
94) ALPHA-METHYLSTYRENE	16.550	118	208790	10.52	PPBV		98
95) TERT-BUTYLBENZENE	16.801	134	109588	9.91	PPBV		90
96) 1,2,4-TRIMETHYLBENZENE	16.810	105	440492	9.79	PPBV		94
97) BENZYL CHLORIDE	16.894	91	289739	8.10	PPBV		98
98) M-DICHLOROBENZENE	16.868	146	314410	10.21	PPBV		99
99) P-DICHLOROBENZENE	16.952	146	323694	10.38	PPBV		99
100) O-DICHLOROBENZENE	17.241	146	308708	10.38	PPBV		99
101) SEC-BUTYLBENZENE	17.077	134	137894	10.32	PPBV		88
102) 1,2,3-TRIMETHYLBENZENE	17.190	105	427241	9.72	PPBV		99
103) P-ISOPROPYLTOLUENE	17.254	134	154810	10.23	PPBV		92
104) N-BUTYLBENZENE	17.601	134	147987	10.38	PPBV		96
105) HEXACHLOROETHANE	17.778	117	172946	9.86	PPBV		93
106) HEXACHLOROBUTADIENE	18.817	225	267390	10.24	PPBV		100
107) 1,2,4-TRICHLOROBENZENE	18.511	180	345167	11.30	PPBV		98
108) NAPHTHALENE	18.559	128	805735	10.61	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25440.D
Acq On : 11 Aug 2022 9:21 am
Operator : thomash
Sample : bs
Misc : MS61233,V6W1083,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 11 14:25:28 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25441.D
Acq On : 11 Aug 2022 10:25 am
Operator : thomash
Sample : bsd
Misc : MS61233,V6W1083,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 11 14:25:52 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.412	128	60081	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.791	114	304482	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.608	117	262246	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.032	95	175945	9.56	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.721	65	46192	8.57	PPBV	#	90
4) CHLORODIFLUOROMETHANE	1.730	67	20517	8.47	PPBV		99
5) CHLOROTRIFLUOROETHENE	1.743	116	116973	9.97	PPBV	#	99
6) DICHLORODIFLUOROMETHANE	1.827	85	280822	9.75	PPBV		99
7) PROPYLENE	1.740	41	57527	7.20	PPBV		97
8) 1-CHLORO-1,1-DIFLUOROE...	1.795	65	268565	8.74	PPBV	#	89
9) FREON 114	1.830	85	307886	9.82	PPBV		98
10) CHLOROMETHANE	1.801	52	34285	9.27	PPBV		95
11) VINYL CHLORIDE	1.859	62	119082	8.82	PPBV		97
12) 1,3-BUTADIENE	1.898	54	93178	9.33	PPBV	#	80
13) N-BUTANE	1.914	43	173662	7.84	PPBV		95
14) BROMOMETHANE	1.972	94	103761	9.58	PPBV		100
15) CHLOROETHANE	2.020	64	59639	8.24	PPBV		98
16) DICHLOROFLUOROMETHANE	2.042	67	254188	9.12	PPBV	#	96
17) ACETONITRILE	2.113	41	103279	7.97	PPBV		95
18) ACROLEIN	2.148	56	42895	10.13	PPBV		99
19) FREON 123	2.164	83	255893	9.54	PPBV		98
20) FREON 123A	2.180	117	145444	9.78	PPBV		87
21) TRICHLOROFLUOROMETHANE	2.242	101	292894	9.42	PPBV		100
22) ISOPROPYL ALCOHOL	2.261	45	236623	8.37	PPBV		96
23) ACETONE	2.187	58	68682	8.80	PPBV		73
24) PENTANE	2.357	42	117971	8.13	PPBV		94
25) IODOMETHANE	2.418	142	299861	10.59	PPBV		90
26) 1,1-DICHLOROETHYLENE	2.447	96	106346	9.41	PPBV	#	66
27) CARBON DISULFIDE	2.592	76	337434	9.57	PPBV	#	88
28) ETHANOL	2.049	45	53758	8.46	PPBV	#	96
29) BROMOETHENE	2.119	106	104695	9.95	PPBV	#	97
30) ACRYLONITRILE	2.328	52	85243	8.68	PPBV		95
31) METHYLENE CHLORIDE	2.486	84	100933	9.46	PPBV	#	68
32) 3-CHLOROPROPENE	2.531	76	56532	9.11	PPBV	#	37
33) FREON 113	2.589	151	196025	10.58	PPBV		95
34) TRANS-1,2-DICHLOROETHENE	2.846	96	121262	9.54	PPBV		87
35) TERTIARY BUTYL ALCOHOL	2.460	59	252631	8.01	PPBV	#	82
36) METHYL TERTIARY BUTYL ...	2.965	73	329015	8.87	PPBV	#	95
37) TETRAHYDROFURAN	3.724	72	40458	9.32	PPBV		83
38) HEXANE	3.463	57	135055	7.78	PPBV	#	84
39) VINYL ACETATE	3.010	86	32834	10.55	PPBV	#	26
40) 1,1-DICHLOROETHANE	2.930	63	223894	9.24	PPBV		99
41) METHYL ETHYL KETONE	3.116	72	63717	10.43	PPBV	#	42
42) CIS-1,2-DICHLOROETHENE	3.328	96	100966	9.98	PPBV		90
43) DIISOPROPYL ETHER	3.470	59	40878	8.22	PPBV		80
44) ETHYL ACETATE	3.479	61	29097	8.69	PPBV		67
45) METHYL ACRYLATE	3.463	55	174209	8.19	PPBV	#	97
46) CHLOROFORM	3.492	83	191480	9.03	PPBV	#	96
47) 2,4-DIMETHYLPENTANE	4.023	57	157075	7.94	PPBV		98
48) 1,1,1-TRICHLOROETHANE	4.110	97	181150	8.81	PPBV		98
49) CARBON TETRACHLORIDE	4.560	117	191274	9.24	PPBV		99
50) 1,2-DICHLOROETHANE	3.936	62	120177	7.87	PPBV	#	97
51) BENZENE	4.444	78	263262	8.55	PPBV		92
53) CYCLOHEXANE	4.663	84	115355	9.20	PPBV		95
54) 2,3-DIMETHYLPENTANE	4.939	71	57688	9.02	PPBV		81
55) TRICHLOROETHENE	5.402	95	121713	9.39	PPBV		97
56) 1,2-DICHLOROPROPANE	5.155	63	101485	9.09	PPBV		95
57) DIBROMOMETHANE	5.113	174	127331	10.19	PPBV		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25441.D
Acq On : 11 Aug 2022 10:25 am
Operator : thomash
Sample : bsd
Misc : MS61233,V6W1083,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 11 14:25:52 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58)	ETHYL ACRYLATE	5.283	55	208826	8.77	PPBV		98
59)	BROMODICHLOROMETHANE	5.348	83	205045	9.55	PPBV		100
60)	2,2,4-TRIMETHYLPENTANE	5.495	57	432910	8.32	PPBV		99
61)	1,4-DIOXANE	5.422	88	66459	11.03	PPBV	#	96
62)	HEPTANE	5.830	43	145597	7.38	PPBV		90
63)	METHYL METHACRYLATE	5.730	69	99377	9.52	PPBV	#	82
64)	METHYL ISOBUTYL KETONE	6.505	58	87306	9.52	PPBV		82
65)	CIS-1,3-DICHLOROPROPENE	6.393	75	151461	9.06	PPBV	#	84
66)	TOLUENE	7.650	91	321226	8.91	PPBV		100
67)	1,3-DICHLOROPROPANE	7.714	76	167554	9.14	PPBV		98
68)	TRANS-1,3-DICHLOROPROPENE	7.103	75	134843	8.55	PPBV	#	85
69)	1,1,2-TRICHLOROETHANE	7.270	83	99467	9.26	PPBV		99
70)	2-HEXANONE	8.245	58	108742	10.84	PPBV	#	79
71)	ETHYL METHACRYLATE	8.376	69	161377	10.18	PPBV	#	85
72)	TETRACHLOROETHENE	9.441	164	137052	10.42	PPBV		98
73)	DIBROMOCHLOROMETHANE	8.216	129	208777	10.24	PPBV		99
74)	1,2-DIBROMOETHANE	8.566	107	181681	9.38	PPBV		99
75)	OCTANE	9.585	43	209145	7.66	PPBV	#	87
77)	1,1,1,2-TETRACHLOROETHANE	10.698	131	148010	10.33	PPBV		99
78)	CHLOROBENZENE	10.685	112	271769	9.60	PPBV		99
79)	ETHYLBENZENE	11.588	91	427512	9.14	PPBV		99
80)	M,P-XYLENE	12.026	91	659008	18.62	PPBV	#	66
81)	O-XYLENE	12.981	91	334338	9.14	PPBV		98
82)	STYRENE	12.759	104	255634	9.93	PPBV		98
83)	NONANE	14.096	43	227185	8.27	PPBV	#	85
84)	BROMOFORM	11.842	173	208120	11.47	PPBV		99
85)	1,1,2,2-TETRACHLOROETHANE	12.997	83	270709	9.60	PPBV		100
86)	1,2,3-TRICHLOROPROPANE	13.280	75	199050	9.44	PPBV	#	100
88)	ISOPROPYLBENZENE	14.514	120	135753	9.76	PPBV		91
89)	BROMOBENZENE	14.383	77	243687	9.08	PPBV		96
90)	2-CHLOROTOLUENE	15.534	126	123955	10.16	PPBV		100
91)	N-PROPYLBENZENE	15.868	120	136630	9.77	PPBV		100
92)	4-ETHYLTOLUENE	16.206	105	492235	9.70	PPBV		98
93)	1,3,5-TRIMETHYLBENZENE	16.354	105	407761	9.60	PPBV		98
94)	ALPHA-METHYLSTYRENE	16.546	118	208645	10.55	PPBV		99
95)	TERT-BUTYLBENZENE	16.800	134	110243	10.00	PPBV		90
96)	1,2,4-TRIMETHYLBENZENE	16.810	105	441260	9.84	PPBV		94
97)	BENZYL CHLORIDE	16.894	91	302408	8.48	PPBV		97
98)	M-DICHLOROBENZENE	16.871	146	316349	10.30	PPBV		99
99)	P-DICHLOROBENZENE	16.952	146	321516	10.34	PPBV		99
100)	O-DICHLOROBENZENE	17.241	146	303927	10.25	PPBV		99
101)	SEC-BUTYLBENZENE	17.077	134	139182	10.45	PPBV		87
102)	1,2,3-TRIMETHYLBENZENE	17.190	105	422369	9.64	PPBV		99
103)	P-ISOPROPYLTOLUENE	17.254	134	155297	10.30	PPBV		91
104)	N-BUTYLBENZENE	17.598	134	147872	10.41	PPBV		95
105)	HEXACHLOROETHANE	17.778	117	176075	10.07	PPBV	#	80
106)	HEXACHLOROBUTADIENE	18.816	225	266022	10.22	PPBV		99
107)	1,2,4-TRICHLOROBENZENE	18.511	180	348306	11.44	PPBV		99
108)	NAPHTHALENE	18.559	128	803506	10.62	PPBV		99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25441.D
Acq On : 11 Aug 2022 10:25 am
Operator : thomash
Sample : bsd
Misc : MS61233,V6W1083,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 11 14:25:52 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration



Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 09/27/22 15:04

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61612.D
Acq On : 27 Sep 2022 8:57 am
Operator : thomash
Sample : bs
Misc : MS62367,V2w2734,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 27 10:41:10 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.612	128	79585	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.930	114	440838	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.586	117	389034	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.962	95	260732	10.07	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.850	65	68688m	10.27	PPBV		
4) CHLORODIFLUOROMETHANE	1.869	67	29762	10.01	PPBV		99
5) CHLOROTRIFLUOROETHENE	1.882	116	160798	9.35	PPBV	#	1
6) DICHLORODIFLUOROMETHANE	1.904	85	393250	9.93	PPBV		99
7) PROPYLENE	1.879	41	60754	8.13	PPBV		99
8) 1-CHLORO-1,1-DIFLUOROE...	1.952	65	311971	10.47	PPBV		97
9) FREON 114	2.001	85	370257	10.38	PPBV		95
10) CHLOROMETHANE	1.962	52	35752	8.97	PPBV		98
11) VINYL CHLORIDE	2.042	62	152725	11.03	PPBV		99
12) 1,3-BUTADIENE	2.094	54	103050	9.63	PPBV		97
13) N-BUTANE	2.116	43	158491	8.51	PPBV		96
14) BROMOMETHANE	2.194	94	123917	9.90	PPBV		99
15) CHLOROETHANE	2.258	64	85080	11.48	PPBV		95
16) DICHLOROFLUOROMETHANE	2.290	67	316360	10.73	PPBV		98
17) ACETONITRILE	2.377	41	98668	8.91	PPBV		99
18) ACROLEIN	2.422	56	70977	14.52	PPBV		100
19) FREON 123	2.438	83	355401	10.85	PPBV		99
20) FREON 123A	2.457	117	194247	10.25	PPBV		88
21) TRICHLOROFLUOROMETHANE	2.522	101	448615	10.89	PPBV		100
22) ISOPROPYL ALCOHOL	2.538	45	311644	9.48	PPBV		98
23) ACETONE	2.464	58	88249	8.41	PPBV		92
24) PENTANE	2.634	42	181954	10.10	PPBV		99
25) IODOMETHANE	2.689	142	415751	10.32	PPBV		100
26) 1,1-DICHLOROETHYLENE	2.714	96	175910	11.12	PPBV		90
27) CARBON DISULFIDE	2.846	76	580811	12.20	PPBV		97
28) ETHANOL	2.293	45	48682	7.52	PPBV		98
29) BROMOETHENE	2.387	106	136855	10.71	PPBV		96
30) ACRYLONITRILE	2.605	52	134217	10.80	PPBV		99
31) METHYLENE CHLORIDE	2.750	84	171320	9.76	PPBV		92
32) 3-CHLOROPROPENE	2.792	76	90188	11.11	PPBV		86
33) FREON 113	2.846	151	278333	10.44	PPBV		90
34) TRANS-1,2-DICHLOROETHENE	3.081	96	134870	10.24	PPBV		94
35) TERTIARY BUTYL ALCOHOL	2.724	59	418203	10.09	PPBV	#	91
36) METHYL TERTIARY BUTYL ...	3.190	73	319743	9.37	PPBV		98
37) TETRAHYDROFURAN	3.904	72	63828	11.10	PPBV		86
38) HEXANE	3.666	57	233155	10.14	PPBV		95
39) VINYL ACETATE	3.229	86	35635	10.99	PPBV		69
40) 1,1-DICHLOROETHANE	3.158	63	260509	11.05	PPBV		99
41) METHYL ETHYL KETONE	3.329	72	65776	11.22	PPBV		74
42) CIS-1,2-DICHLOROETHENE	3.534	96	139213	9.85	PPBV		93
43) DIISOPROPYL ETHER	3.666	59	72210	10.72	PPBV		64

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61612.D
Acq On : 27 Sep 2022 8:57 am
Operator : thomash
Sample : bs
Misc : MS62367,V2w2734,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 27 10:41:10 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.673	61	51825	11.00	PPBV		61
45) METHYL ACRYLATE	3.660	55	275746	10.20	PPBV	#	98
46) CHLOROFORM	3.689	83	293663	10.20	PPBV		99
47) 2,4-DIMETHYLPENTANE	4.197	57	265416	9.90	PPBV		99
48) 1,1,1-TRICHLOROETHANE	4.277	97	276366	9.62	PPBV		96
49) CARBON TETRACHLORIDE	4.711	117	282853	9.94	PPBV		97
50) 1,2-DICHLOROETHANE	4.110	62	208995	10.71	PPBV		99
51) BENZENE	4.599	78	419932	10.21	PPBV		95
53) CYCLOHEXANE	4.811	84	179357	9.64	PPBV		100
54) 2,3-DIMETHYLPENTANE	5.075	71	91017	9.96	PPBV		98
55) TRICHLOROETHENE	5.518	95	187118	10.01	PPBV		96
56) 1,2-DICHLOROPROPANE	5.277	63	175289	10.42	PPBV		97
57) DIBROMOMETHANE	5.239	174	170172	8.85	PPBV		95
58) ETHYL ACRYLATE	5.396	55	327084	10.34	PPBV		99
59) BROMODICHLOROMETHANE	5.464	83	314671	10.20	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.615	57	715284	9.60	PPBV		99
61) 1,4-DIOXANE	5.521	88	98933	10.96	PPBV		98
62) HEPTANE	5.936	43	196778	8.39	PPBV		89
63) METHYL METHACRYLATE	5.827	69	152720	10.63	PPBV		92
64) METHYL ISOBUTYL KETONE	6.566	58	140309	11.70	PPBV		88
65) CIS-1,3-DICHLOROPROPENE	6.473	75	222200	9.97	PPBV		96
66) TOLUENE	7.698	91	516983	9.73	PPBV		98
67) 1,3-DICHLOROPROPANE	7.756	76	255621	10.12	PPBV		99
68) TRANS-1,3-DICHLOROPROPENE	7.158	75	191900	9.60	PPBV		96
69) 1,1,2-TRICHLOROETHANE	7.319	83	151662	9.74	PPBV		98
70) 2-HEXANONE	8.261	58	182465	10.87	PPBV		88
71) ETHYL METHACRYLATE	8.399	69	248643	11.87	PPBV		94
72) TETRACHLOROETHENE	9.444	164	189575	8.91	PPBV		99
73) DIBROMOCHLOROMETHANE	8.235	129	299944	9.89	PPBV		99
74) 1,2-DIBROMOETHANE	8.582	107	274662	9.69	PPBV		99
75) OCTANE	9.589	43	272886	8.66	PPBV		92
77) 1,1,1,2-TETRACHLOROETHANE	10.672	131	205645	9.76	PPBV		97
78) CHLOROBENZENE	10.663	112	397708	9.51	PPBV		97
79) ETHYLBENZENE	11.547	91	688008	10.32	PPBV		97
80) M,P-XYLENE	11.978	91	1056278	20.84	PPBV		96
81) O-XYLENE	12.917	91	538312	10.39	PPBV		95
82) STYRENE	12.701	104	413388	11.15	PPBV		99
83) NONANE	14.029	43	286960	8.97	PPBV		89
84) BROMOFORM	11.791	173	293256	10.94	PPBV		99
85) 1,1,2,2-TETRACHLOROETHANE	12.923	83	403665	10.47	PPBV		100
86) 1,2,3-TRICHLOROPROPANE	13.212	75	295579	10.45	PPBV		100
88) ISOPROPYLBENZENE	14.431	120	188318	8.57	PPBV		91
89) BROMOBENZENE	14.302	77	368033	10.26	PPBV		94
90) 2-CHLOROTOLUENE	15.441	126	175611	9.52	PPBV		99
91) N-PROPYLBENZENE	15.778	120	196885	9.75	PPBV		98
92) 4-ETHYLTOLUENE	16.145	105	781563	10.51	PPBV		95
93) 1,3,5-TRIMETHYLBENZENE	16.302	105	643991	10.38	PPBV		96
94) ALPHA-METHYLSTYRENE	16.502	118	330432	12.66	PPBV		99
95) TERT-BUTYLBENZENE	16.762	134	153107	9.64	PPBV		99
96) 1,2,4-TRIMETHYLBENZENE	16.769	105	692287	10.44	PPBV		92

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61612.D
Acq On : 27 Sep 2022 8:57 am
Operator : thomash
Sample : bs
Misc : MS62367,V2w2734,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 27 10:41:10 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
97)	BENZYL CHLORIDE	16.849	91	349632	8.51	PPBV	96
98)	M-DICHLOROBENZENE	16.826	146	434375	9.96	PPBV	99
99)	P-DICHLOROBENZENE	16.910	146	440094	9.96	PPBV	100
100)	O-DICHLOROBENZENE	17.203	146	422950	9.85	PPBV	99
101)	SEC-BUTYLBENZENE	17.039	134	194376	9.85	PPBV	89
102)	1,2,3-TRIMETHYLBENZENE	17.151	105	666712	10.63	PPBV	96
103)	P-ISOPROPYLTOLUENE	17.219	134	212729	9.79	PPBV	99
104)	N-BUTYLBENZENE	17.566	134	197230	9.81	PPBV	81
105)	HEXACHLOROETHANE	17.746	117	256812	10.43	PPBV	96
106)	HEXACHLOROBUTADIENE	18.791	225	313360	9.31	PPBV	99
107)	1,2,4-TRICHLOROBENZENE	18.482	180	351058	9.88	PPBV	98
108)	NAPHTHALENE	18.531	128	867975	9.56	PPBV	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61612.D
Acq On : 27 Sep 2022 8:57 am
Operator : thomash
Sample : bs
Misc : MS62367,V2w2734,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 27 10:41:10 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration



Manual Integration Approval Summary

Sample Number: V2W2734-BS
Lab FileID: 2W61612.D
Injection Time: 09/27/22 08:57


Method: TO-15
Analyst approved: 09/27/22 10:42 Thomas Hilbig
Supervisor approved: 09/27/22 15:04 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Freon 152A	75-37-6		1.85	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61612.D
Acq On : 27 Sep 2022 8:57 am
Operator : thomash
Sample : bs
Misc : MS62367,V2w2734,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 27 09:47:58 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration





TIC: 2w61612.D\data.ms

(3) FREON 152A (T)

1.850min (-1.850) 0.00PPBV


response 0


Ion	Exp%	Act%
65.10	100	0.00
45.10	0.00	0.00
0.00	0.00	0.00
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61612.D
Acq On : 27 Sep 2022 8:57 am
Operator : thomash
Sample : bs
Misc : MS62367,V2w2734,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 27 09:47:58 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration







TIC: 2w61612.D\data.ms

(3) FREON 152A (T)

1.850min (-0.000) 10.27PPBV m

response 68688

Ion	Exp%	Act%
65.10	100	100
45.10	0.00	0.00
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61613.D
Acq On : 27 Sep 2022 9:29 am
Operator : thomash
Sample : bsd
Misc : MS62367,V2w2734,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 27 10:37:26 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.608	128	86056	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.926	114	462656	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.589	117	409400	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.961	95	271991	9.98	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.843	65	69381	9.59	PPBV	#	100
4) CHLORODIFLUOROMETHANE	1.859	67	31230	9.72	PPBV		99
5) CHLOROTRIFLUOROETHENE	1.875	116	164502	8.85	PPBV	#	1
6) DICHLORODIFLUOROMETHANE	1.898	85	404350	9.44	PPBV		99
7) PROPYLENE	1.872	41	62546	7.74	PPBV		99
8) 1-CHLORO-1,1-DIFLUOROE...	1.946	65	322591	10.01	PPBV		96
9) FREON 114	1.994	85	374151	9.70	PPBV		95
10) CHLOROMETHANE	1.956	52	35706	8.28	PPBV		99
11) VINYL CHLORIDE	2.036	62	156903	10.48	PPBV		100
12) 1,3-BUTADIENE	2.087	54	104190	9.01	PPBV		97
13) N-BUTANE	2.107	43	163144	8.10	PPBV		96
14) BROMOMETHANE	2.187	94	126803	9.37	PPBV		99
15) CHLOROETHANE	2.248	64	85845	10.71	PPBV	#	93
16) DICHLOROFLUOROMETHANE	2.284	67	319823	10.03	PPBV		99
17) ACETONITRILE	2.370	41	100693	8.41	PPBV		99
18) ACROLEIN	2.415	56	71621	13.55	PPBV		99
19) FREON 123	2.431	83	356143	10.05	PPBV		99
20) FREON 123A	2.451	117	197232	9.62	PPBV		90
21) TRICHLOROFLUOROMETHANE	2.518	101	453700	10.18	PPBV		99
22) ISOPROPYL ALCOHOL	2.531	45	315266	8.87	PPBV		98
23) ACETONE	2.457	58	90008	7.94	PPBV		90
24) PENTANE	2.628	42	186375	9.57	PPBV		98
25) IODOMETHANE	2.685	142	420310	9.65	PPBV		99
26) 1,1-DICHLOROETHYLENE	2.711	96	180119	10.53	PPBV		88
27) CARBON DISULFIDE	2.840	76	578858	11.24	PPBV		97
28) ETHANOL	2.287	45	49217	7.03	PPBV		98
29) BROMOETHENE	2.380	106	136977	9.91	PPBV		97
30) ACRYLONITRILE	2.599	52	136258	10.14	PPBV		99
31) METHYLENE CHLORIDE	2.747	84	172616	9.10	PPBV		94
32) 3-CHLOROPROPENE	2.785	76	91301	10.41	PPBV		87
33) FREON 113	2.840	151	283806	9.85	PPBV		91
34) TRANS-1,2-DICHLOROETHENE	3.074	96	137685	9.67	PPBV		93
35) TERTIARY BUTYL ALCOHOL	2.718	59	429618	9.59	PPBV	#	91
36) METHYL TERTIARY BUTYL ...	3.187	73	333112	9.03	PPBV		98
37) TETRAHYDROFURAN	3.901	72	65067	10.46	PPBV		87
38) HEXANE	3.663	57	240327	9.66	PPBV		93
39) VINYL ACETATE	3.229	86	36417	10.39	PPBV		69
40) 1,1-DICHLOROETHANE	3.155	63	266834	10.47	PPBV		99
41) METHYL ETHYL KETONE	3.325	72	68129	10.75	PPBV		76
42) CIS-1,2-DICHLOROETHENE	3.531	96	143454	9.39	PPBV		93
43) DIISOPROPYL ETHER	3.666	59	73364	10.07	PPBV		66

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61613.D
Acq On : 27 Sep 2022 9:29 am
Operator : thomash
Sample : bsd
Misc : MS62367,V2w2734,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 27 10:37:26 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44)	ETHYL ACETATE	3.669	61	52965	10.39	PPBV		63
45)	METHYL ACRYLATE	3.656	55	283060	9.68	PPBV	#	98
46)	CHLOROFORM	3.685	83	301392	9.68	PPBV		98
47)	2,4-DIMETHYLPENTANE	4.193	57	276628	9.55	PPBV		98
48)	1,1,1-TRICHLOROETHANE	4.274	97	284208	9.15	PPBV		96
49)	CARBON TETRACHLORIDE	4.711	117	289904	9.42	PPBV		96
50)	1,2-DICHLOROETHANE	4.107	62	214760	10.18	PPBV		99
51)	BENZENE	4.595	78	433405	9.75	PPBV		95
53)	CYCLOHEXANE	4.811	84	182879	9.37	PPBV		100
54)	2,3-DIMETHYLPENTANE	5.071	71	93672	9.77	PPBV		96
55)	TRICHLOROETHENE	5.515	95	192022	9.79	PPBV		96
56)	1,2-DICHLOROPROPANE	5.280	63	178859	10.13	PPBV		97
57)	DIBROMOMETHANE	5.238	174	175601	8.70	PPBV		95
58)	ETHYL ACRYLATE	5.393	55	338175	10.19	PPBV		99
59)	BROMODICHLOROMETHANE	5.460	83	318836	9.85	PPBV		99
60)	2,2,4-TRIMETHYLPENTANE	5.611	57	736546	9.42	PPBV		99
61)	1,4-DIOXANE	5.525	88	101994	10.76	PPBV		98
62)	HEPTANE	5.933	43	201241	8.18	PPBV		88
63)	METHYL METHACRYLATE	5.827	69	157668	10.45	PPBV		91
64)	METHYL ISOBUTYL KETONE	6.573	58	140838	11.19	PPBV		90
65)	CIS-1,3-DICHLOROPROPENE	6.470	75	230737	9.86	PPBV		95
66)	TOLUENE	7.698	91	526360	9.44	PPBV		99
67)	1,3-DICHLOROPROPANE	7.756	76	257601	9.72	PPBV		98
68)	TRANS-1,3-DICHLOROPROPENE	7.158	75	198229	9.45	PPBV		96
69)	1,1,2-TRICHLOROETHANE	7.322	83	155852	9.54	PPBV		98
70)	2-HEXANONE	8.261	58	187238	10.64	PPBV		88
71)	ETHYL METHACRYLATE	8.396	69	255210	11.61	PPBV		94
72)	TETRACHLOROETHENE	9.447	164	196166	8.78	PPBV		99
73)	DIBROMOCHLOROMETHANE	8.238	129	308478	9.69	PPBV		99
74)	1,2-DIBROMOETHANE	8.589	107	278747	9.37	PPBV		100
75)	OCTANE	9.589	43	278341	8.42	PPBV		92
77)	1,1,1,2-TETRACHLOROETHANE	10.672	131	208313	9.39	PPBV		97
78)	CHLOROBENZENE	10.663	112	404792	9.20	PPBV		96
79)	ETHYLBENZENE	11.550	91	698627	9.96	PPBV		98
80)	M,P-XYLENE	11.984	91	1072444	20.10	PPBV		98
81)	O-XYLENE	12.923	91	544946	9.99	PPBV		93
82)	STYRENE	12.704	104	413312	10.59	PPBV		98
83)	NONANE	14.032	43	295750	8.78	PPBV		91
84)	BROMOFORM	11.791	173	297373	10.54	PPBV		98
85)	1,1,2,2-TETRACHLOROETHANE	12.926	83	411998	10.15	PPBV		100
86)	1,2,3-TRICHLOROPROPANE	13.212	75	302843	10.17	PPBV	#	100
88)	ISOPROPYLBENZENE	14.434	120	192804	8.34	PPBV		92
89)	BROMOBENZENE	14.306	77	377453	10.00	PPBV		93
90)	2-CHLOROTOLUENE	15.447	126	178395	9.19	PPBV		98
91)	N-PROPYLBENZENE	15.778	120	199581	9.40	PPBV		97
92)	4-ETHYLTOLUENE	16.145	105	796429	10.18	PPBV		96
93)	1,3,5-TRIMETHYLBENZENE	16.302	105	663399	10.16	PPBV		95
94)	ALPHA-METHYLSTYRENE	16.502	118	335586	12.22	PPBV		99
95)	TERT-BUTYLBENZENE	16.759	134	154037	9.22	PPBV		97
96)	1,2,4-TRIMETHYLBENZENE	16.768	105	716826	10.27	PPBV		91

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61613.D
Acq On : 27 Sep 2022 9:29 am
Operator : thomash
Sample : bsd
Misc : MS62367,V2w2734,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 27 10:37:26 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
97) BENZYL CHLORIDE	16.852	91	355102	8.22	PPBV	96
98) M-DICHLOROBENZENE	16.826	146	438643	9.56	PPBV	99
99) P-DICHLOROBENZENE	16.910	146	445739	9.58	PPBV	100
100) O-DICHLOROBENZENE	17.206	146	431486	9.55	PPBV	99
101) SEC-BUTYLBENZENE	17.042	134	194282	9.36	PPBV	83
102) 1,2,3-TRIMETHYLBENZENE	17.151	105	685393	10.38	PPBV	95
103) P-ISOPROPYLTOLUENE	17.219	134	214071	9.36	PPBV	98
104) N-BUTYLBENZENE	17.563	134	199795	9.45	PPBV	83
105) HEXACHLOROETHANE	17.743	117	262437	10.13	PPBV	95
106) HEXACHLOROBUTADIENE	18.784	225	314928	8.89	PPBV	100
107) 1,2,4-TRICHLOROBENZENE	18.476	180	348491	9.32	PPBV	99
108) NAPHTHALENE	18.524	128	860563	9.01	PPBV	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61613.D
Acq On : 27 Sep 2022 9:29 am
Operator : thomash
Sample : bsd
Misc : MS62367,V2w2734,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 27 10:37:26 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration



Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 11/07/22 17:15

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26834.D
Acq On : 3 Nov 2022 5:26 pm
Operator : thomash
Sample : jd53652-1dup
Misc : MS63088,V6W1137,100,,,,1
ALS Vial : 20 Sample Multiplier: 1

Quant Time: Nov 07 16:29:07 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.341	128	45425	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.737	114	228554	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.585	117	185306	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.023	95	127549	9.86	PPBV		0.00
Target Compounds							Qvalue
6) DICHLORODIFLUOROMETHANE	1.734	85	1811	0.13	PPBV	#	92
7) PROPYLENE	1.718	41	63927	10.98	PPBV		91
11) VINYL CHLORIDE	1.830	62	3346	0.54	PPBV	#	95
13) N-BUTANE	1.882	43	22541	1.97	PPBV	#	91
17) ACETONITRILE	2.068	41	3061	0.46	PPBV	#	43
21) TRICHLOROFLUOROMETHANE	2.193	101	2340	0.16	PPBV	#	93
22) ISOPROPYL ALCOHOL	2.216	45	4002	0.27	PPBV	#	66
23) ACETONE	2.142	58	13678	4.07	PPBV	#	1
24) PENTANE	2.300	42	41074	5.15	PPBV	#	93
28) ETHANOL	2.010	45	3317	0.96	PPBV	#	92
31) METHYLENE CHLORIDE	2.425	84	1374	0.24	PPBV	#	27
35) TERTIARY BUTYL ALCOHOL	2.406	59	8780	0.72	PPBV	#	39
38) HEXANE	3.393	57	49308	4.04	PPBV		96
41) METHYL ETHYL KETONE	3.049	72	384m	0.13	PPBV		
42) CIS-1,2-DICHLOROETHENE	3.258	96	20969	3.18	PPBV	#	80
47) 2,4-DIMETHYLPENTANE	3.955	57	29831	2.16	PPBV	#	91
48) 1,1,1-TRICHLOROETHANE	4.042	97	8039	0.60	PPBV	#	88
51) BENZENE	4.380	78	35277	1.74	PPBV		69
53) CYCLOHEXANE	4.605	84	6667	0.80	PPBV	#	50
54) 2,3-DIMETHYLPENTANE	4.878	71	15777	3.48	PPBV	#	16
55) TRICHLOROETHENE	5.351	95	6152	0.69	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.444	57	378437	10.01	PPBV	#	95
62) HEPTANE	5.779	43	15832	1.04	PPBV	#	72
66) TOLUENE	7.618	91	77160	3.05	PPBV		100
72) TETRACHLOROETHENE	9.412	164	5679	0.65	PPBV		93
75) OCTANE	9.556	43	4704	0.23	PPBV	#	72
79) ETHYLBENZENE	11.566	91	8113	0.25	PPBV		97
80) M,P-XYLENE	11.958	91	28938	1.21	PPBV		97
81) O-XYLENE	12.958	91	8713	0.37	PPBV	#	87
96) 1,2,4-TRIMETHYLBENZENE	16.801	105	2452	0.10	PPBV	#	24


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26834.D
Acq On : 3 Nov 2022 5:26 pm
Operator : thomash
Sample : jd53652-1dup
Misc : MS63088,V6W1137,100,,,,1
ALS Vial : 20 Sample Multiplier: 1

Quant Time: Nov 07 16:29:07 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration







#6
DICHLORODIFLUOROMETHANE
Concen: 0.13 PPBV
RT: 1.734 min Scan# 512
Delta R.T. 0.003 min
Lab File: 6W26834.D
Acq: 3 Nov 2022 5:26 pm

Tgt Ion: 85 Resp: 1811

Ion	Ratio	Lower	Upper
85	100		
87	34.2	25.8	38.6
50	0.0	7.4	11.2#







#7
PROPYLENE
Concen: 10.98 PPBV
RT: 1.718 min Scan# 507
Delta R.T. 0.003 min
Lab File: 6W26834.D
Acq: 3 Nov 2022 5:26 pm

Tgt Ion: 41 Resp: 63927

Ion	Ratio	Lower	Upper
41	100		
39	79.2	54.6	81.8
42	63.3	53.8	80.6







#11
VINYL CHLORIDE
Concen: 0.54 PPBV
RT: 1.830 min Scan# 542
Delta R.T. 0.000 min
Lab File: 6W26834.D
Acq: 3 Nov 2022 5:26 pm

Tgt Ion: 62 Resp: 3346

Ion	Ratio	Lower	Upper
62	100		
64	31.9	25.7	38.5
61	0.0	6.7	10.1#







#13
N-BUTANE
Concen: 1.97 PPBV
RT: 1.882 min Scan# 558
Delta R.T. 0.003 min
Lab File: 6W26834.D
Acq: 3 Nov 2022 5:26 pm

Tgt Ion: 43 Resp: 22541

Ion	Ratio	Lower	Upper
43	100		
58	13.5	14.2	21.2#
44	3.2	4.2	6.4#







#17
ACETONITRILE
Concen: 0.46 PPBV
RT: 2.068 min Scan# 616
Delta R.T. 0.003 min
Lab File: 6W26834.D
Acq: 3 Nov 2022 5:26 pm

Tgt Ion: 41 Resp: 3061

Ion	Ratio	Lower	Upper
41	100		
40	34.0	41.6	62.4#
39	83.3	14.2	21.4#







#21
TRICHLOROFLUOROMETHANE
Concen: 0.16 PPBV
RT: 2.193 min Scan# 655
Delta R.T. 0.003 min
Lab File: 6W26834.D
Acq: 3 Nov 2022 5:26 pm

Tgt Ion:101 Resp: 2340

Ion	Ratio	Lower	Upper
101	100		
103	62.0	51.8	77.6
105	0.0	8.4	12.6#







#22
ISOPROPYL ALCOHOL
Concen: 0.27 PPBV
RT: 2.216 min Scan# 662
Delta R.T. 0.010 min
Lab File: 6W26834.D
Acq: 3 Nov 2022 5:26 pm

Tgt Ion: 45 Resp: 4002

Ion	Ratio	Lower	Upper
45	100		
43	37.0	15.5	23.3#
59	0.0	4.1	6.1#







#23
ACETONE
Concen: 4.07 PPBV
RT: 2.142 min Scan# 639
Delta R.T. 0.003 min
Lab File: 6W26834.D
Acq: 3 Nov 2022 5:26 pm

Tgt Ion: 58 Resp: 13678

Ion	Ratio	Lower	Upper
58	100		
43	856.5	195.9	293.9#







#24
PENTANE
Concen: 5.15 PPBV
RT: 2.300 min Scan# 688
Delta R.T. 0.000 min
Lab File: 6W26834.D
Acq: 3 Nov 2022 5:26 pm

Tgt Ion: 42 Resp: 41074

Ion	Ratio	Lower	Upper
42	100		
41	83.4	69.5	104.3
57	25.1	27.4	41.0#







#28
ETHANOL
Concen: 0.96 PPBV
RT: 2.010 min Scan# 598
Delta R.T. 0.003 min
Lab File: 6W26834.D
Acq: 3 Nov 2022 5:26 pm

Tgt Ion: 45 Resp: 3317

Ion	Ratio	Lower	Upper
45	100		
46	38.7	34.1	51.1
42	0.0	6.1	9.1#







#31
METHYLENE CHLORIDE
Concen: 0.24 PPBV
RT: 2.425 min Scan# 727
Delta R.T. 0.003 min
Lab File: 6W26834.D
Acq: 3 Nov 2022 5:26 pm

Tgt Ion: 84 Resp: 1374

Ion	Ratio	Lower	Upper
84	100		
86	55.2	50.9	76.3
49	210.7	78.6	118.0#







#35
TERTIARY BUTYL ALCOHOL
Concen: 0.72 PPBV
RT: 2.406 min Scan# 721
Delta R.T. 0.010 min
Lab File: 6W26834.D
Acq: 3 Nov 2022 5:26 pm

Tgt Ion: 59 Resp: 8780

Ion	Ratio	Lower	Upper
59	100		
41	80.9	29.9	44.9#
43	19.1	8.9	13.3#







#38
HEXANE
Concen: 4.04 PPBV
RT: 3.393 min Scan# 1028
Delta R.T. -0.003 min
Lab File: 6W26834.D
Acq: 3 Nov 2022 5:26 pm

Tgt Ion: 57 Resp: 49308

Ion	Ratio	Lower	Upper
57	100		
56	55.7	42.0	63.0
41	86.4	66.2	99.2







#41
METHYL ETHYL KETONE
Concen: 0.13 PPBV m
RT: 3.049 min Scan# 921
Delta R.T. 0.013 min
Lab File: 6W26834.D
Acq: 3 Nov 2022 5:26 pm

Tgt Ion: 72 Resp: 384

Ion	Ratio	Lower	Upper
72	100		
57	4716.9	22.2	33.4#
43	36748.2	252.6	378.8#







#42
CIS-1,2-DICHLOROETHENE
Concen: 3.18 PPBV
RT: 3.258 min Scan# 986
Delta R.T. 0.003 min
Lab File: 6W26834.D
Acq: 3 Nov 2022 5:26 pm

Tgt Ion: 96 Resp: 20969

Ion	Ratio	Lower	Upper
96	100		
98	63.8	51.1	76.7
61	151.5	93.9	140.9#







#47
2,4-DIMETHYLPENTANE
Concen: 2.16 PPBV
RT: 3.955 min Scan# 1203
Delta R.T. -0.003 min
Lab File: 6W26834.D
Acq: 3 Nov 2022 5:26 pm

Tgt Ion: 57 Resp: 29831

Ion	Ratio	Lower	Upper
57	100		
56	59.2	43.9	65.9
85	23.4	25.0	37.6#







#48
1,1,1-TRICHLOROETHANE
Concen: 0.60 PPBV
RT: 4.042 min Scan# 1230
Delta R.T. -0.003 min
Lab File: 6W26834.D
Acq: 3 Nov 2022 5:26 pm

Tgt Ion: 97 Resp: 8039

Ion	Ratio	Lower	Upper
97	100		
99	63.5	50.8	76.2
61	62.1	34.8	52.2#







#51
BENZENE
Concen: 1.74 PPBV
RT: 4.380 min Scan# 1335
Delta R.T. -0.003 min
Lab File: 6W26834.D
Acq: 3 Nov 2022 5:26 pm

Tgt Ion: 78 Resp: 35277

Ion	Ratio	Lower	Upper
78	100		
52	23.8	0.0	34.0
51	29.0	0.0	33.5







#53
CYCLOHEXANE
Concen: 0.80 PPBV
RT: 4.605 min Scan# 1405
Delta R.T. -0.003 min
Lab File: 6W26834.D
Acq: 3 Nov 2022 5:26 pm

Tgt Ion: 84 Resp: 6667

Ion	Ratio	Lower	Upper
84	100		
69	57.9	28.2	42.2#
56	167.0	88.1	132.1#







#54
2,3-DIMETHYLPENTANE
Concen: 3.48 PPBV
RT: 4.878 min Scan# 1490
Delta R.T. -0.006 min
Lab File: 6W26834.D
Acq: 3 Nov 2022 5:26 pm

Tgt Ion: 71 Resp: 15777

Ion	Ratio	Lower	Upper
71	100		
56	383.2	188.6	283.0#
85	0.0	13.4	20.0#







#55
TRICHLOROETHENE
Concen: 0.69 PPBV
RT: 5.351 min Scan# 1637
Delta R.T. 0.000 min
Lab File: 6W26834.D
Acq: 3 Nov 2022 5:26 pm

Tgt Ion: 95 Resp: 6152

Ion	Ratio	Lower	Upper
95	100		
130	105.0	83.2	124.8
132	99.8	79.8	119.6
97	65.7	51.3	76.9







#60
2,2,4-TRIMETHYLPENTANE
Concen: 10.01 PPBV
RT: 5.444 min Scan# 1666
Delta R.T. -0.003 min
Lab File: 6W26834.D
Acq: 3 Nov 2022 5:26 pm

Tgt Ion: 57 Resp: 378437

Ion	Ratio	Lower	Upper
57	100		
56	36.1	26.3	39.5
99	4.7	5.0	7.6#







#62
HEPTANE
Concen: 1.04 PPBV
RT: 5.779 min Scan# 1770
Delta R.T. -0.009 min
Lab File: 6W26834.D
Acq: 3 Nov 2022 5:26 pm

Tgt Ion: 43 Resp: 15832

Ion	Ratio	Lower	Upper
43	100		
71	45.8	60.6	90.8#
57	48.4	50.2	75.4#







#66
TOLUENE
Concen: 3.05 PPBV
RT: 7.618 min Scan# 2342
Delta R.T. 0.000 min
Lab File: 6W26834.D
Acq: 3 Nov 2022 5:26 pm

Tgt Ion: 91 Resp: 77160

Ion	Ratio	Lower	Upper
91	100		
92	59.2	38.9	78.9







#72
TETRACHLOROETHENE
Concen: 0.65 PPBV
RT: 9.412 min Scan# 2900
Delta R.T. -0.003 min
Lab File: 6W26834.D
Acq: 3 Nov 2022 5:26 pm

Tgt Ion:164 Resp: 5679

Ion	Ratio	Lower	Upper
164	100		
129	98.0	72.0	108.0
168	61.1	48.6	72.8
131	95.2	69.0	103.6







#75
OCTANE
Concen: 0.23 PPBV
RT: 9.556 min Scan# 2945
Delta R.T. -0.006 min
Lab File: 6W26834.D
Acq: 3 Nov 2022 5:26 pm

Tgt Ion: 43 Resp: 4704

Ion	Ratio	Lower	Upper
43	100		
85	32.6	49.8	74.8#
57	38.1	38.8	58.2#







#79
ETHYLBENZENE
Concen: 0.25 PPBV
RT: 11.566 min Scan# 3570
Delta R.T. -0.003 min
Lab File: 6W26834.D
Acq: 3 Nov 2022 5:26 pm

Tgt Ion: 91 Resp: 8113

Ion	Ratio	Lower	Upper
91	100		
106	29.8	11.7	51.7







#80
M,P-XYLENE
Concen: 1.21 PPBV
RT: 11.958 min Scan# 3692
Delta R.T. -0.051 min
Lab File: 6W26834.D
Acq: 3 Nov 2022 5:26 pm

Tgt Ion: 91 Resp: 28938

Ion	Ratio	Lower	Upper
91	100		
106	48.9	31.5	71.5
105	22.9	3.6	43.6







#81
O-XYLENE
Concen: 0.37 PPBV
RT: 12.958 min Scan# 4003
Delta R.T. -0.003 min
Lab File: 6W26834.D
Acq: 3 Nov 2022 5:26 pm

Tgt Ion: 91 Resp: 8713

Ion	Ratio	Lower	Upper
91	100		
106	36.6	39.1	58.7#
105	19.1	15.7	23.5






#96
1,2,4-TRIMETHYLBENZENE
Concen: 0.10 PPBV
RT: 16.801 min Scan# 5198
Delta R.T. -0.003 min
Lab File: 6W26834.D
Acq: 3 Nov 2022 5:26 pm

Tgt Ion:105 Resp: 2452

Ion	Ratio	Lower	Upper
105	100		
120	44.7	45.4	68.2#
119	0.0	90.6	135.8#



Manual Integration Approval Summary


Sample Number: JD53652-1DUP
Lab FileID: 6W26834.D
Injection Time: 11/03/22 17:26
Method: TO-15
Analyst approved: 11/07/22 16:32 William Cruser
Supervisor approved: 11/07/22 17:15 Kanya Veerawat

Parameter	CAS	Sig#	R.T. (min.)	Reason
Methyl ethyl ketone	78-93-3		3.05	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26834.D
Acq On : 3 Nov 2022 5:26 pm
Operator : thomash
Sample : jd53652-1dup
Misc : MS63088,V6W1137,100,,,,1
ALS Vial : 20 Sample Multiplier: 1

Quant Time: Nov 04 14:18:02 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration



TIC: 6W26834.D\data.ms

(41) METHYL ETHYL KETONE (T)

2.943min (-0.093) 0.78PPBV

response 2382

Ion	Exp%	Act%
72.10	100	100
57.10	27.80	760.41#
43.10	315.70	5924.14#
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 11/08/22 16:00

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26872.D
Acq On : 4 Nov 2022 3:00 pm
Operator : thomash
Sample : jd54423-15dup
Misc : MS63483,V6W1138,100,,,,1
ALS Vial : 21 Sample Multiplier: 1

Quant Time: Nov 08 12:06:37 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.341	128	45230	10.00	PPBV	# 0.00
52) 1,4-DIFLUOROBENZENE	4.734	114	226403	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.585	117	182016	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	14.026	95	125430	9.87	PPBV	0.00
Target Compounds						Qvalue
3) FREON 152A	1.695	65	1475	0.38	PPBV	# 53
6) DICHLORODIFLUOROMETHANE	1.734	85	2509	0.18	PPBV	# 90
7) PROPYLENE	1.718	41	5634	0.97	PPBV	# 75
13) N-BUTANE	1.878	43	21705	1.90	PPBV	94
17) ACETONITRILE	2.068	41	2738	0.41	PPBV	# 95
18) ACROLEIN	2.100	56	440m	0.16	PPBV	
21) TRICHLOROFLUOROMETHANE	2.190	101	1610	0.11	PPBV	# 92
22) ISOPROPYL ALCOHOL	2.210	45	12997	0.87	PPBV	# 90
23) ACETONE	2.139	58	31416	9.38	PPBV	# 52
24) PENTANE	2.300	42	2479	0.31	PPBV	# 95
27) CARBON DISULFIDE	2.521	76	3077	0.17	PPBV	# 58
28) ETHANOL	2.007	45	112346	32.70	PPBV	98
31) METHYLENE CHLORIDE	2.422	84	815	0.14	PPBV	# 22
35) TERTIARY BUTYL ALCOHOL	2.402	59	1843	0.15	PPBV	# 42
38) HEXANE	3.390	57	1549	0.13	PPBV	# 81
40) 1,1-DICHLOROETHANE	2.856	63	1243	0.10	PPBV	# 50
41) METHYL ETHYL KETONE	3.046	72	2324	0.76	PPBV	# 1
44) ETHYL ACETATE	3.412	61	954	0.40	PPBV	# 28
48) 1,1,1-TRICHLOROETHANE	4.045	97	246902	18.63	PPBV	# 91
51) BENZENE	4.380	78	8630	0.43	PPBV	78
55) TRICHLOROETHENE	5.344	95	932	0.10	PPBV	# 86
66) TOLUENE	7.618	91	10094	0.40	PPBV	98
70) 2-HEXANONE	8.232	58	772	0.11	PPBV	# 1
72) TETRACHLOROETHENE	9.412	164	18679	2.16	PPBV	94
80) M,P-XYLENE	11.955	91	6069	0.26	PPBV	91
81) O-XYLENE	12.958	91	2173	0.09	PPBV	# 78
88) ISOPROPYLBENZENE	14.498	105	12485	0.39	PPBV	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26872.D
Acq On : 4 Nov 2022 3:00 pm
Operator : thomash
Sample : jd54423-15dup
Misc : MS63483,V6W1138,100,,,,1
ALS Vial : 21 Sample Multiplier: 1

Quant Time: Nov 08 12:06:37 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration







#3
FREON 152A
Concen: 0.38 PPBV
RT: 1.695 min Scan# 500
Delta R.T. 0.000 min
Lab File: 6W26872.D
Acq: 4 Nov 2022 3:00 pm

Tgt Ion: 65 Resp: 1475

Ion	Ratio	Lower	Upper
65	100		
45	0.0	18.3	27.5#







#6
DICHLORODIFLUOROMETHANE
Concen: 0.18 PPBV
RT: 1.734 min Scan# 512
Delta R.T. 0.003 min
Lab File: 6W26872.D
Acq: 4 Nov 2022 3:00 pm

Tgt Ion: 85 Resp: 2509

Ion	Ratio	Lower	Upper
85	100		
87	28.9	25.8	38.6
50	0.0	7.4	11.2#







#7
PROPYLENE
Concen: 0.97 PPBV
RT: 1.718 min Scan# 507
Delta R.T. 0.003 min
Lab File: 6W26872.D
Acq: 4 Nov 2022 3:00 pm

Tgt Ion: 41 Resp: 5634

Ion	Ratio	Lower	Upper
41	100		
39	94.5	54.6	81.8#
42	53.4	53.8	80.6#







#13
N-BUTANE
Concen: 1.90 PPBV
RT: 1.878 min Scan# 557
Delta R.T. 0.000 min
Lab File: 6W26872.D
Acq: 4 Nov 2022 3:00 pm

Tgt Ion: 43 Resp: 21705

Ion	Ratio	Lower	Upper
43	100		
58	14.3	14.2	21.2
44	4.8	4.2	6.4







#17
ACETONITRILE
Concen: 0.41 PPBV
RT: 2.068 min Scan# 616
Delta R.T. 0.003 min
Lab File: 6W26872.D
Acq: 4 Nov 2022 3:00 pm

Tgt Ion: 41 Resp: 2738

Ion	Ratio	Lower	Upper
41	100		
40	50.4	41.6	62.4
39	23.2	14.2	21.4#







#18
ACROLEIN
Concen: 0.16 PPBV m
RT: 2.100 min Scan# 626
Delta R.T. 0.000 min
Lab File: 6W26872.D
Acq: 4 Nov 2022 3:00 pm

Tgt Ion: 56 Resp: 440

Ion	Ratio	Lower	Upper
56	100		
55	164.3	56.0	84.0#







#21
TRICHLOROFLUOROMETHANE
Concen: 0.11 PPBV
RT: 2.190 min Scan# 654
Delta R.T. 0.000 min
Lab File: 6W26872.D
Acq: 4 Nov 2022 3:00 pm

Tgt Ion:101 Resp: 1610

Ion	Ratio	Lower	Upper
101	100		
103	60.7	51.8	77.6
105	0.0	8.4	12.6#







#22
ISOPROPYL ALCOHOL
Concen: 0.87 PPBV
RT: 2.210 min Scan# 660
Delta R.T. 0.003 min
Lab File: 6W26872.D
Acq: 4 Nov 2022 3:00 pm

Tgt Ion: 45 Resp: 12997

Ion	Ratio	Lower	Upper
45	100		
43	23.0	15.5	23.3
59	0.0	4.1	6.1#







#23
ACETONE
Concen: 9.38 PPBV
RT: 2.139 min Scan# 638
Delta R.T. 0.000 min
Lab File: 6W26872.D
Acq: 4 Nov 2022 3:00 pm

Tgt Ion: 58 Resp: 31416

Ion	Ratio	Lower	Upper
58	100		
43	327.0	195.9	293.9#







#24
PENTANE
Concen: 0.31 PPBV
RT: 2.300 min Scan# 688
Delta R.T. 0.000 min
Lab File: 6W26872.D
Acq: 4 Nov 2022 3:00 pm

Tgt Ion: 42 Resp: 2479

Ion	Ratio	Lower	Upper
42	100		
41	87.5	69.5	104.3
57	24.4	27.4	41.0#







#27
CARBON DISULFIDE
Concen: 0.17 PPBV
RT: 2.521 min Scan# 757
Delta R.T. 0.000 min
Lab File: 6W26872.D
Acq: 4 Nov 2022 3:00 pm

Tgt Ion: 76 Resp: 3077

Ion	Ratio	Lower	Upper
76	100		
78	0.0	8.6	13.0#
44	30.2	7.2	10.8#







#28
ETHANOL
Concen: 32.70 PPBV
RT: 2.007 min Scan# 597
Delta R.T. 0.000 min
Lab File: 6W26872.D
Acq: 4 Nov 2022 3:00 pm

Tgt Ion: 45 Resp: 112346

Ion	Ratio	Lower	Upper
45	100		
46	41.0	34.1	51.1
42	8.0	6.1	9.1







#31
METHYLENE CHLORIDE
Concen: 0.14 PPBV
RT: 2.422 min Scan# 726
Delta R.T. 0.000 min
Lab File: 6W26872.D
Acq: 4 Nov 2022 3:00 pm

Tgt Ion: 84 Resp: 815

Ion	Ratio	Lower	Upper
84	100		
86	0.0	50.9	76.3#
49	173.3	78.6	118.0#







#35
TERTIARY BUTYL ALCOHOL
Concen: 0.15 PPBV
RT: 2.402 min Scan# 720
Delta R.T. 0.007 min
Lab File: 6W26872.D
Acq: 4 Nov 2022 3:00 pm

Tgt Ion: 59 Resp: 1843

Ion	Ratio	Lower	Upper
59	100		
41	65.0	29.9	44.9#
43	47.7	8.9	13.3#







#38
HEXANE
Concen: 0.13 PPBV
RT: 3.390 min Scan# 1027
Delta R.T. -0.006 min
Lab File: 6W26872.D
Acq: 4 Nov 2022 3:00 pm

Tgt Ion: 57 Resp: 1549

Ion	Ratio	Lower	Upper
57	100		
56	58.9	42.0	63.0
41	105.0	66.2	99.2#







#40
1,1-DICHLOROETHANE
Concen: 0.10 PPBV
RT: 2.856 min Scan# 861
Delta R.T. 0.003 min
Lab File: 6W26872.D
Acq: 4 Nov 2022 3:00 pm

Tgt Ion: 63 Resp: 1243

Ion	Ratio	Lower	Upper
63	100		
65	0.0	25.3	37.9#
83	0.0	10.6	16.0#







#41
METHYL ETHYL KETONE
Concen: 0.76 PPBV
RT: 3.046 min Scan# 920
Delta R.T. 0.010 min
Lab File: 6W26872.D
Acq: 4 Nov 2022 3:00 pm

Tgt Ion: 72 Resp: 2324

Ion	Ratio	Lower	Upper
72	100		
57	34.8	22.2	33.4#
43	539.2	252.6	378.8#







#44
ETHYL ACETATE
Concen: 0.40 PPBV
RT: 3.412 min Scan# 1034
Delta R.T. 0.010 min
Lab File: 6W26872.D
Acq: 4 Nov 2022 3:00 pm

Tgt Ion: 61 Resp: 954

Ion	Ratio	Lower	Upper
61	100		
43	861.8	986.2	1479.2#
88	0.0	38.8	58.2#







#48
1,1,1-TRICHLOROETHANE
Concen: 18.63 PPBV
RT: 4.045 min Scan# 1231
Delta R.T. 0.000 min
Lab File: 6W26872.D
Acq: 4 Nov 2022 3:00 pm

Tgt Ion: 97 Resp: 246902

Ion	Ratio	Lower	Upper
97	100		
99	64.0	50.8	76.2
61	57.1	34.8	52.2#







#51
BENZENE
Concen: 0.43 PPBV
RT: 4.380 min Scan# 1335
Delta R.T. -0.003 min
Lab File: 6W26872.D
Acq: 4 Nov 2022 3:00 pm

Tgt Ion: 78 Resp: 8630

Ion	Ratio	Lower	Upper
78	100		
52	22.9	0.0	34.0
51	22.6	0.0	33.5







#55
TRICHLOROETHENE
Concen: 0.10 PPBV
RT: 5.344 min Scan# 1635
Delta R.T. -0.006 min
Lab File: 6W26872.D
Acq: 4 Nov 2022 3:00 pm

Tgt Ion: 95 Resp: 932

Ion	Ratio	Lower	Upper
95	100		
130	101.1	83.2	124.8
132	87.7	79.8	119.6
97	92.9	51.3	76.9#







#66
TOLUENE
Concen: 0.40 PPBV
RT: 7.618 min Scan# 2342
Delta R.T. 0.000 min
Lab File: 6W26872.D
Acq: 4 Nov 2022 3:00 pm

Tgt Ion: 91 Resp: 10094

Ion	Ratio	Lower	Upper
91	100		
92	60.6	38.9	78.9







#70
2-HEXANONE
Concen: 0.11 PPBV
RT: 8.232 min Scan# 2533
Delta R.T. 0.026 min
Lab File: 6W26872.D
Acq: 4 Nov 2022 3:00 pm

Tgt Ion: 58 Resp: 772

Ion	Ratio	Lower	Upper
58	100		
43	320.6	120.6	181.0#
100	0.0	19.3	28.9#







#72
TETRACHLOROETHENE
Concen: 2.16 PPBV
RT: 9.412 min Scan# 2900
Delta R.T. -0.003 min
Lab File: 6W26872.D
Acq: 4 Nov 2022 3:00 pm

Tgt Ion:164 Resp: 18679

Ion	Ratio	Lower	Upper
164	100		
129	97.1	72.0	108.0
168	57.9	48.6	72.8
131	91.6	69.0	103.6







#80
M,P-XYLENE
Concen: 0.26 PPBV
RT: 11.955 min Scan# 3691
Delta R.T. -0.054 min
Lab File: 6W26872.D
Acq: 4 Nov 2022 3:00 pm

Tgt Ion: 91 Resp: 6069

Ion	Ratio	Lower	Upper
91	100		
106	47.0	31.5	71.5
105	16.3	3.6	43.6







#81
O-XYLENE
Concen: 0.09 PPBV
RT: 12.958 min Scan# 4003
Delta R.T. -0.003 min
Lab File: 6W26872.D
Acq: 4 Nov 2022 3:00 pm

Tgt Ion: 91 Resp: 2173

Ion	Ratio	Lower	Upper
91	100		
106	33.5	39.1	58.7#
105	10.8	15.7	23.5#






#88
ISOPROPYLBENZENE
Concen: 0.39 PPBV
RT: 14.498 min Scan# 4482
Delta R.T. -0.003 min
Lab File: 6W26872.D
Acq: 4 Nov 2022 3:00 pm

Tgt Ion:105 Resp: 12485

Ion	Ratio	Lower	Upper
105	100		
120	25.3	20.0	30.0
77	16.2	16.0	24.0



Manual Integration Approval Summary


Sample Number:	JD54423-15DUP	**Method:**	TO-15
Lab FileID:	6W26872.D	**Analyst approved:**	11/08/22 12:07 William Cruser
Injection Time:	11/04/22 15:00	**Supervisor approved:**	11/08/22 16:00 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Acrolein	107-02-8		2.10	Missed peak


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26872.D
Acq On : 4 Nov 2022 3:00 pm
Operator : thomash
Sample : jd54423-15dup
Misc : MS63483,V6W1138,100,,,,1
ALS Vial : 21 Sample Multiplier: 1

Quant Time: Nov 04 14:24:18 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration







TIC: 6W26872.D\data.ms

(18) ACROLEIN (T)

2.152min (+0.052) 0.35PPBV

response 961

Ion	Exp%	Act%
56.10	100	100
55.00	70.00	75.23
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25452.D
Acq On : 11 Aug 2022 7:25 pm
Operator : thomash
Sample : scc(a406),cp11846
Misc : MS60869,V6W1083,100,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Aug 12 09:10:35 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.418	128	58536	10.00	PPBV	# 0.00
52) 1,4-DIFLUOROBENZENE	4.794	114	298947	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.608	117	263446	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	14.035	95	171918	9.30	PPBV	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25452.D
Acq On : 11 Aug 2022 7:25 pm
Operator : thomash
Sample : scc(a406),cp11846
Misc : MS60869,V6W1083,100,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Aug 12 09:10:35 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61625.D
Acq On : 27 Sep 2022 5:24 pm
Operator : thomash
Sample : scc(m441),cp11872
Misc : MS62371,V2w2734,100,,,,1
ALS Vial : 12 Sample Multiplier: 1

Quant Time: Sep 28 09:54:23 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.615	128	70657	10.00	PPBV	0.00
52) 1,4-DIFLUOROBENZENE	4.930	114	391460	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.589	117	335472	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	13.962	95	208125	9.32	PPBV	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61625.D
Acq On : 27 Sep 2022 5:24 pm
Operator : thomash
Sample : scc(m441),cp11872
Misc : MS62371,V2w2734,100,,,,1
ALS Vial : 12 Sample Multiplier: 1

Quant Time: Sep 28 09:54:23 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration




M2W2709.M Wed Sep 28 09:58:24 2022 GCMS2W Page: 2

BFB

Data File : C:\msdchem\1\DATA\2w61009.D Vial: 1
Acq On : 19 Aug 2022 10:50 am Operator: thomash
Sample : bfb Inst : MS2W
Misc : MS61038,V2w2709,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\METHODS\M2W2709.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um



AutoFind: Scans 4313, 4314, 4315; Background Corrected with Scan 4286

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	21.8	14581	PASS
75	95	30	66	49.2	32835	PASS
95	95	100	100	100.0	66739	PASS
96	95	5	9	6.6	4420	PASS
173	174	0.00	2	0.4	243	PASS
174	95	50	120	82.7	55160	PASS
175	174	4	9	7.2	3990	PASS
176	174	93	101	96.0	52933	PASS
177	176	5	9	6.2	3276	PASS

2w61009.D M2W2709.M Tue Aug 23 16:19:20 2022 GCMS2W

Average of 13.956 to 13.962 min.: 2w61009.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.00	578	48.05	213	61.00	3481	74.00	11483
37.00	3714	49.00	2974	62.00	3460	75.00	32835
38.00	3419	50.00	14581	63.00	2789	76.00	2792
38.95	1240	51.00	4347	64.00	310	76.90	416
39.95	125	51.95	182	66.90	83	77.90	258
42.90	19	54.85	178	67.05	109	78.90	2812
43.95	460	56.00	1314	68.00	6776	79.85	677
45.00	688	57.00	2197	69.00	6765	80.90	2829
46.05	87	57.90	30	69.95	567	81.85	556
46.95	704	59.90	391	71.95	382	82.75	38
47.80	138	60.10	175	73.00	2909	85.90	46

Average of 13.956 to 13.962 min.: 2w61009.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
86.95	2619	105.80	406	123.70	61	140.80	916
87.95	2548	106.95	55	125.85	48	141.85	76
90.90	291	111.00	55	127.70	69	142.85	878
91.95	2050	111.85	93	127.90	157	145.85	64
92.95	2901	112.85	61	128.85	85	147.85	119
94.00	7777	114.80	72	129.75	262	148.85	50
95.00	66739	115.80	241	130.80	85	149.80	61
96.00	4420	116.85	577	134.80	152	152.70	19
96.95	137	117.70	134	136.85	137	152.95	47
103.85	336	117.90	130	139.50	18	154.70	64
104.75	80	118.85	324	139.90	51	154.85	119


Average of 13.956 to 13.962 min.: 2w61009.D\data.ms
bfb
Modified:subtracted


m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
156.80	103						
158.75	79						
160.80	34						
172.90	243						
173.90	55160						
174.90	3990						
175.90	52933						
176.90	3276						
177.90	94						

BFB

Data File : C:\msdchem\1\DATA\2w61610.D Vial: 1
Acq On : 27 Sep 2022 7:25 am Operator: thomash
Sample : bfb Inst : MS2W
Misc : MS62367,V2w2734,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\METHODS\M2W2709.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um





AutoFind: Scans 4311, 4312, 4313; Background Corrected with Scan 4284

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	22.1	16757	PASS
75	95	30	66	52.7	39912	PASS
95	95	100	100	100.0	75664	PASS
96	95	5	9	6.5	4899	PASS
173	174	0.00	2	0.4	263	PASS
174	95	50	120	83.7	63341	PASS
175	174	4	9	7.1	4486	PASS
176	174	93	101	93.3	59096	PASS
177	176	5	9	7.0	4116	PASS

2w61610.D M2W2709.M Tue Sep 27 10:14:30 2022 GCMS2W

Average of 13.949 to 13.955 min.: 2w61610.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
35.95	697	47.95	612	61.00	4509	74.00	13812
37.05	4252	49.00	4000	62.00	4404	75.00	39912
38.00	4329	50.00	16757	63.00	3536	76.00	3632
39.05	1547	51.05	5117	63.95	301	76.90	456
39.90	82	51.95	161	65.00	47	77.60	58
43.10	34	54.90	208	66.90	202	78.00	210
43.95	834	55.10	104	68.00	8219	78.90	3581
44.95	770	56.00	1675	69.00	7467	79.85	872
45.90	35	57.00	2797	69.90	634	80.90	3520
46.20	25	57.95	202	71.95	378	81.85	732
46.95	800	59.95	933	73.00	3564	82.80	74

Average of 13.949 to 13.955 min.: 2w61610.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
85.70	56	96.90	169	115.75	347	136.85	128
86.20	41	102.75	73	116.80	540	139.80	46
86.90	3411	103.85	408	117.85	419	140.85	866
87.95	2934	104.75	82	118.85	422	141.80	118
88.70	26	105.10	19	125.80	18	142.90	822
90.85	431	105.85	390	126.50	28	144.85	72
91.95	2557	106.95	44	127.85	315	145.70	82
93.00	3415	109.75	55	128.80	220	146.85	51
94.00	9508	110.85	102	129.90	346	147.70	95
95.00	75664	112.85	90	130.75	151	147.90	90
96.00	4899	114.85	52	134.80	166	149.80	51


Average of 13.949 to 13.955 min.: 2w61610.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
151.60	38	172.95	263				
153.70	23	173.90	63341				
154.00	26	174.90	4486				
154.90	229	175.90	59096				
156.95	83	176.90	4116				
158.85	42	177.80	162				
160.60	18						
160.90	59						
171.65	38						
171.90	25						
172.80	133						

BFB

Data File : C:\msdchem\1\data\6W25315.D Vial: 1
Acq On : 4 Aug 2022 5:09 pm Operator: thomash
Sample : bfb Inst : GCMS6W
Misc : MS57063,V6W1077,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\methods\M6W1077.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um



AutoFind: Scans 4336, 4337, 4338; Background Corrected with Scan 4310

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	23.1	11429	PASS
75	95	30	66	51.8	25645	PASS
95	95	100	100	100.0	49485	PASS
96	95	5	9	6.7	3335	PASS
173	174	0.00	2	0.6	242	PASS
174	95	50	120	79.7	39416	PASS
175	174	4	9	7.2	2844	PASS
176	174	93	101	97.8	38541	PASS
177	176	5	9	6.6	2529	PASS

6W25315.D M6W1077.M Fri Aug 05 09:16:09 2022

Average of 14.029 to 14.036 min.: 6W25315.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.00	559	50.00	11429	63.00	2131	76.90	216
37.00	3264	51.00	3345	63.85	191	77.20	103
38.05	2751	52.00	150	66.95	171	77.95	188
39.05	1179	54.95	147	68.00	5264	78.85	2237
44.00	330	55.20	30	69.00	5597	79.90	556
45.00	634	56.00	959	69.95	506	80.90	2236
46.00	66	57.00	1790	71.95	306	81.85	429
46.95	726	58.10	62	73.00	2374	82.90	64
47.70	103	59.95	550	74.00	8837	86.00	31
47.95	263	61.00	2731	75.00	25645	86.95	2256
49.00	2666	62.00	2679	76.00	2320	87.85	1872

Average of 14.029 to 14.036 min.: 6W25315.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
90.85	255	109.80	18	134.80	85	154.90	48
91.95	1521	113.00	17	135.00	30	156.75	107
92.95	2164	115.85	222	136.85	111	158.70	18
94.00	5998	116.80	361	140.90	514	159.00	27
95.00	49485	117.85	264	141.85	93	160.90	29
96.00	3335	118.85	344	142.90	613	171.20	36
96.85	129	126.00	23	145.75	99	172.10	73
103.85	320	127.80	128	146.70	46	172.85	242
104.80	100	128.80	83	147.95	93	173.10	118
105.90	284	129.85	194	149.85	71	173.90	39416
106.90	21	130.80	70	154.70	53	174.90	2844


Average of 14.029 to 14.036 min.: 6W25315.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
175.90	38541						
176.90	2529						
177.85	43						

BFB

Data File : C:\msdchem\1\data\6W25438.D Vial: 1
Acq On : 11 Aug 2022 7:24 am Operator: thomash
Sample : bfb Inst : GCMS6W
Misc : MS61233,V6W1083,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\methods\M6W1077.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um



AutoFind: Scans 4336, 4337, 4338; Background Corrected with Scan 4310

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	20.6	11717	PASS
75	95	30	66	49.8	28251	PASS
95	95	100	100	100.0	56760	PASS
96	95	5	9	6.6	3771	PASS
173	174	0.00	2	0.7	353	PASS
174	95	50	120	87.4	49619	PASS
175	174	4	9	7.5	3741	PASS
176	174	93	101	96.8	48008	PASS
177	176	5	9	6.5	3126	PASS

6W25438.D M6W1077.M Thu Aug 11 14:24:28 2022

Average of 14.029 to 14.035 min.: 6W25438.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.00	612	47.05	761	57.00	1900	68.00	5904
37.00	3405	47.90	275	57.90	125	69.00	5783
38.00	2771	48.10	83	59.95	592	69.95	517
39.00	1103	49.00	2712	61.00	2807	72.00	454
39.90	88	50.00	11717	62.00	2836	73.00	3009
41.90	17	51.00	3821	63.00	2361	74.00	9698
42.90	48	51.95	247	63.90	267	75.00	28251
44.00	495	52.90	19	64.90	36	76.00	2469
45.00	635	54.80	75	65.05	75	76.95	331
45.90	25	55.05	120	66.80	80	77.90	296
46.30	42	55.95	1094	67.15	165	78.95	2220

Average of 14.029 to 14.035 min.: 6W25438.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
79.90	570	95.00	56760	117.85	238	134.90	24
80.90	2263	96.00	3771	118.70	56	136.85	185
81.90	439	96.80	52	118.95	172	139.90	21
83.20	18	103.90	288	127.70	79	140.95	696
86.00	31	104.75	114	127.90	142	142.00	28
87.00	2546	105.75	279	128.70	90	142.90	683
87.95	2341	106.90	39	129.00	43	143.90	42
90.85	306	110.60	43	129.65	113	145.90	28
91.95	1711	111.85	48	129.90	29	147.80	191
92.95	2346	115.90	178	130.80	87	149.80	103
94.00	6948	116.85	385	134.70	51	152.90	50


Average of 14.029 to 14.035 min.: 6W25438.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
154.85	186	175.90	48008				
156.75	99	176.90	3126				
158.70	25	177.85	90				
160.80	70						
170.70	19						
171.05	41						
171.85	173						
172.80	353						
173.10	137						
173.90	49619						
174.95	3741						

BFB

Data File : C:\msdchem\1\data\6W26446.D Vial: 5
Acq On : 19 Oct 2022 5:44 pm Operator: thomash
Sample : bfb Inst : GCMS6W
Misc : MS63121,V6W1125,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\methods\M6W1125.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um



AutoFind: Scans 4331, 4332, 4333; Background Corrected with Scan 4304

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	25.6	11894	PASS
75	95	30	66	50.6	23544	PASS
95	95	100	100	100.0	46541	PASS
96	95	5	9	7.0	3244	PASS
173	174	0.00	2	1.0	352	PASS
174	95	50	120	77.2	35928	PASS
175	174	4	9	6.8	2432	PASS
176	174	93	101	95.1	34165	PASS
177	176	5	9	7.1	2442	PASS

6W26446.D M6W1125.M Thu Oct 20 09:35:17 2022

Average of 14.013 to 14.019 min.: 6W26446.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.00	546	50.00	11894	63.95	247	76.90	286
37.00	2807	51.00	3433	65.00	125	77.95	172
38.05	3001	51.95	185	66.95	113	78.90	1543
39.05	1041	55.00	126	68.00	5020	79.85	527
39.95	91	55.95	965	69.00	5150	80.90	1687
43.95	372	57.00	1557	69.95	355	81.90	284
44.95	508	57.95	74	71.95	267	82.90	17
46.05	53	59.95	539	73.00	1986	86.95	2250
47.00	861	61.00	2622	74.00	8253	88.00	2020
47.95	437	62.00	2554	75.00	23544	90.90	189
49.00	2485	63.00	1902	76.00	2043	92.00	1449


Average of 14.013 to 14.019 min.: 6W26446.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
93.00	2011	113.00	23	136.85	76	160.90	35
94.00	5659	115.80	178	140.90	450	171.85	167
95.00	46541	116.90	333	141.90	18	172.85	352
96.00	3244	117.90	205	142.85	442	174.00	35928
96.90	83	118.80	305	144.95	79	174.95	2432
103.90	155	127.85	190	145.90	28	176.00	34165
104.95	39	128.80	72	147.80	114	176.95	2442
105.85	229	129.80	191	149.80	50	177.85	82
106.90	48	130.95	40	154.85	129		
110.85	70	134.85	74	156.70	18		
111.95	40	136.70	24	156.90	103		

BFB

Data File : C:\msdchem\1\data\6W26822.D Vial: 1
Acq On : 3 Nov 2022 9:04 am Operator: thomash
Sample : bfb Inst : GCMS6W
Misc : MS63437,V6W1137,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\methods\M6W1125.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um



AutoFind: Scans 4333, 4334, 4335; Background Corrected with Scan 4306

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	24.4	9728	PASS
75	95	30	66	50.9	20293	PASS
95	95	100	100	100.0	39835	PASS
96	95	5	9	6.9	2732	PASS
173	174	0.00	2	1.2	369	PASS
174	95	50	120	79.8	31795	PASS
175	174	4	9	6.8	2169	PASS
176	174	93	101	99.1	31512	PASS
177	176	5	9	6.4	2021	PASS

6W26822.D M6W1125.M Fri Nov 04 15:11:13 2022

Average of 14.019 to 14.026 min.: 6W26822.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
35.95	402	51.95	102	66.85	100	78.00	21
37.05	2516	54.95	117	68.00	4069	78.90	1283
38.00	2189	55.95	728	69.00	4312	79.90	372
39.05	776	56.95	1330	69.95	304	80.90	1329
44.00	284	58.00	31	71.95	198	81.85	260
44.95	415	59.90	409	73.00	1855	85.90	25
47.00	699	61.00	2035	74.00	7176	86.90	1785
47.95	289	62.00	2130	75.00	20293	87.90	1985
49.00	2107	63.00	1545	76.00	1820	90.85	159
50.00	9728	63.95	151	77.00	246	92.00	1156
51.00	2975	65.00	22	77.75	130	93.00	1742


Average of 14.019 to 14.026 min.: 6W26822.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
94.00	4789	118.85	229	154.85	71		
95.00	39835	127.80	124	156.90	51		
96.00	2732	129.90	169	171.70	33		
96.95	82	130.90	35	171.90	60		
103.80	192	134.80	76	173.05	369		
104.80	69	136.70	37	173.90	31795		
105.80	204	140.85	403	174.90	2169		
114.80	18	142.85	443	175.90	31512		
115.85	182	144.80	26	176.90	2021		
116.85	327	147.85	99	178.00	17		
117.75	147	149.80	23				

BFB

Data File : C:\msdchem\1\data\6W26862.D Vial: 1
Acq On : 4 Nov 2022 9:04 am Operator: thomash
Sample : bfb Inst : GCMS6W
Misc : MS63483,V6W1138,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\methods\M6W1125.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um



AutoFind: Scans 4332, 4333, 4334; Background Corrected with Scan 4306

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	24.6	10199	PASS
75	95	30	66	50.8	21080	PASS
95	95	100	100	100.0	41456	PASS
96	95	5	9	7.0	2916	PASS
173	174	0.00	2	0.9	288	PASS
174	95	50	120	77.7	32229	PASS
175	174	4	9	7.8	2498	PASS
176	174	93	101	96.2	31000	PASS
177	176	5	9	7.1	2186	PASS

6W26862.D M6W1125.M Sun Nov 06 15:43:21 2022

Average of 14.016 to 14.023 min.: 6W26862.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
35.95	396	50.00	10199	63.00	1685	76.00	1727
37.00	2480	51.00	3071	63.95	128	76.90	237
38.05	2424	51.95	144	66.95	117	77.85	119
39.00	804	54.80	27	68.00	4363	78.90	1410
43.00	18	55.00	81	69.00	4679	79.90	427
44.00	261	56.00	762	70.00	354	80.95	1426
45.00	502	57.00	1223	70.80	17	81.90	252
47.00	683	58.10	26	71.90	236	83.10	17
47.80	79	60.00	475	73.00	2094	85.90	17
47.95	204	61.00	2262	74.00	7434	86.95	1891
49.00	2234	62.00	2149	75.00	21080	87.95	1783

Average of 14.016 to 14.023 min.: 6W26862.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
90.90	133	115.85	158	141.90	19	175.90	31000
92.00	1265	116.90	286	142.90	483	176.90	2186
92.95	1886	117.85	153	144.75	64	177.80	23
94.00	5016	118.90	217	145.85	48		
95.00	41456	127.80	121	147.75	111		
96.00	2916	128.90	40	154.85	109		
96.95	84	129.85	138	156.80	22		
103.85	150	130.70	18	171.90	75		
104.90	39	134.85	113	173.00	288		
105.85	211	136.75	71	173.90	32229		
109.90	24	140.90	455	174.90	2498		

Manual Integrations APPROVED
(compounds with "m" flag)
Kanya Veerawat
08/24/22 14:42

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61010.D
Acq On : 19 Aug 2022 11:22 am
Operator : thomash
Sample : ic2709-0.04
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:46:55 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:21:21 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.608	128	65497	10.00	PPBV	0.00
52) 1,4-DIFLUOROBENZENE	4.927	114	359956	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.586	117	318930	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	13.959	95	206801	9.74	PPBV	0.00
Target Compounds						Qvalue
55) TRICHLOROETHENE	5.515	95	461m	0.03	PPBV	
72) TETRACHLOROETHENE	9.451	164	666	0.04	PPBV	# 40

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61010.D
Acq On : 19 Aug 2022 11:22 am
Operator : thomash
Sample : ic2709-0.04
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:46:55 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:21:21 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number:	V2W2709-IC2709	**Method:**	TO-15
Lab FileID:	2W61010.D	**Analyst approved:**	08/23/22 20:59 Benjamin Kim
Injection Time:	08/19/22 11:22	**Supervisor approved:**	08/24/22 14:42 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Trichloroethylene	79-01-6		5.52	Poor instrument integration

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61010.D
Acq On : 19 Aug 2022 11:22 am
Operator : thomash
Sample : ic2709-0.04
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 19 12:31:07 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed May 18 07:44:07 2022
Response via : Initial Calibration





TIC: 2w61010.D\data.ms

(55) TRICHLOROETHENE (T)

5.460min (-5.460) 0.00PPBV


response 0


Ion	Exp%	Act%
95.00	100	0.00
129.90	104.00	0.00#
131.90	99.70	0.00#
97.00	64.10	0.00#

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61010.D
Acq On : 19 Aug 2022 11:22 am
Operator : thomash
Sample : ic2709-0.04
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:45:16 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:21:21 2022
Response via : Initial Calibration





TIC: 2w61010.D\data.ms

(55) TRICHLOROETHENE (T)

5.515min (-0.003) 0.03PPBV m

response 461

Ion	Exp%	Act%
95.00	100	100
129.90	103.50	0.00#
131.90	99.10	0.00#
97.00	65.00	0.00#

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/24/22 14:42

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 24 12:14:03 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.612	128	64903	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.927	114	355487	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.586	117	317521	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.956	95	206670	9.78	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.837	65	560	0.10	PPBV	#	48
4) CHLORODIFLUOROMETHANE	1.860	67	226m	0.09	PPBV		
5) CHLOROTRIFLUOROETHENE	1.872	116	1390	0.10	PPBV	#	1
6) DICHLORODIFLUOROMETHANE	1.895	85	3356	0.10	PPBV	#	71
7) PROPYLENE	1.872	41	754	0.12	PPBV	#	15
8) 1-CHLORO-1,1-DIFLUOROE...	1.943	65	2440	0.10	PPBV	#	27
9) FREON 114	1.991	85	2873	0.10	PPBV		98
10) CHLOROMETHANE	1.950	52	371m	0.11	PPBV		
11) VINYL CHLORIDE	2.033	62	1229	0.11	PPBV	#	50
12) 1,3-BUTADIENE	2.085	54	843	0.10	PPBV	#	82
13) N-BUTANE	2.104	43	1865	0.12	PPBV	#	64
14) BROMOMETHANE	2.184	94	1132	0.11	PPBV	#	95
15) CHLOROETHANE	2.245	64	628	0.10	PPBV	#	46
16) DICHLOROFLUOROMETHANE	2.278	67	2428	0.10	PPBV	#	85
17) ACETONITRILE	2.371	41	1075	0.12	PPBV	#	79
18) ACROLEIN	2.419	56	214m	0.05	PPBV		
19) FREON 123	2.435	83	2621	0.10	PPBV		96
20) FREON 123A	2.451	117	1635	0.11	PPBV		97
21) TRICHLOROFLUOROMETHANE	2.522	101	3215	0.10	PPBV	#	1
22) ISOPROPYL ALCOHOL	2.538	45	3327	0.12	PPBV	#	88
23) ACETONE	2.467	58	1182	0.15	PPBV		93
24) PENTANE	2.628	42	1748	0.12	PPBV		85
25) IODOMETHANE	2.689	142	3305	0.10	PPBV		100
26) 1,1-DICHLOROETHYLENE	2.712	96	1311	0.10	PPBV		96
27) CARBON DISULFIDE	2.844	76	3679	0.09	PPBV	#	84
28) ETHANOL	2.284	45	799	0.16	PPBV	#	41
29) BROMOETHENE	2.381	106	948	0.09	PPBV	#	100
30) ACRYLONITRILE	2.602	52	979	0.10	PPBV	#	85
31) METHYLENE CHLORIDE	2.750	84	2310	0.18	PPBV		92
32) 3-CHLOROPROPENE	2.789	76	670	0.10	PPBV	#	56
33) FREON 113	2.847	151	2093	0.10	PPBV		97
34) TRANS-1,2-DICHLOROETHENE	3.075	96	1055	0.10	PPBV		97
35) TERTIARY BUTYL ALCOHOL	2.725	59	3546	0.10	PPBV	#	80
36) METHYL TERTIARY BUTYL ...	3.194	73	2855	0.10	PPBV	#	84
37) TETRAHYDROFURAN	3.930	72	339m	0.07	PPBV		
38) HEXANE	3.667	57	1774	0.09	PPBV		90
39) VINYL ACETATE	3.233	86	201m	0.08	PPBV		
40) 1,1-DICHLOROETHANE	3.155	63	1808	0.09	PPBV	#	88
41) METHYL ETHYL KETONE	3.335	72	351m	0.07	PPBV		
42) CIS-1,2-DICHLOROETHENE	3.538	96	1146	0.10	PPBV		99
43) DIISOPROPYL ETHER	3.673	59	517	0.09	PPBV		100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 24 12:14:03 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
45) METHYL ACRYLATE	3.663	55	1929	0.09	PPBV	#	66
46) CHLOROFORM	3.686	83	2328	0.10	PPBV		92
47) 2,4-DIMETHYLPENTANE	4.194	57	2171	0.10	PPBV		98
48) 1,1,1-TRICHLOROETHANE	4.274	97	2237	0.10	PPBV		97
49) CARBON TETRACHLORIDE	4.705	117	2055	0.09	PPBV		99
50) 1,2-DICHLOROETHANE	4.107	62	1503	0.09	PPBV	#	100
51) BENZENE	4.596	78	3427	0.10	PPBV		98
53) CYCLOHEXANE	4.814	84	1478	0.10	PPBV		91
54) 2,3-DIMETHYLPENTANE	5.078	71	694	0.09	PPBV	#	96
55) TRICHLOROETHENE	5.522	95	1399	0.09	PPBV		89
56) 1,2-DICHLOROPROPANE	5.277	63	1360	0.10	PPBV	#	74
57) DIBROMOMETHANE	5.236	174	1596	0.10	PPBV		92
58) ETHYL ACRYLATE	5.406	55	2085	0.08	PPBV	#	74
59) BROMODICHLOROMETHANE	5.461	83	2192	0.09	PPBV		100
60) 2,2,4-TRIMETHYLPENTANE	5.615	57	5984	0.10	PPBV	#	96
62) HEPTANE	5.933	43	1916	0.10	PPBV		92
63) METHYL METHACRYLATE	5.837	69	1025	0.09	PPBV	#	77
64) METHYL ISOBUTYL KETONE	6.593	58	750	0.08	PPBV	#	79
65) CIS-1,3-DICHLOROPROPENE	6.461	75	1386	0.08	PPBV	#	68
66) TOLUENE	7.695	91	4413	0.10	PPBV		93
67) 1,3-DICHLOROPROPANE	7.756	76	1971	0.10	PPBV	#	91
68) TRANS-1,3-DICHLOROPROPENE	7.155	75	1319	0.08	PPBV	#	78
69) 1,1,2-TRICHLOROETHANE	7.322	83	1181	0.09	PPBV		95
70) 2-HEXANONE	8.293	58	221m	0.39	PPBV		
71) ETHYL METHACRYLATE	8.412	69	1160	0.07	PPBV	#	84
72) TETRACHLOROETHENE	9.454	164	1751	0.10	PPBV	#	87
73) DIBROMOCHLOROMETHANE	8.239	129	1909	0.08	PPBV	#	86
74) 1,2-DIBROMOETHANE	8.586	107	2023	0.09	PPBV	#	93
75) OCTANE	9.589	43	2397	0.09	PPBV		93
77) 1,1,1,2-TETRACHLOROETHANE	10.673	131	1554	0.09	PPBV	#	37
78) CHLOROBENZENE	10.663	112	3250	0.10	PPBV		93
79) ETHYLBENZENE	11.544	91	4979	0.09	PPBV		98
80) M,P-XYLENE	11.978	91	7627m	0.21	PPBV		
81) O-XYLENE	12.914	91	3812	0.09	PPBV		97
82) STYRENE	12.702	104	2323	0.08	PPBV		95
83) NONANE	14.026	43	2527	0.10	PPBV		95
84) BROMOFORM	11.782	173	1271	0.06	PPBV	#	96
85) 1,1,2,2-TETRACHLOROETHANE	12.917	83	2922	0.09	PPBV	#	94
86) 1,2,3-TRICHLOROPROPANE	13.206	75	2200	0.10	PPBV	#	99
88) ISOPROPYLBENZENE	14.428	120	1654	0.09	PPBV		90
89) BROMOBENZENE	14.313	77	2650	0.09	PPBV		98
90) 2-CHLOROTOLUENE	15.451	126	1358m	0.09	PPBV		
91) N-PROPYLBENZENE	15.779	120	1342	0.08	PPBV	#	62
92) 4-ETHYLTOLUENE	16.145	105	4938	0.08	PPBV	#	98
93) 1,3,5-TRIMETHYLBENZENE	16.296	105	4146	0.08	PPBV	#	91
94) ALPHA-METHYLSTYRENE	16.502	118	1628	0.08	PPBV		96
95) TERT-BUTYLBENZENE	16.753	134	990	0.08	PPBV		89
96) 1,2,4-TRIMETHYLBENZENE	16.759	105	4251	0.08	PPBV		97
97) BENZYL CHLORIDE	16.849	91	1346	0.04	PPBV	#	60
98) M-DICHLOROBENZENE	16.824	146	3030	0.09	PPBV		95

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 24 12:14:03 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
99)	P-DICHLOROBENZENE	16.907	146	3245	0.09	PPBV		93
100)	O-DICHLOROBENZENE	17.203	146	3018	0.09	PPBV		97
101)	SEC-BUTYLBENZENE	17.039	134	1276	0.08	PPBV		93
102)	1,2,3-TRIMETHYLBENZENE	17.148	105	4165	0.08	PPBV	#	91
103)	P-ISOPROPYLTOLUENE	17.222	134	1420	0.08	PPBV		99
104)	N-BUTYLBENZENE	17.566	134	1266	0.08	PPBV		89
105)	HEXACHLOROETHANE	17.746	117	1120	0.06	PPBV		91
106)	HEXACHLOROBUTADIENE	18.798	225	2054	0.07	PPBV	#	1
107)	1,2,4-TRICHLOROBENZENE	18.486	180	1844	0.06	PPBV		95
108)	NAPHTHALENE	18.531	128	3704	0.05	PPBV	#	70

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 24 12:14:03 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V2W2709-IC2709 **Method:** TO-15
Lab FileID: 2W61011.D **Analyst approved:** 08/24/22 12:25 Benjamin Kim
Injection Time: 08/19/22 11:55 **Supervisor approved:** 08/24/22 14:42 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Chlorodifluoromethane	75-45-6		1.86	Poor instrument integration
Chloromethane	74-87-3		1.95	Poor instrument integration
Acrolein	107-02-8		2.42	Poor instrument integration
Vinyl Acetate	108-05-4		3.23	Poor instrument integration
Methyl ethyl ketone	78-93-3		3.34	Poor instrument integration
Tetrahydrofuran	109-99-9		3.93	Poor instrument integration
2-Hexanone	591-78-6		8.29	Poor instrument integration
m,p-Xylene			11.98	Poor instrument integration
2-Chlorotoluene	95-49-8		15.45	Poor instrument integration

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:47:40 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration





TIC: 2w61011.D\data.ms

(70) 2-HEXANONE (T)

8.261min (-8.261) 0.00PPBV


response 0


Ion	Exp%	Act%
58.10	100	0.00
43.10	8.30	0.00#
100.10	1.80	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:47:40 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration





TIC: 2w61011.D\data.ms

(70) 2-HEXANONE (T)

8.293min (+0.032) 0.39PPBV m


response 221


Ion	Exp%	Act%
58.10	100	100
43.10	8.30	0.00#
100.10	1.80	0.00#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:47:40 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration







TIC: 2w61011.D\data.ms

(37) TETRAHYDROFURAN (T)

3.901min (-3.901) 0.00PPBV


response 0


Ion	Exp%	Act%
72.10	100	0.00
42.10	219.70	0.00#
71.10	92.50	0.00#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:47:40 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration







TIC: 2w61011.D\data.ms

(37) TETRAHYDROFURAN (T)

3.930min (+0.029) 0.07PPBV m


response 339


Ion	Exp%	Act%
72.10	100	100
42.10	219.70	0.00#
71.10	92.50	0.00#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:47:40 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration







TIC: 2w61011.D\data.ms

(39) VINYL ACETATE (T)

3.229min (-3.229) 0.00PPBV


response 0


Ion	Exp%	Act%
86.10	100	0.00
43.10	958.60	0.00#
44.10	52.20	0.00#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:47:40 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration







TIC: 2w61011.D\data.ms

(39) VINYL ACETATE (T)

3.233min (+0.004) 0.08PPBV m


response 201


Ion	Exp%	Act%
86.10	100	100
43.10	958.60	0.00#
44.10	52.20	0.00#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:47:40 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration







TIC: 2w61011.D\data.ms

(41) METHYL ETHYL KETONE (T)

3.326min (-3.326) 0.00PPBV


response 0


Ion	Exp%	Act%
72.10	100	0.00
57.10	36.40	0.00#
43.10	401.20	0.00#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:47:40 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration







TIC: 2w61011.D\data.ms

(41) METHYL ETHYL KETONE (T)

3.335min (+0.009) 0.07PPBV m


response 351


Ion	Exp%	Act%
72.10	100	100
57.10	36.40	0.00#
43.10	401.20	0.00#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:47:40 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration







TIC: 2w61011.D\data.ms

(18) ACROLEIN (T)

2.419min (-2.419) 0.00PPBV


response 0


Ion	Exp%	Act%
56.10	100	0.00
55.00	71.10	0.00#
0.00	0.00	0.00
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:47:40 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration







TIC: 2w61011.D\data.ms

(18) ACROLEIN (T)

2.419min (+0.000) 0.05PPBV m


response 214


Ion	Exp%	Act%
56.10	100	100
55.00	71.10	0.00#
0.00	0.00	0.00
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:47:40 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration







TIC: 2w61011.D\data.ms

(10) CHLOROMETHANE (T)

1.962min (-1.962) 0.00PPBV


response 0


Ion	Exp%	Act%
52.00	100	0.00
50.00	309.00	0.00#
0.00	0.00	0.00
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:47:40 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration







TIC: 2w61011.D\data.ms

(10) CHLOROMETHANE (T)

1.950min (-0.012) 0.11PPBV m


response 371


Ion	Exp%	Act%
52.00	100	100
50.00	309.00	0.00#
0.00	0.00	0.00
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:47:40 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration







TIC: 2w61011.D\data.ms

(4) CHLORODIFLUOROMETHANE (T)

1.866min (-1.866) 0.00PPBV


response 0


Ion	Exp%	Act%
67.00	100	0.00
69.00	34.20	0.00#
0.00	0.00	0.00
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:47:40 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration







TIC: 2w61011.D\data.ms

(4) CHLORODIFLUOROMETHANE (T)

1.860min (-0.006) 0.09PPBV m


response 226


Ion	Exp%	Act%
67.00	100	100
69.00	34.20	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:49:12 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration





TIC: 2w61011.D\data.ms

(80) M,P-XYLENE (t)

11.978min (-0.006) 0.10PPBV


response 3518


Ion	Exp%	Act%
91.10	100	100
106.10	23.00	44.03#
105.10	10.90	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:49:12 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration





TIC: 2w61011.D\data.ms

(80) M,P-XYLENE (t)

11.978min (-0.006) 0.21PPBV m


response 7627


Ion	Exp%	Act%
91.10	100	100
106.10	23.00	20.31
105.10	10.90	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:49:12 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration





TIC: 2w61011.D\data.ms

(90) 2-CHLOROTOLUENE (T)

15.451min (+0.010) 0.06PPBV


response 945


Ion	Exp%	Act%
126.00	100	100
128.00	32.40	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:49:12 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration





TIC: 2w61011.D\data.ms

(90) 2-CHLOROTOLUENE (T)

15.451min (+0.010) 0.09PPBV m

response 1358

Ion	Exp%	Act%
126.00	100	100
128.00	32.40	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/24/22 14:44

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61012.D
Acq On : 19 Aug 2022 12:27 pm
Operator : thomash
Sample : ic2709-0.2
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 26 18:41:58 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:54:11 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.611	128	64509	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.927	114	353558	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.585	117	315511	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.958	95	204068	9.70	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.843	65	1064	0.19	PPBV	#	48
4) CHLORODIFLUOROMETHANE	1.862	67	468m	0.19	PPBV		
5) CHLOROTRIFLUOROETHENE	1.878	116	2747	0.19	PPBV	#	1
6) DICHLORODIFLUOROMETHANE	1.898	85	6218	0.20	PPBV	#	63
7) PROPYLENE	1.875	41	1247	0.21	PPBV		97
8) 1-CHLORO-1,1-DIFLUOROE...	1.949	65	4676	0.19	PPBV	#	61
9) FREON 114	1.994	85	5721	0.20	PPBV		98
10) CHLOROMETHANE	1.952	52	709	0.22	PPBV		94
11) VINYL CHLORIDE	2.039	62	2175	0.19	PPBV	#	92
12) 1,3-BUTADIENE	2.084	54	1768	0.20	PPBV		91
13) N-BUTANE	2.107	43	3294	0.23	PPBV	#	97
14) BROMOMETHANE	2.193	94	2081	0.21	PPBV	#	95
15) CHLOROETHANE	2.255	64	1105	0.18	PPBV	#	58
16) DICHLOROFLUOROMETHANE	2.284	67	4766	0.20	PPBV		98
17) ACETONITRILE	2.374	41	1928	0.22	PPBV	#	80
18) ACROLEIN	2.412	56	435m	0.12	PPBV		
19) FREON 123	2.435	83	5136	0.19	PPBV		98
20) FREON 123A	2.451	117	2873	0.19	PPBV		91
21) TRICHLOROFLUOROMETHANE	2.521	101	6324	0.19	PPBV	#	1
22) ISOPROPYL ALCOHOL	2.534	45	5508	0.21	PPBV	#	97
23) ACETONE	2.467	58	2320	0.27	PPBV		77
24) PENTANE	2.631	42	3176	0.22	PPBV		93
25) IODOMETHANE	2.685	142	6326	0.20	PPBV		97
26) 1,1-DICHLOROETHYLENE	2.711	96	2524	0.20	PPBV		99
27) CARBON DISULFIDE	2.846	76	7009	0.19	PPBV	#	81
28) ETHANOL	2.287	45	1342	0.26	PPBV	#	41
29) BROMOETHENE	2.380	106	2030	0.19	PPBV	#	100
30) ACRYLONITRILE	2.599	52	2087	0.20	PPBV		99
31) METHYLENE CHLORIDE	2.747	84	3521	0.27	PPBV		95
32) 3-CHLOROPROPENE	2.785	76	1417	0.21	PPBV	#	79
33) FREON 113	2.843	151	4105	0.19	PPBV		95
34) TRANS-1,2-DICHLOROETHENE	3.078	96	2132	0.20	PPBV		98
35) TERTIARY BUTYL ALCOHOL	2.721	59	6767	0.21	PPBV		95
36) METHYL TERTIARY BUTYL ...	3.190	73	5366	0.20	PPBV	#	84
37) TETRAHYDROFURAN	3.933	72	916	0.19	PPBV		93
38) HEXANE	3.663	57	3493	0.19	PPBV		96
39) VINYL ACETATE	3.235	86	426m	0.16	PPBV		
40) 1,1-DICHLOROETHANE	3.155	63	3963	0.21	PPBV	#	88
41) METHYL ETHYL KETONE	3.338	72	914	0.19	PPBV	#	92
42) CIS-1,2-DICHLOROETHENE	3.531	96	2323	0.20	PPBV		94
43) DIISOPROPYL ETHER	3.666	59	1027	0.20	PPBV		91

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61012.D
Acq On : 19 Aug 2022 12:27 pm
Operator : thomash
Sample : ic2709-0.2
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 26 18:41:58 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:54:11 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.673	61	647	0.18	PPBV	#	68
45) METHYL ACRYLATE	3.666	55	3643	0.17	PPBV	#	91
46) CHLOROFORM	3.682	83	4521	0.20	PPBV		94
47) 2,4-DIMETHYLPENTANE	4.197	57	4425	0.20	PPBV		98
48) 1,1,1-TRICHLOROETHANE	4.280	97	4515	0.20	PPBV		100
49) CARBON TETRACHLORIDE	4.711	117	4093	0.18	PPBV		100
50) 1,2-DICHLOROETHANE	4.107	62	3092	0.19	PPBV	#	100
51) BENZENE	4.599	78	6872	0.21	PPBV		97
53) CYCLOHEXANE	4.808	84	2995	0.20	PPBV		97
54) 2,3-DIMETHYLPENTANE	5.068	71	1389	0.19	PPBV	#	97
55) TRICHLOROETHENE	5.521	95	2855	0.18	PPBV		95
56) 1,2-DICHLOROPROPANE	5.283	63	2647	0.20	PPBV		98
57) DIBROMOMETHANE	5.238	174	3143	0.20	PPBV		98
58) ETHYL ACRYLATE	5.399	55	4024	0.17	PPBV	#	74
59) BROMODICHLOROMETHANE	5.460	83	4359	0.18	PPBV		98
60) 2,2,4-TRIMETHYLPENTANE	5.611	57	11990	0.20	PPBV		99
61) 1,4-DIOXANE	5.582	88	1216	0.17	PPBV	#	74
62) HEPTANE	5.926	43	3821	0.21	PPBV		96
63) METHYL METHACRYLATE	5.833	69	1829	0.17	PPBV		92
64) METHYL ISOBUTYL KETONE	6.579	58	1468	0.16	PPBV	#	91
65) CIS-1,3-DICHLOROPROPENE	6.470	75	3039	0.17	PPBV		92
66) TOLUENE	7.698	91	7872	0.19	PPBV		98
67) 1,3-DICHLOROPROPANE	7.750	76	3769	0.19	PPBV	#	91
68) TRANS-1,3-DICHLOROPROPENE	7.164	75	2315	0.15	PPBV		92
69) 1,1,2-TRICHLOROETHANE	7.325	83	2304	0.18	PPBV		96
70) 2-HEXANONE	8.290	58	532	0.06	PPBV	#	1
71) ETHYL METHACRYLATE	8.399	69	2146	0.14	PPBV	#	77
72) TETRACHLOROETHENE	9.447	164	3504	0.20	PPBV		98
73) DIBROMOCHLOROMETHANE	8.229	129	3734	0.16	PPBV		98
74) 1,2-DIBROMOETHANE	8.582	107	4009	0.18	PPBV	#	97
75) OCTANE	9.595	43	4808	0.19	PPBV		98
77) 1,1,1,2-TETRACHLOROETHANE	10.669	131	2959	0.18	PPBV		99
78) CHLOROBENZENE	10.656	112	6633	0.20	PPBV		95
79) ETHYLBENZENE	11.550	91	9979	0.18	PPBV		98
80) M,P-XYLENE	11.984	91	14963m	0.36	PPBV		
81) O-XYLENE	12.913	91	7941	0.19	PPBV		93
82) STYRENE	12.704	104	4915	0.16	PPBV		99
83) NONANE	14.029	43	4867	0.19	PPBV		94
84) BROMOFORM	11.788	173	2475	0.13	PPBV	#	88
85) 1,1,2,2-TETRACHLOROETHANE	12.923	83	5839	0.19	PPBV	#	95
86) 1,2,3-TRICHLOROPROPANE	13.216	75	4250	0.18	PPBV	#	99
88) ISOPROPYLBENZENE	14.434	120	3299	0.19	PPBV		99
89) BROMOBENZENE	14.296	77	5420	0.18	PPBV	#	39
90) 2-CHLOROTOLUENE	15.431	126	2677	0.18	PPBV		99
91) N-PROPYLBENZENE	15.772	120	2818	0.17	PPBV	#	62
92) 4-ETHYLTOLUENE	16.142	105	9947	0.17	PPBV	#	99
93) 1,3,5-TRIMETHYLBENZENE	16.296	105	8565	0.17	PPBV		99
94) ALPHA-METHYLSTYRENE	16.498	118	3096	0.15	PPBV		98
95) TERT-BUTYLBENZENE	16.756	134	2261	0.18	PPBV		95
96) 1,2,4-TRIMETHYLBENZENE	16.765	105	8595	0.17	PPBV		94

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61012.D
Acq On : 19 Aug 2022 12:27 pm
Operator : thomash
Sample : ic2709-0.2
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 26 18:41:58 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:54:11 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
97)	BENZYL CHLORIDE	16.852	91	3085	0.12	PPBV	#	89
98)	M-DICHLOROBENZENE	16.826	146	5983	0.17	PPBV		98
99)	P-DICHLOROBENZENE	16.910	146	5846	0.17	PPBV		94
100)	O-DICHLOROBENZENE	17.206	146	6092	0.19	PPBV		99
101)	SEC-BUTYLBENZENE	17.039	134	3031	0.20	PPBV		84
102)	1,2,3-TRIMETHYLBENZENE	17.151	105	8528	0.17	PPBV		98
103)	P-ISOPROPYLTOLUENE	17.219	134	2975	0.18	PPBV		99
104)	N-BUTYLBENZENE	17.566	134	2492	0.16	PPBV		97
105)	HEXACHLOROETHANE	17.746	117	2279	0.14	PPBV		98
106)	HEXACHLOROBUTADIENE	18.797	225	4203	0.17	PPBV	#	1
107)	1,2,4-TRICHLOROBENZENE	18.485	180	4180	0.16	PPBV		94
108)	NAPHTHALENE	18.534	128	9026	0.14	PPBV		98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61012.D
Acq On : 19 Aug 2022 12:27 pm
Operator : thomash
Sample : ic2709-0.2
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 26 18:41:58 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:54:11 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V2W2709-IC2709 **Method:** TO-15
Lab FileID: 2W61012.D **Analyst approved:** 08/23/22 20:59 Benjamin Kim
Injection Time: 08/19/22 12:27 **Supervisor approved:** 08/24/22 14:44 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Chlorodifluoromethane	75-45-6		1.86	Poor instrument integration
Acrolein	107-02-8		2.41	Poor instrument integration
Vinyl Acetate	108-05-4		3.24	Poor instrument integration
m,p-Xylene			11.98	Poor instrument integration

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61012.D
Acq On : 19 Aug 2022 12:27 pm
Operator : thomash
Sample : ic2709-0.2
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 22 21:54:52 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:54:11 2022
Response via : Initial Calibration





TIC: 2w61012.D\data.ms

(4) CHLORODIFLUOROMETHANE (T)

1.866min (-1.866) 0.00PPBV


response 0


Ion	Exp%	Act%
67.00	100	0.00
69.00	34.20	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61012.D
Acq On : 19 Aug 2022 12:27 pm
Operator : thomash
Sample : ic2709-0.2
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 22 21:54:52 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:54:11 2022
Response via : Initial Calibration





TIC: 2w61012.D\data.ms

(4) CHLORODIFLUOROMETHANE (T)

1.862min (-0.004) 0.19PPBV m


response 468


Ion	Exp%	Act%
67.00	100	100
69.00	34.20	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61012.D
Acq On : 19 Aug 2022 12:27 pm
Operator : thomash
Sample : ic2709-0.2
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 22 21:54:52 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:54:11 2022
Response via : Initial Calibration





TIC: 2w61012.D\data.ms

(18) ACROLEIN (T)

2.419min (-2.419) 0.00PPBV


response 0


Ion	Exp%	Act%
56.10	100	0.00
55.00	71.10	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61012.D
Acq On : 19 Aug 2022 12:27 pm
Operator : thomash
Sample : ic2709-0.2
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 22 21:54:52 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:54:11 2022
Response via : Initial Calibration





TIC: 2w61012.D\data.ms

(18) ACROLEIN (T)

2.412min (-0.007) 0.12PPBV m


response 435


Ion	Exp%	Act%
56.10	100	100
55.00	71.10	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61012.D
Acq On : 19 Aug 2022 12:27 pm
Operator : thomash
Sample : ic2709-0.2
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 22 21:54:52 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:54:11 2022
Response via : Initial Calibration





TIC: 2w61012.D\data.ms

(39) VINYL ACETATE (T)

3.229min (-3.229) 0.00PPBV


response 0


Ion	Exp%	Act%
86.10	100	0.00
43.10	958.60	0.00#
44.10	52.20	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61012.D
Acq On : 19 Aug 2022 12:27 pm
Operator : thomash
Sample : ic2709-0.2
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 22 21:54:52 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:54:11 2022
Response via : Initial Calibration





TIC: 2w61012.D\data.ms

(39) VINYL ACETATE (T)

3.235min (+0.006) 0.16PPBV m


response 426


Ion	Exp%	Act%
86.10	100	100
43.10	958.60	0.00#
44.10	52.20	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61012.D
Acq On : 19 Aug 2022 12:27 pm
Operator : thomash
Sample : ic2709-0.2
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 22 21:55:25 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:54:11 2022
Response via : Initial Calibration





TIC: 2w61012.D\data.ms

(80) M,P-XYLENE (t)

11.936min (-0.049) 0.22PPBV


response 8831


Ion	Exp%	Act%
91.10	100	100
106.10	23.00	42.95
105.10	10.90	19.79
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61012.D
Acq On : 19 Aug 2022 12:27 pm
Operator : thomash
Sample : ic2709-0.2
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 22 21:55:25 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:54:11 2022
Response via : Initial Calibration





TIC: 2w61012.D\data.ms

(80) M,P-XYLENE (t)

11.984min (-0.000) 0.36PPBV m

response 14963

Ion	Exp%	Act%
91.10	100	100
106.10	23.00	25.35
105.10	10.90	11.68
0.00	0.00	0.00

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61013.D
Acq On : 19 Aug 2022 12:59 pm
Operator : thomash
Sample : ic2709-0.5
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 26 18:42:13 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:53:09 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.608	128	64185	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.927	114	349033	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.582	117	311657	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.955	95	205868	9.86	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.846	65	2690	0.33	PPBV		95
4) CHLORODIFLUOROMETHANE	1.869	67	1194	0.31	PPBV	#	40
5) CHLOROTRIFLUOROETHENE	1.882	116	6910	0.32	PPBV	#	1
6) DICHLORODIFLUOROMETHANE	1.901	85	15281	0.32	PPBV	#	73
7) PROPYLENE	1.875	41	2932	0.32	PPBV		95
8) 1-CHLORO-1,1-DIFLUOROE...	1.949	65	11460	0.31	PPBV	#	88
9) FREON 114	1.998	85	13905	0.32	PPBV		97
10) CHLOROMETHANE	1.962	52	1624	0.33	PPBV		95
11) VINYL CHLORIDE	2.043	62	5337	0.30	PPBV	#	93
12) 1,3-BUTADIENE	2.091	54	4383	0.32	PPBV		97
13) N-BUTANE	2.110	43	7281	0.33	PPBV	#	94
14) BROMOMETHANE	2.191	94	4823	0.31	PPBV		96
15) CHLOROETHANE	2.252	64	2897	0.31	PPBV		95
16) DICHLOROFLUOROMETHANE	2.287	67	11546	0.32	PPBV		99
17) ACETONITRILE	2.374	41	4380	0.34	PPBV		96
18) ACROLEIN	2.425	56	1025	0.13	PPBV		88
19) FREON 123	2.432	83	12589	0.31	PPBV		97
20) FREON 123A	2.454	117	7200	0.31	PPBV		99
21) TRICHLOROFLUOROMETHANE	2.522	101	15817	0.31	PPBV	#	1
22) ISOPROPYL ALCOHOL	2.538	45	13799	0.36	PPBV		95
23) ACETONE	2.464	58	5025	0.47	PPBV		71
24) PENTANE	2.631	42	7059	0.32	PPBV		98
25) IODOMETHANE	2.686	142	15489	0.31	PPBV		99
26) 1,1-DICHLOROETHYLENE	2.715	96	5905	0.30	PPBV		93
27) CARBON DISULFIDE	2.843	76	17652	0.31	PPBV	#	82
28) ETHANOL	2.290	45	3011	0.44	PPBV	#	94
29) BROMOETHENE	2.383	106	5030	0.31	PPBV	#	100
30) ACRYLONITRILE	2.599	52	4918	0.32	PPBV		95
31) METHYLENE CHLORIDE	2.747	84	6999	0.36	PPBV		99
32) 3-CHLOROPROPENE	2.789	76	3495	0.36	PPBV		96
33) FREON 113	2.843	151	9982	0.30	PPBV		97
34) TRANS-1,2-DICHLOROETHENE	3.078	96	5129	0.31	PPBV		97
35) TERTIARY BUTYL ALCOHOL	2.724	59	15937	0.32	PPBV		95
36) METHYL TERTIARY BUTYL ...	3.190	73	13182	0.31	PPBV		98
37) TETRAHYDROFURAN	3.920	72	2249	0.30	PPBV		87
38) HEXANE	3.666	57	8621	0.30	PPBV		97
39) VINYL ACETATE	3.232	86	1264	0.31	PPBV	#	94
40) 1,1-DICHLOROETHANE	3.155	63	9161	0.31	PPBV		99
41) METHYL ETHYL KETONE	3.338	72	2261	0.30	PPBV		99
42) CIS-1,2-DICHLOROETHENE	3.528	96	5662	0.32	PPBV		99
43) DIISOPROPYL ETHER	3.670	59	2410	0.29	PPBV		90

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61013.D
Acq On : 19 Aug 2022 12:59 pm
Operator : thomash
Sample : ic2709-0.5
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 26 18:42:13 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:53:09 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.682	61	1655	0.30	PPBV		79
45) METHYL ACRYLATE	3.660	55	9722	0.29	PPBV	#	100
46) CHLOROFORM	3.682	83	11151	0.32	PPBV		98
47) 2,4-DIMETHYLPENTANE	4.190	57	10708	0.32	PPBV		98
48) 1,1,1-TRICHLOROETHANE	4.271	97	10795	0.31	PPBV		99
49) CARBON TETRACHLORIDE	4.708	117	10167	0.29	PPBV		98
50) 1,2-DICHLOROETHANE	4.107	62	7981	0.33	PPBV	#	100
51) BENZENE	4.596	78	16270	0.32	PPBV		99
53) CYCLOHEXANE	4.814	84	7209	0.32	PPBV		98
54) 2,3-DIMETHYLPENTANE	5.075	71	3561	0.32	PPBV		97
55) TRICHLOROETHENE	5.518	95	7415	0.32	PPBV		98
56) 1,2-DICHLOROPROPANE	5.277	63	6506	0.32	PPBV		100
57) DIBROMOMETHANE	5.235	174	7757	0.34	PPBV		98
58) ETHYL ACRYLATE	5.403	55	10083	0.26	PPBV		99
59) BROMODICHLOROMETHANE	5.460	83	10997	0.30	PPBV		98
60) 2,2,4-TRIMETHYLPENTANE	5.608	57	29002	0.32	PPBV		100
61) 1,4-DIOXANE	5.554	88	3502	0.33	PPBV	#	80
62) HEPTANE	5.930	43	8670	0.30	PPBV		98
63) METHYL METHACRYLATE	5.830	69	4528	0.25	PPBV		87
64) METHYL ISOBUTYL KETONE	6.579	58	3537	0.22	PPBV		93
65) CIS-1,3-DICHLOROPROPENE	6.470	75	7930	0.30	PPBV		99
66) TOLUENE	7.698	91	20242	0.32	PPBV		97
67) 1,3-DICHLOROPROPANE	7.753	76	9325	0.30	PPBV		98
68) TRANS-1,3-DICHLOROPROPENE	7.155	75	6535	0.28	PPBV		96
69) 1,1,2-TRICHLOROETHANE	7.316	83	6323	0.34	PPBV		96
70) 2-HEXANONE	8.287	58	1479	0.08	PPBV	#	1
71) ETHYL METHACRYLATE	8.402	69	5756	0.21	PPBV		99
72) TETRACHLOROETHENE	9.438	164	8476	0.34	PPBV		98
73) DIBROMOCHLOROMETHANE	8.232	129	9599	0.27	PPBV		99
74) 1,2-DIBROMOETHANE	8.589	107	10379	0.30	PPBV	#	99
75) OCTANE	9.589	43	11835	0.31	PPBV		99
77) 1,1,1,2-TETRACHLOROETHANE	10.676	131	7074	0.29	PPBV		99
78) CHLOROBENZENE	10.656	112	16157	0.32	PPBV		99
79) ETHYLBENZENE	11.544	91	25862	0.31	PPBV		99
80) M,P-XYLENE	11.975	91	38656	0.62	PPBV	#	90
81) O-XYLENE	12.907	91	19059	0.30	PPBV		100
82) STYRENE	12.695	104	13062	0.28	PPBV		97
83) NONANE	14.020	43	12386	0.32	PPBV		96
84) BROMOFORM	11.791	173	7034	0.23	PPBV	#	97
85) 1,1,2,2-TETRACHLOROETHANE	12.917	83	14680	0.32	PPBV		98
86) 1,2,3-TRICHLOROPROPANE	13.203	75	11346	0.33	PPBV	#	99
88) ISOPROPYLBENZENE	14.431	120	8275	0.30	PPBV		99
89) BROMOBENZENE	14.306	77	14251	0.33	PPBV		98
90) 2-CHLOROTOLUENE	15.441	126	7309	0.32	PPBV		98
91) N-PROPYLBENZENE	15.775	120	7716	0.30	PPBV		94
92) 4-ETHYLTOLUENE	16.145	105	27288	0.30	PPBV	#	99
93) 1,3,5-TRIMETHYLBENZENE	16.302	105	22638	0.30	PPBV		99
94) ALPHA-METHYLSTYRENE	16.502	118	8368	0.26	PPBV		99
95) TERT-BUTYLBENZENE	16.756	134	5550	0.29	PPBV		88
96) 1,2,4-TRIMETHYLBENZENE	16.765	105	22848	0.29	PPBV		95

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61013.D
Acq On : 19 Aug 2022 12:59 pm
Operator : thomash
Sample : ic2709-0.5
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 26 18:42:13 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:53:09 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
97)	BENZYL CHLORIDE	16.846	91	8620	0.24	PPBV		97
98)	M-DICHLOROBENZENE	16.827	146	15883	0.31	PPBV		98
99)	P-DICHLOROBENZENE	16.907	146	16134	0.32	PPBV		97
100)	O-DICHLOROBENZENE	17.203	146	15107	0.31	PPBV		99
101)	SEC-BUTYLBENZENE	17.042	134	6801	0.29	PPBV		95
102)	1,2,3-TRIMETHYLBENZENE	17.151	105	22182	0.30	PPBV		98
103)	P-ISOPROPYLTOLUENE	17.219	134	7457	0.30	PPBV		98
104)	N-BUTYLBENZENE	17.566	134	6672	0.29	PPBV		99
105)	HEXACHLOROETHANE	17.746	117	5759	0.23	PPBV		100
106)	HEXACHLOROBUTADIENE	18.794	225	11615	0.34	PPBV	#	2
107)	1,2,4-TRICHLOROBENZENE	18.486	180	11810	0.31	PPBV		98
108)	NAPHTHALENE	18.531	128	27201	0.30	PPBV		97

(#) = qualifier out of range (m) = manual integration (+) = signals summed


7.7.4

7

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61013.D
Acq On : 19 Aug 2022 12:59 pm
Operator : thomash
Sample : ic2709-0.5
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 26 18:42:13 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:53:09 2022
Response via : Initial Calibration



Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/24/22 15:08

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61015.D
Acq On : 19 Aug 2022 2:02 pm
Operator : thomash
Sample : ic2709-5
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 26 18:42:29 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:02:48 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.611	128	68904	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.927	114	372933	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.582	117	337350	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.958	95	226996	10.08	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.849	65	30277m	5.26	PPBV		
4) CHLORODIFLUOROMETHANE	1.862	67	13735	5.39	PPBV		97
5) CHLOROTRIFLUOROETHENE	1.878	116	79298	5.38	PPBV	#	1
6) DICHLORODIFLUOROMETHANE	1.901	85	179220	5.26	PPBV	#	72
7) PROPYLENE	1.875	41	33501	5.20	PPBV		100
8) 1-CHLORO-1,1-DIFLUOROE...	1.952	65	134364	5.24	PPBV		98
9) FREON 114	1.997	85	162073	5.29	PPBV		99
10) CHLOROMETHANE	1.959	52	17709	5.15	PPBV		98
11) VINYL CHLORIDE	2.039	62	64081	5.40	PPBV		100
12) 1,3-BUTADIENE	2.091	54	49591	5.41	PPBV		99
13) N-BUTANE	2.110	43	81858	5.07	PPBV		99
14) BROMOMETHANE	2.190	94	56507	5.25	PPBV		99
15) CHLOROETHANE	2.255	64	34916	5.51	PPBV		98
16) DICHLOROFLUOROMETHANE	2.287	67	135128	5.34	PPBV		99
17) ACETONITRILE	2.374	41	49247	5.16	PPBV		99
18) ACROLEIN	2.419	56	29000	7.24	PPBV		99
19) FREON 123	2.435	83	150547	5.35	PPBV		99
20) FREON 123A	2.454	117	86401	5.31	PPBV		97
21) TRICHLOROFLUOROMETHANE	2.518	101	193650	5.50	PPBV	#	1
22) ISOPROPYL ALCOHOL	2.534	45	141864	4.98	PPBV		99
23) ACETONE	2.460	58	39931	4.32	PPBV		99
24) PENTANE	2.628	42	80075	5.15	PPBV		99
25) IODOMETHANE	2.685	142	186750	5.41	PPBV		100
26) 1,1-DICHLOROETHYLENE	2.711	96	74742	5.53	PPBV		98
27) CARBON DISULFIDE	2.843	76	217801	5.32	PPBV	#	82
28) ETHANOL	2.290	45	24212	4.24	PPBV		99
29) BROMOETHENE	2.383	106	59898	5.48	PPBV	#	100
30) ACRYLONITRILE	2.602	52	58763	5.54	PPBV		98
31) METHYLENE CHLORIDE	2.747	84	69059	4.49	PPBV		98
32) 3-CHLOROPROPENE	2.785	76	36301	5.19	PPBV		97
33) FREON 113	2.840	151	122707	5.37	PPBV		99
34) TRANS-1,2-DICHLOROETHENE	3.078	96	61656	5.47	PPBV		100
35) TERTIARY BUTYL ALCOHOL	2.721	59	187952	5.28	PPBV		99
36) METHYL TERTIARY BUTYL ...	3.187	73	156154	5.33	PPBV		100
37) TETRAHYDROFURAN	3.904	72	28297	5.79	PPBV		96
38) HEXANE	3.663	57	105560	5.35	PPBV		100
39) VINYL ACETATE	3.229	86	15080	5.43	PPBV		91
40) 1,1-DICHLOROETHANE	3.155	63	109341	5.41	PPBV		100
41) METHYL ETHYL KETONE	3.325	72	28931	5.82	PPBV		100
42) CIS-1,2-DICHLOROETHENE	3.531	96	65373	5.39	PPBV		99
43) DIISOPROPYL ETHER	3.666	59	30863	5.34	PPBV		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61015.D
Acq On : 19 Aug 2022 2:02 pm
Operator : thomash
Sample : ic2709-5
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 26 18:42:29 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:02:48 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.673	61	22073	3.78	PPBV		99
45) METHYL ACRYLATE	3.656	55	127464	5.52	PPBV	#	99
46) CHLOROFORM	3.685	83	133214	5.39	PPBV		99
47) 2,4-DIMETHYLPENTANE	4.193	57	124025	5.40	PPBV		99
48) 1,1,1-TRICHLOROETHANE	4.274	97	132317	5.37	PPBV		99
49) CARBON TETRACHLORIDE	4.711	117	131707	5.40	PPBV		99
50) 1,2-DICHLOROETHANE	4.107	62	90456	5.41	PPBV	#	100
51) BENZENE	4.595	78	189412	5.37	PPBV		100
53) CYCLOHEXANE	4.808	84	83640	5.36	PPBV		99
54) 2,3-DIMETHYLPENTANE	5.071	71	41391	5.41	PPBV		97
55) TRICHLOROETHENE	5.515	95	87638	5.44	PPBV		98
56) 1,2-DICHLOROPROPANE	5.280	63	75050	5.31	PPBV		99
57) DIBROMOMETHANE	5.238	174	83527	5.16	PPBV		99
58) ETHYL ACRYLATE	5.393	55	151519	5.77	PPBV		100
59) BROMODICHLOROMETHANE	5.460	83	139406	5.39	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.615	57	330571	5.28	PPBV		100
61) 1,4-DIOXANE	5.528	88	40800	5.43	PPBV		99
62) HEPTANE	5.933	43	103774	5.27	PPBV		99
63) METHYL METHACRYLATE	5.824	69	69360	5.82	PPBV		100
64) METHYL ISOBUTYL KETONE	6.573	58	59949	6.07	PPBV		99
65) CIS-1,3-DICHLOROPROPENE	6.470	75	103405	5.56	PPBV		100
66) TOLUENE	7.695	91	235719	5.28	PPBV		100
67) 1,3-DICHLOROPROPANE	7.756	76	114312	5.40	PPBV		99
68) TRANS-1,3-DICHLOROPROPENE	7.158	75	90768	5.42	PPBV		99
69) 1,1,2-TRICHLOROETHANE	7.322	83	70318	5.39	PPBV		99
70) 2-HEXANONE	8.258	58	71057	7.60	PPBV	#	1
71) ETHYL METHACRYLATE	8.399	69	105244	6.11	PPBV		99
72) TETRACHLOROETHENE	9.447	164	92942	5.16	PPBV		98
73) DIBROMOCHLOROMETHANE	8.238	129	140255	5.54	PPBV		100
74) 1,2-DIBROMOETHANE	8.589	107	130670	5.52	PPBV		100
75) OCTANE	9.586	43	141914	5.38	PPBV		99
77) 1,1,1,2-TETRACHLOROETHANE	10.669	131	97603	5.39	PPBV		100
78) CHLOROBENZENE	10.656	112	190132	5.28	PPBV		100
79) ETHYLBENZENE	11.547	91	313080	5.48	PPBV		100
80) M,P-XYLENE	11.978	91	477395	12.58	PPBV		96
81) O-XYLENE	12.913	91	242396	5.45	PPBV		97
82) STYRENE	12.701	104	182021	5.77	PPBV		99
83) NONANE	14.029	43	146486	5.32	PPBV		98
84) BROMOFORM	11.788	173	126169	5.85	PPBV		100
85) 1,1,2,2-TETRACHLOROETHANE	12.923	83	177715	5.36	PPBV		100
86) 1,2,3-TRICHLOROPROPANE	13.209	75	131429	5.41	PPBV	#	100
88) ISOPROPYLBENZENE	14.431	120	103958	5.53	PPBV		100
89) BROMOBENZENE	14.309	77	166432	5.41	PPBV		99
90) 2-CHLOROTOLUENE	15.444	126	87032	5.74	PPBV		100
91) N-PROPYLBENZENE	15.775	120	97336	5.65	PPBV		100
92) 4-ETHYLTOLUENE	16.145	105	356332	5.61	PPBV		99
93) 1,3,5-TRIMETHYLBENZENE	16.302	105	294822	5.56	PPBV		99
94) ALPHA-METHYLSTYRENE	16.502	118	130661	5.90	PPBV		99
95) TERT-BUTYLBENZENE	16.759	134	74564	5.48	PPBV		99
96) 1,2,4-TRIMETHYLBENZENE	16.765	105	307567	5.40	PPBV		100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61015.D
Acq On : 19 Aug 2022 2:02 pm
Operator : thomash
Sample : ic2709-5
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 26 18:42:29 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:02:48 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
97)	BENZYL CHLORIDE	16.849	91	168900	5.14	PPBV	100
98)	M-DICHLOROBENZENE	16.826	146	207297	5.56	PPBV	100
99)	P-DICHLOROBENZENE	16.910	146	206717	5.46	PPBV	99
100)	O-DICHLOROBENZENE	17.206	146	195819	5.30	PPBV	98
101)	SEC-BUTYLBENZENE	17.042	134	93115	5.51	PPBV	97
102)	1,2,3-TRIMETHYLBENZENE	17.151	105	298704	5.57	PPBV	99
103)	P-ISOPROPYLTOLUENE	17.219	134	98046	5.23	PPBV	99
104)	N-BUTYLBENZENE	17.569	134	93276	5.41	PPBV	98
105)	HEXACHLOROETHANE	17.746	117	106859	5.34	PPBV	99
106)	HEXACHLOROBUTADIENE	18.797	225	134530	4.56	PPBV #	1
107)	1,2,4-TRICHLOROBENZENE	18.485	180	153262	4.97	PPBV	99
108)	NAPHTHALENE	18.534	128	373864	5.07	PPBV	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61015.D
Acq On : 19 Aug 2022 2:02 pm
Operator : thomash
Sample : ic2709-5
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 26 18:42:29 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:02:48 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number:	V2W2709-IC2709	**Method:**	TO-15
Lab FileID:	2W61015.D	**Analyst approved:**	08/23/22 17:35 Benjamin Kim
Injection Time:	08/19/22 14:02	**Supervisor approved:**	08/24/22 15:08 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Freon 152A	75-37-6		1.85	Poor instrument integration

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61015.D
Acq On : 19 Aug 2022 2:02 pm
Operator : thomash
Sample : ic2709-5
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 22 22:03:16 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:02:48 2022
Response via : Initial Calibration





TIC: 2w61015.D\data.ms

(3) FREON 152A (T)

1.850min (-1.850) 0.00PPBV


response 0


Ion	Exp%	Act%
65.10	100	0.00
45.10	27.20	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61015.D
Acq On : 19 Aug 2022 2:02 pm
Operator : thomash
Sample : ic2709-5
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 22 22:03:16 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:02:48 2022
Response via : Initial Calibration





TIC: 2w61015.D\data.ms

(3) FREON 152A (T)

1.849min (-0.001) 5.26PPBV m

response 30277

Ion	Exp%	Act%
65.10	100	100
45.10	27.20	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/24/22 22:11

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61016.D
Acq On : 19 Aug 2022 2:34 pm
Operator : thomash
Sample : icc2709-10
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 24 16:20:24 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.612	128	68573	10.00	PPBV	0.00
52) 1,4-DIFLUOROBENZENE	4.927	114	368687	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.583	117	341921	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	13.959	95	230073	10.11	PPBV	0.00
Target Compounds						Qvalue
3) FREON 152A	1.850	65	59612m	10.34	PPBV	
4) CHLORODIFLUOROMETHANE	1.866	67	27345	10.68	PPBV	100
5) CHLOROTRIFLUOROETHENE	1.882	116	153518	10.36	PPBV	100
6) DICHLORODIFLUOROMETHANE	1.901	85	351123	10.29	PPBV	100
7) PROPYLENE	1.879	41	63634	9.88	PPBV	100
8) 1-CHLORO-1,1-DIFLUOROE...	1.953	65	265285	10.33	PPBV	100
9) FREON 114	1.998	85	314778	10.24	PPBV	100
10) CHLOROMETHANE	1.962	52	33845	9.85	PPBV	100
11) VINYL CHLORIDE	2.039	62	124106	10.40	PPBV	100
12) 1,3-BUTADIENE	2.094	54	95763	10.39	PPBV	100
13) N-BUTANE	2.113	43	154908	9.65	PPBV	100
14) BROMOMETHANE	2.191	94	108807	10.09	PPBV	100
15) CHLOROETHANE	2.255	64	66908	10.48	PPBV	100
16) DICHLOROFLUOROMETHANE	2.287	67	262644	10.34	PPBV	100
17) ACETONITRILE	2.374	41	94343	9.89	PPBV	100
18) ACROLEIN	2.419	56	55545	13.19	PPBV	100
19) FREON 123	2.435	83	291157	10.31	PPBV	100
20) FREON 123A	2.454	117	168569	10.32	PPBV	100
21) TRICHLOROFLUOROMETHANE	2.519	101	370665	10.44	PPBV	100
22) ISOPROPYL ALCOHOL	2.535	45	272143	9.60	PPBV	100
23) ACETONE	2.461	58	75620	8.37	PPBV	100
24) PENTANE	2.631	42	151254	9.74	PPBV	100
25) IODOMETHANE	2.686	142	357923	10.31	PPBV	100
26) 1,1-DICHLOROETHYLENE	2.712	96	140890	10.34	PPBV	100
27) CARBON DISULFIDE	2.843	76	427514	10.42	PPBV	100
28) ETHANOL	2.293	45	46818	8.39	PPBV	100
29) BROMOETHENE	2.384	106	116683	10.60	PPBV	100
30) ACRYLONITRILE	2.602	52	112584	10.52	PPBV	100
31) METHYLENE CHLORIDE	2.747	84	130773	8.65	PPBV	100
32) 3-CHLOROPROPENE	2.789	76	69034	9.87	PPBV	100
33) FREON 113	2.840	151	237044	10.32	PPBV	100
34) TRANS-1,2-DICHLOROETHENE	3.078	96	117179	10.33	PPBV	100
35) TERTIARY BUTYL ALCOHOL	2.721	59	359669	10.07	PPBV	100
36) METHYL TERTIARY BUTYL ...	3.187	73	298016	10.14	PPBV	100
37) TETRAHYDROFURAN	3.901	72	54925	11.08	PPBV	100
38) HEXANE	3.663	57	203953	10.29	PPBV	100
39) VINYL ACETATE	3.229	86	30940	11.08	PPBV	100
40) 1,1-DICHLOROETHANE	3.155	63	209154	10.30	PPBV	100
41) METHYL ETHYL KETONE	3.326	72	54875	10.87	PPBV	100
42) CIS-1,2-DICHLOROETHENE	3.531	96	125045	10.27	PPBV	100
43) DIISOPROPYL ETHER	3.666	59	59819	10.31	PPBV	100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61016.D
Acq On : 19 Aug 2022 2:34 pm
Operator : thomash
Sample : icc2709-10
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 24 16:20:24 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.670	61	42234	10.40	PPBV		100
45) METHYL ACRYLATE	3.657	55	250063	10.73	PPBV	#	100
46) CHLOROFORM	3.686	83	253357	10.21	PPBV		100
47) 2,4-DIMETHYLPENTANE	4.197	57	234018	10.14	PPBV		100
48) 1,1,1-TRICHLOROETHANE	4.277	97	257312	10.40	PPBV		100
49) CARBON TETRACHLORIDE	4.708	117	262842	10.72	PPBV		100
50) 1,2-DICHLOROETHANE	4.107	62	174278	10.37	PPBV		100
51) BENZENE	4.596	78	358852	10.13	PPBV		100
53) CYCLOHEXANE	4.811	84	159715	10.27	PPBV		100
54) 2,3-DIMETHYLPENTANE	5.072	71	79395	10.39	PPBV		100
55) TRICHLOROETHENE	5.518	95	168401	10.78	PPBV		100
56) 1,2-DICHLOROPROPANE	5.277	63	142643	10.14	PPBV		100
57) DIBROMOMETHANE	5.236	174	159338	9.91	PPBV		100
58) ETHYL ACRYLATE	5.393	55	291414	11.02	PPBV		100
59) BROMODICHLOROMETHANE	5.461	83	275581	10.68	PPBV		100
60) 2,2,4-TRIMETHYLPENTANE	5.612	57	626816	10.06	PPBV		100
61) 1,4-DIOXANE	5.525	88	77546	10.27	PPBV		100
62) HEPTANE	5.933	43	195964	9.99	PPBV		100
63) METHYL METHACRYLATE	5.824	69	133764	11.13	PPBV		100
64) METHYL ISOBUTYL KETONE	6.570	58	115015	11.47	PPBV		100
65) CIS-1,3-DICHLOROPROPENE	6.473	75	201430	10.80	PPBV		100
66) TOLUENE	7.698	91	456270	10.27	PPBV		100
67) 1,3-DICHLOROPROPANE	7.756	76	221387	10.48	PPBV		100
68) TRANS-1,3-DICHLOROPROPENE	7.158	75	185288	11.08	PPBV		100
69) 1,1,2-TRICHLOROETHANE	7.319	83	133196	10.23	PPBV		100
70) 2-HEXANONE	8.261	58	140692	10.05	PPBV		100
71) ETHYL METHACRYLATE	8.399	69	210424	12.02	PPBV		100
72) TETRACHLOROETHENE	9.448	164	180925	10.17	PPBV		100
73) DIBROMOCHLOROMETHANE	8.239	129	283293	11.17	PPBV		100
74) 1,2-DIBROMOETHANE	8.589	107	254212	10.72	PPBV		100
75) OCTANE	9.589	43	270687	10.27	PPBV		100
77) 1,1,1,2-TETRACHLOROETHANE	10.676	131	195924	10.58	PPBV		100
78) CHLOROBENZENE	10.663	112	373765	10.17	PPBV		100
79) ETHYLBENZENE	11.550	91	606877	10.36	PPBV		100
80) M,P-XYLENE	11.984	91	931500	20.91	PPBV		100
81) O-XYLENE	12.920	91	474584	10.42	PPBV		100
82) STYRENE	12.705	104	362579	11.12	PPBV		100
83) NONANE	14.033	43	285197	10.14	PPBV		100
84) BROMOFORM	11.795	173	263671	11.19	PPBV		100
85) 1,1,2,2-TETRACHLOROETHANE	12.927	83	348949	10.30	PPBV		100
86) 1,2,3-TRICHLOROPROPANE	13.213	75	255217	10.27	PPBV		100
88) ISOPROPYLBENZENE	14.438	120	201148	10.42	PPBV		100
89) BROMOBENZENE	14.306	77	324788	10.31	PPBV		100
90) 2-CHLOROTOLUENE	15.441	126	168206	10.37	PPBV		100
91) N-PROPYLBENZENE	15.775	120	190916	10.76	PPBV		100
92) 4-ETHYLTOLUENE	16.148	105	697047	10.66	PPBV		100
93) 1,3,5-TRIMETHYLBENZENE	16.303	105	574603	10.54	PPBV		100
94) ALPHA-METHYLSTYRENE	16.502	118	254586	11.10	PPBV		100
95) TERT-BUTYLBENZENE	16.759	134	146096	10.47	PPBV		100
96) 1,2,4-TRIMETHYLBENZENE	16.769	105	603160	10.35	PPBV		100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61016.D
Acq On : 19 Aug 2022 2:34 pm
Operator : thomash
Sample : icc2709-10
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 24 16:20:24 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
97) BENZYL CHLORIDE	16.849	91	387750	10.74	PPBV	100
98) M-DICHLOROBENZENE	16.827	146	397777	10.38	PPBV	100
99) P-DICHLOROBENZENE	16.910	146	402097	10.35	PPBV	100
100) O-DICHLOROBENZENE	17.206	146	382073	10.13	PPBV	100
101) SEC-BUTYLBENZENE	17.042	134	178508	10.29	PPBV	100
102) 1,2,3-TRIMETHYLBENZENE	17.151	105	577798	10.48	PPBV	100
103) P-ISOPROPYLTOLUENE	17.219	134	196741	10.30	PPBV	100
104) N-BUTYLBENZENE	17.566	134	185259	10.49	PPBV	100
105) HEXACHLOROETHANE	17.746	117	227539	10.51	PPBV	100
106) HEXACHLOROBUTADIENE	18.794	225	274670	9.28	PPBV	100
107) 1,2,4-TRICHLOROBENZENE	18.486	180	319072	10.22	PPBV	100
108) NAPHTHALENE	18.534	128	794905	9.96	PPBV	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61016.D
Acq On : 19 Aug 2022 2:34 pm
Operator : thomash
Sample : icc2709-10
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 24 16:20:24 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration



M2W2709.M Fri Aug 26 18:50:29 2022 GCMS2W Page: 4

Manual Integration Approval Summary


Sample Number:	V2W2709-ICC2709	**Method:**	TO-15
Lab FileID:	2W61016.D	**Analyst approved:**	08/24/22 16:27 Benjamin Kim
Injection Time:	08/19/22 14:34	**Supervisor approved:**	08/24/22 22:11 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Freon 152A	75-37-6		1.85	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61016.D
Acq On : 19 Aug 2022 2:34 pm
Operator : thomash
Sample : icc2709-10
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 24 16:20:14 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration





TIC: 2w61016.D\data.ms

(3) FREON 152A (T)

1.850min (-1.850) 0.00PPBV


response 0


Ion	Exp%	Act%
65.10	100	0.00
45.10	0.00	0.00
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61016.D
Acq On : 19 Aug 2022 2:34 pm
Operator : thomash
Sample : icc2709-10
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 24 16:20:14 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration





TIC: 2w61016.D\data.ms

(3) FREON 152A (T)

1.850min (-0.000) 10.34PPBV m

response 59612

Ion	Exp%	Act%
65.10	100	100
45.10	0.00	0.00
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61017.D
Acq On : 19 Aug 2022 3:08 pm
Operator : thomash
Sample : ic2709-20
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 26 18:42:50 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:00:08 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.609	128	72073	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.927	114	384279	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.589	117	358155	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.959	95	238630	10.08	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.850	65	119609	21.67	PPBV		98
4) CHLORODIFLUOROMETHANE	1.866	67	53785	22.19	PPBV		98
5) CHLOROTRIFLUOROETHENE	1.879	116	309146	21.92	PPBV	#	1
6) DICHLORODIFLUOROMETHANE	1.901	85	710111	21.96	PPBV	#	72
7) PROPYLENE	1.875	41	125554	19.65	PPBV		100
8) 1-CHLORO-1,1-DIFLUOROE...	1.953	65	533917	22.10	PPBV		100
9) FREON 114	1.998	85	635679	21.96	PPBV		100
10) CHLOROMETHANE	1.959	52	67799	19.87	PPBV		99
11) VINYL CHLORIDE	2.039	62	245329	21.39	PPBV		100
12) 1,3-BUTADIENE	2.091	54	188819	21.37	PPBV		99
13) N-BUTANE	2.113	43	309535	19.29	PPBV		99
14) BROMOMETHANE	2.191	94	217948	20.88	PPBV		99
15) CHLOROETHANE	2.255	64	133028	22.02	PPBV		100
16) DICHLOROFLUOROMETHANE	2.287	67	523147	21.63	PPBV		99
17) ACETONITRILE	2.374	41	186887	19.71	PPBV		99
18) ACROLEIN	2.419	56	111309	35.08	PPBV		100
19) FREON 123	2.435	83	587837	22.27	PPBV		99
20) FREON 123A	2.454	117	339631	22.07	PPBV		99
21) TRICHLOROFLUOROMETHANE	2.519	101	749691	22.72	PPBV	#	1
22) ISOPROPYL ALCOHOL	2.535	45	539479	19.05	PPBV		99
23) ACETONE	2.461	58	149689	15.18	PPBV		99
24) PENTANE	2.628	42	298332	19.42	PPBV		100
25) IODOMETHANE	2.686	142	720238	22.06	PPBV		100
26) 1,1-DICHLOROETHYLENE	2.711	96	281459	21.94	PPBV		100
27) CARBON DISULFIDE	2.843	76	866184	23.15	PPBV	#	82
28) ETHANOL	2.293	45	92201	15.11	PPBV		100
29) BROMOETHENE	2.384	106	232310	22.53	PPBV	#	100
30) ACRYLONITRILE	2.602	52	218286	21.27	PPBV		99
31) METHYLENE CHLORIDE	2.747	84	255502	15.64	PPBV		99
32) 3-CHLOROPROPENE	2.789	76	137721	20.20	PPBV		99
33) FREON 113	2.843	151	482307	22.76	PPBV		100
34) TRANS-1,2-DICHLOROETHENE	3.078	96	233895	21.81	PPBV		100
35) TERTIARY BUTYL ALCOHOL	2.721	59	721034	21.25	PPBV		98
36) METHYL TERTIARY BUTYL ...	3.187	73	606051	21.92	PPBV		100
37) TETRAHYDROFURAN	3.901	72	108695	24.06	PPBV		99
38) HEXANE	3.663	57	415582	22.90	PPBV		100
39) VINYL ACETATE	3.229	86	64034	25.97	PPBV		99
40) 1,1-DICHLOROETHANE	3.155	63	420818	21.97	PPBV		100
41) METHYL ETHYL KETONE	3.326	72	111776	24.57	PPBV		98
42) CIS-1,2-DICHLOROETHENE	3.531	96	252348	21.70	PPBV		100
43) DIISOPROPYL ETHER	3.666	59	123383	23.44	PPBV		96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61017.D
Acq On : 19 Aug 2022 3:08 pm
Operator : thomash
Sample : ic2709-20
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 26 18:42:50 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:00:08 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.670	61	86776	13.76	PPBV		99
45) METHYL ACRYLATE	3.657	55	510404	24.79	PPBV	#	100
46) CHLOROFORM	3.686	83	513909	22.13	PPBV		99
47) 2,4-DIMETHYLPENTANE	4.194	57	470856	21.45	PPBV		99
48) 1,1,1-TRICHLOROETHANE	4.277	97	527043	22.94	PPBV		100
49) CARBON TETRACHLORIDE	4.711	117	542697	24.68	PPBV		100
50) 1,2-DICHLOROETHANE	4.107	62	348365	21.95	PPBV	#	100
51) BENZENE	4.596	78	725030	21.38	PPBV		100
53) CYCLOHEXANE	4.811	84	317297	21.70	PPBV		99
54) 2,3-DIMETHYLPENTANE	5.072	71	158286	22.42	PPBV		99
55) TRICHLOROETHENE	5.518	95	339829	23.18	PPBV		99
56) 1,2-DICHLOROPROPANE	5.281	63	287533	21.88	PPBV		99
57) DIBROMOMETHANE	5.239	174	322093	21.10	PPBV		99
58) ETHYL ACRYLATE	5.396	55	594434	26.49	PPBV		100
59) BROMODICHLOROMETHANE	5.464	83	560295	24.43	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.615	57	1253824	21.49	PPBV		100
61) 1,4-DIOXANE	5.522	88	158700	23.36	PPBV		100
62) HEPTANE	5.936	43	393688	21.58	PPBV		100
63) METHYL METHACRYLATE	5.827	69	268959	25.91	PPBV		98
64) METHYL ISOBUTYL KETONE	6.570	58	230494	27.53	PPBV		99
65) CIS-1,3-DICHLOROPROPENE	6.473	75	415505	25.82	PPBV		99
66) TOLUENE	7.702	91	918264	22.25	PPBV		99
67) 1,3-DICHLOROPROPANE	7.760	76	441470	22.77	PPBV		100
68) TRANS-1,3-DICHLOROPROPENE	7.158	75	385600	27.47	PPBV		100
69) 1,1,2-TRICHLOROETHANE	7.322	83	269908	22.48	PPBV		100
70) 2-HEXANONE	8.264	58	286596	46.93	PPBV	#	1
71) ETHYL METHACRYLATE	8.403	69	428085	30.73	PPBV		99
72) TETRACHLOROETHENE	9.451	164	360632	21.23	PPBV		99
73) DIBROMOCHLOROMETHANE	8.242	129	589014	27.69	PPBV		100
74) 1,2-DIBROMOETHANE	8.592	107	512775	24.13	PPBV		99
75) OCTANE	9.589	43	544929	22.63	PPBV		100
77) 1,1,1,2-TETRACHLOROETHANE	10.679	131	406522	24.98	PPBV		100
78) CHLOROBENZENE	10.669	112	759439	22.31	PPBV		99
79) ETHYLBENZENE	11.550	91	1229285	22.97	PPBV		100
80) M,P-XYLENE	11.984	91	1875142	57.69	PPBV		97
81) O-XYLENE	12.927	91	960134	23.25	PPBV		98
82) STYRENE	12.708	104	729709	25.85	PPBV		99
83) NONANE	14.036	43	572888	22.13	PPBV		99
84) BROMOFORM	11.798	173	560231	32.59	PPBV		99
85) 1,1,2,2-TETRACHLOROETHANE	12.933	83	706794	22.85	PPBV		100
86) 1,2,3-TRICHLOROPROPANE	13.216	75	509259	22.12	PPBV	#	100
88) ISOPROPYLBENZENE	14.441	120	405394	23.03	PPBV		100
89) BROMOBENZENE	14.312	77	655507	22.69	PPBV		99
90) 2-CHLOROTOLUENE	15.447	126	343056	24.83	PPBV		99
91) N-PROPYLBENZENE	15.785	120	385371	24.43	PPBV		100
92) 4-ETHYLTOLUENE	16.148	105	1435811	25.24	PPBV		100
93) 1,3,5-TRIMETHYLBENZENE	16.306	105	1192682	25.09	PPBV		99
94) ALPHA-METHYLSTYRENE	16.505	118	527450	27.71	PPBV		100
95) TERT-BUTYLBENZENE	16.766	134	303824	25.44	PPBV		97
96) 1,2,4-TRIMETHYLBENZENE	16.772	105	1293755	26.51	PPBV		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61017.D
Acq On : 19 Aug 2022 3:08 pm
Operator : thomash
Sample : ic2709-20
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 26 18:42:50 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:00:08 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
97)	BENZYL CHLORIDE	16.852	91	905981	39.94	PPBV		100
98)	M-DICHLOROBENZENE	16.830	146	829871	24.83	PPBV		99
99)	P-DICHLOROBENZENE	16.913	146	840356	24.71	PPBV		100
100)	O-DICHLOROBENZENE	17.209	146	806160	24.67	PPBV		99
101)	SEC-BUTYLBENZENE	17.042	134	371849	24.70	PPBV		98
102)	1,2,3-TRIMETHYLBENZENE	17.155	105	1213480	25.58	PPBV		100
103)	P-ISOPROPYLTOLUENE	17.222	134	415269	25.65	PPBV		97
104)	N-BUTYLBENZENE	17.569	134	392160	26.91	PPBV		98
105)	HEXACHLOROETHANE	17.746	117	507678	34.05	PPBV		100
106)	HEXACHLOROBUTADIENE	18.794	225	605947	25.92	PPBV	#	1
107)	1,2,4-TRICHLOROBENZENE	18.486	180	701617	28.80	PPBV		99
108)	NAPHTHALENE	18.534	128	1757343	31.33	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61017.D
Acq On : 19 Aug 2022 3:08 pm
Operator : thomash
Sample : ic2709-20
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 26 18:42:50 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:00:08 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61018.D
Acq On : 19 Aug 2022 3:45 pm
Operator : thomash
Sample : ic2709-40
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 26 18:42:57 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:00:50 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.615	128	75390	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.933	114	391613	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.592	117	360276	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.965	95	245334	10.32	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.850	65	243126	38.17	PPBV		99
4) CHLORODIFLUOROMETHANE	1.866	67	109188	39.04	PPBV		100
5) CHLOROTRIFLUOROETHENE	1.882	116	627638	38.52	PPBV		96
6) DICHLORODIFLUOROMETHANE	1.901	85	1479485	39.57	PPBV	#	73
7) PROPYLENE	1.879	41	251353	34.44	PPBV		99
8) 1-CHLORO-1,1-DIFLUOROE...	1.953	65	1121396	40.14	PPBV		99
9) FREON 114	1.998	85	1334611	39.88	PPBV		100
10) CHLOROMETHANE	1.959	52	136086	34.83	PPBV		96
11) VINYL CHLORIDE	2.043	62	495818	37.56	PPBV		99
12) 1,3-BUTADIENE	2.091	54	386427	38.02	PPBV		98
13) N-BUTANE	2.113	43	635409	34.69	PPBV		98
14) BROMOMETHANE	2.191	94	445982	37.16	PPBV		100
15) CHLOROETHANE	2.255	64	273621	39.23	PPBV		97
16) DICHLOROFLUOROMETHANE	2.287	67	1080427	38.75	PPBV		99
17) ACETONITRILE	2.374	41	377221	34.81	PPBV		99
18) ACROLEIN	2.422	56	224446	57.96	PPBV		99
19) FREON 123	2.438	83	1232627	40.34	PPBV		99
20) FREON 123A	2.457	117	705506	39.64	PPBV		100
21) TRICHLOROFLUOROMETHANE	2.522	101	1556028	40.65	PPBV	#	1
22) ISOPROPYL ALCOHOL	2.538	45	1119289	34.68	PPBV		98
23) ACETONE	2.464	58	308439	27.92	PPBV		99
24) PENTANE	2.631	42	617378	35.22	PPBV		99
25) IODOMETHANE	2.689	142	1493248	39.55	PPBV		100
26) 1,1-DICHLOROETHYLENE	2.715	96	580473	39.19	PPBV		100
27) CARBON DISULFIDE	2.846	76	1878046	43.18	PPBV	#	83
28) ETHANOL	2.293	45	191387	28.01	PPBV		99
29) BROMOETHENE	2.383	106	479632	40.19	PPBV	#	100
30) ACRYLONITRILE	2.605	52	443598	37.65	PPBV		99
31) METHYLENE CHLORIDE	2.750	84	522774	28.54	PPBV		98
32) 3-CHLOROPROPENE	2.792	76	285712	36.57	PPBV		98
33) FREON 113	2.846	151	1022349	41.55	PPBV		99
34) TRANS-1,2-DICHLOROETHENE	3.081	96	487483	39.39	PPBV		99
35) TERTIARY BUTYL ALCOHOL	2.724	59	1519448	38.88	PPBV		97
36) METHYL TERTIARY BUTYL ...	3.191	73	1266667	39.60	PPBV		99
37) TETRAHYDROFURAN	3.901	72	221246	42.07	PPBV		97
38) HEXANE	3.666	57	899527	42.66	PPBV		98
39) VINYL ACETATE	3.232	86	133347	45.84	PPBV		95
40) 1,1-DICHLOROETHANE	3.158	63	870922	39.34	PPBV		100
41) METHYL ETHYL KETONE	3.332	72	227283	42.69	PPBV		98
42) CIS-1,2-DICHLOROETHENE	3.535	96	508335	37.86	PPBV		98
43) DIISOPROPYL ETHER	3.673	59	266606	43.42	PPBV		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61018.D
Acq On : 19 Aug 2022 3:45 pm
Operator : thomash
Sample : ic2709-40
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 26 18:42:57 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:00:50 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.676	61	188065	26.72	PPBV		97
45) METHYL ACRYLATE	3.663	55	1105429	45.81	PPBV	#	100
46) CHLOROFORM	3.692	83	1082305	40.27	PPBV		100
47) 2,4-DIMETHYLPENTANE	4.200	57	977707	38.62	PPBV		99
48) 1,1,1-TRICHLOROETHANE	4.280	97	1088934	40.76	PPBV		100
49) CARBON TETRACHLORIDE	4.715	117	1142602	44.30	PPBV		99
50) 1,2-DICHLOROETHANE	4.110	62	715755	39.04	PPBV	#	100
51) BENZENE	4.599	78	1483442	37.93	PPBV		100
53) CYCLOHEXANE	4.814	84	643536	39.15	PPBV		99
54) 2,3-DIMETHYLPENTANE	5.078	71	324995	40.80	PPBV		99
55) TRICHLOROETHENE	5.525	95	699614	42.11	PPBV		100
56) 1,2-DICHLOROPROPANE	5.287	63	590498	39.88	PPBV		100
57) DIBROMOMETHANE	5.242	174	662597	38.64	PPBV		99
58) ETHYL ACRYLATE	5.403	55	1255805	48.62	PPBV		100
59) BROMODICHLOROMETHANE	5.470	83	1173368	44.86	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.618	57	2607491	39.76	PPBV		100
61) 1,4-DIOXANE	5.528	88	329741	42.73	PPBV		98
62) HEPTANE	5.943	43	829090	40.40	PPBV		98
63) METHYL METHACRYLATE	5.830	69	556396	46.76	PPBV		96
64) METHYL ISOBUTYL KETONE	6.576	58	480170	49.71	PPBV		97
65) CIS-1,3-DICHLOROPROPENE	6.477	75	876146	47.38	PPBV		98
66) TOLUENE	7.705	91	1887113	40.52	PPBV		99
67) 1,3-DICHLOROPROPANE	7.763	76	911052	41.59	PPBV		99
68) TRANS-1,3-DICHLOROPROPENE	7.165	75	823795	50.64	PPBV		98
69) 1,1,2-TRICHLOROETHANE	7.329	83	557236	41.06	PPBV		99
70) 2-HEXANONE	8.271	58	601548	78.64	PPBV	#	1
71) ETHYL METHACRYLATE	8.409	69	889580	54.47	PPBV		98
72) TETRACHLOROETHENE	9.451	164	738323	38.73	PPBV		97
73) DIBROMOCHLOROMETHANE	8.245	129	1239625	50.25	PPBV		100
74) 1,2-DIBROMOETHANE	8.599	107	1054110	43.59	PPBV		99
75) OCTANE	9.599	43	1141955	41.95	PPBV		99
77) 1,1,1,2-TETRACHLOROETHANE	10.685	131	855771	46.52	PPBV		99
78) CHLOROBENZENE	10.673	112	1582955	41.73	PPBV		100
79) ETHYLBENZENE	11.557	91	2541811	42.50	PPBV		100
80) M,P-XYLENE	11.994	91	3883185	104.34	PPBV		98
81) O-XYLENE	12.933	91	2007144	43.45	PPBV		97
82) STYRENE	12.714	104	1514814	47.47	PPBV		99
83) NONANE	14.042	43	1218804	42.33	PPBV		97
84) BROMOFORM	11.808	173	1194818	59.29	PPBV		100
85) 1,1,2,2-TETRACHLOROETHANE	12.943	83	1484129	42.96	PPBV		100
86) 1,2,3-TRICHLOROPROPANE	13.225	75	1060322	41.43	PPBV	#	100
88) ISOPROPYLBENZENE	14.451	120	838695	42.65	PPBV		98
89) BROMOBENZENE	14.322	77	1365994	42.38	PPBV		98
90) 2-CHLOROTOLUENE	15.454	126	705214	45.27	PPBV		99
91) N-PROPYLBENZENE	15.788	120	795411	44.86	PPBV		99
92) 4-ETHYLTOLUENE	16.155	105	3031201	47.13	PPBV		99
93) 1,3,5-TRIMETHYLBENZENE	16.309	105	2528639	47.03	PPBV		99
94) ALPHA-METHYLSTYRENE	16.508	118	1119624	51.43	PPBV		99
95) TERT-BUTYLBENZENE	16.769	134	667647	49.35	PPBV		96
96) 1,2,4-TRIMETHYLBENZENE	16.778	105	2882549	51.70	PPBV		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61018.D
Acq On : 19 Aug 2022 3:45 pm
Operator : thomash
Sample : ic2709-40
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 26 18:42:57 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:00:50 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
97)	BENZYL CHLORIDE	16.859	91	2078990	74.66	PPBV		99
98)	M-DICHLOROBENZENE	16.836	146	1772351	46.91	PPBV		99
99)	P-DICHLOROBENZENE	16.917	146	1801589	46.89	PPBV		100
100)	O-DICHLOROBENZENE	17.212	146	1779127	48.14	PPBV		98
101)	SEC-BUTYLBENZENE	17.045	134	808180	47.53	PPBV		98
102)	1,2,3-TRIMETHYLBENZENE	17.161	105	2606792	48.43	PPBV		100
103)	P-ISOPROPYLTOLUENE	17.225	134	931126	50.64	PPBV		95
104)	N-BUTYLBENZENE	17.573	134	886723	53.25	PPBV		99
105)	HEXACHLOROETHANE	17.749	117	1187726	67.07	PPBV		99
106)	HEXACHLOROBUTADIENE	18.801	225	1615377	60.47	PPBV	#	1
107)	1,2,4-TRICHLOROBENZENE	18.492	180	1688831	59.89	PPBV		99
108)	NAPHTHALENE	18.540	128	4191967	63.79	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61018.D
Acq On : 19 Aug 2022 3:45 pm
Operator : thomash
Sample : ic2709-40
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 26 18:42:57 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:00:50 2022
Response via : Initial Calibration



Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/24/22 15:08

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61019.D
Acq On : 19 Aug 2022 4:25 pm
Operator : thomash
Sample : ic2709-50
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 25 19:37:53 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:02:08 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.612	128	77394	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.930	114	400362	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.592	117	371357	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.965	95	257117	10.44	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.847	65	315555m	48.63	PPBV		
4) CHLORODIFLUOROMETHANE	1.863	67	143977	50.35	PPBV		100
5) CHLOROTRIFLUOROETHENE	1.879	116	809484	48.69	PPBV	#	1
6) DICHLORODIFLUOROMETHANE	1.901	85	1895074	49.46	PPBV	#	73
7) PROPYLENE	1.876	41	334863	45.75	PPBV		100
8) 1-CHLORO-1,1-DIFLUOROE...	1.950	65	1477691	51.50	PPBV		99
9) FREON 114	1.998	85	1751141	51.00	PPBV		100
10) CHLOROMETHANE	1.956	52	174894	44.57	PPBV		95
11) VINYL CHLORIDE	2.040	62	644264	48.03	PPBV		100
12) 1,3-BUTADIENE	2.091	54	498868	48.21	PPBV		97
13) N-BUTANE	2.110	43	827226	44.99	PPBV		98
14) BROMOMETHANE	2.187	94	580384	47.68	PPBV		99
15) CHLOROETHANE	2.252	64	348977	48.90	PPBV		100
16) DICHLOROFLUOROMETHANE	2.284	67	1407828	49.44	PPBV		99
17) ACETONITRILE	2.374	41	489019	44.93	PPBV		100
18) ACROLEIN	2.419	56	293260	68.63	PPBV		98
19) FREON 123	2.435	83	1628741	51.85	PPBV		98
20) FREON 123A	2.454	117	928262	50.88	PPBV		100
21) TRICHLOROFLUOROMETHANE	2.522	101	2030125	51.52	PPBV	#	1
22) ISOPROPYL ALCOHOL	2.535	45	1478260	45.63	PPBV		97
23) ACETONE	2.461	58	400082	37.15	PPBV		97
24) PENTANE	2.631	42	817306	46.35	PPBV		98
25) IODOMETHANE	2.689	142	1964647	50.79	PPBV		99
26) 1,1-DICHLOROETHYLENE	2.715	96	765307	50.50	PPBV		99
27) CARBON DISULFIDE	2.843	76	2507798	55.43	PPBV	#	83
28) ETHANOL	2.290	45	246846	37.04	PPBV		100
29) BROMOETHENE	2.384	106	620196	50.58	PPBV	#	100
30) ACRYLONITRILE	2.605	52	578727	48.33	PPBV		99
31) METHYLENE CHLORIDE	2.750	84	678951	37.92	PPBV		98
32) 3-CHLOROPROPENE	2.789	76	376811	47.66	PPBV		96
33) FREON 113	2.843	151	1361647	53.56	PPBV		99
34) TRANS-1,2-DICHLOROETHENE	3.078	96	628136	49.57	PPBV		98
35) TERTIARY BUTYL ALCOHOL	2.724	59	2025223	50.71	PPBV		96
36) METHYL TERTIARY BUTYL ...	3.191	73	1679213	51.22	PPBV		99
37) TETRAHYDROFURAN	3.901	72	286227	52.56	PPBV		94
38) HEXANE	3.667	57	1194401	54.57	PPBV		97
39) VINYL ACETATE	3.232	86	173783	56.81	PPBV		90
40) 1,1-DICHLOROETHANE	3.158	63	1140199	50.31	PPBV		100
41) METHYL ETHYL KETONE	3.329	72	297332	53.80	PPBV		95
42) CIS-1,2-DICHLOROETHENE	3.535	96	666224	48.77	PPBV		98
43) DIISOPROPYL ETHER	3.670	59	355381	55.59	PPBV		100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61019.D
Acq On : 19 Aug 2022 4:25 pm
Operator : thomash
Sample : ic2709-50
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 25 19:37:53 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:02:08 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.676	61	250108	36.64	PPBV		95
45) METHYL ACRYLATE	3.663	55	1472760	58.04	PPBV	#	99
46) CHLOROFORM	3.692	83	1421306	51.45	PPBV		99
47) 2,4-DIMETHYLPENTANE	4.197	57	1278310	49.47	PPBV		99
48) 1,1,1-TRICHLOROETHANE	4.281	97	1433988	52.12	PPBV		100
49) CARBON TETRACHLORIDE	4.715	117	1506885	55.91	PPBV		99
50) 1,2-DICHLOROETHANE	4.110	62	949510	50.66	PPBV	#	100
51) BENZENE	4.599	78	1925702	48.38	PPBV		99
53) CYCLOHEXANE	4.814	84	836214	49.94	PPBV		98
54) 2,3-DIMETHYLPENTANE	5.075	71	423444	51.83	PPBV		98
55) TRICHLOROETHENE	5.525	95	914266	53.36	PPBV		100
56) 1,2-DICHLOROPROPANE	5.284	63	767273	50.71	PPBV		99
57) DIBROMOMETHANE	5.242	174	858284	49.24	PPBV		99
58) ETHYL ACRYLATE	5.403	55	1655767	60.53	PPBV		100
59) BROMODICHLOROMETHANE	5.470	83	1526784	55.96	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.618	57	3414105	50.97	PPBV		99
61) 1,4-DIOXANE	5.528	88	430490	53.95	PPBV		98
62) HEPTANE	5.940	43	1099665	52.33	PPBV		97
63) METHYL METHACRYLATE	5.834	69	723275	57.83	PPBV		94
64) METHYL ISOBUTYL KETONE	6.580	58	631337	61.44	PPBV		97
65) CIS-1,3-DICHLOROPROPENE	6.477	75	1143849	58.70	PPBV		97
66) TOLUENE	7.705	91	2458882	51.53	PPBV		99
67) 1,3-DICHLOROPROPANE	7.766	76	1184302	52.54	PPBV		99
68) TRANS-1,3-DICHLOROPROPENE	7.165	75	1076417	61.97	PPBV		98
69) 1,1,2-TRICHLOROETHANE	7.329	83	720019	51.66	PPBV		99
70) 2-HEXANONE	8.274	58	789128	86.92	PPBV	#	1
71) ETHYL METHACRYLATE	8.412	69	1161842	65.63	PPBV		97
72) TETRACHLOROETHENE	9.454	164	957285	49.38	PPBV		98
73) DIBROMOCHLOROMETHANE	8.245	129	1619881	61.60	PPBV		100
74) 1,2-DIBROMOETHANE	8.602	107	1368683	54.55	PPBV		99
75) OCTANE	9.596	43	1503562	53.59	PPBV		98
77) 1,1,1,2-TETRACHLOROETHANE	10.689	131	1128393	57.94	PPBV		99
78) CHLOROBENZENE	10.679	112	2056681	52.22	PPBV		100
79) ETHYLBENZENE	11.560	91	3310069	53.14	PPBV		99
80) M,P-XYLENE	12.001	91	5065239	125.67	PPBV		99
81) O-XYLENE	12.936	91	2631482	54.49	PPBV		97
82) STYRENE	12.718	104	1982079	58.44	PPBV		99
83) NONANE	14.052	43	1613964	53.86	PPBV		96
84) BROMOFORM	11.804	173	1577799	70.31	PPBV		100
85) 1,1,2,2-TETRACHLOROETHANE	12.946	83	1950224	54.10	PPBV		100
86) 1,2,3-TRICHLOROPROPANE	13.232	75	1393109	52.50	PPBV	#	100
88) ISOPROPYLBENZENE	14.451	120	1095013	53.43	PPBV		98
89) BROMOBENZENE	14.325	77	1794640	53.49	PPBV		97
90) 2-CHLOROTOLUENE	15.457	126	923908	56.31	PPBV		99
91) N-PROPYLBENZENE	15.795	120	1041804	55.87	PPBV		100
92) 4-ETHYLTOLUENE	16.155	105	3996171	58.54	PPBV		99
93) 1,3,5-TRIMETHYLBENZENE	16.309	105	3336015	58.48	PPBV		100
94) ALPHA-METHYLSTYRENE	16.508	118	1476907	62.83	PPBV		99
95) TERT-BUTYLBENZENE	16.772	134	895122	61.78	PPBV		96
96) 1,2,4-TRIMETHYLBENZENE	16.779	105	3861297	64.07	PPBV		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61019.D
Acq On : 19 Aug 2022 4:25 pm
Operator : thomash
Sample : ic2709-50
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 25 19:37:53 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:02:08 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
97)	BENZYL CHLORIDE	16.862	91	2793726	85.05	PPBV		99
98)	M-DICHLOROBENZENE	16.840	146	2345164	58.53	PPBV		99
99)	P-DICHLOROBENZENE	16.920	146	2374284	58.28	PPBV		99
100)	O-DICHLOROBENZENE	17.216	146	2419712	61.44	PPBV		98
101)	SEC-BUTYLBENZENE	17.049	134	1085639	60.06	PPBV		99
102)	1,2,3-TRIMETHYLBENZENE	17.161	105	3436170	59.83	PPBV		100
103)	P-ISOPROPYLTOLUENE	17.225	134	1280788	64.71	PPBV		97
104)	N-BUTYLBENZENE	17.576	134	1213660	67.01	PPBV		100
105)	HEXACHLOROETHANE	17.753	117	1612332	79.38	PPBV		98
106)	HEXACHLOROBUTADIENE	18.804	225	2411769	80.70	PPBV	#	1
107)	1,2,4-TRICHLOROBENZENE	18.495	180	2439677	77.51	PPBV		99
108)	NAPHTHALENE	18.544	128	6053114	81.30	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61019.D
Acq On : 19 Aug 2022 4:25 pm
Operator : thomash
Sample : ic2709-50
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 25 19:37:53 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:02:08 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number:	V2W2709-IC2709	**Method:**	TO-15
Lab FileID:	2W61019.D	**Analyst approved:**	08/23/22 17:35 Benjamin Kim
Injection Time:	08/19/22 16:25	**Supervisor approved:**	08/24/22 15:08 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Freon 152A	75-37-6		1.85	Poor instrument integration

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61019.D
Acq On : 19 Aug 2022 4:25 pm
Operator : thomash
Sample : ic2709-50
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 22 22:02:21 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:02:08 2022
Response via : Initial Calibration





TIC: 2w61019.D\data.ms

(3) FREON 152A (T)

1.850min (-1.850) 0.00PPBV


response 0


Ion	Exp%	Act%
65.10	100	0.00
45.10	27.20	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61019.D
Acq On : 19 Aug 2022 4:25 pm
Operator : thomash
Sample : ic2709-50
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 22 22:02:21 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:02:08 2022
Response via : Initial Calibration





TIC: 2w61019.D\data.ms

(3) FREON 152A (T)

1.847min (-0.003) 48.63PPBV m

response 315555

Ion	Exp%	Act%
65.10	100	100
45.10	27.20	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61022.D
Acq On : 19 Aug 2022 6:00 pm
Operator : thomash
Sample : icv2709-10
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 24 16:30:48 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.609	128	69572	10.00	PPBV	0.00
52) 1,4-DIFLUOROBENZENE	4.930	114	377343	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.586	117	342378	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	13.959	95	233154	10.23	PPBV	0.00
Target Compounds						Qvalue
3) FREON 152A	1.847	65	55825	9.55	PPBV	# 100
4) CHLORODIFLUOROMETHANE	1.863	67	24948	9.60	PPBV	100
5) CHLOROTRIFLUOROETHENE	1.876	116	145033	9.65	PPBV	# 1
6) DICHLORODIFLUOROMETHANE	1.898	85	329120	9.51	PPBV	100
7) PROPYLENE	1.872	41	60462	9.25	PPBV	99
8) 1-CHLORO-1,1-DIFLUOROE...	1.950	65	248458	9.53	PPBV	99
9) FREON 114	1.995	85	294684	9.45	PPBV	100
10) CHLOROMETHANE	1.956	52	31542	9.05	PPBV	98
11) VINYL CHLORIDE	2.040	62	115708	9.56	PPBV	100
12) 1,3-BUTADIENE	2.088	54	88588	9.47	PPBV	98
13) N-BUTANE	2.110	43	146175	8.98	PPBV	99
14) BROMOMETHANE	2.188	94	102293	9.35	PPBV	99
15) CHLOROETHANE	2.252	64	64281	9.92	PPBV	97
16) DICHLOROFLUOROMETHANE	2.284	67	242601	9.41	PPBV	99
17) ACETONITRILE	2.371	41	86211	8.91	PPBV	100
18) ACROLEIN	2.416	56	56710	13.27	PPBV	99
19) FREON 123	2.432	83	279397	9.76	PPBV	99
20) FREON 123A	2.451	117	173270	10.46	PPBV	98
21) TRICHLOROFLUOROMETHANE	2.519	101	348064	9.66	PPBV	100
22) ISOPROPYL ALCOHOL	2.535	45	251479	8.75	PPBV	99
23) ACETONE	2.461	58	67611	7.37	PPBV	94
24) PENTANE	2.628	42	140273	8.90	PPBV	100
25) IODOMETHANE	2.686	142	342167	9.72	PPBV	100
26) 1,1-DICHLOROETHYLENE	2.712	96	130542	9.44	PPBV	99
27) CARBON DISULFIDE	2.843	76	371034	8.91	PPBV	100
28) ETHANOL	2.290	45	49644	8.77	PPBV	98
29) BROMOETHENE	2.380	106	108066	9.67	PPBV	98
30) ACRYLONITRILE	2.602	52	101333	9.33	PPBV	99
31) METHYLENE CHLORIDE	2.747	84	120067	7.83	PPBV	98
32) 3-CHLOROPROPENE	2.789	76	65373	9.22	PPBV	97
33) FREON 113	2.843	151	218499	9.38	PPBV	99
34) TRANS-1,2-DICHLOROETHENE	3.078	96	110007	9.56	PPBV	99
35) TERTIARY BUTYL ALCOHOL	2.721	59	314697	8.69	PPBV	99
36) METHYL TERTIARY BUTYL ...	3.191	73	289972	9.72	PPBV	100
37) TETRAHYDROFURAN	3.901	72	52189	10.38	PPBV	97
38) HEXANE	3.663	57	198041	9.85	PPBV	99
39) VINYL ACETATE	3.229	86	30669	10.82	PPBV	97
40) 1,1-DICHLOROETHANE	3.155	63	202699	9.84	PPBV	100
41) METHYL ETHYL KETONE	3.329	72	54942	10.72	PPBV	100
42) CIS-1,2-DICHLOROETHENE	3.532	96	119711	9.69	PPBV	99
43) DIISOPROPYL ETHER	3.670	59	58059	9.86	PPBV	100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61022.D
Acq On : 19 Aug 2022 6:00 pm
Operator : thomash
Sample : icv2709-10
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 24 16:30:48 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.670	61	41362	10.04	PPBV		100
45) METHYL ACRYLATE	3.660	55	239048	10.11	PPBV	#	99
46) CHLOROFORM	3.686	83	239751	9.52	PPBV		99
47) 2,4-DIMETHYLPENTANE	4.194	57	225355	9.62	PPBV		100
48) 1,1,1-TRICHLOROETHANE	4.277	97	248435	9.89	PPBV		100
49) CARBON TETRACHLORIDE	4.712	117	254708	10.24	PPBV		99
50) 1,2-DICHLOROETHANE	4.107	62	169333	9.93	PPBV		100
51) BENZENE	4.596	78	350247	9.74	PPBV		100
53) CYCLOHEXANE	4.811	84	154819	9.72	PPBV		99
54) 2,3-DIMETHYLPENTANE	5.075	71	77693	9.93	PPBV		99
55) TRICHLOROETHENE	5.519	95	163073	10.20	PPBV		98
56) 1,2-DICHLOROPROPANE	5.277	63	137709	9.56	PPBV		100
57) DIBROMOMETHANE	5.239	174	153992	9.36	PPBV		99
58) ETHYL ACRYLATE	5.396	55	290302	10.72	PPBV		100
59) BROMODICHLOROMETHANE	5.461	83	263033	9.96	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.615	57	608009	9.54	PPBV		100
61) 1,4-DIOXANE	5.528	88	84294	10.91	PPBV		99
62) HEPTANE	5.937	43	190987	9.52	PPBV		99
63) METHYL METHACRYLATE	5.827	69	131443	10.69	PPBV		98
64) METHYL ISOBUTYL KETONE	6.570	58	121016	11.79	PPBV		99
65) CIS-1,3-DICHLOROPROPENE	6.474	75	211846	11.10	PPBV		100
66) TOLUENE	7.695	91	444052	9.76	PPBV		99
67) 1,3-DICHLOROPROPANE	7.756	76	212110	9.81	PPBV		99
68) TRANS-1,3-DICHLOROPROPENE	7.158	75	182630	10.67	PPBV		99
69) 1,1,2-TRICHLOROETHANE	7.322	83	128497	9.64	PPBV		100
70) 2-HEXANONE	8.261	58	158976	11.06	PPBV		99
71) ETHYL METHACRYLATE	8.399	69	216624	12.09	PPBV		100
72) TETRACHLOROETHENE	9.448	164	175071	9.61	PPBV		99
73) DIBROMOCHLOROMETHANE	8.239	129	273728	10.55	PPBV		100
74) 1,2-DIBROMOETHANE	8.586	107	249451	10.28	PPBV		99
75) OCTANE	9.589	43	262207	9.72	PPBV		100
77) 1,1,1,2-TETRACHLOROETHANE	10.673	131	191213	10.31	PPBV		100
78) CHLOROBENZENE	10.660	112	366678	9.96	PPBV		99
79) ETHYLBENZENE	11.547	91	589389	10.05	PPBV		100
80) M,P-XYLENE	11.985	91	909127	20.38	PPBV		98
81) O-XYLENE	12.920	91	466547	10.23	PPBV		97
82) STYRENE	12.705	104	364348	11.16	PPBV		100
83) NONANE	14.029	43	277833	9.87	PPBV		100
84) BROMOFORM	11.795	173	266309	11.29	PPBV		100
85) 1,1,2,2-TETRACHLOROETHANE	12.923	83	342379	10.09	PPBV		100
86) 1,2,3-TRICHLOROPROPANE	13.213	75	245959	9.88	PPBV	#	100
88) ISOPROPYLBENZENE	14.438	120	178061	9.21	PPBV		100
89) BROMOBENZENE	14.309	77	312541	9.90	PPBV		100
90) 2-CHLOROTOLUENE	15.444	126	165816	10.21	PPBV		99
91) N-PROPYLBENZENE	15.779	120	185062	10.42	PPBV		100
92) 4-ETHYLTOLUENE	16.145	105	691936	10.57	PPBV		100
93) 1,3,5-TRIMETHYLBENZENE	16.303	105	573950	10.51	PPBV		100
94) ALPHA-METHYLSTYRENE	16.502	118	294628	12.82	PPBV		100
95) TERT-BUTYLBENZENE	16.759	134	142637	10.21	PPBV		97
96) 1,2,4-TRIMETHYLBENZENE	16.769	105	607360	10.40	PPBV		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61022.D
Acq On : 19 Aug 2022 6:00 pm
Operator : thomash
Sample : icv2709-10
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 24 16:30:48 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
97)	BENZYL CHLORIDE	16.849	91	413519	11.44	PPBV	100
98)	M-DICHLOROBENZENE	16.827	146	398111	10.38	PPBV	99
99)	P-DICHLOROBENZENE	16.910	146	402996	10.36	PPBV	100
100)	O-DICHLOROBENZENE	17.206	146	385593	10.21	PPBV	99
101)	SEC-BUTYLBENZENE	17.039	134	175573	10.11	PPBV	99
102)	1,2,3-TRIMETHYLBENZENE	17.152	105	575197	10.42	PPBV	100
103)	P-ISOPROPYLTOLUENE	17.219	134	193396	10.11	PPBV	99
104)	N-BUTYLBENZENE	17.566	134	187841	10.62	PPBV	98
105)	HEXACHLOROETHANE	17.743	117	233412	10.77	PPBV	99
106)	HEXACHLOROBUTADIENE	18.788	225	280031	9.45	PPBV	100
107)	1,2,4-TRICHLOROBENZENE	18.479	180	336715	10.77	PPBV	99
108)	NAPHTHALENE	18.528	128	779125	9.75	PPBV	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61022.D
Acq On : 19 Aug 2022 6:00 pm
Operator : thomash
Sample : icv2709-10
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 24 16:30:48 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration



Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 09/27/22 15:04

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 2w61611.D
Acq On : 27 Sep 2022 7:58 am
Operator : thomash
Sample : cc2709-10
Misc : MS62367,V2w2734,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 27 10:18:10 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.615	128	79324	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.930	114	441027	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.589	117	400342	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.958	95	265537	9.96	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.843	65	66446	9.96	PPBV	#	100
4) CHLORODIFLUOROMETHANE	1.862	67	29069	9.81	PPBV		99
5) CHLOROTRIFLUOROETHENE	1.875	116	154061	8.99	PPBV	#	1
6) DICHLORODIFLUOROMETHANE	1.898	85	380202	9.63	PPBV		99
7) PROPYLENE	1.872	41	60984	8.19	PPBV		99
8) 1-CHLORO-1,1-DIFLUOROE...	1.946	65	305324	10.28	PPBV		97
9) FREON 114	1.991	85	356678	10.03	PPBV		94
10) CHLOROMETHANE	1.952	52	35211	8.86	PPBV		100
11) VINYL CHLORIDE	2.036	62	151324	10.96	PPBV		99
12) 1,3-BUTADIENE	2.087	54	103116	9.67	PPBV		95
13) N-BUTANE	2.107	43	159850	8.61	PPBV		97
14) BROMOMETHANE	2.187	94	118369	9.49	PPBV		99
15) CHLOROETHANE	2.251	64	80896	10.95	PPBV		96
16) DICHLOROFLUOROMETHANE	2.284	67	305556	10.40	PPBV		99
17) ACETONITRILE	2.374	41	96171	8.71	PPBV		100
18) ACROLEIN	2.419	56	69916	14.35	PPBV		97
19) FREON 123	2.435	83	340249	10.42	PPBV		98
20) FREON 123A	2.454	117	183398	9.71	PPBV		87
21) TRICHLOROFLUOROMETHANE	2.521	101	430226	10.48	PPBV		99
22) ISOPROPYL ALCOHOL	2.534	45	297979	9.09	PPBV		97
23) ACETONE	2.460	58	84143	8.05	PPBV		93
24) PENTANE	2.631	42	176903	9.85	PPBV		98
25) IODOMETHANE	2.689	142	402706	10.03	PPBV		99
26) 1,1-DICHLOROETHYLENE	2.714	96	171958	10.91	PPBV		86
27) CARBON DISULFIDE	2.846	76	562183	11.84	PPBV		98
28) ETHANOL	2.287	45	47347	7.34	PPBV		99
29) BROMOETHENE	2.380	106	126568	9.94	PPBV		97
30) ACRYLONITRILE	2.605	52	133327	10.77	PPBV		99
31) METHYLENE CHLORIDE	2.750	84	165437	9.46	PPBV		96
32) 3-CHLOROPROPENE	2.792	76	87970	10.88	PPBV		87
33) FREON 113	2.846	151	269121	10.13	PPBV		90
34) TRANS-1,2-DICHLOROETHENE	3.081	96	129282	9.85	PPBV		91
35) TERTIARY BUTYL ALCOHOL	2.724	59	407322	9.86	PPBV	#	91
36) METHYL TERTIARY BUTYL ...	3.190	73	305759	8.99	PPBV		98
37) TETRAHYDROFURAN	3.907	72	60748	10.59	PPBV		89
38) HEXANE	3.666	57	231457	10.10	PPBV		94
39) VINYL ACETATE	3.232	86	33608	10.40	PPBV		77
40) 1,1-DICHLOROETHANE	3.158	63	258366	11.00	PPBV		99
41) METHYL ETHYL KETONE	3.329	72	62976	10.78	PPBV		80
42) CIS-1,2-DICHLOROETHENE	3.534	96	135289	9.60	PPBV		92
43) DIISOPROPYL ETHER	3.669	59	69876	10.41	PPBV		71

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 2w61611.D
Acq On : 27 Sep 2022 7:58 am
Operator : thomash
Sample : cc2709-10
Misc : MS62367,V2w2734,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 27 10:18:10 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.673	61	51615	10.99	PPBV		63
45) METHYL ACRYLATE	3.660	55	275059	10.20	PPBV	#	99
46) CHLOROFORM	3.689	83	282131	9.83	PPBV		100
47) 2,4-DIMETHYLPENTANE	4.197	57	267368	10.01	PPBV		98
48) 1,1,1-TRICHLOROETHANE	4.280	97	268489	9.38	PPBV		95
49) CARBON TETRACHLORIDE	4.711	117	272721	9.61	PPBV		95
50) 1,2-DICHLOROETHANE	4.110	62	206921	10.64	PPBV		99
51) BENZENE	4.595	78	411581	10.04	PPBV		97
53) CYCLOHEXANE	4.814	84	173332	9.31	PPBV		99
54) 2,3-DIMETHYLPENTANE	5.074	71	87040	9.52	PPBV		96
55) TRICHLOROETHENE	5.518	95	180003	9.63	PPBV		96
56) 1,2-DICHLOROPROPANE	5.280	63	172324	10.24	PPBV		96
57) DIBROMOMETHANE	5.242	174	162228	8.43	PPBV		94
58) ETHYL ACRYLATE	5.399	55	320975	10.15	PPBV		99
59) BROMODICHLOROMETHANE	5.463	83	305115	9.88	PPBV		100
60) 2,2,4-TRIMETHYLPENTANE	5.615	57	713771	9.58	PPBV		99
61) 1,4-DIOXANE	5.528	88	94334	10.44	PPBV		97
62) HEPTANE	5.936	43	195753	8.35	PPBV		90
63) METHYL METHACRYLATE	5.830	69	146780	10.21	PPBV		94
64) METHYL ISOBUTYL KETONE	6.573	58	137591	11.47	PPBV		88
65) CIS-1,3-DICHLOROPROPENE	6.476	75	214139	9.60	PPBV		96
66) TOLUENE	7.698	91	503666	9.47	PPBV		99
67) 1,3-DICHLOROPROPANE	7.756	76	249329	9.87	PPBV		99
68) TRANS-1,3-DICHLOROPROPENE	7.161	75	182852	9.14	PPBV		98
69) 1,1,2-TRICHLOROETHANE	7.322	83	148725	9.55	PPBV		98
70) 2-HEXANONE	8.261	58	179882	10.72	PPBV		88
71) ETHYL METHACRYLATE	8.402	69	240128	11.46	PPBV		95
72) TETRACHLOROETHENE	9.444	164	185506	8.71	PPBV		99
73) DIBROMOCHLOROMETHANE	8.242	129	289043	9.53	PPBV		100
74) 1,2-DIBROMOETHANE	8.589	107	265145	9.35	PPBV		100
75) OCTANE	9.585	43	268417	8.52	PPBV		92
77) 1,1,1,2-TETRACHLOROETHANE	10.676	131	198032	9.13	PPBV		96
78) CHLOROBENZENE	10.666	112	388815	9.04	PPBV		97
79) ETHYLBENZENE	11.553	91	667998	9.74	PPBV		98
80) M,P-XYLENE	11.978	91	1030432m	19.75	PPBV		
81) O-XYLENE	12.920	91	527457	9.89	PPBV		95
82) STYRENE	12.701	104	395465	10.36	PPBV		99
83) NONANE	14.029	43	285374	8.67	PPBV		89
84) BROMOFORM	11.794	173	282681	10.25	PPBV		100
85) 1,1,2,2-TETRACHLOROETHANE	12.929	83	394731	9.95	PPBV		100
86) 1,2,3-TRICHLOROPROPANE	13.212	75	287825	9.89	PPBV	#	100
88) ISOPROPYLBENZENE	14.431	120	187199	8.28	PPBV		92
89) BROMOBENZENE	14.309	77	359091	9.73	PPBV		93
90) 2-CHLOROTOLUENE	15.444	126	169638	8.93	PPBV		99
91) N-PROPYLBENZENE	15.781	120	191801	9.23	PPBV		97
92) 4-ETHYLTOLUENE	16.148	105	761742	9.95	PPBV		96
93) 1,3,5-TRIMETHYLBENZENE	16.302	105	630054	9.87	PPBV		96
94) ALPHA-METHYLSTYRENE	16.502	118	320374	11.93	PPBV		99
95) TERT-BUTYLBENZENE	16.759	134	149287	9.14	PPBV		99
96) 1,2,4-TRIMETHYLBENZENE	16.769	105	679650	9.96	PPBV		91

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 2w61611.D
Acq On : 27 Sep 2022 7:58 am
Operator : thomash
Sample : cc2709-10
Misc : MS62367,V2w2734,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 27 10:18:10 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
97)	BENZYL CHLORIDE	16.852	91	318652	7.54	PPBV	96
98)	M-DICHLOROBENZENE	16.826	146	416151	9.28	PPBV	99
99)	P-DICHLOROBENZENE	16.910	146	416795	9.17	PPBV	100
100)	O-DICHLOROBENZENE	17.203	146	406115	9.19	PPBV	99
101)	SEC-BUTYLBENZENE	17.039	134	183422	9.03	PPBV	84
102)	1,2,3-TRIMETHYLBENZENE	17.151	105	637875	9.88	PPBV	96
103)	P-ISOPROPYLTOLUENE	17.219	134	199761	8.93	PPBV	100
104)	N-BUTYLBENZENE	17.563	134	184148	8.90	PPBV	83
105)	HEXACHLOROETHANE	17.743	117	244676	9.66	PPBV	96
106)	HEXACHLOROBUTADIENE	18.781	225	296545	8.56	PPBV	100
107)	1,2,4-TRICHLOROBENZENE	18.473	180	324952	8.89	PPBV	98
108)	NAPHTHALENE	18.521	128	799362	8.55	PPBV	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 2w61611.D
Acq On : 27 Sep 2022 7:58 am
Operator : thomash
Sample : cc2709-10
Misc : MS62367,V2w2734,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 27 10:18:10 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number:	V2W2734-CC2709	**Method:**	TO-15
Lab FileID:	2W61611.D	**Analyst approved:**	09/27/22 10:38 Thomas Hilbig
Injection Time:	09/27/22 07:58	**Supervisor approved:**	09/27/22 15:04 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
m,p-Xylene			11.98	Split peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 2w61611.D
Acq On : 27 Sep 2022 7:58 am
Operator : thomash
Sample : cc2709-10
Misc : MS62367,V2w2734,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 27 08:35:46 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration





TIC: 2w61611.D\data.ms

(80) M,P-XYLENE (t)

11.939min (-0.045) 11.16PPBV


response 582260


Ion	Exp%	Act%
91.10	100	100
106.10	23.00	43.20#
105.10	10.90	19.17
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 2w61611.D
Acq On : 27 Sep 2022 7:58 am
Operator : thomash
Sample : cc2709-10
Misc : MS62367,V2w2734,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 27 08:35:46 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration





TIC: 2w61611.D\data.ms

(80) M,P-XYLENE (t)

11.978min (-0.007) 19.75PPBV m

response 1030432

Ion	Exp%	Act%
91.10	100	100
106.10	23.00	24.41
105.10	10.90	10.83
0.00	0.00	0.00

Quantitation Report (QT Reviewed)

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/08/22 10:23

Data Path : C:\msdchem\1\data\
Data File : 6W25316.D
Acq On : 4 Aug 2022 5:54 pm
Operator : thomash
Sample : ic1077-0.04
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 09:04:39 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.412	128	46617	10.00	PPBV	# 0.00
52) 1,4-DIFLUOROBENZENE	4.792	114	250125	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.605	117	220535	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	14.029	95	153966	9.95	PPBV	0.00
Target Compounds						Qvalue
8) 1-CHLORO-1,1-DIFLUOROE...	1.798	65	1247	0.06	PPBV	# 1
9) FREON 114	1.830	85	1295	0.06	PPBV	# 74
11) VINYL CHLORIDE	1.859	62	609	0.07	PPBV	# 50
13) N-BUTANE	1.914	43	1091	0.09	PPBV	# 1
14) BROMOMETHANE	1.972	94	482m	0.06	PPBV	
15) CHLOROETHANE	2.020	64	373m	0.08	PPBV	
16) DICHLOROFLUOROMETHANE	2.046	67	1104	0.06	PPBV	# 49
19) FREON 123	2.161	83	1174	0.06	PPBV	# 89
20) FREON 123A	2.184	117	526m	0.05	PPBV	
21) TRICHLOROFLUOROMETHANE	2.245	101	1257	0.06	PPBV	# 92
24) PENTANE	2.354	42	531	0.06	PPBV	# 53
25) IODOMETHANE	2.419	142	1140	0.05	PPBV	# 38
26) 1,1-DICHLOROETHYLENE	2.448	96	525	0.06	PPBV	# 66
27) CARBON DISULFIDE	2.592	76	1479	0.06	PPBV	# 48
29) BROMOETHENE	2.116	106	448m	0.06	PPBV	
32) 3-CHLOROPROPENE	2.538	76	275m	0.07	PPBV	
33) FREON 113	2.592	151	757	0.05	PPBV	# 85
34) TRANS-1,2-DICHLOROETHENE	2.843	96	625	0.07	PPBV	# 70
35) TERTIARY BUTYL ALCOHOL	2.473	59	1404	0.07	PPBV	# 45
36) METHYL TERTIARY BUTYL ...	2.972	73	1639	0.06	PPBV	# 88
38) HEXANE	3.467	57	728	0.06	PPBV	# 49
40) 1,1-DICHLOROETHANE	2.933	63	1031	0.06	PPBV	# 50
45) METHYL ACRYLATE	3.473	55	831	0.06	PPBV	# 65
46) CHLOROFORM	3.496	83	870	0.06	PPBV	# 82
47) 2,4-DIMETHYLPENTANE	4.023	57	803	0.06	PPBV	# 31
48) 1,1,1-TRICHLOROETHANE	4.110	97	811	0.05	PPBV	# 70
49) CARBON TETRACHLORIDE	4.557	117	760	0.05	PPBV	# 85
50) 1,2-DICHLOROETHANE	3.940	62	680	0.07	PPBV	# 49
51) BENZENE	4.444	78	1344	0.06	PPBV	# 66
53) CYCLOHEXANE	4.660	84	538	0.06	PPBV	# 69
55) TRICHLOROETHENE	5.402	95	484m	0.05	PPBV	
57) DIBROMOMETHANE	5.116	174	507	0.06	PPBV	# 52
58) ETHYL ACRYLATE	5.300	55	912	0.05	PPBV	# 73
59) BROMODICHLOROMETHANE	5.351	83	795	0.05	PPBV	99
60) 2,2,4-TRIMETHYLPENTANE	5.499	57	2092	0.06	PPBV	# 91
62) HEPTANE	5.830	43	826	0.06	PPBV	# 15
65) CIS-1,3-DICHLOROPROPENE	6.393	75	629	0.05	PPBV	# 21
66) TOLUENE	7.656	91	1495	0.05	PPBV	97
67) 1,3-DICHLOROPROPANE	7.705	76	752	0.05	PPBV	# 49
68) TRANS-1,3-DICHLOROPROPENE	7.100	75	608	0.05	PPBV	# 42
69) 1,1,2-TRICHLOROETHANE	7.271	83	407m	0.05	PPBV	
71) ETHYL METHACRYLATE	8.390	69	580	0.04	PPBV	# 40
72) TETRACHLOROETHENE	9.457	164	491m	0.05	PPBV	
73) DIBROMOCHLOROMETHANE	8.216	129	693	0.04	PPBV	# 82
74) 1,2-DIBROMOETHANE	8.563	107	722	0.05	PPBV	# 99
75) OCTANE	9.579	43	1093	0.06	PPBV	# 23
77) 1,1,1,2-TETRACHLOROETHANE	10.701	131	518	0.04	PPBV	# 39
78) CHLOROBENZENE	10.685	112	1050	0.05	PPBV	# 69
79) ETHYLBENZENE	11.586	91	2033	0.06	PPBV	95
80) M,P-XYLENE	11.987	91	2839m	0.10	PPBV	
81) O-XYLENE	12.975	91	1558	0.05	PPBV	# 81
82) STYRENE	12.762	104	911m	0.04	PPBV	
84) BROMOFORM	11.836	173	647	0.04	PPBV	# 36
85) 1,1,2,2-TETRACHLOROETHANE	12.984	83	1106	0.05	PPBV	# 25

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25316.D
Acq On : 4 Aug 2022 5:54 pm
Operator : thomash
Sample : ic1077-0.04
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 09:04:39 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
86)	1,2,3-TRICHLOROPROPANE	13.267	75	828	0.05	PPBV	#	99
88)	ISOPROPYLBENZENE	14.508	120	556	0.05	PPBV	#	26
89)	BROMOBENZENE	14.376	77	1113	0.05	PPBV	#	52
92)	4-ETHYLTOLUENE	16.203	105	1909	0.05	PPBV	#	98
93)	1,3,5-TRIMETHYLBENZENE	16.351	105	1653	0.05	PPBV	#	95
94)	ALPHA-METHYLSTYRENE	16.553	118	645	0.04	PPBV	#	68
95)	TERT-BUTYLBENZENE	16.801	134	488m	0.06	PPBV		
96)	1,2,4-TRIMETHYLBENZENE	16.804	105	1667	0.05	PPBV	#	83
97)	BENZYL CHLORIDE	16.884	91	1223	0.04	PPBV	#	60
98)	M-DICHLOROBENZENE	16.872	146	1236	0.05	PPBV	#	76
99)	P-DICHLOROBENZENE	16.949	146	1322	0.05	PPBV	#	73
100)	O-DICHLOROBENZENE	17.238	146	1158	0.05	PPBV	#	74
101)	SEC-BUTYLBENZENE	17.074	134	537	0.05	PPBV		91
102)	1,2,3-TRIMETHYLBENZENE	17.187	105	1746	0.05	PPBV	#	91
103)	P-ISOPROPYLTOLUENE	17.254	134	542	0.04	PPBV		95
104)	N-BUTYLBENZENE	17.598	134	542	0.05	PPBV		98
105)	HEXACHLOROETHANE	17.775	117	627	0.04	PPBV	#	53
106)	HEXACHLOROBUTADIENE	18.814	225	858	0.05	PPBV		93
107)	1,2,4-TRICHLOROBENZENE	18.508	180	1127	0.05	PPBV	#	78
108)	NAPHTHALENE	18.556	128	2675	0.04	PPBV	#	69

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25316.D
Acq On : 4 Aug 2022 5:54 pm
Operator : thomash
Sample : ic1077-0.04
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 09:04:39 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V6W1077-IC1077
Lab FileID: 6W25316.D
Injection Time: 08/04/22 17:54
Method: TO-15
Analyst approved: 08/05/22 10:02 Thomas Hilbig
Supervisor approved: 08/08/22 10:23 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Bromomethane	74-83-9		1.97	Missed peak
Chloroethane	75-00-3		2.02	Missed peak
Bromoethene	593-60-2		2.12	Missed peak
Freon 123A	354-23-4		2.18	Poorly defined baseline
3-Chloropropene	107-05-1		2.54	Missed peak
Trichloroethylene	79-01-6		5.40	Missed peak
1,1,2-Trichloroethane	79-00-5		7.27	Missed peak
Tetrachloroethylene	127-18-4		9.46	Missed peak
m,p-Xylene			11.99	Split peak
Styrene	100-42-5		12.76	Poor instrument integration
tert-Butylbenzene	98-06-6		16.80	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25316.D
Acq On : 4 Aug 2022 5:54 pm
Operator : thomash
Sample : ic1077-0.04
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:19:42 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration





TIC: 6W25316.D\data.ms

(14) BROMOMETHANE (T)

1.975min (-1.975) 0.00PPBV


response 0


Ion	Exp%	Act%
94.00	100	0.00
96.00	94.20	0.00#
95.00	13.70	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25316.D
Acq On : 4 Aug 2022 5:54 pm
Operator : thomash
Sample : ic1077-0.04
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:19:42 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration





TIC: 6W25316.D\data.ms

(15) CHLOROETHANE (T)

2.020min (-0.003) 0.08PPBV m


response 373


Ion	Exp%	Act%
64.00	100	100
66.00	33.90	0.00#
49.00	29.10	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25316.D
Acq On : 4 Aug 2022 5:54 pm
Operator : thomash
Sample : ic1077-0.04
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:19:42 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration





TIC: 6W25316.D\data.ms

(20) FREON 123A (T)

2.184min (+0.000) 0.13PPBV

response 1388


Ion	Exp%	Act%
117.00	100	100
67.00	141.60	77.09#
0.00	0.00	0.00
0.00	0.00	0.00

6W25316.D edits: FREON 123A

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25316.D
Acq On : 4 Aug 2022 5:54 pm
Operator : thomash
Sample : ic1077-0.04
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:19:42 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



TIC: 6W25316.D\data.ms

(20) FREON 123A (T)

2.184min (+0.000) 0.05PPBV m


response 526

Ion	Exp%	Act%
117.00	100	100
67.00	141.60	203.42#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25316.D
Acq On : 4 Aug 2022 5:54 pm
Operator : thomash
Sample : ic1077-0.04
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:19:42 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



TIC: 6W25316.D\data.ms

(29) BROMOETHENE (T)

2.116min (-0.006) 0.06PPBV m


response 448


Ion	Exp%	Act%
106.00	100	100
108.00	94.60	0.00#
80.90	10.40	0.00#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25316.D
Acq On : 4 Aug 2022 5:54 pm
Operator : thomash
Sample : ic1077-0.04
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:19:42 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration







TIC: 6W25316.D\data.ms

(32) 3-CHLOROPROPENE (T)

2.538min (+0.003) 0.07PPBV m


response 275

Ion	Exp%	Act%
76.00	100	100
41.10	184.90	0.00#
39.10	118.20	0.00#
78.00	32.40	0.00#

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25316.D
Acq On : 4 Aug 2022 5:54 pm
Operator : thomash
Sample : ic1077-0.04
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:19:42 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



TIC: 6W25316.D\data.ms

(55) TRICHLOROETHENE (T)

5.402min (-0.003) 0.05PPBV m


response 484

Ion	Exp%	Act%
95.00	100	100
129.90	104.00	0.00#
131.90	99.70	0.00#
97.00	64.10	0.00#

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25316.D
Acq On : 4 Aug 2022 5:54 pm
Operator : thomash
Sample : ic1077-0.04
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:19:42 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



TIC: 6W25316.D\data.ms

(72) TETRACHLOROETHENE (T)

9.457min (+0.013) 0.05PPBV m


response 491

Ion	Exp%	Act%
163.90	100	100
128.90	90.00	0.00#
167.90	60.70	0.00#
130.90	86.30	0.00#

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25316.D
Acq On : 4 Aug 2022 5:54 pm
Operator : thomash
Sample : ic1077-0.04
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:19:42 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



TIC: 6W25316.D\data.ms

(80) M,P-XYLENE (t)

11.987min (-0.042) 0.10PPBV m


response 2839

Ion	Exp%	Act%
91.10	100	100
106.10	51.50	0.00#
105.10	23.60	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25316.D
Acq On : 4 Aug 2022 5:54 pm
Operator : thomash
Sample : ic1077-0.04
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:19:42 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



TIC: 6W25316.D\data.ms

(82) STYRENE (T)

12.762min (+0.000) 0.04PPBV m


response 911

Ion	Exp%	Act%
104.10	100	100
78.10	38.40	0.00#
103.10	47.20	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25316.D
Acq On : 4 Aug 2022 5:54 pm
Operator : thomash
Sample : ic1077-0.04
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:19:42 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



TIC: 6W25316.D\data.ms

(95) TERT-BUTYLBENZENE (T)

16.801min (-0.003) 0.06PPBV m


response 488


Ion	Exp%	Act%
134.10	100	100
119.10	443.70	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\Raw Data\
Data File : 6W25316.D
Acq On : 4 Aug 2022 5:54 pm
Operator : thomash
Sample : ic1077-0.04
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 09:40:50 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration





TIC: 6W25316.D\data.ms

(29) BROMOETHENE (T)

2.123min (-2.123) 0.00PPBV


response 0


Ion	Exp%	Act%
106.00	100	0.00
108.00	94.60	0.00#
80.90	10.40	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\Raw Data\
Data File : 6W25316.D
Acq On : 4 Aug 2022 5:54 pm
Operator : thomash
Sample : ic1077-0.04
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 09:40:50 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration





TIC: 6W25316.D\data.ms

(95) TERT-BUTYLBENZENE (T)

16.804min (-16.804) 0.00PPBV


response 0


Ion	Exp%	Act%
134.10	100	0.00
119.10	443.70	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\Raw Data\
Data File : 6W25316.D
Acq On : 4 Aug 2022 5:54 pm
Operator : thomash
Sample : ic1077-0.04
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 09:40:50 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration





TIC: 6W25316.D\data.ms

(15) CHLOROETHANE (T)

2.023min (-2.023) 0.00PPBV


response 0


Ion	Exp%	Act%
64.00	100	0.00
66.00	33.90	0.00#
49.00	29.10	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\Raw Data\
Data File : 6W25316.D
Acq On : 4 Aug 2022 5:54 pm
Operator : thomash
Sample : ic1077-0.04
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 09:40:50 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration





TIC: 6W25316.D\data.ms

(32) 3-CHLOROPROPENE (T)

2.592min (+0.058) 0.31PPBV


response 1479


Ion	Exp%	Act%
76.00	100	100
41.10	184.90	0.00#
39.10	118.20	0.00#
78.00	32.40	0.00#

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\Raw Data\
Data File : 6W25316.D
Acq On : 4 Aug 2022 5:54 pm
Operator : thomash
Sample : ic1077-0.04
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 09:40:50 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration





TIC: 6W25316.D\data.ms

(82) STYRENE (T)

12.762min (+0.000) 0.04PPBV


response 938


Ion	Exp%	Act%
104.10	100	100
78.10	38.40	0.00#
103.10	47.20	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\Raw Data\
Data File : 6W25316.D
Acq On : 4 Aug 2022 5:54 pm
Operator : thomash
Sample : ic1077-0.04
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 09:40:50 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration





TIC: 6W25316.D\data.ms

(55) TRICHLOROETHENE (T)

5.406min (-5.406) 0.00PPBV


response 0


Ion	Exp%	Act%
95.00	100	0.00
129.90	104.00	0.00#
131.90	99.70	0.00#
97.00	64.10	0.00#

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\Raw Data\
Data File : 6W25316.D
Acq On : 4 Aug 2022 5:54 pm
Operator : thomash
Sample : ic1077-0.04
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 09:40:50 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration





TIC: 6W25316.D\data.ms

(72) TETRACHLOROETHENE (T)

9.444min (-9.444) 0.00PPBV


response 0


Ion	Exp%	Act%
163.90	100	0.00
128.90	90.00	0.00#
167.90	60.70	0.00#
130.90	86.30	0.00#

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\Raw Data\
Data File : 6W25316.D
Acq On : 4 Aug 2022 5:54 pm
Operator : thomash
Sample : ic1077-0.04
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 09:40:50 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration





TIC: 6W25316.D\data.ms

(80) M,P-XYLENE (t)

12.016min (-0.013) 0.04PPBV

response 1228


Ion	Exp%	Act%
91.10	100	100
106.10	51.50	0.00#
105.10	23.60	0.00#
0.00	0.00	0.00

6W25316.D edits: M,P-XYLENE

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\Raw Data\
Data File : 6W25316.D
Acq On : 4 Aug 2022 5:54 pm
Operator : thomash
Sample : ic1077-0.04
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 08 09:27:11 2022
Quant Method : C:\msdchem\1\methods\M6W1077_old.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed May 18 09:12:16 2022
Response via : Initial Calibration



TIC: 6W25316.D\data.ms

(69) 1,1,2-TRICHLOROETHANE (T)

7.236min (-7.236) 0.00PPBV

response 0


Ion	Exp%	Act%
83.00	100	0.00
97.00	116.40	0.00#
85.00	63.80	0.00#
0.00	0.00	0.00


6W25316.D edits: 1,1,2-TRICHLOROETHANE

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25316.D
Acq On : 4 Aug 2022 5:54 pm
Operator : thomash
Sample : ic1077-0.04
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 09:04:39 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration





TIC: 6W25316.D\data.ms

(14) BROMOMETHANE (T)

1.972min (-0.003) 0.06PPBV m

response 482


Ion	Exp%	Act%
94.00	100	100
96.00	94.20	0.00#
95.00	13.70	0.00#
0.00	0.00	0.00


6W25316.D edits: BROMOMETHANE

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25316.D
Acq On : 4 Aug 2022 5:54 pm
Operator : thomash
Sample : ic1077-0.04
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 09:04:39 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration





TIC: 6W25316.D\data.ms

(69) 1,1,2-TRICHLOROETHANE (T)

7.271min (-0.003) 0.05PPBV m

response 407

Ion	Exp%	Act%
83.00	100	100
97.00	116.40	0.00#
85.00	63.80	0.00#
0.00	0.00	0.00

6W25316.D edits: 1,1,2-TRICHLOROETHANE

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/08/22 10:23

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25317.D
Acq On : 4 Aug 2022 6:39 pm
Operator : thomash
Sample : ic1077-0.1
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 09:15:13 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.412	128	45139	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.792	114	243010	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.605	117	215313	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.032	95	149069	9.87	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.721	65	532	0.14	PPBV	#	53
4) CHLORODIFLUOROMETHANE	1.731	67	250m	0.15	PPBV		
5) CHLOROTRIFLUOROETHENE	1.740	116	1084	0.12	PPBV	#	42
6) DICHLORODIFLUOROMETHANE	1.756	85	2771m	0.13	PPBV		
7) PROPYLENE	1.740	41	778	0.16	PPBV	#	76
8) 1-CHLORO-1,1-DIFLUOROE...	1.795	65	2664	0.13	PPBV	#	29
9) FREON 114	1.827	85	2686	0.13	PPBV		94
11) VINYL CHLORIDE	1.863	62	1129	0.13	PPBV	#	50
13) N-BUTANE	1.914	43	1882	0.15	PPBV	#	65
14) BROMOMETHANE	1.972	94	976	0.14	PPBV	#	95
15) CHLOROETHANE	2.020	64	668	0.16	PPBV	#	43
16) DICHLOROFLUOROMETHANE	2.046	67	2416	0.13	PPBV	#	88
17) ACETONITRILE	2.117	41	1202	0.16	PPBV	#	25
18) ACROLEIN	2.152	56	277m	0.09	PPBV		
19) FREON 123	2.165	83	2269	0.12	PPBV	#	90
20) FREON 123A	2.181	117	1495	0.14	PPBV		99
21) TRICHLOROFLUOROMETHANE	2.242	101	2615	0.12	PPBV	#	95
25) IODOMETHANE	2.419	142	2475	0.12	PPBV	#	83
26) 1,1-DICHLOROETHYLENE	2.444	96	976	0.12	PPBV	#	48
27) CARBON DISULFIDE	2.592	76	2965	0.12	PPBV	#	9
29) BROMOETHENE	2.120	106	905	0.12	PPBV	#	96
30) ACRYLONITRILE	2.332	52	1010	0.16	PPBV	#	74
32) 3-CHLOROPROPENE	2.531	76	538	0.13	PPBV	#	1
33) FREON 113	2.592	151	1470	0.11	PPBV	#	74
34) TRANS-1,2-DICHLOROETHENE	2.843	96	1045	0.12	PPBV	#	72
35) TERTIARY BUTYL ALCOHOL	2.473	59	2796	0.14	PPBV	#	74
36) METHYL TERTIARY BUTYL ...	2.972	73	3247	0.13	PPBV	#	48
37) TETRAHYDROFURAN	3.750	72	314m	0.09	PPBV		
38) HEXANE	3.467	57	1505	0.13	PPBV	#	76
40) 1,1-DICHLOROETHANE	2.933	63	2019	0.13	PPBV	#	87
41) METHYL ETHYL KETONE	3.123	72	527	0.12	PPBV	#	1
42) CIS-1,2-DICHLOROETHENE	3.329	96	810	0.11	PPBV	#	52
43) DIISOPROPYL ETHER	3.477	59	371m	0.11	PPBV		
44) ETHYL ACETATE	3.483	61	277m	0.11	PPBV		
45) METHYL ACRYLATE	3.467	55	1643	0.11	PPBV	#	65
46) CHLOROFORM	3.489	83	1844	0.12	PPBV	#	89
47) 2,4-DIMETHYLPENTANE	4.020	57	1664	0.13	PPBV	#	76
48) 1,1,1-TRICHLOROETHANE	4.104	97	1793	0.12	PPBV		98
49) CARBON TETRACHLORIDE	4.560	117	1822	0.12	PPBV		100
50) 1,2-DICHLOROETHANE	3.940	62	1345	0.14	PPBV	#	49
51) BENZENE	4.438	78	2783	0.13	PPBV		84
53) CYCLOHEXANE	4.660	84	1007	0.11	PPBV	#	63
54) 2,3-DIMETHYLPENTANE	4.936	71	584	0.12	PPBV	#	58
55) TRICHLOROETHENE	5.399	95	1094	0.11	PPBV	#	76
56) 1,2-DICHLOROPROPANE	5.152	63	972	0.12	PPBV	#	41
57) DIBROMOMETHANE	5.107	174	1106	0.12	PPBV	#	77
58) ETHYL ACRYLATE	5.290	55	1764	0.10	PPBV	#	73
59) BROMODICHLOROMETHANE	5.348	83	1731	0.11	PPBV		97
60) 2,2,4-TRIMETHYLPENTANE	5.499	57	4489	0.13	PPBV	#	94
61) 1,4-DIOXANE	5.489	88	329m	0.06	PPBV		
62) HEPTANE	5.833	43	1637	0.13	PPBV	#	80
63) METHYL METHACRYLATE	5.731	69	794	0.09	PPBV	#	39
64) METHYL ISOBUTYL KETONE	6.518	58	713	0.10	PPBV	#	61
65) CIS-1,3-DICHLOROPROPENE	6.386	75	1361	0.11	PPBV	#	35

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25317.D
Acq On : 4 Aug 2022 6:39 pm
Operator : thomash
Sample : ic1077-0.1
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 09:15:13 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
66)	TOLUENE	7.647	91	3067	0.11	PPBV		98
67)	1,3-DICHLOROPROPANE	7.718	76	1562	0.12	PPBV	#	49
68)	TRANS-1,3-DICHLOROPROPENE	7.097	75	1334	0.11	PPBV	#	44
69)	1,1,2-TRICHLOROETHANE	7.277	83	870	0.11	PPBV	#	68
71)	ETHYL METHACRYLATE	8.377	69	959	0.07	PPBV	#	49
72)	TETRACHLOROETHENE	9.454	164	1137	0.11	PPBV	#	83
73)	DIBROMOCHLOROMETHANE	8.206	129	1536	0.10	PPBV	#	85
74)	1,2-DIBROMOETHANE	8.573	107	1668	0.11	PPBV	#	98
75)	OCTANE	9.586	43	2483	0.14	PPBV	#	79
77)	1,1,1,2-TETRACHLOROETHANE	10.695	131	1189	0.10	PPBV	#	88
78)	CHLOROBENZENE	10.682	112	2608	0.12	PPBV		99
79)	ETHYLBENZENE	11.598	91	4009	0.11	PPBV		96
80)	M,P-XYLENE	11.984	91	6035	0.22	PPBV	#	60
81)	O-XYLENE	12.975	91	3125	0.11	PPBV	#	85
82)	STYRENE	12.750	104	2073	0.10	PPBV		96
83)	NONANE	14.090	43	2407	0.13	PPBV	#	53
84)	BROMOFORM	11.840	173	1339	0.09	PPBV	#	92
85)	1,1,2,2-TETRACHLOROETHANE	13.004	83	2386	0.11	PPBV	#	95
86)	1,2,3-TRICHLOROPROPANE	13.286	75	1809m	0.11	PPBV		
88)	ISOPROPYLBENZENE	14.508	120	1085	0.10	PPBV		91
89)	BROMOBENZENE	14.383	77	2357	0.12	PPBV		88
90)	2-CHLOROTOLUENE	15.537	126	995	0.10	PPBV	#	42
91)	N-PROPYLBENZENE	15.875	120	1190	0.11	PPBV	#	62
92)	4-ETHYLTOLUENE	16.206	105	4187	0.10	PPBV	#	97
93)	1,3,5-TRIMETHYLBENZENE	16.354	105	3498	0.10	PPBV	#	92
94)	ALPHA-METHYLSTYRENE	16.550	118	1426	0.08	PPBV		96
95)	TERT-BUTYLBENZENE	16.794	134	884	0.11	PPBV		75
96)	1,2,4-TRIMETHYLBENZENE	16.810	105	3604	0.10	PPBV		92
97)	BENZYL CHLORIDE	16.891	91	2438	0.08	PPBV	#	60
98)	M-DICHLOROBENZENE	16.868	146	2734	0.11	PPBV		94
99)	P-DICHLOROBENZENE	16.949	146	2477	0.10	PPBV		99
100)	O-DICHLOROBENZENE	17.238	146	2479	0.11	PPBV		97
101)	SEC-BUTYLBENZENE	17.081	134	1120	0.11	PPBV		94
102)	1,2,3-TRIMETHYLBENZENE	17.187	105	3512	0.10	PPBV	#	91
103)	P-ISOPROPYLTOLUENE	17.254	134	1163	0.10	PPBV		97
104)	N-BUTYLBENZENE	17.598	134	1163	0.10	PPBV		90
105)	HEXACHLOROETHANE	17.778	117	1220	0.09	PPBV		93
106)	HEXACHLOROBUTADIENE	18.810	225	2111	0.12	PPBV		96
107)	1,2,4-TRICHLOROBENZENE	18.505	180	2285	0.10	PPBV		98
108)	NAPHTHALENE	18.556	128	5603	0.09	PPBV		99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25317.D
Acq On : 4 Aug 2022 6:39 pm
Operator : thomash
Sample : ic1077-0.1
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 09:15:13 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



Manual Integration Approval Summary

Sample Number: V6W1077-IC1077
Lab FileID: 6W25317.D
Injection Time: 08/04/22 18:39


Method: TO-15
Analyst approved: 08/05/22 10:02 Thomas Hilbig
Supervisor approved: 08/08/22 10:23 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Chlorodifluoromethane	75-45-6		1.73	Missed peak
Dichlorodifluoromethane	75-71-8		1.76	Overlapping peak
Acrolein	107-02-8		2.15	Missed peak
Di-Isopropyl ether	108-20-3		3.48	Missed peak
Ethyl Acetate	141-78-6		3.48	Missed peak
Tetrahydrofuran	109-99-9		3.75	Missed peak
1,4-Dioxane	123-91-1		5.49	Missed peak
1,2,3-Trichloropropane	96-18-4		13.29	Split peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25317.D
Acq On : 4 Aug 2022 6:39 pm
Operator : thomash
Sample : ic1077-0.1
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:26:40 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration





TIC: 6W25317.D\data.ms

(4) CHLORODIFLUOROMETHANE (T)

1.734min (-1.734) 0.00PPBV


response 0

Ion	Exp%	Act%
67.00	100	0.00
69.00	36.00	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25317.D
Acq On : 4 Aug 2022 6:39 pm
Operator : thomash
Sample : ic1077-0.1
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:26:40 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



TIC: 6W25317.D\data.ms

(4) CHLORODIFLUOROMETHANE (T)

1.731min (-0.003) 0.15PPBV m


response 250

Ion	Exp%	Act%
67.00	100	100
69.00	36.00	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25317.D
Acq On : 4 Aug 2022 6:39 pm
Operator : thomash
Sample : ic1077-0.1
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:26:40 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



TIC: 6W25317.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.756min (-0.003) 0.13PPBV m

response 2771


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	38.79#
50.00	9.30	27.64#
0.00	0.00	0.00


6W25317.D edits: DICHLORODIFLUOROMETHANE


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25317.D
Acq On : 4 Aug 2022 6:39 pm
Operator : thomash
Sample : ic1077-0.1
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:26:40 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration







TIC: 6W25317.D\data.ms

(18) ACROLEIN (T)

2.152min (-2.152) 0.00PPBV


response 0


Ion	Exp%	Act%
56.10	100	0.00
55.00	70.00	0.00#
0.00	0.00	0.00
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25317.D
Acq On : 4 Aug 2022 6:39 pm
Operator : thomash
Sample : ic1077-0.1
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:26:40 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration







TIC: 6W25317.D\data.ms

(18) ACROLEIN (T)

2.152min (+0.000) 0.09PPBV m


response 277

Ion	Exp%	Act%
56.10	100	100
55.00	70.00	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25317.D
Acq On : 4 Aug 2022 6:39 pm
Operator : thomash
Sample : ic1077-0.1
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:26:40 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



TIC: 6W25317.D\data.ms

(37) TETRAHYDROFURAN (T)

3.750min (+0.026) 0.09PPBV m


response 314

Ion	Exp%	Act%
72.10	100	100
42.10	186.30	0.00#
71.10	93.10	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25317.D
Acq On : 4 Aug 2022 6:39 pm
Operator : thomash
Sample : ic1077-0.1
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:26:40 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



TIC: 6W25317.D\data.ms

(44) ETHYL ACETATE (T)

3.329min (-0.151) 0.49PPBV


response 1217

Ion	Exp%	Act%
61.10	100	100
43.10	1232.70	0.00#
88.10	48.50	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25317.D
Acq On : 4 Aug 2022 6:39 pm
Operator : thomash
Sample : ic1077-0.1
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:26:40 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



TIC: 6W25317.D\data.ms

(44) ETHYL ACETATE (T)

3.483min (+0.003) 0.11PPBV m


response 277


Ion	Exp%	Act%
61.10	100	100
43.10	1232.70	0.00#
88.10	48.50	0.00#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25317.D
Acq On : 4 Aug 2022 6:39 pm
Operator : thomash
Sample : ic1077-0.1
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:26:40 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration







TIC: 6W25317.D\data.ms

(61) 1,4-DIOXANE (T)

5.422min (-5.422) 0.00PPBV

response 0


Ion	Exp%	Act%
88.10	100	0.00
57.10	18.70	0.00#
58.10	62.60	0.00#
43.10	19.20	0.00#


77.13.10


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25317.D
Acq On : 4 Aug 2022 6:39 pm
Operator : thomash
Sample : ic1077-0.1
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:26:40 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration







TIC: 6W25317.D\data.ms

(61) 1,4-DIOXANE (T)

5.489min (+0.068) 0.06PPBV m

response 329

Ion	Exp%	Act%
88.10	100	100
57.10	18.70	0.00#
58.10	62.60	0.00#
43.10	19.20	0.00#


6W25317.D edits: 1,4-DIOXANE


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25317.D
Acq On : 4 Aug 2022 6:39 pm
Operator : thomash
Sample : ic1077-0.1
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:26:40 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration







TIC: 6W25317.D\data.ms

(86) 1,2,3-TRICHLOROPROPANE (T)

13.286min (+0.003) 0.11PPBV m


response 1809


Ion	Exp%	Act%
75.00	100	100
99.90	0.50	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\Raw Data\
Data File : 6W25317.D
Acq On : 4 Aug 2022 6:39 pm
Operator : thomash
Sample : ic1077-0.1
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 09:46:27 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration





TIC: 6W25317.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.756min (-0.004) 0.15PPBV


response 3145


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	34.18
50.00	9.30	24.36#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\Raw Data\
Data File : 6W25317.D
Acq On : 4 Aug 2022 6:39 pm
Operator : thomash
Sample : ic1077-0.1
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 09:46:27 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration





TIC: 6W25317.D\data.ms

(43) DIISOPROPYL ETHER (T)

3.476min (-3.476) 0.00PPBV

response 0

Ion	Exp%	Act%
59.10	100	0.00
45.10	674.80	0.00#
0.00	0.00	0.00
0.00	0.00	0.00


6W25317.D edits: DIISOPROPYL ETHER

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\Raw Data\
Data File : 6W25317.D
Acq On : 4 Aug 2022 6:39 pm
Operator : thomash
Sample : ic1077-0.1
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 09:46:27 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration





TIC: 6W25317.D\data.ms

(86) 1,2,3-TRICHLOROPROPANE (T)

13.286min (+0.003) 0.05PPBV


response 858


Ion	Exp%	Act%
75.00	100	100
99.90	0.50	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\Raw Data\
Data File : 6W25317.D
Acq On : 4 Aug 2022 6:39 pm
Operator : thomash
Sample : ic1077-0.1
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 09:46:27 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration





TIC: 6W25317.D\data.ms

(37) TETRAHYDROFURAN (T)

3.724min (-3.724) 0.00PPBV

response 0


Ion	Exp%	Act%
72.10	100	0.00
42.10	186.30	0.00#
71.10	93.10	0.00#
0.00	0.00	0.00


7.7.13.16

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25317.D
Acq On : 4 Aug 2022 6:39 pm
Operator : thomash
Sample : ic1077-0.1
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 09:15:13 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration





TIC: 6W25317.D\data.ms

(43) DIISOPROPYL ETHER (T)

3.477min (+0.000) 0.11PPBV m

response 371

Ion	Exp%	Act%
59.10	100	100
45.10	674.80	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

6W25317.D edits: DIISOPROPYL ETHER

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/08/22 10:23

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25318.D
Acq On : 4 Aug 2022 7:25 pm
Operator : thomash
Sample : ic1077-0.2
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:35:37 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.412	128	46693	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.792	114	249711	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.605	117	219091	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.036	95	150733	9.81	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.721	65	886	0.23	PPBV	#	53
4) CHLORODIFLUOROMETHANE	1.734	67	419m	0.24	PPBV		
5) CHLOROTRIFLUOROETHENE	1.743	116	1857	0.20	PPBV	#	90
6) DICHLORODIFLUOROMETHANE	1.760	85	5457	0.25	PPBV	#	91
7) PROPYLENE	1.743	41	1472	0.28	PPBV		91
8) 1-CHLORO-1,1-DIFLUOROE...	1.795	65	4833	0.24	PPBV	#	52
9) FREON 114	1.830	85	4816	0.22	PPBV		96
10) CHLOROMETHANE	1.801	52	653	0.27	PPBV		94
11) VINYL CHLORIDE	1.859	62	2228	0.26	PPBV	#	91
12) 1,3-BUTADIENE	1.898	54	1904	0.28	PPBV	#	71
13) N-BUTANE	1.914	43	3543	0.28	PPBV	#	76
14) BROMOMETHANE	1.972	94	1728	0.23	PPBV	#	94
15) CHLOROETHANE	2.020	64	1166	0.26	PPBV	#	43
16) DICHLOROFLUOROMETHANE	2.046	67	4495	0.24	PPBV	#	92
17) ACETONITRILE	2.113	41	2566	0.34	PPBV	#	79
18) ACROLEIN	2.155	56	648	0.20	PPBV	#	15
19) FREON 123	2.165	83	4249	0.22	PPBV		98
20) FREON 123A	2.184	117	2516	0.24	PPBV	#	72
21) TRICHLOROFLUOROMETHANE	2.245	101	4827	0.21	PPBV		96
22) ISOPROPYL ALCOHOL	2.268	45	5398	0.29	PPBV	#	91
23) ACETONE	2.194	58	1619	0.33	PPBV	#	67
24) PENTANE	2.358	42	2684	0.29	PPBV	#	86
25) IODOMETHANE	2.419	142	4510	0.21	PPBV	#	82
26) 1,1-DICHLOROETHYLENE	2.448	96	1702	0.21	PPBV	#	46
27) CARBON DISULFIDE	2.589	76	5459	0.22	PPBV	#	71
29) BROMOETHENE	2.116	106	1586	0.20	PPBV	#	86
30) ACRYLONITRILE	2.332	52	1596	0.25	PPBV	#	95
31) METHYLENE CHLORIDE	2.489	84	2304	0.31	PPBV	#	41
32) 3-CHLOROPROPENE	2.531	76	1114	0.27	PPBV	#	1
33) FREON 113	2.592	151	3002	0.21	PPBV		87
34) TRANS-1,2-DICHLOROETHENE	2.846	96	1997	0.23	PPBV	#	76
35) TERTIARY BUTYL ALCOHOL	2.473	59	4851	0.23	PPBV	#	91
36) METHYL TERTIARY BUTYL ...	2.975	73	5792	0.22	PPBV	#	88
37) TETRAHYDROFURAN	3.747	72	673	0.19	PPBV	#	53
38) HEXANE	3.467	57	2682	0.23	PPBV	#	79
39) VINYL ACETATE	3.007	86	554	0.23	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.930	63	3732	0.23	PPBV		98
41) METHYL ETHYL KETONE	3.123	72	972	0.21	PPBV	#	1
42) CIS-1,2-DICHLOROETHENE	3.332	96	1614	0.21	PPBV		86
43) DIISOPROPYL ETHER	3.483	59	806	0.23	PPBV		73
44) ETHYL ACETATE	3.493	61	471m	0.18	PPBV		
45) METHYL ACRYLATE	3.467	55	3029	0.20	PPBV	#	65
46) CHLOROFORM	3.493	83	3336	0.22	PPBV	#	95
47) 2,4-DIMETHYLPENTANE	4.023	57	3204	0.24	PPBV	#	92
48) 1,1,1-TRICHLOROETHANE	4.110	97	3158	0.21	PPBV		94
49) CARBON TETRACHLORIDE	4.560	117	3200	0.21	PPBV		97
50) 1,2-DICHLOROETHANE	3.939	62	2389	0.23	PPBV	#	87
51) BENZENE	4.441	78	4876	0.22	PPBV		85
53) CYCLOHEXANE	4.669	84	1884	0.19	PPBV	#	68
54) 2,3-DIMETHYLPENTANE	4.939	71	1004	0.20	PPBV	#	56
55) TRICHLOROETHENE	5.406	95	2151	0.21	PPBV		96
56) 1,2-DICHLOROPROPANE	5.152	63	1788	0.21	PPBV		92
57) DIBROMOMETHANE	5.113	174	2180	0.24	PPBV		87
58) ETHYL ACRYLATE	5.293	55	3295	0.18	PPBV	#	73

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25318.D
Acq On : 4 Aug 2022 7:25 pm
Operator : thomash
Sample : ic1077-0.2
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:35:37 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
59)	BROMODICHLOROMETHANE	5.345	83	3380	0.20	PPBV		96
60)	2,2,4-TRIMETHYLPENTANE	5.499	57	8450	0.23	PPBV	#	97
61)	1,4-DIOXANE	5.476	88	892m	0.16	PPBV		
62)	HEPTANE	5.833	43	3438	0.26	PPBV	#	73
63)	METHYL METHACRYLATE	5.730	69	1551	0.18	PPBV	#	65
64)	METHYL ISOBUTYL KETONE	6.525	58	1233	0.17	PPBV	#	54
65)	CIS-1,3-DICHLOROPROPENE	6.390	75	2449	0.19	PPBV	#	65
66)	TOLUENE	7.650	91	6215	0.23	PPBV		94
67)	1,3-DICHLOROPROPANE	7.714	76	2872	0.21	PPBV	#	92
68)	TRANS-1,3-DICHLOROPROPENE	7.107	75	2414	0.20	PPBV	#	77
69)	1,1,2-TRICHLOROETHANE	7.280	83	1838	0.22	PPBV		94
70)	2-HEXANONE	8.264	58	774m	0.09	PPBV		
71)	ETHYL METHACRYLATE	8.383	69	2112	0.15	PPBV	#	55
72)	TETRACHLOROETHENE	9.441	164	2060	0.20	PPBV		89
73)	DIBROMOCHLOROMETHANE	8.209	129	2973	0.18	PPBV		99
74)	1,2-DIBROMOETHANE	8.573	107	3102	0.21	PPBV	#	93
75)	OCTANE	9.589	43	4187	0.23	PPBV	#	78
77)	1,1,1,2-TETRACHLOROETHANE	10.701	131	2316	0.20	PPBV		91
78)	CHLOROBENZENE	10.676	112	4841	0.22	PPBV		98
79)	ETHYLBENZENE	11.589	91	7464	0.20	PPBV		97
80)	M,P-XYLENE	12.016	91	11348m	0.40	PPBV		
81)	O-XYLENE	12.971	91	5961	0.21	PPBV	#	81
82)	STYRENE	12.759	104	3944	0.18	PPBV		94
83)	NONANE	14.093	43	4561	0.24	PPBV	#	80
84)	BROMOFORM	11.843	173	2489	0.16	PPBV	#	92
85)	1,1,2,2-TETRACHLOROETHANE	12.997	83	4620	0.21	PPBV	#	93
86)	1,2,3-TRICHLOROPROPANE	13.274	75	3504	0.21	PPBV	#	99
88)	ISOPROPYLBENZENE	14.508	120	2322	0.21	PPBV		90
89)	BROMOBENZENE	14.380	77	4531	0.22	PPBV		89
90)	2-CHLOROTOLUENE	15.537	126	1917m	0.19	PPBV		
91)	N-PROPYLBENZENE	15.859	120	2400	0.21	PPBV	#	62
92)	4-ETHYLTOLUENE	16.203	105	7665	0.18	PPBV	#	98
93)	1,3,5-TRIMETHYLBENZENE	16.354	105	6419	0.19	PPBV	#	97
94)	ALPHA-METHYLSTYRENE	16.550	118	2819	0.16	PPBV		99
95)	TERT-BUTYLBENZENE	16.801	134	1779	0.21	PPBV		99
96)	1,2,4-TRIMETHYLBENZENE	16.807	105	6740	0.19	PPBV		97
97)	BENZYL CHLORIDE	16.891	91	4468	0.14	PPBV		98
98)	M-DICHLOROBENZENE	16.868	146	4881	0.20	PPBV		95
99)	P-DICHLOROBENZENE	16.949	146	4694	0.19	PPBV		98
100)	O-DICHLOROBENZENE	17.241	146	4544	0.19	PPBV		98
101)	SEC-BUTYLBENZENE	17.077	134	1985	0.19	PPBV		99
102)	1,2,3-TRIMETHYLBENZENE	17.187	105	6507	0.19	PPBV		99
103)	P-ISOPROPYLTOLUENE	17.254	134	2441	0.20	PPBV		80
104)	N-BUTYLBENZENE	17.598	134	2031	0.18	PPBV		89
105)	HEXACHLOROETHANE	17.775	117	2309	0.16	PPBV	#	87
106)	HEXACHLOROBUTADIENE	18.810	225	3541	0.20	PPBV		95
107)	1,2,4-TRICHLOROBENZENE	18.508	180	4325	0.19	PPBV		96
108)	NAPHTHALENE	18.553	128	10517	0.17	PPBV		99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25318.D
Acq On : 4 Aug 2022 7:25 pm
Operator : thomash
Sample : ic1077-0.2
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:35:37 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V6W1077-IC1077 **Method:** TO-15
Lab FileID: 6W25318.D **Analyst approved:** 08/05/22 10:02 Thomas Hilbig
Injection Time: 08/04/22 19:25 **Supervisor approved:** 08/08/22 10:23 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Chlorodifluoromethane	75-45-6		1.73	Missed peak
Ethyl Acetate	141-78-6		3.49	Missed peak
1,4-Dioxane	123-91-1		5.48	Split peak
2-Hexanone	591-78-6		8.26	Missed peak
m,p-Xylene			12.02	Split peak
2-Chlorotoluene	95-49-8		15.54	Split peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25318.D
Acq On : 4 Aug 2022 7:25 pm
Operator : thomash
Sample : ic1077-0.2
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:31:28 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration





TIC: 6W25318.D\data.ms

(4) CHLORODIFLUOROMETHANE (T)

1.734min (-1.734) 0.00PPBV

response 0


Ion	Exp%	Act%
67.00	100	0.00
69.00	36.00	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

6W25318.D edits: CHLORODIFLUOROMETHANE

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25318.D
Acq On : 4 Aug 2022 7:25 pm
Operator : thomash
Sample : ic1077-0.2
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:31:28 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



TIC: 6W25318.D\data.ms

(4) CHLORODIFLUOROMETHANE (T)

1.734min (0.000) 0.24PPBV m

response 419


Ion	Exp%	Act%
67.00	100	100
69.00	36.00	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

6W25318.D edits: CHLORODIFLUOROMETHANE

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25318.D
Acq On : 4 Aug 2022 7:25 pm
Operator : thomash
Sample : ic1077-0.2
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:31:28 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



TIC: 6W25318.D\data.ms

(44) ETHYL ACETATE (T)

3.329min (-0.151) 0.88PPBV

response 2268

Ion	Exp%	Act%
61.10	100	100
43.10	1232.70	0.00#
88.10	48.50	0.00#
0.00	0.00	0.00


6W25318.D edits: ETHYL ACETATE

JD54338

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25318.D
Acq On : 4 Aug 2022 7:25 pm
Operator : thomash
Sample : ic1077-0.2
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:31:28 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



TIC: 6W25318.D\data.ms

(44) ETHYL ACETATE (T)

3.493min (+0.013) 0.18PPBV m

response 471


Ion	Exp%	Act%
61.10	100	100
43.10	1232.70	0.00#
88.10	48.50	0.00#
0.00	0.00	0.00

6W25318.D edits: ETHYL ACETATE

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25318.D
Acq On : 4 Aug 2022 7:25 pm
Operator : thomash
Sample : ic1077-0.2
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:31:28 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



TIC: 6W25318.D\data.ms

(61) 1,4-DIOXANE (T)

5.476min (+0.055) 0.11PPBV


response 596


Ion	Exp%	Act%
88.10	100	100
57.10	18.70	0.00#
58.10	62.60	202.01#
43.10	19.20	0.00#


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25318.D
Acq On : 4 Aug 2022 7:25 pm
Operator : thomash
Sample : ic1077-0.2
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:31:28 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration







TIC: 6W25318.D\data.ms

(61) 1,4-DIOXANE (T)

5.476min (+0.055) 0.16PPBV m

response 892


Ion	Exp%	Act%
88.10	100	100
57.10	18.70	0.00#
58.10	62.60	134.98#
43.10	19.20	0.00#


6W25318.D edits: 1,4-DIOXANE


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25318.D
Acq On : 4 Aug 2022 7:25 pm
Operator : thomash
Sample : ic1077-0.2
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:31:28 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration







TIC: 6W25318.D\data.ms

(80) M,P-XYLENE (t)

12.016min (-0.013) 0.18PPBV


response 5027

Ion	Exp%	Act%
91.10	100	100
106.10	51.50	57.83
105.10	23.60	30.06
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25318.D
Acq On : 4 Aug 2022 7:25 pm
Operator : thomash
Sample : ic1077-0.2
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:31:28 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



TIC: 6W25318.D\data.ms

(90) 2-CHLOROTOLUENE (T)

15.518min (-0.016) 0.10PPBV


response 986


Ion	Exp%	Act%
126.00	100	100
128.00	32.60	58.92#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25318.D
Acq On : 4 Aug 2022 7:25 pm
Operator : thomash
Sample : ic1077-0.2
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:35:37 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration





TIC: 6W25318.D\data.ms

(90) 2-CHLOROTOLUENE (T)

15.537min (+0.003) 0.19PPBV m


response 1917


Ion	Exp%	Act%
126.00	100	100
128.00	32.60	30.31
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25318.D
Acq On : 4 Aug 2022 7:25 pm
Operator : thomash
Sample : ic1077-0.2
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:35:37 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration





TIC: 6W25318.D\data.ms

(70) 2-HEXANONE (T)

8.264min (+0.023) 0.09PPBV m


response 774


Ion	Exp%	Act%
58.10	100	100
43.10	150.80	196.25#
100.10	24.10	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\Raw Data\
Data File : 6W25318.D
Acq On : 4 Aug 2022 7:25 pm
Operator : thomash
Sample : ic1077-0.2
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 08 09:37:03 2022
Quant Method : C:\msdchem\1\methods\M6W1077_old.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed May 18 09:12:16 2022
Response via : Initial Calibration





TIC: 6W25318.D\data.ms

(70) 2-HEXANONE (T)

8.264min (-0.025) 0.08PPBV


response 774


Ion	Exp%	Act%
58.10	100	100
43.10	150.80	191.60#
100.10	24.10	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25318.D
Acq On : 4 Aug 2022 7:25 pm
Operator : thomash
Sample : ic1077-0.2
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:35:37 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration





TIC: 6W25318.D\data.ms

(80) M,P-XYLENE (t)

12.016min (-0.013) 0.40PPBV m

response 11348

Ion	Exp%	Act%
91.10	100	100
106.10	51.50	25.62#
105.10	23.60	13.32
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/08/22 10:23

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25319.D
Acq On : 4 Aug 2022 8:11 pm
Operator : thomash
Sample : ic1077-0.5
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:38:14 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.415	128	44988	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.795	114	244084	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.608	117	214178	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.036	95	149694	9.96	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.721	65	2196	0.59	PPBV	#	79
4) CHLORODIFLUOROMETHANE	1.734	67	850	0.51	PPBV	#	39
5) CHLOROTRIFLUOROETHENE	1.747	116	4863	0.55	PPBV	#	98
6) DICHLORODIFLUOROMETHANE	1.763	85	11717m	0.55	PPBV		
7) PROPYLENE	1.743	41	3223	0.65	PPBV		91
8) 1-CHLORO-1,1-DIFLUOROE...	1.798	65	12095	0.61	PPBV	#	71
9) FREON 114	1.834	85	12031	0.56	PPBV		92
10) CHLOROMETHANE	1.805	52	1581	0.67	PPBV		95
11) VINYL CHLORIDE	1.866	62	5188	0.62	PPBV	#	91
12) 1,3-BUTADIENE	1.901	54	4056	0.63	PPBV	#	60
13) N-BUTANE	1.917	43	8217	0.67	PPBV	#	83
14) BROMOMETHANE	1.975	94	4143	0.58	PPBV		96
15) CHLOROETHANE	2.023	64	2525	0.59	PPBV	#	93
16) DICHLOROFLUOROMETHANE	2.049	67	10542	0.58	PPBV	#	95
17) ACETONITRILE	2.116	41	5116	0.70	PPBV	#	81
18) ACROLEIN	2.152	56	1200	0.38	PPBV	#	81
19) FREON 123	2.168	83	9997	0.54	PPBV		96
20) FREON 123A	2.184	117	5591	0.54	PPBV	#	75
21) TRICHLOROFLUOROMETHANE	2.248	101	12017	0.55	PPBV		99
22) ISOPROPYL ALCOHOL	2.271	45	12258	0.69	PPBV	#	89
23) ACETONE	2.197	58	3728	0.79	PPBV	#	70
24) PENTANE	2.361	42	5803	0.66	PPBV	#	92
25) IODOMETHANE	2.422	142	10523	0.52	PPBV	#	80
26) 1,1-DICHLOROETHYLENE	2.451	96	4093	0.52	PPBV	#	51
27) CARBON DISULFIDE	2.596	76	13256	0.56	PPBV	#	70
28) ETHANOL	2.055	45	3313	0.85	PPBV	#	92
29) BROMOETHENE	2.120	106	4087	0.55	PPBV	#	94
30) ACRYLONITRILE	2.335	52	3778	0.62	PPBV		97
31) METHYLENE CHLORIDE	2.489	84	4894	0.68	PPBV	#	56
32) 3-CHLOROPROPENE	2.534	76	2358	0.58	PPBV	#	1
33) FREON 113	2.596	151	6835	0.50	PPBV		83
34) TRANS-1,2-DICHLOROETHENE	2.850	96	4687	0.55	PPBV	#	73
35) TERTIARY BUTYL ALCOHOL	2.473	59	11368	0.55	PPBV	#	81
36) METHYL TERTIARY BUTYL ...	2.975	73	13210	0.52	PPBV	#	87
37) TETRAHYDROFURAN	3.743	72	1701	0.50	PPBV	#	62
38) HEXANE	3.467	57	6185	0.56	PPBV	#	71
39) VINYL ACETATE	3.010	86	1181	0.51	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.933	63	9466	0.61	PPBV		99
41) METHYL ETHYL KETONE	3.126	72	2425	0.55	PPBV	#	1
42) CIS-1,2-DICHLOROETHENE	3.335	96	3727	0.51	PPBV	#	83
43) DIISOPROPYL ETHER	3.480	59	1991	0.58	PPBV		76
44) ETHYL ACETATE	3.486	61	1245	0.50	PPBV	#	19
45) METHYL ACRYLATE	3.470	55	7747	0.54	PPBV	#	98
46) CHLOROFORM	3.499	83	8000	0.54	PPBV	#	92
47) 2,4-DIMETHYLPENTANE	4.026	57	7462	0.57	PPBV		94
48) 1,1,1-TRICHLOROETHANE	4.113	97	7701	0.53	PPBV		95
49) CARBON TETRACHLORIDE	4.567	117	7548	0.51	PPBV		99
50) 1,2-DICHLOROETHANE	3.936	62	5733	0.58	PPBV	#	91
51) BENZENE	4.444	78	11040	0.51	PPBV		83
53) CYCLOHEXANE	4.663	84	4803	0.51	PPBV		84
54) 2,3-DIMETHYLPENTANE	4.933	71	2529	0.52	PPBV	#	65
55) TRICHLOROETHENE	5.406	95	5168	0.52	PPBV		95
56) 1,2-DICHLOROPROPANE	5.158	63	4417	0.54	PPBV		97
57) DIBROMOMETHANE	5.116	174	5006	0.56	PPBV		91

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25319.D
Acq On : 4 Aug 2022 8:11 pm
Operator : thomash
Sample : ic1077-0.5
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:38:14 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58) ETHYL ACRYLATE	5.293	55	8348	0.47	PPBV	#	96
59) BROMODICHLOROMETHANE	5.351	83	8015	0.50	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.499	57	20236	0.57	PPBV	#	98
61) 1,4-DIOXANE	5.457	88	2225	0.42	PPBV	#	37
62) HEPTANE	5.833	43	7203	0.56	PPBV	#	80
63) METHYL METHACRYLATE	5.730	69	3857	0.45	PPBV	#	65
64) METHYL ISOBUTYL KETONE	6.521	58	3278	0.46	PPBV	#	79
65) CIS-1,3-DICHLOROPROPENE	6.393	75	6326	0.49	PPBV	#	73
66) TOLUENE	7.660	91	13604	0.51	PPBV		97
67) 1,3-DICHLOROPROPANE	7.711	76	7158	0.53	PPBV		97
68) TRANS-1,3-DICHLOROPROPENE	7.107	75	5451	0.46	PPBV	#	74
69) 1,1,2-TRICHLOROETHANE	7.274	83	4336	0.54	PPBV		92
70) 2-HEXANONE	8.264	58	1963	0.22	PPBV	#	65
71) ETHYL METHACRYLATE	8.390	69	4986	0.36	PPBV	#	71
72) TETRACHLOROETHENE	9.444	164	5367	0.54	PPBV		98
73) DIBROMOCHLOROMETHANE	8.213	129	7615	0.47	PPBV		98
74) 1,2-DIBROMOETHANE	8.570	107	7513	0.51	PPBV	#	98
75) OCTANE	9.586	43	10510	0.59	PPBV	#	79
77) 1,1,1,2-TETRACHLOROETHANE	10.701	131	5595	0.49	PPBV		92
78) CHLOROBENZENE	10.692	112	11232	0.51	PPBV		96
79) ETHYLBENZENE	11.582	91	18278	0.51	PPBV		98
80) M,P-XYLENE	12.026	91	27689m	1.00	PPBV		
81) O-XYLENE	12.975	91	14167	0.51	PPBV		96
82) STYRENE	12.762	104	9387	0.44	PPBV		96
83) NONANE	14.100	43	11384	0.60	PPBV	#	75
84) BROMOFORM	11.846	173	6038	0.41	PPBV	#	94
85) 1,1,2,2-TETRACHLOROETHANE	12.994	83	11372	0.53	PPBV		99
86) 1,2,3-TRICHLOROPROPANE	13.280	75	8362	0.52	PPBV	#	99
88) ISOPROPYLBENZENE	14.511	120	5513	0.50	PPBV	#	83
89) BROMOBENZENE	14.386	77	10583	0.53	PPBV		91
90) 2-CHLOROTOLUENE	15.540	126	5100	0.51	PPBV		99
91) N-PROPYLBENZENE	15.872	120	5647	0.50	PPBV	#	87
92) 4-ETHYLTOLUENE	16.206	105	18888	0.46	PPBV		99
93) 1,3,5-TRIMETHYLBENZENE	16.354	105	15977	0.47	PPBV		98
94) ALPHA-METHYLSTYRENE	16.550	118	6900	0.40	PPBV		98
95) TERT-BUTYLBENZENE	16.798	134	4036	0.49	PPBV		95
96) 1,2,4-TRIMETHYLBENZENE	16.807	105	16078	0.46	PPBV		98
97) BENZYL CHLORIDE	16.891	91	11322	0.37	PPBV		97
98) M-DICHLOROBENZENE	16.868	146	11438	0.48	PPBV		97
99) P-DICHLOROBENZENE	16.949	146	11939	0.49	PPBV		95
100) O-DICHLOROBENZENE	17.238	146	11063	0.48	PPBV		97
101) SEC-BUTYLBENZENE	17.074	134	4875	0.47	PPBV		99
102) 1,2,3-TRIMETHYLBENZENE	17.187	105	16013	0.47	PPBV	#	97
103) P-ISOPROPYLTOLUENE	17.254	134	5588	0.48	PPBV		93
104) N-BUTYLBENZENE	17.598	134	4919	0.44	PPBV		87
105) HEXACHLOROETHANE	17.778	117	5729	0.42	PPBV	#	90
106) HEXACHLOROBUTADIENE	18.810	225	8824	0.52	PPBV		99
107) 1,2,4-TRICHLOROBENZENE	18.505	180	10315	0.45	PPBV		99
108) NAPHTHALENE	18.556	128	25743	0.43	PPBV		99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25319.D
Acq On : 4 Aug 2022 8:11 pm
Operator : thomash
Sample : ic1077-0.5
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:38:14 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



Manual Integration Approval Summary

Sample Number: V6W1077-IC1077
Lab FileID: 6W25319.D
Injection Time: 08/04/22 20:11


Method: TO-15
Analyst approved: 08/05/22 10:02 Thomas Hilbig
Supervisor approved: 08/08/22 10:23 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Dichlorodifluoromethane	75-71-8		1.76	Overlapping peak
m,p-Xylene			12.03	Split peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25319.D
Acq On : 4 Aug 2022 8:11 pm
Operator : thomash
Sample : ic1077-0.5
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:36:55 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration





TIC: 6W25319.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.763min (+0.003) 0.63PPBV


response 13343


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	33.96
50.00	9.30	21.27#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25319.D
Acq On : 4 Aug 2022 8:11 pm
Operator : thomash
Sample : ic1077-0.5
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:36:55 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration





TIC: 6W25319.D\data.ms

(80) M,P-XYLENE (t)

12.026min (-0.003) 0.43PPBV


response 11881


Ion	Exp%	Act%
91.10	100	100
106.10	51.50	67.97
105.10	23.60	29.83
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25319.D
Acq On : 4 Aug 2022 8:11 pm
Operator : thomash
Sample : ic1077-0.5
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:36:55 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration





TIC: 6W25319.D\data.ms

(80) M,P-XYLENE (t)

12.026min (-0.003) 1.00PPBV m

response 27689


Ion	Exp%	Act%
91.10	100	100
106.10	51.50	29.16#
105.10	23.60	12.80
0.00	0.00	0.00


6W25319.D edits: M,P-XYLENE

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25319.D
Acq On : 4 Aug 2022 8:11 pm
Operator : thomash
Sample : ic1077-0.5
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 05 08:38:14 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration





TIC: 6W25319.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.763min (+0.003) 0.55PPBV m

response 11717

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	38.67#
50.00	9.30	24.22#
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/08/22 10:23

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25321.D
Acq On : 4 Aug 2022 9:41 pm
Operator : thomash
Sample : ic1077-5
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:40:07 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.412	128	44624	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.792	114	241425	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.608	117	213770	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.032	95	149135	9.95	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.721	65	18976	5.15	PPBV	#	81
4) CHLORODIFLUOROMETHANE	1.734	67	8520	5.19	PPBV		99
5) CHLOROTRIFLUOROETHENE	1.743	116	41577	4.71	PPBV	#	100
6) DICHLORODIFLUOROMETHANE	1.760	85	106484m	5.04	PPBV		
7) PROPYLENE	1.743	41	27040	5.47	PPBV		97
8) 1-CHLORO-1,1-DIFLUOROE...	1.798	65	107071	5.48	PPBV	#	84
9) FREON 114	1.830	85	109345	5.17	PPBV		94
10) CHLOROMETHANE	1.801	52	13639	5.82	PPBV		94
11) VINYL CHLORIDE	1.862	62	45281	5.45	PPBV		98
12) 1,3-BUTADIENE	1.901	54	36562	5.72	PPBV	#	70
13) N-BUTANE	1.914	43	73675	6.08	PPBV	#	87
14) BROMOMETHANE	1.975	94	36741	5.16	PPBV		98
15) CHLOROETHANE	2.020	64	23459	5.56	PPBV		95
16) DICHLOROFLUOROMETHANE	2.046	67	98923	5.46	PPBV	#	94
17) ACETONITRILE	2.113	41	45951	6.32	PPBV		96
18) ACROLEIN	2.152	56	17902	5.67	PPBV		98
19) FREON 123	2.165	83	91627	5.03	PPBV		98
20) FREON 123A	2.184	117	50561	4.96	PPBV	#	72
21) TRICHLOROFLUOROMETHANE	2.245	101	108660	5.00	PPBV		100
22) ISOPROPYL ALCOHOL	2.264	45	102760	5.84	PPBV	#	97
23) ACETONE	2.190	58	26910	5.74	PPBV	#	56
24) PENTANE	2.358	42	51866	5.96	PPBV	#	92
25) IODOMETHANE	2.419	142	99043	4.93	PPBV	#	81
26) 1,1-DICHLOROETHYLENE	2.448	96	38643	4.98	PPBV	#	51
27) CARBON DISULFIDE	2.592	76	121275	5.15	PPBV	#	83
28) ETHANOL	2.052	45	22995	5.96	PPBV	#	97
29) BROMOETHENE	2.120	106	36291	4.91	PPBV	#	96
30) ACRYLONITRILE	2.332	52	35304	5.82	PPBV		96
31) METHYLENE CHLORIDE	2.486	84	36946	5.15	PPBV	#	53
32) 3-CHLOROPROPENE	2.531	76	19748	4.93	PPBV	#	1
33) FREON 113	2.592	151	65464	4.84	PPBV		88
34) TRANS-1,2-DICHLOROETHENE	2.850	96	42382	5.02	PPBV	#	72
35) TERTIARY BUTYL ALCOHOL	2.464	59	107679	5.27	PPBV	#	81
36) METHYL TERTIARY BUTYL ...	2.969	73	127009	5.06	PPBV	#	90
37) TETRAHYDROFURAN	3.727	72	16515	4.86	PPBV	#	62
38) HEXANE	3.467	57	58629	5.31	PPBV	#	77
39) VINYL ACETATE	3.007	86	10760	4.71	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.933	63	85022	5.56	PPBV		99
41) METHYL ETHYL KETONE	3.120	72	22666	5.18	PPBV	#	1
42) CIS-1,2-DICHLOROETHENE	3.332	96	34605	4.77	PPBV	#	83
43) DIISOPROPYL ETHER	3.473	59	18414	5.41	PPBV		68
44) ETHYL ACETATE	3.480	61	12431	5.07	PPBV	#	35
45) METHYL ACRYLATE	3.467	55	75388	5.33	PPBV	#	97
46) CHLOROFORM	3.496	83	73067	4.98	PPBV	#	93
47) 2,4-DIMETHYLPENTANE	4.023	57	68015	5.27	PPBV		95
48) 1,1,1-TRICHLOROETHANE	4.110	97	72005	4.97	PPBV		96
49) CARBON TETRACHLORIDE	4.563	117	72408	4.89	PPBV		99
50) 1,2-DICHLOROETHANE	3.936	62	52091	5.36	PPBV	#	95
51) BENZENE	4.444	78	104846	4.93	PPBV		86
53) CYCLOHEXANE	4.666	84	45755	4.88	PPBV		86
54) 2,3-DIMETHYLPENTANE	4.936	71	24017	4.97	PPBV	#	71
55) TRICHLOROETHENE	5.402	95	46865	4.79	PPBV		97
56) 1,2-DICHLOROPROPANE	5.158	63	41972	5.21	PPBV		95
57) DIBROMOMETHANE	5.120	174	42942	4.85	PPBV		89

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25321.D
Acq On : 4 Aug 2022 9:41 pm
Operator : thomash
Sample : ic1077-5
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:40:07 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58)	ETHYL ACRYLATE	5.284	55	90278	5.09	PPBV		98
59)	BROMODICHLOROMETHANE	5.348	83	79968	5.01	PPBV		100
60)	2,2,4-TRIMETHYLPENTANE	5.499	57	186538	5.30	PPBV		98
61)	1,4-DIOXANE	5.428	88	24963	4.73	PPBV	#	86
62)	HEPTANE	5.833	43	70156	5.53	PPBV	#	79
63)	METHYL METHACRYLATE	5.730	69	40191	4.79	PPBV	#	63
64)	METHYL ISOBUTYL KETONE	6.505	58	36872	5.20	PPBV	#	70
65)	CIS-1,3-DICHLOROPROPENE	6.393	75	61001	4.81	PPBV	#	75
66)	TOLUENE	7.650	91	125852	4.74	PPBV		100
67)	1,3-DICHLOROPROPANE	7.718	76	65691	4.91	PPBV		98
68)	TRANS-1,3-DICHLOROPROPENE	7.107	75	56873	4.80	PPBV	#	77
69)	1,1,2-TRICHLOROETHANE	7.274	83	39287	4.96	PPBV		98
70)	2-HEXANONE	8.248	58	45013	5.12	PPBV	#	68
71)	ETHYL METHACRYLATE	8.380	69	64649	4.74	PPBV	#	76
72)	TETRACHLOROETHENE	9.441	164	47447	4.81	PPBV		95
73)	DIBROMOCHLOROMETHANE	8.216	129	76354	4.76	PPBV		99
74)	1,2-DIBROMOETHANE	8.566	107	70408	4.84	PPBV		98
75)	OCTANE	9.582	43	96680	5.49	PPBV	#	80
77)	1,1,1,2-TETRACHLOROETHANE	10.695	131	53472	4.67	PPBV		95
78)	CHLOROBENZENE	10.685	112	104120	4.78	PPBV		98
79)	ETHYLBENZENE	11.582	91	169901	4.76	PPBV		99
80)	M,P-XYLENE	12.023	91	260894	9.48	PPBV	#	63
81)	O-XYLENE	12.978	91	132479	4.77	PPBV		97
82)	STYRENE	12.759	104	99814	4.67	PPBV		97
83)	NONANE	14.100	43	103942	5.52	PPBV	#	79
84)	BROMOFORM	11.843	173	70364	4.76	PPBV	#	98
85)	1,1,2,2-TETRACHLOROETHANE	13.000	83	103159	4.82	PPBV		99
86)	1,2,3-TRICHLOROPROPANE	13.286	75	77791	4.87	PPBV	#	100
88)	ISOPROPYLBENZENE	14.508	120	51065	4.67	PPBV		86
89)	BROMOBENZENE	14.386	77	96418	4.79	PPBV		95
90)	2-CHLOROTOLUENE	15.534	126	46298	4.61	PPBV		99
91)	N-PROPYLBENZENE	15.868	120	51427	4.57	PPBV		99
92)	4-ETHYLTOLUENE	16.206	105	189029	4.62	PPBV		99
93)	1,3,5-TRIMETHYLBENZENE	16.351	105	155772	4.61	PPBV	#	98
94)	ALPHA-METHYLSTYRENE	16.547	118	77940	4.56	PPBV		98
95)	TERT-BUTYLBENZENE	16.801	134	38621	4.65	PPBV		100
96)	1,2,4-TRIMETHYLBENZENE	16.807	105	162703	4.64	PPBV		95
97)	BENZYL CHLORIDE	16.891	91	129671	4.23	PPBV		97
98)	M-DICHLOROBENZENE	16.868	146	109302	4.62	PPBV		99
99)	P-DICHLOROBENZENE	16.949	146	112004	4.62	PPBV		98
100)	O-DICHLOROBENZENE	17.238	146	105429	4.61	PPBV		98
101)	SEC-BUTYLBENZENE	17.077	134	47808	4.57	PPBV		98
102)	1,2,3-TRIMETHYLBENZENE	17.187	105	157744	4.65	PPBV	#	98
103)	P-ISOPROPYLTOLUENE	17.254	134	54130	4.64	PPBV		99
104)	N-BUTYLBENZENE	17.595	134	52047	4.67	PPBV		94
105)	HEXACHLOROETHANE	17.775	117	62734	4.57	PPBV		91
106)	HEXACHLOROBUTADIENE	18.810	225	88412	5.20	PPBV		99
107)	1,2,4-TRICHLOROBENZENE	18.505	180	105692	4.64	PPBV		99
108)	NAPHTHALENE	18.553	128	275457	4.60	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25321.D
Acq On : 4 Aug 2022 9:41 pm
Operator : thomash
Sample : ic1077-5
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:40:07 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



Manual Integration Approval Summary

Sample Number: V6W1077-IC1077
Lab FileID: 6W25321.D
Injection Time: 08/04/22 21:41


Method: TO-15
Analyst approved: 08/05/22 10:02 Thomas Hilbig
Supervisor approved: 08/08/22 10:23 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Dichlorodifluoromethane	75-71-8		1.76	Overlapping peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25321.D
Acq On : 4 Aug 2022 9:41 pm
Operator : thomash
Sample : ic1077-5
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:39:39 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration





TIC: 6W25321.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.760min (+0.000) 5.79PPBV


response 122401

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	31.96
50.00	9.30	21.95#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25321.D
Acq On : 4 Aug 2022 9:41 pm
Operator : thomash
Sample : ic1077-5
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:39:39 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



TIC: 6W25321.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.760min (+0.000) 5.04PPBV m

response 106484

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	36.74
50.00	9.30	25.23#
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/08/22 10:23

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25322.D
Acq On : 4 Aug 2022 10:26 pm
Operator : thomash
Sample : icc1077-10
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:44:00 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.415	128	46792	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.795	114	248358	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.605	117	220143	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.036	95	154466	10.00	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.721	65	38822	10.06	PPBV	#	81
4) CHLORODIFLUOROMETHANE	1.734	67	17709	10.28	PPBV		97
5) CHLOROTRIFLUOROETHENE	1.743	116	86829	9.38	PPBV	#	99
6) DICHLORODIFLUOROMETHANE	1.760	85	219494m	9.91	PPBV		
7) PROPYLENE	1.743	41	56537	10.90	PPBV		98
8) 1-CHLORO-1,1-DIFLUOROE...	1.798	65	218284	10.66	PPBV	#	84
9) FREON 114	1.830	85	222721	10.03	PPBV		94
10) CHLOROMETHANE	1.801	52	28590	11.64	PPBV		93
11) VINYL CHLORIDE	1.862	62	93051	10.67	PPBV		98
12) 1,3-BUTADIENE	1.901	54	75167	11.22	PPBV	#	71
13) N-BUTANE	1.914	43	151966	11.95	PPBV	#	92
14) BROMOMETHANE	1.975	94	74339	9.95	PPBV		100
15) CHLOROETHANE	2.020	64	47903	10.83	PPBV		96
16) DICHLOROFLUOROMETHANE	2.046	67	199797	10.51	PPBV	#	95
17) ACETONITRILE	2.113	41	92360	12.11	PPBV		97
18) ACROLEIN	2.152	56	36301	10.97	PPBV		98
19) FREON 123	2.165	83	189335	9.91	PPBV		99
20) FREON 123A	2.181	117	103820	9.70	PPBV	#	72
21) TRICHLOROFLUOROMETHANE	2.245	101	222374	9.76	PPBV		100
22) ISOPROPYL ALCOHOL	2.261	45	211110	11.44	PPBV	#	96
23) ACETONE	2.190	58	55001	11.20	PPBV	#	56
24) PENTANE	2.358	42	105352	11.55	PPBV	#	92
25) IODOMETHANE	2.419	142	201925	9.58	PPBV	#	80
26) 1,1-DICHLOROETHYLENE	2.448	96	79054	9.72	PPBV	#	50
27) CARBON DISULFIDE	2.592	76	250468	10.14	PPBV	#	84
28) ETHANOL	2.052	45	47291	11.70	PPBV	#	98
29) BROMOETHENE	2.120	106	74833	9.65	PPBV	#	97
30) ACRYLONITRILE	2.332	52	72286	11.37	PPBV		96
31) METHYLENE CHLORIDE	2.489	84	74759	9.94	PPBV	#	51
32) 3-CHLOROPROPENE	2.531	76	41887	9.97	PPBV	#	1
33) FREON 113	2.592	151	132848	9.37	PPBV		86
34) TRANS-1,2-DICHLOROETHENE	2.850	96	87527	9.89	PPBV	#	75
35) TERTIARY BUTYL ALCOHOL	2.464	59	223606	10.44	PPBV	#	80
36) METHYL TERTIARY BUTYL ...	2.968	73	261837	9.94	PPBV	#	91
37) TETRAHYDROFURAN	3.727	72	34440	9.67	PPBV	#	62
38) HEXANE	3.467	57	122450	10.58	PPBV	#	77
39) VINYL ACETATE	3.010	86	22914	9.56	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.933	63	173566	10.83	PPBV		99
41) METHYL ETHYL KETONE	3.116	72	47072	10.26	PPBV	#	4
42) CIS-1,2-DICHLOROETHENE	3.332	96	73148	9.62	PPBV		87
43) DIISOPROPYL ETHER	3.473	59	37802	10.60	PPBV		67
44) ETHYL ACETATE	3.480	61	26112	10.15	PPBV	#	39
45) METHYL ACRYLATE	3.467	55	156776	10.58	PPBV	#	98
46) CHLOROFORM	3.496	83	151815	9.87	PPBV	#	94
47) 2,4-DIMETHYLPENTANE	4.023	57	141942	10.49	PPBV		95
48) 1,1,1-TRICHLOROETHANE	4.110	97	148349	9.77	PPBV		96
49) CARBON TETRACHLORIDE	4.566	117	151276	9.74	PPBV		99
50) 1,2-DICHLOROETHANE	3.939	62	105862	10.38	PPBV	#	96
51) BENZENE	4.444	78	214825	9.63	PPBV		85
53) CYCLOHEXANE	4.669	84	93782	9.72	PPBV		86
54) 2,3-DIMETHYLPENTANE	4.939	71	48918	9.84	PPBV	#	68
55) TRICHLOROETHENE	5.406	95	96406	9.57	PPBV		98
56) 1,2-DICHLOROPROPANE	5.158	63	85559	10.32	PPBV		96
57) DIBROMOMETHANE	5.120	174	89212	9.79	PPBV		90

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25322.D
Acq On : 4 Aug 2022 10:26 pm
Operator : thomash
Sample : icc1077-10
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:44:00 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58) ETHYL ACRYLATE	5.284	55	192549	10.55	PPBV		97
59) BROMODICHLOROMETHANE	5.351	83	166474	10.13	PPBV		98
60) 2,2,4-TRIMETHYLPENTANE	5.499	57	384916	10.62	PPBV		97
61) 1,4-DIOXANE	5.422	88	51860	9.55	PPBV	#	84
62) HEPTANE	5.833	43	145572	11.15	PPBV	#	80
63) METHYL METHACRYLATE	5.730	69	84156	9.75	PPBV	#	64
64) METHYL ISOBUTYL KETONE	6.502	58	75979	10.42	PPBV	#	70
65) CIS-1,3-DICHLOROPROPENE	6.396	75	129426	9.92	PPBV	#	76
66) TOLUENE	7.653	91	264569	9.69	PPBV		100
67) 1,3-DICHLOROPROPANE	7.714	76	137188	9.97	PPBV	#	97
68) TRANS-1,3-DICHLOROPROPENE	7.103	75	118819	9.75	PPBV	#	78
69) 1,1,2-TRICHLOROETHANE	7.274	83	79724	9.78	PPBV		100
70) 2-HEXANONE	8.245	58	94153	10.41	PPBV	#	70
71) ETHYL METHACRYLATE	8.380	69	135444	9.65	PPBV	#	76
72) TETRACHLOROETHENE	9.444	164	98632	9.72	PPBV		96
73) DIBROMOCHLOROMETHANE	8.216	129	162523	9.86	PPBV		100
74) 1,2-DIBROMOETHANE	8.566	107	145590	9.72	PPBV		100
75) OCTANE	9.589	43	203279	11.21	PPBV	#	79
77) 1,1,1,2-TETRACHLOROETHANE	10.698	131	112918	9.58	PPBV		94
78) CHLOROBENZENE	10.685	112	214640	9.56	PPBV		96
79) ETHYLBENZENE	11.589	91	354193	9.64	PPBV		99
80) M,P-XYLENE	12.029	91	548383m	19.35	PPBV		
81) O-XYLENE	12.978	91	279711	9.78	PPBV		97
82) STYRENE	12.762	104	211077	9.58	PPBV		97
83) NONANE	14.103	43	218217	11.25	PPBV	#	78
84) BROMOFORM	11.846	173	152974	10.04	PPBV		98
85) 1,1,2,2-TETRACHLOROETHANE	12.997	83	216387	9.82	PPBV		100
86) 1,2,3-TRICHLOROPROPANE	13.280	75	161976	9.85	PPBV		100
88) ISOPROPYLBENZENE	14.511	120	108796	9.66	PPBV		88
89) BROMOBENZENE	14.386	77	201246	9.72	PPBV		95
90) 2-CHLOROTOLUENE	15.537	126	97180	9.39	PPBV		99
91) N-PROPYLBENZENE	15.868	120	110948	9.58	PPBV		94
92) 4-ETHYLTOLUENE	16.206	105	405879	9.62	PPBV		100
93) 1,3,5-TRIMETHYLBENZENE	16.354	105	328535	9.45	PPBV		99
94) ALPHA-METHYLSTYRENE	16.550	118	167145	9.49	PPBV		98
95) TERT-BUTYLBENZENE	16.801	134	84306	9.86	PPBV		99
96) 1,2,4-TRIMETHYLBENZENE	16.810	105	349884	9.70	PPBV		96
97) BENZYL CHLORIDE	16.891	91	292815	9.28	PPBV		97
98) M-DICHLOROBENZENE	16.868	146	231851	9.51	PPBV		98
99) P-DICHLOROBENZENE	16.949	146	238398	9.56	PPBV		98
100) O-DICHLOROBENZENE	17.238	146	224319	9.53	PPBV		99
101) SEC-BUTYLBENZENE	17.077	134	101517	9.43	PPBV		99
102) 1,2,3-TRIMETHYLBENZENE	17.187	105	337663	9.68	PPBV	#	98
103) P-ISOPROPYLTOLUENE	17.254	134	118147	9.83	PPBV		95
104) N-BUTYLBENZENE	17.595	134	108867	9.49	PPBV		91
105) HEXACHLOROETHANE	17.775	117	139921	9.89	PPBV		92
106) HEXACHLOROBUTADIENE	18.807	225	191682	10.95	PPBV		99
107) 1,2,4-TRICHLOROBENZENE	18.505	180	231572	9.87	PPBV		99
108) NAPHTHALENE	18.553	128	594992	9.65	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25322.D
Acq On : 4 Aug 2022 10:26 pm
Operator : thomash
Sample : icc1077-10
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:44:00 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number:	V6W1077-ICC1077	**Method:**	TO-15
Lab FileID:	6W25322.D	**Analyst approved:**	08/05/22 10:02 Thomas Hilbig
Injection Time:	08/04/22 22:26	**Supervisor approved:**	08/08/22 10:23 Kanya Veerawat

Parameter	CAS	Sig#	R.T. (min.)	Reason
Dichlorodifluoromethane	75-71-8		1.76	Overlapping peak
m,p-Xylene			12.03	Split peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25322.D
Acq On : 4 Aug 2022 10:26 pm
Operator : thomash
Sample : icc1077-10
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:42:05 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



TIC: 6W25322.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.760min (+0.000) 9.91PPBV m


response 219494

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	36.74
50.00	9.30	25.30#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25322.D
Acq On : 4 Aug 2022 10:26 pm
Operator : thomash
Sample : icc1077-10
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:42:05 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



TIC: 6W25322.D\data.ms

(80) M,P-XYLENE (t)

11.978min (-0.051) 11.07PPBV


response 313719

Ion	Exp%	Act%
91.10	100	100
106.10	51.50	44.32
105.10	23.60	19.37
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25322.D
Acq On : 4 Aug 2022 10:26 pm
Operator : thomash
Sample : icc1077-10
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:42:05 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



TIC: 6W25322.D\data.ms

(80) M,P-XYLENE (t)

12.029min (+0.000) 19.35PPBV m


response 548383


Ion	Exp%	Act%
91.10	100	100
106.10	51.50	25.36#
105.10	23.60	11.08
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\Raw Data\
Data File : 6W25322.D
Acq On : 4 Aug 2022 10:26 pm
Operator : thomash
Sample : icc1077-10
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 09:59:07 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration





TIC: 6W25322.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.760min (-0.000) 11.21PPBV

response 251374

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	32.08
50.00	9.30	21.99#
0.00	0.00	0.00

6W25323.D

Manual Integrations APPROVED (compounds with "m" flag)

Kanya Veerawat 08/08/22 10:23

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25323.D
Acq On : 4 Aug 2022 11:14 pm
Operator : thomash
Sample : ic1077-20
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:46:06 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.412	128	47197	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.792	114	247829	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.605	117	218360	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.036	95	153142	10.00	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.721	65	80142	20.58	PPBV	#	81
4) CHLORODIFLUOROMETHANE	1.731	67	36589	21.05	PPBV		96
5) CHLOROTRIFLUOROETHENE	1.744	116	176516	18.90	PPBV	#	100
6) DICHLORODIFLUOROMETHANE	1.760	85	424890m	19.01	PPBV		
7) PROPYLENE	1.740	41	116034	22.19	PPBV		98
8) 1-CHLORO-1,1-DIFLUOROE...	1.795	65	451242	21.85	PPBV	#	85
9) FREON 114	1.830	85	461804	20.63	PPBV		93
10) CHLOROMETHANE	1.801	52	56957	22.99	PPBV		93
11) VINYL CHLORIDE	1.863	62	194567	22.13	PPBV		97
12) 1,3-BUTADIENE	1.898	54	153442	22.71	PPBV	#	70
13) N-BUTANE	1.914	43	309712	24.15	PPBV	#	92
14) BROMOMETHANE	1.972	94	153442	20.36	PPBV		99
15) CHLOROETHANE	2.020	64	98448	22.06	PPBV		95
16) DICHLOROFLUOROMETHANE	2.046	67	409965	21.39	PPBV	#	95
17) ACETONITRILE	2.110	41	186787	24.27	PPBV		95
18) ACROLEIN	2.149	56	75132	22.51	PPBV		100
19) FREON 123	2.165	83	390500	20.27	PPBV		98
20) FREON 123A	2.181	117	214560	19.88	PPBV	#	73
21) TRICHLOROFLUOROMETHANE	2.245	101	460738	20.05	PPBV		100
22) ISOPROPYL ALCOHOL	2.261	45	426995	22.93	PPBV	#	97
23) ACETONE	2.187	58	111318	22.47	PPBV	#	54
24) PENTANE	2.358	42	218328	23.73	PPBV	#	93
25) IODOMETHANE	2.419	142	416538	19.59	PPBV	#	80
26) 1,1-DICHLOROETHYLENE	2.448	96	163521	19.93	PPBV	#	52
27) CARBON DISULFIDE	2.592	76	521364	20.93	PPBV	#	84
28) ETHANOL	2.049	45	95993	23.54	PPBV	#	96
29) BROMOETHENE	2.120	106	155107	19.83	PPBV	#	97
30) ACRYLONITRILE	2.329	52	146754	22.89	PPBV		96
31) METHYLENE CHLORIDE	2.486	84	152805	20.15	PPBV	#	53
32) 3-CHLOROPROPENE	2.531	76	87215	20.58	PPBV	#	1
33) FREON 113	2.589	151	277793	19.43	PPBV		87
34) TRANS-1,2-DICHLOROETHENE	2.846	96	179558	20.12	PPBV	#	75
35) TERTIARY BUTYL ALCOHOL	2.461	59	458757	21.24	PPBV	#	80
36) METHYL TERTIARY BUTYL ...	2.965	73	538778	20.28	PPBV	#	92
37) TETRAHYDROFURAN	3.721	72	71300	19.86	PPBV	#	64
38) HEXANE	3.467	57	253281	21.69	PPBV	#	77
39) VINYL ACETATE	3.010	86	50767	21.00	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.930	63	355239	21.97	PPBV		99
41) METHYL ETHYL KETONE	3.116	72	94733	20.48	PPBV	#	5
42) CIS-1,2-DICHLOROETHENE	3.332	96	148217	19.32	PPBV	#	84
43) DIISOPROPYL ETHER	3.473	59	79319	22.05	PPBV		71
44) ETHYL ACETATE	3.480	61	54879	21.15	PPBV	#	44
45) METHYL ACRYLATE	3.467	55	329997	22.07	PPBV	#	97
46) CHLOROFORM	3.496	83	310401	20.01	PPBV	#	94
47) 2,4-DIMETHYLPENTANE	4.023	57	292598	21.44	PPBV		95
48) 1,1,1-TRICHLOROETHANE	4.110	97	307602	20.08	PPBV		96
49) CARBON TETRACHLORIDE	4.563	117	319846	20.42	PPBV		98
50) 1,2-DICHLOROETHANE	3.936	62	218485	21.25	PPBV	#	95
51) BENZENE	4.444	78	442215	19.66	PPBV		86
53) CYCLOHEXANE	4.666	84	193999	20.16	PPBV		85
54) 2,3-DIMETHYLPENTANE	4.940	71	101231	20.41	PPBV	#	68
55) TRICHLOROETHENE	5.403	95	199872	19.88	PPBV		98
56) 1,2-DICHLOROPROPANE	5.158	63	177997	21.52	PPBV		96
57) DIBROMOMETHANE	5.116	174	184490	20.28	PPBV		90

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25323.D
Acq On : 4 Aug 2022 11:14 pm
Operator : thomash
Sample : ic1077-20
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:46:06 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58)	ETHYL ACRYLATE	5.284	55	400515	21.99	PPBV		98
59)	BROMODICHLOROMETHANE	5.351	83	342541	20.89	PPBV		99
60)	2,2,4-TRIMETHYLPENTANE	5.499	57	793063	21.93	PPBV		97
61)	1,4-DIOXANE	5.419	88	105910	19.55	PPBV	#	86
62)	HEPTANE	5.833	43	300526	23.07	PPBV	#	80
63)	METHYL METHACRYLATE	5.727	69	177619	20.62	PPBV	#	65
64)	METHYL ISOBUTYL KETONE	6.502	58	157307	21.63	PPBV	#	70
65)	CIS-1,3-DICHLOROPROPENE	6.396	75	268944	20.65	PPBV	#	76
66)	TOLUENE	7.653	91	542713	19.91	PPBV		100
67)	1,3-DICHLOROPROPANE	7.718	76	280212	20.41	PPBV	#	98
68)	TRANS-1,3-DICHLOROPROPENE	7.107	75	253438	20.84	PPBV	#	78
69)	1,1,2-TRICHLOROETHANE	7.274	83	164824	20.25	PPBV		99
70)	2-HEXANONE	8.242	58	196570	21.79	PPBV	#	71
71)	ETHYL METHACRYLATE	8.383	69	282008	20.13	PPBV	#	76
72)	TETRACHLOROETHENE	9.444	164	202319	19.98	PPBV		95
73)	DIBROMOCHLOROMETHANE	8.219	129	343034	20.85	PPBV		99
74)	1,2-DIBROMOETHANE	8.570	107	302112	20.21	PPBV		100
75)	OCTANE	9.586	43	418277	23.13	PPBV	#	80
77)	1,1,1,2-TETRACHLOROETHANE	10.701	131	236743	20.24	PPBV		94
78)	CHLOROBENZENE	10.689	112	446149	20.04	PPBV		98
79)	ETHYLBENZENE	11.589	91	737010	20.22	PPBV		99
80)	M,P-XYLENE	12.029	91	1137198	40.45	PPBV	#	63
81)	O-XYLENE	12.981	91	575238	20.27	PPBV		98
82)	STYRENE	12.766	104	440587	20.16	PPBV		96
83)	NONANE	14.100	43	446282	23.19	PPBV	#	78
84)	BROMOFORM	11.846	173	326605	21.61	PPBV		98
85)	1,1,2,2-TETRACHLOROETHANE	13.004	83	450382	20.61	PPBV		100
86)	1,2,3-TRICHLOROPROPANE	13.290	75	336113	20.60	PPBV	#	100
88)	ISOPROPYLBENZENE	14.515	120	224152	20.06	PPBV		87
89)	BROMOBENZENE	14.389	77	421482	20.52	PPBV		94
90)	2-CHLOROTOLUENE	15.537	126	204927	19.97	PPBV		98
91)	N-PROPYLBENZENE	15.872	120	228812	19.92	PPBV		99
92)	4-ETHYLTOLUENE	16.209	105	848728	20.29	PPBV		100
93)	1,3,5-TRIMETHYLBENZENE	16.357	105	705951	20.47	PPBV		98
94)	ALPHA-METHYLSTYRENE	16.550	118	357819	20.48	PPBV		98
95)	TERT-BUTYLBENZENE	16.804	134	173048	20.41	PPBV		97
96)	1,2,4-TRIMETHYLBENZENE	16.814	105	748477	20.91	PPBV		93
97)	BENZYL CHLORIDE	16.894	91	660483	21.10	PPBV		97
98)	M-DICHLOROBENZENE	16.872	146	488346	20.20	PPBV		98
99)	P-DICHLOROBENZENE	16.952	146	501325	20.26	PPBV		99
100)	O-DICHLOROBENZENE	17.241	146	479793	20.55	PPBV		98
101)	SEC-BUTYLBENZENE	17.077	134	216837	20.31	PPBV		99
102)	1,2,3-TRIMETHYLBENZENE	17.190	105	725851	20.97	PPBV	#	98
103)	P-ISOPROPYLTOLUENE	17.254	134	255319	21.41	PPBV		95
104)	N-BUTYLBENZENE	17.598	134	240696	21.16	PPBV		93
105)	HEXACHLOROETHANE	17.778	117	310425	22.12	PPBV		92
106)	HEXACHLOROBUTADIENE	18.807	225	446278	25.69	PPBV		99
107)	1,2,4-TRICHLOROBENZENE	18.505	180	517715	22.24	PPBV		98
108)	NAPHTHALENE	18.553	128	1297725	21.21	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25323.D
Acq On : 4 Aug 2022 11:14 pm
Operator : thomash
Sample : ic1077-20
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:46:06 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number:	V6W1077-IC1077	**Method:**	TO-15
Lab FileID:	6W25323.D	**Analyst approved:**	08/05/22 10:02 Thomas Hilbig
Injection Time:	08/04/22 23:14	**Supervisor approved:**	08/08/22 10:23 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Dichlorodifluoromethane	75-71-8		1.76	Overlapping peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25323.D
Acq On : 4 Aug 2022 11:14 pm
Operator : thomash
Sample : ic1077-20
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:45:32 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration





TIC: 6W25323.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.760min (+0.000) 21.64PPBV


response 483552


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	32.23
50.00	9.30	22.06#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25323.D
Acq On : 4 Aug 2022 11:14 pm
Operator : thomash
Sample : ic1077-20
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:45:32 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration





TIC: 6W25323.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.760min (+0.000) 19.01PPBV m

response 424890

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	36.69
50.00	9.30	25.11#
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/08/22 10:23

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25324.D
Acq On : 5 Aug 2022 12:05 am
Operator : thomash
Sample : ic1077-40
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:48:25 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.415	128	51457	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.791	114	252022	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.611	117	222394	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.035	95	159073	10.20	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.721	65	167314m	39.41	PPBV		
4) CHLORODIFLUOROMETHANE	1.734	67	75640	39.92	PPBV		99
5) CHLOROTRIFLUOROETHENE	1.743	116	376941	37.02	PPBV	#	100
6) DICHLORODIFLUOROMETHANE	1.759	85	790122m	32.43	PPBV		
7) PROPYLENE	1.743	41	246106	43.17	PPBV		97
8) 1-CHLORO-1,1-DIFLUOROE...	1.798	65	941405	41.80	PPBV	#	86
9) FREON 114	1.830	85	980558	40.17	PPBV		93
10) CHLOROMETHANE	1.801	52	117596	43.53	PPBV		91
11) VINYL CHLORIDE	1.862	62	402312	41.97	PPBV		97
12) 1,3-BUTADIENE	1.901	54	320102	43.46	PPBV	#	70
13) N-BUTANE	1.914	43	643305	46.01	PPBV	#	92
14) BROMOMETHANE	1.975	94	318811	38.80	PPBV		100
15) CHLOROETHANE	2.020	64	206500	42.44	PPBV		97
16) DICHLOROFLUOROMETHANE	2.046	67	867466	41.51	PPBV	#	94
17) ACETONITRILE	2.113	41	389793	46.46	PPBV		97
18) ACROLEIN	2.152	56	154949	42.58	PPBV		98
19) FREON 123	2.168	83	825981	39.33	PPBV		99
20) FREON 123A	2.184	117	458263	38.95	PPBV	#	74
21) TRICHLOROFLUOROMETHANE	2.245	101	980200	39.13	PPBV		99
22) ISOPROPYL ALCOHOL	2.261	45	874592	43.08	PPBV	#	98
23) ACETONE	2.190	58	234733	43.45	PPBV	#	55
24) PENTANE	2.357	42	451730	45.04	PPBV	#	92
25) IODOMETHANE	2.422	142	885173	38.19	PPBV	#	80
26) 1,1-DICHLOROETHYLENE	2.447	96	344299	38.49	PPBV	#	50
27) CARBON DISULFIDE	2.592	76	1116880	41.12	PPBV	#	85
28) ETHANOL	2.049	45	197012	44.31	PPBV		97
29) BROMOETHENE	2.120	106	323066	37.89	PPBV	#	97
30) ACRYLONITRILE	2.332	52	303106	43.37	PPBV		96
31) METHYLENE CHLORIDE	2.489	84	320065	38.70	PPBV	#	55
32) 3-CHLOROPROPENE	2.531	76	184463	39.92	PPBV	#	1
33) FREON 113	2.592	151	595278	38.18	PPBV		86
34) TRANS-1,2-DICHLOROETHENE	2.849	96	380433	39.10	PPBV	#	76
35) TERTIARY BUTYL ALCOHOL	2.460	59	956482	40.62	PPBV	#	79
36) METHYL TERTIARY BUTYL ...	2.968	73	1138098	39.28	PPBV	#	91
37) TETRAHYDROFURAN	3.721	72	150264	38.38	PPBV	#	64
38) HEXANE	3.467	57	544217	42.75	PPBV	#	77
39) VINYL ACETATE	3.010	86	108110	41.02	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.933	63	744076	42.21	PPBV		99
41) METHYL ETHYL KETONE	3.116	72	199462	39.54	PPBV	#	8
42) CIS-1,2-DICHLOROETHENE	3.332	96	393345	47.02	PPBV	#	74
43) DIISOPROPYL ETHER	3.476	59	168118	42.86	PPBV		67
44) ETHYL ACETATE	3.483	61	117652	41.58	PPBV	#	42
45) METHYL ACRYLATE	3.467	55	713783	43.79	PPBV	#	97
46) CHLOROFORM	3.499	83	660724	39.07	PPBV	#	95
47) 2,4-DIMETHYLPENTANE	4.023	57	621347	41.76	PPBV		95
48) 1,1,1-TRICHLOROETHANE	4.113	97	655640	39.26	PPBV		96
49) CARBON TETRACHLORIDE	4.566	117	679873	39.81	PPBV		99
50) 1,2-DICHLOROETHANE	3.939	62	462042	41.21	PPBV	#	95
51) BENZENE	4.447	78	940544	38.35	PPBV		86
53) CYCLOHEXANE	4.666	84	411471	42.04	PPBV		85
54) 2,3-DIMETHYLPENTANE	4.939	71	214295	42.48	PPBV	#	68
55) TRICHLOROETHENE	5.409	95	427263	41.80	PPBV		98
56) 1,2-DICHLOROPROPANE	5.161	63	375778	44.67	PPBV		96
57) DIBROMOMETHANE	5.119	174	393567	42.55	PPBV		90

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25324.D
Acq On : 5 Aug 2022 12:05 am
Operator : thomash
Sample : ic1077-40
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:48:25 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58)	ETHYL ACRYLATE	5.287	55	852425	46.03	PPBV		98
59)	BROMODICHLOROMETHANE	5.357	83	730804	43.83	PPBV		99
60)	2,2,4-TRIMETHYLPENTANE	5.502	57	1684543	45.81	PPBV		98
61)	1,4-DIOXANE	5.418	88	224773	40.81	PPBV	#	83
62)	HEPTANE	5.836	43	632032	47.71	PPBV	#	81
63)	METHYL METHACRYLATE	5.730	69	375452	42.86	PPBV	#	65
64)	METHYL ISOBUTYL KETONE	6.505	58	331921	44.87	PPBV	#	71
65)	CIS-1,3-DICHLOROPROPENE	6.396	75	578594	43.69	PPBV	#	76
66)	TOLUENE	7.656	91	1155848	41.70	PPBV		100
67)	1,3-DICHLOROPROPANE	7.721	76	595322	42.63	PPBV	#	98
68)	TRANS-1,3-DICHLOROPROPENE	7.110	75	548481	44.35	PPBV	#	79
69)	1,1,2-TRICHLOROETHANE	7.277	83	351605	42.49	PPBV		99
70)	2-HEXANONE	8.248	58	415747	45.32	PPBV	#	71
71)	ETHYL METHACRYLATE	8.386	69	605237	42.48	PPBV	#	76
72)	TETRACHLOROETHENE	9.447	164	433967	42.15	PPBV		96
73)	DIBROMOCHLOROMETHANE	8.222	129	740322	44.24	PPBV		99
74)	1,2-DIBROMOETHANE	8.579	107	641800	42.23	PPBV		100
75)	OCTANE	9.592	43	888077	48.28	PPBV	#	80
77)	1,1,1,2-TETRACHLOROETHANE	10.711	131	510561	42.86	PPBV		94
78)	CHLOROBENZENE	10.695	112	954238	42.08	PPBV		98
79)	ETHYLBENZENE	11.595	91	1569621	42.28	PPBV		99
80)	M,P-XYLENE	12.036	91	2430231m	84.87	PPBV		
81)	O-XYLENE	12.990	91	1230020	42.55	PPBV		97
82)	STYRENE	12.769	104	943477	42.40	PPBV		96
83)	NONANE	14.109	43	948852	48.41	PPBV	#	77
84)	BROMOFORM	11.852	173	712871	46.31	PPBV		99
85)	1,1,2,2-TETRACHLOROETHANE	13.010	83	966564	43.42	PPBV		100
86)	1,2,3-TRICHLOROPROPANE	13.296	75	718280	43.22	PPBV	#	100
88)	ISOPROPYLBENZENE	14.524	120	483235	42.47	PPBV		88
89)	BROMOBENZENE	14.399	77	893556	42.71	PPBV		95
90)	2-CHLOROTOLUENE	15.540	126	437565	41.87	PPBV		99
91)	N-PROPYLBENZENE	15.884	120	491467	42.01	PPBV		99
92)	4-ETHYLTOLUENE	16.212	105	1848091	43.38	PPBV		100
93)	1,3,5-TRIMETHYLBENZENE	16.360	105	1553812	44.24	PPBV		98
94)	ALPHA-METHYLSTYRENE	16.556	118	784003	44.07	PPBV		98
95)	TERT-BUTYLBENZENE	16.807	134	387015	44.82	PPBV		97
96)	1,2,4-TRIMETHYLBENZENE	16.817	105	1699626	46.62	PPBV		92
97)	BENZYL CHLORIDE	16.897	91	1535145	48.15	PPBV	#	97
98)	M-DICHLOROBENZENE	16.875	146	1077373	43.76	PPBV		98
99)	P-DICHLOROBENZENE	16.955	146	1099820	43.64	PPBV		98
100)	O-DICHLOROBENZENE	17.244	146	1088901	45.79	PPBV		98
101)	SEC-BUTYLBENZENE	17.080	134	484541	44.55	PPBV		97
102)	1,2,3-TRIMETHYLBENZENE	17.193	105	1635987	46.40	PPBV	#	97
103)	P-ISOPROPYLTOLUENE	17.257	134	561384	46.22	PPBV		97
104)	N-BUTYLBENZENE	17.601	134	541860	46.78	PPBV		91
105)	HEXACHLOROETHANE	17.778	117	736445	51.53	PPBV		92
106)	HEXACHLOROBUTADIENE	18.810	225	1112623	62.89	PPBV		99
107)	1,2,4-TRICHLOROBENZENE	18.508	180	1241709	52.38	PPBV		98
108)	NAPHTHALENE	18.556	128	3055760	49.04	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25324.D
Acq On : 5 Aug 2022 12:05 am
Operator : thomash
Sample : ic1077-40
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:48:25 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



Manual Integration Approval Summary

Sample Number: V6W1077-IC1077
Lab FileID: 6W25324.D
Injection Time: 08/05/22 00:05


Method: TO-15
Analyst approved: 08/05/22 10:02 Thomas Hilbig
Supervisor approved: 08/08/22 10:23 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Freon 152A	75-37-6		1.72	Missed peak
Dichlorodifluoromethane	75-71-8		1.76	Overlapping peak
m,p-Xylene			12.04	Split peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25324.D
Acq On : 5 Aug 2022 12:05 am
Operator : thomash
Sample : ic1077-40
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:47:15 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration





TIC: 6W25324.D\data.ms

(3) FREON 152A (T)

1.721min (-1.721) 0.00PPBV

response 0


Ion	Exp%	Act%
65.10	100	0.00
45.10	22.90	0.00#
0.00	0.00	0.00
0.00	0.00	0.00


6W25324.D edits: FREON 152A


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25324.D
Acq On : 5 Aug 2022 12:05 am
Operator : thomash
Sample : ic1077-40
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:47:15 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration







TIC: 6W25324.D\data.ms

(3) FREON 152A (T)

1.721min (-0.000) 39.41PPBV m


response 167314

Ion	Exp%	Act%
65.10	100	100
45.10	22.90	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25324.D
Acq On : 5 Aug 2022 12:05 am
Operator : thomash
Sample : ic1077-40
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:47:15 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



TIC: 6W25324.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.759min (-0.000) 37.96PPBV


response 924885

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	32.15
50.00	9.30	22.67#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25324.D
Acq On : 5 Aug 2022 12:05 am
Operator : thomash
Sample : ic1077-40
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:47:15 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



TIC: 6W25324.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.759min (-0.000) 32.43PPBV m


response 790122


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	37.64
50.00	9.30	26.53#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25324.D
Acq On : 5 Aug 2022 12:05 am
Operator : thomash
Sample : ic1077-40
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:47:15 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration







TIC: 6W25324.D\data.ms

(80) M,P-XYLENE (t)

11.991min (-0.039) 50.48PPBV


response 1445449


Ion	Exp%	Act%
91.10	100	100
106.10	51.50	39.44
105.10	23.60	17.43
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25324.D
Acq On : 5 Aug 2022 12:05 am
Operator : thomash
Sample : ic1077-40
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:48:25 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration





TIC: 6W25324.D\data.ms

(80) M,P-XYLENE (t)

12.036min (+0.006) 84.87PPBV m

response 2430231

Ion	Exp%	Act%
91.10	100	100
106.10	51.50	23.46#
105.10	23.60	10.37
0.00	0.00	0.00

6W25324.D edits: M,P-XYLENE

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/08/22 10:23

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25325.D
Acq On : 5 Aug 2022 12:59 am
Operator : thomash
Sample : ic1077-50
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:51:36 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.412	128	58685	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.792	114	246613	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.611	117	217461	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.039	95	156658	10.27	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.721	65	213475	44.09	PPBV	#	82
4) CHLORODIFLUOROMETHANE	1.731	67	96417	44.62	PPBV		97
5) CHLOROTRIFLUOROETHENE	1.743	116	483505	41.64	PPBV	#	100
6) DICHLORODIFLUOROMETHANE	1.759	85	983363m	35.39	PPBV		
7) PROPYLENE	1.740	41	311891	47.97	PPBV		97
8) 1-CHLORO-1,1-DIFLUOROE...	1.795	65	1193064	46.45	PPBV	#	86
9) FREON 114	1.830	85	1245801	44.75	PPBV		93
10) CHLOROMETHANE	1.801	52	149159	48.41	PPBV		94
11) VINYL CHLORIDE	1.859	62	507187	46.39	PPBV		97
12) 1,3-BUTADIENE	1.898	54	403159	47.99	PPBV	#	71
13) N-BUTANE	1.914	43	804324	50.44	PPBV	#	93
14) BROMOMETHANE	1.972	94	402363	42.94	PPBV		100
15) CHLOROETHANE	2.020	64	256713	46.26	PPBV		94
16) DICHLOROFLUOROMETHANE	2.046	67	1096156	45.99	PPBV	#	95
17) ACETONITRILE	2.110	41	489221	51.13	PPBV		97
18) ACROLEIN	2.149	56	196622	47.37	PPBV		99
19) FREON 123	2.165	83	1048575	43.78	PPBV		98
20) FREON 123A	2.181	117	578238	43.09	PPBV	#	73
21) TRICHLOROFLUOROMETHANE	2.242	101	1246110	43.62	PPBV		100
22) ISOPROPYL ALCOHOL	2.258	45	1123113	48.51	PPBV	#	97
23) ACETONE	2.187	58	294371	47.78	PPBV	#	54
24) PENTANE	2.358	42	567871	49.64	PPBV	#	92
25) IODOMETHANE	2.419	142	1124681	42.55	PPBV	#	80
26) 1,1-DICHLOROETHYLENE	2.448	96	435854	42.73	PPBV	#	50
27) CARBON DISULFIDE	2.589	76	1417074	45.74	PPBV	#	85
28) ETHANOL	2.049	45	250721	49.44	PPBV		98
29) BROMOETHENE	2.120	106	411976	42.37	PPBV	#	97
30) ACRYLONITRILE	2.329	52	381496	47.86	PPBV		97
31) METHYLENE CHLORIDE	2.486	84	400283	42.44	PPBV	#	54
32) 3-CHLOROPROPENE	2.531	76	231070	43.85	PPBV	#	1
33) FREON 113	2.589	151	759082	42.69	PPBV		87
34) TRANS-1,2-DICHLOROETHENE	2.846	96	480941	43.34	PPBV	#	76
35) TERTIARY BUTYL ALCOHOL	2.457	59	1227994	45.73	PPBV	#	79
36) METHYL TERTIARY BUTYL ...	2.965	73	1456314	44.08	PPBV	#	92
37) TETRAHYDROFURAN	3.721	72	189189	42.37	PPBV	#	63
38) HEXANE	3.467	57	753556	51.90	PPBV	#	76
39) VINYL ACETATE	3.010	86	138383	46.04	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.933	63	934634	46.49	PPBV		99
41) METHYL ETHYL KETONE	3.113	72	251318	43.69	PPBV	#	8
42) CIS-1,2-DICHLOROETHENE	3.332	96	498177	52.22	PPBV	#	74
43) DIISOPROPYL ETHER	3.476	59	224437	50.17	PPBV		71
44) ETHYL ACETATE	3.483	61	152917	47.39	PPBV	#	37
45) METHYL ACRYLATE	3.467	55	990552	53.29	PPBV	#	97
46) CHLOROFORM	3.499	83	842698	43.69	PPBV	#	94
47) 2,4-DIMETHYLPENTANE	4.023	57	787000	46.38	PPBV		96
48) 1,1,1-TRICHLOROETHANE	4.110	97	835477	43.87	PPBV		96
49) CARBON TETRACHLORIDE	4.563	117	868396	44.58	PPBV		99
50) 1,2-DICHLOROETHANE	3.936	62	584945	45.75	PPBV	#	95
51) BENZENE	4.444	78	1190501	42.56	PPBV		86
53) CYCLOHEXANE	4.666	84	525910	54.91	PPBV		86
54) 2,3-DIMETHYLPENTANE	4.939	71	271195	54.94	PPBV	#	68
55) TRICHLOROETHENE	5.406	95	541690	54.15	PPBV		98
56) 1,2-DICHLOROPROPANE	5.161	63	479850	58.29	PPBV		96
57) DIBROMOMETHANE	5.119	174	500899	55.34	PPBV		90

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25325.D
Acq On : 5 Aug 2022 12:59 am
Operator : thomash
Sample : ic1077-50
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:51:36 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58)	ETHYL ACRYLATE	5.287	55	1082788	59.75	PPBV		98
59)	BROMODICHLOROMETHANE	5.357	83	929950	56.99	PPBV		100
60)	2,2,4-TRIMETHYLPENTANE	5.502	57	2137111	59.39	PPBV		98
61)	1,4-DIOXANE	5.418	88	289108	53.64	PPBV	#	84
62)	HEPTANE	5.836	43	801894	61.86	PPBV	#	80
63)	METHYL METHACRYLATE	5.734	69	475695	55.50	PPBV	#	65
64)	METHYL ISOBUTYL KETONE	6.505	58	422046	58.31	PPBV	#	71
65)	CIS-1,3-DICHLOROPROPENE	6.396	75	740894	57.17	PPBV	#	76
66)	TOLUENE	7.660	91	1466951	54.08	PPBV		100
67)	1,3-DICHLOROPROPANE	7.724	76	755452	55.28	PPBV		99
68)	TRANS-1,3-DICHLOROPROPENE	7.110	75	702340	58.04	PPBV	#	79
69)	1,1,2-TRICHLOROETHANE	7.280	83	443669	54.79	PPBV		98
70)	2-HEXANONE	8.248	58	529596	58.99	PPBV	#	72
71)	ETHYL METHACRYLATE	8.389	69	777839	55.80	PPBV	#	77
72)	TETRACHLOROETHENE	9.450	164	552866	54.88	PPBV		96
73)	DIBROMOCHLOROMETHANE	8.222	129	946022	57.78	PPBV		99
74)	1,2-DIBROMOETHANE	8.579	107	818185	55.01	PPBV		99
75)	OCTANE	9.592	43	1125874	62.55	PPBV	#	81
77)	1,1,1,2-TETRACHLOROETHANE	10.711	131	651904	55.96	PPBV		94
78)	CHLOROBENZENE	10.698	112	1215189	54.80	PPBV		98
79)	ETHYLBENZENE	11.595	91	1988171	54.76	PPBV		99
80)	M,P-XYLENE	12.039	91	3080290m	110.01	PPBV		
81)	O-XYLENE	12.991	91	1569123	55.51	PPBV		97
82)	STYRENE	12.772	104	1197406	55.03	PPBV		96
83)	NONANE	14.116	43	1200760	62.66	PPBV	#	78
84)	BROMOFORM	11.859	173	911191	60.54	PPBV		99
85)	1,1,2,2-TETRACHLOROETHANE	13.013	83	1230691	56.55	PPBV		100
86)	1,2,3-TRICHLOROPROPANE	13.299	75	911447	56.09	PPBV	#	100
88)	ISOPROPYLBENZENE	14.527	120	614760	55.25	PPBV		88
89)	BROMOBENZENE	14.402	77	1141875	55.81	PPBV		94
90)	2-CHLOROTOLUENE	15.547	126	554105	54.22	PPBV		99
91)	N-PROPYLBENZENE	15.884	120	626559	54.77	PPBV		98
92)	4-ETHYLTOLUENE	16.215	105	2352426	56.47	PPBV		100
93)	1,3,5-TRIMETHYLBENZENE	16.363	105	1964909	57.21	PPBV		98
94)	ALPHA-METHYLSTYRENE	16.553	118	1000007	57.48	PPBV		98
95)	TERT-BUTYLBENZENE	16.810	134	501843	59.43	PPBV		96
96)	1,2,4-TRIMETHYLBENZENE	16.820	105	2234022	62.67	PPBV		92
97)	BENZYL CHLORIDE	16.900	91	2027730	65.04	PPBV	#	97
98)	M-DICHLOROBENZENE	16.878	146	1393361	57.88	PPBV		98
99)	P-DICHLOROBENZENE	16.958	146	1435481	58.25	PPBV		98
100)	O-DICHLOROBENZENE	17.248	146	1431945	61.58	PPBV		97
101)	SEC-BUTYLBENZENE	17.080	134	635713	59.78	PPBV		99
102)	1,2,3-TRIMETHYLBENZENE	17.196	105	2096930	60.82	PPBV	#	97
103)	P-ISOPROPYLTOLUENE	17.257	134	743379	62.59	PPBV		97
104)	N-BUTYLBENZENE	17.601	134	715427	63.16	PPBV		90
105)	HEXACHLOROETHANE	17.778	117	977554	69.95	PPBV		92
106)	HEXACHLOROBUTADIENE	18.810	225	1496860	86.53	PPBV		98
107)	1,2,4-TRICHLOROBENZENE	18.511	180	1670997	72.09	PPBV		98
108)	NAPHTHALENE	18.559	128	4184654	68.67	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25325.D
Acq On : 5 Aug 2022 12:59 am
Operator : thomash
Sample : ic1077-50
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:51:36 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



Manual Integration Approval Summary

Sample Number: V6W1077-IC1077
Lab FileID: 6W25325.D
Injection Time: 08/05/22 00:59


Method: TO-15
Analyst approved: 08/05/22 10:02 Thomas Hilbig
Supervisor approved: 08/08/22 10:23 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Dichlorodifluoromethane	75-71-8		1.76	Overlapping peak
m,p-Xylene			12.04	Split peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25325.D
Acq On : 5 Aug 2022 12:59 am
Operator : thomash
Sample : ic1077-50
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:50:26 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration





TIC: 6W25325.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.759min (-0.000) 41.17PPBV


response 1143874

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	32.01
50.00	9.30	22.87#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25325.D
Acq On : 5 Aug 2022 12:59 am
Operator : thomash
Sample : ic1077-50
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:50:26 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



TIC: 6W25325.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.759min (-0.000) 35.39PPBV m


response 983363

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	37.23
50.00	9.30	26.61#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25325.D
Acq On : 5 Aug 2022 12:59 am
Operator : thomash
Sample : ic1077-50
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:50:26 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration



TIC: 6W25325.D\data.ms

(80) M,P-XYLENE (t)

11.997min (-0.032) 62.71PPBV


response 1755795


Ion	Exp%	Act%
91.10	100	100
106.10	51.50	44.27
105.10	23.60	19.55
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25325.D
Acq On : 5 Aug 2022 12:59 am
Operator : thomash
Sample : ic1077-50
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 05 08:51:36 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Aug 04 14:12:06 2022
Response via : Initial Calibration





TIC: 6W25325.D\data.ms

(80) M,P-XYLENE (t)

12.039min (+0.010) 110.01PPBV m

response 3080290

Ion	Exp%	Act%
91.10	100	100
106.10	51.50	25.24#
105.10	23.60	11.14
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/08/22 10:23

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25328.D
Acq On : 5 Aug 2022 3:17 am
Operator : thomash
Sample : icv1077-10
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 05 09:00:41 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.412	128	46434	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.792	114	243152	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.608	117	215434	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.032	95	151470	10.02	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.721	65	39307	9.44	PPBV	#	81
4) CHLORODIFLUOROMETHANE	1.734	67	17560	9.38	PPBV		97
5) CHLOROTRIFLUOROETHENE	1.743	116	87800	9.68	PPBV	#	100
6) DICHLORODIFLUOROMETHANE	1.760	85	226980m	10.20	PPBV		
7) PROPYLENE	1.740	41	59308	9.60	PPBV		96
8) 1-CHLORO-1,1-DIFLUOROE...	1.795	65	223700	9.42	PPBV	#	85
9) FREON 114	1.830	85	229060	9.45	PPBV		92
10) CHLOROMETHANE	1.801	52	28615	10.01	PPBV		91
11) VINYL CHLORIDE	1.862	62	96113	9.21	PPBV		97
12) 1,3-BUTADIENE	1.898	54	76996	9.97	PPBV	#	72
13) N-BUTANE	1.914	43	153635	8.98	PPBV	#	90
14) BROMOMETHANE	1.972	94	75730	9.05	PPBV		99
15) CHLOROETHANE	2.020	64	49171	8.79	PPBV		95
16) DICHLOROFLUOROMETHANE	2.046	67	200514	9.30	PPBV	#	94
17) ACETONITRILE	2.113	41	89246	8.91	PPBV		96
18) ACROLEIN	2.149	56	18857	5.76	PPBV		100
19) FREON 123	2.165	83	198172	9.56	PPBV		97
20) FREON 123A	2.181	117	115754	10.08	PPBV	#	73
21) TRICHLOROFLUOROMETHANE	2.245	101	227237	9.46	PPBV		99
22) ISOPROPYL ALCOHOL	2.261	45	211909	9.70	PPBV	#	96
23) ACETONE	2.190	58	65448	10.85	PPBV		82
24) PENTANE	2.358	42	109935	9.80	PPBV	#	93
25) IODOMETHANE	2.419	142	204939	9.37	PPBV	#	82
26) 1,1-DICHLOROETHYLENE	2.448	96	81096	9.28	PPBV	#	51
27) CARBON DISULFIDE	2.592	76	237628	8.72	PPBV	#	83
28) ETHANOL	2.049	45	52692	10.73	PPBV	#	98
29) BROMOETHENE	2.120	106	76981	9.46	PPBV	#	96
30) ACRYLONITRILE	2.329	52	71309	9.39	PPBV		96
31) METHYLENE CHLORIDE	2.486	84	75226	9.12	PPBV	#	53
32) 3-CHLOROPROPENE	2.531	76	43624	9.10	PPBV	#	1
33) FREON 113	2.589	151	132347	9.24	PPBV		87
34) TRANS-1,2-DICHLOROETHENE	2.846	96	86913	8.84	PPBV	#	76
35) TERTIARY BUTYL ALCOHOL	2.461	59	204283	8.38	PPBV	#	81
36) METHYL TERTIARY BUTYL ...	2.965	73	264981	9.25	PPBV	#	91
37) TETRAHYDROFURAN	3.724	72	33517	9.99	PPBV	#	60
38) HEXANE	3.467	57	126103	9.40	PPBV	#	77
39) VINYL ACETATE	3.007	86	21789	9.06	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.933	63	176319	9.42	PPBV		99
41) METHYL ETHYL KETONE	3.116	72	47615	10.08	PPBV	#	6
42) CIS-1,2-DICHLOROETHENE	3.329	96	73690	9.42	PPBV		86
43) DIISOPROPYL ETHER	3.473	59	38437	10.00	PPBV		68
44) ETHYL ACETATE	3.480	61	26517	10.24	PPBV	#	40
45) METHYL ACRYLATE	3.464	55	156201	9.50	PPBV	#	97
46) CHLOROFORM	3.496	83	149910	9.15	PPBV	#	94
47) 2,4-DIMETHYLPENTANE	4.023	57	144105	9.43	PPBV		94
48) 1,1,1-TRICHLOROETHANE	4.110	97	149590	9.41	PPBV		96
49) CARBON TETRACHLORIDE	4.560	117	151909	9.49	PPBV		100
50) 1,2-DICHLOROETHANE	3.933	62	108460	9.19	PPBV	#	94
51) BENZENE	4.444	78	217018	9.12	PPBV		85
53) CYCLOHEXANE	4.666	84	96140	9.60	PPBV		86
54) 2,3-DIMETHYLPENTANE	4.936	71	49904	9.77	PPBV	#	69
55) TRICHLOROETHENE	5.402	95	97913	9.46	PPBV		99
56) 1,2-DICHLOROPROPANE	5.158	63	86234	9.67	PPBV		97
57) DIBROMOMETHANE	5.116	174	91117	9.13	PPBV		90

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25328.D
Acq On : 5 Aug 2022 3:17 am
Operator : thomash
Sample : icv1077-10
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 05 09:00:41 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58) ETHYL ACRYLATE	5.280	55	188382	9.91	PPBV		98
59) BROMODICHLOROMETHANE	5.348	83	166374	9.71	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.499	57	392961	9.45	PPBV		98
61) 1,4-DIOXANE	5.422	88	51746	10.75	PPBV	#	87
62) HEPTANE	5.833	43	149474	9.49	PPBV	#	79
63) METHYL METHACRYLATE	5.727	69	83896	10.07	PPBV	#	64
64) METHYL ISOBUTYL KETONE	6.502	58	74149	10.13	PPBV	#	69
65) CIS-1,3-DICHLOROPROPENE	6.393	75	136926	10.26	PPBV	#	76
66) TOLUENE	7.653	91	266892	9.27	PPBV		100
67) 1,3-DICHLOROPROPANE	7.714	76	135235	9.23	PPBV		98
68) TRANS-1,3-DICHLOROPROPENE	7.103	75	117919	9.36	PPBV	#	78
69) 1,1,2-TRICHLOROETHANE	7.274	83	79549	9.27	PPBV		99
70) 2-HEXANONE	8.245	58	77282	9.65	PPBV	#	70
71) ETHYL METHACRYLATE	8.377	69	133986	10.58	PPBV	#	76
72) TETRACHLOROETHENE	9.444	164	99025	9.43	PPBV		95
73) DIBROMOCHLOROMETHANE	8.216	129	158772	9.75	PPBV		99
74) 1,2-DIBROMOETHANE	8.570	107	145848	9.43	PPBV		100
75) OCTANE	9.589	43	204638	9.38	PPBV	#	80
77) 1,1,1,2-TETRACHLOROETHANE	10.705	131	113457	9.64	PPBV		94
78) CHLOROBENZENE	10.688	112	217766	9.36	PPBV		98
79) ETHYLBENZENE	11.586	91	351665	9.15	PPBV		100
80) M,P-XYLENE	12.023	91	548844	18.87	PPBV	#	63
81) O-XYLENE	12.978	91	280095	9.32	PPBV		97
82) STYRENE	12.762	104	210543	9.95	PPBV		96
83) NONANE	14.103	43	217245	9.63	PPBV	#	77
84) BROMOFORM	11.843	173	147061	9.87	PPBV	#	99
85) 1,1,2,2-TETRACHLOROETHANE	13.000	83	216959	9.37	PPBV		100
86) 1,2,3-TRICHLOROPROPANE	13.283	75	160861	9.28	PPBV		100
88) ISOPROPYLBENZENE	14.511	120	111170	9.73	PPBV		88
89) BROMOBENZENE	14.383	77	199598	9.05	PPBV		94
90) 2-CHLOROTOLUENE	15.534	126	95671	9.55	PPBV		99
91) N-PROPYLBENZENE	15.872	120	110306	9.60	PPBV		100
92) 4-ETHYLTOLUENE	16.206	105	406395	9.75	PPBV		100
93) 1,3,5-TRIMETHYLBENZENE	16.354	105	333206	9.55	PPBV		98
94) ALPHA-METHYLSTYRENE	16.550	118	153871	9.47	PPBV		98
95) TERT-BUTYLBENZENE	16.801	134	81067	8.95	PPBV		98
96) 1,2,4-TRIMETHYLBENZENE	16.807	105	343869	9.33	PPBV		95
97) BENZYL CHLORIDE	16.891	91	244581	8.35	PPBV	#	97
98) M-DICHLOROBENZENE	16.868	146	227013	9.00	PPBV		99
99) P-DICHLOROBENZENE	16.949	146	231094	9.05	PPBV		99
100) O-DICHLOROBENZENE	17.238	146	218704	8.98	PPBV		98
101) SEC-BUTYLBENZENE	17.077	134	101784	9.30	PPBV		99
102) 1,2,3-TRIMETHYLBENZENE	17.187	105	329748	9.17	PPBV		99
103) P-ISOPROPYLTOLUENE	17.251	134	110776	8.94	PPBV		100
104) N-BUTYLBENZENE	17.595	134	107376	9.20	PPBV		91
105) HEXACHLOROETHANE	17.772	117	134052	9.33	PPBV		93
106) HEXACHLOROBUTADIENE	18.801	225	177049	8.28	PPBV		99
107) 1,2,4-TRICHLOROBENZENE	18.498	180	195626	7.82	PPBV		98
108) NAPHTHALENE	18.547	128	467004	7.51	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25328.D
Acq On : 5 Aug 2022 3:17 am
Operator : thomash
Sample : icv1077-10
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 05 09:00:41 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V6W1077-ICV1077 **Method:** TO-15
Lab FileID: 6W25328.D **Analyst approved:** 08/05/22 10:02 Thomas Hilbig
Injection Time: 08/05/22 03:17 **Supervisor approved:** 08/08/22 10:23 Kanya Veerawat

Parameter	CAS	Sig#	R.T. (min.)	Reason
Dichlorodifluoromethane	75-71-8		1.76	Overlapping peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25328.D
Acq On : 5 Aug 2022 3:17 am
Operator : thomash
Sample : icv1077-10
Misc : MS57063,V6W1077,,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 05 08:59:52 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration



TIC: 6W25328.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.760min (-0.000) 10.20PPBV m


response 226980


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	28.89
50.00	9.30	10.07
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\Raw Data\
Data File : 6W25328.D
Acq On : 5 Aug 2022 3:17 am
Operator : thomash
Sample : icv1077-10
Misc : MS61009,V6W1077,,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 05 10:02:44 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration





TIC: 6W25328.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.827min (+0.067) 9.23PPBV

response 205360

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	31.93
50.00	9.30	11.13
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/16/22 00:18

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25439.D
Acq On : 11 Aug 2022 8:20 am
Operator : thomash
Sample : cc1077-10
Misc : MS61233,V6W1083,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 11 14:24:49 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.415	128	58959	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.791	114	301259	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.605	117	259233	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.032	95	174281	9.58	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.721	65	45667m	8.64	PPBV		
4) CHLORODIFLUOROMETHANE	1.734	67	20998	8.84	PPBV		99
5) CHLOROTRIFLUOROETHENE	1.743	116	114878	9.98	PPBV	#	100
6) DICHLORODIFLUOROMETHANE	1.759	85	333979	11.82	PPBV	#	94
7) PROPYLENE	1.743	41	58110	7.41	PPBV		98
8) 1-CHLORO-1,1-DIFLUOROE...	1.795	65	265105	8.79	PPBV	#	89
9) FREON 114	1.830	85	309717	10.07	PPBV		97
10) CHLOROMETHANE	1.801	52	34051	9.39	PPBV		92
11) VINYL CHLORIDE	1.862	62	117347	8.86	PPBV		98
12) 1,3-BUTADIENE	1.901	54	92160	9.40	PPBV	#	78
13) N-BUTANE	1.914	43	175853	8.09	PPBV	#	94
14) BROMOMETHANE	1.972	94	103711	9.76	PPBV		100
15) CHLOROETHANE	2.020	64	60391	8.50	PPBV		99
16) DICHLOROFLUOROMETHANE	2.046	67	254416	9.30	PPBV	#	97
17) ACETONITRILE	2.113	41	103315	8.12	PPBV		96
18) ACROLEIN	2.152	56	42420	10.21	PPBV		98
19) FREON 123	2.164	83	255878	9.72	PPBV		97
20) FREON 123A	2.184	117	144886	9.93	PPBV		86
21) TRICHLOROFLUOROMETHANE	2.245	101	292536	9.59	PPBV		99
22) ISOPROPYL ALCOHOL	2.264	45	235834	8.50	PPBV	#	95
23) ACETONE	2.190	58	68038	8.88	PPBV	#	70
24) PENTANE	2.357	42	118166	8.30	PPBV		95
25) IODOMETHANE	2.418	142	295461	10.64	PPBV		89
26) 1,1-DICHLOROETHYLENE	2.447	96	106600	9.61	PPBV	#	66
27) CARBON DISULFIDE	2.592	76	340773	9.85	PPBV	#	89
28) ETHANOL	2.052	45	55197	8.86	PPBV	#	98
29) BROMOETHENE	2.119	106	104363	10.10	PPBV	#	97
30) ACRYLONITRILE	2.332	52	85701	8.89	PPBV		97
31) METHYLENE CHLORIDE	2.486	84	102419	9.78	PPBV	#	70
32) 3-CHLOROPROPENE	2.534	76	56351	9.25	PPBV	#	37
33) FREON 113	2.592	151	198190	10.90	PPBV		96
34) TRANS-1,2-DICHLOROETHENE	2.849	96	121019	9.70	PPBV		87
35) TERTIARY BUTYL ALCOHOL	2.464	59	250277	8.08	PPBV	#	82
36) METHYL TERTIARY BUTYL ...	2.968	73	327221	8.99	PPBV	#	94
37) TETRAHYDROFURAN	3.724	72	40654	9.55	PPBV	#	82
38) HEXANE	3.467	57	136652	8.02	PPBV	#	86
39) VINYL ACETATE	3.010	86	32445	10.63	PPBV	#	20
40) 1,1-DICHLOROETHANE	2.933	63	225645	9.49	PPBV		98
41) METHYL ETHYL KETONE	3.116	72	64445	10.75	PPBV	#	42
42) CIS-1,2-DICHLOROETHENE	3.328	96	89950	9.06	PPBV		93
43) DIISOPROPYL ETHER	3.476	59	41036	8.40	PPBV		80
44) ETHYL ACETATE	3.480	61	28844	8.77	PPBV		63
45) METHYL ACRYLATE	3.467	55	175079	8.39	PPBV	#	97
46) CHLOROFORM	3.496	83	191802	9.22	PPBV	#	96
47) 2,4-DIMETHYLPENTANE	4.023	57	157664	8.12	PPBV		96
48) 1,1,1-TRICHLOROETHANE	4.110	97	179059	8.87	PPBV		98
49) CARBON TETRACHLORIDE	4.563	117	188250	9.26	PPBV		100
50) 1,2-DICHLOROETHANE	3.936	62	120063	8.01	PPBV	#	95
51) BENZENE	4.441	78	262689	8.70	PPBV		91
53) CYCLOHEXANE	4.666	84	113460	9.15	PPBV		95
54) 2,3-DIMETHYLPENTANE	4.936	71	59214	9.35	PPBV		85
55) TRICHLOROETHENE	5.402	95	120476	9.40	PPBV		95
56) 1,2-DICHLOROPROPANE	5.158	63	101670	9.20	PPBV		95
57) DIBROMOMETHANE	5.116	174	125390	10.15	PPBV		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25439.D
Acq On : 11 Aug 2022 8:20 am
Operator : thomash
Sample : cc1077-10
Misc : MS61233,V6W1083,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 11 14:24:49 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58) ETHYL ACRYLATE	5.283	55	208647	8.86	PPBV		99
59) BROMODICHLOROMETHANE	5.351	83	203368	9.58	PPBV		100
60) 2,2,4-TRIMETHYLPENTANE	5.499	57	431884	8.38	PPBV		99
61) 1,4-DIOXANE	5.422	88	65554	11.00	PPBV	#	94
62) HEPTANE	5.830	43	146922	7.53	PPBV		89
63) METHYL METHACRYLATE	5.730	69	97823	9.47	PPBV	#	80
64) METHYL ISOBUTYL KETONE	6.502	58	87406	9.63	PPBV		81
65) CIS-1,3-DICHLOROPROPENE	6.393	75	151648	9.17	PPBV	#	84
66) TOLUENE	7.653	91	318933	8.94	PPBV		100
67) 1,3-DICHLOROPROPANE	7.717	76	165511	9.12	PPBV		99
68) TRANS-1,3-DICHLOROPROPENE	7.103	75	134079	8.59	PPBV	#	85
69) 1,1,2-TRICHLOROETHANE	7.270	83	99869	9.39	PPBV		99
70) 2-HEXANONE	8.241	58	107185	10.80	PPBV	#	79
71) ETHYL METHACRYLATE	8.380	69	159900	10.19	PPBV	#	86
72) TETRACHLOROETHENE	9.444	164	134561	10.34	PPBV		98
73) DIBROMOCHLOROMETHANE	8.219	129	209145	10.37	PPBV		99
74) 1,2-DIBROMOETHANE	8.566	107	181541	9.48	PPBV		100
75) OCTANE	9.585	43	209645	7.76	PPBV	#	86
77) 1,1,1,2-TETRACHLOROETHANE	10.698	131	147901	10.44	PPBV		97
78) CHLOROBENZENE	10.685	112	269810	9.64	PPBV		100
79) ETHYLBENZENE	11.582	91	424446	9.18	PPBV		100
80) M,P-XYLENE	12.026	91	661063	18.89	PPBV	#	65
81) O-XYLENE	12.978	91	336395	9.30	PPBV		97
82) STYRENE	12.759	104	252837	9.93	PPBV		97
83) NONANE	14.103	43	226973	8.36	PPBV	#	84
84) BROMOFORM	11.843	173	205988	11.48	PPBV	#	98
85) 1,1,2,2-TETRACHLOROETHANE	12.997	83	272856	9.79	PPBV		100
86) 1,2,3-TRICHLOROPROPANE	13.277	75	198870	9.54	PPBV	#	100
88) ISOPROPYLBENZENE	14.508	120	136880	9.96	PPBV		92
89) BROMOBENZENE	14.386	77	242723	9.14	PPBV		96
90) 2-CHLOROTOLUENE	15.534	126	121530	10.08	PPBV		100
91) N-PROPYLBENZENE	15.871	120	138569	10.03	PPBV		99
92) 4-ETHYLTOLUENE	16.206	105	499358	9.95	PPBV		100
93) 1,3,5-TRIMETHYLBENZENE	16.354	105	413464	9.85	PPBV		99
94) ALPHA-METHYLSTYRENE	16.550	118	210649	10.77	PPBV		99
95) TERT-BUTYLBENZENE	16.804	134	109371	10.04	PPBV		92
96) 1,2,4-TRIMETHYLBENZENE	16.810	105	437575	9.87	PPBV		95
97) BENZYL CHLORIDE	16.894	91	281633	7.99	PPBV		98
98) M-DICHLOROBENZENE	16.868	146	314430	10.36	PPBV		100
99) P-DICHLOROBENZENE	16.952	146	319638	10.40	PPBV		100
100) O-DICHLOROBENZENE	17.241	146	309115	10.54	PPBV		100
101) SEC-BUTYLBENZENE	17.080	134	139499	10.59	PPBV		88
102) 1,2,3-TRIMETHYLBENZENE	17.190	105	431043	9.96	PPBV		98
103) P-ISOPROPYLTOLUENE	17.254	134	157813	10.59	PPBV		90
104) N-BUTYLBENZENE	17.598	134	149771	10.66	PPBV		96
105) HEXACHLOROETHANE	17.778	117	172917	10.01	PPBV		96
106) HEXACHLOROBUTADIENE	18.813	225	273362	10.62	PPBV		99
107) 1,2,4-TRICHLOROBENZENE	18.508	180	335628	11.15	PPBV		99
108) NAPHTHALENE	18.556	128	798498	10.67	PPBV		99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W25439.D
Acq On : 11 Aug 2022 8:20 am
Operator : thomash
Sample : cc1077-10
Misc : MS61233,V6W1083,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 11 14:24:49 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number:	V6W1083-CC1077	**Method:**	TO-15
Lab FileID:	6W25439.D	**Analyst approved:**	08/11/22 14:56 Thomas Hilbig
Injection Time:	08/11/22 08:20	**Supervisor approved:**	08/16/22 00:18 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Freon 152A	75-37-6		1.72	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25439.D
Acq On : 11 Aug 2022 8:20 am
Operator : thomash
Sample : cc1077-10
Misc : MS61233,V6W1083,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 11 08:48:34 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration





TIC: 6W25439.D\data.ms

(3) FREON 152A (T)

1.721min (-1.721) 0.00PPBV


response 0


Ion	Exp%	Act%
65.10	100	0.00
45.10	22.90	0.00#
0.00	0.00	0.00
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W25439.D
Acq On : 11 Aug 2022 8:20 am
Operator : thomash
Sample : cc1077-10
Misc : MS61233,V6W1083,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 11 08:48:34 2022
Quant Method : C:\msdchem\1\methods\M6W1077.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Fri Aug 05 08:58:59 2022
Response via : Initial Calibration







TIC: 6W25439.D\data.ms

(3) FREON 152A (T)

1.721min (-0.000) 8.64PPBV m

response 45667

Ion	Exp%	Act%
65.10	100	100
45.10	22.90	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 10/20/22 12:15

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26448.D
Acq On : 19 Oct 2022 7:10 pm
Operator : thomash
Sample : ic1125-0.04
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 09:48:06 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.341	128	49562	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.733	114	238408	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.585	117	206644	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.022	95	141592	9.68	PPBV		0.00
Target Compounds							Qvalue
6) DICHLORODIFLUOROMETHANE	1.734	85	578m	0.04	PPBV		
8) 1-CHLORO-1,1-DIFLUOROE...	1.769	65	563	0.04	PPBV	#	2
9) FREON 114	1.801	85	673	0.04	PPBV	#	24
10) CHLOROMETHANE	1.775	52	113m	0.06	PPBV		
11) VINYL CHLORIDE	1.830	62	269m	0.04	PPBV		
13) N-BUTANE	1.878	43	745	0.07	PPBV	#	65
16) DICHLOROFLUOROMETHANE	2.004	67	557	0.04	PPBV	#	49
19) FREON 123	2.116	83	508	0.04	PPBV	#	83
21) TRICHLOROFLUOROMETHANE	2.193	101	689	0.05	PPBV	#	25
22) ISOPROPYL ALCOHOL	2.216	45	815	0.06	PPBV	#	63
25) IODOMETHANE	2.357	142	562	0.04	PPBV	#	38
27) CARBON DISULFIDE	2.521	76	771	0.04	PPBV	#	73
40) 1,1-DICHLOROETHANE	2.856	63	522	0.04	PPBV	#	50
45) METHYL ACRYLATE	3.402	55	500	0.03	PPBV	#	65
46) CHLOROFORM	3.418	83	561	0.04	PPBV	#	18
47) 2,4-DIMETHYLPENTANE	3.955	57	563	0.04	PPBV	#	31
49) CARBON TETRACHLORIDE	4.499	117	548	0.04	PPBV	#	86
51) BENZENE	4.389	78	986	0.05	PPBV	#	66
55) TRICHLOROETHENE	5.344	95	322m	0.03	PPBV		
59) BROMODICHLOROMETHANE	5.290	83	595	0.04	PPBV	#	18
60) 2,2,4-TRIMETHYLPENTANE	5.450	57	1425	0.04	PPBV	#	48
62) HEPTANE	5.785	43	669	0.04	PPBV	#	15
66) TOLUENE	7.611	91	1324	0.05	PPBV		94
72) TETRACHLOROETHENE	9.421	164	234m	0.03	PPBV		
73) DIBROMOCHLOROMETHANE	8.180	129	522	0.03	PPBV	#	21
75) OCTANE	9.556	43	883	0.04	PPBV	#	23
78) CHLOROBENZENE	10.666	112	697	0.03	PPBV	#	30
79) ETHYLBENZENE	11.572	91	2155	0.07	PPBV		95
80) M,P-XYLENE	12.016	91	2929m	0.12	PPBV		
81) O-XYLENE	12.958	91	1490	0.06	PPBV	#	82
82) STYRENE	12.740	104	652	0.03	PPBV	#	33
83) NONANE	14.077	43	931	0.04	PPBV	#	45
85) 1,1,2,2-TETRACHLOROETHANE	12.984	83	634	0.03	PPBV	#	25
88) ISOPROPYLBENZENE	14.502	105	1396	0.04	PPBV	#	53
89) BROMOBENZENE	14.370	77	607	0.03	PPBV	#	17
90) 2-CHLOROTOLUENE	15.521	91	800	0.03	PPBV	#	47
91) N-PROPYLBENZENE	15.852	91	1361	0.03	PPBV	#	56
92) 4-ETHYLTOLUENE	16.199	105	937	0.03	PPBV	#	49
93) 1,3,5-TRIMETHYLBENZENE	16.350	105	883	0.03	PPBV	#	34
95) TERT-BUTYLBENZENE	16.797	119	984	0.03	PPBV	#	85
96) 1,2,4-TRIMETHYLBENZENE	16.797	105	846	0.03	PPBV	#	72
98) M-DICHLOROBENZENE	16.865	146	574	0.03	PPBV	#	25
99) P-DICHLOROBENZENE	16.942	146	609	0.03	PPBV	#	26
100) O-DICHLOROBENZENE	17.238	146	606	0.03	PPBV	#	25
101) SEC-BUTYLBENZENE	17.071	105	1170	0.03	PPBV	#	60
102) 1,2,3-TRIMETHYLBENZENE	17.180	105	809	0.03	PPBV	#	39
103) P-ISOPROPYLTOLUENE	17.251	119	921	0.02	PPBV	#	53
104) N-BUTYLBENZENE	17.585	91	731	0.02	PPBV	#	32
105) HEXACHLOROETHANE	17.765	117	506	0.04	PPBV	#	4

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26448.D
Acq On : 19 Oct 2022 7:10 pm
Operator : thomash
Sample : ic1125-0.04
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 09:48:06 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V6W1125-IC1125 **Method:** TO-15
Lab FileID: 6W26448.D **Analyst approved:** 10/20/22 10:04 Thomas Hilbig
Injection Time: 10/19/22 19:10 **Supervisor approved:** 10/20/22 12:15 Kanya Veerawat

Parameter	CAS	Sig#	R.T. (min.)	Reason
Dichlorodifluoromethane	75-71-8		1.73	Overlapping peak
Chloromethane	74-87-3		1.78	Missed peak
Vinyl chloride	75-01-4		1.83	Missed peak
Trichloroethylene	79-01-6		5.34	Missed peak
Tetrachloroethylene	127-18-4		9.42	Missed peak
m,p-Xylene			12.02	Split peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26448.D
Acq On : 19 Oct 2022 7:10 pm
Operator : thomash
Sample : ic1125-0.04
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 07:55:00 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration



TIC: 6W26448.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.734min (+0.003) 0.04PPBV


response 657

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	0.00#
50.00	9.30	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26448.D
Acq On : 19 Oct 2022 7:10 pm
Operator : thomash
Sample : ic1125-0.04
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 07:55:00 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration



TIC: 6W26448.D\data.ms

(11) VINYL CHLORIDE (T)

1.830min (+0.000) 0.04PPBV m


response 269


Ion	Exp%	Act%
62.00	100	100
64.00	32.10	0.00#
61.00	8.40	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26448.D
Acq On : 19 Oct 2022 7:10 pm
Operator : thomash
Sample : ic1125-0.04
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 07:55:00 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration





TIC: 6W26448.D\data.ms

(10) CHLOROMETHANE (T)

1.772min (-1.772) 0.00PPBV


response 0


Ion	Exp%	Act%
52.00	100	0.00
50.00	310.20	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26448.D
Acq On : 19 Oct 2022 7:10 pm
Operator : thomash
Sample : ic1125-0.04
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 07:55:00 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration





TIC: 6W26448.D\data.ms

(10) CHLOROMETHANE (T)

1.775min (+0.003) 0.06PPBV m


response 113


Ion	Exp%	Act%
52.00	100	100
50.00	310.20	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26448.D
Acq On : 19 Oct 2022 7:10 pm
Operator : thomash
Sample : ic1125-0.04
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 07:55:00 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration





TIC: 6W26448.D\data.ms

(11) VINYL CHLORIDE (T)

1.830min (-1.830) 0.00PPBV


response 0


Ion	Exp%	Act%
62.00	100	0.00
64.00	32.10	0.00#
61.00	8.40	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26448.D
Acq On : 19 Oct 2022 7:10 pm
Operator : thomash
Sample : ic1125-0.04
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 07:55:00 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration





TIC: 6W26448.D\data.ms

(55) TRICHLOROETHENE (T)

5.351min (-5.351) 0.00PPBV


response 0

Ion	Exp%	Act%
95.00	100	0.00
129.90	104.00	0.00#
131.90	99.70	0.00#
97.00	64.10	0.00#

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26448.D
Acq On : 19 Oct 2022 7:10 pm
Operator : thomash
Sample : ic1125-0.04
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 07:55:00 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration



TIC: 6W26448.D\data.ms

(55) TRICHLOROETHENE (T)

5.344min (-0.006) 0.03PPBV m


response 322


Ion	Exp%	Act%
95.00	100	100
129.90	104.00	0.00#
131.90	99.70	0.00#
97.00	64.10	0.00#


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26448.D
Acq On : 19 Oct 2022 7:10 pm
Operator : thomash
Sample : ic1125-0.04
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 07:55:00 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration







TIC: 6W26448.D\data.ms

(72) TETRACHLOROETHENE (T)

9.415min (-9.415) 0.00PPBV


response 0


Ion	Exp%	Act%
163.90	100	0.00
128.90	90.00	0.00#
167.90	60.70	0.00#
130.90	86.30	0.00#


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26448.D
Acq On : 19 Oct 2022 7:10 pm
Operator : thomash
Sample : ic1125-0.04
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 07:55:00 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration







TIC: 6W26448.D\data.ms

(72) TETRACHLOROETHENE (T)

9.421min (+0.007) 0.03PPBV m


response 234

Ion	Exp%	Act%
163.90	100	100
128.90	90.00	0.00#
167.90	60.70	0.00#
130.90	86.30	0.00#

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26448.D
Acq On : 19 Oct 2022 7:10 pm
Operator : thomash
Sample : ic1125-0.04
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 07:55:00 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration



TIC: 6W26448.D\data.ms

(80) M,P-XYLENE (t)

12.016min (+0.007) 0.07PPBV

response 1786


Ion	Exp%	Act%
91.10	100	100
106.10	51.50	41.27
105.10	23.60	0.00#
0.00	0.00	0.00


6W26448.D edits: M,P-XYLENE


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26448.D
Acq On : 19 Oct 2022 7:10 pm
Operator : thomash
Sample : ic1125-0.04
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 07:55:00 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration







TIC: 6W26448.D\data.ms

(80) M,P-XYLENE (t)

12.016min (+0.007) 0.12PPBV m

response 2929


Ion	Exp%	Act%
91.10	100	100
106.10	51.50	25.16#
105.10	23.60	0.00#
0.00	0.00	0.00


7.7.23.12

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26448.D
Acq On : 19 Oct 2022 7:10 pm
Operator : thomash
Sample : ic1125-0.04
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 09:48:06 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration





TIC: 6W26448.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.734min (+0.003) 0.04PPBV m

response 578

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	0.00#
50.00	9.30	0.00#
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 10/20/22 12:15

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26449.D
Acq On : 19 Oct 2022 7:43 pm
Operator : thomash
Sample : ic1125-0.1
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 09:45:19 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.341	128	48898	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.733	114	236998	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.582	117	208233	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.026	95	142510	9.67	PPBV		0.00
Target Compounds							Qvalue
5) CHLOROTRIFLUOROETHENE	1.717	116	964	0.11	PPBV	#	42
6) DICHLORODIFLUOROMETHANE	1.733	85	1546m	0.10	PPBV		
7) PROPYLENE	1.714	41	564	0.09	PPBV	#	44
8) 1-CHLORO-1,1-DIFLUOROE...	1.769	65	1371	0.10	PPBV	#	46
9) FREON 114	1.801	85	1620	0.11	PPBV	#	75
10) CHLOROMETHANE	1.775	52	200m	0.10	PPBV		
11) VINYL CHLORIDE	1.830	62	714	0.12	PPBV	#	50
12) 1,3-BUTADIENE	1.868	54	533	0.10	PPBV	#	27
13) N-BUTANE	1.881	43	1299	0.12	PPBV	#	65
14) BROMOMETHANE	1.936	94	505	0.10	PPBV	#	11
15) CHLOROETHANE	1.978	64	276m	0.09	PPBV		
16) DICHLOROFLUOROMETHANE	2.004	67	1283	0.10	PPBV	#	49
17) ACETONITRILE	2.068	41	834	0.13	PPBV	#	9
19) FREON 123	2.116	83	1302	0.11	PPBV	#	92
20) FREON 123A	2.135	117	742	0.10	PPBV		81
21) TRICHLOROFLUOROMETHANE	2.193	101	1509	0.10	PPBV	#	96
22) ISOPROPYL ALCOHOL	2.216	45	1750	0.13	PPBV	#	79
24) PENTANE	2.299	42	967	0.13	PPBV	#	78
25) IODOMETHANE	2.357	142	1546	0.11	PPBV		92
26) 1,1-DICHLOROETHYLENE	2.386	96	619	0.11	PPBV	#	56
27) CARBON DISULFIDE	2.524	76	1878	0.10	PPBV	#	50
29) BROMOETHENE	2.077	106	547	0.11	PPBV	#	86
30) ACRYLONITRILE	2.274	52	541	0.11	PPBV	#	76
33) FREON 113	2.521	151	989	0.09	PPBV	#	84
34) TRANS-1,2-DICHLOROETHENE	2.769	96	695	0.11	PPBV	#	61
35) TERTIARY BUTYL ALCOHOL	2.409	59	1337	0.11	PPBV	#	76
36) METHYL TERTIARY BUTYL ...	2.894	73	1479	0.09	PPBV	#	88
38) HEXANE	3.396	57	1241	0.10	PPBV	#	74
40) 1,1-DICHLOROETHANE	2.859	63	1221	0.10	PPBV	#	50
42) CIS-1,2-DICHLOROETHENE	3.254	96	740	0.11	PPBV	#	55
45) METHYL ACRYLATE	3.405	55	1651	0.11	PPBV	#	65
46) CHLOROFORM	3.421	83	1467	0.10	PPBV	#	91
47) 2,4-DIMETHYLPENTANE	3.955	57	1390	0.10	PPBV	#	71
48) 1,1,1-TRICHLOROETHANE	4.052	97	1457	0.11	PPBV		92
49) CARBON TETRACHLORIDE	4.495	117	1424	0.09	PPBV	#	78
50) 1,2-DICHLOROETHANE	3.868	62	1104	0.10	PPBV	#	49
51) BENZENE	4.380	78	2208	0.11	PPBV	#	66
53) CYCLOHEXANE	4.611	84	828	0.10	PPBV	#	58
55) TRICHLOROETHENE	5.347	95	922	0.10	PPBV		98
56) 1,2-DICHLOROPROPANE	5.100	63	821	0.10	PPBV	#	41
57) DIBROMOMETHANE	5.058	174	994	0.12	PPBV		91
58) ETHYL ACRYLATE	5.241	55	1502	0.08	PPBV	#	73
59) BROMODICHLOROMETHANE	5.290	83	1646	0.11	PPBV		97
60) 2,2,4-TRIMETHYLPENTANE	5.454	57	3736	0.10	PPBV	#	92
62) HEPTANE	5.791	43	1552	0.10	PPBV	#	72
63) METHYL METHACRYLATE	5.688	69	704	0.09	PPBV	#	40
64) METHYL ISOBUTYL KETONE	6.482	58	501	0.07	PPBV	#	47
65) CIS-1,3-DICHLOROPROPENE	6.351	75	1002	0.09	PPBV	#	37
66) TOLUENE	7.617	91	2732	0.11	PPBV		99
67) 1,3-DICHLOROPROPANE	7.685	76	1233	0.10	PPBV	#	49
68) TRANS-1,3-DICHLOROPROPENE	7.061	75	875	0.09	PPBV	#	42
69) 1,1,2-TRICHLOROETHANE	7.228	83	677	0.09	PPBV		89
71) ETHYL METHACRYLATE	8.363	69	864	0.07	PPBV	#	56
72) TETRACHLOROETHENE	9.415	164	911	0.10	PPBV	#	70

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26449.D
Acq On : 19 Oct 2022 7:43 pm
Operator : thomash
Sample : ic1125-0.1
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 09:45:19 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
73) DIBROMOCHLOROMETHANE	8.187	129	1596	0.10	PPBV	#	83
74) 1,2-DIBROMOETHANE	8.524	107	1316	0.10	PPBV	#	98
75) OCTANE	9.563	43	1915	0.09	PPBV	#	70
77) 1,1,1,2-TETRACHLOROETHANE	10.675	131	1043	0.09	PPBV	#	39
78) CHLOROBENZENE	10.656	112	1970	0.10	PPBV		98
79) ETHYLBENZENE	11.563	91	3888	0.12	PPBV		95
80) M,P-XYLENE	12.013	91	5763m	0.23	PPBV		
81) O-XYLENE	12.955	91	2774	0.11	PPBV	#	87
82) STYRENE	12.746	104	1561	0.08	PPBV		96
83) NONANE	14.083	43	2448	0.11	PPBV	#	63
84) BROMOFORM	11.820	173	1374	0.09	PPBV	#	83
85) 1,1,2,2-TETRACHLOROETHANE	12.981	83	1920	0.10	PPBV	#	94
86) 1,2,3-TRICHLOROPROPANE	13.254	75	1421	0.10	PPBV	#	41
88) ISOPROPYLBENZENE	14.505	105	3516	0.09	PPBV	#	78
89) BROMOBENZENE	14.376	77	1766	0.10	PPBV	#	87
90) 2-CHLOROTOLUENE	15.521	91	2168	0.08	PPBV	#	94
91) N-PROPYLBENZENE	15.865	91	3399	0.08	PPBV	#	94
92) 4-ETHYLTOLUENE	16.202	105	2574	0.07	PPBV	#	97
93) 1,3,5-TRIMETHYLBENZENE	16.350	105	2163	0.07	PPBV	#	95
94) ALPHA-METHYLSTYRENE	16.546	118	964	0.06	PPBV		95
95) TERT-BUTYLBENZENE	16.794	119	2458	0.07	PPBV		95
96) 1,2,4-TRIMETHYLBENZENE	16.800	105	2237	0.07	PPBV		98
97) BENZYL CHLORIDE	16.887	91	945	0.05	PPBV	#	60
98) M-DICHLOROBENZENE	16.865	146	1725	0.08	PPBV		97
99) P-DICHLOROBENZENE	16.945	146	1627	0.08	PPBV		93
100) O-DICHLOROBENZENE	17.231	146	1588	0.08	PPBV		96
101) SEC-BUTYLBENZENE	17.070	105	3423	0.07	PPBV		96
102) 1,2,3-TRIMETHYLBENZENE	17.180	105	2179	0.07	PPBV	#	93
103) P-ISOPROPYLTOLUENE	17.244	119	2841	0.07	PPBV	#	94
104) N-BUTYLBENZENE	17.585	91	2234	0.06	PPBV		94
105) HEXACHLOROETHANE	17.765	117	1259	0.10	PPBV	#	87
106) HEXACHLOROBUTADIENE	18.787	225	1045	0.07	PPBV		94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26449.D
Acq On : 19 Oct 2022 7:43 pm
Operator : thomash
Sample : ic1125-0.1
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 09:45:19 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V6W1125-IC1125 **Method:** TO-15
Lab FileID: 6W26449.D **Analyst approved:** 10/20/22 10:04 Thomas Hilbig
Injection Time: 10/19/22 19:43 **Supervisor approved:** 10/20/22 12:15 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Dichlorodifluoromethane	75-71-8		1.73	Overlapping peak
Chloromethane	74-87-3		1.78	Missed peak
Chloroethane	75-00-3		1.98	Missed peak
m,p-Xylene			12.01	Split peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26449.D
Acq On : 19 Oct 2022 7:43 pm
Operator : thomash
Sample : ic1125-0.1
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:06:39 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration





TIC: 6W26449.D\data.ms

(10) CHLOROMETHANE (T)

1.772min (-1.772) 0.00PPBV


response 0


Ion	Exp%	Act%
52.00	100	0.00
50.00	310.20	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26449.D
Acq On : 19 Oct 2022 7:43 pm
Operator : thomash
Sample : ic1125-0.1
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:06:39 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration





TIC: 6W26449.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.733min (+0.003) 0.13PPBV


response 1852


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	29.37
50.00	9.30	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26449.D
Acq On : 19 Oct 2022 7:43 pm
Operator : thomash
Sample : ic1125-0.1
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:06:39 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration





TIC: 6W26449.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.733min (+0.003) 0.10PPBV m


response 1546

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	35.19
50.00	9.30	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26449.D
Acq On : 19 Oct 2022 7:43 pm
Operator : thomash
Sample : ic1125-0.1
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:06:39 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration



TIC: 6W26449.D\data.ms

(10) CHLOROMETHANE (T)

1.775min (+0.003) 0.10PPBV m


response 200


Ion	Exp%	Act%
52.00	100	100
50.00	310.20	0.00#
0.00	0.00	0.00
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26449.D
Acq On : 19 Oct 2022 7:43 pm
Operator : thomash
Sample : ic1125-0.1
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:06:39 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration







TIC: 6W26449.D\data.ms

(15) CHLOROETHANE (T)

1.978min (-1.978) 0.00PPBV


response 0


Ion	Exp%	Act%
64.00	100	0.00
66.00	33.90	0.00#
49.00	29.10	0.00#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26449.D
Acq On : 19 Oct 2022 7:43 pm
Operator : thomash
Sample : ic1125-0.1
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:06:39 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration







TIC: 6W26449.D\data.ms

(15) CHLOROETHANE (T)

1.978min (0.000) 0.09PPBV m


response 276

Ion	Exp%	Act%
64.00	100	100
66.00	33.90	0.00#
49.00	29.10	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26449.D
Acq On : 19 Oct 2022 7:43 pm
Operator : thomash
Sample : ic1125-0.1
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:06:39 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration



TIC: 6W26449.D\data.ms

(80) M,P-XYLENE (t)

11.965min (-0.045) 0.12PPBV


response 2993

Ion	Exp%	Act%
91.10	100	100
106.10	51.50	51.45
105.10	23.60	23.52
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26449.D
Acq On : 19 Oct 2022 7:43 pm
Operator : thomash
Sample : ic1125-0.1
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:06:39 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration



TIC: 6W26449.D\data.ms

(80) M,P-XYLENE (t)

12.013min (+0.003) 0.23PPBV m

response 5763

Ion	Exp%	Act%
91.10	100	100
106.10	51.50	26.72#
105.10	23.60	12.22
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 10/20/22 12:15

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26450.D
Acq On : 19 Oct 2022 8:15 pm
Operator : thomash
Sample : ic1125-0.2
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:22:22 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.338	128	46339	10.00	PPBV	# 0.00
52) 1,4-DIFLUOROBENZENE	4.733	114	232045	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.582	117	202916	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	14.022	95	139177	9.69	PPBV	0.00
Target Compounds						Qvalue
3) FREON 152A	1.695	65	845	0.22	PPBV	# 53
4) CHLORODIFLUOROMETHANE	1.708	67	366m	0.21	PPBV	
5) CHLOROTRIFLUOROETHENE	1.718	116	1766	0.22	PPBV	# 97
6) DICHLORODIFLUOROMETHANE	1.734	85	2981m	0.21	PPBV	
7) PROPYLENE	1.714	41	1228	0.22	PPBV	# 91
8) 1-CHLORO-1,1-DIFLUOROE...	1.766	65	2661	0.21	PPBV	# 56
9) FREON 114	1.798	85	3047	0.22	PPBV	98
10) CHLOROMETHANE	1.772	52	410m	0.21	PPBV	
11) VINYL CHLORIDE	1.827	62	1315	0.22	PPBV	# 50
12) 1,3-BUTADIENE	1.865	54	1056	0.22	PPBV	# 60
13) N-BUTANE	1.878	43	2287	0.23	PPBV	# 65
14) BROMOMETHANE	1.933	94	1003	0.22	PPBV	# 91
15) CHLOROETHANE	1.981	64	656	0.23	PPBV	# 43
16) DICHLOROFLUOROMETHANE	2.004	67	2656	0.22	PPBV	# 92
17) ACETONITRILE	2.068	41	1438	0.24	PPBV	# 84
18) ACROLEIN	2.103	56	451m	0.16	PPBV	
19) FREON 123	2.113	83	2489	0.22	PPBV	98
20) FREON 123A	2.132	117	1440	0.21	PPBV	84
21) TRICHLOROFLUOROMETHANE	2.190	101	2941	0.21	PPBV	# 96
22) ISOPROPYL ALCOHOL	2.213	45	3020	0.23	PPBV	# 75
23) ACETONE	2.142	58	851	0.29	PPBV	# 39
24) PENTANE	2.296	42	1697	0.24	PPBV	# 79
25) IODOMETHANE	2.357	142	2871	0.21	PPBV	# 87
26) 1,1-DICHLOROETHYLENE	2.383	96	1152	0.21	PPBV	# 65
27) CARBON DISULFIDE	2.521	76	3734	0.21	PPBV	# 52
28) ETHANOL	2.007	45	896	0.31	PPBV	# 40
29) BROMOETHENE	2.074	106	1029	0.22	PPBV	# 96
30) ACRYLONITRILE	2.274	52	971	0.21	PPBV	# 78
31) METHYLENE CHLORIDE	2.422	84	1504	0.28	PPBV	# 39
32) 3-CHLOROPROPENE	2.463	76	526	0.19	PPBV	# 1
33) FREON 113	2.521	151	2113	0.21	PPBV	92
34) TRANS-1,2-DICHLOROETHENE	2.769	96	1281	0.21	PPBV	# 78
35) TERTIARY BUTYL ALCOHOL	2.406	59	2276	0.20	PPBV	# 79
36) METHYL TERTIARY BUTYL ...	2.894	73	3224	0.21	PPBV	# 88
37) TETRAHYDROFURAN	3.672	72	527	0.19	PPBV	# 1
38) HEXANE	3.389	57	2506	0.21	PPBV	# 77
39) VINYL ACETATE	2.933	86	339m	0.23	PPBV	
40) 1,1-DICHLOROETHANE	2.849	63	2466	0.21	PPBV	# 88
41) METHYL ETHYL KETONE	3.052	72	636	0.21	PPBV	# 1
42) CIS-1,2-DICHLOROETHENE	3.254	96	1388	0.22	PPBV	# 82
43) DIISOPROPYL ETHER	3.402	59	664	0.19	PPBV	# 31
44) ETHYL ACETATE	3.415	61	474m	0.20	PPBV	
45) METHYL ACRYLATE	3.396	55	3141	0.21	PPBV	# 65
46) CHLOROFORM	3.418	83	2846	0.21	PPBV	# 92
47) 2,4-DIMETHYLPENTANE	3.955	57	2721	0.20	PPBV	# 87
48) 1,1,1-TRICHLOROETHANE	4.049	97	2661	0.21	PPBV	# 92
49) CARBON TETRACHLORIDE	4.499	117	2945	0.20	PPBV	96
50) 1,2-DICHLOROETHANE	3.872	62	2146	0.21	PPBV	# 88
51) BENZENE	4.383	78	4330	0.23	PPBV	80
53) CYCLOHEXANE	4.605	84	1651	0.20	PPBV	# 77
54) 2,3-DIMETHYLPENTANE	4.885	71	956	0.21	PPBV	# 59
55) TRICHLOROETHENE	5.348	95	1872	0.21	PPBV	98
56) 1,2-DICHLOROPROPANE	5.103	63	1638	0.20	PPBV	# 72
57) DIBROMOMETHANE	5.055	174	1765	0.22	PPBV	90

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26450.D
Acq On : 19 Oct 2022 8:15 pm
Operator : thomash
Sample : ic1125-0.2
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:22:22 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58) ETHYL ACRYLATE	5.241	55	3251	0.18	PPBV	#	73
59) BROMODICHLOROMETHANE	5.293	83	2997	0.20	PPBV		92
60) 2,2,4-TRIMETHYLPENTANE	5.447	57	7674	0.20	PPBV	#	97
61) 1,4-DIOXANE	5.434	88	650m	0.16	PPBV		
62) HEPTANE	5.788	43	2944	0.20	PPBV	#	75
63) METHYL METHACRYLATE	5.688	69	1358	0.18	PPBV	#	34
64) METHYL ISOBUTYL KETONE	6.483	58	954	0.14	PPBV	#	30
65) CIS-1,3-DICHLOROPROPENE	6.348	75	2021	0.18	PPBV	#	68
66) TOLUENE	7.621	91	5056	0.21	PPBV		95
67) 1,3-DICHLOROPROPANE	7.672	76	2398	0.20	PPBV	#	93
68) TRANS-1,3-DICHLOROPROPENE	7.065	75	1636	0.17	PPBV	#	68
69) 1,1,2-TRICHLOROETHANE	7.238	83	1464	0.21	PPBV		96
70) 2-HEXANONE	8.238	58	861	0.11	PPBV	#	45
71) ETHYL METHACRYLATE	8.367	69	1692	0.15	PPBV	#	54
72) TETRACHLOROETHENE	9.415	164	1798	0.20	PPBV		92
73) DIBROMOCHLOROMETHANE	8.180	129	3068	0.19	PPBV		99
74) 1,2-DIBROMOETHANE	8.534	107	2603	0.20	PPBV	#	99
75) OCTANE	9.563	43	3514	0.17	PPBV	#	73
77) 1,1,1,2-TETRACHLOROETHANE	10.682	131	2288	0.21	PPBV		96
78) CHLOROBENZENE	10.659	112	4059	0.21	PPBV		98
79) ETHYLBENZENE	11.566	91	6718	0.21	PPBV		97
80) M,P-XYLENE	12.010	91	9676	0.40	PPBV	#	67
81) O-XYLENE	12.958	91	4830	0.20	PPBV	#	88
82) STYRENE	12.752	104	2971	0.16	PPBV		97
83) NONANE	14.096	43	4410	0.20	PPBV	#	65
84) BROMOFORM	11.826	173	2719	0.19	PPBV	#	91
85) 1,1,2,2-TETRACHLOROETHANE	12.990	83	3781	0.20	PPBV	#	94
86) 1,2,3-TRICHLOROPROPANE	13.264	75	2723	0.19	PPBV		99
88) ISOPROPYLBENZENE	14.495	105	7179	0.20	PPBV		93
89) BROMOBENZENE	14.367	77	3434	0.19	PPBV		95
90) 2-CHLOROTOLUENE	15.524	91	4173	0.17	PPBV	#	92
91) N-PROPYLBENZENE	15.862	91	6867	0.16	PPBV	#	94
92) 4-ETHYLTOLUENE	16.196	105	5072	0.14	PPBV	#	99
93) 1,3,5-TRIMETHYLBENZENE	16.350	105	4453	0.15	PPBV	#	94
94) ALPHA-METHYLSTYRENE	16.546	118	2146	0.14	PPBV		95
95) TERT-BUTYLBENZENE	16.794	119	4944	0.15	PPBV		90
96) 1,2,4-TRIMETHYLBENZENE	16.800	105	4538	0.15	PPBV		96
97) BENZYL CHLORIDE	16.884	91	2169	0.12	PPBV	#	60
98) M-DICHLOROBENZENE	16.865	146	3704	0.18	PPBV		99
99) P-DICHLOROBENZENE	16.945	146	3555	0.17	PPBV		98
100) O-DICHLOROBENZENE	17.231	146	3596	0.18	PPBV		97
101) SEC-BUTYLBENZENE	17.071	105	7168	0.16	PPBV		98
102) 1,2,3-TRIMETHYLBENZENE	17.180	105	4563	0.15	PPBV	#	94
103) P-ISOPROPYLTOLUENE	17.244	119	5909	0.15	PPBV		95
104) N-BUTYLBENZENE	17.585	91	4838	0.13	PPBV		97
105) HEXACHLOROETHANE	17.765	117	2295	0.18	PPBV	#	87
106) HEXACHLOROBUTADIENE	18.784	225	2527	0.18	PPBV		97
107) 1,2,4-TRICHLOROBENZENE	18.485	180	1765	0.11	PPBV		100
108) NAPHTHALENE	18.534	128	3313	0.08	PPBV	#	69

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26450.D
Acq On : 19 Oct 2022 8:15 pm
Operator : thomash
Sample : ic1125-0.2
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:22:22 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V6W1125-IC1125 **Method:** TO-15
Lab FileID: 6W26450.D **Analyst approved:** 10/20/22 10:04 Thomas Hilbig
Injection Time: 10/19/22 20:15 **Supervisor approved:** 10/20/22 12:15 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Chlorodifluoromethane	75-45-6		1.71	Missed peak
Dichlorodifluoromethane	75-71-8		1.73	Overlapping peak
Chloromethane	74-87-3		1.77	Missed peak
Acrolein	107-02-8		2.10	Missed peak
Vinyl Acetate	108-05-4		2.93	Missed peak
Ethyl Acetate	141-78-6		3.42	Missed peak
1,4-Dioxane	123-91-1		5.43	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26450.D
Acq On : 19 Oct 2022 8:15 pm
Operator : thomash
Sample : ic1125-0.2
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:14:54 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration





TIC: 6W26450.D\data.ms

(4) CHLORODIFLUOROMETHANE (T)

1.708min (-1.708) 0.00PPBV


response 0

Ion	Exp%	Act%
67.00	100	0.00
69.00	36.00	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26450.D
Acq On : 19 Oct 2022 8:15 pm
Operator : thomash
Sample : ic1125-0.2
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:14:54 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration



TIC: 6W26450.D\data.ms

(4) CHLORODIFLUOROMETHANE (T)

1.708min (+0.000) 0.21PPBV m


response 366

Ion	Exp%	Act%
67.00	100	100
69.00	36.00	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26450.D
Acq On : 19 Oct 2022 8:15 pm
Operator : thomash
Sample : ic1125-0.2
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:14:54 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration



TIC: 6W26450.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.734min (+0.003) 0.25PPBV


response 3525

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	34.44
50.00	9.30	23.43#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26450.D
Acq On : 19 Oct 2022 8:15 pm
Operator : thomash
Sample : ic1125-0.2
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:14:54 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration



TIC: 6W26450.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.734min (+0.003) 0.21PPBV m


response 2981


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	40.72#
50.00	9.30	27.71#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26450.D
Acq On : 19 Oct 2022 8:15 pm
Operator : thomash
Sample : ic1125-0.2
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:14:54 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration







TIC: 6W26450.D\data.ms

(10) CHLOROMETHANE (T)

1.772min (-1.772) 0.00PPBV

response 0


Ion	Exp%	Act%
52.00	100	0.00
50.00	310.20	0.00#
0.00	0.00	0.00
0.00	0.00	0.00


6W26450.D edits: CHLOROMETHANE


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26450.D
Acq On : 19 Oct 2022 8:15 pm
Operator : thomash
Sample : ic1125-0.2
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:14:54 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration







TIC: 6W26450.D\data.ms

(18) ACROLEIN (T)

2.100min (-2.100) 0.00PPBV


response 0

Ion	Exp%	Act%
56.10	100	0.00
55.00	70.00	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26450.D
Acq On : 19 Oct 2022 8:15 pm
Operator : thomash
Sample : ic1125-0.2
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:14:54 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration



TIC: 6W26450.D\data.ms

(10) CHLOROMETHANE (T)

1.772min (+0.000) 0.21PPBV m

response 410


Ion	Exp%	Act%
52.00	100	100
50.00	310.20	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

6W26450.D edits: CHLOROMETHANE

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26450.D
Acq On : 19 Oct 2022 8:15 pm
Operator : thomash
Sample : ic1125-0.2
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:14:54 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration



TIC: 6W26450.D\data.ms

(18) ACROLEIN (T)

2.103min (+0.003) 0.16PPBV m


response 451

Ion	Exp%	Act%
56.10	100	100
55.00	70.00	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26450.D
Acq On : 19 Oct 2022 8:15 pm
Operator : thomash
Sample : ic1125-0.2
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:14:54 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration



TIC: 6W26450.D\data.ms

(39) VINYL ACETATE (T)

2.933min (-2.933) 0.00PPBV

response 0


Ion	Exp%	Act%
86.10	100	0.00
43.10	782.90	0.00#
44.10	43.10	0.00#
0.00	0.00	0.00

6W26450.D edits: VINYL ACETATE

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26450.D
Acq On : 19 Oct 2022 8:15 pm
Operator : thomash
Sample : ic1125-0.2
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:14:54 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration



TIC: 6W26450.D\data.ms

(39) VINYL ACETATE (T)

2.933min (+0.000) 0.23PPBV m

response 339

Ion	Exp%	Act%
86.10	100	100
43.10	782.90	0.00#
44.10	43.10	0.00#
0.00	0.00	0.00


6W26450.D edits: VINYL ACETATE

JD54338

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26450.D
Acq On : 19 Oct 2022 8:15 pm
Operator : thomash
Sample : ic1125-0.2
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:14:54 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration



TIC: 6W26450.D\data.ms

(44) ETHYL ACETATE (T)

3.254min (-0.148) 0.87PPBV


response 2040

Ion	Exp%	Act%
61.10	100	100
43.10	1232.70	0.00#
88.10	48.50	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26450.D
Acq On : 19 Oct 2022 8:15 pm
Operator : thomash
Sample : ic1125-0.2
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:14:54 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration



TIC: 6W26450.D\data.ms

(44) ETHYL ACETATE (T)

3.415min (+0.013) 0.20PPBV m


response 474


Ion	Exp%	Act%
61.10	100	100
43.10	1232.70	0.00#
88.10	48.50	0.00#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26450.D
Acq On : 19 Oct 2022 8:15 pm
Operator : thomash
Sample : ic1125-0.2
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:14:54 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration







TIC: 6W26450.D\data.ms

(61) 1,4-DIOXANE (T)

5.364min (-5.364) 0.00PPBV

response 0


Ion	Exp%	Act%
88.10	100	0.00
57.10	18.70	0.00#
58.10	62.60	0.00#
43.10	19.20	0.00#

6W26450.D edits: 1,4-DIOXANE

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26450.D
Acq On : 19 Oct 2022 8:15 pm
Operator : thomash
Sample : ic1125-0.2
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:14:54 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration



TIC: 6W26450.D\data.ms

(61) 1,4-DIOXANE (T)

5.434min (+0.071) 0.16PPBV m

response 650

Ion	Exp%	Act%
88.10	100	100
57.10	18.70	0.00#
58.10	62.60	0.00#
43.10	19.20	0.00#

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 10/20/22 12:15

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26451.D
Acq On : 19 Oct 2022 8:47 pm
Operator : thomash
Sample : ic1125-0.5
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:25:54 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.338	128	43611	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.733	114	212847	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.588	117	201898	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.022	95	138007	9.66	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.695	65	2036	0.58	PPBV	#	76
4) CHLORODIFLUOROMETHANE	1.708	67	916	0.57	PPBV	#	39
5) CHLOROTRIFLUOROETHENE	1.714	116	4273	0.56	PPBV	#	98
6) DICHLORODIFLUOROMETHANE	1.730	85	7321m	0.55	PPBV		
7) PROPYLENE	1.714	41	3257	0.61	PPBV		92
8) 1-CHLORO-1,1-DIFLUOROE...	1.766	65	6430	0.55	PPBV	#	78
9) FREON 114	1.798	85	7336	0.56	PPBV		94
10) CHLOROMETHANE	1.769	52	1073	0.60	PPBV		98
11) VINYL CHLORIDE	1.830	62	3210	0.58	PPBV	#	91
12) 1,3-BUTADIENE	1.862	54	2567	0.57	PPBV	#	68
13) N-BUTANE	1.878	43	5494	0.59	PPBV	#	87
14) BROMOMETHANE	1.933	94	2394	0.56	PPBV	#	93
15) CHLOROETHANE	1.978	64	1513	0.56	PPBV	#	62
16) DICHLOROFLUOROMETHANE	2.004	67	6298	0.56	PPBV	#	94
17) ACETONITRILE	2.068	41	3448	0.61	PPBV	#	87
18) ACROLEIN	2.100	56	1132	0.42	PPBV		95
19) FREON 123	2.116	83	6000	0.57	PPBV		96
20) FREON 123A	2.129	117	3693	0.57	PPBV		88
21) TRICHLOROFLUOROMETHANE	2.190	101	7363	0.57	PPBV		99
22) ISOPROPYL ALCOHOL	2.209	45	7092	0.58	PPBV	#	89
23) ACETONE	2.142	58	2039	0.74	PPBV	#	45
24) PENTANE	2.299	42	4085	0.61	PPBV	#	93
25) IODOMETHANE	2.354	142	7193	0.57	PPBV	#	83
26) 1,1-DICHLOROETHYLENE	2.383	96	2843	0.54	PPBV	#	55
27) CARBON DISULFIDE	2.521	76	8911	0.54	PPBV	#	78
28) ETHANOL	2.010	45	2191	0.80	PPBV	#	95
29) BROMOETHENE	2.071	106	2565	0.57	PPBV	#	97
30) ACRYLONITRILE	2.270	52	2722	0.62	PPBV		90
31) METHYLENE CHLORIDE	2.422	84	3163	0.63	PPBV	#	35
32) 3-CHLOROPROPENE	2.463	76	1418	0.54	PPBV	#	1
33) FREON 113	2.521	151	5014	0.53	PPBV		90
34) TRANS-1,2-DICHLOROETHENE	2.769	96	3094	0.53	PPBV	#	74
35) TERTIARY BUTYL ALCOHOL	2.402	59	6106	0.57	PPBV	#	88
36) METHYL TERTIARY BUTYL ...	2.891	73	7692	0.53	PPBV	#	84
37) TETRAHYDROFURAN	3.659	72	1425	0.54	PPBV	#	15
38) HEXANE	3.389	57	6333	0.57	PPBV	#	74
39) VINYL ACETATE	2.933	86	545	0.40	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.852	63	6085	0.55	PPBV		97
41) METHYL ETHYL KETONE	3.045	72	1427	0.51	PPBV	#	1
42) CIS-1,2-DICHLOROETHENE	3.254	96	3326	0.55	PPBV	#	82
43) DIISOPROPYL ETHER	3.402	59	1703	0.53	PPBV	#	33
44) ETHYL ACETATE	3.412	61	1201	0.55	PPBV	#	1
45) METHYL ACRYLATE	3.393	55	7982	0.57	PPBV	#	98
46) CHLOROFORM	3.418	83	6839	0.55	PPBV	#	92
47) 2,4-DIMETHYLPENTANE	3.955	57	6927	0.53	PPBV	#	91
48) 1,1,1-TRICHLOROETHANE	4.042	97	6432	0.53	PPBV	#	90
49) CARBON TETRACHLORIDE	4.495	117	6798	0.50	PPBV		98
50) 1,2-DICHLOROETHANE	3.862	62	5168	0.55	PPBV	#	91
51) BENZENE	4.376	78	9500	0.53	PPBV		72
53) CYCLOHEXANE	4.601	84	4074	0.53	PPBV	#	70
54) 2,3-DIMETHYLPENTANE	4.868	71	2195	0.54	PPBV	#	42
55) TRICHLOROETHENE	5.344	95	4586	0.56	PPBV		98
56) 1,2-DICHLOROPROPANE	5.100	63	4155	0.55	PPBV		97
57) DIBROMOMETHANE	5.055	174	3857	0.51	PPBV	#	84

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26451.D
Acq On : 19 Oct 2022 8:47 pm
Operator : thomash
Sample : ic1125-0.5
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:25:54 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58) ETHYL ACRYLATE	5.241	55	8223	0.51	PPBV	#	90
59) BROMODICHLOROMETHANE	5.296	83	7543	0.55	PPBV		100
60) 2,2,4-TRIMETHYLPENTANE	5.441	57	18927	0.54	PPBV	#	98
61) 1,4-DIOXANE	5.402	88	1827	0.50	PPBV	#	69
62) HEPTANE	5.778	43	7366	0.54	PPBV	#	74
63) METHYL METHACRYLATE	5.685	69	3392	0.50	PPBV	#	46
64) METHYL ISOBUTYL KETONE	6.489	58	2555	0.42	PPBV	#	44
65) CIS-1,3-DICHLOROPROPENE	6.347	75	5324	0.53	PPBV	#	69
66) TOLUENE	7.614	91	11850	0.55	PPBV		99
67) 1,3-DICHLOROPROPANE	7.685	76	5895	0.54	PPBV	#	97
68) TRANS-1,3-DICHLOROPROPENE	7.064	75	4397	0.49	PPBV	#	70
69) 1,1,2-TRICHLOROETHANE	7.238	83	3813	0.58	PPBV		93
70) 2-HEXANONE	8.241	58	2442	0.35	PPBV	#	39
71) ETHYL METHACRYLATE	8.363	69	4486	0.42	PPBV	#	65
72) TETRACHLOROETHENE	9.412	164	4552	0.55	PPBV		92
73) DIBROMOCHLOROMETHANE	8.187	129	7719	0.53	PPBV		100
74) 1,2-DIBROMOETHANE	8.537	107	6461	0.54	PPBV	#	99
75) OCTANE	9.553	43	9456	0.50	PPBV	#	71
77) 1,1,1,2-TETRACHLOROETHANE	10.675	131	5101	0.47	PPBV		96
78) CHLOROBENZENE	10.662	112	9881	0.50	PPBV		98
79) ETHYLBENZENE	11.563	91	14798	0.47	PPBV		99
80) M,P-XYLENE	12.010	91	22467m	0.93	PPBV		
81) O-XYLENE	12.961	91	11051	0.45	PPBV	#	91
82) STYRENE	12.736	104	7540	0.40	PPBV		97
83) NONANE	14.090	43	11183	0.51	PPBV	#	71
84) BROMOFORM	11.823	173	6708	0.47	PPBV	#	90
85) 1,1,2,2-TETRACHLOROETHANE	12.984	83	9811	0.53	PPBV		98
86) 1,2,3-TRICHLOROPROPANE	13.267	75	7550	0.53	PPBV		97
88) ISOPROPYLBENZENE	14.511	105	16923	0.47	PPBV		94
89) BROMOBENZENE	14.373	77	8531	0.49	PPBV		97
90) 2-CHLOROTOLUENE	15.524	91	10727	0.43	PPBV		98
91) N-PROPYLBENZENE	15.858	91	17614	0.41	PPBV	#	96
92) 4-ETHYLTOLUENE	16.196	105	13852	0.38	PPBV	#	99
93) 1,3,5-TRIMETHYLBENZENE	16.350	105	11943	0.40	PPBV		97
94) ALPHA-METHYLSTYRENE	16.543	118	5514	0.37	PPBV		99
95) TERT-BUTYLBENZENE	16.797	119	13389	0.40	PPBV		94
96) 1,2,4-TRIMETHYLBENZENE	16.800	105	12326	0.40	PPBV		97
97) BENZYL CHLORIDE	16.887	91	6681	0.38	PPBV		96
98) M-DICHLOROBENZENE	16.865	146	9596	0.47	PPBV		97
99) P-DICHLOROBENZENE	16.942	146	9486	0.47	PPBV		98
100) O-DICHLOROBENZENE	17.234	146	9520	0.49	PPBV		98
101) SEC-BUTYLBENZENE	17.070	105	19173	0.42	PPBV		97
102) 1,2,3-TRIMETHYLBENZENE	17.180	105	12666	0.42	PPBV	#	96
103) P-ISOPROPYLTOLUENE	17.244	119	16473	0.41	PPBV		95
104) N-BUTYLBENZENE	17.588	91	13519	0.37	PPBV		98
105) HEXACHLOROETHANE	17.765	117	5837	0.46	PPBV	#	87
106) HEXACHLOROBUTADIENE	18.784	225	6322	0.46	PPBV		100
107) 1,2,4-TRICHLOROBENZENE	18.485	180	5667	0.36	PPBV		99
108) NAPHTHALENE	18.530	128	12011	0.30	PPBV		99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26451.D
Acq On : 19 Oct 2022 8:47 pm
Operator : thomash
Sample : ic1125-0.5
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:25:54 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V6W1125-IC1125 **Method:** TO-15
Lab FileID: 6W26451.D **Analyst approved:** 10/20/22 10:04 Thomas Hilbig
Injection Time: 10/19/22 20:47 **Supervisor approved:** 10/20/22 12:15 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Dichlorodifluoromethane	75-71-8		1.73	Overlapping peak
m,p-Xylene			12.01	Split peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26451.D
Acq On : 19 Oct 2022 8:47 pm
Operator : thomash
Sample : ic1125-0.5
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:23:56 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration





TIC: 6W26451.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.730min (0.000) 0.55PPBV m


response 7321


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	38.64#
50.00	9.30	29.12#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26451.D
Acq On : 19 Oct 2022 8:47 pm
Operator : thomash
Sample : ic1125-0.5
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:23:56 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration





TIC: 6W26451.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.730min (0.000) 0.67PPBV


response 8806


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	32.13
50.00	9.30	24.21#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26451.D
Acq On : 19 Oct 2022 8:47 pm
Operator : thomash
Sample : ic1125-0.5
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 08:23:56 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration





TIC: 6W26451.D\data.ms

(80) M,P-XYLENE (t)

12.010min (0.000) 0.93PPBV m

response 22467


Ion	Exp%	Act%
91.10	100	100
106.10	51.50	22.10#
105.10	23.60	16.03
0.00	0.00	0.00


6W26451.D edits: M,P-XYLENE

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\Raw Data\
Data File : 6W26451.D
Acq On : 19 Oct 2022 8:47 pm
Operator : thomash
Sample : ic1125-0.5
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 20 10:02:04 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration





TIC: 6W26451.D\data.ms

(80) M,P-XYLENE (t)

12.010min (0.000) 0.40PPBV

response 10308

Ion	Exp%	Act%
91.10	100	100
106.10	51.50	48.18
105.10	23.60	34.93
0.00	0.00	0.00

6W26451.D edits: M,P-XYLENE

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 10/20/22 12:15

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26453.D
Acq On : 19 Oct 2022 9:52 pm
Operator : thomash
Sample : ic1125-5
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 20 08:28:12 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:27:42 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.338	128	48052	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.733	114	238668	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.582	117	209355	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.022	95	146090	10.19	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.695	65	19907	2.65	PPBV	#	74
4) CHLORODIFLUOROMETHANE	1.705	67	9181	4.69	PPBV		97
5) CHLOROTRIFLUOROETHENE	1.714	116	43331	4.64	PPBV	#	99
6) DICHLORODIFLUOROMETHANE	1.730	85	73368m	4.83	PPBV		
7) PROPYLENE	1.714	41	29308	4.61	PPBV		96
8) 1-CHLORO-1,1-DIFLUOROE...	1.766	65	65971	4.79	PPBV	#	85
9) FREON 114	1.798	85	72621	4.52	PPBV		97
10) CHLOROMETHANE	1.772	52	10071	4.38	PPBV		91
11) VINYL CHLORIDE	1.827	62	30710	4.48	PPBV		97
12) 1,3-BUTADIENE	1.865	54	25561	4.68	PPBV	#	68
13) N-BUTANE	1.878	43	53529	3.91	PPBV	#	91
14) BROMOMETHANE	1.933	94	24626	4.79	PPBV		97
15) CHLOROETHANE	1.978	64	15370	4.88	PPBV		92
16) DICHLOROFLUOROMETHANE	2.000	67	63935	4.76	PPBV	#	94
17) ACETONITRILE	2.065	41	32753	4.23	PPBV		96
18) ACROLEIN	2.100	56	15089	6.24	PPBV		100
19) FREON 123	2.116	83	58941	4.60	PPBV		94
20) FREON 123A	2.132	117	36017	4.72	PPBV		85
21) TRICHLOROFLUOROMETHANE	2.190	101	81701	5.19	PPBV		100
22) ISOPROPYL ALCOHOL	2.209	45	70608	4.14	PPBV	#	93
23) ACETONE	2.139	58	14329	3.22	PPBV	#	20
24) PENTANE	2.299	42	42306	4.65	PPBV	#	93
25) IODOMETHANE	2.357	142	81476	5.47	PPBV	#	85
26) 1,1-DICHLOROETHYLENE	2.383	96	30944	5.07	PPBV	#	60
27) CARBON DISULFIDE	2.521	76	94990	4.99	PPBV	#	88
28) ETHANOL	2.007	45	15267	3.22	PPBV	#	96
29) BROMOETHENE	2.071	106	24699	4.53	PPBV	#	95
30) ACRYLONITRILE	2.274	52	27837	5.11	PPBV		95
31) METHYLENE CHLORIDE	2.422	84	29001	3.93	PPBV	#	51
32) 3-CHLOROPROPENE	2.463	76	14916	1.84	PPBV	#	1
33) FREON 113	2.521	151	54753	5.18	PPBV		91
34) TRANS-1,2-DICHLOROETHENE	2.769	96	33613	4.97	PPBV	#	81
35) TERTIARY BUTYL ALCOHOL	2.396	59	57315	4.48	PPBV	#	93
36) METHYL TERTIARY BUTYL ...	2.888	73	78884	4.91	PPBV	#	92
37) TETRAHYDROFURAN	3.653	72	15076	5.13	PPBV	#	44
38) HEXANE	3.396	57	63277	4.85	PPBV	#	77
39) VINYL ACETATE	2.930	86	7142	4.83	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.852	63	63853	5.02	PPBV		98
41) METHYL ETHYL KETONE	3.036	72	15342	4.76	PPBV	#	1
42) CIS-1,2-DICHLOROETHENE	3.254	96	34169	4.70	PPBV	#	80
43) DIISOPROPYL ETHER	3.396	59	18288	5.08	PPBV	#	51
44) ETHYL ACETATE	3.402	61	12164	4.77	PPBV	#	13
45) METHYL ACRYLATE	3.389	55	77002	4.95	PPBV	#	98
46) CHLOROFORM	3.418	83	70989	4.91	PPBV	#	93
47) 2,4-DIMETHYLPENTANE	3.958	57	72717	5.13	PPBV		92
48) 1,1,1-TRICHLOROETHANE	4.045	97	67185	4.77	PPBV	#	90
49) CARBON TETRACHLORIDE	4.502	117	74873	5.21	PPBV		100
50) 1,2-DICHLOROETHANE	3.868	62	53248	4.79	PPBV	#	94
51) BENZENE	4.383	78	101339	4.56	PPBV		79
53) CYCLOHEXANE	4.605	84	42608	4.92	PPBV	#	73
54) 2,3-DIMETHYLPENTANE	4.881	71	23101	4.70	PPBV	#	54
55) TRICHLOROETHENE	5.347	95	47636	5.11	PPBV		98
56) 1,2-DICHLOROPROPANE	5.100	63	43029	4.96	PPBV		97
57) DIBROMOMETHANE	5.058	174	42656	4.61	PPBV		90

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26453.D
Acq On : 19 Oct 2022 9:52 pm
Operator : thomash
Sample : ic1125-5
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 20 08:28:12 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:27:42 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58) ETHYL ACRYLATE	5.225	55	89611	5.35	PPBV	#	96
59) BROMODICHLOROMETHANE	5.293	83	78333	4.91	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.447	57	200710	5.17	PPBV	#	98
61) 1,4-DIOXANE	5.370	88	19670	5.29	PPBV	#	85
62) HEPTANE	5.785	43	79722	4.98	PPBV	#	73
63) METHYL METHACRYLATE	5.675	69	37067	5.13	PPBV	#	50
64) METHYL ISOBUTYL KETONE	6.457	58	33688	6.44	PPBV	#	62
65) CIS-1,3-DICHLOROPROPENE	6.347	75	55063	5.09	PPBV	#	71
66) TOLUENE	7.617	91	120813	4.27	PPBV		99
67) 1,3-DICHLOROPROPANE	7.679	76	63315	5.00	PPBV		99
68) TRANS-1,3-DICHLOROPROPENE	7.064	75	47715	5.28	PPBV	#	74
69) 1,1,2-TRICHLOROETHANE	7.235	83	37548	4.92	PPBV		98
70) 2-HEXANONE	8.212	58	34192	6.90	PPBV	#	56
71) ETHYL METHACRYLATE	8.347	69	57397	6.27	PPBV	#	69
72) TETRACHLOROETHENE	9.421	164	46844	5.43	PPBV		92
73) DIBROMOCHLOROMETHANE	8.180	129	82147	5.28	PPBV		99
74) 1,2-DIBROMOETHANE	8.531	107	67572	4.93	PPBV		99
75) OCTANE	9.566	43	105512	5.23	PPBV	#	74
77) 1,1,1,2-TETRACHLOROETHANE	10.675	131	55973	5.11	PPBV		97
78) CHLOROBENZENE	10.662	112	102291	5.19	PPBV		100
79) ETHYLBENZENE	11.569	91	159993	4.02	PPBV		99
80) M,P-XYLENE	12.006	91	250224	8.76	PPBV	#	68
81) O-XYLENE	12.958	91	126171	4.45	PPBV		99
82) STYRENE	12.746	104	92962	5.89	PPBV		97
83) NONANE	14.087	43	115009	4.89	PPBV	#	75
84) BROMOFORM	11.823	173	72574	5.21	PPBV	#	97
85) 1,1,2,2-TETRACHLOROETHANE	12.981	83	96502	5.13	PPBV		98
86) 1,2,3-TRICHLOROPROPANE	13.264	75	75375	5.14	PPBV		99
88) ISOPROPYLBENZENE	14.501	105	185523	5.20	PPBV	#	94
89) BROMOBENZENE	14.373	77	90723	5.29	PPBV		96
90) 2-CHLOROTOLUENE	15.521	91	127993	5.96	PPBV		99
91) N-PROPYLBENZENE	15.861	91	218987	6.23	PPBV	#	97
92) 4-ETHYLTOLUENE	16.199	105	184676	7.07	PPBV		100
93) 1,3,5-TRIMETHYLBENZENE	16.350	105	152452	6.64	PPBV		99
94) ALPHA-METHYLSTYRENE	16.546	118	75375	7.02	PPBV		99
95) TERT-BUTYLBENZENE	16.797	119	171850	6.68	PPBV		98
96) 1,2,4-TRIMETHYLBENZENE	16.804	105	160966	6.93	PPBV		95
97) BENZYL CHLORIDE	16.887	91	79996	6.95	PPBV		98
98) M-DICHLOROBENZENE	16.861	146	105031	5.93	PPBV		98
99) P-DICHLOROBENZENE	16.945	146	104393	5.98	PPBV		98
100) O-DICHLOROBENZENE	17.234	146	102199	5.87	PPBV		99
101) SEC-BUTYLBENZENE	17.070	105	234846	6.67	PPBV		99
102) 1,2,3-TRIMETHYLBENZENE	17.180	105	154554	6.70	PPBV		99
103) P-ISOPROPYLTOLUENE	17.247	119	201910	6.93	PPBV		97
104) N-BUTYLBENZENE	17.588	91	185283	7.89	PPBV		98
105) HEXACHLOROETHANE	17.765	117	63914	5.17	PPBV	#	88
106) HEXACHLOROBUTADIENE	18.784	225	68032	5.57	PPBV		100
107) 1,2,4-TRICHLOROBENZENE	18.485	180	72353	7.80	PPBV		97
108) NAPHTHALENE	18.533	128	175017	9.54	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26453.D
Acq On : 19 Oct 2022 9:52 pm
Operator : thomash
Sample : ic1125-5
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 20 08:28:12 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:27:42 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number:	V6W1125-IC1125	**Method:**	TO-15
Lab FileID:	6W26453.D	**Analyst approved:**	10/20/22 10:04 Thomas Hilbig
Injection Time:	10/19/22 21:52	**Supervisor approved:**	10/20/22 12:15 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Dichlorodifluoromethane	75-71-8		1.73	Overlapping peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26453.D
Acq On : 19 Oct 2022 9:52 pm
Operator : thomash
Sample : ic1125-5
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 20 08:27:56 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:27:42 2022
Response via : Initial Calibration





TIC: 6W26453.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.730min (+0.000) 5.81PPBV


response 88251


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	31.94
50.00	9.30	23.58#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26453.D
Acq On : 19 Oct 2022 9:52 pm
Operator : thomash
Sample : ic1125-5
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 20 08:27:56 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:27:42 2022
Response via : Initial Calibration





TIC: 6W26453.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.730min (+0.000) 4.83PPBV m

response 73368

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	38.42
50.00	9.30	28.36#
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 10/20/22 12:15

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26454.D
Acq On : 19 Oct 2022 10:25 pm
Operator : thomash
Sample : icc1125-10
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 20 07:46:44 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.338	128	50236	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.733	114	248131	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.588	117	216051	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.019	95	152864	10.00	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.695	65	40766	10.00	PPBV	#	76
4) CHLORODIFLUOROMETHANE	1.708	67	18586	10.00	PPBV		97
5) CHLOROTRIFLUOROETHENE	1.717	116	88306	10.00	PPBV	#	100
6) DICHLORODIFLUOROMETHANE	1.730	85	152018m	10.00	PPBV		
7) PROPYLENE	1.714	41	61296	10.00	PPBV		96
8) 1-CHLORO-1,1-DIFLUOROE...	1.766	65	135235	10.00	PPBV	#	86
9) FREON 114	1.798	85	152030	10.00	PPBV		97
10) CHLOROMETHANE	1.772	52	20678	10.00	PPBV		93
11) VINYL CHLORIDE	1.830	62	63489	10.00	PPBV		96
12) 1,3-BUTADIENE	1.865	54	52245	10.00	PPBV	#	72
13) N-BUTANE	1.878	43	107971	10.00	PPBV	#	90
14) BROMOMETHANE	1.933	94	49482	10.00	PPBV		98
15) CHLOROETHANE	1.978	64	31300	10.00	PPBV		93
16) DICHLOROFLUOROMETHANE	2.004	67	129761	10.00	PPBV	#	95
17) ACETONITRILE	2.065	41	65598	10.00	PPBV		96
18) ACROLEIN	2.100	56	30940	10.00	PPBV		99
19) FREON 123	2.116	83	121214	10.00	PPBV		95
20) FREON 123A	2.132	117	74375	10.00	PPBV		86
21) TRICHLOROFLUOROMETHANE	2.190	101	148677	10.00	PPBV		100
22) ISOPROPYL ALCOHOL	2.206	45	141893	10.00	PPBV	#	95
23) ACETONE	2.139	58	31578	10.00	PPBV	#	21
24) PENTANE	2.299	42	77159	10.00	PPBV	#	93
25) IODOMETHANE	2.357	142	145923	10.00	PPBV	#	84
26) 1,1-DICHLOROETHYLENE	2.383	96	60120	10.00	PPBV	#	57
27) CARBON DISULFIDE	2.521	76	189741	10.00	PPBV	#	88
28) ETHANOL	2.007	45	31409	10.00	PPBV	#	95
29) BROMOETHENE	2.074	106	51820	10.00	PPBV	#	98
30) ACRYLONITRILE	2.270	52	50315	10.00	PPBV		95
31) METHYLENE CHLORIDE	2.422	84	57394	10.00	PPBV	#	53
32) 3-CHLOROPROPENE	2.463	76	30196	10.00	PPBV	#	1
33) FREON 113	2.521	151	109383	10.00	PPBV		91
34) TRANS-1,2-DICHLOROETHENE	2.769	96	67461	10.00	PPBV	#	80
35) TERTIARY BUTYL ALCOHOL	2.396	59	122603	10.00	PPBV	#	96
36) METHYL TERTIARY BUTYL ...	2.888	73	165919	10.00	PPBV	#	92
37) TETRAHYDROFURAN	3.653	72	30407	10.00	PPBV	#	39
38) HEXANE	3.396	57	128093	10.00	PPBV	#	77
39) VINYL ACETATE	2.933	86	15763	10.00	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.852	63	127587	10.00	PPBV		98
41) METHYL ETHYL KETONE	3.036	72	32369	10.00	PPBV	#	1
42) CIS-1,2-DICHLOROETHENE	3.254	96	69388	10.00	PPBV	#	80
43) DIISOPROPYL ETHER	3.396	59	37294	10.00	PPBV	#	48
44) ETHYL ACETATE	3.402	61	25284	10.00	PPBV	#	17
45) METHYL ACRYLATE	3.389	55	160871	10.00	PPBV	#	97
46) CHLOROFORM	3.421	83	144284	10.00	PPBV	#	93
47) 2,4-DIMETHYLPENTANE	3.958	57	149307	10.00	PPBV	#	93
48) 1,1,1-TRICHLOROETHANE	4.045	97	139532	10.00	PPBV	#	93
49) CARBON TETRACHLORIDE	4.505	117	155756	10.00	PPBV		99
50) 1,2-DICHLOROETHANE	3.868	62	108219	10.00	PPBV	#	94
51) BENZENE	4.383	78	206141	10.00	PPBV		79
53) CYCLOHEXANE	4.608	84	89028	10.00	PPBV	#	75
54) 2,3-DIMETHYLPENTANE	4.884	71	47700	10.00	PPBV	#	54
55) TRICHLOROETHENE	5.351	95	95859	10.00	PPBV		97
56) 1,2-DICHLOROPROPANE	5.100	63	87652	10.00	PPBV		97
57) DIBROMOMETHANE	5.058	174	87533	10.00	PPBV		92

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26454.D
Acq On : 19 Oct 2022 10:25 pm
Operator : thomash
Sample : icc1125-10
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 20 07:46:44 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58) ETHYL ACRYLATE	5.225	55	189495	10.00	PPBV	#	96
59) BROMODICHLOROMETHANE	5.293	83	160365	10.00	PPBV		98
60) 2,2,4-TRIMETHYLPENTANE	5.447	57	408278	10.00	PPBV	#	98
61) 1,4-DIOXANE	5.364	88	42438	10.00	PPBV	#	79
62) HEPTANE	5.788	43	160426	10.00	PPBV	#	74
63) METHYL METHACRYLATE	5.675	69	78547	10.00	PPBV	#	51
64) METHYL ISOBUTYL KETONE	6.450	58	71179	10.00	PPBV	#	64
65) CIS-1,3-DICHLOROPROPENE	6.351	75	117430	10.00	PPBV	#	72
66) TOLUENE	7.617	91	251686	10.00	PPBV		100
67) 1,3-DICHLOROPROPANE	7.679	76	128382	10.00	PPBV	#	98
68) TRANS-1,3-DICHLOROPROPENE	7.064	75	104079	10.00	PPBV	#	75
69) 1,1,2-TRICHLOROETHANE	7.232	83	76257	10.00	PPBV		98
70) 2-HEXANONE	8.206	58	80744	10.00	PPBV	#	61
71) ETHYL METHACRYLATE	8.344	69	123552	10.00	PPBV	#	68
72) TETRACHLOROETHENE	9.415	164	96515	10.00	PPBV		92
73) DIBROMOCHLOROMETHANE	8.180	129	169421	10.00	PPBV		99
74) 1,2-DIBROMOETHANE	8.534	107	139318	10.00	PPBV		100
75) OCTANE	9.563	43	219399	10.00	PPBV	#	75
77) 1,1,1,2-TETRACHLOROETHANE	10.678	131	115919	10.00	PPBV		97
78) CHLOROBENZENE	10.669	112	209525	10.00	PPBV		100
79) ETHYLBENZENE	11.569	91	335086	10.00	PPBV		100
80) M,P-XYLENE	12.010	91	518412	20.00	PPBV	#	66
81) O-XYLENE	12.961	91	261863	10.00	PPBV		98
82) STYRENE	12.746	104	199893	10.00	PPBV		98
83) NONANE	14.090	43	234816	10.00	PPBV	#	75
84) BROMOFORM	11.826	173	151696	10.00	PPBV	#	97
85) 1,1,2,2-TETRACHLOROETHANE	12.981	83	198246	10.00	PPBV		98
86) 1,2,3-TRICHLOROPROPANE	13.267	75	153573	10.00	PPBV		99
88) ISOPROPYLBENZENE	14.501	105	388762	10.00	PPBV	#	94
89) BROMOBENZENE	14.373	77	187543	10.00	PPBV		97
90) 2-CHLOROTOLUENE	15.524	91	266209	10.00	PPBV		99
91) N-PROPYLBENZENE	15.861	91	458661	10.00	PPBV	#	97
92) 4-ETHYLTOLUENE	16.199	105	389486	10.00	PPBV		100
93) 1,3,5-TRIMETHYLBENZENE	16.350	105	317114	10.00	PPBV		99
94) ALPHA-METHYLSTYRENE	16.546	118	158288	10.00	PPBV		99
95) TERT-BUTYLBENZENE	16.797	119	357976	10.00	PPBV		98
96) 1,2,4-TRIMETHYLBENZENE	16.804	105	332506	10.00	PPBV		96
97) BENZYL CHLORIDE	16.887	91	185883	10.00	PPBV		98
98) M-DICHLOROBENZENE	16.865	146	218815	10.00	PPBV		99
99) P-DICHLOROBENZENE	16.945	146	218232	10.00	PPBV		99
100) O-DICHLOROBENZENE	17.231	146	209883	10.00	PPBV		99
101) SEC-BUTYLBENZENE	17.070	105	488617	10.00	PPBV		99
102) 1,2,3-TRIMETHYLBENZENE	17.180	105	323807	10.00	PPBV		99
103) P-ISOPROPYLTOLUENE	17.244	119	424958	10.00	PPBV		97
104) N-BUTYLBENZENE	17.585	91	389723	10.00	PPBV		98
105) HEXACHLOROETHANE	17.762	117	135061	10.00	PPBV	#	88
106) HEXACHLOROBUTADIENE	18.781	225	147086	10.00	PPBV		100
107) 1,2,4-TRICHLOROBENZENE	18.482	180	170601	10.00	PPBV		98
108) NAPHTHALENE	18.530	128	427473	10.00	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26454.D
Acq On : 19 Oct 2022 10:25 pm
Operator : thomash
Sample : icc1125-10
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 20 07:46:44 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V6W1125-ICC1125 **Method:** TO-15
Lab FileID: 6W26454.D **Analyst approved:** 10/20/22 10:04 Thomas Hilbig
Injection Time: 10/19/22 22:25 **Supervisor approved:** 10/20/22 12:15 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Dichlorodifluoromethane	75-71-8		1.73	Overlapping peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26454.D
Acq On : 19 Oct 2022 10:25 pm
Operator : thomash
Sample : icc1125-10
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 20 07:32:14 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration





TIC: 6W26454.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.730min (+0.000) 7.75PPBV


response 181010


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	32.08
50.00	9.30	23.20#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26454.D
Acq On : 19 Oct 2022 10:25 pm
Operator : thomash
Sample : icc1125-10
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 20 07:46:44 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration





TIC: 6W26454.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.730min (0.000) 10.00PPBV m

response 152018

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	30.24
50.00	9.30	8.09
0.00	0.00	0.00

6W26455.D

Manual Integrations APPROVED (compounds with "m" flag)

Kanya Veerawat 10/20/22 12:15

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26455.D
Acq On : 19 Oct 2022 10:57 pm
Operator : thomash
Sample : ic1125-20
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 20 07:48:06 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.341	128	49377	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.737	114	249392	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.589	117	219656	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.026	95	157260	10.12	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.695	65	81708	20.39	PPBV	#	74
4) CHLORODIFLUOROMETHANE	1.708	67	37113	20.32	PPBV		98
5) CHLOROTRIFLUOROETHENE	1.717	116	179947	20.73	PPBV	#	100
6) DICHLORODIFLUOROMETHANE	1.734	85	300113m	20.08	PPBV		
7) PROPYLENE	1.714	41	123567	20.51	PPBV		97
8) 1-CHLORO-1,1-DIFLUOROE...	1.769	65	278726	20.97	PPBV	#	86
9) FREON 114	1.801	85	313198	20.96	PPBV		97
10) CHLOROMETHANE	1.772	52	41351	20.35	PPBV		92
11) VINYL CHLORIDE	1.830	62	130827	20.96	PPBV		97
12) 1,3-BUTADIENE	1.865	54	108336	21.10	PPBV	#	73
13) N-BUTANE	1.878	43	219713	20.70	PPBV	#	90
14) BROMOMETHANE	1.936	94	101473	20.86	PPBV		99
15) CHLOROETHANE	1.981	64	63936	20.78	PPBV		93
16) DICHLOROFLUOROMETHANE	2.004	67	267942	21.01	PPBV	#	95
17) ACETONITRILE	2.068	41	134828	20.91	PPBV		96
18) ACROLEIN	2.103	56	62598	20.58	PPBV		98
19) FREON 123	2.116	83	253873	21.31	PPBV		95
20) FREON 123A	2.132	117	153590	21.01	PPBV		84
21) TRICHLOROFLUOROMETHANE	2.190	101	307551	21.05	PPBV		100
22) ISOPROPYL ALCOHOL	2.206	45	293937	21.08	PPBV	#	96
23) ACETONE	2.139	58	65338	21.05	PPBV	#	23
24) PENTANE	2.299	42	156002	20.57	PPBV	#	93
25) IODOMETHANE	2.357	142	288300	20.10	PPBV	#	84
26) 1,1-DICHLOROETHYLENE	2.383	96	108698	18.39	PPBV	#	52
27) CARBON DISULFIDE	2.521	76	355957	19.09	PPBV	#	86
28) ETHANOL	2.007	45	65286	21.15	PPBV		96
29) BROMOETHENE	2.074	106	106499	20.91	PPBV	#	98
30) ACRYLONITRILE	2.274	52	101996	20.62	PPBV		95
31) METHYLENE CHLORIDE	2.422	84	99743	17.68	PPBV	#	45
32) 3-CHLOROPROPENE	2.463	76	54273	18.29	PPBV	#	1
33) FREON 113	2.521	151	197048	18.33	PPBV		88
34) TRANS-1,2-DICHLOROETHENE	2.772	96	128675	19.41	PPBV	#	78
35) TERTIARY BUTYL ALCOHOL	2.396	59	254046	21.08	PPBV	#	93
36) METHYL TERTIARY BUTYL ...	2.888	73	342029	20.97	PPBV	#	92
37) TETRAHYDROFURAN	3.653	72	64103	21.45	PPBV	#	43
38) HEXANE	3.396	57	260116	20.66	PPBV	#	77
39) VINYL ACETATE	2.930	86	34002	21.95	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.856	63	252325	20.12	PPBV		99
41) METHYL ETHYL KETONE	3.039	72	66263	20.83	PPBV	#	1
42) CIS-1,2-DICHLOROETHENE	3.258	96	140062	20.54	PPBV	#	80
43) DIISOPROPYL ETHER	3.399	59	76459	20.86	PPBV	#	47
44) ETHYL ACETATE	3.406	61	52127	20.98	PPBV	#	17
45) METHYL ACRYLATE	3.393	55	333930	21.12	PPBV	#	96
46) CHLOROFORM	3.425	83	292725	20.64	PPBV	#	93
47) 2,4-DIMETHYLPENTANE	3.959	57	305149	20.79	PPBV	#	94
48) 1,1,1-TRICHLOROETHANE	4.045	97	286273	20.87	PPBV	#	93
49) CARBON TETRACHLORIDE	4.505	117	317238	20.72	PPBV		99
50) 1,2-DICHLOROETHANE	3.869	62	217638	20.46	PPBV	#	95
51) BENZENE	4.383	78	419451	20.70	PPBV		80
53) CYCLOHEXANE	4.608	84	183360	20.49	PPBV	#	76
54) 2,3-DIMETHYLPENTANE	4.885	71	96958	20.22	PPBV	#	56
55) TRICHLOROETHENE	5.354	95	195262	20.27	PPBV		97
56) 1,2-DICHLOROPROPANE	5.103	63	178229	20.23	PPBV		97
57) DIBROMOMETHANE	5.061	174	178772	20.32	PPBV		93

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26455.D
Acq On : 19 Oct 2022 10:57 pm
Operator : thomash
Sample : ic1125-20
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 20 07:48:06 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58) ETHYL ACRYLATE	5.229	55	400306	21.02	PPBV	#	97
59) BROMODICHLOROMETHANE	5.299	83	324106	20.11	PPBV		98
60) 2,2,4-TRIMETHYLPENTANE	5.450	57	833535	20.31	PPBV	#	99
61) 1,4-DIOXANE	5.364	88	90098	21.12	PPBV	#	78
62) HEPTANE	5.788	43	329247	20.42	PPBV	#	74
63) METHYL METHACRYLATE	5.679	69	164347	20.82	PPBV	#	50
64) METHYL ISOBUTYL KETONE	6.457	58	151905	21.23	PPBV	#	64
65) CIS-1,3-DICHLOROPROPENE	6.351	75	245846	20.83	PPBV	#	73
66) TOLUENE	7.621	91	517544	20.46	PPBV		100
67) 1,3-DICHLOROPROPANE	7.682	76	266301	20.64	PPBV	#	98
68) TRANS-1,3-DICHLOROPROPENE	7.068	75	225877	21.59	PPBV	#	76
69) 1,1,2-TRICHLOROETHANE	7.235	83	155471	20.28	PPBV		98
70) 2-HEXANONE	8.209	58	185953	22.91	PPBV	#	62
71) ETHYL METHACRYLATE	8.347	69	263702	21.24	PPBV	#	68
72) TETRACHLOROETHENE	9.418	164	197298	20.34	PPBV		92
73) DIBROMOCHLOROMETHANE	8.187	129	350108	20.56	PPBV		99
74) 1,2-DIBROMOETHANE	8.540	107	289296	20.66	PPBV		99
75) OCTANE	9.563	43	458487	20.79	PPBV	#	75
77) 1,1,1,2-TETRACHLOROETHANE	10.682	131	238370	20.23	PPBV		97
78) CHLOROBENZENE	10.669	112	433066	20.33	PPBV		99
79) ETHYLBENZENE	11.572	91	699055	20.52	PPBV		100
80) M,P-XYLENE	12.013	91	1079066	40.95	PPBV	#	67
81) O-XYLENE	12.968	91	544844	20.46	PPBV		99
82) STYRENE	12.746	104	421198	20.73	PPBV		98
83) NONANE	14.093	43	482472	20.21	PPBV	#	74
84) BROMOFORM	11.830	173	319790	20.73	PPBV	#	97
85) 1,1,2,2-TETRACHLOROETHANE	12.987	83	406520	20.17	PPBV		98
86) 1,2,3-TRICHLOROPROPANE	13.273	75	318990	20.43	PPBV		99
88) ISOPROPYLBENZENE	14.505	105	810979	20.52	PPBV	#	93
89) BROMOBENZENE	14.379	77	392588	20.59	PPBV		96
90) 2-CHLOROTOLUENE	15.524	91	560685	20.72	PPBV		99
91) N-PROPYLBENZENE	15.865	91	962567	20.64	PPBV	#	97
92) 4-ETHYLTOLUENE	16.206	105	818293	20.66	PPBV		100
93) 1,3,5-TRIMETHYLBENZENE	16.354	105	675844	20.96	PPBV		99
94) ALPHA-METHYLSTYRENE	16.546	118	339449	21.09	PPBV		99
95) TERT-BUTYLBENZENE	16.800	119	759425	20.87	PPBV		98
96) 1,2,4-TRIMETHYLBENZENE	16.807	105	703276	20.80	PPBV		96
97) BENZYL CHLORIDE	16.887	91	451364	23.88	PPBV		98
98) M-DICHLOROBENZENE	16.868	146	464681	20.89	PPBV		99
99) P-DICHLOROBENZENE	16.945	146	464922	20.95	PPBV		99
100) O-DICHLOROBENZENE	17.235	146	450179	21.10	PPBV		99
101) SEC-BUTYLBENZENE	17.074	105	1034528	20.83	PPBV		99
102) 1,2,3-TRIMETHYLBENZENE	17.183	105	688211	20.90	PPBV		99
103) P-ISOPROPYLTOLUENE	17.247	119	899797	20.83	PPBV		97
104) N-BUTYLBENZENE	17.588	91	845271	21.33	PPBV		98
105) HEXACHLOROETHANE	17.765	117	298884	21.77	PPBV	#	89
106) HEXACHLOROBUTADIENE	18.781	225	325753	21.78	PPBV		99
107) 1,2,4-TRICHLOROBENZENE	18.482	180	396784	22.88	PPBV		98
108) NAPHTHALENE	18.530	128	1024136	23.56	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26455.D
Acq On : 19 Oct 2022 10:57 pm
Operator : thomash
Sample : ic1125-20
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 20 07:48:06 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number:	V6W1125-IC1125	**Method:**	TO-15
Lab FileID:	6W26455.D	**Analyst approved:**	10/20/22 10:04 Thomas Hilbig
Injection Time:	10/19/22 22:57	**Supervisor approved:**	10/20/22 12:15 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Dichlorodifluoromethane	75-71-8		1.73	Overlapping peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26455.D
Acq On : 19 Oct 2022 10:57 pm
Operator : thomash
Sample : ic1125-20
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 20 07:47:41 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration





TIC: 6W26455.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.734min (+0.003) 24.73PPBV


response 369647


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	32.23
50.00	9.30	22.85#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26455.D
Acq On : 19 Oct 2022 10:57 pm
Operator : thomash
Sample : ic1125-20
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 20 07:47:41 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration





TIC: 6W26455.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.734min (+0.003) 20.08PPBV m

response 300113

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	39.70#
50.00	9.30	28.15#
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 10/20/22 12:15

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26456.D
Acq On : 19 Oct 2022 11:29 pm
Operator : thomash
Sample : ic1125-40
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 20 07:49:51 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.341	128	46967	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.737	114	253136	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.589	117	227517	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.029	95	161635	10.04	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.695	65	163961	43.02	PPBV	#	76
4) CHLORODIFLUOROMETHANE	1.705	67	75194	43.27	PPBV		97
5) CHLOROTRIFLUOROETHENE	1.714	116	367249	44.48	PPBV	#	100
6) DICHLORODIFLUOROMETHANE	1.730	85	618919m	43.53	PPBV		
7) PROPYLENE	1.714	41	250115	43.64	PPBV		97
8) 1-CHLORO-1,1-DIFLUOROE...	1.766	65	571824	45.23	PPBV	#	86
9) FREON 114	1.798	85	663817	46.70	PPBV		97
10) CHLOROMETHANE	1.772	52	85767	44.36	PPBV		92
11) VINYL CHLORIDE	1.827	62	262363	44.20	PPBV		97
12) 1,3-BUTADIENE	1.862	54	222248	45.50	PPBV	#	72
13) N-BUTANE	1.878	43	450101	44.59	PPBV	#	90
14) BROMOMETHANE	1.933	94	211773	45.78	PPBV		99
15) CHLOROETHANE	1.978	64	130163	44.48	PPBV		93
16) DICHLOROFLUOROMETHANE	2.000	67	559369	46.11	PPBV	#	95
17) ACETONITRILE	2.065	41	276741	45.12	PPBV		97
18) ACROLEIN	2.100	56	131385	45.42	PPBV		100
19) FREON 123	2.116	83	534859	47.20	PPBV		96
20) FREON 123A	2.129	117	324907	46.73	PPBV		85
21) TRICHLOROFLUOROMETHANE	2.190	101	640519	46.08	PPBV		100
22) ISOPROPYL ALCOHOL	2.203	45	633268	47.74	PPBV	#	97
23) ACETONE	2.136	58	137114	46.44	PPBV	#	25
24) PENTANE	2.296	42	343004	47.55	PPBV	#	94
25) IODOMETHANE	2.354	142	657283	48.18	PPBV	#	85
26) 1,1-DICHLOROETHYLENE	2.383	96	245216	43.63	PPBV	#	53
27) CARBON DISULFIDE	2.518	76	782562	44.11	PPBV	#	88
28) ETHANOL	2.004	45	135376	46.10	PPBV		97
29) BROMOETHENE	2.071	106	222371	45.90	PPBV	#	97
30) ACRYLONITRILE	2.271	52	222964	47.40	PPBV		95
31) METHYLENE CHLORIDE	2.418	84	225128	41.96	PPBV	#	49
32) 3-CHLOROPROPENE	2.460	76	122652	43.45	PPBV	#	1
33) FREON 113	2.518	151	437104	42.74	PPBV		90
34) TRANS-1,2-DICHLOROETHENE	2.769	96	265721	42.13	PPBV	#	77
35) TERTIARY BUTYL ALCOHOL	2.393	59	592362	51.68	PPBV	#	90
36) METHYL TERTIARY BUTYL ...	2.888	73	701685	45.23	PPBV	#	91
37) TETRAHYDROFURAN	3.650	72	132108	46.47	PPBV	#	45
38) HEXANE	3.393	57	521004	43.50	PPBV	#	76
39) VINYL ACETATE	2.930	86	70686	47.96	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.853	63	513148	43.02	PPBV		98
41) METHYL ETHYL KETONE	3.036	72	134598	44.48	PPBV	#	1
42) CIS-1,2-DICHLOROETHENE	3.254	96	270232	41.66	PPBV	#	77
43) DIISOPROPYL ETHER	3.402	59	153829	44.12	PPBV	#	46
44) ETHYL ACETATE	3.409	61	105294	44.54	PPBV	#	16
45) METHYL ACRYLATE	3.393	55	676447	44.98	PPBV	#	97
46) CHLOROFORM	3.425	83	567828	42.09	PPBV	#	93
47) 2,4-DIMETHYLPENTANE	3.955	57	623824	44.69	PPBV	#	94
48) 1,1,1-TRICHLOROETHANE	4.045	97	587783	45.06	PPBV	#	94
49) CARBON TETRACHLORIDE	4.502	117	655252	45.00	PPBV		99
50) 1,2-DICHLOROETHANE	3.869	62	442918	43.78	PPBV	#	94
51) BENZENE	4.383	78	859631	44.60	PPBV		80
53) CYCLOHEXANE	4.605	84	376495	41.45	PPBV	#	75
54) 2,3-DIMETHYLPENTANE	4.881	71	200257	41.15	PPBV	#	57
55) TRICHLOROETHENE	5.357	95	400192	40.92	PPBV		96
56) 1,2-DICHLOROPROPANE	5.103	63	363456	40.65	PPBV		97
57) DIBROMOMETHANE	5.061	174	367548	41.16	PPBV		92

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26456.D
Acq On : 19 Oct 2022 11:29 pm
Operator : thomash
Sample : ic1125-40
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 20 07:49:51 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58) ETHYL ACRYLATE	5.235	55	849451	43.94	PPBV	#	97
59) BROMODICHLOROMETHANE	5.303	83	668008	40.83	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.450	57	1705560	40.95	PPBV	#	98
61) 1,4-DIOXANE	5.367	88	188728	43.59	PPBV	#	77
62) HEPTANE	5.788	43	674381	41.21	PPBV	#	75
63) METHYL METHACRYLATE	5.682	69	346293	43.22	PPBV	#	51
64) METHYL ISOBUTYL KETONE	6.463	58	315845	43.50	PPBV	#	65
65) CIS-1,3-DICHLOROPROPENE	6.351	75	519377	43.35	PPBV	#	73
66) TOLUENE	7.621	91	1077600	41.97	PPBV		100
67) 1,3-DICHLOROPROPANE	7.688	76	550084	42.00	PPBV	#	98
68) TRANS-1,3-DICHLOROPROPENE	7.071	75	479918	45.20	PPBV	#	76
69) 1,1,2-TRICHLOROETHANE	7.241	83	318639	40.96	PPBV		98
70) 2-HEXANONE	8.216	58	398485	48.38	PPBV	#	64
71) ETHYL METHACRYLATE	8.357	69	553422	43.91	PPBV	#	67
72) TETRACHLOROETHENE	9.421	164	410286	41.67	PPBV		92
73) DIBROMOCHLOROMETHANE	8.190	129	733897	42.46	PPBV		99
74) 1,2-DIBROMOETHANE	8.547	107	600655	42.26	PPBV		99
75) OCTANE	9.566	43	941590	42.07	PPBV	#	75
77) 1,1,1,2-TETRACHLOROETHANE	10.688	131	498844	40.87	PPBV		98
78) CHLOROBENZENE	10.672	112	897241	40.66	PPBV		99
79) ETHYLBENZENE	11.576	91	1454202	41.21	PPBV		100
80) M,P-XYLENE	12.019	91	2235018	81.88	PPBV	#	67
81) O-XYLENE	12.971	91	1128138	40.91	PPBV		99
82) STYRENE	12.756	104	879675	41.79	PPBV		98
83) NONANE	14.100	43	989572	40.02	PPBV	#	74
84) BROMOFORM	11.839	173	669992	41.94	PPBV	#	97
85) 1,1,2,2-TETRACHLOROETHANE	12.997	83	842134	40.34	PPBV		98
86) 1,2,3-TRICHLOROPROPANE	13.280	75	658833	40.74	PPBV		99
88) ISOPROPYLBENZENE	14.511	105	1682867	41.11	PPBV	#	93
89) BROMOBENZENE	14.386	77	812725	41.15	PPBV		97
90) 2-CHLOROTOLUENE	15.530	91	1171885	41.80	PPBV		98
91) N-PROPYLBENZENE	15.871	91	2011221	41.64	PPBV	#	97
92) 4-ETHYLTOLUENE	16.206	105	1721193	41.96	PPBV		99
93) 1,3,5-TRIMETHYLBENZENE	16.357	105	1431579	42.87	PPBV		99
94) ALPHA-METHYLSTYRENE	16.550	118	719858	43.19	PPBV		99
95) TERT-BUTYLBENZENE	16.807	119	1606964	42.63	PPBV		98
96) 1,2,4-TRIMETHYLBENZENE	16.810	105	1495113	42.70	PPBV		96
97) BENZYL CHLORIDE	16.894	91	1052168	53.75	PPBV		98
98) M-DICHLOROBENZENE	16.871	146	982044	42.62	PPBV		99
99) P-DICHLOROBENZENE	16.952	146	997166	43.39	PPBV		99
100) O-DICHLOROBENZENE	17.238	146	962371	43.54	PPBV		99
101) SEC-BUTYLBENZENE	17.074	105	2164365	42.06	PPBV		99
102) 1,2,3-TRIMETHYLBENZENE	17.183	105	1452418	42.59	PPBV		100
103) P-ISOPROPYLTOLUENE	17.247	119	1915158	42.80	PPBV		97
104) N-BUTYLBENZENE	17.588	91	1807256	44.04	PPBV		98
105) HEXACHLOROETHANE	17.765	117	650411	45.74	PPBV	#	89
106) HEXACHLOROBUTADIENE	18.784	225	757147	48.88	PPBV		99
107) 1,2,4-TRICHLOROBENZENE	18.485	180	922193	51.33	PPBV		97
108) NAPHTHALENE	18.534	128	2419856	53.76	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26456.D
Acq On : 19 Oct 2022 11:29 pm
Operator : thomash
Sample : ic1125-40
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 20 07:49:51 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration



Manual Integration Approval Summary

Sample Number: V6W1125-IC1125
Lab FileID: 6W26456.D
Injection Time: 10/19/22 23:29


Method: TO-15
Analyst approved: 10/20/22 10:04 Thomas Hilbig
Supervisor approved: 10/20/22 12:15 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Dichlorodifluoromethane	75-71-8		1.73	Overlapping peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26456.D
Acq On : 19 Oct 2022 11:29 pm
Operator : thomash
Sample : ic1125-40
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 20 07:49:29 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration





TIC: 6W26456.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.730min (+0.000) 52.36PPBV


response 744497

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	32.34
50.00	9.30	22.51#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26456.D
Acq On : 19 Oct 2022 11:29 pm
Operator : thomash
Sample : ic1125-40
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 20 07:49:29 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration



TIC: 6W26456.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.730min (+0.000) 43.53PPBV m

response 618919

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	38.90#
50.00	9.30	27.07#
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 10/20/22 12:15

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26457.D
Acq On : 20 Oct 2022 12:03 am
Operator : thomash
Sample : ic1125-50
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 20 07:53:45 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.341	128	49484	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.737	114	256894	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.588	117	229830	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.032	95	164056	10.09	PPBV		0.01
Target Compounds							Qvalue
3) FREON 152A	1.695	65	205752	51.24	PPBV	#	76
4) CHLORODIFLUOROMETHANE	1.705	67	95178	51.99	PPBV		98
5) CHLOROTRIFLUOROETHENE	1.714	116	465990	53.57	PPBV	#	100
6) DICHLORODIFLUOROMETHANE	1.730	85	760993m	50.80	PPBV		
7) PROPYLENE	1.714	41	310615	51.44	PPBV		97
8) 1-CHLORO-1,1-DIFLUOROE...	1.766	65	744693	55.90	PPBV	#	86
9) FREON 114	1.798	85	863921	57.69	PPBV		98
10) CHLOROMETHANE	1.772	52	110393	54.20	PPBV		92
11) VINYL CHLORIDE	1.827	62	335776	53.69	PPBV		98
12) 1,3-BUTADIENE	1.862	54	289612	56.28	PPBV	#	74
13) N-BUTANE	1.878	43	575553	54.12	PPBV	#	91
14) BROMOMETHANE	1.933	94	271714	55.75	PPBV		100
15) CHLOROETHANE	1.978	64	167979	54.48	PPBV		94
16) DICHLOROFLUOROMETHANE	2.000	67	726431	56.83	PPBV	#	95
17) ACETONITRILE	2.065	41	351071	54.33	PPBV		97
18) ACROLEIN	2.100	56	167398	54.93	PPBV		98
19) FREON 123	2.113	83	697138	58.39	PPBV		95
20) FREON 123A	2.129	117	423251	57.77	PPBV		85
21) TRICHLOROFLUOROMETHANE	2.190	101	828916	56.60	PPBV		100
22) ISOPROPYL ALCOHOL	2.203	45	815195	58.32	PPBV	#	99
23) ACETONE	2.135	58	176460	56.73	PPBV	#	26
24) PENTANE	2.296	42	408771	53.78	PPBV	#	94
25) IODOMETHANE	2.354	142	787579	54.79	PPBV	#	83
26) 1,1-DICHLOROETHYLENE	2.383	96	299957	50.65	PPBV	#	53
27) CARBON DISULFIDE	2.518	76	989379	52.94	PPBV	#	88
28) ETHANOL	2.004	45	173809	56.18	PPBV	#	97
29) BROMOETHENE	2.071	106	286147	56.06	PPBV	#	98
30) ACRYLONITRILE	2.270	52	270180	54.51	PPBV		95
31) METHYLENE CHLORIDE	2.418	84	265469	46.96	PPBV	#	47
32) 3-CHLOROPROPENE	2.463	76	146926	49.40	PPBV	#	1
33) FREON 113	2.518	151	546341	50.71	PPBV		88
34) TRANS-1,2-DICHLOROETHENE	2.769	96	344381	51.82	PPBV	#	78
35) TERTIARY BUTYL ALCOHOL	2.393	59	737234	61.05	PPBV	#	89
36) METHYL TERTIARY BUTYL ...	2.888	73	925978	56.66	PPBV	#	91
37) TETRAHYDROFURAN	3.650	72	166673	55.65	PPBV	#	39
38) HEXANE	3.393	57	678018	53.74	PPBV	#	77
39) VINYL ACETATE	2.930	86	92754	59.74	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.852	63	664396	52.87	PPBV		98
41) METHYL ETHYL KETONE	3.036	72	172738	54.18	PPBV	#	1
42) CIS-1,2-DICHLOROETHENE	3.254	96	353037	51.65	PPBV	#	78
43) DIISOPROPYL ETHER	3.402	59	200034	54.45	PPBV	#	51
44) ETHYL ACETATE	3.409	61	136714	54.89	PPBV	#	22
45) METHYL ACRYLATE	3.393	55	875745	55.26	PPBV	#	97
46) CHLOROFORM	3.425	83	738319	51.95	PPBV	#	93
47) 2,4-DIMETHYLPENTANE	3.955	57	767338	52.17	PPBV	#	93
48) 1,1,1-TRICHLOROETHANE	4.045	97	750699	54.62	PPBV	#	94
49) CARBON TETRACHLORIDE	4.502	117	837332	54.58	PPBV		99
50) 1,2-DICHLOROETHANE	3.868	62	563096	52.82	PPBV	#	94
51) BENZENE	4.383	78	1103884	54.36	PPBV		80
53) CYCLOHEXANE	4.605	84	480631	52.14	PPBV	#	75
54) 2,3-DIMETHYLPENTANE	4.881	71	257103	52.06	PPBV	#	57
55) TRICHLOROETHENE	5.354	95	514119	51.80	PPBV		97
56) 1,2-DICHLOROPROPANE	5.106	63	468131	51.59	PPBV		97
57) DIBROMOMETHANE	5.061	174	472796	52.17	PPBV		93

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26457.D
Acq On : 20 Oct 2022 12:03 am
Operator : thomash
Sample : ic1125-50
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 20 07:53:45 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58) ETHYL ACRYLATE	5.238	55	1098830	56.01	PPBV	#	97
59) BROMODICHLOROMETHANE	5.303	83	855768	51.54	PPBV		98
60) 2,2,4-TRIMETHYLPENTANE	5.447	57	2189480	51.80	PPBV	#	98
61) 1,4-DIOXANE	5.370	88	248097	56.47	PPBV	#	77
62) HEPTANE	5.785	43	867169	52.21	PPBV	#	75
63) METHYL METHACRYLATE	5.685	69	447804	55.07	PPBV	#	51
64) METHYL ISOBUTYL KETONE	6.466	58	410011	55.64	PPBV	#	65
65) CIS-1,3-DICHLOROPROPENE	6.354	75	670342	55.14	PPBV	#	73
66) TOLUENE	7.621	91	1390715	53.37	PPBV		100
67) 1,3-DICHLOROPROPANE	7.688	76	707445	53.22	PPBV	#	98
68) TRANS-1,3-DICHLOROPROPENE	7.071	75	625674	58.06	PPBV	#	76
69) 1,1,2-TRICHLOROETHANE	7.245	83	410658	52.01	PPBV		98
70) 2-HEXANONE	8.219	58	526885	63.03	PPBV	#	65
71) ETHYL METHACRYLATE	8.360	69	721957	56.44	PPBV	#	68
72) TETRACHLOROETHENE	9.421	164	529858	53.03	PPBV		92
73) DIBROMOCHLOROMETHANE	8.190	129	945732	53.92	PPBV		99
74) 1,2-DIBROMOETHANE	8.550	107	775972	53.80	PPBV		99
75) OCTANE	9.569	43	1205638	53.08	PPBV	#	75
77) 1,1,1,2-TETRACHLOROETHANE	10.691	131	643742	52.20	PPBV		98
78) CHLOROBENZENE	10.675	112	1159394	52.02	PPBV		100
79) ETHYLBENZENE	11.579	91	1876315	52.64	PPBV		100
80) M,P-XYLENE	12.023	91	2892477m	104.90	PPBV		
81) O-XYLENE	12.974	91	1453541	52.18	PPBV		97
82) STYRENE	12.756	104	1132584	53.26	PPBV		98
83) NONANE	14.106	43	1260959	50.48	PPBV	#	74
84) BROMOFORM	11.839	173	872403	54.06	PPBV	#	97
85) 1,1,2,2-TETRACHLOROETHANE	13.000	83	1084180	51.41	PPBV		98
86) 1,2,3-TRICHLOROPROPANE	13.286	75	848963	51.97	PPBV		99
88) ISOPROPYLBENZENE	14.514	105	2159991	52.23	PPBV	#	93
89) BROMOBENZENE	14.389	77	1045006	52.38	PPBV		97
90) 2-CHLOROTOLUENE	15.534	91	1501344	53.02	PPBV		98
91) N-PROPYLBENZENE	15.874	91	2595777	53.20	PPBV	#	97
92) 4-ETHYLTOLUENE	16.209	105	2206279	53.25	PPBV		99
93) 1,3,5-TRIMETHYLBENZENE	16.357	105	1852741	54.92	PPBV		99
94) ALPHA-METHYLSTYRENE	16.550	118	926148	55.00	PPBV		99
95) TERT-BUTYLBENZENE	16.807	119	2065662	54.24	PPBV		98
96) 1,2,4-TRIMETHYLBENZENE	16.813	105	1925116	54.43	PPBV		96
97) BENZYL CHLORIDE	16.894	91	1425408	72.09	PPBV		98
98) M-DICHLOROBENZENE	16.871	146	1271661	54.63	PPBV		99
99) P-DICHLOROBENZENE	16.952	146	1306388	56.27	PPBV		99
100) O-DICHLOROBENZENE	17.241	146	1267285	56.76	PPBV		99
101) SEC-BUTYLBENZENE	17.077	105	2815719	54.17	PPBV		99
102) 1,2,3-TRIMETHYLBENZENE	17.186	105	1878817	54.54	PPBV		99
103) P-ISOPROPYLTOLUENE	17.251	119	2494674	55.18	PPBV		96
104) N-BUTYLBENZENE	17.591	91	2362429	56.98	PPBV		98
105) HEXACHLOROETHANE	17.768	117	851741	59.29	PPBV	#	90
106) HEXACHLOROBUTADIENE	18.784	225	1049841	67.10	PPBV		99
107) 1,2,4-TRICHLOROBENZENE	18.485	180	1229650	67.76	PPBV		97
108) NAPHTHALENE	18.534	128	3251100	71.49	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26457.D
Acq On : 20 Oct 2022 12:03 am
Operator : thomash
Sample : ic1125-50
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 20 07:53:45 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V6W1125-IC1125 **Method:** TO-15
Lab FileID: 6W26457.D **Analyst approved:** 10/20/22 10:04 Thomas Hilbig
Injection Time: 10/20/22 00:03 **Supervisor approved:** 10/20/22 12:15 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Dichlorodifluoromethane	75-71-8		1.73	Overlapping peak
m,p-Xylene			12.02	Split peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26457.D
Acq On : 20 Oct 2022 12:03 am
Operator : thomash
Sample : ic1125-50
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 20 07:51:22 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration





TIC: 6W26457.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.730min (+0.000) 61.45PPBV


response 920555


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	32.24
50.00	9.30	22.41#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26457.D
Acq On : 20 Oct 2022 12:03 am
Operator : thomash
Sample : ic1125-50
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 20 07:51:22 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration







TIC: 6W26457.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.730min (+0.000) 50.80PPBV m


response 760993


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	39.00#
50.00	9.30	27.11#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26457.D
Acq On : 20 Oct 2022 12:03 am
Operator : thomash
Sample : ic1125-50
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 20 07:51:22 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration







TIC: 6W26457.D\data.ms

(80) M,P-XYLENE (t)

11.977min (-0.032) 60.92PPBV

response 1679843


Ion	Exp%	Act%
91.10	100	100
106.10	51.50	45.60
105.10	23.60	20.28
0.00	0.00	0.00

6W26457.D edits: M,P-XYLENE

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26457.D
Acq On : 20 Oct 2022 12:03 am
Operator : thomash
Sample : ic1125-50
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Oct 20 07:51:22 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 07:44:13 2022
Response via : Initial Calibration



TIC: 6W26457.D\data.ms

(80) M,P-XYLENE (t)

12.023min (+0.013) 104.90PPBV m

response 2892477

Ion	Exp%	Act%
91.10	100	100
106.10	51.50	26.48#
105.10	23.60	11.78
0.00	0.00	0.00

6W26457.D edits: M,P-XYLENE

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 10/20/22 12:15

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26462.D
Acq On : 20 Oct 2022 9:08 am
Operator : thomash
Sample : icv1125-10
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Oct 20 09:33:55 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.338	128	47437	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.730	114	233994	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.582	117	223956	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.019	95	158390	10.13	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.695	65	42315	10.38	PPBV	#	74
4) CHLORODIFLUOROMETHANE	1.708	67	18777	10.16	PPBV		96
5) CHLOROTRIFLUOROETHENE	1.717	116	91347	10.23	PPBV	#	99
6) DICHLORODIFLUOROMETHANE	1.730	85	156989m	10.58	PPBV		
7) PROPYLENE	1.714	41	62221	10.24	PPBV		96
8) 1-CHLORO-1,1-DIFLUOROE...	1.766	65	139422	10.26	PPBV	#	86
9) FREON 114	1.798	85	158149	10.13	PPBV		96
10) CHLOROMETHANE	1.772	52	21693	10.12	PPBV		94
11) VINYL CHLORIDE	1.830	62	65451	10.07	PPBV		97
12) 1,3-BUTADIENE	1.865	54	55315	10.41	PPBV	#	73
13) N-BUTANE	1.878	43	111808	9.33	PPBV	#	91
14) BROMOMETHANE	1.933	94	52086	10.36	PPBV		100
15) CHLOROETHANE	1.978	64	32770	10.53	PPBV		94
16) DICHLOROFLUOROMETHANE	2.000	67	134666	10.20	PPBV	#	95
17) ACETONITRILE	2.065	41	67287	9.65	PPBV		97
18) ACROLEIN	2.100	56	29314	10.16	PPBV		99
19) FREON 123	2.113	83	131588	10.51	PPBV		93
20) FREON 123A	2.129	117	86126	11.40	PPBV		86
21) TRICHLOROFLUOROMETHANE	2.190	101	157212	10.16	PPBV		99
22) ISOPROPYL ALCOHOL	2.206	45	146415	9.38	PPBV	#	96
23) ACETONE	2.139	58	34982	9.96	PPBV	#	33
24) PENTANE	2.296	42	80052	9.62	PPBV	#	94
25) IODOMETHANE	2.354	142	145044	9.73	PPBV	#	84
26) 1,1-DICHLOROETHYLENE	2.383	96	55100	9.37	PPBV	#	52
27) CARBON DISULFIDE	2.518	76	158110	8.49	PPBV	#	85
28) ETHANOL	2.007	45	38760	10.76	PPBV	#	96
29) BROMOETHENE	2.071	106	54264	10.30	PPBV	#	98
30) ACRYLONITRILE	2.270	52	51960	9.87	PPBV		95
31) METHYLENE CHLORIDE	2.418	84	48842	8.28	PPBV	#	42
32) 3-CHLOROPROPENE	2.460	76	26504	9.23	PPBV	#	1
33) FREON 113	2.518	151	91762	8.80	PPBV		87
34) TRANS-1,2-DICHLOROETHENE	2.769	96	62540	9.52	PPBV	#	77
35) TERTIARY BUTYL ALCOHOL	2.396	59	115504	9.05	PPBV	#	94
36) METHYL TERTIARY BUTYL ...	2.888	73	165951	10.16	PPBV	#	90
37) TETRAHYDROFURAN	3.653	72	30116	9.92	PPBV	#	34
38) HEXANE	3.389	57	128292	10.07	PPBV	#	74
39) VINYL ACETATE	2.930	86	15728	9.99	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.849	63	126305	10.09	PPBV		98
41) METHYL ETHYL KETONE	3.036	72	31791	9.96	PPBV	#	1
42) CIS-1,2-DICHLOROETHENE	3.251	96	65428	9.49	PPBV	#	75
43) DIISOPROPYL ETHER	3.396	59	36125	9.87	PPBV	#	36
44) ETHYL ACETATE	3.402	61	25425	10.11	PPBV	#	9
45) METHYL ACRYLATE	3.389	55	160519	10.19	PPBV	#	97
46) CHLOROFORM	3.418	83	133863	9.46	PPBV	#	93
47) 2,4-DIMETHYLPENTANE	3.952	57	148602	10.33	PPBV	#	92
48) 1,1,1-TRICHLOROETHANE	4.039	97	133393	9.60	PPBV	#	92
49) CARBON TETRACHLORIDE	4.495	117	142449	9.56	PPBV		100
50) 1,2-DICHLOROETHANE	3.865	62	107146	9.96	PPBV	#	93
51) BENZENE	4.376	78	194518	9.20	PPBV		76
53) CYCLOHEXANE	4.598	84	84081	9.85	PPBV	#	67
54) 2,3-DIMETHYLPENTANE	4.872	71	45326	9.75	PPBV	#	46
55) TRICHLOROETHENE	5.344	95	86713	9.44	PPBV		98
56) 1,2-DICHLOROPROPANE	5.100	63	83363	9.88	PPBV		96
57) DIBROMOMETHANE	5.055	174	77798	8.98	PPBV		90

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26462.D
Acq On : 20 Oct 2022 9:08 am
Operator : thomash
Sample : icv1125-10
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Oct 20 09:33:55 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58) ETHYL ACRYLATE	5.229	55	191235	10.69	PPBV	#	96
59) BROMODICHLOROMETHANE	5.293	83	148702	9.61	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.438	57	402185	10.39	PPBV	#	98
61) 1,4-DIOXANE	5.373	88	43069	10.67	PPBV	#	70
62) HEPTANE	5.775	43	160441	10.29	PPBV	#	73
63) METHYL METHACRYLATE	5.682	69	73460	9.83	PPBV	#	41
64) METHYL ISOBUTYL KETONE	6.466	58	71816	11.36	PPBV	#	60
65) CIS-1,3-DICHLOROPROPENE	6.344	75	121546	10.88	PPBV	#	72
66) TOLUENE	7.608	91	248582	9.60	PPBV		100
67) 1,3-DICHLOROPROPANE	7.675	76	126893	10.17	PPBV	#	98
68) TRANS-1,3-DICHLOROPROPENE	7.064	75	103164	10.47	PPBV	#	74
69) 1,1,2-TRICHLOROETHANE	7.235	83	73991	10.01	PPBV		98
70) 2-HEXANONE	8.222	58	91501	12.42	PPBV	#	60
71) ETHYL METHACRYLATE	8.351	69	121309	11.01	PPBV	#	68
72) TETRACHLOROETHENE	9.408	164	94636	10.58	PPBV		92
73) DIBROMOCHLOROMETHANE	8.180	129	163474	10.24	PPBV		99
74) 1,2-DIBROMOETHANE	8.531	107	136603	10.09	PPBV		100
75) OCTANE	9.553	43	220193	10.67	PPBV	#	74
77) 1,1,1,2-TETRACHLOROETHANE	10.675	131	111154	9.25	PPBV		97
78) CHLOROBENZENE	10.659	112	206823	9.56	PPBV		99
79) ETHYLBENZENE	11.559	91	323736	8.40	PPBV		100
80) M,P-XYLENE	12.003	91	500976	17.40	PPBV	#	69
81) O-XYLENE	12.958	91	255001	8.85	PPBV		98
82) STYRENE	12.739	104	182497	9.47	PPBV		97
83) NONANE	14.083	43	230186	9.28	PPBV	#	74
84) BROMOFORM	11.820	173	146828	9.34	PPBV	#	97
85) 1,1,2,2-TETRACHLOROETHANE	12.981	83	191853	9.37	PPBV		99
86) 1,2,3-TRICHLOROPROPANE	13.264	75	145786	9.10	PPBV		99
88) ISOPROPYLBENZENE	14.495	105	366488	9.22	PPBV	#	93
89) BROMOBENZENE	14.373	77	178240	9.30	PPBV		96
90) 2-CHLOROTOLUENE	15.521	91	245770	9.47	PPBV		99
91) N-PROPYLBENZENE	15.855	91	429418	9.81	PPBV	#	97
92) 4-ETHYLTOLUENE	16.199	105	363789	10.27	PPBV		99
93) 1,3,5-TRIMETHYLBENZENE	16.347	105	295002	9.85	PPBV		99
94) ALPHA-METHYLSTYRENE	16.543	118	128522	8.56	PPBV		99
95) TERT-BUTYLBENZENE	16.797	119	327236	9.74	PPBV		99
96) 1,2,4-TRIMETHYLBENZENE	16.804	105	301145	9.73	PPBV		97
97) BENZYL CHLORIDE	16.887	91	173940	9.28	PPBV		98
98) M-DICHLOROBENZENE	16.865	146	199466	9.27	PPBV		99
99) P-DICHLOROBENZENE	16.945	146	201407	9.38	PPBV		99
100) O-DICHLOROBENZENE	17.234	146	190368	9.05	PPBV		99
101) SEC-BUTYLBENZENE	17.074	105	443476	9.68	PPBV		99
102) 1,2,3-TRIMETHYLBENZENE	17.183	105	287306	9.48	PPBV		99
103) P-ISOPROPYLTOLUENE	17.251	119	368720	9.39	PPBV		97
104) N-BUTYLBENZENE	17.595	91	347673	9.96	PPBV		98
105) HEXACHLOROETHANE	17.771	117	110715	7.76	PPBV	#	89
106) HEXACHLOROBUTADIENE	18.804	225	113599	7.29	PPBV		99
107) 1,2,4-TRICHLOROBENZENE	18.498	180	141128	8.07	PPBV		99
108) NAPHTHALENE	18.546	128	372884	8.65	PPBV		99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26462.D
Acq On : 20 Oct 2022 9:08 am
Operator : thomash
Sample : icv1125-10
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Oct 20 09:33:55 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V6W1125-ICV1125 **Method:** TO-15
Lab FileID: 6W26462.D **Analyst approved:** 10/20/22 10:04 Thomas Hilbig
Injection Time: 10/20/22 09:08 **Supervisor approved:** 10/20/22 12:15 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Dichlorodifluoromethane	75-71-8		1.73	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26462.D
Acq On : 20 Oct 2022 9:08 am
Operator : thomash
Sample : icv1125-10
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Oct 20 09:33:03 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration





TIC: 6W26462.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.798min (+0.068) 10.18PPBV


response 150961


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	32.06
50.00	9.30	11.14
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26462.D
Acq On : 20 Oct 2022 9:08 am
Operator : thomash
Sample : icv1125-10
Misc : MS63121,V6W1125,,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Oct 20 09:33:03 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration





TIC: 6W26462.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.730min (+0.000) 10.58PPBV m

response 156989

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	30.83
50.00	9.30	10.71
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 11/07/22 15:11

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26823.D
Acq On : 3 Nov 2022 9:36 am
Operator : thomash
Sample : cc1125-10
Misc : MS63437,V6W1137,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 04 15:13:41 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.341	128	45375	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.733	114	225669	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.588	117	185640	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.022	95	132668	10.23	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.695	65	31975m	8.20	PPBV		
4) CHLORODIFLUOROMETHANE	1.708	67	14062	7.95	PPBV		99
5) CHLOROTRIFLUOROETHENE	1.717	116	72944	8.54	PPBV	#	100
6) DICHLORODIFLUOROMETHANE	1.733	85	168749	11.89	PPBV	#	93
7) PROPYLENE	1.717	41	45398	7.81	PPBV		97
8) 1-CHLORO-1,1-DIFLUOROE...	1.769	65	123967	9.54	PPBV	#	89
9) FREON 114	1.801	85	150357	10.07	PPBV		97
10) CHLOROMETHANE	1.775	52	20006	9.76	PPBV		94
11) VINYL CHLORIDE	1.830	62	64266	10.34	PPBV		98
12) 1,3-BUTADIENE	1.865	54	53584	10.54	PPBV	#	78
13) N-BUTANE	1.881	43	107934	9.42	PPBV	#	91
14) BROMOMETHANE	1.936	94	53297	11.09	PPBV		100
15) CHLOROETHANE	1.981	64	32988	11.08	PPBV		97
16) DICHLOROFLUOROMETHANE	2.004	67	133169	10.54	PPBV	#	95
17) ACETONITRILE	2.068	41	68780	10.31	PPBV		98
18) ACROLEIN	2.103	56	32341	11.71	PPBV		99
19) FREON 123	2.116	83	129664	10.82	PPBV		96
20) FREON 123A	2.132	117	75673	10.47	PPBV		84
21) TRICHLOROFLUOROMETHANE	2.193	101	146984	9.93	PPBV		100
22) ISOPROPYL ALCOHOL	2.209	45	139144	9.32	PPBV	#	94
23) ACETONE	2.139	58	35047	10.43	PPBV	#	47
24) PENTANE	2.299	42	78292	9.83	PPBV	#	95
25) IODOMETHANE	2.357	142	151477	10.62	PPBV	#	88
26) 1,1-DICHLOROETHYLENE	2.386	96	55922	9.94	PPBV	#	57
27) CARBON DISULFIDE	2.521	76	176365	9.90	PPBV	#	91
28) ETHANOL	2.007	45	33840	9.82	PPBV		96
29) BROMOETHENE	2.074	106	54785	10.87	PPBV	#	99
30) ACRYLONITRILE	2.274	52	53358	10.60	PPBV		97
31) METHYLENE CHLORIDE	2.422	84	52891	9.37	PPBV	#	54
32) 3-CHLOROPROPENE	2.463	76	27708	10.09	PPBV	#	1
33) FREON 113	2.521	151	94580	9.48	PPBV		87
34) TRANS-1,2-DICHLOROETHENE	2.772	96	62066	9.88	PPBV	#	80
35) TERTIARY BUTYL ALCOHOL	2.396	59	105691	8.66	PPBV	#	82
36) METHYL TERTIARY BUTYL ...	2.891	73	124436	7.96	PPBV	#	92
37) TETRAHYDROFURAN	3.656	72	30557	10.52	PPBV	#	42
38) HEXANE	3.393	57	117550	9.65	PPBV	#	78
39) VINYL ACETATE	2.933	86	15252	10.13	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.856	63	115664	9.66	PPBV		99
41) METHYL ETHYL KETONE	3.039	72	31375	10.28	PPBV	#	1
42) CIS-1,2-DICHLOROETHENE	3.258	96	64035	9.71	PPBV	#	80
43) DIISOPROPYL ETHER	3.402	59	31745	9.06	PPBV	#	44
44) ETHYL ACETATE	3.409	61	24784	10.30	PPBV	#	43
45) METHYL ACRYLATE	3.393	55	153999	10.22	PPBV	#	97
46) CHLOROFORM	3.425	83	126972	9.39	PPBV	#	93
47) 2,4-DIMETHYLPENTANE	3.955	57	136921	9.95	PPBV	#	92
48) 1,1,1-TRICHLOROETHANE	4.045	97	115264	8.67	PPBV	#	90
49) CARBON TETRACHLORIDE	4.499	117	126625	8.88	PPBV		99
50) 1,2-DICHLOROETHANE	3.868	62	93492	9.08	PPBV	#	95
51) BENZENE	4.380	78	189179	9.35	PPBV		80
53) CYCLOHEXANE	4.605	84	80553	9.79	PPBV	#	71
54) 2,3-DIMETHYLPENTANE	4.875	71	43953	9.81	PPBV	#	55
55) TRICHLOROETHENE	5.347	95	78687	8.88	PPBV		99
56) 1,2-DICHLOROPROPANE	5.103	63	80676	9.92	PPBV		99
57) DIBROMOMETHANE	5.061	174	73594	8.81	PPBV		88

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26823.D
Acq On : 3 Nov 2022 9:36 am
Operator : thomash
Sample : cc1125-10
Misc : MS63437,V6W1137,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 04 15:13:41 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58) ETHYL ACRYLATE	5.238	55	188544	10.92	PPBV	#	97
59) BROMODICHLOROMETHANE	5.299	83	132174	8.86	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.444	57	323621	8.67	PPBV		97
61) 1,4-DIOXANE	5.380	88	42627	10.95	PPBV	#	79
62) HEPTANE	5.782	43	125129	8.32	PPBV	#	76
63) METHYL METHACRYLATE	5.688	69	68314	9.48	PPBV	#	58
64) METHYL ISOBUTYL KETONE	6.476	58	64967	10.65	PPBV	#	68
65) CIS-1,3-DICHLOROPROPENE	6.354	75	93683	8.69	PPBV	#	75
66) TOLUENE	7.617	91	207918	8.33	PPBV		98
67) 1,3-DICHLOROPROPANE	7.685	76	107958	8.97	PPBV	#	97
68) TRANS-1,3-DICHLOROPROPENE	7.071	75	83285	8.77	PPBV	#	79
69) 1,1,2-TRICHLOROETHANE	7.241	83	63758	8.94	PPBV		98
70) 2-HEXANONE	8.225	58	87133	12.27	PPBV	#	67
71) ETHYL METHACRYLATE	8.360	69	112169	10.56	PPBV	#	73
72) TETRACHLOROETHENE	9.415	164	79370	9.20	PPBV		93
73) DIBROMOCHLOROMETHANE	8.187	129	134069	8.71	PPBV		100
74) 1,2-DIBROMOETHANE	8.540	107	118295	9.06	PPBV		99
75) OCTANE	9.563	43	170876	8.59	PPBV	#	77
77) 1,1,1,2-TETRACHLOROETHANE	10.682	131	91112	9.15	PPBV		95
78) CHLOROBENZENE	10.666	112	173170	9.65	PPBV		99
79) ETHYLBENZENE	11.569	91	278188	8.70	PPBV		99
80) M,P-XYLENE	12.006	91	433064m	18.15	PPBV		
81) O-XYLENE	12.965	91	220004	9.21	PPBV		98
82) STYRENE	12.749	104	167463	10.49	PPBV		97
83) NONANE	14.090	43	183186	8.91	PPBV	#	77
84) BROMOFORM	11.826	173	122685	9.42	PPBV	#	98
85) 1,1,2,2-TETRACHLOROETHANE	12.990	83	170575	10.05	PPBV		98
86) 1,2,3-TRICHLOROPROPANE	13.270	75	129281	9.74	PPBV		98
88) ISOPROPYLBENZENE	14.501	105	318450	9.67	PPBV	#	94
89) BROMOBENZENE	14.376	77	157194	9.89	PPBV		95
90) 2-CHLOROTOLUENE	15.524	91	221919	10.32	PPBV		99
91) N-PROPYLBENZENE	15.861	91	385515	10.63	PPBV	#	95
92) 4-ETHYLTOLUENE	16.202	105	323236	11.01	PPBV		99
93) 1,3,5-TRIMETHYLBENZENE	16.350	105	265955	10.71	PPBV		99
94) ALPHA-METHYLSTYRENE	16.546	118	145366	11.69	PPBV		99
95) TERT-BUTYLBENZENE	16.800	119	300408	10.78	PPBV		98
96) 1,2,4-TRIMETHYLBENZENE	16.807	105	280452	10.94	PPBV		96
97) BENZYL CHLORIDE	16.890	91	174420	11.22	PPBV		98
98) M-DICHLOROBENZENE	16.865	146	188360	10.56	PPBV		99
99) P-DICHLOROBENZENE	16.945	146	191547	10.76	PPBV		99
100) O-DICHLOROBENZENE	17.234	146	184450	10.57	PPBV		99
101) SEC-BUTYLBENZENE	17.070	105	412980	10.87	PPBV		99
102) 1,2,3-TRIMETHYLBENZENE	17.183	105	273180	10.88	PPBV		99
103) P-ISOPROPYLTOLUENE	17.247	119	361187	11.09	PPBV		97
104) N-BUTYLBENZENE	17.591	91	343081	11.86	PPBV		98
105) HEXACHLOROETHANE	17.768	117	118537	10.03	PPBV	#	90
106) HEXACHLOROBUTADIENE	18.794	225	136467	10.56	PPBV		100
107) 1,2,4-TRICHLOROBENZENE	18.492	180	169601	11.70	PPBV		99
108) NAPHTHALENE	18.540	128	453099	12.68	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26823.D
Acq On : 3 Nov 2022 9:36 am
Operator : thomash
Sample : cc1125-10
Misc : MS63437,V6W1137,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 04 15:13:41 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number:	V6W1137-CC1125	**Method:**	TO-15
Lab FileID:	6W26823.D	**Analyst approved:**	11/04/22 15:23 William Cruser
Injection Time:	11/03/22 09:36	**Supervisor approved:**	11/07/22 15:11 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Freon 152A	75-37-6		1.69	Missed peak
m,p-Xylene			12.01	Split peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26823.D
Acq On : 3 Nov 2022 9:36 am
Operator : thomash
Sample : cc1125-10
Misc : MS63437,V6W1137,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 03 10:04:48 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration





TIC: 6W26823.D\data.ms

(3) FREON 152A (T)

1.769min (+0.074) 31.78PPBV

response 123971


Ion	Exp%	Act%
65.10	100	100
45.10	22.90	26.59
0.00	0.00	0.00
0.00	0.00	0.00


6W26823.D edits: FREON 152A

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26823.D
Acq On : 3 Nov 2022 9:36 am
Operator : thomash
Sample : cc1125-10
Misc : MS63437,V6W1137,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 03 10:04:48 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration





TIC: 6W26823.D\data.ms

(3) FREON 152A (T)

1.695min (-0.000) 8.20PPBV m

response 31975


Ion	Exp%	Act%
65.10	100	100
45.10	22.90	103.09#
0.00	0.00	0.00
0.00	0.00	0.00


6W26823.D edits: FREON 152A

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26823.D
Acq On : 3 Nov 2022 9:36 am
Operator : thomash
Sample : cc1125-10
Misc : MS63437,V6W1137,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 03 10:04:48 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration





TIC: 6W26823.D\data.ms

(80) M,P-XYLENE (t)

11.961min (-0.048) 10.52PPBV

response 250975


Ion	Exp%	Act%
91.10	100	100
106.10	51.50	39.75
105.10	23.60	17.68
0.00	0.00	0.00


6W26823.D edits: M,P-XYLENE

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26823.D
Acq On : 3 Nov 2022 9:36 am
Operator : thomash
Sample : cc1125-10
Misc : MS63437,V6W1137,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 03 10:04:48 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration





TIC: 6W26823.D\data.ms

(80) M,P-XYLENE (t)

12.006min (-0.003) 18.15PPBV m

response 433064

Ion	Exp%	Act%
91.10	100	100
106.10	51.50	23.04#
105.10	23.60	10.25
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 11/08/22 16:17

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26863.D
Acq On : 4 Nov 2022 9:36 am
Operator : thomash
Sample : cc1125-10
Misc : MS63483,V6W1138,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 08 15:58:48 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.338	128	45370	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.737	114	228035	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.588	117	188440	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.026	95	132750	10.09	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.695	65	34226m	8.78	PPBV		
4) CHLORODIFLUOROMETHANE	1.708	67	15503	8.77	PPBV		98
5) CHLOROTRIFLUOROETHENE	1.717	116	77654	9.09	PPBV	#	100
6) DICHLORODIFLUOROMETHANE	1.798	85	148318	10.46	PPBV		99
7) PROPYLENE	1.717	41	48765	8.39	PPBV		96
8) 1-CHLORO-1,1-DIFLUOROE...	1.769	65	134261	10.33	PPBV	#	89
9) FREON 114	1.801	85	161290	10.81	PPBV		97
10) CHLOROMETHANE	1.772	52	21569	10.52	PPBV		95
11) VINYL CHLORIDE	1.830	62	69364	11.16	PPBV		97
12) 1,3-BUTADIENE	1.865	54	57215	11.26	PPBV	#	77
13) N-BUTANE	1.878	43	115313	10.07	PPBV	#	91
14) BROMOMETHANE	1.936	94	56258	11.70	PPBV		100
15) CHLOROETHANE	1.981	64	35281	11.85	PPBV		96
16) DICHLOROFLUOROMETHANE	2.004	67	142589	11.29	PPBV	#	96
17) ACETONITRILE	2.068	41	73666	11.04	PPBV		97
18) ACROLEIN	2.103	56	33787	12.24	PPBV		98
19) FREON 123	2.116	83	138169	11.53	PPBV		96
20) FREON 123A	2.132	117	81204	11.24	PPBV		85
21) TRICHLOROFLUOROMETHANE	2.193	101	156551	10.58	PPBV		100
22) ISOPROPYL ALCOHOL	2.209	45	146208	9.80	PPBV	#	93
23) ACETONE	2.139	58	37014	11.02	PPBV	#	43
24) PENTANE	2.299	42	83225	10.45	PPBV	#	95
25) IODOMETHANE	2.357	142	161394	11.32	PPBV		88
26) 1,1-DICHLOROETHYLENE	2.386	96	60513	10.76	PPBV	#	60
27) CARBON DISULFIDE	2.521	76	188336	10.57	PPBV	#	90
28) ETHANOL	2.007	45	35762	10.38	PPBV		97
29) BROMOETHENE	2.074	106	58344	11.58	PPBV	#	98
30) ACRYLONITRILE	2.274	52	56459	11.22	PPBV		97
31) METHYLENE CHLORIDE	2.422	84	56190	9.96	PPBV	#	49
32) 3-CHLOROPROPENE	2.463	76	29616	10.79	PPBV	#	1
33) FREON 113	2.521	151	100942	10.12	PPBV		86
34) TRANS-1,2-DICHLOROETHENE	2.769	96	65605	10.45	PPBV	#	79
35) TERTIARY BUTYL ALCOHOL	2.396	59	101040	8.28	PPBV	#	70
36) METHYL TERTIARY BUTYL ...	2.888	73	115716	7.40	PPBV	#	92
37) TETRAHYDROFURAN	3.656	72	32296	11.12	PPBV	#	43
38) HEXANE	3.393	57	125492	10.30	PPBV	#	76
39) VINYL ACETATE	2.930	86	16185	10.75	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.852	63	123391	10.31	PPBV		98
41) METHYL ETHYL KETONE	3.039	72	33334	10.92	PPBV	#	1
42) CIS-1,2-DICHLOROETHENE	3.257	96	67577	10.25	PPBV	#	79
43) DIISOPROPYL ETHER	3.402	59	31869	9.10	PPBV	#	43
44) ETHYL ACETATE	3.409	61	26798	11.14	PPBV	#	51
45) METHYL ACRYLATE	3.393	55	164655	10.93	PPBV	#	97
46) CHLOROFORM	3.421	83	135830	10.04	PPBV	#	94
47) 2,4-DIMETHYLPENTANE	3.955	57	147246	10.70	PPBV	#	93
48) 1,1,1-TRICHLOROETHANE	4.045	97	119181	8.97	PPBV	#	88
49) CARBON TETRACHLORIDE	4.502	117	134543	9.44	PPBV		99
50) 1,2-DICHLOROETHANE	3.868	62	99834	9.70	PPBV	#	95
51) BENZENE	4.380	78	200682	9.92	PPBV		79
53) CYCLOHEXANE	4.601	84	86440	10.39	PPBV	#	71
54) 2,3-DIMETHYLPENTANE	4.875	71	46756	10.32	PPBV	#	55
55) TRICHLOROETHENE	5.351	95	82231	9.18	PPBV		98
56) 1,2-DICHLOROPROPANE	5.103	63	84350	10.26	PPBV		99
57) DIBROMOMETHANE	5.061	174	78129	9.25	PPBV		88

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26863.D
Acq On : 4 Nov 2022 9:36 am
Operator : thomash
Sample : cc1125-10
Misc : MS63483,V6W1138,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 08 15:58:48 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58) ETHYL ACRYLATE	5.238	55	174545	10.01	PPBV	#	97
59) BROMODICHLOROMETHANE	5.299	83	135088	8.96	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.444	57	345321	9.15	PPBV	#	98
61) 1,4-DIOXANE	5.376	88	44961	11.43	PPBV	#	77
62) HEPTANE	5.782	43	132685	8.73	PPBV	#	77
63) METHYL METHACRYLATE	5.688	69	71715	9.84	PPBV	#	58
64) METHYL ISOBUTYL KETONE	6.473	58	68250	11.08	PPBV	#	67
65) CIS-1,3-DICHLOROPROPENE	6.351	75	96628	8.87	PPBV	#	76
66) TOLUENE	7.614	91	221486	8.78	PPBV		99
67) 1,3-DICHLOROPROPANE	7.685	76	115400	9.49	PPBV	#	98
68) TRANS-1,3-DICHLOROPROPENE	7.071	75	85757	8.93	PPBV	#	78
69) 1,1,2-TRICHLOROETHANE	7.241	83	68050	9.45	PPBV		98
70) 2-HEXANONE	8.222	58	91152	12.70	PPBV	#	69
71) ETHYL METHACRYLATE	8.357	69	118973	11.08	PPBV	#	73
72) TETRACHLOROETHENE	9.418	164	84641	9.71	PPBV		93
73) DIBROMOCHLOROMETHANE	8.187	129	142534	9.16	PPBV		99
74) 1,2-DIBROMOETHANE	8.540	107	123855	9.39	PPBV		100
75) OCTANE	9.559	43	182730	9.09	PPBV	#	77
77) 1,1,1,2-TETRACHLOROETHANE	10.678	131	97233	9.62	PPBV		93
78) CHLOROBENZENE	10.666	112	184918	10.16	PPBV		100
79) ETHYLBENZENE	11.569	91	295862	9.12	PPBV		99
80) M,P-XYLENE	12.010	91	458994	18.95	PPBV	#	66
81) O-XYLENE	12.964	91	232546	9.59	PPBV		99
82) STYRENE	12.746	104	178124	10.99	PPBV		97
83) NONANE	14.087	43	195685	9.38	PPBV	#	77
84) BROMOFORM	11.829	173	129165	9.77	PPBV	#	98
85) 1,1,2,2-TETRACHLOROETHANE	12.987	83	183225	10.64	PPBV		98
86) 1,2,3-TRICHLOROPROPANE	13.270	75	137385	10.19	PPBV		98
88) ISOPROPYLBENZENE	14.505	105	341685	10.22	PPBV	#	94
89) BROMOBENZENE	14.373	77	168862	10.47	PPBV		95
90) 2-CHLOROTOLUENE	15.527	91	239551	10.97	PPBV		99
91) N-PROPYLBENZENE	15.865	91	414101	11.24	PPBV	#	96
92) 4-ETHYLTOLUENE	16.202	105	346714	11.63	PPBV		100
93) 1,3,5-TRIMETHYLBENZENE	16.350	105	287636	11.41	PPBV		99
94) ALPHA-METHYLSTYRENE	16.546	118	154345	12.22	PPBV		98
95) TERT-BUTYLBENZENE	16.797	119	323671	11.45	PPBV		98
96) 1,2,4-TRIMETHYLBENZENE	16.807	105	301961	11.60	PPBV		96
97) BENZYL CHLORIDE	16.890	91	175655	11.13	PPBV		98
98) M-DICHLOROBENZENE	16.865	146	201520	11.13	PPBV		99
99) P-DICHLOROBENZENE	16.945	146	205959	11.40	PPBV		99
100) O-DICHLOROBENZENE	17.238	146	198777	11.22	PPBV		99
101) SEC-BUTYLBENZENE	17.074	105	444761	11.54	PPBV		99
102) 1,2,3-TRIMETHYLBENZENE	17.183	105	292962	11.49	PPBV		99
103) P-ISOPROPYLTOLUENE	17.247	119	381681	11.55	PPBV		97
104) N-BUTYLBENZENE	17.591	91	367185	12.50	PPBV		99
105) HEXACHLOROETHANE	17.771	117	126994	10.58	PPBV	#	90
106) HEXACHLOROBUTADIENE	18.797	225	148225	11.30	PPBV		99
107) 1,2,4-TRICHLOROBENZENE	18.495	180	177985	12.10	PPBV		99
108) NAPHTHALENE	18.543	128	483036	13.32	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


7.7.34

7

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26863.D
Acq On : 4 Nov 2022 9:36 am
Operator : thomash
Sample : cc1125-10
Misc : MS63483,V6W1138,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 08 15:58:48 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number:	V6W1138-CC1125	**Method:**	TO-15
Lab FileID:	6W26863.D	**Analyst approved:**	11/08/22 16:03 William Cruser
Injection Time:	11/04/22 09:36	**Supervisor approved:**	11/08/22 16:17 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Freon 152A	75-37-6		1.69	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26863.D
Acq On : 4 Nov 2022 9:36 am
Operator : thomash
Sample : cc1125-10
Misc : MS63483,V6W1138,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 05 10:25:30 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration





TIC: 6W26863.D\data.ms

(3) FREON 152A (T)

1.769min (+0.074) 34.43PPBV

response 134261


Ion	Exp%	Act%
65.10	100	100
45.10	22.90	26.54
0.00	0.00	0.00
0.00	0.00	0.00


6W26863.D edits: FREON 152A

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26863.D
Acq On : 4 Nov 2022 9:36 am
Operator : thomash
Sample : cc1125-10
Misc : MS63483,V6W1138,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Nov 05 10:25:30 2022
Quant Method : C:\msdchem\1\methods\M6W1125.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Thu Oct 20 08:34:08 2022
Response via : Initial Calibration





TIC: 6W26863.D\data.ms

(3) FREON 152A (T)

1.695min (-0.000) 8.78PPBV m

response 34226

Ion	Exp%	Act%
65.10	100	100
45.10	22.90	104.12#
0.00	0.00	0.00
0.00	0.00	0.00

TO-15

Batch ID: V2W2709

Date: 8/19/22

Analyst Signature:

Columns: DB-1 30mx0.25mmx0.5μm

Method: 2WTO15.M

Seq. File: 2W20220819.S

Initial Cal. Method: M2W2709.M

AS Data

Method: TO15, 7200A.CTD

Standard Data

Lot #	Description	Conc.

Standard Data

Lot #	Description	Conc.
A51188	Int/Surr	100ppbv
A59570	TO15 STD (A1784)	40ppbv
A59580	TO15 LCS (A965)	40ppbv
A59569	TO15 STD (A1810)	2ppbv

(M) Manually integrated chromatographic peaks in the following reportable file have been reviewed and verified to comply with the criteria of SGS SOP EQA044.

Supervisor Signature: Date: 8/22/2022

AS #	Data File	Sample ID	TEST	Canister Serial #	Vol Sample	Dil Fact	TICS	Int. STD Areas	Surr	Status Data	Comments
3	2W61006	IB		A962	20						
3	2W61007	IB		A962	20						
3	2W61008	IB		A962	20						
1	2W61009	BFB		A1810	20					OK	T=10:50
1	2W61010	IC2709-0.04		A1810	8			✓	✓	OK	
1	2W61011	IC2709-0.1		A1810	20			✓	✓	OK	
1	2W61012	IC2709-0.2		A1810	40			✓	✓	OK	
1	2W61013	IC2709-0.5		A1810	100			✓	✓	OK	
2	2W61014	IC2709-0.5		A1784	5						
2	2W61015	IC2709-5		A1784	50			✓	✓	OK	
2	2W61016	IC2709-10		A1784	100			✓	✓	OK	
2	2W61017	IC2709-20		A1784	200			✓	✓	OK	
2	2W61018	IC2709-40		A1784	400			✓	✓	OK	
2	2W61019	IC2709-50		A1784	500			✓	✓	OK	
3	2W61020	IB		A962	20						
3	2W61021	IB		A962	20						
4	2W61022	ICV2709-10		A965	100			✓	✓	OK	

8/22/2022

All strikeouts must be initial and dated. Comment is require for anything other than a transcription error.

SGS

TO-15

Batch ID: V2W2734

Date: 9/27/22

Analyst Signature:

Columns: DB-1 30mx0.25mmx0.5µm
Method: 2WTO15.M
Seq. File: 2W20220927.S
Initial Cal. Method: M2W2709.M

AS Data

Method: TO15.7200A.CTD

Standard Data

Lot #	Description	Conc.

Standard Data

Lot #	Description	Conc.
AS9188	Int/Surr.	10ppbv
AS2596	TO15 STD (A771)	40ppbv
AS9577	TNT STD (A1804)	2ppbv

(M) Manually integrated chromatographic peaks in the following reportable file have been reviewed and verified to comply with the criteri of SGS SOP EQA044.

Supervisor Signature: Date: 9/27/2022.

AS #	Data File	Sample ID	TEST	Canister Serial #	Vol Sample	Dil Fact	TICS	Int. STD Areas	Surr	Status Data	Comments
1	2W61610	BFB		open pre-Inv	400					OK	
2	2W61611	CC2709-10		A771	100			✓	✓	OK	
2	2W61612	BS		A771	100			✓	✓	OK	
2	2W61613	BSD		A771	100			✓	✓	OK	
3	2W61614	IB		A962	100			✓	✓	OK	
3	2W61615	MB		A962	400					—	
4	2W61616	JD52279-2	STD MS62390	A1582	400	1		✓	✓	OK	
5	2W61617	JD52279-4	✓	A1324	400	1		✓	✓	OK	
6	2W61618	JD52279-6	✓	M011	400	1		✓	✓	OK	
6	2W61619	JD52279-6DUP	✓	M011	400	1		✓	✓	OK	
7	2W61620	JD52481-1	STD MS62489	A1240	20	1		✓	✓	OK/DL	
8	2W61621	JD52253-1	STD MS62371	A1145, A1249	100	148		✓	✓	OK/DL	
9	2W61622	SCC CP11870		A1094	400			✓	✓	OK	
10	2W61623	SCC CP11874		A832	400			✓	✓	OK	
11	2W61624	SCC CP11857		A1858	400					NG	Acetone ↑ Reclean batch
12	2W61625	SCC CP11872		M441	100			✓	✓	OK	
13	2W61626	SCC CP11872		A385	100			✓	✓	OK	
14	2W61627	SCC CP11872		A801	100			✓	✓	OK	
1	2W61628	JD337733-3		A1804	20						0.1ppbv
1	2W61629	JD337733-3		A1804	20						0.1ppbv
1	2W61630	JD337733-3		A1804	40						0.2ppbv
1	2W61631	JD337733-3		A1804	40						0.2ppbv

TH 9/28/22

All strikeouts must be initial and dated. Comment is require for anything other than a transcription error.

SGS

TO-15

Batch ID: V6W1077

Date: 8/4/2022

Analyst Signature:

Columns: DB-1 30m x 0.25mm x 0.5µm

Method: 6WTO15.M

Seq. File: 6W20220804.S

Initial Cal. Method: M6W1077.M

AS Data

Method: 6WTO15A.7209.OTB

Standard Data

Lot #	Description	Conc.

Standard Data

Lot #	Description	Conc.
AS9188	Int/Surr	100ppbv
AS9568	TO15 STD (A1799)	40ppbv
AS9567	TO15 STD (A1810)	20ppbv
AS9583	TO15 LCS (A1785)	40ppbv

(M) Manually integrated chromatographic peaks in the following reportable file have been reviewed and verified to comply with the criteri of SGS SOP EQA044.

Supervisor Signature: Date: 8/11/2022

AS #	Data File	Sample ID	TEST	Canister Serial #	Vol Sample	Dil Fact	TICS	Int. STD Areas	Surr	Status Data	Comments
3	6W25312	IB		A963	20					—	
3	6W25313	IB		A963	20					—	
3	6W25314	IB		A963	20					—	
1	6W25315	BFB		A1810	10					OK	
1	6W25316	IC1077-0.04		A1810	8					OK	
1	6W25317	IC1077-0.1		A1810	20					OK	
1	6W25318	IC1077-0.2		A1810	40					OK	
1	6W25319	IC1077-0.5		A1810	100					OK	
2	6W25320	IC1077-0.5		A1799	5					Not used	
2	6W25321	IC1077-5		A1799	50					OK	
2	6W25322	ICC1077-10		A1799	100					OK	
2	6W25323	IC1077-20		A1799	200					OK	
2	6W25324	~~IC~~ IC1077-40 TH 8/5/22		A1799	400					OK	
2	6W25325	IC1077-50		A1799	500					OK	
3	6W25326	IB		A963	20					—	
3	6W25327	IB		A963	20					—	
4	6W25328	ICV1077-10		A1785	100					OK	

TH 8/5/22

All strikeouts must be initial and dated. Comment is require for anything other than a transcription error.

131

SGS

TO-15

Batch ID: V6W1083

Date: 8/11/22

Analyst Signature:

Columns: DB-1 30m x 0.25mm x 0.5µ

Method: 6WT015.M

Seq. File: 6W20220811.S

Initial Cal. Method: M6W1077.M

AS Data

Method: 6WT015A.72004.CTD

Standard Data

Lot #	Description	Conc.

Standard Data

Lot #	Description	Conc.
AS9188	Int/surr.	100 ppbv
AS9568	T015 STD (A1799)	40 ppbv

(M) Manually integrated chromatographic peaks in the following reportable file have been reviewed and verified to comply with the crite of SGS SOP EQA044.

Supervisor Signature: Date: 8/16/2022

AS #	Data File	Sample ID	TEST	Canister Serial #	Vol Sample	Dil Fact	TICS	Int. STD Areas	Surr	Status Data	Comments
1	6W25438	BFB		open flow	400					OK	7:24AM
2	6W25439	CC1077-20		A1799	100			✓	✓	OK	
2	6W25440	BS		A1799	100			✓	✓	OK	
2	6W25441	BSD		A1799	100			✓	✓	OK	
3	6W25442	IB		A963	100					—	
3	6W25443	IB		A963	100					—	
3	6W25444	MB		A963	400			✓	✓	OK	
4	6W25445	JD497029-1	STD m/z 61 233	A2016	100	1		✓	✓	OK	
4	6W25446	JD497029-1DUP	✓	A2016	100	1		✓	✓	OK	
5	6W25447	JD433029-1	SC m/z 60 869	A1800	400	1		✓	✓	OK	
5	6W25448	JD433029-1	✓	A1800	20	1				Not used	Not needed
6	6W25449	IB		A1097	20					—	
6	6W25450	SCC CP11827		A1097	400					MV	TCE ↑ re-bkgrnd smpl
7	6W25451	SCC CP11839		A1481	400			✓	✓	OK	
8	6W25452	SCC CP11846		A406	100			✓	✓	OK	
9	6W25453	SCC CP11846		A423	100			✓	✓	OK	
10	6W25454	SCC CP11846		A537	100			✓	✓	OK	
11	6W25455	SCC CP11847		A255	400			✓	✓	OK	

JH 8/12/22

All strikeouts must be initial and dated. Comment is require for anything other than a transcription error.

SGS

TO-15

Batch ID: V6W1125

Analyst Signature:

Date: 10/19/2022

Columns: DB-1: 3m x 0.25mm x 0.5μm
Method: 6W7015.M
Seq. File: 6W2022 1019.S
Initial Cal. Method: 6W1125.M

AS Data

Method: 6W7015.T20.A.CD

Standard Data

Lot #	Description	Conc.
AS9620	TO15 LCS (A1805)	40ppbv

Standard Data

Lot #	Description	Conc.
AS9585	IS/SS	100ppbv
AS9618	TO15 LCS (A777)	40ppbv
AS9613	TO15 SD (A1824)	1ppbv
AS9617	TO15 SD (A1794)	40ppbv

(M) Manually integrated chromatographic peaks in the following reportable file have been reviewed and verified to comply with the criteria of SGS SOP EQA044.

Supervisor Signature: Date: 10/20/22

AS #	Data File	Sample ID	TEST	Canister Serial #	Vol Sample	Dil Fact	TICS	Int. STD Areas	Surr	Status Data	Comments
5	6W26446	BFB		OPEN	400					OK	
1	6W26447	FB		A1824	16					—	
1	6W26448	IC1125-0.04		A1824	16			✓	✓	OK	
1	6W26449	IC1125-0.1		A1824	40			✓	✓	OK	
1	6W26450	IC1125-0.2		A1824	80			✓	✓	OK	
1	6W26451	IC1125-0.5		A1824	200			✓	✓	OK	
2	6W26452	IC1125-0.5		A1794	5					not used	
2	6W26453	IC1125-5		A1794	50			✓	✓	OK	
2	6W26454	IC1125-10		A1794	100			✓	✓	OK	
2	6W26455	IC1125-20		A1794	200			✓	✓	OK	
2	6W26456	IC1125-40		A1794	400			✓	✓	OK	
2	6W26457	IC1125-50		A1794	500			✓	✓	OK	
3	6W26458	IB		A963	20					—	
3	6W26459	IB		A963	400					—	
4	6W26460	ICV1125-10		AS9618	~~400~~ 200	BK 10/21/22				PM	
3	6W26461	IB		A963	400					—	
5	6W26462	ICV1125-10		A1805	100			✓	✓	OK	

10/20/22

All strikeouts must be initial and dated. Comment is require for anything other than a transcription error.

TO-15

Batch ID: V6W1137

Date: 11/3/22

Analyst Signature:

Columns: DB-1 30mx0.25mmx0.5µm
Method: 6WTO15.M
Seq. File: 6W20221103.S
Initial Cal. Method: M6W1125.M

AS Data

Method: 6WTO15.T2021.CDD

Standard Data

Lot #	Description	Conc.

Standard Data

Lot #	Description	Conc.
AS9585	Int/surr	100ppbv
AS9624	TO15 STD (A976)	40ppbv

(M) Manually integrated chromatographic peaks in the following reportable file have been reviewed and verified to comply with the criteria of SGS SOP EQA044.

Supervisor Signature: Date: 11/8/22

AS #	Data File	Sample ID	TEST	Canister Serial #	Vol Sample	Dil Fact	TICS	~~Int STD~~ Areas	Surr	Status Data	Comments
1-1	6w26822	BFB		NEW POSITION	400					OK	T= 9:04AM
1-2	6w26823	CCI125-10		A976	100			✓	✓	OK	
1-2	6w26824	BS		A976	100			✓	✓	OK	
1-2	6w26825	BSD		A976	100			✓	✓	OK	
2-1	6w26826	IB		A962	100					—	
2-1	6w26827	MB		A962	400					RR	NEW CAN ↑MeCl, ACC, ETOH
2-1	6w26828	MB		A958	400					RR	↑MeCl
2-2	6w26829	MB		A958	400					RR	↑MeCl
2-1	6w26830	MB		A962	400		+	✓	✓	OK	
2-2	6w26831	JD54092-8	SL1 MS63391	A1126	50	1		✓	✓	OK	
2-3	6w26832	JD54092-9	✓	A729	100	1		✓	✓	OK	
2-4	6w26833	JD53652-1	NAP, STD+ MS63088	A1125	100	1	+	✓	✓	OK	
2-4	6w26834	JD53652-1DUP	✓	A1125	100	1	+	✓	✓	OK	
2-5	6w26835	JD53652-2	✓	A526	100	1	+	✓	✓	OK	
2-6	6w26836	JD53651-2	STD+ MS63088	A2067	100	1	+	✓	✓	OK	
2-7	6w26837	JD53651-4	✓	A1911	20	1	+	✓	✓	OK/DL	
2-8	6w26838	JD53651-5	✓	A1957	50	1	+	✓	✓	OK	
2-9	6w26839	JD53715-3	STD MS63122	A807	100	1		✓	✓	OK	
2-10	6w26840	JD5[illegible]6-1	PA+TMB MS63293	A794	100	1		✓	✓	OK	
2-11	6w26841	JD54338-1	NYSVOL MS63430	A502	100	1		✓	✓	OK/DL	ETHYL ACETATE + PR 10ml
2-12	6w26842	JD54338-2	✓	A409	148	1.48		✓	✓	OK	
2-13	6w26843	JD54337-4	N+P+TMB MS63437	A1985	100	1	+	✓	✓	OK	STD +, NAP
2-14	6w26844	JD54337-5	✓	A1940	100	1	+	✓	✓	OK	
2-15	6w26845	JD54342-1	STD MS63437	A1401	50	1		—	—	RR	TOO DILUTE RR=4x
2-16	6w26846	JD54218-1	MS63395	M038	400	1		✓	✓	OK	
2-2	6w26847	JD54218-2	✓	A326	400	1		✓	✓	OK	
2-3	6w26848	JD54423-11	STD+ NAP MS63483	A790	100	1	+	✓	✓	OK	
2-4	6w26849	JD54423-12	✓	A529	100	1	+	✓	✓	OK	
2-5	6w26850	JD54423-14	✓	A420	50	1	+	—	—	RR	TOO DILUTE RR=4x
2-6	6w26851	JD54423-15	✓	A571	50	1	+	—	—	RR	TOO DILUTE RR=4x

All strikeouts must be initial and dated. Comment is require for anything other than a transcription error.

SGS

TO-15

Batch ID: V6W1137 (CONT.)

Date: 11/3/2022

Analyst Signature:

Columns: DB-1: 30m x 0.25mm x 0.5μm
Method: 6WTO15.M
Seq. File: 6W20221103.S
Initial Cal. Method: MCW1125.M

AS Data

Method: 6WTO15:7200A.CTD

Standard Data

Lot #	Description	Conc.

Standard Data

Lot #	Description	Conc.
AS9585	15155	100 ppbv
AS9624	TO-15 STD (A976)	40 ppbv

(M) Manually integrated chromatographic peaks in the following reportable file have been reviewed and verified to comply with the criteria of SGS SOP EQA044.

Supervisor Signature: Date: 11/8/22

AS #	Data File	Sample ID	TEST	Canister Serial #	Vol Sample	Dil Fact	TICS	Int. STD Areas	Surr	Status Data	Comments
2-7	6W26852	scc, CP11889		A583	100			✓	✓	OK	
2-8	6W26853	scc, CP11889		A432	100			✓	✓	OK	
2-9	6W26854	scc, CP11922		M180	100			✓	✓	OK	
2-10	6W26855	scc, CP11929		A718	100			✓	✓	OK	
2-11	6W26856	scc, CP11919		A664	400			✓	✓	OK	
2-12	6W26857	scc, CP11914		A1186	400			–	–	RECLEAN	↑ETOH = 2.44 ppbv
2-13	6W26858	scc, CP11916		A1180	400			–	–	RECLEAN	↑ACETONE = 0.35 ppbv
2-14	6W26859	scc, CP11920		A067	400			✓	✓	OK	
2-15	6W26860	scc, CP11923		A1268	400			✓	✓	OK	
2-16	6W26861	scc, CP11924		A1807	400			–	–	RECLEAN	↑CS_2 = 0.21 ppbv

MW 11/4/22

All strikeouts must be initial and dated. Comment is require for anything other than a transcription error.

TO-15

Batch ID: V6W1138

Date: 11/4/22

Analyst Signature:

Columns: DB-1 30m x 0.25mm x 0.5µm
Method: 6wTO15.m
Seq. File: 6wW0221104-5
Initial Cal. Method: MW1125.M

AS Data

Method: 6wTO15.7200A.CID

Standard Data

Lot #	Description	Conc.

Standard Data

Lot #	Description	Conc.
AS9585	Int/surr	100ppbv
AS9624	TO15 STD (A976)	4ppbv

(M) Manually integrated chromatographic peaks in the following reportable file have been reviewed and verified to comply with the criteria of SGS SOP EQA044.

Supervisor Signature: Date: 11/2/22

AS #	Data File	Sample ID	TEST	Canister Serial #	Vol Sample	Dil Fact	TICS	Int. STD Areas	Surr	Status Data	Comments
1-1	6w26862	BFB		0.5ppm POSITION	400			✓	✓	OK	T=9:04 AM
1-2	6w26863	CC1125-40		A976	100			✓	✓	OK	NAPT
1-2	6w26864	BS		A976	100			✓	✓	OK	NAPT
1-2	6w26865	BSD		A976	100			✓	✓	OK	NAPT
2-1	6w26866	IB		A962	100						
2-1	6w26867	MB		A962	400		+	✓	✓	OK	
2-2	6w26868	JD54338-1	NNVCL MS63437	A502	10	1		✓	✓	OK	
2-3	6w26869	JD54342-1	STD MS63437	A1401	~~100~~ 293	2.93		✓	✓	OK	
2-4	6w26870	JD54423-14	STD+,NAP MS63483	A420	100	1	+	✓	✓	OK	
2-5	6w26871	JD54423-15	✓	A571	100	1	+	✓	✓	OK	
2-5	6w26872	JD54423-15DUP	✓	A571	100	1	+	✓	✓	OK	
2-1	6w26873	IB		A962	20					—	
2-6	6w26874	JD54897-1	SL MS63704	TBAG	20	1		✓	✓	OK/DL	
2-1	6w26875	IB		A962	20					—	
2-6	6w26876	JD54897-1.	✓	TBAG	5	1		✓	✓	OK/DL	
2-1	6w26877	IB		A962	20					—	
2-7	6w26878	JD54897-2	✓	TBAG,TBAG	100	500		✓	✓	OK	
2-1	6w26879	IB		A962	20					—	
2-8	6w26880	JD54897-3	✓	TBAG,TBAG	80	1000		✓	✓	OK	
2-1	6w26881	IB		A962	20					—	
2-9	6w26882	JD53706-1	STD MS63127	A1928,A527	400	158		✓	✓	OK/DL	OVER CAL RR=50mL
2-10	6w26883	JD53706-2	✓	A932,A679	100	268		—	—	RR	TOO DILUTE
2-11	6w26884	JD53706-3	✓	A1388,A410	50	229		✓	✓	OK	
2-12	6w26885	JD54423-13	STD+,NAP MS63483	A450,A1102	20	128	+	—	—	RR	TOO DILUTE
2-13	6w26886	JD54898-1	CFORM-1 MS63705	TBAG	5	1					TOO DILUTE
2-14	6w26887	JD54899-1	✓	TBAG	20	1					
2-15	6w26888	JD54130-3	STD+ MS63316	A1863	400	1	+				
2-16	6w26889	JD54130-4	✓	A1531	100	1	+				
2-4	6w26890	JD54130-5	✓	A1953	100	1	+				
2-3	6w26891	JD54132-1	✓	A1908	100	1	+				

All strikeouts must be initial and dated. Comment is require for anything other than a transcription error.

SGS

TO-15

Batch ID: V6W1138

Date: 11/4/22

Analyst Signature:

Columns: DB-1 30m x 0.25mm x 0.5µm
Method: 6wTO15.m
Seq. File: 6W20221104.S
Initial Cal. Method: m6wcal125.m

AS Data

Method: (6wTO15.mcoh.cD)

Standard Data

Lot #	Description	Conc.

Standard Data

Lot #	Description	Conc.
AS9585	int/surr	100ppbv
AS9624	TO15 STD (A976)	40ppbv

(M) Manually integrated chromatographic peaks in the following reportable file have been reviewed and verified to comply with the criteria of SGS SOP EQA044.

Supervisor Signature: Date: 11/8/22

AS #	Data File	Sample ID	TEST	Canister Serial #	Vol Sample	Dil Fact	TICS	Int. STD Areas	Surr	Status Data	Comments
2-4	6w26892	JD54485-3	STD MS65516	A1133	100	1					
2-5	6w26893	JD54485-4	✓	M200	100	1					
2-6	6w26894	JD54487-2	✓	A541	100	1					
2-7	6W26895	scc, CP11936		A1385	100	1		–	–	RECLEAN	↑CS_2 = 0.33 ppbv
2-8	6W26896	scc, CP11936		A1998	100	1		–	–	RECLEAN	↑CS_2 = 0.37 ppbv
2-9	6W26897	scc, CP11936		A544	100	1		–	–	RECLEAN	↑CS_2 = 0.77 ppbv
2-10	6W26898	scc, CP11930		MD14	400	1		–	–	RECLEAN	↑MEK = 3.05 ppbv
2-11	6W26899	scc, CP11939		M218	400	1		✓	✓	OK	
2-12	6W26900	scc, CP11928		A003	400	1		✓	✓	OK	↑Rerun, closed valve ↑Acetone = 1.41 ppbv
2-13	6W26901	scc, CP11932		A1022	400	1		–	–	~~RECLEAN~~	
2-14	6W26902	scc, CP11933		A1086	400	1		✓	✓	OK	T = 7:27 pc 11/6/22

11/5/2022

All strikeouts must be initial and dated. Comment is require for anything other than a transcription error.

The results set forth herein are provided by SGS North America Inc.

e-Hardcopy 2.0
Automated Report

Technical Report for

WSP USA Environment & Infrastructure Inc

EPT, Ithaca, NY

31405608.001 02

SGS Job Number: JD57555

Sampling Dates: 12/13/22 - 12/15/22



Report to:

dave.rykaczewski@wsp.com

ATTN: Distribution5

Total number of pages in report: 72

Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

David Chastain
General Manager

Client Service contact: Tammy McCloskey 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, FL, IL, IN, KS, KY, LA, MA, MD, ME, MN, NC, OH VAP (CL0056), AK (UST-103), AZ (AZ0786), PA(68-00408), RI, SC, TX, UT, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of SGS.
Test results relate only to samples analyzed.

SGS is the sole authority for authorizing edits or modifications to this document.
Unauthorized modification of this report is strictly prohibited.
Review standard terms at: http://www.sgs.com/en/terms-and-conditions

Please share your ideas about how we can serve you better at:
EHS.US.CustomerCare@sgs.com

Table of Contents

Section 1: Sample Summary 3
Section 2: Case Narrative/Conformance Summary 6
Section 3: Summary of Hits 10
Section 4: Sample Results 14
4.1: JD57555-1: MW-7B 15
4.2: JD57555-2: MW-36B 17
4.3: JD57555-3: MW-46-72C 19
4.4: JD57555-4: MW-46-43C 21
4.5: JD57555-5: MW-8B 23
4.6: JD57555-6: MW-5-25 25
4.7: JD57555-7: MW-12C 27
4.8: JD57555-8: MW-15C 29
4.9: JD57555-9: MW-5-40 31
4.10: JD57555-10: MW-5-100 33
4.11: JD57555-11: MW-1 35
4.12: JD57555-12: MW-3B 37
4.13: JD57555-13: MW-1222A 39
4.14: JD57555-14: MW-5B 41
4.15: JD57555-15: MW-4B 43
4.16: JD57555-16: MW-32B 45
4.17: JD57555-17: MW-50-160D 47
4.18: JD57555-18: EW-13 49
4.19: JD57555-19: EB-121422 51
4.20: JD57555-20: EXB-7 53
4.21: JD57555-21: EXB-10 55
4.22: JD57555-22: MW-121522 57
4.23: JD57555-23: EW-14 59
4.24: JD57555-24: MW-13C 61
4.25: JD57555-25: EB-121522 63
4.26: JD57555-26: EXB-9 65
4.27: JD57555-27: TRIP BLANK 67
Section 5: Misc. Forms 69
5.1: Chain of Custody 70

Sample Summary

WSP USA Environment & Infrastructure Inc

Job No: JD57555

EPT, Ithaca, NY
Project No: 31405608.001 02

Sample Number	Collected Date	Time	By	Received	Matrix Code	Matrix Type	Client Sample ID
This report contains results reported as ND = Not detected. The following applies: Organics ND = Not detected above the MDL							
JD57555-1	12/13/22	09:15	NW	12/20/22	AQ	Ground Water	MW-7B
JD57555-2	12/13/22	09:30	NW	12/20/22	AQ	Ground Water	MW-36B
JD57555-3	12/13/22	09:45	NW	12/20/22	AQ	Ground Water	MW-46-72C
JD57555-4	12/13/22	10:00	NW	12/20/22	AQ	Ground Water	MW-46-43C
JD57555-5	12/13/22	15:20	NW	12/20/22	AQ	Ground Water	MW-8B
JD57555-6	12/14/22	08:00	NW	12/20/22	AQ	Ground Water	MW-5-25
JD57555-7	12/14/22	08:20	NW	12/20/22	AQ	Ground Water	MW-12C
JD57555-8	12/14/22	08:30	NW	12/20/22	AQ	Ground Water	MW-15C
JD57555-9	12/14/22	08:40	NW	12/20/22	AQ	Ground Water	MW-5-40
JD57555-10	12/14/22	08:50	NW	12/20/22	AQ	Ground Water	MW-5-100
JD57555-11	12/14/22	10:00	NW	12/20/22	AQ	Ground Water	MW-1
JD57555-11D	12/14/22	10:00	NW	12/20/22	AQ	Water Dup/MSD	MW-1-MSD

Sample Summary
(continued)

WSP USA Environment & Infrastructure Inc

Job No: JD57555

EPT, Ithaca, NY
Project No: 31405608.001 02

Sample Number	Collected Date	Time	By	Received	Matrix Code	Type	Client Sample ID
JD57555-11S	12/14/22	10:00	NW	12/20/22	AQ	Water Matrix Spike	MW-1-MS
JD57555-12	12/14/22	10:20	NW	12/20/22	AQ	Ground Water	MW-3B
JD57555-13	12/14/22	07:20	NW	12/20/22	AQ	Ground Water	MW-1222A
JD57555-14	12/14/22	10:30	NW	12/20/22	AQ	Ground Water	MW-5B
JD57555-15	12/14/22	10:40	NW	12/20/22	AQ	Ground Water	MW-4B
JD57555-16	12/14/22	11:00	NW	12/20/22	AQ	Ground Water	MW-32B
JD57555-17	12/14/22	14:45	NW	12/20/22	AQ	Ground Water	MW-50-160D
JD57555-18	12/14/22	15:00	NW	12/20/22	AQ	Ground Water	EW-13
JD57555-19	12/14/22	15:45	NW	12/20/22	AQ	Equipment Blank	EB-121422
JD57555-20	12/15/22	09:25	NW	12/20/22	AQ	Ground Water	EXB-7
JD57555-20D	12/15/22	09:25	NW	12/20/22	AQ	Water Dup/MSD	EXB-7-MSD
JD57555-20S	12/15/22	09:25	NW	12/20/22	AQ	Water Matrix Spike	EXB-7-MS
JD57555-21	12/15/22	09:50	NW	12/20/22	AQ	Ground Water	EXB-10

Sample Summary
(continued)

WSP USA Environment & Infrastructure Inc

Job No: JD57555

EPT, Ithaca, NY
Project No: 31405608.001 02

Sample Number	Collected Date	Time	By	Received	Matrix Code	Type	Client Sample ID
JD57555-22	12/15/22	08:00	NW	12/20/22	AQ	Ground Water	MW-121522
JD57555-23	12/15/22	10:15	NW	12/20/22	AQ	Ground Water	EW-14
JD57555-24	12/15/22	10:30	NW	12/20/22	AQ	Ground Water	MW-13C
JD57555-25	12/15/22	10:05	NW	12/20/22	AQ	Equipment Blank	EB-121522
JD57555-26	12/15/22	11:45	NW	12/20/22	AQ	Ground Water	EXB-9
JD57555-27	12/15/22	11:45	NW	12/20/22	AQ	Trip Blank Water	TRIP BLANK

CASE NARRATIVE / CONFORMANCE SUMMARY

Client:	WSP USA Environment & Infrastructure Inc	**Job No**	JD57555
Site:	EPT, Ithaca, NY	**Report Date**	12/30/2022 5:48:19 P

On 12/20/2022, 26 Sample(s), 1 Trip Blank(s) and 0 Field Blank(s) were received at SGS North America Inc. at a maximum corrected temperature of 3 C. Samples were intact and chemically preserved, unless noted below. A SGS North America Inc. Job Number of JD57555 was assigned to the project. Laboratory sample ID, client sample ID and dates of sample collection are detailed in the report's Results Summary Section.

Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

Compounds qualified as out of range in the continuing calibration summary report are acceptable as per method requirements when there is a high bias but the sample result is non-detect.

MS Volatiles By Method SW846 8260D

Matrix: AQ **Batch ID:** V1A9792

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) JD57555-3MS, JD57555-3MSD were used as the QC samples indicated.
- JD57555-3MS/MSD Recovery(s) for cis-1,2-Dichloroethene are outside control limits. Outside control limits due to high level in sample relative to spike amount.
- JD57555-4: Dilution required due to high concentration of target compound.
- JD57555-4 for Acetone, Bromomethane, 2-Hexanone, 2-Butanone (MEK): Associated CCV outside of control limits high, sample was ND.
- JD57555-1 for 2-Hexanone: Associated CCV outside of control limits high, sample was ND.
- JD57555-5 for Acetone: Associated CCV outside of control limits high, sample was ND.
- JD57555-5 for 2-Hexanone: Associated CCV outside of control limits high, sample was ND.
- JD57555-5 for 2-Butanone (MEK): Associated CCV outside of control limits high, sample was ND.
- JD57555-2 for Bromomethane: Associated CCV outside of control limits high, sample was ND.
- JD57555-2 for Acetone: Associated CCV outside of control limits high, sample was ND.
- JD57555-2 for 2-Hexanone: Associated CCV outside of control limits high, sample was ND.
- JD57555-2 for 2-Butanone (MEK): Associated CCV outside of control limits high, sample was ND.
- JD57555-1 for Bromomethane: Associated CCV outside of control limits high, sample was ND.
- JD57555-1 for Acetone: Associated CCV outside of control limits high, sample was ND.
- JD57555-1 for 2-Butanone (MEK): Associated CCV outside of control limits high, sample was ND.
- JD57555-5 for Bromomethane: Associated CCV outside of control limits high, sample was ND.

Matrix: AQ **Batch ID:** V1A9796

- All samples were analyzed within the recommended method holding time.
- Sample(s) JD57555-9MS, JD57555-9MSD were used as the QC samples indicated.
- All method blanks for this batch meet method specific criteria.
- JD57555-9MS/MSD Recovery(s) for cis-1,2-Dichloroethene are outside control limits. Outside control limits due to high level in sample relative to spike amount.
- JD57555-12: Dilution required due to high concentration of target compound.
- JD57555-13: Dilution required due to high concentration of target compound.
- JD57555-9: Dilution required due to high concentration of target compound.
- JD57555-9 for Bromomethane: Associated CCV outside of control limits high, sample was ND.
- JD57555-12 for Bromomethane: Associated CCV outside of control limits high, sample was ND.

MS Volatiles By Method SW846 8260D

Matrix: AQ **Batch ID:** V1A9796

- JD57555-13 for Bromomethane: Associated CCV outside of control limits high, sample was ND.
- JD57555-6 for Bromomethane: Associated CCV outside of control limits high, sample was ND.
- JD57555-24 for Bromomethane: Associated CCV outside of control limits high, sample was ND.
- JD57555-10 for Bromomethane: Associated CCV outside of control limits high, sample was ND.
- JD57555-25 for Bromomethane: Associated CCV outside of control limits high, sample was ND.
- JD57555-18 for Bromomethane: Associated CCV outside of control limits high, sample was ND.

Matrix: AQ **Batch ID:** V1F47

- All samples were analyzed within the recommended method holding time.
- Sample(s) JD57401-1MS, JD57401-3DUP were used as the QC samples indicated.
- All method blanks for this batch meet method specific criteria.
- JD57555-3: Dilution required due to high concentration of target compound.
- JD57555-3 for Bromomethane, Chloroethane, Methylene chloride, Trichlorofluoromethane, 2-Butanone (MEK): Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

Matrix: AQ **Batch ID:** V1F48

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) JD57555-20MS, JD57555-20MSD were used as the QC samples indicated.
- JD57555-20MS/MSD Recovery(s) for cis-1,2-Dichloroethene are outside control limits. Outside control limits due to high level in sample relative to spike amount.
- JD57555-23 for Trichlorofluoromethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-21 for Acetone: Associated CCV outside of control limits high, sample was ND.
- JD57555-21 for Bromomethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-21 for Chloroethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-21 for Trichlorofluoromethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-8 for Trichlorofluoromethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-20 for Chloroethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-20 for Bromomethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-20 for Acetone: Associated CCV outside of control limits high, sample was ND.
- JD57555-23 for Bromomethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-8 for Acetone: Associated CCV outside of control limits high.
- JD57555-8 for Bromomethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-20 for Trichlorofluoromethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-8 for Chloroethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-15 for Acetone: Associated CCV outside of control limits high, sample was ND.
- JD57555-15 for Bromomethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

MS Volatiles By Method SW846 8260D

Matrix: AQ **Batch ID:** V1F48

- JD57555-15 for Chloroethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-23 for Acetone: Associated CCV outside of control limits high.
- JD57555-15 for Trichlorofluoromethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-23 for Chloroethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

Matrix: AQ **Batch ID:** V1F52

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) JD57555-17MS, JD57555-17MSD were used as the QC samples indicated.
- JD57555-17MS/MSD Recovery(s) for cis-1,2-Dichloroethene are outside control limits. Outside control limits due to high level in sample relative to spike amount.
- JD57555-17: Dilution required due to high concentration of target compound.
- JD57555-17 for Acetone, Chloroethane: Associated CCV outside of control limits high, sample was ND.
- JD57555-17 for Bromomethane, Carbon tetrachloride: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

Matrix: AQ **Batch ID:** V2F48

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) JD57555-11MS, JD57555-11MSD were used as the QC samples indicated.
- JD57555-7 for Chloroethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-27 for Chloroethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-27 for Bromomethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-16 for Bromomethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-16 for Chloroethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-16 for Acetone: Associated CCV outside of control limits high, sample was ND.
- JD57555-27 for Chloroform: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-19 for Bromomethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-19 for Acetone: Associated CCV outside of control limits high, sample was ND.
- JD57555-7 for Chloroform: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-11 for Acetone: Associated CCV outside of control limits high, sample was ND.
- JD57555-7 for Acetone: Associated CCV outside of control limits high, sample was ND.
- JD57555-22 for Bromomethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-19 for Chloroform: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-19 for Chloroethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-7 for Bromomethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

MS Volatiles By Method SW846 8260D

Matrix: AQ **Batch ID:** V2F48

- JD57555-16 for Chloroform: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-14 for Acetone: Associated CCV outside of control limits high, sample was ND.
- JD57555-14 for Bromomethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-11 for Chloroform: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-22 for Chloroethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-22 for Chloroform: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-27 for Acetone: Associated CCV outside of control limits high, sample was ND.
- JD57555-14 for Chloroethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-14 for Chloroform: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-22 for Acetone: Associated CCV outside of control limits high, sample was ND.
- JD57555-11 for Chloroethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57555-11 for Bromomethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

Matrix: AQ **Batch ID:** V2F52

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- JD57555-26 for Acetone: Associated CCV outside of control limits high, sample was ND.
- JD57555-26 for Chloroethane: Associated CCV outside of control limits high, sample was ND.
- JD57555-26 for Bromomethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD57567-15MS for Cyclohexane: Outside control limits due to matrix interference.
- JD57567-15MS, JD57567-15MSD are used as QC samples.
- JD57567-15MS/MSD for Toluene: Outside control limits due to high level in sample relative to spike amount.
- JD57567-15MSD for Cyclohexane: Outside control limits due to matrix interference.
- RPD of JD57567-15MSD for Chloromethane: Outside control limits due to matrix interference.

SGS North America Inc. certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting the Quality System precision, accuracy and completeness objectives except as noted.

Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria.

SGS North America Inc. is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety. Data release is authorized by SGS North America Inc indicated via signature on the report cover

Summary of Hits

Job Number: JD57555
Account: WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Collected: 12/13/22 thru 12/15/22

Lab Sample ID / Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
JD57555-1	**MW-7B**					
cis-1,2-Dichloroethene		1.2	1.0	0.51	ug/l	SW846 8260D
JD57555-2	**MW-36B**					
cis-1,2-Dichloroethene		7.5	1.0	0.51	ug/l	SW846 8260D
Trichloroethene		1.8	1.0	0.53	ug/l	SW846 8260D
JD57555-3	**MW-46-72C**					
cis-1,2-Dichloroethene		13500	250	130	ug/l	SW846 8260D
trans-1,2-Dichloroethene [a]		41.1	25	13	ug/l	SW846 8260D
Trichloroethene [a]		3180	25	13	ug/l	SW846 8260D
Vinyl chloride [a]		2360	25	13	ug/l	SW846 8260D
JD57555-4	**MW-46-43C**					
cis-1,2-Dichloroethene [a]		12300	100	51	ug/l	SW846 8260D
trans-1,2-Dichloroethene [a]		142	100	54	ug/l	SW846 8260D
Vinyl chloride [a]		7460	100	52	ug/l	SW846 8260D
JD57555-5	**MW-8B**					
cis-1,2-Dichloroethene		0.51 J	1.0	0.51	ug/l	SW846 8260D
JD57555-6	**MW-5-25**					
Acetone		6.9 J	10	3.1	ug/l	SW846 8260D
cis-1,2-Dichloroethene		0.70 J	1.0	0.51	ug/l	SW846 8260D
JD57555-7	**MW-12C**					
cis-1,2-Dichloroethene		3.2	1.0	0.51	ug/l	SW846 8260D
JD57555-8	**MW-15C**					
Acetone [b]		6.4 J	10	3.1	ug/l	SW846 8260D
cis-1,2-Dichloroethene		347	10	5.1	ug/l	SW846 8260D
trans-1,2-Dichloroethene		0.91 J	1.0	0.54	ug/l	SW846 8260D
Trichloroethene		176	10	5.3	ug/l	SW846 8260D
Vinyl chloride		35.1	1.0	0.52	ug/l	SW846 8260D

Summary of Hits

Job Number: JD57555
Account: WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Collected: 12/13/22 thru 12/15/22

Lab Sample ID / Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
JD57555-9	**MW-5-40**					
1,1-Dichloroethene [a]		13.7	10	5.9	ug/l	SW846 8260D
cis-1,2-Dichloroethene		7780	100	51	ug/l	SW846 8260D
trans-1,2-Dichloroethene [a]		56.2	10	5.4	ug/l	SW846 8260D
Trichloroethene [a]		1720	10	5.3	ug/l	SW846 8260D
Vinyl chloride [a]		1060	10	5.2	ug/l	SW846 8260D
JD57555-10	**MW-5-100**					
Chloroethane		5.5	1.0	0.73	ug/l	SW846 8260D
cis-1,2-Dichloroethene		20.1	1.0	0.51	ug/l	SW846 8260D
Vinyl chloride		21.6	1.0	0.52	ug/l	SW846 8260D
JD57555-11	**MW-1**					
cis-1,2-Dichloroethene		0.63 J	1.0	0.51	ug/l	SW846 8260D
JD57555-12	**MW-3B**					
1,1-Dichloroethene [a]		8.3	5.0	3.0	ug/l	SW846 8260D
cis-1,2-Dichloroethene		4990	50	25	ug/l	SW846 8260D
trans-1,2-Dichloroethene [a]		27.1	5.0	2.7	ug/l	SW846 8260D
Trichloroethene		1170	50	26	ug/l	SW846 8260D
Vinyl chloride [a]		133	5.0	2.6	ug/l	SW846 8260D
JD57555-13	**MW-1222A**					
1,1-Dichloroethene [a]		8.2	5.0	3.0	ug/l	SW846 8260D
cis-1,2-Dichloroethene		4900	50	25	ug/l	SW846 8260D
trans-1,2-Dichloroethene [a]		27.3	5.0	2.7	ug/l	SW846 8260D
Trichloroethene		1190	50	26	ug/l	SW846 8260D
Vinyl chloride [a]		140	5.0	2.6	ug/l	SW846 8260D
JD57555-14	**MW-5B**					
cis-1,2-Dichloroethene		198	10	5.1	ug/l	SW846 8260D
trans-1,2-Dichloroethene		2.3	1.0	0.54	ug/l	SW846 8260D
Tetrachloroethene		1.1	1.0	0.56	ug/l	SW846 8260D
Trichloroethene		569	10	5.3	ug/l	SW846 8260D
JD57555-15	**MW-4B**					
cis-1,2-Dichloroethene		0.95 J	1.0	0.51	ug/l	SW846 8260D
Vinyl chloride		10.5	1.0	0.52	ug/l	SW846 8260D

Summary of Hits

Job Number: JD57555
Account: WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Collected: 12/13/22 thru 12/15/22

Lab Sample ID / Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
JD57555-16	**MW-32B**					
cis-1,2-Dichloroethene		4.8	1.0	0.51	ug/l	SW846 8260D
Trichloroethene		24.1	1.0	0.53	ug/l	SW846 8260D
JD57555-17	**MW-50-160D**					
cis-1,2-Dichloroethene [a]		2910	20	10	ug/l	SW846 8260D
Vinyl chloride [a]		1040	20	10	ug/l	SW846 8260D
JD57555-18	**EW-13**					
Acetone		11.6	10	3.1	ug/l	SW846 8260D
Bromodichloromethane		3.4	1.0	0.45	ug/l	SW846 8260D
Chloroform		21.6	1.0	0.50	ug/l	SW846 8260D
Dibromochloromethane		0.91 J	1.0	0.56	ug/l	SW846 8260D
cis-1,2-Dichloroethene		23.3	1.0	0.51	ug/l	SW846 8260D
Toluene		1.7	1.0	0.49	ug/l	SW846 8260D
Trichloroethene		4.0	1.0	0.53	ug/l	SW846 8260D
Vinyl chloride		3.6	1.0	0.52	ug/l	SW846 8260D
JD57555-19	**EB-121422**					
No hits reported in this sample.						
JD57555-20	**EXB-7**					
1,1-Dichloroethene		1.7	1.0	0.59	ug/l	SW846 8260D
cis-1,2-Dichloroethene		1550	20	10	ug/l	SW846 8260D
trans-1,2-Dichloroethene		13.8	1.0	0.54	ug/l	SW846 8260D
Trichloroethene		60.1	1.0	0.53	ug/l	SW846 8260D
Vinyl chloride		13.4	1.0	0.52	ug/l	SW846 8260D
JD57555-21	**EXB-10**					
Benzene		0.91	0.50	0.43	ug/l	SW846 8260D
Cyclohexane		1.8 J	5.0	0.78	ug/l	SW846 8260D
cis-1,2-Dichloroethene		1.8	1.0	0.51	ug/l	SW846 8260D
Methylcyclohexane		1.4 J	5.0	0.60	ug/l	SW846 8260D
Vinyl chloride		0.97 J	1.0	0.52	ug/l	SW846 8260D
JD57555-22	**MW-121522**					
Benzene		0.93	0.50	0.43	ug/l	SW846 8260D

Summary of Hits

Job Number: JD57555
Account: WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Collected: 12/13/22 thru 12/15/22

Lab Sample ID / Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
Cyclohexane		1.8 J	5.0	0.78	ug/l	SW846 8260D
cis-1,2-Dichloroethene		1.7	1.0	0.51	ug/l	SW846 8260D
Methylcyclohexane		1.1 J	5.0	0.60	ug/l	SW846 8260D
Vinyl chloride		1.1	1.0	0.52	ug/l	SW846 8260D
JD57555-23	**EW-14**					
Acetone [b]		3.3 J	10	3.1	ug/l	SW846 8260D
Bromodichloromethane		2.1	1.0	0.45	ug/l	SW846 8260D
Chloroform		12.5	1.0	0.50	ug/l	SW846 8260D
Dibromochloromethane		0.68 J	1.0	0.56	ug/l	SW846 8260D
cis-1,2-Dichloroethene		25.6	1.0	0.51	ug/l	SW846 8260D
Toluene		0.61 J	1.0	0.49	ug/l	SW846 8260D
Trichloroethene		13.6	1.0	0.53	ug/l	SW846 8260D
Vinyl chloride		29.8	1.0	0.52	ug/l	SW846 8260D
JD57555-24	**MW-13C**					
Benzene		1.3	0.50	0.43	ug/l	SW846 8260D
Chloroethane		1.4	1.0	0.73	ug/l	SW846 8260D
Chloroform		0.52 J	1.0	0.50	ug/l	SW846 8260D
cis-1,2-Dichloroethene		125	1.0	0.51	ug/l	SW846 8260D
Trichloroethene		184	1.0	0.53	ug/l	SW846 8260D
Vinyl chloride		4.7	1.0	0.52	ug/l	SW846 8260D
JD57555-25	**EB-121522**					
Carbon disulfide		0.60 J	2.0	0.46	ug/l	SW846 8260D

JD57555-26 **EXB-9**

No hits reported in this sample.

JD57555-27 **TRIP BLANK**

No hits reported in this sample.

(a) Dilution required due to high concentration of target compound.
(b) Associated CCV outside of control limits high.

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID:	MW-7B		
Lab Sample ID:	JD57555-1	**Date Sampled:**	12/13/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A229090.D	1	12/21/22 19:16	NW	n/a	n/a	V1A9792
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone [a]	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [a]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK) [a]	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	1.2	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone [a]	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-7B		
Lab Sample ID:	JD57555-1	**Date Sampled:**	12/13/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%		80-120%
17060-07-0	1,2-Dichloroethane-D4	111%		80-120%
2037-26-5	Toluene-D8	101%		80-120%
460-00-4	4-Bromofluorobenzene	97%		82-114%

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-36B		
Lab Sample ID:	JD57555-2	**Date Sampled:**	12/13/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A229091.D	1	12/21/22 19:40	NW	n/a	n/a	V1A9792
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone [a]	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [a]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK) [a]	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	7.5	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone [a]	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-36B		
Lab Sample ID:	JD57555-2	**Date Sampled:**	12/13/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	1.8	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	109%		80-120%
17060-07-0	1,2-Dichloroethane-D4	113%		80-120%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	97%		82-114%

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: MW-46-72C
Lab Sample ID: JD57555-3
Matrix: AQ - Ground Water
Method: SW846 8260D
Project: EPT, Ithaca, NY

Date Sampled: 12/13/22
Date Received: 12/20/22
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	1F1313.D	25	12/22/22 13:27	ED	n/a	n/a	V1F47
Run #2	1A229083.D	250	12/21/22 16:29	NW	n/a	n/a	V1A9792

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	250	76	ug/l	
71-43-2	Benzene	ND	13	11	ug/l	
75-27-4	Bromodichloromethane	ND	25	11	ug/l	
75-25-2	Bromoform	ND	25	16	ug/l	
74-83-9	Bromomethane [b]	ND	50	41	ug/l	
78-93-3	2-Butanone (MEK) [b]	ND	250	68	ug/l	
75-15-0	Carbon disulfide	ND	50	11	ug/l	
56-23-5	Carbon tetrachloride	ND	25	14	ug/l	
108-90-7	Chlorobenzene	ND	25	14	ug/l	
75-00-3	Chloroethane [b]	ND	25	18	ug/l	
67-66-3	Chloroform	ND	25	13	ug/l	
74-87-3	Chloromethane	ND	25	19	ug/l	
110-82-7	Cyclohexane	ND	130	20	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	50	13	ug/l	
124-48-1	Dibromochloromethane	ND	25	14	ug/l	
106-93-4	1,2-Dibromoethane	ND	25	12	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	25	13	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	25	14	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	25	13	ug/l	
75-71-8	Dichlorodifluoromethane	ND	50	14	ug/l	
75-34-3	1,1-Dichloroethane	ND	25	14	ug/l	
107-06-2	1,2-Dichloroethane	ND	25	15	ug/l	
75-35-4	1,1-Dichloroethene	ND	25	15	ug/l	
156-59-2	cis-1,2-Dichloroethene	13500 [c]	250	130	ug/l	
156-60-5	trans-1,2-Dichloroethene	41.1	25	13	ug/l	
78-87-5	1,2-Dichloropropane	ND	25	13	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	25	12	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	25	11	ug/l	
100-41-4	Ethylbenzene	ND	25	15	ug/l	
76-13-1	Freon 113	ND	130	15	ug/l	
591-78-6	2-Hexanone	ND	130	51	ug/l	
98-82-8	Isopropylbenzene	ND	25	16	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-46-72C		
Lab Sample ID:	JD57555-3	**Date Sampled:**	12/13/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	130	20	ug/l	
108-87-2	Methylcyclohexane	ND	130	15	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	25	13	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	130	46	ug/l	
75-09-2	Methylene chloride [b]	ND	50	25	ug/l	
100-42-5	Styrene	ND	25	12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	25	16	ug/l	
127-18-4	Tetrachloroethene	ND	25	14	ug/l	
108-88-3	Toluene	ND	25	12	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	25	13	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	25	13	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	25	13	ug/l	
79-01-6	Trichloroethene	3180	25	13	ug/l	
75-69-4	Trichlorofluoromethane [b]	ND	50	10	ug/l	
75-01-4	Vinyl chloride	2360	25	13	ug/l	
1330-20-7	Xylene (total)	ND	25	15	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	86%	113%	80-120%
17060-07-0	1,2-Dichloroethane-D4	87%	114%	80-120%
2037-26-5	Toluene-D8	99%	99%	80-120%
460-00-4	4-Bromofluorobenzene	98%	99%	82-114%

(a) Dilution required due to high concentration of target compound.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
(c) Result is from Run# 2

Report of Analysis

Client Sample ID:	MW-46-43C		
Lab Sample ID:	JD57555-4	**Date Sampled:**	12/13/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	1A229089.D	100	12/21/22 18:53	NW	n/a	n/a	V1A9792
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone [b]	ND	1000	310	ug/l	
71-43-2	Benzene	ND	50	43	ug/l	
75-27-4	Bromodichloromethane	ND	100	45	ug/l	
75-25-2	Bromoform	ND	100	63	ug/l	
74-83-9	Bromomethane [b]	ND	200	160	ug/l	
78-93-3	2-Butanone (MEK) [b]	ND	1000	270	ug/l	
75-15-0	Carbon disulfide	ND	200	46	ug/l	
56-23-5	Carbon tetrachloride	ND	100	55	ug/l	
108-90-7	Chlorobenzene	ND	100	56	ug/l	
75-00-3	Chloroethane	ND	100	73	ug/l	
67-66-3	Chloroform	ND	100	50	ug/l	
74-87-3	Chloromethane	ND	100	76	ug/l	
110-82-7	Cyclohexane	ND	500	78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	200	53	ug/l	
124-48-1	Dibromochloromethane	ND	100	56	ug/l	
106-93-4	1,2-Dibromoethane	ND	100	48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	100	53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	100	54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	100	51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	200	56	ug/l	
75-34-3	1,1-Dichloroethane	ND	100	57	ug/l	
107-06-2	1,2-Dichloroethane	ND	100	60	ug/l	
75-35-4	1,1-Dichloroethene	ND	100	59	ug/l	
156-59-2	cis-1,2-Dichloroethene	12300	100	51	ug/l	
156-60-5	trans-1,2-Dichloroethene	142	100	54	ug/l	
78-87-5	1,2-Dichloropropane	ND	100	51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	100	47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	100	43	ug/l	
100-41-4	Ethylbenzene	ND	100	60	ug/l	
76-13-1	Freon 113	ND	500	58	ug/l	
591-78-6	2-Hexanone [b]	ND	500	200	ug/l	
98-82-8	Isopropylbenzene	ND	100	65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-46-43C		
Lab Sample ID:	JD57555-4	**Date Sampled:**	12/13/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	500	80	ug/l	
108-87-2	Methylcyclohexane	ND	500	60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	100	51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	500	190	ug/l	
75-09-2	Methylene chloride	ND	200	100	ug/l	
100-42-5	Styrene	ND	100	49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	100	65	ug/l	
127-18-4	Tetrachloroethene	ND	100	56	ug/l	
108-88-3	Toluene	ND	100	49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	100	50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	100	54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	100	53	ug/l	
79-01-6	Trichloroethene	ND	100	53	ug/l	
75-69-4	Trichlorofluoromethane	ND	200	40	ug/l	
75-01-4	Vinyl chloride	7460	100	52	ug/l	
1330-20-7	Xylene (total)	ND	100	59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	109%		80-120%
17060-07-0	1,2-Dichloroethane-D4	113%		80-120%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	99%		82-114%

(a) Dilution required due to high concentration of target compound.
(b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-8B		
Lab Sample ID:	JD57555-5	**Date Sampled:**	12/13/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A229092.D	1	12/21/22 20:04	NW	n/a	n/a	V1A9792
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone [a]	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [a]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK) [a]	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	0.51	1.0	0.51	ug/l	J
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone [a]	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-8B		
Lab Sample ID:	JD57555-5	**Date Sampled:**	12/13/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		80-120%
17060-07-0	1,2-Dichloroethane-D4	109%		80-120%
2037-26-5	Toluene-D8	102%		80-120%
460-00-4	4-Bromofluorobenzene	103%		82-114%

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-5-25		
Lab Sample ID:	JD57555-6	**Date Sampled:**	12/14/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A229204.D	1	12/23/22 18:42	NW	n/a	n/a	V1A9796
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	6.9	10	3.1	ug/l	J
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [a]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	0.70	1.0	0.51	ug/l	J
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-5-25		
Lab Sample ID:	JD57555-6	**Date Sampled:**	12/14/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	108%		80-120%
17060-07-0	1,2-Dichloroethane-D4	110%		80-120%
2037-26-5	Toluene-D8	99%		80-120%
460-00-4	4-Bromofluorobenzene	96%		82-114%

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-12C		
Lab Sample ID:	JD57555-7	**Date Sampled:**	12/14/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2F1356.D	1	12/23/22 03:47	ED	n/a	n/a	V2F48
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone [a]	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [b]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [b]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform [b]	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	3.2	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-12C		
Lab Sample ID:	JD57555-7	**Date Sampled:**	12/14/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	86%		80-120%
17060-07-0	1,2-Dichloroethane-D4	93%		80-120%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	98%		82-114%

(a) Associated CCV outside of control limits high, sample was ND.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: MW-15C
Lab Sample ID: JD57555-8
Matrix: AQ - Ground Water
Method: SW846 8260D
Project: EPT, Ithaca, NY

Date Sampled: 12/14/22
Date Received: 12/20/22
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1F1357.D	1	12/23/22 04:07	ED	n/a	n/a	V1F48
Run #2	1A229193.D	10	12/23/22 14:19	NW	n/a	n/a	V1A9796

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone [a]	6.4	10	3.1	ug/l	J
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [b]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [b]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	347 [c]	10	5.1	ug/l	
156-60-5	trans-1,2-Dichloroethene	0.91	1.0	0.54	ug/l	J
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-15C		
Lab Sample ID:	JD57555-8	**Date Sampled:**	12/14/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	176 [c]	10	5.3	ug/l	
75-69-4	Trichlorofluoromethane [b]	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	35.1	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	85%	109%	80-120%
17060-07-0	1,2-Dichloroethane-D4	87%	111%	80-120%
2037-26-5	Toluene-D8	102%	99%	80-120%
460-00-4	4-Bromofluorobenzene	104%	98%	82-114%

(a) Associated CCV outside of control limits high.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
(c) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: MW-5-40
Lab Sample ID: JD57555-9
Matrix: AQ - Ground Water
Method: SW846 8260D
Project: EPT, Ithaca, NY

Date Sampled: 12/14/22
Date Received: 12/20/22
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	1A229207.D	10	12/23/22 19:54	NW	n/a	n/a	V1A9796
Run #2	1F1503.D	100	12/28/22 13:21	ED	n/a	n/a	V1F52

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	100	31	ug/l	
71-43-2	Benzene	ND	5.0	4.3	ug/l	
75-27-4	Bromodichloromethane	ND	10	4.5	ug/l	
75-25-2	Bromoform	ND	10	6.3	ug/l	
74-83-9	Bromomethane [b]	ND	20	16	ug/l	
78-93-3	2-Butanone (MEK)	ND	100	27	ug/l	
75-15-0	Carbon disulfide	ND	20	4.6	ug/l	
56-23-5	Carbon tetrachloride	ND	10	5.5	ug/l	
108-90-7	Chlorobenzene	ND	10	5.6	ug/l	
75-00-3	Chloroethane	ND	10	7.3	ug/l	
67-66-3	Chloroform	ND	10	5.0	ug/l	
74-87-3	Chloromethane	ND	10	7.6	ug/l	
110-82-7	Cyclohexane	ND	50	7.8	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	20	5.3	ug/l	
124-48-1	Dibromochloromethane	ND	10	5.6	ug/l	
106-93-4	1,2-Dibromoethane	ND	10	4.8	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	10	5.3	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	10	5.4	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	10	5.1	ug/l	
75-71-8	Dichlorodifluoromethane	ND	20	5.6	ug/l	
75-34-3	1,1-Dichloroethane	ND	10	5.7	ug/l	
107-06-2	1,2-Dichloroethane	ND	10	6.0	ug/l	
75-35-4	1,1-Dichloroethene	13.7	10	5.9	ug/l	
156-59-2	cis-1,2-Dichloroethene	7780 [c]	100	51	ug/l	
156-60-5	trans-1,2-Dichloroethene	56.2	10	5.4	ug/l	
78-87-5	1,2-Dichloropropane	ND	10	5.1	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	10	4.7	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	10	4.3	ug/l	
100-41-4	Ethylbenzene	ND	10	6.0	ug/l	
76-13-1	Freon 113	ND	50	5.8	ug/l	
591-78-6	2-Hexanone	ND	50	20	ug/l	
98-82-8	Isopropylbenzene	ND	10	6.5	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-5-40		
Lab Sample ID:	JD57555-9	**Date Sampled:**	12/14/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	50	8.0	ug/l	
108-87-2	Methylcyclohexane	ND	50	6.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	10	5.1	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	50	19	ug/l	
75-09-2	Methylene chloride	ND	20	10	ug/l	
100-42-5	Styrene	ND	10	4.9	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	10	6.5	ug/l	
127-18-4	Tetrachloroethene	ND	10	5.6	ug/l	
108-88-3	Toluene	ND	10	4.9	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	10	5.0	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	10	5.4	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	10	5.3	ug/l	
79-01-6	Trichloroethene	1720	10	5.3	ug/l	
75-69-4	Trichlorofluoromethane	ND	20	4.0	ug/l	
75-01-4	Vinyl chloride	1060	10	5.2	ug/l	
1330-20-7	Xylene (total)	ND	10	5.9	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	110%	87%	80-120%
17060-07-0	1,2-Dichloroethane-D4	109%	89%	80-120%
2037-26-5	Toluene-D8	98%	104%	80-120%
460-00-4	4-Bromofluorobenzene	100%	98%	82-114%

(a) Dilution required due to high concentration of target compound.
(b) Associated CCV outside of control limits high, sample was ND.
(c) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-5-100		
Lab Sample ID:	JD57555-10	**Date Sampled:**	12/14/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A229205.D	1	12/23/22 19:06	NW	n/a	n/a	V1A9796
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [a]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	5.5	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	20.1	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-5-100		
Lab Sample ID:	JD57555-10	**Date Sampled:**	12/14/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	21.6	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	107%		80-120%
17060-07-0	1,2-Dichloroethane-D4	110%		80-120%
2037-26-5	Toluene-D8	99%		80-120%
460-00-4	4-Bromofluorobenzene	95%		82-114%

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-1		
Lab Sample ID:	JD57555-11	**Date Sampled:**	12/14/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2F1346.D	1	12/23/22 00:23	ED	n/a	n/a	V2F48
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone [a]	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [b]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [b]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform [b]	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	0.63	1.0	0.51	ug/l	J
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-1		
Lab Sample ID:	JD57555-11	**Date Sampled:**	12/14/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	87%		80-120%
17060-07-0	1,2-Dichloroethane-D4	95%		80-120%
2037-26-5	Toluene-D8	98%		80-120%
460-00-4	4-Bromofluorobenzene	96%		82-114%

(a) Associated CCV outside of control limits high, sample was ND.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-3B		
Lab Sample ID:	JD57555-12	**Date Sampled:**	12/14/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	1A229210.D	5	12/23/22 21:05	NW	n/a	n/a	V1A9796
Run #2	1F1499.D	50	12/28/22 12:03	ED	n/a	n/a	V1F52

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	50	15	ug/l	
71-43-2	Benzene	ND	2.5	2.1	ug/l	
75-27-4	Bromodichloromethane	ND	5.0	2.3	ug/l	
75-25-2	Bromoform	ND	5.0	3.2	ug/l	
74-83-9	Bromomethane [b]	ND	10	8.2	ug/l	
78-93-3	2-Butanone (MEK)	ND	50	14	ug/l	
75-15-0	Carbon disulfide	ND	10	2.3	ug/l	
56-23-5	Carbon tetrachloride	ND	5.0	2.8	ug/l	
108-90-7	Chlorobenzene	ND	5.0	2.8	ug/l	
75-00-3	Chloroethane	ND	5.0	3.6	ug/l	
67-66-3	Chloroform	ND	5.0	2.5	ug/l	
74-87-3	Chloromethane	ND	5.0	3.8	ug/l	
110-82-7	Cyclohexane	ND	25	3.9	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	2.6	ug/l	
124-48-1	Dibromochloromethane	ND	5.0	2.8	ug/l	
106-93-4	1,2-Dibromoethane	ND	5.0	2.4	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	5.0	2.7	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	5.0	2.7	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	5.0	2.5	ug/l	
75-71-8	Dichlorodifluoromethane	ND	10	2.8	ug/l	
75-34-3	1,1-Dichloroethane	ND	5.0	2.8	ug/l	
107-06-2	1,2-Dichloroethane	ND	5.0	3.0	ug/l	
75-35-4	1,1-Dichloroethene	8.3	5.0	3.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	4990 [c]	50	25	ug/l	
156-60-5	trans-1,2-Dichloroethene	27.1	5.0	2.7	ug/l	
78-87-5	1,2-Dichloropropane	ND	5.0	2.5	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	5.0	2.4	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	5.0	2.2	ug/l	
100-41-4	Ethylbenzene	ND	5.0	3.0	ug/l	
76-13-1	Freon 113	ND	25	2.9	ug/l	
591-78-6	2-Hexanone	ND	25	10	ug/l	
98-82-8	Isopropylbenzene	ND	5.0	3.2	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-3B		
Lab Sample ID:	JD57555-12	**Date Sampled:**	12/14/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	25	4.0	ug/l	
108-87-2	Methylcyclohexane	ND	25	3.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	5.0	2.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	25	9.3	ug/l	
75-09-2	Methylene chloride	ND	10	5.0	ug/l	
100-42-5	Styrene	ND	5.0	2.4	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	5.0	3.3	ug/l	
127-18-4	Tetrachloroethene	ND	5.0	2.8	ug/l	
108-88-3	Toluene	ND	5.0	2.5	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	2.5	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	5.0	2.7	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	5.0	2.7	ug/l	
79-01-6	Trichloroethene	1170 [c]	50	26	ug/l	
75-69-4	Trichlorofluoromethane	ND	10	2.0	ug/l	
75-01-4	Vinyl chloride	133	5.0	2.6	ug/l	
1330-20-7	Xylene (total)	ND	5.0	3.0	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	106%	89%	80-120%
17060-07-0	1,2-Dichloroethane-D4	109%	91%	80-120%
2037-26-5	Toluene-D8	100%	103%	80-120%
460-00-4	4-Bromofluorobenzene	99%	100%	82-114%

(a) Dilution required due to high concentration of target compound.
(b) Associated CCV outside of control limits high, sample was ND.
(c) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-1222A		
Lab Sample ID:	JD57555-13	**Date Sampled:**	12/14/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	1A229211.D	5	12/23/22 21:29	NW	n/a	n/a	V1A9796
Run #2	2F1500.D	50	12/28/22 12:22	ED	n/a	n/a	V2F52

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	50	15	ug/l	
71-43-2	Benzene	ND	2.5	2.1	ug/l	
75-27-4	Bromodichloromethane	ND	5.0	2.3	ug/l	
75-25-2	Bromoform	ND	5.0	3.2	ug/l	
74-83-9	Bromomethane [b]	ND	10	8.2	ug/l	
78-93-3	2-Butanone (MEK)	ND	50	14	ug/l	
75-15-0	Carbon disulfide	ND	10	2.3	ug/l	
56-23-5	Carbon tetrachloride	ND	5.0	2.8	ug/l	
108-90-7	Chlorobenzene	ND	5.0	2.8	ug/l	
75-00-3	Chloroethane	ND	5.0	3.6	ug/l	
67-66-3	Chloroform	ND	5.0	2.5	ug/l	
74-87-3	Chloromethane	ND	5.0	3.8	ug/l	
110-82-7	Cyclohexane	ND	25	3.9	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	2.6	ug/l	
124-48-1	Dibromochloromethane	ND	5.0	2.8	ug/l	
106-93-4	1,2-Dibromoethane	ND	5.0	2.4	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	5.0	2.7	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	5.0	2.7	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	5.0	2.5	ug/l	
75-71-8	Dichlorodifluoromethane	ND	10	2.8	ug/l	
75-34-3	1,1-Dichloroethane	ND	5.0	2.8	ug/l	
107-06-2	1,2-Dichloroethane	ND	5.0	3.0	ug/l	
75-35-4	1,1-Dichloroethene	8.2	5.0	3.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	4900 [c]	50	25	ug/l	
156-60-5	trans-1,2-Dichloroethene	27.3	5.0	2.7	ug/l	
78-87-5	1,2-Dichloropropane	ND	5.0	2.5	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	5.0	2.4	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	5.0	2.2	ug/l	
100-41-4	Ethylbenzene	ND	5.0	3.0	ug/l	
76-13-1	Freon 113	ND	25	2.9	ug/l	
591-78-6	2-Hexanone	ND	25	10	ug/l	
98-82-8	Isopropylbenzene	ND	5.0	3.2	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-1222A		
Lab Sample ID:	JD57555-13	**Date Sampled:**	12/14/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	25	4.0	ug/l	
108-87-2	Methylcyclohexane	ND	25	3.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	5.0	2.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	25	9.3	ug/l	
75-09-2	Methylene chloride	ND	10	5.0	ug/l	
100-42-5	Styrene	ND	5.0	2.4	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	5.0	3.3	ug/l	
127-18-4	Tetrachloroethene	ND	5.0	2.8	ug/l	
108-88-3	Toluene	ND	5.0	2.5	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	2.5	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	5.0	2.7	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	5.0	2.7	ug/l	
79-01-6	Trichloroethene	1190 [c]	50	26	ug/l	
75-69-4	Trichlorofluoromethane	ND	10	2.0	ug/l	
75-01-4	Vinyl chloride	140	5.0	2.6	ug/l	
1330-20-7	Xylene (total)	ND	5.0	3.0	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	110%	91%	80-120%
17060-07-0	1,2-Dichloroethane-D4	110%	96%	80-120%
2037-26-5	Toluene-D8	99%	101%	80-120%
460-00-4	4-Bromofluorobenzene	101%	96%	82-114%

(a) Dilution required due to high concentration of target compound.
(b) Associated CCV outside of control limits high, sample was ND.
(c) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-5B		
Lab Sample ID:	JD57555-14	**Date Sampled:**	12/14/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2F1367.D	1	12/23/22 07:30	ED	n/a	n/a	V2F48
Run #2	2F1352.D	10	12/23/22 02:26	ED	n/a	n/a	V2F48

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone [a]	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [b]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [b]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform [b]	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	198 [c]	10	5.1	ug/l	
156-60-5	trans-1,2-Dichloroethene	2.3	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-5B		
Lab Sample ID:	JD57555-14	**Date Sampled:**	12/14/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	1.1	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	569 [c]	10	5.3	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	85%	86%	80-120%
17060-07-0	1,2-Dichloroethane-D4	88%	92%	80-120%
2037-26-5	Toluene-D8	100%	98%	80-120%
460-00-4	4-Bromofluorobenzene	98%	98%	82-114%

(a) Associated CCV outside of control limits high, sample was ND.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
(c) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-4B		
Lab Sample ID:	JD57555-15	**Date Sampled:**	12/14/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1F1359.D	1	12/23/22 04:46	ED	n/a	n/a	V1F48
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone [a]	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [b]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [b]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	0.95	1.0	0.51	ug/l	J
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-4B		
Lab Sample ID:	JD57555-15	**Date Sampled:**	12/14/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane [b]	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	10.5	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	85%		80-120%
17060-07-0	1,2-Dichloroethane-D4	85%		80-120%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	103%		82-114%

(a) Associated CCV outside of control limits high, sample was ND.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-32B		
Lab Sample ID:	JD57555-16	**Date Sampled:**	12/14/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2F1360.D	1	12/23/22 05:06	ED	n/a	n/a	V2F48
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone [a]	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [b]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [b]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform [b]	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	4.8	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-32B		
Lab Sample ID:	JD57555-16	**Date Sampled:**	12/14/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	24.1	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	86%		80-120%
17060-07-0	1,2-Dichloroethane-D4	89%		80-120%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	101%		82-114%

(a) Associated CCV outside of control limits high, sample was ND.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-50-160D		
Lab Sample ID:	JD57555-17	**Date Sampled:**	12/14/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	1F1501.D	20	12/28/22 12:42	ED	n/a	n/a	V1F52
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone [b]	ND	200	61	ug/l	
71-43-2	Benzene	ND	10	8.5	ug/l	
75-27-4	Bromodichloromethane	ND	20	9.0	ug/l	
75-25-2	Bromoform	ND	20	13	ug/l	
74-83-9	Bromomethane [c]	ND	40	33	ug/l	
78-93-3	2-Butanone (MEK)	ND	200	55	ug/l	
75-15-0	Carbon disulfide	ND	40	9.1	ug/l	
56-23-5	Carbon tetrachloride [c]	ND	20	11	ug/l	
108-90-7	Chlorobenzene	ND	20	11	ug/l	
75-00-3	Chloroethane [b]	ND	20	15	ug/l	
67-66-3	Chloroform	ND	20	10	ug/l	
74-87-3	Chloromethane	ND	20	15	ug/l	
110-82-7	Cyclohexane	ND	100	16	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	40	11	ug/l	
124-48-1	Dibromochloromethane	ND	20	11	ug/l	
106-93-4	1,2-Dibromoethane	ND	20	9.5	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	20	11	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	20	11	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	20	10	ug/l	
75-71-8	Dichlorodifluoromethane	ND	40	11	ug/l	
75-34-3	1,1-Dichloroethane	ND	20	11	ug/l	
107-06-2	1,2-Dichloroethane	ND	20	12	ug/l	
75-35-4	1,1-Dichloroethene	ND	20	12	ug/l	
156-59-2	cis-1,2-Dichloroethene	2910	20	10	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	20	11	ug/l	
78-87-5	1,2-Dichloropropane	ND	20	10	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	20	9.4	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	20	8.6	ug/l	
100-41-4	Ethylbenzene	ND	20	12	ug/l	
76-13-1	Freon 113 [c]	ND	100	12	ug/l	
591-78-6	2-Hexanone	ND	100	41	ug/l	
98-82-8	Isopropylbenzene	ND	20	13	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-50-160D		
Lab Sample ID:	JD57555-17	**Date Sampled:**	12/14/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	100	16	ug/l	
108-87-2	Methylcyclohexane	ND	100	12	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	20	10	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	100	37	ug/l	
75-09-2	Methylene chloride	ND	40	20	ug/l	
100-42-5	Styrene	ND	20	9.7	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	20	13	ug/l	
127-18-4	Tetrachloroethene	ND	20	11	ug/l	
108-88-3	Toluene	ND	20	9.8	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	20	10	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	20	11	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	20	11	ug/l	
79-01-6	Trichloroethene	ND	20	11	ug/l	
75-69-4	Trichlorofluoromethane	ND	40	8.0	ug/l	
75-01-4	Vinyl chloride	1040	20	10	ug/l	
1330-20-7	Xylene (total)	ND	20	12	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	90%		80-120%
17060-07-0	1,2-Dichloroethane-D4	89%		80-120%
2037-26-5	Toluene-D8	103%		80-120%
460-00-4	4-Bromofluorobenzene	98%		82-114%

(a) Dilution required due to high concentration of target compound.
(b) Associated CCV outside of control limits high, sample was ND.
(c) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EW-13		
Lab Sample ID:	JD57555-18	**Date Sampled:**	12/14/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A229206.D	1	12/23/22 19:30	NW	n/a	n/a	V1A9796
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	11.6	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	3.4	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [a]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	21.6	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	0.91	1.0	0.56	ug/l	J
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	23.3	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EW-13		
Lab Sample ID:	JD57555-18	**Date Sampled:**	12/14/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	1.7	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	4.0	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	3.6	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	110%		80-120%
17060-07-0	1,2-Dichloroethane-D4	111%		80-120%
2037-26-5	Toluene-D8	99%		80-120%
460-00-4	4-Bromofluorobenzene	98%		82-114%

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EB-121422		
Lab Sample ID:	JD57555-19	**Date Sampled:**	12/14/22
Matrix:	AQ - Equipment Blank	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2F1362.D	1	12/23/22 05:46	ED	n/a	n/a	V2F48
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone [a]	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [b]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [b]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform [b]	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EB-121422		
Lab Sample ID:	JD57555-19	**Date Sampled:**	12/14/22
Matrix:	AQ - Equipment Blank	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	86%		80-120%
17060-07-0	1,2-Dichloroethane-D4	93%		80-120%
2037-26-5	Toluene-D8	98%		80-120%
460-00-4	4-Bromofluorobenzene	98%		82-114%

(a) Associated CCV outside of control limits high, sample was ND.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EXB-7		
Lab Sample ID:	JD57555-20	**Date Sampled:**	12/15/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1F1347.D	1	12/23/22 00:43	ED	n/a	n/a	V1F48
Run #2	1A229196.D	20	12/23/22 15:30	NW	n/a	n/a	V1A9796

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone [a]	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [b]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [b]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	1.7	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	1550 [c]	20	10	ug/l	
156-60-5	trans-1,2-Dichloroethene	13.8	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EXB-7		
Lab Sample ID:	JD57555-20	**Date Sampled:**	12/15/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	60.1	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane [b]	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	13.4	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	84%	110%	80-120%
17060-07-0	1,2-Dichloroethane-D4	86%	112%	80-120%
2037-26-5	Toluene-D8	101%	98%	80-120%
460-00-4	4-Bromofluorobenzene	99%	101%	82-114%

(a) Associated CCV outside of control limits high, sample was ND.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
(c) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EXB-10		
Lab Sample ID:	JD57555-21	**Date Sampled:**	12/15/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1F1363.D	1	12/23/22 06:05	ED	n/a	n/a	V1F48
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone [a]	ND	10	3.1	ug/l	
71-43-2	Benzene	0.91	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [b]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [b]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	1.8	5.0	0.78	ug/l	J
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	1.8	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EXB-10		
Lab Sample ID:	JD57555-21	**Date Sampled:**	12/15/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	1.4	5.0	0.60	ug/l	J
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane [b]	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	0.97	1.0	0.52	ug/l	J
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	85%		80-120%
17060-07-0	1,2-Dichloroethane-D4	86%		80-120%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	101%		82-114%

(a) Associated CCV outside of control limits high, sample was ND.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-121522		
Lab Sample ID:	JD57555-22	**Date Sampled:**	12/15/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2F1364.D	1	12/23/22 06:25	ED	n/a	n/a	V2F48
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone [a]	ND	10	3.1	ug/l	
71-43-2	Benzene	0.93	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [b]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [b]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform [b]	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	1.8	5.0	0.78	ug/l	J
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	1.7	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-121522		
Lab Sample ID:	JD57555-22	**Date Sampled:**	12/15/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	1.1	5.0	0.60	ug/l	J
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	1.1	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	85%		80-120%
17060-07-0	1,2-Dichloroethane-D4	90%		80-120%
2037-26-5	Toluene-D8	99%		80-120%
460-00-4	4-Bromofluorobenzene	98%		82-114%

(a) Associated CCV outside of control limits high, sample was ND.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EW-14		
Lab Sample ID:	JD57555-23	**Date Sampled:**	12/15/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1F1365.D	1	12/23/22 06:45	ED	n/a	n/a	V1F48
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone [a]	3.3	10	3.1	ug/l	J
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	2.1	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [b]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [b]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	12.5	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	0.68	1.0	0.56	ug/l	J
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	25.6	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EW-14		
Lab Sample ID:	JD57555-23	**Date Sampled:**	12/15/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	0.61	1.0	0.49	ug/l	J
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	13.6	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane [b]	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	29.8	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	84%		80-120%
17060-07-0	1,2-Dichloroethane-D4	84%		80-120%
2037-26-5	Toluene-D8	101%		80-120%
460-00-4	4-Bromofluorobenzene	101%		82-114%

(a) Associated CCV outside of control limits high.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-13C		
Lab Sample ID:	JD57555-24	**Date Sampled:**	12/15/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A229192.D	1	12/23/22 13:55	NW	n/a	n/a	V1A9796
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	1.3	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [a]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	1.4	1.0	0.73	ug/l	
67-66-3	Chloroform	0.52	1.0	0.50	ug/l	J
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	125	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-13C		
Lab Sample ID:	JD57555-24	**Date Sampled:**	12/15/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	184	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	4.7	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	107%		80-120%
17060-07-0	1,2-Dichloroethane-D4	109%		80-120%
2037-26-5	Toluene-D8	99%		80-120%
460-00-4	4-Bromofluorobenzene	98%		82-114%

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EB-121522		
Lab Sample ID:	JD57555-25	**Date Sampled:**	12/15/22
Matrix:	AQ - Equipment Blank	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A229189.D	1	12/23/22 12:43	NW	n/a	n/a	V1A9796
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [a]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	0.60	2.0	0.46	ug/l	J
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EB-121522		
Lab Sample ID:	JD57555-25	**Date Sampled:**	12/15/22
Matrix:	AQ - Equipment Blank	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	108%		80-120%
17060-07-0	1,2-Dichloroethane-D4	112%		80-120%
2037-26-5	Toluene-D8	98%		80-120%
460-00-4	4-Bromofluorobenzene	98%		82-114%

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EXB-9		
Lab Sample ID:	JD57555-26	**Date Sampled:**	12/15/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2F1510.D	1	12/28/22 15:46	ED	n/a	n/a	V2F52
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone [a]	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [b]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [a]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EXB-9		
Lab Sample ID:	JD57555-26	**Date Sampled:**	12/15/22
Matrix:	AQ - Ground Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	91%		80-120%
17060-07-0	1,2-Dichloroethane-D4	98%		80-120%
2037-26-5	Toluene-D8	101%		80-120%
460-00-4	4-Bromofluorobenzene	96%		82-114%

(a) Associated CCV outside of control limits high, sample was ND.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TRIP BLANK		
Lab Sample ID:	JD57555-27	**Date Sampled:**	12/15/22
Matrix:	AQ - Trip Blank Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2F1354.D	1	12/23/22 03:07	ED	n/a	n/a	V2F48
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone [a]	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [b]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [b]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform [b]	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TRIP BLANK		
Lab Sample ID:	JD57555-27	**Date Sampled:**	12/15/22
Matrix:	AQ - Trip Blank Water	**Date Received:**	12/20/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	86%		80-120%
17060-07-0	1,2-Dichloroethane-D4	92%		80-120%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	99%		82-114%

(a) Associated CCV outside of control limits high, sample was ND.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody

GW
TB

wsp

Chain of Custody Form

Page 1 of 2

WSP Office Address: 40 Ls Riviere Dr., Ste. 320 Buffalo, NY 14202

Project Name: Former EPT Ithaca
Project Location: Ithaca, NY
Project Number & Task: 31405608.001 02
Sampler(s) Name(s): Nathaniel Winston

WSP Contact Name: Nathaniel Winston
WSP Contact E-mail: Nathaniel.Winston@wsp.com
WSP Contact Phone: 315-420-9973
Sampler(s) Signature(s):

Requested Analyses & Preservatives

No. JD 57555

Laboratory Name & Location: SGS DAYTON, NJ

Laboratory Project Manager: TAMMY MCCLOSKEY

Requested Turn-Around-Time: [X] Standard (7-day) [ ] 24 HR [ ] 48 HR [ ] 72 HR [ ] ___ HR

Sample Identification	Matrix	Collection Start* Date	Collection Start* Time	Collection Stop* Date	Collection Stop* Time	Number of Containers	SW846 8260D TCL 42											Sample Comments
MW-7B	AQ			12/13/22	0915	3	X				1							
MW-36B					0930	3	X				2							
MW-46-72C					0945	3	X				3							
MW-46-43C					1000	3	X				4							
MW-8B					1520	3	X				5							
MW-5-25				12/14/22	0800	3	X				6							
MW-12C					0820	3	X				7							
MW-15C					0830	3	X				8							
MW-5-40					0840	3	X				9							
MW-5-100					0850	3	X				10							
MW-1-MS/MSD					1000	9	X				11							
MW-3B					1020	3	X				12							
MW-1222A					0720	3	X				13							Initial Assessment IC ZA Label Verification
MW-5B					1030	3	X				14							
MW-4B					1040	3	X				15							
MW-32B					1100	3	X				16							

WSP USA
Emersub 15, LLC, Ithaca, NY

TS-12822-151

Please place on the back of original (white copy of COC)
This will assist us in processing your samples.
Thank You

Relinquished By (Signature)	Date	Time	Received By (Signature)	Date	Time	Shipment Method	Tracking Number(s)
	12/14/22	1530	Fedex			FEDEX	
Relinquished By (Signature)	**Date**	**Time**	**Received By (Signature)**	**Date**	**Time**	**Number of Packages**	**Custody Seal Number(s)**
Fedex	12/20/22	10:00				1	

*Use stop time/date for composite and/or air samples; use only start time/date for all other samples.

Matrix: AQ = Aqueous, S = Soil, SE = Sediment, A = Air, W = Wipe, B = Bulk, O = Other (detail in comments)

0 QC VOA

3.0

JD57555: Chain of Custody
Page 1 of 3

wsp

Chain of Custody Form

Page 2 of 2

WSP Office Address: 40 Ls Riviere Dr., Ste. 320 Buffalo, NY 14202

Project Name: Former EPT Ithaca
Project Location: Ithaca, NY
Project Number & Task: 31405608.001 02
Sampler(s) Name(s): Nathaniel Winston

WSP Contact Name: Nathaniel Winston
WSP Contact E-mail: Nathaniel.Winston@wsp.com
WSP Contact Phone: 315-420-9973
Sampler(s) Signature(s):

No. JD57555

Laboratory Name & Location: SGS DAYTON, NJ
Laboratory Project Manager:

Requested Turn-Around-Time: [X] Standard (7-day) [ ] 24 HR [ ] 48 HR [ ] 72 HR [ ] ___ HR

Requested Analyses & Preservatives: SW846 8260D TCL 42

Sample Identification	Matrix	Collection Start* Date	Collection Start* Time	Collection Stop* Date	Collection Stop* Time	Number of Containers	SW846 8260D TCL 42											Sample Comments
MW-50-160D	AQ	—	—	12/14/22	1445	3	X			17								
EW-13					1500	3	X			18								
EB-121422					1545	3	X			19								
EXB-7-MS/MSD				12/15/22	0925	9	X			20								
EXB-10					0950	3	X			21								
MW-121522					0800	3	X			22								
EW-14					1015	4	X			23								
MW-13C					1030	2	X			24								
EB-121522					1005	3	X			25								
EXB-9					1145	3	X			26								
TRIP BLANK	AQ	—	—	—	—	2	X			27								

WSP USA
Emersub 15, LLC, Ithaca, NY

TS-12822-151

Please place on the back of original (white copy of COC)
This will assist us in processing your samples.
Thank You

Relinquished By (Signature)	Date	Time	Received By (Signature)	Date	Time	Shipment Method	Tracking Number(s)
	12/19/22	1530	Fedex			FEDEX	
Relinquished By (Signature)	Date	Time	Received By (Signature)	Date	Time	Number of Packages	Custody Seal Number(s)
Fedex	12/20/22	10:00	JP			1	

*Use stop time/date for composite and/or air samples; use only start time/date for all other samples.

Matrix: AQ = Aqueous, S = Soil, SE = Sediment, A = Air, W = Wipe, B = Bulk, O = Other (detail in comments)

JD57555: Chain of Custody
Page 2 of 3

SGS Sample Receipt Summary

Job Number: JD57555 **Client:** WSP USA **Project:** EMERSUB 15, LLC, ITHACA, NY

Date / Time Received: 12/20/2022 10:00:00 AM **Delivery Method:** **Airbill #'s:**

Cooler Temps (Raw Measured) °C: Cooler 1: (3.0);

Cooler Temps (Corrected) °C: Cooler 1: (3.0);

Cooler Security	Y	or	N		Y	or	N
1. Custody Seals Present:	☑		☐	3. COC Present:	☑		☐
2. Custody Seals Intact:	☑		☐	4. Smpl Dates/Time OK	☑		☐

Cooler Temperature	Y	or	N
1. Temp criteria achieved:	☑		☐
2. Cooler temp verification:			
3. Cooler media:	Ice (Bag)		
4. No. Coolers:	1		

Quality Control Preservation	Y	or	N	N/A
1. Trip Blank present / cooler:	☑		☐	☐
2. Trip Blank listed on COC:	☑		☐	☐
3. Samples preserved properly:	☑		☐	
4. VOCs headspace free:	☑		☐	☐

Sample Integrity - Documentation	Y	or	N
1. Sample labels present on bottles:	☑		☐
2. Container labeling complete:	☑		☐
3. Sample container label / COC agree:	☑		☐

Sample Integrity - Condition	Y	or	N
1. Sample recvd within HT:	☑		☐
2. All containers accounted for:	☑		☐
3. Condition of sample:	Intact		

Sample Integrity - Instructions	Y	or	N	N/A
1. Analysis requested is clear:	☑		☐	
2. Bottles received for unspecified tests	☐		☑	
3. Sufficient volume recvd for analysis:	☑		☐	
4. Compositing instructions clear:	☐		☐	☑
5. Filtering instructions clear:	☐		☐	☑

Test Strip Lot #s: pH 1-12: 231619 pH 12+: 203117A Other: (Specify)

Comments

SM089-03
Rev. Date 12/7/17

The results set forth herein are provided by SGS North America Inc.

e-Hardcopy 2.0
Automated Report

Technical Report for

WSP USA Environment & Infrastructure Inc

EPT, Ithaca, NY

31401545.001 TASK1

SGS Job Number: JD52514

Sampling Date: 09/22/22



Report to:

WSP
13530 DULLES TECHNOLOGY DRIVE Suite 300
Herndon, VA 20171
Nathaniel.Winston@wsp.com; jeffrey.baker@wsp.com

ATTN: Nathaniel Winston

Total number of pages in report: **600**

Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

David Chastain
General Manager

Client Service contact: Tammy McCloskey 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, FL, IL, IN, KS, KY, LA, MA, MD, ME, MN, NC, OH VAP (CL0056), AK (UST-103), AZ (AZ0786), PA(68-00408), RI, SC, TX, UT, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of SGS.
Test results relate only to samples analyzed.

SGS is the sole authority for authorizing edits or modifications to this document.
Unauthorized modification of this report is strictly prohibited.
Review standard terms at: http://www.sgs.com/en/terms-and-conditions

Please share your ideas about how we can serve you better at:
EHS.US.CustomerCare@sgs.com

Table of Contents

Section 1: Sample Summary **3**
Section 2: Case Narrative/Conformance Summary **5**
Section 3: Summary of Hits **8**
Section 4: Sample Results **11**
4.1: JD52514-1: EW-1-62C 12
4.2: JD52514-2: EW-2-62C 14
4.3: JD52514-3: EW-3-60C 16
4.4: JD52514-4: EW-4-25B 18
4.5: JD52514-5: EW-5-25B 20
4.6: JD52514-6: EW-6-60C 22
4.7: JD52514-7: EW-7-25B 24
4.8: JD52514-8: EW-8-62C 26
4.9: JD52514-9: EW-9R-72C 28
4.10: JD52514-10: EW-10-25B 30
4.11: JD52514-11: EW-11-43C 32
4.12: JD52514-12: EW-12-45C 34
4.13: JD52514-13: TRIP BLANK 36
Section 5: Misc. Forms **38**
5.1: Chain of Custody 39
5.2: Sample Tracking Chronicle 42
5.3: Internal Chain of Custody 44
Section 6: MS Volatiles - QC Data Summaries **47**
6.1: Method Blank Summary 48
6.2: Blank Spike Summary 56
6.3: Matrix Spike/Matrix Spike Duplicate Summary 64
6.4: Instrument Performance Checks (BFB) 72
6.5: Internal Standard Area Summaries 83
6.6: Surrogate Recovery Summaries 88
6.7: Initial and Continuing Calibration Summaries 90
6.8: Run Sequence Reports 152
Section 7: MS Volatiles - Raw Data **161**
7.1: Samples 162
7.2: Method Blanks 265
7.3: Blank Spikes 278
7.4: Matrix Spike/Matrix Spike Duplicates 294
7.5: Instrument Performance Checks (BFB) 329
7.6: Initial and Continuing Calibrations 347
7.7: Instrument Run Logs 578

SGS North America Inc.

Sample Summary

WSP USA Environment & Infrastructure Inc

Job No: JD52514

EPT, Ithaca, NY
Project No: 31401545.001 TASK1

Sample Number	Collected Date	Time	By	Received	Matrix Code	Type	Client Sample ID
This report contains results reported as ND = Not detected. The following applies: Organics ND = Not detected above the MDL							
JD52514-1	09/22/22	16:00	NW	09/24/22	AQ	Ground Water	EW-1-62C
JD52514-2	09/22/22	16:05	NW	09/24/22	AQ	Ground Water	EW-2-62C
JD52514-3	09/22/22	16:10	NW	09/24/22	AQ	Ground Water	EW-3-60C
JD52514-4	09/22/22	16:15	NW	09/24/22	AQ	Ground Water	EW-4-25B
JD52514-5	09/22/22	16:20	NW	09/24/22	AQ	Ground Water	EW-5-25B
JD52514-6	09/22/22	16:25	NW	09/24/22	AQ	Ground Water	EW-6-60C
JD52514-7	09/22/22	16:30	NW	09/24/22	AQ	Ground Water	EW-7-25B
JD52514-8	09/22/22	16:35	NW	09/24/22	AQ	Ground Water	EW-8-62C
JD52514-9	09/22/22	16:40	NW	09/24/22	AQ	Ground Water	EW-9R-72C
JD52514-10	09/22/22	16:45	NW	09/24/22	AQ	Ground Water	EW-10-25B
JD52514-11	09/22/22	16:50	NW	09/24/22	AQ	Ground Water	EW-11-43C
JD52514-12	09/22/22	16:55	NW	09/24/22	AQ	Ground Water	EW-12-45C

Sample Summary
(continued)

WSP USA Environment & Infrastructure Inc

Job No: JD52514

EPT, Ithaca, NY
Project No: 31401545.001 TASK1

Sample Number	Collected Date	Time	By	Received	Matrix Code	Matrix Type	Client Sample ID
JD52514-13	09/22/22	16:55	NW	09/24/22	AQ	Trip Blank Water	TRIP BLANK

CASE NARRATIVE / CONFORMANCE SUMMARY

Client:	WSP USA Environment & Infrastructure Inc	**Job No**	JD52514
Site:	EPT, Ithaca, NY	**Report Date**	10/10/2022 12:15:36 P

On 09/24/2022, 12 Sample(s), 1 Trip Blank(s) and 0 Field Blank(s) were received at SGS North America Inc. at a maximum corrected temperature of 2.7 C. Samples were intact and chemically preserved, unless noted below. A SGS North America Inc. Job Number of JD52514 was assigned to the project. Laboratory sample ID, client sample ID and dates of sample collection are detailed in the report's Results Summary Section.

Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

Compounds qualified as out of range in the continuing calibration summary report are acceptable as per method requirements when there is a high bias but the sample result is non-detect.

MS Volatiles By Method SW846 8260D

Matrix: AQ **Batch ID:** V1X8639

- All samples were analyzed within the recommended method holding time.
- Sample(s) JD52514-8MS, JD52514-8MSD were used as the QC samples indicated.
- All method blanks for this batch meet method specific criteria.
- Matrix Spike/Matrix Spike Duplicate Recovery(s) for cis-1,2-Dichloroethene are outside control limits. Outside control limits due to high level in sample relative to spike amount.
- JD52514-8: Dilution required due to high concentration of target compound.
- JD52514-6: Dilution required due to high concentration of target compound.
- JD52514-7: Dilution required due to high concentration of target compound.
- JD52514-3: Dilution required due to high concentration of target compound.
- JD52514-9: Dilution required due to high concentration of target compound.
- JD52514-5: Dilution required due to high concentration of target compound.
- JD52514-5 for Carbon disulfide: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD52514-3 for Carbon disulfide: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD52514-6 for Carbon disulfide: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD52514-9 for Carbon disulfide: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD52514-8 for Carbon disulfide: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD52514-7 for Carbon disulfide: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD52514-1 for Chloroform: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD52514-2 for Carbon disulfide: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD52514-1 for Carbon disulfide: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD52514-1 for Carbon tetrachloride: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD52514-2,-3,-5,-6,-7,-8,-9 for Chloroform: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD52514-2,-3,-5,-6,-7,-8,-9 for Carbon tetrachloride: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

MS Volatiles By Method SW846 8260D

Matrix: AQ **Batch ID:** V2A9583

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) JD52514-12MS, JD52514-12MSD were used as the QC samples indicated.
- Matrix Spike/Matrix Spike Duplicate Recovery(s) for cis-1,2-Dichloroethene are outside control limits. Outside control limits due to high level in sample relative to spike amount.
- JD52514-12: Dilution required due to high concentration of target compound.
- JD52514-12 for Chloroethane, Cyclohexane: Associated CCV outside of control limits high, sample was ND.
- JD52514-12MS for 1,2-Dichloroethane-D4: Outside control limits due to matrix interference.
- JD52514-12MSD for 1,2-Dichloroethane-D4: Outside control limits due to matrix interference.

Matrix: AQ **Batch ID:** V4D5406

- All samples were analyzed within the recommended method holding time.
- Sample(s) JD52514-2MS, JD52514-2MSD were used as the QC samples indicated.
- All method blanks for this batch meet method specific criteria.
- Matrix Spike/Matrix Spike Duplicate Recovery(s) for Acetone are outside control limits. Outside control limits due to matrix interference.
- Matrix Spike/Matrix Spike Duplicate Recovery(s) for 2-Hexanone, Methyl Acetate are outside control limits.
- RPD(s) for MSD for Dichlorodifluoromethane are outside control limits for sample JD52514-2MSD. Outside control limits due to matrix interference.
- JD52514-4: Dilution required due to high concentration of target compound.
- JD52514-4 for Acetone, 2-Butanone, 1,2-Dibromo-3-chloropropane, 4-Methyl-2-pentanone(MIBK): Associated CCV outside of control limits high, sample was ND.
- JD52514-4 for 2-Hexanone, Methyl Acetate: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52514-4 for Bromomethane, Chloromethane Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD52514-4 for Vinyl chloride: Associated CCV outside of control limits low.
- JD52514-13 for Chloromethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD52514-13 for Acetone: Associated CCV outside of control limits high, sample was ND.
- JD52514-13 for Methyl Acetate: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52514-2MS for Methyl Acetate: Outside in house control limits.
- JD52514-2MS for 2-Hexanone: Outside in house control limits.
- JD52514-13 for 4-Methyl-2-pentanone(MIBK): Associated CCV outside of control limits high, sample was ND.
- JD52514-13 for 2-Butanone (MEK): Associated CCV outside of control limits high, sample was ND.
- V4D5406-BS for 2-Hexanone: High percent recovery and no associated positive reported in the QC batch.
- JD52514-13 for 1,2-Dibromo-3-chloropropane: Associated CCV outside of control limits high, sample was ND.
- JD52514-13 for Bromomethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD52514-13 for 2-Hexanone: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- V4D5406-BS for Methyl Acetate: High percent recovery and no associated positive reported in the QC batch.
- JD52514-13 for Vinyl chloride: Associated CCV outside of control limits low.

Matrix: AQ **Batch ID:** VL10517

- All samples were analyzed within the recommended method holding time.

MS Volatiles By Method SW846 8260D

Matrix: AQ **Batch ID:** VL10517

- All method blanks for this batch meet method specific criteria.
- Sample(s) JD52644-1MS, JD52644-1MSD were used as the QC samples indicated.
- Matrix Spike/Matrix Spike Duplicate Recovery(s) for Acetone are outside control limits. Outside control limits due to matrix interference.
- Matrix Spike Duplicate Recovery(s) for 1,1,1-Trichloroethane are outside control limits. Outside control limits due to matrix interference.
- Matrix Spike/Matrix Spike Duplicate Recovery(s) for 1,1-Dichloroethane are outside control limits. Outside control limits due to high level in sample relative to spike amount.
- JD52514-11: Dilution required due to high concentration of target compound.
- JD52514-11 for Bromomethane, Carbon disulfide: Associated CCV outside of control limits low.
- JD52514-10 for Bromomethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD52514-10 for Carbon disulfide: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

SGS North America Inc. certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting the Quality System precision, accuracy and completeness objectives except as noted.

Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria.

SGS North America Inc. is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety. Data release is authorized by SGS North America Inc indicated via signature on the report cover

Summary of Hits

Job Number: JD52514
Account: WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Collected: 09/22/22

Lab Sample ID / Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
JD52514-1	**EW-1-62C**					
cis-1,2-Dichloroethene		321	10	5.1	ug/l	SW846 8260D
trans-1,2-Dichloroethene		3.2	1.0	0.54	ug/l	SW846 8260D
Trichloroethene		33.6	1.0	0.53	ug/l	SW846 8260D
Vinyl chloride		31.1	1.0	0.52	ug/l	SW846 8260D
JD52514-2	**EW-2-62C**					
cis-1,2-Dichloroethene		403	10	5.1	ug/l	SW846 8260D
trans-1,2-Dichloroethene		3.5	1.0	0.54	ug/l	SW846 8260D
Trichloroethene		70.8	1.0	0.53	ug/l	SW846 8260D
Vinyl chloride		24.4	1.0	0.52	ug/l	SW846 8260D
JD52514-3	**EW-3-60C**					
1,1-Dichloroethene [a]		1.6 J	2.0	1.2	ug/l	SW846 8260D
cis-1,2-Dichloroethene		1100	20	10	ug/l	SW846 8260D
trans-1,2-Dichloroethene [a]		15.1	2.0	1.1	ug/l	SW846 8260D
Trichloroethene		960	20	11	ug/l	SW846 8260D
Vinyl chloride [a]		36.2	2.0	1.0	ug/l	SW846 8260D
JD52514-4	**EW-4-25B**					
cis-1,2-Dichloroethene [a]		772	4.0	2.0	ug/l	SW846 8260D
trans-1,2-Dichloroethene [a]		8.4	4.0	2.1	ug/l	SW846 8260D
Trichloroethene		867	25	13	ug/l	SW846 8260D
JD52514-5	**EW-5-25B**					
cis-1,2-Dichloroethene		673	5.0	2.5	ug/l	SW846 8260D
trans-1,2-Dichloroethene [a]		5.5	2.0	1.1	ug/l	SW846 8260D
Trichloroethene [a]		386	2.0	1.1	ug/l	SW846 8260D
Vinyl chloride [a]		8.4	2.0	1.0	ug/l	SW846 8260D
JD52514-6	**EW-6-60C**					
cis-1,2-Dichloroethene		880	10	5.1	ug/l	SW846 8260D
trans-1,2-Dichloroethene [a]		3.7	2.0	1.1	ug/l	SW846 8260D
Trichloroethene [a]		142	2.0	1.1	ug/l	SW846 8260D
Vinyl chloride [a]		4.0	2.0	1.0	ug/l	SW846 8260D
JD52514-7	**EW-7-25B**					
1,1-Dichloroethene [a]		3.6 J	5.0	3.0	ug/l	SW846 8260D

Summary of Hits

Job Number: JD52514
Account: WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Collected: 09/22/22

Lab Sample ID / Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
cis-1,2-Dichloroethene		2230	50	25	ug/l	SW846 8260D
trans-1,2-Dichloroethene [a]		24.4	5.0	2.7	ug/l	SW846 8260D
Trichloroethene [a]		92.3	5.0	2.6	ug/l	SW846 8260D
Vinyl chloride [a]		97.4	5.0	2.6	ug/l	SW846 8260D
JD52514-8	**EW-8-62C**					
cis-1,2-Dichloroethene		3080	100	51	ug/l	SW846 8260D
trans-1,2-Dichloroethene [a]		15.8	10	5.4	ug/l	SW846 8260D
Trichloroethene [a]		296	10	5.3	ug/l	SW846 8260D
Vinyl chloride [a]		48.5	10	5.2	ug/l	SW846 8260D
JD52514-9	**EW-9R-72C**					
cis-1,2-Dichloroethene		1730	10	5.1	ug/l	SW846 8260D
trans-1,2-Dichloroethene [a]		5.0	5.0	2.7	ug/l	SW846 8260D
Trichloroethene [a]		28.2	5.0	2.6	ug/l	SW846 8260D
Vinyl chloride [a]		85.2	5.0	2.6	ug/l	SW846 8260D
JD52514-10	**EW-10-25B**					
cis-1,2-Dichloroethene		343	10	5.1	ug/l	SW846 8260D
trans-1,2-Dichloroethene		3.6	1.0	0.54	ug/l	SW846 8260D
Trichloroethene		124	1.0	0.53	ug/l	SW846 8260D
Vinyl chloride		4.0	1.0	0.52	ug/l	SW846 8260D
JD52514-11	**EW-11-43C**					
1,1-Dichloroethene [a]		49.9 J	50	30	ug/l	SW846 8260D
cis-1,2-Dichloroethene		21900	250	130	ug/l	SW846 8260D
trans-1,2-Dichloroethene [a]		124	50	27	ug/l	SW846 8260D
Trichloroethene		26600	250	130	ug/l	SW846 8260D
Vinyl chloride [a]		587	50	26	ug/l	SW846 8260D
JD52514-12	**EW-12-45C**					
Chloroform [a]		3.7 J	5.0	2.5	ug/l	SW846 8260D
cis-1,2-Dichloroethene		2030	50	25	ug/l	SW846 8260D
trans-1,2-Dichloroethene [a]		4.7 J	5.0	2.7	ug/l	SW846 8260D
Trichloroethene [a]		68.6	5.0	2.6	ug/l	SW846 8260D
Vinyl chloride [a]		44.5	5.0	2.6	ug/l	SW846 8260D
JD52514-13	**TRIP BLANK**					
Chloroform		1.6	1.0	0.50	ug/l	SW846 8260D

Summary of Hits

Job Number: JD52514
Account: WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Collected: 09/22/22

Lab Sample ID Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method

(a) Dilution required due to high concentration of target compound.

Sample Results

Report of Analysis

SGS North America Inc.

Report of Analysis

Client Sample ID: EW-1-62C
Lab Sample ID: JD52514-1
Matrix: AQ - Ground Water
Method: SW846 8260D
Project: EPT, Ithaca, NY

Date Sampled: 09/22/22
Date Received: 09/24/22
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1X200650.D	1	09/30/22 12:31	TS	n/a	n/a	V1X8639
Run #2	4D121709.D	10	09/30/22 03:01	TS	n/a	n/a	V4D5406

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide [a]	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride [a]	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform [a]	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	321 [b]	10	5.1	ug/l	
156-60-5	trans-1,2-Dichloroethene	3.2	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EW-1-62C		
Lab Sample ID:	JD52514-1	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	33.6	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	31.1	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%	106%	80-120%
17060-07-0	1,2-Dichloroethane-D4	97%	97%	80-120%
2037-26-5	Toluene-D8	99%	101%	80-120%
460-00-4	4-Bromofluorobenzene	102%	97%	82-114%

(a) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
(b) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	EW-2-62C		
Lab Sample ID:	JD52514-2	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1X200653.D	1	09/30/22 13:40	TS	n/a	n/a	V1X8639
Run #2	4D121702.D	10	09/29/22 23:39	TS	n/a	n/a	V4D5406

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide [a]	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride [a]	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform [a]	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	403 [b]	10	5.1	ug/l	
156-60-5	trans-1,2-Dichloroethene	3.5	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EW-2-62C		
Lab Sample ID:	JD52514-2	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	70.8	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	24.4	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	95%	105%	80-120%
17060-07-0	1,2-Dichloroethane-D4	97%	98%	80-120%
2037-26-5	Toluene-D8	99%	99%	80-120%
460-00-4	4-Bromofluorobenzene	101%	98%	82-114%

(a) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
(b) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	EW-3-60C		
Lab Sample ID:	JD52514-3	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	1X200657.D	2	09/30/22 15:13	TS	n/a	n/a	V1X8639
Run #2	4D121710.D	20	09/30/22 03:30	TS	n/a	n/a	V4D5406

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	20	6.1	ug/l	
71-43-2	Benzene	ND	1.0	0.85	ug/l	
75-27-4	Bromodichloromethane	ND	2.0	0.90	ug/l	
75-25-2	Bromoform	ND	2.0	1.3	ug/l	
74-83-9	Bromomethane	ND	4.0	3.3	ug/l	
78-93-3	2-Butanone (MEK)	ND	20	5.5	ug/l	
75-15-0	Carbon disulfide [b]	ND	4.0	0.91	ug/l	
56-23-5	Carbon tetrachloride [b]	ND	2.0	1.1	ug/l	
108-90-7	Chlorobenzene	ND	2.0	1.1	ug/l	
75-00-3	Chloroethane	ND	2.0	1.5	ug/l	
67-66-3	Chloroform [b]	ND	2.0	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	1.5	ug/l	
110-82-7	Cyclohexane	ND	10	1.6	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	4.0	1.1	ug/l	
124-48-1	Dibromochloromethane	ND	2.0	1.1	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.95	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	2.0	1.1	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	2.0	1.1	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	2.0	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	4.0	1.1	ug/l	
75-34-3	1,1-Dichloroethane	ND	2.0	1.1	ug/l	
107-06-2	1,2-Dichloroethane	ND	2.0	1.2	ug/l	
75-35-4	1,1-Dichloroethene	1.6	2.0	1.2	ug/l	J
156-59-2	cis-1,2-Dichloroethene	1100 [c]	20	10	ug/l	
156-60-5	trans-1,2-Dichloroethene	15.1	2.0	1.1	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	1.0	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	2.0	0.94	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	2.0	0.86	ug/l	
100-41-4	Ethylbenzene	ND	2.0	1.2	ug/l	
76-13-1	Freon 113	ND	10	1.2	ug/l	
591-78-6	2-Hexanone	ND	10	4.1	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	1.3	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EW-3-60C		
Lab Sample ID:	JD52514-3	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	10	1.6	ug/l	
108-87-2	Methylcyclohexane	ND	10	1.2	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	2.0	1.0	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	10	3.7	ug/l	
75-09-2	Methylene chloride	ND	4.0	2.0	ug/l	
100-42-5	Styrene	ND	2.0	0.97	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	2.0	1.3	ug/l	
127-18-4	Tetrachloroethene	ND	2.0	1.1	ug/l	
108-88-3	Toluene	ND	2.0	0.98	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	2.0	1.0	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	2.0	1.1	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	2.0	1.1	ug/l	
79-01-6	Trichloroethene	960 [c]	20	11	ug/l	
75-69-4	Trichlorofluoromethane	ND	4.0	0.80	ug/l	
75-01-4	Vinyl chloride	36.2	2.0	1.0	ug/l	
1330-20-7	Xylene (total)	ND	2.0	1.2	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	95%	104%	80-120%
17060-07-0	1,2-Dichloroethane-D4	97%	96%	80-120%
2037-26-5	Toluene-D8	99%	100%	80-120%
460-00-4	4-Bromofluorobenzene	100%	98%	82-114%

(a) Dilution required due to high concentration of target compound.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
(c) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID: EW-4-25B
Lab Sample ID: JD52514-4
Matrix: AQ - Ground Water
Method: SW846 8260D
Project: EPT, Ithaca, NY

Date Sampled: 09/22/22
Date Received: 09/24/22
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	4D121711.D	4	09/30/22 03:59	TS	n/a	n/a	V4D5406
Run #2	1X200655.D	25	09/30/22 14:26	TS	n/a	n/a	V1X8639

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone [b]	ND	40	12	ug/l	
71-43-2	Benzene	ND	2.0	1.7	ug/l	
75-27-4	Bromodichloromethane	ND	4.0	1.8	ug/l	
75-25-2	Bromoform	ND	4.0	2.5	ug/l	
74-83-9	Bromomethane [c]	ND	8.0	6.6	ug/l	
78-93-3	2-Butanone (MEK) [b]	ND	40	11	ug/l	
75-15-0	Carbon disulfide	ND	8.0	1.8	ug/l	
56-23-5	Carbon tetrachloride	ND	4.0	2.2	ug/l	
108-90-7	Chlorobenzene	ND	4.0	2.2	ug/l	
75-00-3	Chloroethane	ND	4.0	2.9	ug/l	
67-66-3	Chloroform	ND	4.0	2.0	ug/l	
74-87-3	Chloromethane [c]	ND	4.0	3.0	ug/l	
110-82-7	Cyclohexane	ND	20	3.1	ug/l	
96-12-8	1,2-Dibromo-3-chloropropan [b]	ND	8.0	2.1	ug/l	
124-48-1	Dibromochloromethane	ND	4.0	2.2	ug/l	
106-93-4	1,2-Dibromoethane	ND	4.0	1.9	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	4.0	2.1	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	4.0	2.2	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	4.0	2.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	8.0	2.2	ug/l	
75-34-3	1,1-Dichloroethane	ND	4.0	2.3	ug/l	
107-06-2	1,2-Dichloroethane	ND	4.0	2.4	ug/l	
75-35-4	1,1-Dichloroethene	ND	4.0	2.4	ug/l	
156-59-2	cis-1,2-Dichloroethene	772	4.0	2.0	ug/l	
156-60-5	trans-1,2-Dichloroethene	8.4	4.0	2.1	ug/l	
78-87-5	1,2-Dichloropropane	ND	4.0	2.0	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	4.0	1.9	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	4.0	1.7	ug/l	
100-41-4	Ethylbenzene	ND	4.0	2.4	ug/l	
76-13-1	Freon 113	ND	20	2.3	ug/l	
591-78-6	2-Hexanone [d]	ND	20	8.1	ug/l	
98-82-8	Isopropylbenzene	ND	4.0	2.6	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EW-4-25B		
Lab Sample ID:	JD52514-4	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate [d]	ND	20	3.2	ug/l	
108-87-2	Methylcyclohexane	ND	20	2.4	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	4.0	2.0	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK [b]	ND	20	7.4	ug/l	
75-09-2	Methylene chloride	ND	8.0	4.0	ug/l	
100-42-5	Styrene	ND	4.0	1.9	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	4.0	2.6	ug/l	
127-18-4	Tetrachloroethene	ND	4.0	2.2	ug/l	
108-88-3	Toluene	ND	4.0	2.0	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	4.0	2.0	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	4.0	2.1	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	4.0	2.1	ug/l	
79-01-6	Trichloroethene	867 [e]	25	13	ug/l	
75-69-4	Trichlorofluoromethane	ND	8.0	1.6	ug/l	
75-01-4	Vinyl chloride [f]	ND	4.0	2.1	ug/l	
1330-20-7	Xylene (total)	ND	4.0	2.4	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%	95%	80-120%
17060-07-0	1,2-Dichloroethane-D4	98%	98%	80-120%
2037-26-5	Toluene-D8	99%	99%	80-120%
460-00-4	4-Bromofluorobenzene	97%	101%	82-114%

(a) Dilution required due to high concentration of target compound.
(b) Associated CCV outside of control limits high, sample was ND.
(c) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
(d) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.
(e) Result is from Run# 2
(f) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	EW-5-25B		
Lab Sample ID:	JD52514-5	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	1X200656.D	2	09/30/22 14:50	TS	n/a	n/a	V1X8639
Run #2	4D121712.D	5	09/30/22 04:28	TS	n/a	n/a	V4D5406

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	20	6.1	ug/l	
71-43-2	Benzene	ND	1.0	0.85	ug/l	
75-27-4	Bromodichloromethane	ND	2.0	0.90	ug/l	
75-25-2	Bromoform	ND	2.0	1.3	ug/l	
74-83-9	Bromomethane	ND	4.0	3.3	ug/l	
78-93-3	2-Butanone (MEK)	ND	20	5.5	ug/l	
75-15-0	Carbon disulfide [b]	ND	4.0	0.91	ug/l	
56-23-5	Carbon tetrachloride [b]	ND	2.0	1.1	ug/l	
108-90-7	Chlorobenzene	ND	2.0	1.1	ug/l	
75-00-3	Chloroethane	ND	2.0	1.5	ug/l	
67-66-3	Chloroform [b]	ND	2.0	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	1.5	ug/l	
110-82-7	Cyclohexane	ND	10	1.6	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	4.0	1.1	ug/l	
124-48-1	Dibromochloromethane	ND	2.0	1.1	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.95	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	2.0	1.1	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	2.0	1.1	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	2.0	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	4.0	1.1	ug/l	
75-34-3	1,1-Dichloroethane	ND	2.0	1.1	ug/l	
107-06-2	1,2-Dichloroethane	ND	2.0	1.2	ug/l	
75-35-4	1,1-Dichloroethene	ND	2.0	1.2	ug/l	
156-59-2	cis-1,2-Dichloroethene	673 [c]	5.0	2.5	ug/l	
156-60-5	trans-1,2-Dichloroethene	5.5	2.0	1.1	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	1.0	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	2.0	0.94	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	2.0	0.86	ug/l	
100-41-4	Ethylbenzene	ND	2.0	1.2	ug/l	
76-13-1	Freon 113	ND	10	1.2	ug/l	
591-78-6	2-Hexanone	ND	10	4.1	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	1.3	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EW-5-25B		
Lab Sample ID:	JD52514-5	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	10	1.6	ug/l	
108-87-2	Methylcyclohexane	ND	10	1.2	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	2.0	1.0	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	10	3.7	ug/l	
75-09-2	Methylene chloride	ND	4.0	2.0	ug/l	
100-42-5	Styrene	ND	2.0	0.97	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	2.0	1.3	ug/l	
127-18-4	Tetrachloroethene	ND	2.0	1.1	ug/l	
108-88-3	Toluene	ND	2.0	0.98	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	2.0	1.0	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	2.0	1.1	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	2.0	1.1	ug/l	
79-01-6	Trichloroethene	386	2.0	1.1	ug/l	
75-69-4	Trichlorofluoromethane	ND	4.0	0.80	ug/l	
75-01-4	Vinyl chloride	8.4	2.0	1.0	ug/l	
1330-20-7	Xylene (total)	ND	2.0	1.2	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	95%	104%	80-120%
17060-07-0	1,2-Dichloroethane-D4	98%	96%	80-120%
2037-26-5	Toluene-D8	100%	96%	80-120%
460-00-4	4-Bromofluorobenzene	100%	91%	82-114%

(a) Dilution required due to high concentration of target compound.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
(c) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	EW-6-60C		
Lab Sample ID:	JD52514-6	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	1X200652.D	2	09/30/22 13:17	TS	n/a	n/a	V1X8639
Run #2	4D121713.D	10	09/30/22 04:57	TS	n/a	n/a	V4D5406

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	20	6.1	ug/l	
71-43-2	Benzene	ND	1.0	0.85	ug/l	
75-27-4	Bromodichloromethane	ND	2.0	0.90	ug/l	
75-25-2	Bromoform	ND	2.0	1.3	ug/l	
74-83-9	Bromomethane	ND	4.0	3.3	ug/l	
78-93-3	2-Butanone (MEK)	ND	20	5.5	ug/l	
75-15-0	Carbon disulfide [b]	ND	4.0	0.91	ug/l	
56-23-5	Carbon tetrachloride [b]	ND	2.0	1.1	ug/l	
108-90-7	Chlorobenzene	ND	2.0	1.1	ug/l	
75-00-3	Chloroethane	ND	2.0	1.5	ug/l	
67-66-3	Chloroform [b]	ND	2.0	1.0	ug/l	
74-87-3	Chloromethane	ND	2.0	1.5	ug/l	
110-82-7	Cyclohexane	ND	10	1.6	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	4.0	1.1	ug/l	
124-48-1	Dibromochloromethane	ND	2.0	1.1	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.95	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	2.0	1.1	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	2.0	1.1	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	2.0	1.0	ug/l	
75-71-8	Dichlorodifluoromethane	ND	4.0	1.1	ug/l	
75-34-3	1,1-Dichloroethane	ND	2.0	1.1	ug/l	
107-06-2	1,2-Dichloroethane	ND	2.0	1.2	ug/l	
75-35-4	1,1-Dichloroethene	ND	2.0	1.2	ug/l	
156-59-2	cis-1,2-Dichloroethene	880 [c]	10	5.1	ug/l	
156-60-5	trans-1,2-Dichloroethene	3.7	2.0	1.1	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	1.0	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	2.0	0.94	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	2.0	0.86	ug/l	
100-41-4	Ethylbenzene	ND	2.0	1.2	ug/l	
76-13-1	Freon 113	ND	10	1.2	ug/l	
591-78-6	2-Hexanone	ND	10	4.1	ug/l	
98-82-8	Isopropylbenzene	ND	2.0	1.3	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EW-6-60C		
Lab Sample ID:	JD52514-6	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	10	1.6	ug/l	
108-87-2	Methylcyclohexane	ND	10	1.2	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	2.0	1.0	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	10	3.7	ug/l	
75-09-2	Methylene chloride	ND	4.0	2.0	ug/l	
100-42-5	Styrene	ND	2.0	0.97	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	2.0	1.3	ug/l	
127-18-4	Tetrachloroethene	ND	2.0	1.1	ug/l	
108-88-3	Toluene	ND	2.0	0.98	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	2.0	1.0	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	2.0	1.1	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	2.0	1.1	ug/l	
79-01-6	Trichloroethene	142	2.0	1.1	ug/l	
75-69-4	Trichlorofluoromethane	ND	4.0	0.80	ug/l	
75-01-4	Vinyl chloride	4.0	2.0	1.0	ug/l	
1330-20-7	Xylene (total)	ND	2.0	1.2	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%	106%	80-120%
17060-07-0	1,2-Dichloroethane-D4	99%	97%	80-120%
2037-26-5	Toluene-D8	98%	100%	80-120%
460-00-4	4-Bromofluorobenzene	101%	98%	82-114%

(a) Dilution required due to high concentration of target compound.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
(c) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	EW-7-25B		
Lab Sample ID:	JD52514-7	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	1X200654.D	5	09/30/22 14:03	TS	n/a	n/a	V1X8639
Run #2	1X200661.D	50	09/30/22 16:46	TS	n/a	n/a	V1X8639

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	50	15	ug/l	
71-43-2	Benzene	ND	2.5	2.1	ug/l	
75-27-4	Bromodichloromethane	ND	5.0	2.3	ug/l	
75-25-2	Bromoform	ND	5.0	3.2	ug/l	
74-83-9	Bromomethane	ND	10	8.2	ug/l	
78-93-3	2-Butanone (MEK)	ND	50	14	ug/l	
75-15-0	Carbon disulfide [b]	ND	10	2.3	ug/l	
56-23-5	Carbon tetrachloride [b]	ND	5.0	2.8	ug/l	
108-90-7	Chlorobenzene	ND	5.0	2.8	ug/l	
75-00-3	Chloroethane	ND	5.0	3.6	ug/l	
67-66-3	Chloroform [b]	ND	5.0	2.5	ug/l	
74-87-3	Chloromethane	ND	5.0	3.8	ug/l	
110-82-7	Cyclohexane	ND	25	3.9	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	2.6	ug/l	
124-48-1	Dibromochloromethane	ND	5.0	2.8	ug/l	
106-93-4	1,2-Dibromoethane	ND	5.0	2.4	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	5.0	2.7	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	5.0	2.7	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	5.0	2.5	ug/l	
75-71-8	Dichlorodifluoromethane	ND	10	2.8	ug/l	
75-34-3	1,1-Dichloroethane	ND	5.0	2.8	ug/l	
107-06-2	1,2-Dichloroethane	ND	5.0	3.0	ug/l	
75-35-4	1,1-Dichloroethene	3.6	5.0	3.0	ug/l	J
156-59-2	cis-1,2-Dichloroethene	2230 [c]	50	25	ug/l	
156-60-5	trans-1,2-Dichloroethene	24.4	5.0	2.7	ug/l	
78-87-5	1,2-Dichloropropane	ND	5.0	2.5	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	5.0	2.4	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	5.0	2.2	ug/l	
100-41-4	Ethylbenzene	ND	5.0	3.0	ug/l	
76-13-1	Freon 113	ND	25	2.9	ug/l	
591-78-6	2-Hexanone	ND	25	10	ug/l	
98-82-8	Isopropylbenzene	ND	5.0	3.2	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EW-7-25B		
Lab Sample ID:	JD52514-7	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	25	4.0	ug/l	
108-87-2	Methylcyclohexane	ND	25	3.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	5.0	2.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	25	9.3	ug/l	
75-09-2	Methylene chloride	ND	10	5.0	ug/l	
100-42-5	Styrene	ND	5.0	2.4	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	5.0	3.3	ug/l	
127-18-4	Tetrachloroethene	ND	5.0	2.8	ug/l	
108-88-3	Toluene	ND	5.0	2.5	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	2.5	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	5.0	2.7	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	5.0	2.7	ug/l	
79-01-6	Trichloroethene	92.3	5.0	2.6	ug/l	
75-69-4	Trichlorofluoromethane	ND	10	2.0	ug/l	
75-01-4	Vinyl chloride	97.4	5.0	2.6	ug/l	
1330-20-7	Xylene (total)	ND	5.0	3.0	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%	96%	80-120%
17060-07-0	1,2-Dichloroethane-D4	98%	97%	80-120%
2037-26-5	Toluene-D8	99%	100%	80-120%
460-00-4	4-Bromofluorobenzene	99%	100%	82-114%

(a) Dilution required due to high concentration of target compound.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
(c) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	EW-8-62C		
Lab Sample ID:	JD52514-8	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	1X200649.D	10	09/30/22 12:08	TS	n/a	n/a	V1X8639
Run #2	1X200648.D	100	09/30/22 11:44	TS	n/a	n/a	V1X8639

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	100	31	ug/l	
71-43-2	Benzene	ND	5.0	4.3	ug/l	
75-27-4	Bromodichloromethane	ND	10	4.5	ug/l	
75-25-2	Bromoform	ND	10	6.3	ug/l	
74-83-9	Bromomethane	ND	20	16	ug/l	
78-93-3	2-Butanone (MEK)	ND	100	27	ug/l	
75-15-0	Carbon disulfide [b]	ND	20	4.6	ug/l	
56-23-5	Carbon tetrachloride [b]	ND	10	5.5	ug/l	
108-90-7	Chlorobenzene	ND	10	5.6	ug/l	
75-00-3	Chloroethane	ND	10	7.3	ug/l	
67-66-3	Chloroform [b]	ND	10	5.0	ug/l	
74-87-3	Chloromethane	ND	10	7.6	ug/l	
110-82-7	Cyclohexane	ND	50	7.8	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	20	5.3	ug/l	
124-48-1	Dibromochloromethane	ND	10	5.6	ug/l	
106-93-4	1,2-Dibromoethane	ND	10	4.8	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	10	5.3	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	10	5.4	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	10	5.1	ug/l	
75-71-8	Dichlorodifluoromethane	ND	20	5.6	ug/l	
75-34-3	1,1-Dichloroethane	ND	10	5.7	ug/l	
107-06-2	1,2-Dichloroethane	ND	10	6.0	ug/l	
75-35-4	1,1-Dichloroethene	ND	10	5.9	ug/l	
156-59-2	cis-1,2-Dichloroethene	3080 [c]	100	51	ug/l	
156-60-5	trans-1,2-Dichloroethene	15.8	10	5.4	ug/l	
78-87-5	1,2-Dichloropropane	ND	10	5.1	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	10	4.7	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	10	4.3	ug/l	
100-41-4	Ethylbenzene	ND	10	6.0	ug/l	
76-13-1	Freon 113	ND	50	5.8	ug/l	
591-78-6	2-Hexanone	ND	50	20	ug/l	
98-82-8	Isopropylbenzene	ND	10	6.5	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EW-8-62C		
Lab Sample ID:	JD52514-8	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	50	8.0	ug/l	
108-87-2	Methylcyclohexane	ND	50	6.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	10	5.1	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	50	19	ug/l	
75-09-2	Methylene chloride	ND	20	10	ug/l	
100-42-5	Styrene	ND	10	4.9	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	10	6.5	ug/l	
127-18-4	Tetrachloroethene	ND	10	5.6	ug/l	
108-88-3	Toluene	ND	10	4.9	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	10	5.0	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	10	5.4	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	10	5.3	ug/l	
79-01-6	Trichloroethene	296	10	5.3	ug/l	
75-69-4	Trichlorofluoromethane	ND	20	4.0	ug/l	
75-01-4	Vinyl chloride	48.5	10	5.2	ug/l	
1330-20-7	Xylene (total)	ND	10	5.9	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%	96%	80-120%
17060-07-0	1,2-Dichloroethane-D4	98%	98%	80-120%
2037-26-5	Toluene-D8	100%	100%	80-120%
460-00-4	4-Bromofluorobenzene	101%	101%	82-114%

(a) Dilution required due to high concentration of target compound.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
(c) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	EW-9R-72C		
Lab Sample ID:	JD52514-9	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	1X200651.D	5	09/30/22 12:54	TS	n/a	n/a	V1X8639
Run #2	4D121716.D	10	09/30/22 06:23	TS	n/a	n/a	V4D5406

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	50	15	ug/l	
71-43-2	Benzene	ND	2.5	2.1	ug/l	
75-27-4	Bromodichloromethane	ND	5.0	2.3	ug/l	
75-25-2	Bromoform	ND	5.0	3.2	ug/l	
74-83-9	Bromomethane	ND	10	8.2	ug/l	
78-93-3	2-Butanone (MEK)	ND	50	14	ug/l	
75-15-0	Carbon disulfide [b]	ND	10	2.3	ug/l	
56-23-5	Carbon tetrachloride [b]	ND	5.0	2.8	ug/l	
108-90-7	Chlorobenzene	ND	5.0	2.8	ug/l	
75-00-3	Chloroethane	ND	5.0	3.6	ug/l	
67-66-3	Chloroform [b]	ND	5.0	2.5	ug/l	
74-87-3	Chloromethane	ND	5.0	3.8	ug/l	
110-82-7	Cyclohexane	ND	25	3.9	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	2.6	ug/l	
124-48-1	Dibromochloromethane	ND	5.0	2.8	ug/l	
106-93-4	1,2-Dibromoethane	ND	5.0	2.4	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	5.0	2.7	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	5.0	2.7	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	5.0	2.5	ug/l	
75-71-8	Dichlorodifluoromethane	ND	10	2.8	ug/l	
75-34-3	1,1-Dichloroethane	ND	5.0	2.8	ug/l	
107-06-2	1,2-Dichloroethane	ND	5.0	3.0	ug/l	
75-35-4	1,1-Dichloroethene	ND	5.0	3.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	1730 [c]	10	5.1	ug/l	
156-60-5	trans-1,2-Dichloroethene	5.0	5.0	2.7	ug/l	
78-87-5	1,2-Dichloropropane	ND	5.0	2.5	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	5.0	2.4	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	5.0	2.2	ug/l	
100-41-4	Ethylbenzene	ND	5.0	3.0	ug/l	
76-13-1	Freon 113	ND	25	2.9	ug/l	
591-78-6	2-Hexanone	ND	25	10	ug/l	
98-82-8	Isopropylbenzene	ND	5.0	3.2	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EW-9R-72C		
Lab Sample ID:	JD52514-9	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	25	4.0	ug/l	
108-87-2	Methylcyclohexane	ND	25	3.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	5.0	2.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	25	9.3	ug/l	
75-09-2	Methylene chloride	ND	10	5.0	ug/l	
100-42-5	Styrene	ND	5.0	2.4	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	5.0	3.3	ug/l	
127-18-4	Tetrachloroethene	ND	5.0	2.8	ug/l	
108-88-3	Toluene	ND	5.0	2.5	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	2.5	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	5.0	2.7	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	5.0	2.7	ug/l	
79-01-6	Trichloroethene	28.2	5.0	2.6	ug/l	
75-69-4	Trichlorofluoromethane	ND	10	2.0	ug/l	
75-01-4	Vinyl chloride	85.2	5.0	2.6	ug/l	
1330-20-7	Xylene (total)	ND	5.0	3.0	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%	106%	80-120%
17060-07-0	1,2-Dichloroethane-D4	98%	97%	80-120%
2037-26-5	Toluene-D8	99%	101%	80-120%
460-00-4	4-Bromofluorobenzene	101%	98%	82-114%

(a) Dilution required due to high concentration of target compound.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
(c) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	EW-10-25B		
Lab Sample ID:	JD52514-10	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	L347779.D	1	10/03/22 16:09	NH	n/a	n/a	VL10517
Run #2	L347778.D	10	10/03/22 15:46	NH	n/a	n/a	VL10517

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [a]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide [a]	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	343 [b]	10	5.1	ug/l	
156-60-5	trans-1,2-Dichloroethene	3.6	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EW-10-25B		
Lab Sample ID:	JD52514-10	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	124	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	4.0	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%	98%	80-120%
17060-07-0	1,2-Dichloroethane-D4	94%	96%	80-120%
2037-26-5	Toluene-D8	97%	100%	80-120%
460-00-4	4-Bromofluorobenzene	92%	93%	82-114%

(a) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
(b) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	EW-11-43C		
Lab Sample ID:	JD52514-11	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	L347780.D	50	10/03/22 16:32	NH	n/a	n/a	VL10517
Run #2	L347786.D	250	10/03/22 18:51	NH	n/a	n/a	VL10517

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	500	150	ug/l	
71-43-2	Benzene	ND	25	21	ug/l	
75-27-4	Bromodichloromethane	ND	50	23	ug/l	
75-25-2	Bromoform	ND	50	32	ug/l	
74-83-9	Bromomethane [b]	ND	100	82	ug/l	
78-93-3	2-Butanone (MEK)	ND	500	140	ug/l	
75-15-0	Carbon disulfide [b]	ND	100	23	ug/l	
56-23-5	Carbon tetrachloride	ND	50	28	ug/l	
108-90-7	Chlorobenzene	ND	50	28	ug/l	
75-00-3	Chloroethane	ND	50	36	ug/l	
67-66-3	Chloroform	ND	50	25	ug/l	
74-87-3	Chloromethane	ND	50	38	ug/l	
110-82-7	Cyclohexane	ND	250	39	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	100	26	ug/l	
124-48-1	Dibromochloromethane	ND	50	28	ug/l	
106-93-4	1,2-Dibromoethane	ND	50	24	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	50	27	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	50	27	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	50	25	ug/l	
75-71-8	Dichlorodifluoromethane	ND	100	28	ug/l	
75-34-3	1,1-Dichloroethane	ND	50	28	ug/l	
107-06-2	1,2-Dichloroethane	ND	50	30	ug/l	
75-35-4	1,1-Dichloroethene	49.9	50	30	ug/l	J
156-59-2	cis-1,2-Dichloroethene	21900 [c]	250	130	ug/l	
156-60-5	trans-1,2-Dichloroethene	124	50	27	ug/l	
78-87-5	1,2-Dichloropropane	ND	50	25	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	50	24	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	50	22	ug/l	
100-41-4	Ethylbenzene	ND	50	30	ug/l	
76-13-1	Freon 113	ND	250	29	ug/l	
591-78-6	2-Hexanone	ND	250	100	ug/l	
98-82-8	Isopropylbenzene	ND	50	32	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EW-11-43C		
Lab Sample ID:	JD52514-11	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	250	40	ug/l	
108-87-2	Methylcyclohexane	ND	250	30	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	50	25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	250	93	ug/l	
75-09-2	Methylene chloride	ND	100	50	ug/l	
100-42-5	Styrene	ND	50	24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	50	33	ug/l	
127-18-4	Tetrachloroethene	ND	50	28	ug/l	
108-88-3	Toluene	ND	50	25	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	50	25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	50	27	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	50	27	ug/l	
79-01-6	Trichloroethene	26600 [c]	250	130	ug/l	
75-69-4	Trichlorofluoromethane	ND	100	20	ug/l	
75-01-4	Vinyl chloride	587	50	26	ug/l	
1330-20-7	Xylene (total)	ND	50	30	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%	100%	80-120%
17060-07-0	1,2-Dichloroethane-D4	95%	95%	80-120%
2037-26-5	Toluene-D8	96%	98%	80-120%
460-00-4	4-Bromofluorobenzene	90%	93%	82-114%

(a) Dilution required due to high concentration of target compound.
(b) Associated CCV outside of control limits low.
(c) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	EW-12-45C		
Lab Sample ID:	JD52514-12	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	2A220447.D	5	09/30/22 13:40	NH	n/a	n/a	V2A9583
Run #2	2A220449.D	50	09/30/22 14:37	NH	n/a	n/a	V2A9583

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	50	15	ug/l	
71-43-2	Benzene	ND	2.5	2.1	ug/l	
75-27-4	Bromodichloromethane	ND	5.0	2.3	ug/l	
75-25-2	Bromoform	ND	5.0	3.2	ug/l	
74-83-9	Bromomethane	ND	10	8.2	ug/l	
78-93-3	2-Butanone (MEK)	ND	50	14	ug/l	
75-15-0	Carbon disulfide	ND	10	2.3	ug/l	
56-23-5	Carbon tetrachloride	ND	5.0	2.8	ug/l	
108-90-7	Chlorobenzene	ND	5.0	2.8	ug/l	
75-00-3	Chloroethane [b]	ND	5.0	3.6	ug/l	
67-66-3	Chloroform	3.7	5.0	2.5	ug/l	J
74-87-3	Chloromethane	ND	5.0	3.8	ug/l	
110-82-7	Cyclohexane [b]	ND	25	3.9	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	2.6	ug/l	
124-48-1	Dibromochloromethane	ND	5.0	2.8	ug/l	
106-93-4	1,2-Dibromoethane	ND	5.0	2.4	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	5.0	2.7	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	5.0	2.7	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	5.0	2.5	ug/l	
75-71-8	Dichlorodifluoromethane	ND	10	2.8	ug/l	
75-34-3	1,1-Dichloroethane	ND	5.0	2.8	ug/l	
107-06-2	1,2-Dichloroethane	ND	5.0	3.0	ug/l	
75-35-4	1,1-Dichloroethene	ND	5.0	3.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	2030 [c]	50	25	ug/l	
156-60-5	trans-1,2-Dichloroethene	4.7	5.0	2.7	ug/l	J
78-87-5	1,2-Dichloropropane	ND	5.0	2.5	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	5.0	2.4	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	5.0	2.2	ug/l	
100-41-4	Ethylbenzene	ND	5.0	3.0	ug/l	
76-13-1	Freon 113	ND	25	2.9	ug/l	
591-78-6	2-Hexanone	ND	25	10	ug/l	
98-82-8	Isopropylbenzene	ND	5.0	3.2	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EW-12-45C		
Lab Sample ID:	JD52514-12	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	25	4.0	ug/l	
108-87-2	Methylcyclohexane	ND	25	3.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	5.0	2.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	25	9.3	ug/l	
75-09-2	Methylene chloride	ND	10	5.0	ug/l	
100-42-5	Styrene	ND	5.0	2.4	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	5.0	3.3	ug/l	
127-18-4	Tetrachloroethene	ND	5.0	2.8	ug/l	
108-88-3	Toluene	ND	5.0	2.5	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	2.5	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	5.0	2.7	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	5.0	2.7	ug/l	
79-01-6	Trichloroethene	68.6	5.0	2.6	ug/l	
75-69-4	Trichlorofluoromethane	ND	10	2.0	ug/l	
75-01-4	Vinyl chloride	44.5	5.0	2.6	ug/l	
1330-20-7	Xylene (total)	ND	5.0	3.0	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	109%	109%	80-120%
17060-07-0	1,2-Dichloroethane-D4	82%	83%	80-120%
2037-26-5	Toluene-D8	92%	92%	80-120%
460-00-4	4-Bromofluorobenzene	109%	109%	82-114%

(a) Dilution required due to high concentration of target compound.
(b) Associated CCV outside of control limits high, sample was ND.
(c) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	TRIP BLANK		
Lab Sample ID:	JD52514-13	**Date Sampled:**	09/22/22
Matrix:	AQ - Trip Blank Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4D121701.D	1	09/29/22 23:10	TS	n/a	n/a	V4D5406
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone [a]	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [b]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK) [a]	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	1.6	1.0	0.50	ug/l	
74-87-3	Chloromethane [b]	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropan [a]	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone [c]	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TRIP BLANK		
Lab Sample ID:	JD52514-13	**Date Sampled:**	09/22/22
Matrix:	AQ - Trip Blank Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate [c]	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK [a]	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride [d]	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	107%		80-120%
17060-07-0	1,2-Dichloroethane-D4	98%		80-120%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	98%		82-114%

(a) Associated CCV outside of control limits high, sample was ND.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
(c) Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
(d) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- Sample Tracking Chronicle
- Internal Chain of Custody

CHAIN OF CUSTODY

SGS North America Inc. - Dayton
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.sgs.com/ehsusa

EHSA-QAC-0023-04-FORM Standard COC

GW TB

Page 1 of 1

FED-EX Tracking #

Bottle Order Control # TS-091922-35

SGS Quote #

SGS Job # JD52514

Client / Reporting Information

Company Name: WSP USA
Street Address:
City State Zip:
Project Contact: JEFFREY.BAKER@WSP.com E-mail
Phone # 315-420-9973
Sampler(s) Name(s): NATE WINSTON Phone #

Project Information

Project Name: FORMER EPT - ITHACA
Street: 620 S. Aurora ST
City: ITHACA, NY State
Project #: 31401545.601 TASK
Client Purchase Order #
Project Manager
Attention:

Billing Information (If different from Report to)
Company Name
Street Address
City State Zip

Requested Analysis

8260 TCL 4A

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL - Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB - Field Blank
EB-Equipment Blank
RB - Rinse Blank
TB - Trip Blank

SGS Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Grab (G) Comp (C)	Source Chlorinated (Y/N)	Matrix	# of bottles	Number of preserved Bottles: HCl	NaOH	HNO_3	H_2SO_4	NONE	DI Water	MEOH	ENCORE	pH Check (Lab Use Only)	LAB USE ONLY
1	EW-1-62C		9/19/22		NW	G	N	GW	3	X								X	
2	EW-2-62C								3	X								X	
3	EW-3-60C								3	X								X	
4	EW-4-25B								3	X								X	
5	EW-5-25B								3	X								X	
6	EW-6-60C								3	X								X	
7	EW-7-25D								3	X								X	
8	EW-8-62C								3	X								X	
9	EW-9R-72C								3	X								X	
10	EW-10-25B								3	X								X	
11	EW-11-43C								3	X								X	
12	EW-12-45C								3	X								X	
-13	Trip blank																		

Turn Around Time (Business Days)

Approved By (SGS PM): / Date:

- [x] 10 Business Days
- [ ] 5 Business Days
- [ ] 3 Business Days*
- [ ] 2 Business Days*
- [ ] 1 Business Day*
- [ ] Other

Initial Assessment: NA(3B)
Laboratory Verification:

All data available via Lablink
* Approval needed for 1-3 Business Day TAT

Deliverable

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] NJ Reduced (Level 3)
- [ ] Full Tier I (Level 4)
- [ ] Commercial "C"
- [ ] NJ DKQP
- [ ] NYASP Category A
- [x] NYASP Category B
- [ ] MA MCP Criteria
- [ ] CT RCP Criteria
- [ ] State Forms
- [ ] EDD Format
- [ ] DOD-QSM5

NY SDEC CAFB

Commercial "A" = Results only; Commercial "B" = Results + QC Summary
Commercial "C" = Results + QC Summary + Partial Raw data

Comments / Special Instructions

BNN Trip Blank

http://www.sgs.com/en/terms-and-conditions

Sample Custody must be documented below each time samples change possession, including courier delivery.

Relinquished by:	Date / Time:	Received By:	Relinquished By:	Date / Time:	Received By:
1 FedEx	9/24 10:00	1	2		2
3		3	4		4
5		5	Custody Seal #	Intact / Not intact / Absent	Therm ID: / On Ice / Cooler Temp. °C: 2.1

See Sample Receipt Summary

5.1.5

SGS Sample Receipt Summary

Job Number: JD52514 **Client:** WSP **Project:** EPT, ITHACA, NY

Date / Time Received: 9/24/2022 10:00:00 AM **Delivery Method:** fedex **Airbill #'s:**

Cooler Temps (Raw Measured) °C: Cooler 1: (2.1);

Cooler Temps (Corrected) °C: Cooler 1: (2.7);

Cooler Security	Y	or	N		Y	or	N
1. Custody Seals Present:	☑		☐	3. COC Present:	☑		☐
2. Custody Seals Intact:	☑		☐	4. Smpl Dates/Time OK	☑		☐

Cooler Temperature	Y	or	N
1. Temp criteria achieved:	☑		☐
2. Cooler temp verification:	IR Gun		
3. Cooler media:	Ice (Bag)		
4. No. Coolers:	1		

Quality Control _Preservation	Y	or	N	N/A
1. Trip Blank present / cooler:	☑		☐	☐
2. Trip Blank listed on COC:	☑		☐	☐
3. Samples preserved properly:	☑		☐	
4. VOCs headspace free:	☑		☐	☐

Sample Integrity - Documentation	Y	or	N
1. Sample labels present on bottles:	☑		☐
2. Container labeling complete:	☑		☐
3. Sample container label / COC agree:	☑		☐

Sample Integrity - Condition	Y	or	N
1. Sample recvd within HT:	☑		☐
2. All containers accounted for:	☑		☐
3. Condition of sample:	Intact		

Sample Integrity - Instructions	Y	or	N	N/A
1. Analysis requested is clear:	☑		☐	
2. Bottles received for unspecified tests	☐		☑	
3. Sufficient volume recvd for analysis:	☑		☐	
4. Compositing instructions clear:	☐		☐	☑
5. Filtering instructions clear:	☐		☐	☑

Test Strip Lot #s: pH 1-12: 231619 pH 12+: 203117A Other: (Specify)

Comments: 1. No collection time on COC for samples -1 thru -13 please confirm.

Responded to by: Tammy Esposito McCloskey

Response Date: 9/27/2022

Sample times are as follows per Nathaniel Winston

JD52514-1	16:00
JD52514-2	16:05
JD52514-3	16:10
JD52514-4	16:15
JD52514-5	16:20
JD52514-6	16:25
JD52514-7	16:30
JD52514-8	16:35
JD52514-9	16:40
JD52514-10	16:45
JD52514-11	16:50
JD52514-12	16:55

JD52514: Chain of Custody
Page 3 of 3

Internal Sample Tracking Chronicle

WSP USA Environment & Infrastructure Inc

Job No: JD52514

EPT, Ithaca, NY
Project No: 31401545.001 TASK1

Sample Number	Method	Analyzed	By	Prepped	By	Test Codes
JD52514-1	Collected: 22-SEP-22 16:00	By: NW	Received: 24-SEP-22	By: EN		
EW-1-62C						
JD52514-1	SW846 8260D	30-SEP-22 03:01	TS			V8260TCL42
JD52514-1	SW846 8260D	30-SEP-22 12:31	TS			V8260TCL42
JD52514-2	Collected: 22-SEP-22 16:05	By: NW	Received: 24-SEP-22	By: EN		
EW-2-62C						
JD52514-2	SW846 8260D	29-SEP-22 23:39	TS			V8260TCL42
JD52514-2	SW846 8260D	30-SEP-22 13:40	TS			V8260TCL42
JD52514-3	Collected: 22-SEP-22 16:10	By: NW	Received: 24-SEP-22	By: EN		
EW-3-60C						
JD52514-3	SW846 8260D	30-SEP-22 03:30	TS			V8260TCL42
JD52514-3	SW846 8260D	30-SEP-22 15:13	TS			V8260TCL42
JD52514-4	Collected: 22-SEP-22 16:15	By: NW	Received: 24-SEP-22	By: EN		
EW-4-25B						
JD52514-4	SW846 8260D	30-SEP-22 03:59	TS			V8260TCL42
JD52514-4	SW846 8260D	30-SEP-22 14:26	TS			V8260TCL42
JD52514-5	Collected: 22-SEP-22 16:20	By: NW	Received: 24-SEP-22	By: EN		
EW-5-25B						
JD52514-5	SW846 8260D	30-SEP-22 04:28	TS			V8260TCL42
JD52514-5	SW846 8260D	30-SEP-22 14:50	TS			V8260TCL42
JD52514-6	Collected: 22-SEP-22 16:25	By: NW	Received: 24-SEP-22	By: EN		
EW-6-60C						
JD52514-6	SW846 8260D	30-SEP-22 04:57	TS			V8260TCL42
JD52514-6	SW846 8260D	30-SEP-22 13:17	TS			V8260TCL42
JD52514-7	Collected: 22-SEP-22 16:30	By: NW	Received: 24-SEP-22	By: EN		
EW-7-25B						
JD52514-7	SW846 8260D	30-SEP-22 14:03	TS			V8260TCL42

Internal Sample Tracking Chronicle

WSP USA Environment & Infrastructure Inc

Job No: JD52514

EPT, Ithaca, NY
Project No: 31401545.001 TASK1

Sample Number	Method	Analyzed	By	Prepped	By	Test Codes
JD52514-7	SW846 8260D	30-SEP-22 16:46	TS			V8260TCL42
JD52514-8	Collected: 22-SEP-22 16:35 By: NW		Received: 24-SEP-22 By: EN			
EW-8-62C						
JD52514-8	SW846 8260D	30-SEP-22 11:44	TS			V8260TCL42
JD52514-8	SW846 8260D	30-SEP-22 12:08	TS			V8260TCL42
JD52514-9	Collected: 22-SEP-22 16:40 By: NW		Received: 24-SEP-22 By: EN			
EW-9R-72C						
JD52514-9	SW846 8260D	30-SEP-22 06:23	TS			V8260TCL42
JD52514-9	SW846 8260D	30-SEP-22 12:54	TS			V8260TCL42
JD52514-10	Collected: 22-SEP-22 16:45 By: NW		Received: 24-SEP-22 By: EN			
EW-10-25B						
JD52514-10	SW846 8260D	03-OCT-22 15:46	NH			V8260TCL42
JD52514-10	SW846 8260D	03-OCT-22 16:09	NH			V8260TCL42
JD52514-11	Collected: 22-SEP-22 16:50 By: NW		Received: 24-SEP-22 By: EN			
EW-11-43C						
JD52514-11	SW846 8260D	03-OCT-22 16:32	NH			V8260TCL42
JD52514-11	SW846 8260D	03-OCT-22 18:51	NH			V8260TCL42
JD52514-12	Collected: 22-SEP-22 16:55 By: NW		Received: 24-SEP-22 By: EN			
EW-12-45C						
JD52514-12	SW846 8260D	30-SEP-22 13:40	NH			V8260TCL42
JD52514-12	SW846 8260D	30-SEP-22 14:37	NH			V8260TCL42
JD52514-13	Collected: 22-SEP-22 16:55 By: NW		Received: 24-SEP-22 By: EN			
TRIP BLANK						
JD52514-13	SW846 8260D	29-SEP-22 23:10	TS			V8260TCL42

SGS Internal Chain of Custody

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Received: 09/24/22

Sample.Bottle Number	Transfer FROM	Transfer TO	Date/Time	Reason
JD52514-1.1	Secured Storage	Taylor Sauter	09/30/22 11:39	Retrieve from Storage
JD52514-1.1	Taylor Sauter	GCMS1X	09/30/22 11:39	Load on Instrument
JD52514-1.1	GCMS1X	Edward Durner	10/04/22 14:22	Unload from Instrument
JD52514-1.1	Edward Durner	Secured Storage	10/04/22 14:22	Return to Storage
JD52514-1.2	Secured Storage	Taylor Sauter	09/29/22 15:31	Retrieve from Storage
JD52514-1.2	Taylor Sauter	GCMS4D	09/29/22 15:31	Load on Instrument
JD52514-1.2	GCMS4D	Taylor Sauter	09/30/22 10:47	Unload from Instrument
JD52514-1.2	Taylor Sauter	Secured Storage	09/30/22 10:47	Return to Storage
JD52514-2.1	Secured Storage	Taylor Sauter	09/30/22 11:39	Retrieve from Storage
JD52514-2.1	Taylor Sauter	GCMS1X	09/30/22 11:39	Load on Instrument
JD52514-2.1	GCMS1X	Edward Durner	10/04/22 14:22	Unload from Instrument
JD52514-2.1	Edward Durner	Secured Storage	10/04/22 14:22	Return to Storage
JD52514-2.2	Secured Storage	Taylor Sauter	09/29/22 15:31	Retrieve from Storage
JD52514-2.2	Taylor Sauter	GCMS4D	09/29/22 15:31	Load on Instrument
JD52514-2.2	GCMS4D	Taylor Sauter	09/30/22 10:47	Unload from Instrument
JD52514-2.2	Taylor Sauter	Secured Storage	09/30/22 10:47	Return to Storage
JD52514-3.1	Secured Storage	Taylor Sauter	09/29/22 15:31	Retrieve from Storage
JD52514-3.1	Taylor Sauter	GCMS4D	09/29/22 15:31	Load on Instrument
JD52514-3.1	GCMS4D	Taylor Sauter	09/30/22 10:47	Unload from Instrument
JD52514-3.1	Taylor Sauter	Secured Storage	09/30/22 10:47	Return to Storage
JD52514-3.2	Secured Storage	Taylor Sauter	09/30/22 11:39	Retrieve from Storage
JD52514-3.2	Taylor Sauter	GCMS1X	09/30/22 11:39	Load on Instrument
JD52514-3.2	GCMS1X	Edward Durner	10/04/22 14:22	Unload from Instrument
JD52514-3.2	Edward Durner	Secured Storage	10/04/22 14:22	Return to Storage
JD52514-4.1	Secured Storage	Taylor Sauter	09/29/22 15:31	Retrieve from Storage
JD52514-4.1	Taylor Sauter	GCMS4D	09/29/22 15:31	Load on Instrument
JD52514-4.1	GCMS4D	Taylor Sauter	09/30/22 10:47	Unload from Instrument
JD52514-4.1	Taylor Sauter	Secured Storage	09/30/22 10:47	Return to Storage
JD52514-4.2	Secured Storage	Taylor Sauter	09/30/22 11:39	Retrieve from Storage
JD52514-4.2	Taylor Sauter	GCMS1X	09/30/22 11:39	Load on Instrument
JD52514-4.2	GCMS1X	Edward Durner	10/04/22 14:22	Unload from Instrument
JD52514-4.2	Edward Durner	Secured Storage	10/04/22 14:22	Return to Storage
JD52514-5.1	Secured Storage	Taylor Sauter	09/29/22 15:31	Retrieve from Storage
JD52514-5.1	Taylor Sauter	GCMS4D	09/29/22 15:31	Load on Instrument
JD52514-5.1	GCMS4D	Taylor Sauter	09/30/22 10:47	Unload from Instrument
JD52514-5.1	Taylor Sauter	Secured Storage	09/30/22 10:47	Return to Storage

SGS Internal Chain of Custody

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Received: 09/24/22

Sample.Bottle Number	Transfer FROM	Transfer TO	Date/Time	Reason
JD52514-5.2	Secured Storage	Taylor Sauter	09/30/22 11:39	Retrieve from Storage
JD52514-5.2	Taylor Sauter	GCMS1X	09/30/22 11:39	Load on Instrument
JD52514-5.2	GCMS1X	Edward Durner	10/04/22 14:22	Unload from Instrument
JD52514-5.2	Edward Durner	Secured Storage	10/04/22 14:22	Return to Storage
JD52514-6.1	Secured Storage	Taylor Sauter	09/29/22 15:31	Retrieve from Storage
JD52514-6.1	Taylor Sauter	GCMS4D	09/29/22 15:31	Load on Instrument
JD52514-6.1	GCMS4D	Taylor Sauter	09/30/22 10:47	Unload from Instrument
JD52514-6.1	Taylor Sauter	Secured Storage	09/30/22 10:47	Return to Storage
JD52514-6.2	Secured Storage	Taylor Sauter	09/30/22 11:39	Retrieve from Storage
JD52514-6.2	Taylor Sauter	GCMS1X	09/30/22 11:39	Load on Instrument
JD52514-6.2	GCMS1X	Edward Durner	10/04/22 14:22	Unload from Instrument
JD52514-6.2	Edward Durner	Secured Storage	10/04/22 14:22	Return to Storage
JD52514-7.1	Secured Storage	Taylor Sauter	09/30/22 11:39	Retrieve from Storage
JD52514-7.1	Taylor Sauter	GCMS1X	09/30/22 11:39	Load on Instrument
JD52514-7.1	GCMS1X	Edward Durner	10/04/22 14:22	Unload from Instrument
JD52514-7.1	Edward Durner	Secured Storage	10/04/22 14:22	Return to Storage
JD52514-7.2	Secured Storage	Taylor Sauter	09/29/22 15:31	Retrieve from Storage
JD52514-7.2	Taylor Sauter	GCMS4D	09/29/22 15:31	Load on Instrument
JD52514-7.2	GCMS4D	Taylor Sauter	09/30/22 10:47	Unload from Instrument
JD52514-7.2	Taylor Sauter	Secured Storage	09/30/22 10:47	Return to Storage
JD52514-8.1	Secured Storage	Taylor Sauter	09/30/22 11:39	Retrieve from Storage
JD52514-8.1	Taylor Sauter	GCMS1X	09/30/22 11:39	Load on Instrument
JD52514-8.1	GCMS1X	Edward Durner	10/04/22 14:22	Unload from Instrument
JD52514-8.1	Edward Durner	Secured Storage	10/04/22 14:22	Return to Storage
JD52514-8.2	Secured Storage	Taylor Sauter	09/29/22 15:31	Retrieve from Storage
JD52514-8.2	Taylor Sauter	GCMS4D	09/29/22 15:31	Load on Instrument
JD52514-8.2	GCMS4D	Taylor Sauter	09/30/22 10:47	Unload from Instrument
JD52514-8.2	Taylor Sauter	Secured Storage	09/30/22 10:47	Return to Storage
JD52514-9.1	Secured Storage	Taylor Sauter	09/30/22 11:39	Retrieve from Storage
JD52514-9.1	Taylor Sauter	GCMS1X	09/30/22 11:39	Load on Instrument
JD52514-9.1	GCMS1X	Edward Durner	10/04/22 14:22	Unload from Instrument
JD52514-9.1	Edward Durner	Secured Storage	10/04/22 14:22	Return to Storage
JD52514-9.2	Secured Storage	Taylor Sauter	09/29/22 15:31	Retrieve from Storage
JD52514-9.2	Taylor Sauter	GCMS4D	09/29/22 15:31	Load on Instrument
JD52514-9.2	GCMS4D	Taylor Sauter	09/30/22 10:47	Unload from Instrument

SGS Internal Chain of Custody

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Received: 09/24/22

Sample.Bottle Number	Transfer FROM	Transfer TO	Date/Time	Reason
JD52514-9.2	Taylor Sauter	Secured Storage	09/30/22 10:47	Return to Storage
JD52514-10.1	Secured Storage	Taylor Sauter	09/29/22 15:31	Retrieve from Storage
JD52514-10.1	Taylor Sauter	GCMS4D	09/29/22 15:31	Load on Instrument
JD52514-10.1	GCMS4D	Taylor Sauter	09/30/22 10:47	Unload from Instrument
JD52514-10.1	Taylor Sauter	Secured Storage	09/30/22 10:47	Return to Storage
JD52514-10.2	Secured Storage	Nicole Hornlien	10/03/22 17:07	Retrieve from Storage
JD52514-10.2	Nicole Hornlien	GCMSL	10/03/22 17:07	Load on Instrument
JD52514-10.2	GCMSL	Nicole Hornlien	10/04/22 15:54	Unload from Instrument
JD52514-10.2	Nicole Hornlien	Secured Storage	10/04/22 15:54	Return to Storage
JD52514-11.1	Secured Storage	Nicole Hornlien	10/03/22 17:07	Retrieve from Storage
JD52514-11.1	Nicole Hornlien	GCMSL	10/03/22 17:07	Load on Instrument
JD52514-11.1	GCMSL	Nicole Hornlien	10/04/22 15:54	Unload from Instrument
JD52514-11.1	Nicole Hornlien	Secured Storage	10/04/22 15:54	Return to Storage
JD52514-11.2	Secured Storage	Taylor Sauter	09/29/22 15:31	Retrieve from Storage
JD52514-11.2	Taylor Sauter	GCMS4D	09/29/22 15:31	Load on Instrument
JD52514-11.2	GCMS4D	Taylor Sauter	09/30/22 10:47	Unload from Instrument
JD52514-11.2	Taylor Sauter	Secured Storage	09/30/22 10:47	Return to Storage
JD52514-11.2	Secured Storage	Nicole Hornlien	10/04/22 15:57	Retrieve from Storage
JD52514-11.2	Nicole Hornlien	GCMSL	10/04/22 15:57	Load on Instrument
JD52514-11.2	GCMSL	Nicole Hornlien	10/05/22 08:43	Unload from Instrument
JD52514-11.2	Nicole Hornlien	Secured Storage	10/05/22 08:43	Return to Storage
JD52514-12.1	Secured Storage	Taylor Sauter	09/29/22 15:31	Retrieve from Storage
JD52514-12.1	Taylor Sauter	GCMS4D	09/29/22 15:31	Load on Instrument
JD52514-12.1	GCMS4D	Taylor Sauter	09/30/22 10:47	Unload from Instrument
JD52514-12.1	Taylor Sauter	Secured Storage	09/30/22 10:47	Return to Storage
JD52514-12.2	Secured Storage	Nicole Hornlien	09/30/22 16:21	Retrieve from Storage
JD52514-12.2	Nicole Hornlien	GCMS2A	09/30/22 16:21	Load on Instrument
JD52514-12.2	GCMS2A	Kyle McKeon	10/04/22 16:33	Unload from Instrument
JD52514-12.2	Kyle McKeon	Secured Storage	10/04/22 16:33	Return to Storage
JD52514-13.1	Secured Storage	Taylor Sauter	09/29/22 15:31	Retrieve from Storage
JD52514-13.1	Taylor Sauter	GCMS4D	09/29/22 15:31	Load on Instrument
JD52514-13.1	GCMS4D	Taylor Sauter	09/30/22 10:47	Unload from Instrument
JD52514-13.1	Taylor Sauter	Secured Storage	09/30/22 10:47	Return to Storage

MS Volatiles

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries
- Instrument Performance Checks (BFB)
- Internal Standard Area Summaries
- Surrogate Recovery Summaries
- Initial and Continuing Calibration Summaries
- Run Sequence Reports

Method Blank Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V4D5406-MB	4D121700.D	1	09/29/22	TS	n/a	n/a	V4D5406

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52514-1, JD52514-2, JD52514-3, JD52514-4, JD52514-5, JD52514-6, JD52514-9, JD52514-13

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	

Method Blank Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V4D5406-MB	4D121700.D	1	09/29/22	TS	n/a	n/a	V4D5406

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52514-1, JD52514-2, JD52514-3, JD52514-4, JD52514-5, JD52514-6, JD52514-9, JD52514-13

CAS No.	Compound	Result	RL	MDL	Units	Q
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries		Limits
1868-53-7	Dibromofluoromethane	105%	80-120%
17060-07-0	1,2-Dichloroethane-D4	97%	80-120%
2037-26-5	Toluene-D8	100%	80-120%
460-00-4	4-Bromofluorobenzene	97%	82-114%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

Method Blank Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2A9583-MB	2A220442.D	1	09/30/22	NH	n/a	n/a	V2A9583

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52514-12

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	

Method Blank Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2A9583-MB	2A220442.D	1	09/30/22	NH	n/a	n/a	V2A9583

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52514-12

CAS No.	Compound	Result	RL	MDL	Units	Q
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries		Limits
1868-53-7	Dibromofluoromethane	110%	80-120%
17060-07-0	1,2-Dichloroethane-D4	83%	80-120%
2037-26-5	Toluene-D8	92%	80-120%
460-00-4	4-Bromofluorobenzene	110%	82-114%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	system artifact	3.62	7.5	ug/l	J
	Total TIC, Volatile		0	ug/l	

Method Blank Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V1X8639-MB	1X200647.D	1	09/30/22	TS	n/a	n/a	V1X8639

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52514-1, JD52514-2, JD52514-3, JD52514-4, JD52514-5, JD52514-6, JD52514-7, JD52514-8, JD52514-9

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	

Method Blank Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V1X8639-MB	1X200647.D	1	09/30/22	TS	n/a	n/a	V1X8639

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52514-1, JD52514-2, JD52514-3, JD52514-4, JD52514-5, JD52514-6, JD52514-7, JD52514-8, JD52514-9

CAS No.	Compound	Result	RL	MDL	Units	Q
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries		Limits
1868-53-7	Dibromofluoromethane	95%	80-120%
17060-07-0	1,2-Dichloroethane-D4	98%	80-120%
2037-26-5	Toluene-D8	100%	80-120%
460-00-4	4-Bromofluorobenzene	100%	82-114%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

Method Blank Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL10517-MB	L347772.D	1	10/03/22	NH	n/a	n/a	VL10517

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52514-10, JD52514-11

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	

Method Blank Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL10517-MB	L347772.D	1	10/03/22	NH	n/a	n/a	VL10517

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52514-10, JD52514-11

CAS No.	Compound	Result	RL	MDL	Units	Q
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries		Limits
1868-53-7	Dibromofluoromethane	97%	80-120%
17060-07-0	1,2-Dichloroethane-D4	96%	80-120%
2037-26-5	Toluene-D8	100%	80-120%
460-00-4	4-Bromofluorobenzene	90%	82-114%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

Blank Spike Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V4D5406-BS	4D121698.D	1	09/29/22	TS	n/a	n/a	V4D5406

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52514-1, JD52514-2, JD52514-3, JD52514-4, JD52514-5, JD52514-6, JD52514-9, JD52514-13

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
67-64-1	Acetone	200	317	159	27-175
71-43-2	Benzene	50	46.4	93	80-115
75-27-4	Bromodichloromethane	50	47.7	95	82-119
75-25-2	Bromoform	50	50.4	101	77-135
74-83-9	Bromomethane	50	37.5	75	40-162
78-93-3	2-Butanone (MEK)	200	267	134	61-150
75-15-0	Carbon disulfide	50	48.9	98	64-130
56-23-5	Carbon tetrachloride	50	49.7	99	75-127
108-90-7	Chlorobenzene	50	47.8	96	80-115
75-00-3	Chloroethane	50	45.5	91	56-144
67-66-3	Chloroform	50	46.5	93	75-116
74-87-3	Chloromethane	50	39.1	78	41-153
110-82-7	Cyclohexane	50	41.9	84	66-129
96-12-8	1,2-Dibromo-3-chloropropane	50	61.5	123	69-134
124-48-1	Dibromochloromethane	50	50.7	101	81-123
106-93-4	1,2-Dibromoethane	50	53.9	108	67-138
95-50-1	1,2-Dichlorobenzene	50	49.0	98	81-117
541-73-1	1,3-Dichlorobenzene	50	46.6	93	81-115
106-46-7	1,4-Dichlorobenzene	50	44.5	89	80-114
75-71-8	Dichlorodifluoromethane	50	36.8	74	43-152
75-34-3	1,1-Dichloroethane	50	54.3	109	75-125
107-06-2	1,2-Dichloroethane	50	46.4	93	73-117
75-35-4	1,1-Dichloroethene	50	47.1	94	70-124
156-59-2	cis-1,2-Dichloroethene	50	48.5	97	80-120
156-60-5	trans-1,2-Dichloroethene	50	47.9	96	77-121
78-87-5	1,2-Dichloropropane	50	51.8	104	79-121
10061-01-5	cis-1,3-Dichloropropene	50	49.6	99	83-123
10061-02-6	trans-1,3-Dichloropropene	50	49.5	99	83-122
100-41-4	Ethylbenzene	50	45.7	91	78-116
76-13-1	Freon 113	50	51.2	102	68-134
591-78-6	2-Hexanone	200	282	141* [a]	66-136
98-82-8	Isopropylbenzene	50	46.7	93	78-121
79-20-9	Methyl Acetate	50	79.0	158* [a]	60-143
108-87-2	Methylcyclohexane	50	47.8	96	71-123
1634-04-4	Methyl Tert Butyl Ether	50	52.8	106	76-123
108-10-1	4-Methyl-2-pentanone(MIBK)	200	263	132	73-134

* = Outside of Control Limits.

Blank Spike Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V4D5406-BS	4D121698.D	1	09/29/22	TS	n/a	n/a	V4D5406

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52514-1, JD52514-2, JD52514-3, JD52514-4, JD52514-5, JD52514-6, JD52514-9, JD52514-13

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
75-09-2	Methylene chloride	50	50.7	101	73-123
100-42-5	Styrene	50	48.2	96	81-125
79-34-5	1,1,2,2-Tetrachloroethane	50	52.1	104	73-126
127-18-4	Tetrachloroethene	50	42.4	85	73-119
108-88-3	Toluene	50	45.3	91	79-116
120-82-1	1,2,4-Trichlorobenzene	50	48.5	97	68-135
71-55-6	1,1,1-Trichloroethane	50	49.8	100	76-124
79-00-5	1,1,2-Trichloroethane	50	51.6	103	83-117
79-01-6	Trichloroethene	50	50.4	101	80-118
75-69-4	Trichlorofluoromethane	50	44.9	90	67-134
75-01-4	Vinyl chloride	50	38.4	77	52-146
1330-20-7	Xylene (total)	150	140	93	80-119

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	106%	80-120%
17060-07-0	1,2-Dichloroethane-D4	93%	80-120%
2037-26-5	Toluene-D8	98%	80-120%
460-00-4	4-Bromofluorobenzene	96%	82-114%

(a) High percent recovery and no associated positive reported in the QC batch.

* = Outside of Control Limits.

Blank Spike Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2A9583-BS	2A220440.D	1	09/30/22	NH	n/a	n/a	V2A9583

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52514-12

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
67-64-1	Acetone	200	203	102	27-175
71-43-2	Benzene	50	51.3	103	80-115
75-27-4	Bromodichloromethane	50	47.5	95	82-119
75-25-2	Bromoform	50	45.6	91	77-135
74-83-9	Bromomethane	50	54.6	109	40-162
78-93-3	2-Butanone (MEK)	200	234	117	61-150
75-15-0	Carbon disulfide	50	48.7	97	64-130
56-23-5	Carbon tetrachloride	50	51.7	103	75-127
108-90-7	Chlorobenzene	50	47.1	94	80-115
75-00-3	Chloroethane	50	58.4	117	56-144
67-66-3	Chloroform	50	51.4	103	75-116
74-87-3	Chloromethane	50	43.9	88	41-153
110-82-7	Cyclohexane	50	57.7	115	66-129
96-12-8	1,2-Dibromo-3-chloropropane	50	39.9	80	69-134
124-48-1	Dibromochloromethane	50	45.2	90	81-123
106-93-4	1,2-Dibromoethane	50	44.6	89	67-138
95-50-1	1,2-Dichlorobenzene	50	43.3	87	81-117
541-73-1	1,3-Dichlorobenzene	50	43.6	87	81-115
106-46-7	1,4-Dichlorobenzene	50	42.1	84	80-114
75-71-8	Dichlorodifluoromethane	50	44.7	89	43-152
75-34-3	1,1-Dichloroethane	50	55.3	111	75-125
107-06-2	1,2-Dichloroethane	50	44.8	90	73-117
75-35-4	1,1-Dichloroethene	50	49.8	100	70-124
156-59-2	cis-1,2-Dichloroethene	50	56.4	113	80-120
156-60-5	trans-1,2-Dichloroethene	50	54.3	109	77-121
78-87-5	1,2-Dichloropropane	50	50.6	101	79-121
10061-01-5	cis-1,3-Dichloropropene	50	52.3	105	83-123
10061-02-6	trans-1,3-Dichloropropene	50	46.7	93	83-122
100-41-4	Ethylbenzene	50	45.0	90	78-116
76-13-1	Freon 113	50	51.4	103	68-134
591-78-6	2-Hexanone	200	177	89	66-136
98-82-8	Isopropylbenzene	50	43.5	87	78-121
79-20-9	Methyl Acetate	50	50.3	101	60-143
108-87-2	Methylcyclohexane	50	46.7	93	71-123
1634-04-4	Methyl Tert Butyl Ether	50	53.7	107	76-123
108-10-1	4-Methyl-2-pentanone(MIBK)	200	188	94	73-134

* = Outside of Control Limits.

Blank Spike Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2A9583-BS	2A220440.D	1	09/30/22	NH	n/a	n/a	V2A9583

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52514-12

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
75-09-2	Methylene chloride	50	53.8	108	73-123
100-42-5	Styrene	50	44.4	89	81-125
79-34-5	1,1,2,2-Tetrachloroethane	50	43.0	86	73-126
127-18-4	Tetrachloroethene	50	45.9	92	73-119
108-88-3	Toluene	50	47.0	94	79-116
120-82-1	1,2,4-Trichlorobenzene	50	44.4	89	68-135
71-55-6	1,1,1-Trichloroethane	50	52.9	106	76-124
79-00-5	1,1,2-Trichloroethane	50	44.8	90	83-117
79-01-6	Trichloroethene	50	48.7	97	80-118
75-69-4	Trichlorofluoromethane	50	51.8	104	67-134
75-01-4	Vinyl chloride	50	47.6	95	52-146
1330-20-7	Xylene (total)	150	132	88	80-119

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	107%	80-120%
17060-07-0	1,2-Dichloroethane-D4	81%	80-120%
2037-26-5	Toluene-D8	94%	80-120%
460-00-4	4-Bromofluorobenzene	106%	82-114%

* = Outside of Control Limits.

Blank Spike Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V1X8639-BS	1X200645.D	1	09/30/22	TS	n/a	n/a	V1X8639

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52514-1, JD52514-2, JD52514-3, JD52514-4, JD52514-5, JD52514-6, JD52514-7, JD52514-8, JD52514-9

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
67-64-1	Acetone	200	172	86	27-175
71-43-2	Benzene	50	44.5	89	80-115
75-27-4	Bromodichloromethane	50	47.1	94	82-119
75-25-2	Bromoform	50	51.7	103	77-135
74-83-9	Bromomethane	50	46.7	93	40-162
78-93-3	2-Butanone (MEK)	200	191	96	61-150
75-15-0	Carbon disulfide	50	42.9	86	64-130
56-23-5	Carbon tetrachloride	50	44.6	89	75-127
108-90-7	Chlorobenzene	50	46.2	92	80-115
75-00-3	Chloroethane	50	35.7	71	56-144
67-66-3	Chloroform	50	42.5	85	75-116
74-87-3	Chloromethane	50	37.6	75	41-153
110-82-7	Cyclohexane	50	39.8	80	66-129
96-12-8	1,2-Dibromo-3-chloropropane	50	51.8	104	69-134
124-48-1	Dibromochloromethane	50	49.6	99	81-123
106-93-4	1,2-Dibromoethane	50	48.8	98	67-138
95-50-1	1,2-Dichlorobenzene	50	48.5	97	81-117
541-73-1	1,3-Dichlorobenzene	50	47.7	95	81-115
106-46-7	1,4-Dichlorobenzene	50	47.1	94	80-114
75-71-8	Dichlorodifluoromethane	50	39.2	78	43-152
75-34-3	1,1-Dichloroethane	50	43.2	86	75-125
107-06-2	1,2-Dichloroethane	50	43.2	86	73-117
75-35-4	1,1-Dichloroethene	50	44.5	89	70-124
156-59-2	cis-1,2-Dichloroethene	50	43.7	87	80-120
156-60-5	trans-1,2-Dichloroethene	50	43.9	88	77-121
78-87-5	1,2-Dichloropropane	50	47.1	94	79-121
10061-01-5	cis-1,3-Dichloropropene	50	49.2	98	83-123
10061-02-6	trans-1,3-Dichloropropene	50	49.7	99	83-122
100-41-4	Ethylbenzene	50	45.7	91	78-116
76-13-1	Freon 113	50	44.4	89	68-134
591-78-6	2-Hexanone	200	197	99	66-136
98-82-8	Isopropylbenzene	50	47.3	95	78-121
79-20-9	Methyl Acetate	50	46.2	92	60-143
108-87-2	Methylcyclohexane	50	47.7	95	71-123
1634-04-4	Methyl Tert Butyl Ether	50	44.6	89	76-123
108-10-1	4-Methyl-2-pentanone(MIBK)	200	204	102	73-134

* = Outside of Control Limits.

Blank Spike Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V1X8639-BS	1X200645.D	1	09/30/22	TS	n/a	n/a	V1X8639

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52514-1, JD52514-2, JD52514-3, JD52514-4, JD52514-5, JD52514-6, JD52514-7, JD52514-8, JD52514-9

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
75-09-2	Methylene chloride	50	43.2	86	73-123
100-42-5	Styrene	50	46.6	93	81-125
79-34-5	1,1,2,2-Tetrachloroethane	50	52.5	105	73-126
127-18-4	Tetrachloroethene	50	48.0	96	73-119
108-88-3	Toluene	50	47.2	94	79-116
120-82-1	1,2,4-Trichlorobenzene	50	49.7	99	68-135
71-55-6	1,1,1-Trichloroethane	50	44.1	88	76-124
79-00-5	1,1,2-Trichloroethane	50	47.4	95	83-117
79-01-6	Trichloroethene	50	46.0	92	80-118
75-69-4	Trichlorofluoromethane	50	41.8	84	67-134
75-01-4	Vinyl chloride	50	39.6	79	52-146
1330-20-7	Xylene (total)	150	139	93	80-119

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	94%	80-120%
17060-07-0	1,2-Dichloroethane-D4	96%	80-120%
2037-26-5	Toluene-D8	99%	80-120%
460-00-4	4-Bromofluorobenzene	98%	82-114%

* = Outside of Control Limits.

Blank Spike Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL10517-BS	L347770.D	1	10/03/22	NH	n/a	n/a	VL10517

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52514-10, JD52514-11

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
67-64-1	Acetone	200	216	108	27-175
71-43-2	Benzene	50	52.8	106	80-115
75-27-4	Bromodichloromethane	50	50.1	100	82-119
75-25-2	Bromoform	50	45.9	92	77-135
74-83-9	Bromomethane	50	48.9	98	40-162
78-93-3	2-Butanone (MEK)	200	186	93	61-150
75-15-0	Carbon disulfide	50	40.6	81	64-130
56-23-5	Carbon tetrachloride	50	50.6	101	75-127
108-90-7	Chlorobenzene	50	52.0	104	80-115
75-00-3	Chloroethane	50	44.6	89	56-144
67-66-3	Chloroform	50	49.9	100	75-116
74-87-3	Chloromethane	50	52.3	105	41-153
110-82-7	Cyclohexane	50	47.3	95	66-129
96-12-8	1,2-Dibromo-3-chloropropane	50	48.2	96	69-134
124-48-1	Dibromochloromethane	50	46.7	93	81-123
106-93-4	1,2-Dibromoethane	50	46.7	93	67-138
95-50-1	1,2-Dichlorobenzene	50	45.8	92	81-117
541-73-1	1,3-Dichlorobenzene	50	49.8	100	81-115
106-46-7	1,4-Dichlorobenzene	50	47.1	94	80-114
75-71-8	Dichlorodifluoromethane	50	54.6	109	43-152
75-34-3	1,1-Dichloroethane	50	55.1	110	75-125
107-06-2	1,2-Dichloroethane	50	49.2	98	73-117
75-35-4	1,1-Dichloroethene	50	49.7	99	70-124
156-59-2	cis-1,2-Dichloroethene	50	51.6	103	80-120
156-60-5	trans-1,2-Dichloroethene	50	54.2	108	77-121
78-87-5	1,2-Dichloropropane	50	57.0	114	79-121
10061-01-5	cis-1,3-Dichloropropene	50	51.9	104	83-123
10061-02-6	trans-1,3-Dichloropropene	50	46.2	92	83-122
100-41-4	Ethylbenzene	50	50.7	101	78-116
76-13-1	Freon 113	50	57.8	116	68-134
591-78-6	2-Hexanone	200	181	91	66-136
98-82-8	Isopropylbenzene	50	49.6	99	78-121
79-20-9	Methyl Acetate	50	44.1	88	60-143
108-87-2	Methylcyclohexane	50	53.5	107	71-123
1634-04-4	Methyl Tert Butyl Ether	50	48.0	96	76-123
108-10-1	4-Methyl-2-pentanone(MIBK)	200	197	99	73-134

* = Outside of Control Limits.

Blank Spike Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL10517-BS	L347770.D	1	10/03/22	NH	n/a	n/a	VL10517

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52514-10, JD52514-11

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
75-09-2	Methylene chloride	50	52.0	104	73-123
100-42-5	Styrene	50	47.5	95	81-125
79-34-5	1,1,2,2-Tetrachloroethane	50	44.7	89	73-126
127-18-4	Tetrachloroethene	50	54.6	109	73-119
108-88-3	Toluene	50	51.2	102	79-116
120-82-1	1,2,4-Trichlorobenzene	50	54.7	109	68-135
71-55-6	1,1,1-Trichloroethane	50	51.7	103	76-124
79-00-5	1,1,2-Trichloroethane	50	50.1	100	83-117
79-01-6	Trichloroethene	50	55.8	112	80-118
75-69-4	Trichlorofluoromethane	50	53.6	107	67-134
75-01-4	Vinyl chloride	50	48.2	96	52-146
1330-20-7	Xylene (total)	150	147	98	80-119

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	99%	80-120%
17060-07-0	1,2-Dichloroethane-D4	90%	80-120%
2037-26-5	Toluene-D8	90%	80-120%
460-00-4	4-Bromofluorobenzene	95%	82-114%

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52514-2MS	4D121705.D	10	09/30/22	TS	n/a	n/a	V4D5406
JD52514-2MSD	4D121706.D	10	09/30/22	TS	n/a	n/a	V4D5406
JD52514-2	4D121702.D	10	09/29/22	TS	n/a	n/a	V4D5406

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52514-1, JD52514-2, JD52514-3, JD52514-4, JD52514-5, JD52514-6, JD52514-9, JD52514-13

CAS No.	Compound	JD52514-2 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	ND		2000	3180	159* [a]	2000	3200	160* [a]	1	22-134/19
71-43-2	Benzene	ND		500	456	91	500	461	92	1	49-137/12
75-27-4	Bromodichloromethane	ND		500	468	94	500	473	95	1	76-121/12
75-25-2	Bromoform	ND		500	494	99	500	505	101	2	70-133/13
74-83-9	Bromomethane	ND		500	364	73	500	320	64	13	27-164/38
78-93-3	2-Butanone (MEK)	ND		2000	2690	135	2000	2700	135	0	52-137/17
75-15-0	Carbon disulfide	ND		500	478	96	500	486	97	2	54-136/16
56-23-5	Carbon tetrachloride	ND		500	489	98	500	494	99	1	70-132/13
108-90-7	Chlorobenzene	ND		500	469	94	500	478	96	2	68-123/12
75-00-3	Chloroethane	ND		500	453	91	500	453	91	0	48-152/17
67-66-3	Chloroform	ND		500	461	92	500	462	92	0	68-120/13
74-87-3	Chloromethane	ND		500	381	76	500	380	76	0	35-156/18
110-82-7	Cyclohexane	ND		500	414	83	500	422	84	2	53-146/14
96-12-8	1,2-Dibromo-3-chloropropane	ND		500	629	126	500	626	125	0	63-134/16
124-48-1	Dibromochloromethane	ND		500	502	100	500	507	101	1	75-122/12
106-93-4	1,2-Dibromoethane	ND		500	531	106	500	539	108	1	63-134/12
95-50-1	1,2-Dichlorobenzene	ND		500	484	97	500	487	97	1	74-119/12
541-73-1	1,3-Dichlorobenzene	ND		500	461	92	500	466	93	1	75-117/12
106-46-7	1,4-Dichlorobenzene	ND		500	440	88	500	445	89	1	72-117/12
75-71-8	Dichlorodifluoromethane	ND		500	413	83	500	335	67	21* [a]	34-163/16
75-34-3	1,1-Dichloroethane	ND		500	538	108	500	544	109	1	68-129/13
107-06-2	1,2-Dichloroethane	ND		500	460	92	500	460	92	0	66-120/13
75-35-4	1,1-Dichloroethene	ND		500	457	91	500	466	93	2	59-133/15
156-59-2	cis-1,2-Dichloroethene	403		500	857	91	500	856	91	0	52-140/12
156-60-5	trans-1,2-Dichloroethene	5.6	J	500	473	93	500	480	95	1	70-125/13
78-87-5	1,2-Dichloropropane	ND		500	510	102	500	517	103	1	73-124/12
10061-01-5	cis-1,3-Dichloropropene	ND		500	490	98	500	492	98	0	75-125/13
10061-02-6	trans-1,3-Dichloropropene	ND		500	477	95	500	481	96	1	75-122/12
100-41-4	Ethylbenzene	ND		500	451	90	500	458	92	2	37-144/12
76-13-1	Freon 113	ND		500	501	100	500	509	102	2	61-142/14
591-78-6	2-Hexanone	ND		2000	2820	141* [b]	2000	2820	141* [b]	0	56-132/16
98-82-8	Isopropylbenzene	ND		500	458	92	500	468	94	2	71-126/13
79-20-9	Methyl Acetate	ND		500	776	155* [b]	500	771	154* [b]	1	51-139/18
108-87-2	Methylcyclohexane	ND		500	461	92	500	469	94	2	59-137/16
1634-04-4	Methyl Tert Butyl Ether	ND		500	518	104	500	522	104	1	66-124/12
108-10-1	4-Methyl-2-pentanone(MIBK)	ND		2000	2640	132	2000	2630	132	0	65-135/14

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52514-2MS	4D121705.D	10	09/30/22	TS	n/a	n/a	V4D5406
JD52514-2MSD	4D121706.D	10	09/30/22	TS	n/a	n/a	V4D5406
JD52514-2	4D121702.D	10	09/29/22	TS	n/a	n/a	V4D5406

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52514-1, JD52514-2, JD52514-3, JD52514-4, JD52514-5, JD52514-6, JD52514-9, JD52514-13

CAS No.	Compound	JD52514-2 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
75-09-2	Methylene chloride	ND		500	502	100	500	504	101	0	66-125/14
100-42-5	Styrene	ND		500	475	95	500	479	96	1	71-133/12
79-34-5	1,1,2,2-Tetrachloroethane	ND		500	521	104	500	530	106	2	68-127/14
127-18-4	Tetrachloroethene	ND		500	416	83	500	421	84	1	58-132/13
108-88-3	Toluene	ND		500	446	89	500	453	91	2	46-139/12
120-82-1	1,2,4-Trichlorobenzene	ND		500	464	93	500	470	94	1	61-137/16
71-55-6	1,1,1-Trichloroethane	ND		500	489	98	500	494	99	1	67-132/13
79-00-5	1,1,2-Trichloroethane	ND		500	501	100	500	509	102	2	75-120/12
79-01-6	Trichloroethene	107		500	597	98	500	601	99	1	56-136/12
75-69-4	Trichlorofluoromethane	ND		500	447	89	500	450	90	1	61-145/16
75-01-4	Vinyl chloride	13.7		500	387	75	500	391	75	1	41-156/16
1330-20-7	Xylene (total)	ND		1500	1380	92	1500	1390	93	1	38-147/12

CAS No.	Surrogate Recoveries	MS	MSD	JD52514-2	Limits
1868-53-7	Dibromofluoromethane	107%	106%	105%	80-120%
17060-07-0	1,2-Dichloroethane-D4	93%	92%	98%	80-120%
2037-26-5	Toluene-D8	98%	98%	99%	80-120%
460-00-4	4-Bromofluorobenzene	97%	97%	98%	82-114%

(a) Outside control limits due to matrix interference.
(b) Outside in house control limits.

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52514-8MS	1X200658.D	10	09/30/22	TS	n/a	n/a	V1X8639
JD52514-8MSD	1X200659.D	10	09/30/22	TS	n/a	n/a	V1X8639
JD52514-8 [a]	1X200649.D	10	09/30/22	TS	n/a	n/a	V1X8639
JD52514-8	1X200648.D	100	09/30/22	TS	n/a	n/a	V1X8639

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52514-1, JD52514-2, JD52514-3, JD52514-4, JD52514-5, JD52514-6, JD52514-7, JD52514-8, JD52514-9

CAS No.	Compound	JD52514-8 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	ND		2000	1670	84	2000	1710	86	2	22-134/19
71-43-2	Benzene	ND		500	427	85	500	448	90	5	49-137/12
75-27-4	Bromodichloromethane	ND		500	461	92	500	488	98	6	76-121/12
75-25-2	Bromoform	ND		500	503	101	500	528	106	5	70-133/13
74-83-9	Bromomethane	ND		500	463	93	500	546	109	16	27-164/38
78-93-3	2-Butanone (MEK)	ND		2000	2050	103	2000	2100	105	2	52-137/17
75-15-0	Carbon disulfide	ND		500	404	81	500	419	84	4	54-136/16
56-23-5	Carbon tetrachloride	ND		500	417	83	500	430	86	3	70-132/13
108-90-7	Chlorobenzene	ND		500	450	90	500	474	95	5	68-123/12
75-00-3	Chloroethane	ND		500	373	75	500	376	75	1	48-152/17
67-66-3	Chloroform	ND		500	410	82	500	429	86	5	68-120/13
74-87-3	Chloromethane	ND		500	409	82	500	421	84	3	35-156/18
110-82-7	Cyclohexane	ND		500	405	81	500	412	82	2	53-146/14
96-12-8	1,2-Dibromo-3-chloropropane	ND		500	514	103	500	523	105	2	63-134/16
124-48-1	Dibromochloromethane	ND		500	483	97	500	508	102	5	75-122/12
106-93-4	1,2-Dibromoethane	ND		500	478	96	500	501	100	5	63-134/12
95-50-1	1,2-Dichlorobenzene	ND		500	470	94	500	492	98	5	74-119/12
541-73-1	1,3-Dichlorobenzene	ND		500	461	92	500	483	97	5	75-117/12
106-46-7	1,4-Dichlorobenzene	ND		500	456	91	500	476	95	4	72-117/12
75-71-8	Dichlorodifluoromethane	ND		500	421	84	500	430	86	2	34-163/16
75-34-3	1,1-Dichloroethane	ND		500	422	84	500	439	88	4	68-129/13
107-06-2	1,2-Dichloroethane	ND		500	423	85	500	444	89	5	66-120/13
75-35-4	1,1-Dichloroethene	ND		500	422	84	500	430	86	2	59-133/15
156-59-2	cis-1,2-Dichloroethene	3080 [c]		500	3520	26* [b]	500	3620	46* [b]	3	52-140/12
156-60-5	trans-1,2-Dichloroethene	15.8		500	434	84	500	453	87	4	70-125/13
78-87-5	1,2-Dichloropropane	ND		500	463	93	500	475	95	3	73-124/12
10061-01-5	cis-1,3-Dichloropropene	ND		500	483	97	500	515	103	6	75-125/13
10061-02-6	trans-1,3-Dichloropropene	ND		500	481	96	500	516	103	7	75-122/12
100-41-4	Ethylbenzene	ND		500	437	87	500	456	91	4	37-144/12
76-13-1	Freon 113	ND		500	418	84	500	423	85	1	61-142/14
591-78-6	2-Hexanone	ND		2000	1970	99	2000	2020	101	3	56-132/16
98-82-8	Isopropylbenzene	ND		500	444	89	500	466	93	5	71-126/13
79-20-9	Methyl Acetate	ND		500	440	88	500	453	91	3	51-139/18
108-87-2	Methylcyclohexane	ND		500	441	88	500	451	90	2	59-137/16
1634-04-4	Methyl Tert Butyl Ether	ND		500	434	87	500	456	91	5	66-124/12
108-10-1	4-Methyl-2-pentanone(MIBK)	ND		2000	2020	101	2000	2090	105	3	65-135/14

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52514-8MS	1X200658.D	10	09/30/22	TS	n/a	n/a	V1X8639
JD52514-8MSD	1X200659.D	10	09/30/22	TS	n/a	n/a	V1X8639
JD52514-8 [a]	1X200649.D	10	09/30/22	TS	n/a	n/a	V1X8639
JD52514-8	1X200648.D	100	09/30/22	TS	n/a	n/a	V1X8639

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52514-1, JD52514-2, JD52514-3, JD52514-4, JD52514-5, JD52514-6, JD52514-7, JD52514-8, JD52514-9

CAS No.	Compound	JD52514-8 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
75-09-2	Methylene chloride	ND		500	425	85	500	448	90	5	66-125/14
100-42-5	Styrene	ND		500	452	90	500	475	95	5	71-133/12
79-34-5	1,1,2,2-Tetrachloroethane	ND		500	509	102	500	531	106	4	68-127/14
127-18-4	Tetrachloroethene	ND		500	449	90	500	469	94	4	58-132/13
108-88-3	Toluene	ND		500	451	90	500	472	94	5	46-139/12
120-82-1	1,2,4-Trichlorobenzene	ND		500	480	96	500	502	100	4	61-137/16
71-55-6	1,1,1-Trichloroethane	ND		500	415	83	500	426	85	3	67-132/13
79-00-5	1,1,2-Trichloroethane	ND		500	467	93	500	482	96	3	75-120/12
79-01-6	Trichloroethene	296		500	712	83	500	735	88	3	56-136/12
75-69-4	Trichlorofluoromethane	ND		500	423	85	500	431	86	2	61-145/16
75-01-4	Vinyl chloride	48.5		500	459	82	500	465	83	1	41-156/16
1330-20-7	Xylene (total)	ND		1500	1330	89	1500	1390	93	4	38-147/12

CAS No.	Surrogate Recoveries	MS	MSD	JD52514-8	JD52514-8	Limits
1868-53-7	Dibromofluoromethane	94%	94%	96%	96%	80-120%
17060-07-0	1,2-Dichloroethane-D4	95%	95%	98%	98%	80-120%
2037-26-5	Toluene-D8	100%	99%	100%	100%	80-120%
460-00-4	4-Bromofluorobenzene	98%	98%	101%	101%	82-114%

(a) Dilution required due to high concentration of target compound.
(b) Outside control limits due to high level in sample relative to spike amount.
(c) Result is from Run #2.

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52514-12MS	2A220451.D	5	09/30/22	NH	n/a	n/a	V2A9583
JD52514-12MSD	2A220452.D	5	09/30/22	NH	n/a	n/a	V2A9583
JD52514-12 [a]	2A220447.D	5	09/30/22	NH	n/a	n/a	V2A9583
JD52514-12	2A220449.D	50	09/30/22	NH	n/a	n/a	V2A9583

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52514-12

CAS No.	Compound	JD52514-12 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	ND		1000	900	90	1000	877	88	3	22-134/19
71-43-2	Benzene	ND		250	264	106	250	264	106	0	49-137/12
75-27-4	Bromodichloromethane	ND		250	242	97	250	242	97	0	76-121/12
75-25-2	Bromoform	ND		250	220	88	250	221	88	0	70-133/13
74-83-9	Bromomethane	ND		250	258	103	250	260	104	1	27-164/38
78-93-3	2-Butanone (MEK)	ND		1000	1070	107	1000	1100	110	3	52-137/17
75-15-0	Carbon disulfide	ND		250	253	101	250	252	101	0	54-136/16
56-23-5	Carbon tetrachloride	ND		250	271	108	250	274	110	1	70-132/13
108-90-7	Chlorobenzene	ND		250	241	96	250	242	97	0	68-123/12
75-00-3	Chloroethane	ND		250	286	114	250	289	116	1	48-152/17
67-66-3	Chloroform	3.7	J	250	272	107	250	274	108	1	68-120/13
74-87-3	Chloromethane	ND		250	211	84	250	210	84	0	35-156/18
110-82-7	Cyclohexane	ND		250	285	114	250	289	116	1	53-146/14
96-12-8	1,2-Dibromo-3-chloropropane	ND		250	199	80	250	195	78	2	63-134/16
124-48-1	Dibromochloromethane	ND		250	221	88	250	222	89	0	75-122/12
106-93-4	1,2-Dibromoethane	ND		250	221	88	250	222	89	0	63-134/12
95-50-1	1,2-Dichlorobenzene	ND		250	219	88	250	217	87	1	74-119/12
541-73-1	1,3-Dichlorobenzene	ND		250	221	88	250	219	88	1	75-117/12
106-46-7	1,4-Dichlorobenzene	ND		250	212	85	250	211	84	0	72-117/12
75-71-8	Dichlorodifluoromethane	ND		250	237	95	250	241	96	2	34-163/16
75-34-3	1,1-Dichloroethane	ND		250	289	116	250	287	115	1	68-129/13
107-06-2	1,2-Dichloroethane	ND		250	223	89	250	223	89	0	66-120/13
75-35-4	1,1-Dichloroethene	ND		250	259	104	250	266	106	3	59-133/15
156-59-2	cis-1,2-Dichloroethene	2030 [c]		250	1980	-4* [b]	250	1980	-4* [b]	0	52-140/12
156-60-5	trans-1,2-Dichloroethene	4.7	J	250	289	114	250	286	113	1	70-125/13
78-87-5	1,2-Dichloropropane	ND		250	258	103	250	257	103	0	73-124/12
10061-01-5	cis-1,3-Dichloropropene	ND		250	264	106	250	266	106	1	75-125/13
10061-02-6	trans-1,3-Dichloropropene	ND		250	232	93	250	233	93	0	75-122/12
100-41-4	Ethylbenzene	ND		250	230	92	250	231	92	0	37-144/12
76-13-1	Freon 113	ND		250	278	111	250	281	112	1	61-142/14
591-78-6	2-Hexanone	ND		1000	875	88	1000	888	89	1	56-132/16
98-82-8	Isopropylbenzene	ND		250	222	89	250	223	89	0	71-126/13
79-20-9	Methyl Acetate	ND		250	247	99	250	240	96	3	51-139/18
108-87-2	Methylcyclohexane	ND		250	251	100	250	249	100	1	59-137/16
1634-04-4	Methyl Tert Butyl Ether	ND		250	278	111	250	278	111	0	66-124/12
108-10-1	4-Methyl-2-pentanone(MIBK)	ND		1000	942	94	1000	949	95	1	65-135/14

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52514-12MS	2A220451.D	5	09/30/22	NH	n/a	n/a	V2A9583
JD52514-12MSD	2A220452.D	5	09/30/22	NH	n/a	n/a	V2A9583
JD52514-12 [a]	2A220447.D	5	09/30/22	NH	n/a	n/a	V2A9583
JD52514-12	2A220449.D	50	09/30/22	NH	n/a	n/a	V2A9583

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52514-12

CAS No.	Compound	JD52514-12 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
75-09-2	Methylene chloride	ND		250	280	112	250	280	112	0	66-125/14
100-42-5	Styrene	ND		250	223	89	250	224	90	0	71-133/12
79-34-5	1,1,2,2-Tetrachloroethane	ND		250	208	83	250	207	83	0	68-127/14
127-18-4	Tetrachloroethene	ND		250	236	94	250	237	95	0	58-132/13
108-88-3	Toluene	ND		250	239	96	250	241	96	1	46-139/12
120-82-1	1,2,4-Trichlorobenzene	ND		250	229	92	250	227	91	1	61-137/16
71-55-6	1,1,1-Trichloroethane	ND		250	278	111	250	281	112	1	67-132/13
79-00-5	1,1,2-Trichloroethane	ND		250	226	90	250	226	90	0	75-120/12
79-01-6	Trichloroethene	68.6		250	307	95	250	306	95	0	56-136/12
75-69-4	Trichlorofluoromethane	ND		250	251	100	250	255	102	2	61-145/16
75-01-4	Vinyl chloride	44.5		250	259	86	250	264	88	2	41-156/16
1330-20-7	Xylene (total)	ND		750	672	90	750	676	90	1	38-147/12

CAS No.	Surrogate Recoveries	MS	MSD	JD52514-12	JD52514-12	Limits
1868-53-7	Dibromofluoromethane	109%	109%	109%	109%	80-120%
17060-07-0	1,2-Dichloroethane-D4	79%* [d]	79%* [d]	82%	83%	80-120%
2037-26-5	Toluene-D8	93%	94%	92%	92%	80-120%
460-00-4	4-Bromofluorobenzene	107%	107%	109%	109%	82-114%

(a) Dilution required due to high concentration of target compound.
(b) Outside control limits due to high level in sample relative to spike amount.
(c) Result is from Run #2.
(d) Outside control limits due to matrix interference.

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52644-1MS [a]	L347783.D	5	10/03/22	NH	n/a	n/a	VL10517
JD52644-1MSD [a]	L347784.D	5	10/03/22	NH	n/a	n/a	VL10517
JD52644-1 [b]	L347777.D	5	10/03/22	NH	n/a	n/a	VL10517
JD52644-1 [c]	L347785.D	25	10/03/22	NH	n/a	n/a	VL10517

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52514-10, JD52514-11

CAS No.	Compound	JD52644-1 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	ND		1000	1860	186* [d]	1000	1770	177* [d]	5	22-134/19
71-43-2	Benzene	ND		250	273	109	250	260	104	5	49-137/12
75-27-4	Bromodichloromethane	ND		250	261	104	250	240	96	8	76-121/12
75-25-2	Bromoform	ND		250	233	93	250	228	91	2	70-133/13
74-83-9	Bromomethane	ND		250	198	79	250	207	83	4	27-164/38
78-93-3	2-Butanone (MEK)	ND		1000	1230	123	1000	1210	121	2	52-137/17
75-15-0	Carbon disulfide	ND		250	223	89	250	210	84	6	54-136/16
56-23-5	Carbon tetrachloride	ND		250	262	105	250	251	100	4	70-132/13
108-90-7	Chlorobenzene	ND		250	268	107	250	260	104	3	68-123/12
75-00-3	Chloroethane	212		250	386	70	250	341	52	12	48-152/17
67-66-3	Chloroform	ND		250	270	108	250	250	100	8	68-120/13
74-87-3	Chloromethane	ND		250	248	99	250	225	90	10	35-156/18
110-82-7	Cyclohexane	ND		250	246	98	250	216	86	13	53-146/14
96-12-8	1,2-Dibromo-3-chloropropane	ND		250	252	101	250	249	100	1	63-134/16
124-48-1	Dibromochloromethane	ND		250	239	96	250	231	92	3	75-122/12
106-93-4	1,2-Dibromoethane	ND		250	249	100	250	239	96	4	63-134/12
95-50-1	1,2-Dichlorobenzene	ND		250	255	102	250	246	98	4	74-119/12
541-73-1	1,3-Dichlorobenzene	ND		250	275	110	250	259	104	6	75-117/12
106-46-7	1,4-Dichlorobenzene	ND		250	256	102	250	248	99	3	72-117/12
75-71-8	Dichlorodifluoromethane	ND		250	288	115	250	252	101	13	34-163/16
75-34-3	1,1-Dichloroethane	1430 [f]		250	1250	-28* [e]	250	1200	-48* [e]	4	68-129/13
107-06-2	1,2-Dichloroethane	ND		250	255	102	250	245	98	4	66-120/13
75-35-4	1,1-Dichloroethene	34.9		250	296	104	250	275	96	7	59-133/15
156-59-2	cis-1,2-Dichloroethene	13.4		250	291	111	250	268	102	8	52-140/12
156-60-5	trans-1,2-Dichloroethene	ND		250	287	115	250	272	109	5	70-125/13
78-87-5	1,2-Dichloropropane	ND		250	295	118	250	288	115	2	73-124/12
10061-01-5	cis-1,3-Dichloropropene	ND		250	264	106	250	255	102	3	75-125/13
10061-02-6	trans-1,3-Dichloropropene	ND		250	227	91	250	219	88	4	75-122/12
100-41-4	Ethylbenzene	ND		250	258	103	250	247	99	4	37-144/12
76-13-1	Freon 113	ND		250	297	119	250	277	111	7	61-142/14
591-78-6	2-Hexanone	ND		1000	1060	106	1000	1010	101	5	56-132/16
98-82-8	Isopropylbenzene	ND		250	261	104	250	251	100	4	71-126/13
79-20-9	Methyl Acetate	ND		250	286	114	250	247	99	15	51-139/18
108-87-2	Methylcyclohexane	ND		250	270	108	250	264	106	2	59-137/16
1634-04-4	Methyl Tert Butyl Ether	ND		250	276	110	250	258	103	7	66-124/12
108-10-1	4-Methyl-2-pentanone(MIBK)	ND		1000	1100	110	1000	1060	106	4	65-135/14

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52644-1MS [a]	L347783.D	5	10/03/22	NH	n/a	n/a	VL10517
JD52644-1MSD [a]	L347784.D	5	10/03/22	NH	n/a	n/a	VL10517
JD52644-1 [b]	L347777.D	5	10/03/22	NH	n/a	n/a	VL10517
JD52644-1 [c]	L347785.D	25	10/03/22	NH	n/a	n/a	VL10517

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52514-10, JD52514-11

CAS No.	Compound	JD52644-1 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
75-09-2	Methylene chloride	ND		250	285	114	250	264	106	8	66-125/14
100-42-5	Styrene	ND		250	252	101	250	242	97	4	71-133/12
79-34-5	1,1,2,2-Tetrachloroethane	ND		250	244	98	250	231	92	5	68-127/14
127-18-4	Tetrachloroethene	ND		250	277	111	250	260	104	6	58-132/13
108-88-3	Toluene	ND		250	261	104	250	253	101	3	46-139/12
120-82-1	1,2,4-Trichlorobenzene	ND		250	302	121	250	288	115	5	61-137/16
71-55-6	1,1,1-Trichloroethane	261		250	437	70	250	421	64* [d]	4	67-132/13
79-00-5	1,1,2-Trichloroethane	ND		250	265	106	250	250	100	6	75-120/12
79-01-6	Trichloroethene	5.6		250	287	113	250	271	106	6	56-136/12
75-69-4	Trichlorofluoromethane	ND		250	273	109	250	250	100	9	61-145/16
75-01-4	Vinyl chloride	21.9		250	250	91	250	228	82	9	41-156/16
1330-20-7	Xylene (total)	ND		750	758	101	750	725	97	4	38-147/12

CAS No.	Surrogate Recoveries	MS	MSD	JD52644-1	JD52644-1	Limits
1868-53-7	Dibromofluoromethane	103%	100%	100%	99%	80-120%
17060-07-0	1,2-Dichloroethane-D4	92%	90%	94%	94%	80-120%
2037-26-5	Toluene-D8	89%	88%	97%	97%	80-120%
460-00-4	4-Bromofluorobenzene	95%	95%	92%	91%	82-114%

(a) (pH= 6)Sample pH did not satisfy field preservation criteria.
(b) (pH= 6) Sample is not acid preserved per method/client criteria. Sample analyzed within 7 days holding time. Dilution required due to high concentration of target compound.
(c) (pH= 6) Sample is not acid preserved per method/client criteria. Sample analyzed within 7 days holding time.
(d) Outside control limits due to matrix interference.
(e) Outside control limits due to high level in sample relative to spike amount.
(f) Result is from Run #2.

* = Outside of Control Limits.

Instrument Performance Check (BFB)

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V1X8636-BFB
Lab File ID: 1X200546.D
Instrument ID: GCMS1X
Injection Date: 09/28/22
Injection Time: 20:11

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	15.0 - 40.0% of mass 95	34122	21.5		Pass
75	30.0 - 60.0% of mass 95	76093	47.9		Pass
95	Base peak, 100% relative abundance	158920	100.0		Pass
96	5.0 - 9.0% of mass 95	10654	6.70		Pass
173	Less than 2.0% of mass 174	0	0.00	(0.00) [a]	Pass
174	50.0 - 120.0% of mass 95	143600	90.4		Pass
175	5.0 - 9.0% of mass 174	10847	6.83	(7.55) [a]	Pass
176	95.0 - 101.0% of mass 174	138637	87.2	(96.5) [a]	Pass
177	5.0 - 9.0% of mass 176	9314	5.86	(6.72) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V1X8636-IC8636	1X200548.D	09/28/22	21:15	01:04	Initial cal 0.2
V1X8636-IC8636	1X200550.D	09/28/22	21:47	01:36	Initial cal 0.5
V1X8636-IC8636	1X200552.D	09/28/22	22:23	02:12	Initial cal 1
V1X8636-IC8636	1X200554.D	09/28/22	23:00	02:49	Initial cal 2
V1X8636-IC8636	1X200556.D	09/28/22	23:36	03:25	Initial cal 4
V1X8636-IC8636	1X200558.D	09/29/22	00:12	04:01	Initial cal 8
V1X8636-IC8636	1X200560.D	09/29/22	00:48	04:37	Initial cal 20
V1X8636-ICC8636	1X200562.D	09/29/22	01:25	05:14	Initial cal 50
V1X8636-IC8636	1X200564.D	09/29/22	02:01	05:50	Initial cal 100
V1X8636-IC8636	1X200566.D	09/29/22	02:37	06:26	Initial cal 200
V1X8636-ICV8636	1X200572.D	09/29/22	04:25	08:14	Initial cal verification 50
V1X8636-ICV8636	1X200574.D	09/29/22	05:02	08:51	Initial cal verification 50

Instrument Performance Check (BFB)

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V1X8639-BFB
Lab File ID: 1X200643.D
Instrument ID: GCMS1X
Injection Date: 09/30/22
Injection Time: 09:46

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	15.0 - 40.0% of mass 95	33645	20.7		Pass
75	30.0 - 60.0% of mass 95	76947	47.3		Pass
95	Base peak, 100% relative abundance	162661	100.0		Pass
96	5.0 - 9.0% of mass 95	10912	6.71		Pass
173	Less than 2.0% of mass 174	0	0.00	(0.00) [a]	Pass
174	50.0 - 120.0% of mass 95	146533	90.1		Pass
175	5.0 - 9.0% of mass 174	11197	6.88	(7.64) [a]	Pass
176	95.0 - 101.0% of mass 174	141869	87.2	(96.8) [a]	Pass
177	5.0 - 9.0% of mass 176	9410	5.79	(6.63) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V1X8639-CC8636	1X200643.D	09/30/22	09:46	00:00	Continuing cal 20
V1X8639-BS	1X200645.D	09/30/22	10:35	00:49	Blank Spike
V1X8639-MB	1X200647.D	09/30/22	11:21	01:35	Method Blank
JD52514-8	1X200648.D	09/30/22	11:44	01:58	EW-8-62C
JD52514-8	1X200649.D	09/30/22	12:08	02:22	EW-8-62C
JD52514-1	1X200650.D	09/30/22	12:31	02:45	EW-1-62C
JD52514-9	1X200651.D	09/30/22	12:54	03:08	EW-9R-72C
JD52514-6	1X200652.D	09/30/22	13:17	03:31	EW-6-60C
JD52514-2	1X200653.D	09/30/22	13:40	03:54	EW-2-62C
JD52514-7	1X200654.D	09/30/22	14:03	04:17	EW-7-25B
JD52514-4	1X200655.D	09/30/22	14:26	04:40	EW-4-25B
JD52514-5	1X200656.D	09/30/22	14:50	05:04	EW-5-25B
JD52514-3	1X200657.D	09/30/22	15:13	05:27	EW-3-60C
JD52514-8MS	1X200658.D	09/30/22	15:36	05:50	Matrix Spike
JD52514-8MSD	1X200659.D	09/30/22	15:59	06:13	Matrix Spike Duplicate
JD52514-7	1X200661.D	09/30/22	16:46	07:00	EW-7-25B
ZZZZZZ	1X200662.D	09/30/22	17:09	07:23	(unrelated sample)
ZZZZZZ	1X200663.D	09/30/22	17:32	07:46	(unrelated sample)
ZZZZZZ	1X200664.D	09/30/22	17:56	08:10	(unrelated sample)
ZZZZZZ	1X200665.D	09/30/22	18:19	08:33	(unrelated sample)
ZZZZZZ	1X200666.D	09/30/22	18:42	08:56	(unrelated sample)
ZZZZZZ	1X200667.D	09/30/22	19:05	09:19	(unrelated sample)
ZZZZZZ	1X200668.D	09/30/22	19:28	09:42	(unrelated sample)
ZZZZZZ	1X200669.D	09/30/22	19:52	10:06	(unrelated sample)

Instrument Performance Check (BFB)

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample:	V1X8639-BFB	**Injection Date:**	09/30/22
Lab File ID:	1X200643.D	**Injection Time:**	09:46
Instrument ID:	GCMS1X		

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
ZZZZZZ	1X200671.D	09/30/22	20:38	10:52	(unrelated sample)
ZZZZZZ	1X200672.D	09/30/22	21:01	11:15	(unrelated sample)

Instrument Performance Check (BFB)

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V2A9511-BFB
Lab File ID: 2A218780.D
Instrument ID: GCMS2A
Injection Date: 07/31/22
Injection Time: 16:50

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	15.0 - 40.0% of mass 95	75120	25.4		Pass
75	30.0 - 60.0% of mass 95	147328	49.8		Pass
95	Base peak, 100% relative abundance	295616	100.0		Pass
96	5.0 - 9.0% of mass 95	20757	7.02		Pass
173	Less than 2.0% of mass 174	0	0.00	(0.00) [a]	Pass
174	50.0 - 120.0% of mass 95	260096	88.0		Pass
175	5.0 - 9.0% of mass 174	19904	6.73	(7.65) [a]	Pass
176	95.0 - 101.0% of mass 174	248768	84.2	(95.6) [a]	Pass
177	5.0 - 9.0% of mass 176	16468	5.57	(6.62) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V2A9511-IC9511	2A218781.D	07/31/22	17:23	00:33	Initial cal 0.2
V2A9511-IC9511	2A218782.D	07/31/22	17:51	01:01	Initial cal 0.5
V2A9511-IC9511	2A218783.D	07/31/22	18:19	01:29	Initial cal 1
V2A9511-IC9511	2A218784.D	07/31/22	18:48	01:58	Initial cal 2
V2A9511-IC9511	2A218785.D	07/31/22	19:16	02:26	Initial cal 4
V2A9511-IC9511	2A218786.D	07/31/22	19:44	02:54	Initial cal 8
V2A9511-IC9511	2A218787.D	07/31/22	20:13	03:23	Initial cal 20
V2A9511-ICC9511	2A218788.D	07/31/22	20:41	03:51	Initial cal 50
V2A9511-IC9511	2A218789.D	07/31/22	21:09	04:19	Initial cal 100
V2A9511-IC9511	2A218790.D	07/31/22	21:38	04:48	Initial cal 200
V2A9511-ICV9511	2A218793.D	07/31/22	23:03	06:13	Initial cal verification 50
V2A9511-ICV9511	2A218794.D	07/31/22	23:31	06:41	Initial cal verification 50

Instrument Performance Check (BFB)

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V2A9583-BFB
Lab File ID: 2A220438.D
Instrument ID: GCMS2A
Injection Date: 09/30/22
Injection Time: 09:16

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	15.0 - 40.0% of mass 95	80456	21.7		Pass
75	30.0 - 60.0% of mass 95	180032	48.5		Pass
95	Base peak, 100% relative abundance	371435	100.0		Pass
96	5.0 - 9.0% of mass 95	25032	6.74		Pass
173	Less than 2.0% of mass 174	1906	0.51	(0.60) [a]	Pass
174	50.0 - 120.0% of mass 95	315563	85.0		Pass
175	5.0 - 9.0% of mass 174	24317	6.55	(7.71) [a]	Pass
176	95.0 - 101.0% of mass 174	310720	83.7	(98.5) [a]	Pass
177	5.0 - 9.0% of mass 176	20520	5.52	(6.60) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V2A9583-CC9511	2A220438.D	09/30/22	09:16	00:00	Continuing cal 20
V2A9583-BS	2A220440.D	09/30/22	10:21	01:05	Blank Spike
V2A9583-MB	2A220442.D	09/30/22	11:18	02:02	Method Blank
ZZZZZZ	2A220444.D	09/30/22	12:15	02:59	(unrelated sample)
ZZZZZZ	2A220446.D	09/30/22	13:12	03:56	(unrelated sample)
JD52514-12	2A220447.D	09/30/22	13:40	04:24	EW-12-45C
JD52514-12	2A220449.D	09/30/22	14:37	05:21	EW-12-45C
ZZZZZZ	2A220450.D	09/30/22	15:06	05:50	(unrelated sample)
JD52514-12MS	2A220451.D	09/30/22	15:35	06:19	Matrix Spike
JD52514-12MSD	2A220452.D	09/30/22	16:03	06:47	Matrix Spike Duplicate
ZZZZZZ	2A220454.D	09/30/22	17:01	07:45	(unrelated sample)
ZZZZZZ	2A220455.D	09/30/22	17:30	08:14	(unrelated sample)
ZZZZZZ	2A220456.D	09/30/22	17:58	08:42	(unrelated sample)

Instrument Performance Check (BFB)

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V4D5341-BFB
Lab File ID: 4D120247.D
Instrument ID: GCMS4D
Injection Date: 08/13/22
Injection Time: 19:58

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	14.99 - 40.0% of mass 95	56496	20.6		Pass
75	30.0 - 60.0% of mass 95	141485	51.6		Pass
95	Base peak, 100% relative abundance	274069	100.0		Pass
96	5.0 - 9.0% of mass 95	18675	6.81		Pass
173	Less than 2.0% of mass 174	2724	0.99	(1.06) [a]	Pass
174	50.0 - 120.0% of mass 95	256363	93.5		Pass
175	5.0 - 9.0% of mass 174	18765	6.85	(7.32) [a]	Pass
176	95.0 - 101.0% of mass 174	245909	89.7	(95.9) [a]	Pass
177	5.0 - 9.0% of mass 176	16181	5.90	(6.58) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V4D5341-IC5341	4D120248.D	08/13/22	20:38	00:40	Initial cal 0.2
V4D5341-IC5341	4D120249.D	08/13/22	21:06	01:08	Initial cal 0.5
V4D5341-IC5341	4D120250.D	08/13/22	21:35	01:37	Initial cal 1
V4D5341-IC5341	4D120251.D	08/13/22	22:03	02:05	Initial cal 2
V4D5341-IC5341	4D120252.D	08/13/22	22:31	02:33	Initial cal 4
V4D5341-IC5341	4D120253.D	08/13/22	23:00	03:02	Initial cal 8
V4D5341-IC5341	4D120254.D	08/13/22	23:28	03:30	Initial cal 20
V4D5341-ICC5341	4D120255.D	08/13/22	23:56	03:58	Initial cal 50
V4D5341-IC5341	4D120256.D	08/14/22	00:25	04:27	Initial cal 100
V4D5341-IC5341	4D120257.D	08/14/22	00:53	04:55	Initial cal 200
V4D5341-ICV5341	4D120260.D	08/14/22	02:18	06:20	Initial cal verification 50
V4D5341-ICV5341	4D120261.D	08/14/22	02:46	06:48	Initial cal verification 50

Instrument Performance Check (BFB)

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V4D5406-BFB
Lab File ID: 4D121696.D
Instrument ID: GCMS4D
Injection Date: 09/29/22
Injection Time: 20:44

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	14.99 - 40.0% of mass 95	62429	20.5		Pass
75	30.0 - 60.0% of mass 95	139764	45.8		Pass
95	Base peak, 100% relative abundance	305024	100.0		Pass
96	5.0 - 9.0% of mass 95	20077	6.58		Pass
173	Less than 2.0% of mass 174	0	0.00	(0.00) [a]	Pass
174	50.0 - 120.0% of mass 95	277099	90.8		Pass
175	5.0 - 9.0% of mass 174	21347	7.00	(7.70) [a]	Pass
176	95.0 - 101.0% of mass 174	271339	89.0	(97.9) [a]	Pass
177	5.0 - 9.0% of mass 176	17779	5.83	(6.55) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V4D5406-CC5341	4D121696.D	09/29/22	20:44	00:00	Continuing cal 50
V4D5406-BS	4D121698.D	09/29/22	21:42	00:58	Blank Spike
V4D5406-MB	4D121700.D	09/29/22	22:41	01:57	Method Blank
JD52514-13	4D121701.D	09/29/22	23:10	02:26	TRIP BLANK
JD52514-2	4D121702.D	09/29/22	23:39	02:55	EW-2-62C
JD52514-2MS	4D121705.D	09/30/22	01:06	04:22	Matrix Spike
JD52514-2MSD	4D121706.D	09/30/22	01:35	04:51	Matrix Spike Duplicate
ZZZZZZ	4D121708.D	09/30/22	02:32	05:48	(unrelated sample)
JD52514-1	4D121709.D	09/30/22	03:01	06:17	EW-1-62C
JD52514-3	4D121710.D	09/30/22	03:30	06:46	EW-3-60C
JD52514-4	4D121711.D	09/30/22	03:59	07:15	EW-4-25B
JD52514-5	4D121712.D	09/30/22	04:28	07:44	EW-5-25B
JD52514-6	4D121713.D	09/30/22	04:57	08:13	EW-6-60C
JD52514-9	4D121716.D	09/30/22	06:23	09:39	EW-9R-72C

Instrument Performance Check (BFB)

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: VL10355-BFB
Lab File ID: L342967.D
Instrument ID: GCMSL
Injection Date: 06/15/22
Injection Time: 16:00

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	15.0 - 40.0% of mass 95	15125	15.4		Pass
75	30.0 - 60.0% of mass 95	48661	49.4		Pass
95	Base peak, 100% relative abundance	98445	100.0		Pass
96	5.0 - 9.0% of mass 95	6625	6.73		Pass
173	Less than 2.0% of mass 174	0	0.00	(0.00) [a]	Pass
174	50.0 - 120.0% of mass 95	66648	67.7		Pass
175	5.0 - 9.0% of mass 174	5157	5.24	(7.74) [a]	Pass
176	95.0 - 101.0% of mass 174	64099	65.1	(96.2) [a]	Pass
177	5.0 - 9.0% of mass 176	3835	3.90	(5.98) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
VL10355-IC10355	L342968.D	06/15/22	16:25	00:25	Initial cal 0.2
VL10355-IC10355	L342969.D	06/15/22	16:48	00:48	Initial cal 0.5
VL10355-IC10355	L342970.D	06/15/22	17:11	01:11	Initial cal 1
VL10355-IC10355	L342971.D	06/15/22	17:35	01:35	Initial cal 2
VL10355-IC10355	L342972.D	06/15/22	17:58	01:58	Initial cal 4
VL10355-IC10355	L342973.D	06/15/22	18:22	02:22	Initial cal 8
VL10355-IC10355	L342974.D	06/15/22	18:45	02:45	Initial cal 20
VL10355-ICC10355	L342975.D	06/15/22	19:09	03:09	Initial cal 50
VL10355-IC10355	L342976.D	06/15/22	19:32	03:32	Initial cal 100
VL10355-IC10355	L342977.D	06/15/22	19:56	03:56	Initial cal 200
VL10355-ICV10355	L342980.D	06/15/22	21:06	05:06	Initial cal verification 50
VL10355-ICV10355	L342981.D	06/15/22	21:29	05:29	Initial cal verification 50

Instrument Performance Check (BFB)

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample:	VL10355-BFB2	**Injection Date:**	06/16/22
Lab File ID:	L342984.D	**Injection Time:**	09:43
Instrument ID:	GCMSL		

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	15.0 - 40.0% of mass 95	14743	15.8		Pass
75	30.0 - 60.0% of mass 95	47061	50.6		Pass
95	Base peak, 100% relative abundance	93093	100.0		Pass
96	5.0 - 9.0% of mass 95	6458	6.94		Pass
173	Less than 2.0% of mass 174	176	0.19	(0.27) [a]	Pass
174	50.0 - 120.0% of mass 95	64179	68.9		Pass
175	5.0 - 9.0% of mass 174	4737	5.09	(7.38) [a]	Pass
176	95.0 - 101.0% of mass 174	62803	67.5	(97.9) [a]	Pass
177	5.0 - 9.0% of mass 176	4165	4.47	(6.63) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
VL10355-ICV10355	L342985.D	06/16/22	10:06	00:23	Initial cal verification 50

Instrument Performance Check (BFB)

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: VL10517-BFB
Lab File ID: L347768.D
Instrument ID: GCMSL
Injection Date: 10/03/22
Injection Time: 11:43

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	15.0 - 40.0% of mass 95	12914	15.4		Pass
75	30.0 - 60.0% of mass 95	39723	47.2		Pass
95	Base peak, 100% relative abundance	84117	100.0		Pass
96	5.0 - 9.0% of mass 95	6113	7.27		Pass
173	Less than 2.0% of mass 174	0	0.00	(0.00) [a]	Pass
174	50.0 - 120.0% of mass 95	62256	74.0		Pass
175	5.0 - 9.0% of mass 174	4678	5.56	(7.51) [a]	Pass
176	95.0 - 101.0% of mass 174	60766	72.2	(97.6) [a]	Pass
177	5.0 - 9.0% of mass 176	3883	4.62	(6.39) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
VL10517-CC10355	L347768.D	10/03/22	11:43	00:00	Continuing cal 20
VL10517-BS	L347770.D	10/03/22	12:31	00:48	Blank Spike
VL10517-MB	L347772.D	10/03/22	13:17	01:34	Method Blank
ZZZZZZ	L347773.D	10/03/22	13:50	02:07	(unrelated sample)
ZZZZZZ	L347774.D	10/03/22	14:13	02:30	(unrelated sample)
ZZZZZZ	L347776.D	10/03/22	15:00	03:17	(unrelated sample)
JD52644-1	L347777.D	10/03/22	15:23	03:40	(used for QC only; not part of job JD52514)
JD52514-10	L347778.D	10/03/22	15:46	04:03	EW-10-25B
JD52514-10	L347779.D	10/03/22	16:09	04:26	EW-10-25B
JD52514-11	L347780.D	10/03/22	16:32	04:49	EW-11-43C
ZZZZZZ	L347782.D	10/03/22	17:18	05:35	(unrelated sample)
JD52644-1MS	L347783.D	10/03/22	17:42	05:59	Matrix Spike
JD52644-1MSD	L347784.D	10/03/22	18:05	06:22	Matrix Spike Duplicate
JD52644-1	L347785.D	10/03/22	18:28	06:45	(used for QC only; not part of job JD52514)
JD52514-11	L347786.D	10/03/22	18:51	07:08	EW-11-43C
ZZZZZZ	L347787.D	10/03/22	19:15	07:32	(unrelated sample)
ZZZZZZ	L347788.D	10/03/22	19:38	07:55	(unrelated sample)
ZZZZZZ	L347789.D	10/03/22	20:01	08:18	(unrelated sample)
ZZZZZZ	L347790.D	10/03/22	20:24	08:41	(unrelated sample)
ZZZZZZ	L347791.D	10/03/22	20:47	09:04	(unrelated sample)
ZZZZZZ	L347792.D	10/03/22	21:10	09:27	(unrelated sample)
ZZZZZZ	L347793.D	10/03/22	21:33	09:50	(unrelated sample)
ZZZZZZ	L347794.D	10/03/22	21:57	10:14	(unrelated sample)
ZZZZZZ	L347795.D	10/03/22	22:20	10:37	(unrelated sample)

Instrument Performance Check (BFB)

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample:	VL10517-BFB	**Injection Date:**	10/03/22
Lab File ID:	L347768.D	**Injection Time:**	11:43
Instrument ID:	GCMSL		

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
ZZZZZZ	L347796.D	10/03/22	22:43	11:00	(unrelated sample)
ZZZZZZ	L347797.D	10/03/22	23:06	11:23	(unrelated sample)
ZZZZZZ	L347798.D	10/03/22	23:29	11:46	(unrelated sample)

Internal Standard Area Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Check Std: V1X8639-CC8636 **Injection Date:** 09/30/22
Lab File ID: 1X200643.D **Injection Time:** 09:46
Instrument ID: GCMS1X **Method:** SW846 8260D

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
Check Std	377980	2.44	426583	3.51	595663	4.00	552869	6.07	278262	7.88
Upper Limit [a]	755960	2.94	853166	4.01	1191326	4.50	1105738	6.57	556524	8.38
Lower Limit [b]	188990	1.94	213292	3.01	297832	3.50	276435	5.57	139131	7.38

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
V1X8639-BS	384383	2.44	438711	3.51	606672	4.00	569714	6.07	284540	7.88
V1X8639-MB	354438	2.44	419042	3.51	584708	4.00	536154	6.07	266708	7.88
JD52514-8	345361	2.44	412691	3.51	578282	4.00	532518	6.07	263371	7.88
JD52514-8 [c]	355045	2.44	418332	3.51	580672	4.00	534712	6.07	266411	7.88
JD52514-1	366280	2.44	419210	3.51	585392	4.00	542279	6.07	265610	7.88
JD52514-9 [c]	351570	2.44	413611	3.51	579356	4.00	535521	6.08	265380	7.88
JD52514-6 [c]	366647	2.44	425250	3.51	588864	4.00	547236	6.07	271840	7.88
JD52514-2	360664	2.44	426565	3.51	595217	4.00	552108	6.08	271732	7.88
JD52514-7 [c]	347892	2.44	407821	3.51	574778	4.00	531783	6.08	264845	7.88
JD52514-4	342761	2.44	412280	3.51	573426	4.00	532311	6.08	263100	7.88
JD52514-5 [c]	363137	2.44	415083	3.51	578038	4.00	532727	6.08	265249	7.88
JD52514-3 [c]	350516	2.44	412643	3.51	572495	4.00	533719	6.08	263701	7.88
JD52514-8MS	384455	2.44	435913	3.51	603639	4.00	568296	6.08	285509	7.88
JD52514-8MSD	391305	2.44	449791	3.51	619300	4.00	582485	6.08	292512	7.89
JD52514-7	363882	2.44	423514	3.51	593851	4.00	544567	6.08	272759	7.88
ZZZZZZ	357311	2.44	424467	3.51	585538	4.00	543886	6.08	268654	7.89
ZZZZZZ	355554	2.44	424030	3.51	590005	4.00	548309	6.08	271098	7.89
ZZZZZZ	362698	2.44	430308	3.51	597846	4.00	552672	6.08	274257	7.89
ZZZZZZ	360083	2.44	421996	3.51	591850	4.00	547839	6.08	272443	7.89
ZZZZZZ	369238	2.44	433260	3.51	596734	4.00	555161	6.08	272481	7.89
ZZZZZZ	354837	2.44	431225	3.51	596505	4.00	555619	6.08	278558	7.89
ZZZZZZ	351226	2.44	415952	3.51	581907	4.00	538951	6.08	265349	7.89
ZZZZZZ	349768	2.44	419278	3.51	587570	4.00	543726	6.08	269165	7.89
ZZZZZZ	353601	2.44	422475	3.51	587402	4.00	545683	6.08	270438	7.89
ZZZZZZ	351848	2.44	418648	3.51	581228	4.00	537889	6.08	266990	7.89

IS 1 = Tert Butyl Alcohol-D9
IS 2 = Pentafluorobenzene
IS 3 = 1,4-Difluorobenzene
IS 4 = Chlorobenzene-D5
IS 5 = 1,4-Dichlorobenzene-d4

(a) Upper Limit = + 100% of check standard area; Retention time + 0.5 minutes.
(b) Lower Limit = -50% of check standard area; Retention time -0.5 minutes.
(c) Dilution required due to high concentration of target compound.

Internal Standard Area Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Check Std:	V2A9583-CC9511	**Injection Date:**	09/30/22
Lab File ID:	2A220438.D	**Injection Time:**	09:16
Instrument ID:	GCMS2A	**Method:**	SW846 8260D

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
Check Std	497683	7.25	738209	9.51	1143253	10.44	1159557	13.56	591306	15.89
Upper Limit [a]	995366	7.75	1476418	10.01	2286506	10.94	2319114	14.06	1182612	16.39
Lower Limit [b]	248842	6.75	369105	9.01	571627	9.94	579779	13.06	295653	15.39

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
V2A9583-BS	506821	7.25	750798	9.51	1166077	10.44	1159944	13.56	604684	15.89
V2A9583-MB	499433	7.25	738634	9.51	1157020	10.43	1184465	13.56	576964	15.89
ZZZZZZ	474861	7.25	724826	9.51	1140154	10.43	1186029	13.56	573382	15.89
ZZZZZZ	491791	7.25	716367	9.51	1127838	10.43	1176716	13.56	576537	15.89
JD52514-12 [c]	505469	7.25	732652	9.51	1148145	10.43	1199982	13.56	593514	15.89
JD52514-12	543649	7.25	751354	9.51	1182718	10.43	1224970	13.56	611807	15.89
ZZZZZZ	549009	7.25	722759	9.51	1136272	10.43	1196704	13.56	610216	15.89
JD52514-12MS	536246	7.25	767509	9.51	1211541	10.43	1228623	13.56	636196	15.89
JD52514-12MSD	531321	7.24	768609	9.51	1217767	10.43	1225838	13.56	642810	15.89
ZZZZZZ	568422	7.25	775907	9.51	1222693	10.43	1283487	13.56	648407	15.89
ZZZZZZ	573056	7.25	761541	9.51	1206653	10.43	1267564	13.56	653344	15.89
ZZZZZZ	587970	7.25	774608	9.51	1224916	10.43	1286824	13.56	673811	15.89

IS 1 = Tert Butyl Alcohol-D9
IS 2 = Pentafluorobenzene
IS 3 = 1,4-Difluorobenzene
IS 4 = Chlorobenzene-D5
IS 5 = 1,4-Dichlorobenzene-d4

(a) Upper Limit = + 100% of check standard area; Retention time + 0.5 minutes.
(b) Lower Limit = -50% of check standard area; Retention time -0.5 minutes.
(c) Dilution required due to high concentration of target compound.

Internal Standard Area Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Check Std:	V4D5406-CC5341	**Injection Date:**	09/29/22
Lab File ID:	4D121696.D	**Injection Time:**	20:44
Instrument ID:	GCMS4D	**Method:**	SW846 8260D

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
Check Std	706382	8.54	764135	11.02	1106962	11.92	1099836	14.82	495177	16.93
Upper Limit [a]	1412764	9.04	1528270	11.52	2213924	12.42	2199672	15.32	990354	17.43
Lower Limit [b]	353191	8.04	382068	10.52	553481	11.42	549918	14.32	247589	16.43

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
V4D5406-BS	745113	8.54	787644	11.02	1136670	11.91	1125127	14.82	513948	16.93
V4D5406-MB	760648	8.53	839510	11.02	1200091	11.92	1184427	14.82	536302	16.93
JD52514-13	751403	8.53	835119	11.02	1200581	11.92	1187071	14.82	534478	16.93
JD52514-2	768425	8.53	824436	11.02	1183259	11.92	1166029	14.82	523489	16.93
JD52514-2MS	746490	8.53	775803	11.02	1118540	11.91	1102709	14.82	496886	16.93
JD52514-2MSD	792935	8.53	824658	11.02	1182735	11.92	1160008	14.82	519988	16.93
ZZZZZZ	847063	8.53	878499	11.02	1239938	11.92	1234730	14.82	556511	16.93
JD52514-1	769170	8.53	843301	11.02	1209963	11.92	1189567	14.82	536441	16.93
JD52514-3	735236	8.53	837111	11.02	1202226	11.92	1182460	14.82	524869	16.93
JD52514-4 [c]	813617	8.53	806232	11.02	1176496	11.92	1166561	14.82	532065	16.93
JD52514-5	628226	8.53	686119	11.02	925415	11.92	903428	14.82	429468	16.93
JD52514-6	738282	8.53	812017	11.02	1174713	11.92	1160468	14.82	517996	16.93
JD52514-9	729387	8.53	787259	11.02	1144833	11.92	1128438	14.82	505778	16.93

IS 1 = Tert Butyl Alcohol-D9
IS 2 = Pentafluorobenzene
IS 3 = 1,4-Difluorobenzene
IS 4 = Chlorobenzene-D5
IS 5 = 1,4-Dichlorobenzene-d4

(a) Upper Limit = + 100% of check standard area; Retention time + 0.5 minutes.
(b) Lower Limit = -50% of check standard area; Retention time -0.5 minutes.
(c) Dilution required due to high concentration of target compound.

Internal Standard Area Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Check Std: VL10517-CC10355 **Injection Date:** 10/03/22
Lab File ID: L347768.D **Injection Time:** 11:43
Instrument ID: GCMSL **Method:** SW846 8260D

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
Check Std	163251	3.09	227666	4.31	341884	4.88	318661	7.28	123457	9.47
Upper Limit [a]	326502	3.59	455332	4.81	683768	5.38	637322	7.78	246914	9.97
Lower Limit [b]	81626	2.59	113833	3.81	170942	4.38	159331	6.78	61729	8.97

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
VL10517-BS	161484	3.09	225003	4.31	338282	4.88	324914	7.28	125136	9.47
VL10517-MB	173165	3.09	256447	4.31	370598	4.88	332001	7.28	138862	9.47
ZZZZZZ	196558	3.09	270896	4.31	385965	4.88	349989	7.28	142660	9.47
ZZZZZZ	174716	3.09	260615	4.31	383115	4.88	356524	7.27	148404	9.46
ZZZZZZ	179366	3.09	244782	4.31	358611	4.88	333104	7.28	135711	9.47
JD52644-1	178204	3.09	235794	4.31	347288	4.88	327381	7.27	138872	9.47
JD52514-10	179355	3.09	240883	4.31	352241	4.88	319919	7.28	133880	9.47
JD52514-10	174605	3.09	223028	4.31	342425	4.88	324458	7.28	133392	9.47
JD52514-11 [c]	190489	3.09	225328	4.31	358011	4.88	331973	7.28	140607	9.46
ZZZZZZ	171025	3.09	229760	4.31	341563	4.88	328121	7.28	140950	9.47
JD52644-1MS [d]	148984	3.09	200215	4.30	311344	4.88	308453	7.27	118473	9.47
JD52644-1MSD [d]	162026	3.09	208539	4.31	318426	4.88	313413	7.28	121744	9.47
JD52644-1	197201	3.09	251680	4.31	374123	4.88	344562	7.27	145790	9.47
JD52514-11	199753	3.09	239325	4.31	357658	4.88	325284	7.27	134718	9.47
ZZZZZZ	170654	3.09	248917	4.31	361688	4.88	335285	7.27	138879	9.46
ZZZZZZ	187486	3.09	255615	4.31	366701	4.88	332905	7.28	135670	9.47
ZZZZZZ	170683	3.09	245830	4.31	359411	4.88	330340	7.28	137829	9.46
ZZZZZZ	176108	3.09	242899	4.31	359991	4.88	325912	7.27	135846	9.47
ZZZZZZ	178436	3.09	237196	4.31	355419	4.88	324306	7.28	134418	9.47
ZZZZZZ	192284	3.09	245801	4.31	359853	4.88	337097	7.27	137449	9.47
ZZZZZZ	186822	3.09	256844	4.31	378104	4.88	339986	7.27	139961	9.47
ZZZZZZ	199302	3.09	251343	4.31	363529	4.88	333718	7.27	139176	9.47
ZZZZZZ	186836	3.09	245297	4.31	364691	4.88	334754	7.27	137821	9.47
ZZZZZZ	171838	3.09	243855	4.31	355511	4.88	334233	7.28	136134	9.47
ZZZZZZ	177853	3.09	247157	4.31	361730	4.88	330749	7.27	136026	9.47
ZZZZZZ	190205	3.09	224582	4.31	331492	4.88	309968	7.27	128012	9.47

IS 1 = Tert Butyl Alcohol-D9
IS 2 = Pentafluorobenzene
IS 3 = 1,4-Difluorobenzene
IS 4 = Chlorobenzene-D5
IS 5 = 1,4-Dichlorobenzene-d4

(a) Upper Limit = + 100% of check standard area; Retention time + 0.5 minutes.
(b) Lower Limit = -50% of check standard area; Retention time -0.5 minutes.

Internal Standard Area Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Check Std:	VL10517-CC10355	**Injection Date:**	10/03/22
Lab File ID:	L347768.D	**Injection Time:**	11:43
Instrument ID:	GCMSL	**Method:**	SW846 8260D

Lab Sample ID	IS 1 AREA	IS 1 RT	IS 2 AREA	IS 2 RT	IS 3 AREA	IS 3 RT	IS 4 AREA	IS 4 RT	IS 5 AREA	IS 5 RT

(c) Dilution required due to high concentration of target compound.
(d) (pH= 6)Sample pH did not satisfy field preservation criteria.

Surrogate Recovery Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Method: SW846 8260D **Matrix:** AQ

Samples and QC shown here apply to the above method

Lab Sample ID	Lab File ID	S1	S2	S3	S4
JD52514-1	1X200650.D	96	97	99	102
JD52514-1	4D121709.D	106	97	101	97
JD52514-2	1X200653.D	95	97	99	101
JD52514-2	4D121702.D	105	98	99	98
JD52514-3	1X200657.D	95	97	99	100
JD52514-3	4D121710.D	104	96	100	98
JD52514-4	1X200655.D	95	98	99	101
JD52514-4	4D121711.D	105	98	99	97
JD52514-5	1X200656.D	95	98	100	100
JD52514-5	4D121712.D	104	96	96	91
JD52514-6	1X200652.D	96	99	98	101
JD52514-6	4D121713.D	106	97	100	98
JD52514-7	1X200654.D	97	98	99	99
JD52514-7	1X200661.D	96	97	100	100
JD52514-8	1X200648.D	96	98	100	101
JD52514-8	1X200649.D	96	98	100	101
JD52514-9	1X200651.D	96	98	99	101
JD52514-9	4D121716.D	106	97	101	98
JD52514-10	L347778.D	98	96	100	93
JD52514-10	L347779.D	100	94	97	92
JD52514-11	L347786.D	100	95	98	93
JD52514-11	L347780.D	99	95	96	90
JD52514-12	2A220447.D	109	82	92	109
JD52514-12	2A220449.D	109	83	92	109
JD52514-13	4D121701.D	107	98	100	98
JD52514-12MS	2A220451.D	109	79* [a]	93	107
JD52514-12MSD	2A220452.D	109	79* [a]	94	107
JD52514-2MS	4D121705.D	107	93	98	97
JD52514-2MSD	4D121706.D	106	92	98	97
JD52514-8MS	1X200658.D	94	95	100	98
JD52514-8MSD	1X200659.D	94	95	99	98
JD52644-1MS	L347783.D	103	92	89	95
JD52644-1MSD	L347784.D	100	90	88	95
V1X8639-BS	1X200645.D	94	96	99	98
V1X8639-MB	1X200647.D	95	98	100	100
V2A9583-BS	2A220440.D	107	81	94	106
V2A9583-MB	2A220442.D	110	83	92	110
V4D5406-BS	4D121698.D	106	93	98	96
V4D5406-MB	4D121700.D	105	97	100	97
VL10517-BS	L347770.D	99	90	90	95

Surrogate Recovery Summary

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Method: SW846 8260D **Matrix:** AQ

Samples and QC shown here apply to the above method

Lab Sample ID	Lab File ID	S1	S2	S3	S4
VL10517-MB	L347772.D	97	96	100	90

Surrogate Compounds	Recovery Limits
S1 = Dibromofluoromethane	80-120%
S2 = 1,2-Dichloroethane-D4	80-120%
S3 = Toluene-D8	80-120%
S4 = 4-Bromofluorobenzene	82-114%

(a) Outside control limits due to matrix interference.

Initial Calibration Summary

Job Number: JD52514 **Sample:** V1X8636-ICC8636
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1X200562.D
Project: EPT, Ithaca, NY

Response Factor Report ACC-VOA-M

Method : C:\MSDCHEM\1\METHODS\M1X8636.M (RTE Integrator)
Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
Last Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration

Calibration Files
1 =1X200552.D 2 =1X200554.D 100 =1X200564.D 50 =1X200562.D
20 =1X200560.D 200 =1X200566.D 4 =1X200556.D 8 =1X200558.D
0.5 =1X200550.D 0.2 =1X200548.D = =

Compound	1	2	100	50	20	200	4	8	0.5	0.2	Avg	%RSD
1) I tert butyl alcohol-d9	ISTD											
2) ethanol	0.065	0.055	0.040	0.045	0.046	0.034	0.051	0.046			0.048	19.62
3) tertiary butyl alcohol	0.864	0.783	0.739	0.757	0.737	0.714	0.738	0.719			0.756	6.44
4) 1,4-dioxane	0.048	0.060	0.062	0.064	0.062	0.063	0.061	0.061			0.060	8.20
5) I pentafluorobenzene	ISTD											
6) chlorodifluoromethane	0.469	0.445	0.389	0.412	0.415	0.367	0.426	0.414	0.451	0.475	0.426	8.02
7) dichlorodifluoromethane	0.456	0.400	0.386	0.406	0.398	0.359	0.419	0.402	0.377		0.400	6.82
8) chloromethane	0.504	0.441	0.387	0.419	0.402	0.358	0.421	0.411			0.418	10.17
9) vinyl chloride	0.473	0.438	0.419	0.455	0.438	0.391	0.449	0.432	0.477		0.441	6.03
10) bromomethane	0.060	0.057	0.064	0.071	0.064	0.048	0.060	0.066			0.061	10.98
11) chloroethane	0.233	0.201	0.147	0.184	0.188		0.213	0.201			0.195	13.70
12) trichlorofluoromethane	0.636	0.578	0.587	0.623	0.580	0.527	0.585	0.580	0.523	0.557	0.578	6.20
13) 1,3-butadiene *This compound fails Initial Calibration criteria*	0.324	0.357	0.370	0.290	0.394	0.380					0.352	11.02
14) ethyl ether	0.157	0.149	0.143	0.151	0.147	0.139	0.154	0.143	0.141		0.147	4.22
15) acrolein	0.097	0.083	0.085	0.088	0.080	0.080	0.072	0.080			0.083	9.08
16) 1,1-dichloroethene	0.281	0.289	0.282	0.289	0.282	0.274	0.278	0.273	0.294	0.249	0.279	4.48
17) freon 113	0.347	0.358	0.347	0.347	0.339	0.331	0.342	0.332	0.348	0.313	0.340	3.68
18) acetone	0.054	0.050	0.044	0.046	0.046	0.041	0.046	0.044	0.055		0.047	9.79
19) acetonitrile	0.078	0.071	0.059	0.063	0.064	0.055	0.069	0.066			0.066	10.85
20) iodomethane *This compound fails Initial Calibration criteria*	0.033	0.229	0.195	0.103	0.236	0.041	0.059				0.128	70.13
21) carbon disulfide	0.744	0.675	0.720	0.728	0.698	0.722	0.663	0.648	0.716		0.701	4.67
22) methylene chloride	0.316	0.273	0.255	0.272	0.271	0.247	0.270	0.260	0.271		0.271	7.10
23) methyl acetate												

```
            0.435 0.371 0.396 0.373 0.350 0.398 0.372              0.385    7.16
24)  methyl tert butyl ether
      0.898 0.799 0.798 0.827 0.789 0.787 0.784 0.783 0.783 0.812  0.806    4.37
25)  acrylonitrile
      0.198 0.181 0.179 0.186 0.177 0.170 0.173 0.177 0.167        0.179    5.20
26)  trans-1,2-dichloroethene
      0.319 0.313 0.298 0.304 0.302 0.296 0.296 0.290 0.303        0.302    3.01
27)  hexane
      0.499 0.497 0.472 0.474 0.459 0.446 0.459 0.436 0.477 0.549  0.477    6.76
28)  di-isopropyl ether
      1.083 0.999 0.997 1.029 0.999 0.975 0.982 0.949 1.052 0.983  1.005    3.93
29)  2-butanone
      0.058 0.052 0.053 0.056 0.053 0.051 0.051 0.050 0.047        0.052    6.34
30)  1,1-dichloroethane
      0.589 0.534 0.514 0.530 0.524 0.506 0.530 0.517 0.526 0.473  0.524    5.50
31)  chloroprene
      0.527 0.511 0.510 0.523 0.520 0.498 0.486 0.475 0.423 0.489  0.496    6.26
32)  vinyl acetate
      0.054 0.054 0.063 0.065 0.058 0.061 0.054 0.058              0.058    7.59
33)  ethyl tert-butyl ether
      0.951 0.896 0.906 0.933 0.894 0.893 0.869 0.853 0.842 0.936  0.897    4.00
34)  ethyl acetate
      0.083 0.075 0.082 0.085 0.076 0.077 0.071 0.074 0.089        0.079    7.26
35)  2,2-dichloropropane
      0.461 0.438 0.435 0.435 0.423 0.431 0.410 0.402 0.442 0.473  0.435    4.85
36)  cis-1,2-dichloroethene
      0.358 0.323 0.318 0.330 0.318 0.317 0.317 0.307 0.348        0.326    5.09
37)  methyl acrylate
      0.521 0.500 0.499 0.519 0.500 0.483 0.473 0.489 0.454        0.493    4.35
38)  propionitrile
      0.084 0.078 0.071 0.076 0.074 0.067 0.074 0.075 0.071 0.074  0.075    6.20
39)  tert-butyl formate  *This compound fails Initial Calibration criteria*
      0.202 0.183 0.214 0.216 0.186 0.220 0.176 0.180 0.184        0.196    8.87
40)  bromochloromethane
      0.175 0.169 0.155 0.164 0.161 0.147 0.167 0.155 0.174 0.197  0.166    8.46
41)  tetrahydrofuran
            0.197 0.158 0.169 0.161 0.149 0.167 0.169              0.167    8.95
42)  chloroform
      0.616 0.556 0.507 0.525 0.512 0.497 0.530 0.498 0.624        0.541    8.97
43)  dibromofluoromethane (s)
      0.475 0.478 0.463 0.470 0.474 0.461 0.478 0.479 0.476 0.463  0.472    1.48
44)  methacrylonitrile
      0.155 0.147 0.161 0.166 0.159 0.154 0.150 0.158 0.154        0.156    3.84
45)  1,1,1-trichloroethane
      0.524 0.516 0.514 0.526 0.509 0.507 0.504 0.490 0.523 0.557  0.517    3.40
46)  cyclohexane
      0.522 0.479 0.467 0.475 0.448 0.458 0.464 0.453 0.453 0.507  0.473    5.17
47)  tert amyl alcohol
      0.031 0.028 0.024 0.026 0.026 0.022 0.027 0.027 0.028        0.027    9.65
48)  1,1-dichloropropene
      0.434 0.412 0.429 0.435 0.425 0.421 0.415 0.407 0.399 0.472  0.425    4.77
49)  isobutyl alcohol
      0.007 0.008 0.006 0.006 0.006 0.006 0.007 0.007              0.007   10.15
50)  carbon tetrachloride
      0.451 0.431 0.485 0.479 0.452 0.485 0.426 0.419 0.435 0.502  0.457    6.39
51)  isopropyl acetate
      0.072 0.065 0.079 0.082 0.074 0.077 0.068 0.070 0.067        0.073    7.92

52) I   1,4-difluorobenzene   ----------------ISTD---------------------
53)  1,2-dichloroethane-d4 (s)
```

```
      0.387 0.392 0.372 0.372 0.384 0.376 0.387 0.386 0.388 0.378  0.382    1.91
54)  iso-octane
      0.725 0.692 0.696 0.687 0.660 0.694 0.653 0.642 0.726 0.761  0.694    5.27
55)  epichlorohydrin
      0.038 0.035 0.035 0.038 0.035 0.035 0.034 0.034 0.029        0.035    7.47
56)  n-butyl alcohol
      0.011 0.011 0.012 0.013 0.012 0.012 0.011 0.011 0.008        0.011   10.45
57)  benzene
      0.893 0.853 0.817 0.820 0.802 0.812 0.799 0.772 0.784 1.034  0.839    9.16
58)  tert-amyl methyl ether
      0.589 0.553 0.586 0.588 0.544 0.592 0.525 0.524 0.498 0.534  0.553    6.10
59)  heptane
      0.141 0.132 0.126 0.125 0.124 0.123 0.122 0.120 0.111 0.128  0.125    6.36
60)  1,2-dichloroethane
      0.391 0.360 0.292 0.301 0.290 0.286 0.313 0.297              0.316   12.13
61)  trichloroethene
      0.285 0.255 0.265 0.267 0.262 0.262 0.252 0.246 0.256        0.261    4.20
62)  ethyl acrylate
      0.351 0.343 0.361 0.366 0.337 0.351 0.333 0.332 0.332 0.309  0.341    4.90
63)  2-nitropropane
      0.086 0.083 0.092 0.091 0.077 0.097 0.072 0.074              0.084   10.86
64)  2-chloroethyl vinyl ether
      0.150 0.143 0.153 0.157 0.146 0.152 0.140 0.141 0.127        0.145    6.27
65)  methyl methacrylate
      0.072 0.064 0.072 0.073 0.067 0.071 0.062 0.063              0.068    6.63
66)  1,2-dichloropropane
      0.084 0.081 0.084 0.086 0.082 0.084 0.080 0.082 0.074        0.082    4.04
67)  dibromomethane
      0.162 0.139 0.135 0.139 0.134 0.134 0.138 0.130 0.166        0.142    9.14
68)  methylcyclohexane
      0.350 0.362 0.368 0.364 0.342 0.365 0.330 0.330 0.355 0.350  0.352    4.02
69)  bromodichloromethane
      0.248 0.225 0.258 0.261 0.240 0.259 0.231 0.222 0.236        0.242    6.18
70)  cis-1,3-dichloropropene
      0.282 0.264 0.305 0.310 0.285 0.305 0.266 0.259 0.248        0.281    8.03
71)  4-methyl-2-pentanone
      0.122 0.117 0.120 0.123 0.115 0.116 0.113 0.114 0.110 0.098  0.115    6.25
72)  3-methyl-1-butanol
      0.008 0.008 0.010 0.010 0.009 0.010 0.008 0.008              0.009   12.38

73) I   chlorobenzene-d5      ----------------ISTD---------------------
74)  toluene-d8 (s)
      1.195 1.198 1.194 1.186 1.192 1.223 1.190 1.191 1.191 1.200  1.196    0.86
75)  toluene
      0.583 0.554 0.555 0.550 0.544 0.564 0.535 0.512 0.531        0.547    3.74
76)  trans-1,3-dichloropropene
      0.261 0.245 0.307 0.304 0.277 0.312 0.245 0.251 0.262        0.274    9.96
77)  ethyl methacrylate
      0.287 0.277 0.288 0.295 0.276 0.287 0.265 0.259 0.247        0.276    5.78
78)  1,1,2-trichloroethane
      0.185 0.160 0.168 0.173 0.160 0.167 0.157 0.157 0.152 0.178  0.166    6.37
79)  tetrachloroethene
      0.218 0.215 0.228 0.225 0.214 0.229 0.209 0.205 0.190 0.261  0.220    8.56
80)  1,3-dichloropropane
      0.339 0.309 0.313 0.322 0.304 0.309 0.305 0.292 0.303 0.381  0.318    7.99
81)  2-hexanone
      0.139 0.132 0.132 0.136 0.129 0.128 0.129 0.128 0.124 0.112  0.129    5.75
82)  butyl acetate
      0.206 0.179 0.180 0.187 0.175 0.174 0.171 0.170 0.177 0.213  0.183    8.06
83)  dibromochloromethane
```

```
      0.218 0.188 0.250 0.248 0.215 0.255 0.190 0.196 0.191 0.228  0.218   12.20
 84)  1,2-dibromoethane
      0.223 0.222 0.230 0.240 0.222 0.228 0.210 0.208 0.208        0.221    4.92
 85)  n-butyl ether
      0.925 0.883 0.916 0.925 0.874 0.897 0.839 0.838 0.858 0.915  0.887    3.83
 86)  chlorobenzene
      0.703 0.636 0.610 0.624 0.604 0.608 0.614 0.585 0.608        0.621    5.41
 87)  1,1,1,2-tetrachloroethane
      0.205 0.184 0.240 0.237 0.212 0.245 0.192 0.193              0.214   11.28
 88)  ethylbenzene
      1.081 1.056 1.052 1.048 1.014 1.043 1.006 0.975 1.008 1.209  1.049    6.12
 89)  m,p-xylene
      0.437 0.417 0.416 0.419 0.410 0.412 0.399 0.390 0.396 0.433  0.413    3.64
 90)  o-xylene
      0.832 0.803 0.791 0.798 0.777 0.782 0.769 0.746 0.740 0.803  0.784    3.53
 91)  styrene
      0.685 0.642 0.669 0.683 0.655 0.661 0.624 0.610 0.612 0.814  0.665    8.84
 92)  butyl acrylate
      0.458 0.438 0.475 0.496 0.455 0.458 0.423 0.426 0.419        0.450    5.71
 93)  n-amyl acetate
      0.156 0.146 0.158 0.166 0.153 0.149 0.140 0.146 0.132        0.150    6.64
 94)  bromoform
      0.120 0.119 0.178 0.172 0.144 0.182 0.119 0.123              0.145   19.61
 95)  isopropylbenzene
      1.071 1.022 1.032 1.057 1.022 0.996 0.999 0.969 0.996 1.059  1.022    3.22
 96)  cis-1,4-dichloro-2-butene
             0.105 0.097 0.076 0.107 0.055 0.064                   0.084   26.38
        ----- Linear regression -----  Coefficient =  0.9973
          Response Ratio = -0.00600 + 0.10699 *A


 97) I   1,4-dichlorobenzene-d ----------------ISTD---------------------
 98)  4-bromofluorobenzene (s)
      0.875 0.874 0.862 0.856 0.846 0.869 0.876 0.862 0.879 0.883  0.868    1.33
 99)  bromobenzene
      0.603 0.547 0.545 0.561 0.517 0.557 0.526 0.509 0.575        0.549    5.36
100)  1,1,2,2-tetrachloroethane
      0.577 0.554 0.582 0.586 0.543 0.584 0.530 0.537 0.486 0.458  0.544    8.00
101)  trans-1,4-dichloro-2-butene
            0.144 0.183 0.173 0.149 0.188 0.134 0.136              0.158   14.23
102)  1,2,3-trichloropropane
      0.192 0.189 0.184 0.189 0.178 0.184 0.175 0.168 0.157        0.179    6.44
103)  n-propylbenzene
      2.353 2.178 2.310 2.309 2.219 2.287 2.153 2.123 2.160 2.604  2.270    6.23
104)  2-chlorotoluene
      0.550 0.533 0.508 0.513 0.494 0.510 0.499 0.484 0.497 0.453  0.504    5.23
105)  4-chlorotoluene
      1.489 1.327 1.330 1.342 1.284 1.345 1.268 1.236 1.281        1.322    5.51
106)  1,3,5-trimethylbenzene
      1.569 1.440 1.566 1.539 1.470 1.596 1.425 1.388 1.382 1.443  1.482    5.34
107)  tert-butylbenzene
      1.504 1.474 1.462 1.471 1.418 1.447 1.384 1.339 1.414 1.505  1.442    3.69
108)  1,2,4-trimethylbenzene
      1.574 1.474 1.539 1.525 1.458 1.575 1.449 1.381 1.420 1.613  1.501    5.04
109)  sec-butylbenzene
      2.065 1.919 2.069 2.063 1.972 2.048 1.916 1.856 1.886 2.031  1.983    4.16
110)  1,3-dichlorobenzene
      1.025 0.990 0.981 1.003 0.949 0.992 0.951 0.910 1.039        0.982    4.11
111)  p-isopropyltoluene
      1.698 1.629 1.773 1.754 1.675 1.798 1.577 1.591 1.615 1.698  1.681    4.60
```

Initial Calibration Summary

Job Number: JD52514 **Sample:** V1X8636-ICC8636
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1X200562.D
Project: EPT, Ithaca, NY

```
112)  1,4-dichlorobenzene
       1.091 0.994 0.989 1.020 0.968 1.007 0.976 0.935 1.132        1.012    6.11
113)  1,2-dichlorobenzene
       0.958 0.914 0.927 0.952 0.906 0.939 0.900 0.866 0.904        0.918    3.15
114)  benzyl chloride
       0.702 0.671 0.979 0.946 0.817 1.008 0.669 0.705              0.812   17.92
115)  n-butylbenzene
       0.763 0.725 0.782 0.775 0.730 0.817 0.693 0.682 0.616 0.812  0.739    8.54
116)  1,2-dibromo-3-chloropropane
             0.144 0.181 0.183 0.160 0.191 0.136 0.144              0.163   13.62
117)  1,3,5-trichlorobenzene
       0.597 0.566 0.595 0.611 0.572 0.651 0.550 0.542 0.558 0.660  0.590    6.91
118)  hexachlorobutadiene
       0.234 0.203 0.221 0.216 0.206 0.251 0.194 0.189 0.195 0.195  0.210    9.57
119)  naphthalene
       1.987 1.823 1.921 1.943 1.818 2.035 1.817 1.786 1.827 2.354  1.931    8.84
120)  1,2,4-trichlorobenzene
       0.528 0.500 0.525 0.529 0.489 0.584 0.472 0.459 0.474 0.581  0.514    8.49
121)  1,2,3-trichlorobenzene
       0.497 0.480 0.523 0.517 0.481 0.571 0.449 0.452 0.494 0.545  0.501    7.75
122)  hexachloroethane
             0.145 0.232 0.217 0.180       0.143 0.154              0.179   21.55
             ----- Linear regression -----  Coefficient =  0.9937
               Response Ratio = -0.00596 + 0.22590 *A

123)  2-methylnaphthalene
       0.897 0.813 1.075 1.055 0.918 1.128 0.807 0.852 0.944        0.943   12.45
 ---------------------------------------------------------------------------
 (#) = Out of Range  ###  Number of calibration levels exceeded format  ###

           M1X8636.M         Thu Sep 29 14:02:51 2022   GCMSX
```

Initial Calibration Verification

Job Number: JD52514 **Sample:** V1X8636-ICV8636
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1X200572.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\MSDCHEM\1\DATA\VX8636\1X200572.D Vial: 14
Acq On : 29 Sep 2022 4:25 am Operator: PrashanS
Sample : ICV8636-50 Inst : ACC-VOA-M
Misc : MS62283,V1X8636,5,,,,1 Multiplr: 1.00
MS Integration Params: RTEINT.P

Method : C:\MSDCHEM\1\METHODS\M1X8636.M (RTE Integrator)
Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
Last Update : Thu Sep 29 10:06:17 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	tert butyl alcohol-d9	1.000	1.000	0.0	105	0.00	2.44
2		ethanol	0.048	0.043	10.4	100	0.00	1.94
3		tertiary butyl alcohol	0.756	0.783	-3.6	109	0.00	2.49
4		1,4-dioxane	0.060	0.063	-5.0	104	0.00	4.38
5	I	pentafluorobenzene	1.000	1.000	0.0	107	0.00	3.51
6		chlorodifluoromethane		----------NA----------				
7		dichlorodifluoromethane	0.400	0.433	-8.2	114	0.00	1.24
8		chloromethane	0.418	0.416	0.5	106	0.00	1.37
9		vinyl chloride	0.441	0.464	-5.2	109	0.00	1.43
10		bromomethane	0.061	0.075	-23.0	113	0.00	1.64
11		chloroethane	0.195	0.194	0.5	113	0.00	1.70
12		trichlorofluoromethane	0.578	0.609	-5.4	105	0.00	1.86
13		1,3-butadiene	0.352	0.495	-40.6#	149	0.00	1.46
14		ethyl ether	0.147	0.148	-0.7	105	0.00	2.02
15		acrolein	0.083	0.089	-7.2	108	0.00	2.10
16		1,1-dichloroethene	0.279	0.289	-3.6	107	0.00	2.17
17		freon 113	0.340	0.327	3.8	101	0.00	2.17
18		acetone	0.047	0.042	10.6	98	0.00	2.18
19		acetonitrile		----------NA----------				
20		iodomethane	0.128	0.148	-15.6	81	0.00	2.27
21		carbon disulfide	0.701	0.746	-6.4	110	0.00	2.32
22		methylene chloride	0.271	0.269	0.7	106	0.00	2.46
23		methyl acetate	0.385	0.416	-8.1	113	0.00	2.36
24		methyl tert butyl ether	0.806	0.823	-2.1	107	0.00	2.60
25		acrylonitrile		----------NA----------				
26		trans-1,2-dichloroethene	0.302	0.311	-3.0	109	0.00	2.62
27		hexane	0.477	0.488	-2.3	110	0.00	2.78
28		di-isopropyl ether	1.005	1.013	-0.8	106	0.00	2.88
29		2-butanone	0.052	0.055	-5.8	105	0.00	3.19
30		1,1-dichloroethane	0.524	0.525	-0.2	106	0.00	2.88
31		chloroprene	0.496	0.548	-10.5	112	0.00	2.92
32		vinyl acetate	0.058	0.050	13.8	82	0.00	2.86
33		ethyl tert-butyl ether	0.897	0.901	-0.4	103	0.00	3.09
34		ethyl acetate	0.079	0.084	-6.3	105	0.00	3.21
35		2,2-dichloropropane	0.435	0.423	2.8	104	0.00	3.22
36		cis-1,2-dichloroethene	0.326	0.328	-0.6	107	0.00	3.21
37		methyl acrylate	0.493	0.489	0.8	101	0.00	3.24
38		propionitrile	0.075	0.068	9.3	96	0.00	3.23
39		tert-butyl formate	0.196	0.112	42.9#	56	0.00	3.43
40		bromochloromethane	0.166	0.160	3.6	105	0.00	3.36
41		tetrahydrofuran	0.167	0.163	2.4	104	0.00	3.37

Initial Calibration Verification

Job Number: JD52514 **Sample:** V1X8636-ICV8636
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1X200572.D
Project: EPT, Ithaca, NY

42		chloroform	0.541	0.540	0.2	110	0.00	3.41
43	S	dibromofluoromethane (s)	0.472	0.464	1.7	106	0.00	3.51
44		methacrylonitrile	0.156	0.164	-5.1	106	0.00	3.33
45		1,1,1-trichloroethane	0.517	0.526	-1.7	107	0.00	3.53
46		cyclohexane	0.473	0.475	-0.4	107	0.00	3.58
47	m	tert amyl alcohol	0.027	0.024	11.1	99	0.00	3.72
48		1,1-dichloropropene	0.425	0.439	-3.3	108	0.00	3.62
49		isobutyl alcohol	0.007	0.006	14.3	101	0.00	3.81
50		carbon tetrachloride	0.457	0.476	-4.2	106	0.00	3.63
51		isopropyl acetate	0.073	0.079	-8.2	103	0.00	3.74
52	I	1,4-difluorobenzene	1.000	1.000	0.0	105	0.00	4.00
53	S	1,2-dichloroethane-d4 (s)	0.382	0.373	2.4	105	0.00	3.73
54		iso-octane	0.694	0.672	3.2	102	0.00	3.81
55		epichlorohydrin	0.035	0.036	-2.9	99	0.00	4.72
56		n-butyl alcohol	0.011	0.012	-9.1	101	0.00	4.06
57		benzene	0.839	0.845	-0.7	108	0.00	3.75
58		tert-amyl methyl ether	0.553	0.569	-2.9	101	0.00	3.81
59		heptane	0.125	0.134	-7.2	112	0.00	3.91
60		1,2-dichloroethane	0.316	0.301	4.7	104	0.00	3.78
61		trichloroethene	0.261	0.278	-6.5	109	0.00	4.16
62	m	ethyl acrylate	0.341	0.347	-1.8	99	0.00	4.19
63		2-nitropropane	0.084	0.092	-9.5	106	0.00	4.65
64		2-chloroethyl vinyl ether	0.145	0.142	2.1	95	0.00	4.68
65		methyl methacrylate	0.068	0.077	-13.2	109	0.00	4.34
66		1,2-dichloropropane	0.082	0.086	-4.9	105	0.00	4.34
67		dibromomethane	0.142	0.139	2.1	104	0.00	4.40
68		methylcyclohexane	0.352	0.381	-8.2	109	0.00	4.33
69		bromodichloromethane	0.242	0.261	-7.9	105	0.00	4.50
70		cis-1,3-dichloropropene	0.281	0.304	-8.2	103	0.00	4.80
71		4-methyl-2-pentanone	0.115	0.122	-6.1	103	0.00	4.89
72		3-methyl-1-butanol	0.009	0.010	-11.1	102	0.00	4.91
73	I	chlorobenzene-d5	1.000	1.000	0.0	105	0.00	6.07
74	S	toluene-d8 (s)	1.196	1.184	1.0	105	0.00	5.00
75		toluene	0.547	0.570	-4.2	109	0.00	5.04
76		trans-1,3-dichloropropene	0.274	0.300	-9.5	103	0.00	5.20
77		ethyl methacrylate	0.276	0.275	0.4	98	0.00	5.22
78		1,1,2-trichloroethane	0.166	0.172	-3.6	104	0.00	5.34
79		tetrachloroethene		----------NA----------				
80		1,3-dichloropropane	0.318	0.322	-1.3	105	0.00	5.47
81		2-hexanone	0.129	0.133	-3.1	103	0.00	5.49
82		butyl acetate	0.183	0.187	-2.2	105	0.00	5.57
83		dibromochloromethane	0.218	0.250	-14.7	105	0.00	5.63
84		1,2-dibromoethane	0.221	0.237	-7.2	104	0.00	5.73
85	m	n-butyl ether	0.887	0.899	-1.4	102	0.00	6.15
86		chlorobenzene	0.621	0.632	-1.8	106	0.00	6.10
87		1,1,1,2-tetrachloroethane	0.214	0.237	-10.7	105	0.00	6.16
88		ethylbenzene	1.049	1.079	-2.9	108	0.00	6.16
89		m,p-xylene	0.413	0.434	-5.1	108	0.00	6.27
90		o-xylene	0.784	0.825	-5.2	108	0.00	6.57
91		styrene	0.665	0.696	-4.7	107	0.00	6.59
92		butyl acrylate	0.450	0.473	-5.1	100	0.00	6.51
93		n-amyl acetate	0.150	0.157	-4.7	100	0.00	6.69
94		bromoform	0.145	0.170	-17.2	103	0.00	6.74
95		isopropylbenzene	1.022	1.089	-6.6	108	0.00	6.86
		----------	True	Calc.	% Drift	----------		
96		cis-1,4-dichloro-2-butene	50.000	43.628	12.7	95	0.00	6.91

Initial Calibration Verification

Job Number: JD52514 **Sample:** V1X8636-ICV8636
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1X200572.D
Project: EPT, Ithaca, NY

			AvgRF	CCRF	% Dev			
97	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	104	0.00	7.88
98	S	4-bromofluorobenzene (s)	0.868	0.853	1.7	104	0.00	7.01
99		bromobenzene	0.549	0.559	-1.8	104	0.00	7.13
100		1,1,2,2-tetrachloroethane	0.544	0.581	-6.8	104	0.00	7.10
101		trans-1,4-dichloro-2-bute	0.158	0.178	-12.7	108	0.00	7.14
102		1,2,3-trichloropropane	0.179	0.184	-2.8	102	0.00	7.15
103		n-propylbenzene	2.270	2.372	-4.5	107	0.00	7.19
104		2-chlorotoluene	0.504	0.524	-4.0	107	0.00	7.27
105		4-chlorotoluene	1.322	1.356	-2.6	106	0.00	7.36
106		1,3,5-trimethylbenzene	1.482	1.576	-6.3	107	0.00	7.33
107		tert-butylbenzene	1.442	1.555	-7.8	110	0.00	7.57
108		1,2,4-trimethylbenzene	1.501	1.554	-3.5	106	0.00	7.62
109		sec-butylbenzene	1.983	2.127	-7.3	108	0.00	7.73
110		1,3-dichlorobenzene	0.982	1.017	-3.6	106	0.00	7.83
111		p-isopropyltoluene	1.681	1.803	-7.3	107	0.00	7.85
112		1,4-dichlorobenzene	1.012	1.015	-0.3	104	0.00	7.90
113		1,2-dichlorobenzene	0.918	0.959	-4.5	105	0.00	8.16
114		benzyl chloride	0.812	0.842	-3.7	93	0.00	7.98
115		n-butylbenzene	0.739	0.793	-7.3	107	0.00	8.13
116		1,2-dibromo-3-chloropropa	0.163	0.181	-11.0	103	0.00	8.69
117		1,3,5-trichlorobenzene	0.590	0.608	-3.1	104	0.00	8.81
118		hexachlorobutadiene	0.210	0.228	-8.6	110	0.00	9.30
119		naphthalene	1.931	1.920	0.6	103	0.00	9.39
120		1,2,4-trichlorobenzene	0.514	0.537	-4.5	106	0.00	9.22
121	m	1,2,3-trichlorobenzene	0.501	0.517	-3.2	104	0.00	9.52

		True	Calc.	% Drift			
122	hexachloroethane	50.000	51.887	-3.8	110	0.00	8.35

		AvgRF	CCRF	% Dev			
123	2-methylnaphthalene	0.943	1.044	-10.7	103	0.00	10.11

(#) = Out of Range SPCC's out = 0 CCC's out = 0
1X200562.D M1X8636.M Thu Sep 29 14:02:37 2022 GCMSX

Initial Calibration Verification

Job Number: JD52514 **Sample:** V1X8636-ICV8636
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1X200574.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\MSDCHEM\1\DATA\VX8636\1X200574.D Vial: 15
Acq On : 29 Sep 2022 5:02 am Operator: PrashanS
Sample : ICV8636-50 Inst : ACC-VOA-M
Misc : MS62283,V1X8636,5,,,,1 Multiplr: 1.00
MS Integration Params: RTEINT.P

Method : C:\MSDCHEM\1\METHODS\M1X8636.M (RTE Integrator)
Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
Last Update : Thu Sep 29 10:06:17 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	tert butyl alcohol-d9	1.000	1.000	0.0	97	0.00	2.44
2		ethanol		----------NA----------				
3		tertiary butyl alcohol		----------NA----------				
4		1,4-dioxane		----------NA----------				
5	I	pentafluorobenzene	1.000	1.000	0.0	105	0.00	3.51
6		chlorodifluoromethane	0.426	0.453	-6.3	116	0.00	1.25
7		dichlorodifluoromethane		----------NA----------				
8		chloromethane		----------NA----------				
9		vinyl chloride		----------NA----------				
10		bromomethane		----------NA----------				
11		chloroethane		----------NA----------				
12		trichlorofluoromethane		----------NA----------				
13		1,3-butadiene		----------NA----------				
14		ethyl ether		----------NA----------				
15		acrolein		----------NA----------				
16		1,1-dichloroethene		----------NA----------				
17		freon 113		----------NA----------				
18		acetone		----------NA----------				
19		acetonitrile	0.066	0.059	10.6	99	0.00	2.35
20		iodomethane		----------NA----------				
21		carbon disulfide		----------NA----------				
22		methylene chloride		----------NA----------				
23		methyl acetate		----------NA----------				
24		methyl tert butyl ether		----------NA----------				
25		acrylonitrile	0.179	0.148	17.3	84	0.00	2.58
26		trans-1,2-dichloroethene		----------NA----------				
27		hexane		----------NA----------				
28		di-isopropyl ether		----------NA----------				
29		2-butanone		----------NA----------				
30		1,1-dichloroethane		----------NA----------				
31		chloroprene		----------NA----------				
32		vinyl acetate		----------NA----------				
33		ethyl tert-butyl ether		----------NA----------				
34		ethyl acetate		----------NA----------				
35		2,2-dichloropropane		----------NA----------				
36		cis-1,2-dichloroethene		----------NA----------				
37		methyl acrylate		----------NA----------				
38		propionitrile		----------NA----------				
39		tert-butyl formate		----------NA----------				
40		bromochloromethate		----------NA----------				
41		tetrahydrofuran		----------NA----------				

Initial Calibration Verification

Job Number: JD52514 **Sample:** V1X8636-ICV8636
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1X200574.D
Project: EPT, Ithaca, NY

42		chloroform		----------NA----------				
43	S	dibromofluoromethane (s)	0.472	0.457	3.2	102	0.00	3.51
44		methacrylonitrile		----------NA----------				
45		1,1,1-trichloroethane		----------NA----------				
46		cyclohexane		----------NA----------				
47	m	tert amyl alcohol		----------NA----------				
48		1,1-dichloropropene		----------NA----------				
49		isobutyl alcohol		----------NA----------				
50		carbon tetrachloride		----------NA----------				
51		isopropyl acetate		----------NA----------				
52	I	1,4-difluorobenzene	1.000	1.000	0.0	100	0.00	4.00
53	S	1,2-dichloroethane-d4 (s)	0.382	0.388	-1.6	105	0.00	3.73
54		iso-octane		----------NA----------				
55		epichlorohydrin		----------NA----------				
56		n-butyl alcohol		----------NA----------				
57		benzene		----------NA----------				
58		tert-amyl methyl ether		----------NA----------				
59		heptane		----------NA----------				
60		1,2-dichloroethane		----------NA----------				
61		trichloroethene		----------NA----------				
62	m	ethyl acrylate		----------NA----------				
63		2-nitropropane		----------NA----------				
64		2-chloroethyl vinyl ether		----------NA----------				
65		methyl methacrylate		----------NA----------				
66		1,2-dichloropropane		----------NA----------				
67		dibromomethane		----------NA----------				
68		methylcyclohexane		----------NA----------				
69		bromodichloromethane		----------NA----------				
70		cis-1,3-dichloropropene		----------NA----------				
71		4-methyl-2-pentanone		----------NA----------				
72		3-methyl-1-butanol		----------NA----------				
73	I	chlorobenzene-d5	1.000	1.000	0.0	103	0.00	6.07
74	S	toluene-d8 (s)	1.196	1.179	1.4	102	0.00	5.00
75		toluene		----------NA----------				
76		trans-1,3-dichloropropene		----------NA----------				
77		ethyl methacrylate		----------NA----------				
78		1,1,2-trichloroethane		----------NA----------				
79		tetrachloroethene	0.220	0.209	5.0	95	0.00	5.42
80		1,3-dichloropropane		----------NA----------				
81		2-hexanone		----------NA----------				
82		butyl acetate		----------NA----------				
83		dibromochloromethane		----------NA----------				
84		1,2-dibromoethane		----------NA----------				
85	m	n-butyl ether		----------NA----------				
86		chlorobenzene		----------NA----------				
87		1,1,1,2-tetrachloroethane		----------NA----------				
88		ethylbenzene		----------NA----------				
89		m,p-xylene		----------NA----------				
90		o-xylene		----------NA----------				
91		styrene		----------NA----------				
92		butyl acrylate		----------NA----------				
93		n-amyl acetate		----------NA----------				
94		bromoform		----------NA----------				
95		isopropylbenzene		----------NA----------				
		----------	True	Calc.	% Drift	----------		
96		cis-1,4-dichloro-2-butene		----------NA----------				

Initial Calibration Verification

Job Number: JD52514 **Sample:** V1X8636-ICV8636
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1X200574.D
Project: EPT, Ithaca, NY

			AvgRF	CCRF	% Dev			
97	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	102	0.00	7.88
98	S	4-bromofluorobenzene (s)	0.868	0.864	0.5	103	0.00	7.01
99		bromobenzene		----------NA----------				
100		1,1,2,2-tetrachloroethane		----------NA----------				
101		trans-1,4-dichloro-2-bute		----------NA----------				
102		1,2,3-trichloropropane		----------NA----------				
103		n-propylbenzene		----------NA----------				
104		2-chlorotoluene		----------NA----------				
105		4-chlorotoluene		----------NA----------				
106		1,3,5-trimethylbenzene		----------NA----------				
107		tert-butylbenzene		----------NA----------				
108		1,2,4-trimethylbenzene		----------NA----------				
109		sec-butylbenzene		----------NA----------				
110		1,3-dichlorobenzene		----------NA----------				
111		p-isopropyltoluene		----------NA----------				
112		1,4-dichlorobenzene		----------NA----------				
113		1,2-dichlorobenzene		----------NA----------				
114		benzyl chloride		----------NA----------				
115		n-butylbenzene		----------NA----------				
116		1,2-dibromo-3-chloropropa		----------NA----------				
117		1,3,5-trichlorobenzene		----------NA----------				
118		hexachlorobutadiene		----------NA----------				
119		naphthalene		----------NA----------				
120		1,2,4-trichlorobenzene		----------NA----------				
121	m	1,2,3-trichlorobenzene		----------NA----------				

			True	Calc.	% Drift
122		hexachloroethane		----------NA----------	

			AvgRF	CCRF	% Dev
123		2-methylnaphthalene		----------NA----------	

(#) = Out of Range SPCC's out = 0 CCC's out = 0
1X200562.D M1X8636.M Thu Sep 29 14:01:52 2022 GCMSX

Continuing Calibration Summary

Job Number: JD52514 **Sample:** V1X8639-CC8636
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1X200643.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\lo...-3\v1x8639\1x200643.d Vial: 6
Acq On : 30 Sep 2022 9:46 am Operator: taylors
Sample : cc8636-20 Inst : ACC-VOA-MSX
Misc : MS62564,V1X8639,5,,,,1 Multiplr: 1.00
MS Integration Params: RTEINT.P

Method : C:\MSDCHEM\1\METHODS\M1X8636.M (RTE Integrator)
Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
Last Update : Thu Sep 29 10:06:17 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	tert butyl alcohol-d9	1.000	1.000	0.0	103	0.00	2.44
2		ethanol	0.048	0.050	-4.2	112	0.00	1.94
3		tertiary butyl alcohol	0.756	0.675	10.7	94	0.00	2.49
4		1,4-dioxane	0.060	0.059	1.7	98	0.00	4.38
5	I	pentafluorobenzene	1.000	1.000	0.0	108	0.00	3.51
6		chlorodifluoromethane	0.426	0.316	25.8#	82	0.00	1.25
7		dichlorodifluoromethane	0.400	0.347	13.3	94	0.00	1.23
8		chloromethane	0.418	0.343	17.9	92	-0.01	1.36
9		vinyl chloride	0.441	0.378	14.3	93	0.00	1.43
10		bromomethane	0.061	0.064	-4.9	107	0.00	1.63
11		chloroethane	0.195	0.163	16.4	93	0.00	1.70
12		trichlorofluoromethane	0.578	0.493	14.7	92	0.00	1.86
13		1,3-butadiene	0.352	0.388	-10.2	113	0.00	1.45
14		ethyl ether	0.147	0.122	17.0	89	0.00	2.02
15		acrolein	0.083	0.073	12.0	100	0.00	2.10
16		1,1-dichloroethene	0.279	0.231	17.2	88	0.00	2.17
17		freon 113	0.340	0.287	15.6	91	0.00	2.16
18		acetone	0.047	0.038	19.1	90	0.00	2.18
19		acetonitrile	0.066	0.058	12.1	98	0.00	2.35
20		iodomethane	0.128	0.094	26.6#	98	0.00	2.26
21		carbon disulfide	0.701	0.543	22.5#	84	0.00	2.31
22		methylene chloride	0.271	0.225	17.0	89	0.00	2.46
23		methyl acetate	0.385	0.324	15.8	94	0.00	2.36
24		methyl tert butyl ether	0.806	0.658	18.4	90	0.00	2.60
25		acrylonitrile	0.179	0.156	12.8	95	0.00	2.58
26		trans-1,2-dichloroethene	0.302	0.250	17.2	89	0.00	2.62
27		hexane	0.477	0.411	13.8	97	0.00	2.77
28		di-isopropyl ether	1.005	0.831	17.3	90	0.00	2.87
29		2-butanone	0.052	0.046	11.5	94	0.00	3.19
30		1,1-dichloroethane	0.524	0.429	18.1	88	0.00	2.87
31		chloroprene	0.496	0.423	14.7	88	0.00	2.92
32		vinyl acetate	0.058	0.052	10.3	97	0.00	2.86
33		ethyl tert-butyl ether	0.897	0.750	16.4	90	0.00	3.09
34		ethyl acetate	0.079	0.063	20.3#	90	0.00	3.20
35		2,2-dichloropropane	0.435	0.381	12.4	97	0.00	3.22
36		cis-1,2-dichloroethene	0.326	0.265	18.7	90	0.00	3.21
37		methyl acrylate	0.493	0.437	11.4	94	0.00	3.24
38		propionitrile	0.075	0.067	10.7	97	0.00	3.23
39		tert-butyl formate	0.196	0.171	12.8	99	0.00	3.43
40		bromochloromethane	0.166	0.135	18.7	91	0.00	3.36
41		tetrahydrofuran	0.167	0.140	16.2	94	0.00	3.37

Continuing Calibration Summary

Job Number: JD52514 **Sample:** V1X8639-CC8636
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1X200643.D
Project: EPT, Ithaca, NY

42		chloroform	0.541	0.422	22.0#	89	0.00	3.41
43	S	dibromofluoromethane (s)	0.472	0.450	4.7	102	0.00	3.51
44		methacrylonitrile	0.156	0.138	11.5	93	0.00	3.33
45		1,1,1-trichloroethane	0.517	0.419	19.0	89	0.00	3.53
46		cyclohexane	0.473	0.384	18.8	92	0.00	3.58
47	m	tert amyl alcohol	0.027	0.024	11.1	100	0.00	3.72
48		1,1-dichloropropene	0.425	0.351	17.4	89	0.00	3.62
49		isobutyl alcohol	0.007	0.006	14.3	104	0.00	3.81
50		carbon tetrachloride	0.457	0.355	22.3#	85	0.00	3.62
51		isopropyl acetate	0.073	0.064	12.3	93	0.00	3.74
52	I	1,4-difluorobenzene	1.000	1.000	0.0	105	0.00	4.00
53	S	1,2-dichloroethane-d4 (s)	0.382	0.373	2.4	102	0.00	3.73
54		iso-octane	0.694	0.584	15.9	93	0.00	3.81
55		epichlorohydrin	0.035	0.033	5.7	99	0.00	4.72
56		n-butyl alcohol	0.011	0.011	0.0	99	0.00	4.05
57		benzene	0.839	0.690	17.8	90	0.00	3.75
58		tert-amyl methyl ether	0.553	0.473	14.5	91	0.00	3.81
59		heptane	0.125	0.115	8.0	97	0.00	3.91
60		1,2-dichloroethane	0.316	0.253	19.9	92	0.00	3.77
61		trichloroethene	0.261	0.221	15.3	89	0.00	4.16
62	m	ethyl acrylate	0.341	0.311	8.8	97	0.00	4.19
63		2-nitropropane	0.084	0.070	16.7	95	0.00	4.64
64		2-chloroethyl vinyl ether	0.145	0.132	9.0	95	0.00	4.68
65		methyl methacrylate	0.068	0.060	11.8	93	0.00	4.34
66		1,2-dichloropropane	0.082	0.069	15.9	88	0.00	4.33
67		dibromomethane	0.142	0.115	19.0	90	0.00	4.40
68		methylcyclohexane	0.352	0.297	15.6	91	0.00	4.32
69		bromodichloromethane	0.242	0.199	17.8	87	0.00	4.50
70		cis-1,3-dichloropropene	0.281	0.244	13.2	90	0.00	4.80
71		4-methyl-2-pentanone	0.115	0.104	9.6	95	0.00	4.89
72		3-methyl-1-butanol	0.009	0.008	11.1	96	0.00	4.91
73	I	chlorobenzene-d5	1.000	1.000	0.0	105	0.00	6.07
74	S	toluene-d8 (s)	1.196	1.184	1.0	104	0.00	5.00
75		toluene	0.547	0.468	14.4	90	0.00	5.04
76		trans-1,3-dichloropropene	0.274	0.237	13.5	90	0.00	5.19
77		ethyl methacrylate	0.276	0.242	12.3	92	0.00	5.21
78		1,1,2-trichloroethane	0.166	0.143	13.9	93	0.00	5.34
79		tetrachloroethene	0.220	0.193	12.3	95	0.00	5.42
80		1,3-dichloropropane	0.318	0.270	15.1	93	0.00	5.47
81		2-hexanone	0.129	0.114	11.6	93	0.00	5.49
82		butyl acetate	0.183	0.153	16.4	92	0.00	5.56
83		dibromochloromethane	0.218	0.179	17.9	87	0.00	5.63
84		1,2-dibromoethane	0.221	0.199	10.0	94	0.00	5.73
85	m	n-butyl ether	0.887	0.744	16.1	89	0.00	6.15
86		chlorobenzene	0.621	0.527	15.1	92	0.00	6.10
87		1,1,1,2-tetrachloroethane	0.214	0.179	16.4	88	0.00	6.16
88		ethylbenzene	1.049	0.884	15.7	91	0.00	6.16
89		m,p-xylene	0.413	0.348	15.7	89	0.00	6.27
90		o-xylene	0.784	0.664	15.3	90	0.00	6.57
91		styrene	0.665	0.563	15.3	90	0.00	6.59
92		butyl acrylate	0.450	0.390	13.3	90	0.00	6.51
93		n-amyl acetate	0.150	0.134	10.7	92	0.00	6.69
94		bromoform	0.145	0.117	19.3	85	0.00	6.74
95		isopropylbenzene	1.022	0.885	13.4	91	0.00	6.86
		----------	True	Calc.	% Drift	----------		
96		cis-1,4-dichloro-2-butene	20.000	9.960	50.2#	53	0.00	6.91

Continuing Calibration Summary

Job Number: JD52514 **Sample:** V1X8639-CC8636
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1X200643.D
Project: EPT, Ithaca, NY

			AvgRF	CCRF	% Dev			
97	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	103	0.00	7.88
98	S	4-bromofluorobenzene (s)	0.868	0.855	1.5	104	0.00	7.00
99		bromobenzene	0.549	0.467	14.9	93	0.00	7.12
100		1,1,2,2-tetrachloroethane	0.544	0.512	5.9	97	0.00	7.10
101		trans-1,4-dichloro-2-bute	0.158	0.087	44.9#	60	0.00	7.13
102		1,2,3-trichloropropane	0.179	0.163	8.9	94	0.00	7.15
103		n-propylbenzene	2.270	1.952	14.0	90	0.00	7.19
104		2-chlorotoluene	0.504	0.439	12.9	91	0.00	7.26
105		4-chlorotoluene	1.322	1.119	15.4	90	0.00	7.36
106		1,3,5-trimethylbenzene	1.482	1.291	12.9	90	0.00	7.33
107		tert-butylbenzene	1.442	1.235	14.4	90	0.00	7.57
108		1,2,4-trimethylbenzene	1.501	1.265	15.7	89	0.00	7.61
109		sec-butylbenzene	1.983	1.743	12.1	91	0.00	7.73
110		1,3-dichlorobenzene	0.982	0.848	13.6	92	0.00	7.83
111		p-isopropyltoluene	1.681	1.482	11.8	91	0.00	7.85
112		1,4-dichlorobenzene	1.012	0.868	14.2	92	0.00	7.90
113		1,2-dichlorobenzene	0.918	0.805	12.3	91	0.00	8.16
114		benzyl chloride	0.812	0.821	-1.1	103	0.00	7.98
115		n-butylbenzene	0.739	0.657	11.1	92	0.00	8.13
116		1,2-dibromo-3-chloropropa	0.163	0.144	11.7	92	0.00	8.69
117		1,3,5-trichlorobenzene	0.590	0.524	11.2	94	0.00	8.81
118		hexachlorobutadiene	0.210	0.193	8.1	96	0.00	9.30
119		naphthalene	1.931	1.711	11.4	97	0.00	9.38
120		1,2,4-trichlorobenzene	0.514	0.455	11.5	96	0.00	9.22
121	m	1,2,3-trichlorobenzene	0.501	0.441	12.0	94	0.00	9.52

			True	Calc.	% Drift			
122		hexachloroethane	20.000	13.672	31.6#	80	0.00	8.35

			AvgRF	CCRF	% Dev			
123		2-methylnaphthalene	0.943	0.850	9.9	95	0.00	10.11

(#) = Out of Range SPCC's out = 0 CCC's out = 0
1X200560.D M1X8636.M Mon Oct 03 06:32:49 2022

Continuing Calibration Summary

Job Number: JD52514 **Sample:** V1X8640-CC8636
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1X200674.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\lu...22\v1x8640\1x200674.d Vial: 36
Acq On : 30 Sep 2022 9:48 pm Operator: taylors
Sample : CC8636-50 Inst : ACC-VOA-MSX
Misc : MS62505,V1X8640,5,,,,1 Multiplr: 1.00
MS Integration Params: RTEINT.P

Method : C:\MSDCHEM\1\METHODS\M1X8636.M (RTE Integrator)
Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
Last Update : Thu Sep 29 10:06:17 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	tert butyl alcohol-d9	1.000	1.000	0.0	102	0.00	2.45
2		ethanol	0.048	0.054	-12.5	121	0.01	1.95
3		tertiary butyl alcohol	0.756	0.752	0.5	102	0.00	2.50
4		1,4-dioxane	0.060	0.063	-5.0	102	0.00	4.39
5	I	pentafluorobenzene	1.000	1.000	0.0	108	0.00	3.51
6		chlorodifluoromethane	0.426	0.251	41.1#	66	0.00	1.26
7		dichlorodifluoromethane	0.400	0.349	12.8	93	0.00	1.24
8		chloromethane	0.418	0.351	16.0	91	0.00	1.37
9		vinyl chloride	0.441	0.390	11.6	93	0.00	1.44
10		bromomethane	0.061	0.044	27.9#	68	0.00	1.64
11		chloroethane	0.195	0.162	16.9	95	0.00	1.71
12		trichlorofluoromethane	0.578	0.508	12.1	88	0.00	1.86
13		1,3-butadiene	0.352	0.349	0.9	106	0.00	1.46
14		ethyl ether	0.147	0.111	24.5#	80	0.00	2.03
15		acrolein	0.083	0.072	13.3	88	0.00	2.11
16		1,1-dichloroethene	0.279	0.203	27.2#	76	0.00	2.18
17		freon 113	0.340	0.255	25.0#	80	0.00	2.17
18		acetone	0.047	0.038	19.1	88	0.00	2.19
19		acetonitrile	0.066	0.055	16.7	94	0.00	2.36
20		iodomethane	0.128	0.099	22.7#	55	0.00	2.27
21		carbon disulfide	0.701	0.463	34.0#	69	0.00	2.32
22		methylene chloride	0.271	0.208	23.2#	83	0.00	2.47
23		methyl acetate	0.385	0.313	18.7	86	0.00	2.37
24		methyl tert butyl ether	0.806	0.653	19.0	85	0.00	2.61
25		acrylonitrile	0.179	0.160	10.6	93	0.00	2.59
26		trans-1,2-dichloroethene	0.302	0.234	22.5#	83	0.00	2.63
27		hexane	0.477	0.347	27.3#	79	0.00	2.78
28		di-isopropyl ether	1.005	0.848	15.6	89	0.00	2.88
29		2-butanone	0.052	0.048	7.7	93	0.00	3.20
30		1,1-dichloroethane	0.524	0.416	20.6#	85	0.00	2.88
31		chloroprene	0.496	0.401	19.2	83	0.00	2.93
32		vinyl acetate	0.058	0.052	10.3	87	0.00	2.87
33		ethyl tert-butyl ether	0.897	0.764	14.8	89	0.00	3.10
34		ethyl acetate	0.079	0.072	8.9	92	0.00	3.21
35		2,2-dichloropropane	0.435	0.335	23.0#	83	0.00	3.23
36		cis-1,2-dichloroethene	0.326	0.262	19.6	86	0.00	3.22
37		methyl acrylate	0.493	0.447	9.3	93	0.00	3.25
38		propionitrile	0.075	0.068	9.3	97	0.00	3.24
39		tert-butyl formate	0.196	0.176	10.2	88	0.00	3.43
40		bromochloromethane	0.166	0.135	18.7	89	0.00	3.37
41		tetrahydrofuran	0.167	0.140	16.2	90	0.00	3.37

Continuing Calibration Summary

Job Number: JD52514 **Sample:** V1X8640-CC8636
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1X200674.D
Project: EPT, Ithaca, NY

42		chloroform	0.541	0.433	20.0	89	0.00	3.42
43	S	dibromofluoromethane (s)	0.472	0.443	6.1	102	0.00	3.52
44		methacrylonitrile	0.156	0.145	7.1	94	0.00	3.34
45		1,1,1-trichloroethane	0.517	0.414	19.9	85	0.00	3.53
46		cyclohexane	0.473	0.406	14.2	92	0.00	3.59
47	m	tert amyl alcohol	0.027	0.027	0.0	109	0.00	3.73
48		1,1-dichloropropene	0.425	0.344	19.1	86	0.00	3.63
49		isobutyl alcohol	0.007	0.006	14.3	94	0.00	3.82
50		carbon tetrachloride	0.457	0.361	21.0#	81	0.00	3.63
51		isopropyl acetate	0.073	0.071	2.7	94	0.00	3.75
52	I	1,4-difluorobenzene	1.000	1.000	0.0	104	0.00	4.01
53	S	1,2-dichloroethane-d4 (s)	0.382	0.367	3.9	103	0.00	3.74
54		iso-octane	0.694	0.562	19.0	85	0.00	3.82
55		epichlorohydrin	0.035	0.035	0.0	97	0.00	4.73
56		n-butyl alcohol	0.011	0.012	-9.1	103	0.00	4.06
57		benzene	0.839	0.690	17.8	88	0.00	3.76
58		tert-amyl methyl ether	0.553	0.518	6.3	92	0.00	3.82
59		heptane	0.125	0.102	18.4	85	0.00	3.92
60		1,2-dichloroethane	0.316	0.261	17.4	90	0.00	3.78
61		trichloroethene	0.261	0.227	13.0	88	0.00	4.17
62	m	ethyl acrylate	0.341	0.345	-1.2	98	0.00	4.20
63		2-nitropropane	0.084	0.083	1.2	94	0.00	4.65
64		2-chloroethyl vinyl ether	0.145	0.144	0.7	96	0.00	4.69
65		methyl methacrylate	0.068	0.068	0.0	97	0.00	4.35
66		1,2-dichloropropane	0.082	0.076	7.3	93	0.00	4.34
67		dibromomethane	0.142	0.123	13.4	92	0.00	4.40
68		methylcyclohexane	0.352	0.297	15.6	85	0.00	4.33
69		bromodichloromethane	0.242	0.228	5.8	91	0.00	4.51
70		cis-1,3-dichloropropene	0.281	0.267	5.0	90	0.00	4.81
71		4-methyl-2-pentanone	0.115	0.119	-3.5	101	0.00	4.89
72		3-methyl-1-butanol	0.009	0.010	-11.1	104	0.00	4.92
73	I	chlorobenzene-d5	1.000	1.000	0.0	106	0.01	6.08
74	S	toluene-d8 (s)	1.196	1.190	0.5	106	0.00	5.00
75		toluene	0.547	0.491	10.2	94	0.00	5.05
76		trans-1,3-dichloropropene	0.274	0.262	4.4	91	0.00	5.20
77		ethyl methacrylate	0.276	0.274	0.7	98	0.00	5.23
78		1,1,2-trichloroethane	0.166	0.160	3.6	98	0.00	5.35
79		tetrachloroethene	0.220	0.199	9.5	94	0.00	5.43
80		1,3-dichloropropane	0.318	0.293	7.9	96	0.00	5.48
81		2-hexanone	0.129	0.129	0.0	101	0.00	5.49
82		butyl acetate	0.183	0.175	4.4	99	0.00	5.57
83		dibromochloromethane	0.218	0.217	0.5	92	0.00	5.64
84		1,2-dibromoethane	0.221	0.216	2.3	95	0.00	5.74
85	m	n-butyl ether	0.887	0.818	7.8	94	0.00	6.15
86		chlorobenzene	0.621	0.572	7.9	97	0.00	6.11
87		1,1,1,2-tetrachloroethane	0.214	0.212	0.9	95	0.00	6.17
88		ethylbenzene	1.049	0.947	9.7	96	0.00	6.17
89		m,p-xylene	0.413	0.373	9.7	94	0.00	6.27
90		o-xylene	0.784	0.717	8.5	95	0.00	6.58
91		styrene	0.665	0.620	6.8	96	0.00	6.59
92		butyl acrylate	0.450	0.453	-0.7	97	0.00	6.52
93		n-amyl acetate	0.150	0.151	-0.7	97	0.00	6.69
94		bromoform	0.145	0.151	-4.1	93	0.00	6.75
95		isopropylbenzene	1.022	0.958	6.3	96	0.00	6.87
			True	Calc.	% Drift			
96		cis-1,4-dichloro-2-butene	50.000	23.014	54.0#	47	0.00	6.91

Continuing Calibration Summary

Job Number: JD52514 **Sample:** V1X8640-CC8636
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1X200674.D
Project: EPT, Ithaca, NY

			AvgRF	CCRF	% Dev			
97	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	105	0.00	7.89
98	S	4-bromofluorobenzene (s)	0.868	0.850	2.1	104	0.00	7.01
99		bromobenzene	0.549	0.511	6.9	96	0.00	7.13
100		1,1,2,2-tetrachloroethane	0.544	0.576	-5.9	103	0.00	7.11
101		trans-1,4-dichloro-2-bute	0.158	0.089	43.7#	54	0.00	7.14
102		1,2,3-trichloropropane	0.179	0.182	-1.7	101	0.00	7.16
103		n-propylbenzene	2.270	2.111	7.0	96	0.01	7.20
104		2-chlorotoluene	0.504	0.473	6.2	96	0.00	7.27
105		4-chlorotoluene	1.322	1.234	6.7	96	0.00	7.37
106		1,3,5-trimethylbenzene	1.482	1.423	4.0	97	0.00	7.33
107		tert-butylbenzene	1.442	1.366	5.3	97	0.00	7.57
108		1,2,4-trimethylbenzene	1.501	1.425	5.1	98	0.00	7.62
109		sec-butylbenzene	1.983	1.915	3.4	97	0.00	7.74
110		1,3-dichlorobenzene	0.982	0.928	5.5	97	0.00	7.84
111		p-isopropyltoluene	1.681	1.635	2.7	98	0.00	7.85
112		1,4-dichlorobenzene	1.012	0.938	7.3	96	0.01	7.91
113		1,2-dichlorobenzene	0.918	0.897	2.3	99	0.00	8.16
114		benzyl chloride	0.812	0.836	-3.0	93	0.00	7.98
115		n-butylbenzene	0.739	0.716	3.1	97	0.00	8.14
116		1,2-dibromo-3-chloropropa	0.163	0.171	-4.9	98	0.00	8.69
117		1,3,5-trichlorobenzene	0.590	0.565	4.2	97	0.00	8.82
118		hexachlorobutadiene	0.210	0.210	0.0	102	0.00	9.31
119		naphthalene	1.931	1.908	1.2	103	0.00	9.39
120		1,2,4-trichlorobenzene	0.514	0.505	1.8	100	0.00	9.22
121	m	1,2,3-trichlorobenzene	0.501	0.499	0.4	101	0.00	9.53

		True	Calc.	% Drift			
122	hexachloroethane	50.000	41.446	17.1	88	0.01	8.36

		AvgRF	CCRF	% Dev			
123	2-methylnaphthalene	0.943	1.010	-7.1	100	0.00	10.12

(#) = Out of Range SPCC's out = 0 CCC's out = 0
1X200562.D M1X8636.M Tue Oct 04 01:57:49 2022

Initial Calibration Summary

Job Number: JD52514 **Sample:** V2A9511-ICC9511
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A218788.D
Project: EPT, Ithaca, NY

Response Factor Report GCMS2A

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
Last Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Calibration Files
4 =2A218785.D 8 =2A218786.D 0.5 =2A218782.D 50 =2A218788.D
100 =2A218789.D 1 =2A218783.D 200 =2A218790.D 20 =2A218787.D
2 =2A218784.D 0.2 =2A218781.D = =

Compound	4	8	0.5	50	100	1	200	20	2	0.2	Avg	%RSD
1) I tert butyl alcohol-d9	----------ISTD----------											
2) ethanol	0.120	0.117		0.121	0.134	0.120	0.134	0.117	0.110		0.122	6.95
3) tertiary butyl alcohol	1.168	1.193		1.217	1.273	1.227	1.234	1.165	1.350		1.228	4.94
4) 1,4-dioxane	0.086	0.089		0.092	0.096	0.068	0.094	0.085	0.079		0.086	10.61
5) I pentafluorobenzene	----------ISTD----------											
6) chlorodifluoromethane	0.751	0.738	0.643	0.665	0.665	0.679	0.618	0.653	0.725		0.682	6.72
7) dichlorodifluoromethane	0.722	0.699	0.565	0.680	0.664	0.696	0.637	0.671	0.710		0.672	7.06
8) chloromethane	0.915	0.867	0.962	0.820	0.809	0.904	0.736	0.812	0.996		0.869	9.53
9) vinyl chloride	0.704	0.677	0.606	0.658	0.651	0.694	0.610	0.641	0.738		0.665	6.56
10) 1,3-butadiene	0.640	0.614	0.689	0.550	0.542	0.589	0.499	0.569	0.636		0.592	9.92
11) bromomethane	0.407	0.372	0.436	0.376	0.387	0.397	0.373	0.361	0.417		0.392	6.24
12) chloroethane	0.333	0.307	0.288	0.315	0.324	0.311	0.317	0.305	0.331		0.315	4.46
13) trichlorofluoromethane	0.806	0.760	0.657	0.759	0.759	0.724	0.732	0.744	0.838	0.669	0.745	7.36
14) ethyl ether	0.239	0.237	0.236	0.231	0.239	0.230	0.232	0.230	0.262		0.237	4.16
15) acrolein	0.087	0.108		0.110	0.114	0.109	0.112	0.098	0.111		0.106	8.58
16) freon 113	0.369	0.354	0.409	0.339	0.340	0.337	0.330	0.330	0.377		0.354	7.53
17) 1,1-dichloroethene	0.386	0.382	0.403	0.357	0.359	0.356	0.340	0.352	0.403		0.371	6.25
18) acetone	0.197	0.194	0.213	0.181	0.188	0.195	0.176	0.180	0.207		0.192	6.53
19) acetonitrile	0.085	0.079	0.077	0.077	0.080	0.079	0.076	0.076	0.085		0.079	4.41
20) iodomethane	0.766	0.750	0.789	0.701	0.707	0.684	0.667	0.692	0.746	0.738	0.724	5.45
21) carbon disulfide	1.277	1.276	1.318	1.194	1.194	1.229	1.096	1.169	1.308		1.229	5.92
22) methylene chloride	0.451	0.431	0.543	0.412	0.422	0.433	0.398	0.402	0.464		0.440	10.09
23) methyl acetate												

```
      0.490 0.513 0.470 0.476 0.493 0.432 0.463 0.468 0.508        0.479    5.17
24)  methyl tert butyl ether
      1.373 1.341 1.462 1.257 1.275 1.298 1.166 1.250 1.415 1.391  1.323    6.79
25)  trans-1,2-dichloroethene
      0.426 0.417 0.471 0.399 0.403 0.429 0.383 0.392 0.464        0.420    7.33
26)  hexane
      0.763 0.763 0.802 0.708 0.712 0.706 0.677 0.716 0.772 0.853  0.747    7.13
27)  di-isopropyl ether
      1.920 1.914 1.844 1.790 1.776 1.729 1.573 1.786 1.963 2.017  1.831    7.07
28)  ethyl tert-butyl ether
      1.665 1.636 1.598 1.563 1.557 1.555 1.404 1.536 1.672 1.752  1.594    5.96
29)  2-butanone
      0.052 0.051       0.053 0.057 0.045 0.054 0.050 0.053        0.052    6.22
30)  1,1-dichloroethane
      0.818 0.847 0.885 0.792 0.807 0.798 0.752 0.781 0.861 0.880  0.822    5.40
31)  chloroprene
      0.800 0.831 0.737 0.784 0.798 0.735 0.744 0.770 0.796 0.811  0.781    4.22
32)  acrylonitrile
      0.211 0.214       0.217 0.229 0.185 0.222 0.211 0.207        0.212    6.14
33)  vinyl acetate
      0.075 0.086       0.080 0.091 0.054 0.087 0.075 0.072        0.078   15.02
34)  ethyl acetate
      0.100 0.106       0.097 0.103 0.069 0.100 0.092 0.101        0.096   11.99
35)  2,2-dichloropropane
      0.672 0.676 0.758 0.624 0.629 0.644 0.589 0.597 0.659 0.720  0.657    8.04
36)  cis-1,2-dichloroethene
      0.469 0.479 0.567 0.444 0.451 0.453 0.428 0.430 0.498 0.405  0.462    9.86
37)  propionitrile
      0.081 0.081 0.076 0.079 0.082 0.075 0.075 0.077 0.086        0.079    4.93
38)  bromochloromethane
      0.311 0.323 0.301 0.307 0.310 0.302 0.294 0.297 0.322        0.307    3.27
39)  tetrahydrofuran
      0.235 0.216       0.194 0.204 0.262 0.193 0.197 0.254        0.219   12.58
40)  chloroform
      0.849 0.849 1.116 0.791 0.788 0.876 0.720 0.777 0.921        0.854   13.46
41)  tert-butyl formate  *This compound fails initial calibration criteria.*
      0.419 0.416 0.397 0.439 0.476 0.371 0.451 0.415 0.393 0.376  0.415    8.00
42)  isobutyl alcohol
      0.031 0.034       0.035 0.035 0.030 0.032 0.031 0.038        0.033    8.27
43)  dibromofluoromethane (s)
      0.473 0.472 0.469 0.475 0.465 0.473 0.470 0.470 0.474 0.465  0.471    0.75
44)  methacrylonitrile
      0.204 0.194       0.196 0.208 0.183 0.200 0.190 0.197        0.196    3.97
45)  1,1,1-trichloroethane
      0.786 0.754 0.792 0.728 0.734 0.731 0.676 0.717 0.787 0.712  0.742    5.09
46)  cyclohexane
      0.658 0.626 0.566 0.620 0.633 0.614 0.605 0.602 0.704 0.570  0.620    6.51
47)  1,1-dichloropropene
      0.612 0.619 0.649 0.571 0.583 0.543 0.539 0.563 0.630 0.663  0.597    7.32
48)  tert-amyl alcohol
      0.034 0.033       0.030 0.033 0.036 0.032 0.031 0.037        0.033    6.50
49)  carbon tetrachloride
      0.691 0.704 0.721 0.657 0.668 0.638 0.615 0.633 0.699 0.670  0.669    5.14

50) I   1,4-difluorobenzene   ----------------ISTD---------------------
51)  1,2-dichloroethane-d4 (s)
      0.464 0.465 0.464 0.466 0.465 0.463 0.463 0.465 0.467 0.467  0.465    0.29
52)  2,2,4-trimethylpentane
      1.456 1.485 1.387 1.354 1.365 1.393 1.208 1.388 1.467 1.549  1.405    6.59
53)  tert-amyl methyl ether
```

```
      1.069 1.049 1.090 0.994 0.998 1.015 0.883 0.984 1.072 1.144  1.030    6.99
54)  n-butyl alcohol
      0.012 0.013 0.012 0.013 0.014 0.011 0.013 0.013 0.015        0.013    9.53
55)  benzene
      1.247 1.259 1.223 1.169 1.162 1.186 1.016 1.167 1.234 1.200  1.186    5.82
56)  heptane
      0.288 0.300 0.286 0.288 0.292 0.284 0.279 0.282 0.309 0.257  0.287    4.76
57)  isopropyl acetate
      0.071 0.078       0.072 0.079 0.074 0.075 0.071 0.076        0.074    4.50
58)  1,2-dichloroethane
      0.552 0.570 0.651 0.525 0.535 0.569 0.486 0.522 0.607        0.557    8.86
59)  trichloroethene
      0.350 0.351 0.374 0.332 0.337 0.325 0.315 0.321 0.350 0.336  0.339    5.15
60)  ethyl acrylate
      0.549 0.557 0.538 0.555 0.578 0.483 0.524 0.542 0.522        0.539    5.04
61)  2-nitropropane
      0.130 0.141       0.146 0.157 0.135 0.146 0.136 0.141        0.142    5.88
62)  2-chloroethyl vinyl ether
      0.105 0.124       0.159 0.185       0.173 0.139 0.086        0.139   26.10
            ----- Linear regression -----  Coefficient =  0.9963
              Response Ratio = -0.02656 + 0.17526 *A

63)  methyl methacrylate
      0.085 0.091       0.089 0.096 0.065 0.091 0.084 0.081        0.085   11.07
64)  1,2-dichloropropane
      0.373 0.371 0.347 0.344 0.355 0.344 0.333 0.334 0.367        0.352    4.33
65)  methylcyclohexane
      0.584 0.569 0.521 0.540 0.553 0.561 0.517 0.539 0.575 0.591  0.555    4.57
66)  dibromomethane
      0.227 0.228 0.268 0.218 0.228 0.203 0.213 0.219 0.248 0.259  0.231    9.02
67)  bromodichloromethane
      0.483 0.498 0.512 0.471 0.485 0.455 0.442 0.456 0.474 0.509  0.478    4.90
68)  epichlorohydrin
      0.042 0.043       0.044 0.046 0.032 0.043 0.042 0.045        0.042   10.18
69)  cis-1,3-dichloropropene
      0.543 0.547 0.531 0.533 0.545 0.494 0.490 0.525 0.538 0.489  0.524    4.49
70)  4-methyl-2-pentanone
      0.167 0.172 0.167 0.167 0.173 0.153 0.156 0.162 0.179 0.165  0.166    4.75
71)  3-methyl-1-butanol
      0.011 0.011 0.008 0.011 0.012 0.008 0.011 0.010 0.010        0.010   12.91

72) I   chlorobenzene-d5      ----------------ISTD---------------------
73)  toluene-d8 (s)
      1.227 1.234 1.225 1.230 1.230 1.221 1.208 1.235 1.226 1.213  1.225    0.72
74)  toluene
      0.821 0.818 0.847 0.772 0.781 0.749 0.697 0.772 0.843 0.842  0.794    6.14
75)  trans-1,3-dichloropropene
      0.562 0.564 0.505 0.537 0.547 0.483 0.494 0.521 0.535 0.516  0.527    5.22
76)  ethyl methacrylate
      0.466 0.486 0.396 0.473 0.488 0.380 0.442 0.473 0.463        0.452    8.63
77)  1,1,2-trichloroethane
      0.285 0.286 0.285 0.272 0.277 0.262 0.254 0.271 0.279 0.260  0.273    4.19
78)  2-hexanone
      0.171 0.172 0.163 0.168 0.175 0.151 0.153 0.167 0.175        0.166    5.31
79)  tetrachloroethene
      0.405 0.405 0.461 0.376 0.383 0.387 0.354 0.370 0.432 0.383  0.395    7.99
80)  1,3-dichloropropane
      0.529 0.537 0.537 0.502 0.512 0.491 0.466 0.490 0.556 0.620  0.524    8.23
81)  butyl acetate
      0.277 0.294 0.266 0.290 0.306 0.277 0.280 0.291 0.287        0.285    4.10
```

Initial Calibration Summary

Job Number: JD52514 **Sample:** V2A9511-ICC9511
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A218788.D
Project: EPT, Ithaca, NY

82) dibromochloromethane
0.408 0.412 0.395 0.405 0.420 0.371 0.386 0.395 0.392 0.402 0.399 3.54
83) 1,2-dibromoethane
0.356 0.357 0.327 0.341 0.351 0.315 0.322 0.332 0.352 0.329 0.338 4.50
84) n-butyl ether
1.704 1.719 1.673 1.569 1.475 1.517 1.145 1.589 1.695 1.653 1.574 10.92
85) chlorobenzene
0.923 0.930 0.930 0.858 0.844 0.849 0.728 0.872 0.917 0.811 0.866 7.41
86) 1,1,1,2-tetrachloroethane
0.355 0.366 0.380 0.345 0.358 0.331 0.334 0.340 0.353 0.321 0.348 5.11
87) ethylbenzene
1.624 1.614 1.615 1.444 1.352 1.475 1.064 1.474 1.625 1.606 1.489 11.92
88) m,p-xylene
0.609 0.613 0.609 0.569 0.571 0.555 0.500 0.570 0.616 0.576 0.579 6.13
89) o-xylene
1.324 1.305 1.265 1.188 1.148 1.180 0.934 1.196 1.290 1.325 1.216 9.73
90) styrene
0.982 1.029 0.918 0.965 0.961 0.854 0.812 0.962 1.013 0.924 0.942 7.17
91) n-amyl acetate
0.246 0.256 0.211 0.258 0.271 0.218 0.253 0.250 0.251 0.246 7.87
92) bromoform
0.290 0.292 0.283 0.307 0.321 0.245 0.295 0.285 0.286 0.263 0.287 7.37
93) butyl acrylate
0.891 0.914 0.725 0.896 0.898 0.699 0.754 0.892 0.877 0.838 10.24
94) isopropylbenzene
1.543 1.593 1.545 1.452 1.359 1.388 1.080 1.480 1.587 1.471 1.450 10.47
95) cis-1,4-dichloro-2-butene
0.145 0.156 0.144 0.175 0.186 0.113 0.173 0.163 0.148 0.156 13.80

96) I 1,4-dichlorobenzene-d ----------ISTD----------
97) 4-bromofluorobenzene (s)
0.926 0.938 0.933 0.918 0.912 0.935 0.922 0.924 0.918 0.922 0.925 0.91
98) bromobenzene
0.799 0.827 0.884 0.758 0.771 0.739 0.709 0.751 0.822 0.943 0.800 8.90
99) 1,1,2,2-tetrachloroethane
0.889 0.883 0.885 0.836 0.843 0.822 0.761 0.838 0.884 0.856 0.850 4.66
100) trans-1,4-dichloro-2-butene
0.281 0.290 0.295 0.318 0.224 0.300 0.285 0.271 0.283 9.78
101) 1,2,3-trichloropropane
0.238 0.222 0.219 0.215 0.226 0.200 0.211 0.214 0.224 0.219 4.83
102) n-propylbenzene
3.535 3.580 3.477 3.142 2.874 3.246 2.209 3.236 3.521 3.271 3.209 12.87
103) 2-chlorotoluene
0.719 0.733 0.669 0.686 0.697 0.654 0.647 0.671 0.701 0.807 0.699 6.74
104) 4-chlorotoluene
2.204 2.197 2.184 1.973 1.899 2.011 1.608 2.021 2.227 2.086 2.041 9.26
105) 1,3,5-trimethylbenzene
2.363 2.452 2.420 2.209 2.113 2.139 1.728 2.208 2.428 2.232 2.229 9.66
106) tert-butylbenzene
2.055 2.080 2.065 1.908 1.842 1.862 1.587 1.876 2.014 2.021 1.931 7.82
107) 1,2,4-trimethylbenzene
2.447 2.503 2.402 2.249 2.131 2.191 1.738 2.272 2.398 2.373 2.270 9.72
108) sec-butylbenzene
3.127 3.179 3.030 2.864 2.678 2.799 2.113 2.889 3.159 2.956 2.879 10.93
109) 1,3-dichlorobenzene
1.481 1.505 1.543 1.387 1.369 1.416 1.203 1.395 1.557 1.408 1.426 7.25
110) p-isopropyltoluene
2.609 2.680 2.558 2.430 2.301 2.363 1.866 2.449 2.580 2.718 2.455 10.07
111) benzyl chloride
1.409 1.496 1.344 1.496 1.507 1.203 1.306 1.424 1.399 1.398 7.21

Initial Calibration Summary

Job Number: JD52514 **Sample:** V2A9511-ICC9511
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A218788.D
Project: EPT, Ithaca, NY

```
112)  1,2,3-trimethylbenzene
       2.465 2.503 2.650 2.286 2.164 2.242 1.744 2.301 2.522 2.539  2.341   11.13
113)  1,4-dichlorobenzene
       1.534 1.543 1.454 1.419 1.413 1.497 1.227 1.399 1.584 1.762  1.483    9.44
114)  1,2-dichlorobenzene
       1.452 1.500 1.429 1.384 1.356 1.388 1.173 1.381 1.484 1.395  1.394    6.51
115)  n-butylbenzene
       1.354 1.417 1.295 1.328 1.321 1.202 1.155 1.316 1.416 1.255  1.306    6.44
116)  1,2-dibromo-3-chloropropane
       0.167 0.206 0.157 0.198 0.208 0.154 0.195 0.188 0.188        0.184   10.96
117)  1,3,5-trichlorobenzene
       1.140 1.148 1.116 1.094 1.082 1.032 0.955 1.064 1.144 1.120  1.090    5.53
118)  1,2,4-trichlorobenzene
       0.983 1.000 0.897 0.981 0.989 0.848 0.881 0.962 0.968 0.862  0.937    6.21
119)  hexachlorobutadiene
       0.518 0.529 0.451 0.486 0.503 0.469 0.464 0.483 0.507 0.413  0.482    7.16
120)  naphthalene
       2.332 2.429 1.960 2.388 2.334 2.078 1.906 2.348 2.344 2.209  2.233    8.37
121)  1,2,3-trichlorobenzene
       0.922 0.936 0.859 0.924 0.936 0.789 0.843 0.900 0.949 0.765  0.882    7.41
122)  hexachloroethane
       0.396 0.448 0.353 0.445 0.463 0.331 0.436 0.415 0.395 0.337  0.402   11.91
123)  2-methylnaphthalene
       0.967 1.086       1.269 1.387       1.276 1.124 0.858        1.138   16.39

124)     pentafluorobenzene(a) ----------------ISTD---------------------
125)  vinyl bromide
                                                                     0.000   -1.00
 ---------------------------------------------------------------------------
 (#) = Out of Range  ###  Number of calibration levels exceeded format  ###

           M2A9511.M         Mon Aug 01 15:19:14 2022   MS2A
```

Initial Calibration Verification

Job Number: JD52514 **Sample:** V2A9511-ICV9511
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A218793.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\MSDChem\1\DATA\V2A9511\2A218793.D Vial: 14
Acq On : 31 Jul 2022 11:03 pm Operator: PrashanS
Sample : ICV9511-50 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
Last Update : Mon Aug 01 15:13:00 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1 I	tert butyl alcohol-d9	1.000	1.000	0.0	104	0.00	7.25
2	ethanol	0.122	0.123	-0.8	105	0.00	5.98
3	tertiary butyl alcohol	1.228	1.271	-3.5	108	0.01	7.37
4	1,4-dioxane	0.086	0.093	-8.1	105	0.00	11.08
5 I	pentafluorobenzene	1.000	1.000	0.0	104	0.00	9.51
6	chlorodifluoromethane		----------NA----------				
7	dichlorodifluoromethane	0.672	0.654	2.7	100	0.00	3.96
8	chloromethane	0.869	0.753	13.3	96	0.00	4.35
9	vinyl chloride	0.665	0.652	2.0	103	0.00	4.57
10	1,3-butadiene	0.592	0.676	-14.2	128	0.00	4.62
11	bromomethane	0.392	0.394	-0.5	109	0.00	5.19
12	chloroethane	0.315	0.337	-7.0	112	0.00	5.36
13	trichlorofluoromethane	0.745	0.773	-3.8	106	0.00	5.79
14	ethyl ether	0.237	0.234	1.3	106	0.00	6.19
15	acrolein	0.106	0.109	-2.8	104	0.00	6.41
16	freon 113	0.354	0.342	3.4	105	0.00	6.61
17	1,1-dichloroethene	0.371	0.364	1.9	106	0.00	6.60
18	acetone	0.192	0.181	5.7	104	0.00	6.61
19	acetonitrile	0.079	0.068	13.9	92	0.00	7.02
20	iodomethane	0.724	0.703	2.9	105	0.00	6.85
21	carbon disulfide	1.229	1.255	-2.1	110	0.00	6.98
22	methylene chloride	0.440	0.430	2.3	109	0.00	7.31
23	methyl acetate	0.479	0.510	-6.5	112	0.00	7.06
24	methyl tert butyl ether	1.323	1.315	0.6	109	0.00	7.66
25	trans-1,2-dichloroethene	0.420	0.410	2.4	107	0.00	7.69
26	hexane	0.747	0.816	-9.2	120	0.00	8.04
27	di-isopropyl ether	1.831	1.763	3.7	103	0.00	8.25
28	ethyl tert-butyl ether	1.594	1.501	5.8	100	0.00	8.71
29	2-butanone	0.052	0.056	-7.7	111	0.00	8.90
30	1,1-dichloroethane	0.822	0.799	2.8	105	0.00	8.26
31	chloroprene	0.781	0.851	-9.0	113	0.00	8.36
32	acrylonitrile	0.212	0.221	-4.2	106	0.00	7.59
33	vinyl acetate	0.078	0.075	3.8	97	0.00	8.20
34	ethyl acetate	0.096	0.099	-3.1	106	0.00	8.92
35	2,2-dichloropropane	0.657	0.592	9.9	99	0.00	9.00
36	cis-1,2-dichloroethene	0.462	0.447	3.2	105	0.00	8.97
37	propionitrile	0.079	0.077	2.5	102	0.00	8.98
38	bromochloromethane	0.307	0.305	0.7	104	0.00	9.26
39	tetrahydrofuran	0.219	0.194	11.4	104	0.00	9.28
40	chloroform	0.854	0.798	6.6	105	0.00	9.35
41	tert-butyl formate	0.415	0.265	36.1#	63	0.00	9.39

Initial Calibration Verification

Job Number: JD52514 **Sample:** V2A9511-ICV9511
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A218793.D
Project: EPT, Ithaca, NY

42		isobutyl alcohol	0.033	0.031	6.1	94	0.00	9.75
43	S	dibromofluoromethane (s)	0.471	0.466	1.1	102	0.00	9.54
44		methacrylonitrile	0.196	0.206	-5.1	110	0.00	9.17
45		1,1,1-trichloroethane	0.742	0.738	0.5	106	0.00	9.60
46		cyclohexane	0.620	0.638	-2.9	107	0.00	9.72
47		1,1-dichloropropene	0.597	0.591	1.0	108	0.00	9.78
48		tert-amyl alcohol	0.033	0.030	9.1	105	0.00	9.91
49		carbon tetrachloride	0.669	0.674	-0.7	107	0.00	9.80
50	I	1,4-difluorobenzene	1.000	1.000	0.0	105	0.00	10.44
51	S	1,2-dichloroethane-d4 (s)	0.465	0.462	0.6	104	0.00	9.95
52		2,2,4-trimethylpentane	1.405	1.362	3.1	105	0.00	10.12
53		tert-amyl methyl ether	1.030	0.929	9.8	98	0.00	10.11
54		n-butyl alcohol	0.013	0.014	-7.7	107	0.00	10.50
55		benzene	1.186	1.184	0.2	106	0.00	10.02
56		heptane	0.287	0.310	-8.0	113	0.00	10.28
57		isopropyl acetate	0.074	0.076	-2.7	112	0.00	9.94
58		1,2-dichloroethane	0.557	0.532	4.5	106	0.00	10.04
59		trichloroethene	0.339	0.337	0.6	106	0.00	10.74
60		ethyl acrylate	0.539	0.551	-2.2	104	0.00	10.74
61		2-nitropropane	0.142	0.149	-4.9	107	0.00	11.50
		----------	True	Calc.	% Drift	----------		
62		2-chloroethyl vinyl ether	250.000	230.489	7.8	103	0.00	11.54
		----------	AvgRF	CCRF	% Dev	----------		
63		methyl methacrylate	0.085	0.091	-7.1	107	0.00	11.01
64		1,2-dichloropropane	0.352	0.346	1.7	105	0.00	11.03
65		methylcyclohexane	0.555	0.566	-2.0	110	0.00	11.04
66		dibromomethane	0.231	0.223	3.5	107	0.00	11.14
67		bromodichloromethane	0.478	0.477	0.2	106	0.00	11.30
68		epichlorohydrin	0.042	0.042	0.0	100	0.00	11.62
69		cis-1,3-dichloropropene	0.524	0.536	-2.3	105	0.00	11.75
70		4-methyl-2-pentanone	0.166	0.167	-0.6	105	0.00	11.86
71		3-methyl-1-butanol	0.010	0.011	-10.0	108	0.00	11.87
72	I	chlorobenzene-d5	1.000	1.000	0.0	103	0.00	13.56
73	S	toluene-d8 (s)	1.225	1.239	-1.1	104	0.00	12.06
74		toluene	0.794	0.802	-1.0	107	0.00	12.14
75		trans-1,3-dichloropropene	0.527	0.544	-3.2	104	0.00	12.32
76		ethyl methacrylate	0.452	0.479	-6.0	104	0.00	12.31
77		1,1,2-trichloroethane	0.273	0.277	-1.5	105	0.00	12.54
78		2-hexanone	0.166	0.171	-3.0	105	0.00	12.71
79		tetrachloroethene	0.395	0.387	2.0	106	0.00	12.68
80		1,3-dichloropropane	0.524	0.510	2.7	104	0.00	12.72
81		butyl acetate	0.285	0.313	-9.8	111	0.00	12.79
82		dibromochloromethane	0.399	0.417	-4.5	106	0.00	12.96
83		1,2-dibromoethane	0.338	0.355	-5.0	107	0.00	13.11
84		n-butyl ether	1.574	1.571	0.2	103	0.00	13.56
85		chlorobenzene	0.866	0.874	-0.9	105	0.00	13.59
86		1,1,1,2-tetrachloroethane	0.348	0.353	-1.4	105	0.00	13.66
87		ethylbenzene	1.489	1.480	0.6	105	0.00	13.66
88		m,p-xylene	0.579	0.587	-1.4	106	0.00	13.78
89		o-xylene	1.216	1.216	0.0	105	0.00	14.18
90		styrene	0.942	0.992	-5.3	106	0.00	14.19
91		n-amyl acetate	0.246	0.256	-4.1	102	0.00	14.22
92		bromoform	0.287	0.307	-7.0	103	0.00	14.41
93		butyl acrylate	0.838	0.930	-11.0	107	0.00	14.01
94		isopropylbenzene	1.450	1.466	-1.1	104	0.00	14.53
95		cis-1,4-dichloro-2-butene	0.156	0.168	-7.7	99	0.00	14.56

Initial Calibration Verification

Job Number: JD52514 **Sample:** V2A9511-ICV9511
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A218793.D
Project: EPT, Ithaca, NY

96	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	102	0.00	15.89
97	S	4-bromofluorobenzene (s)	0.925	0.927	-0.2	103	0.00	14.72
98		bromobenzene	0.800	0.771	3.6	104	0.00	14.90
99		1,1,2,2-tetrachloroethane	0.850	0.842	0.9	103	0.00	14.80
100		trans-1,4-dichloro-2-bute	0.283	0.311	-9.9	108	0.00	14.83
101		1,2,3-trichloropropane	0.219	0.221	-0.9	106	0.00	14.89
102		n-propylbenzene	3.209	3.206	0.1	105	0.00	14.94
103		2-chlorotoluene	0.699	0.700	-0.1	105	0.00	15.07
104		4-chlorotoluene	2.041	2.030	0.5	105	0.00	15.18
105		1,3,5-trimethylbenzene	2.229	2.245	-0.7	104	0.00	15.10
106		tert-butylbenzene	1.931	1.931	0.0	104	0.00	15.44
107		1,2,4-trimethylbenzene	2.270	2.272	-0.1	104	0.00	15.49
108		sec-butylbenzene	2.879	2.922	-1.5	105	0.00	15.66
109		1,3-dichlorobenzene	1.426	1.418	0.6	105	0.00	15.82
110		p-isopropyltoluene	2.455	2.473	-0.7	104	0.00	15.79
111		benzyl chloride	1.398	1.374	1.7	94	0.00	16.01
112		1,2,3-trimethylbenzene		----------NA----------				
113		1,4-dichlorobenzene	1.483	1.429	3.6	103	0.00	15.91
114		1,2-dichlorobenzene	1.394	1.387	0.5	103	0.00	16.28
115		n-butylbenzene	1.306	1.360	-4.1	105	0.00	16.19
116		1,2-dibromo-3-chloropropa	0.184	0.194	-5.4	101	0.00	17.05
117		1,3,5-trichlorobenzene	1.090	1.117	-2.5	105	0.00	17.24
118		1,2,4-trichlorobenzene	0.937	0.998	-6.5	104	0.00	17.88
119		hexachlorobutadiene	0.482	0.507	-5.2	107	0.00	18.00
120		naphthalene	2.233	2.405	-7.7	103	0.00	18.17
121		1,2,3-trichlorobenzene	0.882	0.930	-5.4	103	0.00	18.40
122		hexachloroethane	0.402	0.449	-11.7	104	0.00	16.58
123		2-methylnaphthalene	1.138	1.249	-9.8	101	0.00	19.41
124		pentafluorobenzene(a)	1.000	1.000	0.0	104	0.00	9.51
125		vinyl bromide		----------NA----------				

(#) = Out of Range SPCC's out = 0 CCC's out = 0
2A218788.D M2A9511.M Mon Aug 01 15:19:15 2022 MS2A

Initial Calibration Verification

Job Number: JD52514 **Sample:** V2A9511-ICV9511
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A218794.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\MSDCHEM\1\DATA\V2A9511\2A218794.D Vial: 15
Acq On : 31 Jul 2022 11:31 pm Operator: PrashanS
Sample : ICV9511-50 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
Last Update : Mon Aug 01 15:13:00 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1 I	tert butyl alcohol-d9	1.000	1.000	0.0	105	0.00	7.25
2	ethanol		----------NA----------				
3	tertiary butyl alcohol		----------NA----------				
4	1,4-dioxane		----------NA----------				
5 I	pentafluorobenzene	1.000	1.000	0.0	103	0.00	9.51
6	chlorodifluoromethane	0.682	0.809	-18.6	126	0.00	3.99
7	dichlorodifluoromethane		----------NA----------				
8	chloromethane		----------NA----------				
9	vinyl chloride		----------NA----------				
10	1,3-butadiene		----------NA----------				
11	bromomethane		----------NA----------				
12	chloroethane		----------NA----------				
13	trichlorofluoromethane		----------NA----------				
14	ethyl ether		----------NA----------				
15	acrolein		----------NA----------				
16	freon 113		----------NA----------				
17	1,1-dichloroethene		----------NA----------				
18	acetone		----------NA----------				
19	acetonitrile	0.079	0.072	8.9	96	0.00	7.02
20	iodomethane		----------NA----------				
21	carbon disulfide		----------NA----------				
22	methylene chloride		----------NA----------				
23	methyl acetate		----------NA----------				
24	methyl tert butyl ether		----------NA----------				
25	trans-1,2-dichloroethene		----------NA----------				
26	hexane		----------NA----------				
27	di-isopropyl ether		----------NA----------				
28	ethyl tert-butyl ether		----------NA----------				
29	2-butanone		----------NA----------				
30	1,1-dichloroethane		----------NA----------				
31	chloroprene		----------NA----------				
32	acrylonitrile	0.212	0.173	18.4	82	0.00	7.59
33	vinyl acetate		----------NA----------				
34	ethyl acetate		----------NA----------				
35	2,2-dichloropropane		----------NA----------				
36	cis-1,2-dichloroethene		----------NA----------				
37	propionitrile		----------NA----------				
38	bromochloromethane		----------NA----------				
39	tetrahydrofuran		----------NA----------				
40	chloroform		----------NA----------				
41	tert-butyl formate		----------NA----------				

Initial Calibration Verification

Job Number: JD52514 **Sample:** V2A9511-ICV9511
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A218794.D
Project: EPT, Ithaca, NY

42		isobutyl alcohol		----------NA----------					
43	S	dibromofluoromethane (s)	0.471	0.471	0.0	102	0.00	9.54	
44		methacrylonitrile		----------NA----------					
45		1,1,1-trichloroethane		----------NA----------					
46		cyclohexane		----------NA----------					
47		1,1-dichloropropene		----------NA----------					
48		tert-amyl alcohol		----------NA----------					
49		carbon tetrachloride		----------NA----------					
50	I	1,4-difluorobenzene	1.000	1.000	0.0	103	0.00	10.44	
51	S	1,2-dichloroethane-d4 (s)	0.465	0.471	-1.3	105	0.00	9.95	
52		2,2,4-trimethylpentane		----------NA----------					
53		tert-amyl methyl ether		----------NA----------					
54		n-butyl alcohol		----------NA----------					
55		benzene		----------NA----------					
56		heptane		----------NA----------					
57		isopropyl acetate		----------NA----------					
58		1,2-dichloroethane		----------NA----------					
59		trichloroethene		----------NA----------					
60		ethyl acrylate		----------NA----------					
61		2-nitropropane		----------NA----------					
		----------	True	Calc.	% Drift	----------			
62		2-chloroethyl vinyl ether		----------NA----------					
		----------	AvgRF	CCRF	% Dev	----------			
63		methyl methacrylate		----------NA----------					
64		1,2-dichloropropane		----------NA----------					
65		methylcyclohexane		----------NA----------					
66		dibromomethane		----------NA----------					
67		bromodichloromethane		----------NA----------					
68		epichlorohydrin		----------NA----------					
69		cis-1,3-dichloropropene		----------NA----------					
70		4-methyl-2-pentanone		----------NA----------					
71		3-methyl-1-butanol		----------NA----------					
72	I	chlorobenzene-d5	1.000	1.000	0.0	102	0.00	13.56	
73	S	toluene-d8 (s)	1.225	1.230	-0.4	102	0.00	12.06	
74		toluene		----------NA----------					
75		trans-1,3-dichloropropene		----------NA----------					
76		ethyl methacrylate		----------NA----------					
77		1,1,2-trichloroethane		----------NA----------					
78		2-hexanone		----------NA----------					
79		tetrachloroethene	0.395	0.356	9.9	96	0.00	12.68	
80		1,3-dichloropropane		----------NA----------					
81		butyl acetate		----------NA----------					
82		dibromochloromethane		----------NA----------					
83		1,2-dibromoethane		----------NA----------					
84		n-butyl ether		----------NA----------					
85		chlorobenzene		----------NA----------					
86		1,1,1,2-tetrachloroethane		----------NA----------					
87		ethylbenzene		----------NA----------					
88		m,p-xylene		----------NA----------					
89		o-xylene		----------NA----------					
90		styrene		----------NA----------					
91		n-amyl acetate		----------NA----------					
92		bromoform		----------NA----------					
93		butyl acrylate		----------NA----------					
94		isopropylbenzene		----------NA----------					
95		cis-1,4-dichloro-2-butene		----------NA----------					

Initial Calibration Verification

Job Number: JD52514 **Sample:** V2A9511-ICV9511
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A218794.D
Project: EPT, Ithaca, NY

96	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	100	0.00	15.89	
97	S	4-bromofluorobenzene (s)	0.925	0.936	-1.2	102	0.00	14.72	
98		bromobenzene		----------NA----------					
99		1,1,2,2-tetrachloroethane		----------NA----------					
100		trans-1,4-dichloro-2-bute		----------NA----------					
101		1,2,3-trichloropropane		----------NA----------					
102		n-propylbenzene		----------NA----------					
103		2-chlorotoluene		----------NA----------					
104		4-chlorotoluene		----------NA----------					
105		1,3,5-trimethylbenzene		----------NA----------					
106		tert-butylbenzene		----------NA----------					
107		1,2,4-trimethylbenzene		----------NA----------					
108		sec-butylbenzene		----------NA----------					
109		1,3-dichlorobenzene		----------NA----------					
110		p-isopropyltoluene		----------NA----------					
111		benzyl chloride		----------NA----------					
112		1,2,3-trimethylbenzene	2.341	2.446	-4.5	108	0.00	15.91	
113		1,4-dichlorobenzene		----------NA----------					
114		1,2-dichlorobenzene		----------NA----------					
115		n-butylbenzene		----------NA----------					
116		1,2-dibromo-3-chloropropa		----------NA----------					
117		1,3,5-trichlorobenzene		----------NA----------					
118		1,2,4-trichlorobenzene		----------NA----------					
119		hexachlorobutadiene		----------NA----------					
120		naphthalene		----------NA----------					
121		1,2,3-trichlorobenzene		----------NA----------					
122		hexachloroethane		----------NA----------					
123		2-methylnaphthalene		----------NA----------					
124		pentafluorobenzene(a)	1.000	1.000	0.0	103	0.00	9.51	
125		vinyl bromide		----------NA----------					

(#) = Out of Range SPCC's out = 0 CCC's out = 0
2A218788.D M2A9511.M Tue Aug 02 08:48:28 2022 MS2A

Continuing Calibration Summary

Job Number: JD52514 **Sample:** V2A9583-CC9511
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A220438.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\lo...-5\v2a9583\2a220438.d Vial: 2
Acq On : 30 Sep 2022 9:16 am Operator: nicoleh
Sample : cc9511-20 Inst : GCMS2A
Misc : MS62539,V2A9583,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
Last Update : Mon Sep 13 11:48:20 2010
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1 I	tert butyl alcohol-d9	1.000	1.000	0.0	116	0.00	7.25
2	ethanol	0.122	0.087	28.7#	86	0.00	5.97
3	tertiary butyl alcohol	1.228	1.169	4.8	116	0.00	7.37
4	1,4-dioxane	0.086	0.074	14.0	101	0.00	11.08
5 I	pentafluorobenzene	1.000	1.000	0.0	102	0.00	9.51
6	chlorodifluoromethane	0.682	0.391	42.7#	61	0.00	4.00
7	dichlorodifluoromethane	0.672	0.672	0.0	102	0.00	3.96
8	chloromethane	0.869	0.844	2.9	106	0.00	4.35
9	vinyl chloride	0.665	0.694	-4.4	110	0.00	4.58
10	1,3-butadiene	0.592	0.318	46.3#	57	0.00	4.62
11	bromomethane	0.392	0.467	-19.1	131	0.00	5.20
12	chloroethane	0.315	0.402	-27.6#	134	0.00	5.36
13	trichlorofluoromethane	0.745	0.848	-13.8	116	0.00	5.79
14	ethyl ether	0.237	0.261	-10.1	115	0.00	6.19
15	acrolein	0.106	0.121	-14.2	125	0.00	6.42
16	freon 113	0.354	0.373	-5.4	115	0.00	6.62
17	1,1-dichloroethene	0.371	0.366	1.3	106	0.00	6.61
18	acetone	0.192	0.189	1.6	107	0.00	6.61
19	acetonitrile	0.079	0.083	-5.1	111	0.01	7.03
20	iodomethane	0.724	0.740	-2.2	109	0.00	6.85
21	carbon disulfide	1.229	1.233	-0.3	107	0.00	6.99
22	methylene chloride	0.440	0.482	-9.5	122	0.00	7.30
23	methyl acetate	0.479	0.497	-3.8	108	0.00	7.06
24	methyl tert butyl ether	1.323	1.454	-9.9	118	0.00	7.66
25	trans-1,2-dichloroethene	0.420	0.451	-7.4	117	0.00	7.69
26	hexane	0.747	0.807	-8.0	114	0.00	8.04
27	di-isopropyl ether	1.831	2.143	-17.0	122	0.00	8.25
28	ethyl tert-butyl ether	1.594	1.884	-18.2	125	0.00	8.71
29	2-butanone	0.052	0.061	-17.3	122	0.00	8.91
30	1,1-dichloroethane	0.822	0.913	-11.1	119	0.00	8.26
31	chloroprene	0.781	0.806	-3.2	106	0.00	8.36
32	acrylonitrile	0.212	0.232	-9.4	112	0.00	7.60
33	vinyl acetate	0.078	0.102	-30.8#	138	0.00	8.20
34	ethyl acetate	0.096	0.109	-13.5	120	0.00	8.92
35	2,2-dichloropropane	0.657	0.756	-15.1	129	0.00	9.00
36	cis-1,2-dichloroethene	0.462	0.534	-15.6	126	0.00	8.97
37	propionitrile	0.079	0.093	-17.7	122	0.00	8.98
38	bromochloromethane	0.307	0.350	-14.0	120	0.00	9.26
39	tetrahydrofuran	0.219	0.211	3.7	109	0.00	9.29
40	chloroform	0.854	0.906	-6.1	118	0.00	9.35
41	tert-butyl formate	0.415	0.463	-11.6	113	0.00	9.39

Continuing Calibration Summary

Job Number: JD52514 **Sample:** V2A9583-CC9511
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A220438.D
Project: EPT, Ithaca, NY

42		isobutyl alcohol	0.033	0.033	0.0	109	0.00	9.75
43	S	dibromofluoromethane (s)	0.471	0.517	-9.8	112	0.00	9.54
44		methacrylonitrile	0.196	0.231	-17.9	124	0.00	9.18
45		1,1,1-trichloroethane	0.742	0.783	-5.5	111	0.00	9.61
46		cyclohexane	0.620	0.795	-28.2#	134	0.00	9.72
47		1,1-dichloropropene	0.597	0.656	-9.9	118	0.00	9.78
48		tert-amyl alcohol	0.033	0.034	-3.0	111	0.00	9.91
49		carbon tetrachloride	0.669	0.697	-4.2	112	0.00	9.80
50	I	1,4-difluorobenzene	1.000	1.000	0.0	117	0.00	10.44
51	S	1,2-dichloroethane-d4 (s)	0.465	0.381	18.1	96	0.00	9.96
52		2,2,4-trimethylpentane	1.405	1.342	4.5	113	0.00	10.12
53		tert-amyl methyl ether	1.030	1.056	-2.5	126	0.00	10.11
54		n-butyl alcohol	0.013	0.013	0.0	114	0.00	10.50
55		benzene	1.186	1.239	-4.5	125	0.00	10.02
56		heptane	0.287	0.247	13.9	103	0.00	10.28
57		isopropyl acetate	0.074	0.075	-1.4	124	0.00	9.95
58		1,2-dichloroethane	0.557	0.531	4.7	119	0.00	10.05
59		trichloroethene	0.339	0.337	0.6	123	0.00	10.75
60		ethyl acrylate	0.539	0.556	-3.2	120	0.00	10.74
61		2-nitropropane	0.142	0.108	23.9#	93	0.00	11.50
		----------	True	Calc.	% Drift	----------		
62		2-chloroethyl vinyl ether	100.000	36.849	63.2#	43	0.00	11.54
		----------	AvgRF	CCRF	% Dev	----------		
63		methyl methacrylate	0.085	0.090	-5.9	126	0.00	11.01
64		1,2-dichloropropane	0.352	0.372	-5.7	131	0.00	11.04
65		methylcyclohexane	0.555	0.521	6.1	113	0.00	11.05
66		dibromomethane	0.231	0.227	1.7	122	0.00	11.14
67		bromodichloromethane	0.478	0.469	1.9	121	0.00	11.30
68		epichlorohydrin	0.042	0.040	4.8	113	0.00	11.62
69		cis-1,3-dichloropropene	0.524	0.562	-7.3	126	0.00	11.75
70		4-methyl-2-pentanone	0.166	0.166	0.0	120	0.00	11.86
71		3-methyl-1-butanol	0.010	0.010	0.0	111	0.01	11.88
72	I	chlorobenzene-d5	1.000	1.000	0.0	124	0.00	13.56
73	S	toluene-d8 (s)	1.225	1.145	6.5	115	0.00	12.06
74		toluene	0.794	0.762	4.0	123	0.00	12.14
75		trans-1,3-dichloropropene	0.527	0.507	3.8	121	0.00	12.32
76		ethyl methacrylate	0.452	0.458	-1.3	120	0.00	12.32
77		1,1,2-trichloroethane	0.273	0.264	3.3	121	0.00	12.54
78		2-hexanone	0.166	0.153	7.8	114	0.00	12.71
79		tetrachloroethene	0.395	0.373	5.6	125	0.00	12.69
80		1,3-dichloropropane	0.524	0.490	6.5	124	0.00	12.72
81		butyl acetate	0.285	0.271	4.9	116	0.00	12.79
82		dibromochloromethane	0.399	0.368	7.8	116	0.00	12.96
83		1,2-dibromoethane	0.338	0.315	6.8	118	0.00	13.11
84		n-butyl ether	1.574	1.422	9.7	111	0.00	13.56
85		chlorobenzene	0.866	0.835	3.6	119	0.00	13.60
86		1,1,1,2-tetrachloroethane	0.348	0.322	7.5	118	0.00	13.66
87		ethylbenzene	1.489	1.382	7.2	117	0.00	13.66
88		m,p-xylene	0.579	0.515	11.1	112	0.00	13.78
89		o-xylene	1.216	1.132	6.9	118	0.00	14.18
90		styrene	0.942	0.846	10.2	110	0.00	14.19
91		n-amyl acetate	0.246	0.214	13.0	107	0.00	14.22
92		bromoform	0.287	0.262	8.7	114	0.00	14.41
93		butyl acrylate	0.838	0.768	8.4	107	0.00	14.01
94		isopropylbenzene	1.450	1.278	11.9	108	0.00	14.53
95		cis-1,4-dichloro-2-butene	0.156	0.098	37.2#	75	0.00	14.57

Continuing Calibration Summary

Job Number: JD52514 **Sample:** V2A9583-CC9511
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A220438.D
Project: EPT, Ithaca, NY

96	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	115	0.00	15.89
97	S	4-bromofluorobenzene (s)	0.925	0.988	-6.8	123	0.00	14.72
98		bromobenzene	0.800	0.740	7.5	114	0.00	14.91
99		1,1,2,2-tetrachloroethane	0.850	0.778	8.5	107	0.00	14.81
100		trans-1,4-dichloro-2-bute	0.283	0.177	37.5#	72	0.00	14.84
101		1,2,3-trichloropropane	0.219	0.190	13.2	103	0.00	14.89
102		n-propylbenzene	3.209	3.078	4.1	110	0.00	14.94
103		2-chlorotoluene	0.699	0.644	7.9	111	0.00	15.07
104		4-chlorotoluene	2.041	1.934	5.2	110	0.00	15.18
105		1,3,5-trimethylbenzene	2.229	2.075	6.9	108	0.00	15.10
106		tert-butylbenzene	1.931	1.762	8.8	108	0.00	15.44
107		1,2,4-trimethylbenzene	2.270	2.089	8.0	106	0.00	15.49
108		sec-butylbenzene	2.879	2.577	10.5	103	0.00	15.66
109		1,3-dichlorobenzene	1.426	1.315	7.8	109	0.00	15.82
110		p-isopropyltoluene	2.455	2.206	10.1	104	0.00	15.79
111		benzyl chloride	1.398	1.217	12.9	98	0.00	16.01
112		1,2,3-trimethylbenzene	2.341	2.145	8.4	107	0.00	15.91
113		1,4-dichlorobenzene	1.483	1.297	12.5	107	0.00	15.91
114		1,2-dichlorobenzene	1.394	1.270	8.9	106	0.00	16.28
115		n-butylbenzene	1.306	1.101	15.7	96	0.00	16.20
116		1,2-dibromo-3-chloropropa	0.184	0.148	19.6	91	0.00	17.05
117		1,3,5-trichlorobenzene	1.090	0.983	9.8	106	0.00	17.24
118		1,2,4-trichlorobenzene	0.937	0.803	14.3	96	0.00	17.88
119		hexachlorobutadiene	0.482	0.426	11.6	102	0.00	18.00
120		naphthalene	2.233	1.473	34.0#	72	0.00	18.17
121		1,2,3-trichlorobenzene	0.882	0.676	23.4#	86	0.00	18.40
122		hexachloroethane	0.402	0.312	22.4#	86	0.00	16.58
123		2-methylnaphthalene	1.138	0.277	75.7#	28#	0.00	19.40
124		pentafluorobenzene(a)	1.000	1.000	0.0	101	0.00	9.51
125		vinyl bromide	----------NA----------					

(#) = Out of Range SPCC's out = 0 CCC's out = 0
2A218787.D M2A9511.M Tue Oct 04 20:09:35 2022

Initial Calibration Summary

Job Number: JD52514 **Sample:** V4D5341-ICC5341
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 4D120255.D
Project: EPT, Ithaca, NY

Response Factor Report MS4D

Method : C:\MSDCHEM\1\METHODS\M4D5341.M (RTE Integrator)
Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
Last Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration

Calibration Files
1 =4D120250.D 0.5 =4D120249.D 100 =4D120256.D 50 =4D120255.D
20 =4D120254.D 200 =4D120257.D 4 =4D120252.D 2 =4D120251.D
8 =4D120253.D 0.2 =4D120248.D = =

Compound	1	0.5	100	50	20	200	4	2	8	0.2	Avg	%RSD
1) tert butyl alcohol-d9 ----------ISTD----------												
2) tertiary butyl alcohol	1.356	1.392	1.456	1.420	1.408	1.435	1.429	1.519	1.414	1.463	1.429	3.08
3) ethanol	0.129	0.111	0.149	0.148	0.140	0.145	0.137	0.142	0.141		0.138	8.49
4) 1,4-dioxane	0.124	0.105	0.130	0.129	0.127	0.126	0.128	0.135	0.130		0.126	6.68
5) I pentafluorobenzene ----------ISTD----------												
6) chlorodifluoromethane	0.524	0.541	0.584	0.554	0.527	0.573	0.556	0.575	0.531	0.533	0.550	3.98
7) dichlorodifluoromethane	0.584	0.597	0.717	0.669	0.627	0.705	0.648	0.615	0.634	0.596	0.639	7.14
8) chloromethane	0.529	0.624	0.546	0.525	0.499	0.523	0.548	0.545	0.528		0.541	6.40
9) vinyl chloride	0.520	0.517	0.560	0.531	0.515	0.526	0.531	0.529	0.526	0.551	0.531	2.71
10) 1,3-butadiene	0.465	0.481	0.485	0.494	0.476	0.443	0.508	0.532	0.488	0.465	0.484	5.08
11) bromomethane	0.345	0.374	0.317	0.280	0.263	0.300	0.330	0.354	0.303		0.318	11.31
12) chloroethane	0.255	0.258	0.306	0.289	0.273	0.295	0.287	0.281	0.278	0.267	0.279	5.77
13) trichlorofluoromethane	0.716	0.690	0.838	0.792	0.757	0.820	0.783	0.760	0.765	0.588	0.751	9.61
14) ethyl ether	0.199		0.243	0.230	0.217	0.239	0.224	0.221	0.226		0.225	6.06
15) acrolein			0.102	0.101	0.087	0.105	0.082		0.091		0.095	9.99
16) freon 113	0.313	0.334	0.377	0.365	0.356	0.365	0.370	0.370	0.351		0.356	5.73
17) 1,1-dichloroethene	0.407	0.419	0.381	0.366	0.362	0.366	0.388	0.427	0.378	0.448	0.394	7.48
18) acetone	0.029		0.053	0.053	0.050	0.051	0.044	0.045	0.045		0.046	16.91
19) acetonitrile	0.073	0.081	0.080	0.081	0.076	0.079	0.079	0.086	0.078		0.079	4.44
20) iodomethane *This compound fails EPA 624.1 Initial Calibration criteria*			0.725	0.682	0.607	0.675	0.370	0.270	0.477		0.544	32.09
----- Linear regression ----- Coefficient = 0.9980												
Response Ratio = -0.02222 + 0.69609 *A												
21) carbon disulfide	1.020	1.095	1.103	1.068	1.057	1.097	1.098	1.141	1.073	1.295	1.105	6.72

Initial Calibration Summary

Job Number: JD52514 **Sample:** V4D5341-ICC5341
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 4D120255.D
Project: EPT, Ithaca, NY

22) methylene chloride
0.407 0.417 0.429 0.411 0.405 0.419 0.430 0.453 0.417 0.441 0.423 3.65
23) methyl acetate
0.428 0.419 0.379 0.430 0.364 0.347 0.374 0.392 8.60
24) methyl tert butyl ether
1.166 1.170 1.287 1.221 1.188 1.263 1.253 1.305 1.225 1.195 1.227 3.95
25) trans-1,2-dichloroethene
0.426 0.504 0.414 0.401 0.400 0.399 0.426 0.459 0.407 0.507 0.434 9.56
26) di-isopropyl ether
1.234 1.248 1.329 1.295 1.275 1.277 1.334 1.385 1.313 1.324 1.301 3.45
27) 2-butanone
0.054 0.072 0.072 0.067 0.073 0.067 0.064 0.067 0.067 9.16
28) 1,1-dichloroethane
0.687 0.693 0.756 0.726 0.709 0.738 0.751 0.783 0.725 0.620 0.719 6.31
29) chloroprene
0.476 0.479 0.597 0.571 0.549 0.588 0.566 0.559 0.555 0.486 0.543 8.36
30) acrylonitrile
0.191 0.184 0.167 0.194 0.155 0.180 0.150 0.174 9.91
31) hexane
0.229 0.223 0.269 0.257 0.246 0.268 0.259 0.262 0.248 0.250 0.251 6.10
32) vinyl acetate
0.101 0.096 0.089 0.100 0.082 0.080 0.085 0.090 9.50
33) ethyl tert-butyl ether
1.188 1.156 1.367 1.291 1.251 1.357 1.287 1.331 1.266 1.203 1.270 5.64
34) ethyl acetate
0.070 0.068 0.064 0.070 0.058 0.056 0.064 0.065 8.65
35) 2,2-dichloropropane
0.620 0.659 0.635 0.620 0.612 0.617 0.655 0.695 0.630 0.699 0.644 4.97
36) cis-1,2-dichloroethene
0.455 0.559 0.461 0.448 0.450 0.449 0.479 0.515 0.457 0.538 0.481 8.60
37) methyl acrylate
0.394 0.476 0.468 0.451 0.473 0.471 0.383 0.454 0.446 8.22
38) propionitrile
0.076 0.072 0.084 0.086 0.082 0.081 0.084 0.084 0.082 0.081 5.61
39) bromochloromethane
0.227 0.216 0.255 0.246 0.246 0.248 0.254 0.263 0.252 0.245 5.99
40) tetrahydrofuran
0.085 0.086 0.080 0.084 0.089 0.107 0.086 0.088 9.90
41) chloroform
0.562 0.670 0.522 0.501 0.495 0.513 0.543 0.585 0.512 0.545 10.21
42) t-butyl formate *This compound fails Initial Calibration criteria*
0.332 0.402 0.377 0.358 0.409 0.363 0.374 0.363 0.372 6.59
43) dibromofluoromethane (s)
0.477 0.477 0.470 0.470 0.471 0.472 0.476 0.476 0.475 0.474 0.474 0.58
44) methacrylonitrile
0.178 0.215 0.208 0.198 0.216 0.204 0.203 0.198 0.203 5.86
45) 1,1,1-trichloroethane
0.654 0.676 0.734 0.698 0.673 0.728 0.721 0.743 0.680 0.641 0.695 5.09
46) cyclohexane
0.526 0.522 0.575 0.555 0.539 0.555 0.568 0.547 0.547 0.477 0.541 5.14
47) 1,1-dichloropropene
0.491 0.518 0.561 0.540 0.531 0.544 0.568 0.594 0.537 0.550 0.544 5.18
48) isobutyl alcohol
0.004 0.004 0.004 0.004 0.004 0.004 0.004 0.004 4.90
49) carbon tetrachloride
0.621 0.642 0.683 0.658 0.645 0.669 0.678 0.705 0.663 0.633 0.660 3.80
50) tert amyl alcohol
0.028 0.029 0.029 0.030 0.027 0.029 0.030 0.029 0.028 0.029 3.19

51) I 1,4-difluorobenzene ----------ISTD----------

Initial Calibration Summary

Job Number: JD52514 **Sample:** V4D5341-ICC5341
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 4D120255.D
Project: EPT, Ithaca, NY

52) 1,2-dichloroethane-d4 (s)
0.382 0.383 0.385 0.382 0.383 0.387 0.389 0.386 0.388 0.381 0.385 0.72
53) n-butyl alcohol
0.016 0.016 0.015 0.017 0.014 0.014 0.015 0.015 7.71
54) 2,2,4-trimethylpentane
0.697 0.684 0.727 0.711 0.714 0.722 0.748 0.790 0.721 0.673 0.719 4.61
55) benzene
1.097 1.098 1.180 1.143 1.137 1.137 1.200 1.263 1.164 1.078 1.150 4.80
56) tert-amyl methyl ether
0.202 0.207 0.238 0.228 0.221 0.239 0.231 0.234 0.225 0.204 0.223 6.23
57) heptane
0.145 0.142 0.171 0.165 0.162 0.173 0.169 0.175 0.158 0.162 7.28
58) isopropyl acetate
0.072 0.087 0.084 0.081 0.086 0.081 0.083 0.083 0.082 5.75
59) 1,2-dichloroethane
0.459 0.529 0.486 0.463 0.455 0.478 0.476 0.513 0.464 0.600 0.492 9.09
60) trichloroethene
0.333 0.313 0.375 0.357 0.345 0.367 0.361 0.364 0.346 0.312 0.347 6.31
61) ethyl acrylate
0.415 0.515 0.492 0.468 0.512 0.467 0.464 0.467 0.475 6.77
62) 2-nitropropane
0.135 0.136 0.173 0.162 0.146 0.181 0.147 0.154 0.137 0.152 10.87
63) 2-chloroethyl vinyl ether
0.125 0.183 0.170 0.157 0.192 0.147 0.149 0.153 0.160 13.57
64) methyl methacrylate
0.108 0.104 0.095 0.109 0.088 0.094 0.094 0.099 8.10
65) 1,2-dichloropropane
0.297 0.285 0.331 0.318 0.309 0.326 0.327 0.331 0.313 0.270 0.311 6.73
66) dibromomethane
0.242 0.218 0.251 0.240 0.240 0.249 0.244 0.265 0.239 0.257 0.245 5.16
67) methylcyclohexane
0.390 0.380 0.447 0.435 0.424 0.440 0.444 0.455 0.432 0.378 0.422 6.87
68) bromodichloromethane
0.421 0.454 0.497 0.470 0.456 0.493 0.466 0.484 0.451 0.444 0.464 5.07
69) epichlorohydrin
0.039 0.038 0.047 0.047 0.044 0.046 0.043 0.045 0.042 0.044 7.56
70) cis-1,3-dichloropropene
0.457 0.458 0.545 0.517 0.502 0.539 0.513 0.522 0.504 0.456 0.501 6.68
71) 4-methyl-2-pentanone
0.142 0.137 0.166 0.163 0.157 0.167 0.156 0.159 0.156 0.156 6.64
72) 3-methyl-1-butanol
0.016 0.016 0.014 0.016 0.013 0.011 0.013 0.014 13.14

73) I chlorobenzene-d5 ----------ISTD----------
74) toluene-d8 (s)
1.214 1.219 1.174 1.184 1.202 1.174 1.229 1.227 1.216 1.212 1.205 1.73
75) toluene
0.714 0.749 0.783 0.740 0.733 0.778 0.797 0.824 0.750 0.828 0.770 5.03
76) trans-1,3-dichloropropene
0.441 0.401 0.527 0.499 0.478 0.535 0.488 0.493 0.484 0.483 8.55
77) ethyl methacrylate
0.370 0.372 0.473 0.455 0.436 0.475 0.431 0.444 0.439 0.433 8.84
78) 1,1,2-trichloroethane
0.241 0.252 0.272 0.260 0.261 0.275 0.265 0.275 0.261 0.218 0.258 6.80
79) tetrachloroethene
0.288 0.308 0.310 0.302 0.305 0.302 0.339 0.339 0.310 0.306 0.311 5.20
80) 1,3-dichloropropane
0.469 0.461 0.519 0.495 0.484 0.524 0.505 0.526 0.495 0.397 0.487 7.93
81) 2-hexanone
0.145 0.130 0.178 0.174 0.165 0.179 0.165 0.165 0.162 0.162 9.80

Initial Calibration Summary

Job Number: JD52514 **Sample:** V4D5341-ICC5341
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 4D120255.D
Project: EPT, Ithaca, NY

82) butyl acetate
0.197 0.192 0.237 0.231 0.229 0.233 0.236 0.251 0.234 0.227 8.52
83) dibromochloromethane
0.374 0.379 0.462 0.432 0.417 0.468 0.431 0.440 0.415 0.403 0.422 7.42
84) 1,2-dibromoethane
0.315 0.327 0.377 0.355 0.346 0.379 0.363 0.371 0.348 0.302 0.348 7.54
85) n-butyl ether
1.117 1.127 1.378 1.292 1.228 1.369 1.273 1.291 1.246 1.127 1.245 7.70
86) chlorobenzene
0.853 0.842 0.913 0.882 0.876 0.897 0.920 0.968 0.890 0.907 0.895 4.01
87) 1,1,1,2-tetrachloroethane
0.322 0.352 0.378 0.359 0.359 0.375 0.369 0.389 0.363 0.326 0.359 5.96
88) ethylbenzene
1.355 1.353 1.457 1.406 1.397 1.428 1.438 1.508 1.428 1.520 1.429 3.92
89) m,p-xylene
0.518 0.535 0.579 0.547 0.541 0.574 0.559 0.582 0.549 0.546 0.553 3.73
90) o-xylene
0.526 0.514 0.593 0.557 0.541 0.585 0.562 0.571 0.549 0.543 0.554 4.49
91) styrene
0.787 1.033 0.959 0.916 1.032 0.913 0.919 0.916 0.934 8.39
92) bromoform
0.278 0.297 0.368 0.343 0.322 0.376 0.316 0.324 0.316 0.307 0.325 9.31
93) butyl acrylate
0.513 0.713 0.668 0.622 0.720 0.595 0.594 0.613 0.630 10.92
94) isopropylbenzene
1.243 1.300 1.472 1.397 1.359 1.457 1.426 1.460 1.387 1.265 1.377 6.03
95) cis-1,4-dichloro-2-butene
0.137 0.121 0.104 0.150 0.090 0.092 0.116 21.32
----- Linear regression ----- Coefficient = 0.9937
Response Ratio = -0.00753 + 0.14464 *A

96) I 1,4-dichlorobenzene-d ----------ISTD----------
97) 4-bromofluorobenzene (s)
1.012 1.011 1.030 1.028 1.021 1.037 1.027 1.021 1.009 1.017 1.021 0.91
98) bromobenzene
0.848 0.818 0.990 0.936 0.922 0.976 0.925 0.968 0.918 0.902 0.920 5.90
99) 1,1,2,2-tetrachloroethane
0.907 0.912 1.085 1.028 1.003 1.080 1.026 1.063 1.002 0.950 1.006 6.43
100) trans-1,4-dichloro-2-butene
0.229 0.206 0.175 0.244 0.154 0.158 0.194 19.47
101) 1,2,3-trichloropropane
0.278 0.257 0.321 0.312 0.305 0.318 0.312 0.324 0.299 0.303 7.32
102) n-propylbenzene
3.044 3.087 3.619 3.438 3.369 3.540 3.386 3.493 3.359 3.286 3.362 5.47
103) 2-chlorotoluene
0.685 0.706 0.846 0.790 0.778 0.831 0.782 0.818 0.778 0.718 0.773 6.99
104) 4-chlorotoluene
2.064 2.103 2.321 2.173 2.125 2.313 2.239 2.278 2.147 2.221 2.198 4.09
105) 1,3,5-trimethylbenzene
2.141 2.146 2.583 2.424 2.341 2.564 2.374 2.469 2.349 2.384 2.378 6.27
106) tert-butylbenzene
0.438 0.437 0.521 0.489 0.474 0.524 0.467 0.478 0.468 0.405 0.470 7.87
107) 1,2,4-trimethylbenzene
2.126 2.204 2.577 2.422 2.326 2.549 2.376 2.444 2.341 2.556 2.392 6.27
108) sec-butylbenzene
2.405 2.410 3.002 2.822 2.724 3.013 2.710 2.807 2.711 2.602 2.720 7.68
109) 1,3-dichlorobenzene
1.404 1.384 1.640 1.546 1.514 1.617 1.557 1.582 1.537 1.473 1.525 5.52
110) p-isopropyltoluene

Initial Calibration Summary

Job Number: JD52514 **Sample:** V4D5341-ICC5341
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 4D120255.D
Project: EPT, Ithaca, NY

```
       2.002 1.934 2.526 2.354 2.258 2.553 2.275 2.331 2.234 1.956  2.242    9.79
111)  1,4-dichlorobenzene
       1.479 1.605 1.677 1.572 1.536 1.681 1.616 1.709 1.570 1.644  1.609    4.45
112)  1,2,3-trimethylbenzene
       2.143 2.204 2.544 2.385 2.311 2.552 2.360 2.437 2.329 2.250  2.351    5.73
113)  benzyl chloride
       1.435       1.915 1.791 1.673 1.921 1.576 1.626 1.610        1.694   10.06
114)  1,2-dichlorobenzene
       1.318 1.237 1.592 1.500 1.462 1.588 1.479 1.502 1.452 1.249  1.438    8.90
115)  n-butylbenzene
                   1.128 1.031 0.968 1.169 0.977 0.991 0.975        1.034    7.87
116)  1,2-dibromo-3-chloropropane
                   0.308 0.293 0.262 0.312 0.255 0.244 0.249        0.275   10.53
117)  1,3,5-trichlorobenzene
       0.751 0.730 0.937 0.861 0.826 0.971 0.841 0.862 0.824        0.845    9.17
118)  1,2,4-trichlorobenzene
       0.613       0.774 0.715 0.682 0.797 0.672 0.677 0.678        0.701    8.49
119)  hexachlorobutadiene
       0.265 0.279 0.347 0.325 0.319 0.359 0.319 0.329 0.313        0.317    9.38
120)  naphthalene
       1.839 1.841 2.011 1.984 1.954 1.943 1.984 2.036 1.983 2.344  1.992    7.04
121)  1,2,3-trichlorobenzene
       0.542 0.534 0.622 0.582 0.572 0.635 0.562 0.577 0.575 0.547  0.575    5.67
122)  hexachloroethane
                   0.504 0.459 0.429 0.516 0.395 0.403 0.419        0.446   10.79
123)  2-methylnaphthalene
                   0.643 0.609 0.577 0.595 0.528 0.532 0.541        0.575    7.61

124)     pentafluorobenzene(a) ----------------ISTD---------------------
125)  Freon 143A
                   0.306 0.290 0.266 0.291 0.275 0.278 0.291        0.285    4.60
126)  Freon 142B
                   0.489 0.474 0.448 0.470 0.473 0.495 0.482        0.476    3.19
127)  Freon 141B
                   0.558 0.540 0.517 0.537 0.527 0.525 0.562        0.538    3.16
 ---------------------------------------------------------------------------
 (#) = Out of Range  ###  Number of calibration levels exceeded format  ###

           M4D5341.M         Thu Sep 22 11:30:51 2022
```

Initial Calibration Verification

Job Number: JD52514 **Sample:** V4D5341-ICV5341
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 4D120260.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\V4D5341\4D120260.D Vial: 14
Acq On : 14 Aug 2022 2:18 am Operator: PrashanS
Sample : ICV5341-50 Inst : MS4D
Misc : MS61262,V4D5341,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\MSDCHEM\1\METHODS\M4D5341.M (RTE Integrator)
Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
Last Update : Tue Aug 16 11:16:58 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1		tert butyl alcohol-d9	1.000	1.000	0.0	109	0.00	8.53
2	M	tertiary butyl alcohol	1.429	1.494	-4.5	115	0.00	8.66
3		ethanol	0.138	0.148	-7.2	109	0.00	7.07
4	M	1,4-dioxane	0.126	0.127	-0.8	107	0.00	12.57
5	I	pentafluorobenzene	1.000	1.000	0.0	106	0.00	11.02
6	M	chlorodifluoromethane		----------NA----------				
7	M	dichlorodifluoromethane	0.639	0.692	-8.3	110	0.00	4.55
8	M	chloromethane	0.541	0.528	2.4	107	0.00	5.04
9	M	vinyl chloride	0.531	0.551	-3.8	110	0.00	5.29
10		1,3-butadiene	0.484	0.556	-14.9	120	0.00	5.39
11	M	bromomethane	0.318	0.359	-12.9	137	0.00	6.06
12	M	chloroethane	0.279	0.315	-12.9	116	0.00	6.29
13	M	trichlorofluoromethane	0.751	0.811	-8.0	109	0.00	6.85
14	M	ethyl ether	0.225	0.245	-8.9	113	0.00	7.38
15	M	acrolein	0.095	0.109	-14.7	115	0.00	7.58
16		freon 113	0.356	0.365	-2.5	106	0.00	7.83
17	M	1,1-dichloroethene	0.394	0.377	4.3	110	0.00	7.83
18	M	acetone	0.046	0.053	-15.2	106	0.00	7.82
19	M	acetonitrile		----------NA----------				
		----------	True	Calc.	% Drift	----------		
20	M	iodomethane	50.000	38.056	23.9	79	0.00	8.12
		----------	AvgRF	CCRF	% Dev	----------		
21	M	carbon disulfide	1.105	1.105	0.0	110	0.00	8.28
22	M	methylene chloride	0.423	0.431	-1.9	112	0.00	8.59
23	M	methyl acetate	0.392	0.465	-18.6	118	0.00	8.40
24	M	methyl tert butyl ether	1.227	1.293	-5.4	113	0.00	9.03
25	M	trans-1,2-dichloroethene	0.434	0.412	5.1	109	0.00	9.06
26	M	di-isopropyl ether	1.301	1.293	0.6	106	0.00	9.72
27	M	2-butanone	0.067	0.077	-14.9	114	0.00	10.39
28	M	1,1-dichloroethane	0.719	0.748	-4.0	110	0.00	9.66
29	M	chloroprene	0.543	0.630	-16.0	118	0.00	9.81
30	M	acrylonitrile		----------NA----------				
31		hexane	0.251	0.284	-13.1	118	0.00	9.49
32	M	vinyl acetate	0.090	0.087	3.3	96	0.00	9.66
33	M	ethyl tert-butyl ether	1.270	1.258	0.9	104	0.00	10.22
34	M	ethyl acetate	0.065	0.072	-10.8	112	0.00	10.46
35	M	2,2-dichloropropane	0.644	0.620	3.7	107	0.00	10.48
36	M	cis-1,2-dichloroethene	0.481	0.460	4.4	109	0.00	10.45
37		methyl acrylate	0.446	0.483	-8.3	110	0.00	10.53

Initial Calibration Verification

Job Number: JD52514 **Sample:** V4D5341-ICV5341
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 4D120260.D
Project: EPT, Ithaca, NY

38	M	propionitrile	0.081	0.085	-4.9	105	0.00	10.45
39	M	bromochloromethane	0.245	0.253	-3.3	110	0.00	10.75
40	M	tetrahydrofuran	0.088	0.088	0.0	109	0.00	10.83
41	M	chloroform	0.545	0.517	5.1	110	0.00	10.82
42	M	t-butyl formate	0.372	0.254	31.7#	72	0.00	10.90
43	S	dibromofluoromethane (s)	0.474	0.468	1.3	106	0.00	11.02
44	M	methacrylonitrile	0.203	0.222	-9.4	113	0.00	10.68
45	M	1,1,1-trichloroethane	0.695	0.716	-3.0	109	0.00	11.13
46		cyclohexane	0.541	0.565	-4.4	108	0.00	11.25
47		1,1-dichloropropene	0.544	0.555	-2.0	109	0.00	11.32
48		isobutyl alcohol	0.004	0.004	0.0	112	0.00	11.32
49		carbon tetrachloride	0.660	0.672	-1.8	109	0.00	11.36
50		tert amyl alcohol	0.029	0.031	-6.9	109	0.00	11.40
51	I	1,4-difluorobenzene	1.000	1.000	0.0	105	0.00	11.92
52	S	1,2-dichloroethane-d4 (s)	0.385	0.384	0.3	106	0.00	11.45
53	M	n-butyl alcohol	0.015	0.017	-13.3	107	0.00	11.99
54		2,2,4-trimethylpentane	0.719	0.716	0.4	106	0.00	11.65
55	M	benzene	1.150	1.185	-3.0	109	0.00	11.57
56	M	tert-amyl methyl ether	0.223	0.222	0.4	103	0.00	11.64
57	M	heptane	0.162	0.175	-8.0	112	0.00	11.81
58	M	isopropyl acetate	0.082	0.088	-7.3	110	0.00	11.50
59	M	1,2-dichloroethane	0.492	0.482	2.0	110	0.00	11.54
60	M	trichloroethene	0.347	0.370	-6.6	109	0.00	12.25
61		ethyl acrylate	0.475	0.502	-5.7	107	0.00	12.24
62	M	2-nitropropane	0.152	0.178	-17.1	116	0.00	12.90
63	M	2-chloroethyl vinyl ether	0.160	0.172	-7.5	107	0.00	12.96
64	M	methyl methacrylate	0.099	0.108	-9.1	110	0.00	12.50
65	M	1,2-dichloropropane	0.311	0.319	-2.6	106	0.00	12.47
66	M	dibromomethane	0.245	0.245	0.0	108	0.00	12.60
67	M	methylcyclohexane	0.422	0.452	-7.1	109	0.00	12.51
68	M	bromodichloromethane	0.464	0.483	-4.1	108	0.00	12.73
69		epichlorohydrin	0.044	0.047	-6.8	105	0.00	13.04
70	M	cis-1,3-dichloropropene	0.501	0.526	-5.0	107	0.00	13.16
71	M	4-methyl-2-pentanone	0.156	0.165	-5.8	107	0.00	13.26
72	M	3-methyl-1-butanol	0.014	0.016	-14.3	109	0.00	13.25
73	I	chlorobenzene-d5	1.000	1.000	0.0	105	0.00	14.82
74	S	toluene-d8 (s)	1.205	1.176	2.4	104	0.00	13.46
75		toluene	0.770	0.763	0.9	108	0.00	13.53
76		trans-1,3-dichloropropene	0.483	0.509	-5.4	107	0.00	13.66
77		ethyl methacrylate	0.433	0.463	-6.9	107	0.00	13.69
78		1,1,2-trichloroethane	0.258	0.270	-4.7	109	0.00	13.85
79	M	tetrachloroethene		----------NA----------				
80	M	1,3-dichloropropane	0.487	0.504	-3.5	107	0.00	14.03
81		2-hexanone	0.162	0.177	-9.3	106	0.00	14.03
82	M	butyl acetate	0.227	0.246	-8.4	112	0.00	14.11
83	M	dibromochloromethane	0.422	0.448	-6.2	109	0.00	14.26
84	M	1,2-dibromoethane	0.348	0.370	-6.3	109	0.00	14.41
85		n-butyl ether	1.245	1.297	-4.2	105	0.00	14.81
86	M	chlorobenzene	0.895	0.903	-0.9	107	0.00	14.85
87	M	1,1,1,2-tetrachloroethane	0.359	0.371	-3.3	108	0.00	14.90
88	M	ethylbenzene	1.429	1.451	-1.5	108	0.00	14.92
89	M	m,p-xylene	0.553	0.565	-2.2	108	0.00	15.01
90	M	o-xylene	0.554	0.570	-2.9	107	0.00	15.39
91	M	styrene	0.934	0.994	-6.4	109	0.00	15.39
92	M	bromoform	0.325	0.354	-8.9	108	0.00	15.59
93		butyl acrylate	0.630	0.693	-10.0	109	0.00	15.22
94		isopropylbenzene	1.377	1.438	-4.4	108	0.00	15.71

Initial Calibration Verification

Job Number: JD52514 **Sample:** V4D5341-ICV5341
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 4D120260.D
Project: EPT, Ithaca, NY

			True	Calc.	% Drift			
95		cis-1,4-dichloro-2-butene	50.000	47.952	4.1	113	0.00	15.71

			AvgRF	CCRF	% Dev			
96	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	103	0.00	16.93
97	S	4-bromofluorobenzene (s)	1.021	1.035	-1.4	104	0.00	15.87
98	M	bromobenzene	0.920	0.982	-6.7	108	0.00	16.04
99	M	1,1,2,2-tetrachloroethane	1.006	1.069	-6.3	108	0.00	15.92
100	M	trans-1,4-dichloro-2-bute	0.194	0.236	-21.6	119	0.00	15.96
101	M	1,2,3-trichloropropane	0.303	0.326	-7.6	108	0.00	15.99
102	M	n-propylbenzene	3.362	3.584	-6.6	108	0.00	16.08
103	M	2-chlorotoluene	0.773	0.819	-6.0	107	0.00	16.20
104	M	4-chlorotoluene	2.198	2.266	-3.1	108	0.00	16.29
105	M	1,3,5-trimethylbenzene	2.378	2.524	-6.1	108	0.00	16.21
106	M	tert-butylbenzene	0.470	0.515	-9.6	109	0.00	16.54
107	M	1,2,4-trimethylbenzene	2.392	2.546	-6.4	109	0.00	16.57
108	M	sec-butylbenzene	2.720	2.941	-8.1	108	0.00	16.73
109	M	1,3-dichlorobenzene	1.525	1.608	-5.4	108	0.00	16.88
110	M	p-isopropyltoluene	2.242	2.463	-9.9	108	0.00	16.84
111	M	1,4-dichlorobenzene	1.609	1.627	-1.1	107	0.00	16.96
112		1,2,3-trimethylbenzene		----------NA----------				
113		benzyl chloride	1.694	1.726	-1.9	100	0.00	17.05
114	M	1,2-dichlorobenzene	1.438	1.559	-8.4	107	0.00	17.31
115	M	n-butylbenzene	1.034	1.097	-6.1	110	0.00	17.22
116	M	1,2-dibromo-3-chloropropa	0.275	0.300	-9.1	106	0.00	18.01
117		1,3,5-trichlorobenzene	0.845	0.920	-8.9	110	0.00	18.23
118	M	1,2,4-trichlorobenzene	0.701	0.750	-7.0	108	0.00	18.82
119	M	hexachlorobutadiene	0.317	0.363	-14.5	116	0.00	18.96
120	M	naphthalene	1.992	2.028	-1.8	106	0.00	19.08
121	M	1,2,3-trichlorobenzene	0.575	0.616	-7.1	109	0.00	19.31
122	m	hexachloroethane	0.446	0.495	-11.0	111	0.00	17.59
123		2-methylnaphthalene	0.575	0.609	-5.9	103	0.00	20.17

(#) = Out of Range SPCC's out = 0 CCC's out = 0
4D120255.D M4D5341.M Wed Aug 17 16:21:05 2022

Initial Calibration Verification

Job Number: JD52514 **Sample:** V4D5341-ICV5341
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 4D120261.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\V4D5341\4D120261.D Vial: 15
Acq On : 14 Aug 2022 2:46 am Operator: PrashanS
Sample : ICV5341-50 Inst : MS4D
Misc : MS61262,V4D5341,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\MSDCHEM\1\METHODS\M4D5341.M (RTE Integrator)
Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
Last Update : Tue Aug 16 11:16:58 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1		tert butyl alcohol-d9	1.000	1.000	0.0	109	0.00	8.53
2	M	tertiary butyl alcohol		----------NA----------				
3		ethanol		----------NA----------				
4	M	1,4-dioxane		----------NA----------				
5	I	pentafluorobenzene	1.000	1.000	0.0	113	0.00	11.02
6	M	chlorodifluoromethane	0.550	0.639	-16.2	130	0.00	4.58
7	M	dichlorodifluoromethane		----------NA----------				
8	M	chloromethane		----------NA----------				
9	M	vinyl chloride		----------NA----------				
10		1,3-butadiene		----------NA----------				
11	M	bromomethane		----------NA----------				
12	M	chloroethane		----------NA----------				
13	M	trichlorofluoromethane		----------NA----------				
14	M	ethyl ether		----------NA----------				
15	M	acrolein		----------NA----------				
16		freon 113		----------NA----------				
17	M	1,1-dichloroethene		----------NA----------				
18	M	acetone		----------NA----------				
19	M	acetonitrile	0.079	0.072	8.9	101	0.00	8.26
		----------	True	Calc.	% Drift	----------		
20	M	iodomethane		----------NA----------				
		----------	AvgRF	CCRF	% Dev	----------		
21	M	carbon disulfide		----------NA----------				
22	M	methylene chloride		----------NA----------				
23	M	methyl acetate		----------NA----------				
24	M	methyl tert butyl ether		----------NA----------				
25	M	trans-1,2-dichloroethene		----------NA----------				
26	M	di-isopropyl ether		----------NA----------				
27	M	2-butanone		----------NA----------				
28	M	1,1-dichloroethane		----------NA----------				
29	M	chloroprene		----------NA----------				
30	M	acrylonitrile	0.174	0.159	8.6	97	0.00	8.92
31		hexane		----------NA----------				
32	M	vinyl acetate		----------NA----------				
33	M	ethyl tert-butyl ether		----------NA----------				
34	M	ethyl acetate		----------NA----------				
35	M	2,2-dichloropropane		----------NA----------				
36	M	cis-1,2-dichloroethene		----------NA----------				
37		methyl acrylate		----------NA----------				

Initial Calibration Verification

Job Number: JD52514 **Sample:** V4D5341-ICV5341
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 4D120261.D
Project: EPT, Ithaca, NY

38	M	propionitrile			----------NA----------				
39	M	bromochloromethane			----------NA----------				
40	M	tetrahydrofuran			----------NA----------				
41	M	chloroform			----------NA----------				
42	M	t-butyl formate			----------NA----------				
43	S	dibromofluoromethane (s)	0.474	0.466	1.7	112	0.00	11.02	
44	M	methacrylonitrile			----------NA----------				
45	M	1,1,1-trichloroethane			----------NA----------				
46		cyclohexane			----------NA----------				
47		1,1-dichloropropene			----------NA----------				
48		isobutyl alcohol			----------NA----------				
49		carbon tetrachloride			----------NA----------				
50		tert amyl alcohol			----------NA----------				
51	I	1,4-difluorobenzene	1.000	1.000	0.0	112	0.00	11.92	
52	S	1,2-dichloroethane-d4 (s)	0.385	0.389	-1.0	114	0.00	11.45	
53	M	n-butyl alcohol			----------NA----------				
54		2,2,4-trimethylpentane			----------NA----------				
55	M	benzene			----------NA----------				
56	M	tert-amyl methyl ether			----------NA----------				
57	M	heptane			----------NA----------				
58	M	isopropyl acetate			----------NA----------				
59	M	1,2-dichloroethane			----------NA----------				
60	M	trichloroethene			----------NA----------				
61		ethyl acrylate			----------NA----------				
62	M	2-nitropropane			----------NA----------				
63	M	2-chloroethyl vinyl ether			----------NA----------				
64	M	methyl methacrylate			----------NA----------				
65	M	1,2-dichloropropane			----------NA----------				
66	M	dibromomethane			----------NA----------				
67	M	methylcyclohexane			----------NA----------				
68	M	bromodichloromethane			----------NA----------				
69		epichlorohydrin			----------NA----------				
70	M	cis-1,3-dichloropropene			----------NA----------				
71	M	4-methyl-2-pentanone			----------NA----------				
72	M	3-methyl-1-butanol			----------NA----------				
73	I	chlorobenzene-d5	1.000	1.000	0.0	106	0.00	14.82	
74	S	toluene-d8 (s)	1.205	1.237	-2.7	110	0.00	13.46	
75		toluene			----------NA----------				
76		trans-1,3-dichloropropene			----------NA----------				
77		ethyl methacrylate			----------NA----------				
78		1,1,2-trichloroethane			----------NA----------				
79	M	tetrachloroethene	0.311	0.299	3.9	104	0.00	14.07	
80	M	1,3-dichloropropane			----------NA----------				
81		2-hexanone			----------NA----------				
82	M	butyl acetate			----------NA----------				
83	M	dibromochloromethane			----------NA----------				
84	M	1,2-dibromoethane			----------NA----------				
85		n-butyl ether			----------NA----------				
86	M	chlorobenzene			----------NA----------				
87	M	1,1,1,2-tetrachloroethane			----------NA----------				
88	M	ethylbenzene			----------NA----------				
89	M	m,p-xylene			----------NA----------				
90	M	o-xylene			----------NA----------				
91	M	styrene			----------NA----------				
92	M	bromoform			----------NA----------				
93		butyl acrylate			----------NA----------				
94		isopropylbenzene			----------NA----------				

Initial Calibration Verification

Job Number: JD52514 **Sample:** V4D5341-ICV5341
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 4D120261.D
Project: EPT, Ithaca, NY

			True	Calc.	% Drift			
95		cis-1,4-dichloro-2-butene		----------NA----------				
			AvgRF	CCRF	% Dev			
96	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	107	0.00	16.93
97	S	4-bromofluorobenzene (s)	1.021	1.028	-0.7	107	0.00	15.87
98	M	bromobenzene		----------NA----------				
99	M	1,1,2,2-tetrachloroethane		----------NA----------				
100	M	trans-1,4-dichloro-2-bute		----------NA----------				
101	M	1,2,3-trichloropropane		----------NA----------				
102	M	n-propylbenzene		----------NA----------				
103	M	2-chlorotoluene		----------NA----------				
104	M	4-chlorotoluene		----------NA----------				
105	M	1,3,5-trimethylbenzene		----------NA----------				
106	M	tert-butylbenzene		----------NA----------				
107	M	1,2,4-trimethylbenzene		----------NA----------				
108	M	sec-butylbenzene		----------NA----------				
109	M	1,3-dichlorobenzene		----------NA----------				
110	M	p-isopropyltoluene		----------NA----------				
111	M	1,4-dichlorobenzene		----------NA----------				
112		1,2,3-trimethylbenzene	2.351	2.597	-10.5	116	0.00	16.97
113		benzyl chloride		----------NA----------				
114	M	1,2-dichlorobenzene		----------NA----------				
115	M	n-butylbenzene		----------NA----------				
116	M	1,2-dibromo-3-chloropropa		----------NA----------				
117		1,3,5-trichlorobenzene		----------NA----------				
118	M	1,2,4-trichlorobenzene		----------NA----------				
119	M	hexachlorobutadiene		----------NA----------				
120	M	naphthalene		----------NA----------				
121	M	1,2,3-trichlorobenzene		----------NA----------				
122	m	hexachloroethane		----------NA----------				
123		2-methylnaphthalene		----------NA----------				

(#) = Out of Range SPCC's out = 0 CCC's out = 0
4D120255.D M4D5341.M Wed Aug 17 16:21:07 2022

Continuing Calibration Summary

Job Number: JD52514 **Sample:** V4D5406-CC5341
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 4D121696.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\re...22\v4d5406\4d121696.d Vial: 27
Acq On : 29 Sep 2022 8:44 pm Operator: taylors
Sample : cc5341-50 Inst : MS4D
Misc : MS62508,V4D5406,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\MSDCHEM\1\METHODS\M4D5341.M (RTE Integrator)
Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
Last Update : Tue Sep 20 14:55:55 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1		tert butyl alcohol-d9	1.000	1.000	0.0	133	0.00	8.54
2	M	tertiary butyl alcohol	1.429	1.512	-5.8	142	0.00	8.66
3		ethanol	0.138	0.176	-27.5#	158	0.00	7.07
4	M	1,4-dioxane	0.126	0.121	4.0	125	0.00	12.57
5	I	pentafluorobenzene	1.000	1.000	0.0	93	0.00	11.02
6	M	chlorodifluoromethane	0.550	0.630	-14.5	106	0.00	4.59
7	M	dichlorodifluoromethane	0.639	0.528	17.4	74	0.00	4.54
8	M	chloromethane	0.541	0.416	23.1#	74	0.00	5.04
9	M	vinyl chloride	0.531	0.401	24.5#	70	-0.01	5.28
10		1,3-butadiene	0.484	0.355	26.7#	67	-0.01	5.38
11	M	bromomethane	0.318	0.237	25.5#	79	-0.01	6.05
12	M	chloroethane	0.279	0.254	9.0	82	-0.01	6.28
13	M	trichlorofluoromethane	0.751	0.667	11.2	78	0.00	6.85
14	M	ethyl ether	0.225	0.240	-6.7	97	0.00	7.37
15	M	acrolein	0.095	0.127	-33.7#	117	0.00	7.57
16		freon 113	0.356	0.363	-2.0	92	0.00	7.82
17	M	1,1-dichloroethene	0.394	0.371	5.8	94	0.00	7.83
18	M	acetone	0.046	0.073	-58.7#	128	0.00	7.82
19	M	acetonitrile	0.079	0.131	-65.8#	150	0.00	8.26
		----------	True	Calc.	% Drift	----------		
20	M	iodomethane	50.000	25.873	48.3#	46	0.00	8.11
		----------	AvgRF	CCRF	% Dev	----------		
21	M	carbon disulfide	1.105	1.064	3.7	93	0.00	8.27
22	M	methylene chloride	0.423	0.427	-0.9	97	0.00	8.59
23	M	methyl acetate	0.392	0.621	-58.4#	138	0.00	8.39
24	M	methyl tert butyl ether	1.227	1.282	-4.5	98	0.00	9.03
25	M	trans-1,2-dichloroethene	0.434	0.409	5.8	95	0.00	9.05
26	M	di-isopropyl ether	1.301	1.651	-26.9#	119	0.00	9.72
27	M	2-butanone	0.067	0.089	-32.8#	116	0.00	10.39
28	M	1,1-dichloroethane	0.719	0.773	-7.5	99	0.00	9.66
29	M	chloroprene	0.543	0.656	-20.8#	107	0.00	9.80
30	M	acrylonitrile	0.174	0.270	-55.2#	136	0.00	8.91
31		hexane	0.251	0.301	-19.9	109	0.00	9.48
32	M	vinyl acetate	0.090	0.111	-23.3#	107	0.00	9.66
33	M	ethyl tert-butyl ether	1.270	1.463	-15.2	105	0.00	10.22
34	M	ethyl acetate	0.065	0.078	-20.0	107	0.00	10.45
35	M	2,2-dichloropropane	0.644	0.575	10.7	86	0.00	10.47
36	M	cis-1,2-dichloroethene	0.481	0.464	3.5	96	0.00	10.44
37		methyl acrylate	0.446	0.642	-43.9#	128	0.00	10.53

Continuing Calibration Summary

Job Number: JD52514 **Sample:** V4D5406-CC5341
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 4D121696.D
Project: EPT, Ithaca, NY

38	M	propionitrile	0.081	0.133	-64.2#	145	0.00	10.44
39	M	bromochloromethane	0.245	0.267	-9.0	101	0.00	10.75
40	M	tetrahydrofuran	0.088	0.104	-18.2	113	0.00	10.83
41	M	chloroform	0.545	0.501	8.1	93	0.00	10.82
42	M	t-butyl formate	0.372	0.477	-28.2#	118	0.00	10.90
43	S	dibromofluoromethane (s)	0.474	0.504	-6.3	100	0.00	11.02
44	M	methacrylonitrile	0.203	0.256	-26.1#	114	0.00	10.67
45	M	1,1,1-trichloroethane	0.695	0.682	1.9	91	0.00	11.13
46		cyclohexane	0.541	0.451	16.6	75	0.00	11.25
47		1,1-dichloropropene	0.544	0.546	-0.4	94	0.00	11.32
48		isobutyl alcohol	0.004	0.004	0.0	94	0.00	11.32
49		carbon tetrachloride	0.660	0.645	2.3	91	0.00	11.35
50		tert amyl alcohol	0.029	0.049	-69.0#	154	0.00	11.40
51	I	1,4-difluorobenzene	1.000	1.000	0.0	104	0.00	11.92
52	S	1,2-dichloroethane-d4 (s)	0.385	0.362	6.0	98	0.00	11.45
53	M	n-butyl alcohol	0.015	0.026	-73.3#	167	0.00	11.99
54		2,2,4-trimethylpentane	0.719	0.706	1.8	103	0.00	11.65
55	M	benzene	1.150	1.053	8.4	96	0.00	11.57
56	M	tert-amyl methyl ether	0.223	0.214	4.0	97	0.00	11.63
57	M	heptane	0.162	0.134	17.3	84	0.00	11.81
58	M	isopropyl acetate	0.082	0.088	-7.3	109	0.00	11.49
59	M	1,2-dichloroethane	0.492	0.457	7.1	102	0.00	11.53
60	M	trichloroethene	0.347	0.343	1.2	100	0.00	12.25
61		ethyl acrylate	0.475	0.613	-29.1#	129	0.00	12.24
62	M	2-nitropropane	0.152	0.192	-26.3#	123	0.00	12.90
63	M	2-chloroethyl vinyl ether	0.160	0.246	-53.8#	150	0.00	12.96
64	M	methyl methacrylate	0.099	0.110	-11.1	110	0.00	12.49
65	M	1,2-dichloropropane	0.311	0.321	-3.2	105	0.00	12.47
66	M	dibromomethane	0.245	0.228	6.9	99	0.00	12.60
67	M	methylcyclohexane	0.422	0.401	5.0	96	0.00	12.51
68	M	bromodichloromethane	0.464	0.440	5.2	97	0.00	12.72
69		epichlorohydrin	0.044	0.065	-47.7#	144	0.00	13.04
70	M	cis-1,3-dichloropropene	0.501	0.498	0.6	100	0.00	13.16
71	M	4-methyl-2-pentanone	0.156	0.204	-30.8#	130	0.00	13.25
72	M	3-methyl-1-butanol	0.014	0.021	-50.0#	142	0.00	13.24
73	I	chlorobenzene-d5	1.000	1.000	0.0	105	0.00	14.82
74	S	toluene-d8 (s)	1.205	1.177	2.3	105	0.00	13.46
75		toluene	0.770	0.686	10.9	97	0.00	13.53
76		trans-1,3-dichloropropene	0.483	0.475	1.7	100	0.00	13.66
77		ethyl methacrylate	0.433	0.447	-3.2	103	0.00	13.69
78		1,1,2-trichloroethane	0.258	0.265	-2.7	107	0.00	13.85
79	M	tetrachloroethene	0.311	0.259	16.7	90	0.00	14.07
80	M	1,3-dichloropropane	0.487	0.480	1.4	102	0.00	14.02
81		2-hexanone	0.162	0.228	-40.7#	138	0.00	14.03
82	M	butyl acetate	0.227	0.298	-31.3#	136	0.00	14.11
83	M	dibromochloromethane	0.422	0.424	-0.5	103	0.00	14.26
84	M	1,2-dibromoethane	0.348	0.371	-6.6	110	0.00	14.41
85		n-butyl ether	1.245	1.367	-9.8	111	0.00	14.81
86	M	chlorobenzene	0.895	0.843	5.8	100	0.00	14.85
87	M	1,1,1,2-tetrachloroethane	0.359	0.345	3.9	101	0.00	14.90
88	M	ethylbenzene	1.429	1.292	9.6	97	0.00	14.92
89	M	m,p-xylene	0.553	0.508	8.1	98	0.00	15.01
90	M	o-xylene	0.554	0.514	7.2	97	0.00	15.39
91	M	styrene	0.934	0.894	4.3	98	0.00	15.39
92	M	bromoform	0.325	0.327	-0.6	100	0.00	15.59
93		butyl acrylate	0.630	0.793	-25.9#	125	0.00	15.22
94		isopropylbenzene	1.377	1.268	7.9	95	0.00	15.70

Continuing Calibration Summary

Job Number: JD52514 **Sample:** V4D5406-CC5341
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 4D121696.D
Project: EPT, Ithaca, NY

			True	Calc.	% Drift			
95		cis-1,4-dichloro-2-butene	50.000	49.064	1.9	116	0.00	15.71

			AvgRF	CCRF	% Dev			
96	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	106	0.00	16.93
97	S	4-bromofluorobenzene (s)	1.021	0.989	3.1	102	0.00	15.87
98	M	bromobenzene	0.920	0.846	8.0	96	0.00	16.04
99	M	1,1,2,2-tetrachloroethane	1.006	1.068	-6.2	110	0.00	15.92
100	M	trans-1,4-dichloro-2-bute	0.194	0.260	-34.0#	134	0.00	15.96
101	M	1,2,3-trichloropropane	0.303	0.311	-2.6	105	0.00	15.99
102	M	n-propylbenzene	3.362	3.102	7.7	95	0.00	16.08
103	M	2-chlorotoluene	0.773	0.746	3.5	100	0.00	16.20
104	M	4-chlorotoluene	2.198	1.964	10.6	96	0.00	16.28
105	M	1,3,5-trimethylbenzene	2.378	2.119	10.9	92	0.00	16.21
106	M	tert-butylbenzene	0.470	0.450	4.3	97	0.00	16.54
107	M	1,2,4-trimethylbenzene	2.392	2.089	12.7	91	0.00	16.57
108	M	sec-butylbenzene	2.720	2.542	6.5	95	0.00	16.73
109	M	1,3-dichlorobenzene	1.525	1.429	6.3	98	0.00	16.88
110	M	p-isopropyltoluene	2.242	2.150	4.1	97	0.00	16.84
111	M	1,4-dichlorobenzene	1.609	1.436	10.8	97	0.00	16.96
112		1,2,3-trimethylbenzene	2.351	2.048	12.9	91	0.00	16.97
113		benzyl chloride	1.694	1.669	1.5	99	0.00	17.05
114	M	1,2-dichlorobenzene	1.438	1.404	2.4	99	0.00	17.31
115	M	n-butylbenzene	1.034	0.860	16.8	88	0.00	17.22
116	M	1,2-dibromo-3-chloropropa	0.275	0.339	-23.3#	123	0.00	18.01
117		1,3,5-trichlorobenzene	0.845	0.780	7.7	96	0.00	18.23
118	M	1,2,4-trichlorobenzene	0.701	0.660	5.8	98	0.00	18.82
119	M	hexachlorobutadiene	0.317	0.270	14.8	88	0.00	18.96
120	M	naphthalene	1.992	2.035	-2.2	109	0.00	19.08
121	M	1,2,3-trichlorobenzene	0.575	0.586	-1.9	107	0.00	19.30
122	m	hexachloroethane	0.446	0.381	14.6	88	0.00	17.59
123		2-methylnaphthalene	0.575	0.908	-57.9#	158	0.00	20.17
124		pentafluorobenzene(a)	1.000	1.000	0.0	63	0.00	11.02
125		Freon 143A		----------NA----------				
126		Freon 142B		----------NA----------				
127		Freon 141B		----------NA----------				

(#) = Out of Range SPCC's out = 0 CCC's out = 0
4D120255.D M4D5341.M Mon Oct 03 06:12:07 2022

Initial Calibration Summary

Job Number: JD52514 **Sample:** VL10355-ICC10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L342975.D
Project: EPT, Ithaca, NY

Response Factor Report GCMSL

Method : C:\MSDCHEM\1\METHODS\ML10355.M (RTE Integrator)
Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
Last Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration

Calibration Files
8 =L342973.D 0.5 =L342969.D 4 =L342972.D 50 =L342975.D
100 =L342976.D 1 =L342970.D 200 =L342977.D 20 =L342974.D
2 =L342971.D 0.2 =L342968.D = =

Compound	8	0.5	4	50	100	1	200	20	2	0.2	Avg	%RSD
1) I tert butyl alcohol-d9	ISTD											
2) 1,4-dioxane	0.126	0.161	0.120	0.127	0.121	0.125	0.115	0.148			0.130	12.05
3) ethanol	0.118	0.149	0.115	0.118	0.146	0.097	0.113	0.142			0.125	14.94
4) tertiary butyl alcohol	1.393	1.897	1.395	1.410	1.708	1.354	1.344	1.758			1.532	14.28
5) I pentafluorobenzene	ISTD											
6) chlorodifluoromethane	0.521	0.607	0.558	0.548	0.553	0.520	0.486	0.551	0.613	0.635	0.559	8.32
7) dichlorodifluoromethane	0.719	0.772	0.716	0.817	0.832	1.002	0.784	0.805	0.713	1.004	0.816	13.13
8) chloromethane	0.508	0.523	0.539	0.558	0.664	0.509	0.544	0.521			0.546	9.33
9) vinyl chloride	0.614	0.768	0.594	0.654	0.662	0.802	0.604	0.658	0.627	0.747	0.673	10.92
10) 1,3-butadiene	0.712	0.796	0.663	0.599	0.509	0.691					0.662	14.89
11) bromomethane	0.278	0.264	0.276	0.264	0.257	0.343					0.280	11.28
12) chloroethane	0.354	0.464	0.326	0.370	0.373	0.550	0.304	0.360	0.395	0.440	0.394	18.54
13) trichlorofluoromethane	0.906	0.984	0.908	0.933	0.944	1.143	0.855	0.944	0.952	0.843	0.941	8.84
14) ethyl ether	0.345	0.341	0.352	0.344	0.252	0.316	0.346	0.334			0.329	9.93
15) acrolein	0.108	0.110	0.118	0.120	0.120	0.115	0.146				0.119	10.46
16) freon 113	0.359	0.401	0.383	0.382	0.371	0.344	0.338	0.372	0.385		0.371	5.53
17) 1,1-dichloroethene	0.454	0.541	0.463	0.464	0.441	0.406	0.401	0.474	0.510		0.462	9.73
18) acetone	0.080	0.093	0.080	0.076	0.072	0.071	0.081	0.095			0.081	11.14
19) acetonitrile	0.052	0.050	0.052	0.050	0.060	0.047	0.054	0.056			0.053	7.90
20) iodomethane	0.270	0.239	0.432	0.472	0.416	0.353	0.215				0.342	29.90
----- Linear regression ----- Coefficient = 0.9941												
Response Ratio = -0.01368 + 0.43624 *A												
21) iso-butyl alcohol	0.053	0.069	0.047	0.044	0.051						0.053	18.51

Initial Calibration Summary

Job Number: JD52514 **Sample:** VL10355-ICC10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L342975.D
Project: EPT, Ithaca, NY

22) carbon disulfide
1.404 1.468 1.357 1.333 1.458 1.233 1.409 1.700 1.420 9.56
23) methylene chloride
0.537 0.584 0.510 0.512 0.528 0.470 0.506 0.653 0.537 10.54
24) methyl acetate
0.154 0.191 0.162 0.157 0.146 0.161 0.168 0.163 8.84
25) methyl tert butyl ether
1.755 1.915 1.860 1.764 1.668 1.608 1.456 1.754 1.945 1.747 8.84
26) trans-1,2-dichloroethene
0.496 0.590 0.520 0.491 0.468 0.421 0.435 0.492 0.581 0.499 11.60
27) hexane
0.677 0.775 0.691 0.696 0.687 0.737 0.632 0.693 0.734 0.702 5.85
28) di-isopropyl ether
1.423 1.597 1.561 1.418 1.338 1.254 1.168 1.428 1.576 1.418 10.39
29) ethyl tert-butyl ether
1.697 1.764 1.749 1.680 1.619 1.439 1.451 1.674 1.882 1.662 8.63
30) 2-butanone
0.121 0.139 0.140 0.123 0.120 0.105 0.114 0.122 0.136 0.125 9.40
31) 1,1-dichloroethane
0.866 0.925 0.971 0.878 0.842 0.780 0.745 0.870 1.015 0.877 9.74
32) chloroprene
0.717 0.843 0.715 0.692 0.684 0.654 0.619 0.712 0.784 0.713 9.34
33) acrylonitrile
0.265 0.275 0.288 0.290 0.325 0.283 0.292 0.288 0.288 6.02
34) vinyl acetate
0.154 0.126 0.160 0.157 0.142 0.153 0.167 0.151 8.83
35) ethyl acetate
0.130 0.138 0.117 0.115 0.109 0.124 0.151 0.126 11.48
36) 2,2-dichloropropane
0.853 0.925 0.811 0.758 0.895 0.661 0.870 1.051 0.853 13.60
37) cis-1,2-dichloroethene
0.562 0.630 0.581 0.545 0.523 0.500 0.470 0.554 0.658 0.627 0.565 10.61
38) propionitrile
0.118 0.136 0.116 0.109 0.114 0.099 0.123 0.138 0.119 10.95
39) methyl acrylate
0.142 0.170 0.139 0.132 0.126 0.146 0.172 0.147 12.16
40) bromochloromethane
0.252 0.270 0.270 0.248 0.242 0.230 0.220 0.234 0.248 0.246 6.89
41) tetrahydrofuran
0.144 0.109 0.144 0.142 0.141 0.133 0.136 0.150 0.154 0.139 9.42
42) chloroform
1.044 1.086 0.954 0.903 1.065 0.821 0.964 1.198 1.004 11.75
43) dibromofluoromethane (s)
0.454 0.444 0.453 0.458 0.455 0.446 0.445 0.459 0.459 0.443 0.452 1.43
44) methacrylonitrile
0.334 0.393 0.334 0.330 0.328 0.324 0.333 0.419 0.349 10.23
45) 1,1,1-trichloroethane
0.842 0.939 0.862 0.857 0.846 0.779 0.779 0.842 1.000 0.861 8.20
46) cyclohexane
0.748 0.817 0.779 0.748 0.750 0.999 0.704 0.767 0.807 0.801 0.792 10.14
47) 1,1-dichloropropene
0.675 0.729 0.652 0.679 0.650 0.674 0.605 0.693 0.762 0.757 0.688 7.18
48) carbon tetrachloride
0.708 0.805 0.774 0.673 0.662 0.643 0.603 0.724 0.829 0.713 10.76
49) isopropyl acetate
0.168 0.188 0.170 0.170 0.161 0.172 0.219 0.179 11.10
50) tert amyl alcohol
0.060 0.073 0.049 0.047 0.054 0.057 18.80

51) I 1,4-difluorobenzene ----------ISTD----------

52) 1,2-dichloroethane-d4 (s)
0.383 0.381 0.381 0.357 0.333 0.374 0.316 0.365 0.380 0.379 0.365 6.34
53) tert-amyl methyl ether
1.137 1.300 1.061 1.024 1.059 0.908 1.113 1.305 1.113 12.14
54) 2,2,4-trimethylpentane
0.877 0.923 0.851 0.810 0.877 0.742 0.900 1.098 0.885 11.65
55) n-butyl alcohol
0.023 0.024 0.030 0.023 0.021 0.027 0.020 0.024 0.030 0.025 15.19
56) benzene
1.287 1.447 1.415 1.239 1.197 1.249 1.064 1.303 1.514 1.302 10.63
57) heptane
0.184 0.252 0.193 0.193 0.195 0.204 0.186 0.191 0.210 0.233 0.204 10.84
58) 1,2-dichloroethane
0.497 0.544 0.479 0.449 0.506 0.405 0.488 0.562 0.491 10.17
59) trichloroethene
0.343 0.466 0.372 0.360 0.354 0.310 0.331 0.364 0.413 0.368 12.61
60) ethyl acrylate
0.586 0.709 0.594 0.559 0.588 0.509 0.600 0.737 0.610 12.38
61) 2-nitropropane
0.172 0.229 0.178 0.156 0.156 0.180 0.179 15.04
62) 2-chloroethyl vinyl ether
0.209 0.222 0.239 0.216 0.205 0.185 0.187 0.213 0.242 0.213 9.23
63) methyl methacrylate
0.128 0.167 0.139 0.133 0.127 0.140 0.160 0.142 11.06
64) 1,2-dichloropropane
0.318 0.351 0.314 0.307 0.315 0.280 0.323 0.362 0.321 7.96
65) methylcyclohexane
0.567 0.531 0.602 0.583 0.565 0.589 0.523 0.579 0.680 0.580 7.91
66) dibromomethane
0.242 0.264 0.274 0.225 0.225 0.210 0.206 0.222 0.263 0.237 10.60
67) bromodichloromethane
0.514 0.665 0.587 0.513 0.507 0.482 0.465 0.497 0.624 0.539 12.77
68) cis-1,3-dichloropropene
0.591 0.639 0.671 0.612 0.601 0.497 0.555 0.601 0.679 0.605 9.32
69) epichlorohydrin
0.064 0.081 0.066 0.065 0.062 0.067 0.083 0.070 12.29
70) 4-methyl-2-pentanone
0.205 0.248 0.266 0.208 0.194 0.224 0.175 0.217 0.272 0.223 14.67
71) 3-methyl-1-butanol
0.026 0.030 0.033 0.024 0.022 0.032 0.020 0.026 0.033 0.027 17.93

72) I chlorobenzene-d5 ----------ISTD----------
73) toluene-d8 (s)
1.390 1.434 1.402 1.312 1.298 1.428 1.296 1.337 1.433 1.432 1.376 4.30
74) toluene
0.916 1.105 1.004 0.884 0.871 0.923 0.799 0.896 1.052 0.939 10.29
75) trans-1,3-dichloropropene
0.628 0.785 0.728 0.631 0.612 0.543 0.564 0.619 0.740 0.650 12.71
76) ethyl methacrylate
0.655 0.716 0.615 0.582 0.709 0.525 0.634 0.797 0.654 13.05
77) 1,1,2-trichloroethane
0.322 0.363 0.315 0.306 0.311 0.285 0.320 0.394 0.327 10.70
78) 2-hexanone
0.244 0.307 0.319 0.231 0.211 0.280 0.186 0.244 0.319 0.260 18.63
79) tetrachloroethene
0.378 0.402 0.409 0.357 0.353 0.326 0.336 0.363 0.460 0.376 11.11
80) 1,3-dichloropropane
0.649 0.739 0.603 0.576 0.619 0.522 0.618 0.760 0.636 12.53
81) butyl acetate
0.333 0.442 0.325 0.310 0.292 0.335 0.339 15.56

82) dibromochloromethane
0.404 0.545 0.497 0.397 0.393 0.413 0.363 0.401 0.521 0.437 14.98
83) 1,2-dibromoethane
0.434 0.531 0.511 0.409 0.397 0.396 0.373 0.408 0.484 0.438 12.86
84) n-butyl ether
1.418 1.611 1.360 1.301 1.326 1.134 1.391 1.672 1.402 12.26
85) chlorobenzene
0.961 1.060 0.951 0.947 0.842 0.861 0.963 1.091 0.960 8.90
86) 1,1,1,2-tetrachloroethane
0.355 0.419 0.324 0.309 0.333 0.277 0.338 0.424 0.347 14.75
87) ethylbenzene
1.720 1.895 1.547 1.447 1.600 1.248 1.666 2.065 1.648 15.43
88) m,p-xylene
0.650 0.823 0.730 0.616 0.590 0.603 0.527 0.643 0.766 0.661 14.22
89) o-xylene
0.679 0.733 0.648 0.626 0.571 0.571 0.658 0.800 0.661 11.76
90) butyl acrylate
0.821 0.977 0.808 0.778 0.901 0.693 0.806 0.984 0.846 11.88
91) styrene
1.118 1.232 1.032 0.987 0.967 0.866 1.077 1.295 1.072 13.17
92) bromoform
0.281 0.352 0.293 0.289 0.325 0.270 0.296 0.355 0.308 10.51
93) isopropylbenzene
1.670 1.886 1.617 1.553 1.484 1.347 1.665 2.051 1.659 13.41
94) cis-1,4-dichloro-2-butene
0.095 0.120 0.124 0.140 0.154 0.107 0.123 17.13

95) I 1,4-dichlorobenzene-d ----------ISTD----------
96) 4-bromofluorobenzene (s)
1.278 1.306 1.330 1.290 1.306 1.305 1.337 1.293 1.286 1.294 1.303 1.43
97) bromobenzene
0.981 1.145 1.109 0.965 0.959 1.030 0.890 0.912 1.142 1.015 9.54
98) 1,1,2,2-tetrachloroethane
1.533 1.976 1.913 1.500 1.477 1.838 1.383 1.491 1.951 1.674 14.32
99) trans-1,4-dichloro-2-butene
0.196 0.239 0.238 0.265 0.280 0.224 0.223 0.238 11.65
100) 1,2,3-trichloropropane
0.470 0.578 0.447 0.424 0.482 0.406 0.463 0.585 0.482 13.71
101) n-propylbenzene
4.787 5.491 4.622 4.471 4.599 3.941 4.702 5.702 4.789 11.75
102) 2-chlorotoluene
0.897 1.040 0.915 0.921 0.947 0.863 0.897 1.060 0.942 7.53
103) 4-chlorotoluene
0.915 1.055 0.895 0.909 0.914 0.852 0.911 1.107 0.945 9.30
104) 1,3,5-trimethylbenzene
3.358 3.805 3.341 3.226 3.350 2.895 3.404 4.094 3.434 10.61
105) tert-butylbenzene
2.818 3.171 2.877 2.832 2.480 2.570 2.808 3.466 2.878 10.95
106) 1,2,4-trimethylbenzene
3.401 3.985 3.412 3.304 3.351 2.904 3.416 4.342 3.514 12.65
107) sec-butylbenzene
4.026 4.563 4.081 3.998 3.804 3.541 4.109 4.790 4.114 9.66
108) 1,3-dichlorobenzene
1.654 1.949 1.729 1.729 1.560 1.597 1.658 1.834 1.714 7.45
109) p-isopropyltoluene
3.275 3.624 3.217 3.098 3.001 2.711 3.233 3.793 3.244 10.50
110) 1,4-dichlorobenzene
1.564 1.956 1.873 1.669 1.644 1.451 1.527 1.579 1.860 1.680 10.45
111) 1,2,3-trimethylbenzene
3.264 3.869 3.266 3.143 3.239 2.768 3.274 3.858 3.335 10.98

Initial Calibration Summary

Job Number: JD52514 **Sample:** VL10355-ICC10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L342975.D
Project: EPT, Ithaca, NY

```
112)  1,2-dichlorobenzene
       1.598 1.973 1.827 1.616 1.590 1.595 1.469 1.559 1.947        1.686   10.76
113)  n-butylbenzene
       1.558 1.746 1.697 1.693 1.713 1.295 1.562 1.622 1.728        1.624    8.72
114)  1,2-dibromo-3-chloropropane
       0.361 0.324 0.464 0.400 0.422 0.363 0.437 0.383 0.404        0.395   10.82
115)  1,3,5-trichlorobenzene
       0.997 1.002 1.170 1.171 1.164 0.867 1.090 1.067 1.134 1.217  1.088    9.85
116)  1,2,4-trichlorobenzene
       0.802       0.853 0.989 1.000 0.678 0.968 0.893 0.863        0.881   12.30
117)  hexachlorobutadiene
       0.313       0.375 0.366 0.335       0.325 0.350 0.405        0.353    9.04
118)  naphthalene
       2.685       3.018 3.121 3.133       3.005 2.933 2.928        2.975    5.08
119)  1,2,3-trichlorobenzene
       0.751 0.770 0.799 0.854 0.890 0.621 0.863 0.796 0.834        0.798   10.05
120)  hexachloroethane
       0.632 0.625 0.654 0.669 0.700 0.630 0.652 0.653 0.764 0.748  0.673    7.29
121)  benzyl chloride
       2.810       3.479 2.876 2.791       2.570 2.897              2.904   10.50
122)  2-methylnaphthalene *This compounds fails Initial Calibration criteria*
       0.445             1.206 1.362       1.477 0.835              1.065   39.71

123)     pentafluorobenzene(a) ----------------ISTD---------------------
124)  Freon 142B
       0.845       0.996 0.887 0.881 1.116 0.838 0.897 1.200        0.957   14.06
125)  vinyl bromide
       0.183       0.176 0.189 0.184 0.169 0.181 0.190 0.205        0.185    5.79
126)  allyl chloride
       0.283       0.340 0.300 0.310 0.304 0.297 0.320 0.366        0.315    8.49

127)     1,4-dichlorobenzene-d ----------------ISTD---------------------
128)  4-ethyltoluene
       3.638       4.310 4.147 3.825 4.179 3.337 4.131 4.618        4.023   10.05
 ---------------------------------------------------------------------------
 (#) = Out of Range  ###  Number of calibration levels exceeded format  ###

           ML10355.M         Thu Jun 30 17:58:11 2022   1
```

Initial Calibration Verification

Job Number: JD52514 **Sample:** VL10355-ICV10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L342980.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\DATA\VL10355\L342980.D Vial: 14
Acq On : 15 Jun 2022 9:06 pm Operator: BridgetK
Sample : icv10355-50 Inst : GCMSL
Misc : MS59602,VL10355,5,,,,1 Multiplr: 1.00
MS Integration Params: lscint.p

Method : C:\MSDCHEM\1\METHODS\ML10355.M (RTE Integrator)
Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
Last Update : Fri Jun 17 18:01:43 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	tert butyl alcohol-d9	1.000	1.000	0.0	92	0.00	3.09
2		1,4-dioxane	0.130	0.131	-0.8	100	0.00	5.32
3		ethanol	0.125	0.129	-3.2	104	0.00	2.52
4	M	tertiary butyl alcohol	1.532	1.459	4.8	96	0.00	3.15
5	I	pentafluorobenzene	1.000	1.000	0.0	97	0.00	4.31
6		chlorodifluoromethane		----------NA----------				
7		dichlorodifluoromethane	0.816	1.042	-27.7	124	0.00	1.65
8		chloromethane	0.546	0.632	-15.8	114	0.00	1.82
9		vinyl chloride	0.673	0.782	-16.2	117	0.00	1.90
10		1,3-butadiene	0.662	0.795	-20.1	117	0.00	1.93
11		bromomethane	0.280	0.361	-28.9	127	0.00	2.15
12		chloroethane	0.394	0.439	-11.4	116	0.00	2.23
13		trichlorofluoromethane	0.941	1.068	-13.5	112	0.00	2.42
14		ethyl ether	0.329	0.353	-7.3	98	0.00	2.61
15		acrolein	0.119	0.089	25.2	74	0.00	2.71
16		freon 113	0.371	0.397	-7.0	101	0.00	2.78
17		1,1-dichloroethene	0.462	0.479	-3.7	100	0.00	2.79
18		acetone	0.081	0.077	4.9	94	0.00	2.80
19		acetonitrile		----------NA----------				
		----------	True	Calc.	% Drift	----------		
20		iodomethane	50.000	45.519	9.0	86	0.00	2.91
		----------	AvgRF	CCRF	% Dev	----------		
21		iso-butyl alcohol	0.053	0.048	9.4	99	0.00	4.47
22		carbon disulfide	1.420	1.470	-3.5	106	0.00	2.96
23		methylene chloride	0.537	0.524	2.4	100	0.00	3.12
24		methyl acetate	0.163	0.164	-0.6	99	0.00	3.01
25		methyl tert butyl ether	1.747	1.816	-3.9	100	0.00	3.29
26		trans-1,2-dichloroethene	0.499	0.516	-3.4	102	0.00	3.31
27		hexane	0.702	0.768	-9.4	108	0.00	3.49
28		di-isopropyl ether	1.418	1.422	-0.3	98	0.00	3.60
29		ethyl tert-butyl ether	1.662	1.629	2.0	94	0.00	3.84
30		2-butanone	0.125	0.132	-5.6	105	0.00	3.96
31	M	1,1-dichloroethane	0.877	0.897	-2.3	100	0.00	3.61
32		chloroprene	0.713	0.764	-7.2	108	0.00	3.66
33		acrylonitrile		----------NA----------				
34		vinyl acetate	0.151	0.147	2.6	90	0.00	3.58
35		ethyl acetate	0.126	0.121	4.0	100	0.00	3.97
36		2,2-dichloropropane	0.853	0.836	2.0	100	0.00	4.00
37		cis-1,2-dichloroethene	0.565	0.563	0.4	101	0.00	3.99

Initial Calibration Verification

Job Number: JD52514 **Sample:** VL10355-ICV10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L342980.D
Project: EPT, Ithaca, NY

38		propionitrile	0.119	0.113	5.0	95	0.00	4.01
39		methyl acrylate	0.147	0.138	6.1	96	0.00	4.02
40		bromochloromethane	0.246	0.257	-4.5	101	0.00	4.16
41		tetrahydrofuran	0.139	0.144	-3.6	99	0.00	4.17
42		chloroform	1.004	0.980	2.4	100	0.00	4.21
43	S	dibromofluoromethane (s)	0.452	0.453	-0.2	96	0.00	4.33
44		methacrylonitrile	0.349	0.347	0.6	101	0.00	4.12
45		1,1,1-trichloroethane	0.861	0.887	-3.0	101	0.00	4.35
46		cyclohexane	0.792	0.838	-5.8	109	0.00	4.41
47		1,1-dichloropropene	0.688	0.722	-4.9	104	0.00	4.46
48		carbon tetrachloride	0.713	0.720	-1.0	104	0.00	4.47
49		isopropyl acetate	0.179	0.181	-1.1	104	0.00	4.58
50		tert amyl alcohol	0.057	0.050	12.3	99	0.00	4.56
51	I	1,4-difluorobenzene	1.000	1.000	0.0	99	0.00	4.89
52	S	1,2-dichloroethane-d4 (s)	0.365	0.346	5.2	96	0.00	4.58
53		tert-amyl methyl ether	1.113	1.035	7.0	96	0.00	4.67
54		2,2,4-trimethylpentane	0.885	0.865	2.3	100	0.00	4.67
55		n-butyl alcohol	0.025	0.023	8.0	98	0.00	4.94
56	M	benzene	1.302	1.319	-1.3	105	0.00	4.61
57		heptane	0.204	0.211	-3.4	108	0.00	4.78
58		1,2-dichloroethane	0.491	0.480	2.2	99	0.00	4.64
59		trichloroethene	0.368	0.373	-1.4	102	0.00	5.08
60		ethyl acrylate	0.610	0.574	5.9	95	0.00	5.09
61		2-nitropropane	0.179	0.173	3.4	96	0.00	5.63
62		2-chloroethyl vinyl ether	0.213	0.236	-10.8	108	0.00	5.66
63		methyl methacrylate	0.142	0.136	4.2	97	0.00	5.28
64		1,2-dichloropropane	0.321	0.309	3.7	97	0.00	5.28
65		methylcyclohexane	0.580	0.594	-2.4	101	0.00	5.27
66		dibromomethane	0.237	0.230	3.0	101	0.00	5.35
67		bromodichloromethane	0.539	0.529	1.9	102	0.00	5.47
68		cis-1,3-dichloropropene	0.605	0.609	-0.7	98	0.00	5.80
69		epichlorohydrin	0.070	0.066	5.7	99	0.00	5.71
70		4-methyl-2-pentanone	0.223	0.210	5.8	99	0.00	5.90
71		3-methyl-1-butanol	0.027	0.025	7.4	101	0.00	5.92
72	I	chlorobenzene-d5	1.000	1.000	0.0	98	0.00	7.28
73	S	toluene-d8 (s)	1.376	1.302	5.4	97	0.00	6.03
74		toluene	0.939	0.916	2.4	101	0.00	6.09
75		trans-1,3-dichloropropene	0.650	0.635	2.3	98	0.00	6.26
76		ethyl methacrylate	0.654	0.624	4.6	99	0.00	6.28
77		1,1,2-trichloroethane	0.327	0.321	1.8	99	0.00	6.43
78		2-hexanone	0.260	0.229	11.9	97	0.00	6.59
79		tetrachloroethene		----------NA----------				
80		1,3-dichloropropane	0.636	0.623	2.0	101	0.00	6.57
81		butyl acetate	0.339	0.337	0.6	101	0.00	6.67
82		dibromochloromethane	0.437	0.414	5.3	102	0.00	6.76
83		1,2-dibromoethane	0.438	0.421	3.9	100	0.00	6.88
84		n-butyl ether	1.402	1.372	2.1	98	0.00	7.35
85		chlorobenzene	0.960	0.992	-3.3	102	0.00	7.31
86		1,1,1,2-tetrachloroethane	0.347	0.338	2.6	102	0.00	7.38
87		ethylbenzene	1.648	1.649	-0.1	104	0.00	7.38
88		m,p-xylene	0.661	0.649	1.8	103	0.00	7.49
89		o-xylene	0.661	0.667	-0.9	100	0.00	7.85
90		butyl acrylate	0.846	0.832	1.7	100	0.00	7.76
91		styrene	1.072	1.082	-0.9	102	0.00	7.86
92		bromoform	0.308	0.305	1.0	102	0.00	8.04
93		isopropylbenzene	1.659	1.726	-4.0	104	0.00	8.18
94		cis-1,4-dichloro-2-butene	0.123	0.141	-14.6	111	0.00	8.24

Initial Calibration Verification

Job Number: JD52514 **Sample:** VL10355-ICV10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L342980.D
Project: EPT, Ithaca, NY

95	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	96	0.00	9.47
96	S	4-bromofluorobenzene (s)	1.303	1.306	-0.2	97	0.00	8.35
97		bromobenzene	1.015	1.016	-0.1	101	0.00	8.50
98		1,1,2,2-tetrachloroethane	1.674	1.560	6.8	100	0.00	8.47
99		trans-1,4-dichloro-2-bute	0.238	0.284	-19.3	115	0.00	8.50
100		1,2,3-trichloropropane	0.482	0.464	3.7	100	0.00	8.53
101		n-propylbenzene	4.789	4.981	-4.0	103	0.00	8.58
102		2-chlorotoluene	0.942	0.978	-3.8	103	0.00	8.68
103		4-chlorotoluene	0.945	0.961	-1.7	103	0.00	8.79
104		1,3,5-trimethylbenzene	3.434	3.538	-3.0	102	0.00	8.75
105		tert-butylbenzene	2.878	3.192	-10.9	106	0.00	9.05
106		1,2,4-trimethylbenzene	3.514	3.426	2.5	96	0.00	9.11
107		sec-butylbenzene	4.114	4.344	-5.6	102	0.00	9.27
108		1,3-dichlorobenzene	1.714	1.784	-4.1	99	0.00	9.39
109		p-isopropyltoluene	3.244	3.394	-4.6	101	0.00	9.41
110		1,4-dichlorobenzene	1.680	1.714	-2.0	99	0.00	9.49
111		1,2,3-trimethylbenzene		----------NA----------				
112		1,2-dichlorobenzene	1.686	1.660	1.5	99	0.00	9.84
113		n-butylbenzene	1.624	1.808	-11.3	103	0.00	9.81
114		1,2-dibromo-3-chloropropa	0.395	0.424	-7.3	102	0.00	10.62
115		1,3,5-trichlorobenzene	1.088	1.228	-12.9	101	0.00	10.80
116		1,2,4-trichlorobenzene	0.881	1.009	-14.5	98	0.00	11.43
117		hexachlorobutadiene	0.353	0.385	-9.1	101	0.00	11.57
118		naphthalene	2.975	3.168	-6.5	97	0.00	11.69
119		1,2,3-trichlorobenzene	0.798	0.887	-11.2	100	0.00	11.91
120		hexachloroethane	0.673	0.713	-5.9	102	0.00	10.11
121		benzyl chloride	2.904	2.801	3.5	93	0.00	9.60
122		2-methylnaphthalene	1.065	1.194	-12.1	95	0.00	12.82

(#) = Out of Range SPCC's out = 0 CCC's out = 0
L342975.D ML10355.M Fri Jun 17 18:03:45 2022 1

Initial Calibration Verification

Job Number: JD52514 **Sample:** VL10355-ICV10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L342981.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\DATA\VL10355\L342981.D Vial: 15
Acq On : 15 Jun 2022 9:29 pm Operator: BridgetK
Sample : icv10355-50 Inst : GCMSL
Misc : MS59602,VL10355,5,,,,1 Multiplr: 1.00
MS Integration Params: lscint.p

Method : C:\MSDCHEM\1\METHODS\ML10355.M (RTE Integrator)
Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
Last Update : Fri Jun 17 18:01:43 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	tert butyl alcohol-d9	1.000	1.000	0.0	104	0.00	3.09
2		1,4-dioxane		----------NA----------				
3		ethanol		----------NA----------				
4	M	tertiary butyl alcohol		----------NA----------				
5	I	pentafluorobenzene	1.000	1.000	0.0	112	0.00	4.31
6		chlorodifluoromethane	0.559	0.256	54.2#	52	0.00	1.67
7		dichlorodifluoromethane		----------NA----------				
8		chloromethane		----------NA----------				
9		vinyl chloride		----------NA----------				
10		1,3-butadiene		----------NA----------				
11		bromomethane		----------NA----------				
12		chloroethane		----------NA----------				
13		trichlorofluoromethane		----------NA----------				
14		ethyl ether		----------NA----------				
15		acrolein		----------NA----------				
16		freon 113		----------NA----------				
17		1,1-dichloroethene		----------NA----------				
18		acetone		----------NA----------				
19		acetonitrile	0.053	0.056	-5.7	120	0.00	2.99
		----------	True	Calc.	% Drift	----------		
20		iodomethane		----------NA----------				
		----------	AvgRF	CCRF	% Dev	----------		
21		iso-butyl alcohol		----------NA----------				
22		carbon disulfide		----------NA----------				
23		methylene chloride		----------NA----------				
24		methyl acetate		----------NA----------				
25		methyl tert butyl ether		----------NA----------				
26		trans-1,2-dichloroethene		----------NA----------				
27		hexane		----------NA----------				
28		di-isopropyl ether		----------NA----------				
29		ethyl tert-butyl ether		----------NA----------				
30		2-butanone		----------NA----------				
31	M	1,1-dichloroethane		----------NA----------				
32		chloroprene		----------NA----------				
33		acrylonitrile	0.288	0.264	8.3	102	0.00	3.27
34		vinyl acetate		----------NA----------				
35		ethyl acetate		----------NA----------				
36		2,2-dichloropropane		----------NA----------				
37		cis-1,2-dichloroethene		----------NA----------				

Initial Calibration Verification

Job Number: JD52514 **Sample:** VL10355-ICV10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L342981.D
Project: EPT, Ithaca, NY

38		propionitrile		----------NA----------				
39		methyl acrylate		----------NA----------				
40		bromochloromethane		----------NA----------				
41		tetrahydrofuran		----------NA----------				
42		chloroform		----------NA----------				
43	S	dibromofluoromethane (s)	0.452	0.449	0.7	109	0.00	4.32
44		methacrylonitrile		----------NA----------				
45		1,1,1-trichloroethane		----------NA----------				
46		cyclohexane		----------NA----------				
47		1,1-dichloropropene		----------NA----------				
48		carbon tetrachloride		----------NA----------				
49		isopropyl acetate		----------NA----------				
50		tert amyl alcohol		----------NA----------				
51	I	1,4-difluorobenzene	1.000	1.000	0.0	109	0.00	4.88
52	S	1,2-dichloroethane-d4 (s)	0.365	0.383	-4.9	117	0.00	4.58
53		tert-amyl methyl ether		----------NA----------				
54		2,2,4-trimethylpentane		----------NA----------				
55		n-butyl alcohol		----------NA----------				
56	M	benzene		----------NA----------				
57		heptane		----------NA----------				
58		1,2-dichloroethane		----------NA----------				
59		trichloroethene		----------NA----------				
60		ethyl acrylate		----------NA----------				
61		2-nitropropane		----------NA----------				
62		2-chloroethyl vinyl ether		----------NA----------				
63		methyl methacrylate		----------NA----------				
64		1,2-dichloropropane		----------NA----------				
65		methylcyclohexane		----------NA----------				
66		dibromomethane		----------NA----------				
67		bromodichloromethane		----------NA----------				
68		cis-1,3-dichloropropene		----------NA----------				
69		epichlorohydrin		----------NA----------				
70		4-methyl-2-pentanone		----------NA----------				
71		3-methyl-1-butanol		----------NA----------				
72	I	chlorobenzene-d5	1.000	1.000	0.0	99	0.00	7.28
73	S	toluene-d8 (s)	1.376	1.459	-6.0	110	0.00	6.03
74		toluene		----------NA----------				
75		trans-1,3-dichloropropene		----------NA----------				
76		ethyl methacrylate		----------NA----------				
77		1,1,2-trichloroethane		----------NA----------				
78		2-hexanone		----------NA----------				
79		tetrachloroethene	0.376	0.401	-6.6	111	0.00	6.53
80		1,3-dichloropropane		----------NA----------				
81		butyl acetate		----------NA----------				
82		dibromochloromethane		----------NA----------				
83		1,2-dibromoethane		----------NA----------				
84		n-butyl ether		----------NA----------				
85		chlorobenzene		----------NA----------				
86		1,1,1,2-tetrachloroethane		----------NA----------				
87		ethylbenzene		----------NA----------				
88		m,p-xylene		----------NA----------				
89		o-xylene		----------NA----------				
90		butyl acrylate		----------NA----------				
91		styrene		----------NA----------				
92		bromoform		----------NA----------				
93		isopropylbenzene		----------NA----------				
94		cis-1,4-dichloro-2-butene		----------NA----------				

Initial Calibration Verification

Job Number: JD52514 **Sample:** VL10355-ICV10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L342981.D
Project: EPT, Ithaca, NY

95	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	103	0.00	9.47
96	S	4-bromofluorobenzene (s)	1.303	1.318	-1.2	105	0.00	8.35
97		bromobenzene		----------NA----------				
98		1,1,2,2-tetrachloroethane		----------NA----------				
99		trans-1,4-dichloro-2-bute		----------NA----------				
100		1,2,3-trichloropropane		----------NA----------				
101		n-propylbenzene		----------NA----------				
102		2-chlorotoluene		----------NA----------				
103		4-chlorotoluene		----------NA----------				
104		1,3,5-trimethylbenzene		----------NA----------				
105		tert-butylbenzene		----------NA----------				
106		1,2,4-trimethylbenzene		----------NA----------				
107		sec-butylbenzene		----------NA----------				
108		1,3-dichlorobenzene		----------NA----------				
109		p-isopropyltoluene		----------NA----------				
110		1,4-dichlorobenzene		----------NA----------				
111		1,2,3-trimethylbenzene	3.335	3.645	-9.3	115	0.00	9.51
112		1,2-dichlorobenzene		----------NA----------				
113		n-butylbenzene		----------NA----------				
114		1,2-dibromo-3-chloropropa		----------NA----------				
115		1,3,5-trichlorobenzene		----------NA----------				
116		1,2,4-trichlorobenzene		----------NA----------				
117		hexachlorobutadiene		----------NA----------				
118		naphthalene		----------NA----------				
119		1,2,3-trichlorobenzene		----------NA----------				
120		hexachloroethane		----------NA----------				
121		benzyl chloride		----------NA----------				
122		2-methylnaphthalene		----------NA----------				

(#) = Out of Range SPCC's out = 0 CCC's out = 0

L342975.D ML10355.M Fri Jun 17 18:03:47 2022 1

Initial Calibration Verification

Job Number: JD52514 **Sample:** VL10355-ICV10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L342985.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\DATA\VL10355\L342985.D Vial: 19
Acq On : 16 Jun 2022 10:06 am Operator: BridgetK
Sample : icv10355-50 Inst : GCMSL
Misc : MS59602,VL10355,5,,,,1 Multiplr: 1.00
MS Integration Params: lscint.p

Method : C:\MSDCHEM\1\METHODS\ML10355.M (RTE Integrator)
Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
Last Update : Fri Jun 17 18:01:43 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	tert butyl alcohol-d9	1.000	1.000	0.0	118	0.00	3.09
2		1,4-dioxane		----------NA----------				
3		ethanol		----------NA----------				
4	M	tertiary butyl alcohol		----------NA----------				
5	I	pentafluorobenzene	1.000	1.000	0.0	113	0.00	4.31
6		chlorodifluoromethane	0.559	0.485	13.2	100	0.00	1.67
7		dichlorodifluoromethane		----------NA----------				
8		chloromethane		----------NA----------				
9		vinyl chloride		----------NA----------				
10		1,3-butadiene		----------NA----------				
11		bromomethane		----------NA----------				
12		chloroethane		----------NA----------				
13		trichlorofluoromethane		----------NA----------				
14		ethyl ether		----------NA----------				
15		acrolein		----------NA----------				
16		freon 113		----------NA----------				
17		1,1-dichloroethene		----------NA----------				
18		acetone		----------NA----------				
19		acetonitrile		----------NA----------				
		----------	True	Calc.	% Drift	----------		
20		iodomethane		----------NA----------				
		----------	AvgRF	CCRF	% Dev	----------		
21		iso-butyl alcohol		----------NA----------				
22		carbon disulfide		----------NA----------				
23		methylene chloride		----------NA----------				
24		methyl acetate		----------NA----------				
25		methyl tert butyl ether		----------NA----------				
26		trans-1,2-dichloroethene		----------NA----------				
27		hexane		----------NA----------				
28		di-isopropyl ether		----------NA----------				
29		ethyl tert-butyl ether		----------NA----------				
30		2-butanone		----------NA----------				
31	M	1,1-dichloroethane		----------NA----------				
32		chloroprene		----------NA----------				
33		acrylonitrile		----------NA----------				
34		vinyl acetate		----------NA----------				
35		ethyl acetate		----------NA----------				
36		2,2-dichloropropane		----------NA----------				
37		cis-1,2-dichloroethene		----------NA----------				

Initial Calibration Verification

Job Number: JD52514 **Sample:** VL10355-ICV10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L342985.D
Project: EPT, Ithaca, NY

38		propionitrile		----------NA----------				
39		methyl acrylate		----------NA----------				
40		bromochloromethane		----------NA----------				
41		tetrahydrofuran		----------NA----------				
42		chloroform		----------NA----------				
43	S	dibromofluoromethane (s)	0.452	0.455	-0.7	112	0.00	4.32
44		methacrylonitrile		----------NA----------				
45		1,1,1-trichloroethane		----------NA----------				
46		cyclohexane		----------NA----------				
47		1,1-dichloropropene		----------NA----------				
48		carbon tetrachloride		----------NA----------				
49		isopropyl acetate		----------NA----------				
50		tert amyl alcohol		----------NA----------				
51	I	1,4-difluorobenzene	1.000	1.000	0.0	109	0.00	4.88
52	S	1,2-dichloroethane-d4 (s)	0.365	0.395	-8.2	120	0.00	4.57
53		tert-amyl methyl ether		----------NA----------				
54		2,2,4-trimethylpentane		----------NA----------				
55		n-butyl alcohol		----------NA----------				
56	M	benzene		----------NA----------				
57		heptane		----------NA----------				
58		1,2-dichloroethane		----------NA----------				
59		trichloroethene		----------NA----------				
60		ethyl acrylate		----------NA----------				
61		2-nitropropane		----------NA----------				
62		2-chloroethyl vinyl ether		----------NA----------				
63		methyl methacrylate		----------NA----------				
64		1,2-dichloropropane		----------NA----------				
65		methylcyclohexane		----------NA----------				
66		dibromomethane		----------NA----------				
67		bromodichloromethane		----------NA----------				
68		cis-1,3-dichloropropene		----------NA----------				
69		epichlorohydrin		----------NA----------				
70		4-methyl-2-pentanone		----------NA----------				
71		3-methyl-1-butanol		----------NA----------				
72	I	chlorobenzene-d5	1.000	1.000	0.0	101	0.00	7.28
73	S	toluene-d8 (s)	1.376	1.447	-5.2	112	0.00	6.02
74		toluene		----------NA----------				
75		trans-1,3-dichloropropene		----------NA----------				
76		ethyl methacrylate		----------NA----------				
77		1,1,2-trichloroethane		----------NA----------				
78		2-hexanone		----------NA----------				
79		tetrachloroethene		----------NA----------				
80		1,3-dichloropropane		----------NA----------				
81		butyl acetate		----------NA----------				
82		dibromochloromethane		----------NA----------				
83		1,2-dibromoethane		----------NA----------				
84		n-butyl ether		----------NA----------				
85		chlorobenzene		----------NA----------				
86		1,1,1,2-tetrachloroethane		----------NA----------				
87		ethylbenzene		----------NA----------				
88		m,p-xylene		----------NA----------				
89		o-xylene		----------NA----------				
90		butyl acrylate		----------NA----------				
91		styrene		----------NA----------				
92		bromoform		----------NA----------				
93		isopropylbenzene		----------NA----------				
94		cis-1,4-dichloro-2-butene		----------NA----------				

Initial Calibration Verification

Job Number: JD52514 **Sample:** VL10355-ICV10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L342985.D
Project: EPT, Ithaca, NY

95	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	104	0.00	9.47
96	S	4-bromofluorobenzene (s)	1.303	1.300	0.2	105	0.00	8.35
97		bromobenzene	----------NA----------					
98		1,1,2,2-tetrachloroethane	----------NA----------					
99		trans-1,4-dichloro-2-bute	----------NA----------					
100		1,2,3-trichloropropane	----------NA----------					
101		n-propylbenzene	----------NA----------					
102		2-chlorotoluene	----------NA----------					
103		4-chlorotoluene	----------NA----------					
104		1,3,5-trimethylbenzene	----------NA----------					
105		tert-butylbenzene	----------NA----------					
106		1,2,4-trimethylbenzene	----------NA----------					
107		sec-butylbenzene	----------NA----------					
108		1,3-dichlorobenzene	----------NA----------					
109		p-isopropyltoluene	----------NA----------					
110		1,4-dichlorobenzene	----------NA----------					
111		1,2,3-trimethylbenzene	----------NA----------					
112		1,2-dichlorobenzene	----------NA----------					
113		n-butylbenzene	----------NA----------					
114		1,2-dibromo-3-chloropropa	----------NA----------					
115		1,3,5-trichlorobenzene	----------NA----------					
116		1,2,4-trichlorobenzene	----------NA----------					
117		hexachlorobutadiene	----------NA----------					
118		naphthalene	----------NA----------					
119		1,2,3-trichlorobenzene	----------NA----------					
120		hexachloroethane	----------NA----------					
121		benzyl chloride	----------NA----------					
122		2-methylnaphthalene	----------NA----------					

(#) = Out of Range SPCC's out = 0 CCC's out = 0

L342975.D ML10355.M Fri Jun 17 18:03:49 2022 1

Continuing Calibration Summary

Job Number: JD52514 **Sample:** VL10517-CC10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L347768.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\kr...022\vl10517\l347768.d Vial: 3
Acq On : 3 Oct 2022 11:43 am Operator: nicoleh
Sample : cc10355-20 Inst : GCMSL
Misc : MS62644,VL10517,5,,,,1 Multiplr: 1.00
MS Integration Params: lscint.p

Method : C:\MSDCHEM\1\METHODS\ML10355.M (RTE Integrator)
Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
Last Update : Thu Jun 23 18:51:37 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	tert butyl alcohol-d9	1.000	1.000	0.0	59	0.00	3.09
2		1,4-dioxane	0.130	0.032	75.4#	16#	0.00	5.31
3		ethanol	0.125	0.045	64.0#	23#	0.00	2.51
4	M	tertiary butyl alcohol	1.532	1.456	5.0	64	0.00	3.14
5	I	pentafluorobenzene	1.000	1.000	0.0	98	0.00	4.31
6		chlorodifluoromethane	0.559	0.282	49.6#	50#	0.00	1.68
7		dichlorodifluoromethane	0.816	0.787	3.6	95	0.00	1.66
8		chloromethane	0.546	0.522	4.4	94	0.00	1.82
9		vinyl chloride	0.673	0.631	6.2	94	0.00	1.90
10		1,3-butadiene	0.662	0.333	49.7#	47#	0.00	1.93
11		bromomethane	0.280	0.213	23.9#	81	0.00	2.16
12		chloroethane	0.394	0.339	14.0	92	0.00	2.23
13		trichlorofluoromethane	0.941	0.945	-0.4	98	0.00	2.42
14		ethyl ether	0.329	0.328	0.3	92	0.00	2.60
15		acrolein	0.119	0.163	-37.0#	139	0.00	2.71
16		freon 113	0.371	0.394	-6.2	103	0.00	2.78
17		1,1-dichloroethene	0.462	0.436	5.6	90	0.00	2.79
18		acetone	0.081	0.088	-8.6	106	0.00	2.79
19		acetonitrile	0.053	0.036	32.1#	66	0.00	2.99
		----------	True	Calc.	% Drift	----------		
20		iodomethane	20.000	9.801	51.0#	50	0.00	2.91
		----------	AvgRF	CCRF	% Dev	----------		
21		iso-butyl alcohol	0.053	0.031	41.5#	60	0.00	4.46
22		carbon disulfide	1.420	1.131	20.4#	78	0.00	2.96
23		methylene chloride	0.537	0.565	-5.2	109	0.00	3.12
24		methyl acetate	0.163	0.143	12.3	87	0.00	3.00
25		methyl tert butyl ether	1.747	1.709	2.2	95	0.00	3.28
26		trans-1,2-dichloroethene	0.499	0.525	-5.2	104	0.00	3.30
27		hexane	0.702	0.740	-5.4	104	0.00	3.48
28		di-isopropyl ether	1.418	1.676	-18.2	115	0.00	3.59
29		ethyl tert-butyl ether	1.662	1.832	-10.2	107	0.00	3.84
30		2-butanone	0.125	0.122	2.4	97	0.00	3.95
31	M	1,1-dichloroethane	0.877	0.976	-11.3	110	0.00	3.60
32		chloroprene	0.713	0.789	-10.7	108	0.00	3.65
33		acrylonitrile	0.288	0.318	-10.4	106	0.00	3.27
34		vinyl acetate	0.151	0.155	-2.6	99	0.00	3.57
35		ethyl acetate	0.126	0.130	-3.2	102	0.00	3.96
36		2,2-dichloropropane	0.853	0.835	2.1	94	0.00	4.00
37		cis-1,2-dichloroethene	0.565	0.597	-5.7	105	0.00	3.99

Continuing Calibration Summary

Job Number: JD52514 **Sample:** VL10517-CC10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L347768.D
Project: EPT, Ithaca, NY

38		propionitrile	0.119	0.115	3.4	91	0.00	4.00
39		methyl acrylate	0.147	0.133	9.5	89	0.00	4.01
40		bromochloromethane	0.246	0.256	-4.1	107	0.00	4.16
41		tetrahydrofuran	0.139	0.126	9.4	82	0.00	4.16
42		chloroform	1.004	1.018	-1.4	103	0.00	4.21
43	S	dibromofluoromethane (s)	0.452	0.437	3.3	93	0.00	4.32
44		methacrylonitrile	0.349	0.364	-4.3	107	0.00	4.11
45		1,1,1-trichloroethane	0.861	0.848	1.5	98	0.00	4.35
46		cyclohexane	0.792	0.772	2.5	98	0.00	4.41
47		1,1-dichloropropene	0.688	0.717	-4.2	101	0.00	4.46
48		carbon tetrachloride	0.713	0.701	1.7	95	0.00	4.47
49		isopropyl acetate	0.179	0.179	0.0	101	0.00	4.57
50		tert amyl alcohol	0.057	0.039	31.6#	70	0.00	4.55
51	I	1,4-difluorobenzene	1.000	1.000	0.0	98	0.00	4.88
52	S	1,2-dichloroethane-d4 (s)	0.365	0.337	7.7	91	0.00	4.57
53		tert-amyl methyl ether	1.113	1.123	-0.9	99	0.00	4.66
54		2,2,4-trimethylpentane	0.885	0.985	-11.3	107	0.00	4.67
55		n-butyl alcohol	0.025	0.011	56.0#	45#	0.00	4.94
56	M	benzene	1.302	1.375	-5.6	103	0.00	4.61
57		heptane	0.204	0.194	4.9	100	0.00	4.78
58		1,2-dichloroethane	0.491	0.491	0.0	99	0.00	4.63
59		trichloroethene	0.368	0.393	-6.8	106	0.00	5.07
60		ethyl acrylate	0.610	0.681	-11.6	111	0.00	5.09
61		2-nitropropane	0.179	0.168	6.1	91	0.00	5.62
62		2-chloroethyl vinyl ether	0.213	0.267	-25.4#	123	0.00	5.65
63		methyl methacrylate	0.142	0.149	-4.9	104	0.00	5.27
64		1,2-dichloropropane	0.321	0.377	-17.4	114	0.00	5.27
65		methylcyclohexane	0.580	0.605	-4.3	102	0.00	5.26
66		dibromomethane	0.237	0.237	0.0	105	0.00	5.34
67		bromodichloromethane	0.539	0.521	3.3	103	0.00	5.46
68		cis-1,3-dichloropropene	0.605	0.620	-2.5	101	0.00	5.80
69		epichlorohydrin	0.070	0.059	15.7	86	0.00	5.71
70		4-methyl-2-pentanone	0.223	0.240	-7.6	108	0.00	5.90
71		3-methyl-1-butanol	0.027	0.014	48.1#	52	0.00	5.91
72	I	chlorobenzene-d5	1.000	1.000	0.0	100	0.00	7.28
73	S	toluene-d8 (s)	1.376	1.247	9.4	93	0.00	6.02
74		toluene	0.939	0.993	-5.8	111	0.00	6.09
75		trans-1,3-dichloropropene	0.650	0.616	5.2	100	0.00	6.26
76		ethyl methacrylate	0.654	0.648	0.9	102	0.00	6.27
77		1,1,2-trichloroethane	0.327	0.341	-4.3	107	0.00	6.43
78		2-hexanone	0.260	0.255	1.9	105	0.00	6.59
79		tetrachloroethene	0.376	0.381	-1.3	105	0.00	6.52
80		1,3-dichloropropane	0.636	0.664	-4.4	108	0.00	6.57
81		butyl acetate	0.339	0.380	-12.1	114	0.00	6.67
82		dibromochloromethane	0.437	0.418	4.3	104	0.00	6.76
83		1,2-dibromoethane	0.438	0.409	6.6	100	0.00	6.88
84		n-butyl ether	1.402	1.568	-11.8	113	0.00	7.35
85		chlorobenzene	0.960	0.982	-2.3	102	0.00	7.30
86		1,1,1,2-tetrachloroethane	0.347	0.341	1.7	101	0.00	7.37
87		ethylbenzene	1.648	1.760	-6.8	106	0.00	7.38
88		m,p-xylene	0.661	0.653	1.2	102	0.00	7.49
89		o-xylene	0.661	0.669	-1.2	102	0.00	7.85
90		butyl acrylate	0.846	0.904	-6.9	112	0.00	7.76
91		styrene	1.072	1.080	-0.7	100	0.00	7.86
92		bromoform	0.308	0.278	9.7	94	0.00	8.05
93		isopropylbenzene	1.659	1.667	-0.5	100	0.00	8.18
94		cis-1,4-dichloro-2-butene	0.123	0.144	-17.1	134	0.00	8.24

Continuing Calibration Summary

Job Number: JD52514 **Sample:** VL10517-CC10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L347768.D
Project: EPT, Ithaca, NY

95	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	100	0.00	9.47
96	S	4-bromofluorobenzene (s)	1.303	1.228	5.8	95	0.00	8.35
97		bromobenzene	1.015	1.018	-0.3	112	0.00	8.50
98		1,1,2,2-tetrachloroethane	1.674	1.515	9.5	102	0.00	8.47
99		trans-1,4-dichloro-2-bute	0.238	0.297	-24.8#	133	0.00	8.51
100		1,2,3-trichloropropane	0.482	0.445	7.7	96	0.00	8.53
101		n-propylbenzene	4.789	4.831	-0.9	103	0.00	8.58
102		2-chlorotoluene	0.942	0.957	-1.6	107	0.00	8.68
103		4-chlorotoluene	0.945	0.961	-1.7	106	0.00	8.79
104		1,3,5-trimethylbenzene	3.434	3.283	4.4	97	0.00	8.75
105		tert-butylbenzene	2.878	2.899	-0.7	104	0.00	9.05
106		1,2,4-trimethylbenzene	3.514	3.332	5.2	98	0.00	9.11
107		sec-butylbenzene	4.114	4.030	2.0	98	0.00	9.27
108		1,3-dichlorobenzene	1.714	1.713	0.1	104	0.00	9.40
109		p-isopropyltoluene	3.244	3.230	0.4	100	0.00	9.41
110		1,4-dichlorobenzene	1.680	1.596	5.0	101	0.00	9.49
111		1,2,3-trimethylbenzene	3.335	3.176	4.8	97	0.00	9.51
112		1,2-dichlorobenzene	1.686	1.550	8.1	100	0.00	9.85
113		n-butylbenzene	1.624	1.595	1.8	99	0.00	9.81
114		1,2-dibromo-3-chloropropa	0.395	0.354	10.4	93	0.00	10.62
115		1,3,5-trichlorobenzene	1.088	1.056	2.9	99	0.00	10.80
116		1,2,4-trichlorobenzene	0.881	0.871	1.1	98	0.00	11.43
117		hexachlorobutadiene	0.353	0.338	4.2	97	0.01	11.58
118		naphthalene	2.975	2.748	7.6	94	0.00	11.69
119		1,2,3-trichlorobenzene	0.798	0.797	0.1	100	0.00	11.92
120		hexachloroethane	0.673	0.594	11.7	91	0.00	10.12
121		benzyl chloride	2.904	2.547	12.3	88	0.00	9.60
122		2-methylnaphthalene	1.065	0.795	25.4#	96	0.00	12.83
123		pentafluorobenzene(a)	1.000	1.000	0.0	113	0.00	4.31
124		Freon 142B		----------NA----------				
125		vinyl bromide		----------NA----------				
126		allyl chloride		----------NA----------				
127		1,4-dichlorobenzene-d4(a)	1.000	1.000	0.0	120	0.01	9.47
128		4-ethyltoluene		----------NA----------				

(#) = Out of Range SPCC's out = 0 CCC's out = 0
L342974.D ML10355.M Tue Oct 04 01:51:23 2022

Run Sequence Report

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V1X8636	**Method:** SW846 8260D	**Instrument ID:** GCMS1X

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V1X8636-BFB	1X200546.D	09/28/22 20:11	n/a	BFB Tune
V1X8636-IC8636	1X200548.D	09/28/22 21:15	n/a	Initial cal 0.2
V1X8636-IC8636	1X200550.D	09/28/22 21:47	n/a	Initial cal 0.5
V1X8636-IC8636	1X200552.D	09/28/22 22:23	n/a	Initial cal 1
V1X8636-IC8636	1X200554.D	09/28/22 23:00	n/a	Initial cal 2
V1X8636-IC8636	1X200556.D	09/28/22 23:36	n/a	Initial cal 4
V1X8636-IC8636	1X200558.D	09/29/22 00:12	n/a	Initial cal 8
V1X8636-IC8636	1X200560.D	09/29/22 00:48	n/a	Initial cal 20
V1X8636-ICC8636	1X200562.D	09/29/22 01:25	n/a	Initial cal 50
V1X8636-IC8636	1X200564.D	09/29/22 02:01	n/a	Initial cal 100
V1X8636-IC8636	1X200566.D	09/29/22 02:37	n/a	Initial cal 200
V1X8636-ICV8636	1X200572.D	09/29/22 04:25	n/a	Initial cal verification 50
V1X8636-ICV8636	1X200574.D	09/29/22 05:02	n/a	Initial cal verification 50

Run Sequence Report

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V1X8639	**Method:** SW846 8260D	**Instrument ID:** GCMS1X

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V1X8639-BFB	1X200643.D	09/30/22 09:46	n/a	BFB Tune
V1X8639-CC8636	1X200643.D	09/30/22 09:46	n/a	Continuing cal 20
V1X8639-BS	1X200645.D	09/30/22 10:35	n/a	Blank Spike
V1X8639-MB	1X200647.D	09/30/22 11:21	n/a	Method Blank
JD52514-8	1X200648.D	09/30/22 11:44	n/a	EW-8-62C
JD52514-8	1X200649.D	09/30/22 12:08	n/a	EW-8-62C
JD52514-1	1X200650.D	09/30/22 12:31	n/a	EW-1-62C
JD52514-9	1X200651.D	09/30/22 12:54	n/a	EW-9R-72C
JD52514-6	1X200652.D	09/30/22 13:17	n/a	EW-6-60C
JD52514-2	1X200653.D	09/30/22 13:40	n/a	EW-2-62C
JD52514-7	1X200654.D	09/30/22 14:03	n/a	EW-7-25B
JD52514-4	1X200655.D	09/30/22 14:26	n/a	EW-4-25B
JD52514-5	1X200656.D	09/30/22 14:50	n/a	EW-5-25B
JD52514-3	1X200657.D	09/30/22 15:13	n/a	EW-3-60C
JD52514-8MS	1X200658.D	09/30/22 15:36	n/a	Matrix Spike
JD52514-8MSD	1X200659.D	09/30/22 15:59	n/a	Matrix Spike Duplicate
JD52514-7	1X200661.D	09/30/22 16:46	n/a	EW-7-25B
ZZZZZZ	1X200662.D	09/30/22 17:09	n/a	(unrelated sample)
ZZZZZZ	1X200663.D	09/30/22 17:32	n/a	(unrelated sample)
ZZZZZZ	1X200664.D	09/30/22 17:56	n/a	(unrelated sample)
ZZZZZZ	1X200665.D	09/30/22 18:19	n/a	(unrelated sample)
ZZZZZZ	1X200666.D	09/30/22 18:42	n/a	(unrelated sample)
ZZZZZZ	1X200667.D	09/30/22 19:05	n/a	(unrelated sample)
ZZZZZZ	1X200668.D	09/30/22 19:28	n/a	(unrelated sample)
ZZZZZZ	1X200669.D	09/30/22 19:52	n/a	(unrelated sample)
ZZZZZZ	1X200671.D	09/30/22 20:38	n/a	(unrelated sample)
ZZZZZZ	1X200672.D	09/30/22 21:01	n/a	(unrelated sample)

Run Sequence Report

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V1X8640 **Method:** SW846 8260D **Instrument ID:** GCMS1X

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V1X8640-BFB	1X200674.D	09/30/22 21:48	n/a	BFB Tune
V1X8640-CC8636	1X200674.D	09/30/22 21:48	n/a	Continuing cal 50
V1X8640-BS	1X200676.D	09/30/22 22:34	n/a	Blank Spike
V1X8640-MB	1X200678.D	09/30/22 23:20	n/a	Method Blank
ZZZZZZ	1X200679.D	09/30/22 23:43	n/a	(unrelated sample)
ZZZZZZ	1X200680.D	10/01/22 00:07	n/a	(unrelated sample)
JD52697-5	1X200681.D	10/01/22 00:30	n/a	(used for QC only; not part of job JD52514)
ZZZZZZ	1X200682.D	10/01/22 00:53	n/a	(unrelated sample)
JD52697-5MS	1X200683.D	10/01/22 01:16	n/a	Matrix Spike
JD52697-5MSD	1X200684.D	10/01/22 01:40	n/a	Matrix Spike Duplicate
ZZZZZZ	1X200688.D	10/01/22 03:12	n/a	(unrelated sample)
ZZZZZZ	1X200689.D	10/01/22 03:35	n/a	(unrelated sample)
ZZZZZZ	1X200690.D	10/01/22 03:59	n/a	(unrelated sample)
ZZZZZZ	1X200691.D	10/01/22 04:22	n/a	(unrelated sample)
ZZZZZZ	1X200692.D	10/01/22 04:45	n/a	(unrelated sample)
ZZZZZZ	1X200693.D	10/01/22 05:08	n/a	(unrelated sample)
ZZZZZZ	1X200694.D	10/01/22 05:31	n/a	(unrelated sample)
ZZZZZZ	1X200695.D	10/01/22 05:55	n/a	(unrelated sample)
ZZZZZZ	1X200696.D	10/01/22 06:18	n/a	(unrelated sample)
ZZZZZZ	1X200697.D	10/01/22 06:41	n/a	(unrelated sample)
ZZZZZZ	1X200698.D	10/01/22 07:04	n/a	(unrelated sample)
ZZZZZZ	1X200699.D	10/01/22 07:27	n/a	(unrelated sample)
ZZZZZZ	1X200700.D	10/01/22 07:51	n/a	(unrelated sample)

Run Sequence Report

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V2A9511	**Method:** SW846 8260D	**Instrument ID:** GCMS2A

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V2A9511-BFB	2A218780.D	07/31/22 16:50	n/a	BFB Tune
V2A9511-IC9511	2A218781.D	07/31/22 17:23	n/a	Initial cal 0.2
V2A9511-IC9511	2A218782.D	07/31/22 17:51	n/a	Initial cal 0.5
V2A9511-IC9511	2A218783.D	07/31/22 18:19	n/a	Initial cal 1
V2A9511-IC9511	2A218784.D	07/31/22 18:48	n/a	Initial cal 2
V2A9511-IC9511	2A218785.D	07/31/22 19:16	n/a	Initial cal 4
V2A9511-IC9511	2A218786.D	07/31/22 19:44	n/a	Initial cal 8
V2A9511-IC9511	2A218787.D	07/31/22 20:13	n/a	Initial cal 20
V2A9511-ICC9511	2A218788.D	07/31/22 20:41	n/a	Initial cal 50
V2A9511-IC9511	2A218789.D	07/31/22 21:09	n/a	Initial cal 100
V2A9511-IC9511	2A218790.D	07/31/22 21:38	n/a	Initial cal 200
V2A9511-ICV9511	2A218793.D	07/31/22 23:03	n/a	Initial cal verification 50
V2A9511-ICV9511	2A218794.D	07/31/22 23:31	n/a	Initial cal verification 50

Run Sequence Report

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V2A9583	**Method:** SW846 8260D	**Instrument ID:** GCMS2A

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V2A9583-BFB	2A220438.D	09/30/22 09:16	n/a	BFB Tune
V2A9583-CC9511	2A220438.D	09/30/22 09:16	n/a	Continuing cal 20
V2A9583-BS	2A220440.D	09/30/22 10:21	n/a	Blank Spike
V2A9583-MB	2A220442.D	09/30/22 11:18	n/a	Method Blank
ZZZZZZ	2A220444.D	09/30/22 12:15	n/a	(unrelated sample)
ZZZZZZ	2A220446.D	09/30/22 13:12	n/a	(unrelated sample)
JD52514-12	2A220447.D	09/30/22 13:40	n/a	EW-12-45C
JD52514-12	2A220449.D	09/30/22 14:37	n/a	EW-12-45C
ZZZZZZ	2A220450.D	09/30/22 15:06	n/a	(unrelated sample)
JD52514-12MS	2A220451.D	09/30/22 15:35	n/a	Matrix Spike
JD52514-12MSD	2A220452.D	09/30/22 16:03	n/a	Matrix Spike Duplicate
ZZZZZZ	2A220454.D	09/30/22 17:01	n/a	(unrelated sample)
ZZZZZZ	2A220455.D	09/30/22 17:30	n/a	(unrelated sample)
ZZZZZZ	2A220456.D	09/30/22 17:58	n/a	(unrelated sample)

Run Sequence Report

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V4D5341	**Method:** SW846 8260D	**Instrument ID:** GCMS4D

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V4D5341-BFB	4D120247.D	08/13/22 19:58	n/a	BFB Tune
V4D5341-IC5341	4D120248.D	08/13/22 20:38	n/a	Initial cal 0.2
V4D5341-IC5341	4D120249.D	08/13/22 21:06	n/a	Initial cal 0.5
V4D5341-IC5341	4D120250.D	08/13/22 21:35	n/a	Initial cal 1
V4D5341-IC5341	4D120251.D	08/13/22 22:03	n/a	Initial cal 2
V4D5341-IC5341	4D120252.D	08/13/22 22:31	n/a	Initial cal 4
V4D5341-IC5341	4D120253.D	08/13/22 23:00	n/a	Initial cal 8
V4D5341-IC5341	4D120254.D	08/13/22 23:28	n/a	Initial cal 20
V4D5341-ICC5341	4D120255.D	08/13/22 23:56	n/a	Initial cal 50
V4D5341-IC5341	4D120256.D	08/14/22 00:25	n/a	Initial cal 100
V4D5341-IC5341	4D120257.D	08/14/22 00:53	n/a	Initial cal 200
V4D5341-ICV5341	4D120260.D	08/14/22 02:18	n/a	Initial cal verification 50
V4D5341-ICV5341	4D120261.D	08/14/22 02:46	n/a	Initial cal verification 50

Run Sequence Report

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V4D5406	**Method:** SW846 8260D	**Instrument ID:** GCMS4D

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V4D5406-BFB	4D121696.D	09/29/22 20:44	n/a	BFB Tune
V4D5406-CC5341	4D121696.D	09/29/22 20:44	n/a	Continuing cal 50
V4D5406-BS	4D121698.D	09/29/22 21:42	n/a	Blank Spike
V4D5406-MB	4D121700.D	09/29/22 22:41	n/a	Method Blank
JD52514-13	4D121701.D	09/29/22 23:10	n/a	TRIP BLANK
JD52514-2	4D121702.D	09/29/22 23:39	n/a	EW-2-62C
JD52514-2MS	4D121705.D	09/30/22 01:06	n/a	Matrix Spike
JD52514-2MSD	4D121706.D	09/30/22 01:35	n/a	Matrix Spike Duplicate
ZZZZZZ	4D121708.D	09/30/22 02:32	n/a	(unrelated sample)
JD52514-1	4D121709.D	09/30/22 03:01	n/a	EW-1-62C
JD52514-3	4D121710.D	09/30/22 03:30	n/a	EW-3-60C
JD52514-4	4D121711.D	09/30/22 03:59	n/a	EW-4-25B
JD52514-5	4D121712.D	09/30/22 04:28	n/a	EW-5-25B
JD52514-6	4D121713.D	09/30/22 04:57	n/a	EW-6-60C
JD52514-9	4D121716.D	09/30/22 06:23	n/a	EW-9R-72C

Run Sequence Report

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: VL10355	**Method:** SW846 8260D	**Instrument ID:** GCMSL

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
VL10355-BFB	L342967.D	06/15/22 16:00	n/a	BFB Tune
VL10355-IC10355	L342968.D	06/15/22 16:25	n/a	Initial cal 0.2
VL10355-IC10355	L342969.D	06/15/22 16:48	n/a	Initial cal 0.5
VL10355-IC10355	L342970.D	06/15/22 17:11	n/a	Initial cal 1
VL10355-IC10355	L342971.D	06/15/22 17:35	n/a	Initial cal 2
VL10355-IC10355	L342972.D	06/15/22 17:58	n/a	Initial cal 4
VL10355-IC10355	L342973.D	06/15/22 18:22	n/a	Initial cal 8
VL10355-IC10355	L342974.D	06/15/22 18:45	n/a	Initial cal 20
VL10355-ICC10355	L342975.D	06/15/22 19:09	n/a	Initial cal 50
VL10355-IC10355	L342976.D	06/15/22 19:32	n/a	Initial cal 100
VL10355-IC10355	L342977.D	06/15/22 19:56	n/a	Initial cal 200
VL10355-ICV10355	L342980.D	06/15/22 21:06	n/a	Initial cal verification 50
VL10355-ICV10355	L342981.D	06/15/22 21:29	n/a	Initial cal verification 50
VL10355-BFB2	L342984.D	06/16/22 09:43	n/a	BFB Tune
VL10355-ICV10355	L342985.D	06/16/22 10:06	n/a	Initial cal verification 50

Run Sequence Report

Job Number: JD52514
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: VL10517 **Method:** SW846 8260D **Instrument ID:** GCMSL

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
VL10517-BFB	L347768.D	10/03/22 11:43	n/a	BFB Tune
VL10517-CC10355	L347768.D	10/03/22 11:43	n/a	Continuing cal 20
VL10517-BS	L347770.D	10/03/22 12:31	n/a	Blank Spike
VL10517-MB	L347772.D	10/03/22 13:17	n/a	Method Blank
ZZZZZZ	L347773.D	10/03/22 13:50	n/a	(unrelated sample)
ZZZZZZ	L347774.D	10/03/22 14:13	n/a	(unrelated sample)
ZZZZZZ	L347776.D	10/03/22 15:00	n/a	(unrelated sample)
JD52644-1	L347777.D	10/03/22 15:23	n/a	(used for QC only; not part of job JD52514)
JD52514-10	L347778.D	10/03/22 15:46	n/a	EW-10-25B
JD52514-10	L347779.D	10/03/22 16:09	n/a	EW-10-25B
JD52514-11	L347780.D	10/03/22 16:32	n/a	EW-11-43C
ZZZZZZ	L347782.D	10/03/22 17:18	n/a	(unrelated sample)
JD52644-1MS	L347783.D	10/03/22 17:42	n/a	Matrix Spike
JD52644-1MSD	L347784.D	10/03/22 18:05	n/a	Matrix Spike Duplicate
JD52644-1	L347785.D	10/03/22 18:28	n/a	(used for QC only; not part of job JD52514)
JD52514-11	L347786.D	10/03/22 18:51	n/a	EW-11-43C
ZZZZZZ	L347787.D	10/03/22 19:15	n/a	(unrelated sample)
ZZZZZZ	L347788.D	10/03/22 19:38	n/a	(unrelated sample)
ZZZZZZ	L347789.D	10/03/22 20:01	n/a	(unrelated sample)
ZZZZZZ	L347790.D	10/03/22 20:24	n/a	(unrelated sample)
ZZZZZZ	L347791.D	10/03/22 20:47	n/a	(unrelated sample)
ZZZZZZ	L347792.D	10/03/22 21:10	n/a	(unrelated sample)
ZZZZZZ	L347793.D	10/03/22 21:33	n/a	(unrelated sample)
ZZZZZZ	L347794.D	10/03/22 21:57	n/a	(unrelated sample)
ZZZZZZ	L347795.D	10/03/22 22:20	n/a	(unrelated sample)
ZZZZZZ	L347796.D	10/03/22 22:43	n/a	(unrelated sample)
ZZZZZZ	L347797.D	10/03/22 23:06	n/a	(unrelated sample)
ZZZZZZ	L347798.D	10/03/22 23:29	n/a	(unrelated sample)

MS Volatiles

Raw Data

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200650.d
Acq On : 30 Sep 2022 12:31 pm
Operator : taylors
Sample : jd52514-1 Inst : ACC-VOA-MSX
Misc : MS62508,V1X8639,5,,,,1
ALS Vial : 13 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 06:45:27 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.440	65	366280	500.00	ug/L	0.00
5) pentafluorobenzene	3.507	168	419210	50.00	ug/L	0.00
52) 1,4-difluorobenzene	3.998	114	585392	50.00	ug/L	0.00
73) chlorobenzene-d5	6.074	117	542279	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.883	152	265610	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.507	113	189896	48.02	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.04%			
53) 1,2-dichloroethane-d4 (s)	3.726	65	217402	48.59	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 97.18%			
74) toluene-d8 (s)	4.996	98	640602	49.39	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.78%			
98) 4-bromofluorobenzene (s)	7.008	95	234182	50.78	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.56%			
Target Compounds						Qvalue
9) vinyl chloride	1.426	62	115143	31.13	ug/L	100
26) trans-1,2-dichloroethene	2.616	96	8076	3.19	ug/L	89
36) cis-1,2-dichloroethene	3.213	96	915857	334.89	ug/L	88
61) trichloroethene	4.163	130	102658	33.57	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200650.d
Acq On : 30 Sep 2022 12:31 pm
Operator : taylors
Sample : jd52514-1 Inst : ACC-VOA-MSX
Misc : MS62508,V1X8639,5,,,,1
ALS Vial : 13 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 06:45:27 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 31.13 ug/L
RT: 1.426 min Scan# 121
Delta R.T. -0.011 min
Lab File: 1x200650.d
Acq: 30 Sep 2022 12:31 pm

Tgt Ion: 62 Resp: 115143

Ion	Ratio	Lower	Upper
62	100		
64	31.6	1.4	61.4
61	8.3	0.0	38.2







#26
trans-1,2-dichloroethene
Concen: 3.19 ug/L
RT: 2.616 min Scan# 344
Delta R.T. -0.005 min
Lab File: 1x200650.d
Acq: 30 Sep 2022 12:31 pm

Tgt Ion: 96 Resp: 8076

Ion	Ratio	Lower	Upper
96	100		
61	153.2	108.1	168.1
98	70.8	34.7	94.7







#36
cis-1,2-dichloroethene
Concen: 334.89 ug/L
RT: 3.213 min Scan# 456
Delta R.T. -0.005 min
Lab File: 1x200650.d
Acq: 30 Sep 2022 12:31 pm

Tgt Ion: 96 Resp: 915857

Ion	Ratio	Lower	Upper
96	100		
61	125.7	115.4	175.4
98	64.0	36.1	96.1






#61
trichloroethene
Concen: 33.57 ug/L
RT: 4.163 min Scan# 634
Delta R.T. -0.005 min
Lab File: 1x200650.d
Acq: 30 Sep 2022 12:31 pm

Tgt Ion:130 Resp: 102658

Ion	Ratio	Lower	Upper
130	100		
132	94.9	69.7	129.7
95	88.4	57.1	117.1



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121709.d
Acq On : 30 Sep 2022 3:01 am
Operator : taylors
Sample : jd52514-1 Inst : MS4D
Misc : MS62508,V4D5406,5,,,,10
ALS Vial : 40 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 21:32:45 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	8.525	65	769170	500.00	ug/L	-0.01
5) pentafluorobenzene	11.021	168	843301	50.00	ug/L	0.00
51) 1,4-difluorobenzene	11.918	114	1209963	50.00	ug/L	0.00
73) chlorobenzene-d5	14.822	117	1189567	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	16.930	152	536441	50.00	ug/L	0.00
124) pentafluorobenzene(a)	11.021	168	843301	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	11.021	113	422680	52.88	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 105.76%			
52) 1,2-dichloroethane-d4 (s)	11.446	65	449897	48.33	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 96.66%			
74) toluene-d8 (s)	13.459	98	1441112	50.27	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.54%			
97) 4-bromofluorobenzene (s)	15.866	95	533537	48.70	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.40%			
Target Compounds						Qvalue
9) vinyl chloride	5.280	62	25930	2.90	ug/L	99
25) trans-1,2-dichloroethene	9.065	96	2416	0.33	ug/L #	69
36) cis-1,2-dichloroethene	10.444	96	260581	32.12	ug/L	96
60) trichloroethene	12.258	130	25293	3.01	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121709.d
Acq On : 30 Sep 2022 3:01 am
Operator : taylors
Sample : jd52514-1 Inst : MS4D
Misc : MS62508,V4D5406,5,,,,10
ALS Vial : 40 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 21:32:45 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 2.90 ug/L
RT: 5.280 min Scan# 609
Delta R.T. -0.011 min
Lab File: 4d121709.d
Acq: 30 Sep 2022 3:01 am

Tgt Ion: 62 Resp: 25930

Ion	Ratio	Lower	Upper
62	100		
64	33.7	4.0	64.0
61	9.0	0.0	38.3







#25
trans-1,2-dichloroethene
Concen: 0.33 ug/L
RT: 9.065 min Scan# 1331
Delta R.T. 0.004 min
Lab File: 4d121709.d
Acq: 30 Sep 2022 3:01 am

Tgt Ion: 96 Resp: 2416

Ion	Ratio	Lower	Upper
96	100		
61	94.8	103.0	163.0#
98	40.1	32.0	92.0







#36
cis-1,2-dichloroethene
Concen: 32.12 ug/L
RT: 10.444 min Scan# 1594
Delta R.T. -0.001 min
Lab File: 4d121709.d
Acq: 30 Sep 2022 3:01 am

Tgt Ion: 96 Resp: 260581

Ion	Ratio	Lower	Upper
96	100		
61	131.3	107.6	167.6
98	65.4	33.7	93.7






#60
trichloroethene
Concen: 3.01 ug/L
RT: 12.258 min Scan# 1940
Delta R.T. 0.004 min
Lab File: 4d121709.d
Acq: 30 Sep 2022 3:01 am

Tgt Ion:130 Resp: 25293

Ion	Ratio	Lower	Upper
130	100		
95	95.4	64.3	124.3
130	100.0	70.0	130.0
132	105.9	70.3	130.3



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200653.d
Acq On : 30 Sep 2022 1:40 pm
Operator : taylors
Sample : jd52514-2 Inst : ACC-VOA-MSX
Misc : MS62508,V1X8639,5,,,,1
ALS Vial : 16 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 06:48:18 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.445	65	360664	500.00	ug/L	0.00
5) pentafluorobenzene	3.512	168	426565	50.00	ug/L	0.00
52) 1,4-difluorobenzene	4.003	114	595217	50.00	ug/L	0.00
73) chlorobenzene-d5	6.079	117	552108	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.883	152	271732	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.512	113	192023	47.72	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.44%			
53) 1,2-dichloroethane-d4 (s)	3.731	65	221557	48.70	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 97.40%			
74) toluene-d8 (s)	4.996	98	653037	49.45	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.90%			
98) 4-bromofluorobenzene (s)	7.008	95	237889	50.43	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.86%			
Target Compounds						Qvalue
9) vinyl chloride	1.436	62	91781	24.38	ug/L	100
26) trans-1,2-dichloroethene	2.621	96	9035	3.50	ug/L	96
36) cis-1,2-dichloroethene	3.219	96	993611	357.06	ug/L	89
61) trichloroethene	4.169	130	220154	70.80	ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200653.d
Acq On : 30 Sep 2022 1:40 pm
Operator : taylors
Sample : jd52514-2 Inst : ACC-VOA-MSX
Misc : MS62508,V1X8639,5,,,,1
ALS Vial : 16 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 06:48:18 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 24.38 ug/L
RT: 1.436 min Scan# 123
Delta R.T. -0.000 min
Lab File: 1x200653.d
Acq: 30 Sep 2022 1:40 pm

Tgt Ion: 62 Resp: 91781

Ion	Ratio	Lower	Upper
62	100		
64	31.3	1.4	61.4
61	8.8	0.0	38.2







#26
trans-1,2-dichloroethene
Concen: 3.50 ug/L
RT: 2.621 min Scan# 345
Delta R.T. -0.000 min
Lab File: 1x200653.d
Acq: 30 Sep 2022 1:40 pm

Tgt Ion: 96 Resp: 9035

Ion	Ratio	Lower	Upper
96	100		
61	144.3	108.1	168.1
98	64.1	34.7	94.7







#36
cis-1,2-dichloroethene
Concen: 357.06 ug/L
RT: 3.219 min Scan# 457
Delta R.T. 0.001 min
Lab File: 1x200653.d
Acq: 30 Sep 2022 1:40 pm

Tgt Ion: 96 Resp: 993611

Ion	Ratio	Lower	Upper
96	100		
61	126.5	115.4	175.4
98	64.4	36.1	96.1






#61
trichloroethene
Concen: 70.80 ug/L
RT: 4.169 min Scan# 635
Delta R.T. 0.001 min
Lab File: 1x200653.d
Acq: 30 Sep 2022 1:40 pm

Tgt Ion:130 Resp: 220154

Ion	Ratio	Lower	Upper
130	100		
132	98.2	69.7	129.7
95	88.0	57.1	117.1



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121702.d
Acq On : 29 Sep 2022 11:39 pm
Operator : taylors
Sample : jd52514-2 Inst : MS4D
Misc : MS62508,V4D5406,5,,,,10
ALS Vial : 33 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 20:44:29 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	8.525	65	768425	500.00	ug/L	-0.01
5) pentafluorobenzene	11.021	168	824436	50.00	ug/L	0.00
51) 1,4-difluorobenzene	11.918	114	1183259	50.00	ug/L	0.00
73) chlorobenzene-d5	14.822	117	1166029	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	16.930	152	523489	50.00	ug/L	0.00
124) pentafluorobenzene(a)	11.021	168	824436	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	11.021	113	411556	52.67	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 105.34%			
52) 1,2-dichloroethane-d4 (s)	11.446	65	446118	49.00	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 98.00%			
74) toluene-d8 (s)	13.459	98	1396473	49.69	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.38%			
97) 4-bromofluorobenzene (s)	15.866	95	525734	49.18	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.36%			
Target Compounds						Qvalue
9) vinyl chloride	5.290	62	12028	1.37	ug/L	95
25) trans-1,2-dichloroethene	9.071	96	4029	0.56	ug/L	86
36) cis-1,2-dichloroethene	10.444	96	319346	40.26	ug/L	98
60) trichloroethene	12.258	130	87853	10.69	ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121702.d
Acq On : 29 Sep 2022 11:39 pm
Operator : taylors
Sample : jd52514-2 Inst : MS4D
Misc : MS62508,V4D5406,5,,,,10
ALS Vial : 33 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 20:44:29 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 1.37 ug/L
RT: 5.290 min Scan# 611
Delta R.T. -0.001 min
Lab File: 4d121702.d
Acq: 29 Sep 2022 11:39 pm

Tgt Ion: 62 Resp: 12028

Ion	Ratio	Lower	Upper
62	100		
64	32.3	4.0	64.0
61	13.5	0.0	38.3







#25
trans-1,2-dichloroethene
Concen: 0.56 ug/L
RT: 9.071 min Scan# 1332
Delta R.T. 0.010 min
Lab File: 4d121702.d
Acq: 29 Sep 2022 11:39 pm

Tgt Ion: 96 Resp: 4029

Ion	Ratio	Lower	Upper
96	100		
61	118.1	103.0	163.0
98	49.6	32.0	92.0







#36
cis-1,2-dichloroethene
Concen: 40.26 ug/L
RT: 10.444 min Scan# 1594
Delta R.T. -0.001 min
Lab File: 4d121702.d
Acq: 29 Sep 2022 11:39 pm

Tgt Ion: 96 Resp: 319346

Ion	Ratio	Lower	Upper
96	100		
61	135.3	107.6	167.6
98	66.1	33.7	93.7






#60
trichloroethene
Concen: 10.69 ug/L
RT: 12.258 min Scan# 1940
Delta R.T. 0.004 min
Lab File: 4d121702.d
Acq: 29 Sep 2022 11:39 pm

Tgt Ion:130 Resp: 87853

Ion	Ratio	Lower	Upper
130	100		
95	86.2	64.3	124.3
130	100.0	70.0	130.0
132	94.4	70.3	130.3



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200657.d
Acq On : 30 Sep 2022 3:13 pm
Operator : taylors
Sample : jd52514-3 Inst : ACC-VOA-MSX
Misc : MS62508,V1X8639,5,,,,2
ALS Vial : 20 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 06:53:51 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.445	65	350516	500.00	ug/L	0.00
5) pentafluorobenzene	3.512	168	412643	50.00	ug/L	0.00
52) 1,4-difluorobenzene	4.003	114	572495	50.00	ug/L	0.00
73) chlorobenzene-d5	6.079	117	533719	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.883	152	263701	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.512	113	185547	47.67	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.34%			
53) 1,2-dichloroethane-d4 (s)	3.731	65	212412	48.54	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 97.08%			
74) toluene-d8 (s)	4.996	98	629240	49.29	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.58%			
98) 4-bromofluorobenzene (s)	7.008	95	229235	50.07	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.14%			
Target Compounds						Qvalue
9) vinyl chloride	1.436	62	65966	18.12	ug/L	99
16) 1,1-dichloroethene	2.173	96	1875	0.81	ug/L	90
26) trans-1,2-dichloroethene	2.621	96	18868	7.57	ug/L	97
36) cis-1,2-dichloroethene	3.219	96	1514302	562.53	ug/L	88
61) trichloroethene	4.169	130	1436604	480.36	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200657.d
Acq On : 30 Sep 2022 3:13 pm
Operator : taylors
Sample : jd52514-3 Inst : ACC-VOA-MSX
Misc : MS62508,V1X8639,5,,,,2
ALS Vial : 20 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 06:53:51 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 18.12 ug/L
RT: 1.436 min Scan# 123
Delta R.T. -0.000 min
Lab File: 1x200657.d
Acq: 30 Sep 2022 3:13 pm

Tgt Ion: 62 Resp: 65966

Ion	Ratio	Lower	Upper
62	100		
64	32.1	1.4	61.4
61	8.2	0.0	38.2







#16
1,1-dichloroethene
Concen: 0.81 ug/L
RT: 2.173 min Scan# 261
Delta R.T. -0.000 min
Lab File: 1x200657.d
Acq: 30 Sep 2022 3:13 pm

Tgt Ion: 96 Resp: 1875

Ion	Ratio	Lower	Upper
96	100		
61	154.8	135.9	195.9
63	64.2	21.9	81.9







#26
trans-1,2-dichloroethene
Concen: 7.57 ug/L
RT: 2.621 min Scan# 345
Delta R.T. -0.000 min
Lab File: 1x200657.d
Acq: 30 Sep 2022 3:13 pm

Tgt Ion: 96 Resp: 18868

Ion	Ratio	Lower	Upper
96	100		
61	136.3	108.1	168.1
98	58.6	34.7	94.7







#36
cis-1,2-dichloroethene
Concen: 562.53 ug/L
RT: 3.219 min Scan# 457
Delta R.T. 0.001 min
Lab File: 1x200657.d
Acq: 30 Sep 2022 3:13 pm

Tgt Ion: 96 Resp: 1514302

Ion	Ratio	Lower	Upper
96	100		
61	124.0	115.4	175.4
98	64.4	36.1	96.1






#61
trichloroethene
Concen: 480.36 ug/L
RT: 4.169 min Scan# 635
Delta R.T. 0.001 min
Lab File: 1x200657.d
Acq: 30 Sep 2022 3:13 pm

Tgt Ion:130 Resp: 1436604

Ion	Ratio	Lower	Upper
130	100		
132	96.6	69.7	129.7
95	89.3	57.1	117.1



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121710.d
Acq On : 30 Sep 2022 3:30 am
Operator : taylors
Sample : jd52514-3 Inst : MS4D
Misc : MS62508,V4D5406,5,,,,20
ALS Vial : 41 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 21:34:07 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	8.525	65	735236	500.00	ug/L	-0.01
5) pentafluorobenzene	11.021	168	837111	50.00	ug/L	0.00
51) 1,4-difluorobenzene	11.918	114	1202226	50.00	ug/L	0.00
73) chlorobenzene-d5	14.822	117	1182460	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	16.930	152	524869	50.00	ug/L	0.00
124) pentafluorobenzene(a)	11.021	168	837111	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	11.021	113	413654	52.14	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 104.28%			
52) 1,2-dichloroethane-d4 (s)	11.446	65	445564	48.17	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 96.34%			
74) toluene-d8 (s)	13.459	98	1420817	49.86	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.72%			
97) 4-bromofluorobenzene (s)	15.866	95	525789	49.05	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.10%			
Target Compounds						Qvalue
9) vinyl chloride	5.280	62	16506	1.86	ug/L	90
25) trans-1,2-dichloroethene	9.071	96	5873	0.81	ug/L	90
36) cis-1,2-dichloroethene	10.444	96	443803	55.11	ug/L	95
60) trichloroethene	12.253	130	400563	47.98	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121710.d
Acq On : 30 Sep 2022 3:30 am
Operator : taylors
Sample : jd52514-3 Inst : MS4D
Misc : MS62508,V4D5406,5,,,,20
ALS Vial : 41 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 21:34:07 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 1.86 ug/L
RT: 5.280 min Scan# 609
Delta R.T. -0.011 min
Lab File: 4d121710.d
Acq: 30 Sep 2022 3:30 am

Tgt Ion: 62 Resp: 16506

Ion	Ratio	Lower	Upper
62	100		
64	28.0	4.0	64.0
61	10.2	0.0	38.3







#25
trans-1,2-dichloroethene
Concen: 0.81 ug/L
RT: 9.071 min Scan# 1332
Delta R.T. 0.010 min
Lab File: 4d121710.d
Acq: 30 Sep 2022 3:30 am

Tgt Ion: 96 Resp: 5873

Ion	Ratio	Lower	Upper
96	100		
61	128.0	103.0	163.0
98	46.0	32.0	92.0







#36
cis-1,2-dichloroethene
Concen: 55.11 ug/L
RT: 10.444 min Scan# 1594
Delta R.T. -0.001 min
Lab File: 4d121710.d
Acq: 30 Sep 2022 3:30 am

Tgt Ion: 96 Resp: 443803

Ion	Ratio	Lower	Upper
96	100		
61	128.7	107.6	167.6
98	63.6	33.7	93.7






#60
trichloroethene
Concen: 47.98 ug/L
RT: 12.253 min Scan# 1939
Delta R.T. -0.001 min
Lab File: 4d121710.d
Acq: 30 Sep 2022 3:30 am

Tgt Ion:130 Resp: 400563

Ion	Ratio	Lower	Upper
130	100		
95	89.2	64.3	124.3
130	100.0	70.0	130.0
132	95.6	70.3	130.3



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200655.d
Acq On : 30 Sep 2022 2:26 pm
Operator : taylors
Sample : jd52514-4 Inst : ACC-VOA-MSX
Misc : MS62508,V1X8639,5,,,,25
ALS Vial : 18 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 06:50:50 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.440	65	342761	500.00	ug/L	0.00
5) pentafluorobenzene	3.507	168	412280	50.00	ug/L	0.00
52) 1,4-difluorobenzene	4.003	114	573426	50.00	ug/L	0.00
73) chlorobenzene-d5	6.079	117	532311	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.883	152	263100	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.512	113	184943	47.55	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.10%			
53) 1,2-dichloroethane-d4 (s)	3.726	65	215344	49.13	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 98.26%			
74) toluene-d8 (s)	4.996	98	632829	49.70	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.40%			
98) 4-bromofluorobenzene (s)	7.008	95	230767	50.52	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.04%			
Target Compounds						Qvalue
36) cis-1,2-dichloroethene	3.213	96	81256	30.21	ug/L	92
61) trichloroethene	4.169	130	103841	34.67	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200655.d
Acq On : 30 Sep 2022 2:26 pm
Operator : taylors
Sample : jd52514-4 Inst : ACC-VOA-MSX
Misc : MS62508,V1X8639,5,,,,25
ALS Vial : 18 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 06:50:50 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration







#36
cis-1,2-dichloroethene
Concen: 30.21 ug/L
RT: 3.213 min Scan# 456
Delta R.T. -0.005 min
Lab File: 1x200655.d
Acq: 30 Sep 2022 2:26 pm

Tgt Ion: 96 Resp: 81256

Ion	Ratio	Lower	Upper
96	100		
61	132.7	115.4	175.4
98	64.5	36.1	96.1






#61
trichloroethene
Concen: 34.67 ug/L
RT: 4.169 min Scan# 635
Delta R.T. 0.001 min
Lab File: 1x200655.d
Acq: 30 Sep 2022 2:26 pm

Tgt Ion:130 Resp: 103841

Ion	Ratio	Lower	Upper
130	100		
132	94.6	69.7	129.7
95	85.1	57.1	117.1



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121711.d
Acq On : 30 Sep 2022 3:59 am
Operator : taylors
Sample : jd52514-4 Inst : MS4D
Misc : MS62508,V4D5406,5,,,,4
ALS Vial : 42 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 22:06:05 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	8.525	65	813617	500.00	ug/L	-0.01
5) pentafluorobenzene	11.021	168	806232	50.00	ug/L	0.00
51) 1,4-difluorobenzene	11.917	114	1176496	50.00	ug/L	0.00
73) chlorobenzene-d5	14.822	117	1166561	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	16.930	152	532065	50.00	ug/L	0.00
124) pentafluorobenzene(a)	11.021	168	806232	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	11.021	113	400489	52.41	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 104.82%			
52) 1,2-dichloroethane-d4 (s)	11.446	65	444095	49.06	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 98.12%			
74) toluene-d8 (s)	13.459	98	1385415	49.28	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.56%			
97) 4-bromofluorobenzene (s)	15.865	95	526548	48.46	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.92%			
Target Compounds						Qvalue
9) vinyl chloride	5.274	62	2691	0.31	ug/L	83
25) trans-1,2-dichloroethene	9.065	96	14637	2.09	ug/L	94
36) cis-1,2-dichloroethene	10.439	96	1496359	192.93	ug/L	97
60) trichloroethene	12.248	130	1925847	235.72	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121711.d
Acq On : 30 Sep 2022 3:59 am
Operator : taylors
Sample : jd52514-4 Inst : MS4D
Misc : MS62508,V4D5406,5,,,,4
ALS Vial : 42 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 22:06:05 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 0.31 ug/L
RT: 5.274 min Scan# 608
Delta R.T. -0.017 min
Lab File: 4d121711.d
Acq: 30 Sep 2022 3:59 am

Tgt Ion: 62 Resp: 2691

Ion	Ratio	Lower	Upper
62	100		
64	43.2	4.0	64.0
61	0.0	0.0	38.3







#25
trans-1,2-dichloroethene
Concen: 2.09 ug/L
RT: 9.065 min Scan# 1331
Delta R.T. 0.004 min
Lab File: 4d121711.d
Acq: 30 Sep 2022 3:59 am

Tgt Ion: 96 Resp: 14637

Ion	Ratio	Lower	Upper
96	100		
61	125.9	103.0	163.0
98	66.8	32.0	92.0







#36
cis-1,2-dichloroethene
Concen: 192.93 ug/L
RT: 10.439 min Scan# 1593
Delta R.T. -0.006 min
Lab File: 4d121711.d
Acq: 30 Sep 2022 3:59 am

Tgt Ion: 96 Resp: 1496359

Ion	Ratio	Lower	Upper
96	100		
61	132.6	107.6	167.6
98	65.1	33.7	93.7






#60
trichloroethene
Concen: 235.72 ug/L
RT: 12.248 min Scan# 1938
Delta R.T. -0.006 min
Lab File: 4d121711.d
Acq: 30 Sep 2022 3:59 am

Tgt Ion:130 Resp: 1925847

Ion	Ratio	Lower	Upper
130	100		
95	91.9	64.3	124.3
130	100.0	70.0	130.0
132	98.1	70.3	130.3



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200656.d
Acq On : 30 Sep 2022 2:50 pm
Operator : taylors
Sample : jd52514-5 Inst : ACC-VOA-MSX
Misc : MS62508,V1X8639,5,,,,2
ALS Vial : 19 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 06:51:44 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.445	65	363137	500.00	ug/L	0.00
5) pentafluorobenzene	3.512	168	415083	50.00	ug/L	0.00
52) 1,4-difluorobenzene	4.003	114	578038	50.00	ug/L	0.00
73) chlorobenzene-d5	6.079	117	532727	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.883	152	265249	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.512	113	186708	47.68	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.36%			
53) 1,2-dichloroethane-d4 (s)	3.731	65	216477	49.00	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 98.00%			
74) toluene-d8 (s)	4.996	98	635858	49.90	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.80%			
98) 4-bromofluorobenzene (s)	7.008	95	230944	50.15	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.30%			
Target Compounds						Qvalue
9) vinyl chloride	1.436	62	15318	4.18	ug/L	97
26) trans-1,2-dichloroethene	2.621	96	6877	2.74	ug/L	95
36) cis-1,2-dichloroethene	3.219	96	890023	328.68	ug/L	89
61) trichloroethene	4.169	130	582515	192.91	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200656.d
Acq On : 30 Sep 2022 2:50 pm
Operator : taylors
Sample : jd52514-5 Inst : ACC-VOA-MSX
Misc : MS62508,V1X8639,5,,,,2
ALS Vial : 19 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 06:51:44 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 4.18 ug/L
RT: 1.436 min Scan# 123
Delta R.T. -0.000 min
Lab File: 1x200656.d
Acq: 30 Sep 2022 2:50 pm

Tgt Ion: 62 Resp: 15318

Ion	Ratio	Lower	Upper
62	100		
64	33.3	1.4	61.4
61	8.1	0.0	38.2







#26
trans-1,2-dichloroethene
Concen: 2.74 ug/L
RT: 2.621 min Scan# 345
Delta R.T. 0.000 min
Lab File: 1x200656.d
Acq: 30 Sep 2022 2:50 pm

Tgt Ion: 96 Resp: 6877

Ion	Ratio	Lower	Upper
96	100		
61	144.8	108.1	168.1
98	68.9	34.7	94.7







#36
cis-1,2-dichloroethene
Concen: 328.68 ug/L
RT: 3.219 min Scan# 457
Delta R.T. 0.001 min
Lab File: 1x200656.d
Acq: 30 Sep 2022 2:50 pm

Tgt Ion: 96 Resp: 890023

Ion	Ratio	Lower	Upper
96	100		
61	126.7	115.4	175.4
98	64.4	36.1	96.1






#61
trichloroethene
Concen: 192.91 ug/L
RT: 4.169 min Scan# 635
Delta R.T. 0.001 min
Lab File: 1x200656.d
Acq: 30 Sep 2022 2:50 pm

Tgt Ion:130 Resp: 582515

Ion	Ratio	Lower	Upper
130	100		
132	96.6	69.7	129.7
95	88.7	57.1	117.1



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121712.d
Acq On : 30 Sep 2022 4:28 am
Operator : taylors
Sample : jd52514-5 Inst : MS4D
Misc : MS62508,V4D5406,5,,,,5
ALS Vial : 43 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 22:08:42 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	8.525	65	628226	500.00	ug/L	-0.01
5) pentafluorobenzene	11.021	168	686119	50.00	ug/L	0.00
51) 1,4-difluorobenzene	11.918	114	925415	50.00	ug/L	0.00
73) chlorobenzene-d5	14.822	117	903428	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	16.930	152	429468	50.00	ug/L	0.00
124) pentafluorobenzene(a)	11.021	168	686119	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	11.021	113	337185	51.85	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 103.70%			
52) 1,2-dichloroethane-d4 (s)	11.446	65	342215	48.06	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 96.12%			
74) toluene-d8 (s)	13.459	98	1048139	48.14	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.28%			
97) 4-bromofluorobenzene (s)	15.866	95	397940	45.37	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 90.74%			
Target Compounds						Qvalue
9) vinyl chloride	5.280	62	14957	2.05	ug/L	94
25) trans-1,2-dichloroethene	9.065	96	7888	1.32	ug/L	96
36) cis-1,2-dichloroethene	10.439	96	888662	134.63	ug/L	94
60) trichloroethene	12.253	130	544846	84.78	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121712.d
Acq On : 30 Sep 2022 4:28 am
Operator : taylors
Sample : jd52514-5 Inst : MS4D
Misc : MS62508,V4D5406,5,,,,5
ALS Vial : 43 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 22:08:42 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 2.05 ug/L
RT: 5.280 min Scan# 609
Delta R.T. -0.011 min
Lab File: 4d121712.d
Acq: 30 Sep 2022 4:28 am

Tgt Ion: 62 Resp: 14957

Ion	Ratio	Lower	Upper
62	100		
64	30.6	4.0	64.0
61	11.3	0.0	38.3







#25
trans-1,2-dichloroethene
Concen: 1.32 ug/L
RT: 9.065 min Scan# 1331
Delta R.T. 0.004 min
Lab File: 4d121712.d
Acq: 30 Sep 2022 4:28 am

Tgt Ion: 96 Resp: 7888

Ion	Ratio	Lower	Upper
96	100		
61	127.8	103.0	163.0
98	60.7	32.0	92.0







#36
cis-1,2-dichloroethene
Concen: 134.63 ug/L
RT: 10.439 min Scan# 1593
Delta R.T. -0.006 min
Lab File: 4d121712.d
Acq: 30 Sep 2022 4:28 am

Tgt Ion: 96 Resp: 888662

Ion	Ratio	Lower	Upper
96	100		
61	127.5	107.6	167.6
98	65.5	33.7	93.7






#60
trichloroethene
Concen: 84.78 ug/L
RT: 12.253 min Scan# 1939
Delta R.T. -0.001 min
Lab File: 4d121712.d
Acq: 30 Sep 2022 4:28 am

Tgt Ion:130 Resp: 544846

Ion	Ratio	Lower	Upper
130	100		
95	86.8	64.3	124.3
130	100.0	70.0	130.0
132	98.2	70.3	130.3



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200652.d
Acq On : 30 Sep 2022 1:17 pm
Operator : taylors
Sample : jd52514-6 Inst : ACC-VOA-MSX
Misc : MS62508,V1X8639,5,,,,2
ALS Vial : 15 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 06:47:22 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.439	65	366647	500.00	ug/L	0.00
5) pentafluorobenzene	3.507	168	425250	50.00	ug/L	0.00
52) 1,4-difluorobenzene	3.998	114	588864	50.00	ug/L	0.00
73) chlorobenzene-d5	6.074	117	547236	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.883	152	271840	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.507	113	192766	48.05	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.10%			
53) 1,2-dichloroethane-d4 (s)	3.726	65	222202	49.37	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 98.74%			
74) toluene-d8 (s)	4.996	98	644464	49.23	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.46%			
98) 4-bromofluorobenzene (s)	7.008	95	237937	50.42	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.84%			
Target Compounds						Qvalue
9) vinyl chloride	1.431	62	7421	1.98	ug/L	98
26) trans-1,2-dichloroethene	2.616	96	4775	1.86	ug/L	85
36) cis-1,2-dichloroethene	3.213	96	1186072	427.54	ug/L	90
61) trichloroethene	4.163	130	218231	70.94	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200652.d
Acq On : 30 Sep 2022 1:17 pm
Operator : taylors
Sample : jd52514-6 Inst : ACC-VOA-MSX
Misc : MS62508,V1X8639,5,,,,2
ALS Vial : 15 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 06:47:22 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 1.98 ug/L
RT: 1.431 min Scan# 122
Delta R.T. -0.006 min
Lab File: 1x200652.d
Acq: 30 Sep 2022 1:17 pm

Tgt Ion: 62 Resp: 7421

Ion	Ratio	Lower	Upper
62	100		
64	30.5	1.4	61.4
61	6.5	0.0	38.2







#26
trans-1,2-dichloroethene
Concen: 1.86 ug/L
RT: 2.616 min Scan# 344
Delta R.T. -0.005 min
Lab File: 1x200652.d
Acq: 30 Sep 2022 1:17 pm

Tgt Ion: 96 Resp: 4775

Ion	Ratio	Lower	Upper
96	100		
61	162.4	108.1	168.1
98	67.8	34.7	94.7







#36
cis-1,2-dichloroethene
Concen: 427.54 ug/L
RT: 3.213 min Scan# 456
Delta R.T. -0.005 min
Lab File: 1x200652.d
Acq: 30 Sep 2022 1:17 pm

Tgt Ion: 96 Resp: 1186072

Ion	Ratio	Lower	Upper
96	100		
61	129.1	115.4	175.4
98	64.2	36.1	96.1






#61
trichloroethene
Concen: 70.94 ug/L
RT: 4.163 min Scan# 634
Delta R.T. -0.005 min
Lab File: 1x200652.d
Acq: 30 Sep 2022 1:17 pm

Tgt Ion:130 Resp: 218231

Ion	Ratio	Lower	Upper
130	100		
132	97.9	69.7	129.7
95	91.3	57.1	117.1



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121713.d
Acq On : 30 Sep 2022 4:57 am
Operator : taylors
Sample : jd52514-6 Inst : MS4D
Misc : MS62508,V4D5406,5,,,,10
ALS Vial : 44 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 22:12:53 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	8.525	65	738282	500.00	ug/L	-0.01
5) pentafluorobenzene	11.021	168	812017	50.00	ug/L	0.00
51) 1,4-difluorobenzene	11.918	114	1174713	50.00	ug/L	0.00
73) chlorobenzene-d5	14.822	117	1160468	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	16.930	152	517996	50.00	ug/L	0.00
124) pentafluorobenzene(a)	11.021	168	812017	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	11.016	113	407162	52.91	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 105.82%			
52) 1,2-dichloroethane-d4 (s)	11.446	65	439338	48.61	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 97.22%			
74) toluene-d8 (s)	13.459	98	1395491	49.89	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.78%			
97) 4-bromofluorobenzene (s)	15.866	95	520428	49.20	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.40%			
Target Compounds						Qvalue
9) vinyl chloride	5.280	62	3757	0.44	ug/L	93
25) trans-1,2-dichloroethene	9.065	96	3741	0.53	ug/L #	69
36) cis-1,2-dichloroethene	10.439	96	687373	87.99	ug/L	97
60) trichloroethene	12.253	130	125674	15.41	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


7.1.12


7

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121713.d
Acq On : 30 Sep 2022 4:57 am
Operator : taylors
Sample : jd52514-6 Inst : MS4D
Misc : MS62508,V4D5406,5,,,,10
ALS Vial : 44 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 22:12:53 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 0.44 ug/L
RT: 5.280 min Scan# 609
Delta R.T. -0.011 min
Lab File: 4d121713.d
Acq: 30 Sep 2022 4:57 am

Tgt Ion: 62 Resp: 3757

Ion	Ratio	Lower	Upper
62	100		
64	32.8	4.0	64.0
61	17.5	0.0	38.3







#25
trans-1,2-dichloroethene
Concen: 0.53 ug/L
RT: 9.065 min Scan# 1331
Delta R.T. 0.004 min
Lab File: 4d121713.d
Acq: 30 Sep 2022 4:57 am

Tgt Ion: 96 Resp: 3741

Ion	Ratio	Lower	Upper
96	100		
61	89.0	103.0	163.0#
98	47.3	32.0	92.0







#36
cis-1,2-dichloroethene
Concen: 87.99 ug/L
RT: 10.439 min Scan# 1593
Delta R.T. -0.006 min
Lab File: 4d121713.d
Acq: 30 Sep 2022 4:57 am

Tgt Ion: 96 Resp: 687373

Ion	Ratio	Lower	Upper
96	100		
61	133.7	107.6	167.6
98	64.7	33.7	93.7






#60
trichloroethene
Concen: 15.41 ug/L
RT: 12.253 min Scan# 1939
Delta R.T. -0.001 min
Lab File: 4d121713.d
Acq: 30 Sep 2022 4:57 am

Tgt Ion:130 Resp: 125674

Ion	Ratio	Lower	Upper
130	100		
95	92.0	64.3	124.3
130	100.0	70.0	130.0
132	98.6	70.3	130.3



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200654.d
Acq On : 30 Sep 2022 2:03 pm
Operator : taylors
Sample : jd52514-7 Inst : ACC-VOA-MSX
Misc : MS62508,V1X8639,5,,,,5
ALS Vial : 17 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 06:49:57 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.440	65	347892	500.00	ug/L	0.00
5) pentafluorobenzene	3.507	168	407821	50.00	ug/L	0.00
52) 1,4-difluorobenzene	4.003	114	574778	50.00	ug/L	0.00
73) chlorobenzene-d5	6.079	117	531783	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.883	152	264845	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.512	113	186958	48.60	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.20%			
53) 1,2-dichloroethane-d4 (s)	3.731	65	215614	49.08	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 98.16%			
74) toluene-d8 (s)	4.996	98	629377	49.48	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.96%			
98) 4-bromofluorobenzene (s)	7.008	95	228697	49.74	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.48%			
Target Compounds						Qvalue
9) vinyl chloride	1.431	62	70124	19.49	ug/L	99
16) 1,1-dichloroethene	2.173	96	1650	0.72	ug/L	96
26) trans-1,2-dichloroethene	2.621	96	12053	4.89	ug/L	98
36) cis-1,2-dichloroethene	3.213	96	1593574	598.98	ug/L	91
61) trichloroethene	4.169	130	55412	18.45	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200654.d
Acq On : 30 Sep 2022 2:03 pm
Operator : taylors
Sample : jd52514-7 Inst : ACC-VOA-MSX
Misc : MS62508,V1X8639,5,,,,5
ALS Vial : 17 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 06:49:57 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 19.49 ug/L
RT: 1.431 min Scan# 122
Delta R.T. -0.005 min
Lab File: 1x200654.d
Acq: 30 Sep 2022 2:03 pm

Tgt Ion: 62 Resp: 70124

Ion	Ratio	Lower	Upper
62	100		
64	31.8	1.4	61.4
61	8.2	0.0	38.2







#16
1,1-dichloroethene
Concen: 0.72 ug/L
RT: 2.173 min Scan# 261
Delta R.T. -0.000 min
Lab File: 1x200654.d
Acq: 30 Sep 2022 2:03 pm

Tgt Ion: 96 Resp: 1650

Ion	Ratio	Lower	Upper
96	100		
61	159.0	135.9	195.9
63	53.5	21.9	81.9







#26
trans-1,2-dichloroethene
Concen: 4.89 ug/L
RT: 2.621 min Scan# 345
Delta R.T. 0.000 min
Lab File: 1x200654.d
Acq: 30 Sep 2022 2:03 pm

Tgt Ion: 96 Resp: 12053

Ion	Ratio	Lower	Upper
96	100		
61	141.4	108.1	168.1
98	64.7	34.7	94.7







#36
cis-1,2-dichloroethene
Concen: 598.98 ug/L
RT: 3.213 min Scan# 456
Delta R.T. -0.005 min
Lab File: 1x200654.d
Acq: 30 Sep 2022 2:03 pm

Tgt Ion: 96 Resp: 1593574

Ion	Ratio	Lower	Upper
96	100		
61	131.1	115.4	175.4
98	63.3	36.1	96.1






#61
trichloroethene
Concen: 18.45 ug/L
RT: 4.169 min Scan# 635
Delta R.T. 0.001 min
Lab File: 1x200654.d
Acq: 30 Sep 2022 2:03 pm

Tgt Ion:130 Resp: 55412

Ion	Ratio	Lower	Upper
130	100		
132	96.2	69.7	129.7
95	82.7	57.1	117.1



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200661.d
Acq On : 30 Sep 2022 4:46 pm
Operator : taylors
Sample : jd52514-7 Inst : ACC-VOA-MSX
Misc : MS62508,V1X8639,5,,,,50
ALS Vial : 23 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 07:02:28 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.440	65	363882	500.00	ug/L	0.00
5) pentafluorobenzene	3.507	168	423514	50.00	ug/L	0.00
52) 1,4-difluorobenzene	4.003	114	593851	50.00	ug/L	0.00
73) chlorobenzene-d5	6.079	117	544567	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.883	152	272759	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.512	113	191628	47.97	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.94%			
53) 1,2-dichloroethane-d4 (s)	3.731	65	220982	48.68	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 97.36%			
74) toluene-d8 (s)	4.996	98	651113	49.99	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.98%			
98) 4-bromofluorobenzene (s)	7.008	95	236560	49.95	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.90%			
Target Compounds						Qvalue
9) vinyl chloride	1.431	62	4812	1.29	ug/L	96
36) cis-1,2-dichloroethene	3.213	96	123054	44.54	ug/L	93
61) trichloroethene	4.169	130	4569	1.47	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200661.d
Acq On : 30 Sep 2022 4:46 pm
Operator : taylors
Sample : jd52514-7 Inst : ACC-VOA-MSX
Misc : MS62508,V1X8639,5,,,,50
ALS Vial : 23 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 07:02:28 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 1.29 ug/L
RT: 1.431 min Scan# 122
Delta R.T. -0.005 min
Lab File: 1x200661.d
Acq: 30 Sep 2022 4:46 pm

Tgt Ion: 62 Resp: 4812

Ion	Ratio	Lower	Upper
62	100		
64	33.2	1.4	61.4
61	10.3	0.0	38.2







#36
cis-1,2-dichloroethene
Concen: 44.54 ug/L
RT: 3.213 min Scan# 456
Delta R.T. -0.005 min
Lab File: 1x200661.d
Acq: 30 Sep 2022 4:46 pm

Tgt Ion: 96 Resp: 123054

Ion	Ratio	Lower	Upper
96	100		
61	134.3	115.4	175.4
98	62.7	36.1	96.1






#61
trichloroethene
Concen: 1.47 ug/L
RT: 4.169 min Scan# 635
Delta R.T. 0.001 min
Lab File: 1x200661.d
Acq: 30 Sep 2022 4:46 pm

Tgt Ion:130 Resp: 4569

Ion	Ratio	Lower	Upper
130	100		
132	98.9	69.7	129.7
95	91.7	57.1	117.1



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200648.d
Acq On : 30 Sep 2022 11:44 am
Operator : taylors
Sample : jd52514-8 Inst : ACC-VOA-MSX
Misc : MS62508,V1X8639,5,,,,100
ALS Vial : 11 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 06:43:12 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.445	65	345361	500.00	ug/L	0.00
5) pentafluorobenzene	3.507	168	412691	50.00	ug/L	0.00
52) 1,4-difluorobenzene	4.003	114	578282	50.00	ug/L	0.00
73) chlorobenzene-d5	6.074	117	532518	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.883	152	263371	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.512	113	186244	47.84	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.68%			
53) 1,2-dichloroethane-d4 (s)	3.731	65	217500	49.21	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 98.42%			
74) toluene-d8 (s)	4.996	98	634082	49.78	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.56%			
98) 4-bromofluorobenzene (s)	7.008	95	230794	50.47	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.94%			
Target Compounds						Qvalue
9) vinyl chloride	1.436	62	1612	0.44	ug/L	88
36) cis-1,2-dichloroethene	3.213	96	82888	30.79	ug/L	91
61) trichloroethene	4.169	130	7781	2.58	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200648.d
Acq On : 30 Sep 2022 11:44 am
Operator : taylors
Sample : jd52514-8 Inst : ACC-VOA-MSX
Misc : MS62508,V1X8639,5,,,,100
ALS Vial : 11 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 06:43:12 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 0.44 ug/L
RT: 1.436 min Scan# 123
Delta R.T. -0.000 min
Lab File: 1x200648.d
Acq: 30 Sep 2022 11:44 am

Tgt Ion: 62 Resp: 1612

Ion	Ratio	Lower	Upper
62	100		
64	37.7	1.4	61.4
61	12.7	0.0	38.2







#36
cis-1,2-dichloroethene
Concen: 30.79 ug/L
RT: 3.213 min Scan# 456
Delta R.T. -0.005 min
Lab File: 1x200648.d
Acq: 30 Sep 2022 11:44 am

Tgt Ion: 96 Resp: 82888

Ion	Ratio	Lower	Upper
96	100		
61	130.6	115.4	175.4
98	63.2	36.1	96.1






#61
trichloroethene
Concen: 2.58 ug/L
RT: 4.169 min Scan# 635
Delta R.T. 0.001 min
Lab File: 1x200648.d
Acq: 30 Sep 2022 11:44 am

Tgt Ion:130 Resp: 7781

Ion	Ratio	Lower	Upper
130	100		
132	96.3	69.7	129.7
95	83.2	57.1	117.1



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200649.d
Acq On : 30 Sep 2022 12:08 pm
Operator : taylors
Sample : jd52514-8 Inst : ACC-VOA-MSX
Misc : MS62508,V1X8639,5,,,,10
ALS Vial : 12 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 06:44:20 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.440	65	355045	500.00	ug/L	0.00
5) pentafluorobenzene	3.507	168	418332	50.00	ug/L	0.00
52) 1,4-difluorobenzene	4.003	114	580672	50.00	ug/L	0.00
73) chlorobenzene-d5	6.074	117	534712	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.883	152	266411	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.512	113	188505	47.77	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.54%			
53) 1,2-dichloroethane-d4 (s)	3.731	65	217220	48.94	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 97.88%			
74) toluene-d8 (s)	4.996	98	638710	49.94	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.88%			
98) 4-bromofluorobenzene (s)	7.008	95	234448	50.69	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.38%			
Target Compounds						Qvalue
9) vinyl chloride	1.436	62	17890	4.85	ug/L	98
26) trans-1,2-dichloroethene	2.621	96	3997	1.58	ug/L	93
36) cis-1,2-dichloroethene	3.213	96	924337	338.70	ug/L	91
61) trichloroethene	4.163	130	89928	29.65	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200649.d
Acq On : 30 Sep 2022 12:08 pm
Operator : taylors
Sample : jd52514-8 Inst : ACC-VOA-MSX
Misc : MS62508,V1X8639,5,,,,10
ALS Vial : 12 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 06:44:20 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 4.85 ug/L
RT: 1.436 min Scan# 123
Delta R.T. -0.000 min
Lab File: 1x200649.d
Acq: 30 Sep 2022 12:08 pm

Tgt Ion: 62 Resp: 17890

Ion	Ratio	Lower	Upper
62	100		
64	30.8	1.4	61.4
61	9.4	0.0	38.2







#26
trans-1,2-dichloroethene
Concen: 1.58 ug/L
RT: 2.621 min Scan# 345
Delta R.T. 0.000 min
Lab File: 1x200649.d
Acq: 30 Sep 2022 12:08 pm

Tgt Ion: 96 Resp: 3997

Ion	Ratio	Lower	Upper
96	100		
61	143.9	108.1	168.1
98	55.2	34.7	94.7







#36
cis-1,2-dichloroethene
Concen: 338.70 ug/L
RT: 3.213 min Scan# 456
Delta R.T. -0.005 min
Lab File: 1x200649.d
Acq: 30 Sep 2022 12:08 pm

Tgt Ion: 96 Resp: 924337

Ion	Ratio	Lower	Upper
96	100		
61	130.9	115.4	175.4
98	63.4	36.1	96.1






#61
trichloroethene
Concen: 29.65 ug/L
RT: 4.163 min Scan# 634
Delta R.T. -0.005 min
Lab File: 1x200649.d
Acq: 30 Sep 2022 12:08 pm

Tgt Ion:130 Resp: 89928

Ion	Ratio	Lower	Upper
130	100		
132	94.7	69.7	129.7
95	87.9	57.1	117.1



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200651.d
Acq On : 30 Sep 2022 12:54 pm
Operator : taylors
Sample : jd52514-9 Inst : ACC-VOA-MSX
Misc : MS62508,V1X8639,5,,,,5
ALS Vial : 14 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 06:46:26 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.439	65	351570	500.00	ug/L	0.00
5) pentafluorobenzene	3.507	168	413611	50.00	ug/L	0.00
52) 1,4-difluorobenzene	4.003	114	579356	50.00	ug/L	0.00
73) chlorobenzene-d5	6.079	117	535521	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.883	152	265380	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.507	113	187957	48.17	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.34%			
53) 1,2-dichloroethane-d4 (s)	3.726	65	215997	48.78	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 97.56%			
74) toluene-d8 (s)	4.996	98	637041	49.73	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.46%			
98) 4-bromofluorobenzene (s)	7.008	95	231520	50.25	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.50%			
Target Compounds						Qvalue
9) vinyl chloride	1.431	62	62185	17.04	ug/L	99
26) trans-1,2-dichloroethene	2.616	96	2477	0.99	ug/L	96
36) cis-1,2-dichloroethene	3.213	96	910563	337.46	ug/L	91
61) trichloroethene	4.163	130	17050	5.63	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200651.d
Acq On : 30 Sep 2022 12:54 pm
Operator : taylors
Sample : jd52514-9 Inst : ACC-VOA-MSX
Misc : MS62508,V1X8639,5,,,,5
ALS Vial : 14 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 06:46:26 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 17.04 ug/L
RT: 1.431 min Scan# 122
Delta R.T. -0.005 min
Lab File: 1x200651.d
Acq: 30 Sep 2022 12:54 pm

Tgt Ion: 62 Resp: 62185

Ion	Ratio	Lower	Upper
62	100		
64	30.9	1.4	61.4
61	8.0	0.0	38.2







#26
trans-1,2-dichloroethene
Concen: 0.99 ug/L
RT: 2.616 min Scan# 344
Delta R.T. -0.005 min
Lab File: 1x200651.d
Acq: 30 Sep 2022 12:54 pm

Tgt Ion: 96 Resp: 2477

Ion	Ratio	Lower	Upper
96	100		
61	134.9	108.1	168.1
98	70.0	34.7	94.7







#36
cis-1,2-dichloroethene
Concen: 337.46 ug/L
RT: 3.213 min Scan# 456
Delta R.T. -0.005 min
Lab File: 1x200651.d
Acq: 30 Sep 2022 12:54 pm

Tgt Ion: 96 Resp: 910563

Ion	Ratio	Lower	Upper
96	100		
61	130.3	115.4	175.4
98	64.0	36.1	96.1






#61
trichloroethene
Concen: 5.63 ug/L
RT: 4.163 min Scan# 634
Delta R.T. -0.005 min
Lab File: 1x200651.d
Acq: 30 Sep 2022 12:54 pm

Tgt Ion:130 Resp: 17050

Ion	Ratio	Lower	Upper
130	100		
132	95.4	69.7	129.7
95	89.0	57.1	117.1



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121716.d
Acq On : 30 Sep 2022 6:23 am
Operator : taylors
Sample : jd52514-9 Inst : MS4D
Misc : MS62508,V4D5406,5,,,,10
ALS Vial : 47 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 22:23:57 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	8.525	65	729387	500.00	ug/L	-0.01
5) pentafluorobenzene	11.021	168	787259	50.00	ug/L	0.00
51) 1,4-difluorobenzene	11.918	114	1144833	50.00	ug/L	0.00
73) chlorobenzene-d5	14.822	117	1128438	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	16.930	152	505778	50.00	ug/L	0.00
124) pentafluorobenzene(a)	11.021	168	787259	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	11.021	113	395972	53.07	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 106.14%			
52) 1,2-dichloroethane-d4 (s)	11.446	65	426509	48.42	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 96.84%			
74) toluene-d8 (s)	13.459	98	1373682	50.51	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.02%			
97) 4-bromofluorobenzene (s)	15.866	95	505431	48.93	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.86%			
Target Compounds						Qvalue
9) vinyl chloride	5.285	62	55255	6.61	ug/L	96
25) trans-1,2-dichloroethene	9.076	96	5276	0.77	ug/L	94
36) cis-1,2-dichloroethene	10.439	96	1310126	172.98	ug/L	97
60) trichloroethene	12.258	130	25834	3.25	ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121716.d
Acq On : 30 Sep 2022 6:23 am
Operator : taylors
Sample : jd52514-9 Inst : MS4D
Misc : MS62508,V4D5406,5,,,,10
ALS Vial : 47 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 22:23:57 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 6.61 ug/L
RT: 5.285 min Scan# 610
Delta R.T. -0.006 min
Lab File: 4d121716.d
Acq: 30 Sep 2022 6:23 am

Tgt Ion: 62 Resp: 55255

Ion	Ratio	Lower	Upper
62	100		
64	31.5	4.0	64.0
61	9.5	0.0	38.3







#25
trans-1,2-dichloroethene
Concen: 0.77 ug/L
RT: 9.076 min Scan# 1333
Delta R.T. 0.015 min
Lab File: 4d121716.d
Acq: 30 Sep 2022 6:23 am

Tgt Ion: 96 Resp: 5276

Ion	Ratio	Lower	Upper
96	100		
61	131.9	103.0	163.0
98	48.9	32.0	92.0







#36
cis-1,2-dichloroethene
Concen: 172.98 ug/L
RT: 10.439 min Scan# 1593
Delta R.T. -0.006 min
Lab File: 4d121716.d
Acq: 30 Sep 2022 6:23 am

Tgt Ion: 96 Resp: 1310126

Ion	Ratio	Lower	Upper
96	100		
61	133.0	107.6	167.6
98	65.7	33.7	93.7






#60
trichloroethene
Concen: 3.25 ug/L
RT: 12.258 min Scan# 1940
Delta R.T. 0.004 min
Lab File: 4d121716.d
Acq: 30 Sep 2022 6:23 am

Tgt Ion:130 Resp: 25834

Ion	Ratio	Lower	Upper
130	100		
95	92.4	64.3	124.3
130	100.0	70.0	130.0
132	102.0	70.3	130.3



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10042022\vl10517\
Data File : l347778.d
Acq On : 3 Oct 2022 3:46 pm
Operator : nicoleh
Sample : jd52514-10 Inst : GCMSL
Misc : MS62508,VL10517,5,,,,10
ALS Vial : 13 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 04 01:03:07 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	3.085	65	179355	500.00	ug/L	0.00
5) pentafluorobenzene	4.308	168	240883	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.879	114	352241	50.00	ug/L	0.00
72) chlorobenzene-d5	7.276	117	319919	50.00	ug/L	0.00
95) 1,4-dichlorobenzene-d4	9.468	152	133880	50.00	ug/L	0.00
123) pentafluorobenzene(a)	4.308	168	239291	50.00	ug/L	0.00
127) 1,4-dichlorobenzene-d4(a)	9.468	152	133747	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	4.321	113	106623	49.01	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.02%			
52) 1,2-dichloroethane-d4 (s)	4.574	65	122886	47.80	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 95.60%			
73) toluene-d8 (s)	6.028	98	438927	49.85	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.70%			
96) 4-bromofluorobenzene (s)	8.354	95	161581	46.33	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 92.66%			
Target Compounds						Qvalue
9) vinyl chloride	1.908	62	1330	0.41	ug/L	# 49
26) trans-1,2-dichloroethene	3.303	96	884	0.37	ug/L	# 54
37) cis-1,2-dichloroethene	3.990	96	93435	34.33	ug/L	97
59) trichloroethene	5.075	95	33661	12.98	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10042022\vl10517\
Data File : l347778.d
Acq On : 3 Oct 2022 3:46 pm
Operator : nicoleh
Sample : jd52514-10 Inst : GCMSL
Misc : MS62508,VL10517,5,,,,10
ALS Vial : 13 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 04 01:03:07 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 0.41 ug/L
RT: 1.908 min Scan# 131
Delta R.T. 0.007 min
Lab File: l347778.d
Acq: 3 Oct 2022 3:46 pm

Tgt Ion: 62 Resp: 1330

Ion	Ratio	Lower	Upper
62	100		
64	0.0	2.8	62.8#
61	0.0	0.0	39.6







#26
trans-1,2-dichloroethene
Concen: 0.37 ug/L
RT: 3.303 min Scan# 566
Delta R.T. -0.004 min
Lab File: l347778.d
Acq: 3 Oct 2022 3:46 pm

Tgt Ion: 96 Resp: 884

Ion	Ratio	Lower	Upper
96	100		
61	68.0	95.2	155.2#
98	33.6	31.9	91.9







#37
cis-1,2-dichloroethene
Concen: 34.33 ug/L
RT: 3.990 min Scan# 780
Delta R.T. 0.000 min
Lab File: l347778.d
Acq: 3 Oct 2022 3:46 pm

Tgt Ion: 96 Resp: 93435

Ion	Ratio	Lower	Upper
96	100		
61	123.8	98.5	158.5
98	62.9	31.8	91.8






#59
trichloroethene
Concen: 12.98 ug/L
RT: 5.075 min Scan# 1118
Delta R.T. -0.003 min
Lab File: l347778.d
Acq: 3 Oct 2022 3:46 pm

Tgt Ion: 95 Resp: 33661

Ion	Ratio	Lower	Upper
95	100		
130	85.3	57.9	117.9
132	87.9	60.6	120.6



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10042022\vl10517\
Data File : l347779.d
Acq On : 3 Oct 2022 4:09 pm
Operator : nicoleh
Sample : jd52514-10 Inst : GCMSL
Misc : MS62508,VL10517,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 04 01:03:49 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	3.089	65	174605	500.00	ug/L	0.00
5) pentafluorobenzene	4.311	168	223028	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.879	114	342425	50.00	ug/L	0.00
72) chlorobenzene-d5	7.276	117	324458	50.00	ug/L	0.00
95) 1,4-dichlorobenzene-d4	9.468	152	133392	50.00	ug/L	0.00
123) pentafluorobenzene(a)	4.311	168	223052	50.00	ug/L	0.00
127) 1,4-dichlorobenzene-d4(a)	9.468	152	133371	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	4.321	113	100811	50.04	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.08%			
52) 1,2-dichloroethane-d4 (s)	4.574	65	117450	46.99	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 93.98%			
73) toluene-d8 (s)	6.025	98	431316	48.30	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.60%			
96) 4-bromofluorobenzene (s)	8.354	95	160572	46.21	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 92.42%			
Target Compounds						Qvalue
9) vinyl chloride	1.905	62	12052	4.01	ug/L	96
18) acetone	2.813	58	590	1.63	ug/L #	18
26) trans-1,2-dichloroethene	3.307	96	7948	3.57	ug/L	89
37) cis-1,2-dichloroethene	3.984	96	737324	292.59	ug/L	94
59) trichloroethene	5.075	95	313704	124.43	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10042022\vl10517\
Data File : l347779.d
Acq On : 3 Oct 2022 4:09 pm
Operator : nicoleh
Sample : jd52514-10 Inst : GCMSL
Misc : MS62508,VL10517,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 04 01:03:49 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 4.01 ug/L
RT: 1.905 min Scan# 130
Delta R.T. 0.004 min
Lab File: l347779.d
Acq: 3 Oct 2022 4:09 pm

Tgt Ion: 62 Resp: 12052

Ion	Ratio	Lower	Upper
62	100		
64	30.1	2.8	62.8
61	10.5	0.0	39.6







#18
acetone
Concen: 1.63 ug/L
RT: 2.813 min Scan# 413
Delta R.T. 0.013 min
Lab File: l347779.d
Acq: 3 Oct 2022 4:09 pm

Tgt Ion: 58 Resp: 590

Ion	Ratio	Lower	Upper
58	100		
43	145.8	281.1	341.1#







#26
trans-1,2-dichloroethene
Concen: 3.57 ug/L
RT: 3.307 min Scan# 567
Delta R.T. -0.000 min
Lab File: l347779.d
Acq: 3 Oct 2022 4:09 pm

Tgt Ion: 96 Resp: 7948

Ion	Ratio	Lower	Upper
96	100		
61	116.9	95.2	155.2
98	47.8	31.9	91.9







#37
cis-1,2-dichloroethene
Concen: 292.59 ug/L
RT: 3.984 min Scan# 778
Delta R.T. -0.006 min
Lab File: l347779.d
Acq: 3 Oct 2022 4:09 pm

Tgt Ion: 96 Resp: 737324

Ion	Ratio	Lower	Upper
96	100		
61	121.7	98.5	158.5
98	65.9	31.8	91.8






#59
trichloroethene
Concen: 124.43 ug/L
RT: 5.075 min Scan# 1118
Delta R.T. -0.003 min
Lab File: l347779.d
Acq: 3 Oct 2022 4:09 pm

Tgt Ion: 95 Resp: 313704

Ion	Ratio	Lower	Upper
95	100		
130	91.0	57.9	117.9
132	90.6	60.6	120.6



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10042022\vl10517\
Data File : l347780.d
Acq On : 3 Oct 2022 4:32 pm
Operator : nicoleh
Sample : jd52514-11 Inst : GCMSL
Misc : MS62508,VL10517,5,,,,50
ALS Vial : 15 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 04 01:05:31 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	3.088	65	190489	500.00	ug/L	0.00
5) pentafluorobenzene	4.311	168	225328	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.879	114	358011	50.00	ug/L	0.00
72) chlorobenzene-d5	7.276	117	331973	50.00	ug/L	0.00
95) 1,4-dichlorobenzene-d4	9.465	152	140607	50.00	ug/L	0.00
123) pentafluorobenzene(a)	4.311	168	225316	50.00	ug/L	0.00
127) 1,4-dichlorobenzene-d4(a)	9.465	152	140629	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	4.321	113	100917	49.59	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.18%			
52) 1,2-dichloroethane-d4 (s)	4.571	65	124174	47.52	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 95.04%			
73) toluene-d8 (s)	6.025	98	440798	48.24	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.48%			
96) 4-bromofluorobenzene (s)	8.351	95	165039	45.06	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 90.12%			
Target Compounds						Qvalue
9) vinyl chloride	1.898	62	35636	11.75	ug/L	97
17) 1,1-dichloroethene	2.787	96	2078	1.00	ug/L #	60
26) trans-1,2-dichloroethene	3.303	96	5589	2.48	ug/L	93
37) cis-1,2-dichloroethene	3.984	96	926196	363.79	ug/L	94
59) trichloroethene	5.072	95	1049358	398.10	ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10042022\vl10517\
Data File : l347780.d
Acq On : 3 Oct 2022 4:32 pm
Operator : nicoleh
Sample : jd52514-11 Inst : GCMSL
Misc : MS62508,VL10517,5,,,,50
ALS Vial : 15 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 04 01:05:31 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 11.75 ug/L
RT: 1.898 min Scan# 128
Delta R.T. -0.003 min
Lab File: l347780.d
Acq: 3 Oct 2022 4:32 pm

Tgt Ion: 62 Resp: 35636

Ion	Ratio	Lower	Upper
62	100		
64	30.8	2.8	62.8
61	8.5	0.0	39.6







#17
1,1-dichloroethene
Concen: 1.00 ug/L
RT: 2.787 min Scan# 405
Delta R.T. -0.000 min
Lab File: l347780.d
Acq: 3 Oct 2022 4:32 pm

Tgt Ion: 96 Resp: 2078

Ion	Ratio	Lower	Upper
96	100		
61	87.3	123.9	183.9#
63	48.6	21.2	81.2







#26
trans-1,2-dichloroethene
Concen: 2.48 ug/L
RT: 3.303 min Scan# 566
Delta R.T. -0.004 min
Lab File: l347780.d
Acq: 3 Oct 2022 4:32 pm

Tgt Ion: 96 Resp: 5589

Ion	Ratio	Lower	Upper
96	100		
61	132.0	95.2	155.2
98	56.0	31.9	91.9







#37
cis-1,2-dichloroethene
Concen: 363.79 ug/L
RT: 3.984 min Scan# 778
Delta R.T. -0.006 min
Lab File: l347780.d
Acq: 3 Oct 2022 4:32 pm

Tgt Ion: 96 Resp: 926196

Ion	Ratio	Lower	Upper
96	100		
61	122.5	98.5	158.5
98	68.8	31.8	91.8






#59
trichloroethene
Concen: 398.10 ug/L
RT: 5.072 min Scan# 1117
Delta R.T. -0.006 min
Lab File: l347780.d
Acq: 3 Oct 2022 4:32 pm

Tgt Ion: 95 Resp: 1049358

Ion	Ratio	Lower	Upper
95	100		
130	95.6	57.9	117.9
132	92.3	60.6	120.6



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\Ocotober2022\10-4-22\vl10517\
Data File : l347786.d
Acq On : 3 Oct 2022 6:51 pm
Operator : nicoleh
Sample : jd52514-11
Misc : MS62577,VL10517,5,,,,250
ALS Vial : 21 Sample Multiplier: 1

Quant Time: Oct 04 16:13:11 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	3.088	65	199753	500.00	ug/L	0.00
5) pentafluorobenzene	4.308	168	239325	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.876	114	357658	50.00	ug/L	0.00
72) chlorobenzene-d5	7.273	117	325284	50.00	ug/L	0.00
95) 1,4-dichlorobenzene-d4	9.468	152	134718	50.00	ug/L	0.00
123) pentafluorobenzene(a)	4.308	168	239492	50.00	ug/L	0.00
127) 1,4-dichlorobenzene-d4(a)	9.468	152	134717	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	4.314	113	108265	50.09	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.18%			
52) 1,2-dichloroethane-d4 (s)	4.571	65	124418	47.66	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 95.32%			
73) toluene-d8 (s)	6.021	98	437526	48.87	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.74%			
96) 4-bromofluorobenzene (s)	8.354	95	163792	46.67	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 93.34%			
Target Compounds						Qvalue
9) vinyl chloride	1.901	62	6932	2.15	ug/L	95
26) trans-1,2-dichloroethene	3.307	96	1428	0.60	ug/L #	37
37) cis-1,2-dichloroethene	3.984	96	236868	87.59	ug/L	92
59) trichloroethene	5.068	95	280064	106.35	ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\Ocotober2022\10-4-22\vl10517\
Data File : l347786.d
Acq On : 3 Oct 2022 6:51 pm
Operator : nicoleh
Sample : jd52514-11
Misc : MS62577,VL10517,5,,,,250
ALS Vial : 21 Sample Multiplier: 1

Quant Time: Oct 04 16:13:11 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 2.15 ug/L
RT: 1.901 min Scan# 129
Delta R.T. 0.000 min
Lab File: l347786.d
Acq: 3 Oct 2022 6:51 pm

Tgt Ion: 62 Resp: 6932

Ion	Ratio	Lower	Upper
62	100		
64	30.3	2.8	62.8
61	11.9	0.0	39.6







#26
trans-1,2-dichloroethene
Concen: 0.60 ug/L
RT: 3.307 min Scan# 567
Delta R.T. -0.000 min
Lab File: l347786.d
Acq: 3 Oct 2022 6:51 pm

Tgt Ion: 96 Resp: 1428

Ion	Ratio	Lower	Upper
96	100		
61	47.4	95.2	155.2#
98	22.6	31.9	91.9#







#37
cis-1,2-dichloroethene
Concen: 87.59 ug/L
RT: 3.984 min Scan# 778
Delta R.T. -0.006 min
Lab File: l347786.d
Acq: 3 Oct 2022 6:51 pm

Tgt Ion: 96 Resp: 236868

Ion	Ratio	Lower	Upper
96	100		
61	116.3	98.5	158.5
98	64.1	31.8	91.8






#59
trichloroethene
Concen: 106.35 ug/L
RT: 5.068 min Scan# 1116
Delta R.T. -0.010 min
Lab File: l347786.d
Acq: 3 Oct 2022 6:51 pm

Tgt Ion: 95 Resp: 280064

Ion	Ratio	Lower	Upper
95	100		
130	95.7	57.9	117.9
132	92.4	60.6	120.6



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220447.d
Acq On : 30 Sep 2022 1:40 pm
Operator : nicoleh
Sample : jd52514-12 Inst : GCMS2A
Misc : MS62508,V2A9583,5,,,,5
ALS Vial : 11 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 04 20:59:45 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	7.251	65	505469	500.00	ug/L	0.00
5) pentafluorobenzene	9.505	168	732652	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.434	114	1148145	50.00	ug/L	0.00
72) chlorobenzene-d5	13.558	117	1199982	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.886	152	593514	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.505	168	732652	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.537	113	375733	54.48	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 108.96%			
51) 1,2-dichloroethane-d4 (s)	9.951	65	439227	41.15	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 82.30%			
73) toluene-d8 (s)	12.059	98	1345901	45.78	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 91.56%			
97) 4-bromofluorobenzene (s)	14.722	95	599417	54.59	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 109.18%			
Target Compounds						Qvalue
9) vinyl chloride	4.572	62	86636	8.90	ug/L	98
25) trans-1,2-dichloroethene	7.691	96	5747	0.93	ug/L #	77
36) cis-1,2-dichloroethene	8.965	96	2697468	398.11	ug/L	92
40) chloroform	9.348	83	9176	0.73	ug/L	94
59) trichloroethene	10.743	95	106906	13.73	ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220447.d
Acq On : 30 Sep 2022 1:40 pm
Operator : nicoleh
Sample : jd52514-12 Inst : GCMS2A
Misc : MS62508,V2A9583,5,,,,5
ALS Vial : 11 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 04 20:59:45 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 8.90 ug/L
RT: 4.572 min Scan# 226
Delta R.T. -0.001 min
Lab File: 2a220447.d
Acq: 30 Sep 2022 1:40 pm

Tgt Ion: 62 Resp: 86636

Ion	Ratio	Lower	Upper
62	100		
64	31.7	2.1	62.1
61	7.2	0.0	38.8







#25
trans-1,2-dichloroethene
Concen: 0.93 ug/L
RT: 7.691 min Scan# 821
Delta R.T. 0.007 min
Lab File: 2a220447.d
Acq: 30 Sep 2022 1:40 pm

Tgt Ion: 96 Resp: 5747

Ion	Ratio	Lower	Upper
96	100		
61	123.9	130.0	190.0#
98	51.7	31.6	91.6







#36
cis-1,2-dichloroethene
Concen: 398.11 ug/L
RT: 8.965 min Scan# 1064
Delta R.T. -0.006 min
Lab File: 2a220447.d
Acq: 30 Sep 2022 1:40 pm

Tgt Ion: 96 Resp: 2697468

Ion	Ratio	Lower	Upper
96	100		
61	140.3	122.7	182.7
98	68.0	34.0	94.0







#40
chloroform
Concen: 0.73 ug/L
RT: 9.348 min Scan# 1137
Delta R.T. 0.001 min
Lab File: 2a220447.d
Acq: 30 Sep 2022 1:40 pm

Tgt Ion: 83 Resp: 9176

Ion	Ratio	Lower	Upper
83	100		
85	61.2	34.2	94.2
47	37.7	2.7	62.7






#59
trichloroethene
Concen: 13.73 ug/L
RT: 10.743 min Scan# 1403
Delta R.T. -0.001 min
Lab File: 2a220447.d
Acq: 30 Sep 2022 1:40 pm

Tgt Ion: 95 Resp: 106906

Ion	Ratio	Lower	Upper
95	100		
130	102.1	71.9	131.9
132	104.7	64.7	124.7



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220449.d
Acq On : 30 Sep 2022 2:37 pm
Operator : nicoleh
Sample : jd52514-12 Inst : GCMS2A
Misc : MS62508,V2A9583,5,,,,50
ALS Vial : 13 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 04 21:17:44 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	7.246	65	543649	500.00	ug/L	0.00
5) pentafluorobenzene	9.505	168	751354	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.433	114	1182718	50.00	ug/L	0.00
72) chlorobenzene-d5	13.563	117	1224970	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.886	152	611807	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.505	168	751063	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.537	113	383741	54.26	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 108.52%			
51) 1,2-dichloroethane-d4 (s)	9.951	65	456929	41.56	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 83.12%			
73) toluene-d8 (s)	12.059	98	1379031	45.95	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 91.90%			
97) 4-bromofluorobenzene (s)	14.722	95	616465	54.47	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 108.94%			
Target Compounds						Qvalue
9) vinyl chloride	4.572	62	7134	0.71	ug/L	55
36) cis-1,2-dichloroethene	8.965	96	282433	40.65	ug/L	96
59) trichloroethene	10.743	95	9912	1.24	ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220449.d
Acq On : 30 Sep 2022 2:37 pm
Operator : nicoleh
Sample : jd52514-12 Inst : GCMS2A
Misc : MS62508,V2A9583,5,,,,50
ALS Vial : 13 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 04 21:17:44 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 0.71 ug/L
RT: 4.572 min Scan# 226
Delta R.T. -0.001 min
Lab File: 2a220449.d
Acq: 30 Sep 2022 2:37 pm

Tgt Ion: 62 Resp: 7134

Ion	Ratio	Lower	Upper
62	100		
64	60.2	2.1	62.1
61	0.0	0.0	38.8







#36
cis-1,2-dichloroethene
Concen: 40.65 ug/L
RT: 8.965 min Scan# 1064
Delta R.T. -0.006 min
Lab File: 2a220449.d
Acq: 30 Sep 2022 2:37 pm

Tgt Ion: 96 Resp: 282433

Ion	Ratio	Lower	Upper
96	100		
61	147.1	122.7	182.7
98	66.6	34.0	94.0






#59
trichloroethene
Concen: 1.24 ug/L
RT: 10.743 min Scan# 1403
Delta R.T. -0.001 min
Lab File: 2a220449.d
Acq: 30 Sep 2022 2:37 pm

Tgt Ion: 95 Resp: 9912

Ion	Ratio	Lower	Upper
95	100		
130	93.3	71.9	131.9
132	84.1	64.7	124.7



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121701.d
Acq On : 29 Sep 2022 11:10 pm
Operator : taylors
Sample : jd52514-13 Inst : MS4D
Misc : MS62508,V4D5406,5,,,,1
ALS Vial : 32 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 20:41:09 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	8.531	65	751403	500.00	ug/L	0.00
5) pentafluorobenzene	11.021	168	835119	50.00	ug/L	0.00
51) 1,4-difluorobenzene	11.918	114	1200581	50.00	ug/L	0.00
73) chlorobenzene-d5	14.822	117	1187071	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	16.930	152	534478	50.00	ug/L	0.00
124) pentafluorobenzene(a)	11.021	168	835119	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	11.021	113	421835	53.30	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 106.60%			
52) 1,2-dichloroethane-d4 (s)	11.446	65	452687	49.01	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 98.02%			
74) toluene-d8 (s)	13.459	98	1437232	50.24	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.48%			
97) 4-bromofluorobenzene (s)	15.866	95	533404	48.87	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.74%			
Target Compounds						Qvalue
41) chloroform	10.827	85	14154	1.56	ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121701.d
Acq On : 29 Sep 2022 11:10 pm
Operator : taylors
Sample : jd52514-13 Inst : MS4D
Misc : MS62508,V4D5406,5,,,,1
ALS Vial : 32 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 20:41:09 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration






#41
chloroform
Concen: 1.56 ug/L
RT: 10.827 min Scan# 1667
Delta R.T. 0.004 min
Lab File: 4d121701.d
Acq: 29 Sep 2022 11:10 pm

Tgt Ion: 85 Resp: 14154

Ion	Ratio	Lower	Upper
85	100		
83	154.3	119.7	179.7
47	52.1	10.2	70.2



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121700.d
Acq On : 29 Sep 2022 10:41 pm
Operator : taylors
Sample : mb Inst : MS4D
Misc : MS46075,V4D5406,5,,,,1
ALS Vial : 31 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 20:39:18 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	8.525	65	760648	500.00	ug/L	-0.01
5) pentafluorobenzene	11.021	168	839510	50.00	ug/L	0.00
51) 1,4-difluorobenzene	11.918	114	1200091	50.00	ug/L	0.00
73) chlorobenzene-d5	14.822	117	1184427	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	16.930	152	536302	50.00	ug/L	0.00
124) pentafluorobenzene(a)	11.021	168	839510	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	11.021	113	416805	52.38	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 104.76%			
52) 1,2-dichloroethane-d4 (s)	11.446	65	449931	48.73	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 97.46%			
74) toluene-d8 (s)	13.459	98	1421782	49.81	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.62%			
97) 4-bromofluorobenzene (s)	15.866	95	531753	48.55	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.10%			
Target Compounds						Qvalue
120) naphthalene	19.101	128	7934	0.37	ug/L	97
123) 2-methylnaphthalene	20.202	142	4031	0.65	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121700.d
Acq On : 29 Sep 2022 10:41 pm
Operator : taylors
Sample : mb Inst : MS4D
Misc : MS46075,V4D5406,5,,,,1
ALS Vial : 31 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 20:39:18 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration







#120
naphthalene
Concen: 0.37 ug/L
RT: 19.101 min Scan# 3245
Delta R.T. 0.020 min
Lab File: 4d121700.d
Acq: 29 Sep 2022 10:41 pm

Tgt Ion:128 Resp: 7934

Ion	Ratio	Lower	Upper
128	100		
127	14.0	0.0	42.6
129	9.9	0.0	41.0






#123
2-methylnaphthalene
Concen: 0.65 ug/L
RT: 20.202 min Scan# 3455
Delta R.T. 0.031 min
Lab File: 4d121700.d
Acq: 29 Sep 2022 10:41 pm

Tgt Ion:142 Resp: 4031

Ion	Ratio	Lower	Upper
142	100		
141	91.2	67.2	107.2
115	35.5	15.6	55.6



Quantitation Report (QT/LSC Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220442.d
Acq On : 30 Sep 2022 11:18 am
Operator : nicoleh
Sample : mb Inst : GCMS2A
Misc : MS62546,V2A9583,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 04 20:36:55 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	7.246	65	499433	500.00	ug/L	0.00
5) pentafluorobenzene	9.505	168	738634	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.433	114	1157020	50.00	ug/L	0.00
72) chlorobenzene-d5	13.563	117	1184465	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.886	152	576964	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.505	168	738109	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.537	113	380735	54.76	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 109.52%			
51) 1,2-dichloroethane-d4 (s)	9.951	65	445144	41.38	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 82.76%			
73) toluene-d8 (s)	12.059	98	1335343	46.02	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 92.04%			
97) 4-bromofluorobenzene (s)	14.722	95	588872	55.17	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 110.34%			
Target Compounds						Qvalue
21) carbon disulfide	6.978	76	5073	0.28	ug/L	82
40) chloroform	9.343	83	1660	0.13	ug/L #	63
120) naphthalene	18.172	128	3451	0.13	ug/L	81
121) 1,2,3-trichlorobenzene	18.397	180	1813	0.18	ug/L	76
123) 2-methylnaphthalene	19.404	142	3607	0.27	ug/L #	77


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT/LSC Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220442.d
Acq On : 30 Sep 2022 11:18 am
Operator : nicoleh
Sample : mb Inst : GCMS2A
Misc : MS62546,V2A9583,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 04 20:36:55 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration







#21
carbon disulfide
Concen: 0.28 ug/L
RT: 6.978 min Scan# 685
Delta R.T. -0.005 min
Lab File: 2a220442.d
Acq: 30 Sep 2022 11:18 am

Tgt Ion: 76 Resp: 5073

Ion	Ratio	Lower	Upper
76	100		
78	14.2	0.0	39.5
44	11.2	0.0	50.6







#40
chloroform
Concen: 0.13 ug/L
RT: 9.343 min Scan# 1136
Delta R.T. -0.005 min
Lab File: 2a220442.d
Acq: 30 Sep 2022 11:18 am

Tgt Ion: 83 Resp: 1660

Ion	Ratio	Lower	Upper
83	100		
85	43.1	34.2	94.2
47	0.0	2.7	62.7#







#120
naphthalene
Concen: 0.13 ug/L
RT: 18.172 min Scan# 2820
Delta R.T. 0.001 min
Lab File: 2a220442.d
Acq: 30 Sep 2022 11:18 am

Tgt Ion:128 Resp: 3451

Ion	Ratio	Lower	Upper
128	100		
129	0.0	0.0	41.7
127	10.0	0.0	43.8







#121
1,2,3-trichlorobenzene
Concen: 0.18 ug/L
RT: 18.397 min Scan# 2863
Delta R.T. 0.002 min
Lab File: 2a220442.d
Acq: 30 Sep 2022 11:18 am

Tgt Ion:180 Resp: 1813

Ion	Ratio	Lower	Upper
180	100		
182	75.1	67.7	127.7
184	16.0	2.1	62.1






#123
2-methylnaphthalene
Concen: 0.27 ug/L
RT: 19.404 min Scan# 3055
Delta R.T. -0.001 min
Lab File: 2a220442.d
Acq: 30 Sep 2022 11:18 am

Tgt Ion:142 Resp: 3607

Ion	Ratio	Lower	Upper
142	100		
141	59.6	66.1	106.1#
115	36.8	12.9	52.9



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200647.d
Acq On : 30 Sep 2022 11:21 am
Operator : taylors
Sample : mb Inst : ACC-VOA-MSX
Misc : MS62612,V1X8639,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 06:41:45 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.439	65	354438	500.00	ug/L	0.00
5) pentafluorobenzene	3.507	168	419042	50.00	ug/L	0.00
52) 1,4-difluorobenzene	3.998	114	584708	50.00	ug/L	0.00
73) chlorobenzene-d5	6.074	117	536154	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.883	152	266708	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.507	113	188387	47.66	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.32%			
53) 1,2-dichloroethane-d4 (s)	3.726	65	218965	48.99	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 97.98%			
74) toluene-d8 (s)	4.996	98	638864	49.81	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.62%			
98) 4-bromofluorobenzene (s)	7.008	95	232193	50.15	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.30%			
Target Compounds						Qvalue
42) chloroform	3.411	83	616	0.14	ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200647.d
Acq On : 30 Sep 2022 11:21 am
Operator : taylors
Sample : mb Inst : ACC-VOA-MSX
Misc : MS62612,V1X8639,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 06:41:45 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration






#42
chloroform
Concen: 0.14 ug/L
RT: 3.411 min Scan# 493
Delta R.T. -0.000 min
Lab File: 1x200647.d
Acq: 30 Sep 2022 11:21 am

Tgt Ion: 83 Resp: 616

Ion	Ratio	Lower	Upper
83	100		
85	61.1	36.3	96.3
47	35.0	0.0	56.2



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10042022\vl10517\
Data File : l347772.d
Acq On : 3 Oct 2022 1:17 pm
Operator : nicoleh
Sample : mb Inst : GCMSL
Misc : MS46075,VL10517,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 03 23:54:54 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	3.088	65	173165	500.00	ug/L	0.00
5) pentafluorobenzene	4.311	168	256447	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.879	114	370598	50.00	ug/L	0.00
72) chlorobenzene-d5	7.276	117	332001	50.00	ug/L	0.00
95) 1,4-dichlorobenzene-d4	9.471	152	138862	50.00	ug/L	0.00
123) pentafluorobenzene(a)	4.311	168	255478	50.00	ug/L	0.00
127) 1,4-dichlorobenzene-d4(a)	9.471	152	139067	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	4.317	113	112874	48.73	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.46%			
52) 1,2-dichloroethane-d4 (s)	4.571	65	129449	47.86	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 95.72%			
73) toluene-d8 (s)	6.028	98	455128	49.81	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.62%			
96) 4-bromofluorobenzene (s)	8.354	95	163071	45.08	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 90.16%			
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10042022\vl10517\
Data File : l347772.d
Acq On : 3 Oct 2022 1:17 pm
Operator : nicoleh
Sample : mb Inst : GCMSL
Misc : MS46075,VL10517,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 03 23:54:54 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121698.d
Acq On : 29 Sep 2022 9:42 pm
Operator : taylors
Sample : bs Inst : MS4D
Misc : MS62508,V4D5406,5,,,,1
ALS Vial : 29 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 07:22:07 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	8.536	65	745113	500.00	ug/L		0.00
5) pentafluorobenzene	11.021	168	787644	50.00	ug/L		0.00
51) 1,4-difluorobenzene	11.912	114	1136670	50.00	ug/L		0.00
73) chlorobenzene-d5	14.822	117	1125127	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	16.930	152	513948	50.00	ug/L		0.00
124) pentafluorobenzene(a)	11.021	168	787644	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	11.016	113	397395	53.23	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 106.46%				
52) 1,2-dichloroethane-d4 (s)	11.446	65	406663	46.50	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 93.00%				
74) toluene-d8 (s)	13.459	98	1323777	48.82	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.64%				
97) 4-bromofluorobenzene (s)	15.866	95	501385	47.77	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.54%				
Target Compounds							Qvalue
2) tertiary butyl alcohol	8.662	59	554974	260.55	ug/L		97
3) ethanol	7.068	45	1284914	6249.66	ug/L		99
4) 1,4-dioxane	12.573	88	226862	1206.46	ug/L		91
6) chlorodifluoromethane	4.588	51	438808	50.66	ug/L		95
7) dichlorodifluoromethane	4.541	85	370538	36.79	ug/L		99
8) chloromethane	5.039	50	333094	39.11	ug/L		100
9) vinyl chloride	5.280	62	320762	38.37	ug/L		97
10) 1,3-butadiene	5.380	54	279646	36.71	ug/L		100
11) bromomethane	6.040	94	188335	37.55	ug/L		95
12) chloroethane	6.281	64	199938	45.50	ug/L		98
13) trichlorofluoromethane	6.848	101	530861	44.88	ug/L		99
14) ethyl ether	7.372	74	190204	53.67	ug/L		80
15) acrolein	7.576	56	101700	68.24	ug/L		96
16) freon 113	7.823	151	287066	51.24	ug/L		99
17) 1,1-dichloroethene	7.828	96	292337	47.07	ug/L		98
18) acetone	7.823	58	230666	316.73	ug/L	#	83
19) acetonitrile	8.258	41	1013707	811.00	ug/L		99
20) iodomethane	8.111	142	353660	33.85	ug/L		95
21) carbon disulfide	8.274	76	850717	48.88	ug/L		99
22) methylene chloride	8.594	84	338043	50.74	ug/L		86
23) methyl acetate	8.394	43	487283	78.99	ug/L		94
24) methyl tert butyl ether	9.034	73	1020725	52.80	ug/L		93
25) trans-1,2-dichloroethene	9.055	96	327952	47.94	ug/L		93
26) di-isopropyl ether	9.721	45	1302790	63.55	ug/L		95
27) 2-butanone	10.392	72	281134	267.03	ug/L	#	61
28) 1,1-dichloroethane	9.653	63	614892	54.31	ug/L		96
29) chloroprene	9.805	53	522026	61.07	ug/L		91
30) acrylonitrile	8.913	53	211648	77.01	ug/L		99
31) hexane	9.480	56	234850	59.38	ug/L		88
32) vinyl acetate	9.663	86	83460	58.68	ug/L	#	54
33) ethyl tert-butyl ether	10.219	59	1160159	58.01	ug/L		96
34) ethyl acetate	10.455	70	61556	60.57	ug/L	#	71
35) 2,2-dichloropropane	10.471	77	447036	44.05	ug/L		93
36) cis-1,2-dichloroethene	10.439	96	367399	48.49	ug/L		95
37) methyl acrylate	10.533	55	501599	71.36	ug/L		95
38) propionitrile	10.439	54	1046116	818.52	ug/L		99
39) bromochloromethane	10.754	128	209283	54.19	ug/L		92
40) tetrahydrofuran	10.827	72	82278	59.15	ug/L	#	76

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121698.d
Acq On : 29 Sep 2022 9:42 pm
Operator : taylors
Sample : bs Inst : MS4D
Misc : MS62508,V4D5406,5,,,,1
ALS Vial : 29 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 07:22:07 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
41) chloroform	10.822	85	399126	46.51	ug/L		95
42) t-butyl formate	10.900	59	378821	64.60	ug/L		94
44) methacrylonitrile	10.675	67	202522	63.46	ug/L		85
45) 1,1,1-trichloroethane	11.131	97	545088	49.80	ug/L		97
46) cyclohexane	11.247	84	356925	41.87	ug/L	#	54
47) 1,1-dichloropropene	11.315	75	428331	50.02	ug/L		99
48) isobutyl alcohol	11.315	74	29864	471.47	ug/L		52
49) carbon tetrachloride	11.351	117	516356	49.68	ug/L		99
50) tert amyl alcohol	11.399	55	191177	420.34	ug/L		92
53) n-butyl alcohol	11.986	56	1503952	4342.01	ug/L		97
54) 2,2,4-trimethylpentane	11.650	57	800989	49.02	ug/L		98
55) benzene	11.566	78	1211601	46.36	ug/L		99
56) tert-amyl methyl ether	11.634	87	246104	48.54	ug/L		94
57) heptane	11.808	71	149983	40.71	ug/L		87
58) isopropyl acetate	11.493	87	100634	53.92	ug/L	#	63
59) 1,2-dichloroethane	11.535	62	519001	46.38	ug/L		96
60) trichloroethene	12.253	130	397853	50.40	ug/L		97
61) ethyl acrylate	12.243	55	696678	64.52	ug/L		97
62) 2-nitropropane	12.898	43	219731	63.47	ug/L		96
63) 2-chloroethyl vinyl ether	12.956	63	1408048	388.26	ug/L		98
64) methyl methacrylate	12.494	100	125163	55.72	ug/L	#	86
65) 1,2-dichloropropane	12.473	63	365417	51.75	ug/L		97
66) dibromomethane	12.599	93	259898	46.74	ug/L		99
67) methylcyclohexane	12.510	83	458872	47.79	ug/L		91
68) bromodichloromethane	12.720	83	502407	47.65	ug/L		98
69) epichlorohydrin	13.040	57	367285	370.94	ug/L		95
70) cis-1,3-dichloropropene	13.160	75	565669	49.64	ug/L		98
71) 4-methyl-2-pentanone	13.255	58	930455	262.54	ug/L		87
72) 3-methyl-1-butanol	13.244	70	485474	1513.28	ug/L	#	77
75) toluene	13.527	92	783675	45.26	ug/L		98
76) trans-1,3-dichloropropene	13.658	75	537604	49.47	ug/L		99
77) ethyl methacrylate	13.690	69	507403	52.10	ug/L		88
78) 1,1,2-trichloroethane	13.852	83	299409	51.58	ug/L		97
79) tetrachloroethene	14.073	164	296556	42.38	ug/L		96
80) 1,3-dichloropropane	14.020	76	544781	49.66	ug/L		82
81) 2-hexanone	14.025	58	1032536	282.38	ug/L		92
82) butyl acetate	14.109	56	340033	66.66	ug/L		99
83) dibromochloromethane	14.261	129	481421	50.67	ug/L		100
84) 1,2-dibromoethane	14.408	107	422482	53.88	ug/L		95
85) n-butyl ether	14.812	57	1563137	55.80	ug/L		95
86) chlorobenzene	14.848	112	962383	47.79	ug/L		94
87) 1,1,1,2-tetrachloroethane	14.896	131	394366	48.79	ug/L		97
88) ethylbenzene	14.917	91	1468265	45.66	ug/L		98
89) m,p-xylene	15.011	106	1162800	93.42	ug/L		97
90) o-xylene	15.389	106	584608	46.87	ug/L		93
91) styrene	15.389	104	1013574	48.21	ug/L		93
92) bromoform	15.593	173	368268	50.43	ug/L		99
93) butyl acrylate	15.215	55	906772	64.00	ug/L		96
94) isopropylbenzene	15.708	105	1447739	46.73	ug/L		97
95) cis-1,4-dichloro-2-butene	15.714	88	153683	49.82	ug/L		93
98) bromobenzene	16.044	156	430679	45.53	ug/L		90
99) 1,1,2,2-tetrachloroethane	15.918	83	538761	52.12	ug/L		97
100) trans-1,4-dichloro-2-b...	15.960	53	131968	66.12	ug/L		94
101) 1,2,3-trichloropropane	15.991	110	159231	51.14	ug/L		99
102) n-propylbenzene	16.075	91	1592075	46.07	ug/L		97
103) 2-chlorotoluene	16.196	126	380319	47.86	ug/L		93
104) 4-chlorotoluene	16.285	91	1010045	44.70	ug/L		97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121698.d
Acq On : 29 Sep 2022 9:42 pm
Operator : taylors
Sample : bs Inst : MS4D
Misc : MS62508,V4D5406,5,,,,1
ALS Vial : 29 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 07:22:07 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc Units	Dev(Min)
105) 1,3,5-trimethylbenzene	16.212	105	1095096	44.81 ug/L	97
106) tert-butylbenzene	16.537	134	228955	47.39 ug/L	95
107) 1,2,4-trimethylbenzene	16.568	105	1079437	43.90 ug/L	97
108) sec-butylbenzene	16.731	105	1304467	46.65 ug/L	98
109) 1,3-dichlorobenzene	16.883	146	730257	46.58 ug/L	99
110) p-isopropyltoluene	16.841	119	1106824	48.02 ug/L	97
111) 1,4-dichlorobenzene	16.956	146	736473	44.53 ug/L	96
112) 1,2,3-trimethylbenzene	16.972	105	1075266	44.49 ug/L	96
113) benzyl chloride	17.045	91	821805	47.21 ug/L	97
114) 1,2-dichlorobenzene	17.313	146	724978	49.05 ug/L	98
115) n-butylbenzene	17.218	92	450667	42.40 ug/L	97
116) 1,2-dibromo-3-chloropr...	18.010	157	173678	61.49 ug/L	96
117) 1,3,5-trichlorobenzene	18.230	180	408563	47.05 ug/L	94
118) 1,2,4-trichlorobenzene	18.823	180	349506	48.50 ug/L	97
119) hexachlorobutadiene	18.959	225	141530	43.43 ug/L	96
120) naphthalene	19.080	128	1086552	53.07 ug/L	99
121) 1,2,3-trichlorobenzene	19.305	180	313168	53.01 ug/L	95
122) hexachloroethane	17.585	201	196464	42.82 ug/L	98
123) 2-methylnaphthalene	20.170	142	245786	41.58 ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121698.d
Acq On : 29 Sep 2022 9:42 pm
Operator : taylors
Sample : bs Inst : MS4D
Misc : MS62508,V4D5406,5,,,,1
ALS Vial : 29 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 07:22:07 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220440.d
Acq On : 30 Sep 2022 10:21 am
Operator : nicoleh
Sample : bs Inst : GCMS2A
Misc : MS62539,V2A9583,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 30 10:58:56 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	7.251	65	506821	500.00	ug/L	0.00
5) pentafluorobenzene	9.511	168	750798	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.439	114	1166077	50.00	ug/L	0.00
72) chlorobenzene-d5	13.564	117	1159944	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.886	152	604684	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.511	168	750798	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.542	113	379869	53.75	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 107.50%			
51) 1,2-dichloroethane-d4 (s)	9.962	65	440198	40.61	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 81.22%			
73) toluene-d8 (s)	12.064	98	1335382	46.99	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 93.98%			
97) 4-bromofluorobenzene (s)	14.722	95	595618	53.25	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 106.50%			
Target Compounds						Qvalue
2) ethanol	5.977	45	454106	3677.85	ug/L	97
3) tertiary butyl alcohol	7.366	59	286138	229.81	ug/L	86
4) 1,4-dioxane	11.084	88	92005	1054.33	ug/L	92
6) chlorodifluoromethane	3.995	51	278695	27.22	ug/L	97
7) dichlorodifluoromethane	3.964	85	450741	44.69	ug/L	98
8) chloromethane	4.352	50	573009	43.91	ug/L	99
9) vinyl chloride	4.572	62	475209	47.61	ug/L	98
10) 1,3-butadiene	4.624	54	204959	23.05	ug/L	97
11) bromomethane	5.196	94	321390	54.60	ug/L	99
12) chloroethane	5.358	64	275828	58.37	ug/L	92
13) trichlorofluoromethane	5.788	101	579559	51.83	ug/L	95
14) ethyl ether	6.192	74	194915	54.71	ug/L	94
15) acrolein	6.417	56	92871	58.24	ug/L	94
16) freon 113	6.622	151	273068	51.38	ug/L	96
17) 1,1-dichloroethene	6.606	96	277376	49.79	ug/L	95
18) acetone	6.606	43	587320	203.46	ug/L	94
19) acetonitrile	7.020	41	587786	493.42	ug/L	96
20) iodomethane	6.853	142	551719	50.74	ug/L	92
21) carbon disulfide	6.989	76	898917	48.71	ug/L	92
22) methylene chloride	7.303	84	355016	53.78	ug/L	94
23) methyl acetate	7.062	43	361688	50.27	ug/L	99
24) methyl tert butyl ether	7.660	73	1066452	53.69	ug/L	97
25) trans-1,2-dichloroethene	7.691	96	342600	54.27	ug/L	98
26) hexane	8.043	57	598714	53.36	ug/L	98
27) di-isopropyl ether	8.258	45	1554530	56.53	ug/L	98
28) ethyl tert-butyl ether	8.714	59	1359531	56.81	ug/L	98
29) 2-butanone	8.908	72	181860	234.07	ug/L	92
30) 1,1-dichloroethane	8.263	63	682382	55.28	ug/L	98
31) chloroprene	8.363	53	620252	52.91	ug/L	93
32) acrylonitrile	7.587	53	184463	57.92	ug/L	94
33) vinyl acetate	8.200	86	73606	63.22	ug/L #	64
34) ethyl acetate	8.924	45	77848	53.97	ug/L	94
35) 2,2-dichloropropane	9.002	77	542114	54.95	ug/L	99
36) cis-1,2-dichloroethene	8.971	96	391624	56.40	ug/L	97
37) propionitrile	8.981	54	651956	548.86	ug/L	90
38) bromochloromethane	9.264	130	259751	56.27	ug/L	100
39) tetrahydrofuran	9.285	42	150956	45.83	ug/L	95
40) chloroform	9.353	83	659386	51.41	ug/L	96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220440.d
Acq On : 30 Sep 2022 10:21 am
Operator : nicoleh
Sample : bs Inst : GCMS2A
Misc : MS62539,V2A9583,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 30 10:58:56 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
41) tert-butyl formate	9.390	59	351937	56.43	ug/L		96
42) isobutyl alcohol	9.747	43	233911	470.58	ug/L		94
44) methacrylonitrile	9.175	67	167965	56.93	ug/L		91
45) 1,1,1-trichloroethane	9.610	97	588763	52.86	ug/L		98
46) cyclohexane	9.720	84	536747	57.68	ug/L		93
47) 1,1-dichloropropene	9.778	75	487765	54.39	ug/L		97
48) tert-amyl alcohol	9.909	73	120809	243.09	ug/L		94
49) carbon tetrachloride	9.804	117	519948	51.72	ug/L		97
52) 2,2,4-trimethylpentane	10.119	57	1545010	47.14	ug/L		95
53) tert-amyl methyl ether	10.108	73	1165570	48.53	ug/L		99
54) n-butyl alcohol	10.496	56	711520	2348.79	ug/L		92
55) benzene	10.025	78	1418556	51.27	ug/L		97
56) heptane	10.281	57	290280	43.41	ug/L		98
57) isopropyl acetate	9.941	87	86132	49.60	ug/L		94
58) 1,2-dichloroethane	10.046	62	581920	44.76	ug/L		99
59) trichloroethene	10.748	95	384828	48.65	ug/L		95
60) ethyl acrylate	10.738	55	632286	50.34	ug/L		99
61) 2-nitropropane	11.503	41	126654	38.36	ug/L		89
62) 2-chloroethyl vinyl ether	11.540	63	568558	146.68	ug/L		99
63) methyl methacrylate	11.005	100	102743	51.81	ug/L	#	79
64) 1,2-dichloropropane	11.036	63	414941	50.55	ug/L		94
65) methylcyclohexane	11.047	83	604503	46.70	ug/L		97
66) dibromomethane	11.141	93	251169	46.61	ug/L		95
67) bromodichloromethane	11.299	83	529456	47.46	ug/L		99
68) epichlorohydrin	11.624	57	225713	230.38	ug/L		98
69) cis-1,3-dichloropropene	11.755	75	638522	52.29	ug/L		86
70) 4-methyl-2-pentanone	11.865	58	728434	188.19	ug/L		96
71) 3-methyl-1-butanol	11.870	70	217522	911.12	ug/L		90
74) toluene	12.137	92	866820	47.04	ug/L		99
75) trans-1,3-dichloropropene	12.321	75	569845	46.65	ug/L		99
76) ethyl methacrylate	12.316	69	511817	48.80	ug/L		90
77) 1,1,2-trichloroethane	12.541	83	283569	44.76	ug/L		94
78) 2-hexanone	12.709	58	681622	176.82	ug/L		91
79) tetrachloroethene	12.688	166	421000	45.89	ug/L		99
80) 1,3-dichloropropane	12.719	76	546460	44.96	ug/L		97
81) butyl acetate	12.788	56	306154	46.22	ug/L		94
82) dibromochloromethane	12.961	129	417909	45.20	ug/L		99
83) 1,2-dibromoethane	13.113	107	349611	44.56	ug/L		96
84) n-butyl ether	13.564	57	1625656	44.53	ug/L		97
85) chlorobenzene	13.595	112	946697	47.11	ug/L		97
86) 1,1,1,2-tetrachloroethane	13.663	131	368525	45.60	ug/L		98
87) ethylbenzene	13.658	91	1553371	44.96	ug/L		95
88) m,p-xylene	13.779	106	1183166	88.10	ug/L		94
89) o-xylene	14.177	91	1242046	44.05	ug/L		96
90) styrene	14.188	104	969986	44.39	ug/L		98
91) n-amyl acetate	14.224	70	247236	43.35	ug/L		89
92) bromoform	14.413	173	303059	45.58	ug/L		97
93) butyl acrylate	14.014	55	890956	45.81	ug/L		99
94) isopropylbenzene	14.528	105	1463518	43.52	ug/L		99
95) cis-1,4-dichloro-2-butene	14.565	88	132051	36.48	ug/L		94
98) bromobenzene	14.906	156	425658	43.98	ug/L		93
99) 1,1,2,2-tetrachloroethane	14.806	83	442335	43.04	ug/L		100
100) trans-1,4-dichloro-2-b...	14.838	53	115605	33.79	ug/L		88
101) 1,2,3-trichloropropane	14.890	110	106681	40.34	ug/L		96
102) n-propylbenzene	14.937	91	1777636	45.80	ug/L		98
103) 2-chlorotoluene	15.068	126	380525	45.05	ug/L		93
104) 4-chlorotoluene	15.184	91	1108269	44.90	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220440.d
Acq On : 30 Sep 2022 10:21 am
Operator : nicoleh
Sample : bs Inst : GCMS2A
Misc : MS62539,V2A9583,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 30 10:58:56 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
105) 1,3,5-trimethylbenzene	15.100	105	1212199	44.97	ug/L	97
106) tert-butylbenzene	15.435	119	1040486	44.55	ug/L	97
107) 1,2,4-trimethylbenzene	15.488	105	1226929	44.68	ug/L	98
108) sec-butylbenzene	15.656	105	1521647	43.70	ug/L	99
109) 1,3-dichlorobenzene	15.818	146	752402	43.62	ug/L	98
110) p-isopropyltoluene	15.787	119	1311761	44.17	ug/L	98
111) benzyl chloride	16.007	91	758492	44.86	ug/L	99
112) 1,2,3-trimethylbenzene	15.912	105	1228559	43.39	ug/L	97
113) 1,4-dichlorobenzene	15.912	146	755594	42.12	ug/L	97
114) 1,2-dichlorobenzene	16.285	146	729467	43.26	ug/L	97
115) n-butylbenzene	16.196	92	678386	42.95	ug/L	98
116) 1,2-dibromo-3-chloropr...	17.050	157	89100	39.94	ug/L	94
117) 1,3,5-trichlorobenzene	17.239	180	588519	44.66	ug/L	98
118) 1,2,4-trichlorobenzene	17.884	180	503426	44.42	ug/L	98
119) hexachlorobutadiene	17.999	225	263571	45.19	ug/L	96
120) naphthalene	18.167	128	926932	34.33	ug/L	98
121) 1,2,3-trichlorobenzene	18.398	180	421176	39.47	ug/L	98
122) hexachloroethane	16.578	201	209956	43.19	ug/L	98
123) 2-methylnaphthalene	19.404	142	108023	7.85	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220440.d
Acq On : 30 Sep 2022 10:21 am
Operator : nicoleh
Sample : bs Inst : GCMS2A
Misc : MS62539,V2A9583,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 30 10:58:56 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200645.d
Acq On : 30 Sep 2022 10:35 am
Operator : taylors
Sample : bs Inst : ACC-VOA-MSX
Misc : MS62564,V1X8639,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Sep 30 10:47:59 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.440	65	384383	500.00	ug/L	0.00
5) pentafluorobenzene	3.507	168	438711	50.00	ug/L	0.00
52) 1,4-difluorobenzene	3.998	114	606672	50.00	ug/L	0.00
73) chlorobenzene-d5	6.074	117	569714	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.883	152	284540	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.507	113	194928	47.10	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 94.20%			
53) 1,2-dichloroethane-d4 (s)	3.726	65	223576	48.21	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 96.42%			
74) toluene-d8 (s)	4.996	98	677232	49.70	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.40%			
98) 4-bromofluorobenzene (s)	7.008	95	242314	49.05	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.10%			
Target Compounds						Qvalue
2) ethanol	1.943	45	186794	5081.50	ug/L	96
3) tertiary butyl alcohol	2.488	59	140103	240.91	ug/L	99
4) 1,4-dioxane	4.377	88	59122	1278.96	ug/L	94
6) chlorodifluoromethane	1.255	51	144698	38.68	ug/L	98
7) dichlorodifluoromethane	1.239	85	137617	39.17	ug/L	99
8) chloromethane	1.367	50	137872	37.60	ug/L	99
9) vinyl chloride	1.431	62	153427	39.63	ug/L	99
10) bromomethane	1.634	96	25082	46.71	ug/L	99
11) chloroethane	1.703	64	61130	35.65	ug/L	99
12) trichlorofluoromethane	1.858	101	212054	41.83	ug/L	98
13) 1,3-butadiene	1.452	54	162887	52.69	ug/L	99
14) ethyl ether	2.018	74	56965	44.18	ug/L	97
15) acrolein	2.103	56	34122	46.79	ug/L	98
16) 1,1-dichloroethene	2.167	96	109010	44.51	ug/L	98
17) freon 113	2.162	101	132738	44.44	ug/L	97
18) acetone	2.183	58	71382	171.65	ug/L	98
19) acetonitrile	2.349	41	259262	450.66	ug/L	99
20) iodomethane	2.263	142	61132	54.41	ug/L	98
21) carbon disulfide	2.317	76	263845	42.87	ug/L	98
22) methylene chloride	2.456	84	102492	43.17	ug/L	98
23) methyl acetate	2.360	43	155952	46.17	ug/L	100
24) methyl tert butyl ether	2.605	73	315515	44.61	ug/L	98
25) acrylonitrile	2.584	53	71110	45.36	ug/L	99
26) trans-1,2-dichloroethene	2.616	96	116416	43.90	ug/L	96
27) hexane	2.771	57	187508	44.82	ug/L	99
28) di-isopropyl ether	2.872	45	401622	45.55	ug/L	96
29) 2-butanone	3.192	72	87917	191.19	ug/L #	89
30) 1,1-dichloroethane	2.872	63	198526	43.16	ug/L	100
31) chloroprene	2.920	53	200109	45.98	ug/L	97
32) vinyl acetate	2.856	86	25739	50.38	ug/L #	95
33) ethyl tert-butyl ether	3.091	59	358988	45.59	ug/L	100
34) ethyl acetate	3.203	45	34053	49.05	ug/L	94
35) 2,2-dichloropropane	3.219	77	180427	47.25	ug/L	98
36) cis-1,2-dichloroethene	3.213	96	125120	43.72	ug/L	96
37) methyl acrylate	3.240	55	206396	47.70	ug/L	100
38) propionitrile	3.235	54	305479	466.82	ug/L	84
39) tert-butyl formate	3.427	59	82293	47.91	ug/L	95
40) bromochloromethane	3.358	128	63815	43.71	ug/L	94
41) tetrahydrofuran	3.368	42	66650	45.46	ug/L	96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200645.d
Acq On : 30 Sep 2022 10:35 am
Operator : taylors
Sample : bs Inst : ACC-VOA-MSX
Misc : MS62564,V1X8639,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Sep 30 10:47:59 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
42)	chloroform	3.411	83	201484	42.48	ug/L		99
44)	methacrylonitrile	3.326	67	66222	48.43	ug/L		100
45)	1,1,1-trichloroethane	3.528	97	199889	44.08	ug/L		98
46)	cyclohexane	3.576	84	164902	39.78	ug/L		94
47)	tert amyl alcohol	3.715	55	56936	244.11	ug/L		90
48)	1,1-dichloropropene	3.619	75	166739	44.74	ug/L		97
49)	isobutyl alcohol	3.811	42	26137	444.99	ug/L		98
50)	carbon tetrachloride	3.624	117	178634	44.59	ug/L		98
51)	isopropyl acetate	3.736	87	32093	50.33	ug/L		98
54)	iso-octane	3.806	57	394547	46.88	ug/L		100
55)	epichlorohydrin	4.724	57	111074	263.32	ug/L		99
56)	n-butyl alcohol	4.057	56	358171	2646.00	ug/L		98
57)	benzene	3.752	78	453318	44.54	ug/L		99
58)	tert-amyl methyl ether	3.811	73	327455	48.77	ug/L		100
59)	heptane	3.907	57	73219	48.25	ug/L		99
60)	1,2-dichloroethane	3.774	62	165971	43.24	ug/L		100
61)	trichloroethene	4.163	130	145734	45.98	ug/L		97
62)	ethyl acrylate	4.190	55	208027	50.21	ug/L		99
63)	2-nitropropane	4.644	41	51818	50.83	ug/L		97
64)	2-chloroethyl vinyl ether	4.676	63	449359	254.85	ug/L		98
65)	methyl methacrylate	4.345	100	41527	50.33	ug/L	#	72
66)	1,2-dichloropropane	4.340	76	46866	47.11	ug/L		98
67)	dibromomethane	4.398	93	76070	44.16	ug/L		95
68)	methylcyclohexane	4.324	83	203563	47.71	ug/L		98
69)	bromodichloromethane	4.505	83	138365	47.09	ug/L		99
70)	cis-1,3-dichloropropene	4.799	75	167346	49.16	ug/L		97
71)	4-methyl-2-pentanone	4.889	58	283730	203.53	ug/L		97
72)	3-methyl-1-butanol	4.911	70	118726	1098.30	ug/L		98
75)	toluene	5.044	92	294725	47.24	ug/L		97
76)	trans-1,3-dichloropropene	5.193	75	154978	49.68	ug/L		99
77)	ethyl methacrylate	5.215	69	155419	49.47	ug/L		97
78)	1,1,2-trichloroethane	5.343	83	89661	47.45	ug/L		96
79)	tetrachloroethene	5.418	164	120094	48.00	ug/L		96
80)	1,3-dichloropropane	5.466	76	165254	45.65	ug/L		99
81)	2-hexanone	5.487	58	289174	196.99	ug/L		99
82)	butyl acetate	5.562	56	97440	46.69	ug/L		96
83)	dibromochloromethane	5.631	129	123223	49.62	ug/L		98
84)	1,2-dibromoethane	5.727	107	123084	48.82	ug/L		98
85)	n-butyl ether	6.149	57	479673	47.46	ug/L		99
86)	chlorobenzene	6.095	112	327319	46.25	ug/L		98
87)	1,1,1,2-tetrachloroethane	6.159	131	119921	49.28	ug/L		98
88)	ethylbenzene	6.165	91	545903	45.67	ug/L		100
89)	m,p-xylene	6.266	106	434272	92.31	ug/L		100
90)	o-xylene	6.570	91	415257	46.47	ug/L		98
91)	styrene	6.586	104	353476	46.62	ug/L		97
92)	butyl acrylate	6.506	55	254900	49.74	ug/L		99
93)	n-amyl acetate	6.688	70	85000	49.86	ug/L		95
94)	bromoform	6.736	173	85202	51.67	ug/L		97
95)	isopropylbenzene	6.864	105	550498	47.26	ug/L		99
96)	cis-1,4-dichloro-2-butene	6.907	88	33226	30.06	ug/L		99
99)	bromobenzene	7.125	156	145534	46.59	ug/L		98
100)	1,1,2,2-tetrachloroethane	7.104	83	162239	52.45	ug/L		100
101)	trans-1,4-dichloro-2-b...	7.131	53	34511	38.35	ug/L		88
102)	1,2,3-trichloropropane	7.152	110	50772	49.72	ug/L		95
103)	n-propylbenzene	7.189	91	620985	48.08	ug/L		99
104)	2-chlorotoluene	7.264	126	136429	47.56	ug/L		94
105)	4-chlorotoluene	7.360	91	352909	46.90	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200645.d
Acq On : 30 Sep 2022 10:35 am
Operator : taylors
Sample : bs Inst : ACC-VOA-MSX
Misc : MS62564,V1X8639,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Sep 30 10:47:59 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
106) 1,3,5-trimethylbenzene	7.328	105	414067	49.10	ug/L	100
107) tert-butylbenzene	7.568	119	393833	48.00	ug/L	98
108) 1,2,4-trimethylbenzene	7.611	105	406754	47.62	ug/L	99
109) sec-butylbenzene	7.734	105	551198	48.85	ug/L	99
110) 1,3-dichlorobenzene	7.825	146	266476	47.68	ug/L	98
111) p-isopropyltoluene	7.846	119	473635	49.52	ug/L	99
112) 1,4-dichlorobenzene	7.899	146	271360	47.10	ug/L	100
113) 1,2-dichlorobenzene	8.155	146	253285	48.46	ug/L	99
114) benzyl chloride	7.979	91	275743	59.65	ug/L	100
115) n-butylbenzene	8.134	92	209493	49.79	ug/L	98
116) 1,2-dibromo-3-chloropr...	8.689	157	47947	51.76	ug/L	98
117) 1,3,5-trichlorobenzene	8.812	180	165680	49.33	ug/L	98
118) hexachlorobutadiene	9.303	225	61223	51.14	ug/L	98
119) naphthalene	9.388	128	531190	48.34	ug/L	100
120) 1,2,4-trichlorobenzene	9.217	180	145344	49.68	ug/L	98
121) 1,2,3-trichlorobenzene	9.522	180	140313	49.23	ug/L	99
122) hexachloroethane	8.348	201	53994	43.32	ug/L	90
123) 2-methylnaphthalene	10.109	142	142118	26.48	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200645.d
Acq On : 30 Sep 2022 10:35 am
Operator : taylors
Sample : bs Inst : ACC-VOA-MSX
Misc : MS62564,V1X8639,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Sep 30 10:47:59 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10042022\vl10517\
Data File : l347770.d
Acq On : 3 Oct 2022 12:31 pm
Operator : nicoleh
Sample : bs Inst : GCMSL
Misc : MS62586,VL10517,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 03 22:47:38 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.089	65	161484	500.00	ug/L		0.00
5) pentafluorobenzene	4.308	168	225003	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.882	114	338282	50.00	ug/L		0.00
72) chlorobenzene-d5	7.276	117	324914	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.471	152	125136	50.00	ug/L		0.00
123) pentafluorobenzene(a)	4.308	168	224917	50.00	ug/L		0.00
127) 1,4-dichlorobenzene-d4(a)	9.471	152	125156	50.00	ug/L		0.01
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.321	113	100335	49.37	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.74%				
52) 1,2-dichloroethane-d4 (s)	4.574	65	111164	45.02	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 90.04%				
73) toluene-d8 (s)	6.028	98	402312	44.99	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 89.98%				
96) 4-bromofluorobenzene (s)	8.354	95	154283	47.33	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 94.66%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.312	88	13416	318.62	ug/L		99
3) ethanol	2.508	45	81771	2028.44	ug/L		96
4) tertiary butyl alcohol	3.143	59	112584	227.47	ug/L		93
6) chlorodifluoromethane	1.673	51	66490	26.42	ug/L	#	96
7) dichlorodifluoromethane	1.657	85	200664	54.63	ug/L		95
8) chloromethane	1.818	50	128353	52.28	ug/L		96
9) vinyl chloride	1.904	62	145938	48.19	ug/L		99
10) 1,3-butadiene	1.933	54	72996	24.52	ug/L		92
11) bromomethane	2.158	96	61660	48.90	ug/L		99
12) chloroethane	2.238	64	78901	44.55	ug/L		99
13) trichlorofluoromethane	2.424	101	226894	53.57	ug/L		96
14) ethyl ether	2.604	74	70704	47.78	ug/L		76
15) acrolein	2.704	56	37373	69.56	ug/L		87
16) freon 113	2.784	151	96367	57.79	ug/L		88
17) 1,1-dichloroethene	2.784	96	103276	49.72	ug/L		95
18) acetone	2.793	58	78753	215.81	ug/L		90
19) acetonitrile	2.986	40	88690	375.10	ug/L		95
20) iodomethane	2.902	142	70928	37.70	ug/L		97
21) iso-butyl alcohol	4.459	43	67578	284.14	ug/L		92
22) carbon disulfide	2.963	76	259470	40.59	ug/L		95
23) methylene chloride	3.117	84	125805	52.02	ug/L		98
24) methyl acetate	3.005	74	32283	44.08	ug/L		97
25) methyl tert butyl ether	3.284	73	377458	48.00	ug/L		94
26) trans-1,2-dichloroethene	3.304	96	121829	54.21	ug/L		94
27) hexane	3.483	57	180842	57.22	ug/L		96
28) di-isopropyl ether	3.589	45	362719	56.84	ug/L		90
29) ethyl tert-butyl ether	3.839	59	406410	54.35	ug/L		93
30) 2-butanone	3.958	72	104062	185.64	ug/L	#	84
31) 1,1-dichloroethane	3.602	63	217238	55.05	ug/L		91
32) chloroprene	3.650	53	185500	57.79	ug/L		90
33) acrylonitrile	3.262	53	71222	54.87	ug/L		90
34) vinyl acetate	3.570	86	35558	52.23	ug/L	#	84
35) ethyl acetate	3.965	45	27206	47.79	ug/L		98
36) 2,2-dichloropropane	4.000	77	180475	47.02	ug/L		99
37) cis-1,2-dichloroethene	3.987	96	131134	51.58	ug/L		98
38) propionitrile	4.006	54	235387	439.36	ug/L		90
39) methyl acrylate	4.013	85	29138	44.12	ug/L	#	78

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10042022\vl10517\
Data File : l347770.d
Acq On : 3 Oct 2022 12:31 pm
Operator : nicoleh
Sample : bs Inst : GCMSL
Misc : MS62586,VL10517,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 03 22:47:38 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
40) bromochloromethane	4.157	128	60757	54.86	ug/L		97
41) tetrahydrofuran	4.167	72	27846	44.46	ug/L		94
42) chloroform	4.208	83	225428	49.88	ug/L		94
44) methacrylonitrile	4.115	67	78453	49.92	ug/L		91
45) 1,1,1-trichloroethane	4.346	97	200375	51.73	ug/L		96
46) cyclohexane	4.407	84	168698	47.32	ug/L		93
47) 1,1-dichloropropene	4.459	75	159931	51.68	ug/L		96
48) carbon tetrachloride	4.462	117	162594	50.64	ug/L		92
49) isopropyl acetate	4.571	87	39368	49.00	ug/L	#	80
50) tert amyl alcohol	4.549	55	43525	171.02	ug/L		89
53) tert-amyl methyl ether	4.664	73	358154	47.55	ug/L		95
54) 2,2,4-trimethylpentane	4.667	57	339095	56.64	ug/L		96
55) n-butyl alcohol	4.937	56	191135	1139.67	ug/L		93
56) benzene	4.603	78	464777	52.77	ug/L		98
57) heptane	4.776	57	73573	53.28	ug/L		91
58) 1,2-dichloroethane	4.629	62	163570	49.21	ug/L		95
59) trichloroethene	5.075	95	139062	55.83	ug/L		96
60) ethyl acrylate	5.091	55	228699	55.40	ug/L		99
61) 2-nitropropane	5.620	41	57769	47.83	ug/L		89
62) 2-chloroethyl vinyl ether	5.652	63	423465	293.68	ug/L		94
63) methyl methacrylate	5.274	100	46889	48.76	ug/L		98
64) 1,2-dichloropropane	5.274	63	123790	56.97	ug/L		87
65) methylcyclohexane	5.264	83	209725	53.47	ug/L		94
66) dibromomethane	5.341	93	82053	51.23	ug/L		96
67) bromodichloromethane	5.460	83	182712	50.06	ug/L		95
68) cis-1,3-dichloropropene	5.800	75	212608	51.93	ug/L		98
69) epichlorohydrin	5.710	57	98299	208.32	ug/L		93
70) 4-methyl-2-pentanone	5.900	58	298287	197.44	ug/L		92
71) 3-methyl-1-butanol	5.919	70	91863	496.70	ug/L	#	78
74) toluene	6.082	92	312065	51.15	ug/L		96
75) trans-1,3-dichloropropene	6.253	75	195324	46.24	ug/L		94
76) ethyl methacrylate	6.272	69	203883	47.95	ug/L		97
77) 1,1,2-trichloroethane	6.423	83	106463	50.09	ug/L		95
78) 2-hexanone	6.586	58	306271	181.19	ug/L		91
79) tetrachloroethene	6.522	166	133364	54.56	ug/L		97
80) 1,3-dichloropropane	6.570	76	199342	48.25	ug/L		95
81) butyl acetate	6.670	56	114932	52.13	ug/L		95
82) dibromochloromethane	6.760	129	132643	46.69	ug/L		97
83) 1,2-dibromoethane	6.878	107	132994	46.71	ug/L		99
84) n-butyl ether	7.344	57	494040	54.24	ug/L		96
85) chlorobenzene	7.302	112	324457	52.04	ug/L		98
86) 1,1,1,2-tetrachloroethane	7.376	131	109179	48.36	ug/L		91
87) ethylbenzene	7.379	91	543477	50.74	ug/L		98
88) m,p-xylene	7.491	106	415996	96.88	ug/L		96
89) o-xylene	7.847	106	213125	49.63	ug/L		99
90) butyl acrylate	7.764	55	292788	53.26	ug/L		96
91) styrene	7.863	104	331100	47.54	ug/L		98
92) bromoform	8.043	173	91823	45.93	ug/L		99
93) isopropylbenzene	8.184	105	535283	49.65	ug/L		97
94) cis-1,4-dichloro-2-butene	8.232	88	48355	60.31	ug/L		93
97) bromobenzene	8.499	156	124549	49.05	ug/L		89
98) 1,1,2,2-tetrachloroethane	8.470	83	187214	44.70	ug/L		98
99) trans-1,4-dichloro-2-b...	8.505	53	34727	58.34	ug/L		91
100) 1,2,3-trichloropropane	8.531	110	50173	41.59	ug/L		89
101) n-propylbenzene	8.576	91	593486	49.51	ug/L		99
102) 2-chlorotoluene	8.672	126	118795	50.36	ug/L		90
103) 4-chlorotoluene	8.791	126	113076	47.82	ug/L		93

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10042022\vl10517\
Data File : l347770.d
Acq On : 3 Oct 2022 12:31 pm
Operator : nicoleh
Sample : bs Inst : GCMSL
Misc : MS62586,VL10517,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 03 22:47:38 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
104) 1,3,5-trimethylbenzene	8.746	105	408704	47.56	ug/L	97
105) tert-butylbenzene	9.054	119	372906	51.77	ug/L	99
106) 1,2,4-trimethylbenzene	9.108	105	412175	46.86	ug/L	98
107) sec-butylbenzene	9.269	105	508165	49.36	ug/L	98
108) 1,3-dichlorobenzene	9.397	146	213646	49.82	ug/L	99
109) p-isopropyltoluene	9.417	119	397809	49.00	ug/L	98
110) 1,4-dichlorobenzene	9.490	146	197881	47.06	ug/L	96
111) 1,2,3-trimethylbenzene	9.513	105	381955	45.76	ug/L	96
112) 1,2-dichlorobenzene	9.847	146	193099	45.76	ug/L	97
113) n-butylbenzene	9.814	92	211696	52.10	ug/L	99
114) 1,2-dibromo-3-chloropr...	10.617	157	47692	48.20	ug/L	90
115) 1,3,5-trichlorobenzene	10.803	180	144288	53.00	ug/L	94
116) 1,2,4-trichlorobenzene	11.432	180	120675	54.74	ug/L	95
117) hexachlorobutadiene	11.570	225	48584	55.04	ug/L	84
118) naphthalene	11.698	128	369421	49.62	ug/L	97
119) 1,2,3-trichlorobenzene	11.916	180	107203	53.71	ug/L	100
120) hexachloroethane	10.116	119	81515	48.42	ug/L	92
121) benzyl chloride	9.599	91	311825	42.91	ug/L	96
122) 2-methylnaphthalene	12.828	142	66906	25.10	ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10042022\vl10517\
Data File : l347770.d
Acq On : 3 Oct 2022 12:31 pm
Operator : nicoleh
Sample : bs Inst : GCMSL
Misc : MS62586,VL10517,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 03 22:47:38 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration



Manual Integrations APPROVED (compounds with "m" flag)
MoHui Huang
10/08/22 17:51

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121705.d
Acq On : 30 Sep 2022 1:06 am
Operator : taylors
Sample : jd52514-2ms Inst : MS4D
Misc : MS62508,V4D5406,5,,,,10
ALS Vial : 36 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 21:38:53 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	8.531	65	746490	500.00	ug/L		0.00
5) pentafluorobenzene	11.021	168	775803	50.00	ug/L		0.00
51) 1,4-difluorobenzene	11.912	114	1118540	50.00	ug/L		0.00
73) chlorobenzene-d5	14.822	117	1102709	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	16.930	152	496886	50.00	ug/L		0.00
124) pentafluorobenzene(a)	11.021	168	775803	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	11.016	113	391958	53.31	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 106.62%				
52) 1,2-dichloroethane-d4 (s)	11.446	65	400511	46.54	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 93.08%				
74) toluene-d8 (s)	13.459	98	1307665	49.20	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.40%				
97) 4-bromofluorobenzene (s)	15.866	95	491830	48.47	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.94%				
Target Compounds							Qvalue
2) tertiary butyl alcohol	8.662	59	558129	261.55	ug/L		97
3) ethanol	7.068	45	1250194	6069.57	ug/L		97
4) 1,4-dioxane	12.573	88	217281	1153.37	ug/L		94
6) chlorodifluoromethane	4.588	51	482745	56.59	ug/L		95
7) dichlorodifluoromethane	4.541	85	409450	41.28	ug/L		99
8) chloromethane	5.039	50	319539	38.09	ug/L		99
9) vinyl chloride	5.280	62	318539	38.69	ug/L		97
10) 1,3-butadiene	5.380	54	260921	34.77	ug/L		97
11) bromomethane	6.045	94	179892	36.41	ug/L		98
12) chloroethane	6.281	64	195900	45.27	ug/L		96
13) trichlorofluoromethane	6.848	101	520757	44.70	ug/L		98
14) ethyl ether	7.372	74	183007	52.43	ug/L	#	78
15) acrolein	7.576	56	60042	40.91	ug/L		90
16) freon 113	7.823	151	276524	50.11	ug/L		99
17) 1,1-dichloroethene	7.828	96	279436	45.68	ug/L		93
18) acetone	7.818	58	227893	317.70	ug/L	#	86
19) acetonitrile	8.258	41	997654	810.34	ug/L		99
20) iodomethane	8.111	142	285645	28.04	ug/L		96
21) carbon disulfide	8.274	76	819947	47.84	ug/L		99
22) methylene chloride	8.594	84	329235	50.17	ug/L		87
23) methyl acetate	8.394	43	471266	77.56	ug/L		94
24) methyl tert butyl ether	9.034	73	985624	51.76	ug/L		94
25) trans-1,2-dichloroethene	9.055	96	318882	47.32	ug/L		89
26) di-isopropyl ether	9.721	45	1269659	62.88	ug/L		94
27) 2-butanone	10.392	72	279036	269.09	ug/L	#	63
28) 1,1-dichloroethane	9.653	63	600267	53.83	ug/L		95
29) chloroprene	9.805	53	506096	60.11	ug/L		92
30) acrylonitrile	8.919	53	144421	53.35	ug/L		97
31) hexane	9.480	56	212915	54.66	ug/L		89
32) vinyl acetate	9.663	86	79288	56.60	ug/L	#	51
33) ethyl tert-butyl ether	10.219	59	1123848	57.05	ug/L		97
34) ethyl acetate	10.455	70	62639	62.57	ug/L	#	48
35) 2,2-dichloropropane	10.471	77	377467	37.77	ug/L		94
36) cis-1,2-dichloroethene	10.439	96	639634	85.70	ug/L		99
37) methyl acrylate	10.528	55	491552	71.00	ug/L		93
38) propionitrile	10.439	54	1019134	809.58	ug/L		99
39) bromochloromethane	10.754	128	203676	53.54	ug/L		92
40) tetrahydrofuran	10.832	72	80235	58.56	ug/L	#	74

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121705.d
Acq On : 30 Sep 2022 1:06 am
Operator : taylors
Sample : jd52514-2ms Inst : MS4D
Misc : MS62508,V4D5406,5,,,,10
ALS Vial : 36 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 21:38:53 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
41) chloroform	10.822	85	389737	46.11	ug/L		97
42) t-butyl formate	10.900	59	250321	43.34	ug/L		91
44) methacrylonitrile	10.675	67	194705	61.94	ug/L		85
45) 1,1,1-trichloroethane	11.131	97	526862	48.87	ug/L		98
46) cyclohexane	11.246	84	347684	41.41	ug/L	#	56
47) 1,1-dichloropropene	11.320	75	415984	49.32	ug/L		98
48) isobutyl alcohol	11.315	74	28833m	462.14	ug/L		
49) carbon tetrachloride	11.351	117	500470	48.88	ug/L		99
50) tert amyl alcohol	11.399	55	186653	416.65	ug/L		91
53) n-butyl alcohol	11.986	56	1461294	4287.24	ug/L		96
54) 2,2,4-trimethylpentane	11.650	57	736410	45.80	ug/L		99
55) benzene	11.566	78	1172218	45.58	ug/L		100
56) tert-amyl methyl ether	11.634	87	240062	48.12	ug/L		94
57) heptane	11.813	71	129037	35.59	ug/L		84
58) isopropyl acetate	11.493	87	97826	53.27	ug/L	#	54
59) 1,2-dichloroethane	11.535	62	506549	46.00	ug/L		95
60) trichloroethene	12.253	130	463653	59.69	ug/L		97
61) ethyl acrylate	12.243	55	675684	63.59	ug/L		98
62) 2-nitropropane	12.898	43	218853	64.25	ug/L		97
64) methyl methacrylate	12.494	100	120050	54.31	ug/L	#	87
65) 1,2-dichloropropane	12.473	63	354612	51.03	ug/L		98
66) dibromomethane	12.599	93	251632	45.99	ug/L		97
67) methylcyclohexane	12.510	83	435664	46.11	ug/L		93
68) bromodichloromethane	12.720	83	485607	46.81	ug/L		98
69) epichlorohydrin	13.040	57	339152	348.08	ug/L		96
70) cis-1,3-dichloropropene	13.160	75	549983	49.05	ug/L		99
71) 4-methyl-2-pentanone	13.255	58	919126	263.55	ug/L	#	85
72) 3-methyl-1-butanol	13.244	70	479849	1519.99	ug/L		78
75) toluene	13.527	92	757726	44.65	ug/L		98
76) trans-1,3-dichloropropene	13.658	75	508136	47.71	ug/L		99
77) ethyl methacrylate	13.690	69	490861	51.42	ug/L		89
78) 1,1,2-trichloroethane	13.852	83	285179	50.12	ug/L		99
79) tetrachloroethene	14.072	164	285178	41.58	ug/L		95
80) 1,3-dichloropropane	14.020	76	530290	49.32	ug/L		80
81) 2-hexanone	14.025	58	1008983	281.55	ug/L		93
82) butyl acetate	14.109	56	327816	65.58	ug/L		98
83) dibromochloromethane	14.261	129	467719	50.23	ug/L		99
84) 1,2-dibromoethane	14.408	107	407842	53.07	ug/L		95
85) n-butyl ether	14.812	57	1508309	54.94	ug/L		96
86) chlorobenzene	14.848	112	926296	46.93	ug/L		95
87) 1,1,1,2-tetrachloroethane	14.896	131	379898	47.96	ug/L		98
88) ethylbenzene	14.917	91	1421920	45.12	ug/L		98
89) m,p-xylene	15.011	106	1120123	91.82	ug/L		96
90) o-xylene	15.388	106	567455	46.42	ug/L		93
91) styrene	15.388	104	978236	47.47	ug/L		93
92) bromoform	15.593	173	353336	49.37	ug/L		99
93) butyl acrylate	15.215	55	865464	62.32	ug/L		96
94) isopropylbenzene	15.703	105	1391137	45.82	ug/L		97
95) cis-1,4-dichloro-2-butene	15.714	88	141954	47.10	ug/L		92
98) bromobenzene	16.044	156	416250	45.51	ug/L		89
99) 1,1,2,2-tetrachloroethane	15.918	83	520525	52.09	ug/L		97
100) trans-1,4-dichloro-2-b...	15.960	53	123674	64.09	ug/L		96
101) 1,2,3-trichloropropane	15.991	110	153686	51.06	ug/L		97
102) n-propylbenzene	16.075	91	1532032	45.85	ug/L		97
103) 2-chlorotoluene	16.196	126	366756	47.74	ug/L		91
104) 4-chlorotoluene	16.285	91	967468	44.28	ug/L		97
105) 1,3,5-trimethylbenzene	16.212	105	1045580	44.25	ug/L		97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121705.d
Acq On : 30 Sep 2022 1:06 am
Operator : taylors
Sample : jd52514-2ms Inst : MS4D
Misc : MS62508,V4D5406,5,,,,10
ALS Vial : 36 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 21:38:53 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
106) tert-butylbenzene	16.537	134	222013	47.54	ug/L	94
107) 1,2,4-trimethylbenzene	16.568	105	1030949	43.37	ug/L	96
108) sec-butylbenzene	16.731	105	1246892	46.12	ug/L	99
109) 1,3-dichlorobenzene	16.883	146	698869	46.10	ug/L	99
110) p-isopropyltoluene	16.841	119	1046418	46.96	ug/L	98
111) 1,4-dichlorobenzene	16.951	146	703255	43.98	ug/L	99
112) 1,2,3-trimethylbenzene	16.972	105	1021840	43.73	ug/L	96
113) benzyl chloride	17.045	91	640694	38.07	ug/L	98
114) 1,2-dichlorobenzene	17.313	146	691703	48.40	ug/L	98
115) n-butylbenzene	17.218	92	420960	40.96	ug/L	98
116) 1,2-dibromo-3-chloropr...	18.010	157	171669	62.87	ug/L	96
117) 1,3,5-trichlorobenzene	18.230	180	378538	45.09	ug/L	95
118) 1,2,4-trichlorobenzene	18.823	180	323529	46.44	ug/L	98
119) hexachlorobutadiene	18.959	225	132258	41.97	ug/L	97
120) naphthalene	19.080	128	1022465	51.65	ug/L	99
121) 1,2,3-trichlorobenzene	19.310	180	289888	50.75	ug/L	95
122) hexachloroethane	17.585	201	184993	41.70	ug/L	95
123) 2-methylnaphthalene	20.170	142	223779	39.15	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121705.d
Acq On : 30 Sep 2022 1:06 am
Operator : taylors
Sample : jd52514-2ms Inst : MS4D
Misc : MS62508,V4D5406,5,,,,10
ALS Vial : 36 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 21:38:53 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number:	JD52514-2MS	**Method:**	SW846 8260D
Lab FileID:	4D121705.D	**Analyst approved:**	09/30/22 22:35 Renee Cofreros
Injection Time:	09/30/22 01:06	**Supervisor approved:**	10/08/22 17:51 MoHui Huang


Parameter	CAS	Sig#	R.T. (min.)	Reason
Isobutyl alcohol	78-83-1		11.31	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121705.d
Acq On : 30 Sep 2022 1:06 am
Operator : taylors
Sample : jd52514-2ms Inst : MS4D
Misc : MS62508,V4D5406,5,,,,10
ALS Vial : 36 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 20:59:32 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration





TIC: 4d121705.d\data.ms

(48) isobutyl alcohol

11.142min (-0.179) 4.94ug/L


response 308


Ion	Exp%	Act%
74.00	100	100
42.10	4.90	23.08
41.10	3.20	27.97
43.00	0.00	24.83

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121705.d
Acq On : 30 Sep 2022 1:06 am
Operator : taylors
Sample : jd52514-2ms Inst : MS4D
Misc : MS62508,V4D5406,5,,,,10
ALS Vial : 36 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 20:59:32 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration





TIC: 4d121705.d\data.ms

(48) isobutyl alcohol

11.315min (-0.006) 462.14ug/L m

response 28833

Ion	Exp%	Act%
74.00	100	100
42.10	4.90	35.72#
41.10	3.20	55.60#
43.00	0.00	53.11#

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121706.d
Acq On : 30 Sep 2022 1:35 am
Operator : taylors
Sample : jd52514-2msd Inst : MS4D
Misc : MS62508,V4D5406,5,,,,10
ALS Vial : 37 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 21:03:31 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	8.531	65	792935	500.00	ug/L	0.00
5) pentafluorobenzene	11.021	168	824658	50.00	ug/L	0.00
51) 1,4-difluorobenzene	11.918	114	1182735	50.00	ug/L	0.00
73) chlorobenzene-d5	14.822	117	1160008	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	16.930	152	519988	50.00	ug/L	0.00
124) pentafluorobenzene(a)	11.021	168	824658	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	11.016	113	413517	52.91	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 105.82%			
52) 1,2-dichloroethane-d4 (s)	11.446	65	420258	46.18	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 92.36%			
74) toluene-d8 (s)	13.459	98	1369195	48.97	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.94%			
97) 4-bromofluorobenzene (s)	15.866	95	514904	48.49	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.98%			
Target Compounds						Qvalue
2) tertiary butyl alcohol	8.662	59	599616	264.53	ug/L	96
3) ethanol	7.068	45	1311932	5996.23	ug/L	98
4) 1,4-dioxane	12.573	88	226058	1129.68	ug/L	93
6) chlorodifluoromethane	4.588	51	392370	43.27	ug/L	96
7) dichlorodifluoromethane	4.541	85	353033	33.48	ug/L	99
8) chloromethane	5.039	50	339046	38.02	ug/L	96
9) vinyl chloride	5.280	62	342446	39.13	ug/L	97
10) 1,3-butadiene	5.379	54	285746	35.82	ug/L	98
11) bromomethane	6.045	94	167881	31.97	ug/L	98
12) chloroethane	6.281	64	208551	45.33	ug/L	96
13) trichlorofluoromethane	6.848	101	557835	45.05	ug/L	97
14) ethyl ether	7.372	74	197769	53.30	ug/L	80
15) acrolein	7.582	56	67106	43.01	ug/L	97
16) freon 113	7.823	151	298691	50.92	ug/L	99
17) 1,1-dichloroethene	7.828	96	303124	46.62	ug/L	97
18) acetone	7.823	58	244080	320.11	ug/L	89
19) acetonitrile	8.258	41	1054750	805.96	ug/L	98
20) iodomethane	8.111	142	395654	36.06	ug/L	95
21) carbon disulfide	8.274	76	885011	48.57	ug/L	99
22) methylene chloride	8.593	84	351860	50.45	ug/L	86
23) methyl acetate	8.394	43	498111	77.12	ug/L	93
24) methyl tert butyl ether	9.034	73	1056929	52.22	ug/L	93
25) trans-1,2-dichloroethene	9.055	96	344068	48.04	ug/L	93
26) di-isopropyl ether	9.721	45	1355185	63.14	ug/L	94
27) 2-butanone	10.392	72	297630	270.01	ug/L #	70
28) 1,1-dichloroethane	9.653	63	644647	54.39	ug/L	97
29) chloroprene	9.805	53	544578	60.85	ug/L	92
30) acrylonitrile	8.919	53	156108	54.26	ug/L	98
31) hexane	9.480	56	229459	55.41	ug/L	91
32) vinyl acetate	9.663	86	90383	60.70	ug/L #	60
33) ethyl tert-butyl ether	10.219	59	1201709	57.39	ug/L	97
34) ethyl acetate	10.455	70	67345	63.29	ug/L #	50
35) 2,2-dichloropropane	10.470	77	403100	37.94	ug/L	95
36) cis-1,2-dichloroethene	10.439	96	678765	85.56	ug/L	99
37) methyl acrylate	10.528	55	516682	70.21	ug/L	95
38) propionitrile	10.439	54	1079518	806.74	ug/L	99
39) bromochloromethane	10.754	128	217381	53.76	ug/L	92
40) tetrahydrofuran	10.832	72	85333	58.59	ug/L #	73

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121706.d
Acq On : 30 Sep 2022 1:35 am
Operator : taylors
Sample : jd52514-2msd Inst : MS4D
Misc : MS62508,V4D5406,5,,,,10
ALS Vial : 37 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 21:03:31 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
41) chloroform	10.817	85	415132	46.21	ug/L		98
42) t-butyl formate	10.900	59	265306	43.21	ug/L		95
44) methacrylonitrile	10.675	67	207194	62.01	ug/L		86
45) 1,1,1-trichloroethane	11.131	97	566041	49.40	ug/L		98
46) cyclohexane	11.246	84	376311	42.17	ug/L	#	62
47) 1,1-dichloropropene	11.320	75	448246	50.00	ug/L		99
48) isobutyl alcohol	11.320	74	30884	465.69	ug/L		49
49) carbon tetrachloride	11.351	117	537098	49.35	ug/L		99
50) tert amyl alcohol	11.398	55	197151	414.01	ug/L		94
53) n-butyl alcohol	11.986	56	1526765	4236.20	ug/L		96
54) 2,2,4-trimethylpentane	11.650	57	783770	46.10	ug/L		99
55) benzene	11.566	78	1252660	46.06	ug/L		100
56) tert-amyl methyl ether	11.634	87	254627	48.27	ug/L		95
57) heptane	11.813	71	139893	36.49	ug/L		85
58) isopropyl acetate	11.493	87	105581	54.37	ug/L	#	66
59) 1,2-dichloroethane	11.535	62	535609	46.00	ug/L		95
60) trichloroethene	12.248	130	493953	60.14	ug/L		98
61) ethyl acrylate	12.243	55	720968	64.17	ug/L		98
62) 2-nitropropane	12.898	43	234906	65.22	ug/L		96
64) methyl methacrylate	12.494	100	129630	55.46	ug/L	#	87
65) 1,2-dichloropropane	12.473	63	379821	51.70	ug/L		98
66) dibromomethane	12.599	93	268127	46.34	ug/L		99
67) methylcyclohexane	12.510	83	468451	46.89	ug/L		92
68) bromodichloromethane	12.720	83	519181	47.33	ug/L		97
69) epichlorohydrin	13.040	57	361085	350.48	ug/L		95
70) cis-1,3-dichloropropene	13.160	75	583759	49.24	ug/L		98
71) 4-methyl-2-pentanone	13.255	58	971105	263.34	ug/L		86
72) 3-methyl-1-butanol	13.244	70	504329	1510.83	ug/L		79
75) toluene	13.527	92	808183	45.27	ug/L		96
76) trans-1,3-dichloropropene	13.658	75	539460	48.15	ug/L		98
77) ethyl methacrylate	13.690	69	524026	52.19	ug/L		88
78) 1,1,2-trichloroethane	13.852	83	304422	50.86	ug/L		99
79) tetrachloroethene	14.072	164	303692	42.09	ug/L		94
80) 1,3-dichloropropane	14.020	76	558618	49.39	ug/L		81
81) 2-hexanone	14.025	58	1063463	282.09	ug/L		91
82) butyl acetate	14.109	56	343644	65.35	ug/L		97
83) dibromochloromethane	14.261	129	496357	50.67	ug/L		99
84) 1,2-dibromoethane	14.408	107	435784	53.91	ug/L		97
85) n-butyl ether	14.812	57	1617222	56.00	ug/L		95
86) chlorobenzene	14.848	112	991575	47.76	ug/L		95
87) 1,1,1,2-tetrachloroethane	14.896	131	404545	48.55	ug/L		98
88) ethylbenzene	14.917	91	1516954	45.76	ug/L		99
89) m,p-xylene	15.011	106	1191743	92.87	ug/L		95
90) o-xylene	15.388	106	599488	46.62	ug/L		95
91) styrene	15.388	104	1037988	47.89	ug/L		93
92) bromoform	15.593	173	380160	50.49	ug/L		99
93) butyl acrylate	15.215	55	935190	64.02	ug/L		96
94) isopropylbenzene	15.703	105	1495501	46.83	ug/L		97
95) cis-1,4-dichloro-2-butene	15.714	88	157231	49.46	ug/L		93
98) bromobenzene	16.044	156	442439	46.23	ug/L		88
99) 1,1,2,2-tetrachloroethane	15.918	83	553743	52.95	ug/L		97
100) trans-1,4-dichloro-2-b...	15.960	53	133880	66.30	ug/L		97
101) 1,2,3-trichloropropane	15.991	110	163465	51.89	ug/L		98
102) n-propylbenzene	16.075	91	1623242	46.42	ug/L		97
103) 2-chlorotoluene	16.196	126	391476	48.69	ug/L		91
104) 4-chlorotoluene	16.285	91	1022265	44.71	ug/L		96
105) 1,3,5-trimethylbenzene	16.212	105	1107472	44.79	ug/L		97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121706.d
Acq On : 30 Sep 2022 1:35 am
Operator : taylors
Sample : jd52514-2msd Inst : MS4D
Misc : MS62508,V4D5406,5,,,,10
ALS Vial : 37 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 21:03:31 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
106) tert-butylbenzene	16.537	134	233459	47.77	ug/L	96
107) 1,2,4-trimethylbenzene	16.568	105	1090950	43.85	ug/L	97
108) sec-butylbenzene	16.731	105	1325777	46.86	ug/L	98
109) 1,3-dichlorobenzene	16.883	146	739521	46.62	ug/L	100
110) p-isopropyltoluene	16.841	119	1111444	47.66	ug/L	97
111) 1,4-dichlorobenzene	16.951	146	744843	44.51	ug/L	99
112) 1,2,3-trimethylbenzene	16.972	105	1078830	44.12	ug/L	96
113) benzyl chloride	17.045	91	674712	38.31	ug/L	98
114) 1,2-dichlorobenzene	17.313	146	728775	48.73	ug/L	98
115) n-butylbenzene	17.218	92	444834	41.36	ug/L	96
116) 1,2-dibromo-3-chloropr...	18.010	157	178977	62.63	ug/L	95
117) 1,3,5-trichlorobenzene	18.230	180	401658	45.72	ug/L	94
118) 1,2,4-trichlorobenzene	18.823	180	342582	46.99	ug/L	96
119) hexachlorobutadiene	18.959	225	139408	42.28	ug/L	98
120) naphthalene	19.080	128	1100326	53.12	ug/L	99
121) 1,2,3-trichlorobenzene	19.305	180	306949	51.35	ug/L	96
122) hexachloroethane	17.585	201	198338	42.72	ug/L	98
123) 2-methylnaphthalene	20.170	142	251919	42.12	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121706.d
Acq On : 30 Sep 2022 1:35 am
Operator : taylors
Sample : jd52514-2msd Inst : MS4D
Misc : MS62508,V4D5406,5,,,,10
ALS Vial : 37 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 21:03:31 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220451.d
Acq On : 30 Sep 2022 3:35 pm
Operator : nicoleh
Sample : jd52514-12ms Inst : GCMS2A
Misc : MS62508,V2A9583,5,,,,5
ALS Vial : 15 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 04 21:26:13 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	7.251	65	536246	500.00	ug/L	0.00
5) pentafluorobenzene	9.511	168	767509	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.434	114	1211541	50.00	ug/L	0.00
72) chlorobenzene-d5	13.558	117	1228623	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.886	152	636196	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.511	168	767509	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.537	113	395428	54.73	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 109.46%			
51) 1,2-dichloroethane-d4 (s)	9.951	65	443772	39.40	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 78.80%#			
73) toluene-d8 (s)	12.059	98	1403600	46.63	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 93.26%			
97) 4-bromofluorobenzene (s)	14.722	95	627048	53.28	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 106.56%			
Target Compounds						Qvalue
2) ethanol	5.982	45	543070	4157.03	ug/L	100
3) tertiary butyl alcohol	7.366	59	293686	222.93	ug/L	94
4) 1,4-dioxane	11.078	88	101592	1100.31	ug/L	99
6) chlorodifluoromethane	3.990	51	276795	26.45	ug/L	97
7) dichlorodifluoromethane	3.964	85	488927	47.43	ug/L	99
8) chloromethane	4.352	50	562177	42.15	ug/L	99
9) vinyl chloride	4.572	62	528937	51.84	ug/L	99
10) 1,3-butadiene	4.624	54	230786	25.39	ug/L	99
11) bromomethane	5.196	94	310584	51.61	ug/L	98
12) chloroethane	5.358	64	276664	57.28	ug/L	90
13) trichlorofluoromethane	5.783	101	574209	50.23	ug/L	95
14) ethyl ether	6.187	74	207684	57.02	ug/L	93
15) acrolein	6.412	56	84728	51.98	ug/L	96
16) freon 113	6.617	151	302440	55.67	ug/L	98
17) 1,1-dichloroethene	6.601	96	295463	51.89	ug/L	95
18) acetone	6.606	43	531411	180.08	ug/L	91
19) acetonitrile	7.015	41	594998	488.60	ug/L	99
20) iodomethane	6.847	142	591606	53.23	ug/L	94
21) carbon disulfide	6.989	76	953941	50.57	ug/L	92
22) methylene chloride	7.303	84	378386	56.07	ug/L	94
23) methyl acetate	7.062	43	363044	49.36	ug/L	100
24) methyl tert butyl ether	7.660	73	1127910	55.55	ug/L	95
25) trans-1,2-dichloroethene	7.686	96	373624	57.89	ug/L	97
26) hexane	8.037	57	671637	58.56	ug/L	98
27) di-isopropyl ether	8.252	45	1635766	58.19	ug/L	97
28) ethyl tert-butyl ether	8.709	59	1445757	59.09	ug/L	100
29) 2-butanone	8.903	72	169354	213.23	ug/L	96
30) 1,1-dichloroethane	8.258	63	729574	57.82	ug/L	99
31) chloroprene	8.357	53	673412	56.19	ug/L	94
32) acrylonitrile	7.592	53	167184	51.35	ug/L	97
33) vinyl acetate	8.200	86	78680	66.10	ug/L #	56
34) ethyl acetate	8.924	45	75401	51.14	ug/L #	63
35) 2,2-dichloropropane	8.997	77	601784	59.67	ug/L	97
36) cis-1,2-dichloroethene	8.966	96	2817695	396.97	ug/L	92
37) propionitrile	8.976	54	633918	522.06	ug/L	85
38) bromochloromethane	9.259	130	275990	58.48	ug/L	94
39) tetrahydrofuran	9.280	42	147236	43.73	ug/L	95
40) chloroform	9.348	83	713105	54.39	ug/L	96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220451.d
Acq On : 30 Sep 2022 3:35 pm
Operator : nicoleh
Sample : jd52514-12ms Inst : GCMS2A
Misc : MS62508,V2A9583,5,,,,5
ALS Vial : 15 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 04 21:26:13 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
41) tert-butyl formate	9.385	59	361097	56.64	ug/L		95
42) isobutyl alcohol	9.741	43	259211	510.12	ug/L		96
44) methacrylonitrile	9.175	67	169598	56.23	ug/L		85
45) 1,1,1-trichloroethane	9.605	97	633940	55.68	ug/L		98
46) cyclohexane	9.715	84	542386	57.01	ug/L		95
47) 1,1-dichloropropene	9.773	75	535450	58.41	ug/L		98
48) tert-amyl alcohol	9.909	73	126796	249.58	ug/L		93
49) carbon tetrachloride	9.799	117	555972	54.10	ug/L		98
52) 2,2,4-trimethylpentane	10.119	57	1741383	51.14	ug/L		94
53) tert-amyl methyl ether	10.103	73	1241968	49.77	ug/L		98
54) n-butyl alcohol	10.491	56	748057	2376.74	ug/L		92
55) benzene	10.019	78	1516901	52.77	ug/L		97
56) heptane	10.276	57	330364	47.55	ug/L		98
57) isopropyl acetate	9.935	87	91756	50.86	ug/L	#	93
58) 1,2-dichloroethane	10.046	62	602836	44.63	ug/L		99
59) trichloroethene	10.743	95	504300	61.36	ug/L		97
60) ethyl acrylate	10.732	55	646412	49.53	ug/L		99
61) 2-nitropropane	11.498	41	122990	35.85	ug/L		94
62) 2-chloroethyl vinyl ether	11.535	63	219143	59.18	ug/L		98
63) methyl methacrylate	11.000	100	108106	52.47	ug/L	#	73
64) 1,2-dichloropropane	11.031	63	439623	51.55	ug/L		95
65) methylcyclohexane	11.042	83	673896	50.11	ug/L		98
66) dibromomethane	11.141	93	262602	46.90	ug/L		94
67) bromodichloromethane	11.293	83	561651	48.46	ug/L		99
68) epichlorohydrin	11.618	57	225500	221.52	ug/L		97
69) cis-1,3-dichloropropene	11.755	75	670805	52.87	ug/L		85
70) 4-methyl-2-pentanone	11.860	58	757499	188.35	ug/L		93
71) 3-methyl-1-butanol	11.865	70	245930	991.46	ug/L	#	87
74) toluene	12.132	92	931288	47.72	ug/L		98
75) trans-1,3-dichloropropene	12.321	75	599569	46.34	ug/L		99
76) ethyl methacrylate	12.316	69	546333	49.18	ug/L		87
77) 1,1,2-trichloroethane	12.536	83	303213	45.18	ug/L		96
78) 2-hexanone	12.704	58	714791	175.06	ug/L		90
79) tetrachloroethene	12.683	166	459487	47.29	ug/L		98
80) 1,3-dichloropropane	12.720	76	573262	44.52	ug/L		98
81) butyl acetate	12.788	56	334385	47.66	ug/L		94
82) dibromochloromethane	12.961	129	432434	44.16	ug/L		99
83) 1,2-dibromoethane	13.113	107	367277	44.20	ug/L		96
84) n-butyl ether	13.558	57	1723515	44.57	ug/L		98
85) chlorobenzene	13.590	112	1027262	48.26	ug/L		98
86) 1,1,1,2-tetrachloroethane	13.658	131	395000	46.14	ug/L		96
87) ethylbenzene	13.658	91	1679786	45.90	ug/L		95
88) m,p-xylene	13.773	106	1272706	89.47	ug/L		93
89) o-xylene	14.177	91	1340634	44.88	ug/L		98
90) styrene	14.188	104	1034268	44.68	ug/L		98
91) n-amyl acetate	14.224	70	290182	48.04	ug/L	#	82
92) bromoform	14.408	173	309221	43.91	ug/L		97
93) butyl acrylate	14.009	55	998070	48.44	ug/L		100
94) isopropylbenzene	14.523	105	1578918	44.33	ug/L		99
95) cis-1,4-dichloro-2-butene	14.560	88	115545	30.13	ug/L		90
98) bromobenzene	14.901	156	449151	44.11	ug/L		99
99) 1,1,2,2-tetrachloroethane	14.801	83	449128	41.54	ug/L		98
100) trans-1,4-dichloro-2-b...	14.832	53	103656	28.80	ug/L		93
101) 1,2,3-trichloropropane	14.885	110	109154	39.23	ug/L		93
102) n-propylbenzene	14.937	91	1919088	47.00	ug/L		99
103) 2-chlorotoluene	15.068	126	406612	45.75	ug/L		95
104) 4-chlorotoluene	15.179	91	1204957	46.40	ug/L		97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220451.d
Acq On : 30 Sep 2022 3:35 pm
Operator : nicoleh
Sample : jd52514-12ms Inst : GCMS2A
Misc : MS62508,V2A9583,5,,,,5
ALS Vial : 15 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 04 21:26:13 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
105) 1,3,5-trimethylbenzene	15.095	105	1314824	46.36	ug/L	99
106) tert-butylbenzene	15.430	119	1132143	46.08	ug/L	98
107) 1,2,4-trimethylbenzene	15.483	105	1320534	45.71	ug/L	98
108) sec-butylbenzene	15.650	105	1643855	44.87	ug/L	100
109) 1,3-dichlorobenzene	15.818	146	803966	44.30	ug/L	98
110) p-isopropyltoluene	15.781	119	1407583	45.05	ug/L	99
111) benzyl chloride	16.002	91	834657	46.92	ug/L	99
112) 1,2,3-trimethylbenzene	15.913	105	1315003	44.14	ug/L	97
113) 1,4-dichlorobenzene	15.913	146	799026	42.34	ug/L	98
114) 1,2-dichlorobenzene	16.285	146	778314	43.87	ug/L	99
115) n-butylbenzene	16.196	92	738087	44.42	ug/L	98
116) 1,2-dibromo-3-chloropr...	17.050	157	93241	39.72	ug/L	90
117) 1,3,5-trichlorobenzene	17.239	180	635679	45.85	ug/L	98
118) 1,2,4-trichlorobenzene	17.879	180	545376	45.74	ug/L	98
119) hexachlorobutadiene	17.999	225	289856	47.24	ug/L	97
120) naphthalene	18.167	128	1076339	37.89	ug/L	98
121) 1,2,3-trichlorobenzene	18.398	180	463850	41.32	ug/L	98
122) hexachloroethane	16.573	201	225967	44.18	ug/L	98
123) 2-methylnaphthalene	19.404	142	253294	17.49	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220451.d
Acq On : 30 Sep 2022 3:35 pm
Operator : nicoleh
Sample : jd52514-12ms Inst : GCMS2A
Misc : MS62508,V2A9583,5,,,,5
ALS Vial : 15 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 04 21:26:13 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200658.d
Acq On : 30 Sep 2022 3:36 pm
Operator : taylors
Sample : jd52514-8ms Inst : ACC-VOA-MSX
Misc : MS62508,V1X8639,5,,,,10
ALS Vial : 21 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 01 07:46:55 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.445	65	384455	500.00	ug/L	0.00
5) pentafluorobenzene	3.512	168	435913	50.00	ug/L	0.00
52) 1,4-difluorobenzene	4.003	114	603639	50.00	ug/L	0.00
73) chlorobenzene-d5	6.079	117	568296	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.883	152	285509	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.512	113	193949	47.17	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 94.34%			
53) 1,2-dichloroethane-d4 (s)	3.731	65	218545	47.37	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 94.74%			
74) toluene-d8 (s)	4.996	98	676296	49.75	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.50%			
98) 4-bromofluorobenzene (s)	7.008	95	242300	48.88	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.76%			
Target Compounds						Qvalue
2) ethanol	1.948	45	191325	5203.79	ug/L	98
3) tertiary butyl alcohol	2.498	59	138242	237.67	ug/L	99
4) 1,4-dioxane	4.382	88	59905	1295.66	ug/L	95
6) chlorodifluoromethane	1.260	51	137700	37.04	ug/L	99
7) dichlorodifluoromethane	1.244	85	147124	42.14	ug/L	99
8) chloromethane	1.372	50	148895	40.86	ug/L	99
9) vinyl chloride	1.436	62	176552	45.90	ug/L	100
10) bromomethane	1.639	96	24678	46.25	ug/L	98
11) chloroethane	1.708	64	63488	37.27	ug/L	99
12) trichlorofluoromethane	1.863	101	213164	42.32	ug/L	99
13) 1,3-butadiene	1.463	54	156269	50.88	ug/L	98
14) ethyl ether	2.023	74	55084	43.00	ug/L	94
15) acrolein	2.109	56	33483	46.20	ug/L	99
16) 1,1-dichloroethene	2.173	96	102638	42.17	ug/L	99
17) freon 113	2.167	101	124096	41.82	ug/L	97
18) acetone	2.189	58	68830	166.57	ug/L	100
19) acetonitrile	2.354	41	252323	441.41	ug/L	99
20) iodomethane	2.269	142	47898	42.90	ug/L	99
21) carbon disulfide	2.322	76	246879	40.37	ug/L	98
22) methylene chloride	2.461	84	100147	42.45	ug/L	97
23) methyl acetate	2.365	43	147629	43.99	ug/L	100
24) methyl tert butyl ether	2.610	73	304657	43.35	ug/L	98
25) acrylonitrile	2.589	53	68372	43.89	ug/L	98
26) trans-1,2-dichloroethene	2.621	96	114438	43.43	ug/L	98
27) hexane	2.776	57	177643	42.74	ug/L	97
28) di-isopropyl ether	2.877	45	390067	44.53	ug/L	95
29) 2-butanone	3.197	72	93474	204.58	ug/L	93
30) 1,1-dichloroethane	2.877	63	192923	42.21	ug/L	100
31) chloroprene	2.925	53	186802	43.20	ug/L	97
32) vinyl acetate	2.861	86	24198	47.67	ug/L	98
33) ethyl tert-butyl ether	3.096	59	348254	44.51	ug/L	99
34) ethyl acetate	3.208	45	31166	45.18	ug/L	90
35) 2,2-dichloropropane	3.224	77	172533	45.48	ug/L	90
36) cis-1,2-dichloroethene	3.219	96	999777	351.57	ug/L	91
37) methyl acrylate	3.245	55	202532	47.11	ug/L	97
38) propionitrile	3.240	54	298553	459.16	ug/L	82
39) tert-butyl formate	3.432	59	77456	45.38	ug/L	96
40) bromochloromethane	3.363	128	61407	42.33	ug/L	94
41) tetrahydrofuran	3.373	42	63925	43.88	ug/L	97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200658.d
Acq On : 30 Sep 2022 3:36 pm
Operator : taylors
Sample : jd52514-8ms Inst : ACC-VOA-MSX
Misc : MS62508,V1X8639,5,,,,10
ALS Vial : 21 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 01 07:46:55 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
42) chloroform	3.416	83	193371	41.03	ug/L		99
44) methacrylonitrile	3.331	67	63942	47.06	ug/L		97
45) 1,1,1-trichloroethane	3.533	97	186962	41.49	ug/L		99
46) cyclohexane	3.582	84	167017	40.54	ug/L		95
47) tert amyl alcohol	3.720	55	57346	247.45	ug/L		89
48) 1,1-dichloropropene	3.630	75	157677	42.58	ug/L		100
49) isobutyl alcohol	3.811	42	24867	426.09	ug/L	#	91
50) carbon tetrachloride	3.630	117	165962	41.69	ug/L		99
51) isopropyl acetate	3.742	87	30905	48.78	ug/L		99
54) iso-octane	3.811	57	363298	43.38	ug/L		99
55) epichlorohydrin	4.724	57	106462	253.66	ug/L		98
56) n-butyl alcohol	4.062	56	364837	2708.79	ug/L		99
57) benzene	3.758	78	432649	42.72	ug/L		99
58) tert-amyl methyl ether	3.816	73	313071	46.86	ug/L		99
59) heptane	3.912	57	70516	46.70	ug/L		99
60) 1,2-dichloroethane	3.779	62	161469	42.28	ug/L		99
61) trichloroethene	4.169	130	224423	71.17	ug/L		98
62) ethyl acrylate	4.190	55	205450	49.84	ug/L		99
63) 2-nitropropane	4.649	41	54101	53.34	ug/L		100
64) 2-chloroethyl vinyl ether	4.681	63	84806	48.34	ug/L		99
65) methyl methacrylate	4.350	100	39789	48.47	ug/L	#	73
66) 1,2-dichloropropane	4.339	76	45877	46.35	ug/L		100
67) dibromomethane	4.403	93	74509	43.47	ug/L		91
68) methylcyclohexane	4.329	83	187098	44.07	ug/L		99
69) bromodichloromethane	4.510	83	134770	46.10	ug/L		99
70) cis-1,3-dichloropropene	4.804	75	163732	48.34	ug/L		97
71) 4-methyl-2-pentanone	4.889	58	280223	202.03	ug/L		99
72) 3-methyl-1-butanol	4.916	70	119715	1113.01	ug/L		97
75) toluene	5.049	92	280494	45.08	ug/L		99
76) trans-1,3-dichloropropene	5.199	75	149654	48.09	ug/L		100
77) ethyl methacrylate	5.220	69	149791	47.80	ug/L		99
78) 1,1,2-trichloroethane	5.348	83	88008	46.69	ug/L		97
79) tetrachloroethene	5.423	164	112154	44.93	ug/L		96
80) 1,3-dichloropropane	5.471	76	162704	45.06	ug/L		98
81) 2-hexanone	5.492	58	288051	196.71	ug/L		98
82) butyl acetate	5.567	56	96703	46.45	ug/L		100
83) dibromochloromethane	5.636	129	119586	48.28	ug/L		99
84) 1,2-dibromoethane	5.732	107	120301	47.83	ug/L		96
85) n-butyl ether	6.149	57	447755	44.41	ug/L		100
86) chlorobenzene	6.101	112	317861	45.02	ug/L		98
87) 1,1,1,2-tetrachloroethane	6.165	131	116456	47.97	ug/L		98
88) ethylbenzene	6.170	91	520792	43.67	ug/L		100
89) m,p-xylene	6.271	106	415968	88.64	ug/L		97
90) o-xylene	6.576	91	398407	44.70	ug/L		99
91) styrene	6.592	104	341915	45.21	ug/L		95
92) butyl acrylate	6.511	55	247180	48.35	ug/L		99
93) n-amyl acetate	6.688	70	83232	48.94	ug/L		97
94) bromoform	6.741	173	82697	50.28	ug/L		99
95) isopropylbenzene	6.864	105	516432	44.44	ug/L		99
96) cis-1,4-dichloro-2-butene	6.912	88	33328	30.21	ug/L		98
99) bromobenzene	7.125	156	142259	45.39	ug/L		92
100) 1,1,2,2-tetrachloroethane	7.104	83	158110	50.94	ug/L		99
101) trans-1,4-dichloro-2-b...	7.136	53	34263	37.94	ug/L		91
102) 1,2,3-trichloropropane	7.157	110	50190	48.98	ug/L		96
103) n-propylbenzene	7.195	91	581064	44.83	ug/L		99
104) 2-chlorotoluene	7.269	126	131686	45.75	ug/L		97
105) 4-chlorotoluene	7.360	91	337147	44.65	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200658.d
Acq On : 30 Sep 2022 3:36 pm
Operator : taylors
Sample : jd52514-8ms Inst : ACC-VOA-MSX
Misc : MS62508,V1X8639,5,,,,10
ALS Vial : 21 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 01 07:46:55 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
106) 1,3,5-trimethylbenzene	7.333	105	393337	46.48	ug/L	98
107) tert-butylbenzene	7.574	119	370342	44.98	ug/L	99
108) 1,2,4-trimethylbenzene	7.616	105	390269	45.54	ug/L	98
109) sec-butylbenzene	7.739	105	519053	45.85	ug/L	98
110) 1,3-dichlorobenzene	7.830	146	258757	46.14	ug/L	99
111) p-isopropyltoluene	7.846	119	444113	46.28	ug/L	99
112) 1,4-dichlorobenzene	7.904	146	263854	45.65	ug/L	98
113) 1,2-dichlorobenzene	8.161	146	246305	46.97	ug/L	99
114) benzyl chloride	7.979	91	273178	58.90	ug/L	99
115) n-butylbenzene	8.139	92	197692	46.82	ug/L	98
116) 1,2-dibromo-3-chloropr...	8.694	157	47772	51.39	ug/L	94
117) 1,3,5-trichlorobenzene	8.817	180	157790	46.83	ug/L	97
118) hexachlorobutadiene	9.308	225	55819	46.47	ug/L	97
119) naphthalene	9.388	128	521532	47.30	ug/L	99
120) 1,2,4-trichlorobenzene	9.223	180	140780	47.96	ug/L	98
121) 1,2,3-trichlorobenzene	9.527	180	135562	47.40	ug/L	98
122) hexachloroethane	8.353	201	49831	39.95	ug/L	91
123) 2-methylnaphthalene	10.114	142	135430	25.15	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200658.d
Acq On : 30 Sep 2022 3:36 pm
Operator : taylors
Sample : jd52514-8ms Inst : ACC-VOA-MSX
Misc : MS62508,V1X8639,5,,,,10
ALS Vial : 21 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 01 07:46:55 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200659.d
Acq On : 30 Sep 2022 3:59 pm
Operator : taylors
Sample : jd52514-8msd Inst : ACC-VOA-MSX
Misc : MS62508,V1X8639,5,,,,10
ALS Vial : 22 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 01 07:47:01 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.445	65	391305	500.00	ug/L	0.00
5) pentafluorobenzene	3.512	168	449791	50.00	ug/L	0.00
52) 1,4-difluorobenzene	4.003	114	619300	50.00	ug/L	0.00
73) chlorobenzene-d5	6.079	117	582485	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.889	152	292512	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.512	113	198508	46.78	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 93.56%			
53) 1,2-dichloroethane-d4 (s)	3.731	65	225175	47.57	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 95.14%			
74) toluene-d8 (s)	4.996	98	690558	49.56	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.12%			
98) 4-bromofluorobenzene (s)	7.008	95	248573	48.95	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.90%			
Target Compounds						Qvalue
2) ethanol	1.943	45	207113	5534.59	ug/L	95
3) tertiary butyl alcohol	2.493	59	148323	250.53	ug/L	94
4) 1,4-dioxane	4.382	88	63205	1343.10	ug/L	97
6) chlorodifluoromethane	1.255	51	145018	37.81	ug/L	99
7) dichlorodifluoromethane	1.239	85	155048	43.04	ug/L	100
8) chloromethane	1.367	50	158345	42.12	ug/L	97
9) vinyl chloride	1.431	62	184634	46.52	ug/L	100
10) bromomethane	1.639	96	30052	54.59	ug/L	97
11) chloroethane	1.703	64	66151	37.63	ug/L	100
12) trichlorofluoromethane	1.858	101	223943	43.09	ug/L	100
13) 1,3-butadiene	1.458	54	159028	50.18	ug/L	98
14) ethyl ether	2.018	74	59739	45.19	ug/L	90
15) acrolein	2.109	56	34214	45.76	ug/L	97
16) 1,1-dichloroethene	2.173	96	107894	42.97	ug/L	98
17) freon 113	2.167	101	129474	42.28	ug/L	98
18) acetone	2.183	58	72991	171.19	ug/L	100
19) acetonitrile	2.349	41	267320	453.22	ug/L	100
20) iodomethane	2.269	142	73030	63.39	ug/L	97
21) carbon disulfide	2.317	76	264573	41.93	ug/L	99
22) methylene chloride	2.456	84	109043	44.80	ug/L	95
23) methyl acetate	2.365	43	156829	45.29	ug/L	100
24) methyl tert butyl ether	2.605	73	330837	45.62	ug/L	100
25) acrylonitrile	2.589	53	69289	43.11	ug/L	98
26) trans-1,2-dichloroethene	2.621	96	123037	45.26	ug/L	99
27) hexane	2.776	57	187174	43.64	ug/L	100
28) di-isopropyl ether	2.877	45	419488	46.41	ug/L	99
29) 2-butanone	3.197	72	98771	209.51	ug/L	98
30) 1,1-dichloroethane	2.877	63	206981	43.89	ug/L	99
31) chloroprene	2.920	53	200153	44.86	ug/L	99
32) vinyl acetate	2.861	86	27228	51.98	ug/L	99
33) ethyl tert-butyl ether	3.091	59	376558	46.64	ug/L	100
34) ethyl acetate	3.208	45	36465	51.23	ug/L	79
35) 2,2-dichloropropane	3.224	77	184922	47.24	ug/L	92
36) cis-1,2-dichloroethene	3.219	96	1061740	361.84	ug/L	90
37) methyl acrylate	3.245	55	216772	48.86	ug/L	99
38) propionitrile	3.240	54	314929	469.41	ug/L	93
39) tert-butyl formate	3.427	59	83544	47.44	ug/L	96
40) bromochloromethane	3.363	128	65546	43.79	ug/L	93
41) tetrahydrofuran	3.368	42	67084	44.62	ug/L	98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200659.d
Acq On : 30 Sep 2022 3:59 pm
Operator : taylors
Sample : jd52514-8msd Inst : ACC-VOA-MSX
Misc : MS62508,V1X8639,5,,,,10
ALS Vial : 22 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 01 07:47:01 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
42) chloroform	3.411	83	208525	42.88	ug/L		98
44) methacrylonitrile	3.331	67	68146	48.61	ug/L		99
45) 1,1,1-trichloroethane	3.534	97	197901	42.56	ug/L		98
46) cyclohexane	3.582	84	175269	41.23	ug/L		98
47) tert amyl alcohol	3.720	55	58993	246.70	ug/L		95
48) 1,1-dichloropropene	3.624	75	165950	43.43	ug/L		98
49) isobutyl alcohol	3.811	42	26130	433.91	ug/L	#	90
50) carbon tetrachloride	3.630	117	176596	42.99	ug/L		99
51) isopropyl acetate	3.742	87	33548	51.32	ug/L		98
54) iso-octane	3.811	57	379484	44.17	ug/L		99
55) epichlorohydrin	4.724	57	113252	263.01	ug/L		99
56) n-butyl alcohol	4.057	56	384676	2783.86	ug/L		99
57) benzene	3.752	78	465112	44.77	ug/L		98
58) tert-amyl methyl ether	3.811	73	340936	49.74	ug/L		99
59) heptane	3.913	57	72036	46.50	ug/L		98
60) 1,2-dichloroethane	3.779	62	174071	44.42	ug/L		98
61) trichloroethene	4.169	130	237635	73.45	ug/L		99
62) ethyl acrylate	4.190	55	218538	51.67	ug/L		99
63) 2-nitropropane	4.649	41	55660	53.49	ug/L		97
64) 2-chloroethyl vinyl ether	4.681	63	64390	35.77	ug/L		98
65) methyl methacrylate	4.350	100	43620	51.79	ug/L	#	63
66) 1,2-dichloropropane	4.340	76	48243	47.50	ug/L		97
67) dibromomethane	4.398	93	79524	45.22	ug/L		97
68) methylcyclohexane	4.329	83	196599	45.14	ug/L		98
69) bromodichloromethane	4.505	83	146253	48.76	ug/L		98
70) cis-1,3-dichloropropene	4.804	75	179088	51.53	ug/L		99
71) 4-methyl-2-pentanone	4.889	58	297136	208.80	ug/L		99
72) 3-methyl-1-butanol	4.916	70	127019	1151.06	ug/L		97
75) toluene	5.049	92	300896	47.18	ug/L		98
76) trans-1,3-dichloropropene	5.199	75	164597	51.60	ug/L		99
77) ethyl methacrylate	5.220	69	160061	49.84	ug/L		98
78) 1,1,2-trichloroethane	5.348	83	93189	48.23	ug/L		98
79) tetrachloroethene	5.423	164	119914	46.87	ug/L		98
80) 1,3-dichloropropane	5.471	76	174114	47.05	ug/L		99
81) 2-hexanone	5.492	58	303441	202.17	ug/L		99
82) butyl acetate	5.567	56	102887	48.22	ug/L		99
83) dibromochloromethane	5.636	129	129013	50.81	ug/L		100
84) 1,2-dibromoethane	5.732	107	129057	50.07	ug/L		99
85) n-butyl ether	6.149	57	479564	46.41	ug/L		99
86) chlorobenzene	6.101	112	342901	47.39	ug/L		99
87) 1,1,1,2-tetrachloroethane	6.165	131	126759	50.94	ug/L		100
88) ethylbenzene	6.170	91	557620	45.62	ug/L		99
89) m,p-xylene	6.271	106	443460	92.19	ug/L		99
90) o-xylene	6.576	91	428981	46.96	ug/L		99
91) styrene	6.592	104	368252	47.50	ug/L		96
92) butyl acrylate	6.512	55	262486	50.10	ug/L		99
93) n-amyl acetate	6.688	70	88747	50.92	ug/L		96
94) bromoform	6.741	173	89079	52.84	ug/L		99
95) isopropylbenzene	6.864	105	554560	46.56	ug/L		99
96) cis-1,4-dichloro-2-butene	6.912	88	37718	33.07	ug/L		97
99) bromobenzene	7.125	156	152957	47.64	ug/L		94
100) 1,1,2,2-tetrachloroethane	7.104	83	168845	53.10	ug/L		100
101) trans-1,4-dichloro-2-b...	7.136	53	37689	40.74	ug/L		93
102) 1,2,3-trichloropropane	7.157	110	53239	50.71	ug/L		96
103) n-propylbenzene	7.195	91	623479	46.95	ug/L		99
104) 2-chlorotoluene	7.269	126	140460	47.63	ug/L		96
105) 4-chlorotoluene	7.360	91	363834	47.03	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200659.d
Acq On : 30 Sep 2022 3:59 pm
Operator : taylors
Sample : jd52514-8msd Inst : ACC-VOA-MSX
Misc : MS62508,V1X8639,5,,,,10
ALS Vial : 22 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 01 07:47:01 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
106) 1,3,5-trimethylbenzene	7.334	105	421153	48.58	ug/L	99
107) tert-butylbenzene	7.574	119	394629	46.79	ug/L	98
108) 1,2,4-trimethylbenzene	7.616	105	421834	48.04	ug/L	99
109) sec-butylbenzene	7.739	105	551147	47.52	ug/L	99
110) 1,3-dichlorobenzene	7.830	146	277327	48.27	ug/L	98
111) p-isopropyltoluene	7.846	119	474098	48.22	ug/L	98
112) 1,4-dichlorobenzene	7.905	146	281909	47.60	ug/L	99
113) 1,2-dichlorobenzene	8.161	146	264424	49.21	ug/L	99
114) benzyl chloride	7.979	91	288102	60.63	ug/L	98
115) n-butylbenzene	8.139	92	210835	48.74	ug/L	98
116) 1,2-dibromo-3-chloropr...	8.694	157	49766	52.26	ug/L	94
117) 1,3,5-trichlorobenzene	8.817	180	170394	49.35	ug/L	98
118) hexachlorobutadiene	9.308	225	58638	47.65	ug/L	98
119) naphthalene	9.388	128	553866	49.03	ug/L	99
120) 1,2,4-trichlorobenzene	9.223	180	150871	50.16	ug/L	98
121) 1,2,3-trichlorobenzene	9.527	180	145638	49.71	ug/L	99
122) hexachloroethane	8.353	201	54222	42.35	ug/L	92
123) 2-methylnaphthalene	10.114	142	146496	26.55	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200659.d
Acq On : 30 Sep 2022 3:59 pm
Operator : taylors
Sample : jd52514-8msd Inst : ACC-VOA-MSX
Misc : MS62508,V1X8639,5,,,,10
ALS Vial : 22 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 01 07:47:01 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220452.d
Acq On : 30 Sep 2022 4:03 pm
Operator : nicoleh
Sample : jd52514-12msd Inst : GCMS2A
Misc : MS62508,V2A9583,5,,,,5
ALS Vial : 16 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 03 11:09:44 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	7.240	65	531321	500.00	ug/L	0.00
5) pentafluorobenzene	9.505	168	768609	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.433	114	1217767	50.00	ug/L	0.00
72) chlorobenzene-d5	13.563	117	1225838	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.886	152	642810	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.505	168	768084	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.537	113	394805	54.57	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 109.14%			
51) 1,2-dichloroethane-d4 (s)	9.951	65	446277	39.42	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 78.84%#			
73) toluene-d8 (s)	12.059	98	1409595	46.94	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 93.88%			
97) 4-bromofluorobenzene (s)	14.722	95	634614	53.37	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 106.74%			
Target Compounds						Qvalue
2) ethanol	5.972	45	521298	4027.36	ug/L	98
3) tertiary butyl alcohol	7.361	59	296091	226.84	ug/L	93
4) 1,4-dioxane	11.078	88	101105	1105.19	ug/L	99
6) chlorodifluoromethane	3.990	51	281791	26.89	ug/L	97
7) dichlorodifluoromethane	3.953	85	496799	48.12	ug/L	99
8) chloromethane	4.341	50	561628	42.04	ug/L	99
9) vinyl chloride	4.566	62	540124	52.86	ug/L	97
10) 1,3-butadiene	4.619	54	237527	26.10	ug/L	91
11) bromomethane	5.190	94	313878	52.08	ug/L	97
12) chloroethane	5.348	64	279124	57.70	ug/L	92
13) trichlorofluoromethane	5.778	101	583646	50.99	ug/L	99
14) ethyl ether	6.187	74	209101	57.33	ug/L	92
15) acrolein	6.407	56	84348	51.67	ug/L	95
16) freon 113	6.611	151	306146	56.27	ug/L	95
17) 1,1-dichloroethene	6.595	96	303495	53.22	ug/L	90
18) acetone	6.601	43	518226	175.36	ug/L	93
19) acetonitrile	7.010	41	596224	488.91	ug/L	97
20) iodomethane	6.842	142	586176	52.66	ug/L	92
21) carbon disulfide	6.978	76	954023	50.50	ug/L	92
22) methylene chloride	7.298	84	377797	55.91	ug/L	95
23) methyl acetate	7.057	43	354208	48.09	ug/L	97
24) methyl tert butyl ether	7.649	73	1128819	55.51	ug/L	96
25) trans-1,2-dichloroethene	7.681	96	370039	57.25	ug/L	98
26) hexane	8.037	57	671261	58.44	ug/L	97
27) di-isopropyl ether	8.247	45	1620621	57.57	ug/L	97
28) ethyl tert-butyl ether	8.703	59	1460333	59.60	ug/L	99
29) 2-butanone	8.902	72	174206	219.03	ug/L #	83
30) 1,1-dichloroethane	8.252	63	724103	57.30	ug/L	98
31) chloroprene	8.352	53	673029	56.08	ug/L	95
32) acrylonitrile	7.586	53	169463	51.98	ug/L	94
33) vinyl acetate	8.195	86	77916	65.37	ug/L #	66
34) ethyl acetate	8.918	45	75980	51.46	ug/L	80
35) 2,2-dichloropropane	8.997	77	599900	59.40	ug/L	97
36) cis-1,2-dichloroethene	8.965	96	2819315	396.63	ug/L	91
37) propionitrile	8.976	54	634422	521.72	ug/L	91
38) bromochloromethane	9.259	130	271067	57.36	ug/L	99
39) tetrahydrofuran	9.275	42	145937	43.28	ug/L	97
40) chloroform	9.348	83	719396	54.79	ug/L	96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220452.d
Acq On : 30 Sep 2022 4:03 pm
Operator : nicoleh
Sample : jd52514-12msd Inst : GCMS2A
Misc : MS62508,V2A9583,5,,,,5
ALS Vial : 16 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 03 11:09:44 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
41) tert-butyl formate	9.385	59	353000	55.29	ug/L		93
42) isobutyl alcohol	9.741	43	246050	483.53	ug/L		98
44) methacrylonitrile	9.170	67	171403	56.75	ug/L		84
45) 1,1,1-trichloroethane	9.605	97	639996	56.13	ug/L		99
46) cyclohexane	9.715	84	551570	57.89	ug/L		91
47) 1,1-dichloropropene	9.773	75	534772	58.25	ug/L		97
48) tert-amyl alcohol	9.904	73	132403	260.25	ug/L	#	89
49) carbon tetrachloride	9.799	117	562967	54.70	ug/L		98
52) 2,2,4-trimethylpentane	10.119	57	1719032	50.23	ug/L		92
53) tert-amyl methyl ether	10.103	73	1248118	49.76	ug/L		98
54) n-butyl alcohol	10.491	56	740883	2341.91	ug/L		91
55) benzene	10.019	78	1526596	52.84	ug/L		97
56) heptane	10.276	57	328253	47.01	ug/L		95
57) isopropyl acetate	9.935	87	92060	50.76	ug/L	#	86
58) 1,2-dichloroethane	10.040	62	604980	44.56	ug/L		100
59) trichloroethene	10.743	95	505599	61.21	ug/L		96
60) ethyl acrylate	10.732	55	644591	49.14	ug/L		99
61) 2-nitropropane	11.498	41	126481	36.68	ug/L		91
62) 2-chloroethyl vinyl ether	11.534	63	97626	30.45	ug/L		98
63) methyl methacrylate	11.000	100	110490	53.35	ug/L	#	75
64) 1,2-dichloropropane	11.031	63	441014	51.45	ug/L		96
65) methylcyclohexane	11.042	83	673011	49.79	ug/L		97
66) dibromomethane	11.136	93	262987	46.73	ug/L		94
67) bromodichloromethane	11.293	83	563254	48.35	ug/L		99
68) epichlorohydrin	11.618	57	219280	214.31	ug/L		96
69) cis-1,3-dichloropropene	11.749	75	677847	53.16	ug/L		85
70) 4-methyl-2-pentanone	11.860	58	767606	189.89	ug/L		93
71) 3-methyl-1-butanol	11.865	70	245588	985.02	ug/L	#	86
74) toluene	12.132	92	938228	48.18	ug/L		98
75) trans-1,3-dichloropropene	12.321	75	601973	46.63	ug/L		99
76) ethyl methacrylate	12.316	69	550905	49.70	ug/L		87
77) 1,1,2-trichloroethane	12.536	83	303000	45.26	ug/L		96
78) 2-hexanone	12.704	58	723715	177.65	ug/L	#	88
79) tetrachloroethene	12.683	166	460010	47.45	ug/L		98
80) 1,3-dichloropropane	12.719	76	568274	44.24	ug/L		99
81) butyl acetate	12.788	56	331020	47.29	ug/L		94
82) dibromochloromethane	12.961	129	433561	44.37	ug/L		100
83) 1,2-dibromoethane	13.113	107	367993	44.38	ug/L		94
84) n-butyl ether	13.558	57	1727014	44.76	ug/L		98
85) chlorobenzene	13.595	112	1028563	48.43	ug/L		97
86) 1,1,1,2-tetrachloroethane	13.658	131	392006	45.89	ug/L		99
87) ethylbenzene	13.658	91	1684527	46.14	ug/L		95
88) m,p-xylene	13.778	106	1276636	89.95	ug/L		93
89) o-xylene	14.177	91	1347021	45.20	ug/L		98
90) styrene	14.187	104	1036422	44.88	ug/L		98
91) n-amyl acetate	14.224	70	290936	48.27	ug/L	#	85
92) bromoform	14.408	173	310304	44.16	ug/L		96
93) butyl acrylate	14.014	55	994802	48.40	ug/L		99
94) isopropylbenzene	14.523	105	1582271	44.52	ug/L		99
95) cis-1,4-dichloro-2-butene	14.560	88	115209	30.11	ug/L		94
98) bromobenzene	14.900	156	454920	44.22	ug/L		98
99) 1,1,2,2-tetrachloroethane	14.801	83	452144	41.39	ug/L		99
100) trans-1,4-dichloro-2-b...	14.832	53	103475	28.45	ug/L		92
101) 1,2,3-trichloropropane	14.885	110	111220	39.56	ug/L		92
102) n-propylbenzene	14.937	91	1926885	46.70	ug/L		98
103) 2-chlorotoluene	15.068	126	409856	45.64	ug/L		97
104) 4-chlorotoluene	15.178	91	1202323	45.82	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220452.d
Acq On : 30 Sep 2022 4:03 pm
Operator : nicoleh
Sample : jd52514-12msd Inst : GCMS2A
Misc : MS62508,V2A9583,5,,,,5
ALS Vial : 16 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 03 11:09:44 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
105) 1,3,5-trimethylbenzene	15.094	105	1315852	45.92	ug/L	98
106) tert-butylbenzene	15.430	119	1141903	45.99	ug/L	97
107) 1,2,4-trimethylbenzene	15.482	105	1317137	45.12	ug/L	99
108) sec-butylbenzene	15.650	105	1649093	44.55	ug/L	100
109) 1,3-dichlorobenzene	15.818	146	804525	43.87	ug/L	99
110) p-isopropyltoluene	15.781	119	1418510	44.94	ug/L	99
111) benzyl chloride	16.002	91	826886	46.00	ug/L	97
112) 1,2,3-trimethylbenzene	15.912	105	1317088	43.75	ug/L	98
113) 1,4-dichlorobenzene	15.912	146	804581	42.19	ug/L	98
114) 1,2-dichlorobenzene	16.285	146	778072	43.41	ug/L	99
115) n-butylbenzene	16.195	92	741990	44.19	ug/L	98
116) 1,2-dibromo-3-chloropr...	17.045	157	92625	39.06	ug/L	98
117) 1,3,5-trichlorobenzene	17.239	180	644339	46.00	ug/L	99
118) 1,2,4-trichlorobenzene	17.878	180	548055	45.49	ug/L	97
119) hexachlorobutadiene	17.999	225	294386	47.48	ug/L	98
120) naphthalene	18.167	128	1059896	36.92	ug/L	99
121) 1,2,3-trichlorobenzene	18.392	180	467848	41.25	ug/L	98
122) hexachloroethane	16.573	201	226858	43.90	ug/L	98
123) 2-methylnaphthalene	19.404	142	204527	13.98	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220452.d
Acq On : 30 Sep 2022 4:03 pm
Operator : nicoleh
Sample : jd52514-12msd Inst : GCMS2A
Misc : MS62508,V2A9583,5,,,,5
ALS Vial : 16 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 03 11:09:44 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10042022\vl10517\
Data File : l347783.d
Acq On : 3 Oct 2022 5:42 pm
Operator : nicoleh
Sample : jd52644-1ms Inst : GCMSL
Misc : MS62577,VL10517,5,,,,5
ALS Vial : 18 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 04 01:09:51 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.085	65	148984	500.00	ug/L		0.00
5) pentafluorobenzene	4.305	168	200215	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.876	114	311344	50.00	ug/L		0.00
72) chlorobenzene-d5	7.273	117	308453	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.468	152	118473	50.00	ug/L		0.00
123) pentafluorobenzene(a)	4.305	168	200094	50.00	ug/L		0.00
127) 1,4-dichlorobenzene-d4(a)	9.468	152	118473	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.314	113	93208	51.54	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 103.08%				
52) 1,2-dichloroethane-d4 (s)	4.571	65	104909	46.17	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 92.34%				
73) toluene-d8 (s)	6.025	98	377199	44.43	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 88.86%				
96) 4-bromofluorobenzene (s)	8.351	95	147155	47.68	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.36%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.316	88	11810	304.01	ug/L		90
3) ethanol	2.508	45	70941	1907.44	ug/L		95
4) tertiary butyl alcohol	3.143	59	111281	243.71	ug/L		96
6) chlorodifluoromethane	1.677	51	76444	34.14	ug/L	#	93
7) dichlorodifluoromethane	1.657	85	188311	57.61	ug/L		98
8) chloromethane	1.821	50	108196	49.52	ug/L		97
9) vinyl chloride	1.901	62	134482	49.90	ug/L		96
10) 1,3-butadiene	1.930	54	104748	39.54	ug/L		96
11) bromomethane	2.161	96	44364	39.54	ug/L		99
12) chloroethane	2.235	64	121789	77.28	ug/L		99
13) trichlorofluoromethane	2.421	101	205992	54.66	ug/L		99
14) ethyl ether	2.604	74	80855	61.41	ug/L		89
15) acrolein	2.707	56	33563	70.20	ug/L		97
16) freon 113	2.781	151	88101	59.38	ug/L		98
17) 1,1-dichloroethene	2.787	96	109247	59.11	ug/L		96
18) acetone	2.797	58	120819	372.07	ug/L		93
19) acetonitrile	2.986	40	96309	457.76	ug/L		96
20) iodomethane	2.899	142	60919	36.44	ug/L		100
21) iso-butyl alcohol	4.452	43	69006	326.06	ug/L		97
22) carbon disulfide	2.960	76	253914	44.64	ug/L		96
23) methylene chloride	3.114	84	122755	57.05	ug/L		95
24) methyl acetate	3.005	74	37229	57.13	ug/L	#	83
25) methyl tert butyl ether	3.281	73	386926	55.30	ug/L		93
26) trans-1,2-dichloroethene	3.297	96	114953	57.48	ug/L		98
27) hexane	3.480	57	165035	58.68	ug/L		93
28) di-isopropyl ether	3.586	45	336762	59.31	ug/L		93
29) ethyl tert-butyl ether	3.833	59	399061	59.97	ug/L		96
30) 2-butanone	3.955	72	123095	246.78	ug/L		97
31) 1,1-dichloroethane	3.596	63	877941	250.04	ug/L		98
32) chloroprene	3.650	53	164747	57.68	ug/L		93
33) acrylonitrile	3.265	53	66808	57.85	ug/L		96
34) vinyl acetate	3.570	86	37024	61.12	ug/L	#	66
35) ethyl acetate	3.961	45	27385	54.07	ug/L		95
36) 2,2-dichloropropane	3.997	77	175822	51.47	ug/L		99
37) cis-1,2-dichloroethene	3.984	96	131682	58.21	ug/L		93
38) propionitrile	4.003	54	242368	508.40	ug/L		89
39) methyl acrylate	4.010	85	28070	47.76	ug/L	#	76

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10042022\vl10517\
Data File : l347783.d
Acq On : 3 Oct 2022 5:42 pm
Operator : nicoleh
Sample : jd52644-1ms Inst : GCMSL
Misc : MS62577,VL10517,5,,,,5
ALS Vial : 18 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 04 01:09:51 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
40) bromochloromethane	4.151	128	59687	60.56	ug/L		95
41) tetrahydrofuran	4.164	72	30974	55.57	ug/L		94
42) chloroform	4.205	83	217422	54.06	ug/L		94
44) methacrylonitrile	4.112	67	77960	55.75	ug/L		95
45) 1,1,1-trichloroethane	4.346	97	301493	87.47	ug/L		98
46) cyclohexane	4.407	84	156134	49.22	ug/L		97
47) 1,1-dichloropropene	4.452	75	152530	55.39	ug/L		97
48) carbon tetrachloride	4.459	117	149432	52.31	ug/L		98
49) isopropyl acetate	4.574	87	38670	54.10	ug/L		98
50) tert amyl alcohol	4.545	55	45396	200.45	ug/L	#	81
53) tert-amyl methyl ether	4.661	73	356917	51.48	ug/L		93
54) 2,2,4-trimethylpentane	4.664	57	308571	56.00	ug/L		96
55) n-butyl alcohol	4.934	56	192726	1248.58	ug/L		96
56) benzene	4.603	78	442100	54.54	ug/L		97
57) heptane	4.773	57	67422	53.05	ug/L		92
58) 1,2-dichloroethane	4.626	62	156050	51.01	ug/L		99
59) trichloroethene	5.068	95	131487	57.36	ug/L		96
60) ethyl acrylate	5.088	55	227815	59.96	ug/L		98
61) 2-nitropropane	5.624	41	59024	53.09	ug/L		92
62) 2-chloroethyl vinyl ether	5.652	63	426781	321.59	ug/L		97
63) methyl methacrylate	5.264	100	48112	54.36	ug/L		97
64) 1,2-dichloropropane	5.271	63	118128	59.07	ug/L		91
65) methylcyclohexane	5.258	83	195228	54.08	ug/L		93
66) dibromomethane	5.341	93	82178	55.75	ug/L		91
67) bromodichloromethane	5.460	83	175045	52.11	ug/L		92
68) cis-1,3-dichloropropene	5.797	75	198956	52.80	ug/L		95
69) epichlorohydrin	5.707	57	103753	238.91	ug/L		99
70) 4-methyl-2-pentanone	5.893	58	306453	220.39	ug/L		97
71) 3-methyl-1-butanol	5.912	70	94499	555.16	ug/L	#	75
74) toluene	6.082	92	302640	52.25	ug/L		100
75) trans-1,3-dichloropropene	6.253	75	182421	45.49	ug/L		93
76) ethyl methacrylate	6.269	69	203250	50.35	ug/L		99
77) 1,1,2-trichloroethane	6.423	83	106978	53.02	ug/L		98
78) 2-hexanone	6.586	58	341344	212.71	ug/L		95
79) tetrachloroethene	6.519	166	128377	55.33	ug/L		95
80) 1,3-dichloropropane	6.567	76	195754	49.91	ug/L		95
81) butyl acetate	6.666	56	115945	55.39	ug/L		97
82) dibromochloromethane	6.756	129	129103	47.87	ug/L		99
83) 1,2-dibromoethane	6.875	107	134603	49.80	ug/L		95
84) n-butyl ether	7.340	57	487558	56.38	ug/L		97
85) chlorobenzene	7.302	112	316896	53.54	ug/L		98
86) 1,1,1,2-tetrachloroethane	7.372	131	107356	50.09	ug/L		96
87) ethylbenzene	7.372	91	523945	51.52	ug/L		96
88) m,p-xylene	7.488	106	407253	99.91	ug/L		99
89) o-xylene	7.844	106	210558	51.65	ug/L		97
90) butyl acrylate	7.764	55	288789	55.33	ug/L		97
91) styrene	7.863	104	333639	50.46	ug/L		98
92) bromoform	8.043	173	88486	46.63	ug/L		97
93) isopropylbenzene	8.181	105	534226	52.20	ug/L		95
94) cis-1,4-dichloro-2-butene	8.229	88	27532	36.17	ug/L	#	83
97) bromobenzene	8.499	156	126118	52.46	ug/L		91
98) 1,1,2,2-tetrachloroethane	8.467	83	193571	48.82	ug/L		98
99) trans-1,4-dichloro-2-b...	8.505	53	24755	43.92	ug/L		87
100) 1,2,3-trichloropropane	8.531	110	53928	47.22	ug/L		95
101) n-propylbenzene	8.576	91	583200	51.39	ug/L		99
102) 2-chlorotoluene	8.669	126	120533	53.97	ug/L		86
103) 4-chlorotoluene	8.788	126	114783	51.27	ug/L		88

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10042022\vl10517\
Data File : l347783.d
Acq On : 3 Oct 2022 5:42 pm
Operator : nicoleh
Sample : jd52644-1ms Inst : GCMSL
Misc : MS62577,VL10517,5,,,,5
ALS Vial : 18 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 04 01:09:51 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
104) 1,3,5-trimethylbenzene	8.746	105	416076	51.14	ug/L	99
105) tert-butylbenzene	9.051	119	366661	53.77	ug/L	98
106) 1,2,4-trimethylbenzene	9.108	105	413595	49.67	ug/L	99
107) sec-butylbenzene	9.266	105	512902	52.62	ug/L	98
108) 1,3-dichlorobenzene	9.394	146	223010	54.92	ug/L	97
109) p-isopropyltoluene	9.410	119	406555	52.89	ug/L	97
110) 1,4-dichlorobenzene	9.494	146	203855	51.20	ug/L	94
111) 1,2,3-trimethylbenzene	9.513	105	394352	49.90	ug/L	97
112) 1,2-dichlorobenzene	9.847	146	203746	51.00	ug/L	97
113) n-butylbenzene	9.811	92	217382	56.50	ug/L	97
114) 1,2-dibromo-3-chloropr...	10.613	157	47139	50.32	ug/L	89
115) 1,3,5-trichlorobenzene	10.803	180	150138	58.25	ug/L	95
116) 1,2,4-trichlorobenzene	11.432	180	125906	60.33	ug/L	94
117) hexachlorobutadiene	11.570	225	50900	60.90	ug/L	88
118) naphthalene	11.695	128	386268	54.81	ug/L	99
119) 1,2,3-trichlorobenzene	11.916	180	111517	59.01	ug/L	92
120) hexachloroethane	10.116	119	81082	50.87	ug/L	91
121) benzyl chloride	9.599	91	348452	50.64	ug/L	97
122) 2-methylnaphthalene	12.828	142	72830	28.86	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10042022\vl10517\
Data File : l347783.d
Acq On : 3 Oct 2022 5:42 pm
Operator : nicoleh
Sample : jd52644-1ms Inst : GCMSL
Misc : MS62577,VL10517,5,,,,5
ALS Vial : 18 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 04 01:09:51 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10042022\vl10517\
Data File : l347784.d
Acq On : 3 Oct 2022 6:05 pm
Operator : nicoleh
Sample : jd52644-1msd Inst : GCMSL
Misc : MS62577,VL10517,5,,,,5
ALS Vial : 19 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 04 01:10:05 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.088	65	162026	500.00	ug/L		0.00
5) pentafluorobenzene	4.308	168	208539	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.876	114	318426	50.00	ug/L		0.00
72) chlorobenzene-d5	7.276	117	313413	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.468	152	121744	50.00	ug/L		0.00
123) pentafluorobenzene(a)	4.308	168	207943	50.00	ug/L		0.00
127) 1,4-dichlorobenzene-d4(a)	9.468	152	121727	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.321	113	94609	50.23	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.46%				
52) 1,2-dichloroethane-d4 (s)	4.568	65	105087	45.22	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 90.44%				
73) toluene-d8 (s)	6.025	98	380347	44.09	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 88.18%				
96) 4-bromofluorobenzene (s)	8.354	95	150548	47.47	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 94.94%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.312	88	15559	368.28	ug/L		95
3) ethanol	2.504	45	90491	2237.25	ug/L		100
4) tertiary butyl alcohol	3.143	59	114895	231.37	ug/L		95
6) chlorodifluoromethane	1.673	51	73968	31.72	ug/L	#	95
7) dichlorodifluoromethane	1.654	85	171887	50.49	ug/L		97
8) chloromethane	1.818	50	102321	44.96	ug/L		98
9) vinyl chloride	1.898	62	127790	45.53	ug/L		98
10) 1,3-butadiene	1.927	54	101656	36.84	ug/L		97
11) bromomethane	2.155	96	48284	41.31	ug/L		99
12) chloroethane	2.232	64	111797	68.11	ug/L		99
13) trichlorofluoromethane	2.418	101	196066	49.95	ug/L		98
14) ethyl ether	2.601	74	77076	56.20	ug/L		79
15) acrolein	2.703	56	31244	62.74	ug/L		100
16) freon 113	2.777	151	85600	55.39	ug/L		91
17) 1,1-dichloroethene	2.784	96	105936	55.03	ug/L		98
18) acetone	2.793	58	119741	354.03	ug/L		87
19) acetonitrile	2.986	40	93523	426.77	ug/L		93
20) iodomethane	2.899	142	74482	42.50	ug/L		92
21) iso-butyl alcohol	4.459	43	72944	330.91	ug/L		97
22) carbon disulfide	2.960	76	248326	41.92	ug/L		97
23) methylene chloride	3.114	84	118489	52.87	ug/L		98
24) methyl acetate	3.002	74	33573	49.46	ug/L	#	71
25) methyl tert butyl ether	3.281	73	376350	51.64	ug/L		94
26) trans-1,2-dichloroethene	3.300	96	113222	54.36	ug/L		97
27) hexane	3.477	57	163091	55.68	ug/L		96
28) di-isopropyl ether	3.589	45	327549	55.38	ug/L		87
29) ethyl tert-butyl ether	3.833	59	387763	55.95	ug/L		95
30) 2-butanone	3.952	72	125685	241.91	ug/L	#	83
31) 1,1-dichloroethane	3.595	63	879472	240.48	ug/L		99
32) chloroprene	3.650	53	157859	53.07	ug/L		94
33) acrylonitrile	3.262	53	64167	53.34	ug/L		93
34) vinyl acetate	3.570	86	36490	57.83	ug/L	#	86
35) ethyl acetate	3.964	45	29792	56.47	ug/L	#	76
36) 2,2-dichloropropane	3.993	77	168145	47.26	ug/L		97
37) cis-1,2-dichloroethene	3.987	96	126437	53.66	ug/L		97
38) propionitrile	4.000	54	236467	476.23	ug/L		93
39) methyl acrylate	4.009	85	29095	47.53	ug/L	#	88

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10042022\vl10517\
Data File : l347784.d
Acq On : 3 Oct 2022 6:05 pm
Operator : nicoleh
Sample : jd52644-1msd Inst : GCMSL
Misc : MS62577,VL10517,5,,,,5
ALS Vial : 19 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 04 01:10:05 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
40) bromochloromethane	4.151	128	57506	56.02	ug/L		95
41) tetrahydrofuran	4.163	72	29674	51.11	ug/L		97
42) chloroform	4.205	83	209561	50.03	ug/L		95
44) methacrylonitrile	4.112	67	77411	53.14	ug/L		96
45) 1,1,1-trichloroethane	4.346	97	301926	84.10	ug/L		96
46) cyclohexane	4.407	84	142812	43.22	ug/L		93
47) 1,1-dichloropropene	4.455	75	148084	51.63	ug/L		97
48) carbon tetrachloride	4.462	117	149387	50.20	ug/L		94
49) isopropyl acetate	4.571	87	38397	51.57	ug/L		96
50) tert amyl alcohol	4.548	55	45380	192.38	ug/L	#	90
53) tert-amyl methyl ether	4.661	73	347415	49.00	ug/L		95
54) 2,2,4-trimethylpentane	4.661	57	308959	54.83	ug/L		97
55) n-butyl alcohol	4.934	56	207381	1313.64	ug/L		94
56) benzene	4.600	78	431116	52.00	ug/L		97
57) heptane	4.776	57	68476	52.68	ug/L		86
58) 1,2-dichloroethane	4.625	62	153028	48.91	ug/L		98
59) trichloroethene	5.072	95	127274	54.29	ug/L		92
60) ethyl acrylate	5.088	55	223804	57.60	ug/L		97
61) 2-nitropropane	5.617	41	55948	49.21	ug/L		93
62) 2-chloroethyl vinyl ether	5.652	63	417997	307.97	ug/L		98
63) methyl methacrylate	5.264	100	48138	53.18	ug/L		96
64) 1,2-dichloropropane	5.267	63	117837	57.62	ug/L		85
65) methylcyclohexane	5.258	83	195141	52.85	ug/L		95
66) dibromomethane	5.341	93	80305	53.27	ug/L		93
67) bromodichloromethane	5.457	83	165239	48.10	ug/L		99
68) cis-1,3-dichloropropene	5.797	75	196787	51.06	ug/L		99
69) epichlorohydrin	5.704	57	96021	216.18	ug/L		97
70) 4-methyl-2-pentanone	5.893	58	302805	212.92	ug/L		91
71) 3-methyl-1-butanol	5.912	70	98400	565.22	ug/L		83
74) toluene	6.082	92	297802	50.60	ug/L		99
75) trans-1,3-dichloropropene	6.249	75	178713	43.86	ug/L		92
76) ethyl methacrylate	6.272	69	196008	47.79	ug/L		97
77) 1,1,2-trichloroethane	6.422	83	102700	50.09	ug/L		98
78) 2-hexanone	6.586	58	330524	202.71	ug/L		90
79) tetrachloroethene	6.516	166	122799	52.08	ug/L		98
80) 1,3-dichloropropane	6.567	76	191199	47.98	ug/L		98
81) butyl acetate	6.666	56	113001	53.13	ug/L		95
82) dibromochloromethane	6.756	129	126565	46.18	ug/L		95
83) 1,2-dibromoethane	6.878	107	131153	47.76	ug/L		99
84) n-butyl ether	7.340	57	474734	54.03	ug/L		94
85) chlorobenzene	7.302	112	312655	51.98	ug/L		95
86) 1,1,1,2-tetrachloroethane	7.369	131	105518	48.45	ug/L		98
87) ethylbenzene	7.375	91	509631	49.32	ug/L		99
88) m,p-xylene	7.488	106	393156	94.92	ug/L		93
89) o-xylene	7.847	106	207449	50.08	ug/L		100
90) butyl acrylate	7.764	55	291368	54.94	ug/L		98
91) styrene	7.863	104	325187	48.40	ug/L		98
92) bromoform	8.043	173	87982	45.63	ug/L		91
93) isopropylbenzene	8.181	105	522722	50.26	ug/L		96
94) cis-1,4-dichloro-2-butene	8.235	88	28278	36.57	ug/L		90
97) bromobenzene	8.499	156	128885	52.17	ug/L		93
98) 1,1,2,2-tetrachloroethane	8.467	83	188077	46.16	ug/L		97
99) trans-1,4-dichloro-2-b...	8.502	53	24604	42.48	ug/L	#	76
100) 1,2,3-trichloropropane	8.524	110	50359	42.91	ug/L		93
101) n-propylbenzene	8.576	91	581851	49.89	ug/L		99
102) 2-chlorotoluene	8.669	126	119835	52.22	ug/L		86
103) 4-chlorotoluene	8.787	126	113507	49.34	ug/L		88

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10042022\vl10517\
Data File : l347784.d
Acq On : 3 Oct 2022 6:05 pm
Operator : nicoleh
Sample : jd52644-1msd Inst : GCMSL
Misc : MS62577,VL10517,5,,,,5
ALS Vial : 19 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 04 01:10:05 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
104) 1,3,5-trimethylbenzene	8.746	105	407584	48.75	ug/L	96
105) tert-butylbenzene	9.051	119	362736	51.76	ug/L	99
106) 1,2,4-trimethylbenzene	9.108	105	406947	47.56	ug/L	99
107) sec-butylbenzene	9.266	105	501646	50.08	ug/L	98
108) 1,3-dichlorobenzene	9.394	146	216468	51.88	ug/L	96
109) p-isopropyltoluene	9.413	119	396692	50.22	ug/L	99
110) 1,4-dichlorobenzene	9.493	146	202897	49.59	ug/L	98
111) 1,2,3-trimethylbenzene	9.513	105	383724	47.25	ug/L	98
112) 1,2-dichlorobenzene	9.846	146	202169	49.25	ug/L	96
113) n-butylbenzene	9.811	92	212361	53.72	ug/L	95
114) 1,2-dibromo-3-chloropr...	10.617	157	47953	49.81	ug/L	86
115) 1,3,5-trichlorobenzene	10.799	180	147997	55.88	ug/L	95
116) 1,2,4-trichlorobenzene	11.428	180	123645	57.65	ug/L	98
117) hexachlorobutadiene	11.570	225	49600	57.75	ug/L	89
118) naphthalene	11.695	128	393855	54.38	ug/L	99
119) 1,2,3-trichlorobenzene	11.916	180	110765	57.04	ug/L	87
120) hexachloroethane	10.116	119	78036	47.64	ug/L	90
121) benzyl chloride	9.599	91	334562	47.32	ug/L	98
122) 2-methylnaphthalene	12.824	142	77640	29.94	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10042022\vl10517\
Data File : l347784.d
Acq On : 3 Oct 2022 6:05 pm
Operator : nicoleh
Sample : jd52644-1msd Inst : GCMSL
Misc : MS62577,VL10517,5,,,,5
ALS Vial : 19 Sample Multiplier: 1


Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 04 01:10:05 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration



BFB

Data File : C:\msdchem\1\data\VX8636\1X200546.D Vial: 1
Acq On : 28 Sep 2022 8:11 pm Operator: PrashanS
Sample : BFB Inst : ACC-VOA-M
Misc : MS62283,V1X8636,5,,,,1 Multiplr: 1.00
MS Integration Params: RTEINT.P

Method : C:\MSDCHEM\1\METHODS\M1X8636.M (RTE Integrator)
Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)



AutoFind: Scans 1166, 1167, 1168; Background Corrected with Scan 1159

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	21.5	34122	PASS
75	95	30	60	47.9	76093	PASS
95	95	100	100	100.0	158920	PASS
96	95	5	9	6.7	10654	PASS
173	174	0.00	2	0.0	0	PASS
174	95	50	120	90.4	143600	PASS
175	174	5	9	7.6	10847	PASS
176	174	95	101	96.5	138637	PASS
177	176	5	9	6.7	9314	PASS

1X200546.D M1X8636.M Thu Sep 29 13:49:03 2022 GCMSX

Average of 7.002 to 7.013 min.: 1X200546.D
BFB
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.10	1664	49.10	7258	63.10	5966	77.05	830
37.10	9278	50.10	34122	64.05	555	78.00	574
38.10	8338	51.10	10270	67.05	484	78.95	5442
39.10	3064	52.05	480	68.05	16053	80.00	1635
40.00	181	55.10	459	69.05	16223	80.95	5607
43.00	144	56.05	2721	70.05	1182	81.95	1180
43.20	75	57.05	4771	72.05	766	83.10	138
44.05	1218	58.05	216	73.00	6760	85.80	56
45.05	1677	60.00	1359	74.05	26477	87.00	7228
47.05	2025	61.00	7745	75.10	76093	88.00	6740
48.05	1021	62.10	7973	76.10	6423	90.95	703

Average of 7.002 to 7.013 min.: 1X200546.D
BFB
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
92.00	4446	110.95	178	130.95	212	149.80	132
93.00	6875	112.90	136	134.95	309	152.95	113
94.10	19039	114.95	180	136.90	386	154.95	405
95.05	158920	115.95	657	139.90	171	156.90	368
96.05	10654	117.00	1065	140.95	1596	158.85	215
97.05	353	117.90	634	142.05	244	160.90	217
103.95	820	118.95	938	142.90	1763	171.60	51
104.95	231	123.90	54	145.00	69	172.10	107
105.95	850	127.90	620	145.90	164	174.00	143600
107.00	133	128.95	318	147.95	428	175.00	10847
109.90	64	129.90	627	148.90	54	176.00	138637


Average of 7.002 to 7.013 min.: 1X200546.D
BFB
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
176.95	9314						
178.05	264						

BFB

Data File : C:\msdchem\1\data\lo...-3\v1x8639\1x200643.d Vial: 6
Acq On : 30 Sep 2022 9:46 am Operator: taylors
Sample : bfb Inst : ACC-VOA-MSX
Misc : MS62564,V1X8639,5,,,,1 Multiplr: 1.00
MS Integration Params: RTEINT.P

Method : C:\MSDCHEM\1\METHODS\M1X8636.M (RTE Integrator)
Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)



AutoFind: Scans 1165, 1166, 1167; Background Corrected with Scan 1158

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	20.7	33645	PASS
75	95	30	60	47.3	76947	PASS
95	95	100	100	100.0	162661	PASS
96	95	5	9	6.7	10912	PASS
173	174	0.00	2	0.0	0	PASS
174	95	50	120	90.1	146533	PASS
175	174	5	9	7.6	11197	PASS
176	174	95	101	96.8	141869	PASS
177	176	5	9	6.6	9410	PASS

1x200643.d M1X8636.M Mon Oct 03 06:23:18 2022

Average of 6.997 to 7.008 min.: 1x200643.d\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.10	1748	49.10	7334	62.10	7911	76.10	6639
37.10	9246	50.10	33645	63.10	5451	77.00	962
38.10	8285	51.10	10244	64.05	520	78.00	541
39.10	3168	52.10	474	67.00	170	78.95	5322
40.05	83	55.05	95	68.05	15928	80.00	1519
43.05	255	56.10	2777	69.05	16034	80.90	5484
44.05	1126	57.10	4891	70.05	1372	81.95	1089
45.10	1729	58.00	108	72.05	839	83.00	66
46.20	70	58.20	55	73.05	6675	85.90	64
47.10	2070	60.05	1563	74.10	26589	87.00	6975
48.00	1052	61.10	7527	75.10	76947	88.00	6574

Average of 6.997 to 7.008 min.: 1x200643.d\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
90.95	715	111.00	143	129.90	634	148.90	52
92.00	4551	111.90	58	130.95	281	150.00	116
93.05	6868	112.90	125	134.95	294	152.00	54
94.05	19057	114.90	149	136.85	341	152.90	52
95.10	162661	115.95	561	140.00	70	154.95	474
96.05	10912	116.95	1166	140.95	1812	156.95	275
97.05	324	117.95	638	142.00	240	158.85	159
103.95	868	118.95	926	142.95	1710	160.85	131
105.00	276	125.80	53	145.00	146	171.80	63
105.95	784	127.90	582	145.90	205	174.00	146533
106.95	130	128.95	316	147.95	378	175.00	11197


Average of 6.997 to 7.008 min.: 1x200643.d\data.ms
bfb
Modified:subtracted


m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
176.00	141869						
177.00	9410						
177.70	67						
177.95	198						

SW-846 Method 8260

Data File : C:\MSDChem\1\DATA\V2A9511\2A218780.D Vial: 1
Acq On : 31 Jul 2022 4:50 pm Operator: PrashanS
Sample : BFB Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon May 16 17:44:57 2022





AutoFind: Scans 2168, 2169, 2170; Background Corrected with Scan 2160

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	25.4	75120	PASS
75	95	30	60	49.8	147328	PASS
95	95	100	100	100.0	295616	PASS
96	95	5	9	7.0	20757	PASS
173	174	0.00	2	0.0	0	PASS
174	95	50	120	88.0	260096	PASS
175	174	5	9	7.7	19904	PASS
176	174	95	101	95.6	248768	PASS
177	176	5	9	6.6	16468	PASS

2A218780.D M2A9511.M Mon Aug 01 14:24:31 2022 MS2A

Average of 14.719 to 14.730 min.: 2A218780.D
BFB
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.00	3875	48.00	2112	60.00	3001	71.95	1372
37.00	20709	49.00	15497	61.00	15875	73.00	14021
38.00	17835	50.00	75120	62.00	14595	73.95	50264
39.00	6234	51.00	21885	63.00	11254	75.00	147328
40.00	428	52.00	994	63.95	1038	76.00	12494
41.00	82	52.95	153	67.00	565	76.90	1733
43.00	100	54.95	831	68.00	31712	77.95	1194
43.95	2315	56.00	5567	69.00	30944	78.85	9664
45.00	3496	57.00	9970	69.95	2382	79.85	2795
46.00	393	57.95	549	70.60	67	80.90	9974
47.00	5306	58.70	69	70.95	199	81.85	2369

Average of 14.719 to 14.730 min.: 2A218780.D
BFB
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
82.95	205	96.95	537	115.80	1097	130.85	487
85.75	244	102.70	89	116.90	2216	134.50	145
86.00	142	103.85	1497	117.85	1469	134.85	599
86.90	12047	104.90	524	118.85	1740	136.85	784
87.90	12078	105.85	1405	121.90	72	139.00	80
90.90	1397	106.85	308	122.80	83	140.00	71
91.95	8505	109.75	174	123.85	229	140.80	3663
92.95	12474	110.85	382	125.85	187	141.90	459
94.00	34496	111.90	107	127.75	1210	142.85	3647
95.00	295616	112.85	288	128.80	624	143.90	172
96.00	20757	114.85	319	129.85	1094	144.80	135


Average of 14.719 to 14.730 min.: 2A218780.D
BFB
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
145.80	305	160.80	175	174.90	19904		
146.00	165	161.00	129	175.90	248768		
146.80	243	167.70	83	176.90	16468		
147.80	726	167.90	88	177.85	254		
148.90	183	168.20	72	206.90	336		
149.80	317	169.95	250	209.20	70		
152.85	209	170.65	216				
153.85	254	171.00	148				
154.85	727	171.30	96				
156.80	635	171.50	216				
158.85	490	173.90	260096				

SW-846 Method 8260

Data File : C:\msdchem\1\data\lo...-5\v2a9583\2a220438.d Vial: 2
Acq On : 30 Sep 2022 9:16 am Operator: nicoleh
Sample : bfb Inst : GCMS2A
Misc : MS62539,V2A9583,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022



AutoFind: Scans 2161, 2162, 2163; Background Corrected with Scan 2153

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	21.7	80456	PASS
75	95	30	60	48.5	180032	PASS
95	95	100	100	100.0	371435	PASS
96	95	5	9	6.7	25032	PASS
173	174	0.00	2	0.6	1906	PASS
174	95	50	120	85.0	315563	PASS
175	174	5	9	7.7	24317	PASS
176	174	95	101	98.5	310720	PASS
177	176	5	9	6.6	20520	PASS

2a220438.d M2A9511.M Tue Oct 04 20:02:07 2022

Average of 14.717 to 14.728 min.: 2a220438.d\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.00	3387	49.00	16743	63.00	12147	76.00	15245
37.00	20331	50.00	80456	63.95	1389	77.00	1923
38.05	17029	51.00	23797	65.00	70	77.80	260
39.05	6727	52.05	1083	66.95	1086	78.05	1079
39.90	209	55.00	854	68.00	36656	78.90	9338
42.95	211	56.00	5889	69.00	36285	79.90	2773
43.95	2175	57.00	10249	70.05	2458	80.90	9674
45.05	3704	58.05	577	71.95	1685	81.90	2058
45.95	186	60.00	3954	73.00	14501	83.00	129
47.00	6190	61.00	16676	74.00	57555	85.90	357
47.95	2136	62.00	16213	75.00	180032	87.00	14917

Average of 14.717 to 14.728 min.: 2a220438.d\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
87.95	14829	104.90	467	117.90	1493	140.90	3631
90.95	1166	105.85	1460	118.95	2032	141.85	474
92.00	9600	106.70	73	123.80	167	142.90	3601
93.00	14139	106.95	191	125.70	74	143.85	164
94.00	39019	109.80	335	127.95	1277	144.90	355
95.00	371435	110.95	205	128.95	523	145.85	477
96.00	25032	111.70	78	129.90	1423	146.80	110
96.95	856	112.85	309	130.95	474	147.95	840
102.70	147	114.85	508	134.85	588	148.90	262
102.90	87	115.90	1324	136.90	673	149.80	254
103.90	1345	116.95	2138	139.85	324	151.80	83


Average of 14.717 to 14.728 min.: 2a220438.d\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
152.85	263	174.95	24317				
153.90	172	175.90	310720				
154.95	747	176.95	20520				
156.90	566	177.85	558				
158.10	70						
158.85	466						
160.95	543						
171.80	107						
172.00	127						
173.00	1906						
173.90	315563						

SW-846 Method 8260

Data File : C:\msdchem\1\data\V4D5341\4D120247.D Vial: 1
Acq On : 13 Aug 2022 7:58 pm Operator: PrashanS
Sample : BFB Inst : MS4D
Misc : MS61262,V4D5341,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\MSDCHEM\1\METHODS\M4D5341.M (RTE Integrator)
Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um



AutoFind: Scans 2179, 2180, 2181; Background Corrected with Scan 2171

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	20.6	56496	PASS
75	95	30	60	51.6	141485	PASS
95	95	100	100	100.0	274069	PASS
96	95	5	9	6.8	18675	PASS
173	174	0.00	2	1.1	2724	PASS
174	95	50	120	93.5	256363	PASS
175	174	5	9	7.3	18765	PASS
176	174	95	101	95.9	245909	PASS
177	176	5	9	6.6	16181	PASS

4D120247.D M4D5341.M Wed Aug 17 16:12:42 2022

Average of 15.861 to 15.872 min.: 4D120247.D\data.ms
BFB
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.05	2919	49.05	12715	63.00	10913	74.05	49661
37.10	16428	50.10	56496	64.05	928	75.00	141485
38.10	14294	51.05	16825	65.00	116	76.05	11874
39.10	5241	52.05	655	66.90	235	77.00	1653
40.00	214	54.95	901	67.05	504	78.05	1188
42.95	133	56.00	4910	68.00	30384	78.90	15358
44.00	2243	57.05	9419	69.00	31067	79.95	3976
45.05	2749	58.00	375	70.00	2479	80.90	15398
46.05	251	60.05	2651	71.10	55	81.95	3248
47.05	2805	61.00	14160	72.05	1555	83.00	367
48.00	1644	62.00	13694	73.00	12847	85.90	322

Average of 15.861 to 15.872 min.: 4D120247.D\data.ms
BFB
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
87.00	11332	104.85	471	118.90	1950	139.00	64
88.00	11179	105.90	1848	123.00	51	139.85	262
90.90	1439	106.85	367	123.85	214	140.95	3426
92.00	8441	109.90	290	124.80	54	141.95	408
93.00	13074	110.90	425	127.00	106	142.95	3719
94.00	33869	111.85	290	127.90	1139	143.90	266
95.00	274069	112.90	506	128.95	558	144.95	328
96.00	18675	114.95	311	129.95	1233	145.85	469
97.05	543	115.90	1528	130.90	512	147.00	183
102.90	237	116.95	2429	134.90	620	147.95	708
103.90	1904	117.90	1324	136.95	699	148.85	185


Average of 15.861 to 15.872 min.: 4D120247.D\data.ms
BFB
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
149.90	330	175.00	18765				
152.90	228	176.00	245909				
153.95	118	177.00	16181				
154.95	675	177.90	427				
156.95	459	207.00	115				
158.90	384						
160.90	349						
170.80	111						
172.05	555						
173.05	2724						
174.00	256363						

SW-846 Method 8260

Data File : C:\msdchem\1\data\re...22\v4d5406\4d121696.d Vial: 27
Acq On : 29 Sep 2022 8:44 pm Operator: taylors
Sample : BFB Inst : MS4D
Misc : MS62508,V4D5406,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\MSDCHEM\1\METHODS\M4D5341.M (RTE Integrator)
Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um



AutoFind: Scans 2627, 2628, 2629; Background Corrected with Scan 2618

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	20.5	62429	PASS
75	95	30	60	45.8	139764	PASS
95	95	100	100	100.0	305024	PASS
96	95	5	9	6.6	20077	PASS
173	174	0.00	2	0.0	0	PASS
174	95	50	120	90.8	277099	PASS
175	174	5	9	7.7	21347	PASS
176	174	95	101	97.9	271339	PASS
177	176	5	9	6.6	17779	PASS

4d121696.d M4D5341.M Fri Sep 30 19:29:58 2022

Average of 15.860 to 15.871 min.: 4d121696.d\data.ms
BFB
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.00	3137	48.00	2003	62.00	13622	75.00	139764
37.05	17129	49.00	13152	63.05	10122	76.00	12039
38.05	15208	50.00	62429	64.05	903	77.00	1713
39.10	5539	51.00	19135	65.00	158	77.95	1235
40.00	53	52.05	849	67.05	762	78.90	10491
40.95	180	54.95	729	68.00	29325	79.90	2975
43.05	110	56.00	4776	69.00	29373	80.90	10940
44.00	1922	57.00	8673	70.00	2264	81.90	2296
45.00	3081	58.00	331	72.00	1415	83.00	265
46.05	269	60.00	2713	73.00	12247	86.00	411
47.05	4509	61.00	13226	74.00	47736	87.00	13004

Average of 15.860 to 15.871 min.: 4d121696.d\data.ms
BFB
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
88.00	12404	105.90	1601	118.90	1718	139.00	59
90.90	1362	106.95	301	123.00	54	139.95	330
92.00	8150	109.70	75	123.90	254	140.95	3352
93.00	12707	109.90	110	126.80	69	141.90	416
94.00	35864	110.95	361	127.90	1273	142.90	3322
95.00	305024	111.90	222	128.95	651	143.90	139
96.00	20077	112.80	292	129.90	1318	144.90	333
97.00	581	114.85	330	130.90	586	145.90	463
102.95	220	115.90	1323	133.90	51	146.80	203
103.90	1530	116.90	2194	134.90	617	147.90	830
105.00	251	117.90	1282	136.85	604	148.95	283


Average of 15.860 to 15.871 min.: 4d121696.d\data.ms
BFB
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
149.90	416	172.10	230				
151.85	136	173.90	277099				
152.85	221	175.00	21347				
153.85	204	175.90	271339				
154.90	851	176.95	17779				
155.90	83	177.95	479				
156.90	545	207.00	107				
158.90	406						
160.90	488						
171.00	190						
171.30	115						

SW-846 Method 8260

Data File : C:\msdchem\1\DATA\VL10355\L342967.D Vial: 1
Acq On : 15 Jun 2022 4:00 pm Operator: BridgetK
Sample : bfb Inst : GCMSL
Misc : MS59602,VL10355,5,,,,1 Multiplr: 1.00
MS Integration Params: lscint.p

Method : C:\MSDCHEM\1\METHODS\ML10355.M (RTE Integrator)
Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um



AutoFind: Scans 2139, 2140, 2141; Background Corrected with Scan 2126

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	15.4	15125	PASS
75	95	30	60	49.4	48661	PASS
95	95	100	100	100.0	98445	PASS
96	95	5	9	6.7	6625	PASS
173	174	0.00	2	0.0	0	PASS
174	95	50	120	67.7	66648	PASS
175	174	5	9	7.7	5157	PASS
176	174	95	101	96.2	64099	PASS
177	176	5	9	6.0	3835	PASS

L342967.D ML10355.M Thu Jun 16 15:29:52 2022 1

Average of 8.351 to 8.358 min.: L342967.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.05	681	49.00	3250	63.90	134	75.00	48661
37.10	3842	50.05	15125	64.05	194	76.00	4379
38.05	2959	51.10	4796	66.80	105	76.95	656
39.05	1410	52.10	204	67.10	123	77.70	75
39.95	141	55.05	425	68.00	9051	78.05	290
42.00	89	56.00	1315	69.05	9131	78.95	3052
43.00	221	57.00	2728	70.00	827	79.95	802
44.00	539	60.00	741	71.10	97	80.95	2857
45.05	771	61.00	4236	72.00	408	81.90	683
47.05	720	62.05	4544	73.05	4508	83.00	262
48.00	555	63.00	3193	74.00	17262	87.00	3854


Average of 8.351 to 8.358 min.: L342967.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
87.95	3421	105.10	72	130.00	120	172.30	128
90.80	148	105.90	593	134.80	88	173.90	66648
91.10	140	111.10	71	136.90	103	174.95	5157
92.00	2698	112.80	95	140.90	887	175.90	64099
93.00	3888	115.95	320	142.00	85	176.95	3835
94.00	11458	116.90	681	142.85	1175		
95.00	98445	117.80	367	147.90	149		
96.00	6625	118.95	520	154.90	149		
97.00	75	127.95	214	157.00	151		
103.95	450	129.00	123	160.80	72		
104.80	67	129.80	88	170.50	143		

SW-846 Method 8260

Data File : C:\msdchem\1\DATA\VL10355\L342984.D Vial: 18
Acq On : 16 Jun 2022 9:43 am Operator: BridgetK
Sample : bfb2 Inst : GCMSL
Misc : MS59602,VL10355,5,,,,1 Multiplr: 1.00
MS Integration Params: lscint.p

Method : C:\MSDCHEM\1\METHODS\ML10355.M (RTE Integrator)
Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um



AutoFind: Scans 2138, 2139, 2140; Background Corrected with Scan 2124

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	15.8	14743	PASS
75	95	30	60	50.6	47061	PASS
95	95	100	100	100.0	93093	PASS
96	95	5	9	6.9	6458	PASS
173	174	0.00	2	0.3	176	PASS
174	95	50	120	68.9	64179	PASS
175	174	5	9	7.4	4737	PASS
176	174	95	101	97.9	62803	PASS
177	176	5	9	6.6	4165	PASS

L342984.D ML10355.M Thu Jun 16 15:31:19 2022 1

Average of 8.348 to 8.354 min.: L342984.D\data.ms
bfb2
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
35.95	826	48.10	471	62.00	4093	74.05	15753
37.05	3606	49.05	3350	63.05	3093	75.00	47061
38.10	3755	50.00	14743	63.85	157	76.00	4182
39.05	1470	51.05	4490	64.10	175	76.95	672
40.00	1	51.90	192	66.95	9	77.30	186
41.05	163	54.80	83	68.05	9890	77.90	113
43.00	117	55.05	261	69.00	8997	78.05	212
44.00	201	56.05	1433	70.00	804	78.95	2685
45.00	772	57.05	1808	71.20	80	79.90	977
47.05	886	60.05	754	71.95	616	80.90	2942
47.60	169	61.00	4357	72.95	3914	81.85	647


Average of 8.348 to 8.354 min.: L342984.D\data.ms
bfb2
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
82.90	162	105.00	97	128.90	68	172.90	176
87.00	3873	105.95	413	129.80	130	173.90	64179
87.90	3598	112.70	69	130.80	92	174.95	4737
90.95	475	114.95	214	134.90	82	175.90	62803
92.00	2503	115.80	162	136.90	220	176.90	4165
92.95	4004	115.95	337	140.90	998	177.70	71
94.00	10851	116.90	786	142.90	844	206.90	80
95.00	93093	117.70	79	147.85	272		
96.00	6458	118.00	312	154.85	240		
97.00	247	118.90	496	156.90	73		
103.95	352	127.95	320	160.90	188		

SW-846 Method 8260

Data File : C:\msdchem\1\data\kr...022\vl10517\l347768.d Vial: 3
Acq On : 3 Oct 2022 11:43 am Operator: nicoleh
Sample : bfb Inst : GCMSL
Misc : MS62644,VL10517,5,,,,1 Multiplr: 1.00
MS Integration Params: lscint.p

Method : C:\MSDCHEM\1\METHODS\ML10355.M (RTE Integrator)
Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um



Spectrum Information: Average of 8.348 to 8.361 min.

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	15.4	12914	PASS
75	95	30	60	47.2	39723	PASS
95	95	100	100	100.0	84117	PASS
96	95	5	9	7.3	6113	PASS
173	174	0.00	2	0.0	0	PASS
174	95	50	120	74.0	62256	PASS
175	174	5	9	7.5	4678	PASS
176	174	95	101	97.6	60766	PASS
177	176	5	9	6.4	3883	PASS

l347768.d ML10355.M Mon Oct 03 22:46:39 2022

Average of 8.348 to 8.361 min.: l347768.d\data.ms
bfb

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.05	749.4	48.10	151.2	60.05	1057.2	72.10	345.4
37.05	3427	48.20	67.6	61.10	3426.2	73.05	3279.6
38.05	3012.4	48.40	63.6	62.05	3586.8	74.10	12726.2
39.10	1108.2	49.05	3023.8	63.10	2310.2	75.10	39723.2
39.90	124	50.05	12913.6	64.05	241	76.05	3683.8
40.05	357.8	51.10	4415.6	66.85	156.6	76.95	420.8
42.10	56.4	52.05	162.2	67.10	49.2	77.90	126.2
44.05	1173.8	55.05	236.8	68.05	8127.4	78.15	160.2
45.05	628.4	56.00	1237.8	69.00	7530.4	78.95	1524.8
47.00	1031.6	57.10	1865.6	70.10	650.8	79.75	129.8
48.05	250.8	58.00	43.8	71.80	65.4	80.00	455.8

Average of 8.348 to 8.361 min.: l347768.d\data.ms
bfb

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
80.95	1953.4	103.95	137.8	128.85	162.4	154.95	152.2
81.95	453.8	105.00	212.4	129.90	190	157.00	91.8
87.05	3555.4	105.90	214	130.95	125.8	172.60	47
88.00	3249.4	106.10	73.8	140.90	674.8	174.00	62256
90.90	292.6	114.80	51.4	141.90	46	175.00	4677.6
92.00	2521.6	115.70	50.6	142.90	1003.8	176.00	60766.4
93.05	3206	116.00	102.8	144.80	45.2	177.00	3883
94.05	9362	116.95	639.8	146.00	51.8		
95.05	84116.8	117.95	267.4	147.85	127.2		
96.05	6113.2	118.90	326.6	151.80	41.4		
103.70	57.6	127.95	472.6	154.00	43.6		

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200548.D
Acq On : 28 Sep 2022 9:15 pm
Operator : PrashanS
Sample : IC8636-0.2
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 13:50:55 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	2.44	65	348975	500.00	ug/L		0.00
5) pentafluorobenzene	3.51	168	393791	50.00	ug/L		0.00
52) 1,4-difluorobenzene	4.00	114	552425	50.00	ug/L		0.00
73) chlorobenzene-d5	6.08	117	504410	50.00	ug/L		0.00
97) 1,4-dichlorobenzene-d4	7.89	152	247386	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	3.51	113	182448	49.33	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.66%				
53) 1,2-dichloroethane-d4 (s)	3.73	65	208890	50.87	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 101.74%				
74) toluene-d8 (s)	5.00	98	605292	50.60	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.20%				
98) 4-bromofluorobenzene (s)	7.01	95	218369	51.57	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 103.14%				
Target Compounds							Qvalue
6) chlorodifluoromethane	1.25	51	748	0.23	ug/L		66
12) trichlorofluoromethane	1.86	101	878	0.18	ug/L		92
16) 1,1-dichloroethene	2.17	96	392	0.17	ug/L		83
17) freon 113	2.17	101	493	0.18	ug/L		93
24) methyl tert butyl ether	2.60	73	1279	0.20	ug/L		92
27) hexane	2.77	57	865	0.23	ug/L		86
28) di-isopropyl ether	2.87	45	1549	0.19	ug/L		94
30) 1,1-dichloroethane	2.88	63	745	0.18	ug/L		79
31) chloroprene	2.92	53	770	0.19	ug/L		73
33) ethyl tert-butyl ether	3.09	59	1475	0.20	ug/L		97
35) 2,2-dichloropropane	3.22	77	745	0.22	ug/L		79
38) propionitrile	3.23	54	1166	1.95	ug/L		83
40) bromochloromethane	3.36	128	311	0.24	ug/L		94
45) 1,1,1-trichloroethane	3.53	97	877	0.21	ug/L	#	1
46) cyclohexane	3.58	84	799	0.21	ug/L	#	68
48) 1,1-dichloropropene	3.62	75	743	0.22	ug/L		81
50) carbon tetrachloride	3.62	117	791	0.21	ug/L		97
54) iso-octane	3.82	57	1682	0.22	ug/L		88
57) benzene	3.75	78	2285	0.25	ug/L		97
58) tert-amyl methyl ether	3.82	73	1179	0.18	ug/L		91
59) heptane	3.91	57	283	0.21	ug/L	#	84
62) ethyl acrylate	4.19	55	682	0.17	ug/L		72
68) methylcyclohexane	4.33	83	774	0.19	ug/L		91
71) 4-methyl-2-pentanone	4.89	58	867	0.64	ug/L		97
78) 1,1,2-trichloroethane	5.35	83	359	0.21	ug/L	#	75
79) tetrachloroethene	5.42	164	527	0.23	ug/L		95
80) 1,3-dichloropropane	5.47	76	768	0.24	ug/L		98
81) 2-hexanone	5.49	58	901	0.66	ug/L		93
82) butyl acetate	5.57	56	429	0.23	ug/L	#	80
83) dibromochloromethane	5.64	129	461	0.18	ug/L		76
85) n-butyl ether	6.15	57	1846	0.20	ug/L		92
88) ethylbenzene	6.17	91	2440	0.23	ug/L		87
89) m,p-xylene	6.27	106	1748	0.41	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200548.D
Acq On : 28 Sep 2022 9:15 pm
Operator : PrashanS
Sample : IC8636-0.2
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 13:50:55 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
90) o-xylene	6.58	91	1621	0.20	ug/L		88
91) styrene	6.59	104	1642	0.24	ug/L		91
95) isopropylbenzene	6.86	105	2137	0.20	ug/L		97
100) 1,1,2,2-tetrachloroethane	7.11	83	453	0.16	ug/L		95
103) n-propylbenzene	7.19	91	2577	0.23	ug/L		99
104) 2-chlorotoluene	7.27	126	448	0.18	ug/L	#	84
106) 1,3,5-trimethylbenzene	7.33	105	1428	0.19	ug/L		89
107) tert-butylbenzene	7.57	119	1489	0.20	ug/L		90
108) 1,2,4-trimethylbenzene	7.62	105	1596	0.21	ug/L		100
109) sec-butylbenzene	7.73	105	2010	0.20	ug/L		95
111) p-isopropyltoluene	7.85	119	1680	0.19	ug/L		94
115) n-butylbenzene	8.13	92	804	0.21	ug/L		84
117) 1,3,5-trichlorobenzene	8.82	180	653	0.22	ug/L		85
118) hexachlorobutadiene	9.30	225	193	0.18	ug/L	#	49
119) naphthalene	9.39	128	2329	0.24	ug/L		81
120) 1,2,4-trichlorobenzene	9.22	180	575	0.22	ug/L	#	71
121) 1,2,3-trichlorobenzene	9.53	180	539	0.21	ug/L		86

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200548.D
Acq On : 28 Sep 2022 9:15 pm
Operator : PrashanS
Sample : IC8636-0.2
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 13:50:55 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200550.D
Acq On : 28 Sep 2022 9:47 pm
Operator : PrashanS
Sample : IC8636-0.5
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 29 13:52:58 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	2.44	65	344022	500.00	ug/L		0.00
5) pentafluorobenzene	3.51	168	387430	50.00	ug/L		0.00
52) 1,4-difluorobenzene	4.00	114	545173	50.00	ug/L		0.00
73) chlorobenzene-d5	6.08	117	510604	50.00	ug/L		0.00
97) 1,4-dichlorobenzene-d4	7.89	152	252825	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	3.51	113	184543	50.72	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.44%				
53) 1,2-dichloroethane-d4 (s)	3.73	65	211686	52.23	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 104.46%				
74) toluene-d8 (s)	5.00	98	608329	50.24	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.48%				
98) 4-bromofluorobenzene (s)	7.01	95	222341	51.38	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.76%				
Target Compounds							Qvalue
6) chlorodifluoromethane	1.26	51	1749	0.55	ug/L		89
7) dichlorodifluoromethane	1.24	85	1460	0.46	ug/L		94
9) vinyl chloride	1.44	62	1847	0.52	ug/L		95
12) trichlorofluoromethane	1.87	101	2028	0.42	ug/L		94
14) ethyl ether	2.03	74	545	0.47	ug/L	#	65
16) 1,1-dichloroethene	2.18	96	1138	0.51	ug/L		96
17) freon 113	2.17	101	1350	0.50	ug/L		92
18) acetone	2.19	58	853	2.37	ug/L	#	67
21) carbon disulfide	2.32	76	2774	0.49	ug/L		97
22) methylene chloride	2.47	84	1051	0.50	ug/L	#	81
24) methyl tert butyl ether	2.61	73	3034	0.47	ug/L		99
25) acrylonitrile	2.59	53	647	0.45	ug/L		98
26) trans-1,2-dichloroethene	2.62	96	1173	0.50	ug/L		97
27) hexane	2.78	57	1847	0.50	ug/L		88
28) di-isopropyl ether	2.88	45	4075	0.51	ug/L		93
29) 2-butanone	3.20	72	725	1.66	ug/L		98
30) 1,1-dichloroethane	2.88	63	2038	0.50	ug/L		95
31) chloroprene	2.93	53	1637	0.40	ug/L		97
33) ethyl tert-butyl ether	3.10	59	3264	0.45	ug/L		91
34) ethyl acetate	3.21	45	343	0.52	ug/L	#	25
35) 2,2-dichloropropane	3.23	77	1714	0.51	ug/L		95
36) cis-1,2-dichloroethene	3.22	96	1350	0.53	ug/L		87
37) methyl acrylate	3.25	55	1757	0.44	ug/L		90
38) propionitrile	3.24	54	2760	4.69	ug/L	#	60
39) tert-butyl formate	3.43	59	712	0.43	ug/L		83
40) bromochloromethane	3.37	128	676	0.53	ug/L		82
42) chloroform	3.42	83	2416	0.59	ug/L		94
44) methacrylonitrile	3.34	67	595	0.46	ug/L		86
45) 1,1,1-trichloroethane	3.54	97	2025	0.50	ug/L	#	1
46) cyclohexane	3.59	84	1755	0.48	ug/L		92
47) tert amyl alcohol	3.73	55	535	2.57	ug/L	#	62
48) 1,1-dichloropropene	3.63	75	1544	0.46	ug/L		94
50) carbon tetrachloride	3.63	117	1687	0.45	ug/L		91

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200550.D
Acq On : 28 Sep 2022 9:47 pm
Operator : PrashanS
Sample : IC8636-0.5
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 29 13:52:58 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
51) isopropyl acetate	3.75	87	259	0.41 ug/L	#	25
54) iso-octane	3.81	57	3957	0.53 ug/L		94
55) epichlorohydrin	4.72	57	794	1.92 ug/L		80
56) n-butyl alcohol	4.06	56	2312	16.86 ug/L		89
57) benzene	3.75	78	4276	0.48 ug/L		100
58) tert-amyl methyl ether	3.82	73	2717	0.42 ug/L		93
59) heptane	3.91	57	603	0.45 ug/L		88
61) trichloroethene	4.17	130	1396	0.48 ug/L		92
62) ethyl acrylate	4.20	55	1812	0.45 ug/L		82
64) 2-chloroethyl vinyl ether	4.68	63	3456	2.02 ug/L		94
66) 1,2-dichloropropane	4.34	76	406	0.43 ug/L	#	83
67) dibromomethane	4.40	93	905	0.60 ug/L	#	74
68) methylcyclohexane	4.33	83	1933	0.49 ug/L		86
69) bromodichloromethane	4.50	83	1284	0.45 ug/L		73
70) cis-1,3-dichloropropene	4.80	75	1354	0.40 ug/L		93
71) 4-methyl-2-pentanone	4.89	58	2395	1.79 ug/L		90
75) toluene	5.05	92	2709	0.48 ug/L		98
76) trans-1,3-dichloropropene	5.20	75	1339	0.43 ug/L		98
77) ethyl methacrylate	5.23	69	1260	0.42 ug/L	#	85
78) 1,1,2-trichloroethane	5.35	83	774	0.44 ug/L		95
79) tetrachloroethene	5.43	164	968	0.42 ug/L		84
80) 1,3-dichloropropane	5.47	76	1548	0.47 ug/L		91
81) 2-hexanone	5.49	58	2530	1.83 ug/L		99
82) butyl acetate	5.57	56	902	0.47 ug/L	#	61
83) dibromochloromethane	5.64	129	974	0.38 ug/L		88
84) 1,2-dibromoethane	5.73	107	1062	0.43 ug/L		98
85) n-butyl ether	6.15	57	4381	0.46 ug/L		95
86) chlorobenzene	6.10	112	3103	0.49 ug/L		82
88) ethylbenzene	6.17	91	5149	0.48 ug/L		93
89) m,p-xylene	6.27	106	4048	0.95 ug/L		97
90) o-xylene	6.58	91	3780	0.46 ug/L		98
91) styrene	6.59	104	3123	0.45 ug/L		88
92) butyl acrylate	6.52	55	2141	0.42 ug/L		90
93) n-amyl acetate	6.69	70	676	0.40 ug/L	#	65
95) isopropylbenzene	6.86	105	5086	0.47 ug/L		98
99) bromobenzene	7.13	156	1454	0.51 ug/L		80
100) 1,1,2,2-tetrachloroethane	7.10	83	1229	0.41 ug/L		86
102) 1,2,3-trichloropropane	7.16	110	396	0.41 ug/L	#	73
103) n-propylbenzene	7.19	91	5462	0.47 ug/L		94
104) 2-chlorotoluene	7.27	126	1257	0.48 ug/L		86
105) 4-chlorotoluene	7.37	91	3238	0.48 ug/L		99
106) 1,3,5-trimethylbenzene	7.33	105	3495	0.45 ug/L		96
107) tert-butylbenzene	7.57	119	3576	0.48 ug/L		98
108) 1,2,4-trimethylbenzene	7.62	105	3591	0.47 ug/L		90
109) sec-butylbenzene	7.74	105	4769	0.46 ug/L		90
110) 1,3-dichlorobenzene	7.83	146	2627	0.52 ug/L		99
111) p-isopropyltoluene	7.85	119	4083	0.46 ug/L		89
112) 1,4-dichlorobenzene	7.90	146	2861	0.55 ug/L		93
113) 1,2-dichlorobenzene	8.16	146	2285	0.47 ug/L		97
115) n-butylbenzene	8.13	92	1557	0.40 ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200550.D
Acq On : 28 Sep 2022 9:47 pm
Operator : PrashanS
Sample : IC8636-0.5
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 29 13:52:58 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
117) 1,3,5-trichlorobenzene	8.82	180	1412	0.46	ug/L	87
118) hexachlorobutadiene	9.31	225	493	0.45	ug/L	98
119) naphthalene	9.39	128	4619	0.47	ug/L	96
120) 1,2,4-trichlorobenzene	9.22	180	1199	0.45	ug/L	89
121) 1,2,3-trichlorobenzene	9.53	180	1248	0.48	ug/L	92
123) 2-methylnaphthalene	10.11	142	1193	0.22	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200550.D
Acq On : 28 Sep 2022 9:47 pm
Operator : PrashanS
Sample : IC8636-0.5
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 29 13:52:58 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200552.D
Acq On : 28 Sep 2022 10:23 pm
Operator : PrashanS
Sample : IC8636-1
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Sep 29 13:54:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	2.44	65	360242	500.00	ug/L	0.00
5) pentafluorobenzene	3.51	168	388987	50.00	ug/L	0.00
52) 1,4-difluorobenzene	4.00	114	545443	50.00	ug/L	0.00
73) chlorobenzene-d5	6.08	117	512993	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.88	152	256528	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.51	113	184869	50.61	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.22%			
53) 1,2-dichloroethane-d4 (s)	3.73	65	210855	52.00	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 104.00%			
74) toluene-d8 (s)	5.00	98	613113	50.40	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.80%			
98) 4-bromofluorobenzene (s)	7.01	95	224494	51.13	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.26%			
Target Compounds						Qvalue
2) ethanol	1.95	45	4664	142.74	ug/L	97
3) tertiary butyl alcohol	2.49	59	3114	5.71	ug/L	62
4) 1,4-dioxane	4.38	88	871	18.91	ug/L	83
6) chlorodifluoromethane	1.26	51	3646	1.14	ug/L	99
7) dichlorodifluoromethane	1.24	85	3550	1.12	ug/L	96
8) chloromethane	1.37	50	3918	1.20	ug/L	98
9) vinyl chloride	1.44	62	3682	1.04	ug/L	96
10) bromomethane	1.64	96	466	0.84	ug/L	87
11) chloroethane	1.71	64	1814	1.27	ug/L	91
12) trichlorofluoromethane	1.86	101	4948	1.02	ug/L	98
14) ethyl ether	2.02	74	1225	1.05	ug/L	91
15) acrolein	2.10	56	757	1.10	ug/L	86
16) 1,1-dichloroethene	2.17	96	2187	0.97	ug/L	92
17) freon 113	2.17	101	2696	1.00	ug/L	94
18) acetone	2.19	58	1679	4.66	ug/L	96
19) acetonitrile	2.35	41	6079	12.44	ug/L	92
21) carbon disulfide	2.32	76	5788	1.02	ug/L	95
22) methylene chloride	2.46	84	2457	1.16	ug/L	83
24) methyl tert butyl ether	2.61	73	6986	1.09	ug/L	94
25) acrylonitrile	2.59	53	1540	1.06	ug/L	85
26) trans-1,2-dichloroethene	2.62	96	2485	1.05	ug/L	95
27) hexane	2.78	57	3881	1.05	ug/L	97
28) di-isopropyl ether	2.88	45	8429	1.05	ug/L	96
29) 2-butanone	3.20	72	1800	4.10	ug/L #	84
30) 1,1-dichloroethane	2.88	63	4583	1.11	ug/L	96
31) chloroprene	2.93	53	4101	1.01	ug/L	93
32) vinyl acetate	2.86	86	417	0.82	ug/L #	56
33) ethyl tert-butyl ether	3.10	59	7397	1.02	ug/L	94
34) ethyl acetate	3.21	45	643	0.97	ug/L	75
35) 2,2-dichloropropane	3.23	77	3586	1.06	ug/L	94
36) cis-1,2-dichloroethene	3.22	96	2784	1.09	ug/L	91
37) methyl acrylate	3.25	55	4052	1.00	ug/L	96
38) propionitrile	3.24	54	6572	11.11	ug/L	76

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200552.D
Acq On : 28 Sep 2022 10:23 pm
Operator : PrashanS
Sample : IC8636-1
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Sep 29 13:54:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
39) tert-butyl formate	3.43	59	1575	0.94 ug/L	#	82
40) bromochloromethane	3.36	128	1361	1.07 ug/L	#	77
42) chloroform	3.42	83	4791	1.17 ug/L		91
44) methacrylonitrile	3.34	67	1206	0.93 ug/L		87
45) 1,1,1-trichloroethane	3.53	97	4073	1.00 ug/L	#	1
46) cyclohexane	3.58	84	4058	1.10 ug/L		97
47) tert amyl alcohol	3.72	55	1209	5.78 ug/L	#	71
48) 1,1-dichloropropene	3.63	75	3379	1.00 ug/L		95
49) isobutyl alcohol	3.82	42	580	11.68 ug/L	#	49
50) carbon tetrachloride	3.63	117	3505	0.94 ug/L		97
51) isopropyl acetate	3.74	87	561	0.88 ug/L	#	54
54) iso-octane	3.81	57	7909	1.06 ug/L		96
55) epichlorohydrin	4.72	57	2068	5.00 ug/L		85
56) n-butyl alcohol	4.06	56	6135	44.72 ug/L		83
57) benzene	3.76	78	9747	1.09 ug/L		95
58) tert-amyl methyl ether	3.81	73	6424	1.00 ug/L		94
59) heptane	3.92	57	1538	1.15 ug/L	#	80
60) 1,2-dichloroethane	3.78	62	4269	1.30 ug/L		93
61) trichloroethene	4.17	130	3105	1.06 ug/L		95
62) ethyl acrylate	4.19	55	3833	0.96 ug/L		96
63) 2-nitropropane	4.65	41	933	0.94 ug/L		83
64) 2-chloroethyl vinyl ether	4.68	63	8184	4.78 ug/L		98
65) methyl methacrylate	4.35	100	782	0.98 ug/L	#	60
66) 1,2-dichloropropane	4.34	76	915	0.98 ug/L	#	77
67) dibromomethane	4.40	93	1772	1.17 ug/L		86
68) methylcyclohexane	4.33	83	3821	0.96 ug/L		97
69) bromodichloromethane	4.50	83	2704	0.95 ug/L		92
70) cis-1,3-dichloropropene	4.80	75	3081	0.91 ug/L		98
71) 4-methyl-2-pentanone	4.89	58	5323	3.97 ug/L		98
72) 3-methyl-1-butanol	4.92	70	1663	14.78 ug/L		97
75) toluene	5.05	92	5985	1.06 ug/L		98
76) trans-1,3-dichloropropene	5.20	75	2673	0.86 ug/L		91
77) ethyl methacrylate	5.23	69	2947	0.97 ug/L		90
78) 1,1,2-trichloroethane	5.35	83	1903	1.07 ug/L		93
79) tetrachloroethene	5.42	164	2239	0.97 ug/L		89
80) 1,3-dichloropropane	5.47	76	3475	1.05 ug/L		99
81) 2-hexanone	5.49	58	5707	4.10 ug/L		98
82) butyl acetate	5.57	56	2118	1.11 ug/L		88
83) dibromochloromethane	5.63	129	2235	0.88 ug/L		95
84) 1,2-dibromoethane	5.73	107	2293	0.93 ug/L		100
85) n-butyl ether	6.15	57	9486	1.00 ug/L		97
86) chlorobenzene	6.10	112	7209	1.13 ug/L		98
87) 1,1,1,2-tetrachloroethane	6.16	131	2101	0.87 ug/L		98
88) ethylbenzene	6.17	91	11089	1.03 ug/L		98
89) m,p-xylene	6.27	106	8959	2.08 ug/L		94
90) o-xylene	6.58	91	8538	1.04 ug/L		92
91) styrene	6.59	104	7026	1.00 ug/L		92
92) butyl acrylate	6.51	55	4700	0.92 ug/L		96
93) n-amyl acetate	6.69	70	1605	0.94 ug/L	#	61
94) bromoform	6.74	173	1231	0.70 ug/L		80

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200552.D
Acq On : 28 Sep 2022 10:23 pm
Operator : PrashanS
Sample : IC8636-1
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Sep 29 13:54:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
95) isopropylbenzene	6.86	105	10985	1.01 ug/L	97
99) bromobenzene	7.13	156	3093	1.08 ug/L	96
100) 1,1,2,2-tetrachloroethane	7.10	83	2962	0.99 ug/L	89
102) 1,2,3-trichloropropane	7.16	110	984	1.01 ug/L	91
103) n-propylbenzene	7.19	91	12072	1.02 ug/L	98
104) 2-chlorotoluene	7.27	126	2820	1.07 ug/L	98
105) 4-chlorotoluene	7.36	91	7640	1.11 ug/L	97
106) 1,3,5-trimethylbenzene	7.33	105	8051	1.02 ug/L	96
107) tert-butylbenzene	7.57	119	7714	1.02 ug/L	93
108) 1,2,4-trimethylbenzene	7.62	105	8077	1.03 ug/L	98
109) sec-butylbenzene	7.73	105	10593	1.00 ug/L	98
110) 1,3-dichlorobenzene	7.83	146	5259	1.02 ug/L	99
111) p-isopropyltoluene	7.85	119	8711	0.97 ug/L	97
112) 1,4-dichlorobenzene	7.90	146	5598	1.07 ug/L	97
113) 1,2-dichlorobenzene	8.16	146	4916	1.01 ug/L	93
114) benzyl chloride	7.98	91	3601	0.74 ug/L	91
115) n-butylbenzene	8.14	92	3913	0.98 ug/L	86
117) 1,3,5-trichlorobenzene	8.82	180	3062	0.98 ug/L	86
118) hexachlorobutadiene	9.31	225	1198	1.08 ug/L	87
119) naphthalene	9.39	128	10192	1.02 ug/L	96
120) 1,2,4-trichlorobenzene	9.22	180	2710	1.00 ug/L	90
121) 1,2,3-trichlorobenzene	9.53	180	2548	0.96 ug/L	96
123) 2-methylnaphthalene	10.11	142	2302	0.43 ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200552.D
Acq On : 28 Sep 2022 10:23 pm
Operator : PrashanS
Sample : IC8636-1
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Sep 29 13:54:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200554.D
Acq On : 28 Sep 2022 11:00 pm
Operator : PrashanS
Sample : IC8636-2
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Sep 29 13:57:24 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	2.44	65	361361	500.00	ug/L	0.00
5) pentafluorobenzene	3.51	168	388246	50.00	ug/L	0.00
52) 1,4-difluorobenzene	4.00	114	544910	50.00	ug/L	0.00
73) chlorobenzene-d5	6.08	117	515236	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.88	152	257938	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.51	113	185461	50.87	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.74%			
53) 1,2-dichloroethane-d4 (s)	3.73	65	213669	52.75	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 105.50%			
74) toluene-d8 (s)	5.00	98	617059	50.50	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.00%			
98) 4-bromofluorobenzene (s)	7.01	95	225374	51.05	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.10%			
Target Compounds						Qvalue
2) ethanol	1.95	45	8009	244.36	ug/L	99
3) tertiary butyl alcohol	2.49	59	5662	10.35	ug/L	72
4) 1,4-dioxane	4.38	88	2163	46.81	ug/L	81
6) chlorodifluoromethane	1.26	51	6911	2.16	ug/L	96
7) dichlorodifluoromethane	1.24	85	6215	1.97	ug/L	99
8) chloromethane	1.37	50	6841	2.10	ug/L	91
9) vinyl chloride	1.44	62	6801	1.93	ug/L	97
10) bromomethane	1.64	96	884	1.60	ug/L	91
11) chloroethane	1.71	64	3120	2.18	ug/L	88
12) trichlorofluoromethane	1.86	101	8970	1.85	ug/L	97
14) ethyl ether	2.02	74	2307	1.97	ug/L	95
15) acrolein	2.11	56	1288	1.88	ug/L	95
16) 1,1-dichloroethene	2.17	96	4484	2.00	ug/L	87
17) freon 113	2.17	101	5555	2.06	ug/L	93
18) acetone	2.19	58	3101	8.62	ug/L #	78
19) acetonitrile	2.35	41	11025	22.60	ug/L	95
20) iodomethane	2.27	142	505	0.33	ug/L	89
21) carbon disulfide	2.32	76	10478	1.85	ug/L	99
22) methylene chloride	2.46	84	4242	2.01	ug/L	97
23) methyl acetate	2.36	43	6758	2.20	ug/L	98
24) methyl tert butyl ether	2.61	73	12416	1.93	ug/L	98
25) acrylonitrile	2.59	53	2808	1.94	ug/L	95
26) trans-1,2-dichloroethene	2.62	96	4856	2.06	ug/L	85
27) hexane	2.78	57	7715	2.10	ug/L	97
28) di-isopropyl ether	2.88	45	15516	1.94	ug/L	96
29) 2-butanone	3.20	72	3238	7.40	ug/L	96
30) 1,1-dichloroethane	2.88	63	8289	2.01	ug/L	98
31) chloroprene	2.93	53	7931	1.95	ug/L	95
32) vinyl acetate	2.86	86	837	1.65	ug/L #	92
33) ethyl tert-butyl ether	3.10	59	13917	1.92	ug/L	99
34) ethyl acetate	3.21	45	1164	1.76	ug/L	97
35) 2,2-dichloropropane	3.23	77	6804	2.01	ug/L	93
36) cis-1,2-dichloroethene	3.22	96	5021	1.96	ug/L	93

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200554.D
Acq On : 28 Sep 2022 11:00 pm
Operator : PrashanS
Sample : IC8636-2
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Sep 29 13:57:24 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
37) methyl acrylate	3.25	55	7758	1.92	ug/L		96
38) propionitrile	3.23	54	12140	20.57	ug/L	#	59
39) tert-butyl formate	3.43	59	2847	1.70	ug/L		85
40) bromochloromethane	3.36	128	2617	2.05	ug/L		95
41) tetrahydrofuran	3.37	42	3056	2.34	ug/L		82
42) chloroform	3.42	83	8640	2.12	ug/L		95
44) methacrylonitrile	3.33	67	2278	1.76	ug/L		90
45) 1,1,1-trichloroethane	3.53	97	8009	1.96	ug/L	#	37
46) cyclohexane	3.58	84	7441	2.02	ug/L		88
47) tert amyl alcohol	3.72	55	2190	10.50	ug/L		85
48) 1,1-dichloropropene	3.62	75	6399	1.90	ug/L		98
49) isobutyl alcohol	3.81	42	1200	24.22	ug/L	#	62
50) carbon tetrachloride	3.64	117	6691	1.80	ug/L		95
51) isopropyl acetate	3.74	87	1014	1.60	ug/L	#	71
54) iso-octane	3.81	57	15091	2.02	ug/L		98
55) epichlorohydrin	4.72	57	3868	9.36	ug/L		90
56) n-butyl alcohol	4.06	56	12152	88.67	ug/L		92
57) benzene	3.75	78	18597	2.08	ug/L		99
58) tert-amyl methyl ether	3.82	73	12064	1.88	ug/L		97
59) heptane	3.91	57	2883	2.17	ug/L		94
60) 1,2-dichloroethane	3.78	62	7843	2.39	ug/L		97
61) trichloroethene	4.17	130	5562	1.91	ug/L		97
62) ethyl acrylate	4.19	55	7475	1.87	ug/L		96
63) 2-nitropropane	4.65	41	1804	1.82	ug/L		93
64) 2-chloroethyl vinyl ether	4.68	63	15580	9.11	ug/L		99
65) methyl methacrylate	4.34	100	1399	1.76	ug/L	#	86
66) 1,2-dichloropropane	4.34	76	1767	1.89	ug/L	#	79
67) dibromomethane	4.40	93	3040	2.00	ug/L		92
68) methylcyclohexane	4.33	83	7899	1.99	ug/L		94
69) bromodichloromethane	4.51	83	4913	1.73	ug/L		98
70) cis-1,3-dichloropropene	4.80	75	5750	1.70	ug/L		97
71) 4-methyl-2-pentanone	4.89	58	10181	7.60	ug/L		91
72) 3-methyl-1-butanol	4.91	70	3532	31.42	ug/L		96
75) toluene	5.04	92	11426	2.02	ug/L		97
76) trans-1,3-dichloropropene	5.20	75	5058	1.61	ug/L		96
77) ethyl methacrylate	5.22	69	5717	1.88	ug/L		95
78) 1,1,2-trichloroethane	5.35	83	3299	1.85	ug/L		91
79) tetrachloroethene	5.42	164	4441	1.91	ug/L		88
80) 1,3-dichloropropane	5.47	76	6378	1.92	ug/L		97
81) 2-hexanone	5.49	58	10883	7.79	ug/L		98
82) butyl acetate	5.57	56	3694	1.92	ug/L		91
83) dibromochloromethane	5.63	129	3880	1.52	ug/L		93
84) 1,2-dibromoethane	5.73	107	4565	1.85	ug/L		98
85) n-butyl ether	6.15	57	18200	1.91	ug/L		99
86) chlorobenzene	6.10	112	13105	2.04	ug/L		97
87) 1,1,1,2-tetrachloroethane	6.16	131	3798	1.56	ug/L		95
88) ethylbenzene	6.17	91	21769	2.02	ug/L		98
89) m,p-xylene	6.27	106	17182	3.98	ug/L		99
90) o-xylene	6.57	91	16550	2.01	ug/L		90
91) styrene	6.59	104	13238	1.88	ug/L		97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200554.D
Acq On : 28 Sep 2022 11:00 pm
Operator : PrashanS
Sample : IC8636-2
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Sep 29 13:57:24 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
92) butyl acrylate	6.51	55	9022	1.77	ug/L		95
93) n-amyl acetate	6.69	70	3011	1.76	ug/L		96
94) bromoform	6.74	173	2454	1.38	ug/L		97
95) isopropylbenzene	6.86	105	21057	1.93	ug/L		99
99) bromobenzene	7.13	156	5641	1.95	ug/L		93
100) 1,1,2,2-tetrachloroethane	7.10	83	5711	1.89	ug/L		99
101) trans-1,4-dichloro-2-buten	7.14	53	1487	1.67	ug/L		87
102) 1,2,3-trichloropropane	7.15	110	1954	2.00	ug/L		90
103) n-propylbenzene	7.19	91	22476	1.89	ug/L		97
104) 2-chlorotoluene	7.27	126	5495	2.07	ug/L		89
105) 4-chlorotoluene	7.36	91	13689	1.98	ug/L		98
106) 1,3,5-trimethylbenzene	7.33	105	14857	1.87	ug/L		96
107) tert-butylbenzene	7.57	119	15210	2.00	ug/L		96
108) 1,2,4-trimethylbenzene	7.62	105	15210	1.93	ug/L		98
109) sec-butylbenzene	7.74	105	19800	1.86	ug/L		98
110) 1,3-dichlorobenzene	7.83	146	10211	1.97	ug/L		99
111) p-isopropyltoluene	7.85	119	16810	1.86	ug/L		99
112) 1,4-dichlorobenzene	7.90	146	10256	1.95	ug/L		88
113) 1,2-dichlorobenzene	8.16	146	9427	1.92	ug/L		97
114) benzyl chloride	7.98	91	6927	1.42	ug/L		96
115) n-butylbenzene	8.13	92	7484	1.87	ug/L		98
116) 1,2-dibromo-3-chloropropan	8.69	157	1490	1.58	ug/L		92
117) 1,3,5-trichlorobenzene	8.81	180	5835	1.85	ug/L		98
118) hexachlorobutadiene	9.31	225	2095	1.88	ug/L		94
119) naphthalene	9.39	128	18807	1.88	ug/L		98
120) 1,2,4-trichlorobenzene	9.22	180	5154	1.89	ug/L		89
121) 1,2,3-trichlorobenzene	9.52	180	4950	1.85	ug/L		97
122) hexachloroethane	8.35	201	1496	1.34	ug/L	#	55
123) 2-methylnaphthalene	10.11	142	4196	0.77	ug/L		90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200554.D
Acq On : 28 Sep 2022 11:00 pm
Operator : PrashanS
Sample : IC8636-2
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Sep 29 13:57:24 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration



M1X8636.M Thu Sep 29 16:09:21 2022 GCMSX Page: 4

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200556.D
Acq On : 28 Sep 2022 11:36 pm
Operator : PrashanS
Sample : IC8636-4
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Sep 29 08:35:05 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	2.44	65	356575	500.00	ug/L		0.00
5) pentafluorobenzene	3.51	168	386225	50.00	ug/L		0.00
52) 1,4-difluorobenzene	4.00	114	547071	50.00	ug/L		0.00
73) chlorobenzene-d5	6.08	117	514026	50.00	ug/L		0.00
97) 1,4-dichlorobenzene-d4	7.88	152	258718	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	3.51	113	184657	50.91	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.82%				
53) 1,2-dichloroethane-d4 (s)	3.73	65	211847	52.09	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 104.18%				
74) toluene-d8 (s)	5.00	98	611709	50.18	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.36%				
98) 4-bromofluorobenzene (s)	7.01	95	226560	51.16	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.32%				
Target Compounds							Qvalue
2) ethanol	1.95	45	14520	448.96	ug/L		100
3) tertiary butyl alcohol	2.49	59	10520	19.49	ug/L		90
4) 1,4-dioxane	4.38	88	4351	95.42	ug/L		87
6) chlorodifluoromethane	1.26	51	13170	4.14	ug/L		97
7) dichlorodifluoromethane	1.24	85	12939	4.13	ug/L		98
8) chloromethane	1.37	50	13018	4.02	ug/L		98
9) vinyl chloride	1.44	62	13864	3.95	ug/L		96
10) bromomethane	1.64	96	1849	3.37	ug/L		95
11) chloroethane	1.71	64	6588	4.63	ug/L		99
12) trichlorofluoromethane	1.86	101	18085	3.76	ug/L		98
13) 1,3-butadiene	1.46	54	12160	4.41	ug/L		99
14) ethyl ether	2.02	74	4743	4.08	ug/L		89
15) acrolein	2.11	56	2210	3.24	ug/L		76
16) 1,1-dichloroethene	2.18	96	8594	3.85	ug/L		96
17) freon 113	2.17	101	10569	3.94	ug/L		97
18) acetone	2.19	58	5669	15.83	ug/L		98
19) acetonitrile	2.35	41	21216	43.71	ug/L		97
20) iodomethane	2.27	142	1282	0.85	ug/L		98
21) carbon disulfide	2.32	76	20488	3.64	ug/L		99
22) methylene chloride	2.46	84	8334	3.97	ug/L		85
23) methyl acetate	2.36	43	12305	4.02	ug/L		99
24) methyl tert butyl ether	2.61	73	24238	3.80	ug/L		93
25) acrylonitrile	2.59	53	5334	3.70	ug/L		93
26) trans-1,2-dichloroethene	2.62	96	9131	3.89	ug/L		95
27) hexane	2.78	57	14193	3.88	ug/L		97
28) di-isopropyl ether	2.88	45	30346	3.82	ug/L		97
29) 2-butanone	3.20	72	6332	14.54	ug/L	#	86
30) 1,1-dichloroethane	2.88	63	16372	4.00	ug/L		99
31) chloroprene	2.93	53	15001	3.72	ug/L		96
32) vinyl acetate	2.86	86	1654	3.28	ug/L	#	80
33) ethyl tert-butyl ether	3.10	59	26838	3.72	ug/L		98
34) ethyl acetate	3.21	45	2199	3.34	ug/L		89
35) 2,2-dichloropropane	3.23	77	12683	3.78	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200556.D
Acq On : 28 Sep 2022 11:36 pm
Operator : PrashanS
Sample : IC8636-4
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Sep 29 08:35:05 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
36) cis-1,2-dichloroethene	3.22	96	9791	3.84	ug/L		95
37) methyl acrylate	3.25	55	14610	3.64	ug/L		97
38) propionitrile	3.24	54	22999	39.16	ug/L		82
39) tert-butyl formate	3.43	59	5435	3.26	ug/L		91
40) bromochloromethane	3.36	128	5152	4.06	ug/L		95
41) tetrahydrofuran	3.37	42	5163	3.98	ug/L		92
42) chloroform	3.42	83	16373	4.04	ug/L		97
44) methacrylonitrile	3.33	67	4620	3.60	ug/L		98
45) 1,1,1-trichloroethane	3.53	97	15578	3.84	ug/L	#	69
46) cyclohexane	3.58	84	14348	3.91	ug/L		89
47) tert amyl alcohol	3.72	55	4239	20.42	ug/L		89
48) 1,1-dichloropropene	3.62	75	12836	3.82	ug/L		96
49) isobutyl alcohol	3.82	42	2182	44.27	ug/L	#	72
50) carbon tetrachloride	3.63	117	13177	3.56	ug/L		100
51) isopropyl acetate	3.74	87	2095	3.31	ug/L	#	78
54) iso-octane	3.82	57	28598	3.81	ug/L		99
55) epichlorohydrin	4.72	57	7394	17.82	ug/L		92
56) n-butyl alcohol	4.06	56	23448	170.43	ug/L		96
57) benzene	3.76	78	34974	3.90	ug/L		97
58) tert-amyl methyl ether	3.82	73	22973	3.57	ug/L		95
59) heptane	3.91	57	5353	4.00	ug/L		93
60) 1,2-dichloroethane	3.78	62	13694	4.15	ug/L		97
61) trichloroethene	4.17	130	11044	3.78	ug/L		97
62) ethyl acrylate	4.19	55	14558	3.64	ug/L		99
63) 2-nitropropane	4.65	41	3145	3.16	ug/L		93
64) 2-chloroethyl vinyl ether	4.68	63	30617	17.83	ug/L		98
65) methyl methacrylate	4.35	100	2699	3.37	ug/L	#	70
66) 1,2-dichloropropane	4.34	76	3509	3.74	ug/L		93
67) dibromomethane	4.40	93	6029	3.96	ug/L		93
68) methylcyclohexane	4.33	83	14426	3.62	ug/L		98
69) bromodichloromethane	4.50	83	10116	3.55	ug/L		99
70) cis-1,3-dichloropropene	4.80	75	11635	3.43	ug/L		97
71) 4-methyl-2-pentanone	4.89	58	19843	14.75	ug/L		95
72) 3-methyl-1-butanol	4.91	70	6746	59.78	ug/L		95
75) toluene	5.05	92	21996	3.89	ug/L		93
76) trans-1,3-dichloropropene	5.20	75	10093	3.23	ug/L		96
77) ethyl methacrylate	5.22	69	10902	3.59	ug/L		99
78) 1,1,2-trichloroethane	5.35	83	6469	3.64	ug/L		100
79) tetrachloroethene	5.42	164	8611	3.72	ug/L		97
80) 1,3-dichloropropane	5.47	76	12548	3.79	ug/L		99
81) 2-hexanone	5.49	58	21185	15.19	ug/L		96
82) butyl acetate	5.57	56	7049	3.67	ug/L		100
83) dibromochloromethane	5.64	129	7798	3.05	ug/L		96
84) 1,2-dibromoethane	5.73	107	8653	3.51	ug/L		100
85) n-butyl ether	6.15	57	34486	3.63	ug/L		97
86) chlorobenzene	6.10	112	25242	3.93	ug/L		98
87) 1,1,1,2-tetrachloroethane	6.16	131	7901	3.25	ug/L		93
88) ethylbenzene	6.17	91	41351	3.84	ug/L		97
89) m,p-xylene	6.27	106	32792	7.62	ug/L		98
90) o-xylene	6.58	91	31636	3.86	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200556.D
Acq On : 28 Sep 2022 11:36 pm
Operator : PrashanS
Sample : IC8636-4
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Sep 29 08:35:05 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
91) styrene	6.59	104	25665	3.65	ug/L		100
92) butyl acrylate	6.51	55	17390	3.41	ug/L		99
93) n-amyl acetate	6.69	70	5766	3.39	ug/L		97
94) bromoform	6.74	173	4909	2.77	ug/L		99
95) isopropylbenzene	6.86	105	41072	3.78	ug/L		96
96) cis-1,4-dichloro-2-butene	6.91	88	2262	2.27	ug/L		86
99) bromobenzene	7.13	156	10897	3.76	ug/L		97
100) 1,1,2,2-tetrachloroethane	7.10	83	10963	3.62	ug/L		98
101) trans-1,4-dichloro-2-buten	7.13	53	2773	3.10	ug/L	#	78
102) 1,2,3-trichloropropane	7.16	110	3613	3.69	ug/L		86
103) n-propylbenzene	7.19	91	44570	3.73	ug/L		98
104) 2-chlorotoluene	7.27	126	10333	3.89	ug/L		99
105) 4-chlorotoluene	7.36	91	26235	3.78	ug/L		99
106) 1,3,5-trimethylbenzene	7.33	105	29495	3.70	ug/L		97
107) tert-butylbenzene	7.57	119	28639	3.76	ug/L		97
108) 1,2,4-trimethylbenzene	7.62	105	29993	3.80	ug/L		99
109) sec-butylbenzene	7.73	105	39652	3.71	ug/L		98
110) 1,3-dichlorobenzene	7.83	146	19676	3.79	ug/L		98
111) p-isopropyltoluene	7.85	119	32636	3.60	ug/L		99
112) 1,4-dichlorobenzene	7.90	146	20195	3.83	ug/L		98
113) 1,2-dichlorobenzene	8.16	146	18631	3.78	ug/L		99
114) benzyl chloride	7.98	91	13842	2.83	ug/L		95
115) n-butylbenzene	8.13	92	14338	3.58	ug/L		90
116) 1,2-dibromo-3-chloropropan	8.69	157	2808	2.97	ug/L		95
117) 1,3,5-trichlorobenzene	8.81	180	11378	3.60	ug/L		97
118) hexachlorobutadiene	9.31	225	4017	3.59	ug/L		89
119) naphthalene	9.39	128	37608	3.74	ug/L		99
120) 1,2,4-trichlorobenzene	9.22	180	9769	3.57	ug/L		95
121) 1,2,3-trichlorobenzene	9.52	180	9286	3.47	ug/L		95
122) hexachloroethane	8.35	201	2955	2.63	ug/L	#	72
123) 2-methylnaphthalene	10.11	142	8348	1.53	ug/L		91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200556.D
Acq On : 28 Sep 2022 11:36 pm
Operator : PrashanS
Sample : IC8636-4
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Sep 29 08:35:05 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200558.D
Acq On : 29 Sep 2022 12:12 am
Operator : PrashanS
Sample : IC8636-8
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Sep 29 08:35:07 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	2.44	65	368518	500.00	ug/L	0.00
5) pentafluorobenzene	3.51	168	389367	50.00	ug/L	0.00
52) 1,4-difluorobenzene	4.00	114	553321	50.00	ug/L	0.00
73) chlorobenzene-d5	6.08	117	519620	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.88	152	262373	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.51	113	186371	50.97	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.94%			
53) 1,2-dichloroethane-d4 (s)	3.73	65	213667	51.94	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 103.88%			
74) toluene-d8 (s)	5.00	98	619004	50.24	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.48%			
98) 4-bromofluorobenzene (s)	7.01	95	226223	50.37	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.74%			
Target Compounds						Qvalue
2) ethanol	1.94	45	27228	814.60	ug/L	98
3) tertiary butyl alcohol	2.49	59	21199	38.00	ug/L	96
4) 1,4-dioxane	4.38	88	8957	190.07	ug/L	95
6) chlorodifluoromethane	1.25	51	25810	8.04	ug/L	97
7) dichlorodifluoromethane	1.24	85	25072	7.93	ug/L	99
8) chloromethane	1.37	50	25595	7.84	ug/L	93
9) vinyl chloride	1.43	62	26890	7.60	ug/L	100
10) bromomethane	1.64	96	4085	7.39	ug/L	90
11) chloroethane	1.71	64	12516	8.73	ug/L	97
12) trichlorofluoromethane	1.86	101	36119	7.44	ug/L	99
13) 1,3-butadiene	1.46	54	23688	8.52	ug/L	98
14) ethyl ether	2.02	74	8900	7.59	ug/L	98
15) acrolein	2.10	56	4964	7.21	ug/L	90
16) 1,1-dichloroethene	2.17	96	17037	7.56	ug/L	96
17) freon 113	2.17	101	20686	7.65	ug/L	94
18) acetone	2.18	58	11019	30.53	ug/L	99
19) acetonitrile	2.35	41	40876	83.54	ug/L	99
20) iodomethane	2.27	142	3670	2.42	ug/L	95
21) carbon disulfide	2.32	76	40342	7.12	ug/L	99
22) methylene chloride	2.46	84	16207	7.66	ug/L	96
23) methyl acetate	2.36	43	23197	7.53	ug/L	98
24) methyl tert butyl ether	2.60	73	48804	7.58	ug/L	100
25) acrylonitrile	2.58	53	11044	7.61	ug/L	96
26) trans-1,2-dichloroethene	2.62	96	18057	7.63	ug/L	98
27) hexane	2.78	57	27180	7.37	ug/L	99
28) di-isopropyl ether	2.88	45	59141	7.38	ug/L	99
29) 2-butanone	3.19	72	12439	28.34	ug/L	91
30) 1,1-dichloroethane	2.88	63	32229	7.81	ug/L	97
31) chloroprene	2.92	53	29594	7.27	ug/L	96
32) vinyl acetate	2.86	86	3630	7.15	ug/L #	86
33) ethyl tert-butyl ether	3.09	59	53154	7.31	ug/L	98
34) ethyl acetate	3.21	45	4637	6.98	ug/L	96
35) 2,2-dichloropropane	3.22	77	25054	7.40	ug/L	91

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200558.D
Acq On : 29 Sep 2022 12:12 am
Operator : PrashanS
Sample : IC8636-8
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Sep 29 08:35:07 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
36) cis-1,2-dichloroethene	3.21	96	19126	7.45	ug/L		92
37) methyl acrylate	3.24	55	30486	7.53	ug/L		95
38) propionitrile	3.23	54	46725	78.93	ug/L		69
39) tert-butyl formate	3.43	59	11208	6.68	ug/L		94
40) bromochloromethane	3.36	128	9669	7.56	ug/L		96
41) tetrahydrofuran	3.37	42	10533	8.06	ug/L		99
42) chloroform	3.41	83	31006	7.58	ug/L		97
44) methacrylonitrile	3.33	67	9826	7.58	ug/L		95
45) 1,1,1-trichloroethane	3.53	97	30551	7.47	ug/L		86
46) cyclohexane	3.58	84	28196	7.63	ug/L		99
47) tert amyl alcohol	3.72	55	8271	39.52	ug/L		97
48) 1,1-dichloropropene	3.62	75	25335	7.49	ug/L		96
49) isobutyl alcohol	3.82	42	4257	85.67	ug/L	#	73
50) carbon tetrachloride	3.63	117	26125	7.00	ug/L		99
51) isopropyl acetate	3.74	87	4349	6.82	ug/L	#	82
54) iso-octane	3.81	57	56823	7.48	ug/L		98
55) epichlorohydrin	4.72	57	15028	35.82	ug/L		96
56) n-butyl alcohol	4.06	56	48046	345.27	ug/L		96
57) benzene	3.75	78	68364	7.53	ug/L		99
58) tert-amyl methyl ether	3.81	73	46415	7.13	ug/L		97
59) heptane	3.91	57	10584	7.83	ug/L		95
60) 1,2-dichloroethane	3.78	62	26324	7.89	ug/L		99
61) trichloroethene	4.17	130	21808	7.37	ug/L		99
62) ethyl acrylate	4.19	55	29363	7.25	ug/L		98
63) 2-nitropropane	4.65	41	6580	6.53	ug/L		93
64) 2-chloroethyl vinyl ether	4.68	63	62202	35.82	ug/L		99
65) methyl methacrylate	4.34	100	5581	6.90	ug/L	#	86
66) 1,2-dichloropropane	4.34	76	7253	7.64	ug/L		100
67) dibromomethane	4.40	93	11532	7.49	ug/L		96
68) methylcyclohexane	4.33	83	29180	7.24	ug/L		98
69) bromodichloromethane	4.50	83	19625	6.80	ug/L		100
70) cis-1,3-dichloropropene	4.80	75	22972	6.69	ug/L		97
71) 4-methyl-2-pentanone	4.89	58	40291	29.61	ug/L		98
72) 3-methyl-1-butanol	4.92	70	14847	130.07	ug/L		95
75) toluene	5.04	92	42596	7.46	ug/L		97
76) trans-1,3-dichloropropene	5.20	75	20851	6.59	ug/L		97
77) ethyl methacrylate	5.22	69	21521	7.01	ug/L		98
78) 1,1,2-trichloroethane	5.35	83	13087	7.28	ug/L		94
79) tetrachloroethene	5.42	164	17080	7.29	ug/L		95
80) 1,3-dichloropropane	5.47	76	24287	7.26	ug/L		99
81) 2-hexanone	5.49	58	42532	30.17	ug/L		96
82) butyl acetate	5.57	56	14136	7.28	ug/L		100
83) dibromochloromethane	5.63	129	16304	6.31	ug/L		96
84) 1,2-dibromoethane	5.73	107	17275	6.94	ug/L		98
85) n-butyl ether	6.15	57	69670	7.25	ug/L		98
86) chlorobenzene	6.10	112	48603	7.49	ug/L		97
87) 1,1,1,2-tetrachloroethane	6.16	131	16054	6.53	ug/L		100
88) ethylbenzene	6.17	91	81055	7.45	ug/L		98
89) m,p-xylene	6.27	106	64889	14.91	ug/L		99
90) o-xylene	6.57	91	62041	7.48	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200558.D
Acq On : 29 Sep 2022 12:12 am
Operator : PrashanS
Sample : IC8636-8
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Sep 29 08:35:07 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
91) styrene	6.59	104	50674	7.14	ug/L		99
92) butyl acrylate	6.51	55	35429	6.88	ug/L		99
93) n-amyl acetate	6.69	70	12148	7.06	ug/L		96
94) bromoform	6.74	173	10215	5.71	ug/L		98
95) isopropylbenzene	6.86	105	80584	7.33	ug/L		99
96) cis-1,4-dichloro-2-butene	6.91	88	5323	5.30	ug/L		91
99) bromobenzene	7.13	156	21377	7.27	ug/L		99
100) 1,1,2,2-tetrachloroethane	7.10	83	22528	7.33	ug/L		94
101) trans-1,4-dichloro-2-buten	7.14	53	5716	6.30	ug/L		82
102) 1,2,3-trichloropropane	7.15	110	7043	7.09	ug/L		97
103) n-propylbenzene	7.19	91	89124	7.36	ug/L		97
104) 2-chlorotoluene	7.27	126	20298	7.53	ug/L		93
105) 4-chlorotoluene	7.36	91	51898	7.37	ug/L		98
106) 1,3,5-trimethylbenzene	7.33	105	58252	7.21	ug/L		98
107) tert-butylbenzene	7.57	119	56205	7.28	ug/L		94
108) 1,2,4-trimethylbenzene	7.62	105	57982	7.24	ug/L		99
109) sec-butylbenzene	7.73	105	77931	7.20	ug/L		100
110) 1,3-dichlorobenzene	7.83	146	38198	7.26	ug/L		99
111) p-isopropyltoluene	7.85	119	66799	7.26	ug/L		99
112) 1,4-dichlorobenzene	7.90	146	39261	7.34	ug/L		99
113) 1,2-dichlorobenzene	8.16	146	36337	7.27	ug/L		97
114) benzyl chloride	7.98	91	29605	5.96	ug/L		96
115) n-butylbenzene	8.13	92	28641	7.05	ug/L		98
116) 1,2-dibromo-3-chloropropan	8.69	157	6056	6.32	ug/L		92
117) 1,3,5-trichlorobenzene	8.81	180	22762	7.10	ug/L		99
118) hexachlorobutadiene	9.31	225	7917	6.98	ug/L		94
119) naphthalene	9.39	128	74972	7.35	ug/L		99
120) 1,2,4-trichlorobenzene	9.22	180	19266	6.94	ug/L		95
121) 1,2,3-trichlorobenzene	9.52	180	18987	6.99	ug/L		98
122) hexachloroethane	8.35	201	6454	5.67	ug/L	#	75
123) 2-methylnaphthalene	10.11	142	17876	3.23	ug/L		92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200558.D
Acq On : 29 Sep 2022 12:12 am
Operator : PrashanS
Sample : IC8636-8
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Sep 29 08:35:07 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200560.D
Acq On : 29 Sep 2022 12:48 am
Operator : PrashanS
Sample : IC8636-20
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Sep 29 08:35:09 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	2.44	65	368620	500.00	ug/L		0.00
5) pentafluorobenzene	3.51	168	395577	50.00	ug/L		0.00
52) 1,4-difluorobenzene	4.00	114	567056	50.00	ug/L		0.00
73) chlorobenzene-d5	6.08	117	527311	50.00	ug/L		0.00
97) 1,4-dichlorobenzene-d4	7.88	152	270734	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	3.51	113	187574	50.49	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.98%				
53) 1,2-dichloroethane-d4 (s)	3.73	65	217924	51.70	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 103.40%				
74) toluene-d8 (s)	5.00	98	628520	50.26	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.52%				
98) 4-bromofluorobenzene (s)	7.01	95	228986	49.42	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.84%				
Target Compounds							Qvalue
2) ethanol	1.94	45	67777	2027.18	ug/L		97
3) tertiary butyl alcohol	2.49	59	54352	97.41	ug/L		94
4) 1,4-dioxane	4.38	88	22787	483.42	ug/L		92
6) chlorodifluoromethane	1.25	51	65691	20.15	ug/L		99
7) dichlorodifluoromethane	1.24	85	63015	19.62	ug/L		100
8) chloromethane	1.37	50	63683	19.21	ug/L		98
9) vinyl chloride	1.43	62	69291	19.27	ug/L		99
10) bromomethane	1.64	96	10204	18.18	ug/L		98
11) chloroethane	1.71	64	29790	20.46	ug/L		98
12) trichlorofluoromethane	1.86	101	91700	18.59	ug/L		98
13) 1,3-butadiene	1.46	54	58481	20.71	ug/L		99
14) ethyl ether	2.02	74	23241	19.50	ug/L		96
15) acrolein	2.11	56	12595	18.00	ug/L		96
16) 1,1-dichloroethene	2.17	96	44600	19.49	ug/L		98
17) freon 113	2.17	101	53654	19.54	ug/L		97
18) acetone	2.18	58	29183	79.57	ug/L		99
19) acetonitrile	2.35	41	100942	203.06	ug/L		98
20) iodomethane	2.27	142	16336	10.59	ug/L		98
21) carbon disulfide	2.32	76	110370	19.16	ug/L		99
22) methylene chloride	2.46	84	42884	19.94	ug/L		95
23) methyl acetate	2.36	43	58964	18.83	ug/L		99
24) methyl tert butyl ether	2.61	73	124828	19.09	ug/L		99
25) acrylonitrile	2.59	53	27972	18.96	ug/L		96
26) trans-1,2-dichloroethene	2.62	96	47713	19.83	ug/L		100
27) hexane	2.78	57	72589	19.38	ug/L		100
28) di-isopropyl ether	2.88	45	158016	19.41	ug/L		99
29) 2-butanone	3.19	72	33614	75.38	ug/L	#	85
30) 1,1-dichloroethane	2.88	63	82898	19.77	ug/L		100
31) chloroprene	2.92	53	82319	19.91	ug/L		99
32) vinyl acetate	2.86	86	9182	17.80	ug/L		98
33) ethyl tert-butyl ether	3.09	59	141461	19.15	ug/L		99
34) ethyl acetate	3.21	45	11981	17.75	ug/L		98
35) 2,2-dichloropropane	3.22	77	66974	19.47	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200560.D
Acq On : 29 Sep 2022 12:48 am
Operator : PrashanS
Sample : IC8636-20
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Sep 29 08:35:09 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
36) cis-1,2-dichloroethene	3.21	96	50310	19.29 ug/L	91
37) methyl acrylate	3.24	55	79182	19.24 ug/L	96
38) propionitrile	3.23	54	117522	195.39 ug/L	70
39) tert-butyl formate	3.43	59	29494	17.30 ug/L	99
40) bromochloromethane	3.36	128	25417	19.57 ug/L	98
41) tetrahydrofuran	3.37	42	25543	19.23 ug/L	98
42) chloroform	3.41	83	81055	19.51 ug/L	98
44) methacrylonitrile	3.33	67	25192	19.14 ug/L	96
45) 1,1,1-trichloroethane	3.53	97	80547	19.37 ug/L	96
46) cyclohexane	3.58	84	70859	18.87 ug/L	97
47) tert amyl alcohol	3.72	55	20513	96.48 ug/L	94
48) 1,1-dichloropropene	3.62	75	67203	19.55 ug/L	98
49) isobutyl alcohol	3.81	42	9419	186.57 ug/L	98
50) carbon tetrachloride	3.63	117	71550	18.87 ug/L	99
51) isopropyl acetate	3.74	87	11777	18.19 ug/L #	85
54) iso-octane	3.81	57	149812	19.23 ug/L	98
55) epichlorohydrin	4.72	57	39819	92.61 ug/L	99
56) n-butyl alcohol	4.06	56	131516	922.20 ug/L	98
57) benzene	3.75	78	182006	19.56 ug/L	99
58) tert-amyl methyl ether	3.81	73	123317	18.49 ug/L	98
59) heptane	3.91	57	28093	20.28 ug/L	98
60) 1,2-dichloroethane	3.78	62	65750	19.23 ug/L	100
61) trichloroethene	4.17	130	59527	19.64 ug/L	97
62) ethyl acrylate	4.19	55	76470	18.43 ug/L	99
63) 2-nitropropane	4.65	41	17492	16.94 ug/L	96
64) 2-chloroethyl vinyl ether	4.68	63	165246	92.85 ug/L	100
65) methyl methacrylate	4.34	100	15302	18.46 ug/L	95
66) 1,2-dichloropropane	4.34	76	18688	19.21 ug/L	98
67) dibromomethane	4.40	93	30305	19.20 ug/L	99
68) methylcyclohexane	4.33	83	77613	18.79 ug/L	99
69) bromodichloromethane	4.51	83	54389	18.40 ug/L	100
70) cis-1,3-dichloropropene	4.80	75	64757	18.40 ug/L	96
71) 4-methyl-2-pentanone	4.89	58	104617	75.01 ug/L	99
72) 3-methyl-1-butanol	4.91	70	41434	354.20 ug/L	98
75) toluene	5.04	92	114690	19.79 ug/L	96
76) trans-1,3-dichloropropene	5.20	75	58322	18.17 ug/L	100
77) ethyl methacrylate	5.22	69	58163	18.67 ug/L	99
78) 1,1,2-trichloroethane	5.34	83	33805	18.52 ug/L	98
79) tetrachloroethene	5.42	164	45141	18.99 ug/L	99
80) 1,3-dichloropropane	5.47	76	64154	18.89 ug/L	99
81) 2-hexanone	5.49	58	109058	76.23 ug/L	99
82) butyl acetate	5.57	56	36853	18.71 ug/L	98
83) dibromochloromethane	5.63	129	45286	17.28 ug/L	95
84) 1,2-dibromoethane	5.73	107	46866	18.54 ug/L	98
85) n-butyl ether	6.15	57	184372	18.90 ug/L	100
86) chlorobenzene	6.10	112	127304	19.33 ug/L	98
87) 1,1,1,2-tetrachloroethane	6.16	131	44767	17.94 ug/L	97
88) ethylbenzene	6.16	91	213907	19.36 ug/L	100
89) m,p-xylene	6.27	106	173069	39.18 ug/L	100
90) o-xylene	6.57	91	163878	19.48 ug/L	99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200560.D
Acq On : 29 Sep 2022 12:48 am
Operator : PrashanS
Sample : IC8636-20
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Sep 29 08:35:09 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
91) styrene	6.59	104	138151	19.18	ug/L	99
92) butyl acrylate	6.51	55	95918	18.35	ug/L	99
93) n-amyl acetate	6.69	70	32272	18.48	ug/L	99
94) bromoform	6.74	173	30437	16.77	ug/L	96
95) isopropylbenzene	6.86	105	215483	19.32	ug/L	99
96) cis-1,4-dichloro-2-butene	6.91	88	16003	15.69	ug/L	94
99) bromobenzene	7.13	156	55941	18.43	ug/L	99
100) 1,1,2,2-tetrachloroethane	7.10	83	58795	18.53	ug/L	99
101) trans-1,4-dichloro-2-buten	7.14	53	16174	17.28	ug/L	86
102) 1,2,3-trichloropropane	7.15	110	19262	18.80	ug/L	93
103) n-propylbenzene	7.19	91	240327	19.22	ug/L	98
104) 2-chlorotoluene	7.27	126	53503	19.24	ug/L	100
105) 4-chlorotoluene	7.36	91	139012	19.14	ug/L	98
106) 1,3,5-trimethylbenzene	7.33	105	159225	19.11	ug/L	99
107) tert-butylbenzene	7.57	119	153567	19.28	ug/L	98
108) 1,2,4-trimethylbenzene	7.62	105	157842	19.11	ug/L	99
109) sec-butylbenzene	7.73	105	213563	19.12	ug/L	99
110) 1,3-dichlorobenzene	7.83	146	102729	18.91	ug/L	100
111) p-isopropyltoluene	7.85	119	181445	19.11	ug/L	100
112) 1,4-dichlorobenzene	7.90	146	104873	19.00	ug/L	98
113) 1,2-dichlorobenzene	8.16	146	98161	19.04	ug/L	99
114) benzyl chloride	7.98	91	88514	17.28	ug/L	100
115) n-butylbenzene	8.13	92	79041	18.85	ug/L	100
116) 1,2-dibromo-3-chloropropan	8.69	157	17355	17.55	ug/L	99
117) 1,3,5-trichlorobenzene	8.81	180	61943	18.73	ug/L	99
118) hexachlorobutadiene	9.31	225	22290	19.05	ug/L	97
119) naphthalene	9.39	128	196837	18.71	ug/L	99
120) 1,2,4-trichlorobenzene	9.22	180	52950	18.49	ug/L	99
121) 1,2,3-trichlorobenzene	9.52	180	52122	18.61	ug/L	98
122) hexachloroethane	8.35	201	19512	16.61	ug/L	89
123) 2-methylnaphthalene	10.11	142	49729	8.71	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200560.D
Acq On : 29 Sep 2022 12:48 am
Operator : PrashanS
Sample : IC8636-20
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Sep 29 08:35:09 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration



M1X8636.M Thu Sep 29 16:09:45 2022 GCMSX Page: 4

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200562.D
Acq On : 29 Sep 2022 1:25 am
Operator : PrashanS
Sample : ICC8636-50
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Sep 29 08:35:11 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	2.44	65	372113	500.00	ug/L	0.00
5) pentafluorobenzene	3.51	168	405044	50.00	ug/L	0.00
52) 1,4-difluorobenzene	4.00	114	578854	50.00	ug/L	0.00
73) chlorobenzene-d5	6.07	117	537918	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.88	152	274585	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.51	113	190194	50.00	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.00%			
53) 1,2-dichloroethane-d4 (s)	3.73	65	215159	50.00	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.00%			
74) toluene-d8 (s)	5.00	98	637800	50.00	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.00%			
98) 4-bromofluorobenzene (s)	7.01	95	234991	50.00	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.00%			
Target Compounds						Qvalue
2) ethanol	1.94	45	168755	5000.00	ug/L	100
3) tertiary butyl alcohol	2.49	59	140821	250.00	ug/L	100
4) 1,4-dioxane	4.38	88	59480	1250.00	ug/L	100
6) chlorodifluoromethane	1.26	51	166886	50.00	ug/L	100
7) dichlorodifluoromethane	1.24	85	164409	50.00	ug/L	100
8) chloromethane	1.37	50	169725	50.00	ug/L	100
9) vinyl chloride	1.44	62	184112	50.00	ug/L	100
10) bromomethane	1.64	96	28737	50.00	ug/L	100
11) chloroethane	1.71	64	74557	50.00	ug/L	100
12) trichlorofluoromethane	1.86	101	252540	50.00	ug/L	100
13) 1,3-butadiene	1.46	54	144602	50.00	ug/L	100
14) ethyl ether	2.02	74	61006	50.00	ug/L	100
15) acrolein	2.11	56	35816	50.00	ug/L	100
16) 1,1-dichloroethene	2.17	96	117176	50.00	ug/L	100
17) freon 113	2.17	101	140601	50.00	ug/L	100
18) acetone	2.19	58	75103	200.00	ug/L	100
19) acetonitrile	2.35	41	254499	500.00	ug/L	100
20) iodomethane	2.27	142	78961	50.00	ug/L	100
21) carbon disulfide	2.32	76	294891	50.00	ug/L	100
22) methylene chloride	2.46	84	110117	50.00	ug/L	100
23) methyl acetate	2.36	43	160316	50.00	ug/L	100
24) methyl tert butyl ether	2.61	73	334781	50.00	ug/L	100
25) acrylonitrile	2.59	53	75520	50.00	ug/L	100
26) trans-1,2-dichloroethene	2.62	96	123172	50.00	ug/L	100
27) hexane	2.78	57	191791	50.00	ug/L	100
28) di-isopropyl ether	2.88	45	416691	50.00	ug/L	100
29) 2-butanone	3.20	72	91319	200.00	ug/L	100
30) 1,1-dichloroethane	2.88	63	214691	50.00	ug/L	100
31) chloroprene	2.92	53	211659	50.00	ug/L	100
32) vinyl acetate	2.86	86	26408	50.00	ug/L	100
33) ethyl tert-butyl ether	3.09	59	378101	50.00	ug/L	100
34) ethyl acetate	3.21	45	34552	50.00	ug/L	100
35) 2,2-dichloropropane	3.22	77	176147	50.00	ug/L	100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200562.D
Acq On : 29 Sep 2022 1:25 am
Operator : PrashanS
Sample : ICC8636-50
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Sep 29 08:35:11 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
36) cis-1,2-dichloroethene	3.22	96	133549	50.00	ug/L	100
37) methyl acrylate	3.25	55	210409	49.94	ug/L	100
38) propionitrile	3.24	54	307927	500.00	ug/L	100
39) tert-butyl formate	3.43	59	87301	50.00	ug/L	100
40) bromochloromethane	3.36	128	66482	50.00	ug/L	100
41) tetrahydrofuran	3.37	42	68358	50.27	ug/L	100
42) chloroform	3.41	83	212684	50.00	ug/L	100
44) methacrylonitrile	3.33	67	67386	50.00	ug/L	100
45) 1,1,1-trichloroethane	3.53	97	212862	50.00	ug/L	100
46) cyclohexane	3.58	84	192212	50.00	ug/L	100
47) tert amyl alcohol	3.72	55	53421	245.40	ug/L	100
48) 1,1-dichloropropene	3.62	75	175993	50.00	ug/L	100
49) isobutyl alcohol	3.81	42	25847	500.00	ug/L	100
50) carbon tetrachloride	3.63	117	194172	50.00	ug/L	100
51) isopropyl acetate	3.74	87	33145	50.00	ug/L	100
54) iso-octane	3.81	57	397602	50.00	ug/L	100
55) epichlorohydrin	4.72	57	109733	250.00	ug/L	100
56) n-butyl alcohol	4.06	56	363958	2500.09	ug/L	100
57) benzene	3.75	78	474820	50.00	ug/L	100
58) tert-amyl methyl ether	3.81	73	340482	50.00	ug/L	100
59) heptane	3.91	57	72186	51.04	ug/L	100
60) 1,2-dichloroethane	3.78	62	174486	50.00	ug/L	100
61) trichloroethene	4.17	130	154715	50.00	ug/L	100
62) ethyl acrylate	4.19	55	211808	50.00	ug/L	100
63) 2-nitropropane	4.65	41	52719	50.00	ug/L	100
64) 2-chloroethyl vinyl ether	4.68	63	454172	250.00	ug/L	100
65) methyl methacrylate	4.34	100	42309	50.00	ug/L	100
66) 1,2-dichloropropane	4.34	76	49656	50.00	ug/L	100
67) dibromomethane	4.40	93	80568	50.00	ug/L	100
68) methylcyclohexane	4.33	83	210834	50.00	ug/L	100
69) bromodichloromethane	4.51	83	150890	50.00	ug/L	100
70) cis-1,3-dichloropropene	4.80	75	179598	50.00	ug/L	100
71) 4-methyl-2-pentanone	4.89	58	284743	200.00	ug/L	100
72) 3-methyl-1-butanol	4.91	70	119412	1000.00	ug/L	100
75) toluene	5.04	92	295605	50.00	ug/L	100
76) trans-1,3-dichloropropene	5.20	75	163748	50.00	ug/L	100
77) ethyl methacrylate	5.22	69	158919	50.00	ug/L	100
78) 1,1,2-trichloroethane	5.34	83	93095	50.00	ug/L	100
79) tetrachloroethene	5.42	164	121232	50.00	ug/L	100
80) 1,3-dichloropropane	5.47	76	173181	50.00	ug/L	100
81) 2-hexanone	5.49	58	291869	200.00	ug/L	100
82) butyl acetate	5.57	56	100469	50.00	ug/L	100
83) dibromochloromethane	5.63	129	133659	50.00	ug/L	100
84) 1,2-dibromoethane	5.73	107	128900	50.00	ug/L	100
85) n-butyl ether	6.15	57	497563	50.00	ug/L	100
86) chlorobenzene	6.10	112	335895	50.00	ug/L	100
87) 1,1,1,2-tetrachloroethane	6.16	131	127282	50.00	ug/L	100
88) ethylbenzene	6.16	91	563484	50.00	ug/L	100
89) m,p-xylene	6.27	106	450639	100.00	ug/L	100
90) o-xylene	6.57	91	429137	50.00	ug/L	100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200562.D
Acq On : 29 Sep 2022 1:25 am
Operator : PrashanS
Sample : ICC8636-50
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Sep 29 08:35:11 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
91) styrene	6.59	104	367430	50.00	ug/L	100
92) butyl acrylate	6.51	55	266557	50.00	ug/L	100
93) n-amyl acetate	6.69	70	89053	50.00	ug/L	100
94) bromoform	6.74	173	92562	50.00	ug/L	100
95) isopropylbenzene	6.86	105	568799	50.00	ug/L	100
96) cis-1,4-dichloro-2-butene	6.91	88	52029	50.00	ug/L	100
99) bromobenzene	7.13	156	153913	50.00	ug/L	100
100) 1,1,2,2-tetrachloroethane	7.10	83	160930	50.00	ug/L	100
101) trans-1,4-dichloro-2-buten	7.14	53	47468	50.00	ug/L	100
102) 1,2,3-trichloropropane	7.15	110	51948	50.00	ug/L	100
103) n-propylbenzene	7.19	91	634017	50.00	ug/L	100
104) 2-chlorotoluene	7.27	126	140986	50.00	ug/L	100
105) 4-chlorotoluene	7.36	91	368384	50.00	ug/L	100
106) 1,3,5-trimethylbenzene	7.33	105	422544	50.00	ug/L	100
107) tert-butylbenzene	7.57	119	403972	50.00	ug/L	100
108) 1,2,4-trimethylbenzene	7.62	105	418787	50.00	ug/L	100
109) sec-butylbenzene	7.73	105	566409	50.00	ug/L	100
110) 1,3-dichlorobenzene	7.83	146	275494	50.00	ug/L	100
111) p-isopropyltoluene	7.85	119	481564	50.00	ug/L	100
112) 1,4-dichlorobenzene	7.90	146	279950	50.00	ug/L	100
113) 1,2-dichlorobenzene	8.16	146	261410	50.00	ug/L	100
114) benzyl chloride	7.98	91	259774	50.00	ug/L	100
115) n-butylbenzene	8.13	92	212691	50.00	ug/L	100
116) 1,2-dibromo-3-chloropropan	8.69	157	50156	50.00	ug/L	100
117) 1,3,5-trichlorobenzene	8.81	180	167722	50.00	ug/L	100
118) hexachlorobutadiene	9.30	225	59342	50.00	ug/L	100
119) naphthalene	9.39	128	533450	50.00	ug/L	100
120) 1,2,4-trichlorobenzene	9.22	180	145219	50.00	ug/L	100
121) 1,2,3-trichlorobenzene	9.52	180	142050	50.00	ug/L	100
122) hexachloroethane	8.35	201	59570	50.00	ug/L	100
123) 2-methylnaphthalene	10.11	142	144820	25.00	ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200562.D
Acq On : 29 Sep 2022 1:25 am
Operator : PrashanS
Sample : ICC8636-50
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Sep 29 08:35:11 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200564.D
Acq On : 29 Sep 2022 2:01 am
Operator : PrashanS
Sample : IC8636-100
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Sep 29 08:35:13 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	2.44	65	380540	500.00	ug/L		0.00
5) pentafluorobenzene	3.51	168	425838	50.00	ug/L		0.00
52) 1,4-difluorobenzene	4.00	114	599212	50.00	ug/L		0.00
73) chlorobenzene-d5	6.07	117	553178	50.00	ug/L		0.00
97) 1,4-dichlorobenzene-d4	7.88	152	275879	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	3.51	113	197095	49.28	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.56%				
53) 1,2-dichloroethane-d4 (s)	3.73	65	222651	49.98	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.96%				
74) toluene-d8 (s)	5.00	98	660398	50.34	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.68%				
98) 4-bromofluorobenzene (s)	7.01	95	237685	50.34	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.68%				
Target Compounds							Qvalue
2) ethanol	1.94	45	303436	8791.34	ug/L		96
3) tertiary butyl alcohol	2.49	59	281270	488.28	ug/L		95
4) 1,4-dioxane	4.38	88	118665	2438.58	ug/L		95
6) chlorodifluoromethane	1.25	51	331466	94.46	ug/L		99
7) dichlorodifluoromethane	1.24	85	328650	95.07	ug/L		100
8) chloromethane	1.37	50	329808	92.42	ug/L		99
9) vinyl chloride	1.43	62	357106	92.25	ug/L		99
10) bromomethane	1.64	96	54102	89.54	ug/L		96
11) chloroethane	1.70	64	125435	80.01	ug/L		99
12) trichlorofluoromethane	1.86	101	500341	94.22	ug/L		99
13) 1,3-butadiene	1.46	54	275767	90.70	ug/L		99
14) ethyl ether	2.02	74	121890	95.02	ug/L		92
15) acrolein	2.10	56	72418	96.16	ug/L		96
16) 1,1-dichloroethene	2.17	96	240484	97.61	ug/L		97
17) freon 113	2.17	101	295688	100.02	ug/L		98
18) acetone	2.18	58	148564	376.31	ug/L		97
19) acetonitrile	2.35	41	504619	942.99	ug/L		99
20) iodomethane	2.27	142	195159	117.54	ug/L		99
21) carbon disulfide	2.32	76	613459	98.94	ug/L		98
22) methylene chloride	2.46	84	217067	93.75	ug/L		96
23) methyl acetate	2.36	43	315580	93.62	ug/L		98
24) methyl tert butyl ether	2.61	73	679553	96.54	ug/L		100
25) acrylonitrile	2.59	53	152638	96.12	ug/L		99
26) trans-1,2-dichloroethene	2.62	96	253708	97.96	ug/L		96
27) hexane	2.78	57	401734	99.62	ug/L		99
28) di-isopropyl ether	2.88	45	848921	96.89	ug/L		98
29) 2-butanone	3.20	72	181999	379.14	ug/L		94
30) 1,1-dichloroethane	2.88	63	437763	96.97	ug/L		99
31) chloroprene	2.92	53	434104	97.54	ug/L		99
32) vinyl acetate	2.86	86	53432	96.23	ug/L	#	92
33) ethyl tert-butyl ether	3.09	59	771345	97.02	ug/L		100
34) ethyl acetate	3.21	45	69788	96.06	ug/L		98
35) 2,2-dichloropropane	3.22	77	370875	100.13	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200564.D
Acq On : 29 Sep 2022 2:01 am
Operator : PrashanS
Sample : IC8636-100
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Sep 29 08:35:13 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
36) cis-1,2-dichloroethene	3.21	96	270623	96.37	ug/L		93
37) methyl acrylate	3.24	55	425056	95.96	ug/L		97
38) propionitrile	3.24	54	604711	933.96	ug/L		94
39) tert-butyl formate	3.43	59	182472	99.40	ug/L		97
40) bromochloromethane	3.36	128	131736	94.24	ug/L		99
41) tetrahydrofuran	3.37	42	134482	94.07	ug/L		99
42) chloroform	3.41	83	431857	96.57	ug/L		99
44) methacrylonitrile	3.33	67	137093	96.75	ug/L		97
45) 1,1,1-trichloroethane	3.53	97	437908	97.84	ug/L		99
46) cyclohexane	3.58	84	397886	98.45	ug/L		97
47) tert amyl alcohol	3.72	55	102419	447.50	ug/L		95
48) 1,1-dichloropropene	3.62	75	365469	98.76	ug/L		100
49) isobutyl alcohol	3.81	42	52085	958.36	ug/L	#	96
50) carbon tetrachloride	3.63	117	413222	101.21	ug/L		99
51) isopropyl acetate	3.74	87	67094	96.27	ug/L		98
54) iso-octane	3.81	57	833526	101.26	ug/L		99
55) epichlorohydrin	4.72	57	209963	462.10	ug/L		98
56) n-butyl alcohol	4.06	56	728038	4831.11	ug/L		99
57) benzene	3.75	78	979156	99.61	ug/L		100
58) tert-amyl methyl ether	3.81	73	702806	99.70	ug/L		100
59) heptane	3.91	57	150824	103.02	ug/L		99
60) 1,2-dichloroethane	3.78	62	349729	96.81	ug/L		99
61) trichloroethene	4.17	130	317141	99.01	ug/L		98
62) ethyl acrylate	4.19	55	432267	98.58	ug/L		100
63) 2-nitropropane	4.65	41	110802	101.52	ug/L		100
64) 2-chloroethyl vinyl ether	4.68	63	919446	488.92	ug/L		99
65) methyl methacrylate	4.34	100	85783	97.93	ug/L	#	90
66) 1,2-dichloropropane	4.34	76	100592	97.85	ug/L		98
67) dibromomethane	4.40	93	162248	97.27	ug/L		97
68) methylcyclohexane	4.33	83	440876	101.00	ug/L		99
69) bromodichloromethane	4.50	83	309369	99.03	ug/L		100
70) cis-1,3-dichloropropene	4.80	75	365517	98.30	ug/L		98
71) 4-methyl-2-pentanone	4.89	58	577123	391.59	ug/L		98
72) 3-methyl-1-butanol	4.92	70	244242	1975.88	ug/L		99
75) toluene	5.04	92	613802	100.96	ug/L		97
76) trans-1,3-dichloropropene	5.20	75	339532	100.82	ug/L		100
77) ethyl methacrylate	5.22	69	318401	97.41	ug/L		98
78) 1,1,2-trichloroethane	5.34	83	186214	97.25	ug/L		99
79) tetrachloroethene	5.42	164	252388	101.22	ug/L		99
80) 1,3-dichloropropane	5.47	76	345874	97.10	ug/L		99
81) 2-hexanone	5.49	58	584575	389.52	ug/L		100
82) butyl acetate	5.57	56	198909	96.26	ug/L		97
83) dibromochloromethane	5.63	129	276908	100.73	ug/L		98
84) 1,2-dibromoethane	5.73	107	254727	96.08	ug/L		97
85) n-butyl ether	6.15	57	1013770	99.06	ug/L		99
86) chlorobenzene	6.10	112	674939	97.70	ug/L		99
87) 1,1,1,2-tetrachloroethane	6.16	131	265555	101.44	ug/L		98
88) ethylbenzene	6.16	91	1163416	100.39	ug/L		100
89) m,p-xylene	6.27	106	920234	198.57	ug/L		99
90) o-xylene	6.58	91	875303	99.17	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200564.D
Acq On : 29 Sep 2022 2:01 am
Operator : PrashanS
Sample : IC8636-100
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Sep 29 08:35:13 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
91) styrene	6.59	104	740350	97.97	ug/L	99
92) butyl acrylate	6.51	55	526052	95.95	ug/L	98
93) n-amyl acetate	6.69	70	174658	95.36	ug/L	98
94) bromoform	6.74	173	197244	103.61	ug/L	99
95) isopropylbenzene	6.86	105	1142103	97.63	ug/L	99
96) cis-1,4-dichloro-2-butene	6.91	88	115998	108.40	ug/L	99
99) bromobenzene	7.13	156	300874	97.28	ug/L	95
100) 1,1,2,2-tetrachloroethane	7.10	83	320849	99.22	ug/L	100
101) trans-1,4-dichloro-2-buten	7.14	53	100873	105.76	ug/L	97
102) 1,2,3-trichloropropane	7.15	110	101558	97.29	ug/L	87
103) n-propylbenzene	7.19	91	1274405	100.03	ug/L	98
104) 2-chlorotoluene	7.27	126	280211	98.91	ug/L	99
105) 4-chlorotoluene	7.36	91	733652	99.11	ug/L	99
106) 1,3,5-trimethylbenzene	7.33	105	864047	101.76	ug/L	99
107) tert-butylbenzene	7.57	119	806927	99.41	ug/L	100
108) 1,2,4-trimethylbenzene	7.62	105	849408	100.94	ug/L	100
109) sec-butylbenzene	7.73	105	1141841	100.32	ug/L	99
110) 1,3-dichlorobenzene	7.83	146	541295	97.78	ug/L	99
111) p-isopropyltoluene	7.85	119	978019	101.07	ug/L	99
112) 1,4-dichlorobenzene	7.90	146	545438	96.96	ug/L	99
113) 1,2-dichlorobenzene	8.16	146	511604	97.40	ug/L	99
114) benzyl chloride	7.98	91	540390	103.52	ug/L	99
115) n-butylbenzene	8.13	92	431226	100.90	ug/L	99
116) 1,2-dibromo-3-chloropropan	8.69	157	100067	99.29	ug/L	98
117) 1,3,5-trichlorobenzene	8.81	180	328084	97.35	ug/L	97
118) hexachlorobutadiene	9.30	225	121979	102.29	ug/L	99
119) naphthalene	9.39	128	1059976	98.89	ug/L	99
120) 1,2,4-trichlorobenzene	9.22	180	289842	99.33	ug/L	98
121) 1,2,3-trichlorobenzene	9.52	180	288793	101.18	ug/L	99
122) hexachloroethane	8.35	201	128214	107.11	ug/L	96
123) 2-methylnaphthalene	10.11	142	296527	50.95	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200564.D
Acq On : 29 Sep 2022 2:01 am
Operator : PrashanS
Sample : IC8636-100
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Sep 29 08:35:13 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200566.D
Acq On : 29 Sep 2022 2:37 am
Operator : PrashanS
Sample : IC8636-200
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Sep 29 13:58:25 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	2.44	65	377815	500.00	ug/L	0.00
5) pentafluorobenzene	3.51	168	444925	50.00	ug/L	0.00
52) 1,4-difluorobenzene	4.00	114	620401	50.00	ug/L	0.00
73) chlorobenzene-d5	6.07	117	561058	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.88	152	269248	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.51	113	204989	49.06	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.12%			
53) 1,2-dichloroethane-d4 (s)	3.73	65	233092	50.54	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 101.08%			
74) toluene-d8 (s)	5.00	98	686231	51.58	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 103.16%			
98) 4-bromofluorobenzene (s)	7.01	95	233867	50.75	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.50%			
Target Compounds						Qvalue
2) ethanol	1.95	45	515681	15048.39	ug/L	97
3) tertiary butyl alcohol	2.49	59	539596	943.49	ug/L	93
4) 1,4-dioxane	4.39	88	237787	4921.79	ug/L	95
6) chlorodifluoromethane	1.25	51	652628	178.00	ug/L	100
7) dichlorodifluoromethane	1.23	85	639412	177.03	ug/L	99
8) chloromethane	1.37	50	637860	171.07	ug/L	98
9) vinyl chloride	1.43	62	695366	171.92	ug/L	100
10) bromomethane	1.63	96	86121	136.41	ug/L	99
12) trichlorofluoromethane	1.85	101	938634	169.18	ug/L	99
13) 1,3-butadiene	1.45	54	515591	162.30	ug/L	99
14) ethyl ether	2.02	74	246953	184.26	ug/L	94
15) acrolein	2.10	56	143225	182.02	ug/L	98
16) 1,1-dichloroethene	2.17	96	487350	189.32	ug/L	97
17) freon 113	2.16	101	588707	190.59	ug/L	99
18) acetone	2.18	58	295393	716.12	ug/L	98
19) acetonitrile	2.35	41	983289	1758.65	ug/L	99
20) iodomethane	2.26	142	420286	242.28	ug/L	99
21) carbon disulfide	2.31	76	1284262	198.23	ug/L	99
22) methylene chloride	2.46	84	440075	181.91	ug/L	98
23) methyl acetate	2.36	43	622718	176.81	ug/L	99
24) methyl tert butyl ether	2.60	73	1401166	190.51	ug/L	99
25) acrylonitrile	2.59	53	302492	182.32	ug/L	100
26) trans-1,2-dichloroethene	2.62	96	526930	194.73	ug/L	98
27) hexane	2.77	57	794624	188.59	ug/L	99
28) di-isopropyl ether	2.88	45	1735286	189.56	ug/L	96
29) 2-butanone	3.20	72	362123	722.01	ug/L	94
30) 1,1-dichloroethane	2.87	63	900145	190.85	ug/L	99
31) chloroprene	2.92	53	886411	190.63	ug/L	98
32) vinyl acetate	2.86	86	107743	185.71	ug/L	99
33) ethyl tert-butyl ether	3.09	59	1590021	191.42	ug/L	99
34) ethyl acetate	3.21	45	137819	181.56	ug/L	96
35) 2,2-dichloropropane	3.22	77	766845	198.16	ug/L	97
36) cis-1,2-dichloroethene	3.21	96	563666	192.12	ug/L	95

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200566.D
Acq On : 29 Sep 2022 2:37 am
Operator : PrashanS
Sample : IC8636-200
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Sep 29 13:58:25 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
37) methyl acrylate	3.24	55	860208	185.86	ug/L		98
38) propionitrile	3.24	54	1195200	1766.76	ug/L		87
39) tert-butyl formate	3.43	59	391999	204.39	ug/L		96
40) bromochloromethane	3.36	128	261714	179.19	ug/L		99
41) tetrahydrofuran	3.37	42	264676	177.20	ug/L		98
42) chloroform	3.41	83	884496	189.30	ug/L		99
44) methacrylonitrile	3.33	67	273329	184.63	ug/L		98
45) 1,1,1-trichloroethane	3.53	97	901687	192.82	ug/L		98
46) cyclohexane	3.58	84	814326	192.84	ug/L		82
47) tert amyl alcohol	3.72	55	195676	818.30	ug/L		91
48) 1,1-dichloropropene	3.62	75	748434	193.57	ug/L		99
49) isobutyl alcohol	3.81	42	107251	1888.76	ug/L		97
50) carbon tetrachloride	3.63	117	862307	202.14	ug/L		99
51) isopropyl acetate	3.74	87	137325	188.59	ug/L		98
54) iso-octane	3.81	57	1721588	202.00	ug/L		99
55) epichlorohydrin	4.72	57	428657	911.19	ug/L		98
56) n-butyl alcohol	4.06	56	1443691	9252.84	ug/L		99
57) benzene	3.75	78	2014722	197.95	ug/L		99
58) tert-amyl methyl ether	3.81	73	1470071	201.42	ug/L		99
59) heptane	3.91	57	304109	200.62	ug/L		97
60) 1,2-dichloroethane	3.78	62	710582	189.99	ug/L		100
61) trichloroethene	4.16	130	649884	195.96	ug/L		96
62) ethyl acrylate	4.19	55	871958	192.05	ug/L		99
63) 2-nitropropane	4.65	41	240722	213.02	ug/L		99
64) 2-chloroethyl vinyl ether	4.68	63	1881078	966.10	ug/L		99
65) methyl methacrylate	4.34	100	176813	194.96	ug/L	#	85
66) 1,2-dichloropropane	4.34	76	209180	196.52	ug/L		99
67) dibromomethane	4.40	93	331760	192.10	ug/L		97
68) methylcyclohexane	4.33	83	906717	200.63	ug/L		98
69) bromodichloromethane	4.50	83	643217	198.87	ug/L		100
70) cis-1,3-dichloropropene	4.80	75	755748	196.31	ug/L		98
71) 4-methyl-2-pentanone	4.89	58	1155869	757.50	ug/L		96
72) 3-methyl-1-butanol	4.92	70	487344	3807.89	ug/L		99
75) toluene	5.04	92	1265426	205.21	ug/L		97
76) trans-1,3-dichloropropene	5.20	75	700140	204.97	ug/L		99
77) ethyl methacrylate	5.22	69	643965	194.25	ug/L		99
78) 1,1,2-trichloroethane	5.35	83	374870	193.03	ug/L		98
79) tetrachloroethene	5.42	164	514208	203.33	ug/L		99
80) 1,3-dichloropropane	5.47	76	693324	191.92	ug/L		99
81) 2-hexanone	5.49	58	1149637	755.29	ug/L		96
82) butyl acetate	5.57	56	390194	186.18	ug/L		100
83) dibromochloromethane	5.63	129	571936	205.13	ug/L		99
84) 1,2-dibromoethane	5.73	107	512104	190.45	ug/L		98
85) n-butyl ether	6.15	57	2013304	193.97	ug/L		99
86) chlorobenzene	6.10	112	1364005	194.67	ug/L		99
87) 1,1,1,2-tetrachloroethane	6.16	131	550958	207.51	ug/L		98
88) ethylbenzene	6.16	91	2340764	199.14	ug/L		100
89) m,p-xylene	6.27	106	1849270	393.44	ug/L		98
90) o-xylene	6.58	91	1754534	195.99	ug/L		99
91) styrene	6.59	104	1483712	193.58	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200566.D
Acq On : 29 Sep 2022 2:37 am
Operator : PrashanS
Sample : IC8636-200
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Sep 29 13:58:25 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
92) butyl acrylate	6.51	55	1027815	184.84	ug/L	99
93) n-amyl acetate	6.69	70	334133	179.87	ug/L	100
94) bromoform	6.74	173	407843	211.22	ug/L	99
95) isopropylbenzene	6.86	105	2235657	188.42	ug/L	99
96) cis-1,4-dichloro-2-butene	6.91	88	241250	222.28	ug/L	94
99) bromobenzene	7.13	156	599753	198.70	ug/L	96
100) 1,1,2,2-tetrachloroethane	7.10	83	628815	199.24	ug/L	100
101) trans-1,4-dichloro-2-buten	7.14	53	202120	217.12	ug/L	95
102) 1,2,3-trichloropropane	7.15	110	197908	194.26	ug/L	85
103) n-propylbenzene	7.19	91	2463075	198.09	ug/L	98
104) 2-chlorotoluene	7.27	126	549319	198.67	ug/L	97
105) 4-chlorotoluene	7.36	91	1448793	200.54	ug/L	100
106) 1,3,5-trimethylbenzene	7.33	105	1719237	207.47	ug/L	99
107) tert-butylbenzene	7.57	119	1557951	196.65	ug/L	99
108) 1,2,4-trimethylbenzene	7.62	105	1695881	206.49	ug/L	100
109) sec-butylbenzene	7.73	105	2205657	198.56	ug/L	100
110) 1,3-dichlorobenzene	7.83	146	1068141	197.70	ug/L	99
111) p-isopropyltoluene	7.85	119	1935908	204.99	ug/L	99
112) 1,4-dichlorobenzene	7.90	146	1084102	197.46	ug/L	98
113) 1,2-dichlorobenzene	8.16	146	1010949	197.20	ug/L	99
114) benzyl chloride	7.98	91	1085736	213.12	ug/L	99
115) n-butylbenzene	8.13	92	879400	210.83	ug/L	98
116) 1,2-dibromo-3-chloropropan	8.69	157	205566	208.99	ug/L	98
117) 1,3,5-trichlorobenzene	8.81	180	701357	213.23	ug/L	98
118) hexachlorobutadiene	9.31	225	270733	232.63	ug/L	97
119) naphthalene	9.39	128	2191555	209.49	ug/L	99
120) 1,2,4-trichlorobenzene	9.22	180	628671	220.75	ug/L	99
121) 1,2,3-trichlorobenzene	9.52	180	614604	220.62	ug/L	99
123) 2-methylnaphthalene	10.11	142	607200	106.90	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200566.D
Acq On : 29 Sep 2022 2:37 am
Operator : PrashanS
Sample : IC8636-200
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Sep 29 13:58:25 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration



Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 09/29/22 15:49

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200572.D
Acq On : 29 Sep 2022 4:25 am
Operator : PrashanS
Sample : ICV8636-50
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Sep 29 14:02:22 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	2.44	65	391418	500.00	ug/L		0.00
5) pentafluorobenzene	3.51	168	434205	50.00	ug/L		0.00
52) 1,4-difluorobenzene	4.00	114	605103	50.00	ug/L		0.00
73) chlorobenzene-d5	6.07	117	563236	50.00	ug/L		0.00
97) 1,4-dichlorobenzene-d4	7.88	152	286830	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	3.51	113	201287	49.14	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.28%				
53) 1,2-dichloroethane-d4 (s)	3.73	65	225424	48.74	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 97.48%				
74) toluene-d8 (s)	5.00	98	667127	49.52	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.04%				
98) 4-bromofluorobenzene (s)	7.01	95	244573	49.11	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.22%				
Target Compounds							Qvalue
2) ethanol	1.94	45	169072	4516.73	ug/L		98
3) tertiary butyl alcohol	2.49	59	153202	258.70	ug/L		98
4) 1,4-dioxane	4.38	88	61693	1310.59	ug/L	#	1
7) dichlorodifluoromethane	1.24	85	187939	54.05	ug/L		100
8) chloromethane	1.37	50	180414	49.71	ug/L		99
9) vinyl chloride	1.43	62	201319	52.54	ug/L		100
10) bromomethane	1.64	96	32529	61.21	ug/L		97
11) chloroethane	1.70	64	84075	49.55	ug/L		99
12) trichlorofluoromethane	1.86	101	264244	52.67	ug/L		99
13) 1,3-butadiene	1.46	54	214887	70.24	ug/L		99
14) ethyl ether	2.02	74	64361	50.44	ug/L		93
15) acrolein	2.10	56	38718	53.64	ug/L		97
16) 1,1-dichloroethene	2.17	96	125593	51.81	ug/L		94
17) freon 113	2.17	101	141789	47.97	ug/L		98
18) acetone	2.18	58	73617	178.86	ug/L		91
20) iodomethane	2.27	142	64276	57.80	ug/L		99
21) carbon disulfide	2.32	76	324076	53.20	ug/L		98
22) methylene chloride	2.46	84	116613	49.63	ug/L		96
23) methyl acetate	2.36	43	180609	54.03	ug/L		99
24) methyl tert butyl ether	2.60	73	357300	51.04	ug/L		98
26) trans-1,2-dichloroethene	2.62	96	134871	51.39	ug/L		95
27) hexane	2.78	57	211789	51.15	ug/L		99
28) di-isopropyl ether	2.88	45	440006	50.42	ug/L		96
29) 2-butanone	3.19	72	96146	211.26	ug/L	#	83
30) 1,1-dichloroethane	2.88	63	227985	50.07	ug/L		99
31) chloroprene	2.92	53	237865	55.22	ug/L		99
32) vinyl acetate	2.86	86	21545	42.61	ug/L		100
33) ethyl tert-butyl ether	3.09	59	391235	50.20	ug/L		99
34) ethyl acetate	3.21	45	36445	53.04	ug/L		98
35) 2,2-dichloropropane	3.22	77	183632	48.59	ug/L		98
36) cis-1,2-dichloroethene	3.21	96	142477	50.30	ug/L		95
37) methyl acrylate	3.24	55	212265	49.56	ug/L		98
38) propionitrile	3.23	54	294694	455.01	ug/L		80

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200572.D
Acq On : 29 Sep 2022 4:25 am
Operator : PrashanS
Sample : ICV8636-50
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Sep 29 14:02:22 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
39) tert-butyl formate	3.43	59	48592	28.58	ug/L		95
40) bromochloromethane	3.36	128	69632	48.19	ug/L		99
41) tetrahydrofuran	3.37	42	70787	48.78	ug/L		100
42) chloroform	3.41	83	234374	49.93	ug/L		100
44) methacrylonitrile	3.33	67	71407	52.76	ug/L		99
45) 1,1,1-trichloroethane	3.53	97	228293	50.86	ug/L		97
46) cyclohexane	3.58	84	206084	50.22	ug/L		91
47) tert amyl alcohol	3.72	55	52620	227.95	ug/L		100
48) 1,1-dichloropropene	3.62	75	190604	51.67	ug/L		99
49) isobutyl alcohol	3.81	42	26121	449.33	ug/L	#	92
50) carbon tetrachloride	3.63	117	206729	52.14	ug/L		100
51) isopropyl acetate	3.74	87	34116	54.06	ug/L	#	94
54) iso-octane	3.81	57	406927	48.48	ug/L		99
55) epichlorohydrin	4.72	57	109150	259.43	ug/L		100
56) n-butyl alcohol	4.06	56	366828	2716.98	ug/L		98
57) benzene	3.75	78	511045	50.34	ug/L		100
58) tert-amyl methyl ether	3.81	73	344306	51.41	ug/L		99
59) heptane	3.91	57	81094	53.57	ug/L		99
60) 1,2-dichloroethane	3.78	62	182248	47.60	ug/L		99
61) trichloroethene	4.16	130	168161	53.20	ug/L		97
62) ethyl acrylate	4.19	55	209995	50.82	ug/L		99
63) 2-nitropropane	4.65	41	55779	54.86	ug/L		99
64) 2-chloroethyl vinyl ether	4.68	63	431050	245.10	ug/L		99
65) methyl methacrylate	4.34	100	46323	56.29	ug/L	#	89
66) 1,2-dichloropropane	4.34	76	52177	52.58	ug/L		99
67) dibromomethane	4.40	93	83848	48.80	ug/L		95
68) methylcyclohexane	4.33	83	230385	54.14	ug/L		99
69) bromodichloromethane	4.50	83	158081	53.94	ug/L		99
70) cis-1,3-dichloropropene	4.80	75	184119	54.22	ug/L		97
71) 4-methyl-2-pentanone	4.89	58	294266	211.64	ug/L		97
72) 3-methyl-1-butanol	4.91	70	121836	1129.99	ug/L		98
75) toluene	5.04	92	320831	52.02	ug/L		97
76) trans-1,3-dichloropropene	5.20	75	168929	54.77	ug/L		99
77) ethyl methacrylate	5.22	69	155095	49.94	ug/L		99
78) 1,1,2-trichloroethane	5.34	83	97000	51.92	ug/L		99
80) 1,3-dichloropropane	5.47	76	181358	50.68	ug/L		98
81) 2-hexanone	5.49	58	300763	207.24	ug/L		99
82) butyl acetate	5.57	56	105148	50.96	ug/L		98
83) dibromochloromethane	5.63	129	140790	57.35	ug/L		100
84) 1,2-dibromoethane	5.73	107	133487	53.55	ug/L		98
85) n-butyl ether	6.15	57	506416	50.68	ug/L		99
86) chlorobenzene	6.10	112	356168	50.90	ug/L		99
87) 1,1,1,2-tetrachloroethane	6.16	131	133651	55.55	ug/L		98
88) ethylbenzene	6.16	91	607788	51.43	ug/L		100
89) m,p-xylene	6.27	106	488844	105.10	ug/L		98
90) o-xylene	6.57	91	464494	52.58	ug/L		100
91) styrene	6.59	104	392224	52.32	ug/L		99
92) butyl acrylate	6.51	55	266323	52.57	ug/L		98
93) n-amyl acetate	6.69	70	88673	52.61	ug/L		99
94) bromoform	6.74	173	95717	58.72	ug/L		100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200572.D
Acq On : 29 Sep 2022 4:25 am
Operator : PrashanS
Sample : ICV8636-50
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Sep 29 14:02:22 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
95) isopropylbenzene	6.86	105	613390	53.26 ug/L	100
96) cis-1,4-dichloro-2-butene	6.91	88	49202	43.63 ug/L	99
99) bromobenzene	7.13	156	160325	50.92 ug/L	96
100) 1,1,2,2-tetrachloroethane	7.10	83	166782	53.49 ug/L	99
101) trans-1,4-dichloro-2-buten	7.14	53	51103	56.33 ug/L	97
102) 1,2,3-trichloropropane	7.15	110	52867	51.36 ug/L	97
103) n-propylbenzene	7.19	91	680262	52.25 ug/L	99
104) 2-chlorotoluene	7.27	126	150278	51.97 ug/L	98
105) 4-chlorotoluene	7.36	91	388862	51.26 ug/L	99
106) 1,3,5-trimethylbenzene	7.33	105	452045	53.18 ug/L	99
107) tert-butylbenzene	7.57	119	445881m	53.91 ug/L	
108) 1,2,4-trimethylbenzene	7.62	105	445603	51.75 ug/L	100
109) sec-butylbenzene	7.73	105	610221	53.65 ug/L	99
110) 1,3-dichlorobenzene	7.83	146	291641	51.76 ug/L	99
111) p-isopropyltoluene	7.85	119	517243	53.65 ug/L	100
112) 1,4-dichlorobenzene	7.90	146	291047	50.12 ug/L	99
113) 1,2-dichlorobenzene	8.16	146	275182	52.23 ug/L	99
114) benzyl chloride	7.98	91	241622	51.85 ug/L	99
115) n-butylbenzene	8.13	92	227418	53.62 ug/L	100
116) 1,2-dibromo-3-chloropropan	8.69	157	51840	55.51 ug/L	99
117) 1,3,5-trichlorobenzene	8.81	180	174428	51.52 ug/L	98
118) hexachlorobutadiene	9.30	225	65334	54.14 ug/L	99
119) naphthalene	9.39	128	550776	49.72 ug/L	100
120) 1,2,4-trichlorobenzene	9.22	180	153935	52.20 ug/L	99
121) 1,2,3-trichlorobenzene	9.52	180	148252	51.60 ug/L	99
122) hexachloroethane	8.35	201	65533	51.89 ug/L	98
123) 2-methylnaphthalene	10.11	142	149736	27.67 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200572.D
Acq On : 29 Sep 2022 4:25 am
Operator : PrashanS
Sample : ICV8636-50
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Sep 29 14:02:22 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration



Manual Integration Approval Summary

Sample Number:	V1X8636-ICV8636	**Method:**	SW846 8260D
Lab FileID:	1X200572.D	**Analyst approved:**	09/29/22 14:18 Bridget Kelly
Injection Time:	09/29/22 04:25	**Supervisor approved:**	09/29/22 15:49 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
tert-Butylbenzene	98-06-6		7.57	Overlapping peak


Quantitation Report (Qedit)

Data File : C:\MSDCHEM\1\DATA\VX8636\1X200572.D Vial: 14
Acq On : 29 Sep 2022 4:25 am Operator: PrashanS
Sample : ICV8636-50 Inst : ACC-VOA-M
Misc : MS62283,V1X8636,5,,,,1 Multiplr: 1.00
MS Integration Params: RTEINT.P

Quant Time: Sep 29 14:00:40 2022 Results File: M1X8636.RES

Method : C:\MSDCHEM\1\METHODS\M1X8636.M (RTE Integrator)
Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
Last Update : Thu Sep 29 10:06:17 2022
Response via : Multiple Level Calibration





(107) tert-butylbenzene

7.57min 64.72ug/L

response 535333

Ion	Exp%	Act%
119.00	100	100
91.00	62.50	61.20
134.00	24.60	23.91
0.00	0.00	0.00


1X200572.D M1X8636.M Thu Sep 29 14:02:19 2022 GCMSX


Quantitation Report (Qedit)

Data File : C:\MSDCHEM\1\DATA\VX8636\1X200572.D Vial: 14
Acq On : 29 Sep 2022 4:25 am Operator: PrashanS
Sample : ICV8636-50 Inst : ACC-VOA-M
Misc : MS62283,V1X8636,5,,,,1 Multiplr: 1.00
MS Integration Params: RTEINT.P

Quant Time: Sep 29 14:00:40 2022 Results File: M1X8636.RES

Method : C:\MSDCHEM\1\METHODS\M1X8636.M (RTE Integrator)
Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
Last Update : Thu Sep 29 10:06:17 2022
Response via : Multiple Level Calibration





(107) tert-butylbenzene

7.57min 53.91ug/L m

response 445881

Ion	Exp%	Act%
119.00	100	100
91.00	62.50	61.20
134.00	24.60	23.91
0.00	0.00	0.00

1X200572.D M1X8636.M Thu Sep 29 14:02:24 2022 GCMSX

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200574.D
Acq On : 29 Sep 2022 5:02 am
Operator : PrashanS
Sample : ICV8636-50
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Sep 29 14:01:30 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	2.44	65	360839	500.00	ug/L	0.00
5) pentafluorobenzene	3.51	168	426110	50.00	ug/L	0.00
52) 1,4-difluorobenzene	4.00	114	580783	50.00	ug/L	0.00
73) chlorobenzene-d5	6.07	117	551871	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.88	152	280923	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.51	113	194852	48.48	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.96%			
53) 1,2-dichloroethane-d4 (s)	3.73	65	225525	50.80	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 101.60%			
74) toluene-d8 (s)	5.00	98	650879	49.31	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.62%			
98) 4-bromofluorobenzene (s)	7.01	95	242608	49.74	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.48%			
Target Compounds						Qvalue
6) chlorodifluoromethane	1.25	51	192908	53.09	ug/L	96
19) acetonitrile	2.35	41	251572	450.22	ug/L	97
25) acrylonitrile	2.58	53	63236	41.53	ug/L	99
79) tetrachloroethene	5.42	164	115359	47.59	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200574.D
Acq On : 29 Sep 2022 5:02 am
Operator : PrashanS
Sample : ICV8636-50
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Sep 29 14:01:30 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200643.d
Acq On : 30 Sep 2022 9:46 am
Operator : taylors
Sample : cc8636-20 Inst : ACC-VOA-MSX
Misc : MS62564,V1X8639,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Sep 30 16:20:42 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.440	65	377980	500.00	ug/L	0.00
5) pentafluorobenzene	3.507	168	426583	50.00	ug/L	0.00
52) 1,4-difluorobenzene	3.998	114	595663	50.00	ug/L	0.00
73) chlorobenzene-d5	6.074	117	552869	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.883	152	278262	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.507	113	191913	47.69	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.38%			
53) 1,2-dichloroethane-d4 (s)	3.726	65	222440	48.86	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 97.72%			
74) toluene-d8 (s)	4.996	98	654685	49.50	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.00%			
98) 4-bromofluorobenzene (s)	7.003	95	237838	49.23	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.46%			
Target Compounds						Qvalue
2) ethanol	1.943	45	75629	2092.25	ug/L	97
3) tertiary butyl alcohol	2.488	59	51013	89.20	ug/L	96
4) 1,4-dioxane	4.377	88	22329	491.22	ug/L	92
6) chlorodifluoromethane	1.255	51	53971	14.84	ug/L	99
7) dichlorodifluoromethane	1.233	85	59271	17.35	ug/L	98
8) chloromethane	1.361	50	58446	16.39	ug/L	100
9) vinyl chloride	1.431	62	64427	17.12	ug/L	99
10) bromomethane	1.634	96	10915	20.91	ug/L	93
11) chloroethane	1.703	64	27842	16.70	ug/L	98
12) trichlorofluoromethane	1.858	101	84041	17.05	ug/L	99
13) 1,3-butadiene	1.452	54	66282	22.05	ug/L	99
14) ethyl ether	2.018	74	20760	16.56	ug/L	95
15) acrolein	2.103	56	12538	17.68	ug/L	99
16) 1,1-dichloroethene	2.167	96	39340	16.52	ug/L	99
17) freon 113	2.162	101	49025	16.88	ug/L	94
18) acetone	2.183	58	26141	64.65	ug/L	99
19) acetonitrile	2.349	41	98715	176.47	ug/L	99
20) iodomethane	2.263	142	15988	14.63	ug/L	98
21) carbon disulfide	2.311	76	92654	15.48	ug/L	99
22) methylene chloride	2.456	84	38350	16.61	ug/L	98
23) methyl acetate	2.359	43	55264	16.83	ug/L	99
24) methyl tert butyl ether	2.600	73	112203	16.31	ug/L	97
25) acrylonitrile	2.584	53	26576	17.43	ug/L	97
26) trans-1,2-dichloroethene	2.616	96	42687	16.56	ug/L	98
27) hexane	2.770	57	70111	17.24	ug/L	98
28) di-isopropyl ether	2.872	45	141836	16.54	ug/L	96
29) 2-butanone	3.192	72	31661	70.81	ug/L	97
30) 1,1-dichloroethane	2.872	63	73278	16.38	ug/L	98
31) chloroprene	2.920	53	72134	17.05	ug/L	99
32) vinyl acetate	2.856	86	8907	17.93	ug/L #	89
33) ethyl tert-butyl ether	3.085	59	127993	16.72	ug/L	99
34) ethyl acetate	3.203	45	10823	16.03	ug/L	98
35) 2,2-dichloropropane	3.219	77	65066	17.53	ug/L	99
36) cis-1,2-dichloroethene	3.213	96	45298	16.28	ug/L	97
37) methyl acrylate	3.240	55	74577	17.72	ug/L	99
38) propionitrile	3.235	54	113539	178.44	ug/L	83
39) tert-butyl formate	3.427	59	29231	17.50	ug/L	97
40) bromochloromethane	3.357	128	23098	16.27	ug/L	97
41) tetrahydrofuran	3.368	42	23934	16.79	ug/L	98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200643.d
Acq On : 30 Sep 2022 9:46 am
Operator : taylors
Sample : cc8636-20 Inst : ACC-VOA-MSX
Misc : MS62564,V1X8639,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Sep 30 16:20:42 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
42)	chloroform	3.411	83	72079	15.63	ug/L		98
44)	methacrylonitrile	3.325	67	23537	17.70	ug/L		97
45)	1,1,1-trichloroethane	3.528	97	71465	16.21	ug/L		93
46)	cyclohexane	3.576	84	65503	16.25	ug/L		93
47)	tert amyl alcohol	3.715	55	20493	90.36	ug/L		90
48)	1,1-dichloropropene	3.624	75	59815	16.51	ug/L		98
49)	isobutyl alcohol	3.811	42	9817	171.89	ug/L	#	79
50)	carbon tetrachloride	3.624	117	60540	15.54	ug/L		98
51)	isopropyl acetate	3.736	87	10921	17.61	ug/L	#	71
54)	iso-octane	3.806	57	139191	16.84	ug/L		99
55)	epichlorohydrin	4.718	57	39349	95.01	ug/L		95
56)	n-butyl alcohol	4.051	56	129650	975.50	ug/L		98
57)	benzene	3.752	78	164387	16.45	ug/L		99
58)	tert-amyl methyl ether	3.811	73	112649	17.09	ug/L		99
59)	heptane	3.907	57	27351	18.36	ug/L		97
60)	1,2-dichloroethane	3.774	62	60253	15.99	ug/L		98
61)	trichloroethene	4.163	130	52747	16.95	ug/L		98
62)	ethyl acrylate	4.190	55	74165	18.23	ug/L		99
63)	2-nitropropane	4.644	41	16577	16.56	ug/L		93
64)	2-chloroethyl vinyl ether	4.676	63	157569	91.01	ug/L		98
65)	methyl methacrylate	4.345	100	14279	17.63	ug/L	#	78
66)	1,2-dichloropropane	4.334	76	16443	16.83	ug/L		100
67)	dibromomethane	4.398	93	27337	16.16	ug/L		96
68)	methylcyclohexane	4.323	83	70851	16.91	ug/L		99
69)	bromodichloromethane	4.505	83	47348	16.41	ug/L		98
70)	cis-1,3-dichloropropene	4.798	75	58128	17.39	ug/L		100
71)	4-methyl-2-pentanone	4.889	58	99344	72.58	ug/L		96
72)	3-methyl-1-butanol	4.911	70	39738	374.40	ug/L		96
75)	toluene	5.044	92	103517	17.10	ug/L		99
76)	trans-1,3-dichloropropene	5.193	75	52307	17.28	ug/L		99
77)	ethyl methacrylate	5.215	69	53609	17.59	ug/L		97
78)	1,1,2-trichloroethane	5.343	83	31595	17.23	ug/L		98
79)	tetrachloroethene	5.418	164	42702	17.59	ug/L		95
80)	1,3-dichloropropane	5.466	76	59784	17.02	ug/L		98
81)	2-hexanone	5.487	58	101036	70.92	ug/L		99
82)	butyl acetate	5.562	56	33797	16.69	ug/L		100
83)	dibromochloromethane	5.631	129	39617	16.44	ug/L		97
84)	1,2-dibromoethane	5.727	107	44029	18.00	ug/L		100
85)	n-butyl ether	6.149	57	164606	16.78	ug/L		100
86)	chlorobenzene	6.101	112	116577	16.97	ug/L		98
87)	1,1,1,2-tetrachloroethane	6.159	131	39485	16.72	ug/L		95
88)	ethylbenzene	6.165	91	195483	16.85	ug/L		99
89)	m,p-xylene	6.266	106	153844	33.70	ug/L		99
90)	o-xylene	6.570	91	146827	16.93	ug/L		99
91)	styrene	6.586	104	124587	16.93	ug/L		97
92)	butyl acrylate	6.512	55	86344	17.36	ug/L		98
93)	n-amyl acetate	6.688	70	29686	17.94	ug/L		100
94)	bromoform	6.736	173	25861	16.16	ug/L		95
95)	isopropylbenzene	6.859	105	195742	17.32	ug/L		99
96)	cis-1,4-dichloro-2-butene	6.907	88	8466	9.96	ug/L	#	88
99)	bromobenzene	7.120	156	51957	17.01	ug/L		96
100)	1,1,2,2-tetrachloroethane	7.104	83	56971	18.83	ug/L		99
101)	trans-1,4-dichloro-2-b...	7.131	53	9671	10.99	ug/L		83
102)	1,2,3-trichloropropane	7.152	110	18138	18.16	ug/L		91
103)	n-propylbenzene	7.189	91	217280	17.20	ug/L		99
104)	2-chlorotoluene	7.264	126	48827	17.41	ug/L		95
105)	4-chlorotoluene	7.360	91	124550	16.93	ug/L		96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200643.d
Acq On : 30 Sep 2022 9:46 am
Operator : taylors
Sample : cc8636-20 Inst : ACC-VOA-MSX
Misc : MS62564,V1X8639,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Sep 30 16:20:42 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
106) 1,3,5-trimethylbenzene	7.328	105	143708	17.43	ug/L		100
107) tert-butylbenzene	7.568	119	137508	17.14	ug/L		99
108) 1,2,4-trimethylbenzene	7.611	105	140854	16.86	ug/L		98
109) sec-butylbenzene	7.734	105	193951	17.58	ug/L		98
110) 1,3-dichlorobenzene	7.830	146	94420	17.27	ug/L		98
111) p-isopropyltoluene	7.846	119	164914	17.63	ug/L		99
112) 1,4-dichlorobenzene	7.899	146	96579	17.14	ug/L		99
113) 1,2-dichlorobenzene	8.155	146	89608	17.53	ug/L		100
114) benzyl chloride	7.979	91	91365	20.21	ug/L		99
115) n-butylbenzene	8.134	92	73104	17.77	ug/L		99
116) 1,2-dibromo-3-chloropr...	8.689	157	15985	17.64	ug/L		98
117) 1,3,5-trichlorobenzene	8.812	180	58344	17.76	ug/L		98
118) hexachlorobutadiene	9.303	225	21495	18.36	ug/L		97
119) naphthalene	9.383	128	190432	17.72	ug/L		98
120) 1,2,4-trichlorobenzene	9.217	180	50622	17.69	ug/L		98
121) 1,2,3-trichlorobenzene	9.522	180	49102	17.62	ug/L		97
122) hexachloroethane	8.347	201	15531	13.67	ug/L	#	68
123) 2-methylnaphthalene	10.109	142	47319	9.01	ug/L		98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


7.6.13

7

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v1x8639\
Data File : 1x200643.d
Acq On : 30 Sep 2022 9:46 am
Operator : taylors
Sample : cc8636-20 Inst : ACC-VOA-MSX
Misc : MS62564,V1X8639,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Sep 30 16:20:42 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\luckyc\04 oct 2022\v1x8640\
Data File : 1x200674.d
Acq On : 30 Sep 2022 9:48 pm
Operator : taylors
Sample : CC8636-50 Inst : ACC-VOA-MSX
Misc : MS62505,V1X8640,5,,,,1
ALS Vial : 36 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 01 07:48:18 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.450	65	381173	500.00	ug/L	0.00
5) pentafluorobenzene	3.512	168	438136	50.00	ug/L	0.00
52) 1,4-difluorobenzene	4.008	114	603589	50.00	ug/L	0.00
73) chlorobenzene-d5	6.085	117	568961	50.00	ug/L	0.01
97) 1,4-dichlorobenzene-d4	7.888	152	287677	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.517	113	194095	46.96	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 93.92%			
53) 1,2-dichloroethane-d4 (s)	3.736	65	221455	48.00	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 96.00%			
74) toluene-d8 (s)	5.001	98	677146	49.76	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.52%			
98) 4-bromofluorobenzene (s)	7.013	95	244579	48.97	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.94%			
Target Compounds						Qvalue
2) ethanol	1.954	45	204661	5614.44	ug/L	97
3) tertiary butyl alcohol	2.498	59	143279	248.45	ug/L	97
4) 1,4-dioxane	4.387	88	60460	1318.92	ug/L	92
6) chlorodifluoromethane	1.260	51	110017	29.45	ug/L	97
7) dichlorodifluoromethane	1.244	85	152749	43.53	ug/L	100
8) chloromethane	1.372	50	153970	42.04	ug/L	99
9) vinyl chloride	1.436	62	170978	44.23	ug/L	99
10) bromomethane	1.644	96	19427	36.23	ug/L	99
11) chloroethane	1.708	64	71020	41.48	ug/L	99
12) trichlorofluoromethane	1.863	101	222364	43.92	ug/L	99
13) 1,3-butadiene	1.463	54	152967	49.55	ug/L	99
14) ethyl ether	2.028	74	48509	37.68	ug/L	98
15) acrolein	2.114	56	31610	43.40	ug/L	100
16) 1,1-dichloroethene	2.178	96	88835	36.32	ug/L	97
17) freon 113	2.173	101	111823	37.49	ug/L	97
18) acetone	2.189	58	66294	159.62	ug/L	99
19) acetonitrile	2.359	41	239166	416.27	ug/L	100
20) iodomethane	2.274	142	43327	38.61	ug/L	99
21) carbon disulfide	2.322	76	203066	33.04	ug/L	100
22) methylene chloride	2.466	84	91269	38.49	ug/L	99
23) methyl acetate	2.370	43	137259	40.69	ug/L	99
24) methyl tert butyl ether	2.610	73	286140	40.51	ug/L	99
25) acrylonitrile	2.594	53	70138	44.80	ug/L	98
26) trans-1,2-dichloroethene	2.626	96	102672	38.77	ug/L	98
27) hexane	2.781	57	152240	36.44	ug/L	99
28) di-isopropyl ether	2.882	45	371577	42.20	ug/L	98
29) 2-butanone	3.203	72	84600	184.22	ug/L	98
30) 1,1-dichloroethane	2.882	63	182278	39.68	ug/L	100
31) chloroprene	2.925	53	175585	40.40	ug/L	100
32) vinyl acetate	2.866	86	22865	44.81	ug/L	96
33) ethyl tert-butyl ether	3.096	59	334880	42.58	ug/L	99
34) ethyl acetate	3.213	45	31639	45.63	ug/L	97
35) 2,2-dichloropropane	3.229	77	146896	38.52	ug/L	97
36) cis-1,2-dichloroethene	3.219	96	114803	40.17	ug/L	92
37) methyl acrylate	3.245	55	196003	45.36	ug/L	96
38) propionitrile	3.240	54	297279	454.88	ug/L #	66
39) tert-butyl formate	3.432	59	77191	45.00	ug/L	94
40) bromochloromethane	3.368	128	58970	40.45	ug/L	95
41) tetrahydrofuran	3.373	42	61317	41.87	ug/L	99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\luckyc\04 oct 2022\v1x8640\
Data File : 1x200674.d
Acq On : 30 Sep 2022 9:48 pm
Operator : taylors
Sample : CC8636-50 Inst : ACC-VOA-MSX
Misc : MS62505,V1X8640,5,,,,1
ALS Vial : 36 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 01 07:48:18 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
42)	chloroform	3.416	83	189667	40.04	ug/L		99
44)	methacrylonitrile	3.336	67	63317	46.36	ug/L		99
45)	1,1,1-trichloroethane	3.533	97	181542	40.08	ug/L		94
46)	cyclohexane	3.587	84	177764	42.93	ug/L		100
47)	tert amyl alcohol	3.726	55	58340	250.46	ug/L		90
48)	1,1-dichloropropene	3.630	75	150615	40.47	ug/L		98
49)	isobutyl alcohol	3.816	42	24232	413.10	ug/L	#	92
50)	carbon tetrachloride	3.635	117	158191	39.54	ug/L		99
51)	isopropyl acetate	3.747	87	31248	49.07	ug/L		99
54)	iso-octane	3.816	57	339044	40.49	ug/L		99
55)	epichlorohydrin	4.729	57	106508	253.79	ug/L		97
56)	n-butyl alcohol	4.062	56	373330	2772.08	ug/L		97
57)	benzene	3.758	78	416394	41.12	ug/L		100
58)	tert-amyl methyl ether	3.816	73	312442	46.77	ug/L		100
59)	heptane	3.918	57	61624	40.81	ug/L		99
60)	1,2-dichloroethane	3.784	62	157357	41.20	ug/L		100
61)	trichloroethene	4.174	130	136768	43.38	ug/L		99
62)	ethyl acrylate	4.195	55	208072	50.48	ug/L		99
63)	2-nitropropane	4.654	41	49817	49.12	ug/L		99
64)	2-chloroethyl vinyl ether	4.686	63	435345	248.16	ug/L		99
65)	methyl methacrylate	4.350	100	41092	50.06	ug/L	#	88
66)	1,2-dichloropropane	4.345	76	46008	46.48	ug/L		95
67)	dibromomethane	4.403	93	73961	43.15	ug/L		98
68)	methylcyclohexane	4.334	83	178986	42.16	ug/L		98
69)	bromodichloromethane	4.510	83	137354	46.99	ug/L		98
70)	cis-1,3-dichloropropene	4.809	75	161021	47.54	ug/L		99
71)	4-methyl-2-pentanone	4.894	58	286889	206.85	ug/L		99
72)	3-methyl-1-butanol	4.916	70	123917	1152.18	ug/L		99
75)	toluene	5.049	92	279259	44.82	ug/L		98
76)	trans-1,3-dichloropropene	5.204	75	148910	47.79	ug/L		100
77)	ethyl methacrylate	5.225	69	155970	49.72	ug/L		100
78)	1,1,2-trichloroethane	5.348	83	90952	48.19	ug/L		98
79)	tetrachloroethene	5.428	164	113436	45.40	ug/L		99
80)	1,3-dichloropropane	5.476	76	166673	46.10	ug/L		99
81)	2-hexanone	5.492	58	294488	200.87	ug/L		98
82)	butyl acetate	5.572	56	99847	47.91	ug/L		99
83)	dibromochloromethane	5.636	129	123252	49.70	ug/L		99
84)	1,2-dibromoethane	5.738	107	122643	48.71	ug/L		95
85)	n-butyl ether	6.154	57	465324	46.10	ug/L		100
86)	chlorobenzene	6.106	112	325597	46.06	ug/L		98
87)	1,1,1,2-tetrachloroethane	6.170	131	120706	49.66	ug/L		99
88)	ethylbenzene	6.170	91	538740	45.13	ug/L		99
89)	m,p-xylene	6.271	106	424368	90.32	ug/L		99
90)	o-xylene	6.576	91	408016	45.72	ug/L		99
91)	styrene	6.592	104	352784	46.59	ug/L		99
92)	butyl acrylate	6.517	55	258012	50.41	ug/L		97
93)	n-amyl acetate	6.693	70	86141	50.60	ug/L		100
94)	bromoform	6.746	173	85861	52.14	ug/L		99
95)	isopropylbenzene	6.869	105	545307	46.88	ug/L		100
96)	cis-1,4-dichloro-2-butene	6.912	88	24605	23.01	ug/L		97
99)	bromobenzene	7.131	156	147105	46.58	ug/L		97
100)	1,1,2,2-tetrachloroethane	7.109	83	165598	52.95	ug/L		98
101)	trans-1,4-dichloro-2-b...	7.141	53	25672	28.22	ug/L		85
102)	1,2,3-trichloropropane	7.157	110	52439	50.79	ug/L		95
103)	n-propylbenzene	7.200	91	607341	46.51	ug/L		97
104)	2-chlorotoluene	7.275	126	136027	46.91	ug/L		100
105)	4-chlorotoluene	7.365	91	354857	46.64	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\luckyc\04 oct 2022\v1x8640\
Data File : 1x200674.d
Acq On : 30 Sep 2022 9:48 pm
Operator : taylors
Sample : CC8636-50 Inst : ACC-VOA-MSX
Misc : MS62505,V1X8640,5,,,,1
ALS Vial : 36 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 01 07:48:18 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
106) 1,3,5-trimethylbenzene	7.333	105	409402	48.02	ug/L	100
107) tert-butylbenzene	7.574	119	392969	47.37	ug/L	99
108) 1,2,4-trimethylbenzene	7.622	105	410003	47.48	ug/L	99
109) sec-butylbenzene	7.739	105	550881	48.29	ug/L	99
110) 1,3-dichlorobenzene	7.835	146	266851	47.22	ug/L	99
111) p-isopropyltoluene	7.851	119	470330	48.64	ug/L	100
112) 1,4-dichlorobenzene	7.910	146	269761	46.32	ug/L	98
113) 1,2-dichlorobenzene	8.161	146	258155	48.85	ug/L	98
114) benzyl chloride	7.984	91	240449	51.45	ug/L	100
115) n-butylbenzene	8.139	92	206087	48.44	ug/L	99
116) 1,2-dibromo-3-chloropr...	8.694	157	49324	52.66	ug/L	99
117) 1,3,5-trichlorobenzene	8.817	180	162418	47.84	ug/L	97
118) hexachlorobutadiene	9.308	225	60320	49.84	ug/L	99
119) naphthalene	9.393	128	548893	49.41	ug/L	100
120) 1,2,4-trichlorobenzene	9.223	180	145419	49.16	ug/L	98
121) 1,2,3-trichlorobenzene	9.527	180	143461	49.79	ug/L	99
122) hexachloroethane	8.358	201	52155	41.45	ug/L	96
123) 2-methylnaphthalene	10.119	142	145274	26.77	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\luckyc\04 oct 2022\v1x8640\
Data File : 1x200674.d
Acq On : 30 Sep 2022 9:48 pm
Operator : taylors
Sample : CC8636-50 Inst : ACC-VOA-MSX
Misc : MS62505,V1X8640,5,,,,1
ALS Vial : 36 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 01 07:48:18 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration



Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/01/22 19:36

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218781.D
Acq On : 31 Jul 2022 5:23 pm
Operator : PrashanS
Sample : IC9511-0.2
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 01 14:38:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:30:00 2022
QLast Update : Mon Aug 01 14:31:10 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	7.25	65	413095	500.00	ug/L		0.00
5) pentafluorobenzene	9.51	168	704907	50.00	ug/L		0.00
50) 1,4-difluorobenzene	10.44	114	942450	50.00	ug/L		0.00
72) chlorobenzene-d5	13.56	117	907713	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	15.89	152	489845	50.00	ug/L		0.00
124) pentafluorobenzene(a)	9.51	168	703959	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	9.54	113	327890	48.92	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.84%				
51) 1,2-dichloroethane-d4 (s)	9.95	65	439924	50.13	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.26%				
73) toluene-d8 (s)	12.06	98	1101058	49.31	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.62%				
97) 4-bromofluorobenzene (s)	14.72	95	451758	50.21	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.42%				
Target Compounds							Qvalue
13) trichlorofluoromethane	5.79	101	1886	0.18	ug/L		75
20) iodomethane	6.84	142	2080	0.21	ug/L		73
24) methyl tert butyl ether	7.67	73	3921	0.22	ug/L		75
26) hexane	8.05	57	2404	0.24	ug/L		94
27) di-isopropyl ether	8.25	45	5687	0.23	ug/L		96
28) ethyl tert-butyl ether	8.72	59	4939	0.22	ug/L		92
30) 1,1-dichloroethane	8.26	63	2481	0.22	ug/L		73
31) chloroprene	8.36	53	2287	0.21	ug/L		86
35) 2,2-dichloropropane	9.00	77	2031	0.23	ug/L		92
36) cis-1,2-dichloroethene	8.98	96	1141	0.18	ug/L	#	68
41) tert-butyl formate	9.39	59	1059	0.17	ug/L		85
45) 1,1,1-trichloroethane	9.61	97	2008	0.20	ug/L	#	71
46) cyclohexane	9.73	84	1608	0.18	ug/L	#	43
47) 1,1-dichloropropene	9.79	75	1870	0.23	ug/L	#	78
49) carbon tetrachloride	9.81	117	1890	0.20	ug/L	#	65
52) 2,2,4-trimethylpentane	10.11	57	5838	0.23	ug/L		94
53) tert-amyl methyl ether	10.11	73	4313	0.23	ug/L		97
55) benzene	10.02	78	4522	0.21	ug/L		88
56) heptane	10.28	57	970	0.18	ug/L	#	73
59) trichloroethene	10.75	95	1268	0.20	ug/L	#	65
65) methylcyclohexane	11.04	83	2227	0.22	ug/L	#	72
66) dibromomethane	11.15	93	977	0.24	ug/L		94
67) bromodichloromethane	11.30	83	1917	0.22	ug/L		89
69) cis-1,3-dichloropropene	11.76	75	1843	0.18	ug/L		93
70) 4-methyl-2-pentanone	11.87	58	2482	0.79	ug/L		98
74) toluene	12.14	92	3058	0.22	ug/L	#	79
75) trans-1,3-dichloropropene	12.32	75	1875	0.19	ug/L	#	80
77) 1,1,2-trichloroethane	12.54	83	944	0.19	ug/L		91
79) tetrachloroethene	12.69	166	1390	0.20	ug/L		84
80) 1,3-dichloropropane	12.73	76	2250	0.25	ug/L		76
82) dibromochloromethane	12.97	129	1460	0.20	ug/L		91
83) 1,2-dibromoethane	13.12	107	1196	0.19	ug/L		95

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218781.D
Acq On : 31 Jul 2022 5:23 pm
Operator : PrashanS
Sample : IC9511-0.2
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 01 14:38:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:30:00 2022
QLast Update : Mon Aug 01 14:31:10 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
84) n-butyl ether	13.57	57	6000m	0.21	ug/L		
85) chlorobenzene	13.59	112	2945	0.19	ug/L		90
86) 1,1,1,2-tetrachloroethane	13.66	131	1165	0.19	ug/L	#	78
87) ethylbenzene	13.66	91	5830	0.22	ug/L		96
88) m,p-xylene	13.78	106	4185	0.40	ug/L		93
89) o-xylene	14.19	91	4811	0.22	ug/L		66
90) styrene	14.20	104	3356	0.19	ug/L		88
92) bromoform	14.41	173	954	0.17	ug/L		84
94) isopropylbenzene	14.53	105	5340	0.20	ug/L		91
98) bromobenzene	14.90	156	1847	0.25	ug/L	#	61
99) 1,1,2,2-tetrachloroethane	14.80	83	1678	0.20	ug/L		80
102) n-propylbenzene	14.94	91	6409	0.21	ug/L		82
103) 2-chlorotoluene	15.07	126	1582	0.24	ug/L	#	80
104) 4-chlorotoluene	15.18	91	4087	0.21	ug/L		96
105) 1,3,5-trimethylbenzene	15.10	105	4373	0.20	ug/L		96
106) tert-butylbenzene	15.44	119	3960	0.21	ug/L		86
107) 1,2,4-trimethylbenzene	15.49	105	4650	0.21	ug/L		83
108) sec-butylbenzene	15.66	105	5792	0.21	ug/L		94
109) 1,3-dichlorobenzene	15.83	146	2758	0.20	ug/L		82
110) p-isopropyltoluene	15.79	119	5326	0.22	ug/L		89
112) 1,2,3-trimethylbenzene	15.91	105	4974	0.22	ug/L		86
113) 1,4-dichlorobenzene	15.92	146	3452	0.25	ug/L		96
114) 1,2-dichlorobenzene	16.29	146	2734	0.20	ug/L		69
115) n-butylbenzene	16.20	92	2460	0.19	ug/L	#	71
117) 1,3,5-trichlorobenzene	17.25	180	2195	0.20	ug/L		78
118) 1,2,4-trichlorobenzene	17.89	180	1689	0.18	ug/L		80
119) hexachlorobutadiene	18.00	225	810	0.17	ug/L		77
120) naphthalene	18.18	128	4329	0.19	ug/L		94
121) 1,2,3-trichlorobenzene	18.41	180	1498	0.17	ug/L		96
122) hexachloroethane	16.58	201	661	0.15	ug/L		93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218781.D
Acq On : 31 Jul 2022 5:23 pm
Operator : PrashanS
Sample : IC9511-0.2
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 01 14:38:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:30:00 2022
QLast Update : Mon Aug 01 14:31:10 2022
Response via : Initial Calibration



Manual Integration Approval Summary

Sample Number:	V2A9511-IC9511	**Method:**	SW846 8260D
Lab FileID:	2A218781.D	**Analyst approved:**	08/01/22 15:32 MoHui Huang
Injection Time:	07/31/22 17:23	**Supervisor approved:**	08/01/22 19:36 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
n-Butyl Ether	142-96-1		13.57	Missed peak


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218781.D Vial: 2
Acq On : 31 Jul 2022 5:23 pm Operator: PrashanS
Sample : IC9511-0.2 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:31:19 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:31:10 2022
Last Update : Mon Aug 01 14:31:10 2022
Response via : Multiple Level Calibration







(84) n-butyl ether

13.61min 0.01ug/L

response 190

Ion	Exp%	Act%
57.00	100	100
87.00	16.10	0.00
101.00	3.80	0.00
0.00	0.00	0.00


2A218781.D M2A9511.M Mon Aug 01 14:36:32 2022 MS2A


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218781.D Vial: 2
Acq On : 31 Jul 2022 5:23 pm Operator: PrashanS
Sample : IC9511-0.2 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:31:19 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:31:10 2022
Last Update : Mon Aug 01 14:31:10 2022
Response via : Multiple Level Calibration







(84) n-butyl ether

13.57min 0.21ug/L m

response 6000

Ion	Exp%	Act%
57.00	100	100
87.00	16.10	173.40#
101.00	3.80	48.35#
0.00	0.00	0.00

2A218781.D M2A9511.M Mon Aug 01 14:36:53 2022 MS2A

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/01/22 19:36

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218782.D
Acq On : 31 Jul 2022 5:51 pm
Operator : PrashanS
Sample : IC9511-0.5
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Aug 01 15:19:21 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:31:10 2022
QLast Update : Mon Aug 01 14:38:54 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	7.25	65	427684	500.00	ug/L		0.00
5) pentafluorobenzene	9.51	168	709874	50.00	ug/L		0.00
50) 1,4-difluorobenzene	10.44	114	963510	50.00	ug/L		0.00
72) chlorobenzene-d5	13.56	117	913372	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	15.89	152	497142	50.00	ug/L		0.00
124) pentafluorobenzene(a)	9.51	168	709874	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	9.54	113	332645	49.82	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.64%				
51) 1,2-dichloroethane-d4 (s)	9.95	65	447181	49.78	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.56%				
73) toluene-d8 (s)	12.06	98	1118880	50.14	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.28%				
97) 4-bromofluorobenzene (s)	14.72	95	464024	50.71	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.42%				
Target Compounds							Qvalue
6) chlorodifluoromethane	4.00	51	4561	0.48	ug/L		76
7) dichlorodifluoromethane	3.98	85	4014	0.42	ug/L	#	49
8) chloromethane	4.33	50	6827m	0.59	ug/L		
9) vinyl chloride	4.58	62	4303	0.46	ug/L		87
10) 1,3-butadiene	4.60	54	4893	0.63	ug/L		97
11) bromomethane	5.17	94	3097	0.58	ug/L		71
12) chloroethane	5.37	64	2045	0.46	ug/L	#	39
13) trichlorofluoromethane	5.79	101	4666	0.46	ug/L		88
14) ethyl ether	6.18	74	1674m	0.51	ug/L		
16) freon 113	6.62	151	2906	0.60	ug/L		93
17) 1,1-dichloroethene	6.61	96	2861m	0.56	ug/L		
18) acetone	6.61	43	6054	2.36	ug/L		51
19) acetonitrile	7.03	41	5486	5.02	ug/L		77
20) iodomethane	6.85	142	5604	0.55	ug/L		89
21) carbon disulfide	6.99	76	9356	0.55	ug/L		94
22) methylene chloride	7.31	84	3853	0.66	ug/L	#	56
23) methyl acetate	7.06	43	3336	0.49	ug/L		76
24) methyl tert butyl ether	7.66	73	10380	0.55	ug/L		91
25) trans-1,2-dichloroethene	7.69	96	3344	0.59	ug/L		90
26) hexane	8.04	57	5690	0.51	ug/L		87
27) di-isopropyl ether	8.25	45	13089	0.48	ug/L		97
28) ethyl tert-butyl ether	8.71	59	11341	0.48	ug/L		93
30) 1,1-dichloroethane	8.26	63	6281	0.53	ug/L		92
31) chloroprene	8.36	53	5235	0.46	ug/L		95
35) 2,2-dichloropropane	9.00	77	5384	0.56	ug/L		89
36) cis-1,2-dichloroethene	8.98	96	4024	0.67	ug/L	#	78
37) propionitrile	8.99	54	5369	4.80	ug/L		69
38) bromochloromethane	9.26	130	2135	0.49	ug/L		89
40) chloroform	9.35	83	7919	0.71	ug/L		92
41) tert-butyl formate	9.39	59	2820	0.49	ug/L		85
45) 1,1,1-trichloroethane	9.61	97	5624	0.55	ug/L		83
46) cyclohexane	9.71	84	4015	0.48	ug/L		87

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218782.D
Acq On : 31 Jul 2022 5:51 pm
Operator : PrashanS
Sample : IC9511-0.5
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Aug 01 15:19:21 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:31:10 2022
QLast Update : Mon Aug 01 14:38:54 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
47) 1,1-dichloropropene	9.77	75	4608	0.53	ug/L		86
49) carbon tetrachloride	9.80	117	5118	0.54	ug/L	#	80
52) 2,2,4-trimethylpentane	10.12	57	13366	0.48	ug/L		94
53) tert-amyl methyl ether	10.12	73	10504	0.51	ug/L		92
54) n-butyl alcohol	10.51	56	6004	23.25	ug/L		85
55) benzene	10.02	78	11784	0.52	ug/L		90
56) heptane	10.28	57	2760	0.53	ug/L		89
58) 1,2-dichloroethane	10.05	62	6275	0.62	ug/L		94
59) trichloroethene	10.75	95	3600	0.56	ug/L		86
60) ethyl acrylate	10.75	55	5180	0.48	ug/L		89
64) 1,2-dichloropropane	11.03	63	3346	0.50	ug/L		95
65) methylcyclohexane	11.04	83	5016	0.46	ug/L		82
66) dibromomethane	11.15	93	2581	0.56	ug/L		80
67) bromodichloromethane	11.29	83	4934	0.52	ug/L		93
69) cis-1,3-dichloropropene	11.76	75	5118	0.52	ug/L		86
70) 4-methyl-2-pentanone	11.87	58	6434	2.02	ug/L		90
71) 3-methyl-1-butanol	11.88	70	1593	7.64	ug/L	#	52
74) toluene	12.14	92	7736	0.52	ug/L		92
75) trans-1,3-dichloropropene	12.33	75	4616	0.48	ug/L		96
76) ethyl methacrylate	12.32	69	3621	0.42	ug/L		95
77) 1,1,2-trichloroethane	12.55	83	2607	0.54	ug/L	#	83
78) 2-hexanone	12.72	58	5965	1.94	ug/L		98
79) tetrachloroethene	12.68	166	4213	0.61	ug/L		82
80) 1,3-dichloropropane	12.72	76	4907	0.48	ug/L		93
81) butyl acetate	12.79	56	2426	0.46	ug/L	#	47
82) dibromochloromethane	12.97	129	3607	0.49	ug/L		79
83) 1,2-dibromoethane	13.11	107	2987	0.49	ug/L		98
84) n-butyl ether	13.56	57	15283	0.52	ug/L	#	1
85) chlorobenzene	13.59	112	8496	0.56	ug/L		86
86) 1,1,1,2-tetrachloroethane	13.65	131	3475	0.57	ug/L		75
87) ethylbenzene	13.66	91	14752	0.53	ug/L		88
88) m,p-xylene	13.78	106	11124	1.06	ug/L	#	82
89) o-xylene	14.18	91	11555	0.50	ug/L		93
90) styrene	14.19	104	8385	0.49	ug/L		95
91) n-amyl acetate	14.22	70	1923	0.41	ug/L	#	71
92) bromoform	14.42	173	2587	0.50	ug/L		91
93) butyl acrylate	14.02	55	6618	0.40	ug/L		90
94) isopropylbenzene	14.53	105	14109	0.53	ug/L		96
95) cis-1,4-dichloro-2-butene	14.57	88	1317	0.41	ug/L	#	81
98) bromobenzene	14.91	156	4394	0.52	ug/L	#	67
99) 1,1,2,2-tetrachloroethane	14.81	83	4398	0.52	ug/L		90
101) 1,2,3-trichloropropane	14.89	110	1087	0.51	ug/L		87
102) n-propylbenzene	14.94	91	17284	0.54	ug/L		90
103) 2-chlorotoluene	15.07	126	3325	0.45	ug/L		92
104) 4-chlorotoluene	15.18	91	10857	0.54	ug/L		93
105) 1,3,5-trimethylbenzene	15.10	105	12031	0.54	ug/L		91
106) tert-butylbenzene	15.44	119	10266	0.53	ug/L		84
107) 1,2,4-trimethylbenzene	15.49	105	11941	0.52	ug/L		91
108) sec-butylbenzene	15.65	105	15065	0.52	ug/L		98
109) 1,3-dichlorobenzene	15.82	146	7672	0.55	ug/L		89

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218782.D
Acq On : 31 Jul 2022 5:51 pm
Operator : PrashanS
Sample : IC9511-0.5
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Aug 01 15:19:21 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:31:10 2022
QLast Update : Mon Aug 01 14:38:54 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
110) p-isopropyltoluene	15.78	119	12719	0.50	ug/L	92
111) benzyl chloride	16.01	91	6683	0.45	ug/L	94
112) 1,2,3-trimethylbenzene	15.91	105	13172	0.55	ug/L	92
113) 1,4-dichlorobenzene	15.92	146	7227	0.46	ug/L	98
114) 1,2-dichlorobenzene	16.29	146	7104	0.51	ug/L	98
115) n-butylbenzene	16.20	92	6437	0.50	ug/L	93
116) 1,2-dibromo-3-chloropropan	17.06	157	779	0.40	ug/L	72
117) 1,3,5-trichlorobenzene	17.25	180	5546	0.50	ug/L	89
118) 1,2,4-trichlorobenzene	17.89	180	4459	0.49	ug/L	93
119) hexachlorobutadiene	18.00	225	2240	0.50	ug/L	91
120) naphthalene	18.18	128	9742	0.43	ug/L	93
121) 1,2,3-trichlorobenzene	18.40	180	4270	0.51	ug/L	84
122) hexachloroethane	16.58	201	1757	0.45	ug/L	87

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218782.D
Acq On : 31 Jul 2022 5:51 pm
Operator : PrashanS
Sample : IC9511-0.5
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Aug 01 15:19:21 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:31:10 2022
QLast Update : Mon Aug 01 14:38:54 2022
Response via : Initial Calibration



Manual Integration Approval Summary

Sample Number: V2A9511-IC9511
Lab FileID: 2A218782.D
Injection Time: 07/31/22 17:51
Method: SW846 8260D
Analyst approved: 08/01/22 15:32 MoHui Huang
Supervisor approved: 08/01/22 19:36 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Chloromethane	74-87-3		4.33	Split peak
Ethyl Ether	60-29-7		6.18	Split peak
1,1-Dichloroethene	75-35-4		6.61	Split peak


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218782.D Vial: 3
Acq On : 31 Jul 2022 5:51 pm Operator: PrashanS
Sample : IC9511-0.5 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:39:00 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:38:54 2022
Last Update : Mon Aug 01 14:38:54 2022
Response via : Multiple Level Calibration







(8) chloromethane

4.33min 0.25ug/L

response 2886

Ion	Exp%	Act%
50.00	100	100
52.00	31.70	29.94
49.00	9.80	12.99
0.00	0.00	0.00


2A218782.D M2A9511.M Mon Aug 01 14:39:29 2022 MS2A


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218782.D Vial: 3
Acq On : 31 Jul 2022 5:51 pm Operator: PrashanS
Sample : IC9511-0.5 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:39:00 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:38:54 2022
Last Update : Mon Aug 01 14:38:54 2022
Response via : Multiple Level Calibration







(8) chloromethane

4.33min 0.59ug/L m

response 6827

Ion	Exp%	Act%
50.00	100	100
52.00	31.70	29.94
49.00	9.80	12.99
0.00	0.00	0.00


2A218782.D M2A9511.M Mon Aug 01 14:39:46 2022 MS2A


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218782.D Vial: 3
Acq On : 31 Jul 2022 5:51 pm Operator: PrashanS
Sample : IC9511-0.5 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:39:00 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:38:54 2022
Last Update : Mon Aug 01 14:38:54 2022
Response via : Multiple Level Calibration







(14) ethyl ether

6.18min 0.37ug/L

response 1209

Ion	Exp%	Act%
74.10	100	100
45.10	150.10	106.15#
59.10	161.60	131.70
0.00	0.00	0.00


2A218782.D M2A9511.M Mon Aug 01 14:40:09 2022 MS2A


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218782.D Vial: 3
Acq On : 31 Jul 2022 5:51 pm Operator: PrashanS
Sample : IC9511-0.5 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:39:00 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:38:54 2022
Last Update : Mon Aug 01 14:38:54 2022
Response via : Multiple Level Calibration







(14) ethyl ether

6.18min 0.51ug/L m

response 1674

Ion	Exp%	Act%
74.10	100	100
45.10	150.10	148.26
59.10	161.60	131.70
0.00	0.00	0.00


2A218782.D M2A9511.M Mon Aug 01 14:40:24 2022 MS2A


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218782.D Vial: 3
Acq On : 31 Jul 2022 5:51 pm Operator: PrashanS
Sample : IC9511-0.5 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:39:00 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:38:54 2022
Last Update : Mon Aug 01 14:38:54 2022
Response via : Multiple Level Calibration







(17) 1,1-dichloroethene

6.61min 0.37ug/L

response 1851

Ion	Exp%	Act%
96.00	100	100
61.00	191.10	176.35
63.00	62.60	60.11
0.00	0.00	0.00


2A218782.D M2A9511.M Mon Aug 01 14:40:41 2022 MS2A


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218782.D Vial: 3
Acq On : 31 Jul 2022 5:51 pm Operator: PrashanS
Sample : IC9511-0.5 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:39:00 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:38:54 2022
Last Update : Mon Aug 01 14:38:54 2022
Response via : Multiple Level Calibration







(17) 1,1-dichloroethene

6.61min 0.56ug/L m

response 2861

Ion	Exp%	Act%
96.00	100	100
61.00	191.10	196.74
63.00	62.60	60.11
0.00	0.00	0.00

2A218782.D M2A9511.M Mon Aug 01 14:40:55 2022 MS2A

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/01/22 19:36

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218783.D
Acq On : 31 Jul 2022 6:19 pm
Operator : PrashanS
Sample : IC9511-1
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 01 15:19:51 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:38:54 2022
QLast Update : Mon Aug 01 14:46:21 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	7.25	65	407382	500.00	ug/L		0.00
5) pentafluorobenzene	9.51	168	694582	50.00	ug/L		0.00
50) 1,4-difluorobenzene	10.44	114	941814	50.00	ug/L		0.00
72) chlorobenzene-d5	13.56	117	912974	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	15.89	152	490057	50.00	ug/L		0.00
124) pentafluorobenzene(a)	9.51	168	694582	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	9.54	113	328824	50.39	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.78%				
51) 1,2-dichloroethane-d4 (s)	9.95	65	436526	49.79	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.58%				
73) toluene-d8 (s)	12.06	98	1114699	49.93	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.86%				
97) 4-bromofluorobenzene (s)	14.72	95	458403	50.58	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.16%				
Target Compounds							Qvalue
2) ethanol	6.01	45	9817	99.45	ug/L		78
3) tertiary butyl alcohol	7.38	59	5000	5.04	ug/L		96
4) 1,4-dioxane	11.08	88	1387	18.53	ug/L	#	54
6) chlorodifluoromethane	3.99	51	9439	1.04	ug/L		89
7) dichlorodifluoromethane	3.98	85	9663	1.12	ug/L		70
8) chloromethane	4.32	50	12556	1.01	ug/L		93
9) vinyl chloride	4.56	62	9647	1.10	ug/L		70
10) 1,3-butadiene	4.61	54	8189	0.95	ug/L		87
11) bromomethane	5.17	94	5519	0.98	ug/L	#	65
12) chloroethane	5.35	64	4321	1.03	ug/L		76
13) trichlorofluoromethane	5.79	101	10052	1.04	ug/L		88
14) ethyl ether	6.19	74	3197	0.99	ug/L	#	58
15) acrolein	6.42	56	1508m	0.99	ug/L		
16) freon 113	6.60	151	4687	0.90	ug/L	#	86
17) 1,1-dichloroethene	6.60	96	4941	0.94	ug/L		96
18) acetone	6.61	43	10837	3.96	ug/L		99
19) acetonitrile	7.04	41	10917	10.18	ug/L		77
20) iodomethane	6.85	142	9505	0.92	ug/L		91
21) carbon disulfide	6.99	76	17079	0.98	ug/L		96
22) methylene chloride	7.30	84	6013	0.91	ug/L		95
23) methyl acetate	7.07	43	6007	0.91	ug/L		84
24) methyl tert butyl ether	7.66	73	18028	0.95	ug/L		92
25) trans-1,2-dichloroethene	7.69	96	5966	0.99	ug/L		96
26) hexane	8.03	57	9813	0.90	ug/L		82
27) di-isopropyl ether	8.25	45	24016	0.92	ug/L		94
28) ethyl tert-butyl ether	8.70	59	21605	0.95	ug/L		87
29) 2-butanone	8.91	72	2520	3.44	ug/L	#	50
30) 1,1-dichloroethane	8.25	63	11081	0.94	ug/L		97
31) chloroprene	8.36	53	10206	0.94	ug/L		91
32) acrylonitrile	7.62	53	2570m	0.85	ug/L		
33) vinyl acetate	8.21	86	747	0.67	ug/L	#	6
34) ethyl acetate	8.93	45	963	0.71	ug/L	#	64

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218783.D
Acq On : 31 Jul 2022 6:19 pm
Operator : PrashanS
Sample : IC9511-1
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 01 15:19:51 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:38:54 2022
QLast Update : Mon Aug 01 14:46:21 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
35) 2,2-dichloropropane	9.00	77	8946	0.92 ug/L	92
36) cis-1,2-dichloroethene	8.97	96	6297	0.96 ug/L #	75
37) propionitrile	9.00	54	10369	9.67 ug/L	86
38) bromochloromethane	9.25	130	4198	0.99 ug/L	93
39) tetrahydrofuran	9.29	42	3638	1.35 ug/L	78
40) chloroform	9.35	83	12172	0.92 ug/L	92
41) tert-butyl formate	9.39	59	5152	0.92 ug/L	92
42) isobutyl alcohol	9.75	43	4125	8.60 ug/L #	76
44) methacrylonitrile	9.19	67	2548	0.94 ug/L #	57
45) 1,1,1-trichloroethane	9.61	97	10154	0.98 ug/L	87
46) cyclohexane	9.71	84	8523	1.05 ug/L	87
47) 1,1-dichloropropene	9.78	75	7540	0.86 ug/L	94
48) tert-amyl alcohol	9.91	73	2477	5.91 ug/L #	31
49) carbon tetrachloride	9.79	117	8857	0.93 ug/L	91
52) 2,2,4-trimethylpentane	10.12	57	26242	0.97 ug/L	98
53) tert-amyl methyl ether	10.11	73	19112	0.94 ug/L	98
54) n-butyl alcohol	10.51	56	9956	40.88 ug/L #	66
55) benzene	10.02	78	22332	0.99 ug/L	94
56) heptane	10.28	57	5347	1.02 ug/L	87
57) isopropyl acetate	9.94	87	1386	1.03 ug/L #	21
58) 1,2-dichloroethane	10.04	62	10727	0.97 ug/L	92
59) trichloroethene	10.74	95	6125	0.94 ug/L	99
60) ethyl acrylate	10.75	55	9095	0.88 ug/L	69
61) 2-nitropropane	11.50	41	2542	0.93 ug/L #	73
63) methyl methacrylate	11.01	100	1221	0.73 ug/L #	59
64) 1,2-dichloropropane	11.03	63	6477	0.99 ug/L	91
65) methylcyclohexane	11.04	83	10571	1.02 ug/L	88
66) dibromomethane	11.15	93	3826	0.82 ug/L	82
67) bromodichloromethane	11.29	83	8579	0.92 ug/L	99
68) epichlorohydrin	11.63	57	3017	3.67 ug/L	74
69) cis-1,3-dichloropropene	11.76	75	9309	0.95 ug/L	91
70) 4-methyl-2-pentanone	11.87	58	11509	3.68 ug/L	88
71) 3-methyl-1-butanol	11.87	70	3012	16.75 ug/L	83
74) toluene	12.14	92	13671	0.91 ug/L	97
75) trans-1,3-dichloropropene	12.32	75	8823	0.93 ug/L	90
76) ethyl methacrylate	12.32	69	6930	0.87 ug/L	87
77) 1,1,2-trichloroethane	12.53	83	4777	0.96 ug/L #	79
78) 2-hexanone	12.71	58	11006	3.64 ug/L	94
79) tetrachloroethene	12.69	166	7061	0.95 ug/L	95
80) 1,3-dichloropropane	12.72	76	8963	0.89 ug/L	91
81) butyl acetate	12.79	56	5063	1.00 ug/L #	60
82) dibromochloromethane	12.96	129	6773	0.93 ug/L	90
83) 1,2-dibromoethane	13.11	107	5756	0.95 ug/L	99
84) n-butyl ether	13.56	57	27691m	0.93 ug/L	
85) chlorobenzene	13.59	112	15502	0.98 ug/L	99
86) 1,1,1,2-tetrachloroethane	13.66	131	6041	0.95 ug/L	94
87) ethylbenzene	13.66	91	26935	0.95 ug/L	89
88) m,p-xylene	13.78	106	20264	1.90 ug/L	97
89) o-xylene	14.18	91	21553	0.94 ug/L	88
90) styrene	14.19	104	15596	0.91 ug/L	94

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218783.D
Acq On : 31 Jul 2022 6:19 pm
Operator : PrashanS
Sample : IC9511-1
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 01 15:19:51 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:38:54 2022
QLast Update : Mon Aug 01 14:46:21 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
91) n-amyl acetate	14.22	70	3976	0.93	ug/L	#	78
92) bromoform	14.41	173	4471	0.86	ug/L		96
93) butyl acrylate	14.02	55	12771	0.86	ug/L		89
94) isopropylbenzene	14.53	105	25343	0.93	ug/L		98
95) cis-1,4-dichloro-2-butene	14.56	88	2072	0.71	ug/L	#	86
98) bromobenzene	14.90	156	7240	0.86	ug/L		92
99) 1,1,2,2-tetrachloroethane	14.80	83	8059	0.96	ug/L		82
100) trans-1,4-dichloro-2-buten	14.84	53	2192	0.76	ug/L	#	65
101) 1,2,3-trichloropropane	14.89	110	1960	0.92	ug/L		92
102) n-propylbenzene	14.94	91	31813	0.98	ug/L		93
103) 2-chlorotoluene	15.07	126	6407	0.91	ug/L	#	85
104) 4-chlorotoluene	15.18	91	19712	0.97	ug/L		99
105) 1,3,5-trimethylbenzene	15.10	105	20965	0.94	ug/L		97
106) tert-butylbenzene	15.44	119	18253	0.93	ug/L		95
107) 1,2,4-trimethylbenzene	15.49	105	21476	0.94	ug/L		93
108) sec-butylbenzene	15.66	105	27429	0.95	ug/L		96
109) 1,3-dichlorobenzene	15.82	146	13883	0.98	ug/L		88
110) p-isopropyltoluene	15.79	119	23162	0.92	ug/L		97
111) benzyl chloride	16.01	91	11789	0.85	ug/L		96
112) 1,2,3-trimethylbenzene	15.91	105	21971	0.90	ug/L		92
113) 1,4-dichlorobenzene	15.91	146	14668	0.97	ug/L		99
114) 1,2-dichlorobenzene	16.29	146	13606	0.99	ug/L		97
115) n-butylbenzene	16.19	92	11781	0.93	ug/L		92
116) 1,2-dibromo-3-chloropropan	17.05	157	1511	0.87	ug/L		88
117) 1,3,5-trichlorobenzene	17.24	180	10119	0.93	ug/L		94
118) 1,2,4-trichlorobenzene	17.88	180	8315	0.93	ug/L		92
119) hexachlorobutadiene	18.00	225	4594	1.04	ug/L		92
120) naphthalene	18.17	128	20366	0.95	ug/L		95
121) 1,2,3-trichlorobenzene	18.40	180	7732	0.93	ug/L		93
122) hexachloroethane	16.57	201	3247	0.88	ug/L		89

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218783.D
Acq On : 31 Jul 2022 6:19 pm
Operator : PrashanS
Sample : IC9511-1
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 01 15:19:51 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:38:54 2022
QLast Update : Mon Aug 01 14:46:21 2022
Response via : Initial Calibration



Manual Integration Approval Summary

Sample Number: V2A9511-IC9511
Lab FileID: 2A218783.D
Injection Time: 07/31/22 18:19
Method: SW846 8260D
Analyst approved: 08/01/22 15:32 MoHui Huang
Supervisor approved: 08/01/22 19:36 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Acrolein	107-02-8		6.42	Split peak
Acrylonitrile	107-13-1		7.62	Split peak
n-Butyl Ether	142-96-1		13.56	Missed peak


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218783.D Vial: 4
Acq On : 31 Jul 2022 6:19 pm Operator: PrashanS
Sample : IC9511-1 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:46:27 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:46:21 2022
Last Update : Mon Aug 01 14:46:21 2022
Response via : Multiple Level Calibration







(15) acrolein

6.40min 0.15ug/L

response 229

Ion	Exp%	Act%
56.10	100	100
55.10	76.40	49.60
53.00	9.70	0.00
0.00	0.00	0.00


2A218783.D M2A9511.M Mon Aug 01 14:47:14 2022 MS2A


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218783.D Vial: 4
Acq On : 31 Jul 2022 6:19 pm Operator: PrashanS
Sample : IC9511-1 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:46:27 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:46:21 2022
Last Update : Mon Aug 01 14:46:21 2022
Response via : Multiple Level Calibration







(15) acrolein

6.42min 0.99ug/L m

response 1508

Ion	Exp%	Act%
56.10	100	100
55.10	76.40	70.77
53.00	9.70	0.00
0.00	0.00	0.00


2A218783.D M2A9511.M Mon Aug 01 14:47:29 2022 MS2A


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218783.D Vial: 4
Acq On : 31 Jul 2022 6:19 pm Operator: PrashanS
Sample : IC9511-1 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:46:27 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:46:21 2022
Last Update : Mon Aug 01 14:46:21 2022
Response via : Multiple Level Calibration







(32) acrylonitrile

7.61min 0.47ug/L

response 1407

Ion	Exp%	Act%
53.10	100	100
52.10	84.10	77.61
51.10	37.90	19.54
0.00	0.00	0.00


2A218783.D M2A9511.M Mon Aug 01 14:48:09 2022 MS2A


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218783.D Vial: 4
Acq On : 31 Jul 2022 6:19 pm Operator: PrashanS
Sample : IC9511-1 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:46:27 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:46:21 2022
Last Update : Mon Aug 01 14:46:21 2022
Response via : Multiple Level Calibration







(32) acrylonitrile

7.62min 0.85ug/L m

response 2570

Ion	Exp%	Act%
53.10	100	100
52.10	84.10	53.06#
51.10	37.90	26.41
0.00	0.00	0.00


2A218783.D M2A9511.M Mon Aug 01 14:48:26 2022 MS2A


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218783.D Vial: 4
Acq On : 31 Jul 2022 6:19 pm Operator: PrashanS
Sample : IC9511-1 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:46:27 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:46:21 2022
Last Update : Mon Aug 01 14:46:21 2022
Response via : Multiple Level Calibration







(84) n-butyl ether

13.69min 0.00ug/L

response 141

Ion	Exp%	Act%
57.00	100	100
87.00	16.10	0.00
101.00	3.80	0.00
0.00	0.00	0.00


2A218783.D M2A9511.M Mon Aug 01 14:50:31 2022 MS2A


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218783.D Vial: 4
Acq On : 31 Jul 2022 6:19 pm Operator: PrashanS
Sample : IC9511-1 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:46:27 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:46:21 2022
Last Update : Mon Aug 01 14:46:21 2022
Response via : Multiple Level Calibration







(84) n-butyl ether

13.56min 0.93ug/L m

response 27691

Ion	Exp%	Act%
57.00	100	100
87.00	16.10	55.73#
101.00	3.80	14.75
0.00	0.00	0.00

2A218783.D M2A9511.M Mon Aug 01 14:50:48 2022 MS2A

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/01/22 19:36

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218784.D
Acq On : 31 Jul 2022 6:48 pm
Operator : PrashanS
Sample : IC9511-2
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Aug 01 14:52:53 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:46:21 2022
QLast Update : Mon Aug 01 14:52:17 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	7.25	65	406167	500.00	ug/L	0.00
5) pentafluorobenzene	9.50	168	697988	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.44	114	941963	50.00	ug/L	0.00
72) chlorobenzene-d5	13.56	117	907257	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.89	152	496275	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.50	168	696891	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.54	113	330509	50.31	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.62%			
51) 1,2-dichloroethane-d4 (s)	9.95	65	439811	50.21	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.42%			
73) toluene-d8 (s)	12.06	98	1112053	50.14	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.28%			
97) 4-bromofluorobenzene (s)	14.72	95	455531	49.49	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.98%			
Target Compounds						Qvalue
2) ethanol	5.97	45	17872	182.09	ug/L	77
3) tertiary butyl alcohol	7.36	59	10965	11.05	ug/L	71
4) 1,4-dioxane	11.08	88	3209	49.38	ug/L	91
6) chlorodifluoromethane	3.99	51	20241	2.19	ug/L	96
7) dichlorodifluoromethane	3.97	85	19834	2.20	ug/L	92
8) chloromethane	4.34	50	27802	2.23	ug/L	90
9) vinyl chloride	4.57	62	20617	2.26	ug/L	99
10) 1,3-butadiene	4.61	54	17744	2.09	ug/L	86
11) bromomethane	5.17	94	11645	2.07	ug/L	97
12) chloroethane	5.36	64	9254	2.17	ug/L	89
13) trichlorofluoromethane	5.80	101	23386	2.39	ug/L	87
14) ethyl ether	6.20	74	7306	2.25	ug/L	79
15) acrolein	6.42	56	3106m	2.04	ug/L	
16) freon 113	6.61	151	10516	2.08	ug/L	87
17) 1,1-dichloroethene	6.61	96	11256	2.17	ug/L	86
18) acetone	6.61	43	23139	8.44	ug/L	87
19) acetonitrile	7.03	41	23698	21.87	ug/L	84
20) iodomethane	6.85	142	20828	2.05	ug/L	91
21) carbon disulfide	6.99	76	36505	2.10	ug/L	95
22) methylene chloride	7.30	84	12963	2.01	ug/L	94
23) methyl acetate	7.06	43	14174	2.21	ug/L	98
24) methyl tert butyl ether	7.65	73	39512	2.09	ug/L	96
25) trans-1,2-dichloroethene	7.68	96	12951	2.14	ug/L	87
26) hexane	8.03	57	21554	2.01	ug/L	92
27) di-isopropyl ether	8.24	45	54810	2.13	ug/L	94
28) ethyl tert-butyl ether	8.71	59	46689	2.07	ug/L	98
29) 2-butanone	8.91	72	5869	8.57	ug/L #	72
30) 1,1-dichloroethane	8.26	63	24048	2.05	ug/L	97
31) chloroprene	8.35	53	22218	2.08	ug/L	94
32) acrylonitrile	7.61	53	5776	2.06	ug/L	86
33) vinyl acetate	8.20	86	2012	2.15	ug/L #	47
34) ethyl acetate	8.93	45	2817	2.42	ug/L #	70

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218784.D
Acq On : 31 Jul 2022 6:48 pm
Operator : PrashanS
Sample : IC9511-2
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Aug 01 14:52:53 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:46:21 2022
QLast Update : Mon Aug 01 14:52:17 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
35) 2,2-dichloropropane	9.00	77	18406	1.92	ug/L		94
36) cis-1,2-dichloroethene	8.97	96	13908	2.13	ug/L		84
37) propionitrile	8.99	54	24115	22.62	ug/L		90
38) bromochloromethane	9.26	130	8988	2.12	ug/L		98
39) tetrahydrofuran	9.29	42	7093	2.23	ug/L		75
40) chloroform	9.35	83	25721	1.99	ug/L		91
41) tert-butyl formate	9.38	59	10968	1.99	ug/L		97
42) isobutyl alcohol	9.76	43	10528	23.48	ug/L	#	81
44) methacrylonitrile	9.18	67	5507	2.08	ug/L	#	60
45) 1,1,1-trichloroethane	9.60	97	21983	2.13	ug/L		96
46) cyclohexane	9.71	84	19642	2.38	ug/L		96
47) 1,1-dichloropropene	9.78	75	17593	2.08	ug/L		94
48) tert-amyl alcohol	9.92	73	5096	11.09	ug/L	#	90
49) carbon tetrachloride	9.80	117	19503	2.08	ug/L		88
52) 2,2,4-trimethylpentane	10.12	57	55279	2.07	ug/L		96
53) tert-amyl methyl ether	10.11	73	40398	2.02	ug/L		98
54) n-butyl alcohol	10.50	56	28065	122.67	ug/L		97
55) benzene	10.02	78	46496	2.07	ug/L		98
56) heptane	10.28	57	11654	2.22	ug/L		88
57) isopropyl acetate	9.93	87	2880	2.11	ug/L	#	65
58) 1,2-dichloroethane	10.05	62	22867	2.09	ug/L		96
59) trichloroethene	10.75	95	13196	2.05	ug/L		90
60) ethyl acrylate	10.74	55	19664	1.99	ug/L		97
61) 2-nitropropane	11.50	41	5321	2.01	ug/L		82
62) 2-chloroethyl vinyl ether	11.54	63	16170	8.48	ug/L		95
63) methyl methacrylate	11.01	100	3050	2.11	ug/L	#	58
64) 1,2-dichloropropane	11.03	63	13827	2.13	ug/L		99
65) methylcyclohexane	11.04	83	21661	2.08	ug/L		97
66) dibromomethane	11.15	93	9349	2.09	ug/L		78
67) bromodichloromethane	11.30	83	17874	1.95	ug/L		95
68) epichlorohydrin	11.62	57	8486	11.91	ug/L		90
69) cis-1,3-dichloropropene	11.75	75	20285	2.10	ug/L		94
70) 4-methyl-2-pentanone	11.86	58	26958	8.79	ug/L		89
71) 3-methyl-1-butanol	11.87	70	7496	44.07	ug/L	#	87
74) toluene	12.13	92	30603	2.10	ug/L		99
75) trans-1,3-dichloropropene	12.32	75	19401	2.09	ug/L		87
76) ethyl methacrylate	12.32	69	16811	2.22	ug/L		86
77) 1,1,2-trichloroethane	12.54	83	10138	2.07	ug/L		93
78) 2-hexanone	12.71	58	25343	8.69	ug/L		92
79) tetrachloroethene	12.68	166	15667	2.15	ug/L		96
80) 1,3-dichloropropane	12.72	76	20161	2.07	ug/L		98
81) butyl acetate	12.79	56	10423	2.07	ug/L		97
82) dibromochloromethane	12.96	129	14214	1.99	ug/L		95
83) 1,2-dibromoethane	13.11	107	12770	2.14	ug/L		99
84) n-butyl ether	13.56	57	61494	2.11	ug/L		70
85) chlorobenzene	13.59	112	33272	2.13	ug/L		92
86) 1,1,1,2-tetrachloroethane	13.66	131	12812	2.05	ug/L		93
87) ethylbenzene	13.66	91	58980	2.12	ug/L		94
88) m,p-xylene	13.78	106	44686	4.27	ug/L		99
89) o-xylene	14.18	91	46798	2.08	ug/L		93

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218784.D
Acq On : 31 Jul 2022 6:48 pm
Operator : PrashanS
Sample : IC9511-2
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Aug 01 14:52:53 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:46:21 2022
QLast Update : Mon Aug 01 14:52:17 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
90) styrene	14.19	104	36751	2.21	ug/L	95
91) n-amyl acetate	14.23	70	9099	2.19	ug/L	89
92) bromoform	14.41	173	10363	2.08	ug/L	93
93) butyl acrylate	14.02	55	31834	2.27	ug/L	96
94) isopropylbenzene	14.53	105	57577	2.17	ug/L	99
95) cis-1,4-dichloro-2-butene	14.56	88	5382	2.06	ug/L	95
98) bromobenzene	14.90	156	16313	1.98	ug/L	93
99) 1,1,2,2-tetrachloroethane	14.80	83	17550	2.08	ug/L	87
100) trans-1,4-dichloro-2-buten	14.83	53	5379	2.09	ug/L	82
101) 1,2,3-trichloropropane	14.89	110	4449	2.12	ug/L	87
102) n-propylbenzene	14.94	91	69905	2.14	ug/L	97
103) 2-chlorotoluene	15.06	126	13917	1.99	ug/L	94
104) 4-chlorotoluene	15.18	91	44218	2.16	ug/L	98
105) 1,3,5-trimethylbenzene	15.10	105	48190	2.16	ug/L	98
106) tert-butylbenzene	15.44	119	39988	2.05	ug/L	95
107) 1,2,4-trimethylbenzene	15.49	105	47597	2.08	ug/L	90
108) sec-butylbenzene	15.65	105	62703	2.17	ug/L	95
109) 1,3-dichlorobenzene	15.82	146	30917	2.17	ug/L	94
110) p-isopropyltoluene	15.79	119	51218	2.05	ug/L	98
111) benzyl chloride	16.01	91	27763	2.08	ug/L	98
112) 1,2,3-trimethylbenzene	15.91	105	50072	2.08	ug/L	93
113) 1,4-dichlorobenzene	15.91	146	31448	2.07	ug/L	99
114) 1,2-dichlorobenzene	16.29	146	29453	2.12	ug/L	98
115) n-butylbenzene	16.19	92	28112	2.23	ug/L	95
116) 1,2-dibromo-3-chloropropan	17.05	157	3737	2.22	ug/L	89
117) 1,3,5-trichlorobenzene	17.24	180	22718	2.10	ug/L	92
118) 1,2,4-trichlorobenzene	17.88	180	19225	2.16	ug/L	98
119) hexachlorobutadiene	18.00	225	10068	2.23	ug/L	96
120) naphthalene	18.17	128	46525	2.17	ug/L	98
121) 1,2,3-trichlorobenzene	18.40	180	18839	2.28	ug/L	88
122) hexachloroethane	16.58	201	7843	2.15	ug/L	92
123) 2-methylnaphthalene	19.41	142	8512	0.68	ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218784.D
Acq On : 31 Jul 2022 6:48 pm
Operator : PrashanS
Sample : IC9511-2
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Aug 01 14:52:53 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:46:21 2022
QLast Update : Mon Aug 01 14:52:17 2022
Response via : Initial Calibration



Manual Integration Approval Summary

Sample Number:	V2A9511-IC9511	**Method:**	SW846 8260D
Lab FileID:	2A218784.D	**Analyst approved:**	08/01/22 15:32 MoHui Huang
Injection Time:	07/31/22 18:48	**Supervisor approved:**	08/01/22 19:36 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Acrolein	107-02-8		6.42	Missed peak


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218784.D Vial: 5
Acq On : 31 Jul 2022 6:48 pm Operator: PrashanS
Sample : IC9511-2 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:52:22 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:52:17 2022
Last Update : Mon Aug 01 14:52:17 2022
Response via : Multiple Level Calibration







(15) acrolein

6.38min 0.10ug/L

response 148

Ion	Exp%	Act%
56.10	100	100
55.10	76.40	79.18
53.00	9.70	0.00
0.00	0.00	0.00


2A218784.D M2A9511.M Mon Aug 01 14:52:42 2022 MS2A


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218784.D Vial: 5
Acq On : 31 Jul 2022 6:48 pm Operator: PrashanS
Sample : IC9511-2 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:52:22 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:52:17 2022
Last Update : Mon Aug 01 14:52:17 2022
Response via : Multiple Level Calibration







(15) acrolein

6.42min 2.04ug/L m

response 3106

Ion	Exp%	Act%
56.10	100	100
55.10	76.40	54.50
53.00	9.70	0.00
0.00	0.00	0.00

2A218784.D M2A9511.M Mon Aug 01 14:52:58 2022 MS2A

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218785.D
Acq On : 31 Jul 2022 7:16 pm
Operator : PrashanS
Sample : IC9511-4
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Aug 01 14:54:34 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:52:17 2022
QLast Update : Mon Aug 01 14:54:29 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	7.26	65	416050	500.00	ug/L		0.00
5) pentafluorobenzene	9.51	168	695431	50.00	ug/L		0.00
50) 1,4-difluorobenzene	10.44	114	940726	50.00	ug/L		0.00
72) chlorobenzene-d5	13.56	117	905476	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	15.89	152	493868	50.00	ug/L		0.00
124) pentafluorobenzene(a)	9.51	168	694712	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	9.54	113	328927	50.19	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.38%				
51) 1,2-dichloroethane-d4 (s)	9.95	65	436131	49.81	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.62%				
73) toluene-d8 (s)	12.06	98	1111069	50.17	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.34%				
97) 4-bromofluorobenzene (s)	14.72	95	457236	50.02	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.04%				
Target Compounds							Qvalue
2) ethanol	5.98	45	39993	410.04	ug/L		90
3) tertiary butyl alcohol	7.37	59	19436	18.47	ug/L		82
4) 1,4-dioxane	11.08	88	7131	107.58	ug/L		88
6) chlorodifluoromethane	4.00	51	41773	4.43	ug/L		99
7) dichlorodifluoromethane	3.97	85	40185	4.36	ug/L		97
8) chloromethane	4.35	50	50924	3.98	ug/L		94
9) vinyl chloride	4.58	62	39185	4.18	ug/L		97
10) 1,3-butadiene	4.62	54	35609	4.16	ug/L		92
11) bromomethane	5.19	94	22658	4.01	ug/L		85
12) chloroethane	5.35	64	18524	4.28	ug/L		89
13) trichlorofluoromethane	5.80	101	44832	4.42	ug/L		92
14) ethyl ether	6.18	74	13322	4.00	ug/L		84
15) acrolein	6.42	56	4838	3.16	ug/L	#	39
16) freon 113	6.60	151	20536	4.04	ug/L	#	82
17) 1,1-dichloroethene	6.61	96	21499	4.07	ug/L		87
18) acetone	6.62	43	43764	15.80	ug/L		97
19) acetonitrile	7.04	41	47369	42.87	ug/L		88
20) iodomethane	6.85	142	42592	4.18	ug/L		92
21) carbon disulfide	6.99	76	71073	4.05	ug/L		96
22) methylene chloride	7.31	84	25118	3.90	ug/L		96
23) methyl acetate	7.06	43	27246	4.15	ug/L		98
24) methyl tert butyl ether	7.65	73	76409	4.03	ug/L		96
25) trans-1,2-dichloroethene	7.69	96	23706	3.87	ug/L		93
26) hexane	8.05	57	42446	3.97	ug/L		92
27) di-isopropyl ether	8.26	45	106836	4.11	ug/L		94
28) ethyl tert-butyl ether	8.70	59	92606	4.09	ug/L		92
29) 2-butanone	8.91	72	11519	16.49	ug/L	#	88
30) 1,1-dichloroethane	8.26	63	45484	3.88	ug/L		95
31) chloroprene	8.36	53	44508	4.14	ug/L		95
32) acrylonitrile	7.60	53	11747	4.16	ug/L		96
33) vinyl acetate	8.20	86	4169	4.36	ug/L	#	74
34) ethyl acetate	8.92	45	5537	4.46	ug/L		95

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218785.D
Acq On : 31 Jul 2022 7:16 pm
Operator : PrashanS
Sample : IC9511-4
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Aug 01 14:54:34 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:52:17 2022
QLast Update : Mon Aug 01 14:54:29 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
35) 2,2-dichloropropane	9.00	77	37380	3.95	ug/L		96
36) cis-1,2-dichloroethene	8.97	96	26119	3.97	ug/L		96
37) propionitrile	8.99	54	44964	40.99	ug/L		96
38) bromochloromethane	9.26	130	17287	4.03	ug/L		95
39) tetrahydrofuran	9.28	42	13069	3.97	ug/L		96
40) chloroform	9.35	83	47228	3.67	ug/L		96
41) tert-butyl formate	9.38	59	23296	4.24	ug/L		89
42) isobutyl alcohol	9.76	43	17304	36.61	ug/L	#	71
44) methacrylonitrile	9.19	67	11327	4.24	ug/L	#	76
45) 1,1,1-trichloroethane	9.61	97	43710	4.19	ug/L		96
46) cyclohexane	9.71	84	36620	4.28	ug/L	#	77
47) 1,1-dichloropropene	9.77	75	34037	4.00	ug/L		89
48) tert-amyl alcohol	9.92	73	9340	19.69	ug/L	#	85
49) carbon tetrachloride	9.80	117	38452	4.08	ug/L		92
52) 2,2,4-trimethylpentane	10.12	57	109579	4.07	ug/L		97
53) tert-amyl methyl ether	10.11	73	80456	4.02	ug/L		99
54) n-butyl alcohol	10.50	56	46816	193.91	ug/L		98
55) benzene	10.02	78	93859	4.15	ug/L		97
56) heptane	10.28	57	21696	4.05	ug/L		94
57) isopropyl acetate	9.94	87	5314	3.82	ug/L	#	65
58) 1,2-dichloroethane	10.05	62	41512	3.75	ug/L		98
59) trichloroethene	10.74	95	26358	4.08	ug/L		90
60) ethyl acrylate	10.74	55	41329	4.19	ug/L		97
61) 2-nitropropane	11.50	41	9785	3.70	ug/L		94
62) 2-chloroethyl vinyl ether	11.54	63	39545	21.59	ug/L		96
63) methyl methacrylate	11.01	100	6410	4.36	ug/L		92
64) 1,2-dichloropropane	11.04	63	28062	4.25	ug/L		95
65) methylcyclohexane	11.04	83	43915	4.19	ug/L		96
66) dibromomethane	11.14	93	17112	3.80	ug/L		85
67) bromodichloromethane	11.30	83	36320	3.99	ug/L		98
68) epichlorohydrin	11.63	57	15785	20.86	ug/L		93
69) cis-1,3-dichloropropene	11.76	75	40876	4.20	ug/L		95
70) 4-methyl-2-pentanone	11.86	58	50307	16.11	ug/L	#	79
71) 3-methyl-1-butanol	11.87	70	16276	93.43	ug/L		92
74) toluene	12.14	92	59484	4.05	ug/L		95
75) trans-1,3-dichloropropene	12.32	75	40742	4.37	ug/L		94
76) ethyl methacrylate	12.32	69	33784	4.36	ug/L		96
77) 1,1,2-trichloroethane	12.54	83	20648	4.20	ug/L		94
78) 2-hexanone	12.71	58	49528	16.66	ug/L		94
79) tetrachloroethene	12.69	166	29311	3.97	ug/L		91
80) 1,3-dichloropropane	12.72	76	38316	3.91	ug/L		98
81) butyl acetate	12.79	56	20094	3.96	ug/L		97
82) dibromochloromethane	12.96	129	29545	4.15	ug/L		94
83) 1,2-dibromoethane	13.11	107	25754	4.27	ug/L		96
84) n-butyl ether	13.56	57	123434	4.20	ug/L		91
85) chlorobenzene	13.59	112	66832	4.23	ug/L		90
86) 1,1,1,2-tetrachloroethane	13.66	131	25726	4.11	ug/L		87
87) ethylbenzene	13.66	91	117611	4.18	ug/L		95
88) m,p-xylene	13.78	106	88253	8.33	ug/L		94
89) o-xylene	14.18	91	95915	4.24	ug/L		93

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218785.D
Acq On : 31 Jul 2022 7:16 pm
Operator : PrashanS
Sample : IC9511-4
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Aug 01 14:54:34 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:52:17 2022
QLast Update : Mon Aug 01 14:54:29 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
90) styrene	14.19	104	71154	4.20	ug/L		98
91) n-amyl acetate	14.23	70	17819	4.20	ug/L		94
92) bromoform	14.41	173	20992	4.19	ug/L		96
93) butyl acrylate	14.02	55	64539	4.46	ug/L		96
94) isopropylbenzene	14.53	105	111766	4.15	ug/L		96
95) cis-1,4-dichloro-2-butene	14.56	88	10523	4.00	ug/L		97
98) bromobenzene	14.90	156	31569	3.86	ug/L		95
99) 1,1,2,2-tetrachloroethane	14.80	83	35136	4.15	ug/L		91
100) trans-1,4-dichloro-2-buten	14.84	53	11116	4.27	ug/L		84
101) 1,2,3-trichloropropane	14.89	110	9384	4.43	ug/L		81
102) n-propylbenzene	14.94	91	139672	4.24	ug/L		92
103) 2-chlorotoluene	15.07	126	28405	4.09	ug/L	#	84
104) 4-chlorotoluene	15.18	91	87076	4.21	ug/L		96
105) 1,3,5-trimethylbenzene	15.10	105	93347	4.13	ug/L		97
106) tert-butylbenzene	15.44	119	81196	4.16	ug/L		89
107) 1,2,4-trimethylbenzene	15.49	105	96661	4.21	ug/L		92
108) sec-butylbenzene	15.66	105	123540	4.22	ug/L		98
109) 1,3-dichlorobenzene	15.82	146	58501	4.05	ug/L		97
110) p-isopropyltoluene	15.79	119	103061	4.12	ug/L		96
111) benzyl chloride	16.01	91	55672	4.14	ug/L		95
112) 1,2,3-trimethylbenzene	15.91	105	97384	4.03	ug/L		99
113) 1,4-dichlorobenzene	15.91	146	60620	3.98	ug/L		98
114) 1,2-dichlorobenzene	16.28	146	57365	4.10	ug/L		97
115) n-butylbenzene	16.19	92	53488	4.17	ug/L		89
116) 1,2-dibromo-3-chloropropan	17.05	157	6616	3.85	ug/L		95
117) 1,3,5-trichlorobenzene	17.24	180	45057	4.14	ug/L		95
118) 1,2,4-trichlorobenzene	17.88	180	38819	4.31	ug/L		95
119) hexachlorobutadiene	18.00	225	20451	4.45	ug/L		92
120) naphthalene	18.17	128	92151	4.25	ug/L		100
121) 1,2,3-trichlorobenzene	18.40	180	36433	4.30	ug/L		93
122) hexachloroethane	16.58	201	15640	4.25	ug/L		93
123) 2-methylnaphthalene	19.41	142	19109	1.82	ug/L		94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218785.D
Acq On : 31 Jul 2022 7:16 pm
Operator : PrashanS
Sample : IC9511-4
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Aug 01 14:54:34 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:52:17 2022
QLast Update : Mon Aug 01 14:54:29 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218786.D
Acq On : 31 Jul 2022 7:44 pm
Operator : PrashanS
Sample : IC9511-8
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Aug 01 14:55:38 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:54:29 2022
QLast Update : Mon Aug 01 14:55:32 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	7.25	65	418813	500.00	ug/L		0.00
5) pentafluorobenzene	9.50	168	706121	50.00	ug/L		0.00
50) 1,4-difluorobenzene	10.43	114	949113	50.00	ug/L		0.00
72) chlorobenzene-d5	13.56	117	908425	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	15.89	152	491314	50.00	ug/L		0.00
124) pentafluorobenzene(a)	9.50	168	704095	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	9.54	113	333336	50.06	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.12%				
51) 1,2-dichloroethane-d4 (s)	9.95	65	441213	49.98	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.96%				
73) toluene-d8 (s)	12.06	98	1121126	50.43	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.86%				
97) 4-bromofluorobenzene (s)	14.72	95	460961	50.69	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.38%				
Target Compounds							Qvalue
2) ethanol	5.98	45	78246	791.97	ug/L		97
3) tertiary butyl alcohol	7.36	59	39981	38.48	ug/L		91
4) 1,4-dioxane	11.08	88	14933	219.63	ug/L		93
6) chlorodifluoromethane	3.99	51	83330	8.52	ug/L		100
7) dichlorodifluoromethane	3.96	85	78979	8.29	ug/L		97
8) chloromethane	4.34	50	97953	7.55	ug/L		93
9) vinyl chloride	4.57	62	76494	7.96	ug/L		99
10) 1,3-butadiene	4.61	54	69401	7.92	ug/L		93
11) bromomethane	5.18	94	42067	7.32	ug/L		97
12) chloroethane	5.35	64	34672	7.77	ug/L		90
13) trichlorofluoromethane	5.79	101	85861	8.19	ug/L		96
14) ethyl ether	6.19	74	26723	7.90	ug/L		89
15) acrolein	6.41	56	12176	8.27	ug/L		81
16) freon 113	6.61	151	40048	7.74	ug/L		91
17) 1,1-dichloroethene	6.60	96	43186	8.02	ug/L		97
18) acetone	6.61	43	87554	31.21	ug/L		93
19) acetonitrile	7.03	41	89184	78.36	ug/L		94
20) iodomethane	6.85	142	84732	8.14	ug/L		97
21) carbon disulfide	6.98	76	144162	8.07	ug/L		98
22) methylene chloride	7.30	84	48712	7.49	ug/L		98
23) methyl acetate	7.06	43	57923	8.63	ug/L		92
24) methyl tert butyl ether	7.66	73	151461	7.85	ug/L		95
25) trans-1,2-dichloroethene	7.68	96	47146	7.63	ug/L		83
26) hexane	8.04	57	86226	7.96	ug/L		97
27) di-isopropyl ether	8.25	45	216275	8.16	ug/L		93
28) ethyl tert-butyl ether	8.70	59	184885	8.01	ug/L		100
29) 2-butanone	8.90	72	22983	32.16	ug/L	#	78
30) 1,1-dichloroethane	8.25	63	95656	8.07	ug/L		99
31) chloroprene	8.36	53	93907	8.56	ug/L		95
32) acrylonitrile	7.59	53	24198	8.35	ug/L		92
33) vinyl acetate	8.20	86	9718	9.79	ug/L	#	50
34) ethyl acetate	8.93	45	11952	9.22	ug/L		92

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218786.D
Acq On : 31 Jul 2022 7:44 pm
Operator : PrashanS
Sample : IC9511-8
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Aug 01 14:55:38 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:54:29 2022
QLast Update : Mon Aug 01 14:55:32 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
35) 2,2-dichloropropane	9.00	77	76411	7.96	ug/L		96
36) cis-1,2-dichloroethene	8.97	96	54158	8.11	ug/L		92
37) propionitrile	8.98	54	91959	82.16	ug/L		96
38) bromochloromethane	9.26	130	36441	8.36	ug/L		94
39) tetrahydrofuran	9.28	42	24369	7.30	ug/L		90
40) chloroform	9.35	83	95963	7.46	ug/L		99
41) tert-butyl formate	9.38	59	47036	8.35	ug/L		91
42) isobutyl alcohol	9.75	43	38458	81.88	ug/L		89
44) methacrylonitrile	9.18	67	21923	7.96	ug/L		86
45) 1,1,1-trichloroethane	9.60	97	85157	7.98	ug/L		99
46) cyclohexane	9.71	84	70715	8.05	ug/L		85
47) 1,1-dichloropropene	9.77	75	69956	8.10	ug/L		94
48) tert-amyl alcohol	9.90	73	18623	38.81	ug/L	#	73
49) carbon tetrachloride	9.80	117	79510	8.29	ug/L		96
52) 2,2,4-trimethylpentane	10.12	57	225532	8.28	ug/L		98
53) tert-amyl methyl ether	10.11	73	159347	7.89	ug/L		94
54) n-butyl alcohol	10.50	56	95119	392.88	ug/L		98
55) benzene	10.02	78	191197	8.33	ug/L		96
56) heptane	10.28	57	45598	8.41	ug/L		96
57) isopropyl acetate	9.93	87	11876	8.57	ug/L		96
58) 1,2-dichloroethane	10.04	62	86511	7.85	ug/L		99
59) trichloroethene	10.74	95	53291	8.15	ug/L		97
60) ethyl acrylate	10.74	55	84568	8.42	ug/L		97
61) 2-nitropropane	11.50	41	21429	8.18	ug/L		93
62) 2-chloroethyl vinyl ether	11.54	63	94301	50.23	ug/L		98
63) methyl methacrylate	11.00	100	13754	9.07	ug/L	#	85
64) 1,2-dichloropropane	11.03	63	56303	8.35	ug/L		95
65) methylcyclohexane	11.04	83	86472	8.11	ug/L		99
66) dibromomethane	11.14	93	34617	7.69	ug/L		91
67) bromodichloromethane	11.29	83	75602	8.23	ug/L		97
68) epichlorohydrin	11.62	57	32644	42.30	ug/L		98
69) cis-1,3-dichloropropene	11.75	75	83141	8.40	ug/L		98
70) 4-methyl-2-pentanone	11.86	58	104298	33.07	ug/L		92
71) 3-methyl-1-butanol	11.87	70	31962	175.95	ug/L		86
74) toluene	12.14	92	118849	8.05	ug/L		93
75) trans-1,3-dichloropropene	12.32	75	81969	8.62	ug/L		98
76) ethyl methacrylate	12.32	69	70711	8.93	ug/L		96
77) 1,1,2-trichloroethane	12.54	83	41515	8.34	ug/L		95
78) 2-hexanone	12.71	58	100140	33.29	ug/L		97
79) tetrachloroethene	12.68	166	58808	7.95	ug/L		97
80) 1,3-dichloropropane	12.72	76	78063	7.97	ug/L		97
81) butyl acetate	12.79	56	42776	8.42	ug/L	#	83
82) dibromochloromethane	12.96	129	59836	8.33	ug/L		99
83) 1,2-dibromoethane	13.11	107	51940	8.49	ug/L		99
84) n-butyl ether	13.56	57	249852	8.41	ug/L		94
85) chlorobenzene	13.59	112	135205	8.44	ug/L		94
86) 1,1,1,2-tetrachloroethane	13.66	131	53243	8.43	ug/L		95
87) ethylbenzene	13.66	91	234579	8.25	ug/L		94
88) m,p-xylene	13.78	106	178223	16.65	ug/L		89
89) o-xylene	14.18	91	189640	8.27	ug/L		93

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218786.D
Acq On : 31 Jul 2022 7:44 pm
Operator : PrashanS
Sample : IC9511-8
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Aug 01 14:55:38 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:54:29 2022
QLast Update : Mon Aug 01 14:55:32 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
90) styrene	14.19	104	149627	8.74	ug/L	97
91) n-amyl acetate	14.22	70	37199	8.66	ug/L	97
92) bromoform	14.41	173	42397	8.37	ug/L	97
93) butyl acrylate	14.01	55	132813	8.94	ug/L	97
94) isopropylbenzene	14.53	105	231604	8.51	ug/L	97
95) cis-1,4-dichloro-2-butene	14.56	88	22743	8.62	ug/L	89
98) bromobenzene	14.90	156	65047	8.03	ug/L	94
99) 1,1,2,2-tetrachloroethane	14.80	83	69378	8.19	ug/L	97
100) trans-1,4-dichloro-2-buten	14.83	53	22795	8.66	ug/L	97
101) 1,2,3-trichloropropane	14.89	110	17489	8.13	ug/L	95
102) n-propylbenzene	14.94	91	281415	8.51	ug/L	96
103) 2-chlorotoluene	15.07	126	57655	8.31	ug/L	96
104) 4-chlorotoluene	15.18	91	172721	8.31	ug/L	97
105) 1,3,5-trimethylbenzene	15.10	105	192735	8.53	ug/L	99
106) tert-butylbenzene	15.43	119	163544	8.37	ug/L	98
107) 1,2,4-trimethylbenzene	15.48	105	196793	8.55	ug/L	94
108) sec-butylbenzene	15.65	105	249910	8.51	ug/L	97
109) 1,3-dichlorobenzene	15.82	146	118333	8.22	ug/L	94
110) p-isopropyltoluene	15.79	119	210696	8.43	ug/L	95
111) benzyl chloride	16.01	91	117582	8.73	ug/L	96
112) 1,2,3-trimethylbenzene	15.91	105	196777	8.17	ug/L	95
113) 1,4-dichlorobenzene	15.91	146	121274	8.01	ug/L	97
114) 1,2-dichlorobenzene	16.28	146	117887	8.44	ug/L	98
115) n-butylbenzene	16.19	92	111412	8.67	ug/L	88
116) 1,2-dibromo-3-chloropropan	17.05	157	16157	9.51	ug/L	86
117) 1,3,5-trichlorobenzene	17.24	180	90238	8.29	ug/L	97
118) 1,2,4-trichlorobenzene	17.88	180	78595	8.66	ug/L	99
119) hexachlorobutadiene	18.00	225	41561	8.92	ug/L	95
120) naphthalene	18.17	128	190936	8.76	ug/L	100
121) 1,2,3-trichlorobenzene	18.40	180	73567	8.63	ug/L	99
122) hexachloroethane	16.58	201	35209	9.52	ug/L	94
123) 2-methylnaphthalene	19.41	142	42684	4.21	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218786.D
Acq On : 31 Jul 2022 7:44 pm
Operator : PrashanS
Sample : IC9511-8
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Aug 01 14:55:38 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:54:29 2022
QLast Update : Mon Aug 01 14:55:32 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218787.D
Acq On : 31 Jul 2022 8:13 pm
Operator : PrashanS
Sample : IC9511-20
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Aug 01 14:56:14 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:55:32 2022
QLast Update : Mon Aug 01 14:56:08 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	7.25	65	428714	500.00	ug/L	0.00
5) pentafluorobenzene	9.51	168	726573	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.44	114	975008	50.00	ug/L	0.00
72) chlorobenzene-d5	13.56	117	931654	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.89	152	513520	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.51	168	726573	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.54	113	341852	49.88	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.76%			
51) 1,2-dichloroethane-d4 (s)	9.95	65	453496	50.01	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.02%			
73) toluene-d8 (s)	12.06	98	1150863	50.41	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.82%			
97) 4-bromofluorobenzene (s)	14.72	95	474712	49.84	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.68%			
Target Compounds						Qvalue
2) ethanol	5.98	45	201148	1992.92	ug/L	91
3) tertiary butyl alcohol	7.37	59	99925	94.67	ug/L	95
4) 1,4-dioxane	11.08	88	36289	511.36	ug/L	91
6) chlorodifluoromethane	4.00	51	189834	18.66	ug/L	98
7) dichlorodifluoromethane	3.97	85	194905	19.76	ug/L	100
8) chloromethane	4.35	50	236025	17.84	ug/L	97
9) vinyl chloride	4.58	62	186333	18.86	ug/L	96
10) 1,3-butadiene	4.62	54	165284	18.35	ug/L	96
11) bromomethane	5.19	94	105060	18.03	ug/L	99
12) chloroethane	5.36	64	88757	19.43	ug/L	94
13) trichlorofluoromethane	5.80	101	216232	19.99	ug/L	95
14) ethyl ether	6.19	74	66845	19.24	ug/L	94
15) acrolein	6.41	56	28595	18.76	ug/L	91
16) freon 113	6.62	151	95865	18.11	ug/L	96
17) 1,1-dichloroethene	6.61	96	102333	18.47	ug/L	94
18) acetone	6.61	43	209498	72.88	ug/L	99
19) acetonitrile	7.03	41	220882	189.26	ug/L	99
20) iodomethane	6.85	142	201181	18.73	ug/L	98
21) carbon disulfide	6.99	76	339656	18.45	ug/L	99
22) methylene chloride	7.31	84	116736	17.63	ug/L	97
23) methyl acetate	7.06	43	135908	19.43	ug/L	97
24) methyl tert butyl ether	7.66	73	363194	18.35	ug/L	97
25) trans-1,2-dichloroethene	7.69	96	113785	18.03	ug/L	94
26) hexane	8.04	57	208222	18.69	ug/L	98
27) di-isopropyl ether	8.25	45	519192	18.98	ug/L	98
28) ethyl tert-butyl ether	8.71	59	446526	18.80	ug/L	99
29) 2-butanone	8.90	72	58559	79.56	ug/L #	91
30) 1,1-dichloroethane	8.26	63	226944	18.59	ug/L	98
31) chloroprene	8.36	53	223915	19.63	ug/L	99
32) acrylonitrile	7.59	53	61227	20.36	ug/L	90
33) vinyl acetate	8.20	86	21910	20.53	ug/L #	83
34) ethyl acetate	8.93	45	26784	19.49	ug/L	97

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218787.D
Acq On : 31 Jul 2022 8:13 pm
Operator : PrashanS
Sample : IC9511-20
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Aug 01 14:56:14 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:55:32 2022
QLast Update : Mon Aug 01 14:56:08 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
35) 2,2-dichloropropane	9.00	77	173614	17.59	ug/L		95
36) cis-1,2-dichloroethene	8.97	96	124837	18.13	ug/L		94
37) propionitrile	8.98	54	224569	194.11	ug/L		94
38) bromochloromethane	9.26	130	86308	19.10	ug/L		95
39) tetrahydrofuran	9.28	42	57263	16.98	ug/L		99
40) chloroform	9.35	83	225738	17.25	ug/L		99
41) tert-butyl formate	9.39	59	120638	20.68	ug/L		96
42) isobutyl alcohol	9.75	43	88672	182.61	ug/L		93
44) methacrylonitrile	9.18	67	55120	19.47	ug/L		94
45) 1,1,1-trichloroethane	9.60	97	208447	18.98	ug/L		95
46) cyclohexane	9.71	84	175098	19.36	ug/L	#	82
47) 1,1-dichloropropene	9.78	75	163733	18.40	ug/L		97
48) tert-amyl alcohol	9.91	73	45293	92.29	ug/L		89
49) carbon tetrachloride	9.80	117	183972	18.54	ug/L		98
52) 2,2,4-trimethylpentane	10.12	57	541401	19.26	ug/L		98
53) tert-amyl methyl ether	10.11	73	383899	18.54	ug/L		99
54) n-butyl alcohol	10.50	56	254149	1024.91	ug/L		98
55) benzene	10.02	78	455030	19.18	ug/L		97
56) heptane	10.28	57	110156	19.64	ug/L		97
57) isopropyl acetate	9.94	87	27594	19.10	ug/L	#	85
58) 1,2-dichloroethane	10.04	62	203567	18.03	ug/L		99
59) trichloroethene	10.74	95	125212	18.58	ug/L		96
60) ethyl acrylate	10.74	55	211396	20.30	ug/L		97
61) 2-nitropropane	11.50	41	53188	19.68	ug/L		98
62) 2-chloroethyl vinyl ether	11.53	63	271919	135.24	ug/L		96
63) methyl methacrylate	11.01	100	32581	20.36	ug/L		96
64) 1,2-dichloropropane	11.04	63	130263	18.68	ug/L		100
65) methylcyclohexane	11.04	83	210406	19.17	ug/L		98
66) dibromomethane	11.14	93	85263	18.53	ug/L		89
67) bromodichloromethane	11.30	83	177724	18.76	ug/L		97
68) epichlorohydrin	11.62	57	81786	101.98	ug/L		96
69) cis-1,3-dichloropropene	11.75	75	204747	19.99	ug/L		98
70) 4-methyl-2-pentanone	11.86	58	252997	77.71	ug/L		89
71) 3-methyl-1-butanol	11.87	70	81730	430.82	ug/L		96
74) toluene	12.14	92	287560	18.98	ug/L		96
75) trans-1,3-dichloropropene	12.32	75	194204	19.70	ug/L		98
76) ethyl methacrylate	12.32	69	176399	21.31	ug/L		97
77) 1,1,2-trichloroethane	12.54	83	100998	19.67	ug/L		96
78) 2-hexanone	12.71	58	248821	80.12	ug/L		96
79) tetrachloroethene	12.68	166	137905	18.19	ug/L		96
80) 1,3-dichloropropane	12.72	76	182704	18.20	ug/L		98
81) butyl acetate	12.79	56	108533	20.65	ug/L		92
82) dibromochloromethane	12.96	129	147361	19.89	ug/L		99
83) 1,2-dibromoethane	13.11	107	123583	19.53	ug/L		98
84) n-butyl ether	13.56	57	592133	19.30	ug/L		99
85) chlorobenzene	13.59	112	325014	19.64	ug/L		97
86) 1,1,1,2-tetrachloroethane	13.66	131	126686	19.41	ug/L		93
87) ethylbenzene	13.66	91	549381	18.76	ug/L		96
88) m,p-xylene	13.78	106	425017	38.50	ug/L		92
89) o-xylene	14.17	91	445865	18.87	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218787.D
Acq On : 31 Jul 2022 8:13 pm
Operator : PrashanS
Sample : IC9511-20
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Aug 01 14:56:14 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:55:32 2022
QLast Update : Mon Aug 01 14:56:08 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
90) styrene	14.19	104	358328	20.13	ug/L	94
91) n-amyl acetate	14.22	70	93122	20.84	ug/L	90
92) bromoform	14.41	173	106368	20.33	ug/L	97
93) butyl acrylate	14.01	55	332424	21.40	ug/L	100
94) isopropylbenzene	14.53	105	551439	19.58	ug/L	98
95) cis-1,4-dichloro-2-butene	14.56	88	60771	22.18	ug/L	99
98) bromobenzene	14.90	156	154205	18.21	ug/L	97
99) 1,1,2,2-tetrachloroethane	14.80	83	172140	19.37	ug/L	99
100) trans-1,4-dichloro-2-buten	14.83	53	58442	20.90	ug/L	98
101) 1,2,3-trichloropropane	14.89	110	43860	19.45	ug/L	95
102) n-propylbenzene	14.94	91	664796	19.06	ug/L	96
103) 2-chlorotoluene	15.07	126	137734	18.89	ug/L	90
104) 4-chlorotoluene	15.18	91	415037	19.01	ug/L	96
105) 1,3,5-trimethylbenzene	15.10	105	453630	19.04	ug/L	100
106) tert-butylbenzene	15.43	119	385273	18.75	ug/L	99
107) 1,2,4-trimethylbenzene	15.49	105	466785	19.21	ug/L	96
108) sec-butylbenzene	15.65	105	593422	19.16	ug/L	98
109) 1,3-dichlorobenzene	15.82	146	286521	18.96	ug/L	96
110) p-isopropyltoluene	15.79	119	503064	19.11	ug/L	95
111) benzyl chloride	16.01	91	292416	20.47	ug/L	97
112) 1,2,3-trimethylbenzene	15.91	105	472645	18.72	ug/L	96
113) 1,4-dichlorobenzene	15.91	146	287440	18.15	ug/L	97
114) 1,2-dichlorobenzene	16.28	146	283693	19.27	ug/L	100
115) n-butylbenzene	16.19	92	270266	19.88	ug/L	94
116) 1,2-dibromo-3-chloropropan	17.05	157	38568	21.06	ug/L	96
117) 1,3,5-trichlorobenzene	17.24	180	218557	19.11	ug/L	99
118) 1,2,4-trichlorobenzene	17.88	180	197555	20.59	ug/L	99
119) hexachlorobutadiene	18.00	225	99114	20.03	ug/L	91
120) naphthalene	18.17	128	482323	20.89	ug/L	99
121) 1,2,3-trichlorobenzene	18.40	180	184915	20.52	ug/L	96
122) hexachloroethane	16.58	201	85243	21.47	ug/L	92
123) 2-methylnaphthalene	19.41	142	115453	10.76	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218787.D
Acq On : 31 Jul 2022 8:13 pm
Operator : PrashanS
Sample : IC9511-20
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Aug 01 14:56:14 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:55:32 2022
QLast Update : Mon Aug 01 14:56:08 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218788.D
Acq On : 31 Jul 2022 8:41 pm
Operator : PrashanS
Sample : ICC9511-50
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Aug 01 14:30:56 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:25:46 2022
QLast Update : Mon Aug 01 14:30:00 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	7.25	65	430035	500.00	ug/L	0.00
5) pentafluorobenzene	9.51	168	739573	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.44	114	990901	50.00	ug/L	0.00
72) chlorobenzene-d5	13.56	117	951995	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.89	152	521245	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.51	168	739208	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.54	113	351605	50.00	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.00%			
51) 1,2-dichloroethane-d4 (s)	9.95	65	461345	50.00	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.00%			
73) toluene-d8 (s)	12.06	98	1170934	50.00	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.00%			
97) 4-bromofluorobenzene (s)	14.72	95	478753	50.00	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.00%			
Target Compounds						Qvalue
2) ethanol	5.98	45	521004	5000.00	ug/L	100
3) tertiary butyl alcohol	7.36	59	261604	250.00	ug/L	100
4) 1,4-dioxane	11.08	88	98789	1250.00	ug/L	100
6) chlorodifluoromethane	4.00	51	491666	50.00	ug/L	100
7) dichlorodifluoromethane	3.97	85	502619	50.01	ug/L	100
8) chloromethane	4.35	50	606131	50.00	ug/L	100
9) vinyl chloride	4.57	62	486994	50.00	ug/L	100
10) 1,3-butadiene	4.62	54	406614	50.00	ug/L	100
11) bromomethane	5.19	94	278236	50.00	ug/L	100
12) chloroethane	5.36	64	233276	50.00	ug/L	100
13) trichlorofluoromethane	5.79	101	561174	50.00	ug/L	100
14) ethyl ether	6.19	74	170540	50.00	ug/L	100
15) acrolein	6.41	56	81364	50.00	ug/L	100
16) freon 113	6.61	151	250484	50.00	ug/L	100
17) 1,1-dichloroethene	6.60	96	264084	50.00	ug/L	100
18) acetone	6.61	43	535473	200.00	ug/L	100
19) acetonitrile	7.01	41	569811	500.00	ug/L	100
20) iodomethane	6.85	142	518681	50.00	ug/L	100
21) carbon disulfide	6.98	76	882965	49.93	ug/L	100
22) methylene chloride	7.30	84	304836	50.00	ug/L	100
23) methyl acetate	7.06	43	352148	50.00	ug/L	100
24) methyl tert butyl ether	7.66	73	929573	50.00	ug/L	100
25) trans-1,2-dichloroethene	7.68	96	294733	50.00	ug/L	100
26) hexane	8.04	57	523892	50.00	ug/L	100
27) di-isopropyl ether	8.25	45	1323811	50.00	ug/L	100
28) ethyl tert-butyl ether	8.71	59	1155862	50.00	ug/L	100
29) 2-butanone	8.90	72	156008	200.00	ug/L	100
30) 1,1-dichloroethane	8.26	63	585886	50.00	ug/L	100
31) chloroprene	8.36	53	580070	50.00	ug/L	100
32) acrylonitrile	7.59	53	160857	50.00	ug/L	100
33) vinyl acetate	8.20	86	59412	50.00	ug/L	100
34) ethyl acetate	8.92	45	72024	50.00	ug/L	100

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218788.D
Acq On : 31 Jul 2022 8:41 pm
Operator : PrashanS
Sample : ICC9511-50
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Aug 01 14:30:56 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:25:46 2022
QLast Update : Mon Aug 01 14:30:00 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
35) 2,2-dichloropropane	9.00	77	461257	50.00	ug/L	100
36) cis-1,2-dichloroethene	8.97	96	328619	50.00	ug/L	100
37) propionitrile	8.98	54	582952	500.00	ug/L	100
38) bromochloromethane	9.26	130	227376	50.00	ug/L	100
39) tetrahydrofuran	9.28	42	143509	50.00	ug/L	100
40) chloroform	9.35	83	584987	50.00	ug/L	100
41) tert-butyl formate	9.38	59	324676	50.00	ug/L	100
42) isobutyl alcohol	9.75	43	255412	500.00	ug/L	100
44) methacrylonitrile	9.17	67	144788	50.00	ug/L	100
45) 1,1,1-trichloroethane	9.61	97	538312	50.00	ug/L	100
46) cyclohexane	9.72	84	458447	50.00	ug/L	100
47) 1,1-dichloropropene	9.78	75	422042	50.00	ug/L	100
48) tert-amyl alcohol	9.91	73	111514	250.00	ug/L	100
49) carbon tetrachloride	9.80	117	486009	50.00	ug/L	100
52) 2,2,4-trimethylpentane	10.12	57	1341381	50.00	ug/L	100
53) tert-amyl methyl ether	10.11	73	985231	50.00	ug/L	100
54) n-butyl alcohol	10.50	56	663849	2500.00	ug/L	100
55) benzene	10.02	78	1158667	50.00	ug/L	100
56) heptane	10.28	57	285626	50.00	ug/L	100
57) isopropyl acetate	9.94	87	70864	50.00	ug/L	100
58) 1,2-dichloroethane	10.04	62	520373	50.00	ug/L	100
59) trichloroethene	10.74	95	329122	50.00	ug/L	100
60) ethyl acrylate	10.74	55	549980	50.00	ug/L	100
61) 2-nitropropane	11.50	41	144509	50.00	ug/L	100
62) 2-chloroethyl vinyl ether	11.53	63	788930	250.00	ug/L	100
63) methyl methacrylate	11.01	100	87895	50.00	ug/L	100
64) 1,2-dichloropropane	11.03	63	341196	50.00	ug/L	100
65) methylcyclohexane	11.04	83	535262	50.00	ug/L	100
66) dibromomethane	11.14	93	216000	50.00	ug/L	100
67) bromodichloromethane	11.30	83	466331	50.00	ug/L	100
68) epichlorohydrin	11.62	57	216041	250.00	ug/L	100
69) cis-1,3-dichloropropene	11.75	75	528123	50.00	ug/L	100
70) 4-methyl-2-pentanone	11.86	58	660579	200.00	ug/L	100
71) 3-methyl-1-butanol	11.86	70	214542	1000.00	ug/L	100
74) toluene	12.14	92	735285	50.00	ug/L	100
75) trans-1,3-dichloropropene	12.32	75	511262	50.00	ug/L	100
76) ethyl methacrylate	12.31	69	450593	50.00	ug/L	100
77) 1,1,2-trichloroethane	12.54	83	258998	50.00	ug/L	100
78) 2-hexanone	12.71	58	640849	200.00	ug/L	100
79) tetrachloroethene	12.68	166	358070	50.00	ug/L	100
80) 1,3-dichloropropane	12.72	76	478006	50.00	ug/L	100
81) butyl acetate	12.79	56	276449	50.00	ug/L	100
82) dibromochloromethane	12.96	129	385243	50.00	ug/L	100
83) 1,2-dibromoethane	13.11	107	324612	50.00	ug/L	100
84) n-butyl ether	13.56	57	1493266	50.00	ug/L	100
85) chlorobenzene	13.59	112	817274	50.00	ug/L	100
86) 1,1,1,2-tetrachloroethane	13.66	131	328374	50.00	ug/L	100
87) ethylbenzene	13.66	91	1374498	50.00	ug/L	100
88) m,p-xylene	13.78	106	1084298	100.00	ug/L	100
89) o-xylene	14.18	91	1131192	50.00	ug/L	100

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218788.D
Acq On : 31 Jul 2022 8:41 pm
Operator : PrashanS
Sample : ICC9511-50
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Aug 01 14:30:56 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:25:46 2022
QLast Update : Mon Aug 01 14:30:00 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
90) styrene	14.19	104	918466	50.00	ug/L	100
91) n-amyl acetate	14.22	70	245352	50.00	ug/L	100
92) bromoform	14.41	173	292506	50.00	ug/L	100
93) butyl acrylate	14.01	55	852524	50.00	ug/L	100
94) isopropylbenzene	14.53	105	1382305	50.00	ug/L	100
95) cis-1,4-dichloro-2-butene	14.56	88	166175	50.00	ug/L	100
98) bromobenzene	14.90	156	395208	50.00	ug/L	100
99) 1,1,2,2-tetrachloroethane	14.80	83	435980	50.00	ug/L	100
100) trans-1,4-dichloro-2-buten	14.83	53	153920	50.00	ug/L	100
101) 1,2,3-trichloropropane	14.89	110	111981	50.00	ug/L	100
102) n-propylbenzene	14.94	91	1637606	50.00	ug/L	100
103) 2-chlorotoluene	15.07	126	357774	50.00	ug/L	100
104) 4-chlorotoluene	15.18	91	1028368	50.00	ug/L	100
105) 1,3,5-trimethylbenzene	15.10	105	1151685	50.00	ug/L	100
106) tert-butylbenzene	15.43	119	994736	50.00	ug/L	100
107) 1,2,4-trimethylbenzene	15.49	105	1172131	50.00	ug/L	100
108) sec-butylbenzene	15.66	105	1493082	50.00	ug/L	100
109) 1,3-dichlorobenzene	15.82	146	722902	50.00	ug/L	100
110) p-isopropyltoluene	15.79	119	1266530	50.00	ug/L	100
111) benzyl chloride	16.01	91	779733	49.94	ug/L	100
112) 1,2,3-trimethylbenzene	15.91	105	1191537	50.00	ug/L	100
113) 1,4-dichlorobenzene	15.91	146	739764	50.00	ug/L	100
114) 1,2-dichlorobenzene	16.28	146	721435	50.00	ug/L	100
115) n-butylbenzene	16.19	92	692266	50.00	ug/L	100
116) 1,2-dibromo-3-chloropropan	17.05	157	103021	50.00	ug/L	100
117) 1,3,5-trichlorobenzene	17.24	180	570163	50.00	ug/L	100
118) 1,2,4-trichlorobenzene	17.88	180	511452	50.00	ug/L	100
119) hexachlorobutadiene	18.00	225	253561	50.00	ug/L	100
120) naphthalene	18.17	128	1244748	50.00	ug/L	100
121) 1,2,3-trichlorobenzene	18.40	180	481606	50.00	ug/L	100
122) hexachloroethane	16.58	201	231840	50.00	ug/L	100
123) 2-methylnaphthalene	19.41	142	330650	25.00	ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218788.D
Acq On : 31 Jul 2022 8:41 pm
Operator : PrashanS
Sample : ICC9511-50
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Aug 01 14:30:56 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:25:46 2022
QLast Update : Mon Aug 01 14:30:00 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218789.D
Acq On : 31 Jul 2022 9:09 pm
Operator : PrashanS
Sample : IC9511-100
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Aug 01 14:57:44 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:56:08 2022
QLast Update : Mon Aug 01 14:56:58 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	7.25	65	459793	500.00	ug/L	0.00
5) pentafluorobenzene	9.51	168	767103	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.44	114	1020951	50.00	ug/L	0.00
72) chlorobenzene-d5	13.56	117	978755	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.89	152	538107	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.51	168	766203	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.54	113	356658	49.31	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.62%			
51) 1,2-dichloroethane-d4 (s)	9.95	65	474546	49.97	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.94%			
73) toluene-d8 (s)	12.06	98	1203527	50.13	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.26%			
97) 4-bromofluorobenzene (s)	14.72	95	490794	49.20	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.40%			
Target Compounds						Qvalue
2) ethanol	5.98	45	1234817	11414.00	ug/L	99
3) tertiary butyl alcohol	7.37	59	585243	521.63	ug/L	100
4) 1,4-dioxane	11.08	88	221072	2893.68	ug/L	98
6) chlorodifluoromethane	3.98	51	1019998	95.89	ug/L	99
7) dichlorodifluoromethane	3.95	85	1019002	98.02	ug/L	99
8) chloromethane	4.34	50	1240966	90.23	ug/L	99
9) vinyl chloride	4.57	62	999292	96.60	ug/L	99
10) 1,3-butadiene	4.61	54	831794	88.52	ug/L	98
11) bromomethane	5.18	94	593790	97.88	ug/L	97
12) chloroethane	5.35	64	497196	103.53	ug/L	93
13) trichlorofluoromethane	5.79	101	1164280	101.93	ug/L	95
14) ethyl ether	6.19	74	366512	100.48	ug/L	99
15) acrolein	6.41	56	175348	110.08	ug/L	99
16) freon 113	6.61	151	520898	94.48	ug/L	94
17) 1,1-dichloroethene	6.60	96	550153	95.09	ug/L	99
18) acetone	6.60	43	1150827	384.10	ug/L	98
19) acetonitrile	7.01	41	1229737	1005.75	ug/L	98
20) iodomethane	6.84	142	1084842	96.43	ug/L	99
21) carbon disulfide	6.98	76	1831506	95.27	ug/L	99
22) methylene chloride	7.30	84	647697	94.22	ug/L	98
23) methyl acetate	7.06	43	756374	102.82	ug/L	99
24) methyl tert butyl ether	7.65	73	1956452	94.58	ug/L	96
25) trans-1,2-dichloroethene	7.68	96	618814	94.18	ug/L	96
26) hexane	8.04	57	1091713	93.58	ug/L	98
27) di-isopropyl ether	8.25	45	2724270	94.93	ug/L	97
28) ethyl tert-butyl ether	8.71	59	2389269	96.01	ug/L	98
29) 2-butanone	8.90	72	347321	447.36	ug/L #	88
30) 1,1-dichloroethane	8.25	63	1237823	96.90	ug/L	99
31) chloroprene	8.36	53	1223805	101.86	ug/L	98
32) acrylonitrile	7.58	53	351188	110.28	ug/L	99
33) vinyl acetate	8.20	86	138861	122.72	ug/L #	66
34) ethyl acetate	8.92	45	157803	109.21	ug/L	99

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218789.D
Acq On : 31 Jul 2022 9:09 pm
Operator : PrashanS
Sample : IC9511-100
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Aug 01 14:57:44 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:56:08 2022
QLast Update : Mon Aug 01 14:56:58 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
35) 2,2-dichloropropane	9.00	77	965070	94.04	ug/L		99
36) cis-1,2-dichloroethene	8.97	96	691701	96.29	ug/L		97
37) propionitrile	8.98	54	1257873	1034.17	ug/L		92
38) bromochloromethane	9.26	130	475481	100.32	ug/L		97
39) tetrahydrofuran	9.28	42	312882	90.13	ug/L		98
40) chloroform	9.35	83	1209474	89.31	ug/L		98
41) tert-butyl formate	9.38	59	730261	118.05	ug/L		97
42) isobutyl alcohol	9.74	43	541170	1071.11	ug/L		99
44) methacrylonitrile	9.17	67	319550	107.39	ug/L		97
45) 1,1,1-trichloroethane	9.60	97	1125850	97.73	ug/L		99
46) cyclohexane	9.71	84	970919	102.08	ug/L		92
47) 1,1-dichloropropene	9.78	75	894376	96.15	ug/L		99
48) tert-amyl alcohol	9.91	73	252155	492.98	ug/L		97
49) carbon tetrachloride	9.80	117	1024277	98.68	ug/L		99
52) 2,2,4-trimethylpentane	10.12	57	2787152	95.13	ug/L		98
53) tert-amyl methyl ether	10.11	73	2038731	94.89	ug/L		98
54) n-butyl alcohol	10.49	56	1460985	5606.64	ug/L		98
55) benzene	10.02	78	2373166	96.01	ug/L		98
56) heptane	10.28	57	596268	101.74	ug/L		98
57) isopropyl acetate	9.94	87	161548	107.62	ug/L	#	85
58) 1,2-dichloroethane	10.04	62	1092441	93.72	ug/L		97
59) trichloroethene	10.74	95	688135	98.41	ug/L		99
60) ethyl acrylate	10.73	55	1180211	108.02	ug/L		98
61) 2-nitropropane	11.50	41	320922	113.68	ug/L		98
62) 2-chloroethyl vinyl ether	11.54	63	1888529	853.99	ug/L		95
63) methyl methacrylate	11.00	100	195712	116.47	ug/L		96
64) 1,2-dichloropropane	11.03	63	724213	100.11	ug/L		100
65) methylcyclohexane	11.04	83	1129075	98.74	ug/L		97
66) dibromomethane	11.14	93	465233	97.46	ug/L		96
67) bromodichloromethane	11.30	83	989742	100.53	ug/L		100
68) epichlorohydrin	11.62	57	469215	556.93	ug/L		96
69) cis-1,3-dichloropropene	11.75	75	1112379	103.74	ug/L		98
70) 4-methyl-2-pentanone	11.86	58	1416482	417.01	ug/L	#	79
71) 3-methyl-1-butanol	11.87	70	488983	2434.74	ug/L		88
74) toluene	12.14	92	1529303	96.69	ug/L		92
75) trans-1,3-dichloropropene	12.32	75	1070601	103.58	ug/L		98
76) ethyl methacrylate	12.31	69	955498	108.86	ug/L		99
77) 1,1,2-trichloroethane	12.54	83	541907	100.66	ug/L		96
78) 2-hexanone	12.71	58	1370894	420.10	ug/L	#	87
79) tetrachloroethene	12.68	166	748859	95.11	ug/L		98
80) 1,3-dichloropropane	12.72	76	1001429	96.03	ug/L		98
81) butyl acetate	12.79	56	598332	107.87	ug/L		95
82) dibromochloromethane	12.96	129	823008	105.79	ug/L		99
83) 1,2-dibromoethane	13.11	107	687815	103.76	ug/L		94
84) n-butyl ether	13.56	57	2887535	89.96	ug/L		95
85) chlorobenzene	13.59	112	1651463	95.19	ug/L		96
86) 1,1,1,2-tetrachloroethane	13.66	131	700680	102.58	ug/L		97
87) ethylbenzene	13.66	91	2646448	86.69	ug/L		94
88) m,p-xylene	13.78	106	2234566	193.57	ug/L		89
89) o-xylene	14.18	91	2246730	91.15	ug/L		94

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218789.D
Acq On : 31 Jul 2022 9:09 pm
Operator : PrashanS
Sample : IC9511-100
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Aug 01 14:57:44 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:56:08 2022
QLast Update : Mon Aug 01 14:56:58 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
90) styrene	14.19	104	1881419	100.55	ug/L	98
91) n-amyl acetate	14.22	70	530039	112.25	ug/L	93
92) bromoform	14.41	173	627627	113.97	ug/L	98
93) butyl acrylate	14.01	55	1758147	106.68	ug/L	95
94) isopropylbenzene	14.53	105	2659670	90.14	ug/L	93
95) cis-1,4-dichloro-2-butene	14.56	88	364115	124.56	ug/L	98
98) bromobenzene	14.90	156	830178	94.61	ug/L	98
99) 1,1,2,2-tetrachloroethane	14.80	83	907222	97.83	ug/L	97
100) trans-1,4-dichloro-2-buten	14.83	53	341911	115.82	ug/L	99
101) 1,2,3-trichloropropane	14.89	110	242837	103.16	ug/L	97
102) n-propylbenzene	14.94	91	3092740	85.12	ug/L	92
103) 2-chlorotoluene	15.07	126	750624	98.93	ug/L	91
104) 4-chlorotoluene	15.18	91	2043632	89.87	ug/L	97
105) 1,3,5-trimethylbenzene	15.10	105	2273581	91.60	ug/L	94
106) tert-butylbenzene	15.44	119	1982306	92.78	ug/L	98
107) 1,2,4-trimethylbenzene	15.49	105	2293767	90.53	ug/L	94
108) sec-butylbenzene	15.66	105	2881813	89.25	ug/L	93
109) 1,3-dichlorobenzene	15.82	146	1472886	93.64	ug/L	97
110) p-isopropyltoluene	15.79	119	2476449	90.29	ug/L	94
111) benzyl chloride	16.01	91	1622166	107.99	ug/L	97
112) 1,2,3-trimethylbenzene	15.91	105	2328806	88.74	ug/L	94
113) 1,4-dichlorobenzene	15.91	146	1520831	92.73	ug/L	98
114) 1,2-dichlorobenzene	16.28	146	1459443	95.06	ug/L	96
115) n-butylbenzene	16.19	92	1421483	99.84	ug/L	92
116) 1,2-dibromo-3-chloropropan	17.05	157	223516	115.61	ug/L	92
117) 1,3,5-trichlorobenzene	17.24	180	1164572	97.72	ug/L	98
118) 1,2,4-trichlorobenzene	17.88	180	1063844	105.43	ug/L	96
119) hexachlorobutadiene	18.00	225	541433	104.40	ug/L	99
120) naphthalene	18.17	128	2511427	103.21	ug/L	96
121) 1,2,3-trichlorobenzene	18.40	180	1007289	106.31	ug/L	99
122) hexachloroethane	16.58	201	498427	118.73	ug/L	99
123) 2-methylnaphthalene	19.41	142	746190	65.36	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218789.D
Acq On : 31 Jul 2022 9:09 pm
Operator : PrashanS
Sample : IC9511-100
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Aug 01 14:57:44 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:56:08 2022
QLast Update : Mon Aug 01 14:56:58 2022
Response via : Initial Calibration



Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/01/22 19:36

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218790.D
Acq On : 31 Jul 2022 9:38 pm
Operator : PrashanS
Sample : IC9511-200
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Aug 01 14:59:58 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:56:58 2022
QLast Update : Mon Aug 01 14:57:51 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	7.26	65	466711	500.00	ug/L	0.00
5) pentafluorobenzene	9.51	168	787560	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.44	114	1056636	50.00	ug/L	0.00
72) chlorobenzene-d5	13.56	117	1016487	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.89	152	549265	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.51	168	786735	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.54	113	370135	49.92	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.84%			
51) 1,2-dichloroethane-d4 (s)	9.95	65	489230	49.78	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.56%			
73) toluene-d8 (s)	12.06	98	1227827	49.23	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.46%			
97) 4-bromofluorobenzene (s)	14.72	95	506250	49.80	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.60%			
Target Compounds						Qvalue
2) ethanol	5.98	45	2507597	22383.19	ug/L	99
3) tertiary butyl alcohol	7.37	59	1151431	1004.85	ug/L	95
4) 1,4-dioxane	11.08	88	439086	5537.57	ug/L	99
6) chlorodifluoromethane	3.99	51	1945766	179.09	ug/L	97
7) dichlorodifluoromethane	3.96	85	2007470	188.56	ug/L	99
8) chloromethane	4.34	50	2319881	166.32	ug/L	96
9) vinyl chloride	4.57	62	1922923	181.82	ug/L	99
10) 1,3-butadiene	4.61	54	1572491	165.38	ug/L	99
11) bromomethane	5.17	94	1175847	189.29	ug/L	100
12) chloroethane	5.35	64	998027	201.52	ug/L	94
13) trichlorofluoromethane	5.79	101	2305229	196.16	ug/L	98
14) ethyl ether	6.19	74	732066	195.37	ug/L	94
15) acrolein	6.41	56	353644	213.18	ug/L	98
16) freon 113	6.61	151	1039665	184.95	ug/L	93
17) 1,1-dichloroethene	6.60	96	1072566	181.69	ug/L	94
18) acetone	6.61	43	2212776	722.94	ug/L	96
19) acetonitrile	7.01	41	2392817	1904.78	ug/L	100
20) iodomethane	6.84	142	2101270	182.65	ug/L	99
21) carbon disulfide	6.98	76	3453484	176.02	ug/L	99
22) methylene chloride	7.30	84	1253295	178.88	ug/L	97
23) methyl acetate	7.06	43	1459173	192.53	ug/L	99
24) methyl tert butyl ether	7.66	73	3674108	174.05	ug/L	93
25) trans-1,2-dichloroethene	7.68	96	1205853	180.07	ug/L	96
26) hexane	8.03	57	2131802	179.26	ug/L	98
27) di-isopropyl ether	8.25	45	4954270	169.11	ug/L	93
28) ethyl tert-butyl ether	8.71	59	4422135	173.85	ug/L	93
29) 2-butanone	8.90	72	676627	834.75	ug/L #	79
30) 1,1-dichloroethane	8.25	63	2370352	181.36	ug/L	98
31) chloroprene	8.36	53	2345339	189.74	ug/L	96
32) acrylonitrile	7.59	53	700650	211.20	ug/L	98
33) vinyl acetate	8.20	86	275079	229.35	ug/L #	48
34) ethyl acetate	8.92	45	316543	210.61	ug/L	98

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218790.D
Acq On : 31 Jul 2022 9:38 pm
Operator : PrashanS
Sample : IC9511-200
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Aug 01 14:59:58 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:56:58 2022
QLast Update : Mon Aug 01 14:57:51 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
35) 2,2-dichloropropane	9.00	77	1856703	177.40	ug/L		97
36) cis-1,2-dichloroethene	8.97	96	1346873	183.39	ug/L		96
37) propionitrile	8.98	54	2362630	1883.95	ug/L		90
38) bromochloromethane	9.26	130	927216	190.47	ug/L		97
39) tetrahydrofuran	9.28	42	608625	173.21	ug/L		99
40) chloroform	9.35	83	2266992	165.26	ug/L		95
41) tert-butyl formate	9.38	59	1422033	219.50	ug/L		97
42) isobutyl alcohol	9.75	43	1006806	1921.44	ug/L		93
44) methacrylonitrile	9.18	67	629596	203.93	ug/L		95
45) 1,1,1-trichloroethane	9.60	97	2130679	180.60	ug/L		94
46) cyclohexane	9.71	84	1907068	194.85	ug/L		97
47) 1,1-dichloropropene	9.78	75	1698828	178.66	ug/L		96
48) tert-amyl alcohol	9.91	73	501885	957.65	ug/L		93
49) carbon tetrachloride	9.80	117	1936262	181.96	ug/L		97
52) 2,2,4-trimethylpentane	10.12	57	5105819	169.30	ug/L		93
53) tert-amyl methyl ether	10.11	73	3730617	168.72	ug/L		93
54) n-butyl alcohol	10.50	56	2802541	10236.50	ug/L		95
55) benzene	10.02	78	4295872	168.67	ug/L		93
56) heptane	10.28	57	1179216	194.04	ug/L		98
57) isopropyl acetate	9.94	87	318969	203.10	ug/L	#	68
58) 1,2-dichloroethane	10.04	62	2053719	171.58	ug/L		95
59) trichloroethene	10.74	95	1330747	184.20	ug/L		98
60) ethyl acrylate	10.74	55	2214265	193.88	ug/L		95
61) 2-nitropropane	11.50	41	616512	206.97	ug/L		97
62) 2-chloroethyl vinyl ether	11.54	63	3656614	1467.77	ug/L		84
63) methyl methacrylate	11.00	100	383199	215.28	ug/L	#	89
64) 1,2-dichloropropane	11.03	63	1406329	187.80	ug/L		97
65) methylcyclohexane	11.04	83	2186396	185.01	ug/L		97
66) dibromomethane	11.14	93	899104	182.51	ug/L		96
67) bromodichloromethane	11.30	83	1866491	183.08	ug/L		96
68) epichlorohydrin	11.62	57	899434	1015.00	ug/L		95
69) cis-1,3-dichloropropene	11.75	75	2070525	185.80	ug/L		98
70) 4-methyl-2-pentanone	11.86	58	2628926	744.30	ug/L	#	50
71) 3-methyl-1-butanol	11.87	70	955927	4477.35	ug/L	#	83
74) toluene	12.14	92	2835179	173.23	ug/L	#	81
75) trans-1,3-dichloropropene	12.32	75	2008871	186.40	ug/L		93
76) ethyl methacrylate	12.32	69	1797622	195.04	ug/L		95
77) 1,1,2-trichloroethane	12.54	83	1032478	184.53	ug/L		96
78) 2-hexanone	12.71	58	2496455m	732.02	ug/L		
79) tetrachloroethene	12.68	166	1438276	176.84	ug/L		96
80) 1,3-dichloropropane	12.72	76	1896115	175.85	ug/L		95
81) butyl acetate	12.79	56	1139985	195.97	ug/L	#	81
82) dibromochloromethane	12.96	129	1567845	192.82	ug/L		98
83) 1,2-dibromoethane	13.11	107	1307311	189.11	ug/L		98
84) n-butyl ether	13.56	57	4656404	141.27	ug/L		84
85) chlorobenzene	13.59	112	2958993	165.10	ug/L		89
86) 1,1,1,2-tetrachloroethane	13.66	131	1359925	191.15	ug/L		97
87) ethylbenzene	13.66	91	4325760	138.48	ug/L		78
88) m,p-xylene	13.78	106	4067940m	340.52	ug/L		
89) o-xylene	14.18	91	3798015	149.84	ug/L		81

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218790.D
Acq On : 31 Jul 2022 9:38 pm
Operator : PrashanS
Sample : IC9511-200
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Aug 01 14:59:58 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:56:58 2022
QLast Update : Mon Aug 01 14:57:51 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
90) styrene	14.19	104	3300708	169.75 ug/L		94
91) n-amyl acetate	14.22	70	1029302	206.73 ug/L	#	73
92) bromoform	14.41	173	1198100	206.29 ug/L		99
93) butyl acrylate	14.01	55	3066741	177.69 ug/L		86
94) isopropylbenzene	14.53	105	4389902	144.85 ug/L		79
95) cis-1,4-dichloro-2-butene	14.56	88	703659	224.87 ug/L		96
98) bromobenzene	14.90	156	1557178	174.91 ug/L		97
99) 1,1,2,2-tetrachloroethane	14.80	83	1671453	177.00 ug/L		93
100) trans-1,4-dichloro-2-buten	14.84	53	658540	213.72 ug/L		95
101) 1,2,3-trichloropropane	14.89	110	464207	192.43 ug/L		95
102) n-propylbenzene	14.94	91	4853553	133.07 ug/L		76
103) 2-chlorotoluene	15.07	126	1422059	183.83 ug/L	#	77
104) 4-chlorotoluene	15.18	91	3533495	153.97 ug/L		88
105) 1,3,5-trimethylbenzene	15.10	105	3795652	151.22 ug/L		79
106) tert-butylbenzene	15.44	119	3486356	161.15 ug/L		93
107) 1,2,4-trimethylbenzene	15.49	105	3819384	149.24 ug/L		80
108) sec-butylbenzene	15.66	105	4643148	142.58 ug/L		79
109) 1,3-dichlorobenzene	15.82	146	2643128	165.79 ug/L		92
110) p-isopropyltoluene	15.79	119	4099510	148.03 ug/L		80
111) benzyl chloride	16.01	91	2869003	185.27 ug/L		91
112) 1,2,3-trimethylbenzene	15.92	105	3830859	144.83 ug/L		81
113) 1,4-dichlorobenzene	15.91	146	2696046	162.35 ug/L		90
114) 1,2-dichlorobenzene	16.29	146	2578195	165.42 ug/L		90
115) n-butylbenzene	16.19	92	2538634	174.72 ug/L	#	79
116) 1,2-dibromo-3-chloropropan	17.05	157	428522	212.99 ug/L		94
117) 1,3,5-trichlorobenzene	17.24	180	2098252	172.93 ug/L		95
118) 1,2,4-trichlorobenzene	17.88	180	1935846	186.82 ug/L		93
119) hexachlorobutadiene	18.00	225	1019566	191.66 ug/L		98
120) naphthalene	18.17	128	4186948	167.97 ug/L		88
121) 1,2,3-trichlorobenzene	18.40	180	1852704	190.22 ug/L		98
122) hexachloroethane	16.58	201	958253	219.06 ug/L		99
123) 2-methylnaphthalene	19.41	142	1401982	114.45 ug/L		97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218790.D
Acq On : 31 Jul 2022 9:38 pm
Operator : PrashanS
Sample : IC9511-200
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Aug 01 14:59:58 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:56:58 2022
QLast Update : Mon Aug 01 14:57:51 2022
Response via : Initial Calibration



Manual Integration Approval Summary

Sample Number:	V2A9511-IC9511	**Method:**	SW846 8260D
Lab FileID:	2A218790.D	**Analyst approved:**	08/01/22 15:32 MoHui Huang
Injection Time:	07/31/22 21:38	**Supervisor approved:**	08/01/22 19:36 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
2-Hexanone	591-78-6		12.71	Missed peak
m,p-Xylene			13.78	Missed peak


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218790.D Vial: 11
Acq On : 31 Jul 2022 9:38 pm Operator: PrashanS
Sample : IC9511-200 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:57:58 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:57:51 2022
Last Update : Mon Aug 01 14:57:51 2022
Response via : Multiple Level Calibration







(78) 2-hexanone

12.50min 0.08ug/L

response 268

Ion	Exp%	Act%
58.00	100	100
43.00	211.60	202.36
85.00	13.20	0.00
100.00	15.00	0.00


2A218790.D M2A9511.M Mon Aug 01 14:58:38 2022 MS2A


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218790.D Vial: 11
Acq On : 31 Jul 2022 9:38 pm Operator: PrashanS
Sample : IC9511-200 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:57:58 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:57:51 2022
Last Update : Mon Aug 01 14:57:51 2022
Response via : Multiple Level Calibration







(78) 2-hexanone

12.71min 732.02ug/L m

response 2496455

Ion	Exp%	Act%
58.00	100	100
43.00	211.60	156.44#
85.00	13.20	16.03
100.00	15.00	18.58


2A218790.D M2A9511.M Mon Aug 01 14:58:59 2022 MS2A


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218790.D Vial: 11
Acq On : 31 Jul 2022 9:38 pm Operator: PrashanS
Sample : IC9511-200 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:57:58 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:57:51 2022
Last Update : Mon Aug 01 14:57:51 2022
Response via : Multiple Level Calibration







(88) m,p-xylene

13.66min 149.53ug/L

response 1786280

Ion	Exp%	Act%
106.10	100	100
91.10	188.10	208.07
77.00	28.60	31.62
0.00	0.00	0.00


2A218790.D M2A9511.M Mon Aug 01 14:59:10 2022 MS2A


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218790.D Vial: 11
Acq On : 31 Jul 2022 9:38 pm Operator: PrashanS
Sample : IC9511-200 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:57:58 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:57:51 2022
Last Update : Mon Aug 01 14:57:51 2022
Response via : Multiple Level Calibration







(88) m,p-xylene

13.78min 340.52ug/L m

response 4067940

Ion	Exp%	Act%
106.10	100	100
91.10	188.10	139.32#
77.00	28.60	32.26
0.00	0.00	0.00

2A218790.D M2A9511.M Mon Aug 01 14:59:28 2022 MS2A

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218793.D
Acq On : 31 Jul 2022 11:03 pm
Operator : PrashanS
Sample : ICV9511-50
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Aug 01 15:16:16 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:09:53 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	7.25	65	445809	500.00	ug/L		0.00
5) pentafluorobenzene	9.51	168	771519	50.00	ug/L		0.00
50) 1,4-difluorobenzene	10.44	114	1037484	50.00	ug/L		0.00
72) chlorobenzene-d5	13.56	117	978504	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	15.89	152	534207	50.00	ug/L		0.00
124) pentafluorobenzene(a)	9.51	168	768917	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	9.54	113	359805	49.54	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.08%				
51) 1,2-dichloroethane-d4 (s)	9.95	65	479151	49.68	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.36%				
73) toluene-d8 (s)	12.06	98	1212604	50.59	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.18%				
97) 4-bromofluorobenzene (s)	14.72	95	495200	50.11	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.22%				
Target Compounds							Qvalue
2) ethanol	5.98	45	548160	5047.19	ug/L		97
3) tertiary butyl alcohol	7.37	59	283409	258.77	ug/L		98
4) 1,4-dioxane	11.08	88	103513	1348.55	ug/L		98
7) dichlorodifluoromethane	3.96	85	504631	48.69	ug/L		99
8) chloromethane	4.35	50	581197	43.35	ug/L		99
9) vinyl chloride	4.57	62	503038	49.05	ug/L		98
10) 1,3-butadiene	4.62	54	521809	57.12	ug/L		99
11) bromomethane	5.19	94	304171	50.28	ug/L		95
12) chloroethane	5.36	64	260183	53.58	ug/L		94
13) trichlorofluoromethane	5.79	101	596548	51.92	ug/L		94
14) ethyl ether	6.19	74	180624	49.33	ug/L		95
15) acrolein	6.41	56	84396	51.51	ug/L		99
16) freon 113	6.61	151	263505	48.25	ug/L		95
17) 1,1-dichloroethene	6.60	96	280795	49.05	ug/L		98
18) acetone	6.61	43	557328	187.88	ug/L		99
19) acetonitrile	7.02	41	523329	427.51	ug/L		99
20) iodomethane	6.85	142	542748	48.58	ug/L		98
21) carbon disulfide	6.98	76	968263	51.06	ug/L		99
22) methylene chloride	7.31	84	331689	48.90	ug/L		98
23) methyl acetate	7.06	43	393735	53.25	ug/L		97
24) methyl tert butyl ether	7.66	73	1014871	49.72	ug/L		97
25) trans-1,2-dichloroethene	7.69	96	315986	48.71	ug/L		95
26) hexane	8.04	57	629374	54.59	ug/L		97
27) di-isopropyl ether	8.25	45	1360441	48.15	ug/L		99
28) ethyl tert-butyl ether	8.71	59	1158329	47.10	ug/L		99
29) 2-butanone	8.90	72	173033	216.73	ug/L		96
30) 1,1-dichloroethane	8.26	63	616720	48.62	ug/L		99
31) chloroprene	8.36	53	656494	54.50	ug/L		97
32) acrylonitrile	7.59	53	170484	52.09	ug/L		98
33) vinyl acetate	8.20	86	57906	48.40	ug/L	#	92
34) ethyl acetate	8.92	45	76594	51.68	ug/L		93
35) 2,2-dichloropropane	9.00	77	456939	45.08	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218793.D
Acq On : 31 Jul 2022 11:03 pm
Operator : PrashanS
Sample : ICV9511-50
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Aug 01 15:16:16 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:09:53 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
36) cis-1,2-dichloroethene	8.97	96	344944	48.34	ug/L	99
37) propionitrile	8.98	54	591718	484.77	ug/L	84
38) bromochloromethane	9.26	130	235453	49.64	ug/L	96
39) tetrahydrofuran	9.28	42	149461	44.16	ug/L	97
40) chloroform	9.35	83	615437	46.70	ug/L	99
41) tert-butyl formate	9.39	59	204245	31.87	ug/L	97
42) isobutyl alcohol	9.75	43	241200	472.21	ug/L	95
44) methacrylonitrile	9.17	67	158794	52.38	ug/L	98
45) 1,1,1-trichloroethane	9.60	97	569432	49.75	ug/L	99
46) cyclohexane	9.72	84	492481	51.50	ug/L	97
47) 1,1-dichloropropene	9.78	75	456160	49.50	ug/L	99
48) tert-amyl alcohol	9.91	73	117479	230.04	ug/L	97
49) carbon tetrachloride	9.80	117	519661	50.30	ug/L	97
52) 2,2,4-trimethylpentane	10.12	57	1413533	48.48	ug/L	100
53) tert-amyl methyl ether	10.11	73	964039	45.11	ug/L	100
54) n-butyl alcohol	10.50	56	707896	2626.47	ug/L	98
55) benzene	10.02	78	1228169	49.89	ug/L	99
56) heptane	10.28	57	321460	54.03	ug/L	98
57) isopropyl acetate	9.94	87	79099	51.20	ug/L	95
58) 1,2-dichloroethane	10.04	62	551476	47.68	ug/L	99
59) trichloroethene	10.74	95	349136	49.61	ug/L	99
60) ethyl acrylate	10.74	55	571460	51.13	ug/L	99
61) 2-nitropropane	11.50	41	154744	52.68	ug/L	95
62) 2-chloroethyl vinyl ether	11.54	63	810631	230.49	ug/L	97
63) methyl methacrylate	11.01	100	94186	53.38	ug/L	97
64) 1,2-dichloropropane	11.03	63	359442	49.22	ug/L	99
65) methylcyclohexane	11.04	83	587118	50.98	ug/L	99
66) dibromomethane	11.14	93	231839	48.35	ug/L	96
67) bromodichloromethane	11.30	83	495295	49.90	ug/L	100
68) epichlorohydrin	11.62	57	216005	247.79	ug/L	100
69) cis-1,3-dichloropropene	11.75	75	556209	51.20	ug/L	98
70) 4-methyl-2-pentanone	11.86	58	691136	200.68	ug/L	99
71) 3-methyl-1-butanol	11.87	70	230963	1087.33	ug/L	96
74) toluene	12.14	92	784425	50.47	ug/L	97
75) trans-1,3-dichloropropene	12.32	75	532792	51.71	ug/L	99
76) ethyl methacrylate	12.31	69	469179	53.03	ug/L	99
77) 1,1,2-trichloroethane	12.54	83	270890	50.69	ug/L	96
78) 2-hexanone	12.71	58	670802	206.28	ug/L	96
79) tetrachloroethene	12.68	166	378879	48.96	ug/L	97
80) 1,3-dichloropropane	12.72	76	499148	48.68	ug/L	99
81) butyl acetate	12.79	56	306588	54.87	ug/L	98
82) dibromochloromethane	12.96	129	407592	52.26	ug/L	99
83) 1,2-dibromoethane	13.11	107	347342	52.48	ug/L	92
84) n-butyl ether	13.56	57	1537312	49.92	ug/L	100
85) chlorobenzene	13.59	112	855501	50.47	ug/L	100
86) 1,1,1,2-tetrachloroethane	13.66	131	345395	50.66	ug/L	98
87) ethylbenzene	13.66	91	1448324	49.69	ug/L	99
88) m,p-xylene	13.78	106	1149394	101.46	ug/L	97
89) o-xylene	14.18	91	1189905	50.02	ug/L	100
90) styrene	14.19	104	970311	52.63	ug/L	99

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218793.D
Acq On : 31 Jul 2022 11:03 pm
Operator : PrashanS
Sample : ICV9511-50
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Aug 01 15:16:16 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:09:53 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
91) n-amyl acetate	14.22	70	250835	52.14	ug/L	96
92) bromoform	14.41	173	300173	53.52	ug/L	97
93) butyl acrylate	14.01	55	909617	55.44	ug/L	99
94) isopropylbenzene	14.53	105	1434851	50.58	ug/L	99
95) cis-1,4-dichloro-2-butene	14.56	88	163957	53.69	ug/L	98
98) bromobenzene	14.90	156	412082	48.20	ug/L	99
99) 1,1,2,2-tetrachloroethane	14.80	83	449547	49.52	ug/L	97
100) trans-1,4-dichloro-2-buten	14.83	53	166056	54.94	ug/L	97
101) 1,2,3-trichloropropane	14.89	110	118265	50.62	ug/L	98
102) n-propylbenzene	14.94	91	1712642	49.95	ug/L	99
103) 2-chlorotoluene	15.07	126	374061	50.12	ug/L	100
104) 4-chlorotoluene	15.18	91	1084340	49.73	ug/L	99
105) 1,3,5-trimethylbenzene	15.10	105	1199084	50.35	ug/L	99
106) tert-butylbenzene	15.44	119	1031793	50.01	ug/L	99
107) 1,2,4-trimethylbenzene	15.49	105	1213807	50.04	ug/L	93
108) sec-butylbenzene	15.66	105	1560719	50.73	ug/L	99
109) 1,3-dichlorobenzene	15.82	146	757672	49.72	ug/L	100
110) p-isopropyltoluene	15.79	119	1321261	50.36	ug/L	99
111) benzyl chloride	16.01	91	733735	49.12	ug/L	99
113) 1,4-dichlorobenzene	15.91	146	763183	48.16	ug/L	99
114) 1,2-dichlorobenzene	16.28	146	741078	49.75	ug/L	99
115) n-butylbenzene	16.19	92	726411	52.06	ug/L	99
116) 1,2-dibromo-3-chloropropan	17.05	157	103729	52.63	ug/L	96
117) 1,3,5-trichlorobenzene	17.24	180	596644	51.25	ug/L	98
118) 1,2,4-trichlorobenzene	17.88	180	533344	53.27	ug/L	97
119) hexachlorobutadiene	18.00	225	270904	52.58	ug/L	98
120) naphthalene	18.17	128	1284545	53.85	ug/L	100
121) 1,2,3-trichlorobenzene	18.40	180	497058	52.73	ug/L	100
122) hexachloroethane	16.58	201	239966	55.87	ug/L	99
123) 2-methylnaphthalene	19.41	142	333601	27.44	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218793.D
Acq On : 31 Jul 2022 11:03 pm
Operator : PrashanS
Sample : ICV9511-50
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Aug 01 15:16:16 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:09:53 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218794.D
Acq On : 31 Jul 2022 11:31 pm
Operator : PrashanS
Sample : ICV9511-50
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Aug 02 08:37:05 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	7.25	65	452063	500.00	ug/L	0.00
5) pentafluorobenzene	9.51	168	763795	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.44	114	1025003	50.00	ug/L	0.00
72) chlorobenzene-d5	13.56	117	967016	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.89	152	523697	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.51	168	763699	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.54	113	360126	50.09	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.18%			
51) 1,2-dichloroethane-d4 (s)	9.95	65	483168	50.70	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 101.40%			
73) toluene-d8 (s)	12.06	98	1189110	50.20	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.40%			
97) 4-bromofluorobenzene (s)	14.72	95	489954	50.57	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.14%			
Target Compounds						Qvalue
6) chlorodifluoromethane	3.99	51	618028	59.34	ug/L	96
19) acetonitrile	7.02	41	547161	451.50	ug/L	98
32) acrylonitrile	7.59	53	132327	40.84	ug/L	99
79) tetrachloroethene	12.68	166	344120	45.00	ug/L	98
112) 1,2,3-trimethylbenzene	15.91	105	1281029	52.23	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218794.D
Acq On : 31 Jul 2022 11:31 pm
Operator : PrashanS
Sample : ICV9511-50
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Aug 02 08:37:05 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220438.d
Acq On : 30 Sep 2022 9:16 am
Operator : nicoleh
Sample : cc9511-20 Inst : GCMS2A
Misc : MS62539,V2A9583,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 30 09:39:38 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	7.251	65	497683	500.00	ug/L		0.00
5) pentafluorobenzene	9.511	168	738209	50.00	ug/L		0.00
50) 1,4-difluorobenzene	10.439	114	1143253	50.00	ug/L		0.00
72) chlorobenzene-d5	13.564	117	1159557	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	15.886	152	591306	50.00	ug/L		0.00
124) pentafluorobenzene(a)	9.511	168	737254	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	9.542	113	381579	54.91	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 109.82%				
51) 1,2-dichloroethane-d4 (s)	9.956	65	436108	41.03	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 82.06%				
73) toluene-d8 (s)	12.064	98	1327851	46.75	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 93.50%				
97) 4-bromofluorobenzene (s)	14.722	95	584343	53.42	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 106.84%				
Target Compounds							Qvalue
2) ethanol	5.972	45	172972	1426.64	ug/L		96
3) tertiary butyl alcohol	7.366	59	116333	95.15	ug/L		90
4) 1,4-dioxane	11.084	88	36804	429.50	ug/L		78
6) chlorodifluoromethane	3.995	51	115418	11.47	ug/L		100
7) dichlorodifluoromethane	3.964	85	198520	20.02	ug/L		96
8) chloromethane	4.352	50	249210	19.42	ug/L		99
9) vinyl chloride	4.577	62	204942	20.88	ug/L		95
10) 1,3-butadiene	4.619	54	93826	10.73	ug/L		97
11) bromomethane	5.196	94	137899	23.83	ug/L		100
12) chloroethane	5.358	64	118650	25.54	ug/L		86
13) trichlorofluoromethane	5.794	101	250330	22.77	ug/L		91
14) ethyl ether	6.192	74	77127	22.02	ug/L		96
15) acrolein	6.417	56	35866	22.88	ug/L		94
16) freon 113	6.617	151	110060	21.06	ug/L		98
17) 1,1-dichloroethene	6.606	96	108211	19.76	ug/L		94
18) acetone	6.611	43	223753	78.83	ug/L		94
19) acetonitrile	7.026	41	244299	208.58	ug/L		96
20) iodomethane	6.853	142	218455	20.44	ug/L		89
21) carbon disulfide	6.989	76	364135	20.07	ug/L		91
22) methylene chloride	7.303	84	142458	21.95	ug/L		98
23) methyl acetate	7.062	43	146722	20.74	ug/L		99
24) methyl tert butyl ether	7.660	73	429210	21.98	ug/L		97
25) trans-1,2-dichloroethene	7.691	96	133220	21.46	ug/L		98
26) hexane	8.043	57	238414	21.61	ug/L		98
27) di-isopropyl ether	8.252	45	632745	23.40	ug/L		97
28) ethyl tert-butyl ether	8.714	59	556359	23.64	ug/L		98
29) 2-butanone	8.908	72	71685	93.84	ug/L		97
30) 1,1-dichloroethane	8.258	63	269516	22.21	ug/L		98
31) chloroprene	8.363	53	237862	20.64	ug/L		96
32) acrylonitrile	7.597	53	68650	21.92	ug/L		96
33) vinyl acetate	8.200	86	30265	26.44	ug/L	#	80
34) ethyl acetate	8.924	45	32156	22.67	ug/L		95
35) 2,2-dichloropropane	9.002	77	223316	23.02	ug/L		98
36) cis-1,2-dichloroethene	8.971	96	157733	23.10	ug/L		95
37) propionitrile	8.981	54	273696	234.35	ug/L		84
38) bromochloromethane	9.264	130	103267	22.75	ug/L		96
39) tetrahydrofuran	9.285	42	62207	19.21	ug/L		97
40) chloroform	9.354	83	267456	21.21	ug/L		95

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220438.d
Acq On : 30 Sep 2022 9:16 am
Operator : nicoleh
Sample : cc9511-20 Inst : GCMS2A
Misc : MS62539,V2A9583,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 30 09:39:38 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
41) tert-butyl formate	9.390	59	136643	22.28	ug/L		95
42) isobutyl alcohol	9.752	43	96664	197.78	ug/L		91
44) methacrylonitrile	9.181	67	68148	23.49	ug/L		91
45) 1,1,1-trichloroethane	9.610	97	231146	21.11	ug/L		96
46) cyclohexane	9.721	84	234619	25.64	ug/L		89
47) 1,1-dichloropropene	9.778	75	193612	21.96	ug/L		96
48) tert-amyl alcohol	9.909	73	50278	102.89	ug/L		86
49) carbon tetrachloride	9.804	117	205811	20.82	ug/L		98
52) 2,2,4-trimethylpentane	10.119	57	613691	19.10	ug/L		96
53) tert-amyl methyl ether	10.109	73	482805	20.50	ug/L		98
54) n-butyl alcohol	10.502	56	288647	971.87	ug/L		90
55) benzene	10.025	78	566694	20.89	ug/L		98
56) heptane	10.282	57	113129	17.26	ug/L		95
57) isopropyl acetate	9.946	87	34298	20.15	ug/L	#	79
58) 1,2-dichloroethane	10.046	62	242880	19.06	ug/L		99
59) trichloroethene	10.748	95	154028	19.86	ug/L		97
60) ethyl acrylate	10.743	55	254102	20.63	ug/L		99
61) 2-nitropropane	11.503	41	49341	15.24	ug/L		93
62) 2-chloroethyl vinyl ether	11.540	63	117298	36.85	ug/L		98
63) methyl methacrylate	11.005	100	41196	21.19	ug/L	#	83
64) 1,2-dichloropropane	11.037	63	170094	21.14	ug/L		96
65) methylcyclohexane	11.047	83	238403	18.79	ug/L		99
66) dibromomethane	11.141	93	103719	19.63	ug/L		93
67) bromodichloromethane	11.299	83	214250	19.59	ug/L		97
68) epichlorohydrin	11.624	57	92403	96.20	ug/L		99
69) cis-1,3-dichloropropene	11.755	75	257186	21.48	ug/L		87
70) 4-methyl-2-pentanone	11.865	58	304407	80.21	ug/L		99
71) 3-methyl-1-butanol	11.875	70	90396	386.20	ug/L	#	84
74) toluene	12.138	92	353451	19.19	ug/L		94
75) trans-1,3-dichloropropene	12.321	75	235119	19.26	ug/L		98
76) ethyl methacrylate	12.321	69	212287	20.25	ug/L		88
77) 1,1,2-trichloroethane	12.541	83	122288	19.31	ug/L		98
78) 2-hexanone	12.709	58	284615	73.86	ug/L		92
79) tetrachloroethene	12.688	166	172808	18.84	ug/L		98
80) 1,3-dichloropropane	12.720	76	227397	18.71	ug/L		98
81) butyl acetate	12.788	56	125846	19.01	ug/L		96
82) dibromochloromethane	12.961	129	170896	18.49	ug/L		99
83) 1,2-dibromoethane	13.113	107	146263	18.65	ug/L		91
84) n-butyl ether	13.564	57	659691	18.08	ug/L		99
85) chlorobenzene	13.595	112	387213	19.28	ug/L		96
86) 1,1,1,2-tetrachloroethane	13.658	131	149412	18.49	ug/L		95
87) ethylbenzene	13.658	91	641108	18.56	ug/L		94
88) m,p-xylene	13.779	106	477393	35.56	ug/L		90
89) o-xylene	14.177	91	524989	18.62	ug/L		92
90) styrene	14.193	104	392586	17.97	ug/L		95
91) n-amyl acetate	14.224	70	99364	17.43	ug/L		97
92) bromoform	14.413	173	121397	18.27	ug/L		95
93) butyl acrylate	14.015	55	355999	18.31	ug/L		98
94) isopropylbenzene	14.528	105	592985	17.64	ug/L		97
95) cis-1,4-dichloro-2-butene	14.565	88	45598	12.60	ug/L		91
98) bromobenzene	14.906	156	175135	18.51	ug/L		92
99) 1,1,2,2-tetrachloroethane	14.806	83	184110	18.32	ug/L		98
100) trans-1,4-dichloro-2-b...	14.838	53	41837	12.51	ug/L		90
101) 1,2,3-trichloropropane	14.890	110	44978	17.39	ug/L		94
102) n-propylbenzene	14.943	91	727995	19.18	ug/L		97
103) 2-chlorotoluene	15.068	126	152362	18.44	ug/L		86
104) 4-chlorotoluene	15.184	91	457522	18.95	ug/L		97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220438.d
Acq On : 30 Sep 2022 9:16 am
Operator : nicoleh
Sample : cc9511-20 Inst : GCMS2A
Misc : MS62539,V2A9583,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 30 09:39:38 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
105) 1,3,5-trimethylbenzene	15.100	105	490880	18.62	ug/L	100
106) tert-butylbenzene	15.435	119	416821	18.25	ug/L	96
107) 1,2,4-trimethylbenzene	15.488	105	494168	18.40	ug/L	99
108) sec-butylbenzene	15.656	105	609524	17.90	ug/L	98
109) 1,3-dichlorobenzene	15.818	146	310950	18.43	ug/L	97
110) p-isopropyltoluene	15.787	119	521707	17.97	ug/L	97
111) benzyl chloride	16.007	91	287869	17.41	ug/L	99
112) 1,2,3-trimethylbenzene	15.913	105	507272	18.32	ug/L	96
113) 1,4-dichlorobenzene	15.913	146	306685	17.48	ug/L	98
114) 1,2-dichlorobenzene	16.285	146	300386	18.22	ug/L	97
115) n-butylbenzene	16.196	92	260529	16.87	ug/L	93
116) 1,2-dibromo-3-chloropr...	17.050	157	34979	16.03	ug/L	92
117) 1,3,5-trichlorobenzene	17.244	180	232418	18.04	ug/L	97
118) 1,2,4-trichlorobenzene	17.884	180	189867	17.13	ug/L	97
119) hexachlorobutadiene	17.999	225	100854	17.68	ug/L	95
120) naphthalene	18.172	128	348439	13.20	ug/L	98
121) 1,2,3-trichlorobenzene	18.398	180	159772	15.31	ug/L	98
122) hexachloroethane	16.578	201	73722	15.51	ug/L	96
123) 2-methylnaphthalene	19.404	142	32793	2.44	ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220438.d
Acq On : 30 Sep 2022 9:16 am
Operator : nicoleh
Sample : cc9511-20 Inst : GCMS2A
Misc : MS62539,V2A9583,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 30 09:39:38 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120248.D
Acq On : 13 Aug 2022 8:38 pm
Operator : PrashanS
Sample : IC5341-0.2
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 18 15:39:18 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	8.521	65	481455	500.00	ug/L	-0.02
5) pentafluorobenzene	11.022	168	827567	50.00	ug/L	0.00
51) 1,4-difluorobenzene	11.919	114	1083583	50.00	ug/L	0.00
73) chlorobenzene-d5	14.823	117	1029165	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	16.931	152	462207	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	11.022	113	392478	50.04	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.08%			
52) 1,2-dichloroethane-d4 (s)	11.447	65	413188	49.56	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.12%			
74) toluene-d8 (s)	13.460	98	1246887	50.27	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.54%			
97) 4-bromofluorobenzene (s)	15.867	95	470002	49.79	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.58%			
Target Compounds						Qvalue
2) tertiary butyl alcohol	8.658	59	1409	1.02	ug/L #	43
6) chlorodifluoromethane	4.584	51	1763	0.19	ug/L	61
7) dichlorodifluoromethane	4.547	85	1974	0.19	ug/L	77
9) vinyl chloride	5.281	62	1825	0.21	ug/L	82
10) 1,3-butadiene	5.386	54	1539	0.19	ug/L	91
12) chloroethane	6.298	64	884	0.19	ug/L #	44
13) trichlorofluoromethane	6.854	101	1947	0.16	ug/L	86
17) 1,1-dichloroethene	7.840	96	1482	0.23	ug/L #	65
19) acetonitrile	8.322	41	2707	2.06	ug/L	79
21) carbon disulfide	8.285	76	4287	0.23	ug/L	93
22) methylene chloride	8.600	84	1459	0.21	ug/L	97
24) methyl tert butyl ether	9.035	73	3955	0.19	ug/L	93
25) trans-1,2-dichloroethene	9.066	96	1679	0.23	ug/L #	55
26) di-isopropyl ether	9.727	45	4384	0.20	ug/L	97
28) 1,1-dichloroethane	9.669	63	2052	0.17	ug/L	92
29) chloroprene	9.832	53	1609	0.18	ug/L	84
31) hexane	9.491	56	829	0.20	ug/L #	74
33) ethyl tert-butyl ether	10.230	59	3981	0.19	ug/L	94
35) 2,2-dichloropropane	10.477	77	2314	0.22	ug/L	90
36) cis-1,2-dichloroethene	10.451	96	1781	0.22	ug/L #	50
45) 1,1,1-trichloroethane	11.132	97	2121	0.18	ug/L #	68
46) cyclohexane	11.242	84	1580	0.18	ug/L #	71
47) 1,1-dichloropropene	11.326	75	1822	0.20	ug/L	87
49) carbon tetrachloride	11.358	117	2095	0.19	ug/L	84
54) 2,2,4-trimethylpentane	11.657	57	2917	0.19	ug/L	91
55) benzene	11.578	78	4672	0.19	ug/L	92
56) tert-amyl methyl ether	11.636	87	886	0.18	ug/L #	66
59) 1,2-dichloroethane	11.546	62	2600	0.24	ug/L	89
60) trichloroethene	12.259	130	1353	0.18	ug/L	97
65) 1,2-dichloropropane	12.495	63	1169	0.17	ug/L #	48
66) dibromomethane	12.611	93	1113	0.21	ug/L	82
67) methylcyclohexane	12.511	83	1637	0.18	ug/L	87

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120248.D
Acq On : 13 Aug 2022 8:38 pm
Operator : PrashanS
Sample : IC5341-0.2
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 18 15:39:18 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
68)	bromodichloromethane	12.737	83	1924	0.19	ug/L		81
70)	cis-1,3-dichloropropene	13.182	75	1976	0.18	ug/L		92
75)	toluene	13.528	92	3409	0.22	ug/L	#	84
78)	1,1,2-trichloroethane	13.864	83	897	0.17	ug/L	#	78
79)	tetrachloroethene	14.079	164	1261	0.20	ug/L		93
80)	1,3-dichloropropane	14.042	76	1634	0.16	ug/L	#	55
83)	dibromochloromethane	14.278	129	1657	0.19	ug/L		97
84)	1,2-dibromoethane	14.430	107	1245	0.17	ug/L		92
85)	n-butyl ether	14.839	57	4640	0.18	ug/L	#	1
86)	chlorobenzene	14.855	112	3735	0.20	ug/L		77
87)	1,1,1,2-tetrachloroethane	14.897	131	1343	0.18	ug/L	#	57
88)	ethylbenzene	14.933	91	6256	0.21	ug/L		97
89)	m,p-xylene	15.033	106	4493	0.39	ug/L		98
90)	o-xylene	15.405	106	2236	0.20	ug/L		89
92)	bromoform	15.610	173	1263	0.19	ug/L		80
94)	isopropylbenzene	15.715	105	5208	0.18	ug/L		95
98)	bromobenzene	16.050	156	1667	0.20	ug/L	#	84
99)	1,1,2,2-tetrachloroethane	15.924	83	1757	0.19	ug/L		92
102)	n-propylbenzene	16.092	91	6075	0.20	ug/L		92
103)	2-chlorotoluene	16.213	126	1327	0.19	ug/L	#	76
104)	4-chlorotoluene	16.307	91	4107	0.20	ug/L		90
105)	1,3,5-trimethylbenzene	16.234	105	4408	0.20	ug/L		88
106)	tert-butylbenzene	16.548	134	748	0.17	ug/L	#	64
107)	1,2,4-trimethylbenzene	16.580	105	4725	0.21	ug/L		86
108)	sec-butylbenzene	16.737	105	4811	0.19	ug/L		94
109)	1,3-dichlorobenzene	16.889	146	2723	0.19	ug/L		98
110)	p-isopropyltoluene	16.852	119	3617	0.17	ug/L		96
111)	1,4-dichlorobenzene	16.957	146	3040	0.20	ug/L		67
112)	1,2,3-trimethylbenzene	16.983	105	4160	0.19	ug/L		93
114)	1,2-dichlorobenzene	17.330	146	2309	0.17	ug/L		98
120)	naphthalene	19.112	128	4334	0.24	ug/L		85
121)	1,2,3-trichlorobenzene	19.332	180	1012	0.19	ug/L		82

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120248.D
Acq On : 13 Aug 2022 8:38 pm
Operator : PrashanS
Sample : IC5341-0.2
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 18 15:39:18 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120249.D
Acq On : 13 Aug 2022 9:06 pm
Operator : PrashanS
Sample : IC5341-0.5
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Aug 18 15:41:45 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	8.526	65	491415	500.00	ug/L		-0.01
5) pentafluorobenzene	11.027	168	805965	50.00	ug/L		0.00
51) 1,4-difluorobenzene	11.919	114	1057569	50.00	ug/L		0.00
73) chlorobenzene-d5	14.823	117	1004723	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	16.931	152	460910	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	11.022	113	384127	50.29	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.58%				
52) 1,2-dichloroethane-d4 (s)	11.452	65	405550	49.84	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.68%				
74) toluene-d8 (s)	13.460	98	1225141	50.59	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.18%				
97) 4-bromofluorobenzene (s)	15.867	95	465790	49.48	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.96%				
Target Compounds							Qvalue
2) tertiary butyl alcohol	8.663	59	3421	2.44	ug/L		79
3) ethanol	7.142	45	5452	40.21	ug/L		87
4) 1,4-dioxane	12.595	88	1293	10.43	ug/L		71
6) chlorodifluoromethane	4.578	51	4359	0.49	ug/L		81
7) dichlorodifluoromethane	4.542	85	4815	0.47	ug/L		96
8) chloromethane	5.034	50	5026	0.58	ug/L		92
9) vinyl chloride	5.291	62	4169	0.49	ug/L		94
10) 1,3-butadiene	5.386	54	3879	0.50	ug/L		97
11) bromomethane	6.073	94	3013	0.59	ug/L		91
12) chloroethane	6.293	64	2078	0.46	ug/L		91
13) trichlorofluoromethane	6.859	101	5559	0.46	ug/L		95
16) freon 113	7.840	151	2688	0.47	ug/L	#	84
17) 1,1-dichloroethene	7.840	96	3379	0.53	ug/L		81
19) acetonitrile	8.322	41	6540	5.11	ug/L		86
21) carbon disulfide	8.285	76	8826	0.50	ug/L		97
22) methylene chloride	8.595	84	3359	0.49	ug/L		96
24) methyl tert butyl ether	9.035	73	9429	0.48	ug/L		95
25) trans-1,2-dichloroethene	9.072	96	4059	0.58	ug/L		89
26) di-isopropyl ether	9.732	45	10059	0.48	ug/L		84
28) 1,1-dichloroethane	9.664	63	5584	0.48	ug/L		89
29) chloroprene	9.821	53	3860	0.44	ug/L		86
31) hexane	9.491	56	1798	0.44	ug/L		94
33) ethyl tert-butyl ether	10.225	59	9314	0.46	ug/L		91
35) 2,2-dichloropropane	10.477	77	5309	0.51	ug/L		95
36) cis-1,2-dichloroethene	10.461	96	4508	0.58	ug/L		79
38) propionitrile	10.487	54	5766	4.41	ug/L		92
39) bromochloromethane	10.770	128	1741	0.44	ug/L		87
41) chloroform	10.823	85	5403	0.62	ug/L		98
45) 1,1,1-trichloroethane	11.132	97	5446	0.49	ug/L		83
46) cyclohexane	11.253	84	4205	0.48	ug/L	#	79
47) 1,1-dichloropropene	11.326	75	4173	0.48	ug/L		94
49) carbon tetrachloride	11.358	117	5177	0.49	ug/L		89

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120249.D
Acq On : 13 Aug 2022 9:06 pm
Operator : PrashanS
Sample : IC5341-0.5
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Aug 18 15:41:45 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
50) tert amyl alcohol	11.421	55	1162	2.50	ug/L	#	39
54) 2,2,4-trimethylpentane	11.656	57	7237	0.48	ug/L		95
55) benzene	11.578	78	11610	0.48	ug/L		99
56) tert-amyl methyl ether	11.646	87	2192	0.46	ug/L	#	81
57) heptane	11.819	71	1507	0.44	ug/L		95
59) 1,2-dichloroethane	11.541	62	5591	0.54	ug/L		97
60) trichloroethene	12.265	130	3311	0.45	ug/L		95
62) 2-nitropropane	12.915	43	1441	0.45	ug/L		96
65) 1,2-dichloropropane	12.485	63	3014	0.46	ug/L		99
66) dibromomethane	12.611	93	2304	0.45	ug/L		82
67) methylcyclohexane	12.511	83	4016	0.45	ug/L		95
68) bromodichloromethane	12.731	83	4802	0.49	ug/L		94
69) epichlorohydrin	13.062	57	2015	2.19	ug/L		90
70) cis-1,3-dichloropropene	13.177	75	4844	0.46	ug/L		93
71) 4-methyl-2-pentanone	13.266	58	5789	1.76	ug/L	#	86
75) toluene	13.533	92	7522	0.49	ug/L		92
76) trans-1,3-dichloropropene	13.675	75	4025	0.41	ug/L		95
77) ethyl methacrylate	13.738	69	3733	0.43	ug/L	#	80
78) 1,1,2-trichloroethane	13.864	83	2532	0.49	ug/L		96
79) tetrachloroethene	14.084	164	3090	0.49	ug/L		82
80) 1,3-dichloropropane	14.042	76	4633	0.47	ug/L	#	70
81) 2-hexanone	14.063	58	5224	1.60	ug/L		87
82) butyl acetate	14.152	56	1929	0.42	ug/L	#	50
83) dibromochloromethane	14.273	129	3806	0.45	ug/L		92
84) 1,2-dibromoethane	14.420	107	3281	0.47	ug/L		89
85) n-butyl ether	14.828	57	11324	0.45	ug/L	#	1
86) chlorobenzene	14.849	112	8463	0.47	ug/L		97
87) 1,1,1,2-tetrachloroethane	14.902	131	3538	0.49	ug/L		88
88) ethylbenzene	14.928	91	13591	0.47	ug/L		95
89) m,p-xylene	15.028	106	10755	0.97	ug/L		96
90) o-xylene	15.400	106	5168	0.46	ug/L		90
92) bromoform	15.604	173	2981	0.46	ug/L		88
94) isopropylbenzene	15.709	105	13058	0.47	ug/L		95
98) bromobenzene	16.055	156	3770	0.44	ug/L		94
99) 1,1,2,2-tetrachloroethane	15.924	83	4203	0.45	ug/L		96
101) 1,2,3-trichloropropane	16.008	110	1183	0.42	ug/L		76
102) n-propylbenzene	16.092	91	14230	0.46	ug/L		98
103) 2-chlorotoluene	16.207	126	3252	0.46	ug/L		95
104) 4-chlorotoluene	16.302	91	9693	0.48	ug/L		95
105) 1,3,5-trimethylbenzene	16.223	105	9893	0.45	ug/L		96
106) tert-butylbenzene	16.543	134	2013	0.46	ug/L	#	65
107) 1,2,4-trimethylbenzene	16.580	105	10158	0.46	ug/L		98
108) sec-butylbenzene	16.737	105	11106	0.44	ug/L		99
109) 1,3-dichlorobenzene	16.889	146	6379	0.45	ug/L		99
110) p-isopropyltoluene	16.847	119	8916	0.43	ug/L		98
111) 1,4-dichlorobenzene	16.957	146	7398	0.50	ug/L		87
112) 1,2,3-trimethylbenzene	16.978	105	10157	0.47	ug/L		99
114) 1,2-dichlorobenzene	17.329	146	5701	0.43	ug/L		96
117) 1,3,5-trichlorobenzene	18.252	180	3363	0.43	ug/L		75
119) hexachlorobutadiene	18.965	225	1286	0.44	ug/L		85

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120249.D
Acq On : 13 Aug 2022 9:06 pm
Operator : PrashanS
Sample : IC5341-0.5
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Aug 18 15:41:45 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
120) naphthalene	19.107	128	8484	0.46	ug/L	93
121) 1,2,3-trichlorobenzene	19.322	180	2462	0.46	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120249.D
Acq On : 13 Aug 2022 9:06 pm
Operator : PrashanS
Sample : IC5341-0.5
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Aug 18 15:41:45 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120250.D
Acq On : 13 Aug 2022 9:35 pm
Operator : PrashanS
Sample : IC5341-1
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 18 15:43:27 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	8.532	65	486500	500.00	ug/L		0.00
5) pentafluorobenzene	11.027	168	802031	50.00	ug/L		0.00
51) 1,4-difluorobenzene	11.919	114	1052907	50.00	ug/L		0.00
73) chlorobenzene-d5	14.823	117	1003185	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	16.931	152	457094	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	11.022	113	382742	50.35	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.70%				
52) 1,2-dichloroethane-d4 (s)	11.447	65	401990	49.62	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.24%				
74) toluene-d8 (s)	13.460	98	1217989	50.38	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.76%				
97) 4-bromofluorobenzene (s)	15.867	95	462561	49.55	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.10%				
Target Compounds							Qvalue
2) tertiary butyl alcohol	8.668	59	6599	4.75	ug/L		90
3) ethanol	7.111	45	12548	93.48	ug/L		99
4) 1,4-dioxane	12.595	88	3022	24.61	ug/L		78
6) chlorodifluoromethane	4.584	51	8407	0.95	ug/L		92
7) dichlorodifluoromethane	4.558	85	9371	0.91	ug/L		93
8) chloromethane	5.040	50	8485	0.98	ug/L		91
9) vinyl chloride	5.292	62	8345	0.98	ug/L		93
10) 1,3-butadiene	5.396	54	7460	0.96	ug/L		94
11) bromomethane	6.073	94	5542	1.09	ug/L		93
12) chloroethane	6.298	64	4095	0.92	ug/L		89
13) trichlorofluoromethane	6.854	101	11483	0.95	ug/L		99
14) ethyl ether	7.394	74	3196	0.89	ug/L		76
16) freon 113	7.834	151	5027	0.88	ug/L		97
17) 1,1-dichloroethene	7.834	96	6533	1.03	ug/L	#	78
18) acetone	7.882	58	1862	2.51	ug/L	#	63
19) acetonitrile	8.312	41	11744	9.23	ug/L		99
21) carbon disulfide	8.291	76	16369	0.92	ug/L		94
22) methylene chloride	8.600	84	6530	0.96	ug/L		87
24) methyl tert butyl ether	9.040	73	18696	0.95	ug/L		97
25) trans-1,2-dichloroethene	9.067	96	6838	0.98	ug/L		93
26) di-isopropyl ether	9.732	45	19795	0.95	ug/L		80
27) 2-butanone	10.419	72	3463	3.23	ug/L	#	71
28) 1,1-dichloroethane	9.659	63	11012	0.96	ug/L		95
29) chloroprene	9.816	53	7635	0.88	ug/L		97
31) hexane	9.491	56	3671	0.91	ug/L		94
33) ethyl tert-butyl ether	10.225	59	19055	0.94	ug/L		98
35) 2,2-dichloropropane	10.477	77	9944	0.96	ug/L		98
36) cis-1,2-dichloroethene	10.461	96	7291	0.94	ug/L		85
37) methyl acrylate	10.582	55	6319	0.88	ug/L		84
38) propionitrile	10.461	54	12213	9.38	ug/L		95
39) bromochloromethane	10.765	128	3639	0.93	ug/L		81
41) chloroform	10.833	85	9020	1.03	ug/L		81

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120250.D
Acq On : 13 Aug 2022 9:35 pm
Operator : PrashanS
Sample : IC5341-1
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 18 15:43:27 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
42)	t-butyl formate	10.912	59	5333	0.89	ug/L		88
44)	methacrylonitrile	10.702	67	2861	0.88	ug/L	#	79
45)	1,1,1-trichloroethane	11.138	97	10494	0.94	ug/L		97
46)	cyclohexane	11.253	84	8441	0.97	ug/L	#	71
47)	1,1-dichloropropene	11.326	75	7881	0.90	ug/L		96
49)	carbon tetrachloride	11.358	117	9969	0.94	ug/L		98
50)	tert amyl alcohol	11.410	55	2236	4.83	ug/L	#	83
54)	2,2,4-trimethylpentane	11.657	57	14672	0.97	ug/L		94
55)	benzene	11.573	78	23097	0.95	ug/L		98
56)	tert-amyl methyl ether	11.641	87	4249	0.90	ug/L	#	87
57)	heptane	11.819	71	3047	0.89	ug/L		97
58)	isopropyl acetate	11.515	87	1512	0.87	ug/L	#	75
59)	1,2-dichloroethane	11.546	62	9664	0.93	ug/L		96
60)	trichloroethene	12.265	130	7005	0.96	ug/L		97
61)	ethyl acrylate	12.286	55	8736	0.87	ug/L		88
62)	2-nitropropane	12.910	43	2838	0.89	ug/L		89
63)	2-chloroethyl vinyl ether	12.973	63	13133	3.91	ug/L		99
65)	1,2-dichloropropane	12.480	63	6247	0.96	ug/L		91
66)	dibromomethane	12.611	93	5091	0.99	ug/L		97
67)	methylcyclohexane	12.511	83	8203	0.92	ug/L		95
68)	bromodichloromethane	12.726	83	8864	0.91	ug/L		97
69)	epichlorohydrin	13.062	57	4120	4.49	ug/L		98
70)	cis-1,3-dichloropropene	13.172	75	9617	0.91	ug/L		97
71)	4-methyl-2-pentanone	13.266	58	11937	3.64	ug/L		89
75)	toluene	13.534	92	14318	0.93	ug/L		99
76)	trans-1,3-dichloropropene	13.675	75	8853	0.91	ug/L		96
77)	ethyl methacrylate	13.717	69	7430	0.86	ug/L		96
78)	1,1,2-trichloroethane	13.864	83	4843	0.94	ug/L		91
79)	tetrachloroethene	14.074	164	5781	0.93	ug/L		93
80)	1,3-dichloropropane	14.032	76	9418	0.96	ug/L	#	61
81)	2-hexanone	14.053	58	11619	3.56	ug/L		95
82)	butyl acetate	14.142	56	3952	0.87	ug/L		89
83)	dibromochloromethane	14.268	129	7513	0.89	ug/L		95
84)	1,2-dibromoethane	14.414	107	6328	0.91	ug/L		99
85)	n-butyl ether	14.823	57	22408	0.90	ug/L	#	1
86)	chlorobenzene	14.855	112	17117	0.95	ug/L		92
87)	1,1,1,2-tetrachloroethane	14.902	131	6456	0.90	ug/L		89
88)	ethylbenzene	14.928	91	27192	0.95	ug/L		94
89)	m,p-xylene	15.023	106	20772	1.87	ug/L		97
90)	o-xylene	15.400	106	10551	0.95	ug/L		87
91)	styrene	15.405	104	15788	0.84	ug/L		95
92)	bromoform	15.605	173	5584	0.86	ug/L		89
93)	butyl acrylate	15.238	55	10287	0.81	ug/L		99
94)	isopropylbenzene	15.709	105	24944	0.90	ug/L		96
98)	bromobenzene	16.055	156	7756	0.92	ug/L		98
99)	1,1,2,2-tetrachloroethane	15.924	83	8291	0.90	ug/L		97
101)	1,2,3-trichloropropane	15.998	110	2545	0.92	ug/L		89
102)	n-propylbenzene	16.082	91	27825	0.91	ug/L		97
103)	2-chlorotoluene	16.208	126	6266	0.89	ug/L		89
104)	4-chlorotoluene	16.297	91	18866	0.94	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120250.D
Acq On : 13 Aug 2022 9:35 pm
Operator : PrashanS
Sample : IC5341-1
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 18 15:43:27 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
105) 1,3,5-trimethylbenzene	16.218	105	19569	0.90	ug/L	96
106) tert-butylbenzene	16.538	134	4007	0.93	ug/L	96
107) 1,2,4-trimethylbenzene	16.575	105	19436	0.89	ug/L	96
108) sec-butylbenzene	16.737	105	21986	0.88	ug/L	98
109) 1,3-dichlorobenzene	16.889	146	12834	0.92	ug/L	95
110) p-isopropyltoluene	16.847	119	18298	0.89	ug/L	97
111) 1,4-dichlorobenzene	16.957	146	13524	0.92	ug/L	94
112) 1,2,3-trimethylbenzene	16.978	105	19590	0.91	ug/L	99
113) benzyl chloride	17.057	91	13119	0.85	ug/L	98
114) 1,2-dichlorobenzene	17.324	146	12049	0.92	ug/L	98
117) 1,3,5-trichlorobenzene	18.242	180	6863	0.89	ug/L	93
118) 1,2,4-trichlorobenzene	18.834	180	5604	0.87	ug/L	93
119) hexachlorobutadiene	18.965	225	2420	0.83	ug/L	97
120) naphthalene	19.091	128	16810	0.92	ug/L	96
121) 1,2,3-trichlorobenzene	19.322	180	4952	0.94	ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120250.D
Acq On : 13 Aug 2022 9:35 pm
Operator : PrashanS
Sample : IC5341-1
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 18 15:43:27 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120251.D
Acq On : 13 Aug 2022 10:03 pm
Operator : PrashanS
Sample : IC5341-2
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Aug 18 15:43:59 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	8.526	65	490337	500.00	ug/L		-0.01
5) pentafluorobenzene	11.027	168	815071	50.00	ug/L		0.00
51) 1,4-difluorobenzene	11.919	114	1065168	50.00	ug/L		0.00
73) chlorobenzene-d5	14.823	117	1010108	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	16.931	152	463517	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	11.022	113	388057	50.23	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.46%				
52) 1,2-dichloroethane-d4 (s)	11.452	65	410672	50.11	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.22%				
74) toluene-d8 (s)	13.460	98	1239298	50.91	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.82%				
97) 4-bromofluorobenzene (s)	15.867	95	473150	49.98	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.96%				
Target Compounds							Qvalue
2) tertiary butyl alcohol	8.668	59	14896	10.63	ug/L		92
3) ethanol	7.090	45	27947	206.56	ug/L		99
4) 1,4-dioxane	12.584	88	6626	53.55	ug/L		99
6) chlorodifluoromethane	4.584	51	18745	2.09	ug/L		96
7) dichlorodifluoromethane	4.552	85	20039	1.92	ug/L		97
8) chloromethane	5.029	50	17756	2.01	ug/L		98
9) vinyl chloride	5.291	62	17254	1.99	ug/L		98
10) 1,3-butadiene	5.391	54	17338	2.20	ug/L		92
11) bromomethane	6.073	94	11541	2.22	ug/L		97
12) chloroethane	6.293	64	9168	2.02	ug/L		93
13) trichlorofluoromethane	6.859	101	24769	2.02	ug/L		97
14) ethyl ether	7.394	74	7190	1.96	ug/L		92
16) freon 113	7.840	151	12057	2.08	ug/L		97
17) 1,1-dichloroethene	7.834	96	13923	2.17	ug/L		86
18) acetone	7.855	58	5855	7.77	ug/L	#	77
19) acetonitrile	8.290	41	28000	21.65	ug/L		91
20) iodomethane	8.117	142	8806	2.37	ug/L		97
21) carbon disulfide	8.280	76	37203	2.07	ug/L		98
22) methylene chloride	8.600	84	14781	2.14	ug/L		97
23) methyl acetate	8.437	43	11315	1.77	ug/L		90
24) methyl tert butyl ether	9.045	73	42532	2.13	ug/L		96
25) trans-1,2-dichloroethene	9.066	96	14949	2.11	ug/L		96
26) di-isopropyl ether	9.732	45	45169	2.13	ug/L		86
27) 2-butanone	10.419	72	8315	7.63	ug/L		91
28) 1,1-dichloroethane	9.664	63	25516	2.18	ug/L		99
29) chloroprene	9.816	53	18220	2.06	ug/L		98
30) acrylonitrile	8.967	53	5875	2.07	ug/L		92
31) hexane	9.491	56	8528	2.08	ug/L		98
32) vinyl acetate	9.696	86	2609	1.77	ug/L	#	82
33) ethyl tert-butyl ether	10.225	59	43393	2.10	ug/L		97
34) ethyl acetate	10.482	70	1839	1.75	ug/L	#	6
35) 2,2-dichloropropane	10.477	77	22666	2.16	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120251.D
Acq On : 13 Aug 2022 10:03 pm
Operator : PrashanS
Sample : IC5341-2
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Aug 18 15:43:59 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
36) cis-1,2-dichloroethene	10.451	96	16798	2.14	ug/L		88
37) methyl acrylate	10.571	55	12502	1.72	ug/L		95
38) propionitrile	10.461	54	27476	20.77	ug/L		97
39) bromochloromethane	10.765	128	8575	2.15	ug/L		85
40) tetrahydrofuran	10.849	72	3495	2.43	ug/L		84
41) chloroform	10.828	85	19067	2.15	ug/L		91
42) t-butyl formate	10.907	59	12182	2.01	ug/L		92
44) methacrylonitrile	10.697	67	6611	2.00	ug/L		79
45) 1,1,1-trichloroethane	11.137	97	24224	2.14	ug/L		93
46) cyclohexane	11.253	84	17840	2.02	ug/L	#	81
47) 1,1-dichloropropene	11.326	75	19372	2.19	ug/L		96
48) isobutyl alcohol	11.326	74	1312	20.02	ug/L		68
49) carbon tetrachloride	11.358	117	22969	2.14	ug/L		95
50) tert amyl alcohol	11.410	55	4796	10.19	ug/L		86
53) n-butyl alcohol	12.002	56	29773	91.73	ug/L		97
54) 2,2,4-trimethylpentane	11.656	57	33665	2.20	ug/L		94
55) benzene	11.578	78	53800	2.20	ug/L		97
56) tert-amyl methyl ether	11.635	87	9953	2.09	ug/L		94
57) heptane	11.819	71	7465	2.16	ug/L		90
58) isopropyl acetate	11.510	87	3543	2.03	ug/L	#	69
59) 1,2-dichloroethane	11.541	62	21869	2.09	ug/L		96
60) trichloroethene	12.259	130	15513	2.10	ug/L		99
61) ethyl acrylate	12.270	55	19757	1.95	ug/L		91
62) 2-nitropropane	12.915	43	6548	2.02	ug/L		88
63) 2-chloroethyl vinyl ether	12.967	63	31644	9.31	ug/L		99
64) methyl methacrylate	12.516	100	3994	1.90	ug/L	#	78
65) 1,2-dichloropropane	12.485	63	14106	2.13	ug/L		99
66) dibromomethane	12.605	93	11312	2.17	ug/L		95
67) methylcyclohexane	12.511	83	19374	2.15	ug/L		97
68) bromodichloromethane	12.726	83	20621	2.09	ug/L		99
69) epichlorohydrin	13.051	57	9651	10.40	ug/L		98
70) cis-1,3-dichloropropene	13.172	75	22233	2.08	ug/L		97
71) 4-methyl-2-pentanone	13.261	58	27171	8.18	ug/L		97
72) 3-methyl-1-butanol	13.261	70	9680	32.20	ug/L	#	70
75) toluene	13.533	92	33280	2.14	ug/L		97
76) trans-1,3-dichloropropene	13.670	75	19932	2.04	ug/L		95
77) ethyl methacrylate	13.701	69	17959	2.05	ug/L		95
78) 1,1,2-trichloroethane	13.859	83	11130	2.14	ug/L		89
79) tetrachloroethene	14.079	164	13709	2.18	ug/L		97
80) 1,3-dichloropropane	14.026	76	21250	2.16	ug/L	#	76
81) 2-hexanone	14.037	58	26646	8.12	ug/L		98
82) butyl acetate	14.131	56	10131	2.21	ug/L		88
83) dibromochloromethane	14.262	129	17797	2.09	ug/L		99
84) 1,2-dibromoethane	14.414	107	15000	2.13	ug/L		97
85) n-butyl ether	14.818	57	52148	2.07	ug/L		59
86) chlorobenzene	14.855	112	39128	2.16	ug/L		86
87) 1,1,1,2-tetrachloroethane	14.897	131	15718	2.17	ug/L		96
88) ethylbenzene	14.923	91	60941	2.11	ug/L		99
89) m,p-xylene	15.022	106	47049	4.21	ug/L		94
90) o-xylene	15.395	106	23091	2.06	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120251.D
Acq On : 13 Aug 2022 10:03 pm
Operator : PrashanS
Sample : IC5341-2
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Aug 18 15:43:59 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
91)	styrene	15.400	104	37133	1.97	ug/L	97
92)	bromoform	15.599	173	13088	2.00	ug/L	95
93)	butyl acrylate	15.232	55	23981	1.89	ug/L	96
94)	isopropylbenzene	15.709	105	58990	2.12	ug/L	98
98)	bromobenzene	16.050	156	17944	2.10	ug/L	85
99)	1,1,2,2-tetrachloroethane	15.924	83	19708	2.11	ug/L	98
101)	1,2,3-trichloropropane	15.998	110	6003	2.14	ug/L	99
102)	n-propylbenzene	16.082	91	64760	2.08	ug/L	100
103)	2-chlorotoluene	16.202	126	15165	2.12	ug/L	97
104)	4-chlorotoluene	16.297	91	42235	2.07	ug/L	95
105)	1,3,5-trimethylbenzene	16.218	105	45786	2.08	ug/L	96
106)	tert-butylbenzene	16.538	134	8870	2.04	ug/L	97
107)	1,2,4-trimethylbenzene	16.574	105	45321	2.04	ug/L	98
108)	sec-butylbenzene	16.737	105	52045	2.06	ug/L	97
109)	1,3-dichlorobenzene	16.884	146	29323	2.07	ug/L	97
110)	p-isopropyltoluene	16.842	119	43224	2.08	ug/L	99
111)	1,4-dichlorobenzene	16.957	146	31687	2.12	ug/L	95
112)	1,2,3-trimethylbenzene	16.978	105	45190	2.07	ug/L	99
113)	benzyl chloride	17.052	91	30150	1.92	ug/L	99
114)	1,2-dichlorobenzene	17.319	146	27853	2.09	ug/L	99
115)	n-butylbenzene	17.225	92	18378	1.92	ug/L	95
116)	1,2-dibromo-3-chloropr...	18.016	157	4526	1.78	ug/L	94
117)	1,3,5-trichlorobenzene	18.242	180	15978	2.04	ug/L	97
118)	1,2,4-trichlorobenzene	18.829	180	12552	1.93	ug/L	96
119)	hexachlorobutadiene	18.960	225	6093	2.07	ug/L	90
120)	naphthalene	19.086	128	37756	2.04	ug/L	97
121)	1,2,3-trichlorobenzene	19.317	180	10703	2.01	ug/L	96
122)	hexachloroethane	17.586	201	7467	1.80	ug/L	95
123)	2-methylnaphthalene	20.197	142	4930	0.92	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120251.D
Acq On : 13 Aug 2022 10:03 pm
Operator : PrashanS
Sample : IC5341-2
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Aug 18 15:43:59 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120252.D
Acq On : 13 Aug 2022 10:31 pm
Operator : PrashanS
Sample : IC5341-4
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Aug 18 08:45:49 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	8.526	65	479446	500.00	ug/L		-0.01
5) pentafluorobenzene	11.027	168	795861	50.00	ug/L		0.00
51) 1,4-difluorobenzene	11.919	114	1040858	50.00	ug/L		0.00
73) chlorobenzene-d5	14.823	117	981035	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	16.931	152	451126	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	11.022	113	378542	50.18	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.36%				
52) 1,2-dichloroethane-d4 (s)	11.447	65	404728	50.54	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 101.08%				
74) toluene-d8 (s)	13.460	98	1205973	51.01	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.02%				
97) 4-bromofluorobenzene (s)	15.867	95	463091	50.26	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.52%				
Target Compounds							Qvalue
2) tertiary butyl alcohol	8.663	59	27412	20.00	ug/L		99
3) ethanol	7.090	45	52669	398.13	ug/L		98
4) 1,4-dioxane	12.584	88	12321	101.83	ug/L		94
6) chlorodifluoromethane	4.584	51	35406	4.05	ug/L		97
7) dichlorodifluoromethane	4.547	85	41231	4.05	ug/L		99
8) chloromethane	5.035	50	34897	4.06	ug/L		97
9) vinyl chloride	5.291	62	33794	4.00	ug/L		95
10) 1,3-butadiene	5.391	54	32352	4.20	ug/L		98
11) bromomethane	6.067	94	20994	4.14	ug/L		91
12) chloroethane	6.298	64	18273	4.12	ug/L		98
13) trichlorofluoromethane	6.859	101	49865	4.17	ug/L		98
14) ethyl ether	7.383	74	14257	3.98	ug/L		95
15) acrolein	7.619	56	5213	3.46	ug/L		90
16) freon 113	7.834	151	23537	4.16	ug/L		96
17) 1,1-dichloroethene	7.840	96	24706	3.94	ug/L		97
18) acetone	7.850	58	11257	15.30	ug/L		96
19) acetonitrile	8.280	41	50595	40.06	ug/L		94
20) iodomethane	8.123	142	23553	3.72	ug/L		96
21) carbon disulfide	8.285	76	69916	3.98	ug/L		99
22) methylene chloride	8.600	84	27403	4.07	ug/L		99
23) methyl acetate	8.427	43	23160	3.72	ug/L		95
24) methyl tert butyl ether	9.040	73	79804	4.09	ug/L		99
25) trans-1,2-dichloroethene	9.066	96	27109	3.92	ug/L		93
26) di-isopropyl ether	9.727	45	84908	4.10	ug/L		90
27) 2-butanone	10.409	72	16946	15.93	ug/L		92
28) 1,1-dichloroethane	9.659	63	47829	4.18	ug/L		95
29) chloroprene	9.816	53	36062	4.18	ug/L		99
30) acrylonitrile	8.951	53	9878	3.56	ug/L		97
31) hexane	9.496	56	16468	4.12	ug/L		91
32) vinyl acetate	9.690	86	5199	3.62	ug/L	#	79
33) ethyl tert-butyl ether	10.225	59	81916	4.05	ug/L		98
34) ethyl acetate	10.472	70	3704	3.61	ug/L	#	69

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120252.D
Acq On : 13 Aug 2022 10:31 pm
Operator : PrashanS
Sample : IC5341-4
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Aug 18 08:45:49 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
35) 2,2-dichloropropane	10.477	77	41712	4.07	ug/L		98
36) cis-1,2-dichloroethene	10.451	96	30521	3.99	ug/L		93
37) methyl acrylate	10.555	55	29988	4.22	ug/L		95
38) propionitrile	10.456	54	53532	41.45	ug/L		97
39) bromochloromethane	10.765	128	16151	4.14	ug/L		88
40) tetrahydrofuran	10.844	72	5691	4.05	ug/L		98
41) chloroform	10.828	85	34554	3.99	ug/L		98
42) t-butyl formate	10.907	59	23080	3.90	ug/L		95
44) methacrylonitrile	10.692	67	12993	4.03	ug/L		88
45) 1,1,1-trichloroethane	11.132	97	45936	4.15	ug/L		99
46) cyclohexane	11.253	84	36136	4.20	ug/L		89
47) 1,1-dichloropropene	11.326	75	36184	4.18	ug/L		94
48) isobutyl alcohol	11.331	74	2814	43.97	ug/L		34
49) carbon tetrachloride	11.358	117	43192	4.11	ug/L		99
50) tert amyl alcohol	11.410	55	9541	20.76	ug/L	#	79
53) n-butyl alcohol	11.997	56	58403	184.13	ug/L		97
54) 2,2,4-trimethylpentane	11.651	57	62315	4.17	ug/L		96
55) benzene	11.573	78	99943	4.18	ug/L		99
56) tert-amyl methyl ether	11.635	87	19227	4.14	ug/L		94
57) heptane	11.819	71	14042	4.16	ug/L		99
58) isopropyl acetate	11.504	87	6729	3.94	ug/L	#	86
59) 1,2-dichloroethane	11.541	62	39608	3.87	ug/L		92
60) trichloroethene	12.254	130	30026	4.15	ug/L		98
61) ethyl acrylate	12.259	55	38894	3.93	ug/L		88
62) 2-nitropropane	12.910	43	12201	3.85	ug/L		94
63) 2-chloroethyl vinyl ether	12.962	63	61356	18.48	ug/L		97
64) methyl methacrylate	12.506	100	7337	3.57	ug/L	#	77
65) 1,2-dichloropropane	12.480	63	27237	4.21	ug/L		99
66) dibromomethane	12.605	93	20333	3.99	ug/L		96
67) methylcyclohexane	12.511	83	36939	4.20	ug/L		96
68) bromodichloromethane	12.726	83	38842	4.02	ug/L		98
69) epichlorohydrin	13.051	57	17932	19.78	ug/L		96
70) cis-1,3-dichloropropene	13.166	75	42706	4.09	ug/L		98
71) 4-methyl-2-pentanone	13.256	58	51984	16.02	ug/L		98
72) 3-methyl-1-butanol	13.250	70	21274	72.42	ug/L		89
75) toluene	13.533	92	62526	4.14	ug/L		95
76) trans-1,3-dichloropropene	13.665	75	38308	4.04	ug/L		99
77) ethyl methacrylate	13.696	69	33862	3.99	ug/L		98
78) 1,1,2-trichloroethane	13.859	83	20760	4.10	ug/L		93
79) tetrachloroethene	14.079	164	26629	4.36	ug/L		98
80) 1,3-dichloropropane	14.026	76	39640	4.14	ug/L		89
81) 2-hexanone	14.037	58	51806	16.25	ug/L		96
82) butyl acetate	14.126	56	18561	4.17	ug/L		90
83) dibromochloromethane	14.268	129	33846	4.09	ug/L		95
84) 1,2-dibromoethane	14.414	107	28520	4.17	ug/L		98
85) n-butyl ether	14.818	57	99913	4.09	ug/L		80
86) chlorobenzene	14.855	112	72218	4.11	ug/L		95
87) 1,1,1,2-tetrachloroethane	14.897	131	28938	4.11	ug/L		98
88) ethylbenzene	14.923	91	112830	4.02	ug/L		99
89) m,p-xylene	15.017	106	87731	8.08	ug/L		94

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120252.D
Acq On : 13 Aug 2022 10:31 pm
Operator : PrashanS
Sample : IC5341-4
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Aug 18 08:45:49 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
90)	o-xylene	15.395	106	44130	4.06	ug/L	100
91)	styrene	15.395	104	71628	3.91	ug/L	94
92)	bromoform	15.599	173	24777	3.89	ug/L	97
93)	butyl acrylate	15.227	55	46700	3.78	ug/L	96
94)	isopropylbenzene	15.709	105	111916	4.14	ug/L	98
95)	cis-1,4-dichloro-2-butene	15.720	88	7066	5.09	ug/L	95
98)	bromobenzene	16.050	156	33396	4.02	ug/L	91
99)	1,1,2,2-tetrachloroethane	15.919	83	37046	4.08	ug/L	96
100)	trans-1,4-dichloro-2-b...	15.971	53	5543	3.16	ug/L	97
101)	1,2,3-trichloropropane	15.998	110	11247	4.12	ug/L	98
102)	n-propylbenzene	16.082	91	122206	4.03	ug/L	100
103)	2-chlorotoluene	16.202	126	28222	4.05	ug/L	99
104)	4-chlorotoluene	16.291	91	80791	4.07	ug/L	98
105)	1,3,5-trimethylbenzene	16.218	105	85665	3.99	ug/L	98
106)	tert-butylbenzene	16.538	134	16840	3.97	ug/L	92
107)	1,2,4-trimethylbenzene	16.574	105	85740	3.97	ug/L	97
108)	sec-butylbenzene	16.732	105	97810	3.98	ug/L	98
109)	1,3-dichlorobenzene	16.884	146	56201	4.08	ug/L	96
110)	p-isopropyltoluene	16.842	119	82113	4.06	ug/L	98
111)	1,4-dichlorobenzene	16.957	146	58334	4.02	ug/L	97
112)	1,2,3-trimethylbenzene	16.973	105	85187	4.02	ug/L	96
113)	benzyl chloride	17.052	91	56878	3.72	ug/L	99
114)	1,2-dichlorobenzene	17.319	146	53395	4.12	ug/L	99
115)	n-butylbenzene	17.225	92	35278	3.78	ug/L	97
116)	1,2-dibromo-3-chloropr...	18.016	157	9187	3.71	ug/L	97
117)	1,3,5-trichlorobenzene	18.236	180	30367	3.98	ug/L	98
118)	1,2,4-trichlorobenzene	18.829	180	24246	3.83	ug/L	96
119)	hexachlorobutadiene	18.965	225	11509	4.02	ug/L	99
120)	naphthalene	19.086	128	71609	3.98	ug/L	99
121)	1,2,3-trichlorobenzene	19.317	180	20275	3.91	ug/L	98
122)	hexachloroethane	17.592	201	14241	3.54	ug/L	92
123)	2-methylnaphthalene	20.187	142	9529	1.84	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120252.D
Acq On : 13 Aug 2022 10:31 pm
Operator : PrashanS
Sample : IC5341-4
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Aug 18 08:45:49 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120253.D
Acq On : 13 Aug 2022 11:00 pm
Operator : PrashanS
Sample : IC5341-8
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Aug 18 08:45:55 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	8.526	65	500608	500.00	ug/L	-0.01
5) pentafluorobenzene	11.022	168	813083	50.00	ug/L	0.00
51) 1,4-difluorobenzene	11.919	114	1060496	50.00	ug/L	0.00
73) chlorobenzene-d5	14.823	117	1014992	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	16.931	152	464543	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	11.022	113	386617	50.17	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.34%			
52) 1,2-dichloroethane-d4 (s)	11.447	65	411824	50.47	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.94%			
74) toluene-d8 (s)	13.460	98	1234047	50.45	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.90%			
97) 4-bromofluorobenzene (s)	15.867	95	468680	49.40	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.80%			
Target Compounds						Qvalue
2) tertiary butyl alcohol	8.668	59	56634	39.58	ug/L	99
3) ethanol	7.074	45	113023	818.23	ug/L	97
4) 1,4-dioxane	12.579	88	26012	205.90	ug/L	98
6) chlorodifluoromethane	4.584	51	69133	7.73	ug/L	99
7) dichlorodifluoromethane	4.547	85	82523	7.94	ug/L	97
8) chloromethane	5.029	50	68729	7.82	ug/L	96
9) vinyl chloride	5.286	62	68411	7.93	ug/L	98
10) 1,3-butadiene	5.396	54	63460	8.07	ug/L	97
11) bromomethane	6.073	94	39437	7.62	ug/L	95
12) chloroethane	6.298	64	36159	7.97	ug/L	96
13) trichlorofluoromethane	6.859	101	99483	8.15	ug/L	98
14) ethyl ether	7.383	74	29429	8.04	ug/L	93
15) acrolein	7.604	56	11830	7.69	ug/L	92
16) freon 113	7.834	151	45647	7.89	ug/L	96
17) 1,1-dichloroethene	7.834	96	49178	7.67	ug/L	98
18) acetone	7.834	58	23538	31.31	ug/L	97
19) acetonitrile	8.275	41	101333	78.53	ug/L	97
20) iodomethane	8.117	142	62053	7.08	ug/L	99
21) carbon disulfide	8.285	76	139632	7.77	ug/L	99
22) methylene chloride	8.600	84	54294	7.89	ug/L	98
23) methyl acetate	8.411	43	48641	7.64	ug/L	99
24) methyl tert butyl ether	9.040	73	159378	7.99	ug/L	99
25) trans-1,2-dichloroethene	9.061	96	53007	7.51	ug/L	98
26) di-isopropyl ether	9.727	45	170806	8.07	ug/L	95
27) 2-butanone	10.403	72	34978	32.18	ug/L	99
28) 1,1-dichloroethane	9.664	63	94308	8.07	ug/L	99
29) chloroprene	9.811	53	72239	8.19	ug/L	98
30) acrylonitrile	8.935	53	19504	6.88	ug/L	91
31) hexane	9.491	56	32282	7.91	ug/L	97
32) vinyl acetate	9.675	86	11047	7.52	ug/L	95
33) ethyl tert-butyl ether	10.225	59	164682	7.98	ug/L	100
34) ethyl acetate	10.466	70	8292	7.90	ug/L #	70

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120253.D
Acq On : 13 Aug 2022 11:00 pm
Operator : PrashanS
Sample : IC5341-8
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Aug 18 08:45:55 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
35) 2,2-dichloropropane	10.482	77	81983	7.83	ug/L		95
36) cis-1,2-dichloroethene	10.445	96	59429	7.60	ug/L		93
37) methyl acrylate	10.545	55	59036	8.14	ug/L		99
38) propionitrile	10.445	54	106648	80.83	ug/L		98
39) bromochloromethane	10.755	128	32733	8.21	ug/L		95
40) tetrahydrofuran	10.844	72	11196	7.80	ug/L		91
41) chloroform	10.828	85	66576	7.52	ug/L		98
42) t-butyl formate	10.902	59	47224	7.80	ug/L		98
44) methacrylonitrile	10.687	67	25797	7.83	ug/L		93
45) 1,1,1-trichloroethane	11.137	97	88502	7.83	ug/L		96
46) cyclohexane	11.248	84	71144	8.09	ug/L	#	87
47) 1,1-dichloropropene	11.321	75	69922	7.91	ug/L		99
48) isobutyl alcohol	11.326	74	5285	80.82	ug/L		89
49) carbon tetrachloride	11.358	117	86303	8.04	ug/L		97
50) tert amyl alcohol	11.405	55	18156	38.67	ug/L		97
53) n-butyl alcohol	11.992	56	123606	382.49	ug/L		97
54) 2,2,4-trimethylpentane	11.651	57	122306	8.02	ug/L		97
55) benzene	11.573	78	197508	8.10	ug/L		99
56) tert-amyl methyl ether	11.641	87	38254	8.09	ug/L		96
57) heptane	11.814	71	26774	7.79	ug/L		91
58) isopropyl acetate	11.499	87	14097	8.10	ug/L	#	88
59) 1,2-dichloroethane	11.541	62	78654	7.53	ug/L		98
60) trichloroethene	12.254	130	58700	7.97	ug/L		97
61) ethyl acrylate	12.254	55	79163	7.86	ug/L		94
62) 2-nitropropane	12.904	43	23271	7.21	ug/L		94
63) 2-chloroethyl vinyl ether	12.962	63	129880	38.39	ug/L		100
64) methyl methacrylate	12.501	100	16027	7.65	ug/L	#	85
65) 1,2-dichloropropane	12.480	63	53051	8.05	ug/L		97
66) dibromomethane	12.600	93	40628	7.83	ug/L		99
67) methylcyclohexane	12.511	83	73271	8.18	ug/L		98
68) bromodichloromethane	12.726	83	76589	7.79	ug/L		99
69) epichlorohydrin	13.046	57	35842	38.80	ug/L		96
70) cis-1,3-dichloropropene	13.167	75	85463	8.04	ug/L		99
71) 4-methyl-2-pentanone	13.256	58	105696	31.97	ug/L		98
72) 3-methyl-1-butanol	13.245	70	43934	146.78	ug/L		96
75) toluene	13.528	92	121831	7.80	ug/L		99
76) trans-1,3-dichloropropene	13.665	75	78558	8.01	ug/L		99
77) ethyl methacrylate	13.691	69	71246	8.11	ug/L		98
78) 1,1,2-trichloroethane	13.853	83	42320	8.08	ug/L		98
79) tetrachloroethene	14.074	164	50386	7.98	ug/L		98
80) 1,3-dichloropropane	14.026	76	80390	8.12	ug/L		96
81) 2-hexanone	14.032	58	105165	31.88	ug/L		100
82) butyl acetate	14.116	56	37936	8.24	ug/L		98
83) dibromochloromethane	14.262	129	67447	7.87	ug/L		99
84) 1,2-dibromoethane	14.409	107	56551	8.00	ug/L		99
85) n-butyl ether	14.813	57	202298	8.01	ug/L		96
86) chlorobenzene	14.855	112	144615	7.96	ug/L		97
87) 1,1,1,2-tetrachloroethane	14.897	131	58890	8.08	ug/L		99
88) ethylbenzene	14.918	91	231944	8.00	ug/L		99
89) m,p-xylene	15.017	106	178443	15.89	ug/L		100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120253.D
Acq On : 13 Aug 2022 11:00 pm
Operator : PrashanS
Sample : IC5341-8
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Aug 18 08:45:55 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
90)	o-xylene	15.390	106	89132	7.92	ug/L	96
91)	styrene	15.390	104	148797	7.85	ug/L	97
92)	bromoform	15.594	173	51315	7.79	ug/L	99
93)	butyl acrylate	15.222	55	99498	7.78	ug/L	100
94)	isopropylbenzene	15.709	105	225296	8.06	ug/L	99
95)	cis-1,4-dichloro-2-butene	15.715	88	14900	7.68	ug/L	87
98)	bromobenzene	16.050	156	68220	7.98	ug/L	87
99)	1,1,2,2-tetrachloroethane	15.919	83	74502	7.97	ug/L	99
100)	trans-1,4-dichloro-2-b...	15.966	53	11729	6.50	ug/L	88
101)	1,2,3-trichloropropane	15.998	110	22223	7.90	ug/L	99
102)	n-propylbenzene	16.076	91	249684	7.99	ug/L	99
103)	2-chlorotoluene	16.202	126	57848	8.05	ug/L	99
104)	4-chlorotoluene	16.291	91	159565	7.81	ug/L	97
105)	1,3,5-trimethylbenzene	16.213	105	174577	7.90	ug/L	99
106)	tert-butylbenzene	16.538	134	34769	7.96	ug/L	98
107)	1,2,4-trimethylbenzene	16.569	105	173976	7.83	ug/L	99
108)	sec-butylbenzene	16.732	105	201484	7.97	ug/L	99
109)	1,3-dichlorobenzene	16.884	146	114227	8.06	ug/L	99
110)	p-isopropyltoluene	16.842	119	166074	7.97	ug/L	99
111)	1,4-dichlorobenzene	16.957	146	116710	7.81	ug/L	99
112)	1,2,3-trimethylbenzene	16.973	105	173125	7.92	ug/L	100
113)	benzyl chloride	17.046	91	119690	7.61	ug/L	98
114)	1,2-dichlorobenzene	17.319	146	107895	8.08	ug/L	98
115)	n-butylbenzene	17.225	92	72451	7.54	ug/L	98
116)	1,2-dibromo-3-chloropr...	18.011	157	18542	7.26	ug/L	97
117)	1,3,5-trichlorobenzene	18.237	180	61242	7.80	ug/L	96
118)	1,2,4-trichlorobenzene	18.829	180	50410	7.74	ug/L	99
119)	hexachlorobutadiene	18.960	225	23254	7.89	ug/L	99
120)	naphthalene	19.081	128	147394	7.96	ug/L	98
121)	1,2,3-trichlorobenzene	19.311	180	42739	8.00	ug/L	97
122)	hexachloroethane	17.586	201	31148	7.51	ug/L	94
123)	2-methylnaphthalene	20.182	142	20107	3.76	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120253.D
Acq On : 13 Aug 2022 11:00 pm
Operator : PrashanS
Sample : IC5341-8
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Aug 18 08:45:55 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration



M4D5341.M Fri Aug 19 12:33:24 2022 Page: 4

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120254.D
Acq On : 13 Aug 2022 11:28 pm
Operator : PrashanS
Sample : IC5341-20
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Aug 18 08:45:58 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	8.532	65	502456	500.00	ug/L	0.00
5) pentafluorobenzene	11.027	168	826545	50.00	ug/L	0.00
51) 1,4-difluorobenzene	11.919	114	1066643	50.00	ug/L	0.00
73) chlorobenzene-d5	14.823	117	1030100	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	16.931	152	459221	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	11.022	113	389665	49.74	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.48%			
52) 1,2-dichloroethane-d4 (s)	11.447	65	409006	49.84	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.68%			
74) toluene-d8 (s)	13.460	98	1237958	49.86	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.72%			
97) 4-bromofluorobenzene (s)	15.867	95	468854	49.99	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.98%			
Target Compounds						Qvalue
2) tertiary butyl alcohol	8.663	59	141467	98.49	ug/L	99
3) ethanol	7.069	45	281206	2028.29	ug/L	96
4) 1,4-dioxane	12.574	88	63821	503.31	ug/L	100
6) chlorodifluoromethane	4.578	51	174221	19.17	ug/L	98
7) dichlorodifluoromethane	4.547	85	207396	19.62	ug/L	99
8) chloromethane	5.035	50	164914	18.45	ug/L	98
9) vinyl chloride	5.291	62	170219	19.40	ug/L	99
10) 1,3-butadiene	5.391	54	157211	19.66	ug/L	99
11) bromomethane	6.067	94	86812	16.49	ug/L	98
12) chloroethane	6.293	64	90268	19.58	ug/L	100
13) trichlorofluoromethane	6.859	101	250316	20.17	ug/L	100
14) ethyl ether	7.378	74	71803	19.31	ug/L	99
15) acrolein	7.593	56	28615	18.30	ug/L	98
16) freon 113	7.834	151	117813	20.04	ug/L	98
17) 1,1-dichloroethene	7.834	96	119760	18.38	ug/L	96
18) acetone	7.829	58	65582	85.81	ug/L	94
19) acetonitrile	8.264	41	252645	192.61	ug/L	99
20) iodomethane	8.112	142	200788	19.05	ug/L	96
21) carbon disulfide	8.280	76	349337	19.13	ug/L	100
22) methylene chloride	8.595	84	133994	19.17	ug/L	99
23) methyl acetate	8.406	43	125338	19.36	ug/L	99
24) methyl tert butyl ether	9.040	73	392901	19.37	ug/L	97
25) trans-1,2-dichloroethene	9.061	96	132163	18.41	ug/L	95
26) di-isopropyl ether	9.727	45	421671	19.60	ug/L	98
27) 2-butanone	10.398	72	87983	79.64	ug/L	99
28) 1,1-dichloroethane	9.659	63	234429	19.73	ug/L	98
29) chloroprene	9.811	53	181442	20.23	ug/L	97
30) acrylonitrile	8.925	53	55249	19.16	ug/L	98
31) hexane	9.491	56	81445	19.62	ug/L	99
32) vinyl acetate	9.669	86	29356	19.67	ug/L	95
33) ethyl tert-butyl ether	10.220	59	413553	19.71	ug/L	99
34) ethyl acetate	10.461	70	21309	19.98	ug/L #	89

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120254.D
Acq On : 13 Aug 2022 11:28 pm
Operator : PrashanS
Sample : IC5341-20
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Aug 18 08:45:58 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
35) 2,2-dichloropropane	10.477	77	202255	18.99	ug/L		96
36) cis-1,2-dichloroethene	10.445	96	148643	18.69	ug/L		97
37) methyl acrylate	10.540	55	149168	20.22	ug/L		98
38) propionitrile	10.445	54	269974	201.30	ug/L		97
39) bromochloromethane	10.755	128	81495	20.11	ug/L		92
40) tetrahydrofuran	10.839	72	26599	18.22	ug/L		99
41) chloroform	10.823	85	163670	18.18	ug/L		100
42) t-butyl formate	10.902	59	118402	19.24	ug/L		97
44) methacrylonitrile	10.681	67	65553	19.57	ug/L		97
45) 1,1,1-trichloroethane	11.137	97	222454	19.37	ug/L		99
46) cyclohexane	11.253	84	178120	19.91	ug/L		96
47) 1,1-dichloropropene	11.321	75	175503	19.53	ug/L		98
48) isobutyl alcohol	11.326	74	12935	194.60	ug/L		82
49) carbon tetrachloride	11.358	117	213384	19.56	ug/L		99
50) tert amyl alcohol	11.400	55	45310	94.93	ug/L		98
53) n-butyl alcohol	11.987	56	313766	965.34	ug/L		99
54) 2,2,4-trimethylpentane	11.656	57	304834	19.88	ug/L		91
55) benzene	11.573	78	485068	19.78	ug/L		100
56) tert-amyl methyl ether	11.636	87	94446	19.85	ug/L		98
57) heptane	11.814	71	68934	19.94	ug/L		100
58) isopropyl acetate	11.499	87	34470	19.68	ug/L		95
59) 1,2-dichloroethane	11.536	62	194303	18.50	ug/L		100
60) trichloroethene	12.254	130	147293	19.89	ug/L		100
61) ethyl acrylate	12.249	55	199640	19.70	ug/L		96
62) 2-nitropropane	12.904	43	62421	19.22	ug/L		95
63) 2-chloroethyl vinyl ether	12.957	63	334434	98.27	ug/L		99
64) methyl methacrylate	12.495	100	40450	19.19	ug/L	#	92
65) 1,2-dichloropropane	12.480	63	131899	19.91	ug/L		99
66) dibromomethane	12.600	93	102600	19.66	ug/L		96
67) methylcyclohexane	12.511	83	180857	20.07	ug/L		98
68) bromodichloromethane	12.726	83	194700	19.68	ug/L		98
69) epichlorohydrin	13.046	57	93174	100.28	ug/L		97
70) cis-1,3-dichloropropene	13.161	75	213976	20.01	ug/L		99
71) 4-methyl-2-pentanone	13.256	58	268494	80.73	ug/L		98
72) 3-methyl-1-butanol	13.245	70	119319	396.35	ug/L		96
75) toluene	13.528	92	302103	19.06	ug/L		99
76) trans-1,3-dichloropropene	13.659	75	197011	19.80	ug/L		99
77) ethyl methacrylate	13.691	69	179679	20.15	ug/L		99
78) 1,1,2-trichloroethane	13.853	83	107415	20.21	ug/L		99
79) tetrachloroethene	14.074	164	125748	19.63	ug/L		100
80) 1,3-dichloropropane	14.026	76	199230	19.84	ug/L		98
81) 2-hexanone	14.026	58	271990	81.25	ug/L		99
82) butyl acetate	14.115	56	94393	20.21	ug/L		99
83) dibromochloromethane	14.262	129	171940	19.77	ug/L		98
84) 1,2-dibromoethane	14.409	107	142655	19.87	ug/L		99
85) n-butyl ether	14.813	57	506111	19.73	ug/L		98
86) chlorobenzene	14.855	112	360847	19.57	ug/L		97
87) 1,1,1,2-tetrachloroethane	14.897	131	148071	20.01	ug/L		99
88) ethylbenzene	14.918	91	575750	19.56	ug/L		99
89) m,p-xylene	15.017	106	446099	39.15	ug/L		97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120254.D
Acq On : 13 Aug 2022 11:28 pm
Operator : PrashanS
Sample : IC5341-20
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Aug 18 08:45:58 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
90) o-xylene	15.390	106	222928	19.52	ug/L	100
91) styrene	15.390	104	377286	19.60	ug/L	98
92) bromoform	15.594	173	132558	19.83	ug/L	99
93) butyl acrylate	15.217	55	256355	19.76	ug/L	99
94) isopropylbenzene	15.709	105	559873	19.74	ug/L	99
95) cis-1,4-dichloro-2-butene	15.715	88	42902	17.00	ug/L	98
98) bromobenzene	16.050	156	169316	20.03	ug/L	90
99) 1,1,2,2-tetrachloroethane	15.919	83	184166	19.94	ug/L	99
100) trans-1,4-dichloro-2-b...	15.966	53	32182	18.05	ug/L	89
101) 1,2,3-trichloropropane	15.993	110	55985	20.12	ug/L	99
102) n-propylbenzene	16.076	91	618865	20.04	ug/L	100
103) 2-chlorotoluene	16.202	126	142948	20.13	ug/L	100
104) 4-chlorotoluene	16.286	91	390277	19.33	ug/L	100
105) 1,3,5-trimethylbenzene	16.213	105	430013	19.69	ug/L	99
106) tert-butylbenzene	16.538	134	87038	20.16	ug/L	96
107) 1,2,4-trimethylbenzene	16.569	105	427245	19.45	ug/L	100
108) sec-butylbenzene	16.732	105	500322	20.02	ug/L	99
109) 1,3-dichlorobenzene	16.884	146	278114	19.85	ug/L	98
110) p-isopropyltoluene	16.842	119	414690	20.14	ug/L	99
111) 1,4-dichlorobenzene	16.957	146	282109	19.09	ug/L	98
112) 1,2,3-trimethylbenzene	16.973	105	424500	19.66	ug/L	100
113) benzyl chloride	17.046	91	307293	19.76	ug/L	100
114) 1,2-dichlorobenzene	17.314	146	268580	20.34	ug/L	99
115) n-butylbenzene	17.219	92	177833	18.72	ug/L	97
116) 1,2-dibromo-3-chloropr...	18.011	157	48058	19.04	ug/L	96
117) 1,3,5-trichlorobenzene	18.237	180	151718	19.55	ug/L	99
118) 1,2,4-trichlorobenzene	18.824	180	125320	19.46	ug/L	98
119) hexachlorobutadiene	18.965	225	58522	20.10	ug/L	96
120) naphthalene	19.081	128	358965	19.62	ug/L	99
121) 1,2,3-trichlorobenzene	19.311	180	104982	19.89	ug/L	98
122) hexachloroethane	17.586	201	78862	19.24	ug/L	98
123) 2-methylnaphthalene	20.176	142	53018	10.04	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120254.D
Acq On : 13 Aug 2022 11:28 pm
Operator : PrashanS
Sample : IC5341-20
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Aug 18 08:45:58 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120255.D
Acq On : 13 Aug 2022 11:56 pm
Operator : PrashanS
Sample : ICC5341-50
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Aug 18 08:46:01 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	8.537	65	530256	500.00	ug/L	0.00
5) pentafluorobenzene	11.022	168	821289	50.00	ug/L	0.00
51) 1,4-difluorobenzene	11.919	114	1067453	50.00	ug/L	0.00
73) chlorobenzene-d5	14.823	117	1046017	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	16.931	152	468061	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	11.022	113	386016	49.59	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.18%			
52) 1,2-dichloroethane-d4 (s)	11.447	65	407559	49.62	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.24%			
74) toluene-d8 (s)	13.460	98	1238297	49.12	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.24%			
97) 4-bromofluorobenzene (s)	15.867	95	480977	50.32	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.64%			
Target Compounds						Qvalue
2) tertiary butyl alcohol	8.663	59	376502	248.39	ug/L	100
3) ethanol	7.069	45	782572	5348.64	ug/L	100
4) 1,4-dioxane	12.574	88	171639	1282.63	ug/L	100
6) chlorodifluoromethane	4.584	51	455257	50.41	ug/L	100
7) dichlorodifluoromethane	4.547	85	549174	52.30	ug/L	100
8) chloromethane	5.040	50	430893	48.52	ug/L	100
9) vinyl chloride	5.291	62	436508	50.08	ug/L	100
10) 1,3-butadiene	5.391	54	405476	51.04	ug/L	100
11) bromomethane	6.057	94	229741	43.93	ug/L	100
12) chloroethane	6.293	64	237409	51.82	ug/L	100
13) trichlorofluoromethane	6.854	101	650192	52.72	ug/L	100
14) ethyl ether	7.378	74	189163	51.19	ug/L	100
15) acrolein	7.577	56	82969	53.39	ug/L	100
16) freon 113	7.829	151	300027	51.36	ug/L	100
17) 1,1-dichloroethene	7.834	96	300365	46.38	ug/L	100
18) acetone	7.824	58	175195	230.71	ug/L	100
19) acetonitrile	8.264	41	666128	511.09	ug/L	100
20) iodomethane	8.117	142	560294	50.60	ug/L	100
21) carbon disulfide	8.280	76	876778	48.32	ug/L	100
22) methylene chloride	8.594	84	337143	48.53	ug/L	100
23) methyl acetate	8.400	43	344269	53.52	ug/L	100
24) methyl tert butyl ether	9.040	73	1002890	49.75	ug/L	100
25) trans-1,2-dichloroethene	9.061	96	329448	46.18	ug/L	100
26) di-isopropyl ether	9.727	45	1063205	49.74	ug/L	100
27) 2-butanone	10.393	72	236048	215.02	ug/L	100
28) 1,1-dichloroethane	9.659	63	596401	50.52	ug/L	100
29) chloroprene	9.811	53	468755	52.59	ug/L	100
30) acrylonitrile	8.920	53	151445	52.85	ug/L	100
31) hexane	9.486	56	210907	51.14	ug/L	100
32) vinyl acetate	9.669	86	79069	53.32	ug/L	100
33) ethyl tert-butyl ether	10.220	59	1060216	50.84	ug/L	100
34) ethyl acetate	10.456	70	56154	52.99	ug/L	100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120255.D
Acq On : 13 Aug 2022 11:56 pm
Operator : PrashanS
Sample : ICC5341-50
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Aug 18 08:46:01 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
35) 2,2-dichloropropane	10.477	77	508948	48.10	ug/L	100
36) cis-1,2-dichloroethene	10.445	96	367873	46.56	ug/L	100
37) methyl acrylate	10.534	55	383982	52.39	ug/L	100
38) propionitrile	10.445	54	705207	529.17	ug/L	100
39) bromochloromethane	10.755	128	202030	50.16	ug/L	100
40) tetrahydrofuran	10.833	72	70342	48.49	ug/L	100
41) chloroform	10.823	85	411302	45.97	ug/L	100
42) t-butyl formate	10.901	59	310035	50.70	ug/L	100
44) methacrylonitrile	10.676	67	171119	51.42	ug/L	100
45) 1,1,1-trichloroethane	11.132	97	573417	50.25	ug/L	100
46) cyclohexane	11.253	84	456173	51.33	ug/L	100
47) 1,1-dichloropropene	11.321	75	443412	49.66	ug/L	100
48) isobutyl alcohol	11.321	74	31142	471.50	ug/L	100
49) carbon tetrachloride	11.358	117	540642	49.88	ug/L	100
50) tert amyl alcohol	11.400	55	122305	257.89	ug/L	100
53) n-butyl alcohol	11.987	56	871595	2679.52	ug/L	100
54) 2,2,4-trimethylpentane	11.651	57	758861	49.46	ug/L	100
55) benzene	11.567	78	1220112	49.71	ug/L	100
56) tert-amyl methyl ether	11.635	87	243696	51.18	ug/L	100
57) heptane	11.814	71	175943	50.85	ug/L	100
58) isopropyl acetate	11.494	87	89421	51.02	ug/L	100
59) 1,2-dichloroethane	11.536	62	493989	47.01	ug/L	100
60) trichloroethene	12.254	130	380562	51.34	ug/L	100
61) ethyl acrylate	12.244	55	525497	51.82	ug/L	100
62) 2-nitropropane	12.904	43	173099	53.25	ug/L	100
63) 2-chloroethyl vinyl ether	12.957	63	908845	266.86	ug/L	100
64) methyl methacrylate	12.495	100	110660	52.46	ug/L	100
65) 1,2-dichloropropane	12.474	63	339073	51.13	ug/L	100
66) dibromomethane	12.600	93	256043	49.04	ug/L	100
67) methylcyclohexane	12.511	83	464501	51.52	ug/L	100
68) bromodichloromethane	12.726	83	502061	50.71	ug/L	100
69) epichlorohydrin	13.041	57	250559	269.46	ug/L	100
70) cis-1,3-dichloropropene	13.161	75	552400	51.62	ug/L	100
71) 4-methyl-2-pentanone	13.256	58	694007	208.52	ug/L	100
72) 3-methyl-1-butanol	13.245	70	332236	1102.77	ug/L	100
75) toluene	13.528	92	774232	48.09	ug/L	100
76) trans-1,3-dichloropropene	13.659	75	521803	51.65	ug/L	100
77) ethyl methacrylate	13.691	69	476042	52.57	ug/L	100
78) 1,1,2-trichloroethane	13.853	83	272271	50.45	ug/L	100
79) tetrachloroethene	14.073	164	316408	48.63	ug/L	100
80) 1,3-dichloropropane	14.021	76	517712	50.76	ug/L	100
81) 2-hexanone	14.026	58	729404	214.57	ug/L	100
82) butyl acetate	14.110	56	241585	50.95	ug/L	100
83) dibromochloromethane	14.262	129	451464	51.11	ug/L	100
84) 1,2-dibromoethane	14.409	107	371460	50.96	ug/L	100
85) n-butyl ether	14.813	57	1351961	51.91	ug/L	100
86) chlorobenzene	14.849	112	922560	49.27	ug/L	100
87) 1,1,1,2-tetrachloroethane	14.897	131	375604	49.99	ug/L	100
88) ethylbenzene	14.918	91	1470285	49.18	ug/L	100
89) m,p-xylene	15.012	106	1145162	98.96	ug/L	100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120255.D
Acq On : 13 Aug 2022 11:56 pm
Operator : PrashanS
Sample : ICC5341-50
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Aug 18 08:46:01 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
90) o-xylene	15.389	106	583060	50.28	ug/L	100
91) styrene	15.389	104	1003457	51.34	ug/L	100
92) bromoform	15.594	173	358267	52.77	ug/L	100
93) butyl acrylate	15.216	55	699034	53.07	ug/L	100
94) isopropylbenzene	15.704	105	1461277	50.74	ug/L	100
95) cis-1,4-dichloro-2-butene	15.715	88	127088	44.60	ug/L	100
98) bromobenzene	16.050	156	438240	50.87	ug/L	100
99) 1,1,2,2-tetrachloroethane	15.919	83	480966	51.09	ug/L	100
100) trans-1,4-dichloro-2-b...	15.961	53	96225	52.94	ug/L	100
101) 1,2,3-trichloropropane	15.992	110	146144	51.54	ug/L	100
102) n-propylbenzene	16.076	91	1609405	51.13	ug/L	100
103) 2-chlorotoluene	16.202	126	369660	51.08	ug/L	100
104) 4-chlorotoluene	16.286	91	1017187	49.43	ug/L	100
105) 1,3,5-trimethylbenzene	16.213	105	1134651	50.98	ug/L	100
106) tert-butylbenzene	16.538	134	228866	52.02	ug/L	100
107) 1,2,4-trimethylbenzene	16.569	105	1133711	50.63	ug/L	100
108) sec-butylbenzene	16.732	105	1320722	51.86	ug/L	100
109) 1,3-dichlorobenzene	16.884	146	723645	50.68	ug/L	100
110) p-isopropyltoluene	16.842	119	1101965	52.49	ug/L	100
111) 1,4-dichlorobenzene	16.952	146	735670	48.84	ug/L	100
112) 1,2,3-trimethylbenzene	16.973	105	1116155	50.71	ug/L	100
113) benzyl chloride	17.046	91	838376	52.88	ug/L	100
114) 1,2-dichlorobenzene	17.314	146	702210	52.17	ug/L	100
115) n-butylbenzene	17.219	92	482467	49.84	ug/L	100
116) 1,2-dibromo-3-chloropr...	18.011	157	137190	53.34	ug/L	100
117) 1,3,5-trichlorobenzene	18.231	180	402945	50.95	ug/L	100
118) 1,2,4-trichlorobenzene	18.824	180	334715	51.00	ug/L	100
119) hexachlorobutadiene	18.960	225	151950	51.19	ug/L	100
120) naphthalene	19.081	128	928624	49.80	ug/L	100
121) 1,2,3-trichlorobenzene	19.311	180	272589	50.66	ug/L	100
122) hexachloroethane	17.592	201	215018	51.46	ug/L	100
123) 2-methylnaphthalene	20.171	142	142560	26.48	ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120255.D
Acq On : 13 Aug 2022 11:56 pm
Operator : PrashanS
Sample : ICC5341-50
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Aug 18 08:46:01 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120256.D
Acq On : 14 Aug 2022 12:25 am
Operator : PrashanS
Sample : IC5341-100
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Aug 18 08:46:07 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	8.542	65	528843	500.00	ug/L	0.00
5) pentafluorobenzene	11.022	168	822620	50.00	ug/L	0.00
51) 1,4-difluorobenzene	11.919	114	1070629	50.00	ug/L	0.00
73) chlorobenzene-d5	14.823	117	1054634	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	16.931	152	468509	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	11.022	113	386889	49.62	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.24%			
52) 1,2-dichloroethane-d4 (s)	11.447	65	412479	50.07	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.14%			
74) toluene-d8 (s)	13.460	98	1237738	48.70	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.40%			
97) 4-bromofluorobenzene (s)	15.867	95	482356	50.41	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.82%			
Target Compounds						Qvalue
2) tertiary butyl alcohol	8.673	59	770101	509.41	ug/L	99
3) ethanol	7.079	45	1572986	10779.60	ug/L	98
4) 1,4-dioxane	12.579	88	343870	2576.56	ug/L	95
6) chlorodifluoromethane	4.578	51	961314	106.27	ug/L	99
7) dichlorodifluoromethane	4.547	85	1179807	112.17	ug/L	99
8) chloromethane	5.040	50	898038	100.96	ug/L	100
9) vinyl chloride	5.291	62	920990	105.49	ug/L	98
10) 1,3-butadiene	5.391	54	797252	100.20	ug/L	99
11) bromomethane	6.041	94	521268	99.51	ug/L	99
12) chloroethane	6.277	64	502810	109.57	ug/L	100
13) trichlorofluoromethane	6.849	101	1378422	111.59	ug/L	99
14) ethyl ether	7.373	74	399572	107.96	ug/L	99
15) acrolein	7.572	56	168594	108.32	ug/L	97
16) freon 113	7.829	151	619791	105.93	ug/L	99
17) 1,1-dichloroethene	7.829	96	626949	96.65	ug/L	99
18) acetone	7.824	58	346518	455.58	ug/L	97
19) acetonitrile	8.264	41	1322928	1013.39	ug/L	99
20) iodomethane	8.112	142	1192394	105.71	ug/L	99
21) carbon disulfide	8.280	76	1814372	99.83	ug/L	100
22) methylene chloride	8.594	84	705867	101.45	ug/L	98
23) methyl acetate	8.395	43	704350	109.33	ug/L	100
24) methyl tert butyl ether	9.035	73	2117409	104.87	ug/L	99
25) trans-1,2-dichloroethene	9.056	96	681753	95.42	ug/L	97
26) di-isopropyl ether	9.727	45	2185745	102.08	ug/L	99
27) 2-butanone	10.393	72	474894	431.90	ug/L	98
28) 1,1-dichloroethane	9.654	63	1243232	105.15	ug/L	98
29) chloroprene	9.811	53	982260	110.03	ug/L	99
30) acrylonitrile	8.914	53	313666	109.28	ug/L	99
31) hexane	9.486	56	442916	107.23	ug/L	99
32) vinyl acetate	9.664	86	165425	111.37	ug/L	98
33) ethyl tert-butyl ether	10.220	59	2249165	107.68	ug/L	99
34) ethyl acetate	10.456	70	115531	108.84	ug/L	93

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120256.D
Acq On : 14 Aug 2022 12:25 am
Operator : PrashanS
Sample : IC5341-100
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Aug 18 08:46:07 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
35) 2,2-dichloropropane	10.477	77	1045016	98.61	ug/L	100
36) cis-1,2-dichloroethene	10.445	96	757978	95.78	ug/L	100
37) methyl acrylate	10.529	55	782492	106.59	ug/L	99
38) propionitrile	10.445	54	1377103	1031.68	ug/L	99
39) bromochloromethane	10.755	128	419332	103.95	ug/L	98
40) tetrahydrofuran	10.833	72	140190	96.49	ug/L	96
41) chloroform	10.823	85	858112	95.75	ug/L	98
42) t-butyl formate	10.901	59	661478	108.00	ug/L	99
44) methacrylonitrile	10.676	67	353571	106.07	ug/L	98
45) 1,1,1-trichloroethane	11.132	97	1206900	105.58	ug/L	99
46) cyclohexane	11.253	84	945411	106.20	ug/L	92
47) 1,1-dichloropropene	11.321	75	923541	103.26	ug/L	99
48) isobutyl alcohol	11.321	74	64761	978.92	ug/L	77
49) carbon tetrachloride	11.358	117	1123181	103.47	ug/L	100
50) tert amyl alcohol	11.410	55	241055	507.47	ug/L	98
53) n-butyl alcohol	11.992	56	1764122	5407.31	ug/L	100
54) 2,2,4-trimethylpentane	11.651	57	1555989	101.11	ug/L	98
55) benzene	11.567	78	2526070	102.62	ug/L	100
56) tert-amyl methyl ether	11.635	87	510479	106.90	ug/L	97
57) heptane	11.814	71	365920	105.44	ug/L	98
58) isopropyl acetate	11.494	87	185978	105.80	ug/L	100
59) 1,2-dichloroethane	11.536	62	1040514	98.72	ug/L	99
60) trichloroethene	12.254	130	802740	107.97	ug/L	99
61) ethyl acrylate	12.244	55	1103254	108.48	ug/L	99
62) 2-nitropropane	12.899	43	370441	113.61	ug/L	98
63) 2-chloroethyl vinyl ether	12.957	63	1958394	573.33	ug/L	99
64) methyl methacrylate	12.495	100	231500	109.41	ug/L	96
65) 1,2-dichloropropane	12.474	63	709266	106.64	ug/L	99
66) dibromomethane	12.600	93	537367	102.61	ug/L	98
67) methylcyclohexane	12.511	83	957482	105.87	ug/L	99
68) bromodichloromethane	12.721	83	1064252	107.17	ug/L	100
69) epichlorohydrin	13.041	57	505492	542.02	ug/L	97
70) cis-1,3-dichloropropene	13.161	75	1166919	108.73	ug/L	98
71) 4-methyl-2-pentanone	13.256	58	1424239	426.66	ug/L	99
72) 3-methyl-1-butanol	13.245	70	682360	2258.20	ug/L	98
75) toluene	13.528	92	1652018	101.78	ug/L	98
76) trans-1,3-dichloropropene	13.659	75	1112273	109.19	ug/L	99
77) ethyl methacrylate	13.691	69	997032	109.21	ug/L	98
78) 1,1,2-trichloroethane	13.853	83	573819	105.45	ug/L	98
79) tetrachloroethene	14.073	164	653090	99.56	ug/L	99
80) 1,3-dichloropropane	14.021	76	1094431	106.44	ug/L	96
81) 2-hexanone	14.026	58	1501825	438.18	ug/L	97
82) butyl acetate	14.110	56	499672	104.51	ug/L	98
83) dibromochloromethane	14.262	129	974442	109.42	ug/L	99
84) 1,2-dibromoethane	14.409	107	794846	108.15	ug/L	99
85) n-butyl ether	14.813	57	2906382	110.69	ug/L	100
86) chlorobenzene	14.849	112	1925976	102.03	ug/L	99
87) 1,1,1,2-tetrachloroethane	14.897	131	797178	105.22	ug/L	98
88) ethylbenzene	14.918	91	3074171	101.99	ug/L	99
89) m,p-xylene	15.012	106	2442653	209.37	ug/L	99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120256.D
Acq On : 14 Aug 2022 12:25 am
Operator : PrashanS
Sample : IC5341-100
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Aug 18 08:46:07 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
90)	o-xylene	15.389	106	1251655	107.06	ug/L	98
91)	styrene	15.389	104	2178658	110.55	ug/L	98
92)	bromoform	15.594	173	775412	113.28	ug/L	100
93)	butyl acrylate	15.216	55	1503466	113.20	ug/L	99
94)	isopropylbenzene	15.704	105	3104597	106.92	ug/L	100
95)	cis-1,4-dichloro-2-butene	15.715	88	289159	97.38	ug/L	99
98)	bromobenzene	16.045	156	927715	107.58	ug/L	94
99)	1,1,2,2-tetrachloroethane	15.919	83	1016299	107.86	ug/L	100
100)	trans-1,4-dichloro-2-b...	15.961	53	214387	117.84	ug/L	94
101)	1,2,3-trichloropropane	15.992	110	301213	106.13	ug/L	98
102)	n-propylbenzene	16.076	91	3391174	107.64	ug/L	99
103)	2-chlorotoluene	16.197	126	792344	109.38	ug/L	99
104)	4-chlorotoluene	16.286	91	2174599	105.57	ug/L	99
105)	1,3,5-trimethylbenzene	16.213	105	2420647	108.65	ug/L	100
106)	tert-butylbenzene	16.538	134	488202	110.86	ug/L	95
107)	1,2,4-trimethylbenzene	16.569	105	2414598	107.73	ug/L	99
108)	sec-butylbenzene	16.732	105	2812600	110.33	ug/L	100
109)	1,3-dichlorobenzene	16.884	146	1536854	107.53	ug/L	99
110)	p-isopropyltoluene	16.842	119	2366677	112.63	ug/L	100
111)	1,4-dichlorobenzene	16.952	146	1571057	104.21	ug/L	99
112)	1,2,3-trimethylbenzene	16.973	105	2383496	108.18	ug/L	99
113)	benzyl chloride	17.046	91	1794614	113.09	ug/L	100
114)	1,2-dichlorobenzene	17.314	146	1491904	110.72	ug/L	98
115)	n-butylbenzene	17.219	92	1056532	109.04	ug/L	100
116)	1,2-dibromo-3-chloropr...	18.011	157	289008	112.25	ug/L	100
117)	1,3,5-trichlorobenzene	18.231	180	878130	110.94	ug/L	100
118)	1,2,4-trichlorobenzene	18.824	180	724827	110.34	ug/L	99
119)	hexachlorobutadiene	18.965	225	325267	109.48	ug/L	100
120)	naphthalene	19.081	128	1883960	100.94	ug/L	100
121)	1,2,3-trichlorobenzene	19.306	180	582967	108.24	ug/L	98
122)	hexachloroethane	17.586	201	471789	112.79	ug/L	99
123)	2-methylnaphthalene	20.171	142	301448	55.94	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120256.D
Acq On : 14 Aug 2022 12:25 am
Operator : PrashanS
Sample : IC5341-100
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Aug 18 08:46:07 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120257.D
Acq On : 14 Aug 2022 12:53 am
Operator : PrashanS
Sample : IC5341-200
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Aug 19 12:33:07 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	8.573	65	536131	500.00	ug/L	0.04
5) pentafluorobenzene	11.022	168	811801	50.00	ug/L	0.00
51) 1,4-difluorobenzene	11.919	114	1063342	50.00	ug/L	0.00
73) chlorobenzene-d5	14.823	117	1042462	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	16.931	152	466954	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	11.022	113	383006	49.78	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.56%			
52) 1,2-dichloroethane-d4 (s)	11.447	65	411714	50.32	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.64%			
74) toluene-d8 (s)	13.460	98	1224219	48.73	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.46%			
97) 4-bromofluorobenzene (s)	15.867	95	484418	50.80	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.60%			
Target Compounds						Qvalue
2) tertiary butyl alcohol	8.699	59	1538235	1003.68	ug/L	99
3) ethanol	7.116	45	3101759	20967.25	ug/L	99
4) 1,4-dioxane	12.584	88	676016	4996.41	ug/L	97
6) chlorodifluoromethane	4.584	51	1859365	208.29	ug/L	99
7) dichlorodifluoromethane	4.547	85	2290242	220.65	ug/L	99
8) chloromethane	5.040	50	1697920	193.43	ug/L	100
9) vinyl chloride	5.291	62	1707180	198.15	ug/L	99
10) 1,3-butadiene	5.391	54	1439659	183.35	ug/L	99
11) bromomethane	6.015	94	975035	188.61	ug/L	98
12) chloroethane	6.261	64	958542	211.67	ug/L	99
13) trichlorofluoromethane	6.843	101	2663394	218.48	ug/L	100
14) ethyl ether	7.378	74	777443	212.85	ug/L	100
15) acrolein	7.572	56	340126	221.45	ug/L	99
16) freon 113	7.824	151	1185299	205.28	ug/L	98
17) 1,1-dichloroethene	7.829	96	1189302	185.79	ug/L	99
18) acetone	7.829	58	661366	881.12	ug/L	94
19) acetonitrile	8.269	41	2552060	1980.98	ug/L	99
20) iodomethane	8.112	142	2191129	195.47	ug/L	100
21) carbon disulfide	8.275	76	3562658	198.63	ug/L	99
22) methylene chloride	8.594	84	1359077	197.93	ug/L	99
23) methyl acetate	8.395	43	1396415	219.64	ug/L	99
24) methyl tert butyl ether	9.040	73	4100291	205.78	ug/L	99
25) trans-1,2-dichloroethene	9.056	96	1294485	183.59	ug/L	97
26) di-isopropyl ether	9.727	45	4148001	196.31	ug/L	98
27) 2-butanone	10.398	72	943340	869.36	ug/L	100
28) 1,1-dichloroethane	9.659	63	2395558	205.31	ug/L	98
29) chloroprene	9.806	53	1908922	216.69	ug/L	98
30) acrylonitrile	8.914	53	629138	222.12	ug/L	98
31) hexane	9.481	56	868821	213.14	ug/L	99
32) vinyl acetate	9.664	86	323913	220.98	ug/L	99
33) ethyl tert-butyl ether	10.220	59	4407101	213.81	ug/L	100
34) ethyl acetate	10.461	70	228090	217.75	ug/L #	60

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120257.D
Acq On : 14 Aug 2022 12:53 am
Operator : PrashanS
Sample : IC5341-200
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Aug 19 12:33:07 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
35) 2,2-dichloropropane	10.477	77	2002627	191.48	ug/L		95
36) cis-1,2-dichloroethene	10.445	96	1456714	186.53	ug/L		98
37) methyl acrylate	10.534	55	1536389	212.07	ug/L		99
38) propionitrile	10.451	54	2628612	1995.52	ug/L		98
39) bromochloromethane	10.755	128	805728	202.40	ug/L		95
40) tetrahydrofuran	10.833	72	273412	190.69	ug/L		97
41) chloroform	10.823	85	1666069	188.38	ug/L		99
42) t-butyl formate	10.901	59	1327525	219.64	ug/L		98
44) methacrylonitrile	10.681	67	700692	213.01	ug/L		97
45) 1,1,1-trichloroethane	11.132	97	2363310	209.50	ug/L		99
46) cyclohexane	11.247	84	1802755	205.21	ug/L	#	85
47) 1,1-dichloropropene	11.321	75	1767949	200.31	ug/L		99
48) isobutyl alcohol	11.321	74	129896	1989.67	ug/L		46
49) carbon tetrachloride	11.358	117	2171915	202.74	ug/L		99
50) tert amyl alcohol	11.420	55	476287	1016.04	ug/L		96
53) n-butyl alcohol	12.008	56	3522895	10872.22	ug/L		97
54) 2,2,4-trimethylpentane	11.651	57	3069789	200.84	ug/L		97
55) benzene	11.567	78	4835389	197.78	ug/L		100
56) tert-amyl methyl ether	11.635	87	1015108	214.03	ug/L		97
57) heptane	11.814	71	733881	212.92	ug/L		99
58) isopropyl acetate	11.499	87	367819	210.68	ug/L		98
59) 1,2-dichloroethane	11.536	62	2033963	194.30	ug/L		99
60) trichloroethene	12.254	130	1561236	211.43	ug/L		100
61) ethyl acrylate	12.244	55	2178559	215.67	ug/L		99
62) 2-nitropropane	12.904	43	768263	237.24	ug/L		99
63) 2-chloroethyl vinyl ether	12.962	63	4093863	1206.71	ug/L		98
64) methyl methacrylate	12.495	100	462695	220.18	ug/L		95
65) 1,2-dichloropropane	12.480	63	1385988	209.82	ug/L		99
66) dibromomethane	12.600	93	1059010	203.60	ug/L		98
67) methylcyclohexane	12.511	83	1872218	208.44	ug/L		99
68) bromodichloromethane	12.726	83	2098179	212.73	ug/L		99
69) epichlorohydrin	13.046	57	984568	1062.95	ug/L		97
70) cis-1,3-dichloropropene	13.161	75	2293781	215.19	ug/L		100
71) 4-methyl-2-pentanone	13.261	58	2843415	857.63	ug/L		94
72) 3-methyl-1-butanol	13.256	70	1380090	4598.57	ug/L		99
75) toluene	13.528	92	3244032	202.19	ug/L		97
76) trans-1,3-dichloropropene	13.659	75	2231552	221.63	ug/L		99
77) ethyl methacrylate	13.691	69	1980715	219.49	ug/L		97
78) 1,1,2-trichloroethane	13.853	83	1146511	213.15	ug/L		98
79) tetrachloroethene	14.073	164	1258437	194.08	ug/L		99
80) 1,3-dichloropropane	14.026	76	2185036	214.99	ug/L		93
81) 2-hexanone	14.031	58	2977855	878.98	ug/L		92
82) butyl acetate	14.110	56	972878	205.86	ug/L		96
83) dibromochloromethane	14.262	129	1952491	221.81	ug/L		100
84) 1,2-dibromoethane	14.409	107	1580063	217.50	ug/L		99
85) n-butyl ether	14.813	57	5709487	219.99	ug/L		100
86) chlorobenzene	14.849	112	3740450	200.46	ug/L		98
87) 1,1,1,2-tetrachloroethane	14.897	131	1563469	208.78	ug/L		98
88) ethylbenzene	14.918	91	5953776	199.83	ug/L		99
89) m,p-xylene	15.017	106	4789898	415.35	ug/L		96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120257.D
Acq On : 14 Aug 2022 12:53 am
Operator : PrashanS
Sample : IC5341-200
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Aug 19 12:33:07 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
90) o-xylene	15.389	106	2438775	211.04	ug/L	99
91) styrene	15.389	104	4302956	220.89	ug/L	98
92) bromoform	15.594	173	1567906	231.73	ug/L	99
93) butyl acrylate	15.216	55	3003151	228.76	ug/L	99
94) isopropylbenzene	15.709	105	6076979	211.73	ug/L	99
95) cis-1,4-dichloro-2-butene	15.715	88	626164	210.24	ug/L	99
98) bromobenzene	16.045	156	1823363	212.14	ug/L	86
99) 1,1,2,2-tetrachloroethane	15.919	83	2017378	214.82	ug/L	100
100) trans-1,4-dichloro-2-b...	15.961	53	455776	251.35	ug/L	93
101) 1,2,3-trichloropropane	15.992	110	594335	210.10	ug/L	100
102) n-propylbenzene	16.076	91	6611939	210.57	ug/L	99
103) 2-chlorotoluene	16.202	126	1551486	214.88	ug/L	97
104) 4-chlorotoluene	16.286	91	4321114	210.47	ug/L	99
105) 1,3,5-trimethylbenzene	16.213	105	4789955	215.72	ug/L	100
106) tert-butylbenzene	16.538	134	977825	222.78	ug/L	97
107) 1,2,4-trimethylbenzene	16.569	105	4761496	213.14	ug/L	100
108) sec-butylbenzene	16.732	105	5627946	221.51	ug/L	99
109) 1,3-dichlorobenzene	16.884	146	3019790	211.99	ug/L	99
110) p-isopropyltoluene	16.842	119	4769296	227.74	ug/L	99
111) 1,4-dichlorobenzene	16.957	146	3140513	209.00	ug/L	98
112) 1,2,3-trimethylbenzene	16.973	105	4765974	217.03	ug/L	98
113) benzyl chloride	17.046	91	3588799	226.91	ug/L	100
114) 1,2-dichlorobenzene	17.314	146	2966103	220.87	ug/L	99
115) n-butylbenzene	17.219	92	2182938	226.04	ug/L	100
116) 1,2-dibromo-3-chloropr...	18.011	157	582946	227.17	ug/L	99
117) 1,3,5-trichlorobenzene	18.231	180	1814426	229.98	ug/L	99
118) 1,2,4-trichlorobenzene	18.824	180	1489568	227.51	ug/L	99
119) hexachlorobutadiene	18.960	225	670764	226.52	ug/L	99
120) naphthalene	19.081	128	3629488	195.10	ug/L	100
121) 1,2,3-trichlorobenzene	19.306	180	1185184	220.79	ug/L	98
122) hexachloroethane	17.592	201	963977	231.23	ug/L	98
123) 2-methylnaphthalene	20.171	142	555859	103.49	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120257.D
Acq On : 14 Aug 2022 12:53 am
Operator : PrashanS
Sample : IC5341-200
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Aug 19 12:33:07 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120260.D
Acq On : 14 Aug 2022 2:18 am
Operator : PrashanS
Sample : ICV5341-50
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Aug 18 15:44:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	8.532	65	577569	500.00	ug/L	0.00
5) pentafluorobenzene	11.022	168	874487	50.00	ug/L	0.00
51) 1,4-difluorobenzene	11.919	114	1125169	50.00	ug/L	0.00
73) chlorobenzene-d5	14.823	117	1097217	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	16.931	152	483925	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	11.022	113	409012	49.35	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.70%			
52) 1,2-dichloroethane-d4 (s)	11.447	65	432475	49.96	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.92%			
74) toluene-d8 (s)	13.460	98	1289918	48.78	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.56%			
97) 4-bromofluorobenzene (s)	15.867	95	500889	50.68	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.36%			
Target Compounds						Qvalue
2) tertiary butyl alcohol	8.663	59	431494	261.35	ug/L	98
3) ethanol	7.069	45	856720	5375.75	ug/L	98
4) 1,4-dioxane	12.574	88	182930	1255.03	ug/L	98
7) dichlorodifluoromethane	4.547	85	605556	54.16	ug/L	100
8) chloromethane	5.040	50	461587	48.82	ug/L	98
9) vinyl chloride	5.291	62	481521	51.88	ug/L	99
10) 1,3-butadiene	5.391	54	486537	57.52	ug/L	100
11) bromomethane	6.057	94	314361	56.45	ug/L	98
12) chloroethane	6.288	64	275845	56.55	ug/L	99
13) trichlorofluoromethane	6.854	101	709576	54.04	ug/L	100
14) ethyl ether	7.378	74	214425	54.50	ug/L	98
15) acrolein	7.577	56	95244	57.57	ug/L	100
16) freon 113	7.829	151	319079	51.30	ug/L	98
17) 1,1-dichloroethene	7.834	96	329363	47.76	ug/L	98
18) acetone	7.824	58	185741	229.72	ug/L	99
20) iodomethane	8.117	142	443880	38.06	ug/L	99
21) carbon disulfide	8.280	76	966471	50.02	ug/L	99
22) methylene chloride	8.595	84	376680	50.93	ug/L	98
23) methyl acetate	8.401	43	406266	59.32	ug/L	99
24) methyl tert butyl ether	9.035	73	1130893	52.69	ug/L	99
25) trans-1,2-dichloroethene	9.061	96	360237	47.43	ug/L	98
26) di-isopropyl ether	9.722	45	1130567	49.67	ug/L	100
27) 2-butanone	10.393	72	268401	229.62	ug/L	99
28) 1,1-dichloroethane	9.659	63	653932	52.03	ug/L	98
29) chloroprene	9.811	53	550866	58.05	ug/L	98
31) hexane	9.486	56	248742	56.65	ug/L	97
32) vinyl acetate	9.664	86	75789	48.00	ug/L	98
33) ethyl tert-butyl ether	10.220	59	1099791	49.53	ug/L	100
34) ethyl acetate	10.456	70	63028	55.86	ug/L	96
35) 2,2-dichloropropane	10.477	77	542072	48.12	ug/L	100
36) cis-1,2-dichloroethene	10.445	96	402087	47.79	ug/L	99
37) methyl acrylate	10.534	55	422246	54.11	ug/L	99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120260.D
Acq On : 14 Aug 2022 2:18 am
Operator : PrashanS
Sample : ICV5341-50
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Aug 18 15:44:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
38) propionitrile	10.445	54	739779	521.35	ug/L	99
39) bromochloromethane	10.755	128	221382	51.63	ug/L	97
40) tetrahydrofuran	10.833	72	76804	49.73	ug/L	96
41) chloroform	10.823	85	452423	47.49	ug/L	99
42) t-butyl formate	10.901	59	221773	34.06	ug/L	97
44) methacrylonitrile	10.676	67	194199	54.80	ug/L	96
45) 1,1,1-trichloroethane	11.132	97	625839	51.50	ug/L	99
46) cyclohexane	11.248	84	494404	52.24	ug/L	91
47) 1,1-dichloropropene	11.321	75	485035	51.02	ug/L	98
48) isobutyl alcohol	11.321	74	34762	494.29	ug/L	82
49) carbon tetrachloride	11.358	117	587579	50.92	ug/L	99
50) tert amyl alcohol	11.400	55	133814	265.00	ug/L	97
53) n-butyl alcohol	11.987	56	931581	2717.03	ug/L	99
54) 2,2,4-trimethylpentane	11.651	57	805755	49.82	ug/L	99
55) benzene	11.567	78	1332940	51.52	ug/L	99
56) tert-amyl methyl ether	11.635	87	250176	49.85	ug/L	96
57) heptane	11.814	71	196988	54.01	ug/L	97
58) isopropyl acetate	11.499	87	98533	53.34	ug/L	99
59) 1,2-dichloroethane	11.536	62	542773	49.00	ug/L	99
60) trichloroethene	12.254	130	416173	53.26	ug/L	99
61) ethyl acrylate	12.244	55	564497	52.81	ug/L	99
62) 2-nitropropane	12.904	43	200524	58.52	ug/L	99
63) 2-chloroethyl vinyl ether	12.957	63	969519	270.07	ug/L	99
64) methyl methacrylate	12.495	100	121925	54.83	ug/L	95
65) 1,2-dichloropropane	12.474	63	359114	51.38	ug/L	100
66) dibromomethane	12.600	93	275758	50.10	ug/L	98
67) methylcyclohexane	12.511	83	508254	53.48	ug/L	100
68) bromodichloromethane	12.726	83	543800	52.11	ug/L	99
69) epichlorohydrin	13.041	57	263171	268.51	ug/L	99
70) cis-1,3-dichloropropene	13.161	75	591713	52.46	ug/L	98
71) 4-methyl-2-pentanone	13.256	58	744632	212.25	ug/L	99
72) 3-methyl-1-butanol	13.245	70	363242	1143.84	ug/L	99
75) toluene	13.528	92	837061	49.57	ug/L	100
76) trans-1,3-dichloropropene	13.659	75	557971	52.65	ug/L	99
77) ethyl methacrylate	13.691	69	507724	53.46	ug/L	98
78) 1,1,2-trichloroethane	13.853	83	296003	52.29	ug/L	99
80) 1,3-dichloropropane	14.026	76	552473	51.65	ug/L	96
81) 2-hexanone	14.026	58	775772	217.56	ug/L	99
82) butyl acetate	14.110	56	270195	54.32	ug/L	98
83) dibromochloromethane	14.262	129	491181	53.02	ug/L	99
84) 1,2-dibromoethane	14.409	107	405466	53.03	ug/L	100
85) n-butyl ether	14.813	57	1422882	52.09	ug/L	99
86) chlorobenzene	14.849	112	990420	50.43	ug/L	99
87) 1,1,1,2-tetrachloroethane	14.897	131	407087	51.65	ug/L	99
88) ethylbenzene	14.918	91	1592400	50.78	ug/L	100
89) m,p-xylene	15.012	106	1240433	102.19	ug/L	99
90) o-xylene	15.390	106	625542	51.43	ug/L	97
91) styrene	15.390	104	1090536	53.19	ug/L	99
92) bromoform	15.594	173	388024	54.49	ug/L	98
93) butyl acrylate	15.216	55	760115	55.01	ug/L	99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120260.D
Acq On : 14 Aug 2022 2:18 am
Operator : PrashanS
Sample : ICV5341-50
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Aug 18 15:44:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
94) isopropylbenzene	15.709	105	1577309	52.21	ug/L	100
95) cis-1,4-dichloro-2-butene	15.715	88	143940	47.95	ug/L	99
98) bromobenzene	16.045	156	475205	53.35	ug/L	87
99) 1,1,2,2-tetrachloroethane	15.919	83	517132	53.13	ug/L	99
100) trans-1,4-dichloro-2-b...	15.961	53	114192	60.77	ug/L	92
101) 1,2,3-trichloropropane	15.992	110	157558	53.74	ug/L	100
102) n-propylbenzene	16.076	91	1734300	53.30	ug/L	99
103) 2-chlorotoluene	16.202	126	396442	52.98	ug/L	98
104) 4-chlorotoluene	16.286	91	1096635	51.54	ug/L	99
105) 1,3,5-trimethylbenzene	16.213	105	1221594	53.09	ug/L	100
106) tert-butylbenzene	16.538	134	249014	54.74	ug/L	96
107) 1,2,4-trimethylbenzene	16.569	105	1232303	53.23	ug/L	100
108) sec-butylbenzene	16.732	105	1423214	54.05	ug/L	99
109) 1,3-dichlorobenzene	16.884	146	777958	52.70	ug/L	99
110) p-isopropyltoluene	16.842	119	1192130	54.93	ug/L	100
111) 1,4-dichlorobenzene	16.957	146	787148	50.55	ug/L	98
113) benzyl chloride	17.046	91	835368	50.97	ug/L	100
114) 1,2-dichlorobenzene	17.314	146	754224	54.19	ug/L	100
115) n-butylbenzene	17.219	92	530917	53.05	ug/L	98
116) 1,2-dibromo-3-chloropr...	18.011	157	145227	54.61	ug/L	98
117) 1,3,5-trichlorobenzene	18.231	180	445145	54.44	ug/L	98
118) 1,2,4-trichlorobenzene	18.824	180	362845	53.48	ug/L	99
119) hexachlorobutadiene	18.960	225	175718	57.26	ug/L	98
120) naphthalene	19.081	128	981575	50.91	ug/L	100
121) 1,2,3-trichlorobenzene	19.311	180	298252	53.61	ug/L	99
122) hexachloroethane	17.586	201	239377	55.41	ug/L	99
123) 2-methylnaphthalene	20.171	142	147372	26.48	ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120260.D
Acq On : 14 Aug 2022 2:18 am
Operator : PrashanS
Sample : ICV5341-50
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Aug 18 15:44:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120261.D
Acq On : 14 Aug 2022 2:46 am
Operator : PrashanS
Sample : ICV5341-50
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Aug 18 15:45:18 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	8.532	65	576396	500.00	ug/L	0.00
5) pentafluorobenzene	11.022	168	929926	50.00	ug/L	0.00
51) 1,4-difluorobenzene	11.919	114	1197308	50.00	ug/L	0.00
73) chlorobenzene-d5	14.823	117	1104478	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	16.931	152	499197	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	11.022	113	433589	49.20	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.40%			
52) 1,2-dichloroethane-d4 (s)	11.447	65	465975	50.58	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 101.16%			
74) toluene-d8 (s)	13.460	98	1366096	51.32	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.64%			
97) 4-bromofluorobenzene (s)	15.867	95	513309	50.35	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.70%			
Target Compounds						Qvalue
6) chlorodifluoromethane	4.584	51	594002	58.09	ug/L	97
19) acetonitrile	8.264	41	670169	454.12	ug/L	99
30) acrylonitrile	8.920	53	147632	45.50	ug/L	99
79) tetrachloroethene	14.074	164	330444	48.10	ug/L	99
112) 1,2,3-trimethylbenzene	16.973	105	1296313	55.22	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V4D5341\
Data File : 4D120261.D
Acq On : 14 Aug 2022 2:46 am
Operator : PrashanS
Sample : ICV5341-50
Misc : MS61262,V4D5341,5,,,,1
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Aug 18 15:45:18 2022
Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Aug 16 11:16:58 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121696.d
Acq On : 29 Sep 2022 8:44 pm
Operator : taylors
Sample : cc5341-50 Inst : MS4D
Misc : MS62508,V4D5406,5,,,,1
ALS Vial : 27 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 07:21:56 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	8.536	65	706382	500.00	ug/L		0.00
5) pentafluorobenzene	11.021	168	764135	50.00	ug/L		0.00
51) 1,4-difluorobenzene	11.917	114	1106962	50.00	ug/L		0.00
73) chlorobenzene-d5	14.822	117	1099836	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	16.930	152	495177	50.00	ug/L		0.00
124) pentafluorobenzene(a)	11.021	168	764135	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	11.021	113	385270	53.20	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 106.40%				
52) 1,2-dichloroethane-d4 (s)	11.446	65	400173	46.99	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 93.98%				
74) toluene-d8 (s)	13.459	98	1294906	48.85	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.70%				
97) 4-bromofluorobenzene (s)	15.865	95	489567	48.41	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.82%				
Target Compounds							Qvalue
2) tertiary butyl alcohol	8.662	59	534031	264.47	ug/L		97
3) ethanol	7.068	45	1239894	6361.35	ug/L		97
4) 1,4-dioxane	12.573	88	214315	1202.22	ug/L		93
6) chlorodifluoromethane	4.593	51	481583	57.31	ug/L		94
7) dichlorodifluoromethane	4.540	85	403829	41.33	ug/L		99
8) chloromethane	5.039	50	318115	38.50	ug/L		98
9) vinyl chloride	5.280	62	306582	37.80	ug/L		97
10) 1,3-butadiene	5.379	54	270919	36.66	ug/L		100
11) bromomethane	6.045	94	180877	37.17	ug/L		99
12) chloroethane	6.281	64	194410	45.61	ug/L		96
13) trichlorofluoromethane	6.847	101	510023	44.45	ug/L		100
14) ethyl ether	7.372	74	183301	53.32	ug/L		82
15) acrolein	7.571	56	96919	67.04	ug/L		94
16) freon 113	7.823	151	277064	50.98	ug/L		98
17) 1,1-dichloroethene	7.828	96	283667	47.08	ug/L		97
18) acetone	7.823	58	224436	317.66	ug/L	#	80
19) acetonitrile	8.258	41	998135	823.11	ug/L		98
20) iodomethane	8.111	142	258265	25.87	ug/L		97
21) carbon disulfide	8.274	76	813366	48.18	ug/L		99
22) methylene chloride	8.593	84	326663	50.54	ug/L		85
23) methyl acetate	8.394	43	474621	79.31	ug/L		93
24) methyl tert butyl ether	9.034	73	979833	52.24	ug/L		93
25) trans-1,2-dichloroethene	9.055	96	312264	47.05	ug/L		92
26) di-isopropyl ether	9.721	45	1261529	63.43	ug/L		94
27) 2-butanone	10.392	72	273555	267.83	ug/L	#	61
28) 1,1-dichloroethane	9.658	63	590827	53.79	ug/L		96
29) chloroprene	9.805	53	501318	60.46	ug/L		92
30) acrylonitrile	8.913	53	206542	77.47	ug/L		99
31) hexane	9.485	56	229852	59.90	ug/L		91
32) vinyl acetate	9.663	86	84463	61.22	ug/L	#	63
33) ethyl tert-butyl ether	10.219	59	1118211	57.63	ug/L		97
34) ethyl acetate	10.455	70	59859	60.71	ug/L	#	80
35) 2,2-dichloropropane	10.470	77	439072	44.60	ug/L		94
36) cis-1,2-dichloroethene	10.439	96	354859	48.27	ug/L		95
37) methyl acrylate	10.533	55	490449	71.92	ug/L		94
38) propionitrile	10.439	54	1019915	822.57	ug/L		99
39) bromochloromethane	10.754	128	203728	54.37	ug/L		91
40) tetrahydrofuran	10.832	72	79501	58.91	ug/L	#	69

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121696.d
Acq On : 29 Sep 2022 8:44 pm
Operator : taylors
Sample : cc5341-50 Inst : MS4D
Misc : MS62508,V4D5406,5,,,,1
ALS Vial : 27 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 07:21:56 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
41) chloroform	10.822	85	383137	46.02	ug/L		96
42) t-butyl formate	10.900	59	364792	64.12	ug/L		91
44) methacrylonitrile	10.675	67	195239	63.06	ug/L		85
45) 1,1,1-trichloroethane	11.131	97	521036	49.07	ug/L		98
46) cyclohexane	11.246	84	344387	41.65	ug/L	#	55
47) 1,1-dichloropropene	11.320	75	417509	50.26	ug/L		97
48) isobutyl alcohol	11.320	74	29220	475.49	ug/L		62
49) carbon tetrachloride	11.351	117	493087	48.90	ug/L		100
50) tert amyl alcohol	11.398	55	188945	428.21	ug/L		94
53) n-butyl alcohol	11.986	56	1457367	4320.44	ug/L		96
54) 2,2,4-trimethylpentane	11.650	57	781184	49.09	ug/L		99
55) benzene	11.566	78	1165573	45.80	ug/L		99
56) tert-amyl methyl ether	11.634	87	237299	48.06	ug/L		94
57) heptane	11.813	71	148283	41.33	ug/L		88
58) isopropyl acetate	11.493	87	97485	53.64	ug/L	#	62
59) 1,2-dichloroethane	11.535	62	506304	46.46	ug/L		95
60) trichloroethene	12.253	130	380171	49.45	ug/L		98
61) ethyl acrylate	12.243	55	678093	64.48	ug/L		96
62) 2-nitropropane	12.903	43	212750	63.11	ug/L		96
63) 2-chloroethyl vinyl ether	12.956	63	1360492	385.22	ug/L		98
64) methyl methacrylate	12.494	100	121315	55.46	ug/L	#	84
65) 1,2-dichloropropane	12.473	63	355791	51.74	ug/L		99
66) dibromomethane	12.599	93	252369	46.61	ug/L		98
67) methylcyclohexane	12.510	83	444434	47.53	ug/L		92
68) bromodichloromethane	12.720	83	487237	47.45	ug/L		97
69) epichlorohydrin	13.039	57	360632	374.00	ug/L		98
70) cis-1,3-dichloropropene	13.160	75	551349	49.69	ug/L		99
71) 4-methyl-2-pentanone	13.254	58	901136	261.09	ug/L	#	84
72) 3-methyl-1-butanol	13.244	70	471069	1507.79	ug/L	#	75
75) toluene	13.527	92	754798	44.59	ug/L		97
76) trans-1,3-dichloropropene	13.658	75	522242	49.16	ug/L		99
77) ethyl methacrylate	13.690	69	492120	51.69	ug/L		88
78) 1,1,2-trichloroethane	13.852	83	291274	51.33	ug/L		98
79) tetrachloroethene	14.072	164	285362	41.71	ug/L		94
80) 1,3-dichloropropane	14.020	76	528156	49.25	ug/L		80
81) 2-hexanone	14.025	58	1004796	281.11	ug/L		93
82) butyl acetate	14.109	56	328222	65.83	ug/L		98
83) dibromochloromethane	14.261	129	466240	50.20	ug/L		98
84) 1,2-dibromoethane	14.408	107	408147	53.25	ug/L		97
85) n-butyl ether	14.812	57	1503914	54.92	ug/L		95
86) chlorobenzene	14.848	112	926807	47.08	ug/L		95
87) 1,1,1,2-tetrachloroethane	14.896	131	379708	48.06	ug/L		98
88) ethylbenzene	14.916	91	1421233	45.21	ug/L		100
89) m,p-xylene	15.011	106	1117470	91.85	ug/L		94
90) o-xylene	15.388	106	565696	46.40	ug/L		91
91) styrene	15.388	104	983101	47.83	ug/L		93
92) bromoform	15.593	173	359768	50.40	ug/L		98
93) butyl acrylate	15.215	55	872112	62.96	ug/L		96
94) isopropylbenzene	15.703	105	1394443	46.05	ug/L		97
95) cis-1,4-dichloro-2-butene	15.713	88	147820	49.06	ug/L		93
98) bromobenzene	16.044	156	419155	45.99	ug/L		89
99) 1,1,2,2-tetrachloroethane	15.918	83	528778	53.10	ug/L		98
100) trans-1,4-dichloro-2-b...	15.960	53	128651	66.90	ug/L		98
101) 1,2,3-trichloropropane	15.991	110	153810	51.27	ug/L		96
102) n-propylbenzene	16.075	91	1536137	46.13	ug/L		97
103) 2-chlorotoluene	16.196	126	369485	48.26	ug/L		93
104) 4-chlorotoluene	16.285	91	972458	44.67	ug/L		97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121696.d
Acq On : 29 Sep 2022 8:44 pm
Operator : taylors
Sample : cc5341-50 Inst : MS4D
Misc : MS62508,V4D5406,5,,,,1
ALS Vial : 27 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 07:21:56 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
105) 1,3,5-trimethylbenzene	16.212	105	1049446	44.57	ug/L	97
106) tert-butylbenzene	16.537	134	222692	47.85	ug/L	95
107) 1,2,4-trimethylbenzene	16.568	105	1034482	43.67	ug/L	97
108) sec-butylbenzene	16.731	105	1258905	46.73	ug/L	98
109) 1,3-dichlorobenzene	16.883	146	707766	46.85	ug/L	99
110) p-isopropyltoluene	16.841	119	1064793	47.95	ug/L	97
111) 1,4-dichlorobenzene	16.956	146	711118	44.63	ug/L	97
112) 1,2,3-trimethylbenzene	16.972	105	1014209	43.55	ug/L	96
113) benzyl chloride	17.045	91	826662	49.29	ug/L	97
114) 1,2-dichlorobenzene	17.313	146	695378	48.83	ug/L	97
115) n-butylbenzene	17.218	92	425714	41.57	ug/L	97
116) 1,2-dibromo-3-chloropr...	18.010	157	168072	61.76	ug/L	96
117) 1,3,5-trichlorobenzene	18.230	180	386000	46.14	ug/L	95
118) 1,2,4-trichlorobenzene	18.823	180	326961	47.09	ug/L	96
119) hexachlorobutadiene	18.959	225	133563	42.53	ug/L	97
120) naphthalene	19.079	128	1007715	51.08	ug/L	99
121) 1,2,3-trichlorobenzene	19.305	180	290369	51.01	ug/L	95
122) hexachloroethane	17.585	201	188893	42.73	ug/L	97
123) 2-methylnaphthalene	20.170	142	224741	39.46	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-01-22\v4d5406\
Data File : 4d121696.d
Acq On : 29 Sep 2022 8:44 pm
Operator : taylors
Sample : cc5341-50 Inst : MS4D
Misc : MS62508,V4D5406,5,,,,1
ALS Vial : 27 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M4D5341.M
Quant Results File: M4D5341.RES
Quant Time: Sep 30 07:21:56 2022
Quant Title : SW846 8260C/D/ EPA 624.1, DB-624 60 m x 0.25 mm x 1.4 um
QLast Update : Tue Sep 20 14:55:55 2022
Response via : Initial Calibration



Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 06/22/22 18:38

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342968.D
Acq On : 15 Jun 2022 4:25 pm
Operator : BridgetK
Sample : ic10355-0.2
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jun 17 18:01:24 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.092	65	277572	500.00	ug/L		0.00
5) pentafluorobenzene	4.314	168	263586	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.882	114	379866	50.00	ug/L		0.00
72) chlorobenzene-d5	7.276	117	328492	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.471	152	127404	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.321	113	116894	48.39	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.78%				
52) 1,2-dichloroethane-d4 (s)	4.577	65	143797	53.06	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 106.12%				
73) toluene-d8 (s)	6.028	98	470545	54.59	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 109.18%				
96) 4-bromofluorobenzene (s)	8.358	95	164910	50.16	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.32%				
Target Compounds							Qvalue
6) chlorodifluoromethane	1.677	51	669	0.23	ug/L	#	52
7) dichlorodifluoromethane	1.657	85	1059m	0.25	ug/L		
9) vinyl chloride	1.904	62	788	0.23	ug/L		91
12) chloroethane	2.232	64	464	0.24	ug/L	#	47
13) trichlorofluoromethane	2.415	101	889	0.18	ug/L		74
37) cis-1,2-dichloroethene	3.997	96	661	0.23	ug/L	#	44
46) cyclohexane	4.411	84	845	0.21	ug/L	#	78
47) 1,1-dichloropropene	4.462	75	798	0.22	ug/L	#	62
57) heptane	4.780	57	354	0.24	ug/L	#	5
69) epichlorohydrin	5.717	57	1117	2.28	ug/L	#	59
115) 1,3,5-trichlorobenzene	10.809	180	620	0.21	ug/L		83
120) hexachloroethane	10.110	119	381	0.22	ug/L	#	44

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342968.D
Acq On : 15 Jun 2022 4:25 pm
Operator : BridgetK
Sample : ic10355-0.2
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jun 17 18:01:24 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number:	VL10355-IC10355	**Method:**	SW846 8260D
Lab FileID:	L342968.D	**Analyst approved:**	06/22/22 18:38 Kanya Veerawat
Injection Time:	06/15/22 16:25	**Supervisor approved:**	06/22/22 18:38 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Dichlorodifluoromethane	75-71-8		1.66	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342968.D
Acq On : 15 Jun 2022 4:25 pm
Operator : BridgetK
Sample : ic10355-0.2
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jun 16 15:08:49 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration





TIC: L342968.D\data.ms

(7) dichlorodifluoromethane

1.654min 0.00ug/L d


response 0


Ion	Exp%	Act%
85.00	100	0.00
87.00	33.00	0.00
100.90	8.90	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342968.D
Acq On : 15 Jun 2022 4:25 pm
Operator : BridgetK
Sample : ic10355-0.2
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jun 16 15:08:49 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration





TIC: L342968.D\data.ms

(7) dichlorodifluoromethane

1.657min (+0.003) 0.25ug/L m

response 1059

Ion	Exp%	Act%
85.00	100	100
87.00	33.00	37.18
100.90	8.90	0.00
0.00	0.00	0.00

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342969.D
Acq On : 15 Jun 2022 4:48 pm
Operator : BridgetK
Sample : ic10355-0.5
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Jun 16 15:10:57 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.092	65	274323	500.00	ug/L		0.00
5) pentafluorobenzene	4.314	168	255051	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.882	114	368348	50.00	ug/L		0.00
72) chlorobenzene-d5	7.279	117	321113	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.468	152	124594	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.324	113	113357	48.49	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.98%				
52) 1,2-dichloroethane-d4 (s)	4.577	65	140259	53.37	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 106.74%				
73) toluene-d8 (s)	6.028	98	460317	54.63	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 109.26%				
96) 4-bromofluorobenzene (s)	8.354	95	162731	50.61	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.22%				
Target Compounds							Qvalue
6) chlorodifluoromethane	1.673	51	1548	0.55	ug/L	#	59
7) dichlorodifluoromethane	1.664	85	1970	0.47	ug/L		82
9) vinyl chloride	1.898	62	1960	0.59	ug/L		86
12) chloroethane	2.241	64	1184	0.62	ug/L		62
13) trichlorofluoromethane	2.421	101	2509	0.53	ug/L		91
16) freon 113	2.784	151	1024	0.53	ug/L	#	58
17) 1,1-dichloroethene	2.793	96	1381	0.58	ug/L	#	50
25) methyl tert butyl ether	3.291	73	4885	0.54	ug/L		94
26) trans-1,2-dichloroethene	3.310	96	1506	0.60	ug/L	#	77
27) hexane	3.477	57	1976	0.56	ug/L		89
28) di-isopropyl ether	3.595	45	4074	0.56	ug/L		88
29) ethyl tert-butyl ether	3.833	59	4499	0.52	ug/L		83
30) 2-butanone	3.971	72	1419	2.27	ug/L	#	65
31) 1,1-dichloroethane	3.605	63	2360	0.53	ug/L		86
32) chloroprene	3.656	53	2149	0.61	ug/L		78
36) 2,2-dichloropropane	4.000	77	2394	0.58	ug/L		80
37) cis-1,2-dichloroethene	3.993	96	1606	0.58	ug/L		78
40) bromochloromethane	4.157	128	689	0.54	ug/L	#	78
41) tetrahydrofuran	4.176	72	277	0.38	ug/L	#	35
45) 1,1,1-trichloroethane	4.346	97	2395	0.55	ug/L	#	40
46) cyclohexane	4.414	84	2085	0.55	ug/L	#	54
47) 1,1-dichloropropene	4.455	75	1860	0.53	ug/L		85
48) carbon tetrachloride	4.465	117	2054	0.60	ug/L	#	63
55) n-butyl alcohol	4.946	56	4439	26.13	ug/L		77
56) benzene	4.609	78	5329	0.58	ug/L		86
57) heptane	4.780	57	929	0.65	ug/L	#	58
59) trichloroethene	5.084	95	1717	0.65	ug/L	#	58
62) 2-chloroethyl vinyl ether	5.659	63	4097	2.63	ug/L		94
65) methylcyclohexane	5.271	83	1955	0.46	ug/L		84
66) dibromomethane	5.351	93	973	0.59	ug/L	#	70
67) bromodichloromethane	5.463	83	2449	0.65	ug/L		72
68) cis-1,3-dichloropropene	5.810	75	2352	0.52	ug/L		69

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342969.D
Acq On : 15 Jun 2022 4:48 pm
Operator : BridgetK
Sample : ic10355-0.5
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Jun 16 15:10:57 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
70) 4-methyl-2-pentanone	5.906	58	3657	2.38	ug/L	#	75
71) 3-methyl-1-butanol	5.932	70	2244	12.66	ug/L	#	79
74) toluene	6.082	92	3549	0.63	ug/L		83
75) trans-1,3-dichloropropene	6.262	75	2522	0.62	ug/L		90
78) 2-hexanone	6.593	58	3941	2.65	ug/L		90
79) tetrachloroethene	6.525	166	1292	0.56	ug/L		86
82) dibromochloromethane	6.756	129	1751	0.69	ug/L		81
83) 1,2-dibromoethane	6.885	107	1704	0.65	ug/L	#	67
88) m,p-xylene	7.491	106	5283	1.33	ug/L		97
97) bromobenzene	8.495	156	1426	0.59	ug/L		77
98) 1,1,2,2-tetrachloroethane	8.470	83	2462	0.66	ug/L		94
110) 1,4-dichlorobenzene	9.497	146	2437	0.59	ug/L		73
112) 1,2-dichlorobenzene	9.846	146	2458	0.61	ug/L		90
113) n-butylbenzene	9.808	92	2176	0.52	ug/L		96
114) 1,2-dibromo-3-chloropr...	10.607	157	404	0.40	ug/L	#	4
115) 1,3,5-trichlorobenzene	10.809	180	1248	0.43	ug/L		79
119) 1,2,3-trichlorobenzene	11.903	180	959	0.45	ug/L	#	38
120) hexachloroethane	10.116	119	779	0.47	ug/L		86

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342969.D
Acq On : 15 Jun 2022 4:48 pm
Operator : BridgetK
Sample : ic10355-0.5
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Jun 16 15:10:57 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342970.D
Acq On : 15 Jun 2022 5:11 pm
Operator : BridgetK
Sample : ic10355-1
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Jun 16 15:12:10 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.089	65	277339	500.00	ug/L		0.00
5) pentafluorobenzene	4.308	168	259441	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.879	114	373581	50.00	ug/L		0.00
72) chlorobenzene-d5	7.273	117	325769	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.465	152	125399	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.318	113	115612	48.62	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.24%				
52) 1,2-dichloroethane-d4 (s)	4.571	65	139827	52.46	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 104.92%				
73) toluene-d8 (s)	6.025	98	465217	54.42	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 108.84%				
96) 4-bromofluorobenzene (s)	8.354	95	163636	50.57	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.14%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.316	88	1675	25.21	ug/L		70
3) ethanol	2.508	45	8093	126.43	ug/L		88
4) tertiary butyl alcohol	3.150	59	4737	6.12	ug/L		84
6) chlorodifluoromethane	1.677	51	2698	0.95	ug/L	#	78
7) dichlorodifluoromethane	1.657	85	5197	1.23	ug/L		91
8) chloromethane	1.815	50	3446	1.23	ug/L		96
9) vinyl chloride	1.901	62	4160	1.23	ug/L		77
12) chloroethane	2.232	64	2854	1.48	ug/L		83
13) trichlorofluoromethane	2.421	101	5933	1.23	ug/L		76
14) ethyl ether	2.604	74	1310	0.72	ug/L	#	73
16) freon 113	2.781	151	1785	0.90	ug/L	#	75
17) 1,1-dichloroethene	2.790	96	2108	0.88	ug/L	#	72
18) acetone	2.803	58	1492	3.57	ug/L	#	53
19) acetonitrile	2.992	40	3136	11.63	ug/L	#	68
22) carbon disulfide	2.963	76	7566	1.07	ug/L		93
23) methylene chloride	3.114	84	2740	1.04	ug/L		87
25) methyl tert butyl ether	3.284	73	8342	0.91	ug/L		93
26) trans-1,2-dichloroethene	3.300	96	2183	0.86	ug/L		88
27) hexane	3.480	57	3822	1.06	ug/L		87
28) di-isopropyl ether	3.592	45	6509	0.88	ug/L		95
29) ethyl tert-butyl ether	3.839	59	7465	0.86	ug/L		98
30) 2-butanone	3.958	72	2182	3.43	ug/L	#	85
31) 1,1-dichloroethane	3.596	63	4047	0.89	ug/L		76
32) chloroprene	3.650	53	3396	0.95	ug/L		85
33) acrylonitrile	3.275	53	1686	1.13	ug/L	#	70
36) 2,2-dichloropropane	4.000	77	4645	1.10	ug/L		96
37) cis-1,2-dichloroethene	3.990	96	2595	0.92	ug/L		87
38) propionitrile	4.010	54	5926	9.85	ug/L		82
40) bromochloromethane	4.164	128	1191	0.92	ug/L	#	70
41) tetrahydrofuran	4.164	72	692	0.94	ug/L	#	68
42) chloroform	4.208	83	5525	1.12	ug/L		85
44) methacrylonitrile	4.115	67	1702	0.98	ug/L	#	51

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342970.D
Acq On : 15 Jun 2022 5:11 pm
Operator : BridgetK
Sample : ic10355-1
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Jun 16 15:12:10 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
45) 1,1,1-trichloroethane	4.350	97	4043	0.91	ug/L	#	70
46) cyclohexane	4.407	84	5185	1.34	ug/L	#	78
47) 1,1-dichloropropene	4.456	75	3495	0.98	ug/L		85
48) carbon tetrachloride	4.459	117	3338	0.96	ug/L		97
53) tert-amyl methyl ether	4.664	73	7913	0.99	ug/L		96
54) 2,2,4-trimethylpentane	4.667	57	6553	1.03	ug/L		86
55) n-butyl alcohol	4.937	56	10235	59.40	ug/L		97
56) benzene	4.606	78	9329	1.01	ug/L		83
57) heptane	4.773	57	1523	1.05	ug/L	#	70
58) 1,2-dichloroethane	4.632	62	3780	1.05	ug/L		73
59) trichloroethene	5.075	95	2318	0.86	ug/L	#	78
60) ethyl acrylate	5.091	55	4393	0.99	ug/L		93
62) 2-chloroethyl vinyl ether	5.656	63	6921	4.37	ug/L		93
64) 1,2-dichloropropane	5.271	63	2353	1.00	ug/L		89
65) methylcyclohexane	5.258	83	4401	1.01	ug/L		80
66) dibromomethane	5.344	93	1569	0.93	ug/L	#	58
67) bromodichloromethane	5.466	83	3604	0.94	ug/L		73
68) cis-1,3-dichloropropene	5.800	75	3713	0.81	ug/L		89
70) 4-methyl-2-pentanone	5.900	58	6690	4.30	ug/L	#	82
71) 3-methyl-1-butanol	5.916	70	4744	26.39	ug/L	#	84
74) toluene	6.086	92	6012	1.04	ug/L		81
75) trans-1,3-dichloropropene	6.253	75	3535	0.86	ug/L		91
76) ethyl methacrylate	6.269	69	4618	1.15	ug/L		88
77) 1,1,2-trichloroethane	6.432	83	2027	0.99	ug/L	#	49
78) 2-hexanone	6.586	58	7288	4.83	ug/L		81
79) tetrachloroethene	6.506	166	2125	0.91	ug/L	#	39
80) 1,3-dichloropropane	6.573	76	4034	1.03	ug/L		91
82) dibromochloromethane	6.756	129	2691	1.04	ug/L		87
83) 1,2-dibromoethane	6.872	107	2581	0.97	ug/L		86
84) n-butyl ether	7.344	57	8639	0.97	ug/L		92
85) chlorobenzene	7.305	112	5484	0.88	ug/L		88
86) 1,1,1,2-tetrachloroethane	7.376	131	2167	1.03	ug/L	#	70
87) ethylbenzene	7.376	91	10425	1.03	ug/L		93
88) m,p-xylene	7.488	106	7861	1.96	ug/L		96
89) o-xylene	7.851	106	3723	0.88	ug/L		88
90) butyl acrylate	7.767	55	5868	1.11	ug/L		95
91) styrene	7.860	104	6299	0.94	ug/L		86
92) bromoform	8.034	173	2119	1.11	ug/L		84
93) isopropylbenzene	8.178	105	9671	0.92	ug/L		95
97) bromobenzene	8.502	156	2582	1.07	ug/L	#	58
98) 1,1,2,2-tetrachloroethane	8.467	83	4609	1.22	ug/L		81
100) 1,2,3-trichloropropane	8.531	110	1210	1.08	ug/L		70
101) n-propylbenzene	8.579	91	11535	1.00	ug/L		92
102) 2-chlorotoluene	8.669	126	2374	1.03	ug/L		99
103) 4-chlorotoluene	8.794	126	2293	1.02	ug/L	#	57
104) 1,3,5-trimethylbenzene	8.746	105	8401	1.00	ug/L		94
105) tert-butylbenzene	9.051	119	6221	0.86	ug/L		87
106) 1,2,4-trimethylbenzene	9.112	105	8403	0.98	ug/L		98
107) sec-butylbenzene	9.266	105	9540	0.93	ug/L		94
108) 1,3-dichlorobenzene	9.397	146	3912	0.90	ug/L		93

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342970.D
Acq On : 15 Jun 2022 5:11 pm
Operator : BridgetK
Sample : ic10355-1
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Jun 16 15:12:10 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
109) p-isopropyltoluene	9.417	119	7527	0.93	ug/L		80
110) 1,4-dichlorobenzene	9.487	146	3638	0.87	ug/L		92
111) 1,2,3-trimethylbenzene	9.513	105	8124	0.99	ug/L		85
112) 1,2-dichlorobenzene	9.840	146	3999	0.99	ug/L		78
113) n-butylbenzene	9.808	92	3247	0.76	ug/L	#	78
114) 1,2-dibromo-3-chloropr...	10.613	157	910	0.91	ug/L		87
115) 1,3,5-trichlorobenzene	10.812	180	2174	0.74	ug/L	#	63
116) 1,2,4-trichlorobenzene	11.435	180	1700	0.69	ug/L	#	61
119) 1,2,3-trichlorobenzene	11.913	180	1558	0.73	ug/L		97
120) hexachloroethane	10.116	119	1579	0.94	ug/L	#	63

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342970.D
Acq On : 15 Jun 2022 5:11 pm
Operator : BridgetK
Sample : ic10355-1
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Jun 16 15:12:10 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342971.D
Acq On : 15 Jun 2022 5:35 pm
Operator : BridgetK
Sample : ic10355-2
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Jun 16 15:15:04 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 09:03:24 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.092	65	284291	500.00	ug/L		0.00
5) pentafluorobenzene	4.314	168	249516	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.882	114	365208	50.00	ug/L		0.00
72) chlorobenzene-d5	7.276	117	320476	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.468	152	127027	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.324	113	114506	50.81	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.62%				
52) 1,2-dichloroethane-d4 (s)	4.577	65	138702	52.04	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 104.08%				
73) toluene-d8 (s)	6.028	98	459371	52.08	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 104.16%				
96) 4-bromofluorobenzene (s)	8.354	95	163387	49.37	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.74%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.319	88	4214	56.85	ug/L		100
3) ethanol	2.511	45	16203	228.31	ug/L		82
4) tertiary butyl alcohol	3.153	59	9997	11.47	ug/L		98
6) chlorodifluoromethane	1.677	51	6118	2.19	ug/L	#	90
7) dichlorodifluoromethane	1.654	85	7119	1.75	ug/L		95
8) chloromethane	1.821	50	5201	1.91	ug/L		89
9) vinyl chloride	1.901	62	6261	1.86	ug/L		83
11) bromomethane	2.158	96	3420	2.45	ug/L		90
12) chloroethane	2.238	64	3941	2.01	ug/L		74
13) trichlorofluoromethane	2.421	101	9500	2.02	ug/L		97
14) ethyl ether	2.610	74	3333	2.03	ug/L		90
15) acrolein	2.710	56	1454	2.44	ug/L		67
16) freon 113	2.784	151	3841	2.08	ug/L		96
17) 1,1-dichloroethene	2.790	96	5091	2.21	ug/L		86
18) acetone	2.809	58	3801	9.39	ug/L	#	53
19) acetonitrile	2.995	40	5557	21.19	ug/L		90
20) iodomethane	2.906	142	2144	2.55	ug/L		85
22) carbon disulfide	2.967	76	16970	2.39	ug/L		95
23) methylene chloride	3.124	84	6514	2.43	ug/L		91
24) methyl acetate	3.012	74	1677	2.06	ug/L	#	49
25) methyl tert butyl ether	3.287	73	19415	2.23	ug/L		95
26) trans-1,2-dichloroethene	3.310	96	5803	2.33	ug/L		87
27) hexane	3.486	57	7324	2.09	ug/L		93
28) di-isopropyl ether	3.596	45	15730	2.22	ug/L		89
29) ethyl tert-butyl ether	3.839	59	18788	2.27	ug/L		95
30) 2-butanone	3.961	72	5436	8.74	ug/L		91
31) 1,1-dichloroethane	3.605	63	10130	2.32	ug/L		95
32) chloroprene	3.656	53	7825	2.20	ug/L		89
33) acrylonitrile	3.278	53	2878	2.00	ug/L		89
34) vinyl acetate	3.573	86	1668	2.21	ug/L	#	91
35) ethyl acetate	3.977	45	1510	2.39	ug/L	#	50
36) 2,2-dichloropropane	4.003	77	10491	2.46	ug/L		89

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342971.D
Acq On : 15 Jun 2022 5:35 pm
Operator : BridgetK
Sample : ic10355-2
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Jun 16 15:15:04 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 09:03:24 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
37) cis-1,2-dichloroethene	3.997	96	6565	2.33	ug/L		81
38) propionitrile	4.013	54	13726	23.10	ug/L		91
39) methyl acrylate	4.016	85	1719	2.35	ug/L	#	67
40) bromochloromethane	4.160	128	2476	2.02	ug/L		97
41) tetrahydrofuran	4.183	72	1537	2.21	ug/L	#	52
42) chloroform	4.212	83	11960	2.39	ug/L		96
44) methacrylonitrile	4.122	67	4178	2.40	ug/L	#	70
45) 1,1,1-trichloroethane	4.353	97	9984	2.32	ug/L		97
46) cyclohexane	4.414	84	8055	2.04	ug/L		89
47) 1,1-dichloropropene	4.459	75	7604	2.22	ug/L		86
48) carbon tetrachloride	4.465	117	8277	2.32	ug/L	#	80
49) isopropyl acetate	4.577	87	2190	2.46	ug/L	#	27
53) tert-amyl methyl ether	4.671	73	19062	2.34	ug/L		98
54) 2,2,4-trimethylpentane	4.667	57	16041	2.48	ug/L		91
55) n-butyl alcohol	4.937	56	22094	122.03	ug/L		96
56) benzene	4.606	78	22120	2.33	ug/L		98
57) heptane	4.780	57	3063	2.05	ug/L		87
58) 1,2-dichloroethane	4.635	62	8207	2.29	ug/L		88
59) trichloroethene	5.078	95	6028	2.24	ug/L		79
60) ethyl acrylate	5.091	55	10760	2.41	ug/L		91
62) 2-chloroethyl vinyl ether	5.656	63	17659	11.34	ug/L		89
63) methyl methacrylate	5.271	100	2340	2.25	ug/L	#	81
64) 1,2-dichloropropane	5.280	63	5290	2.26	ug/L		88
65) methylcyclohexane	5.267	83	9940	2.35	ug/L		95
66) dibromomethane	5.344	93	3847	2.22	ug/L		95
67) bromodichloromethane	5.463	83	9114	2.31	ug/L		82
68) cis-1,3-dichloropropene	5.800	75	9922	2.24	ug/L		87
69) epichlorohydrin	5.710	57	6052	11.88	ug/L		86
70) 4-methyl-2-pentanone	5.906	58	15875	9.73	ug/L		96
71) 3-methyl-1-butanol	5.922	70	9724	48.70	ug/L		91
74) toluene	6.089	92	13489	2.24	ug/L		97
75) trans-1,3-dichloropropene	6.256	75	9482	2.28	ug/L		88
76) ethyl methacrylate	6.275	69	10222	2.44	ug/L		92
77) 1,1,2-trichloroethane	6.429	83	5056	2.41	ug/L		96
78) 2-hexanone	6.589	58	16360	9.81	ug/L		94
79) tetrachloroethene	6.528	166	5898	2.45	ug/L		84
80) 1,3-dichloropropane	6.570	76	9743	2.39	ug/L		83
82) dibromochloromethane	6.760	129	6675	2.38	ug/L		86
83) 1,2-dibromoethane	6.875	107	6208	2.21	ug/L		81
84) n-butyl ether	7.344	57	21435	2.39	ug/L		95
85) chlorobenzene	7.299	112	13981	2.27	ug/L		95
86) 1,1,1,2-tetrachloroethane	7.376	131	5439	2.44	ug/L		90
87) ethylbenzene	7.376	91	26472	2.51	ug/L		97
88) m,p-xylene	7.494	106	19628	4.63	ug/L		94
89) o-xylene	7.854	106	10251	2.42	ug/L		94
90) butyl acrylate	7.767	55	12608	2.33	ug/L		95
91) styrene	7.860	104	16596	2.42	ug/L		89
92) bromoform	8.046	173	4546	2.31	ug/L		75
93) isopropylbenzene	8.181	105	26291	2.47	ug/L		91
97) bromobenzene	8.505	156	5804	2.25	ug/L	#	76

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342971.D
Acq On : 15 Jun 2022 5:35 pm
Operator : BridgetK
Sample : ic10355-2
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Jun 16 15:15:04 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 09:03:24 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
98) 1,1,2,2-tetrachloroethane	8.470	83	9915	2.33	ug/L		98
99) trans-1,4-dichloro-2-b...	8.505	53	1135	1.88	ug/L	#	59
100) 1,2,3-trichloropropane	8.524	110	2973	2.43	ug/L		85
101) n-propylbenzene	8.579	91	28972	2.38	ug/L		93
102) 2-chlorotoluene	8.672	126	5387	2.25	ug/L	#	82
103) 4-chlorotoluene	8.788	126	5626	2.34	ug/L	#	86
104) 1,3,5-trimethylbenzene	8.739	105	20803	2.38	ug/L		92
105) tert-butylbenzene	9.051	119	17612	2.41	ug/L		91
106) 1,2,4-trimethylbenzene	9.112	105	22064	2.47	ug/L		91
107) sec-butylbenzene	9.266	105	24339	2.33	ug/L		94
108) 1,3-dichlorobenzene	9.397	146	9318	2.14	ug/L		92
109) p-isopropyltoluene	9.413	119	19275	2.34	ug/L		98
110) 1,4-dichlorobenzene	9.490	146	9451	2.21	ug/L		93
111) 1,2,3-trimethylbenzene	9.513	105	19602	2.31	ug/L		99
112) 1,2-dichlorobenzene	9.850	146	9891	2.31	ug/L		80
113) n-butylbenzene	9.811	92	8778	2.13	ug/L		84
114) 1,2-dibromo-3-chloropr...	10.610	157	2053	2.04	ug/L	#	74
115) 1,3,5-trichlorobenzene	10.793	180	5764	2.09	ug/L		88
116) 1,2,4-trichlorobenzene	11.428	180	4387	1.96	ug/L		93
117) hexachlorobutadiene	11.566	225	2060	2.30	ug/L	#	76
118) naphthalene	11.698	128	14875	1.97	ug/L		98
119) 1,2,3-trichlorobenzene	11.913	180	4236	2.09	ug/L		94
120) hexachloroethane	10.119	119	3883	2.27	ug/L		75

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342971.D
Acq On : 15 Jun 2022 5:35 pm
Operator : BridgetK
Sample : ic10355-2
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Jun 16 15:15:04 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 09:03:24 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342972.D
Acq On : 15 Jun 2022 5:58 pm
Operator : BridgetK
Sample : ic10355-4
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Jun 16 15:15:41 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.092	65	266435	500.00	ug/L		0.00
5) pentafluorobenzene	4.311	168	245625	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.879	114	359159	50.00	ug/L		0.00
72) chlorobenzene-d5	7.276	117	315874	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.468	152	122156	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.321	113	111169	49.38	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.76%				
52) 1,2-dichloroethane-d4 (s)	4.574	65	136899	53.43	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 106.86%				
73) toluene-d8 (s)	6.028	98	443001	53.44	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 106.88%				
96) 4-bromofluorobenzene (s)	8.354	95	162423	51.52	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 103.04%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.312	88	8566	134.18	ug/L		99
3) ethanol	2.514	45	31740	516.15	ug/L		95
4) tertiary butyl alcohol	3.146	59	20218	27.20	ug/L		96
6) chlorodifluoromethane	1.673	51	10962	4.07	ug/L	#	98
7) dichlorodifluoromethane	1.657	85	14063	3.51	ug/L		97
8) chloromethane	1.821	50	10279	3.88	ug/L		85
9) vinyl chloride	1.901	62	11668	3.63	ug/L		89
10) 1.3-butadiene	1.933	54	15635	4.77	ug/L		94
11) bromomethane	2.158	96	5181	3.82	ug/L		87
12) chloroethane	2.238	64	6404	3.51	ug/L		91
13) trichlorofluoromethane	2.424	101	17834	3.89	ug/L		94
14) ethyl ether	2.607	74	6710	3.88	ug/L		92
15) acrolein	2.713	56	2155	3.73	ug/L		87
16) freon 113	2.781	151	7517	4.02	ug/L		86
17) 1,1-dichloroethene	2.790	96	9106	4.00	ug/L		95
18) acetone	2.800	58	7341	18.53	ug/L		98
19) acetonitrile	2.992	40	9728	38.11	ug/L		89
20) iodomethane	2.906	142	4690	2.21	ug/L		80
21) iso-butyl alcohol	4.462	43	13588	58.96	ug/L		97
22) carbon disulfide	2.963	76	28854	4.32	ug/L		99
23) methylene chloride	3.121	84	11469	4.58	ug/L		89
24) methyl acetate	3.008	74	3757	4.76	ug/L	#	73
25) methyl tert butyl ether	3.288	73	36554	4.21	ug/L		95
26) trans-1,2-dichloroethene	3.307	96	10212	4.23	ug/L		94
27) hexane	3.480	57	13576	3.97	ug/L		86
28) di-isopropyl ether	3.592	45	30681	4.40	ug/L		95
29) ethyl tert-butyl ether	3.840	59	34369	4.16	ug/L		97
30) 2-butanone	3.961	72	10989	18.24	ug/L		93
31) 1,1-dichloroethane	3.599	63	19080	4.42	ug/L		95
32) chloroprene	3.653	53	14044	4.13	ug/L		91
33) acrylonitrile	3.268	53	5396	3.81	ug/L		80
34) vinyl acetate	3.576	86	2482	3.14	ug/L	#	92

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342972.D
Acq On : 15 Jun 2022 5:58 pm
Operator : BridgetK
Sample : ic10355-4
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Jun 16 15:15:41 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
35) ethyl acetate	3.968	45	2708	4.70	ug/L		83
36) 2,2-dichloropropane	4.003	77	18182	4.57	ug/L		96
37) cis-1,2-dichloroethene	3.994	96	11412	4.26	ug/L		98
38) propionitrile	4.006	54	26804	47.07	ug/L		84
39) methyl acrylate	4.019	85	3333	4.87	ug/L	#	49
40) bromochloromethane	4.160	128	5304	4.34	ug/L	#	77
41) tetrahydrofuran	4.170	72	2829	4.06	ug/L	#	83
42) chloroform	4.212	83	21338	4.55	ug/L		98
44) methacrylonitrile	4.115	67	7723	4.71	ug/L		97
45) 1,1,1-trichloroethane	4.350	97	16946	4.03	ug/L		84
46) cyclohexane	4.407	84	15314	4.17	ug/L	#	80
47) 1,1-dichloropropene	4.459	75	12819	3.81	ug/L		87
48) carbon tetrachloride	4.465	117	15209	4.60	ug/L		89
49) isopropyl acetate	4.578	87	3701	4.44	ug/L	#	79
50) tert amyl alcohol	4.549	55	7212	30.70	ug/L		96
53) tert-amyl methyl ether	4.667	73	37339	4.88	ug/L		94
54) 2,2,4-trimethylpentane	4.667	57	26526	4.34	ug/L		94
55) n-butyl alcohol	4.934	56	43558	262.94	ug/L		95
56) benzene	4.606	78	40650	4.57	ug/L		96
57) heptane	4.780	57	5554	4.00	ug/L		93
58) 1,2-dichloroethane	4.632	62	15638	4.51	ug/L		99
59) trichloroethene	5.081	95	10690	4.13	ug/L		78
60) ethyl acrylate	5.094	55	20359	4.77	ug/L		98
61) 2-nitropropane	5.630	41	6581	4.77	ug/L		88
62) 2-chloroethyl vinyl ether	5.653	63	34303	22.55	ug/L		96
63) methyl methacrylate	5.277	100	4808	4.79	ug/L	#	62
64) 1,2-dichloropropane	5.277	63	10071	4.45	ug/L		92
65) methylcyclohexane	5.264	83	17300	4.15	ug/L		93
66) dibromomethane	5.344	93	7876	4.87	ug/L		88
67) bromodichloromethane	5.466	83	16853	4.57	ug/L		94
68) cis-1,3-dichloropropene	5.800	75	19287	4.38	ug/L		92
69) epichlorohydrin	5.707	57	11669	25.20	ug/L		98
70) 4-methyl-2-pentanone	5.900	58	30616	20.47	ug/L		95
71) 3-methyl-1-butanol	5.919	70	18846	109.03	ug/L	#	85
74) toluene	6.086	92	25363	4.54	ug/L		96
75) trans-1,3-dichloropropene	6.256	75	18400	4.61	ug/L		98
76) ethyl methacrylate	6.272	69	18100	4.66	ug/L		98
77) 1,1,2-trichloroethane	6.426	83	9185	4.62	ug/L		94
78) 2-hexanone	6.590	58	32248	22.06	ug/L		89
79) tetrachloroethene	6.516	166	10334	4.58	ug/L		96
80) 1,3-dichloropropane	6.570	76	18674	4.90	ug/L		98
81) butyl acetate	6.670	56	11166	5.46	ug/L		88
82) dibromochloromethane	6.756	129	12569	5.01	ug/L		85
83) 1,2-dibromoethane	6.878	107	12901	4.99	ug/L		99
84) n-butyl ether	7.340	57	40720	4.74	ug/L		98
85) chlorobenzene	7.305	112	26778	4.45	ug/L		98
86) 1,1,1,2-tetrachloroethane	7.369	131	10600	5.18	ug/L		86
87) ethylbenzene	7.376	91	47879	4.90	ug/L		98
88) m,p-xylene	7.491	106	36887	9.47	ug/L		98
89) o-xylene	7.844	106	18526	4.52	ug/L		91

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342972.D
Acq On : 15 Jun 2022 5:58 pm
Operator : BridgetK
Sample : ic10355-4
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Jun 16 15:15:41 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
90) butyl acrylate	7.764	55	24700	4.83	ug/L		96
91) styrene	7.867	104	31133	4.77	ug/L		96
92) bromoform	8.043	173	8900	4.81	ug/L		99
93) isopropylbenzene	8.181	105	47667	4.66	ug/L		93
94) cis-1,4-dichloro-2-butene	8.229	88	3032	3.86	ug/L	#	84
97) bromobenzene	8.499	156	10837	4.60	ug/L		89
98) 1,1,2,2-tetrachloroethane	8.470	83	18694	5.09	ug/L		91
99) trans-1,4-dichloro-2-b...	8.502	53	2338	4.03	ug/L	#	81
100) 1,2,3-trichloropropane	8.531	110	5645	5.17	ug/L		68
101) n-propylbenzene	8.576	91	53660	4.75	ug/L		98
102) 2-chlorotoluene	8.669	126	10168	4.55	ug/L		93
103) 4-chlorotoluene	8.788	126	10314	4.72	ug/L		93
104) 1,3,5-trimethylbenzene	8.749	105	37180	4.55	ug/L		95
105) tert-butylbenzene	9.048	119	30984	4.41	ug/L		91
106) 1,2,4-trimethylbenzene	9.109	105	38948	4.67	ug/L		96
107) sec-butylbenzene	9.266	105	44588	4.48	ug/L		97
108) 1,3-dichlorobenzene	9.391	146	19043	4.50	ug/L		99
109) p-isopropyltoluene	9.413	119	35418	4.51	ug/L		98
110) 1,4-dichlorobenzene	9.490	146	18300	4.48	ug/L		92
111) 1,2,3-trimethylbenzene	9.516	105	37811	4.74	ug/L		86
112) 1,2-dichlorobenzene	9.843	146	17857	4.52	ug/L		93
113) n-butylbenzene	9.811	92	16580	4.01	ug/L		94
114) 1,2-dibromo-3-chloropr...	10.610	157	4535	4.63	ug/L		85
115) 1,3,5-trichlorobenzene	10.800	180	11434	3.99	ug/L		93
116) 1,2,4-trichlorobenzene	11.425	180	8340	3.45	ug/L		96
117) hexachlorobutadiene	11.570	225	3663	4.10	ug/L		71
118) naphthalene	11.698	128	29489	3.87	ug/L		96
119) 1,2,3-trichlorobenzene	11.916	180	7809	3.74	ug/L		77
120) hexachloroethane	10.116	119	6392	3.91	ug/L		89
121) benzyl chloride	9.596	91	33999	4.81	ug/L		94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342972.D
Acq On : 15 Jun 2022 5:58 pm
Operator : BridgetK
Sample : ic10355-4
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Jun 16 15:15:41 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342973.D
Acq On : 15 Jun 2022 6:22 pm
Operator : BridgetK
Sample : ic10355-8
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Jun 16 08:28:41 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.095	65	268003	500.00	ug/L		0.00
5) pentafluorobenzene	4.314	168	241805	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.886	114	362388	50.00	ug/L		0.00
72) chlorobenzene-d5	7.276	117	316508	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.465	152	124571	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.324	113	109709	49.51	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.02%				
52) 1,2-dichloroethane-d4 (s)	4.578	65	138961	53.75	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 107.50%				
73) toluene-d8 (s)	6.031	98	439836	52.96	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 105.92%				
96) 4-bromofluorobenzene (s)	8.354	95	159258	49.54	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.08%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.316	88	13510	210.39	ug/L		94
3) ethanol	2.511	45	50446	815.54	ug/L		88
4) tertiary butyl alcohol	3.150	59	29869	39.95	ug/L		95
6) chlorodifluoromethane	1.670	51	20175	7.62	ug/L	#	95
7) dichlorodifluoromethane	1.657	85	27799	7.04	ug/L		97
8) chloromethane	1.821	50	19640	7.54	ug/L		89
9) vinyl chloride	1.901	62	23738	7.51	ug/L		99
10) 1.3-butadiene	1.933	54	27528	8.54	ug/L		98
11) bromomethane	2.155	96	10748	8.05	ug/L		85
12) chloroethane	2.238	64	13682	7.61	ug/L		94
13) trichlorofluoromethane	2.424	101	35045	7.77	ug/L		99
14) ethyl ether	2.607	74	13343	7.84	ug/L		89
15) acrolein	2.713	56	4183	7.36	ug/L		87
16) freon 113	2.781	151	13895	7.55	ug/L	#	80
17) 1,1-dichloroethene	2.790	96	17549	7.82	ug/L		95
18) acetone	2.800	58	12426	31.87	ug/L	#	71
19) acetonitrile	2.996	40	20134	80.12	ug/L		97
20) iodomethane	2.906	142	10430	4.99	ug/L		92
21) iso-butyl alcohol	4.465	43	20606	90.82	ug/L		93
22) carbon disulfide	2.967	76	54317	8.26	ug/L		96
23) methylene chloride	3.121	84	20763	8.42	ug/L		85
24) methyl acetate	3.012	74	5952	7.67	ug/L	#	73
25) methyl tert butyl ether	3.291	73	67918	7.95	ug/L		96
26) trans-1,2-dichloroethene	3.307	96	19206	8.09	ug/L		92
27) hexane	3.486	57	26201	7.79	ug/L		95
28) di-isopropyl ether	3.599	45	55048	8.02	ug/L		87
29) ethyl tert-butyl ether	3.843	59	65642	8.08	ug/L		98
30) 2-butanone	3.968	72	18742	31.59	ug/L	#	80
31) 1,1-dichloroethane	3.605	63	33501	7.89	ug/L		96
32) chloroprene	3.660	53	27751	8.29	ug/L		94
33) acrylonitrile	3.268	53	10257	7.35	ug/L		97
34) vinyl acetate	3.576	86	5961	7.67	ug/L	#	71

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342973.D
Acq On : 15 Jun 2022 6:22 pm
Operator : BridgetK
Sample : ic10355-8
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Jun 16 08:28:41 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
35) ethyl acetate	3.971	45	5042	8.90	ug/L		97
36) 2,2-dichloropropane	4.003	77	33002	8.42	ug/L		98
37) cis-1,2-dichloroethene	3.997	96	21757	8.25	ug/L		96
38) propionitrile	4.010	54	45467	81.11	ug/L		79
39) methyl acrylate	4.022	85	5512	8.18	ug/L	#	70
40) bromochloromethane	4.160	128	9760	8.11	ug/L		91
41) tetrahydrofuran	4.176	72	5557	8.11	ug/L		87
42) chloroform	4.212	83	40399	8.76	ug/L		97
44) methacrylonitrile	4.119	67	12910	8.00	ug/L		87
45) 1,1,1-trichloroethane	4.353	97	32572	7.86	ug/L		91
46) cyclohexane	4.414	84	28949	8.00	ug/L		99
47) 1,1-dichloropropene	4.459	75	26114	7.89	ug/L		94
48) carbon tetrachloride	4.472	117	27381	8.41	ug/L		92
49) isopropyl acetate	4.578	87	6508	7.93	ug/L		94
50) tert amyl alcohol	4.558	55	11511	49.77	ug/L	#	81
53) tert-amyl methyl ether	4.667	73	65933	8.54	ug/L		95
54) 2,2,4-trimethylpentane	4.674	57	50834	8.25	ug/L		98
55) n-butyl alcohol	4.940	56	66800	399.64	ug/L		97
56) benzene	4.610	78	74628	8.31	ug/L		95
57) heptane	4.786	57	10688	7.63	ug/L		89
58) 1,2-dichloroethane	4.632	62	28808	8.24	ug/L		98
59) trichloroethene	5.081	95	19873	7.62	ug/L		94
60) ethyl acrylate	5.094	55	33973	7.89	ug/L		95
61) 2-nitropropane	5.624	41	9982	7.17	ug/L		89
62) 2-chloroethyl vinyl ether	5.656	63	60623	39.50	ug/L		98
63) methyl methacrylate	5.274	100	7435	7.34	ug/L	#	91
64) 1,2-dichloropropane	5.277	63	18437	8.08	ug/L		94
65) methylcyclohexane	5.271	83	32860	7.81	ug/L		92
66) dibromomethane	5.348	93	14003	8.58	ug/L		92
67) bromodichloromethane	5.466	83	29817	8.01	ug/L		85
68) cis-1,3-dichloropropene	5.803	75	34292	7.73	ug/L		97
69) epichlorohydrin	5.713	57	18574	39.75	ug/L		98
70) 4-methyl-2-pentanone	5.903	58	47588	31.53	ug/L		94
71) 3-methyl-1-butanol	5.919	70	29730	170.47	ug/L		95
74) toluene	6.089	92	46375	8.29	ug/L		96
75) trans-1,3-dichloropropene	6.259	75	31794	7.95	ug/L		93
76) ethyl methacrylate	6.272	69	33171	8.52	ug/L		90
77) 1,1,2-trichloroethane	6.429	83	16322	8.19	ug/L		94
78) 2-hexanone	6.590	58	49521	33.81	ug/L		95
79) tetrachloroethene	6.525	166	19131	8.46	ug/L		95
80) 1,3-dichloropropane	6.573	76	32880	8.61	ug/L		94
81) butyl acetate	6.676	56	16862	8.22	ug/L		93
82) dibromochloromethane	6.760	129	20481	8.15	ug/L		98
83) 1,2-dibromoethane	6.878	107	21987	8.48	ug/L		97
84) n-butyl ether	7.344	57	71808	8.34	ug/L		98
85) chlorobenzene	7.302	112	48684	8.08	ug/L		98
86) 1,1,1,2-tetrachloroethane	7.379	131	17961	8.77	ug/L		83
87) ethylbenzene	7.379	91	87094	8.89	ug/L		96
88) m,p-xylene	7.491	106	65789	16.86	ug/L		96
89) o-xylene	7.847	106	34409	8.38	ug/L		96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342973.D
Acq On : 15 Jun 2022 6:22 pm
Operator : BridgetK
Sample : ic10355-8
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Jun 16 08:28:41 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
90) butyl acrylate	7.770	55	41585	8.12	ug/L		94
91) styrene	7.863	104	56611	8.66	ug/L		98
92) bromoform	8.043	173	14221	7.67	ug/L		88
93) isopropylbenzene	8.184	105	84552	8.26	ug/L		93
94) cis-1,4-dichloro-2-butene	8.232	88	4833	6.13	ug/L		88
97) bromobenzene	8.505	156	19548	8.13	ug/L	#	81
98) 1,1,2,2-tetrachloroethane	8.467	83	30551	8.16	ug/L		95
99) trans-1,4-dichloro-2-b...	8.505	53	3913	6.61	ug/L	#	83
100) 1,2,3-trichloropropane	8.534	110	9362	8.40	ug/L		95
101) n-propylbenzene	8.576	91	95404	8.29	ug/L		99
102) 2-chlorotoluene	8.672	126	17873	7.84	ug/L		95
103) 4-chlorotoluene	8.791	126	18235	8.18	ug/L	#	77
104) 1,3,5-trimethylbenzene	8.746	105	66923	8.02	ug/L		98
105) tert-butylbenzene	9.051	119	56175	7.84	ug/L		96
106) 1,2,4-trimethylbenzene	9.108	105	67782	7.97	ug/L		100
107) sec-butylbenzene	9.266	105	80248	7.90	ug/L		98
108) 1,3-dichlorobenzene	9.397	146	32967	7.64	ug/L		95
109) p-isopropyltoluene	9.413	119	65282	8.14	ug/L		95
110) 1,4-dichlorobenzene	9.490	146	31170	7.49	ug/L		99
111) 1,2,3-trimethylbenzene	9.513	105	65060	8.00	ug/L		99
112) 1,2-dichlorobenzene	9.840	146	31859	7.91	ug/L		92
113) n-butylbenzene	9.811	92	31046	7.36	ug/L		98
114) 1,2-dibromo-3-chloropr...	10.617	157	7203	7.22	ug/L		91
115) 1,3,5-trichlorobenzene	10.800	180	19872	6.81	ug/L		87
116) 1,2,4-trichlorobenzene	11.425	180	15981	6.49	ug/L		91
117) hexachlorobutadiene	11.567	225	6241	6.85	ug/L		93
118) naphthalene	11.695	128	53517	6.89	ug/L		98
119) 1,2,3-trichlorobenzene	11.916	180	14972	7.04	ug/L		99
120) hexachloroethane	10.116	119	12601	7.56	ug/L		92
121) benzyl chloride	9.599	91	56003	7.78	ug/L		96
122) 2-methylnaphthalene	12.828	142	4436	1.48	ug/L		90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342973.D
Acq On : 15 Jun 2022 6:22 pm
Operator : BridgetK
Sample : ic10355-8
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Jun 16 08:28:41 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342974.D
Acq On : 15 Jun 2022 6:45 pm
Operator : BridgetK
Sample : ic10355-20
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Jun 16 08:28:43 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.092	65	276462	500.00	ug/L		0.00
5) pentafluorobenzene	4.314	168	233148	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.882	114	348731	50.00	ug/L		0.00
72) chlorobenzene-d5	7.276	117	318149	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.468	152	123050	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.324	113	107069	50.11	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.22%				
52) 1,2-dichloroethane-d4 (s)	4.574	65	127430	51.22	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 102.44%				
73) toluene-d8 (s)	6.028	98	425337	50.95	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.90%				
96) 4-bromofluorobenzene (s)	8.354	95	159075	50.09	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.18%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.312	88	31901	481.60	ug/L		94
3) ethanol	2.514	45	125364	1964.71	ug/L		98
4) tertiary butyl alcohol	3.146	59	74314	96.34	ug/L		99
6) chlorodifluoromethane	1.673	51	51414	20.13	ug/L	#	93
7) dichlorodifluoromethane	1.654	85	75041	19.71	ug/L		98
8) chloromethane	1.818	50	50712	20.19	ug/L		95
9) vinyl chloride	1.901	62	61406	20.14	ug/L		99
10) 1.3-butadiene	1.930	54	64462	20.74	ug/L		98
11) bromomethane	2.151	96	23990	18.63	ug/L		95
12) chloroethane	2.235	64	33577	19.37	ug/L		97
13) trichlorofluoromethane	2.421	101	88057	20.25	ug/L		98
14) ethyl ether	2.607	74	32267	19.67	ug/L		97
15) acrolein	2.707	56	10726	19.57	ug/L		88
16) freon 113	2.780	151	34701	19.56	ug/L		94
17) 1,1-dichloroethene	2.787	96	44173	20.42	ug/L		98
18) acetone	2.800	58	30330	80.67	ug/L		98
19) acetonitrile	2.989	40	50277	207.50	ug/L		99
20) iodomethane	2.902	142	32908	16.32	ug/L		92
21) iso-butyl alcohol	4.459	43	47478	217.03	ug/L		95
22) carbon disulfide	2.963	76	131386	20.71	ug/L		99
23) methylene chloride	3.117	84	47169	19.84	ug/L		96
24) methyl acetate	3.008	74	15048	20.10	ug/L	#	85
25) methyl tert butyl ether	3.287	73	163588	19.86	ug/L		100
26) trans-1,2-dichloroethene	3.303	96	45861	20.03	ug/L		92
27) hexane	3.483	57	64616	19.92	ug/L		96
28) di-isopropyl ether	3.592	45	133145	20.12	ug/L		95
29) ethyl tert-butyl ether	3.843	59	156143	19.93	ug/L		96
30) 2-butanone	3.961	72	45681	79.87	ug/L		96
31) 1,1-dichloroethane	3.602	63	81110	19.80	ug/L		93
32) chloroprene	3.653	53	66355	20.56	ug/L		95
33) acrylonitrile	3.265	53	27270	20.27	ug/L		98
34) vinyl acetate	3.576	86	14309	19.09	ug/L	#	79

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342974.D
Acq On : 15 Jun 2022 6:45 pm
Operator : BridgetK
Sample : ic10355-20
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Jun 16 08:28:43 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
35) ethyl acetate	3.971	45	11568	21.17	ug/L	#	66
36) 2,2-dichloropropane	3.997	77	81101	21.46	ug/L		94
37) cis-1,2-dichloroethene	3.990	96	51623	20.30	ug/L		93
38) propionitrile	4.009	54	114716	212.24	ug/L		95
39) methyl acrylate	4.009	85	13639	21.00	ug/L	#	82
40) bromochloromethane	4.154	128	21859	18.84	ug/L		98
41) tetrahydrofuran	4.167	72	14031	21.23	ug/L		94
42) chloroform	4.212	83	89892	20.22	ug/L		93
44) methacrylonitrile	4.115	67	31040	19.95	ug/L		98
45) 1,1,1-trichloroethane	4.353	97	78511	19.66	ug/L		99
46) cyclohexane	4.411	84	71551	20.51	ug/L		93
47) 1,1-dichloropropene	4.455	75	64655	20.26	ug/L		96
48) carbon tetrachloride	4.465	117	67497	21.51	ug/L		98
49) isopropyl acetate	4.574	87	16078	20.33	ug/L		92
50) tert amyl alcohol	4.552	55	25265	113.29	ug/L	#	82
53) tert-amyl methyl ether	4.667	73	155299	20.90	ug/L		97
54) 2,2,4-trimethylpentane	4.667	57	125593	21.18	ug/L		98
55) n-butyl alcohol	4.937	56	167848	1043.51	ug/L		98
56) benzene	4.606	78	181807	21.04	ug/L		97
57) heptane	4.780	57	26622	19.75	ug/L		96
58) 1,2-dichloroethane	4.629	62	68082	20.23	ug/L		98
59) trichloroethene	5.075	95	50768	20.22	ug/L		94
60) ethyl acrylate	5.094	55	83645	20.19	ug/L		98
61) 2-nitropropane	5.627	41	25119	18.76	ug/L		97
62) 2-chloroethyl vinyl ether	5.656	63	148316	100.43	ug/L		97
63) methyl methacrylate	5.271	100	19579	20.10	ug/L		94
64) 1,2-dichloropropane	5.277	63	45071	20.52	ug/L		96
65) methylcyclohexane	5.264	83	80796	19.94	ug/L		97
66) dibromomethane	5.348	93	30898	19.68	ug/L		92
67) bromodichloromethane	5.463	83	69373	19.38	ug/L		99
68) cis-1,3-dichloropropene	5.803	75	83802	19.62	ug/L		95
69) epichlorohydrin	5.713	57	47009	104.55	ug/L		97
70) 4-methyl-2-pentanone	5.899	58	120995	83.30	ug/L		96
71) 3-methyl-1-butanol	5.919	70	72982	434.86	ug/L		99
74) toluene	6.082	92	114083	20.28	ug/L		98
75) trans-1,3-dichloropropene	6.252	75	78736	19.59	ug/L		95
76) ethyl methacrylate	6.275	69	80657	20.62	ug/L		97
77) 1,1,2-trichloroethane	6.423	83	40669	20.31	ug/L		94
78) 2-hexanone	6.589	58	124188	84.35	ug/L		95
79) tetrachloroethene	6.519	166	46237	20.33	ug/L		98
80) 1,3-dichloropropane	6.570	76	78639	20.48	ug/L		98
81) butyl acetate	6.673	56	42592	20.67	ug/L		94
82) dibromochloromethane	6.759	129	51085	20.21	ug/L		99
83) 1,2-dibromoethane	6.875	107	51863	19.90	ug/L		93
84) n-butyl ether	7.343	57	176992	20.44	ug/L		99
85) chlorobenzene	7.302	112	122587	20.25	ug/L		99
86) 1,1,1,2-tetrachloroethane	7.372	131	43016	20.89	ug/L		96
87) ethylbenzene	7.376	91	211999	21.53	ug/L		98
88) m,p-xylene	7.491	106	163588	41.70	ug/L		98
89) o-xylene	7.847	106	83773	20.29	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342974.D
Acq On : 15 Jun 2022 6:45 pm
Operator : BridgetK
Sample : ic10355-20
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Jun 16 08:28:43 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
90) butyl acrylate	7.764	55	102586	19.94	ug/L		97
91) styrene	7.863	104	137086	20.87	ug/L		94
92) bromoform	8.040	173	37690	20.22	ug/L		93
93) isopropylbenzene	8.181	105	211861	20.58	ug/L		97
94) cis-1,4-dichloro-2-butene	8.239	88	13665	17.25	ug/L		97
97) bromobenzene	8.499	156	44912	18.92	ug/L		99
98) 1,1,2,2-tetrachloroethane	8.467	83	73376	19.84	ug/L		99
99) trans-1,4-dichloro-2-b...	8.505	53	11020	18.84	ug/L	#	83
100) 1,2,3-trichloropropane	8.528	110	22800	20.71	ug/L		97
101) n-propylbenzene	8.576	91	231447	20.35	ug/L		100
102) 2-chlorotoluene	8.672	126	44147	19.60	ug/L	#	83
103) 4-chlorotoluene	8.791	126	44855	20.37	ug/L		89
104) 1,3,5-trimethylbenzene	8.743	105	167556	20.34	ug/L		99
105) tert-butylbenzene	9.051	119	138214	19.52	ug/L		98
106) 1,2,4-trimethylbenzene	9.108	105	168159	20.02	ug/L		99
107) sec-butylbenzene	9.266	105	202244	20.16	ug/L		98
108) 1,3-dichlorobenzene	9.391	146	81598	19.15	ug/L		99
109) p-isopropyltoluene	9.410	119	159112	20.09	ug/L		99
110) 1,4-dichlorobenzene	9.490	146	77710	18.90	ug/L		98
111) 1,2,3-trimethylbenzene	9.513	105	161150	20.05	ug/L		97
112) 1,2-dichlorobenzene	9.846	146	76755	19.29	ug/L		99
113) n-butylbenzene	9.811	92	79838	19.16	ug/L		96
114) 1,2-dibromo-3-chloropr...	10.610	157	18856	19.12	ug/L		93
115) 1,3,5-trichlorobenzene	10.799	180	52496	18.20	ug/L		99
116) 1,2,4-trichlorobenzene	11.428	180	43954	18.07	ug/L		98
117) hexachlorobutadiene	11.570	225	17234	19.14	ug/L		91
118) naphthalene	11.692	128	144346	18.80	ug/L		98
119) 1,2,3-trichlorobenzene	11.916	180	39157	18.64	ug/L		91
120) hexachloroethane	10.113	119	32158	19.52	ug/L		94
121) benzyl chloride	9.596	91	142607	20.04	ug/L		97
122) 2-methylnaphthalene	12.824	142	20540	6.95	ug/L		91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342974.D
Acq On : 15 Jun 2022 6:45 pm
Operator : BridgetK
Sample : ic10355-20
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Jun 16 08:28:43 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342975.D
Acq On : 15 Jun 2022 7:09 pm
Operator : BridgetK
Sample : icc10355-50
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Jun 16 08:28:45 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.095	65	252218	500.00	ug/L		0.00
5) pentafluorobenzene	4.311	168	224201	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.882	114	337069	50.00	ug/L		0.00
72) chlorobenzene-d5	7.276	117	317858	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.465	152	121119	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.324	113	102739	50.00	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.00%				
52) 1,2-dichloroethane-d4 (s)	4.577	65	120238	50.00	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.00%				
73) toluene-d8 (s)	6.028	98	417048	50.00	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.00%				
96) 4-bromofluorobenzene (s)	8.351	95	156283	50.00	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.00%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.319	88	75539	1250.00	ug/L		100
3) ethanol	2.514	45	289734	4977.19	ug/L		100
4) tertiary butyl alcohol	3.149	59	175923	250.00	ug/L		100
6) chlorodifluoromethane	1.673	51	122803	50.00	ug/L	#	100
7) dichlorodifluoromethane	1.654	85	183099	50.00	ug/L		100
8) chloromethane	1.814	50	120753	50.00	ug/L		100
9) vinyl chloride	1.901	62	146574	50.00	ug/L		100
10) 1.3-butadiene	1.930	54	148569	49.70	ug/L		100
11) bromomethane	2.148	96	61924	50.00	ug/L		100
12) chloroethane	2.232	64	82866	49.71	ug/L		100
13) trichlorofluoromethane	2.421	101	209108	50.00	ug/L		100
14) ethyl ether	2.607	74	78869	50.00	ug/L		100
15) acrolein	2.707	56	26350	50.00	ug/L		100
16) freon 113	2.780	151	85572	50.16	ug/L		100
17) 1,1-dichloroethene	2.787	96	104002	50.00	ug/L		100
18) acetone	2.800	58	71864	198.77	ug/L		100
19) acetonitrile	2.992	40	116498	500.00	ug/L		100
20) iodomethane	2.902	142	96944	50.00	ug/L		100
21) iso-butyl alcohol	4.462	43	105184	500.00	ug/L		100
22) carbon disulfide	2.963	76	304298	49.88	ug/L		100
23) methylene chloride	3.121	84	114311	50.01	ug/L		100
24) methyl acetate	3.008	74	36281	50.39	ug/L		99
25) methyl tert butyl ether	3.287	73	395598	49.93	ug/L		100
26) trans-1,2-dichloroethene	3.307	96	110086	50.01	ug/L		100
27) hexane	3.483	57	155978	50.00	ug/L		100
28) di-isopropyl ether	3.592	45	317822	49.95	ug/L		100
29) ethyl tert-butyl ether	3.843	59	376744	50.00	ug/L		100
30) 2-butanone	3.961	72	110005	200.00	ug/L		100
31) 1,1-dichloroethane	3.602	63	196778	49.96	ug/L		100
32) chloroprene	3.653	53	155228	50.02	ug/L		100
33) acrylonitrile	3.268	53	64586	49.93	ug/L		100
34) vinyl acetate	3.576	86	35775	49.64	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342975.D
Acq On : 15 Jun 2022 7:09 pm
Operator : BridgetK
Sample : icc10355-50
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Jun 16 08:28:45 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
35) ethyl acetate	3.968	45	26270	50.00	ug/L	100
36) 2,2-dichloropropane	4.000	77	181734	50.00	ug/L	100
37) cis-1,2-dichloroethene	3.990	96	122248	49.99	ug/L	100
38) propionitrile	4.009	54	259170	498.63	ug/L	100
39) methyl acrylate	4.016	85	31225	50.01	ug/L	99
40) bromochloromethane	4.157	128	55675	49.91	ug/L	100
41) tetrahydrofuran	4.170	72	31774	50.00	ug/L	100
42) chloroform	4.208	83	213797	50.00	ug/L	100
44) methacrylonitrile	4.118	67	74809	50.00	ug/L	100
45) 1,1,1-trichloroethane	4.353	97	192051	50.00	ug/L	100
46) cyclohexane	4.414	84	167732	50.00	ug/L	100
47) 1,1-dichloropropene	4.462	75	152247	49.61	ug/L	99
48) carbon tetrachloride	4.465	117	150897	50.00	ug/L	100
49) isopropyl acetate	4.577	87	38026	50.00	ug/L	100
50) tert amyl alcohol	4.555	55	54869	255.86	ug/L	99
53) tert-amyl methyl ether	4.667	73	357765	49.81	ug/L	100
54) 2,2,4-trimethylpentane	4.670	57	286791	50.03	ug/L	100
55) n-butyl alcohol	4.940	56	388676	2500.00	ug/L	100
56) benzene	4.606	78	417634	50.00	ug/L	100
57) heptane	4.780	57	64996	49.89	ug/L	99
58) 1,2-dichloroethane	4.632	62	161582	49.68	ug/L	100
59) trichloroethene	5.078	95	121362	50.00	ug/L	100
60) ethyl acrylate	5.094	55	200243	50.00	ug/L	100
61) 2-nitropropane	5.627	41	59937	46.30	ug/L	100
62) 2-chloroethyl vinyl ether	5.656	63	363775	254.84	ug/L	100
63) methyl methacrylate	5.270	100	46855	49.76	ug/L	100
64) 1,2-dichloropropane	5.274	63	105970	49.91	ug/L	100
65) methylcyclohexane	5.264	83	196360	50.14	ug/L	100
66) dibromomethane	5.344	93	75879	50.00	ug/L	100
67) bromodichloromethane	5.463	83	173027	50.00	ug/L	100
68) cis-1,3-dichloropropene	5.803	75	206417	50.00	ug/L	100
69) epichlorohydrin	5.713	57	111049	255.53	ug/L	96
70) 4-methyl-2-pentanone	5.899	58	280781	200.00	ug/L	100
71) 3-methyl-1-butanol	5.919	70	162378	1001.00	ug/L	100
74) toluene	6.086	92	280964	49.99	ug/L	100
75) trans-1,3-dichloropropene	6.256	75	200623	49.97	ug/L	100
76) ethyl methacrylate	6.275	69	195554	50.04	ug/L	100
77) 1,1,2-trichloroethane	6.426	83	100060	50.02	ug/L	100
78) 2-hexanone	6.589	58	294135	199.96	ug/L	100
79) tetrachloroethene	6.522	166	113608	50.00	ug/L	100
80) 1,3-dichloropropane	6.570	76	191682	49.97	ug/L	100
81) butyl acetate	6.670	56	103150	50.10	ug/L	100
82) dibromochloromethane	6.763	129	126215	49.99	ug/L	100
83) 1,2-dibromoethane	6.878	107	130155	49.99	ug/L	100
84) n-butyl ether	7.343	57	432158	49.96	ug/L	100
85) chlorobenzene	7.305	112	302406	49.99	ug/L	100
86) 1,1,1,2-tetrachloroethane	7.372	131	102850	49.99	ug/L	100
87) ethylbenzene	7.376	91	491685	49.98	ug/L	100
88) m,p-xylene	7.491	106	391827	99.98	ug/L	100
89) o-xylene	7.847	106	206119	49.98	ug/L	100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342975.D
Acq On : 15 Jun 2022 7:09 pm
Operator : BridgetK
Sample : icc10355-50
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Jun 16 08:28:45 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
90) butyl acrylate	7.764	55	256812	49.96	ug/L	100
91) styrene	7.863	104	328035	49.99	ug/L	100
92) bromoform	8.043	173	93097	49.99	ug/L	100
93) isopropylbenzene	8.181	105	513976	49.98	ug/L	100
94) cis-1,4-dichloro-2-butene	8.236	88	39445	49.85	ug/L	100
97) bromobenzene	8.499	156	116830	50.00	ug/L	100
98) 1,1,2,2-tetrachloroethane	8.467	83	181708	49.93	ug/L	100
99) trans-1,4-dichloro-2-b...	8.505	53	28792	50.00	ug/L	100
100) 1,2,3-trichloropropane	8.531	110	54173	50.00	ug/L	100
101) n-propylbenzene	8.572	91	559784	50.00	ug/L	100
102) 2-chlorotoluene	8.672	126	110834	50.00	ug/L	100
103) 4-chlorotoluene	8.791	126	108386	50.00	ug/L	100
104) 1,3,5-trimethylbenzene	8.743	105	404602	49.89	ug/L	100
105) tert-butylbenzene	9.051	119	348490	50.00	ug/L	100
106) 1,2,4-trimethylbenzene	9.108	105	413216	49.98	ug/L	100
107) sec-butylbenzene	9.266	105	494264	50.05	ug/L	100
108) 1,3-dichlorobenzene	9.394	146	209444	49.95	ug/L	100
109) p-isopropyltoluene	9.410	119	389663	49.99	ug/L	100
110) 1,4-dichlorobenzene	9.490	146	202159	49.95	ug/L	100
111) 1,2,3-trimethylbenzene	9.513	105	395628	50.01	ug/L	100
112) 1,2-dichlorobenzene	9.846	146	195778	50.00	ug/L	100
113) n-butylbenzene	9.811	92	205111	50.00	ug/L	100
114) 1,2-dibromo-3-chloropr...	10.613	157	48494	49.96	ug/L	100
115) 1,3,5-trichlorobenzene	10.799	180	141872	49.97	ug/L	100
116) 1,2,4-trichlorobenzene	11.425	180	119746	50.00	ug/L	100
117) hexachlorobutadiene	11.566	225	44303	50.00	ug/L	100
118) naphthalene	11.692	128	378029	50.03	ug/L	100
119) 1,2,3-trichlorobenzene	11.913	180	103457	50.03	ug/L	100
120) hexachloroethane	10.113	119	81061	50.00	ug/L	100
121) benzyl chloride	9.599	91	348346	49.74	ug/L	100
122) 2-methylnaphthalene	12.824	142	73037	25.11	ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342975.D
Acq On : 15 Jun 2022 7:09 pm
Operator : BridgetK
Sample : icc10355-50
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Jun 16 08:28:45 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342976.D
Acq On : 15 Jun 2022 7:32 pm
Operator : BridgetK
Sample : ic10355-100
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Jun 16 08:28:47 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.101	65	226351	500.00	ug/L		0.00
5) pentafluorobenzene	4.314	168	218933	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.885	114	332559	50.00	ug/L		0.00
72) chlorobenzene-d5	7.279	117	314205	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.468	152	117194	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.324	113	99625	49.65	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.30%				
52) 1,2-dichloroethane-d4 (s)	4.577	65	110726	46.67	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 93.34%				
73) toluene-d8 (s)	6.031	98	407784	49.46	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.92%				
96) 4-bromofluorobenzene (s)	8.354	95	153017	50.59	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.18%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.322	88	143680	2649.29	ug/L		96
3) ethanol	2.520	45	535638	10252.97	ug/L		99
4) tertiary butyl alcohol	3.156	59	319118	505.32	ug/L		98
6) chlorodifluoromethane	1.673	51	242203	100.99	ug/L	#	100
7) dichlorodifluoromethane	1.657	85	364178	101.84	ug/L		99
8) chloromethane	1.818	50	244161	103.53	ug/L		98
9) vinyl chloride	1.901	62	289832	101.25	ug/L		98
10) 1.3-butadiene	1.930	54	262433	89.91	ug/L		98
11) bromomethane	2.139	96	115484	95.49	ug/L		96
12) chloroethane	2.225	64	163272	100.30	ug/L		99
13) trichlorofluoromethane	2.418	101	413329	101.21	ug/L		98
14) ethyl ether	2.607	74	150432	97.66	ug/L		91
15) acrolein	2.710	56	52392	101.81	ug/L		91
16) freon 113	2.780	151	162624	97.61	ug/L		99
17) 1,1-dichloroethene	2.787	96	193228	95.13	ug/L		96
18) acetone	2.803	58	132443	375.15	ug/L		90
19) acetonitrile	2.992	40	216899	953.31	ug/L		100
20) iodomethane	2.906	142	206839	109.25	ug/L		93
21) iso-butyl alcohol	4.471	43	192769	938.39	ug/L		92
22) carbon disulfide	2.963	76	583545	97.96	ug/L		100
23) methylene chloride	3.120	84	224377	100.52	ug/L		98
24) methyl acetate	3.008	74	68927	98.04	ug/L		95
25) methyl tert butyl ether	3.287	73	730236	94.39	ug/L		96
26) trans-1,2-dichloroethene	3.307	96	205007	95.36	ug/L		96
27) hexane	3.483	57	300765	98.73	ug/L		98
28) di-isopropyl ether	3.595	45	585764	94.27	ug/L		96
29) ethyl tert-butyl ether	3.843	59	709098	96.37	ug/L		97
30) 2-butanone	3.964	72	210795	392.47	ug/L		95
31) 1,1-dichloroethane	3.602	63	368551	95.82	ug/L		98
32) chloroprene	3.653	53	299395	98.80	ug/L		99
33) acrylonitrile	3.268	53	127155	100.67	ug/L		94
34) vinyl acetate	3.576	86	68548	97.41	ug/L		93

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342976.D
Acq On : 15 Jun 2022 7:32 pm
Operator : BridgetK
Sample : ic10355-100
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Jun 16 08:28:47 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
35) ethyl acetate	3.974	45	50535	98.50	ug/L	#	67
36) 2,2-dichloropropane	4.003	77	332007	93.54	ug/L		99
37) cis-1,2-dichloroethene	3.993	96	228818	95.83	ug/L		96
38) propionitrile	4.013	54	476799	939.42	ug/L		97
39) methyl acrylate	4.019	85	57649	94.55	ug/L		98
40) bromochloromethane	4.160	128	106160	97.46	ug/L		96
41) tetrahydrofuran	4.170	72	61547	99.18	ug/L		92
42) chloroform	4.215	83	395462	94.71	ug/L		93
44) methacrylonitrile	4.118	67	144668	99.02	ug/L		95
45) 1,1,1-trichloroethane	4.353	97	370465	98.77	ug/L		99
46) cyclohexane	4.414	84	328359	100.24	ug/L		92
47) 1,1-dichloropropene	4.462	75	284528	94.94	ug/L		96
48) carbon tetrachloride	4.465	117	289895	98.37	ug/L		99
49) isopropyl acetate	4.581	87	74584	100.43	ug/L		98
50) tert amyl alcohol	4.558	55	102341	488.70	ug/L		99
53) tert-amyl methyl ether	4.667	73	680808	96.07	ug/L		99
54) 2,2,4-trimethylpentane	4.670	57	539004	95.30	ug/L		99
55) n-butyl alcohol	4.946	56	705512	4599.46	ug/L		99
56) benzene	4.609	78	796385	96.64	ug/L		98
57) heptane	4.783	57	129998	101.14	ug/L		92
58) 1,2-dichloroethane	4.635	62	298800	93.12	ug/L		100
59) trichloroethene	5.078	95	235620	98.39	ug/L		97
60) ethyl acrylate	5.094	55	372092	94.17	ug/L		98
61) 2-nitropropane	5.630	41	104087	81.50	ug/L		92
62) 2-chloroethyl vinyl ether	5.659	63	681465	483.87	ug/L		97
63) methyl methacrylate	5.274	100	88207	94.95	ug/L		95
64) 1,2-dichloropropane	5.277	63	203891	97.34	ug/L		100
65) methylcyclohexane	5.267	83	375507	97.19	ug/L		97
66) dibromomethane	5.347	93	149342	99.74	ug/L		98
67) bromodichloromethane	5.466	83	337358	98.81	ug/L		94
68) cis-1,3-dichloropropene	5.806	75	399432	98.07	ug/L		97
69) epichlorohydrin	5.713	57	215179	501.85	ug/L		98
70) 4-methyl-2-pentanone	5.903	58	516748	373.07	ug/L		94
71) 3-methyl-1-butanol	5.925	70	286823	1792.13	ug/L		91
74) toluene	6.086	92	547151	98.48	ug/L		98
75) trans-1,3-dichloropropene	6.256	75	384686	96.92	ug/L		95
76) ethyl methacrylate	6.275	69	365980	94.74	ug/L		99
77) 1,1,2-trichloroethane	6.429	83	192490	97.34	ug/L		96
78) 2-hexanone	6.589	58	530794	365.04	ug/L		96
79) tetrachloroethene	6.522	166	221795	98.74	ug/L		97
80) 1,3-dichloropropane	6.573	76	361898	95.44	ug/L		98
81) butyl acetate	6.673	56	194823	95.73	ug/L		94
82) dibromochloromethane	6.763	129	246706	98.85	ug/L		99
83) 1,2-dibromoethane	6.878	107	249537	96.96	ug/L		97
84) n-butyl ether	7.343	57	817743	95.63	ug/L		99
85) chlorobenzene	7.305	112	595177	99.53	ug/L		98
86) 1,1,1,2-tetrachloroethane	7.372	131	194452	95.61	ug/L		97
87) ethylbenzene	7.379	91	909100	93.49	ug/L		98
88) m,p-xylene	7.491	106	741758	191.47	ug/L		94
89) o-xylene	7.847	106	393079	96.41	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342976.D
Acq On : 15 Jun 2022 7:32 pm
Operator : BridgetK
Sample : ic10355-100
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Jun 16 08:28:47 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
90) butyl acrylate	7.767	55	488981	96.22	ug/L		98
91) styrene	7.863	104	620546	95.67	ug/L		98
92) bromoform	8.046	173	181496	98.59	ug/L		98
93) isopropylbenzene	8.184	105	975796	96.00	ug/L		99
94) cis-1,4-dichloro-2-butene	8.236	88	87729	112.17	ug/L		88
97) bromobenzene	8.499	156	224870	99.46	ug/L		96
98) 1,1,2,2-tetrachloroethane	8.470	83	346102	98.28	ug/L		97
99) trans-1,4-dichloro-2-b...	8.505	53	62013	111.30	ug/L		87
100) 1,2,3-trichloropropane	8.528	110	99496	94.91	ug/L		100
101) n-propylbenzene	8.576	91	1047914	96.73	ug/L		96
102) 2-chlorotoluene	8.675	126	215980	100.70	ug/L	#	86
103) 4-chlorotoluene	8.791	126	213021	101.56	ug/L		88
104) 1,3,5-trimethylbenzene	8.746	105	756087	96.35	ug/L		95
105) tert-butylbenzene	9.051	119	663858	98.44	ug/L		96
106) 1,2,4-trimethylbenzene	9.108	105	774369	96.80	ug/L		97
107) sec-butylbenzene	9.269	105	937049	98.06	ug/L		98
108) 1,3-dichlorobenzene	9.397	146	405173	99.87	ug/L		98
109) p-isopropyltoluene	9.413	119	726021	96.26	ug/L		98
110) 1,4-dichlorobenzene	9.490	146	385362	98.40	ug/L		99
111) 1,2,3-trimethylbenzene	9.513	105	736622	96.23	ug/L		98
112) 1,2-dichlorobenzene	9.846	146	372599	98.35	ug/L		97
113) n-butylbenzene	9.811	92	401398	101.13	ug/L		97
114) 1,2-dibromo-3-chloropr...	10.610	157	98827	105.23	ug/L		94
115) 1,3,5-trichlorobenzene	10.799	180	272784	99.30	ug/L		93
116) 1,2,4-trichlorobenzene	11.428	180	234498	101.19	ug/L		98
117) hexachlorobutadiene	11.566	225	78448	91.50	ug/L		87
118) naphthalene	11.691	128	734252	100.43	ug/L		98
119) 1,2,3-trichlorobenzene	11.913	180	208707	104.31	ug/L		94
120) hexachloroethane	10.113	119	163995	104.54	ug/L		100
121) benzyl chloride	9.599	91	654250	96.55	ug/L		98
122) 2-methylnaphthalene	12.824	142	159652	56.72	ug/L		94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342976.D
Acq On : 15 Jun 2022 7:32 pm
Operator : BridgetK
Sample : ic10355-100
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Jun 16 08:28:47 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342977.D
Acq On : 15 Jun 2022 7:56 pm
Operator : BridgetK
Sample : ic10355-200
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Jun 16 15:16:06 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.108	65	217862	500.00	ug/L		0.01
5) pentafluorobenzene	4.311	168	219715	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.879	114	334098	50.00	ug/L		0.00
72) chlorobenzene-d5	7.276	117	316615	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.468	152	114201	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.321	113	97720	48.53	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.06%				
52) 1,2-dichloroethane-d4 (s)	4.574	65	105632	44.32	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 88.64%				
73) toluene-d8 (s)	6.028	98	410289	49.38	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.76%				
96) 4-bromofluorobenzene (s)	8.354	95	152680	51.81	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 103.62%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.322	88	272447	5219.34	ug/L		95
3) ethanol	2.530	45	845654	16817.90	ug/L		96
4) tertiary butyl alcohol	3.166	59	590093	970.81	ug/L		95
6) chlorodifluoromethane	1.674	51	426703	177.28	ug/L	#	100
7) dichlorodifluoromethane	1.654	85	689201	192.05	ug/L		97
8) chloromethane	1.818	50	447308	189.00	ug/L		96
9) vinyl chloride	1.901	62	530435	184.64	ug/L		97
10) 1.3-butadiene	1.930	54	447255	152.68	ug/L		98
12) chloroethane	2.216	64	267488	163.73	ug/L		98
13) trichlorofluoromethane	2.408	101	751664	183.40	ug/L		99
14) ethyl ether	2.601	74	278095	179.90	ug/L		87
15) acrolein	2.707	56	105577	204.43	ug/L		95
16) freon 113	2.771	151	296662	177.43	ug/L		97
17) 1,1-dichloroethene	2.781	96	352118	172.74	ug/L		96
18) acetone	2.800	58	249239	703.47	ug/L		87
19) acetonitrile	2.996	40	415396	1819.25	ug/L		100
20) iodomethane	2.899	142	365927	192.58	ug/L		96
22) carbon disulfide	2.957	76	1083905	181.30	ug/L		98
23) methylene chloride	3.118	84	413072	184.39	ug/L		94
24) methyl acetate	3.002	74	127925	181.31	ug/L		98
25) methyl tert butyl ether	3.284	73	1280045	164.87	ug/L		97
26) trans-1,2-dichloroethene	3.300	96	382422	177.26	ug/L		97
27) hexane	3.477	57	555444	181.69	ug/L		99
28) di-isopropyl ether	3.592	45	1026290	164.59	ug/L		92
29) ethyl tert-butyl ether	3.840	59	1275461	172.73	ug/L		92
30) 2-butanone	3.961	72	401968	745.74	ug/L	#	85
31) 1,1-dichloroethane	3.599	63	655058	169.71	ug/L		99
32) chloroprene	3.650	53	543585	178.75	ug/L		95
33) acrylonitrile	3.265	53	249132	196.54	ug/L		94
34) vinyl acetate	3.570	86	124691	176.57	ug/L	#	82
35) ethyl acetate	3.971	45	96148	186.74	ug/L	#	46
36) 2,2-dichloropropane	3.997	77	580981	163.11	ug/L		97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342977.D
Acq On : 15 Jun 2022 7:56 pm
Operator : BridgetK
Sample : ic10355-200
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Jun 16 15:16:06 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
37) cis-1,2-dichloroethene	3.987	96	413498	172.55	ug/L		98
38) propionitrile	4.013	54	872418	1712.77	ug/L		83
39) methyl acrylate	4.016	85	110614	180.76	ug/L	#	91
40) bromochloromethane	4.154	128	193365	176.89	ug/L		95
41) tetrahydrofuran	4.167	72	119900	192.53	ug/L		97
42) chloroform	4.209	83	721705	172.23	ug/L		96
44) methacrylonitrile	4.119	67	284474	194.02	ug/L		93
45) 1,1,1-trichloroethane	4.353	97	685023	181.99	ug/L		98
46) cyclohexane	4.408	84	618696	188.20	ug/L		84
47) 1,1-dichloropropene	4.456	75	532049	176.91	ug/L		95
48) carbon tetrachloride	4.465	117	529650	179.08	ug/L		100
49) isopropyl acetate	4.574	87	141770	190.22	ug/L		96
53) tert-amyl methyl ether	4.664	73	1213199	170.41	ug/L		96
54) 2,2,4-trimethylpentane	4.667	57	991638	174.52	ug/L		98
55) n-butyl alcohol	4.953	56	1312831	8519.34	ug/L		99
56) benzene	4.606	78	1422244	171.79	ug/L		95
57) heptane	4.777	57	247995	192.06	ug/L		94
58) 1,2-dichloroethane	4.629	62	540717	167.73	ug/L		98
59) trichloroethene	5.072	95	442530	183.94	ug/L		98
60) ethyl acrylate	5.094	55	680020	171.32	ug/L		98
61) 2-nitropropane	5.624	41	207959	162.09	ug/L		97
62) 2-chloroethyl vinyl ether	5.656	63	1251658	884.64	ug/L		94
63) methyl methacrylate	5.274	100	169905	182.06	ug/L	#	74
64) 1,2-dichloropropane	5.274	63	373670	177.57	ug/L		98
65) methylcyclohexane	5.261	83	698271	179.90	ug/L		97
66) dibromomethane	5.345	93	275658	183.26	ug/L		95
67) bromodichloromethane	5.460	83	621825	181.29	ug/L		97
68) cis-1,3-dichloropropene	5.803	75	741907	181.31	ug/L		97
69) epichlorohydrin	5.714	57	414673	962.67	ug/L		95
70) 4-methyl-2-pentanone	5.900	58	936134	672.74	ug/L	#	81
71) 3-methyl-1-butanol	5.929	70	542476	3373.90	ug/L		98
74) toluene	6.086	92	1011723	180.71	ug/L		95
75) trans-1,3-dichloropropene	6.256	75	714561	178.67	ug/L		95
76) ethyl methacrylate	6.275	69	665455	170.94	ug/L		98
77) 1,1,2-trichloroethane	6.426	83	360547	180.93	ug/L		99
78) 2-hexanone	6.590	58	940358	641.78	ug/L		92
79) tetrachloroethene	6.519	166	425716	188.08	ug/L		97
80) 1,3-dichloropropane	6.570	76	661214	173.05	ug/L		100
81) butyl acetate	6.670	56	369348	180.10	ug/L		97
82) dibromochloromethane	6.760	129	459749	182.81	ug/L		96
83) 1,2-dibromoethane	6.875	107	472531	182.20	ug/L		99
84) n-butyl ether	7.344	57	1436555	166.72	ug/L		95
85) chlorobenzene	7.302	112	1090365	180.95	ug/L		99
86) 1,1,1,2-tetrachloroethane	7.373	131	351173	171.36	ug/L		98
87) ethylbenzene	7.376	91	1580938	161.34	ug/L		94
88) m,p-xylene	7.491	106	1333999	341.72	ug/L		88
89) o-xylene	7.847	106	723298	176.06	ug/L		87
90) butyl acrylate	7.764	55	878105	171.48	ug/L		94
91) styrene	7.864	104	1097016	167.84	ug/L		99
92) bromoform	8.043	173	342363	184.55	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342977.D
Acq On : 15 Jun 2022 7:56 pm
Operator : BridgetK
Sample : ic10355-200
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Jun 16 15:16:06 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
93) isopropylbenzene	8.181	105	1705972	166.56	ug/L		98
94) cis-1,4-dichloro-2-butene	8.236	88	194710	247.05	ug/L		89
97) bromobenzene	8.499	156	406393	184.46	ug/L		95
98) 1,1,2,2-tetrachloroethane	8.467	83	631905	184.14	ug/L		99
99) trans-1,4-dichloro-2-b...	8.505	53	127822	235.42	ug/L	#	83
100) 1,2,3-trichloropropane	8.528	110	185454	181.54	ug/L		98
101) n-propylbenzene	8.576	91	1800355	170.55	ug/L		92
102) 2-chlorotoluene	8.672	126	393998	188.51	ug/L	#	87
103) 4-chlorotoluene	8.788	126	389143	190.39	ug/L	#	81
104) 1,3,5-trimethylbenzene	8.743	105	1322434	172.93	ug/L		93
105) tert-butylbenzene	9.051	119	1174200	178.68	ug/L		95
106) 1,2,4-trimethylbenzene	9.109	105	1326584	170.18	ug/L		94
107) sec-butylbenzene	9.266	105	1617594	173.71	ug/L		94
108) 1,3-dichlorobenzene	9.394	146	729508	184.52	ug/L		96
109) p-isopropyltoluene	9.413	119	1238349	168.50	ug/L		95
110) 1,4-dichlorobenzene	9.490	146	697766	182.83	ug/L		97
111) 1,2,3-trimethylbenzene	9.513	105	1264624	169.53	ug/L		93
112) 1,2-dichlorobenzene	9.843	146	671020	181.75	ug/L		98
113) n-butylbenzene	9.811	92	713410	184.44	ug/L		94
114) 1,2-dibromo-3-chloropr...	10.614	157	199540	218.03	ug/L		97
115) 1,3,5-trichlorobenzene	10.800	180	497760	185.95	ug/L		95
116) 1,2,4-trichlorobenzene	11.425	180	442234	195.84	ug/L		98
117) hexachlorobutadiene	11.567	225	148468	177.71	ug/L		83
118) naphthalene	11.692	128	1372763	192.68	ug/L		95
119) 1,2,3-trichlorobenzene	11.913	180	394181	202.17	ug/L		95
120) hexachloroethane	10.110	119	297747	194.78	ug/L		96
121) benzyl chloride	9.596	91	1173936	177.78	ug/L		97
122) 2-methylnaphthalene	12.824	142	337429	123.03	ug/L		95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342977.D
Acq On : 15 Jun 2022 7:56 pm
Operator : BridgetK
Sample : ic10355-200
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Jun 16 15:16:06 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342980.D
Acq On : 15 Jun 2022 9:06 pm
Operator : BridgetK
Sample : icv10355-50
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Jun 17 18:02:09 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Jun 17 18:01:43 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.095	65	232014	500.00	ug/L		0.00
5) pentafluorobenzene	4.314	168	218400	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.886	114	332458	50.00	ug/L		0.00
72) chlorobenzene-d5	7.276	117	310136	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.468	152	116267	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.327	113	99014	50.19	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.38%				
52) 1,2-dichloroethane-d4 (s)	4.577	65	114947	47.37	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 94.74%				
73) toluene-d8 (s)	6.031	98	403676	47.29	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 94.58%				
96) 4-bromofluorobenzene (s)	8.354	95	151835	50.13	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.26%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.319	88	75726	1251.73	ug/L		91
3) ethanol	2.517	45	300298	5184.79	ug/L		100
4) tertiary butyl alcohol	3.153	59	169230	237.98	ug/L		98
7) dichlorodifluoromethane	1.654	85	227546	63.82	ug/L		99
8) chloromethane	1.818	50	138069	57.93	ug/L		99
9) vinyl chloride	1.901	62	170762	58.09	ug/L		98
10) 1,3-butadiene	1.933	54	173644	60.09	ug/L		99
11) bromomethane	2.148	96	78757	64.34	ug/L		95
12) chloroethane	2.235	64	95932	55.80	ug/L		99
13) trichlorofluoromethane	2.421	101	233259	56.74	ug/L		99
14) ethyl ether	2.607	74	77147	53.71	ug/L		98
15) acrolein	2.713	56	19522	37.43	ug/L		90
16) freon 113	2.784	151	86784	53.62	ug/L		98
17) 1,1-dichloroethene	2.790	96	104519	51.84	ug/L		99
18) acetone	2.800	58	67510	190.59	ug/L		97
20) iodomethane	2.906	142	83750	45.52	ug/L		94
21) iso-butyl alcohol	4.465	43	103818	449.71	ug/L		98
22) carbon disulfide	2.963	76	321109	51.76	ug/L		99
23) methylene chloride	3.121	84	114453	48.76	ug/L		97
24) methyl acetate	3.005	74	35891	50.49	ug/L		93
25) methyl tert butyl ether	3.288	73	396518	51.95	ug/L		98
26) trans-1,2-dichloroethene	3.307	96	112718	51.67	ug/L		95
27) hexane	3.486	57	167686	54.66	ug/L		98
28) di-isopropyl ether	3.596	45	310477	50.12	ug/L		96
29) ethyl tert-butyl ether	3.843	59	355794	49.02	ug/L		98
30) 2-butanone	3.961	72	115015	211.38	ug/L	#	86
31) 1,1-dichloroethane	3.605	63	195846	51.13	ug/L		95
32) chloroprene	3.657	53	166962	53.59	ug/L		99
34) vinyl acetate	3.576	86	32197	48.73	ug/L		97
35) ethyl acetate	3.974	45	26336	47.67	ug/L	#	58
36) 2,2-dichloropropane	4.003	77	182558	49.00	ug/L		99
37) cis-1,2-dichloroethene	3.993	96	122984	49.84	ug/L		93

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342980.D
Acq On : 15 Jun 2022 9:06 pm
Operator : BridgetK
Sample : icv10355-50
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Jun 17 18:02:09 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Jun 17 18:01:43 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
38) propionitrile	4.013	54	247490	475.92	ug/L		97
39) methyl acrylate	4.016	85	30117	46.98	ug/L	#	77
40) bromochloromethane	4.160	128	56204	52.28	ug/L		91
41) tetrahydrofuran	4.167	72	31482	51.78	ug/L		95
42) chloroform	4.212	83	213985	48.78	ug/L		97
44) methacrylonitrile	4.119	67	75823	49.70	ug/L		93
45) 1,1,1-trichloroethane	4.353	97	193673	51.51	ug/L		96
46) cyclohexane	4.414	84	183102	52.91	ug/L		94
47) 1,1-dichloropropene	4.462	75	157773	52.53	ug/L		97
48) carbon tetrachloride	4.465	117	157187	50.44	ug/L		100
49) isopropyl acetate	4.581	87	39509	50.67	ug/L		100
50) tert amyl alcohol	4.558	55	54327	219.91	ug/L		92
53) tert-amyl methyl ether	4.667	73	344226	46.50	ug/L		99
54) 2,2,4-trimethylpentane	4.671	57	287414	48.85	ug/L		98
55) n-butyl alcohol	4.943	56	381773	2316.24	ug/L		99
56) benzene	4.610	78	438563	50.67	ug/L		99
57) heptane	4.783	57	69989	51.57	ug/L		91
58) 1,2-dichloroethane	4.635	62	159607	48.86	ug/L		98
59) trichloroethene	5.078	95	123912	50.62	ug/L		98
60) ethyl acrylate	5.094	55	190753	47.02	ug/L		98
61) 2-nitropropane	5.627	41	57386	48.34	ug/L		98
62) 2-chloroethyl vinyl ether	5.659	63	392152	276.73	ug/L		98
63) methyl methacrylate	5.277	100	45315	47.95	ug/L		93
64) 1,2-dichloropropane	5.277	63	102627	48.06	ug/L		99
65) methylcyclohexane	5.267	83	197430	51.21	ug/L		98
66) dibromomethane	5.348	93	76466	48.58	ug/L		99
67) bromodichloromethane	5.466	83	175939	49.05	ug/L		96
68) cis-1,3-dichloropropene	5.803	75	202450	50.32	ug/L		98
69) epichlorohydrin	5.713	57	109384	235.88	ug/L		96
70) 4-methyl-2-pentanone	5.900	58	278751	187.74	ug/L		100
71) 3-methyl-1-butanol	5.922	70	163600	900.07	ug/L		94
74) toluene	6.089	92	284201	48.80	ug/L		96
75) trans-1,3-dichloropropene	6.259	75	197008	48.87	ug/L		96
76) ethyl methacrylate	6.275	69	193653	47.72	ug/L		99
77) 1,1,2-trichloroethane	6.429	83	99405	49.00	ug/L		97
78) 2-hexanone	6.589	58	284176	176.13	ug/L		99
80) 1,3-dichloropropane	6.570	76	193265	49.01	ug/L		97
81) butyl acetate	6.670	56	104573	49.69	ug/L		91
82) dibromochloromethane	6.763	129	128344	47.33	ug/L		97
83) 1,2-dibromoethane	6.878	107	130545	48.04	ug/L		99
84) n-butyl ether	7.347	57	425534	48.94	ug/L		99
85) chlorobenzene	7.305	112	307670	51.70	ug/L		100
86) 1,1,1,2-tetrachloroethane	7.376	131	104743	48.61	ug/L		96
87) ethylbenzene	7.379	91	511359	50.01	ug/L		100
88) m,p-xylene	7.491	106	402745	98.27	ug/L		97
89) o-xylene	7.847	106	206817	50.45	ug/L		97
90) butyl acrylate	7.764	55	258041	49.17	ug/L		99
91) styrene	7.863	104	335580	50.48	ug/L		96
92) bromoform	8.043	173	94649	49.60	ug/L		97
93) isopropylbenzene	8.181	105	535338	52.02	ug/L		95

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342980.D
Acq On : 15 Jun 2022 9:06 pm
Operator : BridgetK
Sample : icv10355-50
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Jun 17 18:02:09 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Jun 17 18:01:43 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
94) cis-1,4-dichloro-2-butene	8.236	88	43682	57.08	ug/L		92
97) bromobenzene	8.502	156	118135	50.07	ug/L		98
98) 1,1,2,2-tetrachloroethane	8.467	83	181406	46.62	ug/L		99
99) trans-1,4-dichloro-2-b...	8.502	53	33056	59.77	ug/L	#	76
100) 1,2,3-trichloropropane	8.531	110	53955	48.14	ug/L		93
101) n-propylbenzene	8.576	91	579118	52.00	ug/L		99
102) 2-chlorotoluene	8.675	126	113693	51.88	ug/L		94
103) 4-chlorotoluene	8.788	126	111764	50.87	ug/L		94
104) 1,3,5-trimethylbenzene	8.746	105	411358	51.52	ug/L		98
105) tert-butylbenzene	9.051	119	371090	55.45	ug/L		97
106) 1,2,4-trimethylbenzene	9.108	105	398351	48.74	ug/L		98
107) sec-butylbenzene	9.266	105	505018	52.79	ug/L		99
108) 1,3-dichlorobenzene	9.394	146	207375	52.04	ug/L		100
109) p-isopropyltoluene	9.413	119	394615	52.31	ug/L		98
110) 1,4-dichlorobenzene	9.490	146	199256	51.00	ug/L		96
112) 1,2-dichlorobenzene	9.843	146	193057	49.24	ug/L		98
113) n-butylbenzene	9.811	92	210268	55.69	ug/L		98
114) 1,2-dibromo-3-chloropr...	10.617	157	49285	53.60	ug/L		95
115) 1,3,5-trichlorobenzene	10.796	180	142739	56.43	ug/L		99
116) 1,2,4-trichlorobenzene	11.429	180	117263	57.25	ug/L		96
117) hexachlorobutadiene	11.570	225	44801	54.62	ug/L		92
118) naphthalene	11.692	128	368327	53.25	ug/L		97
119) 1,2,3-trichlorobenzene	11.913	180	103114	55.60	ug/L		99
120) hexachloroethane	10.113	119	82948	53.03	ug/L		96
121) benzyl chloride	9.599	91	325673	48.23	ug/L		97
122) 2-methylnaphthalene	12.821	142	69405	28.02	ug/L		91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342980.D
Acq On : 15 Jun 2022 9:06 pm
Operator : BridgetK
Sample : icv10355-50
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Jun 17 18:02:09 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Jun 17 18:01:43 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342981.D
Acq On : 15 Jun 2022 9:29 pm
Operator : BridgetK
Sample : icv10355-50
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Jun 17 18:02:44 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Jun 17 18:01:43 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	3.092	65	262183	500.00	ug/L	0.00
5) pentafluorobenzene	4.314	168	250367	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.882	114	366353	50.00	ug/L	0.00
72) chlorobenzene-d5	7.279	117	315664	50.00	ug/L	0.00
95) 1,4-dichlorobenzene-d4	9.468	152	124313	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	4.324	113	112305	49.66	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.32%			
52) 1,2-dichloroethane-d4 (s)	4.577	65	140164	52.42	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 104.84%			
73) toluene-d8 (s)	6.031	98	460692	53.02	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 106.04%			
96) 4-bromofluorobenzene (s)	8.354	95	163818	50.59	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.18%			
Target Compounds						Qvalue
6) chlorodifluoromethane	1.673	51	64184	22.92	ug/L #	100
19) acetonitrile	2.992	40	140050	532.32	ug/L	99
33) acrylonitrile	3.265	53	66083	45.76	ug/L	97
79) tetrachloroethene	6.525	166	126642	53.33	ug/L	97
111) 1,2,3-trimethylbenzene	9.513	105	453175	54.65	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342981.D
Acq On : 15 Jun 2022 9:29 pm
Operator : BridgetK
Sample : icv10355-50
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Jun 17 18:02:44 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Jun 17 18:01:43 2022
Response via : Initial Calibration



ML10355.M Tue Jun 21 15:33:01 2022 1 Page: 2

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342985.D
Acq On : 16 Jun 2022 10:06 am
Operator : BridgetK
Sample : icv10355-50
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 19 Sample Multiplier: 1

Quant Time: Jun 17 18:03:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Jun 17 18:01:43 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	3.088	65	298843	500.00	ug/L	0.00
5) pentafluorobenzene	4.308	168	253371	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.876	114	366335	50.00	ug/L	0.00
72) chlorobenzene-d5	7.276	117	322435	50.00	ug/L	0.00
95) 1,4-dichlorobenzene-d4	9.468	152	126497	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	4.317	113	115379	50.42	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.84%			
52) 1,2-dichloroethane-d4 (s)	4.571	65	144698	54.12	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 108.24%			
73) toluene-d8 (s)	6.025	98	466572	52.57	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 105.14%			
96) 4-bromofluorobenzene (s)	8.351	95	164461	49.91	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.82%			
Target Compounds						Qvalue
6) chlorodifluoromethane	1.673	51	122930	43.39	ug/L	# 97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342985.D
Acq On : 16 Jun 2022 10:06 am
Operator : BridgetK
Sample : icv10355-50
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 19 Sample Multiplier: 1

Quant Time: Jun 17 18:03:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Jun 17 18:01:43 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10042022\vl10517\
Data File : l347768.d
Acq On : 3 Oct 2022 11:43 am
Operator : nicoleh
Sample : cc10355-20 Inst : GCMSL
Misc : MS62644,VL10517,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 03 22:47:08 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	3.089	65	163251	500.00	ug/L	0.00
5) pentafluorobenzene	4.311	168	227666	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.879	114	341884	50.00	ug/L	0.00
72) chlorobenzene-d5	7.276	117	318661	50.00	ug/L	0.00
95) 1,4-dichlorobenzene-d4	9.471	152	123457	50.00	ug/L	0.00
123) pentafluorobenzene(a)	4.311	168	226738	50.00	ug/L	0.00
127) 1,4-dichlorobenzene-d4(a)	9.471	152	123440	50.00	ug/L	0.01
System Monitoring Compounds						
43) dibromofluoromethane (s)	4.321	113	99542	48.41	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.82%			
52) 1,2-dichloroethane-d4 (s)	4.571	65	115385	46.24	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 92.48%			
73) toluene-d8 (s)	6.025	98	397250	45.29	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 90.58%			
96) 4-bromofluorobenzene (s)	8.354	95	151635	47.15	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 94.30%			
Target Compounds						Qvalue
2) 1,4-dioxane	5.312	88	5182	121.74	ug/L	85
3) ethanol	2.511	45	29230	717.24	ug/L	91
4) tertiary butyl alcohol	3.143	59	47548	95.03	ug/L	89
6) chlorodifluoromethane	1.677	51	25637	10.07	ug/L #	99
7) dichlorodifluoromethane	1.661	85	71632	19.27	ug/L	96
8) chloromethane	1.818	50	47509	19.12	ug/L	91
9) vinyl chloride	1.901	62	57462	18.75	ug/L	97
10) 1,3-butadiene	1.930	54	30296	10.06	ug/L	94
11) bromomethane	2.158	96	19363	15.18	ug/L	99
12) chloroethane	2.235	64	30839	17.21	ug/L	95
13) trichlorofluoromethane	2.421	101	86078	20.09	ug/L	94
14) ethyl ether	2.604	74	29840	19.93	ug/L	95
15) acrolein	2.707	56	14875	27.36	ug/L	96
16) freon 113	2.777	151	35896	21.28	ug/L	91
17) 1,1-dichloroethene	2.787	96	39726	18.90	ug/L	98
18) acetone	2.793	58	32026	86.73	ug/L #	65
19) acetonitrile	2.989	40	33226	138.88	ug/L	98
20) iodomethane	2.906	142	16354	9.80	ug/L	90
21) iso-butyl alcohol	4.459	43	28633	118.98	ug/L	93
22) carbon disulfide	2.963	76	103000	15.93	ug/L	92
23) methylene chloride	3.117	84	51490	21.04	ug/L	100
24) methyl acetate	3.002	74	13040	17.60	ug/L #	71
25) methyl tert butyl ether	3.284	73	155636	19.56	ug/L	90
26) trans-1,2-dichloroethene	3.300	96	47772	21.01	ug/L	91
27) hexane	3.477	57	67350	21.06	ug/L	95
28) di-isopropyl ether	3.592	45	152592	23.63	ug/L	87
29) ethyl tert-butyl ether	3.836	59	166801	22.04	ug/L	95
30) 2-butanone	3.955	72	44361	78.21	ug/L	92
31) 1,1-dichloroethane	3.599	63	88842	22.25	ug/L	93
32) chloroprene	3.650	53	71886	22.13	ug/L	94
33) acrylonitrile	3.265	53	28931	22.03	ug/L	93
34) vinyl acetate	3.570	86	14137	20.52	ug/L	94
35) ethyl acetate	3.965	45	11850	20.57	ug/L	89
36) 2,2-dichloropropane	3.997	77	76052	19.58	ug/L	97
37) cis-1,2-dichloroethene	3.987	96	54404	21.15	ug/L	98
38) propionitrile	4.003	54	104434	192.65	ug/L	94
39) methyl acrylate	4.010	85	12147	18.18	ug/L	98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10042022\vl10517\
Data File : l347768.d
Acq On : 3 Oct 2022 11:43 am
Operator : nicoleh
Sample : cc10355-20 Inst : GCMSL
Misc : MS62644,VL10517,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 03 22:47:08 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
40) bromochloromethane	4.157	128	23322	20.81	ug/L		94
41) tetrahydrofuran	4.164	72	11438	18.05	ug/L	#	83
42) chloroform	4.208	83	92690	20.27	ug/L		97
44) methacrylonitrile	4.112	67	33188	20.87	ug/L		99
45) 1,1,1-trichloroethane	4.350	97	77232	19.71	ug/L		93
46) cyclohexane	4.411	84	70264	19.48	ug/L		96
47) 1,1-dichloropropene	4.456	75	65282	20.85	ug/L		95
48) carbon tetrachloride	4.465	117	63862	19.66	ug/L		96
49) isopropyl acetate	4.574	87	16268	20.01	ug/L	#	74
50) tert amyl alcohol	4.552	55	17779	69.04	ug/L		95
53) tert-amyl methyl ether	4.664	73	153507	20.16	ug/L		98
54) 2,2,4-trimethylpentane	4.667	57	134685	22.26	ug/L		96
55) n-butyl alcohol	4.937	56	74962	442.26	ug/L		91
56) benzene	4.606	78	187973	21.12	ug/L		97
57) heptane	4.776	57	26585	19.05	ug/L	#	85
58) 1,2-dichloroethane	4.629	62	67103	19.98	ug/L		98
59) trichloroethene	5.075	95	53754	21.35	ug/L		99
60) ethyl acrylate	5.091	55	93085	22.31	ug/L		95
61) 2-nitropropane	5.624	41	22944	18.79	ug/L		88
62) 2-chloroethyl vinyl ether	5.652	63	182663	125.35	ug/L		98
63) methyl methacrylate	5.271	100	20427	21.02	ug/L		99
64) 1,2-dichloropropane	5.274	63	51533	23.47	ug/L		81
65) methylcyclohexane	5.264	83	82721	20.87	ug/L		90
66) dibromomethane	5.344	93	32461	20.05	ug/L		95
67) bromodichloromethane	5.460	83	71236	19.31	ug/L		96
68) cis-1,3-dichloropropene	5.800	75	84740	20.48	ug/L		98
69) epichlorohydrin	5.710	57	40659	85.26	ug/L		86
70) 4-methyl-2-pentanone	5.896	58	131061	85.84	ug/L		95
71) 3-methyl-1-butanol	5.912	70	38306	204.94	ug/L		92
74) toluene	6.086	92	126511	21.14	ug/L		95
75) trans-1,3-dichloropropene	6.256	75	78566	18.97	ug/L		91
76) ethyl methacrylate	6.275	69	82635	19.82	ug/L		95
77) 1,1,2-trichloroethane	6.426	83	43428	20.83	ug/L		93
78) 2-hexanone	6.589	58	129975	78.40	ug/L		96
79) tetrachloroethene	6.519	166	48544	20.25	ug/L		94
80) 1,3-dichloropropane	6.570	76	84648	20.89	ug/L		94
81) butyl acetate	6.670	56	48439	22.40	ug/L		97
82) dibromochloromethane	6.760	129	53290	19.12	ug/L		99
83) 1,2-dibromoethane	6.878	107	52115	18.66	ug/L		92
84) n-butyl ether	7.347	57	199839	22.37	ug/L		95
85) chlorobenzene	7.302	112	125128	20.46	ug/L		98
86) 1,1,1,2-tetrachloroethane	7.372	131	43509	19.65	ug/L		93
87) ethylbenzene	7.376	91	224316	21.35	ug/L		93
88) m,p-xylene	7.488	106	166484	39.53	ug/L		95
89) o-xylene	7.847	106	85303	20.25	ug/L		96
90) butyl acrylate	7.764	55	115213	21.37	ug/L		96
91) styrene	7.863	104	137627	20.15	ug/L		99
92) bromoform	8.046	173	35420	18.07	ug/L		95
93) isopropylbenzene	8.184	105	212475	20.09	ug/L		95
94) cis-1,4-dichloro-2-butene	8.236	88	18356	23.35	ug/L		92
97) bromobenzene	8.502	156	50249	20.06	ug/L		98
98) 1,1,2,2-tetrachloroethane	8.470	83	74791	18.10	ug/L		95
99) trans-1,4-dichloro-2-b...	8.505	53	14688	25.01	ug/L	#	79
100) 1,2,3-trichloropropane	8.528	110	21951	18.44	ug/L		95
101) n-propylbenzene	8.576	91	238588	20.18	ug/L		95
102) 2-chlorotoluene	8.678	126	47260	20.31	ug/L	#	83
103) 4-chlorotoluene	8.788	126	47475	20.35	ug/L	#	86

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10042022\vl10517\
Data File : l347768.d
Acq On : 3 Oct 2022 11:43 am
Operator : nicoleh
Sample : cc10355-20 Inst : GCMSL
Misc : MS62644,VL10517,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 03 22:47:08 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
104) 1,3,5-trimethylbenzene	8.746	105	162104	19.12	ug/L	98
105) tert-butylbenzene	9.051	119	143144	20.14	ug/L	99
106) 1,2,4-trimethylbenzene	9.112	105	164522	18.96	ug/L	97
107) sec-butylbenzene	9.272	105	199017	19.59	ug/L	97
108) 1,3-dichlorobenzene	9.397	146	84591	19.99	ug/L	97
109) p-isopropyltoluene	9.413	119	159509	19.91	ug/L	96
110) 1,4-dichlorobenzene	9.494	146	78833	19.00	ug/L	99
111) 1,2,3-trimethylbenzene	9.513	105	156851	19.05	ug/L	99
112) 1,2-dichlorobenzene	9.850	146	76524	18.38	ug/L	95
113) n-butylbenzene	9.814	92	78754	19.64	ug/L	92
114) 1,2-dibromo-3-chloropr...	10.617	157	17483	17.91	ug/L	83
115) 1,3,5-trichlorobenzene	10.803	180	52168	19.42	ug/L	95
116) 1,2,4-trichlorobenzene	11.432	180	43035	19.79	ug/L	95
117) hexachlorobutadiene	11.576	225	16674	19.15	ug/L	82
118) naphthalene	11.695	128	135707	18.48	ug/L	99
119) 1,2,3-trichlorobenzene	11.919	180	39346	19.98	ug/L	89
120) hexachloroethane	10.116	119	29354	17.67	ug/L	96
121) benzyl chloride	9.603	91	125759	17.54	ug/L	96
122) 2-methylnaphthalene	12.828	142	19637	7.47	ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10042022\vl10517\
Data File : l347768.d
Acq On : 3 Oct 2022 11:43 am
Operator : nicoleh
Sample : cc10355-20 Inst : GCMSL
Misc : MS62644,VL10517,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 03 22:47:08 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration



GCMS Volatile Run Log

Standard / Reagents	Lot #				Column	Rxi-624(30mx0.25mmx1.4um)
Standard	ABK: V021-2752-121.29	Ec:V021-2752-136.8	AA:V021-2752-125.6	EXT EC: V022-2752-126.1	Method	v8260d
Standard Concentration	100-10,000ppm	100ppm	100ppm	100 ppm	Init Calib Date	9/28/2022
Expiration Date	10/21/2022	10/5/2022	10/27/2022	10/4/2022		
Internal Surrogate	V021-2741-117					
Internal Surrogate Concentration	50/500ppm				Analysis Date	9/28/2022
Expiration Date	3/23/2022				Sequence loaded by	Prashant B. Shukla
Standard	EXT PA: v022-2752-83.3	EXT Chlorodifluoromethane: V022-2752-120	EXT ABK: V022-2752-101.3	EXT Acrolein: V022-2752-128.21	Data processed by	Mohui Huang
Standard Concentration	100 ppm	100 ppm	100 ppm	100 ppm	Batch ID	V1X8636
Expiration Date	9/30/2022	10/20/2022	10/8/2022	10/27/2022	Matrix	AQ
					Approved By:	KANYAV
pH Paper Lot# (wide range): 223120	Exp:8/15/2023		Initial Calibration Method	M1X8415	Approved Date:	10/8/2022 2:17:03 PM

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
1X	200546	BFB		NA			5			1	ok	8:11pm
2X	200547	BFB		NA			5			2	ok	8:31pm
1X	200548	IC8636-0.2		NA		AQ Initical Calibration	5			3	ok	1.0 ul abk, aa, ex / 500 ml
2X	200549	IC8636-0.2		NA		AQ Initical Calibration	5			4	ok	1.0 ul abk, aa, ex / 500 ml
1X	200550	IC8636-0.5		NA		AQ Initical Calibration	5			5	ok	1.0 ul abk, aa, ex / 200 ml
2X	200551	IC8636-0.5		NA		AQ Initical Calibration	5			6	ok	1.0 ul abk, aa, ex / 200 ml
1X	200552	IC8636-1.0		NA		AQ Initical Calibration	5			7	ok	1.0 ul abk, aa, ex / 100 ml
2X	200553	IC8636-1.0		NA		AQ Initical Calibration	5			8	ok	1.0 ul abk, aa, ec / 100 ml
1X	200554	IC8636-2.0		NA		AQ Initical Calibration	5			9	ok	2.0 ul abk, aa, ec / 100 ml
2X	200555	IC8636-2.0		NA		AQ Initical Calibration	5			10	ok	2.0 ul abk, aa, ec / 100 ml
1X	200556	IC8636-4.0		NA		AQ Initical Calibration	5			11	ok	4.0 ul abk, aa, ec / 100 ml

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
2X	200557	IC8636-4.0		NA		AQ Initical Calibration	5			12	ok	4.0 ul abk, aa, ec / 100 ml
1X	200558	IC8636-8.0		NA		AQ Initical Calibration	5			13	ok	8.0 ul abk, aa, ec / 100 ml
2X	200559	IC8636-8.0		NA		AQ Initical Calibration	5			14	ok	8.0 ul abk, aa, ec / 100 ml
1X	200560	IC8636-20		NA		AQ Initical Calibration	5			15	ok	20 ul abk, aa, ec / 100 ml
2X	200561	IC8636-20		NA		AQ Initical Calibration	5			16	ok	20 ul abk, aa, ec / 100 ml
1X	200562	ICC8636-50		NA		AQ Initical Calibration	5			17	ok	50 ul abk, aa, ec / 100 ml
2X	200563	ICC8636-50		NA		AQ Initical Calibration	5			18	ok	50 ul abk, aa, ec / 100 ml
1X	200564	IC8636-100		NA		AQ Initical Calibration	5			19	ok	100 ul abk, aa, ec / 100 ml
2X	200565	IC8636-100		NA		AQ Initical Calibration	5			20	ok	100 ul abk, aa, ec / 100 ml
1X	200566	IC8636-200		NA		AQ Initical Calibration	5			21	ok	200 ul abk, aa, ec / 100 ml
2X	200567	IC8636-200		NA		AQ Initical Calibration	5			22	ok	200 ul abk, aa, ec / 100 ml
1X	200568	IB		NA			5			23		
2X	200569	IB		NA			5			24		
1X	200570	IB		NA			5			25		
2X	200571	IB		NA			5			26		
1X	200572	ICV8636-50		NA		AQ Initical Calibration	5			27	ok	50 uL EXT ABK, EXT EC, EXT Acrolein / 100 mL DI H2O
2X	200573	ICV8636-50		NA		AQ Initical Calibration	5			28	ok	50 uL EXT ABK, EXT EC, EXT Acrolein / 100 mL DI H2O
1X	200574	ICV8636-50		NA		AQ Initical Calibration	5			29	ok	50 uL EXT PA, EXT Chlorodifluoromethan / 100 mL DI H2O
2X	200575	ICV8636-50		NA		AQ Initical Calibration	5			30	ok	50 uL EXT PA, EXT Chlorodifluoromethan / 100 mL DI H2O


GCMS Volatile Run Log

Standard / Reagents	Lot #				Column	Rxi-624(60mx0.25mmx1.4um)
Standard	ABK: V022-2752-121.29	EC: V022-2752-132.6	AA: V022-2752-125.6		Method	V8260D
Concentration	100-10,000ppm	100ppm	100ppm		Init Calib Date	9/28/2022
Expiration	10/21/2022	10/5/2022	10/27/2022			
Internal/Surrogate	V022-2752-94					
Concentration	50/500ppm				Analysis Date	9/30/2022
Expiration	10/3/2022				Sequence loaded by	taylors
					Data processed by	Lotusa
					Batch ID	V1X8639
Rough reviewed by					Matrix	AQ
					Approved By:	MOHUI
pH Paper Lot# (wide range): 222221	Exp. 8/1/2024		Initial Calibration Method	M1X8636	Approved Date:	10/8/2022 5:33:51 PM


Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
1x	200639	IB		NA			5			1	OK	
1x	200640	IB		NA			5			2	OK	
1x	200641	CC8636-20		NA			5			3	ng	not used, 20 ul abk, aa, ec / 100 ml
1x	200642	IB		NA			5			4	OK	
1x	200643	BFB/CC8636-20		NA			5			5	OK/OK	9:46am, 20 ul abk, aa, ec / 100 ml
1x	200644	CC8636-1		NA			5			6	OK	1 ul abk, aa, ec / 100 ml
1x	200645	BS		NA			5			7	OK	50 ul abk, aa, ec / 100 ml
1x	200646	IB		NA			5			8	OK	
1x	200647	MB		NA			5			9	OK	
1x	200648	JD52514-8	1	100x	MS62508	V8260TCL42	0.5/50		1	10	OK	

ix1.4um)
PM

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
1x	200649	JD52514-8	1	10x	MS62508	V8260TCL42	5/50		1	11	OK	
1x	200650	JD52514-1	1	NA	MS62508	V8260TCL42	5		1	12	OK	+4D121709
1x	200651	JD52514-9	1	5x	MS62508	V8260TCL42	10/50		1	13	OK	+4D121716
1x	200652	JD52514-6	2	2x	MS62508	V8260TCL42	25/50		1	14	OK	+4D121713
1x	200653	JD52514-2	1	NA	MS62508	V8260TCL42	5		1	15	OK	+4D121702
1x	200654	JD52514-7	1	5x	MS62508	V8260TCL42	10/50		1	16	OK	+4D121714
1x	200655	JD52514-4	2	25x	MS62508	V8260TCL42	2/50		1	17	OK	+4D121711
1x	200656	JD52514-5	2	2x	MS62508	V8260TCL42	25/50		1	18	OK	+4D121712
1x	200657	JD52514-3	2	2x	MS62508	V8260TCL42	25/50		1	19	OK	+4D121710
1x	200658	JD52514-8MS	1	10x	MS62508	V8260TCL42	5/50		1	20	OK	25 ul abk, aa, ec / 50 ml
1x	200659	JD52514-8MSD	1	10x	MS62508	V8260TCL42	5/50		1	21	OK	25 ul abk, aa, ec / 50 ml
1x	200660	JD52514-2	1	10x	MS62508	V8260TCL42	5/50		1	22	OK	for confirmation
1x	200661	JD52514-7	1	50x	MS62508	V8260TCL42	1/50		1	23	OK	for confirmation
1x	200662	JD52721-2	1	NA	MS62612	V8260SL	5		1	24	OK	
1x	200663	JD52717-12	7	NA	MS62612	V8260TCL20+	5		1	25	OK	
1x	200664	JD52717-13	1	NA	MS62612	V8260TCL20+	5		1	26	OK	
1x	200665	JD52717-1	5	NA	MS62612	V8260TCL20+	5		1	27	OK	
1x	200666	JD52717-2	6	NA	MS62612	V8260TCL20+	5		1	28	OK	
1x	200667	JD52717-3	6	NA	MS62612	V8260TCL20+	5		1	29	ok	



Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
1x	200668	JD52717-4	6	NA	MS62612	V8260TCL20+	5		1	30	OK	
1x	200669	JD52717-11	6	NA	MS62612	V8260TCL20+	5		1	31	OK	
1x	200670	JD52626-3	8	NA	MS62566	V8260TCL20+	5		1	32	ok/rr	cchit
1x	200671	JD52504-2	3	NA	MS62505	V8260CP51GTCL20	5		1	33	OK	
1x	200672	JD52504-3	4	NA	MS62505	V8260CP51G	5		1	34	OK	9:01pm



GCMS Volatile Run Log

Standard / Reagents	Lot #					
Standard	ABK: V022-2752-121.29	EC: V022-2752-132.6	AA: V022-2752-125.6		Column	Rxi-624(60mx0.25mmx1.4um)
Concentration	100-10,000ppm	100ppm	100ppm		Method	v8260d
Expiration	10/21/2022	10/5/2022	10/27/2022		Init Calib Date	7/6/2022
Internal/Surrogate	V022-2752-94					
Concentration	50/500ppm				Analysis Date	9/30/2022
Expiration	10/3/2022				Sequence loaded by	taylors
					Data processed by	luckyc
					Batch ID	V1X8640
Rough reviewed by					Matrix	AQ
					Approved By:	MOHUI
pH Paper Lot# (wide range): 222221	Exp. 8/1/2024		Initial Calibration Method	M1X8636	Approved Date:	10/10/2022 2:43:15 PM

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
1X	200673	IB		NA			5			1	ok	
1X	200674	BFB/CC8636-50		NA			5			2	ok/ok	50 ul abk, aa, ec / 100 ml; 9:48pm
1X	200675	CC8636-1		NA			5			3	ok	1 ul abk, aa, ec / 100 ml
1X	200676	BS		NA			5			4	ok	50 ul abk, aa, ec / 100 ml, #12 +#60 within marginal exceedance
1X	200677	IB		NA			5			5	ok	
1X	200678	MB		NA			5			6	ok	
1X	200679	JD52697-12	9	NA	MS62585	V8260TCL20+	5		1	7	ok	
1X	200680	JD52697-13	2	NA	MS62585	V8260TCL20+	5		1	8	ok	
1X	200681	JD52697-5	8	20x	MS62585	V8260TCL20+	2.5/50		1	9	rr	rr o/d
1X	200682	JD52697-3	11	200x	MS62585	V8260TCL20+	0.25/50		1	10	rr	rr o/d
1X	200683	JD52697-5MS	8	20x	MS62585	V8260TCL20+	2.5/50		1	11	ok	25 ul abk, aa, ec / 50 ml

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
1X	200684	JD52697-5MSD	8	20x	MS62585	V8260TCL20+	2.5/50		1	12	ok	25 ul abk, aa, ec / 50 ml
1X	200685	JD52697-3	11	2000x	MS62585	V8260TCL20+	0.025/50		1	13	ok	
1X	200686	JD52763-2	3	NA	MS62628	V8260SL	5		1	14	NotNeed	Cancelled per TS 10/3/22
1X	200687	JD52763-1	2	NA	MS62628	V8260SL	5		1	15	rr	rr cc hit
1X	200688	JD52697-1	11	NA	MS62585	V8260TCL20+	5		1	16	ok	
1X	200689	JD52697-2	11	NA	MS62585	V8260TCL20+	5		1	17	rr	rr cc hit
1X	200690	JD52697-4	7	NA	MS62585	V8260TCL20+	5		1	18	ok	
1X	200691	JD52697-6	7	NA	MS62585	V8260TCL20+	5		1	19	rr	rr cc hit
1X	200692	JD52697-7	7	NA	MS62585	V8260TCL20+	5		1	20	rr	rr cc hit
1X	200693	JD52697-8	9	4x	MS62585	V8260TCL20+	12.5/50		1	21	rr	rr cc hit, f/d
1X	200694	JD52697-9	10	5	MS62585	V8260TCL20+	10/50		1	22	rr	rr cc hit, f/d
1X	200695	JD52697-10	7	10x	MS62585	V8260TCL20+	5/50		1	23	rr	f/d
1X	200696	JD52697-11	4	NA	MS62585	V8260TCL20+	5		3	24	ok	
1X	200697	JD52569-1	1	NA	MS62543	V8260NHF	5		1	25	ok	
1X	200698	JD52569-2	1	NA	MS62543	V8260NHF	5		1	26	rr	f/d
1X	200699	JD52569-3	1	4x	MS62543	V8260NHF	12.5/50		1	27	rr	f/d
1X	200700	JD52569-4	2	NA	MS62543	V8260NHF	5		1	28	ok	7:51 am

GCMS Volatile Run Log

Standard / Reagents	Lot #				Column	Rxi-624(60mx0.25mmx1.4um)
Standards	ABK: V022-2752-36.15	EC: V022-2752-42.1	AA: V021-2752-40.58	Ext.Chlorodifluoromethane: V022-2752-31	Method	V8260D
Concentration	100-10,000ppm	100ppm	100ppm	100ppm	Init Calib Date	5/6/2022
Expiration	8/23/2022	8/4/2022	8/28/2022	8/21/2022		
Ext.Standards	Ext.ABK: V022-2752-29.4	Ext.EC: V022-2752-43.3	Ext.Acrolein: V022-2752-39.9	Ext.PA: V022-2752-38.9		
Concentration	100-10,000ppm	100ppm	100ppm	100-1,000ppm	Analysis Date	7/31/2022
Expiration	8/18/2022	8/5/2022	8/26/2022	8/26/2022	Sequence loaded by	Prashant B. Shukla
Internal/Surrogate	V022-2752-20				Data processed by	Mohui Huang
Concentration	250/2500ppm				Batch ID	V2A9511
Expiration	8/14/2022				Matrix	AQ
Rough reviewed by					Approved By:	KANYAV
pH Paper Lot# (wide range):222221	Exp. 8/1/2024		Initial Calibration Method	M2A9511	Approved Date:	8/1/2022 6:38:11 PM

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
2A	218780	BFB		NA		TUNE	5			1	ok	
2A	218781	IC9511-0.2		NA		ICC 8260 Water	5			2	ok	1uL Std.A/B/K,EC,AA in 500mL DI H2O
2A	218782	IC9511-0.5		NA		ICC 8260 Water	5			3	ok	1uL Std.A/B/K,EC,AA in 200mL DI H2O
2A	218783	IC9511-1		NA		ICC 8260 Water	5			4	ok	1uL Std.A/B/K,EC,AA in 100mL DI H2O
2A	218784	IC9511-2		NA		ICC 8260 Water	5			5	ok	1uL Std.A/B/K,EC,AA in 50mL DI H2O
2A	218785	IC9511-4		NA		ICC 8260 Water	5			6	ok	2uL Std.A/B/K,EC,AA in 50mL DI H2O
2A	218786	IC9511-8		NA		ICC 8260 Water	5			7	ok	4uL Std.A/B/K,EC,AA in 50mL DI H2O
2A	218787	IC9511-20		NA		ICC 8260 Water	5			8	ok	10uL Std.A/B/K,EC,AA in 50mL DI H2O
2A	218788	ICC9511-50		NA		ICC 8260 Water	5			9	ok	25uL Std.A/B/K,EC,AA in 50mL DI H2O
2A	218789	IC9511-100		NA		ICC 8260 Water	5			10	ok	50uL Std.A/B/K,EC,AA in 50mL DI H2O
2A	218790	IC9511-200		NA		ICC 8260 Water	5			11	ok	100uL Std.A/B/K,EC,AA in 50mL DI H2O

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
2A	218791	IB		NA			5			12	OK	
2A	218792	IB		NA			5			13	OK	
2A	218793	ICV9511-50		NA		ICV 8260 Water	5			14	ok	25uL Ext.A/B/K,EC,Acrolein, in 50mL DI H2O
2A	218794	ICV9511-50		NA		ICV 8260 Water	5			15	ok	25uL Ext.PA,Chlorodifluoromethane in 50mL DI H2O
2A	218795	IB		NA			5			16	OK	

GCMS Volatile Run Log

Standard / Reagents	Lot #				Column	Rxi-624(60mx0.25mmx1.4um)
Standard	ABK: V022-2752-121.7	EC: V022-2752-132.7	AA: V022-2752-125.1		Method	V8260D
Standard Concentration	100-10,000ppm	100ppm	100ppm		Init Calib Date	7/31/22
Expiration Date	10/21/2022	10/5/2022	10/27/2022			
Internal Surrogate	V022-2752-93					
Internal Surrogate Concentration	50/500ppm				Analysis Date	9/30/2022
Expiration Date	10/3/2022				Sequence loaded by	nicoleh
					Data processed by	Lotusa
					Batch ID	V2A9583
Rough reviewed by					Matrix	AQ
					Approved By:	MEI
pH paper Lot# (wide range):	222221	81/2024	Initial Calibration Method	M2A9511	Approved Date:	10/5/2022 4:07:04 PM

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
2A	220437	IB		NA			5			1	OK	
2A	220438	BFB/CC9511-20		NA			5			2	OK	9:16AM 20uL abk ec aa / 100mL
2A	220439	CC9511-1		NA			5			3	OK	1uL abk ec aa / 100mL
2A	220440	BS		NA			5			4	OK	50uL abk ec aa / 100mL
2A	220441	IB		NA			5			5	OK	
2A	220442	MB		NA			5			6	OK	
2A	220443	JD52572-11	1	NA	MS62546	V8260TCL20+	5		7	7	OK	123TMB,NAP,NBBNZ,NPBNZ,SBBNZ,TBA
2A	220444	JD52507-12	1	100x	MS62506	V8260TCL42	0.5/50		1	8	OK	+2v93015
2A	220445	JD52680-6	1	10x	MS62593	V8260TCL20+, TBA	5/50		1	9	OK/rr	o/d
2A	220446	JD52507-13	1	100x	MS62506	V8260TCL42	0.5/50		1	10	OK	+2v93015
2A	220447	JD52514-12	2	5x	MS62508	V8260TCL42	10/50		1	11	OK	+2a220449

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
2A	220448	JD52680-4	1	10x	MS62593	V8260TCL20+, TBA	5/50		1	12	OK/rr	10x/100x ccit and c/o and f/d
2A	220449	JD52514-12	2	50x	MS62508	V8260TCL42	1/50		1	13	OK	
2A	220450	JD52602-3	8	NA	MS62550	V8260TCL	5		1	14	OK	+3d182123
2A	220451	JD52514-12MS	2	5x	MS62508	V8260TCL42	10/50		1	15	OK	25uL abk ec aa / 50mL
2A	220452	JD52514-12MSD	2	5x	MS62508	V8260TCL42	10/50		1	16	OK	25uL abk ec aa / 50mL
2A	220453	IB		NA			5			17	OK	
2A	220454	JD52661-2	2	NA	MS62593	V8260SL2	5		1	18	OK	
2A	220455	JD52602-5	8	NA	MS62550	V8260TCL	5		1	19	OK	
2A	220456	JD52602-6	7	NA	MS62550	V8260TCL	5		1	20	OK	
2A	220457	JD52602-7	8	NA	MS62550	V8260TCL	5		1	21	OK	
2A	220458	JD52661-1	13	NA	MS62593	V8260SL2	5		1	22	OK	
2A	220459	JD52680-1	1	NA	MS62593	V8260TCL20+, TBA	5		1	23	OK	
2A	220460	JD52680-3	2	NA	MS62593	V8260TCL20+, TBA	5		1	24	OK/rr	cchit
2A	220461	JD52680-2	1	4x	MS62593	V8260TCL20+, TBA	12.5/50		1	25	OK/rr	cchit
2A	220462	JD52680-5	2	4x	MS62593	V8260TCL20+, TBA	12.5/50		1	26	OK/rr	8:49pm cchit

GCMS Volatile Run Log

Standard / Reagents	Lot #				Column	Rxi-624(30mx0.25mmx1.4um)
Standard	ABK: V022-2752-36.37	EC: V022-2752-59.6	AA: V022-2752-40.25	EXT.chlorodifluoromethane:V022-2752-31	Method	V8260D
Standard Concentration	100-10,000ppm	100ppm	100ppm	100PPM	Init Calib Date	8/13/2022
Expiration Date	8/23/22	8/18/2022	8/28/22	8/21/2022		
Standard	EXT.ABK:V022-2752-29.4	EXT.EC:V022-2752-61.3	EXT Acrolein:V022-2752-39.6	Ext.PA:V022-2752-38.9		
Standard Concentration	100-10000PPM	100PPM	100PPM	100PPM	Analysis Date	8/13/2022
Expiration Date	8/18/2022	8/19/2022	8/26/2022	8/26/2022	Sequence loaded by	prashant
Internal Surrogate	V022-2747-48				Data processed by	Bridget K
Internal Surrogate Concentration	50/500ppm				Batch ID	V4D5341
Expiration Date	9/4/2022				Matrix	AQ
					Approved By:	KANYAV
pH paper Lot# (wide range):	222221	Exp. Date: 8/1/2024	Initial Calibration Method	M4D5341	Approved Date:	8/18/2022 12:03:12 PM

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
4d	120247	BFB		NA		tune	5			1	ok	7:58P.M.
4d	120248	IC5341-0.2		NA		ICC 8260 water	5			2	ok	1uL ABK, AA, EC / 500mL
4d	120249	IC5341-0.5		NA		ICC 8260 water	5			3	ok	1uL ABK, AA, EC / 200mL
4d	120250	IC5341-1.0		NA		ICC 8260 water	5			4	ok	1uL ABK, AA, EC / 100mL
4d	120251	IC5341-2		NA		ICC 8260 water	5			5	ok	2uL ABK, AA, EC / 100mL
4d	120252	IC5341-4		NA		ICC 8260 water	5			6	ok	4uL ABK, AA, EC / 100mL
4d	120253	IC5341-8		NA		ICC 8260 water	5			7	ok	8uL ABK, AA, EC / 100mL
4d	120254	IC5341-20		NA		ICC 8260 water	5			8	ok	20uL ABK, AA, EC / 100mL
4d	120255	IC5341-50		NA		ICC 8260 water	5			9	ok	50uL ABK, AA, EC / 100mL
4d	120256	IC5341-100		NA		ICC 8260 water	5			10	ok	100uL ABK, AA, EC / 100mL
4d	120257	IC5341-200		NA		ICC 8260 water	5			11	ok	200uL ABK, AA, EC / 100mL

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
4d	120258	IB		NA			5			12	ok	
4d	120259	IB		NA			5			13	ok	
4d	120260	ICV5341-50		NA		ICV 8260 water	5			14	ok	50uL ext. ABK, Acrolein, EC / 100mL
4d	120261	ICV5341-50		NA		ICV 8260 water	5			15	ok	50uL ext. PA, Chlorodifluoromethane / 100mL
4d	120262	IB		NA			5			16	ok	

GCMS Volatile Run Log

Standard / Reagents	Lot #					
Standard lot#	ABK: V022-2752-121.8	EC: V022-2752-122.9	AA: V022-2752-125.5		Column	Rxi-624(30mx0.25mmx1.4um)
Standard concentration	100-10,000ppm	100ppm	100ppm		Method	v8260d
Standard expiration date	10/21/2022	9/29/2022	10/27/2022		Init Calib Date	8/3/2022
Internal/surrogate lot#	V022-2752-94					
Internal/surrogate concentration	50/500ppm				Analysis Date	9/29/2022
Internal/surrogate expiration date	10/3/2022				Sequence loaded by	taylors
					Data processed by	reneec
					Batch ID	V4D5406
Rough reviewed by					Matrix	AQ
					Approved By:	MEI
pH Paper(wide-range) lot# 222221	Exp. Date: 8/1/2024		Initial Calibration Method	M4D5341	Approved Date:	10/10/2022 1:02:17 PM

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
4D	121695	IB		NA			5			1	ok	
4D	121696	BFB/CC5341-50		NA			5			2	ok/ok	8:44pm, 50 ul abk, aa, ec / 100 ml
4D	121697	CC5341-1		NA			5			3	ok	1 ul abk, aa, ec / 100 ml
4D	121698	BS		NA			5			4	ok	50 ul abk, aa, ec / 100 ml
4D	121699	IB		NA			5			5	ok	
4D	121700	MB		NA			5			6	ok	
4D	121701	JD52514-13	1	NA	MS62508	V8260TCL42	5		1	7	ok	
4D	121702	JD52514-2	2	10x	MS62508	V8260TCL42	5/50		1	8	ok/rr	cc hit; o/d
4D	121703	JD52514-10	1	NA	MS62508	V8260TCL42	5		1	9	ok/rr	cc hit; f/d
4D	121704	JD52514-11	2	50x	MS62508	V8260TCL42	1/50		1	10	ok/rr	cc hit
4D	121705	JD52514-2MS	2	10x	MS62508	V8260TCL42	5/50		1	11	ok	25 ul abk, aa, ec / 50 ml

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
4D	121706	JD52514-2MSD	2	10x	MS62508	V8260TCL42	5/50		1	12	ok	25 ul abk, aa, ec / 50 ml
4D	121707	JD52514-11	2	500x	MS62508	V8260TCL42	0.1/50		1	13	ok	
4D	121708	JD52557-5	1	NA	MS62532	V8260MASTD	5		1	14	ok	
4D	121709	JD52514-1	2	10x	MS62508	V8260TCL42	5/50		1	15	ok/rr	o/d; cc hit
4D	121710	JD52514-3	1	20x	MS62508	V8260TCL42	2.5/50		1	16	ok/rr	o/d;cc hit
4D	121711	JD52514-4	1	4x	MS62508	V8260TCL42	12.5/50		1	17	ok/rr	f/d
4D	121712	JD52514-5	1	5x	MS62508	V8260TCL42	10/50		1	18	ok/rr	cc hit
4D	121713	JD52514-6	1	10x	MS62508	V8260TCL42	5/50		1	19	ok/rr	o/d
4D	121714	JD52514-7	2	20x	MS62508	V8260TCL42	2.5/50		1	20	ok/rr	o/d
4D	121715	JD52514-8	2	10x	MS62508	V8260TCL42	5/50		6	21	ok/rr	cc hit; f/d
4D	121716	JD52514-9	2	10x	MS62508	V8260TCL42	5/50		1	22	ok/rr	cc hit
4D	121717	JD52514-12	1	4x	MS62508	V8260TCL42	12.5/50		1	23	ok/rr	6:52am, cc hit

GCMS Volatile Run Log

Standard / Reagents	Lot #				Column	Rxi-624(60mx0.25mmx1.4um)
Standard	ABK: V022-2747-89.69	EC: V022-2747-132.9	AA: V022-2747-107.18		Method	V8260D
Standard Concentration	100-10,000ppm	100ppm	100ppm		Init Calib Date	6/15/22
Expiration Date	6/16/22	6/22/22	6/27/2022			
Internal Surrogate	V022-2747-129		EXT Chlorodifluoromethane v022-2747-127.1	EXT Chlorodifluoromethane		
Internal Surrogate Concentration	50/500ppm		100ppm	100ppm	Analysis Date	6/15/2022
Expiration Date	7/14/2022		7/11/22	7/11/22	Sequence loaded by	Bridget Kelly
Standard	EXT ABK v022-2747-91.5	EXT EC v022-2747-122.5	EXT Acro v022-2747-101.9	EXT PA v022-2747-92.1	Data processed by	Bridget Kelly
Standard Concentration	100-10,000ppm	100ppm	100ppm	100/1000ppm	Batch ID	VL10355
Expiration Date	6/17/22	6/16/22	6/23/22	6/17/22	Matrix	AQ
					Approved By:	KANYAV
pH paper Lot# (wide range):	222221	81/2024	Initial Calibration Method	ML10355	Approved Date:	6/21/2022 4:02:04 PM

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
I	342966	IB		NA			5			1	ok	
I	342967	BFB		NA			5			2	ok	
I	342968	IC10355-0.2		NA		V8260 initial calibration	5			3	ok	2 uL ABK EC AA / 1000 mL
I	342969	IC10355-0.5		NA		V8260 initial calibration	5			4	ok	5 uL ABK EC AA / 1000 mL
I	342970	IC10355-1		NA		V8260 initial calibration	5			5	ok	1 uL ABK EC AA / 100 mL
I	342971	IC10355-2		NA		V8260 initial calibration	5			6	ok	2 uL ABK EC AA / 100 mL
I	342972	IC10355-4		NA		V8260 initial calibration	5			7	ok	4 uL ABK EC AA / 100 mL
I	342973	IC10355-8		NA		V8260 initial calibration	5			8	ok	8 uL ABK EC AA / 100 mL
I	342974	IC10355-20		NA		V8260 initial calibration	5			9	ok	20 uL ABK EC AA / 100 mL
I	342975	ICC10355-50		NA		V8260 initial calibration	5			10	ok	50 uL ABK EC AA / 100 mL
I	342976	IC10355-100		NA		V8260 initial calibration	5			11	ok	100 uL ABK EC AA / 100 mL

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
I	342977	IC10355-200		NA		V8260 initial calibration	5			12	ok	200 uL ABK EC AA / 100 mL
I	342978	IB		NA			5			13	ok	
I	342979	IB		NA			5			14	ok	
I	342980	ICV10355-50		NA		V8260 initial calibration	5			15	ok	50 uL EXT ABK EC Acro / 100 mL
I	342981	ICV10355-50		NA		V8260 initial calibration	5			16	ok	50 uL EXT PA Chlorodifluoromethane / 100 mL
I	342982	IB		NA			5			17	ok	
I	342983	IB		NA			5			18	ok	
I	342984	BFB2		NA			5			19	ok	
I	342985	ICV10355-50		NA		V8260 initial calibration	5			20	ok	50 uL EXT Chlorodifluoromethane / 100 mL

GCMS Volatile Run Log

Standard / Reagents	Lot #				Column	Rxi-624(60mx0.25mmx1.4um)
Standard	ABK: V022-2752-121.7	EC: V022-2752-132.7	AA:V022-2752-125.4	SL:V022-2752-129	Method	V8260D
Standard Concentration	100-10,000ppm	100ppm	100ppm	100ppm	Init Calib Date	5/17/2022
Expiration Date	10/21/2022	10/5/2022	10/27/2022	10/28/2022		
Internal Surrogate	V022-2752-97			VINYL BROMIDE (VB		
Internal Surrogate Concentration	50/500ppm			100ppm	Analysis Date	10/3/2022
Expiration Date	10/3/2022			10/20/2022	Sequence loaded by	nicoleh
					Data processed by	kristelv
					Batch ID	VL10517
Rough reviewed by					Matrix	AQ
					Approved By:	MEI
pH paper Lot# (wide range):	222221	81/2024	Initial Calibration Method	ML10355, ML10365	Approved Date:	10/7/2022 9:19:36 PM

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
L	347764	IB		NA			5			2	ok	
L	347765	CC10355-20		NA			5			3	ok	NO DATA POWER SURGE, 20uL ABK EC AA / 100mL
L	347766	IB		NA			5			4	ok	
L	347767	IB		NA			5			5	ok	
L	347768	BFB/CC10355-20		NA			5			6	ok/ok	11:43am 20uL ABK EC AA / 100mL 5 PT SCAN (AVE 8.348:8.361)
L	347769	CC10355-1		NA			5			7	ok	1uL ABK EC AA / 100mL
L	347770	BS		NA			5			8	ok	50uL ABK EC AA / 100mL
L	347771	IB		NA			5			9	ok	
L	347772	MB		NA			5			10	ok	
L	347773	JD52658-3	6	NA	MS62580	V8260TCL20+	5		1	11	ok	

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
L	347774	JD52644-5	2	NA	MS62577	V8260TCL20,UNPR	5		5	12	ok	
L	347775	JD52651-5	1	NA	MS62573	V8260BTX,VLS	5		1	13	ok	
L	347776	JD52644-3	6	250x	MS62577	V8260TCL20,UNPR	0.2/50		6	14	ok	+L347782
L	347777	JD52644-1	6	5x	MS62577	V8260TCL20,UNPR	10/50		6	15	ok	+L347785
L	347778	JD52514-10	2	10x	MS62508	V8260TCL42	5/50		1	16	ok	+L347779
L	347779	JD52514-10	2	NA	MS62508	V8260TCL42	5		1	17	ok	
L	347780	JD52514-11	1	50x	MS62508	V8260TCL42	1/50		1	18	ok	double checked client ids
L	347781	IB		NA			5			19	ok	
L	347782	JD52644-3	6	25x	MS62577	V8260TCL20,UNPR	2/50		6	20	ok	
L	347783	JD52644-1MS	6	5x	MS62577	V8260TCL20,UNPR	10/50		6	21	ok	25uL ABK EC AA / 50mL
L	347784	JD52644-1MSD	6	5x	MS62577	V8260TCL20,UNPR	10/50		6	22	ok	25uL ABK EC AA / 50mL
L	347785	JD52644-1	6	25x	MS62577	V8260TCL20,UNPR	2/50		6	23	ok	
L	347786	JD52514-11	1	250x	MS62508	V8260TCL42	0.2/50		1	24	ok	
L	347787	JD52658-12	5	NA	MS62580	V8260TCL20+	5		1	25	ok	
L	347788	JD52658-13	2	NA	MS62580	V8260TCL20+	5		1	26	ok	
L	347789	JD52701-7	1	NA	MS62586	V8260BTX	5		1	27	ok	
L	347790	JD52701-9	1	NA	MS62586	V8260BTX	5		1	28	ok	
L	347791	JD52570-1	2	NA	MS62544	V8260TCL20+,TBA	5		1	29	ok	
L	347792	JD52701-1	1	NA	MS62586	V8260BTX	5		1	30	ok	

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
L	347793	JD52658-7	6	NA	MS62580	V8260TCL20+	5		1	31	ok	
L	347794	JD52658-8	6	NA	MS62580	V8260TCL20+	5		1	32	ok	
L	347795	JD52658-9	6	NA	MS62580	V8260TCL20+	5		1	33	ok	OK TO FLAG #22
L	347796	JD52658-10	4	NA	MS62580	V8260TCL20+	5		1	34	ok	
L	347797	JD52658-11	3	NA	MS62580	V8260TCL20+	5		1	35	ok	
L	347798	JD52606-2	1	NA	MS62551	V8260BENZ	5		1	36	ok	11:29PM

The results set forth herein are provided by SGS North America Inc.

e-Hardcopy 2.0
Automated Report

Technical Report for

WSP USA Environment & Infrastructure Inc

EPT, Ithaca, NY

31401545.001 Task 01.63

SGS Job Number: JD52620



Sampling Date: 09/22/22

Report to:

WSP
13530 DULLES TECHNOLOGY DRIVE Suite 300
Herndon, VA 20171
Nathaniel.Winston@wsp.com; jeffrey.baker@wsp.com

ATTN: Nathaniel Winston

Total number of pages in report: **886**

Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

David Chastain
General Manager

Client Service contact: Tammy McCloskey 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, FL, IL, IN, KS, KY, LA, MA, MD, ME, MN, NC, OH VAP (CL0056), AK (UST-103), AZ (AZ0786), PA(68-00408), RI, SC, TX, UT, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of SGS.
Test results relate only to samples analyzed.

SGS is the sole authority for authorizing edits or modifications to this document.
Unauthorized modification of this report is strictly prohibited.
Review standard terms at: http://www.sgs.com/en/terms-and-conditions

Please share your ideas about how we can serve you better at:
EHS.US.CustomerCare@sgs.com

Table of Contents

Section 1: Sample Summary 3
Section 2: Case Narrative/Conformance Summary 5
Section 3: Summary of Hits 6
Section 4: Sample Results 12
4.1: JD52620-1: EW-1-62C 13
4.2: JD52620-2: EW-2-62C 15
4.3: JD52620-3: EW-3-60C 17
4.4: JD52620-4: EW-4-25B 20
4.5: JD52620-5: EW-5-25B 22
4.6: JD52620-6: EW-6-60C 25
4.7: JD52620-7: EW-7-25B 28
4.8: JD52620-8: EW-8-62C 31
4.9: JD52620-9: EW-9R-72C 34
4.10: JD52620-10: EW-10-25B 37
4.11: JD52620-11: EW-11-43C 39
4.12: JD52620-12: EW-12-45C 41
4.13: JD52620-13: TRIP BLANK 43
Section 5: Misc. Forms 45
5.1: Chain of Custody 46
5.2: Summa Canister and Flow Controller Log 50
5.3: Sample Tracking Chronicle 51
5.4: 2021 MDL Study - Method: TO-15 53
Section 6: MS Volatiles - QC Data Summaries 55
6.1: Method Blank Summary 56
6.2: Blank Spike/Blank Spike Duplicate Summary 75
6.3: Duplicate Summary 94
6.4: Summa Cleaning Certification 104
6.5: Instrument Performance Checks (BFB) 113
6.6: Internal Standard Area Summaries 125
6.7: Initial Calibration RT/ISTD Area Summaries 132
6.8: Surrogate Recovery Summaries 210
6.9: Initial and Continuing Calibration Summaries 212
6.10: Run Sequence Reports 254
Section 7: MS Volatiles - Raw Data 264
7.1: Samples 265
7.2: Method Blanks 384
7.3: Blank Spike/Blank Spike Duplicates 398
7.4: Duplicates 464
7.5: Summa Cleaning Certifications 518
7.6: Instrument Performance Checks (BFB) 524
7.7: Initial and Continuing Calibrations 544
7.8: Instrument Run Logs 873

SGS North America Inc.

Sample Summary

WSP USA Environment & Infrastructure Inc

Job No: JD52620

EPT, Ithaca, NY
Project No: 31401545.001 Task 01.63

Sample Number	Collected Date	Time	By	Received	Matrix Code	Type	Client Sample ID
This report contains results reported as ND = Not detected. The following applies: Organics ND = Not detected above the MDL							
JD52620-1	09/22/22	15:45	NW	09/26/22	AIR	Soil Vapor Comp.	EW-1-62C
JD52620-2	09/22/22	15:47	NW	09/26/22	AIR	Soil Vapor Comp.	EW-2-62C
JD52620-3	09/22/22	15:49	NW	09/26/22	AIR	Soil Vapor Comp.	EW-3-60C
JD52620-4	09/22/22	15:49	NW	09/26/22	AIR	Soil Vapor Comp.	EW-4-25B
JD52620-5	09/22/22	15:49	NW	09/26/22	AIR	Soil Vapor Comp.	EW-5-25B
JD52620-6	09/22/22	15:49	NW	09/26/22	AIR	Soil Vapor Comp.	EW-6-60C
JD52620-7	09/22/22	15:50	NW	09/26/22	AIR	Soil Vapor Comp.	EW-7-25B
JD52620-8	09/22/22	15:27	NW	09/26/22	AIR	Soil Vapor Comp.	EW-8-62C
JD52620-9	09/22/22	15:29	NW	09/26/22	AIR	Soil Vapor Comp.	EW-9R-72C
JD52620-10	09/22/22	15:49	NW	09/26/22	AIR	Soil Vapor Comp.	EW-10-25B
JD52620-11	09/22/22	15:29	NW	09/26/22	AIR	Soil Vapor Comp.	EW-11-43C
JD52620-12	09/22/22	15:30	NW	09/26/22	AIR	Soil Vapor Comp.	EW-12-45C

Sample Summary
(continued)

WSP USA Environment & Infrastructure Inc

Job No: JD52620

EPT, Ithaca, NY
Project No: 31401545.001 Task 01.63

Sample Number	Collected Date	Time	By	Received	Matrix Code	Matrix Type	Client Sample ID
JD52620-13	09/22/22	15:50	NW	09/26/22	AIR	Trip Blank Air	TRIP BLANK

CASE NARRATIVE / CONFORMANCE SUMMARY

Client:	WSP USA Environment & Infrastructure Inc	**Job No**	JD52620
Site:	EPT, Ithaca, NY	**Report Date**	10/4/2022 11:16:18 A

On 09/26/2022, 12 Sample(s), 1 Trip Blank(s) and 0 Field Blank(s) were received at SGS North America Inc. A SGS North America Inc. Job Number of JD52620 was assigned to the project. Laboratory sample ID, client sample ID and dates of sample collection are detailed in the report's Results Summary Section.

Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

Compounds qualified as out of range in the continuing calibration summary report are acceptable as per method requirements when there is a high bias but the sample result is non-detect.

MS Volatiles By Method TO-15

Matrix: AIR **Batch ID:** V2W2735

- All samples were analyzed within the recommended method holding time.
- Sample(s) JD52482-2DUP were used as the QC samples indicated.
- All method blanks for this batch meet method specific criteria.

Matrix: AIR **Batch ID:** V2W2736

- All samples were analyzed within the recommended method holding time.
- Sample(s) JD52620-8DUP were used as the QC samples indicated.
- All method blanks for this batch meet method specific criteria.

Matrix: AIR **Batch ID:** V2W2737

- All samples were analyzed within the recommended method holding time.
- Sample(s) JD52638-1DUP were used as the QC samples indicated.
- All method blanks for this batch meet method specific criteria.

Matrix: AIR **Batch ID:** V6W1111

- All samples were analyzed within the recommended method holding time.
- Sample(s) JD52615-1DUP were used as the QC samples indicated.
- All method blanks for this batch meet method specific criteria.

SGS North America Inc. certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting the Quality System precision, accuracy and completeness objectives except as noted.

Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria.

SGS North America Inc. is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety. Data release is authorized by SGS North America Inc indicated via signature on the report cover

Summary of Hits

Job Number: JD52620
Account: WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Collected: 09/22/22

Lab Sample ID / Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
JD52620-1	**EW-1-62C**					
Acetone (2-Propanone)		3.2	0.80	0.58	ppbv	TO-15
Dichlorodifluoromethane		0.41 J	0.80	0.13	ppbv	TO-15
cis-1,2-Dichloroethylene		1.6	0.16	0.31	ppbv	TO-15
Methylene chloride		1.5	0.80	0.22	ppbv	TO-15
Trichlorofluoromethane		0.52	0.40	0.14	ppbv	TO-15
Vinyl chloride		1.3	0.16	0.28	ppbv	TO-15
Acetone (2-Propanone)		7.6	1.9	1.4	ug/m3	TO-15
Dichlorodifluoromethane		2.0 J	4.0	0.64	ug/m3	TO-15
cis-1,2-Dichloroethylene		6.3	0.63	1.2	ug/m3	TO-15
Methylene chloride		5.2	2.8	0.76	ug/m3	TO-15
Trichlorofluoromethane		2.9	2.2	0.79	ug/m3	TO-15
Vinyl chloride		3.3	0.41	0.72	ug/m3	TO-15
JD52620-2	**EW-2-62C**					
Acetone (2-Propanone)		2.6	0.80	0.58	ppbv	TO-15
Dichlorodifluoromethane		0.43 J	0.80	0.13	ppbv	TO-15
cis-1,2-Dichloroethylene		29.6	0.16	0.31	ppbv	TO-15
Ethanol		3.4	2.0	1.6	ppbv	TO-15
Ethyl Acetate		90.3	0.80	0.42	ppbv	TO-15
Isopropyl Alcohol		1.1	0.80	0.56	ppbv	TO-15
Methylene chloride		0.79 J	0.80	0.22	ppbv	TO-15
Methyl ethyl ketone		0.88	0.80	0.44	ppbv	TO-15
Toluene		1.8	0.80	0.23	ppbv	TO-15
Trichloroethylene		35.3	0.16	0.076	ppbv	TO-15
Vinyl chloride		1.3	0.16	0.28	ppbv	TO-15
Vinyl Acetate		0.98	0.80	0.45	ppbv	TO-15
Acetone (2-Propanone)		6.2	1.9	1.4	ug/m3	TO-15
Dichlorodifluoromethane		2.1 J	4.0	0.64	ug/m3	TO-15
cis-1,2-Dichloroethylene		117	0.63	1.2	ug/m3	TO-15
Ethanol		6.4	3.8	3.0	ug/m3	TO-15
Ethyl Acetate		325	2.9	1.5	ug/m3	TO-15
Isopropyl Alcohol		2.7	2.0	1.4	ug/m3	TO-15
Methylene chloride		2.7 J	2.8	0.76	ug/m3	TO-15
Methyl ethyl ketone		2.6	2.4	1.3	ug/m3	TO-15
Toluene		6.8	3.0	0.87	ug/m3	TO-15
Trichloroethylene		190	0.86	0.41	ug/m3	TO-15
Vinyl chloride		3.3	0.41	0.72	ug/m3	TO-15
Vinyl Acetate		3.4	2.8	1.6	ug/m3	TO-15
JD52620-3	**EW-3-60C**					
Acetone (2-Propanone)		4.0	4.0	2.9	ppbv	TO-15

Summary of Hits

Job Number: JD52620
Account: WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Collected: 09/22/22

Lab Sample ID / Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
1,1-Dichloroethylene		7.1	0.80	1.2	ppbv	TO-15
trans-1,2-Dichloroethylene		18.0	4.0	1.4	ppbv	TO-15
cis-1,2-Dichloroethylene		1310	4.2	8.0	ppbv	TO-15
Ethyl Acetate		17.1	4.0	2.1	ppbv	TO-15
Tetrachloroethylene		0.73 J	0.80	0.28	ppbv	TO-15
Trichloroethylene		992	4.2	2.0	ppbv	TO-15
Vinyl chloride		279	0.80	1.4	ppbv	TO-15
Acetone (2-Propanone)		9.5	9.5	6.9	ug/m3	TO-15
1,1-Dichloroethylene		28	3.2	4.8	ug/m3	TO-15
trans-1,2-Dichloroethylene		71.4	16	5.6	ug/m3	TO-15
cis-1,2-Dichloroethylene		5190	17	32	ug/m3	TO-15
Ethyl Acetate		61.5	14	7.6	ug/m3	TO-15
Tetrachloroethylene		5.0 J	5.4	1.9	ug/m3	TO-15
Trichloroethylene		5330	23	11	ug/m3	TO-15
Vinyl chloride		713	2.0	3.6	ug/m3	TO-15
JD52620-4	**EW-4-25B**					
trans-1,2-Dichloroethylene		12.2 J	16	5.5	ppbv	TO-15
cis-1,2-Dichloroethylene		1330	3.2	6.2	ppbv	TO-15
Ethyl Acetate		21.6	16	8.3	ppbv	TO-15
Trichloroethylene		3370	3.2	1.5	ppbv	TO-15
Vinyl chloride		10.5	3.2	5.5	ppbv	TO-15
trans-1,2-Dichloroethylene		48.4 J	63	22	ug/m3	TO-15
cis-1,2-Dichloroethylene		5270	13	25	ug/m3	TO-15
Ethyl Acetate		77.7	58	30	ug/m3	TO-15
Trichloroethylene		18100	17	8.1	ug/m3	TO-15
Vinyl chloride		26.8	8.2	14	ug/m3	TO-15
JD52620-5	**EW-5-25B**					
1,1-Dichloroethylene		10.2	1.6	2.4	ppbv	TO-15
trans-1,2-Dichloroethylene		21.7	8.0	2.8	ppbv	TO-15
cis-1,2-Dichloroethylene		1490	3.9	7.6	ppbv	TO-15
Trichloroethylene		1390	1.6	0.76	ppbv	TO-15
Vinyl chloride		264	1.6	2.8	ppbv	TO-15
1,1-Dichloroethylene		40.4	6.3	9.5	ug/m3	TO-15
trans-1,2-Dichloroethylene		86.0	32	11	ug/m3	TO-15
cis-1,2-Dichloroethylene		5910	15	30	ug/m3	TO-15
Trichloroethylene		7470	8.6	4.1	ug/m3	TO-15
Vinyl chloride		675	4.1	7.2	ug/m3	TO-15
JD52620-6	**EW-6-60C**					
1,1-Dichloroethylene		6.4	0.80	1.2	ppbv	TO-15

Summary of Hits

Job Number: JD52620
Account: WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Collected: 09/22/22

Lab Sample ID / Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
trans-1,2-Dichloroethylene		17.8	4.0	1.4	ppbv	TO-15
cis-1,2-Dichloroethylene		2310	3.7	7.1	ppbv	TO-15
Ethyl Acetate		24.1	4.0	2.1	ppbv	TO-15
Trichloroethylene		817	0.80	0.38	ppbv	TO-15
Vinyl chloride		183	0.80	1.4	ppbv	TO-15
1,1-Dichloroethylene		25	3.2	4.8	ug/m3	TO-15
trans-1,2-Dichloroethylene		70.6	16	5.6	ug/m3	TO-15
cis-1,2-Dichloroethylene		9160	15	28	ug/m3	TO-15
Ethyl Acetate		86.7	14	7.6	ug/m3	TO-15
Trichloroethylene		4390	4.3	2.0	ug/m3	TO-15
Vinyl chloride		468	2.0	3.6	ug/m3	TO-15
JD52620-7	**EW-7-25B**					
Acetone (2-Propanone)		2.8	0.80	0.58	ppbv	TO-15
1,1-Dichloroethylene		1.0	0.16	0.24	ppbv	TO-15
Dichlorodifluoromethane		0.42 J	0.80	0.13	ppbv	TO-15
trans-1,2-Dichloroethylene		3.6	0.80	0.28	ppbv	TO-15
cis-1,2-Dichloroethylene		227	0.32	0.62	ppbv	TO-15
Ethanol		3.1	2.0	1.6	ppbv	TO-15
Ethyl Acetate		45.8	0.80	0.42	ppbv	TO-15
Isopropyl Alcohol		0.87	0.80	0.56	ppbv	TO-15
Methylene chloride		0.82	0.80	0.22	ppbv	TO-15
Tetrachloroethylene		0.15 J	0.16	0.056	ppbv	TO-15
Toluene		1.1	0.80	0.23	ppbv	TO-15
Trichloroethylene		14.4	0.16	0.076	ppbv	TO-15
Trichlorofluoromethane		0.39 J	0.40	0.14	ppbv	TO-15
Vinyl chloride		89.4	0.16	0.28	ppbv	TO-15
Acetone (2-Propanone)		6.7	1.9	1.4	ug/m3	TO-15
1,1-Dichloroethylene		4.0	0.63	0.95	ug/m3	TO-15
Dichlorodifluoromethane		2.1 J	4.0	0.64	ug/m3	TO-15
trans-1,2-Dichloroethylene		14	3.2	1.1	ug/m3	TO-15
cis-1,2-Dichloroethylene		900	1.3	2.5	ug/m3	TO-15
Ethanol		5.8	3.8	3.0	ug/m3	TO-15
Ethyl Acetate		165	2.9	1.5	ug/m3	TO-15
Isopropyl Alcohol		2.1	2.0	1.4	ug/m3	TO-15
Methylene chloride		2.8	2.8	0.76	ug/m3	TO-15
Tetrachloroethylene		1.0 J	1.1	0.38	ug/m3	TO-15
Toluene		4.1	3.0	0.87	ug/m3	TO-15
Trichloroethylene		77.4	0.86	0.41	ug/m3	TO-15
Trichlorofluoromethane		2.2 J	2.2	0.79	ug/m3	TO-15
Vinyl chloride		229	0.41	0.72	ug/m3	TO-15

Summary of Hits

Job Number: JD52620
Account: WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Collected: 09/22/22

Lab Sample ID / Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
JD52620-8	**EW-8-62C**					
Acetone (2-Propanone)		4.3	0.80	0.58	ppbv	TO-15
1,1-Dichloroethylene		0.66	0.16	0.24	ppbv	TO-15
Dichlorodifluoromethane		0.39 J	0.80	0.13	ppbv	TO-15
trans-1,2-Dichloroethylene		2.3	0.80	0.28	ppbv	TO-15
cis-1,2-Dichloroethylene		339	0.80	1.5	ppbv	TO-15
Ethanol		3.1	2.0	1.6	ppbv	TO-15
Ethyl Acetate		67.4	0.80	0.42	ppbv	TO-15
Isopropyl Alcohol		0.86	0.80	0.56	ppbv	TO-15
Methyl ethyl ketone		0.57 J	0.80	0.44	ppbv	TO-15
Toluene		1.7	0.80	0.23	ppbv	TO-15
Trichloroethylene		85.7	0.16	0.076	ppbv	TO-15
Vinyl chloride		22.1	0.16	0.28	ppbv	TO-15
Vinyl Acetate		0.83	0.80	0.45	ppbv	TO-15
Acetone (2-Propanone)		10	1.9	1.4	ug/m3	TO-15
1,1-Dichloroethylene		2.6	0.63	0.95	ug/m3	TO-15
Dichlorodifluoromethane		1.9 J	4.0	0.64	ug/m3	TO-15
trans-1,2-Dichloroethylene		9.1	3.2	1.1	ug/m3	TO-15
cis-1,2-Dichloroethylene		1340	3.2	5.9	ug/m3	TO-15
Ethanol		5.8	3.8	3.0	ug/m3	TO-15
Ethyl Acetate		243	2.9	1.5	ug/m3	TO-15
Isopropyl Alcohol		2.1	2.0	1.4	ug/m3	TO-15
Methyl ethyl ketone		1.7 J	2.4	1.3	ug/m3	TO-15
Toluene		6.4	3.0	0.87	ug/m3	TO-15
Trichloroethylene		461	0.86	0.41	ug/m3	TO-15
Vinyl chloride		56.5	0.41	0.72	ug/m3	TO-15
Vinyl Acetate		2.9	2.8	1.6	ug/m3	TO-15
JD52620-9	**EW-9R-72C**					
Acetone (2-Propanone)		7.0	2.0	1.5	ppbv	TO-15
1,1-Dichloroethylene		5.6	0.40	0.59	ppbv	TO-15
trans-1,2-Dichloroethylene		15.0	2.0	0.69	ppbv	TO-15
cis-1,2-Dichloroethylene		1520	3.6	7.0	ppbv	TO-15
Ethyl Acetate		6.9	2.0	1.0	ppbv	TO-15
Methyl ethyl ketone		2.1	2.0	1.1	ppbv	TO-15
Tetrahydrofuran		3.1	2.0	0.90	ppbv	TO-15
Trichloroethylene		477	0.40	0.19	ppbv	TO-15
Vinyl chloride		483	3.6	6.2	ppbv	TO-15
Acetone (2-Propanone)		17	4.8	3.6	ug/m3	TO-15
1,1-Dichloroethylene		22	1.6	2.3	ug/m3	TO-15
trans-1,2-Dichloroethylene		59.5	7.9	2.7	ug/m3	TO-15
cis-1,2-Dichloroethylene		6030	14	28	ug/m3	TO-15
Ethyl Acetate		25	7.2	3.6	ug/m3	TO-15

Summary of Hits

Job Number: JD52620
Account: WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Collected: 09/22/22

Lab Sample ID / Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
Methyl ethyl ketone		6.2	5.9	3.2	ug/m3	TO-15
Tetrahydrofuran		9.1	5.9	2.7	ug/m3	TO-15
Trichloroethylene		2560	2.1	1.0	ug/m3	TO-15
Vinyl chloride		1230	9.2	16	ug/m3	TO-15
JD52620-10	**EW-10-25B**					
Acetone (2-Propanone)		5.7	4.0	2.9	ppbv	TO-15
1,1-Dichloroethylene		2.9	0.80	1.2	ppbv	TO-15
trans-1,2-Dichloroethylene		5.3	4.0	1.4	ppbv	TO-15
cis-1,2-Dichloroethylene		349	0.80	1.5	ppbv	TO-15
Ethyl Acetate		13.3	4.0	2.1	ppbv	TO-15
Trichloroethylene		604	0.80	0.38	ppbv	TO-15
Vinyl chloride		112	0.80	1.4	ppbv	TO-15
Acetone (2-Propanone)		14	9.5	6.9	ug/m3	TO-15
1,1-Dichloroethylene		11	3.2	4.8	ug/m3	TO-15
trans-1,2-Dichloroethylene		21	16	5.6	ug/m3	TO-15
cis-1,2-Dichloroethylene		1380	3.2	5.9	ug/m3	TO-15
Ethyl Acetate		47.9	14	7.6	ug/m3	TO-15
Trichloroethylene		3250	4.3	2.0	ug/m3	TO-15
Vinyl chloride		286	2.0	3.6	ug/m3	TO-15
JD52620-11	**EW-11-43C**					
1,1-Dichloroethylene		201	45	66	ppbv	TO-15
trans-1,2-Dichloroethylene		174 J	220	77	ppbv	TO-15
cis-1,2-Dichloroethylene		13700	45	86	ppbv	TO-15
Trichloroethylene		42200	45	21	ppbv	TO-15
Vinyl chloride		4250	45	77	ppbv	TO-15
1,1-Dichloroethylene		797	180	260	ug/m3	TO-15
trans-1,2-Dichloroethylene		690 J	870	310	ug/m3	TO-15
cis-1,2-Dichloroethylene		54300	180	340	ug/m3	TO-15
Trichloroethylene		227000	240	110	ug/m3	TO-15
Vinyl chloride		10900	120	200	ug/m3	TO-15
JD52620-12	**EW-12-45C**					
Acetone (2-Propanone)		5.5	0.80	0.58	ppbv	TO-15
Benzene		1.0	0.80	0.25	ppbv	TO-15
Carbon disulfide		0.79 J	0.80	0.18	ppbv	TO-15
Chloromethane		2.1	0.80	0.36	ppbv	TO-15
1,1-Dichloroethylene		0.71	0.16	0.24	ppbv	TO-15
Dichlorodifluoromethane		0.40 J	0.80	0.13	ppbv	TO-15
trans-1,2-Dichloroethylene		0.64 J	0.80	0.28	ppbv	TO-15
cis-1,2-Dichloroethylene		84.8	0.16	0.31	ppbv	TO-15

Summary of Hits

Job Number: JD52620
Account: WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Collected: 09/22/22

Lab Sample ID / Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
Ethyl Acetate		5.3	0.80	0.42	ppbv	TO-15
Methyl ethyl ketone		0.83	0.80	0.44	ppbv	TO-15
Propylene		2.5	2.0	0.57	ppbv	TO-15
Trichloroethylene		141	0.16	0.076	ppbv	TO-15
Vinyl chloride		38.1	0.16	0.28	ppbv	TO-15
Acetone (2-Propanone)		13	1.9	1.4	ug/m3	TO-15
Benzene		3.2	2.6	0.80	ug/m3	TO-15
Carbon disulfide		2.5 J	2.5	0.56	ug/m3	TO-15
Chloromethane		4.3	1.7	0.74	ug/m3	TO-15
1,1-Dichloroethylene		2.8	0.63	0.95	ug/m3	TO-15
Dichlorodifluoromethane		2.0 J	4.0	0.64	ug/m3	TO-15
trans-1,2-Dichloroethylene		2.5 J	3.2	1.1	ug/m3	TO-15
cis-1,2-Dichloroethylene		336	0.63	1.2	ug/m3	TO-15
Ethyl Acetate		19	2.9	1.5	ug/m3	TO-15
Methyl ethyl ketone		2.4	2.4	1.3	ug/m3	TO-15
Propylene		4.3	3.4	0.98	ug/m3	TO-15
Trichloroethylene		758	0.86	0.41	ug/m3	TO-15
Vinyl chloride		97.4	0.41	0.72	ug/m3	TO-15
JD52620-13	**TRIP BLANK**					
Acetone (2-Propanone)		1.1	0.80	0.58	ppbv	TO-15
Ethyl Acetate		5.5	0.80	0.42	ppbv	TO-15
Toluene		0.45 J	0.80	0.23	ppbv	TO-15
Acetone (2-Propanone)		2.6	1.9	1.4	ug/m3	TO-15
Ethyl Acetate		20	2.9	1.5	ug/m3	TO-15
Toluene		1.7 J	3.0	0.87	ug/m3	TO-15

Sample Results

Report of Analysis

SGS North America Inc.

Report of Analysis

Client Sample ID: EW-1-62C
Lab Sample ID: JD52620-1
Matrix: AIR - Soil Vapor Comp. Summa ID: A676
Method: TO-15
Project: EPT, Ithaca, NY

Date Sampled: 09/22/22
Date Received: 09/26/22
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2W61650.D	1	09/28/22 19:16	TCH	n/a	n/a	V2W2735
Run #2							

	Initial Volume
Run #1	100 ml
Run #2	

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone (2-Propanone)	3.2	0.80	0.58	ppbv		7.6	1.9	1.4	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.80	0.34	ppbv		ND	1.8	0.75	ug/m3
71-43-2	78.11	Benzene	ND	0.80	0.25	ppbv		ND	2.6	0.80	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.40	0.12	ppbv		ND	2.7	0.80	ug/m3
75-25-2	252.8	Bromoform	ND	0.16	0.28	ppbv		ND	1.7	2.9	ug/m3
74-83-9	94.94	Bromomethane	ND	0.80	0.28	ppbv		ND	3.1	1.1	ug/m3
593-60-2	106.9	Bromoethene	ND	0.80	0.24	ppbv		ND	3.5	1.0	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.80	0.50	ppbv		ND	4.1	2.6	ug/m3
75-15-0	76.14	Carbon disulfide	ND	0.80	0.18	ppbv		ND	2.5	0.56	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.80	0.30	ppbv		ND	3.7	1.4	ug/m3
75-00-3	64.52	Chloroethane	ND	0.80	0.27	ppbv		ND	2.1	0.71	ug/m3
67-66-3	119.4	Chloroform	ND	0.80	0.15	ppbv		ND	3.9	0.73	ug/m3
74-87-3	50.49	Chloromethane	ND	0.80	0.36	ppbv		ND	1.7	0.74	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.80	0.33	ppbv		ND	2.5	1.0	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.80	0.29	ppbv		ND	4.1	1.5	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.16	0.16	ppbv		ND	1.0	1.0	ug/m3
110-82-7	84.16	Cyclohexane	ND	0.80	0.44	ppbv		ND	2.8	1.5	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.80	0.23	ppbv		ND	3.2	0.93	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.16	0.24	ppbv		ND	0.63	0.95	ug/m3
106-93-4	187.9	1,2-Dibromoethane (EDB)	ND	0.40	0.39	ppbv		ND	3.1	3.0	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.80	0.28	ppbv		ND	3.2	1.1	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.80	0.25	ppbv		ND	3.7	1.2	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.80	0.47	ppbv		ND	2.9	1.7	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.41	0.80	0.13	ppbv	J	2.0	4.0	0.64	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.40	0.21	ppbv		ND	3.4	1.8	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.80	0.28	ppbv		ND	3.2	1.1	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	1.6	0.16	0.31	ppbv		6.3	0.63	1.2	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.80	0.25	ppbv		ND	3.6	1.1	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.40	0.16	ppbv		ND	2.4	0.96	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.16	0.62	ppbv		ND	0.96	3.7	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.40	0.76	ppbv		ND	2.4	4.6	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.80	0.40	ppbv		ND	3.6	1.8	ug/m3

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: EW-1-62C
Lab Sample ID: JD52620-1
Matrix: AIR - Soil Vapor Comp. Summa ID: A676
Method: TO-15
Project: EPT, Ithaca, NY

Date Sampled: 09/22/22
Date Received: 09/26/22
Percent Solids: n/a

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	ND	2.0	1.6	ppbv		ND	3.8	3.0	ug/m3
100-41-4	106.2	Ethylbenzene	ND	0.80	0.24	ppbv		ND	3.5	1.0	ug/m3
141-78-6	88	Ethyl Acetate	ND	0.80	0.42	ppbv		ND	2.9	1.5	ug/m3
622-96-8	120.19	4-Ethyltoluene	ND	0.80	0.38	ppbv		ND	3.9	1.9	ug/m3
76-13-1	187.4	Freon 113	ND	0.40	0.12	ppbv		ND	3.1	0.92	ug/m3
76-14-2	170.9	Freon 114	ND	0.40	0.20	ppbv		ND	2.8	1.4	ug/m3
142-82-5	100.2	Heptane	ND	0.80	0.37	ppbv		ND	3.3	1.5	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.36	0.25	ppbv		ND	3.8	2.7	ug/m3
110-54-3	86.18	Hexane	ND	0.80	0.45	ppbv		ND	2.8	1.6	ug/m3
591-78-6	100	2-Hexanone	ND	0.80	0.58	ppbv		ND	3.3	2.4	ug/m3
67-63-0	60.1	Isopropyl Alcohol	ND	0.80	0.56	ppbv		ND	2.0	1.4	ug/m3
75-09-2	84.94	Methylene chloride	1.5	0.80	0.22	ppbv		5.2	2.8	0.76	ug/m3
78-93-3	72.11	Methyl ethyl ketone	ND	0.80	0.44	ppbv		ND	2.4	1.3	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.80	0.29	ppbv		ND	3.3	1.2	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.80	0.32	ppbv		ND	2.9	1.2	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.80	0.28	ppbv		ND	3.3	1.1	ug/m3
115-07-1	42	Propylene	ND	2.0	0.57	ppbv		ND	3.4	0.98	ug/m3
100-42-5	104.1	Styrene	ND	0.80	0.47	ppbv		ND	3.4	2.0	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.40	0.15	ppbv		ND	2.2	0.82	ug/m3
79-34-5	167.85	1,1,2,2-Tetrachloroethane	ND	0.40	0.19	ppbv		ND	2.7	1.3	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.40	0.15	ppbv		ND	2.2	0.82	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.40	0.48	ppbv		ND	3.0	3.6	ug/m3
95-63-6	120.19	1,2,4-Trimethylbenzene	ND	0.80	0.35	ppbv		ND	3.9	1.7	ug/m3
108-67-8	120.19	1,3,5-Trimethylbenzene	ND	0.80	0.32	ppbv		ND	3.9	1.6	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	ND	0.80	0.38	ppbv		ND	3.7	1.8	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	0.80	0.37	ppbv		ND	2.4	1.1	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	0.16	0.056	ppbv		ND	1.1	0.38	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.80	0.36	ppbv		ND	2.4	1.1	ug/m3
108-88-3	92.14	Toluene	ND	0.80	0.23	ppbv		ND	3.0	0.87	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.16	0.076	ppbv		ND	0.86	0.41	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.52	0.40	0.14	ppbv		2.9	2.2	0.79	ug/m3
75-01-4	62.5	Vinyl chloride	1.3	0.16	0.28	ppbv		3.3	0.41	0.72	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.80	0.45	ppbv		ND	2.8	1.6	ug/m3
	106.2	m,p-Xylene	ND	0.80	0.56	ppbv		ND	3.5	2.4	ug/m3
95-47-6	106.2	o-Xylene	ND	0.80	0.31	ppbv		ND	3.5	1.3	ug/m3
1330-20-7	106.2	Xylenes (total)	ND	0.80	0.31	ppbv		ND	3.5	1.3	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	105%		65-128%

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID: EW-2-62C
Lab Sample ID: JD52620-2
Matrix: AIR - Soil Vapor Comp. Summa ID: A418
Method: TO-15
Project: EPT, Ithaca, NY

Date Sampled: 09/22/22
Date Received: 09/26/22
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2W61651.D	1	09/28/22 19:49	TCH	n/a	n/a	V2W2735
Run #2							

	Initial Volume
Run #1	100 ml
Run #2	

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone (2-Propanone)	2.6	0.80	0.58	ppbv		6.2	1.9	1.4	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.80	0.34	ppbv		ND	1.8	0.75	ug/m3
71-43-2	78.11	Benzene	ND	0.80	0.25	ppbv		ND	2.6	0.80	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.40	0.12	ppbv		ND	2.7	0.80	ug/m3
75-25-2	252.8	Bromoform	ND	0.16	0.28	ppbv		ND	1.7	2.9	ug/m3
74-83-9	94.94	Bromomethane	ND	0.80	0.28	ppbv		ND	3.1	1.1	ug/m3
593-60-2	106.9	Bromoethene	ND	0.80	0.24	ppbv		ND	3.5	1.0	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.80	0.50	ppbv		ND	4.1	2.6	ug/m3
75-15-0	76.14	Carbon disulfide	ND	0.80	0.18	ppbv		ND	2.5	0.56	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.80	0.30	ppbv		ND	3.7	1.4	ug/m3
75-00-3	64.52	Chloroethane	ND	0.80	0.27	ppbv		ND	2.1	0.71	ug/m3
67-66-3	119.4	Chloroform	ND	0.80	0.15	ppbv		ND	3.9	0.73	ug/m3
74-87-3	50.49	Chloromethane	ND	0.80	0.36	ppbv		ND	1.7	0.74	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.80	0.33	ppbv		ND	2.5	1.0	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.80	0.29	ppbv		ND	4.1	1.5	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.16	0.16	ppbv		ND	1.0	1.0	ug/m3
110-82-7	84.16	Cyclohexane	ND	0.80	0.44	ppbv		ND	2.8	1.5	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.80	0.23	ppbv		ND	3.2	0.93	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.16	0.24	ppbv		ND	0.63	0.95	ug/m3
106-93-4	187.9	1,2-Dibromoethane (EDB)	ND	0.40	0.39	ppbv		ND	3.1	3.0	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.80	0.28	ppbv		ND	3.2	1.1	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.80	0.25	ppbv		ND	3.7	1.2	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.80	0.47	ppbv		ND	2.9	1.7	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.43	0.80	0.13	ppbv	J	2.1	4.0	0.64	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.40	0.21	ppbv		ND	3.4	1.8	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.80	0.28	ppbv		ND	3.2	1.1	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	29.6	0.16	0.31	ppbv		117	0.63	1.2	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.80	0.25	ppbv		ND	3.6	1.1	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.40	0.16	ppbv		ND	2.4	0.96	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.16	0.62	ppbv		ND	0.96	3.7	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.40	0.76	ppbv		ND	2.4	4.6	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.80	0.40	ppbv		ND	3.6	1.8	ug/m3

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: EW-2-62C
Lab Sample ID: JD52620-2
Matrix: AIR - Soil Vapor Comp. Summa ID: A418
Method: TO-15
Project: EPT, Ithaca, NY

Date Sampled: 09/22/22
Date Received: 09/26/22
Percent Solids: n/a

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	3.4	2.0	1.6	ppbv		6.4	3.8	3.0	ug/m3
100-41-4	106.2	Ethylbenzene	ND	0.80	0.24	ppbv		ND	3.5	1.0	ug/m3
141-78-6	88	Ethyl Acetate	90.3	0.80	0.42	ppbv		325	2.9	1.5	ug/m3
622-96-8	120.19	4-Ethyltoluene	ND	0.80	0.38	ppbv		ND	3.9	1.9	ug/m3
76-13-1	187.4	Freon 113	ND	0.40	0.12	ppbv		ND	3.1	0.92	ug/m3
76-14-2	170.9	Freon 114	ND	0.40	0.20	ppbv		ND	2.8	1.4	ug/m3
142-82-5	100.2	Heptane	ND	0.80	0.37	ppbv		ND	3.3	1.5	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.36	0.25	ppbv		ND	3.8	2.7	ug/m3
110-54-3	86.18	Hexane	ND	0.80	0.45	ppbv		ND	2.8	1.6	ug/m3
591-78-6	100	2-Hexanone	ND	0.80	0.58	ppbv		ND	3.3	2.4	ug/m3
67-63-0	60.1	Isopropyl Alcohol	1.1	0.80	0.56	ppbv		2.7	2.0	1.4	ug/m3
75-09-2	84.94	Methylene chloride	0.79	0.80	0.22	ppbv	J	2.7	2.8	0.76	ug/m3
78-93-3	72.11	Methyl ethyl ketone	0.88	0.80	0.44	ppbv		2.6	2.4	1.3	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.80	0.29	ppbv		ND	3.3	1.2	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.80	0.32	ppbv		ND	2.9	1.2	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.80	0.28	ppbv		ND	3.3	1.1	ug/m3
115-07-1	42	Propylene	ND	2.0	0.57	ppbv		ND	3.4	0.98	ug/m3
100-42-5	104.1	Styrene	ND	0.80	0.47	ppbv		ND	3.4	2.0	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.40	0.15	ppbv		ND	2.2	0.82	ug/m3
79-34-5	167.85	1,1,2,2-Tetrachloroethane	ND	0.40	0.19	ppbv		ND	2.7	1.3	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.40	0.15	ppbv		ND	2.2	0.82	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.40	0.48	ppbv		ND	3.0	3.6	ug/m3
95-63-6	120.19	1,2,4-Trimethylbenzene	ND	0.80	0.35	ppbv		ND	3.9	1.7	ug/m3
108-67-8	120.19	1,3,5-Trimethylbenzene	ND	0.80	0.32	ppbv		ND	3.9	1.6	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	ND	0.80	0.38	ppbv		ND	3.7	1.8	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	0.80	0.37	ppbv		ND	2.4	1.1	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	0.16	0.056	ppbv		ND	1.1	0.38	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.80	0.36	ppbv		ND	2.4	1.1	ug/m3
108-88-3	92.14	Toluene	1.8	0.80	0.23	ppbv		6.8	3.0	0.87	ug/m3
79-01-6	131.4	Trichloroethylene	35.3	0.16	0.076	ppbv		190	0.86	0.41	ug/m3
75-69-4	137.4	Trichlorofluoromethane	ND	0.40	0.14	ppbv		ND	2.2	0.79	ug/m3
75-01-4	62.5	Vinyl chloride	1.3	0.16	0.28	ppbv		3.3	0.41	0.72	ug/m3
108-05-4	86	Vinyl Acetate	0.98	0.80	0.45	ppbv		3.4	2.8	1.6	ug/m3
	106.2	m,p-Xylene	ND	0.80	0.56	ppbv		ND	3.5	2.4	ug/m3
95-47-6	106.2	o-Xylene	ND	0.80	0.31	ppbv		ND	3.5	1.3	ug/m3
1330-20-7	106.2	Xylenes (total)	ND	0.80	0.31	ppbv		ND	3.5	1.3	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	107%		65-128%

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID: EW-3-60C
Lab Sample ID: JD52620-3
Matrix: AIR - Soil Vapor Comp. Summa ID: A797
Method: TO-15
Project: EPT, Ithaca, NY

Date Sampled: 09/22/22
Date Received: 09/26/22
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2W61659.D	1	09/29/22 13:15	TCH	n/a	n/a	V2W2736
Run #2	6W26152.D	1.3	09/30/22 01:51	TCH	n/a	n/a	V6W1111

	Initial Volume
Run #1	20.0 ml
Run #2	5.0 ml

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone (2-Propanone)	4.0	4.0	2.9	ppbv		9.5	9.5	6.9	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	4.0	1.7	ppbv		ND	8.8	3.8	ug/m3
71-43-2	78.11	Benzene	ND	4.0	1.2	ppbv		ND	13	3.8	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	2.0	0.60	ppbv		ND	13	4.0	ug/m3
75-25-2	252.8	Bromoform	ND	0.80	1.4	ppbv		ND	8.3	14	ug/m3
74-83-9	94.94	Bromomethane	ND	4.0	1.4	ppbv		ND	16	5.4	ug/m3
593-60-2	106.9	Bromoethene	ND	4.0	1.2	ppbv		ND	17	5.2	ug/m3
100-44-7	126	Benzyl Chloride	ND	4.0	2.5	ppbv		ND	21	13	ug/m3
75-15-0	76.14	Carbon disulfide	ND	4.0	0.90	ppbv		ND	12	2.8	ug/m3
108-90-7	112.6	Chlorobenzene	ND	4.0	1.5	ppbv		ND	18	6.9	ug/m3
75-00-3	64.52	Chloroethane	ND	4.0	1.4	ppbv		ND	11	3.7	ug/m3
67-66-3	119.4	Chloroform	ND	4.0	0.74	ppbv		ND	20	3.6	ug/m3
74-87-3	50.49	Chloromethane	ND	4.0	1.8	ppbv		ND	8.3	3.7	ug/m3
107-05-1	76.53	3-Chloropropene	ND	4.0	1.7	ppbv		ND	13	5.3	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	4.0	1.4	ppbv		ND	21	7.2	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.80	0.80	ppbv		ND	5.0	5.0	ug/m3
110-82-7	84.16	Cyclohexane	ND	4.0	2.2	ppbv		ND	14	7.6	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	4.0	1.1	ppbv		ND	16	4.5	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	7.1	0.80	1.2	ppbv		28	3.2	4.8	ug/m3
106-93-4	187.9	1,2-Dibromoethane (EDB)	ND	2.0	1.9	ppbv		ND	15	15	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	4.0	1.4	ppbv		ND	16	5.7	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	4.0	1.2	ppbv		ND	18	5.5	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	4.0	2.3	ppbv		ND	14	8.3	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	ND	4.0	0.64	ppbv		ND	20	3.2	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	2.0	1.0	ppbv		ND	17	8.5	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	18.0	4.0	1.4	ppbv		71.4	16	5.6	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	1310 [a]	4.2	8.0	ppbv		5190 [a]	17	32	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	4.0	1.2	ppbv		ND	18	5.4	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	2.0	0.80	ppbv		ND	12	4.8	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.80	3.1	ppbv		ND	4.8	19	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	2.0	3.8	ppbv		ND	12	23	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	4.0	2.0	ppbv		ND	18	9.1	ug/m3

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: EW-3-60C
Lab Sample ID: JD52620-3
Matrix: AIR - Soil Vapor Comp. Summa ID: A797
Method: TO-15
Project: EPT, Ithaca, NY

Date Sampled: 09/22/22
Date Received: 09/26/22
Percent Solids: n/a

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	ND	10	7.9	ppbv		ND	19	15	ug/m3
100-41-4	106.2	Ethylbenzene	ND	4.0	1.2	ppbv		ND	17	5.2	ug/m3
141-78-6	88	Ethyl Acetate	17.1	4.0	2.1	ppbv		61.5	14	7.6	ug/m3
622-96-8	120.19	4-Ethyltoluene	ND	4.0	1.9	ppbv		ND	20	9.3	ug/m3
76-13-1	187.4	Freon 113	ND	2.0	0.62	ppbv		ND	15	4.8	ug/m3
76-14-2	170.9	Freon 114	ND	2.0	1.0	ppbv		ND	14	7.0	ug/m3
142-82-5	100.2	Heptane	ND	4.0	1.8	ppbv		ND	16	7.4	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	1.8	1.2	ppbv		ND	19	13	ug/m3
110-54-3	86.18	Hexane	ND	4.0	2.2	ppbv		ND	14	7.8	ug/m3
591-78-6	100	2-Hexanone	ND	4.0	2.9	ppbv		ND	16	12	ug/m3
67-63-0	60.1	Isopropyl Alcohol	ND	4.0	2.8	ppbv		ND	9.8	6.9	ug/m3
75-09-2	84.94	Methylene chloride	ND	4.0	1.1	ppbv		ND	14	3.8	ug/m3
78-93-3	72.11	Methyl ethyl ketone	ND	4.0	2.2	ppbv		ND	12	6.5	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	4.0	1.5	ppbv		ND	16	6.1	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	4.0	1.6	ppbv		ND	14	5.8	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	4.0	1.4	ppbv		ND	16	5.7	ug/m3
115-07-1	42	Propylene	ND	10	2.8	ppbv		ND	17	4.8	ug/m3
100-42-5	104.1	Styrene	ND	4.0	2.4	ppbv		ND	17	10	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	2.0	0.74	ppbv		ND	11	4.0	ug/m3
79-34-5	167.85	1,1,2,2-Tetrachloroethane	ND	2.0	0.96	ppbv		ND	14	6.6	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	2.0	0.76	ppbv		ND	11	4.1	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	2.0	2.4	ppbv		ND	15	18	ug/m3
95-63-6	120.19	1,2,4-Trimethylbenzene	ND	4.0	1.7	ppbv		ND	20	8.4	ug/m3
108-67-8	120.19	1,3,5-Trimethylbenzene	ND	4.0	1.6	ppbv		ND	20	7.9	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	ND	4.0	1.9	ppbv		ND	19	8.9	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	4.0	1.9	ppbv		ND	12	5.8	ug/m3
127-18-4	165.8	Tetrachloroethylene	0.73	0.80	0.28	ppbv	J	5.0	5.4	1.9	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	4.0	1.8	ppbv		ND	12	5.3	ug/m3
108-88-3	92.14	Toluene	ND	4.0	1.1	ppbv		ND	15	4.1	ug/m3
79-01-6	131.4	Trichloroethylene	992 [a]	4.2	2.0	ppbv		5330 [a]	23	11	ug/m3
75-69-4	137.4	Trichlorofluoromethane	ND	2.0	0.72	ppbv		ND	11	4.0	ug/m3
75-01-4	62.5	Vinyl chloride	279	0.80	1.4	ppbv		713	2.0	3.6	ug/m3
108-05-4	86	Vinyl Acetate	ND	4.0	2.2	ppbv		ND	14	7.7	ug/m3
	106.2	m,p-Xylene	ND	4.0	2.8	ppbv		ND	17	12	ug/m3
95-47-6	106.2	o-Xylene	ND	4.0	1.5	ppbv		ND	17	6.5	ug/m3
1330-20-7	106.2	Xylenes (total)	ND	4.0	1.5	ppbv		ND	17	6.5	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	105%	96%	65-128%

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EW-3-60C		
Lab Sample ID:	JD52620-3	**Date Sampled:**	09/22/22
Matrix:	AIR - Soil Vapor Comp. Summa ID: A797	**Date Received:**	09/26/22
Method:	TO-15	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units

(a) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID: EW-4-25B
Lab Sample ID: JD52620-4
Matrix: AIR - Soil Vapor Comp. Summa ID: A504
Method: TO-15
Project: EPT, Ithaca, NY

Date Sampled: 09/22/22
Date Received: 09/26/22
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2W61660.D	1	09/29/22 13:47	TCH	n/a	n/a	V2W2736
Run #2							

	Initial Volume
Run #1	5.0 ml
Run #2	

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone (2-Propanone)	ND	16	12	ppbv		ND	38	29	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	16	6.7	ppbv		ND	35	15	ug/m3
71-43-2	78.11	Benzene	ND	16	5.0	ppbv		ND	51	16	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	8.0	2.4	ppbv		ND	54	16	ug/m3
75-25-2	252.8	Bromoform	ND	3.2	5.7	ppbv		ND	33	59	ug/m3
74-83-9	94.94	Bromomethane	ND	16	5.5	ppbv		ND	62	21	ug/m3
593-60-2	106.9	Bromoethene	ND	16	4.9	ppbv		ND	70	21	ug/m3
100-44-7	126	Benzyl Chloride	ND	16	10	ppbv		ND	82	52	ug/m3
75-15-0	76.14	Carbon disulfide	ND	16	3.6	ppbv		ND	50	11	ug/m3
108-90-7	112.6	Chlorobenzene	ND	16	5.9	ppbv		ND	74	27	ug/m3
75-00-3	64.52	Chloroethane	ND	16	5.4	ppbv		ND	42	14	ug/m3
67-66-3	119.4	Chloroform	ND	16	3.0	ppbv		ND	78	15	ug/m3
74-87-3	50.49	Chloromethane	ND	16	7.2	ppbv		ND	33	15	ug/m3
107-05-1	76.53	3-Chloropropene	ND	16	6.6	ppbv		ND	50	21	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	16	5.8	ppbv		ND	83	30	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	3.2	3.2	ppbv		ND	20	20	ug/m3
110-82-7	84.16	Cyclohexane	ND	16	8.8	ppbv		ND	55	30	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	16	4.6	ppbv		ND	65	19	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	3.2	4.7	ppbv		ND	13	19	ug/m3
106-93-4	187.9	1,2-Dibromoethane (EDB)	ND	8.0	7.8	ppbv		ND	61	60	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	16	5.6	ppbv		ND	65	23	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	16	5.0	ppbv		ND	74	23	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	16	9.4	ppbv		ND	58	34	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	ND	16	2.6	ppbv		ND	79	13	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	8.0	4.2	ppbv		ND	68	36	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	12.2	16	5.5	ppbv	J	48.4	63	22	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	1330	3.2	6.2	ppbv		5270	13	25	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	16	5.0	ppbv		ND	73	23	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	8.0	3.2	ppbv		ND	48	19	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	3.2	12	ppbv		ND	19	72	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	8.0	15	ppbv		ND	48	90	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	16	8.1	ppbv		ND	73	37	ug/m3

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: EW-4-25B
Lab Sample ID: JD52620-4
Matrix: AIR - Soil Vapor Comp. Summa ID: A504
Method: TO-15
Project: EPT, Ithaca, NY

Date Sampled: 09/22/22
Date Received: 09/26/22
Percent Solids: n/a

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	ND	40	32	ppbv		ND	75	60	ug/m3
100-41-4	106.2	Ethylbenzene	ND	16	4.9	ppbv		ND	69	21	ug/m3
141-78-6	88	Ethyl Acetate	21.6	16	8.3	ppbv		77.7	58	30	ug/m3
622-96-8	120.19	4-Ethyltoluene	ND	16	7.6	ppbv		ND	79	37	ug/m3
76-13-1	187.4	Freon 113	ND	8.0	2.5	ppbv		ND	61	19	ug/m3
76-14-2	170.9	Freon 114	ND	8.0	4.0	ppbv		ND	56	28	ug/m3
142-82-5	100.2	Heptane	ND	16	7.4	ppbv		ND	66	30	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	7.2	5.0	ppbv		ND	77	53	ug/m3
110-54-3	86.18	Hexane	ND	16	9.0	ppbv		ND	56	32	ug/m3
591-78-6	100	2-Hexanone	ND	16	12	ppbv		ND	65	49	ug/m3
67-63-0	60.1	Isopropyl Alcohol	ND	16	11	ppbv		ND	39	27	ug/m3
75-09-2	84.94	Methylene chloride	ND	16	4.5	ppbv		ND	56	16	ug/m3
78-93-3	72.11	Methyl ethyl ketone	ND	16	8.8	ppbv		ND	47	26	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	16	5.8	ppbv		ND	66	24	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	16	6.4	ppbv		ND	58	23	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	16	5.6	ppbv		ND	66	23	ug/m3
115-07-1	42	Propylene	ND	40	11	ppbv		ND	69	19	ug/m3
100-42-5	104.1	Styrene	ND	16	9.4	ppbv		ND	68	40	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	8.0	3.0	ppbv		ND	44	16	ug/m3
79-34-5	167.85	1,1,2,2-Tetrachloroethane	ND	8.0	3.8	ppbv		ND	55	26	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	8.0	3.0	ppbv		ND	44	16	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	8.0	9.7	ppbv		ND	59	72	ug/m3
95-63-6	120.19	1,2,4-Trimethylbenzene	ND	16	7.0	ppbv		ND	79	34	ug/m3
108-67-8	120.19	1,3,5-Trimethylbenzene	ND	16	6.4	ppbv		ND	79	31	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	ND	16	7.6	ppbv		ND	75	35	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	16	7.4	ppbv		ND	49	22	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	3.2	1.1	ppbv		ND	22	7.5	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	16	7.2	ppbv		ND	47	21	ug/m3
108-88-3	92.14	Toluene	ND	16	4.6	ppbv		ND	60	17	ug/m3
79-01-6	131.4	Trichloroethylene	3370	3.2	1.5	ppbv		18100	17	8.1	ug/m3
75-69-4	137.4	Trichlorofluoromethane	ND	8.0	2.9	ppbv		ND	45	16	ug/m3
75-01-4	62.5	Vinyl chloride	10.5	3.2	5.5	ppbv		26.8	8.2	14	ug/m3
108-05-4	86	Vinyl Acetate	ND	16	9.0	ppbv		ND	56	32	ug/m3
	106.2	m,p-Xylene	ND	16	11	ppbv		ND	69	48	ug/m3
95-47-6	106.2	o-Xylene	ND	16	6.2	ppbv		ND	69	27	ug/m3
1330-20-7	106.2	Xylenes (total)	ND	16	6.2	ppbv		ND	69	27	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	105%		65-128%

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID: EW-5-25B
Lab Sample ID: JD52620-5
Matrix: AIR - Soil Vapor Comp. Summa ID: M180
Method: TO-15
Project: EPT, Ithaca, NY

Date Sampled: 09/22/22
Date Received: 09/26/22
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2W61661.D	1	09/29/22 14:39	TCH	n/a	n/a	V2W2736
Run #2	6W26153.D	1.23	09/30/22 02:34	TCH	n/a	n/a	V6W1111

	Initial Volume
Run #1	10.0 ml
Run #2	5.0 ml

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone (2-Propanone)	ND	8.0	5.8	ppbv		ND	19	14	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	8.0	3.4	ppbv		ND	18	7.5	ug/m3
71-43-2	78.11	Benzene	ND	8.0	2.5	ppbv		ND	26	8.0	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	4.0	1.2	ppbv		ND	27	8.0	ug/m3
75-25-2	252.8	Bromoform	ND	1.6	2.8	ppbv		ND	17	29	ug/m3
74-83-9	94.94	Bromomethane	ND	8.0	2.8	ppbv		ND	31	11	ug/m3
593-60-2	106.9	Bromoethene	ND	8.0	2.4	ppbv		ND	35	10	ug/m3
100-44-7	126	Benzyl Chloride	ND	8.0	5.0	ppbv		ND	41	26	ug/m3
75-15-0	76.14	Carbon disulfide	ND	8.0	1.8	ppbv		ND	25	5.6	ug/m3
108-90-7	112.6	Chlorobenzene	ND	8.0	3.0	ppbv		ND	37	14	ug/m3
75-00-3	64.52	Chloroethane	ND	8.0	2.7	ppbv		ND	21	7.1	ug/m3
67-66-3	119.4	Chloroform	ND	8.0	1.5	ppbv		ND	39	7.3	ug/m3
74-87-3	50.49	Chloromethane	ND	8.0	3.6	ppbv		ND	17	7.4	ug/m3
107-05-1	76.53	3-Chloropropene	ND	8.0	3.3	ppbv		ND	25	10	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	8.0	2.9	ppbv		ND	41	15	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	1.6	1.6	ppbv		ND	10	10	ug/m3
110-82-7	84.16	Cyclohexane	ND	8.0	4.4	ppbv		ND	28	15	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	8.0	2.3	ppbv		ND	32	9.3	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	10.2	1.6	2.4	ppbv		40.4	6.3	9.5	ug/m3
106-93-4	187.9	1,2-Dibromoethane (EDB)	ND	4.0	3.9	ppbv		ND	31	30	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	8.0	2.8	ppbv		ND	32	11	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	8.0	2.5	ppbv		ND	37	12	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	8.0	4.7	ppbv		ND	29	17	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	ND	8.0	1.3	ppbv		ND	40	6.4	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	4.0	2.1	ppbv		ND	34	18	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	21.7	8.0	2.8	ppbv		86.0	32	11	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	1490 [a]	3.9	7.6	ppbv		5910 [a]	15	30	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	8.0	2.5	ppbv		ND	36	11	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	4.0	1.6	ppbv		ND	24	9.6	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	1.6	6.2	ppbv		ND	9.6	37	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	4.0	7.6	ppbv		ND	24	46	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	8.0	4.0	ppbv		ND	36	18	ug/m3

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: EW-5-25B
Lab Sample ID: JD52620-5
Matrix: AIR - Soil Vapor Comp. Summa ID: M180
Method: TO-15
Project: EPT, Ithaca, NY

Date Sampled: 09/22/22
Date Received: 09/26/22
Percent Solids: n/a

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	ND	20	16	ppbv		ND	38	30	ug/m3
100-41-4	106.2	Ethylbenzene	ND	8.0	2.4	ppbv		ND	35	10	ug/m3
141-78-6	88	Ethyl Acetate	ND	8.0	4.2	ppbv		ND	29	15	ug/m3
622-96-8	120.19	4-Ethyltoluene	ND	8.0	3.8	ppbv		ND	39	19	ug/m3
76-13-1	187.4	Freon 113	ND	4.0	1.2	ppbv		ND	31	9.2	ug/m3
76-14-2	170.9	Freon 114	ND	4.0	2.0	ppbv		ND	28	14	ug/m3
142-82-5	100.2	Heptane	ND	8.0	3.7	ppbv		ND	33	15	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	3.6	2.5	ppbv		ND	38	27	ug/m3
110-54-3	86.18	Hexane	ND	8.0	4.5	ppbv		ND	28	16	ug/m3
591-78-6	100	2-Hexanone	ND	8.0	5.8	ppbv		ND	33	24	ug/m3
67-63-0	60.1	Isopropyl Alcohol	ND	8.0	5.6	ppbv		ND	20	14	ug/m3
75-09-2	84.94	Methylene chloride	ND	8.0	2.2	ppbv		ND	28	7.6	ug/m3
78-93-3	72.11	Methyl ethyl ketone	ND	8.0	4.4	ppbv		ND	24	13	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	8.0	2.9	ppbv		ND	33	12	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	8.0	3.2	ppbv		ND	29	12	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	8.0	2.8	ppbv		ND	33	11	ug/m3
115-07-1	42	Propylene	ND	20	5.7	ppbv		ND	34	9.8	ug/m3
100-42-5	104.1	Styrene	ND	8.0	4.7	ppbv		ND	34	20	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	4.0	1.5	ppbv		ND	22	8.2	ug/m3
79-34-5	167.85	1,1,2,2-Tetrachloroethane	ND	4.0	1.9	ppbv		ND	27	13	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	4.0	1.5	ppbv		ND	22	8.2	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	4.0	4.8	ppbv		ND	30	36	ug/m3
95-63-6	120.19	1,2,4-Trimethylbenzene	ND	8.0	3.5	ppbv		ND	39	17	ug/m3
108-67-8	120.19	1,3,5-Trimethylbenzene	ND	8.0	3.2	ppbv		ND	39	16	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	ND	8.0	3.8	ppbv		ND	37	18	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	8.0	3.7	ppbv		ND	24	11	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	1.6	0.56	ppbv		ND	11	3.8	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	8.0	3.6	ppbv		ND	24	11	ug/m3
108-88-3	92.14	Toluene	ND	8.0	2.3	ppbv		ND	30	8.7	ug/m3
79-01-6	131.4	Trichloroethylene	1390	1.6	0.76	ppbv		7470	8.6	4.1	ug/m3
75-69-4	137.4	Trichlorofluoromethane	ND	4.0	1.4	ppbv		ND	22	7.9	ug/m3
75-01-4	62.5	Vinyl chloride	264	1.6	2.8	ppbv		675	4.1	7.2	ug/m3
108-05-4	86	Vinyl Acetate	ND	8.0	4.5	ppbv		ND	28	16	ug/m3
	106.2	m,p-Xylene	ND	8.0	5.6	ppbv		ND	35	24	ug/m3
95-47-6	106.2	o-Xylene	ND	8.0	3.1	ppbv		ND	35	13	ug/m3
1330-20-7	106.2	Xylenes (total)	ND	8.0	3.1	ppbv		ND	35	13	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	105%	96%	65-128%

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EW-5-25B		
Lab Sample ID:	JD52620-5	**Date Sampled:**	09/22/22
Matrix:	AIR - Soil Vapor Comp. Summa ID: M180	**Date Received:**	09/26/22
Method:	TO-15	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units

(a) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID: EW-6-60C
Lab Sample ID: JD52620-6
Matrix: AIR - Soil Vapor Comp. Summa ID: M430
Method: TO-15
Project: EPT, Ithaca, NY

Date Sampled: 09/22/22
Date Received: 09/26/22
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2W61662.D	1	09/29/22 15:12	TCH	n/a	n/a	V2W2736
Run #2	6W26154.D	1.15	09/30/22 03:18	TCH	n/a	n/a	V6W1111

	Initial Volume
Run #1	20.0 ml
Run #2	5.0 ml

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone (2-Propanone)	ND	4.0	2.9	ppbv		ND	9.5	6.9	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	4.0	1.7	ppbv		ND	8.8	3.8	ug/m3
71-43-2	78.11	Benzene	ND	4.0	1.2	ppbv		ND	13	3.8	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	2.0	0.60	ppbv		ND	13	4.0	ug/m3
75-25-2	252.8	Bromoform	ND	0.80	1.4	ppbv		ND	8.3	14	ug/m3
74-83-9	94.94	Bromomethane	ND	4.0	1.4	ppbv		ND	16	5.4	ug/m3
593-60-2	106.9	Bromoethene	ND	4.0	1.2	ppbv		ND	17	5.2	ug/m3
100-44-7	126	Benzyl Chloride	ND	4.0	2.5	ppbv		ND	21	13	ug/m3
75-15-0	76.14	Carbon disulfide	ND	4.0	0.90	ppbv		ND	12	2.8	ug/m3
108-90-7	112.6	Chlorobenzene	ND	4.0	1.5	ppbv		ND	18	6.9	ug/m3
75-00-3	64.52	Chloroethane	ND	4.0	1.4	ppbv		ND	11	3.7	ug/m3
67-66-3	119.4	Chloroform	ND	4.0	0.74	ppbv		ND	20	3.6	ug/m3
74-87-3	50.49	Chloromethane	ND	4.0	1.8	ppbv		ND	8.3	3.7	ug/m3
107-05-1	76.53	3-Chloropropene	ND	4.0	1.7	ppbv		ND	13	5.3	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	4.0	1.4	ppbv		ND	21	7.2	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.80	0.80	ppbv		ND	5.0	5.0	ug/m3
110-82-7	84.16	Cyclohexane	ND	4.0	2.2	ppbv		ND	14	7.6	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	4.0	1.1	ppbv		ND	16	4.5	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	6.4	0.80	1.2	ppbv		25	3.2	4.8	ug/m3
106-93-4	187.9	1,2-Dibromoethane (EDB)	ND	2.0	1.9	ppbv		ND	15	15	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	4.0	1.4	ppbv		ND	16	5.7	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	4.0	1.2	ppbv		ND	18	5.5	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	4.0	2.3	ppbv		ND	14	8.3	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	ND	4.0	0.64	ppbv		ND	20	3.2	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	2.0	1.0	ppbv		ND	17	8.5	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	17.8	4.0	1.4	ppbv		70.6	16	5.6	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	2310 [a]	3.7	7.1	ppbv		9160 [a]	15	28	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	4.0	1.2	ppbv		ND	18	5.4	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	2.0	0.80	ppbv		ND	12	4.8	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.80	3.1	ppbv		ND	4.8	19	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	2.0	3.8	ppbv		ND	12	23	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	4.0	2.0	ppbv		ND	18	9.1	ug/m3

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: EW-6-60C
Lab Sample ID: JD52620-6
Matrix: AIR - Soil Vapor Comp. Summa ID: M430
Method: TO-15
Project: EPT, Ithaca, NY

Date Sampled: 09/22/22
Date Received: 09/26/22
Percent Solids: n/a

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	ND	10	7.9	ppbv		ND	19	15	ug/m3
100-41-4	106.2	Ethylbenzene	ND	4.0	1.2	ppbv		ND	17	5.2	ug/m3
141-78-6	88	Ethyl Acetate	24.1	4.0	2.1	ppbv		86.7	14	7.6	ug/m3
622-96-8	120.19	4-Ethyltoluene	ND	4.0	1.9	ppbv		ND	20	9.3	ug/m3
76-13-1	187.4	Freon 113	ND	2.0	0.62	ppbv		ND	15	4.8	ug/m3
76-14-2	170.9	Freon 114	ND	2.0	1.0	ppbv		ND	14	7.0	ug/m3
142-82-5	100.2	Heptane	ND	4.0	1.8	ppbv		ND	16	7.4	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	1.8	1.2	ppbv		ND	19	13	ug/m3
110-54-3	86.18	Hexane	ND	4.0	2.2	ppbv		ND	14	7.8	ug/m3
591-78-6	100	2-Hexanone	ND	4.0	2.9	ppbv		ND	16	12	ug/m3
67-63-0	60.1	Isopropyl Alcohol	ND	4.0	2.8	ppbv		ND	9.8	6.9	ug/m3
75-09-2	84.94	Methylene chloride	ND	4.0	1.1	ppbv		ND	14	3.8	ug/m3
78-93-3	72.11	Methyl ethyl ketone	ND	4.0	2.2	ppbv		ND	12	6.5	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	4.0	1.5	ppbv		ND	16	6.1	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	4.0	1.6	ppbv		ND	14	5.8	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	4.0	1.4	ppbv		ND	16	5.7	ug/m3
115-07-1	42	Propylene	ND	10	2.8	ppbv		ND	17	4.8	ug/m3
100-42-5	104.1	Styrene	ND	4.0	2.4	ppbv		ND	17	10	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	2.0	0.74	ppbv		ND	11	4.0	ug/m3
79-34-5	167.85	1,1,2,2-Tetrachloroethane	ND	2.0	0.96	ppbv		ND	14	6.6	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	2.0	0.76	ppbv		ND	11	4.1	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	2.0	2.4	ppbv		ND	15	18	ug/m3
95-63-6	120.19	1,2,4-Trimethylbenzene	ND	4.0	1.7	ppbv		ND	20	8.4	ug/m3
108-67-8	120.19	1,3,5-Trimethylbenzene	ND	4.0	1.6	ppbv		ND	20	7.9	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	ND	4.0	1.9	ppbv		ND	19	8.9	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	4.0	1.9	ppbv		ND	12	5.8	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	0.80	0.28	ppbv		ND	5.4	1.9	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	4.0	1.8	ppbv		ND	12	5.3	ug/m3
108-88-3	92.14	Toluene	ND	4.0	1.1	ppbv		ND	15	4.1	ug/m3
79-01-6	131.4	Trichloroethylene	817	0.80	0.38	ppbv		4390	4.3	2.0	ug/m3
75-69-4	137.4	Trichlorofluoromethane	ND	2.0	0.72	ppbv		ND	11	4.0	ug/m3
75-01-4	62.5	Vinyl chloride	183	0.80	1.4	ppbv		468	2.0	3.6	ug/m3
108-05-4	86	Vinyl Acetate	ND	4.0	2.2	ppbv		ND	14	7.7	ug/m3
	106.2	m,p-Xylene	ND	4.0	2.8	ppbv		ND	17	12	ug/m3
95-47-6	106.2	o-Xylene	ND	4.0	1.5	ppbv		ND	17	6.5	ug/m3
1330-20-7	106.2	Xylenes (total)	ND	4.0	1.5	ppbv		ND	17	6.5	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	103%	92%	65-128%

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EW-6-60C		
Lab Sample ID:	JD52620-6	**Date Sampled:**	09/22/22
Matrix:	AIR - Soil Vapor Comp. Summa ID: M430	**Date Received:**	09/26/22
Method:	TO-15	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units

(a) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID: EW-7-25B
Lab Sample ID: JD52620-7
Matrix: AIR - Soil Vapor Comp. Summa ID: M462
Method: TO-15
Project: EPT, Ithaca, NY

Date Sampled: 09/22/22
Date Received: 09/26/22
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2W61663.D	1	09/29/22 15:44	TCH	n/a	n/a	V2W2736
Run #2	6W26155.D	1	09/30/22 04:00	TCH	n/a	n/a	V6W1111

	Initial Volume
Run #1	100 ml
Run #2	50.0 ml

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone (2-Propanone)	2.8	0.80	0.58	ppbv		6.7	1.9	1.4	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.80	0.34	ppbv		ND	1.8	0.75	ug/m3
71-43-2	78.11	Benzene	ND	0.80	0.25	ppbv		ND	2.6	0.80	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.40	0.12	ppbv		ND	2.7	0.80	ug/m3
75-25-2	252.8	Bromoform	ND	0.16	0.28	ppbv		ND	1.7	2.9	ug/m3
74-83-9	94.94	Bromomethane	ND	0.80	0.28	ppbv		ND	3.1	1.1	ug/m3
593-60-2	106.9	Bromoethene	ND	0.80	0.24	ppbv		ND	3.5	1.0	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.80	0.50	ppbv		ND	4.1	2.6	ug/m3
75-15-0	76.14	Carbon disulfide	ND	0.80	0.18	ppbv		ND	2.5	0.56	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.80	0.30	ppbv		ND	3.7	1.4	ug/m3
75-00-3	64.52	Chloroethane	ND	0.80	0.27	ppbv		ND	2.1	0.71	ug/m3
67-66-3	119.4	Chloroform	ND	0.80	0.15	ppbv		ND	3.9	0.73	ug/m3
74-87-3	50.49	Chloromethane	ND	0.80	0.36	ppbv		ND	1.7	0.74	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.80	0.33	ppbv		ND	2.5	1.0	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.80	0.29	ppbv		ND	4.1	1.5	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.16	0.16	ppbv		ND	1.0	1.0	ug/m3
110-82-7	84.16	Cyclohexane	ND	0.80	0.44	ppbv		ND	2.8	1.5	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.80	0.23	ppbv		ND	3.2	0.93	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	1.0	0.16	0.24	ppbv		4.0	0.63	0.95	ug/m3
106-93-4	187.9	1,2-Dibromoethane (EDB)	ND	0.40	0.39	ppbv		ND	3.1	3.0	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.80	0.28	ppbv		ND	3.2	1.1	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.80	0.25	ppbv		ND	3.7	1.2	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.80	0.47	ppbv		ND	2.9	1.7	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.42	0.80	0.13	ppbv	J	2.1	4.0	0.64	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.40	0.21	ppbv		ND	3.4	1.8	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	3.6	0.80	0.28	ppbv		14	3.2	1.1	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	227 [a]	0.32	0.62	ppbv		900 [a]	1.3	2.5	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.80	0.25	ppbv		ND	3.6	1.1	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.40	0.16	ppbv		ND	2.4	0.96	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.16	0.62	ppbv		ND	0.96	3.7	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.40	0.76	ppbv		ND	2.4	4.6	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.80	0.40	ppbv		ND	3.6	1.8	ug/m3

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: EW-7-25B
Lab Sample ID: JD52620-7
Matrix: AIR - Soil Vapor Comp. Summa ID: M462
Method: TO-15
Project: EPT, Ithaca, NY

Date Sampled: 09/22/22
Date Received: 09/26/22
Percent Solids: n/a

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	3.1	2.0	1.6	ppbv		5.8	3.8	3.0	ug/m3
100-41-4	106.2	Ethylbenzene	ND	0.80	0.24	ppbv		ND	3.5	1.0	ug/m3
141-78-6	88	Ethyl Acetate	45.8	0.80	0.42	ppbv		165	2.9	1.5	ug/m3
622-96-8	120.19	4-Ethyltoluene	ND	0.80	0.38	ppbv		ND	3.9	1.9	ug/m3
76-13-1	187.4	Freon 113	ND	0.40	0.12	ppbv		ND	3.1	0.92	ug/m3
76-14-2	170.9	Freon 114	ND	0.40	0.20	ppbv		ND	2.8	1.4	ug/m3
142-82-5	100.2	Heptane	ND	0.80	0.37	ppbv		ND	3.3	1.5	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.36	0.25	ppbv		ND	3.8	2.7	ug/m3
110-54-3	86.18	Hexane	ND	0.80	0.45	ppbv		ND	2.8	1.6	ug/m3
591-78-6	100	2-Hexanone	ND	0.80	0.58	ppbv		ND	3.3	2.4	ug/m3
67-63-0	60.1	Isopropyl Alcohol	0.87	0.80	0.56	ppbv		2.1	2.0	1.4	ug/m3
75-09-2	84.94	Methylene chloride	0.82	0.80	0.22	ppbv		2.8	2.8	0.76	ug/m3
78-93-3	72.11	Methyl ethyl ketone	ND	0.80	0.44	ppbv		ND	2.4	1.3	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.80	0.29	ppbv		ND	3.3	1.2	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.80	0.32	ppbv		ND	2.9	1.2	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.80	0.28	ppbv		ND	3.3	1.1	ug/m3
115-07-1	42	Propylene	ND	2.0	0.57	ppbv		ND	3.4	0.98	ug/m3
100-42-5	104.1	Styrene	ND	0.80	0.47	ppbv		ND	3.4	2.0	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.40	0.15	ppbv		ND	2.2	0.82	ug/m3
79-34-5	167.85	1,1,2,2-Tetrachloroethane	ND	0.40	0.19	ppbv		ND	2.7	1.3	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.40	0.15	ppbv		ND	2.2	0.82	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.40	0.48	ppbv		ND	3.0	3.6	ug/m3
95-63-6	120.19	1,2,4-Trimethylbenzene	ND	0.80	0.35	ppbv		ND	3.9	1.7	ug/m3
108-67-8	120.19	1,3,5-Trimethylbenzene	ND	0.80	0.32	ppbv		ND	3.9	1.6	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	ND	0.80	0.38	ppbv		ND	3.7	1.8	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	0.80	0.37	ppbv		ND	2.4	1.1	ug/m3
127-18-4	165.8	Tetrachloroethylene	0.15	0.16	0.056	ppbv	J	1.0	1.1	0.38	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.80	0.36	ppbv		ND	2.4	1.1	ug/m3
108-88-3	92.14	Toluene	1.1	0.80	0.23	ppbv		4.1	3.0	0.87	ug/m3
79-01-6	131.4	Trichloroethylene	14.4	0.16	0.076	ppbv		77.4	0.86	0.41	ug/m3
75-69-4	137.4	Trichlorofluoromethane	0.39	0.40	0.14	ppbv	J	2.2	2.2	0.79	ug/m3
75-01-4	62.5	Vinyl chloride	89.4	0.16	0.28	ppbv		229	0.41	0.72	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.80	0.45	ppbv		ND	2.8	1.6	ug/m3
	106.2	m,p-Xylene	ND	0.80	0.56	ppbv		ND	3.5	2.4	ug/m3
95-47-6	106.2	o-Xylene	ND	0.80	0.31	ppbv		ND	3.5	1.3	ug/m3
1330-20-7	106.2	Xylenes (total)	ND	0.80	0.31	ppbv		ND	3.5	1.3	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	106%	96%	65-128%

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EW-7-25B		
Lab Sample ID:	JD52620-7	**Date Sampled:**	09/22/22
Matrix:	AIR - Soil Vapor Comp. Summa ID: M462	**Date Received:**	09/26/22
Method:	TO-15	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units

(a) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID: EW-8-62C
Lab Sample ID: JD52620-8
Matrix: AIR - Soil Vapor Comp. Summa ID: A1152
Method: TO-15
Project: EPT, Ithaca, NY

Date Sampled: 09/22/22
Date Received: 09/26/22
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2W61664.D	1	09/29/22 16:16	TCH	n/a	n/a	V2W2736
Run #2	6W26156.D	1	09/30/22 04:43	TCH	n/a	n/a	V6W1111

	Initial Volume
Run #1	100 ml
Run #2	20.0 ml

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone (2-Propanone)	4.3	0.80	0.58	ppbv		10	1.9	1.4	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.80	0.34	ppbv		ND	1.8	0.75	ug/m3
71-43-2	78.11	Benzene	ND	0.80	0.25	ppbv		ND	2.6	0.80	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.40	0.12	ppbv		ND	2.7	0.80	ug/m3
75-25-2	252.8	Bromoform	ND	0.16	0.28	ppbv		ND	1.7	2.9	ug/m3
74-83-9	94.94	Bromomethane	ND	0.80	0.28	ppbv		ND	3.1	1.1	ug/m3
593-60-2	106.9	Bromoethene	ND	0.80	0.24	ppbv		ND	3.5	1.0	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.80	0.50	ppbv		ND	4.1	2.6	ug/m3
75-15-0	76.14	Carbon disulfide	ND	0.80	0.18	ppbv		ND	2.5	0.56	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.80	0.30	ppbv		ND	3.7	1.4	ug/m3
75-00-3	64.52	Chloroethane	ND	0.80	0.27	ppbv		ND	2.1	0.71	ug/m3
67-66-3	119.4	Chloroform	ND	0.80	0.15	ppbv		ND	3.9	0.73	ug/m3
74-87-3	50.49	Chloromethane	ND	0.80	0.36	ppbv		ND	1.7	0.74	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.80	0.33	ppbv		ND	2.5	1.0	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.80	0.29	ppbv		ND	4.1	1.5	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.16	0.16	ppbv		ND	1.0	1.0	ug/m3
110-82-7	84.16	Cyclohexane	ND	0.80	0.44	ppbv		ND	2.8	1.5	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.80	0.23	ppbv		ND	3.2	0.93	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	0.66	0.16	0.24	ppbv		2.6	0.63	0.95	ug/m3
106-93-4	187.9	1,2-Dibromoethane (EDB)	ND	0.40	0.39	ppbv		ND	3.1	3.0	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.80	0.28	ppbv		ND	3.2	1.1	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.80	0.25	ppbv		ND	3.7	1.2	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.80	0.47	ppbv		ND	2.9	1.7	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.39	0.80	0.13	ppbv	J	1.9	4.0	0.64	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.40	0.21	ppbv		ND	3.4	1.8	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	2.3	0.80	0.28	ppbv		9.1	3.2	1.1	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	339 [a]	0.80	1.5	ppbv		1340 [a]	3.2	5.9	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.80	0.25	ppbv		ND	3.6	1.1	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.40	0.16	ppbv		ND	2.4	0.96	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.16	0.62	ppbv		ND	0.96	3.7	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.40	0.76	ppbv		ND	2.4	4.6	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.80	0.40	ppbv		ND	3.6	1.8	ug/m3

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: EW-8-62C
Lab Sample ID: JD52620-8
Matrix: AIR - Soil Vapor Comp. Summa ID: A1152
Method: TO-15
Project: EPT, Ithaca, NY

Date Sampled: 09/22/22
Date Received: 09/26/22
Percent Solids: n/a

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	3.1	2.0	1.6	ppbv		5.8	3.8	3.0	ug/m3
100-41-4	106.2	Ethylbenzene	ND	0.80	0.24	ppbv		ND	3.5	1.0	ug/m3
141-78-6	88	Ethyl Acetate	67.4	0.80	0.42	ppbv		243	2.9	1.5	ug/m3
622-96-8	120.19	4-Ethyltoluene	ND	0.80	0.38	ppbv		ND	3.9	1.9	ug/m3
76-13-1	187.4	Freon 113	ND	0.40	0.12	ppbv		ND	3.1	0.92	ug/m3
76-14-2	170.9	Freon 114	ND	0.40	0.20	ppbv		ND	2.8	1.4	ug/m3
142-82-5	100.2	Heptane	ND	0.80	0.37	ppbv		ND	3.3	1.5	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.36	0.25	ppbv		ND	3.8	2.7	ug/m3
110-54-3	86.18	Hexane	ND	0.80	0.45	ppbv		ND	2.8	1.6	ug/m3
591-78-6	100	2-Hexanone	ND	0.80	0.58	ppbv		ND	3.3	2.4	ug/m3
67-63-0	60.1	Isopropyl Alcohol	0.86	0.80	0.56	ppbv		2.1	2.0	1.4	ug/m3
75-09-2	84.94	Methylene chloride	ND	0.80	0.22	ppbv		ND	2.8	0.76	ug/m3
78-93-3	72.11	Methyl ethyl ketone	0.57	0.80	0.44	ppbv	J	1.7	2.4	1.3	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.80	0.29	ppbv		ND	3.3	1.2	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.80	0.32	ppbv		ND	2.9	1.2	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.80	0.28	ppbv		ND	3.3	1.1	ug/m3
115-07-1	42	Propylene	ND	2.0	0.57	ppbv		ND	3.4	0.98	ug/m3
100-42-5	104.1	Styrene	ND	0.80	0.47	ppbv		ND	3.4	2.0	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.40	0.15	ppbv		ND	2.2	0.82	ug/m3
79-34-5	167.85	1,1,2,2-Tetrachloroethane	ND	0.40	0.19	ppbv		ND	2.7	1.3	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.40	0.15	ppbv		ND	2.2	0.82	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.40	0.48	ppbv		ND	3.0	3.6	ug/m3
95-63-6	120.19	1,2,4-Trimethylbenzene	ND	0.80	0.35	ppbv		ND	3.9	1.7	ug/m3
108-67-8	120.19	1,3,5-Trimethylbenzene	ND	0.80	0.32	ppbv		ND	3.9	1.6	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	ND	0.80	0.38	ppbv		ND	3.7	1.8	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	0.80	0.37	ppbv		ND	2.4	1.1	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	0.16	0.056	ppbv		ND	1.1	0.38	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.80	0.36	ppbv		ND	2.4	1.1	ug/m3
108-88-3	92.14	Toluene	1.7	0.80	0.23	ppbv		6.4	3.0	0.87	ug/m3
79-01-6	131.4	Trichloroethylene	85.7	0.16	0.076	ppbv		461	0.86	0.41	ug/m3
75-69-4	137.4	Trichlorofluoromethane	ND	0.40	0.14	ppbv		ND	2.2	0.79	ug/m3
75-01-4	62.5	Vinyl chloride	22.1	0.16	0.28	ppbv		56.5	0.41	0.72	ug/m3
108-05-4	86	Vinyl Acetate	0.83	0.80	0.45	ppbv		2.9	2.8	1.6	ug/m3
	106.2	m,p-Xylene	ND	0.80	0.56	ppbv		ND	3.5	2.4	ug/m3
95-47-6	106.2	o-Xylene	ND	0.80	0.31	ppbv		ND	3.5	1.3	ug/m3
1330-20-7	106.2	Xylenes (total)	ND	0.80	0.31	ppbv		ND	3.5	1.3	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	105%	98%	65-128%

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EW-8-62C		
Lab Sample ID:	JD52620-8	**Date Sampled:**	09/22/22
Matrix:	AIR - Soil Vapor Comp. Summa ID: A1152	**Date Received:**	09/26/22
Method:	TO-15	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units

(a) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID: EW-9R-72C
Lab Sample ID: JD52620-9
Matrix: AIR - Soil Vapor Comp. Summa ID: A534
Method: TO-15
Project: EPT, Ithaca, NY

Date Sampled: 09/22/22
Date Received: 09/26/22
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2W61666.D	1	09/29/22 17:19	TCH	n/a	n/a	V2W2736
Run #2	2W61693.D	1.13	09/30/22 13:15	TCH	n/a	n/a	V2W2737

	Initial Volume
Run #1	40.0 ml
Run #2	5.0 ml

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone (2-Propanone)	7.0	2.0	1.5	ppbv		17	4.8	3.6	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	2.0	0.84	ppbv		ND	4.4	1.9	ug/m3
71-43-2	78.11	Benzene	ND	2.0	0.62	ppbv		ND	6.4	2.0	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	1.0	0.30	ppbv		ND	6.7	2.0	ug/m3
75-25-2	252.8	Bromoform	ND	0.40	0.71	ppbv		ND	4.1	7.3	ug/m3
74-83-9	94.94	Bromomethane	ND	2.0	0.69	ppbv		ND	7.8	2.7	ug/m3
593-60-2	106.9	Bromoethene	ND	2.0	0.61	ppbv		ND	8.7	2.7	ug/m3
100-44-7	126	Benzyl Chloride	ND	2.0	1.3	ppbv		ND	10	6.7	ug/m3
75-15-0	76.14	Carbon disulfide	ND	2.0	0.45	ppbv		ND	6.2	1.4	ug/m3
108-90-7	112.6	Chlorobenzene	ND	2.0	0.74	ppbv		ND	9.2	3.4	ug/m3
75-00-3	64.52	Chloroethane	ND	2.0	0.68	ppbv		ND	5.3	1.8	ug/m3
67-66-3	119.4	Chloroform	ND	2.0	0.37	ppbv		ND	9.8	1.8	ug/m3
74-87-3	50.49	Chloromethane	ND	2.0	0.90	ppbv		ND	4.1	1.9	ug/m3
107-05-1	76.53	3-Chloropropene	ND	2.0	0.83	ppbv		ND	6.3	2.6	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	2.0	0.72	ppbv		ND	10	3.7	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.40	0.40	ppbv		ND	2.5	2.5	ug/m3
110-82-7	84.16	Cyclohexane	ND	2.0	1.1	ppbv		ND	6.9	3.8	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	2.0	0.57	ppbv		ND	8.1	2.3	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	5.6	0.40	0.59	ppbv		22	1.6	2.3	ug/m3
106-93-4	187.9	1,2-Dibromoethane (EDB)	ND	1.0	0.97	ppbv		ND	7.7	7.5	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	2.0	0.70	ppbv		ND	8.1	2.8	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	2.0	0.62	ppbv		ND	9.2	2.9	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	2.0	1.2	ppbv		ND	7.2	4.3	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	ND	2.0	0.32	ppbv		ND	9.9	1.6	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	1.0	0.52	ppbv		ND	8.5	4.4	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	15.0	2.0	0.69	ppbv		59.5	7.9	2.7	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	1520 [a]	3.6	7.0	ppbv		6030 [a]	14	28	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	2.0	0.62	ppbv		ND	9.1	2.8	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	1.0	0.40	ppbv		ND	6.0	2.4	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.40	1.5	ppbv		ND	2.4	9.0	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	1.0	1.9	ppbv		ND	6.0	11	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	2.0	1.0	ppbv		ND	9.1	4.5	ug/m3

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: EW-9R-72C
Lab Sample ID: JD52620-9
Matrix: AIR - Soil Vapor Comp. Summa ID: A534
Method: TO-15
Project: EPT, Ithaca, NY

Date Sampled: 09/22/22
Date Received: 09/26/22
Percent Solids: n/a

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	ND	5.0	3.9	ppbv		ND	9.4	7.3	ug/m3
100-41-4	106.2	Ethylbenzene	ND	2.0	0.61	ppbv		ND	8.7	2.6	ug/m3
141-78-6	88	Ethyl Acetate	6.9	2.0	1.0	ppbv		25	7.2	3.6	ug/m3
622-96-8	120.19	4-Ethyltoluene	ND	2.0	0.95	ppbv		ND	9.8	4.7	ug/m3
76-13-1	187.4	Freon 113	ND	1.0	0.31	ppbv		ND	7.7	2.4	ug/m3
76-14-2	170.9	Freon 114	ND	1.0	0.50	ppbv		ND	7.0	3.5	ug/m3
142-82-5	100.2	Heptane	ND	2.0	0.92	ppbv		ND	8.2	3.8	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.90	0.62	ppbv		ND	9.6	6.6	ug/m3
110-54-3	86.18	Hexane	ND	2.0	1.1	ppbv		ND	7.0	3.9	ug/m3
591-78-6	100	2-Hexanone	ND	2.0	1.5	ppbv		ND	8.2	6.1	ug/m3
67-63-0	60.1	Isopropyl Alcohol	ND	2.0	1.4	ppbv		ND	4.9	3.4	ug/m3
75-09-2	84.94	Methylene chloride	ND	2.0	0.56	ppbv		ND	6.9	1.9	ug/m3
78-93-3	72.11	Methyl ethyl ketone	2.1	2.0	1.1	ppbv		6.2	5.9	3.2	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	2.0	0.73	ppbv		ND	8.2	3.0	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	2.0	0.80	ppbv		ND	7.2	2.9	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	2.0	0.70	ppbv		ND	8.2	2.9	ug/m3
115-07-1	42	Propylene	ND	5.0	1.4	ppbv		ND	8.6	2.4	ug/m3
100-42-5	104.1	Styrene	ND	2.0	1.2	ppbv		ND	8.5	5.1	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	1.0	0.37	ppbv		ND	5.5	2.0	ug/m3
79-34-5	167.85	1,1,2,2-Tetrachloroethane	ND	1.0	0.48	ppbv		ND	6.9	3.3	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	1.0	0.38	ppbv		ND	5.5	2.1	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	1.0	1.2	ppbv		ND	7.4	8.9	ug/m3
95-63-6	120.19	1,2,4-Trimethylbenzene	ND	2.0	0.87	ppbv		ND	9.8	4.3	ug/m3
108-67-8	120.19	1,3,5-Trimethylbenzene	ND	2.0	0.80	ppbv		ND	9.8	3.9	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	ND	2.0	0.95	ppbv		ND	9.3	4.4	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	2.0	0.93	ppbv		ND	6.1	2.8	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	0.40	0.14	ppbv		ND	2.7	0.95	ug/m3
109-99-9	72.11	Tetrahydrofuran	3.1	2.0	0.90	ppbv		9.1	5.9	2.7	ug/m3
108-88-3	92.14	Toluene	ND	2.0	0.57	ppbv		ND	7.5	2.1	ug/m3
79-01-6	131.4	Trichloroethylene	477	0.40	0.19	ppbv		2560	2.1	1.0	ug/m3
75-69-4	137.4	Trichlorofluoromethane	ND	1.0	0.36	ppbv		ND	5.6	2.0	ug/m3
75-01-4	62.5	Vinyl chloride	483 [a]	3.6	6.2	ppbv		1230 [a]	9.2	16	ug/m3
108-05-4	86	Vinyl Acetate	ND	2.0	1.1	ppbv		ND	7.0	3.9	ug/m3
	106.2	m,p-Xylene	ND	2.0	1.4	ppbv		ND	8.7	6.1	ug/m3
95-47-6	106.2	o-Xylene	ND	2.0	0.77	ppbv		ND	8.7	3.3	ug/m3
1330-20-7	106.2	Xylenes (total)	ND	2.0	0.77	ppbv		ND	8.7	3.3	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	105%	107%	65-128%

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EW-9R-72C		
Lab Sample ID:	JD52620-9	**Date Sampled:**	09/22/22
Matrix:	AIR - Soil Vapor Comp. Summa ID: A534	**Date Received:**	09/26/22
Method:	TO-15	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units

(a) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID: EW-10-25B
Lab Sample ID: JD52620-10
Matrix: AIR - Soil Vapor Comp. Summa ID: A1105
Method: TO-15
Project: EPT, Ithaca, NY

Date Sampled: 09/22/22
Date Received: 09/26/22
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2W61667.D	1	09/29/22 17:52	TCH	n/a	n/a	V2W2736
Run #2							

	Initial Volume
Run #1	20.0 ml
Run #2	

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone (2-Propanone)	5.7	4.0	2.9	ppbv		14	9.5	6.9	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	4.0	1.7	ppbv		ND	8.8	3.8	ug/m3
71-43-2	78.11	Benzene	ND	4.0	1.2	ppbv		ND	13	3.8	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	2.0	0.60	ppbv		ND	13	4.0	ug/m3
75-25-2	252.8	Bromoform	ND	0.80	1.4	ppbv		ND	8.3	14	ug/m3
74-83-9	94.94	Bromomethane	ND	4.0	1.4	ppbv		ND	16	5.4	ug/m3
593-60-2	106.9	Bromoethene	ND	4.0	1.2	ppbv		ND	17	5.2	ug/m3
100-44-7	126	Benzyl Chloride	ND	4.0	2.5	ppbv		ND	21	13	ug/m3
75-15-0	76.14	Carbon disulfide	ND	4.0	0.90	ppbv		ND	12	2.8	ug/m3
108-90-7	112.6	Chlorobenzene	ND	4.0	1.5	ppbv		ND	18	6.9	ug/m3
75-00-3	64.52	Chloroethane	ND	4.0	1.4	ppbv		ND	11	3.7	ug/m3
67-66-3	119.4	Chloroform	ND	4.0	0.74	ppbv		ND	20	3.6	ug/m3
74-87-3	50.49	Chloromethane	ND	4.0	1.8	ppbv		ND	8.3	3.7	ug/m3
107-05-1	76.53	3-Chloropropene	ND	4.0	1.7	ppbv		ND	13	5.3	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	4.0	1.4	ppbv		ND	21	7.2	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.80	0.80	ppbv		ND	5.0	5.0	ug/m3
110-82-7	84.16	Cyclohexane	ND	4.0	2.2	ppbv		ND	14	7.6	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	4.0	1.1	ppbv		ND	16	4.5	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	2.9	0.80	1.2	ppbv		11	3.2	4.8	ug/m3
106-93-4	187.9	1,2-Dibromoethane (EDB)	ND	2.0	1.9	ppbv		ND	15	15	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	4.0	1.4	ppbv		ND	16	5.7	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	4.0	1.2	ppbv		ND	18	5.5	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	4.0	2.3	ppbv		ND	14	8.3	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	ND	4.0	0.64	ppbv		ND	20	3.2	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	2.0	1.0	ppbv		ND	17	8.5	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	5.3	4.0	1.4	ppbv		21	16	5.6	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	349	0.80	1.5	ppbv		1380	3.2	5.9	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	4.0	1.2	ppbv		ND	18	5.4	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	2.0	0.80	ppbv		ND	12	4.8	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.80	3.1	ppbv		ND	4.8	19	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	2.0	3.8	ppbv		ND	12	23	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	4.0	2.0	ppbv		ND	18	9.1	ug/m3

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: EW-10-25B
Lab Sample ID: JD52620-10
Matrix: AIR - Soil Vapor Comp. Summa ID: A1105
Method: TO-15
Project: EPT, Ithaca, NY

Date Sampled: 09/22/22
Date Received: 09/26/22
Percent Solids: n/a

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	ND	10	7.9	ppbv		ND	19	15	ug/m3
100-41-4	106.2	Ethylbenzene	ND	4.0	1.2	ppbv		ND	17	5.2	ug/m3
141-78-6	88	Ethyl Acetate	13.3	4.0	2.1	ppbv		47.9	14	7.6	ug/m3
622-96-8	120.19	4-Ethyltoluene	ND	4.0	1.9	ppbv		ND	20	9.3	ug/m3
76-13-1	187.4	Freon 113	ND	2.0	0.62	ppbv		ND	15	4.8	ug/m3
76-14-2	170.9	Freon 114	ND	2.0	1.0	ppbv		ND	14	7.0	ug/m3
142-82-5	100.2	Heptane	ND	4.0	1.8	ppbv		ND	16	7.4	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	1.8	1.2	ppbv		ND	19	13	ug/m3
110-54-3	86.18	Hexane	ND	4.0	2.2	ppbv		ND	14	7.8	ug/m3
591-78-6	100	2-Hexanone	ND	4.0	2.9	ppbv		ND	16	12	ug/m3
67-63-0	60.1	Isopropyl Alcohol	ND	4.0	2.8	ppbv		ND	9.8	6.9	ug/m3
75-09-2	84.94	Methylene chloride	ND	4.0	1.1	ppbv		ND	14	3.8	ug/m3
78-93-3	72.11	Methyl ethyl ketone	ND	4.0	2.2	ppbv		ND	12	6.5	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	4.0	1.5	ppbv		ND	16	6.1	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	4.0	1.6	ppbv		ND	14	5.8	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	4.0	1.4	ppbv		ND	16	5.7	ug/m3
115-07-1	42	Propylene	ND	10	2.8	ppbv		ND	17	4.8	ug/m3
100-42-5	104.1	Styrene	ND	4.0	2.4	ppbv		ND	17	10	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	2.0	0.74	ppbv		ND	11	4.0	ug/m3
79-34-5	167.85	1,1,2,2-Tetrachloroethane	ND	2.0	0.96	ppbv		ND	14	6.6	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	2.0	0.76	ppbv		ND	11	4.1	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	2.0	2.4	ppbv		ND	15	18	ug/m3
95-63-6	120.19	1,2,4-Trimethylbenzene	ND	4.0	1.7	ppbv		ND	20	8.4	ug/m3
108-67-8	120.19	1,3,5-Trimethylbenzene	ND	4.0	1.6	ppbv		ND	20	7.9	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	ND	4.0	1.9	ppbv		ND	19	8.9	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	4.0	1.9	ppbv		ND	12	5.8	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	0.80	0.28	ppbv		ND	5.4	1.9	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	4.0	1.8	ppbv		ND	12	5.3	ug/m3
108-88-3	92.14	Toluene	ND	4.0	1.1	ppbv		ND	15	4.1	ug/m3
79-01-6	131.4	Trichloroethylene	604	0.80	0.38	ppbv		3250	4.3	2.0	ug/m3
75-69-4	137.4	Trichlorofluoromethane	ND	2.0	0.72	ppbv		ND	11	4.0	ug/m3
75-01-4	62.5	Vinyl chloride	112	0.80	1.4	ppbv		286	2.0	3.6	ug/m3
108-05-4	86	Vinyl Acetate	ND	4.0	2.2	ppbv		ND	14	7.7	ug/m3
	106.2	m,p-Xylene	ND	4.0	2.8	ppbv		ND	17	12	ug/m3
95-47-6	106.2	o-Xylene	ND	4.0	1.5	ppbv		ND	17	6.5	ug/m3
1330-20-7	106.2	Xylenes (total)	ND	4.0	1.5	ppbv		ND	17	6.5	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	104%		65-128%

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	EW-11-43C		
Lab Sample ID:	JD52620-11	**Date Sampled:**	09/22/22
Matrix:	AIR - Soil Vapor Comp. Summa ID: A791,M230	**Date Received:**	09/26/22
Method:	TO-15	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2W61692.D	1120	09/30/22 12:43	TCH	n/a	n/a	V2W2737
Run #2							

	Initial Volume
Run #1	400 ml
Run #2	

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone (2-Propanone)	ND	220	160	ppbv		ND	520	380	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	220	94	ppbv		ND	490	210	ug/m3
71-43-2	78.11	Benzene	ND	220	69	ppbv		ND	700	220	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	110	34	ppbv		ND	740	230	ug/m3
75-25-2	252.8	Bromoform	ND	45	80	ppbv		ND	470	830	ug/m3
74-83-9	94.94	Bromomethane	ND	220	77	ppbv		ND	850	300	ug/m3
593-60-2	106.9	Bromoethene	ND	220	68	ppbv		ND	960	300	ug/m3
100-44-7	126	Benzyl Chloride	ND	220	140	ppbv		ND	1100	720	ug/m3
75-15-0	76.14	Carbon disulfide	ND	220	50	ppbv		ND	690	160	ug/m3
108-90-7	112.6	Chlorobenzene	ND	220	83	ppbv		ND	1000	380	ug/m3
75-00-3	64.52	Chloroethane	ND	220	76	ppbv		ND	580	200	ug/m3
67-66-3	119.4	Chloroform	ND	220	41	ppbv		ND	1100	200	ug/m3
74-87-3	50.49	Chloromethane	ND	220	100	ppbv		ND	450	210	ug/m3
107-05-1	76.53	3-Chloropropene	ND	220	93	ppbv		ND	690	290	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	220	81	ppbv		ND	1100	420	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	45	45	ppbv		ND	280	280	ug/m3
110-82-7	84.16	Cyclohexane	ND	220	120	ppbv		ND	760	410	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	220	64	ppbv		ND	890	260	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	201	45	66	ppbv		797	180	260	ug/m3
106-93-4	187.9	1,2-Dibromoethane (EDB)	ND	110	110	ppbv		ND	850	850	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	220	78	ppbv		ND	890	320	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	220	69	ppbv		ND	1000	320	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	220	130	ppbv		ND	790	470	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	ND	220	36	ppbv		ND	1100	180	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	110	58	ppbv		ND	940	490	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	174	220	77	ppbv	J	690	870	310	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	13700	45	86	ppbv		54300	180	340	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	220	69	ppbv		ND	1000	310	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	110	45	ppbv		ND	660	270	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	45	170	ppbv		ND	270	1000	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	110	210	ppbv		ND	660	1300	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	220	110	ppbv		ND	1000	500	ug/m3

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EW-11-43C		
Lab Sample ID:	JD52620-11	**Date Sampled:**	09/22/22
Matrix:	AIR - Soil Vapor Comp. Summa ID: A791,M230	**Date Received:**	09/26/22
Method:	TO-15	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	ND	560	440	ppbv		ND	1100	830	ug/m3
100-41-4	106.2	Ethylbenzene	ND	220	68	ppbv		ND	960	300	ug/m3
141-78-6	88	Ethyl Acetate	ND	220	120	ppbv		ND	790	430	ug/m3
622-96-8	120.19	4-Ethyltoluene	ND	220	110	ppbv		ND	1100	540	ug/m3
76-13-1	187.4	Freon 113	ND	110	35	ppbv		ND	840	270	ug/m3
76-14-2	170.9	Freon 114	ND	110	56	ppbv		ND	770	390	ug/m3
142-82-5	100.2	Heptane	ND	220	100	ppbv		ND	900	410	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	100	69	ppbv		ND	1100	740	ug/m3
110-54-3	86.18	Hexane	ND	220	130	ppbv		ND	780	460	ug/m3
591-78-6	100	2-Hexanone	ND	220	160	ppbv		ND	900	650	ug/m3
67-63-0	60.1	Isopropyl Alcohol	ND	220	160	ppbv		ND	540	390	ug/m3
75-09-2	84.94	Methylene chloride	ND	220	63	ppbv		ND	760	220	ug/m3
78-93-3	72.11	Methyl ethyl ketone	ND	220	120	ppbv		ND	650	350	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	220	82	ppbv		ND	900	340	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	220	90	ppbv		ND	790	320	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	220	78	ppbv		ND	900	320	ug/m3
115-07-1	42	Propylene	ND	560	160	ppbv		ND	960	270	ug/m3
100-42-5	104.1	Styrene	ND	220	130	ppbv		ND	940	550	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	110	41	ppbv		ND	600	220	ug/m3
79-34-5	167.85	1,1,2,2-Tetrachloroethane	ND	110	54	ppbv		ND	760	370	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	110	43	ppbv		ND	600	230	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	110	140	ppbv		ND	820	1000	ug/m3
95-63-6	120.19	1,2,4-Trimethylbenzene	ND	220	97	ppbv		ND	1100	480	ug/m3
108-67-8	120.19	1,3,5-Trimethylbenzene	ND	220	90	ppbv		ND	1100	440	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	ND	220	110	ppbv		ND	1000	510	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	220	100	ppbv		ND	670	300	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	45	16	ppbv		ND	310	110	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	220	100	ppbv		ND	650	290	ug/m3
108-88-3	92.14	Toluene	ND	220	64	ppbv		ND	830	240	ug/m3
79-01-6	131.4	Trichloroethylene	42200	45	21	ppbv		227000	240	110	ug/m3
75-69-4	137.4	Trichlorofluoromethane	ND	110	40	ppbv		ND	620	220	ug/m3
75-01-4	62.5	Vinyl chloride	4250	45	77	ppbv		10900	120	200	ug/m3
108-05-4	86	Vinyl Acetate	ND	220	130	ppbv		ND	770	460	ug/m3
	106.2	m,p-Xylene	ND	220	160	ppbv		ND	960	690	ug/m3
95-47-6	106.2	o-Xylene	ND	220	86	ppbv		ND	960	370	ug/m3
1330-20-7	106.2	Xylenes (total)	ND	220	86	ppbv		ND	960	370	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	105%		65-128%

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID: EW-12-45C
Lab Sample ID: JD52620-12
Matrix: AIR - Soil Vapor Comp. Summa ID: A599
Method: TO-15
Project: EPT, Ithaca, NY

Date Sampled: 09/22/22
Date Received: 09/26/22
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2W61669.D	1	09/29/22 18:55	TCH	n/a	n/a	V2W2736
Run #2							

	Initial Volume
Run #1	100 ml
Run #2	

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone (2-Propanone)	5.5	0.80	0.58	ppbv		13	1.9	1.4	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.80	0.34	ppbv		ND	1.8	0.75	ug/m3
71-43-2	78.11	Benzene	1.0	0.80	0.25	ppbv		3.2	2.6	0.80	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.40	0.12	ppbv		ND	2.7	0.80	ug/m3
75-25-2	252.8	Bromoform	ND	0.16	0.28	ppbv		ND	1.7	2.9	ug/m3
74-83-9	94.94	Bromomethane	ND	0.80	0.28	ppbv		ND	3.1	1.1	ug/m3
593-60-2	106.9	Bromoethene	ND	0.80	0.24	ppbv		ND	3.5	1.0	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.80	0.50	ppbv		ND	4.1	2.6	ug/m3
75-15-0	76.14	Carbon disulfide	0.79	0.80	0.18	ppbv	J	2.5	2.5	0.56	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.80	0.30	ppbv		ND	3.7	1.4	ug/m3
75-00-3	64.52	Chloroethane	ND	0.80	0.27	ppbv		ND	2.1	0.71	ug/m3
67-66-3	119.4	Chloroform	ND	0.80	0.15	ppbv		ND	3.9	0.73	ug/m3
74-87-3	50.49	Chloromethane	2.1	0.80	0.36	ppbv		4.3	1.7	0.74	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.80	0.33	ppbv		ND	2.5	1.0	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.80	0.29	ppbv		ND	4.1	1.5	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.16	0.16	ppbv		ND	1.0	1.0	ug/m3
110-82-7	84.16	Cyclohexane	ND	0.80	0.44	ppbv		ND	2.8	1.5	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.80	0.23	ppbv		ND	3.2	0.93	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	0.71	0.16	0.24	ppbv		2.8	0.63	0.95	ug/m3
106-93-4	187.9	1,2-Dibromoethane (EDB)	ND	0.40	0.39	ppbv		ND	3.1	3.0	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.80	0.28	ppbv		ND	3.2	1.1	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.80	0.25	ppbv		ND	3.7	1.2	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.80	0.47	ppbv		ND	2.9	1.7	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	0.40	0.80	0.13	ppbv	J	2.0	4.0	0.64	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.40	0.21	ppbv		ND	3.4	1.8	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	0.64	0.80	0.28	ppbv	J	2.5	3.2	1.1	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	84.8	0.16	0.31	ppbv		336	0.63	1.2	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.80	0.25	ppbv		ND	3.6	1.1	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.40	0.16	ppbv		ND	2.4	0.96	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.16	0.62	ppbv		ND	0.96	3.7	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.40	0.76	ppbv		ND	2.4	4.6	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.80	0.40	ppbv		ND	3.6	1.8	ug/m3

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: EW-12-45C
Lab Sample ID: JD52620-12
Matrix: AIR - Soil Vapor Comp. Summa ID: A599
Method: TO-15
Project: EPT, Ithaca, NY

Date Sampled: 09/22/22
Date Received: 09/26/22
Percent Solids: n/a

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	ND	2.0	1.6	ppbv		ND	3.8	3.0	ug/m3
100-41-4	106.2	Ethylbenzene	ND	0.80	0.24	ppbv		ND	3.5	1.0	ug/m3
141-78-6	88	Ethyl Acetate	5.3	0.80	0.42	ppbv		19	2.9	1.5	ug/m3
622-96-8	120.19	4-Ethyltoluene	ND	0.80	0.38	ppbv		ND	3.9	1.9	ug/m3
76-13-1	187.4	Freon 113	ND	0.40	0.12	ppbv		ND	3.1	0.92	ug/m3
76-14-2	170.9	Freon 114	ND	0.40	0.20	ppbv		ND	2.8	1.4	ug/m3
142-82-5	100.2	Heptane	ND	0.80	0.37	ppbv		ND	3.3	1.5	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.36	0.25	ppbv		ND	3.8	2.7	ug/m3
110-54-3	86.18	Hexane	ND	0.80	0.45	ppbv		ND	2.8	1.6	ug/m3
591-78-6	100	2-Hexanone	ND	0.80	0.58	ppbv		ND	3.3	2.4	ug/m3
67-63-0	60.1	Isopropyl Alcohol	ND	0.80	0.56	ppbv		ND	2.0	1.4	ug/m3
75-09-2	84.94	Methylene chloride	ND	0.80	0.22	ppbv		ND	2.8	0.76	ug/m3
78-93-3	72.11	Methyl ethyl ketone	0.83	0.80	0.44	ppbv		2.4	2.4	1.3	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.80	0.29	ppbv		ND	3.3	1.2	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.80	0.32	ppbv		ND	2.9	1.2	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.80	0.28	ppbv		ND	3.3	1.1	ug/m3
115-07-1	42	Propylene	2.5	2.0	0.57	ppbv		4.3	3.4	0.98	ug/m3
100-42-5	104.1	Styrene	ND	0.80	0.47	ppbv		ND	3.4	2.0	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.40	0.15	ppbv		ND	2.2	0.82	ug/m3
79-34-5	167.85	1,1,2,2-Tetrachloroethane	ND	0.40	0.19	ppbv		ND	2.7	1.3	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.40	0.15	ppbv		ND	2.2	0.82	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.40	0.48	ppbv		ND	3.0	3.6	ug/m3
95-63-6	120.19	1,2,4-Trimethylbenzene	ND	0.80	0.35	ppbv		ND	3.9	1.7	ug/m3
108-67-8	120.19	1,3,5-Trimethylbenzene	ND	0.80	0.32	ppbv		ND	3.9	1.6	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	ND	0.80	0.38	ppbv		ND	3.7	1.8	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	0.80	0.37	ppbv		ND	2.4	1.1	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	0.16	0.056	ppbv		ND	1.1	0.38	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.80	0.36	ppbv		ND	2.4	1.1	ug/m3
108-88-3	92.14	Toluene	ND	0.80	0.23	ppbv		ND	3.0	0.87	ug/m3
79-01-6	131.4	Trichloroethylene	141	0.16	0.076	ppbv		758	0.86	0.41	ug/m3
75-69-4	137.4	Trichlorofluoromethane	ND	0.40	0.14	ppbv		ND	2.2	0.79	ug/m3
75-01-4	62.5	Vinyl chloride	38.1	0.16	0.28	ppbv		97.4	0.41	0.72	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.80	0.45	ppbv		ND	2.8	1.6	ug/m3
	106.2	m,p-Xylene	ND	0.80	0.56	ppbv		ND	3.5	2.4	ug/m3
95-47-6	106.2	o-Xylene	ND	0.80	0.31	ppbv		ND	3.5	1.3	ug/m3
1330-20-7	106.2	Xylenes (total)	ND	0.80	0.31	ppbv		ND	3.5	1.3	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	105%		65-128%

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID: TRIP BLANK
Lab Sample ID: JD52620-13
Matrix: AIR - Trip Blank Air Summa ID: M200
Method: TO-15
Project: EPT, Ithaca, NY

Date Sampled: 09/22/22
Date Received: 09/26/22
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2W61658.D	1	09/29/22 12:44	TCH	n/a	n/a	V2W2736
Run #2							

	Initial Volume
Run #1	100 ml
Run #2	

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
67-64-1	58.08	Acetone (2-Propanone)	1.1	0.80	0.58	ppbv		2.6	1.9	1.4	ug/m3
106-99-0	54.09	1,3-Butadiene	ND	0.80	0.34	ppbv		ND	1.8	0.75	ug/m3
71-43-2	78.11	Benzene	ND	0.80	0.25	ppbv		ND	2.6	0.80	ug/m3
75-27-4	163.8	Bromodichloromethane	ND	0.40	0.12	ppbv		ND	2.7	0.80	ug/m3
75-25-2	252.8	Bromoform	ND	0.16	0.28	ppbv		ND	1.7	2.9	ug/m3
74-83-9	94.94	Bromomethane	ND	0.80	0.28	ppbv		ND	3.1	1.1	ug/m3
593-60-2	106.9	Bromoethene	ND	0.80	0.24	ppbv		ND	3.5	1.0	ug/m3
100-44-7	126	Benzyl Chloride	ND	0.80	0.50	ppbv		ND	4.1	2.6	ug/m3
75-15-0	76.14	Carbon disulfide	ND	0.80	0.18	ppbv		ND	2.5	0.56	ug/m3
108-90-7	112.6	Chlorobenzene	ND	0.80	0.30	ppbv		ND	3.7	1.4	ug/m3
75-00-3	64.52	Chloroethane	ND	0.80	0.27	ppbv		ND	2.1	0.71	ug/m3
67-66-3	119.4	Chloroform	ND	0.80	0.15	ppbv		ND	3.9	0.73	ug/m3
74-87-3	50.49	Chloromethane	ND	0.80	0.36	ppbv		ND	1.7	0.74	ug/m3
107-05-1	76.53	3-Chloropropene	ND	0.80	0.33	ppbv		ND	2.5	1.0	ug/m3
95-49-8	126.6	2-Chlorotoluene	ND	0.80	0.29	ppbv		ND	4.1	1.5	ug/m3
56-23-5	153.8	Carbon tetrachloride	ND	0.16	0.16	ppbv		ND	1.0	1.0	ug/m3
110-82-7	84.16	Cyclohexane	ND	0.80	0.44	ppbv		ND	2.8	1.5	ug/m3
75-34-3	98.96	1,1-Dichloroethane	ND	0.80	0.23	ppbv		ND	3.2	0.93	ug/m3
75-35-4	96.94	1,1-Dichloroethylene	ND	0.16	0.24	ppbv		ND	0.63	0.95	ug/m3
106-93-4	187.9	1,2-Dibromoethane (EDB)	ND	0.40	0.39	ppbv		ND	3.1	3.0	ug/m3
107-06-2	98.96	1,2-Dichloroethane	ND	0.80	0.28	ppbv		ND	3.2	1.1	ug/m3
78-87-5	113	1,2-Dichloropropane	ND	0.80	0.25	ppbv		ND	3.7	1.2	ug/m3
123-91-1	88.12	1,4-Dioxane	ND	0.80	0.47	ppbv		ND	2.9	1.7	ug/m3
75-71-8	120.9	Dichlorodifluoromethane	ND	0.80	0.13	ppbv		ND	4.0	0.64	ug/m3
124-48-1	208.3	Dibromochloromethane	ND	0.40	0.21	ppbv		ND	3.4	1.8	ug/m3
156-60-5	96.94	trans-1,2-Dichloroethylene	ND	0.80	0.28	ppbv		ND	3.2	1.1	ug/m3
156-59-2	96.94	cis-1,2-Dichloroethylene	ND	0.16	0.31	ppbv		ND	0.63	1.2	ug/m3
10061-01-5	111	cis-1,3-Dichloropropene	ND	0.80	0.25	ppbv		ND	3.6	1.1	ug/m3
541-73-1	147	m-Dichlorobenzene	ND	0.40	0.16	ppbv		ND	2.4	0.96	ug/m3
95-50-1	147	o-Dichlorobenzene	ND	0.16	0.62	ppbv		ND	0.96	3.7	ug/m3
106-46-7	147	p-Dichlorobenzene	ND	0.40	0.76	ppbv		ND	2.4	4.6	ug/m3
10061-02-6	111	trans-1,3-Dichloropropene	ND	0.80	0.40	ppbv		ND	3.6	1.8	ug/m3

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TRIP BLANK
Lab Sample ID: JD52620-13
Matrix: AIR - Trip Blank Air Summa ID: M200
Method: TO-15
Project: EPT, Ithaca, NY

Date Sampled: 09/22/22
Date Received: 09/26/22
Percent Solids: n/a

VOA TO15 List

CAS No.	MW	Compound	Result	RL	MDL	Units	Q	Result	RL	MDL	Units
64-17-5	46.07	Ethanol	ND	2.0	1.6	ppbv		ND	3.8	3.0	ug/m3
100-41-4	106.2	Ethylbenzene	ND	0.80	0.24	ppbv		ND	3.5	1.0	ug/m3
141-78-6	88	Ethyl Acetate	5.5	0.80	0.42	ppbv		20	2.9	1.5	ug/m3
622-96-8	120.19	4-Ethyltoluene	ND	0.80	0.38	ppbv		ND	3.9	1.9	ug/m3
76-13-1	187.4	Freon 113	ND	0.40	0.12	ppbv		ND	3.1	0.92	ug/m3
76-14-2	170.9	Freon 114	ND	0.40	0.20	ppbv		ND	2.8	1.4	ug/m3
142-82-5	100.2	Heptane	ND	0.80	0.37	ppbv		ND	3.3	1.5	ug/m3
87-68-3	260.8	Hexachlorobutadiene	ND	0.36	0.25	ppbv		ND	3.8	2.7	ug/m3
110-54-3	86.18	Hexane	ND	0.80	0.45	ppbv		ND	2.8	1.6	ug/m3
591-78-6	100	2-Hexanone	ND	0.80	0.58	ppbv		ND	3.3	2.4	ug/m3
67-63-0	60.1	Isopropyl Alcohol	ND	0.80	0.56	ppbv		ND	2.0	1.4	ug/m3
75-09-2	84.94	Methylene chloride	ND	0.80	0.22	ppbv		ND	2.8	0.76	ug/m3
78-93-3	72.11	Methyl ethyl ketone	ND	0.80	0.44	ppbv		ND	2.4	1.3	ug/m3
108-10-1	100.2	Methyl Isobutyl Ketone	ND	0.80	0.29	ppbv		ND	3.3	1.2	ug/m3
1634-04-4	88.15	Methyl Tert Butyl Ether	ND	0.80	0.32	ppbv		ND	2.9	1.2	ug/m3
80-62-6	100.12	Methylmethacrylate	ND	0.80	0.28	ppbv		ND	3.3	1.1	ug/m3
115-07-1	42	Propylene	ND	2.0	0.57	ppbv		ND	3.4	0.98	ug/m3
100-42-5	104.1	Styrene	ND	0.80	0.47	ppbv		ND	3.4	2.0	ug/m3
71-55-6	133.4	1,1,1-Trichloroethane	ND	0.40	0.15	ppbv		ND	2.2	0.82	ug/m3
79-34-5	167.85	1,1,2,2-Tetrachloroethane	ND	0.40	0.19	ppbv		ND	2.7	1.3	ug/m3
79-00-5	133.4	1,1,2-Trichloroethane	ND	0.40	0.15	ppbv		ND	2.2	0.82	ug/m3
120-82-1	181.5	1,2,4-Trichlorobenzene	ND	0.40	0.48	ppbv		ND	3.0	3.6	ug/m3
95-63-6	120.19	1,2,4-Trimethylbenzene	ND	0.80	0.35	ppbv		ND	3.9	1.7	ug/m3
108-67-8	120.19	1,3,5-Trimethylbenzene	ND	0.80	0.32	ppbv		ND	3.9	1.6	ug/m3
540-84-1	114.2	2,2,4-Trimethylpentane	ND	0.80	0.38	ppbv		ND	3.7	1.8	ug/m3
75-65-0	74.12	Tertiary Butyl Alcohol	ND	0.80	0.37	ppbv		ND	2.4	1.1	ug/m3
127-18-4	165.8	Tetrachloroethylene	ND	0.16	0.056	ppbv		ND	1.1	0.38	ug/m3
109-99-9	72.11	Tetrahydrofuran	ND	0.80	0.36	ppbv		ND	2.4	1.1	ug/m3
108-88-3	92.14	Toluene	0.45	0.80	0.23	ppbv	J	1.7	3.0	0.87	ug/m3
79-01-6	131.4	Trichloroethylene	ND	0.16	0.076	ppbv		ND	0.86	0.41	ug/m3
75-69-4	137.4	Trichlorofluoromethane	ND	0.40	0.14	ppbv		ND	2.2	0.79	ug/m3
75-01-4	62.5	Vinyl chloride	ND	0.16	0.28	ppbv		ND	0.41	0.72	ug/m3
108-05-4	86	Vinyl Acetate	ND	0.80	0.45	ppbv		ND	2.8	1.6	ug/m3
	106.2	m,p-Xylene	ND	0.80	0.56	ppbv		ND	3.5	2.4	ug/m3
95-47-6	106.2	o-Xylene	ND	0.80	0.31	ppbv		ND	3.5	1.3	ug/m3
1330-20-7	106.2	Xylenes (total)	ND	0.80	0.31	ppbv		ND	3.5	1.3	ug/m3

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
460-00-4	4-Bromofluorobenzene	105%		65-128%

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- Summa Canister and Flow Controller Log
- Sample Tracking Chronicle
- 2021 MDL Study - Method: TO-15

SGS

Air

CHAIN OF CUSTODY - AIR

PAGE 1 OF 1

SGS North America Inc. - Dayton
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX 732-329-3499
www.sgs.com/ehsusa

FED-EX Tracking # 5894-7366-9184 | Bottle Order Control # 43-0991922-36
SGS Quote # | SGS Job # JD52620

Client / Reporting Information

Company Name: WSP USA
Address:
City: State: Zip:
Project Contact: JEFFREY.BAKER@WSP.COM
Phone #: 315-420-9973
Sampler(s) Name(s): NATE WILDER

Project Information

Project Name: FORMER EXT - ITHACA, NY
Street: 620 SOUTH AURORA ST
City: ITHACA, NY State:
Project #: 31401545.001 TASK 01.63
Client Purchase Order #:

Weather Parameters

Temperature (Fahrenheit)
Start: Maximum:
Stop: Minimum:
Atmoshpheric Pressure (inches of Hg)
Start: Maximum:
Stop: Minimum:
Other weather comment:

Requested Analysis

TO-15

Lab Sample #	Field ID / Point of Collection	Air Type: Ind (I) Soil Vap (SV) Amb (A)	Air Type: Res (R) Non-Res (NR)	Sampling Equipment Info: Canister Serial #	Canister Size 6L or 1L	Flow Controller Serial #	Start Sampling Information: Date	Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.	Stop Sampling Information: Date	Time (24hr clock)	Canister Pressure ("Hg)	Interior Temp (F)	Sampler Init.	TO-15
1	EW-1-62C	SV	NR	A676	1-L	FC558	9/33/22	1450	-15	GH	NW	9/33/22	1545	-2		NW	X
2	EW-2-63C			A418		FC637		1451	-29				1547	-3			X
3	EW-3-60C			4797		FC546		1451	-28				1549	-2			X
4	EW-4-25B			4504		MC923		1453	-28				1549	-5			X
5	EW-5-25B			M180		MC942		1453	-29				1549	-1			X
6	EW-6-60C			~~A504~~ M930		MFC579		1453	-24				1549	-1			X
7	EW-7-25B			M462		FC591		1453	-25				1550	-3			X
8	EW-8-62C			A452		MC920		1454	-26				1527	-2	65		X
9	EW-9R-72C			4534		FC131		1454	-29				1529	-1	65		X
10	EW-10-25B			A1055		FC686		1449	-30				1549	-4			X

Turnaround Time (Business days)

- [X] 15 Business Days
- [ ] 10 Business Days
- [ ] 5 Business Days
- [ ] 3 Business Days *
- [ ] 2 Business Days *
- [ ] 1 Business Day *
- [ ] Other

Approved By:
Date:
* Approval needed for 1-3 Business Day TAT

Data Deliverable Information

All NJDEP TO-15 is mandatory Full T1

- Comm A
- Comm B [X] NYSDEC CATS
- Reduced T2
- Full T1
- Other:
- DKQP reporting

Comments / Remarks

Sample inventory is verified upon receipt in the Laboratory

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished By:	Date / Time:		Received By:	Relinquished By:	Date / Time:	Received By:
1	[signature]	9/23/22	1500	[signature]	2		2
3	[signature]	9/23/22	1500	[signature]	4		4
5	Relinquished by:	Date / Time:		Received By:	Custody Seal #		

http://www.sgs.com/en/terms-and-conditions

EHSA-QAC-0022-01-FORM-Dayton-Air COC
Rev.date:1/15/2021

Initial Assessment: NA (MB)
Label Verification:

CHAIN OF CUSTODY - AIR

SGS North America Inc. - Dayton
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200 FAX 732-329-3499
www.sgs.com/ehsusa

FED-EX Tracking #: | Bottle Order Control #: TS-09792-26
SGS Quote #: | SGS Job #: JD52620

Client / Reporting Information	Project Information	Weather Parameters
Company Name	Project Name:	Temperature (Fahrenheit) Start: Maximum:
Address	Street	Stop: Minimum:
City State Zip	City State	Atmoshpheric Pressure (inches of Hg) Start: Maximum:
Project Contact E-mail	Project #	Stop: Minimum:
Phone #	Client Purchase Order #	Other weather comment:
Sampler(s) Name(s)		

Lab Sample #	Field ID / Point of Collection	Air Type: Ind (I) Soil Vap (SV) Amb (A)	Air Type: Res (R) Non-Res (NR)	Sampling Equipment Info: Canister Serial #	Sampling Equipment Info: Canister Size 6L or 1L	Sampling Equipment Info: Flow Controller Serial #	Start Sampling Information: Date	Start: Time (24hr clock)	Start: Canister Pressure ("Hg)	Start: Interior Temp (F)	Start: Sampler Init.	Stop Sampling Information: Date	Stop: Time (24hr clock)	Stop: Canister Pressure ("Hg)	Stop: Interior Temp (F)	Stop: Sampler Init.	Requested Analysis: TO-15
11	EW-11-43C	SV	NR	A791	1-L	FC451	9/22/22	1444	-29	64	MW	9/23/22	1529	-1	65	NW	X
12	EW-12-45C	SV	NR	A599	1-L	FC451	9/22/22	1444	-29	64	NW	9/23/22	1530	-1	65	NW	X
13	TRIP BLANK	—	—	M300	1-L	—	—	—	—	—	—	—	—	—	—	—	X

Turnaround Time (Business days)
15 Business Days
10 Business Days
5 Business Days
3 Business Days *
2 Business Days *
1 Business Day *
Other
Approved By:
Date:
* Approval needed for 1-3 Business Day TAT

Data Deliverable Information
All NJDEP TO-15 is mandatory Full T1
Comm A
Comm B X NYS DEC CAT B
Reduced T2
Full T1
Other:
DKQP reporting

Comments / Remarks
Sample inventory is verified upon receipt in the Laboratory

Sample Custody must be documented below each time samples change possession, including courier delivery.

Relinquished by Laboratory:	Date / Time:		Received By:	Relinquished By:	Date / Time:	Received By:
1	9/22/22	1300	1	2		2
Relinquished by:	Date / Time:		Received By:	Relinquished By:	Date / Time:	Received By:
3	9/23/22	1500	3	4		4
Relinquished by:	Date / Time:		Received By:	Custody Seal #		
5			5			

http://www.sgs.com/en/terms-and-conditions

EHSA-QAC-0022-01-FORM-Dayton-Air COC
Rev.date:1/15/2021

SGS

AIR SAMPLING EQUIPMENT RETURN FORM

CLIENT:

PROJECT:

CONTROL#

JOB # JD52620

ADDITIONAL SUMMA CANISTERS

ADDITIONAL CONTROLLERS

14 FC 472

RELINQUISHED BY: 1	DATE & TIME:	RECEIVED BY: 2	DATE & TIME:
RELINQUISHED BY: 3	DATE & TIME:	RECEIVED BY: 4	DATE & TIME:
CUSTODY SEAL #'S:		# OF BOXES OR PIECES IN DELIVERY	

NOTES:

SM086-03
Pub date: 3/12/18

JD52620: Chain of Custody
Page 3 of 4

SGS Sample Receipt Summary

Job Number: JD52620 **Client:** WSP **Project:** EPT, ITHACA, NY

Date / Time Received: 9/24/2022 10:00:00 AM **Delivery Method:** Fed Ex **Airbill #'s:** 5894 7366 9184

Cooler Temps (Raw Measured) °C:

Cooler Temps (Corrected) °C:

Cooler Security	Y	or	N		Y	or	N
1. Custody Seals Present:	☑		☐	3. COC Present:	☑		☐
2. Custody Seals Intact:	☑		☐	4. Smpl Dates/Time OK	☑		☐

Cooler Temperature	Y	or	N
1. Temp criteria achieved:	☐		☐
2. Cooler temp verification:	N/A		
3. Cooler media:	N/A		
4. No. Coolers:	N/A		

Quality Control Preservation	Y	or	N	N/A
1. Trip Blank present / cooler:	☐		☐	☑
2. Trip Blank listed on COC:	☐		☐	☑
3. Samples preserved properly:	☑		☐	
4. VOCs headspace free:	☐		☐	☑

Sample Integrity - Documentation	Y	or	N
1. Sample labels present on bottles:	☑		☐
2. Container labeling complete:	☑		☐
3. Sample container label / COC agree:	☑		☐

Sample Integrity - Condition	Y	or	N
1. Sample recvd within HT:	☑		☐
2. All containers accounted for:	☑		☐
3. Condition of sample:	Intact		

Sample Integrity - Instructions	Y	or	N	N/A
1. Analysis requested is clear:	☑		☐	
2. Bottles received for unspecified tests	☐		☑	
3. Sufficient volume recvd for analysis:	☑		☐	
4. Compositing instructions clear:	☐		☐	☑
5. Filtering instructions clear:	☐		☐	☑

Test Strip Lot #s: pH 1-12: 231619 pH 12+: 203117A Other: (Specify)

Comments

SM089-03
Rev. Date 12/7/17

Summa Canister and Flow Controller Log

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Received: 09/26/22

SUMMA CANISTERS

Shipping							Receiving						
Summa ID	L	Vac " Hg	Date Out	By	SCC Batch	SCC FileID	Sample Number	Date In	By	Vac " Hg	Pres psig	Final psig	Dil Fact
A676	1	29.4	09/20/22	ML	CP11848	2W61039.D	JD52620-1	09/28/22	ML	5.5			1
A418	1	29.4	09/20/22	ML	CP11848	2W61039.D	JD52620-2	09/28/22	ML	3.5			1
A797	1	29.4	09/20/22	ML	CP11848	2W61039.D	JD52620-3	09/28/22	ML	5			1
A504	1	29.4	09/20/22	ML	CP11860	2W61174.D	JD52620-4	09/28/22	ML	6			1
M180	1	29.4	09/20/22	ML	CP11860	2W61174.D	JD52620-5	09/28/22	ML	3.5			1
M430	1	29.4	09/20/22	ML	CP11848	2W61039.D	JD52620-6	09/28/22	ML	2			1
M462	1	29.4	09/20/22	ML	CP11848	2W61039.D	JD52620-7	09/28/22	ML	3.5			1
A1152	1	29.4	09/20/22	ML	CP11848	2W61039.D	JD52620-8	09/28/22	ML	1.5			1
A534	1	29.4	09/20/22	ML	CP11848	2W61039.D	JD52620-9	09/28/22	ML	1.5			1
A1105	1	29.4	09/20/22	ML	CP11848	2W61039.D	JD52620-10	09/28/22	ML	3.5			1
A791	1	29.4	09/20/22	ML	CP11860	2W61174.D	JD52620-11	09/28/22	ML	1			1
A599	1	29.4	09/20/22	ML	CP11848	2W61039.D	JD52620-12	09/28/22	ML	1.5			1
M200	1	29.4	09/20/22	ML	CP11848	2W61039.D	JD52620-13	09/28/22	ML	30			1

FLOW CONTROLLERS / OTHER

Shipping					Receiving				
Flow Crtl ID	Date Out	By	cc/ min	Time hrs.	Date In	By	cc/ min	Flow RPD	Equipment Type
FC131	09/20/22	ML	13.8	1	09/30/22	TC	17.8	25.3*	Flow Controller
FC451	09/20/22	ML	13.9	1	09/30/22	TC	14.6	4.9	Flow Controller
FC472	09/20/22	ML	13.8	1	09/30/22	TC	15	8.3	Flow Controller
FC546	09/20/22	ML	13.8	1	09/30/22	TC	15.5	11.6	Flow Controller
FC558	09/20/22	ML	14	1	09/30/22	TC	15.7	11.4	Flow Controller
FC591	09/20/22	ML	14	1	09/30/22	TC	14.9	6.2	Flow Controller
FC637	09/20/22	ML	13.8	1	09/30/22	TC	15.7	12.9	Flow Controller
FC679	09/20/22	ML	14	1	09/30/22	TC	15.8	12.1	Flow Controller
FC686	09/20/22	ML	14	1	09/30/22	TC	14.6	4.2	Flow Controller
FC951	09/20/22	ML	14	1	09/30/22	TC	15	6.9	Flow Controller
MC223	09/20/22	ML	13.9	1	09/30/22	TC	14.4	3.5	Flow Controller
MC242	09/20/22	ML	13.7	1	09/30/22	TC	15.3	11	Flow Controller
MC270	09/20/22	ML	13.9	1	09/30/22	TC	15.3	9.6	Flow Controller

* Flow controller RPD > 20%

SGS Bottle Order(s):
TS-091922-36

Prep Date	Room Temp(F)	Bar Pres "Hg
09/20/22	70	29.92

Internal Sample Tracking Chronicle

WSP USA Environment & Infrastructure Inc

Job No: JD52620

EPT, Ithaca, NY
Project No: 31401545.001 Task 01.63

Sample Number	Method	Analyzed	By	Prepped	By	Test Codes
JD52620-1 EW-1-62C	Collected: 22-SEP-22 15:45 By: NW		Received: 26-SEP-22 By: JK			
JD52620-1	TO-15	28-SEP-22 19:16	TCH			VTO15STD
JD52620-2 EW-2-62C	Collected: 22-SEP-22 15:47 By: NW		Received: 26-SEP-22 By: JK			
JD52620-2	TO-15	28-SEP-22 19:49	TCH			VTO15STD
JD52620-3 EW-3-60C	Collected: 22-SEP-22 15:49 By: NW		Received: 26-SEP-22 By: JK			
JD52620-3	TO-15	29-SEP-22 13:15	TCH			VTO15STD
JD52620-3	TO-15	30-SEP-22 01:51	TCH			VTO15STD
JD52620-4 EW-4-25B	Collected: 22-SEP-22 15:49 By: NW		Received: 26-SEP-22 By: JK			
JD52620-4	TO-15	29-SEP-22 13:47	TCH			VTO15STD
JD52620-5 EW-5-25B	Collected: 22-SEP-22 15:49 By: NW		Received: 26-SEP-22 By: JK			
JD52620-5	TO-15	29-SEP-22 14:39	TCH			VTO15STD
JD52620-5	TO-15	30-SEP-22 02:34	TCH			VTO15STD
JD52620-6 EW-6-60C	Collected: 22-SEP-22 15:49 By: NW		Received: 26-SEP-22 By: JK			
JD52620-6	TO-15	29-SEP-22 15:12	TCH			VTO15STD
JD52620-6	TO-15	30-SEP-22 03:18	TCH			VTO15STD
JD52620-7 EW-7-25B	Collected: 22-SEP-22 15:50 By: NW		Received: 26-SEP-22 By: JK			
JD52620-7	TO-15	29-SEP-22 15:44	TCH			VTO15STD
JD52620-7	TO-15	30-SEP-22 04:00	TCH			VTO15STD

Internal Sample Tracking Chronicle

WSP USA Environment & Infrastructure Inc

Job No: JD52620

EPT, Ithaca, NY
Project No: 31401545.001 Task 01.63

Sample Number	Method	Analyzed	By	Prepped	By	Test Codes
JD52620-8	Collected: 22-SEP-22 15:27 By: NW		Received: 26-SEP-22 By: JK			
EW-8-62C						
JD52620-8	TO-15	29-SEP-22 16:16	TCH			VTO15STD
JD52620-8	TO-15	30-SEP-22 04:43	TCH			VTO15STD
JD52620-9	Collected: 22-SEP-22 15:29 By: NW		Received: 26-SEP-22 By: JK			
EW-9R-72C						
JD52620-9	TO-15	29-SEP-22 17:19	TCH			VTO15STD
JD52620-9	TO-15	30-SEP-22 13:15	TCH			VTO15STD
JD52620-10	Collected: 22-SEP-22 15:49 By: NW		Received: 26-SEP-22 By: JK			
EW-10-25B						
JD52620-10	TO-15	29-SEP-22 17:52	TCH			VTO15STD
JD52620-11	Collected: 22-SEP-22 15:29 By: NW		Received: 26-SEP-22 By: JK			
EW-11-43C						
JD52620-11	TO-15	30-SEP-22 12:43	TCH			VTO15STD
JD52620-12	Collected: 22-SEP-22 15:30 By: NW		Received: 26-SEP-22 By: JK			
EW-12-45C						
JD52620-12	TO-15	29-SEP-22 18:55	TCH			VTO15STD
JD52620-13	Collected: 22-SEP-22 15:50 By: NW		Received: 26-SEP-22 By: JK			
TRIP BLANK						
JD52620-13	TO-15	29-SEP-22 12:44	TCH			VTO15STD

SGS North America Inc.-Dayton laboratory
TO-15 FINAL MDL for 2020-2021

METHOD	RI	LOGINNUM	SPEC_MAT	SAMPLENUM	CLIENTID	MEASUREDATE	INSTRUME	PARM_STO	PARM_SYN	FINAL MDL	RDLVALUE	COMMENT	UNITS
TO-15		JD18443D	STYA	JD18443D-4D	MDLV : 0.04 PPBV 2W	12/30/21 4:00	GCMS2W	120-82-1	1,2,4-Trichlorobenzene	0.121	0.2	2W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-4D	MDLV : 0.04 PPBV 2W	12/30/21 4:00	GCMS2W	541-73-1	m-Dichlorobenzene	0.04	0.2	2W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-4D	MDLV : 0.04 PPBV 2W	12/30/21 4:00	GCMS2W	91-20-3	Naphthalene	0.127	0.2	2W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-4D	MDLV : 0.04 PPBV 2W	12/30/21 4:00	GCMS2W	127-18-4	Tetrachloroethylene	0.014	0.04	2W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-4D	MDLV : 0.04 PPBV 2W	12/30/21 4:00	GCMS2W	79-01-6	Trichloroethylene	0.019	0.04	2W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	630-20-6	1,1,1,2-Tetrachloroethane	0.042	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	71-55-6	1,1,1-Trichloroethane	0.037	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	79-34-5	1,1,2,2-Tetrachloroethane	0.048	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	79-00-5	1,1,2-Trichloroethane	0.038	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	75-34-3	1,1-Dichloroethane	0.057	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	75-35-4	1,1-Dichloroethylene	0.059	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	96-18-4	1,2,3-Trichloropropane	0.05	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	526-73-8	1,2,3-Trimethylbenzene	0.099	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	95-63-6	1,2,4-Trimethylbenzene	0.087	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	106-93-4	1,2-Dibromoethane (EDB)	0.097	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	107-06-2	1,2-Dichloroethane	0.07	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	78-87-5	1,2-Dichloropropane	0.062	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	108-67-8	1,3,5-Trimethylbenzene	0.062	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	106-99-0	1,3-Butadiene	0.084	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	142-28-9	1,3-Dichloropropane	0.057	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	123-91-1	1,4-Dioxane	0.117	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	540-84-1	2,2,4-Trimethylpentane	0.095	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	565-59-3	2,3-Dimethylpentane	0.089	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	108-08-7	2,4-Dimethylpentane	0.104	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	95-49-8	2-Chlorotoluene	0.072	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	591-78-6	2-Hexanone	0.145	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	107-05-1	3-Chloropropene	0.083	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	622-96-8	4-Ethyltoluene	0.095	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	67-64-1	Acetone (2-Propanone)	0.145	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	75-05-8	Acetonitrile	0.171	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	107-02-8	Acrolein	0.0883	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	107-13-1	Acrylonitrile	0.091	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	71-43-2	Benzene	0.062	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	100-44-7	Benzyl Chloride	0.125	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	108-86-1	Bromobenzene	0.154	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	75-27-4	Bromodichloromethane	0.03	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	593-60-2	Bromoethene	0.061	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	75-25-2	Bromoform	0.071	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	74-83-9	Bromomethane	0.069	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	75-15-0	Carbon disulfide	0.045	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	56-23-5	Carbon tetrachloride	0.04	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	108-90-7	Chlorobenzene	0.074	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	75-45-6	Chlorodifluoromethane	0.106	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	75-00-3	Chloroethane	0.068	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	67-66-3	Chloroform	0.037	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	74-87-3	Chloromethane	0.09	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	79-38-9	Chlorotrifluoroethene	0.024	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	156-59-2	cis-1,2-Dichloroethylene	0.077	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	10061-01-5	cis-1,3-Dichloropropene	0.062	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	110-82-7	Cyclohexane	0.11	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	124-48-1	Dibromochloromethane	0.052	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	74-95-3	Dibromomethane	0.053	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	75-71-8	Dichlorodifluoromethane	0.032	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	75-43-4	Dichlorofluoromethane	0.066	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	108-20-3	Di-isopropyl ether	0.082	0.2	5W Q-4	I ppbv
TO-15		JD18443D	STYA	JD18443D-2F	MDLV : 0.2 PPBV 5W	12/30/21 5:36	GCMS5W	64-17-5	Ethanol	0.394	0.5	5W Q-4	I ppbv

TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	141-78-6	Ethyl Acetate	0.104	0.2	5W	Q-4	I	ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	140-88-5	Ethyl Acrylate	0.105	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	100-41-4	Ethylbenzene	0.061	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	76-13-1	Freon 113	0.031	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	76-14-2	Freon 114	0.05	0.2	5W	Q-4		ppbv
TO-15	JD18443B	STYA	JD18443B-1F	MDLV : 0.2	PPBV	3W	4/27/21	5:01	GCMS3W	76-15-3	Freon 115	0.0077	0.2	3W	Q-2		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	306-83-2	Freon 123	0.083	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	354-23-4	Freon 123A	0.068	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	75-68-3	Freon 142B	0.07	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	75-37-6	Freon 152A	0.06	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	142-82-5	Heptane	0.092	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	87-68-3	Hexachlorobutadiene	0.062	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	67-72-1	Hexachloroethane	0.082	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	110-54-3	Hexane	0.112	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	74-88-4	Iodomethane	0.037	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	67-63-0	Isopropyl Alcohol	0.187	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	98-82-8	Isopropylbenzene	0.064	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	M,P-XYLEN	m,p-Xylene	0.139	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	78-93-3	Methyl ethyl ketone	0.11	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	108-10-1	Methyl Isobutyl Ketone	0.073	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	1634-04-4	Methyl Tert Butyl Ether	0.08	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	75-09-2	Methylene chloride	0.056	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	80-62-6	Methylmethacrylate	0.07	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	106-97-8	n-Butane	0.106	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	104-51-8	n-Butylbenzene	0.106	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	111-84-2	Nonane	0.1	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	103-65-1	n-Propylbenzene	0.091	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	111-65-9	Octane	0.12	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	95-50-1	o-Dichlorobenzene	0.154	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	95-47-6	o-Xylene	0.077	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	106-46-7	p-Dichlorobenzene	0.191	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	109-66-0	Pentane	0.138	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	99-87-6	p-Isopropyltoluene	0.08	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	115-07-1	Propylene	0.142	0.5	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	135-98-8	sec-Butylbenzene	0.081	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	100-42-5	Styrene	0.118	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	98-06-6	tert-Butylbenzene	0.083	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	75-65-0	Tertiary Butyl Alcohol	0.093	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	109-99-9	Tetrahydrofuran	0.09	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	108-88-3	Toluene	0.057	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	156-60-5	trans-1,2-Dichloroethylene	0.069	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	10061-02-6	trans-1,3-Dichloropropene	0.101	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	75-69-4	Trichlorofluoromethane	0.036	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	TVHC AS EC	TVHC As Equiv Pentane	0.136	10	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	108-05-4	Vinyl Acetate	0.112	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-2F	MDLV : 0.2	PPBV	5W	12/30/21	5:36	GCMS5W	75-01-4	Vinyl chloride	0.069	0.2	5W	Q-4		ppbv
TO-15	JD18443D	STYA	JD18443D-4E	MDLV : 0.1	PPBV	2W	12/30/21	4:35	GCMS2W	67-63-0	Isopropyl Alcohol	0.141	0.2	2W	Q-4		ppbv

MS Volatiles

6

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries
- Instrument Performance Checks (BFB)
- Internal Standard Area Summaries
- Initial Calibration RT/ISTD Area Summaries
- Surrogate Recovery Summaries
- Initial and Continuing Calibration Summaries
- Run Sequence Reports

Method Blank Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2735-MB	2W61637.D	1	09/28/22	TCH	n/a	n/a	V2W2735

The QC reported here applies to the following samples: **Method:** TO-15

JD52620-1, JD52620-2

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
67-64-1	Acetone (2-Propanone)	ND	0.20	0.15	ppbv		ND	0.48	ug/m3
106-99-0	1,3-Butadiene	ND	0.20	0.084	ppbv		ND	0.44	ug/m3
71-43-2	Benzene	ND	0.20	0.062	ppbv		ND	0.64	ug/m3
75-27-4	Bromodichloromethane	ND	0.20	0.030	ppbv		ND	1.3	ug/m3
75-25-2	Bromoform	ND	0.20	0.071	ppbv		ND	2.1	ug/m3
74-83-9	Bromomethane	ND	0.20	0.069	ppbv		ND	0.78	ug/m3
593-60-2	Bromoethene	ND	0.20	0.061	ppbv		ND	0.87	ug/m3
100-44-7	Benzyl Chloride	ND	0.20	0.13	ppbv		ND	1.0	ug/m3
75-15-0	Carbon disulfide	ND	0.20	0.045	ppbv		ND	0.62	ug/m3
108-90-7	Chlorobenzene	ND	0.20	0.074	ppbv		ND	0.92	ug/m3
75-00-3	Chloroethane	ND	0.20	0.068	ppbv		ND	0.53	ug/m3
67-66-3	Chloroform	ND	0.20	0.037	ppbv		ND	0.98	ug/m3
74-87-3	Chloromethane	ND	0.20	0.090	ppbv		ND	0.41	ug/m3
107-05-1	3-Chloropropene	ND	0.20	0.083	ppbv		ND	0.63	ug/m3
95-49-8	2-Chlorotoluene	ND	0.20	0.072	ppbv		ND	1.0	ug/m3
56-23-5	Carbon tetrachloride	ND	0.20	0.040	ppbv		ND	1.3	ug/m3
110-82-7	Cyclohexane	ND	0.20	0.11	ppbv		ND	0.69	ug/m3
75-34-3	1,1-Dichloroethane	ND	0.20	0.057	ppbv		ND	0.81	ug/m3
75-35-4	1,1-Dichloroethylene	ND	0.20	0.059	ppbv		ND	0.79	ug/m3
106-93-4	1,2-Dibromoethane (EDB)	ND	0.20	0.097	ppbv		ND	1.5	ug/m3
107-06-2	1,2-Dichloroethane	ND	0.20	0.070	ppbv		ND	0.81	ug/m3
78-87-5	1,2-Dichloropropane	ND	0.20	0.062	ppbv		ND	0.92	ug/m3
123-91-1	1,4-Dioxane	ND	0.20	0.12	ppbv		ND	0.72	ug/m3
75-71-8	Dichlorodifluoromethane	ND	0.20	0.032	ppbv		ND	0.99	ug/m3
124-48-1	Dibromochloromethane	ND	0.20	0.052	ppbv		ND	1.7	ug/m3
156-60-5	trans-1,2-Dichloroethylene	ND	0.20	0.069	ppbv		ND	0.79	ug/m3
156-59-2	cis-1,2-Dichloroethylene	ND	0.20	0.077	ppbv		ND	0.79	ug/m3
10061-01-5	cis-1,3-Dichloropropene	ND	0.20	0.062	ppbv		ND	0.91	ug/m3
541-73-1	m-Dichlorobenzene	ND	0.20	0.040	ppbv		ND	1.2	ug/m3
95-50-1	o-Dichlorobenzene	ND	0.20	0.15	ppbv		ND	1.2	ug/m3
106-46-7	p-Dichlorobenzene	ND	0.20	0.19	ppbv		ND	1.2	ug/m3
10061-02-6	trans-1,3-Dichloropropene	ND	0.20	0.10	ppbv		ND	0.91	ug/m3
64-17-5	Ethanol	ND	0.50	0.39	ppbv		ND	0.94	ug/m3
100-41-4	Ethylbenzene	ND	0.20	0.061	ppbv		ND	0.87	ug/m3
141-78-6	Ethyl Acetate	ND	0.20	0.10	ppbv		ND	0.72	ug/m3
622-96-8	4-Ethyltoluene	ND	0.20	0.095	ppbv		ND	0.98	ug/m3

Method Blank Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2735-MB	2W61637.D	1	09/28/22	TCH	n/a	n/a	V2W2735

The QC reported here applies to the following samples: **Method:** TO-15

JD52620-1, JD52620-2

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
76-13-1	Freon 113	ND	0.20	0.031	ppbv		ND	1.5	ug/m3
76-14-2	Freon 114	ND	0.20	0.050	ppbv		ND	1.4	ug/m3
142-82-5	Heptane	ND	0.20	0.092	ppbv		ND	0.82	ug/m3
87-68-3	Hexachlorobutadiene	ND	0.20	0.062	ppbv		ND	2.1	ug/m3
110-54-3	Hexane	ND	0.20	0.11	ppbv		ND	0.70	ug/m3
591-78-6	2-Hexanone	ND	0.20	0.15	ppbv		ND	0.82	ug/m3
67-63-0	Isopropyl Alcohol	ND	0.20	0.14	ppbv		ND	0.49	ug/m3
75-09-2	Methylene chloride	ND	0.20	0.056	ppbv		ND	0.69	ug/m3
78-93-3	Methyl ethyl ketone	ND	0.20	0.11	ppbv		ND	0.59	ug/m3
108-10-1	Methyl Isobutyl Ketone	ND	0.20	0.073	ppbv		ND	0.82	ug/m3
1634-04-4	Methyl Tert Butyl Ether	ND	0.20	0.080	ppbv		ND	0.72	ug/m3
80-62-6	Methylmethacrylate	ND	0.20	0.070	ppbv		ND	0.82	ug/m3
115-07-1	Propylene	ND	0.50	0.14	ppbv		ND	0.86	ug/m3
100-42-5	Styrene	ND	0.20	0.12	ppbv		ND	0.85	ug/m3
71-55-6	1,1,1-Trichloroethane	ND	0.20	0.037	ppbv		ND	1.1	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.20	0.048	ppbv		ND	1.4	ug/m3
79-00-5	1,1,2-Trichloroethane	ND	0.20	0.038	ppbv		ND	1.1	ug/m3
120-82-1	1,2,4-Trichlorobenzene	ND	0.20	0.12	ppbv		ND	1.5	ug/m3
95-63-6	1,2,4-Trimethylbenzene	ND	0.20	0.087	ppbv		ND	0.98	ug/m3
108-67-8	1,3,5-Trimethylbenzene	ND	0.20	0.080	ppbv		ND	0.98	ug/m3
540-84-1	2,2,4-Trimethylpentane	ND	0.20	0.095	ppbv		ND	0.93	ug/m3
75-65-0	Tertiary Butyl Alcohol	ND	0.20	0.093	ppbv		ND	0.61	ug/m3
127-18-4	Tetrachloroethylene	ND	0.040	0.014	ppbv		ND	0.27	ug/m3
109-99-9	Tetrahydrofuran	ND	0.20	0.090	ppbv		ND	0.59	ug/m3
108-88-3	Toluene	ND	0.20	0.057	ppbv		ND	0.75	ug/m3
79-01-6	Trichloroethylene	ND	0.040	0.019	ppbv		ND	0.21	ug/m3
75-69-4	Trichlorofluoromethane	ND	0.20	0.036	ppbv		ND	1.1	ug/m3
75-01-4	Vinyl chloride	ND	0.20	0.069	ppbv		ND	0.51	ug/m3
108-05-4	Vinyl Acetate	ND	0.20	0.11	ppbv		ND	0.70	ug/m3
	m,p-Xylene	ND	0.20	0.14	ppbv		ND	0.87	ug/m3
95-47-6	o-Xylene	ND	0.20	0.077	ppbv		ND	0.87	ug/m3
1330-20-7	Xylenes (total)	ND	0.20	0.077	ppbv		ND	0.87	ug/m3

Method Blank Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2735-MB	2W61637.D	1	09/28/22	TCH	n/a	n/a	V2W2735

The QC reported here applies to the following samples: **Method:** TO-15

JD52620-1, JD52620-2

CAS No.	Surrogate Recoveries		Limits
460-00-4	4-Bromofluorobenzene	108%	65-128%

Method Blank Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2736-MB	2W61657.D	1	09/29/22	TCH	n/a	n/a	V2W2736

The QC reported here applies to the following samples: **Method:** TO-15

JD52620-3, JD52620-4, JD52620-5, JD52620-6, JD52620-7, JD52620-8, JD52620-9, JD52620-10, JD52620-12, JD52620-13

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
67-64-1	Acetone (2-Propanone)	ND	0.20	0.15	ppbv		ND	0.48	ug/m3
106-99-0	1,3-Butadiene	ND	0.20	0.084	ppbv		ND	0.44	ug/m3
71-43-2	Benzene	ND	0.20	0.062	ppbv		ND	0.64	ug/m3
75-27-4	Bromodichloromethane	ND	0.20	0.030	ppbv		ND	1.3	ug/m3
75-25-2	Bromoform	ND	0.20	0.071	ppbv		ND	2.1	ug/m3
74-83-9	Bromomethane	ND	0.20	0.069	ppbv		ND	0.78	ug/m3
593-60-2	Bromoethene	ND	0.20	0.061	ppbv		ND	0.87	ug/m3
100-44-7	Benzyl Chloride	ND	0.20	0.13	ppbv		ND	1.0	ug/m3
75-15-0	Carbon disulfide	ND	0.20	0.045	ppbv		ND	0.62	ug/m3
108-90-7	Chlorobenzene	ND	0.20	0.074	ppbv		ND	0.92	ug/m3
75-00-3	Chloroethane	ND	0.20	0.068	ppbv		ND	0.53	ug/m3
67-66-3	Chloroform	ND	0.20	0.037	ppbv		ND	0.98	ug/m3
74-87-3	Chloromethane	ND	0.20	0.090	ppbv		ND	0.41	ug/m3
107-05-1	3-Chloropropene	ND	0.20	0.083	ppbv		ND	0.63	ug/m3
95-49-8	2-Chlorotoluene	ND	0.20	0.072	ppbv		ND	1.0	ug/m3
56-23-5	Carbon tetrachloride	ND	0.20	0.040	ppbv		ND	1.3	ug/m3
110-82-7	Cyclohexane	ND	0.20	0.11	ppbv		ND	0.69	ug/m3
75-34-3	1,1-Dichloroethane	ND	0.20	0.057	ppbv		ND	0.81	ug/m3
75-35-4	1,1-Dichloroethylene	ND	0.20	0.059	ppbv		ND	0.79	ug/m3
106-93-4	1,2-Dibromoethane (EDB)	ND	0.20	0.097	ppbv		ND	1.5	ug/m3
107-06-2	1,2-Dichloroethane	ND	0.20	0.070	ppbv		ND	0.81	ug/m3
78-87-5	1,2-Dichloropropane	ND	0.20	0.062	ppbv		ND	0.92	ug/m3
123-91-1	1,4-Dioxane	ND	0.20	0.12	ppbv		ND	0.72	ug/m3
75-71-8	Dichlorodifluoromethane	ND	0.20	0.032	ppbv		ND	0.99	ug/m3
124-48-1	Dibromochloromethane	ND	0.20	0.052	ppbv		ND	1.7	ug/m3
156-60-5	trans-1,2-Dichloroethylene	ND	0.20	0.069	ppbv		ND	0.79	ug/m3
156-59-2	cis-1,2-Dichloroethylene	ND	0.20	0.077	ppbv		ND	0.79	ug/m3
10061-01-5	cis-1,3-Dichloropropene	ND	0.20	0.062	ppbv		ND	0.91	ug/m3
541-73-1	m-Dichlorobenzene	ND	0.20	0.040	ppbv		ND	1.2	ug/m3
95-50-1	o-Dichlorobenzene	ND	0.20	0.15	ppbv		ND	1.2	ug/m3
106-46-7	p-Dichlorobenzene	ND	0.20	0.19	ppbv		ND	1.2	ug/m3
10061-02-6	trans-1,3-Dichloropropene	ND	0.20	0.10	ppbv		ND	0.91	ug/m3
64-17-5	Ethanol	ND	0.50	0.39	ppbv		ND	0.94	ug/m3
100-41-4	Ethylbenzene	ND	0.20	0.061	ppbv		ND	0.87	ug/m3
141-78-6	Ethyl Acetate	ND	0.20	0.10	ppbv		ND	0.72	ug/m3
622-96-8	4-Ethyltoluene	ND	0.20	0.095	ppbv		ND	0.98	ug/m3

Method Blank Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2736-MB	2W61657.D	1	09/29/22	TCH	n/a	n/a	V2W2736

The QC reported here applies to the following samples: **Method:** TO-15

JD52620-3, JD52620-4, JD52620-5, JD52620-6, JD52620-7, JD52620-8, JD52620-9, JD52620-10, JD52620-12, JD52620-13

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
76-13-1	Freon 113	ND	0.20	0.031	ppbv		ND	1.5	ug/m3
76-14-2	Freon 114	ND	0.20	0.050	ppbv		ND	1.4	ug/m3
142-82-5	Heptane	ND	0.20	0.092	ppbv		ND	0.82	ug/m3
87-68-3	Hexachlorobutadiene	ND	0.20	0.062	ppbv		ND	2.1	ug/m3
110-54-3	Hexane	ND	0.20	0.11	ppbv		ND	0.70	ug/m3
591-78-6	2-Hexanone	ND	0.20	0.15	ppbv		ND	0.82	ug/m3
67-63-0	Isopropyl Alcohol	ND	0.20	0.14	ppbv		ND	0.49	ug/m3
75-09-2	Methylene chloride	ND	0.20	0.056	ppbv		ND	0.69	ug/m3
78-93-3	Methyl ethyl ketone	ND	0.20	0.11	ppbv		ND	0.59	ug/m3
108-10-1	Methyl Isobutyl Ketone	ND	0.20	0.073	ppbv		ND	0.82	ug/m3
1634-04-4	Methyl Tert Butyl Ether	ND	0.20	0.080	ppbv		ND	0.72	ug/m3
80-62-6	Methylmethacrylate	ND	0.20	0.070	ppbv		ND	0.82	ug/m3
115-07-1	Propylene	ND	0.50	0.14	ppbv		ND	0.86	ug/m3
100-42-5	Styrene	ND	0.20	0.12	ppbv		ND	0.85	ug/m3
71-55-6	1,1,1-Trichloroethane	ND	0.20	0.037	ppbv		ND	1.1	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.20	0.048	ppbv		ND	1.4	ug/m3
79-00-5	1,1,2-Trichloroethane	ND	0.20	0.038	ppbv		ND	1.1	ug/m3
120-82-1	1,2,4-Trichlorobenzene	ND	0.20	0.12	ppbv		ND	1.5	ug/m3
95-63-6	1,2,4-Trimethylbenzene	ND	0.20	0.087	ppbv		ND	0.98	ug/m3
108-67-8	1,3,5-Trimethylbenzene	ND	0.20	0.080	ppbv		ND	0.98	ug/m3
540-84-1	2,2,4-Trimethylpentane	ND	0.20	0.095	ppbv		ND	0.93	ug/m3
75-65-0	Tertiary Butyl Alcohol	ND	0.20	0.093	ppbv		ND	0.61	ug/m3
127-18-4	Tetrachloroethylene	ND	0.040	0.014	ppbv		ND	0.27	ug/m3
109-99-9	Tetrahydrofuran	ND	0.20	0.090	ppbv		ND	0.59	ug/m3
108-88-3	Toluene	ND	0.20	0.057	ppbv		ND	0.75	ug/m3
79-01-6	Trichloroethylene	ND	0.040	0.019	ppbv		ND	0.21	ug/m3
75-69-4	Trichlorofluoromethane	ND	0.20	0.036	ppbv		ND	1.1	ug/m3
75-01-4	Vinyl chloride	ND	0.20	0.069	ppbv		ND	0.51	ug/m3
108-05-4	Vinyl Acetate	ND	0.20	0.11	ppbv		ND	0.70	ug/m3
	m,p-Xylene	ND	0.20	0.14	ppbv		ND	0.87	ug/m3
95-47-6	o-Xylene	ND	0.20	0.077	ppbv		ND	0.87	ug/m3
1330-20-7	Xylenes (total)	ND	0.20	0.077	ppbv		ND	0.87	ug/m3

Method Blank Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2736-MB	2W61657.D	1	09/29/22	TCH	n/a	n/a	V2W2736

The QC reported here applies to the following samples: **Method:** TO-15

JD52620-3, JD52620-4, JD52620-5, JD52620-6, JD52620-7, JD52620-8, JD52620-9, JD52620-10, JD52620-12, JD52620-13

CAS No.	Surrogate Recoveries		Limits
460-00-4	4-Bromofluorobenzene	107%	65-128%

Method Blank Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V6W1111-MB	6W26141.D	1	09/29/22	TCH	n/a	n/a	V6W1111

The QC reported here applies to the following samples: **Method:** TO-15

JD52620-3, JD52620-5, JD52620-6, JD52620-7, JD52620-8

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
156-59-2	cis-1,2-Dichloroethylene	ND	0.20	0.077	ppbv		ND	0.79	ug/m3
79-01-6	Trichloroethylene	ND	0.040	0.019	ppbv		ND	0.21	ug/m3

CAS No.	Surrogate Recoveries		Limits
460-00-4	4-Bromofluorobenzene	97%	65-128%

Method Blank Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2737-MB	2W61689.D	1	09/30/22	TCH	n/a	n/a	V2W2737

The QC reported here applies to the following samples: **Method:** TO-15

JD52620-9, JD52620-11

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
67-64-1	Acetone (2-Propanone)	ND	0.20	0.15	ppbv		ND	0.48	ug/m3
106-99-0	1,3-Butadiene	ND	0.20	0.084	ppbv		ND	0.44	ug/m3
71-43-2	Benzene	ND	0.20	0.062	ppbv		ND	0.64	ug/m3
75-27-4	Bromodichloromethane	ND	0.20	0.030	ppbv		ND	1.3	ug/m3
75-25-2	Bromoform	ND	0.20	0.071	ppbv		ND	2.1	ug/m3
74-83-9	Bromomethane	ND	0.20	0.069	ppbv		ND	0.78	ug/m3
593-60-2	Bromoethene	ND	0.20	0.061	ppbv		ND	0.87	ug/m3
100-44-7	Benzyl Chloride	ND	0.20	0.13	ppbv		ND	1.0	ug/m3
75-15-0	Carbon disulfide	ND	0.20	0.045	ppbv		ND	0.62	ug/m3
108-90-7	Chlorobenzene	ND	0.20	0.074	ppbv		ND	0.92	ug/m3
75-00-3	Chloroethane	ND	0.20	0.068	ppbv		ND	0.53	ug/m3
67-66-3	Chloroform	ND	0.20	0.037	ppbv		ND	0.98	ug/m3
74-87-3	Chloromethane	ND	0.20	0.090	ppbv		ND	0.41	ug/m3
107-05-1	3-Chloropropene	ND	0.20	0.083	ppbv		ND	0.63	ug/m3
95-49-8	2-Chlorotoluene	ND	0.20	0.072	ppbv		ND	1.0	ug/m3
56-23-5	Carbon tetrachloride	ND	0.20	0.040	ppbv		ND	1.3	ug/m3
110-82-7	Cyclohexane	ND	0.20	0.11	ppbv		ND	0.69	ug/m3
75-34-3	1,1-Dichloroethane	ND	0.20	0.057	ppbv		ND	0.81	ug/m3
75-35-4	1,1-Dichloroethylene	ND	0.20	0.059	ppbv		ND	0.79	ug/m3
106-93-4	1,2-Dibromoethane (EDB)	ND	0.20	0.097	ppbv		ND	1.5	ug/m3
107-06-2	1,2-Dichloroethane	ND	0.20	0.070	ppbv		ND	0.81	ug/m3
78-87-5	1,2-Dichloropropane	ND	0.20	0.062	ppbv		ND	0.92	ug/m3
123-91-1	1,4-Dioxane	ND	0.20	0.12	ppbv		ND	0.72	ug/m3
75-71-8	Dichlorodifluoromethane	ND	0.20	0.032	ppbv		ND	0.99	ug/m3
124-48-1	Dibromochloromethane	ND	0.20	0.052	ppbv		ND	1.7	ug/m3
156-60-5	trans-1,2-Dichloroethylene	ND	0.20	0.069	ppbv		ND	0.79	ug/m3
156-59-2	cis-1,2-Dichloroethylene	ND	0.20	0.077	ppbv		ND	0.79	ug/m3
10061-01-5	cis-1,3-Dichloropropene	ND	0.20	0.062	ppbv		ND	0.91	ug/m3
541-73-1	m-Dichlorobenzene	ND	0.20	0.040	ppbv		ND	1.2	ug/m3
95-50-1	o-Dichlorobenzene	ND	0.20	0.15	ppbv		ND	1.2	ug/m3
106-46-7	p-Dichlorobenzene	ND	0.20	0.19	ppbv		ND	1.2	ug/m3
10061-02-6	trans-1,3-Dichloropropene	ND	0.20	0.10	ppbv		ND	0.91	ug/m3
64-17-5	Ethanol	ND	0.50	0.39	ppbv		ND	0.94	ug/m3
100-41-4	Ethylbenzene	ND	0.20	0.061	ppbv		ND	0.87	ug/m3
141-78-6	Ethyl Acetate	ND	0.20	0.10	ppbv		ND	0.72	ug/m3
622-96-8	4-Ethyltoluene	ND	0.20	0.095	ppbv		ND	0.98	ug/m3

Method Blank Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2737-MB	2W61689.D	1	09/30/22	TCH	n/a	n/a	V2W2737

The QC reported here applies to the following samples: **Method:** TO-15

JD52620-9, JD52620-11

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
76-13-1	Freon 113	ND	0.20	0.031	ppbv		ND	1.5	ug/m3
76-14-2	Freon 114	ND	0.20	0.050	ppbv		ND	1.4	ug/m3
142-82-5	Heptane	ND	0.20	0.092	ppbv		ND	0.82	ug/m3
87-68-3	Hexachlorobutadiene	ND	0.20	0.062	ppbv		ND	2.1	ug/m3
110-54-3	Hexane	ND	0.20	0.11	ppbv		ND	0.70	ug/m3
591-78-6	2-Hexanone	ND	0.20	0.15	ppbv		ND	0.82	ug/m3
67-63-0	Isopropyl Alcohol	ND	0.20	0.14	ppbv		ND	0.49	ug/m3
75-09-2	Methylene chloride	ND	0.20	0.056	ppbv		ND	0.69	ug/m3
78-93-3	Methyl ethyl ketone	ND	0.20	0.11	ppbv		ND	0.59	ug/m3
108-10-1	Methyl Isobutyl Ketone	ND	0.20	0.073	ppbv		ND	0.82	ug/m3
1634-04-4	Methyl Tert Butyl Ether	ND	0.20	0.080	ppbv		ND	0.72	ug/m3
80-62-6	Methylmethacrylate	ND	0.20	0.070	ppbv		ND	0.82	ug/m3
115-07-1	Propylene	ND	0.50	0.14	ppbv		ND	0.86	ug/m3
100-42-5	Styrene	ND	0.20	0.12	ppbv		ND	0.85	ug/m3
71-55-6	1,1,1-Trichloroethane	ND	0.20	0.037	ppbv		ND	1.1	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.20	0.048	ppbv		ND	1.4	ug/m3
79-00-5	1,1,2-Trichloroethane	ND	0.20	0.038	ppbv		ND	1.1	ug/m3
120-82-1	1,2,4-Trichlorobenzene	ND	0.20	0.12	ppbv		ND	1.5	ug/m3
95-63-6	1,2,4-Trimethylbenzene	ND	0.20	0.087	ppbv		ND	0.98	ug/m3
108-67-8	1,3,5-Trimethylbenzene	ND	0.20	0.080	ppbv		ND	0.98	ug/m3
540-84-1	2,2,4-Trimethylpentane	ND	0.20	0.095	ppbv		ND	0.93	ug/m3
75-65-0	Tertiary Butyl Alcohol	ND	0.20	0.093	ppbv		ND	0.61	ug/m3
127-18-4	Tetrachloroethylene	ND	0.040	0.014	ppbv		ND	0.27	ug/m3
109-99-9	Tetrahydrofuran	ND	0.20	0.090	ppbv		ND	0.59	ug/m3
108-88-3	Toluene	ND	0.20	0.057	ppbv		ND	0.75	ug/m3
79-01-6	Trichloroethylene	ND	0.040	0.019	ppbv		ND	0.21	ug/m3
75-69-4	Trichlorofluoromethane	ND	0.20	0.036	ppbv		ND	1.1	ug/m3
75-01-4	Vinyl chloride	ND	0.20	0.069	ppbv		ND	0.51	ug/m3
108-05-4	Vinyl Acetate	ND	0.20	0.11	ppbv		ND	0.70	ug/m3
	m,p-Xylene	ND	0.20	0.14	ppbv		ND	0.87	ug/m3
95-47-6	o-Xylene	ND	0.20	0.077	ppbv		ND	0.87	ug/m3
1330-20-7	Xylenes (total)	ND	0.20	0.077	ppbv		ND	0.87	ug/m3

Method Blank Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2737-MB	2W61689.D	1	09/30/22	TCH	n/a	n/a	V2W2737

The QC reported here applies to the following samples: **Method:** TO-15

JD52620-9, JD52620-11

CAS No.	Surrogate Recoveries		Limits
460-00-4	4-Bromofluorobenzene	106%	65-128%

Method Blank Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2637-MB	2W59302.D	1	05/14/22	TCH	n/a	n/a	V2W2637

The QC reported here applies to the following samples: **Method:** TO-15

V2W2637-SCC

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
67-64-1	Acetone (2-Propanone)	ND	0.20	0.15	ppbv		ND	0.48	ug/m3
106-99-0	1,3-Butadiene	ND	0.20	0.084	ppbv		ND	0.44	ug/m3
71-43-2	Benzene	ND	0.20	0.062	ppbv		ND	0.64	ug/m3
75-27-4	Bromodichloromethane	ND	0.20	0.030	ppbv		ND	1.3	ug/m3
75-25-2	Bromoform	ND	0.20	0.071	ppbv		ND	2.1	ug/m3
74-83-9	Bromomethane	ND	0.20	0.069	ppbv		ND	0.78	ug/m3
593-60-2	Bromoethene	ND	0.20	0.061	ppbv		ND	0.87	ug/m3
100-44-7	Benzyl Chloride	ND	0.20	0.13	ppbv		ND	1.0	ug/m3
75-15-0	Carbon disulfide	ND	0.20	0.045	ppbv		ND	0.62	ug/m3
108-90-7	Chlorobenzene	ND	0.20	0.074	ppbv		ND	0.92	ug/m3
75-00-3	Chloroethane	ND	0.20	0.068	ppbv		ND	0.53	ug/m3
67-66-3	Chloroform	ND	0.20	0.037	ppbv		ND	0.98	ug/m3
74-87-3	Chloromethane	ND	0.20	0.090	ppbv		ND	0.41	ug/m3
107-05-1	3-Chloropropene	ND	0.20	0.083	ppbv		ND	0.63	ug/m3
95-49-8	2-Chlorotoluene	ND	0.20	0.072	ppbv		ND	1.0	ug/m3
56-23-5	Carbon tetrachloride	ND	0.20	0.040	ppbv		ND	1.3	ug/m3
110-82-7	Cyclohexane	ND	0.20	0.11	ppbv		ND	0.69	ug/m3
75-34-3	1,1-Dichloroethane	ND	0.20	0.057	ppbv		ND	0.81	ug/m3
75-35-4	1,1-Dichloroethylene	ND	0.20	0.059	ppbv		ND	0.79	ug/m3
106-93-4	1,2-Dibromoethane (EDB)	ND	0.20	0.097	ppbv		ND	1.5	ug/m3
107-06-2	1,2-Dichloroethane	ND	0.20	0.070	ppbv		ND	0.81	ug/m3
78-87-5	1,2-Dichloropropane	ND	0.20	0.062	ppbv		ND	0.92	ug/m3
123-91-1	1,4-Dioxane	ND	0.20	0.12	ppbv		ND	0.72	ug/m3
75-71-8	Dichlorodifluoromethane	ND	0.20	0.032	ppbv		ND	0.99	ug/m3
124-48-1	Dibromochloromethane	ND	0.20	0.052	ppbv		ND	1.7	ug/m3
156-60-5	trans-1,2-Dichloroethylene	ND	0.20	0.069	ppbv		ND	0.79	ug/m3
156-59-2	cis-1,2-Dichloroethylene	ND	0.20	0.077	ppbv		ND	0.79	ug/m3
10061-01-5	cis-1,3-Dichloropropene	ND	0.20	0.062	ppbv		ND	0.91	ug/m3
541-73-1	m-Dichlorobenzene	ND	0.20	0.040	ppbv		ND	1.2	ug/m3
95-50-1	o-Dichlorobenzene	ND	0.20	0.15	ppbv		ND	1.2	ug/m3
106-46-7	p-Dichlorobenzene	ND	0.20	0.19	ppbv		ND	1.2	ug/m3
10061-02-6	trans-1,3-Dichloropropene	ND	0.20	0.10	ppbv		ND	0.91	ug/m3
64-17-5	Ethanol	ND	0.50	0.39	ppbv		ND	0.94	ug/m3
100-41-4	Ethylbenzene	ND	0.20	0.061	ppbv		ND	0.87	ug/m3
141-78-6	Ethyl Acetate	ND	0.20	0.10	ppbv		ND	0.72	ug/m3
622-96-8	4-Ethyltoluene	ND	0.20	0.095	ppbv		ND	0.98	ug/m3

Method Blank Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2637-MB	2W59302.D	1	05/14/22	TCH	n/a	n/a	V2W2637

The QC reported here applies to the following samples: **Method:** TO-15

V2W2637-SCC

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
76-13-1	Freon 113	ND	0.20	0.031	ppbv		ND	1.5	ug/m3
76-14-2	Freon 114	ND	0.20	0.050	ppbv		ND	1.4	ug/m3
142-82-5	Heptane	ND	0.20	0.092	ppbv		ND	0.82	ug/m3
87-68-3	Hexachlorobutadiene	ND	0.20	0.062	ppbv		ND	2.1	ug/m3
110-54-3	Hexane	ND	0.20	0.11	ppbv		ND	0.70	ug/m3
591-78-6	2-Hexanone	ND	0.20	0.15	ppbv		ND	0.82	ug/m3
67-63-0	Isopropyl Alcohol	ND	0.20	0.14	ppbv		ND	0.49	ug/m3
75-09-2	Methylene chloride	ND	0.20	0.056	ppbv		ND	0.69	ug/m3
78-93-3	Methyl ethyl ketone	ND	0.20	0.11	ppbv		ND	0.59	ug/m3
108-10-1	Methyl Isobutyl Ketone	ND	0.20	0.073	ppbv		ND	0.82	ug/m3
1634-04-4	Methyl Tert Butyl Ether	ND	0.20	0.080	ppbv		ND	0.72	ug/m3
80-62-6	Methylmethacrylate	ND	0.20	0.070	ppbv		ND	0.82	ug/m3
115-07-1	Propylene	ND	0.50	0.14	ppbv		ND	0.86	ug/m3
100-42-5	Styrene	ND	0.20	0.12	ppbv		ND	0.85	ug/m3
71-55-6	1,1,1-Trichloroethane	ND	0.20	0.037	ppbv		ND	1.1	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.20	0.048	ppbv		ND	1.4	ug/m3
79-00-5	1,1,2-Trichloroethane	ND	0.20	0.038	ppbv		ND	1.1	ug/m3
120-82-1	1,2,4-Trichlorobenzene	ND	0.20	0.12	ppbv		ND	1.5	ug/m3
95-63-6	1,2,4-Trimethylbenzene	ND	0.20	0.087	ppbv		ND	0.98	ug/m3
108-67-8	1,3,5-Trimethylbenzene	ND	0.20	0.080	ppbv		ND	0.98	ug/m3
540-84-1	2,2,4-Trimethylpentane	ND	0.20	0.095	ppbv		ND	0.93	ug/m3
75-65-0	Tertiary Butyl Alcohol	ND	0.20	0.093	ppbv		ND	0.61	ug/m3
127-18-4	Tetrachloroethylene	ND	0.040	0.014	ppbv		ND	0.27	ug/m3
109-99-9	Tetrahydrofuran	ND	0.20	0.090	ppbv		ND	0.59	ug/m3
108-88-3	Toluene	ND	0.20	0.057	ppbv		ND	0.75	ug/m3
79-01-6	Trichloroethylene	ND	0.040	0.019	ppbv		ND	0.21	ug/m3
75-69-4	Trichlorofluoromethane	ND	0.20	0.036	ppbv		ND	1.1	ug/m3
75-01-4	Vinyl chloride	ND	0.20	0.069	ppbv		ND	0.51	ug/m3
108-05-4	Vinyl Acetate	ND	0.20	0.11	ppbv		ND	0.70	ug/m3
	m,p-Xylene	ND	0.20	0.14	ppbv		ND	0.87	ug/m3
95-47-6	o-Xylene	ND	0.20	0.077	ppbv		ND	0.87	ug/m3
1330-20-7	Xylenes (total)	ND	0.20	0.077	ppbv		ND	0.87	ug/m3

Method Blank Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2637-MB	2W59302.D	1	05/14/22	TCH	n/a	n/a	V2W2637

The QC reported here applies to the following samples: **Method:** TO-15

V2W2637-SCC

CAS No.	Surrogate Recoveries		Limits
460-00-4	4-Bromofluorobenzene	97%	65-128%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
124-38-9	Carbon dioxide	1.78	11	ppbv	JN
	Total TIC, Volatile		0	ppbv	

Method Blank Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2710-MB	2W61028.D	1	08/24/22	TCH	n/a	n/a	V2W2710

The QC reported here applies to the following samples: **Method:** TO-15

V2W2710-SCC

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
67-64-1	Acetone (2-Propanone)	ND	0.20	0.15	ppbv		ND	0.48	ug/m3
106-99-0	1,3-Butadiene	ND	0.20	0.084	ppbv		ND	0.44	ug/m3
71-43-2	Benzene	ND	0.20	0.062	ppbv		ND	0.64	ug/m3
75-27-4	Bromodichloromethane	ND	0.20	0.030	ppbv		ND	1.3	ug/m3
75-25-2	Bromoform	ND	0.20	0.071	ppbv		ND	2.1	ug/m3
74-83-9	Bromomethane	ND	0.20	0.069	ppbv		ND	0.78	ug/m3
593-60-2	Bromoethene	ND	0.20	0.061	ppbv		ND	0.87	ug/m3
100-44-7	Benzyl Chloride	ND	0.20	0.13	ppbv		ND	1.0	ug/m3
75-15-0	Carbon disulfide	ND	0.20	0.045	ppbv		ND	0.62	ug/m3
108-90-7	Chlorobenzene	ND	0.20	0.074	ppbv		ND	0.92	ug/m3
75-00-3	Chloroethane	ND	0.20	0.068	ppbv		ND	0.53	ug/m3
67-66-3	Chloroform	ND	0.20	0.037	ppbv		ND	0.98	ug/m3
74-87-3	Chloromethane	ND	0.20	0.090	ppbv		ND	0.41	ug/m3
107-05-1	3-Chloropropene	ND	0.20	0.083	ppbv		ND	0.63	ug/m3
95-49-8	2-Chlorotoluene	ND	0.20	0.072	ppbv		ND	1.0	ug/m3
56-23-5	Carbon tetrachloride	ND	0.20	0.040	ppbv		ND	1.3	ug/m3
110-82-7	Cyclohexane	ND	0.20	0.11	ppbv		ND	0.69	ug/m3
75-34-3	1,1-Dichloroethane	ND	0.20	0.057	ppbv		ND	0.81	ug/m3
75-35-4	1,1-Dichloroethylene	ND	0.20	0.059	ppbv		ND	0.79	ug/m3
106-93-4	1,2-Dibromoethane (EDB)	ND	0.20	0.097	ppbv		ND	1.5	ug/m3
107-06-2	1,2-Dichloroethane	ND	0.20	0.070	ppbv		ND	0.81	ug/m3
78-87-5	1,2-Dichloropropane	ND	0.20	0.062	ppbv		ND	0.92	ug/m3
123-91-1	1,4-Dioxane	ND	0.20	0.12	ppbv		ND	0.72	ug/m3
75-71-8	Dichlorodifluoromethane	ND	0.20	0.032	ppbv		ND	0.99	ug/m3
124-48-1	Dibromochloromethane	ND	0.20	0.052	ppbv		ND	1.7	ug/m3
156-60-5	trans-1,2-Dichloroethylene	ND	0.20	0.069	ppbv		ND	0.79	ug/m3
156-59-2	cis-1,2-Dichloroethylene	ND	0.20	0.077	ppbv		ND	0.79	ug/m3
10061-01-5	cis-1,3-Dichloropropene	ND	0.20	0.062	ppbv		ND	0.91	ug/m3
541-73-1	m-Dichlorobenzene	ND	0.20	0.040	ppbv		ND	1.2	ug/m3
95-50-1	o-Dichlorobenzene	ND	0.20	0.15	ppbv		ND	1.2	ug/m3
106-46-7	p-Dichlorobenzene	ND	0.20	0.19	ppbv		ND	1.2	ug/m3
10061-02-6	trans-1,3-Dichloropropene	ND	0.20	0.10	ppbv		ND	0.91	ug/m3
64-17-5	Ethanol	ND	0.50	0.39	ppbv		ND	0.94	ug/m3
100-41-4	Ethylbenzene	ND	0.20	0.061	ppbv		ND	0.87	ug/m3
141-78-6	Ethyl Acetate	ND	0.20	0.10	ppbv		ND	0.72	ug/m3
622-96-8	4-Ethyltoluene	ND	0.20	0.095	ppbv		ND	0.98	ug/m3

Method Blank Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2710-MB	2W61028.D	1	08/24/22	TCH	n/a	n/a	V2W2710

The QC reported here applies to the following samples: **Method:** TO-15

V2W2710-SCC

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
76-13-1	Freon 113	ND	0.20	0.031	ppbv		ND	1.5	ug/m3
76-14-2	Freon 114	ND	0.20	0.050	ppbv		ND	1.4	ug/m3
142-82-5	Heptane	ND	0.20	0.092	ppbv		ND	0.82	ug/m3
87-68-3	Hexachlorobutadiene	ND	0.20	0.062	ppbv		ND	2.1	ug/m3
110-54-3	Hexane	ND	0.20	0.11	ppbv		ND	0.70	ug/m3
591-78-6	2-Hexanone	ND	0.20	0.15	ppbv		ND	0.82	ug/m3
67-63-0	Isopropyl Alcohol	ND	0.20	0.14	ppbv		ND	0.49	ug/m3
75-09-2	Methylene chloride	ND	0.20	0.056	ppbv		ND	0.69	ug/m3
78-93-3	Methyl ethyl ketone	ND	0.20	0.11	ppbv		ND	0.59	ug/m3
108-10-1	Methyl Isobutyl Ketone	ND	0.20	0.073	ppbv		ND	0.82	ug/m3
1634-04-4	Methyl Tert Butyl Ether	ND	0.20	0.080	ppbv		ND	0.72	ug/m3
80-62-6	Methylmethacrylate	ND	0.20	0.070	ppbv		ND	0.82	ug/m3
115-07-1	Propylene	ND	0.50	0.14	ppbv		ND	0.86	ug/m3
100-42-5	Styrene	ND	0.20	0.12	ppbv		ND	0.85	ug/m3
71-55-6	1,1,1-Trichloroethane	ND	0.20	0.037	ppbv		ND	1.1	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.20	0.048	ppbv		ND	1.4	ug/m3
79-00-5	1,1,2-Trichloroethane	ND	0.20	0.038	ppbv		ND	1.1	ug/m3
120-82-1	1,2,4-Trichlorobenzene	ND	0.20	0.12	ppbv		ND	1.5	ug/m3
95-63-6	1,2,4-Trimethylbenzene	ND	0.20	0.087	ppbv		ND	0.98	ug/m3
108-67-8	1,3,5-Trimethylbenzene	ND	0.20	0.080	ppbv		ND	0.98	ug/m3
540-84-1	2,2,4-Trimethylpentane	ND	0.20	0.095	ppbv		ND	0.93	ug/m3
75-65-0	Tertiary Butyl Alcohol	ND	0.20	0.093	ppbv		ND	0.61	ug/m3
127-18-4	Tetrachloroethylene	ND	0.040	0.014	ppbv		ND	0.27	ug/m3
109-99-9	Tetrahydrofuran	ND	0.20	0.090	ppbv		ND	0.59	ug/m3
108-88-3	Toluene	ND	0.20	0.057	ppbv		ND	0.75	ug/m3
79-01-6	Trichloroethylene	ND	0.040	0.019	ppbv		ND	0.21	ug/m3
75-69-4	Trichlorofluoromethane	ND	0.20	0.036	ppbv		ND	1.1	ug/m3
75-01-4	Vinyl chloride	ND	0.20	0.069	ppbv		ND	0.51	ug/m3
108-05-4	Vinyl Acetate	ND	0.20	0.11	ppbv		ND	0.70	ug/m3
	m,p-Xylene	ND	0.20	0.14	ppbv		ND	0.87	ug/m3
95-47-6	o-Xylene	ND	0.20	0.077	ppbv		ND	0.87	ug/m3
1330-20-7	Xylenes (total)	ND	0.20	0.077	ppbv		ND	0.87	ug/m3

Method Blank Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2710-MB	2W61028.D	1	08/24/22	TCH	n/a	n/a	V2W2710

The QC reported here applies to the following samples: **Method:** TO-15

V2W2710-SCC

CAS No.	Surrogate Recoveries		Limits
460-00-4	4-Bromofluorobenzene	97%	65-128%

Method Blank Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2714-MB	2W61144.D	1	08/30/22	WC	n/a	n/a	V2W2714

The QC reported here applies to the following samples: **Method:** TO-15

V2W2714-SCC

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
67-64-1	Acetone (2-Propanone)	ND	0.20	0.15	ppbv		ND	0.48	ug/m3
106-99-0	1,3-Butadiene	ND	0.20	0.084	ppbv		ND	0.44	ug/m3
71-43-2	Benzene	ND	0.20	0.062	ppbv		ND	0.64	ug/m3
75-27-4	Bromodichloromethane	ND	0.20	0.030	ppbv		ND	1.3	ug/m3
75-25-2	Bromoform	ND	0.20	0.071	ppbv		ND	2.1	ug/m3
74-83-9	Bromomethane	ND	0.20	0.069	ppbv		ND	0.78	ug/m3
593-60-2	Bromoethene	ND	0.20	0.061	ppbv		ND	0.87	ug/m3
100-44-7	Benzyl Chloride	ND	0.20	0.13	ppbv		ND	1.0	ug/m3
75-15-0	Carbon disulfide	ND	0.20	0.045	ppbv		ND	0.62	ug/m3
108-90-7	Chlorobenzene	ND	0.20	0.074	ppbv		ND	0.92	ug/m3
75-00-3	Chloroethane	ND	0.20	0.068	ppbv		ND	0.53	ug/m3
67-66-3	Chloroform	ND	0.20	0.037	ppbv		ND	0.98	ug/m3
74-87-3	Chloromethane	ND	0.20	0.090	ppbv		ND	0.41	ug/m3
107-05-1	3-Chloropropene	ND	0.20	0.083	ppbv		ND	0.63	ug/m3
95-49-8	2-Chlorotoluene	ND	0.20	0.072	ppbv		ND	1.0	ug/m3
56-23-5	Carbon tetrachloride	ND	0.20	0.040	ppbv		ND	1.3	ug/m3
110-82-7	Cyclohexane	ND	0.20	0.11	ppbv		ND	0.69	ug/m3
75-34-3	1,1-Dichloroethane	ND	0.20	0.057	ppbv		ND	0.81	ug/m3
75-35-4	1,1-Dichloroethylene	ND	0.20	0.059	ppbv		ND	0.79	ug/m3
106-93-4	1,2-Dibromoethane (EDB)	ND	0.20	0.097	ppbv		ND	1.5	ug/m3
107-06-2	1,2-Dichloroethane	ND	0.20	0.070	ppbv		ND	0.81	ug/m3
78-87-5	1,2-Dichloropropane	ND	0.20	0.062	ppbv		ND	0.92	ug/m3
123-91-1	1,4-Dioxane	ND	0.20	0.12	ppbv		ND	0.72	ug/m3
75-71-8	Dichlorodifluoromethane	ND	0.20	0.032	ppbv		ND	0.99	ug/m3
124-48-1	Dibromochloromethane	ND	0.20	0.052	ppbv		ND	1.7	ug/m3
156-60-5	trans-1,2-Dichloroethylene	ND	0.20	0.069	ppbv		ND	0.79	ug/m3
156-59-2	cis-1,2-Dichloroethylene	ND	0.20	0.077	ppbv		ND	0.79	ug/m3
10061-01-5	cis-1,3-Dichloropropene	ND	0.20	0.062	ppbv		ND	0.91	ug/m3
541-73-1	m-Dichlorobenzene	ND	0.20	0.040	ppbv		ND	1.2	ug/m3
95-50-1	o-Dichlorobenzene	ND	0.20	0.15	ppbv		ND	1.2	ug/m3
106-46-7	p-Dichlorobenzene	ND	0.20	0.19	ppbv		ND	1.2	ug/m3
10061-02-6	trans-1,3-Dichloropropene	ND	0.20	0.10	ppbv		ND	0.91	ug/m3
64-17-5	Ethanol	ND	0.50	0.39	ppbv		ND	0.94	ug/m3
100-41-4	Ethylbenzene	ND	0.20	0.061	ppbv		ND	0.87	ug/m3
141-78-6	Ethyl Acetate	ND	0.20	0.10	ppbv		ND	0.72	ug/m3
622-96-8	4-Ethyltoluene	ND	0.20	0.095	ppbv		ND	0.98	ug/m3

Method Blank Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2714-MB	2W61144.D	1	08/30/22	WC	n/a	n/a	V2W2714

The QC reported here applies to the following samples: **Method:** TO-15

V2W2714-SCC

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
76-13-1	Freon 113	ND	0.20	0.031	ppbv		ND	1.5	ug/m3
76-14-2	Freon 114	ND	0.20	0.050	ppbv		ND	1.4	ug/m3
142-82-5	Heptane	ND	0.20	0.092	ppbv		ND	0.82	ug/m3
87-68-3	Hexachlorobutadiene	ND	0.20	0.062	ppbv		ND	2.1	ug/m3
110-54-3	Hexane	ND	0.20	0.11	ppbv		ND	0.70	ug/m3
591-78-6	2-Hexanone	ND	0.20	0.15	ppbv		ND	0.82	ug/m3
67-63-0	Isopropyl Alcohol	ND	0.20	0.14	ppbv		ND	0.49	ug/m3
75-09-2	Methylene chloride	ND	0.20	0.056	ppbv		ND	0.69	ug/m3
78-93-3	Methyl ethyl ketone	ND	0.20	0.11	ppbv		ND	0.59	ug/m3
108-10-1	Methyl Isobutyl Ketone	ND	0.20	0.073	ppbv		ND	0.82	ug/m3
1634-04-4	Methyl Tert Butyl Ether	ND	0.20	0.080	ppbv		ND	0.72	ug/m3
80-62-6	Methylmethacrylate	ND	0.20	0.070	ppbv		ND	0.82	ug/m3
115-07-1	Propylene	ND	0.50	0.14	ppbv		ND	0.86	ug/m3
100-42-5	Styrene	ND	0.20	0.12	ppbv		ND	0.85	ug/m3
71-55-6	1,1,1-Trichloroethane	ND	0.20	0.037	ppbv		ND	1.1	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.20	0.048	ppbv		ND	1.4	ug/m3
79-00-5	1,1,2-Trichloroethane	ND	0.20	0.038	ppbv		ND	1.1	ug/m3
120-82-1	1,2,4-Trichlorobenzene	ND	0.20	0.12	ppbv		ND	1.5	ug/m3
95-63-6	1,2,4-Trimethylbenzene	ND	0.20	0.087	ppbv		ND	0.98	ug/m3
108-67-8	1,3,5-Trimethylbenzene	ND	0.20	0.080	ppbv		ND	0.98	ug/m3
540-84-1	2,2,4-Trimethylpentane	ND	0.20	0.095	ppbv		ND	0.93	ug/m3
75-65-0	Tertiary Butyl Alcohol	ND	0.20	0.093	ppbv		ND	0.61	ug/m3
127-18-4	Tetrachloroethylene	ND	0.040	0.014	ppbv		ND	0.27	ug/m3
109-99-9	Tetrahydrofuran	ND	0.20	0.090	ppbv		ND	0.59	ug/m3
108-88-3	Toluene	ND	0.20	0.057	ppbv		ND	0.75	ug/m3
79-01-6	Trichloroethylene	ND	0.040	0.019	ppbv		ND	0.21	ug/m3
75-69-4	Trichlorofluoromethane	ND	0.20	0.036	ppbv		ND	1.1	ug/m3
75-01-4	Vinyl chloride	ND	0.20	0.069	ppbv		ND	0.51	ug/m3
108-05-4	Vinyl Acetate	ND	0.20	0.11	ppbv		ND	0.70	ug/m3
	m,p-Xylene	ND	0.20	0.14	ppbv		ND	0.87	ug/m3
95-47-6	o-Xylene	ND	0.20	0.077	ppbv		ND	0.87	ug/m3
1330-20-7	Xylenes (total)	ND	0.20	0.077	ppbv		ND	0.87	ug/m3

Method Blank Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2714-MB	2W61144.D	1	08/30/22	WC	n/a	n/a	V2W2714

The QC reported here applies to the following samples: **Method:** TO-15

V2W2714-SCC

CAS No.	Surrogate Recoveries		Limits
460-00-4	4-Bromofluorobenzene	95%	65-128%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
124-38-9	Carbon dioxide	1.79	12	ppbv	JN
	Total TIC, Volatile		0	ppbv	

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2735-BS	2W61634.D	1	09/28/22	TCH	n/a	n/a	V2W2735
V2W2735-BSD	2W61635.D	1	09/28/22	TCH	n/a	n/a	V2W2735

The QC reported here applies to the following samples: **Method:** TO-15

JD52620-1, JD52620-2

CAS No.	Compound	Spike ppbv	BSP ppbv	BSP %	BSD ppbv	BSD %	RPD	Limits Rec/RPD
67-64-1	Acetone (2-Propanone)	10	8.3	83	8.1	81	2	70-130/30
106-99-0	1,3-Butadiene	10	9.2	92	9.4	94	2	70-130/30
71-43-2	Benzene	10	9.8	98	9.9	99	1	70-130/30
75-27-4	Bromodichloromethane	10	10.9	109	10.6	106	3	70-130/30
75-25-2	Bromoform	10	12.2	122	11.9	119	2	70-130/30
74-83-9	Bromomethane	10	10.1	101	10.1	101	0	70-130/30
593-60-2	Bromoethene	10	10.3	103	10.2	102	1	70-130/30
100-44-7	Benzyl Chloride	10	8.8	88	8.7	87	1	70-130/30
75-15-0	Carbon disulfide	10	11.8	118	11.6	116	2	70-130/30
108-90-7	Chlorobenzene	10	10.5	105	10.4	104	1	70-130/30
75-00-3	Chloroethane	10	11.1	111	11.0	110	1	70-130/30
67-66-3	Chloroform	10	10.2	102	10.1	101	1	70-130/30
74-87-3	Chloromethane	10	8.6	86	8.7	87	1	70-130/30
107-05-1	3-Chloropropene	10	10.7	107	10.8	108	1	70-130/30
95-49-8	2-Chlorotoluene	10	10.6	106	10.3	103	3	70-130/30
56-23-5	Carbon tetrachloride	10	9.6	96	9.8	98	2	70-130/30
110-82-7	Cyclohexane	10	10.4	104	10.2	102	2	70-130/30
75-34-3	1,1-Dichloroethane	10	10.8	108	10.5	105	3	70-130/30
75-35-4	1,1-Dichloroethylene	10	11.4	114	11.2	112	2	70-130/30
106-93-4	1,2-Dibromoethane (EDB)	10	10.4	104	10.2	102	2	70-130/30
107-06-2	1,2-Dichloroethane	10	10.2	102	10.2	102	0	70-130/30
78-87-5	1,2-Dichloropropane	10	10.9	109	10.6	106	3	70-130/30
123-91-1	1,4-Dioxane	10	11.3	113	11.2	112	1	70-130/30
75-71-8	Dichlorodifluoromethane	10	9.6	96	9.5	95	1	70-130/30
124-48-1	Dibromochloromethane	10	10.8	108	10.6	106	2	70-130/30
156-60-5	trans-1,2-Dichloroethylene	10	10.1	101	10.2	102	1	70-130/30
156-59-2	cis-1,2-Dichloroethylene	10	9.8	98	9.9	99	1	70-130/30
10061-01-5	cis-1,3-Dichloropropene	10	10.4	104	10.2	102	2	70-130/30
541-73-1	m-Dichlorobenzene	10	10.9	109	10.7	107	2	70-130/30
95-50-1	o-Dichlorobenzene	10	10.8	108	10.6	106	2	70-130/30
106-46-7	p-Dichlorobenzene	10	11.0	110	10.6	106	4	70-130/30
10061-02-6	trans-1,3-Dichloropropene	10	9.9	99	9.8	98	1	70-130/30
64-17-5	Ethanol	10	7.4	74	7.2	72	3	70-130/30
100-41-4	Ethylbenzene	10	10.8	108	10.7	107	1	70-130/30
141-78-6	Ethyl Acetate	10	10.4	104	10.7	107	3	70-130/30
622-96-8	4-Ethyltoluene	10	11.1	111	10.8	108	3	70-130/30

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2735-BS	2W61634.D	1	09/28/22	TCH	n/a	n/a	V2W2735
V2W2735-BSD	2W61635.D	1	09/28/22	TCH	n/a	n/a	V2W2735

The QC reported here applies to the following samples: **Method:** TO-15

JD52620-1, JD52620-2

CAS No.	Compound	Spike ppbv	BSP ppbv	BSP %	BSD ppbv	BSD %	RPD	Limits Rec/RPD
76-13-1	Freon 113	10	10.7	107	10.6	106	1	70-130/30
76-14-2	Freon 114	10	10	100	9.9	99	1	70-130/30
142-82-5	Heptane	10	8.7	87	8.6	86	1	70-130/30
87-68-3	Hexachlorobutadiene	10	10.6	106	10.6	106	0	70-130/30
110-54-3	Hexane	10	9.8	98	10	100	2	70-130/30
591-78-6	2-Hexanone	10	11.3	113	11.0	110	3	70-130/30
67-63-0	Isopropyl Alcohol	10	9.2	92	9.2	92	0	70-130/30
75-09-2	Methylene chloride	10	10	100	9.8	98	2	70-130/30
78-93-3	Methyl ethyl ketone	10	10.7	107	10.6	106	1	70-130/30
108-10-1	Methyl Isobutyl Ketone	10	12.0	120	11.8	118	2	70-130/30
1634-04-4	Methyl Tert Butyl Ether	10	8.9	89	8.9	89	0	70-130/30
80-62-6	Methylmethacrylate	10	11.0	110	10.8	108	2	70-130/30
115-07-1	Propylene	10	8.0	80	8.0	80	0	70-130/30
100-42-5	Styrene	10	11.7	117	11.4	114	3	70-130/30
71-55-6	1,1,1-Trichloroethane	10	9.5	95	9.7	97	2	70-130/30
79-34-5	1,1,2,2-Tetrachloroethane	10	11.5	115	11.3	113	2	70-130/30
79-00-5	1,1,2-Trichloroethane	10	10.5	105	10.3	103	2	70-130/30
120-82-1	1,2,4-Trichlorobenzene	10	11.1	111	11.2	112	1	70-130/30
95-63-6	1,2,4-Trimethylbenzene	10	11.1	111	10.8	108	3	70-130/30
108-67-8	1,3,5-Trimethylbenzene	10	11.0	110	10.7	107	3	70-130/30
540-84-1	2,2,4-Trimethylpentane	10	10.0	100	9.8	98	2	70-130/30
75-65-0	Tertiary Butyl Alcohol	10	9.6	96	9.7	97	1	70-130/30
127-18-4	Tetrachloroethylene	10	9.8	98	9.6	96	2	70-130/30
109-99-9	Tetrahydrofuran	10	10.4	104	10.8	108	4	70-130/30
108-88-3	Toluene	10	10.0	100	9.8	98	2	70-130/30
79-01-6	Trichloroethylene	10	10.7	107	10.5	105	2	70-130/30
75-69-4	Trichlorofluoromethane	10	10.5	105	10.3	103	2	70-130/30
75-01-4	Vinyl chloride	10	10.7	107	11.0	110	3	70-130/30
108-05-4	Vinyl Acetate	10	10.4	104	10.6	106	2	70-130/30
	m,p-Xylene	20	22.0	110	21.7	109	1	70-130/30
95-47-6	o-Xylene	10	11.0	110	10.8	108	2	70-130/30
1330-20-7	Xylenes (total)	30	33.0	110	32.5	108	2	70-130/30

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2735-BS	2W61634.D	1	09/28/22	TCH	n/a	n/a	V2W2735
V2W2735-BSD	2W61635.D	1	09/28/22	TCH	n/a	n/a	V2W2735

The QC reported here applies to the following samples: **Method:** TO-15

JD52620-1, JD52620-2

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
460-00-4	4-Bromofluorobenzene	112%	111%	65-128%

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2736-BS	2W61654.D	1	09/29/22	TCH	n/a	n/a	V2W2736
V2W2736-BSD	2W61655.D	1	09/29/22	TCH	n/a	n/a	V2W2736

The QC reported here applies to the following samples: **Method:** TO-15

JD52620-3, JD52620-4, JD52620-5, JD52620-6, JD52620-7, JD52620-8, JD52620-9, JD52620-10, JD52620-12, JD52620-13

CAS No.	Compound	Spike ppbv	BSP ppbv	BSP %	BSD ppbv	BSD %	RPD	Limits Rec/RPD
67-64-1	Acetone (2-Propanone)	10	9.0	90	8.6	86	5	70-130/30
106-99-0	1,3-Butadiene	10	10.1	101	9.7	97	4	70-130/30
71-43-2	Benzene	10	10.3	103	10.2	102	1	70-130/30
75-27-4	Bromodichloromethane	10	11.4	114	11.1	111	3	70-130/30
75-25-2	Bromoform	10	12.8	128	12.3	123	4	70-130/30
74-83-9	Bromomethane	10	10.6	106	10.4	104	2	70-130/30
593-60-2	Bromoethene	10	11.0	110	10.6	106	4	70-130/30
100-44-7	Benzyl Chloride	10	9.3	93	9.1	91	2	70-130/30
75-15-0	Carbon disulfide	10	12.6	126	12.2	122	3	70-130/30
108-90-7	Chlorobenzene	10	11.1	111	10.8	108	3	70-130/30
75-00-3	Chloroethane	10	11.7	117	11.6	116	1	70-130/30
67-66-3	Chloroform	10	10.8	108	10.5	105	3	70-130/30
74-87-3	Chloromethane	10	9.2	92	9.2	92	0	70-130/30
107-05-1	3-Chloropropene	10	11.3	113	11.1	111	2	70-130/30
95-49-8	2-Chlorotoluene	10	11.0	110	10.7	107	3	70-130/30
56-23-5	Carbon tetrachloride	10	10.2	102	10.0	100	2	70-130/30
110-82-7	Cyclohexane	10	10.8	108	10.6	106	2	70-130/30
75-34-3	1,1-Dichloroethane	10	11.3	113	11.0	110	3	70-130/30
75-35-4	1,1-Dichloroethylene	10	12.0	120	11.8	118	2	70-130/30
106-93-4	1,2-Dibromoethane (EDB)	10	10.8	108	10.7	107	1	70-130/30
107-06-2	1,2-Dichloroethane	10	10.8	108	10.7	107	1	70-130/30
78-87-5	1,2-Dichloropropane	10	11.3	113	11.2	112	1	70-130/30
123-91-1	1,4-Dioxane	10	11.6	116	11.6	116	0	70-130/30
75-71-8	Dichlorodifluoromethane	10	10.3	103	10.0	100	3	70-130/30
124-48-1	Dibromochloromethane	10	11.3	113	11.1	111	2	70-130/30
156-60-5	trans-1,2-Dichloroethylene	10	11.0	110	10.7	107	3	70-130/30
156-59-2	cis-1,2-Dichloroethylene	10	10.5	105	10.4	104	1	70-130/30
10061-01-5	cis-1,3-Dichloropropene	10	10.7	107	10.7	107	0	70-130/30
541-73-1	m-Dichlorobenzene	10	11.4	114	11.1	111	3	70-130/30
95-50-1	o-Dichlorobenzene	10	11.4	114	11.0	110	4	70-130/30
106-46-7	p-Dichlorobenzene	10	11.5	115	11.0	110	4	70-130/30
10061-02-6	trans-1,3-Dichloropropene	10	10.1	101	10.2	102	1	70-130/30
64-17-5	Ethanol	10	7.9	79	7.7	77	3	70-130/30
100-41-4	Ethylbenzene	10	11.4	114	11.0	110	4	70-130/30
141-78-6	Ethyl Acetate	10	11.4	114	11.1	111	3	70-130/30
622-96-8	4-Ethyltoluene	10	11.7	117	11.2	112	4	70-130/30

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2736-BS	2W61654.D	1	09/29/22	TCH	n/a	n/a	V2W2736
V2W2736-BSD	2W61655.D	1	09/29/22	TCH	n/a	n/a	V2W2736

The QC reported here applies to the following samples: **Method:** TO-15

JD52620-3, JD52620-4, JD52620-5, JD52620-6, JD52620-7, JD52620-8, JD52620-9, JD52620-10, JD52620-12, JD52620-13

CAS No.	Compound	Spike ppbv	BSP ppbv	BSP %	BSD ppbv	BSD %	RPD	Limits Rec/RPD
76-13-1	Freon 113	10	11.4	114	11.0	110	4	70-130/30
76-14-2	Freon 114	10	10.7	107	10.4	104	3	70-130/30
142-82-5	Heptane	10	9.2	92	8.9	89	3	70-130/30
87-68-3	Hexachlorobutadiene	10	11.6	116	11.0	110	5	70-130/30
110-54-3	Hexane	10	10.5	105	10.3	103	2	70-130/30
591-78-6	2-Hexanone	10	11.9	119	11.6	116	3	70-130/30
67-63-0	Isopropyl Alcohol	10	10.0	100	9.8	98	2	70-130/30
75-09-2	Methylene chloride	10	10.6	106	10.5	105	1	70-130/30
78-93-3	Methyl ethyl ketone	10	11.2	112	11.3	113	1	70-130/30
108-10-1	Methyl Isobutyl Ketone	10	12.7	127	12.4	124	2	70-130/30
1634-04-4	Methyl Tert Butyl Ether	10	9.4	94	9.2	92	2	70-130/30
80-62-6	Methylmethacrylate	10	11.6	116	11.3	113	3	70-130/30
115-07-1	Propylene	10	8.5	85	8.2	82	4	70-130/30
100-42-5	Styrene	10	12.2	122	11.8	118	3	70-130/30
71-55-6	1,1,1-Trichloroethane	10	10.2	102	10.0	100	2	70-130/30
79-34-5	1,1,2,2-Tetrachloroethane	10	12.2	122	11.6	116	5	70-130/30
79-00-5	1,1,2-Trichloroethane	10	11.0	110	10.9	109	1	70-130/30
120-82-1	1,2,4-Trichlorobenzene	10	12.0	120	11.3	113	6	70-130/30
95-63-6	1,2,4-Trimethylbenzene	10	11.6	116	11.2	112	4	70-130/30
108-67-8	1,3,5-Trimethylbenzene	10	11.6	116	11.2	112	4	70-130/30
540-84-1	2,2,4-Trimethylpentane	10	10.5	105	10.3	103	2	70-130/30
75-65-0	Tertiary Butyl Alcohol	10	10.1	101	10	100	1	70-130/30
127-18-4	Tetrachloroethylene	10	10.2	102	10.1	101	1	70-130/30
109-99-9	Tetrahydrofuran	10	10.9	109	10.9	109	0	70-130/30
108-88-3	Toluene	10	10.4	104	10.3	103	1	70-130/30
79-01-6	Trichloroethylene	10	11.4	114	11.0	110	4	70-130/30
75-69-4	Trichlorofluoromethane	10	11.2	112	11.0	110	2	70-130/30
75-01-4	Vinyl chloride	10	11.6	116	11.4	114	2	70-130/30
108-05-4	Vinyl Acetate	10	10.7	107	10.9	109	2	70-130/30
	m,p-Xylene	20	23.2	116	22.3	112	4	70-130/30
95-47-6	o-Xylene	10	11.5	115	11.1	111	4	70-130/30
1330-20-7	Xylenes (total)	30	34.7	116	33.4	111	4	70-130/30

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2736-BS	2W61654.D	1	09/29/22	TCH	n/a	n/a	V2W2736
V2W2736-BSD	2W61655.D	1	09/29/22	TCH	n/a	n/a	V2W2736

The QC reported here applies to the following samples: **Method:** TO-15

JD52620-3, JD52620-4, JD52620-5, JD52620-6, JD52620-7, JD52620-8, JD52620-9, JD52620-10, JD52620-12, JD52620-13

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
460-00-4	4-Bromofluorobenzene	111%	111%	65-128%

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V6W1111-BS	6W26138.D	1	09/29/22	TCH	n/a	n/a	V6W1111
V6W1111-BSD	6W26139.D	1	09/29/22	TCH	n/a	n/a	V6W1111

The QC reported here applies to the following samples: **Method:** TO-15

JD52620-3, JD52620-5, JD52620-6, JD52620-7, JD52620-8

CAS No.	Compound	Spike ppbv	BSP ppbv	BSP %	BSD ppbv	BSD %	RPD	Limits Rec/RPD
156-59-2	cis-1,2-Dichloroethylene	10	10.0	100	9.7	97	3	70-130/30
79-01-6	Trichloroethylene	10	10.2	102	10.5	105	3	70-130/30

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
460-00-4	4-Bromofluorobenzene	106%	108%	65-128%

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2737-BS	2W61686.D	1	09/30/22	TCH	n/a	n/a	V2W2737
V2W2737-BSD	2W61687.D	1	09/30/22	TCH	n/a	n/a	V2W2737

The QC reported here applies to the following samples: **Method:** TO-15

JD52620-9, JD52620-11

CAS No.	Compound	Spike ppbv	BSP ppbv	BSP %	BSD ppbv	BSD %	RPD	Limits Rec/RPD
67-64-1	Acetone (2-Propanone)	10	8.2	82	7.8	78	5	70-130/30
106-99-0	1,3-Butadiene	10	9.2	92	9.4	94	2	70-130/30
71-43-2	Benzene	10	9.7	97	9.5	95	2	70-130/30
75-27-4	Bromodichloromethane	10	10.7	107	10.4	104	3	70-130/30
75-25-2	Bromoform	10	11.8	118	11.6	116	2	70-130/30
74-83-9	Bromomethane	10	10.1	101	9.6	96	5	70-130/30
593-60-2	Bromoethene	10	10.2	102	10.1	101	1	70-130/30
100-44-7	Benzyl Chloride	10	8.8	88	8.5	85	3	70-130/30
75-15-0	Carbon disulfide	10	11.8	118	11.4	114	3	70-130/30
108-90-7	Chlorobenzene	10	10.5	105	10.1	101	4	70-130/30
75-00-3	Chloroethane	10	10.8	108	10.9	109	1	70-130/30
67-66-3	Chloroform	10	10.0	100	9.8	98	2	70-130/30
74-87-3	Chloromethane	10	8.7	87	8.7	87	0	70-130/30
107-05-1	3-Chloropropene	10	10.8	108	10.6	106	2	70-130/30
95-49-8	2-Chlorotoluene	10	10.4	104	10.3	103	1	70-130/30
56-23-5	Carbon tetrachloride	10	9.5	95	9.3	93	2	70-130/30
110-82-7	Cyclohexane	10	10.2	102	10.0	100	2	70-130/30
75-34-3	1,1-Dichloroethane	10	10.6	106	10.4	104	2	70-130/30
75-35-4	1,1-Dichloroethylene	10	11.4	114	11.0	110	4	70-130/30
106-93-4	1,2-Dibromoethane (EDB)	10	10.2	102	10.1	101	1	70-130/30
107-06-2	1,2-Dichloroethane	10	10.2	102	10.0	100	2	70-130/30
78-87-5	1,2-Dichloropropane	10	10.7	107	10.6	106	1	70-130/30
123-91-1	1,4-Dioxane	10	10.7	107	10.8	108	1	70-130/30
75-71-8	Dichlorodifluoromethane	10	9.6	96	9.4	94	2	70-130/30
124-48-1	Dibromochloromethane	10	10.5	105	10.3	103	2	70-130/30
156-60-5	trans-1,2-Dichloroethylene	10	10.1	101	9.9	99	2	70-130/30
156-59-2	cis-1,2-Dichloroethylene	10	9.9	99	9.6	96	3	70-130/30
10061-01-5	cis-1,3-Dichloropropene	10	10.2	102	9.9	99	3	70-130/30
541-73-1	m-Dichlorobenzene	10	11.0	110	10.6	106	4	70-130/30
95-50-1	o-Dichlorobenzene	10	10.9	109	10.5	105	4	70-130/30
106-46-7	p-Dichlorobenzene	10	10.9	109	10.5	105	4	70-130/30
10061-02-6	trans-1,3-Dichloropropene	10	9.7	97	9.5	95	2	70-130/30
64-17-5	Ethanol	10	7.2	72	7.3	73	1	70-130/30
100-41-4	Ethylbenzene	10	10.6	106	10.5	105	1	70-130/30
141-78-6	Ethyl Acetate	10	10.3	103	10.4	104	1	70-130/30
622-96-8	4-Ethyltoluene	10	10.9	109	10.7	107	2	70-130/30

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2737-BS	2W61686.D	1	09/30/22	TCH	n/a	n/a	V2W2737
V2W2737-BSD	2W61687.D	1	09/30/22	TCH	n/a	n/a	V2W2737

The QC reported here applies to the following samples: **Method:** TO-15

JD52620-9, JD52620-11

CAS No.	Compound	Spike ppbv	BSP ppbv	BSP %	BSD ppbv	BSD %	RPD	Limits Rec/RPD
76-13-1	Freon 113	10	10.7	107	10.3	103	4	70-130/30
76-14-2	Freon 114	10	9.9	99	9.7	97	2	70-130/30
142-82-5	Heptane	10	8.6	86	8.5	85	1	70-130/30
87-68-3	Hexachlorobutadiene	10	10.8	108	10.4	104	4	70-130/30
110-54-3	Hexane	10	9.8	98	9.7	97	1	70-130/30
591-78-6	2-Hexanone	10	11.0	110	10.9	109	1	70-130/30
67-63-0	Isopropyl Alcohol	10	9.0	90	8.8	88	2	70-130/30
75-09-2	Methylene chloride	10	9.9	99	9.8	98	1	70-130/30
78-93-3	Methyl ethyl ketone	10	10.7	107	10.4	104	3	70-130/30
108-10-1	Methyl Isobutyl Ketone	10	11.9	119	11.6	116	3	70-130/30
1634-04-4	Methyl Tert Butyl Ether	10	8.8	88	8.7	87	1	70-130/30
80-62-6	Methylmethacrylate	10	10.7	107	10.7	107	0	70-130/30
115-07-1	Propylene	10	8.0	80	8.0	80	0	70-130/30
100-42-5	Styrene	10	11.4	114	11.3	113	1	70-130/30
71-55-6	1,1,1-Trichloroethane	10	9.6	96	9.4	94	2	70-130/30
79-34-5	1,1,2,2-Tetrachloroethane	10	11.5	115	11.2	112	3	70-130/30
79-00-5	1,1,2-Trichloroethane	10	10.1	101	10.0	100	1	70-130/30
120-82-1	1,2,4-Trichlorobenzene	10	11.0	110	10.6	106	4	70-130/30
95-63-6	1,2,4-Trimethylbenzene	10	10.9	109	10.7	107	2	70-130/30
108-67-8	1,3,5-Trimethylbenzene	10	10.9	109	10.6	106	3	70-130/30
540-84-1	2,2,4-Trimethylpentane	10	9.9	99	9.7	97	2	70-130/30
75-65-0	Tertiary Butyl Alcohol	10	9.4	94	9.5	95	1	70-130/30
127-18-4	Tetrachloroethylene	10	9.5	95	9.4	94	1	70-130/30
109-99-9	Tetrahydrofuran	10	10.2	102	10.2	102	0	70-130/30
108-88-3	Toluene	10	9.7	97	9.5	95	2	70-130/30
79-01-6	Trichloroethylene	10	10.5	105	10.3	103	2	70-130/30
75-69-4	Trichlorofluoromethane	10	10.4	104	10.1	101	3	70-130/30
75-01-4	Vinyl chloride	10	10.8	108	10.6	106	2	70-130/30
108-05-4	Vinyl Acetate	10	10.3	103	10.2	102	1	70-130/30
	m,p-Xylene	20	21.7	109	21.1	106	3	70-130/30
95-47-6	o-Xylene	10	10.9	109	10.6	106	3	70-130/30
1330-20-7	Xylenes (total)	30	32.6	109	31.7	106	3	70-130/30

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2737-BS	2W61686.D	1	09/30/22	TCH	n/a	n/a	V2W2737
V2W2737-BSD	2W61687.D	1	09/30/22	TCH	n/a	n/a	V2W2737

The QC reported here applies to the following samples: **Method:** TO-15

JD52620-9, JD52620-11

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
460-00-4	4-Bromofluorobenzene	112%	112%	65-128%

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2637-BS	2W59299.D	1	05/14/22	TCH	n/a	n/a	V2W2637
V2W2637-BSD	2W59300.D	1	05/14/22	TCH	n/a	n/a	V2W2637

The QC reported here applies to the following samples: **Method:** TO-15

V2W2637-SCC

CAS No.	Compound	Spike ppbv	BSP ppbv	BSP %	BSD ppbv	BSD %	RPD	Limits Rec/RPD
67-64-1	Acetone (2-Propanone)	10	9.7	97	9.8	98	1	70-130/30
106-99-0	1,3-Butadiene	10	11.1	111	11.3	113	2	70-130/30
71-43-2	Benzene	10	11.4	114	11.4	114	0	70-130/30
75-27-4	Bromodichloromethane	10	11.7	117	11.7	117	0	70-130/30
75-25-2	Bromoform	10	12.2	122	12.6	126	3	70-130/30
74-83-9	Bromomethane	10	10.3	103	10.4	104	1	70-130/30
593-60-2	Bromoethene	10	10.7	107	10.7	107	0	70-130/30
100-44-7	Benzyl Chloride	10	10.4	104	10.8	108	4	70-130/30
75-15-0	Carbon disulfide	10	10.5	105	10.7	107	2	70-130/30
108-90-7	Chlorobenzene	10	10.6	106	10.9	109	3	70-130/30
75-00-3	Chloroethane	10	10.5	105	10.5	105	0	70-130/30
67-66-3	Chloroform	10	11.3	113	11.6	116	3	70-130/30
74-87-3	Chloromethane	10	10.2	102	10.3	103	1	70-130/30
107-05-1	3-Chloropropene	10	10.1	101	10.1	101	0	70-130/30
95-49-8	2-Chlorotoluene	10	11.2	112	11.6	116	4	70-130/30
56-23-5	Carbon tetrachloride	10	12.9	129	12.9	129	0	70-130/30
110-82-7	Cyclohexane	10	10.5	105	10.5	105	0	70-130/30
75-34-3	1,1-Dichloroethane	10	11.3	113	11.5	115	2	70-130/30
75-35-4	1,1-Dichloroethylene	10	10.6	106	10.8	108	2	70-130/30
106-93-4	1,2-Dibromoethane (EDB)	10	10.9	109	10.9	109	0	70-130/30
107-06-2	1,2-Dichloroethane	10	12.8	128	12.9	129	1	70-130/30
78-87-5	1,2-Dichloropropane	10	10.5	105	10.5	105	0	70-130/30
123-91-1	1,4-Dioxane	10	10.0	100	10.1	101	1	70-130/30
75-71-8	Dichlorodifluoromethane	10	10.7	107	10.5	105	2	70-130/30
124-48-1	Dibromochloromethane	10	11.5	115	11.6	116	1	70-130/30
156-60-5	trans-1,2-Dichloroethylene	10	10.2	102	10.5	105	3	70-130/30
156-59-2	cis-1,2-Dichloroethylene	10	10.4	104	10.7	107	3	70-130/30
10061-01-5	cis-1,3-Dichloropropene	10	10.5	105	10.5	105	0	70-130/30
541-73-1	m-Dichlorobenzene	10	11.9	119	12.2	122	2	70-130/30
95-50-1	o-Dichlorobenzene	10	12.2	122	12.6	126	3	70-130/30
106-46-7	p-Dichlorobenzene	10	11.4	114	11.8	118	3	70-130/30
10061-02-6	trans-1,3-Dichloropropene	10	10.4	104	10.4	104	0	70-130/30
64-17-5	Ethanol	10	10.9	109	11.0	110	1	70-130/30
100-41-4	Ethylbenzene	10	11.0	110	11.4	114	4	70-130/30
141-78-6	Ethyl Acetate	10	10.1	101	10.5	105	4	70-130/30
622-96-8	4-Ethyltoluene	10	12.1	121	12.4	124	2	70-130/30

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2637-BS	2W59299.D	1	05/14/22	TCH	n/a	n/a	V2W2637
V2W2637-BSD	2W59300.D	1	05/14/22	TCH	n/a	n/a	V2W2637

The QC reported here applies to the following samples: **Method:** TO-15

V2W2637-SCC

CAS No.	Compound	Spike ppbv	BSP ppbv	BSP %	BSD ppbv	BSD %	RPD	Limits Rec/RPD
76-13-1	Freon 113	10	11.1	111	11.3	113	2	70-130/30
76-14-2	Freon 114	10	11.3	113	11.5	115	2	70-130/30
142-82-5	Heptane	10	12.2	122	12.3	123	1	70-130/30
87-68-3	Hexachlorobutadiene	10	13.5	135* [a]	13.6	136* [a]	1	70-130/30
110-54-3	Hexane	10	10.7	107	11.0	110	3	70-130/30
591-78-6	2-Hexanone	10	10.7	107	10.8	108	1	70-130/30
67-63-0	Isopropyl Alcohol	10	11.1	111	11.2	112	1	70-130/30
75-09-2	Methylene chloride	10	8.6	86	8.9	89	3	70-130/30
78-93-3	Methyl ethyl ketone	10	9.8	98	10.1	101	3	70-130/30
108-10-1	Methyl Isobutyl Ketone	10	10.9	109	11.1	111	2	70-130/30
1634-04-4	Methyl Tert Butyl Ether	10	11.0	110	11.1	111	1	70-130/30
80-62-6	Methylmethacrylate	10	10.2	102	10.3	103	1	70-130/30
115-07-1	Propylene	10	11.6	116	11.6	116	0	70-130/30
100-42-5	Styrene	10	10.9	109	11.2	112	3	70-130/30
71-55-6	1,1,1-Trichloroethane	10	12.0	120	12.3	123	2	70-130/30
79-34-5	1,1,2,2-Tetrachloroethane	10	11.8	118	12.2	122	3	70-130/30
79-00-5	1,1,2-Trichloroethane	10	10.8	108	11.0	110	2	70-130/30
120-82-1	1,2,4-Trichlorobenzene	10	10.1	101	10.4	104	3	70-130/30
95-63-6	1,2,4-Trimethylbenzene	10	12.5	125	13.0	130	4	70-130/30
108-67-8	1,3,5-Trimethylbenzene	10	12.4	124	12.7	127	2	70-130/30
540-84-1	2,2,4-Trimethylpentane	10	11.3	113	11.4	114	1	70-130/30
75-65-0	Tertiary Butyl Alcohol	10	12.0	120	12.2	122	2	70-130/30
127-18-4	Tetrachloroethylene	10	11.6	116	11.7	117	1	70-130/30
109-99-9	Tetrahydrofuran	10	9.9	99	9.9	99	0	70-130/30
108-88-3	Toluene	10	10.7	107	10.7	107	0	70-130/30
79-01-6	Trichloroethylene	10	11.1	111	11.3	113	2	70-130/30
75-69-4	Trichlorofluoromethane	10	12.5	125	12.7	127	2	70-130/30
75-01-4	Vinyl chloride	10	10.7	107	10.7	107	0	70-130/30
108-05-4	Vinyl Acetate	10	10.8	108	11.2	112	4	70-130/30
	m,p-Xylene	20	23.4	117	24.0	120	3	70-130/30
95-47-6	o-Xylene	10	11.8	118	12.1	121	3	70-130/30
1330-20-7	Xylenes (total)	30	35.2	117	36.2	121	3	70-130/30

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2637-BS	2W59299.D	1	05/14/22	TCH	n/a	n/a	V2W2637
V2W2637-BSD	2W59300.D	1	05/14/22	TCH	n/a	n/a	V2W2637

The QC reported here applies to the following samples: **Method:** TO-15

V2W2637-SCC

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
460-00-4	4-Bromofluorobenzene	109%	109%	65-128%

(a) High percent recovery and no associated positive reported in the QC batch.

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2710-BS	2W61025.D	1	08/24/22	TCH	n/a	n/a	V2W2710
V2W2710-BSD	2W61026.D	1	08/24/22	TCH	n/a	n/a	V2W2710

The QC reported here applies to the following samples: **Method:** TO-15

V2W2710-SCC

CAS No.	Compound	Spike ppbv	BSP ppbv	BSP %	BSD ppbv	BSD %	RPD	Limits Rec/RPD
67-64-1	Acetone (2-Propanone)	10	8.0	80	7.6	76	5	70-130/30
106-99-0	1,3-Butadiene	10	9.6	96	9.4	94	2	70-130/30
71-43-2	Benzene	10	9.9	99	9.7	97	2	70-130/30
75-27-4	Bromodichloromethane	10	10.5	105	10.2	102	3	70-130/30
75-25-2	Bromoform	10	11.7	117	11.3	113	3	70-130/30
74-83-9	Bromomethane	10	9.9	99	9.8	98	1	70-130/30
593-60-2	Bromoethene	10	10.4	104	10.2	102	2	70-130/30
100-44-7	Benzyl Chloride	10	11.1	111	10.6	106	5	70-130/30
75-15-0	Carbon disulfide	10	9.9	99	9.8	98	1	70-130/30
108-90-7	Chlorobenzene	10	10.3	103	10.0	100	3	70-130/30
75-00-3	Chloroethane	10	10.0	100	9.8	98	2	70-130/30
67-66-3	Chloroform	10	9.9	99	9.8	98	1	70-130/30
74-87-3	Chloromethane	10	9.0	90	9.0	90	0	70-130/30
107-05-1	3-Chloropropene	10	9.6	96	9.4	94	2	70-130/30
95-49-8	2-Chlorotoluene	10	10.6	106	10.3	103	3	70-130/30
56-23-5	Carbon tetrachloride	10	10.5	105	10.3	103	2	70-130/30
110-82-7	Cyclohexane	10	10.1	101	9.8	98	3	70-130/30
75-34-3	1,1-Dichloroethane	10	9.8	98	9.7	97	1	70-130/30
75-35-4	1,1-Dichloroethylene	10	9.8	98	9.9	99	1	70-130/30
106-93-4	1,2-Dibromoethane (EDB)	10	10.7	107	10.4	104	3	70-130/30
107-06-2	1,2-Dichloroethane	10	9.7	97	9.6	96	1	70-130/30
78-87-5	1,2-Dichloropropane	10	9.8	98	9.6	96	2	70-130/30
123-91-1	1,4-Dioxane	10	10.3	103	10.1	101	2	70-130/30
75-71-8	Dichlorodifluoromethane	10	10.1	101	9.9	99	2	70-130/30
124-48-1	Dibromochloromethane	10	11.3	113	11.0	110	3	70-130/30
156-60-5	trans-1,2-Dichloroethylene	10	10.2	102	10.0	100	2	70-130/30
156-59-2	cis-1,2-Dichloroethylene	10	10.1	101	9.9	99	2	70-130/30
10061-01-5	cis-1,3-Dichloropropene	10	10.9	109	10.5	105	4	70-130/30
541-73-1	m-Dichlorobenzene	10	10.6	106	10.3	103	3	70-130/30
95-50-1	o-Dichlorobenzene	10	10.3	103	10	100	3	70-130/30
106-46-7	p-Dichlorobenzene	10	10.5	105	10.3	103	2	70-130/30
10061-02-6	trans-1,3-Dichloropropene	10	11.1	111	10.7	107	4	70-130/30
64-17-5	Ethanol	10	7.8	78	7.5	75	4	70-130/30
100-41-4	Ethylbenzene	10	10.4	104	10.2	102	2	70-130/30
141-78-6	Ethyl Acetate	10	9.8	98	9.8	98	0	70-130/30
622-96-8	4-Ethyltoluene	10	10.8	108	10.4	104	4	70-130/30

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2710-BS	2W61025.D	1	08/24/22	TCH	n/a	n/a	V2W2710
V2W2710-BSD	2W61026.D	1	08/24/22	TCH	n/a	n/a	V2W2710

The QC reported here applies to the following samples: **Method:** TO-15

V2W2710-SCC

CAS No.	Compound	Spike ppbv	BSP ppbv	BSP %	BSD ppbv	BSD %	RPD	Limits Rec/RPD
76-13-1	Freon 113	10	10.1	101	9.9	99	2	70-130/30
76-14-2	Freon 114	10	10	100	9.8	98	2	70-130/30
142-82-5	Heptane	10	9.4	94	9.1	91	3	70-130/30
87-68-3	Hexachlorobutadiene	10	9.5	95	9.3	93	2	70-130/30
110-54-3	Hexane	10	9.5	95	9.4	94	1	70-130/30
591-78-6	2-Hexanone	10	9.5	95	9.3	93	2	70-130/30
67-63-0	Isopropyl Alcohol	10	8.8	88	8.5	85	3	70-130/30
75-09-2	Methylene chloride	10	8.2	82	8.1	81	1	70-130/30
78-93-3	Methyl ethyl ketone	10	10.7	107	10.5	105	2	70-130/30
108-10-1	Methyl Isobutyl Ketone	10	10.9	109	10.5	105	4	70-130/30
1634-04-4	Methyl Tert Butyl Ether	10	10.1	101	9.9	99	2	70-130/30
80-62-6	Methylmethacrylate	10	10.8	108	10.5	105	3	70-130/30
115-07-1	Propylene	10	9.3	93	8.9	89	4	70-130/30
100-42-5	Styrene	10	11.1	111	10.8	108	3	70-130/30
71-55-6	1,1,1-Trichloroethane	10	10.1	101	10.0	100	1	70-130/30
79-34-5	1,1,2,2-Tetrachloroethane	10	10.3	103	10	100	3	70-130/30
79-00-5	1,1,2-Trichloroethane	10	10.2	102	9.9	99	3	70-130/30
120-82-1	1,2,4-Trichlorobenzene	10	10.5	105	10.4	104	1	70-130/30
95-63-6	1,2,4-Trimethylbenzene	10	10.4	104	10.1	101	3	70-130/30
108-67-8	1,3,5-Trimethylbenzene	10	10.6	106	10.3	103	3	70-130/30
540-84-1	2,2,4-Trimethylpentane	10	9.5	95	9.3	93	2	70-130/30
75-65-0	Tertiary Butyl Alcohol	10	9.5	95	9.4	94	1	70-130/30
127-18-4	Tetrachloroethylene	10	10.3	103	10.0	100	3	70-130/30
109-99-9	Tetrahydrofuran	10	10.5	105	10.5	105	0	70-130/30
108-88-3	Toluene	10	10.2	102	10	100	2	70-130/30
79-01-6	Trichloroethylene	10	10.7	107	10.4	104	3	70-130/30
75-69-4	Trichlorofluoromethane	10	10.1	101	9.8	98	3	70-130/30
75-01-4	Vinyl chloride	10	9.8	98	9.6	96	2	70-130/30
108-05-4	Vinyl Acetate	10	10.9	109	10.8	108	1	70-130/30
	m,p-Xylene	20	20.8	104	20.3	102	2	70-130/30
95-47-6	o-Xylene	10	10.3	103	10.2	102	1	70-130/30
1330-20-7	Xylenes (total)	30	31.1	104	30.5	102	2	70-130/30

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2710-BS	2W61025.D	1	08/24/22	TCH	n/a	n/a	V2W2710
V2W2710-BSD	2W61026.D	1	08/24/22	TCH	n/a	n/a	V2W2710

The QC reported here applies to the following samples: **Method:** TO-15

V2W2710-SCC

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
460-00-4	4-Bromofluorobenzene	99%	100%	65-128%

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2714-BS	2W61141.D	1	08/30/22	WC	n/a	n/a	V2W2714
V2W2714-BSD	2W61142.D	1	08/30/22	WC	n/a	n/a	V2W2714

The QC reported here applies to the following samples: **Method:** TO-15

V2W2714-SCC

CAS No.	Compound	Spike ppbv	BSP ppbv	BSP %	BSD ppbv	BSD %	RPD	Limits Rec/RPD
67-64-1	Acetone (2-Propanone)	10	8.9	89	8.5	85	5	70-130/30
106-99-0	1,3-Butadiene	10	10.2	102	9.7	97	5	70-130/30
71-43-2	Benzene	10	9.5	95	9.3	93	2	70-130/30
75-27-4	Bromodichloromethane	10	10.0	100	10.0	100	0	70-130/30
75-25-2	Bromoform	10	10.2	102	10.0	100	2	70-130/30
74-83-9	Bromomethane	10	9.8	98	9.5	95	3	70-130/30
593-60-2	Bromoethene	10	10.2	102	9.9	99	3	70-130/30
100-44-7	Benzyl Chloride	10	7.9	79	7.7	77	3	70-130/30
75-15-0	Carbon disulfide	10	10.3	103	9.9	99	4	70-130/30
108-90-7	Chlorobenzene	10	9.8	98	9.7	97	1	70-130/30
75-00-3	Chloroethane	10	10.5	105	10.3	103	2	70-130/30
67-66-3	Chloroform	10	9.7	97	9.5	95	2	70-130/30
74-87-3	Chloromethane	10	9.4	94	8.9	89	5	70-130/30
107-05-1	3-Chloropropene	10	9.8	98	9.4	94	4	70-130/30
95-49-8	2-Chlorotoluene	10	10.1	101	10	100	1	70-130/30
56-23-5	Carbon tetrachloride	10	9.7	97	9.5	95	2	70-130/30
110-82-7	Cyclohexane	10	9.6	96	9.5	95	1	70-130/30
75-34-3	1,1-Dichloroethane	10	10.4	104	10.0	100	4	70-130/30
75-35-4	1,1-Dichloroethylene	10	10.4	104	10.0	100	4	70-130/30
106-93-4	1,2-Dibromoethane (EDB)	10	10.0	100	10.0	100	0	70-130/30
107-06-2	1,2-Dichloroethane	10	10.3	103	9.9	99	4	70-130/30
78-87-5	1,2-Dichloropropane	10	10.2	102	10.2	102	0	70-130/30
123-91-1	1,4-Dioxane	10	9.4	94	9.7	97	3	70-130/30
75-71-8	Dichlorodifluoromethane	10	9.9	99	9.5	95	4	70-130/30
124-48-1	Dibromochloromethane	10	10.7	107	10.6	106	1	70-130/30
156-60-5	trans-1,2-Dichloroethylene	10	9.8	98	9.4	94	4	70-130/30
156-59-2	cis-1,2-Dichloroethylene	10	9.8	98	9.3	93	5	70-130/30
10061-01-5	cis-1,3-Dichloropropene	10	9.7	97	9.7	97	0	70-130/30
541-73-1	m-Dichlorobenzene	10	9.8	98	9.5	95	3	70-130/30
95-50-1	o-Dichlorobenzene	10	9.5	95	9.3	93	2	70-130/30
106-46-7	p-Dichlorobenzene	10	9.8	98	9.4	94	4	70-130/30
10061-02-6	trans-1,3-Dichloropropene	10	9.4	94	9.4	94	0	70-130/30
64-17-5	Ethanol	10	7.6	76	7.5	75	1	70-130/30
100-41-4	Ethylbenzene	10	10	100	9.8	98	2	70-130/30
141-78-6	Ethyl Acetate	10	10.5	105	10.1	101	4	70-130/30
622-96-8	4-Ethyltoluene	10	10.4	104	10.2	102	2	70-130/30

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2714-BS	2W61141.D	1	08/30/22	WC	n/a	n/a	V2W2714
V2W2714-BSD	2W61142.D	1	08/30/22	WC	n/a	n/a	V2W2714

The QC reported here applies to the following samples: **Method:** TO-15

V2W2714-SCC

CAS No.	Compound	Spike ppbv	BSP ppbv	BSP %	BSD ppbv	BSD %	RPD	Limits Rec/RPD
76-13-1	Freon 113	10	9.8	98	9.3	93	5	70-130/30
76-14-2	Freon 114	10	9.9	99	9.5	95	4	70-130/30
142-82-5	Heptane	10	9.1	91	9.2	92	1	70-130/30
87-68-3	Hexachlorobutadiene	10	8.6	86	8.3	83	4	70-130/30
110-54-3	Hexane	10	10.2	102	10	100	2	70-130/30
591-78-6	2-Hexanone	10	9.6	96	9.6	96	0	70-130/30
67-63-0	Isopropyl Alcohol	10	9.3	93	9.1	91	2	70-130/30
75-09-2	Methylene chloride	10	8.7	87	8.3	83	5	70-130/30
78-93-3	Methyl ethyl ketone	10	10.1	101	9.8	98	3	70-130/30
108-10-1	Methyl Isobutyl Ketone	10	11.3	113	11.4	114	1	70-130/30
1634-04-4	Methyl Tert Butyl Ether	10	9.1	91	8.8	88	3	70-130/30
80-62-6	Methylmethacrylate	10	10.2	102	10.1	101	1	70-130/30
115-07-1	Propylene	10	8.6	86	8.4	84	2	70-130/30
100-42-5	Styrene	10	10.6	106	10.4	104	2	70-130/30
71-55-6	1,1,1-Trichloroethane	10	9.6	96	9.4	94	2	70-130/30
79-34-5	1,1,2,2-Tetrachloroethane	10	10.0	100	9.8	98	2	70-130/30
79-00-5	1,1,2-Trichloroethane	10	9.7	97	9.7	97	0	70-130/30
120-82-1	1,2,4-Trichlorobenzene	10	9.6	96	9.1	91	5	70-130/30
95-63-6	1,2,4-Trimethylbenzene	10	10.3	103	9.9	99	4	70-130/30
108-67-8	1,3,5-Trimethylbenzene	10	10.4	104	10.1	101	3	70-130/30
540-84-1	2,2,4-Trimethylpentane	10	9.9	99	9.9	99	0	70-130/30
75-65-0	Tertiary Butyl Alcohol	10	10.2	102	9.9	99	3	70-130/30
127-18-4	Tetrachloroethylene	10	9.2	92	9.2	92	0	70-130/30
109-99-9	Tetrahydrofuran	10	10.1	101	10	100	1	70-130/30
108-88-3	Toluene	10	9.7	97	9.7	97	0	70-130/30
79-01-6	Trichloroethylene	10	10.2	102	10.2	102	0	70-130/30
75-69-4	Trichlorofluoromethane	10	10.3	103	9.8	98	5	70-130/30
75-01-4	Vinyl chloride	10	10.5	105	10.3	103	2	70-130/30
108-05-4	Vinyl Acetate	10	9.7	97	9.7	97	0	70-130/30
	m,p-Xylene	20	20.1	101	19.9	100	1	70-130/30
95-47-6	o-Xylene	10	10.0	100	9.9	99	1	70-130/30
1330-20-7	Xylenes (total)	30	30.2	101	29.8	99	1	70-130/30

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2714-BS	2W61141.D	1	08/30/22	WC	n/a	n/a	V2W2714
V2W2714-BSD	2W61142.D	1	08/30/22	WC	n/a	n/a	V2W2714

The QC reported here applies to the following samples: **Method:** TO-15

V2W2714-SCC

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
460-00-4	4-Bromofluorobenzene	101%	99%	65-128%

* = Outside of Control Limits.

Duplicate Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52482-2DUP	2W61640.D	1	09/28/22	TCH	n/a	n/a	V2W2735
JD52482-2	2W61639.D	1	09/28/22	TCH	n/a	n/a	V2W2735

The QC reported here applies to the following samples: **Method:** TO-15

JD52620-1, JD52620-2

CAS No.	Compound	JD52482-2 ppbv	Q	DUP ppbv	Q	RPD	Limits
67-64-1	Acetone (2-Propanone)	2.5		2.5		0	25
106-99-0	1,3-Butadiene	ND		ND		nc	25
71-43-2	Benzene	ND		ND		nc	25
75-27-4	Bromodichloromethane	ND		ND		nc	25
75-25-2	Bromoform	ND		ND		nc	25
74-83-9	Bromomethane	ND		ND		nc	25
593-60-2	Bromoethene	ND		ND		nc	25
100-44-7	Benzyl Chloride	ND		ND		nc	25
75-15-0	Carbon disulfide	ND		ND		nc	25
108-90-7	Chlorobenzene	ND		ND		nc	25
75-00-3	Chloroethane	ND		ND		nc	25
67-66-3	Chloroform	ND		ND		nc	25
74-87-3	Chloromethane	ND		ND		nc	25
107-05-1	3-Chloropropene	ND		ND		nc	25
95-49-8	2-Chlorotoluene	ND		ND		nc	25
56-23-5	Carbon tetrachloride	ND		ND		nc	25
110-82-7	Cyclohexane	ND		ND		nc	25
75-34-3	1,1-Dichloroethane	ND		ND		nc	25
75-35-4	1,1-Dichloroethylene	ND		ND		nc	25
106-93-4	1,2-Dibromoethane (EDB)	ND		ND		nc	25
107-06-2	1,2-Dichloroethane	ND		ND		nc	25
78-87-5	1,2-Dichloropropane	ND		ND		nc	25
123-91-1	1,4-Dioxane	ND		ND		nc	25
75-71-8	Dichlorodifluoromethane	0.38	J	0.38	J	0	25
124-48-1	Dibromochloromethane	ND		ND		nc	25
156-60-5	trans-1,2-Dichloroethylene	ND		ND		nc	25
156-59-2	cis-1,2-Dichloroethylene	ND		ND		nc	25
10061-01-5	cis-1,3-Dichloropropene	ND		ND		nc	25
541-73-1	m-Dichlorobenzene	ND		ND		nc	25
95-50-1	o-Dichlorobenzene	ND		ND		nc	25
106-46-7	p-Dichlorobenzene	ND		ND		nc	25
10061-02-6	trans-1,3-Dichloropropene	ND		ND		nc	25
64-17-5	Ethanol	3.2		3.4		6	25
100-41-4	Ethylbenzene	ND		ND		nc	25
141-78-6	Ethyl Acetate	17.2		17.7		3	25
622-96-8	4-Ethyltoluene	ND		ND		nc	25

* = Outside of Control Limits.

Duplicate Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52482-2DUP	2W61640.D	1	09/28/22	TCH	n/a	n/a	V2W2735
JD52482-2	2W61639.D	1	09/28/22	TCH	n/a	n/a	V2W2735

The QC reported here applies to the following samples: **Method:** TO-15

JD52620-1, JD52620-2

CAS No.	Compound	JD52482-2 ppbv	Q	DUP ppbv	Q	RPD	Limits
76-13-1	Freon 113	ND		ND		nc	25
76-14-2	Freon 114	ND		ND		nc	25
142-82-5	Heptane	ND		ND		nc	25
87-68-3	Hexachlorobutadiene	ND		ND		nc	25
110-54-3	Hexane	ND		ND		nc	25
591-78-6	2-Hexanone	ND		ND		nc	25
67-63-0	Isopropyl Alcohol	0.90		0.87		3	25
75-09-2	Methylene chloride	0.99		1.0		1	25
78-93-3	Methyl ethyl ketone	ND		ND		nc	25
108-10-1	Methyl Isobutyl Ketone	ND		ND		nc	25
1634-04-4	Methyl Tert Butyl Ether	ND		ND		nc	25
80-62-6	Methylmethacrylate	ND		ND		nc	25
115-07-1	Propylene	3.0		3.0		0	25
100-42-5	Styrene	ND		ND		nc	25
71-55-6	1,1,1-Trichloroethane	ND		ND		nc	25
79-34-5	1,1,2,2-Tetrachloroethane	ND		ND		nc	25
79-00-5	1,1,2-Trichloroethane	ND		ND		nc	25
120-82-1	1,2,4-Trichlorobenzene	ND		ND		nc	25
95-63-6	1,2,4-Trimethylbenzene	ND		ND		nc	25
108-67-8	1,3,5-Trimethylbenzene	ND		ND		nc	25
540-84-1	2,2,4-Trimethylpentane	ND		ND		nc	25
75-65-0	Tertiary Butyl Alcohol	ND		ND		nc	25
127-18-4	Tetrachloroethylene	ND		ND		nc	25
109-99-9	Tetrahydrofuran	ND		ND		nc	25
108-88-3	Toluene	3.1		3.0		3	25
79-01-6	Trichloroethylene	ND		ND		nc	25
75-69-4	Trichlorofluoromethane	ND		ND		nc	25
75-01-4	Vinyl chloride	ND		ND		nc	25
108-05-4	Vinyl Acetate	ND		ND		nc	25
	m,p-Xylene	ND		ND		nc	25
95-47-6	o-Xylene	ND		ND		nc	25
1330-20-7	Xylenes (total)	ND		ND		nc	25

* = Outside of Control Limits.

Duplicate Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52482-2DUP	2W61640.D	1	09/28/22	TCH	n/a	n/a	V2W2735
JD52482-2	2W61639.D	1	09/28/22	TCH	n/a	n/a	V2W2735

The QC reported here applies to the following samples: **Method:** TO-15

JD52620-1, JD52620-2

CAS No.	Surrogate Recoveries	DUP	JD52482-2	Limits
460-00-4	4-Bromofluorobenzene	107%	106%	65-128%

* = Outside of Control Limits.

Duplicate Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52620-8DUP	2W61665.D	1	09/29/22	TCH	n/a	n/a	V2W2736
JD52620-8	2W61664.D	1	09/29/22	TCH	n/a	n/a	V2W2736

The QC reported here applies to the following samples: **Method:** TO-15

JD52620-3, JD52620-4, JD52620-5, JD52620-6, JD52620-7, JD52620-8, JD52620-9, JD52620-10, JD52620-12, JD52620-13

CAS No.	Compound	JD52620-8 ppbv	Q	DUP ppbv	Q	RPD	Limits
67-64-1	Acetone (2-Propanone)	4.3		4.8		11	25
106-99-0	1,3-Butadiene	ND		ND		nc	25
71-43-2	Benzene	ND		ND		nc	25
75-27-4	Bromodichloromethane	ND		ND		nc	25
75-25-2	Bromoform	ND		ND		nc	25
74-83-9	Bromomethane	ND		ND		nc	25
593-60-2	Bromoethene	ND		ND		nc	25
100-44-7	Benzyl Chloride	ND		ND		nc	25
75-15-0	Carbon disulfide	ND		ND		nc	25
108-90-7	Chlorobenzene	ND		ND		nc	25
75-00-3	Chloroethane	ND		ND		nc	25
67-66-3	Chloroform	ND		ND		nc	25
74-87-3	Chloromethane	ND		ND		nc	25
107-05-1	3-Chloropropene	ND		ND		nc	25
95-49-8	2-Chlorotoluene	ND		ND		nc	25
56-23-5	Carbon tetrachloride	ND		ND		nc	25
110-82-7	Cyclohexane	ND		ND		nc	25
75-34-3	1,1-Dichloroethane	ND		ND		nc	25
75-35-4	1,1-Dichloroethylene	0.66		0.71	J	7	25
106-93-4	1,2-Dibromoethane (EDB)	ND		ND		nc	25
107-06-2	1,2-Dichloroethane	ND		ND		nc	25
78-87-5	1,2-Dichloropropane	ND		ND		nc	25
123-91-1	1,4-Dioxane	ND		ND		nc	25
75-71-8	Dichlorodifluoromethane	0.39	J	0.42	J	7	25
124-48-1	Dibromochloromethane	ND		ND		nc	25
156-60-5	trans-1,2-Dichloroethylene	2.3		2.4		4	25
156-59-2	cis-1,2-Dichloroethylene	349	E	366	E	5	25
10061-01-5	cis-1,3-Dichloropropene	ND		ND		nc	25
541-73-1	m-Dichlorobenzene	ND		ND		nc	25
95-50-1	o-Dichlorobenzene	ND		ND		nc	25
106-46-7	p-Dichlorobenzene	ND		ND		nc	25
10061-02-6	trans-1,3-Dichloropropene	ND		ND		nc	25
64-17-5	Ethanol	3.1		3.3		6	25
100-41-4	Ethylbenzene	ND		ND		nc	25
141-78-6	Ethyl Acetate	67.4		72.3		7	25
622-96-8	4-Ethyltoluene	ND		ND		nc	25

* = Outside of Control Limits.

Duplicate Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52620-8DUP	2W61665.D	1	09/29/22	TCH	n/a	n/a	V2W2736
JD52620-8	2W61664.D	1	09/29/22	TCH	n/a	n/a	V2W2736

The QC reported here applies to the following samples: **Method:** TO-15

JD52620-3, JD52620-4, JD52620-5, JD52620-6, JD52620-7, JD52620-8, JD52620-9, JD52620-10, JD52620-12, JD52620-13

CAS No.	Compound	JD52620-8 ppbv	Q	DUP ppbv	Q	RPD	Limits
76-13-1	Freon 113	ND		ND		nc	25
76-14-2	Freon 114	ND		ND		nc	25
142-82-5	Heptane	ND		ND		nc	25
87-68-3	Hexachlorobutadiene	ND		ND		nc	25
110-54-3	Hexane	ND		ND		nc	25
591-78-6	2-Hexanone	ND		ND		nc	25
67-63-0	Isopropyl Alcohol	0.86		0.89		3	25
75-09-2	Methylene chloride	ND		ND		nc	25
78-93-3	Methyl ethyl ketone	0.57	J	0.49	J	15	25
108-10-1	Methyl Isobutyl Ketone	ND		ND		nc	25
1634-04-4	Methyl Tert Butyl Ether	ND		ND		nc	25
80-62-6	Methylmethacrylate	ND		ND		nc	25
115-07-1	Propylene	ND		ND		nc	25
100-42-5	Styrene	ND		ND		nc	25
71-55-6	1,1,1-Trichloroethane	ND		ND		nc	25
79-34-5	1,1,2,2-Tetrachloroethane	ND		ND		nc	25
79-00-5	1,1,2-Trichloroethane	ND		ND		nc	25
120-82-1	1,2,4-Trichlorobenzene	ND		ND		nc	25
95-63-6	1,2,4-Trimethylbenzene	ND		ND		nc	25
108-67-8	1,3,5-Trimethylbenzene	ND		ND		nc	25
540-84-1	2,2,4-Trimethylpentane	ND		ND		nc	25
75-65-0	Tertiary Butyl Alcohol	ND		ND		nc	25
127-18-4	Tetrachloroethylene	ND		ND		nc	25
109-99-9	Tetrahydrofuran	ND		ND		nc	25
108-88-3	Toluene	1.7		1.7		0	25
79-01-6	Trichloroethylene	85.7		87.5		2	25
75-69-4	Trichlorofluoromethane	ND		ND		nc	25
75-01-4	Vinyl chloride	22.1		23.0		4	25
108-05-4	Vinyl Acetate	0.83		0.89		7	25
	m,p-Xylene	ND		ND		nc	25
95-47-6	o-Xylene	ND		ND		nc	25
1330-20-7	Xylenes (total)	ND		ND		nc	25

* = Outside of Control Limits.

Duplicate Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52620-8DUP	2W61665.D	1	09/29/22	TCH	n/a	n/a	V2W2736
JD52620-8	2W61664.D	1	09/29/22	TCH	n/a	n/a	V2W2736

The QC reported here applies to the following samples: **Method:** TO-15

JD52620-3, JD52620-4, JD52620-5, JD52620-6, JD52620-7, JD52620-8, JD52620-9, JD52620-10, JD52620-12, JD52620-13

CAS No.	Surrogate Recoveries	DUP	JD52620-8	Limits
460-00-4	4-Bromofluorobenzene	106%	105%	65-128%

* = Outside of Control Limits.

Duplicate Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52615-1DUP	6W26144.D	1	09/29/22	TCH	n/a	n/a	V6W1111
JD52615-1	6W26143.D	1	09/29/22	TCH	n/a	n/a	V6W1111

The QC reported here applies to the following samples: **Method:** TO-15

JD52620-3, JD52620-5, JD52620-6, JD52620-7, JD52620-8

CAS No.	Compound	JD52615-1 ppbv	Q	DUP ppbv	Q	RPD	Limits
156-59-2	cis-1,2-Dichloroethylene	0.80 U		ND		nc	25
79-01-6	Trichloroethylene	0.16 U		ND		nc	25

CAS No.	Surrogate Recoveries	DUP	JD52615-1	Limits
460-00-4	4-Bromofluorobenzene	104%	100%	65-128%

* = Outside of Control Limits.

Duplicate Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52638-1DUP	2W61697.D	1	09/30/22	TCH	n/a	n/a	V2W2737
JD52638-1	2W61696.D	1	09/30/22	TCH	n/a	n/a	V2W2737

The QC reported here applies to the following samples: **Method:** TO-15

JD52620-9, JD52620-11

CAS No.	Compound	JD52638-1 ppbv	Q	DUP ppbv	Q	RPD	Limits
67-64-1	Acetone (2-Propanone)	7.9		8.2		4	25
106-99-0	1,3-Butadiene	ND		ND		nc	25
71-43-2	Benzene	0.20		0.20		0	25
75-27-4	Bromodichloromethane	ND		ND		nc	25
75-25-2	Bromoform	ND		ND		nc	25
74-83-9	Bromomethane	ND		ND		nc	25
593-60-2	Bromoethene	ND		ND		nc	25
100-44-7	Benzyl Chloride	ND		ND		nc	25
75-15-0	Carbon disulfide	ND		ND		nc	25
108-90-7	Chlorobenzene	ND		ND		nc	25
75-00-3	Chloroethane	ND		ND		nc	25
67-66-3	Chloroform	ND		ND		nc	25
74-87-3	Chloromethane	0.67		0.63		6	25
107-05-1	3-Chloropropene	ND		ND		nc	25
95-49-8	2-Chlorotoluene	ND		ND		nc	25
56-23-5	Carbon tetrachloride	ND		ND		nc	25
110-82-7	Cyclohexane	ND		ND		nc	25
75-34-3	1,1-Dichloroethane	ND		ND		nc	25
75-35-4	1,1-Dichloroethylene	ND		ND		nc	25
106-93-4	1,2-Dibromoethane (EDB)	ND		ND		nc	25
107-06-2	1,2-Dichloroethane	ND		ND		nc	25
78-87-5	1,2-Dichloropropane	ND		ND		nc	25
123-91-1	1,4-Dioxane	ND		ND		nc	25
75-71-8	Dichlorodifluoromethane	0.43		0.42		2	25
124-48-1	Dibromochloromethane	ND		ND		nc	25
156-60-5	trans-1,2-Dichloroethylene	ND		ND		nc	25
156-59-2	cis-1,2-Dichloroethylene	ND		ND		nc	25
10061-01-5	cis-1,3-Dichloropropene	ND		ND		nc	25
541-73-1	m-Dichlorobenzene	ND		ND		nc	25
95-50-1	o-Dichlorobenzene	ND		ND		nc	25
106-46-7	p-Dichlorobenzene	ND		ND		nc	25
10061-02-6	trans-1,3-Dichloropropene	ND		ND		nc	25
64-17-5	Ethanol	1.3		1.3		0	25
100-41-4	Ethylbenzene	0.14	J	0.14	J	0	25
141-78-6	Ethyl Acetate	0.13	J	0.12	J	8	25
622-96-8	4-Ethyltoluene	ND		ND		nc	25

* = Outside of Control Limits.

Duplicate Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52638-1DUP	2W61697.D	1	09/30/22	TCH	n/a	n/a	V2W2737
JD52638-1	2W61696.D	1	09/30/22	TCH	n/a	n/a	V2W2737

The QC reported here applies to the following samples: **Method:** TO-15

JD52620-9, JD52620-11

CAS No.	Compound	JD52638-1 ppbv	Q	DUP ppbv	Q	RPD	Limits
76-13-1	Freon 113	ND		ND		nc	25
76-14-2	Freon 114	ND		ND		nc	25
142-82-5	Heptane	0.12	J	0.12	J	0	25
87-68-3	Hexachlorobutadiene	ND		ND		nc	25
110-54-3	Hexane	0.52		0.54		4	25
591-78-6	2-Hexanone	0.37		0.35		6	25
67-63-0	Isopropyl Alcohol	0.41		0.44		7	25
75-09-2	Methylene chloride	0.65		0.66		2	25
78-93-3	Methyl ethyl ketone	0.84		0.79		6	25
108-10-1	Methyl Isobutyl Ketone	0.31		0.30		3	25
1634-04-4	Methyl Tert Butyl Ether	ND		ND		nc	25
80-62-6	Methylmethacrylate	ND		ND		nc	25
115-07-1	Propylene	ND		ND		nc	25
100-42-5	Styrene	ND		ND		nc	25
71-55-6	1,1,1-Trichloroethane	ND		ND		nc	25
79-34-5	1,1,2,2-Tetrachloroethane	ND		ND		nc	25
79-00-5	1,1,2-Trichloroethane	ND		ND		nc	25
120-82-1	1,2,4-Trichlorobenzene	ND		ND		nc	25
95-63-6	1,2,4-Trimethylbenzene	0.097	J	0.095	J	2	25
108-67-8	1,3,5-Trimethylbenzene	ND		ND		nc	25
540-84-1	2,2,4-Trimethylpentane	0.17	J	0.17	J	0	25
75-65-0	Tertiary Butyl Alcohol	0.18	J	0.18	J	0	25
127-18-4	Tetrachloroethylene	ND		ND		nc	25
109-99-9	Tetrahydrofuran	ND		ND		nc	25
108-88-3	Toluene	0.67		0.67		0	25
79-01-6	Trichloroethylene	0.048		0.050		4	25
75-69-4	Trichlorofluoromethane	0.32		0.33		3	25
75-01-4	Vinyl chloride	ND		ND		nc	25
108-05-4	Vinyl Acetate	1.0		1.1		10	25
	m,p-Xylene	0.43		0.41		5	25
95-47-6	o-Xylene	0.16	J	0.17	J	6	25
1330-20-7	Xylenes (total)	0.59		0.57		3	25

* = Outside of Control Limits.

Duplicate Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52638-1DUP	2W61697.D	1	09/30/22	TCH	n/a	n/a	V2W2737
JD52638-1	2W61696.D	1	09/30/22	TCH	n/a	n/a	V2W2737

The QC reported here applies to the following samples: **Method:** TO-15

JD52620-9, JD52620-11

CAS No.	Surrogate Recoveries	DUP	JD52638-1	Limits
460-00-4	4-Bromofluorobenzene	108%	107%	65-128%

* = Outside of Control Limits.

Summa Cleaning Certification

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2637-SCC	2W59315.D	1	05/15/22	TCH	n/a	n/a	V2W2637

The QC reported here (Summa A236) applies to the following samples: **Method:** TO-15

Batch CP11732 cleaned 05/12/22: JD52620-11(M230)

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
67-64-1	Acetone (2-Propanone)	ND	0.20	0.15	ppbv		ND	0.48	ug/m3
106-99-0	1,3-Butadiene	ND	0.20	0.084	ppbv		ND	0.44	ug/m3
71-43-2	Benzene	ND	0.20	0.062	ppbv		ND	0.64	ug/m3
75-27-4	Bromodichloromethane	ND	0.20	0.030	ppbv		ND	1.3	ug/m3
75-25-2	Bromoform	ND	0.20	0.071	ppbv		ND	2.1	ug/m3
74-83-9	Bromomethane	ND	0.20	0.069	ppbv		ND	0.78	ug/m3
593-60-2	Bromoethene	ND	0.20	0.061	ppbv		ND	0.87	ug/m3
100-44-7	Benzyl Chloride	ND	0.20	0.13	ppbv		ND	1.0	ug/m3
75-15-0	Carbon disulfide	ND	0.20	0.045	ppbv		ND	0.62	ug/m3
108-90-7	Chlorobenzene	ND	0.20	0.074	ppbv		ND	0.92	ug/m3
75-00-3	Chloroethane	ND	0.20	0.068	ppbv		ND	0.53	ug/m3
67-66-3	Chloroform	ND	0.20	0.037	ppbv		ND	0.98	ug/m3
74-87-3	Chloromethane	ND	0.20	0.090	ppbv		ND	0.41	ug/m3
107-05-1	3-Chloropropene	ND	0.20	0.083	ppbv		ND	0.63	ug/m3
95-49-8	2-Chlorotoluene	ND	0.20	0.072	ppbv		ND	1.0	ug/m3
56-23-5	Carbon tetrachloride	ND	0.20	0.040	ppbv		ND	1.3	ug/m3
110-82-7	Cyclohexane	ND	0.20	0.11	ppbv		ND	0.69	ug/m3
75-34-3	1,1-Dichloroethane	ND	0.20	0.057	ppbv		ND	0.81	ug/m3
75-35-4	1,1-Dichloroethylene	ND	0.20	0.059	ppbv		ND	0.79	ug/m3
106-93-4	1,2-Dibromoethane (EDB)	ND	0.20	0.097	ppbv		ND	1.5	ug/m3
107-06-2	1,2-Dichloroethane	ND	0.20	0.070	ppbv		ND	0.81	ug/m3
78-87-5	1,2-Dichloropropane	ND	0.20	0.062	ppbv		ND	0.92	ug/m3
123-91-1	1,4-Dioxane	ND	0.20	0.12	ppbv		ND	0.72	ug/m3
75-71-8	Dichlorodifluoromethane	ND	0.20	0.032	ppbv		ND	0.99	ug/m3
124-48-1	Dibromochloromethane	ND	0.20	0.052	ppbv		ND	1.7	ug/m3
156-60-5	trans-1,2-Dichloroethylene	ND	0.20	0.069	ppbv		ND	0.79	ug/m3
156-59-2	cis-1,2-Dichloroethylene	ND	0.20	0.077	ppbv		ND	0.79	ug/m3
10061-01-5	cis-1,3-Dichloropropene	ND	0.20	0.062	ppbv		ND	0.91	ug/m3
541-73-1	m-Dichlorobenzene	ND	0.20	0.040	ppbv		ND	1.2	ug/m3
95-50-1	o-Dichlorobenzene	ND	0.20	0.15	ppbv		ND	1.2	ug/m3
106-46-7	p-Dichlorobenzene	ND	0.20	0.19	ppbv		ND	1.2	ug/m3
10061-02-6	trans-1,3-Dichloropropene	ND	0.20	0.10	ppbv		ND	0.91	ug/m3
64-17-5	Ethanol	ND	0.50	0.39	ppbv		ND	0.94	ug/m3
100-41-4	Ethylbenzene	ND	0.20	0.061	ppbv		ND	0.87	ug/m3
141-78-6	Ethyl Acetate	ND	0.20	0.10	ppbv		ND	0.72	ug/m3
622-96-8	4-Ethyltoluene	ND	0.20	0.095	ppbv		ND	0.98	ug/m3

Summa Cleaning Certification

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2637-SCC	2W59315.D	1	05/15/22	TCH	n/a	n/a	V2W2637

The QC reported here (Summa A236) applies to the following samples: **Method:** TO-15

Batch CP11732 cleaned 05/12/22: JD52620-11(M230)

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
76-13-1	Freon 113	ND	0.20	0.031	ppbv		ND	1.5	ug/m3
76-14-2	Freon 114	ND	0.20	0.050	ppbv		ND	1.4	ug/m3
142-82-5	Heptane	ND	0.20	0.092	ppbv		ND	0.82	ug/m3
87-68-3	Hexachlorobutadiene	ND	0.20	0.062	ppbv		ND	2.1	ug/m3
110-54-3	Hexane	ND	0.20	0.11	ppbv		ND	0.70	ug/m3
591-78-6	2-Hexanone	ND	0.20	0.15	ppbv		ND	0.82	ug/m3
67-63-0	Isopropyl Alcohol	ND	0.20	0.14	ppbv		ND	0.49	ug/m3
75-09-2	Methylene chloride	ND	0.20	0.056	ppbv		ND	0.69	ug/m3
78-93-3	Methyl ethyl ketone	ND	0.20	0.11	ppbv		ND	0.59	ug/m3
108-10-1	Methyl Isobutyl Ketone	ND	0.20	0.073	ppbv		ND	0.82	ug/m3
1634-04-4	Methyl Tert Butyl Ether	ND	0.20	0.080	ppbv		ND	0.72	ug/m3
80-62-6	Methylmethacrylate	ND	0.20	0.070	ppbv		ND	0.82	ug/m3
115-07-1	Propylene	ND	0.50	0.14	ppbv		ND	0.86	ug/m3
100-42-5	Styrene	ND	0.20	0.12	ppbv		ND	0.85	ug/m3
71-55-6	1,1,1-Trichloroethane	ND	0.20	0.037	ppbv		ND	1.1	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.20	0.048	ppbv		ND	1.4	ug/m3
79-00-5	1,1,2-Trichloroethane	ND	0.20	0.038	ppbv		ND	1.1	ug/m3
120-82-1	1,2,4-Trichlorobenzene	ND	0.20	0.12	ppbv		ND	1.5	ug/m3
95-63-6	1,2,4-Trimethylbenzene	ND	0.20	0.087	ppbv		ND	0.98	ug/m3
108-67-8	1,3,5-Trimethylbenzene	ND	0.20	0.080	ppbv		ND	0.98	ug/m3
540-84-1	2,2,4-Trimethylpentane	ND	0.20	0.095	ppbv		ND	0.93	ug/m3
75-65-0	Tertiary Butyl Alcohol	ND	0.20	0.093	ppbv		ND	0.61	ug/m3
127-18-4	Tetrachloroethylene	ND	0.040	0.014	ppbv		ND	0.27	ug/m3
109-99-9	Tetrahydrofuran	ND	0.20	0.090	ppbv		ND	0.59	ug/m3
108-88-3	Toluene	ND	0.20	0.057	ppbv		ND	0.75	ug/m3
79-01-6	Trichloroethylene	ND	0.040	0.019	ppbv		ND	0.21	ug/m3
75-69-4	Trichlorofluoromethane	ND	0.20	0.036	ppbv		ND	1.1	ug/m3
75-01-4	Vinyl chloride	ND	0.20	0.069	ppbv		ND	0.51	ug/m3
108-05-4	Vinyl Acetate	ND	0.20	0.11	ppbv		ND	0.70	ug/m3
	m,p-Xylene	ND	0.20	0.14	ppbv		ND	0.87	ug/m3
95-47-6	o-Xylene	ND	0.20	0.077	ppbv		ND	0.87	ug/m3
1330-20-7	Xylenes (total)	ND	0.20	0.077	ppbv		ND	0.87	ug/m3

Summa Cleaning Certification

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2637-SCC	2W59315.D	1	05/15/22	TCH	n/a	n/a	V2W2637

The QC reported here (Summa A236) applies to the following samples: **Method:** TO-15

Batch CP11732 cleaned 05/12/22: JD52620-11(M230)

CAS No.	Surrogate Recoveries		Limits
460-00-4	4-Bromofluorobenzene	96%	65-128%

Summa Cleaning Certification

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2710-SCC	2W61037.D	1	08/25/22	TCH	n/a	n/a	V2W2710

The QC reported here (Summa A497) applies to the following samples: **Method:** TO-15

Batch CP11848 cleaned 08/09/22: JD52620-1(A676), JD52620-2(A418), JD52620-3(A797), JD52620-6(M430), JD52620-7(M462), JD52620-8(A1152), JD52620-9(A534), JD52620-10(A1105), JD52620-12(A599), JD52620-13(M200)

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
67-64-1	Acetone (2-Propanone)	ND	0.80	0.58	ppbv		ND	1.9	ug/m3
106-99-0	1,3-Butadiene	ND	0.80	0.34	ppbv		ND	1.8	ug/m3
71-43-2	Benzene	ND	0.80	0.25	ppbv		ND	2.6	ug/m3
75-27-4	Bromodichloromethane	ND	0.80	0.12	ppbv		ND	5.4	ug/m3
75-25-2	Bromoform	ND	0.80	0.28	ppbv		ND	8.3	ug/m3
74-83-9	Bromomethane	ND	0.80	0.28	ppbv		ND	3.1	ug/m3
593-60-2	Bromoethene	ND	0.80	0.24	ppbv		ND	3.5	ug/m3
100-44-7	Benzyl Chloride	ND	0.80	0.50	ppbv		ND	4.1	ug/m3
75-15-0	Carbon disulfide	ND	0.80	0.18	ppbv		ND	2.5	ug/m3
108-90-7	Chlorobenzene	ND	0.80	0.30	ppbv		ND	3.7	ug/m3
75-00-3	Chloroethane	ND	0.80	0.27	ppbv		ND	2.1	ug/m3
67-66-3	Chloroform	ND	0.80	0.15	ppbv		ND	3.9	ug/m3
74-87-3	Chloromethane	ND	0.80	0.36	ppbv		ND	1.7	ug/m3
107-05-1	3-Chloropropene	ND	0.80	0.33	ppbv		ND	2.5	ug/m3
95-49-8	2-Chlorotoluene	ND	0.80	0.29	ppbv		ND	4.1	ug/m3
56-23-5	Carbon tetrachloride	ND	0.80	0.16	ppbv		ND	5.0	ug/m3
110-82-7	Cyclohexane	ND	0.80	0.44	ppbv		ND	2.8	ug/m3
75-34-3	1,1-Dichloroethane	ND	0.80	0.23	ppbv		ND	3.2	ug/m3
75-35-4	1,1-Dichloroethylene	ND	0.80	0.24	ppbv		ND	3.2	ug/m3
106-93-4	1,2-Dibromoethane (EDB)	ND	0.80	0.39	ppbv		ND	6.1	ug/m3
107-06-2	1,2-Dichloroethane	ND	0.80	0.28	ppbv		ND	3.2	ug/m3
78-87-5	1,2-Dichloropropane	ND	0.80	0.25	ppbv		ND	3.7	ug/m3
123-91-1	1,4-Dioxane	ND	0.80	0.47	ppbv		ND	2.9	ug/m3
75-71-8	Dichlorodifluoromethane	ND	0.80	0.13	ppbv		ND	4.0	ug/m3
124-48-1	Dibromochloromethane	ND	0.80	0.21	ppbv		ND	6.8	ug/m3
156-60-5	trans-1,2-Dichloroethylene	ND	0.80	0.28	ppbv		ND	3.2	ug/m3
156-59-2	cis-1,2-Dichloroethylene	ND	0.80	0.31	ppbv		ND	3.2	ug/m3
10061-01-5	cis-1,3-Dichloropropene	ND	0.80	0.25	ppbv		ND	3.6	ug/m3
541-73-1	m-Dichlorobenzene	ND	0.80	0.16	ppbv		ND	4.8	ug/m3
95-50-1	o-Dichlorobenzene	ND	0.80	0.62	ppbv		ND	4.8	ug/m3
106-46-7	p-Dichlorobenzene	ND	0.80	0.76	ppbv		ND	4.8	ug/m3
10061-02-6	trans-1,3-Dichloropropene	ND	0.80	0.40	ppbv		ND	3.6	ug/m3
64-17-5	Ethanol	ND	2.0	1.6	ppbv		ND	3.8	ug/m3
100-41-4	Ethylbenzene	ND	0.80	0.24	ppbv		ND	3.5	ug/m3
141-78-6	Ethyl Acetate	ND	0.80	0.42	ppbv		ND	2.9	ug/m3
622-96-8	4-Ethyltoluene	ND	0.80	0.38	ppbv		ND	3.9	ug/m3

Summa Cleaning Certification

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2710-SCC	2W61037.D	1	08/25/22	TCH	n/a	n/a	V2W2710

The QC reported here (Summa A497) applies to the following samples: **Method:** TO-15

Batch CP11848 cleaned 08/09/22: JD52620-1(A676), JD52620-2(A418), JD52620-3(A797), JD52620-6(M430), JD52620-7(M462), JD52620-8(A1152), JD52620-9(A534), JD52620-10(A1105), JD52620-12(A599), JD52620-13(M200)

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
76-13-1	Freon 113	ND	0.80	0.12	ppbv		ND	6.1	ug/m3
76-14-2	Freon 114	ND	0.80	0.20	ppbv		ND	5.6	ug/m3
142-82-5	Heptane	ND	0.80	0.37	ppbv		ND	3.3	ug/m3
87-68-3	Hexachlorobutadiene	ND	0.80	0.25	ppbv		ND	8.5	ug/m3
110-54-3	Hexane	ND	0.80	0.45	ppbv		ND	2.8	ug/m3
591-78-6	2-Hexanone	ND	0.80	0.58	ppbv		ND	3.3	ug/m3
67-63-0	Isopropyl Alcohol	ND	0.80	0.56	ppbv		ND	2.0	ug/m3
75-09-2	Methylene chloride	ND	0.80	0.22	ppbv		ND	2.8	ug/m3
78-93-3	Methyl ethyl ketone	ND	0.80	0.44	ppbv		ND	2.4	ug/m3
108-10-1	Methyl Isobutyl Ketone	ND	0.80	0.29	ppbv		ND	3.3	ug/m3
1634-04-4	Methyl Tert Butyl Ether	ND	0.80	0.32	ppbv		ND	2.9	ug/m3
80-62-6	Methylmethacrylate	ND	0.80	0.28	ppbv		ND	3.3	ug/m3
115-07-1	Propylene	ND	2.0	0.57	ppbv		ND	3.4	ug/m3
100-42-5	Styrene	ND	0.80	0.47	ppbv		ND	3.4	ug/m3
71-55-6	1,1,1-Trichloroethane	ND	0.80	0.15	ppbv		ND	4.4	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.80	0.19	ppbv		ND	5.5	ug/m3
79-00-5	1,1,2-Trichloroethane	ND	0.80	0.15	ppbv		ND	4.4	ug/m3
120-82-1	1,2,4-Trichlorobenzene	ND	0.80	0.48	ppbv		ND	5.9	ug/m3
95-63-6	1,2,4-Trimethylbenzene	ND	0.80	0.35	ppbv		ND	3.9	ug/m3
108-67-8	1,3,5-Trimethylbenzene	ND	0.80	0.32	ppbv		ND	3.9	ug/m3
540-84-1	2,2,4-Trimethylpentane	ND	0.80	0.38	ppbv		ND	3.7	ug/m3
75-65-0	Tertiary Butyl Alcohol	ND	0.80	0.37	ppbv		ND	2.4	ug/m3
127-18-4	Tetrachloroethylene	ND	0.16	0.056	ppbv		ND	1.1	ug/m3
109-99-9	Tetrahydrofuran	ND	0.80	0.36	ppbv		ND	2.4	ug/m3
108-88-3	Toluene	ND	0.80	0.23	ppbv		ND	3.0	ug/m3
79-01-6	Trichloroethylene	ND	0.16	0.076	ppbv		ND	0.86	ug/m3
75-69-4	Trichlorofluoromethane	ND	0.80	0.14	ppbv		ND	4.5	ug/m3
75-01-4	Vinyl chloride	ND	0.80	0.28	ppbv		ND	2.0	ug/m3
108-05-4	Vinyl Acetate	ND	0.80	0.45	ppbv		ND	2.8	ug/m3
	m,p-Xylene	ND	0.80	0.56	ppbv		ND	3.5	ug/m3
95-47-6	o-Xylene	ND	0.80	0.31	ppbv		ND	3.5	ug/m3
1330-20-7	Xylenes (total)	ND	0.80	0.31	ppbv		ND	3.5	ug/m3

Summa Cleaning Certification

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2710-SCC	2W61037.D	1	08/25/22	TCH	n/a	n/a	V2W2710

The QC reported here (Summa A497) applies to the following samples: **Method:** TO-15

Batch CP11848 cleaned 08/09/22: JD52620-1(A676), JD52620-2(A418), JD52620-3(A797), JD52620-6(M430), JD52620-7(M462), JD52620-8(A1152), JD52620-9(A534), JD52620-10(A1105), JD52620-12(A599), JD52620-13(M200)

CAS No.	Surrogate Recoveries		Limits
460-00-4	4-Bromofluorobenzene	96%	65-128%

Summa Cleaning Certification

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2714-SCC	2W61172.D	1	08/31/22	WC	n/a	n/a	V2W2714

The QC reported here (Summa A1564) applies to the following samples: **Method:** TO-15

Batch CP11860 cleaned 08/23/22: JD52620-4(A504), JD52620-5(M180), JD52620-11(A791)

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
67-64-1	Acetone (2-Propanone)	ND	0.80	0.58	ppbv		ND	1.9	ug/m3
106-99-0	1,3-Butadiene	ND	0.80	0.34	ppbv		ND	1.8	ug/m3
71-43-2	Benzene	ND	0.80	0.25	ppbv		ND	2.6	ug/m3
75-27-4	Bromodichloromethane	ND	0.80	0.12	ppbv		ND	5.4	ug/m3
75-25-2	Bromoform	ND	0.80	0.28	ppbv		ND	8.3	ug/m3
74-83-9	Bromomethane	ND	0.80	0.28	ppbv		ND	3.1	ug/m3
593-60-2	Bromoethene	ND	0.80	0.24	ppbv		ND	3.5	ug/m3
100-44-7	Benzyl Chloride	ND	0.80	0.50	ppbv		ND	4.1	ug/m3
75-15-0	Carbon disulfide	ND	0.80	0.18	ppbv		ND	2.5	ug/m3
108-90-7	Chlorobenzene	ND	0.80	0.30	ppbv		ND	3.7	ug/m3
75-00-3	Chloroethane	ND	0.80	0.27	ppbv		ND	2.1	ug/m3
67-66-3	Chloroform	ND	0.80	0.15	ppbv		ND	3.9	ug/m3
74-87-3	Chloromethane	ND	0.80	0.36	ppbv		ND	1.7	ug/m3
107-05-1	3-Chloropropene	ND	0.80	0.33	ppbv		ND	2.5	ug/m3
95-49-8	2-Chlorotoluene	ND	0.80	0.29	ppbv		ND	4.1	ug/m3
56-23-5	Carbon tetrachloride	ND	0.80	0.16	ppbv		ND	5.0	ug/m3
110-82-7	Cyclohexane	ND	0.80	0.44	ppbv		ND	2.8	ug/m3
75-34-3	1,1-Dichloroethane	ND	0.80	0.23	ppbv		ND	3.2	ug/m3
75-35-4	1,1-Dichloroethylene	ND	0.80	0.24	ppbv		ND	3.2	ug/m3
106-93-4	1,2-Dibromoethane (EDB)	ND	0.80	0.39	ppbv		ND	6.1	ug/m3
107-06-2	1,2-Dichloroethane	ND	0.80	0.28	ppbv		ND	3.2	ug/m3
78-87-5	1,2-Dichloropropane	ND	0.80	0.25	ppbv		ND	3.7	ug/m3
123-91-1	1,4-Dioxane	ND	0.80	0.47	ppbv		ND	2.9	ug/m3
75-71-8	Dichlorodifluoromethane	ND	0.80	0.13	ppbv		ND	4.0	ug/m3
124-48-1	Dibromochloromethane	ND	0.80	0.21	ppbv		ND	6.8	ug/m3
156-60-5	trans-1,2-Dichloroethylene	ND	0.80	0.28	ppbv		ND	3.2	ug/m3
156-59-2	cis-1,2-Dichloroethylene	ND	0.80	0.31	ppbv		ND	3.2	ug/m3
10061-01-5	cis-1,3-Dichloropropene	ND	0.80	0.25	ppbv		ND	3.6	ug/m3
541-73-1	m-Dichlorobenzene	ND	0.80	0.16	ppbv		ND	4.8	ug/m3
95-50-1	o-Dichlorobenzene	ND	0.80	0.62	ppbv		ND	4.8	ug/m3
106-46-7	p-Dichlorobenzene	ND	0.80	0.76	ppbv		ND	4.8	ug/m3
10061-02-6	trans-1,3-Dichloropropene	ND	0.80	0.40	ppbv		ND	3.6	ug/m3
64-17-5	Ethanol	ND	2.0	1.6	ppbv		ND	3.8	ug/m3
100-41-4	Ethylbenzene	ND	0.80	0.24	ppbv		ND	3.5	ug/m3
141-78-6	Ethyl Acetate	ND	0.80	0.42	ppbv		ND	2.9	ug/m3
622-96-8	4-Ethyltoluene	ND	0.80	0.38	ppbv		ND	3.9	ug/m3

Summa Cleaning Certification

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2714-SCC	2W61172.D	1	08/31/22	WC	n/a	n/a	V2W2714

The QC reported here (Summa A1564) applies to the following samples: **Method:** TO-15

Batch CP11860 cleaned 08/23/22: JD52620-4(A504), JD52620-5(M180), JD52620-11(A791)

CAS No.	Compound	Result	RL	MDL	Units	Q	Result	RL	Units
76-13-1	Freon 113	ND	0.80	0.12	ppbv		ND	6.1	ug/m3
76-14-2	Freon 114	ND	0.80	0.20	ppbv		ND	5.6	ug/m3
142-82-5	Heptane	ND	0.80	0.37	ppbv		ND	3.3	ug/m3
87-68-3	Hexachlorobutadiene	ND	0.80	0.25	ppbv		ND	8.5	ug/m3
110-54-3	Hexane	ND	0.80	0.45	ppbv		ND	2.8	ug/m3
591-78-6	2-Hexanone	ND	0.80	0.58	ppbv		ND	3.3	ug/m3
67-63-0	Isopropyl Alcohol	ND	0.80	0.56	ppbv		ND	2.0	ug/m3
75-09-2	Methylene chloride	ND	0.80	0.22	ppbv		ND	2.8	ug/m3
78-93-3	Methyl ethyl ketone	ND	0.80	0.44	ppbv		ND	2.4	ug/m3
108-10-1	Methyl Isobutyl Ketone	ND	0.80	0.29	ppbv		ND	3.3	ug/m3
1634-04-4	Methyl Tert Butyl Ether	ND	0.80	0.32	ppbv		ND	2.9	ug/m3
80-62-6	Methylmethacrylate	ND	0.80	0.28	ppbv		ND	3.3	ug/m3
115-07-1	Propylene	ND	2.0	0.57	ppbv		ND	3.4	ug/m3
100-42-5	Styrene	ND	0.80	0.47	ppbv		ND	3.4	ug/m3
71-55-6	1,1,1-Trichloroethane	ND	0.80	0.15	ppbv		ND	4.4	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.80	0.19	ppbv		ND	5.5	ug/m3
79-00-5	1,1,2-Trichloroethane	ND	0.80	0.15	ppbv		ND	4.4	ug/m3
120-82-1	1,2,4-Trichlorobenzene	ND	0.80	0.48	ppbv		ND	5.9	ug/m3
95-63-6	1,2,4-Trimethylbenzene	ND	0.80	0.35	ppbv		ND	3.9	ug/m3
108-67-8	1,3,5-Trimethylbenzene	ND	0.80	0.32	ppbv		ND	3.9	ug/m3
540-84-1	2,2,4-Trimethylpentane	ND	0.80	0.38	ppbv		ND	3.7	ug/m3
75-65-0	Tertiary Butyl Alcohol	ND	0.80	0.37	ppbv		ND	2.4	ug/m3
127-18-4	Tetrachloroethylene	ND	0.16	0.056	ppbv		ND	1.1	ug/m3
109-99-9	Tetrahydrofuran	ND	0.80	0.36	ppbv		ND	2.4	ug/m3
108-88-3	Toluene	ND	0.80	0.23	ppbv		ND	3.0	ug/m3
79-01-6	Trichloroethylene	ND	0.16	0.076	ppbv		ND	0.86	ug/m3
75-69-4	Trichlorofluoromethane	ND	0.80	0.14	ppbv		ND	4.5	ug/m3
75-01-4	Vinyl chloride	ND	0.80	0.28	ppbv		ND	2.0	ug/m3
108-05-4	Vinyl Acetate	ND	0.80	0.45	ppbv		ND	2.8	ug/m3
	m,p-Xylene	ND	0.80	0.56	ppbv		ND	3.5	ug/m3
95-47-6	o-Xylene	ND	0.80	0.31	ppbv		ND	3.5	ug/m3
1330-20-7	Xylenes (total)	ND	0.80	0.31	ppbv		ND	3.5	ug/m3

Summa Cleaning Certification

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2W2714-SCC	2W61172.D	1	08/31/22	WC	n/a	n/a	V2W2714

The QC reported here (Summa A1564) applies to the following samples: **Method:** TO-15

Batch CP11860 cleaned 08/23/22: JD52620-4(A504), JD52620-5(M180), JD52620-11(A791)

CAS No.	Surrogate Recoveries		Limits
460-00-4	4-Bromofluorobenzene	94%	65-128%

Instrument Performance Check (BFB)

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V2W2619-BFB
Lab File ID: 2W58805.D
Instrument ID: GCMS2W
Injection Date: 04/26/22
Injection Time: 12:38

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	8.0 - 40.0% of mass 95	89760	25.4		Pass
75	30.0 - 66.0% of mass 95	172117	48.8		Pass
95	Base peak, 100% relative abundance	352832	100.0		Pass
96	5.0 - 9.0% of mass 95	23155	6.56		Pass
173	Less than 2.0% of mass 174	2236	0.63	(0.90) [a]	Pass
174	50.0 - 120.0% of mass 95	249621	70.7		Pass
175	4.0 - 9.01% of mass 174	17403	4.93	(6.97) [a]	Pass
176	93.0 - 101.0% of mass 174	242859	68.8	(97.3) [a]	Pass
177	5.0 - 9.0% of mass 176	15610	4.42	(6.43) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V2W2619-IC2619	2W58806.D	04/26/22	13:14	00:36	Initial cal 0.04
V2W2619-IC2619	2W58807.D	04/26/22	13:50	01:12	Initial cal 0.1
V2W2619-IC2619	2W58808.D	04/26/22	14:27	01:49	Initial cal 0.2
V2W2619-IC2619	2W58809.D	04/26/22	15:05	02:27	Initial cal 0.5
V2W2619-IC2619	2W58810.D	04/26/22	15:42	03:04	Initial cal 5
V2W2619-ICC2619	2W58811.D	04/26/22	16:18	03:40	Initial cal 10
V2W2619-IC2619	2W58812.D	04/26/22	16:55	04:17	Initial cal 20
V2W2619-IC2619	2W58813.D	04/26/22	17:37	04:59	Initial cal 40
V2W2619-IC2619	2W58814.D	04/26/22	18:20	05:42	Initial cal 50
V2W2619-ICV2619	2W58819.D	04/27/22	10:06	21:28	Initial cal verification 10

Instrument Performance Check (BFB)

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V2W2637-BFB
Lab File ID: 2W59296.D
Instrument ID: GCMS2W
Injection Date: 05/14/22
Injection Time: 14:24

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	8.0 - 40.0% of mass 95	126685	31.2		Pass
75	30.0 - 66.0% of mass 95	218880	53.9		Pass
95	Base peak, 100% relative abundance	406336	100.0		Pass
96	5.0 - 9.0% of mass 95	26051	6.41		Pass
173	Less than 2.0% of mass 174	681	0.17	(0.23) [a]	Pass
174	50.0 - 120.0% of mass 95	290688	71.5		Pass
175	4.0 - 9.01% of mass 174	20408	5.02	(7.02) [a]	Pass
176	93.0 - 101.0% of mass 174	277376	68.3	(95.4) [a]	Pass
177	5.0 - 9.0% of mass 176	17256	4.25	(6.22) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V2W2637-CC2619	2W59298.D	05/14/22	15:47	01:23	Continuing cal 10
V2W2637-BS	2W59299.D	05/14/22	16:25	02:01	Blank Spike
V2W2637-BSD	2W59300.D	05/14/22	17:05	02:41	Blank Spike Duplicate
V2W2637-MB	2W59302.D	05/14/22	18:25	04:01	Method Blank
ZZZZZZ	2W59303.D	05/14/22	19:01	04:37	(unrelated sample)
ZZZZZZ	2W59304.D	05/14/22	19:39	05:15	(unrelated sample)
ZZZZZZ	2W59305.D	05/14/22	20:15	05:51	(unrelated sample)
JD44674-1	2W59306.D	05/14/22	20:53	06:29	(used for QC only; not part of job JD52620)
JD44674-1DUP	2W59307.D	05/14/22	21:31	07:07	Duplicate
ZZZZZZ	2W59309.D	05/14/22	22:44	08:20	(unrelated sample)
ZZZZZZ	2W59311.D	05/14/22	23:57	09:33	(unrelated sample)
ZZZZZZ	2W59313.D	05/15/22	01:10	10:46	(unrelated sample)
V2W2637-SCC	2W59315.D	05/15/22	02:37	12:13	Summa Cleaning Certification
V2W2637-SCC	2W59316.D	05/15/22	10:04	19:40	Summa Cleaning Certification
V2W2637-SCC	2W59317.D	05/15/22	10:47	20:23	Summa Cleaning Certification
V2W2637-SCC	2W59319.D	05/15/22	12:26	22:02	Summa Cleaning Certification

Instrument Performance Check (BFB)

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V2W2709-BFB
Lab File ID: 2W61009.D
Instrument ID: GCMS2W
Injection Date: 08/19/22
Injection Time: 10:50

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	8.0 - 40.0% of mass 95	14581	21.8		Pass
75	30.0 - 66.0% of mass 95	32835	49.2		Pass
95	Base peak, 100% relative abundance	66739	100.0		Pass
96	5.0 - 9.0% of mass 95	4420	6.62		Pass
173	Less than 2.0% of mass 174	243	0.36	(0.44) [a]	Pass
174	50.0 - 120.0% of mass 95	55160	82.7		Pass
175	4.0 - 9.01% of mass 174	3990	5.98	(7.23) [a]	Pass
176	93.0 - 101.0% of mass 174	52933	79.3	(96.0) [a]	Pass
177	5.0 - 9.0% of mass 176	3276	4.91	(6.19) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V2W2709-IC2709	2W61010.D	08/19/22	11:22	00:32	Initial cal 0.04
V2W2709-IC2709	2W61011.D	08/19/22	11:55	01:05	Initial cal 0.1
V2W2709-IC2709	2W61012.D	08/19/22	12:27	01:37	Initial cal 0.2
V2W2709-IC2709	2W61013.D	08/19/22	12:59	02:09	Initial cal 0.5
V2W2709-IC2709	2W61015.D	08/19/22	14:02	03:12	Initial cal 5
V2W2709-ICC2709	2W61016.D	08/19/22	14:34	03:44	Initial cal 10
V2W2709-IC2709	2W61017.D	08/19/22	15:08	04:18	Initial cal 20
V2W2709-IC2709	2W61018.D	08/19/22	15:45	04:55	Initial cal 40
V2W2709-IC2709	2W61019.D	08/19/22	16:25	05:35	Initial cal 50
V2W2709-ICV2709	2W61022.D	08/19/22	18:00	07:10	Initial cal verification 10

Instrument Performance Check (BFB)

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V2W2710-BFB
Lab File ID: 2W61023.D
Instrument ID: GCMS2W
Injection Date: 08/24/22
Injection Time: 19:28

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	8.0 - 40.0% of mass 95	15873	21.1		Pass
75	30.0 - 66.0% of mass 95	36171	48.0		Pass
95	Base peak, 100% relative abundance	75325	100.0		Pass
96	5.0 - 9.0% of mass 95	4799	6.37		Pass
173	Less than 2.0% of mass 174	243	0.32	(0.38) [a]	Pass
174	50.0 - 120.0% of mass 95	64109	85.1		Pass
175	4.0 - 9.01% of mass 174	4578	6.08	(7.14) [a]	Pass
176	93.0 - 101.0% of mass 174	61741	82.0	(96.3) [a]	Pass
177	5.0 - 9.0% of mass 176	4021	5.34	(6.51) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V2W2710-CC2709	2W61024.D	08/24/22	20:00	00:32	Continuing cal 10
V2W2710-BS	2W61025.D	08/24/22	20:49	01:21	Blank Spike
V2W2710-BSD	2W61026.D	08/24/22	21:22	01:54	Blank Spike Duplicate
V2W2710-MB	2W61028.D	08/24/22	22:32	03:04	Method Blank
V2W2710-SCC	2W61030.D	08/24/22	23:48	04:20	Summa Cleaning Certification
V2W2710-SCC	2W61031.D	08/25/22	00:26	04:58	Summa Cleaning Certification
V2W2710-SCC	2W61032.D	08/25/22	01:04	05:36	Summa Cleaning Certification
V2W2710-SCC	2W61033.D	08/25/22	01:42	06:14	Summa Cleaning Certification
V2W2710-SCC	2W61034.D	08/25/22	02:20	06:52	Summa Cleaning Certification
V2W2710-SCC	2W61035.D	08/25/22	02:57	07:29	Summa Cleaning Certification
V2W2710-SCC	2W61036.D	08/25/22	03:34	08:06	Summa Cleaning Certification
V2W2710-SCC	2W61037.D	08/25/22	04:06	08:38	Summa Cleaning Certification
V2W2710-SCC	2W61038.D	08/25/22	04:38	09:10	Summa Cleaning Certification
V2W2710-SCC	2W61039.D	08/25/22	05:09	09:41	Summa Cleaning Certification
V2W2710-SCC	2W61040.D	08/25/22	05:40	10:12	Summa Cleaning Certification
V2W2710-SCC	2W61041.D	08/25/22	06:13	10:45	Summa Cleaning Certification
V2W2710-SCC	2W61042.D	08/25/22	06:44	11:16	Summa Cleaning Certification

Instrument Performance Check (BFB)

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V2W2714-BFB
Lab File ID: 2W61139.D
Instrument ID: GCMS2W
Injection Date: 08/30/22
Injection Time: 08:49

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	8.0 - 40.0% of mass 95	16722	22.9		Pass
75	30.0 - 66.0% of mass 95	36933	50.6		Pass
95	Base peak, 100% relative abundance	73021	100.0		Pass
96	5.0 - 9.0% of mass 95	4398	6.02		Pass
173	Less than 2.0% of mass 174	245	0.34	(0.41) [a]	Pass
174	50.0 - 120.0% of mass 95	59720	81.8		Pass
175	4.0 - 9.01% of mass 174	4107	5.62	(6.88) [a]	Pass
176	93.0 - 101.0% of mass 174	59349	81.3	(99.4) [a]	Pass
177	5.0 - 9.0% of mass 176	3464	4.74	(5.84) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V2W2714-CC2709	2W61140.D	08/30/22	09:21	00:32	Continuing cal 10
V2W2714-BS	2W61141.D	08/30/22	10:20	01:31	Blank Spike
V2W2714-BSD	2W61142.D	08/30/22	10:52	02:03	Blank Spike Duplicate
V2W2714-MB	2W61144.D	08/30/22	12:13	03:24	Method Blank
ZZZZZZ	2W61145.D	08/30/22	12:44	03:55	(unrelated sample)
ZZZZZZ	2W61146.D	08/30/22	13:24	04:35	(unrelated sample)
ZZZZZZ	2W61147.D	08/30/22	14:03	05:14	(unrelated sample)
ZZZZZZ	2W61148.D	08/30/22	14:42	05:53	(unrelated sample)
ZZZZZZ	2W61152.D	08/30/22	16:59	08:10	(unrelated sample)
ZZZZZZ	2W61153.D	08/30/22	17:39	08:50	(unrelated sample)
ZZZZZZ	2W61154.D	08/30/22	18:19	09:30	(unrelated sample)
JD50792-4	2W61155.D	08/30/22	18:58	10:09	(used for QC only; not part of job JD52620)
JD50792-4DUP	2W61156.D	08/30/22	19:38	10:49	Duplicate
ZZZZZZ	2W61157.D	08/30/22	20:19	11:30	(unrelated sample)
ZZZZZZ	2W61158.D	08/30/22	21:00	12:11	(unrelated sample)
ZZZZZZ	2W61159.D	08/30/22	21:43	12:54	(unrelated sample)
ZZZZZZ	2W61162.D	08/30/22	23:29	14:40	(unrelated sample)
ZZZZZZ	2W61164.D	08/31/22	00:49	16:00	(unrelated sample)
ZZZZZZ	2W61165.D	08/31/22	01:27	16:38	(unrelated sample)
ZZZZZZ	2W61166.D	08/31/22	02:00	17:11	(unrelated sample)
ZZZZZZ	2W61167.D	08/31/22	02:32	17:43	(unrelated sample)
ZZZZZZ	2W61168.D	08/31/22	03:04	18:15	(unrelated sample)
ZZZZZZ	2W61169.D	08/31/22	03:36	18:47	(unrelated sample)
ZZZZZZ	2W61170.D	08/31/22	04:11	19:22	(unrelated sample)

Instrument Performance Check (BFB)

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample:	V2W2714-BFB	**Injection Date:**	08/30/22
Lab File ID:	2W61139.D	**Injection Time:**	08:49
Instrument ID:	GCMS2W		

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
ZZZZZZ	2W61171.D	08/31/22	04:44	19:55	(unrelated sample)
V2W2714-SCC	2W61172.D	08/31/22	05:16	20:27	Summa Cleaning Certification
V2W2714-SCC	2W61173.D	08/31/22	05:48	20:59	Summa Cleaning Certification
V2W2714-SCC	2W61174.D	08/31/22	06:20	21:31	Summa Cleaning Certification
V2W2714-SCC	2W61176.D	08/31/22	07:34	22:45	Summa Cleaning Certification

Instrument Performance Check (BFB)

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V2W2735-BFB
Lab File ID: 2W61632.D
Instrument ID: GCMS2W
Injection Date: 09/28/22
Injection Time: 07:23

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	8.0 - 40.0% of mass 95	14046	20.9		Pass
75	30.0 - 66.0% of mass 95	34277	51.1		Pass
95	Base peak, 100% relative abundance	67136	100.0		Pass
96	5.0 - 9.0% of mass 95	4157	6.19		Pass
173	Less than 2.0% of mass 174	310	0.46	(0.55) [a]	Pass
174	50.0 - 120.0% of mass 95	55933	83.3		Pass
175	4.0 - 9.01% of mass 174	3892	5.80	(6.96) [a]	Pass
176	93.0 - 101.0% of mass 174	52349	78.0	(93.6) [a]	Pass
177	5.0 - 9.0% of mass 176	3689	5.49	(7.05) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V2W2735-CC2709	2W61633.D	09/28/22	07:54	00:31	Continuing cal 10
V2W2735-BS	2W61634.D	09/28/22	08:44	01:21	Blank Spike
V2W2735-BSD	2W61635.D	09/28/22	09:16	01:53	Blank Spike Duplicate
V2W2735-MB	2W61637.D	09/28/22	10:50	03:27	Method Blank
ZZZZZZ	2W61638.D	09/28/22	12:40	05:17	(unrelated sample)
JD52482-2	2W61639.D	09/28/22	13:12	05:49	(used for QC only; not part of job JD52620)
JD52482-2DUP	2W61640.D	09/28/22	13:44	06:21	Duplicate
ZZZZZZ	2W61642.D	09/28/22	14:48	07:25	(unrelated sample)
ZZZZZZ	2W61643.D	09/28/22	15:19	07:56	(unrelated sample)
ZZZZZZ	2W61644.D	09/28/22	15:52	08:29	(unrelated sample)
ZZZZZZ	2W61645.D	09/28/22	16:23	09:00	(unrelated sample)
ZZZZZZ	2W61646.D	09/28/22	17:02	09:39	(unrelated sample)
ZZZZZZ	2W61647.D	09/28/22	17:34	10:11	(unrelated sample)
ZZZZZZ	2W61648.D	09/28/22	18:06	10:43	(unrelated sample)
ZZZZZZ	2W61649.D	09/28/22	18:44	11:21	(unrelated sample)
JD52620-1	2W61650.D	09/28/22	19:16	11:53	EW-1-62C
JD52620-2	2W61651.D	09/28/22	19:49	12:26	EW-2-62C

Instrument Performance Check (BFB)

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V2W2736-BFB
Lab File ID: 2W61652.D
Instrument ID: GCMS2W
Injection Date: 09/29/22
Injection Time: 07:11

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	8.0 - 40.0% of mass 95	12788	20.8		Pass
75	30.0 - 66.0% of mass 95	31859	51.9		Pass
95	Base peak, 100% relative abundance	61363	100.0		Pass
96	5.0 - 9.0% of mass 95	4125	6.72		Pass
173	Less than 2.0% of mass 174	234	0.38	(0.45) [a]	Pass
174	50.0 - 120.0% of mass 95	52013	84.8		Pass
175	4.0 - 9.01% of mass 174	3397	5.54	(6.53) [a]	Pass
176	93.0 - 101.0% of mass 174	48915	79.7	(94.0) [a]	Pass
177	5.0 - 9.0% of mass 176	3280	5.35	(6.71) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V2W2736-CC2709	2W61653.D	09/29/22	07:42	00:31	Continuing cal 10
V2W2736-BS	2W61654.D	09/29/22	08:23	01:12	Blank Spike
V2W2736-BSD	2W61655.D	09/29/22	08:55	01:44	Blank Spike Duplicate
V2W2736-MB	2W61657.D	09/29/22	10:25	03:14	Method Blank
JD52620-13	2W61658.D	09/29/22	12:44	05:33	TRIP BLANK
JD52620-3	2W61659.D	09/29/22	13:15	06:04	EW-3-60C
JD52620-4	2W61660.D	09/29/22	13:47	06:36	EW-4-25B
JD52620-5	2W61661.D	09/29/22	14:39	07:28	EW-5-25B
JD52620-6	2W61662.D	09/29/22	15:12	08:01	EW-6-60C
JD52620-7	2W61663.D	09/29/22	15:44	08:33	EW-7-25B
JD52620-8	2W61664.D	09/29/22	16:16	09:05	EW-8-62C
JD52620-8DUP	2W61665.D	09/29/22	16:48	09:37	Duplicate
JD52620-9	2W61666.D	09/29/22	17:19	10:08	EW-9R-72C
JD52620-10	2W61667.D	09/29/22	17:52	10:41	EW-10-25B
JD52620-12	2W61669.D	09/29/22	18:55	11:44	EW-12-45C
ZZZZZZ	2W61670.D	09/29/22	19:33	12:22	(unrelated sample)
ZZZZZZ	2W61671.D	09/29/22	20:05	12:54	(unrelated sample)
ZZZZZZ	2W61672.D	09/29/22	20:37	13:26	(unrelated sample)
ZZZZZZ	2W61673.D	09/29/22	21:09	13:58	(unrelated sample)
ZZZZZZ	2W61674.D	09/29/22	21:41	14:30	(unrelated sample)
ZZZZZZ	2W61675.D	09/29/22	22:13	15:02	(unrelated sample)
ZZZZZZ	2W61676.D	09/29/22	22:46	15:35	(unrelated sample)
V2W2736-SCC	2W61679.D	09/30/22	00:26	17:15	Summa Cleaning Certification
V2W2736-SCC	2W61680.D	09/30/22	00:57	17:46	Summa Cleaning Certification

Instrument Performance Check (BFB)

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample:	V2W2736-BFB	**Injection Date:**	09/29/22
Lab File ID:	2W61652.D	**Injection Time:**	07:11
Instrument ID:	GCMS2W		

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V2W2736-SCC	2W61681.D	09/30/22	01:29	18:18	Summa Cleaning Certification
V2W2736-SCC	2W61682.D	09/30/22	02:00	18:49	Summa Cleaning Certification
V2W2736-SCC	2W61683.D	09/30/22	02:32	19:21	Summa Cleaning Certification

Instrument Performance Check (BFB)

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V2W2737-BFB
Lab File ID: 2W61684.D
Instrument ID: GCMS2W
Injection Date: 09/30/22
Injection Time: 07:04

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	8.0 - 40.0% of mass 95	15039	21.3		Pass
75	30.0 - 66.0% of mass 95	35157	49.8		Pass
95	Base peak, 100% relative abundance	70539	100.0		Pass
96	5.0 - 9.0% of mass 95	4791	6.79		Pass
173	Less than 2.0% of mass 174	269	0.38	(0.46) [a]	Pass
174	50.0 - 120.0% of mass 95	57936	82.1		Pass
175	4.0 - 9.01% of mass 174	4262	6.04	(7.36) [a]	Pass
176	93.0 - 101.0% of mass 174	55877	79.2	(96.4) [a]	Pass
177	5.0 - 9.0% of mass 176	3876	5.49	(6.94) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V2W2737-CC2709	2W61685.D	09/30/22	07:35	00:31	Continuing cal 10
V2W2737-BS	2W61686.D	09/30/22	08:44	01:40	Blank Spike
V2W2737-BSD	2W61687.D	09/30/22	09:16	02:12	Blank Spike Duplicate
V2W2737-MB	2W61689.D	09/30/22	10:47	03:43	Method Blank
V2W2737-SCC	2W61690.D	09/30/22	11:34	04:30	Summa Cleaning Certification
JD52620-11	2W61692.D	09/30/22	12:43	05:39	EW-11-43C
JD52620-9	2W61693.D	09/30/22	13:15	06:11	EW-9R-72C
ZZZZZZ	2W61694.D	09/30/22	13:47	06:43	(unrelated sample)
ZZZZZZ	2W61695.D	09/30/22	14:20	07:16	(unrelated sample)
JD52638-1	2W61696.D	09/30/22	14:58	07:54	(used for QC only; not part of job JD52620)
JD52638-1DUP	2W61697.D	09/30/22	15:37	08:33	Duplicate
ZZZZZZ	2W61698.D	09/30/22	16:08	09:04	(unrelated sample)
ZZZZZZ	2W61699.D	09/30/22	16:41	09:37	(unrelated sample)

Instrument Performance Check (BFB)

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V6W1105-BFB
Lab File ID: 6W26001.D
Instrument ID: GCMS6W
Injection Date: 09/15/22
Injection Time: 09:18

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	8.0 - 40.0% of mass 95	8757	23.5		Pass
75	30.0 - 66.0% of mass 95	19024	51.1		Pass
95	Base peak, 100% relative abundance	37205	100.0		Pass
96	5.0 - 9.0% of mass 95	2301	6.18		Pass
173	Less than 2.0% of mass 174	272	0.73	(0.92) [a]	Pass
174	50.0 - 120.0% of mass 95	29547	79.4		Pass
175	4.0 - 9.01% of mass 174	2242	6.03	(7.59) [a]	Pass
176	93.0 - 101.0% of mass 174	28755	77.3	(97.3) [a]	Pass
177	5.0 - 9.0% of mass 176	1772	4.76	(6.16) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V6W1105-IC1105	6W26004.D	09/15/22	11:32	02:14	Initial cal 0.2
V6W1105-IC1105	6W26005.D	09/15/22	12:06	02:48	Initial cal 0.5
V6W1105-IC1105	6W26007.D	09/15/22	13:12	03:54	Initial cal 5
V6W1105-ICC1105	6W26008.D	09/15/22	13:46	04:28	Initial cal 10
V6W1105-IC1105	6W26009.D	09/15/22	14:22	05:04	Initial cal 20
V6W1105-IC1105	6W26010.D	09/15/22	15:01	05:43	Initial cal 40
V6W1105-IC1105	6W26011.D	09/15/22	15:43	06:25	Initial cal 50
V6W1105-IC1105	6W26014.D	09/15/22	17:22	08:04	Initial cal 0.04
V6W1105-IC1105	6W26015.D	09/15/22	17:55	08:37	Initial cal 0.1
V6W1105-ICV1105	6W26016.D	09/16/22	08:30	23:12	Initial cal verification 10

Instrument Performance Check (BFB)

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V6W1111-BFB
Lab File ID: 6W26133.D
Instrument ID: GCMS6W
Injection Date: 09/29/22
Injection Time: 09:55

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	8.0 - 40.0% of mass 95	10378	25.9		Pass
75	30.0 - 66.0% of mass 95	21616	53.9		Pass
95	Base peak, 100% relative abundance	40109	100.0		Pass
96	5.0 - 9.0% of mass 95	2549	6.36		Pass
173	Less than 2.0% of mass 174	116	0.29	(0.40) [a]	Pass
174	50.0 - 120.0% of mass 95	29323	73.1		Pass
175	4.0 - 9.01% of mass 174	2071	5.16	(7.06) [a]	Pass
176	93.0 - 101.0% of mass 174	27925	69.6	(95.2) [a]	Pass
177	5.0 - 9.0% of mass 176	1875	4.67	(6.71) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V6W1111-CC1105	6W26135.D	09/29/22	13:13	03:18	Continuing cal 10
V6W1111-BS	6W26138.D	09/29/22	15:45	05:50	Blank Spike
V6W1111-BSD	6W26139.D	09/29/22	16:28	06:33	Blank Spike Duplicate
V6W1111-MB	6W26141.D	09/29/22	18:06	08:11	Method Blank
ZZZZZZ	6W26142.D	09/29/22	18:53	08:58	(unrelated sample)
JD52615-1	6W26143.D	09/29/22	19:34	09:39	(used for QC only; not part of job JD52620)
JD52615-1DUP	6W26144.D	09/29/22	20:17	10:22	Duplicate
ZZZZZZ	6W26145.D	09/29/22	20:57	11:02	(unrelated sample)
ZZZZZZ	6W26146.D	09/29/22	21:40	11:45	(unrelated sample)
ZZZZZZ	6W26147.D	09/29/22	22:21	12:26	(unrelated sample)
ZZZZZZ	6W26148.D	09/29/22	23:03	13:08	(unrelated sample)
ZZZZZZ	6W26149.D	09/29/22	23:44	13:49	(unrelated sample)
ZZZZZZ	6W26150.D	09/30/22	00:26	14:31	(unrelated sample)
ZZZZZZ	6W26151.D	09/30/22	01:07	15:12	(unrelated sample)
JD52620-3	6W26152.D	09/30/22	01:51	15:56	EW-3-60C
JD52620-5	6W26153.D	09/30/22	02:34	16:39	EW-5-25B
JD52620-6	6W26154.D	09/30/22	03:18	17:23	EW-6-60C
JD52620-7	6W26155.D	09/30/22	04:00	18:05	EW-7-25B
JD52620-8	6W26156.D	09/30/22	04:43	18:48	EW-8-62C

Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Check Std:	V2W2637-CC2619	**Injection Date:**	05/14/22
Lab File ID:	2W59298.D	**Injection Time:**	15:47
Instrument ID:	GCMS2W	**Method:**	TO-15

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
Check Std	270624	3.47	1715864	4.85	1564056	10.64
Upper Limit [a]	378874	3.80	2402210	5.18	2189678	10.97
Lower Limit [b]	162374	3.14	1029518	4.52	938434	10.31

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
V2W2637-BS	264009	3.47	1659308	4.85	1512777	10.64
V2W2637-BSD	263806	3.47	1667235	4.85	1491993	10.64
V2W2637-MB	367313	3.47	1982883	4.85	1736178	10.63
ZZZZZZ	282686	3.47	1730409	4.85	1606011	10.64
ZZZZZZ	271920	3.48	1701624	4.85	1560695	10.64
ZZZZZZ	253327	3.49	1571347	4.86	1511670	10.64
JD44674-1	255437	3.49	1618075	4.86	1540973	10.64
JD44674-1DUP	256015	3.49	1592615	4.86	1518600	10.65
ZZZZZZ	283992	3.48	1821574	4.85	1607066	10.64
ZZZZZZ	231838	3.57	1567265	4.94	1491609	10.68
ZZZZZZ	267659	3.47	1629935	4.85	1493449	10.64
V2W2637-SCC	356412	3.47	1922318	4.85	1676349	10.63
V2W2637-SCC	364703	3.47	1952972	4.84	1681804	10.63
V2W2637-SCC	361480	3.47	1942033	4.85	1695746	10.64
V2W2637-SCC	360510	3.47	1947169	4.85	1698162	10.63

IS 1 = Bromochloromethane
IS 2 = 1,4-Difluorobenzene
IS 3 = Chlorobenzene-D5

(a) Upper Limit = + 40% of check standard area; Retention time + 0.33 minutes.
(b) Lower Limit = -40% of check standard area; Retention time -0.33 minutes.

Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Check Std:	V2W2710-CC2709	**Injection Date:**	08/24/22
Lab File ID:	2W61024.D	**Injection Time:**	20:00
Instrument ID:	GCMS2W	**Method:**	TO-15

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
Check Std	74784	3.62	401710	4.93	365251	10.59
Upper Limit [a]	104698	3.95	562394	5.26	511351	10.92
Lower Limit [b]	44870	3.29	241026	4.60	219151	10.26

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
V2W2710-BS	74166	3.61	390179	4.93	358568	10.59
V2W2710-BSD	75491	3.61	403267	4.93	366769	10.59
V2W2710-MB	69994	3.61	386625	4.93	342388	10.58
V2W2710-SCC	70355	3.61	379872	4.92	338101	10.58
V2W2710-SCC	68548	3.61	370097	4.93	331121	10.58
V2W2710-SCC	67895	3.61	368067	4.93	326610	10.58
V2W2710-SCC	66099	3.61	359986	4.92	318224	10.59
V2W2710-SCC	64112	3.61	350107	4.92	310358	10.58
V2W2710-SCC	65049	3.61	356838	4.93	318455	10.58
V2W2710-SCC	64425	3.61	347937	4.93	307636	10.58
V2W2710-SCC	63078	3.61	344220	4.93	306814	10.58
V2W2710-SCC	62623	3.61	339564	4.92	303443	10.58
V2W2710-SCC	62413	3.61	335881	4.93	299365	10.58
V2W2710-SCC	63058	3.61	341146	4.92	303550	10.58
V2W2710-SCC	60714	3.61	329792	4.93	293169	10.58
V2W2710-SCC	61065	3.61	331000	4.93	297063	10.58

IS 1 = Bromochloromethane
IS 2 = 1,4-Difluorobenzene
IS 3 = Chlorobenzene-D5

(a) Upper Limit = + 40% of check standard area; Retention time + 0.33 minutes.
(b) Lower Limit = -40% of check standard area; Retention time -0.33 minutes.

Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Check Std:	V2W2714-CC2709	**Injection Date:**	08/30/22
Lab File ID:	2W61140.D	**Injection Time:**	09:21
Instrument ID:	GCMS2W	**Method:**	TO-15

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
Check Std	80923	3.61	430053	4.93	388616	10.59
Upper Limit [a]	113292	3.94	602074	5.26	544062	10.92
Lower Limit [b]	48554	3.28	258032	4.60	233170	10.26

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
V2W2714-BS	80060	3.61	427447	4.93	386452	10.59
V2W2714-BSD	85118	3.61	444683	4.93	404229	10.59
V2W2714-MB	77018	3.61	415866	4.93	362740	10.59
ZZZZZZ	74942	3.61	407551	4.93	356952	10.59
ZZZZZZ	78380	3.61	417166	4.93	366362	10.59
ZZZZZZ	74698	3.61	402061	4.93	359375	10.59
ZZZZZZ	75104	3.61	397129	4.93	359119	10.59
ZZZZZZ	75430	3.61	398905	4.93	370930	10.59
ZZZZZZ	74661	3.62	401273	4.93	368458	10.59
ZZZZZZ	77507	3.61	412295	4.93	365970	10.59
JD50792-4	77254	3.61	412823	4.93	368364	10.58
JD50792-4DUP	77325	3.61	411254	4.93	364114	10.58
ZZZZZZ	77499	3.61	412903	4.93	367507	10.59
ZZZZZZ	78924	3.61	432588	4.93	378377	10.59
ZZZZZZ	80683	3.61	444395	4.93	383338	10.58
ZZZZZZ	78688	3.61	421562	4.93	374425	10.58
ZZZZZZ	76843	3.61	406070	4.93	353315	10.58
ZZZZZZ	74239	3.61	392357	4.93	338135	10.58
ZZZZZZ	73394	3.62	390644	4.93	339693	10.59
ZZZZZZ	69989	3.61	376976	4.93	357367	10.59
ZZZZZZ	95241	3.62	522523	4.93	478957	10.60
ZZZZZZ	95200	3.62	512961	4.93	432338	10.59
ZZZZZZ	88058	3.61	477280	4.93	407632	10.59
ZZZZZZ	84855	3.62	454887	4.93	386556	10.59
V2W2714-SCC	82868	3.61	455430	4.93	384298	10.59
V2W2714-SCC	76374	3.61	416137	4.93	359281	10.59
V2W2714-SCC	74964	3.61	401885	4.93	354404	10.59
V2W2714-SCC	74788	3.61	410375	4.93	360990	10.59

IS 1 = Bromochloromethane
IS 2 = 1,4-Difluorobenzene
IS 3 = Chlorobenzene-D5

(a) Upper Limit = + 40% of check standard area; Retention time + 0.33 minutes.
(b) Lower Limit = -40% of check standard area; Retention time -0.33 minutes.

Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Check Std:	V2W2735-CC2709	**Injection Date:**	09/28/22
Lab File ID:	2W61633.D	**Injection Time:**	07:54
Instrument ID:	GCMS2W	**Method:**	TO-15

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
Check Std	70011	3.61	365172	4.93	317821	10.59
Upper Limit [a]	98015	3.94	511241	5.26	444949	10.92
Lower Limit [b]	42007	3.28	219103	4.60	190693	10.26

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
V2W2735-BS	70966	3.61	361937	4.93	312957	10.58
V2W2735-BSD	72997	3.61	384116	4.93	328631	10.59
V2W2735-MB	67250	3.61	357264	4.93	300667	10.58
ZZZZZZ	68256	3.62	353745	4.94	296698	10.59
JD52482-2	65688	3.61	345005	4.93	288089	10.59
JD52482-2DUP	64088	3.61	331949	4.93	281207	10.59
ZZZZZZ	65374	3.61	339601	4.93	279903	10.59
ZZZZZZ	67743	3.61	351567	4.93	289597	10.59
ZZZZZZ	64181	3.61	339216	4.93	290107	10.58
ZZZZZZ	59277	3.62	309269	4.94	262173	10.59
ZZZZZZ	62622	3.61	329660	4.93	281024	10.58
ZZZZZZ	61913	3.61	326273	4.93	266792	10.59
ZZZZZZ	61362	3.61	326606	4.93	264186	10.58
ZZZZZZ	63433	3.61	338826	4.93	294119	10.59
JD52620-1	62115	3.61	321757	4.93	266070	10.59
JD52620-2	61947	3.61	323041	4.93	265444	10.59

IS 1 = Bromochloromethane
IS 2 = 1,4-Difluorobenzene
IS 3 = Chlorobenzene-D5

(a) Upper Limit = + 40% of check standard area; Retention time + 0.33 minutes.
(b) Lower Limit = -40% of check standard area; Retention time -0.33 minutes.

Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Check Std:	V2W2736-CC2709	**Injection Date:**	09/29/22
Lab File ID:	2W61653.D	**Injection Time:**	07:42
Instrument ID:	GCMS2W	**Method:**	TO-15

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
Check Std	63174	3.61	327482	4.93	287391	10.59
Upper Limit [a]	88444	3.94	458475	5.26	402347	10.92
Lower Limit [b]	37904	3.28	196489	4.60	172435	10.26

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
V2W2736-BS	65760	3.61	342332	4.93	293659	10.58
V2W2736-BSD	69414	3.61	361827	4.93	313302	10.59
V2W2736-MB	64927	3.61	338162	4.93	278029	10.58
JD52620-13	62557	3.61	321800	4.92	274731	10.58
JD52620-3	60403	3.61	314817	4.93	265639	10.59
JD52620-4	61641	3.61	318219	4.93	263160	10.58
JD52620-5	59066	3.61	312847	4.93	258844	10.59
JD52620-6	59802	3.61	309887	4.93	259770	10.59
JD52620-7	60578	3.61	318076	4.93	261635	10.59
JD52620-8	61526	3.61	318261	4.93	264554	10.59
JD52620-8DUP	57780	3.61	306465	4.93	254218	10.59
JD52620-9	58921	3.61	304403	4.93	250840	10.59
JD52620-10	61241	3.61	314285	4.93	255519	10.59
JD52620-12	59188	3.61	304865	4.93	251451	10.59
ZZZZZZ	58521	3.61	303102	4.93	250850	10.58
ZZZZZZ	59168	3.62	303958	4.94	250642	10.59
ZZZZZZ	58575	3.61	304082	4.93	245385	10.59
ZZZZZZ	58124	3.61	303745	4.93	244945	10.58
ZZZZZZ	57941	3.61	298671	4.93	245965	10.59
ZZZZZZ	59072	3.61	306196	4.93	250387	10.59
ZZZZZZ	60033	3.61	304792	4.93	249344	10.59
V2W2736-SCC	54998	3.61	284914	4.93	237636	10.58
V2W2736-SCC	53981	3.61	274927	4.93	232072	10.58
V2W2736-SCC	52640	3.61	277273	4.93	230504	10.59
V2W2736-SCC	51249	3.61	267456	4.93	221799	10.59
V2W2736-SCC	52002	3.61	267070	4.93	222645	10.59

IS 1 = Bromochloromethane
IS 2 = 1,4-Difluorobenzene
IS 3 = Chlorobenzene-D5

(a) Upper Limit = + 40% of check standard area; Retention time + 0.33 minutes.
(b) Lower Limit = -40% of check standard area; Retention time -0.33 minutes.

Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Check Std:	V2W2737-CC2709	**Injection Date:**	09/30/22
Lab File ID:	2W61685.D	**Injection Time:**	07:35
Instrument ID:	GCMS2W	**Method:**	TO-15

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
Check Std	73003	3.61	381947	4.93	328783	10.59
Upper Limit [a]	102204	3.94	534726	5.26	460296	10.92
Lower Limit [b]	43802	3.28	229168	4.60	197270	10.26

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
V2W2737-BS	75863	3.61	391798	4.93	334087	10.59
V2W2737-BSD	79697	3.61	414059	4.93	356338	10.59
V2W2737-MB	74416	3.61	386070	4.93	321362	10.58
V2W2737-SCC	71862	3.61	372223	4.93	311922	10.58
JD52620-11	68493	3.61	355679	4.93	308446	10.58
JD52620-9	65766	3.61	340075	4.93	276756	10.59
ZZZZZZ	70003	3.63	365932	4.94	311901	10.59
ZZZZZZ	73376	3.63	384826	4.95	326688	10.60
JD52638-1	71119	3.61	364235	4.93	307781	10.59
JD52638-1DUP	67402	3.61	351783	4.93	302699	10.59
ZZZZZZ	65538	3.61	340782	4.93	294228	10.59
ZZZZZZ	69500	3.62	360985	4.94	309444	10.59

IS 1 = Bromochloromethane
IS 2 = 1,4-Difluorobenzene
IS 3 = Chlorobenzene-D5

(a) Upper Limit = + 40% of check standard area; Retention time + 0.33 minutes.
(b) Lower Limit = -40% of check standard area; Retention time -0.33 minutes.

Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Check Std:	V6W1111-CC1105	**Injection Date:**	09/29/22
Lab File ID:	6W26135.D	**Injection Time:**	13:13
Instrument ID:	GCMS6W	**Method:**	TO-15

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
Check Std	37706	3.34	220161	4.73	163775	10.58
Upper Limit [a]	52788	3.67	308225	5.06	229285	10.91
Lower Limit [b]	22624	3.01	132097	4.40	98265	10.25

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT
V6W1111-BS	43578	3.34	242843	4.73	185817	10.58
V6W1111-BSD	42826	3.34	239033	4.73	186339	10.59
V6W1111-MB	42284	3.34	242632	4.73	185206	10.58
ZZZZZZ	38568	3.34	221429	4.73	166282	10.58
JD52615-1	38223	3.34	214100	4.73	165419	10.59
JD52615-1DUP	37975	3.34	205808	4.73	151804	10.58
ZZZZZZ	37813	3.34	212349	4.73	164015	10.58
ZZZZZZ	36782	3.34	198417	4.73	146323	10.58
ZZZZZZ	36876	3.34	207709	4.73	159525	10.58
ZZZZZZ	35924	3.34	205974	4.73	150541	10.58
ZZZZZZ	39657	3.34	224157	4.73	171567	10.58
ZZZZZZ	37430	3.34	203436	4.73	156298	10.58
ZZZZZZ	38956	3.34	221418	4.73	163809	10.58
JD52620-3	40450	3.34	228036	4.73	169706	10.58
JD52620-5	40042	3.34	225725	4.73	169595	10.58
JD52620-6	37766	3.34	213412	4.73	159103	10.59
JD52620-7	36402	3.34	214214	4.73	162470	10.58
JD52620-8	35756	3.34	205827	4.73	142488	10.58

IS 1 = Bromochloromethane
IS 2 = 1,4-Difluorobenzene
IS 3 = Chlorobenzene-D5

(a) Upper Limit = + 40% of check standard area; Retention time + 0.33 minutes.
(b) Lower Limit = -40% of check standard area; Retention time -0.33 minutes.

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2619-IC2619	2W58806.D	04/26/22 13:14	TCH	0.04	GCMS2W	TO-15	Reporting this level
V2W2619-IC2619	2W58807.D	04/26/22 13:50	TCH	0.1	GCMS2W	TO-15	
V2W2619-IC2619	2W58808.D	04/26/22 14:27	TCH	0.2	GCMS2W	TO-15	
V2W2619-IC2619	2W58809.D	04/26/22 15:05	TCH	0.5	GCMS2W	TO-15	
V2W2619-IC2619	2W58810.D	04/26/22 15:42	TCH	5	GCMS2W	TO-15	
V2W2619-ICC2619	2W58811.D	04/26/22 16:18	TCH	10	GCMS2W	TO-15	
V2W2619-IC2619	2W58812.D	04/26/22 16:55	TCH	20	GCMS2W	TO-15	
V2W2619-IC2619	2W58813.D	04/26/22 17:37	TCH	40	GCMS2W	TO-15	
V2W2619-IC2619	2W58814.D	04/26/22 18:20	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acrolein	2.23	3.47	0.643	ok	0.643	0.583-0.703
Acrylonitrile	2.41	3.47	0.695	ok	0.693	0.633-0.753
Acetonitrile	2.20	3.47	0.634	ok	0.632	0.572-0.692
1,3-Butadiene	1.98	3.47	0.571	ok	0.573	0.513-0.633
Benzene	4.50	3.47	1.297	ok	1.298	1.238-1.358
Bromobenzene	14.39	10.64	1.352	ok	1.355	1.295-1.415
Bromodichloromethane	5.40	4.85	1.113	ok	1.115	1.055-1.175
Bromoform	11.85	10.64	1.114	ok	1.115	1.055-1.175
Bromomethane	2.07	3.47	0.597	ok	0.594	0.534-0.654
Bromoethene	2.20	3.47	0.634	ok	0.634	0.574-0.694
n-Butane	2.00	3.47	0.576	ok	0.577	0.517-0.637
n-Butylbenzene	17.60	10.64	1.654	ok	1.654	1.594-1.714
sec-Butylbenzene	17.08	10.64	1.605	ok	1.605	1.545-1.665
tert-Butylbenzene	16.80	10.64	1.579	ok	1.579	1.519-1.639
Carbon disulfide	2.65	3.47	0.764	ok	0.764	0.704-0.824
Chlorobenzene	10.71	10.64	1.007	ok	1.008	0.948-1.068
Chlorodifluoromethane	1.83	3.47	0.527	ok	0.525	0.465-0.585
Chloroethane	2.10	3.47	0.605	ok	0.606	0.546-0.666
Chlorotrifluoroethene	1.84	3.47	0.530	ok	0.529	0.469-0.589
Chloroform	3.54	3.47	1.020	ok	1.024	0.964-1.084
Chloromethane	1.89	3.47	0.545	ok	0.545	0.485-0.605
3-Chloropropene	2.59	3.47	0.746	ok	0.748	0.688-0.808
2-Chlorotoluene	15.53	10.64	1.460	ok	1.461	1.401-1.521
Carbon tetrachloride	4.61	3.47	1.329	ok	1.331	1.271-1.391
Cyclohexane	4.72	4.85	0.973	ok	0.973	0.913-1.033
1,1-Dichloroethane	2.98	3.47	0.859	ok	0.861	0.801-0.921
1,1-Dichloroethylene	2.52	3.47	0.726	ok	0.726	0.666-0.786
1,2-Dibromoethane (EDB)	8.61	4.85	1.775	ok	1.777	1.717-1.837
1,2-Dichloroethane	3.99	3.47	1.150	ok	1.151	1.091-1.211
1,2-Dichloropropane	5.21	4.85	1.074	ok	1.076	1.016-1.136
1,3-Dichloropropane	7.75	4.85	1.598	ok	1.602	1.542-1.662
1,4-Dioxane	5.51	4.85	1.136	ok	1.132	1.072-1.192
Dichlorodifluoromethane	1.86	3.47	0.536	ok	0.533	0.473-0.593
Dichlorofluoromethane	2.13	3.47	0.614	ok	0.614	0.554-0.674
Dibromochloromethane	8.25	4.85	1.701	ok	1.703	1.643-1.763
Dibromomethane	5.17	4.85	1.066	ok	1.066	1.006-1.126
trans-1,2-Dichloroethylene	2.91	3.47	0.839	ok	0.837	0.777-0.897
cis-1,2-Dichloroethylene	3.39	3.47	0.977	ok	0.977	0.917-1.037
cis-1,3-Dichloropropene	6.44	4.85	1.328	ok	1.328	1.268-1.388

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2619-IC2619	2W58806.D	04/26/22 13:14	TCH	0.04	GCMS2W	TO-15	Reporting this level
V2W2619-IC2619	2W58807.D	04/26/22 13:50	TCH	0.1	GCMS2W	TO-15	
V2W2619-IC2619	2W58808.D	04/26/22 14:27	TCH	0.2	GCMS2W	TO-15	
V2W2619-IC2619	2W58809.D	04/26/22 15:05	TCH	0.5	GCMS2W	TO-15	
V2W2619-IC2619	2W58810.D	04/26/22 15:42	TCH	5	GCMS2W	TO-15	
V2W2619-ICC2619	2W58811.D	04/26/22 16:18	TCH	10	GCMS2W	TO-15	
V2W2619-IC2619	2W58812.D	04/26/22 16:55	TCH	20	GCMS2W	TO-15	
V2W2619-IC2619	2W58813.D	04/26/22 17:37	TCH	40	GCMS2W	TO-15	
V2W2619-IC2619	2W58814.D	04/26/22 18:20	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
m-Dichlorobenzene	16.87	10.64	1.586	ok	1.586	1.526-1.646
o-Dichlorobenzene	17.24	10.64	1.620	ok	1.621	1.561-1.681
p-Dichlorobenzene	16.95	10.64	1.593	ok	1.593	1.533-1.653
trans-1,3-Dichloropropene	7.15	4.85	1.474	ok	1.475	1.415-1.535
Di-Isopropyl ether	3.53	3.47	1.017	ok	1.019	0.959-1.079
2,3-Dimethylpentane	4.98	4.85	1.027	ok	1.029	0.969-1.089
2,4-Dimethylpentane	4.07	3.47	1.173	ok	1.176	1.116-1.236
Ethylbenzene	11.61	10.64	1.091	ok	1.092	1.032-1.152
Ethyl Acetate	3.53	3.47	1.017	ok	1.021	0.961-1.081
Ethyl Acrylate	5.34	4.85	1.101	ok	1.103	1.043-1.163
4-Ethyltoluene	16.20	10.64	1.523	ok	1.524	1.464-1.584
Freon 113	2.66	3.47	0.767	ok	0.765	0.705-0.825
Freon 114	1.93	3.47	0.556	ok	0.554	0.494-0.614
Freon 115	1.78	3.47	0.513	ok	0.515	0.455-0.575
Freon 123	2.25	3.47	0.648	ok	0.648	0.588-0.708
Freon 123A	2.26	3.47	0.651	ok	0.651	0.591-0.711
Freon 142B	1.89	3.47	0.545	ok	0.545	0.485-0.605
Heptane	5.88	4.85	1.212	ok	1.214	1.154-1.274
Hexachlorobutadiene	18.81	10.64	1.768	ok	1.768	1.708-1.828
Hexachloroethane	17.78	10.64	1.671	ok	1.671	1.611-1.731
Hexane	3.53	3.47	1.017	ok	1.016	0.956-1.076
2-Hexanone	8.29	4.85	1.709	ok	1.712	1.652-1.772
Iodomethane	2.49	3.47	0.718	ok	0.718	0.658-0.778
Isopropylbenzene	14.51	10.64	1.364	ok	1.366	1.306-1.426
Isopropyl Alcohol	2.34	3.47	0.674	ok	0.674	0.614-0.734
p-Isopropyltoluene	17.25	10.64	1.621	ok	1.622	1.562-1.682
Methyl ethyl ketone	3.17	3.47	0.914	ok	0.914	0.854-0.974
Methyl Isobutyl Ketone	6.55	4.85	1.351	ok	1.353	1.293-1.413
Methyl Tert Butyl Ether	3.02	3.47	0.870	ok	0.871	0.811-0.931
Methylmethacrylate	5.79	4.85	1.194	ok	1.194	1.134-1.254
Naphthalene	18.56	10.64	1.744	ok	1.744	1.684-1.804
Nonane	14.11	10.64	1.326	ok	1.328	1.268-1.388
Octane	9.61	4.85	1.981	ok	1.985	1.925-2.045
Pentane	2.43	3.47	0.700	ok	0.701	0.641-0.761
n-Propylbenzene	15.87	10.64	1.492	ok	1.493	1.433-1.553
Propylene	1.84	3.47	0.530	ok	0.528	0.468-0.588
Styrene	12.77	10.64	1.200	ok	1.202	1.142-1.262
1,1,1-Trichloroethane	4.17	3.47	1.202	ok	1.201	1.141-1.261
1,1,1,2-Tetrachloroethane	10.72	10.64	1.008	ok	1.009	0.949-1.069

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2619-IC2619	2W58806.D	04/26/22 13:14	TCH	0.04	GCMS2W	TO-15	Reporting this level
V2W2619-IC2619	2W58807.D	04/26/22 13:50	TCH	0.1	GCMS2W	TO-15	
V2W2619-IC2619	2W58808.D	04/26/22 14:27	TCH	0.2	GCMS2W	TO-15	
V2W2619-IC2619	2W58809.D	04/26/22 15:05	TCH	0.5	GCMS2W	TO-15	
V2W2619-IC2619	2W58810.D	04/26/22 15:42	TCH	5	GCMS2W	TO-15	
V2W2619-ICC2619	2W58811.D	04/26/22 16:18	TCH	10	GCMS2W	TO-15	
V2W2619-IC2619	2W58812.D	04/26/22 16:55	TCH	20	GCMS2W	TO-15	
V2W2619-IC2619	2W58813.D	04/26/22 17:37	TCH	40	GCMS2W	TO-15	
V2W2619-IC2619	2W58814.D	04/26/22 18:20	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
1,1,2,2-Tetrachloroethane	13.00	10.64	1.222	ok	1.224	1.164-1.284
1,1,2-Trichloroethane	7.31	4.85	1.507	ok	1.510	1.450-1.570
1,2,3-Trichloropropane	13.30	10.64	1.250	ok	1.250	1.190-1.310
1,2,3-Trimethylbenzene	17.19	10.64	1.616	ok	1.616	1.556-1.676
1,2,4-Trimethylbenzene	16.81	10.64	1.580	ok	1.580	1.520-1.640
1,3,5-Trimethylbenzene	16.35	10.64	1.537	ok	1.537	1.477-1.597
2,2,4-Trimethylpentane	5.55	4.85	1.144	ok	1.146	1.086-1.206
Tertiary Butyl Alcohol	2.54	3.47	0.732	ok	0.730	0.670-0.790
Tetrachloroethylene	9.47	4.85	1.953	ok	1.955	1.895-2.015
Tetrahydrofuran	3.79	3.47	1.092	ok	1.091	1.031-1.151
Toluene	7.69	4.85	1.586	ok	1.588	1.528-1.648
Trichloroethylene	5.45	4.85	1.124	ok	1.125	1.065-1.185
Trichlorofluoromethane	2.32	3.47	0.669	ok	0.669	0.609-0.729
Vinyl chloride	1.95	3.47	0.562	ok	0.563	0.503-0.623
m,p-Xylene	12.04	10.64	1.132	ok	1.133	1.073-1.193
o-Xylene	12.99	10.64	1.221	ok	1.222	1.162-1.282

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.47	ok	3.47	3.14-3.80	262405	ok	264398	158639-370157
1,4-Difluorobenzene	4.85	ok	4.85	4.52-5.18	1634490	ok	1673779	1004267-2343291
Chlorobenzene-D5	10.64	ok	10.64	10.31-10.97	1615392	ok	1567527	940516-2194538

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2619-IC2619	2W58806.D	04/26/22 13:14	TCH	0.04	GCMS2W	TO-15	
V2W2619-IC2619	2W58807.D	04/26/22 13:50	TCH	0.1	GCMS2W	TO-15	Reporting this level
V2W2619-IC2619	2W58808.D	04/26/22 14:27	TCH	0.2	GCMS2W	TO-15	
V2W2619-IC2619	2W58809.D	04/26/22 15:05	TCH	0.5	GCMS2W	TO-15	
V2W2619-IC2619	2W58810.D	04/26/22 15:42	TCH	5	GCMS2W	TO-15	
V2W2619-ICC2619	2W58811.D	04/26/22 16:18	TCH	10	GCMS2W	TO-15	
V2W2619-IC2619	2W58812.D	04/26/22 16:55	TCH	20	GCMS2W	TO-15	
V2W2619-IC2619	2W58813.D	04/26/22 17:37	TCH	40	GCMS2W	TO-15	
V2W2619-IC2619	2W58814.D	04/26/22 18:20	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.27	3.46	0.656	ok	0.654	0.594-0.714
Acrolein	2.23	3.46	0.645	ok	0.643	0.583-0.703
Acrylonitrile	2.40	3.46	0.694	ok	0.693	0.633-0.753
Acetonitrile	2.19	3.46	0.633	ok	0.632	0.572-0.692
1,3-Butadiene	1.98	3.46	0.572	ok	0.573	0.513-0.633
Benzene	4.50	3.46	1.301	ok	1.298	1.238-1.358
Bromobenzene	14.40	10.64	1.353	ok	1.355	1.295-1.415
Bromodichloromethane	5.40	4.85	1.113	ok	1.115	1.055-1.175
Bromoform	11.86	10.64	1.115	ok	1.115	1.055-1.175
Bromomethane	2.06	3.46	0.595	ok	0.594	0.534-0.654
Bromoethene	2.20	3.46	0.636	ok	0.634	0.574-0.694
n-Butane	2.00	3.46	0.578	ok	0.577	0.517-0.637
Benzyl Chloride	16.88	10.64	1.586	ok	1.588	1.528-1.648
n-Butylbenzene	17.60	10.64	1.654	ok	1.654	1.594-1.714
sec-Butylbenzene	17.08	10.64	1.605	ok	1.605	1.545-1.665
tert-Butylbenzene	16.80	10.64	1.579	ok	1.579	1.519-1.639
Carbon disulfide	2.65	3.46	0.766	ok	0.764	0.704-0.824
Chlorobenzene	10.71	10.64	1.007	ok	1.008	0.948-1.068
Chlorodifluoromethane	1.82	3.46	0.526	ok	0.525	0.465-0.585
Chloroethane	2.10	3.46	0.607	ok	0.606	0.546-0.666
Chlorotrifluoroethene	1.83	3.46	0.529	ok	0.529	0.469-0.589
Chloroform	3.55	3.46	1.026	ok	1.024	0.964-1.084
Chloromethane	1.89	3.46	0.546	ok	0.545	0.485-0.605
3-Chloropropene	2.59	3.46	0.749	ok	0.748	0.688-0.808
2-Chlorotoluene	15.54	10.64	1.461	ok	1.461	1.401-1.521
Carbon tetrachloride	4.61	3.46	1.332	ok	1.331	1.271-1.391
Cyclohexane	4.71	4.85	0.971	ok	0.973	0.913-1.033
1,1-Dichloroethane	2.98	3.46	0.861	ok	0.861	0.801-0.921
1,1-Dichloroethylene	2.52	3.46	0.728	ok	0.726	0.666-0.786
1,2-Dibromoethane (EDB)	8.60	4.85	1.773	ok	1.777	1.717-1.837
1,2-Dichloroethane	3.99	3.46	1.153	ok	1.151	1.091-1.211
1,2-Dichloropropane	5.21	4.85	1.074	ok	1.076	1.016-1.136
1,3-Dichloropropane	7.75	4.85	1.598	ok	1.602	1.542-1.662
1,4-Dioxane	5.50	4.85	1.134	ok	1.132	1.072-1.192
Dichlorodifluoromethane	1.85	3.46	0.535	ok	0.533	0.473-0.593
Dichlorofluoromethane	2.13	3.46	0.616	ok	0.614	0.554-0.674
Dibromochloromethane	8.25	4.85	1.701	ok	1.703	1.643-1.763
Dibromomethane	5.17	4.85	1.066	ok	1.066	1.006-1.126
trans-1,2-Dichloroethylene	2.90	3.46	0.838	ok	0.837	0.777-0.897

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2619-IC2619	2W58806.D	04/26/22 13:14	TCH	0.04	GCMS2W	TO-15	
V2W2619-IC2619	2W58807.D	04/26/22 13:50	TCH	0.1	GCMS2W	TO-15	Reporting this level
V2W2619-IC2619	2W58808.D	04/26/22 14:27	TCH	0.2	GCMS2W	TO-15	
V2W2619-IC2619	2W58809.D	04/26/22 15:05	TCH	0.5	GCMS2W	TO-15	
V2W2619-IC2619	2W58810.D	04/26/22 15:42	TCH	5	GCMS2W	TO-15	
V2W2619-ICC2619	2W58811.D	04/26/22 16:18	TCH	10	GCMS2W	TO-15	
V2W2619-IC2619	2W58812.D	04/26/22 16:55	TCH	20	GCMS2W	TO-15	
V2W2619-IC2619	2W58813.D	04/26/22 17:37	TCH	40	GCMS2W	TO-15	
V2W2619-IC2619	2W58814.D	04/26/22 18:20	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.38	3.46	0.977	ok	0.977	0.917-1.037
cis-1,3-Dichloropropene	6.43	4.85	1.326	ok	1.328	1.268-1.388
m-Dichlorobenzene	16.87	10.64	1.586	ok	1.586	1.526-1.646
o-Dichlorobenzene	17.24	10.64	1.620	ok	1.621	1.561-1.681
p-Dichlorobenzene	16.95	10.64	1.593	ok	1.593	1.533-1.653
trans-1,3-Dichloropropene	7.14	4.85	1.472	ok	1.475	1.415-1.535
Di-Isopropyl ether	3.54	3.46	1.023	ok	1.019	0.959-1.079
2,3-Dimethylpentane	4.99	4.85	1.029	ok	1.029	0.969-1.089
2,4-Dimethylpentane	4.08	3.46	1.179	ok	1.176	1.116-1.236
Ethylbenzene	11.61	10.64	1.091	ok	1.092	1.032-1.152
Ethyl Acetate	3.54	3.46	1.023	ok	1.021	0.961-1.081
Ethyl Acrylate	5.34	4.85	1.101	ok	1.103	1.043-1.163
4-Ethyltoluene	16.20	10.64	1.523	ok	1.524	1.464-1.584
Freon 113	2.65	3.46	0.766	ok	0.765	0.705-0.825
Freon 114	1.92	3.46	0.555	ok	0.554	0.494-0.614
Freon 115	1.79	3.46	0.517	ok	0.515	0.455-0.575
Freon 123	2.24	3.46	0.647	ok	0.648	0.588-0.708
Freon 123A	2.26	3.46	0.653	ok	0.651	0.591-0.711
Freon 142B	1.89	3.46	0.546	ok	0.545	0.485-0.605
Freon 152A	1.81	3.46	0.523	ok	0.523	0.463-0.583
Heptane	5.88	4.85	1.212	ok	1.214	1.154-1.274
Hexachlorobutadiene	18.82	10.64	1.769	ok	1.768	1.708-1.828
Hexachloroethane	17.78	10.64	1.671	ok	1.671	1.611-1.731
Hexane	3.52	3.46	1.017	ok	1.016	0.956-1.076
2-Hexanone	8.30	4.85	1.711	ok	1.712	1.652-1.772
Iodomethane	2.49	3.46	0.720	ok	0.718	0.658-0.778
Isopropylbenzene	14.52	10.64	1.365	ok	1.366	1.306-1.426
Isopropyl Alcohol	2.34	3.46	0.676	ok	0.674	0.614-0.734
p-Isopropyltoluene	17.25	10.64	1.621	ok	1.622	1.562-1.682
Methylene chloride	2.55	3.46	0.737	ok	0.735	0.675-0.795
Methyl ethyl ketone	3.17	3.46	0.916	ok	0.914	0.854-0.974
Methyl Isobutyl Ketone	6.56	4.85	1.353	ok	1.353	1.293-1.413
Methyl Tert Butyl Ether	3.02	3.46	0.873	ok	0.871	0.811-0.931
Methylmethacrylate	5.78	4.85	1.192	ok	1.194	1.134-1.254
Naphthalene	18.56	10.64	1.744	ok	1.744	1.684-1.804
Nonane	14.11	10.64	1.326	ok	1.328	1.268-1.388
Octane	9.61	4.85	1.981	ok	1.985	1.925-2.045
Pentane	2.43	3.46	0.702	ok	0.701	0.641-0.761
n-Propylbenzene	15.87	10.64	1.492	ok	1.493	1.433-1.553

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2619-IC2619	2W58806.D	04/26/22 13:14	TCH	0.04	GCMS2W	TO-15	
V2W2619-IC2619	2W58807.D	04/26/22 13:50	TCH	0.1	GCMS2W	TO-15	Reporting this level
V2W2619-IC2619	2W58808.D	04/26/22 14:27	TCH	0.2	GCMS2W	TO-15	
V2W2619-IC2619	2W58809.D	04/26/22 15:05	TCH	0.5	GCMS2W	TO-15	
V2W2619-IC2619	2W58810.D	04/26/22 15:42	TCH	5	GCMS2W	TO-15	
V2W2619-ICC2619	2W58811.D	04/26/22 16:18	TCH	10	GCMS2W	TO-15	
V2W2619-IC2619	2W58812.D	04/26/22 16:55	TCH	20	GCMS2W	TO-15	
V2W2619-IC2619	2W58813.D	04/26/22 17:37	TCH	40	GCMS2W	TO-15	
V2W2619-IC2619	2W58814.D	04/26/22 18:20	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.84	3.46	0.532	ok	0.528	0.468-0.588
Styrene	12.77	10.64	1.200	ok	1.202	1.142-1.262
1,1,1-Trichloroethane	4.16	3.46	1.202	ok	1.201	1.141-1.261
1,1,1,2-Tetrachloroethane	10.72	10.64	1.008	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	13.00	10.64	1.222	ok	1.224	1.164-1.284
1,1,2-Trichloroethane	7.31	4.85	1.507	ok	1.510	1.450-1.570
1,2,3-Trichloropropane	13.28	10.64	1.248	ok	1.250	1.190-1.310
1,2,3-Trimethylbenzene	17.19	10.64	1.616	ok	1.616	1.556-1.676
1,2,4-Trimethylbenzene	16.80	10.64	1.579	ok	1.580	1.520-1.640
1,3,5-Trimethylbenzene	16.35	10.64	1.537	ok	1.537	1.477-1.597
2,2,4-Trimethylpentane	5.55	4.85	1.144	ok	1.146	1.086-1.206
Tertiary Butyl Alcohol	2.53	3.46	0.731	ok	0.730	0.670-0.790
Tetrachloroethylene	9.47	4.85	1.953	ok	1.955	1.895-2.015
Tetrahydrofuran	3.79	3.46	1.095	ok	1.091	1.031-1.151
Toluene	7.69	4.85	1.586	ok	1.588	1.528-1.648
Trichloroethylene	5.45	4.85	1.124	ok	1.125	1.065-1.185
Trichlorofluoromethane	2.32	3.46	0.671	ok	0.669	0.609-0.729
Vinyl chloride	1.96	3.46	0.566	ok	0.563	0.503-0.623
Vinyl Acetate	3.06	3.46	0.884	ok	0.884	0.824-0.944
m,p-Xylene	12.04	10.64	1.132	ok	1.133	1.073-1.193
o-Xylene	12.99	10.64	1.221	ok	1.222	1.162-1.282

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.46	ok	3.47	3.14-3.80	266297	ok	264398	158639-370157
1,4-Difluorobenzene	4.85	ok	4.85	4.52-5.18	1715824	ok	1673779	1004267-2343291
Chlorobenzene-D5	10.64	ok	10.64	10.31-10.97	1616454	ok	1567527	940516-2194538

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2619-IC2619	2W58806.D	04/26/22 13:14	TCH	0.04	GCMS2W	TO-15	
V2W2619-IC2619	2W58807.D	04/26/22 13:50	TCH	0.1	GCMS2W	TO-15	
V2W2619-IC2619	2W58808.D	04/26/22 14:27	TCH	0.2	GCMS2W	TO-15	Reporting this level
V2W2619-IC2619	2W58809.D	04/26/22 15:05	TCH	0.5	GCMS2W	TO-15	
V2W2619-IC2619	2W58810.D	04/26/22 15:42	TCH	5	GCMS2W	TO-15	
V2W2619-ICC2619	2W58811.D	04/26/22 16:18	TCH	10	GCMS2W	TO-15	
V2W2619-IC2619	2W58812.D	04/26/22 16:55	TCH	20	GCMS2W	TO-15	
V2W2619-IC2619	2W58813.D	04/26/22 17:37	TCH	40	GCMS2W	TO-15	
V2W2619-IC2619	2W58814.D	04/26/22 18:20	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.27	3.47	0.654	ok	0.654	0.594-0.714
Acrolein	2.24	3.47	0.646	ok	0.643	0.583-0.703
Acrylonitrile	2.40	3.47	0.692	ok	0.693	0.633-0.753
Acetonitrile	2.20	3.47	0.634	ok	0.632	0.572-0.692
1,3-Butadiene	1.99	3.47	0.573	ok	0.573	0.513-0.633
Benzene	4.49	3.47	1.294	ok	1.298	1.238-1.358
Bromobenzene	14.40	10.64	1.353	ok	1.355	1.295-1.415
Bromodichloromethane	5.40	4.85	1.113	ok	1.115	1.055-1.175
Bromoform	11.85	10.64	1.114	ok	1.115	1.055-1.175
Bromomethane	2.06	3.47	0.594	ok	0.594	0.534-0.654
Bromoethene	2.20	3.47	0.634	ok	0.634	0.574-0.694
n-Butane	2.00	3.47	0.576	ok	0.577	0.517-0.637
Benzyl Chloride	16.89	10.64	1.587	ok	1.588	1.528-1.648
n-Butylbenzene	17.60	10.64	1.654	ok	1.654	1.594-1.714
sec-Butylbenzene	17.08	10.64	1.605	ok	1.605	1.545-1.665
tert-Butylbenzene	16.80	10.64	1.579	ok	1.579	1.519-1.639
Carbon disulfide	2.65	3.47	0.764	ok	0.764	0.704-0.824
Chlorobenzene	10.71	10.64	1.007	ok	1.008	0.948-1.068
Chlorodifluoromethane	1.82	3.47	0.524	ok	0.525	0.465-0.585
Chloroethane	2.10	3.47	0.605	ok	0.606	0.546-0.666
Chlorotrifluoroethene	1.83	3.47	0.527	ok	0.529	0.469-0.589
Chloroform	3.54	3.47	1.020	ok	1.024	0.964-1.084
Chloromethane	1.89	3.47	0.545	ok	0.545	0.485-0.605
3-Chloropropene	2.59	3.47	0.746	ok	0.748	0.688-0.808
2-Chlorotoluene	15.53	10.64	1.460	ok	1.461	1.401-1.521
Carbon tetrachloride	4.61	3.47	1.329	ok	1.331	1.271-1.391
Cyclohexane	4.72	4.85	0.973	ok	0.973	0.913-1.033
1,1-Dichloroethane	2.98	3.47	0.859	ok	0.861	0.801-0.921
1,1-Dichloroethylene	2.52	3.47	0.726	ok	0.726	0.666-0.786
1,2-Dibromoethane (EDB)	8.60	4.85	1.773	ok	1.777	1.717-1.837
1,2-Dichloroethane	3.99	3.47	1.150	ok	1.151	1.091-1.211
1,2-Dichloropropane	5.21	4.85	1.074	ok	1.076	1.016-1.136
1,3-Dichloropropane	7.75	4.85	1.598	ok	1.602	1.542-1.662
1,4-Dioxane	5.49	4.85	1.132	ok	1.132	1.072-1.192
Dichlorodifluoromethane	1.85	3.47	0.533	ok	0.533	0.473-0.593
Dichlorofluoromethane	2.13	3.47	0.614	ok	0.614	0.554-0.674
Dibromochloromethane	8.25	4.85	1.701	ok	1.703	1.643-1.763
Dibromomethane	5.16	4.85	1.064	ok	1.066	1.006-1.126
trans-1,2-Dichloroethylene	2.90	3.47	0.836	ok	0.837	0.777-0.897

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2619-IC2619	2W58806.D	04/26/22 13:14	TCH	0.04	GCMS2W	TO-15	
V2W2619-IC2619	2W58807.D	04/26/22 13:50	TCH	0.1	GCMS2W	TO-15	
V2W2619-IC2619	2W58808.D	04/26/22 14:27	TCH	0.2	GCMS2W	TO-15	Reporting this level
V2W2619-IC2619	2W58809.D	04/26/22 15:05	TCH	0.5	GCMS2W	TO-15	
V2W2619-IC2619	2W58810.D	04/26/22 15:42	TCH	5	GCMS2W	TO-15	
V2W2619-ICC2619	2W58811.D	04/26/22 16:18	TCH	10	GCMS2W	TO-15	
V2W2619-IC2619	2W58812.D	04/26/22 16:55	TCH	20	GCMS2W	TO-15	
V2W2619-IC2619	2W58813.D	04/26/22 17:37	TCH	40	GCMS2W	TO-15	
V2W2619-IC2619	2W58814.D	04/26/22 18:20	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.39	3.47	0.977	ok	0.977	0.917-1.037
cis-1,3-Dichloropropene	6.43	4.85	1.326	ok	1.328	1.268-1.388
m-Dichlorobenzene	16.87	10.64	1.586	ok	1.586	1.526-1.646
o-Dichlorobenzene	17.24	10.64	1.620	ok	1.621	1.561-1.681
p-Dichlorobenzene	16.95	10.64	1.593	ok	1.593	1.533-1.653
trans-1,3-Dichloropropene	7.14	4.85	1.472	ok	1.475	1.415-1.535
Di-Isopropyl ether	3.53	3.47	1.017	ok	1.019	0.959-1.079
2,3-Dimethylpentane	4.98	4.85	1.027	ok	1.029	0.969-1.089
2,4-Dimethylpentane	4.07	3.47	1.173	ok	1.176	1.116-1.236
Ethylbenzene	11.60	10.64	1.090	ok	1.092	1.032-1.152
Ethyl Acetate	3.54	3.47	1.020	ok	1.021	0.961-1.081
Ethyl Acrylate	5.34	4.85	1.101	ok	1.103	1.043-1.163
4-Ethyltoluene	16.21	10.64	1.523	ok	1.524	1.464-1.584
Freon 113	2.66	3.47	0.767	ok	0.765	0.705-0.825
Freon 114	1.92	3.47	0.553	ok	0.554	0.494-0.614
Freon 115	1.79	3.47	0.516	ok	0.515	0.455-0.575
Freon 123	2.25	3.47	0.648	ok	0.648	0.588-0.708
Freon 123A	2.25	3.47	0.648	ok	0.651	0.591-0.711
Freon 142B	1.89	3.47	0.545	ok	0.545	0.485-0.605
Freon 152A	1.82	3.47	0.524	ok	0.523	0.463-0.583
Heptane	5.88	4.85	1.212	ok	1.214	1.154-1.274
Hexachlorobutadiene	18.82	10.64	1.769	ok	1.768	1.708-1.828
Hexachloroethane	17.78	10.64	1.671	ok	1.671	1.611-1.731
Hexane	3.52	3.47	1.014	ok	1.016	0.956-1.076
2-Hexanone	8.29	4.85	1.709	ok	1.712	1.652-1.772
Iodomethane	2.49	3.47	0.718	ok	0.718	0.658-0.778
Isopropylbenzene	14.52	10.64	1.365	ok	1.366	1.306-1.426
Isopropyl Alcohol	2.34	3.47	0.674	ok	0.674	0.614-0.734
p-Isopropyltoluene	17.25	10.64	1.621	ok	1.622	1.562-1.682
Methylene chloride	2.55	3.47	0.735	ok	0.735	0.675-0.795
Methyl ethyl ketone	3.16	3.47	0.911	ok	0.914	0.854-0.974
Methyl Isobutyl Ketone	6.55	4.85	1.351	ok	1.353	1.293-1.413
Methyl Tert Butyl Ether	3.03	3.47	0.873	ok	0.871	0.811-0.931
Methylmethacrylate	5.78	4.85	1.192	ok	1.194	1.134-1.254
Naphthalene	18.56	10.64	1.744	ok	1.744	1.684-1.804
Nonane	14.11	10.64	1.326	ok	1.328	1.268-1.388
Octane	9.61	4.85	1.981	ok	1.985	1.925-2.045
Pentane	2.43	3.47	0.700	ok	0.701	0.641-0.761
n-Propylbenzene	15.87	10.64	1.492	ok	1.493	1.433-1.553

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2619-IC2619	2W58806.D	04/26/22 13:14	TCH	0.04	GCMS2W	TO-15	
V2W2619-IC2619	2W58807.D	04/26/22 13:50	TCH	0.1	GCMS2W	TO-15	
V2W2619-IC2619	2W58808.D	04/26/22 14:27	TCH	0.2	GCMS2W	TO-15	Reporting this level
V2W2619-IC2619	2W58809.D	04/26/22 15:05	TCH	0.5	GCMS2W	TO-15	
V2W2619-IC2619	2W58810.D	04/26/22 15:42	TCH	5	GCMS2W	TO-15	
V2W2619-ICC2619	2W58811.D	04/26/22 16:18	TCH	10	GCMS2W	TO-15	
V2W2619-IC2619	2W58812.D	04/26/22 16:55	TCH	20	GCMS2W	TO-15	
V2W2619-IC2619	2W58813.D	04/26/22 17:37	TCH	40	GCMS2W	TO-15	
V2W2619-IC2619	2W58814.D	04/26/22 18:20	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.83	3.47	0.527	ok	0.528	0.468-0.588
Styrene	12.77	10.64	1.200	ok	1.202	1.142-1.262
1,1,1-Trichloroethane	4.16	3.47	1.199	ok	1.201	1.141-1.261
1,1,1,2-Tetrachloroethane	10.73	10.64	1.008	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	13.00	10.64	1.222	ok	1.224	1.164-1.284
1,1,2-Trichloroethane	7.31	4.85	1.507	ok	1.510	1.450-1.570
1,2,4-Trichlorobenzene	18.51	10.64	1.740	ok	1.739	1.679-1.799
1,2,3-Trichloropropane	13.28	10.64	1.248	ok	1.250	1.190-1.310
1,2,3-Trimethylbenzene	17.19	10.64	1.616	ok	1.616	1.556-1.676
1,2,4-Trimethylbenzene	16.81	10.64	1.580	ok	1.580	1.520-1.640
1,3,5-Trimethylbenzene	16.35	10.64	1.537	ok	1.537	1.477-1.597
2,2,4-Trimethylpentane	5.55	4.85	1.144	ok	1.146	1.086-1.206
Tertiary Butyl Alcohol	2.53	3.47	0.729	ok	0.730	0.670-0.790
Tetrachloroethylene	9.47	4.85	1.953	ok	1.955	1.895-2.015
Tetrahydrofuran	3.79	3.47	1.092	ok	1.091	1.031-1.151
Toluene	7.69	4.85	1.586	ok	1.588	1.528-1.648
Trichloroethylene	5.45	4.85	1.124	ok	1.125	1.065-1.185
Trichlorofluoromethane	2.32	3.47	0.669	ok	0.669	0.609-0.729
Vinyl chloride	1.95	3.47	0.562	ok	0.563	0.503-0.623
Vinyl Acetate	3.07	3.47	0.885	ok	0.884	0.824-0.944
m,p-Xylene	12.04	10.64	1.132	ok	1.133	1.073-1.193
o-Xylene	12.98	10.64	1.220	ok	1.222	1.162-1.282

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.47	ok	3.47	3.14-3.80	261318	ok	264398	158639-370157
1,4-Difluorobenzene	4.85	ok	4.85	4.52-5.18	1666817	ok	1673779	1004267-2343291
Chlorobenzene-D5	10.64	ok	10.64	10.31-10.97	1586760	ok	1567527	940516-2194538

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2619-IC2619	2W58806.D	04/26/22 13:14	TCH	0.04	GCMS2W	TO-15	
V2W2619-IC2619	2W58807.D	04/26/22 13:50	TCH	0.1	GCMS2W	TO-15	
V2W2619-IC2619	2W58808.D	04/26/22 14:27	TCH	0.2	GCMS2W	TO-15	
V2W2619-IC2619	2W58809.D	04/26/22 15:05	TCH	0.5	GCMS2W	TO-15	Reporting this level
V2W2619-IC2619	2W58810.D	04/26/22 15:42	TCH	5	GCMS2W	TO-15	
V2W2619-ICC2619	2W58811.D	04/26/22 16:18	TCH	10	GCMS2W	TO-15	
V2W2619-IC2619	2W58812.D	04/26/22 16:55	TCH	20	GCMS2W	TO-15	
V2W2619-IC2619	2W58813.D	04/26/22 17:37	TCH	40	GCMS2W	TO-15	
V2W2619-IC2619	2W58814.D	04/26/22 18:20	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.27	3.47	0.654	ok	0.654	0.594-0.714
Acrolein	2.23	3.47	0.643	ok	0.643	0.583-0.703
Acrylonitrile	2.40	3.47	0.692	ok	0.693	0.633-0.753
Acetonitrile	2.20	3.47	0.634	ok	0.632	0.572-0.692
1,3-Butadiene	1.98	3.47	0.571	ok	0.573	0.513-0.633
Benzene	4.49	3.47	1.294	ok	1.298	1.238-1.358
Bromobenzene	14.39	10.64	1.352	ok	1.355	1.295-1.415
Bromodichloromethane	5.40	4.85	1.113	ok	1.115	1.055-1.175
Bromoform	11.85	10.64	1.114	ok	1.115	1.055-1.175
Bromomethane	2.06	3.47	0.594	ok	0.594	0.534-0.654
Bromoethene	2.20	3.47	0.634	ok	0.634	0.574-0.694
n-Butane	2.00	3.47	0.576	ok	0.577	0.517-0.637
Benzyl Chloride	16.89	10.64	1.587	ok	1.588	1.528-1.648
n-Butylbenzene	17.60	10.64	1.654	ok	1.654	1.594-1.714
sec-Butylbenzene	17.08	10.64	1.605	ok	1.605	1.545-1.665
tert-Butylbenzene	16.80	10.64	1.579	ok	1.579	1.519-1.639
Carbon disulfide	2.66	3.47	0.767	ok	0.764	0.704-0.824
Chlorobenzene	10.71	10.64	1.007	ok	1.008	0.948-1.068
Chlorodifluoromethane	1.83	3.47	0.527	ok	0.525	0.465-0.585
Chloroethane	2.10	3.47	0.605	ok	0.606	0.546-0.666
Chlorotrifluoroethene	1.84	3.47	0.530	ok	0.529	0.469-0.589
Chloroform	3.55	3.47	1.023	ok	1.024	0.964-1.084
Chloromethane	1.90	3.47	0.548	ok	0.545	0.485-0.605
3-Chloropropene	2.59	3.47	0.746	ok	0.748	0.688-0.808
2-Chlorotoluene	15.54	10.64	1.461	ok	1.461	1.401-1.521
Carbon tetrachloride	4.61	3.47	1.329	ok	1.331	1.271-1.391
Cyclohexane	4.72	4.85	0.973	ok	0.973	0.913-1.033
1,1-Dichloroethane	2.99	3.47	0.862	ok	0.861	0.801-0.921
1,1-Dichloroethylene	2.52	3.47	0.726	ok	0.726	0.666-0.786
1,2-Dibromoethane (EDB)	8.60	4.85	1.773	ok	1.777	1.717-1.837
1,2-Dichloroethane	3.98	3.47	1.147	ok	1.151	1.091-1.211
1,2-Dichloropropane	5.21	4.85	1.074	ok	1.076	1.016-1.136
1,3-Dichloropropane	7.76	4.85	1.600	ok	1.602	1.542-1.662
1,4-Dioxane	5.48	4.85	1.130	ok	1.132	1.072-1.192
Dichlorodifluoromethane	1.85	3.47	0.533	ok	0.533	0.473-0.593
Dichlorofluoromethane	2.13	3.47	0.614	ok	0.614	0.554-0.674
Dibromochloromethane	8.25	4.85	1.701	ok	1.703	1.643-1.763
Dibromomethane	5.16	4.85	1.064	ok	1.066	1.006-1.126
trans-1,2-Dichloroethylene	2.90	3.47	0.836	ok	0.837	0.777-0.897

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2619-IC2619	2W58806.D	04/26/22 13:14	TCH	0.04	GCMS2W	TO-15	
V2W2619-IC2619	2W58807.D	04/26/22 13:50	TCH	0.1	GCMS2W	TO-15	
V2W2619-IC2619	2W58808.D	04/26/22 14:27	TCH	0.2	GCMS2W	TO-15	
V2W2619-IC2619	2W58809.D	04/26/22 15:05	TCH	0.5	GCMS2W	TO-15	Reporting this level
V2W2619-IC2619	2W58810.D	04/26/22 15:42	TCH	5	GCMS2W	TO-15	
V2W2619-ICC2619	2W58811.D	04/26/22 16:18	TCH	10	GCMS2W	TO-15	
V2W2619-IC2619	2W58812.D	04/26/22 16:55	TCH	20	GCMS2W	TO-15	
V2W2619-IC2619	2W58813.D	04/26/22 17:37	TCH	40	GCMS2W	TO-15	
V2W2619-IC2619	2W58814.D	04/26/22 18:20	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.39	3.47	0.977	ok	0.977	0.917-1.037
cis-1,3-Dichloropropene	6.43	4.85	1.326	ok	1.328	1.268-1.388
m-Dichlorobenzene	16.87	10.64	1.586	ok	1.586	1.526-1.646
o-Dichlorobenzene	17.24	10.64	1.620	ok	1.621	1.561-1.681
p-Dichlorobenzene	16.95	10.64	1.593	ok	1.593	1.533-1.653
trans-1,3-Dichloropropene	7.15	4.85	1.474	ok	1.475	1.415-1.535
Di-Isopropyl ether	3.53	3.47	1.017	ok	1.019	0.959-1.079
2,3-Dimethylpentane	4.99	4.85	1.029	ok	1.029	0.969-1.089
2,4-Dimethylpentane	4.08	3.47	1.176	ok	1.176	1.116-1.236
Ethanol	2.13	3.47	0.614	ok	0.615	0.555-0.675
Ethylbenzene	11.61	10.64	1.091	ok	1.092	1.032-1.152
Ethyl Acetate	3.54	3.47	1.020	ok	1.021	0.961-1.081
Ethyl Acrylate	5.34	4.85	1.101	ok	1.103	1.043-1.163
4-Ethyltoluene	16.21	10.64	1.523	ok	1.524	1.464-1.584
Freon 113	2.65	3.47	0.764	ok	0.765	0.705-0.825
Freon 114	1.92	3.47	0.553	ok	0.554	0.494-0.614
Freon 115	1.78	3.47	0.513	ok	0.515	0.455-0.575
Freon 123	2.25	3.47	0.648	ok	0.648	0.588-0.708
Freon 123A	2.26	3.47	0.651	ok	0.651	0.591-0.711
Freon 142B	1.89	3.47	0.545	ok	0.545	0.485-0.605
Freon 152A	1.82	3.47	0.524	ok	0.523	0.463-0.583
Heptane	5.88	4.85	1.212	ok	1.214	1.154-1.274
Hexachlorobutadiene	18.81	10.64	1.768	ok	1.768	1.708-1.828
Hexachloroethane	17.78	10.64	1.671	ok	1.671	1.611-1.731
Hexane	3.52	3.47	1.014	ok	1.016	0.956-1.076
2-Hexanone	8.28	4.85	1.707	ok	1.712	1.652-1.772
Iodomethane	2.49	3.47	0.718	ok	0.718	0.658-0.778
Isopropylbenzene	14.52	10.64	1.365	ok	1.366	1.306-1.426
Isopropyl Alcohol	2.34	3.47	0.674	ok	0.674	0.614-0.734
p-Isopropyltoluene	17.25	10.64	1.621	ok	1.622	1.562-1.682
Methylene chloride	2.55	3.47	0.735	ok	0.735	0.675-0.795
Methyl ethyl ketone	3.17	3.47	0.914	ok	0.914	0.854-0.974
Methyl Isobutyl Ketone	6.55	4.85	1.351	ok	1.353	1.293-1.413
Methyl Tert Butyl Ether	3.02	3.47	0.870	ok	0.871	0.811-0.931
Methylmethacrylate	5.78	4.85	1.192	ok	1.194	1.134-1.254
Naphthalene	18.56	10.64	1.744	ok	1.744	1.684-1.804
Nonane	14.11	10.64	1.326	ok	1.328	1.268-1.388
Octane	9.61	4.85	1.981	ok	1.985	1.925-2.045
Pentane	2.43	3.47	0.700	ok	0.701	0.641-0.761

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2619-IC2619	2W58806.D	04/26/22 13:14	TCH	0.04	GCMS2W	TO-15	
V2W2619-IC2619	2W58807.D	04/26/22 13:50	TCH	0.1	GCMS2W	TO-15	
V2W2619-IC2619	2W58808.D	04/26/22 14:27	TCH	0.2	GCMS2W	TO-15	
V2W2619-IC2619	2W58809.D	04/26/22 15:05	TCH	0.5	GCMS2W	TO-15	Reporting this level
V2W2619-IC2619	2W58810.D	04/26/22 15:42	TCH	5	GCMS2W	TO-15	
V2W2619-ICC2619	2W58811.D	04/26/22 16:18	TCH	10	GCMS2W	TO-15	
V2W2619-IC2619	2W58812.D	04/26/22 16:55	TCH	20	GCMS2W	TO-15	
V2W2619-IC2619	2W58813.D	04/26/22 17:37	TCH	40	GCMS2W	TO-15	
V2W2619-IC2619	2W58814.D	04/26/22 18:20	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
n-Propylbenzene	15.87	10.64	1.492	ok	1.493	1.433-1.553
Propylene	1.83	3.47	0.527	ok	0.528	0.468-0.588
Styrene	12.77	10.64	1.200	ok	1.202	1.142-1.262
1,1,1-Trichloroethane	4.16	3.47	1.199	ok	1.201	1.141-1.261
1,1,1,2-Tetrachloroethane	10.72	10.64	1.008	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	13.00	10.64	1.222	ok	1.224	1.164-1.284
1,1,2-Trichloroethane	7.31	4.85	1.507	ok	1.510	1.450-1.570
1,2,4-Trichlorobenzene	18.51	10.64	1.740	ok	1.739	1.679-1.799
1,2,3-Trichloropropane	13.29	10.64	1.249	ok	1.250	1.190-1.310
1,2,3-Trimethylbenzene	17.19	10.64	1.616	ok	1.616	1.556-1.676
1,2,4-Trimethylbenzene	16.81	10.64	1.580	ok	1.580	1.520-1.640
1,3,5-Trimethylbenzene	16.35	10.64	1.537	ok	1.537	1.477-1.597
2,2,4-Trimethylpentane	5.55	4.85	1.144	ok	1.146	1.086-1.206
Tertiary Butyl Alcohol	2.53	3.47	0.729	ok	0.730	0.670-0.790
Tetrachloroethylene	9.47	4.85	1.953	ok	1.955	1.895-2.015
Tetrahydrofuran	3.78	3.47	1.089	ok	1.091	1.031-1.151
Toluene	7.69	4.85	1.586	ok	1.588	1.528-1.648
Trichloroethylene	5.45	4.85	1.124	ok	1.125	1.065-1.185
Trichlorofluoromethane	2.32	3.47	0.669	ok	0.669	0.609-0.729
Vinyl chloride	1.96	3.47	0.565	ok	0.563	0.503-0.623
Vinyl Acetate	3.07	3.47	0.885	ok	0.884	0.824-0.944
m,p-Xylene	12.00	10.64	1.128	ok	1.133	1.073-1.193
o-Xylene	12.98	10.64	1.220	ok	1.222	1.162-1.282

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.47	ok	3.47	3.14-3.80	266005	ok	264398	158639-370157
1,4-Difluorobenzene	4.85	ok	4.85	4.52-5.18	1691368	ok	1673779	1004267-2343291
Chlorobenzene-D5	10.64	ok	10.64	10.31-10.97	1594580	ok	1567527	940516-2194538

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2619-IC2619	2W58806.D	04/26/22 13:14	TCH	0.04	GCMS2W	TO-15	
V2W2619-IC2619	2W58807.D	04/26/22 13:50	TCH	0.1	GCMS2W	TO-15	
V2W2619-IC2619	2W58808.D	04/26/22 14:27	TCH	0.2	GCMS2W	TO-15	
V2W2619-IC2619	2W58809.D	04/26/22 15:05	TCH	0.5	GCMS2W	TO-15	
V2W2619-IC2619	2W58810.D	04/26/22 15:42	TCH	5	GCMS2W	TO-15	Reporting this level
V2W2619-ICC2619	2W58811.D	04/26/22 16:18	TCH	10	GCMS2W	TO-15	
V2W2619-IC2619	2W58812.D	04/26/22 16:55	TCH	20	GCMS2W	TO-15	
V2W2619-IC2619	2W58813.D	04/26/22 17:37	TCH	40	GCMS2W	TO-15	
V2W2619-IC2619	2W58814.D	04/26/22 18:20	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.27	3.47	0.654	ok	0.654	0.594-0.714
Acrolein	2.23	3.47	0.643	ok	0.643	0.583-0.703
Acrylonitrile	2.40	3.47	0.692	ok	0.693	0.633-0.753
Acetonitrile	2.19	3.47	0.631	ok	0.632	0.572-0.692
1,3-Butadiene	1.99	3.47	0.573	ok	0.573	0.513-0.633
Benzene	4.50	3.47	1.297	ok	1.298	1.238-1.358
Bromobenzene	14.40	10.64	1.353	ok	1.355	1.295-1.415
Bromodichloromethane	5.40	4.85	1.113	ok	1.115	1.055-1.175
Bromoform	11.86	10.64	1.115	ok	1.115	1.055-1.175
Bromomethane	2.06	3.47	0.594	ok	0.594	0.534-0.654
Bromoethene	2.20	3.47	0.634	ok	0.634	0.574-0.694
n-Butane	2.00	3.47	0.576	ok	0.577	0.517-0.637
Benzyl Chloride	16.89	10.64	1.587	ok	1.588	1.528-1.648
n-Butylbenzene	17.60	10.64	1.654	ok	1.654	1.594-1.714
sec-Butylbenzene	17.08	10.64	1.605	ok	1.605	1.545-1.665
tert-Butylbenzene	16.80	10.64	1.579	ok	1.579	1.519-1.639
Carbon disulfide	2.65	3.47	0.764	ok	0.764	0.704-0.824
Chlorobenzene	10.71	10.64	1.007	ok	1.008	0.948-1.068
Chlorodifluoromethane	1.82	3.47	0.524	ok	0.525	0.465-0.585
Chloroethane	2.11	3.47	0.608	ok	0.606	0.546-0.666
Chlorotrifluoroethene	1.84	3.47	0.530	ok	0.529	0.469-0.589
Chloroform	3.55	3.47	1.023	ok	1.024	0.964-1.084
Chloromethane	1.89	3.47	0.545	ok	0.545	0.485-0.605
3-Chloropropene	2.60	3.47	0.749	ok	0.748	0.688-0.808
2-Chlorotoluene	15.54	10.64	1.461	ok	1.461	1.401-1.521
Carbon tetrachloride	4.62	3.47	1.331	ok	1.331	1.271-1.391
Cyclohexane	4.72	4.85	0.973	ok	0.973	0.913-1.033
1,1-Dichloroethane	2.99	3.47	0.862	ok	0.861	0.801-0.921
1,1-Dichloroethylene	2.52	3.47	0.726	ok	0.726	0.666-0.786
1,2-Dibromoethane (EDB)	8.61	4.85	1.775	ok	1.777	1.717-1.837
1,2-Dichloroethane	3.99	3.47	1.150	ok	1.151	1.091-1.211
1,2-Dichloropropane	5.21	4.85	1.074	ok	1.076	1.016-1.136
1,3-Dichloropropane	7.76	4.85	1.600	ok	1.602	1.542-1.662
1,4-Dioxane	5.47	4.85	1.128	ok	1.132	1.072-1.192
Dichlorodifluoromethane	1.85	3.47	0.533	ok	0.533	0.473-0.593
Dichlorofluoromethane	2.13	3.47	0.614	ok	0.614	0.554-0.674
Dibromochloromethane	8.25	4.85	1.701	ok	1.703	1.643-1.763
Dibromomethane	5.17	4.85	1.066	ok	1.066	1.006-1.126
trans-1,2-Dichloroethylene	2.90	3.47	0.836	ok	0.837	0.777-0.897

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2619-IC2619	2W58806.D	04/26/22 13:14	TCH	0.04	GCMS2W	TO-15	
V2W2619-IC2619	2W58807.D	04/26/22 13:50	TCH	0.1	GCMS2W	TO-15	
V2W2619-IC2619	2W58808.D	04/26/22 14:27	TCH	0.2	GCMS2W	TO-15	
V2W2619-IC2619	2W58809.D	04/26/22 15:05	TCH	0.5	GCMS2W	TO-15	
V2W2619-IC2619	2W58810.D	04/26/22 15:42	TCH	5	GCMS2W	TO-15	Reporting this level
V2W2619-ICC2619	2W58811.D	04/26/22 16:18	TCH	10	GCMS2W	TO-15	
V2W2619-IC2619	2W58812.D	04/26/22 16:55	TCH	20	GCMS2W	TO-15	
V2W2619-IC2619	2W58813.D	04/26/22 17:37	TCH	40	GCMS2W	TO-15	
V2W2619-IC2619	2W58814.D	04/26/22 18:20	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.39	3.47	0.977	ok	0.977	0.917-1.037
cis-1,3-Dichloropropene	6.44	4.85	1.328	ok	1.328	1.268-1.388
m-Dichlorobenzene	16.87	10.64	1.586	ok	1.586	1.526-1.646
o-Dichlorobenzene	17.24	10.64	1.620	ok	1.621	1.561-1.681
p-Dichlorobenzene	16.95	10.64	1.593	ok	1.593	1.533-1.653
trans-1,3-Dichloropropene	7.15	4.85	1.474	ok	1.475	1.415-1.535
Di-Isopropyl ether	3.53	3.47	1.017	ok	1.019	0.959-1.079
2,3-Dimethylpentane	4.99	4.85	1.029	ok	1.029	0.969-1.089
2,4-Dimethylpentane	4.08	3.47	1.176	ok	1.176	1.116-1.236
Ethanol	2.14	3.47	0.617	ok	0.615	0.555-0.675
Ethylbenzene	11.61	10.64	1.091	ok	1.092	1.032-1.152
Ethyl Acetate	3.53	3.47	1.017	ok	1.021	0.961-1.081
Ethyl Acrylate	5.34	4.85	1.101	ok	1.103	1.043-1.163
4-Ethyltoluene	16.21	10.64	1.523	ok	1.524	1.464-1.584
Freon 113	2.65	3.47	0.764	ok	0.765	0.705-0.825
Freon 114	1.92	3.47	0.553	ok	0.554	0.494-0.614
Freon 115	1.79	3.47	0.516	ok	0.515	0.455-0.575
Freon 123	2.25	3.47	0.648	ok	0.648	0.588-0.708
Freon 123A	2.26	3.47	0.651	ok	0.651	0.591-0.711
Freon 142B	1.89	3.47	0.545	ok	0.545	0.485-0.605
Freon 152A	1.82	3.47	0.524	ok	0.523	0.463-0.583
Heptane	5.89	4.85	1.214	ok	1.214	1.154-1.274
Hexachlorobutadiene	18.81	10.64	1.768	ok	1.768	1.708-1.828
Hexachloroethane	17.78	10.64	1.671	ok	1.671	1.611-1.731
Hexane	3.52	3.47	1.014	ok	1.016	0.956-1.076
2-Hexanone	8.28	4.85	1.707	ok	1.712	1.652-1.772
Iodomethane	2.49	3.47	0.718	ok	0.718	0.658-0.778
Isopropylbenzene	14.52	10.64	1.365	ok	1.366	1.306-1.426
Isopropyl Alcohol	2.34	3.47	0.674	ok	0.674	0.614-0.734
p-Isopropyltoluene	17.25	10.64	1.621	ok	1.622	1.562-1.682
Methylene chloride	2.55	3.47	0.735	ok	0.735	0.675-0.795
Methyl ethyl ketone	3.17	3.47	0.914	ok	0.914	0.854-0.974
Methyl Isobutyl Ketone	6.56	4.85	1.353	ok	1.353	1.293-1.413
Methyl Tert Butyl Ether	3.02	3.47	0.870	ok	0.871	0.811-0.931
Methylmethacrylate	5.78	4.85	1.192	ok	1.194	1.134-1.254
Naphthalene	18.56	10.64	1.744	ok	1.744	1.684-1.804
Nonane	14.12	10.64	1.327	ok	1.328	1.268-1.388
Octane	9.62	4.85	1.984	ok	1.985	1.925-2.045
Pentane	2.43	3.47	0.700	ok	0.701	0.641-0.761

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2619-IC2619	2W58806.D	04/26/22 13:14	TCH	0.04	GCMS2W	TO-15	
V2W2619-IC2619	2W58807.D	04/26/22 13:50	TCH	0.1	GCMS2W	TO-15	
V2W2619-IC2619	2W58808.D	04/26/22 14:27	TCH	0.2	GCMS2W	TO-15	
V2W2619-IC2619	2W58809.D	04/26/22 15:05	TCH	0.5	GCMS2W	TO-15	
V2W2619-IC2619	2W58810.D	04/26/22 15:42	TCH	5	GCMS2W	TO-15	Reporting this level
V2W2619-ICC2619	2W58811.D	04/26/22 16:18	TCH	10	GCMS2W	TO-15	
V2W2619-IC2619	2W58812.D	04/26/22 16:55	TCH	20	GCMS2W	TO-15	
V2W2619-IC2619	2W58813.D	04/26/22 17:37	TCH	40	GCMS2W	TO-15	
V2W2619-IC2619	2W58814.D	04/26/22 18:20	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
n-Propylbenzene	15.88	10.64	1.492	ok	1.493	1.433-1.553
Propylene	1.83	3.47	0.527	ok	0.528	0.468-0.588
Styrene	12.78	10.64	1.201	ok	1.202	1.142-1.262
1,1,1-Trichloroethane	4.16	3.47	1.199	ok	1.201	1.141-1.261
1,1,1,2-Tetrachloroethane	10.73	10.64	1.008	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	13.01	10.64	1.223	ok	1.224	1.164-1.284
1,1,2-Trichloroethane	7.31	4.85	1.507	ok	1.510	1.450-1.570
1,2,4-Trichlorobenzene	18.51	10.64	1.740	ok	1.739	1.679-1.799
1,2,3-Trichloropropane	13.29	10.64	1.249	ok	1.250	1.190-1.310
1,2,3-Trimethylbenzene	17.19	10.64	1.616	ok	1.616	1.556-1.676
1,2,4-Trimethylbenzene	16.81	10.64	1.580	ok	1.580	1.520-1.640
1,3,5-Trimethylbenzene	16.36	10.64	1.538	ok	1.537	1.477-1.597
2,2,4-Trimethylpentane	5.55	4.85	1.144	ok	1.146	1.086-1.206
Tertiary Butyl Alcohol	2.53	3.47	0.729	ok	0.730	0.670-0.790
Tetrachloroethylene	9.47	4.85	1.953	ok	1.955	1.895-2.015
Tetrahydrofuran	3.78	3.47	1.089	ok	1.091	1.031-1.151
Toluene	7.70	4.85	1.588	ok	1.588	1.528-1.648
Trichloroethylene	5.45	4.85	1.124	ok	1.125	1.065-1.185
Trichlorofluoromethane	2.32	3.47	0.669	ok	0.669	0.609-0.729
Vinyl chloride	1.95	3.47	0.562	ok	0.563	0.503-0.623
Vinyl Acetate	3.06	3.47	0.882	ok	0.884	0.824-0.944
m,p-Xylene	12.05	10.64	1.133	ok	1.133	1.073-1.193
o-Xylene	13.00	10.64	1.222	ok	1.222	1.162-1.282

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.47	ok	3.47	3.14-3.80	278025	ok	264398	158639-370157
1,4-Difluorobenzene	4.85	ok	4.85	4.52-5.18	1767526	ok	1673779	1004267-2343291
Chlorobenzene-D5	10.64	ok	10.64	10.31-10.97	1621830	ok	1567527	940516-2194538

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2619-IC2619	2W58806.D	04/26/22 13:14	TCH	0.04	GCMS2W	TO-15	
V2W2619-IC2619	2W58807.D	04/26/22 13:50	TCH	0.1	GCMS2W	TO-15	
V2W2619-IC2619	2W58808.D	04/26/22 14:27	TCH	0.2	GCMS2W	TO-15	
V2W2619-IC2619	2W58809.D	04/26/22 15:05	TCH	0.5	GCMS2W	TO-15	
V2W2619-IC2619	2W58810.D	04/26/22 15:42	TCH	5	GCMS2W	TO-15	
V2W2619-ICC2619	2W58811.D	04/26/22 16:18	TCH	10	GCMS2W	TO-15	Reporting this level
V2W2619-IC2619	2W58812.D	04/26/22 16:55	TCH	20	GCMS2W	TO-15	
V2W2619-IC2619	2W58813.D	04/26/22 17:37	TCH	40	GCMS2W	TO-15	
V2W2619-IC2619	2W58814.D	04/26/22 18:20	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.26	3.46	0.653	ok	0.654	0.594-0.714
Acrolein	2.23	3.46	0.645	ok	0.643	0.583-0.703
Acrylonitrile	2.40	3.46	0.694	ok	0.693	0.633-0.753
Acetonitrile	2.19	3.46	0.633	ok	0.632	0.572-0.692
1,3-Butadiene	1.99	3.46	0.575	ok	0.573	0.513-0.633
Benzene	4.50	3.46	1.301	ok	1.298	1.238-1.358
Bromobenzene	14.41	10.64	1.354	ok	1.355	1.295-1.415
Bromodichloromethane	5.40	4.84	1.116	ok	1.115	1.055-1.175
Bromoform	11.86	10.64	1.115	ok	1.115	1.055-1.175
Bromomethane	2.05	3.46	0.592	ok	0.594	0.534-0.654
Bromoethene	2.20	3.46	0.636	ok	0.634	0.574-0.694
n-Butane	2.00	3.46	0.578	ok	0.577	0.517-0.637
Benzyl Chloride	16.90	10.64	1.588	ok	1.588	1.528-1.648
n-Butylbenzene	17.60	10.64	1.654	ok	1.654	1.594-1.714
sec-Butylbenzene	17.08	10.64	1.605	ok	1.605	1.545-1.665
tert-Butylbenzene	16.81	10.64	1.580	ok	1.579	1.519-1.639
Carbon disulfide	2.65	3.46	0.766	ok	0.764	0.704-0.824
Chlorobenzene	10.72	10.64	1.008	ok	1.008	0.948-1.068
Chlorodifluoromethane	1.82	3.46	0.526	ok	0.525	0.465-0.585
Chloroethane	2.10	3.46	0.607	ok	0.606	0.546-0.666
Chlorotrifluoroethene	1.83	3.46	0.529	ok	0.529	0.469-0.589
Chloroform	3.55	3.46	1.026	ok	1.024	0.964-1.084
Chloromethane	1.89	3.46	0.546	ok	0.545	0.485-0.605
3-Chloropropene	2.59	3.46	0.749	ok	0.748	0.688-0.808
2-Chlorotoluene	15.55	10.64	1.461	ok	1.461	1.401-1.521
Carbon tetrachloride	4.62	3.46	1.335	ok	1.331	1.271-1.391
Cyclohexane	4.72	4.84	0.975	ok	0.973	0.913-1.033
1,1-Dichloroethane	2.98	3.46	0.861	ok	0.861	0.801-0.921
1,1-Dichloroethylene	2.51	3.46	0.725	ok	0.726	0.666-0.786
1,2-Dibromoethane (EDB)	8.61	4.84	1.779	ok	1.777	1.717-1.837
1,2-Dichloroethane	3.99	3.46	1.153	ok	1.151	1.091-1.211
1,2-Dichloropropane	5.21	4.84	1.076	ok	1.076	1.016-1.136
1,3-Dichloropropane	7.76	4.84	1.603	ok	1.602	1.542-1.662
1,4-Dioxane	5.47	4.84	1.130	ok	1.132	1.072-1.192
Dichlorodifluoromethane	1.84	3.46	0.532	ok	0.533	0.473-0.593
Dichlorofluoromethane	2.13	3.46	0.616	ok	0.614	0.554-0.674
Dibromochloromethane	8.25	4.84	1.705	ok	1.703	1.643-1.763
Dibromomethane	5.17	4.84	1.068	ok	1.066	1.006-1.126
trans-1,2-Dichloroethylene	2.90	3.46	0.838	ok	0.837	0.777-0.897

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2619-IC2619	2W58806.D	04/26/22 13:14	TCH	0.04	GCMS2W	TO-15	
V2W2619-IC2619	2W58807.D	04/26/22 13:50	TCH	0.1	GCMS2W	TO-15	
V2W2619-IC2619	2W58808.D	04/26/22 14:27	TCH	0.2	GCMS2W	TO-15	
V2W2619-IC2619	2W58809.D	04/26/22 15:05	TCH	0.5	GCMS2W	TO-15	
V2W2619-IC2619	2W58810.D	04/26/22 15:42	TCH	5	GCMS2W	TO-15	
V2W2619-ICC2619	2W58811.D	04/26/22 16:18	TCH	10	GCMS2W	TO-15	Reporting this level
V2W2619-IC2619	2W58812.D	04/26/22 16:55	TCH	20	GCMS2W	TO-15	
V2W2619-IC2619	2W58813.D	04/26/22 17:37	TCH	40	GCMS2W	TO-15	
V2W2619-IC2619	2W58814.D	04/26/22 18:20	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.38	3.46	0.977	ok	0.977	0.917-1.037
cis-1,3-Dichloropropene	6.44	4.84	1.331	ok	1.328	1.268-1.388
m-Dichlorobenzene	16.88	10.64	1.586	ok	1.586	1.526-1.646
o-Dichlorobenzene	17.24	10.64	1.620	ok	1.621	1.561-1.681
p-Dichlorobenzene	16.96	10.64	1.594	ok	1.593	1.533-1.653
trans-1,3-Dichloropropene	7.15	4.84	1.477	ok	1.475	1.415-1.535
Di-Isopropyl ether	3.53	3.46	1.020	ok	1.019	0.959-1.079
2,3-Dimethylpentane	4.99	4.84	1.031	ok	1.029	0.969-1.089
2,4-Dimethylpentane	4.08	3.46	1.179	ok	1.176	1.116-1.236
Ethanol	2.13	3.46	0.616	ok	0.615	0.555-0.675
Ethylbenzene	11.62	10.64	1.092	ok	1.092	1.032-1.152
Ethyl Acetate	3.53	3.46	1.020	ok	1.021	0.961-1.081
Ethyl Acrylate	5.34	4.84	1.103	ok	1.103	1.043-1.163
4-Ethyltoluene	16.22	10.64	1.524	ok	1.524	1.464-1.584
Freon 113	2.65	3.46	0.766	ok	0.765	0.705-0.825
Freon 114	1.92	3.46	0.555	ok	0.554	0.494-0.614
Freon 115	1.78	3.46	0.514	ok	0.515	0.455-0.575
Freon 123	2.24	3.46	0.647	ok	0.648	0.588-0.708
Freon 123A	2.26	3.46	0.653	ok	0.651	0.591-0.711
Freon 142B	1.88	3.46	0.543	ok	0.545	0.485-0.605
Freon 152A	1.81	3.46	0.523	ok	0.523	0.463-0.583
Heptane	5.88	4.84	1.215	ok	1.214	1.154-1.274
Hexachlorobutadiene	18.82	10.64	1.769	ok	1.768	1.708-1.828
Hexachloroethane	17.78	10.64	1.671	ok	1.671	1.611-1.731
Hexane	3.52	3.46	1.017	ok	1.016	0.956-1.076
2-Hexanone	8.28	4.84	1.711	ok	1.712	1.652-1.772
Iodomethane	2.48	3.46	0.717	ok	0.718	0.658-0.778
Isopropylbenzene	14.53	10.64	1.366	ok	1.366	1.306-1.426
Isopropyl Alcohol	2.33	3.46	0.673	ok	0.674	0.614-0.734
p-Isopropyltoluene	17.26	10.64	1.622	ok	1.622	1.562-1.682
Methylene chloride	2.55	3.46	0.737	ok	0.735	0.675-0.795
Methyl ethyl ketone	3.17	3.46	0.916	ok	0.914	0.854-0.974
Methyl Isobutyl Ketone	6.55	4.84	1.353	ok	1.353	1.293-1.413
Methyl Tert Butyl Ether	3.02	3.46	0.873	ok	0.871	0.811-0.931
Methylmethacrylate	5.78	4.84	1.194	ok	1.194	1.134-1.254
Naphthalene	18.56	10.64	1.744	ok	1.744	1.684-1.804
Nonane	14.13	10.64	1.328	ok	1.328	1.268-1.388
Octane	9.62	4.84	1.988	ok	1.985	1.925-2.045
Pentane	2.43	3.46	0.702	ok	0.701	0.641-0.761

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2619-IC2619	2W58806.D	04/26/22 13:14	TCH	0.04	GCMS2W	TO-15	
V2W2619-IC2619	2W58807.D	04/26/22 13:50	TCH	0.1	GCMS2W	TO-15	
V2W2619-IC2619	2W58808.D	04/26/22 14:27	TCH	0.2	GCMS2W	TO-15	
V2W2619-IC2619	2W58809.D	04/26/22 15:05	TCH	0.5	GCMS2W	TO-15	
V2W2619-IC2619	2W58810.D	04/26/22 15:42	TCH	5	GCMS2W	TO-15	
V2W2619-ICC2619	2W58811.D	04/26/22 16:18	TCH	10	GCMS2W	TO-15	Reporting this level
V2W2619-IC2619	2W58812.D	04/26/22 16:55	TCH	20	GCMS2W	TO-15	
V2W2619-IC2619	2W58813.D	04/26/22 17:37	TCH	40	GCMS2W	TO-15	
V2W2619-IC2619	2W58814.D	04/26/22 18:20	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
n-Propylbenzene	15.89	10.64	1.493	ok	1.493	1.433-1.553
Propylene	1.82	3.46	0.526	ok	0.528	0.468-0.588
Styrene	12.79	10.64	1.202	ok	1.202	1.142-1.262
1,1,1-Trichloroethane	4.16	3.46	1.202	ok	1.201	1.141-1.261
1,1,1,2-Tetrachloroethane	10.73	10.64	1.008	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	13.02	10.64	1.224	ok	1.224	1.164-1.284
1,1,2-Trichloroethane	7.32	4.84	1.512	ok	1.510	1.450-1.570
1,2,4-Trichlorobenzene	18.51	10.64	1.740	ok	1.739	1.679-1.799
1,2,3-Trichloropropane	13.30	10.64	1.250	ok	1.250	1.190-1.310
1,2,3-Trimethylbenzene	17.19	10.64	1.616	ok	1.616	1.556-1.676
1,2,4-Trimethylbenzene	16.82	10.64	1.581	ok	1.580	1.520-1.640
1,3,5-Trimethylbenzene	16.36	10.64	1.538	ok	1.537	1.477-1.597
2,2,4-Trimethylpentane	5.55	4.84	1.147	ok	1.146	1.086-1.206
Tertiary Butyl Alcohol	2.52	3.46	0.728	ok	0.730	0.670-0.790
Tetrachloroethylene	9.48	4.84	1.959	ok	1.955	1.895-2.015
Tetrahydrofuran	3.77	3.46	1.090	ok	1.091	1.031-1.151
Toluene	7.70	4.84	1.591	ok	1.588	1.528-1.648
Trichloroethylene	5.45	4.84	1.126	ok	1.125	1.065-1.185
Trichlorofluoromethane	2.32	3.46	0.671	ok	0.669	0.609-0.729
Vinyl chloride	1.95	3.46	0.564	ok	0.563	0.503-0.623
Vinyl Acetate	3.06	3.46	0.884	ok	0.884	0.824-0.944
m,p-Xylene	12.06	10.64	1.133	ok	1.133	1.073-1.193
o-Xylene	13.00	10.64	1.222	ok	1.222	1.162-1.282

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.46	ok	3.47	3.14-3.80	271432	ok	264398	158639-370157
1,4-Difluorobenzene	4.84	ok	4.85	4.52-5.18	1739008	ok	1673779	1004267-2343291
Chlorobenzene-D5	10.64	ok	10.64	10.31-10.97	1564554	ok	1567527	940516-2194538

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2619-IC2619	2W58806.D	04/26/22 13:14	TCH	0.04	GCMS2W	TO-15	
V2W2619-IC2619	2W58807.D	04/26/22 13:50	TCH	0.1	GCMS2W	TO-15	
V2W2619-IC2619	2W58808.D	04/26/22 14:27	TCH	0.2	GCMS2W	TO-15	
V2W2619-IC2619	2W58809.D	04/26/22 15:05	TCH	0.5	GCMS2W	TO-15	
V2W2619-IC2619	2W58810.D	04/26/22 15:42	TCH	5	GCMS2W	TO-15	
V2W2619-ICC2619	2W58811.D	04/26/22 16:18	TCH	10	GCMS2W	TO-15	
V2W2619-IC2619	2W58812.D	04/26/22 16:55	TCH	20	GCMS2W	TO-15	Reporting this level
V2W2619-IC2619	2W58813.D	04/26/22 17:37	TCH	40	GCMS2W	TO-15	
V2W2619-IC2619	2W58814.D	04/26/22 18:20	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.26	3.47	0.651	ok	0.654	0.594-0.714
Acrolein	2.23	3.47	0.643	ok	0.643	0.583-0.703
Acrylonitrile	2.40	3.47	0.692	ok	0.693	0.633-0.753
Acetonitrile	2.19	3.47	0.631	ok	0.632	0.572-0.692
1,3-Butadiene	1.99	3.47	0.573	ok	0.573	0.513-0.633
Benzene	4.50	3.47	1.297	ok	1.298	1.238-1.358
Bromobenzene	14.43	10.64	1.356	ok	1.355	1.295-1.415
Bromodichloromethane	5.41	4.85	1.115	ok	1.115	1.055-1.175
Bromoform	11.88	10.64	1.117	ok	1.115	1.055-1.175
Bromomethane	2.06	3.47	0.594	ok	0.594	0.534-0.654
Bromoethene	2.20	3.47	0.634	ok	0.634	0.574-0.694
n-Butane	2.00	3.47	0.576	ok	0.577	0.517-0.637
Benzyl Chloride	16.90	10.64	1.588	ok	1.588	1.528-1.648
n-Butylbenzene	17.60	10.64	1.654	ok	1.654	1.594-1.714
sec-Butylbenzene	17.09	10.64	1.606	ok	1.605	1.545-1.665
tert-Butylbenzene	16.81	10.64	1.580	ok	1.579	1.519-1.639
Carbon disulfide	2.65	3.47	0.764	ok	0.764	0.704-0.824
Chlorobenzene	10.73	10.64	1.008	ok	1.008	0.948-1.068
Chlorodifluoromethane	1.82	3.47	0.524	ok	0.525	0.465-0.585
Chloroethane	2.10	3.47	0.605	ok	0.606	0.546-0.666
Chlorotrifluoroethene	1.83	3.47	0.527	ok	0.529	0.469-0.589
Chloroform	3.55	3.47	1.023	ok	1.024	0.964-1.084
Chloromethane	1.89	3.47	0.545	ok	0.545	0.485-0.605
3-Chloropropene	2.60	3.47	0.749	ok	0.748	0.688-0.808
2-Chlorotoluene	15.56	10.64	1.462	ok	1.461	1.401-1.521
Carbon tetrachloride	4.62	3.47	1.331	ok	1.331	1.271-1.391
Cyclohexane	4.72	4.85	0.973	ok	0.973	0.913-1.033
1,1-Dichloroethane	2.99	3.47	0.862	ok	0.861	0.801-0.921
1,1-Dichloroethylene	2.52	3.47	0.726	ok	0.726	0.666-0.786
1,2-Dibromoethane (EDB)	8.62	4.85	1.777	ok	1.777	1.717-1.837
1,2-Dichloroethane	3.99	3.47	1.150	ok	1.151	1.091-1.211
1,2-Dichloropropane	5.22	4.85	1.076	ok	1.076	1.016-1.136
1,3-Dichloropropane	7.77	4.85	1.602	ok	1.602	1.542-1.662
1,4-Dioxane	5.48	4.85	1.130	ok	1.132	1.072-1.192
Dichlorodifluoromethane	1.85	3.47	0.533	ok	0.533	0.473-0.593
Dichlorofluoromethane	2.13	3.47	0.614	ok	0.614	0.554-0.674
Dibromochloromethane	8.26	4.85	1.703	ok	1.703	1.643-1.763
Dibromomethane	5.17	4.85	1.066	ok	1.066	1.006-1.126
trans-1,2-Dichloroethylene	2.90	3.47	0.836	ok	0.837	0.777-0.897

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2619-IC2619	2W58806.D	04/26/22 13:14	TCH	0.04	GCMS2W	TO-15	
V2W2619-IC2619	2W58807.D	04/26/22 13:50	TCH	0.1	GCMS2W	TO-15	
V2W2619-IC2619	2W58808.D	04/26/22 14:27	TCH	0.2	GCMS2W	TO-15	
V2W2619-IC2619	2W58809.D	04/26/22 15:05	TCH	0.5	GCMS2W	TO-15	
V2W2619-IC2619	2W58810.D	04/26/22 15:42	TCH	5	GCMS2W	TO-15	
V2W2619-ICC2619	2W58811.D	04/26/22 16:18	TCH	10	GCMS2W	TO-15	
V2W2619-IC2619	2W58812.D	04/26/22 16:55	TCH	20	GCMS2W	TO-15	Reporting this level
V2W2619-IC2619	2W58813.D	04/26/22 17:37	TCH	40	GCMS2W	TO-15	
V2W2619-IC2619	2W58814.D	04/26/22 18:20	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.39	3.47	0.977	ok	0.977	0.917-1.037
cis-1,3-Dichloropropene	6.45	4.85	1.330	ok	1.328	1.268-1.388
m-Dichlorobenzene	16.88	10.64	1.586	ok	1.586	1.526-1.646
o-Dichlorobenzene	17.25	10.64	1.621	ok	1.621	1.561-1.681
p-Dichlorobenzene	16.96	10.64	1.594	ok	1.593	1.533-1.653
trans-1,3-Dichloropropene	7.16	4.85	1.476	ok	1.475	1.415-1.535
Di-Isopropyl ether	3.53	3.47	1.017	ok	1.019	0.959-1.079
2,3-Dimethylpentane	4.99	4.85	1.029	ok	1.029	0.969-1.089
2,4-Dimethylpentane	4.08	3.47	1.176	ok	1.176	1.116-1.236
Ethanol	2.13	3.47	0.614	ok	0.615	0.555-0.675
Ethylbenzene	11.63	10.64	1.093	ok	1.092	1.032-1.152
Ethyl Acetate	3.54	3.47	1.020	ok	1.021	0.961-1.081
Ethyl Acrylate	5.35	4.85	1.103	ok	1.103	1.043-1.163
4-Ethyltoluene	16.23	10.64	1.525	ok	1.524	1.464-1.584
Freon 113	2.65	3.47	0.764	ok	0.765	0.705-0.825
Freon 114	1.92	3.47	0.553	ok	0.554	0.494-0.614
Freon 115	1.79	3.47	0.516	ok	0.515	0.455-0.575
Freon 123	2.24	3.47	0.646	ok	0.648	0.588-0.708
Freon 123A	2.26	3.47	0.651	ok	0.651	0.591-0.711
Freon 142B	1.89	3.47	0.545	ok	0.545	0.485-0.605
Freon 152A	1.81	3.47	0.522	ok	0.523	0.463-0.583
Heptane	5.89	4.85	1.214	ok	1.214	1.154-1.274
Hexachlorobutadiene	18.82	10.64	1.769	ok	1.768	1.708-1.828
Hexachloroethane	17.78	10.64	1.671	ok	1.671	1.611-1.731
Hexane	3.53	3.47	1.017	ok	1.016	0.956-1.076
2-Hexanone	8.30	4.85	1.711	ok	1.712	1.652-1.772
Iodomethane	2.49	3.47	0.718	ok	0.718	0.658-0.778
Isopropylbenzene	14.55	10.64	1.367	ok	1.366	1.306-1.426
Isopropyl Alcohol	2.34	3.47	0.674	ok	0.674	0.614-0.734
p-Isopropyltoluene	17.26	10.64	1.622	ok	1.622	1.562-1.682
Methylene chloride	2.55	3.47	0.735	ok	0.735	0.675-0.795
Methyl ethyl ketone	3.17	3.47	0.914	ok	0.914	0.854-0.974
Methyl Isobutyl Ketone	6.56	4.85	1.353	ok	1.353	1.293-1.413
Methyl Tert Butyl Ether	3.02	3.47	0.870	ok	0.871	0.811-0.931
Methylmethacrylate	5.79	4.85	1.194	ok	1.194	1.134-1.254
Naphthalene	18.56	10.64	1.744	ok	1.744	1.684-1.804
Nonane	14.14	10.64	1.329	ok	1.328	1.268-1.388
Octane	9.63	4.85	1.986	ok	1.985	1.925-2.045
Pentane	2.43	3.47	0.700	ok	0.701	0.641-0.761

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2619-IC2619	2W58806.D	04/26/22 13:14	TCH	0.04	GCMS2W	TO-15	
V2W2619-IC2619	2W58807.D	04/26/22 13:50	TCH	0.1	GCMS2W	TO-15	
V2W2619-IC2619	2W58808.D	04/26/22 14:27	TCH	0.2	GCMS2W	TO-15	
V2W2619-IC2619	2W58809.D	04/26/22 15:05	TCH	0.5	GCMS2W	TO-15	
V2W2619-IC2619	2W58810.D	04/26/22 15:42	TCH	5	GCMS2W	TO-15	
V2W2619-ICC2619	2W58811.D	04/26/22 16:18	TCH	10	GCMS2W	TO-15	
V2W2619-IC2619	2W58812.D	04/26/22 16:55	TCH	20	GCMS2W	TO-15	Reporting this level
V2W2619-IC2619	2W58813.D	04/26/22 17:37	TCH	40	GCMS2W	TO-15	
V2W2619-IC2619	2W58814.D	04/26/22 18:20	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
n-Propylbenzene	15.90	10.64	1.494	ok	1.493	1.433-1.553
Propylene	1.83	3.47	0.527	ok	0.528	0.468-0.588
Styrene	12.79	10.64	1.202	ok	1.202	1.142-1.262
1,1,1-Trichloroethane	4.17	3.47	1.202	ok	1.201	1.141-1.261
1,1,1,2-Tetrachloroethane	10.75	10.64	1.010	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	13.04	10.64	1.226	ok	1.224	1.164-1.284
1,1,2-Trichloroethane	7.33	4.85	1.511	ok	1.510	1.450-1.570
1,2,4-Trichlorobenzene	18.51	10.64	1.740	ok	1.739	1.679-1.799
1,2,3-Trichloropropane	13.32	10.64	1.252	ok	1.250	1.190-1.310
1,2,3-Trimethylbenzene	17.20	10.64	1.617	ok	1.616	1.556-1.676
1,2,4-Trimethylbenzene	16.83	10.64	1.582	ok	1.580	1.520-1.640
1,3,5-Trimethylbenzene	16.37	10.64	1.539	ok	1.537	1.477-1.597
2,2,4-Trimethylpentane	5.56	4.85	1.146	ok	1.146	1.086-1.206
Tertiary Butyl Alcohol	2.53	3.47	0.729	ok	0.730	0.670-0.790
Tetrachloroethylene	9.49	4.85	1.957	ok	1.955	1.895-2.015
Tetrahydrofuran	3.78	3.47	1.089	ok	1.091	1.031-1.151
Toluene	7.71	4.85	1.590	ok	1.588	1.528-1.648
Trichloroethylene	5.46	4.85	1.126	ok	1.125	1.065-1.185
Trichlorofluoromethane	2.32	3.47	0.669	ok	0.669	0.609-0.729
Vinyl chloride	1.95	3.47	0.562	ok	0.563	0.503-0.623
Vinyl Acetate	3.07	3.47	0.885	ok	0.884	0.824-0.944
m,p-Xylene	12.07	10.64	1.134	ok	1.133	1.073-1.193
o-Xylene	13.01	10.64	1.223	ok	1.222	1.162-1.282

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.47	ok	3.47	3.14-3.80	270062	ok	264398	158639-370157
1,4-Difluorobenzene	4.85	ok	4.85	4.52-5.18	1710406	ok	1673779	1004267-2343291
Chlorobenzene-D5	10.64	ok	10.64	10.31-10.97	1562922	ok	1567527	940516-2194538

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2619-IC2619	2W58806.D	04/26/22 13:14	TCH	0.04	GCMS2W	TO-15	
V2W2619-IC2619	2W58807.D	04/26/22 13:50	TCH	0.1	GCMS2W	TO-15	
V2W2619-IC2619	2W58808.D	04/26/22 14:27	TCH	0.2	GCMS2W	TO-15	
V2W2619-IC2619	2W58809.D	04/26/22 15:05	TCH	0.5	GCMS2W	TO-15	
V2W2619-IC2619	2W58810.D	04/26/22 15:42	TCH	5	GCMS2W	TO-15	
V2W2619-ICC2619	2W58811.D	04/26/22 16:18	TCH	10	GCMS2W	TO-15	
V2W2619-IC2619	2W58812.D	04/26/22 16:55	TCH	20	GCMS2W	TO-15	
V2W2619-IC2619	2W58813.D	04/26/22 17:37	TCH	40	GCMS2W	TO-15	Reporting this level
V2W2619-IC2619	2W58814.D	04/26/22 18:20	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.27	3.47	0.654	ok	0.654	0.594-0.714
Acrolein	2.23	3.47	0.643	ok	0.643	0.583-0.703
Acrylonitrile	2.40	3.47	0.692	ok	0.693	0.633-0.753
Acetonitrile	2.19	3.47	0.631	ok	0.632	0.572-0.692
1,3-Butadiene	1.99	3.47	0.573	ok	0.573	0.513-0.633
Benzene	4.51	3.47	1.300	ok	1.298	1.238-1.358
Bromobenzene	14.45	10.65	1.357	ok	1.355	1.295-1.415
Bromodichloromethane	5.42	4.85	1.118	ok	1.115	1.055-1.175
Bromoform	11.90	10.65	1.117	ok	1.115	1.055-1.175
Bromomethane	2.06	3.47	0.594	ok	0.594	0.534-0.654
Bromoethene	2.20	3.47	0.634	ok	0.634	0.574-0.694
n-Butane	2.00	3.47	0.576	ok	0.577	0.517-0.637
Benzyl Chloride	16.92	10.65	1.589	ok	1.588	1.528-1.648
n-Butylbenzene	17.61	10.65	1.654	ok	1.654	1.594-1.714
sec-Butylbenzene	17.10	10.65	1.606	ok	1.605	1.545-1.665
tert-Butylbenzene	16.82	10.65	1.579	ok	1.579	1.519-1.639
Carbon disulfide	2.65	3.47	0.764	ok	0.764	0.704-0.824
Chlorobenzene	10.75	10.65	1.009	ok	1.008	0.948-1.068
Chlorodifluoromethane	1.82	3.47	0.524	ok	0.525	0.465-0.585
Chloroethane	2.10	3.47	0.605	ok	0.606	0.546-0.666
Chlorotrifluoroethene	1.83	3.47	0.527	ok	0.529	0.469-0.589
Chloroform	3.56	3.47	1.026	ok	1.024	0.964-1.084
Chloromethane	1.89	3.47	0.545	ok	0.545	0.485-0.605
3-Chloropropene	2.60	3.47	0.749	ok	0.748	0.688-0.808
2-Chlorotoluene	15.58	10.65	1.463	ok	1.461	1.401-1.521
Carbon tetrachloride	4.62	3.47	1.331	ok	1.331	1.271-1.391
Cyclohexane	4.72	4.85	0.973	ok	0.973	0.913-1.033
1,1-Dichloroethane	2.99	3.47	0.862	ok	0.861	0.801-0.921
1,1-Dichloroethylene	2.52	3.47	0.726	ok	0.726	0.666-0.786
1,2-Dibromoethane (EDB)	8.65	4.85	1.784	ok	1.777	1.717-1.837
1,2-Dichloroethane	4.00	3.47	1.153	ok	1.151	1.091-1.211
1,2-Dichloropropane	5.23	4.85	1.078	ok	1.076	1.016-1.136
1,3-Dichloropropane	7.79	4.85	1.606	ok	1.602	1.542-1.662
1,4-Dioxane	5.49	4.85	1.132	ok	1.132	1.072-1.192
Dichlorodifluoromethane	1.85	3.47	0.533	ok	0.533	0.473-0.593
Dichlorofluoromethane	2.13	3.47	0.614	ok	0.614	0.554-0.674
Dibromochloromethane	8.27	4.85	1.705	ok	1.703	1.643-1.763
Dibromomethane	5.18	4.85	1.068	ok	1.066	1.006-1.126
trans-1,2-Dichloroethylene	2.90	3.47	0.836	ok	0.837	0.777-0.897

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2619-IC2619	2W58806.D	04/26/22 13:14	TCH	0.04	GCMS2W	TO-15	
V2W2619-IC2619	2W58807.D	04/26/22 13:50	TCH	0.1	GCMS2W	TO-15	
V2W2619-IC2619	2W58808.D	04/26/22 14:27	TCH	0.2	GCMS2W	TO-15	
V2W2619-IC2619	2W58809.D	04/26/22 15:05	TCH	0.5	GCMS2W	TO-15	
V2W2619-IC2619	2W58810.D	04/26/22 15:42	TCH	5	GCMS2W	TO-15	
V2W2619-ICC2619	2W58811.D	04/26/22 16:18	TCH	10	GCMS2W	TO-15	
V2W2619-IC2619	2W58812.D	04/26/22 16:55	TCH	20	GCMS2W	TO-15	
V2W2619-IC2619	2W58813.D	04/26/22 17:37	TCH	40	GCMS2W	TO-15	Reporting this level
V2W2619-IC2619	2W58814.D	04/26/22 18:20	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.39	3.47	0.977	ok	0.977	0.917-1.037
cis-1,3-Dichloropropene	6.45	4.85	1.330	ok	1.328	1.268-1.388
m-Dichlorobenzene	16.90	10.65	1.587	ok	1.586	1.526-1.646
o-Dichlorobenzene	17.26	10.65	1.621	ok	1.621	1.561-1.681
p-Dichlorobenzene	16.97	10.65	1.593	ok	1.593	1.533-1.653
trans-1,3-Dichloropropene	7.17	4.85	1.478	ok	1.475	1.415-1.535
Di-Isopropyl ether	3.54	3.47	1.020	ok	1.019	0.959-1.079
2,3-Dimethylpentane	5.00	4.85	1.031	ok	1.029	0.969-1.089
2,4-Dimethylpentane	4.08	3.47	1.176	ok	1.176	1.116-1.236
Ethanol	2.13	3.47	0.614	ok	0.615	0.555-0.675
Ethylbenzene	11.64	10.65	1.093	ok	1.092	1.032-1.152
Ethyl Acetate	3.55	3.47	1.023	ok	1.021	0.961-1.081
Ethyl Acrylate	5.36	4.85	1.105	ok	1.103	1.043-1.163
4-Ethyltoluene	16.24	10.65	1.525	ok	1.524	1.464-1.584
Freon 113	2.65	3.47	0.764	ok	0.765	0.705-0.825
Freon 114	1.92	3.47	0.553	ok	0.554	0.494-0.614
Freon 123	2.25	3.47	0.648	ok	0.648	0.588-0.708
Freon 123A	2.26	3.47	0.651	ok	0.651	0.591-0.711
Freon 142B	1.89	3.47	0.545	ok	0.545	0.485-0.605
Freon 152A	1.81	3.47	0.522	ok	0.523	0.463-0.583
Heptane	5.90	4.85	1.216	ok	1.214	1.154-1.274
Hexachlorobutadiene	18.82	10.65	1.767	ok	1.768	1.708-1.828
Hexachloroethane	17.79	10.65	1.670	ok	1.671	1.611-1.731
Hexane	3.53	3.47	1.017	ok	1.016	0.956-1.076
2-Hexanone	8.33	4.85	1.718	ok	1.712	1.652-1.772
Iodomethane	2.49	3.47	0.718	ok	0.718	0.658-0.778
Isopropylbenzene	14.58	10.65	1.369	ok	1.366	1.306-1.426
Isopropyl Alcohol	2.34	3.47	0.674	ok	0.674	0.614-0.734
p-Isopropyltoluene	17.27	10.65	1.622	ok	1.622	1.562-1.682
Methylene chloride	2.55	3.47	0.735	ok	0.735	0.675-0.795
Methyl ethyl ketone	3.17	3.47	0.914	ok	0.914	0.854-0.974
Methyl Isobutyl Ketone	6.58	4.85	1.357	ok	1.353	1.293-1.413
Methyl Tert Butyl Ether	3.02	3.47	0.870	ok	0.871	0.811-0.931
Methylmethacrylate	5.80	4.85	1.196	ok	1.194	1.134-1.254
Naphthalene	18.57	10.65	1.744	ok	1.744	1.684-1.804
Nonane	14.17	10.65	1.331	ok	1.328	1.268-1.388
Octane	9.65	4.85	1.990	ok	1.985	1.925-2.045
Pentane	2.43	3.47	0.700	ok	0.701	0.641-0.761
n-Propylbenzene	15.92	10.65	1.495	ok	1.493	1.433-1.553

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2619-IC2619	2W58806.D	04/26/22 13:14	TCH	0.04	GCMS2W	TO-15	
V2W2619-IC2619	2W58807.D	04/26/22 13:50	TCH	0.1	GCMS2W	TO-15	
V2W2619-IC2619	2W58808.D	04/26/22 14:27	TCH	0.2	GCMS2W	TO-15	
V2W2619-IC2619	2W58809.D	04/26/22 15:05	TCH	0.5	GCMS2W	TO-15	
V2W2619-IC2619	2W58810.D	04/26/22 15:42	TCH	5	GCMS2W	TO-15	
V2W2619-ICC2619	2W58811.D	04/26/22 16:18	TCH	10	GCMS2W	TO-15	
V2W2619-IC2619	2W58812.D	04/26/22 16:55	TCH	20	GCMS2W	TO-15	
V2W2619-IC2619	2W58813.D	04/26/22 17:37	TCH	40	GCMS2W	TO-15	Reporting this level
V2W2619-IC2619	2W58814.D	04/26/22 18:20	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.83	3.47	0.527	ok	0.528	0.468-0.588
Styrene	12.81	10.65	1.203	ok	1.202	1.142-1.262
1,1,1-Trichloroethane	4.17	3.47	1.202	ok	1.201	1.141-1.261
1,1,1,2-Tetrachloroethane	10.77	10.65	1.011	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	13.06	10.65	1.226	ok	1.224	1.164-1.284
1,1,2-Trichloroethane	7.34	4.85	1.513	ok	1.510	1.450-1.570
1,2,4-Trichlorobenzene	18.52	10.65	1.739	ok	1.739	1.679-1.799
1,2,3-Trichloropropane	13.35	10.65	1.254	ok	1.250	1.190-1.310
1,2,3-Trimethylbenzene	17.21	10.65	1.616	ok	1.616	1.556-1.676
1,2,4-Trimethylbenzene	16.84	10.65	1.581	ok	1.580	1.520-1.640
1,3,5-Trimethylbenzene	16.38	10.65	1.538	ok	1.537	1.477-1.597
2,2,4-Trimethylpentane	5.57	4.85	1.148	ok	1.146	1.086-1.206
Tertiary Butyl Alcohol	2.53	3.47	0.729	ok	0.730	0.670-0.790
Tetrachloroethylene	9.50	4.85	1.959	ok	1.955	1.895-2.015
Tetrahydrofuran	3.78	3.47	1.089	ok	1.091	1.031-1.151
Toluene	7.71	4.85	1.590	ok	1.588	1.528-1.648
Trichloroethylene	5.47	4.85	1.128	ok	1.125	1.065-1.185
Trichlorofluoromethane	2.32	3.47	0.669	ok	0.669	0.609-0.729
Vinyl chloride	1.95	3.47	0.562	ok	0.563	0.503-0.623
Vinyl Acetate	3.07	3.47	0.885	ok	0.884	0.824-0.944
m,p-Xylene	12.10	10.65	1.136	ok	1.133	1.073-1.193
o-Xylene	13.03	10.65	1.223	ok	1.222	1.162-1.282

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.47	ok	3.47	3.14-3.80	255124	ok	264398	158639-370157
1,4-Difluorobenzene	4.85	ok	4.85	4.52-5.18	1582387	ok	1673779	1004267-2343291
Chlorobenzene-D5	10.65	ok	10.64	10.31-10.97	1482477	ok	1567527	940516-2194538

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2619-IC2619	2W58806.D	04/26/22 13:14	TCH	0.04	GCMS2W	TO-15	
V2W2619-IC2619	2W58807.D	04/26/22 13:50	TCH	0.1	GCMS2W	TO-15	
V2W2619-IC2619	2W58808.D	04/26/22 14:27	TCH	0.2	GCMS2W	TO-15	
V2W2619-IC2619	2W58809.D	04/26/22 15:05	TCH	0.5	GCMS2W	TO-15	
V2W2619-IC2619	2W58810.D	04/26/22 15:42	TCH	5	GCMS2W	TO-15	
V2W2619-ICC2619	2W58811.D	04/26/22 16:18	TCH	10	GCMS2W	TO-15	
V2W2619-IC2619	2W58812.D	04/26/22 16:55	TCH	20	GCMS2W	TO-15	
V2W2619-IC2619	2W58813.D	04/26/22 17:37	TCH	40	GCMS2W	TO-15	
V2W2619-IC2619	2W58814.D	04/26/22 18:20	TCH	50	GCMS2W	TO-15	Reporting this level

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.27	3.47	0.654	ok	0.654	0.594-0.714
Acrolein	2.23	3.47	0.643	ok	0.643	0.583-0.703
Acrylonitrile	2.41	3.47	0.695	ok	0.693	0.633-0.753
Acetonitrile	2.19	3.47	0.631	ok	0.632	0.572-0.692
1,3-Butadiene	1.99	3.47	0.573	ok	0.573	0.513-0.633
Benzene	4.51	3.47	1.300	ok	1.298	1.238-1.358
Bromobenzene	14.47	10.65	1.359	ok	1.355	1.295-1.415
Bromodichloromethane	5.43	4.85	1.120	ok	1.115	1.055-1.175
Bromoform	11.91	10.65	1.118	ok	1.115	1.055-1.175
Bromomethane	2.06	3.47	0.594	ok	0.594	0.534-0.654
Bromoethene	2.20	3.47	0.634	ok	0.634	0.574-0.694
n-Butane	2.00	3.47	0.576	ok	0.577	0.517-0.637
Benzyl Chloride	16.92	10.65	1.589	ok	1.588	1.528-1.648
n-Butylbenzene	17.62	10.65	1.654	ok	1.654	1.594-1.714
sec-Butylbenzene	17.10	10.65	1.606	ok	1.605	1.545-1.665
tert-Butylbenzene	16.83	10.65	1.580	ok	1.579	1.519-1.639
Carbon disulfide	2.65	3.47	0.764	ok	0.764	0.704-0.824
Chlorobenzene	10.76	10.65	1.010	ok	1.008	0.948-1.068
Chlorodifluoromethane	1.82	3.47	0.524	ok	0.525	0.465-0.585
Chloroethane	2.10	3.47	0.605	ok	0.606	0.546-0.666
Chlorotrifluoroethene	1.83	3.47	0.527	ok	0.529	0.469-0.589
Chloroform	3.57	3.47	1.029	ok	1.024	0.964-1.084
Chloromethane	1.89	3.47	0.545	ok	0.545	0.485-0.605
3-Chloropropene	2.60	3.47	0.749	ok	0.748	0.688-0.808
2-Chlorotoluene	15.59	10.65	1.464	ok	1.461	1.401-1.521
Carbon tetrachloride	4.62	3.47	1.331	ok	1.331	1.271-1.391
Cyclohexane	4.72	4.85	0.973	ok	0.973	0.913-1.033
1,1-Dichloroethane	2.99	3.47	0.862	ok	0.861	0.801-0.921
1,1-Dichloroethylene	2.52	3.47	0.726	ok	0.726	0.666-0.786
1,2-Dibromoethane (EDB)	8.66	4.85	1.786	ok	1.777	1.717-1.837
1,2-Dichloroethane	4.00	3.47	1.153	ok	1.151	1.091-1.211
1,2-Dichloropropane	5.23	4.85	1.078	ok	1.076	1.016-1.136
1,3-Dichloropropane	7.80	4.85	1.608	ok	1.602	1.542-1.662
1,4-Dioxane	5.50	4.85	1.134	ok	1.132	1.072-1.192
Dichlorodifluoromethane	1.85	3.47	0.533	ok	0.533	0.473-0.593
Dichlorofluoromethane	2.13	3.47	0.614	ok	0.614	0.554-0.674
Dibromochloromethane	8.28	4.85	1.707	ok	1.703	1.643-1.763
Dibromomethane	5.18	4.85	1.068	ok	1.066	1.006-1.126
trans-1,2-Dichloroethylene	2.90	3.47	0.836	ok	0.837	0.777-0.897

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2619-IC2619	2W58806.D	04/26/22 13:14	TCH	0.04	GCMS2W	TO-15	
V2W2619-IC2619	2W58807.D	04/26/22 13:50	TCH	0.1	GCMS2W	TO-15	
V2W2619-IC2619	2W58808.D	04/26/22 14:27	TCH	0.2	GCMS2W	TO-15	
V2W2619-IC2619	2W58809.D	04/26/22 15:05	TCH	0.5	GCMS2W	TO-15	
V2W2619-IC2619	2W58810.D	04/26/22 15:42	TCH	5	GCMS2W	TO-15	
V2W2619-ICC2619	2W58811.D	04/26/22 16:18	TCH	10	GCMS2W	TO-15	
V2W2619-IC2619	2W58812.D	04/26/22 16:55	TCH	20	GCMS2W	TO-15	
V2W2619-IC2619	2W58813.D	04/26/22 17:37	TCH	40	GCMS2W	TO-15	
V2W2619-IC2619	2W58814.D	04/26/22 18:20	TCH	50	GCMS2W	TO-15	Reporting this level

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.39	3.47	0.977	ok	0.977	0.917-1.037
cis-1,3-Dichloropropene	6.46	4.85	1.332	ok	1.328	1.268-1.388
m-Dichlorobenzene	16.90	10.65	1.587	ok	1.586	1.526-1.646
o-Dichlorobenzene	17.27	10.65	1.622	ok	1.621	1.561-1.681
p-Dichlorobenzene	16.98	10.65	1.594	ok	1.593	1.533-1.653
trans-1,3-Dichloropropene	7.17	4.85	1.478	ok	1.475	1.415-1.535
Di-Isopropyl ether	3.54	3.47	1.020	ok	1.019	0.959-1.079
2,3-Dimethylpentane	5.00	4.85	1.031	ok	1.029	0.969-1.089
2,4-Dimethylpentane	4.09	3.47	1.179	ok	1.176	1.116-1.236
Ethanol	2.14	3.47	0.617	ok	0.615	0.555-0.675
Ethylbenzene	11.65	10.65	1.094	ok	1.092	1.032-1.152
Ethyl Acetate	3.55	3.47	1.023	ok	1.021	0.961-1.081
Ethyl Acrylate	5.37	4.85	1.107	ok	1.103	1.043-1.163
4-Ethyltoluene	16.24	10.65	1.525	ok	1.524	1.464-1.584
Freon 113	2.65	3.47	0.764	ok	0.765	0.705-0.825
Freon 114	1.92	3.47	0.553	ok	0.554	0.494-0.614
Freon 123	2.25	3.47	0.648	ok	0.648	0.588-0.708
Freon 123A	2.26	3.47	0.651	ok	0.651	0.591-0.711
Freon 142B	1.89	3.47	0.545	ok	0.545	0.485-0.605
Freon 152A	1.81	3.47	0.522	ok	0.523	0.463-0.583
Heptane	5.90	4.85	1.216	ok	1.214	1.154-1.274
Hexachlorobutadiene	18.83	10.65	1.768	ok	1.768	1.708-1.828
Hexachloroethane	17.79	10.65	1.670	ok	1.671	1.611-1.731
Hexane	3.53	3.47	1.017	ok	1.016	0.956-1.076
2-Hexanone	8.34	4.85	1.720	ok	1.712	1.652-1.772
Iodomethane	2.49	3.47	0.718	ok	0.718	0.658-0.778
Isopropylbenzene	14.59	10.65	1.370	ok	1.366	1.306-1.426
Isopropyl Alcohol	2.34	3.47	0.674	ok	0.674	0.614-0.734
p-Isopropyltoluene	17.28	10.65	1.623	ok	1.622	1.562-1.682
Methylene chloride	2.55	3.47	0.735	ok	0.735	0.675-0.795
Methyl ethyl ketone	3.18	3.47	0.916	ok	0.914	0.854-0.974
Methyl Isobutyl Ketone	6.59	4.85	1.359	ok	1.353	1.293-1.413
Methyl Tert Butyl Ether	3.02	3.47	0.870	ok	0.871	0.811-0.931
Methylmethacrylate	5.81	4.85	1.198	ok	1.194	1.134-1.254
Naphthalene	18.57	10.65	1.744	ok	1.744	1.684-1.804
Nonane	14.18	10.65	1.331	ok	1.328	1.268-1.388
Octane	9.66	4.85	1.992	ok	1.985	1.925-2.045
Pentane	2.43	3.47	0.700	ok	0.701	0.641-0.761
n-Propylbenzene	15.93	10.65	1.496	ok	1.493	1.433-1.553

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2619-IC2619	2W58806.D	04/26/22 13:14	TCH	0.04	GCMS2W	TO-15	
V2W2619-IC2619	2W58807.D	04/26/22 13:50	TCH	0.1	GCMS2W	TO-15	
V2W2619-IC2619	2W58808.D	04/26/22 14:27	TCH	0.2	GCMS2W	TO-15	
V2W2619-IC2619	2W58809.D	04/26/22 15:05	TCH	0.5	GCMS2W	TO-15	
V2W2619-IC2619	2W58810.D	04/26/22 15:42	TCH	5	GCMS2W	TO-15	
V2W2619-ICC2619	2W58811.D	04/26/22 16:18	TCH	10	GCMS2W	TO-15	
V2W2619-IC2619	2W58812.D	04/26/22 16:55	TCH	20	GCMS2W	TO-15	
V2W2619-IC2619	2W58813.D	04/26/22 17:37	TCH	40	GCMS2W	TO-15	
V2W2619-IC2619	2W58814.D	04/26/22 18:20	TCH	50	GCMS2W	TO-15	Reporting this level

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.83	3.47	0.527	ok	0.528	0.468-0.588
Styrene	12.83	10.65	1.205	ok	1.202	1.142-1.262
1,1,1-Trichloroethane	4.17	3.47	1.202	ok	1.201	1.141-1.261
1,1,1,2-Tetrachloroethane	10.78	10.65	1.012	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	13.07	10.65	1.227	ok	1.224	1.164-1.284
1,1,2-Trichloroethane	7.34	4.85	1.513	ok	1.510	1.450-1.570
1,2,4-Trichlorobenzene	18.52	10.65	1.739	ok	1.739	1.679-1.799
1,2,3-Trichloropropane	13.36	10.65	1.254	ok	1.250	1.190-1.310
1,2,3-Trimethylbenzene	17.22	10.65	1.617	ok	1.616	1.556-1.676
1,2,4-Trimethylbenzene	16.84	10.65	1.581	ok	1.580	1.520-1.640
1,3,5-Trimethylbenzene	16.39	10.65	1.539	ok	1.537	1.477-1.597
2,2,4-Trimethylpentane	5.57	4.85	1.148	ok	1.146	1.086-1.206
Tertiary Butyl Alcohol	2.53	3.47	0.729	ok	0.730	0.670-0.790
Tetrachloroethylene	9.51	4.85	1.961	ok	1.955	1.895-2.015
Tetrahydrofuran	3.78	3.47	1.089	ok	1.091	1.031-1.151
Toluene	7.72	4.85	1.592	ok	1.588	1.528-1.648
Trichloroethylene	5.48	4.85	1.130	ok	1.125	1.065-1.185
Trichlorofluoromethane	2.32	3.47	0.669	ok	0.669	0.609-0.729
Vinyl chloride	1.95	3.47	0.562	ok	0.563	0.503-0.623
Vinyl Acetate	3.07	3.47	0.885	ok	0.884	0.824-0.944
m,p-Xylene	12.11	10.65	1.137	ok	1.133	1.073-1.193
o-Xylene	13.04	10.65	1.224	ok	1.222	1.162-1.282

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.47	ok	3.47	3.14-3.80	248917	ok	264398	158639-370157
1,4-Difluorobenzene	4.85	ok	4.85	4.52-5.18	1556184	ok	1673779	1004267-2343291
Chlorobenzene-D5	10.65	ok	10.64	10.31-10.97	1462770	ok	1567527	940516-2194538

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Tetrachloroethylene	9.45	4.93	1.917	ok	1.917	1.857-1.977
Trichloroethylene	5.52	4.93	1.120	ok	1.119	1.059-1.179

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.61	ok	3.61	3.28-3.94	65497	ok	69048	41429-96667
1,4-Difluorobenzene	4.93	ok	4.93	4.60-5.26	359956	ok	370656	222394-518918
Chlorobenzene-D5	10.59	ok	10.59	10.26-10.92	318930	ok	336964	202178-471750

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.47	3.61	0.684	ok	0.682	0.622-0.742
Acrolein	2.42	3.61	0.670	ok	0.670	0.610-0.730
Acrylonitrile	2.60	3.61	0.720	ok	0.721	0.661-0.781
Acetonitrile	2.37	3.61	0.657	ok	0.657	0.597-0.717
1,3-Butadiene	2.08	3.61	0.576	ok	0.578	0.518-0.638
Benzene	4.60	3.61	1.274	ok	1.274	1.214-1.334
Bromobenzene	14.31	10.59	1.351	ok	1.352	1.292-1.412
Bromodichloromethane	5.46	4.93	1.108	ok	1.108	1.048-1.168
Bromoform	11.78	10.59	1.112	ok	1.114	1.054-1.174
Bromomethane	2.18	3.61	0.604	ok	0.606	0.546-0.666
Bromoethene	2.38	3.61	0.659	ok	0.659	0.599-0.719
n-Butane	2.10	3.61	0.582	ok	0.584	0.524-0.644
Benzyl Chloride	16.85	10.59	1.591	ok	1.592	1.532-1.652
n-Butylbenzene	17.57	10.59	1.659	ok	1.660	1.600-1.720
sec-Butylbenzene	17.04	10.59	1.609	ok	1.610	1.550-1.670
tert-Butylbenzene	16.75	10.59	1.582	ok	1.583	1.523-1.643
Carbon disulfide	2.84	3.61	0.787	ok	0.787	0.727-0.847
Chlorobenzene	10.66	10.59	1.007	ok	1.007	0.947-1.067
Chlorodifluoromethane	1.86	3.61	0.515	ok	0.517	0.457-0.577
Chloroethane	2.25	3.61	0.623	ok	0.623	0.563-0.683
Chlorotrifluoroethene	1.87	3.61	0.518	ok	0.520	0.460-0.580
Chloroform	3.69	3.61	1.022	ok	1.021	0.961-1.081
Chloromethane	1.95	3.61	0.540	ok	0.542	0.482-0.602
3-Chloropropene	2.79	3.61	0.773	ok	0.773	0.713-0.833
2-Chlorotoluene	15.45	10.59	1.459	ok	1.459	1.399-1.519
Carbon tetrachloride	4.71	3.61	1.305	ok	1.305	1.245-1.365
Cyclohexane	4.81	4.93	0.976	ok	0.976	0.916-1.036
1,1-Dichloroethane	3.16	3.61	0.875	ok	0.875	0.815-0.935
1,1-Dichloroethylene	2.71	3.61	0.751	ok	0.751	0.691-0.811
1,2-Dibromoethane (EDB)	8.59	4.93	1.742	ok	1.743	1.683-1.803
1,2-Dichloroethane	4.11	3.61	1.139	ok	1.139	1.079-1.199
1,2-Dichloropropane	5.28	4.93	1.071	ok	1.071	1.011-1.131
1,3-Dichloropropane	7.76	4.93	1.574	ok	1.574	1.514-1.634
Dichlorodifluoromethane	1.89	3.61	0.524	ok	0.526	0.466-0.586
Dichlorofluoromethane	2.28	3.61	0.632	ok	0.633	0.573-0.693
Dibromochloromethane	8.24	4.93	1.671	ok	1.671	1.611-1.731
Dibromomethane	5.24	4.93	1.063	ok	1.063	1.003-1.123
trans-1,2-Dichloroethylene	3.08	3.61	0.853	ok	0.853	0.793-0.913
cis-1,2-Dichloroethylene	3.54	3.61	0.981	ok	0.978	0.918-1.038

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,3-Dichloropropene	6.46	4.93	1.310	ok	1.313	1.253-1.373
m-Dichlorobenzene	16.82	10.59	1.588	ok	1.590	1.530-1.650
o-Dichlorobenzene	17.20	10.59	1.624	ok	1.626	1.566-1.686
p-Dichlorobenzene	16.91	10.59	1.597	ok	1.598	1.538-1.658
trans-1,3-Dichloropropene	7.16	4.93	1.452	ok	1.452	1.392-1.512
Di-Isopropyl ether	3.67	3.61	1.017	ok	1.017	0.957-1.077
2,3-Dimethylpentane	5.08	4.93	1.030	ok	1.029	0.969-1.089
2,4-Dimethylpentane	4.19	3.61	1.161	ok	1.162	1.102-1.222
Ethanol	2.28	3.61	0.632	ok	0.634	0.574-0.694
Ethylbenzene	11.54	10.59	1.090	ok	1.091	1.031-1.151
Ethyl Acrylate	5.41	4.93	1.097	ok	1.095	1.035-1.155
4-Ethyltoluene	16.15	10.59	1.525	ok	1.525	1.465-1.585
Freon 113	2.85	3.61	0.789	ok	0.787	0.727-0.847
Freon 114	1.99	3.61	0.551	ok	0.553	0.493-0.613
Freon 123	2.44	3.61	0.676	ok	0.674	0.614-0.734
Freon 123A	2.45	3.61	0.679	ok	0.679	0.619-0.739
Freon 142B	1.94	3.61	0.537	ok	0.540	0.480-0.600
Freon 152A	1.84	3.61	0.510	ok	0.512	0.452-0.572
Heptane	5.93	4.93	1.203	ok	1.204	1.144-1.264
Hexachlorobutadiene	18.80	10.59	1.775	ok	1.776	1.716-1.836
Hexachloroethane	17.75	10.59	1.676	ok	1.677	1.617-1.737
Hexane	3.67	3.61	1.017	ok	1.015	0.955-1.075
2-Hexanone	8.29	4.93	1.682	ok	1.678	1.618-1.738
Iodomethane	2.69	3.61	0.745	ok	0.745	0.685-0.805
Isopropylbenzene	14.43	10.59	1.363	ok	1.364	1.304-1.424
Isopropyl Alcohol	2.54	3.61	0.704	ok	0.702	0.642-0.762
p-Isopropyltoluene	17.22	10.59	1.626	ok	1.627	1.567-1.687
Methylene chloride	2.75	3.61	0.762	ok	0.762	0.702-0.822
Methyl ethyl ketone	3.34	3.61	0.925	ok	0.923	0.863-0.983
Methyl Isobutyl Ketone	6.59	4.93	1.337	ok	1.334	1.274-1.394
Methyl Tert Butyl Ether	3.19	3.61	0.884	ok	0.884	0.824-0.944
Methylmethacrylate	5.84	4.93	1.185	ok	1.182	1.122-1.242
Naphthalene	18.53	10.59	1.750	ok	1.751	1.691-1.811
Nonane	14.03	10.59	1.325	ok	1.326	1.266-1.386
Octane	9.59	4.93	1.945	ok	1.946	1.886-2.006
Pentane	2.63	3.61	0.729	ok	0.729	0.669-0.789
n-Propylbenzene	15.78	10.59	1.490	ok	1.491	1.431-1.551
Propylene	1.87	3.61	0.518	ok	0.520	0.460-0.580
Styrene	12.70	10.59	1.199	ok	1.200	1.140-1.260

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
1,1,1-Trichloroethane	4.27	3.61	1.183	ok	1.185	1.125-1.245
1,1,1,2-Tetrachloroethane	10.67	10.59	1.008	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.92	10.59	1.220	ok	1.221	1.161-1.281
1,1,2-Trichloroethane	7.32	4.93	1.485	ok	1.486	1.426-1.546
1,2,4-Trichlorobenzene	18.49	10.59	1.746	ok	1.747	1.687-1.807
1,2,3-Trichloropropane	13.21	10.59	1.247	ok	1.248	1.188-1.308
1,2,3-Trimethylbenzene	17.15	10.59	1.619	ok	1.620	1.560-1.680
1,2,4-Trimethylbenzene	16.76	10.59	1.583	ok	1.584	1.524-1.644
1,3,5-Trimethylbenzene	16.30	10.59	1.539	ok	1.540	1.480-1.600
2,2,4-Trimethylpentane	5.62	4.93	1.140	ok	1.139	1.079-1.199
Tertiary Butyl Alcohol	2.72	3.61	0.753	ok	0.753	0.693-0.813
Tetrachloroethylene	9.45	4.93	1.917	ok	1.917	1.857-1.977
Tetrahydrofuran	3.93	3.61	1.089	ok	1.083	1.023-1.143
Toluene	7.70	4.93	1.562	ok	1.562	1.502-1.622
Trichloroethylene	5.52	4.93	1.120	ok	1.119	1.059-1.179
Trichlorofluoromethane	2.52	3.61	0.698	ok	0.698	0.638-0.758
Vinyl chloride	2.03	3.61	0.562	ok	0.565	0.505-0.625
Vinyl Acetate	3.23	3.61	0.895	ok	0.895	0.835-0.955
m,p-Xylene	11.98	10.59	1.131	ok	1.132	1.072-1.192
o-Xylene	12.91	10.59	1.219	ok	1.220	1.160-1.280

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.61	ok	3.61	3.28-3.94	64903	ok	69048	41429-96667
1,4-Difluorobenzene	4.93	ok	4.93	4.60-5.26	355487	ok	370656	222394-518918
Chlorobenzene-D5	10.59	ok	10.59	10.26-10.92	317521	ok	336964	202178-471750

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.47	3.61	0.684	ok	0.682	0.622-0.742
Acrolein	2.41	3.61	0.668	ok	0.670	0.610-0.730
Acrylonitrile	2.60	3.61	0.720	ok	0.721	0.661-0.781
Acetonitrile	2.37	3.61	0.657	ok	0.657	0.597-0.717
1,3-Butadiene	2.08	3.61	0.576	ok	0.578	0.518-0.638
Benzene	4.60	3.61	1.274	ok	1.274	1.214-1.334
Bromobenzene	14.30	10.59	1.350	ok	1.352	1.292-1.412
Bromodichloromethane	5.46	4.93	1.108	ok	1.108	1.048-1.168
Bromoform	11.79	10.59	1.113	ok	1.114	1.054-1.174
Bromomethane	2.19	3.61	0.607	ok	0.606	0.546-0.666
Bromoethene	2.38	3.61	0.659	ok	0.659	0.599-0.719
n-Butane	2.11	3.61	0.584	ok	0.584	0.524-0.644
Benzyl Chloride	16.85	10.59	1.591	ok	1.592	1.532-1.652
n-Butylbenzene	17.57	10.59	1.659	ok	1.660	1.600-1.720
sec-Butylbenzene	17.04	10.59	1.609	ok	1.610	1.550-1.670
tert-Butylbenzene	16.76	10.59	1.583	ok	1.583	1.523-1.643
Carbon disulfide	2.85	3.61	0.789	ok	0.787	0.727-0.847
Chlorobenzene	10.66	10.59	1.007	ok	1.007	0.947-1.067
Chlorodifluoromethane	1.86	3.61	0.515	ok	0.517	0.457-0.577
Chloroethane	2.25	3.61	0.623	ok	0.623	0.563-0.683
Chlorotrifluoroethene	1.88	3.61	0.521	ok	0.520	0.460-0.580
Chloroform	3.68	3.61	1.019	ok	1.021	0.961-1.081
Chloromethane	1.95	3.61	0.540	ok	0.542	0.482-0.602
3-Chloropropene	2.79	3.61	0.773	ok	0.773	0.713-0.833
2-Chlorotoluene	15.43	10.59	1.457	ok	1.459	1.399-1.519
Carbon tetrachloride	4.71	3.61	1.305	ok	1.305	1.245-1.365
Cyclohexane	4.81	4.93	0.976	ok	0.976	0.916-1.036
1,1-Dichloroethane	3.15	3.61	0.873	ok	0.875	0.815-0.935
1,1-Dichloroethylene	2.71	3.61	0.751	ok	0.751	0.691-0.811
1,2-Dibromoethane (EDB)	8.58	4.93	1.740	ok	1.743	1.683-1.803
1,2-Dichloroethane	4.11	3.61	1.139	ok	1.139	1.079-1.199
1,2-Dichloropropane	5.28	4.93	1.071	ok	1.071	1.011-1.131
1,3-Dichloropropane	7.75	4.93	1.572	ok	1.574	1.514-1.634
1,4-Dioxane	5.58	4.93	1.132	ok	1.123	1.063-1.183
Dichlorodifluoromethane	1.90	3.61	0.526	ok	0.526	0.466-0.586
Dichlorofluoromethane	2.28	3.61	0.632	ok	0.633	0.573-0.693
Dibromochloromethane	8.23	4.93	1.669	ok	1.671	1.611-1.731
Dibromomethane	5.24	4.93	1.063	ok	1.063	1.003-1.123
trans-1,2-Dichloroethylene	3.08	3.61	0.853	ok	0.853	0.793-0.913

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.53	3.61	0.978	ok	0.978	0.918-1.038
cis-1,3-Dichloropropene	6.47	4.93	1.312	ok	1.313	1.253-1.373
m-Dichlorobenzene	16.83	10.59	1.589	ok	1.590	1.530-1.650
o-Dichlorobenzene	17.21	10.59	1.625	ok	1.626	1.566-1.686
p-Dichlorobenzene	16.91	10.59	1.597	ok	1.598	1.538-1.658
trans-1,3-Dichloropropene	7.16	4.93	1.452	ok	1.452	1.392-1.512
Di-Isopropyl ether	3.67	3.61	1.017	ok	1.017	0.957-1.077
2,3-Dimethylpentane	5.07	4.93	1.028	ok	1.029	0.969-1.089
2,4-Dimethylpentane	4.20	3.61	1.163	ok	1.162	1.102-1.222
Ethanol	2.29	3.61	0.634	ok	0.634	0.574-0.694
Ethylbenzene	11.55	10.59	1.091	ok	1.091	1.031-1.151
Ethyl Acetate	3.67	3.61	1.017	ok	1.018	0.958-1.078
Ethyl Acrylate	5.40	4.93	1.095	ok	1.095	1.035-1.155
4-Ethyltoluene	16.14	10.59	1.524	ok	1.525	1.465-1.585
Freon 113	2.84	3.61	0.787	ok	0.787	0.727-0.847
Freon 114	1.99	3.61	0.551	ok	0.553	0.493-0.613
Freon 123	2.43	3.61	0.673	ok	0.674	0.614-0.734
Freon 123A	2.45	3.61	0.679	ok	0.679	0.619-0.739
Freon 142B	1.95	3.61	0.540	ok	0.540	0.480-0.600
Freon 152A	1.84	3.61	0.510	ok	0.512	0.452-0.572
Heptane	5.93	4.93	1.203	ok	1.204	1.144-1.264
Hexachlorobutadiene	18.80	10.59	1.775	ok	1.776	1.716-1.836
Hexachloroethane	17.75	10.59	1.676	ok	1.677	1.617-1.737
Hexane	3.66	3.61	1.014	ok	1.015	0.955-1.075
2-Hexanone	8.29	4.93	1.682	ok	1.678	1.618-1.738
Iodomethane	2.69	3.61	0.745	ok	0.745	0.685-0.805
Isopropylbenzene	14.43	10.59	1.363	ok	1.364	1.304-1.424
Isopropyl Alcohol	2.53	3.61	0.701	ok	0.702	0.642-0.762
p-Isopropyltoluene	17.22	10.59	1.626	ok	1.627	1.567-1.687
Methylene chloride	2.75	3.61	0.762	ok	0.762	0.702-0.822
Methyl ethyl ketone	3.34	3.61	0.925	ok	0.923	0.863-0.983
Methyl Isobutyl Ketone	6.58	4.93	1.335	ok	1.334	1.274-1.394
Methyl Tert Butyl Ether	3.19	3.61	0.884	ok	0.884	0.824-0.944
Methylmethacrylate	5.83	4.93	1.183	ok	1.182	1.122-1.242
Naphthalene	18.53	10.59	1.750	ok	1.751	1.691-1.811
Nonane	14.03	10.59	1.325	ok	1.326	1.266-1.386
Octane	9.60	4.93	1.947	ok	1.946	1.886-2.006
Pentane	2.63	3.61	0.729	ok	0.729	0.669-0.789
n-Propylbenzene	15.77	10.59	1.489	ok	1.491	1.431-1.551

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.88	3.61	0.521	ok	0.520	0.460-0.580
Styrene	12.70	10.59	1.199	ok	1.200	1.140-1.260
1,1,1-Trichloroethane	4.28	3.61	1.186	ok	1.185	1.125-1.245
1,1,1,2-Tetrachloroethane	10.67	10.59	1.008	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.92	10.59	1.220	ok	1.221	1.161-1.281
1,1,2-Trichloroethane	7.33	4.93	1.487	ok	1.486	1.426-1.546
1,2,4-Trichlorobenzene	18.49	10.59	1.746	ok	1.747	1.687-1.807
1,2,3-Trichloropropane	13.22	10.59	1.248	ok	1.248	1.188-1.308
1,2,3-Trimethylbenzene	17.15	10.59	1.619	ok	1.620	1.560-1.680
1,2,4-Trimethylbenzene	16.77	10.59	1.584	ok	1.584	1.524-1.644
1,3,5-Trimethylbenzene	16.30	10.59	1.539	ok	1.540	1.480-1.600
2,2,4-Trimethylpentane	5.61	4.93	1.138	ok	1.139	1.079-1.199
Tertiary Butyl Alcohol	2.72	3.61	0.753	ok	0.753	0.693-0.813
Tetrachloroethylene	9.45	4.93	1.917	ok	1.917	1.857-1.977
Tetrahydrofuran	3.93	3.61	1.089	ok	1.083	1.023-1.143
Toluene	7.70	4.93	1.562	ok	1.562	1.502-1.622
Trichloroethylene	5.52	4.93	1.120	ok	1.119	1.059-1.179
Trichlorofluoromethane	2.52	3.61	0.698	ok	0.698	0.638-0.758
Vinyl chloride	2.04	3.61	0.565	ok	0.565	0.505-0.625
Vinyl Acetate	3.24	3.61	0.898	ok	0.895	0.835-0.955
m,p-Xylene	11.98	10.59	1.131	ok	1.132	1.072-1.192
o-Xylene	12.91	10.59	1.219	ok	1.220	1.160-1.280

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.61	ok	3.61	3.28-3.94	64509	ok	69048	41429-96667
1,4-Difluorobenzene	4.93	ok	4.93	4.60-5.26	353558	ok	370656	222394-518918
Chlorobenzene-D5	10.59	ok	10.59	10.26-10.92	315511	ok	336964	202178-471750

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.46	3.61	0.681	ok	0.682	0.622-0.742
Acrolein	2.43	3.61	0.673	ok	0.670	0.610-0.730
Acrylonitrile	2.60	3.61	0.720	ok	0.721	0.661-0.781
Acetonitrile	2.37	3.61	0.657	ok	0.657	0.597-0.717
1,3-Butadiene	2.09	3.61	0.579	ok	0.578	0.518-0.638
Benzene	4.60	3.61	1.274	ok	1.274	1.214-1.334
Bromobenzene	14.31	10.58	1.353	ok	1.352	1.292-1.412
Bromodichloromethane	5.46	4.93	1.108	ok	1.108	1.048-1.168
Bromoform	11.79	10.58	1.114	ok	1.114	1.054-1.174
Bromomethane	2.19	3.61	0.607	ok	0.606	0.546-0.666
Bromoethene	2.38	3.61	0.659	ok	0.659	0.599-0.719
n-Butane	2.11	3.61	0.584	ok	0.584	0.524-0.644
Benzyl Chloride	16.85	10.58	1.593	ok	1.592	1.532-1.652
n-Butylbenzene	17.57	10.58	1.661	ok	1.660	1.600-1.720
sec-Butylbenzene	17.04	10.58	1.611	ok	1.610	1.550-1.670
tert-Butylbenzene	16.76	10.58	1.584	ok	1.583	1.523-1.643
Carbon disulfide	2.84	3.61	0.787	ok	0.787	0.727-0.847
Chlorobenzene	10.66	10.58	1.008	ok	1.007	0.947-1.067
Chlorodifluoromethane	1.87	3.61	0.518	ok	0.517	0.457-0.577
Chloroethane	2.25	3.61	0.623	ok	0.623	0.563-0.683
Chlorotrifluoroethene	1.88	3.61	0.521	ok	0.520	0.460-0.580
Chloroform	3.68	3.61	1.019	ok	1.021	0.961-1.081
Chloromethane	1.96	3.61	0.543	ok	0.542	0.482-0.602
3-Chloropropene	2.79	3.61	0.773	ok	0.773	0.713-0.833
2-Chlorotoluene	15.44	10.58	1.459	ok	1.459	1.399-1.519
Carbon tetrachloride	4.71	3.61	1.305	ok	1.305	1.245-1.365
Cyclohexane	4.81	4.93	0.976	ok	0.976	0.916-1.036
1,1-Dichloroethane	3.16	3.61	0.875	ok	0.875	0.815-0.935
1,1-Dichloroethylene	2.71	3.61	0.751	ok	0.751	0.691-0.811
1,2-Dibromoethane (EDB)	8.59	4.93	1.742	ok	1.743	1.683-1.803
1,2-Dichloroethane	4.11	3.61	1.139	ok	1.139	1.079-1.199
1,2-Dichloropropane	5.28	4.93	1.071	ok	1.071	1.011-1.131
1,3-Dichloropropane	7.75	4.93	1.572	ok	1.574	1.514-1.634
1,4-Dioxane	5.55	4.93	1.126	ok	1.123	1.063-1.183
Dichlorodifluoromethane	1.90	3.61	0.526	ok	0.526	0.466-0.586
Dichlorofluoromethane	2.29	3.61	0.634	ok	0.633	0.573-0.693
Dibromochloromethane	8.23	4.93	1.669	ok	1.671	1.611-1.731
Dibromomethane	5.24	4.93	1.063	ok	1.063	1.003-1.123
trans-1,2-Dichloroethylene	3.08	3.61	0.853	ok	0.853	0.793-0.913

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.53	3.61	0.978	ok	0.978	0.918-1.038
cis-1,3-Dichloropropene	6.47	4.93	1.312	ok	1.313	1.253-1.373
m-Dichlorobenzene	16.83	10.58	1.591	ok	1.590	1.530-1.650
o-Dichlorobenzene	17.20	10.58	1.626	ok	1.626	1.566-1.686
p-Dichlorobenzene	16.91	10.58	1.598	ok	1.598	1.538-1.658
trans-1,3-Dichloropropene	7.15	4.93	1.450	ok	1.452	1.392-1.512
Di-Isopropyl ether	3.67	3.61	1.017	ok	1.017	0.957-1.077
2,3-Dimethylpentane	5.07	4.93	1.028	ok	1.029	0.969-1.089
2,4-Dimethylpentane	4.19	3.61	1.161	ok	1.162	1.102-1.222
Ethanol	2.29	3.61	0.634	ok	0.634	0.574-0.694
Ethylbenzene	11.54	10.58	1.091	ok	1.091	1.031-1.151
Ethyl Acetate	3.68	3.61	1.019	ok	1.018	0.958-1.078
Ethyl Acrylate	5.40	4.93	1.095	ok	1.095	1.035-1.155
4-Ethyltoluene	16.14	10.58	1.526	ok	1.525	1.465-1.585
Freon 113	2.84	3.61	0.787	ok	0.787	0.727-0.847
Freon 114	2.00	3.61	0.554	ok	0.553	0.493-0.613
Freon 123	2.43	3.61	0.673	ok	0.674	0.614-0.734
Freon 123A	2.45	3.61	0.679	ok	0.679	0.619-0.739
Freon 142B	1.95	3.61	0.540	ok	0.540	0.480-0.600
Freon 152A	1.85	3.61	0.512	ok	0.512	0.452-0.572
Heptane	5.93	4.93	1.203	ok	1.204	1.144-1.264
Hexachlorobutadiene	18.79	10.58	1.776	ok	1.776	1.716-1.836
Hexachloroethane	17.75	10.58	1.678	ok	1.677	1.617-1.737
Hexane	3.67	3.61	1.017	ok	1.015	0.955-1.075
2-Hexanone	8.29	4.93	1.682	ok	1.678	1.618-1.738
Iodomethane	2.69	3.61	0.745	ok	0.745	0.685-0.805
Isopropylbenzene	14.43	10.58	1.364	ok	1.364	1.304-1.424
Isopropyl Alcohol	2.54	3.61	0.704	ok	0.702	0.642-0.762
p-Isopropyltoluene	17.22	10.58	1.628	ok	1.627	1.567-1.687
Methylene chloride	2.75	3.61	0.762	ok	0.762	0.702-0.822
Methyl ethyl ketone	3.34	3.61	0.925	ok	0.923	0.863-0.983
Methyl Isobutyl Ketone	6.58	4.93	1.335	ok	1.334	1.274-1.394
Methyl Tert Butyl Ether	3.19	3.61	0.884	ok	0.884	0.824-0.944
Methylmethacrylate	5.83	4.93	1.183	ok	1.182	1.122-1.242
Naphthalene	18.53	10.58	1.751	ok	1.751	1.691-1.811
Nonane	14.02	10.58	1.325	ok	1.326	1.266-1.386
Octane	9.59	4.93	1.945	ok	1.946	1.886-2.006
Pentane	2.63	3.61	0.729	ok	0.729	0.669-0.789
n-Propylbenzene	15.78	10.58	1.491	ok	1.491	1.431-1.551

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.88	3.61	0.521	ok	0.520	0.460-0.580
Styrene	12.69	10.58	1.199	ok	1.200	1.140-1.260
1,1,1-Trichloroethane	4.27	3.61	1.183	ok	1.185	1.125-1.245
1,1,1,2-Tetrachloroethane	10.68	10.58	1.009	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.92	10.58	1.221	ok	1.221	1.161-1.281
1,1,2-Trichloroethane	7.32	4.93	1.485	ok	1.486	1.426-1.546
1,2,4-Trichlorobenzene	18.49	10.58	1.748	ok	1.747	1.687-1.807
1,2,3-Trichloropropane	13.20	10.58	1.248	ok	1.248	1.188-1.308
1,2,3-Trimethylbenzene	17.15	10.58	1.621	ok	1.620	1.560-1.680
1,2,4-Trimethylbenzene	16.77	10.58	1.585	ok	1.584	1.524-1.644
1,3,5-Trimethylbenzene	16.30	10.58	1.541	ok	1.540	1.480-1.600
2,2,4-Trimethylpentane	5.61	4.93	1.138	ok	1.139	1.079-1.199
Tertiary Butyl Alcohol	2.72	3.61	0.753	ok	0.753	0.693-0.813
Tetrachloroethylene	9.44	4.93	1.915	ok	1.917	1.857-1.977
Tetrahydrofuran	3.92	3.61	1.086	ok	1.083	1.023-1.143
Toluene	7.70	4.93	1.562	ok	1.562	1.502-1.622
Trichloroethylene	5.52	4.93	1.120	ok	1.119	1.059-1.179
Trichlorofluoromethane	2.52	3.61	0.698	ok	0.698	0.638-0.758
Vinyl chloride	2.04	3.61	0.565	ok	0.565	0.505-0.625
Vinyl Acetate	3.23	3.61	0.895	ok	0.895	0.835-0.955
m,p-Xylene	11.97	10.58	1.131	ok	1.132	1.072-1.192
o-Xylene	12.91	10.58	1.220	ok	1.220	1.160-1.280

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.61	ok	3.61	3.28-3.94	64185	ok	69048	41429-96667
1,4-Difluorobenzene	4.93	ok	4.93	4.60-5.26	349033	ok	370656	222394-518918
Chlorobenzene-D5	10.58	ok	10.59	10.26-10.92	311657	ok	336964	202178-471750

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	Reporting this level
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.46	3.61	0.681	ok	0.682	0.622-0.742
Acrolein	2.42	3.61	0.670	ok	0.670	0.610-0.730
Acrylonitrile	2.60	3.61	0.720	ok	0.721	0.661-0.781
Acetonitrile	2.37	3.61	0.657	ok	0.657	0.597-0.717
1,3-Butadiene	2.09	3.61	0.579	ok	0.578	0.518-0.638
Benzene	4.60	3.61	1.274	ok	1.274	1.214-1.334
Bromobenzene	14.31	10.58	1.353	ok	1.352	1.292-1.412
Bromodichloromethane	5.46	4.93	1.108	ok	1.108	1.048-1.168
Bromoform	11.79	10.58	1.114	ok	1.114	1.054-1.174
Bromomethane	2.19	3.61	0.607	ok	0.606	0.546-0.666
Bromoethene	2.38	3.61	0.659	ok	0.659	0.599-0.719
n-Butane	2.11	3.61	0.584	ok	0.584	0.524-0.644
Benzyl Chloride	16.85	10.58	1.593	ok	1.592	1.532-1.652
n-Butylbenzene	17.57	10.58	1.661	ok	1.660	1.600-1.720
sec-Butylbenzene	17.04	10.58	1.611	ok	1.610	1.550-1.670
tert-Butylbenzene	16.76	10.58	1.584	ok	1.583	1.523-1.643
Carbon disulfide	2.84	3.61	0.787	ok	0.787	0.727-0.847
Chlorobenzene	10.66	10.58	1.008	ok	1.007	0.947-1.067
Chlorodifluoromethane	1.86	3.61	0.515	ok	0.517	0.457-0.577
Chloroethane	2.25	3.61	0.623	ok	0.623	0.563-0.683
Chlorotrifluoroethene	1.88	3.61	0.521	ok	0.520	0.460-0.580
Chloroform	3.69	3.61	1.022	ok	1.021	0.961-1.081
Chloromethane	1.96	3.61	0.543	ok	0.542	0.482-0.602
3-Chloropropene	2.79	3.61	0.773	ok	0.773	0.713-0.833
2-Chlorotoluene	15.44	10.58	1.459	ok	1.459	1.399-1.519
Carbon tetrachloride	4.71	3.61	1.305	ok	1.305	1.245-1.365
Cyclohexane	4.81	4.93	0.976	ok	0.976	0.916-1.036
1,1-Dichloroethane	3.15	3.61	0.873	ok	0.875	0.815-0.935
1,1-Dichloroethylene	2.71	3.61	0.751	ok	0.751	0.691-0.811
1,2-Dibromoethane (EDB)	8.59	4.93	1.742	ok	1.743	1.683-1.803
1,2-Dichloroethane	4.11	3.61	1.139	ok	1.139	1.079-1.199
1,2-Dichloropropane	5.28	4.93	1.071	ok	1.071	1.011-1.131
1,3-Dichloropropane	7.76	4.93	1.574	ok	1.574	1.514-1.634
1,4-Dioxane	5.53	4.93	1.122	ok	1.123	1.063-1.183
Dichlorodifluoromethane	1.90	3.61	0.526	ok	0.526	0.466-0.586
Dichlorofluoromethane	2.29	3.61	0.634	ok	0.633	0.573-0.693
Dibromochloromethane	8.24	4.93	1.671	ok	1.671	1.611-1.731
Dibromomethane	5.24	4.93	1.063	ok	1.063	1.003-1.123
trans-1,2-Dichloroethylene	3.08	3.61	0.853	ok	0.853	0.793-0.913

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	Reporting this level
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.53	3.61	0.978	ok	0.978	0.918-1.038
cis-1,3-Dichloropropene	6.47	4.93	1.312	ok	1.313	1.253-1.373
m-Dichlorobenzene	16.83	10.58	1.591	ok	1.590	1.530-1.650
o-Dichlorobenzene	17.21	10.58	1.627	ok	1.626	1.566-1.686
p-Dichlorobenzene	16.91	10.58	1.598	ok	1.598	1.538-1.658
trans-1,3-Dichloropropene	7.16	4.93	1.452	ok	1.452	1.392-1.512
Di-Isopropyl ether	3.67	3.61	1.017	ok	1.017	0.957-1.077
2,3-Dimethylpentane	5.07	4.93	1.028	ok	1.029	0.969-1.089
2,4-Dimethylpentane	4.19	3.61	1.161	ok	1.162	1.102-1.222
Ethanol	2.29	3.61	0.634	ok	0.634	0.574-0.694
Ethylbenzene	11.55	10.58	1.092	ok	1.091	1.031-1.151
Ethyl Acetate	3.67	3.61	1.017	ok	1.018	0.958-1.078
Ethyl Acrylate	5.39	4.93	1.093	ok	1.095	1.035-1.155
4-Ethyltoluene	16.14	10.58	1.526	ok	1.525	1.465-1.585
Freon 113	2.84	3.61	0.787	ok	0.787	0.727-0.847
Freon 114	2.00	3.61	0.554	ok	0.553	0.493-0.613
Freon 123	2.43	3.61	0.673	ok	0.674	0.614-0.734
Freon 123A	2.45	3.61	0.679	ok	0.679	0.619-0.739
Freon 142B	1.95	3.61	0.540	ok	0.540	0.480-0.600
Freon 152A	1.85	3.61	0.512	ok	0.512	0.452-0.572
Heptane	5.93	4.93	1.203	ok	1.204	1.144-1.264
Hexachlorobutadiene	18.80	10.58	1.777	ok	1.776	1.716-1.836
Hexachloroethane	17.75	10.58	1.678	ok	1.677	1.617-1.737
Hexane	3.66	3.61	1.014	ok	1.015	0.955-1.075
2-Hexanone	8.26	4.93	1.675	ok	1.678	1.618-1.738
Iodomethane	2.69	3.61	0.745	ok	0.745	0.685-0.805
Isopropylbenzene	14.43	10.58	1.364	ok	1.364	1.304-1.424
Isopropyl Alcohol	2.53	3.61	0.701	ok	0.702	0.642-0.762
p-Isopropyltoluene	17.22	10.58	1.628	ok	1.627	1.567-1.687
Methylene chloride	2.75	3.61	0.762	ok	0.762	0.702-0.822
Methyl ethyl ketone	3.33	3.61	0.922	ok	0.923	0.863-0.983
Methyl Isobutyl Ketone	6.57	4.93	1.333	ok	1.334	1.274-1.394
Methyl Tert Butyl Ether	3.19	3.61	0.884	ok	0.884	0.824-0.944
Methylmethacrylate	5.82	4.93	1.181	ok	1.182	1.122-1.242
Naphthalene	18.53	10.58	1.751	ok	1.751	1.691-1.811
Nonane	14.03	10.58	1.326	ok	1.326	1.266-1.386
Octane	9.59	4.93	1.945	ok	1.946	1.886-2.006
Pentane	2.63	3.61	0.729	ok	0.729	0.669-0.789
n-Propylbenzene	15.77	10.58	1.491	ok	1.491	1.431-1.551

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	Reporting this level
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.88	3.61	0.521	ok	0.520	0.460-0.580
Styrene	12.70	10.58	1.200	ok	1.200	1.140-1.260
1,1,1-Trichloroethane	4.27	3.61	1.183	ok	1.185	1.125-1.245
1,1,1,2-Tetrachloroethane	10.67	10.58	1.009	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.92	10.58	1.221	ok	1.221	1.161-1.281
1,1,2-Trichloroethane	7.32	4.93	1.485	ok	1.486	1.426-1.546
1,2,4-Trichlorobenzene	18.49	10.58	1.748	ok	1.747	1.687-1.807
1,2,3-Trichloropropane	13.21	10.58	1.249	ok	1.248	1.188-1.308
1,2,3-Trimethylbenzene	17.15	10.58	1.621	ok	1.620	1.560-1.680
1,2,4-Trimethylbenzene	16.77	10.58	1.585	ok	1.584	1.524-1.644
1,3,5-Trimethylbenzene	16.30	10.58	1.541	ok	1.540	1.480-1.600
2,2,4-Trimethylpentane	5.61	4.93	1.138	ok	1.139	1.079-1.199
Tertiary Butyl Alcohol	2.72	3.61	0.753	ok	0.753	0.693-0.813
Tetrachloroethylene	9.45	4.93	1.917	ok	1.917	1.857-1.977
Tetrahydrofuran	3.90	3.61	1.080	ok	1.083	1.023-1.143
Toluene	7.69	4.93	1.560	ok	1.562	1.502-1.622
Trichloroethylene	5.51	4.93	1.118	ok	1.119	1.059-1.179
Trichlorofluoromethane	2.52	3.61	0.698	ok	0.698	0.638-0.758
Vinyl chloride	2.04	3.61	0.565	ok	0.565	0.505-0.625
Vinyl Acetate	3.23	3.61	0.895	ok	0.895	0.835-0.955
m,p-Xylene	11.98	10.58	1.132	ok	1.132	1.072-1.192
o-Xylene	12.91	10.58	1.220	ok	1.220	1.160-1.280

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.61	ok	3.61	3.28-3.94	68904	ok	69048	41429-96667
1,4-Difluorobenzene	4.93	ok	4.93	4.60-5.26	372933	ok	370656	222394-518918
Chlorobenzene-D5	10.58	ok	10.59	10.26-10.92	337350	ok	336964	202178-471750

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.46	3.61	0.681	ok	0.682	0.622-0.742
Acrolein	2.42	3.61	0.670	ok	0.670	0.610-0.730
Acrylonitrile	2.60	3.61	0.720	ok	0.721	0.661-0.781
Acetonitrile	2.37	3.61	0.657	ok	0.657	0.597-0.717
1,3-Butadiene	2.09	3.61	0.579	ok	0.578	0.518-0.638
Benzene	4.60	3.61	1.274	ok	1.274	1.214-1.334
Bromobenzene	14.31	10.58	1.353	ok	1.352	1.292-1.412
Bromodichloromethane	5.46	4.93	1.108	ok	1.108	1.048-1.168
Bromoform	11.79	10.58	1.114	ok	1.114	1.054-1.174
Bromomethane	2.19	3.61	0.607	ok	0.606	0.546-0.666
Bromoethene	2.38	3.61	0.659	ok	0.659	0.599-0.719
n-Butane	2.11	3.61	0.584	ok	0.584	0.524-0.644
Benzyl Chloride	16.85	10.58	1.593	ok	1.592	1.532-1.652
n-Butylbenzene	17.57	10.58	1.661	ok	1.660	1.600-1.720
sec-Butylbenzene	17.04	10.58	1.611	ok	1.610	1.550-1.670
tert-Butylbenzene	16.76	10.58	1.584	ok	1.583	1.523-1.643
Carbon disulfide	2.84	3.61	0.787	ok	0.787	0.727-0.847
Chlorobenzene	10.66	10.58	1.008	ok	1.007	0.947-1.067
Chlorodifluoromethane	1.87	3.61	0.518	ok	0.517	0.457-0.577
Chloroethane	2.25	3.61	0.623	ok	0.623	0.563-0.683
Chlorotrifluoroethene	1.88	3.61	0.521	ok	0.520	0.460-0.580
Chloroform	3.69	3.61	1.022	ok	1.021	0.961-1.081
Chloromethane	1.96	3.61	0.543	ok	0.542	0.482-0.602
3-Chloropropene	2.79	3.61	0.773	ok	0.773	0.713-0.833
2-Chlorotoluene	15.44	10.58	1.459	ok	1.459	1.399-1.519
Carbon tetrachloride	4.71	3.61	1.305	ok	1.305	1.245-1.365
Cyclohexane	4.81	4.93	0.976	ok	0.976	0.916-1.036
1,1-Dichloroethane	3.16	3.61	0.875	ok	0.875	0.815-0.935
1,1-Dichloroethylene	2.71	3.61	0.751	ok	0.751	0.691-0.811
1,2-Dibromoethane (EDB)	8.59	4.93	1.742	ok	1.743	1.683-1.803
1,2-Dichloroethane	4.11	3.61	1.139	ok	1.139	1.079-1.199
1,2-Dichloropropane	5.28	4.93	1.071	ok	1.071	1.011-1.131
1,3-Dichloropropane	7.76	4.93	1.574	ok	1.574	1.514-1.634
1,4-Dioxane	5.52	4.93	1.120	ok	1.123	1.063-1.183
Dichlorodifluoromethane	1.90	3.61	0.526	ok	0.526	0.466-0.586
Dichlorofluoromethane	2.29	3.61	0.634	ok	0.633	0.573-0.693
Dibromochloromethane	8.24	4.93	1.671	ok	1.671	1.611-1.731
Dibromomethane	5.24	4.93	1.063	ok	1.063	1.003-1.123
trans-1,2-Dichloroethylene	3.08	3.61	0.853	ok	0.853	0.793-0.913

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.53	3.61	0.978	ok	0.978	0.918-1.038
cis-1,3-Dichloropropene	6.47	4.93	1.312	ok	1.313	1.253-1.373
m-Dichlorobenzene	16.83	10.58	1.591	ok	1.590	1.530-1.650
o-Dichlorobenzene	17.21	10.58	1.627	ok	1.626	1.566-1.686
p-Dichlorobenzene	16.91	10.58	1.598	ok	1.598	1.538-1.658
trans-1,3-Dichloropropene	7.16	4.93	1.452	ok	1.452	1.392-1.512
Di-Isopropyl ether	3.67	3.61	1.017	ok	1.017	0.957-1.077
2,3-Dimethylpentane	5.07	4.93	1.028	ok	1.029	0.969-1.089
2,4-Dimethylpentane	4.20	3.61	1.163	ok	1.162	1.102-1.222
Ethanol	2.29	3.61	0.634	ok	0.634	0.574-0.694
Ethylbenzene	11.55	10.58	1.092	ok	1.091	1.031-1.151
Ethyl Acetate	3.67	3.61	1.017	ok	1.018	0.958-1.078
Ethyl Acrylate	5.39	4.93	1.093	ok	1.095	1.035-1.155
4-Ethyltoluene	16.15	10.58	1.526	ok	1.525	1.465-1.585
Freon 113	2.84	3.61	0.787	ok	0.787	0.727-0.847
Freon 114	2.00	3.61	0.554	ok	0.553	0.493-0.613
Freon 123	2.43	3.61	0.673	ok	0.674	0.614-0.734
Freon 123A	2.45	3.61	0.679	ok	0.679	0.619-0.739
Freon 142B	1.95	3.61	0.540	ok	0.540	0.480-0.600
Freon 152A	1.85	3.61	0.512	ok	0.512	0.452-0.572
Heptane	5.93	4.93	1.203	ok	1.204	1.144-1.264
Hexachlorobutadiene	18.79	10.58	1.776	ok	1.776	1.716-1.836
Hexachloroethane	17.75	10.58	1.678	ok	1.677	1.617-1.737
Hexane	3.66	3.61	1.014	ok	1.015	0.955-1.075
2-Hexanone	8.26	4.93	1.675	ok	1.678	1.618-1.738
Iodomethane	2.69	3.61	0.745	ok	0.745	0.685-0.805
Isopropylbenzene	14.44	10.58	1.365	ok	1.364	1.304-1.424
Isopropyl Alcohol	2.53	3.61	0.701	ok	0.702	0.642-0.762
p-Isopropyltoluene	17.22	10.58	1.628	ok	1.627	1.567-1.687
Methylene chloride	2.75	3.61	0.762	ok	0.762	0.702-0.822
Methyl ethyl ketone	3.33	3.61	0.922	ok	0.923	0.863-0.983
Methyl Isobutyl Ketone	6.57	4.93	1.333	ok	1.334	1.274-1.394
Methyl Tert Butyl Ether	3.19	3.61	0.884	ok	0.884	0.824-0.944
Methylmethacrylate	5.82	4.93	1.181	ok	1.182	1.122-1.242
Naphthalene	18.53	10.58	1.751	ok	1.751	1.691-1.811
Nonane	14.03	10.58	1.326	ok	1.326	1.266-1.386
Octane	9.59	4.93	1.945	ok	1.946	1.886-2.006
Pentane	2.63	3.61	0.729	ok	0.729	0.669-0.789
n-Propylbenzene	15.78	10.58	1.491	ok	1.491	1.431-1.551

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.88	3.61	0.521	ok	0.520	0.460-0.580
Styrene	12.70	10.58	1.200	ok	1.200	1.140-1.260
1,1,1-Trichloroethane	4.28	3.61	1.186	ok	1.185	1.125-1.245
1,1,1,2-Tetrachloroethane	10.68	10.58	1.009	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.93	10.58	1.222	ok	1.221	1.161-1.281
1,1,2-Trichloroethane	7.32	4.93	1.485	ok	1.486	1.426-1.546
1,2,4-Trichlorobenzene	18.49	10.58	1.748	ok	1.747	1.687-1.807
1,2,3-Trichloropropane	13.21	10.58	1.249	ok	1.248	1.188-1.308
1,2,3-Trimethylbenzene	17.15	10.58	1.621	ok	1.620	1.560-1.680
1,2,4-Trimethylbenzene	16.77	10.58	1.585	ok	1.584	1.524-1.644
1,3,5-Trimethylbenzene	16.30	10.58	1.541	ok	1.540	1.480-1.600
2,2,4-Trimethylpentane	5.61	4.93	1.138	ok	1.139	1.079-1.199
Tertiary Butyl Alcohol	2.72	3.61	0.753	ok	0.753	0.693-0.813
Tetrachloroethylene	9.45	4.93	1.917	ok	1.917	1.857-1.977
Tetrahydrofuran	3.90	3.61	1.080	ok	1.083	1.023-1.143
Toluene	7.70	4.93	1.562	ok	1.562	1.502-1.622
Trichloroethylene	5.52	4.93	1.120	ok	1.119	1.059-1.179
Trichlorofluoromethane	2.52	3.61	0.698	ok	0.698	0.638-0.758
Vinyl chloride	2.04	3.61	0.565	ok	0.565	0.505-0.625
Vinyl Acetate	3.23	3.61	0.895	ok	0.895	0.835-0.955
m,p-Xylene	11.98	10.58	1.132	ok	1.132	1.072-1.192
o-Xylene	12.92	10.58	1.221	ok	1.220	1.160-1.280

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.61	ok	3.61	3.28-3.94	68573	ok	69048	41429-96667
1,4-Difluorobenzene	4.93	ok	4.93	4.60-5.26	368687	ok	370656	222394-518918
Chlorobenzene-D5	10.58	ok	10.59	10.26-10.92	341921	ok	336964	202178-471750

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.46	3.61	0.681	ok	0.682	0.622-0.742
Acrolein	2.42	3.61	0.670	ok	0.670	0.610-0.730
Acrylonitrile	2.60	3.61	0.720	ok	0.721	0.661-0.781
Acetonitrile	2.37	3.61	0.657	ok	0.657	0.597-0.717
1,3-Butadiene	2.09	3.61	0.579	ok	0.578	0.518-0.638
Benzene	4.60	3.61	1.274	ok	1.274	1.214-1.334
Bromobenzene	14.31	10.59	1.351	ok	1.352	1.292-1.412
Bromodichloromethane	5.46	4.93	1.108	ok	1.108	1.048-1.168
Bromoform	11.80	10.59	1.114	ok	1.114	1.054-1.174
Bromomethane	2.19	3.61	0.607	ok	0.606	0.546-0.666
Bromoethene	2.38	3.61	0.659	ok	0.659	0.599-0.719
n-Butane	2.11	3.61	0.584	ok	0.584	0.524-0.644
Benzyl Chloride	16.85	10.59	1.591	ok	1.592	1.532-1.652
n-Butylbenzene	17.57	10.59	1.659	ok	1.660	1.600-1.720
sec-Butylbenzene	17.04	10.59	1.609	ok	1.610	1.550-1.670
tert-Butylbenzene	16.77	10.59	1.584	ok	1.583	1.523-1.643
Carbon disulfide	2.84	3.61	0.787	ok	0.787	0.727-0.847
Chlorobenzene	10.67	10.59	1.008	ok	1.007	0.947-1.067
Chlorodifluoromethane	1.87	3.61	0.518	ok	0.517	0.457-0.577
Chloroethane	2.25	3.61	0.623	ok	0.623	0.563-0.683
Chlorotrifluoroethene	1.88	3.61	0.521	ok	0.520	0.460-0.580
Chloroform	3.69	3.61	1.022	ok	1.021	0.961-1.081
Chloromethane	1.96	3.61	0.543	ok	0.542	0.482-0.602
3-Chloropropene	2.79	3.61	0.773	ok	0.773	0.713-0.833
2-Chlorotoluene	15.45	10.59	1.459	ok	1.459	1.399-1.519
Carbon tetrachloride	4.71	3.61	1.305	ok	1.305	1.245-1.365
Cyclohexane	4.81	4.93	0.976	ok	0.976	0.916-1.036
1,1-Dichloroethane	3.16	3.61	0.875	ok	0.875	0.815-0.935
1,1-Dichloroethylene	2.71	3.61	0.751	ok	0.751	0.691-0.811
1,2-Dibromoethane (EDB)	8.59	4.93	1.742	ok	1.743	1.683-1.803
1,2-Dichloroethane	4.11	3.61	1.139	ok	1.139	1.079-1.199
1,2-Dichloropropane	5.28	4.93	1.071	ok	1.071	1.011-1.131
1,3-Dichloropropane	7.76	4.93	1.574	ok	1.574	1.514-1.634
1,4-Dioxane	5.52	4.93	1.120	ok	1.123	1.063-1.183
Dichlorodifluoromethane	1.90	3.61	0.526	ok	0.526	0.466-0.586
Dichlorofluoromethane	2.29	3.61	0.634	ok	0.633	0.573-0.693
Dibromochloromethane	8.24	4.93	1.671	ok	1.671	1.611-1.731
Dibromomethane	5.24	4.93	1.063	ok	1.063	1.003-1.123
trans-1,2-Dichloroethylene	3.08	3.61	0.853	ok	0.853	0.793-0.913

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.53	3.61	0.978	ok	0.978	0.918-1.038
cis-1,3-Dichloropropene	6.47	4.93	1.312	ok	1.313	1.253-1.373
m-Dichlorobenzene	16.83	10.59	1.589	ok	1.590	1.530-1.650
o-Dichlorobenzene	17.21	10.59	1.625	ok	1.626	1.566-1.686
p-Dichlorobenzene	16.91	10.59	1.597	ok	1.598	1.538-1.658
trans-1,3-Dichloropropene	7.16	4.93	1.452	ok	1.452	1.392-1.512
Di-Isopropyl ether	3.67	3.61	1.017	ok	1.017	0.957-1.077
2,3-Dimethylpentane	5.07	4.93	1.028	ok	1.029	0.969-1.089
2,4-Dimethylpentane	4.19	3.61	1.161	ok	1.162	1.102-1.222
Ethanol	2.29	3.61	0.634	ok	0.634	0.574-0.694
Ethylbenzene	11.55	10.59	1.091	ok	1.091	1.031-1.151
Ethyl Acetate	3.67	3.61	1.017	ok	1.018	0.958-1.078
Ethyl Acrylate	5.40	4.93	1.095	ok	1.095	1.035-1.155
4-Ethyltoluene	16.15	10.59	1.525	ok	1.525	1.465-1.585
Freon 113	2.84	3.61	0.787	ok	0.787	0.727-0.847
Freon 114	2.00	3.61	0.554	ok	0.553	0.493-0.613
Freon 123	2.43	3.61	0.673	ok	0.674	0.614-0.734
Freon 123A	2.45	3.61	0.679	ok	0.679	0.619-0.739
Freon 142B	1.95	3.61	0.540	ok	0.540	0.480-0.600
Freon 152A	1.85	3.61	0.512	ok	0.512	0.452-0.572
Heptane	5.94	4.93	1.205	ok	1.204	1.144-1.264
Hexachlorobutadiene	18.79	10.59	1.774	ok	1.776	1.716-1.836
Hexachloroethane	17.75	10.59	1.676	ok	1.677	1.617-1.737
Hexane	3.66	3.61	1.014	ok	1.015	0.955-1.075
2-Hexanone	8.26	4.93	1.675	ok	1.678	1.618-1.738
Iodomethane	2.69	3.61	0.745	ok	0.745	0.685-0.805
Isopropylbenzene	14.44	10.59	1.364	ok	1.364	1.304-1.424
Isopropyl Alcohol	2.53	3.61	0.701	ok	0.702	0.642-0.762
p-Isopropyltoluene	17.22	10.59	1.626	ok	1.627	1.567-1.687
Methylene chloride	2.75	3.61	0.762	ok	0.762	0.702-0.822
Methyl ethyl ketone	3.33	3.61	0.922	ok	0.923	0.863-0.983
Methyl Isobutyl Ketone	6.57	4.93	1.333	ok	1.334	1.274-1.394
Methyl Tert Butyl Ether	3.19	3.61	0.884	ok	0.884	0.824-0.944
Methylmethacrylate	5.83	4.93	1.183	ok	1.182	1.122-1.242
Naphthalene	18.53	10.59	1.750	ok	1.751	1.691-1.811
Nonane	14.04	10.59	1.326	ok	1.326	1.266-1.386
Octane	9.59	4.93	1.945	ok	1.946	1.886-2.006
Pentane	2.63	3.61	0.729	ok	0.729	0.669-0.789
n-Propylbenzene	15.78	10.59	1.490	ok	1.491	1.431-1.551

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.88	3.61	0.521	ok	0.520	0.460-0.580
Styrene	12.71	10.59	1.200	ok	1.200	1.140-1.260
1,1,1-Trichloroethane	4.28	3.61	1.186	ok	1.185	1.125-1.245
1,1,1,2-Tetrachloroethane	10.68	10.59	1.008	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.93	10.59	1.221	ok	1.221	1.161-1.281
1,1,2-Trichloroethane	7.32	4.93	1.485	ok	1.486	1.426-1.546
1,2,4-Trichlorobenzene	18.49	10.59	1.746	ok	1.747	1.687-1.807
1,2,3-Trichloropropane	13.22	10.59	1.248	ok	1.248	1.188-1.308
1,2,3-Trimethylbenzene	17.15	10.59	1.619	ok	1.620	1.560-1.680
1,2,4-Trimethylbenzene	16.77	10.59	1.584	ok	1.584	1.524-1.644
1,3,5-Trimethylbenzene	16.31	10.59	1.540	ok	1.540	1.480-1.600
2,2,4-Trimethylpentane	5.61	4.93	1.138	ok	1.139	1.079-1.199
Tertiary Butyl Alcohol	2.72	3.61	0.753	ok	0.753	0.693-0.813
Tetrachloroethylene	9.45	4.93	1.917	ok	1.917	1.857-1.977
Tetrahydrofuran	3.90	3.61	1.080	ok	1.083	1.023-1.143
Toluene	7.70	4.93	1.562	ok	1.562	1.502-1.622
Trichloroethylene	5.52	4.93	1.120	ok	1.119	1.059-1.179
Trichlorofluoromethane	2.52	3.61	0.698	ok	0.698	0.638-0.758
Vinyl chloride	2.04	3.61	0.565	ok	0.565	0.505-0.625
Vinyl Acetate	3.23	3.61	0.895	ok	0.895	0.835-0.955
m,p-Xylene	11.98	10.59	1.131	ok	1.132	1.072-1.192
o-Xylene	12.93	10.59	1.221	ok	1.220	1.160-1.280

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.61	ok	3.61	3.28-3.94	72073	ok	69048	41429-96667
1,4-Difluorobenzene	4.93	ok	4.93	4.60-5.26	384279	ok	370656	222394-518918
Chlorobenzene-D5	10.59	ok	10.59	10.26-10.92	358155	ok	336964	202178-471750

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.46	3.61	0.681	ok	0.682	0.622-0.742
Acrolein	2.42	3.61	0.670	ok	0.670	0.610-0.730
Acrylonitrile	2.61	3.61	0.723	ok	0.721	0.661-0.781
Acetonitrile	2.37	3.61	0.657	ok	0.657	0.597-0.717
1,3-Butadiene	2.09	3.61	0.579	ok	0.578	0.518-0.638
Benzene	4.60	3.61	1.274	ok	1.274	1.214-1.334
Bromobenzene	14.32	10.59	1.352	ok	1.352	1.292-1.412
Bromodichloromethane	5.47	4.93	1.110	ok	1.108	1.048-1.168
Bromoform	11.81	10.59	1.115	ok	1.114	1.054-1.174
Bromomethane	2.19	3.61	0.607	ok	0.606	0.546-0.666
Bromoethene	2.38	3.61	0.659	ok	0.659	0.599-0.719
n-Butane	2.11	3.61	0.584	ok	0.584	0.524-0.644
Benzyl Chloride	16.86	10.59	1.592	ok	1.592	1.532-1.652
n-Butylbenzene	17.57	10.59	1.659	ok	1.660	1.600-1.720
sec-Butylbenzene	17.05	10.59	1.610	ok	1.610	1.550-1.670
tert-Butylbenzene	16.77	10.59	1.584	ok	1.583	1.523-1.643
Carbon disulfide	2.85	3.61	0.789	ok	0.787	0.727-0.847
Chlorobenzene	10.67	10.59	1.008	ok	1.007	0.947-1.067
Chlorodifluoromethane	1.87	3.61	0.518	ok	0.517	0.457-0.577
Chloroethane	2.25	3.61	0.623	ok	0.623	0.563-0.683
Chlorotrifluoroethene	1.88	3.61	0.521	ok	0.520	0.460-0.580
Chloroform	3.69	3.61	1.022	ok	1.021	0.961-1.081
Chloromethane	1.96	3.61	0.543	ok	0.542	0.482-0.602
3-Chloropropene	2.79	3.61	0.773	ok	0.773	0.713-0.833
2-Chlorotoluene	15.45	10.59	1.459	ok	1.459	1.399-1.519
Carbon tetrachloride	4.71	3.61	1.305	ok	1.305	1.245-1.365
Cyclohexane	4.81	4.93	0.976	ok	0.976	0.916-1.036
1,1-Dichloroethane	3.16	3.61	0.875	ok	0.875	0.815-0.935
1,1-Dichloroethylene	2.71	3.61	0.751	ok	0.751	0.691-0.811
1,2-Dibromoethane (EDB)	8.60	4.93	1.744	ok	1.743	1.683-1.803
1,2-Dichloroethane	4.11	3.61	1.139	ok	1.139	1.079-1.199
1,2-Dichloropropane	5.29	4.93	1.073	ok	1.071	1.011-1.131
1,3-Dichloropropane	7.76	4.93	1.574	ok	1.574	1.514-1.634
1,4-Dioxane	5.53	4.93	1.122	ok	1.123	1.063-1.183
Dichlorodifluoromethane	1.90	3.61	0.526	ok	0.526	0.466-0.586
Dichlorofluoromethane	2.29	3.61	0.634	ok	0.633	0.573-0.693
Dibromochloromethane	8.24	4.93	1.671	ok	1.671	1.611-1.731
Dibromomethane	5.24	4.93	1.063	ok	1.063	1.003-1.123
trans-1,2-Dichloroethylene	3.08	3.61	0.853	ok	0.853	0.793-0.913

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.53	3.61	0.978	ok	0.978	0.918-1.038
cis-1,3-Dichloropropene	6.48	4.93	1.314	ok	1.313	1.253-1.373
m-Dichlorobenzene	16.84	10.59	1.590	ok	1.590	1.530-1.650
o-Dichlorobenzene	17.21	10.59	1.625	ok	1.626	1.566-1.686
p-Dichlorobenzene	16.92	10.59	1.598	ok	1.598	1.538-1.658
trans-1,3-Dichloropropene	7.16	4.93	1.452	ok	1.452	1.392-1.512
Di-Isopropyl ether	3.67	3.61	1.017	ok	1.017	0.957-1.077
2,3-Dimethylpentane	5.08	4.93	1.030	ok	1.029	0.969-1.089
2,4-Dimethylpentane	4.20	3.61	1.163	ok	1.162	1.102-1.222
Ethanol	2.29	3.61	0.634	ok	0.634	0.574-0.694
Ethylbenzene	11.56	10.59	1.092	ok	1.091	1.031-1.151
Ethyl Acetate	3.68	3.61	1.019	ok	1.018	0.958-1.078
Ethyl Acrylate	5.40	4.93	1.095	ok	1.095	1.035-1.155
4-Ethyltoluene	16.15	10.59	1.525	ok	1.525	1.465-1.585
Freon 113	2.85	3.61	0.789	ok	0.787	0.727-0.847
Freon 114	2.00	3.61	0.554	ok	0.553	0.493-0.613
Freon 123	2.44	3.61	0.676	ok	0.674	0.614-0.734
Freon 123A	2.46	3.61	0.681	ok	0.679	0.619-0.739
Freon 142B	1.95	3.61	0.540	ok	0.540	0.480-0.600
Freon 152A	1.85	3.61	0.512	ok	0.512	0.452-0.572
Heptane	5.94	4.93	1.205	ok	1.204	1.144-1.264
Hexachlorobutadiene	18.80	10.59	1.775	ok	1.776	1.716-1.836
Hexachloroethane	17.75	10.59	1.676	ok	1.677	1.617-1.737
Hexane	3.67	3.61	1.017	ok	1.015	0.955-1.075
2-Hexanone	8.27	4.93	1.677	ok	1.678	1.618-1.738
Iodomethane	2.69	3.61	0.745	ok	0.745	0.685-0.805
Isopropylbenzene	14.45	10.59	1.364	ok	1.364	1.304-1.424
Isopropyl Alcohol	2.54	3.61	0.704	ok	0.702	0.642-0.762
p-Isopropyltoluene	17.23	10.59	1.627	ok	1.627	1.567-1.687
Methylene chloride	2.75	3.61	0.762	ok	0.762	0.702-0.822
Methyl ethyl ketone	3.33	3.61	0.922	ok	0.923	0.863-0.983
Methyl Isobutyl Ketone	6.58	4.93	1.335	ok	1.334	1.274-1.394
Methyl Tert Butyl Ether	3.19	3.61	0.884	ok	0.884	0.824-0.944
Methylmethacrylate	5.83	4.93	1.183	ok	1.182	1.122-1.242
Naphthalene	18.54	10.59	1.751	ok	1.751	1.691-1.811
Nonane	14.04	10.59	1.326	ok	1.326	1.266-1.386
Octane	9.60	4.93	1.947	ok	1.946	1.886-2.006
Pentane	2.63	3.61	0.729	ok	0.729	0.669-0.789
n-Propylbenzene	15.79	10.59	1.491	ok	1.491	1.431-1.551

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	Reporting this level
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.88	3.61	0.521	ok	0.520	0.460-0.580
Styrene	12.71	10.59	1.200	ok	1.200	1.140-1.260
1,1,1-Trichloroethane	4.28	3.61	1.186	ok	1.185	1.125-1.245
1,1,1,2-Tetrachloroethane	10.69	10.59	1.009	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.94	10.59	1.222	ok	1.221	1.161-1.281
1,1,2-Trichloroethane	7.33	4.93	1.487	ok	1.486	1.426-1.546
1,2,4-Trichlorobenzene	18.49	10.59	1.746	ok	1.747	1.687-1.807
1,2,3-Trichloropropane	13.23	10.59	1.249	ok	1.248	1.188-1.308
1,2,3-Trimethylbenzene	17.16	10.59	1.620	ok	1.620	1.560-1.680
1,2,4-Trimethylbenzene	16.78	10.59	1.585	ok	1.584	1.524-1.644
1,3,5-Trimethylbenzene	16.31	10.59	1.540	ok	1.540	1.480-1.600
2,2,4-Trimethylpentane	5.62	4.93	1.140	ok	1.139	1.079-1.199
Tertiary Butyl Alcohol	2.72	3.61	0.753	ok	0.753	0.693-0.813
Tetrachloroethylene	9.45	4.93	1.917	ok	1.917	1.857-1.977
Tetrahydrofuran	3.90	3.61	1.080	ok	1.083	1.023-1.143
Toluene	7.70	4.93	1.562	ok	1.562	1.502-1.622
Trichloroethylene	5.52	4.93	1.120	ok	1.119	1.059-1.179
Trichlorofluoromethane	2.52	3.61	0.698	ok	0.698	0.638-0.758
Vinyl chloride	2.04	3.61	0.565	ok	0.565	0.505-0.625
Vinyl Acetate	3.23	3.61	0.895	ok	0.895	0.835-0.955
m,p-Xylene	11.99	10.59	1.132	ok	1.132	1.072-1.192
o-Xylene	12.93	10.59	1.221	ok	1.220	1.160-1.280

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.61	ok	3.61	3.28-3.94	75390	ok	69048	41429-96667
1,4-Difluorobenzene	4.93	ok	4.93	4.60-5.26	391613	ok	370656	222394-518918
Chlorobenzene-D5	10.59	ok	10.59	10.26-10.92	360276	ok	336964	202178-471750

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	Reporting this level

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.46	3.61	0.681	ok	0.682	0.622-0.742
Acrolein	2.42	3.61	0.670	ok	0.670	0.610-0.730
Acrylonitrile	2.61	3.61	0.723	ok	0.721	0.661-0.781
Acetonitrile	2.37	3.61	0.657	ok	0.657	0.597-0.717
1,3-Butadiene	2.09	3.61	0.579	ok	0.578	0.518-0.638
Benzene	4.60	3.61	1.274	ok	1.274	1.214-1.334
Bromobenzene	14.33	10.59	1.353	ok	1.352	1.292-1.412
Bromodichloromethane	5.47	4.93	1.110	ok	1.108	1.048-1.168
Bromoform	11.80	10.59	1.114	ok	1.114	1.054-1.174
Bromomethane	2.19	3.61	0.607	ok	0.606	0.546-0.666
Bromoethene	2.38	3.61	0.659	ok	0.659	0.599-0.719
n-Butane	2.11	3.61	0.584	ok	0.584	0.524-0.644
Benzyl Chloride	16.86	10.59	1.592	ok	1.592	1.532-1.652
n-Butylbenzene	17.58	10.59	1.660	ok	1.660	1.600-1.720
sec-Butylbenzene	17.05	10.59	1.610	ok	1.610	1.550-1.670
tert-Butylbenzene	16.77	10.59	1.584	ok	1.583	1.523-1.643
Carbon disulfide	2.84	3.61	0.787	ok	0.787	0.727-0.847
Chlorobenzene	10.68	10.59	1.008	ok	1.007	0.947-1.067
Chlorodifluoromethane	1.86	3.61	0.515	ok	0.517	0.457-0.577
Chloroethane	2.25	3.61	0.623	ok	0.623	0.563-0.683
Chlorotrifluoroethene	1.88	3.61	0.521	ok	0.520	0.460-0.580
Chloroform	3.69	3.61	1.022	ok	1.021	0.961-1.081
Chloromethane	1.96	3.61	0.543	ok	0.542	0.482-0.602
3-Chloropropene	2.79	3.61	0.773	ok	0.773	0.713-0.833
2-Chlorotoluene	15.46	10.59	1.460	ok	1.459	1.399-1.519
Carbon tetrachloride	4.71	3.61	1.305	ok	1.305	1.245-1.365
Cyclohexane	4.81	4.93	0.976	ok	0.976	0.916-1.036
1,1-Dichloroethane	3.16	3.61	0.875	ok	0.875	0.815-0.935
1,1-Dichloroethylene	2.71	3.61	0.751	ok	0.751	0.691-0.811
1,2-Dibromoethane (EDB)	8.60	4.93	1.744	ok	1.743	1.683-1.803
1,2-Dichloroethane	4.11	3.61	1.139	ok	1.139	1.079-1.199
1,2-Dichloropropane	5.28	4.93	1.071	ok	1.071	1.011-1.131
1,3-Dichloropropane	7.77	4.93	1.576	ok	1.574	1.514-1.634
1,4-Dioxane	5.53	4.93	1.122	ok	1.123	1.063-1.183
Dichlorodifluoromethane	1.90	3.61	0.526	ok	0.526	0.466-0.586
Dichlorofluoromethane	2.28	3.61	0.632	ok	0.633	0.573-0.693
Dibromochloromethane	8.25	4.93	1.673	ok	1.671	1.611-1.731
Dibromomethane	5.24	4.93	1.063	ok	1.063	1.003-1.123
trans-1,2-Dichloroethylene	3.08	3.61	0.853	ok	0.853	0.793-0.913

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	Reporting this level

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.53	3.61	0.978	ok	0.978	0.918-1.038
cis-1,3-Dichloropropene	6.48	4.93	1.314	ok	1.313	1.253-1.373
m-Dichlorobenzene	16.84	10.59	1.590	ok	1.590	1.530-1.650
o-Dichlorobenzene	17.22	10.59	1.626	ok	1.626	1.566-1.686
p-Dichlorobenzene	16.92	10.59	1.598	ok	1.598	1.538-1.658
trans-1,3-Dichloropropene	7.16	4.93	1.452	ok	1.452	1.392-1.512
Di-Isopropyl ether	3.67	3.61	1.017	ok	1.017	0.957-1.077
2,3-Dimethylpentane	5.07	4.93	1.028	ok	1.029	0.969-1.089
2,4-Dimethylpentane	4.20	3.61	1.163	ok	1.162	1.102-1.222
Ethanol	2.29	3.61	0.634	ok	0.634	0.574-0.694
Ethylbenzene	11.56	10.59	1.092	ok	1.091	1.031-1.151
Ethyl Acetate	3.68	3.61	1.019	ok	1.018	0.958-1.078
Ethyl Acrylate	5.40	4.93	1.095	ok	1.095	1.035-1.155
4-Ethyltoluene	16.15	10.59	1.525	ok	1.525	1.465-1.585
Freon 113	2.84	3.61	0.787	ok	0.787	0.727-0.847
Freon 114	2.00	3.61	0.554	ok	0.553	0.493-0.613
Freon 123	2.44	3.61	0.676	ok	0.674	0.614-0.734
Freon 123A	2.45	3.61	0.679	ok	0.679	0.619-0.739
Freon 142B	1.95	3.61	0.540	ok	0.540	0.480-0.600
Freon 152A	1.85	3.61	0.512	ok	0.512	0.452-0.572
Heptane	5.94	4.93	1.205	ok	1.204	1.144-1.264
Hexachlorobutadiene	18.80	10.59	1.775	ok	1.776	1.716-1.836
Hexachloroethane	17.75	10.59	1.676	ok	1.677	1.617-1.737
Hexane	3.67	3.61	1.017	ok	1.015	0.955-1.075
2-Hexanone	8.27	4.93	1.677	ok	1.678	1.618-1.738
Iodomethane	2.69	3.61	0.745	ok	0.745	0.685-0.805
Isopropylbenzene	14.45	10.59	1.364	ok	1.364	1.304-1.424
Isopropyl Alcohol	2.53	3.61	0.701	ok	0.702	0.642-0.762
p-Isopropyltoluene	17.23	10.59	1.627	ok	1.627	1.567-1.687
Methylene chloride	2.75	3.61	0.762	ok	0.762	0.702-0.822
Methyl ethyl ketone	3.33	3.61	0.922	ok	0.923	0.863-0.983
Methyl Isobutyl Ketone	6.58	4.93	1.335	ok	1.334	1.274-1.394
Methyl Tert Butyl Ether	3.19	3.61	0.884	ok	0.884	0.824-0.944
Methylmethacrylate	5.83	4.93	1.183	ok	1.182	1.122-1.242
Naphthalene	18.54	10.59	1.751	ok	1.751	1.691-1.811
Nonane	14.05	10.59	1.327	ok	1.326	1.266-1.386
Octane	9.60	4.93	1.947	ok	1.946	1.886-2.006
Pentane	2.63	3.61	0.729	ok	0.729	0.669-0.789
n-Propylbenzene	15.79	10.59	1.491	ok	1.491	1.431-1.551

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V2W2709-IC2709	2W61010.D	08/19/22 11:22	TCH	0.04	GCMS2W	TO-15	
V2W2709-IC2709	2W61011.D	08/19/22 11:55	TCH	0.1	GCMS2W	TO-15	
V2W2709-IC2709	2W61012.D	08/19/22 12:27	TCH	0.2	GCMS2W	TO-15	
V2W2709-IC2709	2W61013.D	08/19/22 12:59	TCH	0.5	GCMS2W	TO-15	
V2W2709-IC2709	2W61015.D	08/19/22 14:02	TCH	5	GCMS2W	TO-15	
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	TCH	10	GCMS2W	TO-15	
V2W2709-IC2709	2W61017.D	08/19/22 15:08	TCH	20	GCMS2W	TO-15	
V2W2709-IC2709	2W61018.D	08/19/22 15:45	TCH	40	GCMS2W	TO-15	
V2W2709-IC2709	2W61019.D	08/19/22 16:25	TCH	50	GCMS2W	TO-15	Reporting this level

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.88	3.61	0.521	ok	0.520	0.460-0.580
Styrene	12.72	10.59	1.201	ok	1.200	1.140-1.260
1,1,1-Trichloroethane	4.28	3.61	1.186	ok	1.185	1.125-1.245
1,1,1,2-Tetrachloroethane	10.69	10.59	1.009	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.95	10.59	1.223	ok	1.221	1.161-1.281
1,1,2-Trichloroethane	7.33	4.93	1.487	ok	1.486	1.426-1.546
1,2,4-Trichlorobenzene	18.50	10.59	1.747	ok	1.747	1.687-1.807
1,2,3-Trichloropropane	13.23	10.59	1.249	ok	1.248	1.188-1.308
1,2,3-Trimethylbenzene	17.16	10.59	1.620	ok	1.620	1.560-1.680
1,2,4-Trimethylbenzene	16.78	10.59	1.585	ok	1.584	1.524-1.644
1,3,5-Trimethylbenzene	16.31	10.59	1.540	ok	1.540	1.480-1.600
2,2,4-Trimethylpentane	5.62	4.93	1.140	ok	1.139	1.079-1.199
Tertiary Butyl Alcohol	2.72	3.61	0.753	ok	0.753	0.693-0.813
Tetrachloroethylene	9.45	4.93	1.917	ok	1.917	1.857-1.977
Tetrahydrofuran	3.90	3.61	1.080	ok	1.083	1.023-1.143
Toluene	7.70	4.93	1.562	ok	1.562	1.502-1.622
Trichloroethylene	5.52	4.93	1.120	ok	1.119	1.059-1.179
Trichlorofluoromethane	2.52	3.61	0.698	ok	0.698	0.638-0.758
Vinyl chloride	2.04	3.61	0.565	ok	0.565	0.505-0.625
Vinyl Acetate	3.23	3.61	0.895	ok	0.895	0.835-0.955
m,p-Xylene	12.00	10.59	1.133	ok	1.132	1.072-1.192
o-Xylene	12.94	10.59	1.222	ok	1.220	1.160-1.280

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.61	ok	3.61	3.28-3.94	77394	ok	69048	41429-96667
1,4-Difluorobenzene	4.93	ok	4.93	4.60-5.26	400362	ok	370656	222394-518918
Chlorobenzene-D5	10.59	ok	10.59	10.26-10.92	371357	ok	336964	202178-471750

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1105-IC1105	6W26004.D	09/15/22 11:32	TCH	0.2	GCMS6W	TO-15	Reporting this level
V6W1105-IC1105	6W26005.D	09/15/22 12:06	TCH	0.5	GCMS6W	TO-15	
V6W1105-IC1105	6W26007.D	09/15/22 13:12	TCH	5	GCMS6W	TO-15	
V6W1105-ICC1105	6W26008.D	09/15/22 13:46	TCH	10	GCMS6W	TO-15	
V6W1105-IC1105	6W26009.D	09/15/22 14:22	TCH	20	GCMS6W	TO-15	
V6W1105-IC1105	6W26010.D	09/15/22 15:01	TCH	40	GCMS6W	TO-15	
V6W1105-IC1105	6W26011.D	09/15/22 15:43	TCH	50	GCMS6W	TO-15	
V6W1105-IC1105	6W26014.D	09/15/22 17:22	TCH	0.04	GCMS6W	TO-15	
V6W1105-IC1105	6W26015.D	09/15/22 17:55	TCH	0.1	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.15	3.34	0.644	ok	0.641	0.581-0.701
Acrolein	2.10	3.34	0.629	ok	0.629	0.569-0.689
Acrylonitrile	2.27	3.34	0.680	ok	0.680	0.620-0.740
Acetonitrile	2.07	3.34	0.620	ok	0.618	0.558-0.678
1,3-Butadiene	1.87	3.34	0.560	ok	0.559	0.499-0.619
Benzene	4.38	3.34	1.311	ok	1.312	1.252-1.372
Bromobenzene	14.38	10.58	1.359	ok	1.358	1.298-1.418
Bromodichloromethane	5.30	4.73	1.121	ok	1.120	1.060-1.180
Bromoform	11.82	10.58	1.117	ok	1.117	1.057-1.177
Bromomethane	1.93	3.34	0.578	ok	0.578	0.518-0.638
Bromoethene	2.07	3.34	0.620	ok	0.620	0.560-0.680
n-Butane	1.88	3.34	0.563	ok	0.563	0.503-0.623
Benzyl Chloride	16.89	10.58	1.596	ok	1.595	1.535-1.655
n-Butylbenzene	17.59	10.58	1.663	ok	1.662	1.602-1.722
sec-Butylbenzene	17.07	10.58	1.613	ok	1.613	1.553-1.673
tert-Butylbenzene	16.79	10.58	1.587	ok	1.587	1.527-1.647
Carbon disulfide	2.52	3.34	0.754	ok	0.755	0.695-0.815
Chlorobenzene	10.66	10.58	1.008	ok	1.007	0.947-1.067
Chlorodifluoromethane	1.70	3.34	0.509	ok	0.510	0.450-0.570
Chloroethane	1.98	3.34	0.593	ok	0.593	0.533-0.653
Chlorotrifluoroethene	1.72	3.34	0.515	ok	0.515	0.455-0.575
Chloroform	3.42	3.34	1.024	ok	1.024	0.964-1.084
Chloromethane	1.77	3.34	0.530	ok	0.531	0.471-0.591
3-Chloropropene	2.46	3.34	0.737	ok	0.737	0.677-0.797
2-Chlorotoluene	15.51	10.58	1.466	ok	1.466	1.406-1.526
Carbon tetrachloride	4.50	3.34	1.347	ok	1.347	1.287-1.407
Cyclohexane	4.60	4.73	0.973	ok	0.973	0.913-1.033
1,1-Dichloroethane	2.85	3.34	0.853	ok	0.854	0.794-0.914
1,1-Dichloroethylene	2.38	3.34	0.713	ok	0.713	0.653-0.773
1,2-Dibromoethane (EDB)	8.54	4.73	1.805	ok	1.806	1.746-1.866
1,2-Dichloroethane	3.87	3.34	1.159	ok	1.159	1.099-1.219
1,2-Dichloropropane	5.10	4.73	1.078	ok	1.078	1.018-1.138
1,3-Dichloropropane	7.69	4.73	1.626	ok	1.625	1.565-1.685
1,4-Dioxane	5.39	4.73	1.140	ok	1.138	1.078-1.198
Dichlorodifluoromethane	1.73	3.34	0.518	ok	0.518	0.458-0.578
Dichlorofluoromethane	2.00	3.34	0.599	ok	0.599	0.539-0.659
Dibromochloromethane	8.18	4.73	1.729	ok	1.730	1.670-1.790
Dibromomethane	5.06	4.73	1.070	ok	1.070	1.010-1.130
trans-1,2-Dichloroethylene	2.77	3.34	0.829	ok	0.830	0.770-0.890

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1105-IC1105	6W26004.D	09/15/22 11:32	TCH	0.2	GCMS6W	TO-15	Reporting this level
V6W1105-IC1105	6W26005.D	09/15/22 12:06	TCH	0.5	GCMS6W	TO-15	
V6W1105-IC1105	6W26007.D	09/15/22 13:12	TCH	5	GCMS6W	TO-15	
V6W1105-ICC1105	6W26008.D	09/15/22 13:46	TCH	10	GCMS6W	TO-15	
V6W1105-IC1105	6W26009.D	09/15/22 14:22	TCH	20	GCMS6W	TO-15	
V6W1105-IC1105	6W26010.D	09/15/22 15:01	TCH	40	GCMS6W	TO-15	
V6W1105-IC1105	6W26011.D	09/15/22 15:43	TCH	50	GCMS6W	TO-15	
V6W1105-IC1105	6W26014.D	09/15/22 17:22	TCH	0.04	GCMS6W	TO-15	
V6W1105-IC1105	6W26015.D	09/15/22 17:55	TCH	0.1	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.25	3.34	0.973	ok	0.974	0.914-1.034
cis-1,3-Dichloropropene	6.35	4.73	1.342	ok	1.342	1.282-1.402
m-Dichlorobenzene	16.86	10.58	1.594	ok	1.593	1.533-1.653
o-Dichlorobenzene	17.23	10.58	1.629	ok	1.628	1.568-1.688
p-Dichlorobenzene	16.94	10.58	1.601	ok	1.601	1.541-1.661
trans-1,3-Dichloropropene	7.06	4.73	1.493	ok	1.494	1.434-1.554
Di-Isopropyl ether	3.40	3.34	1.018	ok	1.018	0.958-1.078
2,3-Dimethylpentane	4.87	4.73	1.030	ok	1.030	0.970-1.090
2,4-Dimethylpentane	3.95	3.34	1.183	ok	1.184	1.124-1.244
Ethanol	2.01	3.34	0.602	ok	0.601	0.541-0.661
Ethylbenzene	11.56	10.58	1.093	ok	1.093	1.033-1.153
Ethyl Acetate	3.41	3.34	1.021	ok	1.021	0.961-1.081
Ethyl Acrylate	5.24	4.73	1.108	ok	1.108	1.048-1.168
4-Ethyltoluene	16.20	10.58	1.531	ok	1.530	1.470-1.590
Freon 113	2.51	3.34	0.751	ok	0.754	0.694-0.814
Freon 114	1.80	3.34	0.539	ok	0.539	0.479-0.599
Freon 123	2.12	3.34	0.635	ok	0.635	0.575-0.695
Freon 123A	2.13	3.34	0.638	ok	0.638	0.578-0.698
Freon 142B	1.77	3.34	0.530	ok	0.530	0.470-0.590
Freon 152A	1.69	3.34	0.506	ok	0.507	0.447-0.567
Heptane	5.77	4.73	1.220	ok	1.221	1.161-1.281
Hexachlorobutadiene	18.80	10.58	1.777	ok	1.776	1.716-1.836
Hexachloroethane	17.77	10.58	1.680	ok	1.678	1.618-1.738
Hexane	3.39	3.34	1.015	ok	1.016	0.956-1.076
2-Hexanone	8.25	4.73	1.744	ok	1.741	1.681-1.801
Iodomethane	2.36	3.34	0.707	ok	0.706	0.646-0.766
Isopropylbenzene	14.50	10.58	1.371	ok	1.370	1.310-1.430
Isopropyl Alcohol	2.21	3.34	0.662	ok	0.661	0.601-0.721
p-Isopropyltoluene	17.25	10.58	1.630	ok	1.629	1.569-1.689
Methylene chloride	2.42	3.34	0.725	ok	0.725	0.665-0.785
Methyl ethyl ketone	3.05	3.34	0.913	ok	0.911	0.851-0.971
Methyl Isobutyl Ketone	6.48	4.73	1.370	ok	1.369	1.309-1.429
Methyl Tert Butyl Ether	2.89	3.34	0.865	ok	0.865	0.805-0.925
Methylmethacrylate	5.68	4.73	1.201	ok	1.203	1.143-1.263
Naphthalene	18.55	10.58	1.753	ok	1.752	1.692-1.812
Nonane	14.07	10.58	1.330	ok	1.330	1.270-1.390
Octane	9.55	4.73	2.019	ok	2.021	1.961-2.081
Pentane	2.30	3.34	0.689	ok	0.689	0.629-0.749
n-Propylbenzene	15.86	10.58	1.499	ok	1.498	1.438-1.558

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1105-IC1105	6W26004.D	09/15/22 11:32	TCH	0.2	GCMS6W	TO-15	Reporting this level
V6W1105-IC1105	6W26005.D	09/15/22 12:06	TCH	0.5	GCMS6W	TO-15	
V6W1105-IC1105	6W26007.D	09/15/22 13:12	TCH	5	GCMS6W	TO-15	
V6W1105-ICC1105	6W26008.D	09/15/22 13:46	TCH	10	GCMS6W	TO-15	
V6W1105-IC1105	6W26009.D	09/15/22 14:22	TCH	20	GCMS6W	TO-15	
V6W1105-IC1105	6W26010.D	09/15/22 15:01	TCH	40	GCMS6W	TO-15	
V6W1105-IC1105	6W26011.D	09/15/22 15:43	TCH	50	GCMS6W	TO-15	
V6W1105-IC1105	6W26014.D	09/15/22 17:22	TCH	0.04	GCMS6W	TO-15	
V6W1105-IC1105	6W26015.D	09/15/22 17:55	TCH	0.1	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.71	3.34	0.512	ok	0.512	0.452-0.572
Styrene	12.74	10.58	1.204	ok	1.204	1.144-1.264
1,1,1-Trichloroethane	4.04	3.34	1.210	ok	1.211	1.151-1.271
1,1,1,2-Tetrachloroethane	10.67	10.58	1.009	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.99	10.58	1.228	ok	1.227	1.167-1.287
1,1,2-Trichloroethane	7.23	4.73	1.529	ok	1.530	1.470-1.590
1,2,4-Trichlorobenzene	18.50	10.58	1.749	ok	1.747	1.687-1.807
1,2,3-Trichloropropane	13.27	10.58	1.254	ok	1.254	1.194-1.314
1,2,3-Trimethylbenzene	17.18	10.58	1.624	ok	1.623	1.563-1.683
1,2,4-Trimethylbenzene	16.80	10.58	1.588	ok	1.587	1.527-1.647
1,3,5-Trimethylbenzene	16.35	10.58	1.545	ok	1.544	1.484-1.604
2,2,4-Trimethylpentane	5.44	4.73	1.150	ok	1.150	1.090-1.210
Tertiary Butyl Alcohol	2.41	3.34	0.722	ok	0.719	0.659-0.779
Tetrachloroethylene	9.41	4.73	1.989	ok	1.990	1.930-2.050
Tetrahydrofuran	3.67	3.34	1.099	ok	1.095	1.035-1.155
Toluene	7.61	4.73	1.609	ok	1.610	1.550-1.670
Trichloroethylene	5.34	4.73	1.129	ok	1.131	1.071-1.191
Trichlorofluoromethane	2.19	3.34	0.656	ok	0.656	0.596-0.716
Vinyl chloride	1.83	3.34	0.548	ok	0.548	0.488-0.608
Vinyl Acetate	2.93	3.34	0.877	ok	0.878	0.818-0.938
m,p-Xylene	11.99	10.58	1.133	ok	1.134	1.074-1.194
o-Xylene	12.96	10.58	1.225	ok	1.224	1.164-1.284

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.34	ok	3.34	3.01-3.67	42838	ok	42592	25555-59629
1,4-Difluorobenzene	4.73	ok	4.73	4.40-5.06	239814	ok	230692	138415-322969
Chlorobenzene-D5	10.58	ok	10.59	10.26-10.92	156932	ok	168831	101299-236363

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1105-IC1105	6W26004.D	09/15/22 11:32	TCH	0.2	GCMS6W	TO-15	
V6W1105-IC1105	6W26005.D	09/15/22 12:06	TCH	0.5	GCMS6W	TO-15	Reporting this level
V6W1105-IC1105	6W26007.D	09/15/22 13:12	TCH	5	GCMS6W	TO-15	
V6W1105-ICC1105	6W26008.D	09/15/22 13:46	TCH	10	GCMS6W	TO-15	
V6W1105-IC1105	6W26009.D	09/15/22 14:22	TCH	20	GCMS6W	TO-15	
V6W1105-IC1105	6W26010.D	09/15/22 15:01	TCH	40	GCMS6W	TO-15	
V6W1105-IC1105	6W26011.D	09/15/22 15:43	TCH	50	GCMS6W	TO-15	
V6W1105-IC1105	6W26014.D	09/15/22 17:22	TCH	0.04	GCMS6W	TO-15	
V6W1105-IC1105	6W26015.D	09/15/22 17:55	TCH	0.1	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.14	3.34	0.641	ok	0.641	0.581-0.701
Acrolein	2.10	3.34	0.629	ok	0.629	0.569-0.689
Acrylonitrile	2.27	3.34	0.680	ok	0.680	0.620-0.740
Acetonitrile	2.07	3.34	0.620	ok	0.618	0.558-0.678
1,3-Butadiene	1.87	3.34	0.560	ok	0.559	0.499-0.619
Benzene	4.38	3.34	1.311	ok	1.312	1.252-1.372
Bromobenzene	14.37	10.59	1.357	ok	1.358	1.298-1.418
Bromodichloromethane	5.29	4.73	1.118	ok	1.120	1.060-1.180
Bromoform	11.83	10.59	1.117	ok	1.117	1.057-1.177
Bromomethane	1.93	3.34	0.578	ok	0.578	0.518-0.638
Bromoethene	2.07	3.34	0.620	ok	0.620	0.560-0.680
n-Butane	1.88	3.34	0.563	ok	0.563	0.503-0.623
Benzyl Chloride	16.88	10.59	1.594	ok	1.595	1.535-1.655
n-Butylbenzene	17.59	10.59	1.661	ok	1.662	1.602-1.722
sec-Butylbenzene	17.07	10.59	1.612	ok	1.613	1.553-1.673
tert-Butylbenzene	16.80	10.59	1.586	ok	1.587	1.527-1.647
Carbon disulfide	2.52	3.34	0.754	ok	0.755	0.695-0.815
Chlorobenzene	10.66	10.59	1.007	ok	1.007	0.947-1.067
Chlorodifluoromethane	1.71	3.34	0.512	ok	0.510	0.450-0.570
Chloroethane	1.98	3.34	0.593	ok	0.593	0.533-0.653
Chlorotrifluoroethene	1.72	3.34	0.515	ok	0.515	0.455-0.575
Chloroform	3.42	3.34	1.024	ok	1.024	0.964-1.084
Chloromethane	1.77	3.34	0.530	ok	0.531	0.471-0.591
3-Chloropropene	2.46	3.34	0.737	ok	0.737	0.677-0.797
2-Chlorotoluene	15.52	10.59	1.466	ok	1.466	1.406-1.526
Carbon tetrachloride	4.50	3.34	1.347	ok	1.347	1.287-1.407
Cyclohexane	4.60	4.73	0.973	ok	0.973	0.913-1.033
1,1-Dichloroethane	2.85	3.34	0.853	ok	0.854	0.794-0.914
1,1-Dichloroethylene	2.38	3.34	0.713	ok	0.713	0.653-0.773
1,2-Dibromoethane (EDB)	8.53	4.73	1.803	ok	1.806	1.746-1.866
1,2-Dichloroethane	3.87	3.34	1.159	ok	1.159	1.099-1.219
1,2-Dichloropropane	5.10	4.73	1.078	ok	1.078	1.018-1.138
1,3-Dichloropropane	7.68	4.73	1.624	ok	1.625	1.565-1.685
1,4-Dioxane	5.39	4.73	1.140	ok	1.138	1.078-1.198
Dichlorodifluoromethane	1.73	3.34	0.518	ok	0.518	0.458-0.578
Dichlorofluoromethane	2.00	3.34	0.599	ok	0.599	0.539-0.659
Dibromochloromethane	8.18	4.73	1.729	ok	1.730	1.670-1.790
Dibromomethane	5.06	4.73	1.070	ok	1.070	1.010-1.130
trans-1,2-Dichloroethylene	2.77	3.34	0.829	ok	0.830	0.770-0.890

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1105-IC1105	6W26004.D	09/15/22 11:32	TCH	0.2	GCMS6W	TO-15	
V6W1105-IC1105	6W26005.D	09/15/22 12:06	TCH	0.5	GCMS6W	TO-15	Reporting this level
V6W1105-IC1105	6W26007.D	09/15/22 13:12	TCH	5	GCMS6W	TO-15	
V6W1105-ICC1105	6W26008.D	09/15/22 13:46	TCH	10	GCMS6W	TO-15	
V6W1105-IC1105	6W26009.D	09/15/22 14:22	TCH	20	GCMS6W	TO-15	
V6W1105-IC1105	6W26010.D	09/15/22 15:01	TCH	40	GCMS6W	TO-15	
V6W1105-IC1105	6W26011.D	09/15/22 15:43	TCH	50	GCMS6W	TO-15	
V6W1105-IC1105	6W26014.D	09/15/22 17:22	TCH	0.04	GCMS6W	TO-15	
V6W1105-IC1105	6W26015.D	09/15/22 17:55	TCH	0.1	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.25	3.34	0.973	ok	0.974	0.914-1.034
cis-1,3-Dichloropropene	6.34	4.73	1.340	ok	1.342	1.282-1.402
m-Dichlorobenzene	16.86	10.59	1.592	ok	1.593	1.533-1.653
o-Dichlorobenzene	17.23	10.59	1.627	ok	1.628	1.568-1.688
p-Dichlorobenzene	16.95	10.59	1.601	ok	1.601	1.541-1.661
trans-1,3-Dichloropropene	7.07	4.73	1.495	ok	1.494	1.434-1.554
Di-Isopropyl ether	3.40	3.34	1.018	ok	1.018	0.958-1.078
2,3-Dimethylpentane	4.87	4.73	1.030	ok	1.030	0.970-1.090
2,4-Dimethylpentane	3.95	3.34	1.183	ok	1.184	1.124-1.244
Ethanol	2.01	3.34	0.602	ok	0.601	0.541-0.661
Ethylbenzene	11.57	10.59	1.093	ok	1.093	1.033-1.153
Ethyl Acetate	3.41	3.34	1.021	ok	1.021	0.961-1.081
Ethyl Acrylate	5.24	4.73	1.108	ok	1.108	1.048-1.168
4-Ethyltoluene	16.20	10.59	1.530	ok	1.530	1.470-1.590
Freon 113	2.52	3.34	0.754	ok	0.754	0.694-0.814
Freon 114	1.80	3.34	0.539	ok	0.539	0.479-0.599
Freon 123	2.12	3.34	0.635	ok	0.635	0.575-0.695
Freon 123A	2.13	3.34	0.638	ok	0.638	0.578-0.698
Freon 142B	1.77	3.34	0.530	ok	0.530	0.470-0.590
Freon 152A	1.69	3.34	0.506	ok	0.507	0.447-0.567
Heptane	5.77	4.73	1.220	ok	1.221	1.161-1.281
Hexachlorobutadiene	18.80	10.59	1.775	ok	1.776	1.716-1.836
Hexachloroethane	17.77	10.59	1.678	ok	1.678	1.618-1.738
Hexane	3.39	3.34	1.015	ok	1.016	0.956-1.076
2-Hexanone	8.24	4.73	1.742	ok	1.741	1.681-1.801
Iodomethane	2.36	3.34	0.707	ok	0.706	0.646-0.766
Isopropylbenzene	14.50	10.59	1.369	ok	1.370	1.310-1.430
Isopropyl Alcohol	2.21	3.34	0.662	ok	0.661	0.601-0.721
p-Isopropyltoluene	17.25	10.59	1.629	ok	1.629	1.569-1.689
Methylene chloride	2.42	3.34	0.725	ok	0.725	0.665-0.785
Methyl ethyl ketone	3.05	3.34	0.913	ok	0.911	0.851-0.971
Methyl Isobutyl Ketone	6.48	4.73	1.370	ok	1.369	1.309-1.429
Methyl Tert Butyl Ether	2.89	3.34	0.865	ok	0.865	0.805-0.925
Methylmethacrylate	5.69	4.73	1.203	ok	1.203	1.143-1.263
Naphthalene	18.54	10.59	1.751	ok	1.752	1.692-1.812
Nonane	14.08	10.59	1.330	ok	1.330	1.270-1.390
Octane	9.56	4.73	2.021	ok	2.021	1.961-2.081
Pentane	2.30	3.34	0.689	ok	0.689	0.629-0.749
n-Propylbenzene	15.86	10.59	1.498	ok	1.498	1.438-1.558

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1105-IC1105	6W26004.D	09/15/22 11:32	TCH	0.2	GCMS6W	TO-15	
V6W1105-IC1105	6W26005.D	09/15/22 12:06	TCH	0.5	GCMS6W	TO-15	Reporting this level
V6W1105-IC1105	6W26007.D	09/15/22 13:12	TCH	5	GCMS6W	TO-15	
V6W1105-ICC1105	6W26008.D	09/15/22 13:46	TCH	10	GCMS6W	TO-15	
V6W1105-IC1105	6W26009.D	09/15/22 14:22	TCH	20	GCMS6W	TO-15	
V6W1105-IC1105	6W26010.D	09/15/22 15:01	TCH	40	GCMS6W	TO-15	
V6W1105-IC1105	6W26011.D	09/15/22 15:43	TCH	50	GCMS6W	TO-15	
V6W1105-IC1105	6W26014.D	09/15/22 17:22	TCH	0.04	GCMS6W	TO-15	
V6W1105-IC1105	6W26015.D	09/15/22 17:55	TCH	0.1	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.71	3.34	0.512	ok	0.512	0.452-0.572
Styrene	12.73	10.59	1.202	ok	1.204	1.144-1.264
1,1,1-Trichloroethane	4.05	3.34	1.213	ok	1.211	1.151-1.271
1,1,1,2-Tetrachloroethane	10.68	10.59	1.008	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.98	10.59	1.226	ok	1.227	1.167-1.287
1,1,2-Trichloroethane	7.24	4.73	1.531	ok	1.530	1.470-1.590
1,2,4-Trichlorobenzene	18.49	10.59	1.746	ok	1.747	1.687-1.807
1,2,3-Trichloropropane	13.26	10.59	1.252	ok	1.254	1.194-1.314
1,2,3-Trimethylbenzene	17.18	10.59	1.622	ok	1.623	1.563-1.683
1,2,4-Trimethylbenzene	16.80	10.59	1.586	ok	1.587	1.527-1.647
1,3,5-Trimethylbenzene	16.35	10.59	1.544	ok	1.544	1.484-1.604
2,2,4-Trimethylpentane	5.44	4.73	1.150	ok	1.150	1.090-1.210
Tertiary Butyl Alcohol	2.40	3.34	0.719	ok	0.719	0.659-0.779
Tetrachloroethylene	9.41	4.73	1.989	ok	1.990	1.930-2.050
Tetrahydrofuran	3.66	3.34	1.096	ok	1.095	1.035-1.155
Toluene	7.61	4.73	1.609	ok	1.610	1.550-1.670
Trichloroethylene	5.34	4.73	1.129	ok	1.131	1.071-1.191
Trichlorofluoromethane	2.19	3.34	0.656	ok	0.656	0.596-0.716
Vinyl chloride	1.83	3.34	0.548	ok	0.548	0.488-0.608
Vinyl Acetate	2.93	3.34	0.877	ok	0.878	0.818-0.938
m,p-Xylene	12.00	10.59	1.133	ok	1.134	1.074-1.194
o-Xylene	12.95	10.59	1.223	ok	1.224	1.164-1.284

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.34	ok	3.34	3.01-3.67	41167	ok	42592	25555-59629
1,4-Difluorobenzene	4.73	ok	4.73	4.40-5.06	229434	ok	230692	138415-322969
Chlorobenzene-D5	10.59	ok	10.59	10.26-10.92	156289	ok	168831	101299-236363

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1105-IC1105	6W26004.D	09/15/22 11:32	TCH	0.2	GCMS6W	TO-15	
V6W1105-IC1105	6W26005.D	09/15/22 12:06	TCH	0.5	GCMS6W	TO-15	
V6W1105-IC1105	6W26007.D	09/15/22 13:12	TCH	5	GCMS6W	TO-15	Reporting this level
V6W1105-ICC1105	6W26008.D	09/15/22 13:46	TCH	10	GCMS6W	TO-15	
V6W1105-IC1105	6W26009.D	09/15/22 14:22	TCH	20	GCMS6W	TO-15	
V6W1105-IC1105	6W26010.D	09/15/22 15:01	TCH	40	GCMS6W	TO-15	
V6W1105-IC1105	6W26011.D	09/15/22 15:43	TCH	50	GCMS6W	TO-15	
V6W1105-IC1105	6W26014.D	09/15/22 17:22	TCH	0.04	GCMS6W	TO-15	
V6W1105-IC1105	6W26015.D	09/15/22 17:55	TCH	0.1	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.14	3.34	0.641	ok	0.641	0.581-0.701
Acrolein	2.10	3.34	0.629	ok	0.629	0.569-0.689
Acrylonitrile	2.27	3.34	0.680	ok	0.680	0.620-0.740
Acetonitrile	2.06	3.34	0.617	ok	0.618	0.558-0.678
1,3-Butadiene	1.87	3.34	0.560	ok	0.559	0.499-0.619
Benzene	4.38	3.34	1.311	ok	1.312	1.252-1.372
Bromobenzene	14.38	10.58	1.359	ok	1.358	1.298-1.418
Bromodichloromethane	5.30	4.73	1.121	ok	1.120	1.060-1.180
Bromoform	11.83	10.58	1.118	ok	1.117	1.057-1.177
Bromomethane	1.93	3.34	0.578	ok	0.578	0.518-0.638
Bromoethene	2.07	3.34	0.620	ok	0.620	0.560-0.680
n-Butane	1.88	3.34	0.563	ok	0.563	0.503-0.623
Benzyl Chloride	16.89	10.58	1.596	ok	1.595	1.535-1.655
n-Butylbenzene	17.59	10.58	1.663	ok	1.662	1.602-1.722
sec-Butylbenzene	17.07	10.58	1.613	ok	1.613	1.553-1.673
tert-Butylbenzene	16.80	10.58	1.588	ok	1.587	1.527-1.647
Carbon disulfide	2.52	3.34	0.754	ok	0.755	0.695-0.815
Chlorobenzene	10.66	10.58	1.008	ok	1.007	0.947-1.067
Chlorodifluoromethane	1.70	3.34	0.509	ok	0.510	0.450-0.570
Chloroethane	1.98	3.34	0.593	ok	0.593	0.533-0.653
Chlorotrifluoroethene	1.72	3.34	0.515	ok	0.515	0.455-0.575
Chloroform	3.42	3.34	1.024	ok	1.024	0.964-1.084
Chloromethane	1.77	3.34	0.530	ok	0.531	0.471-0.591
3-Chloropropene	2.46	3.34	0.737	ok	0.737	0.677-0.797
2-Chlorotoluene	15.52	10.58	1.467	ok	1.466	1.406-1.526
Carbon tetrachloride	4.50	3.34	1.347	ok	1.347	1.287-1.407
Cyclohexane	4.60	4.73	0.973	ok	0.973	0.913-1.033
1,1-Dichloroethane	2.85	3.34	0.853	ok	0.854	0.794-0.914
1,1-Dichloroethylene	2.38	3.34	0.713	ok	0.713	0.653-0.773
1,2-Dibromoethane (EDB)	8.54	4.73	1.805	ok	1.806	1.746-1.866
1,2-Dichloroethane	3.87	3.34	1.159	ok	1.159	1.099-1.219
1,2-Dichloropropane	5.10	4.73	1.078	ok	1.078	1.018-1.138
1,3-Dichloropropane	7.69	4.73	1.626	ok	1.625	1.565-1.685
1,4-Dioxane	5.38	4.73	1.137	ok	1.138	1.078-1.198
Dichlorodifluoromethane	1.73	3.34	0.518	ok	0.518	0.458-0.578
Dichlorofluoromethane	2.00	3.34	0.599	ok	0.599	0.539-0.659
Dibromochloromethane	8.18	4.73	1.729	ok	1.730	1.670-1.790
Dibromomethane	5.05	4.73	1.068	ok	1.070	1.010-1.130
trans-1,2-Dichloroethylene	2.77	3.34	0.829	ok	0.830	0.770-0.890

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1105-IC1105	6W26004.D	09/15/22 11:32	TCH	0.2	GCMS6W	TO-15	
V6W1105-IC1105	6W26005.D	09/15/22 12:06	TCH	0.5	GCMS6W	TO-15	
V6W1105-IC1105	6W26007.D	09/15/22 13:12	TCH	5	GCMS6W	TO-15	Reporting this level
V6W1105-ICC1105	6W26008.D	09/15/22 13:46	TCH	10	GCMS6W	TO-15	
V6W1105-IC1105	6W26009.D	09/15/22 14:22	TCH	20	GCMS6W	TO-15	
V6W1105-IC1105	6W26010.D	09/15/22 15:01	TCH	40	GCMS6W	TO-15	
V6W1105-IC1105	6W26011.D	09/15/22 15:43	TCH	50	GCMS6W	TO-15	
V6W1105-IC1105	6W26014.D	09/15/22 17:22	TCH	0.04	GCMS6W	TO-15	
V6W1105-IC1105	6W26015.D	09/15/22 17:55	TCH	0.1	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.25	3.34	0.973	ok	0.974	0.914-1.034
cis-1,3-Dichloropropene	6.35	4.73	1.342	ok	1.342	1.282-1.402
m-Dichlorobenzene	16.86	10.58	1.594	ok	1.593	1.533-1.653
o-Dichlorobenzene	17.23	10.58	1.629	ok	1.628	1.568-1.688
p-Dichlorobenzene	16.95	10.58	1.602	ok	1.601	1.541-1.661
trans-1,3-Dichloropropene	7.07	4.73	1.495	ok	1.494	1.434-1.554
Di-Isopropyl ether	3.40	3.34	1.018	ok	1.018	0.958-1.078
2,3-Dimethylpentane	4.87	4.73	1.030	ok	1.030	0.970-1.090
2,4-Dimethylpentane	3.95	3.34	1.183	ok	1.184	1.124-1.244
Ethanol	2.01	3.34	0.602	ok	0.601	0.541-0.661
Ethylbenzene	11.57	10.58	1.094	ok	1.093	1.033-1.153
Ethyl Acetate	3.41	3.34	1.021	ok	1.021	0.961-1.081
Ethyl Acrylate	5.24	4.73	1.108	ok	1.108	1.048-1.168
4-Ethyltoluene	16.20	10.58	1.531	ok	1.530	1.470-1.590
Freon 113	2.52	3.34	0.754	ok	0.754	0.694-0.814
Freon 114	1.80	3.34	0.539	ok	0.539	0.479-0.599
Freon 123	2.12	3.34	0.635	ok	0.635	0.575-0.695
Freon 123A	2.13	3.34	0.638	ok	0.638	0.578-0.698
Freon 142B	1.77	3.34	0.530	ok	0.530	0.470-0.590
Freon 152A	1.69	3.34	0.506	ok	0.507	0.447-0.567
Heptane	5.78	4.73	1.222	ok	1.221	1.161-1.281
Hexachlorobutadiene	18.80	10.58	1.777	ok	1.776	1.716-1.836
Hexachloroethane	17.77	10.58	1.680	ok	1.678	1.618-1.738
Hexane	3.39	3.34	1.015	ok	1.016	0.956-1.076
2-Hexanone	8.23	4.73	1.740	ok	1.741	1.681-1.801
Iodomethane	2.36	3.34	0.707	ok	0.706	0.646-0.766
Isopropylbenzene	14.51	10.58	1.371	ok	1.370	1.310-1.430
Isopropyl Alcohol	2.21	3.34	0.662	ok	0.661	0.601-0.721
p-Isopropyltoluene	17.25	10.58	1.630	ok	1.629	1.569-1.689
Methylene chloride	2.42	3.34	0.725	ok	0.725	0.665-0.785
Methyl ethyl ketone	3.04	3.34	0.910	ok	0.911	0.851-0.971
Methyl Isobutyl Ketone	6.47	4.73	1.368	ok	1.369	1.309-1.429
Methyl Tert Butyl Ether	2.89	3.34	0.865	ok	0.865	0.805-0.925
Methylmethacrylate	5.69	4.73	1.203	ok	1.203	1.143-1.263
Naphthalene	18.54	10.58	1.752	ok	1.752	1.692-1.812
Nonane	14.09	10.58	1.332	ok	1.330	1.270-1.390
Octane	9.56	4.73	2.021	ok	2.021	1.961-2.081
Pentane	2.30	3.34	0.689	ok	0.689	0.629-0.749
n-Propylbenzene	15.86	10.58	1.499	ok	1.498	1.438-1.558

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1105-IC1105	6W26004.D	09/15/22 11:32	TCH	0.2	GCMS6W	TO-15	
V6W1105-IC1105	6W26005.D	09/15/22 12:06	TCH	0.5	GCMS6W	TO-15	
V6W1105-IC1105	6W26007.D	09/15/22 13:12	TCH	5	GCMS6W	TO-15	Reporting this level
V6W1105-ICC1105	6W26008.D	09/15/22 13:46	TCH	10	GCMS6W	TO-15	
V6W1105-IC1105	6W26009.D	09/15/22 14:22	TCH	20	GCMS6W	TO-15	
V6W1105-IC1105	6W26010.D	09/15/22 15:01	TCH	40	GCMS6W	TO-15	
V6W1105-IC1105	6W26011.D	09/15/22 15:43	TCH	50	GCMS6W	TO-15	
V6W1105-IC1105	6W26014.D	09/15/22 17:22	TCH	0.04	GCMS6W	TO-15	
V6W1105-IC1105	6W26015.D	09/15/22 17:55	TCH	0.1	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.71	3.34	0.512	ok	0.512	0.452-0.572
Styrene	12.75	10.58	1.205	ok	1.204	1.144-1.264
1,1,1-Trichloroethane	4.04	3.34	1.210	ok	1.211	1.151-1.271
1,1,1,2-Tetrachloroethane	10.68	10.58	1.009	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.99	10.58	1.228	ok	1.227	1.167-1.287
1,1,2-Trichloroethane	7.23	4.73	1.529	ok	1.530	1.470-1.590
1,2,4-Trichlorobenzene	18.49	10.58	1.748	ok	1.747	1.687-1.807
1,2,3-Trichloropropane	13.27	10.58	1.254	ok	1.254	1.194-1.314
1,2,3-Trimethylbenzene	17.18	10.58	1.624	ok	1.623	1.563-1.683
1,2,4-Trimethylbenzene	16.80	10.58	1.588	ok	1.587	1.527-1.647
1,3,5-Trimethylbenzene	16.35	10.58	1.545	ok	1.544	1.484-1.604
2,2,4-Trimethylpentane	5.44	4.73	1.150	ok	1.150	1.090-1.210
Tertiary Butyl Alcohol	2.40	3.34	0.719	ok	0.719	0.659-0.779
Tetrachloroethylene	9.41	4.73	1.989	ok	1.990	1.930-2.050
Tetrahydrofuran	3.66	3.34	1.096	ok	1.095	1.035-1.155
Toluene	7.61	4.73	1.609	ok	1.610	1.550-1.670
Trichloroethylene	5.35	4.73	1.131	ok	1.131	1.071-1.191
Trichlorofluoromethane	2.19	3.34	0.656	ok	0.656	0.596-0.716
Vinyl chloride	1.83	3.34	0.548	ok	0.548	0.488-0.608
Vinyl Acetate	2.93	3.34	0.877	ok	0.878	0.818-0.938
m,p-Xylene	12.01	10.58	1.135	ok	1.134	1.074-1.194
o-Xylene	12.96	10.58	1.225	ok	1.224	1.164-1.284

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.34	ok	3.34	3.01-3.67	41869	ok	42592	25555-59629
1,4-Difluorobenzene	4.73	ok	4.73	4.40-5.06	230215	ok	230692	138415-322969
Chlorobenzene-D5	10.58	ok	10.59	10.26-10.92	162921	ok	168831	101299-236363

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1105-IC1105	6W26004.D	09/15/22 11:32	TCH	0.2	GCMS6W	TO-15	
V6W1105-IC1105	6W26005.D	09/15/22 12:06	TCH	0.5	GCMS6W	TO-15	
V6W1105-IC1105	6W26007.D	09/15/22 13:12	TCH	5	GCMS6W	TO-15	
V6W1105-ICC1105	6W26008.D	09/15/22 13:46	TCH	10	GCMS6W	TO-15	Reporting this level
V6W1105-IC1105	6W26009.D	09/15/22 14:22	TCH	20	GCMS6W	TO-15	
V6W1105-IC1105	6W26010.D	09/15/22 15:01	TCH	40	GCMS6W	TO-15	
V6W1105-IC1105	6W26011.D	09/15/22 15:43	TCH	50	GCMS6W	TO-15	
V6W1105-IC1105	6W26014.D	09/15/22 17:22	TCH	0.04	GCMS6W	TO-15	
V6W1105-IC1105	6W26015.D	09/15/22 17:55	TCH	0.1	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.14	3.33	0.643	ok	0.641	0.581-0.701
Acrolein	2.10	3.33	0.631	ok	0.629	0.569-0.689
Acrylonitrile	2.27	3.33	0.682	ok	0.680	0.620-0.740
Acetonitrile	2.06	3.33	0.619	ok	0.618	0.558-0.678
1,3-Butadiene	1.86	3.33	0.559	ok	0.559	0.499-0.619
Benzene	4.38	3.33	1.315	ok	1.312	1.252-1.372
Bromobenzene	14.38	10.59	1.358	ok	1.358	1.298-1.418
Bromodichloromethane	5.30	4.73	1.121	ok	1.120	1.060-1.180
Bromoform	11.83	10.59	1.117	ok	1.117	1.057-1.177
Bromomethane	1.93	3.33	0.580	ok	0.578	0.518-0.638
Bromoethene	2.07	3.33	0.622	ok	0.620	0.560-0.680
n-Butane	1.88	3.33	0.565	ok	0.563	0.503-0.623
Benzyl Chloride	16.89	10.59	1.595	ok	1.595	1.535-1.655
n-Butylbenzene	17.59	10.59	1.661	ok	1.662	1.602-1.722
sec-Butylbenzene	17.07	10.59	1.612	ok	1.613	1.553-1.673
tert-Butylbenzene	16.80	10.59	1.586	ok	1.587	1.527-1.647
Carbon disulfide	2.52	3.33	0.757	ok	0.755	0.695-0.815
Chlorobenzene	10.67	10.59	1.008	ok	1.007	0.947-1.067
Chlorodifluoromethane	1.70	3.33	0.511	ok	0.510	0.450-0.570
Chloroethane	1.98	3.33	0.595	ok	0.593	0.533-0.653
Chlorotrifluoroethene	1.72	3.33	0.517	ok	0.515	0.455-0.575
Chloroform	3.42	3.33	1.027	ok	1.024	0.964-1.084
Chloromethane	1.77	3.33	0.532	ok	0.531	0.471-0.591
3-Chloropropene	2.46	3.33	0.739	ok	0.737	0.677-0.797
2-Chlorotoluene	15.52	10.59	1.466	ok	1.466	1.406-1.526
Carbon tetrachloride	4.50	3.33	1.351	ok	1.347	1.287-1.407
Cyclohexane	4.60	4.73	0.973	ok	0.973	0.913-1.033
1,1-Dichloroethane	2.85	3.33	0.856	ok	0.854	0.794-0.914
1,1-Dichloroethylene	2.38	3.33	0.715	ok	0.713	0.653-0.773
1,2-Dibromoethane (EDB)	8.54	4.73	1.805	ok	1.806	1.746-1.866
1,2-Dichloroethane	3.87	3.33	1.162	ok	1.159	1.099-1.219
1,2-Dichloropropane	5.10	4.73	1.078	ok	1.078	1.018-1.138
1,3-Dichloropropane	7.68	4.73	1.624	ok	1.625	1.565-1.685
1,4-Dioxane	5.37	4.73	1.135	ok	1.138	1.078-1.198
Dichlorodifluoromethane	1.73	3.33	0.520	ok	0.518	0.458-0.578
Dichlorofluoromethane	2.00	3.33	0.601	ok	0.599	0.539-0.659
Dibromochloromethane	8.18	4.73	1.729	ok	1.730	1.670-1.790
Dibromomethane	5.06	4.73	1.070	ok	1.070	1.010-1.130
trans-1,2-Dichloroethylene	2.77	3.33	0.832	ok	0.830	0.770-0.890

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1105-IC1105	6W26004.D	09/15/22 11:32	TCH	0.2	GCMS6W	TO-15	
V6W1105-IC1105	6W26005.D	09/15/22 12:06	TCH	0.5	GCMS6W	TO-15	
V6W1105-IC1105	6W26007.D	09/15/22 13:12	TCH	5	GCMS6W	TO-15	
V6W1105-ICC1105	6W26008.D	09/15/22 13:46	TCH	10	GCMS6W	TO-15	Reporting this level
V6W1105-IC1105	6W26009.D	09/15/22 14:22	TCH	20	GCMS6W	TO-15	
V6W1105-IC1105	6W26010.D	09/15/22 15:01	TCH	40	GCMS6W	TO-15	
V6W1105-IC1105	6W26011.D	09/15/22 15:43	TCH	50	GCMS6W	TO-15	
V6W1105-IC1105	6W26014.D	09/15/22 17:22	TCH	0.04	GCMS6W	TO-15	
V6W1105-IC1105	6W26015.D	09/15/22 17:55	TCH	0.1	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.25	3.33	0.976	ok	0.974	0.914-1.034
cis-1,3-Dichloropropene	6.35	4.73	1.342	ok	1.342	1.282-1.402
m-Dichlorobenzene	16.86	10.59	1.592	ok	1.593	1.533-1.653
o-Dichlorobenzene	17.24	10.59	1.628	ok	1.628	1.568-1.688
p-Dichlorobenzene	16.95	10.59	1.601	ok	1.601	1.541-1.661
trans-1,3-Dichloropropene	7.07	4.73	1.495	ok	1.494	1.434-1.554
Di-Isopropyl ether	3.40	3.33	1.021	ok	1.018	0.958-1.078
2,3-Dimethylpentane	4.88	4.73	1.032	ok	1.030	0.970-1.090
2,4-Dimethylpentane	3.95	3.33	1.186	ok	1.184	1.124-1.244
Ethanol	2.01	3.33	0.604	ok	0.601	0.541-0.661
Ethylbenzene	11.57	10.59	1.093	ok	1.093	1.033-1.153
Ethyl Acetate	3.41	3.33	1.024	ok	1.021	0.961-1.081
Ethyl Acrylate	5.24	4.73	1.108	ok	1.108	1.048-1.168
4-Ethyltoluene	16.20	10.59	1.530	ok	1.530	1.470-1.590
Freon 113	2.52	3.33	0.757	ok	0.754	0.694-0.814
Freon 114	1.80	3.33	0.541	ok	0.539	0.479-0.599
Freon 123	2.11	3.33	0.634	ok	0.635	0.575-0.695
Freon 123A	2.13	3.33	0.640	ok	0.638	0.578-0.698
Freon 142B	1.77	3.33	0.532	ok	0.530	0.470-0.590
Freon 152A	1.70	3.33	0.511	ok	0.507	0.447-0.567
Heptane	5.78	4.73	1.222	ok	1.221	1.161-1.281
Hexachlorobutadiene	18.80	10.59	1.775	ok	1.776	1.716-1.836
Hexachloroethane	17.77	10.59	1.678	ok	1.678	1.618-1.738
Hexane	3.39	3.33	1.018	ok	1.016	0.956-1.076
2-Hexanone	8.23	4.73	1.740	ok	1.741	1.681-1.801
Iodomethane	2.35	3.33	0.706	ok	0.706	0.646-0.766
Isopropylbenzene	14.50	10.59	1.369	ok	1.370	1.310-1.430
Isopropyl Alcohol	2.21	3.33	0.664	ok	0.661	0.601-0.721
p-Isopropyltoluene	17.25	10.59	1.629	ok	1.629	1.569-1.689
Methylene chloride	2.42	3.33	0.727	ok	0.725	0.665-0.785
Methyl ethyl ketone	3.04	3.33	0.913	ok	0.911	0.851-0.971
Methyl Isobutyl Ketone	6.47	4.73	1.368	ok	1.369	1.309-1.429
Methyl Tert Butyl Ether	2.89	3.33	0.868	ok	0.865	0.805-0.925
Methylmethacrylate	5.69	4.73	1.203	ok	1.203	1.143-1.263
Naphthalene	18.55	10.59	1.752	ok	1.752	1.692-1.812
Nonane	14.09	10.59	1.331	ok	1.330	1.270-1.390
Octane	9.56	4.73	2.021	ok	2.021	1.961-2.081
Pentane	2.30	3.33	0.691	ok	0.689	0.629-0.749
n-Propylbenzene	15.86	10.59	1.498	ok	1.498	1.438-1.558

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1105-IC1105	6W26004.D	09/15/22 11:32	TCH	0.2	GCMS6W	TO-15	
V6W1105-IC1105	6W26005.D	09/15/22 12:06	TCH	0.5	GCMS6W	TO-15	
V6W1105-IC1105	6W26007.D	09/15/22 13:12	TCH	5	GCMS6W	TO-15	
V6W1105-ICC1105	6W26008.D	09/15/22 13:46	TCH	10	GCMS6W	TO-15	Reporting this level
V6W1105-IC1105	6W26009.D	09/15/22 14:22	TCH	20	GCMS6W	TO-15	
V6W1105-IC1105	6W26010.D	09/15/22 15:01	TCH	40	GCMS6W	TO-15	
V6W1105-IC1105	6W26011.D	09/15/22 15:43	TCH	50	GCMS6W	TO-15	
V6W1105-IC1105	6W26014.D	09/15/22 17:22	TCH	0.04	GCMS6W	TO-15	
V6W1105-IC1105	6W26015.D	09/15/22 17:55	TCH	0.1	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.71	3.33	0.514	ok	0.512	0.452-0.572
Styrene	12.75	10.59	1.204	ok	1.204	1.144-1.264
1,1,1-Trichloroethane	4.04	3.33	1.213	ok	1.211	1.151-1.271
1,1,1,2-Tetrachloroethane	10.68	10.59	1.008	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.99	10.59	1.227	ok	1.227	1.167-1.287
1,1,2-Trichloroethane	7.24	4.73	1.531	ok	1.530	1.470-1.590
1,2,4-Trichlorobenzene	18.50	10.59	1.747	ok	1.747	1.687-1.807
1,2,3-Trichloropropane	13.27	10.59	1.253	ok	1.254	1.194-1.314
1,2,3-Trimethylbenzene	17.18	10.59	1.622	ok	1.623	1.563-1.683
1,2,4-Trimethylbenzene	16.81	10.59	1.587	ok	1.587	1.527-1.647
1,3,5-Trimethylbenzene	16.35	10.59	1.544	ok	1.544	1.484-1.604
2,2,4-Trimethylpentane	5.44	4.73	1.150	ok	1.150	1.090-1.210
Tertiary Butyl Alcohol	2.40	3.33	0.721	ok	0.719	0.659-0.779
Tetrachloroethylene	9.41	4.73	1.989	ok	1.990	1.930-2.050
Tetrahydrofuran	3.65	3.33	1.096	ok	1.095	1.035-1.155
Toluene	7.61	4.73	1.609	ok	1.610	1.550-1.670
Trichloroethylene	5.35	4.73	1.131	ok	1.131	1.071-1.191
Trichlorofluoromethane	2.19	3.33	0.658	ok	0.656	0.596-0.716
Vinyl chloride	1.83	3.33	0.550	ok	0.548	0.488-0.608
Vinyl Acetate	2.93	3.33	0.880	ok	0.878	0.818-0.938
m,p-Xylene	12.01	10.59	1.134	ok	1.134	1.074-1.194
o-Xylene	12.96	10.59	1.224	ok	1.224	1.164-1.284

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.33	ok	3.34	3.01-3.67	40665	ok	42592	25555-59629
1,4-Difluorobenzene	4.73	ok	4.73	4.40-5.06	227187	ok	230692	138415-322969
Chlorobenzene-D5	10.59	ok	10.59	10.26-10.92	165536	ok	168831	101299-236363

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1105-IC1105	6W26004.D	09/15/22 11:32	TCH	0.2	GCMS6W	TO-15	
V6W1105-IC1105	6W26005.D	09/15/22 12:06	TCH	0.5	GCMS6W	TO-15	
V6W1105-IC1105	6W26007.D	09/15/22 13:12	TCH	5	GCMS6W	TO-15	
V6W1105-ICC1105	6W26008.D	09/15/22 13:46	TCH	10	GCMS6W	TO-15	
V6W1105-IC1105	6W26009.D	09/15/22 14:22	TCH	20	GCMS6W	TO-15	Reporting this level
V6W1105-IC1105	6W26010.D	09/15/22 15:01	TCH	40	GCMS6W	TO-15	
V6W1105-IC1105	6W26011.D	09/15/22 15:43	TCH	50	GCMS6W	TO-15	
V6W1105-IC1105	6W26014.D	09/15/22 17:22	TCH	0.04	GCMS6W	TO-15	
V6W1105-IC1105	6W26015.D	09/15/22 17:55	TCH	0.1	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.14	3.34	0.641	ok	0.641	0.581-0.701
Acrolein	2.10	3.34	0.629	ok	0.629	0.569-0.689
Acrylonitrile	2.27	3.34	0.680	ok	0.680	0.620-0.740
Acetonitrile	2.06	3.34	0.617	ok	0.618	0.558-0.678
1,3-Butadiene	1.87	3.34	0.560	ok	0.559	0.499-0.619
Benzene	4.38	3.34	1.311	ok	1.312	1.252-1.372
Bromobenzene	14.38	10.59	1.358	ok	1.358	1.298-1.418
Bromodichloromethane	5.30	4.73	1.121	ok	1.120	1.060-1.180
Bromoform	11.83	10.59	1.117	ok	1.117	1.057-1.177
Bromomethane	1.93	3.34	0.578	ok	0.578	0.518-0.638
Bromoethene	2.07	3.34	0.620	ok	0.620	0.560-0.680
n-Butane	1.88	3.34	0.563	ok	0.563	0.503-0.623
Benzyl Chloride	16.89	10.59	1.595	ok	1.595	1.535-1.655
n-Butylbenzene	17.59	10.59	1.661	ok	1.662	1.602-1.722
sec-Butylbenzene	17.07	10.59	1.612	ok	1.613	1.553-1.673
tert-Butylbenzene	16.80	10.59	1.586	ok	1.587	1.527-1.647
Carbon disulfide	2.52	3.34	0.754	ok	0.755	0.695-0.815
Chlorobenzene	10.67	10.59	1.008	ok	1.007	0.947-1.067
Chlorodifluoromethane	1.71	3.34	0.512	ok	0.510	0.450-0.570
Chloroethane	1.98	3.34	0.593	ok	0.593	0.533-0.653
Chlorotrifluoroethene	1.72	3.34	0.515	ok	0.515	0.455-0.575
Chloroform	3.42	3.34	1.024	ok	1.024	0.964-1.084
Chloromethane	1.77	3.34	0.530	ok	0.531	0.471-0.591
3-Chloropropene	2.46	3.34	0.737	ok	0.737	0.677-0.797
2-Chlorotoluene	15.53	10.59	1.466	ok	1.466	1.406-1.526
Carbon tetrachloride	4.50	3.34	1.347	ok	1.347	1.287-1.407
Cyclohexane	4.60	4.73	0.973	ok	0.973	0.913-1.033
1,1-Dichloroethane	2.85	3.34	0.853	ok	0.854	0.794-0.914
1,1-Dichloroethylene	2.38	3.34	0.713	ok	0.713	0.653-0.773
1,2-Dibromoethane (EDB)	8.54	4.73	1.805	ok	1.806	1.746-1.866
1,2-Dichloroethane	3.87	3.34	1.159	ok	1.159	1.099-1.219
1,2-Dichloropropane	5.10	4.73	1.078	ok	1.078	1.018-1.138
1,3-Dichloropropane	7.69	4.73	1.626	ok	1.625	1.565-1.685
1,4-Dioxane	5.37	4.73	1.135	ok	1.138	1.078-1.198
Dichlorodifluoromethane	1.73	3.34	0.518	ok	0.518	0.458-0.578
Dichlorofluoromethane	2.00	3.34	0.599	ok	0.599	0.539-0.659
Dibromochloromethane	8.19	4.73	1.732	ok	1.730	1.670-1.790
Dibromomethane	5.06	4.73	1.070	ok	1.070	1.010-1.130
trans-1,2-Dichloroethylene	2.77	3.34	0.829	ok	0.830	0.770-0.890

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1105-IC1105	6W26004.D	09/15/22 11:32	TCH	0.2	GCMS6W	TO-15	
V6W1105-IC1105	6W26005.D	09/15/22 12:06	TCH	0.5	GCMS6W	TO-15	
V6W1105-IC1105	6W26007.D	09/15/22 13:12	TCH	5	GCMS6W	TO-15	
V6W1105-ICC1105	6W26008.D	09/15/22 13:46	TCH	10	GCMS6W	TO-15	
V6W1105-IC1105	6W26009.D	09/15/22 14:22	TCH	20	GCMS6W	TO-15	Reporting this level
V6W1105-IC1105	6W26010.D	09/15/22 15:01	TCH	40	GCMS6W	TO-15	
V6W1105-IC1105	6W26011.D	09/15/22 15:43	TCH	50	GCMS6W	TO-15	
V6W1105-IC1105	6W26014.D	09/15/22 17:22	TCH	0.04	GCMS6W	TO-15	
V6W1105-IC1105	6W26015.D	09/15/22 17:55	TCH	0.1	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.25	3.34	0.973	ok	0.974	0.914-1.034
cis-1,3-Dichloropropene	6.35	4.73	1.342	ok	1.342	1.282-1.402
m-Dichlorobenzene	16.87	10.59	1.593	ok	1.593	1.533-1.653
o-Dichlorobenzene	17.24	10.59	1.628	ok	1.628	1.568-1.688
p-Dichlorobenzene	16.95	10.59	1.601	ok	1.601	1.541-1.661
trans-1,3-Dichloropropene	7.07	4.73	1.495	ok	1.494	1.434-1.554
Di-Isopropyl ether	3.40	3.34	1.018	ok	1.018	0.958-1.078
2,3-Dimethylpentane	4.87	4.73	1.030	ok	1.030	0.970-1.090
2,4-Dimethylpentane	3.96	3.34	1.186	ok	1.184	1.124-1.244
Ethanol	2.00	3.34	0.599	ok	0.601	0.541-0.661
Ethylbenzene	11.57	10.59	1.093	ok	1.093	1.033-1.153
Ethyl Acetate	3.41	3.34	1.021	ok	1.021	0.961-1.081
Ethyl Acrylate	5.24	4.73	1.108	ok	1.108	1.048-1.168
4-Ethyltoluene	16.21	10.59	1.531	ok	1.530	1.470-1.590
Freon 113	2.52	3.34	0.754	ok	0.754	0.694-0.814
Freon 114	1.80	3.34	0.539	ok	0.539	0.479-0.599
Freon 123	2.12	3.34	0.635	ok	0.635	0.575-0.695
Freon 123A	2.13	3.34	0.638	ok	0.638	0.578-0.698
Freon 142B	1.77	3.34	0.530	ok	0.530	0.470-0.590
Freon 152A	1.70	3.34	0.509	ok	0.507	0.447-0.567
Heptane	5.78	4.73	1.222	ok	1.221	1.161-1.281
Hexachlorobutadiene	18.80	10.59	1.775	ok	1.776	1.716-1.836
Hexachloroethane	17.77	10.59	1.678	ok	1.678	1.618-1.738
Hexane	3.39	3.34	1.015	ok	1.016	0.956-1.076
2-Hexanone	8.22	4.73	1.738	ok	1.741	1.681-1.801
Iodomethane	2.36	3.34	0.707	ok	0.706	0.646-0.766
Isopropylbenzene	14.50	10.59	1.369	ok	1.370	1.310-1.430
Isopropyl Alcohol	2.21	3.34	0.662	ok	0.661	0.601-0.721
p-Isopropyltoluene	17.25	10.59	1.629	ok	1.629	1.569-1.689
Methylene chloride	2.42	3.34	0.725	ok	0.725	0.665-0.785
Methyl ethyl ketone	3.04	3.34	0.910	ok	0.911	0.851-0.971
Methyl Isobutyl Ketone	6.47	4.73	1.368	ok	1.369	1.309-1.429
Methyl Tert Butyl Ether	2.89	3.34	0.865	ok	0.865	0.805-0.925
Methylmethacrylate	5.69	4.73	1.203	ok	1.203	1.143-1.263
Naphthalene	18.55	10.59	1.752	ok	1.752	1.692-1.812
Nonane	14.09	10.59	1.331	ok	1.330	1.270-1.390
Octane	9.56	4.73	2.021	ok	2.021	1.961-2.081
Pentane	2.30	3.34	0.689	ok	0.689	0.629-0.749
n-Propylbenzene	15.86	10.59	1.498	ok	1.498	1.438-1.558

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1105-IC1105	6W26004.D	09/15/22 11:32	TCH	0.2	GCMS6W	TO-15	
V6W1105-IC1105	6W26005.D	09/15/22 12:06	TCH	0.5	GCMS6W	TO-15	
V6W1105-IC1105	6W26007.D	09/15/22 13:12	TCH	5	GCMS6W	TO-15	
V6W1105-ICC1105	6W26008.D	09/15/22 13:46	TCH	10	GCMS6W	TO-15	
V6W1105-IC1105	6W26009.D	09/15/22 14:22	TCH	20	GCMS6W	TO-15	Reporting this level
V6W1105-IC1105	6W26010.D	09/15/22 15:01	TCH	40	GCMS6W	TO-15	
V6W1105-IC1105	6W26011.D	09/15/22 15:43	TCH	50	GCMS6W	TO-15	
V6W1105-IC1105	6W26014.D	09/15/22 17:22	TCH	0.04	GCMS6W	TO-15	
V6W1105-IC1105	6W26015.D	09/15/22 17:55	TCH	0.1	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.71	3.34	0.512	ok	0.512	0.452-0.572
Styrene	12.75	10.59	1.204	ok	1.204	1.144-1.264
1,1,1-Trichloroethane	4.04	3.34	1.210	ok	1.211	1.151-1.271
1,1,1,2-Tetrachloroethane	10.68	10.59	1.008	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.99	10.59	1.227	ok	1.227	1.167-1.287
1,1,2-Trichloroethane	7.24	4.73	1.531	ok	1.530	1.470-1.590
1,2,4-Trichlorobenzene	18.50	10.59	1.747	ok	1.747	1.687-1.807
1,2,3-Trichloropropane	13.28	10.59	1.254	ok	1.254	1.194-1.314
1,2,3-Trimethylbenzene	17.19	10.59	1.623	ok	1.623	1.563-1.683
1,2,4-Trimethylbenzene	16.81	10.59	1.587	ok	1.587	1.527-1.647
1,3,5-Trimethylbenzene	16.35	10.59	1.544	ok	1.544	1.484-1.604
2,2,4-Trimethylpentane	5.44	4.73	1.150	ok	1.150	1.090-1.210
Tertiary Butyl Alcohol	2.39	3.34	0.716	ok	0.719	0.659-0.779
Tetrachloroethylene	9.41	4.73	1.989	ok	1.990	1.930-2.050
Tetrahydrofuran	3.65	3.34	1.093	ok	1.095	1.035-1.155
Toluene	7.61	4.73	1.609	ok	1.610	1.550-1.670
Trichloroethylene	5.35	4.73	1.131	ok	1.131	1.071-1.191
Trichlorofluoromethane	2.19	3.34	0.656	ok	0.656	0.596-0.716
Vinyl chloride	1.83	3.34	0.548	ok	0.548	0.488-0.608
Vinyl Acetate	2.93	3.34	0.877	ok	0.878	0.818-0.938
m,p-Xylene	12.01	10.59	1.134	ok	1.134	1.074-1.194
o-Xylene	12.96	10.59	1.224	ok	1.224	1.164-1.284

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.34	ok	3.34	3.01-3.67	43498	ok	42592	25555-59629
1,4-Difluorobenzene	4.73	ok	4.73	4.40-5.06	234032	ok	230692	138415-322969
Chlorobenzene-D5	10.59	ok	10.59	10.26-10.92	175266	ok	168831	101299-236363

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1105-IC1105	6W26004.D	09/15/22 11:32	TCH	0.2	GCMS6W	TO-15	
V6W1105-IC1105	6W26005.D	09/15/22 12:06	TCH	0.5	GCMS6W	TO-15	
V6W1105-IC1105	6W26007.D	09/15/22 13:12	TCH	5	GCMS6W	TO-15	
V6W1105-ICC1105	6W26008.D	09/15/22 13:46	TCH	10	GCMS6W	TO-15	
V6W1105-IC1105	6W26009.D	09/15/22 14:22	TCH	20	GCMS6W	TO-15	
V6W1105-IC1105	6W26010.D	09/15/22 15:01	TCH	40	GCMS6W	TO-15	Reporting this level
V6W1105-IC1105	6W26011.D	09/15/22 15:43	TCH	50	GCMS6W	TO-15	
V6W1105-IC1105	6W26014.D	09/15/22 17:22	TCH	0.04	GCMS6W	TO-15	
V6W1105-IC1105	6W26015.D	09/15/22 17:55	TCH	0.1	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.14	3.34	0.641	ok	0.641	0.581-0.701
Acrolein	2.10	3.34	0.629	ok	0.629	0.569-0.689
Acrylonitrile	2.27	3.34	0.680	ok	0.680	0.620-0.740
Acetonitrile	2.06	3.34	0.617	ok	0.618	0.558-0.678
1,3-Butadiene	1.86	3.34	0.557	ok	0.559	0.499-0.619
Benzene	4.38	3.34	1.311	ok	1.312	1.252-1.372
Bromobenzene	14.39	10.59	1.359	ok	1.358	1.298-1.418
Bromodichloromethane	5.30	4.73	1.121	ok	1.120	1.060-1.180
Bromoform	11.84	10.59	1.118	ok	1.117	1.057-1.177
Bromomethane	1.93	3.34	0.578	ok	0.578	0.518-0.638
Bromoethene	2.07	3.34	0.620	ok	0.620	0.560-0.680
n-Butane	1.88	3.34	0.563	ok	0.563	0.503-0.623
Benzyl Chloride	16.90	10.59	1.596	ok	1.595	1.535-1.655
n-Butylbenzene	17.60	10.59	1.662	ok	1.662	1.602-1.722
sec-Butylbenzene	17.08	10.59	1.613	ok	1.613	1.553-1.673
tert-Butylbenzene	16.81	10.59	1.587	ok	1.587	1.527-1.647
Carbon disulfide	2.52	3.34	0.754	ok	0.755	0.695-0.815
Chlorobenzene	10.67	10.59	1.008	ok	1.007	0.947-1.067
Chlorodifluoromethane	1.70	3.34	0.509	ok	0.510	0.450-0.570
Chloroethane	1.98	3.34	0.593	ok	0.593	0.533-0.653
Chlorotrifluoroethene	1.72	3.34	0.515	ok	0.515	0.455-0.575
Chloroform	3.42	3.34	1.024	ok	1.024	0.964-1.084
Chloromethane	1.77	3.34	0.530	ok	0.531	0.471-0.591
3-Chloropropene	2.46	3.34	0.737	ok	0.737	0.677-0.797
2-Chlorotoluene	15.53	10.59	1.466	ok	1.466	1.406-1.526
Carbon tetrachloride	4.50	3.34	1.347	ok	1.347	1.287-1.407
Cyclohexane	4.60	4.73	0.973	ok	0.973	0.913-1.033
1,1-Dichloroethane	2.85	3.34	0.853	ok	0.854	0.794-0.914
1,1-Dichloroethylene	2.38	3.34	0.713	ok	0.713	0.653-0.773
1,2-Dibromoethane (EDB)	8.55	4.73	1.808	ok	1.806	1.746-1.866
1,2-Dichloroethane	3.87	3.34	1.159	ok	1.159	1.099-1.219
1,2-Dichloropropane	5.10	4.73	1.078	ok	1.078	1.018-1.138
1,3-Dichloropropane	7.68	4.73	1.624	ok	1.625	1.565-1.685
1,4-Dioxane	5.37	4.73	1.135	ok	1.138	1.078-1.198
Dichlorodifluoromethane	1.73	3.34	0.518	ok	0.518	0.458-0.578
Dichlorofluoromethane	2.00	3.34	0.599	ok	0.599	0.539-0.659
Dibromochloromethane	8.19	4.73	1.732	ok	1.730	1.670-1.790
Dibromomethane	5.06	4.73	1.070	ok	1.070	1.010-1.130
trans-1,2-Dichloroethylene	2.77	3.34	0.829	ok	0.830	0.770-0.890

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1105-IC1105	6W26004.D	09/15/22 11:32	TCH	0.2	GCMS6W	TO-15	
V6W1105-IC1105	6W26005.D	09/15/22 12:06	TCH	0.5	GCMS6W	TO-15	
V6W1105-IC1105	6W26007.D	09/15/22 13:12	TCH	5	GCMS6W	TO-15	
V6W1105-ICC1105	6W26008.D	09/15/22 13:46	TCH	10	GCMS6W	TO-15	
V6W1105-IC1105	6W26009.D	09/15/22 14:22	TCH	20	GCMS6W	TO-15	
V6W1105-IC1105	6W26010.D	09/15/22 15:01	TCH	40	GCMS6W	TO-15	Reporting this level
V6W1105-IC1105	6W26011.D	09/15/22 15:43	TCH	50	GCMS6W	TO-15	
V6W1105-IC1105	6W26014.D	09/15/22 17:22	TCH	0.04	GCMS6W	TO-15	
V6W1105-IC1105	6W26015.D	09/15/22 17:55	TCH	0.1	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.25	3.34	0.973	ok	0.974	0.914-1.034
cis-1,3-Dichloropropene	6.35	4.73	1.342	ok	1.342	1.282-1.402
m-Dichlorobenzene	16.87	10.59	1.593	ok	1.593	1.533-1.653
o-Dichlorobenzene	17.24	10.59	1.628	ok	1.628	1.568-1.688
p-Dichlorobenzene	16.95	10.59	1.601	ok	1.601	1.541-1.661
trans-1,3-Dichloropropene	7.07	4.73	1.495	ok	1.494	1.434-1.554
Di-Isopropyl ether	3.40	3.34	1.018	ok	1.018	0.958-1.078
2,3-Dimethylpentane	4.87	4.73	1.030	ok	1.030	0.970-1.090
2,4-Dimethylpentane	3.96	3.34	1.186	ok	1.184	1.124-1.244
Ethanol	2.00	3.34	0.599	ok	0.601	0.541-0.661
Ethylbenzene	11.57	10.59	1.093	ok	1.093	1.033-1.153
Ethyl Acetate	3.41	3.34	1.021	ok	1.021	0.961-1.081
Ethyl Acrylate	5.24	4.73	1.108	ok	1.108	1.048-1.168
4-Ethyltoluene	16.21	10.59	1.531	ok	1.530	1.470-1.590
Freon 113	2.52	3.34	0.754	ok	0.754	0.694-0.814
Freon 114	1.80	3.34	0.539	ok	0.539	0.479-0.599
Freon 123	2.12	3.34	0.635	ok	0.635	0.575-0.695
Freon 123A	2.13	3.34	0.638	ok	0.638	0.578-0.698
Freon 142B	1.77	3.34	0.530	ok	0.530	0.470-0.590
Freon 152A	1.69	3.34	0.506	ok	0.507	0.447-0.567
Heptane	5.78	4.73	1.222	ok	1.221	1.161-1.281
Hexachlorobutadiene	18.80	10.59	1.775	ok	1.776	1.716-1.836
Hexachloroethane	17.77	10.59	1.678	ok	1.678	1.618-1.738
Hexane	3.39	3.34	1.015	ok	1.016	0.956-1.076
2-Hexanone	8.23	4.73	1.740	ok	1.741	1.681-1.801
Iodomethane	2.35	3.34	0.704	ok	0.706	0.646-0.766
Isopropylbenzene	14.51	10.59	1.370	ok	1.370	1.310-1.430
Isopropyl Alcohol	2.20	3.34	0.659	ok	0.661	0.601-0.721
p-Isopropyltoluene	17.25	10.59	1.629	ok	1.629	1.569-1.689
Methylene chloride	2.42	3.34	0.725	ok	0.725	0.665-0.785
Methyl ethyl ketone	3.04	3.34	0.910	ok	0.911	0.851-0.971
Methyl Isobutyl Ketone	6.47	4.73	1.368	ok	1.369	1.309-1.429
Methyl Tert Butyl Ether	2.88	3.34	0.862	ok	0.865	0.805-0.925
Methylmethacrylate	5.69	4.73	1.203	ok	1.203	1.143-1.263
Naphthalene	18.55	10.59	1.752	ok	1.752	1.692-1.812
Nonane	14.10	10.59	1.331	ok	1.330	1.270-1.390
Octane	9.56	4.73	2.021	ok	2.021	1.961-2.081
Pentane	2.30	3.34	0.689	ok	0.689	0.629-0.749
n-Propylbenzene	15.86	10.59	1.498	ok	1.498	1.438-1.558

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1105-IC1105	6W26004.D	09/15/22 11:32	TCH	0.2	GCMS6W	TO-15	
V6W1105-IC1105	6W26005.D	09/15/22 12:06	TCH	0.5	GCMS6W	TO-15	
V6W1105-IC1105	6W26007.D	09/15/22 13:12	TCH	5	GCMS6W	TO-15	
V6W1105-ICC1105	6W26008.D	09/15/22 13:46	TCH	10	GCMS6W	TO-15	
V6W1105-IC1105	6W26009.D	09/15/22 14:22	TCH	20	GCMS6W	TO-15	
V6W1105-IC1105	6W26010.D	09/15/22 15:01	TCH	40	GCMS6W	TO-15	Reporting this level
V6W1105-IC1105	6W26011.D	09/15/22 15:43	TCH	50	GCMS6W	TO-15	
V6W1105-IC1105	6W26014.D	09/15/22 17:22	TCH	0.04	GCMS6W	TO-15	
V6W1105-IC1105	6W26015.D	09/15/22 17:55	TCH	0.1	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.71	3.34	0.512	ok	0.512	0.452-0.572
Styrene	12.75	10.59	1.204	ok	1.204	1.144-1.264
1,1,1-Trichloroethane	4.04	3.34	1.210	ok	1.211	1.151-1.271
1,1,1,2-Tetrachloroethane	10.69	10.59	1.009	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	13.00	10.59	1.228	ok	1.227	1.167-1.287
1,1,2-Trichloroethane	7.24	4.73	1.531	ok	1.530	1.470-1.590
1,2,4-Trichlorobenzene	18.50	10.59	1.747	ok	1.747	1.687-1.807
1,2,3-Trichloropropane	13.28	10.59	1.254	ok	1.254	1.194-1.314
1,2,3-Trimethylbenzene	17.19	10.59	1.623	ok	1.623	1.563-1.683
1,2,4-Trimethylbenzene	16.81	10.59	1.587	ok	1.587	1.527-1.647
1,3,5-Trimethylbenzene	16.36	10.59	1.545	ok	1.544	1.484-1.604
2,2,4-Trimethylpentane	5.44	4.73	1.150	ok	1.150	1.090-1.210
Tertiary Butyl Alcohol	2.39	3.34	0.716	ok	0.719	0.659-0.779
Tetrachloroethylene	9.42	4.73	1.992	ok	1.990	1.930-2.050
Tetrahydrofuran	3.65	3.34	1.093	ok	1.095	1.035-1.155
Toluene	7.62	4.73	1.611	ok	1.610	1.550-1.670
Trichloroethylene	5.35	4.73	1.131	ok	1.131	1.071-1.191
Trichlorofluoromethane	2.19	3.34	0.656	ok	0.656	0.596-0.716
Vinyl chloride	1.83	3.34	0.548	ok	0.548	0.488-0.608
Vinyl Acetate	2.93	3.34	0.877	ok	0.878	0.818-0.938
m,p-Xylene	12.02	10.59	1.135	ok	1.134	1.074-1.194
o-Xylene	12.97	10.59	1.225	ok	1.224	1.164-1.284

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.34	ok	3.34	3.01-3.67	44539	ok	42592	25555-59629
1,4-Difluorobenzene	4.73	ok	4.73	4.40-5.06	238139	ok	230692	138415-322969
Chlorobenzene-D5	10.59	ok	10.59	10.26-10.92	181960	ok	168831	101299-236363

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1105-IC1105	6W26004.D	09/15/22 11:32	TCH	0.2	GCMS6W	TO-15	
V6W1105-IC1105	6W26005.D	09/15/22 12:06	TCH	0.5	GCMS6W	TO-15	
V6W1105-IC1105	6W26007.D	09/15/22 13:12	TCH	5	GCMS6W	TO-15	
V6W1105-ICC1105	6W26008.D	09/15/22 13:46	TCH	10	GCMS6W	TO-15	
V6W1105-IC1105	6W26009.D	09/15/22 14:22	TCH	20	GCMS6W	TO-15	
V6W1105-IC1105	6W26010.D	09/15/22 15:01	TCH	40	GCMS6W	TO-15	
V6W1105-IC1105	6W26011.D	09/15/22 15:43	TCH	50	GCMS6W	TO-15	Reporting this level
V6W1105-IC1105	6W26014.D	09/15/22 17:22	TCH	0.04	GCMS6W	TO-15	
V6W1105-IC1105	6W26015.D	09/15/22 17:55	TCH	0.1	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.14	3.34	0.641	ok	0.641	0.581-0.701
Acrolein	2.10	3.34	0.629	ok	0.629	0.569-0.689
Acrylonitrile	2.27	3.34	0.680	ok	0.680	0.620-0.740
Acetonitrile	2.06	3.34	0.617	ok	0.618	0.558-0.678
1,3-Butadiene	1.86	3.34	0.557	ok	0.559	0.499-0.619
Benzene	4.38	3.34	1.311	ok	1.312	1.252-1.372
Bromobenzene	14.39	10.59	1.359	ok	1.358	1.298-1.418
Bromodichloromethane	5.30	4.73	1.121	ok	1.120	1.060-1.180
Bromoform	11.84	10.59	1.118	ok	1.117	1.057-1.177
Bromomethane	1.93	3.34	0.578	ok	0.578	0.518-0.638
Bromoethene	2.07	3.34	0.620	ok	0.620	0.560-0.680
n-Butane	1.88	3.34	0.563	ok	0.563	0.503-0.623
Benzyl Chloride	16.90	10.59	1.596	ok	1.595	1.535-1.655
n-Butylbenzene	17.60	10.59	1.662	ok	1.662	1.602-1.722
sec-Butylbenzene	17.08	10.59	1.613	ok	1.613	1.553-1.673
tert-Butylbenzene	16.81	10.59	1.587	ok	1.587	1.527-1.647
Carbon disulfide	2.52	3.34	0.754	ok	0.755	0.695-0.815
Chlorobenzene	10.67	10.59	1.008	ok	1.007	0.947-1.067
Chlorodifluoromethane	1.70	3.34	0.509	ok	0.510	0.450-0.570
Chloroethane	1.98	3.34	0.593	ok	0.593	0.533-0.653
Chlorotrifluoroethene	1.72	3.34	0.515	ok	0.515	0.455-0.575
Chloroform	3.42	3.34	1.024	ok	1.024	0.964-1.084
Chloromethane	1.77	3.34	0.530	ok	0.531	0.471-0.591
3-Chloropropene	2.46	3.34	0.737	ok	0.737	0.677-0.797
2-Chlorotoluene	15.54	10.59	1.467	ok	1.466	1.406-1.526
Carbon tetrachloride	4.50	3.34	1.347	ok	1.347	1.287-1.407
Cyclohexane	4.60	4.73	0.973	ok	0.973	0.913-1.033
1,1-Dichloroethane	2.85	3.34	0.853	ok	0.854	0.794-0.914
1,1-Dichloroethylene	2.38	3.34	0.713	ok	0.713	0.653-0.773
1,2-Dibromoethane (EDB)	8.55	4.73	1.808	ok	1.806	1.746-1.866
1,2-Dichloroethane	3.87	3.34	1.159	ok	1.159	1.099-1.219
1,2-Dichloropropane	5.10	4.73	1.078	ok	1.078	1.018-1.138
1,3-Dichloropropane	7.69	4.73	1.626	ok	1.625	1.565-1.685
1,4-Dioxane	5.37	4.73	1.135	ok	1.138	1.078-1.198
Dichlorodifluoromethane	1.73	3.34	0.518	ok	0.518	0.458-0.578
Dichlorofluoromethane	2.00	3.34	0.599	ok	0.599	0.539-0.659
Dibromochloromethane	8.19	4.73	1.732	ok	1.730	1.670-1.790
Dibromomethane	5.06	4.73	1.070	ok	1.070	1.010-1.130
trans-1,2-Dichloroethylene	2.77	3.34	0.829	ok	0.830	0.770-0.890

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1105-IC1105	6W26004.D	09/15/22 11:32	TCH	0.2	GCMS6W	TO-15	
V6W1105-IC1105	6W26005.D	09/15/22 12:06	TCH	0.5	GCMS6W	TO-15	
V6W1105-IC1105	6W26007.D	09/15/22 13:12	TCH	5	GCMS6W	TO-15	
V6W1105-ICC1105	6W26008.D	09/15/22 13:46	TCH	10	GCMS6W	TO-15	
V6W1105-IC1105	6W26009.D	09/15/22 14:22	TCH	20	GCMS6W	TO-15	
V6W1105-IC1105	6W26010.D	09/15/22 15:01	TCH	40	GCMS6W	TO-15	
V6W1105-IC1105	6W26011.D	09/15/22 15:43	TCH	50	GCMS6W	TO-15	Reporting this level
V6W1105-IC1105	6W26014.D	09/15/22 17:22	TCH	0.04	GCMS6W	TO-15	
V6W1105-IC1105	6W26015.D	09/15/22 17:55	TCH	0.1	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,2-Dichloroethylene	3.25	3.34	0.973	ok	0.974	0.914-1.034
cis-1,3-Dichloropropene	6.35	4.73	1.342	ok	1.342	1.282-1.402
m-Dichlorobenzene	16.87	10.59	1.593	ok	1.593	1.533-1.653
o-Dichlorobenzene	17.24	10.59	1.628	ok	1.628	1.568-1.688
p-Dichlorobenzene	16.95	10.59	1.601	ok	1.601	1.541-1.661
trans-1,3-Dichloropropene	7.07	4.73	1.495	ok	1.494	1.434-1.554
Di-Isopropyl ether	3.40	3.34	1.018	ok	1.018	0.958-1.078
2,3-Dimethylpentane	4.87	4.73	1.030	ok	1.030	0.970-1.090
2,4-Dimethylpentane	3.95	3.34	1.183	ok	1.184	1.124-1.244
Ethanol	2.00	3.34	0.599	ok	0.601	0.541-0.661
Ethylbenzene	11.58	10.59	1.093	ok	1.093	1.033-1.153
Ethyl Acetate	3.41	3.34	1.021	ok	1.021	0.961-1.081
Ethyl Acrylate	5.24	4.73	1.108	ok	1.108	1.048-1.168
4-Ethyltoluene	16.21	10.59	1.531	ok	1.530	1.470-1.590
Freon 113	2.52	3.34	0.754	ok	0.754	0.694-0.814
Freon 114	1.80	3.34	0.539	ok	0.539	0.479-0.599
Freon 123	2.12	3.34	0.635	ok	0.635	0.575-0.695
Freon 123A	2.13	3.34	0.638	ok	0.638	0.578-0.698
Freon 142B	1.77	3.34	0.530	ok	0.530	0.470-0.590
Freon 152A	1.69	3.34	0.506	ok	0.507	0.447-0.567
Heptane	5.78	4.73	1.222	ok	1.221	1.161-1.281
Hexachlorobutadiene	18.80	10.59	1.775	ok	1.776	1.716-1.836
Hexachloroethane	17.77	10.59	1.678	ok	1.678	1.618-1.738
Hexane	3.39	3.34	1.015	ok	1.016	0.956-1.076
2-Hexanone	8.23	4.73	1.740	ok	1.741	1.681-1.801
Iodomethane	2.35	3.34	0.704	ok	0.706	0.646-0.766
Isopropylbenzene	14.51	10.59	1.370	ok	1.370	1.310-1.430
Isopropyl Alcohol	2.20	3.34	0.659	ok	0.661	0.601-0.721
p-Isopropyltoluene	17.25	10.59	1.629	ok	1.629	1.569-1.689
Methylene chloride	2.42	3.34	0.725	ok	0.725	0.665-0.785
Methyl ethyl ketone	3.04	3.34	0.910	ok	0.911	0.851-0.971
Methyl Isobutyl Ketone	6.48	4.73	1.370	ok	1.369	1.309-1.429
Methyl Tert Butyl Ether	2.88	3.34	0.862	ok	0.865	0.805-0.925
Methylmethacrylate	5.69	4.73	1.203	ok	1.203	1.143-1.263
Naphthalene	18.55	10.59	1.752	ok	1.752	1.692-1.812
Nonane	14.10	10.59	1.331	ok	1.330	1.270-1.390
Octane	9.56	4.73	2.021	ok	2.021	1.961-2.081
Pentane	2.30	3.34	0.689	ok	0.689	0.629-0.749
n-Propylbenzene	15.87	10.59	1.499	ok	1.498	1.438-1.558

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1105-IC1105	6W26004.D	09/15/22 11:32	TCH	0.2	GCMS6W	TO-15	
V6W1105-IC1105	6W26005.D	09/15/22 12:06	TCH	0.5	GCMS6W	TO-15	
V6W1105-IC1105	6W26007.D	09/15/22 13:12	TCH	5	GCMS6W	TO-15	
V6W1105-ICC1105	6W26008.D	09/15/22 13:46	TCH	10	GCMS6W	TO-15	
V6W1105-IC1105	6W26009.D	09/15/22 14:22	TCH	20	GCMS6W	TO-15	
V6W1105-IC1105	6W26010.D	09/15/22 15:01	TCH	40	GCMS6W	TO-15	
V6W1105-IC1105	6W26011.D	09/15/22 15:43	TCH	50	GCMS6W	TO-15	Reporting this level
V6W1105-IC1105	6W26014.D	09/15/22 17:22	TCH	0.04	GCMS6W	TO-15	
V6W1105-IC1105	6W26015.D	09/15/22 17:55	TCH	0.1	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Propylene	1.71	3.34	0.512	ok	0.512	0.452-0.572
Styrene	12.76	10.59	1.205	ok	1.204	1.144-1.264
1,1,1-Trichloroethane	4.04	3.34	1.210	ok	1.211	1.151-1.271
1,1,1,2-Tetrachloroethane	10.69	10.59	1.009	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	13.00	10.59	1.228	ok	1.227	1.167-1.287
1,1,2-Trichloroethane	7.24	4.73	1.531	ok	1.530	1.470-1.590
1,2,4-Trichlorobenzene	18.50	10.59	1.747	ok	1.747	1.687-1.807
1,2,3-Trichloropropane	13.29	10.59	1.255	ok	1.254	1.194-1.314
1,2,3-Trimethylbenzene	17.19	10.59	1.623	ok	1.623	1.563-1.683
1,2,4-Trimethylbenzene	16.82	10.59	1.588	ok	1.587	1.527-1.647
1,3,5-Trimethylbenzene	16.36	10.59	1.545	ok	1.544	1.484-1.604
2,2,4-Trimethylpentane	5.44	4.73	1.150	ok	1.150	1.090-1.210
Tertiary Butyl Alcohol	2.39	3.34	0.716	ok	0.719	0.659-0.779
Tetrachloroethylene	9.41	4.73	1.989	ok	1.990	1.930-2.050
Tetrahydrofuran	3.65	3.34	1.093	ok	1.095	1.035-1.155
Toluene	7.62	4.73	1.611	ok	1.610	1.550-1.670
Trichloroethylene	5.35	4.73	1.131	ok	1.131	1.071-1.191
Trichlorofluoromethane	2.19	3.34	0.656	ok	0.656	0.596-0.716
Vinyl chloride	1.83	3.34	0.548	ok	0.548	0.488-0.608
Vinyl Acetate	2.93	3.34	0.877	ok	0.878	0.818-0.938
m,p-Xylene	12.02	10.59	1.135	ok	1.134	1.074-1.194
o-Xylene	12.97	10.59	1.225	ok	1.224	1.164-1.284

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.34	ok	3.34	3.01-3.67	46143	ok	42592	25555-59629
1,4-Difluorobenzene	4.73	ok	4.73	4.40-5.06	249654	ok	230692	138415-322969
Chlorobenzene-D5	10.59	ok	10.59	10.26-10.92	186821	ok	168831	101299-236363

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1105-IC1105	6W26004.D	09/15/22 11:32	TCH	0.2	GCMS6W	TO-15	
V6W1105-IC1105	6W26005.D	09/15/22 12:06	TCH	0.5	GCMS6W	TO-15	
V6W1105-IC1105	6W26007.D	09/15/22 13:12	TCH	5	GCMS6W	TO-15	
V6W1105-ICC1105	6W26008.D	09/15/22 13:46	TCH	10	GCMS6W	TO-15	
V6W1105-IC1105	6W26009.D	09/15/22 14:22	TCH	20	GCMS6W	TO-15	
V6W1105-IC1105	6W26010.D	09/15/22 15:01	TCH	40	GCMS6W	TO-15	
V6W1105-IC1105	6W26011.D	09/15/22 15:43	TCH	50	GCMS6W	TO-15	
V6W1105-IC1105	6W26014.D	09/15/22 17:22	TCH	0.04	GCMS6W	TO-15	Reporting this level
V6W1105-IC1105	6W26015.D	09/15/22 17:55	TCH	0.1	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Benzene	4.38	3.34	1.311	ok	1.312	1.252-1.372
Bromobenzene	14.37	10.59	1.357	ok	1.358	1.298-1.418
Bromodichloromethane	5.30	4.73	1.121	ok	1.120	1.060-1.180
Bromoform	11.83	10.59	1.117	ok	1.117	1.057-1.177
Carbon disulfide	2.52	3.34	0.754	ok	0.755	0.695-0.815
Chlorobenzene	10.66	10.59	1.007	ok	1.007	0.947-1.067
Chloroform	3.42	3.34	1.024	ok	1.024	0.964-1.084
3-Chloropropene	2.47	3.34	0.740	ok	0.737	0.677-0.797
Carbon tetrachloride	4.50	3.34	1.347	ok	1.347	1.287-1.407
1,1-Dichloroethane	2.85	3.34	0.853	ok	0.854	0.794-0.914
1,2-Dibromoethane (EDB)	8.54	4.73	1.805	ok	1.806	1.746-1.866
1,2-Dichloroethane	3.87	3.34	1.159	ok	1.159	1.099-1.219
1,2-Dichloropropane	5.10	4.73	1.078	ok	1.078	1.018-1.138
1,3-Dichloropropane	7.68	4.73	1.624	ok	1.625	1.565-1.685
Dichlorodifluoromethane	1.73	3.34	0.518	ok	0.518	0.458-0.578
Dichlorofluoromethane	2.00	3.34	0.599	ok	0.599	0.539-0.659
Dibromochloromethane	8.18	4.73	1.729	ok	1.730	1.670-1.790
cis-1,2-Dichloroethylene	3.26	3.34	0.976	ok	0.974	0.914-1.034
cis-1,3-Dichloropropene	6.35	4.73	1.342	ok	1.342	1.282-1.402
m-Dichlorobenzene	16.86	10.59	1.592	ok	1.593	1.533-1.653
o-Dichlorobenzene	17.23	10.59	1.627	ok	1.628	1.568-1.688
p-Dichlorobenzene	16.95	10.59	1.601	ok	1.601	1.541-1.661
trans-1,3-Dichloropropene	7.07	4.73	1.495	ok	1.494	1.434-1.554
2,4-Dimethylpentane	3.95	3.34	1.183	ok	1.184	1.124-1.244
Ethylbenzene	11.58	10.59	1.093	ok	1.093	1.033-1.153
Ethyl Acetate	3.41	3.34	1.021	ok	1.021	0.961-1.081
Ethyl Acrylate	5.25	4.73	1.110	ok	1.108	1.048-1.168
4-Ethyltoluene	16.20	10.59	1.530	ok	1.530	1.470-1.590
Freon 113	2.52	3.34	0.754	ok	0.754	0.694-0.814
Freon 114	1.80	3.34	0.539	ok	0.539	0.479-0.599
Freon 123	2.12	3.34	0.635	ok	0.635	0.575-0.695
Freon 123A	2.14	3.34	0.641	ok	0.638	0.578-0.698
Freon 142B	1.77	3.34	0.530	ok	0.530	0.470-0.590
Heptane	5.78	4.73	1.222	ok	1.221	1.161-1.281
Hexachlorobutadiene	18.79	10.59	1.774	ok	1.776	1.716-1.836
Hexachloroethane	17.77	10.59	1.678	ok	1.678	1.618-1.738
Hexane	3.40	3.34	1.018	ok	1.016	0.956-1.076
Iodomethane	2.36	3.34	0.707	ok	0.706	0.646-0.766
Methyl Tert Butyl Ether	2.90	3.34	0.868	ok	0.865	0.805-0.925

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1105-IC1105	6W26004.D	09/15/22 11:32	TCH	0.2	GCMS6W	TO-15	
V6W1105-IC1105	6W26005.D	09/15/22 12:06	TCH	0.5	GCMS6W	TO-15	
V6W1105-IC1105	6W26007.D	09/15/22 13:12	TCH	5	GCMS6W	TO-15	
V6W1105-ICC1105	6W26008.D	09/15/22 13:46	TCH	10	GCMS6W	TO-15	
V6W1105-IC1105	6W26009.D	09/15/22 14:22	TCH	20	GCMS6W	TO-15	
V6W1105-IC1105	6W26010.D	09/15/22 15:01	TCH	40	GCMS6W	TO-15	
V6W1105-IC1105	6W26011.D	09/15/22 15:43	TCH	50	GCMS6W	TO-15	
V6W1105-IC1105	6W26014.D	09/15/22 17:22	TCH	0.04	GCMS6W	TO-15	Reporting this level
V6W1105-IC1105	6W26015.D	09/15/22 17:55	TCH	0.1	GCMS6W	TO-15	

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Naphthalene	18.54	10.59	1.751	ok	1.752	1.692-1.812
Nonane	14.08	10.59	1.330	ok	1.330	1.270-1.390
Octane	9.56	4.73	2.021	ok	2.021	1.961-2.081
Pentane	2.30	3.34	0.689	ok	0.689	0.629-0.749
Styrene	12.73	10.59	1.202	ok	1.204	1.144-1.264
1,1,1-Trichloroethane	4.04	3.34	1.210	ok	1.211	1.151-1.271
1,1,1,2-Tetrachloroethane	10.67	10.59	1.008	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.99	10.59	1.227	ok	1.227	1.167-1.287
1,2,4-Trichlorobenzene	18.50	10.59	1.747	ok	1.747	1.687-1.807
1,2,3-Trichloropropane	13.26	10.59	1.252	ok	1.254	1.194-1.314
1,2,3-Trimethylbenzene	17.18	10.59	1.622	ok	1.623	1.563-1.683
1,2,4-Trimethylbenzene	16.80	10.59	1.586	ok	1.587	1.527-1.647
1,3,5-Trimethylbenzene	16.35	10.59	1.544	ok	1.544	1.484-1.604
2,2,4-Trimethylpentane	5.45	4.73	1.152	ok	1.150	1.090-1.210
Tertiary Butyl Alcohol	2.41	3.34	0.722	ok	0.719	0.659-0.779
Tetrachloroethylene	9.42	4.73	1.992	ok	1.990	1.930-2.050
Toluene	7.61	4.73	1.609	ok	1.610	1.550-1.670
Trichloroethylene	5.35	4.73	1.131	ok	1.131	1.071-1.191
Trichlorofluoromethane	2.19	3.34	0.656	ok	0.656	0.596-0.716
Vinyl chloride	1.83	3.34	0.548	ok	0.548	0.488-0.608
m,p-Xylene	11.96	10.59	1.129	ok	1.134	1.074-1.194
o-Xylene	12.95	10.59	1.223	ok	1.224	1.164-1.284

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.34	ok	3.34	3.01-3.67	42158	ok	42592	25555-59629
1,4-Difluorobenzene	4.73	ok	4.73	4.40-5.06	204741	ok	230692	138415-322969
Chlorobenzene-D5	10.59	ok	10.59	10.26-10.92	170286	ok	168831	101299-236363

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1105-IC1105	6W26004.D	09/15/22 11:32	TCH	0.2	GCMS6W	TO-15	
V6W1105-IC1105	6W26005.D	09/15/22 12:06	TCH	0.5	GCMS6W	TO-15	
V6W1105-IC1105	6W26007.D	09/15/22 13:12	TCH	5	GCMS6W	TO-15	
V6W1105-ICC1105	6W26008.D	09/15/22 13:46	TCH	10	GCMS6W	TO-15	
V6W1105-IC1105	6W26009.D	09/15/22 14:22	TCH	20	GCMS6W	TO-15	
V6W1105-IC1105	6W26010.D	09/15/22 15:01	TCH	40	GCMS6W	TO-15	
V6W1105-IC1105	6W26011.D	09/15/22 15:43	TCH	50	GCMS6W	TO-15	
V6W1105-IC1105	6W26014.D	09/15/22 17:22	TCH	0.04	GCMS6W	TO-15	
V6W1105-IC1105	6W26015.D	09/15/22 17:55	TCH	0.1	GCMS6W	TO-15	Reporting this level

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
Acetone (2-Propanone)	2.14	3.34	0.641	ok	0.641	0.581-0.701
Acrolein	2.10	3.34	0.629	ok	0.629	0.569-0.689
Acrylonitrile	2.27	3.34	0.680	ok	0.680	0.620-0.740
Acetonitrile	2.06	3.34	0.617	ok	0.618	0.558-0.678
1,3-Butadiene	1.87	3.34	0.560	ok	0.559	0.499-0.619
Benzene	4.38	3.34	1.311	ok	1.312	1.252-1.372
Bromobenzene	14.36	10.59	1.356	ok	1.358	1.298-1.418
Bromodichloromethane	5.29	4.73	1.118	ok	1.120	1.060-1.180
Bromoform	11.82	10.59	1.116	ok	1.117	1.057-1.177
Bromomethane	1.94	3.34	0.581	ok	0.578	0.518-0.638
Bromoethene	2.07	3.34	0.620	ok	0.620	0.560-0.680
n-Butane	1.88	3.34	0.563	ok	0.563	0.503-0.623
n-Butylbenzene	17.59	10.59	1.661	ok	1.662	1.602-1.722
sec-Butylbenzene	17.07	10.59	1.612	ok	1.613	1.553-1.673
tert-Butylbenzene	16.80	10.59	1.586	ok	1.587	1.527-1.647
Carbon disulfide	2.52	3.34	0.754	ok	0.755	0.695-0.815
Chlorobenzene	10.67	10.59	1.008	ok	1.007	0.947-1.067
Chlorodifluoromethane	1.71	3.34	0.512	ok	0.510	0.450-0.570
Chloroethane	1.98	3.34	0.593	ok	0.593	0.533-0.653
Chlorotrifluoroethene	1.72	3.34	0.515	ok	0.515	0.455-0.575
Chloroform	3.42	3.34	1.024	ok	1.024	0.964-1.084
Chloromethane	1.78	3.34	0.533	ok	0.531	0.471-0.591
3-Chloropropene	2.46	3.34	0.737	ok	0.737	0.677-0.797
2-Chlorotoluene	15.52	10.59	1.466	ok	1.466	1.406-1.526
Carbon tetrachloride	4.49	3.34	1.344	ok	1.347	1.287-1.407
Cyclohexane	4.60	4.73	0.973	ok	0.973	0.913-1.033
1,1-Dichloroethane	2.85	3.34	0.853	ok	0.854	0.794-0.914
1,1-Dichloroethylene	2.39	3.34	0.716	ok	0.713	0.653-0.773
1,2-Dibromoethane (EDB)	8.55	4.73	1.808	ok	1.806	1.746-1.866
1,2-Dichloroethane	3.87	3.34	1.159	ok	1.159	1.099-1.219
1,2-Dichloropropane	5.10	4.73	1.078	ok	1.078	1.018-1.138
1,3-Dichloropropane	7.68	4.73	1.624	ok	1.625	1.565-1.685
1,4-Dioxane	5.41	4.73	1.144	ok	1.138	1.078-1.198
Dichlorodifluoromethane	1.73	3.34	0.518	ok	0.518	0.458-0.578
Dichlorofluoromethane	2.00	3.34	0.599	ok	0.599	0.539-0.659
Dibromochloromethane	8.19	4.73	1.732	ok	1.730	1.670-1.790
Dibromomethane	5.06	4.73	1.070	ok	1.070	1.010-1.130
trans-1,2-Dichloroethylene	2.77	3.34	0.829	ok	0.830	0.770-0.890
cis-1,2-Dichloroethylene	3.25	3.34	0.973	ok	0.974	0.914-1.034

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1105-IC1105	6W26004.D	09/15/22 11:32	TCH	0.2	GCMS6W	TO-15	
V6W1105-IC1105	6W26005.D	09/15/22 12:06	TCH	0.5	GCMS6W	TO-15	
V6W1105-IC1105	6W26007.D	09/15/22 13:12	TCH	5	GCMS6W	TO-15	
V6W1105-ICC1105	6W26008.D	09/15/22 13:46	TCH	10	GCMS6W	TO-15	
V6W1105-IC1105	6W26009.D	09/15/22 14:22	TCH	20	GCMS6W	TO-15	
V6W1105-IC1105	6W26010.D	09/15/22 15:01	TCH	40	GCMS6W	TO-15	
V6W1105-IC1105	6W26011.D	09/15/22 15:43	TCH	50	GCMS6W	TO-15	
V6W1105-IC1105	6W26014.D	09/15/22 17:22	TCH	0.04	GCMS6W	TO-15	
V6W1105-IC1105	6W26015.D	09/15/22 17:55	TCH	0.1	GCMS6W	TO-15	Reporting this level

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
cis-1,3-Dichloropropene	6.35	4.73	1.342	ok	1.342	1.282-1.402
m-Dichlorobenzene	16.86	10.59	1.592	ok	1.593	1.533-1.653
o-Dichlorobenzene	17.23	10.59	1.627	ok	1.628	1.568-1.688
p-Dichlorobenzene	16.95	10.59	1.601	ok	1.601	1.541-1.661
trans-1,3-Dichloropropene	7.06	4.73	1.493	ok	1.494	1.434-1.554
Di-Isopropyl ether	3.40	3.34	1.018	ok	1.018	0.958-1.078
2,3-Dimethylpentane	4.86	4.73	1.027	ok	1.030	0.970-1.090
2,4-Dimethylpentane	3.96	3.34	1.186	ok	1.184	1.124-1.244
Ethanol	2.01	3.34	0.602	ok	0.601	0.541-0.661
Ethylbenzene	11.57	10.59	1.093	ok	1.093	1.033-1.153
Ethyl Acetate	3.40	3.34	1.018	ok	1.021	0.961-1.081
Ethyl Acrylate	5.24	4.73	1.108	ok	1.108	1.048-1.168
4-Ethyltoluene	16.20	10.59	1.530	ok	1.530	1.470-1.590
Freon 113	2.52	3.34	0.754	ok	0.754	0.694-0.814
Freon 114	1.80	3.34	0.539	ok	0.539	0.479-0.599
Freon 123	2.12	3.34	0.635	ok	0.635	0.575-0.695
Freon 123A	2.13	3.34	0.638	ok	0.638	0.578-0.698
Freon 142B	1.77	3.34	0.530	ok	0.530	0.470-0.590
Freon 152A	1.69	3.34	0.506	ok	0.507	0.447-0.567
Heptane	5.77	4.73	1.220	ok	1.221	1.161-1.281
Hexachlorobutadiene	18.80	10.59	1.775	ok	1.776	1.716-1.836
Hexachloroethane	17.77	10.59	1.678	ok	1.678	1.618-1.738
Hexane	3.39	3.34	1.015	ok	1.016	0.956-1.076
2-Hexanone	8.24	4.73	1.742	ok	1.741	1.681-1.801
Iodomethane	2.36	3.34	0.707	ok	0.706	0.646-0.766
Isopropylbenzene	14.49	10.59	1.368	ok	1.370	1.310-1.430
Isopropyl Alcohol	2.21	3.34	0.662	ok	0.661	0.601-0.721
p-Isopropyltoluene	17.25	10.59	1.629	ok	1.629	1.569-1.689
Methyl ethyl ketone	3.04	3.34	0.910	ok	0.911	0.851-0.971
Methyl Isobutyl Ketone	6.48	4.73	1.370	ok	1.369	1.309-1.429
Methyl Tert Butyl Ether	2.89	3.34	0.865	ok	0.865	0.805-0.925
Methylmethacrylate	5.69	4.73	1.203	ok	1.203	1.143-1.263
Naphthalene	18.54	10.59	1.751	ok	1.752	1.692-1.812
Nonane	14.08	10.59	1.330	ok	1.330	1.270-1.390
Octane	9.55	4.73	2.019	ok	2.021	1.961-2.081
Pentane	2.30	3.34	0.689	ok	0.689	0.629-0.749
n-Propylbenzene	15.85	10.59	1.497	ok	1.498	1.438-1.558
Propylene	1.71	3.34	0.512	ok	0.512	0.452-0.572
Styrene	12.75	10.59	1.204	ok	1.204	1.144-1.264

Initial Calibration Retention Time/Internal Standard Area Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample Number	Lab File ID	Injected	By	Level	Inst ID	Method	
V6W1105-IC1105	6W26004.D	09/15/22 11:32	TCH	0.2	GCMS6W	TO-15	
V6W1105-IC1105	6W26005.D	09/15/22 12:06	TCH	0.5	GCMS6W	TO-15	
V6W1105-IC1105	6W26007.D	09/15/22 13:12	TCH	5	GCMS6W	TO-15	
V6W1105-ICC1105	6W26008.D	09/15/22 13:46	TCH	10	GCMS6W	TO-15	
V6W1105-IC1105	6W26009.D	09/15/22 14:22	TCH	20	GCMS6W	TO-15	
V6W1105-IC1105	6W26010.D	09/15/22 15:01	TCH	40	GCMS6W	TO-15	
V6W1105-IC1105	6W26011.D	09/15/22 15:43	TCH	50	GCMS6W	TO-15	
V6W1105-IC1105	6W26014.D	09/15/22 17:22	TCH	0.04	GCMS6W	TO-15	
V6W1105-IC1105	6W26015.D	09/15/22 17:55	TCH	0.1	GCMS6W	TO-15	Reporting this level

Target Compound	RT (min.)	Istd RT (min.)	Rel RT		Mean Rel RT	Rel RT Range (+ /- .06)
1,1,1-Trichloroethane	4.05	3.34	1.213	ok	1.211	1.151-1.271
1,1,1,2-Tetrachloroethane	10.68	10.59	1.008	ok	1.009	0.949-1.069
1,1,2,2-Tetrachloroethane	12.99	10.59	1.227	ok	1.227	1.167-1.287
1,1,2-Trichloroethane	7.23	4.73	1.529	ok	1.530	1.470-1.590
1,2,4-Trichlorobenzene	18.50	10.59	1.747	ok	1.747	1.687-1.807
1,2,3-Trichloropropane	13.27	10.59	1.253	ok	1.254	1.194-1.314
1,2,3-Trimethylbenzene	17.18	10.59	1.622	ok	1.623	1.563-1.683
1,2,4-Trimethylbenzene	16.80	10.59	1.586	ok	1.587	1.527-1.647
1,3,5-Trimethylbenzene	16.34	10.59	1.543	ok	1.544	1.484-1.604
2,2,4-Trimethylpentane	5.44	4.73	1.150	ok	1.150	1.090-1.210
Tertiary Butyl Alcohol	2.41	3.34	0.722	ok	0.719	0.659-0.779
Tetrachloroethylene	9.41	4.73	1.989	ok	1.990	1.930-2.050
Tetrahydrofuran	3.66	3.34	1.096	ok	1.095	1.035-1.155
Toluene	7.62	4.73	1.611	ok	1.610	1.550-1.670
Trichloroethylene	5.35	4.73	1.131	ok	1.131	1.071-1.191
Trichlorofluoromethane	2.19	3.34	0.656	ok	0.656	0.596-0.716
Vinyl chloride	1.83	3.34	0.548	ok	0.548	0.488-0.608
Vinyl Acetate	2.93	3.34	0.877	ok	0.878	0.818-0.938
m,p-Xylene	12.01	10.59	1.134	ok	1.134	1.074-1.194
o-Xylene	12.95	10.59	1.223	ok	1.224	1.164-1.284

Internal Standard	RT (min.)		Mean RT(min.)	RT Range (+ /- 0.33)	Area		Mean Area	Area Range (+ /- 40 %)
Bromochloromethane	3.34	ok	3.34	3.01-3.67	40449	ok	42592	25555-59629
1,4-Difluorobenzene	4.73	ok	4.73	4.40-5.06	223013	ok	230692	138415-322969
Chlorobenzene-D5	10.59	ok	10.59	10.26-10.92	163472	ok	168831	101299-236363

Surrogate Recovery Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Method: TO-15 **Matrix:** AIR

Samples and QC shown here apply to the above method

Lab Sample ID	Lab File ID	S1
JD52620-1	2W61650.D	105
JD52620-2	2W61651.D	107
JD52620-3	2W61659.D	105
JD52620-3	6W26152.D	96
JD52620-4	2W61660.D	105
JD52620-5	2W61661.D	105
JD52620-5	6W26153.D	96
JD52620-6	2W61662.D	103
JD52620-6	6W26154.D	92
JD52620-7	2W61663.D	106
JD52620-7	6W26155.D	96
JD52620-8	2W61664.D	105
JD52620-8	6W26156.D	98
JD52620-9	2W61693.D	107
JD52620-9	2W61666.D	105
JD52620-10	2W61667.D	104
JD52620-11	2W61692.D	105
JD52620-12	2W61669.D	105
JD52620-13	2W61658.D	105
JD52482-2DUP	2W61640.D	107
JD52615-1DUP	6W26144.D	104
JD52620-8DUP	2W61665.D	106
JD52638-1DUP	2W61697.D	108
V2W2637-SCC	2W59315.D	96
V2W2710-SCC	2W61037.D	96
V2W2714-SCC	2W61172.D	94
V2W2735-BS	2W61634.D	112
V2W2735-BSD	2W61635.D	111
V2W2735-MB	2W61637.D	108
V2W2736-BS	2W61654.D	111
V2W2736-BSD	2W61655.D	111
V2W2736-MB	2W61657.D	107
V2W2737-BS	2W61686.D	112
V2W2737-BSD	2W61687.D	112
V2W2737-MB	2W61689.D	106
V6W1111-BS	6W26138.D	106
V6W1111-BSD	6W26139.D	108
V6W1111-MB	6W26141.D	97
V2W2637-BS	2W59299.D	109
V2W2637-BSD	2W59300.D	109

Surrogate Recovery Summary

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Method: TO-15 **Matrix:** AIR

Samples and QC shown here apply to the above method

Lab Sample ID	Lab File ID	S1
V2W2637-MB	2W59302.D	97
V2W2710-BS	2W61025.D	99
V2W2710-BSD	2W61026.D	100
V2W2710-MB	2W61028.D	97
V2W2714-BS	2W61141.D	101
V2W2714-BSD	2W61142.D	99
V2W2714-MB	2W61144.D	95

Surrogate Compounds	Recovery Limits
S1 = 4-Bromofluorobenzene	65-128%

Initial Calibration Summary

Job Number: JD52620 **Sample:** V2W2619-ICC2619
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W58811.D
Project: EPT, Ithaca, NY

Response Factor Report MS2W

Method : C:\msdchem\1\METHODS\M2W2619.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
Last Update : Wed May 11 14:50:32 2022
Response via : Initial Calibration

Calibration Files
0.5 =2w58809.D 0.2 =2w58808.D 40 =2w58813.D 0.04=2w58806.D
5 =2w58810.D 10 =2w58811.D 20 =2w58812.D 0.1 =2w58807.D
50 =2w58814.D =

Compound	0.5	0.2	40	0.04	5	10	20	0.1	50	Avg	%RSD
1) I BROMOCHLOROMETHANE	----------ISTD----------										
2) FREON 115	1.524	2.275		2.387	2.111	2.026	1.457	2.155		1.991	18.14
3) FREON 152A	1.196	1.255	1.167		1.129	1.146	1.116	1.244	1.172	1.178	4.32
4) CHLORODIFLUOROMETHANE	0.533	0.532	0.529	0.567	0.507	0.514	0.505	0.574	0.548	0.534	4.61
5) CHLOROTRIFLUOROETHENE	2.346	2.371	2.332	2.449	2.330	2.328	2.257	2.401	2.327	2.349	2.30
6) DICHLORODIFLUOROMETHANE	5.302	5.326	5.144	5.770	5.300	5.227	5.032	5.267	5.308	5.297	3.80
7) PROPYLENE	2.130	2.131	2.036	2.722	1.995	2.089	1.985	2.315	1.997	2.155	10.96
8) 1-CHLORO-1,1-DIFLUOROETHANE	3.559	3.756	3.798	3.715	3.666	3.681	3.597	3.812	3.940	3.725	3.14
9) FREON 114	4.358	4.320	4.377	4.452	4.339	4.480	4.218	4.373	4.450	4.374	1.84
10) CHLOROMETHANE	0.724	0.744	0.629	1.025	0.620	0.621	0.602	0.779	0.643	0.710	18.92
11) VINYL CHLORIDE	1.886	1.865	1.829	2.047	1.856	1.838	1.770	1.914	1.843	1.872	4.11
12) 1,3-BUTADIENE	1.739	1.744	1.782	2.033	1.747	1.761	1.705	1.800	1.822	1.792	5.40
13) N-BUTANE	3.392	3.625	3.414	5.262	3.398	3.356	3.286	3.884	3.484	3.678	16.87
14) BROMOMETHANE	1.377	1.379	1.398	1.643	1.414	1.398	1.352	1.502	1.399	1.429	6.33
15) CHLOROETHANE	0.891	0.919	0.891	0.997	0.904	0.894	0.856	0.947	0.897	0.911	4.42
16) DICHLOROFLUOROMETHANE	3.365	3.699	3.475	3.908	3.512	3.453	3.350	3.511	3.500	3.530	4.92
17) ACETONITRILE	1.850	1.817	1.928	2.473	1.872	1.872	1.865	2.010	1.926	1.957	10.30
18) ACROLEIN	0.770	0.824	0.912	1.134	0.905	0.910	0.890	0.790	0.914	0.894	11.84
19) FREON 123	3.382	3.447	3.471	3.449	3.559	3.509	3.395	3.447	3.490	3.461	1.58
20) FREON 123A	1.926	1.947	1.932	2.216	2.016	1.997	1.903	1.921	1.932	1.977	4.91
21) TRICHLOROFLUOROMETHANE	4.064	4.018	4.151	4.304	4.155	4.155	4.041	3.987	4.208	4.121	2.47
22) ISOPROPYL ALCOHOL	4.857	5.455	4.111	5.958	4.497	4.444	4.099	5.392	4.159	4.775	14.27
23) ACETONE											

Initial Calibration Summary

Job Number: JD52620 **Sample:** V2W2619-ICC2619
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W58811.D
Project: EPT, Ithaca, NY

		1.318	1.394	0.949		1.012	0.991	0.955	1.433	0.956	1.126	19.12
24)	PENTANE											
		2.363	2.619	2.368	2.757	2.401	2.393	2.314	2.463	2.370	2.450	5.91
25)	IODOMETHANE											
		3.396	3.374	3.560	3.641	3.586	3.569	3.451	3.437	3.608	3.513	2.82
26)	1,1-DICHLOROETHYLENE											
		1.402	1.453	1.405	1.523	1.496	1.454	1.391	1.377	1.405	1.434	3.52
27)	CARBON DISULFIDE											
		4.117	4.245	4.195	4.215	4.324	4.212	4.074	3.969	4.247	4.177	2.56
28)	ETHANOL											
		1.510		0.955		0.993	0.991	0.934		0.968	1.059	20.99
29)	BROMOETHENE											
		1.412	1.398	1.424	1.436	1.448	1.429	1.385	1.444	1.436	1.424	1.50
30)	ACRYLONITRILE											
		1.566	1.600	1.613	1.987	1.565	1.581	1.544	1.574	1.636	1.630	8.40
31)	METHYLENE CHLORIDE											
		1.612	2.030	1.263		1.372	1.327	1.259	2.519	1.260	1.580	29.28
32)	3-CHLOROPROPENE											
		0.641	0.626	0.654	0.705	0.646	0.670	0.644	0.730	0.624	0.660	5.44
33)	FREON 113											
		2.222	2.166	2.244	2.264	2.337	2.304	2.214	2.201	2.272	2.247	2.36
34)	TRANS-1,2-DICHLOROETHENE											
		1.416	1.485	1.494	1.596	1.493	1.504	1.462	1.472	1.512	1.493	3.21
35)	TERTIARY BUTYL ALCOHOL											
		3.589	3.873	3.909	4.118	4.585	4.520	4.043	3.840	3.864	4.038	8.09
36)	METHYL TERTIARY BUTYL ETHER											
		4.183	4.211	4.467	4.369	4.502	4.511	4.371	4.017	4.525	4.351	4.08
37)	TETRAHYDROFURAN											
		0.602	0.608	0.655	0.714	0.657	0.659	0.638	0.640	0.665	0.649	5.08
38)	HEXANE											
		3.282	3.284	3.286	3.763	3.413	3.361	3.246	3.329	3.303	3.363	4.70
39)	VINYL ACETATE											
		0.289	0.283	0.365		0.366	0.363	0.351	0.297	0.368	0.335	11.47
40)	1,1-DICHLOROETHANE											
		2.955	2.919	3.166	3.023	3.130	3.128	3.076	2.993	3.193	3.065	3.16
41)	METHYL ETHYL KETONE											
		0.648	0.621	0.696	0.823	0.706	0.701	0.679	0.650	0.698	0.691	8.31
42)	CIS-1,2-DICHLOROETHENE											
		1.375	1.390	1.505	1.555	1.467	1.484	1.457	1.335	1.515	1.454	4.98
43)	DIISOPROPYL ETHER											
		0.943	0.920	0.916	1.003	0.944	0.941	0.909	0.927	0.925	0.936	2.99
44)	ETHYL ACETATE											
		0.594	0.592	0.609	0.652	0.610	0.618	0.594	0.591	0.610	0.608	3.16
45)	METHYL ACRYLATE											
		4.167	4.195	4.277	4.602	4.367	4.337	4.196	4.296	4.304	4.304	3.04
46)	CHLOROFORM											
		3.248	3.197	3.244	3.380	3.317	3.285	3.194	3.293	3.297	3.273	1.81
47)	2,4-DIMETHYLPENTANE											
		3.688	3.760	3.981	4.109	3.855	3.932	3.868	3.749	4.032	3.886	3.61
48)	1,1,1-TRICHLOROETHANE											
		3.116	3.205	3.551	3.412	3.423	3.482	3.409	3.139	3.625	3.373	5.36
49)	CARBON TETRACHLORIDE											
		3.092	3.149	3.971	3.236	3.648	3.917	3.818	3.143	4.067	3.560	11.29
50)	1,2-DICHLOROETHANE											
		2.382	2.411	2.680	2.506	2.504	2.526	2.533	2.420	2.741	2.523	4.78
51)	BENZENE											
		3.982	4.669	4.423	4.528	4.090	5.054	4.875	4.803	4.439	4.540	7.79
52)	I 1,4-DIFLUOROBENZENE	----------					ISTD					
53)	CYCLOHEXANE											

6.9.1

6

		0.324	0.338	0.355	0.378	0.349	0.356	0.347	0.340	0.352	0.349	4.27
54)	2,3-DIMETHYLPENTANE											
		0.189	0.192	0.188	0.198	0.190	0.191	0.183	0.191	0.188	0.190	2.09
55)	TRICHLOROETHENE											
		0.358	0.368	0.382	0.366	0.389	0.388	0.376	0.368	0.381	0.375	2.86
56)	1,2-DICHLOROPROPANE											
		0.369	0.375	0.393	0.501	0.383	0.385	0.380	0.380	0.391	0.395	10.22
57)	DIBROMOMETHANE											
		0.307	0.319	0.323	0.437	0.309	0.311	0.309	0.343	0.326	0.332	12.40
58)	ETHYL ACRYLATE											
		0.905	0.901	1.092	1.041	1.006	1.038	1.030	0.894	1.106	1.001	8.19
59)	BROMODICHLOROMETHANE											
		0.598	0.600	0.684	0.623	0.660	0.667	0.658	0.606	0.689	0.643	5.62
60)	2,2,4-TRIMETHYLPENTANE											
		1.978	1.988	2.062	2.144	2.081	2.044	1.996	1.983	2.047	2.036	2.73
61)	1,4-DIOXANE											
		0.172	0.176	0.181	0.221	0.198	0.194	0.184	0.192	0.180	0.189	7.85
62)	HEPTANE											
		0.786	0.767	0.886	0.935	0.852	0.857	0.844	0.788	0.890	0.845	6.58
63)	METHYL METHACRYLATE											
		0.295	0.299	0.338	0.367	0.331	0.330	0.324	0.301	0.339	0.325	7.18
64)	METHYL ISOBUTYL KETONE											
		0.342	0.346	0.420	0.412	0.386	0.396	0.399	0.344	0.417	0.385	8.38
65)	CIS-1,3-DICHLOROPROPENE											
		0.443	0.436	0.542	0.485	0.486	0.494	0.495	0.446	0.549	0.486	8.33
66)	TOLUENE											
		0.946	0.985	1.154	1.028	1.034	1.085	1.083	0.981	1.152	1.050	7.08
67)	1,3-DICHLOROPROPANE											
		0.466	0.479	0.552	0.523	0.526	0.547	0.535	0.472	0.558	0.517	6.90
68)	TRANS-1,3-DICHLOROPROPENE											
		0.394	0.416	0.513	0.446	0.449	0.468	0.474	0.387	0.529	0.453	10.85
69)	1,1,2-TRICHLOROETHANE											
		0.279	0.286	0.338	0.281	0.302	0.320	0.323	0.285	0.338	0.306	7.96
70)	2-HEXANONE											
		0.419	0.430	0.559	0.474	0.515	0.533	0.534	0.429	0.559	0.495	11.59
71)	ETHYL METHACRYLATE											
		0.489	0.495	0.606	0.508	0.580	0.597	0.589	0.465	0.602	0.548	10.47
72)	TETRACHLOROETHENE											
		0.320	0.325	0.401	0.366	0.355	0.370	0.374	0.309	0.404	0.358	9.58
73)	DIBROMOCHLOROMETHANE											
		0.571	0.570	0.751	0.609	0.651	0.684	0.705	0.561	0.760	0.652	11.99
74)	1,2-DIBROMOETHANE											
		0.500	0.502	0.618	0.532	0.578	0.593	0.586	0.492	0.621	0.558	9.30
75)	OCTANE											
		1.026	1.031	1.286	1.192	1.175	1.219	1.222	1.063	1.291	1.167	8.84
76)	I CHLOROBENZENE-D5	----------				ISTD				----------		
77)	1,1,1,2-TETRACHLOROETHANE											
		0.458	0.459	0.519	0.500	0.517	0.530	0.514	0.437	0.521	0.495	6.95
78)	CHLOROBENZENE											
		0.864	0.873	0.960	0.945	0.967	0.988	0.953	0.865	0.960	0.931	5.26
79)	ETHYLBENZENE											
		1.387	1.395	1.694	1.380	1.561	1.620	1.626	1.383	1.696	1.527	9.12
80)	M,P-XYLENE											
		1.055	1.030	1.243	1.075	1.277	1.308	1.259	1.007	1.226	1.164	10.29
81)	O-XYLENE											
		1.060	1.056	1.271	1.067	1.257	1.314	1.268	1.044	1.261	1.178	9.85
82)	STYRENE											
		0.771	0.731	0.971	0.735	0.920	0.956	0.948	0.719	0.965	0.857	13.29
83)	NONANE											

Initial Calibration Summary

Job Number: JD52620 **Sample:** V2W2619-ICC2619
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W58811.D
Project: EPT, Ithaca, NY

		1.217	1.214	1.432	1.426	1.397	1.430	1.403	1.202	1.437	1.351	7.84
84)	BROMOFORM											
		0.491	0.483	0.720	0.464	0.636	0.685	0.687	0.446	0.727	0.593	20.12
85)	1,1,2,2-TETRACHLOROETHANE											
		0.686	0.707	0.913	0.741	0.920	0.963	0.930	0.719	0.897	0.831	13.67
86)	1,2,3-TRICHLOROPROPANE											
		0.551	0.550	0.704	0.559	0.693	0.723	0.696	0.547	0.701	0.636	12.63
87)	4-BROMOFLUOROBENZENE											
		0.719	0.703	0.746	0.692	0.740	0.747	0.744	0.703	0.730	0.725	2.92
88)	ISOPROPYLBENZENE											
		0.413	0.399	0.457	0.404	0.487	0.493	0.470	0.404	0.451	0.442	8.55
89)	BROMOBENZENE											
		0.730	0.717	0.868	0.741	0.871	0.886	0.853	0.728	0.869	0.807	9.24
90)	2-CHLOROTOLUENE											
		0.336	0.342	0.422	0.320	0.394	0.410	0.411	0.335	0.424	0.377	11.39
91)	N-PROPYLBENZENE											
		0.390	0.383	0.490	0.360	0.473	0.506	0.491	0.358	0.484	0.437	14.28
92)	4-ETHYLTOLUENE											
		1.372	1.333	1.851	1.361	1.791	1.898	1.840	1.361	1.843	1.628	15.90
93)	1,3,5-TRIMETHYLBENZENE											
		1.167	1.165	1.509	1.098	1.537	1.590	1.528	1.146	1.502	1.360	15.25
94)	ALPHA-METHYLSTYRENE											
		0.552	0.536	0.748	0.558	0.774	0.796	0.763	0.539	0.741	0.667	17.44
95)	TERT-BUTYLBENZENE											
		0.262	0.268	0.307	0.282	0.327	0.335	0.315	0.276	0.305	0.297	8.88
96)	1,2,4-TRIMETHYLBENZENE											
		1.143	1.097	1.458	1.068	1.548	1.578	1.490	1.066	1.438	1.321	16.71
97)	BENZYL CHLORIDE											
		0.694	0.675	1.242		1.278	1.333	1.287	0.659	1.211	1.047	29.57
98)	M-DICHLOROBENZENE											
		0.600	0.601	0.802	0.616	0.867	0.881	0.830	0.608	0.789	0.733	16.82
99)	P-DICHLOROBENZENE											
		0.590	0.578	0.779	0.672	0.859	0.867	0.811	0.583	0.764	0.722	16.42
100)	O-DICHLOROBENZENE											
		0.574	0.564	0.735	0.595	0.813	0.822	0.762	0.565	0.725	0.684	15.90
101)	SEC-BUTYLBENZENE											
		0.326	0.327	0.358	0.346	0.410	0.409	0.379	0.305	0.354	0.357	10.22
102)	1,2,3-TRIMETHYLBENZENE											
		1.074	1.105	1.348	1.142	1.474	1.481	1.397	1.091	1.324	1.271	13.21
103)	P-ISOPROPYLTOLUENE											
		0.343	0.337	0.380	0.344	0.438	0.428	0.390	0.321	0.378	0.373	10.98
104)	N-BUTYLBENZENE											
		0.298	0.293	0.370	0.282	0.395	0.400	0.376	0.267	0.372	0.339	15.61
105)	HEXACHLOROETHANE											
		0.437	0.414	0.589	0.427	0.630	0.636	0.594	0.387	0.583	0.522	19.65
106)	HEXACHLOROBUTADIENE											
		0.326	0.325	0.558	0.362	0.521	0.541	0.533	0.328	0.553	0.450	24.38
107)	1,2,4-TRICHLOROBENZENE											
		0.282	0.264	0.594		0.509	0.553	0.566		0.598	0.481	30.16
108)	NAPHTHALENE											
		0.809	0.740	1.410	0.899	1.365	1.463	1.450	0.701	1.263	1.122	29.15

(#) = Out of Range ### Number of calibration levels exceeded format ###

M2W2619.M Wed May 11 14:59:44 2022 GCMS2W

6.9.1

6

Initial Calibration Verification

Job Number: JD52620 **Sample:** V2W2619-ICV2619
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W58819.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data Path : C:\msdchem\1\DATA\
Data File : 2w58819.D
Acq On : 27 Apr 2022 10:06 am
Operator : thomash
Sample : icv2619-10
Misc : MS57824,V2w2619,,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: May 11 14:50:57 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:46:06 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.33min
Max. RRF Dev : 30% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	BROMOCHLOROMETHANE	1.000	1.000	0.0	111	0.00
2	T	FREON 115	1.991	1.476	25.9	81	0.00
3	T	FREON 152A	1.178	1.086	7.8	105	0.00
4	T	CHLORODIFLUOROMETHANE	0.534	0.503	5.8	108	0.00
5	T	CHLOROTRIFLUOROETHENE	2.349	2.229	5.1	106	0.00
6	T	DICHLORODIFLUOROMETHANE	5.297	4.405	16.8	93	0.00
7	T	PROPYLENE	2.155	1.842	14.5	98	0.01
8	T	1-CHLORO-1,1-DIFLUOROETHANE	3.725	3.493	6.2	105	0.00
9	T	FREON 114	4.374	4.265	2.5	106	0.00
10	T	CHLOROMETHANE	0.710	0.577	18.7	103	0.00
11	T	VINYL CHLORIDE	1.872	1.744	6.8	105	0.00
12	t	1,3-BUTADIENE	1.792	1.627	9.2	102	0.00
13	T	N-BUTANE	3.678	3.058	16.9	101	0.00
14	T	BROMOMETHANE	1.429	1.360	4.8	108	0.00
15	T	CHLOROETHANE	0.911	0.859	5.7	107	0.00
16	T	DICHLOROFLUOROMETHANE	3.530	3.282	7.0	105	0.00
17	T	ACETONITRILE	1.957	1.683	14.0	100	0.00
18	T	ACROLEIN	0.894	0.683	23.6	83	0.00
19	T	FREON 123	3.461	3.506	-1.3	111	0.00
20	T	FREON 123A	1.977	2.124	-7.4	118	0.00
21	T	TRICHLOROFLUOROMETHANE	4.121	4.040	2.0	108	0.00
22	T	ISOPROPYL ALCOHOL	4.775	4.165	12.8	104	0.00
23	T	ACETONE	1.126	0.942	16.3	105	0.00
24	T	PENTANE	2.450	2.219	9.4	103	0.00
25	T	IODOMETHANE	3.513	3.513	0.0	109	0.00
26	T	1,1-DICHLOROETHYLENE	1.434	1.428	0.4	109	0.00
27	T	CARBON DISULFIDE	4.177	3.888	6.9	102	0.00
28	T	ETHANOL	1.059	0.945	10.8	106	0.00
29	T	BROMOETHENE	1.424	1.418	0.4	110	0.00
30	T	ACRYLONITRILE	1.630	1.458	10.6	102	0.00
31	T	METHYLENE CHLORIDE	1.580	1.265	19.9	106	0.00
32	T	3-CHLOROPROPENE	0.660	0.638	3.3	106	0.00
33	T	FREON 113	2.247	2.209	1.7	106	0.00
34	T	TRANS-1,2-DICHLOROETHENE	1.493	1.468	1.7	108	0.00
35	T	TERTIARY BUTYL ALCOHOL	4.038	3.876	4.0	95	0.00
36	t	METHYL TERTIARY BUTYL ETHER	4.351	4.455	-2.4	110	0.00
37	T	TETRAHYDROFURAN	0.649	0.639	1.5	108	0.00
38	T	HEXANE	3.363	3.279	2.5	108	0.00

Initial Calibration Verification

Job Number: JD52620 **Sample:** V2W2619-ICV2619
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W58819.D
Project: EPT, Ithaca, NY

39	T	VINYL ACETATE	0.335	0.306	8.7	93	0.00
40	T	1,1-DICHLOROETHANE	3.065	3.107	-1.4	110	0.00
41	T	METHYL ETHYL KETONE	0.691	0.715	-3.5	113	0.00
42	T	CIS-1,2-DICHLOROETHENE	1.454	1.482	-1.9	111	0.00
43	T	DIISOPROPYL ETHER	0.936	0.905	3.3	107	0.00
44	T	ETHYL ACETATE	0.608	0.606	0.3	109	0.00
45	T	METHYL ACRYLATE	4.304	4.116	4.4	105	0.00
46	T	CHLOROFORM	3.273	3.150	3.8	106	0.00
47	T	2,4-DIMETHYLPENTANE	3.886	3.856	0.8	109	0.00
48	T	1,1,1-TRICHLOROETHANE	3.373	3.396	-0.7	108	0.00
49	T	CARBON TETRACHLORIDE	3.560	3.770	-5.9	107	0.00
50	T	1,2-DICHLOROETHANE	2.523	2.547	-1.0	112	0.00
51	t	BENZENE	4.540	4.184	7.8	92	0.00
52	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	103	0.00
53	T	CYCLOHEXANE	0.349	0.368	-5.4	107	0.00
54	T	2,3-DIMETHYLPENTANE	0.190	0.198	-4.2	107	0.00
55	T	TRICHLOROETHENE	0.375	0.402	-7.2	107	0.00
56	T	1,2-DICHLOROPROPANE	0.395	0.389	1.5	105	0.00
57	T	DIBROMOMETHANE	0.332	0.325	2.1	108	0.00
58	T	ETHYL ACRYLATE	1.001	1.041	-4.0	104	0.00
59	T	BROMODICHLOROMETHANE	0.643	0.683	-6.2	106	0.00
60	T	2,2,4-TRIMETHYLPENTANE	2.036	2.089	-2.6	106	0.00
61	T	1,4-DIOXANE	0.189	0.200	-5.8	107	0.00
62	T	HEPTANE	0.845	0.872	-3.2	105	0.00
63	T	METHYL METHACRYLATE	0.325	0.338	-4.0	106	0.00
64	T	METHYL ISOBUTYL KETONE	0.385	0.411	-6.8	107	0.00
65	T	CIS-1,3-DICHLOROPROPENE	0.486	0.557	-14.6	117	0.00
66	T	TOLUENE	1.050	1.119	-6.6	107	0.00
67	T	1,3-DICHLOROPROPANE	0.517	0.547	-5.8	103	0.00
68	T	TRANS-1,3-DICHLOROPROPENE	0.453	0.501	-10.6	111	0.00
69	T	1,1,2-TRICHLOROETHANE	0.306	0.326	-6.5	105	0.00
70	T	2-HEXANONE	0.495	0.552	-11.5	107	0.00
71	T	ETHYL METHACRYLATE	0.548	0.598	-9.1	103	0.00
72	T	TETRACHLOROETHENE	0.358	0.387	-8.1	108	0.00
73	T	DIBROMOCHLOROMETHANE	0.652	0.710	-8.9	107	0.00
74	T	1,2-DIBROMOETHANE	0.558	0.621	-11.3	108	0.00
75	T	OCTANE	1.167	1.229	-5.3	104	0.00
76	I	CHLOROBENZENE-D5	1.000	1.000	0.0	106	0.00
77	T	1,1,1,2-TETRACHLOROETHANE	0.495	0.520	-5.1	104	0.00
78	T	CHLOROBENZENE	0.931	0.974	-4.6	105	0.00
79	t	ETHYLBENZENE	1.527	1.623	-6.3	106	0.00
80	t	M,P-XYLENE	1.164	1.276	-9.6	103	0.00
81	t	O-XYLENE	1.178	1.295	-9.9	104	0.00
82	T	STYRENE	0.857	0.968	-13.0	107	0.00
83	T	NONANE	1.351	1.373	-1.6	102	0.00
84	T	BROMOFORM	0.593	0.704	-18.7	109	0.00
85	T	1,1,2,2-TETRACHLOROETHANE	0.831	0.927	-11.6	102	0.00
86	T	1,2,3-TRICHLOROPROPANE	0.636	0.708	-11.3	104	0.00
87	S	4-BROMOFLUOROBENZENE	0.725	0.746	-2.9	106	0.00
88	T	ISOPROPYLBENZENE	0.442	0.475	-7.5	102	0.00
89	T	BROMOBENZENE	0.807	0.852	-5.6	102	0.00
90	T	2-CHLOROTOLUENE	0.377	0.403	-6.9	104	0.00
91	T	N-PROPYLBENZENE	0.437	0.491	-12.4	103	0.00
92	T	4-ETHYLTOLUENE	1.628	1.864	-14.5	104	0.00
93	T	1,3,5-TRIMETHYLBENZENE	1.360	1.539	-13.2	103	0.00
94	T	ALPHA-METHYLSTYRENE	0.667	0.747	-12.0	99	0.00
95	T	TERT-BUTYLBENZENE	0.297	0.324	-9.1	102	0.00
96	T	1,2,4-TRIMETHYLBENZENE	1.321	1.517	-14.8	102	0.00

Initial Calibration Verification

Job Number: JD52620 **Sample:** V2W2619-ICV2619
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W58819.D
Project: EPT, Ithaca, NY

97	T	BENZYL CHLORIDE	1.047	1.117	-6.7	89	0.00
98	T	M-DICHLOROBENZENE	0.733	0.859	-17.2	103	0.00
99	T	P-DICHLOROBENZENE	0.722	0.851	-17.9	104	0.00
100	T	O-DICHLOROBENZENE	0.684	0.793	-15.9	102	0.00
101	T	SEC-BUTYLBENZENE	0.357	0.398	-11.5	103	0.00
102	T	1,2,3-TRIMETHYLBENZENE	1.271	1.434	-12.8	103	0.00
103	T	P-ISOPROPYLTOLUENE	0.373	0.407	-9.1	101	0.00
104	T	N-BUTYLBENZENE	0.339	0.392	-15.6	104	0.00
105	T	HEXACHLOROETHANE	0.522	0.598	-14.6	100	0.00
106	T	HEXACHLOROBUTADIENE	0.450	0.498	-10.7	98	0.00
107	T	1,2,4-TRICHLOROBENZENE	0.481	0.536	-11.4	103	0.00
108	T	NAPHTHALENE	1.122	1.359	-21.1	98	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 0

M2W2619.M Wed May 11 14:59:21 2022 GCMS2W

Continuing Calibration Summary

Job Number: JD52620 **Sample:** V2W2637-CC2619
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W59298.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data Path : C:\msdchem\1\DATA\
Data File : 2w59298.D
Acq On : 14 May 2022 3:47 pm
Operator : thomash
Sample : cc2619-10
Misc : MS58854,V2w2637,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 14 17:11:01 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:46:06 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.33min
Max. RRF Dev : 30% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	BROMOCHLOROMETHANE	1.000	1.000	0.0	100	0.00
2	T	FREON 115	1.991	1.086	45.5#	53	0.01
3	T	FREON 152A	1.178	1.261	-7.0	110	0.00
4	T	CHLORODIFLUOROMETHANE	0.534	0.643	-20.4	125	0.00
5	T	CHLOROTRIFLUOROETHENE	2.349	2.466	-5.0	106	0.00
6	T	DICHLORODIFLUOROMETHANE	5.297	5.625	-6.2	107	0.00
7	T	PROPYLENE	2.155	2.442	-13.3	117	0.02
8	T	1-CHLORO-1,1-DIFLUOROETHANE	3.725	4.800	-28.9	130	0.00
9	T	FREON 114	4.374	4.686	-7.1	104	0.00
10	T	CHLOROMETHANE	0.710	0.701	1.3	113	0.00
11	T	VINYL CHLORIDE	1.872	1.950	-4.2	106	0.00
12	t	1,3-BUTADIENE	1.792	1.943	-8.4	110	0.00
13	T	N-BUTANE	3.678	3.856	-4.8	115	0.00
14	T	BROMOMETHANE	1.429	1.425	0.3	102	0.00
15	T	CHLOROETHANE	0.911	0.921	-1.1	103	0.00
16	T	DICHLOROFLUOROMETHANE	3.530	3.829	-8.5	111	0.00
17	T	ACETONITRILE	1.957	2.090	-6.8	111	0.00
18	T	ACROLEIN	0.894	0.842	5.8	92	0.00
19	T	FREON 123	3.461	3.573	-3.2	102	0.00
20	T	FREON 123A	1.977	2.148	-8.6	107	0.00
21	T	TRICHLOROFLUOROMETHANE	4.121	5.049	-22.5	121	0.00
22	T	ISOPROPYL ALCOHOL	4.775	5.063	-6.0	114	0.00
23	T	ACETONE	1.126	1.043	7.4	105	0.00
24	T	PENTANE	2.450	2.662	-8.7	111	0.00
25	T	IODOMETHANE	3.513	3.649	-3.9	102	0.00
26	T	1,1-DICHLOROETHYLENE	1.434	1.485	-3.6	102	0.00
27	T	CARBON DISULFIDE	4.177	4.289	-2.7	102	0.00
28	T	ETHANOL	1.059	1.094	-3.3	110	0.00
29	T	BROMOETHENE	1.424	1.476	-3.7	103	0.00
30	T	ACRYLONITRILE	1.630	1.744	-7.0	110	0.00
31	T	METHYLENE CHLORIDE	1.580	1.349	14.6	101	0.00
32	T	3-CHLOROPROPENE	0.660	0.633	4.1	94	0.00
33	T	FREON 113	2.247	2.427	-8.0	105	0.00
34	T	TRANS-1,2-DICHLOROETHENE	1.493	1.512	-1.3	100	0.00
35	T	TERTIARY BUTYL ALCOHOL	4.038	4.616	-14.3	102	0.00
36	t	METHYL TERTIARY BUTYL ETHER	4.351	4.635	-6.5	102	0.00
37	T	TETRAHYDROFURAN	0.649	0.636	2.0	96	0.00
38	T	HEXANE	3.363	3.557	-5.8	106	0.00

Continuing Calibration Summary

Job Number: JD52620 **Sample:** V2W2637-CC2619
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W59298.D
Project: EPT, Ithaca, NY

39	T	VINYL ACETATE	0.335	0.350	-4.5	96	0.00
40	T	1,1-DICHLOROETHANE	3.065	3.362	-9.7	107	0.00
41	T	METHYL ETHYL KETONE	0.691	0.661	4.3	94	0.00
42	T	CIS-1,2-DICHLOROETHENE	1.454	1.501	-3.2	101	0.00
43	T	DIISOPROPYL ETHER	0.936	0.973	-4.0	103	0.00
44	T	ETHYL ACETATE	0.608	0.602	1.0	97	0.00
45	T	METHYL ACRYLATE	4.304	4.607	-7.0	106	0.00
46	T	CHLOROFORM	3.273	3.646	-11.4	111	0.00
47	T	2,4-DIMETHYLPENTANE	3.886	4.092	-5.3	104	0.00
48	T	1,1,1-TRICHLOROETHANE	3.373	3.987	-18.2	114	0.00
49	T	CARBON TETRACHLORIDE	3.560	4.506	-26.6	115	0.00
50	T	1,2-DICHLOROETHANE	2.523	3.163	-25.4	125	0.00
51	t	BENZENE	4.540	5.161	-13.7	102	0.00
52	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	99	0.00
53	T	CYCLOHEXANE	0.349	0.362	-3.7	100	0.00
54	T	2,3-DIMETHYLPENTANE	0.190	0.190	0.0	98	0.00
55	T	TRICHLOROETHENE	0.375	0.406	-8.3	103	0.00
56	T	1,2-DICHLOROPROPANE	0.395	0.410	-3.8	105	0.00
57	T	DIBROMOMETHANE	0.332	0.323	2.7	102	0.00
58	T	ETHYL ACRYLATE	1.001	1.132	-13.1	108	0.00
59	T	BROMODICHLOROMETHANE	0.643	0.732	-13.8	108	0.00
60	T	2,2,4-TRIMETHYLPENTANE	2.036	2.270	-11.5	110	0.00
61	T	1,4-DIOXANE	0.189	0.182	3.7	93	0.00
62	T	HEPTANE	0.845	1.006	-19.1	116	0.00
63	T	METHYL METHACRYLATE	0.325	0.324	0.3	97	0.00
64	T	METHYL ISOBUTYL KETONE	0.385	0.407	-5.7	101	0.00
65	T	CIS-1,3-DICHLOROPROPENE	0.486	0.495	-1.9	99	0.00
66	T	TOLUENE	1.050	1.082	-3.0	98	0.00
67	T	1,3-DICHLOROPROPANE	0.517	0.540	-4.4	97	0.00
68	T	TRANS-1,3-DICHLOROPROPENE	0.453	0.453	0.0	96	0.00
69	T	1,1,2-TRICHLOROETHANE	0.306	0.325	-6.2	100	0.00
70	T	2-HEXANONE	0.495	0.507	-2.4	94	0.00
71	T	ETHYL METHACRYLATE	0.548	0.557	-1.6	92	0.00
72	T	TETRACHLOROETHENE	0.358	0.396	-10.6	105	0.00
73	T	DIBROMOCHLOROMETHANE	0.652	0.724	-11.0	104	0.00
74	T	1,2-DIBROMOETHANE	0.558	0.581	-4.1	97	0.00
75	T	OCTANE	1.167	1.433	-22.8	116	0.00
76	I	CHLOROBENZENE-D5	1.000	1.000	0.0	100	0.00
77	T	1,1,1,2-TETRACHLOROETHANE	0.495	0.538	-8.7	101	0.00
78	T	CHLOROBENZENE	0.931	0.950	-2.0	96	0.00
79	t	ETHYLBENZENE	1.527	1.629	-6.7	101	0.00
80	t	M,P-XYLENE	1.164	1.308	-12.4	100	0.00
81	t	O-XYLENE	1.178	1.330	-12.9	101	0.00
82	T	STYRENE	0.857	0.899	-4.9	94	0.00
83	T	NONANE	1.351	1.680	-24.4	117	0.00
84	T	BROMOFORM	0.593	0.695	-17.2	101	0.00
85	T	1,1,2,2-TETRACHLOROETHANE	0.831	0.949	-14.2	99	0.00
86	T	1,2,3-TRICHLOROPROPANE	0.636	0.724	-13.8	100	0.00
87	S	4-BROMOFLUOROBENZENE	0.725	0.777	-7.2	104	0.00
88	T	ISOPROPYLBENZENE	0.442	0.486	-10.0	99	0.00
89	T	BROMOBENZENE	0.807	0.850	-5.3	96	0.00
90	T	2-CHLOROTOLUENE	0.377	0.410	-8.8	100	0.00
91	T	N-PROPYLBENZENE	0.437	0.494	-13.0	98	0.00
92	T	4-ETHYLTOLUENE	1.628	1.897	-16.5	100	0.00
93	T	1,3,5-TRIMETHYLBENZENE	1.360	1.621	-19.2	102	0.00
94	T	ALPHA-METHYLSTYRENE	0.667	0.765	-14.7	96	0.00
95	T	TERT-BUTYLBENZENE	0.297	0.331	-11.4	99	0.00
96	T	1,2,4-TRIMETHYLBENZENE	1.321	1.613	-22.1	102	0.00

Continuing Calibration Summary

Job Number: JD52620 **Sample:** V2W2637-CC2619
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W59298.D
Project: EPT, Ithaca, NY

97	T	BENZYL CHLORIDE	1.047	1.053	-0.6	79	0.00
98	T	M-DICHLOROBENZENE	0.733	0.834	-13.8	95	0.00
99	T	P-DICHLOROBENZENE	0.722	0.793	-9.8	91	0.00
100	T	O-DICHLOROBENZENE	0.684	0.802	-17.3	98	0.00
101	T	SEC-BUTYLBENZENE	0.357	0.408	-14.3	100	0.00
102	T	1,2,3-TRIMETHYLBENZENE	1.271	1.526	-20.1	103	0.00
103	T	P-ISOPROPYLTOLUENE	0.373	0.429	-15.0	100	0.00
104	T	N-BUTYLBENZENE	0.339	0.391	-15.3	98	0.00
105	T	HEXACHLOROETHANE	0.522	0.602	-15.3	95	0.00
106	T	HEXACHLOROBUTADIENE	0.450	0.572	-27.1	106	0.00
107	T	1,2,4-TRICHLOROBENZENE	0.481	0.468	2.7	85	0.00
108	T	NAPHTHALENE	1.122	1.156	-3.0	79	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 0

M2W2619.M Sat May 14 18:51:09 2022 GCMS2W

Initial Calibration Summary

Job Number: JD52620 **Sample:** V2W2709-ICC2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61016.D
Project: EPT, Ithaca, NY

Response Factor Report MS2W

Method : C:\msdchem\1\METHODS\M2W2709.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
Last Update : Wed Aug 24 16:16:55 2022
Response via : Initial Calibration

Calibration Files
0.5 =2w61013.D 0.2 =2w61012.D 40 =2w61018.D 0.04=2w61010.D
5 =2w61015.D 10 =2w61016.D 20 =2w61017.D 0.1 =2w61011.D
50 =2w61019.D =

Compound	0.5	0.2	40	0.04	5	10	20	0.1	50	Avg	%RSD
1) I BROMOCHLOROMETHANE	----------ISTD----------										
2) FREON 115										0.000	-1.00
3) FREON 152A	0.838	0.825	0.806	0.879	0.869	0.830	0.863	0.815		0.841	3.17
4) CHLORODIFLUOROMETHANE	0.372	0.363	0.362	0.399	0.399	0.373	0.348	0.372		0.373	4.71
5) CHLOROTRIFLUOROETHENE	2.153	2.129	2.081	2.302	2.239	2.145	2.142	2.092		2.160	3.44
6) DICHLORODIFLUOROMETHANE	4.762	4.819	4.906	5.202	5.120	4.926	5.171	4.897		4.975	3.35
7) PROPYLENE	0.914	0.967	0.834	0.972	0.928	0.871	1.162	0.865		0.939	10.91
8) 1-CHLORO-1,1-DIFLUOROETHANE	3.571	3.624	3.719	3.900	3.869	3.704	3.759	3.819		3.746	3.06
9) FREON 114	4.333	4.434	4.426	4.704	4.590	4.410	4.427	4.525		4.481	2.65
10) CHLOROMETHANE	0.506	0.550	0.451	0.514	0.494	0.470	0.572	0.452		0.501	8.74
11) VINYL CHLORIDE	1.663	1.686	1.644	1.860	1.810	1.702	1.894	1.665		1.740	5.66
12) 1,3-BUTADIENE	1.366	1.370	1.281	1.439	1.397	1.310	1.299	1.289		1.344	4.28
13) N-BUTANE	2.269	2.553	2.107	2.376	2.259	2.147	2.874	2.138		2.340	11.13
14) BROMOMETHANE	1.503	1.613	1.479	1.640	1.587	1.512	1.744	1.500		1.572	5.81
15) CHLOROETHANE	0.903	0.856	0.907	1.013	0.976	0.923	0.968	0.902		0.931	5.44
16) DICHLOROFLUOROMETHANE	3.598	3.694	3.583	3.922	3.830	3.629	3.741	3.638		3.704	3.24
17) ACETONITRILE	1.365	1.494	1.251	1.429	1.376	1.297	1.656	1.264		1.391	9.73
18) ACROLEIN	0.319	0.337	0.744	0.842	0.810	0.772	0.330	0.758		0.614	38.79
19) FREON 123	3.923	3.981	4.088	4.370	4.246	4.078	4.038	4.209		4.117	3.60
20) FREON 123A	2.244	2.227	2.340	2.508	2.458	2.356	2.519	2.399		2.381	4.67
21) TRICHLOROFLUOROMETHANE	4.929	4.902	5.160	5.621	5.405	5.201	4.954	5.246		5.177	4.86
22) ISOPROPYL ALCOHOL	4.300	4.269	3.712	4.118	3.969	3.743	5.126	3.820		4.132	11.16
23) ACETONE											

	1.566	1.798	1.023	1.159	1.103	1.038	1.821	1.034	1.318	26.64
24)	PENTANE									
	2.200	2.462	2.047	2.324	2.206	2.070	2.693	2.112	2.264	9.77
25)	IODOMETHANE									
	4.826	4.903	4.952	5.421	5.220	4.997	5.092	5.077	5.061	3.75
26)	1,1-DICHLOROETHYLENE									
	1.840	1.956	1.925	2.169	2.055	1.953	2.020	1.978	1.987	4.91
27)	CARBON DISULFIDE									
	5.500	5.433	6.228	6.322	6.234	6.009	5.668	6.481	5.984	6.69
28)	ETHANOL									
	0.938	1.040	0.635	0.703	0.683	0.640	1.231	0.638	0.813	28.02
29)	BROMOETHENE									
	1.567	1.573	1.591	1.739	1.702	1.612	1.461	1.603	1.606	5.30
30)	ACRYLONITRILE									
	1.532	1.618	1.471	1.706	1.642	1.514	1.508	1.496	1.561	5.35
31)	METHYLENE CHLORIDE									
	2.181	2.729	1.734	2.004	1.907	1.773	3.559	1.755	2.205	28.94
32)	3-CHLOROPROPENE									
	1.089	1.098	0.947	1.054	1.007	0.955	1.032	0.974	1.020	5.73
33)	FREON 113									
	3.110	3.182	3.390	3.562	3.457	3.346	3.225	3.519	3.349	4.89
34)	TRANS-1,2-DICHLOROETHENE									
	1.598	1.652	1.617	1.790	1.709	1.623	1.626	1.623	1.655	3.87
35)	TERTIARY BUTYL ALCOHOL									
	4.966	5.245	5.039	5.455	5.245	5.002	5.464	5.234	5.206	3.70
36)	METHYL TERTIARY BUTYL ETHER									
	4.108	4.159	4.200	4.533	4.346	4.204	4.399	4.339	4.286	3.32
37)	TETRAHYDROFURAN									
	0.701	0.710	0.734	0.821	0.801	0.754	0.522	0.740	0.723	12.60
38)	HEXANE									
	2.686	2.707	2.983	3.064	2.974	2.883	2.733	3.087	2.890	5.61
39)	VINYL ACETATE									
	0.394	0.330	0.442	0.438	0.451	0.444	0.310	0.449	0.407	14.02
40)	1,1-DICHLOROETHANE									
	2.855	3.072	2.888	3.174	3.050	2.919	2.786	2.946	2.961	4.32
41)	METHYL ETHYL KETONE									
	0.705	0.708	0.754	0.840	0.800	0.775	0.541	0.768	0.736	12.32
42)	CIS-1,2-DICHLOROETHENE									
	1.764	1.801	1.686	1.898	1.824	1.751	1.766	1.722	1.776	3.66
43)	DIISOPROPYL ETHER									
	0.751	0.796	0.884	0.896	0.872	0.856	0.797	0.918	0.846	6.91
44)	ETHYL ACETATE									
	0.516	0.501	0.624	0.641	0.616	0.602		0.646	0.592	9.99
45)	METHYL ACRYLATE									
	3.029	2.824	3.666	3.700	3.647	3.541	2.972	3.806	3.398	11.44
46)	CHLOROFORM									
	3.475	3.504	3.589	3.867	3.695	3.565	3.587	3.673	3.619	3.44
47)	2,4-DIMETHYLPENTANE									
	3.337	3.430	3.242	3.600	3.413	3.267	3.345	3.303	3.367	3.39
48)	1,1,1-TRICHLOROETHANE									
	3.364	3.500	3.611	3.841	3.752	3.656	3.447	3.706	3.609	4.50
49)	CARBON TETRACHLORIDE									
	3.168	3.172	3.789	3.823	3.833	3.765	3.166	3.894	3.576	9.49
50)	1,2-DICHLOROETHANE									
	2.487	2.397	2.374	2.626	2.541	2.417	2.316	2.454	2.451	4.03
51)	BENZENE									
	5.070	5.326	4.919	5.498	5.233	5.030	5.280	4.976	5.167	3.86
52)	I 1,4-DIFLUOROBENZENE	----------	ISTD	----------						
53)	CYCLOHEXANE									

Initial Calibration Summary

Job Number: JD52620 **Sample:** V2W2709-ICC2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61016.D
Project: EPT, Ithaca, NY

```
          0.413 0.424 0.411       0.449 0.433 0.413 0.416 0.418   0.422    3.07
54)  2,3-DIMETHYLPENTANE
          0.204 0.196 0.207       0.222 0.215 0.206 0.195 0.212   0.207    4.37
55)  TRICHLOROETHENE
          0.425 0.404 0.447 0.320 0.470 0.457 0.442 0.394 0.457   0.424   10.95
56)  1,2-DICHLOROPROPANE
          0.373 0.374 0.377       0.402 0.387 0.374 0.383 0.383   0.382    2.57
57)  DIBROMOMETHANE
          0.444 0.444 0.423       0.448 0.432 0.419 0.449 0.429   0.436    2.71
58)  ETHYL ACRYLATE
          0.578 0.569 0.802       0.813 0.790 0.773 0.587 0.827   0.717   16.27
59)  BROMODICHLOROMETHANE
          0.630 0.616 0.749       0.748 0.747 0.729 0.617 0.763   0.700    9.43
60)  2,2,4-TRIMETHYLPENTANE
          1.662 1.696 1.665       1.773 1.700 1.631 1.683 1.706   1.689    2.47
61)  1,4-DIOXANE
          0.201 0.172 0.211       0.219 0.210 0.206       0.215   0.205    7.62
62)  HEPTANE
          0.497 0.540 0.529       0.557 0.532 0.512 0.539 0.549   0.532    3.66
63)  METHYL METHACRYLATE
          0.259 0.259 0.355       0.372 0.363 0.350 0.288 0.361   0.326   14.90
64)  METHYL ISOBUTYL KETONE
          0.203 0.208 0.307       0.322 0.312 0.300 0.211 0.315   0.272   19.93
65)  CIS-1,3-DICHLOROPROPENE
          0.454 0.430 0.559       0.555 0.546 0.541 0.390 0.571   0.506   13.83
66)  TOLUENE
          1.160 1.113 1.205       1.264 1.238 1.195 1.241 1.228   1.206    4.09
67)  1,3-DICHLOROPROPANE
          0.534 0.533 0.582       0.613 0.600 0.574 0.554 0.592   0.573    5.20
68)  TRANS-1,3-DICHLOROPROPENE
          0.374 0.327 0.526       0.487 0.503 0.502 0.371 0.538   0.453   18.09
69)  1,1,2-TRICHLOROETHANE
          0.362 0.326 0.356       0.377 0.361 0.351 0.332 0.360   0.353    4.74
70)  2-HEXANONE
          0.085 0.075 0.384       0.381 0.382 0.373 0.062 0.394   0.267   59.92
           ----- Linear regression -----  Coefficient =  0.9996
             Response Ratio = -0.01215 + 0.39178 *A

71)  ETHYL METHACRYLATE
          0.330 0.303 0.568       0.564 0.571 0.557 0.326 0.580   0.475   27.13
72)  TETRACHLOROETHENE
          0.486 0.496 0.471 0.463 0.498 0.491 0.469 0.493 0.478   0.483    2.66
73)  DIBROMOCHLOROMETHANE
          0.550 0.528 0.791       0.752 0.768 0.766 0.537 0.809   0.688   18.18
74)  1,2-DIBROMOETHANE
          0.595 0.567 0.673       0.701 0.690 0.667 0.569 0.684   0.643    8.76
75)  OCTANE
          0.678 0.680 0.729       0.761 0.734 0.709 0.674 0.751   0.715    4.81

76) I   CHLOROBENZENE-D5      ----------------ISTD--------------------
77)  1,1,1,2-TETRACHLOROETHANE
          0.454 0.469 0.594       0.579 0.573 0.568 0.489 0.608   0.542   11.21
78)  CHLOROBENZENE
          1.037 1.051 1.098       1.127 1.093 1.060 1.024 1.108   1.075    3.44
79)  ETHYLBENZENE
          1.660 1.581 1.764       1.856 1.775 1.716 1.568 1.783   1.713    5.96
80)  M,P-XYLENE
          1.240 1.186 1.347       1.415 1.362 1.309 1.201 1.364   1.303    6.48
81)  O-XYLENE
          1.223 1.258 1.393       1.437 1.388 1.340 1.201 1.417   1.332    6.94
```

Initial Calibration Summary

Job Number: JD52620 **Sample:** V2W2709-ICC2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61016.D
Project: EPT, Ithaca, NY

82)	STYRENE										
		0.838	0.779	1.051	1.079	1.060	1.019	0.732	1.067	0.953	15.20
83)	NONANE										
		0.795	0.771	0.846	0.868	0.834	0.800	0.796	0.869	0.822	4.50
84)	BROMOFORM										
		0.451	0.392	0.829	0.748	0.771	0.782		0.850	0.689	27.08
85)	1,1,2,2-TETRACHLOROETHANE										
		0.942	0.925	1.030	1.054	1.021	0.987	0.920	1.050	0.991	5.60
86)	1,2,3-TRICHLOROPROPANE										
		0.728	0.674	0.736	0.779	0.746	0.711	0.693	0.750	0.727	4.65
87)	4-BROMOFLUOROBENZENE										
		0.661	0.647	0.681	0.648	0.673	0.673	0.666	0.651	0.692	0.666	2.34
88)	ISOPROPYLBENZENE										
		0.531	0.523	0.582	0.616	0.588	0.566	0.521	0.590	0.565	6.33
89)	BROMOBENZENE										
		0.915	0.859	0.948	0.987	0.950	0.915	0.835	0.967	0.922	5.70
90)	2-CHLOROTOLUENE										
		0.469	0.424	0.489	0.516	0.492	0.479	0.428	0.498	0.474	6.92
91)	N-PROPYLBENZENE										
		0.495	0.447	0.552	0.577	0.558	0.538	0.423	0.561	0.519	11.10
92)	4-ETHYLTOLUENE										
		1.751	1.576	2.103	2.113	2.039	2.004	1.555	2.152	1.912	12.89
93)	1,3,5-TRIMETHYLBENZENE										
		1.453	1.357	1.755	1.748	1.681	1.665	1.306	1.797	1.595	12.13
94)	ALPHA-METHYLSTYRENE										
		0.537	0.491	0.777	0.775	0.745	0.736	0.513	0.795	0.671	19.73
95)	TERT-BUTYLBENZENE										
		0.356	0.358	0.463	0.442	0.427	0.424	0.312	0.482	0.408	14.57
96)	1,2,4-TRIMETHYLBENZENE										
		1.466	1.362	2.000	1.823	1.764	1.806	1.339	2.080	1.705	16.65
97)	BENZYL CHLORIDE										
		0.553	0.489	1.443	1.001	1.134	1.265		1.505	1.056	38.24
98)	M-DICHLOROBENZENE										
		1.019	0.948	1.230	1.229	1.163	1.159	0.954	1.263	1.121	11.43
99)	P-DICHLOROBENZENE										
		1.035	0.926	1.250	1.226	1.176	1.173	1.022	1.279	1.136	11.11
100)	O-DICHLOROBENZENE										
		0.969	0.965	1.235	1.161	1.117	1.125	0.950	1.303	1.103	11.94
101)	SEC-BUTYLBENZENE										
		0.436	0.480	0.561	0.552	0.522	0.519	0.402	0.585	0.507	12.49
102)	1,2,3-TRIMETHYLBENZENE										
		1.423	1.351	1.809	1.771	1.690	1.694	1.312	1.851	1.613	13.41
103)	P-ISOPROPYLTOLUENE										
		0.479	0.471	0.646	0.581	0.575	0.580	0.447	0.690	0.559	15.50
104)	N-BUTYLBENZENE										
		0.428	0.395	0.615	0.553	0.542	0.547	0.399	0.654	0.517	19.07
105)	HEXACHLOROETHANE										
		0.370	0.361	0.824	0.634	0.665	0.709		0.868	0.633	31.73
106)	HEXACHLOROBUTADIENE										
		0.745	0.666	1.121	0.798	0.803	0.846	0.647	1.299	0.866	26.34
107)	1,2,4-TRICHLOROBENZENE										
		0.758	0.662	1.172	0.909	0.933	0.979	0.581	1.314	0.914	27.13
108)	NAPHTHALENE										
		1.746	1.430	2.909	2.216	2.325	2.453		3.260	2.334	26.98

(#) = Out of Range ### Number of calibration levels exceeded format ###

M2W2709.M Wed Aug 24 16:24:15 2022 GCMS2W

Initial Calibration Verification

Job Number: JD52620 **Sample:** V2W2709-ICV2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61022.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\2w61022.D Vial: 4
Acq On : 19 Aug 2022 6:00 pm Operator: thomash
Sample : icv2709-10 Inst : MS2W
Misc : MS61038,V2w2709,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\methods\M2W2709.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
Last Update : Wed Aug 24 16:16:55 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.33min
Max. RRF Dev : 30% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	BROMOCHLOROMETHANE	1.000	1.000	0.0	101	0.00	3.61
2	T	FREON 115	0.000	0.799	0.0	0#	0.00	1.80
3	T	FREON 152A	0.841	0.802	4.6	94	0.00	1.85
4	T	CHLORODIFLUOROMETHANE	0.373	0.359	3.8	91	0.00	1.86
5	T	CHLOROTRIFLUOROETHENE	2.160	2.085	3.5	94	0.00	1.88
6	T	DICHLORODIFLUOROMETHANE	4.975	4.731	4.9	94	0.00	1.90
7	T	PROPYLENE	0.939	0.869	7.5	95	0.00	1.87
8	T	1-CHLORO-1,1-DIFLUOROETHA	3.746	3.571	4.7	94	0.00	1.95
9	T	FREON 114	4.481	4.236	5.5	94	0.00	1.99
10	T	CHLOROMETHANE	0.501	0.453	9.6	93	0.00	1.96
11	T	VINYL CHLORIDE	1.740	1.663	4.4	93	0.00	2.04
12	t	1,3-BUTADIENE	1.344	1.273	5.3	93	0.00	2.09
13	T	N-BUTANE	2.340	2.101	10.2	94	0.00	2.11
14	T	BROMOMETHANE	1.572	1.470	6.5	94	0.00	2.19
15	T	CHLOROETHANE	0.931	0.924	0.8	96	0.00	2.25
16	T	DICHLOROFLUOROMETHANE	3.704	3.487	5.9	92	0.00	2.28
17	T	ACETONITRILE	1.391	1.239	10.9	91	0.00	2.37
18	T	ACROLEIN	0.614	0.815	-32.7#	102	0.00	2.42
19	T	FREON 123	4.117	4.016	2.5	96	0.00	2.43
20	T	FREON 123A	2.381	2.491	-4.6	103	0.00	2.45
21	T	TRICHLOROFLUOROMETHANE	5.177	5.003	3.4	94	0.00	2.52
22	T	ISOPROPYL ALCOHOL	4.132	3.615	12.5	92	0.00	2.53
23	T	ACETONE	1.318	0.972	26.3	89	0.00	2.46
24	T	PENTANE	2.264	2.016	11.0	93	0.00	2.63
25	T	IODOMETHANE	5.061	4.918	2.8	96	0.00	2.69
26	T	1,1-DICHLOROETHYLENE	1.987	1.876	5.6	93	0.00	2.71
27	T	CARBON DISULFIDE	5.984	5.333	10.9	87	0.00	2.84
28	T	ETHANOL	0.813	0.714	12.2	106	0.00	2.29
29	T	BROMOETHENE	1.606	1.553	3.3	93	0.00	2.38
30	T	ACRYLONITRILE	1.561	1.457	6.7	90	0.00	2.60
31	T	METHYLENE CHLORIDE	2.205	1.726	21.7	92	0.00	2.75
32	T	3-CHLOROPROPENE	1.020	0.940	7.8	95	0.00	2.79
33	T	FREON 113	3.349	3.141	6.2	92	0.00	2.84
34	T	TRANS-1,2-DICHLOROETHENE	1.655	1.581	4.5	94	0.00	3.08
35	T	TERTIARY BUTYL ALCOHOL	5.206	4.523	13.1	87	0.00	2.72
36	t	METHYL TERTIARY BUTYL ETH	4.286	4.168	2.8	97	0.00	3.19
37	T	TETRAHYDROFURAN	0.723	0.750	-3.7	95	0.00	3.90
38	T	HEXANE	2.890	2.847	1.5	97	0.00	3.66
39	T	VINYL ACETATE	0.407	0.441	-8.4	99	0.00	3.23
40	T	1,1-DICHLOROETHANE	2.961	2.914	1.6	97	0.00	3.16
41	T	METHYL ETHYL KETONE	0.736	0.790	-7.3	100	0.00	3.33
42	T	CIS-1,2-DICHLOROETHENE	1.776	1.721	3.1	96	0.00	3.53

Initial Calibration Verification

Job Number: JD52620 **Sample:** V2W2709-ICV2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61022.D
Project: EPT, Ithaca, NY

43	T	DIISOPROPYL ETHER	0.846	0.835	1.3	97	0.00	3.67
44	T	ETHYL ACETATE	0.592	0.595	-0.5	98	0.00	3.67
45	T	METHYL ACRYLATE	3.398	3.436	-1.1	96	0.00	3.66
46	T	CHLOROFORM	3.619	3.446	4.8	95	0.00	3.69
47	T	2,4-DIMETHYLPENTANE	3.367	3.239	3.8	96	0.00	4.19
48	T	1,1,1-TRICHLOROETHANE	3.609	3.571	1.1	97	0.00	4.28
49	T	CARBON TETRACHLORIDE	3.576	3.661	-2.4	97	0.00	4.71
50	T	1,2-DICHLOROETHANE	2.451	2.434	0.7	97	0.00	4.11
51	t	BENZENE	5.167	5.034	2.6	98	0.00	4.60
52	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	102	0.00	4.93
53	T	CYCLOHEXANE	0.422	0.410	2.8	97	0.00	4.81
54	T	2,3-DIMETHYLPENTANE	0.207	0.206	0.5	98	0.00	5.07
55	T	TRICHLOROETHENE	0.424	0.432	-1.9	97	0.00	5.52
56	T	1,2-DICHLOROPROPANE	0.382	0.365	4.5	97	0.00	5.28
57	T	DIBROMOMETHANE	0.436	0.408	6.4	97	0.00	5.24
58	T	ETHYL ACRYLATE	0.717	0.769	-7.3	100	0.00	5.40
59	T	BROMODICHLOROMETHANE	0.700	0.697	0.4	95	0.00	5.46
60	T	2,2,4-TRIMETHYLPENTANE	1.689	1.611	4.6	97	0.00	5.62
61	T	1,4-DIOXANE	0.205	0.223	-8.8	109	0.00	5.53
62	T	HEPTANE	0.532	0.506	4.9	97	0.00	5.94
63	T	METHYL METHACRYLATE	0.326	0.348	-6.7	98	0.00	5.83
64	T	METHYL ISOBUTYL KETONE	0.272	0.321	-18.0	105	0.00	6.57
65	T	CIS-1,3-DICHLOROPROPENE	0.506	0.561	-10.9	105	0.00	6.47
66	T	TOLUENE	1.206	1.177	2.4	97	0.00	7.70
67	T	1,3-DICHLOROPROPANE	0.573	0.562	1.9	96	0.00	7.76
68	T	TRANS-1,3-DICHLOROPROPENE	0.453	0.484	-6.8	99	0.00	7.16
69	T	1,1,2-TRICHLOROETHANE	0.353	0.341	3.4	96	0.00	7.32
		----------	True	Calc.	% Drift	----------		
70	T	2-HEXANONE	10.000	11.064	-10.6	113	0.00	8.26
		----------	AvgRF	CCRF	% Dev	----------		
71	T	ETHYL METHACRYLATE	0.475	0.574	-20.8	103	0.00	8.40
72	T	TETRACHLOROETHENE	0.483	0.464	3.9	97	0.00	9.45
73	T	DIBROMOCHLOROMETHANE	0.688	0.725	-5.4	97	0.00	8.24
74	T	1,2-DIBROMOETHANE	0.643	0.661	-2.8	98	0.00	8.59
75	T	OCTANE	0.715	0.695	2.8	97	0.00	9.59
76	I	CHLOROBENZENE-D5	1.000	1.000	0.0	100	0.00	10.59
77	T	1,1,1,2-TETRACHLOROETHANE	0.542	0.558	-3.0	98	0.00	10.67
78	T	CHLOROBENZENE	1.075	1.071	0.4	98	0.00	10.66
79	t	ETHYLBENZENE	1.713	1.721	-0.5	97	0.00	11.55
80	t	M,P-XYLENE	1.303	1.328	-1.9	98	0.00	11.98
81	t	O-XYLENE	1.332	1.363	-2.3	98	0.00	12.92
82	T	STYRENE	0.953	1.064	-11.6	100	0.00	12.70
83	T	NONANE	0.822	0.811	1.3	97	0.00	14.03
84	T	BROMOFORM	0.689	0.778	-12.9	101	0.00	11.79
85	T	1,1,2,2-TETRACHLOROETHANE	0.991	1.000	-0.9	98	0.00	12.92
86	T	1,2,3-TRICHLOROPROPANE	0.727	0.718	1.2	96	0.00	13.21
87	S	4-BROMOFLUOROBENZENE	0.666	0.681	-2.3	101	0.00	13.96
88	T	ISOPROPYLBENZENE	0.565	0.520	8.0	89	0.00	14.44
89	T	BROMOBENZENE	0.922	0.913	1.0	96	0.00	14.31
90	T	2-CHLOROTOLUENE	0.474	0.484	-2.1	99	0.00	15.44
91	T	N-PROPYLBENZENE	0.519	0.541	-4.2	97	0.00	15.78
92	T	4-ETHYLTOLUENE	1.912	2.021	-5.7	99	0.00	16.15
93	T	1,3,5-TRIMETHYLBENZENE	1.595	1.676	-5.1	100	0.00	16.30
94	T	ALPHA-METHYLSTYRENE	0.671	0.861	-28.3	116	0.00	16.50
95	T	TERT-BUTYLBENZENE	0.408	0.417	-2.2	98	0.00	16.76
96	T	1,2,4-TRIMETHYLBENZENE	1.705	1.774	-4.0	101	0.00	16.77

Initial Calibration Verification

Job Number: JD52620 **Sample:** V2W2709-ICV2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61022.D
Project: EPT, Ithaca, NY

97	T	BENZYL CHLORIDE	1.056	1.208	-14.4	107	0.00	16.85
98	T	M-DICHLOROBENZENE	1.121	1.163	-3.7	100	0.00	16.83
99	T	P-DICHLOROBENZENE	1.136	1.177	-3.6	100	0.00	16.91
100	T	O-DICHLOROBENZENE	1.103	1.126	-2.1	101	0.00	17.21
101	T	SEC-BUTYLBENZENE	0.507	0.513	-1.2	98	0.00	17.04
102	T	1,2,3-TRIMETHYLBENZENE	1.613	1.680	-4.2	100	0.00	17.15
103	T	P-ISOPROPYLTOLUENE	0.559	0.565	-1.1	98	0.00	17.22
104	T	N-BUTYLBENZENE	0.517	0.549	-6.2	101	0.00	17.57
105	T	HEXACHLOROETHANE	0.633	0.682	-7.7	103	0.00	17.74
106	T	HEXACHLOROBUTADIENE	0.866	0.818	5.5	102	0.00	18.79
107	T	1,2,4-TRICHLOROBENZENE	0.914	0.983	-7.5	106	0.00	18.48
108	T	NAPHTHALENE	2.334	2.276	2.5	98	0.00	18.53

(#) = Out of Range SPCC's out = 0 CCC's out = 0
2w61016.D M2W2709.M Wed Aug 24 20:27:06 2022

Continuing Calibration Summary

Job Number: JD52620 **Sample:** V2W2710-CC2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61024.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\2w61024.D Vial: 2
Acq On : 24 Aug 2022 8:00 pm Operator: thomash
Sample : cc2709-10 Inst : MS2W
Misc : MS61038,V2w2710,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\methods\M2W2709.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
Last Update : Wed Aug 24 16:16:55 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.33min
Max. RRF Dev : 30% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	BROMOCHLOROMETHANE	1.000	1.000	0.0	109	0.00	3.62
2	T	FREON 115	0.000	0.798	0.0	0#	0.00	1.80
3	T	FREON 152A	0.841	0.836	0.6	105	0.00	1.84
4	T	CHLORODIFLUOROMETHANE	0.373	0.369	1.1	101	0.00	1.86
5	T	CHLOROTRIFLUOROETHENE	2.160	2.210	-2.3	108	0.00	1.88
6	T	DICHLORODIFLUOROMETHANE	4.975	4.905	1.4	104	0.00	1.90
7	T	PROPYLENE	0.939	0.882	6.1	104	0.00	1.88
8	T	1-CHLORO-1,1-DIFLUOROETHA	3.746	3.660	2.3	103	0.00	1.95
9	T	FREON 114	4.481	4.426	1.2	105	0.00	1.99
10	T	CHLOROMETHANE	0.501	0.464	7.4	102	0.00	1.96
11	T	VINYL CHLORIDE	1.740	1.717	1.3	103	0.00	2.04
12	t	1,3-BUTADIENE	1.344	1.313	2.3	103	0.00	2.09
13	T	N-BUTANE	2.340	2.148	8.2	104	0.00	2.11
14	T	BROMOMETHANE	1.572	1.529	2.7	105	0.00	2.19
15	T	CHLOROETHANE	0.931	0.931	0.0	104	0.00	2.25
16	T	DICHLOROFLUOROMETHANE	3.704	3.601	2.8	103	0.00	2.28
17	T	ACETONITRILE	1.391	1.289	7.3	102	0.00	2.37
18	T	ACROLEIN	0.614	0.722	-17.6	97	0.00	2.42
19	T	FREON 123	4.117	4.024	2.3	103	0.00	2.44
20	T	FREON 123A	2.381	2.322	2.5	103	0.00	2.45
21	T	TRICHLOROFLUOROMETHANE	5.177	5.109	1.3	103	0.00	2.52
22	T	ISOPROPYL ALCOHOL	4.132	3.694	10.6	102	0.00	2.53
23	T	ACETONE	1.318	1.047	20.6	104	0.00	2.46
24	T	PENTANE	2.264	2.025	10.6	100	0.00	2.63
25	T	IODOMETHANE	5.061	5.018	0.8	105	0.00	2.69
26	T	1,1-DICHLOROETHYLENE	1.987	1.963	1.2	104	0.00	2.71
27	T	CARBON DISULFIDE	5.984	5.899	1.4	103	0.00	2.85
28	T	ETHANOL	0.813	0.648	20.3	104	0.00	2.29
29	T	BROMOETHENE	1.606	1.631	-1.6	105	0.00	2.38
30	T	ACRYLONITRILE	1.561	1.485	4.9	99	0.00	2.61
31	T	METHYLENE CHLORIDE	2.205	1.801	18.3	103	0.00	2.75
32	T	3-CHLOROPROPENE	1.020	0.959	6.0	104	0.00	2.79
33	T	FREON 113	3.349	3.332	0.5	105	0.00	2.84
34	T	TRANS-1,2-DICHLOROETHENE	1.655	1.660	-0.3	106	0.00	3.08
35	T	TERTIARY BUTYL ALCOHOL	5.206	5.057	2.9	105	0.00	2.72
36	t	METHYL TERTIARY BUTYL ETH	4.286	4.282	0.1	107	0.00	3.19
37	T	TETRAHYDROFURAN	0.723	0.753	-4.1	103	0.00	3.90
38	T	HEXANE	2.890	2.787	3.6	102	0.00	3.67
39	T	VINYL ACETATE	0.407	0.427	-4.9	103	0.00	3.23
40	T	1,1-DICHLOROETHANE	2.961	2.914	1.6	104	0.00	3.16
41	T	METHYL ETHYL KETONE	0.736	0.772	-4.9	105	0.00	3.33
42	T	CIS-1,2-DICHLOROETHENE	1.776	1.777	-0.1	106	0.00	3.53

Continuing Calibration Summary

Job Number: JD52620 **Sample:** V2W2710-CC2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61024.D
Project: EPT, Ithaca, NY

43	T	DIISOPROPYL ETHER	0.846	0.840	0.7	105	0.00	3.67
44	T	ETHYL ACETATE	0.592	0.589	0.5	104	0.00	3.67
45	T	METHYL ACRYLATE	3.398	3.384	0.4	101	0.00	3.66
46	T	CHLOROFORM	3.619	3.576	1.2	106	0.00	3.69
47	T	2,4-DIMETHYLPENTANE	3.367	3.226	4.2	103	0.00	4.20
48	T	1,1,1-TRICHLOROETHANE	3.609	3.615	-0.2	105	0.00	4.28
49	T	CARBON TETRACHLORIDE	3.576	3.635	-1.6	103	0.00	4.71
50	T	1,2-DICHLOROETHANE	2.451	2.399	2.1	103	0.00	4.11
51	t	BENZENE	5.167	5.110	1.1	106	0.00	4.60
52	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	109	0.00	4.93
53	T	CYCLOHEXANE	0.422	0.414	1.9	104	0.00	4.81
54	T	2,3-DIMETHYLPENTANE	0.207	0.205	1.0	104	0.00	5.07
55	T	TRICHLOROETHENE	0.424	0.441	-4.0	105	0.00	5.52
56	T	1,2-DICHLOROPROPANE	0.382	0.372	2.6	105	0.00	5.28
57	T	DIBROMOMETHANE	0.436	0.425	2.5	107	0.00	5.24
58	T	ETHYL ACRYLATE	0.717	0.744	-3.8	103	0.00	5.40
59	T	BROMODICHLOROMETHANE	0.700	0.713	-1.9	104	0.00	5.46
60	T	2,2,4-TRIMETHYLPENTANE	1.689	1.602	5.2	103	0.00	5.61
61	T	1,4-DIOXANE	0.205	0.206	-0.5	107	0.00	5.52
62	T	HEPTANE	0.532	0.498	6.4	102	0.00	5.94
63	T	METHYL METHACRYLATE	0.326	0.345	-5.8	103	0.00	5.83
64	T	METHYL ISOBUTYL KETONE	0.272	0.294	-8.1	103	0.00	6.57
65	T	CIS-1,3-DICHLOROPROPENE	0.506	0.536	-5.9	107	0.00	6.47
66	T	TOLUENE	1.206	1.199	0.6	106	0.00	7.70
67	T	1,3-DICHLOROPROPANE	0.573	0.573	0.0	104	0.00	7.76
68	T	TRANS-1,3-DICHLOROPROPENE	0.453	0.482	-6.4	104	0.00	7.16
69	T	1,1,2-TRICHLOROETHANE	0.353	0.352	0.3	106	0.00	7.33
			True	Calc.	% Drift			
70	T	2-HEXANONE	10.000	9.369	6.3	101	0.00	8.26
			AvgRF	CCRF	% Dev			
71	T	ETHYL METHACRYLATE	0.475	0.537	-13.1	103	0.00	8.40
72	T	TETRACHLOROETHENE	0.483	0.478	1.0	106	0.00	9.45
73	T	DIBROMOCHLOROMETHANE	0.688	0.747	-8.6	106	0.00	8.24
74	T	1,2-DIBROMOETHANE	0.643	0.669	-4.0	106	0.00	8.59
75	T	OCTANE	0.715	0.684	4.3	102	0.00	9.59
76	I	CHLOROBENZENE-D5	1.000	1.000	0.0	107	0.00	10.59
77	T	1,1,1,2-TETRACHLOROETHANE	0.542	0.565	-4.2	105	0.00	10.67
78	T	CHLOROBENZENE	1.075	1.084	-0.8	106	0.00	10.66
79	t	ETHYLBENZENE	1.713	1.743	-1.8	105	0.00	11.55
80	t	M,P-XYLENE	1.303	1.333	-2.3	105	0.00	11.98
81	t	O-XYLENE	1.332	1.343	-0.8	103	0.00	12.92
82	T	STYRENE	0.953	1.040	-9.1	105	0.00	12.70
83	T	NONANE	0.822	0.784	4.6	100	0.00	14.03
84	T	BROMOFORM	0.689	0.777	-12.8	108	0.00	11.80
85	T	1,1,2,2-TETRACHLOROETHANE	0.991	1.005	-1.4	105	0.00	12.93
86	T	1,2,3-TRICHLOROPROPANE	0.727	0.723	0.6	104	0.00	13.22
87	S	4-BROMOFLUOROBENZENE	0.666	0.668	-0.3	106	0.00	13.96
88	T	ISOPROPYLBENZENE	0.565	0.600	-6.2	109	0.00	14.43
89	T	BROMOBENZENE	0.922	0.923	-0.1	104	0.00	14.31
90	T	2-CHLOROTOLUENE	0.474	0.492	-3.8	107	0.00	15.44
91	T	N-PROPYLBENZENE	0.519	0.556	-7.1	106	0.00	15.78
92	T	4-ETHYLTOLUENE	1.912	2.025	-5.9	106	0.00	16.15
93	T	1,3,5-TRIMETHYLBENZENE	1.595	1.668	-4.6	106	0.00	16.30
94	T	ALPHA-METHYLSTYRENE	0.671	0.696	-3.7	100	0.00	16.50
95	T	TERT-BUTYLBENZENE	0.408	0.418	-2.5	105	0.00	16.76
96	T	1,2,4-TRIMETHYLBENZENE	1.705	1.747	-2.5	106	0.00	16.77

Continuing Calibration Summary

Job Number: JD52620 **Sample:** V2W2710-CC2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61024.D
Project: EPT, Ithaca, NY

97	T	BENZYL CHLORIDE	1.056	1.137	-7.7	107	0.00	16.85
98	T	M-DICHLOROBENZENE	1.121	1.163	-3.7	107	0.00	16.83
99	T	P-DICHLOROBENZENE	1.136	1.170	-3.0	106	0.00	16.91
100	T	O-DICHLOROBENZENE	1.103	1.113	-0.9	106	0.00	17.20
101	T	SEC-BUTYLBENZENE	0.507	0.516	-1.8	105	0.00	17.04
102	T	1,2,3-TRIMETHYLBENZENE	1.613	1.662	-3.0	105	0.00	17.15
103	T	P-ISOPROPYLTOLUENE	0.559	0.563	-0.7	105	0.00	17.22
104	T	N-BUTYLBENZENE	0.517	0.543	-5.0	107	0.00	17.56
105	T	HEXACHLOROETHANE	0.633	0.634	-0.2	102	0.00	17.74
106	T	HEXACHLOROBUTADIENE	0.866	0.810	6.5	108	0.00	18.79
107	T	1,2,4-TRICHLOROBENZENE	0.914	0.933	-2.1	107	0.00	18.48
108	T	NAPHTHALENE	2.334	2.314	0.9	106	0.00	18.53

(#) = Out of Range SPCC's out = 0 CCC's out = 0
2w61016.D M2W2709.M Thu Aug 25 20:49:21 2022

Continuing Calibration Summary

Job Number: JD52620 **Sample:** V2W2714-CC2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61140.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\2w61140.D Vial: 2
Acq On : 30 Aug 2022 9:21 am Operator: williamc
Sample : cc2709-10 Inst : MS2W
Misc : MS61607,V2w2714,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\methods\M2W2709.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
Last Update : Wed Aug 24 16:16:55 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.33min
Max. RRF Dev : 30% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	BROMOCHLOROMETHANE	1.000	1.000	0.0	118	0.00	3.61
2	T	FREON 115	0.000	0.567	0.0	0#	0.00	1.81
3	T	FREON 152A	0.841	0.811	3.6	110	0.00	1.85
4	T	CHLORODIFLUOROMETHANE	0.373	0.365	2.1	108	0.00	1.87
5	T	CHLOROTRIFLUOROETHENE	2.160	2.062	4.5	109	0.00	1.88
6	T	DICHLORODIFLUOROMETHANE	4.975	4.777	4.0	110	0.00	1.91
7	T	PROPYLENE	0.939	0.841	10.4	107	0.00	1.88
8	T	1-CHLORO-1,1-DIFLUOROETHA	3.746	3.783	-1.0	115	0.00	1.96
9	T	FREON 114	4.481	4.362	2.7	112	0.00	2.00
10	T	CHLOROMETHANE	0.501	0.476	5.0	114	0.00	1.96
11	T	VINYL CHLORIDE	1.740	1.834	-5.4	120	0.00	2.05
12	t	1,3-BUTADIENE	1.344	1.364	-1.5	115	0.00	2.10
13	T	N-BUTANE	2.340	2.117	9.5	111	0.00	2.12
14	T	BROMOMETHANE	1.572	1.492	5.1	111	0.00	2.20
15	T	CHLOROETHANE	0.931	0.980	-5.3	118	0.00	2.26
16	T	DICHLOROFLUOROMETHANE	3.704	3.608	2.6	111	0.00	2.29
17	T	ACETONITRILE	1.391	1.284	7.7	110	0.00	2.38
18	T	ACROLEIN	0.614	0.778	-26.7	113	0.00	2.42
19	T	FREON 123	4.117	4.112	0.1	114	0.00	2.44
20	T	FREON 123A	2.381	2.385	-0.2	114	0.00	2.46
21	T	TRICHLOROFLUOROMETHANE	5.177	5.289	-2.2	115	0.00	2.52
22	T	ISOPROPYL ALCOHOL	4.132	3.836	7.2	114	0.00	2.54
23	T	ACETONE	1.318	1.181	10.4	126	0.00	2.47
24	T	PENTANE	2.264	2.263	0.0	121	0.00	2.63
25	T	IODOMETHANE	5.061	4.872	3.7	110	0.00	2.69
26	T	1,1-DICHLOROETHYLENE	1.987	2.041	-2.7	117	0.00	2.72
27	T	CARBON DISULFIDE	5.984	6.176	-3.2	117	0.00	2.85
28	T	ETHANOL	0.813	0.623	23.4	108	0.00	2.30
29	T	BROMOETHENE	1.606	1.624	-1.1	113	0.00	2.39
30	T	ACRYLONITRILE	1.561	1.669	-6.9	120	0.00	2.60
31	T	METHYLENE CHLORIDE	2.205	1.917	13.1	119	0.00	2.75
32	T	3-CHLOROPROPENE	1.020	0.980	3.9	115	0.00	2.79
33	T	FREON 113	3.349	3.226	3.7	110	0.00	2.85
34	T	TRANS-1,2-DICHLOROETHENE	1.655	1.610	2.7	111	0.00	3.08
35	T	TERTIARY BUTYL ALCOHOL	5.206	5.202	0.1	117	0.00	2.72
36	t	METHYL TERTIARY BUTYL ETH	4.286	3.843	10.3	104	0.00	3.19
37	T	TETRAHYDROFURAN	0.723	0.728	-0.7	107	0.00	3.91
38	T	HEXANE	2.890	2.947	-2.0	117	0.00	3.67
39	T	VINYL ACETATE	0.407	0.386	5.2	101	0.00	3.23
40	T	1,1-DICHLOROETHANE	2.961	3.058	-3.3	118	0.00	3.16
41	T	METHYL ETHYL KETONE	0.736	0.733	0.4	108	0.00	3.33
42	T	CIS-1,2-DICHLOROETHENE	1.776	1.699	4.3	110	0.00	3.54

Continuing Calibration Summary

Job Number: JD52620 **Sample:** V2W2714-CC2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61140.D
Project: EPT, Ithaca, NY

43	T	DIISOPROPYL ETHER	0.846	0.891	-5.3	121	0.00	3.67
44	T	ETHYL ACETATE	0.592	0.608	-2.7	116	0.00	3.68
45	T	METHYL ACRYLATE	3.398	3.491	-2.7	113	0.00	3.66
46	T	CHLOROFORM	3.619	3.438	5.0	110	0.00	3.69
47	T	2,4-DIMETHYLPENTANE	3.367	3.409	-1.2	118	0.00	4.20
48	T	1,1,1-TRICHLOROETHANE	3.609	3.374	6.5	106	0.00	4.28
49	T	CARBON TETRACHLORIDE	3.576	3.320	7.2	102	0.00	4.71
50	T	1,2-DICHLOROETHANE	2.451	2.513	-2.5	117	0.00	4.11
51	t	BENZENE	5.167	4.903	5.1	111	0.00	4.60
52	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	117	0.00	4.93
53	T	CYCLOHEXANE	0.422	0.403	4.5	109	0.00	4.81
54	T	2,3-DIMETHYLPENTANE	0.207	0.201	2.9	109	0.00	5.07
55	T	TRICHLOROETHENE	0.424	0.431	-1.7	110	0.00	5.52
56	T	1,2-DICHLOROPROPANE	0.382	0.393	-2.9	118	0.00	5.28
57	T	DIBROMOMETHANE	0.436	0.391	10.3	106	0.00	5.24
58	T	ETHYL ACRYLATE	0.717	0.752	-4.9	111	0.00	5.40
59	T	BROMODICHLOROMETHANE	0.700	0.693	1.0	108	0.00	5.46
60	T	2,2,4-TRIMETHYLPENTANE	1.689	1.699	-0.6	117	0.00	5.62
61	T	1,4-DIOXANE	0.205	0.183	10.7	101	0.00	5.53
62	T	HEPTANE	0.532	0.497	6.6	109	0.00	5.94
63	T	METHYL METHACRYLATE	0.326	0.326	0.0	105	0.00	5.83
64	T	METHYL ISOBUTYL KETONE	0.272	0.305	-12.1	114	0.00	6.57
65	T	CIS-1,3-DICHLOROPROPENE	0.506	0.484	4.3	103	0.00	6.47
66	T	TOLUENE	1.206	1.163	3.6	110	0.00	7.70
67	T	1,3-DICHLOROPROPANE	0.573	0.557	2.8	108	0.00	7.76
68	T	TRANS-1,3-DICHLOROPROPENE	0.453	0.414	8.6	96	0.00	7.16
69	T	1,1,2-TRICHLOROETHANE	0.353	0.339	4.0	110	0.00	7.32
			True	Calc.	% Drift			
70	T	2-HEXANONE	10.000	9.258	7.4	107	0.00	8.26
			AvgRF	CCRF	% Dev			
71	T	ETHYL METHACRYLATE	0.475	0.503	-5.9	103	0.00	8.40
72	T	TETRACHLOROETHENE	0.483	0.440	8.9	105	0.00	9.45
73	T	DIBROMOCHLOROMETHANE	0.688	0.726	-5.5	110	0.00	8.24
74	T	1,2-DIBROMOETHANE	0.643	0.642	0.2	109	0.00	8.59
75	T	OCTANE	0.715	0.676	5.5	107	0.00	9.59
76	I	CHLOROBENZENE-D5	1.000	1.000	0.0	114	0.00	10.59
77	T	1,1,1,2-TETRACHLOROETHANE	0.542	0.518	4.4	103	0.00	10.68
78	T	CHLOROBENZENE	1.075	1.048	2.5	109	0.00	10.66
79	t	ETHYLBENZENE	1.713	1.715	-0.1	110	0.00	11.55
80	t	M,P-XYLENE	1.303	1.306	-0.2	109	0.00	11.98
81	t	O-XYLENE	1.332	1.329	0.2	109	0.00	12.92
82	T	STYRENE	0.953	1.005	-5.5	108	0.00	12.70
83	T	NONANE	0.822	0.784	4.6	107	0.00	14.04
84	T	BROMOFORM	0.689	0.692	-0.4	102	0.00	11.79
85	T	1,1,2,2-TETRACHLOROETHANE	0.991	0.982	0.9	109	0.00	12.93
86	T	1,2,3-TRICHLOROPROPANE	0.727	0.702	3.4	107	0.00	13.21
87	S	4-BROMOFLUOROBENZENE	0.666	0.667	-0.2	113	0.00	13.96
88	T	ISOPROPYLBENZENE	0.565	0.609	-7.8	118	0.00	14.43
89	T	BROMOBENZENE	0.922	0.897	2.7	107	0.00	14.31
90	T	2-CHLOROTOLUENE	0.474	0.482	-1.7	111	0.00	15.44
91	T	N-PROPYLBENZENE	0.519	0.546	-5.2	111	0.00	15.78
92	T	4-ETHYLTOLUENE	1.912	1.987	-3.9	111	0.00	16.15
93	T	1,3,5-TRIMETHYLBENZENE	1.595	1.648	-3.3	111	0.00	16.30
94	T	ALPHA-METHYLSTYRENE	0.671	0.653	2.7	100	0.00	16.50
95	T	TERT-BUTYLBENZENE	0.408	0.395	3.2	105	0.00	16.76
96	T	1,2,4-TRIMETHYLBENZENE	1.705	1.746	-2.4	112	0.00	16.77

Continuing Calibration Summary

Job Number: JD52620 **Sample:** V2W2714-CC2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61140.D
Project: EPT, Ithaca, NY

97	T	BENZYL CHLORIDE	1.056	0.798	24.4	80	0.00	16.85
98	T	M-DICHLOROBENZENE	1.121	1.085	3.2	106	0.00	16.83
99	T	P-DICHLOROBENZENE	1.136	1.092	3.9	106	0.00	16.91
100	T	O-DICHLOROBENZENE	1.103	1.046	5.2	106	0.00	17.21
101	T	SEC-BUTYLBENZENE	0.507	0.489	3.6	107	0.00	17.04
102	T	1,2,3-TRIMETHYLBENZENE	1.613	1.662	-3.0	112	0.00	17.15
103	T	P-ISOPROPYLTOLUENE	0.559	0.532	4.8	105	0.00	17.22
104	T	N-BUTYLBENZENE	0.517	0.491	5.0	103	0.00	17.57
105	T	HEXACHLOROETHANE	0.633	0.600	5.2	102	0.00	17.74
106	T	HEXACHLOROBUTADIENE	0.866	0.730	15.7	103	0.00	18.79
107	T	1,2,4-TRICHLOROBENZENE	0.914	0.834	8.8	102	0.00	18.48
108	T	NAPHTHALENE	2.334	2.113	9.5	103	0.00	18.53

(#) = Out of Range SPCC's out = 0 CCC's out = 0
2w61016.D M2W2709.M Thu Sep 01 13:13:58 2022

6.9.7

Continuing Calibration Summary

Job Number: JD52620 **Sample:** V2W2735-CC2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61633.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\2w61633.D Vial: 2
Acq On : 28 Sep 2022 7:54 am Operator: thomash
Sample : cc2709-10 Inst : MS2W
Misc : MS62371,V2w2735,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\METHODS\M2W2709.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
Last Update : Wed Aug 24 16:16:55 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.33min
Max. RRF Dev : 30% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	BROMOCHLOROMETHANE	1.000	1.000	0.0	102	0.00	3.61
2	T	FREON 115		----------NA----------				
3	T	FREON 152A	0.841	0.819	2.6	96	0.00	1.85
4	T	CHLORODIFLUOROMETHANE	0.373	0.362	2.9	93	0.00	1.86
5	T	CHLOROTRIFLUOROETHENE	2.160	1.866	13.6	85	0.00	1.88
6	T	DICHLORODIFLUOROMETHANE	4.975	4.679	5.9	93	0.00	1.90
7	T	PROPYLENE	0.939	0.759	19.2	84	0.00	1.88
8	T	1-CHLORO-1,1-DIFLUOROETHA	3.746	3.774	-0.7	100	0.00	1.95
9	T	FREON 114	4.481	4.391	2.0	98	0.00	2.00
10	T	CHLOROMETHANE	0.501	0.444	11.4	92	0.00	1.96
11	T	VINYL CHLORIDE	1.740	1.890	-8.6	107	0.00	2.04
12	t	1,3-BUTADIENE	1.344	1.252	6.8	92	0.00	2.09
13	T	N-BUTANE	2.340	1.987	15.1	90	0.00	2.11
14	T	BROMOMETHANE	1.572	1.527	2.9	98	0.00	2.19
15	T	CHLOROETHANE	0.931	1.025	-10.1	107	0.00	2.25
16	T	DICHLOROFLUOROMETHANE	3.704	3.759	-1.5	100	0.00	2.29
17	T	ACETONITRILE	1.391	1.228	11.7	91	0.00	2.37
18	T	ACROLEIN	0.614	0.879	-43.2#	111	0.00	2.42
19	T	FREON 123	4.117	4.491	-9.1	108	0.00	2.43
20	T	FREON 123A	2.381	2.322	2.5	96	0.00	2.45
21	T	TRICHLOROFLUOROMETHANE	5.177	5.345	-3.2	101	0.00	2.52
22	T	ISOPROPYL ALCOHOL	4.132	3.757	9.1	97	0.00	2.53
23	T	ACETONE	1.318	1.093	17.1	101	0.00	2.46
24	T	PENTANE	2.264	2.274	-0.4	105	0.00	2.63
25	T	IODOMETHANE	5.061	5.244	-3.6	103	0.00	2.69
26	T	1,1-DICHLOROETHYLENE	1.987	2.232	-12.3	111	0.00	2.71
27	T	CARBON DISULFIDE	5.984	7.006	-17.1	115	0.00	2.84
28	T	ETHANOL	0.813	0.600	26.2	90	0.00	2.29
29	T	BROMOETHENE	1.606	1.594	0.7	96	0.00	2.38
30	T	ACRYLONITRILE	1.561	1.680	-7.6	104	0.00	2.60
31	T	METHYLENE CHLORIDE	2.205	2.181	1.1	117	0.00	2.75
32	T	3-CHLOROPROPENE	1.020	1.063	-4.2	108	0.00	2.79
33	T	FREON 113	3.349	3.501	-4.5	103	0.00	2.84
34	T	TRANS-1,2-DICHLOROETHENE	1.655	1.642	0.8	98	0.00	3.08
35	T	TERTIARY BUTYL ALCOHOL	5.206	4.894	6.0	95	0.00	2.72
36	t	METHYL TERTIARY BUTYL ETH	4.286	3.683	14.1	87	0.00	3.19
37	T	TETRAHYDROFURAN	0.723	0.740	-2.4	94	0.00	3.90
38	T	HEXANE	2.890	2.898	-0.3	99	0.00	3.66
39	T	VINYL ACETATE	0.407	0.404	0.7	92	0.00	3.23
40	T	1,1-DICHLOROETHANE	2.961	3.158	-6.7	106	0.00	3.16
41	T	METHYL ETHYL KETONE	0.736	0.755	-2.6	96	0.00	3.33
42	T	CIS-1,2-DICHLOROETHENE	1.776	1.737	2.2	97	0.00	3.53

Continuing Calibration Summary

Job Number: JD52620 **Sample:** V2W2735-CC2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61633.D
Project: EPT, Ithaca, NY

43	T	DIISOPROPYL ETHER	0.846	0.882	-4.3	103	0.00	3.67
44	T	ETHYL ACETATE	0.592	0.629	-6.3	104	0.00	3.67
45	T	METHYL ACRYLATE	3.398	3.428	-0.9	96	0.00	3.66
46	T	CHLOROFORM	3.619	3.590	0.8	99	0.00	3.69
47	T	2,4-DIMETHYLPENTANE	3.367	3.304	1.9	99	0.00	4.20
48	T	1,1,1-TRICHLOROETHANE	3.609	3.417	5.3	93	0.00	4.28
49	T	CARBON TETRACHLORIDE	3.576	3.352	6.3	89	0.00	4.71
50	T	1,2-DICHLOROETHANE	2.451	2.484	-1.3	100	0.00	4.11
51	t	BENZENE	5.167	4.987	3.5	97	0.00	4.60
52	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	99	0.00	4.93
53	T	CYCLOHEXANE	0.422	0.415	1.7	95	0.00	4.81
54	T	2,3-DIMETHYLPENTANE	0.207	0.208	-0.5	96	0.00	5.07
55	T	TRICHLOROETHENE	0.424	0.442	-4.2	96	0.00	5.52
56	T	1,2-DICHLOROPROPANE	0.382	0.402	-5.2	103	0.00	5.28
57	T	DIBROMOMETHANE	0.436	0.403	7.6	92	0.00	5.24
58	T	ETHYL ACRYLATE	0.717	0.756	-5.4	95	0.00	5.40
59	T	BROMODICHLOROMETHANE	0.700	0.748	-6.9	99	0.00	5.46
60	T	2,2,4-TRIMETHYLPENTANE	1.689	1.682	0.4	98	0.00	5.61
61	T	1,4-DIOXANE	0.205	0.220	-7.3	104	0.00	5.52
62	T	HEPTANE	0.532	0.456	14.3	85	0.00	5.93
63	T	METHYL METHACRYLATE	0.326	0.346	-6.1	94	0.00	5.83
64	T	METHYL ISOBUTYL KETONE	0.272	0.320	-17.6	102	0.00	6.57
65	T	CIS-1,3-DICHLOROPROPENE	0.506	0.503	0.6	91	0.00	6.47
66	T	TOLUENE	1.206	1.167	3.2	93	0.00	7.70
67	T	1,3-DICHLOROPROPANE	0.573	0.582	-1.6	96	0.00	7.76
68	T	TRANS-1,3-DICHLOROPROPENE	0.453	0.428	5.5	84	0.00	7.16
69	T	1,1,2-TRICHLOROETHANE	0.353	0.363	-2.8	100	0.00	7.32
		----------	True	Calc.	% Drift	----------		
70	T	2-HEXANONE	10.000	11.049	-10.5	109	0.00	8.26
		----------	AvgRF	CCRF	% Dev	----------		
71	T	ETHYL METHACRYLATE	0.475	0.555	-16.8	96	0.00	8.40
72	T	TETRACHLOROETHENE	0.483	0.454	6.0	92	0.00	9.44
73	T	DIBROMOCHLOROMETHANE	0.688	0.715	-3.9	92	0.00	8.24
74	T	1,2-DIBROMOETHANE	0.643	0.647	-0.6	93	0.00	8.59
75	T	OCTANE	0.715	0.622	13.0	84	0.00	9.59
76	I	CHLOROBENZENE-D5	1.000	1.000	0.0	93	0.00	10.59
77	T	1,1,1,2-TETRACHLOROETHANE	0.542	0.552	-1.8	90	0.00	10.67
78	T	CHLOROBENZENE	1.075	1.087	-1.1	92	0.00	10.67
79	t	ETHYLBENZENE	1.713	1.793	-4.7	94	0.00	11.55
80	t	M,P-XYLENE	1.303	1.382	-6.1	94	0.00	11.98
81	t	O-XYLENE	1.332	1.416	-6.3	95	0.00	12.92
82	T	STYRENE	0.953	1.070	-12.3	94	0.00	12.70
83	T	NONANE	0.822	0.767	6.7	85	0.00	14.04
84	T	BROMOFORM	0.689	0.799	-16.0	96	0.00	11.80
85	T	1,1,2,2-TETRACHLOROETHANE	0.991	1.102	-11.2	100	0.00	12.93
86	T	1,2,3-TRICHLOROPROPANE	0.727	0.767	-5.5	95	0.00	13.21
87	S	4-BROMOFLUOROBENZENE	0.666	0.748	-12.3	103	0.00	13.96
88	T	ISOPROPYLBENZENE	0.565	0.522	7.6	83	0.00	14.44
89	T	BROMOBENZENE	0.922	0.972	-5.4	95	0.00	14.31
90	T	2-CHLOROTOLUENE	0.474	0.476	-0.4	90	0.00	15.44
91	T	N-PROPYLBENZENE	0.519	0.538	-3.7	90	0.00	15.78
92	T	4-ETHYLTOLUENE	1.912	2.053	-7.4	94	0.00	16.15
93	T	1,3,5-TRIMETHYLBENZENE	1.595	1.690	-6.0	93	0.00	16.30
94	T	ALPHA-METHYLSTYRENE	0.671	0.859	-28.0	107	0.00	16.50
95	T	TERT-BUTYLBENZENE	0.408	0.420	-2.9	91	0.00	16.76
96	T	1,2,4-TRIMETHYLBENZENE	1.705	1.808	-6.0	95	0.00	16.77

Continuing Calibration Summary

Job Number: JD52620 **Sample:** V2W2735-CC2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61633.D
Project: EPT, Ithaca, NY

97	T	BENZYL CHLORIDE	1.056	0.879	16.8	72	0.00	16.85
98	T	M-DICHLOROBENZENE	1.121	1.180	-5.3	94	0.00	16.83
99	T	P-DICHLOROBENZENE	1.136	1.200	-5.6	95	0.00	16.91
100	T	O-DICHLOROBENZENE	1.103	1.164	-5.5	97	0.00	17.20
101	T	SEC-BUTYLBENZENE	0.507	0.521	-2.8	93	0.00	17.04
102	T	1,2,3-TRIMETHYLBENZENE	1.613	1.733	-7.4	95	0.00	17.15
103	T	P-ISOPROPYLTOLUENE	0.559	0.579	-3.6	94	0.00	17.22
104	T	N-BUTYLBENZENE	0.517	0.542	-4.8	93	0.00	17.56
105	T	HEXACHLOROETHANE	0.633	0.666	-5.2	93	0.00	17.74
106	T	HEXACHLOROBUTADIENE	0.866	0.896	-3.5	104	-0.01	18.78
107	T	1,2,4-TRICHLOROBENZENE	0.914	0.964	-5.5	96	-0.01	18.47
108	T	NAPHTHALENE	2.334	2.328	0.3	93	-0.01	18.52

(#) = Out of Range SPCC's out = 0 CCC's out = 0
2w61016.D M2W2709.M Thu Sep 29 09:14:24 2022

Continuing Calibration Summary

Job Number: JD52620 **Sample:** V2W2736-CC2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61653.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\2w61653.D Vial: 2
Acq On : 29 Sep 2022 7:42 am Operator: thomash
Sample : cc2709-10 Inst : MS2W
Misc : MS62557,V2w2736,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\METHODS\M2W2709.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
Last Update : Wed Aug 24 16:16:55 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.33min
Max. RRF Dev : 30% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	BROMOCHLOROMETHANE	1.000	1.000	0.0	92	0.00	3.61
2	T	FREON 115		----------NA----------				
3	T	FREON 152A	0.841	0.897	-6.7	95	0.00	1.85
4	T	CHLORODIFLUOROMETHANE	0.373	0.391	-4.8	90	0.00	1.87
5	T	CHLOROTRIFLUOROETHENE	2.160	2.008	7.0	83	0.00	1.88
6	T	DICHLORODIFLUOROMETHANE	4.975	5.087	-2.3	92	0.00	1.91
7	T	PROPYLENE	0.939	0.837	10.9	83	0.00	1.88
8	T	1-CHLORO-1,1-DIFLUOROETHA	3.746	4.042	-7.9	96	0.00	1.96
9	T	FREON 114	4.481	4.765	-6.3	96	0.00	2.00
10	T	CHLOROMETHANE	0.501	0.485	3.2	91	0.00	1.96
11	T	VINYL CHLORIDE	1.740	2.065	-18.7	105	0.00	2.04
12	t	1,3-BUTADIENE	1.344	1.404	-4.5	93	0.00	2.09
13	T	N-BUTANE	2.340	2.145	8.3	87	0.00	2.12
14	T	BROMOMETHANE	1.572	1.649	-4.9	96	0.00	2.19
15	T	CHLOROETHANE	0.931	1.104	-18.6	104	0.00	2.26
16	T	DICHLOROFLUOROMETHANE	3.704	4.088	-10.4	98	0.00	2.29
17	T	ACETONITRILE	1.391	1.351	2.9	90	0.00	2.38
18	T	ACROLEIN	0.614	0.976	-59.0#	111	0.00	2.42
19	T	FREON 123	4.117	4.883	-18.6	106	0.00	2.43
20	T	FREON 123A	2.381	2.508	-5.3	94	0.00	2.45
21	T	TRICHLOROFLUOROMETHANE	5.177	5.830	-12.6	99	0.00	2.52
22	T	ISOPROPYL ALCOHOL	4.132	4.115	0.4	96	0.00	2.53
23	T	ACETONE	1.318	1.212	8.0	101	0.00	2.46
24	T	PENTANE	2.264	2.476	-9.4	103	0.00	2.63
25	T	IODOMETHANE	5.061	5.615	-10.9	99	0.00	2.69
26	T	1,1-DICHLOROETHYLENE	1.987	2.414	-21.5	108	0.00	2.71
27	T	CARBON DISULFIDE	5.984	7.604	-27.1	112	0.00	2.84
28	T	ETHANOL	0.813	0.655	19.4	88	0.00	2.29
29	T	BROMOETHENE	1.606	1.741	-8.4	94	0.00	2.38
30	T	ACRYLONITRILE	1.561	1.837	-17.7	103	0.00	2.60
31	T	METHYLENE CHLORIDE	2.205	2.393	-8.5	116	0.00	2.75
32	T	3-CHLOROPROPENE	1.020	1.177	-15.4	108	0.00	2.79
33	T	FREON 113	3.349	3.794	-13.3	101	0.00	2.84
34	T	TRANS-1,2-DICHLOROETHENE	1.655	1.775	-7.3	96	0.00	3.08
35	T	TERTIARY BUTYL ALCOHOL	5.206	5.342	-2.6	94	0.00	2.72
36	t	METHYL TERTIARY BUTYL ETH	4.286	3.905	8.9	83	0.00	3.19
37	T	TETRAHYDROFURAN	0.723	0.816	-12.9	94	0.00	3.90
38	T	HEXANE	2.890	3.140	-8.7	97	0.00	3.66
39	T	VINYL ACETATE	0.407	0.429	-5.4	88	0.00	3.23
40	T	1,1-DICHLOROETHANE	2.961	3.393	-14.6	102	0.00	3.16
41	T	METHYL ETHYL KETONE	0.736	0.818	-11.1	94	0.00	3.33
42	T	CIS-1,2-DICHLOROETHENE	1.776	1.860	-4.7	94	0.00	3.53

Continuing Calibration Summary

Job Number: JD52620 **Sample:** V2W2736-CC2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61653.D
Project: EPT, Ithaca, NY

43	T	DIISOPROPYL ETHER	0.846	0.964	-13.9	102	0.00	3.67
44	T	ETHYL ACETATE	0.592	0.666	-12.5	100	0.00	3.67
45	T	METHYL ACRYLATE	3.398	3.692	-8.7	93	0.00	3.66
46	T	CHLOROFORM	3.619	3.903	-7.8	97	0.00	3.69
47	T	2,4-DIMETHYLPENTANE	3.367	3.539	-5.1	96	0.00	4.19
48	T	1,1,1-TRICHLOROETHANE	3.609	3.631	-0.6	89	0.00	4.28
49	T	CARBON TETRACHLORIDE	3.576	3.613	-1.0	87	0.00	4.71
50	T	1,2-DICHLOROETHANE	2.451	2.715	-10.8	98	0.00	4.11
51	t	BENZENE	5.167	5.400	-4.5	95	0.00	4.60
52	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	89	0.00	4.93
53	T	CYCLOHEXANE	0.422	0.457	-8.3	94	0.00	4.81
54	T	2,3-DIMETHYLPENTANE	0.207	0.224	-8.2	92	0.00	5.07
55	T	TRICHLOROETHENE	0.424	0.480	-13.2	93	0.00	5.52
56	T	1,2-DICHLOROPROPANE	0.382	0.444	-16.2	102	0.00	5.28
57	T	DIBROMOMETHANE	0.436	0.435	0.2	89	0.00	5.24
58	T	ETHYL ACRYLATE	0.717	0.823	-14.8	92	0.00	5.40
59	T	BROMODICHLOROMETHANE	0.700	0.806	-15.1	96	0.00	5.46
60	T	2,2,4-TRIMETHYLPENTANE	1.689	1.830	-8.3	96	0.00	5.61
61	T	1,4-DIOXANE	0.205	0.242	-18.0	102	0.00	5.52
62	T	HEPTANE	0.532	0.497	6.6	83	0.00	5.94
63	T	METHYL METHACRYLATE	0.326	0.370	-13.5	91	0.00	5.83
64	T	METHYL ISOBUTYL KETONE	0.272	0.350	-28.7	100	0.00	6.57
65	T	CIS-1,3-DICHLOROPROPENE	0.506	0.545	-7.7	89	0.00	6.47
66	T	TOLUENE	1.206	1.268	-5.1	91	0.00	7.70
67	T	1,3-DICHLOROPROPANE	0.573	0.631	-10.1	93	0.00	7.75
68	T	TRANS-1,3-DICHLOROPROPENE	0.453	0.465	-2.6	82	0.00	7.16
69	T	1,1,2-TRICHLOROETHANE	0.353	0.385	-9.1	95	0.00	7.32
		----------	True	Calc.	% Drift	----------		
70	T	2-HEXANONE	10.000	11.972	-19.7	106	0.00	8.26
		----------	AvgRF	CCRF	% Dev	----------		
71	T	ETHYL METHACRYLATE	0.475	0.598	-25.9	93	0.00	8.40
72	T	TETRACHLOROETHENE	0.483	0.489	-1.2	89	0.00	9.45
73	T	DIBROMOCHLOROMETHANE	0.688	0.774	-12.5	89	0.00	8.24
74	T	1,2-DIBROMOETHANE	0.643	0.704	-9.5	91	0.00	8.59
75	T	OCTANE	0.715	0.684	4.3	83	0.00	9.59
76	I	CHLOROBENZENE-D5	1.000	1.000	0.0	84	0.00	10.59
77	T	1,1,1,2-TETRACHLOROETHANE	0.542	0.595	-9.8	87	0.00	10.68
78	T	CHLOROBENZENE	1.075	1.183	-10.0	91	0.00	10.66
79	t	ETHYLBENZENE	1.713	1.923	-12.3	91	0.00	11.55
80	t	M,P-XYLENE	1.303	1.483	-13.8	91	0.00	11.98
81	t	O-XYLENE	1.332	1.526	-14.6	92	0.00	12.92
82	T	STYRENE	0.953	1.154	-21.1	91	0.00	12.70
83	T	NONANE	0.822	0.831	-1.1	84	0.00	14.03
84	T	BROMOFORM	0.689	0.864	-25.4	94	0.00	11.79
85	T	1,1,2,2-TETRACHLOROETHANE	0.991	1.200	-21.1	99	0.00	12.93
86	T	1,2,3-TRICHLOROPROPANE	0.727	0.834	-14.7	94	0.00	13.21
87	S	4-BROMOFLUOROBENZENE	0.666	0.742	-11.4	93	0.00	13.96
88	T	ISOPROPYLBENZENE	0.565	0.559	1.1	80	0.00	14.44
89	T	BROMOBENZENE	0.922	1.041	-12.9	92	0.00	14.31
90	T	2-CHLOROTOLUENE	0.474	0.518	-9.3	89	0.00	15.44
91	T	N-PROPYLBENZENE	0.519	0.587	-13.1	88	0.00	15.78
92	T	4-ETHYLTOLUENE	1.912	2.230	-16.6	92	0.00	16.15
93	T	1,3,5-TRIMETHYLBENZENE	1.595	1.834	-15.0	92	0.00	16.30
94	T	ALPHA-METHYLSTYRENE	0.671	0.934	-39.2#	105	0.00	16.50
95	T	TERT-BUTYLBENZENE	0.408	0.458	-12.3	90	0.00	16.76
96	T	1,2,4-TRIMETHYLBENZENE	1.705	1.996	-17.1	95	0.00	16.77

Continuing Calibration Summary

Job Number: JD52620 **Sample:** V2W2736-CC2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61653.D
Project: EPT, Ithaca, NY

97	T	BENZYL CHLORIDE	1.056	0.945	10.5	70	0.00	16.85
98	T	M-DICHLOROBENZENE	1.121	1.295	-15.5	94	0.00	16.83
99	T	P-DICHLOROBENZENE	1.136	1.303	-14.7	93	0.00	16.91
100	T	O-DICHLOROBENZENE	1.103	1.261	-14.3	95	0.00	17.20
101	T	SEC-BUTYLBENZENE	0.507	0.564	-11.2	91	0.00	17.04
102	T	1,2,3-TRIMETHYLBENZENE	1.613	1.894	-17.4	94	0.00	17.15
103	T	P-ISOPROPYLTOLUENE	0.559	0.631	-12.9	92	0.00	17.22
104	T	N-BUTYLBENZENE	0.517	0.586	-13.3	91	0.00	17.56
105	T	HEXACHLOROETHANE	0.633	0.727	-14.8	92	0.00	17.74
106	T	HEXACHLOROBUTADIENE	0.866	0.977	-12.8	102	0.00	18.78
107	T	1,2,4-TRICHLOROBENZENE	0.914	1.031	-12.8	93	0.00	18.48
108	T	NAPHTHALENE	2.334	2.537	-8.7	92	0.00	18.52

(#) = Out of Range SPCC's out = 0 CCC's out = 0
2w61016.D M2W2709.M Thu Sep 29 09:14:28 2022

Continuing Calibration Summary

Job Number: JD52620 **Sample:** V2W2737-CC2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61685.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\2w61685.D Vial: 2
Acq On : 30 Sep 2022 7:35 am Operator: thomash
Sample : cc2709-10 Inst : MS2W
Misc : MS62556,V2w2737,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\METHODS\M2W2709.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
Last Update : Wed Aug 24 16:16:55 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.33min
Max. RRF Dev : 30% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	BROMOCHLOROMETHANE	1.000	1.000	0.0	106	0.00	3.61
2	T	FREON 115		----------NA----------				
3	T	FREON 152A	0.841	0.838	0.4	103	0.00	1.86
4	T	CHLORODIFLUOROMETHANE	0.373	0.365	2.1	98	0.00	1.87
5	T	CHLOROTRIFLUOROETHENE	2.160	1.891	12.5	90	0.00	1.88
6	T	DICHLORODIFLUOROMETHANE	4.975	4.710	5.3	98	0.00	1.91
7	T	PROPYLENE	0.939	0.770	18.0	88	0.00	1.88
8	T	1-CHLORO-1,1-DIFLUOROETHA	3.746	3.833	-2.3	105	0.00	1.96
9	T	FREON 114	4.481	4.426	1.2	103	0.00	2.00
10	T	CHLOROMETHANE	0.501	0.458	8.6	99	0.00	1.97
11	T	VINYL CHLORIDE	1.740	1.916	-10.1	113	0.00	2.05
12	t	1,3-BUTADIENE	1.344	1.285	4.4	98	0.00	2.10
13	T	N-BUTANE	2.340	2.018	13.8	95	0.00	2.12
14	T	BROMOMETHANE	1.572	1.549	1.5	104	0.00	2.20
15	T	CHLOROETHANE	0.931	1.034	-11.1	113	0.00	2.26
16	T	DICHLOROFLUOROMETHANE	3.704	3.840	-3.7	107	0.00	2.29
17	T	ACETONITRILE	1.391	1.272	8.6	98	0.00	2.38
18	T	ACROLEIN	0.614	0.901	-46.7#	118	0.00	2.42
19	T	FREON 123	4.117	4.535	-10.2	114	0.00	2.44
20	T	FREON 123A	2.381	2.322	2.5	101	0.00	2.46
21	T	TRICHLOROFLUOROMETHANE	5.177	5.433	-4.9	107	0.00	2.52
22	T	ISOPROPYL ALCOHOL	4.132	3.830	7.3	103	0.00	2.54
23	T	ACETONE	1.318	1.132	14.1	109	0.00	2.47
24	T	PENTANE	2.264	2.307	-1.9	111	0.00	2.63
25	T	IODOMETHANE	5.061	5.295	-4.6	108	0.00	2.69
26	T	1,1-DICHLOROETHYLENE	1.987	2.258	-13.6	117	0.00	2.72
27	T	CARBON DISULFIDE	5.984	7.079	-18.3	121	0.00	2.85
28	T	ETHANOL	0.813	0.604	25.7	94	0.00	2.30
29	T	BROMOETHENE	1.606	1.610	-0.2	101	0.00	2.39
30	T	ACRYLONITRILE	1.561	1.719	-10.1	111	0.00	2.61
31	T	METHYLENE CHLORIDE	2.205	2.226	-1.0	124	0.00	2.75
32	T	3-CHLOROPROPENE	1.020	1.085	-6.4	115	0.00	2.79
33	T	FREON 113	3.349	3.533	-5.5	109	0.00	2.85
34	T	TRANS-1,2-DICHLOROETHENE	1.655	1.656	-0.1	103	0.00	3.08
35	T	TERTIARY BUTYL ALCOHOL	5.206	5.047	3.1	102	0.00	2.72
36	t	METHYL TERTIARY BUTYL ETH	4.286	3.681	14.1	90	0.00	3.19
37	T	TETRAHYDROFURAN	0.723	0.729	-0.8	97	0.00	3.91
38	T	HEXANE	2.890	2.923	-1.1	105	0.00	3.67
39	T	VINYL ACETATE	0.407	0.407	0.0	96	0.00	3.23
40	T	1,1-DICHLOROETHANE	2.961	3.220	-8.7	112	0.00	3.16
41	T	METHYL ETHYL KETONE	0.736	0.783	-6.4	104	0.00	3.33
42	T	CIS-1,2-DICHLOROETHENE	1.776	1.719	3.2	100	0.00	3.53

Continuing Calibration Summary

Job Number: JD52620 **Sample:** V2W2737-CC2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61685.D
Project: EPT, Ithaca, NY

43	T	DIISOPROPYL ETHER	0.846	0.892	-5.4	109	0.00	3.67
44	T	ETHYL ACETATE	0.592	0.639	-7.9	110	0.00	3.68
45	T	METHYL ACRYLATE	3.398	3.448	-1.5	101	0.00	3.66
46	T	CHLOROFORM	3.619	3.671	-1.4	106	0.00	3.69
47	T	2,4-DIMETHYLPENTANE	3.367	3.323	1.3	104	0.00	4.20
48	T	1,1,1-TRICHLOROETHANE	3.609	3.403	5.7	97	0.00	4.28
49	T	CARBON TETRACHLORIDE	3.576	3.379	5.5	94	0.00	4.71
50	T	1,2-DICHLOROETHANE	2.451	2.548	-4.0	107	0.00	4.11
51	t	BENZENE	5.167	5.015	2.9	102	0.00	4.60
52	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	104	0.00	4.93
53	T	CYCLOHEXANE	0.422	0.423	-0.2	101	0.00	4.81
54	T	2,3-DIMETHYLPENTANE	0.207	0.205	1.0	99	0.00	5.08
55	T	TRICHLOROETHENE	0.424	0.444	-4.7	101	0.00	5.52
56	T	1,2-DICHLOROPROPANE	0.382	0.412	-7.9	110	0.00	5.28
57	T	DIBROMOMETHANE	0.436	0.404	7.3	97	0.00	5.24
58	T	ETHYL ACRYLATE	0.717	0.751	-4.7	98	0.00	5.40
59	T	BROMODICHLOROMETHANE	0.700	0.737	-5.3	102	0.00	5.46
60	T	2,2,4-TRIMETHYLPENTANE	1.689	1.698	-0.5	103	0.00	5.61
61	T	1,4-DIOXANE	0.205	0.224	-9.3	110	0.00	5.53
62	T	HEPTANE	0.532	0.458	13.9	89	0.00	5.94
63	T	METHYL METHACRYLATE	0.326	0.340	-4.3	97	0.00	5.83
64	T	METHYL ISOBUTYL KETONE	0.272	0.322	-18.4	107	0.00	6.57
65	T	CIS-1,3-DICHLOROPROPENE	0.506	0.502	0.8	95	0.00	6.47
66	T	TOLUENE	1.206	1.161	3.7	97	0.00	7.70
67	T	1,3-DICHLOROPROPANE	0.573	0.583	-1.7	101	0.00	7.76
68	T	TRANS-1,3-DICHLOROPROPENE	0.453	0.428	5.5	88	0.00	7.16
69	T	1,1,2-TRICHLOROETHANE	0.353	0.360	-2.0	103	0.00	7.32
		----------	True	Calc.	% Drift	----------		
70	T	2-HEXANONE	10.000	10.943	-9.4	113	0.00	8.26
		----------	AvgRF	CCRF	% Dev	----------		
71	T	ETHYL METHACRYLATE	0.475	0.549	-15.6	100	0.00	8.40
72	T	TETRACHLOROETHENE	0.483	0.451	6.6	95	0.00	9.44
73	T	DIBROMOCHLOROMETHANE	0.688	0.716	-4.1	97	0.00	8.24
74	T	1,2-DIBROMOETHANE	0.643	0.644	-0.2	97	0.00	8.59
75	T	OCTANE	0.715	0.632	11.6	89	0.00	9.59
76	I	CHLOROBENZENE-D5	1.000	1.000	0.0	96	0.00	10.59
77	T	1,1,1,2-TETRACHLOROETHANE	0.542	0.563	-3.9	95	0.00	10.68
78	T	CHLOROBENZENE	1.075	1.102	-2.5	97	0.00	10.67
79	t	ETHYLBENZENE	1.713	1.799	-5.0	97	0.00	11.55
80	t	M,P-XYLENE	1.303	1.396	-7.1	99	0.00	11.98
81	t	O-XYLENE	1.332	1.438	-8.0	100	0.00	12.92
82	T	STYRENE	0.953	1.072	-12.5	97	0.00	12.70
83	T	NONANE	0.822	0.791	3.8	91	0.00	14.03
84	T	BROMOFORM	0.689	0.792	-14.9	99	0.00	11.79
85	T	1,1,2,2-TETRACHLOROETHANE	0.991	1.121	-13.1	106	0.00	12.93
86	T	1,2,3-TRICHLOROPROPANE	0.727	0.791	-8.8	102	0.00	13.21
87	S	4-BROMOFLUOROBENZENE	0.666	0.747	-12.2	107	0.00	13.96
88	T	ISOPROPYLBENZENE	0.565	0.533	5.7	87	0.00	14.43
89	T	BROMOBENZENE	0.922	0.990	-7.4	100	0.00	14.31
90	T	2-CHLOROTOLUENE	0.474	0.492	-3.8	96	0.00	15.45
91	T	N-PROPYLBENZENE	0.519	0.546	-5.2	94	0.00	15.78
92	T	4-ETHYLTOLUENE	1.912	2.091	-9.4	99	0.00	16.15
93	T	1,3,5-TRIMETHYLBENZENE	1.595	1.732	-8.6	99	0.00	16.30
94	T	ALPHA-METHYLSTYRENE	0.671	0.883	-31.6#	114	0.00	16.50
95	T	TERT-BUTYLBENZENE	0.408	0.436	-6.9	98	0.00	16.76
96	T	1,2,4-TRIMETHYLBENZENE	1.705	1.876	-10.0	102	0.00	16.77

Continuing Calibration Summary

Job Number: JD52620 **Sample:** V2W2737-CC2709
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2W61685.D
Project: EPT, Ithaca, NY

97	T	BENZYL CHLORIDE	1.056	0.905	14.3	77	0.00	16.85
98	T	M-DICHLOROBENZENE	1.121	1.231	-9.8	102	0.00	16.83
99	T	P-DICHLOROBENZENE	1.136	1.237	-8.9	101	0.00	16.91
100	T	O-DICHLOROBENZENE	1.103	1.185	-7.4	102	0.00	17.20
101	T	SEC-BUTYLBENZENE	0.507	0.538	-6.1	99	0.00	17.04
102	T	1,2,3-TRIMETHYLBENZENE	1.613	1.787	-10.8	102	0.00	17.15
103	T	P-ISOPROPYLTOLUENE	0.559	0.598	-7.0	100	0.00	17.22
104	T	N-BUTYLBENZENE	0.517	0.552	-6.8	98	0.00	17.56
105	T	HEXACHLOROETHANE	0.633	0.684	-8.1	99	0.00	17.74
106	T	HEXACHLOROBUTADIENE	0.866	0.913	-5.4	109	-0.01	18.78
107	T	1,2,4-TRICHLOROBENZENE	0.914	0.975	-6.7	101	-0.01	18.47
108	T	NAPHTHALENE	2.334	2.372	-1.6	98	-0.01	18.52

(#) = Out of Range SPCC's out = 0 CCC's out = 0
2w61016.D M2W2709.M Fri Sep 30 15:17:43 2022

Initial Calibration Summary

Job Number: JD52620 **Sample:** V6W1105-ICC1105
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 6W26008.D
Project: EPT, Ithaca, NY

Response Factor Report GCMS6W

Method : C:\msdchem\1\methods\M6W1105.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
Last Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration

Calibration Files
0.5 =6W26005.D 0.2 =6W26004.D 40 =6W26010.D 0.04=6W26014.D
5 =6W26007.D 10 =6W26008.D 20 =6W26009.D 0.1 =6W26015.D
50 =6W26011.D =

Compound	0.5	0.2	40	0.04	5	10	20	0.1	50	Avg	%RSD
1) I BROMOCHLOROMETHANE	----------ISTD----------										
2) FREON 115										0.000	-1.00
3) FREON 152A	0.788	0.703	0.843		0.806	0.853	0.836	0.776	0.856	0.808	6.42
4) CHLORODIFLUOROMETHANE	0.383	0.329	0.402		0.375	0.404	0.392	0.391	0.405	0.385	6.50
5) CHLOROTRIFLUOROETHENE	1.528	1.481	1.694		1.585	1.683	1.647	1.602	1.741	1.620	5.43
6) DICHLORODIFLUOROMETHANE	4.207	4.813	3.963	7.733	3.965	4.120	4.010	5.085	3.965	4.651	26.35
7) PROPYLENE	1.074	1.070	1.214		1.097	1.189	1.172	1.303	1.223	1.168	7.04
8) 1-CHLORO-1,1-DIFLUOROETHANE	3.966	3.965	3.831	5.995	3.783	3.909	3.781	3.839	3.892	4.107	17.33
9) FREON 114	4.289	4.356	4.299	6.576	4.086	4.236	4.127	4.156	4.381	4.501	17.44
10) CHLOROMETHANE	0.573	0.630	0.527		0.538	0.555	0.524	0.717	0.531	0.574	11.74
11) VINYL CHLORIDE	1.829	1.754	1.744	3.090	1.723	1.785	1.723	1.911	1.755	1.924	22.94
12) 1,3-BUTADIENE	1.424	1.845	1.409		1.361	1.405	1.375	1.459	1.404	1.460	10.85
13) N-BUTANE	3.026	3.016	2.875		2.833	2.925	2.828	3.503	2.872	2.985	7.46
14) BROMOMETHANE	1.518	1.489	1.403		1.386	1.423	1.378	1.558	1.427	1.448	4.56
15) CHLOROETHANE	0.929	0.998	0.901		0.884	0.917	0.878	1.113	0.918	0.942	8.29
16) DICHLOROFLUOROMETHANE	3.828	3.716	3.813	6.897	3.732	3.848	3.728	3.773	3.888	4.136	25.07
17) ACETONITRILE	2.039	1.905	1.813		1.780	1.879	1.792	2.255	1.814	1.910	8.54
18) ACROLEIN	0.864	0.930	0.875		0.863	0.869	0.862	0.744	0.887	0.862	6.10
19) FREON 123	3.668	3.772	3.781	5.936	3.626	3.742	3.635	3.842	3.895	3.988	18.45
20) FREON 123A	1.731	2.229	1.857	3.001	1.777	1.818	1.792	1.879	1.917	2.000	20.11
21) TRICHLOROFLUOROMETHANE	3.895	4.051	3.980	6.576	3.878	3.932	3.841	4.062	4.082	4.255	20.56
22) ISOPROPYL ALCOHOL	4.065	4.247	3.765		3.767	3.908	3.821	5.362	3.865	4.100	13.07
23) ACETONE											

	0.966	1.006	0.905		0.873	0.892	0.874	1.194	0.919	0.954	11.27
24)	PENTANE										
	2.118	2.065	2.017	3.991	1.969	2.054	1.978	2.448	2.032	2.297	28.37
25)	IODOMETHANE										
	3.609	3.595	3.671	5.438	3.446	3.613	3.518	3.550	3.781	3.802	16.32
26)	1,1-DICHLOROETHYLENE										
	1.469	1.543	1.512		1.433	1.504	1.469	1.525	1.558	1.502	2.79
27)	CARBON DISULFIDE										
	4.944	4.872	5.171	8.100	4.814	5.010	4.926	4.940	5.308	5.343	19.57
28)	ETHANOL										
	1.165	1.249	0.869		0.916	0.914	0.887	1.283	0.894	1.022	17.38
29)	BROMOETHENE										
	1.437	1.321	1.402		1.329	1.382	1.343	1.389	1.425	1.379	3.15
30)	ACRYLONITRILE										
	1.284	1.369	1.362		1.337	1.377	1.326	1.506	1.370	1.366	4.70
31)	METHYLENE CHLORIDE										
	1.869	2.246	1.458		1.473	1.495	1.423		1.488	1.636	18.86
32)	3-CHLOROPROPENE										
	0.767	0.756	0.793	1.115	0.765	0.792	0.774	0.687	0.817	0.807	14.96
33)	FREON 113										
	2.412	2.386	2.466	3.772	2.288	2.384	2.352	2.292	2.554	2.545	18.36
34)	TRANS-1,2-DICHLOROETHENE										
	1.639	1.681	1.623		1.590	1.616	1.585	1.760	1.664	1.645	3.48
35)	TERTIARY BUTYL ALCOHOL										
	3.403	3.524	3.583	5.669	3.388	3.554	3.543	3.211	3.735	3.734	19.82
36)	METHYL TERTIARY BUTYL ETHER										
	4.368	4.493	4.506	6.909	4.165	4.381	4.317	4.252	4.646	4.671	18.23
37)	TETRAHYDROFURAN										
	0.770	0.803	0.821		0.792	0.815	0.796	0.732	0.841	0.796	4.22
38)	HEXANE										
	2.984	3.079	3.142	4.922	2.906	3.046	2.987	3.167	3.214	3.272	19.15
39)	VINYL ACETATE										
	0.438	0.476	0.461		0.414	0.435	0.441	0.386	0.476	0.441	7.05
40)	1,1-DICHLOROETHANE										
	3.154	3.195	3.169	5.551	3.155	3.236	3.100	3.209	3.226	3.444	22.97
41)	METHYL ETHYL KETONE										
	0.843	0.872	0.864		0.827	0.837	0.841	0.774	0.879	0.842	3.92
42)	CIS-1,2-DICHLOROETHENE										
	1.714	1.689	1.640	3.113	1.601	1.652	1.606	1.642	1.676	1.815	26.91
43)	DIISOPROPYL ETHER										
	0.842	0.822	0.943		0.864	0.889	0.884	0.922	0.961	0.891	5.46
44)	ETHYL ACETATE										
	0.610	0.587	0.681	0.848	0.631	0.655	0.651	0.546	0.694	0.656	13.03
45)	METHYL ACRYLATE										
	3.915	3.825	4.119	6.903	3.821	3.987	3.951	4.032	4.189	4.305	22.81
46)	CHLOROFORM										
	3.672	3.775	3.727	5.539	3.559	3.708	3.619	3.904	3.802	3.923	15.67
47)	2,4-DIMETHYLPENTANE										
	3.421	3.685	3.523	4.679	3.399	3.524	3.415	3.797	3.562	3.667	10.95
48)	1,1,1-TRICHLOROETHANE										
	3.483	3.569	3.434	4.471	3.326	3.434	3.344	3.268	3.488	3.535	10.27
49)	CARBON TETRACHLORIDE										
	3.267	3.354	3.323	4.952	3.140	3.288	3.192	2.860	3.375	3.417	17.46
50)	1,2-DICHLOROETHANE										
	2.701	2.504	2.592	4.050	2.573	2.660	2.563	2.633	2.641	2.769	17.49
51)	BENZENE										
	5.287	5.282	5.117	7.187	5.004	5.185	5.014	5.209	5.174	5.384	12.70
52)	I 1,4-DIFLUOROBENZENE	----------ISTD----------									
53)	CYCLOHEXANE										

		0.399	0.404	0.407		0.389	0.394	0.398	0.414	0.409	0.402	2.07
54)	2,3-DIMETHYLPENTANE											
		0.217	0.235	0.221		0.209	0.212	0.213	0.231	0.221	0.220	4.21
55)	TRICHLOROETHENE											
		0.399	0.420	0.422	0.573	0.395	0.402	0.406	0.318	0.420	0.417	15.90
56)	1,2-DICHLOROPROPANE											
		0.411	0.358	0.402	0.648	0.385	0.395	0.393	0.408	0.400	0.422	20.40
57)	DIBROMOMETHANE											
		0.352	0.354	0.359		0.338	0.346	0.346	0.389	0.357	0.355	4.29
58)	ETHYL ACRYLATE											
		0.838	0.840	0.929	1.076	0.849	0.865	0.886	0.630	0.923	0.871	13.39
59)	BROMODICHLOROMETHANE											
		0.730	0.725	0.770	1.132	0.729	0.737	0.743	0.656	0.768	0.777	17.66
60)	2,2,4-TRIMETHYLPENTANE											
		1.807	1.818	1.825	2.489	1.738	1.682	1.768	1.363	1.817	1.812	16.13
61)	1,4-DIOXANE											
		0.222	0.227	0.211		0.208	0.212	0.211	0.155	0.213	0.207	10.63
62)	HEPTANE											
		0.467	0.495	0.725	0.960	0.508	0.523	0.535	0.514	0.724	0.606	27.06
63)	METHYL METHACRYLATE											
		0.283	0.324	0.402		0.283	0.305	0.317	0.228	0.401	0.318	18.69
64)	METHYL ISOBUTYL KETONE											
		0.223	0.203	0.289		0.250	0.270	0.276	0.214	0.287	0.252	13.66
65)	CIS-1,3-DICHLOROPROPENE											
		0.400	0.391	0.498	0.668	0.426	0.457	0.475	0.427	0.498	0.471	17.70
66)	TOLUENE											
		0.792	0.785	0.988	1.458	0.862	0.906	0.940	0.821	0.989	0.949	21.71
67)	1,3-DICHLOROPROPANE											
		0.433	0.432	0.530	0.923	0.483	0.495	0.509	0.499	0.528	0.537	27.78
68)	TRANS-1,3-DICHLOROPROPENE											
		0.355	0.365	0.470	0.749	0.380	0.415	0.444	0.404	0.475	0.451	26.55
69)	1,1,2-TRICHLOROETHANE											
		0.281	0.276	0.312		0.287	0.300	0.305	0.278	0.310	0.294	5.10
70)	2-HEXANONE											
		0.245	0.260	0.391		0.329	0.358	0.372	0.265	0.392	0.327	18.82
71)	ETHYL METHACRYLATE											
		0.364	0.358	0.559	0.636	0.458	0.500	0.526	0.355	0.561	0.480	21.37
72)	TETRACHLOROETHENE											
		0.303	0.285	0.350	0.520	0.315	0.324	0.336	0.355	0.348	0.348	19.66
73)	DIBROMOCHLOROMETHANE											
		0.484	0.488	0.595	0.907	0.528	0.551	0.567	0.544	0.595	0.584	21.81
74)	1,2-DIBROMOETHANE											
		0.455	0.405	0.541	0.852	0.473	0.498	0.518	0.515	0.538	0.533	23.91
75)	OCTANE											
		0.577	0.559	0.797	1.115	0.674	0.723	0.754	0.631	0.797	0.736	22.68
76)	I CHLOROBENZENE-D5	----------				ISTD						
77)	1,1,1,2-TETRACHLOROETHANE											
		0.484	0.474	0.543	0.755	0.503	0.517	0.526	0.462	0.553	0.535	16.43
78)	CHLOROBENZENE											
		0.963	0.906	1.033	1.503	0.975	0.998	1.004	1.001	1.047	1.048	16.77
79)	ETHYLBENZENE											
		1.463	1.497	1.773	2.308	1.589	1.666	1.713	1.349	1.801	1.684	16.48
80)	M,P-XYLENE											
		1.091	1.069	1.385	1.632	1.246	1.306	1.333	0.961	1.408	1.270	16.15
81)	O-XYLENE											
		1.075	1.150	1.426	1.693	1.281	1.321	1.362	1.014	1.451	1.308	16.04
82)	STYRENE											
		0.739	0.782	1.043	1.167	0.899	0.950	0.990	0.689	1.068	0.925	17.49
83)	NONANE											

	1.020	0.987	1.147	1.841	1.065	1.092	1.107	1.043	1.159	1.162	22.43
84)	BROMOFORM										
	0.692	0.740	0.799	0.953	0.719	0.743	0.765	0.620	0.815	0.761	12.15
85)	1,1,2,2-TETRACHLOROETHANE										
	1.073	1.053	1.173	1.583	1.093	1.115	1.126	1.071	1.190	1.164	14.06
86)	1,2,3-TRICHLOROPROPANE										
	0.798	0.781	0.866	1.219	0.813	0.822	0.829	0.750	0.883	0.862	16.19
87)	4-BROMOFLUOROBENZENE										
	0.713	0.705	0.764	0.705	0.733	0.737	0.748	0.702	0.770	0.731	3.58
88)	ISOPROPYLBENZENE										
	0.391	0.382	0.505		0.444	0.468	0.482	0.340	0.519	0.441	14.51
89)	BROMOBENZENE										
	0.919	0.946	1.081	1.346	0.966	1.005	1.018	0.905	1.104	1.032	13.18
90)	2-CHLOROTOLUENE										
	0.339	0.357	0.465		0.402	0.425	0.438	0.322	0.472	0.402	14.26
91)	N-PROPYLBENZENE										
	0.372	0.405	0.526		0.454	0.479	0.497	0.272	0.539	0.443	20.21
92)	4-ETHYLTOLUENE										
	1.382	1.390	2.070	1.939	1.764	1.865	1.926	1.181	2.110	1.736	19.31
93)	1,3,5-TRIMETHYLBENZENE										
	1.157	1.156	1.758	1.634	1.488	1.554	1.631	0.962	1.828	1.463	20.57
94)	ALPHA-METHYLSTYRENE										
	0.555	0.539	0.891		0.726	0.770	0.818	0.437	0.915	0.706	24.97
95)	TERT-BUTYLBENZENE										
	0.273	0.349	0.429		0.352	0.370	0.390	0.236	0.448	0.356	20.29
96)	1,2,4-TRIMETHYLBENZENE										
	1.214	1.152	1.946	1.773	1.555	1.691	1.740	0.981	2.035	1.565	23.58
97)	BENZYL CHLORIDE										
	0.741	0.734	1.670		1.068	1.243	1.396		1.772	1.232	33.58
98)	M-DICHLOROBENZENE										
	0.934	0.878	1.218	1.358	1.029	1.088	1.135	0.875	1.272	1.087	16.01
99)	P-DICHLOROBENZENE										
	0.907	0.901	1.284	1.296	1.035	1.099	1.142	0.790	1.327	1.087	17.85
100)	O-DICHLOROBENZENE										
	0.904	0.872	1.260	1.333	1.003	1.073	1.132	0.829	1.320	1.081	17.92
101)	SEC-BUTYLBENZENE										
	0.345	0.373	0.551		0.435	0.467	0.501	0.293	0.572	0.442	22.54
102)	1,2,3-TRIMETHYLBENZENE										
	1.231	1.193	1.900	1.549	1.524	1.622	1.736	0.995	1.995	1.527	21.88
103)	P-ISOPROPYLTOLUENE										
	0.403	0.375	0.640		0.492	0.533	0.571	0.279	0.678	0.496	27.57
104)	N-BUTYLBENZENE										
	0.339	0.343	0.614		0.459	0.515	0.547	0.272	0.646	0.467	29.45
105)	HEXACHLOROETHANE										
	0.549	0.566	0.844	0.992	0.624	0.681	0.733	0.523	0.899	0.713	23.47
106)	HEXACHLOROBUTADIENE										
	0.812	0.799	1.289	1.326	0.892	0.959	1.052	0.785	1.398	1.035	23.56
107)	1,2,4-TRICHLOROBENZENE										
	0.655	0.638	1.368	1.114	0.918	1.032	1.151	0.562	1.482	0.991	32.95
108)	NAPHTHALENE										
	1.529	1.405	3.409	2.245	2.403	2.676	2.936	1.288	3.620	2.390	35.87

(#) = Out of Range ### Number of calibration levels exceeded format ###

M6W1105.M Wed Sep 21 12:51:54 2022

Initial Calibration Verification

Job Number: JD52620 **Sample:** V6W1105-ICV1105
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 6W26016.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\6W26016.D Vial: 4
Acq On : 16 Sep 2022 8:30 am Operator: thomash
Sample : icv1105-10 Inst : GCMS6W
Misc : MS62094,V6W1105,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\methods\M6W1105.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
Last Update : Wed Sep 21 12:48:04 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.33min
Max. RRF Dev : 30% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	BROMOCHLOROMETHANE	1.000	1.000	0.0	104	0.00	3.34
2	T	FREON 115		----------NA----------				
3	T	FREON 152A	0.808	0.852	-5.4	104	0.00	1.70
4	T	CHLORODIFLUOROMETHANE	0.385	0.392	-1.8	101	0.00	1.71
5	T	CHLOROTRIFLUOROETHENE	1.620	1.626	-0.4	100	0.00	1.72
6	T	DICHLORODIFLUOROMETHANE	4.651	3.882	16.5	98	0.00	1.73
7	T	PROPYLENE	1.168	1.179	-0.9	103	0.00	1.72
8	T	1-CHLORO-1,1-DIFLUOROETHA	4.107	3.711	9.6	99	0.00	1.77
9	T	FREON 114	4.501	4.013	10.8	99	0.00	1.80
10	T	CHLOROMETHANE	0.574	0.547	4.7	103	0.00	1.78
11	T	VINYL CHLORIDE	1.924	1.711	11.1	100	0.00	1.83
12	t	1,3-BUTADIENE	1.460	1.348	7.7	100	0.00	1.87
13	T	N-BUTANE	2.985	2.789	6.6	99	0.00	1.88
14	T	BROMOMETHANE	1.448	1.375	5.0	101	0.00	1.94
15	T	CHLOROETHANE	0.942	0.878	6.8	100	0.00	1.98
16	T	DICHLOROFLUOROMETHANE	4.136	3.577	13.5	97	0.00	2.00
17	T	ACETONITRILE	1.910	1.763	7.7	98	0.00	2.07
18	T	ACROLEIN	0.862	0.739	14.3	88	0.00	2.10
19	T	FREON 123	3.988	3.666	8.1	102	0.00	2.12
20	T	FREON 123A	2.000	1.928	3.6	110	0.00	2.13
21	T	TRICHLOROFLUOROMETHANE	4.255	3.773	11.3	100	0.00	2.19
22	T	ISOPROPYL ALCOHOL	4.100	4.038	1.5	107	0.00	2.21
23	T	ACETONE	0.954	0.891	6.6	104	0.00	2.14
24	T	PENTANE	2.297	1.957	14.8	99	0.00	2.30
25	T	IODOMETHANE	3.802	3.213	15.5	93	0.00	2.36
26	T	1,1-DICHLOROETHYLENE	1.502	1.434	4.5	99	0.00	2.39
27	T	CARBON DISULFIDE	5.343	4.521	15.4	94	0.00	2.52
28	T	ETHANOL	1.022	1.192	-16.6	136	0.00	2.01
29	T	BROMOETHENE	1.379	1.345	2.5	101	0.00	2.07
30	T	ACRYLONITRILE	1.366	1.278	6.4	97	0.00	2.27
31	T	METHYLENE CHLORIDE	1.636	1.420	13.2	99	0.00	2.42
32	T	3-CHLOROPROPENE	0.807	0.757	6.2	99	0.00	2.46
33	T	FREON 113	2.545	2.223	12.7	97	0.00	2.52
34	T	TRANS-1,2-DICHLOROETHENE	1.645	1.517	7.8	98	0.00	2.77
35	T	TERTIARY BUTYL ALCOHOL	3.734	3.144	15.8	92	0.00	2.40
36	t	METHYL TERTIARY BUTYL ETH	4.671	4.205	10.0	100	0.00	2.89
37	T	TETRAHYDROFURAN	0.796	0.747	6.2	95	0.00	3.65
38	T	HEXANE	3.272	2.939	10.2	100	0.00	3.39
39	T	VINYL ACETATE	0.441	0.381	13.6	91	0.00	2.93
40	T	1,1-DICHLOROETHANE	3.444	3.062	11.1	98	0.00	2.85
41	T	METHYL ETHYL KETONE	0.842	0.828	1.7	103	0.00	3.04
42	T	CIS-1,2-DICHLOROETHENE	1.815	1.584	12.7	100	0.00	3.25

Initial Calibration Verification

Job Number: JD52620 **Sample:** V6W1105-ICV1105
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 6W26016.D
Project: EPT, Ithaca, NY

43	T	DIISOPROPYL ETHER	0.891	0.841	5.6	98	0.00	3.40
44	T	ETHYL ACETATE	0.656	0.635	3.2	101	0.00	3.41
45	T	METHYL ACRYLATE	4.305	3.705	13.9	97	0.00	3.39
46	T	CHLOROFORM	3.923	3.458	11.9	97	0.00	3.42
47	T	2,4-DIMETHYLPENTANE	3.667	3.292	10.2	97	0.00	3.95
48	T	1,1,1-TRICHLOROETHANE	3.535	3.191	9.7	97	0.00	4.04
49	T	CARBON TETRACHLORIDE	3.417	3.003	12.1	95	0.00	4.50
50	T	1,2-DICHLOROETHANE	2.769	2.486	10.2	97	0.00	3.87
51	t	BENZENE	5.384	4.881	9.3	98	0.00	4.38
52	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	102	0.00	4.73
53	T	CYCLOHEXANE	0.402	0.380	5.5	98	0.00	4.60
54	T	2,3-DIMETHYLPENTANE	0.220	0.205	6.8	98	0.00	4.87
55	T	TRICHLOROETHENE	0.417	0.389	6.7	99	0.00	5.34
56	T	1,2-DICHLOROPROPANE	0.422	0.374	11.4	97	0.00	5.10
57	T	DIBROMOMETHANE	0.355	0.328	7.6	97	0.00	5.06
58	T	ETHYL ACRYLATE	0.871	0.813	6.7	96	0.00	5.23
59	T	BROMODICHLOROMETHANE	0.777	0.705	9.3	97	0.00	5.30
60	T	2,2,4-TRIMETHYLPENTANE	1.812	1.681	7.2	102	0.00	5.44
61	T	1,4-DIOXANE	0.207	0.207	0.0	100	0.00	5.37
62	T	HEPTANE	0.606	0.661	-9.1	129	0.00	5.78
63	T	METHYL METHACRYLATE	0.318	0.355	-11.6	118	0.00	5.68
64	T	METHYL ISOBUTYL KETONE	0.252	0.267	-6.0	101	0.00	6.47
65	T	CIS-1,3-DICHLOROPROPENE	0.471	0.568	-20.6	127	0.00	6.34
66	T	TOLUENE	0.949	0.880	7.3	99	0.00	7.61
67	T	1,3-DICHLOROPROPANE	0.537	0.484	9.9	100	0.00	7.68
68	T	TRANS-1,3-DICHLOROPROPENE	0.451	0.390	13.5	96	0.00	7.06
69	T	1,1,2-TRICHLOROETHANE	0.294	0.287	2.4	97	0.00	7.23
70	T	2-HEXANONE	0.327	0.358	-9.5	102	0.00	8.23
71	T	ETHYL METHACRYLATE	0.480	0.470	2.1	96	0.00	8.35
72	T	TETRACHLOROETHENE	0.348	0.323	7.2	101	0.00	9.41
73	T	DIBROMOCHLOROMETHANE	0.584	0.525	10.1	97	0.00	8.18
74	T	1,2-DIBROMOETHANE	0.533	0.477	10.5	97	0.00	8.53
75	T	OCTANE	0.736	0.698	5.2	98	0.00	9.55
76	I	CHLOROBENZENE-D5	1.000	1.000	0.0	105	0.00	10.59
77	T	1,1,1,2-TETRACHLOROETHANE	0.535	0.476	11.0	96	0.00	10.68
78	T	CHLOROBENZENE	1.048	0.933	11.0	98	0.00	10.66
79	t	ETHYLBENZENE	1.684	1.536	8.8	96	0.00	11.56
80	t	M,P-XYLENE	1.270	1.210	4.7	97	0.00	12.00
81	t	O-XYLENE	1.308	1.246	4.7	99	0.00	12.95
82	T	STYRENE	0.925	0.829	10.4	91	0.00	12.74
83	T	NONANE	1.162	1.014	12.7	97	0.00	14.08
84	T	BROMOFORM	0.761	0.703	7.6	99	0.00	11.83
85	T	1,1,2,2-TETRACHLOROETHANE	1.164	1.042	10.5	98	0.00	12.99
86	T	1,2,3-TRICHLOROPROPANE	0.862	0.767	11.0	98	0.00	13.27
87	S	4-BROMOFLUOROBENZENE	0.731	0.726	0.7	103	0.00	14.02
88	T	ISOPROPYLBENZENE	0.441	0.428	2.9	96	0.00	14.50
89	T	BROMOBENZENE	1.032	0.915	11.3	95	0.00	14.37
90	T	2-CHLOROTOLUENE	0.402	0.377	6.2	93	0.00	15.52
91	T	N-PROPYLBENZENE	0.443	0.438	1.1	96	0.00	15.86
92	T	4-ETHYLTOLUENE	1.736	1.707	1.7	96	0.00	16.20
93	T	1,3,5-TRIMETHYLBENZENE	1.463	1.408	3.8	95	0.00	16.35
94	T	ALPHA-METHYLSTYRENE	0.706	0.592	16.1	80	0.00	16.54
95	T	TERT-BUTYLBENZENE	0.356	0.335	5.9	95	0.00	16.80
96	T	1,2,4-TRIMETHYLBENZENE	1.565	1.510	3.5	93	0.00	16.80
97	T	BENZYL CHLORIDE	1.232	0.901	26.9	76	0.00	16.89
98	T	M-DICHLOROBENZENE	1.087	0.975	10.3	94	0.00	16.86
99	T	P-DICHLOROBENZENE	1.087	0.965	11.2	92	0.00	16.95
100	T	O-DICHLOROBENZENE	1.081	0.951	12.0	93	0.00	17.23

Initial Calibration Verification

Job Number: JD52620 **Sample:** V6W1105-ICV1105
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 6W26016.D
Project: EPT, Ithaca, NY

101	T	SEC-BUTYLBENZENE	0.442	0.425	3.8	95	0.00	17.07
102	T	1,2,3-TRIMETHYLBENZENE	1.527	1.461	4.3	94	0.00	17.18
103	T	P-ISOPROPYLTOLUENE	0.496	0.467	5.8	92	0.00	17.25
104	T	N-BUTYLBENZENE	0.467	0.458	1.9	93	0.00	17.59
105	T	HEXACHLOROETHANE	0.713	0.536	24.8	82	0.00	17.77
106	T	HEXACHLOROBUTADIENE	1.035	0.845	18.4	92	0.00	18.80
107	T	1,2,4-TRICHLOROBENZENE	0.991	0.877	11.5	89	0.00	18.50
108	T	NAPHTHALENE	2.390	2.133	10.8	83	0.00	18.55

(#) = Out of Range SPCC's out = 0 CCC's out = 0
6W26008.D M6W1105.M Wed Sep 21 12:52:22 2022

Continuing Calibration Summary

Job Number: JD52620 **Sample:** V6W1111-CC1105
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 6W26135.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\6W26135.D Vial: 2
Acq On : 29 Sep 2022 1:13 pm Operator: thomash
Sample : cc1105-10 Inst : GCMS6W
Misc : MS62314,V6W1111,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\methods\M6W1105.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
Last Update : Wed Sep 21 12:48:04 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.33min
Max. RRF Dev : 30% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	BROMOCHLOROMETHANE	1.000	1.000	0.0	93	0.00	3.34
2	T	FREON 115	0.000	0.305	0.0	0#	0.00	1.67
3	T	FREON 152A	0.808	1.082	-33.9#	118	0.00	1.70
4	T	CHLORODIFLUOROMETHANE	0.385	0.501	-30.1#	115	0.00	1.71
5	T	CHLOROTRIFLUOROETHENE	1.620	1.991	-22.9	110	0.00	1.72
6	T	DICHLORODIFLUOROMETHANE	4.651	5.680	-22.1	128	0.00	1.73
7	T	PROPYLENE	1.168	1.384	-18.5	108	0.00	1.71
8	T	1-CHLORO-1,1-DIFLUOROETHA	4.107	4.307	-4.9	102	0.00	1.77
9	T	FREON 114	4.501	5.030	-11.8	110	0.00	1.80
10	T	CHLOROMETHANE	0.574	0.594	-3.5	99	0.00	1.77
11	T	VINYL CHLORIDE	1.924	2.024	-5.2	105	0.00	1.83
12	t	1,3-BUTADIENE	1.460	1.550	-6.2	102	0.00	1.87
13	T	N-BUTANE	2.985	2.976	0.3	94	0.00	1.88
14	T	BROMOMETHANE	1.448	1.600	-10.5	104	0.00	1.93
15	T	CHLOROETHANE	0.942	1.036	-10.0	105	0.00	1.98
16	T	DICHLOROFLUOROMETHANE	4.136	4.466	-8.0	108	0.00	2.00
17	T	ACETONITRILE	1.910	2.006	-5.0	99	0.00	2.07
18	T	ACROLEIN	0.862	0.695	19.4	74	0.00	2.10
19	T	FREON 123	3.988	4.257	-6.7	105	0.00	2.12
20	T	FREON 123A	2.000	2.081	-4.0	106	0.00	2.13
21	T	TRICHLOROFLUOROMETHANE	4.255	4.371	-2.7	103	0.00	2.19
22	T	ISOPROPYL ALCOHOL	4.100	5.082	-24.0	121	0.00	2.21
23	T	ACETONE	0.954	1.167	-22.3	121	0.00	2.14
24	T	PENTANE	2.297	2.140	6.8	97	0.00	2.30
25	T	IODOMETHANE	3.802	3.435	9.7	88	0.00	2.36
26	T	1,1-DICHLOROETHYLENE	1.502	1.760	-17.2	109	0.00	2.38
27	T	CARBON DISULFIDE	5.343	5.905	-10.5	109	0.00	2.52
28	T	ETHANOL	1.022	1.090	-6.7	111	0.00	2.01
29	T	BROMOETHENE	1.379	1.605	-16.4	108	0.00	2.07
30	T	ACRYLONITRILE	1.366	1.467	-7.4	99	0.00	2.27
31	T	METHYLENE CHLORIDE	1.636	1.755	-7.3	109	0.00	2.42
32	T	3-CHLOROPROPENE	0.807	0.924	-14.5	108	0.00	2.46
33	T	FREON 113	2.545	2.448	3.8	95	0.00	2.52
34	T	TRANS-1,2-DICHLOROETHENE	1.645	1.884	-14.5	108	0.00	2.77
35	T	TERTIARY BUTYL ALCOHOL	3.734	4.066	-8.9	106	0.00	2.40
36	t	METHYL TERTIARY BUTYL ETH	4.671	5.195	-11.2	110	0.00	2.89
37	T	TETRAHYDROFURAN	0.796	0.982	-23.4	112	0.00	3.65
38	T	HEXANE	3.272	3.301	-0.9	100	0.00	3.39
39	T	VINYL ACETATE	0.441	0.486	-10.2	103	0.00	2.93
40	T	1,1-DICHLOROETHANE	3.444	3.537	-2.7	101	0.00	2.85
41	T	METHYL ETHYL KETONE	0.842	1.024	-21.6	113	0.00	3.04
42	T	CIS-1,2-DICHLOROETHENE	1.815	1.909	-5.2	107	0.00	3.25

Continuing Calibration Summary

Job Number: JD52620 **Sample:** V6W1111-CC1105
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 6W26135.D
Project: EPT, Ithaca, NY

43	T	DIISOPROPYL ETHER	0.891	1.015	-13.9	106	0.00	3.40
44	T	ETHYL ACETATE	0.656	0.737	-12.3	104	0.00	3.41
45	T	METHYL ACRYLATE	4.305	4.286	0.4	100	0.00	3.39
46	T	CHLOROFORM	3.923	4.268	-8.8	107	0.00	3.42
47	T	2,4-DIMETHYLPENTANE	3.667	3.737	-1.9	98	0.00	3.95
48	T	1,1,1-TRICHLOROETHANE	3.535	3.818	-8.0	103	0.00	4.04
49	T	CARBON TETRACHLORIDE	3.417	3.484	-2.0	98	0.00	4.50
50	T	1,2-DICHLOROETHANE	2.769	2.925	-5.6	102	0.00	3.87
51	t	BENZENE	5.384	6.410	-19.1	115	0.00	4.38
52	I	1,4-DIFLUOROBENZENE	1.000	1.000	0.0	97	0.00	4.73
53	T	CYCLOHEXANE	0.402	0.445	-10.7	109	0.00	4.60
54	T	2,3-DIMETHYLPENTANE	0.220	0.248	-12.7	113	0.00	4.87
55	T	TRICHLOROETHENE	0.417	0.457	-9.6	110	0.00	5.34
56	T	1,2-DICHLOROPROPANE	0.422	0.440	-4.3	108	0.00	5.10
57	T	DIBROMOMETHANE	0.355	0.363	-2.3	102	0.00	5.05
58	T	ETHYL ACRYLATE	0.871	0.929	-6.7	104	0.00	5.23
59	T	BROMODICHLOROMETHANE	0.777	0.829	-6.7	109	0.00	5.29
60	T	2,2,4-TRIMETHYLPENTANE	1.812	1.915	-5.7	110	0.00	5.44
61	T	1,4-DIOXANE	0.207	0.252	-21.7	115	0.00	5.37
62	T	HEPTANE	0.606	0.734	-21.1	136	0.00	5.78
63	T	METHYL METHACRYLATE	0.318	0.437	-37.4#	139	0.00	5.69
64	T	METHYL ISOBUTYL KETONE	0.252	0.300	-19.0	108	0.00	6.47
65	T	CIS-1,3-DICHLOROPROPENE	0.471	0.569	-20.8	121	0.00	6.34
66	T	TOLUENE	0.949	1.053	-11.0	113	0.00	7.61
67	T	1,3-DICHLOROPROPANE	0.537	0.584	-8.8	114	0.00	7.68
68	T	TRANS-1,3-DICHLOROPROPENE	0.451	0.461	-2.2	108	0.00	7.06
69	T	1,1,2-TRICHLOROETHANE	0.294	0.347	-18.0	112	0.00	7.23
70	T	2-HEXANONE	0.327	0.369	-12.8	100	0.00	8.23
71	T	ETHYL METHACRYLATE	0.480	0.559	-16.5	108	0.00	8.35
72	T	TETRACHLOROETHENE	0.348	0.337	3.2	101	0.00	9.41
73	T	DIBROMOCHLOROMETHANE	0.584	0.539	7.7	95	0.00	8.18
74	T	1,2-DIBROMOETHANE	0.533	0.537	-0.8	104	0.00	8.53
75	T	OCTANE	0.736	0.812	-10.3	109	0.00	9.55
76	I	CHLOROBENZENE-D5	1.000	1.000	0.0	99	0.00	10.58
77	T	1,1,1,2-TETRACHLOROETHANE	0.535	0.499	6.7	95	0.00	10.68
78	T	CHLOROBENZENE	1.048	1.050	-0.2	104	0.00	10.66
79	t	ETHYLBENZENE	1.684	1.874	-11.3	111	0.00	11.56
80	t	M,P-XYLENE	1.270	1.444	-13.7	109	0.00	12.00
81	t	O-XYLENE	1.308	1.471	-12.5	110	0.00	12.96
82	T	STYRENE	0.925	1.001	-8.2	104	0.00	12.74
83	T	NONANE	1.162	1.193	-2.7	108	0.00	14.08
84	T	BROMOFORM	0.761	0.689	9.5	92	0.00	11.82
85	T	1,1,2,2-TETRACHLOROETHANE	1.164	1.255	-7.8	111	0.00	12.98
86	T	1,2,3-TRICHLOROPROPANE	0.862	0.956	-10.9	115	0.00	13.27
87	S	4-BROMOFLUOROBENZENE	0.731	0.781	-6.8	105	0.00	14.02
88	T	ISOPROPYLBENZENE	0.441	0.499	-13.2	105	0.00	14.50
89	T	BROMOBENZENE	1.032	1.133	-9.8	112	0.00	14.37
90	T	2-CHLOROTOLUENE	0.402	0.402	0.0	94	0.00	15.52
91	T	N-PROPYLBENZENE	0.443	0.487	-9.9	101	0.00	15.86
92	T	4-ETHYLTOLUENE	1.736	1.989	-14.6	106	0.00	16.20
93	T	1,3,5-TRIMETHYLBENZENE	1.463	1.643	-12.3	105	0.00	16.35
94	T	ALPHA-METHYLSTYRENE	0.706	0.709	-0.4	91	0.00	16.54
95	T	TERT-BUTYLBENZENE	0.356	0.354	0.6	95	0.00	16.80
96	T	1,2,4-TRIMETHYLBENZENE	1.565	1.779	-13.7	104	0.00	16.80
97	T	BENZYL CHLORIDE	1.232	1.168	5.2	93	0.00	16.89
98	T	M-DICHLOROBENZENE	1.087	1.045	3.9	95	0.00	16.87
99	T	P-DICHLOROBENZENE	1.087	1.048	3.6	94	0.00	16.95
100	T	O-DICHLOROBENZENE	1.081	1.024	5.3	94	0.00	17.24

Continuing Calibration Summary

Job Number: JD52620 **Sample:** V6W1111-CC1105
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 6W26135.D
Project: EPT, Ithaca, NY

101	T	SEC-BUTYLBENZENE	0.442	0.448	-1.4	95	0.00	17.07
102	T	1,2,3-TRIMETHYLBENZENE	1.527	1.720	-12.6	105	0.00	17.18
103	T	P-ISOPROPYLTOLUENE	0.496	0.502	-1.2	93	0.00	17.25
104	T	N-BUTYLBENZENE	0.467	0.478	-2.4	92	0.00	17.60
105	T	HEXACHLOROETHANE	0.713	0.643	9.8	93	0.00	17.78
106	T	HEXACHLOROBUTADIENE	1.035	0.857	17.2	88	0.00	18.81
107	T	1,2,4-TRICHLOROBENZENE	0.991	0.856	13.6	82	0.00	18.50
108	T	NAPHTHALENE	2.390	2.411	-0.9	89	0.00	18.55

(#) = Out of Range SPCC's out = 0 CCC's out = 0
6W26008.D M6W1105.M Fri Sep 30 13:53:55 2022

Run Sequence Report

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V2W2619 **Method:** TO-15 **Instrument ID:** GCMS2W

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V2W2619-BFB	2W58805.D	04/26/22 12:38	n/a	BFB Tune
V2W2619-IC2619	2W58806.D	04/26/22 13:14	n/a	Initial cal 0.04
V2W2619-IC2619	2W58807.D	04/26/22 13:50	n/a	Initial cal 0.1
V2W2619-IC2619	2W58808.D	04/26/22 14:27	n/a	Initial cal 0.2
V2W2619-IC2619	2W58809.D	04/26/22 15:05	n/a	Initial cal 0.5
V2W2619-IC2619	2W58810.D	04/26/22 15:42	n/a	Initial cal 5
V2W2619-ICC2619	2W58811.D	04/26/22 16:18	n/a	Initial cal 10
V2W2619-IC2619	2W58812.D	04/26/22 16:55	n/a	Initial cal 20
V2W2619-IC2619	2W58813.D	04/26/22 17:37	n/a	Initial cal 40
V2W2619-IC2619	2W58814.D	04/26/22 18:20	n/a	Initial cal 50
V2W2619-ICV2619	2W58819.D	04/27/22 10:06	n/a	Initial cal verification 10

Run Sequence Report

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V2W2637 **Method:** TO-15 **Instrument ID:** GCMS2W

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V2W2637-BFB	2W59296.D	05/14/22 14:24	n/a	BFB Tune
V2W2637-CC2619	2W59298.D	05/14/22 15:47	n/a	Continuing cal 10
V2W2637-BS	2W59299.D	05/14/22 16:25	n/a	Blank Spike
V2W2637-BSD	2W59300.D	05/14/22 17:05	n/a	Blank Spike Duplicate
V2W2637-MB	2W59302.D	05/14/22 18:25	n/a	Method Blank
ZZZZZZ	2W59303.D	05/14/22 19:01	n/a	(unrelated sample)
ZZZZZZ	2W59304.D	05/14/22 19:39	n/a	(unrelated sample)
ZZZZZZ	2W59305.D	05/14/22 20:15	n/a	(unrelated sample)
JD44674-1	2W59306.D	05/14/22 20:53	n/a	(used for QC only; not part of job JD52620)
JD44674-1DUP	2W59307.D	05/14/22 21:31	n/a	Duplicate
ZZZZZZ	2W59309.D	05/14/22 22:44	n/a	(unrelated sample)
ZZZZZZ	2W59311.D	05/14/22 23:57	n/a	(unrelated sample)
ZZZZZZ	2W59313.D	05/15/22 01:10	n/a	(unrelated sample)
V2W2637-SCC	2W59315.D	05/15/22 02:37	n/a	Summa Cleaning Certification
V2W2637-SCC	2W59316.D	05/15/22 10:04	n/a	Summa Cleaning Certification
V2W2637-SCC	2W59317.D	05/15/22 10:47	n/a	Summa Cleaning Certification
V2W2637-SCC	2W59319.D	05/15/22 12:26	n/a	Summa Cleaning Certification

Run Sequence Report

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V2W2709	**Method:** TO-15	**Instrument ID:** GCMS2W

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V2W2709-BFB	2W61009.D	08/19/22 10:50	n/a	BFB Tune
V2W2709-IC2709	2W61010.D	08/19/22 11:22	n/a	Initial cal 0.04
V2W2709-IC2709	2W61011.D	08/19/22 11:55	n/a	Initial cal 0.1
V2W2709-IC2709	2W61012.D	08/19/22 12:27	n/a	Initial cal 0.2
V2W2709-IC2709	2W61013.D	08/19/22 12:59	n/a	Initial cal 0.5
V2W2709-IC2709	2W61015.D	08/19/22 14:02	n/a	Initial cal 5
V2W2709-ICC2709	2W61016.D	08/19/22 14:34	n/a	Initial cal 10
V2W2709-IC2709	2W61017.D	08/19/22 15:08	n/a	Initial cal 20
V2W2709-IC2709	2W61018.D	08/19/22 15:45	n/a	Initial cal 40
V2W2709-IC2709	2W61019.D	08/19/22 16:25	n/a	Initial cal 50
V2W2709-ICV2709	2W61022.D	08/19/22 18:00	n/a	Initial cal verification 10

Run Sequence Report

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V2W2710 **Method:** TO-15 **Instrument ID:** GCMS2W

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V2W2710-BFB	2W61023.D	08/24/22 19:28	n/a	BFB Tune
V2W2710-CC2709	2W61024.D	08/24/22 20:00	n/a	Continuing cal 10
V2W2710-BS	2W61025.D	08/24/22 20:49	n/a	Blank Spike
V2W2710-BSD	2W61026.D	08/24/22 21:22	n/a	Blank Spike Duplicate
V2W2710-MB	2W61028.D	08/24/22 22:32	n/a	Method Blank
V2W2710-SCC	2W61030.D	08/24/22 23:48	n/a	Summa Cleaning Certification
V2W2710-SCC	2W61031.D	08/25/22 00:26	n/a	Summa Cleaning Certification
V2W2710-SCC	2W61032.D	08/25/22 01:04	n/a	Summa Cleaning Certification
V2W2710-SCC	2W61033.D	08/25/22 01:42	n/a	Summa Cleaning Certification
V2W2710-SCC	2W61034.D	08/25/22 02:20	n/a	Summa Cleaning Certification
V2W2710-SCC	2W61035.D	08/25/22 02:57	n/a	Summa Cleaning Certification
V2W2710-SCC	2W61036.D	08/25/22 03:34	n/a	Summa Cleaning Certification
V2W2710-SCC	2W61037.D	08/25/22 04:06	n/a	Summa Cleaning Certification
V2W2710-SCC	2W61038.D	08/25/22 04:38	n/a	Summa Cleaning Certification
V2W2710-SCC	2W61039.D	08/25/22 05:09	n/a	Summa Cleaning Certification
V2W2710-SCC	2W61040.D	08/25/22 05:40	n/a	Summa Cleaning Certification
V2W2710-SCC	2W61041.D	08/25/22 06:13	n/a	Summa Cleaning Certification
V2W2710-SCC	2W61042.D	08/25/22 06:44	n/a	Summa Cleaning Certification

Run Sequence Report

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V2W2714	**Method:** TO-15	**Instrument ID:** GCMS2W

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V2W2714-BFB	2W61139.D	08/30/22 08:49	n/a	BFB Tune
V2W2714-CC2709	2W61140.D	08/30/22 09:21	n/a	Continuing cal 10
V2W2714-BS	2W61141.D	08/30/22 10:20	n/a	Blank Spike
V2W2714-BSD	2W61142.D	08/30/22 10:52	n/a	Blank Spike Duplicate
V2W2714-MB	2W61144.D	08/30/22 12:13	n/a	Method Blank
ZZZZZZ	2W61145.D	08/30/22 12:44	n/a	(unrelated sample)
ZZZZZZ	2W61146.D	08/30/22 13:24	n/a	(unrelated sample)
ZZZZZZ	2W61147.D	08/30/22 14:03	n/a	(unrelated sample)
ZZZZZZ	2W61148.D	08/30/22 14:42	n/a	(unrelated sample)
ZZZZZZ	2W61152.D	08/30/22 16:59	n/a	(unrelated sample)
ZZZZZZ	2W61153.D	08/30/22 17:39	n/a	(unrelated sample)
ZZZZZZ	2W61154.D	08/30/22 18:19	n/a	(unrelated sample)
JD50792-4	2W61155.D	08/30/22 18:58	n/a	(used for QC only; not part of job JD52620)
JD50792-4DUP	2W61156.D	08/30/22 19:38	n/a	Duplicate
ZZZZZZ	2W61157.D	08/30/22 20:19	n/a	(unrelated sample)
ZZZZZZ	2W61158.D	08/30/22 21:00	n/a	(unrelated sample)
ZZZZZZ	2W61159.D	08/30/22 21:43	n/a	(unrelated sample)
ZZZZZZ	2W61162.D	08/30/22 23:29	n/a	(unrelated sample)
ZZZZZZ	2W61164.D	08/31/22 00:49	n/a	(unrelated sample)
ZZZZZZ	2W61165.D	08/31/22 01:27	n/a	(unrelated sample)
ZZZZZZ	2W61166.D	08/31/22 02:00	n/a	(unrelated sample)
ZZZZZZ	2W61167.D	08/31/22 02:32	n/a	(unrelated sample)
ZZZZZZ	2W61168.D	08/31/22 03:04	n/a	(unrelated sample)
ZZZZZZ	2W61169.D	08/31/22 03:36	n/a	(unrelated sample)
ZZZZZZ	2W61170.D	08/31/22 04:11	n/a	(unrelated sample)
ZZZZZZ	2W61171.D	08/31/22 04:44	n/a	(unrelated sample)
V2W2714-SCC	2W61172.D	08/31/22 05:16	n/a	Summa Cleaning Certification
V2W2714-SCC	2W61173.D	08/31/22 05:48	n/a	Summa Cleaning Certification
V2W2714-SCC	2W61174.D	08/31/22 06:20	n/a	Summa Cleaning Certification
V2W2714-SCC	2W61176.D	08/31/22 07:34	n/a	Summa Cleaning Certification

Run Sequence Report

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V2W2735 **Method:** TO-15 **Instrument ID:** GCMS2W

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V2W2735-BFB	2W61632.D	09/28/22 07:23	n/a	BFB Tune
V2W2735-CC2709	2W61633.D	09/28/22 07:54	n/a	Continuing cal 10
V2W2735-BS	2W61634.D	09/28/22 08:44	n/a	Blank Spike
V2W2735-BSD	2W61635.D	09/28/22 09:16	n/a	Blank Spike Duplicate
V2W2735-MB	2W61637.D	09/28/22 10:50	n/a	Method Blank
ZZZZZZ	2W61638.D	09/28/22 12:40	n/a	(unrelated sample)
JD52482-2	2W61639.D	09/28/22 13:12	n/a	(used for QC only; not part of job JD52620)
JD52482-2DUP	2W61640.D	09/28/22 13:44	n/a	Duplicate
ZZZZZZ	2W61642.D	09/28/22 14:48	n/a	(unrelated sample)
ZZZZZZ	2W61643.D	09/28/22 15:19	n/a	(unrelated sample)
ZZZZZZ	2W61644.D	09/28/22 15:52	n/a	(unrelated sample)
ZZZZZZ	2W61645.D	09/28/22 16:23	n/a	(unrelated sample)
ZZZZZZ	2W61646.D	09/28/22 17:02	n/a	(unrelated sample)
ZZZZZZ	2W61647.D	09/28/22 17:34	n/a	(unrelated sample)
ZZZZZZ	2W61648.D	09/28/22 18:06	n/a	(unrelated sample)
ZZZZZZ	2W61649.D	09/28/22 18:44	n/a	(unrelated sample)
JD52620-1	2W61650.D	09/28/22 19:16	n/a	EW-1-62C
JD52620-2	2W61651.D	09/28/22 19:49	n/a	EW-2-62C

Run Sequence Report

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V2W2736 **Method:** TO-15 **Instrument ID:** GCMS2W

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V2W2736-BFB	2W61652.D	09/29/22 07:11	n/a	BFB Tune
V2W2736-CC2709	2W61653.D	09/29/22 07:42	n/a	Continuing cal 10
V2W2736-BS	2W61654.D	09/29/22 08:23	n/a	Blank Spike
V2W2736-BSD	2W61655.D	09/29/22 08:55	n/a	Blank Spike Duplicate
V2W2736-MB	2W61657.D	09/29/22 10:25	n/a	Method Blank
JD52620-13	2W61658.D	09/29/22 12:44	n/a	TRIP BLANK
JD52620-3	2W61659.D	09/29/22 13:15	n/a	EW-3-60C
JD52620-4	2W61660.D	09/29/22 13:47	n/a	EW-4-25B
JD52620-5	2W61661.D	09/29/22 14:39	n/a	EW-5-25B
JD52620-6	2W61662.D	09/29/22 15:12	n/a	EW-6-60C
JD52620-7	2W61663.D	09/29/22 15:44	n/a	EW-7-25B
JD52620-8	2W61664.D	09/29/22 16:16	n/a	EW-8-62C
JD52620-8DUP	2W61665.D	09/29/22 16:48	n/a	Duplicate
JD52620-9	2W61666.D	09/29/22 17:19	n/a	EW-9R-72C
JD52620-10	2W61667.D	09/29/22 17:52	n/a	EW-10-25B
JD52620-12	2W61669.D	09/29/22 18:55	n/a	EW-12-45C
ZZZZZZ	2W61670.D	09/29/22 19:33	n/a	(unrelated sample)
ZZZZZZ	2W61671.D	09/29/22 20:05	n/a	(unrelated sample)
ZZZZZZ	2W61672.D	09/29/22 20:37	n/a	(unrelated sample)
ZZZZZZ	2W61673.D	09/29/22 21:09	n/a	(unrelated sample)
ZZZZZZ	2W61674.D	09/29/22 21:41	n/a	(unrelated sample)
ZZZZZZ	2W61675.D	09/29/22 22:13	n/a	(unrelated sample)
ZZZZZZ	2W61676.D	09/29/22 22:46	n/a	(unrelated sample)
V2W2736-SCC	2W61679.D	09/30/22 00:26	n/a	Summa Cleaning Certification
V2W2736-SCC	2W61680.D	09/30/22 00:57	n/a	Summa Cleaning Certification
V2W2736-SCC	2W61681.D	09/30/22 01:29	n/a	Summa Cleaning Certification
V2W2736-SCC	2W61682.D	09/30/22 02:00	n/a	Summa Cleaning Certification
V2W2736-SCC	2W61683.D	09/30/22 02:32	n/a	Summa Cleaning Certification

Run Sequence Report

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V2W2737	**Method:** TO-15	**Instrument ID:** GCMS2W

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V2W2737-BFB	2W61684.D	09/30/22 07:04	n/a	BFB Tune
V2W2737-CC2709	2W61685.D	09/30/22 07:35	n/a	Continuing cal 10
V2W2737-BS	2W61686.D	09/30/22 08:44	n/a	Blank Spike
V2W2737-BSD	2W61687.D	09/30/22 09:16	n/a	Blank Spike Duplicate
V2W2737-MB	2W61689.D	09/30/22 10:47	n/a	Method Blank
V2W2737-SCC	2W61690.D	09/30/22 11:34	n/a	Summa Cleaning Certification
JD52620-11	2W61692.D	09/30/22 12:43	n/a	EW-11-43C
JD52620-9	2W61693.D	09/30/22 13:15	n/a	EW-9R-72C
ZZZZZZ	2W61694.D	09/30/22 13:47	n/a	(unrelated sample)
ZZZZZZ	2W61695.D	09/30/22 14:20	n/a	(unrelated sample)
JD52638-1	2W61696.D	09/30/22 14:58	n/a	(used for QC only; not part of job JD52620)
JD52638-1DUP	2W61697.D	09/30/22 15:37	n/a	Duplicate
ZZZZZZ	2W61698.D	09/30/22 16:08	n/a	(unrelated sample)
ZZZZZZ	2W61699.D	09/30/22 16:41	n/a	(unrelated sample)

Run Sequence Report

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V6W1105	**Method:** TO-15	**Instrument ID:** GCMS6W

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V6W1105-BFB	6W26001.D	09/15/22 09:18	n/a	BFB Tune
V6W1105-IC1105	6W26004.D	09/15/22 11:32	n/a	Initial cal 0.2
V6W1105-IC1105	6W26005.D	09/15/22 12:06	n/a	Initial cal 0.5
V6W1105-IC1105	6W26007.D	09/15/22 13:12	n/a	Initial cal 5
V6W1105-ICC1105	6W26008.D	09/15/22 13:46	n/a	Initial cal 10
V6W1105-IC1105	6W26009.D	09/15/22 14:22	n/a	Initial cal 20
V6W1105-IC1105	6W26010.D	09/15/22 15:01	n/a	Initial cal 40
V6W1105-IC1105	6W26011.D	09/15/22 15:43	n/a	Initial cal 50
V6W1105-IC1105	6W26014.D	09/15/22 17:22	n/a	Initial cal 0.04
V6W1105-IC1105	6W26015.D	09/15/22 17:55	n/a	Initial cal 0.1
V6W1105-ICV1105	6W26016.D	09/16/22 08:30	n/a	Initial cal verification 10

Run Sequence Report

Job Number: JD52620
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V6W1111	**Method:** TO-15	**Instrument ID:** GCMS6W

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V6W1111-BFB	6W26133.D	09/29/22 09:55	n/a	BFB Tune
V6W1111-CC1105	6W26135.D	09/29/22 13:13	n/a	Continuing cal 10
V6W1111-BS	6W26138.D	09/29/22 15:45	n/a	Blank Spike
V6W1111-BSD	6W26139.D	09/29/22 16:28	n/a	Blank Spike Duplicate
V6W1111-MB	6W26141.D	09/29/22 18:06	n/a	Method Blank
ZZZZZZ	6W26142.D	09/29/22 18:53	n/a	(unrelated sample)
JD52615-1	6W26143.D	09/29/22 19:34	n/a	(used for QC only; not part of job JD52620)
JD52615-1DUP	6W26144.D	09/29/22 20:17	n/a	Duplicate
ZZZZZZ	6W26145.D	09/29/22 20:57	n/a	(unrelated sample)
ZZZZZZ	6W26146.D	09/29/22 21:40	n/a	(unrelated sample)
ZZZZZZ	6W26147.D	09/29/22 22:21	n/a	(unrelated sample)
ZZZZZZ	6W26148.D	09/29/22 23:03	n/a	(unrelated sample)
ZZZZZZ	6W26149.D	09/29/22 23:44	n/a	(unrelated sample)
ZZZZZZ	6W26150.D	09/30/22 00:26	n/a	(unrelated sample)
ZZZZZZ	6W26151.D	09/30/22 01:07	n/a	(unrelated sample)
JD52620-3	6W26152.D	09/30/22 01:51	n/a	EW-3-60C
JD52620-5	6W26153.D	09/30/22 02:34	n/a	EW-5-25B
JD52620-6	6W26154.D	09/30/22 03:18	n/a	EW-6-60C
JD52620-7	6W26155.D	09/30/22 04:00	n/a	EW-7-25B
JD52620-8	6W26156.D	09/30/22 04:43	n/a	EW-8-62C

MS Volatiles

Raw Data

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61650.D
Acq On : 28 Sep 2022 7:16 pm
Operator : thomash
Sample : jd52620-1
Misc : MS62557,V2w2735,100,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Sep 30 17:07:56 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.615	128	62115	10.00	PPBV	0.00
52) 1,4-DIFLUOROBENZENE	4.933	114	321757	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.589	117	266070	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	13.962	95	186384	10.52	PPBV	0.00
Target Compounds						Qvalue
6) DICHLORODIFLUOROMETHANE	1.904	85	3142	0.10	PPBV	# 85
11) VINYL CHLORIDE	2.042	62	3414	0.32	PPBV	# 91
21) TRICHLOROFLUOROMETHANE	2.525	101	4182	0.13	PPBV	# 94
23) ACETONE	2.467	58	6593	0.81	PPBV	95
31) METHYLENE CHLORIDE	2.750	84	5154	0.38	PPBV	86
42) CIS-1,2-DICHLOROETHENE	3.531	96	4455	0.40	PPBV	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61650.D
Acq On : 28 Sep 2022 7:16 pm
Operator : thomash
Sample : jd52620-1
Misc : MS62557,V2w2735,100,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Sep 30 17:07:56 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration







#6
DICHLORODIFLUOROMETHANE
Concen: 0.10 PPBV
RT: 1.904 min Scan# 565
Delta R.T. 0.003 min
Lab File: 2w61650.D
Acq: 28 Sep 2022 7:16 pm

Tgt Ion: 85 Resp: 3142

Ion	Ratio	Lower	Upper
85	100		
87	32.9	25.9	38.9
50	0.0	14.6	21.8#







#11
VINYL CHLORIDE
Concen: 0.32 PPBV
RT: 2.042 min Scan# 608
Delta R.T. 0.003 min
Lab File: 2w61650.D
Acq: 28 Sep 2022 7:16 pm

Tgt Ion: 62 Resp: 3414

Ion	Ratio	Lower	Upper
62	100		
64	34.3	25.2	37.8
61	0.0	7.0	10.4#







#21
TRICHLOROFLUOROMETHANE
Concen: 0.13 PPBV
RT: 2.525 min Scan# 758
Delta R.T. 0.006 min
Lab File: 2w61650.D
Acq: 28 Sep 2022 7:16 pm

Tgt Ion:101 Resp: 4182

Ion	Ratio	Lower	Upper
101	100		
103	63.3	52.1	78.1
105	0.0	8.3	12.5#







#23
ACETONE
Concen: 0.81 PPBV
RT: 2.467 min Scan# 740
Delta R.T. 0.006 min
Lab File: 2w61650.D
Acq: 28 Sep 2022 7:16 pm

Tgt Ion: 58 Resp: 6593

Ion	Ratio	Lower	Upper
58	100		
43	278.1	229.9	344.9







#31
METHYLENE CHLORIDE
Concen: 0.38 PPBV
RT: 2.750 min Scan# 828
Delta R.T. 0.003 min
Lab File: 2w61650.D
Acq: 28 Sep 2022 7:16 pm

Tgt Ion: 84 Resp: 5154

Ion	Ratio	Lower	Upper
84	100		
86	59.1	51.3	76.9
49	143.0	133.3	199.9






#42
CIS-1,2-DICHLOROETHENE
Concen: 0.40 PPBV
RT: 3.531 min Scan# 1071
Delta R.T. -0.000 min
Lab File: 2w61650.D
Acq: 28 Sep 2022 7:16 pm

Tgt Ion: 96 Resp: 4455

Ion	Ratio	Lower	Upper
96	100		
98	65.9	51.0	76.6
61	148.1	109.5	164.3



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61651.D
Acq On : 28 Sep 2022 7:49 pm
Operator : thomash
Sample : jd52620-2
Misc : MS62557,V2w2735,100,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Sep 30 17:10:53 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.612	128	61947	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.930	114	323041	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.586	117	265444	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.959	95	189786	10.74	PPBV		0.00
Target Compounds							Qvalue
6) DICHLORODIFLUOROMETHANE	1.901	85	3278	0.11	PPBV	#	83
11) VINYL CHLORIDE	2.039	62	3612	0.34	PPBV	#	95
22) ISOPROPYL ALCOHOL	2.538	45	7003	0.27	PPBV	#	85
23) ACETONE	2.464	58	5277	0.65	PPBV	#	69
24) PENTANE	2.625	42	1843	0.13	PPBV	#	84
28) ETHANOL	2.297	45	4295	0.85	PPBV	#	92
31) METHYLENE CHLORIDE	2.750	84	2682	0.20	PPBV		86
39) VINYL ACETATE	3.229	86	615	0.24	PPBV	#	85
41) METHYL ETHYL KETONE	3.332	72	1006	0.22	PPBV	#	86
42) CIS-1,2-DICHLOROETHENE	3.534	96	81402	7.40	PPBV		95
44) ETHYL ACETATE	3.673	61	82865	22.59	PPBV	#	1
55) TRICHLOROETHENE	5.518	95	120969	8.84	PPBV		95
66) TOLUENE	7.702	91	17472	0.45	PPBV		97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61651.D
Acq On : 28 Sep 2022 7:49 pm
Operator : thomash
Sample : jd52620-2
Misc : MS62557,V2w2735,100,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Sep 30 17:10:53 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration







#6
DICHLORODIFLUOROMETHANE
Concen: 0.11 PPBV
RT: 1.901 min Scan# 564
Delta R.T. -0.000 min
Lab File: 2w61651.D
Acq: 28 Sep 2022 7:49 pm

Tgt Ion: 85 Resp: 3278

Ion	Ratio	Lower	Upper
85	100		
87	30.3	25.9	38.9
50	0.0	14.6	21.8#







#11
VINYL CHLORIDE
Concen: 0.34 PPBV
RT: 2.039 min Scan# 607
Delta R.T. -0.000 min
Lab File: 2w61651.D
Acq: 28 Sep 2022 7:49 pm

Tgt Ion: 62 Resp: 3612

Ion	Ratio	Lower	Upper
62	100		
64	31.4	25.2	37.8
61	0.0	7.0	10.4#







#22
ISOPROPYL ALCOHOL
Concen: 0.27 PPBV
RT: 2.538 min Scan# 762
Delta R.T. 0.003 min
Lab File: 2w61651.D
Acq: 28 Sep 2022 7:49 pm

Tgt Ion: 45 Resp: 7003

Ion	Ratio	Lower	Upper
45	100		
43	29.5	17.8	26.6#
59	0.0	3.6	5.4#







#23
ACETONE
Concen: 0.65 PPBV
RT: 2.464 min Scan# 739
Delta R.T. 0.003 min
Lab File: 2w61651.D
Acq: 28 Sep 2022 7:49 pm

Tgt Ion: 58 Resp: 5277

Ion	Ratio	Lower	Upper
58	100		
43	228.6	229.9	344.9#







#24
PENTANE
Concen: 0.13 PPBV
RT: 2.625 min Scan# 789
Delta R.T. -0.007 min
Lab File: 2w61651.D
Acq: 28 Sep 2022 7:49 pm

Tgt Ion: 42 Resp: 1843

Ion	Ratio	Lower	Upper
42	100		
41	97.4	75.7	113.5
57	0.0	25.0	37.6#







#28
ETHANOL
Concen: 0.85 PPBV
RT: 2.297 min Scan# 687
Delta R.T. 0.003 min
Lab File: 2w61651.D
Acq: 28 Sep 2022 7:49 pm

Tgt Ion: 45 Resp: 4295

Ion	Ratio	Lower	Upper
45	100		
46	39.5	33.4	50.2
42	0.0	7.4	11.2#







#31
METHYLENE CHLORIDE
Concen: 0.20 PPBV
RT: 2.750 min Scan# 828
Delta R.T. 0.003 min
Lab File: 2w61651.D
Acq: 28 Sep 2022 7:49 pm

Tgt Ion: 84 Resp: 2682

Ion	Ratio	Lower	Upper
84	100		
86	55.8	51.3	76.9
49	145.3	133.3	199.9







#39
VINYL ACETATE
Concen: 0.24 PPBV
RT: 3.229 min Scan# 977
Delta R.T. -0.000 min
Lab File: 2w61651.D
Acq: 28 Sep 2022 7:49 pm

Tgt Ion: 86 Resp: 615

Ion	Ratio	Lower	Upper
86	100		
43	928.3	766.9	1150.3
44	163.7	41.8	62.6#







#41
METHYL ETHYL KETONE
Concen: 0.22 PPBV
RT: 3.332 min Scan# 1009
Delta R.T. 0.006 min
Lab File: 2w61651.D
Acq: 28 Sep 2022 7:49 pm

Tgt Ion: 72 Resp: 1006

Ion	Ratio	Lower	Upper
72	100		
57	0.0	29.1	43.7#
43	378.1	321.0	481.4







#42
CIS-1,2-DICHLOROETHENE
Concen: 7.40 PPBV
RT: 3.534 min Scan# 1072
Delta R.T. 0.003 min
Lab File: 2w61651.D
Acq: 28 Sep 2022 7:49 pm

Tgt Ion: 96 Resp: 81402

Ion	Ratio	Lower	Upper
96	100		
98	64.2	51.0	76.6
61	146.3	109.5	164.3







#44
ETHYL ACETATE
Concen: 22.59 PPBV
RT: 3.673 min Scan# 1115
Delta R.T. 0.003 min
Lab File: 2w61651.D
Acq: 28 Sep 2022 7:49 pm

Tgt Ion: 61 Resp: 82865

Ion	Ratio	Lower	Upper
61	100		
43	527.2	1054.2	1581.2#
88	26.2	34.4	51.6#







#55
TRICHLOROETHENE
Concen: 8.84 PPBV
RT: 5.518 min Scan# 1689
Delta R.T. -0.000 min
Lab File: 2w61651.D
Acq: 28 Sep 2022 7:49 pm

Tgt Ion: 95 Resp: 120969

Ion	Ratio	Lower	Upper
95	100		
130	97.1	82.8	124.2
132	92.3	79.3	118.9
97	65.3	52.0	78.0






#66
TOLUENE
Concen: 0.45 PPBV
RT: 7.702 min Scan# 2368
Delta R.T. 0.003 min
Lab File: 2w61651.D
Acq: 28 Sep 2022 7:49 pm

Tgt Ion: 91 Resp: 17472

Ion	Ratio	Lower	Upper
91	100		
92	56.8	39.3	79.3



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61659.D
Acq On : 29 Sep 2022 1:15 pm
Operator : thomash
Sample : jd52620-3
Misc : MS62557,V2w2736,20,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Oct 03 09:10:25 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.611	128	60403	10.00	PPBV	0.00
52) 1,4-DIFLUOROBENZENE	4.926	114	314817	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.585	117	265639	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	13.961	95	185603	10.49	PPBV	0.00
Target Compounds						Qvalue
11) VINYL CHLORIDE	2.039	62	146485	13.93	PPBV	99
23) ACETONE	2.470	58	1596	0.20	PPBV	70
26) 1,1-DICHLOROETHYLENE	2.718	96	4247	0.35	PPBV	93
34) TRANS-1,2-DICHLOROETHENE	3.074	96	9016	0.90	PPBV	94
42) CIS-1,2-DICHLOROETHENE	3.534	96	1141686	106.41	PPBV	96
44) ETHYL ACETATE	3.679	61	3050	0.85	PPBV #	1
55) TRICHLOROETHENE	5.521	95	1102594	82.63	PPBV	95
72) TETRACHLOROETHENE	9.444	164	554	0.04	PPBV #	8


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61659.D
Acq On : 29 Sep 2022 1:15 pm
Operator : thomash
Sample : jd52620-3
Misc : MS62557,V2w2736,20,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Oct 03 09:10:25 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration







#11
VINYL CHLORIDE
Concen: 13.93 PPBV
RT: 2.039 min Scan# 607
Delta R.T. -0.000 min
Lab File: 2w61659.D
Acq: 29 Sep 2022 1:15 pm

Tgt Ion: 62 Resp: 146485

Ion	Ratio	Lower	Upper
62	100		
64	31.7	25.2	37.8
61	8.3	7.0	10.4







#23
ACETONE
Concen: 0.20 PPBV
RT: 2.470 min Scan# 741
Delta R.T. 0.009 min
Lab File: 2w61659.D
Acq: 29 Sep 2022 1:15 pm

Tgt Ion: 58 Resp: 1596

Ion	Ratio	Lower	Upper
58	100		
43	230.6	229.9	344.9







#26
1,1-DICHLOROETHYLENE
Concen: 0.35 PPBV
RT: 2.718 min Scan# 818
Delta R.T. 0.006 min
Lab File: 2w61659.D
Acq: 29 Sep 2022 1:15 pm

Tgt Ion: 96 Resp: 4247

Ion	Ratio	Lower	Upper
96	100		
61	219.7	166.0	249.0
63	68.7	52.0	78.0







#34
TRANS-1,2-DICHLOROETHENE
Concen: 0.90 PPBV
RT: 3.074 min Scan# 929
Delta R.T. -0.004 min
Lab File: 2w61659.D
Acq: 29 Sep 2022 1:15 pm

Tgt Ion: 96 Resp: 9016

Ion	Ratio	Lower	Upper
96	100		
61	162.0	121.8	182.8
98	64.8	51.4	77.0







#42
CIS-1,2-DICHLOROETHENE
Concen: 106.41 PPBV
RT: 3.534 min Scan# 1072
Delta R.T. 0.003 min
Lab File: 2w61659.D
Acq: 29 Sep 2022 1:15 pm

Tgt Ion: 96 Resp: 1141686

Ion	Ratio	Lower	Upper
96	100		
98	64.6	51.0	76.6
61	143.9	109.5	164.3







#44
ETHYL ACETATE
Concen: 0.85 PPBV
RT: 3.679 min Scan# 1117
Delta R.T. 0.009 min
Lab File: 2w61659.D
Acq: 29 Sep 2022 1:15 pm

Tgt Ion: 61 Resp: 3050

Ion	Ratio	Lower	Upper
61	100		
43	461.0	1054.2	1581.2#
88	22.8	34.4	51.6#







#55
TRICHLOROETHENE
Concen: 82.63 PPBV
RT: 5.521 min Scan# 1690
Delta R.T. 0.003 min
Lab File: 2w61659.D
Acq: 29 Sep 2022 1:15 pm

Tgt Ion: 95 Resp: 1102594

Ion	Ratio	Lower	Upper
95	100		
130	96.4	82.8	124.2
132	92.0	79.3	118.9
97	64.5	52.0	78.0






#72
TETRACHLOROETHENE
Concen: 0.04 PPBV
RT: 9.444 min Scan# 2910
Delta R.T. -0.004 min
Lab File: 2w61659.D
Acq: 29 Sep 2022 1:15 pm

Tgt Ion:164 Resp: 554

Ion	Ratio	Lower	Upper
164	100		
129	0.0	73.6	110.4#
168	0.0	48.6	72.8#
131	0.0	71.4	107.2#



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26152.D
Acq On : 30 Sep 2022 1:51 am
Operator : thomash
Sample : jd52620-3
Misc : MS62557,V6W1111,5,,,,1.30
ALS Vial : 13 Sample Multiplier: 1

Quant Time: Oct 03 14:00:09 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.338	128	40450	10.00	PPBV	# 0.00
52) 1,4-DIFLUOROBENZENE	4.731	114	228036	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.583	117	169706	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	14.020	95	118459	9.55	PPBV	0.00
Target Compounds						Qvalue
11) VINYL CHLORIDE	1.830	62	11905	1.53	PPBV	98
34) TRANS-1,2-DICHLOROETHENE	2.773	96	875	0.13	PPBV #	48
42) CIS-1,2-DICHLOROETHENE	3.255	96	92483	12.60	PPBV #	79
55) TRICHLOROETHENE	5.348	95	90744	9.54	PPBV	85


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26152.D
Acq On : 30 Sep 2022 1:51 am
Operator : thomash
Sample : jd52620-3
Misc : MS62557,V6W1111,5,,,,1.30
ALS Vial : 13 Sample Multiplier: 1

Quant Time: Oct 03 14:00:09 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration







#11
VINYL CHLORIDE
Concen: 1.53 PPBV
RT: 1.830 min Scan# 542
Delta R.T. 0.004 min
Lab File: 6W26152.D
Acq: 30 Sep 2022 1:51 am

Tgt Ion: 62 Resp: 11905

Ion	Ratio	Lower	Upper
62	100		
64	31.3	25.7	38.5
61	9.1	6.7	10.1







#34
TRANS-1,2-DICHLOROETHENE
Concen: 0.13 PPBV
RT: 2.773 min Scan# 835
Delta R.T. 0.004 min
Lab File: 6W26152.D
Acq: 30 Sep 2022 1:51 am

Tgt Ion: 96 Resp: 875

Ion	Ratio	Lower	Upper
96	100		
61	173.8	104.3	156.5#
98	0.0	50.6	76.0#







#42
CIS-1,2-DICHLOROETHENE
Concen: 12.60 PPBV
RT: 3.255 min Scan# 985
Delta R.T. 0.000 min
Lab File: 6W26152.D
Acq: 30 Sep 2022 1:51 am

Tgt Ion: 96 Resp: 92483

Ion	Ratio	Lower	Upper
96	100		
98	64.4	51.1	76.7
61	152.1	93.9	140.9#






#55
TRICHLOROETHENE
Concen: 9.54 PPBV
RT: 5.348 min Scan# 1636
Delta R.T. 0.000 min
Lab File: 6W26152.D
Acq: 30 Sep 2022 1:51 am

Tgt Ion: 95 Resp: 90744

Ion	Ratio	Lower	Upper
95	100		
130	84.2	83.2	124.8
132	80.7	79.8	119.6
97	64.0	51.3	76.9



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61660.D
Acq On : 29 Sep 2022 1:47 pm
Operator : thomash
Sample : jd52620-4
Misc : MS62557,V2w2736,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Oct 03 09:12:01 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.612	128	61641	10.00	PPBV	0.00
52) 1,4-DIFLUOROBENZENE	4.930	114	318219	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.582	117	263160	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	13.962	95	183644	10.48	PPBV	0.00
Target Compounds						Qvalue
11) VINYL CHLORIDE	2.039	62	1404	0.13	PPBV #	50
34) TRANS-1,2-DICHLOROETHENE	3.081	96	1555	0.15	PPBV	93
42) CIS-1,2-DICHLOROETHENE	3.534	96	182562	16.67	PPBV	95
44) ETHYL ACETATE	3.686	61	985	0.27	PPBV #	1
55) TRICHLOROETHENE	5.518	95	568724	42.17	PPBV	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61660.D
Acq On : 29 Sep 2022 1:47 pm
Operator : thomash
Sample : jd52620-4
Misc : MS62557,V2w2736,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Oct 03 09:12:01 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration







#11
VINYL CHLORIDE
Concen: 0.13 PPBV
RT: 2.039 min Scan# 607
Delta R.T. -0.000 min
Lab File: 2w61660.D
Acq: 29 Sep 2022 1:47 pm

Tgt Ion: 62 Resp: 1404

Ion	Ratio	Lower	Upper
62	100		
64	0.0	25.2	37.8#
61	0.0	7.0	10.4#







#34
TRANS-1,2-DICHLOROETHENE
Concen: 0.15 PPBV
RT: 3.081 min Scan# 931
Delta R.T. 0.003 min
Lab File: 2w61660.D
Acq: 29 Sep 2022 1:47 pm

Tgt Ion: 96 Resp: 1555

Ion	Ratio	Lower	Upper
96	100		
61	162.4	121.8	182.8
98	59.7	51.4	77.0







#42
CIS-1,2-DICHLOROETHENE
Concen: 16.67 PPBV
RT: 3.534 min Scan# 1072
Delta R.T. 0.003 min
Lab File: 2w61660.D
Acq: 29 Sep 2022 1:47 pm

Tgt Ion: 96 Resp: 182562

Ion	Ratio	Lower	Upper
96	100		
98	64.8	51.0	76.6
61	145.1	109.5	164.3







#44
ETHYL ACETATE
Concen: 0.27 PPBV
RT: 3.686 min Scan# 1119
Delta R.T. 0.016 min
Lab File: 2w61660.D
Acq: 29 Sep 2022 1:47 pm

Tgt Ion: 61 Resp: 985

Ion	Ratio	Lower	Upper
61	100		
43	590.5	1054.2	1581.2#
88	0.0	34.4	51.6#






#55
TRICHLOROETHENE
Concen: 42.17 PPBV
RT: 5.518 min Scan# 1689
Delta R.T. -0.000 min
Lab File: 2w61660.D
Acq: 29 Sep 2022 1:47 pm

Tgt Ion: 95 Resp: 568724

Ion	Ratio	Lower	Upper
95	100		
130	97.2	82.8	124.2
132	92.5	79.3	118.9
97	64.9	52.0	78.0



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61661.D
Acq On : 29 Sep 2022 2:39 pm
Operator : thomash
Sample : jd52620-5
Misc : MS62557,V2w2736,10,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Oct 03 12:25:57 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.615	128	59066	10.00	PPBV	0.00
52) 1,4-DIFLUOROBENZENE	4.930	114	312847	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.585	117	258844	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	13.955	95	180862	10.49	PPBV	0.00
Target Compounds						Qvalue
11) VINYL CHLORIDE	2.039	62	67801	6.60	PPBV	99
26) 1,1-DICHLOROETHYLENE	2.714	96	2988	0.25	PPBV	94
34) TRANS-1,2-DICHLOROETHENE	3.081	96	5299	0.54	PPBV	91
42) CIS-1,2-DICHLOROETHENE	3.534	96	532673	50.77	PPBV	94
55) TRICHLOROETHENE	5.518	95	461048	34.77	PPBV	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61661.D
Acq On : 29 Sep 2022 2:39 pm
Operator : thomash
Sample : jd52620-5
Misc : MS62557,V2w2736,10,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Oct 03 12:25:57 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration







#11
VINYL CHLORIDE
Concen: 6.60 PPBV
RT: 2.039 min Scan# 607
Delta R.T. -0.000 min
Lab File: 2w61661.D
Acq: 29 Sep 2022 2:39 pm

Tgt Ion: 62 Resp: 67801

Ion	Ratio	Lower	Upper
62	100		
64	31.9	25.2	37.8
61	8.1	7.0	10.4







#26
1,1-DICHLOROETHYLENE
Concen: 0.25 PPBV
RT: 2.714 min Scan# 817
Delta R.T. 0.003 min
Lab File: 2w61661.D
Acq: 29 Sep 2022 2:39 pm

Tgt Ion: 96 Resp: 2988

Ion	Ratio	Lower	Upper
96	100		
61	195.2	166.0	249.0
63	64.0	52.0	78.0







#34
TRANS-1,2-DICHLOROETHENE
Concen: 0.54 PPBV
RT: 3.081 min Scan# 931
Delta R.T. 0.003 min
Lab File: 2w61661.D
Acq: 29 Sep 2022 2:39 pm

Tgt Ion: 96 Resp: 5299

Ion	Ratio	Lower	Upper
96	100		
61	166.8	121.8	182.8
98	61.4	51.4	77.0







#42
CIS-1,2-DICHLOROETHENE
Concen: 50.77 PPBV
RT: 3.534 min Scan# 1072
Delta R.T. 0.003 min
Lab File: 2w61661.D
Acq: 29 Sep 2022 2:39 pm

Tgt Ion: 96 Resp: 532673

Ion	Ratio	Lower	Upper
96	100		
98	64.9	51.0	76.6
61	145.9	109.5	164.3






#55
TRICHLOROETHENE
Concen: 34.77 PPBV
RT: 5.518 min Scan# 1689
Delta R.T. -0.000 min
Lab File: 2w61661.D
Acq: 29 Sep 2022 2:39 pm

Tgt Ion: 95 Resp: 461048

Ion	Ratio	Lower	Upper
95	100		
130	97.7	82.8	124.2
132	92.8	79.3	118.9
97	65.2	52.0	78.0



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26153.D
Acq On : 30 Sep 2022 2:34 am
Operator : thomash
Sample : jd52620-5
Misc : MS62557,V6W1111,5,,,,1.23
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Oct 03 14:00:22 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.339	128	40042	10.00	PPBV	# 0.00
52) 1,4-DIFLUOROBENZENE	4.731	114	225725	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.579	117	169595	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	14.020	95	119066	9.61	PPBV	0.00
Target Compounds						Qvalue
11) VINYL CHLORIDE	1.827	62	13483	1.75	PPBV	99
34) TRANS-1,2-DICHLOROETHENE	2.769	96	1214	0.18	PPBV #	78
42) CIS-1,2-DICHLOROETHENE	3.252	96	109844	15.12	PPBV #	79
55) TRICHLOROETHENE	5.345	95	97866	10.39	PPBV	86


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26153.D
Acq On : 30 Sep 2022 2:34 am
Operator : thomash
Sample : jd52620-5
Misc : MS62557,V6W1111,5,,,,1.23
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Oct 03 14:00:22 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration







#11
VINYL CHLORIDE
Concen: 1.75 PPBV
RT: 1.827 min Scan# 541
Delta R.T. 0.000 min
Lab File: 6W26153.D
Acq: 30 Sep 2022 2:34 am

Tgt Ion: 62 Resp: 13483

Ion	Ratio	Lower	Upper
62	100		
64	31.3	25.7	38.5
61	8.9	6.7	10.1







#34
TRANS-1,2-DICHLOROETHENE
Concen: 0.18 PPBV
RT: 2.769 min Scan# 834
Delta R.T. 0.001 min
Lab File: 6W26153.D
Acq: 30 Sep 2022 2:34 am

Tgt Ion: 96 Resp: 1214

Ion	Ratio	Lower	Upper
96	100		
61	165.8	104.3	156.5#
98	59.1	50.6	76.0







#42
CIS-1,2-DICHLOROETHENE
Concen: 15.12 PPBV
RT: 3.252 min Scan# 984
Delta R.T. -0.003 min
Lab File: 6W26153.D
Acq: 30 Sep 2022 2:34 am

Tgt Ion: 96 Resp: 109844

Ion	Ratio	Lower	Upper
96	100		
98	64.6	51.1	76.7
61	152.1	93.9	140.9#






#55
TRICHLOROETHENE
Concen: 10.39 PPBV
RT: 5.345 min Scan# 1635
Delta R.T. -0.003 min
Lab File: 6W26153.D
Acq: 30 Sep 2022 2:34 am

Tgt Ion: 95 Resp: 97866

Ion	Ratio	Lower	Upper
95	100		
130	84.6	83.2	124.8
132	81.0	79.8	119.6
97	64.6	51.3	76.9



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61662.D
Acq On : 29 Sep 2022 3:12 pm
Operator : thomash
Sample : jd52620-6
Misc : MS62557,V2w2736,20,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Oct 03 12:27:49 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.612	128	59802	10.00	PPBV	0.00
52) 1,4-DIFLUOROBENZENE	4.927	114	309887	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.586	117	259770	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	13.962	95	178507	10.32	PPBV	0.00
Target Compounds						Qvalue
11) VINYL CHLORIDE	2.039	62	95462	9.17	PPBV	99
26) 1,1-DICHLOROETHYLENE	2.714	96	3811	0.32	PPBV	94
34) TRANS-1,2-DICHLOROETHENE	3.078	96	8809	0.89	PPBV	90
42) CIS-1,2-DICHLOROETHENE	3.534	96	1499299	141.15	PPBV	95
44) ETHYL ACETATE	3.673	61	4260	1.20	PPBV #	1
55) TRICHLOROETHENE	5.518	95	536650	40.86	PPBV	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61662.D
Acq On : 29 Sep 2022 3:12 pm
Operator : thomash
Sample : jd52620-6
Misc : MS62557,V2w2736,20,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Oct 03 12:27:49 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration




M2W2709.M Mon Oct 03 13:16:25 2022 GCMS2W Page: 2




#11
VINYL CHLORIDE
Concen: 9.17 PPBV
RT: 2.039 min Scan# 607
Delta R.T. -0.000 min
Lab File: 2w61662.D
Acq: 29 Sep 2022 3:12 pm

Tgt Ion: 62 Resp: 95462

Ion	Ratio	Lower	Upper
62	100		
64	31.0	25.2	37.8
61	8.4	7.0	10.4







#26
1,1-DICHLOROETHYLENE
Concen: 0.32 PPBV
RT: 2.714 min Scan# 817
Delta R.T. 0.003 min
Lab File: 2w61662.D
Acq: 29 Sep 2022 3:12 pm

Tgt Ion: 96 Resp: 3811

Ion	Ratio	Lower	Upper
96	100		
61	215.5	166.0	249.0
63	71.3	52.0	78.0







#34
TRANS-1,2-DICHLOROETHENE
Concen: 0.89 PPBV
RT: 3.078 min Scan# 930
Delta R.T. -0.000 min
Lab File: 2w61662.D
Acq: 29 Sep 2022 3:12 pm

Tgt Ion: 96 Resp: 8809

Ion	Ratio	Lower	Upper
96	100		
61	170.1	121.8	182.8
98	64.9	51.4	77.0







#42
CIS-1,2-DICHLOROETHENE
Concen: 141.15 PPBV
RT: 3.534 min Scan# 1072
Delta R.T. 0.003 min
Lab File: 2w61662.D
Acq: 29 Sep 2022 3:12 pm

Tgt Ion: 96 Resp: 1499299

Ion	Ratio	Lower	Upper
96	100		
98	64.2	51.0	76.6
61	145.1	109.5	164.3







#44
ETHYL ACETATE
Concen: 1.20 PPBV
RT: 3.673 min Scan# 1115
Delta R.T. 0.003 min
Lab File: 2w61662.D
Acq: 29 Sep 2022 3:12 pm

Tgt Ion: 61 Resp: 4260

Ion	Ratio	Lower	Upper
61	100		
43	500.4	1054.2	1581.2#
88	26.8	34.4	51.6#






#55
TRICHLOROETHENE
Concen: 40.86 PPBV
RT: 5.518 min Scan# 1689
Delta R.T. -0.000 min
Lab File: 2w61662.D
Acq: 29 Sep 2022 3:12 pm

Tgt Ion: 95 Resp: 536650

Ion	Ratio	Lower	Upper
95	100		
130	96.8	82.8	124.2
132	92.4	79.3	118.9
97	65.0	52.0	78.0



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26154.D
Acq On : 30 Sep 2022 3:18 am
Operator : thomash
Sample : jd52620-6
Misc : MS62557,V6W1111,5,,,,1.15
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Oct 03 14:00:35 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.338	128	37766	10.00	PPBV	# 0.00
52) 1,4-DIFLUOROBENZENE	4.731	114	213412	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.586	117	159103	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	14.023	95	106410	9.15	PPBV	0.00
Target Compounds						Qvalue
11) VINYL CHLORIDE	1.831	62	11579	1.59	PPBV	99
34) TRANS-1,2-DICHLOROETHENE	2.769	96	1196	0.19	PPBV #	76
42) CIS-1,2-DICHLOROETHENE	3.252	96	171826	25.07	PPBV #	80
44) ETHYL ACETATE	3.416	61	653	0.26	PPBV #	15
55) TRICHLOROETHENE	5.348	95	66870	7.51	PPBV	85


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26154.D
Acq On : 30 Sep 2022 3:18 am
Operator : thomash
Sample : jd52620-6
Misc : MS62557,V6W1111,5,,,,1.15
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Oct 03 14:00:35 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration







#11
VINYL CHLORIDE
Concen: 1.59 PPBV
RT: 1.831 min Scan# 542
Delta R.T. 0.004 min
Lab File: 6W26154.D
Acq: 30 Sep 2022 3:18 am

Tgt Ion: 62 Resp: 11579

Ion	Ratio	Lower	Upper
62	100		
64	32.8	25.7	38.5
61	8.2	6.7	10.1







#34
TRANS-1,2-DICHLOROETHENE
Concen: 0.19 PPBV
RT: 2.769 min Scan# 834
Delta R.T. 0.000 min
Lab File: 6W26154.D
Acq: 30 Sep 2022 3:18 am

Tgt Ion: 96 Resp: 1196

Ion	Ratio	Lower	Upper
96	100		
61	170.8	104.3	156.5#
98	61.6	50.6	76.0







#42
CIS-1,2-DICHLOROETHENE
Concen: 25.07 PPBV
RT: 3.252 min Scan# 984
Delta R.T. -0.003 min
Lab File: 6W26154.D
Acq: 30 Sep 2022 3:18 am

Tgt Ion: 96 Resp: 171826

Ion	Ratio	Lower	Upper
96	100		
98	64.0	51.1	76.7
61	151.8	93.9	140.9#







#44
ETHYL ACETATE
Concen: 0.26 PPBV
RT: 3.416 min Scan# 1035
Delta R.T. 0.010 min
Lab File: 6W26154.D
Acq: 30 Sep 2022 3:18 am

Tgt Ion: 61 Resp: 653

Ion	Ratio	Lower	Upper
61	100		
43	788.2	986.2	1479.2#
88	0.0	38.8	58.2#






#55
TRICHLOROETHENE
Concen: 7.51 PPBV
RT: 5.348 min Scan# 1636
Delta R.T. 0.000 min
Lab File: 6W26154.D
Acq: 30 Sep 2022 3:18 am

Tgt Ion: 95 Resp: 66870

Ion	Ratio	Lower	Upper
95	100		
130	84.0	83.2	124.8
132	81.0	79.8	119.6
97	65.5	51.3	76.9



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61663.D
Acq On : 29 Sep 2022 3:44 pm
Operator : thomash
Sample : jd52620-7
Misc : MS62557,V2w2736,100,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Oct 03 12:31:19 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.612	128	60578	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.930	114	318076	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.586	117	261635	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.962	95	184600	10.60	PPBV		0.00
Target Compounds							Qvalue
6) DICHLORODIFLUOROMETHANE	1.908	85	3166	0.11	PPBV	#	83
11) VINYL CHLORIDE	2.046	62	235756	22.36	PPBV		99
21) TRICHLOROFLUOROMETHANE	2.522	101	3068	0.10	PPBV	#	94
22) ISOPROPYL ALCOHOL	2.541	45	5422	0.22	PPBV	#	95
23) ACETONE	2.470	58	5656	0.71	PPBV		78
24) PENTANE	2.634	42	1639	0.12	PPBV	#	84
26) 1,1-DICHLOROETHYLENE	2.718	96	3043	0.25	PPBV		85
28) ETHANOL	2.297	45	3866	0.78	PPBV	#	94
31) METHYLENE CHLORIDE	2.753	84	2751	0.21	PPBV		97
34) TRANS-1,2-DICHLOROETHENE	3.081	96	9024	0.90	PPBV		91
42) CIS-1,2-DICHLOROETHENE	3.534	96	642103	59.68	PPBV		95
44) ETHYL ACETATE	3.676	61	41116	11.46	PPBV	#	1
55) TRICHLOROETHENE	5.518	95	48543	3.60	PPBV		95
66) TOLUENE	7.702	91	10876	0.28	PPBV		96
72) TETRACHLOROETHENE	9.444	164	558	0.04	PPBV	#	8


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61663.D
Acq On : 29 Sep 2022 3:44 pm
Operator : thomash
Sample : jd52620-7
Misc : MS62557,V2w2736,100,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Oct 03 12:31:19 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration







#6
DICHLORODIFLUOROMETHANE
Concen: 0.11 PPBV
RT: 1.908 min Scan# 566
Delta R.T. 0.006 min
Lab File: 2w61663.D
Acq: 29 Sep 2022 3:44 pm

Tgt Ion: 85 Resp: 3166

Ion	Ratio	Lower	Upper
85	100		
87	30.4	25.9	38.9
50	0.0	14.6	21.8#







#11
VINYL CHLORIDE
Concen: 22.36 PPBV
RT: 2.046 min Scan# 609
Delta R.T. 0.006 min
Lab File: 2w61663.D
Acq: 29 Sep 2022 3:44 pm

Tgt Ion: 62 Resp: 235756

Ion	Ratio	Lower	Upper
62	100		
64	31.2	25.2	37.8
61	8.5	7.0	10.4







#21
TRICHLOROFLUOROMETHANE
Concen: 0.10 PPBV
RT: 2.522 min Scan# 757
Delta R.T. 0.003 min
Lab File: 2w61663.D
Acq: 29 Sep 2022 3:44 pm

Tgt Ion:101 Resp: 3068

Ion	Ratio	Lower	Upper
101	100		
103	66.8	52.1	78.1
105	0.0	8.3	12.5#







#22
ISOPROPYL ALCOHOL
Concen: 0.22 PPBV
RT: 2.541 min Scan# 763
Delta R.T. 0.006 min
Lab File: 2w61663.D
Acq: 29 Sep 2022 3:44 pm

Tgt Ion: 45 Resp: 5422

Ion	Ratio	Lower	Upper
45	100		
43	23.7	17.8	26.6
59	0.0	3.6	5.4#







#23
ACETONE
Concen: 0.71 PPBV
RT: 2.470 min Scan# 741
Delta R.T. 0.010 min
Lab File: 2w61663.D
Acq: 29 Sep 2022 3:44 pm

Tgt Ion: 58 Resp: 5656

Ion	Ratio	Lower	Upper
58	100		
43	245.0	229.9	344.9







#24
PENTANE
Concen: 0.12 PPBV
RT: 2.634 min Scan# 792
Delta R.T. 0.003 min
Lab File: 2w61663.D
Acq: 29 Sep 2022 3:44 pm

Tgt Ion: 42 Resp: 1639

Ion	Ratio	Lower	Upper
42	100		
41	91.5	75.7	113.5
57	0.0	25.0	37.6#







#26
1,1-DICHLOROETHYLENE
Concen: 0.25 PPBV
RT: 2.718 min Scan# 818
Delta R.T. 0.006 min
Lab File: 2w61663.D
Acq: 29 Sep 2022 3:44 pm

Tgt Ion: 96 Resp: 3043

Ion	Ratio	Lower	Upper
96	100		
61	232.2	166.0	249.0
63	75.2	52.0	78.0







#28
ETHANOL
Concen: 0.78 PPBV
RT: 2.297 min Scan# 687
Delta R.T. 0.003 min
Lab File: 2w61663.D
Acq: 29 Sep 2022 3:44 pm

Tgt Ion: 45 Resp: 3866

Ion	Ratio	Lower	Upper
45	100		
46	43.0	33.4	50.2
42	0.0	7.4	11.2#







#31
METHYLENE CHLORIDE
Concen: 0.21 PPBV
RT: 2.753 min Scan# 829
Delta R.T. 0.006 min
Lab File: 2w61663.D
Acq: 29 Sep 2022 3:44 pm

Tgt Ion: 84 Resp: 2751

Ion	Ratio	Lower	Upper
84	100		
86	62.8	51.3	76.9
49	162.6	133.3	199.9







#34
TRANS-1,2-DICHLOROETHENE
Concen: 0.90 PPBV
RT: 3.081 min Scan# 931
Delta R.T. 0.003 min
Lab File: 2w61663.D
Acq: 29 Sep 2022 3:44 pm

Tgt Ion: 96 Resp: 9024

Ion	Ratio	Lower	Upper
96	100		
61	166.3	121.8	182.8
98	62.0	51.4	77.0







#42
CIS-1,2-DICHLOROETHENE
Concen: 59.68 PPBV
RT: 3.534 min Scan# 1072
Delta R.T. 0.003 min
Lab File: 2w61663.D
Acq: 29 Sep 2022 3:44 pm

Tgt Ion: 96 Resp: 642103

Ion	Ratio	Lower	Upper
96	100		
98	64.1	51.0	76.6
61	144.8	109.5	164.3







#44
ETHYL ACETATE
Concen: 11.46 PPBV
RT: 3.676 min Scan# 1116
Delta R.T. 0.006 min
Lab File: 2w61663.D
Acq: 29 Sep 2022 3:44 pm

Tgt Ion: 61 Resp: 41116

Ion	Ratio	Lower	Upper
61	100		
43	524.2	1054.2	1581.2#
88	25.2	34.4	51.6#







#55
TRICHLOROETHENE
Concen: 3.60 PPBV
RT: 5.518 min Scan# 1689
Delta R.T. -0.000 min
Lab File: 2w61663.D
Acq: 29 Sep 2022 3:44 pm

Tgt Ion: 95 Resp: 48543

Ion	Ratio	Lower	Upper
95	100		
130	97.4	82.8	124.2
132	92.6	79.3	118.9
97	65.1	52.0	78.0







#66
TOLUENE
Concen: 0.28 PPBV
RT: 7.702 min Scan# 2368
Delta R.T. 0.003 min
Lab File: 2w61663.D
Acq: 29 Sep 2022 3:44 pm

Tgt Ion: 91 Resp: 10876

Ion	Ratio	Lower	Upper
91	100		
92	62.2	39.3	79.3






#72
TETRACHLOROETHENE
Concen: 0.04 PPBV
RT: 9.444 min Scan# 2910
Delta R.T. -0.003 min
Lab File: 2w61663.D
Acq: 29 Sep 2022 3:44 pm

Tgt Ion:164 Resp: 558

Ion	Ratio	Lower	Upper
164	100		
129	0.0	73.6	110.4#
168	0.0	48.6	72.8#
131	0.0	71.4	107.2#



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26155.D
Acq On : 30 Sep 2022 4:00 am
Operator : thomash
Sample : jd52620-7
Misc : MS62557,V6W1111,50,,,,1
ALS Vial : 16 Sample Multiplier: 1

Quant Time: Oct 03 08:44:04 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.339	128	36402	10.00	PPBV	# 0.00
52) 1,4-DIFLUOROBENZENE	4.731	114	214214	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.579	117	162470	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	14.023	95	113707	9.58	PPBV	0.00
Target Compounds						Qvalue
11) VINYL CHLORIDE	1.827	62	67155	9.59	PPBV	100
22) ISOPROPYL ALCOHOL	2.213	45	1937	0.13	PPBV #	63
23) ACETONE	2.146	58	1655	0.48	PPBV	73
26) 1,1-DICHLOROETHYLENE	2.387	96	715	0.13	PPBV #	50
28) ETHANOL	2.011	45	1708	0.46	PPBV #	97
31) METHYLENE CHLORIDE	2.422	84	1111	0.19	PPBV #	74
34) TRANS-1,2-DICHLOROETHENE	2.769	96	2971	0.50	PPBV #	77
42) CIS-1,2-DICHLOROETHENE	3.255	96	187192	28.34	PPBV #	79
44) ETHYL ACETATE	3.409	61	13316	5.58	PPBV #	12
55) TRICHLOROETHENE	5.345	95	15673	1.75	PPBV	86
66) TOLUENE	7.609	91	3396	0.17	PPBV	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26155.D
Acq On : 30 Sep 2022 4:00 am
Operator : thomash
Sample : jd52620-7
Misc : MS62557,V6W1111,50,,,,1
ALS Vial : 16 Sample Multiplier: 1

Quant Time: Oct 03 08:44:04 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration







#11
VINYL CHLORIDE
Concen: 9.59 PPBV
RT: 1.827 min Scan# 541
Delta R.T. 0.000 min
Lab File: 6W26155.D
Acq: 30 Sep 2022 4:00 am

Tgt Ion: 62 Resp: 67155

Ion	Ratio	Lower	Upper
62	100		
64	31.9	25.7	38.5
61	8.6	6.7	10.1







#22
ISOPROPYL ALCOHOL
Concen: 0.13 PPBV
RT: 2.213 min Scan# 661
Delta R.T. 0.007 min
Lab File: 6W26155.D
Acq: 30 Sep 2022 4:00 am

Tgt Ion: 45 Resp: 1937

Ion	Ratio	Lower	Upper
45	100		
43	0.0	15.5	23.3#
59	0.0	4.1	6.1#







#23
ACETONE
Concen: 0.48 PPBV
RT: 2.146 min Scan# 640
Delta R.T. 0.010 min
Lab File: 6W26155.D
Acq: 30 Sep 2022 4:00 am

Tgt Ion: 58 Resp: 1655

Ion	Ratio	Lower	Upper
58	100		
43	291.4	195.9	293.9







#26
1,1-DICHLOROETHYLENE
Concen: 0.13 PPBV
RT: 2.387 min Scan# 715
Delta R.T. 0.004 min
Lab File: 6W26155.D
Acq: 30 Sep 2022 4:00 am

Tgt Ion: 96 Resp: 715

Ion	Ratio	Lower	Upper
96	100		
61	189.2	109.4	164.2#
63	0.0	36.2	54.2#







#28
ETHANOL
Concen: 0.46 PPBV
RT: 2.011 min Scan# 598
Delta R.T. 0.004 min
Lab File: 6W26155.D
Acq: 30 Sep 2022 4:00 am

Tgt Ion: 45 Resp: 1708

Ion	Ratio	Lower	Upper
45	100		
46	42.7	34.1	51.1
42	0.0	6.1	9.1#







#31
METHYLENE CHLORIDE
Concen: 0.19 PPBV
RT: 2.422 min Scan# 726
Delta R.T. 0.000 min
Lab File: 6W26155.D
Acq: 30 Sep 2022 4:00 am

Tgt Ion: 84 Resp: 1111

Ion	Ratio	Lower	Upper
84	100		
86	62.7	50.9	76.3
49	140.3	78.6	118.0#







#34
TRANS-1,2-DICHLOROETHENE
Concen: 0.50 PPBV
RT: 2.769 min Scan# 834
Delta R.T. 0.000 min
Lab File: 6W26155.D
Acq: 30 Sep 2022 4:00 am

Tgt Ion: 96 Resp: 2971

Ion	Ratio	Lower	Upper
96	100		
61	167.7	104.3	156.5#
98	66.0	50.6	76.0







#42
CIS-1,2-DICHLOROETHENE
Concen: 28.34 PPBV
RT: 3.255 min Scan# 985
Delta R.T. 0.000 min
Lab File: 6W26155.D
Acq: 30 Sep 2022 4:00 am

Tgt Ion: 96 Resp: 187192

Ion	Ratio	Lower	Upper
96	100		
98	64.4	51.1	76.7
61	152.6	93.9	140.9#







#44
ETHYL ACETATE
Concen: 5.58 PPBV
RT: 3.409 min Scan# 1033
Delta R.T. 0.004 min
Lab File: 6W26155.D
Acq: 30 Sep 2022 4:00 am

Tgt Ion: 61 Resp: 13316

Ion	Ratio	Lower	Upper
61	100		
43	763.3	986.2	1479.2#
88	24.8	38.8	58.2#







#55
TRICHLOROETHENE
Concen: 1.75 PPBV
RT: 5.345 min Scan# 1635
Delta R.T. -0.003 min
Lab File: 6W26155.D
Acq: 30 Sep 2022 4:00 am

Tgt Ion: 95 Resp: 15673

Ion	Ratio	Lower	Upper
95	100		
130	84.2	83.2	124.8
132	81.7	79.8	119.6
97	64.0	51.3	76.9






#66
TOLUENE
Concen: 0.17 PPBV
RT: 7.609 min Scan# 2339
Delta R.T. -0.003 min
Lab File: 6W26155.D
Acq: 30 Sep 2022 4:00 am

Tgt Ion: 91 Resp: 3396

Ion	Ratio	Lower	Upper
91	100		
92	57.0	38.9	78.9



7.1.11

7

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61664.D
Acq On : 29 Sep 2022 4:16 pm
Operator : thomash
Sample : jd52620-8
Misc : MS62557,V2w2736,100,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Oct 03 12:34:59 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.612	128	61526	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.930	114	318261	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.586	117	264554	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.958	95	184581	10.48	PPBV		0.00
Target Compounds							Qvalue
6) DICHLORODIFLUOROMETHANE	1.901	85	2989	0.10	PPBV	#	83
11) VINYL CHLORIDE	2.039	62	59133	5.52	PPBV		98
13) N-BUTANE	2.107	43	2066	0.14	PPBV	#	64
22) ISOPROPYL ALCOHOL	2.538	45	5472	0.22	PPBV	#	77
23) ACETONE	2.467	58	8773	1.08	PPBV	#	63
24) PENTANE	2.631	42	2292	0.16	PPBV		98
26) 1,1-DICHLOROETHYLENE	2.711	96	2009	0.16	PPBV		99
28) ETHANOL	2.293	45	3852	0.77	PPBV	#	88
34) TRANS-1,2-DICHLOROETHENE	3.078	96	5801	0.57	PPBV		95
39) VINYL ACETATE	3.223	86	517	0.21	PPBV	#	88
41) METHYL ETHYL KETONE	3.338	72	649	0.14	PPBV	#	72
42) CIS-1,2-DICHLOROETHENE	3.534	96	953740	87.27	PPBV		95
44) ETHYL ACETATE	3.673	61	61396	16.85	PPBV	#	1
55) TRICHLOROETHENE	5.518	95	289120	21.43	PPBV		95
66) TOLUENE	7.695	91	16242	0.42	PPBV		98
80) M,P-XYLENE	11.923	91	4038	0.12	PPBV	#	76


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61664.D
Acq On : 29 Sep 2022 4:16 pm
Operator : thomash
Sample : jd52620-8
Misc : MS62557,V2w2736,100,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Oct 03 12:34:59 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration







#6
DICHLORODIFLUOROMETHANE
Concen: 0.10 PPBV
RT: 1.901 min Scan# 564
Delta R.T. -0.000 min
Lab File: 2w61664.D
Acq: 29 Sep 2022 4:16 pm

Tgt Ion: 85 Resp: 2989

Ion	Ratio	Lower	Upper
85	100		
87	34.3	25.9	38.9
50	0.0	14.6	21.8#







#11
VINYL CHLORIDE
Concen: 5.52 PPBV
RT: 2.039 min Scan# 607
Delta R.T. -0.000 min
Lab File: 2w61664.D
Acq: 29 Sep 2022 4:16 pm

Tgt Ion: 62 Resp: 59133

Ion	Ratio	Lower	Upper
62	100		
64	30.6	25.2	37.8
61	8.2	7.0	10.4







#13
N-BUTANE
Concen: 0.14 PPBV
RT: 2.107 min Scan# 628
Delta R.T. -0.007 min
Lab File: 2w61664.D
Acq: 29 Sep 2022 4:16 pm

Tgt Ion: 43 Resp: 2066

Ion	Ratio	Lower	Upper
43	100		
58	0.0	15.0	22.4#
44	0.0	3.4	5.2#







#22
ISOPROPYL ALCOHOL
Concen: 0.22 PPBV
RT: 2.538 min Scan# 762
Delta R.T. 0.003 min
Lab File: 2w61664.D
Acq: 29 Sep 2022 4:16 pm

Tgt Ion: 45 Resp: 5472

Ion	Ratio	Lower	Upper
45	100		
43	34.3	17.8	26.6#
59	0.0	3.6	5.4#







#23
ACETONE
Concen: 1.08 PPBV
RT: 2.467 min Scan# 740
Delta R.T. 0.006 min
Lab File: 2w61664.D
Acq: 29 Sep 2022 4:16 pm

Tgt Ion: 58 Resp: 8773

Ion	Ratio	Lower	Upper
58	100		
43	216.5	229.9	344.9#







#24
PENTANE
Concen: 0.16 PPBV
RT: 2.631 min Scan# 791
Delta R.T. -0.000 min
Lab File: 2w61664.D
Acq: 29 Sep 2022 4:16 pm

Tgt Ion: 42 Resp: 2292

Ion	Ratio	Lower	Upper
42	100		
41	95.9	75.7	113.5
57	34.5	25.0	37.6







#26
1,1-DICHLOROETHYLENE
Concen: 0.16 PPBV
RT: 2.711 min Scan# 816
Delta R.T. -0.000 min
Lab File: 2w61664.D
Acq: 29 Sep 2022 4:16 pm

Tgt Ion: 96 Resp: 2009

Ion	Ratio	Lower	Upper
96	100		
61	208.7	166.0	249.0
63	66.5	52.0	78.0







#28
ETHANOL
Concen: 0.77 PPBV
RT: 2.293 min Scan# 686
Delta R.T. -0.000 min
Lab File: 2w61664.D
Acq: 29 Sep 2022 4:16 pm

Tgt Ion: 45 Resp: 3852

Ion	Ratio	Lower	Upper
45	100		
46	47.8	33.4	50.2
42	0.0	7.4	11.2#







#34
TRANS-1,2-DICHLOROETHENE
Concen: 0.57 PPBV
RT: 3.078 min Scan# 930
Delta R.T. -0.000 min
Lab File: 2w61664.D
Acq: 29 Sep 2022 4:16 pm

Tgt Ion: 96 Resp: 5801

Ion	Ratio	Lower	Upper
96	100		
61	160.5	121.8	182.8
98	66.1	51.4	77.0







#39
VINYL ACETATE
Concen: 0.21 PPBV
RT: 3.223 min Scan# 975
Delta R.T. -0.007 min
Lab File: 2w61664.D
Acq: 29 Sep 2022 4:16 pm

Tgt Ion: 86 Resp: 517

Ion	Ratio	Lower	Upper
86	100		
43	997.3	766.9	1150.3
44	0.0	41.8	62.6#







#41
METHYL ETHYL KETONE
Concen: 0.14 PPBV
RT: 3.338 min Scan# 1011
Delta R.T. 0.013 min
Lab File: 2w61664.D
Acq: 29 Sep 2022 4:16 pm

Tgt Ion: 72 Resp: 649

Ion	Ratio	Lower	Upper
72	100		
57	0.0	29.1	43.7#
43	341.6	321.0	481.4







#42
CIS-1,2-DICHLOROETHENE
Concen: 87.27 PPBV
RT: 3.534 min Scan# 1072
Delta R.T. 0.003 min
Lab File: 2w61664.D
Acq: 29 Sep 2022 4:16 pm

Tgt Ion: 96 Resp: 953740

Ion	Ratio	Lower	Upper
96	100		
98	64.0	51.0	76.6
61	145.8	109.5	164.3







#44
ETHYL ACETATE
Concen: 16.85 PPBV
RT: 3.673 min Scan# 1115
Delta R.T. 0.003 min
Lab File: 2w61664.D
Acq: 29 Sep 2022 4:16 pm

Tgt Ion: 61 Resp: 61396

Ion	Ratio	Lower	Upper
61	100		
43	532.0	1054.2	1581.2#
88	25.6	34.4	51.6#







#55
TRICHLOROETHENE
Concen: 21.43 PPBV
RT: 5.518 min Scan# 1689
Delta R.T. -0.000 min
Lab File: 2w61664.D
Acq: 29 Sep 2022 4:16 pm

Tgt Ion: 95 Resp: 289120

Ion	Ratio	Lower	Upper
95	100		
130	97.1	82.8	124.2
132	92.6	79.3	118.9
97	65.2	52.0	78.0







#66
TOLUENE
Concen: 0.42 PPBV
RT: 7.695 min Scan# 2366
Delta R.T. -0.003 min
Lab File: 2w61664.D
Acq: 29 Sep 2022 4:16 pm

Tgt Ion: 91 Resp: 16242

Ion	Ratio	Lower	Upper
91	100		
92	60.5	39.3	79.3






#80
M,P-XYLENE
Concen: 0.12 PPBV
RT: 11.923 min Scan# 3681
Delta R.T. -0.061 min
Lab File: 2w61664.D
Acq: 29 Sep 2022 4:16 pm

Tgt Ion: 91 Resp: 4038

Ion	Ratio	Lower	Upper
91	100		
106	12.6	3.0	43.0
105	0.0	0.0	30.9



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26156.D
Acq On : 30 Sep 2022 4:43 am
Operator : thomash
Sample : jd52620-8
Misc : MS62557,V6W1111,20,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 03 14:00:53 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.339	128	35756	10.00	PPBV	# 0.00
52) 1,4-DIFLUOROBENZENE	4.731	114	205827	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.583	117	142488	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	14.020	95	102429	9.84	PPBV	0.00
Target Compounds						Qvalue
11) VINYL CHLORIDE	1.827	62	6660	0.97	PPBV	98
23) ACETONE	2.149	58	992	0.29	PPBV #	59
28) ETHANOL	2.007	45	817	0.22	PPBV #	40
34) TRANS-1,2-DICHLOROETHENE	2.773	96	702	0.12	PPBV #	49
42) CIS-1,2-DICHLOROETHENE	3.255	96	109833	16.93	PPBV #	81
44) ETHYL ACETATE	3.409	61	7960	3.39	PPBV #	10
55) TRICHLOROETHENE	5.345	95	33869	3.94	PPBV	85


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26156.D
Acq On : 30 Sep 2022 4:43 am
Operator : thomash
Sample : jd52620-8
Misc : MS62557,V6W1111,20,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 03 14:00:53 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration







#11
VINYL CHLORIDE
Concen: 0.97 PPBV
RT: 1.827 min Scan# 541
Delta R.T. 0.000 min
Lab File: 6W26156.D
Acq: 30 Sep 2022 4:43 am

Tgt Ion: 62 Resp: 6660

Ion	Ratio	Lower	Upper
62	100		
64	33.4	25.7	38.5
61	8.0	6.7	10.1







#23
ACETONE
Concen: 0.29 PPBV
RT: 2.149 min Scan# 641
Delta R.T. 0.013 min
Lab File: 6W26156.D
Acq: 30 Sep 2022 4:43 am

Tgt Ion: 58 Resp: 992

Ion	Ratio	Lower	Upper
58	100		
43	316.3	195.9	293.9#







#28
ETHANOL
Concen: 0.22 PPBV
RT: 2.007 min Scan# 597
Delta R.T. 0.000 min
Lab File: 6W26156.D
Acq: 30 Sep 2022 4:43 am

Tgt Ion: 45 Resp: 817

Ion	Ratio	Lower	Upper
45	100		
46	0.0	34.1	51.1#
42	0.0	6.1	9.1#







#34
TRANS-1,2-DICHLOROETHENE
Concen: 0.12 PPBV
RT: 2.773 min Scan# 835
Delta R.T. 0.004 min
Lab File: 6W26156.D
Acq: 30 Sep 2022 4:43 am

Tgt Ion: 96 Resp: 702

Ion	Ratio	Lower	Upper
96	100		
61	173.4	104.3	156.5#
98	0.0	50.6	76.0#







#42
CIS-1,2-DICHLOROETHENE
Concen: 16.93 PPBV
RT: 3.255 min Scan# 985
Delta R.T. 0.000 min
Lab File: 6W26156.D
Acq: 30 Sep 2022 4:43 am

Tgt Ion: 96 Resp: 109833

Ion	Ratio	Lower	Upper
96	100		
98	63.8	51.1	76.7
61	150.2	93.9	140.9#







#44
ETHYL ACETATE
Concen: 3.39 PPBV
RT: 3.409 min Scan# 1033
Delta R.T. 0.004 min
Lab File: 6W26156.D
Acq: 30 Sep 2022 4:43 am

Tgt Ion: 61 Resp: 7960

Ion	Ratio	Lower	Upper
61	100		
43	757.0	986.2	1479.2#
88	26.1	38.8	58.2#






#55
TRICHLOROETHENE
Concen: 3.94 PPBV
RT: 5.345 min Scan# 1635
Delta R.T. -0.003 min
Lab File: 6W26156.D
Acq: 30 Sep 2022 4:43 am

Tgt Ion: 95 Resp: 33869

Ion	Ratio	Lower	Upper
95	100		
130	84.0	83.2	124.8
132	81.2	79.8	119.6
97	64.8	51.3	76.9



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61666.D
Acq On : 29 Sep 2022 5:19 pm
Operator : thomash
Sample : jd52620-9
Misc : MS62557,V2w2736,40,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Oct 03 12:40:58 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.615	128	58921	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.933	114	304403	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.586	117	250840	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.955	95	174639	10.46	PPBV		0.00
Target Compounds							Qvalue
11) VINYL CHLORIDE	2.036	62	670458	65.38	PPBV		100
13) N-BUTANE	2.104	43	4749	0.34	PPBV	#	92
23) ACETONE	2.470	58	5448	0.70	PPBV		81
24) PENTANE	2.634	42	1533	0.11	PPBV	#	75
26) 1,1-DICHLOROETHYLENE	2.714	96	6557	0.56	PPBV		98
34) TRANS-1,2-DICHLOROETHENE	3.081	96	14581	1.50	PPBV		94
37) TETRAHYDROFURAN	3.920	72	1332	0.31	PPBV	#	83
41) METHYL ETHYL KETONE	3.345	72	903	0.21	PPBV	#	94
42) CIS-1,2-DICHLOROETHENE	3.538	96	2482165	237.18	PPBV		95
44) ETHYL ACETATE	3.676	61	2399	0.69	PPBV	#	1
55) TRICHLOROETHENE	5.521	95	614942	47.66	PPBV		95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61666.D
Acq On : 29 Sep 2022 5:19 pm
Operator : thomash
Sample : jd52620-9
Misc : MS62557,V2w2736,40,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Oct 03 12:40:58 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration







#11
VINYL CHLORIDE
Concen: 65.38 PPBV
RT: 2.036 min Scan# 606
Delta R.T. -0.003 min
Lab File: 2w61666.D
Acq: 29 Sep 2022 5:19 pm

Tgt Ion: 62 Resp: 670458

Ion	Ratio	Lower	Upper
62	100		
64	31.3	25.2	37.8
61	8.5	7.0	10.4







#13
N-BUTANE
Concen: 0.34 PPBV
RT: 2.104 min Scan# 627
Delta R.T. -0.010 min
Lab File: 2w61666.D
Acq: 29 Sep 2022 5:19 pm

Tgt Ion: 43 Resp: 4749

Ion	Ratio	Lower	Upper
43	100		
58	20.8	15.0	22.4
44	11.6	3.4	5.2#







#23
ACETONE
Concen: 0.70 PPBV
RT: 2.470 min Scan# 741
Delta R.T. 0.009 min
Lab File: 2w61666.D
Acq: 29 Sep 2022 5:19 pm

Tgt Ion: 58 Resp: 5448

Ion	Ratio	Lower	Upper
58	100		
43	250.2	229.9	344.9







#24
PENTANE
Concen: 0.11 PPBV
RT: 2.634 min Scan# 792
Delta R.T. 0.003 min
Lab File: 2w61666.D
Acq: 29 Sep 2022 5:19 pm

Tgt Ion: 42 Resp: 1533

Ion	Ratio	Lower	Upper
42	100		
41	81.0	75.7	113.5
57	0.0	25.0	37.6#







#26
1,1-DICHLOROETHYLENE
Concen: 0.56 PPBV
RT: 2.714 min Scan# 817
Delta R.T. 0.003 min
Lab File: 2w61666.D
Acq: 29 Sep 2022 5:19 pm

Tgt Ion: 96 Resp: 6557

Ion	Ratio	Lower	Upper
96	100		
61	209.4	166.0	249.0
63	68.9	52.0	78.0







#34
TRANS-1,2-DICHLOROETHENE
Concen: 1.50 PPBV
RT: 3.081 min Scan# 931
Delta R.T. 0.003 min
Lab File: 2w61666.D
Acq: 29 Sep 2022 5:19 pm

Tgt Ion: 96 Resp: 14581

Ion	Ratio	Lower	Upper
96	100		
61	162.7	121.8	182.8
98	62.7	51.4	77.0







#37
TETRAHYDROFURAN
Concen: 0.31 PPBV
RT: 3.920 min Scan# 1192
Delta R.T. 0.019 min
Lab File: 2w61666.D
Acq: 29 Sep 2022 5:19 pm

Tgt Ion: 72 Resp: 1332

Ion	Ratio	Lower	Upper
72	100		
42	244.4	175.8	263.6
71	113.2	74.0	111.0#







#41
METHYL ETHYL KETONE
Concen: 0.21 PPBV
RT: 3.345 min Scan# 1013
Delta R.T. 0.019 min
Lab File: 2w61666.D
Acq: 29 Sep 2022 5:19 pm

Tgt Ion: 72 Resp: 903

Ion	Ratio	Lower	Upper
72	100		
57	0.0	29.1	43.7#
43	398.1	321.0	481.4







#42
CIS-1,2-DICHLOROETHENE
Concen: 237.18 PPBV
RT: 3.538 min Scan# 1073
Delta R.T. 0.006 min
Lab File: 2w61666.D
Acq: 29 Sep 2022 5:19 pm

Tgt Ion: 96 Resp: 2482165

Ion	Ratio	Lower	Upper
96	100		
98	64.1	51.0	76.6
61	144.9	109.5	164.3







#44
ETHYL ACETATE
Concen: 0.69 PPBV
RT: 3.676 min Scan# 1116
Delta R.T. 0.006 min
Lab File: 2w61666.D
Acq: 29 Sep 2022 5:19 pm

Tgt Ion: 61 Resp: 2399

Ion	Ratio	Lower	Upper
61	100		
43	454.8	1054.2	1581.2#
88	22.1	34.4	51.6#






#55
TRICHLOROETHENE
Concen: 47.66 PPBV
RT: 5.521 min Scan# 1690
Delta R.T. 0.003 min
Lab File: 2w61666.D
Acq: 29 Sep 2022 5:19 pm

Tgt Ion: 95 Resp: 614942

Ion	Ratio	Lower	Upper
95	100		
130	96.5	82.8	124.2
132	92.3	79.3	118.9
97	65.2	52.0	78.0



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61693.D
Acq On : 30 Sep 2022 1:15 pm
Operator : thomash
Sample : jd52620-9
Misc : MS62557,V2w2737,5,,,,1.13
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Oct 03 13:14:31 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.615	128	65766	10.00	PPBV	0.00
52) 1,4-DIFLUOROBENZENE	4.930	114	340075	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.589	117	276756	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	13.958	95	196454	10.66	PPBV	0.00
Target Compounds						Qvalue
11) VINYL CHLORIDE	2.049	62	61166	5.34	PPBV	99
34) TRANS-1,2-DICHLOROETHENE	3.081	96	1425	0.13	PPBV	93
42) CIS-1,2-DICHLOROETHENE	3.534	96	196572	16.83	PPBV	95
55) TRICHLOROETHENE	5.521	95	55185	3.83	PPBV	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61693.D
Acq On : 30 Sep 2022 1:15 pm
Operator : thomash
Sample : jd52620-9
Misc : MS62557,V2w2737,5,,,,1.13
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Oct 03 13:14:31 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration







#11
VINYL CHLORIDE
Concen: 5.34 PPBV
RT: 2.049 min Scan# 610
Delta R.T. 0.009 min
Lab File: 2w61693.D
Acq: 30 Sep 2022 1:15 pm

Tgt Ion: 62 Resp: 61166

Ion	Ratio	Lower	Upper
62	100		
64	30.6	25.2	37.8
61	8.6	7.0	10.4







#34
TRANS-1,2-DICHLOROETHENE
Concen: 0.13 PPBV
RT: 3.081 min Scan# 931
Delta R.T. 0.003 min
Lab File: 2w61693.D
Acq: 30 Sep 2022 1:15 pm

Tgt Ion: 96 Resp: 1425

Ion	Ratio	Lower	Upper
96	100		
61	161.3	121.8	182.8
98	59.2	51.4	77.0







#42
CIS-1,2-DICHLOROETHENE
Concen: 16.83 PPBV
RT: 3.534 min Scan# 1072
Delta R.T. 0.003 min
Lab File: 2w61693.D
Acq: 30 Sep 2022 1:15 pm

Tgt Ion: 96 Resp: 196572

Ion	Ratio	Lower	Upper
96	100		
98	63.5	51.0	76.6
61	145.8	109.5	164.3






#55
TRICHLOROETHENE
Concen: 3.83 PPBV
RT: 5.521 min Scan# 1690
Delta R.T. 0.003 min
Lab File: 2w61693.D
Acq: 30 Sep 2022 1:15 pm

Tgt Ion: 95 Resp: 55185

Ion	Ratio	Lower	Upper
95	100		
130	96.9	82.8	124.2
132	94.8	79.3	118.9
97	64.2	52.0	78.0



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61667.D
Acq On : 29 Sep 2022 5:52 pm
Operator : thomash
Sample : jd52620-10
Misc : MS62557,V2w2736,20,,,,1
ALS Vial : 12 Sample Multiplier: 1

Quant Time: Oct 03 12:44:12 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.611	128	61241	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.930	114	314285	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.589	117	255519	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.958	95	177168	10.41	PPBV		0.00
Target Compounds							Qvalue
11) VINYL CHLORIDE	2.033	62	59594	5.59	PPBV		98
23) ACETONE	2.460	58	2296	0.28	PPBV		90
26) 1,1-DICHLOROETHYLENE	2.714	96	1740	0.14	PPBV	#	75
34) TRANS-1,2-DICHLOROETHENE	3.081	96	2691	0.27	PPBV		94
42) CIS-1,2-DICHLOROETHENE	3.534	96	189984	17.47	PPBV		95
44) ETHYL ACETATE	3.673	61	2412	0.67	PPBV	#	1
55) TRICHLOROETHENE	5.518	95	402321	30.20	PPBV		95
66) TOLUENE	7.698	91	1305	0.03	PPBV		93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61667.D
Acq On : 29 Sep 2022 5:52 pm
Operator : thomash
Sample : jd52620-10
Misc : MS62557,V2w2736,20,,,,1
ALS Vial : 12 Sample Multiplier: 1

Quant Time: Oct 03 12:44:12 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration







#11
VINYL CHLORIDE
Concen: 5.59 PPBV
RT: 2.033 min Scan# 605
Delta R.T. -0.007 min
Lab File: 2w61667.D
Acq: 29 Sep 2022 5:52 pm

Tgt Ion: 62 Resp: 59594

Ion	Ratio	Lower	Upper
62	100		
64	30.4	25.2	37.8
61	8.0	7.0	10.4







#23
ACETONE
Concen: 0.28 PPBV
RT: 2.460 min Scan# 738
Delta R.T. -0.000 min
Lab File: 2w61667.D
Acq: 29 Sep 2022 5:52 pm

Tgt Ion: 58 Resp: 2296

Ion	Ratio	Lower	Upper
58	100		
43	268.5	229.9	344.9







#26
1,1-DICHLOROETHYLENE
Concen: 0.14 PPBV
RT: 2.714 min Scan# 817
Delta R.T. 0.003 min
Lab File: 2w61667.D
Acq: 29 Sep 2022 5:52 pm

Tgt Ion: 96 Resp: 1740

Ion	Ratio	Lower	Upper
96	100		
61	247.9	166.0	249.0
63	82.8	52.0	78.0#







#34
TRANS-1,2-DICHLOROETHENE
Concen: 0.27 PPBV
RT: 3.081 min Scan# 931
Delta R.T. 0.003 min
Lab File: 2w61667.D
Acq: 29 Sep 2022 5:52 pm

Tgt Ion: 96 Resp: 2691

Ion	Ratio	Lower	Upper
96	100		
61	162.8	121.8	182.8
98	65.4	51.4	77.0







#42
CIS-1,2-DICHLOROETHENE
Concen: 17.47 PPBV
RT: 3.534 min Scan# 1072
Delta R.T. 0.003 min
Lab File: 2w61667.D
Acq: 29 Sep 2022 5:52 pm

Tgt Ion: 96 Resp: 189984

Ion	Ratio	Lower	Upper
96	100		
98	63.9	51.0	76.6
61	145.4	109.5	164.3







#44
ETHYL ACETATE
Concen: 0.67 PPBV
RT: 3.673 min Scan# 1115
Delta R.T. 0.003 min
Lab File: 2w61667.D
Acq: 29 Sep 2022 5:52 pm

Tgt Ion: 61 Resp: 2412

Ion	Ratio	Lower	Upper
61	100		
43	513.8	1054.2	1581.2#
88	26.9	34.4	51.6#







#55
TRICHLOROETHENE
Concen: 30.20 PPBV
RT: 5.518 min Scan# 1689
Delta R.T. -0.000 min
Lab File: 2w61667.D
Acq: 29 Sep 2022 5:52 pm

Tgt Ion: 95 Resp: 402321

Ion	Ratio	Lower	Upper
95	100		
130	97.0	82.8	124.2
132	93.7	79.3	118.9
97	65.5	52.0	78.0






#66
TOLUENE
Concen: 0.03 PPBV
RT: 7.698 min Scan# 2367
Delta R.T. -0.000 min
Lab File: 2w61667.D
Acq: 29 Sep 2022 5:52 pm

Tgt Ion: 91 Resp: 1305

Ion	Ratio	Lower	Upper
91	100		
92	53.8	39.3	79.3



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61692.D
Acq On : 30 Sep 2022 12:43 pm
Operator : thomash
Sample : jd52620-11(a791,m230)
Misc : MS62557,V2w2737,400,,,,1120
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Oct 03 13:11:04 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.612	128	68493	10.00	PPBV	0.00
52) 1,4-DIFLUOROBENZENE	4.930	114	355679	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.582	117	308446	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	13.955	95	215361	10.49	PPBV	0.00
Target Compounds						Qvalue
11) VINYL CHLORIDE	2.046	62	45254	3.80	PPBV	99
26) 1,1-DICHLOROETHYLENE	2.718	96	2447	0.18	PPBV	95
34) TRANS-1,2-DICHLOROETHENE	3.078	96	1758	0.16	PPBV	96
42) CIS-1,2-DICHLOROETHENE	3.534	96	149243	12.27	PPBV	94
55) TRICHLOROETHENE	5.518	95	568220	37.69	PPBV	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61692.D
Acq On : 30 Sep 2022 12:43 pm
Operator : thomash
Sample : jd52620-11(a791,m230)
Misc : MS62557,V2w2737,400,,,,1120
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Oct 03 13:11:04 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration




M2W2709.M Mon Oct 03 13:16:43 2022 GCMS2W Page: 2




#11
VINYL CHLORIDE
Concen: 3.80 PPBV
RT: 2.046 min Scan# 609
Delta R.T. 0.006 min
Lab File: 2w61692.D
Acq: 30 Sep 2022 12:43 pm

Tgt Ion: 62 Resp: 45254

Ion	Ratio	Lower	Upper
62	100		
64	30.8	25.2	37.8
61	8.6	7.0	10.4







#26
1,1-DICHLOROETHYLENE
Concen: 0.18 PPBV
RT: 2.718 min Scan# 818
Delta R.T. 0.006 min
Lab File: 2w61692.D
Acq: 30 Sep 2022 12:43 pm

Tgt Ion: 96 Resp: 2447

Ion	Ratio	Lower	Upper
96	100		
61	211.8	166.0	249.0
63	73.0	52.0	78.0







#34
TRANS-1,2-DICHLOROETHENE
Concen: 0.16 PPBV
RT: 3.078 min Scan# 930
Delta R.T. -0.000 min
Lab File: 2w61692.D
Acq: 30 Sep 2022 12:43 pm

Tgt Ion: 96 Resp: 1758

Ion	Ratio	Lower	Upper
96	100		
61	155.1	121.8	182.8
98	58.6	51.4	77.0







#42
CIS-1,2-DICHLOROETHENE
Concen: 12.27 PPBV
RT: 3.534 min Scan# 1072
Delta R.T. 0.003 min
Lab File: 2w61692.D
Acq: 30 Sep 2022 12:43 pm

Tgt Ion: 96 Resp: 149243

Ion	Ratio	Lower	Upper
96	100		
98	64.6	51.0	76.6
61	146.6	109.5	164.3






#55
TRICHLOROETHENE
Concen: 37.69 PPBV
RT: 5.518 min Scan# 1689
Delta R.T. -0.000 min
Lab File: 2w61692.D
Acq: 30 Sep 2022 12:43 pm

Tgt Ion: 95 Resp: 568220

Ion	Ratio	Lower	Upper
95	100		
130	96.7	82.8	124.2
132	92.7	79.3	118.9
97	65.5	52.0	78.0



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61669.D
Acq On : 29 Sep 2022 6:55 pm
Operator : thomash
Sample : jd52620-12
Misc : MS62557,V2w2736,100,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Oct 03 13:08:59 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.612	128	59188	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.930	114	304865	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.586	117	251451	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.958	95	175413	10.48	PPBV		0.00
Target Compounds							Qvalue
6) DICHLORODIFLUOROMETHANE	1.898	85	2951	0.10	PPBV	#	85
7) PROPYLENE	1.875	41	3407	0.61	PPBV	#	80
10) CHLOROMETHANE	1.956	52	1589	0.54	PPBV	#	67
11) VINYL CHLORIDE	2.036	62	98187	9.53	PPBV		100
13) N-BUTANE	2.107	43	4134	0.30	PPBV	#	96
23) ACETONE	2.461	58	10725	1.38	PPBV	#	61
24) PENTANE	2.628	42	2365	0.18	PPBV		96
26) 1,1-DICHLOROETHYLENE	2.715	96	2077	0.18	PPBV		97
27) CARBON DISULFIDE	2.843	76	7036	0.20	PPBV	#	75
34) TRANS-1,2-DICHLOROETHENE	3.081	96	1567	0.16	PPBV		85
41) METHYL ETHYL KETONE	3.332	72	902	0.21	PPBV	#	82
42) CIS-1,2-DICHLOROETHENE	3.534	96	222897	21.20	PPBV		94
44) ETHYL ACETATE	3.673	61	4621	1.32	PPBV	#	1
51) BENZENE	4.599	78	7738	0.25	PPBV		96
55) TRICHLOROETHENE	5.518	95	456868	35.36	PPBV		95

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61669.D
Acq On : 29 Sep 2022 6:55 pm
Operator : thomash
Sample : jd52620-12
Misc : MS62557,V2w2736,100,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Oct 03 13:08:59 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration




M2W2709.M Mon Oct 03 13:16:40 2022 GCMS2W Page: 2




#6
DICHLORODIFLUOROMETHANE
Concen: 0.10 PPBV
RT: 1.898 min Scan# 563
Delta R.T. -0.003 min
Lab File: 2w61669.D
Acq: 29 Sep 2022 6:55 pm

Tgt Ion: 85 Resp: 2951

Ion	Ratio	Lower	Upper
85	100		
87	32.5	25.9	38.9
50	0.0	14.6	21.8#







#7
PROPYLENE
Concen: 0.61 PPBV
RT: 1.875 min Scan# 556
Delta R.T. -0.003 min
Lab File: 2w61669.D
Acq: 29 Sep 2022 6:55 pm

Tgt Ion: 41 Resp: 3407

Ion	Ratio	Lower	Upper
41	100		
39	96.3	57.7	86.5#
42	58.9	53.5	80.3







#10
CHLOROMETHANE
Concen: 0.54 PPBV
RT: 1.956 min Scan# 581
Delta R.T. -0.007 min
Lab File: 2w61669.D
Acq: 29 Sep 2022 6:55 pm

Tgt Ion: 52 Resp: 1589

Ion	Ratio	Lower	Upper
52	100		
50	245.7	249.6	374.4#







#11
VINYL CHLORIDE
Concen: 9.53 PPBV
RT: 2.036 min Scan# 606
Delta R.T. -0.003 min
Lab File: 2w61669.D
Acq: 29 Sep 2022 6:55 pm

Tgt Ion: 62 Resp: 98187

Ion	Ratio	Lower	Upper
62	100		
64	31.3	25.2	37.8
61	8.4	7.0	10.4







#13
N-BUTANE
Concen: 0.30 PPBV
RT: 2.107 min Scan# 628
Delta R.T. -0.007 min
Lab File: 2w61669.D
Acq: 29 Sep 2022 6:55 pm

Tgt Ion: 43 Resp: 4134

Ion	Ratio	Lower	Upper
43	100		
58	17.8	15.0	22.4
44	0.0	3.4	5.2#







#23
ACETONE
Concen: 1.38 PPBV
RT: 2.461 min Scan# 738
Delta R.T. -0.000 min
Lab File: 2w61669.D
Acq: 29 Sep 2022 6:55 pm

Tgt Ion: 58 Resp: 10725

Ion	Ratio	Lower	Upper
58	100		
43	212.3	229.9	344.9#







#24
PENTANE
Concen: 0.18 PPBV
RT: 2.628 min Scan# 790
Delta R.T. -0.003 min
Lab File: 2w61669.D
Acq: 29 Sep 2022 6:55 pm

Tgt Ion: 42 Resp: 2365

Ion	Ratio	Lower	Upper
42	100		
41	90.3	75.7	113.5
57	30.1	25.0	37.6







#26
1,1-DICHLOROETHYLENE
Concen: 0.18 PPBV
RT: 2.715 min Scan# 817
Delta R.T. 0.003 min
Lab File: 2w61669.D
Acq: 29 Sep 2022 6:55 pm

Tgt Ion: 96 Resp: 2077

Ion	Ratio	Lower	Upper
96	100		
61	202.0	166.0	249.0
63	63.6	52.0	78.0







#27
CARBON DISULFIDE
Concen: 0.20 PPBV
RT: 2.843 min Scan# 857
Delta R.T. -0.000 min
Lab File: 2w61669.D
Acq: 29 Sep 2022 6:55 pm

Tgt Ion: 76 Resp: 7036

Ion	Ratio	Lower	Upper
76	100		
78	9.5	8.9	13.3
44	34.8	14.4	21.6#







#34
TRANS-1,2-DICHLOROETHENE
Concen: 0.16 PPBV
RT: 3.081 min Scan# 931
Delta R.T. 0.003 min
Lab File: 2w61669.D
Acq: 29 Sep 2022 6:55 pm

Tgt Ion: 96 Resp: 1567

Ion	Ratio	Lower	Upper
96	100		
61	177.7	121.8	182.8
98	67.0	51.4	77.0







#41
METHYL ETHYL KETONE
Concen: 0.21 PPBV
RT: 3.332 min Scan# 1009
Delta R.T. 0.006 min
Lab File: 2w61669.D
Acq: 29 Sep 2022 6:55 pm

Tgt Ion: 72 Resp: 902

Ion	Ratio	Lower	Upper
72	100		
57	0.0	29.1	43.7#
43	435.8	321.0	481.4







#42
CIS-1,2-DICHLOROETHENE
Concen: 21.20 PPBV
RT: 3.534 min Scan# 1072
Delta R.T. 0.003 min
Lab File: 2w61669.D
Acq: 29 Sep 2022 6:55 pm

Tgt Ion: 96 Resp: 222897

Ion	Ratio	Lower	Upper
96	100		
98	64.2	51.0	76.6
61	146.8	109.5	164.3







#44
ETHYL ACETATE
Concen: 1.32 PPBV
RT: 3.673 min Scan# 1115
Delta R.T. 0.003 min
Lab File: 2w61669.D
Acq: 29 Sep 2022 6:55 pm

Tgt Ion: 61 Resp: 4621

Ion	Ratio	Lower	Upper
61	100		
43	551.5	1054.2	1581.2#
88	25.5	34.4	51.6#







#51
BENZENE
Concen: 0.25 PPBV
RT: 4.599 min Scan# 1403
Delta R.T. 0.003 min
Lab File: 2w61669.D
Acq: 29 Sep 2022 6:55 pm

Tgt Ion: 78 Resp: 7738

Ion	Ratio	Lower	Upper
78	100		
52	15.7	0.0	37.3
51	17.1	0.0	38.9






#55
TRICHLOROETHENE
Concen: 35.36 PPBV
RT: 5.518 min Scan# 1689
Delta R.T. -0.000 min
Lab File: 2w61669.D
Acq: 29 Sep 2022 6:55 pm

Tgt Ion: 95 Resp: 456868

Ion	Ratio	Lower	Upper
95	100		
130	96.5	82.8	124.2
132	93.4	79.3	118.9
97	65.2	52.0	78.0



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61658.D
Acq On : 29 Sep 2022 12:44 pm
Operator : thomash
Sample : jd52620-13
Misc : MS62557,V2w2736,100,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Oct 03 09:02:19 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.608	128	62557	10.00	PPBV	0.00
52) 1,4-DIFLUOROBENZENE	4.923	114	321800	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.576	117	274731	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	13.955	95	192277	10.51	PPBV	0.00
Target Compounds						Qvalue
23) ACETONE	2.464	58	2193	0.27	PPBV #	69
44) ETHYL ACETATE	3.673	61	5077	1.37	PPBV #	1
66) TOLUENE	7.698	91	4372	0.11	PPBV	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61658.D
Acq On : 29 Sep 2022 12:44 pm
Operator : thomash
Sample : jd52620-13
Misc : MS62557,V2w2736,100,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Oct 03 09:02:19 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration




M2W2709.M Mon Oct 03 13:16:16 2022 GCMS2W Page: 2




#23
ACETONE
Concen: 0.27 PPBV
RT: 2.464 min Scan# 739
Delta R.T. 0.003 min
Lab File: 2w61658.D
Acq: 29 Sep 2022 12:44 pm

Tgt Ion: 58 Resp: 2193

Ion	Ratio	Lower	Upper
58	100		
43	346.1	229.9	344.9#







#44
ETHYL ACETATE
Concen: 1.37 PPBV
RT: 3.673 min Scan# 1115
Delta R.T. 0.003 min
Lab File: 2w61658.D
Acq: 29 Sep 2022 12:44 pm

Tgt Ion: 61 Resp: 5077

Ion	Ratio	Lower	Upper
61	100		
43	518.9	1054.2	1581.2#
88	24.8	34.4	51.6#






#66
TOLUENE
Concen: 0.11 PPBV
RT: 7.698 min Scan# 2367
Delta R.T. -0.000 min
Lab File: 2w61658.D
Acq: 29 Sep 2022 12:44 pm

Tgt Ion: 91 Resp: 4372

Ion	Ratio	Lower	Upper
91	100		
92	64.0	39.3	79.3



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61637.D
Acq On : 28 Sep 2022 10:50 am
Operator : thomash
Sample : mb
Misc : MS62371,V2w2735,,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 29 08:00:17 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.611	128	67250	10.00	PPBV	0.00
52) 1,4-DIFLUOROBENZENE	4.927	114	357264	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.582	117	300667	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	13.955	95	215983	10.79	PPBV	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61637.D
Acq On : 28 Sep 2022 10:50 am
Operator : thomash
Sample : mb
Misc : MS62371,V2w2735,,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 29 08:00:17 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61657.D
Acq On : 29 Sep 2022 10:25 am
Operator : thomash
Sample : mb
Misc : MS62557,V2w2736,,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 30 15:20:15 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.608	128	64927	10.00	PPBV	0.00
52) 1,4-DIFLUOROBENZENE	4.927	114	338162	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.582	117	278029	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	13.955	95	197219	10.65	PPBV	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61657.D
Acq On : 29 Sep 2022 10:25 am
Operator : thomash
Sample : mb
Misc : MS62557,V2w2736,,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 30 15:20:15 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26141.D
Acq On : 29 Sep 2022 6:06 pm
Operator : thomash
Sample : mb
Misc : MS62314,V6W1111,,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 30 13:42:37 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.338	128	42284	10.00	PPBV	# 0.00
52) 1,4-DIFLUOROBENZENE	4.731	114	242632	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.583	117	185206	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	14.016	95	131416	9.71	PPBV	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26141.D
Acq On : 29 Sep 2022 6:06 pm
Operator : thomash
Sample : mb
Misc : MS62314,V6W1111,,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 30 13:42:37 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61689.D
Acq On : 30 Sep 2022 10:47 am
Operator : thomash
Sample : mb
Misc : MS62556,V2w2737,,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 30 15:22:10 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.612	128	74416	10.00	PPBV	0.00
52) 1,4-DIFLUOROBENZENE	4.930	114	386070	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.582	117	321362	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	13.958	95	227430	10.63	PPBV	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61689.D
Acq On : 30 Sep 2022 10:47 am
Operator : thomash
Sample : mb
Misc : MS62556,V2w2737,,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 30 15:22:10 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w59302.D
Acq On : 14 May 2022 6:25 pm
Operator : thomash
Sample : mb
Misc : MS58854,V2w2637,,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: May 14 18:50:28 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:46:06 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.470	128	367313	10.00	PPBV	# 0.00
52) 1,4-DIFLUOROBENZENE	4.846	114	1982883	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.634	117	1736178	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	14.049	95	1215258	9.66	PPBV	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w59302.D
Acq On : 14 May 2022 6:25 pm
Operator : thomash
Sample : mb
Misc : MS58854,V2w2637,,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: May 14 18:50:28 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:46:06 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61028.D
Acq On : 24 Aug 2022 10:32 pm
Operator : thomash
Sample : mb
Misc : MS61038,V2w2710,,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Aug 25 19:47:23 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.609	128	69994	10.00	PPBV	0.00
52) 1,4-DIFLUOROBENZENE	4.927	114	386625	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.583	117	342388	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	13.959	95	221888	9.73	PPBV	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61028.D
Acq On : 24 Aug 2022 10:32 pm
Operator : thomash
Sample : mb
Misc : MS61038,V2w2710,,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Aug 25 19:47:23 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61144.D
Acq On : 30 Aug 2022 12:13 pm
Operator : williamc
Sample : mb
Misc : MS61607,V2w2714,,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 01 10:58:37 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.611	128	77018	10.00	PPBV	0.00
52) 1,4-DIFLUOROBENZENE	4.930	114	415866	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.589	117	362740	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	13.958	95	230072	9.53	PPBV	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61144.D
Acq On : 30 Aug 2022 12:13 pm
Operator : williamc
Sample : mb
Misc : MS61607,V2w2714,,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 01 10:58:37 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration



Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 09/29/22 11:12

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61634.D
Acq On : 28 Sep 2022 8:44 am
Operator : thomash
Sample : bs
Misc : MS62371,V2w2735,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 07:57:46 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.612	128	70966	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.930	114	361937	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.582	117	312957	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.962	95	234023	11.23	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.850	65	59030m	9.89	PPBV		
4) CHLORODIFLUOROMETHANE	1.866	67	25805	9.74	PPBV		99
5) CHLOROTRIFLUOROETHENE	1.882	116	138207	9.02	PPBV	#	1
6) DICHLORODIFLUOROMETHANE	1.904	85	338911	9.60	PPBV		99
7) PROPYLENE	1.879	41	53225	7.99	PPBV		98
8) 1-CHLORO-1,1-DIFLUOROE...	1.953	65	267907	10.08	PPBV		96
9) FREON 114	2.001	85	317108	9.97	PPBV		98
10) CHLOROMETHANE	1.962	52	30681	8.63	PPBV		99
11) VINYL CHLORIDE	2.043	62	132460	10.72	PPBV		99
12) 1,3-BUTADIENE	2.094	54	88218	9.25	PPBV		97
13) N-BUTANE	2.117	43	137389	8.27	PPBV		96
14) BROMOMETHANE	2.194	94	112764	10.11	PPBV		100
15) CHLOROETHANE	2.258	64	73224	11.08	PPBV		94
16) DICHLOROFLUOROMETHANE	2.290	67	272101	10.35	PPBV		98
17) ACETONITRILE	2.377	41	85745	8.68	PPBV		100
18) ACROLEIN	2.422	56	62608	14.37	PPBV		98
19) FREON 123	2.438	83	322603	11.04	PPBV		95
20) FREON 123A	2.457	117	168597	9.98	PPBV		90
21) TRICHLOROFLUOROMETHANE	2.522	101	387034	10.53	PPBV		99
22) ISOPROPYL ALCOHOL	2.538	45	269193	9.18	PPBV		98
23) ACETONE	2.464	58	77293	8.27	PPBV		90
24) PENTANE	2.634	42	156932	9.77	PPBV		99
25) IODOMETHANE	2.689	142	379514	10.57	PPBV		99
26) 1,1-DICHLOROETHYLENE	2.715	96	161262	11.44	PPBV		97
27) CARBON DISULFIDE	2.846	76	502646	11.84	PPBV		97
28) ETHANOL	2.297	45	42486	7.36	PPBV		99
29) BROMOETHENE	2.387	106	116902	10.26	PPBV		98
30) ACRYLONITRILE	2.605	52	116397	10.51	PPBV		98
31) METHYLENE CHLORIDE	2.750	84	156428	10.00	PPBV		88
32) 3-CHLOROPROPENE	2.792	76	77397	10.70	PPBV		87
33) FREON 113	2.846	151	253340	10.66	PPBV		97
34) TRANS-1,2-DICHLOROETHENE	3.081	96	118825	10.12	PPBV		96
35) TERTIARY BUTYL ALCOHOL	2.724	59	352910	9.55	PPBV	#	90
36) METHYL TERTIARY BUTYL ...	3.190	73	270633	8.90	PPBV		99
37) TETRAHYDROFURAN	3.904	72	53394	10.41	PPBV		89
38) HEXANE	3.666	57	201122	9.81	PPBV		93
39) VINYL ACETATE	3.232	86	30029	10.39	PPBV		72
40) 1,1-DICHLOROETHANE	3.158	63	226886	10.80	PPBV		99
41) METHYL ETHYL KETONE	3.329	72	56075	10.73	PPBV		77
42) CIS-1,2-DICHLOROETHENE	3.534	96	123863	9.83	PPBV		96
43) DIISOPROPYL ETHER	3.670	59	62961	10.48	PPBV		62

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61634.D
Acq On : 28 Sep 2022 8:44 am
Operator : thomash
Sample : bs
Misc : MS62371,V2w2735,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 07:57:46 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.673	61	43594	10.37	PPBV		65
45) METHYL ACRYLATE	3.660	55	237146	9.83	PPBV	#	98
46) CHLOROFORM	3.689	83	260900	10.16	PPBV		96
47) 2,4-DIMETHYLPENTANE	4.197	57	230707	9.66	PPBV		98
48) 1,1,1-TRICHLOROETHANE	4.277	97	243902	9.52	PPBV		96
49) CARBON TETRACHLORIDE	4.711	117	242710	9.56	PPBV		100
50) 1,2-DICHLOROETHANE	4.110	62	177664	10.21	PPBV		99
51) BENZENE	4.599	78	358070	9.77	PPBV		96
53) CYCLOHEXANE	4.811	84	158405	10.37	PPBV		97
54) 2,3-DIMETHYLPENTANE	5.071	71	78122	10.41	PPBV		96
55) TRICHLOROETHENE	5.515	95	164614	10.73	PPBV		96
56) 1,2-DICHLOROPROPANE	5.280	63	150152	10.87	PPBV		97
57) DIBROMOMETHANE	5.239	174	151228	9.58	PPBV		97
58) ETHYL ACRYLATE	5.393	55	279608	10.77	PPBV		99
59) BROMODICHLOROMETHANE	5.460	83	276168	10.90	PPBV		98
60) 2,2,4-TRIMETHYLPENTANE	5.612	57	613167	10.03	PPBV		99
61) 1,4-DIOXANE	5.528	88	83766	11.30	PPBV		98
62) HEPTANE	5.936	43	168316	8.74	PPBV		89
63) METHYL METHACRYLATE	5.827	69	130267	11.04	PPBV		91
64) METHYL ISOBUTYL KETONE	6.573	58	118007	11.98	PPBV		89
65) CIS-1,3-DICHLOROPROPENE	6.470	75	189915	10.37	PPBV		95
66) TOLUENE	7.695	91	438007	10.04	PPBV		99
67) 1,3-DICHLOROPROPANE	7.750	76	217968	10.51	PPBV		99
68) TRANS-1,3-DICHLOROPROPENE	7.158	75	162667	9.91	PPBV		96
69) 1,1,2-TRICHLOROETHANE	7.322	83	134391	10.51	PPBV		97
70) 2-HEXANONE	8.261	58	155384	11.27	PPBV		88
71) ETHYL METHACRYLATE	8.399	69	209794	12.20	PPBV		94
72) TETRACHLOROETHENE	9.444	164	171823	9.83	PPBV		98
73) DIBROMOCHLOROMETHANE	8.242	129	269710	10.83	PPBV		100
74) 1,2-DIBROMOETHANE	8.586	107	242559	10.42	PPBV		100
75) OCTANE	9.586	43	232019	8.97	PPBV		92
77) 1,1,1,2-TETRACHLOROETHANE	10.672	131	181368	10.70	PPBV		96
78) CHLOROBENZENE	10.663	112	354042	10.53	PPBV		98
79) ETHYLBENZENE	11.547	91	580038	10.82	PPBV		99
80) M,P-XYLENE	11.978	91	896884	21.99	PPBV		97
81) O-XYLENE	12.917	91	459030	11.01	PPBV		96
82) STYRENE	12.701	104	348171	11.67	PPBV		99
83) NONANE	14.026	43	245515	9.54	PPBV		89
84) BROMOFORM	11.791	173	262111	12.15	PPBV		100
85) 1,1,2,2-TETRACHLOROETHANE	12.926	83	356488	11.49	PPBV		97
86) 1,2,3-TRICHLOROPROPANE	13.206	75	253136	11.12	PPBV	#	100
88) ISOPROPYLBENZENE	14.431	120	169154	9.57	PPBV		96
89) BROMOBENZENE	14.309	77	317910	11.02	PPBV		96
90) 2-CHLOROTOLUENE	15.444	126	156884	10.57	PPBV		99
91) N-PROPYLBENZENE	15.778	120	172779	10.64	PPBV		99
92) 4-ETHYLTOLUENE	16.145	105	663246	11.09	PPBV		98
93) 1,3,5-TRIMETHYLBENZENE	16.302	105	546690	10.95	PPBV		98
94) ALPHA-METHYLSTYRENE	16.502	118	279869	13.33	PPBV		98
95) TERT-BUTYLBENZENE	16.759	134	136664	10.70	PPBV		99
96) 1,2,4-TRIMETHYLBENZENE	16.765	105	589766	11.05	PPBV		96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61634.D
Acq On : 28 Sep 2022 8:44 am
Operator : thomash
Sample : bs
Misc : MS62371,V2w2735,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 07:57:46 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
97)	BENZYL CHLORIDE	16.852	91	291879	8.83	PPBV	98
98)	M-DICHLOROBENZENE	16.827	146	382625	10.91	PPBV	99
99)	P-DICHLOROBENZENE	16.910	146	389983	10.97	PPBV	99
100)	O-DICHLOROBENZENE	17.203	146	373787	10.82	PPBV	99
101)	SEC-BUTYLBENZENE	17.039	134	166941	10.52	PPBV	93
102)	1,2,3-TRIMETHYLBENZENE	17.151	105	557774	11.05	PPBV	98
103)	P-ISOPROPYLTOLUENE	17.219	134	186774	10.68	PPBV	100
104)	N-BUTYLBENZENE	17.566	134	172280	10.66	PPBV	89
105)	HEXACHLOROETHANE	17.743	117	215512	10.88	PPBV	98
106)	HEXACHLOROBUTADIENE	18.788	225	287183	10.60	PPBV	100
107)	1,2,4-TRICHLOROBENZENE	18.479	180	318739	11.15	PPBV	99
108)	NAPHTHALENE	18.527	128	774283	10.60	PPBV	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61634.D
Acq On : 28 Sep 2022 8:44 am
Operator : thomash
Sample : bs
Misc : MS62371,V2w2735,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 07:57:46 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V2W2735-BS
Lab FileID: 2W61634.D
Injection Time: 09/28/22 08:44
Method: TO-15
Analyst approved: 09/29/22 09:19 Thomas Hilbig
Supervisor approved: 09/29/22 11:12 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Freon 152A	75-37-6		1.85	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61634.D
Acq On : 28 Sep 2022 8:44 am
Operator : thomash
Sample : bs
Misc : MS62371,V2w2735,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 28 09:12:45 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration





TIC: 2w61634.D\data.ms

(3) FREON 152A (T)

1.850min (-1.850) 0.00PPBV


response 0


Ion	Exp%	Act%
65.10	100	0.00
45.10	0.00	0.00
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61634.D
Acq On : 28 Sep 2022 8:44 am
Operator : thomash
Sample : bs
Misc : MS62371,V2w2735,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 28 09:12:45 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration





TIC: 2w61634.D\data.ms

(3) FREON 152A (T)

1.850min (-0.000) 9.89PPBV m

response 59030

Ion	Exp%	Act%
65.10	100	100
45.10	0.00	0.00
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61635.D
Acq On : 28 Sep 2022 9:16 am
Operator : thomash
Sample : bsd
Misc : MS62371,V2w2735,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 07:58:24 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.615	128	72997	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.930	114	384116	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.586	117	328631	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.965	95	243124	11.11	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.853	65	60894	9.92	PPBV	#	100
4) CHLORODIFLUOROMETHANE	1.869	67	27189	9.97	PPBV		98
5) CHLOROTRIFLUOROETHENE	1.885	116	141932	9.00	PPBV	#	1
6) DICHLORODIFLUOROMETHANE	1.904	85	346577	9.54	PPBV		99
7) PROPYLENE	1.878	41	54796	7.99	PPBV		98
8) 1-CHLORO-1,1-DIFLUOROE...	1.956	65	275978	10.09	PPBV		97
9) FREON 114	2.001	85	324616	9.92	PPBV		98
10) CHLOROMETHANE	1.962	52	31839	8.71	PPBV		97
11) VINYL CHLORIDE	2.042	62	139805	11.00	PPBV		99
12) 1,3-BUTADIENE	2.094	54	91969	9.37	PPBV		95
13) N-BUTANE	2.116	43	141688	8.29	PPBV		96
14) BROMOMETHANE	2.194	94	115347	10.05	PPBV		98
15) CHLOROETHANE	2.258	64	74695	10.99	PPBV	#	93
16) DICHLOROFLUOROMETHANE	2.290	67	275702	10.20	PPBV		99
17) ACETONITRILE	2.377	41	88461	8.71	PPBV		100
18) ACROLEIN	2.422	56	63553	14.18	PPBV		97
19) FREON 123	2.438	83	330253	10.99	PPBV		94
20) FREON 123A	2.457	117	171276	9.85	PPBV		89
21) TRICHLOROFLUOROMETHANE	2.525	101	390860	10.34	PPBV		100
22) ISOPROPYL ALCOHOL	2.538	45	278541	9.23	PPBV		98
23) ACETONE	2.464	58	78159	8.13	PPBV		92
24) PENTANE	2.634	42	161462	9.77	PPBV		99
25) IODOMETHANE	2.689	142	388884	10.53	PPBV		100
26) 1,1-DICHLOROETHYLENE	2.718	96	162758	11.22	PPBV		93
27) CARBON DISULFIDE	2.846	76	504834	11.56	PPBV		97
28) ETHANOL	2.296	45	42923	7.23	PPBV		99
29) BROMOETHENE	2.386	106	119995	10.24	PPBV		99
30) ACRYLONITRILE	2.605	52	120313	10.56	PPBV		100
31) METHYLENE CHLORIDE	2.750	84	158022	9.82	PPBV		89
32) 3-CHLOROPROPENE	2.792	76	80096	10.76	PPBV		86
33) FREON 113	2.846	151	258865	10.59	PPBV		97
34) TRANS-1,2-DICHLOROETHENE	3.081	96	123304	10.21	PPBV		96
35) TERTIARY BUTYL ALCOHOL	2.724	59	368609	9.70	PPBV	#	90
36) METHYL TERTIARY BUTYL ...	3.194	73	278663	8.91	PPBV		98
37) TETRAHYDROFURAN	3.907	72	56747	10.75	PPBV		86
38) HEXANE	3.666	57	210920	10.00	PPBV		92
39) VINYL ACETATE	3.232	86	31627	10.64	PPBV		69
40) 1,1-DICHLOROETHANE	3.161	63	227770	10.54	PPBV		100
41) METHYL ETHYL KETONE	3.332	72	57217	10.64	PPBV		77
42) CIS-1,2-DICHLOROETHENE	3.534	96	128988	9.95	PPBV		97
43) DIISOPROPYL ETHER	3.673	59	63670	10.31	PPBV		66

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61635.D
Acq On : 28 Sep 2022 9:16 am
Operator : thomash
Sample : bsd
Misc : MS62371,V2w2735,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 07:58:24 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.676	61	46426	10.74	PPBV		59
45) METHYL ACRYLATE	3.660	55	245273	9.89	PPBV	#	97
46) CHLOROFORM	3.689	83	267912	10.14	PPBV		97
47) 2,4-DIMETHYLPENTANE	4.200	57	238942	9.72	PPBV		99
48) 1,1,1-TRICHLOROETHANE	4.280	97	255723	9.71	PPBV		97
49) CARBON TETRACHLORIDE	4.711	117	254787	9.76	PPBV		99
50) 1,2-DICHLOROETHANE	4.110	62	183196	10.24	PPBV		99
51) BENZENE	4.599	78	373009	9.89	PPBV		95
53) CYCLOHEXANE	4.814	84	166081	10.25	PPBV		96
54) 2,3-DIMETHYLPENTANE	5.074	71	81127	10.19	PPBV		98
55) TRICHLOROETHENE	5.518	95	170933	10.50	PPBV		97
56) 1,2-DICHLOROPROPANE	5.283	63	155620	10.61	PPBV		97
57) DIBROMOMETHANE	5.242	174	159904	9.55	PPBV		98
58) ETHYL ACRYLATE	5.399	55	290370	10.54	PPBV		99
59) BROMODICHLOROMETHANE	5.464	83	285140	10.61	PPBV		98
60) 2,2,4-TRIMETHYLPENTANE	5.615	57	636673	9.81	PPBV		99
61) 1,4-DIOXANE	5.528	88	88030	11.19	PPBV		97
62) HEPTANE	5.936	43	174690	8.55	PPBV		89
63) METHYL METHACRYLATE	5.830	69	134891	10.77	PPBV		91
64) METHYL ISOBUTYL KETONE	6.573	58	123487	11.82	PPBV		87
65) CIS-1,3-DICHLOROPROPENE	6.473	75	198840	10.23	PPBV		95
66) TOLUENE	7.698	91	453309	9.79	PPBV		99
67) 1,3-DICHLOROPROPANE	7.759	76	224993	10.22	PPBV		99
68) TRANS-1,3-DICHLOROPROPENE	7.161	75	171173	9.83	PPBV		96
69) 1,1,2-TRICHLOROETHANE	7.319	83	140360	10.35	PPBV		96
70) 2-HEXANONE	8.261	58	160814	11.00	PPBV		89
71) ETHYL METHACRYLATE	8.402	69	220015	12.06	PPBV		94
72) TETRACHLOROETHENE	9.447	164	177923	9.60	PPBV		98
73) DIBROMOCHLOROMETHANE	8.245	129	279788	10.59	PPBV		100
74) 1,2-DIBROMOETHANE	8.589	107	252626	10.23	PPBV		99
75) OCTANE	9.589	43	237966	8.67	PPBV		91
77) 1,1,1,2-TETRACHLOROETHANE	10.676	131	187719	10.55	PPBV		97
78) CHLOROBENZENE	10.666	112	368151	10.42	PPBV		99
79) ETHYLBENZENE	11.550	91	603290	10.72	PPBV		99
80) M,P-XYLENE	11.981	91	928039	21.67	PPBV		97
81) O-XYLENE	12.917	91	472258	10.79	PPBV		96
82) STYRENE	12.704	104	357986	11.43	PPBV		99
83) NONANE	14.032	43	253398	9.38	PPBV		89
84) BROMOFORM	11.798	173	270157	11.93	PPBV		99
85) 1,1,2,2-TETRACHLOROETHANE	12.929	83	368023	11.30	PPBV		97
86) 1,2,3-TRICHLOROPROPANE	13.216	75	259482	10.86	PPBV	#	100
88) ISOPROPYLBENZENE	14.441	120	171720	9.25	PPBV		93
89) BROMOBENZENE	14.312	77	324437	10.71	PPBV		97
90) 2-CHLOROTOLUENE	15.447	126	161315	10.35	PPBV		99
91) N-PROPYLBENZENE	15.785	120	177939	10.44	PPBV		99
92) 4-ETHYLTOLUENE	16.148	105	676536	10.77	PPBV		98
93) 1,3,5-TRIMETHYLBENZENE	16.302	105	558355	10.65	PPBV		98
94) ALPHA-METHYLSTYRENE	16.505	118	285926	12.97	PPBV		99
95) TERT-BUTYLBENZENE	16.759	134	139107	10.37	PPBV		99
96) 1,2,4-TRIMETHYLBENZENE	16.765	105	605602	10.81	PPBV		96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61635.D
Acq On : 28 Sep 2022 9:16 am
Operator : thomash
Sample : bsd
Misc : MS62371,V2w2735,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 07:58:24 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
97)	BENZYL CHLORIDE	16.852	91	302601	8.72	PPBV	98
98)	M-DICHLOROBENZENE	16.826	146	394341	10.71	PPBV	100
99)	P-DICHLOROBENZENE	16.910	146	397162	10.64	PPBV	100
100)	O-DICHLOROBENZENE	17.203	146	385331	10.63	PPBV	98
101)	SEC-BUTYLBENZENE	17.039	134	171084	10.26	PPBV	93
102)	1,2,3-TRIMETHYLBENZENE	17.151	105	580992	10.96	PPBV	98
103)	P-ISOPROPYLTOLUENE	17.219	134	193498	10.54	PPBV	98
104)	N-BUTYLBENZENE	17.563	134	180976	10.66	PPBV	94
105)	HEXACHLOROETHANE	17.743	117	220177	10.58	PPBV	98
106)	HEXACHLOROBUTADIENE	18.781	225	301493	10.60	PPBV	99
107)	1,2,4-TRICHLOROBENZENE	18.476	180	336301	11.20	PPBV	99
108)	NAPHTHALENE	18.524	128	829873	10.82	PPBV	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61635.D
Acq On : 28 Sep 2022 9:16 am
Operator : thomash
Sample : bsd
Misc : MS62371,V2w2735,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 07:58:24 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61654.D
Acq On : 29 Sep 2022 8:23 am
Operator : thomash
Sample : bs
Misc : MS62557,V2w2736,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 30 15:19:11 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.608	128	65760	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.927	114	342332	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.582	117	293659	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.958	95	217157	11.11	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.853	65	58226	10.53	PPBV	#	100
4) CHLORODIFLUOROMETHANE	1.869	67	26032	10.60	PPBV		97
5) CHLOROTRIFLUOROETHENE	1.885	116	135206	9.52	PPBV		90
6) DICHLORODIFLUOROMETHANE	1.904	85	335570	10.26	PPBV		99
7) PROPYLENE	1.878	41	52257	8.46	PPBV		99
8) 1-CHLORO-1,1-DIFLUOROE...	1.956	65	267769	10.87	PPBV		96
9) FREON 114	2.001	85	314795	10.68	PPBV		97
10) CHLOROMETHANE	1.965	52	30450	9.24	PPBV		98
11) VINYL CHLORIDE	2.042	62	133330	11.65	PPBV		99
12) 1,3-BUTADIENE	2.094	54	89324	10.11	PPBV		96
13) N-BUTANE	2.113	43	136402	8.86	PPBV		97
14) BROMOMETHANE	2.190	94	109241	10.57	PPBV		99
15) CHLOROETHANE	2.258	64	71915	11.75	PPBV	#	93
16) DICHLOROFLUOROMETHANE	2.290	67	267750	10.99	PPBV		99
17) ACETONITRILE	2.377	41	85319	9.32	PPBV		99
18) ACROLEIN	2.419	56	61623	15.26	PPBV		99
19) FREON 123	2.438	83	318953	11.78	PPBV		95
20) FREON 123A	2.454	117	166992	10.66	PPBV		88
21) TRICHLOROFLUOROMETHANE	2.522	101	381679	11.21	PPBV		99
22) ISOPROPYL ALCOHOL	2.534	45	271748	10.00	PPBV		99
23) ACETONE	2.460	58	77737	8.97	PPBV		87
24) PENTANE	2.631	42	159668	10.72	PPBV		98
25) IODOMETHANE	2.685	142	373254	11.22	PPBV		100
26) 1,1-DICHLOROETHYLENE	2.711	96	156717	11.99	PPBV		93
27) CARBON DISULFIDE	2.843	76	495162	12.58	PPBV		98
28) ETHANOL	2.293	45	42340	7.92	PPBV		99
29) BROMOETHENE	2.383	106	115752	10.96	PPBV		100
30) ACRYLONITRILE	2.602	52	116552	11.36	PPBV		98
31) METHYLENE CHLORIDE	2.747	84	153372	10.58	PPBV		88
32) 3-CHLOROPROPENE	2.788	76	75970	11.33	PPBV		88
33) FREON 113	2.843	151	250225	11.36	PPBV		96
34) TRANS-1,2-DICHLOROETHENE	3.078	96	119901	11.02	PPBV		98
35) TERTIARY BUTYL ALCOHOL	2.721	59	344259	10.06	PPBV	#	90
36) METHYL TERTIARY BUTYL ...	3.187	73	264193	9.37	PPBV		99
37) TETRAHYDROFURAN	3.904	72	51671	10.87	PPBV		89
38) HEXANE	3.663	57	200312	10.54	PPBV		93
39) VINYL ACETATE	3.229	86	28700	10.72	PPBV		76
40) 1,1-DICHLOROETHANE	3.158	63	220924	11.35	PPBV		100
41) METHYL ETHYL KETONE	3.329	72	54182	11.19	PPBV		77
42) CIS-1,2-DICHLOROETHENE	3.531	96	123081	10.54	PPBV		97
43) DIISOPROPYL ETHER	3.666	59	61594	11.07	PPBV		63

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61654.D
Acq On : 29 Sep 2022 8:23 am
Operator : thomash
Sample : bs
Misc : MS62557,V2w2736,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 30 15:19:11 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.669	61	44230	11.36	PPBV		60
45) METHYL ACRYLATE	3.660	55	236680	10.59	PPBV	#	97
46) CHLOROFORM	3.685	83	257806	10.83	PPBV		96
47) 2,4-DIMETHYLPENTANE	4.193	57	226544	10.23	PPBV		99
48) 1,1,1-TRICHLOROETHANE	4.277	97	242579	10.22	PPBV		97
49) CARBON TETRACHLORIDE	4.711	117	240369	10.22	PPBV		100
50) 1,2-DICHLOROETHANE	4.107	62	173836	10.78	PPBV		100
51) BENZENE	4.595	78	351404	10.34	PPBV		96
53) CYCLOHEXANE	4.811	84	155447	10.76	PPBV		98
54) 2,3-DIMETHYLPENTANE	5.071	71	76869	10.83	PPBV		98
55) TRICHLOROETHENE	5.515	95	164794	11.36	PPBV		95
56) 1,2-DICHLOROPROPANE	5.280	63	147660	11.30	PPBV		97
57) DIBROMOMETHANE	5.235	174	150317	10.07	PPBV		98
58) ETHYL ACRYLATE	5.396	55	276794	11.27	PPBV		99
59) BROMODICHLOROMETHANE	5.460	83	273772	11.43	PPBV		98
60) 2,2,4-TRIMETHYLPENTANE	5.611	57	609068	10.53	PPBV		100
61) 1,4-DIOXANE	5.521	88	81205	11.58	PPBV		96
62) HEPTANE	5.933	43	167111	9.18	PPBV		90
63) METHYL METHACRYLATE	5.827	69	129786	11.63	PPBV		90
64) METHYL ISOBUTYL KETONE	6.566	58	117841	12.65	PPBV		88
65) CIS-1,3-DICHLOROPROPENE	6.467	75	184989	10.68	PPBV		96
66) TOLUENE	7.698	91	431017	10.44	PPBV		100
67) 1,3-DICHLOROPROPANE	7.756	76	215359	10.98	PPBV		99
68) TRANS-1,3-DICHLOROPROPENE	7.158	75	157259	10.13	PPBV		97
69) 1,1,2-TRICHLOROETHANE	7.316	83	132940	11.00	PPBV		97
70) 2-HEXANONE	8.261	58	154950	11.86	PPBV		87
71) ETHYL METHACRYLATE	8.396	69	208698	12.83	PPBV		94
72) TETRACHLOROETHENE	9.447	164	169202	10.24	PPBV		98
73) DIBROMOCHLOROMETHANE	8.238	129	265048	11.26	PPBV		100
74) 1,2-DIBROMOETHANE	8.586	107	238403	10.83	PPBV		100
75) OCTANE	9.586	43	228126	9.33	PPBV		92
77) 1,1,1,2-TETRACHLOROETHANE	10.669	131	179810	11.30	PPBV		97
78) CHLOROBENZENE	10.663	112	351512	11.14	PPBV		99
79) ETHYLBENZENE	11.547	91	574590	11.42	PPBV		99
80) M,P-XYLENE	11.981	91	886112	23.16	PPBV		97
81) O-XYLENE	12.920	91	449842	11.50	PPBV		96
82) STYRENE	12.701	104	342295	12.23	PPBV		99
83) NONANE	14.032	43	242161	10.03	PPBV		88
84) BROMOFORM	11.791	173	259607	12.83	PPBV		99
85) 1,1,2,2-TETRACHLOROETHANE	12.926	83	355314	12.21	PPBV		97
86) 1,2,3-TRICHLOROPROPANE	13.212	75	250243	11.72	PPBV	#	100
88) ISOPROPYLBENZENE	14.441	120	168115	10.14	PPBV		97
89) BROMOBENZENE	14.306	77	308137	11.38	PPBV		98
90) 2-CHLOROTOLUENE	15.444	126	153431	11.01	PPBV		100
91) N-PROPYLBENZENE	15.778	120	172858	11.34	PPBV		99
92) 4-ETHYLTOLUENE	16.145	105	655098	11.67	PPBV		98
93) 1,3,5-TRIMETHYLBENZENE	16.299	105	543891	11.61	PPBV		98
94) ALPHA-METHYLSTYRENE	16.505	118	275142	13.96	PPBV		99
95) TERT-BUTYLBENZENE	16.762	134	133402	11.13	PPBV		100
96) 1,2,4-TRIMETHYLBENZENE	16.769	105	579425	11.57	PPBV		96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61654.D
Acq On : 29 Sep 2022 8:23 am
Operator : thomash
Sample : bs
Misc : MS62557,V2w2736,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 30 15:19:11 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
97)	BENZYL CHLORIDE	16.852	91	287480	9.27	PPBV	98
98)	M-DICHLOROBENZENE	16.826	146	376128	11.43	PPBV	99
99)	P-DICHLOROBENZENE	16.910	146	384459	11.53	PPBV	100
100)	O-DICHLOROBENZENE	17.206	146	370732	11.44	PPBV	100
101)	SEC-BUTYLBENZENE	17.039	134	166453	11.18	PPBV	95
102)	1,2,3-TRIMETHYLBENZENE	17.154	105	552283	11.66	PPBV	99
103)	P-ISOPROPYLTOLUENE	17.219	134	184678	11.26	PPBV	100
104)	N-BUTYLBENZENE	17.566	134	176036	11.60	PPBV	94
105)	HEXACHLOROETHANE	17.746	117	212970	11.46	PPBV	98
106)	HEXACHLOROBUTADIENE	18.788	225	293632	11.55	PPBV	100
107)	1,2,4-TRICHLOROBENZENE	18.479	180	320929	11.96	PPBV	99
108)	NAPHTHALENE	18.527	128	778732	11.36	PPBV	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61654.D
Acq On : 29 Sep 2022 8:23 am
Operator : thomash
Sample : bs
Misc : MS62557,V2w2736,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 30 15:19:11 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration



Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 10/03/22 15:22

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61655.D
Acq On : 29 Sep 2022 8:55 am
Operator : thomash
Sample : bsd
Misc : MS62557,V2w2736,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 30 15:19:35 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.612	128	69414	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.927	114	361827	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.586	117	313302	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.959	95	231519	11.10	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.856	65	60721m	10.41	PPBV		
4) CHLORODIFLUOROMETHANE	1.872	67	26882	10.37	PPBV		97
5) CHLOROTRIFLUOROETHENE	1.885	116	138497	9.24	PPBV	#	1
6) DICHLORODIFLUOROMETHANE	1.908	85	345956	10.02	PPBV		99
7) PROPYLENE	1.882	41	53697	8.24	PPBV		99
8) 1-CHLORO-1,1-DIFLUOROE...	1.959	65	275490	10.60	PPBV		96
9) FREON 114	2.004	85	323799	10.41	PPBV		97
10) CHLOROMETHANE	1.962	52	32170	9.25	PPBV		96
11) VINYL CHLORIDE	2.046	62	138153	11.44	PPBV		99
12) 1,3-BUTADIENE	2.094	54	90305	9.68	PPBV		97
13) N-BUTANE	2.117	43	139628	8.60	PPBV		97
14) BROMOMETHANE	2.194	94	113015	10.36	PPBV		100
15) CHLOROETHANE	2.258	64	75008	11.61	PPBV	#	93
16) DICHLOROFLUOROMETHANE	2.290	67	271875	10.57	PPBV		99
17) ACETONITRILE	2.377	41	89902	9.31	PPBV		98
18) ACROLEIN	2.422	56	62850	14.75	PPBV		99
19) FREON 123	2.438	83	326586	11.43	PPBV		95
20) FREON 123A	2.454	117	170487	10.31	PPBV		88
21) TRICHLOROFLUOROMETHANE	2.522	101	394308	10.97	PPBV		100
22) ISOPROPYL ALCOHOL	2.535	45	280375	9.78	PPBV		99
23) ACETONE	2.461	58	79045	8.64	PPBV		91
24) PENTANE	2.631	42	162177	10.32	PPBV		98
25) IODOMETHANE	2.686	142	383539	10.92	PPBV		100
26) 1,1-DICHLOROETHYLENE	2.715	96	162903	11.81	PPBV		93
27) CARBON DISULFIDE	2.843	76	506609	12.20	PPBV		97
28) ETHANOL	2.297	45	43243	7.66	PPBV		99
29) BROMOETHENE	2.383	106	118642	10.64	PPBV		99
30) ACRYLONITRILE	2.602	52	119776	11.06	PPBV		99
31) METHYLENE CHLORIDE	2.747	84	161017	10.52	PPBV		88
32) 3-CHLOROPROPENE	2.789	76	78726	11.12	PPBV		87
33) FREON 113	2.843	151	255520	10.99	PPBV		96
34) TRANS-1,2-DICHLOROETHENE	3.078	96	123171	10.72	PPBV		97
35) TERTIARY BUTYL ALCOHOL	2.721	59	360499	9.98	PPBV	#	89
36) METHYL TERTIARY BUTYL ...	3.190	73	273482	9.19	PPBV		99
37) TETRAHYDROFURAN	3.901	72	54904	10.94	PPBV		87
38) HEXANE	3.663	57	205654	10.25	PPBV		93
39) VINYL ACETATE	3.229	86	30934	10.94	PPBV		68
40) 1,1-DICHLOROETHANE	3.155	63	226043	11.00	PPBV		99
41) METHYL ETHYL KETONE	3.325	72	57529	11.25	PPBV		75
42) CIS-1,2-DICHLOROETHENE	3.531	96	127663	10.35	PPBV		97
43) DIISOPROPYL ETHER	3.666	59	63387	10.79	PPBV		64

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61655.D
Acq On : 29 Sep 2022 8:55 am
Operator : thomash
Sample : bsd
Misc : MS62557,V2w2736,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 30 15:19:35 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.673	61	45459	11.06	PPBV		60
45) METHYL ACRYLATE	3.660	55	244235	10.35	PPBV	#	98
46) CHLOROFORM	3.686	83	264087	10.51	PPBV		96
47) 2,4-DIMETHYLPENTANE	4.194	57	236251	10.11	PPBV		99
48) 1,1,1-TRICHLOROETHANE	4.277	97	251439	10.04	PPBV		97
49) CARBON TETRACHLORIDE	4.711	117	249240	10.04	PPBV		99
50) 1,2-DICHLOROETHANE	4.107	62	181339	10.66	PPBV		99
51) BENZENE	4.596	78	366625	10.22	PPBV		96
53) CYCLOHEXANE	4.811	84	161139	10.55	PPBV		96
54) 2,3-DIMETHYLPENTANE	5.071	71	80132	10.69	PPBV		96
55) TRICHLOROETHENE	5.518	95	168726	11.00	PPBV		97
56) 1,2-DICHLOROPROPANE	5.277	63	154809	11.21	PPBV		96
57) DIBROMOMETHANE	5.235	174	157037	9.95	PPBV		98
58) ETHYL ACRYLATE	5.396	55	285990	11.02	PPBV		99
59) BROMODICHLOROMETHANE	5.460	83	281741	11.13	PPBV		98
60) 2,2,4-TRIMETHYLPENTANE	5.615	57	627853	10.27	PPBV		99
61) 1,4-DIOXANE	5.525	88	86241	11.64	PPBV		98
62) HEPTANE	5.933	43	170949	8.88	PPBV		89
63) METHYL METHACRYLATE	5.827	69	133848	11.35	PPBV		91
64) METHYL ISOBUTYL KETONE	6.570	58	121967	12.39	PPBV		88
65) CIS-1,3-DICHLOROPROPENE	6.473	75	195032	10.66	PPBV		95
66) TOLUENE	7.698	91	448323	10.28	PPBV		99
67) 1,3-DICHLOROPROPANE	7.756	76	223610	10.79	PPBV		98
68) TRANS-1,3-DICHLOROPROPENE	7.158	75	167550	10.21	PPBV		96
69) 1,1,2-TRICHLOROETHANE	7.322	83	139131	10.89	PPBV		96
70) 2-HEXANONE	8.258	58	160079	11.60	PPBV		87
71) ETHYL METHACRYLATE	8.402	69	214361	12.47	PPBV		94
72) TETRACHLOROETHENE	9.444	164	176229	10.09	PPBV		98
73) DIBROMOCHLOROMETHANE	8.242	129	275048	11.05	PPBV		100
74) 1,2-DIBROMOETHANE	8.586	107	248549	10.68	PPBV		100
75) OCTANE	9.592	43	234366	9.06	PPBV		90
77) 1,1,1,2-TETRACHLOROETHANE	10.676	131	186639	11.00	PPBV		98
78) CHLOROBENZENE	10.666	112	362818	10.77	PPBV		99
79) ETHYLBENZENE	11.550	91	592112	11.03	PPBV		99
80) M,P-XYLENE	11.984	91	909145	22.27	PPBV		98
81) O-XYLENE	12.917	91	462624	11.08	PPBV		97
82) STYRENE	12.705	104	351129	11.76	PPBV		99
83) NONANE	14.032	43	248264	9.64	PPBV		88
84) BROMOFORM	11.791	173	266167	12.33	PPBV		99
85) 1,1,2,2-TETRACHLOROETHANE	12.926	83	359548	11.58	PPBV		97
86) 1,2,3-TRICHLOROPROPANE	13.213	75	256331	11.25	PPBV	#	100
88) ISOPROPYLBENZENE	14.434	120	170973	9.67	PPBV		95
89) BROMOBENZENE	14.312	77	318514	11.03	PPBV		98
90) 2-CHLOROTOLUENE	15.441	126	159748	10.75	PPBV		99
91) N-PROPYLBENZENE	15.778	120	177356	10.91	PPBV		99
92) 4-ETHYLTOLUENE	16.148	105	669560	11.18	PPBV		98
93) 1,3,5-TRIMETHYLBENZENE	16.302	105	557827	11.16	PPBV		98
94) ALPHA-METHYLSTYRENE	16.505	118	282345	13.43	PPBV		99
95) TERT-BUTYLBENZENE	16.759	134	136887	10.71	PPBV		98
96) 1,2,4-TRIMETHYLBENZENE	16.769	105	595735	11.15	PPBV		97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61655.D
Acq On : 29 Sep 2022 8:55 am
Operator : thomash
Sample : bsd
Misc : MS62557,V2w2736,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 30 15:19:35 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
97)	BENZYL CHLORIDE	16.852	91	300109	9.07	PPBV	97
98)	M-DICHLOROBENZENE	16.827	146	388899	11.08	PPBV	99
99)	P-DICHLOROBENZENE	16.910	146	391504	11.00	PPBV	99
100)	O-DICHLOROBENZENE	17.203	146	381953	11.05	PPBV	99
101)	SEC-BUTYLBENZENE	17.039	134	172936	10.88	PPBV	95
102)	1,2,3-TRIMETHYLBENZENE	17.151	105	573136	11.34	PPBV	99
103)	P-ISOPROPYLTOLUENE	17.216	134	190659	10.89	PPBV	99
104)	N-BUTYLBENZENE	17.563	134	176560	10.91	PPBV	92
105)	HEXACHLOROETHANE	17.743	117	220286	11.11	PPBV	98
106)	HEXACHLOROBUTADIENE	18.778	225	298985	11.02	PPBV	99
107)	1,2,4-TRICHLOROBENZENE	18.473	180	323725	11.31	PPBV	99
108)	NAPHTHALENE	18.521	128	786263	10.75	PPBV	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61655.D
Acq On : 29 Sep 2022 8:55 am
Operator : thomash
Sample : bsd
Misc : MS62557,V2w2736,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 30 15:19:35 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V2W2736-BSD
Lab FileID: 2W61655.D
Injection Time: 09/29/22 08:55
Method: TO-15
Analyst approved: 09/30/22 15:26 Thomas Hilbig
Supervisor approved: 10/03/22 15:22 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Freon 152A	75-37-6		1.86	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61655.D
Acq On : 29 Sep 2022 8:55 am
Operator : thomash
Sample : bsd
Misc : MS62557,V2w2736,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 09:37:18 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration





TIC: 2w61655.D\data.ms

(3) FREON 152A (T)

1.850min (-1.850) 0.00PPBV


response 0


Ion	Exp%	Act%
65.10	100	0.00
45.10	0.00	0.00
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61655.D
Acq On : 29 Sep 2022 8:55 am
Operator : thomash
Sample : bsd
Misc : MS62557,V2w2736,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 09:37:18 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration





TIC: 2w61655.D\data.ms

(3) FREON 152A (T)

1.856min (+0.006) 10.41PPBV m

response 60721

Ion	Exp%	Act%
65.10	100	100
45.10	0.00	0.00
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26138.D
Acq On : 29 Sep 2022 3:45 pm
Operator : thomash
Sample : bs
Misc : MS62314,V6W1111,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 16:33:28 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.335	128	43578	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.731	114	242843	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.579	117	185817	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.016	95	143558	10.57	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.695	65	43300	12.30	PPBV	#	85
4) CHLORODIFLUOROMETHANE	1.705	67	19592	11.67	PPBV		99
5) CHLOROTRIFLUOROETHENE	1.718	116	78285	11.09	PPBV	#	99
6) DICHLORODIFLUOROMETHANE	1.798	85	193203	9.53	PPBV		100
7) PROPYLENE	1.715	41	56611	11.13	PPBV		95
8) 1-CHLORO-1,1-DIFLUOROE...	1.766	65	169384	9.46	PPBV	#	90
9) FREON 114	1.798	85	199656	10.18	PPBV	#	85
10) CHLOROMETHANE	1.773	52	24437	9.76	PPBV		95
11) VINYL CHLORIDE	1.827	62	80871	9.65	PPBV		98
12) 1,3-BUTADIENE	1.863	54	63071	9.91	PPBV	#	77
13) N-BUTANE	1.879	43	121934	9.37	PPBV	#	93
14) BROMOMETHANE	1.933	94	64903	10.29	PPBV		100
15) CHLOROETHANE	1.978	64	41301	10.06	PPBV		100
16) DICHLOROFLUOROMETHANE	2.001	67	174761	9.70	PPBV	#	97
17) ACETONITRILE	2.065	41	82162	9.87	PPBV		98
18) ACROLEIN	2.101	56	28783	7.66	PPBV		98
19) FREON 123	2.113	83	171776	9.88	PPBV		99
20) FREON 123A	2.130	117	82725	9.49	PPBV	#	59
21) TRICHLOROFLUOROMETHANE	2.191	101	170106	9.17	PPBV		100
22) ISOPROPYL ALCOHOL	2.207	45	206951	11.58	PPBV	#	98
23) ACETONE	2.139	58	47767	11.49	PPBV	#	69
24) PENTANE	2.297	42	87572	8.75	PPBV	#	96
25) IODOMETHANE	2.355	142	140449	8.48	PPBV		90
26) 1,1-DICHLOROETHYLENE	2.384	96	70120	10.72	PPBV	#	60
27) CARBON DISULFIDE	2.519	76	239184	10.27	PPBV	#	92
28) ETHANOL	2.007	45	40887	9.18	PPBV	#	98
29) BROMOETHENE	2.072	106	64488	10.73	PPBV	#	94
30) ACRYLONITRILE	2.271	52	60000	10.08	PPBV		98
31) METHYLENE CHLORIDE	2.419	84	70432	9.88	PPBV	#	70
32) 3-CHLOROPROPENE	2.461	76	37779	10.74	PPBV	#	26
33) FREON 113	2.519	151	99215	8.95	PPBV	#	76
34) TRANS-1,2-DICHLOROETHENE	2.766	96	77247	10.78	PPBV	#	83
35) TERTIARY BUTYL ALCOHOL	2.396	59	163435	10.04	PPBV	#	88
36) METHYL TERTIARY BUTYL ...	2.885	73	210624	10.35	PPBV	#	95
37) TETRAHYDROFURAN	3.650	72	41574	11.98	PPBV	#	66
38) HEXANE	3.390	57	139839	9.81	PPBV	#	80
39) VINYL ACETATE	2.927	86	20121	10.47	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.850	63	147478	9.83	PPBV		99
41) METHYL ETHYL KETONE	3.036	72	42558	11.60	PPBV	#	36
42) CIS-1,2-DICHLOROETHENE	3.252	96	79192	10.01	PPBV	#	82
43) DIISOPROPYL ETHER	3.396	59	42767	11.02	PPBV		61
44) ETHYL ACETATE	3.406	61	31123	10.89	PPBV	#	49
45) METHYL ACRYLATE	3.390	55	183579	9.79	PPBV	#	99
46) CHLOROFORM	3.419	83	173101	10.13	PPBV	#	95
47) 2,4-DIMETHYLPENTANE	3.949	57	160883	10.07	PPBV		93
48) 1,1,1-TRICHLOROETHANE	4.039	97	151492	9.83	PPBV	#	93
49) CARBON TETRACHLORIDE	4.496	117	134418	9.03	PPBV		96
50) 1,2-DICHLOROETHANE	3.866	62	117110	9.71	PPBV	#	97
51) BENZENE	4.377	78	251816	10.73	PPBV		88
53) CYCLOHEXANE	4.599	84	102426	10.50	PPBV	#	82
54) 2,3-DIMETHYLPENTANE	4.872	71	56518	10.58	PPBV	#	71
55) TRICHLOROETHENE	5.342	95	103333	10.20	PPBV		86
56) 1,2-DICHLOROPROPANE	5.100	63	101899	9.93	PPBV		98
57) DIBROMOMETHANE	5.055	174	82065	9.52	PPBV	#	78

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26138.D
Acq On : 29 Sep 2022 3:45 pm
Operator : thomash
Sample : bs
Misc : MS62314,V6W1111,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 16:33:28 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58) ETHYL ACRYLATE	5.232	55	215085	10.17	PPBV	#	97
59) BROMODICHLOROMETHANE	5.293	83	187253	9.93	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.435	57	440381	10.01	PPBV	#	98
61) 1,4-DIOXANE	5.374	88	57900	11.50	PPBV	#	81
62) HEPTANE	5.772	43	169604	11.53	PPBV	#	80
63) METHYL METHACRYLATE	5.682	69	100564	13.03	PPBV	#	63
64) METHYL ISOBUTYL KETONE	6.470	58	70488	11.53	PPBV	#	66
65) CIS-1,3-DICHLOROPROPENE	6.345	75	118708	10.38	PPBV	#	80
66) TOLUENE	7.612	91	244581	10.61	PPBV		100
67) 1,3-DICHLOROPROPANE	7.679	76	135739	10.41	PPBV	#	97
68) TRANS-1,3-DICHLOROPROPENE	7.065	75	107749	9.84	PPBV	#	81
69) 1,1,2-TRICHLOROETHANE	7.232	83	80328	11.26	PPBV		95
70) 2-HEXANONE	8.223	58	87349	11.01	PPBV	#	65
71) ETHYL METHACRYLATE	8.354	69	131594	11.30	PPBV	#	78
72) TETRACHLOROETHENE	9.406	164	78774	9.31	PPBV		100
73) DIBROMOCHLOROMETHANE	8.184	129	125951	8.88	PPBV		99
74) 1,2-DIBROMOETHANE	8.534	107	126052	9.74	PPBV	#	99
75) OCTANE	9.550	43	189571	10.60	PPBV	#	79
77) 1,1,1,2-TETRACHLOROETHANE	10.676	131	87395	8.79	PPBV	#	81
78) CHLOROBENZENE	10.663	112	182668	9.38	PPBV	#	89
79) ETHYLBENZENE	11.560	91	325818	10.41	PPBV		93
80) M,P-XYLENE	12.007	91	499528	21.17	PPBV	#	64
81) O-XYLENE	12.962	91	254979	10.49	PPBV		92
82) STYRENE	12.737	104	173990	10.12	PPBV		95
83) NONANE	14.081	43	211065	9.77	PPBV	#	77
84) BROMOFORM	11.820	173	119348	8.44	PPBV		99
85) 1,1,2,2-TETRACHLOROETHANE	12.984	83	217016	10.03	PPBV	#	99
86) 1,2,3-TRICHLOROPROPANE	13.264	75	165236	10.31	PPBV		100
88) ISOPROPYLBENZENE	14.499	120	86236	10.51	PPBV	#	68
89) BROMOBENZENE	14.373	77	196540	10.25	PPBV	#	78
90) 2-CHLOROTOLUENE	15.515	126	69893	9.35	PPBV		98
91) N-PROPYLBENZENE	15.859	120	83700	10.17	PPBV		95
92) 4-ETHYLTOLUENE	16.200	105	350366	10.86	PPBV		94
93) 1,3,5-TRIMETHYLBENZENE	16.348	105	287374	10.57	PPBV	#	92
94) ALPHA-METHYLSTYRENE	16.544	118	125384	9.55	PPBV		95
95) TERT-BUTYLBENZENE	16.798	134	63562	9.62	PPBV		92
96) 1,2,4-TRIMETHYLBENZENE	16.804	105	311709	10.72	PPBV		85
97) BENZYL CHLORIDE	16.888	91	204007	8.91	PPBV	#	92
98) M-DICHLOROBENZENE	16.865	146	185087	9.16	PPBV		97
99) P-DICHLOROBENZENE	16.946	146	186180	9.22	PPBV		97
100) O-DICHLOROBENZENE	17.235	146	182910	9.11	PPBV		97
101) SEC-BUTYLBENZENE	17.074	134	79651	9.70	PPBV		64
102) 1,2,3-TRIMETHYLBENZENE	17.184	105	306062	10.78	PPBV		93
103) P-ISOPROPYLTOLUENE	17.248	134	90979	9.86	PPBV		92
104) N-BUTYLBENZENE	17.595	134	86057	9.92	PPBV	#	44
105) HEXACHLOROETHANE	17.772	117	116361	8.79	PPBV		89
106) HEXACHLOROBUTADIENE	18.804	225	152877	7.95	PPBV		100
107) 1,2,4-TRICHLOROBENZENE	18.499	180	156548	8.50	PPBV		99
108) NAPHTHALENE	18.547	128	440666	9.92	PPBV		99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26138.D
Acq On : 29 Sep 2022 3:45 pm
Operator : thomash
Sample : bs
Misc : MS62314,V6W1111,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 16:33:28 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration



Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 09/30/22 16:36

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26139.D
Acq On : 29 Sep 2022 4:28 pm
Operator : thomash
Sample : bsd
Misc : MS62314,V6W1111,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 30 13:41:48 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.338	128	42826	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.731	114	239033	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.586	117	186339	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.020	95	146569	10.76	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.695	65	42968	12.42	PPBV	#	83
4) CHLORODIFLUOROMETHANE	1.708	67	19868	12.04	PPBV		99
5) CHLOROTRIFLUOROETHENE	1.718	116	77762	11.21	PPBV	#	100
6) DICHLORODIFLUOROMETHANE	1.734	85	221623	11.13	PPBV	#	94
7) PROPYLENE	1.718	41	54643	10.93	PPBV		95
8) 1-CHLORO-1,1-DIFLUOROE...	1.769	65	169142	9.62	PPBV	#	91
9) FREON 114	1.802	85	195621	10.15	PPBV	#	85
10) CHLOROMETHANE	1.773	52	23940	9.73	PPBV		97
11) VINYL CHLORIDE	1.831	62	79040	9.59	PPBV		99
12) 1,3-BUTADIENE	1.866	54	61476	9.83	PPBV	#	76
13) N-BUTANE	1.882	43	118885	9.30	PPBV		94
14) BROMOMETHANE	1.937	94	63754	10.28	PPBV		99
15) CHLOROETHANE	1.982	64	41938	10.39	PPBV		96
16) DICHLOROFLUOROMETHANE	2.004	67	173634	9.80	PPBV	#	97
17) ACETONITRILE	2.068	41	78296	9.57	PPBV		97
18) ACROLEIN	2.104	56	27757	7.52	PPBV		98
19) FREON 123	2.117	83	169555	9.93	PPBV		98
20) FREON 123A	2.133	117	81085	9.47	PPBV	#	58
21) TRICHLOROFLUOROMETHANE	2.194	101	169647	9.31	PPBV		100
22) ISOPROPYL ALCOHOL	2.210	45	202442	11.53	PPBV	#	96
23) ACETONE	2.139	58	46393	11.36	PPBV	#	66
24) PENTANE	2.300	42	86828	8.83	PPBV	#	95
25) IODOMETHANE	2.358	142	135245	8.31	PPBV		88
26) 1,1-DICHLOROETHYLENE	2.384	96	68962	10.72	PPBV	#	58
27) CARBON DISULFIDE	2.522	76	235682	10.30	PPBV	#	92
28) ETHANOL	2.007	45	41160	9.40	PPBV	#	95
29) BROMOETHENE	2.075	106	62777	10.63	PPBV	#	95
30) ACRYLONITRILE	2.274	52	59454	10.16	PPBV		97
31) METHYLENE CHLORIDE	2.422	84	68113	9.72	PPBV	#	70
32) 3-CHLOROPROPENE	2.464	76	36550	10.57	PPBV	#	22
33) FREON 113	2.522	151	96859	8.89	PPBV	#	74
34) TRANS-1,2-DICHLOROETHENE	2.769	96	74609	10.59	PPBV	#	82
35) TERTIARY BUTYL ALCOHOL	2.400	59	161248	10.08	PPBV	#	88
36) METHYL TERTIARY BUTYL ...	2.888	73	206200	10.31	PPBV	#	94
37) TETRAHYDROFURAN	3.654	72	39967	11.72	PPBV	#	66
38) HEXANE	3.393	57	134757	9.62	PPBV	#	79
39) VINYL ACETATE	2.933	86	19182	10.16	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.853	63	143695	9.74	PPBV		99
41) METHYL ETHYL KETONE	3.039	72	40236	11.16	PPBV	#	33
42) CIS-1,2-DICHLOROETHENE	3.255	96	75358	9.70	PPBV	#	79
43) DIISOPROPYL ETHER	3.400	59	40736	10.68	PPBV	#	60
44) ETHYL ACETATE	3.406	61	29693	10.57	PPBV	#	46
45) METHYL ACRYLATE	3.393	55	177688	9.64	PPBV	#	98
46) CHLOROFORM	3.422	83	167824	9.99	PPBV	#	95
47) 2,4-DIMETHYLPENTANE	3.953	57	156709	9.98	PPBV		94
48) 1,1,1-TRICHLOROETHANE	4.043	97	151090	9.98	PPBV	#	92
49) CARBON TETRACHLORIDE	4.499	117	135239	9.24	PPBV		96
50) 1,2-DICHLOROETHANE	3.869	62	117700	9.93	PPBV	#	95
51) BENZENE	4.380	78	252851	10.97	PPBV		88
53) CYCLOHEXANE	4.602	84	102333	10.65	PPBV	#	83
54) 2,3-DIMETHYLPENTANE	4.875	71	56895	10.82	PPBV	#	72
55) TRICHLOROETHENE	5.345	95	105074	10.54	PPBV		86
56) 1,2-DICHLOROPROPANE	5.100	63	102602	10.16	PPBV		98
57) DIBROMOMETHANE	5.055	174	83169	9.80	PPBV	#	78

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26139.D
Acq On : 29 Sep 2022 4:28 pm
Operator : thomash
Sample : bsd
Misc : MS62314,V6W1111,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 30 13:41:48 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58)	ETHYL ACRYLATE	5.236	55	216473	10.40	PPBV	#	97
59)	BROMODICHLOROMETHANE	5.297	83	188213	10.14	PPBV		98
60)	2,2,4-TRIMETHYLPENTANE	5.438	57	444028	10.25	PPBV	#	98
61)	1,4-DIOXANE	5.377	88	58473	11.80	PPBV	#	81
62)	HEPTANE	5.776	43	174759	12.07	PPBV	#	78
63)	METHYL METHACRYLATE	5.686	69	100562	13.24	PPBV	#	61
64)	METHYL ISOBUTYL KETONE	6.477	58	73055	12.14	PPBV	#	68
65)	CIS-1,3-DICHLOROPROPENE	6.345	75	123157	10.94	PPBV	#	80
66)	TOLUENE	7.612	91	248356	10.95	PPBV		100
67)	1,3-DICHLOROPROPANE	7.682	76	138315	10.78	PPBV	#	98
68)	TRANS-1,3-DICHLOROPROPENE	7.065	75	110322	10.24	PPBV	#	82
69)	1,1,2-TRICHLOROETHANE	7.235	83	81912	11.66	PPBV		94
70)	2-HEXANONE	8.223	58	89807	11.50	PPBV	#	69
71)	ETHYL METHACRYLATE	8.354	69	132966	11.60	PPBV	#	77
72)	TETRACHLOROETHENE	9.409	164	80156	9.63	PPBV		99
73)	DIBROMOCHLOROMETHANE	8.184	129	127354	9.12	PPBV		99
74)	1,2-DIBROMOETHANE	8.538	107	126952	9.97	PPBV		99
75)	OCTANE	9.554	43	191626	10.89	PPBV	#	79
77)	1,1,1,2-TETRACHLOROETHANE	10.676	131	87549	8.78	PPBV	#	81
78)	CHLOROBENZENE	10.663	112	188003	9.63	PPBV		91
79)	ETHYLBENZENE	11.563	91	331602	10.57	PPBV		94
80)	M,P-XYLENE	12.007	91	507132m	21.43	PPBV		
81)	O-XYLENE	12.959	91	257779	10.58	PPBV		93
82)	STYRENE	12.743	104	177508	10.30	PPBV		94
83)	NONANE	14.087	43	222791	10.29	PPBV	#	77
84)	BROMOFORM	11.830	173	119527	8.43	PPBV		99
85)	1,1,2,2-TETRACHLOROETHANE	12.988	83	219456	10.12	PPBV	#	99
86)	1,2,3-TRICHLOROPROPANE	13.271	75	168765	10.50	PPBV		100
88)	ISOPROPYLBENZENE	14.499	120	81275	9.88	PPBV	#	65
89)	BROMOBENZENE	14.370	77	189664	9.86	PPBV	#	77
90)	2-CHLOROTOLUENE	15.521	126	65641	8.75	PPBV		99
91)	N-PROPYLBENZENE	15.862	120	78768	9.54	PPBV		95
92)	4-ETHYLTOLUENE	16.200	105	326954	10.11	PPBV		94
93)	1,3,5-TRIMETHYLBENZENE	16.351	105	272038	9.98	PPBV	#	90
94)	ALPHA-METHYLSTYRENE	16.547	118	115433	8.77	PPBV		95
95)	TERT-BUTYLBENZENE	16.798	134	57877	8.73	PPBV		90
96)	1,2,4-TRIMETHYLBENZENE	16.804	105	292498	10.03	PPBV		84
97)	BENZYL CHLORIDE	16.888	91	187325	8.16	PPBV	#	91
98)	M-DICHLOROBENZENE	16.865	146	167149	8.25	PPBV		96
99)	P-DICHLOROBENZENE	16.946	146	168334	8.31	PPBV		96
100)	O-DICHLOROBENZENE	17.238	146	165435	8.21	PPBV		97
101)	SEC-BUTYLBENZENE	17.074	134	73415	8.91	PPBV		65
102)	1,2,3-TRIMETHYLBENZENE	17.184	105	280539	9.86	PPBV	#	93
103)	P-ISOPROPYLTOLUENE	17.251	134	81733	8.84	PPBV		90
104)	N-BUTYLBENZENE	17.595	134	77619	8.92	PPBV	#	44
105)	HEXACHLOROETHANE	17.772	117	104902	7.90	PPBV	#	89
106)	HEXACHLOROBUTADIENE	18.801	225	139621	7.24	PPBV		99
107)	1,2,4-TRICHLOROBENZENE	18.499	180	137531	7.45	PPBV		98
108)	NAPHTHALENE	18.547	128	388886	8.73	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26139.D
Acq On : 29 Sep 2022 4:28 pm
Operator : thomash
Sample : bsd
Misc : MS62314,V6W1111,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 30 13:41:48 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number:	V6W1111-BSD	**Method:**	TO-15
Lab FileID:	6W26139.D	**Analyst approved:**	09/30/22 13:56 William Cruser
Injection Time:	09/29/22 16:28	**Supervisor approved:**	09/30/22 16:36 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
m,p-Xylene			12.01	Split peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26139.D
Acq On : 29 Sep 2022 4:28 pm
Operator : thomash
Sample : bsd
Misc : MS62314,V6W1111,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 16:53:32 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration





TIC: 6W26139.D\data.ms

(80) M,P-XYLENE (t)

12.007min (+0.000) 9.55PPBV


response 226122


Ion	Exp%	Act%
91.10	100	100
106.10	51.50	52.38
105.10	23.60	22.14
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26139.D
Acq On : 29 Sep 2022 4:28 pm
Operator : thomash
Sample : bsd
Misc : MS62314,V6W1111,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 16:53:32 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration





TIC: 6W26139.D\data.ms

(80) M,P-XYLENE (t)

12.007min (+0.000) 21.43PPBV m

response 507132

Ion	Exp%	Act%
91.10	100	100
106.10	51.50	23.36#
105.10	23.60	9.87
0.00	0.00	0.00

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61686.D
Acq On : 30 Sep 2022 8:44 am
Operator : thomash
Sample : bs
Misc : MS62556,V2w2737,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 30 15:21:12 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.615	128	75863	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.933	114	391798	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.589	117	334087	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.959	95	249508	11.22	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.853	65	62003	9.72	PPBV	#	100
4) CHLORODIFLUOROMETHANE	1.869	67	27983	9.88	PPBV		99
5) CHLOROTRIFLUOROETHENE	1.885	116	145972	8.91	PPBV		90
6) DICHLORODIFLUOROMETHANE	1.904	85	362128	9.59	PPBV		99
7) PROPYLENE	1.879	41	56677	7.96	PPBV		100
8) 1-CHLORO-1,1-DIFLUOROE...	1.956	65	286088	10.07	PPBV		96
9) FREON 114	2.001	85	338001	9.94	PPBV		98
10) CHLOROMETHANE	1.962	52	33250	8.75	PPBV		97
11) VINYL CHLORIDE	2.046	62	142155	10.77	PPBV		99
12) 1,3-BUTADIENE	2.094	54	94265	9.25	PPBV		97
13) N-BUTANE	2.117	43	148924	8.39	PPBV		98
14) BROMOMETHANE	2.194	94	119871	10.05	PPBV		99
15) CHLOROETHANE	2.258	64	76375	10.81	PPBV		96
16) DICHLOROFLUOROMETHANE	2.290	67	286648	10.20	PPBV		99
17) ACETONITRILE	2.380	41	90058	8.53	PPBV		99
18) ACROLEIN	2.425	56	63928	13.72	PPBV		96
19) FREON 123	2.441	83	340680	10.91	PPBV		95
20) FREON 123A	2.457	117	174904	9.68	PPBV		86
21) TRICHLOROFLUOROMETHANE	2.525	101	407668	10.38	PPBV		99
22) ISOPROPYL ALCOHOL	2.541	45	283574	9.05	PPBV		98
23) ACETONE	2.467	58	82301	8.23	PPBV		86
24) PENTANE	2.637	42	167682	9.76	PPBV		99
25) IODOMETHANE	2.692	142	401109	10.45	PPBV		99
26) 1,1-DICHLOROETHYLENE	2.718	96	171568	11.38	PPBV		95
27) CARBON DISULFIDE	2.850	76	536605	11.82	PPBV		97
28) ETHANOL	2.297	45	44629	7.23	PPBV		100
29) BROMOETHENE	2.387	106	124101	10.19	PPBV		99
30) ACRYLONITRILE	2.608	52	124223	10.49	PPBV		99
31) METHYLENE CHLORIDE	2.753	84	165581	9.90	PPBV		88
32) 3-CHLOROPROPENE	2.795	76	83767	10.83	PPBV		85
33) FREON 113	2.850	151	270756	10.66	PPBV		96
34) TRANS-1,2-DICHLOROETHENE	3.084	96	126348	10.07	PPBV		95
35) TERTIARY BUTYL ALCOHOL	2.727	59	372975	9.44	PPBV	#	90
36) METHYL TERTIARY BUTYL ...	3.194	73	287192	8.83	PPBV		98
37) TETRAHYDROFURAN	3.907	72	56126	10.23	PPBV		88
38) HEXANE	3.670	57	215549	9.83	PPBV		92
39) VINYL ACETATE	3.235	86	31941	10.34	PPBV		70
40) 1,1-DICHLOROETHANE	3.162	63	239156	10.65	PPBV		99
41) METHYL ETHYL KETONE	3.335	72	59760	10.70	PPBV		76
42) CIS-1,2-DICHLOROETHENE	3.538	96	132823	9.86	PPBV		97
43) DIISOPROPYL ETHER	3.673	59	64461	10.04	PPBV		68

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61686.D
Acq On : 30 Sep 2022 8:44 am
Operator : thomash
Sample : bs
Misc : MS62556,V2w2737,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 30 15:21:12 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.676	61	46486	10.35	PPBV		65
45) METHYL ACRYLATE	3.663	55	251566	9.76	PPBV	#	98
46) CHLOROFORM	3.692	83	275178	10.02	PPBV		96
47) 2,4-DIMETHYLPENTANE	4.197	57	245466	9.61	PPBV		99
48) 1,1,1-TRICHLOROETHANE	4.280	97	261885	9.56	PPBV		97
49) CARBON TETRACHLORIDE	4.715	117	257121	9.48	PPBV		100
50) 1,2-DICHLOROETHANE	4.113	62	190413	10.24	PPBV		99
51) BENZENE	4.599	78	378396	9.65	PPBV		96
53) CYCLOHEXANE	4.814	84	168397	10.19	PPBV		97
54) 2,3-DIMETHYLPENTANE	5.078	71	82900	10.21	PPBV		99
55) TRICHLOROETHENE	5.522	95	174816	10.53	PPBV		96
56) 1,2-DICHLOROPROPANE	5.280	63	160018	10.70	PPBV		97
57) DIBROMOMETHANE	5.242	174	160397	9.39	PPBV		97
58) ETHYL ACRYLATE	5.399	55	297177	10.57	PPBV		99
59) BROMODICHLOROMETHANE	5.464	83	293021	10.69	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.615	57	655381	9.90	PPBV		99
61) 1,4-DIOXANE	5.525	88	85527	10.66	PPBV		97
62) HEPTANE	5.936	43	178607	8.57	PPBV		88
63) METHYL METHACRYLATE	5.830	69	137006	10.73	PPBV		91
64) METHYL ISOBUTYL KETONE	6.573	58	126595	11.88	PPBV		86
65) CIS-1,3-DICHLOROPROPENE	6.473	75	201235	10.15	PPBV		95
66) TOLUENE	7.698	91	460479	9.75	PPBV		99
67) 1,3-DICHLOROPROPANE	7.753	76	230822	10.28	PPBV		99
68) TRANS-1,3-DICHLOROPROPENE	7.158	75	172421	9.71	PPBV		96
69) 1,1,2-TRICHLOROETHANE	7.325	83	140415	10.15	PPBV		99
70) 2-HEXANONE	8.258	58	163812	10.98	PPBV		88
71) ETHYL METHACRYLATE	8.399	69	220566	11.85	PPBV		95
72) TETRACHLOROETHENE	9.447	164	180217	9.53	PPBV		98
73) DIBROMOCHLOROMETHANE	8.242	129	283192	10.51	PPBV		100
74) 1,2-DIBROMOETHANE	8.589	107	256407	10.18	PPBV		99
75) OCTANE	9.586	43	243079	8.68	PPBV		91
77) 1,1,1,2-TETRACHLOROETHANE	10.672	131	191383	10.58	PPBV		96
78) CHLOROBENZENE	10.660	112	376876	10.50	PPBV		99
79) ETHYLBENZENE	11.547	91	609059	10.64	PPBV		99
80) M,P-XYLENE	11.981	91	943436	21.67	PPBV		100
81) O-XYLENE	12.917	91	484202	10.88	PPBV		97
82) STYRENE	12.701	104	361741	11.36	PPBV		99
83) NONANE	14.026	43	260973	9.50	PPBV		89
84) BROMOFORM	11.791	173	271070	11.77	PPBV		99
85) 1,1,2,2-TETRACHLOROETHANE	12.926	83	379424	11.46	PPBV		97
86) 1,2,3-TRICHLOROPROPANE	13.209	75	265908	10.95	PPBV	#	100
88) ISOPROPYLBENZENE	14.431	120	181513	9.62	PPBV		97
89) BROMOBENZENE	14.306	77	328427	10.66	PPBV		98
90) 2-CHLOROTOLUENE	15.444	126	164723	10.39	PPBV		99
91) N-PROPYLBENZENE	15.775	120	184736	10.66	PPBV		99
92) 4-ETHYLTOLUENE	16.148	105	696472	10.90	PPBV		99
93) 1,3,5-TRIMETHYLBENZENE	16.302	105	581394	10.91	PPBV		97
94) ALPHA-METHYLSTYRENE	16.502	118	296156	13.21	PPBV		99
95) TERT-BUTYLBENZENE	16.762	134	143263	10.51	PPBV		100
96) 1,2,4-TRIMETHYLBENZENE	16.769	105	622282	10.92	PPBV		96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61686.D
Acq On : 30 Sep 2022 8:44 am
Operator : thomash
Sample : bs
Misc : MS62556,V2w2737,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 30 15:21:12 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
97)	BENZYL CHLORIDE	16.852	91	310699	8.81	PPBV	98
98)	M-DICHLOROBENZENE	16.827	146	411229	10.98	PPBV	99
99)	P-DICHLOROBENZENE	16.910	146	414919	10.93	PPBV	100
100)	O-DICHLOROBENZENE	17.206	146	400754	10.87	PPBV	99
101)	SEC-BUTYLBENZENE	17.042	134	179899	10.62	PPBV	95
102)	1,2,3-TRIMETHYLBENZENE	17.151	105	599767	11.13	PPBV	98
103)	P-ISOPROPYLTOLUENE	17.219	134	202466	10.85	PPBV	97
104)	N-BUTYLBENZENE	17.566	134	189783	11.00	PPBV	94
105)	HEXACHLOROETHANE	17.746	117	229284	10.84	PPBV	98
106)	HEXACHLOROBUTADIENE	18.791	225	312396	10.80	PPBV	100
107)	1,2,4-TRICHLOROBENZENE	18.479	180	337178	11.05	PPBV	98
108)	NAPHTHALENE	18.531	128	826357	10.60	PPBV	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61686.D
Acq On : 30 Sep 2022 8:44 am
Operator : thomash
Sample : bs
Misc : MS62556,V2w2737,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 30 15:21:12 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61687.D
Acq On : 30 Sep 2022 9:16 am
Operator : thomash
Sample : bsd
Misc : MS62556,V2w2737,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 30 15:21:28 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.615	128	79697	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.930	114	414059	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.585	117	356338	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.962	95	265492	11.19	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.846	65	65471	9.77	PPBV	#	100
4) CHLORODIFLUOROMETHANE	1.862	67	28592	9.61	PPBV		100
5) CHLOROTRIFLUOROETHENE	1.878	116	151356	8.79	PPBV	#	1
6) DICHLORODIFLUOROMETHANE	1.901	85	370766	9.35	PPBV		99
7) PROPYLENE	1.875	41	59677	7.97	PPBV		99
8) 1-CHLORO-1,1-DIFLUOROE...	1.949	65	296059	9.92	PPBV		96
9) FREON 114	1.997	85	346831	9.71	PPBV		97
10) CHLOROMETHANE	1.956	52	34644	8.68	PPBV		95
11) VINYL CHLORIDE	2.039	62	147137	10.61	PPBV		100
12) 1,3-BUTADIENE	2.091	54	100182	9.35	PPBV		94
13) N-BUTANE	2.110	43	152942	8.20	PPBV		97
14) BROMOMETHANE	2.187	94	120156	9.59	PPBV		99
15) CHLOROETHANE	2.251	64	80818	10.89	PPBV	#	94
16) DICHLOROFLUOROMETHANE	2.287	67	297892	10.09	PPBV		99
17) ACETONITRILE	2.374	41	92934	8.38	PPBV		99
18) ACROLEIN	2.419	56	65962	13.48	PPBV		98
19) FREON 123	2.435	83	345571	10.53	PPBV		95
20) FREON 123A	2.454	117	179500	9.46	PPBV		87
21) TRICHLOROFLUOROMETHANE	2.521	101	415910	10.08	PPBV		99
22) ISOPROPYL ALCOHOL	2.538	45	289849	8.80	PPBV		100
23) ACETONE	2.460	58	82334	7.84	PPBV		89
24) PENTANE	2.631	42	174468	9.67	PPBV		97
25) IODOMETHANE	2.689	142	409378	10.15	PPBV		99
26) 1,1-DICHLOROETHYLENE	2.714	96	174614	11.03	PPBV		93
27) CARBON DISULFIDE	2.846	76	545975	11.45	PPBV		97
28) ETHANOL	2.290	45	47166	7.28	PPBV		99
29) BROMOETHENE	2.383	106	129266	10.10	PPBV		99
30) ACRYLONITRILE	2.605	52	126717	10.19	PPBV		98
31) METHYLENE CHLORIDE	2.750	84	171825	9.78	PPBV		88
32) 3-CHLOROPROPENE	2.792	76	85851	10.57	PPBV		85
33) FREON 113	2.846	151	274822	10.30	PPBV		96
34) TRANS-1,2-DICHLOROETHENE	3.081	96	130480	9.89	PPBV		95
35) TERTIARY BUTYL ALCOHOL	2.724	59	395971	9.54	PPBV	#	91
36) METHYL TERTIARY BUTYL ...	3.190	73	297151	8.70	PPBV		98
37) TETRAHYDROFURAN	3.907	72	58746	10.20	PPBV		88
38) HEXANE	3.666	57	223821	9.72	PPBV		92
39) VINYL ACETATE	3.229	86	33051	10.18	PPBV		71
40) 1,1-DICHLOROETHANE	3.158	63	245017	10.38	PPBV		99
41) METHYL ETHYL KETONE	3.329	72	61283	10.44	PPBV		77
42) CIS-1,2-DICHLOROETHENE	3.534	96	136310	9.63	PPBV		97
43) DIISOPROPYL ETHER	3.666	59	68385	10.14	PPBV		64

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61687.D
Acq On : 30 Sep 2022 9:16 am
Operator : thomash
Sample : bsd
Misc : MS62556,V2w2737,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 30 15:21:28 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.673	61	48945	10.37	PPBV		61
45) METHYL ACRYLATE	3.660	55	262755	9.70	PPBV	#	98
46) CHLOROFORM	3.689	83	283911	9.84	PPBV		96
47) 2,4-DIMETHYLPENTANE	4.197	57	248972	9.28	PPBV		100
48) 1,1,1-TRICHLOROETHANE	4.277	97	270610	9.41	PPBV		98
49) CARBON TETRACHLORIDE	4.711	117	266433	9.35	PPBV		100
50) 1,2-DICHLOROETHANE	4.107	62	196185	10.04	PPBV		99
51) BENZENE	4.599	78	391894	9.52	PPBV		95
53) CYCLOHEXANE	4.814	84	175119	10.02	PPBV		97
54) 2,3-DIMETHYLPENTANE	5.074	71	85350	9.95	PPBV		100
55) TRICHLOROETHENE	5.518	95	180967	10.31	PPBV		96
56) 1,2-DICHLOROPROPANE	5.280	63	166846	10.56	PPBV		96
57) DIBROMOMETHANE	5.238	174	166393	9.21	PPBV		97
58) ETHYL ACRYLATE	5.396	55	312130	10.51	PPBV		99
59) BROMODICHLOROMETHANE	5.460	83	301268	10.40	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.615	57	676394	9.67	PPBV		99
61) 1,4-DIOXANE	5.528	88	91565	10.80	PPBV		97
62) HEPTANE	5.939	43	186768	8.48	PPBV		89
63) METHYL METHACRYLATE	5.830	69	143868	10.66	PPBV		90
64) METHYL ISOBUTYL KETONE	6.573	58	130675	11.60	PPBV		88
65) CIS-1,3-DICHLOROPROPENE	6.473	75	208075	9.94	PPBV		96
66) TOLUENE	7.698	91	476127	9.54	PPBV		100
67) 1,3-DICHLOROPROPANE	7.756	76	238926	10.07	PPBV		98
68) TRANS-1,3-DICHLOROPROPENE	7.161	75	177917	9.48	PPBV		96
69) 1,1,2-TRICHLOROETHANE	7.325	83	146236	10.00	PPBV		98
70) 2-HEXANONE	8.264	58	171367	10.87	PPBV		88
71) ETHYL METHACRYLATE	8.402	69	229884	11.69	PPBV		94
72) TETRACHLOROETHENE	9.450	164	187058	9.36	PPBV		99
73) DIBROMOCHLOROMETHANE	8.238	129	292214	10.26	PPBV		100
74) 1,2-DIBROMOETHANE	8.586	107	269176	10.11	PPBV		99
75) OCTANE	9.592	43	255656	8.64	PPBV		92
77) 1,1,1,2-TETRACHLOROETHANE	10.675	131	198542	10.29	PPBV		97
78) CHLOROBENZENE	10.659	112	388372	10.14	PPBV		99
79) ETHYLBENZENE	11.550	91	640545	10.49	PPBV		98
80) M,P-XYLENE	11.981	91	980682	21.12	PPBV		97
81) O-XYLENE	12.917	91	501887	10.57	PPBV		97
82) STYRENE	12.704	104	382768	11.27	PPBV		99
83) NONANE	14.032	43	271465	9.26	PPBV		89
84) BROMOFORM	11.791	173	284445	11.58	PPBV		99
85) 1,1,2,2-TETRACHLOROETHANE	12.926	83	395887	11.21	PPBV		97
86) 1,2,3-TRICHLOROPROPANE	13.212	75	278294	10.74	PPBV	#	100
88) ISOPROPYLBENZENE	14.434	120	186343	9.26	PPBV		96
89) BROMOBENZENE	14.309	77	345050	10.51	PPBV		97
90) 2-CHLOROTOLUENE	15.441	126	173613	10.27	PPBV		98
91) N-PROPYLBENZENE	15.781	120	191466	10.36	PPBV		99
92) 4-ETHYLTOLUENE	16.148	105	728196	10.69	PPBV		99
93) 1,3,5-TRIMETHYLBENZENE	16.302	105	604173	10.63	PPBV		98
94) ALPHA-METHYLSTYRENE	16.502	118	307119	12.84	PPBV		99
95) TERT-BUTYLBENZENE	16.759	134	150277	10.33	PPBV		99
96) 1,2,4-TRIMETHYLBENZENE	16.769	105	652290	10.74	PPBV		95

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61687.D
Acq On : 30 Sep 2022 9:16 am
Operator : thomash
Sample : bsd
Misc : MS62556,V2w2737,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 30 15:21:28 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
97)	BENZYL CHLORIDE	16.852	91	321147	8.54	PPBV	97
98)	M-DICHLOROBENZENE	16.826	146	423619	10.61	PPBV	100
99)	P-DICHLOROBENZENE	16.910	146	425355	10.51	PPBV	100
100)	O-DICHLOROBENZENE	17.203	146	412917	10.50	PPBV	99
101)	SEC-BUTYLBENZENE	17.039	134	184292	10.20	PPBV	93
102)	1,2,3-TRIMETHYLBENZENE	17.151	105	623574	10.85	PPBV	98
103)	P-ISOPROPYLTOLUENE	17.219	134	207004	10.40	PPBV	99
104)	N-BUTYLBENZENE	17.563	134	189200	10.28	PPBV	91
105)	HEXACHLOROETHANE	17.743	117	236033	10.46	PPBV	98
106)	HEXACHLOROBUTADIENE	18.784	225	319788	10.37	PPBV	100
107)	1,2,4-TRICHLOROBENZENE	18.476	180	344837	10.59	PPBV	98
108)	NAPHTHALENE	18.524	128	847558	10.19	PPBV	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61687.D
Acq On : 30 Sep 2022 9:16 am
Operator : thomash
Sample : bsd
Misc : MS62556,V2w2737,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 30 15:21:28 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w59299.D
Acq On : 14 May 2022 4:25 pm
Operator : thomash
Sample : bs
Misc : MS58854,V2w2637,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 14 17:07:29 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:46:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.470	128	264009	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.849	114	1659308	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.640	117	1512777	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.055	95	1190566	10.86	PPBV		0.00
Target Compounds							Qvalue
2) FREON 115	1.785	119	271894	5.17	PPBV	#	100
3) FREON 152A	1.817	65	338386	10.88	PPBV	#	59
4) CHLORODIFLUOROMETHANE	1.827	67	177457	12.58	PPBV	#	83
5) CHLOROTRIFLUOROETHENE	1.837	116	663043	10.69	PPBV	#	99
6) DICHLORODIFLUOROMETHANE	1.853	85	1500822	10.73	PPBV	#	93
7) PROPYLENE	1.833	41	657804	11.56	PPBV		98
8) 1-CHLORO-1,1-DIFLUOROE...	1.891	65	1292140	13.14	PPBV	#	71
9) FREON 114	1.924	85	1300448	11.26	PPBV		89
10) CHLOROMETHANE	1.898	52	191981	10.25	PPBV	#	53
11) VINYL CHLORIDE	1.956	62	529116	10.71	PPBV		95
12) 1,3-BUTADIENE	1.991	54	524243	11.08	PPBV	#	74
13) N-BUTANE	2.004	43	1045920	10.77	PPBV	#	88
14) BROMOMETHANE	2.062	94	388917	10.31	PPBV		100
15) CHLOROETHANE	2.107	64	253175	10.53	PPBV	#	65
16) DICHLOROFLUOROMETHANE	2.129	67	1035526	11.11	PPBV	#	92
17) ACETONITRILE	2.197	41	574168	11.11	PPBV	#	96
18) ACROLEIN	2.235	56	229434	9.72	PPBV		95
19) FREON 123	2.248	83	980221	10.73	PPBV		98
20) FREON 123A	2.264	117	579843	11.11	PPBV		89
21) TRICHLOROFLUOROMETHANE	2.322	101	1358617	12.49	PPBV		100
22) ISOPROPYL ALCOHOL	2.338	45	1397708	11.09	PPBV	#	98
23) ACETONE	2.268	58	288093	9.69	PPBV	#	8
24) PENTANE	2.435	42	727951	11.25	PPBV	#	91
25) IODOMETHANE	2.493	142	992948	10.70	PPBV	#	67
26) 1,1-DICHLOROETHYLENE	2.518	96	402154	10.62	PPBV	#	22
27) CARBON DISULFIDE	2.657	76	1162549	10.54	PPBV	#	78
28) ETHANOL	2.136	45	304423	10.89	PPBV		97
29) BROMOETHENE	2.203	106	400703	10.66	PPBV	#	97
30) ACRYLONITRILE	2.406	52	476462	11.07	PPBV		94
31) METHYLENE CHLORIDE	2.557	84	360210	8.63	PPBV	#	1
32) 3-CHLOROPROPENE	2.599	76	176116	10.11	PPBV	#	1
33) FREON 113	2.657	151	661389	11.15	PPBV		83
34) TRANS-1,2-DICHLOROETHENE	2.907	96	403043	10.23	PPBV	#	58
35) TERTIARY BUTYL ALCOHOL	2.531	59	1277982	11.99	PPBV	#	83
36) METHYL TERTIARY BUTYL ...	3.023	73	1262502	10.99	PPBV	#	80
37) TETRAHYDROFURAN	3.782	72	170002	9.93	PPBV	#	1
38) HEXANE	3.525	57	952677	10.73	PPBV	#	64
39) VINYL ACETATE	3.071	86	95713	10.82	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.991	63	911836	11.27	PPBV		95
41) METHYL ETHYL KETONE	3.174	72	179624	9.84	PPBV	#	1
42) CIS-1,2-DICHLOROETHENE	3.386	96	399700	10.41	PPBV	#	58

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w59299.D
Acq On : 14 May 2022 4:25 pm
Operator : thomash
Sample : bs
Misc : MS58854,V2w2637,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 14 17:07:29 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:46:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
43) DIISOPROPYL ETHER	3.534	59	263743	10.67	PPBV	#	7
44) ETHYL ACETATE	3.541	61	162109	10.10	PPBV	#	1
45) METHYL ACRYLATE	3.522	55	1245796	10.96	PPBV	#	96
46) CHLOROFORM	3.554	83	977638	11.31	PPBV	#	86
47) 2,4-DIMETHYLPENTANE	4.081	57	1103311	10.75	PPBV	#	89
48) 1,1,1-TRICHLOROETHANE	4.168	97	1072561	12.04	PPBV	#	92
49) CARBON TETRACHLORIDE	4.618	117	1214406	12.92	PPBV		99
50) 1,2-DICHLOROETHANE	3.994	62	849412	12.75	PPBV	#	91
51) BENZENE	4.499	78	1364977	11.39	PPBV	#	53
53) CYCLOHEXANE	4.721	84	608453	10.51	PPBV	#	31
54) 2,3-DIMETHYLPENTANE	4.997	71	321212	10.18	PPBV	#	1
55) TRICHLOROETHENE	5.460	95	693039	11.14	PPBV		91
56) 1,2-DICHLOROPROPANE	5.213	63	691238	10.54	PPBV		96
57) DIBROMOMETHANE	5.171	174	550231	10.00	PPBV	#	82
58) ETHYL ACRYLATE	5.341	55	1919480	11.55	PPBV	#	95
59) BROMODICHLOROMETHANE	5.406	83	1245166	11.67	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.554	57	3833615	11.35	PPBV	#	97
61) 1,4-DIOXANE	5.476	88	313278	10.00	PPBV	#	47
62) HEPTANE	5.888	43	1712042	12.21	PPBV	#	60
63) METHYL METHACRYLATE	5.785	69	552568	10.25	PPBV	#	1
64) METHYL ISOBUTYL KETONE	6.557	58	698916	10.95	PPBV	#	45
65) CIS-1,3-DICHLOROPROPENE	6.444	75	850707	10.55	PPBV	#	49
66) TOLUENE	7.698	91	1858597	10.67	PPBV		99
67) 1,3-DICHLOROPROPANE	7.759	76	938934	10.94	PPBV	#	96
68) TRANS-1,3-DICHLOROPROPENE	7.152	75	780541	10.39	PPBV	#	57
69) 1,1,2-TRICHLOROETHANE	7.319	83	545675	10.76	PPBV		99
70) 2-HEXANONE	8.287	58	877944	10.70	PPBV	#	48
71) ETHYL METHACRYLATE	8.428	69	964306	10.61	PPBV	#	34
72) TETRACHLOROETHENE	9.483	164	690966	11.63	PPBV		90
73) DIBROMOCHLOROMETHANE	8.258	129	1240843	11.48	PPBV		99
74) 1,2-DIBROMOETHANE	8.611	107	1005898	10.87	PPBV		99
75) OCTANE	9.627	43	2455367	12.68	PPBV	#	64
77) 1,1,1,2-TETRACHLOROETHANE	10.733	131	853089	11.39	PPBV	#	87
78) CHLOROBENZENE	10.721	112	1491504	10.59	PPBV		95
79) ETHYLBENZENE	11.618	91	2548565	11.03	PPBV		96
80) M,P-XYLENE	12.055	91	4121565	23.40	PPBV	#	65
81) O-XYLENE	13.003	91	2102597	11.80	PPBV		96
82) STYRENE	12.788	104	1420089	10.95	PPBV		94
83) NONANE	14.129	43	2632800	12.88	PPBV	#	66
84) BROMOFORM	11.868	173	1092781	12.18	PPBV	#	95
85) 1,1,2,2-TETRACHLOROETHANE	13.020	83	1488674	11.85	PPBV		100
86) 1,2,3-TRICHLOROPROPANE	13.306	75	1142335	11.87	PPBV	#	100
88) ISOPROPYLBENZENE	14.537	120	765804	11.45	PPBV	#	72
89) BROMOBENZENE	14.412	77	1344181	11.01	PPBV		89
90) 2-CHLOROTOLUENE	15.550	126	641174	11.24	PPBV		99
91) N-PROPYLBENZENE	15.888	120	774980	11.72	PPBV		98
92) 4-ETHYLTOLUENE	16.216	105	2971642	12.07	PPBV		97
93) 1,3,5-TRIMETHYLBENZENE	16.363	105	2552820	12.41	PPBV	#	94
94) ALPHA-METHYLSTYRENE	16.553	118	1202605	11.91	PPBV		97
95) TERT-BUTYLBENZENE	16.807	134	522321	11.61	PPBV		74

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w59299.D
Acq On : 14 May 2022 4:25 pm
Operator : thomash
Sample : bs
Misc : MS58854,V2w2637,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 14 17:07:29 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:46:06 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
96) 1,2,4-TRIMETHYLBENZENE	16.817	105	2507404	12.55	PPBV		94
97) BENZYL CHLORIDE	16.897	91	1654259	10.44	PPBV	#	94
98) M-DICHLOROBENZENE	16.875	146	1318996	11.90	PPBV		96
99) P-DICHLOROBENZENE	16.955	146	1247368	11.41	PPBV		96
100) O-DICHLOROBENZENE	17.244	146	1265095	12.23	PPBV		96
101) SEC-BUTYLBENZENE	17.080	134	641794	11.88	PPBV		72
102) 1,2,3-TRIMETHYLBENZENE	17.193	105	2390721	12.44	PPBV	#	94
103) P-ISOPROPYLTOLUENE	17.257	134	679408	12.03	PPBV		73
104) N-BUTYLBENZENE	17.601	134	612933	11.95	PPBV	#	64
105) HEXACHLOROETHANE	17.778	117	940644	11.91	PPBV	#	88
106) HEXACHLOROBUTADIENE	18.817	225	916966	13.48	PPBV		99
107) 1,2,4-TRICHLOROBENZENE	18.508	180	735812	10.12	PPBV		97
108) NAPHTHALENE	18.556	128	1863663	10.98	PPBV		99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w59299.D
Acq On : 14 May 2022 4:25 pm
Operator : thomash
Sample : bs
Misc : MS58854,V2w2637,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 14 17:07:29 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:46:06 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w59300.D
Acq On : 14 May 2022 5:05 pm
Operator : thomash
Sample : bsd
Misc : MS58854,V2w2637,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 14 17:53:16 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:46:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.470	128	263806	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.849	114	1667235	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.643	117	1491993	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.055	95	1179878	10.91	PPBV		0.00
Target Compounds							Qvalue
2) FREON 115	1.788	119	393044	7.48	PPBV	#	100
3) FREON 152A	1.817	65	341037	10.97	PPBV	#	53
4) CHLORODIFLUOROMETHANE	1.827	67	172325	12.22	PPBV	#	88
5) CHLOROTRIFLUOROETHENE	1.837	116	666896	10.76	PPBV	#	100
6) DICHLORODIFLUOROMETHANE	1.856	85	1463805	10.47	PPBV	#	92
7) PROPYLENE	1.833	41	658916	11.59	PPBV		97
8) 1-CHLORO-1,1-DIFLUOROE...	1.891	65	1301818	13.25	PPBV	#	71
9) FREON 114	1.923	85	1325402	11.49	PPBV		89
10) CHLOROMETHANE	1.898	52	193000	10.31	PPBV	#	53
11) VINYL CHLORIDE	1.956	62	528359	10.70	PPBV		95
12) 1,3-BUTADIENE	1.991	54	535501	11.32	PPBV	#	75
13) N-BUTANE	2.004	43	1054256	10.87	PPBV	#	88
14) BROMOMETHANE	2.062	94	392472	10.41	PPBV		99
15) CHLOROETHANE	2.107	64	252849	10.53	PPBV	#	63
16) DICHLOROFLUOROMETHANE	2.129	67	1051497	11.29	PPBV	#	92
17) ACETONITRILE	2.197	41	575511	11.15	PPBV	#	95
18) ACROLEIN	2.232	56	229514	9.73	PPBV		94
19) FREON 123	2.245	83	988522	10.83	PPBV		98
20) FREON 123A	2.261	117	584840	11.22	PPBV		89
21) TRICHLOROFLUOROMETHANE	2.325	101	1377185	12.67	PPBV		99
22) ISOPROPYL ALCOHOL	2.338	45	1413128	11.22	PPBV	#	99
23) ACETONE	2.271	58	290453	9.78	PPBV	#	9
24) PENTANE	2.435	42	728767	11.28	PPBV	#	91
25) IODOMETHANE	2.489	142	1017102	10.97	PPBV	#	69
26) 1,1-DICHLOROETHYLENE	2.518	96	409712	10.83	PPBV	#	23
27) CARBON DISULFIDE	2.657	76	1183058	10.74	PPBV	#	79
28) ETHANOL	2.136	45	307224	11.00	PPBV		98
29) BROMOETHENE	2.203	106	402892	10.73	PPBV	#	96
30) ACRYLONITRILE	2.406	52	481453	11.20	PPBV		94
31) METHYLENE CHLORIDE	2.557	84	369174	8.85	PPBV	#	1
32) 3-CHLOROPROPENE	2.599	76	176210	10.12	PPBV	#	1
33) FREON 113	2.657	151	667507	11.26	PPBV		82
34) TRANS-1,2-DICHLOROETHENE	2.907	96	414153	10.52	PPBV	#	58
35) TERTIARY BUTYL ALCOHOL	2.531	59	1302444	12.23	PPBV	#	83
36) METHYL TERTIARY BUTYL ...	3.026	73	1277519	11.13	PPBV	#	81
37) TETRAHYDROFURAN	3.779	72	170158	9.94	PPBV	#	1
38) HEXANE	3.525	57	975861	11.00	PPBV	#	65
39) VINYL ACETATE	3.068	86	98651	11.16	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.991	63	926514	11.46	PPBV		95
41) METHYL ETHYL KETONE	3.174	72	184416	10.11	PPBV	#	1
42) CIS-1,2-DICHLOROETHENE	3.386	96	409446	10.68	PPBV	#	59

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w59300.D
Acq On : 14 May 2022 5:05 pm
Operator : thomash
Sample : bsd
Misc : MS58854,V2w2637,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 14 17:53:16 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:46:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
43) DIISOPROPYL ETHER	3.534	59	266772	10.80	PPBV	#	7
44) ETHYL ACETATE	3.541	61	167566	10.45	PPBV	#	1
45) METHYL ACRYLATE	3.525	55	1268919	11.17	PPBV	#	95
46) CHLOROFORM	3.550	83	1002353	11.61	PPBV	#	86
47) 2,4-DIMETHYLPENTANE	4.081	57	1121550	10.94	PPBV	#	89
48) 1,1,1-TRICHLOROETHANE	4.168	97	1093845	12.29	PPBV	#	92
49) CARBON TETRACHLORIDE	4.621	117	1211182	12.90	PPBV		99
50) 1,2-DICHLOROETHANE	3.994	62	860217	12.93	PPBV	#	91
51) BENZENE	4.502	78	1368714	11.43	PPBV	#	53
53) CYCLOHEXANE	4.721	84	609075	10.47	PPBV	#	32
54) 2,3-DIMETHYLPENTANE	4.994	71	323815	10.21	PPBV	#	1
55) TRICHLOROETHENE	5.460	95	705137	11.28	PPBV		92
56) 1,2-DICHLOROPROPANE	5.216	63	695094	10.55	PPBV		95
57) DIBROMOMETHANE	5.168	174	552616	10.00	PPBV	#	82
58) ETHYL ACRYLATE	5.341	55	1938819	11.61	PPBV	#	95
59) BROMODICHLOROMETHANE	5.406	83	1258188	11.74	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.554	57	3876844	11.42	PPBV	#	97
61) 1,4-DIOXANE	5.476	88	317804	10.10	PPBV	#	46
62) HEPTANE	5.888	43	1728728	12.27	PPBV	#	60
63) METHYL METHACRYLATE	5.785	69	560136	10.34	PPBV	#	1
64) METHYL ISOBUTYL KETONE	6.557	58	711671	11.09	PPBV	#	47
65) CIS-1,3-DICHLOROPROPENE	6.444	75	853885	10.53	PPBV	#	49
66) TOLUENE	7.698	91	1868952	10.68	PPBV		100
67) 1,3-DICHLOROPROPANE	7.762	76	951155	11.03	PPBV	#	96
68) TRANS-1,3-DICHLOROPROPENE	7.152	75	786111	10.41	PPBV	#	56
69) 1,1,2-TRICHLOROETHANE	7.319	83	558366	10.96	PPBV		100
70) 2-HEXANONE	8.287	58	890536	10.80	PPBV	#	49
71) ETHYL METHACRYLATE	8.428	69	971485	10.64	PPBV	#	33
72) TETRACHLOROETHENE	9.483	164	698007	11.69	PPBV		89
73) DIBROMOCHLOROMETHANE	8.254	129	1264927	11.64	PPBV		99
74) 1,2-DIBROMOETHANE	8.611	107	1010716	10.87	PPBV		100
75) OCTANE	9.627	43	2479149	12.74	PPBV	#	64
77) 1,1,1,2-TETRACHLOROETHANE	10.733	131	859532	11.64	PPBV	#	87
78) CHLOROBENZENE	10.724	112	1517814	10.93	PPBV		95
79) ETHYLBENZENE	11.618	91	2592875	11.38	PPBV		96
80) M,P-XYLENE	12.055	91	4176681	24.04	PPBV	#	67
81) O-XYLENE	13.003	91	2131693	12.13	PPBV		93
82) STYRENE	12.785	104	1437975	11.24	PPBV		94
83) NONANE	14.126	43	2649300	13.14	PPBV	#	66
84) BROMOFORM	11.872	173	1117341	12.63	PPBV	#	96
85) 1,1,2,2-TETRACHLOROETHANE	13.016	83	1513301	12.21	PPBV		100
86) 1,2,3-TRICHLOROPROPANE	13.306	75	1157813	12.20	PPBV	#	100
88) ISOPROPYLBENZENE	14.537	120	778214	11.80	PPBV	#	71
89) BROMOBENZENE	14.408	77	1351409	11.22	PPBV		90
90) 2-CHLOROTOLUENE	15.550	126	653935	11.62	PPBV		98
91) N-PROPYLBENZENE	15.891	120	784703	12.03	PPBV		98
92) 4-ETHYLTOLUENE	16.212	105	3019773	12.43	PPBV		97
93) 1,3,5-TRIMETHYLBENZENE	16.360	105	2574403	12.68	PPBV	#	94
94) ALPHA-METHYLSTYRENE	16.553	118	1212427	12.18	PPBV		97
95) TERT-BUTYLBENZENE	16.810	134	528801	11.92	PPBV		71

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w59300.D
Acq On : 14 May 2022 5:05 pm
Operator : thomash
Sample : bsd
Misc : MS58854,V2w2637,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 14 17:53:16 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:46:06 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
96) 1,2,4-TRIMETHYLBENZENE	16.817	105	2554769	12.96	PPBV		94
97) BENZYL CHLORIDE	16.894	91	1683144	10.77	PPBV	#	93
98) M-DICHLOROBENZENE	16.875	146	1338243	12.24	PPBV		96
99) P-DICHLOROBENZENE	16.955	146	1267415	11.76	PPBV		96
100) O-DICHLOROBENZENE	17.248	146	1286742	12.61	PPBV		95
101) SEC-BUTYLBENZENE	17.080	134	646687	12.14	PPBV		70
102) 1,2,3-TRIMETHYLBENZENE	17.193	105	2419748	12.76	PPBV	#	94
103) P-ISOPROPYLTOLUENE	17.257	134	686137	12.32	PPBV		73
104) N-BUTYLBENZENE	17.601	134	619328	12.24	PPBV	#	64
105) HEXACHLOROETHANE	17.778	117	954760	12.26	PPBV	#	88
106) HEXACHLOROBUTADIENE	18.817	225	913305	13.62	PPBV		99
107) 1,2,4-TRICHLOROBENZENE	18.511	180	743640	10.37	PPBV		98
108) NAPHTHALENE	18.556	128	1849171	11.04	PPBV		99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w59300.D
Acq On : 14 May 2022 5:05 pm
Operator : thomash
Sample : bsd
Misc : MS58854,V2w2637,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 14 17:53:16 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:46:06 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61025.D
Acq On : 24 Aug 2022 8:49 pm
Operator : thomash
Sample : bs
Misc : MS61038,V2w2710,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 25 08:04:07 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.615	128	74166	10.00	PPBV	0.00
52) 1,4-DIFLUOROBENZENE	4.930	114	390179	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.586	117	358568	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	13.959	95	237144	9.93	PPBV	0.00
Target Compounds						Qvalue
3) FREON 152A	1.853	65	62391	10.01	PPBV	# 100
4) CHLORODIFLUOROMETHANE	1.869	67	27982	10.10	PPBV	100
5) CHLOROTRIFLUOROETHENE	1.882	116	166692	10.40	PPBV	# 1
6) DICHLORODIFLUOROMETHANE	1.904	85	371220	10.06	PPBV	100
7) PROPYLENE	1.879	41	64658	9.28	PPBV	100
8) 1-CHLORO-1,1-DIFLUOROE...	1.956	65	272123	9.80	PPBV	100
9) FREON 114	2.001	85	332123	9.99	PPBV	99
10) CHLOROMETHANE	1.962	52	33291	8.96	PPBV	97
11) VINYL CHLORIDE	2.043	62	126943	9.83	PPBV	100
12) 1,3-BUTADIENE	2.094	54	95657	9.60	PPBV	99
13) N-BUTANE	2.117	43	155859	8.98	PPBV	99
14) BROMOMETHANE	2.194	94	115747	9.93	PPBV	100
15) CHLOROETHANE	2.258	64	69100	10.01	PPBV	97
16) DICHLOROFLUOROMETHANE	2.290	67	270577	9.85	PPBV	99
17) ACETONITRILE	2.377	41	94187	9.13	PPBV	100
18) ACROLEIN	2.422	56	54093	11.88	PPBV	97
19) FREON 123	2.438	83	306626	10.04	PPBV	99
20) FREON 123A	2.457	117	178940	10.13	PPBV	95
21) TRICHLOROFLUOROMETHANE	2.525	101	388913	10.13	PPBV	100
22) ISOPROPYL ALCOHOL	2.538	45	271126	8.85	PPBV	98
23) ACETONE	2.467	58	77835	7.96	PPBV	94
24) PENTANE	2.634	42	146457	8.72	PPBV	100
25) IODOMETHANE	2.689	142	377937	10.07	PPBV	99
26) 1,1-DICHLOROETHYLENE	2.715	96	144528	9.81	PPBV	96
27) CARBON DISULFIDE	2.846	76	441017	9.94	PPBV	99
28) ETHANOL	2.297	45	47348	7.85	PPBV	99
29) BROMOETHENE	2.387	106	123928	10.41	PPBV	99
30) ACRYLONITRILE	2.605	52	108478	9.37	PPBV	98
31) METHYLENE CHLORIDE	2.750	84	134121	8.20	PPBV	95
32) 3-CHLOROPROPENE	2.792	76	72410	9.58	PPBV	92
33) FREON 113	2.846	151	249933	10.06	PPBV	99
34) TRANS-1,2-DICHLOROETHENE	3.081	96	125101	10.19	PPBV	96
35) TERTIARY BUTYL ALCOHOL	2.724	59	368279	9.54	PPBV	97
36) METHYL TERTIARY BUTYL ...	3.191	73	320991	10.10	PPBV	100
37) TETRAHYDROFURAN	3.904	72	56483	10.54	PPBV	95
38) HEXANE	3.666	57	203552	9.50	PPBV	100
39) VINYL ACETATE	3.229	86	32949	10.91	PPBV	89
40) 1,1-DICHLOROETHANE	3.158	63	215370	9.81	PPBV	99
41) METHYL ETHYL KETONE	3.332	72	58290	10.67	PPBV	92
42) CIS-1,2-DICHLOROETHENE	3.535	96	132735	10.08	PPBV	97
43) DIISOPROPYL ETHER	3.670	59	60949	9.71	PPBV	95

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61025.D
Acq On : 24 Aug 2022 8:49 pm
Operator : thomash
Sample : bs
Misc : MS61038,V2w2710,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 25 08:04:07 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.673	61	43052	9.80	PPBV		95
45) METHYL ACRYLATE	3.660	55	247367	9.82	PPBV	#	99
46) CHLOROFORM	3.689	83	264457	9.85	PPBV		99
47) 2,4-DIMETHYLPENTANE	4.197	57	236475	9.47	PPBV		99
48) 1,1,1-TRICHLOROETHANE	4.277	97	271193	10.13	PPBV		99
49) CARBON TETRACHLORIDE	4.711	117	278335	10.49	PPBV		99
50) 1,2-DICHLOROETHANE	4.110	62	176035	9.68	PPBV		99
51) BENZENE	4.599	78	377463	9.85	PPBV		98
53) CYCLOHEXANE	4.814	84	166713	10.13	PPBV		96
54) 2,3-DIMETHYLPENTANE	5.075	71	82617	10.22	PPBV		95
55) TRICHLOROETHENE	5.518	95	177145	10.71	PPBV		98
56) 1,2-DICHLOROPROPANE	5.281	63	145861	9.79	PPBV		98
57) DIBROMOMETHANE	5.239	174	172950	10.16	PPBV		98
58) ETHYL ACRYLATE	5.396	55	294420	10.52	PPBV		100
59) BROMODICHLOROMETHANE	5.464	83	287695	10.54	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.612	57	627790	9.52	PPBV		100
61) 1,4-DIOXANE	5.525	88	82257	10.29	PPBV		97
62) HEPTANE	5.933	43	195929	9.44	PPBV		98
63) METHYL METHACRYLATE	5.827	69	137690	10.83	PPBV		97
64) METHYL ISOBUTYL KETONE	6.567	58	115769	10.91	PPBV		99
65) CIS-1,3-DICHLOROPROPENE	6.470	75	214800	10.88	PPBV		98
66) TOLUENE	7.698	91	478145	10.17	PPBV		100
67) 1,3-DICHLOROPROPANE	7.753	76	229632	10.27	PPBV		100
68) TRANS-1,3-DICHLOROPROPENE	7.155	75	195553	11.05	PPBV		99
69) 1,1,2-TRICHLOROETHANE	7.322	83	140658	10.21	PPBV		100
70) 2-HEXANONE	8.261	58	141032	9.54	PPBV		100
71) ETHYL METHACRYLATE	8.399	69	215764	11.64	PPBV		98
72) TETRACHLOROETHENE	9.448	164	194068	10.30	PPBV		100
73) DIBROMOCHLOROMETHANE	8.239	129	304197	11.33	PPBV		100
74) 1,2-DIBROMOETHANE	8.586	107	268705	10.71	PPBV		99
75) OCTANE	9.586	43	267014	9.58	PPBV		98
77) 1,1,1,2-TETRACHLOROETHANE	10.673	131	209101	10.77	PPBV		99
78) CHLOROBENZENE	10.663	112	396416	10.29	PPBV		99
79) ETHYLBENZENE	11.547	91	637591	10.38	PPBV		99
80) M,P-XYLENE	11.978	91	973898	20.84	PPBV		97
81) O-XYLENE	12.917	91	491587	10.29	PPBV		97
82) STYRENE	12.701	104	378799	11.08	PPBV		100
83) NONANE	14.033	43	282237	9.57	PPBV		99
84) BROMOFORM	11.791	173	288235	11.67	PPBV		99
85) 1,1,2,2-TETRACHLOROETHANE	12.923	83	365630	10.29	PPBV		100
86) 1,2,3-TRICHLOROPROPANE	13.209	75	266360	10.22	PPBV	#	100
88) ISOPROPYLBENZENE	14.431	120	217595	10.75	PPBV		100
89) BROMOBENZENE	14.306	77	336210	10.17	PPBV		98
90) 2-CHLOROTOLUENE	15.444	126	179852	10.57	PPBV		100
91) N-PROPYLBENZENE	15.772	120	202090	10.86	PPBV		99
92) 4-ETHYLTOLUENE	16.148	105	737255	10.76	PPBV		99
93) 1,3,5-TRIMETHYLBENZENE	16.303	105	606069	10.60	PPBV		100
94) ALPHA-METHYLSTYRENE	16.502	118	257520	10.70	PPBV		100
95) TERT-BUTYLBENZENE	16.759	134	154064	10.53	PPBV		99
96) 1,2,4-TRIMETHYLBENZENE	16.766	105	637532	10.43	PPBV		100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61025.D
Acq On : 24 Aug 2022 8:49 pm
Operator : thomash
Sample : bs
Misc : MS61038,V2w2710,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 25 08:04:07 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
97)	BENZYL CHLORIDE	16.849	91	418667	11.06	PPBV	99
98)	M-DICHLOROBENZENE	16.827	146	425848	10.60	PPBV	99
99)	P-DICHLOROBENZENE	16.907	146	428869	10.53	PPBV	100
100)	O-DICHLOROBENZENE	17.203	146	407471	10.30	PPBV	99
101)	SEC-BUTYLBENZENE	17.039	134	189286	10.41	PPBV	98
102)	1,2,3-TRIMETHYLBENZENE	17.151	105	612137	10.59	PPBV	100
103)	P-ISOPROPYLTOLUENE	17.219	134	206978	10.33	PPBV	99
104)	N-BUTYLBENZENE	17.566	134	195515	10.55	PPBV	97
105)	HEXACHLOROETHANE	17.743	117	233962	10.31	PPBV	99
106)	HEXACHLOROBUTADIENE	18.791	225	295182	9.51	PPBV	100
107)	1,2,4-TRICHLOROBENZENE	18.483	180	343017	10.47	PPBV	99
108)	NAPHTHALENE	18.528	128	857103	10.24	PPBV	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61025.D
Acq On : 24 Aug 2022 8:49 pm
Operator : thomash
Sample : bs
Misc : MS61038,V2w2710,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 25 08:04:07 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61026.D
Acq On : 24 Aug 2022 9:22 pm
Operator : thomash
Sample : bsd
Misc : MS61038,V2w2710,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 25 08:04:21 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.615	128	75491	10.00	PPBV	0.00
52) 1,4-DIFLUOROBENZENE	4.930	114	403267	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.586	117	366769	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	13.965	95	243390	9.97	PPBV	0.00
Target Compounds						Qvalue
3) FREON 152A	1.847	65	61030	9.62	PPBV	# 100
4) CHLORODIFLUOROMETHANE	1.863	67	27761	9.85	PPBV	99
5) CHLOROTRIFLUOROETHENE	1.875	116	166480	10.21	PPBV	# 1
6) DICHLORODIFLUOROMETHANE	1.898	85	370200	9.86	PPBV	100
7) PROPYLENE	1.875	41	63307	8.93	PPBV	98
8) 1-CHLORO-1,1-DIFLUOROE...	1.949	65	274093	9.69	PPBV	100
9) FREON 114	1.994	85	332192	9.82	PPBV	98
10) CHLOROMETHANE	1.956	52	34188	9.04	PPBV	97
11) VINYL CHLORIDE	2.039	62	126105	9.60	PPBV	99
12) 1,3-BUTADIENE	2.088	54	95202	9.38	PPBV	99
13) N-BUTANE	2.110	43	155372	8.79	PPBV	99
14) BROMOMETHANE	2.187	94	116770	9.84	PPBV	99
15) CHLOROETHANE	2.252	64	69062	9.83	PPBV	96
16) DICHLOROFLUOROMETHANE	2.284	67	270657	9.68	PPBV	99
17) ACETONITRILE	2.371	41	91792	8.74	PPBV	99
18) ACROLEIN	2.419	56	52978	11.43	PPBV	99
19) FREON 123	2.435	83	303160	9.76	PPBV	99
20) FREON 123A	2.454	117	175962	9.79	PPBV	96
21) TRICHLOROFLUOROMETHANE	2.522	101	383997	9.83	PPBV	99
22) ISOPROPYL ALCOHOL	2.535	45	264514	8.48	PPBV	99
23) ACETONE	2.461	58	75122	7.55	PPBV	97
24) PENTANE	2.631	42	145917	8.54	PPBV	100
25) IODOMETHANE	2.689	142	383055	10.03	PPBV	100
26) 1,1-DICHLOROETHYLENE	2.715	96	148573	9.91	PPBV	93
27) CARBON DISULFIDE	2.846	76	440720	9.76	PPBV	99
28) ETHANOL	2.290	45	45783	7.46	PPBV	99
29) BROMOETHENE	2.383	106	123757	10.21	PPBV	100
30) ACRYLONITRILE	2.602	52	107484	9.12	PPBV	99
31) METHYLENE CHLORIDE	2.750	84	135420	8.13	PPBV	93
32) 3-CHLOROPROPENE	2.792	76	72315	9.40	PPBV	91
33) FREON 113	2.846	151	250413	9.91	PPBV	99
34) TRANS-1,2-DICHLOROETHENE	3.081	96	124961	10.00	PPBV	97
35) TERTIARY BUTYL ALCOHOL	2.721	59	368023	9.36	PPBV	97
36) METHYL TERTIARY BUTYL ...	3.191	73	320744	9.91	PPBV	100
37) TETRAHYDROFURAN	3.904	72	57212	10.48	PPBV	96
38) HEXANE	3.666	57	205408	9.42	PPBV	100
39) VINYL ACETATE	3.232	86	33197	10.80	PPBV	86
40) 1,1-DICHLOROETHANE	3.158	63	217544	9.73	PPBV	100
41) METHYL ETHYL KETONE	3.329	72	58134	10.46	PPBV	90
42) CIS-1,2-DICHLOROETHENE	3.535	96	132987	9.92	PPBV	97
43) DIISOPROPYL ETHER	3.666	59	62461	9.78	PPBV	91

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61026.D
Acq On : 24 Aug 2022 9:22 pm
Operator : thomash
Sample : bsd
Misc : MS61038,V2w2710,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 25 08:04:21 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44)	ETHYL ACETATE	3.673	61	44028	9.85	PPBV		90
45)	METHYL ACRYLATE	3.660	55	250103	9.75	PPBV	#	99
46)	CHLOROFORM	3.689	83	266669	9.76	PPBV		99
47)	2,4-DIMETHYLPENTANE	4.197	57	235856	9.28	PPBV		98
48)	1,1,1-TRICHLOROETHANE	4.277	97	273722	10.05	PPBV		99
49)	CARBON TETRACHLORIDE	4.715	117	279061	10.34	PPBV		100
50)	1,2-DICHLOROETHANE	4.110	62	178315	9.64	PPBV		99
51)	BENZENE	4.599	78	378908	9.71	PPBV		98
53)	CYCLOHEXANE	4.814	84	167131	9.82	PPBV		96
54)	2,3-DIMETHYLPENTANE	5.075	71	83271	9.96	PPBV		94
55)	TRICHLOROETHENE	5.518	95	178347	10.43	PPBV		98
56)	1,2-DICHLOROPROPANE	5.284	63	147894	9.61	PPBV		100
57)	DIBROMOMETHANE	5.239	174	173973	9.89	PPBV		98
58)	ETHYL ACRYLATE	5.396	55	294960	10.20	PPBV		100
59)	BROMODICHLOROMETHANE	5.464	83	287336	10.18	PPBV		99
60)	2,2,4-TRIMETHYLPENTANE	5.615	57	630651	9.26	PPBV		100
61)	1,4-DIOXANE	5.525	88	83703	10.13	PPBV		97
62)	HEPTANE	5.936	43	195536	9.12	PPBV		98
63)	METHYL METHACRYLATE	5.827	69	137650	10.47	PPBV		98
64)	METHYL ISOBUTYL KETONE	6.573	58	115069	10.49	PPBV		98
65)	CIS-1,3-DICHLOROPROPENE	6.473	75	214749	10.53	PPBV		99
66)	TOLUENE	7.702	91	485904	10.00	PPBV		99
67)	1,3-DICHLOROPROPANE	7.759	76	229781	9.95	PPBV		99
68)	TRANS-1,3-DICHLOROPROPENE	7.161	75	194815	10.65	PPBV		99
69)	1,1,2-TRICHLOROETHANE	7.322	83	141342	9.92	PPBV		99
70)	2-HEXANONE	8.261	58	141276	9.25	PPBV		100
71)	ETHYL METHACRYLATE	8.403	69	217412	11.35	PPBV		98
72)	TETRACHLOROETHENE	9.451	164	195023	10.02	PPBV		100
73)	DIBROMOCHLOROMETHANE	8.239	129	304376	10.97	PPBV		100
74)	1,2-DIBROMOETHANE	8.589	107	270072	10.41	PPBV		99
75)	OCTANE	9.589	43	267104	9.27	PPBV		97
77)	1,1,1,2-TETRACHLOROETHANE	10.676	131	208893	10.52	PPBV		99
78)	CHLOROBENZENE	10.666	112	395517	10.03	PPBV		99
79)	ETHYLBENZENE	11.550	91	638915	10.17	PPBV		100
80)	M,P-XYLENE	11.984	91	971909	20.34	PPBV		96
81)	O-XYLENE	12.923	91	495952	10.15	PPBV		97
82)	STYRENE	12.705	104	377794	10.81	PPBV		100
83)	NONANE	14.033	43	283124	9.39	PPBV		98
84)	BROMOFORM	11.795	173	285840	11.31	PPBV		100
85)	1,1,2,2-TETRACHLOROETHANE	12.930	83	363122	9.99	PPBV		100
86)	1,2,3-TRICHLOROPROPANE	13.209	75	264282	9.91	PPBV	#	100
88)	ISOPROPYLBENZENE	14.438	120	218862	10.57	PPBV		98
89)	BROMOBENZENE	14.309	77	335193	9.91	PPBV		97
90)	2-CHLOROTOLUENE	15.441	126	178339	10.25	PPBV		99
91)	N-PROPYLBENZENE	15.782	120	201455	10.59	PPBV		100
92)	4-ETHYLTOLUENE	16.148	105	729177	10.40	PPBV		99
93)	1,3,5-TRIMETHYLBENZENE	16.303	105	602740	10.30	PPBV		100
94)	ALPHA-METHYLSTYRENE	16.502	118	255431	10.38	PPBV		100
95)	TERT-BUTYLBENZENE	16.759	134	152779	10.21	PPBV		100
96)	1,2,4-TRIMETHYLBENZENE	16.766	105	632230	10.11	PPBV		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61026.D
Acq On : 24 Aug 2022 9:22 pm
Operator : thomash
Sample : bsd
Misc : MS61038,V2w2710,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 25 08:04:21 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
97) BENZYL CHLORIDE	16.849	91	409652	10.58	PPBV	99
98) M-DICHLOROBENZENE	16.827	146	424613	10.33	PPBV	99
99) P-DICHLOROBENZENE	16.910	146	427439	10.26	PPBV	99
100) O-DICHLOROBENZENE	17.203	146	404495	10.00	PPBV	99
101) SEC-BUTYLBENZENE	17.039	134	187901	10.10	PPBV	98
102) 1,2,3-TRIMETHYLBENZENE	17.151	105	609253	10.30	PPBV	100
103) P-ISOPROPYLTOLUENE	17.219	134	206144	10.06	PPBV	100
104) N-BUTYLBENZENE	17.563	134	195521	10.32	PPBV	96
105) HEXACHLOROETHANE	17.743	117	232583	10.02	PPBV	99
106) HEXACHLOROBUTADIENE	18.785	225	295405	9.30	PPBV	99
107) 1,2,4-TRICHLOROBENZENE	18.476	180	348131	10.39	PPBV	99
108) NAPHTHALENE	18.524	128	867551	10.13	PPBV	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61026.D
Acq On : 24 Aug 2022 9:22 pm
Operator : thomash
Sample : bsd
Misc : MS61038,V2w2710,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 25 08:04:21 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration



Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 09/02/22 15:33

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61141.D
Acq On : 30 Aug 2022 10:20 am
Operator : williamc
Sample : bs
Misc : MS61607,V2w2714,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 01 10:49:55 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.611	128	80060	10.00	PPBV	0.00
52) 1,4-DIFLUOROBENZENE	4.930	114	427447	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.585	117	386452	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	13.958	95	259239	10.08	PPBV	0.00
Target Compounds						Qvalue
3) FREON 152A	1.846	65	67270m	10.00	PPBV	
4) CHLORODIFLUOROMETHANE	1.862	67	28770	9.62	PPBV	98
5) CHLOROTRIFLUOROETHENE	1.878	116	173017	10.00	PPBV	100
6) DICHLORODIFLUOROMETHANE	1.897	85	394877	9.91	PPBV	100
7) PROPYLENE	1.872	41	64816	8.62	PPBV	98
8) 1-CHLORO-1,1-DIFLUOROE...	1.949	65	307757	10.26	PPBV	99
9) FREON 114	1.994	85	354540	9.88	PPBV	98
10) CHLOROMETHANE	1.955	52	37694	9.40	PPBV	98
11) VINYL CHLORIDE	2.039	62	146537	10.52	PPBV	99
12) 1,3-BUTADIENE	2.090	54	109386	10.17	PPBV	98
13) N-BUTANE	2.110	43	165482	8.83	PPBV	98
14) BROMOMETHANE	2.190	94	123185	9.79	PPBV	100
15) CHLOROETHANE	2.251	64	78266	10.50	PPBV	96
16) DICHLOROFLUOROMETHANE	2.287	67	294281	9.92	PPBV	100
17) ACETONITRILE	2.373	41	98564	8.85	PPBV	100
18) ACROLEIN	2.418	56	59843	12.17	PPBV	97
19) FREON 123	2.434	83	327616	9.94	PPBV	100
20) FREON 123A	2.454	117	193244	10.14	PPBV	97
21) TRICHLOROFLUOROMETHANE	2.521	101	425154	10.26	PPBV	100
22) ISOPROPYL ALCOHOL	2.537	45	306230	9.26	PPBV	98
23) ACETONE	2.463	58	93440	8.86	PPBV	87
24) PENTANE	2.631	42	176581	9.74	PPBV	100
25) IODOMETHANE	2.688	142	392509	9.69	PPBV	96
26) 1,1-DICHLOROETHYLENE	2.714	96	165536	10.41	PPBV	94
27) CARBON DISULFIDE	2.846	76	495393	10.34	PPBV	98
28) ETHANOL	2.290	45	49503	7.60	PPBV	99
29) BROMOETHENE	2.383	106	131604	10.24	PPBV	100
30) ACRYLONITRILE	2.605	52	130794	10.47	PPBV	98
31) METHYLENE CHLORIDE	2.750	84	153449	8.69	PPBV	98
32) 3-CHLOROPROPENE	2.791	76	80099	9.81	PPBV	94
33) FREON 113	2.846	151	261678	9.76	PPBV	93
34) TRANS-1,2-DICHLOROETHENE	3.081	96	129847	9.80	PPBV	96
35) TERTIARY BUTYL ALCOHOL	2.724	59	423392	10.16	PPBV	98
36) METHYL TERTIARY BUTYL ...	3.190	73	312748	9.11	PPBV	100
37) TETRAHYDROFURAN	3.907	72	58656	10.14	PPBV	99
38) HEXANE	3.666	57	236907	10.24	PPBV	96
39) VINYL ACETATE	3.232	86	31687	9.72	PPBV	98
40) 1,1-DICHLOROETHANE	3.158	63	245530	10.36	PPBV	99
41) METHYL ETHYL KETONE	3.328	72	59752	10.13	PPBV	96
42) CIS-1,2-DICHLOROETHENE	3.534	96	138957	9.77	PPBV	96
43) DIISOPROPYL ETHER	3.669	59	71453	10.55	PPBV	80

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61141.D
Acq On : 30 Aug 2022 10:20 am
Operator : williamc
Sample : bs
Misc : MS61607,V2w2714,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 01 10:49:55 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.672	61	49745	10.49	PPBV		80
45) METHYL ACRYLATE	3.659	55	280430	10.31	PPBV	#	99
46) CHLOROFORM	3.688	83	279650	9.65	PPBV		100
47) 2,4-DIMETHYLPENTANE	4.196	57	272486	10.11	PPBV		98
48) 1,1,1-TRICHLOROETHANE	4.277	97	276053	9.55	PPBV		97
49) CARBON TETRACHLORIDE	4.714	117	277569	9.69	PPBV		100
50) 1,2-DICHLOROETHANE	4.106	62	201203	10.25	PPBV		99
51) BENZENE	4.598	78	393219	9.51	PPBV		99
53) CYCLOHEXANE	4.814	84	173011	9.59	PPBV		94
54) 2,3-DIMETHYLPENTANE	5.071	71	86850	9.80	PPBV		92
55) TRICHLOROETHENE	5.518	95	184505	10.18	PPBV		98
56) 1,2-DICHLOROPROPANE	5.277	63	166785	10.22	PPBV		96
57) DIBROMOMETHANE	5.235	174	168362	9.03	PPBV		96
58) ETHYL ACRYLATE	5.396	55	324727	10.59	PPBV		99
59) BROMODICHLOROMETHANE	5.460	83	300512	10.05	PPBV		100
60) 2,2,4-TRIMETHYLPENTANE	5.611	57	716933	9.93	PPBV		100
61) 1,4-DIOXANE	5.524	88	82561	9.43	PPBV		96
62) HEPTANE	5.933	43	207540	9.13	PPBV		97
63) METHYL METHACRYLATE	5.827	69	141770	10.18	PPBV		100
64) METHYL ISOBUTYL KETONE	6.569	58	131755	11.33	PPBV		93
65) CIS-1,3-DICHLOROPROPENE	6.470	75	210409	9.73	PPBV		98
66) TOLUENE	7.695	91	500093	9.71	PPBV		99
67) 1,3-DICHLOROPROPANE	7.756	76	239630	9.79	PPBV		99
68) TRANS-1,3-DICHLOROPROPENE	7.161	75	181627	9.37	PPBV		97
69) 1,1,2-TRICHLOROETHANE	7.322	83	146096	9.68	PPBV		100
70) 2-HEXANONE	8.261	58	155492	9.60	PPBV		92
71) ETHYL METHACRYLATE	8.399	69	216533	10.66	PPBV		99
72) TETRACHLOROETHENE	9.447	164	190368	9.23	PPBV		97
73) DIBROMOCHLOROMETHANE	8.235	129	313406	10.66	PPBV		100
74) 1,2-DIBROMOETHANE	8.585	107	276043	10.04	PPBV		100
75) OCTANE	9.585	43	284726	9.32	PPBV		97
77) 1,1,1,2-TETRACHLOROETHANE	10.672	131	203183	9.71	PPBV		99
78) CHLOROBENZENE	10.659	112	407030	9.80	PPBV		99
79) ETHYLBENZENE	11.547	91	661357	9.99	PPBV		100
80) M,P-XYLENE	11.981	91	1013585	20.13	PPBV		99
81) O-XYLENE	12.916	91	516501	10.03	PPBV		97
82) STYRENE	12.701	104	391679	10.63	PPBV		99
83) NONANE	14.032	43	300180	9.44	PPBV		93
84) BROMOFORM	11.791	173	272273	10.22	PPBV		99
85) 1,1,2,2-TETRACHLOROETHANE	12.923	83	383316	10.01	PPBV		100
86) 1,2,3-TRICHLOROPROPANE	13.209	75	275320	9.80	PPBV	#	100
88) ISOPROPYLBENZENE	14.434	120	238291	10.92	PPBV		98
89) BROMOBENZENE	14.309	77	351056	9.86	PPBV		97
90) 2-CHLOROTOLUENE	15.440	126	184993	10.09	PPBV		99
91) N-PROPYLBENZENE	15.775	120	212137	10.58	PPBV		99
92) 4-ETHYLTOLUENE	16.144	105	765132	10.36	PPBV		100
93) 1,3,5-TRIMETHYLBENZENE	16.302	105	637994	10.35	PPBV		100
94) ALPHA-METHYLSTYRENE	16.501	118	255191	9.84	PPBV		99
95) TERT-BUTYLBENZENE	16.762	134	152344	9.66	PPBV		87
96) 1,2,4-TRIMETHYLBENZENE	16.768	105	677928	10.29	PPBV		100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61141.D
Acq On : 30 Aug 2022 10:20 am
Operator : williamc
Sample : bs
Misc : MS61607,V2w2714,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 01 10:49:55 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
97)	BENZYL CHLORIDE	16.852	91	321528	7.88	PPBV	99
98)	M-DICHLOROBENZENE	16.829	146	423920	9.79	PPBV	99
99)	P-DICHLOROBENZENE	16.910	146	428872	9.77	PPBV	99
100)	O-DICHLOROBENZENE	17.206	146	406223	9.53	PPBV	97
101)	SEC-BUTYLBENZENE	17.042	134	188687	9.63	PPBV	90
102)	1,2,3-TRIMETHYLBENZENE	17.154	105	643623	10.33	PPBV	99
103)	P-ISOPROPYLTOLUENE	17.222	134	207114	9.59	PPBV	87
104)	N-BUTYLBENZENE	17.569	134	194576	9.75	PPBV	92
105)	HEXACHLOROETHANE	17.749	117	232507	9.50	PPBV	98
106)	HEXACHLOROBUTADIENE	18.800	225	288731	8.63	PPBV	100
107)	1,2,4-TRICHLOROBENZENE	18.488	180	339725	9.62	PPBV	99
108)	NAPHTHALENE	18.540	128	888716	9.85	PPBV	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61141.D
Acq On : 30 Aug 2022 10:20 am
Operator : williamc
Sample : bs
Misc : MS61607,V2w2714,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 01 10:49:55 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V2W2714-BS
Lab FileID: 2W61141.D
Injection Time: 08/30/22 10:20
Method: TO-15
Analyst approved: 09/02/22 09:44 William Cruser
Supervisor approved: 09/02/22 15:33 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Freon 152A	75-37-6		1.85	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61141.D
Acq On : 30 Aug 2022 10:20 am
Operator : williamc
Sample : bs
Misc : MS61607,V2w2714,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 30 10:52:49 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration





TIC: 2w61141.D\data.ms

(3) FREON 152A (T)

1.850min (-1.850) 0.00PPBV


response 0


Ion	Exp%	Act%
65.10	100	0.00
45.10	0.00	0.00
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61141.D
Acq On : 30 Aug 2022 10:20 am
Operator : williamc
Sample : bs
Misc : MS61607,V2w2714,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 30 10:52:49 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration





TIC: 2w61141.D\data.ms

(3) FREON 152A (T)

1.846min (-0.004) 10.00PPBV m

response 67270

Ion	Exp%	Act%
65.10	100	100
45.10	0.00	0.00
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61142.D
Acq On : 30 Aug 2022 10:52 am
Operator : williamc
Sample : bsd
Misc : MS61607,V2w2714,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 30 11:15:56 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.615	128	85118	10.00	PPBV	0.00
52) 1,4-DIFLUOROBENZENE	4.933	114	444683	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.589	117	404229	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	13.958	95	265319	9.86	PPBV	0.00
Target Compounds						Qvalue
3) FREON 152A	1.849	65	69578	9.72	PPBV #	100
4) CHLORODIFLUOROMETHANE	1.869	67	29873	9.40	PPBV	98
5) CHLOROTRIFLUOROETHENE	1.885	116	173227	9.42	PPBV	98
6) DICHLORODIFLUOROMETHANE	1.904	85	402103	9.49	PPBV	99
7) PROPYLENE	1.882	41	67335	8.42	PPBV	99
8) 1-CHLORO-1,1-DIFLUOROE...	1.956	65	316370	9.92	PPBV	99
9) FREON 114	2.001	85	363110	9.52	PPBV	98
10) CHLOROMETHANE	1.962	52	38072	8.93	PPBV	100
11) VINYL CHLORIDE	2.046	62	152589	10.30	PPBV	99
12) 1,3-BUTADIENE	2.097	54	111103	9.71	PPBV	99
13) N-BUTANE	2.116	43	170722	8.57	PPBV	98
14) BROMOMETHANE	2.193	94	126729	9.47	PPBV	98
15) CHLOROETHANE	2.261	64	81826	10.33	PPBV	96
16) DICHLOROFLUOROMETHANE	2.293	67	299720	9.51	PPBV	99
17) ACETONITRILE	2.380	41	104386	8.81	PPBV	99
18) ACROLEIN	2.425	56	63001	12.05	PPBV	97
19) FREON 123	2.441	83	335935	9.59	PPBV	99
20) FREON 123A	2.460	117	198834	9.81	PPBV	97
21) TRICHLOROFLUOROMETHANE	2.525	101	433507	9.84	PPBV	99
22) ISOPROPYL ALCOHOL	2.541	45	320429	9.11	PPBV	99
23) ACETONE	2.467	58	95459	8.51	PPBV	89
24) PENTANE	2.637	42	184926	9.60	PPBV	99
25) IODOMETHANE	2.692	142	402211	9.34	PPBV	96
26) 1,1-DICHLOROETHYLENE	2.718	96	169219	10.01	PPBV	93
27) CARBON DISULFIDE	2.849	76	504804	9.91	PPBV	98
28) ETHANOL	2.300	45	51854	7.49	PPBV	100
29) BROMOETHENE	2.390	106	135267	9.90	PPBV	99
30) ACRYLONITRILE	2.608	52	136889	10.30	PPBV	98
31) METHYLENE CHLORIDE	2.753	84	155840	8.30	PPBV	96
32) 3-CHLOROPROPENE	2.795	76	81726	9.42	PPBV	91
33) FREON 113	2.846	151	266325	9.34	PPBV	93
34) TRANS-1,2-DICHLOROETHENE	3.084	96	132796	9.43	PPBV	94
35) TERTIARY BUTYL ALCOHOL	2.727	59	438729	9.90	PPBV	97
36) METHYL TERTIARY BUTYL ...	3.193	73	321983	8.83	PPBV	99
37) TETRAHYDROFURAN	3.907	72	61302	9.96	PPBV	99
38) HEXANE	3.669	57	245625	9.99	PPBV	96
39) VINYL ACETATE	3.232	86	33787	9.75	PPBV	97
40) 1,1-DICHLOROETHANE	3.161	63	252887	10.03	PPBV	99
41) METHYL ETHYL KETONE	3.332	72	61135	9.75	PPBV	99
42) CIS-1,2-DICHLOROETHENE	3.537	96	141325	9.35	PPBV	96
43) DIISOPROPYL ETHER	3.672	59	73371	10.19	PPBV	81

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61142.D
Acq On : 30 Aug 2022 10:52 am
Operator : williamc
Sample : bsd
Misc : MS61607,V2w2714,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 30 11:15:56 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44)	ETHYL ACETATE	3.676	61	50773	10.07	PPBV		85
45)	METHYL ACRYLATE	3.663	55	293012	10.13	PPBV	#	99
46)	CHLOROFORM	3.692	83	291260	9.45	PPBV		99
47)	2,4-DIMETHYLPENTANE	4.200	57	282986	9.87	PPBV		99
48)	1,1,1-TRICHLOROETHANE	4.280	97	289408	9.42	PPBV		98
49)	CARBON TETRACHLORIDE	4.714	117	287710	9.45	PPBV		100
50)	1,2-DICHLOROETHANE	4.113	62	207171	9.93	PPBV		99
51)	BENZENE	4.602	78	407391	9.26	PPBV		98
53)	CYCLOHEXANE	4.814	84	179085	9.54	PPBV		95
54)	2,3-DIMETHYLPENTANE	5.074	71	89537	9.72	PPBV		89
55)	TRICHLOROETHENE	5.521	95	191781	10.18	PPBV		98
56)	1,2-DICHLOROPROPANE	5.283	63	172284	10.15	PPBV		97
57)	DIBROMOMETHANE	5.245	174	175005	9.02	PPBV		97
58)	ETHYL ACRYLATE	5.399	55	340945	10.69	PPBV		99
59)	BROMODICHLOROMETHANE	5.467	83	312642	10.05	PPBV		99
60)	2,2,4-TRIMETHYLPENTANE	5.618	57	745239	9.92	PPBV		100
61)	1,4-DIOXANE	5.531	88	88130	9.68	PPBV		97
62)	HEPTANE	5.936	43	216494	9.15	PPBV		97
63)	METHYL METHACRYLATE	5.833	69	145836	10.06	PPBV		98
64)	METHYL ISOBUTYL KETONE	6.573	58	138427	11.44	PPBV		92
65)	CIS-1,3-DICHLOROPROPENE	6.476	75	218088	9.70	PPBV		98
66)	TOLUENE	7.701	91	518681	9.68	PPBV		98
67)	1,3-DICHLOROPROPANE	7.762	76	247283	9.71	PPBV		98
68)	TRANS-1,3-DICHLOROPROPENE	7.164	75	189643	9.41	PPBV		97
69)	1,1,2-TRICHLOROETHANE	7.325	83	152973	9.74	PPBV		99
70)	2-HEXANONE	8.264	58	160983	9.55	PPBV		95
71)	ETHYL METHACRYLATE	8.402	69	227100	10.75	PPBV		99
72)	TETRACHLOROETHENE	9.447	164	196892	9.17	PPBV		97
73)	DIBROMOCHLOROMETHANE	8.245	129	324196	10.60	PPBV		99
74)	1,2-DIBROMOETHANE	8.589	107	286980	10.03	PPBV		99
75)	OCTANE	9.592	43	295370	9.30	PPBV		97
77)	1,1,1,2-TETRACHLOROETHANE	10.675	131	209181	9.55	PPBV		98
78)	CHLOROBENZENE	10.666	112	421461	9.70	PPBV		99
79)	ETHYLBENZENE	11.550	91	681212	9.84	PPBV		100
80)	M,P-XYLENE	11.978	91	1047748	19.89	PPBV		99
81)	O-XYLENE	12.923	91	532623	9.89	PPBV		98
82)	STYRENE	12.704	104	401298	10.41	PPBV		99
83)	NONANE	14.032	43	311438	9.37	PPBV		94
84)	BROMOFORM	11.794	173	279682	10.04	PPBV		98
85)	1,1,2,2-TETRACHLOROETHANE	12.926	83	392470	9.80	PPBV		100
86)	1,2,3-TRICHLOROPROPANE	13.212	75	284766	9.69	PPBV	#	100
88)	ISOPROPYLBENZENE	14.437	120	243360	10.66	PPBV		99
89)	BROMOBENZENE	14.312	77	358402	9.62	PPBV		98
90)	2-CHLOROTOLUENE	15.440	126	191388	9.98	PPBV		99
91)	N-PROPYLBENZENE	15.778	120	216143	10.31	PPBV		100
92)	4-ETHYLTOLUENE	16.148	105	790989	10.24	PPBV		99
93)	1,3,5-TRIMETHYLBENZENE	16.302	105	649608	10.07	PPBV		100
94)	ALPHA-METHYLSTYRENE	16.502	118	258118	9.52	PPBV		99
95)	TERT-BUTYLBENZENE	16.759	134	155150	9.40	PPBV		89
96)	1,2,4-TRIMETHYLBENZENE	16.768	105	679072	9.85	PPBV		100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61142.D
Acq On : 30 Aug 2022 10:52 am
Operator : williamc
Sample : bsd
Misc : MS61607,V2w2714,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 30 11:15:56 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
97)	BENZYL CHLORIDE	16.852	91	326803	7.66	PPBV	98
98)	M-DICHLOROBENZENE	16.829	146	429530	9.48	PPBV	99
99)	P-DICHLOROBENZENE	16.910	146	431518	9.40	PPBV	99
100)	O-DICHLOROBENZENE	17.206	146	414543	9.29	PPBV	99
101)	SEC-BUTYLBENZENE	17.042	134	188574	9.20	PPBV	87
102)	1,2,3-TRIMETHYLBENZENE	17.151	105	651396	9.99	PPBV	100
103)	P-ISOPROPYLTOLUENE	17.219	134	206585	9.15	PPBV	88
104)	N-BUTYLBENZENE	17.566	134	194041	9.29	PPBV	93
105)	HEXACHLOROETHANE	17.746	117	234556	9.17	PPBV	98
106)	HEXACHLOROBUTADIENE	18.791	225	292146	8.35	PPBV	100
107)	1,2,4-TRICHLOROBENZENE	18.482	180	334316	9.05	PPBV	98
108)	NAPHTHALENE	18.530	128	889655	9.43	PPBV	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


7.3.14

7

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61142.D
Acq On : 30 Aug 2022 10:52 am
Operator : williamc
Sample : bsd
Misc : MS61607,V2w2714,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 30 11:15:56 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61640.D
Acq On : 28 Sep 2022 1:44 pm
Operator : thomash
Sample : jd52482-2dup
Misc : MS62489,V2w2735,100,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Sep 29 08:14:43 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.611	128	64088	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.933	114	331949	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.589	117	281207	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.958	95	200307	10.70	PPBV		0.00
Target Compounds							Qvalue
6) DICHLORODIFLUOROMETHANE	1.901	85	3043	0.10	PPBV	#	83
7) PROPYLENE	1.875	41	4535	0.75	PPBV		91
13) N-BUTANE	2.113	43	2780	0.19	PPBV	#	95
22) ISOPROPYL ALCOHOL	2.541	45	5779	0.22	PPBV	#	91
23) ACETONE	2.470	58	5206	0.62	PPBV		86
24) PENTANE	2.634	42	1081	0.07	PPBV	#	73
28) ETHANOL	2.296	45	4419	0.85	PPBV	#	95
31) METHYLENE CHLORIDE	2.750	84	3577	0.25	PPBV		85
44) ETHYL ACETATE	3.679	61	16799	4.43	PPBV	#	1
66) TOLUENE	7.692	91	30096	0.75	PPBV		98
80) M,P-XYLENE	11.942	91	4014	0.11	PPBV	#	85

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61640.D
Acq On : 28 Sep 2022 1:44 pm
Operator : thomash
Sample : jd52482-2dup
Misc : MS62489,V2w2735,100,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Sep 29 08:14:43 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration




M2W2709.M Thu Sep 29 08:17:16 2022 GCMS2W Page: 2




#6
DICHLORODIFLUOROMETHANE
Concen: 0.10 PPBV
RT: 1.901 min Scan# 564
Delta R.T. -0.000 min
Lab File: 2w61640.D
Acq: 28 Sep 2022 1:44 pm

Tgt Ion: 85 Resp: 3043

Ion	Ratio	Lower	Upper
85	100		
87	34.3	25.9	38.9
50	0.0	14.6	21.8#







#7
PROPYLENE
Concen: 0.75 PPBV
RT: 1.875 min Scan# 556
Delta R.T. -0.004 min
Lab File: 2w61640.D
Acq: 28 Sep 2022 1:44 pm

Tgt Ion: 41 Resp: 4535

Ion	Ratio	Lower	Upper
41	100		
39	82.6	57.7	86.5
42	62.6	53.5	80.3







#13
N-BUTANE
Concen: 0.19 PPBV
RT: 2.113 min Scan# 630
Delta R.T. -0.000 min
Lab File: 2w61640.D
Acq: 28 Sep 2022 1:44 pm

Tgt Ion: 43 Resp: 2780

Ion	Ratio	Lower	Upper
43	100		
58	20.1	15.0	22.4
44	0.0	3.4	5.2#







#22
ISOPROPYL ALCOHOL
Concen: 0.22 PPBV
RT: 2.541 min Scan# 763
Delta R.T. 0.006 min
Lab File: 2w61640.D
Acq: 28 Sep 2022 1:44 pm

Tgt Ion: 45 Resp: 5779

Ion	Ratio	Lower	Upper
45	100		
43	26.1	17.8	26.6
59	0.0	3.6	5.4#







#23
ACETONE
Concen: 0.62 PPBV
RT: 2.470 min Scan# 741
Delta R.T. 0.009 min
Lab File: 2w61640.D
Acq: 28 Sep 2022 1:44 pm

Tgt Ion: 58 Resp: 5206

Ion	Ratio	Lower	Upper
58	100		
43	260.0	229.9	344.9







#24
PENTANE
Concen: 0.07 PPBV
RT: 2.634 min Scan# 792
Delta R.T. 0.003 min
Lab File: 2w61640.D
Acq: 28 Sep 2022 1:44 pm

Tgt Ion: 42 Resp: 1081

Ion	Ratio	Lower	Upper
42	100		
41	77.5	75.7	113.5
57	0.0	25.0	37.6#







#28
ETHANOL
Concen: 0.85 PPBV
RT: 2.296 min Scan# 687
Delta R.T. 0.003 min
Lab File: 2w61640.D
Acq: 28 Sep 2022 1:44 pm

Tgt Ion: 45 Resp: 4419

Ion	Ratio	Lower	Upper
45	100		
46	41.2	33.4	50.2
42	0.0	7.4	11.2#







#31
METHYLENE CHLORIDE
Concen: 0.25 PPBV
RT: 2.750 min Scan# 828
Delta R.T. 0.003 min
Lab File: 2w61640.D
Acq: 28 Sep 2022 1:44 pm

Tgt Ion: 84 Resp: 3577

Ion	Ratio	Lower	Upper
84	100		
86	60.9	51.3	76.9
49	139.9	133.3	199.9







#44
ETHYL ACETATE
Concen: 4.43 PPBV
RT: 3.679 min Scan# 1117
Delta R.T. 0.009 min
Lab File: 2w61640.D
Acq: 28 Sep 2022 1:44 pm

Tgt Ion: 61 Resp: 16799

Ion	Ratio	Lower	Upper
61	100		
43	529.7	1054.2	1581.2#
88	26.0	34.4	51.6#







#66
TOLUENE
Concen: 0.75 PPBV
RT: 7.692 min Scan# 2365
Delta R.T. -0.007 min
Lab File: 2w61640.D
Acq: 28 Sep 2022 1:44 pm

Tgt Ion: 91 Resp: 30096

Ion	Ratio	Lower	Upper
91	100		
92	57.7	39.3	79.3






#80
M,P-XYLENE
Concen: 0.11 PPBV
RT: 11.942 min Scan# 3687
Delta R.T. -0.042 min
Lab File: 2w61640.D
Acq: 28 Sep 2022 1:44 pm

Tgt Ion: 91 Resp: 4014

Ion	Ratio	Lower	Upper
91	100		
106	27.4	3.0	43.0
105	0.0	0.0	30.9



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61665.D
Acq On : 29 Sep 2022 4:48 pm
Operator : thomash
Sample : jd52620-8dup
Misc : MS62557,V2w2736,100,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Oct 03 12:37:14 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.611	128	57780	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.930	114	306465	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.585	117	254218	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.961	95	178957	10.57	PPBV		0.00
Target Compounds							Qvalue
6) DICHLORODIFLUOROMETHANE	1.907	85	3050	0.11	PPBV	#	84
11) VINYL CHLORIDE	2.046	62	57878	5.76	PPBV		99
13) N-BUTANE	2.116	43	2332	0.17	PPBV	#	54
22) ISOPROPYL ALCOHOL	2.538	45	5314	0.22	PPBV	#	93
23) ACETONE	2.467	58	9055	1.19	PPBV	#	62
24) PENTANE	2.631	42	2252	0.17	PPBV		98
26) 1,1-DICHLOROETHYLENE	2.718	96	2044	0.18	PPBV		92
28) ETHANOL	2.296	45	3908	0.83	PPBV	#	92
34) TRANS-1,2-DICHLOROETHENE	3.078	96	5721	0.60	PPBV		96
39) VINYL ACETATE	3.232	86	523	0.22	PPBV	#	85
41) METHYL ETHYL KETONE	3.351	72	523	0.12	PPBV	#	86
42) CIS-1,2-DICHLOROETHENE	3.534	96	939675	91.56	PPBV		95
44) ETHYL ACETATE	3.673	61	61834	18.07	PPBV	#	1
55) TRICHLOROETHENE	5.518	95	284218	21.88	PPBV		95
66) TOLUENE	7.701	91	15532	0.42	PPBV		99
80) M,P-XYLENE	11.929	91	3958	0.12	PPBV		95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61665.D
Acq On : 29 Sep 2022 4:48 pm
Operator : thomash
Sample : jd52620-8dup
Misc : MS62557,V2w2736,100,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Oct 03 12:37:14 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration







#6
DICHLORODIFLUOROMETHANE
Concen: 0.11 PPBV
RT: 1.907 min Scan# 566
Delta R.T. 0.006 min
Lab File: 2w61665.D
Acq: 29 Sep 2022 4:48 pm

Tgt Ion: 85 Resp: 3050

Ion	Ratio	Lower	Upper
85	100		
87	33.9	25.9	38.9
50	0.0	14.6	21.8#







#11
VINYL CHLORIDE
Concen: 5.76 PPBV
RT: 2.046 min Scan# 609
Delta R.T. 0.006 min
Lab File: 2w61665.D
Acq: 29 Sep 2022 4:48 pm

Tgt Ion: 62 Resp: 57878

Ion	Ratio	Lower	Upper
62	100		
64	32.0	25.2	37.8
61	8.6	7.0	10.4







#13
N-BUTANE
Concen: 0.17 PPBV
RT: 2.116 min Scan# 631
Delta R.T. 0.003 min
Lab File: 2w61665.D
Acq: 29 Sep 2022 4:48 pm

Tgt Ion: 43 Resp: 2332

Ion	Ratio	Lower	Upper
43	100		
58	0.0	15.0	22.4#
44	25.3	3.4	5.2#







#22
ISOPROPYL ALCOHOL
Concen: 0.22 PPBV
RT: 2.538 min Scan# 762
Delta R.T. 0.003 min
Lab File: 2w61665.D
Acq: 29 Sep 2022 4:48 pm

Tgt Ion: 45 Resp: 5314

Ion	Ratio	Lower	Upper
45	100		
43	24.7	17.8	26.6
59	0.0	3.6	5.4#







#23
ACETONE
Concen: 1.19 PPBV
RT: 2.467 min Scan# 740
Delta R.T. 0.006 min
Lab File: 2w61665.D
Acq: 29 Sep 2022 4:48 pm

Tgt Ion: 58 Resp: 9055

Ion	Ratio	Lower	Upper
58	100		
43	215.1	229.9	344.9#







#24
PENTANE
Concen: 0.17 PPBV
RT: 2.631 min Scan# 791
Delta R.T. -0.000 min
Lab File: 2w61665.D
Acq: 29 Sep 2022 4:48 pm

Tgt Ion: 42 Resp: 2252

Ion	Ratio	Lower	Upper
42	100		
41	92.5	75.7	113.5
57	31.6	25.0	37.6







#26
1,1-DICHLOROETHYLENE
Concen: 0.18 PPBV
RT: 2.718 min Scan# 818
Delta R.T. 0.006 min
Lab File: 2w61665.D
Acq: 29 Sep 2022 4:48 pm

Tgt Ion: 96 Resp: 2044

Ion	Ratio	Lower	Upper
96	100		
61	221.5	166.0	249.0
63	67.1	52.0	78.0







#28
ETHANOL
Concen: 0.83 PPBV
RT: 2.296 min Scan# 687
Delta R.T. 0.003 min
Lab File: 2w61665.D
Acq: 29 Sep 2022 4:48 pm

Tgt Ion: 45 Resp: 3908

Ion	Ratio	Lower	Upper
45	100		
46	38.8	33.4	50.2
42	0.0	7.4	11.2#







#34
TRANS-1,2-DICHLOROETHENE
Concen: 0.60 PPBV
RT: 3.078 min Scan# 930
Delta R.T. -0.000 min
Lab File: 2w61665.D
Acq: 29 Sep 2022 4:48 pm

Tgt Ion: 96 Resp: 5721

Ion	Ratio	Lower	Upper
96	100		
61	157.6	121.8	182.8
98	61.3	51.4	77.0







#39
VINYL ACETATE
Concen: 0.22 PPBV
RT: 3.232 min Scan# 978
Delta R.T. 0.003 min
Lab File: 2w61665.D
Acq: 29 Sep 2022 4:48 pm

Tgt Ion: 86 Resp: 523

Ion	Ratio	Lower	Upper
86	100		
43	1007.6	766.9	1150.3
44	0.0	41.8	62.6#







#41
METHYL ETHYL KETONE
Concen: 0.12 PPBV
RT: 3.351 min Scan# 1015
Delta R.T. 0.025 min
Lab File: 2w61665.D
Acq: 29 Sep 2022 4:48 pm

Tgt Ion: 72 Resp: 523

Ion	Ratio	Lower	Upper
72	100		
57	0.0	29.1	43.7#
43	424.9	321.0	481.4







#42
CIS-1,2-DICHLOROETHENE
Concen: 91.56 PPBV
RT: 3.534 min Scan# 1072
Delta R.T. 0.003 min
Lab File: 2w61665.D
Acq: 29 Sep 2022 4:48 pm

Tgt Ion: 96 Resp: 939675

Ion	Ratio	Lower	Upper
96	100		
98	64.3	51.0	76.6
61	146.1	109.5	164.3







#44
ETHYL ACETATE
Concen: 18.07 PPBV
RT: 3.673 min Scan# 1115
Delta R.T. 0.003 min
Lab File: 2w61665.D
Acq: 29 Sep 2022 4:48 pm

Tgt Ion: 61 Resp: 61834

Ion	Ratio	Lower	Upper
61	100		
43	519.4	1054.2	1581.2#
88	24.9	34.4	51.6#







#55
TRICHLOROETHENE
Concen: 21.88 PPBV
RT: 5.518 min Scan# 1689
Delta R.T. -0.000 min
Lab File: 2w61665.D
Acq: 29 Sep 2022 4:48 pm

Tgt Ion: 95 Resp: 284218

Ion	Ratio	Lower	Upper
95	100		
130	96.8	82.8	124.2
132	92.2	79.3	118.9
97	64.8	52.0	78.0







#66
TOLUENE
Concen: 0.42 PPBV
RT: 7.701 min Scan# 2368
Delta R.T. 0.003 min
Lab File: 2w61665.D
Acq: 29 Sep 2022 4:48 pm

Tgt Ion: 91 Resp: 15532

Ion	Ratio	Lower	Upper
91	100		
92	58.6	39.3	79.3






#80
M,P-XYLENE
Concen: 0.12 PPBV
RT: 11.929 min Scan# 3683
Delta R.T. -0.055 min
Lab File: 2w61665.D
Acq: 29 Sep 2022 4:48 pm

Tgt Ion: 91 Resp: 3958

Ion	Ratio	Lower	Upper
91	100		
106	23.5	3.0	43.0
105	16.2	0.0	30.9



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26144.D
Acq On : 29 Sep 2022 8:17 pm
Operator : thomash
Sample : jd52615-1dup
Misc : MS62556,V6W1111,100,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Sep 30 13:53:20 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.335	128	37975	10.00	PPBV	# 0.00
52) 1,4-DIFLUOROBENZENE	4.731	114	205808	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.580	117	151804	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	14.020	95	115484	10.41	PPBV	0.00
Target Compounds						Qvalue
6) DICHLORODIFLUOROMETHANE	1.731	85	1823	0.10	PPBV	# 55
13) N-BUTANE	1.879	43	77312	6.82	PPBV	# 93
17) ACETONITRILE	2.069	41	5245	0.72	PPBV	# 31
18) ACROLEIN	2.104	56	1143	0.35	PPBV	91
22) ISOPROPYL ALCOHOL	2.210	45	21437	1.38	PPBV	# 77
23) ACETONE	2.139	58	147068	40.61	PPBV	# 47
24) PENTANE	2.300	42	46637	5.35	PPBV	# 91
27) CARBON DISULFIDE	2.522	76	41852	2.06	PPBV	# 86
28) ETHANOL	2.008	45	8225	2.12	PPBV	# 95
31) METHYLENE CHLORIDE	2.426	84	2885	0.46	PPBV	# 66
35) TERTIARY BUTYL ALCOHOL	2.403	59	1887	0.13	PPBV	# 1
38) HEXANE	3.393	57	18171	1.46	PPBV	98
41) METHYL ETHYL KETONE	3.040	72	32657	10.21	PPBV	# 35
45) METHYL ACRYLATE	3.390	55	2945	0.18	PPBV	# 64
46) CHLOROFORM	3.419	83	1576	0.11	PPBV	# 83
51) BENZENE	4.380	78	12505	0.61	PPBV	81
54) 2,3-DIMETHYLPENTANE	4.876	71	1083	0.24	PPBV	# 66
62) HEPTANE	5.776	43	14630	1.17	PPBV	# 79
64) METHYL ISOBUTYL KETONE	6.490	58	1107	0.21	PPBV	# 24
66) TOLUENE	7.609	91	118616	6.07	PPBV	100
70) 2-HEXANONE	8.242	58	1258	0.19	PPBV	# 30
75) OCTANE	9.551	43	11776	0.78	PPBV	# 74
79) ETHYLBENZENE	11.567	91	5318	0.21	PPBV	94
80) M,P-XYLENE	11.946	91	3101	0.16	PPBV	# 34
83) NONANE	14.078	43	6464	0.37	PPBV	# 77


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26144.D
Acq On : 29 Sep 2022 8:17 pm
Operator : thomash
Sample : jd52615-1dup
Misc : MS62556,V6W1111,100,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Sep 30 13:53:20 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration







#6
DICHLORODIFLUOROMETHANE
Concen: 0.10 PPBV
RT: 1.731 min Scan# 511
Delta R.T. 0.001 min
Lab File: 6W26144.D
Acq: 29 Sep 2022 8:17 pm

Tgt Ion: 85 Resp: 1823

Ion	Ratio	Lower	Upper
85	100		
87	34.0	25.8	38.6
50	78.8	7.4	11.2#







#13
N-BUTANE
Concen: 6.82 PPBV
RT: 1.879 min Scan# 557
Delta R.T. 0.001 min
Lab File: 6W26144.D
Acq: 29 Sep 2022 8:17 pm

Tgt Ion: 43 Resp: 77312

Ion	Ratio	Lower	Upper
43	100		
58	13.9	14.2	21.2#
44	6.3	4.2	6.4







#17
ACETONITRILE
Concen: 0.72 PPBV
RT: 2.069 min Scan# 616
Delta R.T. 0.004 min
Lab File: 6W26144.D
Acq: 29 Sep 2022 8:17 pm

Tgt Ion: 41 Resp: 5245

Ion	Ratio	Lower	Upper
41	100		
40	37.0	41.6	62.4#
39	109.8	14.2	21.4#







#18
ACROLEIN
Concen: 0.35 PPBV
RT: 2.104 min Scan# 627
Delta R.T. 0.004 min
Lab File: 6W26144.D
Acq: 29 Sep 2022 8:17 pm

Tgt Ion: 56 Resp: 1143

Ion	Ratio	Lower	Upper
56	100		
55	77.8	56.0	84.0







#22
ISOPROPYL ALCOHOL
Concen: 1.38 PPBV
RT: 2.210 min Scan# 660
Delta R.T. 0.004 min
Lab File: 6W26144.D
Acq: 29 Sep 2022 8:17 pm

Tgt Ion: 45 Resp: 21437

Ion	Ratio	Lower	Upper
45	100		
43	32.1	15.5	23.3#
59	4.4	4.1	6.1







#23
ACETONE
Concen: 40.61 PPBV
RT: 2.139 min Scan# 638
Delta R.T. 0.004 min
Lab File: 6W26144.D
Acq: 29 Sep 2022 8:17 pm

Tgt Ion: 58 Resp: 147068

Ion	Ratio	Lower	Upper
58	100		
43	336.0	195.9	293.9#







#24
PENTANE
Concen: 5.35 PPBV
RT: 2.300 min Scan# 688
Delta R.T. 0.004 min
Lab File: 6W26144.D
Acq: 29 Sep 2022 8:17 pm

Tgt Ion: 42 Resp: 46637

Ion	Ratio	Lower	Upper
42	100		
41	93.0	69.5	104.3
57	26.3	27.4	41.0#







#27
CARBON DISULFIDE
Concen: 2.06 PPBV
RT: 2.522 min Scan# 757
Delta R.T. 0.004 min
Lab File: 6W26144.D
Acq: 29 Sep 2022 8:17 pm

Tgt Ion: 76 Resp: 41852

Ion	Ratio	Lower	Upper
76	100		
78	9.3	8.6	13.0
44	0.0	7.2	10.8#







#28
ETHANOL
Concen: 2.12 PPBV
RT: 2.008 min Scan# 597
Delta R.T. 0.001 min
Lab File: 6W26144.D
Acq: 29 Sep 2022 8:17 pm

Tgt Ion: 45 Resp: 8225

Ion	Ratio	Lower	Upper
45	100		
46	44.7	34.1	51.1
42	12.0	6.1	9.1#







#31
METHYLENE CHLORIDE
Concen: 0.46 PPBV
RT: 2.426 min Scan# 727
Delta R.T. 0.004 min
Lab File: 6W26144.D
Acq: 29 Sep 2022 8:17 pm

Tgt Ion: 84 Resp: 2885

Ion	Ratio	Lower	Upper
84	100		
86	61.9	50.9	76.3
49	151.6	78.6	118.0#







#35
TERTIARY BUTYL ALCOHOL
Concen: 0.13 PPBV
RT: 2.403 min Scan# 720
Delta R.T. 0.007 min
Lab File: 6W26144.D
Acq: 29 Sep 2022 8:17 pm

Tgt Ion: 59 Resp: 1887

Ion	Ratio	Lower	Upper
59	100		
41	107.0	29.9	44.9#
43	127.5	8.9	13.3#







#38
HEXANE
Concen: 1.46 PPBV
RT: 3.393 min Scan# 1028
Delta R.T. 0.004 min
Lab File: 6W26144.D
Acq: 29 Sep 2022 8:17 pm

Tgt Ion: 57 Resp: 18171

Ion	Ratio	Lower	Upper
57	100		
56	53.6	42.0	63.0
41	81.2	66.2	99.2







#41
METHYL ETHYL KETONE
Concen: 10.21 PPBV
RT: 3.040 min Scan# 918
Delta R.T. 0.004 min
Lab File: 6W26144.D
Acq: 29 Sep 2022 8:17 pm

Tgt Ion: 72 Resp: 32657

Ion	Ratio	Lower	Upper
72	100		
57	34.1	22.2	33.4#
43	456.4	252.6	378.8#







#45
METHYL ACRYLATE
Concen: 0.18 PPBV
RT: 3.390 min Scan# 1027
Delta R.T. 0.001 min
Lab File: 6W26144.D
Acq: 29 Sep 2022 8:17 pm

Tgt Ion: 55 Resp: 2945

Ion	Ratio	Lower	Upper
55	100		
85	0.0	0.0	0.0
58	29.2	11.7	17.5#







#46
CHLOROFORM
Concen: 0.11 PPBV
RT: 3.419 min Scan# 1036
Delta R.T. 0.001 min
Lab File: 6W26144.D
Acq: 29 Sep 2022 8:17 pm

Tgt Ion: 83 Resp: 1576

Ion	Ratio	Lower	Upper
83	100		
85	70.4	64.2	96.4
47	38.2	15.2	22.8#







#51
BENZENE
Concen: 0.61 PPBV
RT: 4.380 min Scan# 1335
Delta R.T. 0.001 min
Lab File: 6W26144.D
Acq: 29 Sep 2022 8:17 pm

Tgt Ion: 78 Resp: 12505

Ion	Ratio	Lower	Upper
78	100		
52	19.0	0.0	34.0
51	24.0	0.0	33.5







#54
2,3-DIMETHYLPENTANE
Concen: 0.24 PPBV
RT: 4.876 min Scan# 1489
Delta R.T. 0.001 min
Lab File: 6W26144.D
Acq: 29 Sep 2022 8:17 pm

Tgt Ion: 71 Resp: 1083

Ion	Ratio	Lower	Upper
71	100		
56	293.0	188.6	283.0#
85	0.0	13.4	20.0#







#62
HEPTANE
Concen: 1.17 PPBV
RT: 5.776 min Scan# 1769
Delta R.T. 0.001 min
Lab File: 6W26144.D
Acq: 29 Sep 2022 8:17 pm

Tgt Ion: 43 Resp: 14630

Ion	Ratio	Lower	Upper
43	100		
71	51.6	60.6	90.8#
57	52.4	50.2	75.4







#64
METHYL ISOBUTYL KETONE
Concen: 0.21 PPBV
RT: 6.490 min Scan# 1991
Delta R.T. 0.020 min
Lab File: 6W26144.D
Acq: 29 Sep 2022 8:17 pm

Tgt Ion: 58 Resp: 1107

Ion	Ratio	Lower	Upper
58	100		
43	334.4	168.2	252.4#
100	0.0	33.6	50.4#
85	0.0	36.7	55.1#







#66
TOLUENE
Concen: 6.07 PPBV
RT: 7.609 min Scan# 2339
Delta R.T. -0.003 min
Lab File: 6W26144.D
Acq: 29 Sep 2022 8:17 pm

Tgt Ion: 91 Resp: 118616

Ion	Ratio	Lower	Upper
91	100		
92	59.1	38.9	78.9







#70
2-HEXANONE
Concen: 0.19 PPBV
RT: 8.242 min Scan# 2536
Delta R.T. 0.017 min
Lab File: 6W26144.D
Acq: 29 Sep 2022 8:17 pm

Tgt Ion: 58 Resp: 1258

Ion	Ratio	Lower	Upper
58	100		
43	244.6	120.6	181.0#
100	0.0	19.3	28.9#







#75
OCTANE
Concen: 0.78 PPBV
RT: 9.551 min Scan# 2943
Delta R.T. -0.006 min
Lab File: 6W26144.D
Acq: 29 Sep 2022 8:17 pm

Tgt Ion: 43 Resp: 11776

Ion	Ratio	Lower	Upper
43	100		
85	35.1	49.8	74.8#
57	39.0	38.8	58.2







#79
ETHYLBENZENE
Concen: 0.21 PPBV
RT: 11.567 min Scan# 3570
Delta R.T. -0.003 min
Lab File: 6W26144.D
Acq: 29 Sep 2022 8:17 pm

Tgt Ion: 91 Resp: 5318

Ion	Ratio	Lower	Upper
91	100		
106	28.1	11.7	51.7







#80
M,P-XYLENE
Concen: 0.16 PPBV
RT: 11.946 min Scan# 3688
Delta R.T. -0.061 min
Lab File: 6W26144.D
Acq: 29 Sep 2022 8:17 pm

Tgt Ion: 91 Resp: 3101

Ion	Ratio	Lower	Upper
91	100		
106	0.0	31.5	71.5#
105	0.0	3.6	43.6#






#83
NONANE
Concen: 0.37 PPBV
RT: 14.078 min Scan# 4351
Delta R.T. -0.009 min
Lab File: 6W26144.D
Acq: 29 Sep 2022 8:17 pm

Tgt Ion: 43 Resp: 6464

Ion	Ratio	Lower	Upper
43	100		
85	29.4	37.8	56.6#
57	85.8	87.0	130.4#



Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 10/03/22 20:41

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61697.D
Acq On : 30 Sep 2022 3:37 pm
Operator : thomash
Sample : jd52638-1dup
Misc : MS62567,V2w2737,400,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Oct 03 14:57:55 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.615	128	67402	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.930	114	351783	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.585	117	302699	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.958	95	217383	10.79	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.849	65	561	0.10	PPBV	#	100
4) CHLORODIFLUOROMETHANE	1.869	67	1619	0.64	PPBV		93
6) DICHLORODIFLUOROMETHANE	1.904	85	14051	0.42	PPBV	#	94
10) CHLOROMETHANE	1.959	52	2141	0.63	PPBV		95
13) N-BUTANE	2.113	43	40235	2.55	PPBV	#	95
17) ACETONITRILE	2.383	41	1695	0.18	PPBV	#	64
18) ACROLEIN	2.428	56	3942	0.95	PPBV		95
21) TRICHLOROFLUOROMETHANE	2.525	101	11476	0.33	PPBV		94
22) ISOPROPYL ALCOHOL	2.541	45	12181	0.44	PPBV	#	83
23) ACETONE	2.467	58	73197	8.24	PPBV		86
24) PENTANE	2.634	42	16161	1.06	PPBV		96
28) ETHANOL	2.296	45	6992	1.28	PPBV		99
31) METHYLENE CHLORIDE	2.756	84	9860	0.66	PPBV		89
35) TERTIARY BUTYL ALCOHOL	2.727	59	6338	0.18	PPBV	#	46
38) HEXANE	3.669	57	10562	0.54	PPBV	#	73
39) VINYL ACETATE	3.226	86	3046	1.11	PPBV	#	95
41) METHYL ETHYL KETONE	3.335	72	3929	0.79	PPBV		93
44) ETHYL ACETATE	3.682	61	493m	0.12	PPBV		
51) BENZENE	4.602	78	6867	0.20	PPBV		98
53) CYCLOHEXANE	4.817	84	1322	0.09	PPBV	#	80
55) TRICHLOROETHENE	5.515	95	738	0.05	PPBV		96
60) 2,2,4-TRIMETHYLPENTANE	5.611	57	10331	0.17	PPBV		98
62) HEPTANE	5.946	43	2322	0.12	PPBV		94
64) METHYL ISOBUTYL KETONE	6.582	58	2902	0.30	PPBV	#	91
66) TOLUENE	7.698	91	28271	0.67	PPBV		100
70) 2-HEXANONE	8.277	58	571	0.35	PPBV	#	1
79) ETHYLBENZENE	11.560	91	7274	0.14	PPBV		97
80) M,P-XYLENE	11.929	91	16033	0.41	PPBV	#	61
81) O-XYLENE	12.910	91	6771	0.17	PPBV	#	80
82) STYRENE	12.701	104	3289	0.11	PPBV		95
96) 1,2,4-TRIMETHYLBENZENE	16.762	105	4887	0.09	PPBV	#	32


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61697.D
Acq On : 30 Sep 2022 3:37 pm
Operator : thomash
Sample : jd52638-1dup
Misc : MS62567,V2w2737,400,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Oct 03 14:57:55 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration







#3
FREON 152A
Concen: 0.10 PPBV
RT: 1.849 min Scan# 548
Delta R.T. -0.001 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion: 65 Resp: 561

Ion	Ratio	Lower	Upper
65	100		
45	0.0	0.0	0.0







#4
CHLORODIFLUOROMETHANE
Concen: 0.64 PPBV
RT: 1.869 min Scan# 554
Delta R.T. 0.003 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion: 67 Resp: 1619

Ion	Ratio	Lower	Upper
67	100		
69	38.1	27.4	41.0







#6
DICHLORODIFLUOROMETHANE
Concen: 0.42 PPBV
RT: 1.904 min Scan# 565
Delta R.T. 0.003 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion: 85 Resp: 14051

Ion	Ratio	Lower	Upper
85	100		
87	34.8	25.9	38.9
50	14.2	14.6	21.8#







#10
CHLOROMETHANE
Concen: 0.63 PPBV
RT: 1.959 min Scan# 582
Delta R.T. -0.004 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion: 52 Resp: 2141

Ion	Ratio	Lower	Upper
52	100		
50	301.0	249.6	374.4







#13
N-BUTANE
Concen: 2.55 PPBV
RT: 2.113 min Scan# 630
Delta R.T. -0.000 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion: 43 Resp: 40235

Ion	Ratio	Lower	Upper
43	100		
58	20.9	15.0	22.4
44	5.3	3.4	5.2#







#17
ACETONITRILE
Concen: 0.18 PPBV
RT: 2.383 min Scan# 714
Delta R.T. 0.009 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion: 41 Resp: 1695

Ion	Ratio	Lower	Upper
41	100		
40	77.3	42.9	64.3#
39	0.0	15.5	23.3#







#18
ACROLEIN
Concen: 0.95 PPBV
RT: 2.428 min Scan# 728
Delta R.T. 0.009 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion: 56 Resp: 3942

Ion	Ratio	Lower	Upper
56	100		
55	67.0	56.9	85.3







#21
TRICHLOROFLUOROMETHANE
Concen: 0.33 PPBV
RT: 2.525 min Scan# 758
Delta R.T. 0.006 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion:101 Resp: 11476

Ion	Ratio	Lower	Upper
101	100		
103	70.4	52.1	78.1
105	11.2	8.3	12.5







#22
ISOPROPYL ALCOHOL
Concen: 0.44 PPBV
RT: 2.541 min Scan# 763
Delta R.T. 0.006 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion: 45 Resp: 12181

Ion	Ratio	Lower	Upper
45	100		
43	31.7	17.8	26.6#
59	4.6	3.6	5.4







#23
ACETONE
Concen: 8.24 PPBV
RT: 2.467 min Scan# 740
Delta R.T. 0.006 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion: 58 Resp: 73197

Ion	Ratio	Lower	Upper
58	100		
43	261.2	229.9	344.9







#24
PENTANE
Concen: 1.06 PPBV
RT: 2.634 min Scan# 792
Delta R.T. 0.003 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion: 42 Resp: 16161

Ion	Ratio	Lower	Upper
42	100		
41	97.4	75.7	113.5
57	35.6	25.0	37.6







#28
ETHANOL
Concen: 1.28 PPBV
RT: 2.296 min Scan# 687
Delta R.T. 0.003 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion: 45 Resp: 6992

Ion	Ratio	Lower	Upper
45	100		
46	41.4	33.4	50.2
42	9.5	7.4	11.2







#31
METHYLENE CHLORIDE
Concen: 0.66 PPBV
RT: 2.756 min Scan# 830
Delta R.T. 0.009 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion: 84 Resp: 9860

Ion	Ratio	Lower	Upper
84	100		
86	62.5	51.3	76.9
49	146.3	133.3	199.9







#35
TERTIARY BUTYL ALCOHOL
Concen: 0.18 PPBV
RT: 2.727 min Scan# 821
Delta R.T. 0.006 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion: 59 Resp: 6338

Ion	Ratio	Lower	Upper
59	100		
41	40.3	18.3	27.5#
43	48.5	11.8	17.6#







#38
HEXANE
Concen: 0.54 PPBV
RT: 3.669 min Scan# 1114
Delta R.T. 0.006 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion: 57 Resp: 10562

Ion	Ratio	Lower	Upper
57	100		
56	53.5	42.2	63.2
41	59.0	79.4	119.2#







#39
VINYL ACETATE
Concen: 1.11 PPBV
RT: 3.226 min Scan# 976
Delta R.T. -0.004 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion: 86 Resp: 3046

Ion	Ratio	Lower	Upper
86	100		
43	975.9	766.9	1150.3
44	35.3	41.8	62.6#







#41
METHYL ETHYL KETONE
Concen: 0.79 PPBV
RT: 3.335 min Scan# 1010
Delta R.T. 0.009 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion: 72 Resp: 3929

Ion	Ratio	Lower	Upper
72	100		
57	39.3	29.1	43.7
43	385.4	321.0	481.4







#44
ETHYL ACETATE
Concen: 0.12 PPBV m
RT: 3.682 min Scan# 1118
Delta R.T. 0.013 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion: 61 Resp: 493

Ion	Ratio	Lower	Upper
61	100		
43	0.0	1054.2	1581.2#
88	0.0	34.4	51.6#







#51
BENZENE
Concen: 0.20 PPBV
RT: 4.602 min Scan# 1404
Delta R.T. 0.006 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion: 78 Resp: 6867

Ion	Ratio	Lower	Upper
78	100		
52	17.9	0.0	37.3
51	20.1	0.0	38.9







#53
CYCLOHEXANE
Concen: 0.09 PPBV
RT: 4.817 min Scan# 1471
Delta R.T. 0.006 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion: 84 Resp: 1322

Ion	Ratio	Lower	Upper
84	100		
69	43.2	26.0	39.0#
56	145.8	98.7	148.1







#55
TRICHLOROETHENE
Concen: 0.05 PPBV
RT: 5.515 min Scan# 1688
Delta R.T. -0.004 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion: 95 Resp: 738

Ion	Ratio	Lower	Upper
95	100		
130	102.8	82.8	124.2
132	90.4	79.3	118.9
97	67.9	52.0	78.0







#60
2,2,4-TRIMETHYLPENTANE
Concen: 0.17 PPBV
RT: 5.611 min Scan# 1718
Delta R.T. -0.000 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion: 57 Resp: 10331

Ion	Ratio	Lower	Upper
57	100		
56	34.6	26.5	39.7
99	6.1	4.6	7.0







#62
HEPTANE
Concen: 0.12 PPBV
RT: 5.946 min Scan# 1822
Delta R.T. 0.013 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion: 43 Resp: 2322

Ion	Ratio	Lower	Upper
43	100		
71	59.6	51.8	77.8
57	59.4	51.0	76.4







#64
METHYL ISOBUTYL KETONE
Concen: 0.30 PPBV
RT: 6.582 min Scan# 2020
Delta R.T. 0.013 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion: 58 Resp: 2902

Ion	Ratio	Lower	Upper
58	100		
43	213.6	181.0	271.4
100	28.7	29.7	44.5#
85	32.7	32.3	48.5







#66
TOLUENE
Concen: 0.67 PPBV
RT: 7.698 min Scan# 2367
Delta R.T. -0.000 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion: 91 Resp: 28271

Ion	Ratio	Lower	Upper
91	100		
92	59.4	39.3	79.3







#70
2-HEXANONE
Concen: 0.35 PPBV
RT: 8.277 min Scan# 2547
Delta R.T. 0.016 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion: 58 Resp: 571

Ion	Ratio	Lower	Upper
58	100		
43	367.1	131.0	196.4#
100	0.0	17.0	25.4#







#79
ETHYLBENZENE
Concen: 0.14 PPBV
RT: 11.560 min Scan# 3568
Delta R.T. 0.009 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion: 91 Resp: 7274

Ion	Ratio	Lower	Upper
91	100		
106	29.6	11.5	51.5







#80
M,P-XYLENE
Concen: 0.41 PPBV
RT: 11.929 min Scan# 3683
Delta R.T. -0.055 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion: 91 Resp: 16033

Ion	Ratio	Lower	Upper
91	100		
106	48.3	3.0	43.0#
105	14.7	0.0	30.9







#81
O-XYLENE
Concen: 0.17 PPBV
RT: 12.910 min Scan# 3988
Delta R.T. -0.010 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion: 91 Resp: 6771

Ion	Ratio	Lower	Upper
91	100		
106	34.3	39.3	58.9#
105	26.0	15.0	22.4#







#82
STYRENE
Concen: 0.11 PPBV
RT: 12.701 min Scan# 3923
Delta R.T. -0.004 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion:104 Resp: 3289

Ion	Ratio	Lower	Upper
104	100		
78	41.0	32.3	48.5
103	52.6	37.7	56.5






#96
1,2,4-TRIMETHYLBENZENE
Concen: 0.09 PPBV
RT: 16.762 min Scan# 5186
Delta R.T. -0.007 min
Lab File: 2w61697.D
Acq: 30 Sep 2022 3:37 pm

Tgt Ion:105 Resp: 4887

Ion	Ratio	Lower	Upper
105	100		
120	40.3	44.1	66.1#
119	11.0	85.4	128.0#



Manual Integration Approval Summary


Sample Number: JD52638-1DUP
Lab FileID: 2W61697.D
Injection Time: 09/30/22 15:37
Method: TO-15
Analyst approved: 10/03/22 15:02 Thomas Hilbig
Supervisor approved: 10/03/22 20:41 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Ethyl Acetate	141-78-6		3.68	Missed peak


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61697.D
Acq On : 30 Sep 2022 3:37 pm
Operator : thomash
Sample : jd52638-1dup
Misc : MS62567,V2w2737,400,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Oct 03 06:47:48 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration







TIC: 2w61697.D\data.ms

(44) ETHYL ACETATE (T)

3.541min (-0.129) 0.16PPBV


response 625


Ion	Exp%	Act%
61.10	100	100
43.10	1317.70	0.00#
88.10	43.00	0.00#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61697.D
Acq On : 30 Sep 2022 3:37 pm
Operator : thomash
Sample : jd52638-1dup
Misc : MS62567,V2w2737,400,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Oct 03 06:47:48 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration







TIC: 2w61697.D\data.ms

(44) ETHYL ACETATE (T)

3.682min (+0.013) 0.12PPBV m

response 493

Ion	Exp%	Act%
61.10	100	100
43.10	1317.70	0.00#
88.10	43.00	0.00#
0.00	0.00	0.00

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w59315.D
Acq On : 15 May 2022 2:37 am
Operator : thomash
Sample : scc,cp11732(a236)
Misc : MS57951,V2w2637,,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: May 15 09:21:51 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:46:06 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.470	128	356412	10.00	PPBV	# 0.00
52) 1,4-DIFLUOROBENZENE	4.849	114	1922318	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.634	117	1676349	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	14.048	95	1166906	9.60	PPBV	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w59315.D
Acq On : 15 May 2022 2:37 am
Operator : thomash
Sample : scc,cp11732(a236)
Misc : MS57951,V2w2637,,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: May 15 09:21:51 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:46:06 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61037.D
Acq On : 25 Aug 2022 4:06 am
Operator : thomash
Sample : scc(a497),cp11848
Misc : MS61038,V2w2710,100,,,,1
ALS Vial : 12 Sample Multiplier: 1

Quant Time: Aug 25 21:33:17 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.609	128	63078	10.00	PPBV	0.00
52) 1,4-DIFLUOROBENZENE	4.927	114	344220	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.583	117	306814	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	13.959	95	196986	9.64	PPBV	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61037.D
Acq On : 25 Aug 2022 4:06 am
Operator : thomash
Sample : scc(a497),cp11848
Misc : MS61038,V2w2710,100,,,,1
ALS Vial : 12 Sample Multiplier: 1

Quant Time: Aug 25 21:33:17 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61172.D
Acq On : 31 Aug 2022 5:16 am
Operator : williamc
Sample : scc(a1564),cp11860
Misc : MS61582,V2w2714,100,,,,1
ALS Vial : 12 Sample Multiplier: 1

Quant Time: Sep 07 22:26:16 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.614	128	82868	10.00	PPBV	0.00
52) 1,4-DIFLUOROBENZENE	4.933	114	455430	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.585	117	384298	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	13.958	95	240405	9.40	PPBV	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61172.D
Acq On : 31 Aug 2022 5:16 am
Operator : williamc
Sample : scc(a1564),cp11860
Misc : MS61582,V2w2714,100,,,,1
ALS Vial : 12 Sample Multiplier: 1


Quant Time: Sep 07 22:26:16 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration




BFB

Data File : C:\msdchem\1\DATA\2w58805.D Vial: 1
Acq On : 26 Apr 2022 12:38 pm Operator: thomash
Sample : bfb Inst : MS2W
Misc : MS56823,V2w2619,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\METHODS\M2W2619.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um





AutoFind: Scans 4341, 4342, 4343; Background Corrected with Scan 4310

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	25.4	89760	PASS
75	95	30	66	48.8	172117	PASS
95	95	100	100	100.0	352832	PASS
96	95	5	9	6.6	23155	PASS
173	174	0.00	2	0.9	2236	PASS
174	95	50	120	70.7	249621	PASS
175	174	4	9	7.0	17403	PASS
176	174	93	101	97.3	242859	PASS
177	176	5	9	6.4	15610	PASS

2w58805.D M2W2619.M Wed Apr 27 10:37:34 2022 GCMS2W

Average of 14.045 to 14.052 min.: 2w58805.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.05	3466	48.05	2358	60.00	3437	72.05	1823
37.10	20488	49.05	18968	61.00	18763	73.05	14557
38.10	18429	50.10	89760	62.05	16736	74.05	55685
39.10	6989	51.10	27576	63.05	13162	75.10	172117
40.00	344	52.05	1308	64.05	1096	76.05	14601
41.90	26	53.00	48	64.90	29	77.00	2186
43.05	184	55.00	1129	67.10	821	78.00	1429
44.00	1998	56.00	6175	68.05	33989	78.90	8689
45.05	4150	57.05	11064	69.05	34163	79.95	2545
46.15	224	58.00	506	70.05	2419	80.90	9116
47.00	6503	58.85	91	71.00	79	81.95	1808

Average of 14.045 to 14.052 min.: 2w58805.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
82.85	294	96.95	650	113.00	161	125.00	33
84.30	31	102.80	167	114.90	310	125.85	132
85.90	327	103.90	1393	115.90	1027	126.80	155
87.00	14897	104.90	418	116.95	2080	127.95	1244
88.00	13799	105.90	1629	117.90	1245	128.90	662
90.95	1446	106.80	183	118.90	1687	129.90	1325
92.00	10434	107.00	108	119.70	35	130.80	140
93.00	14124	109.70	40	121.80	20	131.00	355
94.00	39792	109.90	95	122.00	17	133.70	37
95.10	352832	110.90	232	122.90	106	133.90	49
96.10	23155	111.85	172	123.85	177	134.80	129


Average of 14.045 to 14.052 min.: 2w58805.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
134.95	462	146.95	230	156.90	460	171.15	192
135.80	50	147.85	677	157.85	73	171.85	245
136.90	604	148.80	234	158.90	414	173.05	2236
138.95	128	149.85	376	160.85	372	174.00	249621
139.90	173	151.70	35	168.50	17	175.00	17403
140.95	3126	151.85	64	169.55	79	176.00	242859
141.85	527	152.85	139	169.80	48	177.00	15610
142.90	3630	153.70	60	170.00	42	177.90	362
143.85	224	153.95	133	170.20	35		
144.90	292	154.90	766	170.45	89		
145.90	373	155.90	102	170.70	60		

BFB

Data File : C:\msdchem\1\DATA\2w59296.D Vial: 1
Acq On : 14 May 2022 2:24 pm Operator: thomash
Sample : bfb Inst : MS2W
Misc : MS58854,V2w2637,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\METHODS\M2W2619.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um



AutoFind: Scans 4342, 4343, 4344; Background Corrected with Scan 4308

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	31.2	126685	PASS
75	95	30	66	53.9	218880	PASS
95	95	100	100	100.0	406336	PASS
96	95	5	9	6.4	26051	PASS
173	174	0.00	2	0.2	681	PASS
174	95	50	120	71.5	290688	PASS
175	174	4	9	7.0	20408	PASS
176	174	93	101	95.4	277376	PASS
177	176	5	9	6.2	17256	PASS

2w59296.D M2W2619.M Sat May 14 18:51:30 2022 GCMS2W

Average of 14.048 to 14.055 min.: 2w59296.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.05	5519	48.00	3720	58.05	502	69.05	43387
37.05	29619	49.00	27736	58.85	76	70.05	3006
38.10	25455	50.05	126685	60.00	5474	70.80	51
39.10	10401	51.05	37765	61.00	25221	71.05	164
39.90	285	52.05	1775	62.05	24264	72.05	2790
41.05	55	53.10	24	63.00	18176	73.00	19792
42.95	349	54.00	20	64.00	1565	74.05	72805
44.00	3664	55.00	1602	65.10	155	75.10	218880
45.05	5119	56.00	8621	65.80	22	76.05	17693
46.05	421	57.00	16691	67.05	1117	77.05	1838
47.05	8557	57.90	226	68.00	43765	77.95	1377

Average of 14.048 to 14.055 min.: 2w59296.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
78.95	13590	92.00	12606	109.80	278	121.90	37
79.95	3739	93.00	17821	110.85	380	122.90	190
80.95	13926	94.05	50227	111.85	239	123.90	207
81.95	2851	95.05	406336	112.90	399	124.75	67
82.95	323	96.05	26051	114.95	482	125.95	136
84.20	34	97.00	670	115.90	1710	127.05	103
85.00	28	102.95	197	116.90	2816	127.90	1440
85.95	473	103.90	1934	117.80	442	128.85	648
87.00	14889	104.90	611	117.95	931	129.90	1613
88.00	14988	105.90	2082	118.95	2448	130.95	481
90.95	1686	106.85	422	119.90	38	131.60	18

Average of 14.048 to 14.055 min.: 2w59296.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
131.95	101	141.85	570	152.10	43	162.00	29
133.80	126	142.95	4814	152.85	266	167.00	19
134.00	21	143.85	313	153.40	28	167.40	22
134.85	834	144.95	345	153.95	171	169.25	162
135.85	104	145.85	500	154.90	992	169.95	96
136.90	760	146.80	186	155.90	17	170.65	203
137.80	32	147.00	63	156.90	640	171.00	85
138.75	154	147.90	910	157.80	33	171.20	97
139.70	83	148.85	298	158.95	473	172.00	544
139.95	294	149.95	357	160.80	135	172.90	681
140.95	4758	151.75	131	160.95	386	174.00	290688


Average of 14.048 to 14.055 min.: 2w59296.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
175.00	20408						
176.00	277376						
177.00	17256						
177.95	445						

BFB

Data File : C:\msdchem\1\DATA\2w61009.D Vial: 1
Acq On : 19 Aug 2022 10:50 am Operator: thomash
Sample : bfb Inst : MS2W
Misc : MS61038,V2w2709,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\METHODS\M2W2709.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um



AutoFind: Scans 4313, 4314, 4315; Background Corrected with Scan 4286

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	21.8	14581	PASS
75	95	30	66	49.2	32835	PASS
95	95	100	100	100.0	66739	PASS
96	95	5	9	6.6	4420	PASS
173	174	0.00	2	0.4	243	PASS
174	95	50	120	82.7	55160	PASS
175	174	4	9	7.2	3990	PASS
176	174	93	101	96.0	52933	PASS
177	176	5	9	6.2	3276	PASS

2w61009.D M2W2709.M Tue Aug 23 16:19:20 2022 GCMS2W

Average of 13.956 to 13.962 min.: 2w61009.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.00	578	48.05	213	61.00	3481	74.00	11483
37.00	3714	49.00	2974	62.00	3460	75.00	32835
38.00	3419	50.00	14581	63.00	2789	76.00	2792
38.95	1240	51.00	4347	64.00	310	76.90	416
39.95	125	51.95	182	66.90	83	77.90	258
42.90	19	54.85	178	67.05	109	78.90	2812
43.95	460	56.00	1314	68.00	6776	79.85	677
45.00	688	57.00	2197	69.00	6765	80.90	2829
46.05	87	57.90	30	69.95	567	81.85	556
46.95	704	59.90	391	71.95	382	82.75	38
47.80	138	60.10	175	73.00	2909	85.90	46

Average of 13.956 to 13.962 min.: 2w61009.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
86.95	2619	105.80	406	123.70	61	140.80	916
87.95	2548	106.95	55	125.85	48	141.85	76
90.90	291	111.00	55	127.70	69	142.85	878
91.95	2050	111.85	93	127.90	157	145.85	64
92.95	2901	112.85	61	128.85	85	147.85	119
94.00	7777	114.80	72	129.75	262	148.85	50
95.00	66739	115.80	241	130.80	85	149.80	61
96.00	4420	116.85	577	134.80	152	152.70	19
96.95	137	117.70	134	136.85	137	152.95	47
103.85	336	117.90	130	139.50	18	154.70	64
104.75	80	118.85	324	139.90	51	154.85	119


Average of 13.956 to 13.962 min.: 2w61009.D\data.ms
bfb
Modified:subtracted


m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
156.80	103						
158.75	79						
160.80	34						
172.90	243						
173.90	55160						
174.90	3990						
175.90	52933						
176.90	3276						
177.90	94						

BFB

Data File : C:\msdchem\1\DATA\2w61023.D Vial: 1
Acq On : 24 Aug 2022 7:28 pm Operator: thomash
Sample : bfb Inst : MS2W
Misc : MS61038,V2w2710,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\METHODS\M2W2709.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um





AutoFind: Scans 4312, 4313, 4314; Background Corrected with Scan 4284

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	21.1	15873	PASS
75	95	30	66	48.0	36171	PASS
95	95	100	100	100.0	75325	PASS
96	95	5	9	6.4	4799	PASS
173	174	0.00	2	0.4	243	PASS
174	95	50	120	85.1	64109	PASS
175	174	4	9	7.1	4578	PASS
176	174	93	101	96.3	61741	PASS
177	176	5	9	6.5	4021	PASS

2w61023.D M2W2709.M Thu Aug 25 20:25:28 2022 GCMS2W

Average of 13.952 to 13.959 min.: 2w61023.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
35.95	637	49.00	3211	63.00	2971	76.95	375
37.00	3955	50.00	15873	64.00	316	77.85	296
38.00	3514	51.00	4675	66.90	175	78.90	3025
39.00	1222	51.85	167	68.00	7598	79.90	752
39.90	9	54.95	253	69.00	7205	80.85	2966
43.05	56	56.00	1242	70.00	593	81.90	561
43.95	557	57.00	2585	71.90	370	82.85	97
45.00	717	57.90	82	72.95	3441	85.85	115
46.20	25	60.00	748	74.00	12893	86.90	3290
46.95	729	61.00	4003	75.00	36171	87.90	2892
47.85	473	62.00	3648	76.00	3122	90.85	251

Average of 13.952 to 13.959 min.: 2w61023.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
91.95	2141	109.80	40	127.85	238	145.70	76
92.95	3178	110.70	58	128.75	147	146.75	44
93.95	9004	110.90	37	129.75	267	147.80	188
95.00	75325	111.60	28	130.75	152	148.60	26
96.00	4799	114.85	75	134.70	42	148.85	73
96.90	35	115.70	195	134.90	121	149.75	55
97.05	148	115.90	101	136.70	41	154.85	239
103.80	353	116.80	554	136.85	74	156.80	134
104.85	110	117.80	382	140.85	853	158.85	87
105.85	401	118.80	480	141.75	117	160.85	83
106.75	102	125.80	19	142.90	934	172.70	62


Average of 13.952 to 13.959 min.: 2w61023.D\data.ms
bfb
Modified:subtracted


m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
172.90	243						
173.90	64109						
174.85	4578						
175.90	61741						
176.90	4021						
177.70	77						

BFB

Data File : C:\msdchem\1\DATA\2w61139.D Vial: 1
Acq On : 30 Aug 2022 8:49 am Operator: williamc
Sample : bfb Inst : MS2W
Misc : MS61607,V2w2714,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\METHODS\M2W2709.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um





AutoFind: Scans 4312, 4313, 4314; Background Corrected with Scan 4282

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	22.9	16722	PASS
75	95	30	66	50.6	36933	PASS
95	95	100	100	100.0	73021	PASS
96	95	5	9	6.0	4398	PASS
173	174	0.00	2	0.4	245	PASS
174	95	50	120	81.8	59720	PASS
175	174	4	9	6.9	4107	PASS
176	174	93	101	99.4	59349	PASS
177	176	5	9	5.8	3464	PASS

2w61139.D M2W2709.M Thu Sep 01 10:48:17 2022 GCMS2W

Average of 13.952 to 13.958 min.: 2w61139.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
35.95	685	47.05	696	60.95	4049	72.95	3078
37.00	4262	47.95	429	62.00	4190	74.00	12747
38.05	3714	49.00	3613	63.00	3225	75.00	36933
39.00	1402	50.00	16722	63.90	335	75.95	3209
40.80	18	51.00	5111	66.90	142	76.90	449
42.80	99	52.05	139	67.10	45	77.75	206
43.10	18	54.85	249	67.95	7397	78.10	132
43.95	763	55.95	1508	69.00	7825	78.85	3205
44.95	802	57.00	2641	69.95	750	79.85	884
45.90	31	57.90	115	70.90	46	80.90	3636
46.10	41	59.95	775	71.95	439	81.85	720

Average of 13.952 to 13.958 min.: 2w61139.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
82.90	74	103.85	410	116.85	530	140.80	751
85.75	48	104.70	64	117.85	405	141.70	57
86.90	3188	104.90	60	118.80	446	142.85	1142
87.90	2978	105.85	442	127.85	342	143.85	83
90.85	306	106.70	86	128.75	71	144.70	72
91.95	2229	110.80	54	129.75	375	145.80	186
92.95	3119	111.60	32	130.80	77	146.50	45
94.00	9046	112.70	26	134.80	109	147.80	208
95.00	73021	112.90	20	135.10	31	149.70	67
95.95	4398	114.70	49	136.85	120	153.05	45
97.00	139	115.75	279	139.80	47	154.80	242


Average of 13.952 to 13.958 min.: 2w61139.D\data.ms
bfb
Modified:subtracted


m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
155.70	51	177.90	51				
156.85	157						
158.80	142						
160.80	101						
172.70	245						
172.90	117						
173.90	59720						
174.90	4107						
175.90	59349						
176.90	3464						
177.70	72						

BFB

Data File : C:\msdchem\1\DATA\2w61632.D Vial: 1
Acq On : 28 Sep 2022 7:23 am Operator: thomash
Sample : bfb Inst : MS2W
Misc : MS62371,V2w2735,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\METHODS\M2W2709.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um





AutoFind: Scans 4313, 4314, 4315; Background Corrected with Scan 4286

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	20.9	14046	PASS
75	95	30	66	51.1	34277	PASS
95	95	100	100	100.0	67136	PASS
96	95	5	9	6.2	4157	PASS
173	174	0.00	2	0.6	310	PASS
174	95	50	120	83.3	55933	PASS
175	174	4	9	7.0	3892	PASS
176	174	93	101	93.6	52349	PASS
177	176	5	9	7.0	3689	PASS

2w61632.D M2W2709.M Thu Sep 29 07:57:19 2022 GCMS2W

Average of 13.955 to 13.962 min.: 2w61632.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
35.95	536	49.00	3274	63.00	3150	75.00	34277
37.05	3555	50.00	14046	63.80	90	76.00	2993
38.00	3234	51.00	4588	63.95	195	76.80	320
39.00	1200	51.95	224	64.80	19	77.00	134
39.95	65	55.05	255	66.85	253	77.85	260
42.95	71	56.00	1394	68.00	6505	78.20	68
44.00	582	56.95	2558	69.00	6770	78.85	2990
45.00	721	58.00	121	69.95	511	79.90	862
46.00	40	59.90	687	71.90	315	80.90	3041
47.00	808	61.00	3778	73.00	3058	81.85	659
47.95	469	62.00	3968	74.00	12138	82.70	21

Average of 13.955 to 13.962 min.: 2w61632.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
82.90	44	103.85	441	116.85	441	136.90	42
86.10	85	104.70	34	117.85	309	140.00	39
86.95	2536	104.95	70	118.85	339	140.90	792
87.90	2826	105.80	388	124.00	23	141.75	82
90.80	296	106.80	79	127.80	228	142.10	20
91.95	1950	109.70	36	128.95	61	142.80	896
92.90	2891	110.75	101	129.85	241	144.00	60
94.00	8507	112.70	95	130.85	122	144.70	62
95.00	67136	114.60	26	134.70	44	145.75	80
96.00	4157	114.85	52	134.85	64	147.65	141
96.85	112	115.80	255	136.60	70	149.85	47


Average of 13.955 to 13.962 min.: 2w61632.D\data.ms
bfb
Modified:subtracted


m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
152.95	39	175.90	52349				
154.85	138	176.85	3689				
156.75	113	177.85	56				
158.70	81						
158.90	22						
160.75	65						
161.00	29						
171.70	45						
172.95	310						
173.90	55933						
174.90	3892						

BFB

Data File : C:\msdchem\1\DATA\2w61652.D Vial: 1
Acq On : 29 Sep 2022 7:11 am Operator: thomash
Sample : bfb Inst : MS2W
Misc : MS62557,V2w2736,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\METHODS\M2W2709.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um





AutoFind: Scans 4312, 4313, 4314; Background Corrected with Scan 4284

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	20.8	12788	PASS
75	95	30	66	51.9	31859	PASS
95	95	100	100	100.0	61363	PASS
96	95	5	9	6.7	4125	PASS
173	174	0.00	2	0.4	234	PASS
174	95	50	120	84.8	52013	PASS
175	174	4	9	6.5	3397	PASS
176	174	93	101	94.0	48915	PASS
177	176	5	9	6.7	3280	PASS

2w61652.D M2W2709.M Fri Sep 30 15:19:01 2022 GCMS2W

Average of 13.952 to 13.958 min.: 2w61652.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
35.95	557	51.00	3796	65.10	49	76.85	296
37.05	3540	51.85	117	66.80	65	77.20	62
38.05	3143	54.95	172	66.95	135	77.85	207
39.00	1152	56.00	1398	68.00	6491	78.85	2418
43.90	632	57.00	1986	69.00	6681	79.85	658
45.00	614	57.90	47	69.95	514	80.90	2796
45.95	46	59.95	648	71.80	270	81.80	574
47.00	783	61.00	3476	73.00	2773	82.90	103
48.00	426	61.95	3721	74.00	10293	86.00	47
49.00	2936	63.00	2676	75.00	31859	86.90	2438
50.00	12788	64.00	243	76.00	2570	87.90	2631

Average of 13.952 to 13.958 min.: 2w61652.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
90.80	322	106.90	54	127.85	203	144.90	21
91.95	1847	109.60	17	128.75	121	145.70	37
93.00	2698	110.85	118	129.80	149	145.90	103
94.00	7624	111.75	39	130.00	96	146.90	40
95.00	61363	112.75	49	130.85	124	147.70	55
96.00	4125	114.80	56	134.75	131	147.90	50
96.90	149	115.90	247	136.75	177	148.80	38
103.85	367	116.85	462	140.85	861	154.80	119
104.70	40	117.80	274	141.70	81	155.60	20
104.90	27	118.75	377	142.70	212	156.75	101
105.85	323	125.70	47	142.85	648	157.00	46


Average of 13.952 to 13.958 min.: 2w61652.D\data.ms
bfb
Modified:subtracted


m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
158.80	144						
160.85	79						
171.70	57						
172.00	72						
172.90	234						
173.90	52013						
174.85	3397						
175.90	48915						
176.90	3280						

BFB

Data File : C:\msdchem\1\DATA\2w61684.D Vial: 1
Acq On : 30 Sep 2022 7:04 am Operator: thomash
Sample : bfb Inst : MS2W
Misc : MS62556,V2w2737,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\METHODS\M2W2709.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um





AutoFind: Scans 4311, 4312, 4313; Background Corrected with Scan 4284

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	21.3	15039	PASS
75	95	30	66	49.8	35157	PASS
95	95	100	100	100.0	70539	PASS
96	95	5	9	6.8	4791	PASS
173	174	0.00	2	0.5	269	PASS
174	95	50	120	82.1	57936	PASS
175	174	4	9	7.4	4262	PASS
176	174	93	101	96.4	55877	PASS
177	176	5	9	6.9	3876	PASS

2w61684.D M2W2709.M Fri Sep 30 15:21:00 2022 GCMS2W

Average of 13.949 to 13.955 min.: 2w61684.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.05	705	50.00	15039	63.00	3378	76.00	3219
37.00	4067	51.05	4193	63.95	399	76.85	224
38.05	3874	51.95	154	64.90	88	77.30	71
39.00	1356	52.80	69	66.85	204	77.75	223
42.90	47	55.00	245	68.00	7277	78.90	3041
43.90	543	55.95	1387	69.00	7401	79.90	778
45.00	643	57.00	2567	69.95	534	80.90	3505
46.00	65	58.05	130	71.95	489	81.80	718
47.05	730	59.95	734	73.00	3417	82.85	59
47.95	474	61.00	4138	74.00	12461	85.90	25
49.05	3142	62.00	3709	75.00	35157	86.90	2884

Average of 13.949 to 13.955 min.: 2w61684.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
87.95	3011	104.75	112	127.75	255	147.80	207
88.70	66	105.75	357	128.90	156	148.65	53
90.85	431	106.70	52	129.75	281	149.85	119
91.95	2264	110.85	103	130.70	32	153.70	57
92.95	3015	111.80	23	134.80	88	154.75	292
93.95	8874	112.80	106	136.85	145	156.85	153
95.00	70539	114.70	118	140.85	792	158.60	25
96.00	4791	115.75	283	141.90	108	160.80	109
96.90	65	116.80	539	142.85	932	171.80	150
97.10	83	117.75	282	145.85	75	172.70	46
103.85	348	118.80	379	146.80	53	172.85	269


Average of 13.949 to 13.955 min.: 2w61684.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
173.90	57936						
174.90	4262						
175.90	55877						
176.85	3876						
177.80	69						

BFB

Data File : C:\msdchem\1\data\6W26001.D Vial: 1
Acq On : 15 Sep 2022 9:18 am Operator: thomash
Sample : bfb Inst : GCMS6W
Misc : MS62094,V6W1105,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\methods\M6W1105.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um



AutoFind: Scans 4344, 4345, 4346; Background Corrected with Scan 4318

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	23.5	8757	PASS
75	95	30	66	51.1	19024	PASS
95	95	100	100	100.0	37205	PASS
96	95	5	9	6.2	2301	PASS
173	174	0.00	2	0.9	272	PASS
174	95	50	120	79.4	29547	PASS
175	174	4	9	7.6	2242	PASS
176	174	93	101	97.3	28755	PASS
177	176	5	9	6.2	1772	PASS

6W26001.D M6W1105.M Mon Sep 19 16:10:00 2022

Average of 14.055 to 14.061 min.: 6W26001.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.00	418	50.00	8757	63.95	161	76.90	208
37.05	2271	51.00	2611	64.90	96	77.95	149
38.00	1955	52.00	102	66.95	99	78.85	1543
38.95	807	54.90	61	68.00	4231	79.70	94
39.90	22	56.00	736	69.00	4310	79.90	242
43.00	23	57.00	1293	69.95	312	80.90	1550
43.90	454	57.80	19	71.95	308	81.85	342
45.00	337	59.95	387	72.95	1843	83.10	23
46.90	560	61.00	2041	74.00	6598	85.90	19
47.95	306	62.00	1930	75.00	19024	86.90	1646
49.00	1887	63.00	1619	76.00	1657	87.90	1558


Average of 14.055 to 14.061 min.: 6W26001.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
90.80	197	110.75	56	136.80	70	172.00	50
91.90	1064	112.65	49	140.85	355	172.95	272
92.95	1627	115.80	174	142.85	413	173.90	29547
94.00	4510	116.85	242	144.85	43	174.90	2242
95.00	37205	117.85	173	145.90	38	175.90	28755
96.00	2301	118.85	177	147.65	51	176.90	1772
96.95	65	127.80	134	147.95	73	177.90	52
103.85	234	128.90	17	154.70	44		
104.75	42	129.85	145	155.00	20		
105.70	61	130.80	50	156.80	40		
105.85	118	134.75	69	171.80	136		

BFB

Data File : C:\msdchem\1\data\6W26133.D Vial: 1
Acq On : 29 Sep 2022 9:55 am Operator: thomash
Sample : bfb Inst : GCMS6W
Misc : MS62314,V6W1111,,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\methods\M6W1105.M (RTE Integrator)
Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um



AutoFind: Scans 4332, 4333, 4334; Background Corrected with Scan 4306

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	8	40	25.9	10378	PASS
75	95	30	66	53.9	21616	PASS
95	95	100	100	100.0	40109	PASS
96	95	5	9	6.4	2549	PASS
173	174	0.00	2	0.4	116	PASS
174	95	50	120	73.1	29323	PASS
175	174	4	9	7.1	2071	PASS
176	174	93	101	95.2	27925	PASS
177	176	5	9	6.7	1875	PASS

6W26133.D M6W1105.M Fri Sep 30 13:33:39 2022

Average of 14.017 to 14.023 min.: 6W26133.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
35.95	524	49.00	2264	62.95	1652	75.00	21616
37.00	2663	50.00	10378	63.90	206	75.95	1974
38.00	2479	51.00	3123	64.95	222	76.95	314
38.95	915	51.90	208	66.95	116	77.80	55
39.90	36	53.00	17	67.95	4905	78.05	109
42.90	56	54.95	117	68.95	5289	78.90	1695
43.90	417	56.00	894	70.00	447	79.85	448
44.95	447	56.95	1344	71.80	100	80.85	1693
46.20	17	59.90	399	71.95	142	81.85	368
46.90	633	61.00	2539	72.90	2146	83.00	21
47.95	284	61.95	2251	74.00	7706	85.60	20

Average of 14.017 to 14.023 min.: 6W26133.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
86.90	2135	104.80	34	129.90	32	158.60	18
87.90	1904	105.75	274	134.60	20	160.90	41
90.95	168	110.90	19	136.90	25	171.85	260
91.95	1143	115.40	29	140.75	412	172.70	116
92.95	1904	115.70	138	141.85	68	172.90	107
94.00	4902	116.75	238	142.85	361	173.90	29323
95.00	40109	117.85	161	144.70	61	174.85	2071
95.95	2549	118.85	262	147.85	106	175.90	27925
96.85	95	127.85	142	149.70	29	176.85	1875
103.80	217	128.90	66	154.75	41		
104.60	20	129.65	113	156.75	70		

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 05/11/22 16:55

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58806.D
Acq On : 26 Apr 2022 1:14 pm
Operator : thomash
Sample : ic2619-0.04
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: May 11 14:41:32 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.467	128	262405	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.846	114	1634490	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.637	117	1615392	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.052	95	1118420	9.27	PPBV		0.00
Target Compounds							Qvalue
2) FREON 115	1.782	119	2505	0.05	PPBV	#	100
4) CHLORODIFLUOROMETHANE	1.827	67	595	0.04	PPBV	#	39
5) CHLOROTRIFLUOROETHENE	1.840	116	2571	0.04	PPBV	#	100
6) DICHLORODIFLUOROMETHANE	1.856	85	6056m	0.04	PPBV		
7) PROPYLENE	1.840	41	2857	0.05	PPBV		90
8) 1-CHLORO-1,1-DIFLUOROE...	1.895	65	3899	0.04	PPBV	#	1
9) FREON 114	1.927	85	4673	0.04	PPBV		92
10) CHLOROMETHANE	1.895	52	1076	0.07	PPBV		92
11) VINYL CHLORIDE	1.953	62	2149	0.04	PPBV	#	90
12) 1,3-BUTADIENE	1.978	54	2134	0.05	PPBV	#	53
13) N-BUTANE	2.004	43	5523	0.06	PPBV	#	86
14) BROMOMETHANE	2.065	94	1725	0.05	PPBV	#	95
15) CHLOROETHANE	2.104	64	1046	0.04	PPBV	#	43
16) DICHLOROFLUOROMETHANE	2.130	67	4102	0.05	PPBV	#	89
17) ACETONITRILE	2.197	41	2596	0.05	PPBV	#	55
18) ACROLEIN	2.229	56	1190	0.05	PPBV	#	83
19) FREON 123	2.249	83	3620	0.04	PPBV		95
20) FREON 123A	2.258	117	2326	0.04	PPBV		99
21) TRICHLOROFLUOROMETHANE	2.322	101	4518	0.04	PPBV		96
22) ISOPROPYL ALCOHOL	2.339	45	6254	0.05	PPBV	#	89
24) PENTANE	2.429	42	2894	0.05	PPBV		98
25) IODOMETHANE	2.486	142	3822	0.04	PPBV	#	83
26) 1,1-DICHLOROETHYLENE	2.515	96	1599	0.04	PPBV	#	51
27) CARBON DISULFIDE	2.650	76	4424	0.04	PPBV	#	87
29) BROMOETHENE	2.204	106	1507	0.04	PPBV	#	95
30) ACRYLONITRILE	2.406	52	2086	0.05	PPBV		93
32) 3-CHLOROPROPENE	2.586	76	740	0.04	PPBV	#	1
33) FREON 113	2.660	151	2376	0.04	PPBV		85
34) TRANS-1,2-DICHLOROETHENE	2.908	96	1675m	0.04	PPBV		
35) TERTIARY BUTYL ALCOHOL	2.544	59	4322	0.04	PPBV	#	86
36) METHYL TERTIARY BUTYL ...	3.023	73	4586	0.04	PPBV	#	72
37) TETRAHYDROFURAN	3.789	72	749	0.04	PPBV	#	1
38) HEXANE	3.528	57	3950	0.04	PPBV	#	58
40) 1,1-DICHLOROETHANE	2.985	63	3173	0.04	PPBV	#	90
41) METHYL ETHYL KETONE	3.175	72	864	0.05	PPBV	#	1
42) CIS-1,2-DICHLOROETHENE	3.387	96	1632	0.04	PPBV	#	77
43) DIISOPROPYL ETHER	3.531	59	1053	0.04	PPBV	#	30
44) ETHYL ACETATE	3.535	61	684	0.04	PPBV	#	1
45) METHYL ACRYLATE	3.515	55	4830	0.04	PPBV	#	96
46) CHLOROFORM	3.544	83	3548	0.04	PPBV	#	88
47) 2,4-DIMETHYLPENTANE	4.072	57	4313	0.04	PPBV	#	84

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58806.D
Acq On : 26 Apr 2022 1:14 pm
Operator : thomash
Sample : ic2619-0.04
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: May 11 14:41:32 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
48)	1,1,1-TRICHLOROETHANE	4.171	97	3581	0.04	PPBV		91
49)	CARBON TETRACHLORIDE	4.615	117	3397	0.03	PPBV		95
50)	1,2-DICHLOROETHANE	3.988	62	2630	0.04	PPBV	#	89
51)	BENZENE	4.499	78	4753	0.04	PPBV	#	55
53)	CYCLOHEXANE	4.721	84	2472	0.04	PPBV	#	40
54)	2,3-DIMETHYLPENTANE	4.985	71	1295	0.04	PPBV	#	8
55)	TRICHLOROETHENE	5.448	95	2396	0.04	PPBV		97
56)	1,2-DICHLOROPROPANE	5.210	63	3276	0.05	PPBV	#	84
57)	DIBROMOMETHANE	5.168	174	2856	0.06	PPBV	#	84
58)	ETHYL ACRYLATE	5.342	55	6804	0.04	PPBV	#	87
59)	BROMODICHLOROMETHANE	5.396	83	4076	0.04	PPBV		96
60)	2,2,4-TRIMETHYLPENTANE	5.547	57	14019	0.04	PPBV	#	90
61)	1,4-DIOXANE	5.506	88	1446	0.05	PPBV	#	76
62)	HEPTANE	5.875	43	6112	0.04	PPBV	#	62
63)	METHYL METHACRYLATE	5.789	69	2401	0.04	PPBV	#	33
64)	METHYL ISOBUTYL KETONE	6.554	58	2692	0.04	PPBV	#	68
65)	CIS-1,3-DICHLOROPROPENE	6.438	75	3174	0.04	PPBV	#	55
66)	TOLUENE	7.689	91	6720	0.04	PPBV		100
67)	1,3-DICHLOROPROPANE	7.750	76	3419	0.04	PPBV	#	90
68)	TRANS-1,3-DICHLOROPROPENE	7.145	75	2919	0.04	PPBV	#	60
69)	1,1,2-TRICHLOROETHANE	7.306	83	1837	0.04	PPBV		88
70)	2-HEXANONE	8.293	58	3100	0.04	PPBV	#	54
71)	ETHYL METHACRYLATE	8.419	69	3320	0.03	PPBV	#	30
72)	TETRACHLOROETHENE	9.473	164	2391	0.04	PPBV	#	53
73)	DIBROMOCHLOROMETHANE	8.251	129	3980	0.04	PPBV		96
74)	1,2-DIBROMOETHANE	8.605	107	3478	0.04	PPBV	#	94
75)	OCTANE	9.608	43	7793	0.04	PPBV	#	68
77)	1,1,1,2-TETRACHLOROETHANE	10.718	131	3231	0.04	PPBV		92
78)	CHLOROBENZENE	10.708	112	6106	0.04	PPBV		98
79)	ETHYLBENZENE	11.608	91	8920	0.03	PPBV		100
80)	M,P-XYLENE	12.039	91	13886m	0.07	PPBV		
81)	O-XYLENE	12.988	91	6892	0.03	PPBV	#	88
82)	STYRENE	12.772	104	4752	0.03	PPBV		94
83)	NONANE	14.113	43	9217	0.04	PPBV	#	17
84)	BROMOFORM	11.849	173	2995	0.03	PPBV	#	93
85)	1,1,2,2-TETRACHLOROETHANE	12.997	83	4787	0.03	PPBV	#	96
86)	1,2,3-TRICHLOROPROPANE	13.300	75	3614	0.03	PPBV	#	99
88)	ISOPROPYLBENZENE	14.505	120	2609	0.03	PPBV	#	75
89)	BROMOBENZENE	14.393	77	4790	0.03	PPBV		88
90)	2-CHLOROTOLUENE	15.534	126	2067	0.03	PPBV		94
91)	N-PROPYLBENZENE	15.865	120	2329	0.03	PPBV	#	62
92)	4-ETHYLTOLUENE	16.203	105	8794	0.03	PPBV	#	95
93)	1,3,5-TRIMETHYLBENZENE	16.354	105	7097	0.03	PPBV	#	95
94)	ALPHA-METHYLSTYRENE	16.550	118	3604	0.03	PPBV		96
95)	TERT-BUTYLBENZENE	16.798	134	1825	0.03	PPBV		89
96)	1,2,4-TRIMETHYLBENZENE	16.807	105	6902	0.03	PPBV		93
98)	M-DICHLOROBENZENE	16.865	146	3983m	0.03	PPBV		
99)	P-DICHLOROBENZENE	16.946	146	4345	0.03	PPBV		91
100)	O-DICHLOROBENZENE	17.238	146	3847	0.03	PPBV	#	92
101)	SEC-BUTYLBENZENE	17.078	134	2237	0.03	PPBV		88

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58806.D
Acq On : 26 Apr 2022 1:14 pm
Operator : thomash
Sample : ic2619-0.04
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: May 11 14:41:32 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
102) 1,2,3-TRIMETHYLBENZENE	17.187	105	7379	0.03	PPBV		99
103) P-ISOPROPYLTOLUENE	17.251	134	2224	0.03	PPBV		90
104) N-BUTYLBENZENE	17.595	134	1824	0.03	PPBV		81
105) HEXACHLOROETHANE	17.775	117	2761	0.03	PPBV	#	87
106) HEXACHLOROBUTADIENE	18.814	225	2336	0.03	PPBV		95
108) NAPHTHALENE	18.557	128	5810	0.02	PPBV		97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58806.D
Acq On : 26 Apr 2022 1:14 pm
Operator : thomash
Sample : ic2619-0.04
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: May 11 14:41:32 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V2W2619-IC2619
Lab FileID: 2W58806.D
Injection Time: 04/26/22 13:14
Method: TO-15
Analyst approved: 05/11/22 16:26 Thomas Hilbig
Supervisor approved: 05/11/22 16:55 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Dichlorodifluoromethane	75-71-8		1.86	Poorly defined baseline
trans-1,2-Dichloroethylene	156-60-5		2.91	Missed peak
m,p-Xylene			12.04	Split peak
m-Dichlorobenzene	541-73-1		16.87	Missed peak


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58806.D
Acq On : 26 Apr 2022 1:14 pm
Operator : thomash
Sample : ic2620-0.04
Misc : MS56823,V2w2620,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Apr 27 08:58:48 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration







TIC: 2w58806.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.856min (+0.013) 0.04PPBV


response 5160


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	41.22#
50.00	9.30	16.10#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58806.D
Acq On : 26 Apr 2022 1:14 pm
Operator : thomash
Sample : ic2620-0.04
Misc : MS56823,V2w2620,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Apr 27 08:58:48 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration







TIC: 2w58806.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.856min (+0.013) 0.04PPBV m


response 6056


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	35.12
50.00	9.30	13.72#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58806.D
Acq On : 26 Apr 2022 1:14 pm
Operator : thomash
Sample : ic2620-0.04
Misc : MS56823,V2w2620,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Apr 27 08:58:48 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration





TIC: 2w58806.D\data.ms

(80) M,P-XYLENE (t)

11.988min (-0.068) 0.04PPBV


response 8453


Ion	Exp%	Act%
91.10	100	100
106.10	51.50	32.86
105.10	23.60	19.86
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58806.D
Acq On : 26 Apr 2022 1:14 pm
Operator : thomash
Sample : ic2620-0.04
Misc : MS56823,V2w2620,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Apr 27 08:58:48 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration





TIC: 2w58806.D\data.ms

(80) M,P-XYLENE (t)

12.039min (-0.016) 0.07PPBV m


response 13886


Ion	Exp%	Act%
91.10	100	100
106.10	51.50	20.01#
105.10	23.60	12.09
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58806.D
Acq On : 26 Apr 2022 1:14 pm
Operator : thomash
Sample : ic2620-0.04
Misc : MS56823,V2w2620,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Apr 27 08:58:48 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration







TIC: 2w58806.D\data.ms

(98) M-DICHLOROBENZENE (T)

16.946min (+0.071) 0.03PPBV


response 4346


Ion	Exp%	Act%
146.00	100	100
148.00	63.80	57.04
111.00	38.20	42.36
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58806.D
Acq On : 26 Apr 2022 1:14 pm
Operator : thomash
Sample : ic2620-0.04
Misc : MS56823,V2w2620,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Apr 27 08:58:48 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration







TIC: 2w58806.D\data.ms

(98) M-DICHLOROBENZENE (T)

16.865min (-0.010) 0.03PPBV m


response 3983


Ion	Exp%	Act%
146.00	100	100
148.00	63.80	62.24
111.00	38.20	46.22#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58806.D
Acq On : 26 Apr 2022 1:14 pm
Operator : thomash
Sample : ic2619-0.04
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Apr 27 09:41:05 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration





TIC: 2w58806.D\data.ms

(34) TRANS-1,2-DICHLOROETHENE (T)

2.515min (+0.003) 0.04PPBV


response 1599


Ion	Exp%	Act%
96.00	100	100
61.00	130.40	206.25#
98.00	63.30	66.54
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58806.D
Acq On : 26 Apr 2022 1:14 pm
Operator : thomash
Sample : ic2619-0.04
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Apr 27 09:41:05 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration





TIC: 2w58806.D\data.ms

(34) TRANS-1,2-DICHLOROETHENE (T)

2.908min (+0.396) 0.04PPBV m

response 1675

Ion	Exp%	Act%
96.00	100	100
61.00	130.40	196.90#
98.00	63.30	63.52
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 05/11/22 16:55

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58807.D
Acq On : 26 Apr 2022 1:50 pm
Operator : thomash
Sample : ic2619-0.1
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: May 11 14:42:26 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.464	128	266297	10.00	PPBV	# 0.00
52) 1,4-DIFLUOROBENZENE	4.846	114	1715824	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.637	117	1616454	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	14.049	95	1136284	9.41	PPBV	0.00
Target Compounds						Qvalue
2) FREON 115	1.785	119	5738	0.11	PPBV	# 100
3) FREON 152A	1.814	65	3314	0.11	PPBV	# 53
4) CHLORODIFLUOROMETHANE	1.824	67	1528	0.11	PPBV	96
5) CHLOROTRIFLUOROETHENE	1.834	116	6395	0.10	PPBV	# 95
6) DICHLORODIFLUOROMETHANE	1.847	85	14027m	0.10	PPBV	
7) PROPYLENE	1.837	41	6165	0.11	PPBV	92
8) 1-CHLORO-1,1-DIFLUOROE...	1.892	65	10152	0.10	PPBV	# 1
9) FREON 114	1.924	85	11644	0.10	PPBV	92
10) CHLOROMETHANE	1.892	52	2075	0.13	PPBV	# 66
11) VINYL CHLORIDE	1.956	62	5097	0.10	PPBV	# 95
12) 1,3-BUTADIENE	1.985	54	4794	0.10	PPBV	# 67
13) N-BUTANE	2.004	43	10342	0.12	PPBV	# 88
14) BROMOMETHANE	2.059	94	4000	0.11	PPBV	# 95
15) CHLOROETHANE	2.104	64	2521	0.11	PPBV	# 75
16) DICHLOROFLUOROMETHANE	2.130	67	9350	0.10	PPBV	# 96
17) ACETONITRILE	2.194	41	5353	0.11	PPBV	# 85
18) ACROLEIN	2.232	56	2103	0.09	PPBV	94
19) FREON 123	2.242	83	9179	0.10	PPBV	99
20) FREON 123A	2.261	117	5116	0.10	PPBV	86
21) TRICHLOROFLUOROMETHANE	2.319	101	10618	0.10	PPBV	99
22) ISOPROPYL ALCOHOL	2.339	45	14359	0.12	PPBV	# 99
23) ACETONE	2.271	58	3816	0.14	PPBV	# 49
24) PENTANE	2.432	42	6560	0.10	PPBV	97
25) IODOMETHANE	2.490	142	9152	0.10	PPBV	# 76
26) 1,1-DICHLOROETHYLENE	2.522	96	3666	0.09	PPBV	# 35
27) CARBON DISULFIDE	2.654	76	10568	0.09	PPBV	# 83
29) BROMOETHENE	2.200	106	3845	0.10	PPBV	# 97
30) ACRYLONITRILE	2.400	52	4191	0.10	PPBV	95
31) METHYLENE CHLORIDE	2.547	84	6709	0.19	PPBV	# 27
32) 3-CHLOROPROPENE	2.593	76	1944	0.11	PPBV	# 1
33) FREON 113	2.654	151	5862	0.10	PPBV	# 81
34) TRANS-1,2-DICHLOROETHENE	2.901	96	3921m	0.10	PPBV	
35) TERTIARY BUTYL ALCOHOL	2.528	59	10225	0.08	PPBV	# 82
36) METHYL TERTIARY BUTYL ...	3.023	73	10698	0.09	PPBV	# 70
37) TETRAHYDROFURAN	3.789	72	1705	0.10	PPBV	# 8
38) HEXANE	3.519	57	8866	0.10	PPBV	# 63
39) VINYL ACETATE	3.059	86	790	0.08	PPBV	# 1
40) 1,1-DICHLOROETHANE	2.982	63	7969	0.10	PPBV	# 96
41) METHYL ETHYL KETONE	3.171	72	1731	0.09	PPBV	# 1
42) CIS-1,2-DICHLOROETHENE	3.380	96	3556	0.09	PPBV	# 62
43) DIISOPROPYL ETHER	3.538	59	2469	0.10	PPBV	# 22

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58807.D
Acq On : 26 Apr 2022 1:50 pm
Operator : thomash
Sample : ic2619-0.1
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: May 11 14:42:26 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44)	ETHYL ACETATE	3.538	61	1575	0.10	PPBV	#	1
45)	METHYL ACRYLATE	3.525	55	11439	0.10	PPBV	#	97
46)	CHLOROFORM	3.547	83	8770	0.10	PPBV	#	88
47)	2,4-DIMETHYLPENTANE	4.078	57	9983	0.10	PPBV	#	89
48)	1,1,1-TRICHLOROETHANE	4.162	97	8358	0.09	PPBV		94
49)	CARBON TETRACHLORIDE	4.609	117	8371	0.08	PPBV		98
50)	1,2-DICHLOROETHANE	3.991	62	6444	0.10	PPBV	#	90
51)	BENZENE	4.496	78	12789	0.10	PPBV		68
53)	CYCLOHEXANE	4.715	84	5833	0.10	PPBV	#	49
54)	2,3-DIMETHYLPENTANE	4.994	71	3280	0.10	PPBV	#	26
55)	TRICHLOROETHENE	5.448	95	6306	0.09	PPBV		90
56)	1,2-DICHLOROPROPANE	5.213	63	6519	0.10	PPBV		96
57)	DIBROMOMETHANE	5.168	174	5890	0.11	PPBV	#	85
58)	ETHYL ACRYLATE	5.338	55	15331	0.09	PPBV	#	92
59)	BROMODICHLOROMETHANE	5.396	83	10395	0.09	PPBV		96
60)	2,2,4-TRIMETHYLPENTANE	5.547	57	34030	0.10	PPBV	#	98
61)	1,4-DIOXANE	5.502	88	3292	0.10	PPBV	#	73
62)	HEPTANE	5.882	43	13517	0.09	PPBV	#	68
63)	METHYL METHACRYLATE	5.782	69	5164	0.09	PPBV	#	33
64)	METHYL ISOBUTYL KETONE	6.560	58	5904	0.09	PPBV	#	63
65)	CIS-1,3-DICHLOROPROPENE	6.432	75	7657	0.09	PPBV	#	60
66)	TOLUENE	7.692	91	16825	0.09	PPBV		99
67)	1,3-DICHLOROPROPANE	7.750	76	8097	0.09	PPBV	#	96
68)	TRANS-1,3-DICHLOROPROPENE	7.142	75	6634	0.08	PPBV	#	58
69)	1,1,2-TRICHLOROETHANE	7.309	83	4888	0.09	PPBV		99
70)	2-HEXANONE	8.296	58	7356	0.08	PPBV	#	57
71)	ETHYL METHACRYLATE	8.412	69	7975	0.08	PPBV	#	43
72)	TETRACHLOROETHENE	9.473	164	5302	0.08	PPBV	#	86
73)	DIBROMOCHLOROMETHANE	8.245	129	9627	0.08	PPBV		98
74)	1,2-DIBROMOETHANE	8.595	107	8435	0.08	PPBV	#	96
75)	OCTANE	9.615	43	18239	0.09	PPBV	#	69
77)	1,1,1,2-TETRACHLOROETHANE	10.718	131	7060	0.08	PPBV		88
78)	CHLOROBENZENE	10.711	112	13979	0.09	PPBV		98
79)	ETHYLBENZENE	11.608	91	22353	0.09	PPBV		97
80)	M,P-XYLENE	12.036	91	32565	0.15	PPBV	#	65
81)	O-XYLENE	12.988	91	16882	0.08	PPBV		92
82)	STYRENE	12.772	104	11615	0.08	PPBV		92
83)	NONANE	14.107	43	19428	0.08	PPBV	#	64
84)	BROMOFORM	11.856	173	7214	0.07	PPBV	#	99
85)	1,1,2,2-TETRACHLOROETHANE	13.004	83	11623	0.07	PPBV		98
86)	1,2,3-TRICHLOROPROPANE	13.280	75	8844	0.08	PPBV	#	99
88)	ISOPROPYLBENZENE	14.521	120	6530	0.08	PPBV		92
89)	BROMOBENZENE	14.396	77	11767	0.08	PPBV		85
90)	2-CHLOROTOLUENE	15.537	126	5419	0.08	PPBV		95
91)	N-PROPYLBENZENE	15.875	120	5782	0.07	PPBV		97
92)	4-ETHYLTOLUENE	16.203	105	21998	0.07	PPBV	#	95
93)	1,3,5-TRIMETHYLBENZENE	16.354	105	18532	0.07	PPBV		97
94)	ALPHA-METHYLSTYRENE	16.547	118	8707	0.07	PPBV		99
95)	TERT-BUTYLBENZENE	16.798	134	4458	0.08	PPBV		96
96)	1,2,4-TRIMETHYLBENZENE	16.804	105	17233	0.07	PPBV		97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58807.D
Acq On : 26 Apr 2022 1:50 pm
Operator : thomash
Sample : ic2619-0.1
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: May 11 14:42:26 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
97)	BENZYL CHLORIDE	16.885	91	10650	0.05	PPBV	#	94
98)	M-DICHLOROBENZENE	16.865	146	9823	0.07	PPBV		95
99)	P-DICHLOROBENZENE	16.949	146	9424	0.07	PPBV		95
100)	O-DICHLOROBENZENE	17.238	146	9138	0.07	PPBV		94
101)	SEC-BUTYLBENZENE	17.077	134	4932	0.07	PPBV		81
102)	1,2,3-TRIMETHYLBENZENE	17.187	105	17629	0.07	PPBV		93
103)	P-ISOPROPYLTOLUENE	17.254	134	5182	0.07	PPBV		85
104)	N-BUTYLBENZENE	17.598	134	4313	0.07	PPBV		70
105)	HEXACHLOROETHANE	17.775	117	6254	0.06	PPBV	#	85
106)	HEXACHLOROBUTADIENE	18.817	225	5304	0.06	PPBV		96
108)	NAPHTHALENE	18.560	128	11335	0.05	PPBV		99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58807.D
Acq On : 26 Apr 2022 1:50 pm
Operator : thomash
Sample : ic2619-0.1
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: May 11 14:42:26 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V2W2619-IC2619
Lab FileID: 2W58807.D
Injection Time: 04/26/22 13:50
Method: TO-15
Analyst approved: 05/11/22 16:26 Thomas Hilbig
Supervisor approved: 05/11/22 16:55 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Dichlorodifluoromethane	75-71-8		1.85	Poorly defined baseline
trans-1,2-Dichloroethylene	156-60-5		2.90	Missed peak


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58807.D
Acq On : 26 Apr 2022 1:50 pm
Operator : thomash
Sample : ic2620-0.1
Misc : MS56823,V2w2620,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Apr 27 09:06:49 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration







TIC: 2w58807.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.847min (+0.003) 0.09PPBV


response 11932


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	32.81
50.00	9.30	21.35#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58807.D
Acq On : 26 Apr 2022 1:50 pm
Operator : thomash
Sample : ic2620-0.1
Misc : MS56823,V2w2620,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Apr 27 09:06:49 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration







TIC: 2w58807.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.847min (+0.003) 0.10PPBV m


response 14027


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	27.91
50.00	9.30	18.16#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58807.D
Acq On : 26 Apr 2022 1:50 pm
Operator : thomash
Sample : ic2619-0.1
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Apr 27 09:40:23 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration





TIC: 2w58807.D\data.ms

(34) TRANS-1,2-DICHLOROETHENE (T)

2.522min (+0.010) 0.09PPBV


response 3666


Ion	Exp%	Act%
96.00	100	100
61.00	130.40	225.72#
98.00	63.30	63.53
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58807.D
Acq On : 26 Apr 2022 1:50 pm
Operator : thomash
Sample : ic2619-0.1
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Apr 27 09:40:23 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration





TIC: 2w58807.D\data.ms

(34) TRANS-1,2-DICHLOROETHENE (T)

2.901min (+0.389) 0.10PPBV m

response 3921

Ion	Exp%	Act%
96.00	100	100
61.00	130.40	211.04#
98.00	63.30	59.40
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 05/11/22 16:55

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58808.D
Acq On : 26 Apr 2022 2:27 pm
Operator : thomash
Sample : ic2619-0.2
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: May 11 14:42:53 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.467	128	261318	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.846	114	1666817	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.640	117	1586760	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.052	95	1116008	9.42	PPBV		0.00
Target Compounds							Qvalue
2) FREON 115	1.785	119	11891	0.22	PPBV	#	100
3) FREON 152A	1.818	65	6557	0.22	PPBV	#	53
4) CHLORODIFLUOROMETHANE	1.821	67	2783	0.21	PPBV	#	87
5) CHLOROTRIFLUOROETHENE	1.834	116	12390	0.20	PPBV	#	97
6) DICHLORODIFLUOROMETHANE	1.853	85	27837m	0.20	PPBV		
7) PROPYLENE	1.834	41	11136	0.20	PPBV		94
8) 1-CHLORO-1,1-DIFLUOROE...	1.888	65	19630	0.20	PPBV	#	24
9) FREON 114	1.920	85	22577	0.19	PPBV		94
10) CHLOROMETHANE	1.892	52	3889	0.24	PPBV		73
11) VINYL CHLORIDE	1.953	62	9748	0.20	PPBV	#	96
12) 1,3-BUTADIENE	1.991	54	9114	0.20	PPBV	#	75
13) N-BUTANE	2.004	43	18944	0.22	PPBV	#	87
14) BROMOMETHANE	2.059	94	7207	0.20	PPBV	#	98
15) CHLOROETHANE	2.104	64	4801	0.21	PPBV	#	66
16) DICHLOROFLUOROMETHANE	2.129	67	19331	0.21	PPBV	#	94
17) ACETONITRILE	2.200	41	9497	0.19	PPBV	#	77
18) ACROLEIN	2.236	56	4308	0.18	PPBV		96
19) FREON 123	2.248	83	18016	0.20	PPBV		100
20) FREON 123A	2.255	117	10176	0.20	PPBV		87
21) TRICHLOROFLUOROMETHANE	2.322	101	21000	0.19	PPBV		98
22) ISOPROPYL ALCOHOL	2.342	45	28508	0.25	PPBV	#	98
23) ACETONE	2.271	58	7288	0.28	PPBV	#	45
24) PENTANE	2.432	42	13687	0.22	PPBV	#	89
25) IODOMETHANE	2.490	142	17633	0.19	PPBV	#	81
26) 1,1-DICHLOROETHYLENE	2.515	96	7596	0.20	PPBV	#	48
27) CARBON DISULFIDE	2.654	76	22187	0.20	PPBV	#	78
29) BROMOETHENE	2.203	106	7308	0.20	PPBV	#	92
30) ACRYLONITRILE	2.403	52	8364	0.20	PPBV		95
31) METHYLENE CHLORIDE	2.551	84	10611	0.31	PPBV	#	31
32) 3-CHLOROPROPENE	2.592	76	3271	0.19	PPBV	#	1
33) FREON 113	2.657	151	11321	0.19	PPBV	#	80
34) TRANS-1,2-DICHLOROETHENE	2.904	96	7761m	0.20	PPBV		
35) TERTIARY BUTYL ALCOHOL	2.531	59	20241	0.17	PPBV	#	79
36) METHYL TERTIARY BUTYL ...	3.027	73	22010	0.19	PPBV	#	78
37) TETRAHYDROFURAN	3.785	72	3177	0.18	PPBV	#	1
38) HEXANE	3.522	57	17163	0.20	PPBV	#	68
39) VINYL ACETATE	3.065	86	1478	0.16	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.982	63	15256	0.19	PPBV		98
41) METHYL ETHYL KETONE	3.165	72	3246	0.18	PPBV	#	1
42) CIS-1,2-DICHLOROETHENE	3.387	96	7265	0.19	PPBV	#	64
43) DIISOPROPYL ETHER	3.531	59	4808	0.20	PPBV	#	22

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58808.D
Acq On : 26 Apr 2022 2:27 pm
Operator : thomash
Sample : ic2619-0.2
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: May 11 14:42:53 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44)	ETHYL ACETATE	3.538	61	3094	0.19	PPBV	#	1
45)	METHYL ACRYLATE	3.522	55	21925	0.19	PPBV	#	97
46)	CHLOROFORM	3.544	83	16709	0.19	PPBV	#	88
47)	2,4-DIMETHYLPENTANE	4.075	57	19649	0.19	PPBV	#	92
48)	1,1,1-TRICHLOROETHANE	4.165	97	16749	0.18	PPBV	#	93
49)	CARBON TETRACHLORIDE	4.615	117	16460	0.16	PPBV		100
50)	1,2-DICHLOROETHANE	3.991	62	12602	0.19	PPBV	#	94
51)	BENZENE	4.493	78	24402	0.18	PPBV		65
53)	CYCLOHEXANE	4.721	84	11267	0.19	PPBV	#	50
54)	2,3-DIMETHYLPENTANE	4.985	71	6409	0.20	PPBV	#	14
55)	TRICHLOROETHENE	5.451	95	12273	0.19	PPBV		95
56)	1,2-DICHLOROPROPANE	5.210	63	12500	0.19	PPBV		98
57)	DIBROMOMETHANE	5.162	174	10641	0.20	PPBV	#	84
58)	ETHYL ACRYLATE	5.338	55	30045	0.17	PPBV	#	92
59)	BROMODICHLOROMETHANE	5.396	83	20009	0.18	PPBV		99
60)	2,2,4-TRIMETHYLPENTANE	5.547	57	66274	0.19	PPBV	#	98
61)	1,4-DIOXANE	5.489	88	5874	0.18	PPBV	#	62
62)	HEPTANE	5.882	43	25574	0.18	PPBV	#	68
63)	METHYL METHACRYLATE	5.782	69	9982	0.18	PPBV	#	20
64)	METHYL ISOBUTYL KETONE	6.551	58	11547	0.17	PPBV	#	60
65)	CIS-1,3-DICHLOROPROPENE	6.435	75	14539	0.18	PPBV	#	65
66)	TOLUENE	7.686	91	32851	0.18	PPBV		98
67)	1,3-DICHLOROPROPANE	7.747	76	15974	0.18	PPBV		98
68)	TRANS-1,3-DICHLOROPROPENE	7.142	75	13879	0.18	PPBV	#	70
69)	1,1,2-TRICHLOROETHANE	7.309	83	9542	0.18	PPBV		99
70)	2-HEXANONE	8.293	58	14329	0.16	PPBV	#	63
71)	ETHYL METHACRYLATE	8.422	69	16496	0.17	PPBV	#	55
72)	TETRACHLOROETHENE	9.473	164	10820	0.18	PPBV		91
73)	DIBROMOCHLOROMETHANE	8.248	129	19011	0.17	PPBV		99
74)	1,2-DIBROMOETHANE	8.599	107	16728	0.17	PPBV	#	99
75)	OCTANE	9.615	43	34356	0.17	PPBV	#	70
77)	1,1,1,2-TETRACHLOROETHANE	10.727	131	14561	0.17	PPBV		91
78)	CHLOROBENZENE	10.711	112	27703	0.18	PPBV		92
79)	ETHYLBENZENE	11.605	91	44284	0.17	PPBV		99
80)	M,P-XYLENE	12.042	91	65347m	0.31	PPBV		
81)	O-XYLENE	12.984	91	33514	0.16	PPBV	#	92
82)	STYRENE	12.772	104	23205	0.15	PPBV		95
83)	NONANE	14.106	43	38518	0.17	PPBV	#	67
84)	BROMOFORM	11.849	173	15341	0.14	PPBV	#	97
85)	1,1,2,2-TETRACHLOROETHANE	12.997	83	22435	0.15	PPBV		100
86)	1,2,3-TRICHLOROPROPANE	13.283	75	17455	0.15	PPBV	#	99
88)	ISOPROPYLBENZENE	14.521	120	12648	0.16	PPBV	#	83
89)	BROMOBENZENE	14.399	77	22758	0.16	PPBV		86
90)	2-CHLOROTOLUENE	15.534	126	10853	0.17	PPBV		94
91)	N-PROPYLBENZENE	15.875	120	12148	0.15	PPBV		98
92)	4-ETHYLTOLUENE	16.206	105	42308	0.14	PPBV		98
93)	1,3,5-TRIMETHYLBENZENE	16.354	105	36970	0.15	PPBV	#	97
94)	ALPHA-METHYLSTYRENE	16.544	118	16995	0.13	PPBV		96
95)	TERT-BUTYLBENZENE	16.798	134	8503	0.16	PPBV		87
96)	1,2,4-TRIMETHYLBENZENE	16.807	105	34820	0.14	PPBV		97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58808.D
Acq On : 26 Apr 2022 2:27 pm
Operator : thomash
Sample : ic2619-0.2
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: May 11 14:42:53 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
97)	BENZYL CHLORIDE	16.888	91	21424	0.10	PPBV	#	94
98)	M-DICHLOROBENZENE	16.865	146	19088	0.14	PPBV		94
99)	P-DICHLOROBENZENE	16.949	146	18339	0.13	PPBV		96
100)	O-DICHLOROBENZENE	17.238	146	17883	0.14	PPBV		97
101)	SEC-BUTYLBENZENE	17.077	134	10370	0.16	PPBV		86
102)	1,2,3-TRIMETHYLBENZENE	17.187	105	35065	0.15	PPBV	#	94
103)	P-ISOPROPYLTOLUENE	17.251	134	10682	0.16	PPBV		87
104)	N-BUTYLBENZENE	17.598	134	9292	0.15	PPBV		88
105)	HEXACHLOROETHANE	17.778	117	13140	0.13	PPBV	#	87
106)	HEXACHLOROBUTADIENE	18.817	225	10317	0.12	PPBV		99
107)	1,2,4-TRICHLOROBENZENE	18.508	180	8371	0.10	PPBV		96
108)	NAPHTHALENE	18.560	128	23475	0.10	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58808.D
Acq On : 26 Apr 2022 2:27 pm
Operator : thomash
Sample : ic2619-0.2
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: May 11 14:42:53 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V2W2619-IC2619 **Method:** TO-15
Lab FileID: 2W58808.D **Analyst approved:** 05/11/22 16:26 Thomas Hilbig
Injection Time: 04/26/22 14:27 **Supervisor approved:** 05/11/22 16:55 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Dichlorodifluoromethane	75-71-8		1.85	Poorly defined baseline
trans-1,2-Dichloroethylene	156-60-5		2.90	Missed peak
m,p-Xylene			12.04	Split peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58808.D
Acq On : 26 Apr 2022 2:27 pm
Operator : thomash
Sample : ic2620-0.2
Misc : MS56823,V2w2620,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Apr 27 09:09:04 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration





TIC: 2w58808.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.853min (+0.009) 0.18PPBV


response 24243


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	33.02
50.00	9.30	17.02#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58808.D
Acq On : 26 Apr 2022 2:27 pm
Operator : thomash
Sample : ic2620-0.2
Misc : MS56823,V2w2620,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Apr 27 09:09:04 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration





TIC: 2w58808.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.853min (+0.009) 0.20PPBV m


response 27837


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	28.76
50.00	9.30	14.83#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58808.D
Acq On : 26 Apr 2022 2:27 pm
Operator : thomash
Sample : ic2620-0.2
Misc : MS56823,V2w2620,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Apr 27 09:09:04 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration





TIC: 2w58808.D\data.ms

(80) M,P-XYLENE (t)

11.994min (-0.061) 0.16PPBV


response 33936


Ion	Exp%	Act%
91.10	100	100
106.10	51.50	43.56
105.10	23.60	43.84#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58808.D
Acq On : 26 Apr 2022 2:27 pm
Operator : thomash
Sample : ic2620-0.2
Misc : MS56823,V2w2620,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Apr 27 09:09:04 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration





TIC: 2w58808.D\data.ms

(80) M,P-XYLENE (t)

12.042min (-0.013) 0.31PPBV m


response 65347


Ion	Exp%	Act%
91.10	100	100
106.10	51.50	22.62#
105.10	23.60	22.77
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58808.D
Acq On : 26 Apr 2022 2:27 pm
Operator : thomash
Sample : ic2619-0.2
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Apr 27 09:40:06 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration





TIC: 2w58808.D\data.ms

(34) TRANS-1,2-DICHLOROETHENE (T)

2.515min (+0.003) 0.20PPBV


response 7596


Ion	Exp%	Act%
96.00	100	100
61.00	130.40	206.85#
98.00	63.30	59.66
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58808.D
Acq On : 26 Apr 2022 2:27 pm
Operator : thomash
Sample : ic2619-0.2
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Apr 27 09:40:06 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration





TIC: 2w58808.D\data.ms

(34) TRANS-1,2-DICHLOROETHENE (T)

2.904min (+0.392) 0.20PPBV m

response 7761

Ion	Exp%	Act%
96.00	100	100
61.00	130.40	202.45#
98.00	63.30	58.39
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 05/11/22 16:55

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58809.D
Acq On : 26 Apr 2022 3:05 pm
Operator : thomash
Sample : ic2619-0.5
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: May 11 14:44:36 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.470	128	266005	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.846	114	1691368	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.637	117	1594580	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.052	95	1146725	9.63	PPBV		0.00
Target Compounds							Qvalue
2) FREON 115	1.782	119	20276	0.38	PPBV	#	100
3) FREON 152A	1.818	65	15902	0.52	PPBV	#	53
4) CHLORODIFLUOROMETHANE	1.827	67	7090	0.52	PPBV	#	39
5) CHLOROTRIFLUOROETHENE	1.837	116	31196	0.50	PPBV	#	98
6) DICHLORODIFLUOROMETHANE	1.850	85	70512m	0.51	PPBV		
7) PROPYLENE	1.834	41	28336	0.51	PPBV		99
8) 1-CHLORO-1,1-DIFLUOROE...	1.888	65	47333	0.48	PPBV	#	52
9) FREON 114	1.924	85	57957	0.49	PPBV		92
10) CHLOROMETHANE	1.901	52	9624	0.58	PPBV		74
11) VINYL CHLORIDE	1.956	62	25082	0.51	PPBV		95
12) 1,3-BUTADIENE	1.985	54	23127	0.49	PPBV	#	76
13) N-BUTANE	2.004	43	45115	0.51	PPBV	#	72
14) BROMOMETHANE	2.062	94	18311	0.49	PPBV		99
15) CHLOROETHANE	2.104	64	11854	0.50	PPBV	#	69
16) DICHLOROFLUOROMETHANE	2.133	67	44757	0.49	PPBV	#	95
17) ACETONITRILE	2.200	41	24609	0.49	PPBV	#	84
18) ACROLEIN	2.229	56	10241	0.42	PPBV		96
19) FREON 123	2.245	83	44981	0.48	PPBV		99
20) FREON 123A	2.261	117	25620	0.48	PPBV		88
21) TRICHLOROFLUOROMETHANE	2.322	101	54048	0.49	PPBV		98
22) ISOPROPYL ALCOHOL	2.339	45	64593	0.55	PPBV	#	97
23) ACETONE	2.268	58	17536	0.67	PPBV	#	52
24) PENTANE	2.432	42	31424	0.49	PPBV	#	95
25) IODOMETHANE	2.490	142	45168	0.48	PPBV	#	80
26) 1,1-DICHLOROETHYLENE	2.515	96	18648	0.48	PPBV	#	43
27) CARBON DISULFIDE	2.657	76	54752	0.49	PPBV	#	80
28) ETHANOL	2.133	45	20081	0.76	PPBV	#	96
29) BROMOETHENE	2.200	106	18781	0.49	PPBV	#	97
30) ACRYLONITRILE	2.403	52	20834	0.50	PPBV		96
31) METHYLENE CHLORIDE	2.551	84	21441	0.61	PPBV	#	25
32) 3-CHLOROPROPENE	2.593	76	8528	0.48	PPBV	#	1
33) FREON 113	2.654	151	29559	0.48	PPBV		83
34) TRANS-1,2-DICHLOROETHENE	2.904	96	18836m	0.48	PPBV		
35) TERTIARY BUTYL ALCOHOL	2.531	59	47731	0.40	PPBV	#	80
36) METHYL TERTIARY BUTYL ...	3.023	73	55641	0.46	PPBV	#	84
37) TETRAHYDROFURAN	3.782	72	8012	0.46	PPBV	#	1
38) HEXANE	3.525	57	43650	0.49	PPBV	#	75
39) VINYL ACETATE	3.065	86	3840	0.40	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.988	63	39304	0.47	PPBV		96
41) METHYL ETHYL KETONE	3.171	72	8620	0.46	PPBV	#	1
42) CIS-1,2-DICHLOROETHENE	3.387	96	18285	0.46	PPBV	#	70

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58809.D
Acq On : 26 Apr 2022 3:05 pm
Operator : thomash
Sample : ic2619-0.5
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: May 11 14:44:36 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
43)	DIISOPROPYL ETHER	3.531	59	12546	0.50	PPBV	#	30
44)	ETHYL ACETATE	3.538	61	7898	0.48	PPBV	#	1
45)	METHYL ACRYLATE	3.522	55	55417	0.48	PPBV	#	98
46)	CHLOROFORM	3.548	83	43204	0.49	PPBV	#	88
47)	2,4-DIMETHYLPENTANE	4.078	57	49049	0.47	PPBV	#	91
48)	1,1,1-TRICHLOROETHANE	4.165	97	41442	0.45	PPBV		95
49)	CARBON TETRACHLORIDE	4.612	117	41129	0.39	PPBV		99
50)	1,2-DICHLOROETHANE	3.985	62	31676	0.47	PPBV	#	95
51)	BENZENE	4.493	78	52967	0.39	PPBV		63
53)	CYCLOHEXANE	4.721	84	27391	0.46	PPBV	#	48
54)	2,3-DIMETHYLPENTANE	4.991	71	15951	0.49	PPBV	#	14
55)	TRICHLOROETHENE	5.451	95	30267	0.46	PPBV		93
56)	1,2-DICHLOROPROPANE	5.207	63	31196	0.48	PPBV		96
57)	DIBROMOMETHANE	5.165	174	25935	0.49	PPBV		87
58)	ETHYL ACRYLATE	5.335	55	76512	0.44	PPBV	#	95
59)	BROMODICHLOROMETHANE	5.400	83	50604	0.45	PPBV		99
60)	2,2,4-TRIMETHYLPENTANE	5.547	57	167283	0.48	PPBV	#	98
61)	1,4-DIOXANE	5.477	88	14553	0.44	PPBV	#	73
62)	HEPTANE	5.882	43	66480	0.46	PPBV	#	67
63)	METHYL METHACRYLATE	5.782	69	24942	0.45	PPBV	#	25
64)	METHYL ISOBUTYL KETONE	6.551	58	28916	0.43	PPBV	#	62
65)	CIS-1,3-DICHLOROPROPENE	6.435	75	37434	0.45	PPBV	#	64
66)	TOLUENE	7.692	91	80025	0.44	PPBV		99
67)	1,3-DICHLOROPROPANE	7.756	76	39436	0.43	PPBV	#	97
68)	TRANS-1,3-DICHLOROPROPENE	7.145	75	33295	0.42	PPBV	#	70
69)	1,1,2-TRICHLOROETHANE	7.313	83	23573	0.44	PPBV		99
70)	2-HEXANONE	8.284	58	35468	0.39	PPBV	#	61
71)	ETHYL METHACRYLATE	8.419	69	41320	0.41	PPBV	#	56
72)	TETRACHLOROETHENE	9.473	164	27072	0.43	PPBV		90
73)	DIBROMOCHLOROMETHANE	8.248	129	48322	0.42	PPBV		99
74)	1,2-DIBROMOETHANE	8.599	107	42305	0.42	PPBV	#	98
75)	OCTANE	9.615	43	86803	0.42	PPBV	#	70
77)	1,1,1,2-TETRACHLOROETHANE	10.724	131	36478	0.43	PPBV		92
78)	CHLOROBENZENE	10.708	112	68887	0.44	PPBV		98
79)	ETHYLBENZENE	11.611	91	110613	0.43	PPBV		98
80)	M,P-XYLENE	11.997	91	168268	0.81	PPBV	#	64
81)	O-XYLENE	12.984	91	84476	0.40	PPBV		93
82)	STYRENE	12.766	104	61452	0.40	PPBV		96
83)	NONANE	14.110	43	97039	0.43	PPBV	#	72
84)	BROMOFORM	11.853	173	39108	0.36	PPBV	#	97
85)	1,1,2,2-TETRACHLOROETHANE	13.004	83	54732	0.36	PPBV		100
86)	1,2,3-TRICHLOROPROPANE	13.287	75	43909	0.38	PPBV	#	99
88)	ISOPROPYLBENZENE	14.521	120	32926	0.42	PPBV		89
89)	BROMOBENZENE	14.390	77	58223	0.41	PPBV		87
90)	2-CHLOROTOLUENE	15.541	126	26789	0.41	PPBV		100
91)	N-PROPYLBENZENE	15.875	120	31124	0.39	PPBV		99
92)	4-ETHYLTOLUENE	16.206	105	109397	0.36	PPBV		99
93)	1,3,5-TRIMETHYLBENZENE	16.354	105	93014	0.37	PPBV		97
94)	ALPHA-METHYLSTYRENE	16.547	118	43981	0.35	PPBV		98
95)	TERT-BUTYLBENZENE	16.798	134	20857	0.39	PPBV		82

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58809.D
Acq On : 26 Apr 2022 3:05 pm
Operator : thomash
Sample : ic2619-0.5
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: May 11 14:44:36 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
96)	1,2,4-TRIMETHYLBENZENE	16.807	105	91114	0.36	PPBV		98
97)	BENZYL CHLORIDE	16.888	91	55312	0.26	PPBV	#	95
98)	M-DICHLOROBENZENE	16.865	146	47828	0.34	PPBV		95
99)	P-DICHLOROBENZENE	16.949	146	47032	0.34	PPBV		96
100)	O-DICHLOROBENZENE	17.241	146	45768	0.35	PPBV		96
101)	SEC-BUTYLBENZENE	17.078	134	25978	0.40	PPBV		84
102)	1,2,3-TRIMETHYLBENZENE	17.187	105	85625	0.36	PPBV		98
103)	P-ISOPROPYLTOLUENE	17.254	134	27382	0.40	PPBV		88
104)	N-BUTYLBENZENE	17.598	134	23778	0.37	PPBV		85
105)	HEXACHLOROETHANE	17.775	117	34865	0.34	PPBV	#	86
106)	HEXACHLOROBUTADIENE	18.814	225	25987	0.30	PPBV		99
107)	1,2,4-TRICHLOROBENZENE	18.508	180	22503	0.26	PPBV		96
108)	NAPHTHALENE	18.557	128	64532	0.28	PPBV		99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58809.D
Acq On : 26 Apr 2022 3:05 pm
Operator : thomash
Sample : ic2619-0.5
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: May 11 14:44:36 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration



Manual Integration Approval Summary

Sample Number: V2W2619-IC2619
Lab FileID: 2W58809.D
Injection Time: 04/26/22 15:05


Method: TO-15
Analyst approved: 05/11/22 16:26 Thomas Hilbig
Supervisor approved: 05/11/22 16:55 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Dichlorodifluoromethane	75-71-8		1.85	Poorly defined baseline
trans-1,2-Dichloroethylene	156-60-5		2.90	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58809.D
Acq On : 26 Apr 2022 3:05 pm
Operator : thomash
Sample : ic2620-0.5
Misc : MS56823,V2w2620,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Apr 27 09:11:46 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration





TIC: 2w58809.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.850min (+0.006) 0.45PPBV


response 62517


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	32.13
50.00	9.30	16.31#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58809.D
Acq On : 26 Apr 2022 3:05 pm
Operator : thomash
Sample : ic2620-0.5
Misc : MS56823,V2w2620,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Apr 27 09:11:46 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration







TIC: 2w58809.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.850min (+0.006) 0.51PPBV m


response 70512


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	28.49
50.00	9.30	14.46#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58809.D
Acq On : 26 Apr 2022 3:05 pm
Operator : thomash
Sample : ic2619-0.5
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Apr 27 09:12:04 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration





TIC: 2w58809.D\data.ms

(34) TRANS-1,2-DICHLOROETHENE (T)

2.515min (+0.003) 0.48PPBV


response 18648


Ion	Exp%	Act%
96.00	100	100
61.00	130.40	213.22#
98.00	63.30	63.52
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58809.D
Acq On : 26 Apr 2022 3:05 pm
Operator : thomash
Sample : ic2619-0.5
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Apr 27 09:12:04 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration





TIC: 2w58809.D\data.ms

(34) TRANS-1,2-DICHLOROETHENE (T)

2.904min (+0.392) 0.48PPBV m

response 18836

Ion	Exp%	Act%
96.00	100	100
61.00	130.40	211.09#
98.00	63.30	62.89
0.00	0.00	0.00

2W58809.D edits: TRANS-1,2-DICHLOROETHENE

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 05/11/22 16:55

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58810.D
Acq On : 26 Apr 2022 3:42 pm
Operator : thomash
Sample : ic2619-5
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 11 14:45:17 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.467	128	278025	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.847	114	1767526	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.641	117	1621830	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.055	95	1199508	9.90	PPBV		0.00
Target Compounds							Qvalue
2) FREON 115	1.786	119	293439	5.21	PPBV	#	100
3) FREON 152A	1.818	65	156893m	4.92	PPBV		
4) CHLORODIFLUOROMETHANE	1.824	67	70459	4.93	PPBV	#	39
5) CHLOROTRIFLUOROETHENE	1.837	116	323951	5.01	PPBV	#	100
6) DICHLORODIFLUOROMETHANE	1.850	85	736704m	5.07	PPBV		
7) PROPYLENE	1.831	41	277266	4.77	PPBV		100
8) 1-CHLORO-1,1-DIFLUOROE...	1.889	65	509641	4.98	PPBV	#	73
9) FREON 114	1.921	85	603221	4.84	PPBV		92
10) CHLOROMETHANE	1.892	52	86204	5.00	PPBV	#	65
11) VINYL CHLORIDE	1.953	62	258040	5.05	PPBV		96
12) 1,3-BUTADIENE	1.988	54	242796	4.96	PPBV	#	82
13) N-BUTANE	2.004	43	472301	5.06	PPBV	#	90
14) BROMOMETHANE	2.062	94	196608	5.06	PPBV		99
15) CHLOROETHANE	2.107	64	125633	5.05	PPBV	#	76
16) DICHLOROFLUOROMETHANE	2.130	67	488190	5.09	PPBV	#	94
17) ACETONITRILE	2.194	41	260215	5.00	PPBV		97
18) ACROLEIN	2.229	56	125748	4.97	PPBV		96
19) FREON 123	2.245	83	494810	5.07	PPBV		99
20) FREON 123A	2.258	117	280242	5.05	PPBV		89
21) TRICHLOROFLUOROMETHANE	2.323	101	577633	5.00	PPBV		100
22) ISOPROPYL ALCOHOL	2.335	45	625203	5.06	PPBV	#	96
23) ACETONE	2.268	58	140631	5.11	PPBV	#	46
24) PENTANE	2.432	42	333834	5.02	PPBV	#	94
25) IODOMETHANE	2.490	142	498486	5.02	PPBV	#	81
26) 1,1-DICHLOROETHYLENE	2.519	96	207997	5.15	PPBV	#	45
27) CARBON DISULFIDE	2.654	76	601090	5.13	PPBV	#	87
28) ETHANOL	2.136	45	138071	5.01	PPBV		97
29) BROMOETHENE	2.200	106	201300	5.07	PPBV	#	98
30) ACRYLONITRILE	2.400	52	217577	4.95	PPBV		96
31) METHYLENE CHLORIDE	2.554	84	190706	5.17	PPBV	#	24
32) 3-CHLOROPROPENE	2.596	76	89868	4.82	PPBV	#	1
33) FREON 113	2.654	151	324853	5.07	PPBV		83
34) TRANS-1,2-DICHLOROETHENE	2.905	96	207586m	5.11	PPBV		
35) TERTIARY BUTYL ALCOHOL	2.525	59	637382	5.07	PPBV	#	77
36) METHYL TERTIARY BUTYL ...	3.024	73	625784	4.99	PPBV	#	86
37) TETRAHYDROFURAN	3.776	72	91329	4.99	PPBV	#	1
38) HEXANE	3.522	57	474485	5.08	PPBV	#	77
39) VINYL ACETATE	3.062	86	50884	5.04	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.988	63	435132	5.00	PPBV		96
41) METHYL ETHYL KETONE	3.168	72	98150	5.04	PPBV	#	1
42) CIS-1,2-DICHLOROETHENE	3.387	96	203923	4.94	PPBV	#	68

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58810.D
Acq On : 26 Apr 2022 3:42 pm
Operator : thomash
Sample : ic2619-5
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 11 14:45:17 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
43)	DIISOPROPYL ETHER	3.532	59	131228	5.02	PPBV	#	23
44)	ETHYL ACETATE	3.535	61	84778	4.93	PPBV	#	1
45)	METHYL ACRYLATE	3.522	55	607088	5.03	PPBV	#	96
46)	CHLOROFORM	3.548	83	461095	5.05	PPBV	#	92
47)	2,4-DIMETHYLPENTANE	4.078	57	535955	4.90	PPBV	#	90
48)	1,1,1-TRICHLOROETHANE	4.165	97	475888	4.92	PPBV		95
49)	CARBON TETRACHLORIDE	4.615	117	507117	4.66	PPBV		98
50)	1,2-DICHLOROETHANE	3.991	62	348085	4.96	PPBV	#	93
51)	BENZENE	4.496	78	568527	4.05	PPBV		63
53)	CYCLOHEXANE	4.718	84	308776	4.91	PPBV	#	48
54)	2,3-DIMETHYLPENTANE	4.991	71	168236	4.98	PPBV	#	12
55)	TRICHLOROETHENE	5.454	95	344146	5.02	PPBV		93
56)	1,2-DICHLOROPROPANE	5.213	63	338793	4.98	PPBV		97
57)	DIBROMOMETHANE	5.168	174	272991	4.96	PPBV	#	85
58)	ETHYL ACRYLATE	5.339	55	889496	4.85	PPBV	#	96
59)	BROMODICHLOROMETHANE	5.400	83	583385	4.95	PPBV		100
60)	2,2,4-TRIMETHYLPENTANE	5.551	57	1839237	5.09	PPBV	#	98
61)	1,4-DIOXANE	5.474	88	175036	5.12	PPBV	#	60
62)	HEPTANE	5.885	43	752752	4.97	PPBV	#	66
63)	METHYL METHACRYLATE	5.782	69	292859	5.03	PPBV	#	24
64)	METHYL ISOBUTYL KETONE	6.557	58	340993	4.87	PPBV	#	61
65)	CIS-1,3-DICHLOROPROPENE	6.438	75	429084	4.92	PPBV	#	65
66)	TOLUENE	7.695	91	913696	4.76	PPBV		100
67)	1,3-DICHLOROPROPANE	7.756	76	464600	4.81	PPBV	#	97
68)	TRANS-1,3-DICHLOROPROPENE	7.149	75	397009	4.80	PPBV	#	70
69)	1,1,2-TRICHLOROETHANE	7.313	83	266499	4.71	PPBV		98
70)	2-HEXANONE	8.281	58	454971	4.83	PPBV	#	64
71)	ETHYL METHACRYLATE	8.419	69	512389	4.85	PPBV	#	53
72)	TETRACHLOROETHENE	9.473	164	313657	4.79	PPBV		90
73)	DIBROMOCHLOROMETHANE	8.248	129	575300	4.76	PPBV		98
74)	1,2-DIBROMOETHANE	8.605	107	510892	4.88	PPBV		100
75)	OCTANE	9.621	43	1038276	4.82	PPBV	#	70
77)	1,1,1,2-TETRACHLOROETHANE	10.727	131	419524	4.88	PPBV		92
78)	CHLOROBENZENE	10.715	112	784493	4.90	PPBV		97
79)	ETHYLBENZENE	11.612	91	1266044	4.82	PPBV		97
80)	M,P-XYLENE	12.046	91	2071024	9.77	PPBV	#	65
81)	O-XYLENE	12.997	91	1019415	4.78	PPBV		98
82)	STYRENE	12.779	104	746397	4.81	PPBV		96
83)	NONANE	14.120	43	1132749	4.88	PPBV	#	74
84)	BROMOFORM	11.862	173	515583	4.64	PPBV	#	97
85)	1,1,2,2-TETRACHLOROETHANE	13.007	83	745691	4.77	PPBV		100
86)	1,2,3-TRICHLOROPROPANE	13.293	75	561734	4.79	PPBV	#	100
88)	ISOPROPYLBENZENE	14.525	120	394992	4.94	PPBV		87
89)	BROMOBENZENE	14.399	77	705940	4.91	PPBV		88
90)	2-CHLOROTOLUENE	15.544	126	319215	4.80	PPBV		99
91)	N-PROPYLBENZENE	15.882	120	383258	4.67	PPBV		99
92)	4-ETHYLTOLUENE	16.210	105	1452501	4.72	PPBV		98
93)	1,3,5-TRIMETHYLBENZENE	16.357	105	1246522	4.84	PPBV		96
94)	ALPHA-METHYLSTYRENE	16.550	118	627697	4.86	PPBV		98
95)	TERT-BUTYLBENZENE	16.804	134	264984	4.88	PPBV		79

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58810.D
Acq On : 26 Apr 2022 3:42 pm
Operator : thomash
Sample : ic2619-5
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 11 14:45:17 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
96) 1,2,4-TRIMETHYLBENZENE	16.811	105	1255065	4.90	PPBV		93
97) BENZYL CHLORIDE	16.891	91	1036514	4.79	PPBV	#	95
98) M-DICHLOROBENZENE	16.872	146	703299	4.92	PPBV		96
99) P-DICHLOROBENZENE	16.952	146	696504	4.96	PPBV		97
100) O-DICHLOROBENZENE	17.242	146	659086	4.94	PPBV		96
101) SEC-BUTYLBENZENE	17.078	134	332258	5.01	PPBV		80
102) 1,2,3-TRIMETHYLBENZENE	17.190	105	1195356	4.98	PPBV		97
103) P-ISOPROPYLTOLUENE	17.255	134	355138	5.11	PPBV		82
104) N-BUTYLBENZENE	17.599	134	320336	4.94	PPBV		76
105) HEXACHLOROETHANE	17.775	117	510861	4.96	PPBV	#	88
106) HEXACHLOROBUTADIENE	18.814	225	422355	4.81	PPBV		99
107) 1,2,4-TRICHLOROBENZENE	18.508	180	412461	4.60	PPBV		97
108) NAPHTHALENE	18.557	128	1106677	4.66	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58810.D
Acq On : 26 Apr 2022 3:42 pm
Operator : thomash
Sample : ic2619-5
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 11 14:45:17 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration



Manual Integration Approval Summary

Sample Number: V2W2619-IC2619
Lab FileID: 2W58810.D
Injection Time: 04/26/22 15:42


Method: TO-15
Analyst approved: 05/11/22 16:26 Thomas Hilbig
Supervisor approved: 05/11/22 16:55 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Freon 152A	75-37-6		1.82	Missed peak
Dichlorodifluoromethane	75-71-8		1.85	Poorly defined baseline
trans-1,2-Dichloroethylene	156-60-5		2.90	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58810.D
Acq On : 26 Apr 2022 3:42 pm
Operator : thomash
Sample : ic2620-5
Misc : MS56823,V2w2620,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Apr 27 09:14:07 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration





TIC: 2w58810.D\data.ms

(3) FREON 152A (T)

1.808min (-1.808) 0.00PPBV


response 0


Ion	Exp%	Act%
65.10	100	0.00
45.10	22.90	0.00#
0.00	0.00	0.00
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58810.D
Acq On : 26 Apr 2022 3:42 pm
Operator : thomash
Sample : ic2620-5
Misc : MS56823,V2w2620,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Apr 27 09:14:07 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration







TIC: 2w58810.D\data.ms

(3) FREON 152A (T)

1.818min (+0.010) 4.92PPBV m


response 156893


Ion	Exp%	Act%
65.10	100	100
45.10	22.90	0.00#
0.00	0.00	0.00
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58810.D
Acq On : 26 Apr 2022 3:42 pm
Operator : thomash
Sample : ic2620-5
Misc : MS56823,V2w2620,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Apr 27 09:14:07 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration







TIC: 2w58810.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.850min (+0.006) 4.34PPBV


response 631177


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	32.28
50.00	9.30	16.03#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58810.D
Acq On : 26 Apr 2022 3:42 pm
Operator : thomash
Sample : ic2620-5
Misc : MS56823,V2w2620,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Apr 27 09:14:07 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration







TIC: 2w58810.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.850min (+0.006) 5.07PPBV m


response 736704


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	27.66
50.00	9.30	13.73#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58810.D
Acq On : 26 Apr 2022 3:42 pm
Operator : thomash
Sample : ic2619-5
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Apr 27 09:15:25 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration





TIC: 2w58810.D\data.ms

(34) TRANS-1,2-DICHLOROETHENE (T)

2.519min (+0.007) 5.12PPBV


response 207997


Ion	Exp%	Act%
96.00	100	100
61.00	130.40	212.97#
98.00	63.30	63.60
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58810.D
Acq On : 26 Apr 2022 3:42 pm
Operator : thomash
Sample : ic2619-5
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Apr 27 09:15:25 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration





TIC: 2w58810.D\data.ms

(34) TRANS-1,2-DICHLOROETHENE (T)

2.905min (+0.393) 5.11PPBV m

response 207586

Ion	Exp%	Act%
96.00	100	100
61.00	130.40	213.40#
98.00	63.30	63.72
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 05/11/22 16:55

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58811.D
Acq On : 26 Apr 2022 4:18 pm
Operator : thomash
Sample : icc2619-10
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 11 14:45:56 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.464	128	271432	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.843	114	1739008	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.641	117	1564554	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.055	95	1168605	10.00	PPBV		0.00
Target Compounds							Qvalue
2) FREON 115	1.776	119	550035	10.00	PPBV	#	100
3) FREON 152A	1.808	65	311086	10.00	PPBV	#	74
4) CHLORODIFLUOROMETHANE	1.818	67	139639	10.00	PPBV	#	39
5) CHLOROTRIFLUOROETHENE	1.831	116	631871	10.00	PPBV	#	100
6) DICHLORODIFLUOROMETHANE	1.844	85	1418886m	10.00	PPBV		
7) PROPYLENE	1.818	41	566895	10.00	PPBV		99
8) 1-CHLORO-1,1-DIFLUOROE...	1.882	65	999128	10.00	PPBV	#	73
9) FREON 114	1.918	85	1216036	10.00	PPBV		90
10) CHLOROMETHANE	1.885	52	168426	10.00	PPBV	#	66
11) VINYL CHLORIDE	1.946	62	499022	10.00	PPBV		96
12) 1,3-BUTADIENE	1.985	54	478095	10.00	PPBV	#	83
13) N-BUTANE	1.998	43	910835	10.00	PPBV	#	91
14) BROMOMETHANE	2.053	94	379475	10.00	PPBV		100
15) CHLOROETHANE	2.101	64	242701	10.00	PPBV	#	75
16) DICHLOROFLUOROMETHANE	2.127	67	937245	10.00	PPBV	#	95
17) ACETONITRILE	2.191	41	508015	10.00	PPBV		97
18) ACROLEIN	2.226	56	247120	10.00	PPBV		97
19) FREON 123	2.239	83	952497	10.00	PPBV		99
20) FREON 123A	2.255	117	542023	10.00	PPBV		88
21) TRICHLOROFLUOROMETHANE	2.316	101	1127931	10.00	PPBV		99
22) ISOPROPYL ALCOHOL	2.332	45	1206113	10.00	PPBV	#	96
23) ACETONE	2.265	58	268890	10.00	PPBV	#	43
24) PENTANE	2.426	42	649534	10.00	PPBV	#	94
25) IODOMETHANE	2.483	142	968721	10.00	PPBV	#	81
26) 1,1-DICHLOROETHYLENE	2.512	96	394658	10.00	PPBV	#	43
27) CARBON DISULFIDE	2.651	76	1143329	10.00	PPBV	#	87
28) ETHANOL	2.130	45	269109	10.00	PPBV		97
29) BROMOETHENE	2.197	106	387915	10.00	PPBV	#	98
30) ACRYLONITRILE	2.400	52	429173	10.00	PPBV		96
31) METHYLENE CHLORIDE	2.551	84	360304	10.00	PPBV	#	23
32) 3-CHLOROPROPENE	2.593	76	181897	10.00	PPBV	#	1
33) FREON 113	2.651	151	625377	10.00	PPBV		83
34) TRANS-1,2-DICHLOROETHENE	2.898	96	408139m	10.29	PPBV		
35) TERTIARY BUTYL ALCOHOL	2.522	59	1226864	10.00	PPBV	#	78
36) METHYL TERTIARY BUTYL ...	3.017	73	1224364	10.00	PPBV	#	85
37) TETRAHYDROFURAN	3.773	72	178848	10.00	PPBV	#	1
38) HEXANE	3.519	57	912268	10.00	PPBV	#	77
39) VINYL ACETATE	3.062	86	98610	10.00	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.982	63	849011	10.00	PPBV		95
41) METHYL ETHYL KETONE	3.165	72	190244	10.00	PPBV	#	1
42) CIS-1,2-DICHLOROETHENE	3.381	96	402763	10.00	PPBV	#	69

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58811.D
Acq On : 26 Apr 2022 4:18 pm
Operator : thomash
Sample : icc2619-10
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 11 14:45:56 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
43) DIISOPROPYL ETHER	3.528	59	255420	10.00	PPBV	#	28
44) ETHYL ACETATE	3.532	61	167726	10.00	PPBV	#	1
45) METHYL ACRYLATE	3.519	55	1177219	10.00	PPBV	#	96
46) CHLOROFORM	3.548	83	891610	10.00	PPBV	#	91
47) 2,4-DIMETHYLPENTANE	4.075	57	1067136	10.00	PPBV	#	90
48) 1,1,1-TRICHLOROETHANE	4.162	97	945116	10.00	PPBV		95
49) CARBON TETRACHLORIDE	4.615	117	1063091	10.00	PPBV		99
50) 1,2-DICHLOROETHANE	3.988	62	685510	10.00	PPBV	#	93
51) BENZENE	4.496	78	1371752	10.00	PPBV		67
53) CYCLOHEXANE	4.718	84	618833	10.00	PPBV	#	46
54) 2,3-DIMETHYLPENTANE	4.988	71	332662	10.00	PPBV	#	11
55) TRICHLOROETHENE	5.451	95	674603	10.00	PPBV		93
56) 1,2-DICHLOROPROPANE	5.210	63	668986	10.00	PPBV		96
57) DIBROMOMETHANE	5.168	174	541676	10.00	PPBV	#	84
58) ETHYL ACRYLATE	5.339	55	1804547	10.00	PPBV	#	96
59) BROMODICHLOROMETHANE	5.403	83	1160313	10.00	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.551	57	3554170	10.00	PPBV	#	98
61) 1,4-DIOXANE	5.470	88	336555	10.00	PPBV	#	59
62) HEPTANE	5.882	43	1489892	10.00	PPBV	#	66
63) METHYL METHACRYLATE	5.782	69	573122	10.00	PPBV	#	22
64) METHYL ISOBUTYL KETONE	6.554	58	689453	10.00	PPBV	#	60
65) CIS-1,3-DICHLOROPROPENE	6.438	75	858801	10.00	PPBV	#	65
66) TOLUENE	7.699	91	1887673	10.00	PPBV		100
67) 1,3-DICHLOROPROPANE	7.760	76	950557	10.00	PPBV	#	97
68) TRANS-1,3-DICHLOROPROPENE	7.152	75	813053	10.00	PPBV	#	70
69) 1,1,2-TRICHLOROETHANE	7.316	83	556977	10.00	PPBV		99
70) 2-HEXANONE	8.284	58	927140	10.00	PPBV	#	64
71) ETHYL METHACRYLATE	8.422	69	1038771	10.00	PPBV	#	53
72) TETRACHLOROETHENE	9.480	164	644061	10.00	PPBV		90
73) DIBROMOCHLOROMETHANE	8.255	129	1190201	10.00	PPBV		99
74) 1,2-DIBROMOETHANE	8.609	107	1030937	10.00	PPBV		99
75) OCTANE	9.625	43	2119861	10.00	PPBV	#	69
77) 1,1,1,2-TETRACHLOROETHANE	10.734	131	829813	10.00	PPBV		92
78) CHLOROBENZENE	10.721	112	1545591	10.00	PPBV		96
79) ETHYLBENZENE	11.618	91	2534042	10.00	PPBV		98
80) M,P-XYLENE	12.055	91	4091678	20.00	PPBV	#	66
81) O-XYLENE	13.001	91	2056027	10.00	PPBV		96
82) STYRENE	12.788	104	1496381	10.00	PPBV		96
83) NONANE	14.126	43	2236996	10.00	PPBV	#	72
84) BROMOFORM	11.862	173	1071465	10.00	PPBV	#	97
85) 1,1,2,2-TETRACHLOROETHANE	13.020	83	1507320	10.00	PPBV		100
86) 1,2,3-TRICHLOROPROPANE	13.303	75	1131473	10.00	PPBV	#	100
88) ISOPROPYLBENZENE	14.534	120	771779	10.00	PPBV	#	82
89) BROMOBENZENE	14.406	77	1386310	10.00	PPBV		89
90) 2-CHLOROTOLUENE	15.547	126	641686	10.00	PPBV		99
91) N-PROPYLBENZENE	15.888	120	791226	10.00	PPBV		99
92) 4-ETHYLTOLUENE	16.216	105	2969396	10.00	PPBV		98
93) 1,3,5-TRIMETHYLBENZENE	16.361	105	2487065	10.00	PPBV		96
94) ALPHA-METHYLSTYRENE	16.554	118	1244733	10.00	PPBV		98
95) TERT-BUTYLBENZENE	16.808	134	524150	10.00	PPBV		81

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58811.D
Acq On : 26 Apr 2022 4:18 pm
Operator : thomash
Sample : icc2619-10
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 11 14:45:56 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
96)	1,2,4-TRIMETHYLBENZENE	16.817	105	2469396	10.00	PPBV		93
97)	BENZYL CHLORIDE	16.898	91	2085630	10.00	PPBV	#	95
98)	M-DICHLOROBENZENE	16.875	146	1378245	10.00	PPBV		96
99)	P-DICHLOROBENZENE	16.956	146	1355711	10.00	PPBV		96
100)	O-DICHLOROBENZENE	17.245	146	1286377	10.00	PPBV		96
101)	SEC-BUTYLBENZENE	17.081	134	639407	10.00	PPBV		79
102)	1,2,3-TRIMETHYLBENZENE	17.193	105	2317156	10.00	PPBV		96
103)	P-ISOPROPYLTOLUENE	17.258	134	670341	10.00	PPBV		79
104)	N-BUTYLBENZENE	17.602	134	625138	10.00	PPBV		72
105)	HEXACHLOROETHANE	17.779	117	994524	10.00	PPBV	#	88
106)	HEXACHLOROBUTADIENE	18.817	225	846771	10.00	PPBV		99
107)	1,2,4-TRICHLOROBENZENE	18.512	180	864554	10.00	PPBV		97
108)	NAPHTHALENE	18.560	128	2289286	10.00	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58811.D
Acq On : 26 Apr 2022 4:18 pm
Operator : thomash
Sample : icc2619-10
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 11 14:45:56 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V2W2619-ICC2619 **Method:** TO-15
Lab FileID: 2W58811.D **Analyst approved:** 05/11/22 16:26 Thomas Hilbig
Injection Time: 04/26/22 16:18 **Supervisor approved:** 05/11/22 16:55 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Dichlorodifluoromethane	75-71-8		1.84	Poorly defined baseline
trans-1,2-Dichloroethylene	156-60-5		2.90	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58811.D
Acq On : 26 Apr 2022 4:18 pm
Operator : thomash
Sample : icc2620-10
Misc : MS56823,V2w2620,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Apr 27 08:53:01 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:52:55 2022
Response via : Initial Calibration





TIC: 2w58811.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.844min (0.000) 10.02PPBV


response 1271242


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	32.29
50.00	9.30	16.93#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58811.D
Acq On : 26 Apr 2022 4:18 pm
Operator : thomash
Sample : icc2620-10
Misc : MS56823,V2w2620,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Apr 27 08:53:01 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:52:55 2022
Response via : Initial Calibration





TIC: 2w58811.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.844min (0.000) 11.19PPBV m


response 1418886


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	28.93
50.00	9.30	15.17#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58811.D
Acq On : 26 Apr 2022 4:18 pm
Operator : thomash
Sample : icc2619-10
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Apr 27 08:57:39 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration





TIC: 2w58811.D\data.ms

(34) TRANS-1,2-DICHLOROETHENE (T)

2.512min (+0.000) 9.95PPBV


response 394658


Ion	Exp%	Act%
96.00	100	100
61.00	130.40	215.33#
98.00	63.30	64.08
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58811.D
Acq On : 26 Apr 2022 4:18 pm
Operator : thomash
Sample : icc2619-10
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Apr 27 08:57:39 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration





TIC: 2w58811.D\data.ms

(34) TRANS-1,2-DICHLOROETHENE (T)

2.898min (+0.386) 10.29PPBV m

response 408139

Ion	Exp%	Act%
96.00	100	100
61.00	130.40	208.22#
98.00	63.30	61.97
0.00	0.00	0.00

2W58812.D

Manual Integrations APPROVED (compounds with "m" flag)

Kanya Veerawat 05/11/22 16:55

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58812.D
Acq On : 26 Apr 2022 4:55 pm
Operator : thomash
Sample : ic2619-20
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 11 14:46:37 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:33:23 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.470	128	270062	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.847	114	1710406	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.644	117	1562922	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.062	95	1162928	10.26	PPBV		0.00
Target Compounds							Qvalue
2) FREON 115	1.786	119	787158	14.64	PPBV	#	100
3) FREON 152A	1.815	65	602618	18.94	PPBV	#	71
4) CHLORODIFLUOROMETHANE	1.824	67	272792	18.90	PPBV	#	39
5) CHLOROTRIFLUOROETHENE	1.834	116	1218835	19.21	PPBV	#	99
6) DICHLORODIFLUOROMETHANE	1.850	85	2718152m	18.98	PPBV		
7) PROPYLENE	1.831	41	1072141	18.42	PPBV		99
8) 1-CHLORO-1,1-DIFLUOROE...	1.889	65	1942887	19.31	PPBV	#	73
9) FREON 114	1.921	85	2278136	19.29	PPBV		91
10) CHLOROMETHANE	1.892	52	325118	16.96	PPBV	#	63
11) VINYL CHLORIDE	1.950	62	955954	18.91	PPBV		96
12) 1,3-BUTADIENE	1.988	54	920679	19.02	PPBV	#	82
13) N-BUTANE	2.001	43	1775073	17.87	PPBV	#	90
14) BROMOMETHANE	2.059	94	730514	18.93	PPBV		99
15) CHLOROETHANE	2.104	64	462534	18.81	PPBV	#	74
16) DICHLOROFLUOROMETHANE	2.130	67	1809585	18.98	PPBV	#	94
17) ACETONITRILE	2.191	41	1007117	19.06	PPBV	#	97
18) ACROLEIN	2.229	56	480895	19.91	PPBV		97
19) FREON 123	2.242	83	1833900	19.62	PPBV		99
20) FREON 123A	2.258	117	1027776	19.25	PPBV		87
21) TRICHLOROFLUOROMETHANE	2.319	101	2182906	19.62	PPBV		99
22) ISOPROPYL ALCOHOL	2.335	45	2213889	17.17	PPBV	#	95
23) ACETONE	2.265	58	515802	16.96	PPBV	#	42
24) PENTANE	2.429	42	1249799	18.89	PPBV	#	95
25) IODOMETHANE	2.490	142	1864161	19.65	PPBV	#	81
26) 1,1-DICHLOROETHYLENE	2.516	96	751527	19.40	PPBV	#	42
27) CARBON DISULFIDE	2.654	76	2200628	19.51	PPBV	#	87
28) ETHANOL	2.133	45	504716	17.65	PPBV		98
29) BROMOETHENE	2.200	106	747884	19.45	PPBV	#	97
30) ACRYLONITRILE	2.403	52	833936	18.95	PPBV		97
31) METHYLENE CHLORIDE	2.551	84	680229	15.94	PPBV	#	20
32) 3-CHLOROPROPENE	2.599	76	347788	19.51	PPBV	#	1
33) FREON 113	2.651	151	1196067	19.71	PPBV		83
34) TRANS-1,2-DICHLOROETHENE	2.901	96	789778m	20.39	PPBV		
35) TERTIARY BUTYL ALCOHOL	2.528	59	2183485	20.02	PPBV	#	78
36) METHYL TERTIARY BUTYL ...	3.024	73	2360719	20.09	PPBV	#	85
37) TETRAHYDROFURAN	3.776	72	344732	19.68	PPBV	#	1
38) HEXANE	3.525	57	1752985	19.30	PPBV	#	79
39) VINYL ACETATE	3.065	86	189636	20.95	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.988	63	1661591	20.08	PPBV		96
41) METHYL ETHYL KETONE	3.171	72	366943	19.65	PPBV	#	1
42) CIS-1,2-DICHLOROETHENE	3.387	96	787125	20.05	PPBV	#	68

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58812.D
Acq On : 26 Apr 2022 4:55 pm
Operator : thomash
Sample : ic2619-20
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 11 14:46:37 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:33:23 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
43) DIISOPROPYL ETHER	3.532	59	490926	19.40	PPBV	#	32
44) ETHYL ACETATE	3.538	61	320754	19.54	PPBV	#	1
45) METHYL ACRYLATE	3.525	55	2266092	19.49	PPBV	#	96
46) CHLOROFORM	3.554	83	1725146	19.52	PPBV	#	91
47) 2,4-DIMETHYLPENTANE	4.081	57	2089103	19.91	PPBV	#	90
48) 1,1,1-TRICHLOROETHANE	4.168	97	1841414	20.21	PPBV		94
49) CARBON TETRACHLORIDE	4.618	117	2062105	21.45	PPBV		100
50) 1,2-DICHLOROETHANE	3.991	62	1368240	20.08	PPBV	#	93
51) BENZENE	4.499	78	2633305	21.48	PPBV		65
53) CYCLOHEXANE	4.721	84	1185534	19.87	PPBV	#	45
54) 2,3-DIMETHYLPENTANE	4.995	71	627022	19.28	PPBV	#	5
55) TRICHLOROETHENE	5.461	95	1285337	20.04	PPBV		93
56) 1,2-DICHLOROPROPANE	5.216	63	1300756	19.24	PPBV		96
57) DIBROMOMETHANE	5.171	174	1056719	18.63	PPBV	#	85
58) ETHYL ACRYLATE	5.348	55	3521728	20.56	PPBV	#	96
59) BROMODICHLOROMETHANE	5.409	83	2249425	20.46	PPBV		94
60) 2,2,4-TRIMETHYLPENTANE	5.557	57	6827064	19.61	PPBV	#	98
61) 1,4-DIOXANE	5.480	88	630182	19.52	PPBV	#	58
62) HEPTANE	5.888	43	2888209	19.98	PPBV	#	65
63) METHYL METHACRYLATE	5.789	69	1107740	19.93	PPBV	#	19
64) METHYL ISOBUTYL KETONE	6.564	58	1365500	20.75	PPBV	#	59
65) CIS-1,3-DICHLOROPROPENE	6.448	75	1694380	20.38	PPBV	#	64
66) TOLUENE	7.705	91	3704922	20.63	PPBV		100
67) 1,3-DICHLOROPROPANE	7.769	76	1829404	20.76	PPBV	#	97
68) TRANS-1,3-DICHLOROPROPENE	7.155	75	1622302	20.94	PPBV	#	69
69) 1,1,2-TRICHLOROETHANE	7.326	83	1104502	21.13	PPBV		100
70) 2-HEXANONE	8.300	58	1827336	21.60	PPBV	#	62
71) ETHYL METHACRYLATE	8.435	69	2015965	21.52	PPBV	#	50
72) TETRACHLOROETHENE	9.490	164	1278817	20.87	PPBV		90
73) DIBROMOCHLOROMETHANE	8.265	129	2413355m	21.88	PPBV		
74) 1,2-DIBROMOETHANE	8.625	107	2005543	21.15	PPBV		99
75) OCTANE	9.634	43	4180763	20.94	PPBV	#	68
77) 1,1,1,2-TETRACHLOROETHANE	10.747	131	1605122	20.73	PPBV		91
78) CHLOROBENZENE	10.734	112	2980211	20.47	PPBV		96
79) ETHYLBENZENE	11.628	91	5082064	21.27	PPBV		98
80) M,P-XYLENE	12.068	91	7869881	43.21	PPBV	#	68
81) O-XYLENE	13.014	91	3964956	21.52	PPBV		96
82) STYRENE	12.795	104	2963044	22.09	PPBV		96
83) NONANE	14.139	43	4386176	20.76	PPBV	#	71
84) BROMOFORM	11.879	173	2148000	23.15	PPBV	#	97
85) 1,1,2,2-TETRACHLOROETHANE	13.036	83	2906956	22.37	PPBV		100
86) 1,2,3-TRICHLOROPROPANE	13.322	75	2174141	21.85	PPBV	#	100
88) ISOPROPYLBENZENE	14.550	120	1470324	21.26	PPBV	#	78
89) BROMOBENZENE	14.425	77	2667082	21.13	PPBV	#	17
90) 2-CHLOROTOLUENE	15.560	126	1286010	21.79	PPBV		98
91) N-PROPYLBENZENE	15.898	120	1534277	22.43	PPBV		99
92) 4-ETHYLTOLUENE	16.226	105	5752677	22.59	PPBV		98
93) 1,3,5-TRIMETHYLBENZENE	16.370	105	4776337	22.44	PPBV		96
94) ALPHA-METHYLSTYRENE	16.560	118	2385406	22.85	PPBV		97
95) TERT-BUTYLBENZENE	16.811	134	984939	21.17	PPBV		77

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58812.D
Acq On : 26 Apr 2022 4:55 pm
Operator : thomash
Sample : ic2619-20
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 11 14:46:37 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:33:23 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
96) 1,2,4-TRIMETHYLBENZENE	16.827	105	4659043	22.55	PPBV		94
97) BENZYL CHLORIDE	16.904	91	4022918	24.55	PPBV	#	95
98) M-DICHLOROBENZENE	16.882	146	2595606	22.64	PPBV		96
99) P-DICHLOROBENZENE	16.962	146	2535140	22.43	PPBV		97
100) O-DICHLOROBENZENE	17.251	146	2382612	22.27	PPBV		96
101) SEC-BUTYLBENZENE	17.087	134	1184467	21.21	PPBV		75
102) 1,2,3-TRIMETHYLBENZENE	17.200	105	4366324	21.97	PPBV		95
103) P-ISOPROPYLTOLUENE	17.264	134	1219814	20.89	PPBV		75
104) N-BUTYLBENZENE	17.605	134	1174685	22.14	PPBV	#	67
105) HEXACHLOROETHANE	17.782	117	1857481	22.74	PPBV	#	89
106) HEXACHLOROBUTADIENE	18.820	225	1665829	23.68	PPBV		99
107) 1,2,4-TRICHLOROBENZENE	18.515	180	1768329	23.51	PPBV		97
108) NAPHTHALENE	18.563	128	4532279	25.81	PPBV		99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58812.D
Acq On : 26 Apr 2022 4:55 pm
Operator : thomash
Sample : ic2619-20
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 11 14:46:37 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:33:23 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V2W2619-IC2619
Lab FileID: 2W58812.D
Injection Time: 04/26/22 16:55
Method: TO-15
Analyst approved: 05/11/22 16:26 Thomas Hilbig
Supervisor approved: 05/11/22 16:55 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Dichlorodifluoromethane	75-71-8		1.85	Poorly defined baseline
trans-1,2-Dichloroethylene	156-60-5		2.90	Missed peak
Dibromochloromethane	124-48-1		8.26	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58812.D
Acq On : 26 Apr 2022 4:55 pm
Operator : thomash
Sample : ic2619-20
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Apr 27 09:44:11 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:33:23 2022
Response via : Initial Calibration





TIC: 2w58812.D\data.ms

(73) DIBROMOCHLOROMETHANE (T)

8.255min (-8.255) 0.00PPBV


response 0


Ion	Exp%	Act%
128.90	100	0.00
126.90	76.70	0.00#
130.90	24.10	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58812.D
Acq On : 26 Apr 2022 4:55 pm
Operator : thomash
Sample : ic2619-20
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Apr 27 09:44:11 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:33:23 2022
Response via : Initial Calibration





TIC: 2w58812.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.850min (+0.006) 17.60PPBV


response 2520970


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	32.02
50.00	9.30	16.85#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58812.D
Acq On : 26 Apr 2022 4:55 pm
Operator : thomash
Sample : ic2619-20
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Apr 27 09:44:11 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:33:23 2022
Response via : Initial Calibration





TIC: 2w58812.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.850min (+0.006) 18.98PPBV m


response 2718152


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	29.70
50.00	9.30	15.63#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58812.D
Acq On : 26 Apr 2022 4:55 pm
Operator : thomash
Sample : ic2619-20
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Apr 27 09:45:51 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:33:23 2022
Response via : Initial Calibration





TIC: 2w58812.D\data.ms

(73) DIBROMOCHLOROMETHANE (T)

8.265min (+0.009) 21.88PPBV m


response 2413355


Ion	Exp%	Act%
128.90	100	100
126.90	76.70	0.00#
130.90	24.10	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58812.D
Acq On : 26 Apr 2022 4:55 pm
Operator : thomash
Sample : ic2619-20
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Apr 27 09:45:51 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:33:23 2022
Response via : Initial Calibration





TIC: 2w58812.D\data.ms

(34) TRANS-1,2-DICHLOROETHENE (T)

2.516min (+0.004) 19.40PPBV


response 751527


Ion	Exp%	Act%
96.00	100	100
61.00	130.40	216.66#
98.00	63.30	63.57
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58812.D
Acq On : 26 Apr 2022 4:55 pm
Operator : thomash
Sample : ic2619-20
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Apr 27 09:45:51 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:33:23 2022
Response via : Initial Calibration





TIC: 2w58812.D\data.ms

(34) TRANS-1,2-DICHLOROETHENE (T)

2.901min (+0.389) 20.39PPBV m

response 789778

Ion	Exp%	Act%
96.00	100	100
61.00	130.40	206.17#
98.00	63.30	60.49
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 05/11/22 16:55

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58813.D
Acq On : 26 Apr 2022 5:37 pm
Operator : thomash
Sample : ic2619-40
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 11 14:47:23 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.470	128	255124	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.850	114	1582387	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.650	117	1482477	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.071	95	1105739	9.99	PPBV		0.02
Target Compounds							Qvalue
3) FREON 152A	1.815	65	1190727	40.72	PPBV	#	62
4) CHLORODIFLUOROMETHANE	1.824	67	539510	41.11	PPBV		96
5) CHLOROTRIFLUOROETHENE	1.834	116	2379588	40.07	PPBV	#	99
6) DICHLORODIFLUOROMETHANE	1.850	85	5249207	39.36	PPBV	#	93
7) PROPYLENE	1.831	41	2078067	39.00	PPBV		99
8) 1-CHLORO-1,1-DIFLUOROE...	1.889	65	3875967	41.27	PPBV	#	74
9) FREON 114	1.921	85	4466274	39.08	PPBV		91
10) CHLOROMETHANE	1.892	52	641789	40.54	PPBV	#	65
11) VINYL CHLORIDE	1.950	62	1866309	39.79	PPBV		96
12) 1,3-BUTADIENE	1.988	54	1818337	40.46	PPBV	#	82
13) N-BUTANE	2.001	43	3483519	40.69	PPBV	#	90
14) BROMOMETHANE	2.059	94	1426707	40.00	PPBV		100
15) CHLOROETHANE	2.104	64	909239	39.86	PPBV	#	75
16) DICHLOROFLUOROMETHANE	2.130	67	3546617	40.26	PPBV	#	94
17) ACETONITRILE	2.194	41	1967626	41.21	PPBV		97
18) ACROLEIN	2.229	56	930851	40.08	PPBV		97
19) FREON 123	2.245	83	3542442	39.57	PPBV		99
20) FREON 123A	2.262	117	1971371	38.70	PPBV		89
21) TRICHLOROFLUOROMETHANE	2.319	101	4236583	39.96	PPBV		100
22) ISOPROPYL ALCOHOL	2.339	45	4195337	37.01	PPBV	#	96
23) ACETONE	2.268	58	968530	38.32	PPBV	#	39
24) PENTANE	2.429	42	2416855	39.59	PPBV	#	95
25) IODOMETHANE	2.487	142	3632594	39.90	PPBV	#	82
26) 1,1-DICHLOROETHYLENE	2.516	96	1433988	38.66	PPBV	#	41
27) CARBON DISULFIDE	2.654	76	4280922	39.84	PPBV	#	88
28) ETHANOL	2.133	45	974504	38.53	PPBV		98
29) BROMOETHENE	2.200	106	1453102	39.85	PPBV	#	97
30) ACRYLONITRILE	2.403	52	1646559	40.82	PPBV		96
31) METHYLENE CHLORIDE	2.554	84	1288810	38.06	PPBV	#	17
32) 3-CHLOROPROPENE	2.599	76	667495	39.04	PPBV	#	1
33) FREON 113	2.654	151	2290046	38.96	PPBV		82
34) TRANS-1,2-DICHLOROETHENE	2.905	96	1524728m	40.89	PPBV		
35) TERTIARY BUTYL ALCOHOL	2.532	59	3989221	34.59	PPBV	#	77
36) METHYL TERTIARY BUTYL ...	3.024	73	4558332	39.61	PPBV	#	85
37) TETRAHYDROFURAN	3.779	72	668297	39.76	PPBV	#	1
38) HEXANE	3.525	57	3352864	39.10	PPBV	#	80
39) VINYL ACETATE	3.069	86	372203	40.16	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.988	63	3230737	40.49	PPBV		96
41) METHYL ETHYL KETONE	3.175	72	710566	39.74	PPBV	#	1
42) CIS-1,2-DICHLOROETHENE	3.387	96	1536267	40.58	PPBV	#	67
43) DIISOPROPYL ETHER	3.541	59	934614	38.93	PPBV	#	41

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58813.D
Acq On : 26 Apr 2022 5:37 pm
Operator : thomash
Sample : ic2619-40
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 11 14:47:23 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.548	61	621944	39.45	PPBV	#	9
45) METHYL ACRYLATE	3.532	55	4364834	39.45	PPBV	#	96
46) CHLOROFORM	3.561	83	3310680	39.50	PPBV	#	91
47) 2,4-DIMETHYLPENTANE	4.085	57	4063074	40.51	PPBV	#	90
48) 1,1,1-TRICHLOROETHANE	4.171	97	3623514	40.79	PPBV		95
49) CARBON TETRACHLORIDE	4.622	117	4052304	40.55	PPBV		98
50) 1,2-DICHLOROETHANE	3.998	62	2735252	42.45	PPBV	#	92
51) BENZENE	4.506	78	4513797	35.01	PPBV		63
53) CYCLOHEXANE	4.721	84	2245200	39.87	PPBV	#	43
54) 2,3-DIMETHYLPENTANE	5.001	71	1192321	39.39	PPBV	#	1
55) TRICHLOROETHENE	5.467	95	2415047	39.34	PPBV		93
56) 1,2-DICHLOROPROPANE	5.226	63	2484425	40.81	PPBV		96
57) DIBROMOMETHANE	5.181	174	2046135	41.51	PPBV	#	84
58) ETHYL ACRYLATE	5.364	55	6912756	42.10	PPBV	#	96
59) BROMODICHLOROMETHANE	5.422	83	4330357	41.01	PPBV		95
60) 2,2,4-TRIMETHYLPENTANE	5.567	57	13048431	40.35	PPBV	#	98
61) 1,4-DIOXANE	5.493	88	1147367	37.47	PPBV	#	54
62) HEPTANE	5.898	43	5606499	41.35	PPBV	#	64
63) METHYL METHACRYLATE	5.802	69	2139064	41.02	PPBV	#	15
64) METHYL ISOBUTYL KETONE	6.583	58	2656271	42.34	PPBV	#	1
65) CIS-1,3-DICHLOROPROPENE	6.454	75	3428569	43.87	PPBV	#	63
66) TOLUENE	7.715	91	7305781	42.53	PPBV		99
67) 1,3-DICHLOROPROPANE	7.789	76	3492559	40.38	PPBV	#	97
68) TRANS-1,3-DICHLOROPROPENE	7.168	75	3247214	43.89	PPBV	#	67
69) 1,1,2-TRICHLOROETHANE	7.338	83	2138578	42.20	PPBV		99
70) 2-HEXANONE	8.329	58	3536535	41.92	PPBV	#	60
71) ETHYL METHACRYLATE	8.461	69	3835760	40.58	PPBV	#	49
72) TETRACHLOROETHENE	9.499	164	2539856	43.34	PPBV		91
73) DIBROMOCHLOROMETHANE	8.274	129	4756183	43.92	PPBV		99
74) 1,2-DIBROMOETHANE	8.650	107	3910810	41.69	PPBV	#	6
75) OCTANE	9.650	43	8140666	42.20	PPBV	#	67
77) 1,1,1,2-TETRACHLOROETHANE	10.769	131	3078239	39.15	PPBV		90
78) CHLOROBENZENE	10.747	112	5692898	38.87	PPBV		96
79) ETHYLBENZENE	11.641	91	10048035	41.85	PPBV		97
80) M,P-XYLENE	12.097	91	14735857	76.02	PPBV		95
81) O-XYLENE	13.033	91	7537236	38.69	PPBV		95
82) STYRENE	12.814	104	5756508	40.60	PPBV		95
83) NONANE	14.168	43	8491814	40.06	PPBV	#	70
84) BROMOFORM	11.904	173	4267923	42.04	PPBV	#	97
85) 1,1,2,2-TETRACHLOROETHANE	13.062	83	5414036	37.91	PPBV		100
86) 1,2,3-TRICHLOROPROPANE	13.348	75	4173264	38.93	PPBV	#	100
88) ISOPROPYLBENZENE	14.579	120	2712404	37.09	PPBV	#	75
89) BROMOBENZENE	14.451	77	5146900	39.18	PPBV		90
90) 2-CHLOROTOLUENE	15.583	126	2504622	41.19	PPBV		98
91) N-PROPYLBENZENE	15.917	120	2904001	38.73	PPBV		99
92) 4-ETHYLTOLUENE	16.235	105	10975474	39.01	PPBV		97
93) 1,3,5-TRIMETHYLBENZENE	16.383	105	8946489	37.96	PPBV		95
94) ALPHA-METHYLSTYRENE	16.570	118	4437234	37.62	PPBV		97
95) TERT-BUTYLBENZENE	16.824	134	1820767	36.66	PPBV		74
96) 1,2,4-TRIMETHYLBENZENE	16.837	105	8647874	36.96	PPBV		94

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58813.D
Acq On : 26 Apr 2022 5:37 pm
Operator : thomash
Sample : ic2619-40
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 11 14:47:23 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
97)	BENZYL CHLORIDE	16.917	91	7362688	37.26	PPBV	#	94
98)	M-DICHLOROBENZENE	16.898	146	4753812	36.40	PPBV		96
99)	P-DICHLOROBENZENE	16.975	146	4619108	35.96	PPBV		97
100)	O-DICHLOROBENZENE	17.264	146	4357039	35.75	PPBV		96
101)	SEC-BUTYLBENZENE	17.097	134	2121819	35.02	PPBV		80
102)	1,2,3-TRIMETHYLBENZENE	17.209	105	7993720	36.41	PPBV		94
103)	P-ISOPROPYLTOLUENE	17.274	134	2255479	35.51	PPBV		80
104)	N-BUTYLBENZENE	17.615	134	2195032	37.06	PPBV		76
105)	HEXACHLOROETHANE	17.788	117	3495470	37.09	PPBV	#	90
106)	HEXACHLOROBUTADIENE	18.824	225	3308693	41.24	PPBV		99
107)	1,2,4-TRICHLOROBENZENE	18.521	180	3522104	42.99	PPBV		97
108)	NAPHTHALENE	18.566	128	8361512	38.55	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58813.D
Acq On : 26 Apr 2022 5:37 pm
Operator : thomash
Sample : ic2619-40
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 11 14:47:23 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V2W2619-IC2619
Lab FileID: 2W58813.D
Injection Time: 04/26/22 17:37
Method: TO-15
Analyst approved: 05/11/22 16:26 Thomas Hilbig
Supervisor approved: 05/11/22 16:55 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
trans-1,2-Dichloroethylene	156-60-5		2.90	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58813.D
Acq On : 26 Apr 2022 5:37 pm
Operator : thomash
Sample : ic2619-40
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Apr 27 09:37:23 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration





TIC: 2w58813.D\data.ms

(34) TRANS-1,2-DICHLOROETHENE (T)

2.516min (+0.004) 38.45PPBV


response 1433988


Ion	Exp%	Act%
96.00	100	100
61.00	130.40	218.48#
98.00	63.30	63.94
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58813.D
Acq On : 26 Apr 2022 5:37 pm
Operator : thomash
Sample : ic2619-40
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Apr 27 09:37:23 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration





TIC: 2w58813.D\data.ms

(34) TRANS-1,2-DICHLOROETHENE (T)

2.905min (+0.393) 40.89PPBV m

response 1524728

Ion	Exp%	Act%
96.00	100	100
61.00	130.40	205.48#
98.00	63.30	60.13
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 05/11/22 16:55

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58814.D
Acq On : 26 Apr 2022 6:20 pm
Operator : thomash
Sample : ic2619-50
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 11 14:48:08 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.473	128	248917	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.853	114	1556184	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.653	117	1462770	10.00	PPBV		0.01
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.071	95	1067483	9.77	PPBV		0.02
Target Compounds							Qvalue
3) FREON 152A	1.811	65	1459089	51.15	PPBV	#	63
4) CHLORODIFLUOROMETHANE	1.824	67	682231	53.28	PPBV		94
5) CHLOROTRIFLUOROETHENE	1.834	116	2896030	49.98	PPBV	#	99
6) DICHLORODIFLUOROMETHANE	1.850	85	6606346	50.77	PPBV	#	94
7) PROPYLENE	1.830	41	2484923	47.80	PPBV		99
8) 1-CHLORO-1,1-DIFLUOROE...	1.888	65	4903394	53.52	PPBV	#	73
9) FREON 114	1.921	85	5538158	49.66	PPBV		91
10) CHLOROMETHANE	1.892	52	800889	51.85	PPBV	#	62
11) VINYL CHLORIDE	1.949	62	2294032	50.13	PPBV		96
12) 1,3-BUTADIENE	1.988	54	2267576	51.72	PPBV	#	82
13) N-BUTANE	2.001	43	4335958	51.91	PPBV	#	90
14) BROMOMETHANE	2.059	94	1741240	50.04	PPBV		99
15) CHLOROETHANE	2.104	64	1116732	50.17	PPBV	#	74
16) DICHLOROFLUOROMETHANE	2.129	67	4356506	50.69	PPBV	#	94
17) ACETONITRILE	2.194	41	2397660	51.47	PPBV	#	96
18) ACROLEIN	2.229	56	1136987	50.17	PPBV		96
19) FREON 123	2.245	83	4343223	49.72	PPBV		99
20) FREON 123A	2.261	117	2404213	48.37	PPBV		87
21) TRICHLOROFLUOROMETHANE	2.319	101	5237307	50.63	PPBV		99
22) ISOPROPYL ALCOHOL	2.342	45	5176789	46.80	PPBV	#	95
23) ACETONE	2.268	58	1189313	48.23	PPBV	#	40
24) PENTANE	2.429	42	2950074	49.53	PPBV	#	95
25) IODOMETHANE	2.490	142	4490030	50.54	PPBV	#	82
26) 1,1-DICHLOROETHYLENE	2.519	96	1748694	48.32	PPBV	#	39
27) CARBON DISULFIDE	2.654	76	5285145	50.41	PPBV	#	88
28) ETHANOL	2.136	45	1204676	48.81	PPBV		97
29) BROMOETHENE	2.200	106	1787114	50.24	PPBV	#	98
30) ACRYLONITRILE	2.406	52	2035597	51.72	PPBV		96
31) METHYLENE CHLORIDE	2.554	84	1568625	47.47	PPBV	#	18
32) 3-CHLOROPROPENE	2.599	76	776995	46.58	PPBV	#	1
33) FREON 113	2.654	151	2827763	49.31	PPBV		82
34) TRANS-1,2-DICHLOROETHENE	2.904	96	1881473m	51.71	PPBV		
35) TERTIARY BUTYL ALCOHOL	2.531	59	4808580	42.74	PPBV	#	76
36) METHYL TERTIARY BUTYL ...	3.023	73	5631663	50.16	PPBV	#	85
37) TETRAHYDROFURAN	3.779	72	827454	50.45	PPBV	#	1
38) HEXANE	3.528	57	4111219	49.14	PPBV	#	81
39) VINYL ACETATE	3.072	86	458198	50.67	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.988	63	3973577	51.04	PPBV		96
41) METHYL ETHYL KETONE	3.178	72	868833	49.80	PPBV	#	1
42) CIS-1,2-DICHLOROETHENE	3.387	96	1884937	51.03	PPBV	#	66
43) DIISOPROPYL ETHER	3.541	59	1151119	49.14	PPBV	#	46

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58814.D
Acq On : 26 Apr 2022 6:20 pm
Operator : thomash
Sample : ic2619-50
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 11 14:48:08 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44)	ETHYL ACETATE	3.554	61	758760	49.33	PPBV	#	13
45)	METHYL ACRYLATE	3.531	55	5356769	49.62	PPBV	#	96
46)	CHLOROFORM	3.567	83	4103643	50.19	PPBV	#	91
47)	2,4-DIMETHYLPENTANE	4.088	57	5018534	51.28	PPBV	#	91
48)	1,1,1-TRICHLOROETHANE	4.171	97	4511302	52.05	PPBV		95
49)	CARBON TETRACHLORIDE	4.625	117	5062171	51.92	PPBV		98
50)	1,2-DICHLOROETHANE	4.001	62	3411595	54.27	PPBV	#	92
51)	BENZENE	4.506	78	5525196	43.92	PPBV		63
53)	CYCLOHEXANE	4.724	84	2741961	49.51	PPBV	#	42
54)	2,3-DIMETHYLPENTANE	5.001	71	1463036	49.15	PPBV	#	1
55)	TRICHLOROETHENE	5.477	95	2964006	49.10	PPBV		93
56)	1,2-DICHLOROPROPANE	5.229	63	3044510	50.86	PPBV		97
57)	DIBROMOMETHANE	5.181	174	2536764	52.33	PPBV	#	85
58)	ETHYL ACRYLATE	5.374	55	8602905	53.27	PPBV	#	95
59)	BROMODICHLOROMETHANE	5.432	83	5358014	51.60	PPBV		95
60)	2,2,4-TRIMETHYLPENTANE	5.573	57	15931229	50.09	PPBV	#	98
61)	1,4-DIOXANE	5.502	88	1401536	46.54	PPBV	#	53
62)	HEPTANE	5.904	43	6926274	51.95	PPBV	#	64
63)	METHYL METHACRYLATE	5.808	69	2639781	51.47	PPBV	#	14
64)	METHYL ISOBUTYL KETONE	6.589	58	3247250	52.63	PPBV	#	1
65)	CIS-1,3-DICHLOROPROPENE	6.460	75	4269976	55.56	PPBV	#	62
66)	TOLUENE	7.721	91	8966237	53.08	PPBV		99
67)	1,3-DICHLOROPROPANE	7.798	76	4338134	51.00	PPBV	#	97
68)	TRANS-1,3-DICHLOROPROPENE	7.174	75	4113964	56.54	PPBV	#	67
69)	1,1,2-TRICHLOROETHANE	7.345	83	2627511	52.72	PPBV		100
70)	2-HEXANONE	8.341	58	4346194	52.38	PPBV	#	59
71)	ETHYL METHACRYLATE	8.470	69	4681641	50.36	PPBV	#	48
72)	TETRACHLOROETHENE	9.509	164	3143333	54.54	PPBV		91
73)	DIBROMOCHLOROMETHANE	8.284	129	5914344	55.53	PPBV		99
74)	1,2-DIBROMOETHANE	8.663	107	4830296	52.36	PPBV		99
75)	OCTANE	9.657	43	10046356	52.96	PPBV	#	67
77)	1,1,1,2-TETRACHLOROETHANE	10.775	131	3806923	49.07	PPBV		90
78)	CHLOROBENZENE	10.756	112	7021925	48.59	PPBV		96
79)	ETHYLBENZENE	11.650	91	12404990	52.36	PPBV		97
80)	M,P-XYLENE	12.113	91	17931923	93.75	PPBV		95
81)	O-XYLENE	13.036	91	9220069	47.96	PPBV		95
82)	STYRENE	12.827	104	7055450	50.43	PPBV		95
83)	NONANE	14.180	43	10507927	50.24	PPBV	#	16
84)	BROMOFORM	11.907	173	5316712	53.07	PPBV	#	97
85)	1,1,2,2-TETRACHLOROETHANE	13.074	83	6558484	46.54	PPBV		100
86)	1,2,3-TRICHLOROPROPANE	13.361	75	5127479	48.47	PPBV	#	100
88)	ISOPROPYLBENZENE	14.589	120	3298708	45.72	PPBV	#	74
89)	BROMOBENZENE	14.467	77	6352681	49.01	PPBV	#	17
90)	2-CHLOROTOLUENE	15.592	126	3103922	51.74	PPBV		98
91)	N-PROPYLBENZENE	15.933	120	3541591	47.88	PPBV		99
92)	4-ETHYLTOLUENE	16.245	105	13481089	48.56	PPBV		97
93)	1,3,5-TRIMETHYLBENZENE	16.386	105	10988106	47.26	PPBV		95
94)	ALPHA-METHYLSTYRENE	16.573	118	5420540	46.58	PPBV		97
95)	TERT-BUTYLBENZENE	16.830	134	2228155	45.47	PPBV		76
96)	1,2,4-TRIMETHYLBENZENE	16.843	105	10515254	45.55	PPBV		94

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58814.D
Acq On : 26 Apr 2022 6:20 pm
Operator : thomash
Sample : ic2619-50
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 11 14:48:08 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
97)	BENZYL CHLORIDE	16.923	91	8853889	45.41	PPBV	#	94
98)	M-DICHLOROBENZENE	16.904	146	5771786	44.79	PPBV		96
99)	P-DICHLOROBENZENE	16.978	146	5586681	44.08	PPBV		96
100)	O-DICHLOROBENZENE	17.267	146	5304618	44.11	PPBV		97
101)	SEC-BUTYLBENZENE	17.100	134	2586529	43.27	PPBV		99
102)	1,2,3-TRIMETHYLBENZENE	17.216	105	9683626	44.70	PPBV		94
103)	P-ISOPROPYLTOLUENE	17.277	134	2765859	44.13	PPBV		92
104)	N-BUTYLBENZENE	17.618	134	2717941	46.50	PPBV		94
105)	HEXACHLOROETHANE	17.794	117	4267440	45.90	PPBV	#	90
106)	HEXACHLOROBUTADIENE	18.827	225	4042116	51.06	PPBV		99
107)	1,2,4-TRICHLOROBENZENE	18.521	180	4370713	54.07	PPBV		98
108)	NAPHTHALENE	18.566	128	9234067	43.14	PPBV		96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58814.D
Acq On : 26 Apr 2022 6:20 pm
Operator : thomash
Sample : ic2619-50
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 11 14:48:08 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration



Manual Integration Approval Summary

Sample Number: V2W2619-IC2619
Lab FileID: 2W58814.D
Injection Time: 04/26/22 18:20


Method: TO-15
Analyst approved: 05/11/22 16:26 Thomas Hilbig
Supervisor approved: 05/11/22 16:55 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
trans-1,2-Dichloroethylene	156-60-5		2.90	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58814.D
Acq On : 26 Apr 2022 6:20 pm
Operator : thomash
Sample : ic2619-50
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Apr 27 09:37:35 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration





TIC: 2w58814.D\data.ms

(34) TRANS-1,2-DICHLOROETHENE (T)

2.519min (+0.007) 48.06PPBV


response 1748694


Ion	Exp%	Act%
96.00	100	100
61.00	130.40	220.38#
98.00	63.30	64.16
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58814.D
Acq On : 26 Apr 2022 6:20 pm
Operator : thomash
Sample : ic2619-50
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Apr 27 09:37:35 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 08:55:15 2022
Response via : Initial Calibration





TIC: 2w58814.D\data.ms

(34) TRANS-1,2-DICHLOROETHENE (T)

2.904min (+0.392) 51.71PPBV m

response 1881473

Ion	Exp%	Act%
96.00	100	100
61.00	130.40	204.82#
98.00	63.30	59.63
0.00	0.00	0.00

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58819.D
Acq On : 27 Apr 2022 10:06 am
Operator : thomash
Sample : icv2619-10
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: May 11 14:50:57 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:46:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.467	128	301166	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.846	114	1798526	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.637	117	1658306	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.052	95	1236274	10.28	PPBV		0.00
Target Compounds							Qvalue
2) FREON 115	1.785	119	444551	7.41	PPBV	#	100
3) FREON 152A	1.814	65	327006	9.22	PPBV	#	72
4) CHLORODIFLUOROMETHANE	1.827	67	151438	9.41	PPBV	#	39
5) CHLOROTRIFLUOROETHENE	1.834	116	671190	9.49	PPBV	#	100
6) DICHLORODIFLUOROMETHANE	1.850	85	1326503	8.31	PPBV	#	94
7) PROPYLENE	1.830	41	554689	8.54	PPBV		99
8) 1-CHLORO-1,1-DIFLUOROE...	1.888	65	1052085	9.38	PPBV	#	73
9) FREON 114	1.921	85	1284423	9.75	PPBV		90
10) CHLOROMETHANE	1.892	52	173830	8.13	PPBV	#	64
11) VINYL CHLORIDE	1.949	62	525144	9.31	PPBV		96
12) 1,3-BUTADIENE	1.988	54	489884	9.07	PPBV	#	84
13) N-BUTANE	2.004	43	921039	8.32	PPBV	#	91
14) BROMOMETHANE	2.059	94	409553	9.51	PPBV		100
15) CHLOROETHANE	2.104	64	258571	9.43	PPBV	#	76
16) DICHLOROFLUOROMETHANE	2.130	67	988306	9.30	PPBV	#	94
17) ACETONITRILE	2.194	41	506754	8.60	PPBV		97
18) ACROLEIN	2.229	56	205552	7.63	PPBV		94
19) FREON 123	2.242	83	1055798	10.13	PPBV		98
20) FREON 123A	2.261	117	639611	10.74	PPBV		90
21) TRICHLOROFLUOROMETHANE	2.319	101	1216596	9.80	PPBV		99
22) ISOPROPYL ALCOHOL	2.335	45	1254387	8.72	PPBV	#	95
23) ACETONE	2.268	58	283656	8.36	PPBV	#	47
24) PENTANE	2.432	42	668318	9.06	PPBV	#	95
25) IODOMETHANE	2.490	142	1057913	10.00	PPBV	#	82
26) 1,1-DICHLOROETHYLENE	2.515	96	430150	9.96	PPBV	#	47
27) CARBON DISULFIDE	2.654	76	1170824	9.31	PPBV	#	88
28) ETHANOL	2.133	45	284646	8.93	PPBV		98
29) BROMOETHENE	2.200	106	426936	9.96	PPBV	#	99
30) ACRYLONITRILE	2.403	52	439009	8.94	PPBV		96
31) METHYLENE CHLORIDE	2.554	84	381067	8.01	PPBV	#	28
32) 3-CHLOROPROPENE	2.596	76	192002	9.66	PPBV	#	1
33) FREON 113	2.654	151	665267	9.83	PPBV		84
34) TRANS-1,2-DICHLOROETHENE	2.901	96	442087	9.83	PPBV	#	70
35) TERTIARY BUTYL ALCOHOL	2.525	59	1167420	9.60	PPBV	#	76
36) METHYL TERTIARY BUTYL ...	3.023	73	1341657	10.24	PPBV	#	87
37) TETRAHYDROFURAN	3.776	72	192347	9.85	PPBV	#	6
38) HEXANE	3.522	57	987377	9.75	PPBV	#	79
39) VINYL ACETATE	3.065	86	92175	9.13	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.988	63	935850	10.14	PPBV		96
41) METHYL ETHYL KETONE	3.168	72	215244	10.34	PPBV	#	1
42) CIS-1,2-DICHLOROETHENE	3.383	96	446260	10.19	PPBV	#	68

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58819.D
Acq On : 27 Apr 2022 10:06 am
Operator : thomash
Sample : icv2619-10
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: May 11 14:50:57 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:46:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
43) DIISOPROPYL ETHER	3.531	59	272610	9.67	PPBV	#	31
44) ETHYL ACETATE	3.538	61	182516	9.97	PPBV	#	1
45) METHYL ACRYLATE	3.522	55	1239719	9.56	PPBV	#	96
46) CHLOROFORM	3.547	83	948818	9.63	PPBV	#	91
47) 2,4-DIMETHYLPENTANE	4.078	57	1161278	9.92	PPBV	#	91
48) 1,1,1-TRICHLOROETHANE	4.165	97	1022803	10.07	PPBV		96
49) CARBON TETRACHLORIDE	4.615	117	1135416	10.59	PPBV		99
50) 1,2-DICHLOROETHANE	3.991	62	767063	10.10	PPBV	#	93
51) BENZENE	4.499	78	1260030	9.21	PPBV		66
53) CYCLOHEXANE	4.718	84	662378	10.56	PPBV	#	48
54) 2,3-DIMETHYLPENTANE	4.988	71	356037	10.41	PPBV	#	13
55) TRICHLOROETHENE	5.454	95	722493	10.71	PPBV		94
56) 1,2-DICHLOROPROPANE	5.210	63	699205	9.84	PPBV		97
57) DIBROMOMETHANE	5.168	174	584064	9.79	PPBV	#	86
58) ETHYL ACRYLATE	5.338	55	1873087	10.40	PPBV	#	96
59) BROMODICHLOROMETHANE	5.399	83	1228005	10.62	PPBV		100
60) 2,2,4-TRIMETHYLPENTANE	5.551	57	3757010	10.26	PPBV	#	97
61) 1,4-DIOXANE	5.473	88	358886	10.57	PPBV	#	61
62) HEPTANE	5.885	43	1568419	10.32	PPBV	#	66
63) METHYL METHACRYLATE	5.782	69	608489	10.41	PPBV	#	23
64) METHYL ISOBUTYL KETONE	6.554	58	739523	10.69	PPBV	#	60
65) CIS-1,3-DICHLOROPROPENE	6.438	75	1000941	11.45	PPBV	#	66
66) TOLUENE	7.695	91	2012217	10.66	PPBV		100
67) 1,3-DICHLOROPROPANE	7.760	76	983429	10.57	PPBV	#	97
68) TRANS-1,3-DICHLOROPROPENE	7.149	75	900771	11.06	PPBV	#	71
69) 1,1,2-TRICHLOROETHANE	7.316	83	586816	10.67	PPBV		100
70) 2-HEXANONE	8.284	58	992915	11.16	PPBV	#	64
71) ETHYL METHACRYLATE	8.422	69	1074943	10.91	PPBV	#	54
72) TETRACHLOROETHENE	9.480	164	695522	10.80	PPBV		90
73) DIBROMOCHLOROMETHANE	8.251	129	1276975	10.90	PPBV		98
74) 1,2-DIBROMOETHANE	8.608	107	1116485	11.13	PPBV		98
75) OCTANE	9.621	43	2210280	10.53	PPBV	#	69
77) 1,1,1,2-TETRACHLOROETHANE	10.730	131	861812	10.50	PPBV		93
78) CHLOROBENZENE	10.721	112	1615256	10.47	PPBV		96
79) ETHYLBENZENE	11.615	91	2691704	10.63	PPBV		99
80) M,P-XYLENE	12.052	91	4232333	21.92	PPBV	#	65
81) O-XYLENE	13.000	91	2148251	11.00	PPBV		96
82) STYRENE	12.782	104	1605257	11.29	PPBV		96
83) NONANE	14.123	43	2277239	10.17	PPBV	#	72
84) BROMOFORM	11.865	173	1166998	11.86	PPBV	#	97
85) 1,1,2,2-TETRACHLOROETHANE	13.013	83	1537061	11.16	PPBV		100
86) 1,2,3-TRICHLOROPROPANE	13.299	75	1173510	11.13	PPBV	#	100
88) ISOPROPYLBENZENE	14.531	120	786983	10.74	PPBV	#	81
89) BROMOBENZENE	14.406	77	1413148	10.56	PPBV		90
90) 2-CHLOROTOLUENE	15.544	126	668100	10.68	PPBV		98
91) N-PROPYLBENZENE	15.885	120	814481	11.24	PPBV		99
92) 4-ETHYLTOLUENE	16.213	105	3090880	11.45	PPBV		98
93) 1,3,5-TRIMETHYLBENZENE	16.360	105	2552349	11.32	PPBV		96
94) ALPHA-METHYLSTYRENE	16.550	118	1238434	11.19	PPBV		98
95) TERT-BUTYLBENZENE	16.807	134	537198	10.89	PPBV		79

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58819.D
Acq On : 27 Apr 2022 10:06 am
Operator : thomash
Sample : icv2619-10
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: May 11 14:50:57 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:46:06 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
96) 1,2,4-TRIMETHYLBENZENE	16.817	105	2514926	11.48	PPBV		94
97) BENZYL CHLORIDE	16.894	91	1852841	10.67	PPBV	#	95
98) M-DICHLOROBENZENE	16.875	146	1424589	11.72	PPBV		96
99) P-DICHLOROBENZENE	16.955	146	1410831	11.78	PPBV		96
100) O-DICHLOROBENZENE	17.248	146	1315134	11.60	PPBV		96
101) SEC-BUTYLBENZENE	17.081	134	659942	11.15	PPBV		78
102) 1,2,3-TRIMETHYLBENZENE	17.193	105	2378371	11.29	PPBV		96
103) P-ISOPROPYLTOLUENE	17.261	134	674227	10.89	PPBV		79
104) N-BUTYLBENZENE	17.605	134	649738	11.55	PPBV		74
105) HEXACHLOROETHANE	17.782	117	991104	11.45	PPBV	#	87
106) HEXACHLOROBUTADIENE	18.827	225	826365	11.08	PPBV		99
107) 1,2,4-TRICHLOROBENZENE	18.518	180	888646	11.15	PPBV		97
108) NAPHTHALENE	18.566	128	2253223	12.11	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w58819.D
Acq On : 27 Apr 2022 10:06 am
Operator : thomash
Sample : icv2619-10
Misc : MS56823,V2w2619,,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: May 11 14:50:57 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:46:06 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w59298.D
Acq On : 14 May 2022 3:47 pm
Operator : thomash
Sample : cc2619-10
Misc : MS58854,V2w2637,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 14 17:11:01 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:46:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.470	128	270624	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.849	114	1715864	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.640	117	1564056	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.055	95	1216034	10.73	PPBV		0.00
Target Compounds							Qvalue
2) FREON 115	1.788	119	293959	5.46	PPBV	#	100
3) FREON 152A	1.817	65	341193	10.70	PPBV	#	53
4) CHLORODIFLUOROMETHANE	1.827	67	174122	12.04	PPBV	#	86
5) CHLOROTRIFLUOROETHENE	1.840	116	667224	10.50	PPBV	#	100
6) DICHLORODIFLUOROMETHANE	1.853	85	1522242	10.62	PPBV	#	93
7) PROPYLENE	1.833	41	660986	11.33	PPBV		97
8) 1-CHLORO-1,1-DIFLUOROE...	1.891	65	1299038	12.89	PPBV	#	71
9) FREON 114	1.923	85	1268262	10.71	PPBV		91
10) CHLOROMETHANE	1.894	52	189671	9.88	PPBV	#	51
11) VINYL CHLORIDE	1.952	62	527626	10.41	PPBV		95
12) 1,3-BUTADIENE	1.991	54	525783	10.84	PPBV	#	74
13) N-BUTANE	2.004	43	1043507	10.48	PPBV	#	89
14) BROMOMETHANE	2.062	94	385542	9.97	PPBV		99
15) CHLOROETHANE	2.107	64	249319	10.12	PPBV	#	63
16) DICHLOROFLUOROMETHANE	2.129	67	1036126	10.84	PPBV	#	92
17) ACETONITRILE	2.197	41	565539	10.68	PPBV	#	96
18) ACROLEIN	2.232	56	227973	9.42	PPBV		96
19) FREON 123	2.248	83	966810	10.32	PPBV	#	97
20) FREON 123A	2.261	117	581208	10.87	PPBV		90
21) TRICHLOROFLUOROMETHANE	2.325	101	1366462	12.25	PPBV		100
22) ISOPROPYL ALCOHOL	2.338	45	1370295	10.60	PPBV	#	99
23) ACETONE	2.271	58	282165	9.26	PPBV	#	2
24) PENTANE	2.431	42	720461	10.87	PPBV	#	91
25) IODOMETHANE	2.493	142	987375	10.38	PPBV	#	67
26) 1,1-DICHLOROETHYLENE	2.521	96	401767	10.35	PPBV	#	21
27) CARBON DISULFIDE	2.656	76	1160722	10.27	PPBV	#	78
28) ETHANOL	2.136	45	296039	10.33	PPBV		98
29) BROMOETHENE	2.203	106	399533	10.37	PPBV	#	97
30) ACRYLONITRILE	2.406	52	471996	10.70	PPBV		95
31) METHYLENE CHLORIDE	2.557	84	365174	8.54	PPBV	#	1
32) 3-CHLOROPROPENE	2.599	76	171189	9.58	PPBV	#	1
33) FREON 113	2.656	151	656904	10.80	PPBV		82
34) TRANS-1,2-DICHLOROETHENE	2.904	96	409058	10.13	PPBV	#	58
35) TERTIARY BUTYL ALCOHOL	2.531	59	1249264	11.43	PPBV	#	84
36) METHYL TERTIARY BUTYL ...	3.023	73	1254349	10.65	PPBV	#	81
37) TETRAHYDROFURAN	3.779	72	172244	9.81	PPBV	#	1
38) HEXANE	3.525	57	962603	10.58	PPBV	#	65
39) VINYL ACETATE	3.068	86	94585	10.43	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.988	63	909758	10.97	PPBV		96
41) METHYL ETHYL KETONE	3.171	72	178758	9.55	PPBV	#	1
42) CIS-1,2-DICHLOROETHENE	3.390	96	406332	10.33	PPBV	#	59

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w59298.D
Acq On : 14 May 2022 3:47 pm
Operator : thomash
Sample : cc2619-10
Misc : MS58854,V2w2637,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 14 17:11:01 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:46:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
43) DIISOPROPYL ETHER	3.534	59	263324	10.39	PPBV	#	7
44) ETHYL ACETATE	3.538	61	162849	9.90	PPBV	#	1
45) METHYL ACRYLATE	3.525	55	1246733	10.70	PPBV	#	96
46) CHLOROFORM	3.554	83	986821	11.14	PPBV	#	86
47) 2,4-DIMETHYLPENTANE	4.081	57	1107375	10.53	PPBV	#	89
48) 1,1,1-TRICHLOROETHANE	4.168	97	1079111	11.82	PPBV	#	92
49) CARBON TETRACHLORIDE	4.621	117	1219556	12.66	PPBV		100
50) 1,2-DICHLOROETHANE	3.994	62	856073	12.54	PPBV	#	91
51) BENZENE	4.502	78	1396782	11.37	PPBV		54
53) CYCLOHEXANE	4.721	84	620563	10.37	PPBV	#	32
54) 2,3-DIMETHYLPENTANE	4.994	71	326483	10.01	PPBV	#	1
55) TRICHLOROETHENE	5.457	95	697003	10.83	PPBV		92
56) 1,2-DICHLOROPROPANE	5.216	63	703175	10.37	PPBV		96
57) DIBROMOMETHANE	5.168	174	554802	9.75	PPBV	#	81
58) ETHYL ACRYLATE	5.341	55	1941529	11.30	PPBV	#	95
59) BROMODICHLOROMETHANE	5.406	83	1255942	11.39	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.553	57	3894237	11.15	PPBV	#	97
61) 1,4-DIOXANE	5.473	88	312081	9.64	PPBV	#	44
62) HEPTANE	5.888	43	1726456	11.91	PPBV	#	60
63) METHYL METHACRYLATE	5.785	69	555138	9.96	PPBV	#	1
64) METHYL ISOBUTYL KETONE	6.557	58	698495	10.58	PPBV	#	45
65) CIS-1,3-DICHLOROPROPENE	6.441	75	848897	10.18	PPBV	#	48
66) TOLUENE	7.695	91	1857387	10.31	PPBV		99
67) 1,3-DICHLOROPROPANE	7.762	76	926733	10.44	PPBV	#	97
68) TRANS-1,3-DICHLOROPROPENE	7.152	75	777908	10.01	PPBV	#	56
69) 1,1,2-TRICHLOROETHANE	7.315	83	556842	10.62	PPBV		99
70) 2-HEXANONE	8.287	58	869907	10.25	PPBV	#	48
71) ETHYL METHACRYLATE	8.425	69	954974	10.16	PPBV	#	33
72) TETRACHLOROETHENE	9.483	164	679236	11.05	PPBV		88
73) DIBROMOCHLOROMETHANE	8.254	129	1241667	11.11	PPBV		99
74) 1,2-DIBROMOETHANE	8.611	107	996576	10.41	PPBV		99
75) OCTANE	9.624	43	2458598	12.28	PPBV	#	64
77) 1,1,1,2-TETRACHLOROETHANE	10.733	131	841091	10.87	PPBV	#	86
78) CHLOROBENZENE	10.717	112	1486114	10.21	PPBV		95
79) ETHYLBENZENE	11.614	91	2547590	10.67	PPBV		97
80) M,P-XYLENE	12.058	91	4091397	22.47	PPBV	#	65
81) O-XYLENE	13.003	91	2080823	11.30	PPBV		93
82) STYRENE	12.785	104	1405423	10.48	PPBV	#	94
83) NONANE	14.126	43	2627499	12.44	PPBV	#	66
84) BROMOFORM	11.868	173	1087102	11.72	PPBV	#	96
85) 1,1,2,2-TETRACHLOROETHANE	13.019	83	1485067	11.43	PPBV		100
86) 1,2,3-TRICHLOROPROPANE	13.302	75	1132396	11.38	PPBV	#	100
88) ISOPROPYLBENZENE	14.534	120	760233	11.00	PPBV	#	72
89) BROMOBENZENE	14.402	77	1329344	10.53	PPBV		89
90) 2-CHLOROTOLUENE	15.547	126	640854	10.86	PPBV		99
91) N-PROPYLBENZENE	15.884	120	772595	11.30	PPBV		98
92) 4-ETHYLTOLUENE	16.212	105	2966956	11.65	PPBV		97
93) 1,3,5-TRIMETHYLBENZENE	16.360	105	2535842	11.92	PPBV	#	94
94) ALPHA-METHYLSTYRENE	16.553	118	1196089	11.46	PPBV		97
95) TERT-BUTYLBENZENE	16.807	134	517841	11.13	PPBV		71

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w59298.D
Acq On : 14 May 2022 3:47 pm
Operator : thomash
Sample : cc2619-10
Misc : MS58854,V2w2637,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 14 17:11:01 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:46:06 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
96) 1,2,4-TRIMETHYLBENZENE	16.814	105	2522183	12.21	PPBV		93
97) BENZYL CHLORIDE	16.897	91	1646755	10.05	PPBV	#	93
98) M-DICHLOROBENZENE	16.875	146	1303642	11.37	PPBV		96
99) P-DICHLOROBENZENE	16.955	146	1239853	10.97	PPBV		96
100) O-DICHLOROBENZENE	17.248	146	1254257	11.73	PPBV		95
101) SEC-BUTYLBENZENE	17.084	134	637356	11.42	PPBV		73
102) 1,2,3-TRIMETHYLBENZENE	17.193	105	2386420	12.01	PPBV	#	94
103) P-ISOPROPYLTOLUENE	17.257	134	670361	11.48	PPBV		73
104) N-BUTYLBENZENE	17.601	134	611107	11.52	PPBV	#	66
105) HEXACHLOROETHANE	17.778	117	941399	11.53	PPBV	#	88
106) HEXACHLOROBUTADIENE	18.820	225	894941	12.73	PPBV		99
107) 1,2,4-TRICHLOROBENZENE	18.511	180	732058	9.74	PPBV		97
108) NAPHTHALENE	18.559	128	1808530	10.30	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w59298.D
Acq On : 14 May 2022 3:47 pm
Operator : thomash
Sample : cc2619-10
Misc : MS58854,V2w2637,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: May 14 17:11:01 2022
Quant Method : C:\msdchem\1\METHODS\M2W2619.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Apr 27 09:46:06 2022
Response via : Initial Calibration



Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/24/22 14:42

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61010.D
Acq On : 19 Aug 2022 11:22 am
Operator : thomash
Sample : ic2709-0.04
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:46:55 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:21:21 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.608	128	65497	10.00	PPBV	0.00
52) 1,4-DIFLUOROBENZENE	4.927	114	359956	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.586	117	318930	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	13.959	95	206801	9.74	PPBV	0.00
Target Compounds						Qvalue
55) TRICHLOROETHENE	5.515	95	461m	0.03	PPBV	
72) TETRACHLOROETHENE	9.451	164	666	0.04	PPBV	# 40

(#) = qualifier out of range (m) = manual integration (+) = signals summed


7.7.12

7

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61010.D
Acq On : 19 Aug 2022 11:22 am
Operator : thomash
Sample : ic2709-0.04
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:46:55 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:21:21 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number:	V2W2709-IC2709	**Method:**	TO-15
Lab FileID:	2W61010.D	**Analyst approved:**	08/23/22 20:59 Benjamin Kim
Injection Time:	08/19/22 11:22	**Supervisor approved:**	08/24/22 14:42 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Trichloroethylene	79-01-6		5.52	Poor instrument integration

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61010.D
Acq On : 19 Aug 2022 11:22 am
Operator : thomash
Sample : ic2709-0.04
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 19 12:31:07 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed May 18 07:44:07 2022
Response via : Initial Calibration





TIC: 2w61010.D\data.ms

(55) TRICHLOROETHENE (T)

5.460min (-5.460) 0.00PPBV


response 0


Ion	Exp%	Act%
95.00	100	0.00
129.90	104.00	0.00#
131.90	99.70	0.00#
97.00	64.10	0.00#

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61010.D
Acq On : 19 Aug 2022 11:22 am
Operator : thomash
Sample : ic2709-0.04
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:45:16 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:21:21 2022
Response via : Initial Calibration





TIC: 2w61010.D\data.ms

(55) TRICHLOROETHENE (T)

5.515min (-0.003) 0.03PPBV m

response 461

Ion	Exp%	Act%
95.00	100	100
129.90	103.50	0.00#
131.90	99.10	0.00#
97.00	65.00	0.00#

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/24/22 14:42

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 24 12:14:03 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.612	128	64903	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.927	114	355487	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.586	117	317521	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.956	95	206670	9.78	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.837	65	560	0.10	PPBV	#	48
4) CHLORODIFLUOROMETHANE	1.860	67	226m	0.09	PPBV		
5) CHLOROTRIFLUOROETHENE	1.872	116	1390	0.10	PPBV	#	1
6) DICHLORODIFLUOROMETHANE	1.895	85	3356	0.10	PPBV	#	71
7) PROPYLENE	1.872	41	754	0.12	PPBV	#	15
8) 1-CHLORO-1,1-DIFLUOROE...	1.943	65	2440	0.10	PPBV	#	27
9) FREON 114	1.991	85	2873	0.10	PPBV		98
10) CHLOROMETHANE	1.950	52	371m	0.11	PPBV		
11) VINYL CHLORIDE	2.033	62	1229	0.11	PPBV	#	50
12) 1,3-BUTADIENE	2.085	54	843	0.10	PPBV	#	82
13) N-BUTANE	2.104	43	1865	0.12	PPBV	#	64
14) BROMOMETHANE	2.184	94	1132	0.11	PPBV	#	95
15) CHLOROETHANE	2.245	64	628	0.10	PPBV	#	46
16) DICHLOROFLUOROMETHANE	2.278	67	2428	0.10	PPBV	#	85
17) ACETONITRILE	2.371	41	1075	0.12	PPBV	#	79
18) ACROLEIN	2.419	56	214m	0.05	PPBV		
19) FREON 123	2.435	83	2621	0.10	PPBV		96
20) FREON 123A	2.451	117	1635	0.11	PPBV		97
21) TRICHLOROFLUOROMETHANE	2.522	101	3215	0.10	PPBV	#	1
22) ISOPROPYL ALCOHOL	2.538	45	3327	0.12	PPBV	#	88
23) ACETONE	2.467	58	1182	0.15	PPBV		93
24) PENTANE	2.628	42	1748	0.12	PPBV		85
25) IODOMETHANE	2.689	142	3305	0.10	PPBV		100
26) 1,1-DICHLOROETHYLENE	2.712	96	1311	0.10	PPBV		96
27) CARBON DISULFIDE	2.844	76	3679	0.09	PPBV	#	84
28) ETHANOL	2.284	45	799	0.16	PPBV	#	41
29) BROMOETHENE	2.381	106	948	0.09	PPBV	#	100
30) ACRYLONITRILE	2.602	52	979	0.10	PPBV	#	85
31) METHYLENE CHLORIDE	2.750	84	2310	0.18	PPBV		92
32) 3-CHLOROPROPENE	2.789	76	670	0.10	PPBV	#	56
33) FREON 113	2.847	151	2093	0.10	PPBV		97
34) TRANS-1,2-DICHLOROETHENE	3.075	96	1055	0.10	PPBV		97
35) TERTIARY BUTYL ALCOHOL	2.725	59	3546	0.10	PPBV	#	80
36) METHYL TERTIARY BUTYL ...	3.194	73	2855	0.10	PPBV	#	84
37) TETRAHYDROFURAN	3.930	72	339m	0.07	PPBV		
38) HEXANE	3.667	57	1774	0.09	PPBV		90
39) VINYL ACETATE	3.233	86	201m	0.08	PPBV		
40) 1,1-DICHLOROETHANE	3.155	63	1808	0.09	PPBV	#	88
41) METHYL ETHYL KETONE	3.335	72	351m	0.07	PPBV		
42) CIS-1,2-DICHLOROETHENE	3.538	96	1146	0.10	PPBV		99
43) DIISOPROPYL ETHER	3.673	59	517	0.09	PPBV		100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 24 12:14:03 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
45) METHYL ACRYLATE	3.663	55	1929	0.09	PPBV	#	66
46) CHLOROFORM	3.686	83	2328	0.10	PPBV		92
47) 2,4-DIMETHYLPENTANE	4.194	57	2171	0.10	PPBV		98
48) 1,1,1-TRICHLOROETHANE	4.274	97	2237	0.10	PPBV		97
49) CARBON TETRACHLORIDE	4.705	117	2055	0.09	PPBV		99
50) 1,2-DICHLOROETHANE	4.107	62	1503	0.09	PPBV	#	100
51) BENZENE	4.596	78	3427	0.10	PPBV		98
53) CYCLOHEXANE	4.814	84	1478	0.10	PPBV		91
54) 2,3-DIMETHYLPENTANE	5.078	71	694	0.09	PPBV	#	96
55) TRICHLOROETHENE	5.522	95	1399	0.09	PPBV		89
56) 1,2-DICHLOROPROPANE	5.277	63	1360	0.10	PPBV	#	74
57) DIBROMOMETHANE	5.236	174	1596	0.10	PPBV		92
58) ETHYL ACRYLATE	5.406	55	2085	0.08	PPBV	#	74
59) BROMODICHLOROMETHANE	5.461	83	2192	0.09	PPBV		100
60) 2,2,4-TRIMETHYLPENTANE	5.615	57	5984	0.10	PPBV	#	96
62) HEPTANE	5.933	43	1916	0.10	PPBV		92
63) METHYL METHACRYLATE	5.837	69	1025	0.09	PPBV	#	77
64) METHYL ISOBUTYL KETONE	6.593	58	750	0.08	PPBV	#	79
65) CIS-1,3-DICHLOROPROPENE	6.461	75	1386	0.08	PPBV	#	68
66) TOLUENE	7.695	91	4413	0.10	PPBV		93
67) 1,3-DICHLOROPROPANE	7.756	76	1971	0.10	PPBV	#	91
68) TRANS-1,3-DICHLOROPROPENE	7.155	75	1319	0.08	PPBV	#	78
69) 1,1,2-TRICHLOROETHANE	7.322	83	1181	0.09	PPBV		95
70) 2-HEXANONE	8.293	58	221m	0.39	PPBV		
71) ETHYL METHACRYLATE	8.412	69	1160	0.07	PPBV	#	84
72) TETRACHLOROETHENE	9.454	164	1751	0.10	PPBV	#	87
73) DIBROMOCHLOROMETHANE	8.239	129	1909	0.08	PPBV	#	86
74) 1,2-DIBROMOETHANE	8.586	107	2023	0.09	PPBV	#	93
75) OCTANE	9.589	43	2397	0.09	PPBV		93
77) 1,1,1,2-TETRACHLOROETHANE	10.673	131	1554	0.09	PPBV	#	37
78) CHLOROBENZENE	10.663	112	3250	0.10	PPBV		93
79) ETHYLBENZENE	11.544	91	4979	0.09	PPBV		98
80) M,P-XYLENE	11.978	91	7627m	0.21	PPBV		
81) O-XYLENE	12.914	91	3812	0.09	PPBV		97
82) STYRENE	12.702	104	2323	0.08	PPBV		95
83) NONANE	14.026	43	2527	0.10	PPBV		95
84) BROMOFORM	11.782	173	1271	0.06	PPBV	#	96
85) 1,1,2,2-TETRACHLOROETHANE	12.917	83	2922	0.09	PPBV	#	94
86) 1,2,3-TRICHLOROPROPANE	13.206	75	2200	0.10	PPBV	#	99
88) ISOPROPYLBENZENE	14.428	120	1654	0.09	PPBV		90
89) BROMOBENZENE	14.313	77	2650	0.09	PPBV		98
90) 2-CHLOROTOLUENE	15.451	126	1358m	0.09	PPBV		
91) N-PROPYLBENZENE	15.779	120	1342	0.08	PPBV	#	62
92) 4-ETHYLTOLUENE	16.145	105	4938	0.08	PPBV	#	98
93) 1,3,5-TRIMETHYLBENZENE	16.296	105	4146	0.08	PPBV	#	91
94) ALPHA-METHYLSTYRENE	16.502	118	1628	0.08	PPBV		96
95) TERT-BUTYLBENZENE	16.753	134	990	0.08	PPBV		89
96) 1,2,4-TRIMETHYLBENZENE	16.759	105	4251	0.08	PPBV		97
97) BENZYL CHLORIDE	16.849	91	1346	0.04	PPBV	#	60
98) M-DICHLOROBENZENE	16.824	146	3030	0.09	PPBV		95

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 24 12:14:03 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
99)	P-DICHLOROBENZENE	16.907	146	3245	0.09	PPBV		93
100)	O-DICHLOROBENZENE	17.203	146	3018	0.09	PPBV		97
101)	SEC-BUTYLBENZENE	17.039	134	1276	0.08	PPBV		93
102)	1,2,3-TRIMETHYLBENZENE	17.148	105	4165	0.08	PPBV	#	91
103)	P-ISOPROPYLTOLUENE	17.222	134	1420	0.08	PPBV		99
104)	N-BUTYLBENZENE	17.566	134	1266	0.08	PPBV		89
105)	HEXACHLOROETHANE	17.746	117	1120	0.06	PPBV		91
106)	HEXACHLOROBUTADIENE	18.798	225	2054	0.07	PPBV	#	1
107)	1,2,4-TRICHLOROBENZENE	18.486	180	1844	0.06	PPBV		95
108)	NAPHTHALENE	18.531	128	3704	0.05	PPBV	#	70

(#) = qualifier out of range (m) = manual integration (+) = signals summed


7.7.13

7

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 24 12:14:03 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V2W2709-IC2709 **Method:** TO-15
Lab FileID: 2W61011.D **Analyst approved:** 08/24/22 12:25 Benjamin Kim
Injection Time: 08/19/22 11:55 **Supervisor approved:** 08/24/22 14:42 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Chlorodifluoromethane	75-45-6		1.86	Poor instrument integration
Chloromethane	74-87-3		1.95	Poor instrument integration
Acrolein	107-02-8		2.42	Poor instrument integration
Vinyl Acetate	108-05-4		3.23	Poor instrument integration
Methyl ethyl ketone	78-93-3		3.34	Poor instrument integration
Tetrahydrofuran	109-99-9		3.93	Poor instrument integration
2-Hexanone	591-78-6		8.29	Poor instrument integration
m,p-Xylene			11.98	Poor instrument integration
2-Chlorotoluene	95-49-8		15.45	Poor instrument integration

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:47:40 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration





TIC: 2w61011.D\data.ms

(70) 2-HEXANONE (T)

8.261min (-8.261) 0.00PPBV


response 0


Ion	Exp%	Act%
58.10	100	0.00
43.10	8.30	0.00#
100.10	1.80	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:47:40 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration





TIC: 2w61011.D\data.ms

(70) 2-HEXANONE (T)

8.293min (+0.032) 0.39PPBV m


response 221


Ion	Exp%	Act%
58.10	100	100
43.10	8.30	0.00#
100.10	1.80	0.00#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:47:40 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration







TIC: 2w61011.D\data.ms

(37) TETRAHYDROFURAN (T)

3.901min (-3.901) 0.00PPBV


response 0


Ion	Exp%	Act%
72.10	100	0.00
42.10	219.70	0.00#
71.10	92.50	0.00#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:47:40 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration







TIC: 2w61011.D\data.ms

(37) TETRAHYDROFURAN (T)

3.930min (+0.029) 0.07PPBV m


response 339


Ion	Exp%	Act%
72.10	100	100
42.10	219.70	0.00#
71.10	92.50	0.00#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:47:40 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration







TIC: 2w61011.D\data.ms

(39) VINYL ACETATE (T)

3.229min (-3.229) 0.00PPBV


response 0


Ion	Exp%	Act%
86.10	100	0.00
43.10	958.60	0.00#
44.10	52.20	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:47:40 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration





TIC: 2w61011.D\data.ms

(39) VINYL ACETATE (T)

3.233min (+0.004) 0.08PPBV m


response 201


Ion	Exp%	Act%
86.10	100	100
43.10	958.60	0.00#
44.10	52.20	0.00#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:47:40 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration







TIC: 2w61011.D\data.ms

(41) METHYL ETHYL KETONE (T)

3.326min (-3.326) 0.00PPBV


response 0


Ion	Exp%	Act%
72.10	100	0.00
57.10	36.40	0.00#
43.10	401.20	0.00#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:47:40 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration







TIC: 2w61011.D\data.ms

(41) METHYL ETHYL KETONE (T)

3.335min (+0.009) 0.07PPBV m


response 351


Ion	Exp%	Act%
72.10	100	100
57.10	36.40	0.00#
43.10	401.20	0.00#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:47:40 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration







TIC: 2w61011.D\data.ms

(18) ACROLEIN (T)

2.419min (-2.419) 0.00PPBV


response 0


Ion	Exp%	Act%
56.10	100	0.00
55.00	71.10	0.00#
0.00	0.00	0.00
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:47:40 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration







TIC: 2w61011.D\data.ms

(18) ACROLEIN (T)

2.419min (+0.000) 0.05PPBV m


response 214


Ion	Exp%	Act%
56.10	100	100
55.00	71.10	0.00#
0.00	0.00	0.00
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:47:40 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration







TIC: 2w61011.D\data.ms

(10) CHLOROMETHANE (T)

1.962min (-1.962) 0.00PPBV


response 0


Ion	Exp%	Act%
52.00	100	0.00
50.00	309.00	0.00#
0.00	0.00	0.00
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:47:40 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration







TIC: 2w61011.D\data.ms

(10) CHLOROMETHANE (T)

1.950min (-0.012) 0.11PPBV m


response 371


Ion	Exp%	Act%
52.00	100	100
50.00	309.00	0.00#
0.00	0.00	0.00
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:47:40 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration







TIC: 2w61011.D\data.ms

(4) CHLORODIFLUOROMETHANE (T)

1.866min (-1.866) 0.00PPBV


response 0


Ion	Exp%	Act%
67.00	100	0.00
69.00	34.20	0.00#
0.00	0.00	0.00
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:47:40 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration







TIC: 2w61011.D\data.ms

(4) CHLORODIFLUOROMETHANE (T)

1.860min (-0.006) 0.09PPBV m


response 226


Ion	Exp%	Act%
67.00	100	100
69.00	34.20	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:49:12 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration





TIC: 2w61011.D\data.ms

(80) M,P-XYLENE (t)

11.978min (-0.006) 0.10PPBV


response 3518


Ion	Exp%	Act%
91.10	100	100
106.10	23.00	44.03#
105.10	10.90	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:49:12 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration





TIC: 2w61011.D\data.ms

(80) M,P-XYLENE (t)

11.978min (-0.006) 0.21PPBV m


response 7627


Ion	Exp%	Act%
91.10	100	100
106.10	23.00	20.31
105.10	10.90	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:49:12 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration





TIC: 2w61011.D\data.ms

(90) 2-CHLOROTOLUENE (T)

15.451min (+0.010) 0.06PPBV


response 945


Ion	Exp%	Act%
126.00	100	100
128.00	32.40	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61011.D
Acq On : 19 Aug 2022 11:55 am
Operator : thomash
Sample : ic2709-0.1
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 23 20:49:12 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Aug 23 20:47:14 2022
Response via : Initial Calibration





TIC: 2w61011.D\data.ms

(90) 2-CHLOROTOLUENE (T)

15.451min (+0.010) 0.09PPBV m

response 1358

Ion	Exp%	Act%
126.00	100	100
128.00	32.40	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/24/22 14:44

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61012.D
Acq On : 19 Aug 2022 12:27 pm
Operator : thomash
Sample : ic2709-0.2
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 26 18:41:58 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:54:11 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.611	128	64509	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.927	114	353558	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.585	117	315511	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.958	95	204068	9.70	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.843	65	1064	0.19	PPBV	#	48
4) CHLORODIFLUOROMETHANE	1.862	67	468m	0.19	PPBV		
5) CHLOROTRIFLUOROETHENE	1.878	116	2747	0.19	PPBV	#	1
6) DICHLORODIFLUOROMETHANE	1.898	85	6218	0.20	PPBV	#	63
7) PROPYLENE	1.875	41	1247	0.21	PPBV		97
8) 1-CHLORO-1,1-DIFLUOROE...	1.949	65	4676	0.19	PPBV	#	61
9) FREON 114	1.994	85	5721	0.20	PPBV		98
10) CHLOROMETHANE	1.952	52	709	0.22	PPBV		94
11) VINYL CHLORIDE	2.039	62	2175	0.19	PPBV	#	92
12) 1,3-BUTADIENE	2.084	54	1768	0.20	PPBV		91
13) N-BUTANE	2.107	43	3294	0.23	PPBV	#	97
14) BROMOMETHANE	2.193	94	2081	0.21	PPBV	#	95
15) CHLOROETHANE	2.255	64	1105	0.18	PPBV	#	58
16) DICHLOROFLUOROMETHANE	2.284	67	4766	0.20	PPBV		98
17) ACETONITRILE	2.374	41	1928	0.22	PPBV	#	80
18) ACROLEIN	2.412	56	435m	0.12	PPBV		
19) FREON 123	2.435	83	5136	0.19	PPBV		98
20) FREON 123A	2.451	117	2873	0.19	PPBV		91
21) TRICHLOROFLUOROMETHANE	2.521	101	6324	0.19	PPBV	#	1
22) ISOPROPYL ALCOHOL	2.534	45	5508	0.21	PPBV	#	97
23) ACETONE	2.467	58	2320	0.27	PPBV		77
24) PENTANE	2.631	42	3176	0.22	PPBV		93
25) IODOMETHANE	2.685	142	6326	0.20	PPBV		97
26) 1,1-DICHLOROETHYLENE	2.711	96	2524	0.20	PPBV		99
27) CARBON DISULFIDE	2.846	76	7009	0.19	PPBV	#	81
28) ETHANOL	2.287	45	1342	0.26	PPBV	#	41
29) BROMOETHENE	2.380	106	2030	0.19	PPBV	#	100
30) ACRYLONITRILE	2.599	52	2087	0.20	PPBV		99
31) METHYLENE CHLORIDE	2.747	84	3521	0.27	PPBV		95
32) 3-CHLOROPROPENE	2.785	76	1417	0.21	PPBV	#	79
33) FREON 113	2.843	151	4105	0.19	PPBV		95
34) TRANS-1,2-DICHLOROETHENE	3.078	96	2132	0.20	PPBV		98
35) TERTIARY BUTYL ALCOHOL	2.721	59	6767	0.21	PPBV		95
36) METHYL TERTIARY BUTYL ...	3.190	73	5366	0.20	PPBV	#	84
37) TETRAHYDROFURAN	3.933	72	916	0.19	PPBV		93
38) HEXANE	3.663	57	3493	0.19	PPBV		96
39) VINYL ACETATE	3.235	86	426m	0.16	PPBV		
40) 1,1-DICHLOROETHANE	3.155	63	3963	0.21	PPBV	#	88
41) METHYL ETHYL KETONE	3.338	72	914	0.19	PPBV	#	92
42) CIS-1,2-DICHLOROETHENE	3.531	96	2323	0.20	PPBV		94
43) DIISOPROPYL ETHER	3.666	59	1027	0.20	PPBV		91

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61012.D
Acq On : 19 Aug 2022 12:27 pm
Operator : thomash
Sample : ic2709-0.2
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 26 18:41:58 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:54:11 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.673	61	647	0.18	PPBV	#	68
45) METHYL ACRYLATE	3.666	55	3643	0.17	PPBV	#	91
46) CHLOROFORM	3.682	83	4521	0.20	PPBV		94
47) 2,4-DIMETHYLPENTANE	4.197	57	4425	0.20	PPBV		98
48) 1,1,1-TRICHLOROETHANE	4.280	97	4515	0.20	PPBV		100
49) CARBON TETRACHLORIDE	4.711	117	4093	0.18	PPBV		100
50) 1,2-DICHLOROETHANE	4.107	62	3092	0.19	PPBV	#	100
51) BENZENE	4.599	78	6872	0.21	PPBV		97
53) CYCLOHEXANE	4.808	84	2995	0.20	PPBV		97
54) 2,3-DIMETHYLPENTANE	5.068	71	1389	0.19	PPBV	#	97
55) TRICHLOROETHENE	5.521	95	2855	0.18	PPBV		95
56) 1,2-DICHLOROPROPANE	5.283	63	2647	0.20	PPBV		98
57) DIBROMOMETHANE	5.238	174	3143	0.20	PPBV		98
58) ETHYL ACRYLATE	5.399	55	4024	0.17	PPBV	#	74
59) BROMODICHLOROMETHANE	5.460	83	4359	0.18	PPBV		98
60) 2,2,4-TRIMETHYLPENTANE	5.611	57	11990	0.20	PPBV		99
61) 1,4-DIOXANE	5.582	88	1216	0.17	PPBV	#	74
62) HEPTANE	5.926	43	3821	0.21	PPBV		96
63) METHYL METHACRYLATE	5.833	69	1829	0.17	PPBV		92
64) METHYL ISOBUTYL KETONE	6.579	58	1468	0.16	PPBV	#	91
65) CIS-1,3-DICHLOROPROPENE	6.470	75	3039	0.17	PPBV		92
66) TOLUENE	7.698	91	7872	0.19	PPBV		98
67) 1,3-DICHLOROPROPANE	7.750	76	3769	0.19	PPBV	#	91
68) TRANS-1,3-DICHLOROPROPENE	7.164	75	2315	0.15	PPBV		92
69) 1,1,2-TRICHLOROETHANE	7.325	83	2304	0.18	PPBV		96
70) 2-HEXANONE	8.290	58	532	0.06	PPBV	#	1
71) ETHYL METHACRYLATE	8.399	69	2146	0.14	PPBV	#	77
72) TETRACHLOROETHENE	9.447	164	3504	0.20	PPBV		98
73) DIBROMOCHLOROMETHANE	8.229	129	3734	0.16	PPBV		98
74) 1,2-DIBROMOETHANE	8.582	107	4009	0.18	PPBV	#	97
75) OCTANE	9.595	43	4808	0.19	PPBV		98
77) 1,1,1,2-TETRACHLOROETHANE	10.669	131	2959	0.18	PPBV		99
78) CHLOROBENZENE	10.656	112	6633	0.20	PPBV		95
79) ETHYLBENZENE	11.550	91	9979	0.18	PPBV		98
80) M,P-XYLENE	11.984	91	14963m	0.36	PPBV		
81) O-XYLENE	12.913	91	7941	0.19	PPBV		93
82) STYRENE	12.704	104	4915	0.16	PPBV		99
83) NONANE	14.029	43	4867	0.19	PPBV		94
84) BROMOFORM	11.788	173	2475	0.13	PPBV	#	88
85) 1,1,2,2-TETRACHLOROETHANE	12.923	83	5839	0.19	PPBV	#	95
86) 1,2,3-TRICHLOROPROPANE	13.216	75	4250	0.18	PPBV	#	99
88) ISOPROPYLBENZENE	14.434	120	3299	0.19	PPBV		99
89) BROMOBENZENE	14.296	77	5420	0.18	PPBV	#	39
90) 2-CHLOROTOLUENE	15.431	126	2677	0.18	PPBV		99
91) N-PROPYLBENZENE	15.772	120	2818	0.17	PPBV	#	62
92) 4-ETHYLTOLUENE	16.142	105	9947	0.17	PPBV	#	99
93) 1,3,5-TRIMETHYLBENZENE	16.296	105	8565	0.17	PPBV		99
94) ALPHA-METHYLSTYRENE	16.498	118	3096	0.15	PPBV		98
95) TERT-BUTYLBENZENE	16.756	134	2261	0.18	PPBV		95
96) 1,2,4-TRIMETHYLBENZENE	16.765	105	8595	0.17	PPBV		94

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61012.D
Acq On : 19 Aug 2022 12:27 pm
Operator : thomash
Sample : ic2709-0.2
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 26 18:41:58 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:54:11 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
97)	BENZYL CHLORIDE	16.852	91	3085	0.12	PPBV	#	89
98)	M-DICHLOROBENZENE	16.826	146	5983	0.17	PPBV		98
99)	P-DICHLOROBENZENE	16.910	146	5846	0.17	PPBV		94
100)	O-DICHLOROBENZENE	17.206	146	6092	0.19	PPBV		99
101)	SEC-BUTYLBENZENE	17.039	134	3031	0.20	PPBV		84
102)	1,2,3-TRIMETHYLBENZENE	17.151	105	8528	0.17	PPBV		98
103)	P-ISOPROPYLTOLUENE	17.219	134	2975	0.18	PPBV		99
104)	N-BUTYLBENZENE	17.566	134	2492	0.16	PPBV		97
105)	HEXACHLOROETHANE	17.746	117	2279	0.14	PPBV		98
106)	HEXACHLOROBUTADIENE	18.797	225	4203	0.17	PPBV	#	1
107)	1,2,4-TRICHLOROBENZENE	18.485	180	4180	0.16	PPBV		94
108)	NAPHTHALENE	18.534	128	9026	0.14	PPBV		98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61012.D
Acq On : 19 Aug 2022 12:27 pm
Operator : thomash
Sample : ic2709-0.2
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 26 18:41:58 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:54:11 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V2W2709-IC2709 **Method:** TO-15
Lab FileID: 2W61012.D **Analyst approved:** 08/23/22 20:59 Benjamin Kim
Injection Time: 08/19/22 12:27 **Supervisor approved:** 08/24/22 14:44 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Chlorodifluoromethane	75-45-6		1.86	Poor instrument integration
Acrolein	107-02-8		2.41	Poor instrument integration
Vinyl Acetate	108-05-4		3.24	Poor instrument integration
m,p-Xylene			11.98	Poor instrument integration

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61012.D
Acq On : 19 Aug 2022 12:27 pm
Operator : thomash
Sample : ic2709-0.2
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 22 21:54:52 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:54:11 2022
Response via : Initial Calibration





TIC: 2w61012.D\data.ms

(4) CHLORODIFLUOROMETHANE (T)

1.866min (-1.866) 0.00PPBV


response 0


Ion	Exp%	Act%
67.00	100	0.00
69.00	34.20	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61012.D
Acq On : 19 Aug 2022 12:27 pm
Operator : thomash
Sample : ic2709-0.2
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 22 21:54:52 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:54:11 2022
Response via : Initial Calibration





TIC: 2w61012.D\data.ms

(4) CHLORODIFLUOROMETHANE (T)

1.862min (-0.004) 0.19PPBV m


response 468


Ion	Exp%	Act%
67.00	100	100
69.00	34.20	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61012.D
Acq On : 19 Aug 2022 12:27 pm
Operator : thomash
Sample : ic2709-0.2
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 22 21:54:52 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:54:11 2022
Response via : Initial Calibration





TIC: 2w61012.D\data.ms

(18) ACROLEIN (T)

2.419min (-2.419) 0.00PPBV


response 0


Ion	Exp%	Act%
56.10	100	0.00
55.00	71.10	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61012.D
Acq On : 19 Aug 2022 12:27 pm
Operator : thomash
Sample : ic2709-0.2
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 22 21:54:52 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:54:11 2022
Response via : Initial Calibration





TIC: 2w61012.D\data.ms

(18) ACROLEIN (T)

2.412min (-0.007) 0.12PPBV m


response 435


Ion	Exp%	Act%
56.10	100	100
55.00	71.10	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61012.D
Acq On : 19 Aug 2022 12:27 pm
Operator : thomash
Sample : ic2709-0.2
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 22 21:54:52 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:54:11 2022
Response via : Initial Calibration





TIC: 2w61012.D\data.ms

(39) VINYL ACETATE (T)

3.229min (-3.229) 0.00PPBV


response 0


Ion	Exp%	Act%
86.10	100	0.00
43.10	958.60	0.00#
44.10	52.20	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61012.D
Acq On : 19 Aug 2022 12:27 pm
Operator : thomash
Sample : ic2709-0.2
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 22 21:54:52 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:54:11 2022
Response via : Initial Calibration





TIC: 2w61012.D\data.ms

(39) VINYL ACETATE (T)

3.235min (+0.006) 0.16PPBV m


response 426


Ion	Exp%	Act%
86.10	100	100
43.10	958.60	0.00#
44.10	52.20	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61012.D
Acq On : 19 Aug 2022 12:27 pm
Operator : thomash
Sample : ic2709-0.2
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 22 21:55:25 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:54:11 2022
Response via : Initial Calibration





TIC: 2w61012.D\data.ms

(80) M,P-XYLENE (t)

11.936min (-0.049) 0.22PPBV


response 8831


Ion	Exp%	Act%
91.10	100	100
106.10	23.00	42.95
105.10	10.90	19.79
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61012.D
Acq On : 19 Aug 2022 12:27 pm
Operator : thomash
Sample : ic2709-0.2
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 22 21:55:25 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:54:11 2022
Response via : Initial Calibration





TIC: 2w61012.D\data.ms

(80) M,P-XYLENE (t)

11.984min (-0.000) 0.36PPBV m

response 14963

Ion	Exp%	Act%
91.10	100	100
106.10	23.00	25.35
105.10	10.90	11.68
0.00	0.00	0.00

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61013.D
Acq On : 19 Aug 2022 12:59 pm
Operator : thomash
Sample : ic2709-0.5
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 26 18:42:13 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:53:09 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.608	128	64185	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.927	114	349033	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.582	117	311657	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.955	95	205868	9.86	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.846	65	2690	0.33	PPBV		95
4) CHLORODIFLUOROMETHANE	1.869	67	1194	0.31	PPBV	#	40
5) CHLOROTRIFLUOROETHENE	1.882	116	6910	0.32	PPBV	#	1
6) DICHLORODIFLUOROMETHANE	1.901	85	15281	0.32	PPBV	#	73
7) PROPYLENE	1.875	41	2932	0.32	PPBV		95
8) 1-CHLORO-1,1-DIFLUOROE...	1.949	65	11460	0.31	PPBV	#	88
9) FREON 114	1.998	85	13905	0.32	PPBV		97
10) CHLOROMETHANE	1.962	52	1624	0.33	PPBV		95
11) VINYL CHLORIDE	2.043	62	5337	0.30	PPBV	#	93
12) 1,3-BUTADIENE	2.091	54	4383	0.32	PPBV		97
13) N-BUTANE	2.110	43	7281	0.33	PPBV	#	94
14) BROMOMETHANE	2.191	94	4823	0.31	PPBV		96
15) CHLOROETHANE	2.252	64	2897	0.31	PPBV		95
16) DICHLOROFLUOROMETHANE	2.287	67	11546	0.32	PPBV		99
17) ACETONITRILE	2.374	41	4380	0.34	PPBV		96
18) ACROLEIN	2.425	56	1025	0.13	PPBV		88
19) FREON 123	2.432	83	12589	0.31	PPBV		97
20) FREON 123A	2.454	117	7200	0.31	PPBV		99
21) TRICHLOROFLUOROMETHANE	2.522	101	15817	0.31	PPBV	#	1
22) ISOPROPYL ALCOHOL	2.538	45	13799	0.36	PPBV		95
23) ACETONE	2.464	58	5025	0.47	PPBV		71
24) PENTANE	2.631	42	7059	0.32	PPBV		98
25) IODOMETHANE	2.686	142	15489	0.31	PPBV		99
26) 1,1-DICHLOROETHYLENE	2.715	96	5905	0.30	PPBV		93
27) CARBON DISULFIDE	2.843	76	17652	0.31	PPBV	#	82
28) ETHANOL	2.290	45	3011	0.44	PPBV	#	94
29) BROMOETHENE	2.383	106	5030	0.31	PPBV	#	100
30) ACRYLONITRILE	2.599	52	4918	0.32	PPBV		95
31) METHYLENE CHLORIDE	2.747	84	6999	0.36	PPBV		99
32) 3-CHLOROPROPENE	2.789	76	3495	0.36	PPBV		96
33) FREON 113	2.843	151	9982	0.30	PPBV		97
34) TRANS-1,2-DICHLOROETHENE	3.078	96	5129	0.31	PPBV		97
35) TERTIARY BUTYL ALCOHOL	2.724	59	15937	0.32	PPBV		95
36) METHYL TERTIARY BUTYL ...	3.190	73	13182	0.31	PPBV		98
37) TETRAHYDROFURAN	3.920	72	2249	0.30	PPBV		87
38) HEXANE	3.666	57	8621	0.30	PPBV		97
39) VINYL ACETATE	3.232	86	1264	0.31	PPBV	#	94
40) 1,1-DICHLOROETHANE	3.155	63	9161	0.31	PPBV		99
41) METHYL ETHYL KETONE	3.338	72	2261	0.30	PPBV		99
42) CIS-1,2-DICHLOROETHENE	3.528	96	5662	0.32	PPBV		99
43) DIISOPROPYL ETHER	3.670	59	2410	0.29	PPBV		90

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61013.D
Acq On : 19 Aug 2022 12:59 pm
Operator : thomash
Sample : ic2709-0.5
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 26 18:42:13 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:53:09 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.682	61	1655	0.30	PPBV		79
45) METHYL ACRYLATE	3.660	55	9722	0.29	PPBV	#	100
46) CHLOROFORM	3.682	83	11151	0.32	PPBV		98
47) 2,4-DIMETHYLPENTANE	4.190	57	10708	0.32	PPBV		98
48) 1,1,1-TRICHLOROETHANE	4.271	97	10795	0.31	PPBV		99
49) CARBON TETRACHLORIDE	4.708	117	10167	0.29	PPBV		98
50) 1,2-DICHLOROETHANE	4.107	62	7981	0.33	PPBV	#	100
51) BENZENE	4.596	78	16270	0.32	PPBV		99
53) CYCLOHEXANE	4.814	84	7209	0.32	PPBV		98
54) 2,3-DIMETHYLPENTANE	5.075	71	3561	0.32	PPBV		97
55) TRICHLOROETHENE	5.518	95	7415	0.32	PPBV		98
56) 1,2-DICHLOROPROPANE	5.277	63	6506	0.32	PPBV		100
57) DIBROMOMETHANE	5.235	174	7757	0.34	PPBV		98
58) ETHYL ACRYLATE	5.403	55	10083	0.26	PPBV		99
59) BROMODICHLOROMETHANE	5.460	83	10997	0.30	PPBV		98
60) 2,2,4-TRIMETHYLPENTANE	5.608	57	29002	0.32	PPBV		100
61) 1,4-DIOXANE	5.554	88	3502	0.33	PPBV	#	80
62) HEPTANE	5.930	43	8670	0.30	PPBV		98
63) METHYL METHACRYLATE	5.830	69	4528	0.25	PPBV		87
64) METHYL ISOBUTYL KETONE	6.579	58	3537	0.22	PPBV		93
65) CIS-1,3-DICHLOROPROPENE	6.470	75	7930	0.30	PPBV		99
66) TOLUENE	7.698	91	20242	0.32	PPBV		97
67) 1,3-DICHLOROPROPANE	7.753	76	9325	0.30	PPBV		98
68) TRANS-1,3-DICHLOROPROPENE	7.155	75	6535	0.28	PPBV		96
69) 1,1,2-TRICHLOROETHANE	7.316	83	6323	0.34	PPBV		96
70) 2-HEXANONE	8.287	58	1479	0.08	PPBV	#	1
71) ETHYL METHACRYLATE	8.402	69	5756	0.21	PPBV		99
72) TETRACHLOROETHENE	9.438	164	8476	0.34	PPBV		98
73) DIBROMOCHLOROMETHANE	8.232	129	9599	0.27	PPBV		99
74) 1,2-DIBROMOETHANE	8.589	107	10379	0.30	PPBV	#	99
75) OCTANE	9.589	43	11835	0.31	PPBV		99
77) 1,1,1,2-TETRACHLOROETHANE	10.676	131	7074	0.29	PPBV		99
78) CHLOROBENZENE	10.656	112	16157	0.32	PPBV		99
79) ETHYLBENZENE	11.544	91	25862	0.31	PPBV		99
80) M,P-XYLENE	11.975	91	38656	0.62	PPBV	#	90
81) O-XYLENE	12.907	91	19059	0.30	PPBV		100
82) STYRENE	12.695	104	13062	0.28	PPBV		97
83) NONANE	14.020	43	12386	0.32	PPBV		96
84) BROMOFORM	11.791	173	7034	0.23	PPBV	#	97
85) 1,1,2,2-TETRACHLOROETHANE	12.917	83	14680	0.32	PPBV		98
86) 1,2,3-TRICHLOROPROPANE	13.203	75	11346	0.33	PPBV	#	99
88) ISOPROPYLBENZENE	14.431	120	8275	0.30	PPBV		99
89) BROMOBENZENE	14.306	77	14251	0.33	PPBV		98
90) 2-CHLOROTOLUENE	15.441	126	7309	0.32	PPBV		98
91) N-PROPYLBENZENE	15.775	120	7716	0.30	PPBV		94
92) 4-ETHYLTOLUENE	16.145	105	27288	0.30	PPBV	#	99
93) 1,3,5-TRIMETHYLBENZENE	16.302	105	22638	0.30	PPBV		99
94) ALPHA-METHYLSTYRENE	16.502	118	8368	0.26	PPBV		99
95) TERT-BUTYLBENZENE	16.756	134	5550	0.29	PPBV		88
96) 1,2,4-TRIMETHYLBENZENE	16.765	105	22848	0.29	PPBV		95

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61013.D
Acq On : 19 Aug 2022 12:59 pm
Operator : thomash
Sample : ic2709-0.5
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 26 18:42:13 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:53:09 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
97)	BENZYL CHLORIDE	16.846	91	8620	0.24	PPBV		97
98)	M-DICHLOROBENZENE	16.827	146	15883	0.31	PPBV		98
99)	P-DICHLOROBENZENE	16.907	146	16134	0.32	PPBV		97
100)	O-DICHLOROBENZENE	17.203	146	15107	0.31	PPBV		99
101)	SEC-BUTYLBENZENE	17.042	134	6801	0.29	PPBV		95
102)	1,2,3-TRIMETHYLBENZENE	17.151	105	22182	0.30	PPBV		98
103)	P-ISOPROPYLTOLUENE	17.219	134	7457	0.30	PPBV		98
104)	N-BUTYLBENZENE	17.566	134	6672	0.29	PPBV		99
105)	HEXACHLOROETHANE	17.746	117	5759	0.23	PPBV		100
106)	HEXACHLOROBUTADIENE	18.794	225	11615	0.34	PPBV	#	2
107)	1,2,4-TRICHLOROBENZENE	18.486	180	11810	0.31	PPBV		98
108)	NAPHTHALENE	18.531	128	27201	0.30	PPBV		97

(#) = qualifier out of range (m) = manual integration (+) = signals summed


7.7.15

7

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61013.D
Acq On : 19 Aug 2022 12:59 pm
Operator : thomash
Sample : ic2709-0.5
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Aug 26 18:42:13 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 21:53:09 2022
Response via : Initial Calibration



Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/24/22 15:08

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61015.D
Acq On : 19 Aug 2022 2:02 pm
Operator : thomash
Sample : ic2709-5
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 26 18:42:29 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:02:48 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.611	128	68904	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.927	114	372933	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.582	117	337350	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.958	95	226996	10.08	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.849	65	30277m	5.26	PPBV		
4) CHLORODIFLUOROMETHANE	1.862	67	13735	5.39	PPBV		97
5) CHLOROTRIFLUOROETHENE	1.878	116	79298	5.38	PPBV	#	1
6) DICHLORODIFLUOROMETHANE	1.901	85	179220	5.26	PPBV	#	72
7) PROPYLENE	1.875	41	33501	5.20	PPBV		100
8) 1-CHLORO-1,1-DIFLUOROE...	1.952	65	134364	5.24	PPBV		98
9) FREON 114	1.997	85	162073	5.29	PPBV		99
10) CHLOROMETHANE	1.959	52	17709	5.15	PPBV		98
11) VINYL CHLORIDE	2.039	62	64081	5.40	PPBV		100
12) 1,3-BUTADIENE	2.091	54	49591	5.41	PPBV		99
13) N-BUTANE	2.110	43	81858	5.07	PPBV		99
14) BROMOMETHANE	2.190	94	56507	5.25	PPBV		99
15) CHLOROETHANE	2.255	64	34916	5.51	PPBV		98
16) DICHLOROFLUOROMETHANE	2.287	67	135128	5.34	PPBV		99
17) ACETONITRILE	2.374	41	49247	5.16	PPBV		99
18) ACROLEIN	2.419	56	29000	7.24	PPBV		99
19) FREON 123	2.435	83	150547	5.35	PPBV		99
20) FREON 123A	2.454	117	86401	5.31	PPBV		97
21) TRICHLOROFLUOROMETHANE	2.518	101	193650	5.50	PPBV	#	1
22) ISOPROPYL ALCOHOL	2.534	45	141864	4.98	PPBV		99
23) ACETONE	2.460	58	39931	4.32	PPBV		99
24) PENTANE	2.628	42	80075	5.15	PPBV		99
25) IODOMETHANE	2.685	142	186750	5.41	PPBV		100
26) 1,1-DICHLOROETHYLENE	2.711	96	74742	5.53	PPBV		98
27) CARBON DISULFIDE	2.843	76	217801	5.32	PPBV	#	82
28) ETHANOL	2.290	45	24212	4.24	PPBV		99
29) BROMOETHENE	2.383	106	59898	5.48	PPBV	#	100
30) ACRYLONITRILE	2.602	52	58763	5.54	PPBV		98
31) METHYLENE CHLORIDE	2.747	84	69059	4.49	PPBV		98
32) 3-CHLOROPROPENE	2.785	76	36301	5.19	PPBV		97
33) FREON 113	2.840	151	122707	5.37	PPBV		99
34) TRANS-1,2-DICHLOROETHENE	3.078	96	61656	5.47	PPBV		100
35) TERTIARY BUTYL ALCOHOL	2.721	59	187952	5.28	PPBV		99
36) METHYL TERTIARY BUTYL ...	3.187	73	156154	5.33	PPBV		100
37) TETRAHYDROFURAN	3.904	72	28297	5.79	PPBV		96
38) HEXANE	3.663	57	105560	5.35	PPBV		100
39) VINYL ACETATE	3.229	86	15080	5.43	PPBV		91
40) 1,1-DICHLOROETHANE	3.155	63	109341	5.41	PPBV		100
41) METHYL ETHYL KETONE	3.325	72	28931	5.82	PPBV		100
42) CIS-1,2-DICHLOROETHENE	3.531	96	65373	5.39	PPBV		99
43) DIISOPROPYL ETHER	3.666	59	30863	5.34	PPBV		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61015.D
Acq On : 19 Aug 2022 2:02 pm
Operator : thomash
Sample : ic2709-5
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 26 18:42:29 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:02:48 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.673	61	22073	3.78	PPBV		99
45) METHYL ACRYLATE	3.656	55	127464	5.52	PPBV	#	99
46) CHLOROFORM	3.685	83	133214	5.39	PPBV		99
47) 2,4-DIMETHYLPENTANE	4.193	57	124025	5.40	PPBV		99
48) 1,1,1-TRICHLOROETHANE	4.274	97	132317	5.37	PPBV		99
49) CARBON TETRACHLORIDE	4.711	117	131707	5.40	PPBV		99
50) 1,2-DICHLOROETHANE	4.107	62	90456	5.41	PPBV	#	100
51) BENZENE	4.595	78	189412	5.37	PPBV		100
53) CYCLOHEXANE	4.808	84	83640	5.36	PPBV		99
54) 2,3-DIMETHYLPENTANE	5.071	71	41391	5.41	PPBV		97
55) TRICHLOROETHENE	5.515	95	87638	5.44	PPBV		98
56) 1,2-DICHLOROPROPANE	5.280	63	75050	5.31	PPBV		99
57) DIBROMOMETHANE	5.238	174	83527	5.16	PPBV		99
58) ETHYL ACRYLATE	5.393	55	151519	5.77	PPBV		100
59) BROMODICHLOROMETHANE	5.460	83	139406	5.39	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.615	57	330571	5.28	PPBV		100
61) 1,4-DIOXANE	5.528	88	40800	5.43	PPBV		99
62) HEPTANE	5.933	43	103774	5.27	PPBV		99
63) METHYL METHACRYLATE	5.824	69	69360	5.82	PPBV		100
64) METHYL ISOBUTYL KETONE	6.573	58	59949	6.07	PPBV		99
65) CIS-1,3-DICHLOROPROPENE	6.470	75	103405	5.56	PPBV		100
66) TOLUENE	7.695	91	235719	5.28	PPBV		100
67) 1,3-DICHLOROPROPANE	7.756	76	114312	5.40	PPBV		99
68) TRANS-1,3-DICHLOROPROPENE	7.158	75	90768	5.42	PPBV		99
69) 1,1,2-TRICHLOROETHANE	7.322	83	70318	5.39	PPBV		99
70) 2-HEXANONE	8.258	58	71057	7.60	PPBV	#	1
71) ETHYL METHACRYLATE	8.399	69	105244	6.11	PPBV		99
72) TETRACHLOROETHENE	9.447	164	92942	5.16	PPBV		98
73) DIBROMOCHLOROMETHANE	8.238	129	140255	5.54	PPBV		100
74) 1,2-DIBROMOETHANE	8.589	107	130670	5.52	PPBV		100
75) OCTANE	9.586	43	141914	5.38	PPBV		99
77) 1,1,1,2-TETRACHLOROETHANE	10.669	131	97603	5.39	PPBV		100
78) CHLOROBENZENE	10.656	112	190132	5.28	PPBV		100
79) ETHYLBENZENE	11.547	91	313080	5.48	PPBV		100
80) M,P-XYLENE	11.978	91	477395	12.58	PPBV		96
81) O-XYLENE	12.913	91	242396	5.45	PPBV		97
82) STYRENE	12.701	104	182021	5.77	PPBV		99
83) NONANE	14.029	43	146486	5.32	PPBV		98
84) BROMOFORM	11.788	173	126169	5.85	PPBV		100
85) 1,1,2,2-TETRACHLOROETHANE	12.923	83	177715	5.36	PPBV		100
86) 1,2,3-TRICHLOROPROPANE	13.209	75	131429	5.41	PPBV	#	100
88) ISOPROPYLBENZENE	14.431	120	103958	5.53	PPBV		100
89) BROMOBENZENE	14.309	77	166432	5.41	PPBV		99
90) 2-CHLOROTOLUENE	15.444	126	87032	5.74	PPBV		100
91) N-PROPYLBENZENE	15.775	120	97336	5.65	PPBV		100
92) 4-ETHYLTOLUENE	16.145	105	356332	5.61	PPBV		99
93) 1,3,5-TRIMETHYLBENZENE	16.302	105	294822	5.56	PPBV		99
94) ALPHA-METHYLSTYRENE	16.502	118	130661	5.90	PPBV		99
95) TERT-BUTYLBENZENE	16.759	134	74564	5.48	PPBV		99
96) 1,2,4-TRIMETHYLBENZENE	16.765	105	307567	5.40	PPBV		100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61015.D
Acq On : 19 Aug 2022 2:02 pm
Operator : thomash
Sample : ic2709-5
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 26 18:42:29 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:02:48 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
97)	BENZYL CHLORIDE	16.849	91	168900	5.14	PPBV		100
98)	M-DICHLOROBENZENE	16.826	146	207297	5.56	PPBV		100
99)	P-DICHLOROBENZENE	16.910	146	206717	5.46	PPBV		99
100)	O-DICHLOROBENZENE	17.206	146	195819	5.30	PPBV		98
101)	SEC-BUTYLBENZENE	17.042	134	93115	5.51	PPBV		97
102)	1,2,3-TRIMETHYLBENZENE	17.151	105	298704	5.57	PPBV		99
103)	P-ISOPROPYLTOLUENE	17.219	134	98046	5.23	PPBV		99
104)	N-BUTYLBENZENE	17.569	134	93276	5.41	PPBV		98
105)	HEXACHLOROETHANE	17.746	117	106859	5.34	PPBV		99
106)	HEXACHLOROBUTADIENE	18.797	225	134530	4.56	PPBV	#	1
107)	1,2,4-TRICHLOROBENZENE	18.485	180	153262	4.97	PPBV		99
108)	NAPHTHALENE	18.534	128	373864	5.07	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


7.7.16

7

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61015.D
Acq On : 19 Aug 2022 2:02 pm
Operator : thomash
Sample : ic2709-5
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 26 18:42:29 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:02:48 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number:	V2W2709-IC2709	**Method:**	TO-15
Lab FileID:	2W61015.D	**Analyst approved:**	08/23/22 17:35 Benjamin Kim
Injection Time:	08/19/22 14:02	**Supervisor approved:**	08/24/22 15:08 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Freon 152A	75-37-6		1.85	Poor instrument integration

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61015.D
Acq On : 19 Aug 2022 2:02 pm
Operator : thomash
Sample : ic2709-5
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 22 22:03:16 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:02:48 2022
Response via : Initial Calibration





TIC: 2w61015.D\data.ms

(3) FREON 152A (T)

1.850min (-1.850) 0.00PPBV


response 0


Ion	Exp%	Act%
65.10	100	0.00
45.10	27.20	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61015.D
Acq On : 19 Aug 2022 2:02 pm
Operator : thomash
Sample : ic2709-5
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 22 22:03:16 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:02:48 2022
Response via : Initial Calibration





TIC: 2w61015.D\data.ms

(3) FREON 152A (T)

1.849min (-0.001) 5.26PPBV m

response 30277

Ion	Exp%	Act%
65.10	100	100
45.10	27.20	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/24/22 22:11

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61016.D
Acq On : 19 Aug 2022 2:34 pm
Operator : thomash
Sample : icc2709-10
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 24 16:20:24 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.612	128	68573	10.00	PPBV	0.00
52) 1,4-DIFLUOROBENZENE	4.927	114	368687	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.583	117	341921	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	13.959	95	230073	10.11	PPBV	0.00
Target Compounds						Qvalue
3) FREON 152A	1.850	65	59612m	10.34	PPBV	
4) CHLORODIFLUOROMETHANE	1.866	67	27345	10.68	PPBV	100
5) CHLOROTRIFLUOROETHENE	1.882	116	153518	10.36	PPBV	100
6) DICHLORODIFLUOROMETHANE	1.901	85	351123	10.29	PPBV	100
7) PROPYLENE	1.879	41	63634	9.88	PPBV	100
8) 1-CHLORO-1,1-DIFLUOROE...	1.953	65	265285	10.33	PPBV	100
9) FREON 114	1.998	85	314778	10.24	PPBV	100
10) CHLOROMETHANE	1.962	52	33845	9.85	PPBV	100
11) VINYL CHLORIDE	2.039	62	124106	10.40	PPBV	100
12) 1,3-BUTADIENE	2.094	54	95763	10.39	PPBV	100
13) N-BUTANE	2.113	43	154908	9.65	PPBV	100
14) BROMOMETHANE	2.191	94	108807	10.09	PPBV	100
15) CHLOROETHANE	2.255	64	66908	10.48	PPBV	100
16) DICHLOROFLUOROMETHANE	2.287	67	262644	10.34	PPBV	100
17) ACETONITRILE	2.374	41	94343	9.89	PPBV	100
18) ACROLEIN	2.419	56	55545	13.19	PPBV	100
19) FREON 123	2.435	83	291157	10.31	PPBV	100
20) FREON 123A	2.454	117	168569	10.32	PPBV	100
21) TRICHLOROFLUOROMETHANE	2.519	101	370665	10.44	PPBV	100
22) ISOPROPYL ALCOHOL	2.535	45	272143	9.60	PPBV	100
23) ACETONE	2.461	58	75620	8.37	PPBV	100
24) PENTANE	2.631	42	151254	9.74	PPBV	100
25) IODOMETHANE	2.686	142	357923	10.31	PPBV	100
26) 1,1-DICHLOROETHYLENE	2.712	96	140890	10.34	PPBV	100
27) CARBON DISULFIDE	2.843	76	427514	10.42	PPBV	100
28) ETHANOL	2.293	45	46818	8.39	PPBV	100
29) BROMOETHENE	2.384	106	116683	10.60	PPBV	100
30) ACRYLONITRILE	2.602	52	112584	10.52	PPBV	100
31) METHYLENE CHLORIDE	2.747	84	130773	8.65	PPBV	100
32) 3-CHLOROPROPENE	2.789	76	69034	9.87	PPBV	100
33) FREON 113	2.840	151	237044	10.32	PPBV	100
34) TRANS-1,2-DICHLOROETHENE	3.078	96	117179	10.33	PPBV	100
35) TERTIARY BUTYL ALCOHOL	2.721	59	359669	10.07	PPBV	100
36) METHYL TERTIARY BUTYL ...	3.187	73	298016	10.14	PPBV	100
37) TETRAHYDROFURAN	3.901	72	54925	11.08	PPBV	100
38) HEXANE	3.663	57	203953	10.29	PPBV	100
39) VINYL ACETATE	3.229	86	30940	11.08	PPBV	100
40) 1,1-DICHLOROETHANE	3.155	63	209154	10.30	PPBV	100
41) METHYL ETHYL KETONE	3.326	72	54875	10.87	PPBV	100
42) CIS-1,2-DICHLOROETHENE	3.531	96	125045	10.27	PPBV	100
43) DIISOPROPYL ETHER	3.666	59	59819	10.31	PPBV	100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61016.D
Acq On : 19 Aug 2022 2:34 pm
Operator : thomash
Sample : icc2709-10
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 24 16:20:24 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.670	61	42234	10.40	PPBV		100
45) METHYL ACRYLATE	3.657	55	250063	10.73	PPBV	#	100
46) CHLOROFORM	3.686	83	253357	10.21	PPBV		100
47) 2,4-DIMETHYLPENTANE	4.197	57	234018	10.14	PPBV		100
48) 1,1,1-TRICHLOROETHANE	4.277	97	257312	10.40	PPBV		100
49) CARBON TETRACHLORIDE	4.708	117	262842	10.72	PPBV		100
50) 1,2-DICHLOROETHANE	4.107	62	174278	10.37	PPBV		100
51) BENZENE	4.596	78	358852	10.13	PPBV		100
53) CYCLOHEXANE	4.811	84	159715	10.27	PPBV		100
54) 2,3-DIMETHYLPENTANE	5.072	71	79395	10.39	PPBV		100
55) TRICHLOROETHENE	5.518	95	168401	10.78	PPBV		100
56) 1,2-DICHLOROPROPANE	5.277	63	142643	10.14	PPBV		100
57) DIBROMOMETHANE	5.236	174	159338	9.91	PPBV		100
58) ETHYL ACRYLATE	5.393	55	291414	11.02	PPBV		100
59) BROMODICHLOROMETHANE	5.461	83	275581	10.68	PPBV		100
60) 2,2,4-TRIMETHYLPENTANE	5.612	57	626816	10.06	PPBV		100
61) 1,4-DIOXANE	5.525	88	77546	10.27	PPBV		100
62) HEPTANE	5.933	43	195964	9.99	PPBV		100
63) METHYL METHACRYLATE	5.824	69	133764	11.13	PPBV		100
64) METHYL ISOBUTYL KETONE	6.570	58	115015	11.47	PPBV		100
65) CIS-1,3-DICHLOROPROPENE	6.473	75	201430	10.80	PPBV		100
66) TOLUENE	7.698	91	456270	10.27	PPBV		100
67) 1,3-DICHLOROPROPANE	7.756	76	221387	10.48	PPBV		100
68) TRANS-1,3-DICHLOROPROPENE	7.158	75	185288	11.08	PPBV		100
69) 1,1,2-TRICHLOROETHANE	7.319	83	133196	10.23	PPBV		100
70) 2-HEXANONE	8.261	58	140692	10.05	PPBV		100
71) ETHYL METHACRYLATE	8.399	69	210424	12.02	PPBV		100
72) TETRACHLOROETHENE	9.448	164	180925	10.17	PPBV		100
73) DIBROMOCHLOROMETHANE	8.239	129	283293	11.17	PPBV		100
74) 1,2-DIBROMOETHANE	8.589	107	254212	10.72	PPBV		100
75) OCTANE	9.589	43	270687	10.27	PPBV		100
77) 1,1,1,2-TETRACHLOROETHANE	10.676	131	195924	10.58	PPBV		100
78) CHLOROBENZENE	10.663	112	373765	10.17	PPBV		100
79) ETHYLBENZENE	11.550	91	606877	10.36	PPBV		100
80) M,P-XYLENE	11.984	91	931500	20.91	PPBV		100
81) O-XYLENE	12.920	91	474584	10.42	PPBV		100
82) STYRENE	12.705	104	362579	11.12	PPBV		100
83) NONANE	14.033	43	285197	10.14	PPBV		100
84) BROMOFORM	11.795	173	263671	11.19	PPBV		100
85) 1,1,2,2-TETRACHLOROETHANE	12.927	83	348949	10.30	PPBV		100
86) 1,2,3-TRICHLOROPROPANE	13.213	75	255217	10.27	PPBV		100
88) ISOPROPYLBENZENE	14.438	120	201148	10.42	PPBV		100
89) BROMOBENZENE	14.306	77	324788	10.31	PPBV		100
90) 2-CHLOROTOLUENE	15.441	126	168206	10.37	PPBV		100
91) N-PROPYLBENZENE	15.775	120	190916	10.76	PPBV		100
92) 4-ETHYLTOLUENE	16.148	105	697047	10.66	PPBV		100
93) 1,3,5-TRIMETHYLBENZENE	16.303	105	574603	10.54	PPBV		100
94) ALPHA-METHYLSTYRENE	16.502	118	254586	11.10	PPBV		100
95) TERT-BUTYLBENZENE	16.759	134	146096	10.47	PPBV		100
96) 1,2,4-TRIMETHYLBENZENE	16.769	105	603160	10.35	PPBV		100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61016.D
Acq On : 19 Aug 2022 2:34 pm
Operator : thomash
Sample : icc2709-10
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 24 16:20:24 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
97)	BENZYL CHLORIDE	16.849	91	387750	10.74	PPBV	100
98)	M-DICHLOROBENZENE	16.827	146	397777	10.38	PPBV	100
99)	P-DICHLOROBENZENE	16.910	146	402097	10.35	PPBV	100
100)	O-DICHLOROBENZENE	17.206	146	382073	10.13	PPBV	100
101)	SEC-BUTYLBENZENE	17.042	134	178508	10.29	PPBV	100
102)	1,2,3-TRIMETHYLBENZENE	17.151	105	577798	10.48	PPBV	100
103)	P-ISOPROPYLTOLUENE	17.219	134	196741	10.30	PPBV	100
104)	N-BUTYLBENZENE	17.566	134	185259	10.49	PPBV	100
105)	HEXACHLOROETHANE	17.746	117	227539	10.51	PPBV	100
106)	HEXACHLOROBUTADIENE	18.794	225	274670	9.28	PPBV	100
107)	1,2,4-TRICHLOROBENZENE	18.486	180	319072	10.22	PPBV	100
108)	NAPHTHALENE	18.534	128	794905	9.96	PPBV	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


7.7.17

7

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61016.D
Acq On : 19 Aug 2022 2:34 pm
Operator : thomash
Sample : icc2709-10
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 24 16:20:24 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number:	V2W2709-ICC2709	**Method:**	TO-15
Lab FileID:	2W61016.D	**Analyst approved:**	08/24/22 16:27 Benjamin Kim
Injection Time:	08/19/22 14:34	**Supervisor approved:**	08/24/22 22:11 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Freon 152A	75-37-6		1.85	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61016.D
Acq On : 19 Aug 2022 2:34 pm
Operator : thomash
Sample : icc2709-10
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 24 16:20:14 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration





TIC: 2w61016.D\data.ms

(3) FREON 152A (T)

1.850min (-1.850) 0.00PPBV


response 0


Ion	Exp%	Act%
65.10	100	0.00
45.10	0.00	0.00
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61016.D
Acq On : 19 Aug 2022 2:34 pm
Operator : thomash
Sample : icc2709-10
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 24 16:20:14 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration





TIC: 2w61016.D\data.ms

(3) FREON 152A (T)

1.850min (-0.000) 10.34PPBV m

response 59612

Ion	Exp%	Act%
65.10	100	100
45.10	0.00	0.00
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61017.D
Acq On : 19 Aug 2022 3:08 pm
Operator : thomash
Sample : ic2709-20
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 26 18:42:50 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:00:08 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.609	128	72073	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.927	114	384279	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.589	117	358155	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.959	95	238630	10.08	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.850	65	119609	21.67	PPBV		98
4) CHLORODIFLUOROMETHANE	1.866	67	53785	22.19	PPBV		98
5) CHLOROTRIFLUOROETHENE	1.879	116	309146	21.92	PPBV	#	1
6) DICHLORODIFLUOROMETHANE	1.901	85	710111	21.96	PPBV	#	72
7) PROPYLENE	1.875	41	125554	19.65	PPBV		100
8) 1-CHLORO-1,1-DIFLUOROE...	1.953	65	533917	22.10	PPBV		100
9) FREON 114	1.998	85	635679	21.96	PPBV		100
10) CHLOROMETHANE	1.959	52	67799	19.87	PPBV		99
11) VINYL CHLORIDE	2.039	62	245329	21.39	PPBV		100
12) 1,3-BUTADIENE	2.091	54	188819	21.37	PPBV		99
13) N-BUTANE	2.113	43	309535	19.29	PPBV		99
14) BROMOMETHANE	2.191	94	217948	20.88	PPBV		99
15) CHLOROETHANE	2.255	64	133028	22.02	PPBV		100
16) DICHLOROFLUOROMETHANE	2.287	67	523147	21.63	PPBV		99
17) ACETONITRILE	2.374	41	186887	19.71	PPBV		99
18) ACROLEIN	2.419	56	111309	35.08	PPBV		100
19) FREON 123	2.435	83	587837	22.27	PPBV		99
20) FREON 123A	2.454	117	339631	22.07	PPBV		99
21) TRICHLOROFLUOROMETHANE	2.519	101	749691	22.72	PPBV	#	1
22) ISOPROPYL ALCOHOL	2.535	45	539479	19.05	PPBV		99
23) ACETONE	2.461	58	149689	15.18	PPBV		99
24) PENTANE	2.628	42	298332	19.42	PPBV		100
25) IODOMETHANE	2.686	142	720238	22.06	PPBV		100
26) 1,1-DICHLOROETHYLENE	2.711	96	281459	21.94	PPBV		100
27) CARBON DISULFIDE	2.843	76	866184	23.15	PPBV	#	82
28) ETHANOL	2.293	45	92201	15.11	PPBV		100
29) BROMOETHENE	2.384	106	232310	22.53	PPBV	#	100
30) ACRYLONITRILE	2.602	52	218286	21.27	PPBV		99
31) METHYLENE CHLORIDE	2.747	84	255502	15.64	PPBV		99
32) 3-CHLOROPROPENE	2.789	76	137721	20.20	PPBV		99
33) FREON 113	2.843	151	482307	22.76	PPBV		100
34) TRANS-1,2-DICHLOROETHENE	3.078	96	233895	21.81	PPBV		100
35) TERTIARY BUTYL ALCOHOL	2.721	59	721034	21.25	PPBV		98
36) METHYL TERTIARY BUTYL ...	3.187	73	606051	21.92	PPBV		100
37) TETRAHYDROFURAN	3.901	72	108695	24.06	PPBV		99
38) HEXANE	3.663	57	415582	22.90	PPBV		100
39) VINYL ACETATE	3.229	86	64034	25.97	PPBV		99
40) 1,1-DICHLOROETHANE	3.155	63	420818	21.97	PPBV		100
41) METHYL ETHYL KETONE	3.326	72	111776	24.57	PPBV		98
42) CIS-1,2-DICHLOROETHENE	3.531	96	252348	21.70	PPBV		100
43) DIISOPROPYL ETHER	3.666	59	123383	23.44	PPBV		96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61017.D
Acq On : 19 Aug 2022 3:08 pm
Operator : thomash
Sample : ic2709-20
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 26 18:42:50 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:00:08 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.670	61	86776	13.76	PPBV		99
45) METHYL ACRYLATE	3.657	55	510404	24.79	PPBV	#	100
46) CHLOROFORM	3.686	83	513909	22.13	PPBV		99
47) 2,4-DIMETHYLPENTANE	4.194	57	470856	21.45	PPBV		99
48) 1,1,1-TRICHLOROETHANE	4.277	97	527043	22.94	PPBV		100
49) CARBON TETRACHLORIDE	4.711	117	542697	24.68	PPBV		100
50) 1,2-DICHLOROETHANE	4.107	62	348365	21.95	PPBV	#	100
51) BENZENE	4.596	78	725030	21.38	PPBV		100
53) CYCLOHEXANE	4.811	84	317297	21.70	PPBV		99
54) 2,3-DIMETHYLPENTANE	5.072	71	158286	22.42	PPBV		99
55) TRICHLOROETHENE	5.518	95	339829	23.18	PPBV		99
56) 1,2-DICHLOROPROPANE	5.281	63	287533	21.88	PPBV		99
57) DIBROMOMETHANE	5.239	174	322093	21.10	PPBV		99
58) ETHYL ACRYLATE	5.396	55	594434	26.49	PPBV		100
59) BROMODICHLOROMETHANE	5.464	83	560295	24.43	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.615	57	1253824	21.49	PPBV		100
61) 1,4-DIOXANE	5.522	88	158700	23.36	PPBV		100
62) HEPTANE	5.936	43	393688	21.58	PPBV		100
63) METHYL METHACRYLATE	5.827	69	268959	25.91	PPBV		98
64) METHYL ISOBUTYL KETONE	6.570	58	230494	27.53	PPBV		99
65) CIS-1,3-DICHLOROPROPENE	6.473	75	415505	25.82	PPBV		99
66) TOLUENE	7.702	91	918264	22.25	PPBV		99
67) 1,3-DICHLOROPROPANE	7.760	76	441470	22.77	PPBV		100
68) TRANS-1,3-DICHLOROPROPENE	7.158	75	385600	27.47	PPBV		100
69) 1,1,2-TRICHLOROETHANE	7.322	83	269908	22.48	PPBV		100
70) 2-HEXANONE	8.264	58	286596	46.93	PPBV	#	1
71) ETHYL METHACRYLATE	8.403	69	428085	30.73	PPBV		99
72) TETRACHLOROETHENE	9.451	164	360632	21.23	PPBV		99
73) DIBROMOCHLOROMETHANE	8.242	129	589014	27.69	PPBV		100
74) 1,2-DIBROMOETHANE	8.592	107	512775	24.13	PPBV		99
75) OCTANE	9.589	43	544929	22.63	PPBV		100
77) 1,1,1,2-TETRACHLOROETHANE	10.679	131	406522	24.98	PPBV		100
78) CHLOROBENZENE	10.669	112	759439	22.31	PPBV		99
79) ETHYLBENZENE	11.550	91	1229285	22.97	PPBV		100
80) M,P-XYLENE	11.984	91	1875142	57.69	PPBV		97
81) O-XYLENE	12.927	91	960134	23.25	PPBV		98
82) STYRENE	12.708	104	729709	25.85	PPBV		99
83) NONANE	14.036	43	572888	22.13	PPBV		99
84) BROMOFORM	11.798	173	560231	32.59	PPBV		99
85) 1,1,2,2-TETRACHLOROETHANE	12.933	83	706794	22.85	PPBV		100
86) 1,2,3-TRICHLOROPROPANE	13.216	75	509259	22.12	PPBV	#	100
88) ISOPROPYLBENZENE	14.441	120	405394	23.03	PPBV		100
89) BROMOBENZENE	14.312	77	655507	22.69	PPBV		99
90) 2-CHLOROTOLUENE	15.447	126	343056	24.83	PPBV		99
91) N-PROPYLBENZENE	15.785	120	385371	24.43	PPBV		100
92) 4-ETHYLTOLUENE	16.148	105	1435811	25.24	PPBV		100
93) 1,3,5-TRIMETHYLBENZENE	16.306	105	1192682	25.09	PPBV		99
94) ALPHA-METHYLSTYRENE	16.505	118	527450	27.71	PPBV		100
95) TERT-BUTYLBENZENE	16.766	134	303824	25.44	PPBV		97
96) 1,2,4-TRIMETHYLBENZENE	16.772	105	1293755	26.51	PPBV		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61017.D
Acq On : 19 Aug 2022 3:08 pm
Operator : thomash
Sample : ic2709-20
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 26 18:42:50 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:00:08 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
97)	BENZYL CHLORIDE	16.852	91	905981	39.94	PPBV		100
98)	M-DICHLOROBENZENE	16.830	146	829871	24.83	PPBV		99
99)	P-DICHLOROBENZENE	16.913	146	840356	24.71	PPBV		100
100)	O-DICHLOROBENZENE	17.209	146	806160	24.67	PPBV		99
101)	SEC-BUTYLBENZENE	17.042	134	371849	24.70	PPBV		98
102)	1,2,3-TRIMETHYLBENZENE	17.155	105	1213480	25.58	PPBV		100
103)	P-ISOPROPYLTOLUENE	17.222	134	415269	25.65	PPBV		97
104)	N-BUTYLBENZENE	17.569	134	392160	26.91	PPBV		98
105)	HEXACHLOROETHANE	17.746	117	507678	34.05	PPBV		100
106)	HEXACHLOROBUTADIENE	18.794	225	605947	25.92	PPBV	#	1
107)	1,2,4-TRICHLOROBENZENE	18.486	180	701617	28.80	PPBV		99
108)	NAPHTHALENE	18.534	128	1757343	31.33	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


7.7.18

7

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61017.D
Acq On : 19 Aug 2022 3:08 pm
Operator : thomash
Sample : ic2709-20
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 26 18:42:50 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:00:08 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61018.D
Acq On : 19 Aug 2022 3:45 pm
Operator : thomash
Sample : ic2709-40
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 26 18:42:57 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:00:50 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.615	128	75390	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.933	114	391613	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.592	117	360276	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.965	95	245334	10.32	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.850	65	243126	38.17	PPBV		99
4) CHLORODIFLUOROMETHANE	1.866	67	109188	39.04	PPBV		100
5) CHLOROTRIFLUOROETHENE	1.882	116	627638	38.52	PPBV		96
6) DICHLORODIFLUOROMETHANE	1.901	85	1479485	39.57	PPBV	#	73
7) PROPYLENE	1.879	41	251353	34.44	PPBV		99
8) 1-CHLORO-1,1-DIFLUOROE...	1.953	65	1121396	40.14	PPBV		99
9) FREON 114	1.998	85	1334611	39.88	PPBV		100
10) CHLOROMETHANE	1.959	52	136086	34.83	PPBV		96
11) VINYL CHLORIDE	2.043	62	495818	37.56	PPBV		99
12) 1,3-BUTADIENE	2.091	54	386427	38.02	PPBV		98
13) N-BUTANE	2.113	43	635409	34.69	PPBV		98
14) BROMOMETHANE	2.191	94	445982	37.16	PPBV		100
15) CHLOROETHANE	2.255	64	273621	39.23	PPBV		97
16) DICHLOROFLUOROMETHANE	2.287	67	1080427	38.75	PPBV		99
17) ACETONITRILE	2.374	41	377221	34.81	PPBV		99
18) ACROLEIN	2.422	56	224446	57.96	PPBV		99
19) FREON 123	2.438	83	1232627	40.34	PPBV		99
20) FREON 123A	2.457	117	705506	39.64	PPBV		100
21) TRICHLOROFLUOROMETHANE	2.522	101	1556028	40.65	PPBV	#	1
22) ISOPROPYL ALCOHOL	2.538	45	1119289	34.68	PPBV		98
23) ACETONE	2.464	58	308439	27.92	PPBV		99
24) PENTANE	2.631	42	617378	35.22	PPBV		99
25) IODOMETHANE	2.689	142	1493248	39.55	PPBV		100
26) 1,1-DICHLOROETHYLENE	2.715	96	580473	39.19	PPBV		100
27) CARBON DISULFIDE	2.846	76	1878046	43.18	PPBV	#	83
28) ETHANOL	2.293	45	191387	28.01	PPBV		99
29) BROMOETHENE	2.383	106	479632	40.19	PPBV	#	100
30) ACRYLONITRILE	2.605	52	443598	37.65	PPBV		99
31) METHYLENE CHLORIDE	2.750	84	522774	28.54	PPBV		98
32) 3-CHLOROPROPENE	2.792	76	285712	36.57	PPBV		98
33) FREON 113	2.846	151	1022349	41.55	PPBV		99
34) TRANS-1,2-DICHLOROETHENE	3.081	96	487483	39.39	PPBV		99
35) TERTIARY BUTYL ALCOHOL	2.724	59	1519448	38.88	PPBV		97
36) METHYL TERTIARY BUTYL ...	3.191	73	1266667	39.60	PPBV		99
37) TETRAHYDROFURAN	3.901	72	221246	42.07	PPBV		97
38) HEXANE	3.666	57	899527	42.66	PPBV		98
39) VINYL ACETATE	3.232	86	133347	45.84	PPBV		95
40) 1,1-DICHLOROETHANE	3.158	63	870922	39.34	PPBV		100
41) METHYL ETHYL KETONE	3.332	72	227283	42.69	PPBV		98
42) CIS-1,2-DICHLOROETHENE	3.535	96	508335	37.86	PPBV		98
43) DIISOPROPYL ETHER	3.673	59	266606	43.42	PPBV		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61018.D
Acq On : 19 Aug 2022 3:45 pm
Operator : thomash
Sample : ic2709-40
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 26 18:42:57 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:00:50 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.676	61	188065	26.72	PPBV		97
45) METHYL ACRYLATE	3.663	55	1105429	45.81	PPBV	#	100
46) CHLOROFORM	3.692	83	1082305	40.27	PPBV		100
47) 2,4-DIMETHYLPENTANE	4.200	57	977707	38.62	PPBV		99
48) 1,1,1-TRICHLOROETHANE	4.280	97	1088934	40.76	PPBV		100
49) CARBON TETRACHLORIDE	4.715	117	1142602	44.30	PPBV		99
50) 1,2-DICHLOROETHANE	4.110	62	715755	39.04	PPBV	#	100
51) BENZENE	4.599	78	1483442	37.93	PPBV		100
53) CYCLOHEXANE	4.814	84	643536	39.15	PPBV		99
54) 2,3-DIMETHYLPENTANE	5.078	71	324995	40.80	PPBV		99
55) TRICHLOROETHENE	5.525	95	699614	42.11	PPBV		100
56) 1,2-DICHLOROPROPANE	5.287	63	590498	39.88	PPBV		100
57) DIBROMOMETHANE	5.242	174	662597	38.64	PPBV		99
58) ETHYL ACRYLATE	5.403	55	1255805	48.62	PPBV		100
59) BROMODICHLOROMETHANE	5.470	83	1173368	44.86	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.618	57	2607491	39.76	PPBV		100
61) 1,4-DIOXANE	5.528	88	329741	42.73	PPBV		98
62) HEPTANE	5.943	43	829090	40.40	PPBV		98
63) METHYL METHACRYLATE	5.830	69	556396	46.76	PPBV		96
64) METHYL ISOBUTYL KETONE	6.576	58	480170	49.71	PPBV		97
65) CIS-1,3-DICHLOROPROPENE	6.477	75	876146	47.38	PPBV		98
66) TOLUENE	7.705	91	1887113	40.52	PPBV		99
67) 1,3-DICHLOROPROPANE	7.763	76	911052	41.59	PPBV		99
68) TRANS-1,3-DICHLOROPROPENE	7.165	75	823795	50.64	PPBV		98
69) 1,1,2-TRICHLOROETHANE	7.329	83	557236	41.06	PPBV		99
70) 2-HEXANONE	8.271	58	601548	78.64	PPBV	#	1
71) ETHYL METHACRYLATE	8.409	69	889580	54.47	PPBV		98
72) TETRACHLOROETHENE	9.451	164	738323	38.73	PPBV		97
73) DIBROMOCHLOROMETHANE	8.245	129	1239625	50.25	PPBV		100
74) 1,2-DIBROMOETHANE	8.599	107	1054110	43.59	PPBV		99
75) OCTANE	9.599	43	1141955	41.95	PPBV		99
77) 1,1,1,2-TETRACHLOROETHANE	10.685	131	855771	46.52	PPBV		99
78) CHLOROBENZENE	10.673	112	1582955	41.73	PPBV		100
79) ETHYLBENZENE	11.557	91	2541811	42.50	PPBV		100
80) M,P-XYLENE	11.994	91	3883185	104.34	PPBV		98
81) O-XYLENE	12.933	91	2007144	43.45	PPBV		97
82) STYRENE	12.714	104	1514814	47.47	PPBV		99
83) NONANE	14.042	43	1218804	42.33	PPBV		97
84) BROMOFORM	11.808	173	1194818	59.29	PPBV		100
85) 1,1,2,2-TETRACHLOROETHANE	12.943	83	1484129	42.96	PPBV		100
86) 1,2,3-TRICHLOROPROPANE	13.225	75	1060322	41.43	PPBV	#	100
88) ISOPROPYLBENZENE	14.451	120	838695	42.65	PPBV		98
89) BROMOBENZENE	14.322	77	1365994	42.38	PPBV		98
90) 2-CHLOROTOLUENE	15.454	126	705214	45.27	PPBV		99
91) N-PROPYLBENZENE	15.788	120	795411	44.86	PPBV		99
92) 4-ETHYLTOLUENE	16.155	105	3031201	47.13	PPBV		99
93) 1,3,5-TRIMETHYLBENZENE	16.309	105	2528639	47.03	PPBV		99
94) ALPHA-METHYLSTYRENE	16.508	118	1119624	51.43	PPBV		99
95) TERT-BUTYLBENZENE	16.769	134	667647	49.35	PPBV		96
96) 1,2,4-TRIMETHYLBENZENE	16.778	105	2882549	51.70	PPBV		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61018.D
Acq On : 19 Aug 2022 3:45 pm
Operator : thomash
Sample : ic2709-40
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 26 18:42:57 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:00:50 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
97) BENZYL CHLORIDE	16.859	91	2078990	74.66	PPBV		99
98) M-DICHLOROBENZENE	16.836	146	1772351	46.91	PPBV		99
99) P-DICHLOROBENZENE	16.917	146	1801589	46.89	PPBV		100
100) O-DICHLOROBENZENE	17.212	146	1779127	48.14	PPBV		98
101) SEC-BUTYLBENZENE	17.045	134	808180	47.53	PPBV		98
102) 1,2,3-TRIMETHYLBENZENE	17.161	105	2606792	48.43	PPBV		100
103) P-ISOPROPYLTOLUENE	17.225	134	931126	50.64	PPBV		95
104) N-BUTYLBENZENE	17.573	134	886723	53.25	PPBV		99
105) HEXACHLOROETHANE	17.749	117	1187726	67.07	PPBV		99
106) HEXACHLOROBUTADIENE	18.801	225	1615377	60.47	PPBV	#	1
107) 1,2,4-TRICHLOROBENZENE	18.492	180	1688831	59.89	PPBV		99
108) NAPHTHALENE	18.540	128	4191967	63.79	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61018.D
Acq On : 19 Aug 2022 3:45 pm
Operator : thomash
Sample : ic2709-40
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 26 18:42:57 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:00:50 2022
Response via : Initial Calibration



Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/24/22 15:08

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61019.D
Acq On : 19 Aug 2022 4:25 pm
Operator : thomash
Sample : ic2709-50
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 25 19:37:53 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:02:08 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.612	128	77394	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.930	114	400362	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.592	117	371357	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.965	95	257117	10.44	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.847	65	315555m	48.63	PPBV		
4) CHLORODIFLUOROMETHANE	1.863	67	143977	50.35	PPBV		100
5) CHLOROTRIFLUOROETHENE	1.879	116	809484	48.69	PPBV	#	1
6) DICHLORODIFLUOROMETHANE	1.901	85	1895074	49.46	PPBV	#	73
7) PROPYLENE	1.876	41	334863	45.75	PPBV		100
8) 1-CHLORO-1,1-DIFLUOROE...	1.950	65	1477691	51.50	PPBV		99
9) FREON 114	1.998	85	1751141	51.00	PPBV		100
10) CHLOROMETHANE	1.956	52	174894	44.57	PPBV		95
11) VINYL CHLORIDE	2.040	62	644264	48.03	PPBV		100
12) 1,3-BUTADIENE	2.091	54	498868	48.21	PPBV		97
13) N-BUTANE	2.110	43	827226	44.99	PPBV		98
14) BROMOMETHANE	2.187	94	580384	47.68	PPBV		99
15) CHLOROETHANE	2.252	64	348977	48.90	PPBV		100
16) DICHLOROFLUOROMETHANE	2.284	67	1407828	49.44	PPBV		99
17) ACETONITRILE	2.374	41	489019	44.93	PPBV		100
18) ACROLEIN	2.419	56	293260	68.63	PPBV		98
19) FREON 123	2.435	83	1628741	51.85	PPBV		98
20) FREON 123A	2.454	117	928262	50.88	PPBV		100
21) TRICHLOROFLUOROMETHANE	2.522	101	2030125	51.52	PPBV	#	1
22) ISOPROPYL ALCOHOL	2.535	45	1478260	45.63	PPBV		97
23) ACETONE	2.461	58	400082	37.15	PPBV		97
24) PENTANE	2.631	42	817306	46.35	PPBV		98
25) IODOMETHANE	2.689	142	1964647	50.79	PPBV		99
26) 1,1-DICHLOROETHYLENE	2.715	96	765307	50.50	PPBV		99
27) CARBON DISULFIDE	2.843	76	2507798	55.43	PPBV	#	83
28) ETHANOL	2.290	45	246846	37.04	PPBV		100
29) BROMOETHENE	2.384	106	620196	50.58	PPBV	#	100
30) ACRYLONITRILE	2.605	52	578727	48.33	PPBV		99
31) METHYLENE CHLORIDE	2.750	84	678951	37.92	PPBV		98
32) 3-CHLOROPROPENE	2.789	76	376811	47.66	PPBV		96
33) FREON 113	2.843	151	1361647	53.56	PPBV		99
34) TRANS-1,2-DICHLOROETHENE	3.078	96	628136	49.57	PPBV		98
35) TERTIARY BUTYL ALCOHOL	2.724	59	2025223	50.71	PPBV		96
36) METHYL TERTIARY BUTYL ...	3.191	73	1679213	51.22	PPBV		99
37) TETRAHYDROFURAN	3.901	72	286227	52.56	PPBV		94
38) HEXANE	3.667	57	1194401	54.57	PPBV		97
39) VINYL ACETATE	3.232	86	173783	56.81	PPBV		90
40) 1,1-DICHLOROETHANE	3.158	63	1140199	50.31	PPBV		100
41) METHYL ETHYL KETONE	3.329	72	297332	53.80	PPBV		95
42) CIS-1,2-DICHLOROETHENE	3.535	96	666224	48.77	PPBV		98
43) DIISOPROPYL ETHER	3.670	59	355381	55.59	PPBV		100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61019.D
Acq On : 19 Aug 2022 4:25 pm
Operator : thomash
Sample : ic2709-50
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 25 19:37:53 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:02:08 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.676	61	250108	36.64	PPBV		95
45) METHYL ACRYLATE	3.663	55	1472760	58.04	PPBV	#	99
46) CHLOROFORM	3.692	83	1421306	51.45	PPBV		99
47) 2,4-DIMETHYLPENTANE	4.197	57	1278310	49.47	PPBV		99
48) 1,1,1-TRICHLOROETHANE	4.281	97	1433988	52.12	PPBV		100
49) CARBON TETRACHLORIDE	4.715	117	1506885	55.91	PPBV		99
50) 1,2-DICHLOROETHANE	4.110	62	949510	50.66	PPBV	#	100
51) BENZENE	4.599	78	1925702	48.38	PPBV		99
53) CYCLOHEXANE	4.814	84	836214	49.94	PPBV		98
54) 2,3-DIMETHYLPENTANE	5.075	71	423444	51.83	PPBV		98
55) TRICHLOROETHENE	5.525	95	914266	53.36	PPBV		100
56) 1,2-DICHLOROPROPANE	5.284	63	767273	50.71	PPBV		99
57) DIBROMOMETHANE	5.242	174	858284	49.24	PPBV		99
58) ETHYL ACRYLATE	5.403	55	1655767	60.53	PPBV		100
59) BROMODICHLOROMETHANE	5.470	83	1526784	55.96	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.618	57	3414105	50.97	PPBV		99
61) 1,4-DIOXANE	5.528	88	430490	53.95	PPBV		98
62) HEPTANE	5.940	43	1099665	52.33	PPBV		97
63) METHYL METHACRYLATE	5.834	69	723275	57.83	PPBV		94
64) METHYL ISOBUTYL KETONE	6.580	58	631337	61.44	PPBV		97
65) CIS-1,3-DICHLOROPROPENE	6.477	75	1143849	58.70	PPBV		97
66) TOLUENE	7.705	91	2458882	51.53	PPBV		99
67) 1,3-DICHLOROPROPANE	7.766	76	1184302	52.54	PPBV		99
68) TRANS-1,3-DICHLOROPROPENE	7.165	75	1076417	61.97	PPBV		98
69) 1,1,2-TRICHLOROETHANE	7.329	83	720019	51.66	PPBV		99
70) 2-HEXANONE	8.274	58	789128	86.92	PPBV	#	1
71) ETHYL METHACRYLATE	8.412	69	1161842	65.63	PPBV		97
72) TETRACHLOROETHENE	9.454	164	957285	49.38	PPBV		98
73) DIBROMOCHLOROMETHANE	8.245	129	1619881	61.60	PPBV		100
74) 1,2-DIBROMOETHANE	8.602	107	1368683	54.55	PPBV		99
75) OCTANE	9.596	43	1503562	53.59	PPBV		98
77) 1,1,1,2-TETRACHLOROETHANE	10.689	131	1128393	57.94	PPBV		99
78) CHLOROBENZENE	10.679	112	2056681	52.22	PPBV		100
79) ETHYLBENZENE	11.560	91	3310069	53.14	PPBV		99
80) M,P-XYLENE	12.001	91	5065239	125.67	PPBV		99
81) O-XYLENE	12.936	91	2631482	54.49	PPBV		97
82) STYRENE	12.718	104	1982079	58.44	PPBV		99
83) NONANE	14.052	43	1613964	53.86	PPBV		96
84) BROMOFORM	11.804	173	1577799	70.31	PPBV		100
85) 1,1,2,2-TETRACHLOROETHANE	12.946	83	1950224	54.10	PPBV		100
86) 1,2,3-TRICHLOROPROPANE	13.232	75	1393109	52.50	PPBV	#	100
88) ISOPROPYLBENZENE	14.451	120	1095013	53.43	PPBV		98
89) BROMOBENZENE	14.325	77	1794640	53.49	PPBV		97
90) 2-CHLOROTOLUENE	15.457	126	923908	56.31	PPBV		99
91) N-PROPYLBENZENE	15.795	120	1041804	55.87	PPBV		100
92) 4-ETHYLTOLUENE	16.155	105	3996171	58.54	PPBV		99
93) 1,3,5-TRIMETHYLBENZENE	16.309	105	3336015	58.48	PPBV		100
94) ALPHA-METHYLSTYRENE	16.508	118	1476907	62.83	PPBV		99
95) TERT-BUTYLBENZENE	16.772	134	895122	61.78	PPBV		96
96) 1,2,4-TRIMETHYLBENZENE	16.779	105	3861297	64.07	PPBV		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61019.D
Acq On : 19 Aug 2022 4:25 pm
Operator : thomash
Sample : ic2709-50
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 25 19:37:53 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:02:08 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
97)	BENZYL CHLORIDE	16.862	91	2793726	85.05	PPBV		99
98)	M-DICHLOROBENZENE	16.840	146	2345164	58.53	PPBV		99
99)	P-DICHLOROBENZENE	16.920	146	2374284	58.28	PPBV		99
100)	O-DICHLOROBENZENE	17.216	146	2419712	61.44	PPBV		98
101)	SEC-BUTYLBENZENE	17.049	134	1085639	60.06	PPBV		99
102)	1,2,3-TRIMETHYLBENZENE	17.161	105	3436170	59.83	PPBV		100
103)	P-ISOPROPYLTOLUENE	17.225	134	1280788	64.71	PPBV		97
104)	N-BUTYLBENZENE	17.576	134	1213660	67.01	PPBV		100
105)	HEXACHLOROETHANE	17.753	117	1612332	79.38	PPBV		98
106)	HEXACHLOROBUTADIENE	18.804	225	2411769	80.70	PPBV	#	1
107)	1,2,4-TRICHLOROBENZENE	18.495	180	2439677	77.51	PPBV		99
108)	NAPHTHALENE	18.544	128	6053114	81.30	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61019.D
Acq On : 19 Aug 2022 4:25 pm
Operator : thomash
Sample : ic2709-50
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 25 19:37:53 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:02:08 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number:	V2W2709-IC2709	**Method:**	TO-15
Lab FileID:	2W61019.D	**Analyst approved:**	08/23/22 17:35 Benjamin Kim
Injection Time:	08/19/22 16:25	**Supervisor approved:**	08/24/22 15:08 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Freon 152A	75-37-6		1.85	Poor instrument integration

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61019.D
Acq On : 19 Aug 2022 4:25 pm
Operator : thomash
Sample : ic2709-50
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 22 22:02:21 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:02:08 2022
Response via : Initial Calibration





TIC: 2w61019.D\data.ms

(3) FREON 152A (T)

1.850min (-1.850) 0.00PPBV


response 0


Ion	Exp%	Act%
65.10	100	0.00
45.10	27.20	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61019.D
Acq On : 19 Aug 2022 4:25 pm
Operator : thomash
Sample : ic2709-50
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 22 22:02:21 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Mon Aug 22 22:02:08 2022
Response via : Initial Calibration





TIC: 2w61019.D\data.ms

(3) FREON 152A (T)

1.847min (-0.003) 48.63PPBV m

response 315555

Ion	Exp%	Act%
65.10	100	100
45.10	27.20	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61022.D
Acq On : 19 Aug 2022 6:00 pm
Operator : thomash
Sample : icv2709-10
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 24 16:30:48 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.609	128	69572	10.00	PPBV	0.00
52) 1,4-DIFLUOROBENZENE	4.930	114	377343	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.586	117	342378	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	13.959	95	233154	10.23	PPBV	0.00
Target Compounds						Qvalue
3) FREON 152A	1.847	65	55825	9.55	PPBV	# 100
4) CHLORODIFLUOROMETHANE	1.863	67	24948	9.60	PPBV	100
5) CHLOROTRIFLUOROETHENE	1.876	116	145033	9.65	PPBV	# 1
6) DICHLORODIFLUOROMETHANE	1.898	85	329120	9.51	PPBV	100
7) PROPYLENE	1.872	41	60462	9.25	PPBV	99
8) 1-CHLORO-1,1-DIFLUOROE...	1.950	65	248458	9.53	PPBV	99
9) FREON 114	1.995	85	294684	9.45	PPBV	100
10) CHLOROMETHANE	1.956	52	31542	9.05	PPBV	98
11) VINYL CHLORIDE	2.040	62	115708	9.56	PPBV	100
12) 1,3-BUTADIENE	2.088	54	88588	9.47	PPBV	98
13) N-BUTANE	2.110	43	146175	8.98	PPBV	99
14) BROMOMETHANE	2.188	94	102293	9.35	PPBV	99
15) CHLOROETHANE	2.252	64	64281	9.92	PPBV	97
16) DICHLOROFLUOROMETHANE	2.284	67	242601	9.41	PPBV	99
17) ACETONITRILE	2.371	41	86211	8.91	PPBV	100
18) ACROLEIN	2.416	56	56710	13.27	PPBV	99
19) FREON 123	2.432	83	279397	9.76	PPBV	99
20) FREON 123A	2.451	117	173270	10.46	PPBV	98
21) TRICHLOROFLUOROMETHANE	2.519	101	348064	9.66	PPBV	100
22) ISOPROPYL ALCOHOL	2.535	45	251479	8.75	PPBV	99
23) ACETONE	2.461	58	67611	7.37	PPBV	94
24) PENTANE	2.628	42	140273	8.90	PPBV	100
25) IODOMETHANE	2.686	142	342167	9.72	PPBV	100
26) 1,1-DICHLOROETHYLENE	2.712	96	130542	9.44	PPBV	99
27) CARBON DISULFIDE	2.843	76	371034	8.91	PPBV	100
28) ETHANOL	2.290	45	49644	8.77	PPBV	98
29) BROMOETHENE	2.380	106	108066	9.67	PPBV	98
30) ACRYLONITRILE	2.602	52	101333	9.33	PPBV	99
31) METHYLENE CHLORIDE	2.747	84	120067	7.83	PPBV	98
32) 3-CHLOROPROPENE	2.789	76	65373	9.22	PPBV	97
33) FREON 113	2.843	151	218499	9.38	PPBV	99
34) TRANS-1,2-DICHLOROETHENE	3.078	96	110007	9.56	PPBV	99
35) TERTIARY BUTYL ALCOHOL	2.721	59	314697	8.69	PPBV	99
36) METHYL TERTIARY BUTYL ...	3.191	73	289972	9.72	PPBV	100
37) TETRAHYDROFURAN	3.901	72	52189	10.38	PPBV	97
38) HEXANE	3.663	57	198041	9.85	PPBV	99
39) VINYL ACETATE	3.229	86	30669	10.82	PPBV	97
40) 1,1-DICHLOROETHANE	3.155	63	202699	9.84	PPBV	100
41) METHYL ETHYL KETONE	3.329	72	54942	10.72	PPBV	100
42) CIS-1,2-DICHLOROETHENE	3.532	96	119711	9.69	PPBV	99
43) DIISOPROPYL ETHER	3.670	59	58059	9.86	PPBV	100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61022.D
Acq On : 19 Aug 2022 6:00 pm
Operator : thomash
Sample : icv2709-10
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 24 16:30:48 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44)	ETHYL ACETATE	3.670	61	41362	10.04	PPBV		100
45)	METHYL ACRYLATE	3.660	55	239048	10.11	PPBV	#	99
46)	CHLOROFORM	3.686	83	239751	9.52	PPBV		99
47)	2,4-DIMETHYLPENTANE	4.194	57	225355	9.62	PPBV		100
48)	1,1,1-TRICHLOROETHANE	4.277	97	248435	9.89	PPBV		100
49)	CARBON TETRACHLORIDE	4.712	117	254708	10.24	PPBV		99
50)	1,2-DICHLOROETHANE	4.107	62	169333	9.93	PPBV		100
51)	BENZENE	4.596	78	350247	9.74	PPBV		100
53)	CYCLOHEXANE	4.811	84	154819	9.72	PPBV		99
54)	2,3-DIMETHYLPENTANE	5.075	71	77693	9.93	PPBV		99
55)	TRICHLOROETHENE	5.519	95	163073	10.20	PPBV		98
56)	1,2-DICHLOROPROPANE	5.277	63	137709	9.56	PPBV		100
57)	DIBROMOMETHANE	5.239	174	153992	9.36	PPBV		99
58)	ETHYL ACRYLATE	5.396	55	290302	10.72	PPBV		100
59)	BROMODICHLOROMETHANE	5.461	83	263033	9.96	PPBV		99
60)	2,2,4-TRIMETHYLPENTANE	5.615	57	608009	9.54	PPBV		100
61)	1,4-DIOXANE	5.528	88	84294	10.91	PPBV		99
62)	HEPTANE	5.937	43	190987	9.52	PPBV		99
63)	METHYL METHACRYLATE	5.827	69	131443	10.69	PPBV		98
64)	METHYL ISOBUTYL KETONE	6.570	58	121016	11.79	PPBV		99
65)	CIS-1,3-DICHLOROPROPENE	6.474	75	211846	11.10	PPBV		100
66)	TOLUENE	7.695	91	444052	9.76	PPBV		99
67)	1,3-DICHLOROPROPANE	7.756	76	212110	9.81	PPBV		99
68)	TRANS-1,3-DICHLOROPROPENE	7.158	75	182630	10.67	PPBV		99
69)	1,1,2-TRICHLOROETHANE	7.322	83	128497	9.64	PPBV		100
70)	2-HEXANONE	8.261	58	158976	11.06	PPBV		99
71)	ETHYL METHACRYLATE	8.399	69	216624	12.09	PPBV		100
72)	TETRACHLOROETHENE	9.448	164	175071	9.61	PPBV		99
73)	DIBROMOCHLOROMETHANE	8.239	129	273728	10.55	PPBV		100
74)	1,2-DIBROMOETHANE	8.586	107	249451	10.28	PPBV		99
75)	OCTANE	9.589	43	262207	9.72	PPBV		100
77)	1,1,1,2-TETRACHLOROETHANE	10.673	131	191213	10.31	PPBV		100
78)	CHLOROBENZENE	10.660	112	366678	9.96	PPBV		99
79)	ETHYLBENZENE	11.547	91	589389	10.05	PPBV		100
80)	M,P-XYLENE	11.985	91	909127	20.38	PPBV		98
81)	O-XYLENE	12.920	91	466547	10.23	PPBV		97
82)	STYRENE	12.705	104	364348	11.16	PPBV		100
83)	NONANE	14.029	43	277833	9.87	PPBV		100
84)	BROMOFORM	11.795	173	266309	11.29	PPBV		100
85)	1,1,2,2-TETRACHLOROETHANE	12.923	83	342379	10.09	PPBV		100
86)	1,2,3-TRICHLOROPROPANE	13.213	75	245959	9.88	PPBV	#	100
88)	ISOPROPYLBENZENE	14.438	120	178061	9.21	PPBV		100
89)	BROMOBENZENE	14.309	77	312541	9.90	PPBV		100
90)	2-CHLOROTOLUENE	15.444	126	165816	10.21	PPBV		99
91)	N-PROPYLBENZENE	15.779	120	185062	10.42	PPBV		100
92)	4-ETHYLTOLUENE	16.145	105	691936	10.57	PPBV		100
93)	1,3,5-TRIMETHYLBENZENE	16.303	105	573950	10.51	PPBV		100
94)	ALPHA-METHYLSTYRENE	16.502	118	294628	12.82	PPBV		100
95)	TERT-BUTYLBENZENE	16.759	134	142637	10.21	PPBV		97
96)	1,2,4-TRIMETHYLBENZENE	16.769	105	607360	10.40	PPBV		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61022.D
Acq On : 19 Aug 2022 6:00 pm
Operator : thomash
Sample : icv2709-10
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 24 16:30:48 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
97)	BENZYL CHLORIDE	16.849	91	413519	11.44	PPBV	100
98)	M-DICHLOROBENZENE	16.827	146	398111	10.38	PPBV	99
99)	P-DICHLOROBENZENE	16.910	146	402996	10.36	PPBV	100
100)	O-DICHLOROBENZENE	17.206	146	385593	10.21	PPBV	99
101)	SEC-BUTYLBENZENE	17.039	134	175573	10.11	PPBV	99
102)	1,2,3-TRIMETHYLBENZENE	17.152	105	575197	10.42	PPBV	100
103)	P-ISOPROPYLTOLUENE	17.219	134	193396	10.11	PPBV	99
104)	N-BUTYLBENZENE	17.566	134	187841	10.62	PPBV	98
105)	HEXACHLOROETHANE	17.743	117	233412	10.77	PPBV	99
106)	HEXACHLOROBUTADIENE	18.788	225	280031	9.45	PPBV	100
107)	1,2,4-TRICHLOROBENZENE	18.479	180	336715	10.77	PPBV	99
108)	NAPHTHALENE	18.528	128	779125	9.75	PPBV	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61022.D
Acq On : 19 Aug 2022 6:00 pm
Operator : thomash
Sample : icv2709-10
Misc : MS61038,V2w2709,,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 24 16:30:48 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61024.D
Acq On : 24 Aug 2022 8:00 pm
Operator : thomash
Sample : cc2709-10
Misc : MS61038,V2w2710,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 24 20:28:37 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.615	128	74784	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.930	114	401710	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.589	117	365251	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.959	95	244108	10.04	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.843	65	62506	9.94	PPBV	#	100
4) CHLORODIFLUOROMETHANE	1.863	67	27595	9.88	PPBV		99
5) CHLOROTRIFLUOROETHENE	1.879	116	165304	10.23	PPBV	#	1
6) DICHLORODIFLUOROMETHANE	1.898	85	366823	9.86	PPBV		100
7) PROPYLENE	1.876	41	65924	9.39	PPBV		99
8) 1-CHLORO-1,1-DIFLUOROE...	1.950	65	273704	9.77	PPBV		99
9) FREON 114	1.995	85	330998	9.88	PPBV		99
10) CHLOROMETHANE	1.959	52	34691	9.26	PPBV		99
11) VINYL CHLORIDE	2.040	62	128413	9.87	PPBV		99
12) 1,3-BUTADIENE	2.088	54	98159	9.77	PPBV		99
13) N-BUTANE	2.110	43	160658	9.18	PPBV	#	98
14) BROMOMETHANE	2.187	94	114368	9.73	PPBV		100
15) CHLOROETHANE	2.252	64	69629	10.00	PPBV		96
16) DICHLOROFLUOROMETHANE	2.284	67	269273	9.72	PPBV		99
17) ACETONITRILE	2.374	41	96397	9.26	PPBV		100
18) ACROLEIN	2.419	56	53997	11.76	PPBV		99
19) FREON 123	2.435	83	300916	9.77	PPBV		99
20) FREON 123A	2.454	117	173664	9.75	PPBV		99
21) TRICHLOROFLUOROMETHANE	2.522	101	382086	9.87	PPBV		99
22) ISOPROPYL ALCOHOL	2.535	45	276284	8.94	PPBV		99
23) ACETONE	2.461	58	78282	7.94	PPBV		94
24) PENTANE	2.631	42	151404	8.94	PPBV		99
25) IODOMETHANE	2.689	142	375242	9.91	PPBV		100
26) 1,1-DICHLOROETHYLENE	2.715	96	146786	9.88	PPBV		97
27) CARBON DISULFIDE	2.847	76	441158	9.86	PPBV		99
28) ETHANOL	2.290	45	48473	7.97	PPBV		100
29) BROMOETHENE	2.384	106	122001	10.16	PPBV		99
30) ACRYLONITRILE	2.605	52	111031	9.51	PPBV		98
31) METHYLENE CHLORIDE	2.750	84	134720	8.17	PPBV		97
32) 3-CHLOROPROPENE	2.792	76	71735	9.41	PPBV		98
33) FREON 113	2.843	151	249148	9.95	PPBV		98
34) TRANS-1,2-DICHLOROETHENE	3.081	96	124170	10.03	PPBV		98
35) TERTIARY BUTYL ALCOHOL	2.721	59	378215	9.71	PPBV		97
36) METHYL TERTIARY BUTYL ...	3.191	73	320226	9.99	PPBV		100
37) TETRAHYDROFURAN	3.904	72	56324	10.42	PPBV		98
38) HEXANE	3.667	57	208399	9.64	PPBV		99
39) VINYL ACETATE	3.229	86	31964	10.49	PPBV		98
40) 1,1-DICHLOROETHANE	3.158	63	217946	9.84	PPBV		100
41) METHYL ETHYL KETONE	3.329	72	57752	10.49	PPBV		99
42) CIS-1,2-DICHLOROETHENE	3.535	96	132897	10.00	PPBV		98
43) DIISOPROPYL ETHER	3.670	59	62794	9.92	PPBV		95

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61024.D
Acq On : 24 Aug 2022 8:00 pm
Operator : thomash
Sample : cc2709-10
Misc : MS61038,V2w2710,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 24 20:28:37 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.673	61	44075	9.95	PPBV		96
45) METHYL ACRYLATE	3.660	55	253089	9.96	PPBV	#	99
46) CHLOROFORM	3.689	83	267459	9.88	PPBV		99
47) 2,4-DIMETHYLPENTANE	4.197	57	241222	9.58	PPBV		99
48) 1,1,1-TRICHLOROETHANE	4.277	97	270379	10.02	PPBV		99
49) CARBON TETRACHLORIDE	4.711	117	271861	10.16	PPBV		99
50) 1,2-DICHLOROETHANE	4.110	62	179398	9.79	PPBV		100
51) BENZENE	4.596	78	382136	9.89	PPBV		99
53) CYCLOHEXANE	4.814	84	166377	9.82	PPBV		97
54) 2,3-DIMETHYLPENTANE	5.072	71	82387	9.90	PPBV		98
55) TRICHLOROETHENE	5.519	95	177284	10.41	PPBV		98
56) 1,2-DICHLOROPROPANE	5.284	63	149513	9.75	PPBV		100
57) DIBROMOMETHANE	5.239	174	170859	9.75	PPBV		98
58) ETHYL ACRYLATE	5.396	55	298977	10.38	PPBV		100
59) BROMODICHLOROMETHANE	5.464	83	286278	10.18	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.615	57	643352	9.48	PPBV		100
61) 1,4-DIOXANE	5.525	88	82643	10.04	PPBV		98
62) HEPTANE	5.940	43	199862	9.35	PPBV		99
63) METHYL METHACRYLATE	5.830	69	138418	10.57	PPBV		98
64) METHYL ISOBUTYL KETONE	6.573	58	118189	10.81	PPBV		99
65) CIS-1,3-DICHLOROPROPENE	6.473	75	215329	10.60	PPBV		99
66) TOLUENE	7.699	91	481462	9.94	PPBV		99
67) 1,3-DICHLOROPROPANE	7.756	76	230293	10.01	PPBV		100
68) TRANS-1,3-DICHLOROPROPENE	7.162	75	193502	10.62	PPBV		99
69) 1,1,2-TRICHLOROETHANE	7.326	83	141577	9.98	PPBV		100
70) 2-HEXANONE	8.264	58	142571	9.37	PPBV		100
71) ETHYL METHACRYLATE	8.403	69	215707	11.30	PPBV		99
72) TETRACHLOROETHENE	9.451	164	192178	9.91	PPBV		99
73) DIBROMOCHLOROMETHANE	8.242	129	300151	10.86	PPBV		99
74) 1,2-DIBROMOETHANE	8.589	107	268799	10.40	PPBV		98
75) OCTANE	9.589	43	274966	9.58	PPBV		99
77) 1,1,1,2-TETRACHLOROETHANE	10.673	131	206405	10.43	PPBV		99
78) CHLOROBENZENE	10.663	112	395813	10.08	PPBV		99
79) ETHYLBENZENE	11.554	91	636599	10.18	PPBV		99
80) M,P-XYLENE	11.981	91	974047	20.47	PPBV		96
81) O-XYLENE	12.917	91	490477	10.08	PPBV		98
82) STYRENE	12.705	104	379879	10.91	PPBV		100
83) NONANE	14.033	43	286207	9.53	PPBV		98
84) BROMOFORM	11.798	173	283753	11.27	PPBV		100
85) 1,1,2,2-TETRACHLOROETHANE	12.930	83	367141	10.14	PPBV		100
86) 1,2,3-TRICHLOROPROPANE	13.216	75	264243	9.95	PPBV	#	100
88) ISOPROPYLBENZENE	14.435	120	219163	10.63	PPBV		97
89) BROMOBENZENE	14.309	77	337207	10.02	PPBV		99
90) 2-CHLOROTOLUENE	15.444	126	179550	10.36	PPBV		99
91) N-PROPYLBENZENE	15.779	120	203005	10.71	PPBV		99
92) 4-ETHYLTOLUENE	16.148	105	739470	10.59	PPBV		99
93) 1,3,5-TRIMETHYLBENZENE	16.303	105	609398	10.46	PPBV		100
94) ALPHA-METHYLSTYRENE	16.502	118	254071	10.37	PPBV		99
95) TERT-BUTYLBENZENE	16.759	134	152791	10.25	PPBV		97
96) 1,2,4-TRIMETHYLBENZENE	16.769	105	638069	10.25	PPBV		100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61024.D
Acq On : 24 Aug 2022 8:00 pm
Operator : thomash
Sample : cc2709-10
Misc : MS61038,V2w2710,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 24 20:28:37 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
97)	BENZYL CHLORIDE	16.849	91	415388	10.77	PPBV	100
98)	M-DICHLOROBENZENE	16.827	146	424730	10.38	PPBV	100
99)	P-DICHLOROBENZENE	16.910	146	427518	10.30	PPBV	100
100)	O-DICHLOROBENZENE	17.203	146	406692	10.09	PPBV	99
101)	SEC-BUTYLBENZENE	17.039	134	188292	10.16	PPBV	99
102)	1,2,3-TRIMETHYLBENZENE	17.151	105	607155	10.31	PPBV	100
103)	P-ISOPROPYLTOLUENE	17.219	134	205599	10.08	PPBV	99
104)	N-BUTYLBENZENE	17.563	134	198412	10.51	PPBV	94
105)	HEXACHLOROETHANE	17.743	117	231531	10.01	PPBV	99
106)	HEXACHLOROBUTADIENE	18.788	225	295988	9.36	PPBV	99
107)	1,2,4-TRICHLOROBENZENE	18.476	180	340734	10.21	PPBV	99
108)	NAPHTHALENE	18.528	128	845303	9.91	PPBV	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61024.D
Acq On : 24 Aug 2022 8:00 pm
Operator : thomash
Sample : cc2709-10
Misc : MS61038,V2w2710,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 24 20:28:37 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration



Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 09/02/22 15:33

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61140.D
Acq On : 30 Aug 2022 9:21 am
Operator : williamc
Sample : cc2709-10
Misc : MS61607,V2w2714,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 01 10:49:21 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.611	128	80923	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.929	114	430053	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.585	117	388616	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.961	95	259371	10.02	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.852	65	65618m	9.65	PPBV		
4) CHLORODIFLUOROMETHANE	1.869	67	29545	9.78	PPBV		97
5) CHLOROTRIFLUOROETHENE	1.885	116	166854	9.54	PPBV	#	1
6) DICHLORODIFLUOROMETHANE	1.907	85	386540	9.60	PPBV		99
7) PROPYLENE	1.881	41	68093	8.96	PPBV		99
8) 1-CHLORO-1,1-DIFLUOROE...	1.955	65	306134	10.10	PPBV		99
9) FREON 114	2.004	85	352951	9.73	PPBV		98
10) CHLOROMETHANE	1.962	52	38552	9.51	PPBV		95
11) VINYL CHLORIDE	2.045	62	148410	10.54	PPBV		99
12) 1,3-BUTADIENE	2.097	54	110409	10.15	PPBV		99
13) N-BUTANE	2.116	43	171321	9.05	PPBV		99
14) BROMOMETHANE	2.196	94	120765	9.49	PPBV		99
15) CHLOROETHANE	2.261	64	79269	10.52	PPBV		96
16) DICHLOROFLUOROMETHANE	2.293	67	292008	9.74	PPBV		100
17) ACETONITRILE	2.380	41	103904	9.23	PPBV		98
18) ACROLEIN	2.425	56	62918	12.66	PPBV		95
19) FREON 123	2.441	83	332727	9.99	PPBV		98
20) FREON 123A	2.457	117	192996	10.02	PPBV		99
21) TRICHLOROFLUOROMETHANE	2.524	101	427996	10.22	PPBV		99
22) ISOPROPYL ALCOHOL	2.537	45	310451	9.28	PPBV		99
23) ACETONE	2.467	58	95548	8.96	PPBV		87
24) PENTANE	2.634	42	183147	10.00	PPBV		99
25) IODOMETHANE	2.688	142	394221	9.63	PPBV		95
26) 1,1-DICHLOROETHYLENE	2.717	96	165188	10.27	PPBV		89
27) CARBON DISULFIDE	2.846	76	499769	10.32	PPBV		98
28) ETHANOL	2.296	45	50441	7.66	PPBV		99
29) BROMOETHENE	2.386	106	131443	10.12	PPBV		99
30) ACRYLONITRILE	2.605	52	135100	10.70	PPBV		99
31) METHYLENE CHLORIDE	2.753	84	155160	8.69	PPBV		95
32) 3-CHLOROPROPENE	2.791	76	79321	9.61	PPBV		89
33) FREON 113	2.846	151	261079	9.63	PPBV		92
34) TRANS-1,2-DICHLOROETHENE	3.081	96	130302	9.73	PPBV		94
35) TERTIARY BUTYL ALCOHOL	2.724	59	420996	9.99	PPBV		97
36) METHYL TERTIARY BUTYL ...	3.193	73	310953	8.97	PPBV		100
37) TETRAHYDROFURAN	3.907	72	58920	10.07	PPBV		99
38) HEXANE	3.666	57	238482	10.20	PPBV		96
39) VINYL ACETATE	3.232	86	31270	9.49	PPBV		94
40) 1,1-DICHLOROETHANE	3.161	63	247486	10.33	PPBV		98
41) METHYL ETHYL KETONE	3.331	72	59332	9.96	PPBV		100
42) CIS-1,2-DICHLOROETHENE	3.537	96	137472	9.56	PPBV		95
43) DIISOPROPYL ETHER	3.669	59	72132	10.53	PPBV		81

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61140.D
Acq On : 30 Aug 2022 9:21 am
Operator : williamc
Sample : cc2709-10
Misc : MS61607,V2w2714,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 01 10:49:21 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.676	61	49167	10.26	PPBV		88
45) METHYL ACRYLATE	3.663	55	282506	10.27	PPBV	#	98
46) CHLOROFORM	3.688	83	278212	9.50	PPBV		99
47) 2,4-DIMETHYLPENTANE	4.196	57	275884	10.13	PPBV		98
48) 1,1,1-TRICHLOROETHANE	4.280	97	273029	9.35	PPBV		97
49) CARBON TETRACHLORIDE	4.714	117	268697	9.28	PPBV		99
50) 1,2-DICHLOROETHANE	4.110	62	203370	10.25	PPBV		98
51) BENZENE	4.598	78	396775	9.49	PPBV		99
53) CYCLOHEXANE	4.814	84	173425	9.56	PPBV		93
54) 2,3-DIMETHYLPENTANE	5.071	71	86276	9.68	PPBV		88
55) TRICHLOROETHENE	5.518	95	185171	10.16	PPBV		97
56) 1,2-DICHLOROPROPANE	5.280	63	168821	10.28	PPBV		97
57) DIBROMOMETHANE	5.238	174	168174	8.97	PPBV		96
58) ETHYL ACRYLATE	5.399	55	323338	10.48	PPBV		99
59) BROMODICHLOROMETHANE	5.463	83	298103	9.90	PPBV		98
60) 2,2,4-TRIMETHYLPENTANE	5.618	57	730457	10.05	PPBV		100
61) 1,4-DIOXANE	5.528	88	78688	8.93	PPBV		95
62) HEPTANE	5.939	43	213614	9.34	PPBV		96
63) METHYL METHACRYLATE	5.827	69	140186	10.00	PPBV		99
64) METHYL ISOBUTYL KETONE	6.572	58	131170	11.21	PPBV		93
65) CIS-1,3-DICHLOROPROPENE	6.473	75	208355	9.58	PPBV		97
66) TOLUENE	7.701	91	500326	9.65	PPBV		100
67) 1,3-DICHLOROPROPANE	7.756	76	239395	9.72	PPBV		98
68) TRANS-1,3-DICHLOROPROPENE	7.164	75	178135	9.13	PPBV		98
69) 1,1,2-TRICHLOROETHANE	7.325	83	145910	9.61	PPBV		99
70) 2-HEXANONE	8.261	58	150761	9.26	PPBV		91
71) ETHYL METHACRYLATE	8.402	69	216391	10.59	PPBV		99
72) TETRACHLOROETHENE	9.450	164	189436	9.13	PPBV		96
73) DIBROMOCHLOROMETHANE	8.244	129	312074	10.55	PPBV		99
74) 1,2-DIBROMOETHANE	8.588	107	276212	9.99	PPBV		99
75) OCTANE	9.592	43	290860	9.46	PPBV		98
77) 1,1,1,2-TETRACHLOROETHANE	10.675	131	201158	9.56	PPBV		98
78) CHLOROBENZENE	10.662	112	407240	9.75	PPBV		99
79) ETHYLBENZENE	11.547	91	666399	10.01	PPBV		100
80) M,P-XYLENE	11.977	91	1014934m	20.04	PPBV		
81) O-XYLENE	12.916	91	516341	9.97	PPBV		97
82) STYRENE	12.704	104	390644	10.55	PPBV		100
83) NONANE	14.035	43	304743	9.54	PPBV		93
84) BROMOFORM	11.794	173	269116	10.05	PPBV		99
85) 1,1,2,2-TETRACHLOROETHANE	12.926	83	381567	9.91	PPBV		100
86) 1,2,3-TRICHLOROPROPANE	13.212	75	272820	9.65	PPBV	#	100
88) ISOPROPYLBENZENE	14.434	120	236628	10.78	PPBV		98
89) BROMOBENZENE	14.309	77	348682	9.73	PPBV		97
90) 2-CHLOROTOLUENE	15.444	126	187173	10.15	PPBV		100
91) N-PROPYLBENZENE	15.778	120	212256	10.53	PPBV		99
92) 4-ETHYLTOLUENE	16.148	105	772013	10.39	PPBV		100
93) 1,3,5-TRIMETHYLBENZENE	16.302	105	640394	10.33	PPBV		100
94) ALPHA-METHYLSTYRENE	16.501	118	253664	9.73	PPBV		99
95) TERT-BUTYLBENZENE	16.762	134	153363	9.67	PPBV		87
96) 1,2,4-TRIMETHYLBENZENE	16.768	105	678493	10.24	PPBV		100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61140.D
Acq On : 30 Aug 2022 9:21 am
Operator : williamc
Sample : cc2709-10
Misc : MS61607,V2w2714,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 01 10:49:21 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
97)	BENZYL CHLORIDE	16.852	91	309969	7.56	PPBV	99
98)	M-DICHLOROBENZENE	16.826	146	421719	9.68	PPBV	99
99)	P-DICHLOROBENZENE	16.910	146	424264	9.61	PPBV	99
100)	O-DICHLOROBENZENE	17.206	146	406606	9.48	PPBV	99
101)	SEC-BUTYLBENZENE	17.042	134	190211	9.65	PPBV	91
102)	1,2,3-TRIMETHYLBENZENE	17.151	105	645880	10.31	PPBV	100
103)	P-ISOPROPYLTOLUENE	17.218	134	206763	9.52	PPBV	89
104)	N-BUTYLBENZENE	17.566	134	190990	9.51	PPBV	90
105)	HEXACHLOROETHANE	17.742	117	232989	9.47	PPBV	98
106)	HEXACHLOROBUTADIENE	18.787	225	283739	8.43	PPBV	99
107)	1,2,4-TRICHLOROBENZENE	18.479	180	324106	9.13	PPBV	99
108)	NAPHTHALENE	18.527	128	821274	9.05	PPBV	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61140.D
Acq On : 30 Aug 2022 9:21 am
Operator : williamc
Sample : cc2709-10
Misc : MS61607,V2w2714,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 01 10:49:21 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration



M2W2709.M Thu Sep 01 10:49:35 2022 GCMS2W Page: 4

Manual Integration Approval Summary


Sample Number: V2W2714-CC2709 **Method:** TO-15
Lab FileID: 2W61140.D **Analyst approved:** 09/02/22 09:44 William Cruser
Injection Time: 08/30/22 09:21 **Supervisor approved:** 09/02/22 15:33 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Freon 152A	75-37-6		1.85	Missed peak
m,p-Xylene			11.98	Split peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61140.D
Acq On : 30 Aug 2022 9:21 am
Operator : williamc
Sample : cc2709-10
Misc : MS61607,V2w2714,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 30 10:00:34 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration





TIC: 2w61140.D\data.ms

(3) FREON 152A (T)

1.850min (-1.850) 0.00PPBV


response 0


Ion	Exp%	Act%
65.10	100	0.00
45.10	0.00	0.00
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61140.D
Acq On : 30 Aug 2022 9:21 am
Operator : williamc
Sample : cc2709-10
Misc : MS61607,V2w2714,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 30 10:00:34 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration





TIC: 2w61140.D\data.ms

(3) FREON 152A (T)

1.852min (+0.002) 9.65PPBV m


response 65618


Ion	Exp%	Act%
65.10	100	100
45.10	0.00	0.00
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61140.D
Acq On : 30 Aug 2022 9:21 am
Operator : williamc
Sample : cc2709-10
Misc : MS61607,V2w2714,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 30 10:00:34 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration





TIC: 2w61140.D\data.ms

(80) M,P-XYLENE (t)

11.936min (-0.049) 11.17PPBV


response 565606


Ion	Exp%	Act%
91.10	100	100
106.10	23.00	45.19#
105.10	10.90	20.09
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\
Data File : 2w61140.D
Acq On : 30 Aug 2022 9:21 am
Operator : williamc
Sample : cc2709-10
Misc : MS61607,V2w2714,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 30 10:00:34 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration





TIC: 2w61140.D\data.ms

(80) M,P-XYLENE (t)

11.977min (-0.007) 20.04PPBV m

response 1014934

Ion	Exp%	Act%
91.10	100	100
106.10	23.00	25.18
105.10	10.90	11.19
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 09/29/22 11:12

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 2w61633.D
Acq On : 28 Sep 2022 7:54 am
Operator : thomash
Sample : cc2709-10
Misc : MS62371,V2w2735,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 08:19:59 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.611	128	70011	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.930	114	365172	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.585	117	317821	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.958	95	237838	11.24	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.849	65	57366m	9.75	PPBV		
4) CHLORODIFLUOROMETHANE	1.862	67	25376	9.71	PPBV		97
5) CHLOROTRIFLUOROETHENE	1.878	116	130655	8.64	PPBV	#	1
6) DICHLORODIFLUOROMETHANE	1.901	85	327552	9.40	PPBV		99
7) PROPYLENE	1.875	41	53153	8.09	PPBV		99
8) 1-CHLORO-1,1-DIFLUOROE...	1.952	65	264251	10.08	PPBV		96
9) FREON 114	1.997	85	307413	9.80	PPBV		97
10) CHLOROMETHANE	1.959	52	31063	8.86	PPBV		97
11) VINYL CHLORIDE	2.039	62	132298	10.86	PPBV		99
12) 1,3-BUTADIENE	2.087	54	87675	9.32	PPBV		97
13) N-BUTANE	2.110	43	139142	8.49	PPBV		98
14) BROMOMETHANE	2.190	94	106917	9.71	PPBV		100
15) CHLOROETHANE	2.251	64	71767	11.01	PPBV	#	94
16) DICHLOROFLUOROMETHANE	2.287	67	263168	10.15	PPBV		98
17) ACETONITRILE	2.374	41	85966	8.82	PPBV		99
18) ACROLEIN	2.419	56	61519	14.31	PPBV		97
19) FREON 123	2.435	83	314442	10.91	PPBV		94
20) FREON 123A	2.454	117	162532	9.75	PPBV		87
21) TRICHLOROFLUOROMETHANE	2.518	101	374187	10.32	PPBV		98
22) ISOPROPYL ALCOHOL	2.534	45	263008	9.09	PPBV		97
23) ACETONE	2.460	58	76502	8.29	PPBV		89
24) PENTANE	2.631	42	159205	10.04	PPBV		97
25) IODOMETHANE	2.685	142	367148	10.36	PPBV		100
26) 1,1-DICHLOROETHYLENE	2.714	96	156267	11.23	PPBV		92
27) CARBON DISULFIDE	2.843	76	490516	11.71	PPBV		98
28) ETHANOL	2.293	45	42024	7.38	PPBV		99
29) BROMOETHENE	2.383	106	111584	9.93	PPBV		98
30) ACRYLONITRILE	2.602	52	117639	10.77	PPBV		99
31) METHYLENE CHLORIDE	2.750	84	152685	9.89	PPBV		90
32) 3-CHLOROPROPENE	2.788	76	74423	10.43	PPBV		92
33) FREON 113	2.843	151	245138	10.46	PPBV		97
34) TRANS-1,2-DICHLOROETHENE	3.078	96	114936	9.92	PPBV		94
35) TERTIARY BUTYL ALCOHOL	2.721	59	342618	9.40	PPBV	#	89
36) METHYL TERTIARY BUTYL ...	3.190	73	257849	8.59	PPBV		99
37) TETRAHYDROFURAN	3.901	72	51785	10.23	PPBV		91
38) HEXANE	3.663	57	202883	10.03	PPBV		93
39) VINYL ACETATE	3.229	86	28313	9.93	PPBV		78
40) 1,1-DICHLOROETHANE	3.158	63	221121	10.67	PPBV		99
41) METHYL ETHYL KETONE	3.329	72	52868	10.25	PPBV		84
42) CIS-1,2-DICHLOROETHENE	3.534	96	121632	9.78	PPBV		96
43) DIISOPROPYL ETHER	3.666	59	61775	10.43	PPBV		66

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 2w61633.D
Acq On : 28 Sep 2022 7:54 am
Operator : thomash
Sample : cc2709-10
Misc : MS62371,V2w2735,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 08:19:59 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.669	61	44028	10.62	PPBV		63
45) METHYL ACRYLATE	3.660	55	239977	10.09	PPBV	#	98
46) CHLOROFORM	3.685	83	251319	9.92	PPBV		97
47) 2,4-DIMETHYLPENTANE	4.197	57	231304	9.81	PPBV		98
48) 1,1,1-TRICHLOROETHANE	4.277	97	239193	9.47	PPBV		97
49) CARBON TETRACHLORIDE	4.711	117	234676	9.37	PPBV		99
50) 1,2-DICHLOROETHANE	4.110	62	173891	10.13	PPBV		99
51) BENZENE	4.595	78	349120	9.65	PPBV		97
53) CYCLOHEXANE	4.811	84	151642	9.84	PPBV		100
54) 2,3-DIMETHYLPENTANE	5.074	71	75997	10.04	PPBV		98
55) TRICHLOROETHENE	5.518	95	161457	10.43	PPBV		96
56) 1,2-DICHLOROPROPANE	5.280	63	146708	10.53	PPBV		97
57) DIBROMOMETHANE	5.238	174	147039	9.23	PPBV		97
58) ETHYL ACRYLATE	5.396	55	275983	10.54	PPBV		99
59) BROMODICHLOROMETHANE	5.460	83	273193	10.69	PPBV		98
60) 2,2,4-TRIMETHYLPENTANE	5.615	57	614082	9.95	PPBV		99
61) 1,4-DIOXANE	5.525	88	80297	10.74	PPBV		97
62) HEPTANE	5.933	43	166391	8.57	PPBV		90
63) METHYL METHACRYLATE	5.830	69	126281	10.61	PPBV		92
64) METHYL ISOBUTYL KETONE	6.570	58	116767	11.75	PPBV		89
65) CIS-1,3-DICHLOROPROPENE	6.473	75	183516	9.94	PPBV		96
66) TOLUENE	7.701	91	426144	9.68	PPBV		100
67) 1,3-DICHLOROPROPANE	7.756	76	212691	10.17	PPBV		99
68) TRANS-1,3-DICHLOROPROPENE	7.158	75	156475	9.45	PPBV		96
69) 1,1,2-TRICHLOROETHANE	7.319	83	132699	10.29	PPBV		96
70) 2-HEXANONE	8.264	58	153636	11.05	PPBV		89
71) ETHYL METHACRYLATE	8.399	69	202529	11.68	PPBV		95
72) TETRACHLOROETHENE	9.444	164	165889	9.41	PPBV		98
73) DIBROMOCHLOROMETHANE	8.238	129	261195	10.40	PPBV		99
74) 1,2-DIBROMOETHANE	8.586	107	236256	10.06	PPBV		99
75) OCTANE	9.592	43	227219	8.71	PPBV		92
77) 1,1,1,2-TETRACHLOROETHANE	10.672	131	175591	10.20	PPBV		97
78) CHLOROBENZENE	10.669	112	345516	10.12	PPBV		99
79) ETHYLBENZENE	11.550	91	569710	10.47	PPBV		99
80) M,P-XYLENE	11.981	91	878675	21.22	PPBV		97
81) O-XYLENE	12.920	91	450069	10.63	PPBV		94
82) STYRENE	12.704	104	340072	11.23	PPBV		99
83) NONANE	14.036	43	243630	9.32	PPBV		89
84) BROMOFORM	11.798	173	253850	11.59	PPBV		99
85) 1,1,2,2-TETRACHLOROETHANE	12.926	83	350316	11.12	PPBV		97
86) 1,2,3-TRICHLOROPROPANE	13.212	75	243667	10.54	PPBV	#	100
88) ISOPROPYLBENZENE	14.437	120	165948	9.25	PPBV		96
89) BROMOBENZENE	14.306	77	308801	10.54	PPBV		97
90) 2-CHLOROTOLUENE	15.441	126	151223	10.03	PPBV		100
91) N-PROPYLBENZENE	15.781	120	171036	10.37	PPBV		99
92) 4-ETHYLTOLUENE	16.148	105	652365	10.74	PPBV		98
93) 1,3,5-TRIMETHYLBENZENE	16.302	105	537050	10.59	PPBV		98
94) ALPHA-METHYLSTYRENE	16.502	118	273163	12.81	PPBV		99
95) TERT-BUTYLBENZENE	16.759	134	133329	10.28	PPBV		99
96) 1,2,4-TRIMETHYLBENZENE	16.765	105	574633	10.60	PPBV		96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 2w61633.D
Acq On : 28 Sep 2022 7:54 am
Operator : thomash
Sample : cc2709-10
Misc : MS62371,V2w2735,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 08:19:59 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
97)	BENZYL CHLORIDE	16.852	91	279302	8.32	PPBV	98
98)	M-DICHLOROBENZENE	16.826	146	375050	10.53	PPBV	100
99)	P-DICHLOROBENZENE	16.910	146	381436	10.57	PPBV	100
100)	O-DICHLOROBENZENE	17.203	146	369989	10.55	PPBV	100
101)	SEC-BUTYLBENZENE	17.039	134	165644	10.28	PPBV	94
102)	1,2,3-TRIMETHYLBENZENE	17.151	105	550941	10.75	PPBV	98
103)	P-ISOPROPYLTOLUENE	17.219	134	183967	10.36	PPBV	100
104)	N-BUTYLBENZENE	17.563	134	172392	10.50	PPBV	92
105)	HEXACHLOROETHANE	17.743	117	211625	10.52	PPBV	98
106)	HEXACHLOROBUTADIENE	18.781	225	284677	10.35	PPBV	100
107)	1,2,4-TRICHLOROBENZENE	18.473	180	306443	10.55	PPBV	99
108)	NAPHTHALENE	18.521	128	739784	9.97	PPBV	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 2w61633.D
Acq On : 28 Sep 2022 7:54 am
Operator : thomash
Sample : cc2709-10
Misc : MS62371,V2w2735,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 08:19:59 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V2W2735-CC2709
Lab FileID: 2W61633.D
Injection Time: 09/28/22 07:54
Method: TO-15
Analyst approved: 09/29/22 09:19 Thomas Hilbig
Supervisor approved: 09/29/22 11:12 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Freon 152A	75-37-6		1.85	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 2w61633.D
Acq On : 28 Sep 2022 7:54 am
Operator : thomash
Sample : cc2709-10
Misc : MS62371,V2w2735,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 28 08:23:04 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration





TIC: 2w61633.D\data.ms

(3) FREON 152A (T)

1.850min (-1.850) 0.00PPBV


response 0


Ion	Exp%	Act%
65.10	100	0.00
45.10	0.00	0.00
0.00	0.00	0.00
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 2w61633.D
Acq On : 28 Sep 2022 7:54 am
Operator : thomash
Sample : cc2709-10
Misc : MS62371,V2w2735,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 28 08:23:04 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration







TIC: 2w61633.D\data.ms

(3) FREON 152A (T)

1.849min (-0.001) 9.75PPBV m

response 57366

Ion	Exp%	Act%
65.10	100	100
45.10	0.00	0.00
0.00	0.00	0.00
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 10/03/22 15:22

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 2w61653.D
Acq On : 29 Sep 2022 7:42 am
Operator : thomash
Sample : cc2709-10
Misc : MS62557,V2w2736,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 08:20:43 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.611	128	63174	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.926	114	327482	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.585	117	287391	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.961	95	213203	11.14	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.853	65	56673m	10.67	PPBV		
4) CHLORODIFLUOROMETHANE	1.869	67	24697	10.47	PPBV		96
5) CHLOROTRIFLUOROETHENE	1.885	116	126880	9.30	PPBV	#	1
6) DICHLORODIFLUOROMETHANE	1.907	85	321359	10.22	PPBV		100
7) PROPYLENE	1.882	41	52896	8.92	PPBV		98
8) 1-CHLORO-1,1-DIFLUOROE...	1.956	65	255380	10.79	PPBV		96
9) FREON 114	2.001	85	301023	10.63	PPBV		95
10) CHLOROMETHANE	1.962	52	30666	9.69	PPBV		97
11) VINYL CHLORIDE	2.042	62	130448	11.86	PPBV		98
12) 1,3-BUTADIENE	2.094	54	88710	10.45	PPBV		96
13) N-BUTANE	2.116	43	135497	9.16	PPBV		97
14) BROMOMETHANE	2.193	94	104150	10.49	PPBV		99
15) CHLOROETHANE	2.258	64	69772	11.86	PPBV		95
16) DICHLOROFLUOROMETHANE	2.290	67	258243	11.03	PPBV		99
17) ACETONITRILE	2.377	41	85372	9.71	PPBV		99
18) ACROLEIN	2.419	56	61652	15.89	PPBV		95
19) FREON 123	2.435	83	308462	11.86	PPBV		94
20) FREON 123A	2.454	117	158418	10.53	PPBV		85
21) TRICHLOROFLUOROMETHANE	2.518	101	368290	11.26	PPBV		99
22) ISOPROPYL ALCOHOL	2.534	45	259948	9.96	PPBV		97
23) ACETONE	2.460	58	76578	9.20	PPBV		88
24) PENTANE	2.631	42	156440	10.94	PPBV		98
25) IODOMETHANE	2.685	142	354725	11.09	PPBV		100
26) 1,1-DICHLOROETHYLENE	2.711	96	152531	12.15	PPBV		91
27) CARBON DISULFIDE	2.843	76	480354	12.71	PPBV		98
28) ETHANOL	2.293	45	41373	8.05	PPBV		100
29) BROMOETHENE	2.383	106	109981	10.84	PPBV		99
30) ACRYLONITRILE	2.602	52	116023	11.77	PPBV		99
31) METHYLENE CHLORIDE	2.747	84	151179	10.85	PPBV		90
32) 3-CHLOROPROPENE	2.788	76	74371	11.55	PPBV		89
33) FREON 113	2.843	151	239666	11.33	PPBV		96
34) TRANS-1,2-DICHLOROETHENE	3.078	96	112109	10.73	PPBV		93
35) TERTIARY BUTYL ALCOHOL	2.721	59	337457	10.26	PPBV	#	89
36) METHYL TERTIARY BUTYL ...	3.187	73	246711	9.11	PPBV		99
37) TETRAHYDROFURAN	3.904	72	51556	11.29	PPBV		89
38) HEXANE	3.663	57	198380	10.87	PPBV		93
39) VINYL ACETATE	3.229	86	27102	10.53	PPBV		80
40) 1,1-DICHLOROETHANE	3.158	63	214323	11.46	PPBV		99
41) METHYL ETHYL KETONE	3.325	72	51669	11.11	PPBV		82
42) CIS-1,2-DICHLOROETHENE	3.531	96	117534	10.47	PPBV		95
43) DIISOPROPYL ETHER	3.666	59	60910	11.39	PPBV		63

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 2w61653.D
Acq On : 29 Sep 2022 7:42 am
Operator : thomash
Sample : cc2709-10
Misc : MS62557,V2w2736,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 08:20:43 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.673	61	42091	11.25	PPBV		66
45) METHYL ACRYLATE	3.656	55	233213	10.86	PPBV	#	98
46) CHLOROFORM	3.685	83	246574	10.78	PPBV		96
47) 2,4-DIMETHYLPENTANE	4.193	57	223598	10.51	PPBV		99
48) 1,1,1-TRICHLOROETHANE	4.277	97	229396	10.06	PPBV		96
49) CARBON TETRACHLORIDE	4.711	117	228228	10.10	PPBV		99
50) 1,2-DICHLOROETHANE	4.107	62	171525	11.08	PPBV		99
51) BENZENE	4.595	78	341117	10.45	PPBV		97
53) CYCLOHEXANE	4.811	84	149560	10.82	PPBV		100
54) 2,3-DIMETHYLPENTANE	5.071	71	73266	10.80	PPBV		98
55) TRICHLOROETHENE	5.518	95	157110	11.32	PPBV		96
56) 1,2-DICHLOROPROPANE	5.280	63	145336	11.63	PPBV		96
57) DIBROMOMETHANE	5.235	174	142466	9.98	PPBV		96
58) ETHYL ACRYLATE	5.396	55	269395	11.47	PPBV		99
59) BROMODICHLOROMETHANE	5.460	83	263812	11.51	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.615	57	599408	10.83	PPBV		100
61) 1,4-DIOXANE	5.525	88	79404	11.84	PPBV		97
62) HEPTANE	5.936	43	162915	9.35	PPBV		90
63) METHYL METHACRYLATE	5.830	69	121146	11.35	PPBV		94
64) METHYL ISOBUTYL KETONE	6.573	58	114525	12.85	PPBV		89
65) CIS-1,3-DICHLOROPROPENE	6.473	75	178609	10.78	PPBV		96
66) TOLUENE	7.698	91	415170	10.52	PPBV		100
67) 1,3-DICHLOROPROPANE	7.753	76	206625	11.01	PPBV		98
68) TRANS-1,3-DICHLOROPROPENE	7.161	75	152121	10.24	PPBV		97
69) 1,1,2-TRICHLOROETHANE	7.322	83	126182	10.91	PPBV		98
70) 2-HEXANONE	8.261	58	149621	11.97	PPBV		88
71) ETHYL METHACRYLATE	8.399	69	195682	12.58	PPBV		96
72) TETRACHLOROETHENE	9.447	164	160218	10.14	PPBV		99
73) DIBROMOCHLOROMETHANE	8.238	129	253346	11.25	PPBV		100
74) 1,2-DIBROMOETHANE	8.586	107	230409	10.94	PPBV		99
75) OCTANE	9.589	43	223929	9.57	PPBV		93
77) 1,1,1,2-TETRACHLOROETHANE	10.675	131	170966	10.98	PPBV		95
78) CHLOROBENZENE	10.663	112	340028	11.01	PPBV		99
79) ETHYLBENZENE	11.550	91	552528	11.22	PPBV		99
80) M,P-XYLENE	11.978	91	852274	22.76	PPBV		98
81) O-XYLENE	12.920	91	438630	11.46	PPBV		96
82) STYRENE	12.704	104	331699	12.11	PPBV		99
83) NONANE	14.032	43	238762	10.10	PPBV		89
84) BROMOFORM	11.794	173	248263	12.54	PPBV		99
85) 1,1,2,2-TETRACHLOROETHANE	12.929	83	345012	12.11	PPBV		97
86) 1,2,3-TRICHLOROPROPANE	13.209	75	239642	11.47	PPBV	#	100
88) ISOPROPYLBENZENE	14.437	120	160624	9.90	PPBV		94
89) BROMOBENZENE	14.306	77	299252	11.30	PPBV		98
90) 2-CHLOROTOLUENE	15.444	126	148969	10.93	PPBV		100
91) N-PROPYLBENZENE	15.778	120	168753	11.32	PPBV		100
92) 4-ETHYLTOLUENE	16.148	105	640820	11.66	PPBV		98
93) 1,3,5-TRIMETHYLBENZENE	16.302	105	526958	11.50	PPBV		99
94) ALPHA-METHYLSTYRENE	16.505	118	268533	13.92	PPBV		99
95) TERT-BUTYLBENZENE	16.759	134	131484	11.21	PPBV		99
96) 1,2,4-TRIMETHYLBENZENE	16.768	105	573699	11.71	PPBV		95

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 2w61653.D
Acq On : 29 Sep 2022 7:42 am
Operator : thomash
Sample : cc2709-10
Misc : MS62557,V2w2736,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 08:20:43 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
97)	BENZYL CHLORIDE	16.852	91	271723	8.96	PPBV	97
98)	M-DICHLOROBENZENE	16.826	146	372086	11.55	PPBV	100
99)	P-DICHLOROBENZENE	16.910	146	374355	11.47	PPBV	100
100)	O-DICHLOROBENZENE	17.203	146	362502	11.43	PPBV	99
101)	SEC-BUTYLBENZENE	17.039	134	162146	11.12	PPBV	93
102)	1,2,3-TRIMETHYLBENZENE	17.151	105	544414	11.75	PPBV	98
103)	P-ISOPROPYLTOLUENE	17.219	134	181219	11.29	PPBV	99
104)	N-BUTYLBENZENE	17.563	134	168497	11.35	PPBV	90
105)	HEXACHLOROETHANE	17.743	117	208991	11.49	PPBV	98
106)	HEXACHLOROBUTADIENE	18.784	225	280891	11.29	PPBV	99
107)	1,2,4-TRICHLOROBENZENE	18.476	180	296188	11.28	PPBV	98
108)	NAPHTHALENE	18.524	128	728975	10.87	PPBV	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 2w61653.D
Acq On : 29 Sep 2022 7:42 am
Operator : thomash
Sample : cc2709-10
Misc : MS62557,V2w2736,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 08:20:43 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number:	V2W2736-CC2709	**Method:**	TO-15
Lab FileID:	2W61653.D	**Analyst approved:**	09/30/22 15:26 Thomas Hilbig
Injection Time:	09/29/22 07:42	**Supervisor approved:**	10/03/22 15:22 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Freon 152A	75-37-6		1.85	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 2w61653.D
Acq On : 29 Sep 2022 7:42 am
Operator : thomash
Sample : cc2709-10
Misc : MS62557,V2w2736,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 08:17:28 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration





TIC: 2w61653.D\data.ms

(3) FREON 152A (T)

1.850min (-1.850) 0.00PPBV


response 0


Ion	Exp%	Act%
65.10	100	0.00
45.10	0.00	0.00
0.00	0.00	0.00
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 2w61653.D
Acq On : 29 Sep 2022 7:42 am
Operator : thomash
Sample : cc2709-10
Misc : MS62557,V2w2736,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 08:17:28 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration







TIC: 2w61653.D\data.ms

(3) FREON 152A (T)

1.853min (+0.003) 10.67PPBV m

response 56673

Ion	Exp%	Act%
65.10	100	100
45.10	0.00	0.00
0.00	0.00	0.00
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 10/03/22 20:38

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 2w61685.D
Acq On : 30 Sep 2022 7:35 am
Operator : thomash
Sample : cc2709-10
Misc : MS62556,V2w2737,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 30 15:16:41 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.611	128	73003	10.00	PPBV		0.00
52) 1,4-DIFLUOROBENZENE	4.933	114	381947	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.585	117	328783	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	13.962	95	245506	11.22	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.856	65	61153m	9.96	PPBV		
4) CHLORODIFLUOROMETHANE	1.872	67	26680	9.79	PPBV		99
5) CHLOROTRIFLUOROETHENE	1.885	116	138018	8.75	PPBV	#	1
6) DICHLORODIFLUOROMETHANE	1.907	85	343861	9.47	PPBV		99
7) PROPYLENE	1.885	41	56177	8.19	PPBV		99
8) 1-CHLORO-1,1-DIFLUOROE...	1.959	65	279832	10.23	PPBV		96
9) FREON 114	2.004	85	323141	9.88	PPBV		97
10) CHLOROMETHANE	1.965	52	33427	9.14	PPBV		96
11) VINYL CHLORIDE	2.046	62	139910	11.01	PPBV		99
12) 1,3-BUTADIENE	2.097	54	93794	9.56	PPBV		96
13) N-BUTANE	2.116	43	147299	8.62	PPBV		97
14) BROMOMETHANE	2.197	94	113096	9.85	PPBV		99
15) CHLOROETHANE	2.261	64	75490	11.11	PPBV	#	93
16) DICHLOROFLUOROMETHANE	2.293	67	280298	10.36	PPBV		98
17) ACETONITRILE	2.380	41	92896	9.14	PPBV		99
18) ACROLEIN	2.422	56	65812	14.68	PPBV		97
19) FREON 123	2.438	83	331074	11.02	PPBV		95
20) FREON 123A	2.457	117	169502	9.75	PPBV		84
21) TRICHLOROFLUOROMETHANE	2.525	101	396625	10.49	PPBV		99
22) ISOPROPYL ALCOHOL	2.538	45	279636	9.27	PPBV		99
23) ACETONE	2.467	58	82672	8.59	PPBV		87
24) PENTANE	2.634	42	168394	10.19	PPBV		98
25) IODOMETHANE	2.689	142	386531	10.46	PPBV		99
26) 1,1-DICHLOROETHYLENE	2.718	96	164846	11.36	PPBV		90
27) CARBON DISULFIDE	2.846	76	516807	11.83	PPBV		98
28) ETHANOL	2.296	45	44125	7.43	PPBV		99
29) BROMOETHENE	2.386	106	117499	10.02	PPBV		99
30) ACRYLONITRILE	2.605	52	125479	11.01	PPBV		97
31) METHYLENE CHLORIDE	2.750	84	162515	10.10	PPBV		90
32) 3-CHLOROPROPENE	2.792	76	79198	10.64	PPBV		91
33) FREON 113	2.846	151	257895	10.55	PPBV		96
34) TRANS-1,2-DICHLOROETHENE	3.081	96	120885	10.01	PPBV		94
35) TERTIARY BUTYL ALCOHOL	2.724	59	368414	9.69	PPBV	#	89
36) METHYL TERTIARY BUTYL ...	3.193	73	268738	8.59	PPBV		99
37) TETRAHYDROFURAN	3.907	72	53233	10.09	PPBV		92
38) HEXANE	3.666	57	213415	10.12	PPBV		93
39) VINYL ACETATE	3.232	86	29682	9.98	PPBV		80
40) 1,1-DICHLOROETHANE	3.158	63	235077	10.87	PPBV		99
41) METHYL ETHYL KETONE	3.332	72	57186	10.64	PPBV		79
42) CIS-1,2-DICHLOROETHENE	3.534	96	125463	9.68	PPBV		94
43) DIISOPROPYL ETHER	3.669	59	65141	10.54	PPBV		68

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 2w61685.D
Acq On : 30 Sep 2022 7:35 am
Operator : thomash
Sample : cc2709-10
Misc : MS62556,V2w2737,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 30 15:16:41 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) ETHYL ACETATE	3.676	61	46614	10.78	PPBV		63
45) METHYL ACRYLATE	3.663	55	251724	10.15	PPBV	#	98
46) CHLOROFORM	3.689	83	267989	10.14	PPBV		96
47) 2,4-DIMETHYLPENTANE	4.197	57	242584	9.87	PPBV		98
48) 1,1,1-TRICHLOROETHANE	4.280	97	248451	9.43	PPBV		96
49) CARBON TETRACHLORIDE	4.714	117	246680	9.45	PPBV		99
50) 1,2-DICHLOROETHANE	4.113	62	186001	10.39	PPBV		99
51) BENZENE	4.602	78	366099	9.71	PPBV		97
53) CYCLOHEXANE	4.814	84	161677	10.03	PPBV		98
54) 2,3-DIMETHYLPENTANE	5.078	71	78322	9.89	PPBV		95
55) TRICHLOROETHENE	5.521	95	169475	10.47	PPBV		96
56) 1,2-DICHLOROPROPANE	5.283	63	157514	10.80	PPBV		97
57) DIBROMOMETHANE	5.242	174	154197	9.26	PPBV		96
58) ETHYL ACRYLATE	5.396	55	286756	10.47	PPBV		99
59) BROMODICHLOROMETHANE	5.463	83	281373	10.53	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.615	57	648394	10.05	PPBV		99
61) 1,4-DIOXANE	5.528	88	85385	10.91	PPBV		97
62) HEPTANE	5.936	43	174765	8.60	PPBV		89
63) METHYL METHACRYLATE	5.830	69	129743	10.42	PPBV		94
64) METHYL ISOBUTYL KETONE	6.573	58	123050	11.84	PPBV		88
65) CIS-1,3-DICHLOROPROPENE	6.473	75	191884	9.93	PPBV		96
66) TOLUENE	7.701	91	443364	9.63	PPBV		99
67) 1,3-DICHLOROPROPANE	7.756	76	222598	10.17	PPBV		98
68) TRANS-1,3-DICHLOROPROPENE	7.161	75	163327	9.43	PPBV		97
69) 1,1,2-TRICHLOROETHANE	7.322	83	137447	10.19	PPBV		98
70) 2-HEXANONE	8.264	58	159105	10.94	PPBV		89
71) ETHYL METHACRYLATE	8.402	69	209507	11.55	PPBV		95
72) TETRACHLOROETHENE	9.444	164	172070	9.33	PPBV		99
73) DIBROMOCHLOROMETHANE	8.245	129	273395	10.41	PPBV		100
74) 1,2-DIBROMOETHANE	8.586	107	246038	10.02	PPBV		100
75) OCTANE	9.592	43	241478	8.85	PPBV		93
77) 1,1,1,2-TETRACHLOROETHANE	10.679	131	185184	10.40	PPBV		97
78) CHLOROBENZENE	10.666	112	362188	10.25	PPBV		99
79) ETHYLBENZENE	11.550	91	591461	10.50	PPBV		98
80) M,P-XYLENE	11.978	91	918224	21.43	PPBV		97
81) O-XYLENE	12.920	91	472832	10.80	PPBV		97
82) STYRENE	12.704	104	352299	11.24	PPBV		99
83) NONANE	14.029	43	260131	9.62	PPBV		89
84) BROMOFORM	11.794	173	260547	11.50	PPBV		99
85) 1,1,2,2-TETRACHLOROETHANE	12.926	83	368534	11.31	PPBV		97
86) 1,2,3-TRICHLOROPROPANE	13.212	75	259994	10.88	PPBV	#	100
88) ISOPROPYLBENZENE	14.434	120	175381	9.45	PPBV		96
89) BROMOBENZENE	14.309	77	325416	10.74	PPBV		96
90) 2-CHLOROTOLUENE	15.447	126	161694	10.37	PPBV		98
91) N-PROPYLBENZENE	15.778	120	179544	10.52	PPBV		100
92) 4-ETHYLTOLUENE	16.148	105	687345	10.94	PPBV		98
93) 1,3,5-TRIMETHYLBENZENE	16.302	105	569541	10.86	PPBV		98
94) ALPHA-METHYLSTYRENE	16.502	118	290333	13.16	PPBV		99
95) TERT-BUTYLBENZENE	16.759	134	143293	10.68	PPBV		99
96) 1,2,4-TRIMETHYLBENZENE	16.769	105	616823	11.00	PPBV		96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 2w61685.D
Acq On : 30 Sep 2022 7:35 am
Operator : thomash
Sample : cc2709-10
Misc : MS62556,V2w2737,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 30 15:16:41 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
97)	BENZYL CHLORIDE	16.852	91	297542	8.57	PPBV	97
98)	M-DICHLOROBENZENE	16.830	146	404832	10.99	PPBV	100
99)	P-DICHLOROBENZENE	16.910	146	406755	10.89	PPBV	100
100)	O-DICHLOROBENZENE	17.203	146	389763	10.74	PPBV	99
101)	SEC-BUTYLBENZENE	17.042	134	176831	10.60	PPBV	94
102)	1,2,3-TRIMETHYLBENZENE	17.151	105	587412	11.08	PPBV	98
103)	P-ISOPROPYLTOLUENE	17.219	134	196472	10.70	PPBV	99
104)	N-BUTYLBENZENE	17.563	134	181426	10.68	PPBV	93
105)	HEXACHLOROETHANE	17.743	117	224891	10.81	PPBV	98
106)	HEXACHLOROBUTADIENE	18.781	225	300027	10.54	PPBV	99
107)	1,2,4-TRICHLOROBENZENE	18.473	180	320725	10.68	PPBV	98
108)	NAPHTHALENE	18.521	128	779916	10.16	PPBV	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 2w61685.D
Acq On : 30 Sep 2022 7:35 am
Operator : thomash
Sample : cc2709-10
Misc : MS62556,V2w2737,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 30 15:16:41 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V2W2737-CC2709 **Method:** TO-15
Lab FileID: 2W61685.D **Analyst approved:** 09/30/22 15:26 Thomas Hilbig
Injection Time: 09/30/22 07:35 **Supervisor approved:** 10/03/22 20:38 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Freon 152A	75-37-6		1.86	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 2w61685.D
Acq On : 30 Sep 2022 7:35 am
Operator : thomash
Sample : cc2709-10
Misc : MS62556,V2w2737,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 30 08:25:02 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration





TIC: 2w61685.D\data.ms

(3) FREON 152A (T)

1.850min (-1.850) 0.00PPBV


response 0


Ion	Exp%	Act%
65.10	100	0.00
45.10	0.00	0.00
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 2w61685.D
Acq On : 30 Sep 2022 7:35 am
Operator : thomash
Sample : cc2709-10
Misc : MS62556,V2w2737,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 30 08:25:02 2022
Quant Method : C:\msdchem\1\METHODS\M2W2709.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Aug 24 16:15:16 2022
Response via : Initial Calibration





TIC: 2w61685.D\data.ms

(3) FREON 152A (T)

1.856min (+0.006) 9.96PPBV m

response 61153

Ion	Exp%	Act%
65.10	100	100
45.10	0.00	0.00
0.00	0.00	0.00
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 09/21/22 11:19

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26004.D
Acq On : 15 Sep 2022 11:32 am
Operator : thomash
Sample : ic1105-0.2
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:25:42 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.338	128	42838	10.00	PPBV	# 0.00
52) 1,4-DIFLUOROBENZENE	4.730	114	239814	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.582	117	156932	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	14.019	95	110632	9.99	PPBV	0.00
Target Compounds						Qvalue
3) FREON 152A	1.692	65	602	0.16	PPBV	# 53
4) CHLORODIFLUOROMETHANE	1.705	67	282m	0.16	PPBV	
5) CHLOROTRIFLUOROETHENE	1.718	116	1269	0.15	PPBV	# 42
6) DICHLORODIFLUOROMETHANE	1.730	85	4124	0.20	PPBV	# 88
7) PROPYLENE	1.714	41	917	0.16	PPBV	# 83
8) 1-CHLORO-1,1-DIFLUOROE...	1.766	65	3397	0.16	PPBV	# 37
9) FREON 114	1.798	85	3732	0.17	PPBV	89
10) CHLOROMETHANE	1.772	52	540	0.21	PPBV	98
11) VINYL CHLORIDE	1.827	62	1503	0.16	PPBV	# 90
12) 1,3-BUTADIENE	1.865	54	1581	0.23	PPBV	# 68
13) N-BUTANE	1.878	43	2584	0.17	PPBV	# 65
14) BROMOMETHANE	1.933	94	1276	0.17	PPBV	# 90
15) CHLOROETHANE	1.978	64	855	0.17	PPBV	# 43
16) DICHLOROFLUOROMETHANE	2.001	67	3184	0.16	PPBV	# 90
17) ACETONITRILE	2.068	41	1632	0.18	PPBV	# 55
18) ACROLEIN	2.103	56	797	0.26	PPBV	91
19) FREON 123	2.116	83	3232	0.17	PPBV	99
20) FREON 123A	2.132	117	1910	0.18	PPBV	91
21) TRICHLOROFLUOROMETHANE	2.193	101	3471	0.16	PPBV	# 95
22) ISOPROPYL ALCOHOL	2.213	45	3639	0.18	PPBV	# 90
23) ACETONE	2.145	58	862	0.16	PPBV	# 9
24) PENTANE	2.300	42	1769	0.17	PPBV	# 77
25) IODOMETHANE	2.357	142	3080	0.16	PPBV	# 85
26) 1,1-DICHLOROETHYLENE	2.383	96	1322	0.17	PPBV	# 57
27) CARBON DISULFIDE	2.518	76	4174	0.17	PPBV	# 62
28) ETHANOL	2.007	45	1070	0.24	PPBV	# 40
29) BROMOETHENE	2.071	106	1132	0.15	PPBV	# 87
30) ACRYLONITRILE	2.274	52	1173	0.17	PPBV	89
31) METHYLENE CHLORIDE	2.422	84	1924	0.25	PPBV	# 67
32) 3-CHLOROPROPENE	2.464	76	648	0.15	PPBV	# 1
33) FREON 113	2.515	151	2044	0.16	PPBV	91
34) TRANS-1,2-DICHLOROETHENE	2.772	96	1440	0.16	PPBV	# 79
35) TERTIARY BUTYL ALCOHOL	2.409	59	3019	0.14	PPBV	# 93
36) METHYL TERTIARY BUTYL ...	2.891	73	3849	0.15	PPBV	# 59
37) TETRAHYDROFURAN	3.672	72	688	0.22	PPBV	# 33
38) HEXANE	3.393	57	2638	0.21	PPBV	# 69
39) VINYL ACETATE	2.930	86	408m	0.19	PPBV	
40) 1,1-DICHLOROETHANE	2.853	63	2737	0.16	PPBV	# 87
41) METHYL ETHYL KETONE	3.052	72	747	0.18	PPBV	# 19
42) CIS-1,2-DICHLOROETHENE	3.254	96	1447	0.20	PPBV	# 81
43) DIISOPROPYL ETHER	3.399	59	704	0.20	PPBV	# 23
44) ETHYL ACETATE	3.412	61	503	0.21	PPBV	# 13
45) METHYL ACRYLATE	3.390	55	3277	0.21	PPBV	# 65
46) CHLOROFORM	3.422	83	3234	0.21	PPBV	# 90
47) 2,4-DIMETHYLPENTANE	3.949	57	3157	0.22	PPBV	# 92
48) 1,1,1-TRICHLOROETHANE	4.036	97	3058	0.21	PPBV	# 94
49) CARBON TETRACHLORIDE	4.499	117	2874	0.19	PPBV	98
50) 1,2-DICHLOROETHANE	3.869	62	2145	0.19	PPBV	# 83
51) BENZENE	4.380	78	4525	0.20	PPBV	80
53) CYCLOHEXANE	4.602	84	1939	0.20	PPBV	# 74
54) 2,3-DIMETHYLPENTANE	4.872	71	1128	0.22	PPBV	# 72
55) TRICHLOROETHENE	5.344	95	2016	0.20	PPBV	88
56) 1,2-DICHLOROPROPANE	5.097	63	1718	0.19	PPBV	93
57) DIBROMOMETHANE	5.058	174	1698	0.17	PPBV	# 80

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26004.D
Acq On : 15 Sep 2022 11:32 am
Operator : thomash
Sample : ic1105-0.2
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:25:42 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58) ETHYL ACRYLATE	5.242	55	4029	0.21	PPBV	#	81
59) BROMODICHLOROMETHANE	5.296	83	3479	0.20	PPBV		98
60) 2,2,4-TRIMETHYLPENTANE	5.438	57	8718	0.21	PPBV	#	95
61) 1,4-DIOXANE	5.393	88	1090	0.23	PPBV	#	35
62) HEPTANE	5.772	43	2374	0.15	PPBV	#	74
63) METHYL METHACRYLATE	5.682	69	1552	0.19	PPBV	#	48
64) METHYL ISOBUTYL KETONE	6.483	58	973	0.14	PPBV	#	36
65) CIS-1,3-DICHLOROPROPENE	6.354	75	1877	0.14	PPBV	#	66
66) TOLUENE	7.611	91	3764	0.13	PPBV		99
67) 1,3-DICHLOROPROPANE	7.685	76	2071	0.14	PPBV	#	93
68) TRANS-1,3-DICHLOROPROPENE	7.061	75	1753	0.14	PPBV	#	69
69) 1,1,2-TRICHLOROETHANE	7.229	83	1326	0.16	PPBV		86
70) 2-HEXANONE	8.248	58	1249	0.16	PPBV	#	59
71) ETHYL METHACRYLATE	8.360	69	1718	0.14	PPBV	#	67
72) TETRACHLOROETHENE	9.415	164	1365	0.13	PPBV		96
73) DIBROMOCHLOROMETHANE	8.184	129	2342	0.15	PPBV		99
74) 1,2-DIBROMOETHANE	8.537	107	1944	0.13	PPBV	#	97
75) OCTANE	9.550	43	2680	0.13	PPBV	#	78
77) 1,1,1,2-TETRACHLOROETHANE	10.672	131	1487	0.17	PPBV	#	87
78) CHLOROBENZENE	10.659	112	2844	0.17	PPBV		91
79) ETHYLBENZENE	11.560	91	4699	0.17	PPBV		93
80) M,P-XYLENE	11.994	91	6710	0.32	PPBV	#	61
81) O-XYLENE	12.965	91	3609	0.16	PPBV		95
82) STYRENE	12.743	104	2453	0.16	PPBV		94
83) NONANE	14.074	43	3098	0.19	PPBV	#	71
84) BROMOFORM	11.823	173	2324	0.21	PPBV	#	87
85) 1,1,2,2-TETRACHLOROETHANE	12.990	83	3306	0.19	PPBV	#	93
86) 1,2,3-TRICHLOROPROPANE	13.267	75	2451	0.19	PPBV	#	99
88) ISOPROPYLBENZENE	14.495	120	1198	0.14	PPBV	#	72
89) BROMOBENZENE	14.376	77	2968	0.18	PPBV		88
90) 2-CHLOROTOLUENE	15.508	126	1120	0.15	PPBV	#	42
91) N-PROPYLBENZENE	15.855	120	1272	0.15	PPBV	#	62
92) 4-ETHYLTOLUENE	16.199	105	4363	0.14	PPBV	#	97
93) 1,3,5-TRIMETHYLBENZENE	16.350	105	3629	0.14	PPBV	#	89
94) ALPHA-METHYLSTYRENE	16.550	118	1692	0.14	PPBV	#	92
95) TERT-BUTYLBENZENE	16.794	134	1094	0.17	PPBV		90
96) 1,2,4-TRIMETHYLBENZENE	16.804	105	3617	0.13	PPBV	#	81
97) BENZYL CHLORIDE	16.887	91	2304	0.11	PPBV	#	60
98) M-DICHLOROBENZENE	16.865	146	2755	0.15	PPBV		97
99) P-DICHLOROBENZENE	16.942	146	2827	0.15	PPBV		96
100) O-DICHLOROBENZENE	17.235	146	2738	0.15	PPBV		95
101) SEC-BUTYLBENZENE	17.074	134	1170	0.15	PPBV		98
102) 1,2,3-TRIMETHYLBENZENE	17.180	105	3745	0.14	PPBV	#	86
103) P-ISOPROPYLTOLUENE	17.251	134	1178	0.13	PPBV		98
104) N-BUTYLBENZENE	17.592	134	1076	0.13	PPBV		87
105) HEXACHLOROETHANE	17.768	117	1776	0.17	PPBV		95
106) HEXACHLOROBUTADIENE	18.800	225	2508	0.16	PPBV		99
107) 1,2,4-TRICHLOROBENZENE	18.498	180	2001	0.11	PPBV		99
108) NAPHTHALENE	18.546	128	4410	0.10	PPBV		99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26004.D
Acq On : 15 Sep 2022 11:32 am
Operator : thomash
Sample : ic1105-0.2
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:25:42 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



Manual Integration Approval Summary

Sample Number: V6W1105-IC1105
Lab FileID: 6W26004.D
Injection Time: 09/15/22 11:32


Method: TO-15
Analyst approved: 09/21/22 08:23 Thomas Hilbig
Supervisor approved: 09/21/22 11:19 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Chlorodifluoromethane	75-45-6		1.70	Missed peak
Vinyl Acetate	108-05-4		2.93	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26004.D
Acq On : 15 Sep 2022 11:32 am
Operator : thomash
Sample : ic1105-0.2
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:17:13 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration





TIC: 6W26004.D\data.ms

(4) CHLORODIFLUOROMETHANE (T)

1.705min (-1.705) 0.00PPBV

response 0


Ion	Exp%	Act%
67.00	100	0.00
69.00	36.00	0.00#
0.00	0.00	0.00
0.00	0.00	0.00


6W26004.D edits: CHLORODIFLUOROMETHANE

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26004.D
Acq On : 15 Sep 2022 11:32 am
Operator : thomash
Sample : ic1105-0.2
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:17:13 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration





TIC: 6W26004.D\data.ms

(4) CHLORODIFLUOROMETHANE (T)

1.705min (-0.000) 0.16PPBV m


response 282


Ion	Exp%	Act%
67.00	100	100
69.00	36.00	0.00#
0.00	0.00	0.00
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26004.D
Acq On : 15 Sep 2022 11:32 am
Operator : thomash
Sample : ic1105-0.2
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:17:13 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration







TIC: 6W26004.D\data.ms

(39) VINYL ACETATE (T)

2.930min (-2.930) 0.00PPBV


response 0

Ion	Exp%	Act%
86.10	100	0.00
43.10	782.90	0.00#
44.10	43.10	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26004.D
Acq On : 15 Sep 2022 11:32 am
Operator : thomash
Sample : ic1105-0.2
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:17:13 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



TIC: 6W26004.D\data.ms

(39) VINYL ACETATE (T)

2.930min (-0.000) 0.19PPBV m

response 408

Ion	Exp%	Act%
86.10	100	100
43.10	782.90	0.00#
44.10	43.10	0.00#
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 09/21/22 11:19

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26005.D
Acq On : 15 Sep 2022 12:06 pm
Operator : thomash
Sample : ic1105-0.5
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 21 08:05:58 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.338	128	41167	10.00	PPBV	# 0.00
52) 1,4-DIFLUOROBENZENE	4.730	114	229434	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.585	117	156289	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	14.026	95	111484	10.11	PPBV	0.00
Target Compounds						Qvalue
3) FREON 152A	1.695	65	1623	0.44	PPBV	# 80
4) CHLORODIFLUOROMETHANE	1.708	67	788	0.47	PPBV	# 39
5) CHLOROTRIFLUOROETHENE	1.717	116	3146	0.40	PPBV	# 100
6) DICHLORODIFLUOROMETHANE	1.730	85	8659m	0.44	PPBV	
7) PROPYLENE	1.714	41	2210	0.40	PPBV	95
8) 1-CHLORO-1,1-DIFLUOROE...	1.766	65	8164	0.39	PPBV	# 75
9) FREON 114	1.798	85	8828	0.42	PPBV	90
10) CHLOROMETHANE	1.772	52	1179	0.47	PPBV	96
11) VINYL CHLORIDE	1.827	62	3764	0.41	PPBV	# 95
12) 1,3-BUTADIENE	1.865	54	2932	0.44	PPBV	# 63
13) N-BUTANE	1.878	43	6229	0.41	PPBV	# 89
14) BROMOMETHANE	1.933	94	3125	0.43	PPBV	# 94
15) CHLOROETHANE	1.978	64	1912	0.39	PPBV	96
16) DICHLOROFLUOROMETHANE	2.004	67	7880	0.42	PPBV	# 97
17) ACETONITRILE	2.068	41	4197	0.48	PPBV	# 95
18) ACROLEIN	2.103	56	1779	0.60	PPBV	90
19) FREON 123	2.116	83	7549	0.41	PPBV	98
20) FREON 123A	2.129	117	3564	0.36	PPBV	# 47
21) TRICHLOROFLUOROMETHANE	2.190	101	8017	0.38	PPBV	97
22) ISOPROPYL ALCOHOL	2.209	45	8368	0.44	PPBV	# 94
23) ACETONE	2.139	58	1988	0.38	PPBV	# 27
24) PENTANE	2.296	42	4359	0.44	PPBV	# 92
25) IODOMETHANE	2.357	142	7428	0.39	PPBV	# 85
26) 1,1-DICHLOROETHYLENE	2.383	96	3023	0.39	PPBV	# 48
27) CARBON DISULFIDE	2.521	76	10176	0.42	PPBV	# 82
28) ETHANOL	2.007	45	2397	0.56	PPBV	# 87
29) BROMOETHENE	2.071	106	2957	0.42	PPBV	# 90
30) ACRYLONITRILE	2.274	52	2643	0.40	PPBV	# 91
31) METHYLENE CHLORIDE	2.418	84	3848	0.53	PPBV	# 64
32) 3-CHLOROPROPENE	2.460	76	1578	0.38	PPBV	# 1
33) FREON 113	2.518	151	4964	0.40	PPBV	89
34) TRANS-1,2-DICHLOROETHENE	2.769	96	3374	0.39	PPBV	# 78
35) TERTIARY BUTYL ALCOHOL	2.402	59	7005	0.33	PPBV	# 92
36) METHYL TERTIARY BUTYL ...	2.891	73	8990	0.36	PPBV	# 82
37) TETRAHYDROFURAN	3.659	72	1584	0.53	PPBV	# 46
38) HEXANE	3.389	57	6142	0.51	PPBV	# 70
39) VINYL ACETATE	2.933	86	902	0.43	PPBV	# 1
40) 1,1-DICHLOROETHANE	2.849	63	6493	0.40	PPBV	97
41) METHYL ETHYL KETONE	3.045	72	1735	0.42	PPBV	# 1
42) CIS-1,2-DICHLOROETHENE	3.254	96	3529	0.51	PPBV	# 76
43) DIISOPROPYL ETHER	3.402	59	1734	0.50	PPBV	# 42
44) ETHYL ACETATE	3.405	61	1256	0.54	PPBV	# 6
45) METHYL ACRYLATE	3.393	55	8059	0.54	PPBV	# 99
46) CHLOROFORM	3.422	83	7558	0.51	PPBV	# 92
47) 2,4-DIMETHYLPENTANE	3.949	57	7042	0.51	PPBV	94
48) 1,1,1-TRICHLOROETHANE	4.045	97	7169	0.50	PPBV	# 89
49) CARBON TETRACHLORIDE	4.495	117	6725	0.47	PPBV	97
50) 1,2-DICHLOROETHANE	3.868	62	5560	0.52	PPBV	# 91
51) BENZENE	4.377	78	10883	0.51	PPBV	82
53) CYCLOHEXANE	4.602	84	4578	0.48	PPBV	# 77
54) 2,3-DIMETHYLPENTANE	4.875	71	2490	0.51	PPBV	# 64
55) TRICHLOROETHENE	5.344	95	4577	0.47	PPBV	91
56) 1,2-DICHLOROPROPANE	5.100	63	4720	0.55	PPBV	98
57) DIBROMOMETHANE	5.061	174	4035	0.43	PPBV	# 82

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26005.D
Acq On : 15 Sep 2022 12:06 pm
Operator : thomash
Sample : ic1105-0.5
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 21 08:05:58 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58) ETHYL ACRYLATE	5.238	55	9609	0.53	PPBV	#	93
59) BROMODICHLOROMETHANE	5.293	83	8380	0.51	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.441	57	20728	0.52	PPBV	#	99
61) 1,4-DIOXANE	5.393	88	2542	0.56	PPBV	#	66
62) HEPTANE	5.772	43	5357	0.36	PPBV	#	80
63) METHYL METHACRYLATE	5.692	69	3250	0.42	PPBV	#	61
64) METHYL ISOBUTYL KETONE	6.479	58	2559	0.38	PPBV	#	63
65) CIS-1,3-DICHLOROPROPENE	6.344	75	4592	0.37	PPBV	#	71
66) TOLUENE	7.608	91	9081	0.34	PPBV		99
67) 1,3-DICHLOROPROPANE	7.675	76	4969	0.36	PPBV	#	98
68) TRANS-1,3-DICHLOROPROPENE	7.071	75	4075	0.35	PPBV	#	74
69) 1,1,2-TRICHLOROETHANE	7.238	83	3225	0.40	PPBV		94
70) 2-HEXANONE	8.241	58	2813	0.38	PPBV	#	39
71) ETHYL METHACRYLATE	8.360	69	4180	0.35	PPBV	#	70
72) TETRACHLOROETHENE	9.412	164	3480	0.36	PPBV		97
73) DIBROMOCHLOROMETHANE	8.180	129	5555	0.37	PPBV		98
74) 1,2-DIBROMOETHANE	8.534	107	5218	0.36	PPBV	#	98
75) OCTANE	9.556	43	6620	0.33	PPBV	#	75
77) 1,1,1,2-TETRACHLOROETHANE	10.675	131	3780	0.44	PPBV	#	85
78) CHLOROBENZENE	10.662	112	7527	0.44	PPBV		92
79) ETHYLBENZENE	11.572	91	11433	0.41	PPBV		97
80) M,P-XYLENE	12.003	91	17053m	0.80	PPBV		
81) O-XYLENE	12.952	91	8401	0.38	PPBV		89
82) STYRENE	12.733	104	5776	0.38	PPBV	#	93
83) NONANE	14.077	43	7967	0.48	PPBV	#	73
84) BROMOFORM	11.826	173	5405	0.50	PPBV	#	91
85) 1,1,2,2-TETRACHLOROETHANE	12.981	83	8383	0.49	PPBV	#	99
86) 1,2,3-TRICHLOROPROPANE	13.260	75	6234	0.49	PPBV	#	99
88) ISOPROPYLBENZENE	14.498	120	3057	0.37	PPBV	#	75
89) BROMOBENZENE	14.373	77	7178	0.44	PPBV		89
90) 2-CHLOROTOLUENE	15.518	126	2646	0.37	PPBV		96
91) N-PROPYLBENZENE	15.862	120	2909	0.35	PPBV	#	62
92) 4-ETHYLTOLUENE	16.196	105	10801	0.36	PPBV	#	97
93) 1,3,5-TRIMETHYLBENZENE	16.350	105	9041	0.36	PPBV	#	95
94) ALPHA-METHYLSTYRENE	16.546	118	4337	0.37	PPBV		93
95) TERT-BUTYLBENZENE	16.797	134	2136	0.33	PPBV		91
96) 1,2,4-TRIMETHYLBENZENE	16.804	105	9489	0.35	PPBV		93
97) BENZYL CHLORIDE	16.884	91	5788	0.27	PPBV	#	95
98) M-DICHLOROBENZENE	16.862	146	7301	0.40	PPBV		97
99) P-DICHLOROBENZENE	16.945	146	7088	0.38	PPBV		97
100) O-DICHLOROBENZENE	17.235	146	7065	0.40	PPBV		95
101) SEC-BUTYLBENZENE	17.071	134	2696	0.34	PPBV		78
102) 1,2,3-TRIMETHYLBENZENE	17.180	105	9619	0.37	PPBV	#	95
103) P-ISOPROPYLTOLUENE	17.251	134	3153	0.35	PPBV		94
104) N-BUTYLBENZENE	17.591	134	2647	0.31	PPBV		71
105) HEXACHLOROETHANE	17.768	117	4294	0.41	PPBV		94
106) HEXACHLOROBUTADIENE	18.797	225	6344	0.40	PPBV		99
107) 1,2,4-TRICHLOROBENZENE	18.495	180	5119	0.28	PPBV		98
108) NAPHTHALENE	18.543	128	11951	0.27	PPBV		99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26005.D
Acq On : 15 Sep 2022 12:06 pm
Operator : thomash
Sample : ic1105-0.5
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 21 08:05:58 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V6W1105-IC1105
Lab FileID: 6W26005.D
Injection Time: 09/15/22 12:06
Method: TO-15
Analyst approved: 09/21/22 08:23 Thomas Hilbig
Supervisor approved: 09/21/22 11:19 Kanya Veerawat

Parameter	CAS	Sig#	R.T. (min.)	Reason
Dichlorodifluoromethane	75-71-8		1.73	Missed peak
m,p-Xylene			12.00	Split peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26005.D
Acq On : 15 Sep 2022 12:06 pm
Operator : thomash
Sample : ic1105-0.5
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:17:03 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



TIC: 6W26005.D\data.ms

(80) M,P-XYLENE (t)

12.003min (-0.003) 0.36PPBV


response 7587

Ion	Exp%	Act%
91.10	100	100
106.10	51.50	38.88
105.10	23.60	28.55
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26005.D
Acq On : 15 Sep 2022 12:06 pm
Operator : thomash
Sample : ic1105-0.5
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:17:03 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



TIC: 6W26005.D\data.ms

(80) M,P-XYLENE (t)

12.003min (-0.003) 0.80PPBV m


response 17053


Ion	Exp%	Act%
91.10	100	100
106.10	51.50	17.30#
105.10	23.60	12.70
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26005.D
Acq On : 15 Sep 2022 12:06 pm
Operator : thomash
Sample : ic1105-0.5
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:31:07 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration





TIC: 6W26005.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.798min (+0.067) 0.44PPBV


response 8786

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	30.98
50.00	9.30	11.10
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26005.D
Acq On : 15 Sep 2022 12:06 pm
Operator : thomash
Sample : ic1105-0.5
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:31:07 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



TIC: 6W26005.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.730min (-0.000) 0.44PPBV m

response 8659

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	31.44
50.00	9.30	11.26#
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 09/21/22 11:19

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26007.D
Acq On : 15 Sep 2022 1:12 pm
Operator : thomash
Sample : ic1105-5
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 21 08:06:51 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.338	128	41869	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.730	114	230215	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.582	117	162921	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.026	95	119473	10.39	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.695	65	16883	4.48	PPBV	#	82
4) CHLORODIFLUOROMETHANE	1.705	67	7856	4.62	PPBV		99
5) CHLOROTRIFLUOROETHENE	1.717	116	33171	4.10	PPBV	#	100
6) DICHLORODIFLUOROMETHANE	1.730	85	83015m	4.13	PPBV		
7) PROPYLENE	1.714	41	22963	4.13	PPBV		95
8) 1-CHLORO-1,1-DIFLUOROE...	1.766	65	79198	3.76	PPBV	#	86
9) FREON 114	1.798	85	85539	3.96	PPBV		91
10) CHLOROMETHANE	1.772	52	11255	4.43	PPBV		95
11) VINYL CHLORIDE	1.827	62	36067	3.87	PPBV		99
12) 1,3-BUTADIENE	1.865	54	28488	4.16	PPBV	#	69
13) N-BUTANE	1.878	43	59306	3.88	PPBV	#	90
14) BROMOMETHANE	1.933	94	29018	3.89	PPBV		100
15) CHLOROETHANE	1.978	64	18515	3.71	PPBV		97
16) DICHLOROFLUOROMETHANE	2.000	67	78124	4.06	PPBV	#	95
17) ACETONITRILE	2.065	41	37257	4.15	PPBV		94
18) ACROLEIN	2.100	56	18075	6.03	PPBV		97
19) FREON 123	2.116	83	75901	4.09	PPBV		97
20) FREON 123A	2.132	117	37193	3.66	PPBV	#	60
21) TRICHLOROFLUOROMETHANE	2.190	101	81186	3.82	PPBV		100
22) ISOPROPYL ALCOHOL	2.206	45	78870	4.08	PPBV	#	95
23) ACETONE	2.139	58	18274	3.47	PPBV	#	30
24) PENTANE	2.296	42	41215	4.12	PPBV	#	94
25) IODOMETHANE	2.357	142	72144	3.72	PPBV	#	84
26) 1,1-DICHLOROETHYLENE	2.383	96	30006	3.85	PPBV	#	49
27) CARBON DISULFIDE	2.521	76	100775	4.13	PPBV	#	87
28) ETHANOL	2.007	45	19178	4.41	PPBV	#	96
29) BROMOETHENE	2.071	106	27819	3.85	PPBV	#	97
30) ACRYLONITRILE	2.271	52	27993	4.14	PPBV		95
31) METHYLENE CHLORIDE	2.418	84	30842	4.18	PPBV	#	61
32) 3-CHLOROPROPENE	2.463	76	16012	3.74	PPBV	#	8
33) FREON 113	2.518	151	47891	3.77	PPBV		84
34) TRANS-1,2-DICHLOROETHENE	2.769	96	33287	3.81	PPBV	#	79
35) TERTIARY BUTYL ALCOHOL	2.396	59	70919	3.31	PPBV	#	91
36) METHYL TERTIARY BUTYL ...	2.888	73	87202	3.45	PPBV	#	92
37) TETRAHYDROFURAN	3.656	72	16588	5.41	PPBV	#	52
38) HEXANE	3.389	57	60840	4.95	PPBV	#	74
39) VINYL ACETATE	2.930	86	8658	4.05	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.852	63	66052	3.96	PPBV		98
41) METHYL ETHYL KETONE	3.039	72	17320	4.15	PPBV	#	10
42) CIS-1,2-DICHLOROETHENE	3.254	96	33508	4.72	PPBV	#	77
43) DIISOPROPYL ETHER	3.399	59	18084	5.15	PPBV	#	50
44) ETHYL ACETATE	3.409	61	13219	5.54	PPBV	#	34
45) METHYL ACRYLATE	3.389	55	79991	5.29	PPBV	#	98
46) CHLOROFORM	3.422	83	74502	4.97	PPBV	#	92
47) 2,4-DIMETHYLPENTANE	3.952	57	71158	5.08	PPBV	#	93
48) 1,1,1-TRICHLOROETHANE	4.042	97	69631	4.82	PPBV	#	92
49) CARBON TETRACHLORIDE	4.499	117	65729	4.55	PPBV		99
50) 1,2-DICHLOROETHANE	3.869	62	53868	4.97	PPBV	#	96
51) BENZENE	4.380	78	104758	4.82	PPBV		83
53) CYCLOHEXANE	4.598	84	44781	4.70	PPBV	#	81
54) 2,3-DIMETHYLPENTANE	4.875	71	24051	4.93	PPBV	#	65
55) TRICHLOROETHENE	5.348	95	45510	4.63	PPBV		91
56) 1,2-DICHLOROPROPANE	5.103	63	44310	5.16	PPBV		96
57) DIBROMOMETHANE	5.055	174	38889	4.13	PPBV	#	84

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26007.D
Acq On : 15 Sep 2022 1:12 pm
Operator : thomash
Sample : ic1105-5
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 21 08:06:51 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58) ETHYL ACRYLATE	5.235	55	97704	5.36	PPBV	#	96
59) BROMODICHLOROMETHANE	5.296	83	83880	5.12	PPBV		96
60) 2,2,4-TRIMETHYLPENTANE	5.441	57	200041	5.04	PPBV	#	98
61) 1,4-DIOXANE	5.377	88	23915	5.24	PPBV	#	77
62) HEPTANE	5.778	43	58464	3.96	PPBV	#	77
63) METHYL METHACRYLATE	5.685	69	32566	4.18	PPBV	#	60
64) METHYL ISOBUTYL KETONE	6.473	58	28816	4.22	PPBV	#	60
65) CIS-1,3-DICHLOROPROPENE	6.348	75	49075	3.93	PPBV	#	74
66) TOLUENE	7.614	91	99203	3.70	PPBV		99
67) 1,3-DICHLOROPROPANE	7.685	76	55640	4.06	PPBV	#	98
68) TRANS-1,3-DICHLOROPROPENE	7.071	75	43746	3.72	PPBV	#	75
69) 1,1,2-TRICHLOROETHANE	7.235	83	33006	4.09	PPBV		97
70) 2-HEXANONE	8.225	58	37827	5.03	PPBV	#	61
71) ETHYL METHACRYLATE	8.357	69	52725	4.44	PPBV	#	75
72) TETRACHLOROETHENE	9.412	164	36250	3.71	PPBV		97
73) DIBROMOCHLOROMETHANE	8.183	129	60742	4.01	PPBV		100
74) 1,2-DIBROMOETHANE	8.540	107	54440	3.78	PPBV		100
75) OCTANE	9.560	43	77527	3.80	PPBV	#	77
77) 1,1,1,2-TETRACHLOROETHANE	10.675	131	40945	4.59	PPBV	#	86
78) CHLOROBENZENE	10.659	112	79415	4.50	PPBV		93
79) ETHYLBENZENE	11.566	91	129412	4.44	PPBV		96
80) M,P-XYLENE	12.006	91	203062	9.18	PPBV	#	63
81) O-XYLENE	12.961	91	104341	4.57	PPBV		95
82) STYRENE	12.746	104	73249	4.58	PPBV		94
83) NONANE	14.087	43	86741	5.02	PPBV	#	77
84) BROMOFORM	11.830	173	58536	5.15	PPBV	#	98
85) 1,1,2,2-TETRACHLOROETHANE	12.987	83	89012	5.01	PPBV		97
86) 1,2,3-TRICHLOROPROPANE	13.270	75	66262	5.00	PPBV	#	99
88) ISOPROPYLBENZENE	14.508	120	36199	4.21	PPBV	#	74
89) BROMOBENZENE	14.376	77	78712	4.67	PPBV		88
90) 2-CHLOROTOLUENE	15.521	126	32716	4.33	PPBV		99
91) N-PROPYLBENZENE	15.862	120	36996	4.28	PPBV		100
92) 4-ETHYLTOLUENE	16.199	105	143705	4.55	PPBV		98
93) 1,3,5-TRIMETHYLBENZENE	16.350	105	121207	4.57	PPBV	#	94
94) ALPHA-METHYLSTYRENE	16.546	118	59120	4.80	PPBV		96
95) TERT-BUTYLBENZENE	16.797	134	28686	4.20	PPBV		98
96) 1,2,4-TRIMETHYLBENZENE	16.804	105	126670	4.51	PPBV		91
97) BENZYL CHLORIDE	16.887	91	86969	3.95	PPBV	#	94
98) M-DICHLOROBENZENE	16.865	146	83819	4.38	PPBV		98
99) P-DICHLOROBENZENE	16.945	146	84289	4.36	PPBV		98
100) O-DICHLOROBENZENE	17.235	146	81719	4.41	PPBV		98
101) SEC-BUTYLBENZENE	17.074	134	35398	4.27	PPBV		89
102) 1,2,3-TRIMETHYLBENZENE	17.183	105	124163	4.54	PPBV	#	95
103) P-ISOPROPYLTOLUENE	17.247	134	40083	4.28	PPBV		95
104) N-BUTYLBENZENE	17.591	134	37397	4.22	PPBV		69
105) HEXACHLOROETHANE	17.772	117	50861	4.65	PPBV		95
106) HEXACHLOROBUTADIENE	18.797	225	72632	4.45	PPBV		100
107) 1,2,4-TRICHLOROBENZENE	18.495	180	74810	3.96	PPBV		98
108) NAPHTHALENE	18.543	128	195772	4.17	PPBV		99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26007.D
Acq On : 15 Sep 2022 1:12 pm
Operator : thomash
Sample : ic1105-5
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 21 08:06:51 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V6W1105-IC1105
Lab FileID: 6W26007.D
Injection Time: 09/15/22 13:12
Method: TO-15
Analyst approved: 09/21/22 08:23 Thomas Hilbig
Supervisor approved: 09/21/22 11:19 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Dichlorodifluoromethane	75-71-8		1.73	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26007.D
Acq On : 15 Sep 2022 1:12 pm
Operator : thomash
Sample : ic1105-5
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 20 08:16:37 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration





TIC: 6W26007.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.798min (+0.067) 4.23PPBV


response 84978


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	32.25
50.00	9.30	10.94
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26007.D
Acq On : 15 Sep 2022 1:12 pm
Operator : thomash
Sample : ic1105-5
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 20 08:16:37 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration





TIC: 6W26007.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.730min (-0.000) 4.13PPBV m

response 83015

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	33.01
50.00	9.30	11.20#
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 09/21/22 13:59

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26008.D
Acq On : 15 Sep 2022 1:46 pm
Operator : thomash
Sample : icc1105-10
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 21 12:42:40 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 09:57:49 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.335	128	40665	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.734	114	227187	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.589	117	165536	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.026	95	121965	10.08	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.695	65	34676	10.56	PPBV	#	78
4) CHLORODIFLUOROMETHANE	1.705	67	16445	10.50	PPBV		98
5) CHLOROTRIFLUOROETHENE	1.718	116	68459	10.39	PPBV	#	100
6) DICHLORODIFLUOROMETHANE	1.730	85	167538m	9.23	PPBV		
7) PROPYLENE	1.714	41	48333	10.18	PPBV		95
8) 1-CHLORO-1,1-DIFLUOROE...	1.766	65	158942	10.10	PPBV	#	87
9) FREON 114	1.798	85	172248	9.99	PPBV		91
10) CHLOROMETHANE	1.772	52	22579	9.67	PPBV		96
11) VINYL CHLORIDE	1.827	62	72586	10.04	PPBV		99
12) 1,3-BUTADIENE	1.862	54	57122	9.62	PPBV	#	69
13) N-BUTANE	1.878	43	118930	9.80	PPBV	#	91
14) BROMOMETHANE	1.933	94	57868	9.83	PPBV		99
15) CHLOROETHANE	1.978	64	37286	9.73	PPBV		96
16) DICHLOROFLUOROMETHANE	2.001	67	156486	10.15	PPBV	#	95
17) ACETONITRILE	2.065	41	76405	9.84	PPBV		96
18) ACROLEIN	2.100	56	35343	10.08	PPBV		99
19) FREON 123	2.113	83	152174	9.99	PPBV		97
20) FREON 123A	2.129	117	73922	9.69	PPBV	#	58
21) TRICHLOROFLUOROMETHANE	2.190	101	159890	9.92	PPBV		99
22) ISOPROPYL ALCOHOL	2.206	45	158925	9.98	PPBV	#	96
23) ACETONE	2.136	58	36288	9.70	PPBV	#	27
24) PENTANE	2.296	42	83528	9.85	PPBV	#	94
25) IODOMETHANE	2.354	142	146931	10.04	PPBV	#	84
26) 1,1-DICHLOROETHYLENE	2.383	96	61153	10.01	PPBV	#	52
27) CARBON DISULFIDE	2.518	76	203737	10.02	PPBV	#	88
28) ETHANOL	2.007	45	37157	8.95	PPBV	#	96
29) BROMOETHENE	2.071	106	56201	10.03	PPBV	#	96
30) ACRYLONITRILE	2.271	52	55993	10.08	PPBV		97
31) METHYLENE CHLORIDE	2.422	84	60789	9.12	PPBV	#	60
32) 3-CHLOROPROPENE	2.464	76	32195	10.30	PPBV	#	7
33) FREON 113	2.518	151	96956	9.97	PPBV		84
34) TRANS-1,2-DICHLOROETHENE	2.769	96	65724	9.83	PPBV	#	76
35) TERTIARY BUTYL ALCOHOL	2.396	59	144518	10.18	PPBV	#	90
36) METHYL TERTIARY BUTYL ...	2.888	73	178164	9.98	PPBV	#	92
37) TETRAHYDROFURAN	3.650	72	33149	10.24	PPBV	#	50
38) HEXANE	3.390	57	123858	9.93	PPBV	#	75
39) VINYL ACETATE	2.930	86	17706	9.87	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.849	63	131604	10.18	PPBV		99
41) METHYL ETHYL KETONE	3.036	72	34020	9.93	PPBV	#	5
42) CIS-1,2-DICHLOROETHENE	3.254	96	67189	10.00	PPBV	#	76
43) DIISOPROPYL ETHER	3.399	59	36133	9.97	PPBV	#	45
44) ETHYL ACETATE	3.406	61	26634	10.36	PPBV	#	31
45) METHYL ACRYLATE	3.390	55	162121	10.02	PPBV	#	97
46) CHLOROFORM	3.418	83	150772	9.97	PPBV	#	92
47) 2,4-DIMETHYLPENTANE	3.952	57	143306	9.95	PPBV	#	93
48) 1,1,1-TRICHLOROETHANE	4.042	97	139639	10.05	PPBV	#	91
49) CARBON TETRACHLORIDE	4.499	117	133695	10.19	PPBV		99
50) 1,2-DICHLOROETHANE	3.869	62	108188	10.20	PPBV	#	95
51) BENZENE	4.380	78	210849	10.05	PPBV		83
53) CYCLOHEXANE	4.598	84	89475	9.80	PPBV	#	80
54) 2,3-DIMETHYLPENTANE	4.875	71	48204	9.65	PPBV	#	63
55) TRICHLOROETHENE	5.348	95	91388	9.64	PPBV		91
56) 1,2-DICHLOROPROPANE	5.100	63	89662	10.01	PPBV		97
57) DIBROMOMETHANE	5.058	174	78532	9.74	PPBV	#	84

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26008.D
Acq On : 15 Sep 2022 1:46 pm
Operator : thomash
Sample : icc1105-10
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 21 12:42:40 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 09:57:49 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58) ETHYL ACRYLATE	5.235	55	196563	10.24	PPBV	#	97
59) BROMODICHLOROMETHANE	5.296	83	167533	10.07	PPBV		97
60) 2,2,4-TRIMETHYLPENTANE	5.441	57	382226	9.74	PPBV	#	99
61) 1,4-DIOXANE	5.373	88	48147	10.22	PPBV	#	73
62) HEPTANE	5.775	43	118808	9.31	PPBV	#	80
63) METHYL METHACRYLATE	5.685	69	69320	9.60	PPBV	#	61
64) METHYL ISOBUTYL KETONE	6.470	58	61318	10.73	PPBV	#	64
65) CIS-1,3-DICHLOROPROPENE	6.351	75	103825	10.23	PPBV	#	75
66) TOLUENE	7.611	91	205817	10.23	PPBV		100
67) 1,3-DICHLOROPROPANE	7.682	76	112477	10.13	PPBV	#	97
68) TRANS-1,3-DICHLOROPROPENE	7.068	75	94182	10.02	PPBV	#	78
69) 1,1,2-TRICHLOROETHANE	7.241	83	68269	10.23	PPBV		95
70) 2-HEXANONE	8.225	58	81320	10.96	PPBV	#	64
71) ETHYL METHACRYLATE	8.357	69	113583	10.87	PPBV	#	75
72) TETRACHLOROETHENE	9.412	164	73653	9.31	PPBV		97
73) DIBROMOCHLOROMETHANE	8.184	129	125180	10.13	PPBV		99
74) 1,2-DIBROMOETHANE	8.537	107	113178	10.11	PPBV		99
75) OCTANE	9.556	43	164358	10.50	PPBV	#	78
77) 1,1,1,2-TETRACHLOROETHANE	10.679	131	85631	10.19	PPBV	#	87
78) CHLOROBENZENE	10.666	112	165226	10.07	PPBV		94
79) ETHYLBENZENE	11.569	91	275724	10.36	PPBV		96
80) M,P-XYLENE	12.007	91	432339	21.31	PPBV	#	66
81) O-XYLENE	12.961	91	218697	10.48	PPBV		93
82) STYRENE	12.749	104	157294	10.61	PPBV		94
83) NONANE	14.087	43	180840	10.14	PPBV	#	76
84) BROMOFORM	11.826	173	123026	10.08	PPBV		98
85) 1,1,2,2-TETRACHLOROETHANE	12.990	83	184572	10.02	PPBV		97
86) 1,2,3-TRICHLOROPROPANE	13.270	75	136079	10.05	PPBV		100
88) ISOPROPYLBENZENE	14.502	120	77532	10.61	PPBV	#	75
89) BROMOBENZENE	14.376	77	166340	10.12	PPBV		88
90) 2-CHLOROTOLUENE	15.524	126	70399	10.56	PPBV		100
91) N-PROPYLBENZENE	15.862	120	79214	10.80	PPBV		97
92) 4-ETHYLTOLUENE	16.203	105	308706	10.74	PPBV		97
93) 1,3,5-TRIMETHYLBENZENE	16.350	105	257296	10.62	PPBV	#	95
94) ALPHA-METHYLSTYRENE	16.547	118	127449	10.50	PPBV		97
95) TERT-BUTYLBENZENE	16.797	134	61238	10.39	PPBV		96
96) 1,2,4-TRIMETHYLBENZENE	16.807	105	279853	10.80	PPBV		89
97) BENZYL CHLORIDE	16.891	91	205800	10.87	PPBV	#	93
98) M-DICHLOROBENZENE	16.865	146	180074	10.32	PPBV		99
99) P-DICHLOROBENZENE	16.945	146	181949	10.11	PPBV		99
100) O-DICHLOROBENZENE	17.238	146	177685	10.23	PPBV		98
101) SEC-BUTYLBENZENE	17.074	134	77358	10.57	PPBV		90
102) 1,2,3-TRIMETHYLBENZENE	17.183	105	268523	10.62	PPBV	#	96
103) P-ISOPROPYLTOLUENE	17.251	134	88154	10.72	PPBV		99
104) N-BUTYLBENZENE	17.595	134	85286	11.03	PPBV		75
105) HEXACHLOROETHANE	17.772	117	112797	10.05	PPBV		94
106) HEXACHLOROBUTADIENE	18.800	225	158684	9.60	PPBV		100
107) 1,2,4-TRICHLOROBENZENE	18.498	180	170756	9.92	PPBV		98
108) NAPHTHALENE	18.546	128	443020	11.19	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26008.D
Acq On : 15 Sep 2022 1:46 pm
Operator : thomash
Sample : icc1105-10
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 21 12:42:40 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 09:57:49 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V6W1105-ICC1105 **Method:** TO-15
Lab FileID: 6W26008.D **Analyst approved:** 09/21/22 12:54 Thomas Hilbig
Injection Time: 09/15/22 13:46 **Supervisor approved:** 09/21/22 13:59 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Dichlorodifluoromethane	75-71-8		1.73	Overlapping peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26008.D
Acq On : 15 Sep 2022 1:46 pm
Operator : thomash
Sample : icc1105-10
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 20 15:18:20 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 09:57:49 2022
Response via : Initial Calibration





TIC: 6W26008.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.730min (+0.000) 10.63PPBV


response 192813


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	32.30
50.00	9.30	21.23#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26008.D
Acq On : 15 Sep 2022 1:46 pm
Operator : thomash
Sample : icc1105-10
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 20 15:18:20 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 09:57:49 2022
Response via : Initial Calibration







TIC: 6W26008.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.730min (+0.000) 9.23PPBV m

response 167538

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	37.17
50.00	9.30	24.43#
0.00	0.00	0.00

6W26008.D edits: DICHLORODIFLUOROMETHANE

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 09/21/22 11:19

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26009.D
Acq On : 15 Sep 2022 2:22 pm
Operator : thomash
Sample : ic1105-20
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 21 08:07:11 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.338	128	43498	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.733	114	234032	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.585	117	175266	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.023	95	131045	10.59	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.695	65	72765	18.60	PPBV	#	79
4) CHLORODIFLUOROMETHANE	1.708	67	34075	19.28	PPBV		96
5) CHLOROTRIFLUOROETHENE	1.718	116	143324	17.06	PPBV	#	100
6) DICHLORODIFLUOROMETHANE	1.730	85	348832m	16.71	PPBV		
7) PROPYLENE	1.714	41	101920	17.65	PPBV		95
8) 1-CHLORO-1,1-DIFLUOROE...	1.766	65	328889	15.03	PPBV	#	87
9) FREON 114	1.798	85	358994	15.99	PPBV		91
10) CHLOROMETHANE	1.772	52	45597	17.26	PPBV		93
11) VINYL CHLORIDE	1.830	62	149865	15.49	PPBV		98
12) 1,3-BUTADIENE	1.865	54	119593	16.82	PPBV	#	71
13) N-BUTANE	1.878	43	246013	15.50	PPBV	#	91
14) BROMOMETHANE	1.933	94	119869	15.45	PPBV		100
15) CHLOROETHANE	1.978	64	76364	14.71	PPBV		96
16) DICHLOROFLUOROMETHANE	2.004	67	324278	16.23	PPBV	#	96
17) ACETONITRILE	2.065	41	155869	16.70	PPBV		97
18) ACROLEIN	2.100	56	75029	24.08	PPBV		99
19) FREON 123	2.116	83	316207	16.40	PPBV		98
20) FREON 123A	2.132	117	155897	14.75	PPBV	#	61
21) TRICHLOROFLUOROMETHANE	2.190	101	334178	15.12	PPBV		100
22) ISOPROPYL ALCOHOL	2.206	45	332406	16.55	PPBV	#	97
23) ACETONE	2.136	58	76064	13.89	PPBV	#	31
24) PENTANE	2.300	42	172095	16.55	PPBV	#	94
25) IODOMETHANE	2.357	142	306090	15.19	PPBV	#	84
26) 1,1-DICHLOROETHYLENE	2.383	96	127827	15.79	PPBV	#	52
27) CARBON DISULFIDE	2.521	76	428571	16.90	PPBV	#	88
28) ETHANOL	2.004	45	77162	17.08	PPBV	#	97
29) BROMOETHENE	2.071	106	116828	15.55	PPBV	#	97
30) ACRYLONITRILE	2.271	52	115330	16.43	PPBV		96
31) METHYLENE CHLORIDE	2.422	84	123836	16.14	PPBV	#	60
32) 3-CHLOROPROPENE	2.463	76	67359	15.16	PPBV	#	8
33) FREON 113	2.518	151	204644	15.50	PPBV		86
34) TRANS-1,2-DICHLOROETHENE	2.769	96	137905	15.18	PPBV	#	78
35) TERTIARY BUTYL ALCOHOL	2.393	59	308192	13.85	PPBV	#	88
36) METHYL TERTIARY BUTYL ...	2.888	73	375536	14.30	PPBV	#	93
37) TETRAHYDROFURAN	3.650	72	69267	21.75	PPBV	#	51
38) HEXANE	3.393	57	259900	20.35	PPBV	#	76
39) VINYL ACETATE	2.930	86	38384	17.30	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.853	63	269664	15.58	PPBV		99
41) METHYL ETHYL KETONE	3.036	72	73144	16.88	PPBV	#	13
42) CIS-1,2-DICHLOROETHENE	3.254	96	139746	18.95	PPBV	#	76
43) DIISOPROPYL ETHER	3.399	59	76901	21.09	PPBV	#	48
44) ETHYL ACETATE	3.406	61	56597	22.84	PPBV	#	35
45) METHYL ACRYLATE	3.389	55	343698	21.89	PPBV	#	97
46) CHLOROFORM	3.422	83	314797	20.21	PPBV	#	92
47) 2,4-DIMETHYLPENTANE	3.955	57	297075	20.41	PPBV	#	94
48) 1,1,1-TRICHLOROETHANE	4.042	97	290920	19.37	PPBV	#	93
49) CARBON TETRACHLORIDE	4.499	117	277702	18.49	PPBV		100
50) 1,2-DICHLOROETHANE	3.869	62	222951	19.81	PPBV	#	96
51) BENZENE	4.380	78	436220	19.33	PPBV		83
53) CYCLOHEXANE	4.602	84	186444	19.26	PPBV	#	81
54) 2,3-DIMETHYLPENTANE	4.875	71	99766	20.10	PPBV	#	65
55) TRICHLOROETHENE	5.351	95	189993	19.00	PPBV		91
56) 1,2-DICHLOROPROPANE	5.100	63	184125	21.10	PPBV		96
57) DIBROMOMETHANE	5.058	174	162065	16.94	PPBV	#	84

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26009.D
Acq On : 15 Sep 2022 2:22 pm
Operator : thomash
Sample : ic1105-20
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 21 08:07:11 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58)	ETHYL ACRYLATE	5.235	55	414660	22.38	PPBV	#	96
59)	BROMODICHLOROMETHANE	5.299	83	347773	20.86	PPBV		97
60)	2,2,4-TRIMETHYLPENTANE	5.441	57	827472	20.51	PPBV	#	99
61)	1,4-DIOXANE	5.373	88	98724	21.28	PPBV	#	73
62)	HEPTANE	5.778	43	250621	16.71	PPBV	#	80
63)	METHYL METHACRYLATE	5.685	69	148195	18.71	PPBV	#	61
64)	METHYL ISOBUTYL KETONE	6.473	58	129398	18.64	PPBV	#	64
65)	CIS-1,3-DICHLOROPROPENE	6.351	75	222182	17.52	PPBV	#	75
66)	TOLUENE	7.614	91	440026	16.12	PPBV		99
67)	1,3-DICHLOROPROPANE	7.685	76	238461	17.10	PPBV	#	98
68)	TRANS-1,3-DICHLOROPROPENE	7.068	75	207764	17.38	PPBV	#	79
69)	1,1,2-TRICHLOROETHANE	7.241	83	142711	17.39	PPBV		95
70)	2-HEXANONE	8.222	58	174085	22.79	PPBV	#	64
71)	ETHYL METHACRYLATE	8.357	69	246273	20.41	PPBV	#	75
72)	TETRACHLOROETHENE	9.415	164	157151	15.84	PPBV		97
73)	DIBROMOCHLOROMETHANE	8.190	129	265514	17.24	PPBV		99
74)	1,2-DIBROMOETHANE	8.540	107	242540	16.55	PPBV		99
75)	OCTANE	9.560	43	352758	17.01	PPBV	#	78
77)	1,1,1,2-TETRACHLOROETHANE	10.682	131	184206	19.20	PPBV		89
78)	CHLOROBENZENE	10.669	112	351776	18.54	PPBV		94
79)	ETHYLBENZENE	11.569	91	600595	19.13	PPBV		95
80)	M,P-XYLENE	12.010	91	934432	39.29	PPBV	#	65
81)	O-XYLENE	12.965	91	477346	19.44	PPBV		93
82)	STYRENE	12.746	104	347171	20.19	PPBV	#	94
83)	NONANE	14.093	43	387970	20.87	PPBV	#	76
84)	BROMOFORM	11.830	173	268223	21.94	PPBV		99
85)	1,1,2,2-TETRACHLOROETHANE	12.994	83	394709	20.66	PPBV		97
86)	1,2,3-TRICHLOROPROPANE	13.277	75	290570	20.36	PPBV		100
88)	ISOPROPYLBENZENE	14.502	120	168854	18.26	PPBV	#	76
89)	BROMOBENZENE	14.383	77	357009	19.69	PPBV		89
90)	2-CHLOROTOLUENE	15.527	126	153662	18.92	PPBV		99
91)	N-PROPYLBENZENE	15.865	120	174050	18.73	PPBV		98
92)	4-ETHYLTOLUENE	16.206	105	675144	19.87	PPBV		97
93)	1,3,5-TRIMETHYLBENZENE	16.350	105	571648	20.05	PPBV	#	95
94)	ALPHA-METHYLSTYRENE	16.547	118	286733	21.64	PPBV		96
95)	TERT-BUTYLBENZENE	16.801	134	136761	18.62	PPBV		97
96)	1,2,4-TRIMETHYLBENZENE	16.807	105	609832	20.20	PPBV		91
97)	BENZYL CHLORIDE	16.891	91	489404	20.67	PPBV	#	94
98)	M-DICHLOROBENZENE	16.868	146	397901	19.32	PPBV		98
99)	P-DICHLOROBENZENE	16.948	146	400358	19.23	PPBV		97
100)	O-DICHLOROBENZENE	17.238	146	396786	19.90	PPBV		98
101)	SEC-BUTYLBENZENE	17.074	134	175494	19.68	PPBV		92
102)	1,2,3-TRIMETHYLBENZENE	17.186	105	608548	20.66	PPBV	#	96
103)	P-ISOPROPYLTOLUENE	17.251	134	200068	19.86	PPBV		98
104)	N-BUTYLBENZENE	17.595	134	191597	20.08	PPBV		75
105)	HEXACHLOROETHANE	17.772	117	257080	21.83	PPBV		94
106)	HEXACHLOROBUTADIENE	18.800	225	368718	20.98	PPBV		99
107)	1,2,4-TRICHLOROBENZENE	18.498	180	403611	19.87	PPBV		99
108)	NAPHTHALENE	18.546	128	1029323	20.37	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26009.D
Acq On : 15 Sep 2022 2:22 pm
Operator : thomash
Sample : ic1105-20
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 21 08:07:11 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



Manual Integration Approval Summary

Sample Number: V6W1105-IC1105
Lab FileID: 6W26009.D
Injection Time: 09/15/22 14:22


Method: TO-15
Analyst approved: 09/21/22 08:23 Thomas Hilbig
Supervisor approved: 09/21/22 11:19 Kanya Veerawat

Parameter	CAS	Sig#	R.T. (min.)	Reason
Dichlorodifluoromethane	75-71-8		1.73	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26009.D
Acq On : 15 Sep 2022 2:22 pm
Operator : thomash
Sample : ic1105-20
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 20 08:16:28 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



TIC: 6W26009.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.798min (+0.067) 17.06PPBV


response 356176

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	32.43
50.00	9.30	10.72
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26009.D
Acq On : 15 Sep 2022 2:22 pm
Operator : thomash
Sample : ic1105-20
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 20 08:16:28 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



TIC: 6W26009.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.730min (-0.000) 16.71PPBV m

response 348832

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	33.11
50.00	9.30	10.94
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 09/21/22 11:19

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26010.D
Acq On : 15 Sep 2022 3:01 pm
Operator : thomash
Sample : ic1105-40
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 21 08:07:23 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.338	128	44539	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.733	114	238139	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.588	117	181960	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.026	95	139065	10.83	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.695	65	150220	37.50	PPBV	#	79
4) CHLORODIFLUOROMETHANE	1.704	67	71673	39.61	PPBV		97
5) CHLOROTRIFLUOROETHENE	1.717	116	301751	35.09	PPBV	#	100
6) DICHLORODIFLUOROMETHANE	1.730	85	706080m	33.03	PPBV		
7) PROPYLENE	1.714	41	216223	36.57	PPBV		95
8) 1-CHLORO-1,1-DIFLUOROE...	1.766	65	682497	30.47	PPBV	#	88
9) FREON 114	1.798	85	765949	33.33	PPBV		91
10) CHLOROMETHANE	1.772	52	93948	34.73	PPBV		92
11) VINYL CHLORIDE	1.827	62	310669	31.36	PPBV		98
12) 1,3-BUTADIENE	1.862	54	251038	34.49	PPBV	#	72
13) N-BUTANE	1.878	43	512213	31.52	PPBV	#	91
14) BROMOMETHANE	1.933	94	249997	31.47	PPBV		100
15) CHLOROETHANE	1.978	64	160436	30.18	PPBV		97
16) DICHLOROFLUOROMETHANE	2.000	67	679292	33.20	PPBV	#	96
17) ACETONITRILE	2.065	41	323074	33.80	PPBV		97
18) ACROLEIN	2.100	56	155826	48.84	PPBV		100
19) FREON 123	2.116	83	673559	34.12	PPBV		98
20) FREON 123A	2.129	117	330882	30.58	PPBV	#	60
21) TRICHLOROFLUOROMETHANE	2.190	101	709140	31.33	PPBV		100
22) ISOPROPYL ALCOHOL	2.203	45	670672	32.61	PPBV	#	98
23) ACETONE	2.135	58	161226	28.75	PPBV	#	33
24) PENTANE	2.296	42	359285	33.75	PPBV	#	95
25) IODOMETHANE	2.354	142	653936	31.69	PPBV	#	84
26) 1,1-DICHLOROETHYLENE	2.383	96	269337	32.50	PPBV	#	52
27) CARBON DISULFIDE	2.518	76	921249	35.48	PPBV	#	90
28) ETHANOL	2.003	45	154891	33.48	PPBV	#	96
29) BROMOETHENE	2.071	106	249838	32.47	PPBV	#	97
30) ACRYLONITRILE	2.270	52	242642	33.75	PPBV		96
31) METHYLENE CHLORIDE	2.418	84	259737	33.06	PPBV	#	61
32) 3-CHLOROPROPENE	2.460	76	141269	31.05	PPBV	#	7
33) FREON 113	2.518	151	439367	32.51	PPBV		85
34) TRANS-1,2-DICHLOROETHENE	2.769	96	289089	31.08	PPBV	#	77
35) TERTIARY BUTYL ALCOHOL	2.393	59	638360	28.02	PPBV	#	88
36) METHYL TERTIARY BUTYL ...	2.885	73	802744	29.86	PPBV	#	93
37) TETRAHYDROFURAN	3.650	72	146353	44.87	PPBV	#	52
38) HEXANE	3.393	57	559777	42.80	PPBV	#	78
39) VINYL ACETATE	2.930	86	82155	36.16	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.852	63	564597	31.85	PPBV		99
41) METHYL ETHYL KETONE	3.036	72	153989	34.71	PPBV	#	13
42) CIS-1,2-DICHLOROETHENE	3.254	96	292222	38.70	PPBV	#	77
43) DIISOPROPYL ETHER	3.399	59	168018	45.00	PPBV	#	54
44) ETHYL ACETATE	3.405	61	121298	47.80	PPBV	#	39
45) METHYL ACRYLATE	3.393	55	733792	45.65	PPBV	#	97
46) CHLOROFORM	3.421	83	663946	41.62	PPBV	#	92
47) 2,4-DIMETHYLPENTANE	3.955	57	627652	42.11	PPBV	#	94
48) 1,1,1-TRICHLOROETHANE	4.042	97	611749	39.77	PPBV	#	93
49) CARBON TETRACHLORIDE	4.499	117	592015	38.49	PPBV		99
50) 1,2-DICHLOROETHANE	3.868	62	461847	40.09	PPBV	#	95
51) BENZENE	4.380	78	911644	39.45	PPBV		83
53) CYCLOHEXANE	4.601	84	388000	39.40	PPBV	#	81
54) 2,3-DIMETHYLPENTANE	4.875	71	210216	41.63	PPBV	#	65
55) TRICHLOROETHENE	5.347	95	401612	39.47	PPBV		91
56) 1,2-DICHLOROPROPANE	5.103	63	383121	43.14	PPBV		96
57) DIBROMOMETHANE	5.061	174	341610	35.09	PPBV	#	84

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26010.D
Acq On : 15 Sep 2022 3:01 pm
Operator : thomash
Sample : ic1105-40
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 21 08:07:23 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58) ETHYL ACRYLATE	5.238	55	884605	46.91	PPBV	#	97
59) BROMODICHLOROMETHANE	5.299	83	733358	43.23	PPBV		97
60) 2,2,4-TRIMETHYLPENTANE	5.441	57	1738695	42.36	PPBV	#	99
61) 1,4-DIOXANE	5.373	88	200602	42.49	PPBV	#	74
62) HEPTANE	5.778	43	690946	45.29	PPBV	#	76
63) METHYL METHACRYLATE	5.685	69	383167	47.53	PPBV	#	55
64) METHYL ISOBUTYL KETONE	6.473	58	275484	39.00	PPBV	#	65
65) CIS-1,3-DICHLOROPROPENE	6.351	75	474307	36.75	PPBV	#	76
66) TOLUENE	7.617	91	941303	33.90	PPBV		99
67) 1,3-DICHLOROPROPANE	7.685	76	504586	35.56	PPBV	#	98
68) TRANS-1,3-DICHLOROPROPENE	7.071	75	447582	36.79	PPBV	#	79
69) 1,1,2-TRICHLOROETHANE	7.244	83	297665	35.65	PPBV		96
70) 2-HEXANONE	8.232	58	372845	47.96	PPBV	#	64
71) ETHYL METHACRYLATE	8.363	69	532037	43.34	PPBV	#	75
72) TETRACHLOROETHENE	9.418	164	333230	33.01	PPBV		98
73) DIBROMOCHLOROMETHANE	8.190	129	567003	36.19	PPBV		99
74) 1,2-DIBROMOETHANE	8.547	107	514918	34.53	PPBV		99
75) OCTANE	9.563	43	758907	35.96	PPBV	#	78
77) 1,1,1,2-TETRACHLOROETHANE	10.688	131	395342	39.70	PPBV		89
78) CHLOROBENZENE	10.672	112	751593	38.16	PPBV		94
79) ETHYLBENZENE	11.572	91	1290103	39.59	PPBV		96
80) M,P-XYLENE	12.016	91	2015712m	81.63	PPBV		
81) O-XYLENE	12.968	91	1038129	40.72	PPBV		95
82) STYRENE	12.752	104	758951	42.51	PPBV	#	93
83) NONANE	14.099	43	834637	43.26	PPBV	#	76
84) BROMOFORM	11.839	173	581685	45.82	PPBV		99
85) 1,1,2,2-TETRACHLOROETHANE	13.000	83	853424	43.02	PPBV		97
86) 1,2,3-TRICHLOROPROPANE	13.283	75	630105	42.53	PPBV		100
88) ISOPROPYLBENZENE	14.508	120	367218	38.25	PPBV	#	77
89) BROMOBENZENE	14.386	77	787117	41.82	PPBV		88
90) 2-CHLOROTOLUENE	15.530	126	338267	40.12	PPBV		99
91) N-PROPYLBENZENE	15.865	120	382679	39.67	PPBV		98
92) 4-ETHYLTOLUENE	16.209	105	1506395	42.71	PPBV		97
93) 1,3,5-TRIMETHYLBENZENE	16.357	105	1279318	43.21	PPBV	#	95
94) ALPHA-METHYLSTYRENE	16.550	118	648489	47.15	PPBV		96
95) TERT-BUTYLBENZENE	16.807	134	311964	40.91	PPBV		97
96) 1,2,4-TRIMETHYLBENZENE	16.813	105	1416397	45.20	PPBV		90
97) BENZYL CHLORIDE	16.897	91	1215569	49.45	PPBV	#	94
98) M-DICHLOROBENZENE	16.874	146	886179	41.44	PPBV		97
99) P-DICHLOROBENZENE	16.951	146	934495	43.24	PPBV		98
100) O-DICHLOROBENZENE	17.244	146	917182	44.31	PPBV		98
101) SEC-BUTYLBENZENE	17.077	134	401231	43.34	PPBV		92
102) 1,2,3-TRIMETHYLBENZENE	17.189	105	1382643	45.22	PPBV	#	96
103) P-ISOPROPYLTOLUENE	17.254	134	465860	44.54	PPBV		97
104) N-BUTYLBENZENE	17.598	134	447145	45.14	PPBV		74
105) HEXACHLOROETHANE	17.775	117	614457	50.25	PPBV		94
106) HEXACHLOROBUTADIENE	18.803	225	938149	51.42	PPBV		99
107) 1,2,4-TRICHLOROBENZENE	18.504	180	995413	47.20	PPBV		99
108) NAPHTHALENE	18.553	128	2481560	47.29	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26010.D
Acq On : 15 Sep 2022 3:01 pm
Operator : thomash
Sample : ic1105-40
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 21 08:07:23 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



Manual Integration Approval Summary

Sample Number: V6W1105-IC1105
Lab FileID: 6W26010.D
Injection Time: 09/15/22 15:01


Method: TO-15
Analyst approved: 09/21/22 08:23 Thomas Hilbig
Supervisor approved: 09/21/22 11:19 Kanya Veerawat

Parameter	CAS	Sig#	R.T. (min.)	Reason
Dichlorodifluoromethane	75-71-8		1.73	Missed peak
m,p-Xylene			12.02	Split peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26010.D
Acq On : 15 Sep 2022 3:01 pm
Operator : thomash
Sample : ic1105-40
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 20 08:16:19 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



TIC: 6W26010.D\data.ms

(80) M,P-XYLENE (t)

11.971min (-0.036) 43.71PPBV


response 1079275

Ion	Exp%	Act%
91.10	100	100
106.10	51.50	41.94
105.10	23.60	18.72
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26010.D
Acq On : 15 Sep 2022 3:01 pm
Operator : thomash
Sample : ic1105-40
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 20 08:16:19 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



TIC: 6W26010.D\data.ms

(80) M,P-XYLENE (t)

12.016min (+0.009) 81.63PPBV m


response 2015712


Ion	Exp%	Act%
91.10	100	100
106.10	51.50	22.46#
105.10	23.60	10.03
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26010.D
Acq On : 15 Sep 2022 3:01 pm
Operator : thomash
Sample : ic1105-40
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 20 09:09:40 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration





TIC: 6W26010.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.798min (+0.067) 35.63PPBV


response 761715

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	32.14
50.00	9.30	10.54
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26010.D
Acq On : 15 Sep 2022 3:01 pm
Operator : thomash
Sample : ic1105-40
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 20 09:09:40 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



TIC: 6W26010.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.730min (-0.000) 33.03PPBV m

response 706080

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	34.68
50.00	9.30	11.37#
0.00	0.00	0.00

6W26011.D

Manual Integrations APPROVED (compounds with "m" flag)

Kanya Veerawat 09/21/22 11:19

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26011.D
Acq On : 15 Sep 2022 3:43 pm
Operator : thomash
Sample : ic1105-50
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 21 08:07:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.338	128	46143	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.733	114	249654	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.585	117	186821	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.029	95	143907	10.92	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.695	65	197397	47.57	PPBV	#	80
4) CHLORODIFLUOROMETHANE	1.705	67	93520	49.88	PPBV		97
5) CHLOROTRIFLUOROETHENE	1.717	116	401739	45.09	PPBV	#	100
6) DICHLORODIFLUOROMETHANE	1.730	85	914689m	41.30	PPBV		
7) PROPYLENE	1.714	41	282278	46.08	PPBV		96
8) 1-CHLORO-1,1-DIFLUOROE...	1.766	65	897983	38.69	PPBV	#	88
9) FREON 114	1.798	85	1010774	42.45	PPBV		92
10) CHLOROMETHANE	1.772	52	122408	43.68	PPBV		92
11) VINYL CHLORIDE	1.827	62	404797	39.44	PPBV		99
12) 1,3-BUTADIENE	1.862	54	323922	42.95	PPBV	#	71
13) N-BUTANE	1.878	43	662600	39.35	PPBV	#	91
14) BROMOMETHANE	1.933	94	329174	39.99	PPBV		100
15) CHLOROETHANE	1.978	64	211899	38.48	PPBV		97
16) DICHLOROFLUOROMETHANE	2.000	67	897089	42.32	PPBV	#	96
17) ACETONITRILE	2.065	41	418481	42.26	PPBV		97
18) ACROLEIN	2.100	56	204575	61.88	PPBV		100
19) FREON 123	2.116	83	898529	43.94	PPBV		98
20) FREON 123A	2.129	117	442339	39.46	PPBV	#	62
21) TRICHLOROFLUOROMETHANE	2.190	101	941684	40.16	PPBV		100
22) ISOPROPYL ALCOHOL	2.203	45	891713	41.85	PPBV	#	99
23) ACETONE	2.135	58	212057	36.50	PPBV	#	36
24) PENTANE	2.296	42	468792	42.51	PPBV	#	94
25) IODOMETHANE	2.354	142	872377	40.80	PPBV	#	84
26) 1,1-DICHLOROETHYLENE	2.383	96	359381	41.86	PPBV	#	54
27) CARBON DISULFIDE	2.518	76	1224582	45.53	PPBV	#	90
28) ETHANOL	2.004	45	206149	43.01	PPBV		96
29) BROMOETHENE	2.071	106	328730	41.24	PPBV	#	98
30) ACRYLONITRILE	2.270	52	316147	42.45	PPBV		96
31) METHYLENE CHLORIDE	2.418	84	343251	42.17	PPBV	#	62
32) 3-CHLOROPROPENE	2.463	76	188555	40.01	PPBV	#	12
33) FREON 113	2.518	151	589160	42.08	PPBV		85
34) TRANS-1,2-DICHLOROETHENE	2.769	96	383902	39.84	PPBV	#	78
35) TERTIARY BUTYL ALCOHOL	2.393	59	861811	36.51	PPBV	#	86
36) METHYL TERTIARY BUTYL ...	2.885	73	1071966	38.48	PPBV	#	93
37) TETRAHYDROFURAN	3.650	72	193981	57.41	PPBV	#	53
38) HEXANE	3.393	57	741527	54.72	PPBV	#	79
39) VINYL ACETATE	2.930	86	109934	46.71	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.852	63	744310	40.53	PPBV		99
41) METHYL ETHYL KETONE	3.036	72	202746	44.11	PPBV	#	15
42) CIS-1,2-DICHLOROETHENE	3.254	96	386639	49.43	PPBV	#	76
43) DIISOPROPYL ETHER	3.399	59	221720	57.32	PPBV	#	56
44) ETHYL ACETATE	3.409	61	160080	60.89	PPBV	#	41
45) METHYL ACRYLATE	3.393	55	966496	58.03	PPBV	#	97
46) CHLOROFORM	3.422	83	877135	53.08	PPBV	#	92
47) 2,4-DIMETHYLPENTANE	3.952	57	821816	53.22	PPBV	#	94
48) 1,1,1-TRICHLOROETHANE	4.042	97	804744	50.50	PPBV	#	93
49) CARBON TETRACHLORIDE	4.499	117	778605	48.86	PPBV		99
50) 1,2-DICHLOROETHANE	3.868	62	609369	51.05	PPBV	#	95
51) BENZENE	4.380	78	1193608	49.85	PPBV		84
53) CYCLOHEXANE	4.602	84	510716	49.47	PPBV	#	81
54) 2,3-DIMETHYLPENTANE	4.875	71	275567	52.05	PPBV	#	66
55) TRICHLOROETHENE	5.351	95	524432	49.17	PPBV		91
56) 1,2-DICHLOROPROPANE	5.103	63	499286	53.63	PPBV		96
57) DIBROMOMETHANE	5.061	174	445795	43.68	PPBV	#	84

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26011.D
Acq On : 15 Sep 2022 3:43 pm
Operator : thomash
Sample : ic1105-50
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 21 08:07:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58) ETHYL ACRYLATE	5.238	55	1152442	58.30	PPBV	#	97
59) BROMODICHLOROMETHANE	5.302	83	958847	53.92	PPBV		97
60) 2,2,4-TRIMETHYLPENTANE	5.444	57	2267972	52.70	PPBV	#	99
61) 1,4-DIOXANE	5.373	88	265919	53.72	PPBV	#	75
62) HEPTANE	5.778	43	903820	56.51	PPBV	#	76
63) METHYL METHACRYLATE	5.688	69	500023	59.17	PPBV	#	54
64) METHYL ISOBUTYL KETONE	6.476	58	358874	48.46	PPBV	#	65
65) CIS-1,3-DICHLOROPROPENE	6.351	75	621048	45.90	PPBV	#	76
66) TOLUENE	7.617	91	1234495	42.40	PPBV		99
67) 1,3-DICHLOROPROPANE	7.691	76	658837	44.28	PPBV	#	98
68) TRANS-1,3-DICHLOROPROPENE	7.071	75	593427	46.53	PPBV	#	79
69) 1,1,2-TRICHLOROETHANE	7.245	83	387519	44.28	PPBV		96
70) 2-HEXANONE	8.232	58	489943	60.12	PPBV	#	65
71) ETHYL METHACRYLATE	8.367	69	700208	54.41	PPBV	#	75
72) TETRACHLOROETHENE	9.415	164	433794	40.99	PPBV		97
73) DIBROMOCHLOROMETHANE	8.190	129	742149	45.18	PPBV		99
74) 1,2-DIBROMOETHANE	8.550	107	671204	42.93	PPBV		100
75) OCTANE	9.563	43	994488	44.95	PPBV	#	77
77) 1,1,1,2-TETRACHLOROETHANE	10.691	131	516553	50.52	PPBV		89
78) CHLOROBENZENE	10.672	112	978202	48.37	PPBV		94
79) ETHYLBENZENE	11.576	91	1682200	50.28	PPBV		96
80) M,P-XYLENE	12.022	91	2630098m	103.74	PPBV		
81) O-XYLENE	12.971	91	1355651	51.79	PPBV		94
82) STYRENE	12.756	104	997456	54.42	PPBV	#	94
83) NONANE	14.100	43	1082570	54.65	PPBV	#	76
84) BROMOFORM	11.839	173	761085	58.40	PPBV		98
85) 1,1,2,2-TETRACHLOROETHANE	13.003	83	1112003	54.60	PPBV		97
86) 1,2,3-TRICHLOROPROPANE	13.286	75	824670	54.22	PPBV		100
88) ISOPROPYLBENZENE	14.511	120	484792	49.18	PPBV	#	77
89) BROMOBENZENE	14.392	77	1031225	53.37	PPBV		87
90) 2-CHLOROTOLUENE	15.537	126	440621	50.91	PPBV		99
91) N-PROPYLBENZENE	15.874	120	503374	50.82	PPBV		98
92) 4-ETHYLTOLUENE	16.209	105	1970883	54.42	PPBV		98
93) 1,3,5-TRIMETHYLBENZENE	16.357	105	1707326	56.17	PPBV		95
94) ALPHA-METHYLSTYRENE	16.553	118	854627	60.52	PPBV		96
95) TERT-BUTYLBENZENE	16.807	134	418230	53.41	PPBV		96
96) 1,2,4-TRIMETHYLBENZENE	16.816	105	1901079	59.08	PPBV		90
97) BENZYL CHLORIDE	16.897	91	1655087	65.57	PPBV	#	94
98) M-DICHLOROBENZENE	16.874	146	1188184	54.11	PPBV		98
99) P-DICHLOROBENZENE	16.955	146	1239422	55.85	PPBV		98
100) O-DICHLOROBENZENE	17.244	146	1233285	58.04	PPBV		97
101) SEC-BUTYLBENZENE	17.080	134	534752	56.26	PPBV		94
102) 1,2,3-TRIMETHYLBENZENE	17.189	105	1863594	59.36	PPBV		96
103) P-ISOPROPYLTOLUENE	17.254	134	633531	58.99	PPBV		99
104) N-BUTYLBENZENE	17.598	134	603538	59.34	PPBV		76
105) HEXACHLOROETHANE	17.775	117	839980	66.91	PPBV		94
106) HEXACHLOROBUTADIENE	18.804	225	1305758	69.71	PPBV		99
107) 1,2,4-TRICHLOROBENZENE	18.505	180	1384647	63.95	PPBV		99
108) NAPHTHALENE	18.553	128	3381924	62.77	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26011.D
Acq On : 15 Sep 2022 3:43 pm
Operator : thomash
Sample : ic1105-50
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 21 08:07:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



Manual Integration Approval Summary

Sample Number: V6W1105-IC1105
Lab FileID: 6W26011.D
Injection Time: 09/15/22 15:43


Method: TO-15
Analyst approved: 09/21/22 08:23 Thomas Hilbig
Supervisor approved: 09/21/22 11:19 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Dichlorodifluoromethane	75-71-8		1.73	Missed peak
m,p-Xylene			12.02	Split peak


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26011.D
Acq On : 15 Sep 2022 3:43 pm
Operator : thomash
Sample : ic1105-50
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 20 08:15:37 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration







TIC: 6W26011.D\data.ms

(80) M,P-XYLENE (t)

12.022min (+0.016) 47.56PPBV


response 1205884

Ion	Exp%	Act%
91.10	100	100
106.10	51.50	52.82
105.10	23.60	24.85
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26011.D
Acq On : 15 Sep 2022 3:43 pm
Operator : thomash
Sample : ic1105-50
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 20 08:15:37 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



TIC: 6W26011.D\data.ms

(80) M,P-XYLENE (t)

12.022min (+0.016) 103.74PPBV m


response 2630098

Ion	Exp%	Act%
91.10	100	100
106.10	51.50	24.22#
105.10	23.60	11.39
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26011.D
Acq On : 15 Sep 2022 3:43 pm
Operator : thomash
Sample : ic1105-50
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 20 09:14:04 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



TIC: 6W26011.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.798min (+0.067) 45.45PPBV


response 1006558

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	32.02
50.00	9.30	10.35
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26011.D
Acq On : 15 Sep 2022 3:43 pm
Operator : thomash
Sample : ic1105-50
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 20 09:14:04 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



TIC: 6W26011.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.730min (-0.000) 41.30PPBV m

response 914689

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	35.23
50.00	9.30	11.39#
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 09/21/22 11:19

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26014.D
Acq On : 15 Sep 2022 5:22 pm
Operator : thomash
Sample : ic1105-0.04
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 21 08:03:36 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) BROMOCHLOROMETHANE	3.341	128	42158	10.00	PPBV	# 0.00
52) 1,4-DIFLUOROBENZENE	4.734	114	204741	10.00	PPBV	0.00
76) CHLOROBENZENE-D5	10.585	117	170286	10.00	PPBV	0.00
System Monitoring Compounds						
87) 4-BROMOFLUOROBENZENE	14.023	95	120107	9.99	PPBV	0.00
Target Compounds						Qvalue
6) DICHLORODIFLUOROMETHANE	1.734	85	1304	0.06	PPBV	# 50
8) 1-CHLORO-1,1-DIFLUOROE...	1.769	65	1011	0.05	PPBV	# 1
9) FREON 114	1.801	85	1109	0.05	PPBV	# 80
11) VINYL CHLORIDE	1.830	62	521	0.06	PPBV	# 50
16) DICHLOROFLUOROMETHANE	2.001	67	1163	0.06	PPBV	# 49
19) FREON 123	2.116	83	1001	0.05	PPBV	# 82
20) FREON 123A	2.136	117	506	0.05	PPBV	# 63
21) TRICHLOROFLUOROMETHANE	2.193	101	1109	0.05	PPBV	# 89
24) PENTANE	2.300	42	673	0.07	PPBV	# 79
25) IODOMETHANE	2.361	142	917	0.05	PPBV	# 38
27) CARBON DISULFIDE	2.521	76	1366	0.06	PPBV	# 41
32) 3-CHLOROPROPENE	2.467	76	188m	0.04	PPBV	
33) FREON 113	2.518	151	636	0.05	PPBV	81
35) TERTIARY BUTYL ALCOHOL	2.406	59	956	0.04	PPBV	# 71
36) METHYL TERTIARY BUTYL ...	2.898	73	1165	0.05	PPBV	# 88
38) HEXANE	3.396	57	830	0.07	PPBV	# 18
40) 1,1-DICHLOROETHANE	2.849	63	936	0.06	PPBV	# 50
42) CIS-1,2-DICHLOROETHENE	3.258	96	525	0.07	PPBV	# 53
44) ETHYL ACETATE	3.412	61	143m	0.06	PPBV	
45) METHYL ACRYLATE	3.393	55	1164	0.08	PPBV	# 65
46) CHLOROFORM	3.422	83	934	0.06	PPBV	# 86
47) 2,4-DIMETHYLPENTANE	3.952	57	789	0.06	PPBV	# 31
48) 1,1,1-TRICHLOROETHANE	4.042	97	754	0.05	PPBV	# 68
49) CARBON TETRACHLORIDE	4.499	117	835	0.06	PPBV	# 76
50) 1,2-DICHLOROETHANE	3.869	62	683	0.06	PPBV	# 49
51) BENZENE	4.377	78	1212	0.06	PPBV	# 66
55) TRICHLOROETHENE	5.351	95	469m	0.05	PPBV	
56) 1,2-DICHLOROPROPANE	5.100	63	531	0.07	PPBV	# 41
58) ETHYL ACRYLATE	5.248	55	881	0.05	PPBV	# 73
59) BROMODICHLOROMETHANE	5.299	83	927	0.06	PPBV	90
60) 2,2,4-TRIMETHYLPENTANE	5.447	57	2038	0.06	PPBV	# 96
62) HEPTANE	5.785	43	786	0.06	PPBV	# 15
65) CIS-1,3-DICHLOROPROPENE	6.348	75	547	0.05	PPBV	# 15
66) TOLUENE	7.611	91	1194	0.05	PPBV	98
67) 1,3-DICHLOROPROPANE	7.682	76	756	0.06	PPBV	# 49
68) TRANS-1,3-DICHLOROPROPENE	7.068	75	613	0.06	PPBV	# 42
71) ETHYL METHACRYLATE	8.360	69	521	0.05	PPBV	# 40
72) TETRACHLOROETHENE	9.425	164	426m	0.05	PPBV	
73) DIBROMOCHLOROMETHANE	8.177	129	743	0.06	PPBV	# 77
74) 1,2-DIBROMOETHANE	8.537	107	698	0.05	PPBV	# 6
75) OCTANE	9.563	43	913	0.05	PPBV	# 23
77) 1,1,1,2-TETRACHLOROETHANE	10.672	131	514	0.06	PPBV	# 39
78) CHLOROBENZENE	10.663	112	1024	0.06	PPBV	# 71
79) ETHYLBENZENE	11.579	91	1572	0.05	PPBV	# 43
80) M,P-XYLENE	11.965	91	2223m	0.10	PPBV	
81) O-XYLENE	12.952	91	1153	0.05	PPBV	# 75
82) STYRENE	12.733	104	795	0.05	PPBV	# 33
83) NONANE	14.084	43	1254	0.07	PPBV	# 37
84) BROMOFORM	11.826	173	649	0.05	PPBV	# 36
85) 1,1,2,2-TETRACHLOROETHANE	12.987	83	1078	0.06	PPBV	# 93
86) 1,2,3-TRICHLOROPROPANE	13.261	75	830	0.06	PPBV	# 99
89) BROMOBENZENE	14.373	77	917	0.05	PPBV	# 53
92) 4-ETHYLTOLUENE	16.199	105	1321	0.04	PPBV	# 49
93) 1,3,5-TRIMETHYLBENZENE	16.347	105	1113	0.04	PPBV	# 92

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26014.D
Acq On : 15 Sep 2022 5:22 pm
Operator : thomash
Sample : ic1105-0.04
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 21 08:03:36 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
96) 1,2,4-TRIMETHYLBENZENE	16.804	105	1208	0.04	PPBV	#	88
98) M-DICHLOROBENZENE	16.865	146	925	0.05	PPBV	#	72
99) P-DICHLOROBENZENE	16.945	146	883	0.04	PPBV	#	72
100) O-DICHLOROBENZENE	17.235	146	908	0.05	PPBV	#	72
102) 1,2,3-TRIMETHYLBENZENE	17.183	105	1055	0.04	PPBV	#	39
105) HEXACHLOROETHANE	17.768	117	676	0.06	PPBV	#	55
106) HEXACHLOROBUTADIENE	18.794	225	903	0.05	PPBV		92
107) 1,2,4-TRICHLOROBENZENE	18.495	180	759	0.04	PPBV	#	81
108) NAPHTHALENE	18.543	128	1529	0.03	PPBV	#	69

(#) = qualifier out of range (m) = manual integration (+) = signals summed


7.7.34

7

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26014.D
Acq On : 15 Sep 2022 5:22 pm
Operator : thomash
Sample : ic1105-0.04
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 21 08:03:36 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V6W1105-IC1105 **Method:** TO-15
Lab FileID: 6W26014.D **Analyst approved:** 09/21/22 08:23 Thomas Hilbig
Injection Time: 09/15/22 17:22 **Supervisor approved:** 09/21/22 11:19 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
3-Chloropropene	107-05-1		2.47	Missed peak
Ethyl Acetate	141-78-6		3.41	Missed peak
Trichloroethylene	79-01-6		5.35	Missed peak
Tetrachloroethylene	127-18-4		9.42	Missed peak
m,p-Xylene			11.96	Split peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26014.D
Acq On : 15 Sep 2022 5:22 pm
Operator : thomash
Sample : ic1105-0.04
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:08 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration





TIC: 6W26014.D\data.ms

(72) TETRACHLOROETHENE (T)

9.412min (-9.412) 0.00PPBV


response 0


Ion	Exp%	Act%
163.90	100	0.00
128.90	90.00	0.00#
167.90	60.70	0.00#
130.90	86.30	0.00#

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26014.D
Acq On : 15 Sep 2022 5:22 pm
Operator : thomash
Sample : ic1105-0.04
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:08 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration





TIC: 6W26014.D\data.ms

(72) TETRACHLOROETHENE (T)

9.425min (+0.013) 0.05PPBV m


response 426


Ion	Exp%	Act%
163.90	100	100
128.90	90.00	0.00#
167.90	60.70	0.00#
130.90	86.30	0.00#

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26014.D
Acq On : 15 Sep 2022 5:22 pm
Operator : thomash
Sample : ic1105-0.04
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:08 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration





TIC: 6W26014.D\data.ms

(55) TRICHLOROETHENE (T)

5.348min (-5.348) 0.00PPBV


response 0


Ion	Exp%	Act%
95.00	100	0.00
129.90	104.00	0.00#
131.90	99.70	0.00#
97.00	64.10	0.00#

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26014.D
Acq On : 15 Sep 2022 5:22 pm
Operator : thomash
Sample : ic1105-0.04
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:08 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration





TIC: 6W26014.D\data.ms

(55) TRICHLOROETHENE (T)

5.351min (+0.003) 0.05PPBV m


response 469


Ion	Exp%	Act%
95.00	100	100
129.90	104.00	0.00#
131.90	99.70	0.00#
97.00	64.10	0.00#

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26014.D
Acq On : 15 Sep 2022 5:22 pm
Operator : thomash
Sample : ic1105-0.04
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:08 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration





TIC: 6W26014.D\data.ms

(32) 3-CHLOROPROPENE (T)

2.521min (+0.058) 0.32PPBV


response 1366


Ion	Exp%	Act%
76.00	100	100
41.10	184.90	0.00#
39.10	118.20	0.00#
78.00	32.40	0.00#


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26014.D
Acq On : 15 Sep 2022 5:22 pm
Operator : thomash
Sample : ic1105-0.04
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:08 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration







TIC: 6W26014.D\data.ms

(32) 3-CHLOROPROPENE (T)

2.467min (+0.003) 0.04PPBV m


response 188

Ion	Exp%	Act%
76.00	100	100
41.10	184.90	0.00#
39.10	118.20	0.00#
78.00	32.40	0.00#

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26014.D
Acq On : 15 Sep 2022 5:22 pm
Operator : thomash
Sample : ic1105-0.04
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:08 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



TIC: 6W26014.D\data.ms

(44) ETHYL ACETATE (T)

3.255min (-0.151) 0.32PPBV

response 760


Ion	Exp%	Act%
61.10	100	100
43.10	1232.70	0.00#
88.10	48.50	0.00#
0.00	0.00	0.00

6W26014.D edits: ETHYL ACETATE

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26014.D
Acq On : 15 Sep 2022 5:22 pm
Operator : thomash
Sample : ic1105-0.04
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:08 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



TIC: 6W26014.D\data.ms

(44) ETHYL ACETATE (T)

3.412min (+0.006) 0.06PPBV m


response 143


Ion	Exp%	Act%
61.10	100	100
43.10	1232.70	0.00#
88.10	48.50	0.00#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26014.D
Acq On : 15 Sep 2022 5:22 pm
Operator : thomash
Sample : ic1105-0.04
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:08 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration







TIC: 6W26014.D\data.ms

(80) M,P-XYLENE (t)

11.965min (-0.042) 0.05PPBV


response 1104


Ion	Exp%	Act%
91.10	100	100
106.10	51.50	0.00#
105.10	23.60	0.00#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26014.D
Acq On : 15 Sep 2022 5:22 pm
Operator : thomash
Sample : ic1105-0.04
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:08 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration







TIC: 6W26014.D\data.ms

(80) M,P-XYLENE (t)

11.965min (-0.042) 0.10PPBV m

response 2223

Ion	Exp%	Act%
91.10	100	100
106.10	51.50	0.00#
105.10	23.60	0.00#
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 09/21/22 13:59

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 21 08:05:12 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.338	128	40449	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.733	114	223013	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.588	117	163472	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.026	95	114736	9.95	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.695	65	314m	0.09	PPBV		
4) CHLORODIFLUOROMETHANE	1.708	67	158m	0.10	PPBV		
5) CHLOROTRIFLUOROETHENE	1.717	116	648	0.08	PPBV	#	42
6) DICHLORODIFLUOROMETHANE	1.733	85	2057	0.11	PPBV	#	88
7) PROPYLENE	1.714	41	527	0.10	PPBV	#	16
8) 1-CHLORO-1,1-DIFLUOROE...	1.766	65	1553	0.08	PPBV	#	1
9) FREON 114	1.798	85	1681	0.08	PPBV		91
10) CHLOROMETHANE	1.775	52	290m	0.12	PPBV		
11) VINYL CHLORIDE	1.830	62	773	0.09	PPBV	#	50
12) 1,3-BUTADIENE	1.865	54	590	0.09	PPBV	#	5
13) N-BUTANE	1.881	43	1417	0.10	PPBV	#	65
14) BROMOMETHANE	1.936	94	630	0.09	PPBV	#	86
15) CHLOROETHANE	1.978	64	450m	0.09	PPBV		
16) DICHLOROFLUOROMETHANE	2.004	67	1526	0.08	PPBV	#	92
17) ACETONITRILE	2.065	41	912	0.11	PPBV	#	34
18) ACROLEIN	2.100	56	301m	0.10	PPBV		
19) FREON 123	2.116	83	1554	0.09	PPBV	#	84
20) FREON 123A	2.132	117	760	0.08	PPBV	#	62
21) TRICHLOROFLUOROMETHANE	2.190	101	1643	0.08	PPBV	#	96
22) ISOPROPYL ALCOHOL	2.213	45	2169	0.12	PPBV	#	74
23) ACETONE	2.139	58	483m	0.09	PPBV		
24) PENTANE	2.299	42	990	0.10	PPBV	#	83
25) IODOMETHANE	2.357	142	1436	0.08	PPBV		89
26) 1,1-DICHLOROETHYLENE	2.386	96	617	0.08	PPBV	#	45
27) CARBON DISULFIDE	2.518	76	1998	0.08	PPBV	#	49
28) ETHANOL	2.010	45	519	0.12	PPBV	#	40
29) BROMOETHENE	2.071	106	562	0.08	PPBV	#	9
30) ACRYLONITRILE	2.270	52	609	0.09	PPBV	#	75
32) 3-CHLOROPROPENE	2.463	76	278m	0.07	PPBV		
33) FREON 113	2.518	151	927	0.08	PPBV	#	84
34) TRANS-1,2-DICHLOROETHENE	2.772	96	712	0.08	PPBV	#	57
35) TERTIARY BUTYL ALCOHOL	2.405	59	1299	0.06	PPBV	#	57
36) METHYL TERTIARY BUTYL ...	2.894	73	1720	0.07	PPBV	#	88
37) TETRAHYDROFURAN	3.663	72	296m	0.10	PPBV		
38) HEXANE	3.393	57	1281	0.11	PPBV	#	61
39) VINYL ACETATE	2.930	86	156m	0.08	PPBV		
40) 1,1-DICHLOROETHANE	2.852	63	1298	0.08	PPBV	#	50
41) METHYL ETHYL KETONE	3.042	72	313m	0.08	PPBV		
42) CIS-1,2-DICHLOROETHENE	3.254	96	664	0.10	PPBV	#	52
43) DIISOPROPYL ETHER	3.402	59	373m	0.11	PPBV		
44) ETHYL ACETATE	3.402	61	221m	0.10	PPBV		
45) METHYL ACRYLATE	3.393	55	1631	0.11	PPBV	#	65
46) CHLOROFORM	3.422	83	1579	0.11	PPBV	#	85
47) 2,4-DIMETHYLPENTANE	3.955	57	1536	0.11	PPBV	#	79
48) 1,1,1-TRICHLOROETHANE	4.045	97	1322	0.09	PPBV	#	88
49) CARBON TETRACHLORIDE	4.492	117	1157	0.08	PPBV	#	76
50) 1,2-DICHLOROETHANE	3.865	62	1065	0.10	PPBV	#	49
51) BENZENE	4.376	78	2107	0.10	PPBV	#	69
53) CYCLOHEXANE	4.605	84	923	0.10	PPBV	#	68
54) 2,3-DIMETHYLPENTANE	4.862	71	516	0.11	PPBV	#	76
55) TRICHLOROETHENE	5.347	95	709	0.07	PPBV	#	75
56) 1,2-DICHLOROPROPANE	5.100	63	911	0.11	PPBV	#	41
57) DIBROMOMETHANE	5.058	174	867	0.10	PPBV	#	62
58) ETHYL ACRYLATE	5.241	55	1406	0.08	PPBV	#	73

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 21 08:05:12 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
59)	BROMODICHLOROMETHANE	5.293	83	1463	0.09	PPBV		89
60)	2,2,4-TRIMETHYLPENTANE	5.438	57	3040	0.08	PPBV	#	96
61)	1,4-DIOXANE	5.412	88	346m	0.08	PPBV		
62)	HEPTANE	5.772	43	1147	0.08	PPBV	#	44
63)	METHYL METHACRYLATE	5.695	69	508	0.07	PPBV	#	12
64)	METHYL ISOBUTYL KETONE	6.482	58	477m	0.07	PPBV		
65)	CIS-1,3-DICHLOROPROPENE	6.351	75	953	0.08	PPBV	#	39
66)	TOLUENE	7.617	91	1832	0.07	PPBV		94
67)	1,3-DICHLOROPROPANE	7.675	76	1112	0.08	PPBV	#	49
68)	TRANS-1,3-DICHLOROPROPENE	7.064	75	901	0.08	PPBV	#	38
69)	1,1,2-TRICHLOROETHANE	7.235	83	619	0.08	PPBV	#	70
70)	2-HEXANONE	8.244	58	590	0.08	PPBV	#	48
71)	ETHYL METHACRYLATE	8.367	69	791	0.07	PPBV	#	49
72)	TETRACHLOROETHENE	9.408	164	792	0.08	PPBV	#	78
73)	DIBROMOCHLOROMETHANE	8.187	129	1213	0.08	PPBV	#	84
74)	1,2-DIBROMOETHANE	8.547	107	1148	0.08	PPBV	#	91
75)	OCTANE	9.547	43	1407	0.07	PPBV	#	47
77)	1,1,1,2-TETRACHLOROETHANE	10.675	131	755m	0.08	PPBV		
78)	CHLOROBENZENE	10.669	112	1636	0.09	PPBV	#	75
79)	ETHYLBENZENE	11.572	91	2206	0.08	PPBV		91
80)	M,P-XYLENE	12.006	91	3142m	0.14	PPBV		
81)	O-XYLENE	12.948	91	1657	0.07	PPBV	#	79
82)	STYRENE	12.746	104	1126	0.07	PPBV	#	33
83)	NONANE	14.083	43	1705	0.10	PPBV	#	45
84)	BROMOFORM	11.820	173	1014	0.09	PPBV	#	36
85)	1,1,2,2-TETRACHLOROETHANE	12.987	83	1751	0.10	PPBV	#	91
86)	1,2,3-TRICHLOROPROPANE	13.270	75	1226	0.09	PPBV	#	99
88)	ISOPROPYLBENZENE	14.489	120	556	0.06	PPBV	#	26
89)	BROMOBENZENE	14.363	77	1479	0.09	PPBV		88
90)	2-CHLOROTOLUENE	15.517	126	527	0.07	PPBV	#	42
91)	N-PROPYLBENZENE	15.849	120	444m	0.05	PPBV		
92)	4-ETHYLTOLUENE	16.199	105	1930	0.06	PPBV	#	49
93)	1,3,5-TRIMETHYLBENZENE	16.344	105	1573	0.06	PPBV	#	92
94)	ALPHA-METHYLSTYRENE	16.540	118	715	0.06	PPBV	#	68
95)	TERT-BUTYLBENZENE	16.797	134	385m	0.06	PPBV		
96)	1,2,4-TRIMETHYLBENZENE	16.804	105	1604	0.06	PPBV		94
98)	M-DICHLOROBENZENE	16.861	146	1430	0.07	PPBV	#	69
99)	P-DICHLOROBENZENE	16.945	146	1292	0.07	PPBV	#	70
100)	O-DICHLOROBENZENE	17.234	146	1355	0.07	PPBV		96
101)	SEC-BUTYLBENZENE	17.074	134	479m	0.06	PPBV		
102)	1,2,3-TRIMETHYLBENZENE	17.183	105	1627	0.06	PPBV	#	92
103)	P-ISOPROPYLTOLUENE	17.247	134	456m	0.05	PPBV		
104)	N-BUTYLBENZENE	17.591	134	445m	0.05	PPBV		
105)	HEXACHLOROETHANE	17.771	117	855	0.08	PPBV		92
106)	HEXACHLOROBUTADIENE	18.797	225	1284	0.08	PPBV		94
107)	1,2,4-TRICHLOROBENZENE	18.498	180	918	0.05	PPBV	#	86
108)	NAPHTHALENE	18.543	128	2105	0.04	PPBV	#	69

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 21 08:05:12 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V6W1105-IC1105 **Method:** TO-15
Lab FileID: 6W26015.D **Analyst approved:** 09/21/22 08:23 Thomas Hilbig
Injection Time: 09/15/22 17:55 **Supervisor approved:** 09/21/22 13:59 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Freon 152A	75-37-6		1.69	Missed peak
Chlorodifluoromethane	75-45-6		1.71	Missed peak
Chloromethane	74-87-3		1.78	Missed peak
Chloroethane	75-00-3		1.98	Missed peak
Acrolein	107-02-8		2.10	Missed peak
Acetone (2-Propanone)	67-64-1		2.14	Missed peak
3-Chloropropene	107-05-1		2.46	Missed peak
Vinyl Acetate	108-05-4		2.93	Missed peak
Methyl ethyl ketone	78-93-3		3.04	Missed peak
Di-Isopropyl ether	108-20-3		3.40	Missed peak
Ethyl Acetate	141-78-6		3.40	Missed peak
Tetrahydrofuran	109-99-9		3.66	Missed peak
1,4-Dioxane	123-91-1		5.41	Missed peak
Methyl Isobutyl Ketone	108-10-1		6.48	Missed peak
1,1,1,2-Tetrachloroethane	630-20-6		10.68	Missed peak
m,p-Xylene			12.01	Split peak
n-Propylbenzene	103-65-1		15.85	Missed peak
tert-Butylbenzene	98-06-6		16.80	Missed peak
sec-Butylbenzene	135-98-8		17.07	Missed peak
p-Isopropyltoluene	99-87-6		17.25	Missed peak
n-Butylbenzene	104-51-8		17.59	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration





TIC: 6W26015.D\data.ms

(3) FREON 152A (T)

1.695min (-1.695) 0.00PPBV


response 0


Ion	Exp%	Act%
65.10	100	0.00
45.10	22.90	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration





TIC: 6W26015.D\data.ms

(3) FREON 152A (T)

1.695min (-0.000) 0.09PPBV m


response 314


Ion	Exp%	Act%
65.10	100	100
45.10	22.90	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration





TIC: 6W26015.D\data.ms

(4) CHLORODIFLUOROMETHANE (T)

1.705min (-1.705) 0.00PPBV


response 0


Ion	Exp%	Act%
67.00	100	0.00
69.00	36.00	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration





TIC: 6W26015.D\data.ms

(4) CHLORODIFLUOROMETHANE (T)

1.708min (+0.003) 0.10PPBV m


response 158

Ion	Exp%	Act%
67.00	100	100
69.00	36.00	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



TIC: 6W26015.D\data.ms

(10) CHLOROMETHANE (T)

1.772min (-1.772) 0.00PPBV


response 0

Ion	Exp%	Act%
52.00	100	0.00
50.00	310.20	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



TIC: 6W26015.D\data.ms

(10) CHLOROMETHANE (T)

1.775min (+0.003) 0.12PPBV m


response 290


Ion	Exp%	Act%
52.00	100	100
50.00	310.20	0.00#
0.00	0.00	0.00
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration







TIC: 6W26015.D\data.ms

(15) CHLOROETHANE (T)

1.978min (-1.978) 0.00PPBV


response 0


Ion	Exp%	Act%
64.00	100	0.00
66.00	33.90	0.00#
49.00	29.10	0.00#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration







TIC: 6W26015.D\data.ms

(15) CHLOROETHANE (T)

1.978min (-0.000) 0.09PPBV m

response 450


Ion	Exp%	Act%
64.00	100	100
66.00	33.90	0.00#
49.00	29.10	0.00#
0.00	0.00	0.00


6W26015.D edits: CHLOROETHANE


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration







TIC: 6W26015.D\data.ms

(18) ACROLEIN (T)

2.100min (-2.100) 0.00PPBV


response 0

Ion	Exp%	Act%
56.10	100	0.00
55.00	70.00	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



TIC: 6W26015.D\data.ms

(18) ACROLEIN (T)

2.100min (-0.000) 0.10PPBV m


response 301


Ion	Exp%	Act%
56.10	100	100
55.00	70.00	0.00#
0.00	0.00	0.00
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration







TIC: 6W26015.D\data.ms

(23) ACETONE (T)

2.136min (-2.136) 0.00PPBV


response 0


Ion	Exp%	Act%
58.10	100	0.00
43.10	244.90	0.00#
0.00	0.00	0.00
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration







TIC: 6W26015.D\data.ms

(23) ACETONE (T)

2.139min (+0.003) 0.09PPBV m


response 483

Ion	Exp%	Act%
58.10	100	100
43.10	244.90	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



TIC: 6W26015.D\data.ms

(32) 3-CHLOROPROPENE (T)

2.518min (+0.054) 0.48PPBV


response 1998


Ion	Exp%	Act%
76.00	100	100
41.10	184.90	0.00#
39.10	118.20	0.00#
78.00	32.40	0.00#


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration







TIC: 6W26015.D\data.ms

(32) 3-CHLOROPROPENE (T)

2.463min (-0.000) 0.07PPBV m


response 278


Ion	Exp%	Act%
76.00	100	100
41.10	184.90	0.00#
39.10	118.20	0.00#
78.00	32.40	0.00#


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration







TIC: 6W26015.D\data.ms

(37) TETRAHYDROFURAN (T)

3.650min (-3.650) 0.00PPBV


response 0


Ion	Exp%	Act%
72.10	100	0.00
42.10	186.30	0.00#
71.10	93.10	0.00#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration







TIC: 6W26015.D\data.ms

(37) TETRAHYDROFURAN (T)

3.663min (+0.013) 0.10PPBV m


response 296


Ion	Exp%	Act%
72.10	100	100
42.10	186.30	0.00#
71.10	93.10	0.00#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration







TIC: 6W26015.D\data.ms

(39) VINYL ACETATE (T)

2.930min (-2.930) 0.00PPBV


response 0


Ion	Exp%	Act%
86.10	100	0.00
43.10	782.90	0.00#
44.10	43.10	0.00#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration







TIC: 6W26015.D\data.ms

(39) VINYL ACETATE (T)

2.930min (-0.000) 0.08PPBV m


response 156


Ion	Exp%	Act%
86.10	100	100
43.10	782.90	0.00#
44.10	43.10	0.00#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration







TIC: 6W26015.D\data.ms

(41) METHYL ETHYL KETONE (T)

3.036min (-3.036) 0.00PPBV


response 0


Ion	Exp%	Act%
72.10	100	0.00
57.10	27.80	0.00#
43.10	315.70	0.00#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration







TIC: 6W26015.D\data.ms

(41) METHYL ETHYL KETONE (T)

3.042min (+0.006) 0.08PPBV m


response 313


Ion	Exp%	Act%
72.10	100	100
57.10	27.80	0.00#
43.10	315.70	0.00#
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration







TIC: 6W26015.D\data.ms

(43) DIISOPROPYL ETHER (T)

3.399min (-3.399) 0.00PPBV


response 0

Ion	Exp%	Act%
59.10	100	0.00
45.10	674.80	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



TIC: 6W26015.D\data.ms

(43) DIISOPROPYL ETHER (T)

3.402min (+0.003) 0.11PPBV m


response 373

Ion	Exp%	Act%
59.10	100	100
45.10	674.80	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



TIC: 6W26015.D\data.ms

(61) 1,4-DIOXANE (T)

5.373min (-5.373) 0.00PPBV


response 0

Ion	Exp%	Act%
88.10	100	0.00
57.10	18.70	0.00#
58.10	62.60	0.00#
43.10	19.20	0.00#

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



TIC: 6W26015.D\data.ms

(61) 1,4-DIOXANE (T)

5.412min (+0.038) 0.08PPBV m


response 346


Ion	Exp%	Act%
88.10	100	100
57.10	18.70	0.00#
58.10	62.60	0.00#
43.10	19.20	0.00#


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration







TIC: 6W26015.D\data.ms

(64) METHYL ISOBUTYL KETONE (T)

6.470min (-6.470) 0.00PPBV


response 0

Ion	Exp%	Act%
58.10	100	0.00
43.10	210.30	0.00#
100.10	42.00	0.00#
85.10	45.90	0.00#

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



TIC: 6W26015.D\data.ms

(64) METHYL ISOBUTYL KETONE (T)

6.482min (+0.013) 0.07PPBV m


response 477


Ion	Exp%	Act%
58.10	100	100
43.10	210.30	0.00#
100.10	42.00	0.00#
85.10	45.90	0.00#


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration







TIC: 6W26015.D\data.ms

(77) 1,1,1,2-TETRACHLOROETHANE (T)

10.679min (-10.679) 0.00PPBV


response 0


Ion	Exp%	Act%
130.90	100	0.00
95.00	35.80	0.00#
0.00	0.00	0.00
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration







TIC: 6W26015.D\data.ms

(77) 1,1,1,2-TETRACHLOROETHANE (T)

10.675min (-0.003) 0.08PPBV m


response 755

Ion	Exp%	Act%
130.90	100	100
95.00	35.80	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



TIC: 6W26015.D\data.ms

(80) M,P-XYLENE (t)

11.958min (-0.048) 0.06PPBV

response 1294


Ion	Exp%	Act%
91.10	100	100
106.10	51.50	51.39
105.10	23.60	0.00#
0.00	0.00	0.00


6W26015.D edits: M,P-XYLENE


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration







TIC: 6W26015.D\data.ms

(80) M,P-XYLENE (t)

12.006min (-0.000) 0.14PPBV m


response 3142

Ion	Exp%	Act%
91.10	100	100
106.10	51.50	21.16#
105.10	23.60	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



TIC: 6W26015.D\data.ms

(91) N-PROPYLBENZENE (T)

15.862min (-15.862) 0.00PPBV

response 0


Ion	Exp%	Act%
120.10	100	0.00
105.10	16.20	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

6W26015.D edits: N-PROPYLBENZENE

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



TIC: 6W26015.D\data.ms

(91) N-PROPYLBENZENE (T)

15.849min (-0.013) 0.05PPBV m


response 444

Ion	Exp%	Act%
120.10	100	100
105.10	16.20	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



TIC: 6W26015.D\data.ms

(95) TERT-BUTYLBENZENE (T)

16.797min (-16.797) 0.00PPBV


response 0

Ion	Exp%	Act%
134.10	100	0.00
119.10	443.70	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



TIC: 6W26015.D\data.ms

(95) TERT-BUTYLBENZENE (T)

16.797min (-0.000) 0.06PPBV m


response 385

Ion	Exp%	Act%
134.10	100	100
119.10	443.70	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



TIC: 6W26015.D\data.ms

(103) P-ISOPROPYLTOLUENE (T)

17.251min (-17.251) 0.00PPBV


response 0

Ion	Exp%	Act%
134.10	100	0.00
119.10	378.10	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration



TIC: 6W26015.D\data.ms

(103) P-ISOPROPYLTOLUENE (T)

17.247min (-0.003) 0.05PPBV m


response 456


Ion	Exp%	Act%
134.10	100	100
119.10	378.10	0.00#
0.00	0.00	0.00
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration







TIC: 6W26015.D\data.ms

(104) N-BUTYLBENZENE (T)

17.595min (-17.595) 0.00PPBV


response 0


Ion	Exp%	Act%
134.10	100	0.00
91.10	370.50	0.00#
0.00	0.00	0.00
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 08:14:34 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration







TIC: 6W26015.D\data.ms

(104) N-BUTYLBENZENE (T)

17.591min (-0.003) 0.05PPBV m


response 445


Ion	Exp%	Act%
134.10	100	100
91.10	370.50	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 09:39:21 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration





TIC: 6W26015.D\data.ms

(44) ETHYL ACETATE (T)

3.251min (-0.155) 0.43PPBV


response 991


Ion	Exp%	Act%
61.10	100	100
43.10	1232.70	0.00#
88.10	48.50	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 09:39:21 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration





TIC: 6W26015.D\data.ms

(44) ETHYL ACETATE (T)

3.402min (-0.003) 0.10PPBV m


response 221


Ion	Exp%	Act%
61.10	100	100
43.10	1232.70	0.00#
88.10	48.50	0.00#
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\Raw Data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 21 07:26:12 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 15:27:06 2022
Response via : Initial Calibration





TIC: 6W26015.D\data.ms

(101) SEC-BUTYLBENZENE (T)

17.074min (-17.074) 0.00PPBV


response 0


Ion	Exp%	Act%
134.10	100	0.00
105.10	496.10	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26015.D
Acq On : 15 Sep 2022 5:55 pm
Operator : thomash
Sample : ic1105-0.1
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 20 09:56:08 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Tue Sep 20 08:13:42 2022
Response via : Initial Calibration





TIC: 6W26015.D\data.ms

(101) SEC-BUTYLBENZENE (T)

17.074min (-0.000) 0.06PPBV m

response 479

Ion	Exp%	Act%
134.10	100	100
105.10	496.10	0.00#
0.00	0.00	0.00
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 09/21/22 13:59

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26016.D
Acq On : 16 Sep 2022 8:30 am
Operator : thomash
Sample : icv1105-10
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Sep 21 12:48:40 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.341	128	42299	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.730	114	231469	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.585	117	173139	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.022	95	125739	9.94	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.698	65	36029	10.55	PPBV	#	78
4) CHLORODIFLUOROMETHANE	1.708	67	16599	10.19	PPBV		99
5) CHLOROTRIFLUOROETHENE	1.717	116	68758	10.03	PPBV	#	99
6) DICHLORODIFLUOROMETHANE	1.733	85	164216m	8.35	PPBV		
7) PROPYLENE	1.717	41	49884	10.10	PPBV		95
8) 1-CHLORO-1,1-DIFLUOROE...	1.769	65	156963	9.04	PPBV	#	87
9) FREON 114	1.801	85	169765	8.92	PPBV		90
10) CHLOROMETHANE	1.775	52	23151	9.53	PPBV		91
11) VINYL CHLORIDE	1.830	62	72365	8.89	PPBV		98
12) 1,3-BUTADIENE	1.865	54	57011	9.23	PPBV	#	71
13) N-BUTANE	1.881	43	117951	9.34	PPBV	#	91
14) BROMOMETHANE	1.936	94	58178	9.50	PPBV		100
15) CHLOROETHANE	1.981	64	37152	9.32	PPBV		97
16) DICHLOROFLUOROMETHANE	2.004	67	151286	8.65	PPBV	#	96
17) ACETONITRILE	2.068	41	74586	9.23	PPBV		96
18) ACROLEIN	2.103	56	31248	8.57	PPBV		99
19) FREON 123	2.116	83	155087	9.19	PPBV		99
20) FREON 123A	2.132	117	81570	9.64	PPBV	#	61
21) TRICHLOROFLUOROMETHANE	2.193	101	159615	8.87	PPBV		100
22) ISOPROPYL ALCOHOL	2.209	45	170814	9.85	PPBV	#	98
23) ACETONE	2.139	58	37682	9.34	PPBV	#	32
24) PENTANE	2.299	42	82769	8.52	PPBV	#	94
25) IODOMETHANE	2.357	142	135918	8.45	PPBV	#	84
26) 1,1-DICHLOROETHYLENE	2.386	96	60644	9.55	PPBV	#	53
27) CARBON DISULFIDE	2.521	76	191252	8.46	PPBV	#	89
28) ETHANOL	2.007	45	50420	11.66	PPBV	#	97
29) BROMOETHENE	2.074	106	56900	9.76	PPBV	#	97
30) ACRYLONITRILE	2.274	52	54051	9.35	PPBV		97
31) METHYLENE CHLORIDE	2.422	84	60046	8.68	PPBV	#	61
32) 3-CHLOROPROPENE	2.463	76	32004	9.37	PPBV	#	8
33) FREON 113	2.521	151	94013	8.73	PPBV		86
34) TRANS-1,2-DICHLOROETHENE	2.769	96	64179	9.22	PPBV	#	78
35) TERTIARY BUTYL ALCOHOL	2.396	59	132973	8.42	PPBV	#	89
36) METHYL TERTIARY BUTYL ...	2.888	73	177883	9.00	PPBV	#	93
37) TETRAHYDROFURAN	3.653	72	31608	9.38	PPBV	#	51
38) HEXANE	3.393	57	124311	8.98	PPBV	#	76
39) VINYL ACETATE	2.930	86	16130	8.65	PPBV	#	1
40) 1,1-DICHLOROETHANE	2.852	63	129531	8.89	PPBV		99
41) METHYL ETHYL KETONE	3.039	72	35017	9.83	PPBV	#	9
42) CIS-1,2-DICHLOROETHENE	3.254	96	67015	8.73	PPBV	#	77
43) DIISOPROPYL ETHER	3.399	59	35584	9.44	PPBV	#	44
44) ETHYL ACETATE	3.405	61	26858	9.68	PPBV	#	35
45) METHYL ACRYLATE	3.389	55	156731	8.61	PPBV	#	99
46) CHLOROFORM	3.422	83	146284	8.82	PPBV	#	92
47) 2,4-DIMETHYLPENTANE	3.952	57	139254	8.98	PPBV	#	93
48) 1,1,1-TRICHLOROETHANE	4.039	97	134958	9.02	PPBV	#	92
49) CARBON TETRACHLORIDE	4.499	117	127026	8.79	PPBV		99
50) 1,2-DICHLOROETHANE	3.868	62	105153	8.98	PPBV	#	95
51) BENZENE	4.380	78	206474	9.07	PPBV		83
53) CYCLOHEXANE	4.602	84	87921	9.45	PPBV	#	81
54) 2,3-DIMETHYLPENTANE	4.875	71	47362	9.30	PPBV	#	64
55) TRICHLOROETHENE	5.344	95	90035	9.32	PPBV		91
56) 1,2-DICHLOROPROPANE	5.097	63	86673	8.86	PPBV		96
57) DIBROMOMETHANE	5.058	174	75874	9.23	PPBV	#	84

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26016.D
Acq On : 16 Sep 2022 8:30 am
Operator : thomash
Sample : icv1105-10
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Sep 21 12:48:40 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58) ETHYL ACRYLATE	5.232	55	188211	9.34	PPBV	#	96
59) BROMODICHLOROMETHANE	5.296	83	163286	9.08	PPBV		96
60) 2,2,4-TRIMETHYLPENTANE	5.438	57	389097	9.28	PPBV	#	98
61) 1,4-DIOXANE	5.373	88	48019	10.01	PPBV	#	76
62) HEPTANE	5.775	43	153009	10.91	PPBV	#	76
63) METHYL METHACRYLATE	5.682	69	82099	11.16	PPBV	#	54
64) METHYL ISOBUTYL KETONE	6.470	58	61804	10.61	PPBV	#	62
65) CIS-1,3-DICHLOROPROPENE	6.344	75	131487	12.06	PPBV	#	74
66) TOLUENE	7.611	91	203661	9.27	PPBV		99
67) 1,3-DICHLOROPROPANE	7.682	76	112067	9.02	PPBV	#	98
68) TRANS-1,3-DICHLOROPROPENE	7.064	75	90277	8.65	PPBV	#	78
69) 1,1,2-TRICHLOROETHANE	7.235	83	66362	9.76	PPBV		96
70) 2-HEXANONE	8.225	58	82938	10.97	PPBV	#	62
71) ETHYL METHACRYLATE	8.351	69	108705	9.79	PPBV	#	75
72) TETRACHLOROETHENE	9.405	164	74702	9.26	PPBV		98
73) DIBROMOCHLOROMETHANE	8.180	129	121466	8.98	PPBV		99
74) 1,2-DIBROMOETHANE	8.534	107	110303	8.94	PPBV		100
75) OCTANE	9.553	43	161540	9.48	PPBV	#	78
77) 1,1,1,2-TETRACHLOROETHANE	10.678	131	82348	8.89	PPBV	#	88
78) CHLOROBENZENE	10.662	112	161536	8.90	PPBV		93
79) ETHYLBENZENE	11.563	91	265935	9.12	PPBV		96
80) M,P-XYLENE	12.000	91	419021	19.06	PPBV	#	63
81) O-XYLENE	12.955	91	215811	9.53	PPBV		92
82) STYRENE	12.743	104	143603	8.96	PPBV		94
83) NONANE	14.083	43	175492	8.72	PPBV	#	76
84) BROMOFORM	11.826	173	121663	9.24	PPBV		99
85) 1,1,2,2-TETRACHLOROETHANE	12.987	83	180401	8.95	PPBV		97
86) 1,2,3-TRICHLOROPROPANE	13.270	75	132719	8.89	PPBV	#	99
88) ISOPROPYLBENZENE	14.498	120	74163	9.70	PPBV	#	75
89) BROMOBENZENE	14.370	77	158404	8.86	PPBV		88
90) 2-CHLOROTOLUENE	15.518	126	65193	9.36	PPBV		98
91) N-PROPYLBENZENE	15.855	120	75914	9.90	PPBV		98
92) 4-ETHYLTOLUENE	16.196	105	295515	9.83	PPBV		98
93) 1,3,5-TRIMETHYLBENZENE	16.347	105	243764	9.62	PPBV	#	95
94) ALPHA-METHYLSTYRENE	16.543	118	102463	8.38	PPBV		97
95) TERT-BUTYLBENZENE	16.797	134	58012	9.42	PPBV		95
96) 1,2,4-TRIMETHYLBENZENE	16.804	105	261409	9.65	PPBV		91
97) BENZYL CHLORIDE	16.887	91	155945	7.31	PPBV	#	94
98) M-DICHLOROBENZENE	16.865	146	168733	8.96	PPBV		99
99) P-DICHLOROBENZENE	16.945	146	167155	8.88	PPBV		98
100) O-DICHLOROBENZENE	17.234	146	164646	8.80	PPBV		98
101) SEC-BUTYLBENZENE	17.074	134	73668	9.62	PPBV		90
102) 1,2,3-TRIMETHYLBENZENE	17.183	105	252878	9.56	PPBV		95
103) P-ISOPROPYLTOLUENE	17.247	134	80903	9.41	PPBV		96
104) N-BUTYLBENZENE	17.595	134	79327	9.81	PPBV		74
105) HEXACHLOROETHANE	17.771	117	92730	7.52	PPBV		94
106) HEXACHLOROBUTADIENE	18.800	225	146372	8.17	PPBV		100
107) 1,2,4-TRICHLOROBENZENE	18.498	180	151861	8.85	PPBV		99
108) NAPHTHALENE	18.546	128	369235	8.92	PPBV		100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26016.D
Acq On : 16 Sep 2022 8:30 am
Operator : thomash
Sample : icv1105-10
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Sep 21 12:48:40 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V6W1105-ICV1105 **Method:** TO-15
Lab FileID: 6W26016.D **Analyst approved:** 09/21/22 12:54 Thomas Hilbig
Injection Time: 09/16/22 08:30 **Supervisor approved:** 09/21/22 13:59 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Dichlorodifluoromethane	75-71-8		1.73	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26016.D
Acq On : 16 Sep 2022 8:30 am
Operator : thomash
Sample : icv1105-10
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Sep 21 07:55:47 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 07:55:06 2022
Response via : Initial Calibration





TIC: 6W26016.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.801min (+0.071) 8.42PPBV


response 165674


Ion	Exp%	Act%
85.00	100	100
87.00	32.20	31.97
50.00	9.30	11.09
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26016.D
Acq On : 16 Sep 2022 8:30 am
Operator : thomash
Sample : icv1105-10
Misc : MS62094,V6W1105,,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Sep 21 12:48:07 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration





TIC: 6W26016.D\data.ms

(6) DICHLORODIFLUOROMETHANE (T)

1.733min (+0.003) 8.35PPBV m

response 164216

Ion	Exp%	Act%
85.00	100	100
87.00	32.20	32.25
50.00	9.30	11.19#
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 09/30/22 16:36

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26135.D
Acq On : 29 Sep 2022 1:13 pm
Operator : thomash
Sample : cc1105-10
Misc : MS62314,V6W1111,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 30 13:34:39 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) BROMOCHLOROMETHANE	3.338	128	37706	10.00	PPBV	#	0.00
52) 1,4-DIFLUOROBENZENE	4.731	114	220161	10.00	PPBV		0.00
76) CHLOROBENZENE-D5	10.583	117	163775	10.00	PPBV		0.00
System Monitoring Compounds							
87) 4-BROMOFLUOROBENZENE	14.023	95	127840	10.68	PPBV		0.00
Target Compounds							Qvalue
3) FREON 152A	1.695	65	40782	13.39	PPBV	#	82
4) CHLORODIFLUOROMETHANE	1.708	67	18889	13.01	PPBV		99
5) CHLOROTRIFLUOROETHENE	1.718	116	75072	12.29	PPBV	#	99
6) DICHLORODIFLUOROMETHANE	1.731	85	214186	12.21	PPBV	#	94
7) PROPYLENE	1.715	41	52180	11.85	PPBV		95
8) 1-CHLORO-1,1-DIFLUOROE...	1.766	65	162401	10.49	PPBV	#	91
9) FREON 114	1.798	85	189660	11.18	PPBV	#	85
10) CHLOROMETHANE	1.773	52	22401	10.34	PPBV		94
11) VINYL CHLORIDE	1.830	62	76324	10.52	PPBV		98
12) 1,3-BUTADIENE	1.866	54	58444	10.61	PPBV	#	77
13) N-BUTANE	1.879	43	112231	9.97	PPBV		94
14) BROMOMETHANE	1.933	94	60329	11.05	PPBV		99
15) CHLOROETHANE	1.978	64	39068	11.00	PPBV		98
16) DICHLOROFLUOROMETHANE	2.004	67	168390	10.80	PPBV	#	97
17) ACETONITRILE	2.065	41	75647	10.51	PPBV		96
18) ACROLEIN	2.101	56	26219	8.07	PPBV		99
19) FREON 123	2.117	83	160515	10.67	PPBV		97
20) FREON 123A	2.133	117	78476	10.41	PPBV	#	60
21) TRICHLOROFLUOROMETHANE	2.191	101	164818	10.27	PPBV		100
22) ISOPROPYL ALCOHOL	2.207	45	191615	12.39	PPBV	#	97
23) ACETONE	2.139	58	44009	12.24	PPBV	#	67
24) PENTANE	2.297	42	80688	9.32	PPBV	#	95
25) IODOMETHANE	2.358	142	129508	9.03	PPBV		88
26) 1,1-DICHLOROETHYLENE	2.383	96	66367	11.72	PPBV	#	61
27) CARBON DISULFIDE	2.519	76	222668	11.05	PPBV	#	92
28) ETHANOL	2.007	45	41115	10.67	PPBV	#	95
29) BROMOETHENE	2.072	106	60530	11.65	PPBV	#	95
30) ACRYLONITRILE	2.271	52	55299	10.73	PPBV		97
31) METHYLENE CHLORIDE	2.422	84	66164	10.73	PPBV	#	70
32) 3-CHLOROPROPENE	2.464	76	34831	11.44	PPBV	#	28
33) FREON 113	2.519	151	92297	9.62	PPBV	#	74
34) TRANS-1,2-DICHLOROETHENE	2.769	96	71023	11.45	PPBV	#	83
35) TERTIARY BUTYL ALCOHOL	2.396	59	153321	10.89	PPBV	#	89
36) METHYL TERTIARY BUTYL ...	2.888	73	195890	11.12	PPBV	#	95
37) TETRAHYDROFURAN	3.654	72	37040	12.34	PPBV	#	72
38) HEXANE	3.390	57	124467	10.09	PPBV	#	79
39) VINYL ACETATE	2.927	86	18308	11.01	PPBV	#	9
40) 1,1-DICHLOROETHANE	2.853	63	133367	10.27	PPBV		99
41) METHYL ETHYL KETONE	3.036	72	38612	12.16	PPBV	#	44
42) CIS-1,2-DICHLOROETHENE	3.252	96	71972	10.52	PPBV	#	81
43) DIISOPROPYL ETHER	3.400	59	38261	11.39	PPBV		67
44) ETHYL ACETATE	3.406	61	27792	11.24	PPBV		54
45) METHYL ACRYLATE	3.390	55	161609	9.96	PPBV	#	99
46) CHLOROFORM	3.419	83	160934	10.88	PPBV	#	95
47) 2,4-DIMETHYLPENTANE	3.953	57	140920	10.19	PPBV		94
48) 1,1,1-TRICHLOROETHANE	4.039	97	143974	10.80	PPBV	#	94
49) CARBON TETRACHLORIDE	4.499	117	131362	10.20	PPBV		97
50) 1,2-DICHLOROETHANE	3.866	62	110287	10.56	PPBV	#	96
51) BENZENE	4.377	78	241686	11.90	PPBV		88
53) CYCLOHEXANE	4.599	84	97869	11.06	PPBV	#	83
54) 2,3-DIMETHYLPENTANE	4.872	71	54590	11.27	PPBV		74
55) TRICHLOROETHENE	5.342	95	100691	10.96	PPBV		86
56) 1,2-DICHLOROPROPANE	5.097	63	96779	10.41	PPBV		97
57) DIBROMOMETHANE	5.052	174	79815	10.21	PPBV	#	77

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26135.D
Acq On : 29 Sep 2022 1:13 pm
Operator : thomash
Sample : cc1105-10
Misc : MS62314,V6W1111,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 30 13:34:39 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
58) ETHYL ACRYLATE	5.232	55	204562	10.67	PPBV	#	97
59) BROMODICHLOROMETHANE	5.293	83	182494	10.67	PPBV		99
60) 2,2,4-TRIMETHYLPENTANE	5.438	57	421585	10.57	PPBV	#	98
61) 1,4-DIOXANE	5.374	88	55489	12.16	PPBV	#	81
62) HEPTANE	5.776	43	161687	12.12	PPBV	#	80
63) METHYL METHACRYLATE	5.686	69	96228	13.75	PPBV	#	65
64) METHYL ISOBUTYL KETONE	6.467	58	66029	11.92	PPBV	#	68
65) CIS-1,3-DICHLOROPROPENE	6.341	75	125330	12.08	PPBV	#	79
66) TOLUENE	7.608	91	231896	11.10	PPBV		99
67) 1,3-DICHLOROPROPANE	7.679	76	128612	10.88	PPBV	#	98
68) TRANS-1,3-DICHLOROPROPENE	7.062	75	101405	10.22	PPBV	#	81
69) 1,1,2-TRICHLOROETHANE	7.232	83	76492	11.83	PPBV		95
70) 2-HEXANONE	8.226	58	81227	11.30	PPBV	#	66
71) ETHYL METHACRYLATE	8.354	69	123023	11.65	PPBV	#	78
72) TETRACHLOROETHENE	9.409	164	74299	9.69	PPBV		100
73) DIBROMOCHLOROMETHANE	8.181	129	118702	9.23	PPBV		100
74) 1,2-DIBROMOETHANE	8.534	107	118199	10.08	PPBV		100
75) OCTANE	9.550	43	178769	11.03	PPBV	#	78
77) 1,1,1,2-TETRACHLOROETHANE	10.676	131	81724	9.33	PPBV	#	80
78) CHLOROBENZENE	10.656	112	172018	10.02	PPBV		90
79) ETHYLBENZENE	11.563	91	306979	11.13	PPBV		94
80) M,P-XYLENE	12.004	91	473028	22.74	PPBV	#	64
81) O-XYLENE	12.959	91	240926	11.25	PPBV		93
82) STYRENE	12.740	104	163882	10.82	PPBV		94
83) NONANE	14.078	43	195446	10.27	PPBV	#	78
84) BROMOFORM	11.820	173	112879	9.06	PPBV		99
85) 1,1,2,2-TETRACHLOROETHANE	12.984	83	205598	10.78	PPBV	#	98
86) 1,2,3-TRICHLOROPROPANE	13.270	75	156626	11.09	PPBV		100
88) ISOPROPYLBENZENE	14.499	120	81699	11.30	PPBV	#	68
89) BROMOBENZENE	14.370	77	185582	10.98	PPBV	#	78
90) 2-CHLOROTOLUENE	15.518	126	65866	9.99	PPBV		99
91) N-PROPYLBENZENE	15.856	120	79748	10.99	PPBV		94
92) 4-ETHYLTOLUENE	16.200	105	325710	11.45	PPBV		94
93) 1,3,5-TRIMETHYLBENZENE	16.348	105	269051	11.23	PPBV		92
94) ALPHA-METHYLSTYRENE	16.544	118	116181	10.04	PPBV		95
95) TERT-BUTYLBENZENE	16.798	134	57942	9.94	PPBV		88
96) 1,2,4-TRIMETHYLBENZENE	16.804	105	291386	11.37	PPBV		85
97) BENZYL CHLORIDE	16.888	91	191211	9.48	PPBV	#	91
98) M-DICHLOROBENZENE	16.865	146	171132	9.61	PPBV		97
99) P-DICHLOROBENZENE	16.946	146	171583	9.64	PPBV		97
100) O-DICHLOROBENZENE	17.238	146	167733	9.48	PPBV		97
101) SEC-BUTYLBENZENE	17.074	134	73399m	10.14	PPBV		
102) 1,2,3-TRIMETHYLBENZENE	17.184	105	281674	11.26	PPBV	#	92
103) P-ISOPROPYLTOLUENE	17.251	134	82195	10.11	PPBV		89
104) N-BUTYLBENZENE	17.595	134	78326	10.24	PPBV	#	42
105) HEXACHLOROETHANE	17.775	117	105312	9.02	PPBV	#	90
106) HEXACHLOROBUTADIENE	18.807	225	140337	8.28	PPBV		99
107) 1,2,4-TRICHLOROBENZENE	18.505	180	140236	8.64	PPBV		99
108) NAPHTHALENE	18.550	128	394851	10.09	PPBV		99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\
Data File : 6W26135.D
Acq On : 29 Sep 2022 1:13 pm
Operator : thomash
Sample : cc1105-10
Misc : MS62314,V6W1111,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 30 13:34:39 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number: V6W1111-CC1105 **Method:** TO-15
Lab FileID: 6W26135.D **Analyst approved:** 09/30/22 13:58 William Cruser
Injection Time: 09/29/22 13:13 **Supervisor approved:** 09/30/22 16:36 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
sec-Butylbenzene	135-98-8		17.07	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26135.D
Acq On : 29 Sep 2022 1:13 pm
Operator : thomash
Sample : cc1105-10
Misc : MS62314,V6W1111,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 13:57:03 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration





TIC: 6W26135.D\data.ms

(101) SEC-BUTYLBENZENE (T)

17.119min (+0.045) 0.07PPBV


response 500


Ion	Exp%	Act%
134.10	100	100
105.10	496.10	476.00
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\
Data File : 6W26135.D
Acq On : 29 Sep 2022 1:13 pm
Operator : thomash
Sample : cc1105-10
Misc : MS62314,V6W1111,,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 13:57:03 2022
Quant Method : C:\msdchem\1\methods\M6W1105.M
Quant Title : TO15 by GCMS w/DB-1, 30m X 0.25mm ID X 0.5 um
QLast Update : Wed Sep 21 12:48:04 2022
Response via : Initial Calibration





TIC: 6W26135.D\data.ms

(101) SEC-BUTYLBENZENE (T)

17.074min (+0.000) 10.14PPBV m

response 73399

Ion	Exp%	Act%
134.10	100	100
105.10	496.10	3.24#
0.00	0.00	0.00
0.00	0.00	0.00

SGS

TO-15

Batch ID: V2W2619

Date: 4/26/22

Analyst Signature:

Columns: DB-1 30m x 0.25mm x 0.5µm
Method: 2W7015.M
Seq. File: 2W20220428.S
Initial Cal. Method: M2W2619.M

AS Data

Method: 7015.7200A.QD

Standard Data

Lot #	Description	Conc.
AS9510	7015 LCS (A977)	40ppbv

Standard Data

Lot #	Description	Conc.
AS9108	Int/Surr.	100ppbv
AS9511	7015 STD (A971)	40ppbv
AS9507	7015 STD (A980)	1.0ppbv
AS9507	7015 LCS (A965)	40ppbv

(M) Manually integrated chromatographic peaks in the following reportable file have been reviewed and verified to comply with the criteria of SGS SOP EQA044.

Supervisor Signature: Date: 5/2/2022

AS #	Data File	Sample ID	TEST	Canister Serial #	Vol Sample	Dil Fact	TICS	Int. STD Areas	Surr	Status Data	Comments
3	2W58803	IB		A852	100					—	
3	2W58804	IB		A952	100					—	
1	2W58805	BFB		~~TH A1261~~ A980	20					OK	12:38pm
1	2W58806	IC2619-0.04		~~TH A1261~~ A980	16			✓	✓	OK	
1	2W58807	IC2619-0.1		~~TH A1261~~ A980	40			✓	✓	OK	
1	2W58808	IC268-0.2		~~TH A1261~~ A980	80			✓	✓	OK	
1	2W58809	IC2619-0.5		~~TH A1261~~ A980	200			✓	✓	OK	
2	2W58810	IC2619-5		A971	50			✓	✓	OK	
2	2W58811	ICC2619-10		A971	100			✓	✓	OK	
2	2W58812	IC2619-20		A971	200			✓	✓	OK	
2	2W58813	IC2619-40		A971	400			✓	✓	OK	
2	2W58814	IC2619-50		A971	500			✓	✓	OK	
3	2W58815	IB		A952	100					—	
3	2W58816	IB		A952	100					—	
5	2W58817	ICV2619-10		A965	100					RR	
3	2W58818	IB		A952	100					—	
4	2W58819	ICV2619-10		A977	100			✓	✓	OK	

TH 4/27/22

All strikeouts must be initial and dated. Comment is require for anything other than a transcription error.

SGS

TO-15

Batch ID: V2W2637

Date: 5/14/2022

Analyst Signature:

Columns: DB-1: 30m x 0.25mm x 0.5μm
Method: 2WTO15.M
Seq. File: 2W2522051 4.S
Initial Cal. Method: M2W2619.M

AS Data

Method: TO15.7200A.CTT

Standard Data

Lot #	Description	Conc.

Standard Data

Lot #	Description	Conc.
AS7188	ISIS	100 ppbv
AS9511	TO15 STD (A971)	40 ppbv

(M) Manually integrated chromatographic peaks in the following reportable file have been reviewed and verified to comply with the criteria of SGS SOP EQA044.

Supervisor Signature: Date: 5/18/22

AS #	Data File	Sample ID	TEST	Canister Serial #	Vol Sample	Dil Fact	TICS	Int. STD Areas	Surr	Status Data	Comments
1	2W59296	BFB		OPEN	400					OK	T= 14:24
2	2W59297	CC 2619-10		A971	100			—	—	NG	CLOSED VALVE
2	2W59298	CC2619-10		A971	100			✓	✓	OK	↓R115
2	2W59299	BS		A971	100			✓	✓	OK	↑HCBD↓R142B,↓R115
2	2W59300	BSD		A971	100			✓	✓	OK	↑R142B, NONANE, HCBD
3	2W59301	IB		A959	100			—	—	—	
3	2W59302	MB		A959	400		+	✓	✓	OK	
4	2W59303	JD43130-1	STD+ MS58252	A805	50	1		✓	✓	OK /DL	
5	2W59304	JD41679-4	STD, NAP MS58252	A1575	100	1		✓	✓	OK /DL	
6	2W59305	JD41679-3	✓	A1598	40	1		✓	✓	OK /DL	
7	2W59306	JD44674-1	STD MS58996	A764	100	1		✓	✓	OK	
7	2W59307	JD44674-1dup	✓	A764	100	1		✓	✓	OK	
3	2W59308	IB			20			—	—	—	
8	2W59309	JD44710-3	SL MS58996	TBAG, TDAG	80	1000		✓	✓	OK /DL	5/18/22
3	2W59310	IB			20			—	—	—	
9	2W59311	JD42338-1	STD+ MS57951	A545	40	1	+	✓	✓	OK /DL	↑2,2,4-TMP 6VOLOK RE=20cc
10	2W59312	JD42338-2	✓	M450, TBAG	~~100~~ 50	~~100~~ 123	+	—	—	NOT USED/DL	
10	2W59313	JD42338-2	✓	M450, TBAG	~~50~~ 100	~~100~~ 123	+	✓	✓	OK /DL	
11	2W59314	SCC, CP11732	~~A236~~	A236	400			—	—	NOT USED	
11	2W59315	SCC, CP11732		A236	400			✓	✓	OK	
12	2W59316	SCC, CP11732		A887	400			✓	✓	OK	
13	2W59317	SCC, CP11732		A324	400			✓	✓	OK	
14	2W59318	JD42517-1	STD MS58010	A786, TBAG	200	500		—	—	BR /DL	TOO DILUTE RE= 400
15	2W59319	SCC, CP11732		M409	400			✓	✓	OK	
14	2W59320	JD42517-1	STD MS58010	A786, TBAG	~~400~~ 386 387	500		✓	✓	BR /DL	
											5/15/22

All strikeouts must be initial and dated. Comment is require for anything other than a transcription error.

SGS

TO-15

Batch ID: V2W2709

Date: 8/19/22

Analyst Signature:

Columns: DB-1 30mx0.25mmx0.5μm
Method: 2WTO15.M
Seq. File: 2W20220819.S
Initial Cal. Method: M2W2709.M

AS Data

Method: TO15, 7200A.CTD

Standard Data

Lot #	Description	Conc.

Standard Data

Lot #	Description	Conc.
A51188	Int/Surr.	100ppbv
A59570	TO15 STD (A1784)	40ppbv
A59580	TO15 LCS (A965)	40ppbv
A59569	TO15 STD (A1810)	2ppbv

(M) Manually integrated chromatographic peaks in the following reportable file have been reviewed and verified to comply with the criteria of SGS SOP EQA044.

Supervisor Signature: Date: 8/22/2022

AS #	Data File	Sample ID	TEST	Canister Serial #	Vol Sample	Dil Fact	TICS	Int. STD Areas	Surr	Status Data	Comments
3	2W61006	IB		A962	20						
3	2W61007	IB		A962	20						
3	2W61008	IB		A962	20						
1	2W61009	BFB		A1810	20					OK	T=10:50
1	2W61010	IC2709-0.04		A1810	8			✓	✓	OK	
1	2W61011	IC2709-0.1		A1810	20			✓	✓	OK	
1	2W61012	IC2709-0.2		A1810	40			✓	✓	OK	
1	2W61013	IC2709-0.5		A1810	100			✓	✓	OK	
2	2W61014	IC2709-0.5		A1784	5						
2	2W61015	IC2709-5		A1784	50			✓	✓	OK	
2	2W61016	IC2709-10		A1784	100			✓	✓	OK	
2	2W61017	IC2709-20		A1784	200			✓	✓	OK	
2	2W61018	IC2709-40		A1784	400			✓	✓	OK	
2	2W61019	IC2709-50		A1784	500			✓	✓	OK	
3	2W61020	IB		A962	20						
3	2W61021	IB		A962	20						
4	2W61022	ICV2709-10		A965	100			✓	✓	OK	

8/22/2022

All strikeouts must be initial and dated. Comment is require for anything other than a transcription error.

SGS

TO-15

Batch ID: V2W2710

Date: 8/24/2022

Analyst Signature:

Columns: DB-1: 30m x 0.25mm x 0.5μm
Method: 2WTO15.M
Seq. File: 2W20220824 S
Initial Cal. Method: M2W2709.M

AS Data

Method: TO15.7200A.CTD

Standard Data

Lot #	Description	Conc.

Standard Data

Lot #	Description	Conc.
AS9188	IS/SS	100 ppbv
AS9570	TO15 SSD (A1784)	40 ppbv

(M) Manually integrated chromatographic peaks in the following reportable file have been reviewed and verified to comply with the criteria of SGS SOP EQA044.

Supervisor Signature: Date: 9/22/22

AS #	Data File	Sample ID	TEST	Canister Serial #	Vol Sample	Dil Fact	TICS	Int. STD Areas	Surr	Status Data	Comments
1	2W61023	BFB								OK	T= 19:28
2	2W61024	CC2709-10						✓	✓	OK	
2	2W61025	BS						✓	✓	OK	
2	2W61026	BSD						✓	✓	OK	
3	2W61027	IB									
3	2W61028	MB						✓	✓	OK	
4	2W61029	scc, CP11857		A1602	400			—	—	NG	4ETOH = 20ppbv RECLEAN
5	2W61030	scc, CP11851		A485	400			✓	✓	OK	
6	2W61031	scc, CP11842		A896	400			✓	✓	OK	
7	2W61032	scc, CP11827		A1097	400			✓	✓	OK	
8	2W61033	scc, CP11833		A1065	400			✓	✓	OK	
9	2W61034	scc, CP11853		A1057	400			✓	✓	OK	
10	2W61035	scc, CP11854		M141	400			✓	✓	OK	
11	2W61036	scc, CP11856		A1329	400			✓	✓	OK	
12	2W61037	scc, CP11848		A497	100			✓	✓	OK	
13	2W61038	scc, CP11848		A1123	100			✓	✓	OK	
14	2W61039	scc, CP11848		A701	100			✓	✓	OK	
15	2W61040	scc, CP11849		A416	100			✓	✓	OK	
16	2W61041	scc, CP11849		A1210	100			✓	✓	OK	
1	2W61042	scc, CP11849		A1505	100			✓	✓	OK	

8/25/22

All strikeouts must be initial and dated. Comment is require for anything other than a transcription error.

SGS

TO-15

Batch ID: V2W2714

Date: 8/30/22

Analyst Signature:

Columns: DB-1 50m x 0.25mm x 0.5µm

Method: 2wTO15.m

Seq. File: 2w20220830.s

Initial Cal. Method: m2w2709.m

AS Data

Method: TO15.7200A.CTD

Standard Data

Lot #	Description	Conc.

Standard Data

Lot #	Description	Conc.
AS9138	Int/Surr	100ppbv
AS9570	TO15STD (A1784)	4ppbv
AS9577	TO15STD (A1804)	2ppbv

(M) Manually integrated chromatographic peaks in the following reportable file have been reviewed and verified to comply with the criteri of SGS SOP EQA044.

Supervisor Signature: Date: 9/1/22

AS #	Data File	Sample ID	TEST	Canister Serial #	Vol Sample	Dil Fact	TICS	Int. STD Areas	Surr	Status Data	Comments
1	2w61139	BFB		OPEN POSITION	400					OK	T=8:49AM
2	2w61140	CC2709-10		A1784	100			✓	✓	OK	
2	2w61141	BS		A1784	100			✓	✓	OK	
2	2w61142	BSD		A1784	100			✓	✓	OK	
3	2w61143	IB		A962	100					—	
3	2w61144	MB		A962	400		+	✓	✓	OK	
4	2w61145	JD50169-1	NYLL NG42A+20	A1842	100	1	+	✓	✓	OK/DL	OVOCAL PR=20mL
5	2w61146	JD50169-2	MS61441	A1574	500	1	+	✓	✓	OK/DL	TOLUENE ↑ PR=200mL
6	2w61147	JD50411-1	STD+ MS61582	A1066	400	1	+	✓	✓	OK	
7	2w61148	JD50411-2	✓	AZ004	400	1	+	✓	✓	OK/DL	ACETONE ↑ PR=100mL
3	2w61149	IB		A962	20					—	
8	2w61150	JD37733-5A		A1804	20						
8	2w61151	JD37733-5B		A1804	40						0.1 LOQ
9	2w61152	JD50792-1	STD MS61755	A1000	400	1		✓	✓		0.2 LOQ
10	2w61153	JD50792-2	✓	A332	400	1		✓	✓	OK	
11	2w61154	JD50792-3	✓	A665	400	1		✓	✓	OK	
12	2w61155	JD50792-4	✓	A1849	400	1		✓	✓	OK	
12	2w61156	JD50792-4DUP	✓	A1849	400	1		✓	✓	OK	
13	2w61157	JD50792-5	✓	A1861	400	1		✓	✓	OK	
14	2w61158	JD50792-6	✓	A1850	400	1		✓	✓	OK	
15	2w61159	JD50792-7	✓	A190	620	1.55		✓	✓	OK/DL	ACETONE ↑ PR=200mL
16	2w61160	JD50675-1	STD MS61680	A1046	40	1		—	—	—	TOO DILUTE PR=4x
1	2w61161	JD50675-2	✓	A204	40	1		—	—	—	TOO DILUTE PR=4x
2	2w61162	JD50675-3	✓	M132	608	1.52		✓	✓	OK/DL	ACETONE ↑ PR=100mL
3	2w61163	JD50675-4	✓	A2012	632	1.58		—	—	PR	VALVE CLOSED
4	2w61164	JD50675-5	✓	A1853	632	1.58		✓	✓	OK	
5	2w61165	JD50411-3	STD+ MS61582	A752	400	1	+	✓	✓	OK	
6	2w61166	JD50411-4	✓	A1561	100	1	+	✓	✓	OK	
7	2w61167	JD50411-6	✓	A1956	100	1	+	✓	✓	OK	
8	2w61168	JD50411-5	✓	A1408	5	1	+	✓	✓	OK/DL	

All strikeouts must be initial and dated. Comment is require for anything other than a transcription error.

SGS

TO-15

Batch ID: V2W2714(CONT.)

Date: 8/30/2022

Analyst Signature:

Columns: DB-1 30m×0.25mm×0.5μm
Method: 2WTO15.m
Seq. File: 2W20220830.S
Initial Cal. Method: new2709.m

AS Data

Method: TO15 7200A CTD

Standard Data

Lot #	Description	Conc.

Standard Data

Lot #	Description	Conc.
AS9188	int/surr	100ppbv
AS9510	TO15 STD (1784)	40ppbv

(M) Manually integrated chromatographic peaks in the following reportable file have been reviewed and verified to comply with the criteria of SGS SOP EQA044.

Supervisor Signature: Date:

AS #	Data File	Sample ID	TEST	Canister Serial #	Vol Sample	Dil Fact	TICS	Int. STD Areas	Surr	Status Data	Comments
9	2W61169	JD50169-1	NYLL MSG1441	A1842	20	1		✓	✓	AR/DL	
10	2W61170	JD50169-2	✓	A1874	200	1		✓	✓	AR/DL	
11	2W61171	JD50411-2	STD+ MSG1582	~~A2094~~ ~~A1966~~	100	1		✓	✓	AR/DL	
12	2W61172	scc, CP11860		A1524	100			✓	✓	OK	
13	2W61173	scc, CP11860		A521	100			✓	✓	OK	
14	2W61174	scc, CP11860		A1144	100			✓	✓	OK	
15	2W61175	scc, CP11857		M236	400			—	—	RR	ERROR SAMPLING
16	2W61176	scc, CP11850		A643	400			✓	✓	OK	

8/30/22

WL 8/31/22

All strikeouts must be initial and dated. Comment is require for anything other than a transcription error.

SGS

TO-15

Batch ID: V2W2735

Date: 9/28/22

Analyst Signature:

Columns: DB-1 30mx0.25mmx0.25µm

Method: 2W TO15.M

Seq. File: 2W20220928.S

Initial Cal. Method: M2W270R.M

AS Data

Method: TO15: 7200A.CFG

Standard Data

Lot #	Description	Conc.

Standard Data

Lot #	Description	Conc.
AS8589	Int/Surr	100ppbv
AS8596	TO15 STD (A971)	40ppbv

(M) Manually integrated chromatographic peaks in the following reportable file have been reviewed and verified to comply with the criteri of SGS SOP EQA044.

Supervisor Signature: Date: 9/29/2022

AS #	Data File	Sample ID	TEST	Canister Serial #	Vol Sample	Dil Fact	TICS	Int. STD Areas	Surr	Status Data	Comments
1	2W61632	BFB		open position	400					OK	
2	2W61633	CC2702-10		A971	100			✓	✓	OK	
2	2W61634	BS		A971	100			✓	✓	OK	
2	2W61635	BSD		A971	100			✓	✓	OK	
3	2W61636	IB		A962	100			✓	✓	—	
3	2W61637	MB		A962	400			✓	✓	OK	
4	2W61638	JD52482-1	STD MS62487	A408	100	1		✓	✓	OK/DL	Prepare ↑ PR 10mL
5	2W61639	JD52482-2	✓	A528	100	1		✓	✓	OK	
5	2W61640	JD52482-2DUP	✓	A528	100	1		✓	✓	OK	
6	2W61641	JD52189-1	STD MS62329	M431, A2066	40	1250				RR	too dilute IR 125X
7	2W61642	JD52262-1	STD MS62371	A716, A2085	40	1430		✓	✓	OK/DL	VC ↑ PR 20mL
8	2W61643	JD52268-2	✓	A402, A2058	40	1350		✓	✓	OK/DL	VC ↑ RR 20mL
9	2W61644	JD52268-3	✓	A428, A2065	100	725		✓	✓	OK/DL	TOO DILUTE RR=725X
4	2W61645	JD52482-1	STD MS62487	A408	10	1		✓	✓	OK/DL	
6	2W61646	JD52189-1	STD MS62329	M431, A2066	400	1250		✓	✓	OK	
7	2W61647	JD52262-1	STD MS62371	A716, A2085	20	1430		✓	✓	OK/DL	
8	2W61648	JD52268-2	✓	A402, A2058	20	1350		✓	✓	OK/DL	
9	2W61649	JD52268-3	✓	A428, A2065	400	725		✓	✓	OK/DL	
10	2W61650	JD52620-1	STD MS62557	A676	100	1		✓	✓	OK	
11	2W61651	JD52620-2	✓	AH18	100	1		✓	✓	OK	

TH 9/29/22

All strikeouts must be initial and dated. Comment is require for anything other than a transcription error.

SGS

TO-15

Batch ID: V2W2736

Date: 9/29/22

Analyst Signature:

Columns: DB-1 30m x 0.25mm x 0.5µm
Method: 2W7015.M
Seq. File: 2W2022_0929_5
Initial Cal. Method: M2W2709.M

AS Data

Method: TO15.7200A.CTD

Standard Data

Lot #	Description	Conc.

Standard Data

Lot #	Description	Conc.
AS2525	Int/Surr.	100ppbv
AS2526	TO15 STD (A971)	40ppbv

(M) Manually integrated chromatographic peaks in the following reportable file have been reviewed and verified to comply with the criteri of SGS SOP EQA044.

Supervisor Signature: Date: 10/3/2022

AS #	Data File	Sample ID	TEST	Canister Serial #	Vol Sample	Dil Fact	TICS	Int. STD Areas	Surr	Status Data	Comments
1	2W61652	BFB		from position	400					OK	T=7:14
2	2W61653	cc 2709-10		A971	100			✓	✓	OK	
2	2W61654	BS		A971	100			✓	✓	OK	
2	2W61655	BSD		A971	100			✓	✓	OK	
3	2W61656	IB		A962	100					—	
3	2W61657	MB		A962	400			✓	✓	OK	
4	2W61658	JD52620-13	STD M62557	M200	100	1		✓	✓	OK	
5	2W61659	JD52620-3	✓	A777	20	1		✓	✓	OK/DL	over cal RR 5mL
6	2W61660	JD52620-4	✓	A504	5	1		✓	✓	OK	
7	2W61661	JD52620-5	✓	M180	10	1		✓	✓	OK/DL	over cal RR 5mL
8	2W61662	JD52620-6	✓	M430	20	1		✓	✓	OK/DL	c-1,2DCE↑ RR=5mL
9	2W61663	JD52620-7	✓	M462	100	1		✓	✓	OK/DL	c-1,2 DCE↑ RR=50mL
10	2W61664	JD52620-8	✓	A1152	100	1		✓	✓	OK/DL	c-1,2 DCE↑ RR=20mL
10	2W61665	JD52620-8DUP	✓	A1152	100	1		✓	✓	OK	
11	2W61666	JD52620-9	✓	A534	40	1		✓	✓	OK/DL	over cal RR 5mL
12	2W61667	JD52620-10	✓	A1105	20	1		✓	✓	OK	
13	2W61668	JD52620-11	✓	A791, M230	40	1120				RR	too dilute RR 1120X
14	2W61669	JD52620-12	✓	A597	100	1		✓	✓	OK	
15	2W61670	JD52614-1	STD M62556	A1606	400	1		✓	✓	OK	
16	2W61671	JD52614-2	✓	A1652	100	1		✓	✓	OK	
1	2W61672	JD52614-3	✓	~~A1602~~ A1655	100	6.49		✓	✓	OK	
2	2W61673	JD52614-4	✓	~~A1467~~ A1462	100	1		✓	✓	OK	
3	2W61674	JD52614-5	✓	~~A1467~~ A1467	100	1		✓	✓	OK	
4	2W61675	JD52614-6	✓	M405	100	1		✓	✓	OK	
5	2W61676	JD52614-7	✓	A1588	100	1		✓	✓	OK	
6	2W61677	SCC CP11857		A1585	400			—	—	RR	possible clo
7	2W61678	SCC CP11875		A581	100			—	—	RR	possible clo
8	2W61679	SCC CP11875		A1232	100			✓	✓	OK	
9	2W61680	SCC CP11875		A565	100			✓	✓	OK	
10	2W61681	SCC, CP11865		A1514	100			✓	✓	OK	
11	2W61682	SCC, CP11865		A1988	100			✓	✓	OK	
12	2W61683	SCC, CP11865		A1884	100			✓	✓	OK	

All strikeouts must be initial and dated. Comment is require for anything other than a transcription error.

79

DAYT-AIR-0006-06-FORM-TO15 Instrument Log 1/9/18

SGS

Canister Secondary Dilution Log

Test Gauge ID : TG- 2

			Original Canister Dilution				Secondary Canister Dilution						Final Canister Dilution
Date	Initials	SGS Sample ID	Canister ID	Vacuum in "Hg at time of Dilution	Final Pressure psig	Dilution Factor	Canister ID	Canister Volume CC	Sample Volume Added CC	Final Pressure psig	Equiv Total Volume CC	Dilution Factor	Factor
3/29/22	TH	JD52620-11	A791	1.0	1.2	1.12	M230	6000	10	1.8	10000	1000	1120

Definition:

Final DF = (Original Canister DF) x (Secondary Canister DF)

Dilution Factor at Instrument = (Final Canister Dilution Factor) x (Normal Sampling Volume in cc) / (Sample Volume in cc Injected)

Example:

Original Canister is diluted 2x for manual sample draw. 75cc from this canister is added to a 375cc minican and brought to 14.7 psig or 750cc equiv volume. This results in an additional dilution of 750/75 or 10. The final canister dilution factor is 2 x 10 = 20. From the dilution canister 20cc is injected at the instrument where normal volume is 400cc. This is an additional instrument dilution factor of 20. The final dilution multiplier is 20(from canister dilution) x 20(from instrument dilution) = 400

Notes:

All strikeouts must be initial, dated and reason code applied as follows: # 1 = Reviewer Correction Error; # 2 = Transcription Error; # 3 = Computer Miscalclulation, # 4 = Analyst's Correction Error

SGS

TO-15

Batch ID: V2W2737

Date: 9/30/22

Analyst Signature:

Columns: RTX-1 30m x 0.25mm x 1.0µm
Method: 2W TO15.M
Seq. File: 2W 2022 0930 5
Initial Cal. Method: M2W 2709.M

AS Data

Method: TO15.7200A.CTD

Standard Data

Lot #	Description	Conc.

Standard Data

Lot #	Description	Conc.
AS9585	Lot 1 Sum	100 ppbv
AS9596	TO15 STD (A971)	40 ppbv

(M) Manually integrated chromatographic peaks in the following reportable file have been reviewed and verified to comply with the criteria of SGS SOP EQA044.

Supervisor Signature: Date: 10/3/2022

AS #	Data File	Sample ID	TEST	Canister Serial #	Vol Sample	Dil Fact	TICS	Int. STD Areas	Surr	Status Data	Comments
1	2W61684	BFB		open position	400					OK	
2	2W61685	CC2709-10		A971	100			✓	✓	OK	
2	2W61686	BS		A971	100			✓	✓	OK	
2	2W61687	BS		A971	100			✓	✓	OK	
3	2W61688	MB		A962	100					—	
3	2W61689	MB		A962	400			✓	✓	OK	
4	2W61690	SCC CP11857		A1585	400			✓	✓	OK	
5	2W61691	SCC CP11875		A581	100			—	—	NG	circle LL reclean canister
6	2W61692	JD52620-11	STD MS62257	A791, M230	400	1120		✓	✓	OK	
7	2W61693	JD52620-9	✓	A534	5	1.13		✓	✓	OK/OL	
8	2W61694	JD52642-1	STD MS62562	A1233	100	1		✓	✓	OK	
9	2W61695	JD52642-2	✓	A1133	100	1		✓	✓	OK	
10	2W61696	JD52638-1	STD MS62567	A989	400	1		✓	✓	OK	
10	2W61697	JD52638-1 DUP	✓	A989	400	1		✓	✓	OK	
11	2W61698	~~JD52638-1~~ TH 9/30/22	STD MS62528	A1711	100	1					JD52643-1
12	2W61699	~~JD52638-1~~ TH 9/30/22	✓	A671	100	1					JD52643-2
13	2W61700	JD52643-3	✓	A1740	100	1					
14	2W61701	JD52643-4	✓	A1651	100	1					
15	2W61702	JD52643-5	✓	A1717	100	1					
16	2W61703	JD52643-6	✓	A1687	100	1					
1	2W61704	JD52643-7	✓	A345	400	1					
2	2W61705	JD52643-8	✓	A1464	400	1					
3	2W61706	JD52637-1	STD, CUME, propane	A403	20	1					
4	2W61707	JD52637-2	MS62567	A643	400	1					
5	2W61708	JD52637-3	✓	A1101	400	1					
6	2W61709	JD52637-4	✓	A1817	400	1					
7	2W61710	JD52637-5	✓	A1339	400	1					
8	2W61711	JD52637-6	✓	M440	40	1					
9	2W61712	JD52634-1	STD, MDP MS62557	A799	100	1					
10	2W61713	SCC CP11877		M133	400					NG	possible c/o

All strikeouts must be initial and dated. Comment is require for anything other than a transcription error.

Canister Secondary Dilution Log

Test Gauge ID : TG- 2

			Original Canister Dilution				Secondary Canister Dilution						
Date	Initials	SGS Sample ID	Canister ID	Vacuum in "Hg at time of Dilution	Final Pressure psig	Dilution Factor	Canister ID	Canister Volume CC	Sample Volume Added CC	Final Pressure psig	Equiv Total Volume CC	Dilution Factor	Final Canister Dilution Factor
9/23/22	TH	JD52620-11	A791	1.0	1.2	1.12	M230	6000	10	2.8	10000	1000	1120

Definition:

Final DF = (Original Canister DF) x (Secondary Canister DF)

Dilution Factor at Instrument = (Final Canister Dilution Factor) x (Normal Sampling Volume in cc) / (Sample Volume in cc Injected)

Example:

Original Canister is diluted 2x for manual sample draw. 75cc from this canister is added to a 375cc minican and brought to 14.7 psig or 750cc equiv volume. This results in an additional dilution of 750/75 or 10. The final canister dilution factor is 2 x 10 = 20. From the dilution canister 20cc is injected at the instrument where normal volume is 400cc. This is an additional instrument dilution factor of 20. The final dilution multiplier is 20(from canister dilution) x 20(from instrument dilution) = 400

Notes:

All strikeouts must be initial, dated and reason code applied as follows: # 1 = Reviewer Correction Error; # 2 = Transcription Error; # 3 = Computer Miscalculation, # 4 = Analyst's Correction Error

SGS

Canister Secondary Dilution Log

Test Gauge ID : TG- 2

			Original Canister Dilution				Secondary Canister Dilution						
Date	Initials	SGS Sample ID	Canister ID	Vacuum in "Hg at time of Dilution	Final Pressure psig	Dilution Factor	Canister ID	Canister Volume CC	Sample Volume Added CC	Final Pressure psig	Equiv Total Volume CC	Dilution Factor	Final Canister Dilution Factor
9/30/22	TR	JD52620-9	A534	1.5	1.0	1.13	—	—	—	—	—	—	1.13

Definition: Final DF = (Original Canister DF) x (Secondary Canister DF)

Dilution Factor at Instrument = (Final Canister Dilution Factor) x (Normal Sampling Volume in cc) / (Sample Volume in cc Injected)

Example: Original Canister is diluted 2x for manual sample draw. 75cc from this canister is added to a 375cc minican and brought to 14.7 psig or 750cc equiv volume. This results in an additional dilution of 750/75 or 10. The final canister dilution factor is 2 x 10 = 20. From the dilution canister 20cc is injected at the instrument where normal volume is 400cc. This is an additional instrument dilution factor of 20. The final dilution multiplier is 20(from canister dilution) x 20(from instrument dilution) = 400

Notes:

All strikeouts must be initial, dated and reason code applied as follows: # 1 = Reviewer Correction Error; # 2 = Transcription Error; # 3 = Computer Miscalclulation, # 4 = Analyst's Correction Error

TO-15

Batch ID: V6W1105

Date: 9/15/22

Analyst Signature:

Columns: DB-1 30mx0.25mmx1µm

Method: 6WTO15.M

Seq. File: 6W20220915.S

Initial Cal. Method: M6W1105.M

AS Data

Method: 6WTO15.7200A.CTD

Standard Data

Lot #	Description	Conc.

Standard Data

Lot #	Description	Conc.
AS9188	Int/Surr.	100ppbv
AS9594	TO15 STD (A1794)	40ppbv
AS9598	TO15 STD (A1810)	2ppbv
AS9595	TO15 LCS (A774)	40ppbv

(M) Manually integrated chromatographic peaks in the following reportable file have been reviewed and verified to comply with the criteri of SGS SOP EQA044.

Supervisor Signature: Date: 10/3/22

AS #	Data File	Sample ID	TEST	Canister Serial #	Vol Sample	Dil Fact	TICS	Int. STD Areas	Surr	Status Data	Comments
3	6W25999	IB		A963	20					-	
3	6W26000	IB		A963	20					-	
1	6W26001	BFB		A1810	20					OK	
1	6W26002	IC1105-0.04		A1810	8					RR	
1	6W26003	IC1105-0.1		A1810	20					RR	
1	6W26004	IC1105-0.2		A1810	40			✓	✓	OK	
1	6W26005	IC1105-0.5		A1810	100			✓	✓	OK	
2	6W26006	IC1105-0.5		A1794	5			✓	✓	OK	
2	6W26007	IC1105-5		A1794	50			✓	✓	OK	
2	6W26008	ICC1105-10		A1794	100			✓	✓	OK	
2	6W26009	IC1105-20		A1794	200			✓	✓	OK	
2	6W26010	IC1105-40		A1794	400			✓	✓	OK	
2	6W26011	IC1105-50		A1794	500			✓	✓	OK	
3	6W26012	IB		A963	~~20~~					-	
3	6W26013	IB		A963	20					-	
TH X 1	6W26014	~~IC1105-10 TH~~		TH A794 1.0DV	~~DF 8~~			✓	✓	OK	IC1105-0.04
TH 51	6W26015	~~IB TH~~		TH A963 1.0DV	20			✓	✓	OK	IC1105-0.1
4	6W26016	IC1105-10		A974	100			✓	✓	OK	

WC 9/19/22

All strikeouts must be initial and dated. Comment is require for anything other than a transcription error.

SGS

TO-15

Batch ID: V6W1111

Date: 9/29/22

Analyst Signature:

Columns: DB-1 30m x 0.25mm ID 0.5µm
Method: 6w7015.m
Seq. File: 6w20220929.s
Initial Cal. Method: m6w1105.m

AS Data

Method: 6w7015.7200A.CTD

Standard Data

Lot #	Description	Conc.

Standard Data

Lot #	Description	Conc.
AS9585	Int/Surr	10ppbv
AS9594	TO15 STD (A1794)	40ppbv
AS9593	TO15 STD (A1784)	

(M) Manually integrated chromatographic peaks in the following reportable file have been reviewed and verified to comply with the crite of SGS SOP EQA044.

Supervisor Signature: Date: 10/3/22

AS #	Data File	Sample ID	TEST	Canister Serial #	Vol Sample	Dil Fact	TICS	Int. STD Areas	Surr	Status Data	Comments
1	6w26130	BFB		daily position	400						
2	6w26131	cc1105-10		A1794	100						
2	6w26132	cc1105-10		A1794	100					NG	124-TCB ↓ HCBD ↓
1	6w26133	BFB		daily position	400					NG	MULTIPLE Compo ↓
2	6w26134	cc1105-10		A1794	100					ok	
2	6w26135	cc1105-10		A1784	100					R R	MULTIPLE COMPOUNDS ↓
2	6w26136	BS		A1784	100			✓	✓	ok	METHYL METHACRYLATE ↑
2	6w26137	BSD		A1784	100			✓ WC		NG	MULTIPLE COMPOUNDS ↑
2	6w26138	BS		A1784	100			✓ WC		NG	
2	6w26139	BSD		A1784	100			✓	✓	ok	METHYL METHACRYLATE ↑
3	6w26140	IB		A1784	100			✓	✓	ok	METHYL METHACRYLATE ↑
3	6w26141	MB		A958	100					—	
4	6w26142	JD52613-1	TCE MS622556	A107	400			✓	✓	ok	
5	6w26143	JD52615-1	STD MS622556	A1959	100	1		✓	✓	ok	
5	6w26144	JD52615-1DUP	✓	A1959	100	1		✓	✓	ok	
6	6w26145	JD52618-1	STD MS622556	A1150	100	1		✓	✓	ok	
7	6w26146	JD52618-2A	✓	M188	100	1		✓	✓	ok	
8	6w26147	JD52618-3A	✓	A702	100	1		✓	✓	ok	
9	6w26148	JD52618-4A	✓	A521	100	1		✓	✓	ok	
10	6w26149	JD52618-5B	✓	A1127	100	1		✓	✓	ok	
11	6w26150	JD52618-6B	✓	A544	100	1		✓	✓	ok	
12	6w26151	JD52618-7B	✓	A1209	100	1		✓	✓	ok/DL	ACETONE ↑ RA>20ML
13	6w26152	JD52620-3	STD MS622557	A797	5	1.30		✓	✓	ok	
14	6w26153	JD52620-5	✓	M180	5	1.23		✓	✓	ok/DL	
15	6w26154	JD52620-6	✓	M130	5	1.15		✓	✓	ok/DL	
16	6w26155	JD52620-7	✓	M462	50	1		✓	✓	ok/DL	
1	6w26156	JD52620-8	✓	A1152	20	1		✓	✓	ok/DL	
								WC 9/30/22			

All strikeouts must be initial and dated. Comment is require for anything other than a transcription error.

The results set forth herein are provided by SGS North America Inc.

e-Hardcopy 2.0
Automated Report

Technical Report for

WSP USA Environment & Infrastructure Inc

EPT, Ithaca, NY

31401545.001

SGS Job Number: JD52507

Sampling Dates: 09/19/22 - 09/22/22



Report to:

WSP
13530 DULLES TECHNOLOGY DRIVE Suite 300
Herndon, VA 20171
Nathaniel.Winston@wsp.com; jeffrey.baker@wsp.com

ATTN: Nathaniel Winston

Total number of pages in report: **1006**

Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

David Chastain
General Manager

Client Service contact: Tammy McCloskey 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, FL, IL, IN, KS, KY, LA, MA, MD, ME, MN, NC, OH VAP (CL0056), AK (UST-103), AZ (AZ0786), PA(68-00408), RI, SC, TX, UT, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of SGS.
Test results relate only to samples analyzed.

SGS is the sole authority for authorizing edits or modifications to this document.
Unauthorized modification of this report is strictly prohibited.
Review standard terms at: http://www.sgs.com/en/terms-and-conditions

Please share your ideas about how we can serve you better at:
EHS.US.CustomerCare@sgs.com

Table of Contents

Section 1: Sample Summary **4**
Section 2: Case Narrative/Conformance Summary **8**
Section 3: Summary of Hits **13**
Section 4: Sample Results **18**
4.1: JD52507-1: EXB-9 19
4.2: JD52507-2: EB-091922 21
4.3: JD52507-3: MW-5-40 23
4.4: JD52507-4: MW-5-25 25
4.5: JD52507-5: MW-8B 27
4.6: JD52507-6: EXB-10 29
4.7: JD52507-7: MW-32B 31
4.8: JD52507-8: MW-15C 33
4.9: JD52507-9: MW-36B 35
4.10: JD52507-10: MW-46-72C 37
4.11: JD52507-11: MW-46-43C 39
4.12: JD52507-12: MW-50-160D 41
4.13: JD52507-13: MW-092022 43
4.14: JD52507-14: EB-092022 45
4.15: JD52507-15: MW-20B 47
4.16: JD52507-16: MW-7B 49
4.17: JD52507-17: MW-12C 51
4.18: JD52507-18: MW-13C 53
4.19: JD52507-19: MW-5-100 55
4.20: JD52507-20: MW-4B 57
4.21: JD52507-21: MW-7-40 59
4.22: JD52507-22: MW-16-100 61
4.23: JD52507-23: EB-092222 63
4.24: JD52507-24: MW-18A 65
4.25: JD52507-25: MW-8-40 67
4.26: JD52507-26: MW-22B 69
4.27: JD52507-27: MW-1B 71
4.28: JD52507-28: MW-092222 73
4.29: JD52507-29: MW-2B 75
4.30: JD52507-30: MW-3B 77
4.31: JD52507-31: MW-5B 79
4.32: JD52507-32: MW-17-40 81
4.33: JD52507-33: EB-092222 83
4.34: JD52507-34: MW-26A 85
4.35: JD52507-35: MW-25A 87
4.36: JD52507-36: TRIP BLANK 89
4.37: JD52507-37: EXB-11 91
Section 5: Misc. Forms **93**

Table of Contents

5.1: Chain of Custody 94
5.2: Sample Tracking Chronicle 99
5.3: Internal Chain of Custody 104
Section 6: MS Volatiles - QC Data Summaries 110
6.1: Method Blank Summary 111
6.2: Blank Spike Summary 128
6.3: Blank Spike/Blank Spike Duplicate Summary 143
6.4: Matrix Spike/Matrix Spike Duplicate Summary 145
6.5: Instrument Performance Checks (BFB) 162
6.6: Internal Standard Area Summaries 180
6.7: Surrogate Recovery Summaries 190
6.8: Initial and Continuing Calibration Summaries 193
6.9: Run Sequence Reports 281
Section 7: MS Volatiles - Raw Data 296
7.1: Samples 297
7.2: Method Blanks 479
7.3: Blank Spike/Blank Spike Duplicates 519
7.4: Matrix Spike/Matrix Spike Duplicates 559
7.5: Instrument Performance Checks (BFB) 634
7.6: Initial and Continuing Calibrations 664
7.7: Instrument Run Logs 968

SGS North America Inc.

Sample Summary

WSP USA Environment & Infrastructure Inc

Job No: JD52507

EPT, Ithaca, NY
Project No: 31401545.001

Sample Number	Collected Date	Time	By	Received	Matrix Code	Type	Client Sample ID
This report contains results reported as ND = Not detected. The following applies: Organics ND = Not detected above the MDL							
JD52507-1	09/19/22	14:00	NW	09/24/22	AQ	Ground Water	EXB-9
JD52507-2	09/19/22	16:30	NW	09/24/22	AQ	Equipment Blank	EB-091922
JD52507-3	09/20/22	10:30	NW	09/24/22	AQ	Ground Water	MW-5-40
JD52507-4	09/20/22	10:35	NW	09/24/22	AQ	Ground Water	MW-5-25
JD52507-5	09/20/22	10:40	NW	09/24/22	AQ	Ground Water	MW-8B
JD52507-6	09/20/22	10:50	NW	09/24/22	AQ	Ground Water	EXB-10
JD52507-6D	09/20/22	10:50	NW	09/24/22	AQ	Water Dup/MSD	EXB-10-MSD
JD52507-6S	09/20/22	10:50	NW	09/24/22	AQ	Water Matrix Spike	EXB-10-MS
JD52507-7	09/20/22	13:50	NW	09/24/22	AQ	Ground Water	MW-32B
JD52507-8	09/20/22	14:40	NW	09/24/22	AQ	Ground Water	MW-15C
JD52507-9	09/20/22	14:45	NW	09/24/22	AQ	Ground Water	MW-36B
JD52507-10	09/20/22	14:55	NW	09/24/22	AQ	Ground Water	MW-46-72C

Sample Summary
(continued)

WSP USA Environment & Infrastructure Inc

Job No: JD52507

EPT, Ithaca, NY
Project No: 31401545.001

Sample Number	Collected Date	Time	By	Received	Matrix Code	Type	Client Sample ID
JD52507-10D	09/20/22	14:55	NW	09/24/22	AQ	Water Dup/MSD	MW-46-72C-MSD
JD52507-10S	09/20/22	14:55	NW	09/24/22	AQ	Water Matrix Spike	MW-46-72C-MS
JD52507-11	09/20/22	15:05	NW	09/24/22	AQ	Ground Water	MW-46-43C
JD52507-12	09/20/22	16:00	NW	09/24/22	AQ	Ground Water	MW-50-160D
JD52507-13	09/20/22	17:00	NW	09/24/22	AQ	Ground Water	MW-092022
JD52507-14	09/20/22	16:50	NW	09/24/22	AQ	Equipment Blank	EB-092022
JD52507-15	09/21/22	09:20	NW	09/24/22	AQ	Ground Water	MW-20B
JD52507-16	09/21/22	09:40	NW	09/24/22	AQ	Ground Water	MW-7B
JD52507-17	09/21/22	09:50	NW	09/24/22	AQ	Ground Water	MW-12C
JD52507-18	09/21/22	10:00	NW	09/24/22	AQ	Ground Water	MW-13C
JD52507-19	09/21/22	10:05	NW	09/24/22	AQ	Ground Water	MW-5-100
JD52507-20	09/21/22	10:40	NW	09/24/22	AQ	Ground Water	MW-4B
JD52507-21	09/21/22	14:35	NW	09/24/22	AQ	Ground Water	MW-7-40

Sample Summary
(continued)

WSP USA Environment & Infrastructure Inc

Job No: JD52507

EPT, Ithaca, NY
Project No: 31401545.001

Sample Number	Collected Date	Time	By	Received	Matrix Code	Type	Client Sample ID
JD52507-22	09/21/22	17:25	NW	09/24/22	AQ	Ground Water	MW-16-100
JD52507-23	09/22/22	08:35	NW	09/24/22	AQ	Equipment Blank	EB-092222
JD52507-24	09/22/22	10:10	NW	09/24/22	AQ	Ground Water	MW-18A
JD52507-25	09/22/22	10:20	NW	09/24/22	AQ	Ground Water	MW-8-40
JD52507-26	09/22/22	10:30	NW	09/24/22	AQ	Ground Water	MW-22B
JD52507-27	09/22/22	10:45	NW	09/24/22	AQ	Ground Water	MW-1B
JD52507-28	09/22/22	08:00	NW	09/24/22	AQ	Ground Water	MW-092222
JD52507-29	09/22/22	11:00	NW	09/24/22	AQ	Ground Water	MW-2B
JD52507-30	09/22/22	11:10	NW	09/24/22	AQ	Ground Water	MW-3B
JD52507-31	09/22/22	11:20	NW	09/24/22	AQ	Ground Water	MW-5B
JD52507-32	09/22/22	11:15	NW	09/24/22	AQ	Ground Water	MW-17-40
JD52507-33	09/22/22	13:10	NW	09/24/22	AQ	Equipment Blank	EB-092222
JD52507-34	09/22/22	14:10	NW	09/24/22	AQ	Ground Water	MW-26A

Sample Summary
(continued)

WSP USA Environment & Infrastructure Inc

Job No: JD52507

EPT, Ithaca, NY
Project No: 31401545.001

Sample Number	Collected Date	Time	By	Received	Matrix Code	Type	Client Sample ID
JD52507-35	09/22/22	14:20	NW	09/24/22	AQ	Ground Water	MW-25A
JD52507-36	09/22/22	14:20	NW	09/24/22	AQ	Trip Blank Water	TRIP BLANK
JD52507-37	09/21/22	10:45	NW	09/24/22	AQ	Ground Water	EXB-11

CASE NARRATIVE / CONFORMANCE SUMMARY

Client:	WSP USA Environment & Infrastructure Inc	**Job No**	JD52507
Site:	EPT, Ithaca, NY	**Report Date**	10/10/2022 9:54:36 A

On 09/24/2022, 36 Sample(s), 1 Trip Blank(s) and 0 Field Blank(s) were received at SGS North America Inc. at a maximum corrected temperature of 2.7 C. Samples were intact and chemically preserved, unless noted below. A SGS North America Inc. Job Number of JD52507 was assigned to the project. Laboratory sample ID, client sample ID and dates of sample collection are detailed in the report's Results Summary Section.

Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

Compounds qualified as out of range in the continuing calibration summary report are acceptable as per method requirements when there is a high bias but the sample result is non-detect.

MS Volatiles By Method SW846 8260D

Matrix: AQ **Batch ID:** V1A9698

- All samples were analyzed within the recommended method holding time.
- Sample(s) JD52310-3MS, JD52310-3MSD were used as the QC samples indicated.
- All method blanks for this batch meet method specific criteria.
- Matrix Spike/Matrix Spike Duplicate Recovery(s) for Tetrachloroethene are outside control limits. Outside control limits due to high level in sample relative to spike amount.
- RPD(s) for MSD for Styrene are outside control limits for sample JD52310-3MSD. Analytical precision exceeds in-house control limits.

Matrix: AQ **Batch ID:** V1A9705

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) JD52624-3MS, JD52624-3MSD were used as the QC samples indicated.
- JD52507-10: Dilution required due to high concentration of target compound.

Matrix: AQ **Batch ID:** V1X8637

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) JD52594-1MS, JD52594-1MSD were used as the QC samples indicated.
- Matrix Spike/Matrix Spike Duplicate Recovery(s) for Benzene are outside control limits. Outside control limits due to high level in sample relative to spike amount.
- JD52507-22 for Bromomethane: Associated CCV outside of control limits high, sample was ND.
- JD52507-19 for Bromomethane: Associated CCV outside of control limits high, sample was ND.

Matrix: AQ **Batch ID:** V2A9581

- All samples were analyzed within the recommended method holding time.
- Sample(s) JD50917-15MS, JD50917-15MSD were used as the QC samples indicated.
- All method blanks for this batch meet method specific criteria.
- Matrix Spike /Matrix Spike Duplicate Recovery(s) for Tetrachloroethene are outside control limits. Outside control limits due to high level in sample relative to spike amount.
- Matrix Spike Duplicate Recovery(s) for Trichloroethene are outside control limits. Outside control limits due to matrix interference.
- JD52507-3: Dilution required due to high concentration of target compound.
- JD52507-3 for Acetone, 2-Butanone (MEK): Associated CCV outside of control limits high, sample was ND.

Matrix: AQ **Batch ID:** V2A9583

MS Volatiles By Method SW846 8260D

Matrix: AQ **Batch ID:** V2A9583

- All samples were analyzed within the recommended method holding time.
- Sample(s) JD52514-12MS, JD52514-12MSD were used as the QC samples indicated.
- All method blanks for this batch meet method specific criteria.
- Matrix Spike/Matrix Spike Duplicate Recovery(s) for cis-1,2-Dichloroethene are outside control limits. Outside control limits due to high level in sample relative to spike amount.
- JD52514-12MSD for 1,2-Dichloroethane-D4: Outside control limits due to matrix interference.
- JD52514-12MS for 1,2-Dichloroethane-D4: Outside control limits due to matrix interference.

Matrix: AQ **Batch ID:** V2V3773

- All samples were analyzed within the recommended method holding time.
- Sample(s) JD52507-6MS, JD52507-6MSD were used as the QC samples indicated.
- All method blanks for this batch meet method specific criteria.
- Matrix Spike Recovery(s) for Chloroethane, Trichlorofluoromethane are outside control limits.
- Matrix Spike Duplicate Recovery(s) for Trichlorofluoromethane are outside control limits.
- RPD(s) for MSD for Chloroethane are outside control limits for sample JD52507-6MSD. Outside control limits due to matrix interference.
- V2V3773-BS for Trichlorofluoromethane: High percent recovery and no associated positive reported in the QC batch.
- JD52507-2 for Trichlorofluoromethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-6 for Chloroethane: Associated CCV outside of control limits high, sample was ND.
- RPD of JD52507-6MSD for Freon 113: Outside control limits.
- JD52507-6 for Trichlorofluoromethane: Associated CCV outside of control limits high, sample was ND.
- JD52507-5 for Chloroethane: Associated CCV outside of control limits high, sample was ND.
- JD52507-2 for Chloroethane: Associated CCV outside of control limits high, sample was ND.
- JD52507-7 for Trichlorofluoromethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-1 for Chloroethane: Associated CCV outside of control limits high, sample was ND.
- JD52507-1 for Trichlorofluoromethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-4 for Trichlorofluoromethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-7 for Chloroethane: Associated CCV outside of control limits high, sample was ND.
- JD52507-5 for Trichlorofluoromethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-4 for Chloroethane: Associated CCV outside of control limits high, sample was ND.

Matrix: AQ **Batch ID:** V2V3777

- All samples were analyzed within the recommended method holding time.
- Sample(s) JD52507-10MS, JD52507-10MSD were used as the QC samples indicated.
- All method blanks for this batch meet method specific criteria.
- Matrix Spike Recovery(s) for Chloroethane, Trichlorofluoromethane are outside control limits.
- Matrix Spike Duplicate Recovery(s) for Trichlorofluoromethane are outside control limits.
- RPD(s) for MSD for Chloroethane are outside control limits for sample JD52507-10MSD. Outside control limits due to matrix interference.
- JD52507-13: Dilution required due to high concentration of target compound.
- JD52507-29: Dilution required due to high concentration of target compound.
- JD52507-12: Dilution required due to high concentration of target compound.

MS Volatiles By Method SW846 8260D

Matrix: AQ **Batch ID:** V2V3777

- JD52507-11: Dilution required due to high concentration of target compound.
- JD52507-11 for Chloromethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD52507-11 for Chloroethane, Trichlorofluoromethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-13 for Chloroethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-13 for Chloromethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD52507-29 for Chloromethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD52507-12 for Chloroethane, Trichlorofluoromethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-29 for Chloroethane, Trichlorofluoromethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-12 for Chloromethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD52507-33 for Chloroethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-30 for Trichlorofluoromethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-24 for Trichlorofluoromethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-23 for Trichlorofluoromethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-33 for Trichlorofluoromethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-24 for Chloroethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-9 for Chloromethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD52507-9 for Trichlorofluoromethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-23 for Chloromethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD52507-14 for Chloroethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-36 for Trichlorofluoromethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-33 for Chloromethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD52507-23 for Chloroethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-36 for Chloromethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD52507-14 for Chloromethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD52507-27 for Chloroethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-10MS for Trichlorofluoromethane: Outside in house control limits.
- JD52507-9 for Chloroethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

MS Volatiles By Method SW846 8260D

Matrix: AQ **Batch ID:** V2V3777

- JD52507-26 for Chloromethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD52507-30 for Chloroethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-36 for Chloroethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-28 for Trichlorofluoromethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-28 for Chloroethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-30 for Chloromethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD52507-27 for Trichlorofluoromethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-31 for Chloroethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-31 for Chloromethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD52507-28 for Chloromethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD52507-31 for Trichlorofluoromethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-26 for Trichlorofluoromethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-25 for Chloromethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD52507-27 for Chloromethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- V2V3777-BS for Trichlorofluoromethane: High percent recovery and no associated positive reported in the QC batch.
- V2V3777-BS for Chloroethane: High percent recovery and no associated positive reported in the QC batch.
- JD52507-24 for Chloromethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
- JD52507-26 for Chloroethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-25 for Chloroethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-10MS for Chloroethane: Outside in house control limits.
- JD52507-14 for Trichlorofluoromethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-25 for Trichlorofluoromethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

Matrix: AQ **Batch ID:** V2V3782

- All samples were analyzed within the recommended method holding time.
- Sample(s) JD52730-7MS, JD52730-7MSD were used as the QC samples indicated.
- All method blanks for this batch meet method specific criteria.
- Matrix Spike Recovery(s) for 4-Methyl-2-pentanone(MIBK), Chloroethane are outside control limits. Outside control limits due to matrix interference.
- Matrix Spike Duplicate Recovery(s) for 2-Butanone (MEK), 4-Methyl-2-pentanone(MIBK), Chloroethane are outside control limits. Outside control limits due to matrix interference.
- JD52507-32 for Vinyl chloride: Associated CCV outside of control limits high, sample was ND.

MS Volatiles By Method SW846 8260D

Matrix: AQ **Batch ID:** V2V3782

- JD52507-35 for Vinyl chloride: Associated CCV outside of control limits high, sample was ND.
- V2V3782-BS for Chloroethane: High percent recovery and no associated positive reported in the QC batch.
- JD52507-35 for Bromomethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spkie is outside in house QC limits bias high.
- V2V3782-BS for Bromomethane: High percent recovery and no associated positive reported in the QC batch.
- JD52507-34 for Chloroethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-34 for Vinyl chloride: Associated CCV outside of control limits high, sample was ND.
- JD52507-32 for Bromomethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spkie is outside in house QC limits bias high.
- JD52507-35 for Chloroethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
- JD52507-34 for Bromomethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spkie is outside in house QC limits bias high.
- JD52507-32 for Chloroethane: Associated CCV outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

Matrix: AQ **Batch ID:** VL10519

- All samples were analyzed within the recommended method holding time.
- Sample(s) JD52507-37MS, JD52507-37MSD were used as the QC samples indicated.
- All method blanks for this batch meet method specific criteria.
- Matrix Spike/Matrix Spike Duplicate Recovery(s) for cis-1,2-Dichloroethene are outside control limits. Outside control limits due to high level in sample relative to spike amount.
- JD52507-37: Dilution required due to high concentration of target compound.
- JD52507-37 for Freon 113: Associated CCV outside of control limits high, sample was ND.
- JD52507-37 for Bromomethane: Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

SGS North America Inc. certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting the Quality System precision, accuracy and completeness objectives except as noted.

Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria.

SGS North America Inc. is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety. Data release is authorized by SGS North America Inc indicated via signature on the report cover

Summary of Hits

Job Number: JD52507
Account: WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Collected: 09/19/22 thru 09/22/22

Lab Sample ID / Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
JD52507-1	**EXB-9**					
No hits reported in this sample.						
JD52507-2	**EB-091922**					
Carbon disulfide		0.49 J	2.0	0.46	ug/l	SW846 8260D
Chloroform		2.0	1.0	0.50	ug/l	SW846 8260D
JD52507-3	**MW-5-40**					
cis-1,2-Dichloroethene		2420	50	25	ug/l	SW846 8260D
trans-1,2-Dichloroethene [a]		101	10	5.4	ug/l	SW846 8260D
Trichloroethene [a]		33.0	10	5.3	ug/l	SW846 8260D
Vinyl chloride		4250	50	26	ug/l	SW846 8260D
JD52507-4	**MW-5-25**					
Acetone		6.5 J	10	3.1	ug/l	SW846 8260D
JD52507-5	**MW-8B**					
No hits reported in this sample.						
JD52507-6	**EXB-10**					
Benzene		0.67	0.50	0.43	ug/l	SW846 8260D
Cyclohexane		1.2 J	5.0	0.78	ug/l	SW846 8260D
cis-1,2-Dichloroethene		2.8	1.0	0.51	ug/l	SW846 8260D
Methylcyclohexane		0.96 J	5.0	0.60	ug/l	SW846 8260D
JD52507-7	**MW-32B**					
Chloroform		0.63 J	1.0	0.50	ug/l	SW846 8260D
cis-1,2-Dichloroethene		7.8	1.0	0.51	ug/l	SW846 8260D
1,1,1-Trichloroethane		0.58 J	1.0	0.54	ug/l	SW846 8260D
Trichloroethene		35.1	1.0	0.53	ug/l	SW846 8260D
JD52507-8	**MW-15C**					
Acetone		4.6 J	10	3.1	ug/l	SW846 8260D
1,1-Dichloroethene		0.61 J	1.0	0.59	ug/l	SW846 8260D
cis-1,2-Dichloroethene		451	10	5.1	ug/l	SW846 8260D
trans-1,2-Dichloroethene		1.7	1.0	0.54	ug/l	SW846 8260D
Trichloroethene		4.7	1.0	0.53	ug/l	SW846 8260D

Summary of Hits

Job Number: JD52507
Account: WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Collected: 09/19/22 thru 09/22/22

Lab Sample ID / Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
Vinyl chloride		19.1	1.0	0.52	ug/l	SW846 8260D
JD52507-9	**MW-36B**					
cis-1,2-Dichloroethene		10.0	1.0	0.51	ug/l	SW846 8260D
Trichloroethene		5.6	1.0	0.53	ug/l	SW846 8260D
JD52507-10	**MW-46-72C**					
cis-1,2-Dichloroethene		11200	100	51	ug/l	SW846 8260D
trans-1,2-Dichloroethene [a]		42.0	20	11	ug/l	SW846 8260D
Trichloroethene [a]		1090	20	11	ug/l	SW846 8260D
Vinyl chloride [a]		964	20	10	ug/l	SW846 8260D
JD52507-11	**MW-46-43C**					
cis-1,2-Dichloroethene [a]		14600	100	51	ug/l	SW846 8260D
trans-1,2-Dichloroethene [a]		112	100	54	ug/l	SW846 8260D
Vinyl chloride [a]		8960	100	52	ug/l	SW846 8260D
JD52507-12	**MW-50-160D**					
cis-1,2-Dichloroethene		3150	100	51	ug/l	SW846 8260D
trans-1,2-Dichloroethene [a]		17.1	10	5.4	ug/l	SW846 8260D
Trichloroethene [a]		23.0	10	5.3	ug/l	SW846 8260D
Vinyl chloride [a]		1120	10	5.2	ug/l	SW846 8260D
JD52507-13	**MW-092022**					
cis-1,2-Dichloroethene		3200	100	51	ug/l	SW846 8260D
trans-1,2-Dichloroethene [a]		16.8	10	5.4	ug/l	SW846 8260D
Trichloroethene [a]		24.0	10	5.3	ug/l	SW846 8260D
Vinyl chloride [a]		1080	10	5.2	ug/l	SW846 8260D
JD52507-14	**EB-092022**					
Chloroform		2.0	1.0	0.50	ug/l	SW846 8260D
JD52507-15	**MW-20B**					
No hits reported in this sample.						
JD52507-16	**MW-7B**					
Acetone		4.5 J	10	3.1	ug/l	SW846 8260D

Summary of Hits

Job Number: JD52507
Account: WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Collected: 09/19/22 thru 09/22/22

Lab Sample ID / Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
cis-1,2-Dichloroethene		1.7	1.0	0.51	ug/l	SW846 8260D
JD52507-17	**MW-12C**					
cis-1,2-Dichloroethene		1.5	1.0	0.51	ug/l	SW846 8260D
JD52507-18	**MW-13C**					
Acetone		3.1 J	10	3.1	ug/l	SW846 8260D
Benzene		3.7	0.50	0.43	ug/l	SW846 8260D
Chloroform		0.52 J	1.0	0.50	ug/l	SW846 8260D
cis-1,2-Dichloroethene		163	1.0	0.51	ug/l	SW846 8260D
Trichloroethene		219	10	5.3	ug/l	SW846 8260D
Vinyl chloride		1.7	1.0	0.52	ug/l	SW846 8260D
JD52507-19	**MW-5-100**					
Chloroethane		3.6	1.0	0.73	ug/l	SW846 8260D
cis-1,2-Dichloroethene		33.4	1.0	0.51	ug/l	SW846 8260D
Vinyl chloride		35.4	1.0	0.52	ug/l	SW846 8260D
JD52507-20	**MW-4B**					
Acetone		3.2 J	10	3.1	ug/l	SW846 8260D
Vinyl chloride		1.4	1.0	0.52	ug/l	SW846 8260D
JD52507-21	**MW-7-40**					
cis-1,2-Dichloroethene		150	1.0	0.51	ug/l	SW846 8260D
trans-1,2-Dichloroethene		2.2	1.0	0.54	ug/l	SW846 8260D
Vinyl chloride		41.5	1.0	0.52	ug/l	SW846 8260D
JD52507-22	**MW-16-100**					
cis-1,2-Dichloroethene		4.0	1.0	0.51	ug/l	SW846 8260D
Vinyl chloride		19.0	1.0	0.52	ug/l	SW846 8260D
JD52507-23	**EB-092222**					
No hits reported in this sample.						
JD52507-24	**MW-18A**					
Acetone		4.8 J	10	3.1	ug/l	SW846 8260D

Summary of Hits

Job Number: JD52507
Account: WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Collected: 09/19/22 thru 09/22/22

Lab Sample ID / Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
JD52507-25	**MW-8-40**					
No hits reported in this sample.						
JD52507-26	**MW-22B**					
No hits reported in this sample.						
JD52507-27	**MW-1B**					
cis-1,2-Dichloroethene		1.7	1.0	0.51	ug/l	SW846 8260D
Trichloroethene		2.5	1.0	0.53	ug/l	SW846 8260D
JD52507-28	**MW-092222**					
cis-1,2-Dichloroethene		1.7	1.0	0.51	ug/l	SW846 8260D
Trichloroethene		2.7	1.0	0.53	ug/l	SW846 8260D
JD52507-29	**MW-2B**					
cis-1,2-Dichloroethene [a]		5720	50	25	ug/l	SW846 8260D
trans-1,2-Dichloroethene [a]		31.8 J	50	27	ug/l	SW846 8260D
Trichloroethene [a]		7600	50	26	ug/l	SW846 8260D
Vinyl chloride [a]		67.9	50	26	ug/l	SW846 8260D
JD52507-30	**MW-3B**					
Carbon disulfide		0.50 J	2.0	0.46	ug/l	SW846 8260D
Chloroform		0.80 J	1.0	0.50	ug/l	SW846 8260D
1,1-Dichloroethene		16.8	1.0	0.59	ug/l	SW846 8260D
cis-1,2-Dichloroethene		7150	200	100	ug/l	SW846 8260D
trans-1,2-Dichloroethene		149	1.0	0.54	ug/l	SW846 8260D
Tetrachloroethene		1.6	1.0	0.56	ug/l	SW846 8260D
Trichloroethene		4730	200	110	ug/l	SW846 8260D
Vinyl chloride		110	1.0	0.52	ug/l	SW846 8260D
JD52507-31	**MW-5B**					
1,1-Dichloroethene		1.5	1.0	0.59	ug/l	SW846 8260D
cis-1,2-Dichloroethene		795	20	10	ug/l	SW846 8260D
trans-1,2-Dichloroethene		11.7	1.0	0.54	ug/l	SW846 8260D
Tetrachloroethene		0.81 J	1.0	0.56	ug/l	SW846 8260D
Trichloroethene		554	20	11	ug/l	SW846 8260D
Vinyl chloride		27.7	1.0	0.52	ug/l	SW846 8260D

Summary of Hits

Job Number: JD52507
Account: WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Collected: 09/19/22 thru 09/22/22

Lab Sample ID / Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
JD52507-32	**MW-17-40**					
No hits reported in this sample.						
JD52507-33	**EB-092222**					
No hits reported in this sample.						
JD52507-34	**MW-26A**					
No hits reported in this sample.						
JD52507-35	**MW-25A**					
No hits reported in this sample.						
JD52507-36	**TRIP BLANK**					
Chloroform		1.4	1.0	0.50	ug/l	SW846 8260D
JD52507-37	**EXB-11**					
cis-1,2-Dichloroethene		1830	50	25	ug/l	SW846 8260D
trans-1,2-Dichloroethene [a]		33.6	5.0	2.7	ug/l	SW846 8260D
Trichloroethene [a]		400	5.0	2.6	ug/l	SW846 8260D
Vinyl chloride [a]		13.8	5.0	2.6	ug/l	SW846 8260D

(a) Dilution required due to high concentration of target compound.

Sample Results

Report of Analysis

SGS North America Inc.

Report of Analysis

Client Sample ID:	EXB-9		
Lab Sample ID:	JD52507-1	**Date Sampled:**	09/19/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2V92891.D	1	09/28/22 01:16	KM	n/a	n/a	V2V3773
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [a]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EXB-9		
Lab Sample ID:	JD52507-1	**Date Sampled:**	09/19/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane [b]	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		80-120%
17060-07-0	1,2-Dichloroethane-D4	95%		80-120%
2037-26-5	Toluene-D8	102%		80-120%
460-00-4	4-Bromofluorobenzene	96%		82-114%

(a) Associated CCV outside of control limits high, sample was ND.
(b) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	EB-091922		
Lab Sample ID:	JD52507-2	**Date Sampled:**	09/19/22
Matrix:	AQ - Equipment Blank	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2V92889.D	1	09/28/22 00:30	KM	n/a	n/a	V2V3773
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	0.49	2.0	0.46	ug/l	J
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [a]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	2.0	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EB-091922		
Lab Sample ID:	JD52507-2	**Date Sampled:**	09/19/22
Matrix:	AQ - Equipment Blank	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane [b]	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	101%		80-120%
17060-07-0	1,2-Dichloroethane-D4	96%		80-120%
2037-26-5	Toluene-D8	102%		80-120%
460-00-4	4-Bromofluorobenzene	92%		82-114%

(a) Associated CCV outside of control limits high, sample was ND.
(b) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	MW-5-40		
Lab Sample ID:	JD52507-3	**Date Sampled:**	09/20/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	2A220398.D	10	09/29/22 13:11	NH	n/a	n/a	V2A9581
Run #2	2V92892.D	50	09/28/22 01:39	KM	n/a	n/a	V2V3773

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone [b]	ND	100	31	ug/l	
71-43-2	Benzene	ND	5.0	4.3	ug/l	
75-27-4	Bromodichloromethane	ND	10	4.5	ug/l	
75-25-2	Bromoform	ND	10	6.3	ug/l	
74-83-9	Bromomethane	ND	20	16	ug/l	
78-93-3	2-Butanone (MEK) [b]	ND	100	27	ug/l	
75-15-0	Carbon disulfide	ND	20	4.6	ug/l	
56-23-5	Carbon tetrachloride	ND	10	5.5	ug/l	
108-90-7	Chlorobenzene	ND	10	5.6	ug/l	
75-00-3	Chloroethane	ND	10	7.3	ug/l	
67-66-3	Chloroform	ND	10	5.0	ug/l	
74-87-3	Chloromethane	ND	10	7.6	ug/l	
110-82-7	Cyclohexane	ND	50	7.8	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	20	5.3	ug/l	
124-48-1	Dibromochloromethane	ND	10	5.6	ug/l	
106-93-4	1,2-Dibromoethane	ND	10	4.8	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	10	5.3	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	10	5.4	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	10	5.1	ug/l	
75-71-8	Dichlorodifluoromethane	ND	20	5.6	ug/l	
75-34-3	1,1-Dichloroethane	ND	10	5.7	ug/l	
107-06-2	1,2-Dichloroethane	ND	10	6.0	ug/l	
75-35-4	1,1-Dichloroethene	ND	10	5.9	ug/l	
156-59-2	cis-1,2-Dichloroethene	2420 [c]	50	25	ug/l	
156-60-5	trans-1,2-Dichloroethene	101	10	5.4	ug/l	
78-87-5	1,2-Dichloropropane	ND	10	5.1	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	10	4.7	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	10	4.3	ug/l	
100-41-4	Ethylbenzene	ND	10	6.0	ug/l	
76-13-1	Freon 113	ND	50	5.8	ug/l	
591-78-6	2-Hexanone	ND	50	20	ug/l	
98-82-8	Isopropylbenzene	ND	10	6.5	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-5-40		
Lab Sample ID:	JD52507-3	**Date Sampled:**	09/20/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	50	8.0	ug/l	
108-87-2	Methylcyclohexane	ND	50	6.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	10	5.1	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	50	19	ug/l	
75-09-2	Methylene chloride	ND	20	10	ug/l	
100-42-5	Styrene	ND	10	4.9	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	10	6.5	ug/l	
127-18-4	Tetrachloroethene	ND	10	5.6	ug/l	
108-88-3	Toluene	ND	10	4.9	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	10	5.0	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	10	5.4	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	10	5.3	ug/l	
79-01-6	Trichloroethene	33.0	10	5.3	ug/l	
75-69-4	Trichlorofluoromethane	ND	20	4.0	ug/l	
75-01-4	Vinyl chloride	4250 [c]	50	26	ug/l	
1330-20-7	Xylene (total)	ND	10	5.9	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%	100%	80-120%
17060-07-0	1,2-Dichloroethane-D4	86%	95%	80-120%
2037-26-5	Toluene-D8	98%	101%	80-120%
460-00-4	4-Bromofluorobenzene	112%	92%	82-114%

(a) Dilution required due to high concentration of target compound.
(b) Associated CCV outside of control limits high, sample was ND.
(c) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	MW-5-25		
Lab Sample ID:	JD52507-4	**Date Sampled:**	09/20/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2V92893.D	1	09/28/22 02:03	KM	n/a	n/a	V2V3773
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	6.5	10	3.1	ug/l	J
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [a]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-5-25		
Lab Sample ID:	JD52507-4	**Date Sampled:**	09/20/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane [b]	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		80-120%
17060-07-0	1,2-Dichloroethane-D4	94%		80-120%
2037-26-5	Toluene-D8	102%		80-120%
460-00-4	4-Bromofluorobenzene	92%		82-114%

(a) Associated CCV outside of control limits high, sample was ND.
(b) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	MW-8B		
Lab Sample ID:	JD52507-5	**Date Sampled:**	09/20/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2V92894.D	1	09/28/22 02:26	KM	n/a	n/a	V2V3773
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [a]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-8B		
Lab Sample ID:	JD52507-5	**Date Sampled:**	09/20/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane [b]	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		80-120%
17060-07-0	1,2-Dichloroethane-D4	95%		80-120%
2037-26-5	Toluene-D8	103%		80-120%
460-00-4	4-Bromofluorobenzene	91%		82-114%

(a) Associated CCV outside of control limits high, sample was ND.
(b) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	EXB-10		
Lab Sample ID:	JD52507-6	**Date Sampled:**	09/20/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2V92885.D	1	09/27/22 22:57	KM	n/a	n/a	V2V3773
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	0.67	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [a]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	1.2	5.0	0.78	ug/l	J
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	2.8	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EXB-10		
Lab Sample ID:	JD52507-6	**Date Sampled:**	09/20/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	0.96	5.0	0.60	ug/l	J
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane [a]	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		80-120%
17060-07-0	1,2-Dichloroethane-D4	91%		80-120%
2037-26-5	Toluene-D8	103%		80-120%
460-00-4	4-Bromofluorobenzene	94%		82-114%

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	MW-32B		
Lab Sample ID:	JD52507-7	**Date Sampled:**	09/20/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2V92895.D	1	09/28/22 02:49	KM	n/a	n/a	V2V3773
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [a]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	0.63	1.0	0.50	ug/l	J
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	7.8	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-32B		
Lab Sample ID:	JD52507-7	**Date Sampled:**	09/20/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	0.58	1.0	0.54	ug/l	J
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	35.1	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane [b]	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		80-120%
17060-07-0	1,2-Dichloroethane-D4	94%		80-120%
2037-26-5	Toluene-D8	101%		80-120%
460-00-4	4-Bromofluorobenzene	93%		82-114%

(a) Associated CCV outside of control limits high, sample was ND.
(b) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	MW-15C		
Lab Sample ID:	JD52507-8	**Date Sampled:**	09/20/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A226614.D	1	09/30/22 14:33	NW	n/a	n/a	V1A9705
Run #2	1A226617.D	10	09/30/22 15:45	NW	n/a	n/a	V1A9705

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	4.6	10	3.1	ug/l	J
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	0.61	1.0	0.59	ug/l	J
156-59-2	cis-1,2-Dichloroethene	451 [a]	10	5.1	ug/l	
156-60-5	trans-1,2-Dichloroethene	1.7	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-15C		
Lab Sample ID:	JD52507-8	**Date Sampled:**	09/20/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	4.7	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	19.1	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%	99%	80-120%
17060-07-0	1,2-Dichloroethane-D4	100%	100%	80-120%
2037-26-5	Toluene-D8	103%	102%	80-120%
460-00-4	4-Bromofluorobenzene	100%	107%	82-114%

(a) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	MW-36B		
Lab Sample ID:	JD52507-9	**Date Sampled:**	09/20/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2V93013.D	1	09/30/22 02:41	KM	n/a	n/a	V2V3777
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [a]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane [b]	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	10.0	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-36B		
Lab Sample ID:	JD52507-9	**Date Sampled:**	09/20/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	5.6	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane [a]	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		80-120%
17060-07-0	1,2-Dichloroethane-D4	93%		80-120%
2037-26-5	Toluene-D8	102%		80-120%
460-00-4	4-Bromofluorobenzene	95%		82-114%

(a) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	MW-46-72C		
Lab Sample ID:	JD52507-10	**Date Sampled:**	09/20/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	1A226613.D	20	09/30/22 14:09	NW	n/a	n/a	V1A9705
Run #2	1A226618.D	100	09/30/22 16:09	NW	n/a	n/a	V1A9705

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	200	61	ug/l	
71-43-2	Benzene	ND	10	8.5	ug/l	
75-27-4	Bromodichloromethane	ND	20	9.0	ug/l	
75-25-2	Bromoform	ND	20	13	ug/l	
74-83-9	Bromomethane	ND	40	33	ug/l	
78-93-3	2-Butanone (MEK)	ND	200	55	ug/l	
75-15-0	Carbon disulfide	ND	40	9.1	ug/l	
56-23-5	Carbon tetrachloride	ND	20	11	ug/l	
108-90-7	Chlorobenzene	ND	20	11	ug/l	
75-00-3	Chloroethane	ND	20	15	ug/l	
67-66-3	Chloroform	ND	20	10	ug/l	
74-87-3	Chloromethane	ND	20	15	ug/l	
110-82-7	Cyclohexane	ND	100	16	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	40	11	ug/l	
124-48-1	Dibromochloromethane	ND	20	11	ug/l	
106-93-4	1,2-Dibromoethane	ND	20	9.5	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	20	11	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	20	11	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	20	10	ug/l	
75-71-8	Dichlorodifluoromethane	ND	40	11	ug/l	
75-34-3	1,1-Dichloroethane	ND	20	11	ug/l	
107-06-2	1,2-Dichloroethane	ND	20	12	ug/l	
75-35-4	1,1-Dichloroethene	ND	20	12	ug/l	
156-59-2	cis-1,2-Dichloroethene	11200 [b]	100	51	ug/l	
156-60-5	trans-1,2-Dichloroethene	42.0	20	11	ug/l	
78-87-5	1,2-Dichloropropane	ND	20	10	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	20	9.4	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	20	8.6	ug/l	
100-41-4	Ethylbenzene	ND	20	12	ug/l	
76-13-1	Freon 113	ND	100	12	ug/l	
591-78-6	2-Hexanone	ND	100	41	ug/l	
98-82-8	Isopropylbenzene	ND	20	13	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-46-72C		
Lab Sample ID:	JD52507-10	**Date Sampled:**	09/20/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	100	16	ug/l	
108-87-2	Methylcyclohexane	ND	100	12	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	20	10	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	100	37	ug/l	
75-09-2	Methylene chloride	ND	40	20	ug/l	
100-42-5	Styrene	ND	20	9.7	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	20	13	ug/l	
127-18-4	Tetrachloroethene	ND	20	11	ug/l	
108-88-3	Toluene	ND	20	9.8	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	20	10	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	20	11	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	20	11	ug/l	
79-01-6	Trichloroethene	1090	20	11	ug/l	
75-69-4	Trichlorofluoromethane	ND	40	8.0	ug/l	
75-01-4	Vinyl chloride	964	20	10	ug/l	
1330-20-7	Xylene (total)	ND	20	12	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%	101%	80-120%
17060-07-0	1,2-Dichloroethane-D4	116%	101%	80-120%
2037-26-5	Toluene-D8	104%	103%	80-120%
460-00-4	4-Bromofluorobenzene	96%	98%	82-114%

(a) Dilution required due to high concentration of target compound.
(b) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	MW-46-43C		
Lab Sample ID:	JD52507-11	**Date Sampled:**	09/20/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	2V93014.D	100	09/30/22 03:04	KM	n/a	n/a	V2V3777
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	1000	310	ug/l	
71-43-2	Benzene	ND	50	43	ug/l	
75-27-4	Bromodichloromethane	ND	100	45	ug/l	
75-25-2	Bromoform	ND	100	63	ug/l	
74-83-9	Bromomethane	ND	200	160	ug/l	
78-93-3	2-Butanone (MEK)	ND	1000	270	ug/l	
75-15-0	Carbon disulfide	ND	200	46	ug/l	
56-23-5	Carbon tetrachloride	ND	100	55	ug/l	
108-90-7	Chlorobenzene	ND	100	56	ug/l	
75-00-3	Chloroethane [b]	ND	100	73	ug/l	
67-66-3	Chloroform	ND	100	50	ug/l	
74-87-3	Chloromethane [c]	ND	100	76	ug/l	
110-82-7	Cyclohexane	ND	500	78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	200	53	ug/l	
124-48-1	Dibromochloromethane	ND	100	56	ug/l	
106-93-4	1,2-Dibromoethane	ND	100	48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	100	53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	100	54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	100	51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	200	56	ug/l	
75-34-3	1,1-Dichloroethane	ND	100	57	ug/l	
107-06-2	1,2-Dichloroethane	ND	100	60	ug/l	
75-35-4	1,1-Dichloroethene	ND	100	59	ug/l	
156-59-2	cis-1,2-Dichloroethene	14600	100	51	ug/l	
156-60-5	trans-1,2-Dichloroethene	112	100	54	ug/l	
78-87-5	1,2-Dichloropropane	ND	100	51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	100	47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	100	43	ug/l	
100-41-4	Ethylbenzene	ND	100	60	ug/l	
76-13-1	Freon 113	ND	500	58	ug/l	
591-78-6	2-Hexanone	ND	500	200	ug/l	
98-82-8	Isopropylbenzene	ND	100	65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-46-43C		
Lab Sample ID:	JD52507-11	**Date Sampled:**	09/20/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	500	80	ug/l	
108-87-2	Methylcyclohexane	ND	500	60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	100	51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	500	190	ug/l	
75-09-2	Methylene chloride	ND	200	100	ug/l	
100-42-5	Styrene	ND	100	49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	100	65	ug/l	
127-18-4	Tetrachloroethene	ND	100	56	ug/l	
108-88-3	Toluene	ND	100	49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	100	50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	100	54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	100	53	ug/l	
79-01-6	Trichloroethene	ND	100	53	ug/l	
75-69-4	Trichlorofluoromethane [b]	ND	200	40	ug/l	
75-01-4	Vinyl chloride	8960	100	52	ug/l	
1330-20-7	Xylene (total)	ND	100	59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	101%		80-120%
17060-07-0	1,2-Dichloroethane-D4	99%		80-120%
2037-26-5	Toluene-D8	101%		80-120%
460-00-4	4-Bromofluorobenzene	93%		82-114%

(a) Dilution required due to high concentration of target compound.
(b) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.
(c) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	MW-50-160D		
Lab Sample ID:	JD52507-12	**Date Sampled:**	09/20/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	2V93015.D	10	09/30/22 03:27	KM	n/a	n/a	V2V3777
Run #2	2A220444.D	100	09/30/22 12:15	NH	n/a	n/a	V2A9583

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	100	31	ug/l	
71-43-2	Benzene	ND	5.0	4.3	ug/l	
75-27-4	Bromodichloromethane	ND	10	4.5	ug/l	
75-25-2	Bromoform	ND	10	6.3	ug/l	
74-83-9	Bromomethane	ND	20	16	ug/l	
78-93-3	2-Butanone (MEK)	ND	100	27	ug/l	
75-15-0	Carbon disulfide	ND	20	4.6	ug/l	
56-23-5	Carbon tetrachloride	ND	10	5.5	ug/l	
108-90-7	Chlorobenzene	ND	10	5.6	ug/l	
75-00-3	Chloroethane [b]	ND	10	7.3	ug/l	
67-66-3	Chloroform	ND	10	5.0	ug/l	
74-87-3	Chloromethane [c]	ND	10	7.6	ug/l	
110-82-7	Cyclohexane	ND	50	7.8	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	20	5.3	ug/l	
124-48-1	Dibromochloromethane	ND	10	5.6	ug/l	
106-93-4	1,2-Dibromoethane	ND	10	4.8	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	10	5.3	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	10	5.4	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	10	5.1	ug/l	
75-71-8	Dichlorodifluoromethane	ND	20	5.6	ug/l	
75-34-3	1,1-Dichloroethane	ND	10	5.7	ug/l	
107-06-2	1,2-Dichloroethane	ND	10	6.0	ug/l	
75-35-4	1,1-Dichloroethene	ND	10	5.9	ug/l	
156-59-2	cis-1,2-Dichloroethene	3150 [d]	100	51	ug/l	
156-60-5	trans-1,2-Dichloroethene	17.1	10	5.4	ug/l	
78-87-5	1,2-Dichloropropane	ND	10	5.1	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	10	4.7	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	10	4.3	ug/l	
100-41-4	Ethylbenzene	ND	10	6.0	ug/l	
76-13-1	Freon 113	ND	50	5.8	ug/l	
591-78-6	2-Hexanone	ND	50	20	ug/l	
98-82-8	Isopropylbenzene	ND	10	6.5	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-50-160D		
Lab Sample ID:	JD52507-12	**Date Sampled:**	09/20/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	50	8.0	ug/l	
108-87-2	Methylcyclohexane	ND	50	6.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	10	5.1	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	50	19	ug/l	
75-09-2	Methylene chloride	ND	20	10	ug/l	
100-42-5	Styrene	ND	10	4.9	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	10	6.5	ug/l	
127-18-4	Tetrachloroethene	ND	10	5.6	ug/l	
108-88-3	Toluene	ND	10	4.9	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	10	5.0	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	10	5.4	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	10	5.3	ug/l	
79-01-6	Trichloroethene	23.0	10	5.3	ug/l	
75-69-4	Trichlorofluoromethane [b]	ND	20	4.0	ug/l	
75-01-4	Vinyl chloride	1120	10	5.2	ug/l	
1330-20-7	Xylene (total)	ND	10	5.9	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	102%	111%	80-120%
17060-07-0	1,2-Dichloroethane-D4	94%	83%	80-120%
2037-26-5	Toluene-D8	102%	92%	80-120%
460-00-4	4-Bromofluorobenzene	92%	111%	82-114%

(a) Dilution required due to high concentration of target compound.
(b) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.
(c) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
(d) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	MW-092022		
Lab Sample ID:	JD52507-13	**Date Sampled:**	09/20/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	2V93016.D	10	09/30/22 03:50	KM	n/a	n/a	V2V3777
Run #2	2A220446.D	100	09/30/22 13:12	NH	n/a	n/a	V2A9583

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	100	31	ug/l	
71-43-2	Benzene	ND	5.0	4.3	ug/l	
75-27-4	Bromodichloromethane	ND	10	4.5	ug/l	
75-25-2	Bromoform	ND	10	6.3	ug/l	
74-83-9	Bromomethane	ND	20	16	ug/l	
78-93-3	2-Butanone (MEK)	ND	100	27	ug/l	
75-15-0	Carbon disulfide	ND	20	4.6	ug/l	
56-23-5	Carbon tetrachloride	ND	10	5.5	ug/l	
108-90-7	Chlorobenzene	ND	10	5.6	ug/l	
75-00-3	Chloroethane [b]	ND	10	7.3	ug/l	
67-66-3	Chloroform	ND	10	5.0	ug/l	
74-87-3	Chloromethane [c]	ND	10	7.6	ug/l	
110-82-7	Cyclohexane	ND	50	7.8	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	20	5.3	ug/l	
124-48-1	Dibromochloromethane	ND	10	5.6	ug/l	
106-93-4	1,2-Dibromoethane	ND	10	4.8	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	10	5.3	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	10	5.4	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	10	5.1	ug/l	
75-71-8	Dichlorodifluoromethane	ND	20	5.6	ug/l	
75-34-3	1,1-Dichloroethane	ND	10	5.7	ug/l	
107-06-2	1,2-Dichloroethane	ND	10	6.0	ug/l	
75-35-4	1,1-Dichloroethene	ND	10	5.9	ug/l	
156-59-2	cis-1,2-Dichloroethene	3200 [d]	100	51	ug/l	
156-60-5	trans-1,2-Dichloroethene	16.8	10	5.4	ug/l	
78-87-5	1,2-Dichloropropane	ND	10	5.1	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	10	4.7	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	10	4.3	ug/l	
100-41-4	Ethylbenzene	ND	10	6.0	ug/l	
76-13-1	Freon 113	ND	50	5.8	ug/l	
591-78-6	2-Hexanone	ND	50	20	ug/l	
98-82-8	Isopropylbenzene	ND	10	6.5	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-092022		
Lab Sample ID:	JD52507-13	**Date Sampled:**	09/20/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	50	8.0	ug/l	
108-87-2	Methylcyclohexane	ND	50	6.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	10	5.1	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	50	19	ug/l	
75-09-2	Methylene chloride	ND	20	10	ug/l	
100-42-5	Styrene	ND	10	4.9	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	10	6.5	ug/l	
127-18-4	Tetrachloroethene	ND	10	5.6	ug/l	
108-88-3	Toluene	ND	10	4.9	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	10	5.0	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	10	5.4	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	10	5.3	ug/l	
79-01-6	Trichloroethene	24.0	10	5.3	ug/l	
75-69-4	Trichlorofluoromethane [b]	ND	20	4.0	ug/l	
75-01-4	Vinyl chloride	1080	10	5.2	ug/l	
1330-20-7	Xylene (total)	ND	10	5.9	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%	109%	80-120%
17060-07-0	1,2-Dichloroethane-D4	91%	83%	80-120%
2037-26-5	Toluene-D8	102%	92%	80-120%
460-00-4	4-Bromofluorobenzene	92%	110%	82-114%

(a) Dilution required due to high concentration of target compound.
(b) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.
(c) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
(d) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	EB-092022		
Lab Sample ID:	JD52507-14	**Date Sampled:**	09/20/22
Matrix:	AQ - Equipment Blank	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2V93009.D	1	09/30/22 01:08	KM	n/a	n/a	V2V3777
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [a]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	2.0	1.0	0.50	ug/l	
74-87-3	Chloromethane [b]	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EB-092022		
Lab Sample ID:	JD52507-14	**Date Sampled:**	09/20/22
Matrix:	AQ - Equipment Blank	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane [a]	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	101%		80-120%
17060-07-0	1,2-Dichloroethane-D4	97%		80-120%
2037-26-5	Toluene-D8	101%		80-120%
460-00-4	4-Bromofluorobenzene	93%		82-114%

(a) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	MW-20B		
Lab Sample ID:	JD52507-15	**Date Sampled:**	09/21/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A226450.D	1	09/27/22 18:48	NW	n/a	n/a	V1A9698
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-20B		
Lab Sample ID:	JD52507-15	**Date Sampled:**	09/21/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		80-120%
17060-07-0	1,2-Dichloroethane-D4	99%		80-120%
2037-26-5	Toluene-D8	101%		80-120%
460-00-4	4-Bromofluorobenzene	99%		82-114%

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	MW-7B		
Lab Sample ID:	JD52507-16	**Date Sampled:**	09/21/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A226451.D	1	09/27/22 19:12	NW	n/a	n/a	V1A9698
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	4.5	10	3.1	ug/l	J
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	1.7	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-7B		
Lab Sample ID:	JD52507-16	**Date Sampled:**	09/21/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		80-120%
17060-07-0	1,2-Dichloroethane-D4	99%		80-120%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	98%		82-114%

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	MW-12C		
Lab Sample ID:	JD52507-17	**Date Sampled:**	09/21/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A226452.D	1	09/27/22 19:36	NW	n/a	n/a	V1A9698
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	1.5	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-12C		
Lab Sample ID:	JD52507-17	**Date Sampled:**	09/21/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	102%		80-120%
17060-07-0	1,2-Dichloroethane-D4	100%		80-120%
2037-26-5	Toluene-D8	101%		80-120%
460-00-4	4-Bromofluorobenzene	96%		82-114%

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	MW-13C		
Lab Sample ID:	JD52507-18	**Date Sampled:**	09/21/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A226453.D	1	09/27/22 20:00	NW	n/a	n/a	V1A9698
Run #2	1X200585.D	10	09/29/22 12:06	TS	n/a	n/a	V1X8637

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	3.1	10	3.1	ug/l	J
71-43-2	Benzene	3.7	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	0.52	1.0	0.50	ug/l	J
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	163	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-13C		
Lab Sample ID:	JD52507-18	**Date Sampled:**	09/21/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	219 [a]	10	5.3	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	1.7	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%	96%	80-120%
17060-07-0	1,2-Dichloroethane-D4	100%	98%	80-120%
2037-26-5	Toluene-D8	100%	100%	80-120%
460-00-4	4-Bromofluorobenzene	98%	100%	82-114%

(a) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	MW-5-100		
Lab Sample ID:	JD52507-19	**Date Sampled:**	09/21/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1X200599.D	1	09/29/22 17:32	TS	n/a	n/a	V1X8637
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [a]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	3.6	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	33.4	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-5-100		
Lab Sample ID:	JD52507-19	**Date Sampled:**	09/21/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	35.4	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%		80-120%
17060-07-0	1,2-Dichloroethane-D4	98%		80-120%
2037-26-5	Toluene-D8	99%		80-120%
460-00-4	4-Bromofluorobenzene	102%		82-114%

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	MW-4B		
Lab Sample ID:	JD52507-20	**Date Sampled:**	09/21/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A226455.D	1	09/27/22 20:47	NW	n/a	n/a	V1A9698
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	3.2	10	3.1	ug/l	J
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-4B		
Lab Sample ID:	JD52507-20	**Date Sampled:**	09/21/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	1.4	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		80-120%
17060-07-0	1,2-Dichloroethane-D4	100%		80-120%
2037-26-5	Toluene-D8	101%		80-120%
460-00-4	4-Bromofluorobenzene	100%		82-114%

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	MW-7-40		
Lab Sample ID:	JD52507-21	**Date Sampled:**	09/21/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A226456.D	1	09/27/22 21:11	NW	n/a	n/a	V1A9698
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	150	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	2.2	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-7-40		
Lab Sample ID:	JD52507-21	**Date Sampled:**	09/21/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	41.5	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		80-120%
17060-07-0	1,2-Dichloroethane-D4	100%		80-120%
2037-26-5	Toluene-D8	102%		80-120%
460-00-4	4-Bromofluorobenzene	100%		82-114%

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	MW-16-100		
Lab Sample ID:	JD52507-22	**Date Sampled:**	09/21/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1X200602.D	1	09/29/22 18:41	TS	n/a	n/a	V1X8637
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [a]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	4.0	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-16-100		
Lab Sample ID:	JD52507-22	**Date Sampled:**	09/21/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	19.0	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%		80-120%
17060-07-0	1,2-Dichloroethane-D4	98%		80-120%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	101%		82-114%

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	EB-092222		
Lab Sample ID:	JD52507-23	**Date Sampled:**	09/22/22
Matrix:	AQ - Equipment Blank	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2V93010.D	1	09/30/22 01:31	KM	n/a	n/a	V2V3777
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [a]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane [b]	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EB-092222		
Lab Sample ID:	JD52507-23	**Date Sampled:**	09/22/22
Matrix:	AQ - Equipment Blank	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane [a]	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		80-120%
17060-07-0	1,2-Dichloroethane-D4	96%		80-120%
2037-26-5	Toluene-D8	102%		80-120%
460-00-4	4-Bromofluorobenzene	93%		82-114%

(a) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	MW-18A		
Lab Sample ID:	JD52507-24	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2V93017.D	1	09/30/22 04:14	KM	n/a	n/a	V2V3777
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	4.8	10	3.1	ug/l	J
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [a]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane [b]	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-18A		
Lab Sample ID:	JD52507-24	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane [a]	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		80-120%
17060-07-0	1,2-Dichloroethane-D4	95%		80-120%
2037-26-5	Toluene-D8	101%		80-120%
460-00-4	4-Bromofluorobenzene	93%		82-114%

(a) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	MW-8-40		
Lab Sample ID:	JD52507-25	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2V93018.D	1	09/30/22 04:37	KM	n/a	n/a	V2V3777
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [a]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane [b]	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-8-40		
Lab Sample ID:	JD52507-25	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane [a]	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		80-120%
17060-07-0	1,2-Dichloroethane-D4	91%		80-120%
2037-26-5	Toluene-D8	104%		80-120%
460-00-4	4-Bromofluorobenzene	92%		82-114%

(a) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	MW-22B		
Lab Sample ID:	JD52507-26	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2V93019.D	1	09/30/22 05:00	KM	n/a	n/a	V2V3777
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [a]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane [b]	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-22B		
Lab Sample ID:	JD52507-26	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane [a]	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		80-120%
17060-07-0	1,2-Dichloroethane-D4	93%		80-120%
2037-26-5	Toluene-D8	104%		80-120%
460-00-4	4-Bromofluorobenzene	93%		82-114%

(a) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	MW-1B		
Lab Sample ID:	JD52507-27	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2V93020.D	1	09/30/22 05:23	KM	n/a	n/a	V2V3777
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [a]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane [b]	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	1.7	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-1B		
Lab Sample ID:	JD52507-27	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	2.5	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane [a]	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		80-120%
17060-07-0	1,2-Dichloroethane-D4	93%		80-120%
2037-26-5	Toluene-D8	102%		80-120%
460-00-4	4-Bromofluorobenzene	94%		82-114%

(a) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	MW-092222		
Lab Sample ID:	JD52507-28	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2V93021.D	1	09/30/22 05:46	KM	n/a	n/a	V2V3777
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [a]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane [b]	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	1.7	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-092222		
Lab Sample ID:	JD52507-28	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	2.7	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane [a]	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		80-120%
17060-07-0	1,2-Dichloroethane-D4	91%		80-120%
2037-26-5	Toluene-D8	101%		80-120%
460-00-4	4-Bromofluorobenzene	95%		82-114%

(a) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	MW-2B		
Lab Sample ID:	JD52507-29	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	2V93022.D	50	09/30/22 06:09	KM	n/a	n/a	V2V3777
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	500	150	ug/l	
71-43-2	Benzene	ND	25	21	ug/l	
75-27-4	Bromodichloromethane	ND	50	23	ug/l	
75-25-2	Bromoform	ND	50	32	ug/l	
74-83-9	Bromomethane	ND	100	82	ug/l	
78-93-3	2-Butanone (MEK)	ND	500	140	ug/l	
75-15-0	Carbon disulfide	ND	100	23	ug/l	
56-23-5	Carbon tetrachloride	ND	50	28	ug/l	
108-90-7	Chlorobenzene	ND	50	28	ug/l	
75-00-3	Chloroethane [b]	ND	50	36	ug/l	
67-66-3	Chloroform	ND	50	25	ug/l	
74-87-3	Chloromethane [c]	ND	50	38	ug/l	
110-82-7	Cyclohexane	ND	250	39	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	100	26	ug/l	
124-48-1	Dibromochloromethane	ND	50	28	ug/l	
106-93-4	1,2-Dibromoethane	ND	50	24	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	50	27	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	50	27	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	50	25	ug/l	
75-71-8	Dichlorodifluoromethane	ND	100	28	ug/l	
75-34-3	1,1-Dichloroethane	ND	50	28	ug/l	
107-06-2	1,2-Dichloroethane	ND	50	30	ug/l	
75-35-4	1,1-Dichloroethene	ND	50	30	ug/l	
156-59-2	cis-1,2-Dichloroethene	5720	50	25	ug/l	
156-60-5	trans-1,2-Dichloroethene	31.8	50	27	ug/l	J
78-87-5	1,2-Dichloropropane	ND	50	25	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	50	24	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	50	22	ug/l	
100-41-4	Ethylbenzene	ND	50	30	ug/l	
76-13-1	Freon 113	ND	250	29	ug/l	
591-78-6	2-Hexanone	ND	250	100	ug/l	
98-82-8	Isopropylbenzene	ND	50	32	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-2B		
Lab Sample ID:	JD52507-29	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	250	40	ug/l	
108-87-2	Methylcyclohexane	ND	250	30	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	50	25	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	250	93	ug/l	
75-09-2	Methylene chloride	ND	100	50	ug/l	
100-42-5	Styrene	ND	50	24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	50	33	ug/l	
127-18-4	Tetrachloroethene	ND	50	28	ug/l	
108-88-3	Toluene	ND	50	25	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	50	25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	50	27	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	50	27	ug/l	
79-01-6	Trichloroethene	7600	50	26	ug/l	
75-69-4	Trichlorofluoromethane [b]	ND	100	20	ug/l	
75-01-4	Vinyl chloride	67.9	50	26	ug/l	
1330-20-7	Xylene (total)	ND	50	30	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		80-120%
17060-07-0	1,2-Dichloroethane-D4	94%		80-120%
2037-26-5	Toluene-D8	99%		80-120%
460-00-4	4-Bromofluorobenzene	93%		82-114%

(a) Dilution required due to high concentration of target compound.
(b) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.
(c) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	MW-3B		
Lab Sample ID:	JD52507-30	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2V93023.D	1	09/30/22 06:32	KM	n/a	n/a	V2V3777
Run #2	2V93131.D	20	10/03/22 14:14	TS	n/a	n/a	V2V3782
Run #3	2V93142.D	200	10/03/22 18:30	TS	n/a	n/a	V2V3782

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml
Run #3	5.0 ml

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	0.50	2.0	0.46	ug/l	J
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [a]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	0.80	1.0	0.50	ug/l	J
74-87-3	Chloromethane [b]	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	16.8	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	7150 [c]	200	100	ug/l	
156-60-5	trans-1,2-Dichloroethene	149	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-3B		
Lab Sample ID:	JD52507-30	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	1.6	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	4730 [c]	200	110	ug/l	
75-69-4	Trichlorofluoromethane [a]	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	110	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Run# 3	Limits
1868-53-7	Dibromofluoromethane	103%	106%	106%	80-120%
17060-07-0	1,2-Dichloroethane-D4	93%	98%	100%	80-120%
2037-26-5	Toluene-D8	99%	102%	105%	80-120%
460-00-4	4-Bromofluorobenzene	95%	99%	100%	82-114%

(a) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
(c) Result is from Run# 3

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	MW-5B		
Lab Sample ID:	JD52507-31	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2V93024.D	1	09/30/22 06:55	KM	n/a	n/a	V2V3777
Run #2	2V93130.D	20	10/03/22 13:51	TS	n/a	n/a	V2V3782

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [a]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane [b]	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	1.5	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	795 [c]	20	10	ug/l	
156-60-5	trans-1,2-Dichloroethene	11.7	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-5B		
Lab Sample ID:	JD52507-31	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	0.81	1.0	0.56	ug/l	J
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	554 [c]	20	11	ug/l	
75-69-4	Trichlorofluoromethane [a]	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	27.7	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%	105%	80-120%
17060-07-0	1,2-Dichloroethane-D4	91%	98%	80-120%
2037-26-5	Toluene-D8	100%	105%	80-120%
460-00-4	4-Bromofluorobenzene	93%	96%	82-114%

(a) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
(c) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	MW-17-40		
Lab Sample ID:	JD52507-32	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2V93136.D	1	10/03/22 16:10	TS	n/a	n/a	V2V3782
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [a]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [b]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-17-40		
Lab Sample ID:	JD52507-32	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride [c]	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	107%		80-120%
17060-07-0	1,2-Dichloroethane-D4	98%		80-120%
2037-26-5	Toluene-D8	105%		80-120%
460-00-4	4-Bromofluorobenzene	98%		82-114%

(a) Associated CCV outside of control limits high, sample was ND. This compound in blank spkie is outside in house QC limits bias high.
(b) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.
(c) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	EB-092222		
Lab Sample ID:	JD52507-33	**Date Sampled:**	09/22/22
Matrix:	AQ - Equipment Blank	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2V93011.D	1	09/30/22 01:54	KM	n/a	n/a	V2V3777
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [a]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane [b]	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EB-092222		
Lab Sample ID:	JD52507-33	**Date Sampled:**	09/22/22
Matrix:	AQ - Equipment Blank	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane [a]	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		80-120%
17060-07-0	1,2-Dichloroethane-D4	93%		80-120%
2037-26-5	Toluene-D8	102%		80-120%
460-00-4	4-Bromofluorobenzene	93%		82-114%

(a) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	MW-26A		
Lab Sample ID:	JD52507-34	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2V93137.D	1	10/03/22 16:33	TS	n/a	n/a	V2V3782
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [a]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [b]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-26A		
Lab Sample ID:	JD52507-34	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride [c]	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	108%		80-120%
17060-07-0	1,2-Dichloroethane-D4	100%		80-120%
2037-26-5	Toluene-D8	104%		80-120%
460-00-4	4-Bromofluorobenzene	98%		82-114%

(a) Associated CCV outside of control limits high, sample was ND. This compound in blank spkie is outside in house QC limits bias high.
(b) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.
(c) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	MW-25A		
Lab Sample ID:	JD52507-35	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2V93146.D	1	10/03/22 20:03	TS	n/a	n/a	V2V3782
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane [a]	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [b]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-25A		
Lab Sample ID:	JD52507-35	**Date Sampled:**	09/22/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride [c]	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	106%		80-120%
17060-07-0	1,2-Dichloroethane-D4	96%		80-120%
2037-26-5	Toluene-D8	104%		80-120%
460-00-4	4-Bromofluorobenzene	98%		82-114%

(a) Associated CCV outside of control limits high, sample was ND. This compound in blank spkie is outside in house QC limits bias high.
(b) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.
(c) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	TRIP BLANK		
Lab Sample ID:	JD52507-36	**Date Sampled:**	09/22/22
Matrix:	AQ - Trip Blank Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2V93012.D	1	09/30/22 02:17	KM	n/a	n/a	V2V3777
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane [a]	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	1.4	1.0	0.50	ug/l	
74-87-3	Chloromethane [b]	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TRIP BLANK		
Lab Sample ID:	JD52507-36	**Date Sampled:**	09/22/22
Matrix:	AQ - Trip Blank Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane [a]	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		80-120%
17060-07-0	1,2-Dichloroethane-D4	96%		80-120%
2037-26-5	Toluene-D8	102%		80-120%
460-00-4	4-Bromofluorobenzene	94%		82-114%

(a) Associated CCV outside of control limits high, sample was ND. This compound in blank spike is outside in house QC limits bias high.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Client Sample ID:	EXB-11		
Lab Sample ID:	JD52507-37	**Date Sampled:**	09/21/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	L347837.D	5	10/04/22 13:48	NH	n/a	n/a	VL10519
Run #2	L347836.D	50	10/04/22 13:25	NH	n/a	n/a	VL10519

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	50	15	ug/l	
71-43-2	Benzene	ND	2.5	2.1	ug/l	
75-27-4	Bromodichloromethane	ND	5.0	2.3	ug/l	
75-25-2	Bromoform	ND	5.0	3.2	ug/l	
74-83-9	Bromomethane [b]	ND	10	8.2	ug/l	
78-93-3	2-Butanone (MEK)	ND	50	14	ug/l	
75-15-0	Carbon disulfide	ND	10	2.3	ug/l	
56-23-5	Carbon tetrachloride	ND	5.0	2.8	ug/l	
108-90-7	Chlorobenzene	ND	5.0	2.8	ug/l	
75-00-3	Chloroethane	ND	5.0	3.6	ug/l	
67-66-3	Chloroform	ND	5.0	2.5	ug/l	
74-87-3	Chloromethane	ND	5.0	3.8	ug/l	
110-82-7	Cyclohexane	ND	25	3.9	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	10	2.6	ug/l	
124-48-1	Dibromochloromethane	ND	5.0	2.8	ug/l	
106-93-4	1,2-Dibromoethane	ND	5.0	2.4	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	5.0	2.7	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	5.0	2.7	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	5.0	2.5	ug/l	
75-71-8	Dichlorodifluoromethane	ND	10	2.8	ug/l	
75-34-3	1,1-Dichloroethane	ND	5.0	2.8	ug/l	
107-06-2	1,2-Dichloroethane	ND	5.0	3.0	ug/l	
75-35-4	1,1-Dichloroethene	ND	5.0	3.0	ug/l	
156-59-2	cis-1,2-Dichloroethene	1830 [c]	50	25	ug/l	
156-60-5	trans-1,2-Dichloroethene	33.6	5.0	2.7	ug/l	
78-87-5	1,2-Dichloropropane	ND	5.0	2.5	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	5.0	2.4	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	5.0	2.2	ug/l	
100-41-4	Ethylbenzene	ND	5.0	3.0	ug/l	
76-13-1	Freon 113 [d]	ND	25	2.9	ug/l	
591-78-6	2-Hexanone	ND	25	10	ug/l	
98-82-8	Isopropylbenzene	ND	5.0	3.2	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EXB-11		
Lab Sample ID:	JD52507-37	**Date Sampled:**	09/21/22
Matrix:	AQ - Ground Water	**Date Received:**	09/24/22
Method:	SW846 8260D	**Percent Solids:**	n/a
Project:	EPT, Ithaca, NY		

VOA TCL List (OLM4.2)

CAS No.	Compound	Result	RL	MDL	Units	Q
79-20-9	Methyl Acetate	ND	25	4.0	ug/l	
108-87-2	Methylcyclohexane	ND	25	3.0	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	5.0	2.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	25	9.3	ug/l	
75-09-2	Methylene chloride	ND	10	5.0	ug/l	
100-42-5	Styrene	ND	5.0	2.4	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	5.0	3.3	ug/l	
127-18-4	Tetrachloroethene	ND	5.0	2.8	ug/l	
108-88-3	Toluene	ND	5.0	2.5	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	2.5	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	5.0	2.7	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	5.0	2.7	ug/l	
79-01-6	Trichloroethene	400	5.0	2.6	ug/l	
75-69-4	Trichlorofluoromethane	ND	10	2.0	ug/l	
75-01-4	Vinyl chloride	13.8	5.0	2.6	ug/l	
1330-20-7	Xylene (total)	ND	5.0	3.0	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	95%	93%	80-120%
17060-07-0	1,2-Dichloroethane-D4	92%	91%	80-120%
2037-26-5	Toluene-D8	97%	98%	80-120%
460-00-4	4-Bromofluorobenzene	91%	91%	82-114%

(a) Dilution required due to high concentration of target compound.
(b) Associated CCV outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
(c) Result is from Run# 2
(d) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- Sample Tracking Chronicle
- Internal Chain of Custody

PN

CHAIN OF CUSTODY

SGS North America Inc. - Dayton
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200
www.sgs.com/ehsusa

Page 1 of 3

FED-EX Tracking # 5844-7366-4020 | Bottle Order Control # 75-01222-5
SGS Quote # | SGS Job # JD52507

Client / Reporting Information

Company Name: WSP USA
Street Address:
City State Zip:
Project Contact: NATHANIEL.WINTON@WSP.com E-mail
Phone # 315-420-9473
Sampler(s) Name(s): NATE WINTON Phone #

Project Information

Project Name: FORMER EPT - ITHACA
Street: 620 SOUTH AURORA
City: ITHACA State: NY
Project # 31401545.001
Client Purchase Order #
Project Manager
Attention:

Billing Information (If different from Report to)

Company Name
Street Address
City State Zip

8260 (GC/MS TCL VOC)

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL- Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB - Field Blank
EB-Equipment Blank
RB - Rinse Blank
TB - Trip Blank

SGS Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Grab (G) Comp (C)	Source Chlorinated (Y/N)	Matrix	# of bottles	HCl	NaOH	HNO_3	H_2SO_4	NONE	DI Water	MEOH	ENCORE	pH Check (Lab Use Only)	LAB USE ONLY
1	EXB-9		9/19/22	1400	NW	G	N	GW	3	X								X	
2	EB-091922		9/19/22	1630					3									X	
3	MW-5-40		9/20/22	1030					3									X	
4	MW-5-25			1035					3									X	
5	MW-38			1040					3									X	
6	EXB-10-MS/MSD			1050					9									X	
7	MW-33D			1350					3									X	
8	MW-15C			1440					3									X	
9	MW-36B			1445					3									X	
10	MW-46-33C-MS/MSD			1455					9									X	
11	MW-46-43C			1505					3									X	
12	MW-50-160D			1600					3									X	

Turn Around Time (Business Days)

- [ ] 10 Business Days
- [ ] 5 Business Days
- [ ] 3 Business Days*
- [ ] 2 Business Days*
- [ ] 1 Business Day*
- [ ] Other

7-DAY

All data available via SGS Engage

Approved By (SGS PM) / Date:
Initial Assessment: NA 9/20
Label Verification:

* Approval needed for 1-3 BD TAT

Deliverable

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] NJ Reduced (Level 3)
- [ ] Full Tier I (Level 4)
- [ ] Commercial "C"
- [ ] NJ DKQP
- [ ] NYASP Category A
- [x] NYASP Category B — NYSDEC CAT B
- [ ] MA MCP Criteria
- [ ] CT RCP Criteria
- [ ] State Forms
- [ ] EDD Format

Commercial "A" = Results only, Commercial "B" = Results + QC Summary
Commercial "C" = Results + QC Summary + Partial Raw data


Comments / Special Instructions

http://www.sgs.com/en/terms-and-conditions

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by:	Date / Time:	Received By:	Relinquished By:	Date / Time:	Received By:
1		9/23/22 1500	1 Fedex	2 Fedex	09/24/22	2 10:00
3			3	4		4
5			5	Custody Seal #	Intact / Not intact / Absent	Therm ID: / On Ice / Cooler Temp. °C: 2.1

See Sample Receipt Summary



CHAIN OF CUSTODY

SGS North America Inc. - Dayton
2235 Route 130, Dayton, NJ 08810
TEL 732-329-0200
www.sgs.com/hsusa

Page 2 of 3

SGS

FED-EX Tracking #
Bottle Order Control #
SGS Quote #
SGS Job #

Client / Reporting Information
Company Name: WSP USA
Address
City State Zip
Project Manager E-mail
Phone #
Sampler(s) Name(s)

Project Information
Project Name: FORMER EPT - ITHACA
Street
City State
Project # 31401545.001
Client Purchase Order #
Project Manager
Attention:

Billing Information (If different from Report to)
Company Name
Street Address
City State Zip

8260 VOCs TCL 43

Matrix Codes
DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL - Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB - Field Blank
EB-Equipment Blank
RB - Rinse Blank
TB - Trip Blank

SGS Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Grab (G) Comp (C)	Source Chlorinated (Y/N)	Matrix	# of bottles	Number of Bottles: HCl	NaOH	HNO_3	H_2SO_4	NONE	DI Water	MEOH	ENCORE	pH Check (Lab Use Only)	LAB USE ONLY
13	MW-09[illegible]022		9/20/22	1700	MW	G	N	GW	3	X								X	
14	EB-092022		9/20/22	1650	MW				3									X	
15	MW-20B		9/21/22	0920					3									X	
16	MW-7D			0940					3									X	
17	MW-12C			0950					3									X	
18	MW-13C			1000					3									X	
19	MW-5-100			1005					3									X	
20	MW-4B			1010					3									X	
21	MW-7-40			1435					3									X	
22	MW-16-100			1725					3									X	
23	EB-092222		9/22/22	0835					3									X	
24	MW-18A		9/22/22	1010					3									X	

Turn Around Time (Business Days)
Approved By (SGS PM) / Date:
☐ 10 Business Days
☐ 5 Business Days
☐ 3 Business Days*
☐ 2 Business Days*
☐ 1 Business Day*
☐ Other
All data available via SGS Engage
* Approval needed for 1-3 BD TAT

Deliverable
☐ Commercial "A" (Level 1)
☐ Commercial "B" (Level 2)
☐ NJ Reduced (Level 3)
☐ Full Tier I (Level 4)
☐ Commercial "C"
☐ NJ DKQP
☐ NYASP Category A
☒ NYASP Category B
☐ MA MCP Criteria
☐ CT RCP Criteria
☐ State Forms
☐ EDD Format
Commercial "A" = Results only; Commercial "B" = Results + QC Summary
Commercial "C" = Results + QC Summary + Partial Raw data

Comments / Special Instructions
http://www.sgs.com/e[illegible]rms-and-conditions

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished By:	Date / Time:	Received By:
1		9/23/22 1500	1
2	Relinquished By:	Date / Time:	Received By: 2
3			Received By: 3
4	Relinquished By: 4	Date / Time:	Received By: 4

Custody Seal # ☐ Intact ☐ Not Intact ☐ Absent
Therm ID: Cooler Temp. °C

SGS

CHAIN OF CUSTODY

SGS North America Inc. - Dayton
2235 Route 130, Dayton, NJ 08810
TEL. 732-329-0200
www.sgs.com/ehsusa

Page 3 of 3

FED-EX Tracking # | Bottle Order Control #
SGS Quote # | SGS Job #

Client / Reporting Information

Company Name: WSP USA
Street Address:
City State Zip:
Project Contact E-mail:
Phone #:
Sampler(s) Name(s) Phone #:

Project Information

Project Name: FORMER EDT - ITHACA
Street:
City State:
Project #: 31401545.001
Client Purchase Order #:
Project Manager:

Billing Information (if different from Report to)

Company Name:
Street Address:
City State Zip:
Attention:

8260 TCL 42

Matrix Codes: DW - Drinking Water; GW - Ground Water; WW - Water; SW - Surface Water; SO - Soil; SL- Sludge; SED-Sediment; OI - Oil; LIQ - Other Liquid; AIR - Air; SOL - Other Solid; WP - Wipe; FB - Field Blank; EB-Equipment Blank; RB - Rinse Blank; TB - Trip Blank

SGS Sample #	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Grab (G) Comp (C)	Source Chlorinated (Y/N)	Matrix	# of bottles	HCl	HONV	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	pH Check (Lab Use Only)	LAB USE ONLY
25	MW-8-40		9/22/22	1020	MW	G	N	GW	3	X								X	
26	MW-22B			1030					3	X								X	
27	MW-1B			1045					3	X								X	
28	MW-092222			0800					3	X								X	
29	MW-2B			1100					3	X								X	
30	MW-3B			1110					3	X								X	
31	MW-5B			1120					3	X								X	
32	MW-17-40			1115					3	X								X	
33	EB-092222			1310					3	X								X	
34	MW-26A			1410					3	X								X	
35	MW-25A			1430					3	X								X	
36	TRIP BLANK		—	—	—	—	—	—	2	X								X	
37	EXB-11		9/21/22	10:45															

Turn Around Time (Business Days)

- [ ] 10 Business Days
- [ ] 5 Business Days
- [ ] 3 Business Days*
- [ ] 2 Business Days*
- [ ] 1 Business Day*
- [ ] Other

7DAY

Approved By (SGS PM) / Date:

All data available via SGS Engage

* Approval needed for 1-3 BD TAT

Deliverable

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] NJ Reduced (Level 3)
- [ ] Full Tier I (Level 4)
- [ ] Commercial "C"
- [ ] NJ DKQP
- [ ] NYASP Category A
- [x] NYASP Category B
- [ ] MA MCP Criteria
- [ ] CT RCP Criteria
- [ ] State Forms
- [ ] EDD Format

Commercial "A" = Results only; Commercial "B" = Results + QC Summary
Commercial "C" = Results + QC Summary + Partial Raw data

Comments / Special Instructions

http://www.sgs.com/en/terms-and-conditions

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by:	Date / Time:	Received By:
1		9/23/22 1500	1
2	Relinquished By:	Date / Time:	Received By: 2
3	Relinquished by:	Date / Time:	Received By: 3
4	Relinquished By:	Date / Time:	Received By: 4
5	Relinquished by:	Date / Time:	Received By: 5

Custody Seal # — [ ] Intact [ ] Not intact [ ] Absent

Therm ID: — See Sample Receipt Summary — On Ice [ ] — Cooler Temp. °C

EHSA-QAC-0023-05 Rev.Date:8/5/22

SGS Sample Receipt Summary

Job Number: JD52507 **Client:** WSP **Project:** EPT, ITHACA, NY

Date / Time Received: 9/24/2022 10:00:00 AM **Delivery Method:** FEDEX **Airbill #'s:**

Cooler Temps (Raw Measured) °C: Cooler 1: (2.1);

Cooler Temps (Corrected) °C: Cooler 1: (2.7);

Cooler Security	Y	or	N		Y	or	N
1. Custody Seals Present:	☑		☐	3. COC Present:	☑		☐
2. Custody Seals Intact:	☑		☐	4. Smpl Dates/Time OK	☑		☐

Cooler Temperature	Y	or	N
1. Temp criteria achieved:	☑		☐
2. Cooler temp verification:	IR Gun		
3. Cooler media:	Ice (Bag)		
4. No. Coolers:	1		

Quality Control _Preservation	Y	or	N	N/A
1. Trip Blank present / cooler:	☑		☐	☐
2. Trip Blank listed on COC:	☑		☐	☐
3. Samples preserved properly:	☑		☐	
4. VOCs headspace free:	☑		☐	☐

Sample Integrity - Documentation	Y	or	N
1. Sample labels present on bottles:	☑		☐
2. Container labeling complete:	☑		☐
3. Sample container label / COC agree:	☑		☐

Sample Integrity - Condition	Y	or	N
1. Sample recvd within HT:	☑		☐
2. All containers accounted for:	☑		☐
3. Condition of sample:	Intact		

Sample Integrity - Instructions	Y	or	N	N/A
1. Analysis requested is clear:	☑		☐	
2. Bottles received for unspecified tests	☐		☑	
3. Sufficient volume recvd for analysis:	☑		☐	
4. Compositing instructions clear:	☐		☐	☑
5. Filtering instructions clear:	☐		☐	☑

Test Strip Lot #s: pH 1-12: 231619 pH 12+: 203117A Other: (Specify)

Comments: Received additional sample EXB-11 appended to coc as -37

Responded to by: Tammy Esposito McCloskey Response Date: 9/27/2022

EXB-11 should be added and analyzed for VO per Nathaniel Winston.

Internal Sample Tracking Chronicle

WSP USA Environment & Infrastructure Inc

Job No: JD52507

EPT, Ithaca, NY
Project No: 31401545.001

Sample Number	Method	Analyzed	By	Prepped	By	Test Codes
JD52507-1 EXB-9	Collected: 19-SEP-22 14:00 By: NW		Received: 24-SEP-22 By: EN			
JD52507-1	SW846 8260D	28-SEP-22 01:16	KM			V8260TCL42
JD52507-2 EB-091922	Collected: 19-SEP-22 16:30 By: NW		Received: 24-SEP-22 By: EN			
JD52507-2	SW846 8260D	28-SEP-22 00:30	KM			V8260TCL42
JD52507-3 MW-5-40	Collected: 20-SEP-22 10:30 By: NW		Received: 24-SEP-22 By: EN			
JD52507-3	SW846 8260D	28-SEP-22 01:39	KM			V8260TCL42
JD52507-3	SW846 8260D	29-SEP-22 13:11	NH			V8260TCL42
JD52507-4 MW-5-25	Collected: 20-SEP-22 10:35 By: NW		Received: 24-SEP-22 By: EN			
JD52507-4	SW846 8260D	28-SEP-22 02:03	KM			V8260TCL42
JD52507-5 MW-8B	Collected: 20-SEP-22 10:40 By: NW		Received: 24-SEP-22 By: EN			
JD52507-5	SW846 8260D	28-SEP-22 02:26	KM			V8260TCL42
JD52507-6 EXB-10	Collected: 20-SEP-22 10:50 By: NW		Received: 24-SEP-22 By: EN			
JD52507-6	SW846 8260D	27-SEP-22 22:57	KM			V8260TCL42
JD52507-7 MW-32B	Collected: 20-SEP-22 13:50 By: NW		Received: 24-SEP-22 By: EN			
JD52507-7	SW846 8260D	28-SEP-22 02:49	KM			V8260TCL42
JD52507-8 MW-15C	Collected: 20-SEP-22 14:40 By: NW		Received: 24-SEP-22 By: EN			
JD52507-8	SW846 8260D	30-SEP-22 14:33	NW			V8260TCL42

Internal Sample Tracking Chronicle

WSP USA Environment & Infrastructure Inc

Job No: JD52507

EPT, Ithaca, NY
Project No: 31401545.001

Sample Number	Method	Analyzed	By	Prepped	By	Test Codes
JD52507-8	SW846 8260D	30-SEP-22 15:45	NW			V8260TCL42
JD52507-9	Collected: 20-SEP-22 14:45 By: NW		Received: 24-SEP-22 By: EN			
MW-36B						
JD52507-9	SW846 8260D	30-SEP-22 02:41	KM			V8260TCL42
JD52507-10	Collected: 20-SEP-22 14:55 By: NW		Received: 24-SEP-22 By: EN			
MW-46-72C						
JD52507-10	SW846 8260D	30-SEP-22 14:09	NW			V8260TCL42
JD52507-10	SW846 8260D	30-SEP-22 16:09	NW			V8260TCL42
JD52507-11	Collected: 20-SEP-22 15:05 By: NW		Received: 24-SEP-22 By: EN			
MW-46-43C						
JD52507-11	SW846 8260D	30-SEP-22 03:04	KM			V8260TCL42
JD52507-12	Collected: 20-SEP-22 16:00 By: NW		Received: 24-SEP-22 By: EN			
MW-50-160D						
JD52507-12	SW846 8260D	30-SEP-22 03:27	KM			V8260TCL42
JD52507-12	SW846 8260D	30-SEP-22 12:15	NH			V8260TCL42
JD52507-13	Collected: 20-SEP-22 17:00 By: NW		Received: 24-SEP-22 By: EN			
MW-092022						
JD52507-13	SW846 8260D	30-SEP-22 03:50	KM			V8260TCL42
JD52507-13	SW846 8260D	30-SEP-22 13:12	NH			V8260TCL42
JD52507-14	Collected: 20-SEP-22 16:50 By: NW		Received: 24-SEP-22 By: EN			
EB-092022						
JD52507-14	SW846 8260D	30-SEP-22 01:08	KM			V8260TCL42
JD52507-15	Collected: 21-SEP-22 09:20 By: NW		Received: 24-SEP-22 By: EN			
MW-20B						
JD52507-15	SW846 8260D	27-SEP-22 18:48	NW			V8260TCL42

Internal Sample Tracking Chronicle

WSP USA Environment & Infrastructure Inc

Job No: JD52507

EPT, Ithaca, NY
Project No: 31401545.001

Sample Number	Method	Analyzed	By	Prepped	By	Test Codes
JD52507-16	Collected: 21-SEP-22 09:40 By: NW		Received: 24-SEP-22 By: EN			
MW-7B						
JD52507-16	SW846 8260D	27-SEP-22 19:12	NW			V8260TCL42
JD52507-17	Collected: 21-SEP-22 09:50 By: NW		Received: 24-SEP-22 By: EN			
MW-12C						
JD52507-17	SW846 8260D	27-SEP-22 19:36	NW			V8260TCL42
JD52507-18	Collected: 21-SEP-22 10:00 By: NW		Received: 24-SEP-22 By: EN			
MW-13C						
JD52507-18	SW846 8260D	27-SEP-22 20:00	NW			V8260TCL42
JD52507-18	SW846 8260D	29-SEP-22 12:06	TS			V8260TCL42
JD52507-19	Collected: 21-SEP-22 10:05 By: NW		Received: 24-SEP-22 By: EN			
MW-5-100						
JD52507-19	SW846 8260D	29-SEP-22 17:32	TS			V8260TCL42
JD52507-20	Collected: 21-SEP-22 10:40 By: NW		Received: 24-SEP-22 By: EN			
MW-4B						
JD52507-20	SW846 8260D	27-SEP-22 20:47	NW			V8260TCL42
JD52507-21	Collected: 21-SEP-22 14:35 By: NW		Received: 24-SEP-22 By: EN			
MW-7-40						
JD52507-21	SW846 8260D	27-SEP-22 21:11	NW			V8260TCL42
JD52507-22	Collected: 21-SEP-22 17:25 By: NW		Received: 24-SEP-22 By: EN			
MW-16-100						
JD52507-22	SW846 8260D	29-SEP-22 18:41	TS			V8260TCL42
JD52507-23	Collected: 22-SEP-22 08:35 By: NW		Received: 24-SEP-22 By: EN			
EB-092222						

Internal Sample Tracking Chronicle

WSP USA Environment & Infrastructure Inc

Job No: JD52507

EPT, Ithaca, NY
Project No: 31401545.001

Sample Number	Method	Analyzed	By	Prepped	By	Test Codes
JD52507-23	SW846 8260D	30-SEP-22 01:31	KM			V8260TCL42
JD52507-24	Collected: 22-SEP-22 10:10 By: NW MW-18A		Received: 24-SEP-22 By: EN			
JD52507-24	SW846 8260D	30-SEP-22 04:14	KM			V8260TCL42
JD52507-25	Collected: 22-SEP-22 10:20 By: NW MW-8-40		Received: 24-SEP-22 By: EN			
JD52507-25	SW846 8260D	30-SEP-22 04:37	KM			V8260TCL42
JD52507-26	Collected: 22-SEP-22 10:30 By: NW MW-22B		Received: 24-SEP-22 By: EN			
JD52507-26	SW846 8260D	30-SEP-22 05:00	KM			V8260TCL42
JD52507-27	Collected: 22-SEP-22 10:45 By: NW MW-1B		Received: 24-SEP-22 By: EN			
JD52507-27	SW846 8260D	30-SEP-22 05:23	KM			V8260TCL42
JD52507-28	Collected: 22-SEP-22 08:00 By: NW MW-092222		Received: 24-SEP-22 By: EN			
JD52507-28	SW846 8260D	30-SEP-22 05:46	KM			V8260TCL42
JD52507-29	Collected: 22-SEP-22 11:00 By: NW MW-2B		Received: 24-SEP-22 By: EN			
JD52507-29	SW846 8260D	30-SEP-22 06:09	KM			V8260TCL42
JD52507-30	Collected: 22-SEP-22 11:10 By: NW MW-3B		Received: 24-SEP-22 By: EN			
JD52507-30	SW846 8260D	30-SEP-22 06:32	KM			V8260TCL42
JD52507-30	SW846 8260D	03-OCT-22 14:14	TS			V8260TCL42
JD52507-30	SW846 8260D	03-OCT-22 18:30	TS			V8260TCL42

Internal Sample Tracking Chronicle

WSP USA Environment & Infrastructure Inc

Job No: JD52507

EPT, Ithaca, NY
Project No: 31401545.001

Sample Number	Method	Analyzed	By	Prepped	By	Test Codes
JD52507-31 Collected: 22-SEP-22 11:20 By: NW MW-5B			Received: 24-SEP-22 By: EN			
JD52507-31	SW846 8260D	30-SEP-22 06:55	KM			V8260TCL42
JD52507-31	SW846 8260D	03-OCT-22 13:51	TS			V8260TCL42
JD52507-32 Collected: 22-SEP-22 11:15 By: NW MW-17-40			Received: 24-SEP-22 By: EN			
JD52507-32	SW846 8260D	03-OCT-22 16:10	TS			V8260TCL42
JD52507-33 Collected: 22-SEP-22 13:10 By: NW EB-092222			Received: 24-SEP-22 By: EN			
JD52507-33	SW846 8260D	30-SEP-22 01:54	KM			V8260TCL42
JD52507-34 Collected: 22-SEP-22 14:10 By: NW MW-26A			Received: 24-SEP-22 By: EN			
JD52507-34	SW846 8260D	03-OCT-22 16:33	TS			V8260TCL42
JD52507-35 Collected: 22-SEP-22 14:20 By: NW MW-25A			Received: 24-SEP-22 By: EN			
JD52507-35	SW846 8260D	03-OCT-22 20:03	TS			V8260TCL42
JD52507-36 Collected: 22-SEP-22 14:20 By: NW TRIP BLANK			Received: 24-SEP-22 By: EN			
JD52507-36	SW846 8260D	30-SEP-22 02:17	KM			V8260TCL42
JD52507-37 Collected: 21-SEP-22 10:45 By: NW EXB-11			Received: 24-SEP-22 By: EN			
JD52507-37	SW846 8260D	04-OCT-22 13:25	NH			V8260TCL42
JD52507-37	SW846 8260D	04-OCT-22 13:48	NH			V8260TCL42

SGS Internal Chain of Custody

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Received: 09/24/22

Sample.Bottle Number	Transfer FROM	Transfer TO	Date/Time	Reason
JD52507-1.2	Secured Storage	Kyle McKeon	09/27/22 15:47	Retrieve from Storage
JD52507-1.2	Kyle McKeon	GCMS2V	09/27/22 15:47	Load on Instrument
JD52507-1.2	GCMS2V	Kyle McKeon	09/28/22 16:03	Unload from Instrument
JD52507-1.2	Kyle McKeon	Secured Storage	09/28/22 16:03	Return to Storage
JD52507-2.2	Secured Storage	Kyle McKeon	09/27/22 15:47	Retrieve from Storage
JD52507-2.2	Kyle McKeon	GCMS2V	09/27/22 15:47	Load on Instrument
JD52507-2.2	GCMS2V	Kyle McKeon	09/28/22 16:03	Unload from Instrument
JD52507-2.2	Kyle McKeon	Secured Storage	09/28/22 16:03	Return to Storage
JD52507-3.1	Secured Storage	Kyle McKeon	09/27/22 15:47	Retrieve from Storage
JD52507-3.1	Kyle McKeon	GCMS2V	09/27/22 15:47	Load on Instrument
JD52507-3.1	GCMS2V	Kyle McKeon	09/28/22 16:03	Unload from Instrument
JD52507-3.1	Kyle McKeon	Secured Storage	09/28/22 16:03	Return to Storage
JD52507-3.2	Secured Storage	Nicole Hornlien	09/29/22 16:23	Retrieve from Storage
JD52507-3.2	Nicole Hornlien	GCMS2A	09/29/22 16:23	Load on Instrument
JD52507-3.2	GCMS2A	Nicole Hornlien	09/30/22 16:12	Unload from Instrument
JD52507-3.2	Nicole Hornlien	Secured Storage	09/30/22 16:12	Return to Storage
JD52507-4.1	Secured Storage	Kyle McKeon	09/27/22 15:47	Retrieve from Storage
JD52507-4.1	Kyle McKeon	GCMS2V	09/27/22 15:47	Load on Instrument
JD52507-4.1	GCMS2V	Kyle McKeon	09/28/22 16:03	Unload from Instrument
JD52507-4.1	Kyle McKeon	Secured Storage	09/28/22 16:03	Return to Storage
JD52507-5.2	Secured Storage	Kyle McKeon	09/27/22 15:47	Retrieve from Storage
JD52507-5.2	Kyle McKeon	GCMS2V	09/27/22 15:47	Load on Instrument
JD52507-5.2	GCMS2V	Kyle McKeon	09/28/22 16:03	Unload from Instrument
JD52507-5.2	Kyle McKeon	Secured Storage	09/28/22 16:03	Return to Storage
JD52507-6.3	Secured Storage	Kyle McKeon	09/27/22 15:48	Retrieve from Storage
JD52507-6.3	Kyle McKeon	GCMS2V	09/27/22 15:48	Load on Instrument
JD52507-6.3	GCMS2V	Kyle McKeon	09/28/22 16:03	Unload from Instrument
JD52507-6.3	Kyle McKeon	Secured Storage	09/28/22 16:03	Return to Storage
JD52507-6.7	Secured Storage	Kyle McKeon	09/27/22 15:48	Retrieve from Storage
JD52507-6.7	Kyle McKeon	GCMS2V	09/27/22 15:48	Load on Instrument
JD52507-6.7	GCMS2V	Kyle McKeon	09/28/22 16:03	Unload from Instrument
JD52507-6.7	Kyle McKeon	Secured Storage	09/28/22 16:03	Return to Storage
JD52507-6.8	Secured Storage	Kyle McKeon	09/27/22 15:47	Retrieve from Storage
JD52507-6.8	Kyle McKeon	GCMS2V	09/27/22 15:47	Load on Instrument
JD52507-6.8	GCMS2V	Kyle McKeon	09/28/22 16:03	Unload from Instrument
JD52507-6.8	Kyle McKeon	Secured Storage	09/28/22 16:03	Return to Storage

SGS Internal Chain of Custody

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Received: 09/24/22

Sample.Bottle Number	Transfer FROM	Transfer TO	Date/Time	Reason
JD52507-7.2	Secured Storage	Kyle McKeon	09/27/22 15:47	Retrieve from Storage
JD52507-7.2	Kyle McKeon	GCMS2V	09/27/22 15:47	Load on Instrument
JD52507-7.2	GCMS2V	Kyle McKeon	09/28/22 16:03	Unload from Instrument
JD52507-7.2	Kyle McKeon	Secured Storage	09/28/22 16:03	Return to Storage
JD52507-8.1	Secured Storage	Kyle McKeon	09/29/22 17:03	Retrieve from Storage
JD52507-8.1	Kyle McKeon	GCMS2V	09/29/22 17:03	Load on Instrument
JD52507-8.1	GCMS2V	Kyle McKeon	09/30/22 17:03	Unload from Instrument
JD52507-8.1	Kyle McKeon	Secured Storage	09/30/22 17:03	Return to Storage
JD52507-8.2	Nicholas Weigand	GCMS1A	09/30/22 18:20	Load on Instrument
JD52507-9.1	Secured Storage	Kyle McKeon	09/29/22 17:03	Retrieve from Storage
JD52507-9.1	Kyle McKeon	GCMS2V	09/29/22 17:03	Load on Instrument
JD52507-9.1	GCMS2V	Kyle McKeon	09/30/22 17:03	Unload from Instrument
JD52507-9.1	Kyle McKeon	Secured Storage	09/30/22 17:03	Return to Storage
JD52507-9.2	Nicholas Weigand	GCMS1A	09/30/22 18:20	Load on Instrument
JD52507-10.3	Nicholas Weigand	GCMS1A	09/30/22 18:20	Load on Instrument
JD52507-10.7	Secured Storage	Kyle McKeon	09/29/22 17:03	Retrieve from Storage
JD52507-10.7	Kyle McKeon	GCMS2V	09/29/22 17:03	Load on Instrument
JD52507-10.7	GCMS2V	Kyle McKeon	09/30/22 17:03	Unload from Instrument
JD52507-10.7	Kyle McKeon	Secured Storage	09/30/22 17:03	Return to Storage
JD52507-11.2	Secured Storage	Kyle McKeon	09/29/22 17:03	Retrieve from Storage
JD52507-11.2	Kyle McKeon	GCMS2V	09/29/22 17:03	Load on Instrument
JD52507-11.2	GCMS2V	Kyle McKeon	09/30/22 17:03	Unload from Instrument
JD52507-11.2	Kyle McKeon	Secured Storage	09/30/22 17:03	Return to Storage
JD52507-12.1	Secured Storage	Nicole Hornlien	09/30/22 16:21	Retrieve from Storage
JD52507-12.1	Nicole Hornlien	GCMS2A	09/30/22 16:21	Load on Instrument
JD52507-12.1	GCMS2A	Kyle McKeon	10/04/22 16:33	Unload from Instrument
JD52507-12.1	Kyle McKeon	Secured Storage	10/04/22 16:33	Return to Storage
JD52507-12.2	Secured Storage	Kyle McKeon	09/29/22 17:03	Retrieve from Storage
JD52507-12.2	Kyle McKeon	GCMS2V	09/29/22 17:03	Load on Instrument
JD52507-12.2	GCMS2V	Kyle McKeon	09/30/22 17:03	Unload from Instrument
JD52507-12.2	Kyle McKeon	Secured Storage	09/30/22 17:03	Return to Storage
JD52507-13.1	Secured Storage	Nicole Hornlien	09/30/22 16:21	Retrieve from Storage
JD52507-13.1	Nicole Hornlien	GCMS2A	09/30/22 16:21	Load on Instrument

SGS Internal Chain of Custody

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Received: 09/24/22

Sample.Bottle Number	Transfer FROM	Transfer TO	Date/Time	Reason
JD52507-13.1	GCMS2A	Kyle McKeon	10/04/22 16:33	Unload from Instrument
JD52507-13.1	Kyle McKeon	Secured Storage	10/04/22 16:33	Return to Storage
JD52507-13.2	Secured Storage	Kyle McKeon	09/29/22 17:03	Retrieve from Storage
JD52507-13.2	Kyle McKeon	GCMS2V	09/29/22 17:03	Load on Instrument
JD52507-13.2	GCMS2V	Kyle McKeon	09/30/22 17:03	Unload from Instrument
JD52507-13.2	Kyle McKeon	Secured Storage	09/30/22 17:03	Return to Storage
JD52507-14.1	Nicholas Weigand	GCMS1A	09/30/22 18:20	Load on Instrument
JD52507-14.2	Secured Storage	Kyle McKeon	09/29/22 17:03	Retrieve from Storage
JD52507-14.2	Kyle McKeon	GCMS2V	09/29/22 17:03	Load on Instrument
JD52507-14.2	GCMS2V	Kyle McKeon	09/30/22 17:03	Unload from Instrument
JD52507-14.2	Kyle McKeon	Secured Storage	09/30/22 17:03	Return to Storage
JD52507-15.1	Nicholas Weigand	GCMS1A	09/27/22 16:45	Load on Instrument
JD52507-16.1	Nicholas Weigand	GCMS1A	09/27/22 16:45	Load on Instrument
JD52507-17.1	Nicholas Weigand	GCMS1A	09/27/22 16:45	Load on Instrument
JD52507-18.1	Nicholas Weigand	GCMS1A	09/27/22 16:45	Load on Instrument
JD52507-18.2	Secured Storage	Taylor Sauter	09/29/22 11:30	Retrieve from Storage
JD52507-18.2	Taylor Sauter	GCMS1X	09/29/22 11:30	Load on Instrument
JD52507-18.2	GCMS1X	Taylor Sauter	09/30/22 10:48	Unload from Instrument
JD52507-18.2	Taylor Sauter	Secured Storage	09/30/22 10:48	Return to Storage
JD52507-19.1	Nicholas Weigand	GCMS1A	09/27/22 16:45	Load on Instrument
JD52507-19.2	Secured Storage	Taylor Sauter	09/29/22 11:30	Retrieve from Storage
JD52507-19.2	Taylor Sauter	GCMS1X	09/29/22 11:30	Load on Instrument
JD52507-19.2	GCMS1X	Taylor Sauter	09/30/22 10:48	Unload from Instrument
JD52507-19.2	Taylor Sauter	Secured Storage	09/30/22 10:48	Return to Storage
JD52507-20.1	Nicholas Weigand	GCMS1A	09/27/22 16:45	Load on Instrument
JD52507-21.1	Nicholas Weigand	GCMS1A	09/27/22 16:45	Load on Instrument
JD52507-22.1	Secured Storage	Taylor Sauter	09/29/22 11:30	Retrieve from Storage
JD52507-22.1	Taylor Sauter	GCMS1X	09/29/22 11:30	Load on Instrument
JD52507-22.1	GCMS1X	Taylor Sauter	09/30/22 10:48	Unload from Instrument
JD52507-22.1	Taylor Sauter	Secured Storage	09/30/22 10:48	Return to Storage

SGS Internal Chain of Custody

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Received: 09/24/22

Sample.Bottle Number	Transfer FROM	Transfer TO	Date/Time	Reason
JD52507-23.1	Secured Storage	Kyle McKeon	09/29/22 17:03	Retrieve from Storage
JD52507-23.1	Kyle McKeon	GCMS2V	09/29/22 17:03	Load on Instrument
JD52507-23.1	GCMS2V	Kyle McKeon	09/30/22 17:03	Unload from Instrument
JD52507-23.1	Kyle McKeon	Secured Storage	09/30/22 17:03	Return to Storage
JD52507-24.1	Secured Storage	Kyle McKeon	09/29/22 17:03	Retrieve from Storage
JD52507-24.1	Kyle McKeon	GCMS2V	09/29/22 17:03	Load on Instrument
JD52507-24.1	GCMS2V	Kyle McKeon	09/30/22 17:03	Unload from Instrument
JD52507-24.1	Kyle McKeon	Secured Storage	09/30/22 17:03	Return to Storage
JD52507-25.1	Secured Storage	Kyle McKeon	09/29/22 17:03	Retrieve from Storage
JD52507-25.1	Kyle McKeon	GCMS2V	09/29/22 17:03	Load on Instrument
JD52507-25.1	GCMS2V	Kyle McKeon	09/30/22 17:03	Unload from Instrument
JD52507-25.1	Kyle McKeon	Secured Storage	09/30/22 17:03	Return to Storage
JD52507-26.1	Secured Storage	Kyle McKeon	09/29/22 17:03	Retrieve from Storage
JD52507-26.1	Kyle McKeon	GCMS2V	09/29/22 17:03	Load on Instrument
JD52507-26.1	GCMS2V	Kyle McKeon	09/30/22 17:03	Unload from Instrument
JD52507-26.1	Kyle McKeon	Secured Storage	09/30/22 17:03	Return to Storage
JD52507-27.2	Secured Storage	Kyle McKeon	09/29/22 17:03	Retrieve from Storage
JD52507-27.2	Kyle McKeon	GCMS2V	09/29/22 17:03	Load on Instrument
JD52507-27.2	GCMS2V	Kyle McKeon	09/30/22 17:03	Unload from Instrument
JD52507-27.2	Kyle McKeon	Secured Storage	09/30/22 17:03	Return to Storage
JD52507-28.1	Secured Storage	Kyle McKeon	09/29/22 17:03	Retrieve from Storage
JD52507-28.1	Kyle McKeon	GCMS2V	09/29/22 17:03	Load on Instrument
JD52507-28.1	GCMS2V	Kyle McKeon	09/30/22 17:03	Unload from Instrument
JD52507-28.1	Kyle McKeon	Secured Storage	09/30/22 17:03	Return to Storage
JD52507-29.2	Secured Storage	Kyle McKeon	09/29/22 17:03	Retrieve from Storage
JD52507-29.2	Kyle McKeon	GCMS2V	09/29/22 17:03	Load on Instrument
JD52507-29.2	GCMS2V	Kyle McKeon	09/30/22 17:03	Unload from Instrument
JD52507-29.2	Kyle McKeon	Secured Storage	09/30/22 17:03	Return to Storage
JD52507-30.1	Secured Storage	Kyle McKeon	09/29/22 17:03	Retrieve from Storage
JD52507-30.1	Kyle McKeon	GCMS2V	09/29/22 17:03	Load on Instrument
JD52507-30.1	GCMS2V	Kyle McKeon	09/30/22 17:03	Unload from Instrument
JD52507-30.1	Kyle McKeon	Secured Storage	09/30/22 17:03	Return to Storage
JD52507-30.2	Secured Storage	Taylor Sauter	10/03/22 16:53	Retrieve from Storage
JD52507-30.2	Taylor Sauter	GCMS2V	10/03/22 16:53	Load on Instrument
JD52507-30.2	GCMS2V	Taylor Sauter	10/07/22 08:57	Unload from Instrument
JD52507-30.2	Taylor Sauter	Secured Storage	10/07/22 08:57	Return to Storage

SGS Internal Chain of Custody

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Received: 09/24/22

Sample.Bottle Number	Transfer FROM	Transfer TO	Date/Time	Reason
JD52507-31.1	Secured Storage	Kyle McKeon	09/29/22 17:03	Retrieve from Storage
JD52507-31.1	Kyle McKeon	GCMS2V	09/29/22 17:03	Load on Instrument
JD52507-31.1	GCMS2V	Kyle McKeon	09/30/22 17:03	Unload from Instrument
JD52507-31.1	Kyle McKeon	Secured Storage	09/30/22 17:03	Return to Storage
JD52507-31.2	Secured Storage	Taylor Sauter	10/03/22 16:53	Retrieve from Storage
JD52507-31.2	Taylor Sauter	GCMS2V	10/03/22 16:53	Load on Instrument
JD52507-31.2	GCMS2V	Taylor Sauter	10/07/22 08:57	Unload from Instrument
JD52507-31.2	Taylor Sauter	Secured Storage	10/07/22 08:57	Return to Storage
JD52507-32.1	Secured Storage	Taylor Sauter	10/03/22 16:53	Retrieve from Storage
JD52507-32.1	Taylor Sauter	GCMS2V	10/03/22 16:53	Load on Instrument
JD52507-32.1	GCMS2V	Taylor Sauter	10/07/22 08:57	Unload from Instrument
JD52507-32.1	Taylor Sauter	Secured Storage	10/07/22 08:57	Return to Storage
JD52507-32.2	Secured Storage	Kyle McKeon	09/29/22 17:03	Retrieve from Storage
JD52507-32.2	Kyle McKeon	GCMS2V	09/29/22 17:03	Load on Instrument
JD52507-32.2	GCMS2V	Kyle McKeon	09/30/22 17:03	Unload from Instrument
JD52507-32.2	Kyle McKeon	Secured Storage	09/30/22 17:03	Return to Storage
JD52507-33.1	Secured Storage	Kyle McKeon	09/29/22 17:03	Retrieve from Storage
JD52507-33.1	Kyle McKeon	GCMS2V	09/29/22 17:03	Load on Instrument
JD52507-33.1	GCMS2V	Kyle McKeon	09/30/22 17:03	Unload from Instrument
JD52507-33.1	Kyle McKeon	Secured Storage	09/30/22 17:03	Return to Storage
JD52507-34.1	Secured Storage	Kyle McKeon	09/29/22 17:03	Retrieve from Storage
JD52507-34.1	Kyle McKeon	GCMS2V	09/29/22 17:03	Load on Instrument
JD52507-34.1	GCMS2V	Kyle McKeon	09/30/22 17:03	Unload from Instrument
JD52507-34.1	Kyle McKeon	Secured Storage	09/30/22 17:03	Return to Storage
JD52507-34.2	Secured Storage	Taylor Sauter	10/03/22 16:53	Retrieve from Storage
JD52507-34.2	Taylor Sauter	GCMS2V	10/03/22 16:53	Load on Instrument
JD52507-34.2	GCMS2V	Taylor Sauter	10/07/22 08:57	Unload from Instrument
JD52507-34.2	Taylor Sauter	Secured Storage	10/07/22 08:57	Return to Storage
JD52507-35.1	Secured Storage	Taylor Sauter	10/03/22 16:53	Retrieve from Storage
JD52507-35.1	Taylor Sauter	GCMS2V	10/03/22 16:53	Load on Instrument
JD52507-35.1	GCMS2V	Taylor Sauter	10/07/22 08:57	Unload from Instrument
JD52507-35.1	Taylor Sauter	Secured Storage	10/07/22 08:57	Return to Storage
JD52507-36.2	Secured Storage	Kyle McKeon	09/29/22 17:03	Retrieve from Storage
JD52507-36.2	Kyle McKeon	GCMS2V	09/29/22 17:03	Load on Instrument
JD52507-36.2	GCMS2V	Kyle McKeon	09/30/22 17:03	Unload from Instrument

SGS Internal Chain of Custody

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY
Received: 09/24/22

Sample.Bottle Number	Transfer FROM	Transfer TO	Date/Time	Reason
JD52507-36.2	Kyle McKeon	Secured Storage	09/30/22 17:03	Return to Storage
JD52507-37.1	Secured Storage	Taylor Sauter	10/03/22 16:53	Retrieve from Storage
JD52507-37.1	Taylor Sauter	GCMS2V	10/03/22 16:53	Load on Instrument
JD52507-37.1	GCMS2V	Taylor Sauter	10/07/22 08:57	Unload from Instrument
JD52507-37.1	Taylor Sauter	Secured Storage	10/07/22 08:57	Return to Storage
JD52507-37.2	Secured Storage	Nicole Hornlien	10/04/22 15:57	Retrieve from Storage
JD52507-37.2	Nicole Hornlien	GCMSL	10/04/22 15:57	Load on Instrument
JD52507-37.2	GCMSL	Nicole Hornlien	10/05/22 08:43	Unload from Instrument
JD52507-37.2	Nicole Hornlien	Secured Storage	10/05/22 08:43	Return to Storage

MS Volatiles

6

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries
- Instrument Performance Checks (BFB)
- Internal Standard Area Summaries
- Surrogate Recovery Summaries
- Initial and Continuing Calibration Summaries
- Run Sequence Reports

Method Blank Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V1A9698-MB	1A226434.D	1	09/27/22	NW	n/a	n/a	V1A9698

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-15, JD52507-16, JD52507-17, JD52507-18, JD52507-20, JD52507-21

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	

Method Blank Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V1A9698-MB	1A226434.D	1	09/27/22	NW	n/a	n/a	V1A9698

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-15, JD52507-16, JD52507-17, JD52507-18, JD52507-20, JD52507-21

CAS No.	Compound	Result	RL	MDL	Units	Q
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries		Limits
1868-53-7	Dibromofluoromethane	97%	80-120%
17060-07-0	1,2-Dichloroethane-D4	99%	80-120%
2037-26-5	Toluene-D8	101%	80-120%
460-00-4	4-Bromofluorobenzene	95%	82-114%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

Method Blank Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2V3773-MB	2V92884.D	1	09/27/22	KM	n/a	n/a	V2V3773

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-1, JD52507-2, JD52507-3, JD52507-4, JD52507-5, JD52507-6, JD52507-7

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	

Method Blank Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2V3773-MB	2V92884.D	1	09/27/22	KM	n/a	n/a	V2V3773

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-1, JD52507-2, JD52507-3, JD52507-4, JD52507-5, JD52507-6, JD52507-7

CAS No.	Compound	Result	RL	MDL	Units	Q
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries		Limits
1868-53-7	Dibromofluoromethane	100%	80-120%
17060-07-0	1,2-Dichloroethane-D4	95%	80-120%
2037-26-5	Toluene-D8	105%	80-120%
460-00-4	4-Bromofluorobenzene	95%	82-114%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

Method Blank Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2A9581-MB	2A220394.D	1	09/29/22	NH	n/a	n/a	V2A9581

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-3

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	

Method Blank Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2A9581-MB	2A220394.D	1	09/29/22	NH	n/a	n/a	V2A9581

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-3

CAS No.	Compound	Result	RL	MDL	Units	Q
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries		Limits
1868-53-7	Dibromofluoromethane	104%	80-120%
17060-07-0	1,2-Dichloroethane-D4	86%	80-120%
2037-26-5	Toluene-D8	98%	80-120%
460-00-4	4-Bromofluorobenzene	113%	82-114%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	system artifact	3.63	6.6	ug/l	J
	Total TIC, Volatile		0	ug/l	

Method Blank Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V1X8637-MB	1X200583.D	1	09/29/22	TS	n/a	n/a	V1X8637

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-18, JD52507-19, JD52507-22

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	

Method Blank Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V1X8637-MB	1X200583.D	1	09/29/22	TS	n/a	n/a	V1X8637

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-18, JD52507-19, JD52507-22

CAS No.	Compound	Result	RL	MDL	Units	Q
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries		Limits
1868-53-7	Dibromofluoromethane	95%	80-120%
17060-07-0	1,2-Dichloroethane-D4	98%	80-120%
2037-26-5	Toluene-D8	100%	80-120%
460-00-4	4-Bromofluorobenzene	101%	82-114%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

Method Blank Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2V3777-MB	2V93004.D	1	09/29/22	KM	n/a	n/a	V2V3777

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-9, JD52507-11, JD52507-12, JD52507-13, JD52507-14, JD52507-23, JD52507-24, JD52507-25, JD52507-26, JD52507-27, JD52507-28, JD52507-29, JD52507-30, JD52507-31, JD52507-33, JD52507-36

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	

Method Blank Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2V3777-MB	2V93004.D	1	09/29/22	KM	n/a	n/a	V2V3777

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-9, JD52507-11, JD52507-12, JD52507-13, JD52507-14, JD52507-23, JD52507-24, JD52507-25, JD52507-26, JD52507-27, JD52507-28, JD52507-29, JD52507-30, JD52507-31, JD52507-33, JD52507-36

CAS No.	Compound	Result	RL	MDL	Units	Q
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries		Limits
1868-53-7	Dibromofluoromethane	99%	80-120%
17060-07-0	1,2-Dichloroethane-D4	94%	80-120%
2037-26-5	Toluene-D8	101%	80-120%
460-00-4	4-Bromofluorobenzene	94%	82-114%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
7446-09-5	Sulfur dioxide	1.35	5.6	ug/l	JN
	Total TIC, Volatile		5.6	ug/l	J

Method Blank Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2A9583-MB	2A220442.D	1	09/30/22	NH	n/a	n/a	V2A9583

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-12, JD52507-13

CAS No.	Compound	Result	RL	MDL	Units	Q
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	

CAS No.	Surrogate Recoveries		Limits
1868-53-7	Dibromofluoromethane	110%	80-120%
17060-07-0	1,2-Dichloroethane-D4	83%	80-120%
2037-26-5	Toluene-D8	92%	80-120%
460-00-4	4-Bromofluorobenzene	110%	82-114%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	system artifact	3.62	7.5	ug/l	J
	Total TIC, Volatile		0	ug/l	

Method Blank Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V1A9705-MB	1A226609.D	1	09/30/22	NW	n/a	n/a	V1A9705

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-8, JD52507-10

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	

Method Blank Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V1A9705-MB	1A226609.D	1	09/30/22	NW	n/a	n/a	V1A9705

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-8, JD52507-10

CAS No.	Compound	Result	RL	MDL	Units	Q
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries		Limits
1868-53-7	Dibromofluoromethane	98%	80-120%
17060-07-0	1,2-Dichloroethane-D4	102%	80-120%
2037-26-5	Toluene-D8	103%	80-120%
460-00-4	4-Bromofluorobenzene	98%	82-114%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

Method Blank Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2V3782-MB	2V93128.D	1	10/03/22	TS	n/a	n/a	V2V3782

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-30, JD52507-31, JD52507-32, JD52507-34, JD52507-35

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	

Method Blank Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2V3782-MB	2V93128.D	1	10/03/22	TS	n/a	n/a	V2V3782

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-30, JD52507-31, JD52507-32, JD52507-34, JD52507-35

CAS No.	Compound	Result	RL	MDL	Units	Q
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries		Limits
1868-53-7	Dibromofluoromethane	104%	80-120%
17060-07-0	1,2-Dichloroethane-D4	98%	80-120%
2037-26-5	Toluene-D8	105%	80-120%
460-00-4	4-Bromofluorobenzene	101%	82-114%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

Method Blank Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL10519-MB	L347834.D	1	10/04/22	NH	n/a	n/a	VL10519

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-37

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	3.1	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.45	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	2.7	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.46	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
110-82-7	Cyclohexane	ND	5.0	0.78	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
106-93-4	1,2-Dibromoethane	ND	1.0	0.48	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.53	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.54	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.51	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	0.58	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.65	ug/l	
79-20-9	Methyl Acetate	ND	5.0	0.80	ug/l	
108-87-2	Methylcyclohexane	ND	5.0	0.60	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.51	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	

Method Blank Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL10519-MB	L347834.D	1	10/04/22	NH	n/a	n/a	VL10519

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-37

CAS No.	Compound	Result	RL	MDL	Units	Q
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.49	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.56	ug/l	
108-88-3	Toluene	ND	1.0	0.49	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	1.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.40	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.52	ug/l	
1330-20-7	Xylene (total)	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries		Limits
1868-53-7	Dibromofluoromethane	96%	80-120%
17060-07-0	1,2-Dichloroethane-D4	92%	80-120%
2037-26-5	Toluene-D8	98%	80-120%
460-00-4	4-Bromofluorobenzene	89%	82-114%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

Blank Spike Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V1A9698-BS	1A226432.D	1	09/27/22	NW	n/a	n/a	V1A9698

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-15, JD52507-16, JD52507-17, JD52507-18, JD52507-20, JD52507-21

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
67-64-1	Acetone	200	194	97	27-175
71-43-2	Benzene	50	46.6	93	80-115
75-27-4	Bromodichloromethane	50	47.3	95	82-119
75-25-2	Bromoform	50	50.7	101	77-135
74-83-9	Bromomethane	50	44.5	89	40-162
78-93-3	2-Butanone (MEK)	200	190	95	61-150
75-15-0	Carbon disulfide	50	41.0	82	64-130
56-23-5	Carbon tetrachloride	50	49.7	99	75-127
108-90-7	Chlorobenzene	50	47.7	95	80-115
75-00-3	Chloroethane	50	39.8	80	56-144
67-66-3	Chloroform	50	44.9	90	75-116
74-87-3	Chloromethane	50	38.8	78	41-153
110-82-7	Cyclohexane	50	42.9	86	66-129
96-12-8	1,2-Dibromo-3-chloropropane	50	52.0	104	69-134
124-48-1	Dibromochloromethane	50	48.4	97	81-123
106-93-4	1,2-Dibromoethane	50	48.4	97	67-138
95-50-1	1,2-Dichlorobenzene	50	51.4	103	81-117
541-73-1	1,3-Dichlorobenzene	50	51.4	103	81-115
106-46-7	1,4-Dichlorobenzene	50	48.7	97	80-114
75-71-8	Dichlorodifluoromethane	50	38.7	77	43-152
75-34-3	1,1-Dichloroethane	50	45.4	91	75-125
107-06-2	1,2-Dichloroethane	50	46.8	94	73-117
75-35-4	1,1-Dichloroethene	50	43.9	88	70-124
156-59-2	cis-1,2-Dichloroethene	50	48.5	97	80-120
156-60-5	trans-1,2-Dichloroethene	50	46.3	93	77-121
78-87-5	1,2-Dichloropropane	50	46.4	93	79-121
10061-01-5	cis-1,3-Dichloropropene	50	49.9	100	83-123
10061-02-6	trans-1,3-Dichloropropene	50	53.8	108	83-122
100-41-4	Ethylbenzene	50	47.1	94	78-116
76-13-1	Freon 113	50	45.2	90	68-134
591-78-6	2-Hexanone	200	187	94	66-136
98-82-8	Isopropylbenzene	50	50.6	101	78-121
79-20-9	Methyl Acetate	50	43.2	86	60-143
108-87-2	Methylcyclohexane	50	48.8	98	71-123
1634-04-4	Methyl Tert Butyl Ether	50	45.6	91	76-123
108-10-1	4-Methyl-2-pentanone(MIBK)	200	189	95	73-134

* = Outside of Control Limits.

Blank Spike Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V1A9698-BS	1A226432.D	1	09/27/22	NW	n/a	n/a	V1A9698

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-15, JD52507-16, JD52507-17, JD52507-18, JD52507-20, JD52507-21

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
75-09-2	Methylene chloride	50	43.1	86	73-123
100-42-5	Styrene	50	52.9	106	81-125
79-34-5	1,1,2,2-Tetrachloroethane	50	45.4	91	73-126
127-18-4	Tetrachloroethene	50	50.4	101	73-119
108-88-3	Toluene	50	47.8	96	79-116
120-82-1	1,2,4-Trichlorobenzene	50	55.4	111	68-135
71-55-6	1,1,1-Trichloroethane	50	47.8	96	76-124
79-00-5	1,1,2-Trichloroethane	50	47.2	94	83-117
79-01-6	Trichloroethene	50	49.7	99	80-118
75-69-4	Trichlorofluoromethane	50	45.4	91	67-134
75-01-4	Vinyl chloride	50	40.6	81	52-146
1330-20-7	Xylene (total)	150	149	99	80-119

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	99%	80-120%
17060-07-0	1,2-Dichloroethane-D4	94%	80-120%
2037-26-5	Toluene-D8	95%	80-120%
460-00-4	4-Bromofluorobenzene	96%	82-114%

* = Outside of Control Limits.

Blank Spike Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2V3773-BS	2V92882.D	1	09/27/22	KM	n/a	n/a	V2V3773

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-1, JD52507-2, JD52507-3, JD52507-4, JD52507-5, JD52507-6, JD52507-7

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
67-64-1	Acetone	200	215	108	27-175
71-43-2	Benzene	50	47.3	95	80-115
75-27-4	Bromodichloromethane	50	46.1	92	82-119
75-25-2	Bromoform	50	48.2	96	77-135
74-83-9	Bromomethane	50	78.7	157	40-162
78-93-3	2-Butanone (MEK)	200	228	114	61-150
75-15-0	Carbon disulfide	50	44.1	88	64-130
56-23-5	Carbon tetrachloride	50	48.3	97	75-127
108-90-7	Chlorobenzene	50	45.5	91	80-115
75-00-3	Chloroethane	50	66.9	134	56-144
67-66-3	Chloroform	50	46.3	93	75-116
74-87-3	Chloromethane	50	47.9	96	41-153
110-82-7	Cyclohexane	50	46.7	93	66-129
96-12-8	1,2-Dibromo-3-chloropropane	50	49.8	100	69-134
124-48-1	Dibromochloromethane	50	47.2	94	81-123
106-93-4	1,2-Dibromoethane	50	48.0	96	67-138
95-50-1	1,2-Dichlorobenzene	50	46.2	92	81-117
541-73-1	1,3-Dichlorobenzene	50	45.5	91	81-115
106-46-7	1,4-Dichlorobenzene	50	44.2	88	80-114
75-71-8	Dichlorodifluoromethane	50	48.0	96	43-152
75-34-3	1,1-Dichloroethane	50	50.9	102	75-125
107-06-2	1,2-Dichloroethane	50	45.9	92	73-117
75-35-4	1,1-Dichloroethene	50	49.8	100	70-124
156-59-2	cis-1,2-Dichloroethene	50	52.0	104	80-120
156-60-5	trans-1,2-Dichloroethene	50	49.9	100	77-121
78-87-5	1,2-Dichloropropane	50	51.1	102	79-121
10061-01-5	cis-1,3-Dichloropropene	50	48.2	96	83-123
10061-02-6	trans-1,3-Dichloropropene	50	48.4	97	83-122
100-41-4	Ethylbenzene	50	47.7	95	78-116
76-13-1	Freon 113	50	46.6	93	68-134
591-78-6	2-Hexanone	200	216	108	66-136
98-82-8	Isopropylbenzene	50	46.4	93	78-121
79-20-9	Methyl Acetate	50	50.7	101	60-143
108-87-2	Methylcyclohexane	50	47.3	95	71-123
1634-04-4	Methyl Tert Butyl Ether	50	51.0	102	76-123
108-10-1	4-Methyl-2-pentanone(MIBK)	200	223	112	73-134

* = Outside of Control Limits.

Blank Spike Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2V3773-BS	2V92882.D	1	09/27/22	KM	n/a	n/a	V2V3773

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-1, JD52507-2, JD52507-3, JD52507-4, JD52507-5, JD52507-6, JD52507-7

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
75-09-2	Methylene chloride	50	46.0	92	73-123
100-42-5	Styrene	50	47.8	96	81-125
79-34-5	1,1,2,2-Tetrachloroethane	50	47.3	95	73-126
127-18-4	Tetrachloroethene	50	45.2	90	73-119
108-88-3	Toluene	50	44.8	90	79-116
120-82-1	1,2,4-Trichlorobenzene	50	48.8	98	68-135
71-55-6	1,1,1-Trichloroethane	50	47.5	95	76-124
79-00-5	1,1,2-Trichloroethane	50	49.0	98	83-117
79-01-6	Trichloroethene	50	46.0	92	80-118
75-69-4	Trichlorofluoromethane	50	86.7	173* [a]	67-134
75-01-4	Vinyl chloride	50	54.1	108	52-146
1330-20-7	Xylene (total)	150	141	94	80-119

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	103%	80-120%
17060-07-0	1,2-Dichloroethane-D4	102%	80-120%
2037-26-5	Toluene-D8	98%	80-120%
460-00-4	4-Bromofluorobenzene	94%	82-114%

(a) High percent recovery and no associated positive reported in the QC batch.

* = Outside of Control Limits.

Blank Spike Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2A9581-BS	2A220392.D	1	09/29/22	NH	n/a	n/a	V2A9581

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-3

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
67-64-1	Acetone	200	275	138	27-175
71-43-2	Benzene	50	49.3	99	80-115
75-27-4	Bromodichloromethane	50	43.6	87	82-119
75-25-2	Bromoform	50	43.0	86	77-135
74-83-9	Bromomethane	50	46.2	92	40-162
78-93-3	2-Butanone (MEK)	200	244	122	61-150
75-15-0	Carbon disulfide	50	56.8	114	64-130
56-23-5	Carbon tetrachloride	50	47.3	95	75-127
108-90-7	Chlorobenzene	50	46.7	93	80-115
75-00-3	Chloroethane	50	53.4	107	56-144
67-66-3	Chloroform	50	47.5	95	75-116
74-87-3	Chloromethane	50	41.2	82	41-153
110-82-7	Cyclohexane	50	51.5	103	66-129
96-12-8	1,2-Dibromo-3-chloropropane	50	39.8	80	69-134
124-48-1	Dibromochloromethane	50	43.2	86	81-123
106-93-4	1,2-Dibromoethane	50	44.3	89	67-138
95-50-1	1,2-Dichlorobenzene	50	44.0	88	81-117
541-73-1	1,3-Dichlorobenzene	50	44.6	89	81-115
106-46-7	1,4-Dichlorobenzene	50	42.6	85	80-114
75-71-8	Dichlorodifluoromethane	50	43.9	88	43-152
75-34-3	1,1-Dichloroethane	50	52.5	105	75-125
107-06-2	1,2-Dichloroethane	50	42.6	85	73-117
75-35-4	1,1-Dichloroethene	50	52.0	104	70-124
156-60-5	trans-1,2-Dichloroethene	50	51.4	103	77-121
78-87-5	1,2-Dichloropropane	50	47.8	96	79-121
10061-01-5	cis-1,3-Dichloropropene	50	48.0	96	83-123
10061-02-6	trans-1,3-Dichloropropene	50	46.6	93	83-122
100-41-4	Ethylbenzene	50	45.6	91	78-116
76-13-1	Freon 113	50	51.4	103	68-134
591-78-6	2-Hexanone	200	191	96	66-136
98-82-8	Isopropylbenzene	50	43.6	87	78-121
79-20-9	Methyl Acetate	50	47.4	95	60-143
108-87-2	Methylcyclohexane	50	45.5	91	71-123
1634-04-4	Methyl Tert Butyl Ether	50	50.3	101	76-123
108-10-1	4-Methyl-2-pentanone(MIBK)	200	173	87	73-134
75-09-2	Methylene chloride	50	51.7	103	73-123

* = Outside of Control Limits.

Blank Spike Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2A9581-BS	2A220392.D	1	09/29/22	NH	n/a	n/a	V2A9581

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-3

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
100-42-5	Styrene	50	44.1	88	81-125
79-34-5	1,1,2,2-Tetrachloroethane	50	43.8	88	73-126
127-18-4	Tetrachloroethene	50	45.9	92	73-119
108-88-3	Toluene	50	47.6	95	79-116
120-82-1	1,2,4-Trichlorobenzene	50	45.0	90	68-135
71-55-6	1,1,1-Trichloroethane	50	49.0	98	76-124
79-00-5	1,1,2-Trichloroethane	50	45.0	90	83-117
79-01-6	Trichloroethene	50	46.2	92	80-118
75-69-4	Trichlorofluoromethane	50	45.9	92	67-134
1330-20-7	Xylene (total)	150	132	88	80-119

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	105%	80-120%
17060-07-0	1,2-Dichloroethane-D4	84%	80-120%
2037-26-5	Toluene-D8	101%	80-120%
460-00-4	4-Bromofluorobenzene	110%	82-114%

* = Outside of Control Limits.

Blank Spike Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V1X8637-BS	1X200581.D	1	09/29/22	TS	n/a	n/a	V1X8637

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-18, JD52507-19, JD52507-22

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
67-64-1	Acetone	200	176	88	27-175
71-43-2	Benzene	50	43.9	88	80-115
75-27-4	Bromodichloromethane	50	47.8	96	82-119
75-25-2	Bromoform	50	54.4	109	77-135
74-83-9	Bromomethane	50	50.1	100	40-162
78-93-3	2-Butanone (MEK)	200	192	96	61-150
75-15-0	Carbon disulfide	50	47.1	94	64-130
56-23-5	Carbon tetrachloride	50	45.5	91	75-127
108-90-7	Chlorobenzene	50	45.4	91	80-115
75-00-3	Chloroethane	50	35.5	71	56-144
67-66-3	Chloroform	50	41.9	84	75-116
74-87-3	Chloromethane	50	39.1	78	41-153
110-82-7	Cyclohexane	50	39.5	79	66-129
96-12-8	1,2-Dibromo-3-chloropropane	50	52.6	105	69-134
124-48-1	Dibromochloromethane	50	50.5	101	81-123
106-93-4	1,2-Dibromoethane	50	49.1	98	67-138
95-50-1	1,2-Dichlorobenzene	50	47.3	95	81-117
541-73-1	1,3-Dichlorobenzene	50	46.3	93	81-115
106-46-7	1,4-Dichlorobenzene	50	46.0	92	80-114
75-71-8	Dichlorodifluoromethane	50	40.3	81	43-152
75-34-3	1,1-Dichloroethane	50	43.5	87	75-125
107-06-2	1,2-Dichloroethane	50	43.1	86	73-117
75-35-4	1,1-Dichloroethene	50	46.0	92	70-124
156-59-2	cis-1,2-Dichloroethene	50	43.6	87	80-120
156-60-5	trans-1,2-Dichloroethene	50	44.5	89	77-121
78-87-5	1,2-Dichloropropane	50	46.7	93	79-121
10061-01-5	cis-1,3-Dichloropropene	50	50.6	101	83-123
10061-02-6	trans-1,3-Dichloropropene	50	51.7	103	83-122
100-41-4	Ethylbenzene	50	44.9	90	78-116
76-13-1	Freon 113	50	45.6	91	68-134
591-78-6	2-Hexanone	200	198	99	66-136
98-82-8	Isopropylbenzene	50	46.3	93	78-121
79-20-9	Methyl Acetate	50	45.3	91	60-143
108-87-2	Methylcyclohexane	50	48.2	96	71-123
1634-04-4	Methyl Tert Butyl Ether	50	45.2	90	76-123
108-10-1	4-Methyl-2-pentanone(MIBK)	200	202	101	73-134

* = Outside of Control Limits.

Blank Spike Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V1X8637-BS	1X200581.D	1	09/29/22	TS	n/a	n/a	V1X8637

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-18, JD52507-19, JD52507-22

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
75-09-2	Methylene chloride	50	43.7	87	73-123
100-42-5	Styrene	50	45.6	91	81-125
79-34-5	1,1,2,2-Tetrachloroethane	50	51.4	103	73-126
127-18-4	Tetrachloroethene	50	47.7	95	73-119
108-88-3	Toluene	50	45.9	92	79-116
120-82-1	1,2,4-Trichlorobenzene	50	48.8	98	68-135
71-55-6	1,1,1-Trichloroethane	50	43.8	88	76-124
79-00-5	1,1,2-Trichloroethane	50	47.1	94	83-117
79-01-6	Trichloroethene	50	45.7	91	80-118
75-69-4	Trichlorofluoromethane	50	42.3	85	67-134
75-01-4	Vinyl chloride	50	39.4	79	52-146
1330-20-7	Xylene (total)	150	135	90	80-119

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	95%	80-120%
17060-07-0	1,2-Dichloroethane-D4	96%	80-120%
2037-26-5	Toluene-D8	99%	80-120%
460-00-4	4-Bromofluorobenzene	98%	82-114%

* = Outside of Control Limits.

Blank Spike Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2V3777-BS	2V93002.D	1	09/29/22	KM	n/a	n/a	V2V3777

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-9, JD52507-11, JD52507-12, JD52507-13, JD52507-14, JD52507-23, JD52507-24, JD52507-25, JD52507-26, JD52507-27, JD52507-28, JD52507-29, JD52507-30, JD52507-31, JD52507-33, JD52507-36

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
67-64-1	Acetone	200	278	139	27-175
71-43-2	Benzene	50	48.6	97	80-115
75-27-4	Bromodichloromethane	50	48.1	96	82-119
75-25-2	Bromoform	50	49.3	99	77-135
74-83-9	Bromomethane	50	63.1	126	40-162
78-93-3	2-Butanone (MEK)	200	243	122	61-150
75-15-0	Carbon disulfide	50	43.1	86	64-130
56-23-5	Carbon tetrachloride	50	49.4	99	75-127
108-90-7	Chlorobenzene	50	47.7	95	80-115
75-00-3	Chloroethane	50	91.6	183* [a]	56-144
67-66-3	Chloroform	50	47.1	94	75-116
74-87-3	Chloromethane	50	41.5	83	41-153
110-82-7	Cyclohexane	50	42.6	85	66-129
96-12-8	1,2-Dibromo-3-chloropropane	50	52.9	106	69-134
124-48-1	Dibromochloromethane	50	49.1	98	81-123
106-93-4	1,2-Dibromoethane	50	49.6	99	67-138
95-50-1	1,2-Dichlorobenzene	50	47.2	94	81-117
541-73-1	1,3-Dichlorobenzene	50	47.2	94	81-115
106-46-7	1,4-Dichlorobenzene	50	46.2	92	80-114
75-71-8	Dichlorodifluoromethane	50	42.7	85	43-152
75-34-3	1,1-Dichloroethane	50	51.9	104	75-125
107-06-2	1,2-Dichloroethane	50	47.6	95	73-117
75-35-4	1,1-Dichloroethene	50	50.0	100	70-124
156-59-2	cis-1,2-Dichloroethene	50	53.7	107	80-120
156-60-5	trans-1,2-Dichloroethene	50	49.9	100	77-121
78-87-5	1,2-Dichloropropane	50	52.8	106	79-121
10061-01-5	cis-1,3-Dichloropropene	50	50.1	100	83-123
10061-02-6	trans-1,3-Dichloropropene	50	50.3	101	83-122
100-41-4	Ethylbenzene	50	50.0	100	78-116
76-13-1	Freon 113	50	47.1	94	68-134
591-78-6	2-Hexanone	200	229	115	66-136
98-82-8	Isopropylbenzene	50	48.3	97	78-121
79-20-9	Methyl Acetate	50	52.0	104	60-143
108-87-2	Methylcyclohexane	50	47.5	95	71-123
1634-04-4	Methyl Tert Butyl Ether	50	51.9	104	76-123
108-10-1	4-Methyl-2-pentanone(MIBK)	200	231	116	73-134

* = Outside of Control Limits.

Blank Spike Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2V3777-BS	2V93002.D	1	09/29/22	KM	n/a	n/a	V2V3777

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-9, JD52507-11, JD52507-12, JD52507-13, JD52507-14, JD52507-23, JD52507-24, JD52507-25, JD52507-26, JD52507-27, JD52507-28, JD52507-29, JD52507-30, JD52507-31, JD52507-33, JD52507-36

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
75-09-2	Methylene chloride	50	47.0	94	73-123
100-42-5	Styrene	50	49.3	99	81-125
79-34-5	1,1,2,2-Tetrachloroethane	50	48.3	97	73-126
127-18-4	Tetrachloroethene	50	47.7	95	73-119
108-88-3	Toluene	50	46.9	94	79-116
120-82-1	1,2,4-Trichlorobenzene	50	50.5	101	68-135
71-55-6	1,1,1-Trichloroethane	50	48.4	97	76-124
79-00-5	1,1,2-Trichloroethane	50	50.6	101	83-117
79-01-6	Trichloroethene	50	49.2	98	80-118
75-69-4	Trichlorofluoromethane	50	81.7	163* [a]	67-134
75-01-4	Vinyl chloride	50	48.3	97	52-146
1330-20-7	Xylene (total)	150	146	97	80-119

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	100%	80-120%
17060-07-0	1,2-Dichloroethane-D4	100%	80-120%
2037-26-5	Toluene-D8	99%	80-120%
460-00-4	4-Bromofluorobenzene	95%	82-114%

(a) High percent recovery and no associated positive reported in the QC batch.

* = Outside of Control Limits.

Blank Spike Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2A9583-BS	2A220440.D	1	09/30/22	NH	n/a	n/a	V2A9583

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-12, JD52507-13

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
156-59-2	cis-1,2-Dichloroethene	50	56.4	113	80-120

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	107%	80-120%
17060-07-0	1,2-Dichloroethane-D4	81%	80-120%
2037-26-5	Toluene-D8	94%	80-120%
460-00-4	4-Bromofluorobenzene	106%	82-114%

* = Outside of Control Limits.

Blank Spike Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V1A9705-BS	1A226607.D	1	09/30/22	NW	n/a	n/a	V1A9705

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-8, JD52507-10

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
67-64-1	Acetone	200	190	95	27-175
71-43-2	Benzene	50	49.0	98	80-115
75-27-4	Bromodichloromethane	50	49.5	99	82-119
75-25-2	Bromoform	50	51.6	103	77-135
74-83-9	Bromomethane	50	44.8	90	40-162
78-93-3	2-Butanone (MEK)	200	196	98	61-150
75-15-0	Carbon disulfide	50	38.5	77	64-130
56-23-5	Carbon tetrachloride	50	51.4	103	75-127
108-90-7	Chlorobenzene	50	49.1	98	80-115
75-00-3	Chloroethane	50	46.1	92	56-144
67-66-3	Chloroform	50	47.7	95	75-116
74-87-3	Chloromethane	50	44.1	88	41-153
110-82-7	Cyclohexane	50	48.3	97	66-129
96-12-8	1,2-Dibromo-3-chloropropane	50	52.3	105	69-134
124-48-1	Dibromochloromethane	50	49.6	99	81-123
106-93-4	1,2-Dibromoethane	50	50.4	101	67-138
95-50-1	1,2-Dichlorobenzene	50	51.6	103	81-117
541-73-1	1,3-Dichlorobenzene	50	51.8	104	81-115
106-46-7	1,4-Dichlorobenzene	50	47.6	95	80-114
75-71-8	Dichlorodifluoromethane	50	39.8	80	43-152
75-34-3	1,1-Dichloroethane	50	48.4	97	75-125
107-06-2	1,2-Dichloroethane	50	48.4	97	73-117
75-35-4	1,1-Dichloroethene	50	43.7	87	70-124
156-59-2	cis-1,2-Dichloroethene	50	50.6	101	80-120
156-60-5	trans-1,2-Dichloroethene	50	48.7	97	77-121
78-87-5	1,2-Dichloropropane	50	48.5	97	79-121
10061-01-5	cis-1,3-Dichloropropene	50	52.4	105	83-123
10061-02-6	trans-1,3-Dichloropropene	50	56.1	112	83-122
100-41-4	Ethylbenzene	50	47.2	94	78-116
76-13-1	Freon 113	50	45.5	91	68-134
591-78-6	2-Hexanone	200	201	101	66-136
98-82-8	Isopropylbenzene	50	47.6	95	78-121
79-20-9	Methyl Acetate	50	46.5	93	60-143
108-87-2	Methylcyclohexane	50	42.8	86	71-123
1634-04-4	Methyl Tert Butyl Ether	50	48.1	96	76-123
108-10-1	4-Methyl-2-pentanone(MIBK)	200	201	101	73-134

* = Outside of Control Limits.

Blank Spike Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V1A9705-BS	1A226607.D	1	09/30/22	NW	n/a	n/a	V1A9705

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-8, JD52507-10

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
75-09-2	Methylene chloride	50	45.2	90	73-123
100-42-5	Styrene	50	53.6	107	81-125
79-34-5	1,1,2,2-Tetrachloroethane	50	49.6	99	73-126
127-18-4	Tetrachloroethene	50	49.6	99	73-119
108-88-3	Toluene	50	50.3	101	79-116
120-82-1	1,2,4-Trichlorobenzene	50	50.9	102	68-135
71-55-6	1,1,1-Trichloroethane	50	50.1	100	76-124
79-00-5	1,1,2-Trichloroethane	50	49.7	99	83-117
79-01-6	Trichloroethene	50	50.5	101	80-118
75-69-4	Trichlorofluoromethane	50	48.7	97	67-134
75-01-4	Vinyl chloride	50	45.0	90	52-146
1330-20-7	Xylene (total)	150	149	99	80-119

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	100%	80-120%
17060-07-0	1,2-Dichloroethane-D4	97%	80-120%
2037-26-5	Toluene-D8	98%	80-120%
460-00-4	4-Bromofluorobenzene	99%	82-114%

* = Outside of Control Limits.

Blank Spike Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2V3782-BS	2V93126.D	1	10/03/22	TS	n/a	n/a	V2V3782

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-30, JD52507-31, JD52507-32, JD52507-34, JD52507-35

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
67-64-1	Acetone	200	239	120	27-175
71-43-2	Benzene	50	51.8	104	80-115
75-27-4	Bromodichloromethane	50	51.3	103	82-119
75-25-2	Bromoform	50	50.8	102	77-135
74-83-9	Bromomethane	50	86.5	173* [a]	40-162
78-93-3	2-Butanone (MEK)	200	256	128	61-150
75-15-0	Carbon disulfide	50	42.0	84	64-130
56-23-5	Carbon tetrachloride	50	52.2	104	75-127
108-90-7	Chlorobenzene	50	49.9	100	80-115
75-00-3	Chloroethane	50	99.4	199* [a]	56-144
67-66-3	Chloroform	50	51.2	102	75-116
74-87-3	Chloromethane	50	59.4	119	41-153
110-82-7	Cyclohexane	50	51.8	104	66-129
96-12-8	1,2-Dibromo-3-chloropropane	50	53.5	107	69-134
124-48-1	Dibromochloromethane	50	50.9	102	81-123
106-93-4	1,2-Dibromoethane	50	53.4	107	67-138
95-50-1	1,2-Dichlorobenzene	50	52.4	105	81-117
541-73-1	1,3-Dichlorobenzene	50	51.3	103	81-115
106-46-7	1,4-Dichlorobenzene	50	50.9	102	80-114
75-71-8	Dichlorodifluoromethane	50	49.9	100	43-152
75-34-3	1,1-Dichloroethane	50	57.7	115	75-125
107-06-2	1,2-Dichloroethane	50	50.8	102	73-117
75-35-4	1,1-Dichloroethene	50	51.3	103	70-124
156-59-2	cis-1,2-Dichloroethene	50	57.6	115	80-120
156-60-5	trans-1,2-Dichloroethene	50	54.2	108	77-121
78-87-5	1,2-Dichloropropane	50	56.2	112	79-121
10061-01-5	cis-1,3-Dichloropropene	50	55.7	111	83-123
10061-02-6	trans-1,3-Dichloropropene	50	56.7	113	83-122
100-41-4	Ethylbenzene	50	54.4	109	78-116
76-13-1	Freon 113	50	46.7	93	68-134
591-78-6	2-Hexanone	200	257	129	66-136
98-82-8	Isopropylbenzene	50	52.6	105	78-121
79-20-9	Methyl Acetate	50	56.5	113	60-143
108-87-2	Methylcyclohexane	50	51.0	102	71-123
1634-04-4	Methyl Tert Butyl Ether	50	57.9	116	76-123
108-10-1	4-Methyl-2-pentanone(MIBK)	200	257	129	73-134

* = Outside of Control Limits.

Blank Spike Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V2V3782-BS	2V93126.D	1	10/03/22	TS	n/a	n/a	V2V3782

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-30, JD52507-31, JD52507-32, JD52507-34, JD52507-35

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
75-09-2	Methylene chloride	50	50.4	101	73-123
100-42-5	Styrene	50	55.6	111	81-125
79-34-5	1,1,2,2-Tetrachloroethane	50	57.5	115	73-126
127-18-4	Tetrachloroethene	50	49.7	99	73-119
108-88-3	Toluene	50	51.1	102	79-116
120-82-1	1,2,4-Trichlorobenzene	50	51.7	103	68-135
71-55-6	1,1,1-Trichloroethane	50	52.2	104	76-124
79-00-5	1,1,2-Trichloroethane	50	55.6	111	83-117
79-01-6	Trichloroethene	50	50.3	101	80-118
75-69-4	Trichlorofluoromethane	50	50.8	102	67-134
75-01-4	Vinyl chloride	50	67.5	135	52-146
1330-20-7	Xylene (total)	150	160	107	80-119

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	107%	80-120%
17060-07-0	1,2-Dichloroethane-D4	104%	80-120%
2037-26-5	Toluene-D8	102%	80-120%
460-00-4	4-Bromofluorobenzene	98%	82-114%

(a) High percent recovery and no associated positive reported in the QC batch.

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL10519-BS	L347831.D	1	10/04/22	NH	n/a	n/a	VL10519
VL10519-BSD	L347832.D	1	10/04/22	NH	n/a	n/a	VL10519

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-37

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	BSD ug/l	BSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	200	208	104	264	132	24	27-175/31
71-43-2	Benzene	50	53.2	106	52.0	104	2	80-115/11
75-27-4	Bromodichloromethane	50	49.3	99	47.2	94	4	82-119/12
75-25-2	Bromoform	50	42.9	86	41.7	83	3	77-135/11
74-83-9	Bromomethane	50	43.1	86	43.5	87	1	40-162/23
78-93-3	2-Butanone (MEK)	200	189	95	207	104	9	61-150/16
75-15-0	Carbon disulfide	50	54.2	108	52.8	106	3	64-130/13
56-23-5	Carbon tetrachloride	50	49.3	99	48.1	96	2	75-127/11
108-90-7	Chlorobenzene	50	51.9	104	50.3	101	3	80-115/10
75-00-3	Chloroethane	50	44.1	88	42.8	86	3	56-144/14
67-66-3	Chloroform	50	48.9	98	48.6	97	1	75-116/10
74-87-3	Chloromethane	50	49.9	100	48.2	96	3	41-153/14
110-82-7	Cyclohexane	50	48.0	96	47.7	95	1	66-129/11
96-12-8	1,2-Dibromo-3-chloropropane	50	46.9	94	49.4	99	5	69-134/11
124-48-1	Dibromochloromethane	50	45.9	92	44.0	88	4	81-123/11
106-93-4	1,2-Dibromoethane	50	48.3	97	46.9	94	3	67-138/11
95-50-1	1,2-Dichlorobenzene	50	49.7	99	48.2	96	3	81-117/10
541-73-1	1,3-Dichlorobenzene	50	53.5	107	52.0	104	3	81-115/10
106-46-7	1,4-Dichlorobenzene	50	50.7	101	49.8	100	2	80-114/10
75-71-8	Dichlorodifluoromethane	50	53.8	108	51.0	102	5	43-152/16
75-34-3	1,1-Dichloroethane	50	53.9	108	54.3	109	1	75-125/11
107-06-2	1,2-Dichloroethane	50	48.5	97	47.0	94	3	73-117/10
75-35-4	1,1-Dichloroethene	50	57.7	115	56.1	112	3	70-124/12
156-59-2	cis-1,2-Dichloroethene	50	52.5	105	51.0	102	3	80-120/10
156-60-5	trans-1,2-Dichloroethene	50	55.7	111	54.3	109	3	77-121/12
78-87-5	1,2-Dichloropropane	50	56.4	113	55.3	111	2	79-121/10
10061-01-5	cis-1,3-Dichloropropene	50	48.0	96	48.5	97	1	83-123/11
10061-02-6	trans-1,3-Dichloropropene	50	42.7	85	41.3	83	3	83-122/12
100-41-4	Ethylbenzene	50	49.9	100	48.0	96	4	78-116/10
76-13-1	Freon 113	50	62.0	124	59.4	119	4	68-134/13
591-78-6	2-Hexanone	200	187	94	189	95	1	66-136/14
98-82-8	Isopropylbenzene	50	50.7	101	49.1	98	3	78-121/11
79-20-9	Methyl Acetate	50	49.9	100	51.8	104	4	60-143/13
108-87-2	Methylcyclohexane	50	53.8	108	51.5	103	4	71-123/12
1634-04-4	Methyl Tert Butyl Ether	50	51.4	103	50.4	101	2	76-123/12
108-10-1	4-Methyl-2-pentanone(MIBK)	200	205	103	204	102	0	73-134/13

* = Outside of Control Limits.

Blank Spike/Blank Spike Duplicate Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VL10519-BS	L347831.D	1	10/04/22	NH	n/a	n/a	VL10519
VL10519-BSD	L347832.D	1	10/04/22	NH	n/a	n/a	VL10519

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-37

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	BSD ug/l	BSD %	RPD	Limits Rec/RPD
75-09-2	Methylene chloride	50	54.7	109	54.3	109	1	73-123/11
100-42-5	Styrene	50	49.4	99	47.9	96	3	81-125/10
79-34-5	1,1,2,2-Tetrachloroethane	50	47.6	95	45.6	91	4	73-126/12
127-18-4	Tetrachloroethene	50	53.6	107	51.3	103	4	73-119/12
108-88-3	Toluene	50	51.4	103	50.0	100	3	79-116/12
120-82-1	1,2,4-Trichlorobenzene	50	57.9	116	56.5	113	2	68-135/12
71-55-6	1,1,1-Trichloroethane	50	50.4	101	49.4	99	2	76-124/11
79-00-5	1,1,2-Trichloroethane	50	53.0	106	51.7	103	2	83-117/11
79-01-6	Trichloroethene	50	54.8	110	52.3	105	5	80-118/11
75-69-4	Trichlorofluoromethane	50	52.8	106	50.8	102	4	67-134/13
75-01-4	Vinyl chloride	50	47.2	94	44.6	89	6	52-146/15
1330-20-7	Xylene (total)	150	146	97	140	93	4	80-119/10

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
1868-53-7	Dibromofluoromethane	95%	97%	80-120%
17060-07-0	1,2-Dichloroethane-D4	87%	84%	80-120%
2037-26-5	Toluene-D8	90%	88%	80-120%
460-00-4	4-Bromofluorobenzene	95%	96%	82-114%

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52310-3MS	1A226444.D	5	09/27/22	NW	n/a	n/a	V1A9698
JD52310-3MSD	1A226445.D	5	09/27/22	NW	n/a	n/a	V1A9698
JD52310-3 [a]	1A226438.D	5	09/27/22	NW	n/a	n/a	V1A9698

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-15, JD52507-16, JD52507-17, JD52507-18, JD52507-20, JD52507-21

CAS No.	Compound	JD52310-3 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	434		1000	1320	89	1000	1390	96	5	22-134/19
71-43-2	Benzene	ND		250	235	94	250	243	97	3	49-137/12
75-27-4	Bromodichloromethane	ND		250	236	94	250	246	98	4	76-121/12
75-25-2	Bromoform	ND		250	242	97	250	262	105	8	70-133/13
74-83-9	Bromomethane	ND		250	138	55	250	184	74	29	27-164/38
78-93-3	2-Butanone (MEK)	ND		1000	948	95	1000	1010	101	6	52-137/17
75-15-0	Carbon disulfide	2.9	J	250	211	83	250	213	84	1	54-136/16
56-23-5	Carbon tetrachloride	ND		250	248	99	250	264	106	6	70-132/13
108-90-7	Chlorobenzene	ND		250	232	93	250	245	98	5	68-123/12
75-00-3	Chloroethane	ND		250	201	80	250	200	80	0	48-152/17
67-66-3	Chloroform	ND		250	224	90	250	232	93	4	68-120/13
74-87-3	Chloromethane	41.0		250	222	72	250	217	70	2	35-156/18
110-82-7	Cyclohexane	ND		250	202	81	250	209	84	3	53-146/14
96-12-8	1,2-Dibromo-3-chloropropane	ND		250	256	102	250	278	111	8	63-134/16
124-48-1	Dibromochloromethane	ND		250	233	93	250	245	98	5	75-122/12
106-93-4	1,2-Dibromoethane	ND		250	239	96	250	248	99	4	63-134/12
95-50-1	1,2-Dichlorobenzene	ND		250	251	100	250	266	106	6	74-119/12
541-73-1	1,3-Dichlorobenzene	ND		250	255	102	250	264	106	3	75-117/12
106-46-7	1,4-Dichlorobenzene	ND		250	241	96	250	249	100	3	72-117/12
75-71-8	Dichlorodifluoromethane	ND		250	199	80	250	200	80	1	34-163/16
75-34-3	1,1-Dichloroethane	ND		250	227	91	250	239	96	5	68-129/13
107-06-2	1,2-Dichloroethane	ND		250	231	92	250	238	95	3	66-120/13
75-35-4	1,1-Dichloroethene	ND		250	226	90	250	234	94	3	59-133/15
156-59-2	cis-1,2-Dichloroethene	3.9	J	250	249	98	250	254	100	2	52-140/12
156-60-5	trans-1,2-Dichloroethene	ND		250	239	96	250	244	98	2	70-125/13
78-87-5	1,2-Dichloropropane	ND		250	227	91	250	238	95	5	73-124/12
10061-01-5	cis-1,3-Dichloropropene	ND		250	247	99	250	261	104	6	75-125/13
10061-02-6	trans-1,3-Dichloropropene	ND		250	265	106	250	277	111	4	75-122/12
100-41-4	Ethylbenzene	ND		250	230	92	250	242	97	5	37-144/12
76-13-1	Freon 113	ND		250	241	96	250	245	98	2	61-142/14
591-78-6	2-Hexanone	ND		1000	916	92	1000	968	97	6	56-132/16
98-82-8	Isopropylbenzene	ND		250	244	98	250	262	105	7	71-126/13
79-20-9	Methyl Acetate	ND		250	233	93	250	239	96	3	51-139/18
108-87-2	Methylcyclohexane	ND		250	244	98	250	255	102	4	59-137/16
1634-04-4	Methyl Tert Butyl Ether	ND		250	233	93	250	238	95	2	66-124/12
108-10-1	4-Methyl-2-pentanone(MIBK)	ND		1000	945	95	1000	1010	101	7	65-135/14

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52310-3MS	1A226444.D	5	09/27/22	NW	n/a	n/a	V1A9698
JD52310-3MSD	1A226445.D	5	09/27/22	NW	n/a	n/a	V1A9698
JD52310-3 [a]	1A226438.D	5	09/27/22	NW	n/a	n/a	V1A9698

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-15, JD52507-16, JD52507-17, JD52507-18, JD52507-20, JD52507-21

CAS No.	Compound	JD52310-3 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
75-09-2	Methylene chloride	ND		250	218	87	250	228	91	4	66-125/14
100-42-5	Styrene	ND		250	230	92	250	268	107	15* [b]	71-133/12
79-34-5	1,1,2,2-Tetrachloroethane	ND		250	227	91	250	238	95	5	68-127/14
127-18-4	Tetrachloroethene	771		250	763	-3* [c]	250	798	11* [c]	4	58-132/13
108-88-3	Toluene	ND		250	236	94	250	253	101	7	46-139/12
120-82-1	1,2,4-Trichlorobenzene	ND		250	269	108	250	294	118	9	61-137/16
71-55-6	1,1,1-Trichloroethane	ND		250	242	97	250	253	101	4	67-132/13
79-00-5	1,1,2-Trichloroethane	ND		250	234	94	250	245	98	5	75-120/12
79-01-6	Trichloroethene	12.2		250	256	98	250	266	102	4	56-136/12
75-69-4	Trichlorofluoromethane	ND		250	228	91	250	231	92	1	61-145/16
75-01-4	Vinyl chloride	ND		250	194	78	250	197	79	2	41-156/16
1330-20-7	Xylene (total)	ND		750	716	95	750	774	103	8	38-147/12

CAS No.	Surrogate Recoveries	MS	MSD	JD52310-3	Limits
1868-53-7	Dibromofluoromethane	99%	99%	99%	80-120%
17060-07-0	1,2-Dichloroethane-D4	95%	93%	101%	80-120%
2037-26-5	Toluene-D8	94%	95%	101%	80-120%
460-00-4	4-Bromofluorobenzene	96%	95%	97%	82-114%

(a) Results reported from the HCl preserved sample. The reported result for acrolein is for screening only and cannot be used for compliance purposes. Dilution required due to high concentration of target compound.
(b) Analytical precision exceeds in-house control limits.
(c) Outside control limits due to high level in sample relative to spike amount.

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52507-6MS	2V92886.D	1	09/27/22	KM	n/a	n/a	V2V3773
JD52507-6MSD	2V92887.D	1	09/27/22	KM	n/a	n/a	V2V3773
JD52507-6	2V92885.D	1	09/27/22	KM	n/a	n/a	V2V3773

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-1, JD52507-2, JD52507-3, JD52507-4, JD52507-5, JD52507-6, JD52507-7

CAS No.	Compound	JD52507-6 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	ND		200	226	113	200	198	99	13	22-134/19
71-43-2	Benzene	0.67		50	48.0	95	50	45.0	89	6	49-137/12
75-27-4	Bromodichloromethane	ND		50	45.0	90	50	43.1	86	4	76-121/12
75-25-2	Bromoform	ND		50	48.4	97	50	43.6	87	10	70-133/13
74-83-9	Bromomethane	ND		50	68.4	137	50	72.4	145	6	27-164/38
78-93-3	2-Butanone (MEK)	ND		200	220	110	200	205	103	7	52-137/17
75-15-0	Carbon disulfide	ND		50	44.9	90	50	41.8	84	7	54-136/16
56-23-5	Carbon tetrachloride	ND		50	49.2	98	50	45.0	90	9	70-132/13
108-90-7	Chlorobenzene	ND		50	46.7	93	50	42.4	85	10	68-123/12
75-00-3	Chloroethane	ND		50	93.8	188* [a]	50	69.2	138	30* [b]	48-152/17
67-66-3	Chloroform	ND		50	45.0	90	50	41.8	84	7	68-120/13
74-87-3	Chloromethane	ND		50	53.6	107	50	51.8	104	3	35-156/18
110-82-7	Cyclohexane	1.2	J	50	52.7	103	50	51.3	100	3	53-146/14
96-12-8	1,2-Dibromo-3-chloropropane	ND		50	50.3	101	50	46.5	93	8	63-134/16
124-48-1	Dibromochloromethane	ND		50	46.9	94	50	42.7	85	9	75-122/12
106-93-4	1,2-Dibromoethane	ND		50	47.2	94	50	43.2	86	9	63-134/12
95-50-1	1,2-Dichlorobenzene	ND		50	46.3	93	50	43.0	86	7	74-119/12
541-73-1	1,3-Dichlorobenzene	ND		50	46.3	93	50	43.0	86	7	75-117/12
106-46-7	1,4-Dichlorobenzene	ND		50	45.5	91	50	41.8	84	8	72-117/12
75-71-8	Dichlorodifluoromethane	ND		50	51.1	102	50	50.7	101	1	34-163/16
75-34-3	1,1-Dichloroethane	ND		50	50.7	101	50	47.2	94	7	68-129/13
107-06-2	1,2-Dichloroethane	ND		50	43.9	88	50	41.2	82	6	66-120/13
75-35-4	1,1-Dichloroethene	ND		50	54.7	109	50	48.3	97	12	59-133/15
156-59-2	cis-1,2-Dichloroethene	2.8		50	54.8	104	50	51.0	96	7	52-140/12
156-60-5	trans-1,2-Dichloroethene	ND		50	49.4	99	50	46.2	92	7	70-125/13
78-87-5	1,2-Dichloropropane	ND		50	50.4	101	50	47.5	95	6	73-124/12
10061-01-5	cis-1,3-Dichloropropene	ND		50	47.3	95	50	44.6	89	6	75-125/13
10061-02-6	trans-1,3-Dichloropropene	ND		50	47.7	95	50	43.9	88	8	75-122/12
100-41-4	Ethylbenzene	ND		50	49.9	100	50	45.0	90	10	37-144/12
76-13-1	Freon 113	ND		50	54.0	108	50	45.1	90	18* [a]	61-142/14
591-78-6	2-Hexanone	ND		200	222	111	200	203	102	9	56-132/16
98-82-8	Isopropylbenzene	ND		50	48.9	98	50	44.5	89	9	71-126/13
79-20-9	Methyl Acetate	ND		50	45.3	91	50	42.2	84	7	51-139/18
108-87-2	Methylcyclohexane	0.96	J	50	48.0	94	50	45.3	89	6	59-137/16
1634-04-4	Methyl Tert Butyl Ether	ND		50	47.8	96	50	45.5	91	5	66-124/12
108-10-1	4-Methyl-2-pentanone(MIBK)	ND		200	222	111	200	205	103	8	65-135/14

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52507-6MS	2V92886.D	1	09/27/22	KM	n/a	n/a	V2V3773
JD52507-6MSD	2V92887.D	1	09/27/22	KM	n/a	n/a	V2V3773
JD52507-6	2V92885.D	1	09/27/22	KM	n/a	n/a	V2V3773

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-1, JD52507-2, JD52507-3, JD52507-4, JD52507-5, JD52507-6, JD52507-7

CAS No.	Compound	JD52507-6 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
75-09-2	Methylene chloride	ND		50	45.1	90	50	42.1	84	7	66-125/14
100-42-5	Styrene	ND		50	48.6	97	50	44.0	88	10	71-133/12
79-34-5	1,1,2,2-Tetrachloroethane	ND		50	47.1	94	50	44.1	88	7	68-127/14
127-18-4	Tetrachloroethene	ND		50	47.6	95	50	44.3	89	7	58-132/13
108-88-3	Toluene	ND		50	46.8	94	50	43.1	86	8	46-139/12
120-82-1	1,2,4-Trichlorobenzene	ND		50	47.7	95	50	44.3	89	7	61-137/16
71-55-6	1,1,1-Trichloroethane	ND		50	47.8	96	50	44.5	89	7	67-132/13
79-00-5	1,1,2-Trichloroethane	ND		50	48.8	98	50	45.2	90	8	75-120/12
79-01-6	Trichloroethene	ND		50	47.0	94	50	43.3	87	8	56-136/12
75-69-4	Trichlorofluoromethane	ND		50	91.3	183* [a]	50	87.2	174* [a]	5	61-145/16
75-01-4	Vinyl chloride	ND		50	62.7	125	50	61.6	123	2	41-156/16
1330-20-7	Xylene (total)	ND		150	146	97	150	132	88	10	38-147/12

CAS No.	Surrogate Recoveries	MS	MSD	JD52507-6	Limits
1868-53-7	Dibromofluoromethane	101%	102%	98%	80-120%
17060-07-0	1,2-Dichloroethane-D4	95%	100%	91%	80-120%
2037-26-5	Toluene-D8	100%	99%	103%	80-120%
460-00-4	4-Bromofluorobenzene	93%	97%	94%	82-114%

(a) Outside control limits.
(b) Outside control limits due to matrix interference.

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD50917-15MS	2A220400.D	5	09/29/22	NH	n/a	n/a	V2A9581
JD50917-15MSD	2A220401.D	5	09/29/22	NH	n/a	n/a	V2A9581
JD50917-15 [a]	2A220395.D	5	09/29/22	NH	n/a	n/a	V2A9581

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-3

CAS No.	Compound	JD50917-15 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	ND		1000	864	86	1000	811	81	6	22-134/19
71-43-2	Benzene	ND		250	239	96	250	227	91	5	49-137/12
75-27-4	Bromodichloromethane	ND		250	222	89	250	210	84	6	76-121/12
75-25-2	Bromoform	ND		250	217	87	250	207	83	5	70-133/13
74-83-9	Bromomethane	ND		250	209	84	250	207	83	1	27-164/38
78-93-3	2-Butanone (MEK)	ND		1000	1080	108	1000	1000	100	8	52-137/17
75-15-0	Carbon disulfide	ND		250	208	83	250	200	80	4	54-136/16
56-23-5	Carbon tetrachloride	ND		250	227	91	250	217	87	5	70-132/13
108-90-7	Chlorobenzene	ND		250	237	95	250	224	90	6	68-123/12
75-00-3	Chloroethane	ND		250	241	96	250	235	94	3	48-152/17
67-66-3	Chloroform	ND		250	235	94	250	223	89	5	68-120/13
74-87-3	Chloromethane	ND		250	175	70	250	171	68	2	35-156/18
110-82-7	Cyclohexane	ND		250	235	94	250	230	92	2	53-146/14
96-12-8	1,2-Dibromo-3-chloropropane	ND		250	209	84	250	197	79	6	63-134/16
124-48-1	Dibromochloromethane	ND		250	220	88	250	209	84	5	75-122/12
106-93-4	1,2-Dibromoethane	ND		250	227	91	250	213	85	6	63-134/12
95-50-1	1,2-Dichlorobenzene	ND		250	223	89	250	212	85	5	74-119/12
541-73-1	1,3-Dichlorobenzene	ND		250	226	90	250	213	85	6	75-117/12
106-46-7	1,4-Dichlorobenzene	ND		250	218	87	250	206	82	6	72-117/12
75-71-8	Dichlorodifluoromethane	ND		250	178	71	250	176	70	1	34-163/16
75-34-3	1,1-Dichloroethane	ND		250	250	100	250	237	95	5	68-129/13
107-06-2	1,2-Dichloroethane	ND		250	212	85	250	200	80	6	66-120/13
75-35-4	1,1-Dichloroethene	ND		250	209	84	250	201	80	4	59-133/15
156-60-5	trans-1,2-Dichloroethene	ND		250	234	94	250	225	90	4	70-125/13
78-87-5	1,2-Dichloropropane	ND		250	238	95	250	227	91	5	73-124/12
10061-01-5	cis-1,3-Dichloropropene	ND		250	246	98	250	230	92	7	75-125/13
10061-02-6	trans-1,3-Dichloropropene	ND		250	233	93	250	219	88	6	75-122/12
100-41-4	Ethylbenzene	ND		250	229	92	250	217	87	5	37-144/12
76-13-1	Freon 113	ND		250	205	82	250	198	79	3	61-142/14
591-78-6	2-Hexanone	ND		1000	928	93	1000	850	85	9	56-132/16
98-82-8	Isopropylbenzene	ND		250	220	88	250	208	83	6	71-126/13
79-20-9	Methyl Acetate	ND		250	238	95	250	219	88	8	51-139/18
108-87-2	Methylcyclohexane	ND		250	212	85	250	206	82	3	59-137/16
1634-04-4	Methyl Tert Butyl Ether	ND		250	241	96	250	230	92	5	66-124/12
108-10-1	4-Methyl-2-pentanone(MIBK)	ND		1000	908	91	1000	844	84	7	65-135/14
75-09-2	Methylene chloride	ND		250	237	95	250	229	92	3	66-125/14

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD50917-15MS	2A220400.D	5	09/29/22	NH	n/a	n/a	V2A9581
JD50917-15MSD	2A220401.D	5	09/29/22	NH	n/a	n/a	V2A9581
JD50917-15 [a]	2A220395.D	5	09/29/22	NH	n/a	n/a	V2A9581

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-3

CAS No.	Compound	JD50917-15 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
100-42-5	Styrene	ND		250	220	88	250	209	84	5	71-133/12
79-34-5	1,1,2,2-Tetrachloroethane	ND		250	226	90	250	212	85	6	68-127/14
127-18-4	Tetrachloroethene	680		250	685	2* [b]	250	663	-7* [b]	3	58-132/13
108-88-3	Toluene	ND		250	236	94	250	223	89	6	46-139/12
120-82-1	1,2,4-Trichlorobenzene	ND		250	225	90	250	218	87	3	61-137/16
71-55-6	1,1,1-Trichloroethane	ND		250	236	94	250	224	90	5	67-132/13
79-00-5	1,1,2-Trichloroethane	ND		250	231	92	250	217	87	6	75-120/12
79-01-6	Trichloroethene	256		250	409	61	250	394	55* [c]	4	56-136/12
75-69-4	Trichlorofluoromethane	ND		250	216	86	250	213	85	1	61-145/16
1330-20-7	Xylene (total)	ND		750	667	89	750	628	84	6	38-147/12

CAS No.	Surrogate Recoveries	MS	MSD	JD50917-15	Limits
1868-53-7	Dibromofluoromethane	104%	105%	104%	80-120%
17060-07-0	1,2-Dichloroethane-D4	83%	83%	86%	80-120%
2037-26-5	Toluene-D8	100%	99%	98%	80-120%
460-00-4	4-Bromofluorobenzene	110%	109%	113%	82-114%

(a) Dilution required due to high concentration of target compound.
(b) Outside control limits due to high level in sample relative to spike amount.
(c) Outside control limits due to matrix interference.

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52594-1MS [a]	1X200596.D	4	09/29/22	TS	n/a	n/a	V1X8637
JD52594-1MSD [a]	1X200597.D	4	09/29/22	TS	n/a	n/a	V1X8637
JD52594-1 [b]	1X200584.D	4	09/29/22	TS	n/a	n/a	V1X8637
JD52594-1 [a]	1X200598.D	40	09/29/22	TS	n/a	n/a	V1X8637

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-18, JD52507-19, JD52507-22

CAS No.	Compound	JD52594-1 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	ND		800	686	86	800	689	86	0	22-134/19
71-43-2	Benzene	751		200	804	27* [c]	200	819	34* [c]	2	49-137/12
75-27-4	Bromodichloromethane	ND		200	189	95	200	197	99	4	76-121/12
75-25-2	Bromoform	ND		200	210	105	200	217	109	3	70-133/13
74-83-9	Bromomethane	ND		200	102	51	200	126	63	21	27-164/38
78-93-3	2-Butanone (MEK)	ND		800	768	96	800	779	97	1	52-137/17
75-15-0	Carbon disulfide	ND		200	179	90	200	178	89	1	54-136/16
56-23-5	Carbon tetrachloride	ND		200	178	89	200	178	89	0	70-132/13
108-90-7	Chlorobenzene	ND		200	187	94	200	190	95	2	68-123/12
75-00-3	Chloroethane	ND		200	126	63	200	124	62	2	48-152/17
67-66-3	Chloroform	ND		200	168	84	200	172	86	2	68-120/13
74-87-3	Chloromethane	ND		200	137	69	200	134	67	2	35-156/18
110-82-7	Cyclohexane	ND		200	138	69	200	137	69	1	53-146/14
96-12-8	1,2-Dibromo-3-chloropropane	ND		200	207	104	200	219	110	6	63-134/16
124-48-1	Dibromochloromethane	ND		200	200	100	200	208	104	4	75-122/12
106-93-4	1,2-Dibromoethane	ND		200	193	97	200	201	101	4	63-134/12
95-50-1	1,2-Dichlorobenzene	ND		200	192	96	200	198	99	3	74-119/12
541-73-1	1,3-Dichlorobenzene	ND		200	191	96	200	195	98	2	75-117/12
106-46-7	1,4-Dichlorobenzene	ND		200	188	94	200	192	96	2	72-117/12
75-71-8	Dichlorodifluoromethane	ND		200	169	85	200	166	83	2	34-163/16
75-34-3	1,1-Dichloroethane	ND		200	177	89	200	176	88	1	68-129/13
107-06-2	1,2-Dichloroethane	ND		200	186	93	200	193	97	4	66-120/13
75-35-4	1,1-Dichloroethene	ND		200	179	90	200	176	88	2	59-133/15
156-59-2	cis-1,2-Dichloroethene	ND		200	178	89	200	179	90	1	52-140/12
156-60-5	trans-1,2-Dichloroethene	ND		200	176	88	200	174	87	1	70-125/13
78-87-5	1,2-Dichloropropane	ND		200	189	95	200	192	96	2	73-124/12
10061-01-5	cis-1,3-Dichloropropene	ND		200	199	100	200	207	104	4	75-125/13
10061-02-6	trans-1,3-Dichloropropene	ND		200	199	100	200	209	105	5	75-122/12
100-41-4	Ethylbenzene	116		200	281	83	200	284	84	1	37-144/12
76-13-1	Freon 113	ND		200	178	89	200	176	88	1	61-142/14
591-78-6	2-Hexanone	ND		800	795	99	800	827	103	4	56-132/16
98-82-8	Isopropylbenzene	9.9		200	194	92	200	197	94	2	71-126/13
79-20-9	Methyl Acetate	ND		200	179	90	200	186	93	4	51-139/18
108-87-2	Methylcyclohexane	ND		200	187	94	200	185	93	1	59-137/16
1634-04-4	Methyl Tert Butyl Ether	ND		200	177	89	200	183	92	3	66-124/12
108-10-1	4-Methyl-2-pentanone(MIBK)	ND		800	819	102	800	849	106	4	65-135/14

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52594-1MS [a]	1X200596.D	4	09/29/22	TS	n/a	n/a	V1X8637
JD52594-1MSD [a]	1X200597.D	4	09/29/22	TS	n/a	n/a	V1X8637
JD52594-1 [b]	1X200584.D	4	09/29/22	TS	n/a	n/a	V1X8637
JD52594-1 [a]	1X200598.D	40	09/29/22	TS	n/a	n/a	V1X8637

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-18, JD52507-19, JD52507-22

CAS No.	Compound	JD52594-1 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
75-09-2	Methylene chloride	ND		200	174	87	200	178	89	2	66-125/14
100-42-5	Styrene	ND		200	188	94	200	194	97	3	71-133/12
79-34-5	1,1,2,2-Tetrachloroethane	ND		200	209	105	200	217	109	4	68-127/14
127-18-4	Tetrachloroethene	ND		200	191	96	200	191	96	0	58-132/13
108-88-3	Toluene	22.6		200	208	93	200	211	94	1	46-139/12
120-82-1	1,2,4-Trichlorobenzene	ND		200	195	98	200	201	101	3	61-137/16
71-55-6	1,1,1-Trichloroethane	ND		200	174	87	200	174	87	0	67-132/13
79-00-5	1,1,2-Trichloroethane	ND		200	189	95	200	195	98	3	75-120/12
79-01-6	Trichloroethene	ND		200	186	93	200	187	94	1	56-136/12
75-69-4	Trichlorofluoromethane	ND		200	161	81	200	159	80	1	61-145/16
75-01-4	Vinyl chloride	ND		200	146	73	200	141	71	3	41-156/16
1330-20-7	Xylene (total)	185		600	715	88	600	725	90	1	38-147/12

CAS No.	Surrogate Recoveries	MS	MSD	JD52594-1	JD52594-1	Limits
1868-53-7	Dibromofluoromethane	96%	94%	96%	95%	80-120%
17060-07-0	1,2-Dichloroethane-D4	96%	96%	99%	97%	80-120%
2037-26-5	Toluene-D8	100%	100%	100%	99%	80-120%
460-00-4	4-Bromofluorobenzene	99%	99%	98%	100%	82-114%

(a) (pH= 6) Sample pH did not satisfy field preservation criteria.
(b) (pH= 6) Sample pH did not satisfy field preservation criteria. Dilution required due to high concentration of target compound.
(c) Outside control limits due to high level in sample relative to spike amount.

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52507-10MS	2V93006.D	100	09/29/22	KM	n/a	n/a	V2V3777
JD52507-10MSD	2V93007.D	100	09/30/22	KM	n/a	n/a	V2V3777
JD52507-10 [a]	2V93005.D	100	09/29/22	KM	n/a	n/a	V2V3777

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-9, JD52507-11, JD52507-12, JD52507-13, JD52507-14, JD52507-23, JD52507-24, JD52507-25, JD52507-26, JD52507-27, JD52507-28, JD52507-29, JD52507-30, JD52507-31, JD52507-33, JD52507-36

CAS No.	Compound	JD52507-10 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	ND		20000	23100	116	20000	22600	113	2	22-134/19
71-43-2	Benzene	ND		5000	4910	98	5000	4910	98	0	49-137/12
75-27-4	Bromodichloromethane	ND		5000	4930	99	5000	4880	98	1	76-121/12
75-25-2	Bromoform	ND		5000	5050	101	5000	5010	100	1	70-133/13
74-83-9	Bromomethane	ND		5000	6610	132	5000	6700	134	1	27-164/38
78-93-3	2-Butanone (MEK)	ND		20000	24700	124	20000	24500	123	1	52-137/17
75-15-0	Carbon disulfide	ND		5000	4340	87	5000	4290	86	1	54-136/16
56-23-5	Carbon tetrachloride	ND		5000	4930	99	5000	4850	97	2	70-132/13
108-90-7	Chlorobenzene	ND		5000	4780	96	5000	4700	94	2	68-123/12
75-00-3	Chloroethane	ND		5000	9080	182* [b]	5000	6200	124	38* [c]	48-152/17
67-66-3	Chloroform	ND		5000	4640	93	5000	4640	93	0	68-120/13
74-87-3	Chloromethane	ND		5000	4080	82	5000	4000	80	2	35-156/18
110-82-7	Cyclohexane	ND		5000	4170	83	5000	4190	84	0	53-146/14
96-12-8	1,2-Dibromo-3-chloropropane	ND		5000	5360	107	5000	5360	107	0	63-134/16
124-48-1	Dibromochloromethane	ND		5000	4940	99	5000	4860	97	2	75-122/12
106-93-4	1,2-Dibromoethane	ND		5000	5070	101	5000	5010	100	1	63-134/12
95-50-1	1,2-Dichlorobenzene	ND		5000	4830	97	5000	4680	94	3	74-119/12
541-73-1	1,3-Dichlorobenzene	ND		5000	4710	94	5000	4620	92	2	75-117/12
106-46-7	1,4-Dichlorobenzene	ND		5000	4640	93	5000	4540	91	2	72-117/12
75-71-8	Dichlorodifluoromethane	ND		5000	4270	85	5000	4210	84	1	34-163/16
75-34-3	1,1-Dichloroethane	ND		5000	5180	104	5000	5160	103	0	68-129/13
107-06-2	1,2-Dichloroethane	ND		5000	4850	97	5000	4800	96	1	66-120/13
75-35-4	1,1-Dichloroethene	ND		5000	5050	101	5000	4900	98	3	59-133/15
156-59-2	cis-1,2-Dichloroethene	9010		5000	15400	128	5000	15300	126	1	52-140/12
156-60-5	trans-1,2-Dichloroethene	ND		5000	5020	100	5000	4970	99	1	70-125/13
78-87-5	1,2-Dichloropropane	ND		5000	5330	107	5000	5270	105	1	73-124/12
10061-01-5	cis-1,3-Dichloropropene	ND		5000	5120	102	5000	5090	102	1	75-125/13
10061-02-6	trans-1,3-Dichloropropene	ND		5000	5030	101	5000	4990	100	1	75-122/12
100-41-4	Ethylbenzene	ND		5000	5000	100	5000	4930	99	1	37-144/12
76-13-1	Freon 113	ND		5000	4850	97	5000	4670	93	4	61-142/14
591-78-6	2-Hexanone	ND		20000	23300	117	20000	23200	116	0	56-132/16
98-82-8	Isopropylbenzene	ND		5000	4920	98	5000	4770	95	3	71-126/13
79-20-9	Methyl Acetate	ND		5000	5350	107	5000	5410	108	1	51-139/18
108-87-2	Methylcyclohexane	ND		5000	4910	98	5000	4780	96	3	59-137/16
1634-04-4	Methyl Tert Butyl Ether	ND		5000	5230	105	5000	5290	106	1	66-124/12
108-10-1	4-Methyl-2-pentanone(MIBK)	ND		20000	24000	120	20000	23600	118	2	65-135/14

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52507-10MS	2V93006.D	100	09/29/22	KM	n/a	n/a	V2V3777
JD52507-10MSD	2V93007.D	100	09/30/22	KM	n/a	n/a	V2V3777
JD52507-10 [a]	2V93005.D	100	09/29/22	KM	n/a	n/a	V2V3777

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-9, JD52507-11, JD52507-12, JD52507-13, JD52507-14, JD52507-23, JD52507-24, JD52507-25, JD52507-26, JD52507-27, JD52507-28, JD52507-29, JD52507-30, JD52507-31, JD52507-33, JD52507-36

CAS No.	Compound	JD52507-10 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
75-09-2	Methylene chloride	ND		5000	4720	94	5000	4720	94	0	66-125/14
100-42-5	Styrene	ND		5000	5010	100	5000	4930	99	2	71-133/12
79-34-5	1,1,2,2-Tetrachloroethane	ND		5000	5140	103	5000	5050	101	2	68-127/14
127-18-4	Tetrachloroethene	ND		5000	4850	97	5000	4610	92	5	58-132/13
108-88-3	Toluene	ND		5000	4730	95	5000	4650	93	2	46-139/12
120-82-1	1,2,4-Trichlorobenzene	ND		5000	5030	101	5000	5000	100	1	61-137/16
71-55-6	1,1,1-Trichloroethane	ND		5000	4790	96	5000	4790	96	0	67-132/13
79-00-5	1,1,2-Trichloroethane	ND		5000	5190	104	5000	5150	103	1	75-120/12
79-01-6	Trichloroethene	517		5000	5320	96	5000	5290	95	1	56-136/12
75-69-4	Trichlorofluoromethane	ND		5000	8030	161* [b]	5000	7690	154* [b]	4	61-145/16
75-01-4	Vinyl chloride	2920		5000	7530	92	5000	7380	89	2	41-156/16
1330-20-7	Xylene (total)	ND		15000	14800	99	15000	14500	97	2	38-147/12

CAS No.	Surrogate Recoveries	MS	MSD	JD52507-10	Limits
1868-53-7	Dibromofluoromethane	99%	100%		80-120%
17060-07-0	1,2-Dichloroethane-D4	102%	102%		80-120%
2037-26-5	Toluene-D8	99%	98%		80-120%
460-00-4	4-Bromofluorobenzene	96%	95%		82-114%

(a) Sample used for QC purposes only.
(b) Outside in house control limits.
(c) Outside control limits due to matrix interference.

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52514-12MS	2A220451.D	5	09/30/22	NH	n/a	n/a	V2A9583
JD52514-12MSD	2A220452.D	5	09/30/22	NH	n/a	n/a	V2A9583
JD52514-12 [a]	2A220447.D	5	09/30/22	NH	n/a	n/a	V2A9583
JD52514-12	2A220449.D	50	09/30/22	NH	n/a	n/a	V2A9583

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-12, JD52507-13

CAS No.	Compound	JD52514-12 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
156-59-2	cis-1,2-Dichloroethene	2030 [c]		250	1980	-4* [b]	250	1980	-4* [b]	0	52-140/12

CAS No.	Surrogate Recoveries	MS	MSD	JD52514-12	JD52514-12	Limits
1868-53-7	Dibromofluoromethane	109%	109%	109%	109%	80-120%
17060-07-0	1,2-Dichloroethane-D4	79%* [d]	79%* [d]	82%	83%	80-120%
2037-26-5	Toluene-D8	93%	94%	92%	92%	80-120%
460-00-4	4-Bromofluorobenzene	107%	107%	109%	109%	82-114%

(a) Dilution required due to high concentration of target compound.
(b) Outside control limits due to high level in sample relative to spike amount.
(c) Result is from Run #2.
(d) Outside control limits due to matrix interference.

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52624-3MS	1A226620.D	10	09/30/22	NW	n/a	n/a	V1A9705
JD52624-3MSD	1A226621.D	10	09/30/22	NW	n/a	n/a	V1A9705
JD52624-3 [a]	1A226619.D	10	09/30/22	NW	n/a	n/a	V1A9705

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-8, JD52507-10

CAS No.	Compound	JD52624-3 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	ND		2000	1780	89	2000	1730	87	3	22-134/19
71-43-2	Benzene	ND		500	492	98	500	508	102	3	49-137/12
75-27-4	Bromodichloromethane	ND		500	484	97	500	495	99	2	76-121/12
75-25-2	Bromoform	ND		500	472	94	500	484	97	3	70-133/13
74-83-9	Bromomethane	ND		500	456	91	500	529	106	15	27-164/38
78-93-3	2-Butanone (MEK)	ND		2000	1910	96	2000	1870	94	2	52-137/17
75-15-0	Carbon disulfide	ND		500	374	75	500	382	76	2	54-136/16
56-23-5	Carbon tetrachloride	ND		500	514	103	500	513	103	0	70-132/13
108-90-7	Chlorobenzene	ND		500	476	95	500	487	97	2	68-123/12
75-00-3	Chloroethane	15.5		500	462	89	500	473	92	2	48-152/17
67-66-3	Chloroform	ND		500	470	94	500	467	93	1	68-120/13
74-87-3	Chloromethane	ND		500	429	86	500	444	89	3	35-156/18
110-82-7	Cyclohexane	ND		500	481	96	500	473	95	2	53-146/14
96-12-8	1,2-Dibromo-3-chloropropane	ND		500	500	100	500	518	104	4	63-134/16
124-48-1	Dibromochloromethane	ND		500	466	93	500	483	97	4	75-122/12
106-93-4	1,2-Dibromoethane	ND		500	485	97	500	491	98	1	63-134/12
95-50-1	1,2-Dichlorobenzene	ND		500	497	99	500	512	102	3	74-119/12
541-73-1	1,3-Dichlorobenzene	ND		500	500	100	500	510	102	2	75-117/12
106-46-7	1,4-Dichlorobenzene	ND		500	470	94	500	484	97	3	72-117/12
75-71-8	Dichlorodifluoromethane	ND		500	403	81	500	410	82	2	34-163/16
75-34-3	1,1-Dichloroethane	ND		500	487	97	500	484	97	1	68-129/13
107-06-2	1,2-Dichloroethane	ND		500	494	99	500	498	100	1	66-120/13
75-35-4	1,1-Dichloroethene	ND		500	439	88	500	438	88	0	59-133/15
156-59-2	cis-1,2-Dichloroethene	33.4		500	530	99	500	529	99	0	52-140/12
156-60-5	trans-1,2-Dichloroethene	ND		500	472	94	500	476	95	1	70-125/13
78-87-5	1,2-Dichloropropane	ND		500	495	99	500	491	98	1	73-124/12
10061-01-5	cis-1,3-Dichloropropene	ND		500	522	104	500	523	105	0	75-125/13
10061-02-6	trans-1,3-Dichloropropene	ND		500	544	109	500	542	108	0	75-122/12
100-41-4	Ethylbenzene	ND		500	477	95	500	483	97	1	37-144/12
76-13-1	Freon 113	ND		500	448	90	500	445	89	1	61-142/14
591-78-6	2-Hexanone	ND		2000	1950	98	2000	1950	98	0	56-132/16
98-82-8	Isopropylbenzene	ND		500	478	96	500	483	97	1	71-126/13
79-20-9	Methyl Acetate	ND		500	446	89	500	448	90	0	51-139/18
108-87-2	Methylcyclohexane	ND		500	437	87	500	429	86	2	59-137/16
1634-04-4	Methyl Tert Butyl Ether	ND		500	462	92	500	470	94	2	66-124/12
108-10-1	4-Methyl-2-pentanone(MIBK)	ND		2000	1990	100	2000	2000	100	1	65-135/14

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52624-3MS	1A226620.D	10	09/30/22	NW	n/a	n/a	V1A9705
JD52624-3MSD	1A226621.D	10	09/30/22	NW	n/a	n/a	V1A9705
JD52624-3 [a]	1A226619.D	10	09/30/22	NW	n/a	n/a	V1A9705

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-8, JD52507-10

CAS No.	Compound	JD52624-3 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
75-09-2	Methylene chloride	ND		500	443	89	500	447	89	1	66-125/14
100-42-5	Styrene	ND		500	531	106	500	532	106	0	71-133/12
79-34-5	1,1,2,2-Tetrachloroethane	ND		500	484	97	500	501	100	3	68-127/14
127-18-4	Tetrachloroethene	ND		500	492	98	500	485	97	1	58-132/13
108-88-3	Toluene	ND		500	502	100	500	497	99	1	46-139/12
120-82-1	1,2,4-Trichlorobenzene	ND		500	470	94	500	498	100	6	61-137/16
71-55-6	1,1,1-Trichloroethane	ND		500	497	99	500	498	100	0	67-132/13
79-00-5	1,1,2-Trichloroethane	ND		500	477	95	500	482	96	1	75-120/12
79-01-6	Trichloroethene	ND		500	501	100	500	495	99	1	56-136/12
75-69-4	Trichlorofluoromethane	ND		500	484	97	500	489	98	1	61-145/16
75-01-4	Vinyl chloride	186		500	609	85	500	609	85	0	41-156/16
1330-20-7	Xylene (total)	ND		1500	1470	98	1500	1500	100	2	38-147/12

CAS No.	Surrogate Recoveries	MS	MSD	JD52624-3	Limits
1868-53-7	Dibromofluoromethane	101%	100%		80-120%
17060-07-0	1,2-Dichloroethane-D4	97%	99%		80-120%
2037-26-5	Toluene-D8	97%	95%		80-120%
460-00-4	4-Bromofluorobenzene	99%	100%		82-114%

(a) Sample used for QC purposes only.

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52730-7MS	2V93140.D	4	10/03/22	TS	n/a	n/a	V2V3782
JD52730-7MSD	2V93141.D	4	10/03/22	TS	n/a	n/a	V2V3782
JD52730-7	2V93134.D	4	10/03/22	TS	n/a	n/a	V2V3782

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-30, JD52507-31, JD52507-32, JD52507-34, JD52507-35

CAS No.	Compound	JD52730-7 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	909		800	1900	124	800	1960	131	3	22-134/19
71-43-2	Benzene	18.0		200	223	103	200	227	105	2	49-137/12
75-27-4	Bromodichloromethane	ND		200	204	102	200	211	106	3	76-121/12
75-25-2	Bromoform	ND		200	201	101	200	211	106	5	70-133/13
74-83-9	Bromomethane	ND		200	231	116	200	280	140	19	27-164/38
78-93-3	2-Butanone (MEK)	877		800	1970	137	800	2010	142* [a]	2	52-137/17
75-15-0	Carbon disulfide	6.0	J	200	159	77	200	165	80	4	54-136/16
56-23-5	Carbon tetrachloride	ND		200	209	105	200	217	109	4	70-132/13
108-90-7	Chlorobenzene	33.7		200	231	99	200	242	104	5	68-123/12
75-00-3	Chloroethane	ND		200	505	253* [a]	200	503	252* [a]	0	48-152/17
67-66-3	Chloroform	ND		200	207	104	200	212	106	2	68-120/13
74-87-3	Chloromethane	ND		200	236	118	200	238	119	1	35-156/18
110-82-7	Cyclohexane	ND		200	209	105	200	211	106	1	53-146/14
96-12-8	1,2-Dibromo-3-chloropropane	ND		200	205	103	200	207	104	1	63-134/16
124-48-1	Dibromochloromethane	ND		200	202	101	200	209	105	3	75-122/12
106-93-4	1,2-Dibromoethane	ND		200	208	104	200	212	106	2	63-134/12
95-50-1	1,2-Dichlorobenzene	ND		200	208	104	200	215	108	3	74-119/12
541-73-1	1,3-Dichlorobenzene	ND		200	200	100	200	204	102	2	75-117/12
106-46-7	1,4-Dichlorobenzene	ND		200	200	100	200	206	103	3	72-117/12
75-71-8	Dichlorodifluoromethane	ND		200	193	97	200	202	101	5	34-163/16
75-34-3	1,1-Dichloroethane	5.6		200	243	119	200	246	120	1	68-129/13
107-06-2	1,2-Dichloroethane	3.7	J	200	207	102	200	210	103	1	66-120/13
75-35-4	1,1-Dichloroethene	ND		200	204	102	200	212	106	4	59-133/15
156-59-2	cis-1,2-Dichloroethene	7.6		200	239	116	200	245	119	2	52-140/12
156-60-5	trans-1,2-Dichloroethene	ND		200	212	106	200	215	108	1	70-125/13
78-87-5	1,2-Dichloropropane	ND		200	227	114	200	232	116	2	73-124/12
10061-01-5	cis-1,3-Dichloropropene	ND		200	223	112	200	227	114	2	75-125/13
10061-02-6	trans-1,3-Dichloropropene	ND		200	221	111	200	228	114	3	75-122/12
100-41-4	Ethylbenzene	5.7		200	224	109	200	232	113	4	37-144/12
76-13-1	Freon 113	ND		200	186	93	200	194	97	4	61-142/14
591-78-6	2-Hexanone	11.4	J	800	997	123	800	1020	126	2	56-132/16
98-82-8	Isopropylbenzene	ND		200	212	106	200	222	111	5	71-126/13
79-20-9	Methyl Acetate	ND		200	210	105	200	218	109	4	51-139/18
108-87-2	Methylcyclohexane	ND		200	201	101	200	208	104	3	59-137/16
1634-04-4	Methyl Tert Butyl Ether	ND		200	229	115	200	235	118	3	66-124/12
108-10-1	4-Methyl-2-pentanone(MIBK)	857		800	2080	153* [a]	800	2100	155* [a]	1	65-135/14

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52730-7MS	2V93140.D	4	10/03/22	TS	n/a	n/a	V2V3782
JD52730-7MSD	2V93141.D	4	10/03/22	TS	n/a	n/a	V2V3782
JD52730-7	2V93134.D	4	10/03/22	TS	n/a	n/a	V2V3782

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-30, JD52507-31, JD52507-32, JD52507-34, JD52507-35

CAS No.	Compound	JD52730-7 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
75-09-2	Methylene chloride	37.3		200	244	103	200	251	107	3	66-125/14
100-42-5	Styrene	ND		200	220	110	200	235	118	7	71-133/12
79-34-5	1,1,2,2-Tetrachloroethane	ND		200	217	109	200	216	108	0	68-127/14
127-18-4	Tetrachloroethene	ND		200	199	100	200	202	101	1	58-132/13
108-88-3	Toluene	109		200	318	105	200	339	115	6	46-139/12
120-82-1	1,2,4-Trichlorobenzene	ND		200	201	101	200	199	100	1	61-137/16
71-55-6	1,1,1-Trichloroethane	ND		200	209	105	200	217	109	4	67-132/13
79-00-5	1,1,2-Trichloroethane	ND		200	216	108	200	225	113	4	75-120/12
79-01-6	Trichloroethene	ND		200	200	100	200	203	102	1	56-136/12
75-69-4	Trichlorofluoromethane	ND		200	210	105	200	213	107	1	61-145/16
75-01-4	Vinyl chloride	ND		200	276	138	200	279	140	1	41-156/16
1330-20-7	Xylene (total)	4.1		600	643	106	600	677	112	5	38-147/12

CAS No.	Surrogate Recoveries	MS	MSD	JD52730-7	Limits
1868-53-7	Dibromofluoromethane	107%	107%	109%	80-120%
17060-07-0	1,2-Dichloroethane-D4	106%	106%	100%	80-120%
2037-26-5	Toluene-D8	100%	103%	103%	80-120%
460-00-4	4-Bromofluorobenzene	97%	96%	97%	82-114%

(a) Outside control limits due to matrix interference.

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52507-37MS	L347847.D	5	10/04/22	NH	n/a	n/a	VL10519
JD52507-37MSD	L347848.D	5	10/04/22	NH	n/a	n/a	VL10519
JD52507-37 [a]	L347837.D	5	10/04/22	NH	n/a	n/a	VL10519
JD52507-37	L347836.D	50	10/04/22	NH	n/a	n/a	VL10519

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-37

CAS No.	Compound	JD52507-37 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	ND		1000	991	99	1000	989	99	0	22-134/19
71-43-2	Benzene	ND		250	263	105	250	264	106	0	49-137/12
75-27-4	Bromodichloromethane	ND		250	239	96	250	244	98	2	76-121/12
75-25-2	Bromoform	ND		250	214	86	250	219	88	2	70-133/13
74-83-9	Bromomethane	ND		250	154	62	250	190	76	21	27-164/38
78-93-3	2-Butanone (MEK)	ND		1000	964	96	1000	979	98	2	52-137/17
75-15-0	Carbon disulfide	ND		250	209	84	250	215	86	3	54-136/16
56-23-5	Carbon tetrachloride	ND		250	240	96	250	243	97	1	70-132/13
108-90-7	Chlorobenzene	ND		250	258	103	250	263	105	2	68-123/12
75-00-3	Chloroethane	ND		250	204	82	250	201	80	1	48-152/17
67-66-3	Chloroform	ND		250	244	98	250	247	99	1	68-120/13
74-87-3	Chloromethane	ND		250	224	90	250	225	90	0	35-156/18
110-82-7	Cyclohexane	ND		250	220	88	250	218	87	1	53-146/14
96-12-8	1,2-Dibromo-3-chloropropane	ND		250	230	92	250	236	94	3	63-134/16
124-48-1	Dibromochloromethane	ND		250	221	88	250	227	91	3	75-122/12
106-93-4	1,2-Dibromoethane	ND		250	235	94	250	239	96	2	63-134/12
95-50-1	1,2-Dichlorobenzene	ND		250	236	94	250	242	97	3	74-119/12
541-73-1	1,3-Dichlorobenzene	ND		250	255	102	250	260	104	2	75-117/12
106-46-7	1,4-Dichlorobenzene	ND		250	244	98	250	247	99	1	72-117/12
75-71-8	Dichlorodifluoromethane	ND		250	260	104	250	256	102	2	34-163/16
75-34-3	1,1-Dichloroethane	ND		250	270	108	250	269	108	0	68-129/13
107-06-2	1,2-Dichloroethane	ND		250	237	95	250	234	94	1	66-120/13
75-35-4	1,1-Dichloroethene	ND		250	261	104	250	256	102	2	59-133/15
156-59-2	cis-1,2-Dichloroethene	1830 [c]		250	1400	-44* [b]	250	1400	-44* [b]	0	52-140/12
156-60-5	trans-1,2-Dichloroethene	33.6		250	295	105	250	291	103	1	70-125/13
78-87-5	1,2-Dichloropropane	ND		250	279	112	250	284	114	2	73-124/12
10061-01-5	cis-1,3-Dichloropropene	ND		250	252	101	250	254	102	1	75-125/13
10061-02-6	trans-1,3-Dichloropropene	ND		250	203	81	250	211	84	4	75-122/12
100-41-4	Ethylbenzene	ND		250	250	100	250	254	102	2	37-144/12
76-13-1	Freon 113	ND		250	284	114	250	277	111	2	61-142/14
591-78-6	2-Hexanone	ND		1000	917	92	1000	962	96	5	56-132/16
98-82-8	Isopropylbenzene	ND		250	250	100	250	254	102	2	71-126/13
79-20-9	Methyl Acetate	ND		250	255	102	250	267	107	5	51-139/18
108-87-2	Methylcyclohexane	ND		250	257	103	250	260	104	1	59-137/16
1634-04-4	Methyl Tert Butyl Ether	ND		250	255	102	250	261	104	2	66-124/12
108-10-1	4-Methyl-2-pentanone(MIBK)	ND		1000	1060	106	1000	1100	110	4	65-135/14

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
JD52507-37MS	L347847.D	5	10/04/22	NH	n/a	n/a	VL10519
JD52507-37MSD	L347848.D	5	10/04/22	NH	n/a	n/a	VL10519
JD52507-37 [a]	L347837.D	5	10/04/22	NH	n/a	n/a	VL10519
JD52507-37	L347836.D	50	10/04/22	NH	n/a	n/a	VL10519

The QC reported here applies to the following samples: **Method:** SW846 8260D

JD52507-37

CAS No.	Compound	JD52507-37 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
75-09-2	Methylene chloride	ND		250	272	109	250	269	108	1	66-125/14
100-42-5	Styrene	ND		250	246	98	250	250	100	2	71-133/12
79-34-5	1,1,2,2-Tetrachloroethane	ND		250	230	92	250	233	93	1	68-127/14
127-18-4	Tetrachloroethene	ND		250	263	105	250	264	106	0	58-132/13
108-88-3	Toluene	ND		250	248	99	250	252	101	2	46-139/12
120-82-1	1,2,4-Trichlorobenzene	ND		250	274	110	250	287	115	5	61-137/16
71-55-6	1,1,1-Trichloroethane	ND		250	256	102	250	255	102	0	67-132/13
79-00-5	1,1,2-Trichloroethane	ND		250	250	100	250	258	103	3	75-120/12
79-01-6	Trichloroethene	400		250	542	57	250	552	61	2	56-136/12
75-69-4	Trichlorofluoromethane	ND		250	252	101	250	255	102	1	61-145/16
75-01-4	Vinyl chloride	13.8		250	223	84	250	223	84	0	41-156/16
1330-20-7	Xylene (total)	ND		750	720	96	750	734	98	2	38-147/12

CAS No.	Surrogate Recoveries	MS	MSD	JD52507-37	JD52507-37	Limits
1868-53-7	Dibromofluoromethane	100%	97%	95%	93%	80-120%
17060-07-0	1,2-Dichloroethane-D4	86%	85%	92%	91%	80-120%
2037-26-5	Toluene-D8	89%	89%	97%	98%	80-120%
460-00-4	4-Bromofluorobenzene	92%	94%	91%	91%	82-114%

(a) Dilution required due to high concentration of target compound.
(b) Outside control limits due to high level in sample relative to spike amount.
(c) Result is from Run #2.

* = Outside of Control Limits.

Instrument Performance Check (BFB)

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V1A9688-BFB
Lab File ID: 1A226121.D
Instrument ID: GCMS1A
Injection Date: 09/13/22
Injection Time: 20:54

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	15.0 - 40.0% of mass 95	26189	18.6		Pass
75	30.0 - 60.0% of mass 95	70837	50.3		Pass
95	Base peak, 100% relative abundance	140797	100.0		Pass
96	5.0 - 9.0% of mass 95	8869	6.30		Pass
173	Less than 2.0% of mass 174	0	0.00	(0.00) [a]	Pass
174	50.0 - 120.0% of mass 95	120203	85.4		Pass
175	5.0 - 9.0% of mass 174	10540	7.49	(8.77) [a]	Pass
176	95.0 - 101.0% of mass 174	114547	81.4	(95.3) [a]	Pass
177	5.0 - 9.0% of mass 176	7444	5.29	(6.50) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V1A9688-IC9688	1A226122.D	09/13/22	21:28	00:34	Initial cal 0.2
V1A9688-IC9688	1A226123.D	09/13/22	21:52	00:58	Initial cal 0.5
V1A9688-IC9688	1A226124.D	09/13/22	22:16	01:22	Initial cal 1
V1A9688-IC9688	1A226125.D	09/13/22	22:40	01:46	Initial cal 2
V1A9688-IC9688	1A226126.D	09/13/22	23:04	02:10	Initial cal 4
V1A9688-IC9688	1A226127.D	09/13/22	23:28	02:34	Initial cal 8
V1A9688-IC9688	1A226128.D	09/13/22	23:52	02:58	Initial cal 20
V1A9688-ICC9688	1A226129.D	09/14/22	00:16	03:22	Initial cal 50
V1A9688-IC9688	1A226130.D	09/14/22	00:40	03:46	Initial cal 100
V1A9688-IC9688	1A226131.D	09/14/22	01:04	04:10	Initial cal 200
V1A9688-ICV9688	1A226134.D	09/14/22	02:15	05:21	Initial cal verification 50
V1A9688-ICV9688	1A226135.D	09/14/22	02:39	05:45	Initial cal verification 50

Instrument Performance Check (BFB)

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V1A9698-BFB
Lab File ID: 1A226430.D
Instrument ID: GCMS1A
Injection Date: 09/27/22
Injection Time: 09:36

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	15.0 - 40.0% of mass 95	40068	18.4		Pass
75	30.0 - 60.0% of mass 95	112197	51.7		Pass
95	Base peak, 100% relative abundance	217195	100.0		Pass
96	5.0 - 9.0% of mass 95	14884	6.85		Pass
173	Less than 2.0% of mass 174	0	0.00	(0.00) [a]	Pass
174	50.0 - 120.0% of mass 95	189525	87.3		Pass
175	5.0 - 9.0% of mass 174	16888	7.78	(8.91) [a]	Pass
176	95.0 - 101.0% of mass 174	185365	85.3	(97.8) [a]	Pass
177	5.0 - 9.0% of mass 176	12437	5.73	(6.71) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V1A9698-CC9688	1A226430.D	09/27/22	09:36	00:00	Continuing cal 20
V1A9698-BS	1A226432.D	09/27/22	10:32	00:56	Blank Spike
V1A9698-MB	1A226434.D	09/27/22	11:28	01:52	Method Blank
ZZZZZZ	1A226435.D	09/27/22	12:33	02:57	(unrelated sample)
ZZZZZZ	1A226436.D	09/27/22	12:57	03:21	(unrelated sample)
ZZZZZZ	1A226437.D	09/27/22	13:21	03:45	(unrelated sample)
JD52310-3	1A226438.D	09/27/22	13:45	04:09	(used for QC only; not part of job JD52507)
ZZZZZZ	1A226439.D	09/27/22	14:09	04:33	(unrelated sample)
ZZZZZZ	1A226440.D	09/27/22	14:33	04:57	(unrelated sample)
ZZZZZZ	1A226442.D	09/27/22	15:21	05:45	(unrelated sample)
ZZZZZZ	1A226443.D	09/27/22	15:45	06:09	(unrelated sample)
JD52310-3MS	1A226444.D	09/27/22	16:24	06:48	Matrix Spike
JD52310-3MSD	1A226445.D	09/27/22	16:48	07:12	Matrix Spike Duplicate
ZZZZZZ	1A226447.D	09/27/22	17:36	08:00	(unrelated sample)
ZZZZZZ	1A226448.D	09/27/22	18:00	08:24	(unrelated sample)
ZZZZZZ	1A226449.D	09/27/22	18:24	08:48	(unrelated sample)
JD52507-15	1A226450.D	09/27/22	18:48	09:12	MW-20B
JD52507-16	1A226451.D	09/27/22	19:12	09:36	MW-7B
JD52507-17	1A226452.D	09/27/22	19:36	10:00	MW-12C
JD52507-18	1A226453.D	09/27/22	20:00	10:24	MW-13C
JD52507-20	1A226455.D	09/27/22	20:47	11:11	MW-4B
JD52507-21	1A226456.D	09/27/22	21:11	11:35	MW-7-40
ZZZZZZ	1A226457.D	09/27/22	21:35	11:59	(unrelated sample)

Instrument Performance Check (BFB)

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V1A9705-BFB
Lab File ID: 1A226605.D
Instrument ID: GCMS1A
Injection Date: 09/30/22
Injection Time: 10:42

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	15.0 - 40.0% of mass 95	39099	19.9		Pass
75	30.0 - 60.0% of mass 95	100955	51.4		Pass
95	Base peak, 100% relative abundance	196224	100.0		Pass
96	5.0 - 9.0% of mass 95	13586	6.92		Pass
173	Less than 2.0% of mass 174	0	0.00	(0.00) [a]	Pass
174	50.0 - 120.0% of mass 95	174400	88.9		Pass
175	5.0 - 9.0% of mass 174	15429	7.86	(8.85) [a]	Pass
176	95.0 - 101.0% of mass 174	171605	87.5	(98.4) [a]	Pass
177	5.0 - 9.0% of mass 176	11740	5.98	(6.84) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V1A9705-CC9688	1A226605.D	09/30/22	10:42	00:00	Continuing cal 20
V1A9704-BS2	1A226607.D	09/30/22	11:38	00:56	Blank Spike
V1A9705-BS	1A226607.D	09/30/22	11:38	00:56	Blank Spike
V1A9705-MB	1A226609.D	09/30/22	12:29	01:47	Method Blank
V1A9704-MB2	1A226609.D	09/30/22	12:29	01:47	Method Blank
JD52667-3DUP	1A226610.D	09/30/22	12:58	02:16	Duplicate
ZZZZZZ	1A226611.D	09/30/22	13:22	02:40	(unrelated sample)
ZZZZZZ	1A226612.D	09/30/22	13:46	03:04	(unrelated sample)
JD52507-10	1A226613.D	09/30/22	14:09	03:27	MW-46-72C
JD52507-8	1A226614.D	09/30/22	14:33	03:51	MW-15C
ZZZZZZ	1A226615.D	09/30/22	14:57	04:15	(unrelated sample)
ZZZZZZ	1A226616.D	09/30/22	15:21	04:39	(unrelated sample)
JD52507-8	1A226617.D	09/30/22	15:45	05:03	MW-15C
JD52507-10	1A226618.D	09/30/22	16:09	05:27	MW-46-72C
JD52624-3	1A226619.D	09/30/22	16:33	05:51	(used for QC only; not part of job JD52507)
JD52624-3MS	1A226620.D	09/30/22	16:56	06:14	Matrix Spike
JD52624-3MSD	1A226621.D	09/30/22	17:20	06:38	Matrix Spike Duplicate
ZZZZZZ	1A226623.D	09/30/22	18:08	07:26	(unrelated sample)
ZZZZZZ	1A226624.D	09/30/22	18:32	07:50	(unrelated sample)
ZZZZZZ	1A226626.D	09/30/22	19:20	08:38	(unrelated sample)
ZZZZZZ	1A226628.D	09/30/22	20:08	09:26	(unrelated sample)
ZZZZZZ	1A226629.D	09/30/22	20:32	09:50	(unrelated sample)
ZZZZZZ	1A226630.D	09/30/22	20:55	10:13	(unrelated sample)
ZZZZZZ	1A226631.D	09/30/22	21:19	10:37	(unrelated sample)

Instrument Performance Check (BFB)

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample:	V1A9705-BFB	**Injection Date:**	09/30/22
Lab File ID:	1A226605.D	**Injection Time:**	10:42
Instrument ID:	GCMS1A		

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
ZZZZZZ	1A226632.D	09/30/22	21:43	11:01	(unrelated sample)
ZZZZZZ	1A226633.D	09/30/22	22:07	11:25	(unrelated sample)

Instrument Performance Check (BFB)

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V1X8636-BFB
Lab File ID: 1X200546.D
Instrument ID: GCMS1X
Injection Date: 09/28/22
Injection Time: 20:11

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	15.0 - 40.0% of mass 95	34122	21.5		Pass
75	30.0 - 60.0% of mass 95	76093	47.9		Pass
95	Base peak, 100% relative abundance	158920	100.0		Pass
96	5.0 - 9.0% of mass 95	10654	6.70		Pass
173	Less than 2.0% of mass 174	0	0.00	(0.00) [a]	Pass
174	50.0 - 120.0% of mass 95	143600	90.4		Pass
175	5.0 - 9.0% of mass 174	10847	6.83	(7.55) [a]	Pass
176	95.0 - 101.0% of mass 174	138637	87.2	(96.5) [a]	Pass
177	5.0 - 9.0% of mass 176	9314	5.86	(6.72) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V1X8636-IC8636	1X200548.D	09/28/22	21:15	01:04	Initial cal 0.2
V1X8636-IC8636	1X200550.D	09/28/22	21:47	01:36	Initial cal 0.5
V1X8636-IC8636	1X200552.D	09/28/22	22:23	02:12	Initial cal 1
V1X8636-IC8636	1X200554.D	09/28/22	23:00	02:49	Initial cal 2
V1X8636-IC8636	1X200556.D	09/28/22	23:36	03:25	Initial cal 4
V1X8636-IC8636	1X200558.D	09/29/22	00:12	04:01	Initial cal 8
V1X8636-IC8636	1X200560.D	09/29/22	00:48	04:37	Initial cal 20
V1X8636-ICC8636	1X200562.D	09/29/22	01:25	05:14	Initial cal 50
V1X8636-IC8636	1X200564.D	09/29/22	02:01	05:50	Initial cal 100
V1X8636-IC8636	1X200566.D	09/29/22	02:37	06:26	Initial cal 200
V1X8636-ICV8636	1X200572.D	09/29/22	04:25	08:14	Initial cal verification 50
V1X8636-ICV8636	1X200574.D	09/29/22	05:02	08:51	Initial cal verification 50

Instrument Performance Check (BFB)

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V1X8637-BFB
Lab File ID: 1X200580.D
Instrument ID: GCMS1X
Injection Date: 09/29/22
Injection Time: 10:06

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	15.0 - 40.0% of mass 95	33933	20.6		Pass
75	30.0 - 60.0% of mass 95	77451	47.1		Pass
95	Base peak, 100% relative abundance	164416	100.0		Pass
96	5.0 - 9.0% of mass 95	10956	6.66		Pass
173	Less than 2.0% of mass 174	0	0.00	(0.00) [a]	Pass
174	50.0 - 120.0% of mass 95	153515	93.4		Pass
175	5.0 - 9.0% of mass 174	11945	7.27	(7.78) [a]	Pass
176	95.0 - 101.0% of mass 174	147971	90.0	(96.4) [a]	Pass
177	5.0 - 9.0% of mass 176	9818	5.97	(6.64) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V1X8637-CC8636	1X200580.D	09/29/22	10:06	00:00	Continuing cal 20
V1X8637-BS	1X200581.D	09/29/22	10:34	00:28	Blank Spike
V1X8637-MB	1X200583.D	09/29/22	11:20	01:14	Method Blank
JD52594-1	1X200584.D	09/29/22	11:43	01:37	(used for QC only; not part of job JD52507)
JD52507-18	1X200585.D	09/29/22	12:06	02:00	MW-13C
ZZZZZZ	1X200586.D	09/29/22	12:30	02:24	(unrelated sample)
ZZZZZZ	1X200587.D	09/29/22	12:53	02:47	(unrelated sample)
ZZZZZZ	1X200589.D	09/29/22	13:39	03:33	(unrelated sample)
ZZZZZZ	1X200590.D	09/29/22	14:03	03:57	(unrelated sample)
ZZZZZZ	1X200591.D	09/29/22	14:26	04:20	(unrelated sample)
ZZZZZZ	1X200592.D	09/29/22	14:49	04:43	(unrelated sample)
ZZZZZZ	1X200593.D	09/29/22	15:12	05:06	(unrelated sample)
ZZZZZZ	1X200594.D	09/29/22	15:36	05:30	(unrelated sample)
ZZZZZZ	1X200595.D	09/29/22	15:59	05:53	(unrelated sample)
JD52594-1MS	1X200596.D	09/29/22	16:22	06:16	Matrix Spike
JD52594-1MSD	1X200597.D	09/29/22	16:45	06:39	Matrix Spike Duplicate
JD52594-1	1X200598.D	09/29/22	17:08	07:02	(used for QC only; not part of job JD52507)
JD52507-19	1X200599.D	09/29/22	17:32	07:26	MW-5-100
ZZZZZZ	1X200600.D	09/29/22	17:55	07:49	(unrelated sample)
ZZZZZZ	1X200601.D	09/29/22	18:18	08:12	(unrelated sample)
JD52507-22	1X200602.D	09/29/22	18:41	08:35	MW-16-100
ZZZZZZ	1X200603.D	09/29/22	19:04	08:58	(unrelated sample)
ZZZZZZ	1X200604.D	09/29/22	19:28	09:22	(unrelated sample)
ZZZZZZ	1X200605.D	09/29/22	19:51	09:45	(unrelated sample)

Instrument Performance Check (BFB)

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample:	V1X8637-BFB	**Injection Date:**	09/29/22
Lab File ID:	1X200580.D	**Injection Time:**	10:06
Instrument ID:	GCMS1X		

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
ZZZZZZ	1X200606.D	09/29/22	20:14	10:08	(unrelated sample)
ZZZZZZ	1X200607.D	09/29/22	20:37	10:31	(unrelated sample)
ZZZZZZ	1X200608.D	09/29/22	21:01	10:55	(unrelated sample)
ZZZZZZ	1X200609.D	09/29/22	21:24	11:18	(unrelated sample)

Instrument Performance Check (BFB)

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V2A9511-BFB
Lab File ID: 2A218780.D
Instrument ID: GCMS2A
Injection Date: 07/31/22
Injection Time: 16:50

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	15.0 - 40.0% of mass 95	75120	25.4		Pass
75	30.0 - 60.0% of mass 95	147328	49.8		Pass
95	Base peak, 100% relative abundance	295616	100.0		Pass
96	5.0 - 9.0% of mass 95	20757	7.02		Pass
173	Less than 2.0% of mass 174	0	0.00	(0.00) [a]	Pass
174	50.0 - 120.0% of mass 95	260096	88.0		Pass
175	5.0 - 9.0% of mass 174	19904	6.73	(7.65) [a]	Pass
176	95.0 - 101.0% of mass 174	248768	84.2	(95.6) [a]	Pass
177	5.0 - 9.0% of mass 176	16468	5.57	(6.62) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V2A9511-IC9511	2A218781.D	07/31/22	17:23	00:33	Initial cal 0.2
V2A9511-IC9511	2A218782.D	07/31/22	17:51	01:01	Initial cal 0.5
V2A9511-IC9511	2A218783.D	07/31/22	18:19	01:29	Initial cal 1
V2A9511-IC9511	2A218784.D	07/31/22	18:48	01:58	Initial cal 2
V2A9511-IC9511	2A218785.D	07/31/22	19:16	02:26	Initial cal 4
V2A9511-IC9511	2A218786.D	07/31/22	19:44	02:54	Initial cal 8
V2A9511-IC9511	2A218787.D	07/31/22	20:13	03:23	Initial cal 20
V2A9511-ICC9511	2A218788.D	07/31/22	20:41	03:51	Initial cal 50
V2A9511-IC9511	2A218789.D	07/31/22	21:09	04:19	Initial cal 100
V2A9511-IC9511	2A218790.D	07/31/22	21:38	04:48	Initial cal 200
V2A9511-ICV9511	2A218793.D	07/31/22	23:03	06:13	Initial cal verification 50
V2A9511-ICV9511	2A218794.D	07/31/22	23:31	06:41	Initial cal verification 50

Instrument Performance Check (BFB)

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V2A9581-BFB
Lab File ID: 2A220390.D
Instrument ID: GCMS2A
Injection Date: 09/29/22
Injection Time: 09:13

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	15.0 - 40.0% of mass 95	69155	21.8		Pass
75	30.0 - 60.0% of mass 95	151467	47.7		Pass
95	Base peak, 100% relative abundance	317269	100.0		Pass
96	5.0 - 9.0% of mass 95	20589	6.49		Pass
173	Less than 2.0% of mass 174	687	0.22	(0.26) [a]	Pass
174	50.0 - 120.0% of mass 95	267157	84.2		Pass
175	5.0 - 9.0% of mass 174	19184	6.05	(7.18) [a]	Pass
176	95.0 - 101.0% of mass 174	259349	81.7	(97.1) [a]	Pass
177	5.0 - 9.0% of mass 176	16789	5.29	(6.47) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V2A9581-CC9511	2A220390.D	09/29/22	09:13	00:00	Continuing cal 20
V2A9581-BS	2A220392.D	09/29/22	10:19	01:06	Blank Spike
V2A9581-MB	2A220394.D	09/29/22	11:16	02:03	Method Blank
JD50917-15	2A220395.D	09/29/22	11:44	02:31	(used for QC only; not part of job JD52507)
ZZZZZZ	2A220396.D	09/29/22	12:13	03:00	(unrelated sample)
ZZZZZZ	2A220397.D	09/29/22	12:42	03:29	(unrelated sample)
JD52507-3	2A220398.D	09/29/22	13:11	03:58	MW-5-40
ZZZZZZ	2A220399.D	09/29/22	13:40	04:27	(unrelated sample)
JD50917-15MS	2A220400.D	09/29/22	14:08	04:55	Matrix Spike
JD50917-15MSD	2A220401.D	09/29/22	14:37	05:24	Matrix Spike Duplicate
ZZZZZZ	2A220402.D	09/29/22	15:06	05:53	(unrelated sample)
ZZZZZZ	2A220403.D	09/29/22	15:35	06:22	(unrelated sample)
ZZZZZZ	2A220405.D	09/29/22	16:32	07:19	(unrelated sample)
ZZZZZZ	2A220406.D	09/29/22	17:00	07:47	(unrelated sample)
ZZZZZZ	2A220407.D	09/29/22	17:29	08:16	(unrelated sample)
ZZZZZZ	2A220409.D	09/29/22	18:27	09:14	(unrelated sample)
ZZZZZZ	2A220410.D	09/29/22	18:56	09:43	(unrelated sample)
ZZZZZZ	2A220411.D	09/29/22	19:24	10:11	(unrelated sample)
ZZZZZZ	2A220412.D	09/29/22	19:53	10:40	(unrelated sample)

Instrument Performance Check (BFB)

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V2A9583-BFB
Lab File ID: 2A220438.D
Instrument ID: GCMS2A
Injection Date: 09/30/22
Injection Time: 09:16

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	15.0 - 40.0% of mass 95	80456	21.7		Pass
75	30.0 - 60.0% of mass 95	180032	48.5		Pass
95	Base peak, 100% relative abundance	371435	100.0		Pass
96	5.0 - 9.0% of mass 95	25032	6.74		Pass
173	Less than 2.0% of mass 174	1906	0.51	(0.60) [a]	Pass
174	50.0 - 120.0% of mass 95	315563	85.0		Pass
175	5.0 - 9.0% of mass 174	24317	6.55	(7.71) [a]	Pass
176	95.0 - 101.0% of mass 174	310720	83.7	(98.5) [a]	Pass
177	5.0 - 9.0% of mass 176	20520	5.52	(6.60) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V2A9583-CC9511	2A220438.D	09/30/22	09:16	00:00	Continuing cal 20
V2A9583-BS	2A220440.D	09/30/22	10:21	01:05	Blank Spike
V2A9583-MB	2A220442.D	09/30/22	11:18	02:02	Method Blank
JD52507-12	2A220444.D	09/30/22	12:15	02:59	MW-50-160D
JD52507-13	2A220446.D	09/30/22	13:12	03:56	MW-092022
JD52514-12	2A220447.D	09/30/22	13:40	04:24	(used for QC only; not part of job JD52507)
JD52514-12	2A220449.D	09/30/22	14:37	05:21	(used for QC only; not part of job JD52507)
ZZZZZZ	2A220450.D	09/30/22	15:06	05:50	(unrelated sample)
JD52514-12MS	2A220451.D	09/30/22	15:35	06:19	Matrix Spike
JD52514-12MSD	2A220452.D	09/30/22	16:03	06:47	Matrix Spike Duplicate
ZZZZZZ	2A220454.D	09/30/22	17:01	07:45	(unrelated sample)
ZZZZZZ	2A220455.D	09/30/22	17:30	08:14	(unrelated sample)
ZZZZZZ	2A220456.D	09/30/22	17:58	08:42	(unrelated sample)

Instrument Performance Check (BFB)

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V2V3747-BFB
Lab File ID: 2V92136.D
Instrument ID: GCMS2V
Injection Date: 09/11/22
Injection Time: 14:53

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	15.0 - 40.0% of mass 95	27517	20.1		Pass
75	30.0 - 60.0% of mass 95	71051	51.9		Pass
95	Base peak, 100% relative abundance	136912	100.0		Pass
96	5.0 - 9.0% of mass 95	9133	6.67		Pass
173	Less than 2.0% of mass 174	1406	1.03	(1.02) [a]	Pass
174	50.0 - 120.0% of mass 95	137259	100.3		Pass
175	5.0 - 9.0% of mass 174	10650	7.78	(7.76) [a]	Pass
176	95.0 - 101.0% of mass 174	136979	100.0	(99.8) [a]	Pass
177	5.0 - 9.0% of mass 176	9176	6.70	(6.70) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V2V3747-IC3747	2V92138.D	09/11/22	15:36	00:43	Initial cal 0.2
V2V3747-IC3747	2V92140.D	09/11/22	16:05	01:12	Initial cal 0.5
V2V3747-IC3747	2V92142.D	09/11/22	16:35	01:42	Initial cal 1
V2V3747-IC3747	2V92144.D	09/11/22	17:04	02:11	Initial cal 2
V2V3747-IC3747	2V92146.D	09/11/22	17:33	02:40	Initial cal 4
V2V3747-IC3747	2V92148.D	09/11/22	18:02	03:09	Initial cal 8
V2V3747-IC3747	2V92150.D	09/11/22	18:32	03:39	Initial cal 20
V2V3747-ICC3747	2V92152.D	09/11/22	19:01	04:08	Initial cal 50
V2V3747-IC3747	2V92154.D	09/11/22	19:30	04:37	Initial cal 100
V2V3747-IC3747	2V92156.D	09/11/22	20:00	05:07	Initial cal 200
V2V3747-ICV3747	2V92162.D	09/11/22	21:28	06:35	Initial cal verification 50
V2V3747-ICV3747	2V92164.D	09/11/22	21:57	07:04	Initial cal verification 50

Instrument Performance Check (BFB)

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V2V3773-BFB
Lab File ID: 2V92880.D
Instrument ID: GCMS2V
Injection Date: 09/27/22
Injection Time: 21:00

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	15.0 - 40.0% of mass 95	23805	22.1		Pass
75	30.0 - 60.0% of mass 95	58853	54.6		Pass
95	Base peak, 100% relative abundance	107864	100.0		Pass
96	5.0 - 9.0% of mass 95	7368	6.83		Pass
173	Less than 2.0% of mass 174	1322	1.23	(1.26) [a]	Pass
174	50.0 - 120.0% of mass 95	105272	97.6		Pass
175	5.0 - 9.0% of mass 174	8354	7.74	(7.94) [a]	Pass
176	95.0 - 101.0% of mass 174	105992	98.3	(100.7) [a]	Pass
177	5.0 - 9.0% of mass 176	7017	6.51	(6.62) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V2V3773-CC3747	2V92880.D	09/27/22	21:00	00:00	Continuing cal 50
V2V3773-BS	2V92882.D	09/27/22	21:47	00:47	Blank Spike
V2V3773-MB	2V92884.D	09/27/22	22:33	01:33	Method Blank
JD52507-6	2V92885.D	09/27/22	22:57	01:57	EXB-10
JD52507-6MS	2V92886.D	09/27/22	23:20	02:20	Matrix Spike
JD52507-6MSD	2V92887.D	09/27/22	23:43	02:43	Matrix Spike Duplicate
JD52507-2	2V92889.D	09/28/22	00:30	03:30	EB-091922
ZZZZZZ	2V92890.D	09/28/22	00:53	03:53	(unrelated sample)
JD52507-1	2V92891.D	09/28/22	01:16	04:16	EXB-9
JD52507-3	2V92892.D	09/28/22	01:39	04:39	MW-5-40
JD52507-4	2V92893.D	09/28/22	02:03	05:03	MW-5-25
JD52507-5	2V92894.D	09/28/22	02:26	05:26	MW-8B
JD52507-7	2V92895.D	09/28/22	02:49	05:49	MW-32B
ZZZZZZ	2V92899.D	09/28/22	04:22	07:22	(unrelated sample)
ZZZZZZ	2V92900.D	09/28/22	04:45	07:45	(unrelated sample)
ZZZZZZ	2V92901.D	09/28/22	05:09	08:09	(unrelated sample)
ZZZZZZ	2V92902.D	09/28/22	05:32	08:32	(unrelated sample)
ZZZZZZ	2V92903.D	09/28/22	05:55	08:55	(unrelated sample)
ZZZZZZ	2V92904.D	09/28/22	06:18	09:18	(unrelated sample)
ZZZZZZ	2V92905.D	09/28/22	06:42	09:42	(unrelated sample)
ZZZZZZ	2V92906.D	09/28/22	07:05	10:05	(unrelated sample)
ZZZZZZ	2V92907.D	09/28/22	07:28	10:28	(unrelated sample)

Instrument Performance Check (BFB)

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V2V3777-BFB
Lab File ID: 2V93000.D
Instrument ID: GCMS2V
Injection Date: 09/29/22
Injection Time: 21:38

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	15.0 - 40.0% of mass 95	24531	22.8		Pass
75	30.0 - 60.0% of mass 95	58573	54.4		Pass
95	Base peak, 100% relative abundance	107768	100.0		Pass
96	5.0 - 9.0% of mass 95	7341	6.81		Pass
173	Less than 2.0% of mass 174	1002	0.93	(0.93) [a]	Pass
174	50.0 - 120.0% of mass 95	107731	100.0		Pass
175	5.0 - 9.0% of mass 174	8516	7.90	(7.90) [a]	Pass
176	95.0 - 101.0% of mass 174	107051	99.3	(99.4) [a]	Pass
177	5.0 - 9.0% of mass 176	6955	6.45	(6.50) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V2V3777-CC3747	2V93000.D	09/29/22	21:38	00:00	Continuing cal 50
V2V3777-BS	2V93002.D	09/29/22	22:25	00:47	Blank Spike
V2V3777-MB	2V93004.D	09/29/22	23:11	01:33	Method Blank
JD52507-10	2V93005.D	09/29/22	23:35	01:57	MW-46-72C
JD52507-10MS	2V93006.D	09/29/22	23:58	02:20	Matrix Spike
JD52507-10MSD	2V93007.D	09/30/22	00:21	02:43	Matrix Spike Duplicate
JD52507-14	2V93009.D	09/30/22	01:08	03:30	EB-092022
JD52507-23	2V93010.D	09/30/22	01:31	03:53	EB-092222
JD52507-33	2V93011.D	09/30/22	01:54	04:16	EB-092222
JD52507-36	2V93012.D	09/30/22	02:17	04:39	TRIP BLANK
JD52507-9	2V93013.D	09/30/22	02:41	05:03	MW-36B
JD52507-11	2V93014.D	09/30/22	03:04	05:26	MW-46-43C
JD52507-12	2V93015.D	09/30/22	03:27	05:49	MW-50-160D
JD52507-13	2V93016.D	09/30/22	03:50	06:12	MW-092022
JD52507-24	2V93017.D	09/30/22	04:14	06:36	MW-18A
JD52507-25	2V93018.D	09/30/22	04:37	06:59	MW-8-40
JD52507-26	2V93019.D	09/30/22	05:00	07:22	MW-22B
JD52507-27	2V93020.D	09/30/22	05:23	07:45	MW-1B
JD52507-28	2V93021.D	09/30/22	05:46	08:08	MW-092222
JD52507-29	2V93022.D	09/30/22	06:09	08:31	MW-2B
JD52507-30	2V93023.D	09/30/22	06:32	08:54	MW-3B
JD52507-31	2V93024.D	09/30/22	06:55	09:17	MW-5B

Instrument Performance Check (BFB)

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: V2V3782-BFB
Lab File ID: 2V93125.D
Instrument ID: GCMS2V
Injection Date: 10/03/22
Injection Time: 11:49

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	15.0 - 40.0% of mass 95	25920	22.2		Pass
75	30.0 - 60.0% of mass 95	63240	54.3		Pass
95	Base peak, 100% relative abundance	116496	100.0		Pass
96	5.0 - 9.0% of mass 95	7982	6.85		Pass
173	Less than 2.0% of mass 174	1457	1.25	(1.30) [a]	Pass
174	50.0 - 120.0% of mass 95	111837	96.0		Pass
175	5.0 - 9.0% of mass 174	9089	7.80	(8.13) [a]	Pass
176	95.0 - 101.0% of mass 174	110755	95.1	(99.0) [a]	Pass
177	5.0 - 9.0% of mass 176	7611	6.53	(6.87) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
V2V3782-CC3747	2V93125.D	10/03/22	11:49	00:00	Continuing cal 20
V2V3782-BS	2V93126.D	10/03/22	12:18	00:29	Blank Spike
V2V3782-MB	2V93128.D	10/03/22	13:04	01:15	Method Blank
ZZZZZZ	2V93129.D	10/03/22	13:28	01:39	(unrelated sample)
JD52507-31	2V93130.D	10/03/22	13:51	02:02	MW-5B
JD52507-30	2V93131.D	10/03/22	14:14	02:25	MW-3B
ZZZZZZ	2V93132.D	10/03/22	14:37	02:48	(unrelated sample)
JD52730-7	2V93134.D	10/03/22	15:24	03:35	(used for QC only; not part of job JD52507)
ZZZZZZ	2V93135.D	10/03/22	15:47	03:58	(unrelated sample)
JD52507-32	2V93136.D	10/03/22	16:10	04:21	MW-17-40
JD52507-34	2V93137.D	10/03/22	16:33	04:44	MW-26A
ZZZZZZ	2V93138.D	10/03/22	16:57	05:08	(unrelated sample)
ZZZZZZ	2V93139.D	10/03/22	17:20	05:31	(unrelated sample)
JD52730-7MS	2V93140.D	10/03/22	17:43	05:54	Matrix Spike
JD52730-7MSD	2V93141.D	10/03/22	18:07	06:18	Matrix Spike Duplicate
JD52507-30	2V93142.D	10/03/22	18:30	06:41	MW-3B
ZZZZZZ	2V93144.D	10/03/22	19:16	07:27	(unrelated sample)
ZZZZZZ	2V93145.D	10/03/22	19:39	07:50	(unrelated sample)
JD52507-35	2V93146.D	10/03/22	20:03	08:14	MW-25A
ZZZZZZ	2V93147.D	10/03/22	20:26	08:37	(unrelated sample)
ZZZZZZ	2V93148.D	10/03/22	20:49	09:00	(unrelated sample)
ZZZZZZ	2V93149.D	10/03/22	21:13	09:24	(unrelated sample)
ZZZZZZ	2V93150.D	10/03/22	21:36	09:47	(unrelated sample)
ZZZZZZ	2V93151.D	10/03/22	21:59	10:10	(unrelated sample)

Instrument Performance Check (BFB)

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample:	V2V3782-BFB	**Injection Date:**	10/03/22
Lab File ID:	2V93125.D	**Injection Time:**	11:49
Instrument ID:	GCMS2V		

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
ZZZZZZ	2V93152.D	10/03/22	22:23	10:34	(unrelated sample)

Instrument Performance Check (BFB)

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: VL10355-BFB
Lab File ID: L342967.D
Instrument ID: GCMSL
Injection Date: 06/15/22
Injection Time: 16:00

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	15.0 - 40.0% of mass 95	15125	15.4		Pass
75	30.0 - 60.0% of mass 95	48661	49.4		Pass
95	Base peak, 100% relative abundance	98445	100.0		Pass
96	5.0 - 9.0% of mass 95	6625	6.73		Pass
173	Less than 2.0% of mass 174	0	0.00	(0.00) [a]	Pass
174	50.0 - 120.0% of mass 95	66648	67.7		Pass
175	5.0 - 9.0% of mass 174	5157	5.24	(7.74) [a]	Pass
176	95.0 - 101.0% of mass 174	64099	65.1	(96.2) [a]	Pass
177	5.0 - 9.0% of mass 176	3835	3.90	(5.98) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
VL10355-IC10355	L342968.D	06/15/22	16:25	00:25	Initial cal 0.2
VL10355-IC10355	L342969.D	06/15/22	16:48	00:48	Initial cal 0.5
VL10355-IC10355	L342970.D	06/15/22	17:11	01:11	Initial cal 1
VL10355-IC10355	L342971.D	06/15/22	17:35	01:35	Initial cal 2
VL10355-IC10355	L342972.D	06/15/22	17:58	01:58	Initial cal 4
VL10355-IC10355	L342973.D	06/15/22	18:22	02:22	Initial cal 8
VL10355-IC10355	L342974.D	06/15/22	18:45	02:45	Initial cal 20
VL10355-ICC10355	L342975.D	06/15/22	19:09	03:09	Initial cal 50
VL10355-IC10355	L342976.D	06/15/22	19:32	03:32	Initial cal 100
VL10355-IC10355	L342977.D	06/15/22	19:56	03:56	Initial cal 200
VL10355-ICV10355	L342980.D	06/15/22	21:06	05:06	Initial cal verification 50
VL10355-ICV10355	L342981.D	06/15/22	21:29	05:29	Initial cal verification 50

Instrument Performance Check (BFB)

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample:	VL10355-BFB2	**Injection Date:**	06/16/22
Lab File ID:	L342984.D	**Injection Time:**	09:43
Instrument ID:	GCMSL		

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	15.0 - 40.0% of mass 95	14743	15.8		Pass
75	30.0 - 60.0% of mass 95	47061	50.6		Pass
95	Base peak, 100% relative abundance	93093	100.0		Pass
96	5.0 - 9.0% of mass 95	6458	6.94		Pass
173	Less than 2.0% of mass 174	176	0.19	(0.27) [a]	Pass
174	50.0 - 120.0% of mass 95	64179	68.9		Pass
175	5.0 - 9.0% of mass 174	4737	5.09	(7.38) [a]	Pass
176	95.0 - 101.0% of mass 174	62803	67.5	(97.9) [a]	Pass
177	5.0 - 9.0% of mass 176	4165	4.47	(6.63) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
VL10355-ICV10355	L342985.D	06/16/22	10:06	00:23	Initial cal verification 50

Instrument Performance Check (BFB)

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Sample: VL10519-BFB
Lab File ID: L347829.D
Instrument ID: GCMSL
Injection Date: 10/04/22
Injection Time: 10:21

m/e	Ion Abundance Criteria	Raw Abundance	% Relative Abundance		Pass/Fail
50	15.0 - 40.0% of mass 95	14688	15.4		Pass
75	30.0 - 60.0% of mass 95	43632	45.8		Pass
95	Base peak, 100% relative abundance	95365	100.0		Pass
96	5.0 - 9.0% of mass 95	6660	6.98		Pass
173	Less than 2.0% of mass 174	0	0.00	(0.00) [a]	Pass
174	50.0 - 120.0% of mass 95	68787	72.1		Pass
175	5.0 - 9.0% of mass 174	5286	5.54	(7.68) [a]	Pass
176	95.0 - 101.0% of mass 174	67405	70.7	(98.0) [a]	Pass
177	5.0 - 9.0% of mass 176	4530	4.75	(6.72) [b]	Pass

(a) Value is % of mass 174
(b) Value is % of mass 176

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
VL10519-CC10355	L347829.D	10/04/22	10:21	00:00	Continuing cal 20
VL10519-BS	L347831.D	10/04/22	11:19	00:58	Blank Spike
VL10519-BSD	L347832.D	10/04/22	11:42	01:21	Blank Spike Duplicate
VL10519-MB	L347834.D	10/04/22	12:29	02:08	Method Blank
JD52507-37	L347836.D	10/04/22	13:25	03:04	EXB-11
JD52507-37	L347837.D	10/04/22	13:48	03:27	EXB-11
ZZZZZZ	L347838.D	10/04/22	14:11	03:50	(unrelated sample)
ZZZZZZ	L347839.D	10/04/22	14:34	04:13	(unrelated sample)
ZZZZZZ	L347840.D	10/04/22	14:58	04:37	(unrelated sample)
ZZZZZZ	L347841.D	10/04/22	15:21	05:00	(unrelated sample)
ZZZZZZ	L347842.D	10/04/22	15:44	05:23	(unrelated sample)
ZZZZZZ	L347843.D	10/04/22	16:07	05:46	(unrelated sample)
ZZZZZZ	L347844.D	10/04/22	16:31	06:10	(unrelated sample)
ZZZZZZ	L347845.D	10/04/22	16:54	06:33	(unrelated sample)
ZZZZZZ	L347846.D	10/04/22	17:17	06:56	(unrelated sample)
JD52507-37MS	L347847.D	10/04/22	17:40	07:19	Matrix Spike
JD52507-37MSD	L347848.D	10/04/22	18:03	07:42	Matrix Spike Duplicate
ZZZZZZ	L347850.D	10/04/22	18:50	08:29	(unrelated sample)
ZZZZZZ	L347851.D	10/04/22	19:13	08:52	(unrelated sample)
ZZZZZZ	L347852.D	10/04/22	19:36	09:15	(unrelated sample)
ZZZZZZ	L347853.D	10/04/22	20:00	09:39	(unrelated sample)
ZZZZZZ	L347854.D	10/04/22	20:23	10:02	(unrelated sample)
ZZZZZZ	L347858.D	10/04/22	21:56	11:35	(unrelated sample)

Internal Standard Area Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Check Std:	V1A9698-CC9688	**Injection Date:**	09/27/22
Lab File ID:	1A226430.D	**Injection Time:**	09:36
Instrument ID:	GCMS1A	**Method:**	SW846 8260D

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
Check Std	232944	2.92	525323	3.93	769721	4.40	668715	6.29	274586	7.84
Upper Limit [a]	465888	3.42	1050646	4.43	1539442	4.90	1337430	6.79	549172	8.34
Lower Limit [b]	116472	2.42	262662	3.43	384861	3.90	334358	5.79	137293	7.34

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
V1A9698-BS	242635	2.92	531290	3.93	787935	4.40	712152	6.29	298500	7.84
V1A9698-MB	249114	2.91	535409	3.93	753518	4.40	635616	6.29	258091	7.84
ZZZZZZ	266707	2.92	602051	3.94	834602	4.40	688405	6.29	258812	7.84
ZZZZZZ	264279	2.92	536163	3.93	770625	4.40	651600	6.29	260605	7.84
ZZZZZZ	241445	2.92	523466	3.94	741568	4.40	622060	6.29	254607	7.84
JD52310-3	286961	2.92	515922	3.93	740809	4.40	632399	6.29	255917	7.84
ZZZZZZ	269889	2.92	507564	3.93	725552	4.40	612909	6.29	248013	7.84
ZZZZZZ	261272	2.92	502117	3.94	730666	4.40	620494	6.29	249056	7.84
ZZZZZZ	273802	2.92	515166	3.94	738688	4.40	626061	6.29	250723	7.84
ZZZZZZ	274931	2.92	506533	3.94	756373	4.40	672074	6.29	309922	7.84
JD52310-3MS	284980	2.92	569489	3.93	838923	4.40	750403	6.29	310518	7.84
JD52310-3MSD	285954	2.92	543729	3.94	806911	4.40	721884	6.29	301796	7.84
ZZZZZZ	283533	2.92	524638	3.94	752409	4.40	646928	6.29	257211	7.84
ZZZZZZ	280488	2.92	535341	3.94	770208	4.40	660241	6.29	266541	7.84
ZZZZZZ	272999	2.92	514984	3.94	731180	4.40	627881	6.29	250235	7.84
JD52507-15	261109	2.92	500749	3.94	723474	4.40	615811	6.29	245276	7.84
JD52507-16	276705	2.91	496183	3.93	708608	4.40	615191	6.29	244501	7.84
JD52507-17	262948	2.92	496747	3.94	710029	4.40	614276	6.29	252127	7.84
JD52507-18	262469	2.91	468253	3.94	700339	4.40	600997	6.29	245936	7.84
JD52507-20	251570	2.92	489302	3.94	702569	4.40	588630	6.29	227750	7.84
JD52507-21	238785	2.92	476766	3.93	711250	4.40	597814	6.29	234003	7.84
ZZZZZZ	249378	2.92	500089	3.94	711921	4.40	600324	6.29	285893	7.84

IS 1 = Tert Butyl Alcohol-D9
IS 2 = Pentafluorobenzene
IS 3 = 1,4-Difluorobenzene
IS 4 = Chlorobenzene-D5
IS 5 = 1,4-Dichlorobenzene-d4

(a) Upper Limit = + 100% of check standard area; Retention time + 0.5 minutes.
(b) Lower Limit = -50% of check standard area; Retention time -0.5 minutes.

Internal Standard Area Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Check Std:	V1A9705-CC9688	**Injection Date:**	09/30/22
Lab File ID:	1A226605.D	**Injection Time:**	10:42
Instrument ID:	GCMS1A	**Method:**	SW846 8260D

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
Check Std	253903	2.92	489763	3.93	719250	4.40	626257	6.29	250966	7.84
Upper Limit [a]	507806	3.42	979526	4.43	1438500	4.90	1252514	6.79	501932	8.34
Lower Limit [b]	126952	2.42	244882	3.43	359625	3.90	313129	5.79	125483	7.34

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
V1A9704-BS2	217845	2.92	456630	3.93	689951	4.40	609942	6.29	242381	7.84
V1A9705-BS	217845	2.92	456630	3.93	689951	4.40	609942	6.29	242381	7.84
V1A9704-MB2	205892	2.92	465545	3.94	656905	4.40	551295	6.29	213217	7.84
V1A9705-MB	205892	2.92	465545	3.94	656905	4.40	551295	6.29	213217	7.84
JD52667-3DUP	194196	2.92	453593	3.93	653762	4.40	545527	6.29	210649	7.84
ZZZZZZ	197210	2.92	446452	3.94	652165	4.40	550236	6.29	210128	7.84
ZZZZZZ	194053	2.92	425898	3.94	619474	4.40	527610	6.29	203202	7.84
JD52507-10 [c]	207860	2.92	419297	3.93	424623	4.40	551439	6.29	209853	7.84
JD52507-8	213080	2.91	441314	3.93	660227	4.40	551414	6.29	206661	7.84
ZZZZZZ	227741	2.92	443054	3.93	629567	4.40	532756	6.29	200732	7.84
ZZZZZZ	208653	2.91	433787	3.93	627445	4.40	528809	6.29	200469	7.84
JD52507-8	224579	2.92	425197	3.93	615758	4.40	523619	6.29	180153	7.84
JD52507-10	223540	2.92	426481	3.93	624692	4.40	528577	6.29	200139	7.84
JD52624-3	208825	2.91	429548	3.93	619885	4.40	523613	6.29	196829	7.84
JD52624-3MS	170612	2.91	448671	3.93	675981	4.40	606677	6.29	243018	7.84
JD52624-3MSD	185202	2.92	476113	3.93	689311	4.40	623825	6.29	243269	7.84
ZZZZZZ	196636	2.92	457386	3.93	658642	4.40	549952	6.29	210435	7.84
ZZZZZZ	191519	2.92	461495	3.94	666744	4.40	552093	6.29	208076	7.84
ZZZZZZ	198535	2.91	427088	3.94	620369	4.40	509505	6.29	190656	7.84
ZZZZZZ	203393	2.92	443734	3.94	635832	4.40	530788	6.29	198112	7.84
ZZZZZZ	188846	2.92	431573	3.94	631403	4.40	531955	6.29	197960	7.84
ZZZZZZ	189042	2.92	419504	3.93	627063	4.40	528992	6.29	198538	7.84
ZZZZZZ	176093	2.92	424595	3.94	611525	4.40	508256	6.29	194184	7.84
ZZZZZZ	188757	2.92	432913	3.94	638230	4.40	532408	6.29	199100	7.84
ZZZZZZ	188459	2.92	440188	3.93	639215	4.40	565832	6.29	243296	7.84

IS 1 = Tert Butyl Alcohol-D9
IS 2 = Pentafluorobenzene
IS 3 = 1,4-Difluorobenzene
IS 4 = Chlorobenzene-D5
IS 5 = 1,4-Dichlorobenzene-d4

(a) Upper Limit = + 100% of check standard area; Retention time + 0.5 minutes.
(b) Lower Limit = -50% of check standard area; Retention time -0.5 minutes.
(c) Dilution required due to high concentration of target compound.

Internal Standard Area Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Check Std:	V1X8637-CC8636	**Injection Date:**	09/29/22
Lab File ID:	1X200580.D	**Injection Time:**	10:06
Instrument ID:	GCMS1X	**Method:**	SW846 8260D

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
Check Std	400214	2.43	434580	3.50	604917	4.00	559026	6.07	280010	7.88
Upper Limit [a]	800428	2.93	869160	4.00	1209834	4.50	1118052	6.57	560020	8.38
Lower Limit [b]	200107	1.93	217290	3.00	302459	3.50	279513	5.57	140005	7.38

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
V1X8637-BS	394035	2.44	438607	3.51	604941	4.00	565715	6.07	283962	7.88
V1X8637-MB	360446	2.43	420735	3.51	579189	4.00	530291	6.07	264239	7.88
JD52594-1	358544	2.44	417566	3.51	579580	4.00	534214	6.07	268785	7.88
JD52507-18	347512	2.44	407891	3.51	569573	4.00	522911	6.07	259572	7.88
ZZZZZZ	366099	2.44	423514	3.51	586823	4.00	538242	6.07	266025	7.88
ZZZZZZ	365662	2.43	417897	3.50	574956	4.00	534390	6.07	264983	7.88
ZZZZZZ	389735	2.44	423353	3.51	589389	4.00	539399	6.07	269206	7.88
ZZZZZZ	371402	2.44	431653	3.51	597668	4.00	547672	6.07	274145	7.88
ZZZZZZ	369524	2.44	411551	3.51	572682	4.00	528561	6.07	261637	7.88
ZZZZZZ	361898	2.44	409196	3.51	576447	4.00	528013	6.07	262640	7.88
ZZZZZZ	355092	2.44	407343	3.51	568846	4.00	522920	6.07	257945	7.88
ZZZZZZ	369753	2.44	420198	3.51	587484	4.00	542443	6.07	268735	7.88
ZZZZZZ	371160	2.44	412015	3.51	573514	4.00	526009	6.07	261686	7.88
JD52594-1MS [c]	410176	2.44	439969	3.51	610638	4.00	571251	6.07	282949	7.88
JD52594-1MSD [c]	398841	2.44	440207	3.51	602989	4.00	564501	6.07	279793	7.88
JD52594-1	378960	2.44	433449	3.51	601122	4.00	553269	6.07	273906	7.88
JD52507-19	395564	2.44	428853	3.51	599338	4.00	549629	6.07	269583	7.88
ZZZZZZ	366110	2.44	429110	3.51	593846	4.00	547950	6.07	269784	7.88
ZZZZZZ	362277	2.44	415954	3.51	579518	4.00	530912	6.07	261527	7.88
JD52507-22	402834	2.44	436374	3.51	605667	4.00	561581	6.07	276666	7.88
ZZZZZZ	364260	2.44	421787	3.51	586099	4.00	540168	6.07	265270	7.88
ZZZZZZ	369414	2.44	416532	3.51	574990	4.00	528489	6.07	265672	7.88
ZZZZZZ	363037	2.44	422302	3.51	582127	4.00	536648	6.07	263063	7.88
ZZZZZZ	371077	2.44	424396	3.51	590666	4.00	543860	6.07	267255	7.88
ZZZZZZ	370046	2.44	422414	3.51	587416	4.00	539787	6.07	267696	7.88
ZZZZZZ	372267	2.44	424934	3.51	578526	4.00	541681	6.07	266887	7.88
ZZZZZZ	357517	2.44	429694	3.51	586832	4.00	554122	6.07	299679	7.88

IS 1 = Tert Butyl Alcohol-D9
IS 2 = Pentafluorobenzene
IS 3 = 1,4-Difluorobenzene
IS 4 = Chlorobenzene-D5
IS 5 = 1,4-Dichlorobenzene-d4

(a) Upper Limit = + 100% of check standard area; Retention time + 0.5 minutes.

Internal Standard Area Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Check Std:	V1X8637-CC8636	**Injection Date:**	09/29/22
Lab File ID:	1X200580.D	**Injection Time:**	10:06
Instrument ID:	GCMS1X	**Method:**	SW846 8260D

Lab Sample ID	IS 1 AREA	IS 1 RT	IS 2 AREA	IS 2 RT	IS 3 AREA	IS 3 RT	IS 4 AREA	IS 4 RT	IS 5 AREA	IS 5 RT

(b) Lower Limit = -50% of check standard area; Retention time -0.5 minutes.
(c) (pH= 6) Sample pH did not satisfy field preservation criteria.

Internal Standard Area Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Check Std:	V2A9581-CC9511	**Injection Date:**	09/29/22
Lab File ID:	2A220390.D	**Injection Time:**	09:13
Instrument ID:	GCMS2A	**Method:**	SW846 8260D

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
Check Std	378078	7.24	690934	9.51	1042793	10.43	969973	13.56	478807	15.89
Upper Limit [a]	756156	7.74	1381868	10.01	2085586	10.93	1939946	14.06	957614	16.39
Lower Limit [b]	189039	6.74	345467	9.01	521397	9.93	484987	13.06	239404	15.39

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
V2A9581-BS	403428	7.25	713019	9.51	1075602	10.44	985341	13.56	491517	15.89
V2A9581-MB	425003	7.25	700235	9.51	1059029	10.43	1002793	13.56	483091	15.89
JD50917-15	432030	7.25	694751	9.51	1042349	10.43	992556	13.56	468256	15.89
ZZZZZZ	422092	7.24	699627	9.51	1052955	10.43	1002939	13.56	475618	15.89
ZZZZZZ	433997	7.26	705039	9.51	1060451	10.43	1010401	13.56	477132	15.89
JD52507-3 [c]	443314	7.25	682677	9.51	1029103	10.43	988712	13.56	470514	15.89
ZZZZZZ	443314	7.25	701760	9.51	1056968	10.43	1025299	13.56	484289	15.89
JD50917-15MS	453152	7.24	714820	9.51	1074103	10.43	1002242	13.56	498946	15.89
JD50917-15MSD	457373	7.25	719279	9.51	1082629	10.43	1014988	13.56	505297	15.89
ZZZZZZ	475039	7.24	728386	9.51	1103266	10.43	1050499	13.56	504097	15.89
ZZZZZZ	452813	7.25	724395	9.51	1092720	10.43	1045097	13.56	501136	15.89
ZZZZZZ	460773	7.25	723884	9.51	1096819	10.43	1053997	13.56	498054	15.89
ZZZZZZ	464605	7.24	735028	9.51	1108429	10.43	1060237	13.56	514169	15.89
ZZZZZZ	469254	7.25	718017	9.51	1089497	10.43	1052465	13.56	505457	15.89
ZZZZZZ	463964	7.25	723501	9.51	1094073	10.43	1061773	13.56	506566	15.89
ZZZZZZ	454569	7.25	722979	9.51	1107115	10.43	1081678	13.56	516281	15.89
ZZZZZZ	454692	7.24	707955	9.51	1074439	10.43	1057402	13.56	502945	15.89
ZZZZZZ	454927	7.25	721912	9.51	1109114	10.43	1087601	13.56	504606	15.89

IS 1 = Tert Butyl Alcohol-D9
IS 2 = Pentafluorobenzene
IS 3 = 1,4-Difluorobenzene
IS 4 = Chlorobenzene-D5
IS 5 = 1,4-Dichlorobenzene-d4

(a) Upper Limit = + 100% of check standard area; Retention time + 0.5 minutes.
(b) Lower Limit = -50% of check standard area; Retention time -0.5 minutes.
(c) Dilution required due to high concentration of target compound.

Internal Standard Area Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Check Std:	V2A9583-CC9511	**Injection Date:**	09/30/22
Lab File ID:	2A220438.D	**Injection Time:**	09:16
Instrument ID:	GCMS2A	**Method:**	SW846 8260D

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
Check Std	497683	7.25	738209	9.51	1143253	10.44	1159557	13.56	591306	15.89
Upper Limit [a]	995366	7.75	1476418	10.01	2286506	10.94	2319114	14.06	1182612	16.39
Lower Limit [b]	248842	6.75	369105	9.01	571627	9.94	579779	13.06	295653	15.39

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
V2A9583-BS	506821	7.25	750798	9.51	1166077	10.44	1159944	13.56	604684	15.89
V2A9583-MB	499433	7.25	738634	9.51	1157020	10.43	1184465	13.56	576964	15.89
JD52507-12	474861	7.25	724826	9.51	1140154	10.43	1186029	13.56	573382	15.89
JD52507-13	491791	7.25	716367	9.51	1127838	10.43	1176716	13.56	576537	15.89
JD52514-12	505469	7.25	732652	9.51	1148145	10.43	1199982	13.56	593514	15.89
JD52514-12	543649	7.25	751354	9.51	1182718	10.43	1224970	13.56	611807	15.89
ZZZZZZ	549009	7.25	722759	9.51	1136272	10.43	1196704	13.56	610216	15.89
JD52514-12MS	536246	7.25	767509	9.51	1211541	10.43	1228623	13.56	636196	15.89
JD52514-12MSD	531321	7.24	768609	9.51	1217767	10.43	1225838	13.56	642810	15.89
ZZZZZZ	568422	7.25	775907	9.51	1222693	10.43	1283487	13.56	648407	15.89
ZZZZZZ	573056	7.25	761541	9.51	1206653	10.43	1267564	13.56	653344	15.89
ZZZZZZ	587970	7.25	774608	9.51	1224916	10.43	1286824	13.56	673811	15.89

IS 1 = Tert Butyl Alcohol-D9
IS 2 = Pentafluorobenzene
IS 3 = 1,4-Difluorobenzene
IS 4 = Chlorobenzene-D5
IS 5 = 1,4-Dichlorobenzene-d4

(a) Upper Limit = + 100% of check standard area; Retention time + 0.5 minutes.
(b) Lower Limit = -50% of check standard area; Retention time -0.5 minutes.

Internal Standard Area Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Check Std:	V2V3773-CC3747	**Injection Date:**	09/27/22
Lab File ID:	2V92880.D	**Injection Time:**	21:00
Instrument ID:	GCMS2V	**Method:**	SW846 8260D

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
Check Std	266188	2.32	303124	3.29	422646	3.75	404640	5.73	187488	7.51
Upper Limit [a]	532376	2.82	606248	3.79	845292	4.25	809280	6.23	374976	8.01
Lower Limit [b]	133094	1.82	151562	2.79	211323	3.25	202320	5.23	93744	7.01

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
V2V3773-BS	269817	2.32	313434	3.29	443794	3.75	423995	5.73	189090	7.51
V2V3773-MB	254109	2.32	320623	3.29	442513	3.75	399908	5.73	179762	7.51
JD52507-6	244634	2.32	301852	3.29	416821	3.75	377006	5.73	170005	7.51
JD52507-6MS	241451	2.32	297064	3.29	417787	3.75	389047	5.73	176191	7.51
JD52507-6MSD	252931	2.33	302300	3.29	419559	3.75	400149	5.73	177571	7.51
JD52507-2	262754	2.32	309123	3.29	430501	3.75	390501	5.73	179945	7.51
ZZZZZZ	263385	2.32	317403	3.29	436588	3.75	399335	5.73	184321	7.51
JD52507-1	259115	2.32	304001	3.29	420891	3.75	386386	5.73	173568	7.51
JD52507-3	263141	2.32	302819	3.29	419684	3.75	387065	5.73	175763	7.50
JD52507-4	184804	2.32	297828	3.29	405152	3.75	370486	5.73	171437	7.51
JD52507-5	235540	2.32	296411	3.29	406433	3.75	371107	5.73	171921	7.51
JD52507-7	245320	2.32	294732	3.29	411000	3.75	373966	5.73	167973	7.51
ZZZZZZ	236035	2.32	306836	3.29	418745	3.75	375550	5.73	165630	7.50
ZZZZZZ	255167	2.32	309990	3.29	423710	3.75	390882	5.73	177282	7.51
ZZZZZZ	242837	2.32	304289	3.29	419421	3.75	381295	5.73	171271	7.51
ZZZZZZ	248593	2.32	308944	3.29	421390	3.75	390776	5.73	174616	7.51
ZZZZZZ	243432	2.32	301033	3.29	414692	3.75	381659	5.73	170595	7.51
ZZZZZZ	234018	2.32	302682	3.29	416115	3.75	375175	5.73	166370	7.50
ZZZZZZ	252092	2.32	300030	3.29	404593	3.75	377653	5.73	173133	7.51
ZZZZZZ	233973	2.32	303645	3.29	414943	3.75	377319	5.73	168665	7.51
ZZZZZZ	237283	2.32	299104	3.29	411936	3.75	375871	5.73	167159	7.50

IS 1 = Tert Butyl Alcohol-D9
IS 2 = Pentafluorobenzene
IS 3 = 1,4-Difluorobenzene
IS 4 = Chlorobenzene-D5
IS 5 = 1,4-Dichlorobenzene-d4

(a) Upper Limit = + 100% of check standard area; Retention time + 0.5 minutes.
(b) Lower Limit = -50% of check standard area; Retention time -0.5 minutes.

Internal Standard Area Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Check Std:	V2V3777-CC3747	**Injection Date:**	09/29/22
Lab File ID:	2V93000.D	**Injection Time:**	21:38
Instrument ID:	GCMS2V	**Method:**	SW846 8260D

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
Check Std	262413	2.32	309987	3.29	435465	3.75	414948	5.73	186492	7.51
Upper Limit [a]	524826	2.82	619974	3.79	870930	4.25	829896	6.23	372984	8.01
Lower Limit [b]	131207	1.82	154994	2.79	217733	3.25	207474	5.23	93246	7.01

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
V2V3777-BS	258604	2.33	314006	3.29	438273	3.75	417412	5.73	185006	7.51
V2V3777-MB	257981	2.32	311259	3.29	428986	3.75	395248	5.73	178389	7.51
JD52507-10 [c]	255317	2.32	306997	3.29	422066	3.75	392380	5.73	175796	7.51
JD52507-10MS	259728	2.32	309490	3.29	428017	3.75	407218	5.73	181836	7.51
JD52507-10MSD	277794	2.32	319267	3.29	439814	3.75	420026	5.73	187653	7.51
JD52507-14	286132	2.32	320942	3.29	444222	3.75	413502	5.73	189012	7.51
JD52507-23	265645	2.32	313491	3.29	434388	3.75	400699	5.73	183632	7.51
JD52507-33	253826	2.32	310857	3.29	429195	3.75	393212	5.73	179094	7.51
JD52507-36	258557	2.32	313694	3.29	431596	3.75	400272	5.73	181029	7.50
JD52507-9	255341	2.32	305342	3.29	422601	3.75	391473	5.73	173178	7.51
JD52507-11 [d]	268744	2.32	304114	3.29	419592	3.75	395174	5.73	182584	7.51
JD52507-12 [d]	240805	2.32	292583	3.29	413515	3.75	381604	5.73	174874	7.51
JD52507-13 [d]	225627	2.32	297501	3.29	415372	3.75	379520	5.73	171164	7.51
JD52507-24	266689	2.32	305957	3.29	423774	3.75	391702	5.73	178251	7.51
JD52507-25	207460	2.32	284123	3.29	393946	3.75	348659	5.73	157176	7.51
JD52507-26	271747	2.32	302797	3.29	416483	3.75	376258	5.73	168043	7.51
JD52507-27	270288	2.32	302087	3.29	415845	3.75	381258	5.73	170177	7.51
JD52507-28	257635	2.32	302396	3.29	417366	3.75	381602	5.73	166050	7.51
JD52507-29 [d]	272683	2.32	300290	3.29	419168	3.75	384321	5.73	173151	7.51
JD52507-30	268613	2.32	275233	3.29	397139	3.75	371038	5.73	166265	7.50
JD52507-31	261746	2.32	282017	3.29	399087	3.75	367940	5.73	164949	7.51

IS 1 = Tert Butyl Alcohol-D9
IS 2 = Pentafluorobenzene
IS 3 = 1,4-Difluorobenzene
IS 4 = Chlorobenzene-D5
IS 5 = 1,4-Dichlorobenzene-d4

(a) Upper Limit = + 100% of check standard area; Retention time + 0.5 minutes.
(b) Lower Limit = -50% of check standard area; Retention time -0.5 minutes.
(c) Sample used for QC purposes only.
(d) Dilution required due to high concentration of target compound.

Internal Standard Area Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Check Std:	V2V3782-CC3747	**Injection Date:**	10/03/22
Lab File ID:	2V93125.D	**Injection Time:**	11:49
Instrument ID:	GCMS2V	**Method:**	SW846 8260D

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
Check Std	295565	2.32	319636	3.29	459640	3.75	425642	5.73	192257	7.51
Upper Limit [a]	591130	2.82	639272	3.79	919280	4.25	851284	6.23	384514	8.01
Lower Limit [b]	147783	1.82	159818	2.79	229820	3.25	212821	5.23	96129	7.01

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
V2V3782-BS	279950	2.32	317246	3.29	459866	3.75	426030	5.73	184698	7.51
V2V3782-MB	287200	2.32	330941	3.29	475698	3.75	425303	5.73	182523	7.51
ZZZZZZ	290492	2.32	318271	3.29	461882	3.75	417761	5.73	178155	7.50
JD52507-31	282607	2.32	314841	3.29	456347	3.75	409859	5.73	182303	7.51
JD52507-30	285596	2.32	309605	3.29	453219	3.75	418144	5.73	183649	7.50
ZZZZZZ	274698	2.32	296726	3.29	436635	3.75	397078	5.73	177386	7.50
JD52730-7	288656	2.32	313538	3.29	458383	3.75	425104	5.73	186920	7.51
ZZZZZZ	267062	2.32	310594	3.29	453206	3.75	415054	5.73	184405	7.51
JD52507-32	263793	2.32	299759	3.29	437443	3.75	397534	5.73	172476	7.51
JD52507-34	269818	2.32	306396	3.29	446064	3.75	405345	5.73	178926	7.51
ZZZZZZ	276545	2.32	310707	3.29	451009	3.75	414519	5.73	183094	7.51
ZZZZZZ	282996	2.31	308211	3.29	448471	3.75	416327	5.73	186758	7.50
JD52730-7MS	279910	2.32	310324	3.29	453199	3.75	431442	5.73	191408	7.51
JD52730-7MSD	283609	2.32	319145	3.29	467307	3.75	440038	5.73	200167	7.50
JD52507-30	286667	2.31	328446	3.29	471768	3.75	427614	5.73	186810	7.50
ZZZZZZ	274786	2.32	319812	3.29	463813	3.75	422765	5.73	188824	7.50
ZZZZZZ	270035	2.32	311282	3.29	452511	3.75	414644	5.73	183895	7.51
JD52507-35	271409	2.32	314955	3.29	459647	3.75	415013	5.73	179324	7.50
ZZZZZZ	258842	2.32	311288	3.29	450720	3.75	410800	5.73	182191	7.50
ZZZZZZ	262375	2.32	323096	3.29	469334	3.75	422737	5.73	182631	7.50
ZZZZZZ	286755	2.32	321245	3.29	464246	3.75	429812	5.73	193116	7.50
ZZZZZZ	277801	2.32	322282	3.29	469358	3.75	429940	5.73	186289	7.51
ZZZZZZ	276869	2.32	317222	3.29	462107	3.75	425941	5.73	189088	7.50
ZZZZZZ	266824	2.32	309487	3.29	458362	3.75	418974	5.73	183463	7.51

IS 1 = Tert Butyl Alcohol-D9
IS 2 = Pentafluorobenzene
IS 3 = 1,4-Difluorobenzene
IS 4 = Chlorobenzene-D5
IS 5 = 1,4-Dichlorobenzene-d4

(a) Upper Limit = + 100% of check standard area; Retention time + 0.5 minutes.
(b) Lower Limit = -50% of check standard area; Retention time -0.5 minutes.

Internal Standard Area Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Check Std:	VL10519-CC10355	**Injection Date:**	10/04/22
Lab File ID:	L347829.D	**Injection Time:**	10:21
Instrument ID:	GCMSL	**Method:**	SW846 8260D

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
Check Std	160578	3.09	233064	4.30	343670	4.87	322965	7.27	124033	9.47
Upper Limit [a]	321156	3.59	466128	4.80	687340	5.37	645930	7.77	248066	9.97
Lower Limit [b]	80289	2.59	116532	3.80	171835	4.37	161483	6.77	62017	8.97

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
VL10519-BS	145848	3.08	220995	4.30	329903	4.87	319292	7.27	120752	9.46
VL10519-BSD	172278	3.09	223542	4.30	340422	4.88	332412	7.27	126749	9.46
VL10519-MB	183429	3.09	270911	4.30	381732	4.87	350233	7.27	146355	9.47
JD52507-37	164823	3.09	258279	4.30	379076	4.88	342321	7.27	141563	9.47
JD52507-37 [c]	198707	3.09	240170	4.31	355257	4.88	335453	7.27	139947	9.47
ZZZZZZ	186084	3.09	261438	4.30	372761	4.88	343219	7.27	142011	9.47
ZZZZZZ	207773	3.09	250338	4.31	364228	4.88	345100	7.27	135669	9.47
ZZZZZZ	188543	3.09	270756	4.31	385337	4.88	347860	7.27	143535	9.47
ZZZZZZ	200234	3.09	264756	4.30	385247	4.88	344149	7.27	144412	9.46
ZZZZZZ	203097	3.09	265727	4.30	380838	4.88	350902	7.27	142282	9.47
ZZZZZZ	167532	3.09	243208	4.30	357664	4.88	325659	7.27	135683	9.47
ZZZZZZ	184653	3.09	260893	4.31	371929	4.88	343416	7.27	138572	9.47
ZZZZZZ	197769	3.09	259424	4.31	374464	4.88	348240	7.27	131887	9.47
ZZZZZZ	191438	3.09	247491	4.31	357384	4.88	335555	7.28	136872	9.47
JD52507-37MS	149943	3.09	206470	4.31	315623	4.88	310949	7.27	121183	9.47
JD52507-37MSD	152808	3.09	208578	4.31	319842	4.88	311290	7.27	123232	9.47
ZZZZZZ	205041	3.09	261816	4.31	369062	4.88	334794	7.27	141832	9.47
ZZZZZZ	173723	3.09	264512	4.30	375109	4.87	344633	7.27	142090	9.46
ZZZZZZ	194200	3.09	267999	4.30	389439	4.88	359462	7.27	150848	9.47
ZZZZZZ	187301	3.08	264058	4.31	334021	4.87	336785	7.27	140747	9.47
ZZZZZZ	184193	3.09	268071	4.30	332175	4.88	340638	7.27	145482	9.46
ZZZZZZ	185294	3.09	263683	4.30	326586	4.87	318118	7.27	136448	9.46

IS 1 = Tert Butyl Alcohol-D9
IS 2 = Pentafluorobenzene
IS 3 = 1,4-Difluorobenzene
IS 4 = Chlorobenzene-D5
IS 5 = 1,4-Dichlorobenzene-d4

(a) Upper Limit = + 100% of check standard area; Retention time + 0.5 minutes.
(b) Lower Limit = -50% of check standard area; Retention time -0.5 minutes.
(c) Dilution required due to high concentration of target compound.

Surrogate Recovery Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Method: SW846 8260D **Matrix:** AQ

Samples and QC shown here apply to the above method

Lab Sample ID	Lab File ID	S1	S2	S3	S4
JD52507-1	2V92891.D	100	95	102	96
JD52507-2	2V92889.D	101	96	102	92
JD52507-3	2A220398.D	105	86	98	112
JD52507-3	2V92892.D	100	95	101	92
JD52507-4	2V92893.D	99	94	102	92
JD52507-5	2V92894.D	99	95	103	91
JD52507-6	2V92885.D	98	91	103	94
JD52507-7	2V92895.D	99	94	101	93
JD52507-8	1A226614.D	99	100	103	100
JD52507-8	1A226617.D	99	100	102	107
JD52507-9	2V93013.D	100	93	102	95
JD52507-10	1A226613.D	99	116	104	96
JD52507-10	2V93005.D				
JD52507-10	1A226618.D	101	101	103	98
JD52507-11	2V93014.D	101	99	101	93
JD52507-12	2A220444.D	111	83	92	111
JD52507-12	2V93015.D	102	94	102	92
JD52507-13	2A220446.D	109	83	92	110
JD52507-13	2V93016.D	98	91	102	92
JD52507-14	2V93009.D	101	97	101	93
JD52507-15	1A226450.D	99	99	101	99
JD52507-16	1A226451.D	98	99	100	98
JD52507-17	1A226452.D	102	100	101	96
JD52507-18	1X200585.D	96	98	100	100
JD52507-18	1A226453.D	100	100	100	98
JD52507-19	1X200599.D	96	98	99	102
JD52507-20	1A226455.D	98	100	101	100
JD52507-21	1A226456.D	99	100	102	100
JD52507-22	1X200602.D	96	98	100	101
JD52507-23	2V93010.D	100	96	102	93
JD52507-24	2V93017.D	100	95	101	93
JD52507-25	2V93018.D	99	91	104	92
JD52507-26	2V93019.D	98	93	104	93
JD52507-27	2V93020.D	98	93	102	94
JD52507-28	2V93021.D	99	91	101	95
JD52507-29	2V93022.D	99	94	99	93
JD52507-30	2V93131.D	106	98	102	99
JD52507-30	2V93023.D	103	93	99	95
JD52507-30	2V93142.D	106	100	105	100
JD52507-31	2V93130.D	105	98	105	96

Surrogate Recovery Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Method: SW846 8260D **Matrix:** AQ

Samples and QC shown here apply to the above method

Lab Sample ID	Lab File ID	S1	S2	S3	S4
JD52507-31	2V93024.D	98	91	100	93
JD52507-32	2V93136.D	107	98	105	98
JD52507-33	2V93011.D	99	93	102	93
JD52507-34	2V93137.D	108	100	104	98
JD52507-35	2V93146.D	106	96	104	98
JD52507-36	2V93012.D	99	96	102	94
JD52507-37	L347836.D	93	91	98	91
JD52507-37	L347837.D	95	92	97	91
JD50917-15MS	2A220400.D	104	83	100	110
JD50917-15MSD	2A220401.D	105	83	99	109
JD52310-3MS	1A226444.D	99	95	94	96
JD52310-3MSD	1A226445.D	99	93	95	95
JD52507-10MS	2V93006.D	99	102	99	96
JD52507-10MSD	2V93007.D	100	102	98	95
JD52507-37MS	L347847.D	100	86	89	92
JD52507-37MSD	L347848.D	97	85	89	94
JD52507-6MS	2V92886.D	101	95	100	93
JD52507-6MSD	2V92887.D	102	100	99	97
JD52514-12MS	2A220451.D	109	79* [a]	93	107
JD52514-12MSD	2A220452.D	109	79* [a]	94	107
JD52594-1MS	1X200596.D	96	96	100	99
JD52594-1MSD	1X200597.D	94	96	100	99
JD52624-3MS	1A226620.D	101	97	97	99
JD52624-3MSD	1A226621.D	100	99	95	100
JD52730-7MS	2V93140.D	107	106	100	97
JD52730-7MSD	2V93141.D	107	106	103	96
V1A9698-BS	1A226432.D	99	94	95	96
V1A9698-MB	1A226434.D	97	99	101	95
V1A9705-BS	1A226607.D	100	97	98	99
V1A9705-MB	1A226609.D	98	102	103	98
V1X8637-BS	1X200581.D	95	96	99	98
V1X8637-MB	1X200583.D	95	98	100	101
V2A9581-BS	2A220392.D	105	84	101	110
V2A9581-MB	2A220394.D	104	86	98	113
V2A9583-BS	2A220440.D	107	81	94	106
V2A9583-MB	2A220442.D	110	83	92	110
V2V3773-BS	2V92882.D	103	102	98	94
V2V3773-MB	2V92884.D	100	95	105	95
V2V3777-BS	2V93002.D	100	100	99	95
V2V3777-MB	2V93004.D	99	94	101	94

Surrogate Recovery Summary

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Method: SW846 8260D **Matrix:** AQ

Samples and QC shown here apply to the above method

Lab Sample ID	Lab File ID	S1	S2	S3	S4
V2V3782-BS	2V93126.D	107	104	102	98
V2V3782-MB	2V93128.D	104	98	105	101
VL10519-BS	L347831.D	95	87	90	95
VL10519-BSD	L347832.D	97	84	88	96
VL10519-MB	L347834.D	96	92	98	89

Surrogate Compounds	Recovery Limits
S1 = Dibromofluoromethane	80-120%
S2 = 1,2-Dichloroethane-D4	80-120%
S3 = Toluene-D8	80-120%
S4 = 4-Bromofluorobenzene	82-114%

(a) Outside control limits due to matrix interference.

Initial Calibration Summary

Job Number: JD52507 **Sample:** V1A9688-ICC9688
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1A226129.D
Project: EPT, Ithaca, NY

Response Factor Report MSDTEST1A

Method : C:\msdchem\1\methods\M1A9688.M (RTE Integrator)
Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
Last Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration

Calibration Files
8 =1A226127.D 0.5 =1A226123.D 4 =1A226126.D 50 =1A226129.D
100 =1A226130.D 1 =1A226124.D 200 =1A226131.D 20 =1A226128.D
2 =1A226125.D 0.2 =1A226122.D = =

Compound	8	0.5	4	50	100	1	200	20	2	0.2	Avg	%RSD
1) I tert Butyl Alcohol-d9	ISTD											
2) 1,4-dioxane	0.069	0.078	0.079	0.075	0.072	0.068					0.073	6.48
3) ethanol	0.060	0.059	0.061	0.057	0.080	0.054	0.062	0.063			0.062	12.68
4) tertiary butyl alcohol	1.033	1.102	1.138	1.118	1.312	1.095	1.079	1.291			1.146	8.77
5) I pentafluorobenzene	ISTD											
6) chlorodifluoromethane	0.417	0.415	0.428	0.402	0.476	0.364	0.436	0.438			0.422	7.62
7) dichlorodifluoromethane	0.598	0.636	0.602	0.625	0.598	0.665	0.563	0.598	0.611	0.695	0.619	6.13
8) chloromethane	0.438	0.469	0.447	0.438	0.385	0.487	0.346	0.445	0.496		0.439	10.84
9) vinyl chloride	0.616	0.619	0.639	0.629	0.575	0.598	0.523	0.623	0.685		0.612	7.30
10) 1,3-butadiene	0.572	0.598	0.517	0.467	0.571	0.413	0.572	0.611			0.540	12.79
11) bromomethane	0.159	0.171	0.212	0.274	0.305	0.172	0.229				0.218	25.63
---- Quadratic regression ---- Coefficient = 0.9998												
Response Ratio = 0.00315 + 0.13789 *A + 0.06756 *A^2												
12) chloroethane	0.393	0.438	0.392	0.374	0.431	0.358	0.393	0.461			0.405	8.59
13) trichlorofluoromethane	0.749	0.711	0.763	0.755	0.715	0.794	0.678	0.749	0.814	0.720	0.745	5.42
14) ethyl ether	0.224	0.253	0.233	0.220	0.278	0.213	0.237	0.236			0.237	8.74
15) acrolein	0.072	0.060	0.088	0.088	0.085	0.085	0.067				0.078	14.66
16) freon 113	0.304	0.298	0.307	0.299	0.292	0.336	0.286	0.316	0.310	0.382	0.313	8.93
17) 1,1-dichloroethene	0.327	0.415	0.338	0.343	0.323	0.345	0.309	0.350	0.383		0.348	9.32
18) acetone	0.046	0.046	0.045	0.041	0.051	0.037	0.046	0.039			0.044	10.09
19) acetonitrile	0.032	0.035	0.030	0.028	0.025	0.031					0.030	11.39
20) iodomethane *This compound fails Initial Calibration criteria*	0.097	0.091	0.227	0.307	0.345	0.147	0.085				0.186	58.26
21) iso-butyl alcohol	0.039	0.039	0.039	0.036	0.047	0.033	0.040	0.040			0.039	10.16

Initial Calibration Summary

Job Number: JD52507 **Sample:** V1A9688-ICC9688
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1A226129.D
Project: EPT, Ithaca, NY

22) carbon disulfide
0.981 1.059 0.961 0.918 1.360 0.879 1.016 1.144 1.040 14.73
23) methylene chloride
0.408 0.412 0.387 0.358 0.536 0.342 0.387 0.438 0.408 14.65
24) methyl acetate
0.099 0.101 0.100 0.092 0.084 0.101 0.102 0.097 6.65
25) methyl tert butyl ether
1.186 1.361 1.223 1.218 1.143 1.272 1.100 1.222 1.238 1.228 1.219 5.77
26) trans-1,2-dichloroethene
0.355 0.393 0.370 0.369 0.352 0.416 0.338 0.372 0.380 0.372 6.22
27) hexane
0.485 0.522 0.483 0.491 0.470 0.547 0.446 0.484 0.467 0.492 0.489 5.79
28) di-isopropyl ether
1.102 1.179 1.101 1.145 1.069 1.138 1.004 1.154 1.204 1.229 1.132 5.86
29) ethyl tert-butyl ether
1.142 1.340 1.157 1.189 1.135 1.208 1.090 1.194 1.164 1.109 1.173 5.93
30) 2-butanone
0.066 0.072 0.062 0.071 0.066 0.072 0.063 0.070 0.067 0.079 0.069 7.28
31) 1,1-dichloroethane
0.641 0.646 0.658 0.672 0.625 0.754 0.595 0.681 0.697 0.830 0.680 10.01
32) chloroprene
0.510 0.642 0.531 0.514 0.492 0.606 0.472 0.538 0.559 0.516 0.538 9.69
33) acrylonitrile
0.181 0.200 0.177 0.193 0.180 0.189 0.172 0.180 0.188 0.184 4.69
34) vinyl acetate
0.081 0.093 0.095 0.093 0.092 0.094 0.114 0.095 10.31
35) ethyl acetate
0.074 0.091 0.079 0.081 0.090 0.069 0.080 0.085 0.081 9.11
36) 2,2-dichloropropane
0.453 0.443 0.484 0.474 0.537 0.468 0.482 0.456 0.475 6.11
37) cis-1,2-dichloroethene
0.393 0.421 0.418 0.430 0.410 0.473 0.388 0.422 0.425 0.394 0.417 5.87
38) propionitrile
0.071 0.079 0.070 0.075 0.068 0.080 0.063 0.074 0.071 0.072 7.25
39) methyl acrylate
0.088 0.113 0.094 0.096 0.091 0.085 0.088 0.094 0.082 0.092 9.88
40) bromochloromethane
0.198 0.210 0.213 0.201 0.244 0.190 0.209 0.232 0.212 8.45
41) tetrahydrofuran *This compound fails EPA 624.1 Initial Calibration criteria*
0.092 0.107 0.083 0.079 0.072 0.089 0.087 13.98
42) chloroform
0.714 0.776 0.710 0.674 0.994 0.629 0.720 0.838 0.757 15.12
43) dibromofluoromethane (s)
0.442 0.440 0.443 0.451 0.430 0.448 0.427 0.443 0.436 0.446 0.441 1.74
44) methacrylonitrile
0.207 0.259 0.221 0.227 0.216 0.251 0.206 0.222 0.204 0.224 8.76
45) 1,1,1-trichloroethane
0.592 0.695 0.613 0.627 0.607 0.677 0.585 0.612 0.656 0.577 0.624 6.37
46) cyclohexane
0.554 0.639 0.568 0.589 0.574 0.626 0.557 0.574 0.624 0.596 0.590 5.17
47) 1,1-dichloropropene
0.503 0.635 0.519 0.525 0.502 0.569 0.486 0.525 0.560 0.609 0.543 8.99
48) carbon tetrachloride
0.502 0.571 0.502 0.545 0.530 0.574 0.522 0.539 0.532 0.541 0.536 4.53
49) isopropyl acetate
0.109 0.107 0.120 0.115 0.139 0.110 0.119 0.107 0.116 9.13
50) tert amyl alcohol
0.023 0.021 0.023 0.021 0.024 0.019 0.023 0.022 0.022 7.56

51) I 1,4-difluorobenzene ----------ISTD----------

Initial Calibration Summary

Job Number: JD52507 **Sample:** V1A9688-ICC9688
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1A226129.D
Project: EPT, Ithaca, NY

```
52)  1,2-dichloroethane-d4 (s)
          0.356 0.358 0.360 0.339 0.322 0.360 0.316 0.347 0.355 0.348  0.346    4.58
53)  tert-amyl methyl ether
          0.791 0.859 0.795 0.823 0.794 0.881 0.794 0.814 0.834 0.834  0.822    3.73
54)  2,2,4-trimethylpentane
          0.636 0.704 0.654 0.653 0.635 0.653 0.653 0.642 0.655 0.671  0.656    3.04
55)  n-butyl alcohol
          0.007       0.005 0.009 0.009       0.009 0.008              0.008   20.27
           ---- Linear regression ----  Coefficient =  0.9985
             Response Ratio = -0.01495 + 0.00883 *A

56)  benzene
          0.962 1.170 1.025 1.017 0.971 1.121 0.955 1.024 1.020 1.064  1.033    6.71
57)  heptane
          0.118 0.133 0.123 0.128 0.131 0.139 0.129 0.123 0.123        0.127    4.97
58)  1,2-dichloroethane
          0.359       0.382 0.369 0.342 0.460 0.337 0.367 0.400        0.377   10.43
59)  trichloroethene
          0.255 0.310 0.272 0.273 0.268 0.314 0.271 0.266 0.270 0.250  0.275    7.63
60)  ethyl acrylate
          0.375 0.427 0.391 0.441 0.424 0.424 0.410 0.414 0.393        0.411    5.07
61)  2-nitropropane
          0.121       0.116 0.119 0.113       0.112 0.120 0.124        0.118    3.63
62)  2-chloroethyl vinyl ether
          0.062 0.068 0.068 0.057 0.051 0.072 0.043 0.067 0.066        0.062   15.23
63)  methyl methacrylate
          0.086       0.095 0.102 0.099 0.093 0.101 0.097 0.083        0.094    7.22
64)  1,2-dichloropropane
          0.246 0.277 0.261 0.261 0.248 0.293 0.244 0.265 0.288        0.265    6.80
65)  methylcyclohexane
          0.398 0.390 0.424 0.422 0.422 0.457 0.427 0.421 0.424 0.437  0.422    4.42
66)  dibromomethane
          0.177 0.231 0.179 0.182 0.177 0.218 0.175 0.188 0.191        0.191   10.56
67)  bromodichloromethane
          0.350 0.430 0.383 0.378 0.361 0.445 0.360 0.372 0.385 0.436  0.390    8.84
68)  cis-1,3-dichloropropene
          0.406 0.447 0.397 0.440 0.423 0.446 0.417 0.424 0.421 0.468  0.429    4.96
69)  epichlorohydrin
          0.018 0.023 0.019 0.019 0.018 0.016 0.021 0.020 0.021        0.019    9.25
70)  4-methyl-2-pentanone
          0.136 0.143 0.134 0.146 0.136 0.138 0.135 0.143 0.132        0.138    3.47
71)  3-methyl-1-butanol
          0.006       0.006 0.010 0.010       0.010 0.009 0.005        0.008   26.17
           ---- Linear regression ----  Coefficient =  0.9983
             Response Ratio = -0.00564 + 0.00990 *A


72) I   chlorobenzene-d5      ----------------ISTD---------------------
73)  toluene-d8 (s)
          1.368 1.384 1.372 1.299 1.290 1.373 1.265 1.322 1.378 1.400  1.345    3.47
74)  toluene
          0.710 0.752 0.734 0.729 0.719 0.796 0.686 0.723 0.741        0.732    4.17
75)  trans-1,3-dichloropropene
          0.403 0.371 0.410 0.453 0.449 0.445 0.441 0.440 0.376 0.431  0.422    7.19
76)  ethyl methacrylate
          0.431 0.383 0.438 0.469 0.457 0.420 0.431 0.462 0.415 0.456  0.436    5.95
77)  1,1,2-trichloroethane
          0.245 0.272 0.255 0.249 0.238 0.282 0.228 0.244 0.275 0.263  0.255    6.90
78)  2-hexanone
          0.160 0.153 0.147 0.161 0.153 0.172 0.146 0.163 0.142        0.155    6.11
```

Initial Calibration Summary

Job Number: JD52507 **Sample:** V1A9688-ICC9688
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1A226129.D
Project: EPT, Ithaca, NY

79) tetrachloroethene
0.303 0.360 0.293 0.303 0.299 0.347 0.300 0.304 0.327 0.264 0.310 9.01
80) 1,3-dichloropropane
0.477 0.505 0.485 0.483 0.464 0.555 0.450 0.492 0.511 0.501 0.492 5.85
81) butyl acetate
0.220 0.177 0.207 0.234 0.228 0.214 0.216 0.230 0.230 0.217 8.08
82) dibromochloromethane
0.323 0.381 0.323 0.334 0.331 0.368 0.329 0.332 0.336 0.429 0.348 9.80
83) 1,2-dibromoethane
0.319 0.405 0.307 0.321 0.312 0.360 0.306 0.321 0.341 0.283 0.328 10.43
84) n-butyl ether
1.046 1.124 1.092 1.113 1.090 1.087 1.032 1.129 1.097 0.891 1.070 6.55
85) chlorobenzene
0.769 1.014 0.801 0.806 0.798 0.856 0.786 0.806 0.811 0.827 8.91
86) 1,1,1,2-tetrachloroethane
0.262 0.286 0.264 0.288 0.284 0.332 0.283 0.276 0.282 0.284 7.13
87) ethylbenzene
1.308 1.475 1.360 1.337 1.297 1.460 1.237 1.352 1.391 1.602 1.382 7.65
88) m,p-xylene
0.510 0.572 0.501 0.521 0.513 0.518 0.499 0.515 0.511 0.482 0.514 4.51
89) o-xylene
0.484 0.516 0.474 0.527 0.523 0.553 0.504 0.523 0.533 0.484 0.512 4.90
90) butyl acrylate
0.514 0.479 0.637 0.634 0.606 0.616 0.449 0.562 14.04
91) n-amyl acetate
0.210 0.185 0.255 0.251 0.239 0.234 0.180 0.222 13.91
92) styrene
0.822 0.759 0.836 0.918 0.892 0.822 0.852 0.898 0.820 0.745 0.837 6.78
93) bromoform
0.207 0.243 0.210 0.246 0.250 0.232 0.243 0.224 0.231 0.232 6.63
94) isopropylbenzene
1.229 1.382 1.227 1.333 1.319 1.363 1.232 1.298 1.298 1.293 1.297 4.23
95) cis-1,4-dichloro-2-butene
0.091 0.095 0.133 0.131 0.130 0.107 0.098 0.112 16.52

96) I 1,4-dichlorobenzene-d ----------ISTD----------
97) 4-bromofluorobenzene (s)
1.072 1.016 1.071 1.033 1.004 1.040 0.987 1.046 1.064 1.041 1.037 2.74
98) bromobenzene
0.770 0.874 0.838 0.805 0.778 0.867 0.767 0.802 0.791 0.685 0.798 6.90
99) 1,1,2,2-tetrachloroethane
1.019 1.149 1.086 1.021 0.961 1.120 0.931 1.060 1.058 1.086 1.049 6.46
100) trans-1,4-dichloro-2-butene
0.187 0.186 0.224 0.222 0.217 0.210 0.208 8.28
101) 1,2,3-trichloropropane
0.326 0.322 0.309 0.290 0.402 0.277 0.316 0.315 0.320 11.62
102) n-propylbenzene
3.479 3.704 3.574 3.491 3.336 3.797 3.177 3.524 3.594 3.510 3.519 4.95
103) 2-chlorotoluene
0.680 0.731 0.762 0.736 0.710 0.749 0.704 0.737 0.794 0.734 4.56
104) 4-chlorotoluene
0.711 0.775 0.747 0.730 0.717 0.740 0.798 0.745 4.23
105) 1,3,5-trimethylbenzene
2.308 2.465 2.421 2.393 2.288 2.564 2.180 2.390 2.503 2.299 2.381 4.81
106) tert-butylbenzene
2.028 2.244 2.088 2.097 2.098 2.090 2.038 2.100 2.082 1.901 2.077 4.08
107) 1,2,4-trimethylbenzene
2.383 2.554 2.381 2.480 2.324 2.506 2.216 2.459 2.498 2.186 2.399 5.21
108) sec-butylbenzene
2.872 3.064 2.838 2.985 2.922 2.772 2.799 2.954 2.929 2.767 2.890 3.39

Initial Calibration Summary

Job Number: JD52507 **Sample:** V1A9688-ICC9688
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1A226129.D
Project: EPT, Ithaca, NY

```
109)  1,3-dichlorobenzene
            1.219 1.292 1.297 1.375 1.370 1.309 1.355 1.338 1.223 1.332  1.311    4.21
110)  p-isopropyltoluene
            2.307 2.353 2.351 2.534 2.488 2.082 2.438 2.452 2.328 2.111  2.344    6.39
111)  1,2,3-trimethylbenzene
            2.389 2.821 2.483 2.461 2.322 2.471 2.259 2.458 2.431 2.194  2.429    6.97
112)  1,4-dichlorobenzene
            1.292 1.474 1.410 1.396 1.367 1.435 1.377 1.359 1.444        1.395    3.89
113)  1,2-dichlorobenzene
            1.246 1.459 1.197 1.316 1.285 1.128 1.254 1.283 1.243 1.128  1.254    7.64
114)  n-butylbenzene
            0.977       0.979 1.127 1.123 0.898 1.075 1.077 0.931        1.023    8.64
115)  1,2-dibromo-3-chloropropane
            0.223       0.209 0.248 0.244 0.248 0.248 0.239 0.198        0.232    8.60
116)  1,3,5-trichlorobenzene
            0.718       0.726 0.807 0.800 0.729 0.803 0.753 0.681        0.752    6.21
117)  1,2,4-trichlorobenzene
            0.592 0.512 0.607 0.694 0.688 0.568 0.689 0.655 0.563        0.619   10.63
118)  hexachlorobutadiene
            0.215 0.219 0.236 0.226 0.223 0.257 0.224 0.233 0.226        0.229    5.46
119)  naphthalene
            2.113 1.995 2.108 2.412 2.345 1.926 2.264 2.298 2.100        2.173    7.56
120)  1,2,3-trichlorobenzene
            0.534 0.436 0.553 0.582 0.571 0.507 0.567 0.558 0.508        0.535    8.52
121)  hexachloroethane
            0.328 0.366 0.314 0.396 0.405 0.394 0.416 0.368 0.315 0.386  0.369   10.22
122)  benzyl chloride
            1.023       0.935 1.371 1.395       1.412 1.188 0.955        1.183   18.00
123)  2-methylnaphthalene
            0.285             0.495 0.528       0.491 0.469              0.454   21.30
             ---- Linear regression ----  Coefficient =  0.9975
               Response Ratio = -0.01464 + 0.51532 *A

 ---------------------------------------------------------------------------
 (#) = Out of Range  ###  Number of calibration levels exceeded format  ###

           M1A9688.M         Wed Sep 21 12:05:04 2022   1A
```

Initial Calibration Verification

Job Number: JD52507 **Sample:** V1A9688-ICV9688
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1A226134.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\V1A9688\1A226134.D Vial: 14
Acq On : 14 Sep 2022 2:15 am Operator: PrashanS
Sample : ICV9688-50 Inst : MSDTEST1A
Misc : MS62100, V1A9688,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\methods\M1A9688.M (RTE Integrator)
Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
Last Update : Wed Sep 21 12:03:58 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	tert Butyl Alcohol-d9	1.000	1.000	0.0	100	0.00	2.92
2		1,4-dioxane	0.073	0.077	-5.5	98	0.00	4.75
3		ethanol	0.062	0.061	1.6	99	0.00	2.41
4	M	tertiary butyl alcohol	1.146	1.101	3.9	97	0.00	2.96
5	I	pentafluorobenzene	1.000	1.000	0.0	103	0.00	3.94
6		chlorodifluoromethane	----------NA----------					
7		dichlorodifluoromethane	0.619	0.598	3.4	98	0.00	1.63
8		chloromethane	0.439	0.433	1.4	101	0.00	1.78
9		vinyl chloride	0.612	0.638	-4.2	104	0.00	1.86
10		1,3-butadiene	0.540	0.614	-13.7	122	0.00	1.89
		----------	True	Calc.	% Drift	----------		
11		bromomethane	50.000	59.727	-19.5	128	0.00	2.10
		----------	AvgRF	CCRF	% Dev	----------		
12		chloroethane	0.405	0.401	1.0	105	0.00	2.17
13		trichlorofluoromethane	0.745	0.768	-3.1	104	0.00	2.33
14		ethyl ether	0.237	0.249	-5.1	109	0.00	2.50
15		acrolein	0.078	0.082	-5.1	96	0.00	2.59
16		freon 113	0.313	0.305	2.6	105	0.00	2.66
17		1,1-dichloroethene	0.348	0.357	-2.6	107	0.00	2.66
18		acetone	0.044	0.044	0.0	100	0.00	2.67
19		acetonitrile	----------NA----------					
20		iodomethane	0.186	0.248	-33.3#	112	0.00	2.76
21		iso-butyl alcohol	0.039	0.042	-7.7	112	0.00	2.84
22		carbon disulfide	1.040	1.052	-1.2	112	0.00	2.82
23		methylene chloride	0.408	0.390	4.4	103	0.00	2.94
24		methyl acetate	0.097	0.111	-14.4	114	0.00	2.84
25		methyl tert butyl ether	1.219	1.268	-4.0	107	0.00	3.09
26		trans-1,2-dichloroethene	0.372	0.377	-1.3	105	0.00	3.10
27		hexane	0.489	0.548	-12.1	115	0.00	3.26
28		di-isopropyl ether	1.132	1.154	-1.9	103	0.00	3.34
29		ethyl tert-butyl ether	1.173	1.164	0.8	100	0.00	3.55
30		2-butanone	0.069	0.072	-4.3	103	0.00	3.65
31	M	1,1-dichloroethane	0.680	0.679	0.1	104	0.00	3.35
32		chloroprene	0.538	0.558	-3.7	111	0.00	3.40
33		acrylonitrile	----------NA----------					
34		vinyl acetate	0.095	0.085	10.5	91	0.00	3.33
35		ethyl acetate	0.081	0.077	4.9	99	0.00	3.66
36		2,2-dichloropropane	0.475	0.489	-2.9	104	0.00	3.69
37		cis-1,2-dichloroethene	0.417	0.435	-4.3	104	0.00	3.68

Initial Calibration Verification

Job Number: JD52507 **Sample:** V1A9688-ICV9688
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1A226134.D
Project: EPT, Ithaca, NY

38		propionitrile	0.072	0.070	2.8	96	0.00	3.69
39		methyl acrylate	0.092	0.098	-6.5	104	0.00	3.69
40		bromochloromethane	0.212	0.218	-2.8	105	0.00	3.81
41		tetrahydrofuran	0.087	0.088	-1.1	109	0.00	3.83
42		chloroform	0.757	0.724	4.4	105	0.00	3.86
43	S	dibromofluoromethane (s)	0.441	0.443	-0.5	101	0.00	3.95
44		methacrylonitrile	0.224	0.233	-4.0	105	0.00	3.78
45		1,1,1-trichloroethane	0.624	0.641	-2.7	105	0.00	3.98
46		cyclohexane	0.590	0.607	-2.9	106	0.00	4.03
47		1,1-dichloropropene	0.543	0.552	-1.7	108	0.00	4.06
48		carbon tetrachloride	0.536	0.559	-4.3	105	0.00	4.07
49		isopropyl acetate	0.116	0.121	-4.3	103	0.00	4.15
50		tert amyl alcohol	0.022	0.023	-4.5	102	0.00	4.13
51	I	1,4-difluorobenzene	1.000	1.000	0.0	102	0.00	4.40
52	S	1,2-dichloroethane-d4 (s)	0.346	0.334	3.5	100	0.00	4.16
53		tert-amyl methyl ether	0.822	0.790	3.9	98	0.00	4.22
54		2,2,4-trimethylpentane	0.656	0.647	1.4	101	0.00	4.23

			True	Calc.	% Drift			
55		n-butyl alcohol	2500.000	2542.810	-1.7	97	0.00	4.44

			AvgRF	CCRF	% Dev			
56	M	benzene	1.033	1.046	-1.3	105	0.00	4.19
57		heptane	0.127	0.142	-11.8	113	0.00	4.32
58		1,2-dichloroethane	0.377	0.372	1.3	103	0.00	4.20
59		trichloroethene	0.275	0.282	-2.5	105	0.00	4.56
60		ethyl acrylate	0.411	0.418	-1.7	97	0.00	4.56
61		2-nitropropane	0.118	0.121	-2.5	104	0.00	4.99
62		2-chloroethyl vinyl ether	0.062	0.062	0.0	111	0.00	5.01
63		methyl methacrylate	0.094	0.109	-16.0	109	0.00	4.71
64		1,2-dichloropropane	0.265	0.258	2.6	100	0.00	4.72
65		methylcyclohexane	0.422	0.446	-5.7	107	0.00	4.72
66		dibromomethane	0.191	0.185	3.1	104	0.00	4.78
67		bromodichloromethane	0.390	0.385	1.3	103	0.00	4.87
68		cis-1,3-dichloropropene	0.429	0.434	-1.2	100	0.00	5.13
69		epichlorohydrin	0.019	0.018	5.3	97	0.00	5.06
70		4-methyl-2-pentanone	0.138	0.144	-4.3	101	0.00	5.20

			True	Calc.	% Drift			
71		3-methyl-1-butanol	1000.000	994.718	0.5	98	0.00	5.21

			AvgRF	CCRF	% Dev			
72	I	chlorobenzene-d5	1.000	1.000	0.0	102	0.00	6.29
73	S	toluene-d8 (s)	1.345	1.289	4.2	101	0.00	5.32
74		toluene	0.732	0.735	-0.4	103	0.00	5.36
75		trans-1,3-dichloropropene	0.422	0.453	-7.3	102	0.00	5.48
76		ethyl methacrylate	0.436	0.445	-2.1	97	0.00	5.49
77		1,1,2-trichloroethane	0.255	0.247	3.1	101	0.00	5.62
78		2-hexanone	0.155	0.160	-3.2	101	0.00	5.74
79		tetrachloroethene	----------NA----------					
80		1,3-dichloropropane	0.492	0.487	1.0	103	0.00	5.74
81		butyl acetate	0.217	0.238	-9.7	103	0.00	5.80
82		dibromochloromethane	0.348	0.350	-0.6	107	0.00	5.89
83		1,2-dibromoethane	0.328	0.323	1.5	102	0.00	5.98
84		n-butyl ether	1.070	1.086	-1.5	99	0.00	6.32
85		chlorobenzene	0.827	0.812	1.8	102	0.00	6.31
86		1,1,1,2-tetrachloroethane	0.284	0.286	-0.7	101	0.00	6.36
87		ethylbenzene	1.382	1.343	2.8	102	0.00	6.36

Initial Calibration Verification

Job Number: JD52507 **Sample:** V1A9688-ICV9688
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1A226134.D
Project: EPT, Ithaca, NY

88		m,p-xylene	0.514	0.526	-2.3	103	0.00	6.45
89		o-xylene	0.512	0.534	-4.3	103	0.00	6.72
90		butyl acrylate	0.562	0.635	-13.0	101	0.00	6.63
91		n-amyl acetate	0.222	0.245	-10.4	98	0.00	6.78
92		styrene	0.837	0.918	-9.7	102	0.00	6.73
93		bromoform	0.232	0.247	-6.5	102	0.00	6.87
94		isopropylbenzene	1.297	1.342	-3.5	102	0.00	6.96
95		cis-1,4-dichloro-2-butene	0.112	0.124	-10.7	95	0.00	6.99
96	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	100	0.00	7.84
97	S	4-bromofluorobenzene (s)	1.037	1.023	1.4	99	0.00	7.08
98		bromobenzene	0.798	0.823	-3.1	102	0.00	7.19
99		1,1,2,2-tetrachloroethane	1.049	1.031	1.7	101	0.00	7.15
100		trans-1,4-dichloro-2-bute	0.208	0.241	-15.9	107	0.00	7.18
101		1,2,3-trichloropropane	0.320	0.316	1.3	102	0.00	7.20
102		n-propylbenzene	3.519	3.578	-1.7	102	0.00	7.23
103		2-chlorotoluene	0.734	0.753	-2.6	102	0.00	7.31
104		4-chlorotoluene	0.745	0.761	-2.1	101	0.00	7.38
105		1,3,5-trimethylbenzene	2.381	2.438	-2.4	101	0.00	7.35
106		tert-butylbenzene	2.077	2.192	-5.5	104	0.00	7.56
107		1,2,4-trimethylbenzene	2.399	2.476	-3.2	99	0.00	7.60
108		sec-butylbenzene	2.890	3.042	-5.3	102	0.00	7.70
109		1,3-dichlorobenzene	1.311	1.396	-6.5	101	0.00	7.80
110		p-isopropyltoluene	2.344	2.588	-10.4	102	0.00	7.79
111		1,2,3-trimethylbenzene	----------NA----------					
112		1,4-dichlorobenzene	1.395	1.384	0.8	99	0.00	7.86
113		1,2-dichlorobenzene	1.254	1.346	-7.3	102	0.00	8.09
114		n-butylbenzene	1.023	1.149	-12.3	102	0.00	8.05
115		1,2-dibromo-3-chloropropa	0.232	0.256	-10.3	103	0.00	8.57
116		1,3,5-trichlorobenzene	0.752	0.832	-10.6	103	0.00	8.68
117		1,2,4-trichlorobenzene	0.619	0.701	-13.2	101	0.00	9.05
118		hexachlorobutadiene	0.229	0.236	-3.1	104	0.00	9.13
119		naphthalene	2.173	2.432	-11.9	100	0.00	9.22
120		1,2,3-trichlorobenzene	0.535	0.578	-8.0	99	0.00	9.36
121		hexachloroethane	0.369	0.420	-13.8	106	0.00	8.26
122		benzyl chloride	1.183	1.260	-6.5	92	0.00	7.92
			True	Calc.	% Drift			
123		2-methylnaphthalene	25.000	25.254	-1.0	99	0.00	9.98

(#) = Out of Range SPCC's out = 0 CCC's out = 0
1A226129.D M1A9688.M Wed Sep 21 12:04:40 2022 1A

Initial Calibration Verification

Job Number: JD52507 **Sample:** V1A9688-ICV9688
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1A226135.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\V1A9688\1A226135.D Vial: 15
Acq On : 14 Sep 2022 2:39 am Operator: PrashanS
Sample : ICV9688-50 Inst : MSDTEST1A
Misc : MS62100, V1A9688,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\methods\M1A9688.M (RTE Integrator)
Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
Last Update : Mon Sep 19 11:59:35 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	tert Butyl Alcohol-d9	1.000	1.000	0.0	95	0.00	2.91
2		1,4-dioxane		----------NA----------				
3		ethanol		----------NA----------				
4	M	tertiary butyl alcohol		----------NA----------				
5	I	pentafluorobenzene	1.000	1.000	0.0	103	0.00	3.94
6		chlorodifluoromethane	0.422	0.456	-8.1	110	0.00	1.64
7		dichlorodifluoromethane		----------NA----------				
8		chloromethane		----------NA----------				
9		vinyl chloride		----------NA----------				
10		1,3-butadiene		----------NA----------				
		----------	True	Calc.	% Drift	----------		
11		bromomethane		----------NA----------				
		----------	AvgRF	CCRF	% Dev	----------		
12		chloroethane		----------NA----------				
13		trichlorofluoromethane		----------NA----------				
14		ethyl ether		----------NA----------				
15		acrolein		----------NA----------				
16		freon 113		----------NA----------				
17		1,1-dichloroethene		----------NA----------				
18		acetone		----------NA----------				
19		acetonitrile	0.030	0.027	10.0	93	0.00	2.83
20		iodomethane		----------NA----------				
21		iso-butyl alcohol		----------NA----------				
22		carbon disulfide		----------NA----------				
23		methylene chloride		----------NA----------				
24		methyl acetate		----------NA----------				
25		methyl tert butyl ether		----------NA----------				
26		trans-1,2-dichloroethene		----------NA----------				
27		hexane		----------NA----------				
28		di-isopropyl ether		----------NA----------				
29		ethyl tert-butyl ether		----------NA----------				
30		2-butanone		----------NA----------				
31	M	1,1-dichloroethane		----------NA----------				
32		chloroprene		----------NA----------				
33		acrylonitrile	0.184	0.147	20.1	79	0.00	3.07
34		vinyl acetate		----------NA----------				
35		ethyl acetate		----------NA----------				
36		2,2-dichloropropane		----------NA----------				
37		cis-1,2-dichloroethene		----------NA----------				

Initial Calibration Verification

Job Number: JD52507 **Sample:** V1A9688-ICV9688
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1A226135.D
Project: EPT, Ithaca, NY

38		propionitrile		----------NA----------					
39		methyl acrylate		----------NA----------					
40		bromochloromethane		----------NA----------					
41		tetrahydrofuran		----------NA----------					
42		chloroform		----------NA----------					
43	S	dibromofluoromethane (s)	0.441	0.436	1.1	100	0.00	3.95	
44		methacrylonitrile		----------NA----------					
45		1,1,1-trichloroethane		----------NA----------					
46		cyclohexane		----------NA----------					
47		1,1-dichloropropene		----------NA----------					
48		carbon tetrachloride		----------NA----------					
49		isopropyl acetate		----------NA----------					
50		tert amyl alcohol		----------NA----------					
51	I	1,4-difluorobenzene	1.000	1.000	0.0	98	0.00	4.40	
52	S	1,2-dichloroethane-d4 (s)	0.346	0.353	-2.0	102	0.00	4.16	
53		tert-amyl methyl ether		----------NA----------					
54		2,2,4-trimethylpentane		----------NA----------					
		----------	True	Calc.	% Drift	----------			
55		n-butyl alcohol		----------NA----------					
		----------	AvgRF	CCRF	% Dev	----------			
56	M	benzene		----------NA----------					
57		heptane		----------NA----------					
58		1,2-dichloroethane		----------NA----------					
59		trichloroethene		----------NA----------					
60		ethyl acrylate		----------NA----------					
61		2-nitropropane		----------NA----------					
62		2-chloroethyl vinyl ether		----------NA----------					
63		methyl methacrylate		----------NA----------					
64		1,2-dichloropropane		----------NA----------					
65		methylcyclohexane		----------NA----------					
66		dibromomethane		----------NA----------					
67		bromodichloromethane		----------NA----------					
68		cis-1,3-dichloropropene		----------NA----------					
69		epichlorohydrin		----------NA----------					
70		4-methyl-2-pentanone		----------NA----------					
		----------	True	Calc.	% Drift	----------			
71		3-methyl-1-butanol		----------NA----------					
		----------	AvgRF	CCRF	% Dev	----------			
72	I	chlorobenzene-d5	1.000	1.000	0.0	91	0.00	6.29	
73	S	toluene-d8 (s)	1.345	1.360	-1.1	96	0.00	5.32	
74		toluene		----------NA----------					
75		trans-1,3-dichloropropene		----------NA----------					
76		ethyl methacrylate		----------NA----------					
77		1,1,2-trichloroethane		----------NA----------					
78		2-hexanone		----------NA----------					
79		tetrachloroethene	0.310	0.299	3.5	90	0.00	5.70	
80		1,3-dichloropropane		----------NA----------					
81		butyl acetate		----------NA----------					
82		dibromochloromethane		----------NA----------					
83		1,2-dibromoethane		----------NA----------					
84		n-butyl ether		----------NA----------					
85		chlorobenzene		----------NA----------					
86		1,1,1,2-tetrachloroethane		----------NA----------					
87		ethylbenzene		----------NA----------					

Initial Calibration Verification

Job Number: JD52507 **Sample:** V1A9688-ICV9688
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1A226135.D
Project: EPT, Ithaca, NY

88		m,p-xylene		----------NA----------				
89		o-xylene		----------NA----------				
90		butyl acrylate		----------NA----------				
91		n-amyl acetate		----------NA----------				
92		styrene		----------NA----------				
93		bromoform		----------NA----------				
94		isopropylbenzene		----------NA----------				
95		cis-1,4-dichloro-2-butene		----------NA----------				
96	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	87	0.00	7.84
97	S	4-bromofluorobenzene (s)	1.037	1.057	-1.9	89	0.00	7.08
98		bromobenzene		----------NA----------				
99		1,1,2,2-tetrachloroethane		----------NA----------				
		----------	True	Calc.	% Drift	----------		
100		trans-1,4-dichloro-2-bute		----------NA----------				
		----------	AvgRF	CCRF	% Dev	----------		
101		1,2,3-trichloropropane		----------NA----------				
102		n-propylbenzene		----------NA----------				
103		2-chlorotoluene		----------NA----------				
104		4-chlorotoluene		----------NA----------				
105		1,3,5-trimethylbenzene		----------NA----------				
106		tert-butylbenzene		----------NA----------				
107		1,2,4-trimethylbenzene		----------NA----------				
108		sec-butylbenzene		----------NA----------				
109		1,3-dichlorobenzene		----------NA----------				
110		p-isopropyltoluene		----------NA----------				
111		1,2,3-trimethylbenzene	2.429	2.778	-14.4	99	0.00	7.87
112		1,4-dichlorobenzene		----------NA----------				
113		1,2-dichlorobenzene		----------NA----------				
114		n-butylbenzene		----------NA----------				
115		1,2-dibromo-3-chloropropa		----------NA----------				
116		1,3,5-trichlorobenzene		----------NA----------				
117		1,2,4-trichlorobenzene		----------NA----------				
118		hexachlorobutadiene		----------NA----------				
119		naphthalene		----------NA----------				
120		1,2,3-trichlorobenzene		----------NA----------				
121		hexachloroethane		----------NA----------				
122		benzyl chloride		----------NA----------				
		----------	True	Calc.	% Drift	----------		
123		2-methylnaphthalene		----------NA----------				

(#) = Out of Range SPCC's out = 0 CCC's out = 0
1A226129.D M1A9688.M Tue Sep 20 17:40:43 2022 1A

Continuing Calibration Summary

Job Number: JD52507 **Sample:** V1A9698-CC9688
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1A226430.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\re...22\v1a9698\1a226430.d Vial: 2
Acq On : 27 Sep 2022 9:36 am Operator: nickw
Sample : CC9688-20 Inst : MSDTEST1A
Misc : MS62471, V1A9698,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\methods\M1A9688.M (RTE Integrator)
Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
Last Update : Wed Sep 21 12:03:58 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1 I	tert Butyl Alcohol-d9	1.000	1.000	0.0	100	0.00	2.92
2	1,4-dioxane	0.073	0.064	12.3	95	0.00	4.74
3	ethanol	0.062	0.054	12.9	87	0.00	2.41
4 M	tertiary butyl alcohol	1.146	1.146	0.0	106	0.00	2.97
5 I	pentafluorobenzene	1.000	1.000	0.0	126	0.00	3.93
6	chlorodifluoromethane	0.422	0.329	22.0#	95	0.00	1.65
7	dichlorodifluoromethane	0.619	0.517	16.5	109	0.00	1.63
8	chloromethane	0.439	0.386	12.1	109	0.00	1.78
9	vinyl chloride	0.612	0.545	10.9	110	0.00	1.86
10	1,3-butadiene	0.540	0.411	23.9#	91	0.00	1.89
	----------	True	Calc.	% Drift	----------		
11	bromomethane	20.000	17.826	10.9	111	0.00	2.10
	----------	AvgRF	CCRF	% Dev	----------		
12	chloroethane	0.405	0.345	14.8	111	0.00	2.17
13	trichlorofluoromethane	0.745	0.721	3.2	121	0.00	2.34
14	ethyl ether	0.237	0.231	2.5	123	0.00	2.50
15	acrolein	0.078	0.081	-3.8	119	0.00	2.59
16	freon 113	0.313	0.303	3.2	121	0.00	2.66
17	1,1-dichloroethene	0.348	0.334	4.0	120	0.00	2.66
18	acetone	0.044	0.044	0.0	122	0.00	2.67
19	acetonitrile	0.030	0.028	6.7	115	0.00	2.84
20	iodomethane	0.186	0.131	29.6#	112	0.00	2.76
21	iso-butyl alcohol	0.039	0.036	7.7	115	0.00	2.84
22	carbon disulfide	1.040	0.928	10.8	115	0.00	2.82
23	methylene chloride	0.408	0.376	7.8	122	0.00	2.94
24	methyl acetate	0.097	0.098	-1.0	123	0.00	2.85
25	methyl tert butyl ether	1.219	1.198	1.7	124	0.00	3.09
26	trans-1,2-dichloroethene	0.372	0.366	1.6	124	0.00	3.10
27	hexane	0.489	0.460	5.9	120	0.00	3.26
28	di-isopropyl ether	1.132	1.092	3.5	119	0.00	3.34
29	ethyl tert-butyl ether	1.173	1.137	3.1	120	0.00	3.55
30	2-butanone	0.069	0.064	7.2	115	0.00	3.65
31 M	1,1-dichloroethane	0.680	0.656	3.5	121	0.00	3.35
32	chloroprene	0.538	0.510	5.2	119	0.00	3.40
33	acrylonitrile	0.184	0.180	2.2	126	0.00	3.07
34	vinyl acetate	0.095	0.094	1.1	126	0.00	3.33
35	ethyl acetate	0.081	0.083	-2.5	131	0.00	3.65
36	2,2-dichloropropane	0.475	0.570	-20.0	149	0.00	3.69
37	cis-1,2-dichloroethene	0.417	0.423	-1.4	126	0.00	3.68

Continuing Calibration Summary

Job Number: JD52507 **Sample:** V1A9698-CC9688
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1A226430.D
Project: EPT, Ithaca, NY

38		propionitrile	0.072	0.070	2.8	120	0.00	3.69
39		methyl acrylate	0.092	0.089	3.3	118	0.00	3.69
40		bromochloromethane	0.212	0.215	-1.4	129	0.00	3.82
41		tetrahydrofuran	0.087	0.080	8.0	114	0.00	3.83
42		chloroform	0.757	0.707	6.6	124	0.00	3.86
43	S	dibromofluoromethane (s)	0.441	0.433	1.8	123	0.00	3.95
44		methacrylonitrile	0.224	0.208	7.1	118	0.00	3.78
45		1,1,1-trichloroethane	0.624	0.606	2.9	125	0.00	3.98
46		cyclohexane	0.590	0.526	10.8	115	0.00	4.03
47		1,1-dichloropropene	0.543	0.515	5.2	123	0.00	4.07
48		carbon tetrachloride	0.536	0.533	0.6	125	0.00	4.07
49		isopropyl acetate	0.116	0.114	1.7	121	0.00	4.15
50		tert amyl alcohol	0.022	0.020	9.1	110	0.00	4.13
51	I	1,4-difluorobenzene	1.000	1.000	0.0	124	0.00	4.40
52	S	1,2-dichloroethane-d4 (s)	0.346	0.332	4.0	118	0.00	4.16
53		tert-amyl methyl ether	0.822	0.800	2.7	122	0.00	4.23
54		2,2,4-trimethylpentane	0.656	0.629	4.1	121	0.00	4.23

			True	Calc.	% Drift			
55		n-butyl alcohol	1000.000	796.311	20.4#	99	0.00	4.44

			AvgRF	CCRF	% Dev			
56	M	benzene	1.033	1.017	1.5	123	0.00	4.19
57		heptane	0.127	0.126	0.8	127	0.00	4.31
58		1,2-dichloroethane	0.377	0.380	-0.8	129	0.00	4.20
59		trichloroethene	0.275	0.277	-0.7	129	0.00	4.56
60		ethyl acrylate	0.411	0.409	0.5	122	0.00	4.56
61		2-nitropropane	0.118	0.114	3.4	118	0.00	4.99
62		2-chloroethyl vinyl ether	0.062	0.069	-11.3	127	0.00	5.01
63		methyl methacrylate	0.094	0.097	-3.2	125	0.00	4.71
64		1,2-dichloropropane	0.265	0.250	5.7	117	0.00	4.72
65		methylcyclohexane	0.422	0.416	1.4	122	0.00	4.72
66		dibromomethane	0.191	0.189	1.0	124	0.00	4.78
67		bromodichloromethane	0.390	0.387	0.8	129	0.00	4.87
68		cis-1,3-dichloropropene	0.429	0.434	-1.2	127	0.00	5.13
69		epichlorohydrin	0.019	0.019	0.0	116	0.00	5.06
70		4-methyl-2-pentanone	0.138	0.136	1.4	119	0.00	5.20

			True	Calc.	% Drift			
71		3-methyl-1-butanol	400.000	322.043	19.5	104	0.00	5.21

			AvgRF	CCRF	% Dev			
72	I	chlorobenzene-d5	1.000	1.000	0.0	122	0.00	6.29
73	S	toluene-d8 (s)	1.345	1.322	1.7	122	0.00	5.32
74		toluene	0.732	0.758	-3.6	128	0.00	5.36
75		trans-1,3-dichloropropene	0.422	0.454	-7.6	126	0.00	5.49
76		ethyl methacrylate	0.436	0.464	-6.4	123	0.00	5.49
77		1,1,2-trichloroethane	0.255	0.259	-1.6	130	0.00	5.62
78		2-hexanone	0.155	0.155	0.0	116	0.00	5.74
79		tetrachloroethene	0.310	0.331	-6.8	133	0.00	5.70
80		1,3-dichloropropane	0.492	0.503	-2.2	125	0.00	5.74
81		butyl acetate	0.217	0.227	-4.6	121	0.00	5.80
82		dibromochloromethane	0.348	0.347	0.3	128	0.00	5.89
83		1,2-dibromoethane	0.328	0.331	-0.9	126	0.00	5.98
84		n-butyl ether	1.070	1.082	-1.1	117	0.00	6.32
85		chlorobenzene	0.827	0.827	0.0	125	0.00	6.31
86		1,1,1,2-tetrachloroethane	0.284	0.291	-2.5	129	0.00	6.36
87		ethylbenzene	1.382	1.385	-0.2	125	0.00	6.36

Continuing Calibration Summary

Job Number: JD52507 **Sample:** V1A9698-CC9688
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1A226430.D
Project: EPT, Ithaca, NY

			True	Calc.	% Drift			
88		m,p-xylene	0.514	0.539	-4.9	128	0.00	6.45
89		o-xylene	0.512	0.536	-4.7	125	0.00	6.72
90		butyl acrylate	0.562	0.607	-8.0	120	0.00	6.64
91		n-amyl acetate	0.222	0.235	-5.9	123	0.00	6.78
92		styrene	0.837	0.899	-7.4	122	0.00	6.73
93		bromoform	0.232	0.226	2.6	123	0.00	6.87
94		isopropylbenzene	1.297	1.355	-4.5	128	0.00	6.96
95		cis-1,4-dichloro-2-butene	0.112	0.104	7.1	118	0.00	6.99
96	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	123	0.00	7.84
97	S	4-bromofluorobenzene (s)	1.037	1.031	0.6	121	0.00	7.08
98		bromobenzene	0.798	0.836	-4.8	128	0.00	7.19
99		1,1,2,2-tetrachloroethane	1.049	1.016	3.1	118	0.00	7.15
100		trans-1,4-dichloro-2-bute	0.208	0.200	3.8	117	0.00	7.18
101		1,2,3-trichloropropane	0.320	0.326	-1.9	127	0.00	7.20
102		n-propylbenzene	3.519	3.655	-3.9	128	0.00	7.23
103		2-chlorotoluene	0.734	0.765	-4.2	128	0.00	7.31
104		4-chlorotoluene	0.745	0.760	-2.0	126	0.00	7.39
105		1,3,5-trimethylbenzene	2.381	2.486	-4.4	128	0.00	7.35
106		tert-butylbenzene	2.077	2.199	-5.9	129	0.00	7.56
107		1,2,4-trimethylbenzene	2.399	2.535	-5.7	127	0.00	7.60
108		sec-butylbenzene	2.890	3.060	-5.9	127	0.00	7.70
109		1,3-dichlorobenzene	1.311	1.383	-5.5	127	0.00	7.80
110		p-isopropyltoluene	2.344	2.592	-10.6	130	0.00	7.80
111		1,2,3-trimethylbenzene	2.429	2.513	-3.5	126	0.00	7.87
112		1,4-dichlorobenzene	1.395	1.426	-2.2	129	0.00	7.86
113		1,2-dichlorobenzene	1.254	1.327	-5.8	127	0.00	8.09
114		n-butylbenzene	1.023	1.161	-13.5	133	0.00	8.05
115		1,2-dibromo-3-chloropropa	0.232	0.238	-2.6	122	0.00	8.57
116		1,3,5-trichlorobenzene	0.752	0.838	-11.4	137	0.00	8.68
117		1,2,4-trichlorobenzene	0.619	0.710	-14.7	133	0.00	9.05
118		hexachlorobutadiene	0.229	0.248	-8.3	131	0.00	9.13
119		naphthalene	2.173	2.289	-5.3	123	0.00	9.22
120		1,2,3-trichlorobenzene	0.535	0.563	-5.2	124	0.00	9.36
121		hexachloroethane	0.369	0.391	-6.0	130	0.00	8.26
122		benzyl chloride	1.183	1.579	-33.5#	164	0.00	7.92
123		2-methylnaphthalene	10.000	8.191	18.1	91	0.00	9.99

(#) = Out of Range SPCC's out = 0 CCC's out = 0
1A226128.D M1A9688.M Tue Sep 27 22:18:54 2022

Continuing Calibration Summary

Job Number: JD52507 **Sample:** V1A9705-CC9688
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1A226605.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\re...22\v1a9705\1a226605.d Vial: 2
Acq On : 30 Sep 2022 10:42 am Operator: nickw
Sample : CC9688-20 Inst : MSDTEST1A
Misc : MS62579, V1A9705,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\methods\M1A9688.M (RTE Integrator)
Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
Last Update : Thu Sep 29 14:48:46 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1 I	tert Butyl Alcohol-d9	1.000	1.000	0.0	109	0.00	2.92
2	1,4-dioxane	0.073	0.069	5.5	111	0.00	4.74
3	ethanol	0.062	0.067	-8.1	118	0.00	2.41
4 M	tertiary butyl alcohol	1.146	1.177	-2.7	119	0.00	2.96
5 I	pentafluorobenzene	1.000	1.000	0.0	117	0.00	3.93
6	chlorodifluoromethane	0.422	0.256	39.3#	69	0.00	1.64
7	dichlorodifluoromethane	0.619	0.596	3.7	117	0.00	1.63
8	chloromethane	0.439	0.449	-2.3	118	0.00	1.78
9	vinyl chloride	0.612	0.651	-6.4	123	0.00	1.86
10	1,3-butadiene	0.540	0.347	35.7#	71	0.00	1.89
	----------	True	Calc.	% Drift	----------		
11	bromomethane	20.000	21.576	-7.9	128	0.00	2.10
	----------	AvgRF	CCRF	% Dev	----------		
12	chloroethane	0.405	0.439	-8.4	131	0.00	2.17
13	trichlorofluoromethane	0.745	0.854	-14.6	134	0.00	2.33
14	ethyl ether	0.237	0.249	-5.1	123	0.00	2.50
15	acrolein	0.078	0.080	-2.6	111	0.00	2.59
16	freon 113	0.313	0.326	-4.2	121	0.00	2.66
17	1,1-dichloroethene	0.348	0.343	1.4	115	0.00	2.66
18	acetone	0.044	0.048	-9.1	123	0.00	2.67
19	acetonitrile	0.030	0.032	-6.7	123	0.00	2.83
20	iodomethane	0.186	0.172	7.5	137	0.00	2.76
21	iso-butyl alcohol	0.039	0.040	-2.6	119	0.00	2.84
22	carbon disulfide	1.040	0.911	12.4	105	0.00	2.82
23	methylene chloride	0.408	0.412	-1.0	125	0.00	2.94
24	methyl acetate	0.097	0.101	-4.1	118	0.00	2.84
25	methyl tert butyl ether	1.219	1.272	-4.3	122	0.00	3.09
26	trans-1,2-dichloroethene	0.372	0.395	-6.2	125	0.00	3.10
27	hexane	0.489	0.455	7.0	110	0.00	3.26
28	di-isopropyl ether	1.132	1.226	-8.3	125	0.00	3.35
29	ethyl tert-butyl ether	1.173	1.193	-1.7	117	0.00	3.55
30	2-butanone	0.069	0.069	0.0	115	0.00	3.65
31 M	1,1-dichloroethane	0.680	0.715	-5.1	123	0.00	3.35
32	chloroprene	0.538	0.565	-5.0	123	0.00	3.40
33	acrylonitrile	0.184	0.168	8.7	110	0.00	3.07
34	vinyl acetate	0.095	0.099	-4.2	123	0.00	3.33
35	ethyl acetate	0.081	0.087	-7.4	129	0.00	3.66
36	2,2-dichloropropane	0.475	0.597	-25.7#	145	0.00	3.69
37	cis-1,2-dichloroethene	0.417	0.448	-7.4	125	0.00	3.68

Continuing Calibration Summary

Job Number: JD52507 **Sample:** V1A9705-CC9688
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1A226605.D
Project: EPT, Ithaca, NY

38		propionitrile	0.072	0.076	-5.6	120	0.00	3.69
39		methyl acrylate	0.092	0.099	-7.6	123	0.00	3.69
40		bromochloromethane	0.212	0.219	-3.3	123	0.00	3.82
41		tetrahydrofuran	0.087	0.088	-1.1	117	0.00	3.83
42		chloroform	0.757	0.769	-1.6	125	0.00	3.86
43	S	dibromofluoromethane (s)	0.441	0.428	2.9	113	0.00	3.95
44		methacrylonitrile	0.224	0.233	-4.0	123	0.00	3.78
45		1,1,1-trichloroethane	0.624	0.649	-4.0	125	0.00	3.98
46		cyclohexane	0.590	0.607	-2.9	124	0.00	4.03
47		1,1-dichloropropene	0.543	0.550	-1.3	123	0.00	4.06
48		carbon tetrachloride	0.536	0.577	-7.6	126	0.00	4.07
49		isopropyl acetate	0.116	0.119	-2.6	117	0.00	4.15
50		tert amyl alcohol	0.022	0.021	4.5	108	0.00	4.13
51	I	1,4-difluorobenzene	1.000	1.000	0.0	116	0.00	4.40
52	S	1,2-dichloroethane-d4 (s)	0.346	0.360	-4.0	120	0.00	4.16
53		tert-amyl methyl ether	0.822	0.818	0.5	117	0.00	4.22
54		2,2,4-trimethylpentane	0.656	0.530	19.2	96	0.00	4.23

			True	Calc.	% Drift			
55		n-butyl alcohol	1000.000	928.582	7.1	110	0.00	4.44

			AvgRF	CCRF	% Dev			
56	M	benzene	1.033	1.096	-6.1	124	0.00	4.19
57		heptane	0.127	0.104	18.1	98	0.00	4.32
58		1,2-dichloroethane	0.377	0.404	-7.2	127	0.00	4.20
59		trichloroethene	0.275	0.293	-6.5	128	0.00	4.56
60		ethyl acrylate	0.411	0.435	-5.8	122	0.00	4.56
61		2-nitropropane	0.118	0.108	8.5	105	0.00	4.99
62		2-chloroethyl vinyl ether	0.062	0.019	69.4#	33#	0.00	5.01
63		methyl methacrylate	0.094	0.102	-8.5	122	0.00	4.71
64		1,2-dichloropropane	0.265	0.276	-4.2	121	0.00	4.72
65		methylcyclohexane	0.422	0.384	9.0	106	0.00	4.72
66		dibromomethane	0.191	0.201	-5.2	123	0.00	4.77
67		bromodichloromethane	0.390	0.403	-3.3	125	0.00	4.87
68		cis-1,3-dichloropropene	0.429	0.468	-9.1	128	0.00	5.13
69		epichlorohydrin	0.019	0.018	5.3	104	0.00	5.06
70		4-methyl-2-pentanone	0.138	0.144	-4.3	117	0.00	5.20

			True	Calc.	% Drift			
71		3-methyl-1-butanol	400.000	351.110	12.2	106	0.00	5.21

			AvgRF	CCRF	% Dev			
72	I	chlorobenzene-d5	1.000	1.000	0.0	114	0.00	6.29
73	S	toluene-d8 (s)	1.345	1.322	1.7	114	0.00	5.31
74		toluene	0.732	0.793	-8.3	126	0.00	5.36
75		trans-1,3-dichloropropene	0.422	0.472	-11.8	123	0.00	5.49
76		ethyl methacrylate	0.436	0.486	-11.5	121	0.00	5.49
77		1,1,2-trichloroethane	0.255	0.262	-2.7	123	0.00	5.62
78		2-hexanone	0.155	0.160	-3.2	113	0.00	5.74
79		tetrachloroethene	0.310	0.330	-6.5	124	0.00	5.70
80		1,3-dichloropropane	0.492	0.521	-5.9	121	0.00	5.74
81		butyl acetate	0.217	0.239	-10.1	119	0.00	5.80
82		dibromochloromethane	0.348	0.359	-3.2	124	0.00	5.89
83		1,2-dibromoethane	0.328	0.346	-5.5	123	0.00	5.98
84		n-butyl ether	1.070	1.163	-8.7	118	0.00	6.32
85		chlorobenzene	0.827	0.839	-1.5	119	0.00	6.31
86		1,1,1,2-tetrachloroethane	0.284	0.300	-5.6	125	0.00	6.36
87		ethylbenzene	1.382	1.419	-2.7	120	0.00	6.36

Continuing Calibration Summary

Job Number: JD52507 **Sample:** V1A9705-CC9688
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1A226605.D
Project: EPT, Ithaca, NY

88		m,p-xylene	0.514	0.537	-4.5	119	0.00	6.45
89		o-xylene	0.512	0.542	-5.9	119	0.00	6.72
90		butyl acrylate	0.562	0.634	-12.8	118	0.00	6.64
91		n-amyl acetate	0.222	0.237	-6.8	116	0.00	6.78
92		styrene	0.837	0.928	-10.9	118	0.00	6.73
93		bromoform	0.232	0.237	-2.2	121	0.00	6.87
94		isopropylbenzene	1.297	1.305	-0.6	115	0.00	6.96
95		cis-1,4-dichloro-2-butene	0.112	0.105	6.3	112	0.00	6.99
96	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	112	0.00	7.84
97	S	4-bromofluorobenzene (s)	1.037	1.019	1.7	109	0.00	7.08
98		bromobenzene	0.798	0.844	-5.8	118	0.00	7.19
99		1,1,2,2-tetrachloroethane	1.049	1.059	-1.0	112	0.00	7.15
100		trans-1,4-dichloro-2-bute	0.208	0.196	5.8	105	0.00	7.18
101		1,2,3-trichloropropane	0.320	0.323	-0.9	115	0.00	7.20
102		n-propylbenzene	3.519	3.537	-0.5	113	0.00	7.23
103		2-chlorotoluene	0.734	0.731	0.4	111	0.00	7.31
104		4-chlorotoluene	0.745	0.773	-3.8	118	0.00	7.39
105		1,3,5-trimethylbenzene	2.381	2.352	1.2	111	0.00	7.35
106		tert-butylbenzene	2.077	1.960	5.6	105	0.00	7.56
107		1,2,4-trimethylbenzene	2.399	2.368	1.3	108	0.00	7.60
108		sec-butylbenzene	2.890	2.685	7.1	102	0.00	7.70
109		1,3-dichlorobenzene	1.311	1.343	-2.4	113	0.00	7.80
110		p-isopropyltoluene	2.344	2.273	3.0	104	0.00	7.79
111		1,2,3-trimethylbenzene	2.429	2.424	0.2	111	0.00	7.87
112		1,4-dichlorobenzene	1.395	1.377	1.3	114	0.00	7.86
113		1,2-dichlorobenzene	1.254	1.291	-3.0	113	0.00	8.09
114		n-butylbenzene	1.023	0.981	4.1	102	0.00	8.05
115		1,2-dibromo-3-chloropropa	0.232	0.238	-2.6	112	0.00	8.57
116		1,3,5-trichlorobenzene	0.752	0.728	3.2	109	0.00	8.68
117		1,2,4-trichlorobenzene	0.619	0.589	4.8	101	0.00	9.05
118		hexachlorobutadiene	0.229	0.220	3.9	106	0.00	9.13
119		naphthalene	2.173	2.130	2.0	104	0.00	9.22
120		1,2,3-trichlorobenzene	0.535	0.496	7.3	100	0.00	9.36
121		hexachloroethane	0.369	0.333	9.8	102	0.00	8.26
122		benzyl chloride	1.183	1.506	-27.3#	143	0.00	7.92
		---------- True	Calc.	% Drift	----------			
123		2-methylnaphthalene	10.000	7.229	27.7#	72	0.00	9.99
		---------- AvgRF	CCRF	% Dev	----------			
124		pentafluorobenzene(a)	1.000	1.000	0.0	101	0.00	3.93
125		vinyl bromide	----------NA----------					
		---------- True	Calc.	% Drift	----------			
126		allyl chloride	----------NA----------					
		---------- AvgRF	CCRF	% Dev	----------			
127		1,4-dichlorobenzene-d4(a)	1.000	1.000	0.0	111	0.00	7.84
128		4-ethyltoluene	----------NA----------					

(#) = Out of Range SPCC's out = 0 CCC's out = 0
1A226128.D M1A9688.M Mon Oct 03 07:25:13 2022

Initial Calibration Summary

Job Number: JD52507 **Sample:** V1X8636-ICC8636
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1X200562.D
Project: EPT, Ithaca, NY

Response Factor Report ACC-VOA-M

Method : C:\MSDCHEM\1\METHODS\M1X8636.M (RTE Integrator)
Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
Last Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration

Calibration Files
1 =1X200552.D 2 =1X200554.D 100 =1X200564.D 50 =1X200562.D
20 =1X200560.D 200 =1X200566.D 4 =1X200556.D 8 =1X200558.D
0.5 =1X200550.D 0.2 =1X200548.D = =

Compound	1	2	100	50	20	200	4	8	0.5	0.2	Avg	%RSD
1) I tert butyl alcohol-d9 ----------ISTD----------												
2) ethanol	0.065	0.055	0.040	0.045	0.046	0.034	0.051	0.046			0.048	19.62
3) tertiary butyl alcohol	0.864	0.783	0.739	0.757	0.737	0.714	0.738	0.719			0.756	6.44
4) 1,4-dioxane	0.048	0.060	0.062	0.064	0.062	0.063	0.061	0.061			0.060	8.20
5) I pentafluorobenzene ----------ISTD----------												
6) chlorodifluoromethane	0.469	0.445	0.389	0.412	0.415	0.367	0.426	0.414	0.451	0.475	0.426	8.02
7) dichlorodifluoromethane	0.456	0.400	0.386	0.406	0.398	0.359	0.419	0.402	0.377		0.400	6.82
8) chloromethane	0.504	0.441	0.387	0.419	0.402	0.358	0.421	0.411			0.418	10.17
9) vinyl chloride	0.473	0.438	0.419	0.455	0.438	0.391	0.449	0.432	0.477		0.441	6.03
10) bromomethane	0.060	0.057	0.064	0.071	0.064	0.048	0.060	0.066			0.061	10.98
11) chloroethane	0.233	0.201	0.147	0.184	0.188		0.213	0.201			0.195	13.70
12) trichlorofluoromethane	0.636	0.578	0.587	0.623	0.580	0.527	0.585	0.580	0.523	0.557	0.578	6.20
13) 1,3-butadiene *This compound fails Initial Calibration criteria*												
	0.324	0.357	0.370	0.290	0.394	0.380					0.352	11.02
14) ethyl ether	0.157	0.149	0.143	0.151	0.147	0.139	0.154	0.143	0.141		0.147	4.22
15) acrolein	0.097	0.083	0.085	0.088	0.080	0.080	0.072	0.080			0.083	9.08
16) 1,1-dichloroethene	0.281	0.289	0.282	0.289	0.282	0.274	0.278	0.273	0.294	0.249	0.279	4.48
17) freon 113	0.347	0.358	0.347	0.347	0.339	0.331	0.342	0.332	0.348	0.313	0.340	3.68
18) acetone	0.054	0.050	0.044	0.046	0.046	0.041	0.046	0.044	0.055		0.047	9.79
19) acetonitrile	0.078	0.071	0.059	0.063	0.064	0.055	0.069	0.066			0.066	10.85
20) iodomethane *This compound fails Initial Calibration criteria*												
	0.033	0.229	0.195	0.103	0.236	0.041	0.059				0.128	70.13
21) carbon disulfide	0.744	0.675	0.720	0.728	0.698	0.722	0.663	0.648	0.716		0.701	4.67
22) methylene chloride	0.316	0.273	0.255	0.272	0.271	0.247	0.270	0.260	0.271		0.271	7.10
23) methyl acetate												

```
            0.435 0.371 0.396 0.373 0.350 0.398 0.372              0.385    7.16
24)  methyl tert butyl ether
      0.898 0.799 0.798 0.827 0.789 0.787 0.784 0.783 0.783 0.812  0.806    4.37
25)  acrylonitrile
      0.198 0.181 0.179 0.186 0.177 0.170 0.173 0.177 0.167        0.179    5.20
26)  trans-1,2-dichloroethene
      0.319 0.313 0.298 0.304 0.302 0.296 0.296 0.290 0.303        0.302    3.01
27)  hexane
      0.499 0.497 0.472 0.474 0.459 0.446 0.459 0.436 0.477 0.549  0.477    6.76
28)  di-isopropyl ether
      1.083 0.999 0.997 1.029 0.999 0.975 0.982 0.949 1.052 0.983  1.005    3.93
29)  2-butanone
      0.058 0.052 0.053 0.056 0.053 0.051 0.051 0.050 0.047        0.052    6.34
30)  1,1-dichloroethane
      0.589 0.534 0.514 0.530 0.524 0.506 0.530 0.517 0.526 0.473  0.524    5.50
31)  chloroprene
      0.527 0.511 0.510 0.523 0.520 0.498 0.486 0.475 0.423 0.489  0.496    6.26
32)  vinyl acetate
      0.054 0.054 0.063 0.065 0.058 0.061 0.054 0.058              0.058    7.59
33)  ethyl tert-butyl ether
      0.951 0.896 0.906 0.933 0.894 0.893 0.869 0.853 0.842 0.936  0.897    4.00
34)  ethyl acetate
      0.083 0.075 0.082 0.085 0.076 0.077 0.071 0.074 0.089        0.079    7.26
35)  2,2-dichloropropane
      0.461 0.438 0.435 0.435 0.423 0.431 0.410 0.402 0.442 0.473  0.435    4.85
36)  cis-1,2-dichloroethene
      0.358 0.323 0.318 0.330 0.318 0.317 0.317 0.307 0.348        0.326    5.09
37)  methyl acrylate
      0.521 0.500 0.499 0.519 0.500 0.483 0.473 0.489 0.454        0.493    4.35
38)  propionitrile
      0.084 0.078 0.071 0.076 0.074 0.067 0.074 0.075 0.071 0.074  0.075    6.20
39)  tert-butyl formate  *This compound fails Initial Calibration criteria*
      0.202 0.183 0.214 0.216 0.186 0.220 0.176 0.180 0.184        0.196    8.87
40)  bromochloromethane
      0.175 0.169 0.155 0.164 0.161 0.147 0.167 0.155 0.174 0.197  0.166    8.46
41)  tetrahydrofuran
            0.197 0.158 0.169 0.161 0.149 0.167 0.169              0.167    8.95
42)  chloroform
      0.616 0.556 0.507 0.525 0.512 0.497 0.530 0.498 0.624        0.541    8.97
43)  dibromofluoromethane (s)
      0.475 0.478 0.463 0.470 0.474 0.461 0.478 0.479 0.476 0.463  0.472    1.48
44)  methacrylonitrile
      0.155 0.147 0.161 0.166 0.159 0.154 0.150 0.158 0.154        0.156    3.84
45)  1,1,1-trichloroethane
      0.524 0.516 0.514 0.526 0.509 0.507 0.504 0.490 0.523 0.557  0.517    3.40
46)  cyclohexane
      0.522 0.479 0.467 0.475 0.448 0.458 0.464 0.453 0.453 0.507  0.473    5.17
47)  tert amyl alcohol
      0.031 0.028 0.024 0.026 0.026 0.022 0.027 0.027 0.028        0.027    9.65
48)  1,1-dichloropropene
      0.434 0.412 0.429 0.435 0.425 0.421 0.415 0.407 0.399 0.472  0.425    4.77
49)  isobutyl alcohol
      0.007 0.008 0.006 0.006 0.006 0.006 0.007 0.007              0.007   10.15
50)  carbon tetrachloride
      0.451 0.431 0.485 0.479 0.452 0.485 0.426 0.419 0.435 0.502  0.457    6.39
51)  isopropyl acetate
      0.072 0.065 0.079 0.082 0.074 0.077 0.068 0.070 0.067        0.073    7.92

52) I   1,4-difluorobenzene   ----------------ISTD---------------------
53)  1,2-dichloroethane-d4 (s)
```

0.387 0.392 0.372 0.372 0.384 0.376 0.387 0.386 0.388 0.378 0.382 1.91

54) iso-octane
0.725 0.692 0.696 0.687 0.660 0.694 0.653 0.642 0.726 0.761 0.694 5.27

55) epichlorohydrin
0.038 0.035 0.035 0.038 0.035 0.035 0.034 0.034 0.029 0.035 7.47

56) n-butyl alcohol
0.011 0.011 0.012 0.013 0.012 0.012 0.011 0.011 0.008 0.011 10.45

57) benzene
0.893 0.853 0.817 0.820 0.802 0.812 0.799 0.772 0.784 1.034 0.839 9.16

58) tert-amyl methyl ether
0.589 0.553 0.586 0.588 0.544 0.592 0.525 0.524 0.498 0.534 0.553 6.10

59) heptane
0.141 0.132 0.126 0.125 0.124 0.123 0.122 0.120 0.111 0.128 0.125 6.36

60) 1,2-dichloroethane
0.391 0.360 0.292 0.301 0.290 0.286 0.313 0.297 0.316 12.13

61) trichloroethene
0.285 0.255 0.265 0.267 0.262 0.262 0.252 0.246 0.256 0.261 4.20

62) ethyl acrylate
0.351 0.343 0.361 0.366 0.337 0.351 0.333 0.332 0.332 0.309 0.341 4.90

63) 2-nitropropane
0.086 0.083 0.092 0.091 0.077 0.097 0.072 0.074 0.084 10.86

64) 2-chloroethyl vinyl ether
0.150 0.143 0.153 0.157 0.146 0.152 0.140 0.141 0.127 0.145 6.27

65) methyl methacrylate
0.072 0.064 0.072 0.073 0.067 0.071 0.062 0.063 0.068 6.63

66) 1,2-dichloropropane
0.084 0.081 0.084 0.086 0.082 0.084 0.080 0.082 0.074 0.082 4.04

67) dibromomethane
0.162 0.139 0.135 0.139 0.134 0.134 0.138 0.130 0.166 0.142 9.14

68) methylcyclohexane
0.350 0.362 0.368 0.364 0.342 0.365 0.330 0.330 0.355 0.350 0.352 4.02

69) bromodichloromethane
0.248 0.225 0.258 0.261 0.240 0.259 0.231 0.222 0.236 0.242 6.18

70) cis-1,3-dichloropropene
0.282 0.264 0.305 0.310 0.285 0.305 0.266 0.259 0.248 0.281 8.03

71) 4-methyl-2-pentanone
0.122 0.117 0.120 0.123 0.115 0.116 0.113 0.114 0.110 0.098 0.115 6.25

72) 3-methyl-1-butanol
0.008 0.008 0.010 0.010 0.009 0.010 0.008 0.008 0.009 12.38

73) I chlorobenzene-d5 ----------ISTD----------

74) toluene-d8 (s)
1.195 1.198 1.194 1.186 1.192 1.223 1.190 1.191 1.191 1.200 1.196 0.86

75) toluene
0.583 0.554 0.555 0.550 0.544 0.564 0.535 0.512 0.531 0.547 3.74

76) trans-1,3-dichloropropene
0.261 0.245 0.307 0.304 0.277 0.312 0.245 0.251 0.262 0.274 9.96

77) ethyl methacrylate
0.287 0.277 0.288 0.295 0.276 0.287 0.265 0.259 0.247 0.276 5.78

78) 1,1,2-trichloroethane
0.185 0.160 0.168 0.173 0.160 0.167 0.157 0.157 0.152 0.178 0.166 6.37

79) tetrachloroethene
0.218 0.215 0.228 0.225 0.214 0.229 0.209 0.205 0.190 0.261 0.220 8.56

80) 1,3-dichloropropane
0.339 0.309 0.313 0.322 0.304 0.309 0.305 0.292 0.303 0.381 0.318 7.99

81) 2-hexanone
0.139 0.132 0.132 0.136 0.129 0.128 0.129 0.128 0.124 0.112 0.129 5.75

82) butyl acetate
0.206 0.179 0.180 0.187 0.175 0.174 0.171 0.170 0.177 0.213 0.183 8.06

83) dibromochloromethane

```
      0.218 0.188 0.250 0.248 0.215 0.255 0.190 0.196 0.191 0.228  0.218   12.20
 84)  1,2-dibromoethane
      0.223 0.222 0.230 0.240 0.222 0.228 0.210 0.208 0.208        0.221    4.92
 85)  n-butyl ether
      0.925 0.883 0.916 0.925 0.874 0.897 0.839 0.838 0.858 0.915  0.887    3.83
 86)  chlorobenzene
      0.703 0.636 0.610 0.624 0.604 0.608 0.614 0.585 0.608        0.621    5.41
 87)  1,1,1,2-tetrachloroethane
      0.205 0.184 0.240 0.237 0.212 0.245 0.192 0.193              0.214   11.28
 88)  ethylbenzene
      1.081 1.056 1.052 1.048 1.014 1.043 1.006 0.975 1.008 1.209  1.049    6.12
 89)  m,p-xylene
      0.437 0.417 0.416 0.419 0.410 0.412 0.399 0.390 0.396 0.433  0.413    3.64
 90)  o-xylene
      0.832 0.803 0.791 0.798 0.777 0.782 0.769 0.746 0.740 0.803  0.784    3.53
 91)  styrene
      0.685 0.642 0.669 0.683 0.655 0.661 0.624 0.610 0.612 0.814  0.665    8.84
 92)  butyl acrylate
      0.458 0.438 0.475 0.496 0.455 0.458 0.423 0.426 0.419        0.450    5.71
 93)  n-amyl acetate
      0.156 0.146 0.158 0.166 0.153 0.149 0.140 0.146 0.132        0.150    6.64
 94)  bromoform
      0.120 0.119 0.178 0.172 0.144 0.182 0.119 0.123              0.145   19.61
 95)  isopropylbenzene
      1.071 1.022 1.032 1.057 1.022 0.996 0.999 0.969 0.996 1.059  1.022    3.22
 96)  cis-1,4-dichloro-2-butene
             0.105 0.097 0.076 0.107 0.055 0.064                   0.084   26.38
        ----- Linear regression -----  Coefficient =  0.9973
          Response Ratio = -0.00600 + 0.10699 *A


 97) I   1,4-dichlorobenzene-d ----------------ISTD---------------------
 98)  4-bromofluorobenzene (s)
      0.875 0.874 0.862 0.856 0.846 0.869 0.876 0.862 0.879 0.883  0.868    1.33
 99)  bromobenzene
      0.603 0.547 0.545 0.561 0.517 0.557 0.526 0.509 0.575        0.549    5.36
100)  1,1,2,2-tetrachloroethane
      0.577 0.554 0.582 0.586 0.543 0.584 0.530 0.537 0.486 0.458  0.544    8.00
101)  trans-1,4-dichloro-2-butene
            0.144 0.183 0.173 0.149 0.188 0.134 0.136              0.158   14.23
102)  1,2,3-trichloropropane
      0.192 0.189 0.184 0.189 0.178 0.184 0.175 0.168 0.157        0.179    6.44
103)  n-propylbenzene
      2.353 2.178 2.310 2.309 2.219 2.287 2.153 2.123 2.160 2.604  2.270    6.23
104)  2-chlorotoluene
      0.550 0.533 0.508 0.513 0.494 0.510 0.499 0.484 0.497 0.453  0.504    5.23
105)  4-chlorotoluene
      1.489 1.327 1.330 1.342 1.284 1.345 1.268 1.236 1.281        1.322    5.51
106)  1,3,5-trimethylbenzene
      1.569 1.440 1.566 1.539 1.470 1.596 1.425 1.388 1.382 1.443  1.482    5.34
107)  tert-butylbenzene
      1.504 1.474 1.462 1.471 1.418 1.447 1.384 1.339 1.414 1.505  1.442    3.69
108)  1,2,4-trimethylbenzene
      1.574 1.474 1.539 1.525 1.458 1.575 1.449 1.381 1.420 1.613  1.501    5.04
109)  sec-butylbenzene
      2.065 1.919 2.069 2.063 1.972 2.048 1.916 1.856 1.886 2.031  1.983    4.16
110)  1,3-dichlorobenzene
      1.025 0.990 0.981 1.003 0.949 0.992 0.951 0.910 1.039        0.982    4.11
111)  p-isopropyltoluene
      1.698 1.629 1.773 1.754 1.675 1.798 1.577 1.591 1.615 1.698  1.681    4.60
```

Initial Calibration Summary

Job Number: JD52507 **Sample:** V1X8636-ICC8636
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1X200562.D
Project: EPT, Ithaca, NY

```
112)  1,4-dichlorobenzene
       1.091 0.994 0.989 1.020 0.968 1.007 0.976 0.935 1.132        1.012    6.11
113)  1,2-dichlorobenzene
       0.958 0.914 0.927 0.952 0.906 0.939 0.900 0.866 0.904        0.918    3.15
114)  benzyl chloride
       0.702 0.671 0.979 0.946 0.817 1.008 0.669 0.705              0.812   17.92
115)  n-butylbenzene
       0.763 0.725 0.782 0.775 0.730 0.817 0.693 0.682 0.616 0.812  0.739    8.54
116)  1,2-dibromo-3-chloropropane
             0.144 0.181 0.183 0.160 0.191 0.136 0.144              0.163   13.62
117)  1,3,5-trichlorobenzene
       0.597 0.566 0.595 0.611 0.572 0.651 0.550 0.542 0.558 0.660  0.590    6.91
118)  hexachlorobutadiene
       0.234 0.203 0.221 0.216 0.206 0.251 0.194 0.189 0.195 0.195  0.210    9.57
119)  naphthalene
       1.987 1.823 1.921 1.943 1.818 2.035 1.817 1.786 1.827 2.354  1.931    8.84
120)  1,2,4-trichlorobenzene
       0.528 0.500 0.525 0.529 0.489 0.584 0.472 0.459 0.474 0.581  0.514    8.49
121)  1,2,3-trichlorobenzene
       0.497 0.480 0.523 0.517 0.481 0.571 0.449 0.452 0.494 0.545  0.501    7.75
122)  hexachloroethane
             0.145 0.232 0.217 0.180       0.143 0.154              0.179   21.55
             ----- Linear regression -----  Coefficient =  0.9937
               Response Ratio = -0.00596 + 0.22590 *A

123)  2-methylnaphthalene
       0.897 0.813 1.075 1.055 0.918 1.128 0.807 0.852 0.944        0.943   12.45
 ---------------------------------------------------------------------------
 (#) = Out of Range  ###  Number of calibration levels exceeded format  ###

           M1X8636.M         Thu Sep 29 14:02:51 2022   GCMSX
```

Initial Calibration Verification

Job Number: JD52507 **Sample:** V1X8636-ICV8636
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1X200572.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\MSDCHEM\1\DATA\VX8636\1X200572.D Vial: 14
Acq On : 29 Sep 2022 4:25 am Operator: PrashanS
Sample : ICV8636-50 Inst : ACC-VOA-M
Misc : MS62283,V1X8636,5,,,,1 Multiplr: 1.00
MS Integration Params: RTEINT.P

Method : C:\MSDCHEM\1\METHODS\M1X8636.M (RTE Integrator)
Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
Last Update : Thu Sep 29 10:06:17 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	tert butyl alcohol-d9	1.000	1.000	0.0	105	0.00	2.44
2		ethanol	0.048	0.043	10.4	100	0.00	1.94
3		tertiary butyl alcohol	0.756	0.783	-3.6	109	0.00	2.49
4		1,4-dioxane	0.060	0.063	-5.0	104	0.00	4.38
5	I	pentafluorobenzene	1.000	1.000	0.0	107	0.00	3.51
6		chlorodifluoromethane		----------NA----------				
7		dichlorodifluoromethane	0.400	0.433	-8.2	114	0.00	1.24
8		chloromethane	0.418	0.416	0.5	106	0.00	1.37
9		vinyl chloride	0.441	0.464	-5.2	109	0.00	1.43
10		bromomethane	0.061	0.075	-23.0	113	0.00	1.64
11		chloroethane	0.195	0.194	0.5	113	0.00	1.70
12		trichlorofluoromethane	0.578	0.609	-5.4	105	0.00	1.86
13		1,3-butadiene	0.352	0.495	-40.6#	149	0.00	1.46
14		ethyl ether	0.147	0.148	-0.7	105	0.00	2.02
15		acrolein	0.083	0.089	-7.2	108	0.00	2.10
16		1,1-dichloroethene	0.279	0.289	-3.6	107	0.00	2.17
17		freon 113	0.340	0.327	3.8	101	0.00	2.17
18		acetone	0.047	0.042	10.6	98	0.00	2.18
19		acetonitrile		----------NA----------				
20		iodomethane	0.128	0.148	-15.6	81	0.00	2.27
21		carbon disulfide	0.701	0.746	-6.4	110	0.00	2.32
22		methylene chloride	0.271	0.269	0.7	106	0.00	2.46
23		methyl acetate	0.385	0.416	-8.1	113	0.00	2.36
24		methyl tert butyl ether	0.806	0.823	-2.1	107	0.00	2.60
25		acrylonitrile		----------NA----------				
26		trans-1,2-dichloroethene	0.302	0.311	-3.0	109	0.00	2.62
27		hexane	0.477	0.488	-2.3	110	0.00	2.78
28		di-isopropyl ether	1.005	1.013	-0.8	106	0.00	2.88
29		2-butanone	0.052	0.055	-5.8	105	0.00	3.19
30		1,1-dichloroethane	0.524	0.525	-0.2	106	0.00	2.88
31		chloroprene	0.496	0.548	-10.5	112	0.00	2.92
32		vinyl acetate	0.058	0.050	13.8	82	0.00	2.86
33		ethyl tert-butyl ether	0.897	0.901	-0.4	103	0.00	3.09
34		ethyl acetate	0.079	0.084	-6.3	105	0.00	3.21
35		2,2-dichloropropane	0.435	0.423	2.8	104	0.00	3.22
36		cis-1,2-dichloroethene	0.326	0.328	-0.6	107	0.00	3.21
37		methyl acrylate	0.493	0.489	0.8	101	0.00	3.24
38		propionitrile	0.075	0.068	9.3	96	0.00	3.23
39		tert-butyl formate	0.196	0.112	42.9#	56	0.00	3.43
40		bromochloromethane	0.166	0.160	3.6	105	0.00	3.36
41		tetrahydrofuran	0.167	0.163	2.4	104	0.00	3.37

Initial Calibration Verification

Job Number: JD52507 **Sample:** V1X8636-ICV8636
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1X200572.D
Project: EPT, Ithaca, NY

42		chloroform	0.541	0.540	0.2	110	0.00	3.41
43	S	dibromofluoromethane (s)	0.472	0.464	1.7	106	0.00	3.51
44		methacrylonitrile	0.156	0.164	-5.1	106	0.00	3.33
45		1,1,1-trichloroethane	0.517	0.526	-1.7	107	0.00	3.53
46		cyclohexane	0.473	0.475	-0.4	107	0.00	3.58
47	m	tert amyl alcohol	0.027	0.024	11.1	99	0.00	3.72
48		1,1-dichloropropene	0.425	0.439	-3.3	108	0.00	3.62
49		isobutyl alcohol	0.007	0.006	14.3	101	0.00	3.81
50		carbon tetrachloride	0.457	0.476	-4.2	106	0.00	3.63
51		isopropyl acetate	0.073	0.079	-8.2	103	0.00	3.74
52	I	1,4-difluorobenzene	1.000	1.000	0.0	105	0.00	4.00
53	S	1,2-dichloroethane-d4 (s)	0.382	0.373	2.4	105	0.00	3.73
54		iso-octane	0.694	0.672	3.2	102	0.00	3.81
55		epichlorohydrin	0.035	0.036	-2.9	99	0.00	4.72
56		n-butyl alcohol	0.011	0.012	-9.1	101	0.00	4.06
57		benzene	0.839	0.845	-0.7	108	0.00	3.75
58		tert-amyl methyl ether	0.553	0.569	-2.9	101	0.00	3.81
59		heptane	0.125	0.134	-7.2	112	0.00	3.91
60		1,2-dichloroethane	0.316	0.301	4.7	104	0.00	3.78
61		trichloroethene	0.261	0.278	-6.5	109	0.00	4.16
62	m	ethyl acrylate	0.341	0.347	-1.8	99	0.00	4.19
63		2-nitropropane	0.084	0.092	-9.5	106	0.00	4.65
64		2-chloroethyl vinyl ether	0.145	0.142	2.1	95	0.00	4.68
65		methyl methacrylate	0.068	0.077	-13.2	109	0.00	4.34
66		1,2-dichloropropane	0.082	0.086	-4.9	105	0.00	4.34
67		dibromomethane	0.142	0.139	2.1	104	0.00	4.40
68		methylcyclohexane	0.352	0.381	-8.2	109	0.00	4.33
69		bromodichloromethane	0.242	0.261	-7.9	105	0.00	4.50
70		cis-1,3-dichloropropene	0.281	0.304	-8.2	103	0.00	4.80
71		4-methyl-2-pentanone	0.115	0.122	-6.1	103	0.00	4.89
72		3-methyl-1-butanol	0.009	0.010	-11.1	102	0.00	4.91
73	I	chlorobenzene-d5	1.000	1.000	0.0	105	0.00	6.07
74	S	toluene-d8 (s)	1.196	1.184	1.0	105	0.00	5.00
75		toluene	0.547	0.570	-4.2	109	0.00	5.04
76		trans-1,3-dichloropropene	0.274	0.300	-9.5	103	0.00	5.20
77		ethyl methacrylate	0.276	0.275	0.4	98	0.00	5.22
78		1,1,2-trichloroethane	0.166	0.172	-3.6	104	0.00	5.34
79		tetrachloroethene		----------NA----------				
80		1,3-dichloropropane	0.318	0.322	-1.3	105	0.00	5.47
81		2-hexanone	0.129	0.133	-3.1	103	0.00	5.49
82		butyl acetate	0.183	0.187	-2.2	105	0.00	5.57
83		dibromochloromethane	0.218	0.250	-14.7	105	0.00	5.63
84		1,2-dibromoethane	0.221	0.237	-7.2	104	0.00	5.73
85	m	n-butyl ether	0.887	0.899	-1.4	102	0.00	6.15
86		chlorobenzene	0.621	0.632	-1.8	106	0.00	6.10
87		1,1,1,2-tetrachloroethane	0.214	0.237	-10.7	105	0.00	6.16
88		ethylbenzene	1.049	1.079	-2.9	108	0.00	6.16
89		m,p-xylene	0.413	0.434	-5.1	108	0.00	6.27
90		o-xylene	0.784	0.825	-5.2	108	0.00	6.57
91		styrene	0.665	0.696	-4.7	107	0.00	6.59
92		butyl acrylate	0.450	0.473	-5.1	100	0.00	6.51
93		n-amyl acetate	0.150	0.157	-4.7	100	0.00	6.69
94		bromoform	0.145	0.170	-17.2	103	0.00	6.74
95		isopropylbenzene	1.022	1.089	-6.6	108	0.00	6.86
		----------	True	Calc.	% Drift	----------		
96		cis-1,4-dichloro-2-butene	50.000	43.628	12.7	95	0.00	6.91

Initial Calibration Verification

Job Number: JD52507 **Sample:** V1X8636-ICV8636
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1X200572.D
Project: EPT, Ithaca, NY

			AvgRF	CCRF	% Dev			
97	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	104	0.00	7.88
98	S	4-bromofluorobenzene (s)	0.868	0.853	1.7	104	0.00	7.01
99		bromobenzene	0.549	0.559	-1.8	104	0.00	7.13
100		1,1,2,2-tetrachloroethane	0.544	0.581	-6.8	104	0.00	7.10
101		trans-1,4-dichloro-2-bute	0.158	0.178	-12.7	108	0.00	7.14
102		1,2,3-trichloropropane	0.179	0.184	-2.8	102	0.00	7.15
103		n-propylbenzene	2.270	2.372	-4.5	107	0.00	7.19
104		2-chlorotoluene	0.504	0.524	-4.0	107	0.00	7.27
105		4-chlorotoluene	1.322	1.356	-2.6	106	0.00	7.36
106		1,3,5-trimethylbenzene	1.482	1.576	-6.3	107	0.00	7.33
107		tert-butylbenzene	1.442	1.555	-7.8	110	0.00	7.57
108		1,2,4-trimethylbenzene	1.501	1.554	-3.5	106	0.00	7.62
109		sec-butylbenzene	1.983	2.127	-7.3	108	0.00	7.73
110		1,3-dichlorobenzene	0.982	1.017	-3.6	106	0.00	7.83
111		p-isopropyltoluene	1.681	1.803	-7.3	107	0.00	7.85
112		1,4-dichlorobenzene	1.012	1.015	-0.3	104	0.00	7.90
113		1,2-dichlorobenzene	0.918	0.959	-4.5	105	0.00	8.16
114		benzyl chloride	0.812	0.842	-3.7	93	0.00	7.98
115		n-butylbenzene	0.739	0.793	-7.3	107	0.00	8.13
116		1,2-dibromo-3-chloropropa	0.163	0.181	-11.0	103	0.00	8.69
117		1,3,5-trichlorobenzene	0.590	0.608	-3.1	104	0.00	8.81
118		hexachlorobutadiene	0.210	0.228	-8.6	110	0.00	9.30
119		naphthalene	1.931	1.920	0.6	103	0.00	9.39
120		1,2,4-trichlorobenzene	0.514	0.537	-4.5	106	0.00	9.22
121	m	1,2,3-trichlorobenzene	0.501	0.517	-3.2	104	0.00	9.52

			True	Calc.	% Drift			
122		hexachloroethane	50.000	51.887	-3.8	110	0.00	8.35

			AvgRF	CCRF	% Dev			
123		2-methylnaphthalene	0.943	1.044	-10.7	103	0.00	10.11

(#) = Out of Range SPCC's out = 0 CCC's out = 0
1X200562.D M1X8636.M Thu Sep 29 14:02:37 2022 GCMSX

Initial Calibration Verification

Job Number: JD52507 **Sample:** V1X8636-ICV8636
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1X200574.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\MSDCHEM\1\DATA\VX8636\1X200574.D Vial: 15
Acq On : 29 Sep 2022 5:02 am Operator: PrashanS
Sample : ICV8636-50 Inst : ACC-VOA-M
Misc : MS62283,V1X8636,5,,,,1 Multiplr: 1.00
MS Integration Params: RTEINT.P

Method : C:\MSDCHEM\1\METHODS\M1X8636.M (RTE Integrator)
Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
Last Update : Thu Sep 29 10:06:17 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	tert butyl alcohol-d9	1.000	1.000	0.0	97	0.00	2.44
2		ethanol		----------NA----------				
3		tertiary butyl alcohol		----------NA----------				
4		1,4-dioxane		----------NA----------				
5	I	pentafluorobenzene	1.000	1.000	0.0	105	0.00	3.51
6		chlorodifluoromethane	0.426	0.453	-6.3	116	0.00	1.25
7		dichlorodifluoromethane		----------NA----------				
8		chloromethane		----------NA----------				
9		vinyl chloride		----------NA----------				
10		bromomethane		----------NA----------				
11		chloroethane		----------NA----------				
12		trichlorofluoromethane		----------NA----------				
13		1,3-butadiene		----------NA----------				
14		ethyl ether		----------NA----------				
15		acrolein		----------NA----------				
16		1,1-dichloroethene		----------NA----------				
17		freon 113		----------NA----------				
18		acetone		----------NA----------				
19		acetonitrile	0.066	0.059	10.6	99	0.00	2.35
20		iodomethane		----------NA----------				
21		carbon disulfide		----------NA----------				
22		methylene chloride		----------NA----------				
23		methyl acetate		----------NA----------				
24		methyl tert butyl ether		----------NA----------				
25		acrylonitrile	0.179	0.148	17.3	84	0.00	2.58
26		trans-1,2-dichloroethene		----------NA----------				
27		hexane		----------NA----------				
28		di-isopropyl ether		----------NA----------				
29		2-butanone		----------NA----------				
30		1,1-dichloroethane		----------NA----------				
31		chloroprene		----------NA----------				
32		vinyl acetate		----------NA----------				
33		ethyl tert-butyl ether		----------NA----------				
34		ethyl acetate		----------NA----------				
35		2,2-dichloropropane		----------NA----------				
36		cis-1,2-dichloroethene		----------NA----------				
37		methyl acrylate		----------NA----------				
38		propionitrile		----------NA----------				
39		tert-butyl formate		----------NA----------				
40		bromochloromethate		----------NA----------				
41		tetrahydrofuran		----------NA----------				

Initial Calibration Verification

Job Number: JD52507 **Sample:** V1X8636-ICV8636
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1X200574.D
Project: EPT, Ithaca, NY

42		chloroform		----------NA----------				
43	S	dibromofluoromethane (s)	0.472	0.457	3.2	102	0.00	3.51
44		methacrylonitrile		----------NA----------				
45		1,1,1-trichloroethane		----------NA----------				
46		cyclohexane		----------NA----------				
47	m	tert amyl alcohol		----------NA----------				
48		1,1-dichloropropene		----------NA----------				
49		isobutyl alcohol		----------NA----------				
50		carbon tetrachloride		----------NA----------				
51		isopropyl acetate		----------NA----------				
52	I	1,4-difluorobenzene	1.000	1.000	0.0	100	0.00	4.00
53	S	1,2-dichloroethane-d4 (s)	0.382	0.388	-1.6	105	0.00	3.73
54		iso-octane		----------NA----------				
55		epichlorohydrin		----------NA----------				
56		n-butyl alcohol		----------NA----------				
57		benzene		----------NA----------				
58		tert-amyl methyl ether		----------NA----------				
59		heptane		----------NA----------				
60		1,2-dichloroethane		----------NA----------				
61		trichloroethene		----------NA----------				
62	m	ethyl acrylate		----------NA----------				
63		2-nitropropane		----------NA----------				
64		2-chloroethyl vinyl ether		----------NA----------				
65		methyl methacrylate		----------NA----------				
66		1,2-dichloropropane		----------NA----------				
67		dibromomethane		----------NA----------				
68		methylcyclohexane		----------NA----------				
69		bromodichloromethane		----------NA----------				
70		cis-1,3-dichloropropene		----------NA----------				
71		4-methyl-2-pentanone		----------NA----------				
72		3-methyl-1-butanol		----------NA----------				
73	I	chlorobenzene-d5	1.000	1.000	0.0	103	0.00	6.07
74	S	toluene-d8 (s)	1.196	1.179	1.4	102	0.00	5.00
75		toluene		----------NA----------				
76		trans-1,3-dichloropropene		----------NA----------				
77		ethyl methacrylate		----------NA----------				
78		1,1,2-trichloroethane		----------NA----------				
79		tetrachloroethene	0.220	0.209	5.0	95	0.00	5.42
80		1,3-dichloropropane		----------NA----------				
81		2-hexanone		----------NA----------				
82		butyl acetate		----------NA----------				
83		dibromochloromethane		----------NA----------				
84		1,2-dibromoethane		----------NA----------				
85	m	n-butyl ether		----------NA----------				
86		chlorobenzene		----------NA----------				
87		1,1,1,2-tetrachloroethane		----------NA----------				
88		ethylbenzene		----------NA----------				
89		m,p-xylene		----------NA----------				
90		o-xylene		----------NA----------				
91		styrene		----------NA----------				
92		butyl acrylate		----------NA----------				
93		n-amyl acetate		----------NA----------				
94		bromoform		----------NA----------				
95		isopropylbenzene		----------NA----------				
		----------	True	Calc.	% Drift	----------		
96		cis-1,4-dichloro-2-butene		----------NA----------				

Initial Calibration Verification

Job Number: JD52507 **Sample:** V1X8636-ICV8636
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1X200574.D
Project: EPT, Ithaca, NY

			AvgRF	CCRF	% Dev			
97	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	102	0.00	7.88
98	S	4-bromofluorobenzene (s)	0.868	0.864	0.5	103	0.00	7.01
99		bromobenzene		NA				
100		1,1,2,2-tetrachloroethane		NA				
101		trans-1,4-dichloro-2-bute		NA				
102		1,2,3-trichloropropane		NA				
103		n-propylbenzene		NA				
104		2-chlorotoluene		NA				
105		4-chlorotoluene		NA				
106		1,3,5-trimethylbenzene		NA				
107		tert-butylbenzene		NA				
108		1,2,4-trimethylbenzene		NA				
109		sec-butylbenzene		NA				
110		1,3-dichlorobenzene		NA				
111		p-isopropyltoluene		NA				
112		1,4-dichlorobenzene		NA				
113		1,2-dichlorobenzene		NA				
114		benzyl chloride		NA				
115		n-butylbenzene		NA				
116		1,2-dibromo-3-chloropropa		NA				
117		1,3,5-trichlorobenzene		NA				
118		hexachlorobutadiene		NA				
119		naphthalene		NA				
120		1,2,4-trichlorobenzene		NA				
121	m	1,2,3-trichlorobenzene		NA				

			True	Calc.	% Drift
122		hexachloroethane		NA	

			AvgRF	CCRF	% Dev
123		2-methylnaphthalene		NA	

(#) = Out of Range SPCC's out = 0 CCC's out = 0
1X200562.D M1X8636.M Thu Sep 29 14:01:52 2022 GCMSX

Continuing Calibration Summary

Job Number: JD52507 **Sample:** V1X8637-CC8636
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1X200580.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\da...22\v1x8637\1x200580.d Vial: 3
Acq On : 29 Sep 2022 10:06 am Operator: PrashanS
Sample : cc8636-20 Inst : ACC-VOA-MSX
Misc : MS62283,V1X8637,5,,,,1 Multiplr: 1.00
MS Integration Params: RTEINT.P

Method : C:\MSDCHEM\1\METHODS\M1X8636.M (RTE Integrator)
Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
Last Update : Thu Sep 29 10:06:17 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	tert butyl alcohol-d9	1.000	1.000	0.0	109	-0.01	2.43
2		ethanol	0.048	0.050	-4.2	118	0.00	1.94
3		tertiary butyl alcohol	0.756	0.715	5.4	105	-0.01	2.48
4		1,4-dioxane	0.060	0.060	0.0	105	-0.01	4.37
5	I	pentafluorobenzene	1.000	1.000	0.0	110	0.00	3.50
6		chlorodifluoromethane	0.426	0.382	10.3	101	-0.01	1.25
7		dichlorodifluoromethane	0.400	0.332	17.0	91	0.00	1.23
8		chloromethane	0.418	0.346	17.2	94	-0.01	1.36
9		vinyl chloride	0.441	0.360	18.4	90	-0.01	1.43
10		bromomethane	0.061	0.075	-23.0#	127	0.00	1.63
11		chloroethane	0.195	0.160	17.9	93	0.00	1.70
12		trichlorofluoromethane	0.578	0.487	15.7	92	-0.01	1.85
13		1,3-butadiene	0.352	0.332	5.7	99	0.00	1.45
14		ethyl ether	0.147	0.134	8.8	100	-0.01	2.01
15		acrolein	0.083	0.082	1.2	113	-0.01	2.10
16		1,1-dichloroethene	0.279	0.259	7.2	101	0.00	2.17
17		freon 113	0.340	0.316	7.1	102	0.00	2.16
18		acetone	0.047	0.041	12.8	99	0.00	2.18
19		acetonitrile	0.066	0.061	7.6	106	-0.01	2.34
20		iodomethane	0.128	0.113	11.7	120	0.00	2.26
21		carbon disulfide	0.701	0.663	5.4	104	0.00	2.31
22		methylene chloride	0.271	0.246	9.2	100	0.00	2.46
23		methyl acetate	0.385	0.350	9.1	103	0.00	2.36
24		methyl tert butyl ether	0.806	0.725	10.0	101	0.00	2.60
25		acrylonitrile	0.179	0.170	5.0	106	0.00	2.58
26		trans-1,2-dichloroethene	0.302	0.276	8.6	100	0.00	2.62
27		hexane	0.477	0.453	5.0	109	0.00	2.77
28		di-isopropyl ether	1.005	0.912	9.3	100	0.00	2.87
29		2-butanone	0.052	0.049	5.8	102	-0.01	3.19
30		1,1-dichloroethane	0.524	0.467	10.9	98	0.00	2.87
31		chloroprene	0.496	0.466	6.0	98	0.00	2.91
32		vinyl acetate	0.058	0.057	1.7	107	0.00	2.86
33		ethyl tert-butyl ether	0.897	0.819	8.7	101	0.00	3.09
34		ethyl acetate	0.079	0.075	5.1	109	0.00	3.20
35		2,2-dichloropropane	0.435	0.417	4.1	108	0.00	3.22
36		cis-1,2-dichloroethene	0.326	0.290	11.0	100	0.00	3.21
37		methyl acrylate	0.493	0.467	5.3	102	-0.01	3.23
38		propionitrile	0.075	0.070	6.7	104	-0.01	3.23
39		tert-butyl formate	0.196	0.205	-4.6	121	-0.01	3.42
40		bromochloromethane	0.166	0.152	8.4	104	0.00	3.36
41		tetrahydrofuran	0.167	0.151	9.6	103	0.00	3.36

Continuing Calibration Summary

Job Number: JD52507 **Sample:** V1X8637-CC8636
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1X200580.D
Project: EPT, Ithaca, NY

42		chloroform	0.541	0.465	14.0	100	0.00	3.41
43	S	dibromofluoromethane (s)	0.472	0.453	4.0	105	0.00	3.51
44		methacrylonitrile	0.156	0.148	5.1	102	0.00	3.33
45		1,1,1-trichloroethane	0.517	0.465	10.1	100	-0.01	3.52
46		cyclohexane	0.473	0.382	19.2	94	0.00	3.58
47	m	tert amyl alcohol	0.027	0.024	11.1	103	-0.01	3.71
48		1,1-dichloropropene	0.425	0.389	8.5	101	0.00	3.62
49		isobutyl alcohol	0.007	0.006	14.3	112	0.00	3.81
50		carbon tetrachloride	0.457	0.411	10.1	100	0.00	3.62
51		isopropyl acetate	0.073	0.070	4.1	103	0.00	3.74
52	I	1,4-difluorobenzene	1.000	1.000	0.0	107	0.00	4.00
53	S	1,2-dichloroethane-d4 (s)	0.382	0.377	1.3	105	0.00	3.73
54		iso-octane	0.694	0.652	6.1	105	0.00	3.81
55		epichlorohydrin	0.035	0.035	0.0	107	0.00	4.72
56		n-butyl alcohol	0.011	0.012	-9.1	109	0.00	4.05
57		benzene	0.839	0.748	10.8	99	0.00	3.75
58		tert-amyl methyl ether	0.553	0.519	6.1	102	0.00	3.81
59		heptane	0.125	0.123	1.6	106	0.00	3.91
60		1,2-dichloroethane	0.316	0.279	11.7	103	0.00	3.77
61		trichloroethene	0.261	0.242	7.3	98	0.00	4.16
62	m	ethyl acrylate	0.341	0.331	2.9	105	0.00	4.18
63		2-nitropropane	0.084	0.079	6.0	110	0.00	4.64
64		2-chloroethyl vinyl ether	0.145	0.143	1.4	105	0.00	4.68
65		methyl methacrylate	0.068	0.064	5.9	101	0.00	4.34
66		1,2-dichloropropane	0.082	0.077	6.1	99	0.00	4.33
67		dibromomethane	0.142	0.126	11.3	101	0.00	4.39
68		methylcyclohexane	0.352	0.329	6.5	103	0.00	4.32
69		bromodichloromethane	0.242	0.225	7.0	100	0.00	4.50
70		cis-1,3-dichloropropene	0.281	0.277	1.4	104	0.00	4.80
71		4-methyl-2-pentanone	0.115	0.112	2.6	104	0.00	4.88
72		3-methyl-1-butanol	0.009	0.010	-11.1	111	0.00	4.91
73	I	chlorobenzene-d5	1.000	1.000	0.0	106	0.00	6.07
74	S	toluene-d8 (s)	1.196	1.179	1.4	105	0.00	4.99
75		toluene	0.547	0.508	7.1	99	0.00	5.04
76		trans-1,3-dichloropropene	0.274	0.271	1.1	104	0.00	5.19
77		ethyl methacrylate	0.276	0.260	5.8	100	0.00	5.21
78		1,1,2-trichloroethane	0.166	0.154	7.2	102	0.00	5.34
79		tetrachloroethene	0.220	0.206	6.4	102	0.00	5.42
80		1,3-dichloropropane	0.318	0.291	8.5	101	0.00	5.47
81		2-hexanone	0.129	0.125	3.1	103	0.00	5.49
82		butyl acetate	0.183	0.169	7.7	103	0.00	5.56
83		dibromochloromethane	0.218	0.206	5.5	102	0.00	5.63
84		1,2-dibromoethane	0.221	0.212	4.1	101	0.00	5.73
85	m	n-butyl ether	0.887	0.815	8.1	99	0.00	6.14
86		chlorobenzene	0.621	0.567	8.7	100	0.00	6.10
87		1,1,1,2-tetrachloroethane	0.214	0.203	5.1	101	0.00	6.16
88		ethylbenzene	1.049	0.951	9.3	99	0.00	6.16
89		m,p-xylene	0.413	0.384	7.0	99	0.00	6.27
90		o-xylene	0.784	0.724	7.7	99	0.00	6.57
91		styrene	0.665	0.611	8.1	99	0.00	6.59
92		butyl acrylate	0.450	0.438	2.7	102	0.00	6.51
93		n-amyl acetate	0.150	0.146	2.7	101	0.00	6.68
94		bromoform	0.145	0.139	4.1	102	0.00	6.74
95		isopropylbenzene	1.022	0.949	7.1	98	0.00	6.86
			True	Calc.	% Drift			
96		cis-1,4-dichloro-2-butene	20.000	18.794	6.0	120	0.00	6.91

Continuing Calibration Summary

Job Number: JD52507 **Sample:** V1X8637-CC8636
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1X200580.D
Project: EPT, Ithaca, NY

			AvgRF	CCRF	% Dev			
97	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	103	0.00	7.88
98	S	4-bromofluorobenzene (s)	0.868	0.861	0.8	105	0.00	7.00
99		bromobenzene	0.549	0.512	6.7	102	0.00	7.12
100		1,1,2,2-tetrachloroethane	0.544	0.539	0.9	103	0.00	7.10
101		trans-1,4-dichloro-2-bute	0.158	0.163	-3.2	113	0.00	7.13
102		1,2,3-trichloropropane	0.179	0.172	3.9	100	0.00	7.15
103		n-propylbenzene	2.270	2.155	5.1	100	0.00	7.19
104		2-chlorotoluene	0.504	0.475	5.8	99	0.00	7.26
105		4-chlorotoluene	1.322	1.209	8.5	97	0.00	7.35
106		1,3,5-trimethylbenzene	1.482	1.392	6.1	98	0.00	7.33
107		tert-butylbenzene	1.442	1.360	5.7	99	0.00	7.57
108		1,2,4-trimethylbenzene	1.501	1.381	8.0	98	0.00	7.61
109		sec-butylbenzene	1.983	1.905	3.9	100	0.00	7.73
110		1,3-dichlorobenzene	0.982	0.929	5.4	101	0.00	7.82
111		p-isopropyltoluene	1.681	1.628	3.2	100	0.00	7.85
112		1,4-dichlorobenzene	1.012	0.940	7.1	100	0.00	7.90
113		1,2-dichlorobenzene	0.918	0.879	4.2	100	0.00	8.16
114		benzyl chloride	0.812	0.970	-19.5	123	0.00	7.98
115		n-butylbenzene	0.739	0.713	3.5	101	0.00	8.13
116		1,2-dibromo-3-chloropropa	0.163	0.165	-1.2	107	0.00	8.69
117		1,3,5-trichlorobenzene	0.590	0.561	4.9	101	0.00	8.81
118		hexachlorobutadiene	0.210	0.211	-0.5	106	0.00	9.30
119		naphthalene	1.931	1.834	5.0	104	0.00	9.38
120		1,2,4-trichlorobenzene	0.514	0.497	3.3	105	0.00	9.22
121	m	1,2,3-trichlorobenzene	0.501	0.475	5.2	102	0.00	9.52

		True	Calc.	% Drift			
122	hexachloroethane	20.000	16.539	17.3	99	0.00	8.35

		AvgRF	CCRF	% Dev			
123	2-methylnaphthalene	0.943	0.956	-1.4	108	0.00	10.11

(#) = Out of Range SPCC's out = 0 CCC's out = 0
1X200560.D M1X8636.M Mon Oct 03 06:40:53 2022

Continuing Calibration Summary

Job Number: JD52507 **Sample:** V1X8638-CC8636
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1X200612.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\KI...22\v1x8638\1x200612.d Vial: 35
Acq On : 29 Sep 2022 10:33 pm Operator: taylors
Sample : cc8636-20 Inst : ACC-VOA-MSX
Misc : MS62553,V1X8638,5,,,,1 Multiplr: 1.00
MS Integration Params: RTEINT.P

Method : C:\msdchem\1\methods\m1x8636.m (RTE Integrator)
Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
Last Update : Thu Sep 29 10:06:17 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	tert butyl alcohol-d9	1.000	1.000	0.0	105	0.00	2.44
2		ethanol	0.048	0.048	0.0	110	0.00	1.94
3		tertiary butyl alcohol	0.756	0.707	6.5	100	0.00	2.49
4		1,4-dioxane	0.060	0.060	0.0	102	0.00	4.38
5	I	pentafluorobenzene	1.000	1.000	0.0	108	0.00	3.51
6		chlorodifluoromethane		----------NA----------				
7		dichlorodifluoromethane	0.400	0.445	-11.2	121	0.00	1.23
8		chloromethane	0.418	0.389	6.9	105	-0.01	1.36
9		vinyl chloride	0.441	0.449	-1.8	111	-0.01	1.43
10		bromomethane	0.061	0.058	4.9	97	0.00	1.63
11		chloroethane	0.195	0.194	0.5	112	0.00	1.70
12		trichlorofluoromethane	0.578	0.572	1.0	107	-0.01	1.85
13		1,3-butadiene	0.352	0.519	-47.4#	152	0.00	1.45
14		ethyl ether	0.147	0.128	12.9	94	-0.01	2.01
15		acrolein	0.083	0.081	2.4	110	0.00	2.10
16		1,1-dichloroethene	0.279	0.232	16.8	89	0.00	2.17
17		freon 113	0.340	0.272	20.0	87	0.00	2.16
18		acetone	0.047	0.038	19.1	89	0.00	2.18
19		acetonitrile	0.066	0.038	42.4#	65	0.00	2.35
20		iodomethane	0.128	0.094	26.6	99	0.00	2.26
21		carbon disulfide	0.701	0.561	20.0	87	0.00	2.31
22		methylene chloride	0.271	0.231	14.8	92	0.00	2.46
23		methyl acetate	0.385	0.368	4.4	107	0.00	2.36
24		methyl tert butyl ether	0.806	0.710	11.9	98	0.00	2.60
25		acrylonitrile	0.179	0.160	10.6	98	0.00	2.58
26		trans-1,2-dichloroethene	0.302	0.248	17.9	89	0.00	2.62
27		hexane	0.477	0.466	2.3	110	0.00	2.77
28		di-isopropyl ether	1.005	0.864	14.0	94	0.00	2.87
29		2-butanone	0.052	0.048	7.7	99	0.00	3.19
30		1,1-dichloroethane	0.524	0.434	17.2	90	0.00	2.87
31		chloroprene	0.496	0.448	9.7	93	0.00	2.91
32		vinyl acetate	0.058	0.042	27.6	78	0.00	2.86
33		ethyl tert-butyl ether	0.897	0.768	14.4	93	0.00	3.09
34		ethyl acetate	0.079	0.073	7.6	105	0.00	3.20
35		2,2-dichloropropane	0.435	0.333	23.4	85	0.00	3.22
36		cis-1,2-dichloroethene	0.326	0.268	17.8	91	0.00	3.21
37		methyl acrylate	0.493	0.443	10.1	96	0.00	3.24
38		propionitrile	0.075	0.062	17.3	91	0.00	3.23
39		tert-butyl formate	0.196	0.109	44.4#	63	-0.01	3.42
40		bromochloromethane	0.166	0.141	15.1	96	0.00	3.36
41		tetrahydrofuran	0.167	0.144	13.8	97	0.00	3.36

Continuing Calibration Summary

Job Number: JD52507 **Sample:** V1X8638-CC8636
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1X200612.D
Project: EPT, Ithaca, NY

42		chloroform	0.541	0.438	19.0	93	0.00	3.41
43	S	dibromofluoromethane (s)	0.472	0.450	4.7	103	0.00	3.51
44		methacrylonitrile	0.156	0.145	7.1	99	0.00	3.33
45		1,1,1-trichloroethane	0.517	0.422	18.4	90	0.00	3.53
46		cyclohexane	0.473	0.441	6.8	107	0.00	3.58
47	m	tert amyl alcohol	0.027	0.024	11.1	98	0.00	3.72
48		1,1-dichloropropene	0.425	0.356	16.2	91	0.00	3.62
49		isobutyl alcohol	0.007	0.005	28.6	100	0.00	3.81
50		carbon tetrachloride	0.457	0.358	21.7	86	0.00	3.62
51		isopropyl acetate	0.073	0.069	5.5	100	0.00	3.74
52	I	1,4-difluorobenzene	1.000	1.000	0.0	105	0.00	4.00
53	S	1,2-dichloroethane-d4 (s)	0.382	0.375	1.8	103	0.00	3.73
54		iso-octane	0.694	0.562	19.0	90	0.00	3.81
55		epichlorohydrin	0.035	0.032	8.6	96	0.00	4.72
56		n-butyl alcohol	0.011	0.011	0.0	101	0.00	4.05
57		benzene	0.839	0.705	16.0	92	0.00	3.75
58		tert-amyl methyl ether	0.553	0.483	12.7	93	0.00	3.81
59		heptane	0.125	0.121	3.2	103	0.00	3.91
60		1,2-dichloroethane	0.316	0.264	16.5	96	0.00	3.77
61		trichloroethene	0.261	0.224	14.2	90	0.00	4.16
62	m	ethyl acrylate	0.341	0.301	11.7	94	0.00	4.18
63		2-nitropropane	0.084	0.076	9.5	104	0.00	4.64
64		2-chloroethyl vinyl ether	0.145	0.127	12.4	91	0.00	4.68
65		methyl methacrylate	0.068	0.067	1.5	105	0.00	4.34
66		1,2-dichloropropane	0.082	0.073	11.0	93	0.00	4.33
67		dibromomethane	0.142	0.120	15.5	94	0.00	4.39
68		methylcyclohexane	0.352	0.310	11.9	95	0.00	4.32
69		bromodichloromethane	0.242	0.204	15.7	89	0.00	4.50
70		cis-1,3-dichloropropene	0.281	0.242	13.9	89	0.00	4.80
71		4-methyl-2-pentanone	0.115	0.107	7.0	98	0.00	4.89
72		3-methyl-1-butanol	0.009	0.009	0.0	103	0.00	4.91
73	I	chlorobenzene-d5	1.000	1.000	0.0	105	0.00	6.07
74	S	toluene-d8 (s)	1.196	1.173	1.9	104	0.00	5.00
75		toluene	0.547	0.475	13.2	92	0.00	5.04
76		trans-1,3-dichloropropene	0.274	0.241	12.0	92	0.00	5.19
77		ethyl methacrylate	0.276	0.233	15.6	89	0.00	5.21
78		1,1,2-trichloroethane	0.166	0.149	10.2	98	0.00	5.34
79		tetrachloroethene	0.220	0.194	11.8	95	0.00	5.42
80		1,3-dichloropropane	0.318	0.276	13.2	95	0.00	5.47
81		2-hexanone	0.129	0.116	10.1	95	0.00	5.49
82		butyl acetate	0.183	0.162	11.5	98	0.00	5.56
83		dibromochloromethane	0.218	0.191	12.4	94	0.00	5.63
84		1,2-dibromoethane	0.221	0.203	8.1	96	0.00	5.73
85	m	n-butyl ether	0.887	0.727	18.0	88	0.00	6.15
86		chlorobenzene	0.621	0.530	14.7	92	0.00	6.10
87		1,1,1,2-tetrachloroethane	0.214	0.186	13.1	92	0.00	6.16
88		ethylbenzene	1.049	0.876	16.5	91	0.00	6.16
89		m,p-xylene	0.413	0.352	14.8	90	0.00	6.27
90		o-xylene	0.784	0.677	13.6	92	0.00	6.57
91		styrene	0.665	0.569	14.4	91	0.00	6.59
92		butyl acrylate	0.450	0.396	12.0	92	0.00	6.51
93		n-amyl acetate	0.150	0.135	10.0	93	0.00	6.69
94		bromoform	0.145	0.125	13.8	91	0.00	6.74
95		isopropylbenzene	1.022	0.884	13.5	91	0.00	6.86
		----------	True	Calc.	% Drift	----------		
96		cis-1,4-dichloro-2-butene	20.000	9.391	53.0#	49	0.00	6.91

Continuing Calibration Summary

Job Number: JD52507 **Sample:** V1X8638-CC8636
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 1X200612.D
Project: EPT, Ithaca, NY

			AvgRF	CCRF	% Dev			
97	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	103	0.00	7.88
98	S	4-bromofluorobenzene (s)	0.868	0.853	1.7	104	0.00	7.00
99		bromobenzene	0.549	0.479	12.8	95	0.00	7.13
100		1,1,2,2-tetrachloroethane	0.544	0.518	4.8	98	0.00	7.10
101		trans-1,4-dichloro-2-bute	0.158	0.092	41.8#	63	0.00	7.13
102		1,2,3-trichloropropane	0.179	0.163	8.9	94	0.00	7.15
103		n-propylbenzene	2.270	1.969	13.3	91	0.00	7.19
104		2-chlorotoluene	0.504	0.437	13.3	91	0.00	7.26
105		4-chlorotoluene	1.322	1.132	14.4	91	0.00	7.36
106		1,3,5-trimethylbenzene	1.482	1.296	12.6	91	0.00	7.33
107		tert-butylbenzene	1.442	1.586	-10.0	115	0.00	7.57
108		1,2,4-trimethylbenzene	1.501	1.286	14.3	91	0.00	7.61
109		sec-butylbenzene	1.983	1.738	12.4	91	0.00	7.73
110		1,3-dichlorobenzene	0.982	0.851	13.3	92	0.00	7.82
111		p-isopropyltoluene	1.681	1.473	12.4	90	0.00	7.85
112		1,4-dichlorobenzene	1.012	0.883	12.7	94	0.00	7.90
113		1,2-dichlorobenzene	0.918	0.829	9.7	94	0.00	8.16
114		benzyl chloride	0.812	0.650	20.0	82	0.00	7.98
115		n-butylbenzene	0.739	0.645	12.7	91	0.00	8.13
116		1,2-dibromo-3-chloropropa	0.163	0.145	11.0	93	0.00	8.69
117		1,3,5-trichlorobenzene	0.590	0.515	12.7	93	0.00	8.81
118		hexachlorobutadiene	0.210	0.191	9.0	95	0.00	9.30
119		naphthalene	1.931	1.768	8.4	100	0.00	9.39
120		1,2,4-trichlorobenzene	0.514	0.464	9.7	98	0.00	9.22
121	m	1,2,3-trichlorobenzene	0.501	0.441	12.0	94	0.00	9.52

		True	Calc.	% Drift			
122	hexachloroethane	20.000	14.834	25.8	87	0.00	8.35

		AvgRF	CCRF	% Dev			
123	2-methylnaphthalene	0.943	0.906	3.9	101	0.00	10.11

(#) = Out of Range SPCC's out = 0 CCC's out = 0
1X200560.D m1x8636.m Fri Sep 30 14:36:00 2022

Initial Calibration Summary

Job Number: JD52507 **Sample:** V2A9511-ICC9511
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A218788.D
Project: EPT, Ithaca, NY

Response Factor Report GCMS2A

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
Last Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Calibration Files
4 =2A218785.D 8 =2A218786.D 0.5 =2A218782.D 50 =2A218788.D
100 =2A218789.D 1 =2A218783.D 200 =2A218790.D 20 =2A218787.D
2 =2A218784.D 0.2 =2A218781.D = =

Compound	4	8	0.5	50	100	1	200	20	2	0.2	Avg	%RSD
1) I tert butyl alcohol-d9	----------ISTD----------											
2) ethanol	0.120	0.117		0.121	0.134	0.120	0.134	0.117	0.110		0.122	6.95
3) tertiary butyl alcohol	1.168	1.193		1.217	1.273	1.227	1.234	1.165	1.350		1.228	4.94
4) 1,4-dioxane	0.086	0.089		0.092	0.096	0.068	0.094	0.085	0.079		0.086	10.61
5) I pentafluorobenzene	----------ISTD----------											
6) chlorodifluoromethane	0.751	0.738	0.643	0.665	0.665	0.679	0.618	0.653	0.725		0.682	6.72
7) dichlorodifluoromethane	0.722	0.699	0.565	0.680	0.664	0.696	0.637	0.671	0.710		0.672	7.06
8) chloromethane	0.915	0.867	0.962	0.820	0.809	0.904	0.736	0.812	0.996		0.869	9.53
9) vinyl chloride	0.704	0.677	0.606	0.658	0.651	0.694	0.610	0.641	0.738		0.665	6.56
10) 1,3-butadiene	0.640	0.614	0.689	0.550	0.542	0.589	0.499	0.569	0.636		0.592	9.92
11) bromomethane	0.407	0.372	0.436	0.376	0.387	0.397	0.373	0.361	0.417		0.392	6.24
12) chloroethane	0.333	0.307	0.288	0.315	0.324	0.311	0.317	0.305	0.331		0.315	4.46
13) trichlorofluoromethane	0.806	0.760	0.657	0.759	0.759	0.724	0.732	0.744	0.838	0.669	0.745	7.36
14) ethyl ether	0.239	0.237	0.236	0.231	0.239	0.230	0.232	0.230	0.262		0.237	4.16
15) acrolein	0.087	0.108		0.110	0.114	0.109	0.112	0.098	0.111		0.106	8.58
16) freon 113	0.369	0.354	0.409	0.339	0.340	0.337	0.330	0.330	0.377		0.354	7.53
17) 1,1-dichloroethene	0.386	0.382	0.403	0.357	0.359	0.356	0.340	0.352	0.403		0.371	6.25
18) acetone	0.197	0.194	0.213	0.181	0.188	0.195	0.176	0.180	0.207		0.192	6.53
19) acetonitrile	0.085	0.079	0.077	0.077	0.080	0.079	0.076	0.076	0.085		0.079	4.41
20) iodomethane	0.766	0.750	0.789	0.701	0.707	0.684	0.667	0.692	0.746	0.738	0.724	5.45
21) carbon disulfide	1.277	1.276	1.318	1.194	1.194	1.229	1.096	1.169	1.308		1.229	5.92
22) methylene chloride	0.451	0.431	0.543	0.412	0.422	0.433	0.398	0.402	0.464		0.440	10.09
23) methyl acetate												

```
      0.490 0.513 0.470 0.476 0.493 0.432 0.463 0.468 0.508        0.479    5.17
24)  methyl tert butyl ether
      1.373 1.341 1.462 1.257 1.275 1.298 1.166 1.250 1.415 1.391  1.323    6.79
25)  trans-1,2-dichloroethene
      0.426 0.417 0.471 0.399 0.403 0.429 0.383 0.392 0.464        0.420    7.33
26)  hexane
      0.763 0.763 0.802 0.708 0.712 0.706 0.677 0.716 0.772 0.853  0.747    7.13
27)  di-isopropyl ether
      1.920 1.914 1.844 1.790 1.776 1.729 1.573 1.786 1.963 2.017  1.831    7.07
28)  ethyl tert-butyl ether
      1.665 1.636 1.598 1.563 1.557 1.555 1.404 1.536 1.672 1.752  1.594    5.96
29)  2-butanone
      0.052 0.051       0.053 0.057 0.045 0.054 0.050 0.053        0.052    6.22
30)  1,1-dichloroethane
      0.818 0.847 0.885 0.792 0.807 0.798 0.752 0.781 0.861 0.880  0.822    5.40
31)  chloroprene
      0.800 0.831 0.737 0.784 0.798 0.735 0.744 0.770 0.796 0.811  0.781    4.22
32)  acrylonitrile
      0.211 0.214       0.217 0.229 0.185 0.222 0.211 0.207        0.212    6.14
33)  vinyl acetate
      0.075 0.086       0.080 0.091 0.054 0.087 0.075 0.072        0.078   15.02
34)  ethyl acetate
      0.100 0.106       0.097 0.103 0.069 0.100 0.092 0.101        0.096   11.99
35)  2,2-dichloropropane
      0.672 0.676 0.758 0.624 0.629 0.644 0.589 0.597 0.659 0.720  0.657    8.04
36)  cis-1,2-dichloroethene
      0.469 0.479 0.567 0.444 0.451 0.453 0.428 0.430 0.498 0.405  0.462    9.86
37)  propionitrile
      0.081 0.081 0.076 0.079 0.082 0.075 0.075 0.077 0.086        0.079    4.93
38)  bromochloromethane
      0.311 0.323 0.301 0.307 0.310 0.302 0.294 0.297 0.322        0.307    3.27
39)  tetrahydrofuran
      0.235 0.216       0.194 0.204 0.262 0.193 0.197 0.254        0.219   12.58
40)  chloroform
      0.849 0.849 1.116 0.791 0.788 0.876 0.720 0.777 0.921        0.854   13.46
41)  tert-butyl formate  *This compound fails initial calibration criteria.*
      0.419 0.416 0.397 0.439 0.476 0.371 0.451 0.415 0.393 0.376  0.415    8.00
42)  isobutyl alcohol
      0.031 0.034       0.035 0.035 0.030 0.032 0.031 0.038        0.033    8.27
43)  dibromofluoromethane (s)
      0.473 0.472 0.469 0.475 0.465 0.473 0.470 0.470 0.474 0.465  0.471    0.75
44)  methacrylonitrile
      0.204 0.194       0.196 0.208 0.183 0.200 0.190 0.197        0.196    3.97
45)  1,1,1-trichloroethane
      0.786 0.754 0.792 0.728 0.734 0.731 0.676 0.717 0.787 0.712  0.742    5.09
46)  cyclohexane
      0.658 0.626 0.566 0.620 0.633 0.614 0.605 0.602 0.704 0.570  0.620    6.51
47)  1,1-dichloropropene
      0.612 0.619 0.649 0.571 0.583 0.543 0.539 0.563 0.630 0.663  0.597    7.32
48)  tert-amyl alcohol
      0.034 0.033       0.030 0.033 0.036 0.032 0.031 0.037        0.033    6.50
49)  carbon tetrachloride
      0.691 0.704 0.721 0.657 0.668 0.638 0.615 0.633 0.699 0.670  0.669    5.14

50) I   1,4-difluorobenzene   ----------------ISTD---------------------
51)  1,2-dichloroethane-d4 (s)
      0.464 0.465 0.464 0.466 0.465 0.463 0.463 0.465 0.467 0.467  0.465    0.29
52)  2,2,4-trimethylpentane
      1.456 1.485 1.387 1.354 1.365 1.393 1.208 1.388 1.467 1.549  1.405    6.59
53)  tert-amyl methyl ether
```

```
      1.069 1.049 1.090 0.994 0.998 1.015 0.883 0.984 1.072 1.144  1.030    6.99
54)  n-butyl alcohol
      0.012 0.013 0.012 0.013 0.014 0.011 0.013 0.013 0.015        0.013    9.53
55)  benzene
      1.247 1.259 1.223 1.169 1.162 1.186 1.016 1.167 1.234 1.200  1.186    5.82
56)  heptane
      0.288 0.300 0.286 0.288 0.292 0.284 0.279 0.282 0.309 0.257  0.287    4.76
57)  isopropyl acetate
      0.071 0.078       0.072 0.079 0.074 0.075 0.071 0.076        0.074    4.50
58)  1,2-dichloroethane
      0.552 0.570 0.651 0.525 0.535 0.569 0.486 0.522 0.607        0.557    8.86
59)  trichloroethene
      0.350 0.351 0.374 0.332 0.337 0.325 0.315 0.321 0.350 0.336  0.339    5.15
60)  ethyl acrylate
      0.549 0.557 0.538 0.555 0.578 0.483 0.524 0.542 0.522        0.539    5.04
61)  2-nitropropane
      0.130 0.141       0.146 0.157 0.135 0.146 0.136 0.141        0.142    5.88
62)  2-chloroethyl vinyl ether
      0.105 0.124       0.159 0.185       0.173 0.139 0.086        0.139   26.10
            ----- Linear regression -----  Coefficient =  0.9963
              Response Ratio = -0.02656 + 0.17526 *A

63)  methyl methacrylate
      0.085 0.091       0.089 0.096 0.065 0.091 0.084 0.081        0.085   11.07
64)  1,2-dichloropropane
      0.373 0.371 0.347 0.344 0.355 0.344 0.333 0.334 0.367        0.352    4.33
65)  methylcyclohexane
      0.584 0.569 0.521 0.540 0.553 0.561 0.517 0.539 0.575 0.591  0.555    4.57
66)  dibromomethane
      0.227 0.228 0.268 0.218 0.228 0.203 0.213 0.219 0.248 0.259  0.231    9.02
67)  bromodichloromethane
      0.483 0.498 0.512 0.471 0.485 0.455 0.442 0.456 0.474 0.509  0.478    4.90
68)  epichlorohydrin
      0.042 0.043       0.044 0.046 0.032 0.043 0.042 0.045        0.042   10.18
69)  cis-1,3-dichloropropene
      0.543 0.547 0.531 0.533 0.545 0.494 0.490 0.525 0.538 0.489  0.524    4.49
70)  4-methyl-2-pentanone
      0.167 0.172 0.167 0.167 0.173 0.153 0.156 0.162 0.179 0.165  0.166    4.75
71)  3-methyl-1-butanol
      0.011 0.011 0.008 0.011 0.012 0.008 0.011 0.010 0.010        0.010   12.91

72) I   chlorobenzene-d5      ----------------ISTD---------------------
73)  toluene-d8 (s)
      1.227 1.234 1.225 1.230 1.230 1.221 1.208 1.235 1.226 1.213  1.225    0.72
74)  toluene
      0.821 0.818 0.847 0.772 0.781 0.749 0.697 0.772 0.843 0.842  0.794    6.14
75)  trans-1,3-dichloropropene
      0.562 0.564 0.505 0.537 0.547 0.483 0.494 0.521 0.535 0.516  0.527    5.22
76)  ethyl methacrylate
      0.466 0.486 0.396 0.473 0.488 0.380 0.442 0.473 0.463        0.452    8.63
77)  1,1,2-trichloroethane
      0.285 0.286 0.285 0.272 0.277 0.262 0.254 0.271 0.279 0.260  0.273    4.19
78)  2-hexanone
      0.171 0.172 0.163 0.168 0.175 0.151 0.153 0.167 0.175        0.166    5.31
79)  tetrachloroethene
      0.405 0.405 0.461 0.376 0.383 0.387 0.354 0.370 0.432 0.383  0.395    7.99
80)  1,3-dichloropropane
      0.529 0.537 0.537 0.502 0.512 0.491 0.466 0.490 0.556 0.620  0.524    8.23
81)  butyl acetate
      0.277 0.294 0.266 0.290 0.306 0.277 0.280 0.291 0.287        0.285    4.10
```

Initial Calibration Summary

Job Number: JD52507 **Sample:** V2A9511-ICC9511
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A218788.D
Project: EPT, Ithaca, NY

82) dibromochloromethane
0.408 0.412 0.395 0.405 0.420 0.371 0.386 0.395 0.392 0.402 0.399 3.54
83) 1,2-dibromoethane
0.356 0.357 0.327 0.341 0.351 0.315 0.322 0.332 0.352 0.329 0.338 4.50
84) n-butyl ether
1.704 1.719 1.673 1.569 1.475 1.517 1.145 1.589 1.695 1.653 1.574 10.92
85) chlorobenzene
0.923 0.930 0.930 0.858 0.844 0.849 0.728 0.872 0.917 0.811 0.866 7.41
86) 1,1,1,2-tetrachloroethane
0.355 0.366 0.380 0.345 0.358 0.331 0.334 0.340 0.353 0.321 0.348 5.11
87) ethylbenzene
1.624 1.614 1.615 1.444 1.352 1.475 1.064 1.474 1.625 1.606 1.489 11.92
88) m,p-xylene
0.609 0.613 0.609 0.569 0.571 0.555 0.500 0.570 0.616 0.576 0.579 6.13
89) o-xylene
1.324 1.305 1.265 1.188 1.148 1.180 0.934 1.196 1.290 1.325 1.216 9.73
90) styrene
0.982 1.029 0.918 0.965 0.961 0.854 0.812 0.962 1.013 0.924 0.942 7.17
91) n-amyl acetate
0.246 0.256 0.211 0.258 0.271 0.218 0.253 0.250 0.251 0.246 7.87
92) bromoform
0.290 0.292 0.283 0.307 0.321 0.245 0.295 0.285 0.286 0.263 0.287 7.37
93) butyl acrylate
0.891 0.914 0.725 0.896 0.898 0.699 0.754 0.892 0.877 0.838 10.24
94) isopropylbenzene
1.543 1.593 1.545 1.452 1.359 1.388 1.080 1.480 1.587 1.471 1.450 10.47
95) cis-1,4-dichloro-2-butene
0.145 0.156 0.144 0.175 0.186 0.113 0.173 0.163 0.148 0.156 13.80

96) I 1,4-dichlorobenzene-d ----------ISTD----------
97) 4-bromofluorobenzene (s)
0.926 0.938 0.933 0.918 0.912 0.935 0.922 0.924 0.918 0.922 0.925 0.91
98) bromobenzene
0.799 0.827 0.884 0.758 0.771 0.739 0.709 0.751 0.822 0.943 0.800 8.90
99) 1,1,2,2-tetrachloroethane
0.889 0.883 0.885 0.836 0.843 0.822 0.761 0.838 0.884 0.856 0.850 4.66
100) trans-1,4-dichloro-2-butene
0.281 0.290 0.295 0.318 0.224 0.300 0.285 0.271 0.283 9.78
101) 1,2,3-trichloropropane
0.238 0.222 0.219 0.215 0.226 0.200 0.211 0.214 0.224 0.219 4.83
102) n-propylbenzene
3.535 3.580 3.477 3.142 2.874 3.246 2.209 3.236 3.521 3.271 3.209 12.87
103) 2-chlorotoluene
0.719 0.733 0.669 0.686 0.697 0.654 0.647 0.671 0.701 0.807 0.699 6.74
104) 4-chlorotoluene
2.204 2.197 2.184 1.973 1.899 2.011 1.608 2.021 2.227 2.086 2.041 9.26
105) 1,3,5-trimethylbenzene
2.363 2.452 2.420 2.209 2.113 2.139 1.728 2.208 2.428 2.232 2.229 9.66
106) tert-butylbenzene
2.055 2.080 2.065 1.908 1.842 1.862 1.587 1.876 2.014 2.021 1.931 7.82
107) 1,2,4-trimethylbenzene
2.447 2.503 2.402 2.249 2.131 2.191 1.738 2.272 2.398 2.373 2.270 9.72
108) sec-butylbenzene
3.127 3.179 3.030 2.864 2.678 2.799 2.113 2.889 3.159 2.956 2.879 10.93
109) 1,3-dichlorobenzene
1.481 1.505 1.543 1.387 1.369 1.416 1.203 1.395 1.557 1.408 1.426 7.25
110) p-isopropyltoluene
2.609 2.680 2.558 2.430 2.301 2.363 1.866 2.449 2.580 2.718 2.455 10.07
111) benzyl chloride
1.409 1.496 1.344 1.496 1.507 1.203 1.306 1.424 1.399 1.398 7.21

Initial Calibration Summary

Job Number: JD52507 **Sample:** V2A9511-ICC9511
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A218788.D
Project: EPT, Ithaca, NY

```
112)  1,2,3-trimethylbenzene
       2.465 2.503 2.650 2.286 2.164 2.242 1.744 2.301 2.522 2.539  2.341   11.13
113)  1,4-dichlorobenzene
       1.534 1.543 1.454 1.419 1.413 1.497 1.227 1.399 1.584 1.762  1.483    9.44
114)  1,2-dichlorobenzene
       1.452 1.500 1.429 1.384 1.356 1.388 1.173 1.381 1.484 1.395  1.394    6.51
115)  n-butylbenzene
       1.354 1.417 1.295 1.328 1.321 1.202 1.155 1.316 1.416 1.255  1.306    6.44
116)  1,2-dibromo-3-chloropropane
       0.167 0.206 0.157 0.198 0.208 0.154 0.195 0.188 0.188        0.184   10.96
117)  1,3,5-trichlorobenzene
       1.140 1.148 1.116 1.094 1.082 1.032 0.955 1.064 1.144 1.120  1.090    5.53
118)  1,2,4-trichlorobenzene
       0.983 1.000 0.897 0.981 0.989 0.848 0.881 0.962 0.968 0.862  0.937    6.21
119)  hexachlorobutadiene
       0.518 0.529 0.451 0.486 0.503 0.469 0.464 0.483 0.507 0.413  0.482    7.16
120)  naphthalene
       2.332 2.429 1.960 2.388 2.334 2.078 1.906 2.348 2.344 2.209  2.233    8.37
121)  1,2,3-trichlorobenzene
       0.922 0.936 0.859 0.924 0.936 0.789 0.843 0.900 0.949 0.765  0.882    7.41
122)  hexachloroethane
       0.396 0.448 0.353 0.445 0.463 0.331 0.436 0.415 0.395 0.337  0.402   11.91
123)  2-methylnaphthalene
       0.967 1.086       1.269 1.387       1.276 1.124 0.858        1.138   16.39

124)     pentafluorobenzene(a) ----------------ISTD---------------------
125)  vinyl bromide
                                                                     0.000   -1.00
 ---------------------------------------------------------------------------
 (#) = Out of Range  ###  Number of calibration levels exceeded format  ###

           M2A9511.M         Mon Aug 01 15:19:14 2022   MS2A
```

Initial Calibration Verification

Job Number: JD52507 **Sample:** V2A9511-ICV9511
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A218793.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\MSDChem\1\DATA\V2A9511\2A218793.D Vial: 14
Acq On : 31 Jul 2022 11:03 pm Operator: PrashanS
Sample : ICV9511-50 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
Last Update : Mon Aug 01 15:13:00 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1 I	tert butyl alcohol-d9	1.000	1.000	0.0	104	0.00	7.25
2	ethanol	0.122	0.123	-0.8	105	0.00	5.98
3	tertiary butyl alcohol	1.228	1.271	-3.5	108	0.01	7.37
4	1,4-dioxane	0.086	0.093	-8.1	105	0.00	11.08
5 I	pentafluorobenzene	1.000	1.000	0.0	104	0.00	9.51
6	chlorodifluoromethane		----------NA----------				
7	dichlorodifluoromethane	0.672	0.654	2.7	100	0.00	3.96
8	chloromethane	0.869	0.753	13.3	96	0.00	4.35
9	vinyl chloride	0.665	0.652	2.0	103	0.00	4.57
10	1,3-butadiene	0.592	0.676	-14.2	128	0.00	4.62
11	bromomethane	0.392	0.394	-0.5	109	0.00	5.19
12	chloroethane	0.315	0.337	-7.0	112	0.00	5.36
13	trichlorofluoromethane	0.745	0.773	-3.8	106	0.00	5.79
14	ethyl ether	0.237	0.234	1.3	106	0.00	6.19
15	acrolein	0.106	0.109	-2.8	104	0.00	6.41
16	freon 113	0.354	0.342	3.4	105	0.00	6.61
17	1,1-dichloroethene	0.371	0.364	1.9	106	0.00	6.60
18	acetone	0.192	0.181	5.7	104	0.00	6.61
19	acetonitrile	0.079	0.068	13.9	92	0.00	7.02
20	iodomethane	0.724	0.703	2.9	105	0.00	6.85
21	carbon disulfide	1.229	1.255	-2.1	110	0.00	6.98
22	methylene chloride	0.440	0.430	2.3	109	0.00	7.31
23	methyl acetate	0.479	0.510	-6.5	112	0.00	7.06
24	methyl tert butyl ether	1.323	1.315	0.6	109	0.00	7.66
25	trans-1,2-dichloroethene	0.420	0.410	2.4	107	0.00	7.69
26	hexane	0.747	0.816	-9.2	120	0.00	8.04
27	di-isopropyl ether	1.831	1.763	3.7	103	0.00	8.25
28	ethyl tert-butyl ether	1.594	1.501	5.8	100	0.00	8.71
29	2-butanone	0.052	0.056	-7.7	111	0.00	8.90
30	1,1-dichloroethane	0.822	0.799	2.8	105	0.00	8.26
31	chloroprene	0.781	0.851	-9.0	113	0.00	8.36
32	acrylonitrile	0.212	0.221	-4.2	106	0.00	7.59
33	vinyl acetate	0.078	0.075	3.8	97	0.00	8.20
34	ethyl acetate	0.096	0.099	-3.1	106	0.00	8.92
35	2,2-dichloropropane	0.657	0.592	9.9	99	0.00	9.00
36	cis-1,2-dichloroethene	0.462	0.447	3.2	105	0.00	8.97
37	propionitrile	0.079	0.077	2.5	102	0.00	8.98
38	bromochloromethane	0.307	0.305	0.7	104	0.00	9.26
39	tetrahydrofuran	0.219	0.194	11.4	104	0.00	9.28
40	chloroform	0.854	0.798	6.6	105	0.00	9.35
41	tert-butyl formate	0.415	0.265	36.1#	63	0.00	9.39

Initial Calibration Verification

Job Number: JD52507 **Sample:** V2A9511-ICV9511
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A218793.D
Project: EPT, Ithaca, NY

42		isobutyl alcohol	0.033	0.031	6.1	94	0.00	9.75
43	S	dibromofluoromethane (s)	0.471	0.466	1.1	102	0.00	9.54
44		methacrylonitrile	0.196	0.206	-5.1	110	0.00	9.17
45		1,1,1-trichloroethane	0.742	0.738	0.5	106	0.00	9.60
46		cyclohexane	0.620	0.638	-2.9	107	0.00	9.72
47		1,1-dichloropropene	0.597	0.591	1.0	108	0.00	9.78
48		tert-amyl alcohol	0.033	0.030	9.1	105	0.00	9.91
49		carbon tetrachloride	0.669	0.674	-0.7	107	0.00	9.80
50	I	1,4-difluorobenzene	1.000	1.000	0.0	105	0.00	10.44
51	S	1,2-dichloroethane-d4 (s)	0.465	0.462	0.6	104	0.00	9.95
52		2,2,4-trimethylpentane	1.405	1.362	3.1	105	0.00	10.12
53		tert-amyl methyl ether	1.030	0.929	9.8	98	0.00	10.11
54		n-butyl alcohol	0.013	0.014	-7.7	107	0.00	10.50
55		benzene	1.186	1.184	0.2	106	0.00	10.02
56		heptane	0.287	0.310	-8.0	113	0.00	10.28
57		isopropyl acetate	0.074	0.076	-2.7	112	0.00	9.94
58		1,2-dichloroethane	0.557	0.532	4.5	106	0.00	10.04
59		trichloroethene	0.339	0.337	0.6	106	0.00	10.74
60		ethyl acrylate	0.539	0.551	-2.2	104	0.00	10.74
61		2-nitropropane	0.142	0.149	-4.9	107	0.00	11.50
		----------	True	Calc.	% Drift	----------		
62		2-chloroethyl vinyl ether	250.000	230.489	7.8	103	0.00	11.54
		----------	AvgRF	CCRF	% Dev	----------		
63		methyl methacrylate	0.085	0.091	-7.1	107	0.00	11.01
64		1,2-dichloropropane	0.352	0.346	1.7	105	0.00	11.03
65		methylcyclohexane	0.555	0.566	-2.0	110	0.00	11.04
66		dibromomethane	0.231	0.223	3.5	107	0.00	11.14
67		bromodichloromethane	0.478	0.477	0.2	106	0.00	11.30
68		epichlorohydrin	0.042	0.042	0.0	100	0.00	11.62
69		cis-1,3-dichloropropene	0.524	0.536	-2.3	105	0.00	11.75
70		4-methyl-2-pentanone	0.166	0.167	-0.6	105	0.00	11.86
71		3-methyl-1-butanol	0.010	0.011	-10.0	108	0.00	11.87
72	I	chlorobenzene-d5	1.000	1.000	0.0	103	0.00	13.56
73	S	toluene-d8 (s)	1.225	1.239	-1.1	104	0.00	12.06
74		toluene	0.794	0.802	-1.0	107	0.00	12.14
75		trans-1,3-dichloropropene	0.527	0.544	-3.2	104	0.00	12.32
76		ethyl methacrylate	0.452	0.479	-6.0	104	0.00	12.31
77		1,1,2-trichloroethane	0.273	0.277	-1.5	105	0.00	12.54
78		2-hexanone	0.166	0.171	-3.0	105	0.00	12.71
79		tetrachloroethene	0.395	0.387	2.0	106	0.00	12.68
80		1,3-dichloropropane	0.524	0.510	2.7	104	0.00	12.72
81		butyl acetate	0.285	0.313	-9.8	111	0.00	12.79
82		dibromochloromethane	0.399	0.417	-4.5	106	0.00	12.96
83		1,2-dibromoethane	0.338	0.355	-5.0	107	0.00	13.11
84		n-butyl ether	1.574	1.571	0.2	103	0.00	13.56
85		chlorobenzene	0.866	0.874	-0.9	105	0.00	13.59
86		1,1,1,2-tetrachloroethane	0.348	0.353	-1.4	105	0.00	13.66
87		ethylbenzene	1.489	1.480	0.6	105	0.00	13.66
88		m,p-xylene	0.579	0.587	-1.4	106	0.00	13.78
89		o-xylene	1.216	1.216	0.0	105	0.00	14.18
90		styrene	0.942	0.992	-5.3	106	0.00	14.19
91		n-amyl acetate	0.246	0.256	-4.1	102	0.00	14.22
92		bromoform	0.287	0.307	-7.0	103	0.00	14.41
93		butyl acrylate	0.838	0.930	-11.0	107	0.00	14.01
94		isopropylbenzene	1.450	1.466	-1.1	104	0.00	14.53
95		cis-1,4-dichloro-2-butene	0.156	0.168	-7.7	99	0.00	14.56

Initial Calibration Verification

Job Number: JD52507 **Sample:** V2A9511-ICV9511
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A218793.D
Project: EPT, Ithaca, NY

96	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	102	0.00	15.89
97	S	4-bromofluorobenzene (s)	0.925	0.927	-0.2	103	0.00	14.72
98		bromobenzene	0.800	0.771	3.6	104	0.00	14.90
99		1,1,2,2-tetrachloroethane	0.850	0.842	0.9	103	0.00	14.80
100		trans-1,4-dichloro-2-bute	0.283	0.311	-9.9	108	0.00	14.83
101		1,2,3-trichloropropane	0.219	0.221	-0.9	106	0.00	14.89
102		n-propylbenzene	3.209	3.206	0.1	105	0.00	14.94
103		2-chlorotoluene	0.699	0.700	-0.1	105	0.00	15.07
104		4-chlorotoluene	2.041	2.030	0.5	105	0.00	15.18
105		1,3,5-trimethylbenzene	2.229	2.245	-0.7	104	0.00	15.10
106		tert-butylbenzene	1.931	1.931	0.0	104	0.00	15.44
107		1,2,4-trimethylbenzene	2.270	2.272	-0.1	104	0.00	15.49
108		sec-butylbenzene	2.879	2.922	-1.5	105	0.00	15.66
109		1,3-dichlorobenzene	1.426	1.418	0.6	105	0.00	15.82
110		p-isopropyltoluene	2.455	2.473	-0.7	104	0.00	15.79
111		benzyl chloride	1.398	1.374	1.7	94	0.00	16.01
112		1,2,3-trimethylbenzene		----------NA----------				
113		1,4-dichlorobenzene	1.483	1.429	3.6	103	0.00	15.91
114		1,2-dichlorobenzene	1.394	1.387	0.5	103	0.00	16.28
115		n-butylbenzene	1.306	1.360	-4.1	105	0.00	16.19
116		1,2-dibromo-3-chloropropa	0.184	0.194	-5.4	101	0.00	17.05
117		1,3,5-trichlorobenzene	1.090	1.117	-2.5	105	0.00	17.24
118		1,2,4-trichlorobenzene	0.937	0.998	-6.5	104	0.00	17.88
119		hexachlorobutadiene	0.482	0.507	-5.2	107	0.00	18.00
120		naphthalene	2.233	2.405	-7.7	103	0.00	18.17
121		1,2,3-trichlorobenzene	0.882	0.930	-5.4	103	0.00	18.40
122		hexachloroethane	0.402	0.449	-11.7	104	0.00	16.58
123		2-methylnaphthalene	1.138	1.249	-9.8	101	0.00	19.41
124		pentafluorobenzene(a)	1.000	1.000	0.0	104	0.00	9.51
125		vinyl bromide		----------NA----------				

(#) = Out of Range SPCC's out = 0 CCC's out = 0
2A218788.D M2A9511.M Mon Aug 01 15:19:15 2022 MS2A

Initial Calibration Verification

Job Number: JD52507 **Sample:** V2A9511-ICV9511
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A218794.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\MSDCHEM\1\DATA\V2A9511\2A218794.D Vial: 15
Acq On : 31 Jul 2022 11:31 pm Operator: PrashanS
Sample : ICV9511-50 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
Last Update : Mon Aug 01 15:13:00 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1 I	tert butyl alcohol-d9	1.000	1.000	0.0	105	0.00	7.25
2	ethanol		----------NA----------				
3	tertiary butyl alcohol		----------NA----------				
4	1,4-dioxane		----------NA----------				
5 I	pentafluorobenzene	1.000	1.000	0.0	103	0.00	9.51
6	chlorodifluoromethane	0.682	0.809	-18.6	126	0.00	3.99
7	dichlorodifluoromethane		----------NA----------				
8	chloromethane		----------NA----------				
9	vinyl chloride		----------NA----------				
10	1,3-butadiene		----------NA----------				
11	bromomethane		----------NA----------				
12	chloroethane		----------NA----------				
13	trichlorofluoromethane		----------NA----------				
14	ethyl ether		----------NA----------				
15	acrolein		----------NA----------				
16	freon 113		----------NA----------				
17	1,1-dichloroethene		----------NA----------				
18	acetone		----------NA----------				
19	acetonitrile	0.079	0.072	8.9	96	0.00	7.02
20	iodomethane		----------NA----------				
21	carbon disulfide		----------NA----------				
22	methylene chloride		----------NA----------				
23	methyl acetate		----------NA----------				
24	methyl tert butyl ether		----------NA----------				
25	trans-1,2-dichloroethene		----------NA----------				
26	hexane		----------NA----------				
27	di-isopropyl ether		----------NA----------				
28	ethyl tert-butyl ether		----------NA----------				
29	2-butanone		----------NA----------				
30	1,1-dichloroethane		----------NA----------				
31	chloroprene		----------NA----------				
32	acrylonitrile	0.212	0.173	18.4	82	0.00	7.59
33	vinyl acetate		----------NA----------				
34	ethyl acetate		----------NA----------				
35	2,2-dichloropropane		----------NA----------				
36	cis-1,2-dichloroethene		----------NA----------				
37	propionitrile		----------NA----------				
38	bromochloromethane		----------NA----------				
39	tetrahydrofuran		----------NA----------				
40	chloroform		----------NA----------				
41	tert-butyl formate		----------NA----------				

Initial Calibration Verification

Job Number: JD52507 **Sample:** V2A9511-ICV9511
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A218794.D
Project: EPT, Ithaca, NY

42		isobutyl alcohol		----------NA----------					
43	S	dibromofluoromethane (s)	0.471	0.471	0.0	102	0.00	9.54	
44		methacrylonitrile		----------NA----------					
45		1,1,1-trichloroethane		----------NA----------					
46		cyclohexane		----------NA----------					
47		1,1-dichloropropene		----------NA----------					
48		tert-amyl alcohol		----------NA----------					
49		carbon tetrachloride		----------NA----------					
50	I	1,4-difluorobenzene	1.000	1.000	0.0	103	0.00	10.44	
51	S	1,2-dichloroethane-d4 (s)	0.465	0.471	-1.3	105	0.00	9.95	
52		2,2,4-trimethylpentane		----------NA----------					
53		tert-amyl methyl ether		----------NA----------					
54		n-butyl alcohol		----------NA----------					
55		benzene		----------NA----------					
56		heptane		----------NA----------					
57		isopropyl acetate		----------NA----------					
58		1,2-dichloroethane		----------NA----------					
59		trichloroethene		----------NA----------					
60		ethyl acrylate		----------NA----------					
61		2-nitropropane		----------NA----------					
		----------	True	Calc.	% Drift	----------			
62		2-chloroethyl vinyl ether		----------NA----------					
		----------	AvgRF	CCRF	% Dev	----------			
63		methyl methacrylate		----------NA----------					
64		1,2-dichloropropane		----------NA----------					
65		methylcyclohexane		----------NA----------					
66		dibromomethane		----------NA----------					
67		bromodichloromethane		----------NA----------					
68		epichlorohydrin		----------NA----------					
69		cis-1,3-dichloropropene		----------NA----------					
70		4-methyl-2-pentanone		----------NA----------					
71		3-methyl-1-butanol		----------NA----------					
72	I	chlorobenzene-d5	1.000	1.000	0.0	102	0.00	13.56	
73	S	toluene-d8 (s)	1.225	1.230	-0.4	102	0.00	12.06	
74		toluene		----------NA----------					
75		trans-1,3-dichloropropene		----------NA----------					
76		ethyl methacrylate		----------NA----------					
77		1,1,2-trichloroethane		----------NA----------					
78		2-hexanone		----------NA----------					
79		tetrachloroethene	0.395	0.356	9.9	96	0.00	12.68	
80		1,3-dichloropropane		----------NA----------					
81		butyl acetate		----------NA----------					
82		dibromochloromethane		----------NA----------					
83		1,2-dibromoethane		----------NA----------					
84		n-butyl ether		----------NA----------					
85		chlorobenzene		----------NA----------					
86		1,1,1,2-tetrachloroethane		----------NA----------					
87		ethylbenzene		----------NA----------					
88		m,p-xylene		----------NA----------					
89		o-xylene		----------NA----------					
90		styrene		----------NA----------					
91		n-amyl acetate		----------NA----------					
92		bromoform		----------NA----------					
93		butyl acrylate		----------NA----------					
94		isopropylbenzene		----------NA----------					
95		cis-1,4-dichloro-2-butene		----------NA----------					

Initial Calibration Verification

Job Number: JD52507 **Sample:** V2A9511-ICV9511
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A218794.D
Project: EPT, Ithaca, NY

96	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	100	0.00	15.89
97	S	4-bromofluorobenzene (s)	0.925	0.936	-1.2	102	0.00	14.72
98		bromobenzene	----------NA----------					
99		1,1,2,2-tetrachloroethane	----------NA----------					
100		trans-1,4-dichloro-2-bute	----------NA----------					
101		1,2,3-trichloropropane	----------NA----------					
102		n-propylbenzene	----------NA----------					
103		2-chlorotoluene	----------NA----------					
104		4-chlorotoluene	----------NA----------					
105		1,3,5-trimethylbenzene	----------NA----------					
106		tert-butylbenzene	----------NA----------					
107		1,2,4-trimethylbenzene	----------NA----------					
108		sec-butylbenzene	----------NA----------					
109		1,3-dichlorobenzene	----------NA----------					
110		p-isopropyltoluene	----------NA----------					
111		benzyl chloride	----------NA----------					
112		1,2,3-trimethylbenzene	2.341	2.446	-4.5	108	0.00	15.91
113		1,4-dichlorobenzene	----------NA----------					
114		1,2-dichlorobenzene	----------NA----------					
115		n-butylbenzene	----------NA----------					
116		1,2-dibromo-3-chloropropa	----------NA----------					
117		1,3,5-trichlorobenzene	----------NA----------					
118		1,2,4-trichlorobenzene	----------NA----------					
119		hexachlorobutadiene	----------NA----------					
120		naphthalene	----------NA----------					
121		1,2,3-trichlorobenzene	----------NA----------					
122		hexachloroethane	----------NA----------					
123		2-methylnaphthalene	----------NA----------					
124		pentafluorobenzene(a)	1.000	1.000	0.0	103	0.00	9.51
125		vinyl bromide	----------NA----------					

(#) = Out of Range SPCC's out = 0 CCC's out = 0
2A218788.D M2A9511.M Tue Aug 02 08:48:28 2022 MS2A

Continuing Calibration Summary

Job Number: JD52507 **Sample:** V2A9581-CC9511
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A220390.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\kr...22\v2a9581\2a220390.d Vial: 2
Acq On : 29 Sep 2022 9:13 am Operator: nicoleh
Sample : cc9511-20 Inst : GCMS2A
Misc : MS62546,V2A9581,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
Last Update : Mon Sep 13 11:48:20 2010
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1 I	tert butyl alcohol-d9	1.000	1.000	0.0	88	0.00	7.24
2	ethanol	0.122	0.081	33.6#	61	-0.01	5.97
3	tertiary butyl alcohol	1.228	1.239	-0.9	94	0.00	7.36
4	1,4-dioxane	0.086	0.058	32.6#	60	0.00	11.08
5 I	pentafluorobenzene	1.000	1.000	0.0	95	0.00	9.51
6	chlorodifluoromethane	0.682	0.751	-10.1	109	-0.01	3.98
7	dichlorodifluoromethane	0.672	0.658	2.1	93	0.00	3.96
8	chloromethane	0.869	0.810	6.8	95	0.00	4.35
9	vinyl chloride	0.665	0.644	3.2	95	0.00	4.57
10	1,3-butadiene	0.592	0.594	-0.3	99	0.00	4.61
11	bromomethane	0.392	0.417	-6.4	110	0.00	5.19
12	chloroethane	0.315	0.370	-17.5	115	0.00	5.35
13	trichlorofluoromethane	0.745	0.743	0.3	95	0.00	5.78
14	ethyl ether	0.237	0.266	-12.2	110	0.00	6.19
15	acrolein	0.106	0.088	17.0	85	0.00	6.42
16	freon 113	0.354	0.378	-6.8	109	0.00	6.61
17	1,1-dichloroethene	0.371	0.397	-7.0	107	0.00	6.60
18	acetone	0.192	0.246	-28.1#	130	0.00	6.61
19	acetonitrile	0.079	0.073	7.6	92	0.00	7.02
20	iodomethane	0.724	0.765	-5.7	105	0.00	6.85
21	carbon disulfide	1.229	1.463	-19.0	119	0.00	6.98
22	methylene chloride	0.440	0.463	-5.2	110	0.00	7.30
23	methyl acetate	0.479	0.493	-2.9	100	0.00	7.06
24	methyl tert butyl ether	1.323	1.415	-7.0	108	0.00	7.65
25	trans-1,2-dichloroethene	0.420	0.451	-7.4	110	0.00	7.69
26	hexane	0.747	0.882	-18.1	117	0.00	8.04
27	di-isopropyl ether	1.831	2.111	-15.3	112	0.00	8.25
28	ethyl tert-butyl ether	1.594	1.832	-14.9	113	0.00	8.71
29	2-butanone	0.052	0.063	-21.2#	119	0.00	8.90
30	1,1-dichloroethane	0.822	0.902	-9.7	110	0.00	8.26
31	chloroprene	0.781	0.836	-7.0	103	0.00	8.36
32	acrylonitrile	0.212	0.203	4.2	92	0.00	7.59
33	vinyl acetate	0.078	0.094	-20.5#	119	0.00	8.19
34	ethyl acetate	0.096	0.104	-8.3	107	0.00	8.92
35	2,2-dichloropropane	0.657	0.738	-12.3	118	0.00	9.00
36	cis-1,2-dichloroethene	0.462	0.507	-9.7	112	0.00	8.97
37	propionitrile	0.079	0.086	-8.9	106	0.00	8.98
38	bromochloromethane	0.307	0.323	-5.2	104	0.00	9.26
39	tetrahydrofuran	0.219	0.198	9.6	96	0.00	9.28
40	chloroform	0.854	0.878	-2.8	108	0.00	9.35
41	tert-butyl formate	0.415	0.490	-18.1	112	0.00	9.38

Continuing Calibration Summary

Job Number: JD52507 **Sample:** V2A9581-CC9511
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A220390.D
Project: EPT, Ithaca, NY

42		isobutyl alcohol	0.033	0.030	9.1	93	0.00	9.75
43	S	dibromofluoromethane (s)	0.471	0.492	-4.5	99	0.00	9.54
44		methacrylonitrile	0.196	0.216	-10.2	108	0.00	9.18
45		1,1,1-trichloroethane	0.742	0.767	-3.4	102	0.00	9.60
46		cyclohexane	0.620	0.716	-15.5	113	0.00	9.72
47		1,1-dichloropropene	0.597	0.649	-8.7	110	0.00	9.77
48		tert-amyl alcohol	0.033	0.030	9.1	91	0.00	9.91
49		carbon tetrachloride	0.669	0.668	0.1	100	0.00	9.80
50	I	1,4-difluorobenzene	1.000	1.000	0.0	107	0.00	10.43
51	S	1,2-dichloroethane-d4 (s)	0.465	0.394	15.3	91	0.00	9.96
52		2,2,4-trimethylpentane	1.405	1.399	0.4	108	0.00	10.12
53		tert-amyl methyl ether	1.030	1.035	-0.5	112	0.00	10.10
54		n-butyl alcohol	0.013	0.011	15.4	88	0.00	10.50
55		benzene	1.186	1.246	-5.1	114	0.00	10.02
56		heptane	0.287	0.264	8.0	100	0.00	10.28
57		isopropyl acetate	0.074	0.072	2.7	108	0.00	9.94
58		1,2-dichloroethane	0.557	0.520	6.6	107	0.00	10.05
59		trichloroethene	0.339	0.334	1.5	111	0.00	10.75
60		ethyl acrylate	0.539	0.552	-2.4	109	0.00	10.74
61		2-nitropropane	0.142	0.112	21.1#	88	0.00	11.50
		----------	True	Calc.	% Drift	----------		
62		2-chloroethyl vinyl ether	100.000	20.393	79.6#	17	0.00	11.54
		----------	AvgRF	CCRF	% Dev	----------		
63		methyl methacrylate	0.085	0.088	-3.5	113	0.00	11.00
64		1,2-dichloropropane	0.352	0.362	-2.8	116	0.00	11.03
65		methylcyclohexane	0.555	0.539	2.9	107	0.00	11.04
66		dibromomethane	0.231	0.212	8.2	104	0.00	11.14
67		bromodichloromethane	0.478	0.461	3.6	108	0.00	11.30
68		epichlorohydrin	0.042	0.035	16.7	90	0.00	11.62
69		cis-1,3-dichloropropene	0.524	0.544	-3.8	111	0.00	11.75
70		4-methyl-2-pentanone	0.166	0.161	3.0	106	0.00	11.86
71		3-methyl-1-butanol	0.010	0.009	10.0	87	0.00	11.87
72	I	chlorobenzene-d5	1.000	1.000	0.0	104	0.00	13.56
73	S	toluene-d8 (s)	1.225	1.224	0.1	103	0.00	12.06
74		toluene	0.794	0.800	-0.8	108	0.00	12.13
75		trans-1,3-dichloropropene	0.527	0.516	2.1	103	0.00	12.32
76		ethyl methacrylate	0.452	0.492	-8.8	108	0.00	12.32
77		1,1,2-trichloroethane	0.273	0.275	-0.7	106	0.00	12.54
78		2-hexanone	0.166	0.168	-1.2	105	0.00	12.71
79		tetrachloroethene	0.395	0.389	1.5	109	0.00	12.69
80		1,3-dichloropropane	0.524	0.512	2.3	109	0.00	12.72
81		butyl acetate	0.285	0.291	-2.1	104	0.00	12.79
82		dibromochloromethane	0.399	0.375	6.0	99	0.00	12.96
83		1,2-dibromoethane	0.338	0.323	4.4	101	0.00	13.11
84		n-butyl ether	1.574	1.544	1.9	101	0.00	13.56
85		chlorobenzene	0.866	0.883	-2.0	105	0.00	13.59
86		1,1,1,2-tetrachloroethane	0.348	0.333	4.3	102	0.00	13.66
87		ethylbenzene	1.489	1.487	0.1	105	0.00	13.66
88		m,p-xylene	0.579	0.542	6.4	99	0.00	13.78
89		o-xylene	1.216	1.179	3.0	103	0.00	14.18
90		styrene	0.942	0.873	7.3	95	0.00	14.19
91		n-amyl acetate	0.246	0.228	7.3	95	0.00	14.22
92		bromoform	0.287	0.257	10.5	94	0.00	14.41
93		butyl acrylate	0.838	0.847	-1.1	99	0.00	14.01
94		isopropylbenzene	1.450	1.366	5.8	96	0.00	14.52
95		cis-1,4-dichloro-2-butene	0.156	0.058	62.8#	37#	0.00	14.56

Continuing Calibration Summary

Job Number: JD52507 **Sample:** V2A9581-CC9511
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A220390.D
Project: EPT, Ithaca, NY

96	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	93	0.00	15.89
97	S	4-bromofluorobenzene (s)	0.925	1.018	-10.1	103	0.00	14.72
98		bromobenzene	0.800	0.765	4.4	95	0.00	14.90
99		1,1,2,2-tetrachloroethane	0.850	0.816	4.0	91	0.00	14.80
100		trans-1,4-dichloro-2-bute	0.283	0.109	61.5#	36#	0.00	14.83
101		1,2,3-trichloropropane	0.219	0.198	9.6	86	0.00	14.88
102		n-propylbenzene	3.209	3.413	-6.4	98	0.00	14.94
103		2-chlorotoluene	0.699	0.691	1.1	96	0.00	15.07
104		4-chlorotoluene	2.041	2.111	-3.4	97	0.00	15.18
105		1,3,5-trimethylbenzene	2.229	2.259	-1.3	95	0.00	15.09
106		tert-butylbenzene	1.931	1.920	0.6	95	0.00	15.43
107		1,2,4-trimethylbenzene	2.270	2.296	-1.1	94	0.00	15.49
108		sec-butylbenzene	2.879	2.847	1.1	92	0.00	15.65
109		1,3-dichlorobenzene	1.426	1.376	3.5	92	0.00	15.82
110		p-isopropyltoluene	2.455	2.411	1.8	92	0.00	15.79
111		benzyl chloride	1.398	1.239	11.4	81	0.00	16.01
112		1,2,3-trimethylbenzene	2.341	2.319	0.9	94	0.00	15.91
113		1,4-dichlorobenzene	1.483	1.378	7.1	92	0.00	15.91
114		1,2-dichlorobenzene	1.394	1.333	4.4	90	0.00	16.28
115		n-butylbenzene	1.306	1.256	3.8	89	0.00	16.20
116		1,2-dibromo-3-chloropropa	0.184	0.150	18.5	75	0.00	17.05
117		1,3,5-trichlorobenzene	1.090	1.060	2.8	93	0.00	17.24
118		1,2,4-trichlorobenzene	0.937	0.867	7.5	84	0.00	17.88
119		hexachlorobutadiene	0.482	0.460	4.6	89	0.00	18.00
120		naphthalene	2.233	1.608	28.0#	64	0.00	18.17
121		1,2,3-trichlorobenzene	0.882	0.726	17.7	75	0.00	18.40
122		hexachloroethane	0.402	0.325	19.2	73	0.00	16.57
123		2-methylnaphthalene	1.138	0.324	71.5#	27#	0.00	19.40
124		pentafluorobenzene(a)	1.000	1.000	0.0	95	0.00	9.51
125		vinyl bromide	----------NA----------					

(#) = Out of Range SPCC's out = 0 CCC's out = 0
2A218787.D M2A9511.M Sun Oct 02 23:48:41 2022

Continuing Calibration Summary

Job Number: JD52507 **Sample:** V2A9583-CC9511
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A220438.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\lo...-5\v2a9583\2a220438.d Vial: 2
Acq On : 30 Sep 2022 9:16 am Operator: nicoleh
Sample : cc9511-20 Inst : GCMS2A
Misc : MS62539,V2A9583,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
Last Update : Mon Sep 13 11:48:20 2010
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1 I	tert butyl alcohol-d9	1.000	1.000	0.0	116	0.00	7.25
2	ethanol	0.122	0.087	28.7#	86	0.00	5.97
3	tertiary butyl alcohol	1.228	1.169	4.8	116	0.00	7.37
4	1,4-dioxane	0.086	0.074	14.0	101	0.00	11.08
5 I	pentafluorobenzene	1.000	1.000	0.0	102	0.00	9.51
6	chlorodifluoromethane	0.682	0.391	42.7#	61	0.00	4.00
7	dichlorodifluoromethane	0.672	0.672	0.0	102	0.00	3.96
8	chloromethane	0.869	0.844	2.9	106	0.00	4.35
9	vinyl chloride	0.665	0.694	-4.4	110	0.00	4.58
10	1,3-butadiene	0.592	0.318	46.3#	57	0.00	4.62
11	bromomethane	0.392	0.467	-19.1	131	0.00	5.20
12	chloroethane	0.315	0.402	-27.6#	134	0.00	5.36
13	trichlorofluoromethane	0.745	0.848	-13.8	116	0.00	5.79
14	ethyl ether	0.237	0.261	-10.1	115	0.00	6.19
15	acrolein	0.106	0.121	-14.2	125	0.00	6.42
16	freon 113	0.354	0.373	-5.4	115	0.00	6.62
17	1,1-dichloroethene	0.371	0.366	1.3	106	0.00	6.61
18	acetone	0.192	0.189	1.6	107	0.00	6.61
19	acetonitrile	0.079	0.083	-5.1	111	0.01	7.03
20	iodomethane	0.724	0.740	-2.2	109	0.00	6.85
21	carbon disulfide	1.229	1.233	-0.3	107	0.00	6.99
22	methylene chloride	0.440	0.482	-9.5	122	0.00	7.30
23	methyl acetate	0.479	0.497	-3.8	108	0.00	7.06
24	methyl tert butyl ether	1.323	1.454	-9.9	118	0.00	7.66
25	trans-1,2-dichloroethene	0.420	0.451	-7.4	117	0.00	7.69
26	hexane	0.747	0.807	-8.0	114	0.00	8.04
27	di-isopropyl ether	1.831	2.143	-17.0	122	0.00	8.25
28	ethyl tert-butyl ether	1.594	1.884	-18.2	125	0.00	8.71
29	2-butanone	0.052	0.061	-17.3	122	0.00	8.91
30	1,1-dichloroethane	0.822	0.913	-11.1	119	0.00	8.26
31	chloroprene	0.781	0.806	-3.2	106	0.00	8.36
32	acrylonitrile	0.212	0.232	-9.4	112	0.00	7.60
33	vinyl acetate	0.078	0.102	-30.8#	138	0.00	8.20
34	ethyl acetate	0.096	0.109	-13.5	120	0.00	8.92
35	2,2-dichloropropane	0.657	0.756	-15.1	129	0.00	9.00
36	cis-1,2-dichloroethene	0.462	0.534	-15.6	126	0.00	8.97
37	propionitrile	0.079	0.093	-17.7	122	0.00	8.98
38	bromochloromethane	0.307	0.350	-14.0	120	0.00	9.26
39	tetrahydrofuran	0.219	0.211	3.7	109	0.00	9.29
40	chloroform	0.854	0.906	-6.1	118	0.00	9.35
41	tert-butyl formate	0.415	0.463	-11.6	113	0.00	9.39

Continuing Calibration Summary

Job Number: JD52507 **Sample:** V2A9583-CC9511
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A220438.D
Project: EPT, Ithaca, NY

42		isobutyl alcohol	0.033	0.033	0.0	109	0.00	9.75
43	S	dibromofluoromethane (s)	0.471	0.517	-9.8	112	0.00	9.54
44		methacrylonitrile	0.196	0.231	-17.9	124	0.00	9.18
45		1,1,1-trichloroethane	0.742	0.783	-5.5	111	0.00	9.61
46		cyclohexane	0.620	0.795	-28.2#	134	0.00	9.72
47		1,1-dichloropropene	0.597	0.656	-9.9	118	0.00	9.78
48		tert-amyl alcohol	0.033	0.034	-3.0	111	0.00	9.91
49		carbon tetrachloride	0.669	0.697	-4.2	112	0.00	9.80
50	I	1,4-difluorobenzene	1.000	1.000	0.0	117	0.00	10.44
51	S	1,2-dichloroethane-d4 (s)	0.465	0.381	18.1	96	0.00	9.96
52		2,2,4-trimethylpentane	1.405	1.342	4.5	113	0.00	10.12
53		tert-amyl methyl ether	1.030	1.056	-2.5	126	0.00	10.11
54		n-butyl alcohol	0.013	0.013	0.0	114	0.00	10.50
55		benzene	1.186	1.239	-4.5	125	0.00	10.02
56		heptane	0.287	0.247	13.9	103	0.00	10.28
57		isopropyl acetate	0.074	0.075	-1.4	124	0.00	9.95
58		1,2-dichloroethane	0.557	0.531	4.7	119	0.00	10.05
59		trichloroethene	0.339	0.337	0.6	123	0.00	10.75
60		ethyl acrylate	0.539	0.556	-3.2	120	0.00	10.74
61		2-nitropropane	0.142	0.108	23.9#	93	0.00	11.50
		----------	True	Calc.	% Drift	----------		
62		2-chloroethyl vinyl ether	100.000	36.849	63.2#	43	0.00	11.54
		----------	AvgRF	CCRF	% Dev	----------		
63		methyl methacrylate	0.085	0.090	-5.9	126	0.00	11.01
64		1,2-dichloropropane	0.352	0.372	-5.7	131	0.00	11.04
65		methylcyclohexane	0.555	0.521	6.1	113	0.00	11.05
66		dibromomethane	0.231	0.227	1.7	122	0.00	11.14
67		bromodichloromethane	0.478	0.469	1.9	121	0.00	11.30
68		epichlorohydrin	0.042	0.040	4.8	113	0.00	11.62
69		cis-1,3-dichloropropene	0.524	0.562	-7.3	126	0.00	11.75
70		4-methyl-2-pentanone	0.166	0.166	0.0	120	0.00	11.86
71		3-methyl-1-butanol	0.010	0.010	0.0	111	0.01	11.88
72	I	chlorobenzene-d5	1.000	1.000	0.0	124	0.00	13.56
73	S	toluene-d8 (s)	1.225	1.145	6.5	115	0.00	12.06
74		toluene	0.794	0.762	4.0	123	0.00	12.14
75		trans-1,3-dichloropropene	0.527	0.507	3.8	121	0.00	12.32
76		ethyl methacrylate	0.452	0.458	-1.3	120	0.00	12.32
77		1,1,2-trichloroethane	0.273	0.264	3.3	121	0.00	12.54
78		2-hexanone	0.166	0.153	7.8	114	0.00	12.71
79		tetrachloroethene	0.395	0.373	5.6	125	0.00	12.69
80		1,3-dichloropropane	0.524	0.490	6.5	124	0.00	12.72
81		butyl acetate	0.285	0.271	4.9	116	0.00	12.79
82		dibromochloromethane	0.399	0.368	7.8	116	0.00	12.96
83		1,2-dibromoethane	0.338	0.315	6.8	118	0.00	13.11
84		n-butyl ether	1.574	1.422	9.7	111	0.00	13.56
85		chlorobenzene	0.866	0.835	3.6	119	0.00	13.60
86		1,1,1,2-tetrachloroethane	0.348	0.322	7.5	118	0.00	13.66
87		ethylbenzene	1.489	1.382	7.2	117	0.00	13.66
88		m,p-xylene	0.579	0.515	11.1	112	0.00	13.78
89		o-xylene	1.216	1.132	6.9	118	0.00	14.18
90		styrene	0.942	0.846	10.2	110	0.00	14.19
91		n-amyl acetate	0.246	0.214	13.0	107	0.00	14.22
92		bromoform	0.287	0.262	8.7	114	0.00	14.41
93		butyl acrylate	0.838	0.768	8.4	107	0.00	14.01
94		isopropylbenzene	1.450	1.278	11.9	108	0.00	14.53
95		cis-1,4-dichloro-2-butene	0.156	0.098	37.2#	75	0.00	14.57

Continuing Calibration Summary

Job Number: JD52507 **Sample:** V2A9583-CC9511
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2A220438.D
Project: EPT, Ithaca, NY

96	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	115	0.00	15.89
97	S	4-bromofluorobenzene (s)	0.925	0.988	-6.8	123	0.00	14.72
98		bromobenzene	0.800	0.740	7.5	114	0.00	14.91
99		1,1,2,2-tetrachloroethane	0.850	0.778	8.5	107	0.00	14.81
100		trans-1,4-dichloro-2-bute	0.283	0.177	37.5#	72	0.00	14.84
101		1,2,3-trichloropropane	0.219	0.190	13.2	103	0.00	14.89
102		n-propylbenzene	3.209	3.078	4.1	110	0.00	14.94
103		2-chlorotoluene	0.699	0.644	7.9	111	0.00	15.07
104		4-chlorotoluene	2.041	1.934	5.2	110	0.00	15.18
105		1,3,5-trimethylbenzene	2.229	2.075	6.9	108	0.00	15.10
106		tert-butylbenzene	1.931	1.762	8.8	108	0.00	15.44
107		1,2,4-trimethylbenzene	2.270	2.089	8.0	106	0.00	15.49
108		sec-butylbenzene	2.879	2.577	10.5	103	0.00	15.66
109		1,3-dichlorobenzene	1.426	1.315	7.8	109	0.00	15.82
110		p-isopropyltoluene	2.455	2.206	10.1	104	0.00	15.79
111		benzyl chloride	1.398	1.217	12.9	98	0.00	16.01
112		1,2,3-trimethylbenzene	2.341	2.145	8.4	107	0.00	15.91
113		1,4-dichlorobenzene	1.483	1.297	12.5	107	0.00	15.91
114		1,2-dichlorobenzene	1.394	1.270	8.9	106	0.00	16.28
115		n-butylbenzene	1.306	1.101	15.7	96	0.00	16.20
116		1,2-dibromo-3-chloropropa	0.184	0.148	19.6	91	0.00	17.05
117		1,3,5-trichlorobenzene	1.090	0.983	9.8	106	0.00	17.24
118		1,2,4-trichlorobenzene	0.937	0.803	14.3	96	0.00	17.88
119		hexachlorobutadiene	0.482	0.426	11.6	102	0.00	18.00
120		naphthalene	2.233	1.473	34.0#	72	0.00	18.17
121		1,2,3-trichlorobenzene	0.882	0.676	23.4#	86	0.00	18.40
122		hexachloroethane	0.402	0.312	22.4#	86	0.00	16.58
123		2-methylnaphthalene	1.138	0.277	75.7#	28#	0.00	19.40
124		pentafluorobenzene(a)	1.000	1.000	0.0	101	0.00	9.51
125		vinyl bromide	----------NA----------					

(#) = Out of Range SPCC's out = 0 CCC's out = 0
2A218787.D M2A9511.M Tue Oct 04 20:09:35 2022

Initial Calibration Summary

Job Number: JD52507 **Sample:** V2V3747-ICC3747
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2V92152.D
Project: EPT, Ithaca, NY

Response Factor Report MS2V

Method : C:\MSDCHEM\1\METHODS\M2V3747.M (RTE Integrator)
Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
Last Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration

Calibration Files
4 =2V92146.D 0.2 =2V92138.D 8 =2V92148.D 50 =2V92152.D
100 =2V92154.D 0.5 =2V92140.D 200 =2V92156.D 20 =2V92150.D
1 =2V92142.D 2 =2V92144.D = =

Compound	4	0.2	8	50	100	0.5	200	20	1	2	Avg	%RSD
1) I tert butyl alcohol-d9	----------ISTD----------											
2) ethanol	0.106		0.099	0.092	0.094	0.109	0.063	0.099	0.120	0.132	0.102	19.03
3) tertiary butyl alcohol	1.545	1.557	1.526	1.473	1.549	1.541	1.403	1.490	1.625	1.865	1.558	7.90
4) 1,4-dioxane	0.123		0.126	0.128	0.130		0.118	0.133	0.110	0.152	0.128	9.71
5) I pentafluorobenzene	----------ISTD----------											
6) chlorodifluoromethane	0.470		0.480	0.447	0.477	0.420	0.464	0.432	0.480	0.532	0.467	6.99
7) dichlorodifluoromethane	0.562		0.541	0.556	0.606	0.503	0.582	0.544	0.563	0.571	0.559	5.12
8) chloromethane	0.214		0.195	0.188	0.191	0.271	0.180	0.188	0.240	0.232	0.211	14.65
9) vinyl chloride	0.687	0.709	0.668	0.659	0.664	0.747	0.601	0.646	0.741	0.728	0.685	6.78
10) bromomethane	0.526		0.487	0.462	0.383			0.451		0.549	0.476	12.37
11) chloroethane	0.462		0.407	0.437	0.425		0.256	0.400	0.412	0.486	0.411	16.76
12) trichlorofluoromethane	0.948	0.853	1.042	1.071	1.300	0.875	1.261	0.888	0.930	0.972	1.014	15.46
13) 1,3-butadiene	0.667		0.644	0.567	0.545	0.659	0.499	0.579	0.736	0.759	0.628	13.91
14) ethyl ether	0.234	0.194	0.241	0.243	0.282	0.172	0.322	0.227	0.241	0.239	0.240	17.29
15) acrolein	0.108		0.104	0.103	0.115	0.085	0.111	0.102	0.111	0.119	0.106	9.08
16) freon 113	0.396	0.416	0.379	0.396	0.438	0.310	0.461	0.372	0.421	0.432	0.402	10.59
17) 1,1-dichloroethene	0.614	0.576	0.609	0.607	0.649	0.505	0.655	0.561	0.644	0.670	0.609	8.27
18) acetone	0.066	0.065	0.064	0.060	0.063	0.066	0.060	0.059	0.071	0.071	0.064	6.65
19) acetonitrile	0.085		0.083	0.077	0.078	0.083	0.074	0.078	0.093	0.094	0.083	8.67
20) iodomethane	0.177		0.222	0.415	0.446			0.303		0.150	0.286	43.51
----- Quadratic regression -----											Coefficient =	0.9962
Response Ratio = -0.01068 + 0.33182 *A + 0.06306 *A^2												
21) carbon disulfide	1.104		1.090	1.026	1.091	1.149	1.086	0.999	1.242	1.226	1.113	7.33

Initial Calibration Summary

Job Number: JD52507 **Sample:** V2V3747-ICC3747
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2V92152.D
Project: EPT, Ithaca, NY

22) methylene chloride
0.453 0.432 0.408 0.430 0.526 0.425 0.400 0.518 0.489 0.454 10.29
23) methyl acetate
0.119 0.114 0.113 0.121 0.120 0.108 0.108 0.124 0.116 5.07
24) methyl tert butyl ether
1.235 1.127 1.198 1.241 1.345 1.081 1.413 1.155 1.245 1.282 1.232 8.08
25) trans-1,2-dichloroethene
0.418 0.427 0.430 0.426 0.458 0.356 0.486 0.400 0.433 0.466 0.430 8.41
26) hexane
0.236 0.247 0.237 0.236 0.248 0.211 0.251 0.213 0.257 0.247 0.238 6.59
27) di-isopropyl ether
1.224 1.146 1.202 1.209 1.266 1.105 1.298 1.152 1.256 1.322 1.218 5.72
28) ethyl tert-butyl ether
1.185 1.226 1.186 1.209 1.298 1.020 1.336 1.149 1.240 1.261 1.211 7.21
29) 1,1-dichloroethane
0.750 0.667 0.728 0.732 0.774 0.647 0.809 0.684 0.772 0.790 0.736 7.40
30) chloroprene
0.563 0.462 0.560 0.554 0.580 0.476 0.582 0.517 0.590 0.615 0.550 9.06
31) acrylonitrile
0.233 0.220 0.221 0.240 0.196 0.234 0.223 0.236 0.233 0.226 5.88
32) vinyl acetate
0.097 0.097 0.104 0.112 0.117 0.092 0.076 0.106 0.100 12.62
33) ethyl acetate
0.103 0.116 0.107 0.116 0.116 0.102 0.106 0.099 0.108 6.46
34) 2-butanone
0.092 0.065 0.088 0.089 0.096 0.076 0.098 0.086 0.091 0.092 0.087 11.50
35) 2,2-dichloropropane
0.622 0.630 0.626 0.637 0.693 0.612 0.741 0.588 0.687 0.652 0.649 7.03
36) cis-1,2-dichloroethene
0.493 0.391 0.485 0.508 0.546 0.426 0.593 0.466 0.509 0.555 0.497 12.13
37) propionitrile
0.105 0.098 0.104 0.098 0.102 0.089 0.096 0.099 0.107 0.111 0.101 6.22
38) methyl acrylate
0.108 0.116 0.114 0.126 0.129 0.107 0.109 0.118 0.116 6.89
39) bromochloromethane
0.279 0.209 0.268 0.263 0.252 0.229 0.250 0.264 0.299 0.285 0.260 10.20
40) tetrahydrofuran
0.115 0.103 0.096 0.100 0.100 0.097 0.133 0.106 12.47
41) chloroform
0.861 0.845 0.809 0.848 0.870 0.776 1.087 1.023 0.890 12.10
42) dibromofluoromethane (s)
0.500 0.493 0.501 0.502 0.499 0.495 0.510 0.500 0.495 0.490 0.499 1.13
43) methacrylonitrile
0.253 0.243 0.243 0.255 0.205 0.254 0.242 0.267 0.260 0.247 7.24
44) 1,1,1-trichloroethane
0.737 0.711 0.751 0.730 0.773 0.717 0.802 0.688 0.837 0.803 0.755 6.30
45) cyclohexane
0.559 0.572 0.547 0.577 0.633 0.562 0.675 0.549 0.629 0.593 0.590 7.22
46) 1,1-dichloropropene
0.580 0.551 0.574 0.591 0.629 0.546 0.654 0.545 0.615 0.613 0.590 6.35
47) carbon tetrachloride
0.661 0.668 0.682 0.708 0.778 0.599 0.837 0.640 0.705 0.699 0.698 9.73
48) isobutyl alcohol
0.023 0.022 0.021 0.020 0.015 0.021 0.023 0.025 0.021 14.05
49) tert-amyl alcohol
0.046 0.045 0.040 0.040 0.040 0.038 0.042 0.050 0.053 0.044 11.57

50) I 1,4-difluorobenzene ----------ISTD----------
51) 1,2-dichloroethane-d4 (s)
0.353 0.345 0.346 0.359 0.371 0.342 0.399 0.351 0.342 0.337 0.355 5.22

Initial Calibration Summary

Job Number: JD52507 **Sample:** V2V3747-ICC3747
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2V92152.D
Project: EPT, Ithaca, NY

52) n-butyl alcohol
0.019 0.019 0.018 0.019 0.014 0.017 0.018 0.018 0.019 0.018 8.41
53) benzene
1.202 1.227 1.172 1.158 1.240 1.093 1.271 1.118 1.245 1.272 1.200 5.21
54) tert-amyl methyl ether
0.945 0.912 0.922 0.930 1.014 0.797 1.056 0.888 0.944 0.991 0.940 7.61
55) iso-octane
0.657 0.589 0.631 0.623 0.667 0.575 0.676 0.598 0.700 0.689 0.640 6.83
56) heptane
0.120 0.121 0.121 0.125 0.125 0.116 0.134 0.129 0.124 4.62
57) isopropyl acetate
0.097 0.092 0.095 0.105 0.107 0.094 0.093 0.096 0.097 5.90
58) 1,2-dichloroethane
0.502 0.480 0.469 0.502 0.484 0.510 0.466 0.541 0.542 0.500 5.61
59) trichloroethene
0.339 0.365 0.343 0.349 0.377 0.323 0.391 0.323 0.363 0.379 0.355 6.64
60) ethyl acrylate
0.566 0.547 0.540 0.580 0.494 0.568 0.527 0.582 0.621 0.558 6.56
61) 2-nitropropane
0.133 0.134 0.143 0.170 0.167 0.132 0.154 0.151 0.148 10.12
62) 2-chloroethyl vinyl ether
0.191 0.155 0.195 0.200 0.223 0.138 0.230 0.188 0.169 0.188 0.188 15.05
63) methyl methacrylate
0.123 0.114 0.121 0.138 0.147 0.114 0.100 0.118 0.122 12.17
64) 1,2-dichloropropane
0.310 0.303 0.310 0.338 0.242 0.350 0.288 0.336 0.348 0.314 11.01
65) methylcyclohexane
0.437 0.431 0.415 0.435 0.483 0.387 0.513 0.404 0.456 0.463 0.442 8.52
66) dibromomethane
0.276 0.288 0.263 0.261 0.282 0.253 0.285 0.251 0.293 0.294 0.275 6.00
67) bromodichloromethane
0.470 0.538 0.454 0.471 0.500 0.438 0.511 0.441 0.496 0.509 0.483 6.88
68) epichlorohydrin
0.053 0.052 0.051 0.053 0.050 0.051 0.052 0.054 0.052 2.80
69) cis-1,3-dichloropropene
0.506 0.449 0.497 0.510 0.547 0.410 0.546 0.481 0.550 0.534 0.503 9.13
70) 4-methyl-2-pentanone
0.195 0.153 0.188 0.191 0.210 0.166 0.208 0.183 0.191 0.198 0.188 9.26
71) 3-methyl-1-butanol
0.018 0.018 0.020 0.021 0.011 0.019 0.019 0.016 0.018 0.018 15.39

72) I chlorobenzene-d5 ----------ISTD----------
73) toluene-d8 (s)
1.248 1.235 1.258 1.209 1.172 1.265 1.156 1.238 1.259 1.267 1.231 3.19
74) toluene
0.824 0.929 0.839 0.793 0.836 0.748 0.858 0.766 0.869 0.925 0.839 7.20
75) ethyl methacrylate
0.487 0.492 0.493 0.521 0.397 0.502 0.475 0.493 0.527 0.487 7.72
76) trans-1,3-dichloropropene
0.502 0.429 0.505 0.519 0.553 0.405 0.557 0.487 0.506 0.538 0.500 9.89
77) 1,1,2-trichloroethane
0.309 0.231 0.293 0.286 0.303 0.280 0.296 0.277 0.309 0.325 0.291 8.77
78) 2-hexanone
0.221 0.187 0.218 0.213 0.224 0.183 0.212 0.210 0.225 0.236 0.213 7.75
79) tetrachloroethene
0.328 0.315 0.328 0.321 0.340 0.260 0.348 0.299 0.338 0.374 0.325 9.42
80) 1,3-dichloropropane
0.549 0.530 0.523 0.529 0.557 0.489 0.549 0.508 0.537 0.588 0.536 5.12
81) butyl acetate
0.286 0.266 0.274 0.266 0.277 0.232 0.264 0.261 0.269 0.308 0.270 7.20

Initial Calibration Summary

Job Number: JD52507 **Sample:** V2V3747-ICC3747
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2V92152.D
Project: EPT, Ithaca, NY

82) dibromochloromethane
0.454 0.444 0.453 0.464 0.497 0.376 0.495 0.437 0.471 0.479 0.457 7.62
83) 1,2-dibromoethane
0.419 0.429 0.413 0.401 0.422 0.323 0.413 0.386 0.434 0.442 0.408 8.33
84) n-butyl ether
1.192 1.098 1.215 1.221 1.291 1.013 1.272 1.164 1.207 1.302 1.197 7.44
85) chlorobenzene
0.993 1.006 1.000 0.979 1.043 0.948 1.039 0.940 1.063 1.090 1.010 4.82
86) 1,1,1,2-tetrachloroethane
0.391 0.341 0.382 0.416 0.472 0.301 0.507 0.382 0.372 0.387 0.395 15.03
87) ethylbenzene
1.543 1.651 1.547 1.553 1.668 1.441 1.698 1.458 1.624 1.678 1.586 5.77
88) m,p-xylene
0.595 0.623 0.599 0.602 0.653 0.548 0.675 0.569 0.632 0.655 0.615 6.51
89) o-xylene
1.206 1.234 1.193 1.218 1.296 1.041 1.316 1.136 1.210 1.311 1.216 6.92
90) styrene
0.997 0.914 1.010 1.022 1.108 0.868 1.128 0.975 1.020 1.049 1.009 7.82
91) butyl acrylate
0.311 0.246 0.314 0.317 0.338 0.234 0.323 0.309 0.291 0.313 0.300 11.21
92) n-amyl acetate
0.262 0.270 0.272 0.282 0.269 0.262 0.250 0.273 0.267 3.55
93) bromoform
0.333 0.329 0.359 0.384 0.259 0.381 0.334 0.333 0.333 0.338 10.82
94) isopropylbenzene
1.451 1.478 1.422 1.420 1.485 1.239 1.465 1.349 1.550 1.570 1.443 6.63
95) cis-1,4-dichloro-2-butene
0.150 0.155 0.191 0.207 0.208 0.166 0.131 0.141 0.169 17.64

96) I 1,4-dichlorobenzene-d ----------ISTD----------
97) 4-bromofluorobenzene (s)
0.880 0.880 0.886 0.899 0.912 0.901 0.902 0.875 0.897 0.896 0.893 1.34
98) bromobenzene
0.983 0.933 0.960 1.009 1.147 0.853 1.188 0.921 1.027 1.091 1.011 10.37
99) 1,1,2,2-tetrachloroethane
1.227 1.200 1.216 1.217 1.338 1.098 1.302 1.144 1.262 1.409 1.241 7.33
100) trans-1,4-dichloro-2-butene
0.240 0.264 0.319 0.369 0.375 0.278 0.242 0.254 0.293 18.80
101) 1,2,3-trichloropropane
0.362 0.367 0.366 0.402 0.326 0.386 0.351 0.368 0.393 0.369 6.20
102) n-propylbenzene
3.526 3.626 3.584 3.596 3.879 3.279 3.833 3.390 3.706 4.073 3.649 6.44
103) 2-chlorotoluene
0.825 0.699 0.831 0.840 0.928 0.717 0.930 0.784 0.879 0.931 0.836 10.08
104) 4-chlorotoluene
0.836 0.770 0.862 0.866 0.947 0.763 0.955 0.828 0.838 0.945 0.861 8.05
105) 1,3,5-trimethylbenzene
2.351 2.179 2.426 2.450 2.682 2.138 2.749 2.304 2.517 2.634 2.443 8.45
106) tert-butylbenzene
2.117 1.874 2.081 2.125 2.335 1.838 2.381 1.967 2.211 2.369 2.130 9.25
107) 1,2,4-trimethylbenzene
2.420 2.876 2.416 2.468 2.753 2.250 2.757 2.303 2.560 2.696 2.550 8.32
108) sec-butylbenzene
2.838 2.661 2.853 2.868 3.135 2.495 3.147 2.690 2.960 3.211 2.886 8.06
109) 1,3-dichlorobenzene
1.599 1.657 1.584 1.636 1.843 1.464 1.886 1.522 1.662 1.819 1.667 8.41
110) p-isopropyltoluene
2.370 2.320 2.414 2.452 2.726 2.027 2.743 2.316 2.434 2.674 2.448 8.98
111) 1,2,3-trimethylbenzene
2.514 2.499 2.486 2.465 2.761 2.192 2.797 2.372 2.642 2.772 2.550 7.60

Initial Calibration Summary

Job Number: JD52507 **Sample:** V2V3747-ICC3747
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2V92152.D
Project: EPT, Ithaca, NY

```
112)  1,4-dichlorobenzene
       1.616 1.853 1.649 1.677 1.877 1.486 1.933 1.595 1.768 1.937  1.739    9.02
113)  1,2-dichlorobenzene
       1.557 1.365 1.558 1.554 1.737 1.431 1.755 1.477 1.630 1.649  1.571    8.01
114)  benzyl chloride
       1.507 1.406 1.587 1.739 1.947 1.255 1.938 1.619 1.522 1.664  1.618   13.45
115)  n-butylbenzene
       0.980 1.001 1.015 1.067 1.193 0.824 1.232 0.981 0.977 1.142  1.041   11.60
116)  hexachloroethane
       0.345       0.350 0.400 0.456       0.473 0.343 0.332 0.338  0.380   14.96
117)  1,2-dibromo-3-chloropropane
       0.317       0.326 0.351 0.398 0.246 0.385 0.327 0.308 0.336  0.333   13.34
118)  1,3,5-trichlorobenzene
       0.847 0.746 0.857 0.877 1.013 0.749 1.030 0.844 0.876 0.981  0.882   11.21
119)  1,2,4-trichlorobenzene
       0.738 0.673 0.755 0.777 0.915 0.582 0.942 0.735 0.762 0.854  0.773   13.96
120)  hexachlorobutadiene
       0.278       0.266 0.260 0.301 0.184 0.302 0.263 0.307 0.297  0.273   13.95
121)  naphthalene
       2.501 2.312 2.500 2.634 3.049 2.154 3.072 2.464 2.531 2.773  2.599   11.33
122)  1,2,3-trichlorobenzene
       0.717 0.496 0.689 0.717 0.831 0.509 0.848 0.701 0.659 0.771  0.694   16.95
123)  2-methylnaphthalene
       0.918       0.893 0.828 0.968 0.666 0.988 0.835 0.878 0.979  0.883   11.41
 ----------------------------------------------------------------------------
 (#) = Out of Range  ###  Number of calibration levels exceeded format  ###

           M2V3747.M         Mon Sep 12 11:58:53 2022   RPT1
```

Initial Calibration Verification

Job Number: JD52507 **Sample:** V2V3747-ICV3747
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2V92162.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\DATA\V2V3747\2V92162.D Vial: 14
Acq On : 11 Sep 2022 9:28 pm Operator: PrashanS
Sample : ICV3747-50 Inst : MS2V
Misc : MS61977,V2V3747,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\MSDCHEM\1\METHODS\M2V3747.M (RTE Integrator)
Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
Last Update : Mon Sep 12 11:37:13 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	tert butyl alcohol-d9	1.000	1.000	0.0	101	0.00	2.31
2		ethanol	0.102	0.098	3.9	107	0.00	1.88
3		tertiary butyl alcohol	1.558	1.491	4.3	102	0.00	2.36
4		1,4-dioxane	0.128	0.134	-4.7	105	0.00	4.10
5	I	pentafluorobenzene	1.000	1.000	0.0	102	0.00	3.28
6		chlorodifluoromethane		----------NA----------				
7		dichlorodifluoromethane	0.559	0.566	-1.3	103	0.00	1.27
8		chloromethane	0.211	0.179	15.2	97	0.00	1.39
9		vinyl chloride	0.685	0.659	3.8	102	0.00	1.45
10		bromomethane	0.476	0.450	5.5	99	0.00	1.62
11		chloroethane	0.411	0.447	-8.8	104	0.00	1.68
12		trichlorofluoromethane	1.014	1.006	0.8	95	0.00	1.81
13		1,3-butadiene	0.628	0.686	-9.2	123	0.00	1.47
14		ethyl ether	0.240	0.252	-5.0	105	0.00	1.95
15		acrolein	0.106	0.096	9.4	95	0.00	2.02
16		freon 113	0.402	0.398	1.0	102	0.00	2.09
17		1,1-dichloroethene	0.609	0.645	-5.9	108	0.00	2.09
18		acetone	0.064	0.059	7.8	100	0.00	2.09
19		acetonitrile	0.083	0.062	25.3	83	0.00	2.24
		----------	True	Calc.	% Drift	----------		
20		iodomethane	50.000	44.799	10.4	83	0.00	2.18
		----------	AvgRF	CCRF	% Dev	----------		
21		carbon disulfide	1.113	1.112	0.1	110	0.00	2.23
22		methylene chloride	0.454	0.432	4.8	108	0.00	2.34
23		methyl acetate	0.116	0.133	-14.7	120	0.00	2.25
24		methyl tert butyl ether	1.232	1.301	-5.6	107	0.00	2.47
25		trans-1,2-dichloroethene	0.430	0.441	-2.6	105	0.00	2.48
26		hexane	0.238	0.232	2.5	100	0.00	2.63
27		di-isopropyl ether	1.218	1.244	-2.1	105	0.00	2.71
28		ethyl tert-butyl ether	1.211	1.203	0.7	101	0.00	2.90
29		1,1-dichloroethane	0.736	0.764	-3.8	106	0.00	2.71
30		chloroprene	0.550	0.601	-9.3	110	0.00	2.76
31		acrylonitrile	0.226	0.235	-4.0	108	0.00	2.45
32		vinyl acetate	0.100	0.088	12.0	86	0.00	2.69
33		ethyl acetate	0.108	0.111	-2.8	105	0.00	3.01
34		2-butanone	0.087	0.094	-8.0	107	0.00	3.00
35		2,2-dichloropropane	0.649	0.633	2.5	101	0.00	3.03
36		cis-1,2-dichloroethene	0.497	0.517	-4.0	104	0.00	3.02
37		propionitrile	0.101	0.094	6.9	98	0.00	3.03

Initial Calibration Verification

Job Number: JD52507 **Sample:** V2V3747-ICV3747
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2V92162.D
Project: EPT, Ithaca, NY

38		methyl acrylate	0.116	0.117	-0.9	104	0.00	3.04
39		bromochloromethane	0.260	0.262	-0.8	101	0.00	3.15
40		tetrahydrofuran	0.106	0.100	5.7	107	0.00	3.17
41		chloroform	0.890	0.847	4.8	106	0.00	3.20
42	S	dibromofluoromethane (s)	0.499	0.498	0.2	101	0.00	3.29
43		methacrylonitrile	0.247	0.253	-2.4	106	0.00	3.12
44		1,1,1-trichloroethane	0.755	0.754	0.1	105	0.00	3.32
45		cyclohexane	0.590	0.566	4.1	100	0.00	3.36
46		1,1-dichloropropene	0.590	0.607	-2.9	104	0.00	3.40
47		carbon tetrachloride	0.698	0.729	-4.4	105	0.00	3.41
48		isobutyl alcohol	0.021	0.022	-4.8	111	0.00	3.40
49		tert-amyl alcohol	0.044	0.039	11.4	100	0.00	3.47
50	I	1,4-difluorobenzene	1.000	1.000	0.0	101	0.00	3.75
51	S	1,2-dichloroethane-d4 (s)	0.355	0.353	0.6	99	0.00	3.49
52		n-butyl alcohol	0.018	0.018	0.0	104	0.00	3.79
53		benzene	1.200	1.200	0.0	104	0.00	3.52
54		tert-amyl methyl ether	0.940	0.896	4.7	97	0.00	3.57
55		iso-octane	0.640	0.607	5.2	98	0.00	3.57
56		heptane	0.124	0.126	-1.6	105	0.00	3.67
57		isopropyl acetate	0.097	0.098	-1.0	104	0.00	3.50
58		1,2-dichloroethane	0.500	0.485	3.0	104	0.00	3.54
59		trichloroethene	0.355	0.361	-1.7	104	0.00	3.90
60		ethyl acrylate	0.558	0.535	4.1	100	0.00	3.92
61		2-nitropropane	0.148	0.151	-2.0	106	0.00	4.35
62		2-chloroethyl vinyl ether	0.188	0.224	-19.1	113	0.00	4.39
63		methyl methacrylate	0.122	0.136	-11.5	114	0.00	4.07
64		1,2-dichloropropane	0.314	0.320	-1.9	104	0.00	4.07
65		methylcyclohexane	0.442	0.459	-3.8	106	0.00	4.06
66		dibromomethane	0.275	0.268	2.5	104	0.00	4.12
67		bromodichloromethane	0.483	0.480	0.6	103	0.00	4.22
68		epichlorohydrin	0.052	0.051	1.9	100	0.00	4.42
69		cis-1,3-dichloropropene	0.503	0.514	-2.2	102	0.00	4.50
70		4-methyl-2-pentanone	0.188	0.195	-3.7	103	0.00	4.59
71		3-methyl-1-butanol	0.018	0.020	-11.1	103	0.00	4.61
72	I	chlorobenzene-d5	1.000	1.000	0.0	100	0.00	5.73
73	S	toluene-d8 (s)	1.231	1.214	1.4	100	0.00	4.69
74		toluene	0.839	0.823	1.9	104	0.00	4.74
75		ethyl methacrylate	0.487	0.477	2.1	97	0.00	4.90
76		trans-1,3-dichloropropene	0.500	0.529	-5.8	102	0.00	4.88
77		1,1,2-trichloroethane	0.291	0.297	-2.1	104	0.00	5.02
78		2-hexanone	0.213	0.217	-1.9	102	0.00	5.16
79		tetrachloroethene	0.325	0.337	-3.7	105	0.00	5.11
80		1,3-dichloropropane	0.536	0.544	-1.5	103	0.00	5.14
81		butyl acetate	0.270	0.286	-5.9	108	0.00	5.24
82		dibromochloromethane	0.457	0.480	-5.0	103	0.00	5.30
83		1,2-dibromoethane	0.408	0.411	-0.7	103	0.00	5.39
84		n-butyl ether	1.197	1.210	-1.1	99	0.00	5.80
85		chlorobenzene	1.010	1.007	0.3	103	0.00	5.76
86		1,1,1,2-tetrachloroethane	0.395	0.430	-8.9	103	0.00	5.81
87		ethylbenzene	1.586	1.616	-1.9	104	0.00	5.82
88		m,p-xylene	0.615	0.623	-1.3	103	0.00	5.92
89		o-xylene	1.216	1.250	-2.8	103	0.00	6.21
90		styrene	1.009	1.052	-4.3	103	0.00	6.23
91		butyl acrylate	0.300	0.326	-8.7	103	0.00	6.15
92		n-amyl acetate	0.267	0.274	-2.6	101	0.00	6.33
93		bromoform	0.338	0.371	-9.8	103	0.00	6.37
94		isopropylbenzene	1.443	1.463	-1.4	103	0.00	6.49
95		cis-1,4-dichloro-2-butene	0.169	0.182	-7.7	95	0.00	6.54

Initial Calibration Verification

Job Number: JD52507 **Sample:** V2V3747-ICV3747
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2V92162.D
Project: EPT, Ithaca, NY

96	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	98	0.00	7.50
97	S	4-bromofluorobenzene (s)	0.893	0.915	-2.5	100	0.00	6.64
98		bromobenzene	1.011	1.065	-5.3	104	0.00	6.75
99		1,1,2,2-tetrachloroethane	1.241	1.269	-2.3	102	0.00	6.73
100		trans-1,4-dichloro-2-bute	0.293	0.345	-17.7	106	0.00	6.76
101		1,2,3-trichloropropane	0.369	0.389	-5.4	104	0.00	6.78
102		n-propylbenzene	3.649	3.751	-2.8	102	0.00	6.82
103		2-chlorotoluene	0.836	0.880	-5.3	103	0.00	6.89
104		4-chlorotoluene	0.861	0.901	-4.6	102	0.00	6.99
105		1,3,5-trimethylbenzene	2.443	2.551	-4.4	102	0.00	6.96
106		tert-butylbenzene	2.130	2.528	-18.7	117	0.00	7.20
107		1,2,4-trimethylbenzene	2.550	2.608	-2.3	104	0.00	7.24
108		sec-butylbenzene	2.886	2.996	-3.8	103	0.00	7.36
109		1,3-dichlorobenzene	1.667	1.702	-2.1	102	0.00	7.45
110		p-isopropyltoluene	2.448	2.569	-4.9	103	0.00	7.46
111		1,2,3-trimethylbenzene		----------NA----------				
112		1,4-dichlorobenzene	1.739	1.696	2.5	99	0.00	7.52
113		1,2-dichlorobenzene	1.571	1.631	-3.8	103	0.00	7.77
114		benzyl chloride	1.618	1.620	-0.1	91	0.00	7.60
115		n-butylbenzene	1.041	1.108	-6.4	102	0.00	7.75
116		hexachloroethane	0.380	0.425	-11.8	104	0.00	7.96
117		1,2-dibromo-3-chloropropa	0.333	0.372	-11.7	104	0.00	8.29
118		1,3,5-trichlorobenzene	0.882	0.932	-5.7	104	0.00	8.42
119		1,2,4-trichlorobenzene	0.773	0.828	-7.1	105	0.00	8.82
120		hexachlorobutadiene	0.273	0.282	-3.3	107	0.00	8.91
121		naphthalene	2.599	2.778	-6.9	104	0.00	8.98
122		1,2,3-trichlorobenzene	0.694	0.762	-9.8	104	0.00	9.12
123		2-methylnaphthalene	0.883	0.845	4.3	100	0.00	9.67

(#) = Out of Range SPCC's out = 0 CCC's out = 0
2V92152.D M2V3747.M Mon Sep 12 11:40:42 2022 RPT1

Initial Calibration Verification

Job Number: JD52507 **Sample:** V2V3747-ICV3747
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2V92164.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\DATA\V2V3747\2V92164.D Vial: 15
Acq On : 11 Sep 2022 9:57 pm Operator: PrashanS
Sample : ICV3747-50 Inst : MS2V
Misc : MS61977,V2V3747,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\MSDCHEM\1\METHODS\M2V3747.M (RTE Integrator)
Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
Last Update : Mon Sep 12 11:37:13 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	tert butyl alcohol-d9	1.000	1.000	0.0	106	-0.01	2.31
2		ethanol		----------NA----------				
3		tertiary butyl alcohol		----------NA----------				
4		1,4-dioxane		----------NA----------				
5	I	pentafluorobenzene	1.000	1.000	0.0	102	0.00	3.28
6		chlorodifluoromethane	0.467	0.475	-1.7	109	-0.01	1.28
7		dichlorodifluoromethane		----------NA----------				
8		chloromethane		----------NA----------				
9		vinyl chloride		----------NA----------				
10		bromomethane		----------NA----------				
11		chloroethane		----------NA----------				
12		trichlorofluoromethane		----------NA----------				
13		1,3-butadiene		----------NA----------				
14		ethyl ether		----------NA----------				
15		acrolein		----------NA----------				
16		freon 113		----------NA----------				
17		1,1-dichloroethene		----------NA----------				
18		acetone		----------NA----------				
19		acetonitrile	0.083	0.073	12.0	98	0.00	2.23
		----------	True	Calc.	% Drift	----------		
20		iodomethane		----------NA----------				
		----------	AvgRF	CCRF	% Dev	----------		
21		carbon disulfide		----------NA----------				
22		methylene chloride		----------NA----------				
23		methyl acetate		----------NA----------				
24		methyl tert butyl ether		----------NA----------				
25		trans-1,2-dichloroethene		----------NA----------				
26		hexane		----------NA----------				
27		di-isopropyl ether		----------NA----------				
28		ethyl tert-butyl ether		----------NA----------				
29		1,1-dichloroethane		----------NA----------				
30		chloroprene		----------NA----------				
31		acrylonitrile	0.226	0.189	16.4	88	0.00	2.44
32		vinyl acetate		----------NA----------				
33		ethyl acetate		----------NA----------				
34		2-butanone		----------NA----------				
35		2,2-dichloropropane		----------NA----------				
36		cis-1,2-dichloroethene		----------NA----------				
37		propionitrile		----------NA----------				

Initial Calibration Verification

Job Number: JD52507 **Sample:** V2V3747-ICV3747
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2V92164.D
Project: EPT, Ithaca, NY

38		methyl acrylate		----------NA----------				
39		bromochloromethane		----------NA----------				
40		tetrahydrofuran		----------NA----------				
41		chloroform		----------NA----------				
42	S	dibromofluoromethane (s)	0.499	0.500	-0.2	102	0.00	3.29
43		methacrylonitrile		----------NA----------				
44		1,1,1-trichloroethane		----------NA----------				
45		cyclohexane		----------NA----------				
46		1,1-dichloropropene		----------NA----------				
47		carbon tetrachloride		----------NA----------				
48		isobutyl alcohol		----------NA----------				
49		tert-amyl alcohol		----------NA----------				
50	I	1,4-difluorobenzene	1.000	1.000	0.0	101	0.00	3.74
51	S	1,2-dichloroethane-d4 (s)	0.355	0.358	-0.8	101	0.00	3.49
52		n-butyl alcohol		----------NA----------				
53		benzene		----------NA----------				
54		tert-amyl methyl ether		----------NA----------				
55		iso-octane		----------NA----------				
56		heptane		----------NA----------				
57		isopropyl acetate		----------NA----------				
58		1,2-dichloroethane		----------NA----------				
59		trichloroethene		----------NA----------				
60		ethyl acrylate		----------NA----------				
61		2-nitropropane		----------NA----------				
62		2-chloroethyl vinyl ether		----------NA----------				
63		methyl methacrylate		----------NA----------				
64		1,2-dichloropropane		----------NA----------				
65		methylcyclohexane		----------NA----------				
66		dibromomethane		----------NA----------				
67		bromodichloromethane		----------NA----------				
68		epichlorohydrin		----------NA----------				
69		cis-1,3-dichloropropene		----------NA----------				
70		4-methyl-2-pentanone		----------NA----------				
71		3-methyl-1-butanol		----------NA----------				
72	I	chlorobenzene-d5	1.000	1.000	0.0	99	0.00	5.73
73	S	toluene-d8 (s)	1.231	1.256	-2.0	103	0.00	4.69
74		toluene		----------NA----------				
75		ethyl methacrylate		----------NA----------				
76		trans-1,3-dichloropropene		----------NA----------				
77		1,1,2-trichloroethane		----------NA----------				
78		2-hexanone		----------NA----------				
79		tetrachloroethene	0.325	0.305	6.2	94	0.00	5.11
80		1,3-dichloropropane		----------NA----------				
81		butyl acetate		----------NA----------				
82		dibromochloromethane		----------NA----------				
83		1,2-dibromoethane		----------NA----------				
84		n-butyl ether		----------NA----------				
85		chlorobenzene		----------NA----------				
86		1,1,1,2-tetrachloroethane		----------NA----------				
87		ethylbenzene		----------NA----------				
88		m,p-xylene		----------NA----------				
89		o-xylene		----------NA----------				
90		styrene		----------NA----------				
91		butyl acrylate		----------NA----------				
92		n-amyl acetate		----------NA----------				
93		bromoform		----------NA----------				
94		isopropylbenzene		----------NA----------				
95		cis-1,4-dichloro-2-butene		----------NA----------				

Initial Calibration Verification

Job Number: JD52507 **Sample:** V2V3747-ICV3747
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2V92164.D
Project: EPT, Ithaca, NY

96	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	104	0.00	7.50
97	S	4-bromofluorobenzene (s)	0.893	0.881	1.3	102	0.00	6.64
98		bromobenzene		----------NA----------				
99		1,1,2,2-tetrachloroethane		----------NA----------				
100		trans-1,4-dichloro-2-bute		----------NA----------				
101		1,2,3-trichloropropane		----------NA----------				
102		n-propylbenzene		----------NA----------				
103		2-chlorotoluene		----------NA----------				
104		4-chlorotoluene		----------NA----------				
105		1,3,5-trimethylbenzene		----------NA----------				
106		tert-butylbenzene		----------NA----------				
107		1,2,4-trimethylbenzene		----------NA----------				
108		sec-butylbenzene		----------NA----------				
109		1,3-dichlorobenzene		----------NA----------				
110		p-isopropyltoluene		----------NA----------				
111		1,2,3-trimethylbenzene	2.550	2.769	-8.6	117	0.00	7.54
112		1,4-dichlorobenzene		----------NA----------				
113		1,2-dichlorobenzene		----------NA----------				
114		benzyl chloride		----------NA----------				
115		n-butylbenzene		----------NA----------				
116		hexachloroethane		----------NA----------				
117		1,2-dibromo-3-chloropropa		----------NA----------				
118		1,3,5-trichlorobenzene		----------NA----------				
119		1,2,4-trichlorobenzene		----------NA----------				
120		hexachlorobutadiene		----------NA----------				
121		naphthalene		----------NA----------				
122		1,2,3-trichlorobenzene		----------NA----------				
123		2-methylnaphthalene		----------NA----------				

(#) = Out of Range SPCC's out = 0 CCC's out = 0
2V92152.D M2V3747.M Mon Sep 12 11:45:28 2022 RPT1

Continuing Calibration Summary

Job Number: JD52507 **Sample:** V2V3773-CC3747
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2V92880.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\KI...-22\v2v3773\2v92880.d Vial: 30
Acq On : 27 Sep 2022 9:00 pm Operator: KYLEM
Sample : cc3747-50 Inst : MS2V
Misc : MS62460,V2V3773,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\methods\m2v3747.m (RTE Integrator)
Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
Last Update : Mon Sep 12 11:37:13 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1 I	tert butyl alcohol-d9	1.000	1.000	0.0	88	0.00	2.32
2	ethanol	0.102	0.186	-82.4#	179	0.00	1.89
3	tertiary butyl alcohol	1.558	1.290	17.2	77	0.00	2.36
4	1,4-dioxane	0.128	0.120	6.3	83	0.00	4.10
5 I	pentafluorobenzene	1.000	1.000	0.0	69	0.00	3.29
6	chlorodifluoromethane	0.467	0.403	13.7	63	0.00	1.29
7	dichlorodifluoromethane	0.559	0.531	5.0	66	0.00	1.28
8	chloromethane	0.211	0.211	0.0	78	0.00	1.39
9	vinyl chloride	0.685	0.753	-9.9	79	0.00	1.46
10	bromomethane	0.476	0.564	-18.5	85	0.00	1.63
11	chloroethane	0.411	0.558	-35.8#	89	0.00	1.69
12	trichlorofluoromethane	1.014	1.760	-73.6#	114	0.00	1.82
13	1,3-butadiene	0.628	0.620	1.3	76	0.00	1.48
14	ethyl ether	0.240	0.422	-75.8#	120	0.00	1.96
15	acrolein	0.106	0.175	-65.1#	118	0.00	2.03
16	freon 113	0.402	0.374	7.0	66	0.00	2.09
17	1,1-dichloroethene	0.609	0.607	0.3	69	0.00	2.10
18	acetone	0.064	0.068	-6.3	79	0.00	2.10
19	acetonitrile	0.083	0.095	-14.5	86	0.00	2.24
	----------	True	Calc.	% Drift	----------		
20	iodomethane	50.000	45.852	8.3	58	0.00	2.18
	----------	AvgRF	CCRF	% Dev	----------		
21	carbon disulfide	1.113	0.978	12.1	66	0.00	2.23
22	methylene chloride	0.454	0.423	6.8	72	0.00	2.34
23	methyl acetate	0.116	0.115	0.9	71	0.00	2.26
24	methyl tert butyl ether	1.232	1.245	-1.1	70	0.00	2.48
25	trans-1,2-dichloroethene	0.430	0.423	1.6	69	0.00	2.49
26	hexane	0.238	0.219	8.0	64	0.00	2.63
27	di-isopropyl ether	1.218	1.289	-5.8	74	0.00	2.71
28	ethyl tert-butyl ether	1.211	1.200	0.9	69	0.00	2.91
29	1,1-dichloroethane	0.736	0.754	-2.4	71	0.00	2.72
30	chloroprene	0.550	0.547	0.5	69	0.00	2.76
31	acrylonitrile	0.226	0.251	-11.1	79	0.00	2.45
32	vinyl acetate	0.100	0.103	-3.0	69	0.00	2.69
33	ethyl acetate	0.108	0.118	-9.3	76	0.00	3.01
34	2-butanone	0.087	0.097	-11.5	75	0.00	3.00
35	2,2-dichloropropane	0.649	0.652	-0.5	71	0.00	3.03
36	cis-1,2-dichloroethene	0.497	0.511	-2.8	70	0.00	3.03
37	propionitrile	0.101	0.119	-17.8	84	0.00	3.03

Continuing Calibration Summary

Job Number: JD52507 **Sample:** V2V3773-CC3747
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2V92880.D
Project: EPT, Ithaca, NY

38		methyl acrylate	0.116	0.116	0.0	71	0.00	3.04
39		bromochloromethane	0.260	0.265	-1.9	70	0.00	3.16
40		tetrahydrofuran	0.106	0.105	0.9	76	0.00	3.17
41		chloroform	0.890	0.821	7.8	70	0.00	3.20
42	S	dibromofluoromethane (s)	0.499	0.505	-1.2	70	0.00	3.29
43		methacrylonitrile	0.247	0.252	-2.0	72	0.00	3.12
44		1,1,1-trichloroethane	0.755	0.720	4.6	68	0.00	3.32
45		cyclohexane	0.590	0.555	5.9	67	0.00	3.37
46		1,1-dichloropropene	0.590	0.604	-2.4	71	0.00	3.41
47		carbon tetrachloride	0.698	0.674	3.4	66	0.00	3.41
48		isobutyl alcohol	0.021	0.027	-28.6#	91	0.00	3.41
49		tert-amyl alcohol	0.044	0.040	9.1	70	0.00	3.48
50	I	1,4-difluorobenzene	1.000	1.000	0.0	71	0.00	3.75
51	S	1,2-dichloroethane-d4 (s)	0.355	0.366	-3.1	73	0.00	3.50
52		n-butyl alcohol	0.018	0.021	-16.7	84	0.00	3.80
53		benzene	1.200	1.154	3.8	71	0.00	3.53
54		tert-amyl methyl ether	0.940	0.919	2.2	71	0.00	3.57
55		iso-octane	0.640	0.603	5.8	69	0.00	3.58
56		heptane	0.124	0.110	11.3	65	0.00	3.67
57		isopropyl acetate	0.097	0.096	1.0	73	0.00	3.50
58		1,2-dichloroethane	0.500	0.462	7.6	70	0.00	3.54
59		trichloroethene	0.355	0.330	7.0	68	0.00	3.91
60		ethyl acrylate	0.558	0.567	-1.6	75	0.00	3.93
61		2-nitropropane	0.148	0.160	-8.1	79	0.00	4.36
62		2-chloroethyl vinyl ether	0.188	0.235	-25.0#	84	0.00	4.39
63		methyl methacrylate	0.122	0.121	0.8	72	0.00	4.07
64		1,2-dichloropropane	0.314	0.320	-1.9	74	0.00	4.07
65		methylcyclohexane	0.442	0.430	2.7	71	0.00	4.07
66		dibromomethane	0.275	0.261	5.1	72	0.00	4.12
67		bromodichloromethane	0.483	0.452	6.4	69	0.00	4.22
68		epichlorohydrin	0.052	0.053	-1.9	74	0.00	4.43
69		cis-1,3-dichloropropene	0.503	0.500	0.6	70	0.00	4.51
70		4-methyl-2-pentanone	0.188	0.213	-13.3	80	0.00	4.59
71		3-methyl-1-butanol	0.018	0.021	-16.7	77	0.00	4.61
72	I	chlorobenzene-d5	1.000	1.000	0.0	73	0.00	5.73
73	S	toluene-d8 (s)	1.231	1.219	1.0	74	0.00	4.70
74		toluene	0.839	0.762	9.2	70	0.00	4.74
75		ethyl methacrylate	0.487	0.496	-1.8	73	0.00	4.91
76		trans-1,3-dichloropropene	0.500	0.494	1.2	69	0.00	4.88
77		1,1,2-trichloroethane	0.291	0.287	1.4	73	0.00	5.02
78		2-hexanone	0.213	0.231	-8.5	79	0.00	5.16
79		tetrachloroethene	0.325	0.303	6.8	69	0.00	5.11
80		1,3-dichloropropane	0.536	0.528	1.5	73	0.00	5.14
81		butyl acetate	0.270	0.277	-2.6	76	0.00	5.24
82		dibromochloromethane	0.457	0.439	3.9	69	0.00	5.30
83		1,2-dibromoethane	0.408	0.398	2.5	72	0.00	5.40
84		n-butyl ether	1.197	1.249	-4.3	75	0.00	5.81
85		chlorobenzene	1.010	0.932	7.7	69	0.00	5.76
86		1,1,1,2-tetrachloroethane	0.395	0.397	-0.5	69	0.00	5.82
87		ethylbenzene	1.586	1.555	2.0	73	0.00	5.82
88		m,p-xylene	0.615	0.591	3.9	72	0.00	5.92
89		o-xylene	1.216	1.183	2.7	71	0.00	6.22
90		styrene	1.009	0.986	2.3	70	0.00	6.23
91		butyl acrylate	0.300	0.328	-9.3	75	0.00	6.15
92		n-amyl acetate	0.267	0.270	-1.1	73	0.00	6.33
93		bromoform	0.338	0.335	0.9	68	0.00	6.37
94		isopropylbenzene	1.443	1.383	4.2	71	0.00	6.50
95		cis-1,4-dichloro-2-butene	0.169	0.108	36.1#	41#	0.00	6.54

Continuing Calibration Summary

Job Number: JD52507 **Sample:** V2V3773-CC3747
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2V92880.D
Project: EPT, Ithaca, NY

96	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	78	0.00	7.51
97	S	4-bromofluorobenzene (s)	0.893	0.835	6.5	72	0.00	6.64
98		bromobenzene	1.011	0.914	9.6	70	0.00	6.76
99		1,1,2,2-tetrachloroethane	1.241	1.165	6.1	74	0.00	6.73
100		trans-1,4-dichloro-2-bute	0.293	0.201	31.4#	49#	0.00	6.76
101		1,2,3-trichloropropane	0.369	0.330	10.6	70	0.00	6.78
102		n-propylbenzene	3.649	3.349	8.2	72	0.00	6.82
103		2-chlorotoluene	0.836	0.773	7.5	71	0.00	6.90
104		4-chlorotoluene	0.861	0.787	8.6	71	0.00	6.99
105		1,3,5-trimethylbenzene	2.443	2.268	7.2	72	0.00	6.96
106		tert-butylbenzene	2.130	1.914	10.1	70	0.00	7.20
107		1,2,4-trimethylbenzene	2.550	2.306	9.6	72	0.00	7.24
108		sec-butylbenzene	2.886	2.672	7.4	72	0.00	7.36
109		1,3-dichlorobenzene	1.667	1.525	8.5	72	0.00	7.45
110		p-isopropyltoluene	2.448	2.260	7.7	71	0.00	7.47
111		1,2,3-trimethylbenzene	2.550	2.371	7.0	75	0.00	7.54
112		1,4-dichlorobenzene	1.739	1.566	9.9	72	0.00	7.52
113		1,2-dichlorobenzene	1.571	1.450	7.7	72	0.00	7.77
114		benzyl chloride	1.618	1.546	4.4	69	0.00	7.60
115		n-butylbenzene	1.041	0.995	4.4	72	0.00	7.76
116		hexachloroethane	0.380	0.338	11.1	66	0.00	7.96
117		1,2-dibromo-3-chloropropa	0.333	0.324	2.7	72	0.00	8.30
118		1,3,5-trichlorobenzene	0.882	0.851	3.5	75	0.00	8.42
119		1,2,4-trichlorobenzene	0.773	0.747	3.4	75	0.00	8.82
120		hexachlorobutadiene	0.273	0.251	8.1	75	0.00	8.91
121		naphthalene	2.599	2.519	3.1	74	0.00	8.98
122		1,2,3-trichlorobenzene	0.694	0.698	-0.6	76	0.00	9.12
123		2-methylnaphthalene	0.883	0.768	13.0	72	0.00	9.67

(#) = Out of Range SPCC's out = 0 CCC's out = 0
2V92152.D m2v3747.m Wed Sep 28 11:40:08 2022

Continuing Calibration Summary

Job Number: JD52507 **Sample:** V2V3777-CC3747
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2V93000.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\lo...0-3\v2v3777\2v93000.d Vial: 32
Acq On : 29 Sep 2022 9:38 pm Operator: KYLEM
Sample : cc3747-50 Inst : MS2V
Misc : MS62471,V2V3777,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\MSDCHEM\1\METHODS\M2V3747.M (RTE Integrator)
Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
Last Update : Mon Sep 12 11:37:13 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1 I	tert butyl alcohol-d9	1.000	1.000	0.0	87	0.00	2.32
2	ethanol	0.102	0.192	-88.2#	182	0.00	1.89
3	tertiary butyl alcohol	1.558	1.391	10.7	82	0.01	2.37
4	1,4-dioxane	0.128	0.129	-0.8	87	0.00	4.10
5 I	pentafluorobenzene	1.000	1.000	0.0	71	0.00	3.29
6	chlorodifluoromethane	0.467	0.351	24.8#	56	0.00	1.30
7	dichlorodifluoromethane	0.559	0.459	17.9	59	0.01	1.29
8	chloromethane	0.211	0.168	20.4#	64	0.00	1.40
9	vinyl chloride	0.685	0.641	6.4	69	0.00	1.46
10	bromomethane	0.476	0.522	-9.7	80	0.00	1.63
11	chloroethane	0.411	0.512	-24.6#	83	0.00	1.69
12	trichlorofluoromethane	1.014	1.606	-58.4#	106	0.01	1.83
13	1,3-butadiene	0.628	0.652	-3.8	82	0.00	1.48
14	ethyl ether	0.240	0.421	-75.4#	123	0.00	1.96
15	acrolein	0.106	0.178	-67.9#	122	0.00	2.03
16	freon 113	0.402	0.357	11.2	64	0.01	2.10
17	1,1-dichloroethene	0.609	0.580	4.8	68	0.00	2.10
18	acetone	0.064	0.071	-10.9	84	0.00	2.10
19	acetonitrile	0.083	0.096	-15.7	89	0.00	2.24
	----------	True	Calc.	% Drift	----------		
20	iodomethane	50.000	44.989	10.0	58	0.00	2.19
	----------	AvgRF	CCRF	% Dev	----------		
21	carbon disulfide	1.113	0.920	17.3	64	0.01	2.24
22	methylene chloride	0.454	0.416	8.4	72	0.00	2.35
23	methyl acetate	0.116	0.121	-4.3	76	0.00	2.26
24	methyl tert butyl ether	1.232	1.280	-3.9	73	0.00	2.48
25	trans-1,2-dichloroethene	0.430	0.413	4.0	69	0.00	2.49
26	hexane	0.238	0.205	13.9	62	0.00	2.63
27	di-isopropyl ether	1.218	1.300	-6.7	76	0.00	2.71
28	ethyl tert-butyl ether	1.211	1.231	-1.7	72	0.00	2.91
29	1,1-dichloroethane	0.736	0.739	-0.4	72	0.00	2.72
30	chloroprene	0.550	0.536	2.5	69	0.00	2.76
31	acrylonitrile	0.226	0.255	-12.8	82	0.01	2.46
32	vinyl acetate	0.100	0.097	3.0	66	0.00	2.70
33	ethyl acetate	0.108	0.124	-14.8	82	0.00	3.01
34	2-butanone	0.087	0.101	-16.1	81	0.00	3.00
35	2,2-dichloropropane	0.649	0.638	1.7	71	0.00	3.04
36	cis-1,2-dichloroethene	0.497	0.514	-3.4	72	0.00	3.03
37	propionitrile	0.101	0.124	-22.8#	89	0.00	3.04

Continuing Calibration Summary

Job Number: JD52507 **Sample:** V2V3777-CC3747
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2V93000.D
Project: EPT, Ithaca, NY

38		methyl acrylate	0.116	0.122	-5.2	76	0.00	3.04
39		bromochloromethane	0.260	0.272	-4.6	73	0.00	3.16
40		tetrahydrofuran	0.106	0.104	1.9	77	0.01	3.18
41		chloroform	0.890	0.811	8.9	71	0.00	3.20
42	S	dibromofluoromethane (s)	0.499	0.502	-0.6	71	0.00	3.29
43		methacrylonitrile	0.247	0.262	-6.1	77	0.00	3.12
44		1,1,1-trichloroethane	0.755	0.704	6.8	68	0.00	3.32
45		cyclohexane	0.590	0.484	18.0	59	0.00	3.37
46		1,1-dichloropropene	0.590	0.593	-0.5	71	0.00	3.41
47		carbon tetrachloride	0.698	0.656	6.0	66	0.00	3.41
48		isobutyl alcohol	0.021	0.028	-33.3#	95	0.00	3.41
49		tert-amyl alcohol	0.044	0.043	2.3	77	0.00	3.48
50	I	1,4-difluorobenzene	1.000	1.000	0.0	74	0.00	3.75
51	S	1,2-dichloroethane-d4 (s)	0.355	0.358	-0.8	73	0.00	3.50
52		n-butyl alcohol	0.018	0.021	-16.7	88	0.00	3.80
53		benzene	1.200	1.133	5.6	72	0.00	3.53
54		tert-amyl methyl ether	0.940	0.922	1.9	73	0.00	3.58
55		iso-octane	0.640	0.587	8.3	69	0.00	3.58
56		heptane	0.124	0.107	13.7	65	0.00	3.67
57		isopropyl acetate	0.097	0.099	-2.1	77	0.00	3.50
58		1,2-dichloroethane	0.500	0.470	6.0	74	0.00	3.54
59		trichloroethene	0.355	0.326	8.2	69	0.00	3.91
60		ethyl acrylate	0.558	0.576	-3.2	79	0.00	3.93
61		2-nitropropane	0.148	0.162	-9.5	83	0.00	4.36
62		2-chloroethyl vinyl ether	0.188	0.209	-11.2	77	0.00	4.39
63		methyl methacrylate	0.122	0.121	0.8	74	0.00	4.07
64		1,2-dichloropropane	0.314	0.317	-1.0	75	0.00	4.07
65		methylcyclohexane	0.442	0.412	6.8	70	0.00	4.07
66		dibromomethane	0.275	0.263	4.4	74	0.00	4.12
67		bromodichloromethane	0.483	0.454	6.0	71	0.00	4.22
68		epichlorohydrin	0.052	0.054	-3.8	77	0.00	4.43
69		cis-1,3-dichloropropene	0.503	0.492	2.2	71	0.00	4.51
70		4-methyl-2-pentanone	0.188	0.216	-14.9	83	0.00	4.59
71		3-methyl-1-butanol	0.018	0.021	-16.7	80	0.00	4.61
72	I	chlorobenzene-d5	1.000	1.000	0.0	75	0.00	5.73
73	S	toluene-d8 (s)	1.231	1.212	1.5	75	0.00	4.70
74		toluene	0.839	0.763	9.1	72	0.00	4.74
75		ethyl methacrylate	0.487	0.491	-0.8	75	0.00	4.91
76		trans-1,3-dichloropropene	0.500	0.491	1.8	71	0.00	4.88
77		1,1,2-trichloroethane	0.291	0.291	0.0	76	0.00	5.03
78		2-hexanone	0.213	0.235	-10.3	83	0.00	5.16
79		tetrachloroethene	0.325	0.298	8.3	69	0.00	5.11
80		1,3-dichloropropane	0.536	0.534	0.4	75	0.00	5.14
81		butyl acetate	0.270	0.278	-3.0	78	0.00	5.24
82		dibromochloromethane	0.457	0.435	4.8	70	0.00	5.30
83		1,2-dibromoethane	0.408	0.406	0.5	76	0.00	5.40
84		n-butyl ether	1.197	1.208	-0.9	74	0.00	5.81
85		chlorobenzene	1.010	0.924	8.5	71	0.00	5.76
86		1,1,1,2-tetrachloroethane	0.395	0.401	-1.5	72	0.00	5.82
87		ethylbenzene	1.586	1.520	4.2	73	0.00	5.82
88		m,p-xylene	0.615	0.581	5.5	72	0.00	5.92
89		o-xylene	1.216	1.158	4.8	71	0.00	6.22
90		styrene	1.009	0.973	3.6	71	0.00	6.23
91		butyl acrylate	0.300	0.326	-8.7	77	0.00	6.15
92		n-amyl acetate	0.267	0.268	-0.4	74	0.00	6.33
93		bromoform	0.338	0.329	2.7	69	0.00	6.37
94		isopropylbenzene	1.443	1.355	6.1	71	0.00	6.50
95		cis-1,4-dichloro-2-butene	0.169	0.081	52.1#	32#	0.00	6.54

Continuing Calibration Summary

Job Number: JD52507 **Sample:** V2V3777-CC3747
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2V93000.D
Project: EPT, Ithaca, NY

96	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	77	0.00	7.51
97	S	4-bromofluorobenzene (s)	0.893	0.837	6.3	72	0.00	6.64
98		bromobenzene	1.011	0.927	8.3	71	0.00	6.76
99		1,1,2,2-tetrachloroethane	1.241	1.211	2.4	77	0.00	6.73
100		trans-1,4-dichloro-2-bute	0.293	0.159	45.7#	38#	0.00	6.76
101		1,2,3-trichloropropane	0.369	0.351	4.9	74	0.00	6.78
102		n-propylbenzene	3.649	3.329	8.8	71	0.00	6.82
103		2-chlorotoluene	0.836	0.772	7.7	71	0.00	6.90
104		4-chlorotoluene	0.861	0.790	8.2	70	0.00	6.99
105		1,3,5-trimethylbenzene	2.443	2.239	8.4	71	0.00	6.96
106		tert-butylbenzene	2.130	1.898	10.9	69	0.00	7.20
107		1,2,4-trimethylbenzene	2.550	2.290	10.2	72	0.00	7.24
108		sec-butylbenzene	2.886	2.638	8.6	71	0.00	7.36
109		1,3-dichlorobenzene	1.667	1.524	8.6	72	0.00	7.45
110		p-isopropyltoluene	2.448	2.209	9.8	70	0.00	7.47
111		1,2,3-trimethylbenzene	2.550	2.334	8.5	73	0.00	7.54
112		1,4-dichlorobenzene	1.739	1.565	10.0	72	0.00	7.52
113		1,2-dichlorobenzene	1.571	1.452	7.6	72	0.00	7.77
114		benzyl chloride	1.618	1.532	5.3	68	0.00	7.60
115		n-butylbenzene	1.041	0.979	6.0	71	0.00	7.75
116		hexachloroethane	0.380	0.332	12.6	64	0.00	7.96
117		1,2-dibromo-3-chloropropa	0.333	0.336	-0.9	74	0.00	8.29
118		1,3,5-trichlorobenzene	0.882	0.852	3.4	75	0.00	8.42
119		1,2,4-trichlorobenzene	0.773	0.760	1.7	75	0.00	8.82
120		hexachlorobutadiene	0.273	0.251	8.1	74	0.00	8.91
121		naphthalene	2.599	2.578	0.8	75	0.00	8.98
122		1,2,3-trichlorobenzene	0.694	0.695	-0.1	75	0.00	9.12
123		2-methylnaphthalene	0.883	0.765	13.4	71	0.00	9.67

(#) = Out of Range SPCC's out = 0 CCC's out = 0
2V92152.D M2V3747.M Mon Oct 03 00:47:51 2022

Continuing Calibration Summary

Job Number: JD52507 **Sample:** V2V3782-CC3747
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2V93125.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\KI...- due today\2v93125.d Vial: 4
Acq On : 3 Oct 2022 11:49 am Operator: taylors
Sample : cc3747-20 Inst : MS2V
Misc : MS62619,V2V3782,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\methods\m2v3747.m (RTE Integrator)
Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
Last Update : Mon Sep 12 11:37:13 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1 I	tert butyl alcohol-d9	1.000	1.000	0.0	105	0.00	2.32
2	ethanol	0.102	0.116	-13.7	123	0.00	1.88
3	tertiary butyl alcohol	1.558	1.406	9.8	99	0.00	2.36
4	1,4-dioxane	0.128	0.122	4.7	96	0.00	4.10
5 I	pentafluorobenzene	1.000	1.000	0.0	77	0.00	3.29
6	chlorodifluoromethane	0.467	0.249	46.7#	44#	0.00	1.29
7	dichlorodifluoromethane	0.559	0.532	4.8	75	0.00	1.28
8	chloromethane	0.211	0.249	-18.0	102	0.00	1.39
9	vinyl chloride	0.685	0.950	-38.7#	113	0.00	1.45
10	bromomethane	0.476	0.758	-59.2#	129	0.00	1.63
11	chloroethane	0.411	0.658	-60.1#	126	0.00	1.69
12	trichlorofluoromethane	1.014	0.881	13.1	76	0.00	1.82
13	1,3-butadiene	0.628	0.800	-27.4#	106	0.00	1.47
14	ethyl ether	0.240	0.229	4.6	77	0.00	1.95
15	acrolein	0.106	0.120	-13.2	90	0.00	2.03
16	freon 113	0.402	0.350	12.9	72	0.00	2.09
17	1,1-dichloroethene	0.609	0.567	6.9	78	0.00	2.09
18	acetone	0.064	0.072	-12.5	93	0.00	2.10
19	acetonitrile	0.083	0.103	-24.1#	101	0.00	2.24
	----------	True	Calc.	% Drift	----------		
20	iodomethane	20.000	8.652	56.7#	31	0.00	2.18
	----------	AvgRF	CCRF	% Dev	----------		
21	carbon disulfide	1.113	0.902	19.0	69	0.00	2.23
22	methylene chloride	0.454	0.439	3.3	84	0.00	2.34
23	methyl acetate	0.116	0.121	-4.3	86	0.00	2.25
24	methyl tert butyl ether	1.232	1.327	-7.7	88	0.00	2.47
25	trans-1,2-dichloroethene	0.430	0.429	0.2	82	0.00	2.48
26	hexane	0.238	0.241	-1.3	87	0.00	2.63
27	di-isopropyl ether	1.218	1.390	-14.1	93	0.00	2.71
28	ethyl tert-butyl ether	1.211	1.316	-8.7	88	0.00	2.91
29	1,1-dichloroethane	0.736	0.806	-9.5	90	0.00	2.71
30	chloroprene	0.550	0.592	-7.6	88	0.00	2.76
31	acrylonitrile	0.226	0.254	-12.4	87	0.00	2.45
32	vinyl acetate	0.100	0.103	-3.0	86	0.00	2.69
33	ethyl acetate	0.108	0.119	-10.2	90	0.00	3.00
34	2-butanone	0.087	0.102	-17.2	91	0.00	3.00
35	2,2-dichloropropane	0.649	0.721	-11.1	94	0.00	3.03
36	cis-1,2-dichloroethene	0.497	0.533	-7.2	88	0.00	3.02
37	propionitrile	0.101	0.128	-26.7#	100	0.00	3.03

Continuing Calibration Summary

Job Number: JD52507 **Sample:** V2V3782-CC3747
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2V93125.D
Project: EPT, Ithaca, NY

38		methyl acrylate	0.116	0.125	-7.8	90	0.00	3.04
39		bromochloromethane	0.260	0.276	-6.2	80	0.00	3.15
40		tetrahydrofuran	0.106	0.110	-3.8	88	0.00	3.17
41		chloroform	0.890	0.879	1.2	87	0.00	3.20
42	S	dibromofluoromethane (s)	0.499	0.533	-6.8	82	0.00	3.29
43		methacrylonitrile	0.247	0.283	-14.6	90	0.00	3.12
44		1,1,1-trichloroethane	0.755	0.755	0.0	84	0.00	3.32
45		cyclohexane	0.590	0.573	2.9	80	0.00	3.37
46		1,1-dichloropropene	0.590	0.620	-5.1	87	0.00	3.40
47		carbon tetrachloride	0.698	0.664	4.9	80	0.00	3.41
48		isobutyl alcohol	0.021	0.030	-42.9#	108	0.00	3.40
49		tert-amyl alcohol	0.044	0.047	-6.8	87	0.00	3.47
50	I	1,4-difluorobenzene	1.000	1.000	0.0	82	0.00	3.75
51	S	1,2-dichloroethane-d4 (s)	0.355	0.372	-4.8	87	0.00	3.49
52		n-butyl alcohol	0.018	0.021	-16.7	100	0.00	3.79
53		benzene	1.200	1.190	0.8	88	0.00	3.52
54		tert-amyl methyl ether	0.940	0.962	-2.3	89	0.00	3.57
55		iso-octane	0.640	0.617	3.6	85	0.00	3.57
56		heptane	0.124	0.122	1.6	87	0.00	3.67
57		isopropyl acetate	0.097	0.103	-6.2	90	0.00	3.50
58		1,2-dichloroethane	0.500	0.489	2.2	86	0.00	3.54
59		trichloroethene	0.355	0.342	3.7	87	0.00	3.90
60		ethyl acrylate	0.558	0.604	-8.2	94	0.00	3.92
61		2-nitropropane	0.148	0.117	20.9#	73	0.00	4.35
62		2-chloroethyl vinyl ether	0.188	0.215	-14.4	94	0.00	4.39
63		methyl methacrylate	0.122	0.119	2.5	86	0.00	4.07
64		1,2-dichloropropane	0.314	0.335	-6.7	96	0.00	4.07
65		methylcyclohexane	0.442	0.409	7.5	83	0.00	4.06
66		dibromomethane	0.275	0.271	1.5	89	0.00	4.12
67		bromodichloromethane	0.483	0.476	1.4	89	0.00	4.22
68		epichlorohydrin	0.052	0.056	-7.7	92	0.00	4.42
69		cis-1,3-dichloropropene	0.503	0.514	-2.2	88	0.00	4.51
70		4-methyl-2-pentanone	0.188	0.219	-16.5	98	0.00	4.59
71		3-methyl-1-butanol	0.018	0.021	-16.7	93	0.00	4.61
72	I	chlorobenzene-d5	1.000	1.000	0.0	82	0.00	5.73
73	S	toluene-d8 (s)	1.231	1.275	-3.6	85	0.00	4.69
74		toluene	0.839	0.808	3.7	87	0.00	4.74
75		ethyl methacrylate	0.487	0.541	-11.1	94	0.00	4.90
76		trans-1,3-dichloropropene	0.500	0.524	-4.8	88	0.00	4.88
77		1,1,2-trichloroethane	0.291	0.309	-6.2	92	0.00	5.02
78		2-hexanone	0.213	0.250	-17.4	98	0.00	5.16
79		tetrachloroethene	0.325	0.303	6.8	83	0.00	5.11
80		1,3-dichloropropane	0.536	0.567	-5.8	92	0.00	5.14
81		butyl acetate	0.270	0.313	-15.9	99	0.00	5.24
82		dibromochloromethane	0.457	0.444	2.8	84	0.00	5.30
83		1,2-dibromoethane	0.408	0.418	-2.5	89	0.00	5.39
84		n-butyl ether	1.197	1.347	-12.5	95	0.00	5.80
85		chlorobenzene	1.010	0.960	5.0	84	0.00	5.76
86		1,1,1,2-tetrachloroethane	0.395	0.382	3.3	82	0.00	5.81
87		ethylbenzene	1.586	1.590	-0.3	90	0.00	5.82
88		m,p-xylene	0.615	0.605	1.6	88	0.00	5.92
89		o-xylene	1.216	1.207	0.7	87	0.00	6.22
90		styrene	1.009	1.004	0.5	85	0.00	6.23
91		butyl acrylate	0.300	0.367	-22.3#	98	0.00	6.15
92		n-amyl acetate	0.267	0.302	-13.1	95	0.00	6.33
93		bromoform	0.338	0.312	7.7	77	0.00	6.37
94		isopropylbenzene	1.443	1.433	0.7	87	0.00	6.49
95		cis-1,4-dichloro-2-butene	0.169	0.069	59.2#	34#	0.00	6.54

Continuing Calibration Summary

Job Number: JD52507 **Sample:** V2V3782-CC3747
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** 2V93125.D
Project: EPT, Ithaca, NY

96	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	83	0.00	7.51
97	S	4-bromofluorobenzene (s)	0.893	0.867	2.9	82	0.00	6.64
98		bromobenzene	1.011	0.918	9.2	83	0.00	6.75
99		1,1,2,2-tetrachloroethane	1.241	1.284	-3.5	93	0.00	6.73
100		trans-1,4-dichloro-2-bute	0.293	0.138	52.9#	41#	0.00	6.76
101		1,2,3-trichloropropane	0.369	0.366	0.8	87	0.00	6.78
102		n-propylbenzene	3.649	3.588	1.7	88	0.00	6.82
103		2-chlorotoluene	0.836	0.794	5.0	84	0.00	6.90
104		4-chlorotoluene	0.861	0.837	2.8	84	0.00	6.99
105		1,3,5-trimethylbenzene	2.443	2.374	2.8	85	0.00	6.96
106		tert-butylbenzene	2.130	2.003	6.0	84	0.00	7.20
107		1,2,4-trimethylbenzene	2.550	2.462	3.5	89	0.00	7.24
108		sec-butylbenzene	2.886	2.838	1.7	87	0.00	7.36
109		1,3-dichlorobenzene	1.667	1.560	6.4	85	0.00	7.45
110		p-isopropyltoluene	2.448	2.320	5.2	83	0.00	7.47
111		1,2,3-trimethylbenzene	2.550	2.487	2.5	87	0.00	7.54
112		1,4-dichlorobenzene	1.739	1.589	8.6	83	0.00	7.52
113		1,2-dichlorobenzene	1.571	1.454	7.4	82	0.00	7.77
114		benzyl chloride	1.618	1.815	-12.2	93	0.00	7.60
115		n-butylbenzene	1.041	1.046	-0.5	88	0.00	7.75
116		hexachloroethane	0.380	0.294	22.6#	71	0.00	7.96
117		1,2-dibromo-3-chloropropa	0.333	0.307	7.8	78	0.00	8.30
118		1,3,5-trichlorobenzene	0.882	0.830	5.9	81	0.00	8.42
119		1,2,4-trichlorobenzene	0.773	0.710	8.2	80	0.00	8.82
120		hexachlorobutadiene	0.273	0.244	10.6	77	0.00	8.91
121		naphthalene	2.599	2.330	10.4	78	0.00	8.98
122		1,2,3-trichlorobenzene	0.694	0.630	9.2	75	0.00	9.12
123		2-methylnaphthalene	0.883	0.621	29.7#	62	0.00	9.67

(#) = Out of Range SPCC's out = 0 CCC's out = 0
2V92150.D m2v3747.m Mon Oct 03 16:28:31 2022

Initial Calibration Summary

Job Number: JD52507 **Sample:** VL10355-ICC10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L342975.D
Project: EPT, Ithaca, NY

Response Factor Report GCMSL

Method : C:\MSDCHEM\1\METHODS\ML10355.M (RTE Integrator)
Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
Last Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration

Calibration Files
8 =L342973.D 0.5 =L342969.D 4 =L342972.D 50 =L342975.D
100 =L342976.D 1 =L342970.D 200 =L342977.D 20 =L342974.D
2 =L342971.D 0.2 =L342968.D = =

Compound	8	0.5	4	50	100	1	200	20	2	0.2	Avg	%RSD
1) I tert butyl alcohol-d9	ISTD											
2) 1,4-dioxane	0.126	0.161	0.120	0.127	0.121	0.125	0.115	0.148			0.130	12.05
3) ethanol	0.118	0.149	0.115	0.118	0.146	0.097	0.113	0.142			0.125	14.94
4) tertiary butyl alcohol	1.393	1.897	1.395	1.410	1.708	1.354	1.344	1.758			1.532	14.28
5) I pentafluorobenzene	ISTD											
6) chlorodifluoromethane	0.521	0.607	0.558	0.548	0.553	0.520	0.486	0.551	0.613	0.635	0.559	8.32
7) dichlorodifluoromethane	0.719	0.772	0.716	0.817	0.832	1.002	0.784	0.805	0.713	1.004	0.816	13.13
8) chloromethane	0.508	0.523	0.539	0.558	0.664	0.509	0.544	0.521			0.546	9.33
9) vinyl chloride	0.614	0.768	0.594	0.654	0.662	0.802	0.604	0.658	0.627	0.747	0.673	10.92
10) 1,3-butadiene	0.712	0.796	0.663	0.599	0.509	0.691					0.662	14.89
11) bromomethane	0.278	0.264	0.276	0.264	0.257	0.343					0.280	11.28
12) chloroethane	0.354	0.464	0.326	0.370	0.373	0.550	0.304	0.360	0.395	0.440	0.394	18.54
13) trichlorofluoromethane	0.906	0.984	0.908	0.933	0.944	1.143	0.855	0.944	0.952	0.843	0.941	8.84
14) ethyl ether	0.345	0.341	0.352	0.344	0.252	0.316	0.346	0.334			0.329	9.93
15) acrolein	0.108	0.110	0.118	0.120	0.120	0.115	0.146				0.119	10.46
16) freon 113	0.359	0.401	0.383	0.382	0.371	0.344	0.338	0.372	0.385		0.371	5.53
17) 1,1-dichloroethene	0.454	0.541	0.463	0.464	0.441	0.406	0.401	0.474	0.510		0.462	9.73
18) acetone	0.080	0.093	0.080	0.076	0.072	0.071	0.081	0.095			0.081	11.14
19) acetonitrile	0.052	0.050	0.052	0.050	0.060	0.047	0.054	0.056			0.053	7.90
20) iodomethane	0.270	0.239	0.432	0.472	0.416	0.353	0.215				0.342	29.90
----- Linear regression ----- Coefficient = 0.9941												
Response Ratio = -0.01368 + 0.43624 *A												
21) iso-butyl alcohol	0.053	0.069	0.047	0.044	0.051						0.053	18.51

Initial Calibration Summary

Job Number: JD52507 **Sample:** VL10355-ICC10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L342975.D
Project: EPT, Ithaca, NY

22) carbon disulfide
1.404 1.468 1.357 1.333 1.458 1.233 1.409 1.700 1.420 9.56
23) methylene chloride
0.537 0.584 0.510 0.512 0.528 0.470 0.506 0.653 0.537 10.54
24) methyl acetate
0.154 0.191 0.162 0.157 0.146 0.161 0.168 0.163 8.84
25) methyl tert butyl ether
1.755 1.915 1.860 1.764 1.668 1.608 1.456 1.754 1.945 1.747 8.84
26) trans-1,2-dichloroethene
0.496 0.590 0.520 0.491 0.468 0.421 0.435 0.492 0.581 0.499 11.60
27) hexane
0.677 0.775 0.691 0.696 0.687 0.737 0.632 0.693 0.734 0.702 5.85
28) di-isopropyl ether
1.423 1.597 1.561 1.418 1.338 1.254 1.168 1.428 1.576 1.418 10.39
29) ethyl tert-butyl ether
1.697 1.764 1.749 1.680 1.619 1.439 1.451 1.674 1.882 1.662 8.63
30) 2-butanone
0.121 0.139 0.140 0.123 0.120 0.105 0.114 0.122 0.136 0.125 9.40
31) 1,1-dichloroethane
0.866 0.925 0.971 0.878 0.842 0.780 0.745 0.870 1.015 0.877 9.74
32) chloroprene
0.717 0.843 0.715 0.692 0.684 0.654 0.619 0.712 0.784 0.713 9.34
33) acrylonitrile
0.265 0.275 0.288 0.290 0.325 0.283 0.292 0.288 0.288 6.02
34) vinyl acetate
0.154 0.126 0.160 0.157 0.142 0.153 0.167 0.151 8.83
35) ethyl acetate
0.130 0.138 0.117 0.115 0.109 0.124 0.151 0.126 11.48
36) 2,2-dichloropropane
0.853 0.925 0.811 0.758 0.895 0.661 0.870 1.051 0.853 13.60
37) cis-1,2-dichloroethene
0.562 0.630 0.581 0.545 0.523 0.500 0.470 0.554 0.658 0.627 0.565 10.61
38) propionitrile
0.118 0.136 0.116 0.109 0.114 0.099 0.123 0.138 0.119 10.95
39) methyl acrylate
0.142 0.170 0.139 0.132 0.126 0.146 0.172 0.147 12.16
40) bromochloromethane
0.252 0.270 0.270 0.248 0.242 0.230 0.220 0.234 0.248 0.246 6.89
41) tetrahydrofuran
0.144 0.109 0.144 0.142 0.141 0.133 0.136 0.150 0.154 0.139 9.42
42) chloroform
1.044 1.086 0.954 0.903 1.065 0.821 0.964 1.198 1.004 11.75
43) dibromofluoromethane (s)
0.454 0.444 0.453 0.458 0.455 0.446 0.445 0.459 0.459 0.443 0.452 1.43
44) methacrylonitrile
0.334 0.393 0.334 0.330 0.328 0.324 0.333 0.419 0.349 10.23
45) 1,1,1-trichloroethane
0.842 0.939 0.862 0.857 0.846 0.779 0.779 0.842 1.000 0.861 8.20
46) cyclohexane
0.748 0.817 0.779 0.748 0.750 0.999 0.704 0.767 0.807 0.801 0.792 10.14
47) 1,1-dichloropropene
0.675 0.729 0.652 0.679 0.650 0.674 0.605 0.693 0.762 0.757 0.688 7.18
48) carbon tetrachloride
0.708 0.805 0.774 0.673 0.662 0.643 0.603 0.724 0.829 0.713 10.76
49) isopropyl acetate
0.168 0.188 0.170 0.170 0.161 0.172 0.219 0.179 11.10
50) tert amyl alcohol
0.060 0.073 0.049 0.047 0.054 0.057 18.80

51) I 1,4-difluorobenzene ----------ISTD----------

52) 1,2-dichloroethane-d4 (s)
0.383 0.381 0.381 0.357 0.333 0.374 0.316 0.365 0.380 0.379 0.365 6.34
53) tert-amyl methyl ether
1.137 1.300 1.061 1.024 1.059 0.908 1.113 1.305 1.113 12.14
54) 2,2,4-trimethylpentane
0.877 0.923 0.851 0.810 0.877 0.742 0.900 1.098 0.885 11.65
55) n-butyl alcohol
0.023 0.024 0.030 0.023 0.021 0.027 0.020 0.024 0.030 0.025 15.19
56) benzene
1.287 1.447 1.415 1.239 1.197 1.249 1.064 1.303 1.514 1.302 10.63
57) heptane
0.184 0.252 0.193 0.193 0.195 0.204 0.186 0.191 0.210 0.233 0.204 10.84
58) 1,2-dichloroethane
0.497 0.544 0.479 0.449 0.506 0.405 0.488 0.562 0.491 10.17
59) trichloroethene
0.343 0.466 0.372 0.360 0.354 0.310 0.331 0.364 0.413 0.368 12.61
60) ethyl acrylate
0.586 0.709 0.594 0.559 0.588 0.509 0.600 0.737 0.610 12.38
61) 2-nitropropane
0.172 0.229 0.178 0.156 0.156 0.180 0.179 15.04
62) 2-chloroethyl vinyl ether
0.209 0.222 0.239 0.216 0.205 0.185 0.187 0.213 0.242 0.213 9.23
63) methyl methacrylate
0.128 0.167 0.139 0.133 0.127 0.140 0.160 0.142 11.06
64) 1,2-dichloropropane
0.318 0.351 0.314 0.307 0.315 0.280 0.323 0.362 0.321 7.96
65) methylcyclohexane
0.567 0.531 0.602 0.583 0.565 0.589 0.523 0.579 0.680 0.580 7.91
66) dibromomethane
0.242 0.264 0.274 0.225 0.225 0.210 0.206 0.222 0.263 0.237 10.60
67) bromodichloromethane
0.514 0.665 0.587 0.513 0.507 0.482 0.465 0.497 0.624 0.539 12.77
68) cis-1,3-dichloropropene
0.591 0.639 0.671 0.612 0.601 0.497 0.555 0.601 0.679 0.605 9.32
69) epichlorohydrin
0.064 0.081 0.066 0.065 0.062 0.067 0.083 0.070 12.29
70) 4-methyl-2-pentanone
0.205 0.248 0.266 0.208 0.194 0.224 0.175 0.217 0.272 0.223 14.67
71) 3-methyl-1-butanol
0.026 0.030 0.033 0.024 0.022 0.032 0.020 0.026 0.033 0.027 17.93

72) I chlorobenzene-d5 ----------ISTD----------
73) toluene-d8 (s)
1.390 1.434 1.402 1.312 1.298 1.428 1.296 1.337 1.433 1.432 1.376 4.30
74) toluene
0.916 1.105 1.004 0.884 0.871 0.923 0.799 0.896 1.052 0.939 10.29
75) trans-1,3-dichloropropene
0.628 0.785 0.728 0.631 0.612 0.543 0.564 0.619 0.740 0.650 12.71
76) ethyl methacrylate
0.655 0.716 0.615 0.582 0.709 0.525 0.634 0.797 0.654 13.05
77) 1,1,2-trichloroethane
0.322 0.363 0.315 0.306 0.311 0.285 0.320 0.394 0.327 10.70
78) 2-hexanone
0.244 0.307 0.319 0.231 0.211 0.280 0.186 0.244 0.319 0.260 18.63
79) tetrachloroethene
0.378 0.402 0.409 0.357 0.353 0.326 0.336 0.363 0.460 0.376 11.11
80) 1,3-dichloropropane
0.649 0.739 0.603 0.576 0.619 0.522 0.618 0.760 0.636 12.53
81) butyl acetate
0.333 0.442 0.325 0.310 0.292 0.335 0.339 15.56

Initial Calibration Summary

Job Number: JD52507 **Sample:** VL10355-ICC10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L342975.D
Project: EPT, Ithaca, NY

82) dibromochloromethane
0.404 0.545 0.497 0.397 0.393 0.413 0.363 0.401 0.521 0.437 14.98
83) 1,2-dibromoethane
0.434 0.531 0.511 0.409 0.397 0.396 0.373 0.408 0.484 0.438 12.86
84) n-butyl ether
1.418 1.611 1.360 1.301 1.326 1.134 1.391 1.672 1.402 12.26
85) chlorobenzene
0.961 1.060 0.951 0.947 0.842 0.861 0.963 1.091 0.960 8.90
86) 1,1,1,2-tetrachloroethane
0.355 0.419 0.324 0.309 0.333 0.277 0.338 0.424 0.347 14.75
87) ethylbenzene
1.720 1.895 1.547 1.447 1.600 1.248 1.666 2.065 1.648 15.43
88) m,p-xylene
0.650 0.823 0.730 0.616 0.590 0.603 0.527 0.643 0.766 0.661 14.22
89) o-xylene
0.679 0.733 0.648 0.626 0.571 0.571 0.658 0.800 0.661 11.76
90) butyl acrylate
0.821 0.977 0.808 0.778 0.901 0.693 0.806 0.984 0.846 11.88
91) styrene
1.118 1.232 1.032 0.987 0.967 0.866 1.077 1.295 1.072 13.17
92) bromoform
0.281 0.352 0.293 0.289 0.325 0.270 0.296 0.355 0.308 10.51
93) isopropylbenzene
1.670 1.886 1.617 1.553 1.484 1.347 1.665 2.051 1.659 13.41
94) cis-1,4-dichloro-2-butene
0.095 0.120 0.124 0.140 0.154 0.107 0.123 17.13

95) I 1,4-dichlorobenzene-d ----------ISTD----------
96) 4-bromofluorobenzene (s)
1.278 1.306 1.330 1.290 1.306 1.305 1.337 1.293 1.286 1.294 1.303 1.43
97) bromobenzene
0.981 1.145 1.109 0.965 0.959 1.030 0.890 0.912 1.142 1.015 9.54
98) 1,1,2,2-tetrachloroethane
1.533 1.976 1.913 1.500 1.477 1.838 1.383 1.491 1.951 1.674 14.32
99) trans-1,4-dichloro-2-butene
0.196 0.239 0.238 0.265 0.280 0.224 0.223 0.238 11.65
100) 1,2,3-trichloropropane
0.470 0.578 0.447 0.424 0.482 0.406 0.463 0.585 0.482 13.71
101) n-propylbenzene
4.787 5.491 4.622 4.471 4.599 3.941 4.702 5.702 4.789 11.75
102) 2-chlorotoluene
0.897 1.040 0.915 0.921 0.947 0.863 0.897 1.060 0.942 7.53
103) 4-chlorotoluene
0.915 1.055 0.895 0.909 0.914 0.852 0.911 1.107 0.945 9.30
104) 1,3,5-trimethylbenzene
3.358 3.805 3.341 3.226 3.350 2.895 3.404 4.094 3.434 10.61
105) tert-butylbenzene
2.818 3.171 2.877 2.832 2.480 2.570 2.808 3.466 2.878 10.95
106) 1,2,4-trimethylbenzene
3.401 3.985 3.412 3.304 3.351 2.904 3.416 4.342 3.514 12.65
107) sec-butylbenzene
4.026 4.563 4.081 3.998 3.804 3.541 4.109 4.790 4.114 9.66
108) 1,3-dichlorobenzene
1.654 1.949 1.729 1.729 1.560 1.597 1.658 1.834 1.714 7.45
109) p-isopropyltoluene
3.275 3.624 3.217 3.098 3.001 2.711 3.233 3.793 3.244 10.50
110) 1,4-dichlorobenzene
1.564 1.956 1.873 1.669 1.644 1.451 1.527 1.579 1.860 1.680 10.45
111) 1,2,3-trimethylbenzene
3.264 3.869 3.266 3.143 3.239 2.768 3.274 3.858 3.335 10.98

Initial Calibration Summary

Job Number: JD52507 **Sample:** VL10355-ICC10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L342975.D
Project: EPT, Ithaca, NY

```
112)  1,2-dichlorobenzene
       1.598 1.973 1.827 1.616 1.590 1.595 1.469 1.559 1.947        1.686   10.76
113)  n-butylbenzene
       1.558 1.746 1.697 1.693 1.713 1.295 1.562 1.622 1.728        1.624    8.72
114)  1,2-dibromo-3-chloropropane
       0.361 0.324 0.464 0.400 0.422 0.363 0.437 0.383 0.404        0.395   10.82
115)  1,3,5-trichlorobenzene
       0.997 1.002 1.170 1.171 1.164 0.867 1.090 1.067 1.134 1.217  1.088    9.85
116)  1,2,4-trichlorobenzene
       0.802       0.853 0.989 1.000 0.678 0.968 0.893 0.863        0.881   12.30
117)  hexachlorobutadiene
       0.313       0.375 0.366 0.335       0.325 0.350 0.405        0.353    9.04
118)  naphthalene
       2.685       3.018 3.121 3.133       3.005 2.933 2.928        2.975    5.08
119)  1,2,3-trichlorobenzene
       0.751 0.770 0.799 0.854 0.890 0.621 0.863 0.796 0.834        0.798   10.05
120)  hexachloroethane
       0.632 0.625 0.654 0.669 0.700 0.630 0.652 0.653 0.764 0.748  0.673    7.29
121)  benzyl chloride
       2.810       3.479 2.876 2.791       2.570 2.897              2.904   10.50
122)  2-methylnaphthalene *This compounds fails Initial Calibration criteria*
       0.445             1.206 1.362       1.477 0.835              1.065   39.71

123)     pentafluorobenzene(a) ----------------ISTD---------------------
124)  Freon 142B
       0.845       0.996 0.887 0.881 1.116 0.838 0.897 1.200        0.957   14.06
125)  vinyl bromide
       0.183       0.176 0.189 0.184 0.169 0.181 0.190 0.205        0.185    5.79
126)  allyl chloride
       0.283       0.340 0.300 0.310 0.304 0.297 0.320 0.366        0.315    8.49

127)     1,4-dichlorobenzene-d ----------------ISTD---------------------
128)  4-ethyltoluene
       3.638       4.310 4.147 3.825 4.179 3.337 4.131 4.618        4.023   10.05
 ---------------------------------------------------------------------------
 (#) = Out of Range  ###  Number of calibration levels exceeded format  ###

           ML10355.M         Thu Jun 30 17:58:11 2022   1
```

Initial Calibration Verification

Job Number: JD52507 **Sample:** VL10355-ICV10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L342980.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\DATA\VL10355\L342980.D Vial: 14
Acq On : 15 Jun 2022 9:06 pm Operator: BridgetK
Sample : icv10355-50 Inst : GCMSL
Misc : MS59602,VL10355,5,,,,1 Multiplr: 1.00
MS Integration Params: lscint.p

Method : C:\MSDCHEM\1\METHODS\ML10355.M (RTE Integrator)
Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
Last Update : Fri Jun 17 18:01:43 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	tert butyl alcohol-d9	1.000	1.000	0.0	92	0.00	3.09
2		1,4-dioxane	0.130	0.131	-0.8	100	0.00	5.32
3		ethanol	0.125	0.129	-3.2	104	0.00	2.52
4	M	tertiary butyl alcohol	1.532	1.459	4.8	96	0.00	3.15
5	I	pentafluorobenzene	1.000	1.000	0.0	97	0.00	4.31
6		chlorodifluoromethane		----------NA----------				
7		dichlorodifluoromethane	0.816	1.042	-27.7	124	0.00	1.65
8		chloromethane	0.546	0.632	-15.8	114	0.00	1.82
9		vinyl chloride	0.673	0.782	-16.2	117	0.00	1.90
10		1,3-butadiene	0.662	0.795	-20.1	117	0.00	1.93
11		bromomethane	0.280	0.361	-28.9	127	0.00	2.15
12		chloroethane	0.394	0.439	-11.4	116	0.00	2.23
13		trichlorofluoromethane	0.941	1.068	-13.5	112	0.00	2.42
14		ethyl ether	0.329	0.353	-7.3	98	0.00	2.61
15		acrolein	0.119	0.089	25.2	74	0.00	2.71
16		freon 113	0.371	0.397	-7.0	101	0.00	2.78
17		1,1-dichloroethene	0.462	0.479	-3.7	100	0.00	2.79
18		acetone	0.081	0.077	4.9	94	0.00	2.80
19		acetonitrile		----------NA----------				
		----------	True	Calc.	% Drift	----------		
20		iodomethane	50.000	45.519	9.0	86	0.00	2.91
		----------	AvgRF	CCRF	% Dev	----------		
21		iso-butyl alcohol	0.053	0.048	9.4	99	0.00	4.47
22		carbon disulfide	1.420	1.470	-3.5	106	0.00	2.96
23		methylene chloride	0.537	0.524	2.4	100	0.00	3.12
24		methyl acetate	0.163	0.164	-0.6	99	0.00	3.01
25		methyl tert butyl ether	1.747	1.816	-3.9	100	0.00	3.29
26		trans-1,2-dichloroethene	0.499	0.516	-3.4	102	0.00	3.31
27		hexane	0.702	0.768	-9.4	108	0.00	3.49
28		di-isopropyl ether	1.418	1.422	-0.3	98	0.00	3.60
29		ethyl tert-butyl ether	1.662	1.629	2.0	94	0.00	3.84
30		2-butanone	0.125	0.132	-5.6	105	0.00	3.96
31	M	1,1-dichloroethane	0.877	0.897	-2.3	100	0.00	3.61
32		chloroprene	0.713	0.764	-7.2	108	0.00	3.66
33		acrylonitrile		----------NA----------				
34		vinyl acetate	0.151	0.147	2.6	90	0.00	3.58
35		ethyl acetate	0.126	0.121	4.0	100	0.00	3.97
36		2,2-dichloropropane	0.853	0.836	2.0	100	0.00	4.00
37		cis-1,2-dichloroethene	0.565	0.563	0.4	101	0.00	3.99

Initial Calibration Verification

Job Number: JD52507 **Sample:** VL10355-ICV10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L342980.D
Project: EPT, Ithaca, NY

38		propionitrile	0.119	0.113	5.0	95	0.00	4.01
39		methyl acrylate	0.147	0.138	6.1	96	0.00	4.02
40		bromochloromethane	0.246	0.257	-4.5	101	0.00	4.16
41		tetrahydrofuran	0.139	0.144	-3.6	99	0.00	4.17
42		chloroform	1.004	0.980	2.4	100	0.00	4.21
43	S	dibromofluoromethane (s)	0.452	0.453	-0.2	96	0.00	4.33
44		methacrylonitrile	0.349	0.347	0.6	101	0.00	4.12
45		1,1,1-trichloroethane	0.861	0.887	-3.0	101	0.00	4.35
46		cyclohexane	0.792	0.838	-5.8	109	0.00	4.41
47		1,1-dichloropropene	0.688	0.722	-4.9	104	0.00	4.46
48		carbon tetrachloride	0.713	0.720	-1.0	104	0.00	4.47
49		isopropyl acetate	0.179	0.181	-1.1	104	0.00	4.58
50		tert amyl alcohol	0.057	0.050	12.3	99	0.00	4.56
51	I	1,4-difluorobenzene	1.000	1.000	0.0	99	0.00	4.89
52	S	1,2-dichloroethane-d4 (s)	0.365	0.346	5.2	96	0.00	4.58
53		tert-amyl methyl ether	1.113	1.035	7.0	96	0.00	4.67
54		2,2,4-trimethylpentane	0.885	0.865	2.3	100	0.00	4.67
55		n-butyl alcohol	0.025	0.023	8.0	98	0.00	4.94
56	M	benzene	1.302	1.319	-1.3	105	0.00	4.61
57		heptane	0.204	0.211	-3.4	108	0.00	4.78
58		1,2-dichloroethane	0.491	0.480	2.2	99	0.00	4.64
59		trichloroethene	0.368	0.373	-1.4	102	0.00	5.08
60		ethyl acrylate	0.610	0.574	5.9	95	0.00	5.09
61		2-nitropropane	0.179	0.173	3.4	96	0.00	5.63
62		2-chloroethyl vinyl ether	0.213	0.236	-10.8	108	0.00	5.66
63		methyl methacrylate	0.142	0.136	4.2	97	0.00	5.28
64		1,2-dichloropropane	0.321	0.309	3.7	97	0.00	5.28
65		methylcyclohexane	0.580	0.594	-2.4	101	0.00	5.27
66		dibromomethane	0.237	0.230	3.0	101	0.00	5.35
67		bromodichloromethane	0.539	0.529	1.9	102	0.00	5.47
68		cis-1,3-dichloropropene	0.605	0.609	-0.7	98	0.00	5.80
69		epichlorohydrin	0.070	0.066	5.7	99	0.00	5.71
70		4-methyl-2-pentanone	0.223	0.210	5.8	99	0.00	5.90
71		3-methyl-1-butanol	0.027	0.025	7.4	101	0.00	5.92
72	I	chlorobenzene-d5	1.000	1.000	0.0	98	0.00	7.28
73	S	toluene-d8 (s)	1.376	1.302	5.4	97	0.00	6.03
74		toluene	0.939	0.916	2.4	101	0.00	6.09
75		trans-1,3-dichloropropene	0.650	0.635	2.3	98	0.00	6.26
76		ethyl methacrylate	0.654	0.624	4.6	99	0.00	6.28
77		1,1,2-trichloroethane	0.327	0.321	1.8	99	0.00	6.43
78		2-hexanone	0.260	0.229	11.9	97	0.00	6.59
79		tetrachloroethene		----------NA----------				
80		1,3-dichloropropane	0.636	0.623	2.0	101	0.00	6.57
81		butyl acetate	0.339	0.337	0.6	101	0.00	6.67
82		dibromochloromethane	0.437	0.414	5.3	102	0.00	6.76
83		1,2-dibromoethane	0.438	0.421	3.9	100	0.00	6.88
84		n-butyl ether	1.402	1.372	2.1	98	0.00	7.35
85		chlorobenzene	0.960	0.992	-3.3	102	0.00	7.31
86		1,1,1,2-tetrachloroethane	0.347	0.338	2.6	102	0.00	7.38
87		ethylbenzene	1.648	1.649	-0.1	104	0.00	7.38
88		m,p-xylene	0.661	0.649	1.8	103	0.00	7.49
89		o-xylene	0.661	0.667	-0.9	100	0.00	7.85
90		butyl acrylate	0.846	0.832	1.7	100	0.00	7.76
91		styrene	1.072	1.082	-0.9	102	0.00	7.86
92		bromoform	0.308	0.305	1.0	102	0.00	8.04
93		isopropylbenzene	1.659	1.726	-4.0	104	0.00	8.18
94		cis-1,4-dichloro-2-butene	0.123	0.141	-14.6	111	0.00	8.24

Initial Calibration Verification

Job Number: JD52507 **Sample:** VL10355-ICV10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L342980.D
Project: EPT, Ithaca, NY

95	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	96	0.00	9.47
96	S	4-bromofluorobenzene (s)	1.303	1.306	-0.2	97	0.00	8.35
97		bromobenzene	1.015	1.016	-0.1	101	0.00	8.50
98		1,1,2,2-tetrachloroethane	1.674	1.560	6.8	100	0.00	8.47
99		trans-1,4-dichloro-2-bute	0.238	0.284	-19.3	115	0.00	8.50
100		1,2,3-trichloropropane	0.482	0.464	3.7	100	0.00	8.53
101		n-propylbenzene	4.789	4.981	-4.0	103	0.00	8.58
102		2-chlorotoluene	0.942	0.978	-3.8	103	0.00	8.68
103		4-chlorotoluene	0.945	0.961	-1.7	103	0.00	8.79
104		1,3,5-trimethylbenzene	3.434	3.538	-3.0	102	0.00	8.75
105		tert-butylbenzene	2.878	3.192	-10.9	106	0.00	9.05
106		1,2,4-trimethylbenzene	3.514	3.426	2.5	96	0.00	9.11
107		sec-butylbenzene	4.114	4.344	-5.6	102	0.00	9.27
108		1,3-dichlorobenzene	1.714	1.784	-4.1	99	0.00	9.39
109		p-isopropyltoluene	3.244	3.394	-4.6	101	0.00	9.41
110		1,4-dichlorobenzene	1.680	1.714	-2.0	99	0.00	9.49
111		1,2,3-trimethylbenzene		----------NA----------				
112		1,2-dichlorobenzene	1.686	1.660	1.5	99	0.00	9.84
113		n-butylbenzene	1.624	1.808	-11.3	103	0.00	9.81
114		1,2-dibromo-3-chloropropa	0.395	0.424	-7.3	102	0.00	10.62
115		1,3,5-trichlorobenzene	1.088	1.228	-12.9	101	0.00	10.80
116		1,2,4-trichlorobenzene	0.881	1.009	-14.5	98	0.00	11.43
117		hexachlorobutadiene	0.353	0.385	-9.1	101	0.00	11.57
118		naphthalene	2.975	3.168	-6.5	97	0.00	11.69
119		1,2,3-trichlorobenzene	0.798	0.887	-11.2	100	0.00	11.91
120		hexachloroethane	0.673	0.713	-5.9	102	0.00	10.11
121		benzyl chloride	2.904	2.801	3.5	93	0.00	9.60
122		2-methylnaphthalene	1.065	1.194	-12.1	95	0.00	12.82

(#) = Out of Range SPCC's out = 0 CCC's out = 0
L342975.D ML10355.M Fri Jun 17 18:03:45 2022 1

Initial Calibration Verification

Job Number: JD52507 **Sample:** VL10355-ICV10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L342981.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\DATA\VL10355\L342981.D Vial: 15
Acq On : 15 Jun 2022 9:29 pm Operator: BridgetK
Sample : icv10355-50 Inst : GCMSL
Misc : MS59602,VL10355,5,,,,1 Multiplr: 1.00
MS Integration Params: lscint.p

Method : C:\MSDCHEM\1\METHODS\ML10355.M (RTE Integrator)
Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
Last Update : Fri Jun 17 18:01:43 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	tert butyl alcohol-d9	1.000	1.000	0.0	104	0.00	3.09
2		1,4-dioxane		----------NA----------				
3		ethanol		----------NA----------				
4	M	tertiary butyl alcohol		----------NA----------				
5	I	pentafluorobenzene	1.000	1.000	0.0	112	0.00	4.31
6		chlorodifluoromethane	0.559	0.256	54.2#	52	0.00	1.67
7		dichlorodifluoromethane		----------NA----------				
8		chloromethane		----------NA----------				
9		vinyl chloride		----------NA----------				
10		1,3-butadiene		----------NA----------				
11		bromomethane		----------NA----------				
12		chloroethane		----------NA----------				
13		trichlorofluoromethane		----------NA----------				
14		ethyl ether		----------NA----------				
15		acrolein		----------NA----------				
16		freon 113		----------NA----------				
17		1,1-dichloroethene		----------NA----------				
18		acetone		----------NA----------				
19		acetonitrile	0.053	0.056	-5.7	120	0.00	2.99
		----------	True	Calc.	% Drift	----------		
20		iodomethane		----------NA----------				
		----------	AvgRF	CCRF	% Dev	----------		
21		iso-butyl alcohol		----------NA----------				
22		carbon disulfide		----------NA----------				
23		methylene chloride		----------NA----------				
24		methyl acetate		----------NA----------				
25		methyl tert butyl ether		----------NA----------				
26		trans-1,2-dichloroethene		----------NA----------				
27		hexane		----------NA----------				
28		di-isopropyl ether		----------NA----------				
29		ethyl tert-butyl ether		----------NA----------				
30		2-butanone		----------NA----------				
31	M	1,1-dichloroethane		----------NA----------				
32		chloroprene		----------NA----------				
33		acrylonitrile	0.288	0.264	8.3	102	0.00	3.27
34		vinyl acetate		----------NA----------				
35		ethyl acetate		----------NA----------				
36		2,2-dichloropropane		----------NA----------				
37		cis-1,2-dichloroethene		----------NA----------				

Initial Calibration Verification

Job Number: JD52507 **Sample:** VL10355-ICV10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L342981.D
Project: EPT, Ithaca, NY

38		propionitrile		----------NA----------				
39		methyl acrylate		----------NA----------				
40		bromochloromethane		----------NA----------				
41		tetrahydrofuran		----------NA----------				
42		chloroform		----------NA----------				
43	S	dibromofluoromethane (s)	0.452	0.449	0.7	109	0.00	4.32
44		methacrylonitrile		----------NA----------				
45		1,1,1-trichloroethane		----------NA----------				
46		cyclohexane		----------NA----------				
47		1,1-dichloropropene		----------NA----------				
48		carbon tetrachloride		----------NA----------				
49		isopropyl acetate		----------NA----------				
50		tert amyl alcohol		----------NA----------				
51	I	1,4-difluorobenzene	1.000	1.000	0.0	109	0.00	4.88
52	S	1,2-dichloroethane-d4 (s)	0.365	0.383	-4.9	117	0.00	4.58
53		tert-amyl methyl ether		----------NA----------				
54		2,2,4-trimethylpentane		----------NA----------				
55		n-butyl alcohol		----------NA----------				
56	M	benzene		----------NA----------				
57		heptane		----------NA----------				
58		1,2-dichloroethane		----------NA----------				
59		trichloroethene		----------NA----------				
60		ethyl acrylate		----------NA----------				
61		2-nitropropane		----------NA----------				
62		2-chloroethyl vinyl ether		----------NA----------				
63		methyl methacrylate		----------NA----------				
64		1,2-dichloropropane		----------NA----------				
65		methylcyclohexane		----------NA----------				
66		dibromomethane		----------NA----------				
67		bromodichloromethane		----------NA----------				
68		cis-1,3-dichloropropene		----------NA----------				
69		epichlorohydrin		----------NA----------				
70		4-methyl-2-pentanone		----------NA----------				
71		3-methyl-1-butanol		----------NA----------				
72	I	chlorobenzene-d5	1.000	1.000	0.0	99	0.00	7.28
73	S	toluene-d8 (s)	1.376	1.459	-6.0	110	0.00	6.03
74		toluene		----------NA----------				
75		trans-1,3-dichloropropene		----------NA----------				
76		ethyl methacrylate		----------NA----------				
77		1,1,2-trichloroethane		----------NA----------				
78		2-hexanone		----------NA----------				
79		tetrachloroethene	0.376	0.401	-6.6	111	0.00	6.53
80		1,3-dichloropropane		----------NA----------				
81		butyl acetate		----------NA----------				
82		dibromochloromethane		----------NA----------				
83		1,2-dibromoethane		----------NA----------				
84		n-butyl ether		----------NA----------				
85		chlorobenzene		----------NA----------				
86		1,1,1,2-tetrachloroethane		----------NA----------				
87		ethylbenzene		----------NA----------				
88		m,p-xylene		----------NA----------				
89		o-xylene		----------NA----------				
90		butyl acrylate		----------NA----------				
91		styrene		----------NA----------				
92		bromoform		----------NA----------				
93		isopropylbenzene		----------NA----------				
94		cis-1,4-dichloro-2-butene		----------NA----------				

Initial Calibration Verification

Job Number: JD52507 **Sample:** VL10355-ICV10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L342981.D
Project: EPT, Ithaca, NY

95	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	103	0.00	9.47
96	S	4-bromofluorobenzene (s)	1.303	1.318	-1.2	105	0.00	8.35
97		bromobenzene		----------NA----------				
98		1,1,2,2-tetrachloroethane		----------NA----------				
99		trans-1,4-dichloro-2-bute		----------NA----------				
100		1,2,3-trichloropropane		----------NA----------				
101		n-propylbenzene		----------NA----------				
102		2-chlorotoluene		----------NA----------				
103		4-chlorotoluene		----------NA----------				
104		1,3,5-trimethylbenzene		----------NA----------				
105		tert-butylbenzene		----------NA----------				
106		1,2,4-trimethylbenzene		----------NA----------				
107		sec-butylbenzene		----------NA----------				
108		1,3-dichlorobenzene		----------NA----------				
109		p-isopropyltoluene		----------NA----------				
110		1,4-dichlorobenzene		----------NA----------				
111		1,2,3-trimethylbenzene	3.335	3.645	-9.3	115	0.00	9.51
112		1,2-dichlorobenzene		----------NA----------				
113		n-butylbenzene		----------NA----------				
114		1,2-dibromo-3-chloropropa		----------NA----------				
115		1,3,5-trichlorobenzene		----------NA----------				
116		1,2,4-trichlorobenzene		----------NA----------				
117		hexachlorobutadiene		----------NA----------				
118		naphthalene		----------NA----------				
119		1,2,3-trichlorobenzene		----------NA----------				
120		hexachloroethane		----------NA----------				
121		benzyl chloride		----------NA----------				
122		2-methylnaphthalene		----------NA----------				

(#) = Out of Range SPCC's out = 0 CCC's out = 0

L342975.D ML10355.M Fri Jun 17 18:03:47 2022 1

Initial Calibration Verification

Job Number: JD52507 **Sample:** VL10355-ICV10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L342985.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\DATA\VL10355\L342985.D Vial: 19
Acq On : 16 Jun 2022 10:06 am Operator: BridgetK
Sample : icv10355-50 Inst : GCMSL
Misc : MS59602,VL10355,5,,,,1 Multiplr: 1.00
MS Integration Params: lscint.p

Method : C:\MSDCHEM\1\METHODS\ML10355.M (RTE Integrator)
Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
Last Update : Fri Jun 17 18:01:43 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	tert butyl alcohol-d9	1.000	1.000	0.0	118	0.00	3.09
2		1,4-dioxane		----------NA----------				
3		ethanol		----------NA----------				
4	M	tertiary butyl alcohol		----------NA----------				
5	I	pentafluorobenzene	1.000	1.000	0.0	113	0.00	4.31
6		chlorodifluoromethane	0.559	0.485	13.2	100	0.00	1.67
7		dichlorodifluoromethane		----------NA----------				
8		chloromethane		----------NA----------				
9		vinyl chloride		----------NA----------				
10		1,3-butadiene		----------NA----------				
11		bromomethane		----------NA----------				
12		chloroethane		----------NA----------				
13		trichlorofluoromethane		----------NA----------				
14		ethyl ether		----------NA----------				
15		acrolein		----------NA----------				
16		freon 113		----------NA----------				
17		1,1-dichloroethene		----------NA----------				
18		acetone		----------NA----------				
19		acetonitrile		----------NA----------				
		----------	True	Calc.	% Drift	----------		
20		iodomethane		----------NA----------				
		----------	AvgRF	CCRF	% Dev	----------		
21		iso-butyl alcohol		----------NA----------				
22		carbon disulfide		----------NA----------				
23		methylene chloride		----------NA----------				
24		methyl acetate		----------NA----------				
25		methyl tert butyl ether		----------NA----------				
26		trans-1,2-dichloroethene		----------NA----------				
27		hexane		----------NA----------				
28		di-isopropyl ether		----------NA----------				
29		ethyl tert-butyl ether		----------NA----------				
30		2-butanone		----------NA----------				
31	M	1,1-dichloroethane		----------NA----------				
32		chloroprene		----------NA----------				
33		acrylonitrile		----------NA----------				
34		vinyl acetate		----------NA----------				
35		ethyl acetate		----------NA----------				
36		2,2-dichloropropane		----------NA----------				
37		cis-1,2-dichloroethene		----------NA----------				

Initial Calibration Verification

Job Number: JD52507 **Sample:** VL10355-ICV10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L342985.D
Project: EPT, Ithaca, NY

38		propionitrile		----------NA----------				
39		methyl acrylate		----------NA----------				
40		bromochloromethane		----------NA----------				
41		tetrahydrofuran		----------NA----------				
42		chloroform		----------NA----------				
43	S	dibromofluoromethane (s)	0.452	0.455	-0.7	112	0.00	4.32
44		methacrylonitrile		----------NA----------				
45		1,1,1-trichloroethane		----------NA----------				
46		cyclohexane		----------NA----------				
47		1,1-dichloropropene		----------NA----------				
48		carbon tetrachloride		----------NA----------				
49		isopropyl acetate		----------NA----------				
50		tert amyl alcohol		----------NA----------				
51	I	1,4-difluorobenzene	1.000	1.000	0.0	109	0.00	4.88
52	S	1,2-dichloroethane-d4 (s)	0.365	0.395	-8.2	120	0.00	4.57
53		tert-amyl methyl ether		----------NA----------				
54		2,2,4-trimethylpentane		----------NA----------				
55		n-butyl alcohol		----------NA----------				
56	M	benzene		----------NA----------				
57		heptane		----------NA----------				
58		1,2-dichloroethane		----------NA----------				
59		trichloroethene		----------NA----------				
60		ethyl acrylate		----------NA----------				
61		2-nitropropane		----------NA----------				
62		2-chloroethyl vinyl ether		----------NA----------				
63		methyl methacrylate		----------NA----------				
64		1,2-dichloropropane		----------NA----------				
65		methylcyclohexane		----------NA----------				
66		dibromomethane		----------NA----------				
67		bromodichloromethane		----------NA----------				
68		cis-1,3-dichloropropene		----------NA----------				
69		epichlorohydrin		----------NA----------				
70		4-methyl-2-pentanone		----------NA----------				
71		3-methyl-1-butanol		----------NA----------				
72	I	chlorobenzene-d5	1.000	1.000	0.0	101	0.00	7.28
73	S	toluene-d8 (s)	1.376	1.447	-5.2	112	0.00	6.02
74		toluene		----------NA----------				
75		trans-1,3-dichloropropene		----------NA----------				
76		ethyl methacrylate		----------NA----------				
77		1,1,2-trichloroethane		----------NA----------				
78		2-hexanone		----------NA----------				
79		tetrachloroethene		----------NA----------				
80		1,3-dichloropropane		----------NA----------				
81		butyl acetate		----------NA----------				
82		dibromochloromethane		----------NA----------				
83		1,2-dibromoethane		----------NA----------				
84		n-butyl ether		----------NA----------				
85		chlorobenzene		----------NA----------				
86		1,1,1,2-tetrachloroethane		----------NA----------				
87		ethylbenzene		----------NA----------				
88		m,p-xylene		----------NA----------				
89		o-xylene		----------NA----------				
90		butyl acrylate		----------NA----------				
91		styrene		----------NA----------				
92		bromoform		----------NA----------				
93		isopropylbenzene		----------NA----------				
94		cis-1,4-dichloro-2-butene		----------NA----------				

Initial Calibration Verification

Job Number: JD52507 **Sample:** VL10355-ICV10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L342985.D
Project: EPT, Ithaca, NY

95	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	104	0.00	9.47
96	S	4-bromofluorobenzene (s)	1.303	1.300	0.2	105	0.00	8.35
97		bromobenzene	----------NA----------					
98		1,1,2,2-tetrachloroethane	----------NA----------					
99		trans-1,4-dichloro-2-bute	----------NA----------					
100		1,2,3-trichloropropane	----------NA----------					
101		n-propylbenzene	----------NA----------					
102		2-chlorotoluene	----------NA----------					
103		4-chlorotoluene	----------NA----------					
104		1,3,5-trimethylbenzene	----------NA----------					
105		tert-butylbenzene	----------NA----------					
106		1,2,4-trimethylbenzene	----------NA----------					
107		sec-butylbenzene	----------NA----------					
108		1,3-dichlorobenzene	----------NA----------					
109		p-isopropyltoluene	----------NA----------					
110		1,4-dichlorobenzene	----------NA----------					
111		1,2,3-trimethylbenzene	----------NA----------					
112		1,2-dichlorobenzene	----------NA----------					
113		n-butylbenzene	----------NA----------					
114		1,2-dibromo-3-chloropropa	----------NA----------					
115		1,3,5-trichlorobenzene	----------NA----------					
116		1,2,4-trichlorobenzene	----------NA----------					
117		hexachlorobutadiene	----------NA----------					
118		naphthalene	----------NA----------					
119		1,2,3-trichlorobenzene	----------NA----------					
120		hexachloroethane	----------NA----------					
121		benzyl chloride	----------NA----------					
122		2-methylnaphthalene	----------NA----------					

(#) = Out of Range SPCC's out = 0 CCC's out = 0

L342975.D ML10355.M Fri Jun 17 18:03:49 2022 1

Continuing Calibration Summary

Job Number: JD52507 **Sample:** VL10519-CC10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L347829.D
Project: EPT, Ithaca, NY

Evaluate Continuing Calibration Report

Data File : C:\msdchem\1\data\lo...9-due today\l347829.d Vial: 4
Acq On : 4 Oct 2022 10:21 am Operator: nicoleh
Sample : cc10355-20 Inst : GCMSL
Misc : MS62669,VL10519,5,,,,1 Multiplr: 1.00
MS Integration Params: lscint.p

Method : C:\MSDCHEM\1\METHODS\ML10355.M (RTE Integrator)
Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
Last Update : Thu Jun 23 18:51:37 2022
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	R.T.
1	I	tert butyl alcohol-d9	1.000	1.000	0.0	58	0.00	3.09
2		1,4-dioxane	0.130	0.038	70.8#	19#	-0.02	5.30
3		ethanol	0.125	0.051	59.2#	26#	0.00	2.50
4	M	tertiary butyl alcohol	1.532	1.543	-0.7	67	0.00	3.14
5	I	pentafluorobenzene	1.000	1.000	0.0	100	0.00	4.30
6		chlorodifluoromethane	0.559	0.771	-37.9#	140	0.00	1.68
7		dichlorodifluoromethane	0.816	0.865	-6.0	107	0.00	1.66
8		chloromethane	0.546	0.522	4.4	96	0.00	1.82
9		vinyl chloride	0.673	0.628	6.7	95	0.00	1.90
10		1,3-butadiene	0.662	0.736	-11.2	106	0.00	1.93
11		bromomethane	0.280	0.224	20.0#	87	0.01	2.16
12		chloroethane	0.394	0.332	15.7	92	0.00	2.24
13		trichlorofluoromethane	0.941	0.966	-2.7	102	0.00	2.42
14		ethyl ether	0.329	0.401	-21.9#	116	0.00	2.60
15		acrolein	0.119	0.153	-28.6#	133	0.00	2.70
16		freon 113	0.371	0.477	-28.6#	128	0.00	2.77
17		1,1-dichloroethene	0.462	0.545	-18.0	115	0.00	2.79
18		acetone	0.081	0.088	-8.6	108	0.00	2.79
19		acetonitrile	0.053	0.043	18.9	81	0.00	2.99
		----------	True	Calc.	% Drift	----------		
20		iodomethane	20.000	15.235	23.8#	84	0.00	2.90
		----------	AvgRF	CCRF	% Dev	----------		
21		iso-butyl alcohol	0.053	0.034	35.8#	68	0.00	4.45
22		carbon disulfide	1.420	1.547	-8.9	110	0.00	2.96
23		methylene chloride	0.537	0.596	-11.0	118	0.00	3.11
24		methyl acetate	0.163	0.167	-2.5	104	0.00	3.01
25		methyl tert butyl ether	1.747	1.799	-3.0	103	0.00	3.28
26		trans-1,2-dichloroethene	0.499	0.564	-13.0	115	0.00	3.30
27		hexane	0.702	0.837	-19.2	121	0.00	3.48
28		di-isopropyl ether	1.418	1.703	-20.1#	119	0.00	3.59
29		ethyl tert-butyl ether	1.662	1.876	-12.9	112	-0.01	3.83
30		2-butanone	0.125	0.119	4.8	97	0.00	3.95
31	M	1,1-dichloroethane	0.877	1.000	-14.0	115	0.00	3.59
32		chloroprene	0.713	0.812	-13.9	114	0.00	3.65
33		acrylonitrile	0.288	0.330	-14.6	113	0.00	3.26
34		vinyl acetate	0.151	0.171	-13.2	111	0.00	3.57
35		ethyl acetate	0.126	0.141	-11.9	113	0.00	3.96
36		2,2-dichloropropane	0.853	0.831	2.6	95	0.00	3.99
37		cis-1,2-dichloroethene	0.565	0.596	-5.5	108	0.00	3.98

Continuing Calibration Summary

Job Number: JD52507 **Sample:** VL10519-CC10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L347829.D
Project: EPT, Ithaca, NY

38		propionitrile	0.119	0.123	-3.4	100	-0.01	4.00
39		methyl acrylate	0.147	0.158	-7.5	108	0.00	4.01
40		bromochloromethane	0.246	0.269	-9.3	115	-0.01	4.14
41		tetrahydrofuran	0.139	0.137	1.4	91	0.00	4.16
42		chloroform	1.004	1.001	0.3	104	0.00	4.20
43	S	dibromofluoromethane (s)	0.452	0.432	4.4	94	0.00	4.31
44		methacrylonitrile	0.349	0.370	-6.0	111	-0.01	4.11
45		1,1,1-trichloroethane	0.861	0.813	5.6	97	0.00	4.34
46		cyclohexane	0.792	0.785	0.9	102	-0.01	4.40
47		1,1-dichloropropene	0.688	0.722	-4.9	104	-0.01	4.45
48		carbon tetrachloride	0.713	0.699	2.0	96	0.00	4.46
49		isopropyl acetate	0.179	0.185	-3.4	108	0.00	4.57
50		tert amyl alcohol	0.057	0.040	29.8#	75	0.00	4.55
51	I	1,4-difluorobenzene	1.000	1.000	0.0	99	0.00	4.87
52	S	1,2-dichloroethane-d4 (s)	0.365	0.324	11.2	87	0.00	4.57
53		tert-amyl methyl ether	1.113	1.144	-2.8	101	-0.01	4.65
54		2,2,4-trimethylpentane	0.885	1.015	-14.7	111	-0.01	4.66
55		n-butyl alcohol	0.025	0.012	52.0#	49#	0.00	4.93
56	M	benzene	1.302	1.439	-10.5	109	0.00	4.60
57		heptane	0.204	0.209	-2.5	108	0.00	4.77
58		1,2-dichloroethane	0.491	0.487	0.8	98	0.00	4.62
59		trichloroethene	0.368	0.399	-8.4	108	-0.01	5.07
60		ethyl acrylate	0.610	0.698	-14.4	115	0.00	5.08
61		2-nitropropane	0.179	0.175	2.2	96	0.00	5.62
62		2-chloroethyl vinyl ether	0.213	0.274	-28.6#	127	0.00	5.65
63		methyl methacrylate	0.142	0.151	-6.3	106	0.00	5.26
64		1,2-dichloropropane	0.321	0.378	-17.8	115	0.00	5.26
65		methylcyclohexane	0.580	0.625	-7.8	106	0.00	5.26
66		dibromomethane	0.237	0.237	0.0	105	0.00	5.33
67		bromodichloromethane	0.539	0.510	5.4	101	0.00	5.45
68		cis-1,3-dichloropropene	0.605	0.575	5.0	94	0.00	5.79
69		epichlorohydrin	0.070	0.062	11.4	90	0.00	5.70
70		4-methyl-2-pentanone	0.223	0.248	-11.2	113	0.00	5.89
71		3-methyl-1-butanol	0.027	0.015	44.4#	56	0.00	5.91
72	I	chlorobenzene-d5	1.000	1.000	0.0	102	0.00	7.27
73	S	toluene-d8 (s)	1.376	1.280	7.0	97	0.00	6.02
74		toluene	0.939	0.992	-5.6	112	0.00	6.08
75		trans-1,3-dichloropropene	0.650	0.539	17.1	88	0.00	6.25
76		ethyl methacrylate	0.654	0.670	-2.4	107	0.00	6.27
77		1,1,2-trichloroethane	0.327	0.339	-3.7	108	0.00	6.42
78		2-hexanone	0.260	0.268	-3.1	112	0.00	6.58
79		tetrachloroethene	0.376	0.396	-5.3	111	0.00	6.51
80		1,3-dichloropropane	0.636	0.656	-3.1	108	0.00	6.56
81		butyl acetate	0.339	0.379	-11.8	115	0.00	6.67
82		dibromochloromethane	0.437	0.404	7.6	102	-0.01	6.75
83		1,2-dibromoethane	0.438	0.435	0.7	108	0.00	6.87
84		n-butyl ether	1.402	1.628	-16.1	119	0.00	7.34
85		chlorobenzene	0.960	1.026	-6.9	108	0.00	7.30
86		1,1,1,2-tetrachloroethane	0.347	0.353	-1.7	106	0.00	7.37
87		ethylbenzene	1.648	1.821	-10.5	111	0.00	7.37
88		m,p-xylene	0.661	0.657	0.6	104	0.00	7.48
89		o-xylene	0.661	0.687	-3.9	106	0.00	7.84
90		butyl acrylate	0.846	0.940	-11.1	118	0.00	7.76
91		styrene	1.072	1.124	-4.9	106	0.00	7.86
92		bromoform	0.308	0.258	16.2	89	0.00	8.04
93		isopropylbenzene	1.659	1.761	-6.1	107	0.00	8.18
94		cis-1,4-dichloro-2-butene	0.123	0.067	45.5#	64	0.00	8.23

Continuing Calibration Summary

Job Number: JD52507 **Sample:** VL10519-CC10355
Account: ESCVAR WSP USA Environment & Infrastructure Inc **Lab FileID:** L347829.D
Project: EPT, Ithaca, NY

95	I	1,4-dichlorobenzene-d4	1.000	1.000	0.0	101	0.00	9.47
96	S	4-bromofluorobenzene (s)	1.303	1.269	2.6	99	0.00	8.35
97		bromobenzene	1.015	1.072	-5.6	118	0.00	8.50
98		1,1,2,2-tetrachloroethane	1.674	1.614	3.6	109	0.00	8.47
99		trans-1,4-dichloro-2-bute	0.238	0.145	39.1#	65	0.00	8.50
100		1,2,3-trichloropropane	0.482	0.451	6.4	98	0.00	8.53
101		n-propylbenzene	4.789	5.087	-6.2	109	0.00	8.57
102		2-chlorotoluene	0.942	1.003	-6.5	113	0.00	8.67
103		4-chlorotoluene	0.945	1.024	-8.4	113	0.00	8.79
104		1,3,5-trimethylbenzene	3.434	3.547	-3.3	105	0.00	8.74
105		tert-butylbenzene	2.878	3.066	-6.5	110	0.00	9.05
106		1,2,4-trimethylbenzene	3.514	3.549	-1.0	105	0.00	9.11
107		sec-butylbenzene	4.114	4.319	-5.0	106	0.00	9.27
108		1,3-dichlorobenzene	1.714	1.823	-6.4	111	0.00	9.39
109		p-isopropyltoluene	3.244	3.393	-4.6	106	0.00	9.41
110		1,4-dichlorobenzene	1.680	1.721	-2.4	110	0.00	9.49
111		1,2,3-trimethylbenzene	3.335	3.310	0.7	102	0.00	9.51
112		1,2-dichlorobenzene	1.686	1.760	-4.4	114	0.00	9.84
113		n-butylbenzene	1.624	1.731	-6.6	108	0.00	9.81
114		1,2-dibromo-3-chloropropa	0.395	0.338	14.4	89	0.00	10.62
115		1,3,5-trichlorobenzene	1.088	1.141	-4.9	108	0.00	10.80
116		1,2,4-trichlorobenzene	0.881	0.919	-4.3	104	0.00	11.43
117		hexachlorobutadiene	0.353	0.362	-2.5	104	0.00	11.57
118		naphthalene	2.975	2.954	0.7	102	0.00	11.69
119		1,2,3-trichlorobenzene	0.798	0.839	-5.1	106	0.00	11.91
120		hexachloroethane	0.673	0.609	9.5	94	0.00	10.12
121		benzyl chloride	2.904	2.554	12.1	89	0.00	9.60
122		2-methylnaphthalene	1.065	0.983	7.7	119	0.00	12.82
123		pentafluorobenzene(a)	1.000	1.000	0.0	116	0.00	4.30
124		Freon 142B		----------NA----------				
125		vinyl bromide		----------NA----------				
126		allyl chloride		----------NA----------				
127		1,4-dichlorobenzene-d4(a)	1.000	1.000	0.0	121	0.00	9.47
128		4-ethyltoluene		----------NA----------				

(#) = Out of Range SPCC's out = 0 CCC's out = 0
L342974.D ML10355.M Wed Oct 05 01:30:06 2022

Run Sequence Report

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V1A9688	**Method:** SW846 8260D	**Instrument ID:** GCMS1A

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V1A9688-BFB	1A226121.D	09/13/22 20:54	n/a	BFB Tune
V1A9688-IC9688	1A226122.D	09/13/22 21:28	n/a	Initial cal 0.2
V1A9688-IC9688	1A226123.D	09/13/22 21:52	n/a	Initial cal 0.5
V1A9688-IC9688	1A226124.D	09/13/22 22:16	n/a	Initial cal 1
V1A9688-IC9688	1A226125.D	09/13/22 22:40	n/a	Initial cal 2
V1A9688-IC9688	1A226126.D	09/13/22 23:04	n/a	Initial cal 4
V1A9688-IC9688	1A226127.D	09/13/22 23:28	n/a	Initial cal 8
V1A9688-IC9688	1A226128.D	09/13/22 23:52	n/a	Initial cal 20
V1A9688-ICC9688	1A226129.D	09/14/22 00:16	n/a	Initial cal 50
V1A9688-IC9688	1A226130.D	09/14/22 00:40	n/a	Initial cal 100
V1A9688-IC9688	1A226131.D	09/14/22 01:04	n/a	Initial cal 200
V1A9688-ICV9688	1A226134.D	09/14/22 02:15	n/a	Initial cal verification 50
V1A9688-ICV9688	1A226135.D	09/14/22 02:39	n/a	Initial cal verification 50

Run Sequence Report

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V1A9698 **Method:** SW846 8260D **Instrument ID:** GCMS1A

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V1A9698-BFB	1A226430.D	09/27/22 09:36	n/a	BFB Tune
V1A9698-CC9688	1A226430.D	09/27/22 09:36	n/a	Continuing cal 20
V1A9698-BS	1A226432.D	09/27/22 10:32	n/a	Blank Spike
V1A9698-MB	1A226434.D	09/27/22 11:28	n/a	Method Blank
ZZZZZZ	1A226435.D	09/27/22 12:33	n/a	(unrelated sample)
ZZZZZZ	1A226436.D	09/27/22 12:57	n/a	(unrelated sample)
ZZZZZZ	1A226437.D	09/27/22 13:21	n/a	(unrelated sample)
JD52310-3	1A226438.D	09/27/22 13:45	n/a	(used for QC only; not part of job JD52507)
ZZZZZZ	1A226439.D	09/27/22 14:09	n/a	(unrelated sample)
ZZZZZZ	1A226440.D	09/27/22 14:33	n/a	(unrelated sample)
ZZZZZZ	1A226442.D	09/27/22 15:21	n/a	(unrelated sample)
ZZZZZZ	1A226443.D	09/27/22 15:45	n/a	(unrelated sample)
JD52310-3MS	1A226444.D	09/27/22 16:24	n/a	Matrix Spike
JD52310-3MSD	1A226445.D	09/27/22 16:48	n/a	Matrix Spike Duplicate
ZZZZZZ	1A226447.D	09/27/22 17:36	n/a	(unrelated sample)
ZZZZZZ	1A226448.D	09/27/22 18:00	n/a	(unrelated sample)
ZZZZZZ	1A226449.D	09/27/22 18:24	n/a	(unrelated sample)
JD52507-15	1A226450.D	09/27/22 18:48	n/a	MW-20B
JD52507-16	1A226451.D	09/27/22 19:12	n/a	MW-7B
JD52507-17	1A226452.D	09/27/22 19:36	n/a	MW-12C
JD52507-18	1A226453.D	09/27/22 20:00	n/a	MW-13C
JD52507-20	1A226455.D	09/27/22 20:47	n/a	MW-4B
JD52507-21	1A226456.D	09/27/22 21:11	n/a	MW-7-40
ZZZZZZ	1A226457.D	09/27/22 21:35	n/a	(unrelated sample)

Run Sequence Report

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V1A9705 **Method:** SW846 8260D **Instrument ID:** GCMS1A

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V1A9705-BFB	1A226605.D	09/30/22 10:42	n/a	BFB Tune
V1A9705-CC9688	1A226605.D	09/30/22 10:42	n/a	Continuing cal 20
V1A9705-BS	1A226607.D	09/30/22 11:38	n/a	Blank Spike
V1A9705-MB	1A226609.D	09/30/22 12:29	n/a	Method Blank
ZZZZZZ	1A226611.D	09/30/22 13:22	n/a	(unrelated sample)
ZZZZZZ	1A226612.D	09/30/22 13:46	n/a	(unrelated sample)
JD52507-10	1A226613.D	09/30/22 14:09	n/a	MW-46-72C
JD52507-8	1A226614.D	09/30/22 14:33	n/a	MW-15C
ZZZZZZ	1A226615.D	09/30/22 14:57	n/a	(unrelated sample)
ZZZZZZ	1A226616.D	09/30/22 15:21	n/a	(unrelated sample)
JD52507-8	1A226617.D	09/30/22 15:45	n/a	MW-15C
JD52507-10	1A226618.D	09/30/22 16:09	n/a	MW-46-72C
JD52624-3	1A226619.D	09/30/22 16:33	n/a	(used for QC only; not part of job JD52507)
JD52624-3MS	1A226620.D	09/30/22 16:56	n/a	Matrix Spike
JD52624-3MSD	1A226621.D	09/30/22 17:20	n/a	Matrix Spike Duplicate
ZZZZZZ	1A226623.D	09/30/22 18:08	n/a	(unrelated sample)
ZZZZZZ	1A226624.D	09/30/22 18:32	n/a	(unrelated sample)
ZZZZZZ	1A226626.D	09/30/22 19:20	n/a	(unrelated sample)
ZZZZZZ	1A226628.D	09/30/22 20:08	n/a	(unrelated sample)
ZZZZZZ	1A226629.D	09/30/22 20:32	n/a	(unrelated sample)
ZZZZZZ	1A226630.D	09/30/22 20:55	n/a	(unrelated sample)
ZZZZZZ	1A226631.D	09/30/22 21:19	n/a	(unrelated sample)
ZZZZZZ	1A226632.D	09/30/22 21:43	n/a	(unrelated sample)
ZZZZZZ	1A226633.D	09/30/22 22:07	n/a	(unrelated sample)

Run Sequence Report

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V1X8636	**Method:** SW846 8260D	**Instrument ID:** GCMS1X

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V1X8636-BFB	1X200546.D	09/28/22 20:11	n/a	BFB Tune
V1X8636-IC8636	1X200548.D	09/28/22 21:15	n/a	Initial cal 0.2
V1X8636-IC8636	1X200550.D	09/28/22 21:47	n/a	Initial cal 0.5
V1X8636-IC8636	1X200552.D	09/28/22 22:23	n/a	Initial cal 1
V1X8636-IC8636	1X200554.D	09/28/22 23:00	n/a	Initial cal 2
V1X8636-IC8636	1X200556.D	09/28/22 23:36	n/a	Initial cal 4
V1X8636-IC8636	1X200558.D	09/29/22 00:12	n/a	Initial cal 8
V1X8636-IC8636	1X200560.D	09/29/22 00:48	n/a	Initial cal 20
V1X8636-ICC8636	1X200562.D	09/29/22 01:25	n/a	Initial cal 50
V1X8636-IC8636	1X200564.D	09/29/22 02:01	n/a	Initial cal 100
V1X8636-IC8636	1X200566.D	09/29/22 02:37	n/a	Initial cal 200
V1X8636-ICV8636	1X200572.D	09/29/22 04:25	n/a	Initial cal verification 50
V1X8636-ICV8636	1X200574.D	09/29/22 05:02	n/a	Initial cal verification 50

Run Sequence Report

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V1X8637	**Method:** SW846 8260D	**Instrument ID:** GCMS1X

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V1X8637-BFB	1X200580.D	09/29/22 10:06	n/a	BFB Tune
V1X8637-CC8636	1X200580.D	09/29/22 10:06	n/a	Continuing cal 20
V1X8637-BS	1X200581.D	09/29/22 10:34	n/a	Blank Spike
V1X8637-MB	1X200583.D	09/29/22 11:20	n/a	Method Blank
JD52594-1	1X200584.D	09/29/22 11:43	n/a	(used for QC only; not part of job JD52507)
JD52507-18	1X200585.D	09/29/22 12:06	n/a	MW-13C
ZZZZZZ	1X200586.D	09/29/22 12:30	n/a	(unrelated sample)
ZZZZZZ	1X200587.D	09/29/22 12:53	n/a	(unrelated sample)
ZZZZZZ	1X200589.D	09/29/22 13:39	n/a	(unrelated sample)
ZZZZZZ	1X200590.D	09/29/22 14:03	n/a	(unrelated sample)
ZZZZZZ	1X200591.D	09/29/22 14:26	n/a	(unrelated sample)
ZZZZZZ	1X200592.D	09/29/22 14:49	n/a	(unrelated sample)
ZZZZZZ	1X200593.D	09/29/22 15:12	n/a	(unrelated sample)
ZZZZZZ	1X200594.D	09/29/22 15:36	n/a	(unrelated sample)
ZZZZZZ	1X200595.D	09/29/22 15:59	n/a	(unrelated sample)
JD52594-1MS	1X200596.D	09/29/22 16:22	n/a	Matrix Spike
JD52594-1MSD	1X200597.D	09/29/22 16:45	n/a	Matrix Spike Duplicate
JD52594-1	1X200598.D	09/29/22 17:08	n/a	(used for QC only; not part of job JD52507)
JD52507-19	1X200599.D	09/29/22 17:32	n/a	MW-5-100
ZZZZZZ	1X200600.D	09/29/22 17:55	n/a	(unrelated sample)
ZZZZZZ	1X200601.D	09/29/22 18:18	n/a	(unrelated sample)
JD52507-22	1X200602.D	09/29/22 18:41	n/a	MW-16-100
ZZZZZZ	1X200603.D	09/29/22 19:04	n/a	(unrelated sample)
ZZZZZZ	1X200604.D	09/29/22 19:28	n/a	(unrelated sample)
ZZZZZZ	1X200605.D	09/29/22 19:51	n/a	(unrelated sample)
ZZZZZZ	1X200606.D	09/29/22 20:14	n/a	(unrelated sample)
ZZZZZZ	1X200607.D	09/29/22 20:37	n/a	(unrelated sample)
ZZZZZZ	1X200608.D	09/29/22 21:01	n/a	(unrelated sample)
ZZZZZZ	1X200609.D	09/29/22 21:24	n/a	(unrelated sample)

Run Sequence Report

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V1X8638 **Method:** EPA 624.1 **Instrument ID:** GCMS1X

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V1X8638-BFB	1X200611.D	09/29/22 22:10	n/a	BFB Tune
V1X8638-CC8636	1X200612.D	09/29/22 22:33	n/a	Continuing cal 20
V1X8638-BS	1X200612.D	09/29/22 22:33	n/a	Blank Spike
V1X8638-MB	1X200614.D	09/29/22 23:20	n/a	Method Blank
JD52604-4	1X200615.D	09/29/22 23:43	n/a	(used for QC only; not part of job JD52507)
JD52604-4MS	1X200616.D	09/30/22 00:06	n/a	Matrix Spike
JD52604-4MSD	1X200617.D	09/30/22 00:29	n/a	Matrix Spike Duplicate
ZZZZZZ	1X200619.D	09/30/22 01:16	n/a	(unrelated sample)
ZZZZZZ	1X200620.D	09/30/22 01:39	n/a	(unrelated sample)
ZZZZZZ	1X200621.D	09/30/22 02:02	n/a	(unrelated sample)
ZZZZZZ	1X200622.D	09/30/22 02:25	n/a	(unrelated sample)
ZZZZZZ	1X200623.D	09/30/22 02:48	n/a	(unrelated sample)
ZZZZZZ	1X200624.D	09/30/22 03:11	n/a	(unrelated sample)
ZZZZZZ	1X200625.D	09/30/22 03:35	n/a	(unrelated sample)
ZZZZZZ	1X200626.D	09/30/22 03:58	n/a	(unrelated sample)
ZZZZZZ	1X200627.D	09/30/22 04:21	n/a	(unrelated sample)
ZZZZZZ	1X200628.D	09/30/22 04:44	n/a	(unrelated sample)
ZZZZZZ	1X200630.D	09/30/22 05:30	n/a	(unrelated sample)
ZZZZZZ	1X200631.D	09/30/22 05:54	n/a	(unrelated sample)
ZZZZZZ	1X200632.D	09/30/22 06:17	n/a	(unrelated sample)
ZZZZZZ	1X200633.D	09/30/22 06:40	n/a	(unrelated sample)
ZZZZZZ	1X200634.D	09/30/22 07:03	n/a	(unrelated sample)
ZZZZZZ	1X200635.D	09/30/22 07:26	n/a	(unrelated sample)

Run Sequence Report

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V2A9511	**Method:** SW846 8260D	**Instrument ID:** GCMS2A

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V2A9511-BFB	2A218780.D	07/31/22 16:50	n/a	BFB Tune
V2A9511-IC9511	2A218781.D	07/31/22 17:23	n/a	Initial cal 0.2
V2A9511-IC9511	2A218782.D	07/31/22 17:51	n/a	Initial cal 0.5
V2A9511-IC9511	2A218783.D	07/31/22 18:19	n/a	Initial cal 1
V2A9511-IC9511	2A218784.D	07/31/22 18:48	n/a	Initial cal 2
V2A9511-IC9511	2A218785.D	07/31/22 19:16	n/a	Initial cal 4
V2A9511-IC9511	2A218786.D	07/31/22 19:44	n/a	Initial cal 8
V2A9511-IC9511	2A218787.D	07/31/22 20:13	n/a	Initial cal 20
V2A9511-ICC9511	2A218788.D	07/31/22 20:41	n/a	Initial cal 50
V2A9511-IC9511	2A218789.D	07/31/22 21:09	n/a	Initial cal 100
V2A9511-IC9511	2A218790.D	07/31/22 21:38	n/a	Initial cal 200
V2A9511-ICV9511	2A218793.D	07/31/22 23:03	n/a	Initial cal verification 50
V2A9511-ICV9511	2A218794.D	07/31/22 23:31	n/a	Initial cal verification 50

Run Sequence Report

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V2A9581	**Method:** SW846 8260D	**Instrument ID:** GCMS2A

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V2A9581-BFB	2A220390.D	09/29/22 09:13	n/a	BFB Tune
V2A9581-CC9511	2A220390.D	09/29/22 09:13	n/a	Continuing cal 20
V2A9581-BS	2A220392.D	09/29/22 10:19	n/a	Blank Spike
V2A9581-MB	2A220394.D	09/29/22 11:16	n/a	Method Blank
JD50917-15	2A220395.D	09/29/22 11:44	n/a	(used for QC only; not part of job JD52507)
ZZZZZZ	2A220396.D	09/29/22 12:13	n/a	(unrelated sample)
ZZZZZZ	2A220397.D	09/29/22 12:42	n/a	(unrelated sample)
JD52507-3	2A220398.D	09/29/22 13:11	n/a	MW-5-40
ZZZZZZ	2A220399.D	09/29/22 13:40	n/a	(unrelated sample)
JD50917-15MS	2A220400.D	09/29/22 14:08	n/a	Matrix Spike
JD50917-15MSD	2A220401.D	09/29/22 14:37	n/a	Matrix Spike Duplicate
ZZZZZZ	2A220402.D	09/29/22 15:06	n/a	(unrelated sample)
ZZZZZZ	2A220403.D	09/29/22 15:35	n/a	(unrelated sample)
ZZZZZZ	2A220405.D	09/29/22 16:32	n/a	(unrelated sample)
ZZZZZZ	2A220406.D	09/29/22 17:00	n/a	(unrelated sample)
ZZZZZZ	2A220407.D	09/29/22 17:29	n/a	(unrelated sample)
ZZZZZZ	2A220409.D	09/29/22 18:27	n/a	(unrelated sample)
ZZZZZZ	2A220410.D	09/29/22 18:56	n/a	(unrelated sample)
ZZZZZZ	2A220411.D	09/29/22 19:24	n/a	(unrelated sample)
ZZZZZZ	2A220412.D	09/29/22 19:53	n/a	(unrelated sample)

Run Sequence Report

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V2A9583	**Method:** SW846 8260D	**Instrument ID:** GCMS2A

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V2A9583-BFB	2A220438.D	09/30/22 09:16	n/a	BFB Tune
V2A9583-CC9511	2A220438.D	09/30/22 09:16	n/a	Continuing cal 20
V2A9583-BS	2A220440.D	09/30/22 10:21	n/a	Blank Spike
V2A9583-MB	2A220442.D	09/30/22 11:18	n/a	Method Blank
JD52507-12	2A220444.D	09/30/22 12:15	n/a	MW-50-160D
JD52507-13	2A220446.D	09/30/22 13:12	n/a	MW-092022
JD52514-12	2A220447.D	09/30/22 13:40	n/a	(used for QC only; not part of job JD52507)
JD52514-12	2A220449.D	09/30/22 14:37	n/a	(used for QC only; not part of job JD52507)
ZZZZZZ	2A220450.D	09/30/22 15:06	n/a	(unrelated sample)
JD52514-12MS	2A220451.D	09/30/22 15:35	n/a	Matrix Spike
JD52514-12MSD	2A220452.D	09/30/22 16:03	n/a	Matrix Spike Duplicate
ZZZZZZ	2A220454.D	09/30/22 17:01	n/a	(unrelated sample)
ZZZZZZ	2A220455.D	09/30/22 17:30	n/a	(unrelated sample)
ZZZZZZ	2A220456.D	09/30/22 17:58	n/a	(unrelated sample)

Run Sequence Report

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V2V3747	**Method:** SW846 8260D	**Instrument ID:** GCMS2V

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V2V3747-BFB	2V92136.D	09/11/22 14:53	n/a	BFB Tune
V2V3747-IC3747	2V92138.D	09/11/22 15:36	n/a	Initial cal 0.2
V2V3747-IC3747	2V92140.D	09/11/22 16:05	n/a	Initial cal 0.5
V2V3747-IC3747	2V92142.D	09/11/22 16:35	n/a	Initial cal 1
V2V3747-IC3747	2V92144.D	09/11/22 17:04	n/a	Initial cal 2
V2V3747-IC3747	2V92146.D	09/11/22 17:33	n/a	Initial cal 4
V2V3747-IC3747	2V92148.D	09/11/22 18:02	n/a	Initial cal 8
V2V3747-IC3747	2V92150.D	09/11/22 18:32	n/a	Initial cal 20
V2V3747-ICC3747	2V92152.D	09/11/22 19:01	n/a	Initial cal 50
V2V3747-IC3747	2V92154.D	09/11/22 19:30	n/a	Initial cal 100
V2V3747-IC3747	2V92156.D	09/11/22 20:00	n/a	Initial cal 200
V2V3747-ICV3747	2V92162.D	09/11/22 21:28	n/a	Initial cal verification 50
V2V3747-ICV3747	2V92164.D	09/11/22 21:57	n/a	Initial cal verification 50

Run Sequence Report

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V2V3773	**Method:** SW846 8260D	**Instrument ID:** GCMS2V

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V2V3773-BFB	2V92880.D	09/27/22 21:00	n/a	BFB Tune
V2V3773-CC3747	2V92880.D	09/27/22 21:00	n/a	Continuing cal 50
V2V3773-BS	2V92882.D	09/27/22 21:47	n/a	Blank Spike
V2V3773-MB	2V92884.D	09/27/22 22:33	n/a	Method Blank
JD52507-6	2V92885.D	09/27/22 22:57	n/a	EXB-10
JD52507-6MS	2V92886.D	09/27/22 23:20	n/a	Matrix Spike
JD52507-6MSD	2V92887.D	09/27/22 23:43	n/a	Matrix Spike Duplicate
JD52507-2	2V92889.D	09/28/22 00:30	n/a	EB-091922
ZZZZZZ	2V92890.D	09/28/22 00:53	n/a	(unrelated sample)
JD52507-1	2V92891.D	09/28/22 01:16	n/a	EXB-9
JD52507-3	2V92892.D	09/28/22 01:39	n/a	MW-5-40
JD52507-4	2V92893.D	09/28/22 02:03	n/a	MW-5-25
JD52507-5	2V92894.D	09/28/22 02:26	n/a	MW-8B
JD52507-7	2V92895.D	09/28/22 02:49	n/a	MW-32B
ZZZZZZ	2V92899.D	09/28/22 04:22	n/a	(unrelated sample)
ZZZZZZ	2V92900.D	09/28/22 04:45	n/a	(unrelated sample)
ZZZZZZ	2V92901.D	09/28/22 05:09	n/a	(unrelated sample)
ZZZZZZ	2V92902.D	09/28/22 05:32	n/a	(unrelated sample)
ZZZZZZ	2V92903.D	09/28/22 05:55	n/a	(unrelated sample)
ZZZZZZ	2V92904.D	09/28/22 06:18	n/a	(unrelated sample)
ZZZZZZ	2V92905.D	09/28/22 06:42	n/a	(unrelated sample)
ZZZZZZ	2V92906.D	09/28/22 07:05	n/a	(unrelated sample)
ZZZZZZ	2V92907.D	09/28/22 07:28	n/a	(unrelated sample)

Run Sequence Report

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V2V3777	**Method:** SW846 8260D	**Instrument ID:** GCMS2V

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V2V3777-BFB	2V93000.D	09/29/22 21:38	n/a	BFB Tune
V2V3777-CC3747	2V93000.D	09/29/22 21:38	n/a	Continuing cal 50
V2V3777-BS	2V93002.D	09/29/22 22:25	n/a	Blank Spike
V2V3777-MB	2V93004.D	09/29/22 23:11	n/a	Method Blank
JD52507-10	2V93005.D	09/29/22 23:35	n/a	MW-46-72C
JD52507-10MS	2V93006.D	09/29/22 23:58	n/a	Matrix Spike
JD52507-10MSD	2V93007.D	09/30/22 00:21	n/a	Matrix Spike Duplicate
JD52507-14	2V93009.D	09/30/22 01:08	n/a	EB-092022
JD52507-23	2V93010.D	09/30/22 01:31	n/a	EB-092222
JD52507-33	2V93011.D	09/30/22 01:54	n/a	EB-092222
JD52507-36	2V93012.D	09/30/22 02:17	n/a	TRIP BLANK
JD52507-9	2V93013.D	09/30/22 02:41	n/a	MW-36B
JD52507-11	2V93014.D	09/30/22 03:04	n/a	MW-46-43C
JD52507-12	2V93015.D	09/30/22 03:27	n/a	MW-50-160D
JD52507-13	2V93016.D	09/30/22 03:50	n/a	MW-092022
JD52507-24	2V93017.D	09/30/22 04:14	n/a	MW-18A
JD52507-25	2V93018.D	09/30/22 04:37	n/a	MW-8-40
JD52507-26	2V93019.D	09/30/22 05:00	n/a	MW-22B
JD52507-27	2V93020.D	09/30/22 05:23	n/a	MW-1B
JD52507-28	2V93021.D	09/30/22 05:46	n/a	MW-092222
JD52507-29	2V93022.D	09/30/22 06:09	n/a	MW-2B
JD52507-30	2V93023.D	09/30/22 06:32	n/a	MW-3B
JD52507-31	2V93024.D	09/30/22 06:55	n/a	MW-5B

Run Sequence Report

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: V2V3782	**Method:** SW846 8260D	**Instrument ID:** GCMS2V

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
V2V3782-BFB	2V93125.D	10/03/22 11:49	n/a	BFB Tune
V2V3782-CC3747	2V93125.D	10/03/22 11:49	n/a	Continuing cal 20
V2V3782-BS	2V93126.D	10/03/22 12:18	n/a	Blank Spike
V2V3782-MB	2V93128.D	10/03/22 13:04	n/a	Method Blank
ZZZZZZ	2V93129.D	10/03/22 13:28	n/a	(unrelated sample)
JD52507-31	2V93130.D	10/03/22 13:51	n/a	MW-5B
JD52507-30	2V93131.D	10/03/22 14:14	n/a	MW-3B
ZZZZZZ	2V93132.D	10/03/22 14:37	n/a	(unrelated sample)
JD52730-7	2V93134.D	10/03/22 15:24	n/a	(used for QC only; not part of job JD52507)
ZZZZZZ	2V93135.D	10/03/22 15:47	n/a	(unrelated sample)
JD52507-32	2V93136.D	10/03/22 16:10	n/a	MW-17-40
JD52507-34	2V93137.D	10/03/22 16:33	n/a	MW-26A
ZZZZZZ	2V93138.D	10/03/22 16:57	n/a	(unrelated sample)
ZZZZZZ	2V93139.D	10/03/22 17:20	n/a	(unrelated sample)
JD52730-7MS	2V93140.D	10/03/22 17:43	n/a	Matrix Spike
JD52730-7MSD	2V93141.D	10/03/22 18:07	n/a	Matrix Spike Duplicate
JD52507-30	2V93142.D	10/03/22 18:30	n/a	MW-3B
ZZZZZZ	2V93144.D	10/03/22 19:16	n/a	(unrelated sample)
ZZZZZZ	2V93145.D	10/03/22 19:39	n/a	(unrelated sample)
JD52507-35	2V93146.D	10/03/22 20:03	n/a	MW-25A
ZZZZZZ	2V93147.D	10/03/22 20:26	n/a	(unrelated sample)
ZZZZZZ	2V93148.D	10/03/22 20:49	n/a	(unrelated sample)
ZZZZZZ	2V93149.D	10/03/22 21:13	n/a	(unrelated sample)
ZZZZZZ	2V93150.D	10/03/22 21:36	n/a	(unrelated sample)
ZZZZZZ	2V93151.D	10/03/22 21:59	n/a	(unrelated sample)
ZZZZZZ	2V93152.D	10/03/22 22:23	n/a	(unrelated sample)

Run Sequence Report

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: VL10355	**Method:** SW846 8260D	**Instrument ID:** GCMSL

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
VL10355-BFB	L342967.D	06/15/22 16:00	n/a	BFB Tune
VL10355-IC10355	L342968.D	06/15/22 16:25	n/a	Initial cal 0.2
VL10355-IC10355	L342969.D	06/15/22 16:48	n/a	Initial cal 0.5
VL10355-IC10355	L342970.D	06/15/22 17:11	n/a	Initial cal 1
VL10355-IC10355	L342971.D	06/15/22 17:35	n/a	Initial cal 2
VL10355-IC10355	L342972.D	06/15/22 17:58	n/a	Initial cal 4
VL10355-IC10355	L342973.D	06/15/22 18:22	n/a	Initial cal 8
VL10355-IC10355	L342974.D	06/15/22 18:45	n/a	Initial cal 20
VL10355-ICC10355	L342975.D	06/15/22 19:09	n/a	Initial cal 50
VL10355-IC10355	L342976.D	06/15/22 19:32	n/a	Initial cal 100
VL10355-IC10355	L342977.D	06/15/22 19:56	n/a	Initial cal 200
VL10355-ICV10355	L342980.D	06/15/22 21:06	n/a	Initial cal verification 50
VL10355-ICV10355	L342981.D	06/15/22 21:29	n/a	Initial cal verification 50
VL10355-BFB2	L342984.D	06/16/22 09:43	n/a	BFB Tune
VL10355-ICV10355	L342985.D	06/16/22 10:06	n/a	Initial cal verification 50

Run Sequence Report

Job Number: JD52507
Account: ESCVAR WSP USA Environment & Infrastructure Inc
Project: EPT, Ithaca, NY

Run ID: VL10519	**Method:** SW846 8260D	**Instrument ID:** GCMSL

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
VL10519-BFB	L347829.D	10/04/22 10:21	n/a	BFB Tune
VL10519-CC10355	L347829.D	10/04/22 10:21	n/a	Continuing cal 20
VL10519-BS	L347831.D	10/04/22 11:19	n/a	Blank Spike
VL10519-BSD	L347832.D	10/04/22 11:42	n/a	Blank Spike Duplicate
VL10519-MB	L347834.D	10/04/22 12:29	n/a	Method Blank
JD52507-37	L347836.D	10/04/22 13:25	n/a	EXB-11
JD52507-37	L347837.D	10/04/22 13:48	n/a	EXB-11
ZZZZZZ	L347838.D	10/04/22 14:11	n/a	(unrelated sample)
ZZZZZZ	L347839.D	10/04/22 14:34	n/a	(unrelated sample)
ZZZZZZ	L347840.D	10/04/22 14:58	n/a	(unrelated sample)
ZZZZZZ	L347841.D	10/04/22 15:21	n/a	(unrelated sample)
ZZZZZZ	L347842.D	10/04/22 15:44	n/a	(unrelated sample)
ZZZZZZ	L347843.D	10/04/22 16:07	n/a	(unrelated sample)
ZZZZZZ	L347844.D	10/04/22 16:31	n/a	(unrelated sample)
ZZZZZZ	L347845.D	10/04/22 16:54	n/a	(unrelated sample)
ZZZZZZ	L347846.D	10/04/22 17:17	n/a	(unrelated sample)
JD52507-37MS	L347847.D	10/04/22 17:40	n/a	Matrix Spike
JD52507-37MSD	L347848.D	10/04/22 18:03	n/a	Matrix Spike Duplicate
ZZZZZZ	L347850.D	10/04/22 18:50	n/a	(unrelated sample)
ZZZZZZ	L347851.D	10/04/22 19:13	n/a	(unrelated sample)
ZZZZZZ	L347852.D	10/04/22 19:36	n/a	(unrelated sample)
ZZZZZZ	L347853.D	10/04/22 20:00	n/a	(unrelated sample)
ZZZZZZ	L347854.D	10/04/22 20:23	n/a	(unrelated sample)
ZZZZZZ	L347858.D	10/04/22 21:56	n/a	(unrelated sample)

MS Volatiles

Raw Data

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92891.d
Acq On : 28 Sep 2022 1:16 am
Operator : KYLEM
Sample : jd52507-1
Misc : MS62506,V2V3773,5,,,,1
ALS Vial : 41 Sample Multiplier: 1

Quant Time: Sep 28 12:43:41 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.321	65	259115	500.00	ug/L	0.00
5) pentafluorobenzene	3.291	168	304001	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.752	114	420891	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	386386	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.506	152	173568	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.296	113	152014	50.15	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.30%			
51) 1,2-dichloroethane-d4 (s)	3.501	65	141331	47.36	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 94.72%			
73) toluene-d8 (s)	4.696	98	483525	50.84	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.68%			
97) 4-bromofluorobenzene (s)	6.636	95	148942	48.06	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.12%			
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92891.d
Acq On : 28 Sep 2022 1:16 am
Operator : KYLEM
Sample : jd52507-1
Misc : MS62506,V2V3773,5,,,,1
ALS Vial : 41 Sample Multiplier: 1

Quant Time: Sep 28 12:43:41 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92889.d
Acq On : 28 Sep 2022 12:30 am
Operator : KYLEM
Sample : jd52507-2
Misc : MS62506,V2V3773,5,,,,1
ALS Vial : 39 Sample Multiplier: 1

Quant Time: Sep 28 12:08:14 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.321	65	262754	500.00	ug/L	0.00
5) pentafluorobenzene	3.286	168	309123	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.752	114	430501	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	390501	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.506	152	179945	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.291	113	155132	50.33	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.66%			
51) 1,2-dichloroethane-d4 (s)	3.495	65	146457	47.98	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 95.96%			
73) toluene-d8 (s)	4.696	98	491763	51.16	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.32%			
97) 4-bromofluorobenzene (s)	6.636	95	147547	45.92	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 91.84%			
Target Compounds						Qvalue
21) carbon disulfide	2.237	76	3395	0.49	ug/L	88
41) chloroform	3.202	83	11218	2.04	ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92889.d
Acq On : 28 Sep 2022 12:30 am
Operator : KYLEM
Sample : jd52507-2
Misc : MS62506,V2V3773,5,,,,1
ALS Vial : 39 Sample Multiplier: 1

Quant Time: Sep 28 12:08:14 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration







#21
carbon disulfide
Concen: 0.49 ug/L
RT: 2.237 min Scan# 410
Delta R.T. 0.010 min
Lab File: 2v92889.d
Acq: 28 Sep 2022 12:30 am

Tgt Ion: 76 Resp: 3395

Ion	Ratio	Lower	Upper
76	100		
78	14.7	0.0	39.3
44	14.3	0.0	49.2






#41
chloroform
Concen: 2.04 ug/L
RT: 3.202 min Scan# 594
Delta R.T. -0.000 min
Lab File: 2v92889.d
Acq: 28 Sep 2022 12:30 am

Tgt Ion: 83 Resp: 11218

Ion	Ratio	Lower	Upper
83	100		
85	58.2	35.9	95.9
47	26.9	0.0	56.5



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10022022\v2a9581\
Data File : 2a220398.d
Acq On : 29 Sep 2022 1:11 pm
Operator : nicoleh
Sample : jd52507-3 Inst : GCMS2A
Misc : MS62506,V2A9581,5,,,,10
ALS Vial : 10 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 02 22:59:03 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	7.246	65	443314	500.00	ug/L	0.00
5) pentafluorobenzene	9.505	168	682677	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.433	114	1029103	50.00	ug/L	0.00
72) chlorobenzene-d5	13.563	117	988712	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.886	152	470514	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.505	168	681677	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.537	113	338316	52.65	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 105.30%			
51) 1,2-dichloroethane-d4 (s)	9.951	65	412694	43.14	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 86.28%			
73) toluene-d8 (s)	12.059	98	1187231	49.02	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.04%			
97) 4-bromofluorobenzene (s)	14.722	95	485545	55.78	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 111.56%			
Target Compounds						Qvalue
9) vinyl chloride	4.572	62	2939422	323.91	ug/L	100
17) 1,1-dichloroethene	6.595	96	2959	0.58	ug/L #	55
25) trans-1,2-dichloroethene	7.686	96	58221	10.14	ug/L	98
36) cis-1,2-dichloroethene	8.965	96	1553786	246.11	ug/L	95
40) chloroform	9.348	83	2655	0.23	ug/L	92
59) trichloroethene	10.748	95	23053	3.30	ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10022022\v2a9581\
Data File : 2a220398.d
Acq On : 29 Sep 2022 1:11 pm
Operator : nicoleh
Sample : jd52507-3 Inst : GCMS2A
Misc : MS62506,V2A9581,5,,,,10
ALS Vial : 10 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 02 22:59:03 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 323.91 ug/L
RT: 4.572 min Scan# 226
Delta R.T. -0.001 min
Lab File: 2a220398.d
Acq: 29 Sep 2022 1:11 pm

Tgt Ion: 62 Resp: 2939422

Ion	Ratio	Lower	Upper
62	100		
64	32.1	2.1	62.1
61	8.5	0.0	38.8







#17
1,1-dichloroethene
Concen: 0.58 ug/L
RT: 6.595 min Scan# 612
Delta R.T. -0.006 min
Lab File: 2a220398.d
Acq: 29 Sep 2022 1:11 pm

Tgt Ion: 96 Resp: 2959

Ion	Ratio	Lower	Upper
96	100		
61	118.1	161.1	221.1#
63	38.6	32.6	92.6







#25
trans-1,2-dichloroethene
Concen: 10.14 ug/L
RT: 7.686 min Scan# 820
Delta R.T. 0.002 min
Lab File: 2a220398.d
Acq: 29 Sep 2022 1:11 pm

Tgt Ion: 96 Resp: 58221

Ion	Ratio	Lower	Upper
96	100		
61	158.0	130.0	190.0
98	64.8	31.6	91.6







#36
cis-1,2-dichloroethene
Concen: 246.11 ug/L
RT: 8.965 min Scan# 1064
Delta R.T. -0.006 min
Lab File: 2a220398.d
Acq: 29 Sep 2022 1:11 pm

Tgt Ion: 96 Resp: 1553786

Ion	Ratio	Lower	Upper
96	100		
61	143.9	122.7	182.7
98	65.5	34.0	94.0







#40
chloroform
Concen: 0.23 ug/L
RT: 9.348 min Scan# 1137
Delta R.T. 0.000 min
Lab File: 2a220398.d
Acq: 29 Sep 2022 1:11 pm

Tgt Ion: 83 Resp: 2655

Ion	Ratio	Lower	Upper
83	100		
85	66.8	34.2	94.2
47	22.7	2.7	62.7






#59
trichloroethene
Concen: 3.30 ug/L
RT: 10.748 min Scan# 1404
Delta R.T. 0.004 min
Lab File: 2a220398.d
Acq: 29 Sep 2022 1:11 pm

Tgt Ion: 95 Resp: 23053

Ion	Ratio	Lower	Upper
95	100		
130	90.3	71.9	131.9
132	98.0	64.7	124.7



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92892.d
Acq On : 28 Sep 2022 1:39 am
Operator : KYLEM
Sample : jd52507-3
Misc : MS62506,V2V3773,5,,,,50
ALS Vial : 42 Sample Multiplier: 1

Quant Time: Sep 28 12:44:25 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.321	65	263141	500.00	ug/L	0.00
5) pentafluorobenzene	3.291	168	302819	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.753	114	419684	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	387065	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.501	152	175763	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.296	113	150656	49.89	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.78%			
51) 1,2-dichloroethane-d4 (s)	3.496	65	141390	47.51	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 95.02%			
73) toluene-d8 (s)	4.696	98	481292	50.52	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.04%			
97) 4-bromofluorobenzene (s)	6.636	95	144641	46.09	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 92.18%			
Target Compounds						Qvalue
9) vinyl chloride	1.456	62	352562	84.99	ug/L	98
25) trans-1,2-dichloroethene	2.494	96	5110	1.96	ug/L	81
36) cis-1,2-dichloroethene	3.029	96	145735	48.41	ug/L	93
59) trichloroethene	3.910	95	1876	0.63	ug/L	87


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92892.d
Acq On : 28 Sep 2022 1:39 am
Operator : KYLEM
Sample : jd52507-3
Misc : MS62506,V2V3773,5,,,,50
ALS Vial : 42 Sample Multiplier: 1

Quant Time: Sep 28 12:44:25 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 84.99 ug/L
RT: 1.456 min Scan# 261
Delta R.T. 0.010 min
Lab File: 2v92892.d
Acq: 28 Sep 2022 1:39 am

Tgt Ion: 62 Resp: 352562

Ion	Ratio	Lower	Upper
62	100		
64	33.4	2.1	62.1
61	8.3	0.0	38.8







#25
trans-1,2-dichloroethene
Concen: 1.96 ug/L
RT: 2.494 min Scan# 459
Delta R.T. 0.010 min
Lab File: 2v92892.d
Acq: 28 Sep 2022 1:39 am

Tgt Ion: 96 Resp: 5110

Ion	Ratio	Lower	Upper
96	100		
61	103.5	100.1	160.1
98	56.9	34.6	94.6







#36
cis-1,2-dichloroethene
Concen: 48.41 ug/L
RT: 3.029 min Scan# 561
Delta R.T. 0.005 min
Lab File: 2v92892.d
Acq: 28 Sep 2022 1:39 am

Tgt Ion: 96 Resp: 145735

Ion	Ratio	Lower	Upper
96	100		
61	117.6	95.8	155.8
98	67.1	32.6	92.6






#59
trichloroethene
Concen: 0.63 ug/L
RT: 3.910 min Scan# 729
Delta R.T. 0.005 min
Lab File: 2v92892.d
Acq: 28 Sep 2022 1:39 am

Tgt Ion: 95 Resp: 1876

Ion	Ratio	Lower	Upper
95	100		
130	97.3	80.3	140.3
132	118.7	75.3	135.3



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92893.d
Acq On : 28 Sep 2022 2:03 am
Operator : KYLEM
Sample : jd52507-4
Misc : MS62506,V2V3773,5,,,,1
ALS Vial : 43 Sample Multiplier: 1

Quant Time: Sep 28 12:46:56 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.321	65	184804	500.00	ug/L	0.00
5) pentafluorobenzene	3.291	168	297828	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.753	114	405152	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	370486	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.507	152	171437	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.291	113	147505	49.67	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.34%			
51) 1,2-dichloroethane-d4 (s)	3.496	65	134461	46.81	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 93.62%			
73) toluene-d8 (s)	4.696	98	466962	51.21	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.42%			
97) 4-bromofluorobenzene (s)	6.636	95	141114	46.10	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 92.20%			
Target Compounds						Qvalue
18) acetone	2.101	58	2482	6.46	ug/L	91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92893.d
Acq On : 28 Sep 2022 2:03 am
Operator : KYLEM
Sample : jd52507-4
Misc : MS62506,V2V3773,5,,,,1
ALS Vial : 43 Sample Multiplier: 1

Quant Time: Sep 28 12:46:56 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration






#18
acetone
Concen: 6.46 ug/L
RT: 2.101 min Scan# 384
Delta R.T. 0.005 min
Lab File: 2v92893.d
Acq: 28 Sep 2022 2:03 am

Tgt Ion: 58 Resp: 2482

Ion	Ratio	Lower	Upper
58	100		
43	372.8	322.3	382.3



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92894.d
Acq On : 28 Sep 2022 2:26 am
Operator : KYLEM
Sample : jd52507-5
Misc : MS62506,V2V3773,5,,,,1
ALS Vial : 44 Sample Multiplier: 1

Quant Time: Sep 28 12:48:17 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.321	65	235540	500.00	ug/L	0.00
5) pentafluorobenzene	3.291	168	296411	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.753	114	406433	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	371107	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.507	152	171921	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.296	113	146350	49.51	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.02%			
51) 1,2-dichloroethane-d4 (s)	3.501	65	136308	47.30	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 94.60%			
73) toluene-d8 (s)	4.696	98	468276	51.27	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.54%			
97) 4-bromofluorobenzene (s)	6.636	95	140337	45.72	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 91.44%			
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92894.d
Acq On : 28 Sep 2022 2:26 am
Operator : KYLEM
Sample : jd52507-5
Misc : MS62506,V2V3773,5,,,,1
ALS Vial : 44 Sample Multiplier: 1

Quant Time: Sep 28 12:48:17 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92885.d
Acq On : 27 Sep 2022 10:57 pm
Operator : KYLEM
Sample : jd52507-6
Misc : MS62506,V2V3773,5,,,,1
ALS Vial : 35 Sample Multiplier: 1

Quant Time: Oct 03 09:55:19 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.321	65	244634	500.00	ug/L	0.00
5) pentafluorobenzene	3.291	168	301852	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.753	114	416821	50.00	ug/L	0.00
72) chlorobenzene-d5	5.735	117	377006	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.507	152	170005	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.297	113	148127	49.21	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.42%			
51) 1,2-dichloroethane-d4 (s)	3.501	65	134856	45.63	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 91.26%			
73) toluene-d8 (s)	4.696	98	476974	51.40	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.80%			
97) 4-bromofluorobenzene (s)	6.636	95	143066	47.13	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 94.26%			
Target Compounds						Qvalue
36) cis-1,2-dichloroethene	3.029	96	8501	2.83	ug/L	85
45) cyclohexane	3.375	84	4303	1.21	ug/L #	81
53) benzene	3.527	78	6727	0.67	ug/L	93
65) methylcyclohexane	4.067	83	3531	0.96	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92885.d
Acq On : 27 Sep 2022 10:57 pm
Operator : KYLEM
Sample : jd52507-6
Misc : MS62506,V2V3773,5,,,,1
ALS Vial : 35 Sample Multiplier: 1

Quant Time: Oct 03 09:55:19 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration







#36
cis-1,2-dichloroethene
Concen: 2.83 ug/L
RT: 3.029 min Scan# 561
Delta R.T. 0.005 min
Lab File: 2v92885.d
Acq: 27 Sep 2022 10:57 pm

Tgt Ion: 96 Resp: 8501

Ion	Ratio	Lower	Upper
96	100		
61	141.6	95.8	155.8
98	75.2	32.6	92.6







#45
cyclohexane
Concen: 1.21 ug/L
RT: 3.375 min Scan# 627
Delta R.T. 0.005 min
Lab File: 2v92885.d
Acq: 27 Sep 2022 10:57 pm

Tgt Ion: 84 Resp: 4303

Ion	Ratio	Lower	Upper
84	100		
69	40.8	14.8	54.8
39	52.4	42.9	82.9
56	204.2	221.2	261.2#







#53
benzene
Concen: 0.67 ug/L
RT: 3.527 min Scan# 656
Delta R.T. 0.005 min
Lab File: 2v92885.d
Acq: 27 Sep 2022 10:57 pm

Tgt Ion: 78 Resp: 6727

Ion	Ratio	Lower	Upper
78	100		
77	28.5	0.0	53.9
52	15.7	0.0	44.0






#65
methylcyclohexane
Concen: 0.96 ug/L
RT: 4.067 min Scan# 759
Delta R.T. 0.005 min
Lab File: 2v92885.d
Acq: 27 Sep 2022 10:57 pm

Tgt Ion: 83 Resp: 3531

Ion	Ratio	Lower	Upper
83	100		
55	73.9	45.6	105.6
98	50.0	17.4	77.4



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92895.d
Acq On : 28 Sep 2022 2:49 am
Operator : KYLEM
Sample : jd52507-7
Misc : MS62506,V2V3773,5,,,,1
ALS Vial : 45 Sample Multiplier: 1

Quant Time: Sep 28 12:53:22 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.316	65	245320	500.00	ug/L	0.00
5) pentafluorobenzene	3.286	168	294732	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.752	114	411000	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	373966	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.507	152	167973	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.291	113	145687	49.57	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.14%			
51) 1,2-dichloroethane-d4 (s)	3.496	65	136663	46.90	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 93.80%			
73) toluene-d8 (s)	4.696	98	466392	50.67	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.34%			
97) 4-bromofluorobenzene (s)	6.636	95	139498	46.51	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 93.02%			
Target Compounds						Qvalue
36) cis-1,2-dichloroethene	3.029	96	22935	7.83	ug/L	91
41) chloroform	3.202	83	3301	0.63	ug/L	94
44) 1,1,1-trichloroethane	3.317	97	2589	0.58	ug/L #	65
59) trichloroethene	3.910	95	102584	35.14	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92895.d
Acq On : 28 Sep 2022 2:49 am
Operator : KYLEM
Sample : jd52507-7
Misc : MS62506,V2V3773,5,,,,1
ALS Vial : 45 Sample Multiplier: 1

Quant Time: Sep 28 12:53:22 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration







#36
cis-1,2-dichloroethene
Concen: 7.83 ug/L
RT: 3.029 min Scan# 561
Delta R.T. 0.005 min
Lab File: 2v92895.d
Acq: 28 Sep 2022 2:49 am

Tgt Ion: 96 Resp: 22935

Ion	Ratio	Lower	Upper
96	100		
61	113.7	95.8	155.8
98	67.6	32.6	92.6







#41
chloroform
Concen: 0.63 ug/L
RT: 3.202 min Scan# 594
Delta R.T. -0.000 min
Lab File: 2v92895.d
Acq: 28 Sep 2022 2:49 am

Tgt Ion: 83 Resp: 3301

Ion	Ratio	Lower	Upper
83	100		
85	72.2	35.9	95.9
47	25.6	0.0	56.5







#44
1,1,1-trichloroethane
Concen: 0.58 ug/L
RT: 3.317 min Scan# 616
Delta R.T. -0.001 min
Lab File: 2v92895.d
Acq: 28 Sep 2022 2:49 am

Tgt Ion: 97 Resp: 2589

Ion	Ratio	Lower	Upper
97	100		
99	107.8	35.4	95.4#
61	47.4	12.9	72.9






#59
trichloroethene
Concen: 35.14 ug/L
RT: 3.910 min Scan# 729
Delta R.T. 0.005 min
Lab File: 2v92895.d
Acq: 28 Sep 2022 2:49 am

Tgt Ion: 95 Resp: 102584

Ion	Ratio	Lower	Upper
95	100		
130	112.1	80.3	140.3
132	112.0	75.3	135.3



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-03-22\v1a9705\
Data File : 1a226614.d
Acq On : 30 Sep 2022 2:33 pm
Operator : nickw
Sample : jd52507-8 Inst : MSDTEST1A
Misc : MS62506, V1A9705,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Oct 03 08:18:39 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Sep 29 14:48:46 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert Butyl Alcohol-d9	2.912	65	213080	500.00	ug/L	0.00
5) pentafluorobenzene	3.932	168	441314	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.401	114	660227	50.00	ug/L	0.00
72) chlorobenzene-d5	6.291	117	551414	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.844	152	206661	50.00	ug/L	0.00
124) pentafluorobenzene(a)	3.932	168	441314	50.00	ug/L	0.00
127) 1,4-dichlorobenzene-d4(a)	7.844	152	206661	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.948	113	193022	49.63	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.26%			
52) 1,2-dichloroethane-d4 (s)	4.157	65	227969	49.86	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.72%			
73) toluene-d8 (s)	5.315	98	765696	51.62	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 103.24%			
97) 4-bromofluorobenzene (s)	7.083	95	214976	50.14	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.28%			
Target Compounds						Qvalue
9) vinyl chloride	1.859	62	103353	19.14	ug/L	96
11) bromomethane	2.106	96	2237	0.69	ug/L	77
17) 1,1-dichloroethene	2.661	96	1864	0.61	ug/L #	59
18) acetone	2.665	58	1768	4.56	ug/L #	69
26) trans-1,2-dichloroethene	3.104	96	5514	1.68	ug/L #	78
37) cis-1,2-dichloroethene	3.675	96	1660281	450.69	ug/L	93
59) trichloroethene	4.561	95	17139	4.72	ug/L	87


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-03-22\v1a9705\
Data File : 1a226614.d
Acq On : 30 Sep 2022 2:33 pm
Operator : nickw
Sample : jd52507-8 Inst : MSDTEST1A
Misc : MS62506, V1A9705,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Oct 03 08:18:39 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Sep 29 14:48:46 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 19.14 ug/L
RT: 1.859 min Scan# 117
Delta R.T. -0.004 min
Lab File: 1a226614.d
Acq: 30 Sep 2022 2:33 pm

Tgt Ion: 62 Resp: 103353

Ion	Ratio	Lower	Upper
62	100		
64	30.0	2.4	62.4
61	8.6	0.0	39.0







#11
bromomethane
Concen: 0.69 ug/L
RT: 2.106 min Scan# 194
Delta R.T. 0.009 min
Lab File: 1a226614.d
Acq: 30 Sep 2022 2:33 pm

Tgt Ion: 96 Resp: 2237

Ion	Ratio	Lower	Upper
96	100		
94	125.8	74.0	134.0
95	0.0	0.0	44.8







#17
1,1-dichloroethene
Concen: 0.61 ug/L
RT: 2.661 min Scan# 367
Delta R.T. -0.001 min
Lab File: 1a226614.d
Acq: 30 Sep 2022 2:33 pm

Tgt Ion: 96 Resp: 1864

Ion	Ratio	Lower	Upper
96	100		
61	81.4	119.4	179.4#
63	47.6	17.6	77.6







#18
acetone
Concen: 4.56 ug/L
RT: 2.665 min Scan# 368
Delta R.T. -0.003 min
Lab File: 1a226614.d
Acq: 30 Sep 2022 2:33 pm

Tgt Ion: 58 Resp: 1768

Ion	Ratio	Lower	Upper
58	100		
43	252.1	285.7	345.7#







#26
trans-1,2-dichloroethene
Concen: 1.68 ug/L
RT: 3.104 min Scan# 505
Delta R.T. 0.000 min
Lab File: 1a226614.d
Acq: 30 Sep 2022 2:33 pm

Tgt Ion: 96 Resp: 5514

Ion	Ratio	Lower	Upper
96	100		
61	160.9	98.1	158.1#
98	72.1	33.9	93.9







#37
cis-1,2-dichloroethene
Concen: 450.69 ug/L
RT: 3.675 min Scan# 683
Delta R.T. -0.004 min
Lab File: 1a226614.d
Acq: 30 Sep 2022 2:33 pm

Tgt Ion: 96 Resp: 1660281

Ion	Ratio	Lower	Upper
96	100		
61	114.9	95.4	155.4
98	64.8	32.9	92.9






#59
trichloroethene
Concen: 4.72 ug/L
RT: 4.561 min Scan# 959
Delta R.T. 0.000 min
Lab File: 1a226614.d
Acq: 30 Sep 2022 2:33 pm

Tgt Ion: 95 Resp: 17139

Ion	Ratio	Lower	Upper
95	100		
130	88.8	70.0	130.0
132	82.8	67.1	127.1



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-03-22\v1a9705\
Data File : 1a226617.d
Acq On : 30 Sep 2022 3:45 pm
Operator : nickw
Sample : jd52507-8 Inst : MSDTEST1A
Misc : MS62506, V1A9705,5,,,,10
ALS Vial : 14 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Oct 03 08:25:43 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Sep 29 14:48:46 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert Butyl Alcohol-d9	2.915	65	224579	500.00	ug/L	0.00
5) pentafluorobenzene	3.932	168	425197	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.401	114	615758	50.00	ug/L	0.00
72) chlorobenzene-d5	6.291	117	523619	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.844	152	180153	50.00	ug/L	0.00
124) pentafluorobenzene(a)	3.932	168	425197	50.00	ug/L	0.00
127) 1,4-dichlorobenzene-d4(a)	7.844	152	180153	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.948	113	185758	49.58	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.16%			
52) 1,2-dichloroethane-d4 (s)	4.157	65	213327	50.03	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.06%			
73) toluene-d8 (s)	5.315	98	718050	50.98	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.96%			
97) 4-bromofluorobenzene (s)	7.083	95	200355	53.60	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 107.20%			
Target Compounds						Qvalue
9) vinyl chloride	1.866	62	10074	1.94	ug/L	92
37) cis-1,2-dichloroethene	3.679	96	159927	45.06	ug/L	96
59) trichloroethene	4.558	95	1854	0.55	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-03-22\v1a9705\
Data File : 1a226617.d
Acq On : 30 Sep 2022 3:45 pm
Operator : nickw
Sample : jd52507-8 Inst : MSDTEST1A
Misc : MS62506, V1A9705,5,,,,10
ALS Vial : 14 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Oct 03 08:25:43 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Sep 29 14:48:46 2022
Response via : Initial Calibration




M1A9688.M Mon Oct 03 18:38:53 2022 Page: 2




#9
vinyl chloride
Concen: 1.94 ug/L
RT: 1.866 min Scan# 119
Delta R.T. 0.003 min
Lab File: 1a226617.d
Acq: 30 Sep 2022 3:45 pm

Tgt Ion: 62 Resp: 10074

Ion	Ratio	Lower	Upper
62	100		
64	26.5	2.4	62.4
61	9.0	0.0	39.0







#37
cis-1,2-dichloroethene
Concen: 45.06 ug/L
RT: 3.679 min Scan# 684
Delta R.T. -0.000 min
Lab File: 1a226617.d
Acq: 30 Sep 2022 3:45 pm

Tgt Ion: 96 Resp: 159927

Ion	Ratio	Lower	Upper
96	100		
61	118.8	95.4	155.4
98	63.4	32.9	92.9






#59
trichloroethene
Concen: 0.55 ug/L
RT: 4.558 min Scan# 958
Delta R.T. -0.003 min
Lab File: 1a226617.d
Acq: 30 Sep 2022 3:45 pm

Tgt Ion: 95 Resp: 1854

Ion	Ratio	Lower	Upper
95	100		
130	95.1	70.0	130.0
132	94.0	67.1	127.1



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93013.d
Acq On : 30 Sep 2022 2:41 am
Operator : KYLEM
Sample : jd52507-9 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,1
ALS Vial : 45 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 01:50:36 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.316	65	255341	500.00	ug/L	0.00
5) pentafluorobenzene	3.285	168	305342	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.747	114	422601	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	391473	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.506	152	173178	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.291	113	152885	50.21	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.42%			
51) 1,2-dichloroethane-d4 (s)	3.495	65	139816	46.66	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 93.32%			
73) toluene-d8 (s)	4.696	98	490058	50.86	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.72%			
97) 4-bromofluorobenzene (s)	6.636	95	146625	47.42	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 94.84%			
Target Compounds						Qvalue
36) cis-1,2-dichloroethene	3.029	96	30453	10.03	ug/L	90
59) trichloroethene	3.909	95	16789	5.59	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93013.d
Acq On : 30 Sep 2022 2:41 am
Operator : KYLEM
Sample : jd52507-9 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,1
ALS Vial : 45 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 01:50:36 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration







#36
cis-1,2-dichloroethene
Concen: 10.03 ug/L
RT: 3.029 min Scan# 561
Delta R.T. 0.005 min
Lab File: 2v93013.d
Acq: 30 Sep 2022 2:41 am

Tgt Ion: 96 Resp: 30453

Ion	Ratio	Lower	Upper
96	100		
61	111.4	95.8	155.8
98	66.8	32.6	92.6






#59
trichloroethene
Concen: 5.59 ug/L
RT: 3.909 min Scan# 729
Delta R.T. 0.004 min
Lab File: 2v93013.d
Acq: 30 Sep 2022 2:41 am

Tgt Ion: 95 Resp: 16789

Ion	Ratio	Lower	Upper
95	100		
130	116.0	80.3	140.3
132	102.6	75.3	135.3



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-03-22\v1a9705\
Data File : 1a226613.d
Acq On : 30 Sep 2022 2:09 pm
Operator : nickw
Sample : jd52507-10 Inst : MSDTEST1A
Misc : MS62506, V1A9705,5,,,,20
ALS Vial : 10 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Oct 03 08:16:41 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Sep 29 14:48:46 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert Butyl Alcohol-d9	2.918	65	207860	500.00	ug/L	0.00
5) pentafluorobenzene	3.932	168	419297	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.398	114	424623	50.00	ug/L	0.00
72) chlorobenzene-d5	6.291	117	551439	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.844	152	209853	50.00	ug/L	0.00
124) pentafluorobenzene(a)	3.932	168	419297	50.00	ug/L	0.00
127) 1,4-dichlorobenzene-d4(a)	7.844	152	209853	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.948	113	182659	49.43	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.86%			
52) 1,2-dichloroethane-d4 (s)	4.163	65	170399	57.95	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 115.90%			
73) toluene-d8 (s)	5.315	98	774156	52.19	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 104.38%			
97) 4-bromofluorobenzene (s)	7.083	95	209801	48.19	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.38%			
Target Compounds						Qvalue
9) vinyl chloride	1.863	62	247352	48.21	ug/L	99
22) carbon disulfide	2.822	76	2362	0.27	ug/L	69
26) trans-1,2-dichloroethene	3.108	96	6551	2.10	ug/L	93
37) cis-1,2-dichloroethene	3.676	96	2159962	617.12	ug/L	93
59) trichloroethene	4.564	95	127760	54.70	ug/L	95
65) methylcyclohexane	4.719	83	1263	0.35	ug/L #	58

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-03-22\v1a9705\
Data File : 1a226613.d
Acq On : 30 Sep 2022 2:09 pm
Operator : nickw
Sample : jd52507-10 Inst : MSDTEST1A
Misc : MS62506, V1A9705,5,,,,20
ALS Vial : 10 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Oct 03 08:16:41 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Sep 29 14:48:46 2022
Response via : Initial Calibration




M1A9688.M Mon Oct 03 18:38:38 2022 Page: 2




#9
vinyl chloride
Concen: 48.21 ug/L
RT: 1.863 min Scan# 118
Delta R.T. -0.000 min
Lab File: 1a226613.d
Acq: 30 Sep 2022 2:09 pm

Tgt Ion: 62 Resp: 247352

Ion	Ratio	Lower	Upper
62	100		
64	32.6	2.4	62.4
61	8.6	0.0	39.0







#22
carbon disulfide
Concen: 0.27 ug/L
RT: 2.822 min Scan# 417
Delta R.T. 0.003 min
Lab File: 1a226613.d
Acq: 30 Sep 2022 2:09 pm

Tgt Ion: 76 Resp: 2362

Ion	Ratio	Lower	Upper
76	100		
78	17.9	0.0	39.4
44	0.0	0.0	45.3







#26
trans-1,2-dichloroethene
Concen: 2.10 ug/L
RT: 3.108 min Scan# 506
Delta R.T. 0.004 min
Lab File: 1a226613.d
Acq: 30 Sep 2022 2:09 pm

Tgt Ion: 96 Resp: 6551

Ion	Ratio	Lower	Upper
96	100		
61	127.6	98.1	158.1
98	47.5	33.9	93.9







#37
cis-1,2-dichloroethene
Concen: 617.12 ug/L
RT: 3.676 min Scan# 683
Delta R.T. -0.003 min
Lab File: 1a226613.d
Acq: 30 Sep 2022 2:09 pm

Tgt Ion: 96 Resp: 2159962

Ion	Ratio	Lower	Upper
96	100		
61	115.7	95.4	155.4
98	65.4	32.9	92.9







#59
trichloroethene
Concen: 54.70 ug/L
RT: 4.564 min Scan# 960
Delta R.T. 0.003 min
Lab File: 1a226613.d
Acq: 30 Sep 2022 2:09 pm

Tgt Ion: 95 Resp: 127760

Ion	Ratio	Lower	Upper
95	100		
130	103.7	70.0	130.0
132	102.7	67.1	127.1






#65
methylcyclohexane
Concen: 0.35 ug/L
RT: 4.719 min Scan# 1008
Delta R.T. 0.004 min
Lab File: 1a226613.d
Acq: 30 Sep 2022 2:09 pm

Tgt Ion: 83 Resp: 1263

Ion	Ratio	Lower	Upper
83	100		
55	104.9	38.6	98.6#
98	71.0	15.4	75.4



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-03-22\v1a9705\
Data File : 1a226618.d
Acq On : 30 Sep 2022 4:09 pm
Operator : nickw
Sample : jd52507-10 Inst : MSDTEST1A
Misc : MS62506, V1A9705,5,,,,100
ALS Vial : 15 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Oct 03 08:27:14 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Sep 29 14:48:46 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert Butyl Alcohol-d9	2.915	65	223540	500.00	ug/L	0.00
5) pentafluorobenzene	3.932	168	426481	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.398	114	624692	50.00	ug/L	0.00
72) chlorobenzene-d5	6.291	117	528577	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.844	152	200139	50.00	ug/L	0.00
124) pentafluorobenzene(a)	3.932	168	426481	50.00	ug/L	0.00
127) 1,4-dichlorobenzene-d4(a)	7.844	152	200139	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.948	113	189524	50.43	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.86%			
52) 1,2-dichloroethane-d4 (s)	4.157	65	218563	50.53	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 101.06%			
73) toluene-d8 (s)	5.315	98	731653	51.46	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.92%			
97) 4-bromofluorobenzene (s)	7.087	95	202532	48.77	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.54%			
Target Compounds						Qvalue
9) vinyl chloride	1.863	62	49603	9.51	ug/L	97
26) trans-1,2-dichloroethene	3.098	96	1850	0.58	ug/L #	63
37) cis-1,2-dichloroethene	3.676	96	398264	111.87	ug/L	97
59) trichloroethene	4.561	95	26698	7.77	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-03-22\v1a9705\
Data File : 1a226618.d
Acq On : 30 Sep 2022 4:09 pm
Operator : nickw
Sample : jd52507-10 Inst : MSDTEST1A
Misc : MS62506, V1A9705,5,,,,100
ALS Vial : 15 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Oct 03 08:27:14 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Sep 29 14:48:46 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 9.51 ug/L
RT: 1.863 min Scan# 118
Delta R.T. -0.000 min
Lab File: 1a226618.d
Acq: 30 Sep 2022 4:09 pm

Tgt Ion: 62 Resp: 49603

Ion	Ratio	Lower	Upper
62	100		
64	30.6	2.4	62.4
61	8.6	0.0	39.0







#26
trans-1,2-dichloroethene
Concen: 0.58 ug/L
RT: 3.098 min Scan# 503
Delta R.T. -0.006 min
Lab File: 1a226618.d
Acq: 30 Sep 2022 4:09 pm

Tgt Ion: 96 Resp: 1850

Ion	Ratio	Lower	Upper
96	100		
61	79.3	98.1	158.1#
98	84.5	33.9	93.9







#37
cis-1,2-dichloroethene
Concen: 111.87 ug/L
RT: 3.676 min Scan# 683
Delta R.T. -0.003 min
Lab File: 1a226618.d
Acq: 30 Sep 2022 4:09 pm

Tgt Ion: 96 Resp: 398264

Ion	Ratio	Lower	Upper
96	100		
61	119.7	95.4	155.4
98	62.6	32.9	92.9






#59
trichloroethene
Concen: 7.77 ug/L
RT: 4.561 min Scan# 959
Delta R.T. 0.000 min
Lab File: 1a226618.d
Acq: 30 Sep 2022 4:09 pm

Tgt Ion: 95 Resp: 26698

Ion	Ratio	Lower	Upper
95	100		
130	101.8	70.0	130.0
132	91.8	67.1	127.1



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93005.d
Acq On : 29 Sep 2022 11:35 pm
Operator : KYLEM
Sample : jd52507-10 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,100
ALS Vial : 37 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 01:39:00 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.316	65	255317	500.00	ug/L	0.00
5) pentafluorobenzene	3.285	168	306997	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.747	114	422066	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	392380	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.506	152	175796	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.291	113	151448	49.47	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.94%			
51) 1,2-dichloroethane-d4 (s)	3.495	65	143251	47.87	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 95.74%			
73) toluene-d8 (s)	4.696	98	490197	50.76	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.52%			
97) 4-bromofluorobenzene (s)	6.636	95	148768	47.40	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 94.80%			
Target Compounds						Qvalue
9) vinyl chloride	1.456	62	122907	29.23	ug/L	98
20) iodomethane	2.190	142	876	2.02	ug/L	83
36) cis-1,2-dichloroethene	3.029	96	274858	90.06	ug/L	92
59) trichloroethene	3.909	95	15506	5.17	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93005.d
Acq On : 29 Sep 2022 11:35 pm
Operator : KYLEM
Sample : jd52507-10 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,100
ALS Vial : 37 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 01:39:00 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 29.23 ug/L
RT: 1.456 min Scan# 261
Delta R.T. 0.010 min
Lab File: 2v93005.d
Acq: 29 Sep 2022 11:35 pm

Tgt Ion: 62 Resp: 122907

Ion	Ratio	Lower	Upper
62	100		
64	33.1	2.1	62.1
61	8.7	0.0	38.8







#20
iodomethane
Concen: 2.02 ug/L
RT: 2.190 min Scan# 401
Delta R.T. 0.010 min
Lab File: 2v93005.d
Acq: 29 Sep 2022 11:35 pm

Tgt Ion:142 Resp: 876

Ion	Ratio	Lower	Upper
142	100		
127	39.0	16.8	76.8
141	0.0	0.0	44.0







#36
cis-1,2-dichloroethene
Concen: 90.06 ug/L
RT: 3.029 min Scan# 561
Delta R.T. 0.005 min
Lab File: 2v93005.d
Acq: 29 Sep 2022 11:35 pm

Tgt Ion: 96 Resp: 274858

Ion	Ratio	Lower	Upper
96	100		
61	112.8	95.8	155.8
98	63.3	32.6	92.6






#59
trichloroethene
Concen: 5.17 ug/L
RT: 3.909 min Scan# 729
Delta R.T. 0.004 min
Lab File: 2v93005.d
Acq: 29 Sep 2022 11:35 pm

Tgt Ion: 95 Resp: 15506

Ion	Ratio	Lower	Upper
95	100		
130	104.7	80.3	140.3
132	108.8	75.3	135.3



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93014.d
Acq On : 30 Sep 2022 3:04 am
Operator : KYLEM
Sample : jd52507-11 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,100
ALS Vial : 46 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 01:51:28 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.321	65	268744	500.00	ug/L	0.00
5) pentafluorobenzene	3.291	168	304114	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.752	114	419592	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	395174	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.506	152	182584	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.296	113	153322	50.56	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.12%			
51) 1,2-dichloroethane-d4 (s)	3.501	65	147093	49.44	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 98.88%			
73) toluene-d8 (s)	4.696	98	492650	50.65	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.30%			
97) 4-bromofluorobenzene (s)	6.636	95	151562	46.49	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 92.98%			
Target Compounds						Qvalue
9) vinyl chloride	1.461	62	373444	89.64	ug/L	97
25) trans-1,2-dichloroethene	2.494	96	2932	1.12	ug/L	94
36) cis-1,2-dichloroethene	3.029	96	441320	145.98	ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93014.d
Acq On : 30 Sep 2022 3:04 am
Operator : KYLEM
Sample : jd52507-11 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,100
ALS Vial : 46 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 01:51:28 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 89.64 ug/L
RT: 1.461 min Scan# 262
Delta R.T. 0.015 min
Lab File: 2v93014.d
Acq: 30 Sep 2022 3:04 am

Tgt Ion: 62 Resp: 373444

Ion	Ratio	Lower	Upper
62	100		
64	33.9	2.1	62.1
61	8.9	0.0	38.8







#25
trans-1,2-dichloroethene
Concen: 1.12 ug/L
RT: 2.494 min Scan# 459
Delta R.T. 0.010 min
Lab File: 2v93014.d
Acq: 30 Sep 2022 3:04 am

Tgt Ion: 96 Resp: 2932

Ion	Ratio	Lower	Upper
96	100		
61	124.9	100.1	160.1
98	56.7	34.6	94.6






#36
cis-1,2-dichloroethene
Concen: 145.98 ug/L
RT: 3.029 min Scan# 561
Delta R.T. 0.005 min
Lab File: 2v93014.d
Acq: 30 Sep 2022 3:04 am

Tgt Ion: 96 Resp: 441320

Ion	Ratio	Lower	Upper
96	100		
61	117.9	95.8	155.8
98	64.5	32.6	92.6



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220444.d
Acq On : 30 Sep 2022 12:15 pm
Operator : nicoleh
Sample : jd52507-12 Inst : GCMS2A
Misc : MS62506,V2A9583,5,,,,100
ALS Vial : 8 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 04 20:43:06 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	7.251	65	474861	500.00	ug/L	0.00
5) pentafluorobenzene	9.511	168	724826	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.433	114	1140154	50.00	ug/L	0.00
72) chlorobenzene-d5	13.563	117	1186029	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.886	152	573382	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.511	168	723990	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.537	113	377360	55.31	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 110.62%			
51) 1,2-dichloroethane-d4 (s)	9.956	65	439770	41.49	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 82.98%			
73) toluene-d8 (s)	12.059	98	1338546	46.07	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 92.14%			
97) 4-bromofluorobenzene (s)	14.722	95	588532	55.48	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 110.96%			
Target Compounds						Qvalue
9) vinyl chloride	4.572	62	80822	8.39	ug/L	96
36) cis-1,2-dichloroethene	8.970	96	210979	31.47	ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220444.d
Acq On : 30 Sep 2022 12:15 pm
Operator : nicoleh
Sample : jd52507-12 Inst : GCMS2A
Misc : MS62506,V2A9583,5,,,,100
ALS Vial : 8 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 04 20:43:06 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 8.39 ug/L
RT: 4.572 min Scan# 226
Delta R.T. -0.001 min
Lab File: 2a220444.d
Acq: 30 Sep 2022 12:15 pm

Tgt Ion: 62 Resp: 80822

Ion	Ratio	Lower	Upper
62	100		
64	29.1	2.1	62.1
61	8.9	0.0	38.8






#36
cis-1,2-dichloroethene
Concen: 31.47 ug/L
RT: 8.970 min Scan# 1065
Delta R.T. -0.000 min
Lab File: 2a220444.d
Acq: 30 Sep 2022 12:15 pm

Tgt Ion: 96 Resp: 210979

Ion	Ratio	Lower	Upper
96	100		
61	143.3	122.7	182.7
98	63.3	34.0	94.0



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93015.d
Acq On : 30 Sep 2022 3:27 am
Operator : KYLEM
Sample : jd52507-12 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,10
ALS Vial : 47 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 01:52:28 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.321	65	240805	500.00	ug/L	0.00
5) pentafluorobenzene	3.291	168	292583	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.752	114	413515	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	381604	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.506	152	174874	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.296	113	148492	50.90	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.80%			
51) 1,2-dichloroethane-d4 (s)	3.495	65	137388	46.86	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 93.72%			
73) toluene-d8 (s)	4.696	98	477240	50.81	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.62%			
97) 4-bromofluorobenzene (s)	6.636	95	144292	46.21	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 92.42%			
Target Compounds						Qvalue
9) vinyl chloride	1.456	62	446931	111.51	ug/L	99
17) 1,1-dichloroethene	2.101	61	1351	0.38	ug/L	91
25) trans-1,2-dichloroethene	2.494	96	4309	1.71	ug/L	92
36) cis-1,2-dichloroethene	3.029	96	926368	318.50	ug/L	91
59) trichloroethene	3.909	95	6763	2.30	ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93015.d
Acq On : 30 Sep 2022 3:27 am
Operator : KYLEM
Sample : jd52507-12 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,10
ALS Vial : 47 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 01:52:28 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 111.51 ug/L
RT: 1.456 min Scan# 261
Delta R.T. 0.010 min
Lab File: 2v93015.d
Acq: 30 Sep 2022 3:27 am

Tgt Ion: 62 Resp: 446931

Ion	Ratio	Lower	Upper
62	100		
64	32.9	2.1	62.1
61	8.5	0.0	38.8







#17
1,1-dichloroethene
Concen: 0.38 ug/L
RT: 2.101 min Scan# 384
Delta R.T. 0.010 min
Lab File: 2v93015.d
Acq: 30 Sep 2022 3:27 am

Tgt Ion: 61 Resp: 1351

Ion	Ratio	Lower	Upper
61	100		
96	74.6	34.7	94.7
63	33.9	2.3	62.3







#25
trans-1,2-dichloroethene
Concen: 1.71 ug/L
RT: 2.494 min Scan# 459
Delta R.T. 0.010 min
Lab File: 2v93015.d
Acq: 30 Sep 2022 3:27 am

Tgt Ion: 96 Resp: 4309

Ion	Ratio	Lower	Upper
96	100		
61	119.3	100.1	160.1
98	61.3	34.6	94.6







#36
cis-1,2-dichloroethene
Concen: 318.50 ug/L
RT: 3.029 min Scan# 561
Delta R.T. 0.005 min
Lab File: 2v93015.d
Acq: 30 Sep 2022 3:27 am

Tgt Ion: 96 Resp: 926368

Ion	Ratio	Lower	Upper
96	100		
61	112.6	95.8	155.8
98	65.2	32.6	92.6






#59
trichloroethene
Concen: 2.30 ug/L
RT: 3.909 min Scan# 729
Delta R.T. 0.004 min
Lab File: 2v93015.d
Acq: 30 Sep 2022 3:27 am

Tgt Ion: 95 Resp: 6763

Ion	Ratio	Lower	Upper
95	100		
130	100.9	80.3	140.3
132	108.4	75.3	135.3



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220446.d
Acq On : 30 Sep 2022 1:12 pm
Operator : nicoleh
Sample : jd52507-13 Inst : GCMS2A
Misc : MS62506,V2A9583,5,,,,100
ALS Vial : 10 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 04 20:58:15 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	7.251	65	491791	500.00	ug/L	0.00
5) pentafluorobenzene	9.511	168	716367	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.433	114	1127838	50.00	ug/L	0.00
72) chlorobenzene-d5	13.563	117	1176716	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.886	152	576537	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.511	168	715773	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.537	113	369088	54.73	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 109.46%			
51) 1,2-dichloroethane-d4 (s)	9.956	65	435851	41.57	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 83.14%			
73) toluene-d8 (s)	12.059	98	1325329	45.98	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 91.96%			
97) 4-bromofluorobenzene (s)	14.722	95	587170	55.05	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 110.10%			
Target Compounds						Qvalue
9) vinyl chloride	4.572	62	82660	8.68	ug/L	97
36) cis-1,2-dichloroethene	8.971	96	212111	32.02	ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220446.d
Acq On : 30 Sep 2022 1:12 pm
Operator : nicoleh
Sample : jd52507-13 Inst : GCMS2A
Misc : MS62506,V2A9583,5,,,,100
ALS Vial : 10 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 04 20:58:15 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 8.68 ug/L
RT: 4.572 min Scan# 226
Delta R.T. -0.001 min
Lab File: 2a220446.d
Acq: 30 Sep 2022 1:12 pm

Tgt Ion: 62 Resp: 82660

Ion	Ratio	Lower	Upper
62	100		
64	30.3	2.1	62.1
61	9.8	0.0	38.8






#36
cis-1,2-dichloroethene
Concen: 32.02 ug/L
RT: 8.971 min Scan# 1065
Delta R.T. -0.000 min
Lab File: 2a220446.d
Acq: 30 Sep 2022 1:12 pm

Tgt Ion: 96 Resp: 212111

Ion	Ratio	Lower	Upper
96	100		
61	141.1	122.7	182.7
98	65.0	34.0	94.0



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93016.d
Acq On : 30 Sep 2022 3:50 am
Operator : KYLEM
Sample : jd52507-13 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,10
ALS Vial : 48 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 01:53:32 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.321	65	225627	500.00	ug/L	0.00
5) pentafluorobenzene	3.291	168	297501	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.752	114	415372	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	379520	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.506	152	171164	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.296	113	145457	49.03	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.06%			
51) 1,2-dichloroethane-d4 (s)	3.501	65	133499	45.33	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 90.66%			
73) toluene-d8 (s)	4.696	98	475089	50.86	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.72%			
97) 4-bromofluorobenzene (s)	6.636	95	141308	46.24	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 92.48%			
Target Compounds						Qvalue
9) vinyl chloride	1.461	62	440739	108.15	ug/L	99
17) 1,1-dichloroethene	2.101	61	1900	0.52	ug/L	92
25) trans-1,2-dichloroethene	2.494	96	4291	1.68	ug/L	92
36) cis-1,2-dichloroethene	3.029	96	917048	310.09	ug/L	94
59) trichloroethene	3.910	95	7080	2.40	ug/L	85


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93016.d
Acq On : 30 Sep 2022 3:50 am
Operator : KYLEM
Sample : jd52507-13 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,10
ALS Vial : 48 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 01:53:32 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 108.15 ug/L
RT: 1.461 min Scan# 262
Delta R.T. 0.015 min
Lab File: 2v93016.d
Acq: 30 Sep 2022 3:50 am

Tgt Ion: 62 Resp: 440739

Ion	Ratio	Lower	Upper
62	100		
64	32.7	2.1	62.1
61	8.6	0.0	38.8







#17
1,1-dichloroethene
Concen: 0.52 ug/L
RT: 2.101 min Scan# 384
Delta R.T. 0.010 min
Lab File: 2v93016.d
Acq: 30 Sep 2022 3:50 am

Tgt Ion: 61 Resp: 1900

Ion	Ratio	Lower	Upper
61	100		
96	72.3	34.7	94.7
63	30.5	2.3	62.3







#25
trans-1,2-dichloroethene
Concen: 1.68 ug/L
RT: 2.494 min Scan# 459
Delta R.T. 0.010 min
Lab File: 2v93016.d
Acq: 30 Sep 2022 3:50 am

Tgt Ion: 96 Resp: 4291

Ion	Ratio	Lower	Upper
96	100		
61	140.3	100.1	160.1
98	60.1	34.6	94.6







#36
cis-1,2-dichloroethene
Concen: 310.09 ug/L
RT: 3.029 min Scan# 561
Delta R.T. 0.005 min
Lab File: 2v93016.d
Acq: 30 Sep 2022 3:50 am

Tgt Ion: 96 Resp: 917048

Ion	Ratio	Lower	Upper
96	100		
61	116.4	95.8	155.8
98	64.6	32.6	92.6






#59
trichloroethene
Concen: 2.40 ug/L
RT: 3.910 min Scan# 729
Delta R.T. 0.005 min
Lab File: 2v93016.d
Acq: 30 Sep 2022 3:50 am

Tgt Ion: 95 Resp: 7080

Ion	Ratio	Lower	Upper
95	100		
130	115.3	80.3	140.3
132	132.4	75.3	135.3



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93009.d
Acq On : 30 Sep 2022 1:08 am
Operator : KYLEM
Sample : jd52507-14 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,1
ALS Vial : 41 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 01:44:19 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.316	65	286132	500.00	ug/L	0.00
5) pentafluorobenzene	3.286	168	320942	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.747	114	444222	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	413502	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.506	152	189012	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.291	113	162052	50.63	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.26%			
51) 1,2-dichloroethane-d4 (s)	3.495	65	152399	48.38	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 96.76%			
73) toluene-d8 (s)	4.696	98	516197	50.72	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.44%			
97) 4-bromofluorobenzene (s)	6.636	95	157445	46.65	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 93.30%			
Target Compounds						Qvalue
41) chloroform	3.202	83	11528	2.02	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93009.d
Acq On : 30 Sep 2022 1:08 am
Operator : KYLEM
Sample : jd52507-14 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,1
ALS Vial : 41 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 01:44:19 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration






#41
chloroform
Concen: 2.02 ug/L
RT: 3.202 min Scan# 594
Delta R.T. -0.000 min
Lab File: 2v93009.d
Acq: 30 Sep 2022 1:08 am

Tgt Ion: 83 Resp: 11528

Ion	Ratio	Lower	Upper
83	100		
85	66.7	35.9	95.9
47	28.2	0.0	56.5



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\September\09-29-22\v1a9698\
Data File : 1a226450.d
Acq On : 27 Sep 2022 6:48 pm
Operator : nickw
Sample : jd52507-15 Inst : MSDTEST1A
Misc : MS62506, V1A9698,5,,,,1
ALS Vial : 22 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 29 05:29:30 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert Butyl Alcohol-d9	2.918	65	261109	500.00	ug/L	0.00
5) pentafluorobenzene	3.935	168	500749	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.401	114	723474	50.00	ug/L	0.00
72) chlorobenzene-d5	6.291	117	615811	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.844	152	245276	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.948	113	219027	49.63	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.26%			
52) 1,2-dichloroethane-d4 (s)	4.157	65	247324	49.37	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 98.74%			
73) toluene-d8 (s)	5.315	98	840069	50.71	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.42%			
97) 4-bromofluorobenzene (s)	7.087	95	252937	49.70	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.40%			
Target Compounds						Qvalue
22) carbon disulfide	2.816	76	3846	0.37	ug/L	77


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\September\09-29-22\v1a9698\
Data File : 1a226450.d
Acq On : 27 Sep 2022 6:48 pm
Operator : nickw
Sample : jd52507-15 Inst : MSDTEST1A
Misc : MS62506, V1A9698,5,,,,1
ALS Vial : 22 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 29 05:29:30 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration






#22
carbon disulfide
Concen: 0.37 ug/L
RT: 2.816 min Scan# 415
Delta R.T. -0.003 min
Lab File: 1a226450.d
Acq: 27 Sep 2022 6:48 pm

Tgt Ion: 76 Resp: 3846

Ion	Ratio	Lower	Upper
76	100		
78	3.8	0.0	39.4
44	26.6	0.0	45.3



Manual Integrations APPROVED (compounds with "m" flag)
MoHui Huang
09/29/22 12:32

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\September\09-29-22\v1a9698\
Data File : 1a226451.d
Acq On : 27 Sep 2022 7:12 pm
Operator : nickw
Sample : jd52507-16 Inst : MSDTEST1A
Misc : MS62506, V1A9698,5,,,,1
ALS Vial : 23 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 29 05:28:44 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert Butyl Alcohol-d9	2.915	65	276705	500.00	ug/L	0.00
5) pentafluorobenzene	3.932	168	496183	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.401	114	708608	50.00	ug/L	0.00
72) chlorobenzene-d5	6.291	117	615191	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.844	152	244501	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.948	113	214973	49.16	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.32%			
52) 1,2-dichloroethane-d4 (s)	4.157	65	243271	49.58	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.16%			
73) toluene-d8 (s)	5.315	98	826078	49.92	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.84%			
97) 4-bromofluorobenzene (s)	7.086	95	248364	48.96	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.92%			
Target Compounds						Qvalue
9) vinyl chloride	1.869	62	2936	0.48	ug/L	83
11) bromomethane	2.103	96	2432	0.63	ug/L #	70
18) acetone	2.668	58	1971m	4.52	ug/L	
22) carbon disulfide	2.822	76	3558	0.34	ug/L	60
37) cis-1,2-dichloroethene	3.679	96	7030	1.70	ug/L	83
59) trichloroethene	4.564	95	1334	0.34	ug/L	85

(#) = qualifier out of range (m) = manual integration (+) = signals summed


7.1.22


7

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\September\09-29-22\v1a9698\
Data File : 1a226451.d
Acq On : 27 Sep 2022 7:12 pm
Operator : nickw
Sample : jd52507-16 Inst : MSDTEST1A
Misc : MS62506, V1A9698,5,,,,1
ALS Vial : 23 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 29 05:28:44 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 0.48 ug/L
RT: 1.869 min Scan# 120
Delta R.T. 0.006 min
Lab File: 1a226451.d
Acq: 27 Sep 2022 7:12 pm

Tgt Ion: 62 Resp: 2936

Ion	Ratio	Lower	Upper
62	100		
64	42.6	2.4	62.4
61	13.9	0.0	39.0







#11
bromomethane
Concen: 0.63 ug/L
RT: 2.103 min Scan# 193
Delta R.T. 0.006 min
Lab File: 1a226451.d
Acq: 27 Sep 2022 7:12 pm

Tgt Ion: 96 Resp: 2432

Ion	Ratio	Lower	Upper
96	100		
94	69.5	74.0	134.0#
95	16.6	0.0	44.8







#18
acetone
Concen: 4.52 ug/L m
RT: 2.668 min Scan# 369
Delta R.T. -0.000 min
Lab File: 1a226451.d
Acq: 27 Sep 2022 7:12 pm

Tgt Ion: 58 Resp: 1971

Ion	Ratio	Lower	Upper
58	100		
43	271.7	285.7	345.7#







#22
carbon disulfide
Concen: 0.34 ug/L
RT: 2.822 min Scan# 417
Delta R.T. 0.003 min
Lab File: 1a226451.d
Acq: 27 Sep 2022 7:12 pm

Tgt Ion: 76 Resp: 3558

Ion	Ratio	Lower	Upper
76	100		
78	4.8	0.0	39.4
44	38.9	0.0	45.3







#37
cis-1,2-dichloroethene
Concen: 1.70 ug/L
RT: 3.679 min Scan# 684
Delta R.T. -0.000 min
Lab File: 1a226451.d
Acq: 27 Sep 2022 7:12 pm

Tgt Ion: 96 Resp: 7030

Ion	Ratio	Lower	Upper
96	100		
61	109.1	95.4	155.4
98	46.4	32.9	92.9






#59
trichloroethene
Concen: 0.34 ug/L
RT: 4.564 min Scan# 960
Delta R.T. 0.003 min
Lab File: 1a226451.d
Acq: 27 Sep 2022 7:12 pm

Tgt Ion: 95 Resp: 1334

Ion	Ratio	Lower	Upper
95	100		
130	109.0	70.0	130.0
132	76.0	67.1	127.1



Manual Integration Approval Summary


Sample Number:	JD52507-16	**Method:**	SW846 8260D
Lab FileID:	1A226451.D	**Analyst approved:**	09/29/22 06:14 Renee Cofreros
Injection Time:	09/27/22 19:12	**Supervisor approved:**	09/29/22 12:32 MoHui Huang

Parameter	CAS	Sig#	R.T. (min.)	Reason
Acetone	67-64-1		2.67	Poor instrument integration

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\renee\September\09-29-22\v1a9698\
Data File : 1a226451.d
Acq On : 27 Sep 2022 7:12 pm
Operator : nickw
Sample : jd52507-16 Inst : MSDTEST1A
Misc : MS62506, V1A9698,5,,,,1
ALS Vial : 23 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 29 05:23:53 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration



TIC: 1a226451.d\data.ms

(18) acetone

2.668min (-0.000) 3.07ug/L


response 1340


Ion	Exp%	Act%
58.10	100	100
43.10	315.70	249.53#
0.00	0.00	0.00
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\renee\September\09-29-22\v1a9698\
Data File : 1a226451.d
Acq On : 27 Sep 2022 7:12 pm
Operator : nickw
Sample : jd52507-16 Inst : MSDTEST1A
Misc : MS62506, V1A9698,5,,,,1
ALS Vial : 23 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 29 05:23:53 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration







TIC: 1a226451.d\data.ms

(18) acetone

2.668min (-0.000) 4.52ug/L m

response 1971

Ion	Exp%	Act%
58.10	100	100
43.10	315.70	271.69#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\September\09-29-22\v1a9698\
Data File : 1a226452.d
Acq On : 27 Sep 2022 7:36 pm
Operator : nickw
Sample : jd52507-17 Inst : MSDTEST1A
Misc : MS62506, V1A9698,5,,,,1
ALS Vial : 24 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 29 05:31:07 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert Butyl Alcohol-d9	2.918	65	262948	500.00	ug/L	0.00
5) pentafluorobenzene	3.935	168	496747	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.401	114	710029	50.00	ug/L	0.00
72) chlorobenzene-d5	6.291	117	614276	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.844	152	252127	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.948	113	222243	50.77	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.54%			
52) 1,2-dichloroethane-d4 (s)	4.157	65	246586	50.15	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.30%			
73) toluene-d8 (s)	5.315	98	833427	50.44	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.88%			
97) 4-bromofluorobenzene (s)	7.087	95	252224	48.22	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.44%			
Target Compounds						Qvalue
22) carbon disulfide	2.822	76	4241	0.41	ug/L	83
37) cis-1,2-dichloroethene	3.682	96	6270	1.51	ug/L	85
59) trichloroethene	4.568	95	1066	0.27	ug/L	88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\September\09-29-22\v1a9698\
Data File : 1a226452.d
Acq On : 27 Sep 2022 7:36 pm
Operator : nickw
Sample : jd52507-17 Inst : MSDTEST1A
Misc : MS62506, V1A9698,5,,,,1
ALS Vial : 24 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 29 05:31:07 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration







#22
carbon disulfide
Concen: 0.41 ug/L
RT: 2.822 min Scan# 417
Delta R.T. 0.003 min
Lab File: 1a226452.d
Acq: 27 Sep 2022 7:36 pm

Tgt Ion: 76 Resp: 4241

Ion	Ratio	Lower	Upper
76	100		
78	10.9	0.0	39.4
44	25.7	0.0	45.3







#37
cis-1,2-dichloroethene
Concen: 1.51 ug/L
RT: 3.682 min Scan# 685
Delta R.T. 0.003 min
Lab File: 1a226452.d
Acq: 27 Sep 2022 7:36 pm

Tgt Ion: 96 Resp: 6270

Ion	Ratio	Lower	Upper
96	100		
61	102.2	95.4	155.4
98	66.1	32.9	92.9






#59
trichloroethene
Concen: 0.27 ug/L
RT: 4.568 min Scan# 961
Delta R.T. 0.007 min
Lab File: 1a226452.d
Acq: 27 Sep 2022 7:36 pm

Tgt Ion: 95 Resp: 1066

Ion	Ratio	Lower	Upper
95	100		
130	115.8	70.0	130.0
132	105.9	67.1	127.1



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\September\09-29-22\v1a9698\
Data File : 1a226453.d
Acq On : 27 Sep 2022 8:00 pm
Operator : nickw
Sample : jd52507-18 Inst : MSDTEST1A
Misc : MS62506, V1A9698,5,,,,1
ALS Vial : 25 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 29 05:35:12 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert Butyl Alcohol-d9	2.912	65	262469	500.00	ug/L		0.00
5) pentafluorobenzene	3.936	168	468253	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.398	114	700339	50.00	ug/L		0.00
72) chlorobenzene-d5	6.291	117	600997	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	7.844	152	245936	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	3.948	113	206743	50.10	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.20%				
52) 1,2-dichloroethane-d4 (s)	4.157	65	242717	50.05	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.10%				
73) toluene-d8 (s)	5.312	98	809251	50.06	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.12%				
97) 4-bromofluorobenzene (s)	7.083	95	249624	48.92	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.84%				
Target Compounds							Qvalue
9) vinyl chloride	1.856	62	9991	1.74	ug/L		68
18) acetone	2.665	58	1289	3.13	ug/L	#	14
22) carbon disulfide	2.816	76	4471	0.46	ug/L		92
26) trans-1,2-dichloroethene	3.104	96	1328	0.38	ug/L	#	38
37) cis-1,2-dichloroethene	3.676	96	635266	162.53	ug/L		92
42) chloroform	3.855	83	3716	0.52	ug/L		84
56) benzene	4.189	78	53064	3.67	ug/L		98
59) trichloroethene	4.558	95	960065	249.21	ug/L		97

(#) = qualifier out of range (m) = manual integration (+) = signals summed


7.1.24

7


Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\September\09-29-22\v1a9698\
Data File : 1a226453.d
Acq On : 27 Sep 2022 8:00 pm
Operator : nickw
Sample : jd52507-18 Inst : MSDTEST1A
Misc : MS62506, V1A9698,5,,,,1
ALS Vial : 25 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 29 05:35:12 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration




M1A9688.M Thu Oct 06 19:58:19 2022 Page: 2




#9
vinyl chloride
Concen: 1.74 ug/L
RT: 1.856 min Scan# 116
Delta R.T. -0.007 min
Lab File: 1a226453.d
Acq: 27 Sep 2022 8:00 pm

Tgt Ion: 62 Resp: 9991

Ion	Ratio	Lower	Upper
62	100		
64	13.4	2.4	62.4
61	0.0	0.0	39.0







#18
acetone
Concen: 3.13 ug/L
RT: 2.665 min Scan# 368
Delta R.T. -0.003 min
Lab File: 1a226453.d
Acq: 27 Sep 2022 8:00 pm

Tgt Ion: 58 Resp: 1289

Ion	Ratio	Lower	Upper
58	100		
43	141.7	285.7	345.7#







#22
carbon disulfide
Concen: 0.46 ug/L
RT: 2.816 min Scan# 415
Delta R.T. -0.003 min
Lab File: 1a226453.d
Acq: 27 Sep 2022 8:00 pm

Tgt Ion: 76 Resp: 4471

Ion	Ratio	Lower	Upper
76	100		
78	3.9	0.0	39.4
44	14.0	0.0	45.3







#26
trans-1,2-dichloroethene
Concen: 0.38 ug/L
RT: 3.104 min Scan# 505
Delta R.T. 0.000 min
Lab File: 1a226453.d
Acq: 27 Sep 2022 8:00 pm

Tgt Ion: 96 Resp: 1328

Ion	Ratio	Lower	Upper
96	100		
61	37.9	98.1	158.1#
98	41.5	33.9	93.9







#37
cis-1,2-dichloroethene
Concen: 162.53 ug/L
RT: 3.676 min Scan# 683
Delta R.T. -0.003 min
Lab File: 1a226453.d
Acq: 27 Sep 2022 8:00 pm

Tgt Ion: 96 Resp: 635266

Ion	Ratio	Lower	Upper
96	100		
61	113.2	95.4	155.4
98	64.6	32.9	92.9







#42
chloroform
Concen: 0.52 ug/L
RT: 3.855 min Scan# 739
Delta R.T. 0.000 min
Lab File: 1a226453.d
Acq: 27 Sep 2022 8:00 pm

Tgt Ion: 83 Resp: 3716

Ion	Ratio	Lower	Upper
83	100		
85	53.7	34.8	94.8
47	13.0	0.0	52.5







#56
benzene
Concen: 3.67 ug/L
RT: 4.189 min Scan# 843
Delta R.T. 0.000 min
Lab File: 1a226453.d
Acq: 27 Sep 2022 8:00 pm

Tgt Ion: 78 Resp: 53064

Ion	Ratio	Lower	Upper
78	100		
77	23.5	0.0	54.1
52	12.1	0.0	43.5






#59
trichloroethene
Concen: 249.21 ug/L
RT: 4.558 min Scan# 958
Delta R.T. -0.003 min
Lab File: 1a226453.d
Acq: 27 Sep 2022 8:00 pm

Tgt Ion: 95 Resp: 960065

Ion	Ratio	Lower	Upper
95	100		
130	104.1	70.0	130.0
132	99.0	67.1	127.1



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\davem1\10-03-22\v1x8637\
Data File : 1x200585.d
Acq On : 29 Sep 2022 12:06 pm
Operator : taylors
Sample : jd52507-18 Inst : ACC-VOA-MSX
Misc : MS62506,V1X8637,5,,,,10
ALS Vial : 8 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 06:45:16 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.439	65	347512	500.00	ug/L	0.00
5) pentafluorobenzene	3.507	168	407891	50.00	ug/L	0.00
52) 1,4-difluorobenzene	3.998	114	569573	50.00	ug/L	0.00
73) chlorobenzene-d5	6.074	117	522911	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.883	152	259572	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.507	113	185635	48.24	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.48%			
53) 1,2-dichloroethane-d4 (s)	3.726	65	213380	49.01	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 98.02%			
74) toluene-d8 (s)	4.996	98	623502	49.85	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.70%			
98) 4-bromofluorobenzene (s)	7.003	95	226265	50.21	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.42%			
Target Compounds						Qvalue
36) cis-1,2-dichloroethene	3.213	96	34881	13.11	ug/L	88
57) benzene	3.752	78	3983	0.42	ug/L	97
61) trichloroethene	4.163	130	65105	21.88	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\davem1\10-03-22\v1x8637\
Data File : 1x200585.d
Acq On : 29 Sep 2022 12:06 pm
Operator : taylors
Sample : jd52507-18 Inst : ACC-VOA-MSX
Misc : MS62506,V1X8637,5,,,,10
ALS Vial : 8 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 06:45:16 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration







#36
cis-1,2-dichloroethene
Concen: 13.11 ug/L
RT: 3.213 min Scan# 456
Delta R.T. -0.005 min
Lab File: 1x200585.d
Acq: 29 Sep 2022 12:06 pm

Tgt Ion: 96 Resp: 34881

Ion	Ratio	Lower	Upper
96	100		
61	125.0	115.4	175.4
98	64.8	36.1	96.1







#57
benzene
Concen: 0.42 ug/L
RT: 3.752 min Scan# 557
Delta R.T. -0.000 min
Lab File: 1x200585.d
Acq: 29 Sep 2022 12:06 pm

Tgt Ion: 78 Resp: 3983

Ion	Ratio	Lower	Upper
78	100		
77	25.2	0.0	53.7






#61
trichloroethene
Concen: 21.88 ug/L
RT: 4.163 min Scan# 634
Delta R.T. -0.005 min
Lab File: 1x200585.d
Acq: 29 Sep 2022 12:06 pm

Tgt Ion:130 Resp: 65105

Ion	Ratio	Lower	Upper
130	100		
132	98.4	69.7	129.7
95	83.9	57.1	117.1



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\davem1\10-03-22\v1x8637\
Data File : 1x200599.d
Acq On : 29 Sep 2022 5:32 pm
Operator : taylors
Sample : jd52507-19 Inst : ACC-VOA-MSX
Misc : MS62506,V1X8637,5,,,,1
ALS Vial : 22 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 07:06:47 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.445	65	395564	500.00	ug/L	0.00
5) pentafluorobenzene	3.507	168	428853	50.00	ug/L	0.00
52) 1,4-difluorobenzene	3.998	114	599338	50.00	ug/L	0.00
73) chlorobenzene-d5	6.074	117	549629	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.883	152	269583	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.507	113	194049	47.97	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.94%			
53) 1,2-dichloroethane-d4 (s)	3.726	65	224171	48.93	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 97.86%			
74) toluene-d8 (s)	4.996	98	652540	49.63	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.26%			
98) 4-bromofluorobenzene (s)	7.008	95	238153	50.88	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.76%			
Target Compounds						Qvalue
9) vinyl chloride	1.436	62	133965	35.40	ug/L	99
11) chloroethane	1.708	64	6093	3.64	ug/L	95
36) cis-1,2-dichloroethene	3.213	96	93428	33.39	ug/L	92
61) trichloroethene	4.169	130	1337	0.43	ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\davem1\10-03-22\v1x8637\
Data File : 1x200599.d
Acq On : 29 Sep 2022 5:32 pm
Operator : taylors
Sample : jd52507-19 Inst : ACC-VOA-MSX
Misc : MS62506,V1X8637,5,,,,1
ALS Vial : 22 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 07:06:47 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 35.40 ug/L
RT: 1.436 min Scan# 123
Delta R.T. -0.000 min
Lab File: 1x200599.d
Acq: 29 Sep 2022 5:32 pm

Tgt Ion: 62 Resp: 133965

Ion	Ratio	Lower	Upper
62	100		
64	31.8	1.4	61.4
61	8.4	0.0	38.2







#11
chloroethane
Concen: 3.64 ug/L
RT: 1.708 min Scan# 174
Delta R.T. 0.000 min
Lab File: 1x200599.d
Acq: 29 Sep 2022 5:32 pm

Tgt Ion: 64 Resp: 6093

Ion	Ratio	Lower	Upper
64	100		
66	33.7	1.5	61.5
49	33.4	0.0	59.8







#36
cis-1,2-dichloroethene
Concen: 33.39 ug/L
RT: 3.213 min Scan# 456
Delta R.T. -0.005 min
Lab File: 1x200599.d
Acq: 29 Sep 2022 5:32 pm

Tgt Ion: 96 Resp: 93428

Ion	Ratio	Lower	Upper
96	100		
61	132.0	115.4	175.4
98	64.8	36.1	96.1






#61
trichloroethene
Concen: 0.43 ug/L
RT: 4.169 min Scan# 635
Delta R.T. 0.001 min
Lab File: 1x200599.d
Acq: 29 Sep 2022 5:32 pm

Tgt Ion:130 Resp: 1337

Ion	Ratio	Lower	Upper
130	100		
132	99.7	69.7	129.7
95	100.4	57.1	117.1



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\September\09-29-22\v1a9698\
Data File : 1a226455.d
Acq On : 27 Sep 2022 8:47 pm
Operator : nickw
Sample : jd52507-20 Inst : MSDTEST1A
Misc : MS62506, V1A9698,5,,,,1
ALS Vial : 27 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 29 05:40:39 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert Butyl Alcohol-d9	2.918	65	251570	500.00	ug/L	0.00
5) pentafluorobenzene	3.935	168	489302	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.401	114	702569	50.00	ug/L	0.00
72) chlorobenzene-d5	6.291	117	588630	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.844	152	227750	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.948	113	210713	48.87	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.74%			
52) 1,2-dichloroethane-d4 (s)	4.157	65	242822	49.91	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.82%			
73) toluene-d8 (s)	5.315	98	803274	50.73	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.46%			
97) 4-bromofluorobenzene (s)	7.087	95	236979	50.15	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.30%			
Target Compounds						Qvalue
9) vinyl chloride	1.866	62	8285	1.38	ug/L	92
18) acetone	2.671	58	1380	3.21	ug/L	92
22) carbon disulfide	2.822	76	3285	0.32	ug/L	75
37) cis-1,2-dichloroethene	3.675	96	1792	0.44	ug/L	79


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\September\09-29-22\v1a9698\
Data File : 1a226455.d
Acq On : 27 Sep 2022 8:47 pm
Operator : nickw
Sample : jd52507-20 Inst : MSDTEST1A
Misc : MS62506, V1A9698,5,,,,1
ALS Vial : 27 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 29 05:40:39 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 1.38 ug/L
RT: 1.866 min Scan# 119
Delta R.T. 0.003 min
Lab File: 1a226455.d
Acq: 27 Sep 2022 8:47 pm

Tgt Ion: 62 Resp: 8285

Ion	Ratio	Lower	Upper
62	100		
64	38.0	2.4	62.4
61	8.5	0.0	39.0







#18
acetone
Concen: 3.21 ug/L
RT: 2.671 min Scan# 370
Delta R.T. 0.003 min
Lab File: 1a226455.d
Acq: 27 Sep 2022 8:47 pm

Tgt Ion: 58 Resp: 1380

Ion	Ratio	Lower	Upper
58	100		
43	331.1	285.7	345.7







#22
carbon disulfide
Concen: 0.32 ug/L
RT: 2.822 min Scan# 417
Delta R.T. 0.003 min
Lab File: 1a226455.d
Acq: 27 Sep 2022 8:47 pm

Tgt Ion: 76 Resp: 3285

Ion	Ratio	Lower	Upper
76	100		
78	0.0	0.0	39.4
44	4.9	0.0	45.3






#37
cis-1,2-dichloroethene
Concen: 0.44 ug/L
RT: 3.675 min Scan# 683
Delta R.T. -0.004 min
Lab File: 1a226455.d
Acq: 27 Sep 2022 8:47 pm

Tgt Ion: 96 Resp: 1792

Ion	Ratio	Lower	Upper
96	100		
61	148.5	95.4	155.4
98	79.4	32.9	92.9



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\September\09-29-22\v1a9698\
Data File : 1a226456.d
Acq On : 27 Sep 2022 9:11 pm
Operator : nickw
Sample : jd52507-21 Inst : MSDTEST1A
Misc : MS62506, V1A9698,5,,,,1
ALS Vial : 28 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 29 05:43:06 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert Butyl Alcohol-d9	2.918	65	238785	500.00	ug/L		0.00
5) pentafluorobenzene	3.932	168	476766	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.401	114	711250	50.00	ug/L		0.00
72) chlorobenzene-d5	6.291	117	597814	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	7.844	152	234003	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	3.948	113	208959	49.74	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.48%				
52) 1,2-dichloroethane-d4 (s)	4.157	65	245708	49.89	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.78%				
73) toluene-d8 (s)	5.315	98	821517	51.09	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.18%				
97) 4-bromofluorobenzene (s)	7.087	95	243087	50.07	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.14%				
Target Compounds							Qvalue
9) vinyl chloride	1.862	62	242046	41.49	ug/L		98
17) 1,1-dichloroethene	2.665	96	1016	0.31	ug/L	#	58
22) carbon disulfide	2.819	76	2868	0.29	ug/L		76
26) trans-1,2-dichloroethene	3.108	96	7818	2.21	ug/L		87
37) cis-1,2-dichloroethene	3.679	96	595646	149.67	ug/L		93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\September\09-29-22\v1a9698\
Data File : 1a226456.d
Acq On : 27 Sep 2022 9:11 pm
Operator : nickw
Sample : jd52507-21 Inst : MSDTEST1A
Misc : MS62506, V1A9698,5,,,,1
ALS Vial : 28 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 29 05:43:06 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 41.49 ug/L
RT: 1.862 min Scan# 118
Delta R.T. -0.001 min
Lab File: 1a226456.d
Acq: 27 Sep 2022 9:11 pm

Tgt Ion: 62 Resp: 242046

Ion	Ratio	Lower	Upper
62	100		
64	31.2	2.4	62.4
61	9.7	0.0	39.0







#17
1,1-dichloroethene
Concen: 0.31 ug/L
RT: 2.665 min Scan# 368
Delta R.T. 0.003 min
Lab File: 1a226456.d
Acq: 27 Sep 2022 9:11 pm

Tgt Ion: 96 Resp: 1016

Ion	Ratio	Lower	Upper
96	100		
61	82.8	119.4	179.4#
63	43.0	17.6	77.6







#22
carbon disulfide
Concen: 0.29 ug/L
RT: 2.819 min Scan# 416
Delta R.T. -0.000 min
Lab File: 1a226456.d
Acq: 27 Sep 2022 9:11 pm

Tgt Ion: 76 Resp: 2868

Ion	Ratio	Lower	Upper
76	100		
78	10.4	0.0	39.4
44	0.0	0.0	45.3







#26
trans-1,2-dichloroethene
Concen: 2.21 ug/L
RT: 3.108 min Scan# 506
Delta R.T. 0.004 min
Lab File: 1a226456.d
Acq: 27 Sep 2022 9:11 pm

Tgt Ion: 96 Resp: 7818

Ion	Ratio	Lower	Upper
96	100		
61	117.0	98.1	158.1
98	48.4	33.9	93.9






#37
cis-1,2-dichloroethene
Concen: 149.67 ug/L
RT: 3.679 min Scan# 684
Delta R.T. -0.000 min
Lab File: 1a226456.d
Acq: 27 Sep 2022 9:11 pm

Tgt Ion: 96 Resp: 595646

Ion	Ratio	Lower	Upper
96	100		
61	116.8	95.4	155.4
98	66.6	32.9	92.9



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\davem1\10-03-22\v1x8637\
Data File : 1x200602.d
Acq On : 29 Sep 2022 6:41 pm
Operator : taylors
Sample : jd52507-22 Inst : ACC-VOA-MSX
Misc : MS62506,V1X8637,5,,,,1
ALS Vial : 25 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 07:09:36 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.439	65	402834	500.00	ug/L	0.00
5) pentafluorobenzene	3.507	168	436374	50.00	ug/L	0.00
52) 1,4-difluorobenzene	3.998	114	605667	50.00	ug/L	0.00
73) chlorobenzene-d5	6.074	117	561581	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.883	152	276666	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.507	113	196749	47.80	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.60%			
53) 1,2-dichloroethane-d4 (s)	3.726	65	226973	49.03	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 98.06%			
74) toluene-d8 (s)	4.996	98	668887	49.79	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.58%			
98) 4-bromofluorobenzene (s)	7.008	95	241989	50.38	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.76%			
Target Compounds						Qvalue
9) vinyl chloride	1.431	62	73296	19.04	ug/L	100
36) cis-1,2-dichloroethene	3.213	96	11511	4.04	ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\davem1\10-03-22\v1x8637\
Data File : 1x200602.d
Acq On : 29 Sep 2022 6:41 pm
Operator : taylors
Sample : jd52507-22 Inst : ACC-VOA-MSX
Misc : MS62506,V1X8637,5,,,,1
ALS Vial : 25 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 07:09:36 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 19.04 ug/L
RT: 1.431 min Scan# 122
Delta R.T. -0.006 min
Lab File: 1x200602.d
Acq: 29 Sep 2022 6:41 pm

Tgt Ion: 62 Resp: 73296

Ion	Ratio	Lower	Upper
62	100		
64	31.5	1.4	61.4
61	8.5	0.0	38.2






#36
cis-1,2-dichloroethene
Concen: 4.04 ug/L
RT: 3.213 min Scan# 456
Delta R.T. -0.005 min
Lab File: 1x200602.d
Acq: 29 Sep 2022 6:41 pm

Tgt Ion: 96 Resp: 11511

Ion	Ratio	Lower	Upper
96	100		
61	134.4	115.4	175.4
98	63.7	36.1	96.1



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93010.d
Acq On : 30 Sep 2022 1:31 am
Operator : KYLEM
Sample : jd52507-23 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,1
ALS Vial : 42 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 01:47:24 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.321	65	265645	500.00	ug/L	0.00
5) pentafluorobenzene	3.291	168	313491	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.752	114	434388	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	400699	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.506	152	183632	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.296	113	156051	49.92	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.84%			
51) 1,2-dichloroethane-d4 (s)	3.495	65	148351	48.17	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 96.34%			
73) toluene-d8 (s)	4.696	98	501989	50.90	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.80%			
97) 4-bromofluorobenzene (s)	6.636	95	152261	46.44	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 92.88%			
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93010.d
Acq On : 30 Sep 2022 1:31 am
Operator : KYLEM
Sample : jd52507-23 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,1
ALS Vial : 42 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 01:47:24 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93017.d
Acq On : 30 Sep 2022 4:14 am
Operator : KYLEM
Sample : jd52507-24 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,1
ALS Vial : 49 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 01:54:17 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.316	65	266689	500.00	ug/L	0.00
5) pentafluorobenzene	3.286	168	305957	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.747	114	423774	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	391702	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.506	152	178251	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.291	113	151921	49.79	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.58%			
51) 1,2-dichloroethane-d4 (s)	3.495	65	142119	47.30	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 94.60%			
73) toluene-d8 (s)	4.696	98	489056	50.73	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.46%			
97) 4-bromofluorobenzene (s)	6.636	95	147543	46.36	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 92.72%			
Target Compounds						Qvalue
18) acetone	2.095	58	1881	4.77	ug/L	# 66


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93017.d
Acq On : 30 Sep 2022 4:14 am
Operator : KYLEM
Sample : jd52507-24 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,1
ALS Vial : 49 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 01:54:17 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration






#18
acetone
Concen: 4.77 ug/L
RT: 2.095 min Scan# 383
Delta R.T. -0.001 min
Lab File: 2v93017.d
Acq: 30 Sep 2022 4:14 am

Tgt Ion: 58 Resp: 1881

Ion	Ratio	Lower	Upper
58	100		
43	277.9	322.3	382.3#



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93018.d
Acq On : 30 Sep 2022 4:37 am
Operator : KYLEM
Sample : jd52507-25 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,1
ALS Vial : 50 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 01:55:16 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.321	65	207460	500.00	ug/L	0.00
5) pentafluorobenzene	3.291	168	284123	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.752	114	393946	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	348659	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.506	152	157176	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.296	113	139798	49.34	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.68%			
51) 1,2-dichloroethane-d4 (s)	3.501	65	127351	45.59	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 91.18%			
73) toluene-d8 (s)	4.696	98	445050	51.86	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 103.72%			
97) 4-bromofluorobenzene (s)	6.636	95	129340	46.09	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 92.18%			
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93018.d
Acq On : 30 Sep 2022 4:37 am
Operator : KYLEM
Sample : jd52507-25 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,1
ALS Vial : 50 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 01:55:16 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93019.d
Acq On : 30 Sep 2022 5:00 am
Operator : KYLEM
Sample : jd52507-26 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,1
ALS Vial : 51 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 01:58:00 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.321	65	271747	500.00	ug/L	0.00
5) pentafluorobenzene	3.291	168	302797	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.752	114	416483	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	376258	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.506	152	168043	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.296	113	147795	48.95	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.90%			
51) 1,2-dichloroethane-d4 (s)	3.500	65	136880	46.35	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 92.70%			
73) toluene-d8 (s)	4.696	98	479666	51.79	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 103.58%			
97) 4-bromofluorobenzene (s)	6.636	95	139513	46.50	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 93.00%			
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93019.d
Acq On : 30 Sep 2022 5:00 am
Operator : KYLEM
Sample : jd52507-26 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,1
ALS Vial : 51 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 01:58:00 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93020.d
Acq On : 30 Sep 2022 5:23 am
Operator : KYLEM
Sample : jd52507-27 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,1
ALS Vial : 52 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 01:58:49 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.321	65	270288	500.00	ug/L	0.00
5) pentafluorobenzene	3.291	168	302087	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.752	114	415845	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	381258	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.506	152	170177	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.291	113	148152	49.18	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.36%			
51) 1,2-dichloroethane-d4 (s)	3.495	65	136606	46.33	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 92.66%			
73) toluene-d8 (s)	4.696	98	476666	50.79	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.58%			
97) 4-bromofluorobenzene (s)	6.636	95	142147	46.78	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 93.56%			
Target Compounds						Qvalue
36) cis-1,2-dichloroethene	3.029	96	5011	1.67	ug/L	94
59) trichloroethene	3.909	95	7513	2.54	ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93020.d
Acq On : 30 Sep 2022 5:23 am
Operator : KYLEM
Sample : jd52507-27 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,1
ALS Vial : 52 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 01:58:49 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration







#36
cis-1,2-dichloroethene
Concen: 1.67 ug/L
RT: 3.029 min Scan# 561
Delta R.T. 0.005 min
Lab File: 2v93020.d
Acq: 30 Sep 2022 5:23 am

Tgt Ion: 96 Resp: 5011

Ion	Ratio	Lower	Upper
96	100		
61	119.5	95.8	155.8
98	69.0	32.6	92.6






#59
trichloroethene
Concen: 2.54 ug/L
RT: 3.909 min Scan# 729
Delta R.T. 0.004 min
Lab File: 2v93020.d
Acq: 30 Sep 2022 5:23 am

Tgt Ion: 95 Resp: 7513

Ion	Ratio	Lower	Upper
95	100		
130	103.0	80.3	140.3
132	98.4	75.3	135.3



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93021.d
Acq On : 30 Sep 2022 5:46 am
Operator : KYLEM
Sample : jd52507-28 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,1
ALS Vial : 53 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 02:00:19 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.316	65	257635	500.00	ug/L	0.00
5) pentafluorobenzene	3.286	168	302396	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.747	114	417366	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	381602	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.506	152	166050	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.291	113	149370	49.53	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.06%			
51) 1,2-dichloroethane-d4 (s)	3.495	65	134566	45.47	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 90.94%			
73) toluene-d8 (s)	4.696	98	475598	50.64	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.28%			
97) 4-bromofluorobenzene (s)	6.636	95	140500	47.39	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 94.78%			
Target Compounds						Qvalue
36) cis-1,2-dichloroethene	3.023	96	5198	1.73	ug/L	87
59) trichloroethene	3.910	95	7951	2.68	ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93021.d
Acq On : 30 Sep 2022 5:46 am
Operator : KYLEM
Sample : jd52507-28 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,1
ALS Vial : 53 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 02:00:19 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration







#36
cis-1,2-dichloroethene
Concen: 1.73 ug/L
RT: 3.023 min Scan# 560
Delta R.T. -0.001 min
Lab File: 2v93021.d
Acq: 30 Sep 2022 5:46 am

Tgt Ion: 96 Resp: 5198

Ion	Ratio	Lower	Upper
96	100		
61	141.7	95.8	155.8
98	71.0	32.6	92.6






#59
trichloroethene
Concen: 2.68 ug/L
RT: 3.910 min Scan# 729
Delta R.T. 0.005 min
Lab File: 2v93021.d
Acq: 30 Sep 2022 5:46 am

Tgt Ion: 95 Resp: 7951

Ion	Ratio	Lower	Upper
95	100		
130	112.5	80.3	140.3
132	112.7	75.3	135.3



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93022.d
Acq On : 30 Sep 2022 6:09 am
Operator : KYLEM
Sample : jd52507-29 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,50
ALS Vial : 54 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 02:01:27 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.321	65	272683	500.00	ug/L	0.00
5) pentafluorobenzene	3.291	168	300290	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.752	114	419168	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	384321	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.506	152	173151	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.296	113	148393	49.56	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.12%			
51) 1,2-dichloroethane-d4 (s)	3.500	65	140225	47.18	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 94.36%			
73) toluene-d8 (s)	4.696	98	468430	49.52	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.04%			
97) 4-bromofluorobenzene (s)	6.636	95	143948	46.56	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 93.12%			
Target Compounds						Qvalue
9) vinyl chloride	1.461	62	5589	1.36	ug/L	57
25) trans-1,2-dichloroethene	2.494	96	1641	0.64	ug/L #	74
36) cis-1,2-dichloroethene	3.029	96	341275	114.33	ug/L	93
59) trichloroethene	3.909	95	452567	152.00	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93022.d
Acq On : 30 Sep 2022 6:09 am
Operator : KYLEM
Sample : jd52507-29 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,50
ALS Vial : 54 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 02:01:27 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 1.36 ug/L
RT: 1.461 min Scan# 262
Delta R.T. 0.015 min
Lab File: 2v93022.d
Acq: 30 Sep 2022 6:09 am

Tgt Ion: 62 Resp: 5589

Ion	Ratio	Lower	Upper
62	100		
64	61.9	2.1	62.1
61	10.6	0.0	38.8







#25
trans-1,2-dichloroethene
Concen: 0.64 ug/L
RT: 2.494 min Scan# 459
Delta R.T. 0.010 min
Lab File: 2v93022.d
Acq: 30 Sep 2022 6:09 am

Tgt Ion: 96 Resp: 1641

Ion	Ratio	Lower	Upper
96	100		
61	88.2	100.1	160.1#
98	60.9	34.6	94.6







#36
cis-1,2-dichloroethene
Concen: 114.33 ug/L
RT: 3.029 min Scan# 561
Delta R.T. 0.005 min
Lab File: 2v93022.d
Acq: 30 Sep 2022 6:09 am

Tgt Ion: 96 Resp: 341275

Ion	Ratio	Lower	Upper
96	100		
61	114.3	95.8	155.8
98	63.9	32.6	92.6






#59
trichloroethene
Concen: 152.00 ug/L
RT: 3.909 min Scan# 729
Delta R.T. 0.004 min
Lab File: 2v93022.d
Acq: 30 Sep 2022 6:09 am

Tgt Ion: 95 Resp: 452567

Ion	Ratio	Lower	Upper
95	100		
130	110.4	80.3	140.3
132	108.7	75.3	135.3



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93023.d
Acq On : 30 Sep 2022 6:32 am
Operator : KYLEM
Sample : jd52507-30 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,1
ALS Vial : 55 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 02:03:17 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.321	65	268613	500.00	ug/L	0.00
5) pentafluorobenzene	3.291	168	275233	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.752	114	397139	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	371038	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.501	152	166265	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.291	113	140931	51.35	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.70%			
51) 1,2-dichloroethane-d4 (s)	3.495	65	130557	46.36	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 92.72%			
73) toluene-d8 (s)	4.696	98	453706	49.68	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.36%			
97) 4-bromofluorobenzene (s)	6.636	95	141332	47.61	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.22%			
Target Compounds						Qvalue
9) vinyl chloride	1.456	62	414232	109.86	ug/L	99
17) 1,1-dichloroethene	2.101	61	56388	16.82	ug/L	99
21) carbon disulfide	2.237	76	3072	0.50	ug/L	83
25) trans-1,2-dichloroethene	2.494	96	351541	148.52	ug/L	98
29) 1,1-dichloroethane	2.719	63	1834	0.45	ug/L	81
36) cis-1,2-dichloroethene	3.013	96	20614971	7534.66	ug/L	73
41) chloroform	3.207	83	3941	0.80	ug/L	89
53) benzene	3.527	78	2742	0.29	ug/L	90
59) trichloroethene	3.899	95	18103585	6417.59	ug/L	93
74) toluene	4.743	92	2046	0.33	ug/L #	83
79) tetrachloroethene	5.105	164	3798	1.57	ug/L	91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93023.d
Acq On : 30 Sep 2022 6:32 am
Operator : KYLEM
Sample : jd52507-30 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,1
ALS Vial : 55 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 02:03:17 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 109.86 ug/L
RT: 1.456 min Scan# 261
Delta R.T. 0.010 min
Lab File: 2v93023.d
Acq: 30 Sep 2022 6:32 am

Tgt Ion: 62 Resp: 414232

Ion	Ratio	Lower	Upper
62	100		
64	33.0	2.1	62.1
61	8.6	0.0	38.8







#17
1,1-dichloroethene
Concen: 16.82 ug/L
RT: 2.101 min Scan# 384
Delta R.T. 0.010 min
Lab File: 2v93023.d
Acq: 30 Sep 2022 6:32 am

Tgt Ion: 61 Resp: 56388

Ion	Ratio	Lower	Upper
61	100		
96	63.5	34.7	94.7
63	31.8	2.3	62.3







#21
carbon disulfide
Concen: 0.50 ug/L
RT: 2.237 min Scan# 410
Delta R.T. 0.010 min
Lab File: 2v93023.d
Acq: 30 Sep 2022 6:32 am

Tgt Ion: 76 Resp: 3072

Ion	Ratio	Lower	Upper
76	100		
78	0.0	0.0	39.3
44	24.9	0.0	49.2







#25
trans-1,2-dichloroethene
Concen: 148.52 ug/L
RT: 2.494 min Scan# 459
Delta R.T. 0.010 min
Lab File: 2v93023.d
Acq: 30 Sep 2022 6:32 am

Tgt Ion: 96 Resp: 351541

Ion	Ratio	Lower	Upper
96	100		
61	127.9	100.1	160.1
98	63.0	34.6	94.6







#29
1,1-dichloroethane
Concen: 0.45 ug/L
RT: 2.719 min Scan# 502
Delta R.T. 0.004 min
Lab File: 2v93023.d
Acq: 30 Sep 2022 6:32 am

Tgt Ion: 63 Resp: 1834

Ion	Ratio	Lower	Upper
63	100		
65	26.4	2.2	62.2
83	0.0	0.0	45.7







#36
cis-1,2-dichloroethene
Concen: 7534.66 ug/L
RT: 3.013 min Scan# 558
Delta R.T. -0.011 min
Lab File: 2v93023.d
Acq: 30 Sep 2022 6:32 am

Tgt Ion: 96 Resp:20614971

Ion	Ratio	Lower	Upper
96	100		
61	100.0	95.8	155.8
98	90.0	32.6	92.6







#41
chloroform
Concen: 0.80 ug/L
RT: 3.207 min Scan# 595
Delta R.T. 0.005 min
Lab File: 2v93023.d
Acq: 30 Sep 2022 6:32 am

Tgt Ion: 83 Resp: 3941

Ion	Ratio	Lower	Upper
83	100		
85	60.0	35.9	95.9
47	36.1	0.0	56.5







#53
benzene
Concen: 0.29 ug/L
RT: 3.527 min Scan# 656
Delta R.T. 0.005 min
Lab File: 2v93023.d
Acq: 30 Sep 2022 6:32 am

Tgt Ion: 78 Resp: 2742

Ion	Ratio	Lower	Upper
78	100		
77	19.5	0.0	53.9
52	19.3	0.0	44.0







#59
trichloroethene
Concen: 6417.59 ug/L
RT: 3.899 min Scan# 727
Delta R.T. -0.006 min
Lab File: 2v93023.d
Acq: 30 Sep 2022 6:32 am

Tgt Ion: 95 Resp:18103585

Ion	Ratio	Lower	Upper
95	100		
130	100.0	80.3	140.3
132	100.0	75.3	135.3







#74
toluene
Concen: 0.33 ug/L
RT: 4.743 min Scan# 888
Delta R.T. 0.005 min
Lab File: 2v93023.d
Acq: 30 Sep 2022 6:32 am

Tgt Ion: 92 Resp: 2046

Ion	Ratio	Lower	Upper
92	100		
91	195.9	150.3	190.3#
65	19.8	0.0	39.6






#79
tetrachloroethene
Concen: 1.57 ug/L
RT: 5.105 min Scan# 957
Delta R.T. -0.000 min
Lab File: 2v93023.d
Acq: 30 Sep 2022 6:32 am

Tgt Ion:164 Resp: 3798

Ion	Ratio	Lower	Upper
164	100		
166	118.8	96.4	156.4
168	68.8	30.9	90.9
129	102.7	72.5	112.5



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\Ocotober2022\10-3-22\v2v3782- due today\
Data File : 2v93131.d
Acq On : 3 Oct 2022 2:14 pm
Operator : taylors
Sample : jd52507-30
Misc : MS62506,V2V3782,5,,,,20
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Oct 03 16:26:40 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.316	65	285596	500.00	ug/L	0.00
5) pentafluorobenzene	3.286	168	309605	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.747	114	453219	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	418144	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.501	152	183649	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.291	113	163101	52.83	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 105.66%			
51) 1,2-dichloroethane-d4 (s)	3.496	65	157676	49.07	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 98.14%			
73) toluene-d8 (s)	4.696	98	525130	51.02	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.04%			
97) 4-bromofluorobenzene (s)	6.636	95	161690	49.31	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.62%			
Target Compounds						Qvalue
9) vinyl chloride	1.451	62	22997	5.42	ug/L	73
17) 1,1-dichloroethene	2.090	61	2491	0.66	ug/L	98
25) trans-1,2-dichloroethene	2.484	96	6953	2.61	ug/L	95
36) cis-1,2-dichloroethene	3.024	96	1497626	486.61	ug/L	93
59) trichloroethene	3.910	95	1024819	318.34	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\Ocotober2022\10-3-22\v2v3782- due today\
Data File : 2v93131.d
Acq On : 3 Oct 2022 2:14 pm
Operator : taylors
Sample : jd52507-30
Misc : MS62506,V2V3782,5,,,,20
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Oct 03 16:26:40 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 5.42 ug/L
RT: 1.451 min Scan# 260
Delta R.T. 0.005 min
Lab File: 2v93131.d
Acq: 3 Oct 2022 2:14 pm

Tgt Ion: 62 Resp: 22997

Ion	Ratio	Lower	Upper
62	100		
64	51.6	2.1	62.1
61	8.8	0.0	38.8







#17
1,1-dichloroethene
Concen: 0.66 ug/L
RT: 2.090 min Scan# 382
Delta R.T. -0.001 min
Lab File: 2v93131.d
Acq: 3 Oct 2022 2:14 pm

Tgt Ion: 61 Resp: 2491

Ion	Ratio	Lower	Upper
61	100		
96	64.5	34.7	94.7
63	35.3	2.3	62.3







#25
trans-1,2-dichloroethene
Concen: 2.61 ug/L
RT: 2.484 min Scan# 457
Delta R.T. -0.000 min
Lab File: 2v93131.d
Acq: 3 Oct 2022 2:14 pm

Tgt Ion: 96 Resp: 6953

Ion	Ratio	Lower	Upper
96	100		
61	135.5	100.1	160.1
98	68.4	34.6	94.6







#36
cis-1,2-dichloroethene
Concen: 486.61 ug/L
RT: 3.024 min Scan# 560
Delta R.T. -0.000 min
Lab File: 2v93131.d
Acq: 3 Oct 2022 2:14 pm

Tgt Ion: 96 Resp: 1497626

Ion	Ratio	Lower	Upper
96	100		
61	115.9	95.8	155.8
98	64.7	32.6	92.6






#59
trichloroethene
Concen: 318.34 ug/L
RT: 3.910 min Scan# 729
Delta R.T. 0.005 min
Lab File: 2v93131.d
Acq: 3 Oct 2022 2:14 pm

Tgt Ion: 95 Resp: 1024819

Ion	Ratio	Lower	Upper
95	100		
130	111.8	80.3	140.3
132	111.4	75.3	135.3



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\davem1\10-05-22\v2v3782_10042022kd\
Data File : 2v93142.d
Acq On : 3 Oct 2022 6:30 pm
Operator : taylors
Sample : jd52507-30 Inst : MS2V
Misc : MS62506,V2V3782,5,,,,200
ALS Vial : 20 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 04 22:27:16 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.311	65	286667	500.00	ug/L	0.00
5) pentafluorobenzene	3.286	168	328446	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.747	114	471768	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	427614	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.501	152	186810	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.291	113	173605	53.01	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 106.02%			
51) 1,2-dichloroethane-d4 (s)	3.496	65	167247	50.00	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.00%			
73) toluene-d8 (s)	4.696	98	550960	52.35	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 104.70%			
97) 4-bromofluorobenzene (s)	6.636	95	167143	50.11	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.22%			
Target Compounds						Qvalue
9) vinyl chloride	1.446	62	2282	0.51	ug/L	# 1
25) trans-1,2-dichloroethene	2.489	96	858	0.30	ug/L	84
36) cis-1,2-dichloroethene	3.024	96	116666	35.73	ug/L	95
59) trichloroethene	3.905	95	79203	23.64	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\davem1\10-05-22\v2v3782_10042022kd\
Data File : 2v93142.d
Acq On : 3 Oct 2022 6:30 pm
Operator : taylors
Sample : jd52507-30 Inst : MS2V
Misc : MS62506,V2V3782,5,,,,200
ALS Vial : 20 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 04 22:27:16 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 0.51 ug/L
RT: 1.446 min Scan# 259
Delta R.T. -0.000 min
Lab File: 2v93142.d
Acq: 3 Oct 2022 6:30 pm

Tgt Ion: 62 Resp: 2282

Ion	Ratio	Lower	Upper
62	100		
64	207.1	2.1	62.1#
61	10.0	0.0	38.8







#25
trans-1,2-dichloroethene
Concen: 0.30 ug/L
RT: 2.489 min Scan# 458
Delta R.T. 0.005 min
Lab File: 2v93142.d
Acq: 3 Oct 2022 6:30 pm

Tgt Ion: 96 Resp: 858

Ion	Ratio	Lower	Upper
96	100		
61	111.8	100.1	160.1
98	52.7	34.6	94.6







#36
cis-1,2-dichloroethene
Concen: 35.73 ug/L
RT: 3.024 min Scan# 560
Delta R.T. -0.000 min
Lab File: 2v93142.d
Acq: 3 Oct 2022 6:30 pm

Tgt Ion: 96 Resp: 116666

Ion	Ratio	Lower	Upper
96	100		
61	120.2	95.8	155.8
98	65.5	32.6	92.6






#59
trichloroethene
Concen: 23.64 ug/L
RT: 3.905 min Scan# 728
Delta R.T. -0.000 min
Lab File: 2v93142.d
Acq: 3 Oct 2022 6:30 pm

Tgt Ion: 95 Resp: 79203

Ion	Ratio	Lower	Upper
95	100		
130	108.2	80.3	140.3
132	107.3	75.3	135.3



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93024.d
Acq On : 30 Sep 2022 6:55 am
Operator : KYLEM
Sample : jd52507-31 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,1
ALS Vial : 56 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 02:04:33 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.316	65	261746	500.00	ug/L	0.00
5) pentafluorobenzene	3.285	168	282017	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.747	114	399087	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	367940	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.506	152	164949	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.291	113	137624	48.94	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.88%			
51) 1,2-dichloroethane-d4 (s)	3.495	65	128845	45.53	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 91.06%			
73) toluene-d8 (s)	4.696	98	450620	49.76	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.52%			
97) 4-bromofluorobenzene (s)	6.636	95	136217	46.25	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 92.50%			
Target Compounds						Qvalue
9) vinyl chloride	1.456	62	107093	27.72	ug/L	96
17) 1,1-dichloroethene	2.095	61	5081	1.48	ug/L	91
25) trans-1,2-dichloroethene	2.489	96	28273	11.66	ug/L	96
36) cis-1,2-dichloroethene	3.023	96	3720654	1327.17	ug/L	91
59) trichloroethene	3.909	95	2649826	934.76	ug/L	96
79) tetrachloroethene	5.105	164	1937	0.81	ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93024.d
Acq On : 30 Sep 2022 6:55 am
Operator : KYLEM
Sample : jd52507-31 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,1
ALS Vial : 56 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 02:04:33 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 27.72 ug/L
RT: 1.456 min Scan# 261
Delta R.T. 0.010 min
Lab File: 2v93024.d
Acq: 30 Sep 2022 6:55 am

Tgt Ion: 62 Resp: 107093

Ion	Ratio	Lower	Upper
62	100		
64	34.6	2.1	62.1
61	8.4	0.0	38.8







#17
1,1-dichloroethene
Concen: 1.48 ug/L
RT: 2.095 min Scan# 383
Delta R.T. 0.004 min
Lab File: 2v93024.d
Acq: 30 Sep 2022 6:55 am

Tgt Ion: 61 Resp: 5081

Ion	Ratio	Lower	Upper
61	100		
96	73.6	34.7	94.7
63	34.6	2.3	62.3







#25
trans-1,2-dichloroethene
Concen: 11.66 ug/L
RT: 2.489 min Scan# 458
Delta R.T. 0.005 min
Lab File: 2v93024.d
Acq: 30 Sep 2022 6:55 am

Tgt Ion: 96 Resp: 28273

Ion	Ratio	Lower	Upper
96	100		
61	125.1	100.1	160.1
98	67.4	34.6	94.6







#36
cis-1,2-dichloroethene
Concen: 1327.17 ug/L
RT: 3.023 min Scan# 560
Delta R.T. -0.001 min
Lab File: 2v93024.d
Acq: 30 Sep 2022 6:55 am

Tgt Ion: 96 Resp: 3720654

Ion	Ratio	Lower	Upper
96	100		
61	112.8	95.8	155.8
98	66.4	32.6	92.6







#59
trichloroethene
Concen: 934.76 ug/L
RT: 3.909 min Scan# 729
Delta R.T. 0.004 min
Lab File: 2v93024.d
Acq: 30 Sep 2022 6:55 am

Tgt Ion: 95 Resp: 2649826

Ion	Ratio	Lower	Upper
95	100		
130	111.7	80.3	140.3
132	112.3	75.3	135.3






#79
tetrachloroethene
Concen: 0.81 ug/L
RT: 5.105 min Scan# 957
Delta R.T. -0.000 min
Lab File: 2v93024.d
Acq: 30 Sep 2022 6:55 am

Tgt Ion:164 Resp: 1937

Ion	Ratio	Lower	Upper
164	100		
166	127.4	96.4	156.4
168	59.1	30.9	90.9
129	92.6	72.5	112.5



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\Ocotober2022\10-3-22\v2v3782- due today\
Data File : 2v93130.d
Acq On : 3 Oct 2022 1:51 pm
Operator : taylors
Sample : jd52507-31
Misc : MS62506,V2V3782,5,,,,20
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Oct 03 16:43:18 2022
Quant Method : C:\msdchem\1\methods\m2v3747.m
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.316	65	282607	500.00	ug/L	0.00
5) pentafluorobenzene	3.286	168	314841	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.747	114	456347	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	409859	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.506	152	182303	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.291	113	164774	52.48	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 104.96%			
51) 1,2-dichloroethane-d4 (s)	3.495	65	158664	49.04	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 98.08%			
73) toluene-d8 (s)	4.696	98	530939	52.63	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 105.26%			
97) 4-bromofluorobenzene (s)	6.636	95	155645	47.82	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.64%			
Target Compounds						Qvalue
9) vinyl chloride	1.451	62	7110	1.65	ug/L	# 13
25) trans-1,2-dichloroethene	2.489	96	1394	0.51	ug/L	82
36) cis-1,2-dichloroethene	3.024	96	124375	39.74	ug/L	96
59) trichloroethene	3.910	95	89795	27.70	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\Ocotober2022\10-3-22\v2v3782- due today\
Data File : 2v93130.d
Acq On : 3 Oct 2022 1:51 pm
Operator : taylors
Sample : jd52507-31
Misc : MS62506,V2V3782,5,,,,20
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Oct 03 16:43:18 2022
Quant Method : C:\msdchem\1\methods\m2v3747.m
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 1.65 ug/L
RT: 1.451 min Scan# 260
Delta R.T. 0.005 min
Lab File: 2v93130.d
Acq: 3 Oct 2022 1:51 pm

Tgt Ion: 62 Resp: 7110

Ion	Ratio	Lower	Upper
62	100		
64	94.2	2.1	62.1#
61	8.9	0.0	38.8







#25
trans-1,2-dichloroethene
Concen: 0.51 ug/L
RT: 2.489 min Scan# 458
Delta R.T. 0.005 min
Lab File: 2v93130.d
Acq: 3 Oct 2022 1:51 pm

Tgt Ion: 96 Resp: 1394

Ion	Ratio	Lower	Upper
96	100		
61	105.6	100.1	160.1
98	55.9	34.6	94.6







#36
cis-1,2-dichloroethene
Concen: 39.74 ug/L
RT: 3.024 min Scan# 560
Delta R.T. -0.000 min
Lab File: 2v93130.d
Acq: 3 Oct 2022 1:51 pm

Tgt Ion: 96 Resp: 124375

Ion	Ratio	Lower	Upper
96	100		
61	120.1	95.8	155.8
98	64.0	32.6	92.6






#59
trichloroethene
Concen: 27.70 ug/L
RT: 3.910 min Scan# 729
Delta R.T. 0.005 min
Lab File: 2v93130.d
Acq: 3 Oct 2022 1:51 pm

Tgt Ion: 95 Resp: 89795

Ion	Ratio	Lower	Upper
95	100		
130	110.0	80.3	140.3
132	113.3	75.3	135.3



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\Ocotober2022\10-4-22\v2v3782-whole batch\
Data File : 2v93136.d
Acq On : 3 Oct 2022 4:10 pm
Operator : taylors
Sample : jd52507-32
Misc : MS62506,V2V3782,5,,,,1
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Oct 04 09:22:29 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.316	65	263793	500.00	ug/L	0.00
5) pentafluorobenzene	3.286	168	299759	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.747	114	437443	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	397534	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.506	152	172476	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.291	113	159700	53.43	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 106.86%			
51) 1,2-dichloroethane-d4 (s)	3.495	65	152528	49.18	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 98.36%			
73) toluene-d8 (s)	4.696	98	512119	52.34	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 104.68%			
97) 4-bromofluorobenzene (s)	6.636	95	150351	48.82	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.64%			
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\Ocotober2022\10-4-22\v2v3782-whole batch\
Data File : 2v93136.d
Acq On : 3 Oct 2022 4:10 pm
Operator : taylors
Sample : jd52507-32
Misc : MS62506,V2V3782,5,,,,1
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Oct 04 09:22:29 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93011.d
Acq On : 30 Sep 2022 1:54 am
Operator : KYLEM
Sample : jd52507-33 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,1
ALS Vial : 43 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 01:48:39 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.321	65	253826	500.00	ug/L	0.00
5) pentafluorobenzene	3.291	168	310857	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.752	114	429195	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	393212	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.506	152	179094	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.296	113	153739	49.60	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.20%			
51) 1,2-dichloroethane-d4 (s)	3.501	65	141075	46.36	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 92.72%			
73) toluene-d8 (s)	4.696	98	491179	50.75	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.50%			
97) 4-bromofluorobenzene (s)	6.636	95	148506	46.44	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 92.88%			
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93011.d
Acq On : 30 Sep 2022 1:54 am
Operator : KYLEM
Sample : jd52507-33 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,1
ALS Vial : 43 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 01:48:39 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\Ocotober2022\10-4-22\v2v3782-whole batch\
Data File : 2v93137.d
Acq On : 3 Oct 2022 4:33 pm
Operator : taylors
Sample : jd52507-34
Misc : MS62506,V2V3782,5,,,,1
ALS Vial : 16 Sample Multiplier: 1

Quant Time: Oct 04 09:22:59 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.316	65	269818	500.00	ug/L	0.00
5) pentafluorobenzene	3.286	168	306396	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.747	114	446064	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	405345	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.507	152	178926	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.291	113	165460	54.15	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 108.30%			
51) 1,2-dichloroethane-d4 (s)	3.496	65	157835	49.90	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.80%			
73) toluene-d8 (s)	4.696	98	520953	52.22	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 104.44%			
97) 4-bromofluorobenzene (s)	6.636	95	156145	48.88	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.76%			
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\Ocotober2022\10-4-22\v2v3782-whole batch\
Data File : 2v93137.d
Acq On : 3 Oct 2022 4:33 pm
Operator : taylors
Sample : jd52507-34
Misc : MS62506,V2V3782,5,,,,1
ALS Vial : 16 Sample Multiplier: 1

Quant Time: Oct 04 09:22:59 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\davem1\10-05-22\v2v3782_10042022kd\
Data File : 2v93146.d
Acq On : 3 Oct 2022 8:03 pm
Operator : taylors
Sample : jd52507-35 Inst : MS2V
Misc : MS62506,V2V3782,5,,,,1
ALS Vial : 24 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 04 22:33:39 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.316	65	271409	500.00	ug/L	0.00
5) pentafluorobenzene	3.286	168	314955	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.747	114	459647	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	415013	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.501	152	179324	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.291	113	167065	53.19	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 106.38%			
51) 1,2-dichloroethane-d4 (s)	3.496	65	156288	47.95	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 95.90%			
73) toluene-d8 (s)	4.696	98	531575	52.04	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 104.08%			
97) 4-bromofluorobenzene (s)	6.636	95	157054	49.05	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.10%			
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\davem1\10-05-22\v2v3782_10042022kd\
Data File : 2v93146.d
Acq On : 3 Oct 2022 8:03 pm
Operator : taylors
Sample : jd52507-35 Inst : MS2V
Misc : MS62506,V2V3782,5,,,,1
ALS Vial : 24 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 04 22:33:39 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93012.d
Acq On : 30 Sep 2022 2:17 am
Operator : KYLEM
Sample : jd52507-36 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,1
ALS Vial : 44 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 01:49:28 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.321	65	258557	500.00	ug/L	0.00
5) pentafluorobenzene	3.291	168	313694	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.752	114	431596	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	400272	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.501	152	181029	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.296	113	155004	49.55	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.10%			
51) 1,2-dichloroethane-d4 (s)	3.501	65	146618	47.91	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 95.82%			
73) toluene-d8 (s)	4.696	98	501241	50.88	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.76%			
97) 4-bromofluorobenzene (s)	6.636	95	151344	46.82	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 93.64%			
Target Compounds						Qvalue
41) chloroform	3.207	83	8051	1.44	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93012.d
Acq On : 30 Sep 2022 2:17 am
Operator : KYLEM
Sample : jd52507-36 Inst : MS2V
Misc : MS62506,V2V3777,5,,,,1
ALS Vial : 44 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 01:49:28 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration






#41
chloroform
Concen: 1.44 ug/L
RT: 3.207 min Scan# 595
Delta R.T. 0.005 min
Lab File: 2v93012.d
Acq: 30 Sep 2022 2:17 am

Tgt Ion: 83 Resp: 8051

Ion	Ratio	Lower	Upper
83	100		
85	66.4	35.9	95.9
47	29.4	0.0	56.5



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\vl10519-due today\
Data File : l347836.d
Acq On : 4 Oct 2022 1:25 pm
Operator : nicoleh
Sample : jd52507-37 Inst : GCMSL
Misc : MS62506,VL10519,5,,,,50
ALS Vial : 11 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 05 01:56:37 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	3.085	65	164823	500.00	ug/L	0.00
5) pentafluorobenzene	4.305	168	258279	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.876	114	379076	50.00	ug/L	0.00
72) chlorobenzene-d5	7.270	117	342321	50.00	ug/L	0.00
95) 1,4-dichlorobenzene-d4	9.468	152	141563	50.00	ug/L	0.00
123) pentafluorobenzene(a)	4.305	168	258728	50.00	ug/L	0.00
127) 1,4-dichlorobenzene-d4(a)	9.468	152	141646	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	4.317	113	108386	46.46	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 92.92%			
52) 1,2-dichloroethane-d4 (s)	4.565	65	126413	45.69	ug/L	-0.01
Spiked Amount 50.000	Range 81 - 124		Recovery = 91.38%			
73) toluene-d8 (s)	6.021	98	462865	49.13	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.26%			
96) 4-bromofluorobenzene (s)	8.351	95	166962	45.27	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 90.54%			
Target Compounds						Qvalue
26) trans-1,2-dichloroethene	3.307	96	1272	0.49	ug/L	84
37) cis-1,2-dichloroethene	3.981	96	106721	36.57	ug/L	90
59) trichloroethene	5.065	95	23515	8.43	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\vl10519-due today\
Data File : l347836.d
Acq On : 4 Oct 2022 1:25 pm
Operator : nicoleh
Sample : jd52507-37 Inst : GCMSL
Misc : MS62506,VL10519,5,,,,50
ALS Vial : 11 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 05 01:56:37 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration







#26
trans-1,2-dichloroethene
Concen: 0.49 ug/L
RT: 3.307 min Scan# 567
Delta R.T. -0.000 min
Lab File: l347836.d
Acq: 4 Oct 2022 1:25 pm

Tgt Ion: 96 Resp: 1272

Ion	Ratio	Lower	Upper
96	100		
61	98.4	95.2	155.2
98	60.4	31.9	91.9







#37
cis-1,2-dichloroethene
Concen: 36.57 ug/L
RT: 3.981 min Scan# 777
Delta R.T. -0.009 min
Lab File: l347836.d
Acq: 4 Oct 2022 1:25 pm

Tgt Ion: 96 Resp: 106721

Ion	Ratio	Lower	Upper
96	100		
61	111.4	98.5	158.5
98	60.6	31.8	91.8






#59
trichloroethene
Concen: 8.43 ug/L
RT: 5.065 min Scan# 1115
Delta R.T. -0.013 min
Lab File: l347836.d
Acq: 4 Oct 2022 1:25 pm

Tgt Ion: 95 Resp: 23515

Ion	Ratio	Lower	Upper
95	100		
130	89.5	57.9	117.9
132	93.5	60.6	120.6



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\vl10519-due today\
Data File : l347837.d
Acq On : 4 Oct 2022 1:48 pm
Operator : nicoleh
Sample : jd52507-37 Inst : GCMSL
Misc : MS62506,VL10519,5,,,,5
ALS Vial : 12 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 05 01:57:57 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	3.089	65	198707	500.00	ug/L	0.00
5) pentafluorobenzene	4.308	168	240170	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.876	114	355257	50.00	ug/L	0.00
72) chlorobenzene-d5	7.273	117	335453	50.00	ug/L	0.00
95) 1,4-dichlorobenzene-d4	9.468	152	139947	50.00	ug/L	0.00
123) pentafluorobenzene(a)	4.308	168	239113	50.00	ug/L	0.00
127) 1,4-dichlorobenzene-d4(a)	9.468	152	139757	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	4.318	113	102886	47.43	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 94.86%			
52) 1,2-dichloroethane-d4 (s)	4.568	65	119192	45.97	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 91.94%			
73) toluene-d8 (s)	6.021	98	449514	48.68	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.36%			
96) 4-bromofluorobenzene (s)	8.351	95	165481	45.39	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 90.78%			
Target Compounds						Qvalue
9) vinyl chloride	1.901	62	8938	2.76	ug/L	78
17) 1,1-dichloroethene	2.787	96	1112	0.50	ug/L #	52
22) carbon disulfide	2.963	76	2373	0.35	ug/L	87
26) trans-1,2-dichloroethene	3.300	96	16130	6.72	ug/L	99
37) cis-1,2-dichloroethene	3.984	96	821017	302.55	ug/L	90
59) trichloroethene	5.068	95	209244	80.00	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\vl10519-due today\
Data File : l347837.d
Acq On : 4 Oct 2022 1:48 pm
Operator : nicoleh
Sample : jd52507-37 Inst : GCMSL
Misc : MS62506,VL10519,5,,,,5
ALS Vial : 12 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 05 01:57:57 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration







#9
vinyl chloride
Concen: 2.76 ug/L
RT: 1.901 min Scan# 129
Delta R.T. 0.000 min
Lab File: l347837.d
Acq: 4 Oct 2022 1:48 pm

Tgt Ion: 62 Resp: 8938

Ion	Ratio	Lower	Upper
62	100		
64	18.3	2.8	62.8
61	5.9	0.0	39.6







#17
1,1-dichloroethene
Concen: 0.50 ug/L
RT: 2.787 min Scan# 405
Delta R.T. -0.000 min
Lab File: l347837.d
Acq: 4 Oct 2022 1:48 pm

Tgt Ion: 96 Resp: 1112

Ion	Ratio	Lower	Upper
96	100		
61	77.7	123.9	183.9#
63	40.5	21.2	81.2







#22
carbon disulfide
Concen: 0.35 ug/L
RT: 2.963 min Scan# 460
Delta R.T. 0.000 min
Lab File: l347837.d
Acq: 4 Oct 2022 1:48 pm

Tgt Ion: 76 Resp: 2373

Ion	Ratio	Lower	Upper
76	100		
78	0.0	0.0	39.6
44	14.4	0.0	42.9







#26
trans-1,2-dichloroethene
Concen: 6.72 ug/L
RT: 3.300 min Scan# 565
Delta R.T. -0.007 min
Lab File: l347837.d
Acq: 4 Oct 2022 1:48 pm

Tgt Ion: 96 Resp: 16130

Ion	Ratio	Lower	Upper
96	100		
61	125.3	95.2	155.2
98	64.1	31.9	91.9







#37
cis-1,2-dichloroethene
Concen: 302.55 ug/L
RT: 3.984 min Scan# 778
Delta R.T. -0.006 min
Lab File: l347837.d
Acq: 4 Oct 2022 1:48 pm

Tgt Ion: 96 Resp: 821017

Ion	Ratio	Lower	Upper
96	100		
61	116.0	98.5	158.5
98	67.3	31.8	91.8






#59
trichloroethene
Concen: 80.00 ug/L
RT: 5.068 min Scan# 1116
Delta R.T. -0.010 min
Lab File: l347837.d
Acq: 4 Oct 2022 1:48 pm

Tgt Ion: 95 Resp: 209244

Ion	Ratio	Lower	Upper
95	100		
130	90.3	57.9	117.9
132	89.0	60.6	120.6



Manual Integrations APPROVED (compounds with "m" flag)
Mei Chen
09/28/22 16:43

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\September\09-28-22\v1a9698\
Data File : 1a226434.d
Acq On : 27 Sep 2022 11:28 am
Operator : nickw
Sample : mb Inst : MSDTEST1A
Misc : MS62460, V1A9698,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 27 22:35:20 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert Butyl Alcohol-d9	2.915	65	249114	500.00	ug/L	0.00
5) pentafluorobenzene	3.932	168	535409	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.401	114	753518	50.00	ug/L	0.00
72) chlorobenzene-d5	6.291	117	635616	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.844	152	258091	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.948	113	228778	48.49	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.98%			
52) 1,2-dichloroethane-d4 (s)	4.157	65	258998	49.64	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.28%			
73) toluene-d8 (s)	5.315	98	863292	50.49	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.98%			
97) 4-bromofluorobenzene (s)	7.087	95	254707	47.57	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.14%			
Target Compounds						Qvalue
3) ethanol	2.411	45	2770m	89.64	ug/L	
11) bromomethane	2.103	96	2965	0.86	ug/L	89
20) iodomethane	2.764	142	1744	0.88	ug/L	74
22) carbon disulfide	2.822	76	4291	0.39	ug/L	77


(#) = qualifier out of range (m) = manual integration (+) = signals summed


7.2.1
7

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\September\09-28-22\v1a9698\
Data File : 1a226434.d
Acq On : 27 Sep 2022 11:28 am
Operator : nickw
Sample : mb Inst : MSDTEST1A
Misc : MS62460, V1A9698,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 27 22:35:20 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration







#3
ethanol
Concen: 89.64 ug/L m
RT: 2.411 min Scan# 289
Delta R.T. -0.007 min
Lab File: 1a226434.d
Acq: 27 Sep 2022 11:28 am

Tgt Ion: 45 Resp: 2770

Ion	Ratio	Lower	Upper
45	100		
46	30.2	16.2	56.2







#11
bromomethane
Concen: 0.86 ug/L
RT: 2.103 min Scan# 193
Delta R.T. 0.006 min
Lab File: 1a226434.d
Acq: 27 Sep 2022 11:28 am

Tgt Ion: 96 Resp: 2965

Ion	Ratio	Lower	Upper
96	100		
94	96.0	74.0	134.0
95	0.0	0.0	44.8







#20
iodomethane
Concen: 0.88 ug/L
RT: 2.764 min Scan# 399
Delta R.T. 0.000 min
Lab File: 1a226434.d
Acq: 27 Sep 2022 11:28 am

Tgt Ion:142 Resp: 1744

Ion	Ratio	Lower	Upper
142	100		
127	54.9	14.5	74.5
141	38.8	0.0	46.4






#22
carbon disulfide
Concen: 0.39 ug/L
RT: 2.822 min Scan# 417
Delta R.T. 0.003 min
Lab File: 1a226434.d
Acq: 27 Sep 2022 11:28 am

Tgt Ion: 76 Resp: 4291

Ion	Ratio	Lower	Upper
76	100		
78	10.0	0.0	39.4
44	0.0	0.0	45.3



Manual Integration Approval Summary


Sample Number: V1A9698-MB
Lab FileID: 1A226434.D
Injection Time: 09/27/22 11:28
Method: SW846 8260D
Analyst approved: 09/27/22 23:49 Renee Cofreros
Supervisor approved: 09/28/22 16:43 Mei Chen


Parameter	CAS	Sig#	R.T. (min.)	Reason
Ethanol	64-17-5		2.41	Poor instrument integration

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\renee\September\09-28-22\v1a9698\
Data File : 1a226434.d
Acq On : 27 Sep 2022 11:28 am
Operator : nickw
Sample : mb Inst : MSDTEST1A
Misc : MS62460, V1A9698,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 27 11:57:06 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration





TIC: 1a226434.d\data.ms

(3) ethanol

2.411min (-0.007) 63.20ug/L


response 1953


Ion	Exp%	Act%
45.10	100	100
46.20	36.20	30.17
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\renee\September\09-28-22\v1a9698\
Data File : 1a226434.d
Acq On : 27 Sep 2022 11:28 am
Operator : nickw
Sample : mb Inst : MSDTEST1A
Misc : MS62460, V1A9698,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 27 11:57:06 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration





TIC: 1a226434.d\data.ms

(3) ethanol

2.411min (-0.007) 89.64ug/L m

response 2770

Ion	Exp%	Act%
45.10	100	100
46.20	36.20	30.17
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92884.d
Acq On : 27 Sep 2022 10:33 pm
Operator : KYLEM
Sample : mb
Misc : MS62460,V2V3773,5,,,,1
ALS Vial : 34 Sample Multiplier: 1

Quant Time: Sep 28 11:46:07 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.321	65	254109	500.00	ug/L	0.00
5) pentafluorobenzene	3.286	168	320623	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.747	114	442513	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	399908	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.506	152	179762	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.291	113	159549	49.90	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.80%			
51) 1,2-dichloroethane-d4 (s)	3.495	65	148466	47.32	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 94.64%			
73) toluene-d8 (s)	4.696	98	514332	52.25	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 104.50%			
97) 4-bromofluorobenzene (s)	6.636	95	152091	47.39	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 94.78%			
Target Compounds						Qvalue
41) chloroform	3.202	83	1246	0.22	ug/L	77


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92884.d
Acq On : 27 Sep 2022 10:33 pm
Operator : KYLEM
Sample : mb
Misc : MS62460,V2V3773,5,,,,1
ALS Vial : 34 Sample Multiplier: 1

Quant Time: Sep 28 11:46:07 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration






#41
chloroform
Concen: 0.22 ug/L
RT: 3.202 min Scan# 594
Delta R.T. -0.000 min
Lab File: 2v92884.d
Acq: 27 Sep 2022 10:33 pm

Tgt Ion: 83 Resp: 1246

Ion	Ratio	Lower	Upper
83	100		
85	89.5	35.9	95.9
47	23.9	0.0	56.5



Quantitation Report (QT/LSC Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10022022\v2a9581\
Data File : 2a220394.d
Acq On : 29 Sep 2022 11:16 am
Operator : nicoleh
Sample : mb Inst : GCMS2A
Misc : MS37677,V2A9581,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 02 22:33:24 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	7.251	65	425003	500.00	ug/L	0.00
5) pentafluorobenzene	9.511	168	700235	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.433	114	1059029	50.00	ug/L	0.00
72) chlorobenzene-d5	13.563	117	1002793	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.886	152	483091	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.511	168	700235	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.537	113	342739	52.00	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 104.00%			
51) 1,2-dichloroethane-d4 (s)	9.956	65	422613	42.93	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 85.86%			
73) toluene-d8 (s)	12.059	98	1209268	49.23	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.46%			
97) 4-bromofluorobenzene (s)	14.722	95	503737	56.37	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 112.74%			
Target Compounds						Qvalue
21) carbon disulfide	6.983	76	3977	0.23	ug/L	81
40) chloroform	9.348	83	3027	0.25	ug/L	91
123) 2-methylnaphthalene	19.409	142	3228	0.29	ug/L	82


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT/LSC Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10022022\v2a9581\
Data File : 2a220394.d
Acq On : 29 Sep 2022 11:16 am
Operator : nicoleh
Sample : mb Inst : GCMS2A
Misc : MS37677,V2A9581,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 02 22:33:24 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration







#21
carbon disulfide
Concen: 0.23 ug/L
RT: 6.983 min Scan# 686
Delta R.T. -0.000 min
Lab File: 2a220394.d
Acq: 29 Sep 2022 11:16 am

Tgt Ion: 76 Resp: 3977

Ion	Ratio	Lower	Upper
76	100		
78	0.0	0.0	39.5
44	27.8	0.0	50.6







#40
chloroform
Concen: 0.25 ug/L
RT: 9.348 min Scan# 1137
Delta R.T. 0.001 min
Lab File: 2a220394.d
Acq: 29 Sep 2022 11:16 am

Tgt Ion: 83 Resp: 3027

Ion	Ratio	Lower	Upper
83	100		
85	64.9	34.2	94.2
47	19.4	2.7	62.7






#123
2-methylnaphthalene
Concen: 0.29 ug/L
RT: 19.409 min Scan# 3056
Delta R.T. 0.004 min
Lab File: 2a220394.d
Acq: 29 Sep 2022 11:16 am

Tgt Ion:142 Resp: 3228

Ion	Ratio	Lower	Upper
142	100		
141	69.5	66.1	106.1
115	23.4	12.9	52.9



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\davem1\10-03-22\v1x8637\
Data File : 1x200583.d
Acq On : 29 Sep 2022 11:20 am
Operator : taylors
Sample : mb Inst : ACC-VOA-MSX
Misc : MS46075,V1X8637,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 06:36:41 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.434	65	360446	500.00	ug/L	-0.01
5) pentafluorobenzene	3.507	168	420735	50.00	ug/L	0.00
52) 1,4-difluorobenzene	3.998	114	579189	50.00	ug/L	0.00
73) chlorobenzene-d5	6.074	117	530291	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.883	152	264239	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.507	113	188388	47.47	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 94.94%			
53) 1,2-dichloroethane-d4 (s)	3.726	65	217421	49.11	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 98.22%			
74) toluene-d8 (s)	4.996	98	631324	49.77	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.54%			
98) 4-bromofluorobenzene (s)	7.003	95	231331	50.43	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.86%			
Target Compounds						Qvalue
42) chloroform	3.411	83	758	0.17	ug/L	77
67) dibromomethane	4.393	93	199	0.12	ug/L #	67


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\davem1\10-03-22\v1x8637\
Data File : 1x200583.d
Acq On : 29 Sep 2022 11:20 am
Operator : taylors
Sample : mb Inst : ACC-VOA-MSX
Misc : MS46075,V1X8637,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Oct 03 06:36:41 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration







#42
chloroform
Concen: 0.17 ug/L
RT: 3.411 min Scan# 493
Delta R.T. -0.000 min
Lab File: 1x200583.d
Acq: 29 Sep 2022 11:20 am

Tgt Ion: 83 Resp: 758

Ion	Ratio	Lower	Upper
83	100		
85	75.7	36.3	96.3
47	0.0	0.0	56.2






#67
dibromomethane
Concen: 0.12 ug/L
RT: 4.393 min Scan# 677
Delta R.T. -0.005 min
Lab File: 1x200583.d
Acq: 29 Sep 2022 11:20 am

Tgt Ion: 93 Resp: 199

Ion	Ratio	Lower	Upper
93	100		
95	114.9	51.3	111.3#
174	137.6	76.9	136.9#



Quantitation Report (QT/LSC Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93004.d
Acq On : 29 Sep 2022 11:11 pm
Operator : KYLEM
Sample : mb Inst : MS2V
Misc : MS46075,V2V3777,5,,,,1
ALS Vial : 36 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 01:35:06 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.321	65	257981	500.00	ug/L	0.00
5) pentafluorobenzene	3.291	168	311259	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.752	114	428986	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	395248	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.506	152	178389	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.296	113	153511	49.46	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.92%			
51) 1,2-dichloroethane-d4 (s)	3.495	65	143217	47.08	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 94.16%			
73) toluene-d8 (s)	4.696	98	493442	50.72	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.44%			
97) 4-bromofluorobenzene (s)	6.636	95	149290	46.87	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 93.74%			
Target Compounds						Qvalue
18) acetone	2.101	58	293	0.73	ug/L	87
20) iodomethane	2.190	142	1053	2.10	ug/L	82
41) chloroform	3.202	83	1172	0.21	ug/L	72


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT/LSC Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93004.d
Acq On : 29 Sep 2022 11:11 pm
Operator : KYLEM
Sample : mb Inst : MS2V
Misc : MS46075,V2V3777,5,,,,1
ALS Vial : 36 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 01:35:06 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration







#18
acetone
Concen: 0.73 ug/L
RT: 2.101 min Scan# 384
Delta R.T. 0.005 min
Lab File: 2v93004.d
Acq: 29 Sep 2022 11:11 pm

Tgt Ion: 58 Resp: 293

Ion	Ratio	Lower	Upper
58	100		
43	324.9	322.3	382.3







#20
iodomethane
Concen: 2.10 ug/L
RT: 2.190 min Scan# 401
Delta R.T. 0.010 min
Lab File: 2v93004.d
Acq: 29 Sep 2022 11:11 pm

Tgt Ion:142 Resp: 1053

Ion	Ratio	Lower	Upper
142	100		
127	38.2	16.8	76.8
141	0.0	0.0	44.0






#41
chloroform
Concen: 0.21 ug/L
RT: 3.202 min Scan# 594
Delta R.T. -0.000 min
Lab File: 2v93004.d
Acq: 29 Sep 2022 11:11 pm

Tgt Ion: 83 Resp: 1172

Ion	Ratio	Lower	Upper
83	100		
85	85.4	35.9	95.9
47	45.1	0.0	56.5



Quantitation Report (QT/LSC Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220442.d
Acq On : 30 Sep 2022 11:18 am
Operator : nicoleh
Sample : mb Inst : GCMS2A
Misc : MS62546,V2A9583,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 04 20:36:55 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	7.246	65	499433	500.00	ug/L	0.00
5) pentafluorobenzene	9.505	168	738634	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.433	114	1157020	50.00	ug/L	0.00
72) chlorobenzene-d5	13.563	117	1184465	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.886	152	576964	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.505	168	738109	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.537	113	380735	54.76	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 109.52%			
51) 1,2-dichloroethane-d4 (s)	9.951	65	445144	41.38	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 82.76%			
73) toluene-d8 (s)	12.059	98	1335343	46.02	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 92.04%			
97) 4-bromofluorobenzene (s)	14.722	95	588872	55.17	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 110.34%			
Target Compounds						Qvalue
21) carbon disulfide	6.978	76	5073	0.28	ug/L	82
40) chloroform	9.343	83	1660	0.13	ug/L #	63
120) naphthalene	18.172	128	3451	0.13	ug/L	81
121) 1,2,3-trichlorobenzene	18.397	180	1813	0.18	ug/L	76
123) 2-methylnaphthalene	19.404	142	3607	0.27	ug/L #	77


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT/LSC Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220442.d
Acq On : 30 Sep 2022 11:18 am
Operator : nicoleh
Sample : mb Inst : GCMS2A
Misc : MS62546,V2A9583,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 04 20:36:55 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration







#21
carbon disulfide
Concen: 0.28 ug/L
RT: 6.978 min Scan# 685
Delta R.T. -0.005 min
Lab File: 2a220442.d
Acq: 30 Sep 2022 11:18 am

Tgt Ion: 76 Resp: 5073

Ion	Ratio	Lower	Upper
76	100		
78	14.2	0.0	39.5
44	11.2	0.0	50.6







#40
chloroform
Concen: 0.13 ug/L
RT: 9.343 min Scan# 1136
Delta R.T. -0.005 min
Lab File: 2a220442.d
Acq: 30 Sep 2022 11:18 am

Tgt Ion: 83 Resp: 1660

Ion	Ratio	Lower	Upper
83	100		
85	43.1	34.2	94.2
47	0.0	2.7	62.7#







#120
naphthalene
Concen: 0.13 ug/L
RT: 18.172 min Scan# 2820
Delta R.T. 0.001 min
Lab File: 2a220442.d
Acq: 30 Sep 2022 11:18 am

Tgt Ion:128 Resp: 3451

Ion	Ratio	Lower	Upper
128	100		
129	0.0	0.0	41.7
127	10.0	0.0	43.8







#121
1,2,3-trichlorobenzene
Concen: 0.18 ug/L
RT: 18.397 min Scan# 2863
Delta R.T. 0.002 min
Lab File: 2a220442.d
Acq: 30 Sep 2022 11:18 am

Tgt Ion:180 Resp: 1813

Ion	Ratio	Lower	Upper
180	100		
182	75.1	67.7	127.7
184	16.0	2.1	62.1






#123
2-methylnaphthalene
Concen: 0.27 ug/L
RT: 19.404 min Scan# 3055
Delta R.T. -0.001 min
Lab File: 2a220442.d
Acq: 30 Sep 2022 11:18 am

Tgt Ion:142 Resp: 3607

Ion	Ratio	Lower	Upper
142	100		
141	59.6	66.1	106.1#
115	36.8	12.9	52.9



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-03-22\v1a9705\
Data File : 1a226609.d
Acq On : 30 Sep 2022 12:29 pm
Operator : nickw
Sample : mb Inst : MSDTEST1A
Misc : MS62562, V1A9705,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Oct 03 07:59:49 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Sep 29 14:48:46 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert Butyl Alcohol-d9	2.915	65	205892	500.00	ug/L	0.00
5) pentafluorobenzene	3.936	168	465545	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.401	114	656905	50.00	ug/L	0.00
72) chlorobenzene-d5	6.291	117	551295	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.844	152	213217	50.00	ug/L	0.00
124) pentafluorobenzene(a)	3.936	168	465545	50.00	ug/L	0.00
127) 1,4-dichlorobenzene-d4(a)	7.844	152	213217	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.948	113	200323	48.83	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.66%			
52) 1,2-dichloroethane-d4 (s)	4.157	65	232697	51.16	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 102.32%			
73) toluene-d8 (s)	5.315	98	763749	51.50	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 103.00%			
97) 4-bromofluorobenzene (s)	7.083	95	215687	48.76	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.52%			
Target Compounds						Qvalue
11) bromomethane	2.110	96	2149	0.53	ug/L	79
20) iodomethane	2.771	142	1935	1.12	ug/L	67
22) carbon disulfide	2.819	76	2736	0.28	ug/L	68

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-03-22\v1a9705\
Data File : 1a226609.d
Acq On : 30 Sep 2022 12:29 pm
Operator : nickw
Sample : mb Inst : MSDTEST1A
Misc : MS62562, V1A9705,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Oct 03 07:59:49 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Sep 29 14:48:46 2022
Response via : Initial Calibration




M1A9688.M Mon Oct 03 18:38:23 2022 Page: 2




#11
bromomethane
Concen: 0.53 ug/L
RT: 2.110 min Scan# 195
Delta R.T. 0.013 min
Lab File: 1a226609.d
Acq: 30 Sep 2022 12:29 pm

Tgt Ion: 96 Resp: 2149

Ion	Ratio	Lower	Upper
96	100		
94	123.8	74.0	134.0
95	0.0	0.0	44.8







#20
iodomethane
Concen: 1.12 ug/L
RT: 2.771 min Scan# 401
Delta R.T. 0.007 min
Lab File: 1a226609.d
Acq: 30 Sep 2022 12:29 pm

Tgt Ion:142 Resp: 1935

Ion	Ratio	Lower	Upper
142	100		
127	24.1	14.5	74.5
141	0.0	0.0	46.4






#22
carbon disulfide
Concen: 0.28 ug/L
RT: 2.819 min Scan# 416
Delta R.T. -0.000 min
Lab File: 1a226609.d
Acq: 30 Sep 2022 12:29 pm

Tgt Ion: 76 Resp: 2736

Ion	Ratio	Lower	Upper
76	100		
78	0.0	0.0	39.4
44	0.0	0.0	45.3



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\Ocotober2022\10-3-22\v2v3782- due today\
Data File : 2v93128.d
Acq On : 3 Oct 2022 1:04 pm
Operator : taylors
Sample : mb
Misc : MS62108,V2V3782,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Oct 03 16:11:09 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.316	65	287200	500.00	ug/L	0.00
5) pentafluorobenzene	3.286	168	330941	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.747	114	475698	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	425303	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.506	152	182523	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.291	113	172124	52.16	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 104.32%			
51) 1,2-dichloroethane-d4 (s)	3.495	65	164461	48.76	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 97.52%			
73) toluene-d8 (s)	4.696	98	552057	52.74	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 105.48%			
97) 4-bromofluorobenzene (s)	6.636	95	163832	50.27	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.54%			
Target Compounds						Qvalue
18) acetone	2.096	58	463	1.08	ug/L	100
41) chloroform	3.197	83	686	0.12	ug/L	73


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\Ocotober2022\10-3-22\v2v3782- due today\
Data File : 2v93128.d
Acq On : 3 Oct 2022 1:04 pm
Operator : taylors
Sample : mb
Misc : MS62108,V2V3782,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Oct 03 16:11:09 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration







#18
acetone
Concen: 1.08 ug/L
RT: 2.096 min Scan# 383
Delta R.T. -0.000 min
Lab File: 2v93128.d
Acq: 3 Oct 2022 1:04 pm

Tgt Ion: 58 Resp: 463

Ion	Ratio	Lower	Upper
58	100		
43	351.7	322.3	382.3






#41
chloroform
Concen: 0.12 ug/L
RT: 3.197 min Scan# 593
Delta R.T. -0.005 min
Lab File: 2v93128.d
Acq: 3 Oct 2022 1:04 pm

Tgt Ion: 83 Resp: 686

Ion	Ratio	Lower	Upper
83	100		
85	83.9	35.9	95.9
47	46.1	0.0	56.5



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\vl10519-due today\
Data File : l347834.d
Acq On : 4 Oct 2022 12:29 pm
Operator : nicoleh
Sample : mb Inst : GCMSL
Misc : MS46075,VL10519,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 05 01:50:06 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	3.085	65	183429	500.00	ug/L	0.00
5) pentafluorobenzene	4.305	168	270911	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.873	114	381732	50.00	ug/L	0.00
72) chlorobenzene-d5	7.273	117	350233	50.00	ug/L	0.00
95) 1,4-dichlorobenzene-d4	9.471	152	146355	50.00	ug/L	0.00
123) pentafluorobenzene(a)	4.305	168	271358	50.00	ug/L	0.00
127) 1,4-dichlorobenzene-d4(a)	9.471	152	146333	50.00	ug/L	0.01
System Monitoring Compounds						
43) dibromofluoromethane (s)	4.314	113	117194	47.90	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.80%			
52) 1,2-dichloroethane-d4 (s)	4.568	65	128615	46.16	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 92.32%			
73) toluene-d8 (s)	6.022	98	473517	49.12	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.24%			
96) 4-bromofluorobenzene (s)	8.351	95	169743	44.52	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 89.04%			
Target Compounds						Qvalue
3) ethanol	2.517	45	4063	88.73	ug/L	72
4) tertiary butyl alcohol	3.146	59	851	1.51	ug/L	60
22) carbon disulfide	2.963	76	3179	0.41	ug/L	70
42) chloroform	4.196	83	866	0.16	ug/L	72
55) n-butyl alcohol	4.950	56	2305	12.18	ug/L	80
78) 2-hexanone	6.596	58	680	0.37	ug/L	84
108) 1,3-dichlorobenzene	9.394	146	968	0.19	ug/L	80
118) naphthalene	11.698	128	4597	0.53	ug/L	96
122) 2-methylnaphthalene	12.837	142	1563	0.50	ug/L	79


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\vl10519-due today\
Data File : l347834.d
Acq On : 4 Oct 2022 12:29 pm
Operator : nicoleh
Sample : mb Inst : GCMSL
Misc : MS46075,VL10519,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 05 01:50:06 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration







#3
ethanol
Concen: 88.73 ug/L
RT: 2.517 min Scan# 321
Delta R.T. 0.003 min
Lab File: l347834.d
Acq: 4 Oct 2022 12:29 pm

Tgt Ion: 45 Resp: 4063

Ion	Ratio	Lower	Upper
45	100		
46	21.6	18.5	58.5







#4
tertiary butyl alcohol
Concen: 1.51 ug/L
RT: 3.146 min Scan# 517
Delta R.T. -0.003 min
Lab File: l347834.d
Acq: 4 Oct 2022 12:29 pm

Tgt Ion: 59 Resp: 851

Ion	Ratio	Lower	Upper
59	100		
41	0.0	0.0	49.9
43	0.0	0.0	44.2







#22
carbon disulfide
Concen: 0.41 ug/L
RT: 2.963 min Scan# 460
Delta R.T. 0.000 min
Lab File: l347834.d
Acq: 4 Oct 2022 12:29 pm

Tgt Ion: 76 Resp: 3179

Ion	Ratio	Lower	Upper
76	100		
78	0.0	0.0	39.6
44	0.0	0.0	42.9







#42
chloroform
Concen: 0.16 ug/L
RT: 4.196 min Scan# 844
Delta R.T. -0.012 min
Lab File: l347834.d
Acq: 4 Oct 2022 12:29 pm

Tgt Ion: 83 Resp: 866

Ion	Ratio	Lower	Upper
83	100		
85	44.9	32.4	92.4
47	0.0	0.0	50.0







#55
n-butyl alcohol
Concen: 12.18 ug/L
RT: 4.950 min Scan# 1079
Delta R.T. 0.010 min
Lab File: l347834.d
Acq: 4 Oct 2022 12:29 pm

Tgt Ion: 56 Resp: 2305

Ion	Ratio	Lower	Upper
56	100		
41	56.7	38.4	98.4
55	0.0	0.0	48.6







#78
2-hexanone
Concen: 0.37 ug/L
RT: 6.596 min Scan# 1592
Delta R.T. 0.007 min
Lab File: l347834.d
Acq: 4 Oct 2022 12:29 pm

Tgt Ion: 58 Resp: 680

Ion	Ratio	Lower	Upper
58	100		
43	148.1	131.8	191.8
100	0.0	0.0	54.8







#108
1,3-dichlorobenzene
Concen: 0.19 ug/L
RT: 9.394 min Scan# 2464
Delta R.T. 0.000 min
Lab File: l347834.d
Acq: 4 Oct 2022 12:29 pm

Tgt Ion:146 Resp: 968

Ion	Ratio	Lower	Upper
146	100		
111	39.8	15.0	75.0
148	39.8	32.5	92.5







#118
naphthalene
Concen: 0.53 ug/L
RT: 11.698 min Scan# 3182
Delta R.T. 0.006 min
Lab File: l347834.d
Acq: 4 Oct 2022 12:29 pm

Tgt Ion:128 Resp: 4597

Ion	Ratio	Lower	Upper
128	100		
129	9.1	0.0	41.1
127	13.8	0.0	42.3






#122
2-methylnaphthalene
Concen: 0.50 ug/L
RT: 12.837 min Scan# 3537
Delta R.T. 0.013 min
Lab File: l347834.d
Acq: 4 Oct 2022 12:29 pm

Tgt Ion:142 Resp: 1563

Ion	Ratio	Lower	Upper
142	100		
141	59.9	59.2	99.2
115	46.6	15.6	55.6



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\September\09-28-22\v1a9698\
Data File : 1a226432.d
Acq On : 27 Sep 2022 10:32 am
Operator : nickw
Sample : bs Inst : MSDTEST1A
Misc : MS62471, V1A9698,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 27 11:01:36 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert Butyl Alcohol-d9	2.918	65	242635	500.00	ug/L	0.00
5) pentafluorobenzene	3.932	168	531290	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.398	114	787935	50.00	ug/L	0.00
72) chlorobenzene-d5	6.291	117	712152	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.841	152	298500	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.948	113	231948	49.54	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.08%			
52) 1,2-dichloroethane-d4 (s)	4.157	65	257049	47.11	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 94.22%			
73) toluene-d8 (s)	5.312	98	911406	47.58	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.16%			
97) 4-bromofluorobenzene (s)	7.083	95	298020	48.12	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.24%			
Target Compounds						Qvalue
2) 1,4-dioxane	4.747	88	40049	1125.92	ug/L	98
3) ethanol	2.415	45	126137	4190.70	ug/L	96
4) tertiary butyl alcohol	2.963	59	127697	229.59	ug/L	95
6) chlorodifluoromethane	1.644	51	165065	36.79	ug/L	98
7) dichlorodifluoromethane	1.635	85	254837	38.74	ug/L	100
8) chloromethane	1.776	50	180978	38.80	ug/L	96
9) vinyl chloride	1.863	62	264004	40.61	ug/L	99
10) 1,3-butadiene	1.888	54	183175	31.91	ug/L	98
11) bromomethane	2.100	96	95326	44.51	ug/L	97
12) chloroethane	2.171	64	171272	39.79	ug/L	99
13) trichlorofluoromethane	2.338	101	359532	45.43	ug/L	98
14) ethyl ether	2.498	74	112176	44.60	ug/L	96
15) acrolein	2.588	56	40014	48.26	ug/L	91
16) freon 113	2.655	151	150206	45.17	ug/L	94
17) 1,1-dichloroethene	2.662	96	162323	43.90	ug/L	99
18) acetone	2.668	58	90634	194.06	ug/L	94
19) acetonitrile	2.835	40	135749	425.65	ug/L	92
20) iodomethane	2.764	142	108411	55.00	ug/L	99
21) iso-butyl alcohol	2.845	43	177243	428.04	ug/L	99
22) carbon disulfide	2.819	76	452916	40.99	ug/L	99
23) methylene chloride	2.944	84	187114	43.12	ug/L	99
24) methyl acetate	2.848	74	44490	43.19	ug/L	88
25) methyl tert butyl ether	3.088	73	590722	45.61	ug/L	99
26) trans-1,2-dichloroethene	3.104	96	182749	46.25	ug/L	98
27) hexane	3.255	57	242150	46.65	ug/L	97
28) di-isopropyl ether	3.342	45	537856	44.70	ug/L	92
29) ethyl tert-butyl ether	3.550	59	577452	46.34	ug/L	98
30) 2-butanone	3.650	72	138676	189.58	ug/L	97
31) 1,1-dichloroethane	3.355	63	327993	45.40	ug/L	99
32) chloroprene	3.400	53	253188	44.28	ug/L	99
33) acrylonitrile	3.069	53	86362	44.09	ug/L	92
34) vinyl acetate	3.329	86	48949	48.70	ug/L #	90
35) ethyl acetate	3.653	45	37117	43.07	ug/L	93
36) 2,2-dichloropropane	3.688	77	299387	59.38	ug/L	99
37) cis-1,2-dichloroethene	3.679	96	215108	48.50	ug/L	95
38) propionitrile	3.688	54	352366	458.13	ug/L	92
39) methyl acrylate	3.695	85	47829	48.71	ug/L #	82
40) bromochloromethane	3.814	128	109293	48.46	ug/L	97
41) tetrahydrofuran	3.823	72	41357	44.74	ug/L	83

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\September\09-28-22\v1a9698\
Data File : 1a226432.d
Acq On : 27 Sep 2022 10:32 am
Operator : nickw
Sample : bs Inst : MSDTEST1A
Misc : MS62471, V1A9698,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 27 11:01:36 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
42)	chloroform	3.855	83	361082	44.89	ug/L		99
44)	methacrylonitrile	3.778	67	111628	46.97	ug/L		99
45)	1,1,1-trichloroethane	3.977	97	316805	47.77	ug/L		93
46)	cyclohexane	4.029	84	269056	42.91	ug/L		90
47)	1,1-dichloropropene	4.064	75	265726	46.03	ug/L		97
48)	carbon tetrachloride	4.070	117	282967	49.69	ug/L		97
49)	isopropyl acetate	4.144	87	59640	48.52	ug/L	#	89
50)	tert amyl alcohol	4.131	55	51155	218.06	ug/L		98
53)	tert-amyl methyl ether	4.228	73	591318	45.65	ug/L		99
54)	2,2,4-trimethylpentane	4.231	57	502162	48.60	ug/L		98
55)	n-butyl alcohol	4.436	56	268495	2015.25	ug/L		95
56)	benzene	4.186	78	758802	46.62	ug/L		99
57)	heptane	4.317	57	101239	50.45	ug/L		98
58)	1,2-dichloroethane	4.202	62	278024	46.79	ug/L		99
59)	trichloroethene	4.561	95	215249	49.66	ug/L		97
60)	ethyl acrylate	4.561	55	322461	49.78	ug/L		97
61)	2-nitropropane	4.988	41	91039	49.05	ug/L		98
62)	2-chloroethyl vinyl ether	5.011	63	287455	296.09	ug/L		97
63)	methyl methacrylate	4.709	100	77685	52.17	ug/L	#	78
64)	1,2-dichloropropane	4.719	63	193599	46.41	ug/L		94
65)	methylcyclohexane	4.715	83	324996	48.84	ug/L		98
66)	dibromomethane	4.776	93	142282	47.27	ug/L		96
67)	bromodichloromethane	4.863	83	290927	47.34	ug/L		100
68)	cis-1,3-dichloropropene	5.132	75	337363	49.92	ug/L		98
69)	epichlorohydrin	5.055	57	71577	233.77	ug/L		96
70)	4-methyl-2-pentanone	5.203	58	410047	188.64	ug/L		98
71)	3-methyl-1-butanol	5.209	70	127019	842.51	ug/L		97
74)	toluene	5.360	92	498538	47.80	ug/L		96
75)	trans-1,3-dichloropropene	5.482	75	323175	53.80	ug/L		94
76)	ethyl methacrylate	5.489	69	312580	50.31	ug/L		96
77)	1,1,2-trichloroethane	5.620	83	171375	47.16	ug/L		99
78)	2-hexanone	5.739	58	413359	187.01	ug/L		99
79)	tetrachloroethene	5.704	166	222561	50.39	ug/L		99
80)	1,3-dichloropropane	5.733	76	328890	46.91	ug/L		97
81)	butyl acetate	5.797	56	154058	49.77	ug/L		96
82)	dibromochloromethane	5.887	129	240474	48.45	ug/L		99
83)	1,2-dibromoethane	5.983	107	225562	48.36	ug/L		95
84)	n-butyl ether	6.320	57	736631	48.33	ug/L		98
85)	chlorobenzene	6.310	112	561887	47.68	ug/L		96
86)	1,1,1,2-tetrachloroethane	6.361	131	199293	49.23	ug/L		98
87)	ethylbenzene	6.361	91	927118	47.11	ug/L		99
88)	m,p-xylene	6.448	106	727034	99.29	ug/L		99
89)	o-xylene	6.718	106	365921	50.16	ug/L		99
90)	butyl acrylate	6.634	55	430592	53.78	ug/L		97
91)	n-amyl acetate	6.782	70	168067	53.17	ug/L		98
92)	styrene	6.727	104	630830	52.95	ug/L		97
93)	bromoform	6.865	173	167313	50.66	ug/L		99
94)	isopropylbenzene	6.955	105	935293	50.61	ug/L		99
95)	cis-1,4-dichloro-2-butene	6.990	88	87113	54.47	ug/L		95
98)	bromobenzene	7.193	156	240933	50.59	ug/L		94
99)	1,1,2,2-tetrachloroethane	7.151	83	284376	45.40	ug/L		96
100)	trans-1,4-dichloro-2-b...	7.177	53	65209	52.62	ug/L		96
101)	1,2,3-trichloropropane	7.202	110	88905	46.58	ug/L		99
102)	n-propylbenzene	7.234	91	1023907	48.74	ug/L		99
103)	2-chlorotoluene	7.308	126	215454	49.19	ug/L		95
104)	4-chlorotoluene	7.388	126	221743	49.83	ug/L		93
105)	1,3,5-trimethylbenzene	7.347	105	698852	49.16	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\September\09-28-22\v1a9698\
Data File : 1a226432.d
Acq On : 27 Sep 2022 10:32 am
Operator : nickw
Sample : bs Inst : MSDTEST1A
Misc : MS62471, V1A9698,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 27 11:01:36 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
106) tert-butylbenzene	7.558	119	630005	50.81	ug/L	96
107) 1,2,4-trimethylbenzene	7.597	105	711164	49.66	ug/L	98
108) sec-butylbenzene	7.703	105	885229	51.30	ug/L	99
109) 1,3-dichlorobenzene	7.796	146	402621	51.44	ug/L	96
110) p-isopropyltoluene	7.793	119	747820	53.43	ug/L	99
111) 1,2,3-trimethylbenzene	7.866	105	706779	48.74	ug/L	99
112) 1,4-dichlorobenzene	7.857	146	405699	48.72	ug/L	99
113) 1,2-dichlorobenzene	8.091	146	384948	51.42	ug/L	97
114) n-butylbenzene	8.053	92	344047	56.31	ug/L	96
115) 1,2-dibromo-3-chloropr...	8.566	157	72128	52.04	ug/L	92
116) 1,3,5-trichlorobenzene	8.678	180	241946	53.89	ug/L	99
117) 1,2,4-trichlorobenzene	9.054	180	204514	55.36	ug/L	94
118) hexachlorobutadiene	9.128	225	71540	52.41	ug/L	91
119) naphthalene	9.221	128	674805	52.01	ug/L	99
120) 1,2,3-trichlorobenzene	9.359	180	168301	52.68	ug/L	97
121) hexachloroethane	8.264	119	119049	54.08	ug/L	93
122) benzyl chloride	7.924	91	519981	73.64	ug/L	99
123) 2-methylnaphthalene	9.981	142	66150	22.92	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\September\09-28-22\v1a9698\
Data File : 1a226432.d
Acq On : 27 Sep 2022 10:32 am
Operator : nickw
Sample : bs Inst : MSDTEST1A
Misc : MS62471, V1A9698,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 27 11:01:36 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92882.d
Acq On : 27 Sep 2022 9:47 pm
Operator : KYLEM
Sample : bs
Misc : MS62460,V2V3773,5,,,,1
ALS Vial : 32 Sample Multiplier: 1

Quant Time: Sep 27 21:57:54 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	2.321	65	269817	500.00	ug/L		0.00
5) pentafluorobenzene	3.286	168	313434	50.00	ug/L		0.00
50) 1,4-difluorobenzene	3.753	114	443794	50.00	ug/L		0.00
72) chlorobenzene-d5	5.734	117	423995	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	7.507	152	189090	50.00	ug/L		0.00
System Monitoring Compounds							
42) dibromofluoromethane (s)	3.291	113	161135	51.55	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 103.10%				
51) 1,2-dichloroethane-d4 (s)	3.496	65	160136	50.89	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 101.78%				
73) toluene-d8 (s)	4.696	98	510009	48.87	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.74%				
97) 4-bromofluorobenzene (s)	6.636	95	159390	47.21	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 94.42%				
Target Compounds							Qvalue
2) ethanol	1.886	45	476321	8691.18	ug/L		99
3) tertiary butyl alcohol	2.363	59	179048	213.03	ug/L		97
4) 1,4-dioxane	4.104	88	81983	1191.02	ug/L		98
6) chlorodifluoromethane	1.299	51	125057	42.72	ug/L		98
7) dichlorodifluoromethane	1.288	85	168004	47.97	ug/L		99
8) chloromethane	1.399	52	63365	47.93	ug/L		99
9) vinyl chloride	1.456	62	232232	54.09	ug/L		99
10) bromomethane	1.634	96	234925	78.67	ug/L		97
11) chloroethane	1.692	64	172320	66.93	ug/L		97
12) trichlorofluoromethane	1.828	101	551397	86.73	ug/L		100
13) 1,3-butadiene	1.477	54	187704	47.66	ug/L		99
14) ethyl ether	1.960	74	133369	88.79	ug/L		96
15) acrolein	2.033	56	56837	85.14	ug/L		98
16) freon 113	2.096	151	117576	46.65	ug/L		97
17) 1,1-dichloroethene	2.096	61	189980	49.76	ug/L		95
18) acetone	2.101	58	86858	214.90	ug/L		100
19) acetonitrile	2.243	41	295910	570.07	ug/L		98
20) iodomethane	2.190	142	132820	54.27	ug/L		97
21) carbon disulfide	2.237	76	307478	44.09	ug/L		99
22) methylene chloride	2.348	84	130924	46.05	ug/L		95
23) methyl acetate	2.258	74	36854	50.75	ug/L	#	85
24) methyl tert butyl ether	2.479	73	393924	51.00	ug/L		100
25) trans-1,2-dichloroethene	2.489	96	134621	49.94	ug/L		98
26) hexane	2.631	56	67581	45.23	ug/L		93
27) di-isopropyl ether	2.715	45	410949	53.82	ug/L		98
28) ethyl tert-butyl ether	2.914	59	381286	50.23	ug/L		99
29) 1,1-dichloroethane	2.720	63	234848	50.93	ug/L		99
30) chloroprene	2.762	53	172313	49.98	ug/L		99
31) acrylonitrile	2.458	53	78978	55.66	ug/L		95
32) vinyl acetate	2.699	86	32559	51.92	ug/L	#	84
33) ethyl acetate	3.013	45	38064	56.26	ug/L		92
34) 2-butanone	3.003	72	124970	228.15	ug/L		96
35) 2,2-dichloropropane	3.040	77	202225	49.71	ug/L		97
36) cis-1,2-dichloroethene	3.029	96	161948	51.98	ug/L		96
37) propionitrile	3.040	54	379355	599.77	ug/L		97
38) methyl acrylate	3.045	85	37801	52.04	ug/L	#	77
39) bromochloromethane	3.160	128	82679	50.75	ug/L		93
40) tetrahydrofuran	3.171	71	32432	48.74	ug/L		99
41) chloroform	3.202	83	258308	46.31	ug/L		96
43) methacrylonitrile	3.123	67	81055	52.38	ug/L		92

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92882.d
Acq On : 27 Sep 2022 9:47 pm
Operator : KYLEM
Sample : bs
Misc : MS62460,V2V3773,5,,,,1
ALS Vial : 32 Sample Multiplier: 1

Quant Time: Sep 27 21:57:54 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) 1,1,1-trichloroethane	3.323	97	224839	47.51	ug/L		99
45) cyclohexane	3.370	84	172615	46.71	ug/L		97
46) 1,1-dichloropropene	3.407	75	190136	51.41	ug/L		98
47) carbon tetrachloride	3.412	119	211210	48.29	ug/L		98
48) isobutyl alcohol	3.407	42	87889	656.60	ug/L		98
49) tert-amyl alcohol	3.485	55	64671	235.88	ug/L	#	68
52) n-butyl alcohol	3.800	56	458572	2893.80	ug/L		100
53) benzene	3.527	78	504155	47.35	ug/L		98
54) tert-amyl methyl ether	3.580	73	402308	48.23	ug/L		98
55) iso-octane	3.580	57	265273	46.66	ug/L		99
56) heptane	3.674	57	47164	42.86	ug/L		94
57) isopropyl acetate	3.501	87	42873	49.65	ug/L	#	65
58) 1,2-dichloroethane	3.543	62	203674	45.93	ug/L		98
59) trichloroethene	3.910	95	145047	46.01	ug/L		98
60) ethyl acrylate	3.926	55	251884	50.83	ug/L		97
61) 2-nitropropane	4.356	41	70611	53.70	ug/L		98
62) 2-chloroethyl vinyl ether	4.387	63	513011	307.66	ug/L		98
63) methyl methacrylate	4.072	100	53535	49.51	ug/L	#	77
64) 1,2-dichloropropane	4.067	63	142297	51.07	ug/L		96
65) methylcyclohexane	4.067	83	185806	47.32	ug/L		99
66) dibromomethane	4.125	93	113188	46.43	ug/L		93
67) bromodichloromethane	4.224	83	197726	46.14	ug/L		99
68) epichlorohydrin	4.429	57	118065	256.02	ug/L		98
69) cis-1,3-dichloropropene	4.508	75	215097	48.19	ug/L		98
70) 4-methyl-2-pentanone	4.586	58	373289	223.31	ug/L		93
71) 3-methyl-1-butanol	4.612	70	182664	1154.37	ug/L		95
74) toluene	4.744	92	318275	44.76	ug/L		97
75) ethyl methacrylate	4.906	69	200907	48.61	ug/L		98
76) trans-1,3-dichloropropene	4.885	75	205448	48.43	ug/L		98
77) 1,1,2-trichloroethane	5.027	83	120930	49.05	ug/L		93
78) 2-hexanone	5.163	58	390834	216.48	ug/L		98
79) tetrachloroethene	5.105	164	124620	45.18	ug/L		99
80) 1,3-dichloropropane	5.147	76	221889	48.82	ug/L		99
81) butyl acetate	5.236	56	115564	50.43	ug/L		97
82) dibromochloromethane	5.305	129	183145	47.24	ug/L		98
83) 1,2-dibromoethane	5.399	107	166229	48.01	ug/L		95
84) n-butyl ether	5.808	57	512621	50.49	ug/L		98
85) chlorobenzene	5.755	112	389569	45.48	ug/L		100
86) 1,1,1,2-tetrachloroethane	5.818	131	166978	49.83	ug/L		99
87) ethylbenzene	5.824	91	640962	47.65	ug/L		99
88) m,p-xylene	5.918	106	488781	93.71	ug/L		99
89) o-xylene	6.217	91	488522	47.37	ug/L		99
90) styrene	6.227	104	408638	47.75	ug/L		98
91) butyl acrylate	6.154	56	135645	53.38	ug/L		98
92) n-amyl acetate	6.327	70	109279	48.18	ug/L		93
93) bromoform	6.374	173	138376	48.23	ug/L		99
94) isopropylbenzene	6.500	105	567563	46.38	ug/L		99
95) cis-1,4-dichloro-2-butene	6.537	88	46957	32.82	ug/L		87
98) bromobenzene	6.757	156	172127	45.01	ug/L		94
99) 1,1,2,2-tetrachloroethane	6.731	83	221949	47.28	ug/L		99
100) trans-1,4-dichloro-2-b...	6.762	53	40074	36.19	ug/L		98
101) 1,2,3-trichloropropane	6.778	110	64030	45.88	ug/L		94
102) n-propylbenzene	6.825	91	635637	46.06	ug/L		100
103) 2-chlorotoluene	6.898	126	143988	45.52	ug/L		95
104) 4-chlorotoluene	6.988	126	150395	46.19	ug/L		97
105) 1,3,5-trimethylbenzene	6.961	105	430660	46.62	ug/L		98
106) tert-butylbenzene	7.197	119	365369	45.36	ug/L		99
107) 1,2,4-trimethylbenzene	7.239	105	438328	45.45	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92882.d
Acq On : 27 Sep 2022 9:47 pm
Operator : KYLEM
Sample : bs
Misc : MS62460,V2V3773,5,,,,1
ALS Vial : 32 Sample Multiplier: 1

Quant Time: Sep 27 21:57:54 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
108) sec-butylbenzene	7.360	105	505036	46.28	ug/L	99
109) 1,3-dichlorobenzene	7.449	146	286731	45.48	ug/L	98
110) p-isopropyltoluene	7.470	119	428375	46.28	ug/L	99
111) 1,2,3-trimethylbenzene	7.538	105	451054	46.78	ug/L	97
112) 1,4-dichlorobenzene	7.522	146	290707	44.20	ug/L	98
113) 1,2-dichlorobenzene	7.774	146	274809	46.24	ug/L	99
114) benzyl chloride	7.596	91	287860	47.04	ug/L	100
115) n-butylbenzene	7.758	92	188414	47.86	ug/L	97
116) hexachloroethane	7.963	201	65600	45.69	ug/L	94
117) 1,2-dibromo-3-chloropr...	8.298	157	62639	49.79	ug/L	91
118) 1,3,5-trichlorobenzene	8.424	180	163831	49.12	ug/L	97
119) 1,2,4-trichlorobenzene	8.817	180	142619	48.77	ug/L	99
120) hexachlorobutadiene	8.907	225	47284	45.78	ug/L	96
121) naphthalene	8.980	128	477360	48.57	ug/L	100
122) 1,2,3-trichlorobenzene	9.116	180	131375	50.07	ug/L	98
123) 2-methylnaphthalene	9.672	142	72871	21.81	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92882.d
Acq On : 27 Sep 2022 9:47 pm
Operator : KYLEM
Sample : bs
Misc : MS62460,V2V3773,5,,,,1
ALS Vial : 32 Sample Multiplier: 1

Quant Time: Sep 27 21:57:54 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10022022\v2a9581\
Data File : 2a220392.d
Acq On : 29 Sep 2022 10:19 am
Operator : nicoleh
Sample : bs Inst : GCMS2A
Misc : MS62546,V2A9581,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 29 10:41:46 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	7.251	65	403428	500.00	ug/L	0.00
5) pentafluorobenzene	9.511	168	713019	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.439	114	1075602	50.00	ug/L	0.00
72) chlorobenzene-d5	13.564	117	985341	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.886	152	491517	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.511	168	713019	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.542	113	351212	52.33	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 104.66%			
51) 1,2-dichloroethane-d4 (s)	9.956	65	418394	41.84	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 83.68%			
73) toluene-d8 (s)	12.064	98	1214534	50.32	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.64%			
97) 4-bromofluorobenzene (s)	14.722	95	501937	55.20	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 110.40%			
Target Compounds						Qvalue
2) ethanol	5.977	45	327923	3336.54	ug/L	98
3) tertiary butyl alcohol	7.366	59	223160	225.16	ug/L	95
4) 1,4-dioxane	11.078	88	66254	953.82	ug/L	95
6) chlorodifluoromethane	4.000	51	507117	52.16	ug/L	99
7) dichlorodifluoromethane	3.974	85	420032	43.86	ug/L	98
8) chloromethane	4.357	50	511091	41.24	ug/L	99
9) vinyl chloride	4.577	62	405562	42.79	ug/L	97
10) 1,3-butadiene	4.629	54	371371	43.99	ug/L	100
11) bromomethane	5.201	94	258254	46.20	ug/L	98
12) chloroethane	5.364	64	239518	53.37	ug/L	92
13) trichlorofluoromethane	5.809	101	487314	45.89	ug/L	97
14) ethyl ether	6.197	74	184818	54.62	ug/L	98
15) acrolein	6.417	56	68240	45.06	ug/L	93
16) freon 113	6.617	151	259547	51.43	ug/L	96
17) 1,1-dichloroethene	6.606	96	274957	51.97	ug/L	94
18) acetone	6.611	43	754771	275.32	ug/L	95
19) acetonitrile	7.020	41	497778	440.00	ug/L	98
20) iodomethane	6.853	142	536998	52.01	ug/L	92
21) carbon disulfide	6.994	76	994667	56.75	ug/L	93
22) methylene chloride	7.309	84	324149	51.71	ug/L	97
23) methyl acetate	7.067	43	324052	47.42	ug/L	100
24) methyl tert butyl ether	7.665	73	949214	50.32	ug/L	94
25) trans-1,2-dichloroethene	7.691	96	308243	51.41	ug/L	99
26) hexane	8.048	57	602199	56.52	ug/L	99
27) di-isopropyl ether	8.258	45	1407983	53.92	ug/L	98
28) ethyl tert-butyl ether	8.714	59	1220769	53.71	ug/L	98
29) 2-butanone	8.908	72	180188	244.21	ug/L	91
30) 1,1-dichloroethane	8.263	63	615105	52.47	ug/L	98
31) chloroprene	8.363	53	577644	51.88	ug/L	95
32) acrylonitrile	7.597	53	149665	49.49	ug/L	97
33) vinyl acetate	8.205	86	64681	58.49	ug/L #	63
34) ethyl acetate	8.924	45	68994	50.37	ug/L	94
35) 2,2-dichloropropane	9.002	77	491691	52.48	ug/L	98
36) cis-1,2-dichloroethene	8.976	96	343318	52.06	ug/L	96
37) propionitrile	8.981	54	555959	492.84	ug/L	89
38) bromochloromethane	9.264	130	223575	51.00	ug/L	94
39) tetrahydrofuran	9.285	42	129025	41.25	ug/L	97
40) chloroform	9.353	83	578480	47.49	ug/L	96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10022022\v2a9581\
Data File : 2a220392.d
Acq On : 29 Sep 2022 10:19 am
Operator : nicoleh
Sample : bs Inst : GCMS2A
Misc : MS62546,V2A9581,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 29 10:41:46 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
41) tert-butyl formate	9.390	59	313136	52.87	ug/L		96
42) isobutyl alcohol	9.747	43	170745	361.70	ug/L		93
44) methacrylonitrile	9.180	67	145216	51.83	ug/L		92
45) 1,1,1-trichloroethane	9.610	97	518240	48.99	ug/L		99
46) cyclohexane	9.720	84	454743	51.45	ug/L		100
47) 1,1-dichloropropene	9.778	75	450264	52.87	ug/L		95
48) tert-amyl alcohol	9.909	73	98363	208.41	ug/L		95
49) carbon tetrachloride	9.810	117	451368	47.28	ug/L		96
52) 2,2,4-trimethylpentane	10.124	57	1456585	48.18	ug/L		93
53) tert-amyl methyl ether	10.108	73	1018891	45.99	ug/L		100
54) n-butyl alcohol	10.502	56	558519	1998.81	ug/L		94
55) benzene	10.025	78	1258144	49.30	ug/L		98
56) heptane	10.281	57	274019	44.43	ug/L		98
57) isopropyl acetate	9.941	87	73184	45.69	ug/L	#	94
58) 1,2-dichloroethane	10.051	62	510294	42.55	ug/L		98
59) trichloroethene	10.748	95	337054	46.20	ug/L		96
60) ethyl acrylate	10.738	55	546783	47.19	ug/L		99
61) 2-nitropropane	11.503	41	104035	34.16	ug/L		95
62) 2-chloroethyl vinyl ether	11.540	63	354504	101.61	ug/L		100
63) methyl methacrylate	11.005	100	87845	48.02	ug/L	#	81
64) 1,2-dichloropropane	11.036	63	362235	47.84	ug/L		98
65) methylcyclohexane	11.047	83	542849	45.47	ug/L		98
66) dibromomethane	11.141	93	214975	43.25	ug/L		93
67) bromodichloromethane	11.299	83	448547	43.59	ug/L		99
68) epichlorohydrin	11.624	57	180665	199.91	ug/L		100
69) cis-1,3-dichloropropene	11.755	75	540646	48.00	ug/L		88
70) 4-methyl-2-pentanone	11.865	58	617451	172.93	ug/L		97
71) 3-methyl-1-butanol	11.870	70	176964	803.59	ug/L		95
74) toluene	12.137	92	744963	47.59	ug/L		98
75) trans-1,3-dichloropropene	12.321	75	483393	46.59	ug/L		98
76) ethyl methacrylate	12.316	69	441015	49.50	ug/L		92
77) 1,1,2-trichloroethane	12.541	83	242222	45.01	ug/L		98
78) 2-hexanone	12.709	58	625462	191.00	ug/L		91
79) tetrachloroethene	12.688	166	357610	45.89	ug/L		99
80) 1,3-dichloropropane	12.719	76	464639	45.00	ug/L		98
81) butyl acetate	12.788	56	265779	47.24	ug/L		97
82) dibromochloromethane	12.966	129	339579	43.24	ug/L		99
83) 1,2-dibromoethane	13.113	107	295260	44.30	ug/L		97
84) n-butyl ether	13.564	57	1430307	46.12	ug/L		97
85) chlorobenzene	13.595	112	796471	46.66	ug/L		99
86) 1,1,1,2-tetrachloroethane	13.663	131	303285	44.17	ug/L		97
87) ethylbenzene	13.658	91	1337042	45.56	ug/L		95
88) m,p-xylene	13.779	106	997799	87.47	ug/L		89
89) o-xylene	14.177	91	1078467	45.02	ug/L		94
90) styrene	14.188	104	819283	44.13	ug/L		99
91) n-amyl acetate	14.224	70	212826	43.93	ug/L		92
92) bromoform	14.413	173	242838	43.00	ug/L		97
93) butyl acrylate	14.015	55	783912	47.44	ug/L		99
94) isopropylbenzene	14.528	105	1245739	43.61	ug/L		99
95) cis-1,4-dichloro-2-butene	14.560	88	77394	25.17	ug/L		96
98) bromobenzene	14.906	156	349254	44.40	ug/L		98
99) 1,1,2,2-tetrachloroethane	14.806	83	366109	43.83	ug/L		99
100) trans-1,4-dichloro-2-b...	14.838	53	71160	25.59	ug/L		92
101) 1,2,3-trichloropropane	14.890	110	88531	41.19	ug/L		94
102) n-propylbenzene	14.937	91	1529594	48.49	ug/L		96
103) 2-chlorotoluene	15.068	126	316061	46.03	ug/L		90
104) 4-chlorotoluene	15.184	91	950758	47.39	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10022022\v2a9581\
Data File : 2a220392.d
Acq On : 29 Sep 2022 10:19 am
Operator : nicoleh
Sample : bs Inst : GCMS2A
Misc : MS62546,V2A9581,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 29 10:41:46 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
105) 1,3,5-trimethylbenzene	15.100	105	1035301	47.25	ug/L	99
106) tert-butylbenzene	15.435	119	886179	46.68	ug/L	98
107) 1,2,4-trimethylbenzene	15.488	105	1038415	46.52	ug/L	98
108) sec-butylbenzene	15.656	105	1294165	45.72	ug/L	100
109) 1,3-dichlorobenzene	15.818	146	624841	44.56	ug/L	97
110) p-isopropyltoluene	15.787	119	1114212	46.16	ug/L	99
111) benzyl chloride	16.007	91	611902	44.52	ug/L	98
112) 1,2,3-trimethylbenzene	15.912	105	1051364	45.68	ug/L	95
113) 1,4-dichlorobenzene	15.912	146	621103	42.60	ug/L	97
114) 1,2-dichlorobenzene	16.285	146	603550	44.04	ug/L	97
115) n-butylbenzene	16.196	92	576539	44.91	ug/L	98
116) 1,2-dibromo-3-chloropr...	17.050	157	72113	39.77	ug/L	95
117) 1,3,5-trichlorobenzene	17.239	180	489969	45.74	ug/L	99
118) 1,2,4-trichlorobenzene	17.884	180	414949	45.05	ug/L	100
119) hexachlorobutadiene	17.999	225	221658	46.76	ug/L	96
120) naphthalene	18.167	128	775381	35.33	ug/L	99
121) 1,2,3-trichlorobenzene	18.398	180	348064	40.13	ug/L	99
122) hexachloroethane	16.578	201	162749	41.18	ug/L	98
123) 2-methylnaphthalene	19.404	142	94703	8.46	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10022022\v2a9581\
Data File : 2a220392.d
Acq On : 29 Sep 2022 10:19 am
Operator : nicoleh
Sample : bs Inst : GCMS2A
Misc : MS62546,V2A9581,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 29 10:41:46 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\davem1\10-03-22\v1x8637\
Data File : 1x200581.d
Acq On : 29 Sep 2022 10:34 am
Operator : taylors
Sample : bs Inst : ACC-VOA-MSX
Misc : MS46075,V1X8637,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Sep 29 10:46:11 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.439	65	394035	500.00	ug/L	0.00
5) pentafluorobenzene	3.507	168	438607	50.00	ug/L	0.00
52) 1,4-difluorobenzene	3.998	114	604941	50.00	ug/L	0.00
73) chlorobenzene-d5	6.074	117	565715	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.883	152	283962	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.507	113	197081	47.63	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.26%			
53) 1,2-dichloroethane-d4 (s)	3.726	65	221110	47.82	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 95.64%			
74) toluene-d8 (s)	4.990	98	671056	49.59	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.18%			
98) 4-bromofluorobenzene (s)	7.002	95	241223	48.93	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.86%			
Target Compounds						Qvalue
2) ethanol	1.943	45	195373	5184.70	ug/L	96
3) tertiary butyl alcohol	2.487	59	141926	238.07	ug/L	99
4) 1,4-dioxane	4.377	88	59189	1249.05	ug/L	93
6) chlorodifluoromethane	1.255	51	161353	43.14	ug/L	98
7) dichlorodifluoromethane	1.239	85	141636	40.32	ug/L	99
8) chloromethane	1.367	50	143202	39.06	ug/L	98
9) vinyl chloride	1.431	62	152356	39.37	ug/L	99
10) bromomethane	1.634	96	26912	50.13	ug/L	100
11) chloroethane	1.703	64	60821	35.48	ug/L	98
12) trichlorofluoromethane	1.852	101	214426	42.31	ug/L	100
13) 1,3-butadiene	1.452	54	137573	44.51	ug/L	99
14) ethyl ether	2.018	74	57569	44.66	ug/L	97
15) acrolein	2.103	56	36594	50.19	ug/L	96
16) 1,1-dichloroethene	2.167	96	112685	46.02	ug/L	98
17) freon 113	2.162	101	136276	45.64	ug/L	98
18) acetone	2.183	58	73153	175.95	ug/L	97
19) acetonitrile	2.349	41	259609	451.37	ug/L	99
20) iodomethane	2.263	142	67706	60.27	ug/L	99
21) carbon disulfide	2.311	76	289830	47.10	ug/L	100
22) methylene chloride	2.455	84	103657	43.67	ug/L	98
23) methyl acetate	2.359	43	153125	45.35	ug/L	99
24) methyl tert butyl ether	2.605	73	319660	45.21	ug/L	99
25) acrylonitrile	2.583	53	72296	46.13	ug/L	99
26) trans-1,2-dichloroethene	2.616	96	117929	44.48	ug/L	98
27) hexane	2.770	57	200202	47.87	ug/L	99
28) di-isopropyl ether	2.872	45	396514	44.98	ug/L	99
29) 2-butanone	3.192	72	88070	191.57	ug/L	93
30) 1,1-dichloroethane	2.872	63	200116	43.51	ug/L	99
31) chloroprene	2.914	53	200856	46.16	ug/L	100
32) vinyl acetate	2.856	86	26474	51.83	ug/L	98
33) ethyl tert-butyl ether	3.091	59	361959	45.98	ug/L	99
34) ethyl acetate	3.203	45	32940	47.46	ug/L	98
35) 2,2-dichloropropane	3.219	77	182623	47.84	ug/L	100
36) cis-1,2-dichloroethene	3.213	96	124865	43.64	ug/L	96
37) methyl acrylate	3.240	55	204411	47.25	ug/L	99
38) propionitrile	3.235	54	303126	463.33	ug/L	88
39) tert-butyl formate	3.427	59	93660	54.54	ug/L	96
40) bromochloromethane	3.357	128	62916	43.11	ug/L	94
41) tetrahydrofuran	3.363	42	65297	44.54	ug/L	96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\davem1\10-03-22\v1x8637\
Data File : 1x200581.d
Acq On : 29 Sep 2022 10:34 am
Operator : taylors
Sample : bs Inst : ACC-VOA-MSX
Misc : MS46075,V1X8637,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Sep 29 10:46:11 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
42) chloroform	3.405	83	198890	41.95	ug/L		98
44) methacrylonitrile	3.325	67	65030	47.57	ug/L		99
45) 1,1,1-trichloroethane	3.528	97	198712	43.83	ug/L		99
46) cyclohexane	3.576	84	163757	39.51	ug/L		96
47) tert amyl alcohol	3.715	55	53631	229.99	ug/L		97
48) 1,1-dichloropropene	3.619	75	166844	44.78	ug/L		99
49) isobutyl alcohol	3.806	42	26010	442.93	ug/L		99
50) carbon tetrachloride	3.624	117	182176	45.48	ug/L		99
51) isopropyl acetate	3.736	87	32117	50.38	ug/L	#	93
54) iso-octane	3.806	57	410344	48.90	ug/L		98
55) epichlorohydrin	4.718	57	109224	259.68	ug/L		99
56) n-butyl alcohol	4.051	56	366300	2713.80	ug/L		98
57) benzene	3.747	78	445981	43.95	ug/L		99
58) tert-amyl methyl ether	3.811	73	324417	48.45	ug/L		98
59) heptane	3.907	57	77161	50.99	ug/L		99
60) 1,2-dichloroethane	3.774	62	164806	43.06	ug/L		99
61) trichloroethene	4.163	130	144403	45.69	ug/L		98
62) ethyl acrylate	4.185	55	209513	50.71	ug/L		98
63) 2-nitropropane	4.644	41	54873	53.98	ug/L		97
64) 2-chloroethyl vinyl ether	4.676	63	452537	257.38	ug/L		99
65) methyl methacrylate	4.345	100	40736	49.52	ug/L	#	67
66) 1,2-dichloropropane	4.334	76	46374	46.75	ug/L		99
67) dibromomethane	4.393	93	76157	44.34	ug/L		97
68) methylcyclohexane	4.323	83	205018	48.19	ug/L		98
69) bromodichloromethane	4.499	83	139968	47.77	ug/L		99
70) cis-1,3-dichloropropene	4.798	75	171711	50.58	ug/L		99
71) 4-methyl-2-pentanone	4.889	58	280774	201.99	ug/L		98
72) 3-methyl-1-butanol	4.910	70	120183	1114.96	ug/L		98
75) toluene	5.044	92	284051	45.86	ug/L		99
76) trans-1,3-dichloropropene	5.193	75	160043	51.66	ug/L		99
77) ethyl methacrylate	5.215	69	152114	48.76	ug/L		98
78) 1,1,2-trichloroethane	5.343	83	88417	47.12	ug/L		96
79) tetrachloroethene	5.417	164	118608	47.74	ug/L		99
80) 1,3-dichloropropane	5.465	76	165319	45.99	ug/L		99
81) 2-hexanone	5.487	58	288437	197.87	ug/L		99
82) butyl acetate	5.561	56	96885	46.75	ug/L		97
83) dibromochloromethane	5.631	129	124476	50.48	ug/L		98
84) 1,2-dibromoethane	5.727	107	123028	49.14	ug/L		98
85) n-butyl ether	6.143	57	468334	46.67	ug/L		100
86) chlorobenzene	6.095	112	318914	45.38	ug/L		100
87) 1,1,1,2-tetrachloroethane	6.159	131	117699	48.70	ug/L		97
88) ethylbenzene	6.165	91	532595	44.87	ug/L		99
89) m,p-xylene	6.266	106	421240	90.17	ug/L		99
90) o-xylene	6.570	91	401995	45.31	ug/L		100
91) styrene	6.586	104	343567	45.63	ug/L		96
92) butyl acrylate	6.506	55	254303	49.97	ug/L		99
93) n-amyl acetate	6.682	70	85086	50.26	ug/L		97
94) bromoform	6.736	173	89116	54.43	ug/L		98
95) isopropylbenzene	6.858	105	535270	46.28	ug/L		99
96) cis-1,4-dichloro-2-butene	6.906	88	55684	48.80	ug/L		99
99) bromobenzene	7.120	156	143886	46.16	ug/L		94
100) 1,1,2,2-tetrachloroethane	7.099	83	158753	51.43	ug/L		100
101) trans-1,4-dichloro-2-b...	7.131	53	50404	56.12	ug/L		88
102) 1,2,3-trichloropropane	7.152	110	49970	49.03	ug/L		93
103) n-propylbenzene	7.189	91	601594	46.67	ug/L		99
104) 2-chlorotoluene	7.264	126	131489	45.93	ug/L		93
105) 4-chlorotoluene	7.355	91	340440	45.33	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\davem1\10-03-22\v1x8637\
Data File : 1x200581.d
Acq On : 29 Sep 2022 10:34 am
Operator : taylors
Sample : bs Inst : ACC-VOA-MSX
Misc : MS46075,V1X8637,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Sep 29 10:46:11 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
106) 1,3,5-trimethylbenzene	7.328	105	399885	47.52	ug/L	100
107) tert-butylbenzene	7.568	119	380138	46.43	ug/L	98
108) 1,2,4-trimethylbenzene	7.611	105	394536	46.29	ug/L	99
109) sec-butylbenzene	7.734	105	540184	47.98	ug/L	99
110) 1,3-dichlorobenzene	7.824	146	258488	46.34	ug/L	99
111) p-isopropyltoluene	7.846	119	460840	48.28	ug/L	100
112) 1,4-dichlorobenzene	7.899	146	264606	46.03	ug/L	99
113) 1,2-dichlorobenzene	8.155	146	246657	47.29	ug/L	98
114) benzyl chloride	7.979	91	297081	64.40	ug/L	98
115) n-butylbenzene	8.134	92	206889	49.27	ug/L	99
116) 1,2-dibromo-3-chloropr...	8.689	157	48664	52.64	ug/L	98
117) 1,3,5-trichlorobenzene	8.812	180	162406	48.46	ug/L	98
118) hexachlorobutadiene	9.303	225	61119	51.16	ug/L	98
119) naphthalene	9.383	128	524339	47.81	ug/L	98
120) 1,2,4-trichlorobenzene	9.217	180	142508	48.81	ug/L	98
121) 1,2,3-trichlorobenzene	9.521	180	137448	48.32	ug/L	98
122) hexachloroethane	8.347	201	55313	44.43	ug/L	96
123) 2-methylnaphthalene	10.109	142	141297	26.38	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\davem1\10-03-22\v1x8637\
Data File : 1x200581.d
Acq On : 29 Sep 2022 10:34 am
Operator : taylors
Sample : bs Inst : ACC-VOA-MSX
Misc : MS46075,V1X8637,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Sep 29 10:46:11 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93002.d
Acq On : 29 Sep 2022 10:25 pm
Operator : KYLEM
Sample : bs Inst : MS2V
Misc : MS62471,V2V3777,5,,,,1
ALS Vial : 34 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Sep 29 22:35:57 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.326	65	258604	500.00	ug/L	0.01
5) pentafluorobenzene	3.291	168	314006	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.752	114	438273	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	417412	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.506	152	185006	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.296	113	156670	50.03	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.06%			
51) 1,2-dichloroethane-d4 (s)	3.501	65	155441	50.02	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.04%			
73) toluene-d8 (s)	4.696	98	506285	49.28	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.56%			
97) 4-bromofluorobenzene (s)	6.636	95	157330	47.63	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.26%			
Target Compounds						Qvalue
2) ethanol	1.891	45	518078	9862.99	ug/L	100
3) tertiary butyl alcohol	2.368	59	185854	230.71	ug/L	99
4) 1,4-dioxane	4.104	88	84323	1278.13	ug/L	97
6) chlorodifluoromethane	1.299	51	117074	39.92	ug/L	99
7) dichlorodifluoromethane	1.288	85	149696	42.67	ug/L	97
8) chloromethane	1.398	52	54905	41.46	ug/L	97
9) vinyl chloride	1.461	62	207928	48.34	ug/L	94
10) bromomethane	1.639	96	188721	63.08	ug/L	96
11) chloroethane	1.692	64	236379	91.64	ug/L	96
12) trichlorofluoromethane	1.828	101	520652	81.75	ug/L	99
13) 1,3-butadiene	1.477	54	206619	52.36	ug/L	99
14) ethyl ether	1.959	74	132454	88.02	ug/L	95
15) acrolein	2.033	56	50444	75.43	ug/L	92
16) freon 113	2.096	151	118810	47.05	ug/L	96
17) 1,1-dichloroethene	2.101	61	191118	49.97	ug/L	100
18) acetone	2.101	58	112660	278.23	ug/L	97
19) acetonitrile	2.248	41	305946	588.33	ug/L	98
20) iodomethane	2.190	142	136805	55.54	ug/L	99
21) carbon disulfide	2.237	76	301170	43.10	ug/L	98
22) methylene chloride	2.347	84	133820	46.98	ug/L	93
23) methyl acetate	2.258	74	37797	51.95	ug/L #	81
24) methyl tert butyl ether	2.478	73	401779	51.92	ug/L	99
25) trans-1,2-dichloroethene	2.489	96	134685	49.88	ug/L	95
26) hexane	2.630	56	67265	44.94	ug/L	91
27) di-isopropyl ether	2.714	45	416281	54.42	ug/L	98
28) ethyl tert-butyl ether	2.913	59	389006	51.15	ug/L	98
29) 1,1-dichloroethane	2.719	63	239540	51.86	ug/L	99
30) chloroprene	2.761	53	178593	51.71	ug/L	97
31) acrylonitrile	2.457	53	78416	55.16	ug/L	99
32) vinyl acetate	2.698	86	26877	42.78	ug/L #	73
33) ethyl acetate	3.013	45	37808	55.78	ug/L	89
34) 2-butanone	3.003	72	133533	243.34	ug/L	97
35) 2,2-dichloropropane	3.039	77	205239	50.36	ug/L	98
36) cis-1,2-dichloroethene	3.029	96	167566	53.68	ug/L	97
37) propionitrile	3.039	54	387614	611.71	ug/L	91
38) methyl acrylate	3.050	85	38136	52.40	ug/L #	83
39) bromochloromethane	3.160	128	86165	52.79	ug/L	92
40) tetrahydrofuran	3.170	71	32886	49.33	ug/L	91
41) chloroform	3.207	83	263191	47.10	ug/L	98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93002.d
Acq On : 29 Sep 2022 10:25 pm
Operator : KYLEM
Sample : bs Inst : MS2V
Misc : MS62471,V2V3777,5,,,,1
ALS Vial : 34 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Sep 29 22:35:57 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
43) methacrylonitrile	3.128	67	83550	53.89	ug/L		100
44) 1,1,1-trichloroethane	3.322	97	229495	48.41	ug/L		98
45) cyclohexane	3.370	84	157608	42.57	ug/L		93
46) 1,1-dichloropropene	3.406	75	194557	52.51	ug/L		96
47) carbon tetrachloride	3.417	119	216457	49.40	ug/L		98
48) isobutyl alcohol	3.406	42	88314	658.57	ug/L		97
49) tert-amyl alcohol	3.485	55	65986	240.24	ug/L	#	77
52) n-butyl alcohol	3.800	56	466317	2979.74	ug/L		99
53) benzene	3.527	78	511362	48.63	ug/L		99
54) tert-amyl methyl ether	3.579	73	412378	50.06	ug/L		97
55) iso-octane	3.579	57	264706	47.15	ug/L		98
56) heptane	3.674	57	47601	43.80	ug/L		92
57) isopropyl acetate	3.501	87	43926	51.51	ug/L	#	73
58) 1,2-dichloroethane	3.543	62	208615	47.64	ug/L		99
59) trichloroethene	3.910	95	153191	49.21	ug/L		98
60) ethyl acrylate	3.925	55	256329	52.38	ug/L		98
61) 2-nitropropane	4.355	41	72229	55.62	ug/L		95
62) 2-chloroethyl vinyl ether	4.387	63	483862	293.84	ug/L		97
63) methyl methacrylate	4.072	100	55852	52.31	ug/L	#	83
64) 1,2-dichloropropane	4.072	63	145182	52.76	ug/L		96
65) methylcyclohexane	4.067	83	184218	47.51	ug/L		99
66) dibromomethane	4.130	93	116645	48.45	ug/L		100
67) bromodichloromethane	4.224	83	203568	48.10	ug/L		98
68) epichlorohydrin	4.429	57	121048	265.80	ug/L		98
69) cis-1,3-dichloropropene	4.507	75	220771	50.08	ug/L		99
70) 4-methyl-2-pentanone	4.591	58	381426	231.05	ug/L		96
71) 3-methyl-1-butanol	4.612	70	189222	1210.88	ug/L		97
74) toluene	4.743	92	328613	46.94	ug/L		98
75) ethyl methacrylate	4.906	69	208421	51.22	ug/L		97
76) trans-1,3-dichloropropene	4.885	75	209934	50.26	ug/L		99
77) 1,1,2-trichloroethane	5.026	83	122935	50.65	ug/L		96
78) 2-hexanone	5.163	58	406894	228.93	ug/L		96
79) tetrachloroethene	5.110	164	129532	47.70	ug/L		96
80) 1,3-dichloropropane	5.147	76	224634	50.21	ug/L		99
81) butyl acetate	5.236	56	118800	52.66	ug/L		96
82) dibromochloromethane	5.304	129	187394	49.10	ug/L		99
83) 1,2-dibromoethane	5.399	107	169227	49.65	ug/L		96
84) n-butyl ether	5.808	57	527077	52.73	ug/L		99
85) chlorobenzene	5.755	112	402096	47.68	ug/L		99
86) 1,1,1,2-tetrachloroethane	5.818	131	171932	52.12	ug/L		96
87) ethylbenzene	5.823	91	661448	49.95	ug/L		98
88) m,p-xylene	5.918	106	499396	97.26	ug/L		97
89) o-xylene	6.217	91	495632	48.82	ug/L		96
90) styrene	6.227	104	415685	49.34	ug/L		98
91) butyl acrylate	6.154	56	139413	55.72	ug/L		96
92) n-amyl acetate	6.327	70	113969	51.04	ug/L		94
93) bromoform	6.374	173	139230	49.29	ug/L		99
94) isopropylbenzene	6.500	105	581884	48.30	ug/L		98
95) cis-1,4-dichloro-2-butene	6.536	88	33238	23.60	ug/L		92
98) bromobenzene	6.757	156	179306	47.92	ug/L		91
99) 1,1,2,2-tetrachloroethane	6.730	83	221714	48.27	ug/L		97
100) trans-1,4-dichloro-2-b...	6.762	53	30464	28.12	ug/L		97
101) 1,2,3-trichloropropane	6.778	110	66483	48.68	ug/L		99
102) n-propylbenzene	6.825	91	654735	48.49	ug/L		100
103) 2-chlorotoluene	6.898	126	149194	48.21	ug/L		98
104) 4-chlorotoluene	6.987	126	151388	47.52	ug/L		98
105) 1,3,5-trimethylbenzene	6.961	105	440267	48.71	ug/L		97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93002.d
Acq On : 29 Sep 2022 10:25 pm
Operator : KYLEM
Sample : bs Inst : MS2V
Misc : MS62471,V2V3777,5,,,,1
ALS Vial : 34 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Sep 29 22:35:57 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
106) tert-butylbenzene	7.197	119	373204	47.35	ug/L	98
107) 1,2,4-trimethylbenzene	7.239	105	443254	46.98	ug/L	99
108) sec-butylbenzene	7.360	105	511027	47.86	ug/L	99
109) 1,3-dichlorobenzene	7.449	146	291328	47.23	ug/L	99
110) p-isopropyltoluene	7.470	119	432576	47.76	ug/L	99
111) 1,2,3-trimethylbenzene	7.538	105	448989	47.59	ug/L	99
112) 1,4-dichlorobenzene	7.522	146	297177	46.18	ug/L	98
113) 1,2-dichlorobenzene	7.774	146	274231	47.16	ug/L	98
114) benzyl chloride	7.595	91	287503	48.01	ug/L	100
115) n-butylbenzene	7.758	92	190293	49.40	ug/L	95
116) hexachloroethane	7.962	201	63904	45.49	ug/L	86
117) 1,2-dibromo-3-chloropr...	8.298	157	65118	52.91	ug/L	93
118) 1,3,5-trichlorobenzene	8.424	180	166363	50.98	ug/L	98
119) 1,2,4-trichlorobenzene	8.817	180	144374	50.46	ug/L	99
120) hexachlorobutadiene	8.906	225	47637	47.14	ug/L	99
121) naphthalene	8.985	128	490068	50.96	ug/L	99
122) 1,2,3-trichlorobenzene	9.116	180	135396	52.74	ug/L	96
123) 2-methylnaphthalene	9.672	142	73742	22.56	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93002.d
Acq On : 29 Sep 2022 10:25 pm
Operator : KYLEM
Sample : bs Inst : MS2V
Misc : MS62471,V2V3777,5,,,,1
ALS Vial : 34 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Sep 29 22:35:57 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220440.d
Acq On : 30 Sep 2022 10:21 am
Operator : nicoleh
Sample : bs Inst : GCMS2A
Misc : MS62539,V2A9583,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 30 10:58:56 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	7.251	65	506821	500.00	ug/L	0.00
5) pentafluorobenzene	9.511	168	750798	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.439	114	1166077	50.00	ug/L	0.00
72) chlorobenzene-d5	13.564	117	1159944	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.886	152	604684	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.511	168	750798	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.542	113	379869	53.75	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 107.50%			
51) 1,2-dichloroethane-d4 (s)	9.962	65	440198	40.61	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 81.22%			
73) toluene-d8 (s)	12.064	98	1335382	46.99	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 93.98%			
97) 4-bromofluorobenzene (s)	14.722	95	595618	53.25	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 106.50%			
Target Compounds						Qvalue
2) ethanol	5.977	45	454106	3677.85	ug/L	97
3) tertiary butyl alcohol	7.366	59	286138	229.81	ug/L	86
4) 1,4-dioxane	11.084	88	92005	1054.33	ug/L	92
6) chlorodifluoromethane	3.995	51	278695	27.22	ug/L	97
7) dichlorodifluoromethane	3.964	85	450741	44.69	ug/L	98
8) chloromethane	4.352	50	573009	43.91	ug/L	99
9) vinyl chloride	4.572	62	475209	47.61	ug/L	98
10) 1,3-butadiene	4.624	54	204959	23.05	ug/L	97
11) bromomethane	5.196	94	321390	54.60	ug/L	99
12) chloroethane	5.358	64	275828	58.37	ug/L	92
13) trichlorofluoromethane	5.788	101	579559	51.83	ug/L	95
14) ethyl ether	6.192	74	194915	54.71	ug/L	94
15) acrolein	6.417	56	92871	58.24	ug/L	94
16) freon 113	6.622	151	273068	51.38	ug/L	96
17) 1,1-dichloroethene	6.606	96	277376	49.79	ug/L	95
18) acetone	6.606	43	587320	203.46	ug/L	94
19) acetonitrile	7.020	41	587786	493.42	ug/L	96
20) iodomethane	6.853	142	551719	50.74	ug/L	92
21) carbon disulfide	6.989	76	898917	48.71	ug/L	92
22) methylene chloride	7.303	84	355016	53.78	ug/L	94
23) methyl acetate	7.062	43	361688	50.27	ug/L	99
24) methyl tert butyl ether	7.660	73	1066452	53.69	ug/L	97
25) trans-1,2-dichloroethene	7.691	96	342600	54.27	ug/L	98
26) hexane	8.043	57	598714	53.36	ug/L	98
27) di-isopropyl ether	8.258	45	1554530	56.53	ug/L	98
28) ethyl tert-butyl ether	8.714	59	1359531	56.81	ug/L	98
29) 2-butanone	8.908	72	181860	234.07	ug/L	92
30) 1,1-dichloroethane	8.263	63	682382	55.28	ug/L	98
31) chloroprene	8.363	53	620252	52.91	ug/L	93
32) acrylonitrile	7.587	53	184463	57.92	ug/L	94
33) vinyl acetate	8.200	86	73606	63.22	ug/L #	64
34) ethyl acetate	8.924	45	77848	53.97	ug/L	94
35) 2,2-dichloropropane	9.002	77	542114	54.95	ug/L	99
36) cis-1,2-dichloroethene	8.971	96	391624	56.40	ug/L	97
37) propionitrile	8.981	54	651956	548.86	ug/L	90
38) bromochloromethane	9.264	130	259751	56.27	ug/L	100
39) tetrahydrofuran	9.285	42	150956	45.83	ug/L	95
40) chloroform	9.353	83	659386	51.41	ug/L	96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220440.d
Acq On : 30 Sep 2022 10:21 am
Operator : nicoleh
Sample : bs Inst : GCMS2A
Misc : MS62539,V2A9583,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 30 10:58:56 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
41) tert-butyl formate	9.390	59	351937	56.43	ug/L		96
42) isobutyl alcohol	9.747	43	233911	470.58	ug/L		94
44) methacrylonitrile	9.175	67	167965	56.93	ug/L		91
45) 1,1,1-trichloroethane	9.610	97	588763	52.86	ug/L		98
46) cyclohexane	9.720	84	536747	57.68	ug/L		93
47) 1,1-dichloropropene	9.778	75	487765	54.39	ug/L		97
48) tert-amyl alcohol	9.909	73	120809	243.09	ug/L		94
49) carbon tetrachloride	9.804	117	519948	51.72	ug/L		97
52) 2,2,4-trimethylpentane	10.119	57	1545010	47.14	ug/L		95
53) tert-amyl methyl ether	10.108	73	1165570	48.53	ug/L		99
54) n-butyl alcohol	10.496	56	711520	2348.79	ug/L		92
55) benzene	10.025	78	1418556	51.27	ug/L		97
56) heptane	10.281	57	290280	43.41	ug/L		98
57) isopropyl acetate	9.941	87	86132	49.60	ug/L		94
58) 1,2-dichloroethane	10.046	62	581920	44.76	ug/L		99
59) trichloroethene	10.748	95	384828	48.65	ug/L		95
60) ethyl acrylate	10.738	55	632286	50.34	ug/L		99
61) 2-nitropropane	11.503	41	126654	38.36	ug/L		89
62) 2-chloroethyl vinyl ether	11.540	63	568558	146.68	ug/L		99
63) methyl methacrylate	11.005	100	102743	51.81	ug/L	#	79
64) 1,2-dichloropropane	11.036	63	414941	50.55	ug/L		94
65) methylcyclohexane	11.047	83	604503	46.70	ug/L		97
66) dibromomethane	11.141	93	251169	46.61	ug/L		95
67) bromodichloromethane	11.299	83	529456	47.46	ug/L		99
68) epichlorohydrin	11.624	57	225713	230.38	ug/L		98
69) cis-1,3-dichloropropene	11.755	75	638522	52.29	ug/L		86
70) 4-methyl-2-pentanone	11.865	58	728434	188.19	ug/L		96
71) 3-methyl-1-butanol	11.870	70	217522	911.12	ug/L		90
74) toluene	12.137	92	866820	47.04	ug/L		99
75) trans-1,3-dichloropropene	12.321	75	569845	46.65	ug/L		99
76) ethyl methacrylate	12.316	69	511817	48.80	ug/L		90
77) 1,1,2-trichloroethane	12.541	83	283569	44.76	ug/L		94
78) 2-hexanone	12.709	58	681622	176.82	ug/L		91
79) tetrachloroethene	12.688	166	421000	45.89	ug/L		99
80) 1,3-dichloropropane	12.719	76	546460	44.96	ug/L		97
81) butyl acetate	12.788	56	306154	46.22	ug/L		94
82) dibromochloromethane	12.961	129	417909	45.20	ug/L		99
83) 1,2-dibromoethane	13.113	107	349611	44.56	ug/L		96
84) n-butyl ether	13.564	57	1625656	44.53	ug/L		97
85) chlorobenzene	13.595	112	946697	47.11	ug/L		97
86) 1,1,1,2-tetrachloroethane	13.663	131	368525	45.60	ug/L		98
87) ethylbenzene	13.658	91	1553371	44.96	ug/L		95
88) m,p-xylene	13.779	106	1183166	88.10	ug/L		94
89) o-xylene	14.177	91	1242046	44.05	ug/L		96
90) styrene	14.188	104	969986	44.39	ug/L		98
91) n-amyl acetate	14.224	70	247236	43.35	ug/L		89
92) bromoform	14.413	173	303059	45.58	ug/L		97
93) butyl acrylate	14.014	55	890956	45.81	ug/L		99
94) isopropylbenzene	14.528	105	1463518	43.52	ug/L		99
95) cis-1,4-dichloro-2-butene	14.565	88	132051	36.48	ug/L		94
98) bromobenzene	14.906	156	425658	43.98	ug/L		93
99) 1,1,2,2-tetrachloroethane	14.806	83	442335	43.04	ug/L		100
100) trans-1,4-dichloro-2-b...	14.838	53	115605	33.79	ug/L		88
101) 1,2,3-trichloropropane	14.890	110	106681	40.34	ug/L		96
102) n-propylbenzene	14.937	91	1777636	45.80	ug/L		98
103) 2-chlorotoluene	15.068	126	380525	45.05	ug/L		93
104) 4-chlorotoluene	15.184	91	1108269	44.90	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220440.d
Acq On : 30 Sep 2022 10:21 am
Operator : nicoleh
Sample : bs Inst : GCMS2A
Misc : MS62539,V2A9583,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 30 10:58:56 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
105) 1,3,5-trimethylbenzene	15.100	105	1212199	44.97	ug/L	97
106) tert-butylbenzene	15.435	119	1040486	44.55	ug/L	97
107) 1,2,4-trimethylbenzene	15.488	105	1226929	44.68	ug/L	98
108) sec-butylbenzene	15.656	105	1521647	43.70	ug/L	99
109) 1,3-dichlorobenzene	15.818	146	752402	43.62	ug/L	98
110) p-isopropyltoluene	15.787	119	1311761	44.17	ug/L	98
111) benzyl chloride	16.007	91	758492	44.86	ug/L	99
112) 1,2,3-trimethylbenzene	15.912	105	1228559	43.39	ug/L	97
113) 1,4-dichlorobenzene	15.912	146	755594	42.12	ug/L	97
114) 1,2-dichlorobenzene	16.285	146	729467	43.26	ug/L	97
115) n-butylbenzene	16.196	92	678386	42.95	ug/L	98
116) 1,2-dibromo-3-chloropr...	17.050	157	89100	39.94	ug/L	94
117) 1,3,5-trichlorobenzene	17.239	180	588519	44.66	ug/L	98
118) 1,2,4-trichlorobenzene	17.884	180	503426	44.42	ug/L	98
119) hexachlorobutadiene	17.999	225	263571	45.19	ug/L	96
120) naphthalene	18.167	128	926932	34.33	ug/L	98
121) 1,2,3-trichlorobenzene	18.398	180	421176	39.47	ug/L	98
122) hexachloroethane	16.578	201	209956	43.19	ug/L	98
123) 2-methylnaphthalene	19.404	142	108023	7.85	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220440.d
Acq On : 30 Sep 2022 10:21 am
Operator : nicoleh
Sample : bs Inst : GCMS2A
Misc : MS62539,V2A9583,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 30 10:58:56 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-03-22\v1a9705\
Data File : 1a226607.d
Acq On : 30 Sep 2022 11:38 am
Operator : nickw
Sample : bs Inst : MSDTEST1A
Misc : MS62579, V1A9705,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Oct 03 07:55:25 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Sep 29 14:48:46 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert Butyl Alcohol-d9	2.915	65	217845	500.00	ug/L	0.00
5) pentafluorobenzene	3.932	168	456630	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.398	114	689951	50.00	ug/L	0.00
72) chlorobenzene-d5	6.291	117	609942	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.841	152	242381	50.00	ug/L	0.00
124) pentafluorobenzene(a)	3.932	168	456630	50.00	ug/L	0.00
127) 1,4-dichlorobenzene-d4(a)	7.841	152	242381	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.948	113	201125	49.98	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.96%			
52) 1,2-dichloroethane-d4 (s)	4.157	65	231327	48.42	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 96.84%			
73) toluene-d8 (s)	5.315	98	801385	48.84	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.68%			
97) 4-bromofluorobenzene (s)	7.084	95	249394	49.59	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.18%			
Target Compounds						Qvalue
2) 1,4-dioxane	4.751	88	44006	1377.95	ug/L	98
3) ethanol	2.415	45	143093	5295.03	ug/L	93
4) tertiary butyl alcohol	2.963	59	125599	251.52	ug/L	94
6) chlorodifluoromethane	1.644	51	99555	25.82	ug/L	95
7) dichlorodifluoromethane	1.632	85	224949	39.79	ug/L	100
8) chloromethane	1.779	50	176808	44.10	ug/L	98
9) vinyl chloride	1.863	62	251177	44.95	ug/L	100
10) 1,3-butadiene	1.892	54	127012	25.74	ug/L	94
11) bromomethane	2.097	96	82652	44.81	ug/L	92
12) chloroethane	2.167	64	170646	46.13	ug/L	99
13) trichlorofluoromethane	2.338	101	331085	48.68	ug/L	96
14) ethyl ether	2.498	74	100323	46.41	ug/L	94
15) acrolein	2.588	56	31235	43.83	ug/L	85
16) freon 113	2.655	151	130130	45.53	ug/L	98
17) 1,1-dichloroethene	2.662	96	138780	43.67	ug/L	93
18) acetone	2.665	58	76242	189.94	ug/L	93
19) acetonitrile	2.835	40	127371	464.68	ug/L	95
20) iodomethane	2.764	142	98246	57.99	ug/L	98
21) iso-butyl alcohol	2.845	43	161693	454.34	ug/L	97
22) carbon disulfide	2.819	76	365215	38.46	ug/L	99
23) methylene chloride	2.944	84	168451	45.17	ug/L	99
24) methyl acetate	2.845	74	41203	46.54	ug/L	98
25) methyl tert butyl ether	3.088	73	535993	48.15	ug/L	97
26) trans-1,2-dichloroethene	3.104	96	165494	48.74	ug/L	99
27) hexane	3.252	57	183224	41.07	ug/L	99
28) di-isopropyl ether	3.342	45	515775	49.87	ug/L	94
29) ethyl tert-butyl ether	3.551	59	517423	48.32	ug/L	99
30) 2-butanone	3.650	72	123151	195.88	ug/L	98
31) 1,1-dichloroethane	3.355	63	300264	48.35	ug/L	100
32) chloroprene	3.400	53	231038	47.01	ug/L	98
33) acrylonitrile	3.069	53	67076	39.84	ug/L	97
34) vinyl acetate	3.326	86	45205	52.32	ug/L	96
35) ethyl acetate	3.653	45	34791	46.97	ug/L	97
36) 2,2-dichloropropane	3.688	77	263264	60.75	ug/L	98
37) cis-1,2-dichloroethene	3.676	96	192757	50.57	ug/L	96
38) propionitrile	3.688	54	326036	493.20	ug/L	94
39) methyl acrylate	3.695	85	42261	50.07	ug/L #	92

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-03-22\v1a9705\
Data File : 1a226607.d
Acq On : 30 Sep 2022 11:38 am
Operator : nickw
Sample : bs Inst : MSDTEST1A
Misc : MS62579, V1A9705,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Oct 03 07:55:25 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Sep 29 14:48:46 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
40) bromochloromethane	3.814	128	98145	50.63	ug/L		99
41) tetrahydrofuran	3.823	72	35706	44.94	ug/L	#	80
42) chloroform	3.855	83	329452	47.65	ug/L		98
44) methacrylonitrile	3.778	67	101605	49.75	ug/L		96
45) 1,1,1-trichloroethane	3.977	97	285722	50.13	ug/L		98
46) cyclohexane	4.029	84	260137	48.27	ug/L		91
47) 1,1-dichloropropene	4.064	75	239904	48.35	ug/L		99
48) carbon tetrachloride	4.070	117	251345	51.36	ug/L		96
49) isopropyl acetate	4.147	87	53260	50.41	ug/L		97
50) tert amyl alcohol	4.125	55	49195	243.99	ug/L	#	78
53) tert-amyl methyl ether	4.224	73	543449	47.92	ug/L		99
54) 2,2,4-trimethylpentane	4.231	57	324136	35.83	ug/L		96
55) n-butyl alcohol	4.433	56	265030	2260.97	ug/L		99
56) benzene	4.186	78	697814	48.96	ug/L		99
57) heptane	4.317	57	66303	37.73	ug/L		94
58) 1,2-dichloroethane	4.202	62	252014	48.43	ug/L		99
59) trichloroethene	4.561	95	191513	50.46	ug/L		97
60) ethyl acrylate	4.561	55	295406	52.08	ug/L		96
61) 2-nitropropane	4.988	41	75164	46.25	ug/L		95
62) 2-chloroethyl vinyl ether	5.007	63	100845	118.63	ug/L		92
63) methyl methacrylate	4.706	100	67978	52.13	ug/L		96
64) 1,2-dichloropropane	4.719	63	177018	48.46	ug/L		94
65) methylcyclohexane	4.715	83	249345	42.79	ug/L		96
66) dibromomethane	4.776	93	130175	49.39	ug/L		95
67) bromodichloromethane	4.863	83	266125	49.46	ug/L		96
68) cis-1,3-dichloropropene	5.133	75	310117	52.41	ug/L		97
69) epichlorohydrin	5.059	57	60733	226.53	ug/L		95
70) 4-methyl-2-pentanone	5.200	58	382697	201.06	ug/L		99
71) 3-methyl-1-butanol	5.210	70	113867	861.86	ug/L		99
74) toluene	5.357	92	449316	50.30	ug/L		99
75) trans-1,3-dichloropropene	5.482	75	288470	56.07	ug/L		96
76) ethyl methacrylate	5.489	69	287896	54.10	ug/L		98
77) 1,1,2-trichloroethane	5.620	83	154712	49.71	ug/L		97
78) 2-hexanone	5.739	58	379850	200.65	ug/L		100
79) tetrachloroethene	5.704	166	187678	49.62	ug/L		97
80) 1,3-dichloropropane	5.733	76	302888	50.44	ug/L		96
81) butyl acetate	5.797	56	141394	53.33	ug/L		97
82) dibromochloromethane	5.887	129	210914	49.61	ug/L		98
83) 1,2-dibromoethane	5.983	107	201331	50.39	ug/L		100
84) n-butyl ether	6.320	57	661126	50.64	ug/L		100
85) chlorobenzene	6.310	112	495599	49.10	ug/L		95
86) 1,1,1,2-tetrachloroethane	6.358	131	174698	50.39	ug/L		96
87) ethylbenzene	6.362	91	796283	47.24	ug/L		97
88) m,p-xylene	6.448	106	617884	98.52	ug/L		100
89) o-xylene	6.718	106	314876	50.40	ug/L		99
90) butyl acrylate	6.637	55	393457	57.38	ug/L		99
91) n-amyl acetate	6.782	70	154034	56.89	ug/L		92
92) styrene	6.727	104	546984	53.60	ug/L		99
93) bromoform	6.865	173	145996	51.61	ug/L		99
94) isopropylbenzene	6.958	105	753266	47.59	ug/L		99
95) cis-1,4-dichloro-2-butene	6.987	88	75398	55.04	ug/L		93
98) bromobenzene	7.193	156	202964	52.49	ug/L		96
99) 1,1,2,2-tetrachloroethane	7.151	83	252461	49.64	ug/L		96
100) trans-1,4-dichloro-2-b...	7.177	53	52796	52.47	ug/L		96
101) 1,2,3-trichloropropane	7.199	110	79518	51.30	ug/L		93
102) n-propylbenzene	7.234	91	808469	47.40	ug/L		100
103) 2-chlorotoluene	7.308	126	179571	50.49	ug/L		94

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-03-22\v1a9705\
Data File : 1a226607.d
Acq On : 30 Sep 2022 11:38 am
Operator : nickw
Sample : bs Inst : MSDTEST1A
Misc : MS62579, V1A9705,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Oct 03 07:55:25 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Sep 29 14:48:46 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
104) 4-chlorotoluene	7.388	126	181864	50.33	ug/L	99
105) 1,3,5-trimethylbenzene	7.347	105	549290	47.59	ug/L	99
106) tert-butylbenzene	7.558	119	465896	46.28	ug/L	97
107) 1,2,4-trimethylbenzene	7.597	105	565213	48.61	ug/L	99
108) sec-butylbenzene	7.703	105	619513	44.22	ug/L	99
109) 1,3-dichlorobenzene	7.796	146	329016	51.76	ug/L	97
110) p-isopropyltoluene	7.793	119	525200	46.22	ug/L	99
111) 1,2,3-trimethylbenzene	7.863	105	566382	48.10	ug/L	99
112) 1,4-dichlorobenzene	7.857	146	321825	47.60	ug/L	98
113) 1,2-dichlorobenzene	8.091	146	313935	51.65	ug/L	95
114) n-butylbenzene	8.053	92	226087	45.57	ug/L	94
115) 1,2-dibromo-3-chloropr...	8.566	157	58839	52.29	ug/L	96
116) 1,3,5-trichlorobenzene	8.678	180	168229	46.15	ug/L	98
117) 1,2,4-trichlorobenzene	9.054	180	152808	50.94	ug/L	92
118) hexachlorobutadiene	9.128	225	50053	45.16	ug/L	97
119) naphthalene	9.221	128	523409	49.68	ug/L	99
120) 1,2,3-trichlorobenzene	9.355	180	123465	47.60	ug/L	97
121) hexachloroethane	8.261	119	84202	47.11	ug/L	98
122) benzyl chloride	7.924	91	417237	72.77	ug/L	98
123) 2-methylnaphthalene	9.984	142	40344	17.57	ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-03-22\v1a9705\
Data File : 1a226607.d
Acq On : 30 Sep 2022 11:38 am
Operator : nickw
Sample : bs Inst : MSDTEST1A
Misc : MS62579, V1A9705,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Oct 03 07:55:25 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Sep 29 14:48:46 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\Ocotober2022\10-3-22\v2v3782- due today\
Data File : 2v93126.d
Acq On : 3 Oct 2022 12:18 pm
Operator : taylors
Sample : bs
Misc : MS62619,V2V3782,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Oct 03 12:32:50 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	2.316	65	279950	500.00	ug/L		0.00
5) pentafluorobenzene	3.286	168	317246	50.00	ug/L		0.00
50) 1,4-difluorobenzene	3.747	114	459866	50.00	ug/L		0.00
72) chlorobenzene-d5	5.734	117	426030	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	7.506	152	184698	50.00	ug/L		0.00
System Monitoring Compounds							
42) dibromofluoromethane (s)	3.291	113	168876	53.38	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 106.76%				
51) 1,2-dichloroethane-d4 (s)	3.495	65	170217	52.20	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 104.40%				
73) toluene-d8 (s)	4.696	98	534046	50.93	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.86%				
97) 4-bromofluorobenzene (s)	6.636	95	161942	49.11	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.22%				
Target Compounds							Qvalue
2) ethanol	1.881	45	358140	6298.26	ug/L		98
3) tertiary butyl alcohol	2.358	59	214841	246.36	ug/L		99
4) 1,4-dioxane	4.104	88	90133	1262.03	ug/L		94
6) chlorodifluoromethane	1.288	51	80638	27.21	ug/L		96
7) dichlorodifluoromethane	1.278	85	177053	49.95	ug/L		99
8) chloromethane	1.388	52	79540	59.44	ug/L		100
9) vinyl chloride	1.451	62	293555	67.55	ug/L		98
10) bromomethane	1.629	96	261331	86.46	ug/L		97
11) chloroethane	1.681	64	258951	99.36	ug/L		98
12) trichlorofluoromethane	1.818	101	326748	50.78	ug/L		99
13) 1,3-butadiene	1.466	54	232077	58.22	ug/L		99
14) ethyl ether	1.954	74	81282	53.46	ug/L		93
15) acrolein	2.027	56	40051	59.28	ug/L		97
16) freon 113	2.085	151	119251	46.74	ug/L		95
17) 1,1-dichloroethene	2.090	61	198140	51.27	ug/L		98
18) acetone	2.096	58	97834	239.14	ug/L		100
19) acetonitrile	2.237	41	341480	649.96	ug/L		97
20) iodomethane	2.179	142	104045	43.75	ug/L		98
21) carbon disulfide	2.227	76	296291	41.97	ug/L		97
22) methylene chloride	2.342	84	145011	50.39	ug/L		94
23) methyl acetate	2.253	74	41518	56.48	ug/L	#	78
24) methyl tert butyl ether	2.473	73	452636	57.89	ug/L		99
25) trans-1,2-dichloroethene	2.483	96	147918	54.22	ug/L		98
26) hexane	2.625	56	79235	52.40	ug/L		94
27) di-isopropyl ether	2.709	45	477120	61.73	ug/L		98
28) ethyl tert-butyl ether	2.908	59	445985	58.05	ug/L		97
29) 1,1-dichloroethane	2.714	63	269469	57.74	ug/L		99
30) chloroprene	2.756	53	200599	57.48	ug/L		97
31) acrylonitrile	2.447	53	84482	58.82	ug/L		94
32) vinyl acetate	2.693	86	36439	57.41	ug/L	#	68
33) ethyl acetate	3.008	45	44007	64.26	ug/L		84
34) 2-butanone	2.997	72	142019	256.16	ug/L		93
35) 2,2-dichloropropane	3.034	77	253440	61.55	ug/L		98
36) cis-1,2-dichloroethene	3.024	96	181733	57.63	ug/L		90
37) propionitrile	3.034	54	433315	676.85	ug/L		93
38) methyl acrylate	3.045	85	41741	56.77	ug/L	#	88
39) bromochloromethane	3.155	128	92096	55.85	ug/L		92
40) tetrahydrofuran	3.165	71	36234	53.80	ug/L		93
41) chloroform	3.202	83	288892	51.17	ug/L		98
43) methacrylonitrile	3.123	67	92027	58.76	ug/L		93

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\Ocotober2022\10-3-22\v2v3782- due today\
Data File : 2v93126.d
Acq On : 3 Oct 2022 12:18 pm
Operator : taylors
Sample : bs
Misc : MS62619,V2V3782,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Oct 03 12:32:50 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44)	1,1,1-trichloroethane	3.317	97	249995	52.19	ug/L		99
45)	cyclohexane	3.364	84	193724	51.79	ug/L		95
46)	1,1-dichloropropene	3.401	75	215197	57.49	ug/L		97
47)	carbon tetrachloride	3.412	119	231278	52.25	ug/L		98
48)	isobutyl alcohol	3.401	42	97249	717.79	ug/L		97
49)	tert-amyl alcohol	3.480	55	74870	269.80	ug/L	#	73
52)	n-butyl alcohol	3.794	56	541721	3299.03	ug/L		98
53)	benzene	3.522	78	571709	51.81	ug/L		99
54)	tert-amyl methyl ether	3.574	73	472257	54.64	ug/L		97
55)	iso-octane	3.574	57	300169	50.96	ug/L		97
56)	heptane	3.668	57	56617	49.65	ug/L		95
57)	isopropyl acetate	3.501	87	49819	55.67	ug/L	#	82
58)	1,2-dichloroethane	3.537	62	233276	50.77	ug/L		99
59)	trichloroethene	3.904	95	164393	50.33	ug/L		93
60)	ethyl acrylate	3.920	55	290610	56.60	ug/L		98
61)	2-nitropropane	4.355	41	60521	44.41	ug/L		96
62)	2-chloroethyl vinyl ether	4.387	63	571687	330.87	ug/L		98
63)	methyl methacrylate	4.072	100	61636	55.01	ug/L	#	85
64)	1,2-dichloropropane	4.067	63	162312	56.21	ug/L		99
65)	methylcyclohexane	4.067	83	207537	51.01	ug/L		98
66)	dibromomethane	4.125	93	126587	50.11	ug/L		94
67)	bromodichloromethane	4.224	83	227923	51.32	ug/L		99
68)	epichlorohydrin	4.423	57	141725	296.59	ug/L		94
69)	cis-1,3-dichloropropene	4.507	75	257740	55.72	ug/L		99
70)	4-methyl-2-pentanone	4.586	58	445657	257.28	ug/L		94
71)	3-methyl-1-butanol	4.607	70	219101	1336.25	ug/L		92
74)	toluene	4.743	92	365174	51.11	ug/L		97
75)	ethyl methacrylate	4.901	69	237772	57.25	ug/L		94
76)	trans-1,3-dichloropropene	4.880	75	241691	56.70	ug/L		97
77)	1,1,2-trichloroethane	5.021	83	137769	55.61	ug/L		94
78)	2-hexanone	5.163	58	466009	256.88	ug/L		98
79)	tetrachloroethene	5.105	164	137772	49.71	ug/L		99
80)	1,3-dichloropropane	5.142	76	256266	56.12	ug/L		99
81)	butyl acetate	5.236	56	138713	60.24	ug/L		98
82)	dibromochloromethane	5.299	129	198078	50.85	ug/L		99
83)	1,2-dibromoethane	5.393	107	185680	53.37	ug/L		92
84)	n-butyl ether	5.808	57	618884	60.66	ug/L		99
85)	chlorobenzene	5.755	112	429422	49.89	ug/L		97
86)	1,1,1,2-tetrachloroethane	5.813	131	185432	55.08	ug/L		97
87)	ethylbenzene	5.818	91	734834	54.37	ug/L		98
88)	m,p-xylene	5.918	106	555660	106.02	ug/L		98
89)	o-xylene	6.217	91	563687	54.40	ug/L		98
90)	styrene	6.227	104	477812	55.57	ug/L		99
91)	butyl acrylate	6.154	56	164773	64.53	ug/L		96
92)	n-amyl acetate	6.327	70	137176	60.19	ug/L		95
93)	bromoform	6.374	173	146558	50.83	ug/L		99
94)	isopropylbenzene	6.494	105	647370	52.65	ug/L		98
95)	cis-1,4-dichloro-2-butene	6.536	88	37555	26.12	ug/L		84
98)	bromobenzene	6.757	156	186924	50.04	ug/L		96
99)	1,1,2,2-tetrachloroethane	6.730	83	263542	57.47	ug/L		99
100)	trans-1,4-dichloro-2-b...	6.762	53	35201	32.55	ug/L		95
101)	1,2,3-trichloropropane	6.778	110	73347	53.80	ug/L		95
102)	n-propylbenzene	6.825	91	728266	54.03	ug/L		99
103)	2-chlorotoluene	6.898	126	161871	52.39	ug/L		94
104)	4-chlorotoluene	6.987	126	168206	52.89	ug/L		93
105)	1,3,5-trimethylbenzene	6.961	105	485563	53.81	ug/L		99
106)	tert-butylbenzene	7.197	119	405251	51.51	ug/L		97
107)	1,2,4-trimethylbenzene	7.239	105	502703	53.37	ug/L		97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\Ocotober2022\10-3-22\v2v3782- due today\
Data File : 2v93126.d
Acq On : 3 Oct 2022 12:18 pm
Operator : taylors
Sample : bs
Misc : MS62619,V2V3782,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Oct 03 12:32:50 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
108) sec-butylbenzene	7.360	105	569421	53.42	ug/L	99
109) 1,3-dichlorobenzene	7.449	146	315830	51.29	ug/L	99
110) p-isopropyltoluene	7.470	119	473575	52.38	ug/L	99
111) 1,2,3-trimethylbenzene	7.538	105	509984	54.15	ug/L	99
112) 1,4-dichlorobenzene	7.522	146	326865	50.88	ug/L	99
113) 1,2-dichlorobenzene	7.774	146	304277	52.42	ug/L	99
114) benzyl chloride	7.595	91	406493	68.00	ug/L	98
115) n-butylbenzene	7.753	92	216106	56.19	ug/L	94
116) hexachloroethane	7.962	201	64562	46.03	ug/L	90
117) 1,2-dibromo-3-chloropr...	8.293	157	65691	53.46	ug/L	98
118) 1,3,5-trichlorobenzene	8.419	180	167837	51.51	ug/L	99
119) 1,2,4-trichlorobenzene	8.817	180	147615	51.68	ug/L	95
120) hexachlorobutadiene	8.906	225	47879	47.46	ug/L	98
121) naphthalene	8.980	128	489212	50.96	ug/L	100
122) 1,2,3-trichlorobenzene	9.116	180	129272	50.44	ug/L	95
123) 2-methylnaphthalene	9.672	142	61354	18.80	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\Ocotober2022\10-3-22\v2v3782- due today\
Data File : 2v93126.d
Acq On : 3 Oct 2022 12:18 pm
Operator : taylors
Sample : bs
Misc : MS62619,V2V3782,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Oct 03 12:32:50 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\vl10519-due today\
Data File : l347831.d
Acq On : 4 Oct 2022 11:19 am
Operator : nicoleh
Sample : bs Inst : GCMSL
Misc : MS62669,VL10519,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 05 01:45:18 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.082	65	145848	500.00	ug/L		-0.01
5) pentafluorobenzene	4.305	168	220995	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.873	114	329903	50.00	ug/L		0.00
72) chlorobenzene-d5	7.273	117	319292	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.465	152	120752	50.00	ug/L		0.00
123) pentafluorobenzene(a)	4.305	168	219248	50.00	ug/L		0.00
127) 1,4-dichlorobenzene-d4(a)	9.465	152	120510	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.311	113	94587	47.39	ug/L		-0.01
Spiked Amount 50.000	Range 80 - 120		Recovery = 94.78%				
52) 1,2-dichloroethane-d4 (s)	4.568	65	104503	43.40	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 86.80%				
73) toluene-d8 (s)	6.021	98	397479	45.23	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 90.46%				
96) 4-bromofluorobenzene (s)	8.351	95	150103	47.72	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.44%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.309	88	12820	337.11	ug/L		97
3) ethanol	2.504	45	77633	2132.25	ug/L		94
4) tertiary butyl alcohol	3.140	59	109230	244.36	ug/L		96
6) chlorodifluoromethane	1.673	51	172415	69.77	ug/L	#	91
7) dichlorodifluoromethane	1.657	85	194058	53.79	ug/L		98
8) chloromethane	1.818	50	120418	49.93	ug/L		97
9) vinyl chloride	1.901	62	140504	47.24	ug/L		96
10) 1,3-butadiene	1.930	54	154025	52.68	ug/L		94
11) bromomethane	2.158	96	53347	43.07	ug/L		92
12) chloroethane	2.238	64	76702	44.09	ug/L		99
13) trichlorofluoromethane	2.418	101	219558	52.78	ug/L		96
14) ethyl ether	2.601	74	88727	61.05	ug/L		86
15) acrolein	2.703	56	38521	72.99	ug/L		98
16) freon 113	2.774	151	101562	62.02	ug/L		99
17) 1,1-dichloroethene	2.784	96	117781	57.73	ug/L		98
18) acetone	2.793	58	74648	208.27	ug/L		93
19) acetonitrile	2.986	40	94873	408.53	ug/L		95
20) iodomethane	2.896	142	96390	51.56	ug/L		98
21) iso-butyl alcohol	4.452	43	68770	294.39	ug/L		89
22) carbon disulfide	2.960	76	340480	54.24	ug/L		95
23) methylene chloride	3.111	84	129906	54.69	ug/L		98
24) methyl acetate	3.002	74	35885	49.89	ug/L		92
25) methyl tert butyl ether	3.278	73	396936	51.39	ug/L		94
26) trans-1,2-dichloroethene	3.297	96	122999	55.72	ug/L		95
27) hexane	3.477	57	186998	60.24	ug/L		94
28) di-isopropyl ether	3.583	45	364739	58.19	ug/L		94
29) ethyl tert-butyl ether	3.833	59	409099	55.70	ug/L		95
30) 2-butanone	3.952	72	104023	188.93	ug/L		88
31) 1,1-dichloroethane	3.595	63	208777	53.87	ug/L		92
32) chloroprene	3.644	53	176882	56.11	ug/L		95
33) acrylonitrile	3.262	53	71870	56.38	ug/L		97
34) vinyl acetate	3.567	86	35486	53.07	ug/L	#	76
35) ethyl acetate	3.958	45	28325	50.66	ug/L		98
36) 2,2-dichloropropane	3.993	77	171874	45.59	ug/L		99
37) cis-1,2-dichloroethene	3.981	96	131108	52.51	ug/L		96
38) propionitrile	3.997	54	240798	457.61	ug/L		94
39) methyl acrylate	4.006	85	29744	45.85	ug/L		94

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\vl10519-due today\
Data File : l347831.d
Acq On : 4 Oct 2022 11:19 am
Operator : nicoleh
Sample : bs Inst : GCMSL
Misc : MS62669,VL10519,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 05 01:45:18 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
40) bromochloromethane	4.147	128	60591	55.70	ug/L		98
41) tetrahydrofuran	4.157	72	30220	49.12	ug/L		97
42) chloroform	4.202	83	217001	48.88	ug/L		95
44) methacrylonitrile	4.109	67	80779	52.33	ug/L		98
45) 1,1,1-trichloroethane	4.343	97	191905	50.44	ug/L		99
46) cyclohexane	4.401	84	168044	47.99	ug/L		98
47) 1,1-dichloropropene	4.452	75	157610	51.86	ug/L		96
48) carbon tetrachloride	4.455	117	155600	49.34	ug/L		99
49) isopropyl acetate	4.561	87	38373	48.63	ug/L		95
50) tert amyl alcohol	4.545	55	44290	177.18	ug/L	#	87
53) tert-amyl methyl ether	4.654	73	352248	47.95	ug/L		95
54) 2,2,4-trimethylpentane	4.658	57	320234	54.85	ug/L		97
55) n-butyl alcohol	4.927	56	190462	1164.50	ug/L		98
56) benzene	4.600	78	456953	53.20	ug/L		97
57) heptane	4.770	57	70578	52.41	ug/L		83
58) 1,2-dichloroethane	4.622	62	157222	48.50	ug/L		99
59) trichloroethene	5.068	95	133191	54.83	ug/L		94
60) ethyl acrylate	5.081	55	230622	57.29	ug/L		99
61) 2-nitropropane	5.617	41	54891	46.60	ug/L		91
62) 2-chloroethyl vinyl ether	5.649	63	425589	302.65	ug/L		99
63) methyl methacrylate	5.261	100	48326	51.53	ug/L	#	87
64) 1,2-dichloropropane	5.264	63	119430	56.36	ug/L		88
65) methylcyclohexane	5.254	83	205934	53.83	ug/L		91
66) dibromomethane	5.338	93	81919	52.45	ug/L		96
67) bromodichloromethane	5.450	83	175589	49.33	ug/L		92
68) cis-1,3-dichloropropene	5.797	75	191759	48.03	ug/L		99
69) epichlorohydrin	5.704	57	98194	213.39	ug/L		94
70) 4-methyl-2-pentanone	5.890	58	301981	204.96	ug/L		93
71) 3-methyl-1-butanol	5.909	70	93297	517.26	ug/L		88
74) toluene	6.076	92	307900	51.36	ug/L		98
75) trans-1,3-dichloropropene	6.246	75	177314	42.72	ug/L		94
76) ethyl methacrylate	6.265	69	201367	48.19	ug/L		97
77) 1,1,2-trichloroethane	6.419	83	110743	53.02	ug/L		98
78) 2-hexanone	6.583	58	310435	186.88	ug/L		92
79) tetrachloroethene	6.516	166	128656	53.56	ug/L		97
80) 1,3-dichloropropane	6.567	76	198262	48.83	ug/L		98
81) butyl acetate	6.663	56	117490	54.23	ug/L		99
82) dibromochloromethane	6.756	129	128073	45.87	ug/L		99
83) 1,2-dibromoethane	6.872	107	135020	48.26	ug/L		97
84) n-butyl ether	7.340	57	490815	54.83	ug/L		96
85) chlorobenzene	7.295	112	318113	51.92	ug/L		97
86) 1,1,1,2-tetrachloroethane	7.366	131	110020	49.59	ug/L		98
87) ethylbenzene	7.372	91	525299	49.90	ug/L		99
88) m,p-xylene	7.488	106	401496	95.15	ug/L		99
89) o-xylene	7.844	106	212648	50.39	ug/L		99
90) butyl acrylate	7.761	55	292325	54.11	ug/L		99
91) styrene	7.857	104	338295	49.43	ug/L		99
92) bromoform	8.037	173	84306	42.91	ug/L		98
93) isopropylbenzene	8.178	105	537225	50.71	ug/L		97
94) cis-1,4-dichloro-2-butene	8.232	88	23799	30.21	ug/L	#	75
97) bromobenzene	8.495	156	128266	52.34	ug/L		92
98) 1,1,2,2-tetrachloroethane	8.463	83	192253	47.57	ug/L		99
99) trans-1,4-dichloro-2-b...	8.499	53	19944	34.72	ug/L		80
100) 1,2,3-trichloropropane	8.524	110	52123	44.78	ug/L		97
101) n-propylbenzene	8.572	91	593495	51.31	ug/L		100
102) 2-chlorotoluene	8.672	126	117526	51.63	ug/L		92
103) 4-chlorotoluene	8.787	126	119753	52.48	ug/L		86

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\vl10519-due today\
Data File : l347831.d
Acq On : 4 Oct 2022 11:19 am
Operator : nicoleh
Sample : bs Inst : GCMSL
Misc : MS62669,VL10519,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 05 01:45:18 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
104) 1,3,5-trimethylbenzene	8.743	105	414579	49.99	ug/L	99
105) tert-butylbenzene	9.051	119	365816	52.63	ug/L	99
106) 1,2,4-trimethylbenzene	9.105	105	415161	48.92	ug/L	100
107) sec-butylbenzene	9.266	105	516609	52.00	ug/L	98
108) 1,3-dichlorobenzene	9.394	146	221270	53.47	ug/L	97
109) p-isopropyltoluene	9.413	119	398808	50.90	ug/L	97
110) 1,4-dichlorobenzene	9.490	146	205878	50.73	ug/L	99
111) 1,2,3-trimethylbenzene	9.513	105	393830	48.89	ug/L	99
112) 1,2-dichlorobenzene	9.846	146	202365	49.70	ug/L	98
113) n-butylbenzene	9.811	92	217349	55.43	ug/L	97
114) 1,2-dibromo-3-chloropr...	10.613	157	44817	46.93	ug/L	96
115) 1,3,5-trichlorobenzene	10.799	180	147527	56.16	ug/L	95
116) 1,2,4-trichlorobenzene	11.428	180	123132	57.88	ug/L	96
117) hexachlorobutadiene	11.566	225	47418	55.67	ug/L	96
118) naphthalene	11.695	128	374017	52.07	ug/L	99
119) 1,2,3-trichlorobenzene	11.913	180	107027	55.57	ug/L	86
120) hexachloroethane	10.113	119	82101	50.54	ug/L	97
121) benzyl chloride	9.596	91	313208	44.66	ug/L	98
122) 2-methylnaphthalene	12.828	142	68288	26.55	ug/L	88

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\vl10519-due today\
Data File : l347831.d
Acq On : 4 Oct 2022 11:19 am
Operator : nicoleh
Sample : bs Inst : GCMSL
Misc : MS62669,VL10519,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 05 01:45:18 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\vl10519-due today\
Data File : l347832.d
Acq On : 4 Oct 2022 11:42 am
Operator : nicoleh
Sample : bsd Inst : GCMSL
Misc : MS62669,VL10519,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 05 01:46:40 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.085	65	172278	500.00	ug/L		0.00
5) pentafluorobenzene	4.305	168	223542	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.876	114	340422	50.00	ug/L		0.00
72) chlorobenzene-d5	7.270	117	332412	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.465	152	126749	50.00	ug/L		0.00
123) pentafluorobenzene(a)	4.305	168	223133	50.00	ug/L		0.00
127) 1,4-dichlorobenzene-d4(a)	9.465	152	126766	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.318	113	97938	48.51	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.02%				
52) 1,2-dichloroethane-d4 (s)	4.568	65	104708	42.14	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 84.28%				
73) toluene-d8 (s)	6.022	98	402194	43.96	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 87.92%				
96) 4-bromofluorobenzene (s)	8.351	95	158527	48.01	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.02%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.303	88	19290	429.42	ug/L		89
3) ethanol	2.508	45	110021	2558.22	ug/L		99
4) tertiary butyl alcohol	3.143	59	128649	243.65	ug/L		99
6) chlorodifluoromethane	1.677	51	166329	66.54	ug/L	#	87
7) dichlorodifluoromethane	1.661	85	186300	51.05	ug/L		98
8) chloromethane	1.821	50	117488	48.16	ug/L		96
9) vinyl chloride	1.901	62	134158	44.59	ug/L		97
10) 1,3-butadiene	1.930	54	150983	51.05	ug/L		98
11) bromomethane	2.161	96	54463	43.47	ug/L		92
12) chloroethane	2.238	64	75372	42.84	ug/L		97
13) trichlorofluoromethane	2.421	101	213848	50.82	ug/L		99
14) ethyl ether	2.601	74	85309	58.03	ug/L		83
15) acrolein	2.704	56	36921	69.16	ug/L		87
16) freon 113	2.777	151	98420	59.41	ug/L		92
17) 1,1-dichloroethene	2.784	96	115703	56.07	ug/L		94
18) acetone	2.793	58	95752	264.11	ug/L		86
19) acetonitrile	2.986	40	106367	452.81	ug/L		99
20) iodomethane	2.899	142	89906	47.66	ug/L		95
21) iso-butyl alcohol	4.452	43	76387	323.27	ug/L		96
22) carbon disulfide	2.960	76	335096	52.77	ug/L		95
23) methylene chloride	3.114	84	130347	54.25	ug/L		96
24) methyl acetate	2.999	74	37668	51.77	ug/L		96
25) methyl tert butyl ether	3.281	73	393368	50.35	ug/L		93
26) trans-1,2-dichloroethene	3.300	96	121229	54.29	ug/L		92
27) hexane	3.474	57	184001	58.60	ug/L		93
28) di-isopropyl ether	3.586	45	366735	57.84	ug/L		96
29) ethyl tert-butyl ether	3.833	59	410138	55.20	ug/L		95
30) 2-butanone	3.955	72	115049	206.58	ug/L		91
31) 1,1-dichloroethane	3.596	63	212766	54.27	ug/L		94
32) chloroprene	3.644	53	175634	55.08	ug/L		92
33) acrylonitrile	3.259	53	74447	57.73	ug/L		97
34) vinyl acetate	3.570	86	35160	51.99	ug/L	#	82
35) ethyl acetate	3.965	45	28682	50.72	ug/L	#	62
36) 2,2-dichloropropane	3.994	77	168686	44.23	ug/L		98
37) cis-1,2-dichloroethene	3.981	96	128866	51.02	ug/L		96
38) propionitrile	4.000	54	260238	488.92	ug/L		97
39) methyl acrylate	4.006	85	29381	44.78	ug/L	#	57

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\vl10519-due today\
Data File : l347832.d
Acq On : 4 Oct 2022 11:42 am
Operator : nicoleh
Sample : bsd Inst : GCMSL
Misc : MS62669,VL10519,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 05 01:46:40 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
40) bromochloromethane	4.151	128	59510	54.08	ug/L		91
41) tetrahydrofuran	4.160	72	31305	50.30	ug/L		98
42) chloroform	4.205	83	218323	48.62	ug/L		97
44) methacrylonitrile	4.112	67	82072	52.56	ug/L		98
45) 1,1,1-trichloroethane	4.346	97	189989	49.37	ug/L		95
46) cyclohexane	4.401	84	169083	47.74	ug/L		89
47) 1,1-dichloropropene	4.452	75	153431	49.91	ug/L		93
48) carbon tetrachloride	4.456	117	153537	48.13	ug/L		92
49) isopropyl acetate	4.568	87	39834	49.91	ug/L	#	67
50) tert amyl alcohol	4.542	55	49900	197.35	ug/L	#	79
53) tert-amyl methyl ether	4.661	73	363824	48.00	ug/L		96
54) 2,2,4-trimethylpentane	4.661	57	320169	53.15	ug/L		98
55) n-butyl alcohol	4.931	56	243834	1444.75	ug/L		97
56) benzene	4.600	78	460842	52.00	ug/L		97
57) heptane	4.773	57	69542	50.04	ug/L		82
58) 1,2-dichloroethane	4.622	62	157104	46.97	ug/L		99
59) trichloroethene	5.069	95	130996	52.26	ug/L		98
60) ethyl acrylate	5.085	55	232047	55.86	ug/L		96
61) 2-nitropropane	5.617	41	60148	49.48	ug/L		91
62) 2-chloroethyl vinyl ether	5.649	63	435747	300.30	ug/L		97
63) methyl methacrylate	5.264	100	50517	52.21	ug/L		96
64) 1,2-dichloropropane	5.267	63	120998	55.34	ug/L		86
65) methylcyclohexane	5.258	83	203230	51.49	ug/L		92
66) dibromomethane	5.338	93	81836	50.78	ug/L		98
67) bromodichloromethane	5.457	83	173533	47.25	ug/L		94
68) cis-1,3-dichloropropene	5.797	75	199729	48.48	ug/L		97
69) epichlorohydrin	5.704	57	104832	220.77	ug/L		97
70) 4-methyl-2-pentanone	5.890	58	310511	204.23	ug/L		92
71) 3-methyl-1-butanol	5.916	70	108917	585.21	ug/L	#	85
74) toluene	6.076	92	311973	49.98	ug/L		99
75) trans-1,3-dichloropropene	6.249	75	178549	41.32	ug/L		94
76) ethyl methacrylate	6.269	69	205147	47.16	ug/L		95
77) 1,1,2-trichloroethane	6.419	83	112335	51.66	ug/L		95
78) 2-hexanone	6.580	58	327556	189.41	ug/L		94
79) tetrachloroethene	6.516	166	128275	51.30	ug/L		99
80) 1,3-dichloropropane	6.564	76	199647	47.23	ug/L		99
81) butyl acetate	6.667	56	119459	52.96	ug/L		95
82) dibromochloromethane	6.756	129	127915	44.01	ug/L		98
83) 1,2-dibromoethane	6.872	107	136637	46.91	ug/L		97
84) n-butyl ether	7.340	57	499077	53.56	ug/L		95
85) chlorobenzene	7.299	112	320923	50.31	ug/L		98
86) 1,1,1,2-tetrachloroethane	7.366	131	109243	47.30	ug/L		96
87) ethylbenzene	7.372	91	526449	48.04	ug/L		99
88) m,p-xylene	7.488	106	405550	92.32	ug/L		97
89) o-xylene	7.844	106	211613	48.16	ug/L		99
90) butyl acrylate	7.761	55	303005	53.87	ug/L		98
91) styrene	7.860	104	341606	47.94	ug/L		98
92) bromoform	8.040	173	85361	41.74	ug/L		99
93) isopropylbenzene	8.181	105	541731	49.11	ug/L		95
94) cis-1,4-dichloro-2-butene	8.232	88	28255	34.45	ug/L		97
97) bromobenzene	8.496	156	131509	51.13	ug/L		90
98) 1,1,2,2-tetrachloroethane	8.464	83	193456	45.60	ug/L		98
99) trans-1,4-dichloro-2-b...	8.505	53	22509	37.33	ug/L	#	75
100) 1,2,3-trichloropropane	8.524	110	55180	45.16	ug/L		88
101) n-propylbenzene	8.576	91	597289	49.20	ug/L		100
102) 2-chlorotoluene	8.672	126	123294	51.60	ug/L		88
103) 4-chlorotoluene	8.788	126	119250	49.79	ug/L		94

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\vl10519-due today\
Data File : l347832.d
Acq On : 4 Oct 2022 11:42 am
Operator : nicoleh
Sample : bsd Inst : GCMSL
Misc : MS62669,VL10519,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 05 01:46:40 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
104) 1,3,5-trimethylbenzene	8.746	105	421389	48.41	ug/L	99
105) tert-butylbenzene	9.048	119	371519	50.92	ug/L	98
106) 1,2,4-trimethylbenzene	9.109	105	421456	47.31	ug/L	98
107) sec-butylbenzene	9.266	105	520440	49.90	ug/L	99
108) 1,3-dichlorobenzene	9.394	146	225970	52.02	ug/L	99
109) p-isopropyltoluene	9.410	119	412512	50.16	ug/L	98
110) 1,4-dichlorobenzene	9.490	146	212184	49.81	ug/L	96
111) 1,2,3-trimethylbenzene	9.510	105	401518	47.49	ug/L	98
112) 1,2-dichlorobenzene	9.847	146	206091	48.22	ug/L	98
113) n-butylbenzene	9.811	92	219185	53.25	ug/L	100
114) 1,2-dibromo-3-chloropr...	10.617	157	49518	49.40	ug/L	85
115) 1,3,5-trichlorobenzene	10.803	180	149650	54.27	ug/L	95
116) 1,2,4-trichlorobenzene	11.429	180	126129	56.49	ug/L	96
117) hexachlorobutadiene	11.570	225	48533	54.28	ug/L	98
118) naphthalene	11.695	128	400725	53.14	ug/L	99
119) 1,2,3-trichlorobenzene	11.913	180	112605	55.70	ug/L	94
120) hexachloroethane	10.116	119	82101	48.14	ug/L	95
121) benzyl chloride	9.599	91	325131	44.17	ug/L	97
122) 2-methylnaphthalene	12.828	142	78927	29.23	ug/L	88

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\vl10519-due today\
Data File : l347832.d
Acq On : 4 Oct 2022 11:42 am
Operator : nicoleh
Sample : bsd Inst : GCMSL
Misc : MS62669,VL10519,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 05 01:46:40 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\September\09-28-22\v1a9698\
Data File : 1a226444.d
Acq On : 27 Sep 2022 4:24 pm
Operator : nickw
Sample : jd52310-3ms Inst : MSDTEST1A
Misc : MS62427, V1A9698,5,,,,5
ALS Vial : 16 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 27 17:40:46 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert Butyl Alcohol-d9	2.918	65	284980	500.00	ug/L	0.00
5) pentafluorobenzene	3.932	168	569489	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.401	114	838923	50.00	ug/L	0.00
72) chlorobenzene-d5	6.291	117	750403	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.841	152	310518	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.948	113	247458	49.31	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.62%			
52) 1,2-dichloroethane-d4 (s)	4.157	65	275620	47.44	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 94.88%			
73) toluene-d8 (s)	5.315	98	944298	46.78	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 93.56%			
97) 4-bromofluorobenzene (s)	7.083	95	309551	48.05	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.10%			
Target Compounds						Qvalue
2) 1,4-dioxane	4.747	88	51644	1236.16	ug/L	97
3) ethanol	2.414	45	173776	4915.56	ug/L	97
4) tertiary butyl alcohol	2.966	59	168384	257.76	ug/L	96
6) chlorodifluoromethane	1.644	51	199334	41.45	ug/L	97
7) dichlorodifluoromethane	1.631	85	281152	39.87	ug/L	99
8) chloromethane	1.779	50	221562	44.31	ug/L	98
9) vinyl chloride	1.862	62	270875	38.87	ug/L	100
10) 1,3-butadiene	1.891	54	269258	43.76	ug/L	98
11) bromomethane	2.097	96	56902	27.62	ug/L	99
12) chloroethane	2.170	64	185715	40.25	ug/L	98
13) trichlorofluoromethane	2.337	101	386294	45.54	ug/L	99
14) ethyl ether	2.498	74	126017	46.75	ug/L	95
15) acrolein	2.588	56	44317	49.87	ug/L	92
16) freon 113	2.655	151	172058	48.27	ug/L	98
17) 1,1-dichloroethene	2.661	96	179488	45.28	ug/L	96
18) acetone	2.668	58	131862	263.40	ug/L	92
19) acetonitrile	2.835	40	154590	452.22	ug/L	95
20) iodomethane	2.764	142	76794	36.34	ug/L	97
21) iso-butyl alcohol	2.844	43	203004	457.37	ug/L	98
22) carbon disulfide	2.819	76	499289	42.16	ug/L	99
23) methylene chloride	2.944	84	202405	43.52	ug/L	93
24) methyl acetate	2.844	74	51391	46.55	ug/L	97
25) methyl tert butyl ether	3.088	73	647145	46.61	ug/L	99
26) trans-1,2-dichloroethene	3.104	96	202636	47.85	ug/L	98
27) hexane	3.255	57	267283	48.03	ug/L	97
28) di-isopropyl ether	3.345	45	597924	46.35	ug/L	98
29) ethyl tert-butyl ether	3.550	59	626198	46.88	ug/L	97
30) 2-butanone	3.650	72	148596	189.51	ug/L	97
31) 1,1-dichloroethane	3.355	63	351180	45.34	ug/L	99
32) chloroprene	3.399	53	254797	41.57	ug/L	98
33) acrylonitrile	3.069	53	96910	46.16	ug/L	97
34) vinyl acetate	3.326	86	53955	50.07	ug/L	99
35) ethyl acetate	3.653	45	40706	44.06	ug/L	91
36) 2,2-dichloropropane	3.688	77	322025	59.58	ug/L	99
37) cis-1,2-dichloroethene	3.679	96	236639	49.78	ug/L	97
38) propionitrile	3.688	54	380659	461.72	ug/L	94
39) methyl acrylate	3.695	85	50971	48.42	ug/L	95
40) bromochloromethane	3.817	128	119493	49.43	ug/L	94
41) tetrahydrofuran	3.829	72	42833	43.23	ug/L	86

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\September\09-28-22\v1a9698\
Data File : 1a226444.d
Acq On : 27 Sep 2022 4:24 pm
Operator : nickw
Sample : jd52310-3ms Inst : MSDTEST1A
Misc : MS62427, V1A9698,5,,,,5
ALS Vial : 16 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 27 17:40:46 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
42) chloroform	3.858	83	385800	44.75	ug/L		97
44) methacrylonitrile	3.781	67	118793	46.64	ug/L		97
45) 1,1,1-trichloroethane	3.977	97	344177	48.41	ug/L		98
46) cyclohexane	4.028	84	272047	40.48	ug/L	#	84
47) 1,1-dichloropropene	4.064	75	279184	45.12	ug/L		98
48) carbon tetrachloride	4.070	117	302469	49.56	ug/L		97
49) isopropyl acetate	4.147	87	64549	48.99	ug/L		97
50) tert amyl alcohol	4.131	55	53895	214.33	ug/L		91
53) tert-amyl methyl ether	4.227	73	652076	47.28	ug/L		99
54) 2,2,4-trimethylpentane	4.234	57	543098	49.37	ug/L		96
55) n-butyl alcohol	4.433	56	323030	2266.20	ug/L		98
56) benzene	4.186	78	813276	46.93	ug/L		99
57) heptane	4.317	57	112722	52.76	ug/L		97
58) 1,2-dichloroethane	4.202	62	292606	46.25	ug/L		99
59) trichloroethene	4.558	95	236504	51.25	ug/L		97
60) ethyl acrylate	4.561	55	339869	49.28	ug/L		95
61) 2-nitropropane	4.991	41	84738	42.88	ug/L		93
62) 2-chloroethyl vinyl ether	5.010	63	44657	43.20	ug/L		95
63) methyl methacrylate	4.706	100	80868	51.01	ug/L		90
64) 1,2-dichloropropane	4.718	63	201878	45.45	ug/L		98
65) methylcyclohexane	4.715	83	346093	48.85	ug/L		97
66) dibromomethane	4.776	93	149381	46.61	ug/L		93
67) bromodichloromethane	4.866	83	308324	47.12	ug/L		97
68) cis-1,3-dichloropropene	5.132	75	354749	49.31	ug/L		99
69) epichlorohydrin	5.055	57	85637	262.69	ug/L		91
70) 4-methyl-2-pentanone	5.203	58	437369	188.98	ug/L		98
71) 3-methyl-1-butanol	5.209	70	144183	896.35	ug/L		97
74) toluene	5.357	92	518444	47.18	ug/L		97
75) trans-1,3-dichloropropene	5.485	75	335228	52.96	ug/L		97
76) ethyl methacrylate	5.488	69	323043	49.34	ug/L		96
77) 1,1,2-trichloroethane	5.620	83	179525	46.89	ug/L		98
78) 2-hexanone	5.739	58	426702	183.21	ug/L		97
79) tetrachloroethene	5.703	166	710333	152.64	ug/L		99
80) 1,3-dichloropropane	5.736	76	327565	44.34	ug/L		98
81) butyl acetate	5.797	56	157805	48.38	ug/L		99
82) dibromochloromethane	5.886	129	243687	46.59	ug/L		99
83) 1,2-dibromoethane	5.983	107	234589	47.73	ug/L		98
84) n-butyl ether	6.320	57	771672	48.05	ug/L		98
85) chlorobenzene	6.313	112	576722	46.44	ug/L		98
86) 1,1,1,2-tetrachloroethane	6.361	131	206393	48.39	ug/L		97
87) ethylbenzene	6.361	91	952374	45.92	ug/L		98
88) m,p-xylene	6.448	106	733506	95.07	ug/L		99
89) o-xylene	6.718	106	370274	48.17	ug/L		98
90) butyl acrylate	6.637	55	445107	52.76	ug/L		98
91) n-amyl acetate	6.782	70	174977	52.53	ug/L		97
92) styrene	6.727	104	577657	46.01	ug/L		99
93) bromoform	6.865	173	168680	48.47	ug/L		96
94) isopropylbenzene	6.958	105	951875	48.88	ug/L		100
95) cis-1,4-dichloro-2-butene	6.990	88	68592	40.70	ug/L		96
98) bromobenzene	7.192	156	241306	48.71	ug/L		95
99) 1,1,2,2-tetrachloroethane	7.154	83	296248	45.47	ug/L		95
100) trans-1,4-dichloro-2-b...	7.176	53	55947	43.40	ug/L		94
101) 1,2,3-trichloropropane	7.202	110	92052	46.36	ug/L		97
102) n-propylbenzene	7.234	91	1036419	47.43	ug/L		99
103) 2-chlorotoluene	7.311	126	221529	48.62	ug/L		88
104) 4-chlorotoluene	7.388	126	225323	48.67	ug/L		98
105) 1,3,5-trimethylbenzene	7.346	105	625945	42.33	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\September\09-28-22\v1a9698\
Data File : 1a226444.d
Acq On : 27 Sep 2022 4:24 pm
Operator : nickw
Sample : jd52310-3ms Inst : MSDTEST1A
Misc : MS62427, V1A9698,5,,,,5
ALS Vial : 16 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 27 17:40:46 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
106) tert-butylbenzene	7.558	119	645181	50.02	ug/L	97
107) 1,2,4-trimethylbenzene	7.597	105	681921	45.78	ug/L	98
108) sec-butylbenzene	7.703	105	898282	50.05	ug/L	100
109) 1,3-dichlorobenzene	7.796	146	415543	51.03	ug/L	98
110) p-isopropyltoluene	7.792	119	736575	50.59	ug/L	100
111) 1,2,3-trimethylbenzene	7.866	105	663551	43.99	ug/L	97
112) 1,4-dichlorobenzene	7.857	146	416972	48.14	ug/L	98
113) 1,2-dichlorobenzene	8.091	146	390254	50.11	ug/L	98
114) n-butylbenzene	8.052	92	339374	53.39	ug/L	100
115) 1,2-dibromo-3-chloropr...	8.566	157	73833	51.21	ug/L	97
116) 1,3,5-trichlorobenzene	8.678	180	250449	53.62	ug/L	98
117) 1,2,4-trichlorobenzene	9.054	180	206779	53.81	ug/L	97
118) hexachlorobutadiene	9.127	225	74486	52.46	ug/L	98
119) naphthalene	9.220	128	689643	51.09	ug/L	99
120) 1,2,3-trichlorobenzene	9.358	180	175091	52.69	ug/L	98
121) hexachloroethane	8.261	119	126080	55.06	ug/L	97
122) benzyl chloride	7.924	91	538171	73.27	ug/L	98
123) 2-methylnaphthalene	9.978	142	75709	25.08	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\September\09-28-22\v1a9698\
Data File : 1a226444.d
Acq On : 27 Sep 2022 4:24 pm
Operator : nickw
Sample : jd52310-3ms Inst : MSDTEST1A
Misc : MS62427, V1A9698,5,,,,5
ALS Vial : 16 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 27 17:40:46 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\September\09-28-22\v1a9698\
Data File : 1a226445.d
Acq On : 27 Sep 2022 4:48 pm
Operator : nickw
Sample : jd52310-3msd Inst : MSDTEST1A
Misc : MS62427, V1A9698,5,,,,5
ALS Vial : 17 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 27 17:40:56 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert Butyl Alcohol-d9	2.918	65	285954	500.00	ug/L	0.00
5) pentafluorobenzene	3.935	168	543729	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.401	114	806911	50.00	ug/L	0.00
72) chlorobenzene-d5	6.291	117	721884	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.841	152	301796	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.948	113	236542	49.37	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.74%			
52) 1,2-dichloroethane-d4 (s)	4.157	65	260163	46.56	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 93.12%			
73) toluene-d8 (s)	5.315	98	922306	47.50	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.00%			
97) 4-bromofluorobenzene (s)	7.083	95	298612	47.69	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.38%			
Target Compounds						Qvalue
2) 1,4-dioxane	4.747	88	54831	1307.97	ug/L	98
3) ethanol	2.418	45	172999	4876.91	ug/L	96
4) tertiary butyl alcohol	2.966	59	170374	259.92	ug/L	95
6) chlorodifluoromethane	1.644	51	188580	41.07	ug/L	97
7) dichlorodifluoromethane	1.635	85	268872	39.94	ug/L	98
8) chloromethane	1.776	50	207279	43.42	ug/L	96
9) vinyl chloride	1.862	62	262187	39.41	ug/L	97
10) 1,3-butadiene	1.891	54	266319	45.33	ug/L	96
11) bromomethane	2.100	96	76790	36.80	ug/L	97
12) chloroethane	2.171	64	175772	39.90	ug/L	99
13) trichlorofluoromethane	2.337	101	373799	46.15	ug/L	98
14) ethyl ether	2.498	74	121396	47.17	ug/L	98
15) acrolein	2.591	56	42591	50.20	ug/L	95
16) freon 113	2.655	151	166812	49.01	ug/L	96
17) 1,1-dichloroethene	2.661	96	177375	46.87	ug/L	99
18) acetone	2.668	58	133316	278.92	ug/L	97
19) acetonitrile	2.838	40	153846	471.36	ug/L	96
20) iodomethane	2.764	142	101779	50.45	ug/L	99
21) iso-butyl alcohol	2.844	43	202244	477.25	ug/L	98
22) carbon disulfide	2.819	76	482186	42.65	ug/L	100
23) methylene chloride	2.944	84	202466	45.59	ug/L	99
24) methyl acetate	2.844	74	50380	47.79	ug/L	95
25) methyl tert butyl ether	3.088	73	631144	47.61	ug/L	99
26) trans-1,2-dichloroethene	3.104	96	197107	48.75	ug/L	97
27) hexane	3.255	57	261408	49.20	ug/L	99
28) di-isopropyl ether	3.345	45	587026	47.67	ug/L	99
29) ethyl tert-butyl ether	3.547	59	623374	48.88	ug/L	97
30) 2-butanone	3.650	72	151500	202.37	ug/L	93
31) 1,1-dichloroethane	3.355	63	354109	47.89	ug/L	98
32) chloroprene	3.400	53	268015	45.80	ug/L	100
33) acrylonitrile	3.069	53	99451	49.61	ug/L	94
34) vinyl acetate	3.326	86	52765	51.29	ug/L #	74
35) ethyl acetate	3.653	45	42676	48.39	ug/L	89
36) 2,2-dichloropropane	3.688	77	320750	62.16	ug/L	97
37) cis-1,2-dichloroethene	3.676	96	230470	50.78	ug/L	96
38) propionitrile	3.692	54	389464	494.78	ug/L	85
39) methyl acrylate	3.692	85	51507	51.25	ug/L	96
40) bromochloromethane	3.817	128	115240	49.93	ug/L	93
41) tetrahydrofuran	3.826	72	44557	47.10	ug/L	90

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\September\09-28-22\v1a9698\
Data File : 1a226445.d
Acq On : 27 Sep 2022 4:48 pm
Operator : nickw
Sample : jd52310-3msd Inst : MSDTEST1A
Misc : MS62427, V1A9698,5,,,,5
ALS Vial : 17 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 27 17:40:56 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
42) chloroform	3.855	83	382599	46.48	ug/L	99
44) methacrylonitrile	3.781	67	119675	49.21	ug/L	97
45) 1,1,1-trichloroethane	3.980	97	343829	50.66	ug/L	99
46) cyclohexane	4.028	84	268180	41.79	ug/L	88
47) 1,1-dichloropropene	4.064	75	290639	49.19	ug/L	98
48) carbon tetrachloride	4.070	117	307414	52.75	ug/L	98
49) isopropyl acetate	4.147	87	64435	51.22	ug/L	95
50) tert amyl alcohol	4.128	55	58445	243.43	ug/L #	90
53) tert-amyl methyl ether	4.227	73	655640	49.43	ug/L	98
54) 2,2,4-trimethylpentane	4.231	57	536429	50.70	ug/L	99
55) n-butyl alcohol	4.436	56	349014	2535.18	ug/L	98
56) benzene	4.186	78	809011	48.53	ug/L	99
57) heptane	4.317	57	113220	55.09	ug/L	92
58) 1,2-dichloroethane	4.202	62	289964	47.65	ug/L	100
59) trichloroethene	4.561	95	236322	53.24	ug/L	98
60) ethyl acrylate	4.561	55	344872	51.99	ug/L	95
61) 2-nitropropane	4.988	41	85347	44.90	ug/L	93
62) 2-chloroethyl vinyl ether	5.010	63	40947	41.19	ug/L	96
63) methyl methacrylate	4.706	100	83845	54.98	ug/L	98
64) 1,2-dichloropropane	4.718	63	203121	47.55	ug/L	98
65) methylcyclohexane	4.715	83	347610	51.01	ug/L	98
66) dibromomethane	4.776	93	150287	48.75	ug/L	97
67) bromodichloromethane	4.866	83	309532	49.18	ug/L	99
68) cis-1,3-dichloropropene	5.132	75	361669	52.26	ug/L	98
69) epichlorohydrin	5.059	57	85834	273.74	ug/L	88
70) 4-methyl-2-pentanone	5.203	58	449028	201.72	ug/L	99
71) 3-methyl-1-butanol	5.209	70	155702	1002.87	ug/L	97
74) toluene	5.357	92	534275	50.54	ug/L	95
75) trans-1,3-dichloropropene	5.482	75	337140	55.37	ug/L	93
76) ethyl methacrylate	5.489	69	335517	53.27	ug/L	97
77) 1,1,2-trichloroethane	5.620	83	180150	48.91	ug/L	96
78) 2-hexanone	5.739	58	433550	193.51	ug/L	98
79) tetrachloroethene	5.704	166	714578	159.62	ug/L	99
80) 1,3-dichloropropane	5.736	76	332098	46.73	ug/L	98
81) butyl acetate	5.797	56	162825	51.89	ug/L	97
82) dibromochloromethane	5.886	129	246800	49.05	ug/L	98
83) 1,2-dibromoethane	5.986	107	234608	49.62	ug/L	99
84) n-butyl ether	6.320	57	783967	50.74	ug/L	97
85) chlorobenzene	6.313	112	584202	48.90	ug/L	96
86) 1,1,1,2-tetrachloroethane	6.361	131	207578	50.59	ug/L	97
87) ethylbenzene	6.361	91	966069	48.42	ug/L	99
88) m,p-xylene	6.448	106	763365	102.84	ug/L	99
89) o-xylene	6.718	106	384008	51.93	ug/L	97
90) butyl acrylate	6.637	55	449959	55.44	ug/L	97
91) n-amyl acetate	6.785	70	178744	55.78	ug/L	96
92) styrene	6.727	104	647004	53.57	ug/L	99
93) bromoform	6.865	173	175232	52.34	ug/L	99
94) isopropylbenzene	6.955	105	981110	52.37	ug/L	99
95) cis-1,4-dichloro-2-butene	6.987	88	74901	46.20	ug/L	93
98) bromobenzene	7.192	156	244176	50.71	ug/L	97
99) 1,1,2,2-tetrachloroethane	7.151	83	301440	47.60	ug/L	98
100) trans-1,4-dichloro-2-b...	7.176	53	59665	47.62	ug/L	90
101) 1,2,3-trichloropropane	7.202	110	94060	48.74	ug/L	100
102) n-propylbenzene	7.234	91	1062021	50.01	ug/L	99
103) 2-chlorotoluene	7.311	126	226367	51.11	ug/L	94
104) 4-chlorotoluene	7.388	126	228022	50.68	ug/L	98
105) 1,3,5-trimethylbenzene	7.346	105	710865	49.46	ug/L	99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\September\09-28-22\v1a9698\
Data File : 1a226445.d
Acq On : 27 Sep 2022 4:48 pm
Operator : nickw
Sample : jd52310-3msd Inst : MSDTEST1A
Misc : MS62427, V1A9698,5,,,,5
ALS Vial : 17 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 27 17:40:56 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
106) tert-butylbenzene	7.558	119	657093	52.42	ug/L	96
107) 1,2,4-trimethylbenzene	7.597	105	728147	50.29	ug/L	98
108) sec-butylbenzene	7.703	105	912608	52.31	ug/L	99
109) 1,3-dichlorobenzene	7.796	146	417852	52.80	ug/L	97
110) p-isopropyltoluene	7.793	119	776545	54.88	ug/L	99
111) 1,2,3-trimethylbenzene	7.866	105	713183	48.65	ug/L	100
112) 1,4-dichlorobenzene	7.860	146	418611	49.72	ug/L	98
113) 1,2-dichlorobenzene	8.088	146	403073	53.26	ug/L	98
114) n-butylbenzene	8.052	92	350280	56.70	ug/L	98
115) 1,2-dibromo-3-chloropr...	8.566	157	77822	55.54	ug/L	89
116) 1,3,5-trichlorobenzene	8.678	180	253917	55.94	ug/L	98
117) 1,2,4-trichlorobenzene	9.054	180	219866	58.86	ug/L	97
118) hexachlorobutadiene	9.131	225	75957	55.04	ug/L	94
119) naphthalene	9.220	128	743851	56.70	ug/L	99
120) 1,2,3-trichlorobenzene	9.358	180	184432	57.10	ug/L	96
121) hexachloroethane	8.261	119	124039	55.73	ug/L	98
122) benzyl chloride	7.924	91	544126	76.22	ug/L	98
123) 2-methylnaphthalene	9.975	142	89134	30.08	ug/L	88

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\September\09-28-22\v1a9698\
Data File : 1a226445.d
Acq On : 27 Sep 2022 4:48 pm
Operator : nickw
Sample : jd52310-3msd Inst : MSDTEST1A
Misc : MS62427, V1A9698,5,,,,5
ALS Vial : 17 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 27 17:40:56 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92886.d
Acq On : 27 Sep 2022 11:20 pm
Operator : KYLEM
Sample : jd52507-6ms
Misc : MS62506,V2V3773,5,,,,1
ALS Vial : 36 Sample Multiplier: 1

Quant Time: Sep 28 09:14:16 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	2.321	65	241451	500.00	ug/L		0.00
5) pentafluorobenzene	3.291	168	297064	50.00	ug/L		0.00
50) 1,4-difluorobenzene	3.753	114	417787	50.00	ug/L		0.00
72) chlorobenzene-d5	5.734	117	389047	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	7.507	152	176191	50.00	ug/L		0.00
System Monitoring Compounds							
42) dibromofluoromethane (s)	3.291	113	149719	50.54	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.08%				
51) 1,2-dichloroethane-d4 (s)	3.496	65	140848	47.55	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 95.10%				
73) toluene-d8 (s)	4.696	98	480925	50.22	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.44%				
97) 4-bromofluorobenzene (s)	6.636	95	145737	46.33	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 92.66%				
Target Compounds							Qvalue
2) ethanol	1.886	45	463578	9452.41	ug/L		99
3) tertiary butyl alcohol	2.368	59	235670	313.34	ug/L		94
4) 1,4-dioxane	4.104	88	80097	1300.33	ug/L		93
6) chlorodifluoromethane	1.294	51	114573	41.29	ug/L		95
7) dichlorodifluoromethane	1.288	85	169484	51.06	ug/L		99
8) chloromethane	1.398	52	67165	53.61	ug/L		99
9) vinyl chloride	1.456	62	255110	62.69	ug/L		98
10) bromomethane	1.640	96	193682	68.43	ug/L		97
11) chloroethane	1.692	64	228811	93.76	ug/L		97
12) trichlorofluoromethane	1.828	101	549840	91.26	ug/L		99
13) 1,3-butadiene	1.477	54	193301	51.78	ug/L		99
14) ethyl ether	1.959	74	116152	81.58	ug/L		99
15) acrolein	2.033	56	49326	77.96	ug/L		94
16) freon 113	2.096	151	128982	53.99	ug/L		95
17) 1,1-dichloroethene	2.096	61	197986	54.71	ug/L		97
18) acetone	2.101	58	86436	225.64	ug/L		96
19) acetonitrile	2.243	41	270981	550.81	ug/L		99
20) iodomethane	2.190	142	154307	64.21	ug/L		98
21) carbon disulfide	2.237	76	296646	44.88	ug/L		99
22) methylene chloride	2.347	84	121499	45.09	ug/L		94
23) methyl acetate	2.258	74	31205	45.34	ug/L	#	81
24) methyl tert butyl ether	2.479	73	350245	47.84	ug/L		98
25) trans-1,2-dichloroethene	2.489	96	126134	49.37	ug/L		97
26) hexane	2.631	56	62704	44.28	ug/L		95
27) di-isopropyl ether	2.714	45	375271	51.86	ug/L		97
28) ethyl tert-butyl ether	2.914	59	353798	49.18	ug/L		99
29) 1,1-dichloroethane	2.720	63	221623	50.71	ug/L		99
30) chloroprene	2.762	53	166703	51.02	ug/L		99
31) acrylonitrile	2.452	53	70282	52.26	ug/L		99
32) vinyl acetate	2.699	86	27886	46.92	ug/L	#	69
33) ethyl acetate	3.013	45	34312	53.51	ug/L		95
34) 2-butanone	3.003	72	114108	219.80	ug/L	#	91
35) 2,2-dichloropropane	3.040	77	182792	47.41	ug/L		99
36) cis-1,2-dichloroethene	3.029	96	161790	54.79	ug/L		98
37) propionitrile	3.040	54	353617	589.88	ug/L		97
38) methyl acrylate	3.045	85	34953	50.77	ug/L	#	72
39) bromochloromethane	3.160	128	77080	49.92	ug/L		98
40) tetrahydrofuran	3.171	71	29019	46.01	ug/L		96
41) chloroform	3.202	83	237996	45.02	ug/L		99
43) methacrylonitrile	3.129	67	73744	50.28	ug/L		96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92886.d
Acq On : 27 Sep 2022 11:20 pm
Operator : KYLEM
Sample : jd52507-6ms
Misc : MS62506,V2V3773,5,,,,1
ALS Vial : 36 Sample Multiplier: 1

Quant Time: Sep 28 09:14:16 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44)	1,1,1-trichloroethane	3.323	97	214366	47.79	ug/L		99
45)	cyclohexane	3.370	84	184451	52.66	ug/L		95
46)	1,1-dichloropropene	3.407	75	183200	52.26	ug/L		98
47)	carbon tetrachloride	3.412	119	203922	49.20	ug/L		98
48)	isobutyl alcohol	3.407	42	83792	660.48	ug/L		96
49)	tert-amyl alcohol	3.485	55	64298	247.44	ug/L	#	79
52)	n-butyl alcohol	3.800	56	452360	3032.29	ug/L		99
53)	benzene	3.527	78	481602	48.04	ug/L		99
54)	tert-amyl methyl ether	3.580	73	362260	46.13	ug/L		98
55)	iso-octane	3.580	57	243861	45.57	ug/L		98
56)	heptane	3.674	57	44232	42.70	ug/L		97
57)	isopropyl acetate	3.501	87	38305	47.12	ug/L	#	70
58)	1,2-dichloroethane	3.543	62	183426	43.94	ug/L		99
59)	trichloroethene	3.910	95	139431	46.98	ug/L		98
60)	ethyl acrylate	3.926	55	227226	48.71	ug/L		99
61)	2-nitropropane	4.356	41	61362	49.57	ug/L		98
62)	2-chloroethyl vinyl ether	4.429	63	3531	2.25	ug/L	#	66
63)	methyl methacrylate	4.072	100	47827	46.99	ug/L	#	62
64)	1,2-dichloropropane	4.067	63	132225	50.41	ug/L		95
65)	methylcyclohexane	4.067	83	177475	48.01	ug/L		99
66)	dibromomethane	4.125	93	102941	44.86	ug/L		95
67)	bromodichloromethane	4.224	83	181648	45.02	ug/L		99
68)	epichlorohydrin	4.429	57	86476	199.19	ug/L		97
69)	cis-1,3-dichloropropene	4.508	75	198682	47.28	ug/L		99
70)	4-methyl-2-pentanone	4.591	58	348583	221.51	ug/L		92
71)	3-methyl-1-butanol	4.607	70	182986	1228.39	ug/L		90
74)	toluene	4.744	92	305587	46.83	ug/L		98
75)	ethyl methacrylate	4.906	69	185672	48.96	ug/L		98
76)	trans-1,3-dichloropropene	4.885	75	185808	47.73	ug/L		98
77)	1,1,2-trichloroethane	5.027	83	110353	48.78	ug/L		96
78)	2-hexanone	5.163	58	367420	221.79	ug/L		95
79)	tetrachloroethene	5.111	164	120402	47.57	ug/L		98
80)	1,3-dichloropropane	5.142	76	203195	48.73	ug/L		98
81)	butyl acetate	5.236	56	104263	49.58	ug/L		96
82)	dibromochloromethane	5.305	129	166780	46.89	ug/L		100
83)	1,2-dibromoethane	5.399	107	149963	47.20	ug/L		97
84)	n-butyl ether	5.808	57	489798	52.57	ug/L		99
85)	chlorobenzene	5.755	112	366980	46.69	ug/L		98
86)	1,1,1,2-tetrachloroethane	5.813	131	154716	50.32	ug/L		97
87)	ethylbenzene	5.824	91	615535	49.87	ug/L		98
88)	m,p-xylene	5.918	106	464679	97.09	ug/L		98
89)	o-xylene	6.217	91	463904	49.03	ug/L		100
90)	styrene	6.227	104	381773	48.62	ug/L		99
91)	butyl acrylate	6.154	56	126802	54.38	ug/L		95
92)	n-amyl acetate	6.327	70	99815	47.96	ug/L		94
93)	bromoform	6.374	173	127392	48.39	ug/L		98
94)	isopropylbenzene	6.500	105	548872	48.88	ug/L		100
95)	cis-1,4-dichloro-2-butene	6.537	88	30658	23.35	ug/L		92
98)	bromobenzene	6.757	156	161862	45.42	ug/L		93
99)	1,1,2,2-tetrachloroethane	6.731	83	206001	47.09	ug/L		98
100)	trans-1,4-dichloro-2-b...	6.757	53	25893	25.10	ug/L		92
101)	1,2,3-trichloropropane	6.778	110	60348	46.40	ug/L		95
102)	n-propylbenzene	6.825	91	615782	47.89	ug/L		99
103)	2-chlorotoluene	6.898	126	137635	46.70	ug/L		96
104)	4-chlorotoluene	6.988	126	142596	47.00	ug/L		96
105)	1,3,5-trimethylbenzene	6.961	105	412360	47.90	ug/L		100
106)	tert-butylbenzene	7.197	119	352229	46.93	ug/L		99
107)	1,2,4-trimethylbenzene	7.239	105	415378	46.23	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92886.d
Acq On : 27 Sep 2022 11:20 pm
Operator : KYLEM
Sample : jd52507-6ms
Misc : MS62506,V2V3773,5,,,,1
ALS Vial : 36 Sample Multiplier: 1

Quant Time: Sep 28 09:14:16 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
108) sec-butylbenzene	7.360	105	487393	47.93	ug/L	99
109) 1,3-dichlorobenzene	7.449	146	272039	46.31	ug/L	99
110) p-isopropyltoluene	7.470	119	410578	47.60	ug/L	99
111) 1,2,3-trimethylbenzene	7.538	105	419741	46.72	ug/L	100
112) 1,4-dichlorobenzene	7.522	146	278586	45.46	ug/L	99
113) 1,2-dichlorobenzene	7.774	146	256156	46.26	ug/L	99
114) benzyl chloride	7.596	91	243416	42.69	ug/L	97
115) n-butylbenzene	7.753	92	182222	49.67	ug/L	97
116) hexachloroethane	7.963	201	61815	46.20	ug/L	94
117) 1,2-dibromo-3-chloropr...	8.298	157	58956	50.30	ug/L	93
118) 1,3,5-trichlorobenzene	8.424	180	152172	48.96	ug/L	98
119) 1,2,4-trichlorobenzene	8.817	180	130000	47.71	ug/L	99
120) hexachlorobutadiene	8.906	225	44651	46.40	ug/L	98
121) naphthalene	8.980	128	438768	47.91	ug/L	99
122) 1,2,3-trichlorobenzene	9.116	180	119530	48.89	ug/L	98
123) 2-methylnaphthalene	9.672	142	66810	21.46	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92886.d
Acq On : 27 Sep 2022 11:20 pm
Operator : KYLEM
Sample : jd52507-6ms
Misc : MS62506,V2V3773,5,,,,1
ALS Vial : 36 Sample Multiplier: 1

Quant Time: Sep 28 09:14:16 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92887.d
Acq On : 27 Sep 2022 11:43 pm
Operator : KYLEM
Sample : jd52507-6msd
Misc : MS62506,V2V3773,5,,,,1
ALS Vial : 37 Sample Multiplier: 1

Quant Time: Sep 28 09:14:20 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	2.326	65	252931	500.00	ug/L		0.01
5) pentafluorobenzene	3.291	168	302300	50.00	ug/L		0.00
50) 1,4-difluorobenzene	3.753	114	419559	50.00	ug/L		0.00
72) chlorobenzene-d5	5.734	117	400149	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	7.507	152	177571	50.00	ug/L		0.00
System Monitoring Compounds							
42) dibromofluoromethane (s)	3.296	113	153706	50.99	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.98%				
51) 1,2-dichloroethane-d4 (s)	3.501	65	148584	49.95	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.90%				
73) toluene-d8 (s)	4.696	98	485493	49.29	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.58%				
97) 4-bromofluorobenzene (s)	6.636	95	153622	48.45	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.90%				
Target Compounds							Qvalue
2) ethanol	1.886	45	432143	8411.51	ug/L		97
3) tertiary butyl alcohol	2.368	59	182143	231.18	ug/L		92
4) 1,4-dioxane	4.104	88	75018	1162.60	ug/L		99
6) chlorodifluoromethane	1.299	51	108615	38.47	ug/L		97
7) dichlorodifluoromethane	1.288	85	171205	50.69	ug/L		98
8) chloromethane	1.398	52	66094	51.84	ug/L		98
9) vinyl chloride	1.461	62	255019	61.58	ug/L		98
10) bromomethane	1.640	96	208635	72.44	ug/L		99
11) chloroethane	1.697	64	171896	69.22	ug/L		97
12) trichlorofluoromethane	1.828	101	534421	87.16	ug/L		100
13) 1,3-butadiene	1.482	54	183940	48.42	ug/L		97
14) ethyl ether	1.959	74	109324	75.46	ug/L		90
15) acrolein	2.033	56	48609	75.50	ug/L		99
16) freon 113	2.096	151	109632	45.10	ug/L		97
17) 1,1-dichloroethene	2.101	61	177763	48.27	ug/L		99
18) acetone	2.101	58	77222	198.09	ug/L		96
19) acetonitrile	2.248	41	257637	514.62	ug/L		98
20) iodomethane	2.190	142	178453	71.26	ug/L		98
21) carbon disulfide	2.237	76	281215	41.81	ug/L		99
22) methylene chloride	2.347	84	115410	42.09	ug/L		93
23) methyl acetate	2.258	74	29551	42.19	ug/L	#	74
24) methyl tert butyl ether	2.479	73	338660	45.46	ug/L		98
25) trans-1,2-dichloroethene	2.494	96	120192	46.23	ug/L		95
26) hexane	2.631	56	59066	40.99	ug/L		94
27) di-isopropyl ether	2.714	45	355797	48.31	ug/L		96
28) ethyl tert-butyl ether	2.914	59	333554	45.56	ug/L		98
29) 1,1-dichloroethane	2.720	63	209819	47.18	ug/L		99
30) chloroprene	2.762	53	156129	46.95	ug/L		97
31) acrylonitrile	2.458	53	70941	51.84	ug/L		97
32) vinyl acetate	2.699	86	27222	45.01	ug/L		95
33) ethyl acetate	3.013	45	29315	44.92	ug/L		87
34) 2-butanone	3.003	72	108346	205.09	ug/L		98
35) 2,2-dichloropropane	3.040	77	169755	43.27	ug/L		99
36) cis-1,2-dichloroethene	3.029	96	153285	51.01	ug/L		99
37) propionitrile	3.040	54	328542	538.56	ug/L		90
38) methyl acrylate	3.050	85	33575	47.92	ug/L		95
39) bromochloromethane	3.160	128	72322	46.03	ug/L		94
40) tetrahydrofuran	3.176	71	27678	43.12	ug/L		97
41) chloroform	3.207	83	225002	41.82	ug/L		99
43) methacrylonitrile	3.129	67	69552	46.60	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92887.d
Acq On : 27 Sep 2022 11:43 pm
Operator : KYLEM
Sample : jd52507-6msd
Misc : MS62506,V2V3773,5,,,,1
ALS Vial : 37 Sample Multiplier: 1

Quant Time: Sep 28 09:14:20 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44)	1,1,1-trichloroethane	3.323	97	203162	44.51	ug/L		100
45)	cyclohexane	3.370	84	182921	51.32	ug/L	#	88
46)	1,1-dichloropropene	3.407	75	173612	48.67	ug/L		98
47)	carbon tetrachloride	3.417	119	189820	45.00	ug/L		97
48)	isobutyl alcohol	3.407	42	74583	577.71	ug/L		96
49)	tert-amyl alcohol	3.485	55	59856	226.36	ug/L	#	78
52)	n-butyl alcohol	3.800	56	424453	2833.21	ug/L		99
53)	benzene	3.527	78	452871	44.99	ug/L		99
54)	tert-amyl methyl ether	3.580	73	347223	44.03	ug/L		98
55)	iso-octane	3.580	57	228370	42.49	ug/L		100
56)	heptane	3.674	57	41672	40.06	ug/L		94
57)	isopropyl acetate	3.501	87	35245	43.17	ug/L	#	69
58)	1,2-dichloroethane	3.543	62	172614	41.17	ug/L		100
59)	trichloroethene	3.910	95	129119	43.33	ug/L		96
60)	ethyl acrylate	3.926	55	216702	46.26	ug/L		98
61)	2-nitropropane	4.356	41	58207	46.82	ug/L		94
62)	2-chloroethyl vinyl ether	4.434	63	3511	2.23	ug/L	#	55
63)	methyl methacrylate	4.072	100	44947	43.97	ug/L	#	63
64)	1,2-dichloropropane	4.067	63	125251	47.55	ug/L		96
65)	methylcyclohexane	4.067	83	168267	45.33	ug/L		100
66)	dibromomethane	4.125	93	98077	42.56	ug/L		92
67)	bromodichloromethane	4.224	83	174599	43.09	ug/L		99
68)	epichlorohydrin	4.429	57	72704	166.76	ug/L		94
69)	cis-1,3-dichloropropene	4.508	75	188023	44.56	ug/L		99
70)	4-methyl-2-pentanone	4.591	58	324705	205.46	ug/L		90
71)	3-methyl-1-butanol	4.612	70	172314	1151.86	ug/L		97
74)	toluene	4.744	92	289534	43.14	ug/L		99
75)	ethyl methacrylate	4.906	69	175535	45.00	ug/L		99
76)	trans-1,3-dichloropropene	4.885	75	175907	43.93	ug/L		98
77)	1,1,2-trichloroethane	5.027	83	105223	45.22	ug/L		97
78)	2-hexanone	5.163	58	345635	202.85	ug/L		94
79)	tetrachloroethene	5.111	164	115315	44.30	ug/L		99
80)	1,3-dichloropropane	5.147	76	191613	44.67	ug/L		99
81)	butyl acetate	5.236	56	97411	45.04	ug/L		95
82)	dibromochloromethane	5.305	129	156113	42.67	ug/L		99
83)	1,2-dibromoethane	5.399	107	141216	43.22	ug/L		98
84)	n-butyl ether	5.808	57	457973	47.79	ug/L		100
85)	chlorobenzene	5.755	112	342824	42.40	ug/L		97
86)	1,1,1,2-tetrachloroethane	5.818	131	143494	45.38	ug/L		99
87)	ethylbenzene	5.824	91	571046	44.98	ug/L		99
88)	m,p-xylene	5.918	106	433640	88.09	ug/L		99
89)	o-xylene	6.217	91	429331	44.11	ug/L		99
90)	styrene	6.227	104	355351	44.00	ug/L		97
91)	butyl acrylate	6.154	56	120664	50.31	ug/L		91
92)	n-amyl acetate	6.327	70	93662	43.75	ug/L		93
93)	bromoform	6.374	173	118179	43.64	ug/L		99
94)	isopropylbenzene	6.500	105	514140	44.52	ug/L		98
95)	cis-1,4-dichloro-2-butene	6.537	88	26567	19.67	ug/L		92
98)	bromobenzene	6.757	156	152214	42.38	ug/L		95
99)	1,1,2,2-tetrachloroethane	6.731	83	194443	44.11	ug/L		98
100)	trans-1,4-dichloro-2-b...	6.762	53	23128	22.24	ug/L		96
101)	1,2,3-trichloropropane	6.778	110	56077	42.78	ug/L		97
102)	n-propylbenzene	6.825	91	572598	44.18	ug/L		99
103)	2-chlorotoluene	6.898	126	127892	43.06	ug/L		93
104)	4-chlorotoluene	6.988	126	131507	43.01	ug/L		95
105)	1,3,5-trimethylbenzene	6.961	105	384735	44.35	ug/L		99
106)	tert-butylbenzene	7.197	119	327226	43.26	ug/L		98
107)	1,2,4-trimethylbenzene	7.239	105	387954	42.84	ug/L		97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92887.d
Acq On : 27 Sep 2022 11:43 pm
Operator : KYLEM
Sample : jd52507-6msd
Misc : MS62506,V2V3773,5,,,,1
ALS Vial : 37 Sample Multiplier: 1

Quant Time: Sep 28 09:14:20 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
108) sec-butylbenzene	7.360	105	459795	44.86	ug/L	99
109) 1,3-dichlorobenzene	7.449	146	254581	43.00	ug/L	100
110) p-isopropyltoluene	7.470	119	381910	43.94	ug/L	99
111) 1,2,3-trimethylbenzene	7.538	105	394189	43.53	ug/L	99
112) 1,4-dichlorobenzene	7.522	146	258172	41.80	ug/L	98
113) 1,2-dichlorobenzene	7.774	146	239840	42.98	ug/L	98
114) benzyl chloride	7.596	91	225568	39.25	ug/L	98
115) n-butylbenzene	7.753	92	168753	45.64	ug/L	93
116) hexachloroethane	7.963	201	57203	42.42	ug/L	94
117) 1,2-dibromo-3-chloropr...	8.298	157	54962	46.52	ug/L	88
118) 1,3,5-trichlorobenzene	8.424	180	140832	44.96	ug/L	97
119) 1,2,4-trichlorobenzene	8.823	180	121594	44.27	ug/L	99
120) hexachlorobutadiene	8.907	225	42808	44.14	ug/L	95
121) naphthalene	8.980	128	416127	45.08	ug/L	99
122) 1,2,3-trichlorobenzene	9.116	180	112454	45.64	ug/L	97
123) 2-methylnaphthalene	9.672	142	65933	21.01	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92887.d
Acq On : 27 Sep 2022 11:43 pm
Operator : KYLEM
Sample : jd52507-6msd
Misc : MS62506,V2V3773,5,,,,1
ALS Vial : 37 Sample Multiplier: 1

Quant Time: Sep 28 09:14:20 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10022022\v2a9581\
Data File : 2a220400.d
Acq On : 29 Sep 2022 2:08 pm
Operator : nicoleh
Sample : jd50917-15ms Inst : GCMS2A
Misc : MS62503,V2A9581,5,,,,5
ALS Vial : 12 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 29 15:05:00 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	7.241	65	453152	500.00	ug/L	0.00
5) pentafluorobenzene	9.506	168	714820	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.434	114	1074103	50.00	ug/L	0.00
72) chlorobenzene-d5	13.558	117	1002242	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.886	152	498946	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.506	168	714511	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.537	113	348859	51.85	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 103.70%			
51) 1,2-dichloroethane-d4 (s)	9.951	65	413253	41.39	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 82.78%			
73) toluene-d8 (s)	12.059	98	1224792	49.88	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.76%			
97) 4-bromofluorobenzene (s)	14.722	95	506817	54.91	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 109.82%			
Target Compounds						Qvalue
2) ethanol	5.961	45	406603	3683.14	ug/L	99
3) tertiary butyl alcohol	7.356	59	268871	241.52	ug/L	80
4) 1,4-dioxane	11.078	88	84339	1080.95	ug/L	92
6) chlorodifluoromethane	3.990	51	212225	21.77	ug/L	98
7) dichlorodifluoromethane	3.964	85	341964	35.62	ug/L	98
8) chloromethane	4.346	50	435957	35.09	ug/L	99
9) vinyl chloride	4.567	62	359523	37.84	ug/L	95
10) 1,3-butadiene	4.614	54	211994	25.05	ug/L	98
11) bromomethane	5.191	94	233971	41.75	ug/L	97
12) chloroethane	5.353	64	216656	48.16	ug/L	92
13) trichlorofluoromethane	5.783	101	459675	43.18	ug/L	96
14) ethyl ether	6.192	74	163342	48.15	ug/L	96
15) acrolein	6.402	56	41247	27.17	ug/L	92
16) freon 113	6.617	151	207867	41.08	ug/L	98
17) 1,1-dichloroethene	6.596	96	222117	41.88	ug/L	92
18) acetone	6.606	43	474731	172.73	ug/L	95
19) acetonitrile	7.010	41	531667	468.78	ug/L	93
20) iodomethane	6.847	142	444438	42.94	ug/L	92
21) carbon disulfide	6.984	76	732666	41.70	ug/L	93
22) methylene chloride	7.298	84	297970	47.41	ug/L	99
23) methyl acetate	7.057	43	325392	47.50	ug/L	100
24) methyl tert butyl ether	7.660	73	913310	48.29	ug/L	97
25) trans-1,2-dichloroethene	7.686	96	281786	46.88	ug/L	97
26) hexane	8.037	57	461185	43.17	ug/L	99
27) di-isopropyl ether	8.247	45	1366415	52.19	ug/L	98
28) ethyl tert-butyl ether	8.709	59	1192944	52.35	ug/L	99
29) 2-butanone	8.897	72	160230	216.61	ug/L #	87
30) 1,1-dichloroethane	8.258	63	586681	49.92	ug/L	98
31) chloroprene	8.357	53	536218	48.04	ug/L	95
32) acrylonitrile	7.587	53	98549	32.50	ug/L	98
33) vinyl acetate	8.195	86	64235	57.94	ug/L #	75
34) ethyl acetate	8.918	45	69120	50.34	ug/L	92
35) 2,2-dichloropropane	8.997	77	468741	49.91	ug/L	99
36) cis-1,2-dichloroethene	8.966	96	487576	73.75	ug/L	99
37) propionitrile	8.976	54	592238	523.68	ug/L	90
38) bromochloromethane	9.259	130	218199	49.65	ug/L	92
39) tetrahydrofuran	9.280	42	134903	43.02	ug/L	96
40) chloroform	9.348	83	572686	46.90	ug/L	97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10022022\v2a9581\
Data File : 2a220400.d
Acq On : 29 Sep 2022 2:08 pm
Operator : nicoleh
Sample : jd50917-15ms Inst : GCMS2A
Misc : MS62503,V2A9581,5,,,,5
ALS Vial : 12 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 29 15:05:00 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
41) tert-butyl formate	9.385	59	310495	52.29	ug/L		96
42) isobutyl alcohol	9.741	43	219411	463.62	ug/L		96
44) methacrylonitrile	9.175	67	147079	52.36	ug/L		88
45) 1,1,1-trichloroethane	9.605	97	500789	47.23	ug/L		97
46) cyclohexane	9.715	84	416391	46.99	ug/L		98
47) 1,1-dichloropropene	9.773	75	424812	49.75	ug/L		97
48) tert-amyl alcohol	9.904	73	112316	237.38	ug/L		96
49) carbon tetrachloride	9.799	117	434526	45.40	ug/L		97
52) 2,2,4-trimethylpentane	10.114	57	1306893	43.29	ug/L		96
53) tert-amyl methyl ether	10.103	73	1018143	46.02	ug/L		99
54) n-butyl alcohol	10.491	56	678268	2430.75	ug/L		94
55) benzene	10.019	78	1217155	47.76	ug/L		98
56) heptane	10.276	57	247322	40.15	ug/L		98
57) isopropyl acetate	9.935	87	75831	47.41	ug/L		95
58) 1,2-dichloroethane	10.040	62	506722	42.32	ug/L		99
59) trichloroethene	10.743	95	596673	81.89	ug/L		97
60) ethyl acrylate	10.732	55	562138	48.59	ug/L		99
61) 2-nitropropane	11.498	41	111384	36.63	ug/L		100
62) 2-chloroethyl vinyl ether	11.540	63	31919	16.06	ug/L		97
63) methyl methacrylate	11.000	100	91677	50.19	ug/L	#	85
64) 1,2-dichloropropane	11.031	63	359233	47.51	ug/L		97
65) methylcyclohexane	11.042	83	504453	42.31	ug/L		99
66) dibromomethane	11.141	93	217614	43.84	ug/L		97
67) bromodichloromethane	11.293	83	455283	44.31	ug/L		99
68) epichlorohydrin	11.618	57	200309	221.95	ug/L		96
69) cis-1,3-dichloropropene	11.755	75	552459	49.12	ug/L		85
70) 4-methyl-2-pentanone	11.860	58	647613	181.63	ug/L		97
71) 3-methyl-1-butanol	11.865	70	203615	925.90	ug/L		93
74) toluene	12.132	92	752863	47.29	ug/L		98
75) trans-1,3-dichloropropene	12.321	75	491359	46.56	ug/L		99
76) ethyl methacrylate	12.316	69	451509	49.82	ug/L		88
77) 1,1,2-trichloroethane	12.536	83	253334	46.28	ug/L		97
78) 2-hexanone	12.704	58	617944	185.52	ug/L		94
79) tetrachloroethene	12.683	166	1086286	137.05	ug/L		99
80) 1,3-dichloropropane	12.720	76	479653	45.67	ug/L		100
81) butyl acetate	12.788	56	272555	47.63	ug/L		99
82) dibromochloromethane	12.961	129	352093	44.08	ug/L		99
83) 1,2-dibromoethane	13.113	107	307192	45.32	ug/L		92
84) n-butyl ether	13.558	57	1438083	45.59	ug/L		97
85) chlorobenzene	13.595	112	824534	47.49	ug/L		97
86) 1,1,1,2-tetrachloroethane	13.658	131	312429	44.74	ug/L		99
87) ethylbenzene	13.653	91	1364374	45.70	ug/L		94
88) m,p-xylene	13.779	106	1021375	88.02	ug/L		90
89) o-xylene	14.177	91	1104099	45.31	ug/L		96
90) styrene	14.188	104	830700	43.99	ug/L		97
91) n-amyl acetate	14.219	70	213005	43.23	ug/L		96
92) bromoform	14.408	173	249747	43.48	ug/L		96
93) butyl acrylate	14.009	55	800288	47.62	ug/L		99
94) isopropylbenzene	14.523	105	1277506	43.96	ug/L		99
95) cis-1,4-dichloro-2-butene	14.560	88	87176	27.87	ug/L		95
98) bromobenzene	14.901	156	361664	45.29	ug/L		99
99) 1,1,2,2-tetrachloroethane	14.801	83	383284	45.20	ug/L		99
100) trans-1,4-dichloro-2-b...	14.832	53	79592	28.19	ug/L		93
101) 1,2,3-trichloropropane	14.885	110	94693	43.40	ug/L		99
102) n-propylbenzene	14.937	91	1554631	48.55	ug/L		96
103) 2-chlorotoluene	15.068	126	324033	46.49	ug/L		95
104) 4-chlorotoluene	15.179	91	975884	47.91	ug/L		96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10022022\v2a9581\
Data File : 2a220400.d
Acq On : 29 Sep 2022 2:08 pm
Operator : nicoleh
Sample : jd50917-15ms Inst : GCMS2A
Misc : MS62503,V2A9581,5,,,,5
ALS Vial : 12 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 29 15:05:00 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
105) 1,3,5-trimethylbenzene	15.095	105	1056843	47.51	ug/L	100
106) tert-butylbenzene	15.430	119	901399	46.78	ug/L	99
107) 1,2,4-trimethylbenzene	15.483	105	1070443	47.25	ug/L	97
108) sec-butylbenzene	15.650	105	1321364	45.99	ug/L	100
109) 1,3-dichlorobenzene	15.818	146	643134	45.18	ug/L	97
110) p-isopropyltoluene	15.781	119	1129302	46.09	ug/L	99
111) benzyl chloride	16.002	91	633130	45.38	ug/L	99
112) 1,2,3-trimethylbenzene	15.913	105	1066454	45.64	ug/L	98
113) 1,4-dichlorobenzene	15.913	146	644264	43.53	ug/L	98
114) 1,2-dichlorobenzene	16.285	146	621231	44.65	ug/L	99
115) n-butylbenzene	16.196	92	581621	44.63	ug/L	96
116) 1,2-dibromo-3-chloropr...	17.045	157	76956	41.81	ug/L	97
117) 1,3,5-trichlorobenzene	17.239	180	503083	46.27	ug/L	99
118) 1,2,4-trichlorobenzene	17.879	180	420237	44.94	ug/L	98
119) hexachlorobutadiene	17.999	225	223972	46.54	ug/L	96
120) naphthalene	18.167	128	794430	35.66	ug/L	98
121) 1,2,3-trichlorobenzene	18.392	180	356300	40.47	ug/L	98
122) hexachloroethane	16.573	201	162112	40.41	ug/L	98
123) 2-methylnaphthalene	19.404	142	92389	8.14	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10022022\v2a9581\
Data File : 2a220400.d
Acq On : 29 Sep 2022 2:08 pm
Operator : nicoleh
Sample : jd50917-15ms Inst : GCMS2A
Misc : MS62503,V2A9581,5,,,,5
ALS Vial : 12 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 29 15:05:00 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10022022\v2a9581\
Data File : 2a220401.d
Acq On : 29 Sep 2022 2:37 pm
Operator : nicoleh
Sample : jd50917-15msd Inst : GCMS2A
Misc : MS62503,V2A9581,5,,,,5
ALS Vial : 13 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 29 15:05:03 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	7.246	65	457373	500.00	ug/L	0.00
5) pentafluorobenzene	9.505	168	719279	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.433	114	1082629	50.00	ug/L	0.00
72) chlorobenzene-d5	13.563	117	1014988	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.886	152	505297	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.505	168	718770	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.537	113	355060	52.44	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 104.88%			
51) 1,2-dichloroethane-d4 (s)	9.951	65	416595	41.39	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 82.78%			
73) toluene-d8 (s)	12.059	98	1233304	49.60	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.20%			
97) 4-bromofluorobenzene (s)	14.722	95	509670	54.52	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 109.04%			
Target Compounds						Qvalue
2) ethanol	5.961	45	401401	3602.46	ug/L	98
3) tertiary butyl alcohol	7.361	59	253491	225.60	ug/L	81
4) 1,4-dioxane	11.078	88	81204	1031.16	ug/L	99
6) chlorodifluoromethane	3.990	51	209501	21.36	ug/L	99
7) dichlorodifluoromethane	3.958	85	340909	35.29	ug/L	98
8) chloromethane	4.346	50	428142	34.25	ug/L	99
9) vinyl chloride	4.566	62	356598	37.30	ug/L	98
10) 1,3-butadiene	4.614	54	204900	24.06	ug/L	98
11) bromomethane	5.196	94	233653	41.43	ug/L	97
12) chloroethane	5.353	64	212532	46.95	ug/L	90
13) trichlorofluoromethane	5.778	101	455864	42.55	ug/L	93
14) ethyl ether	6.187	74	158683	46.49	ug/L	96
15) acrolein	6.407	56	41940	27.46	ug/L	95
16) freon 113	6.611	151	201572	39.59	ug/L	95
17) 1,1-dichloroethene	6.595	96	214526	40.20	ug/L	92
18) acetone	6.601	43	448313	162.11	ug/L	96
19) acetonitrile	7.015	41	512323	448.92	ug/L	97
20) iodomethane	6.842	142	432159	41.49	ug/L	90
21) carbon disulfide	6.983	76	708242	40.06	ug/L	93
22) methylene chloride	7.303	84	289958	45.85	ug/L	97
23) methyl acetate	7.057	43	302287	43.85	ug/L	97
24) methyl tert butyl ether	7.660	73	873717	45.91	ug/L	97
25) trans-1,2-dichloroethene	7.681	96	272540	45.06	ug/L	98
26) hexane	8.037	57	444605	41.36	ug/L	99
27) di-isopropyl ether	8.252	45	1306624	49.60	ug/L	96
28) ethyl tert-butyl ether	8.708	59	1146066	49.99	ug/L	98
29) 2-butanone	8.902	72	148875	200.02	ug/L	98
30) 1,1-dichloroethane	8.258	63	561285	47.46	ug/L	98
31) chloroprene	8.357	53	508244	45.25	ug/L	95
32) acrylonitrile	7.586	53	94356	30.93	ug/L	97
33) vinyl acetate	8.200	86	61005	54.69	ug/L #	64
34) ethyl acetate	8.918	45	65931	47.72	ug/L	93
35) 2,2-dichloropropane	8.997	77	446693	47.26	ug/L	98
36) cis-1,2-dichloroethene	8.965	96	469818	70.63	ug/L	98
37) propionitrile	8.976	54	556648	489.16	ug/L	88
38) bromochloromethane	9.259	130	211825	47.90	ug/L	96
39) tetrahydrofuran	9.280	42	126619	40.13	ug/L	98
40) chloroform	9.348	83	547589	44.57	ug/L	98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10022022\v2a9581\
Data File : 2a220401.d
Acq On : 29 Sep 2022 2:37 pm
Operator : nicoleh
Sample : jd50917-15msd Inst : GCMS2A
Misc : MS62503,V2A9581,5,,,,5
ALS Vial : 13 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 29 15:05:03 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
41) tert-butyl formate	9.390	59	287955	48.20	ug/L		94
42) isobutyl alcohol	9.747	43	210351	441.72	ug/L		92
44) methacrylonitrile	9.175	67	141159	49.94	ug/L		87
45) 1,1,1-trichloroethane	9.605	97	478795	44.87	ug/L		99
46) cyclohexane	9.715	84	410250	46.01	ug/L		97
47) 1,1-dichloropropene	9.773	75	405283	47.17	ug/L		97
48) tert-amyl alcohol	9.904	73	107643	226.09	ug/L		90
49) carbon tetrachloride	9.799	117	418751	43.48	ug/L		97
52) 2,2,4-trimethylpentane	10.119	57	1253704	41.20	ug/L		92
53) tert-amyl methyl ether	10.103	73	982265	44.05	ug/L		99
54) n-butyl alcohol	10.496	56	635669	2260.15	ug/L		93
55) benzene	10.019	78	1166966	45.43	ug/L		97
56) heptane	10.276	57	240432	38.73	ug/L		97
57) isopropyl acetate	9.935	87	70899	43.97	ug/L		95
58) 1,2-dichloroethane	10.040	62	481844	39.92	ug/L		99
59) trichloroethene	10.743	95	578217	78.74	ug/L		95
60) ethyl acrylate	10.737	55	534863	45.86	ug/L		99
61) 2-nitropropane	11.498	41	104662	34.14	ug/L		93
62) 2-chloroethyl vinyl ether	11.540	63	8514	9.82	ug/L		95
63) methyl methacrylate	11.000	100	84915	46.12	ug/L	#	82
64) 1,2-dichloropropane	11.031	63	345427	45.33	ug/L		95
65) methylcyclohexane	11.042	83	495428	41.22	ug/L		97
66) dibromomethane	11.141	93	207725	41.52	ug/L		96
67) bromodichloromethane	11.293	83	434002	41.90	ug/L		98
68) epichlorohydrin	11.618	57	185960	204.43	ug/L		97
69) cis-1,3-dichloropropene	11.755	75	521286	45.98	ug/L		88
70) 4-methyl-2-pentanone	11.859	58	606900	168.88	ug/L		100
71) 3-methyl-1-butanol	11.865	70	192191	867.07	ug/L		95
74) toluene	12.132	92	719134	44.60	ug/L		97
75) trans-1,3-dichloropropene	12.321	75	468150	43.80	ug/L		99
76) ethyl methacrylate	12.316	69	433419	47.23	ug/L		90
77) 1,1,2-trichloroethane	12.536	83	240952	43.46	ug/L		96
78) 2-hexanone	12.709	58	573213	169.93	ug/L		93
79) tetrachloroethene	12.688	166	1064502	132.62	ug/L		99
80) 1,3-dichloropropane	12.719	76	455471	42.82	ug/L		99
81) butyl acetate	12.788	56	256915	44.33	ug/L		98
82) dibromochloromethane	12.961	129	338416	41.83	ug/L		99
83) 1,2-dibromoethane	13.113	107	292094	42.55	ug/L		94
84) n-butyl ether	13.558	57	1383710	43.31	ug/L		95
85) chlorobenzene	13.595	112	788936	44.87	ug/L		96
86) 1,1,1,2-tetrachloroethane	13.658	131	303416	42.90	ug/L		96
87) ethylbenzene	13.658	91	1309043	43.30	ug/L		95
88) m,p-xylene	13.778	106	973858	82.87	ug/L		90
89) o-xylene	14.177	91	1052341	42.65	ug/L		96
90) styrene	14.187	104	798480	41.76	ug/L		98
91) n-amyl acetate	14.224	70	203943	40.87	ug/L		90
92) bromoform	14.408	173	240398	41.32	ug/L		97
93) butyl acrylate	14.014	55	746054	43.83	ug/L		100
94) isopropylbenzene	14.523	105	1226244	41.67	ug/L		99
95) cis-1,4-dichloro-2-butene	14.560	88	81079	25.60	ug/L		94
98) bromobenzene	14.900	156	350415	43.33	ug/L		98
99) 1,1,2,2-tetrachloroethane	14.801	83	363638	42.35	ug/L		97
100) trans-1,4-dichloro-2-b...	14.832	53	74596	26.09	ug/L		92
101) 1,2,3-trichloropropane	14.885	110	87728	39.70	ug/L		90
102) n-propylbenzene	14.937	91	1491383	45.99	ug/L		97
103) 2-chlorotoluene	15.068	126	310706	44.02	ug/L		90
104) 4-chlorotoluene	15.178	91	935018	45.33	ug/L		96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10022022\v2a9581\
Data File : 2a220401.d
Acq On : 29 Sep 2022 2:37 pm
Operator : nicoleh
Sample : jd50917-15msd Inst : GCMS2A
Misc : MS62503,V2A9581,5,,,,5
ALS Vial : 13 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 29 15:05:03 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
105) 1,3,5-trimethylbenzene	15.094	105	1012911	44.96	ug/L	99
106) tert-butylbenzene	15.430	119	864608	44.30	ug/L	100
107) 1,2,4-trimethylbenzene	15.482	105	1026497	44.74	ug/L	98
108) sec-butylbenzene	15.650	105	1274510	43.80	ug/L	99
109) 1,3-dichlorobenzene	15.818	146	615224	42.68	ug/L	98
110) p-isopropyltoluene	15.781	119	1092907	44.04	ug/L	98
111) benzyl chloride	16.001	91	596717	42.23	ug/L	98
112) 1,2,3-trimethylbenzene	15.912	105	1030495	43.55	ug/L	96
113) 1,4-dichlorobenzene	15.912	146	618204	41.24	ug/L	97
114) 1,2-dichlorobenzene	16.285	146	596929	42.36	ug/L	98
115) n-butylbenzene	16.195	92	561544	42.55	ug/L	94
116) 1,2-dibromo-3-chloropr...	17.045	157	73419	39.38	ug/L	97
117) 1,3,5-trichlorobenzene	17.239	180	487678	44.29	ug/L	99
118) 1,2,4-trichlorobenzene	17.878	180	413207	43.63	ug/L	99
119) hexachlorobutadiene	17.999	225	219781	45.10	ug/L	97
120) naphthalene	18.167	128	769835	34.12	ug/L	98
121) 1,2,3-trichlorobenzene	18.398	180	345609	38.76	ug/L	96
122) hexachloroethane	16.573	201	158934	39.12	ug/L	100
123) 2-methylnaphthalene	19.404	142	112564	9.79	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10022022\v2a9581\
Data File : 2a220401.d
Acq On : 29 Sep 2022 2:37 pm
Operator : nicoleh
Sample : jd50917-15msd Inst : GCMS2A
Misc : MS62503,V2A9581,5,,,,5
ALS Vial : 13 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 29 15:05:03 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\davem1\10-03-22\v1x8637\
Data File : 1x200596.d
Acq On : 29 Sep 2022 4:22 pm
Operator : taylors
Sample : jd52594-1ms Inst : ACC-VOA-MSX
Misc : MS62564,V1X8637,5,,,,4
ALS Vial : 19 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Sep 30 07:05:26 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.439	65	410176	500.00	ug/L	0.00
5) pentafluorobenzene	3.507	168	439969	50.00	ug/L	0.00
52) 1,4-difluorobenzene	3.998	114	610638	50.00	ug/L	0.00
73) chlorobenzene-d5	6.074	117	571251	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.883	152	282949	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.507	113	198199	47.75	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.50%			
53) 1,2-dichloroethane-d4 (s)	3.726	65	224443	48.09	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 96.18%			
74) toluene-d8 (s)	4.996	98	682296	49.93	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.86%			
98) 4-bromofluorobenzene (s)	7.008	95	242112	49.29	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.58%			
Target Compounds						Qvalue
2) ethanol	1.938	45	194470	4957.65	ug/L	99
3) tertiary butyl alcohol	2.488	59	141463	227.95	ug/L	100
4) 1,4-dioxane	4.377	88	61294	1242.57	ug/L	93
6) chlorodifluoromethane	1.249	51	150647	40.15	ug/L	98
7) dichlorodifluoromethane	1.233	85	148438	42.13	ug/L	99
8) chloromethane	1.361	50	125588	34.15	ug/L	99
9) vinyl chloride	1.425	62	141539	36.46	ug/L	100
10) bromomethane	1.634	96	13703	25.45	ug/L	97
11) chloroethane	1.698	64	54287	31.57	ug/L	98
12) trichlorofluoromethane	1.852	101	205131	40.35	ug/L	99
13) 1,3-butadiene	1.452	54	161681	52.15	ug/L	98
14) ethyl ether	2.013	74	57547	44.51	ug/L	89
15) acrolein	2.103	56	19193	26.24	ug/L	94
16) 1,1-dichloroethene	2.167	96	109818	44.71	ug/L	97
17) freon 113	2.162	101	133166	44.46	ug/L	98
18) acetone	2.178	58	71508	171.46	ug/L	99
19) acetonitrile	2.349	41	258186	447.50	ug/L	98
20) iodomethane	2.263	142	52905	46.95	ug/L	98
21) carbon disulfide	2.311	76	276148	44.74	ug/L	100
22) methylene chloride	2.456	84	103574	43.50	ug/L	97
23) methyl acetate	2.359	43	151493	44.72	ug/L	99
24) methyl tert butyl ether	2.600	73	314720	44.37	ug/L	98
25) acrylonitrile	2.584	53	48134	30.61	ug/L	99
26) trans-1,2-dichloroethene	2.616	96	117239	44.09	ug/L	100
27) hexane	2.770	57	191150	45.56	ug/L	99
28) di-isopropyl ether	2.872	45	401603	45.42	ug/L	100
29) 2-butanone	3.192	72	88534	191.98	ug/L	92
30) 1,1-dichloroethane	2.872	63	203714	44.16	ug/L	99
31) chloroprene	2.914	53	199637	45.74	ug/L	99
32) vinyl acetate	2.856	86	24835	48.47	ug/L #	93
33) ethyl tert-butyl ether	3.085	59	358677	45.42	ug/L	99
34) ethyl acetate	3.203	45	31153	44.74	ug/L	99
35) 2,2-dichloropropane	3.219	77	179168	46.79	ug/L	99
36) cis-1,2-dichloroethene	3.213	96	127403	44.39	ug/L	96
37) methyl acrylate	3.240	55	206077	47.49	ug/L	99
38) propionitrile	3.235	54	305676	465.78	ug/L	90
39) tert-butyl formate	3.427	59	100335	58.25	ug/L	99
40) bromochloromethane	3.357	128	62977	43.02	ug/L	94
41) tetrahydrofuran	3.363	42	66315	45.10	ug/L	99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\davem1\10-03-22\v1x8637\
Data File : 1x200596.d
Acq On : 29 Sep 2022 4:22 pm
Operator : taylors
Sample : jd52594-1ms Inst : ACC-VOA-MSX
Misc : MS62564,V1X8637,5,,,,4
ALS Vial : 19 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Sep 30 07:05:26 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
42) chloroform	3.405	83	199741	41.99	ug/L		98
44) methacrylonitrile	3.325	67	65957	48.10	ug/L		99
45) 1,1,1-trichloroethane	3.528	97	198129	43.56	ug/L		99
46) cyclohexane	3.576	84	143830	34.59	ug/L		97
47) tert amyl alcohol	3.715	55	56602	241.98	ug/L		95
48) 1,1-dichloropropene	3.619	75	167279	44.76	ug/L		98
49) isobutyl alcohol	3.806	42	25346	430.29	ug/L		99
50) carbon tetrachloride	3.624	117	178297	44.38	ug/L		99
51) isopropyl acetate	3.736	87	32859	51.38	ug/L	#	94
54) iso-octane	3.806	57	393687	46.47	ug/L		100
55) epichlorohydrin	4.718	57	110627	260.56	ug/L		99
56) n-butyl alcohol	4.057	56	370046	2715.98	ug/L		99
57) benzene	3.747	78	2059002	200.99	ug/L		100
58) tert-amyl methyl ether	3.811	73	325306	48.13	ug/L		99
59) heptane	3.907	57	78327	51.28	ug/L		94
60) 1,2-dichloroethane	3.774	62	179739	46.52	ug/L		99
61) trichloroethene	4.163	130	148330	46.50	ug/L		96
62) ethyl acrylate	4.185	55	211982	50.83	ug/L		99
63) 2-nitropropane	4.644	41	52602	51.27	ug/L		99
64) 2-chloroethyl vinyl ether	4.676	63	465316	262.18	ug/L		99
65) methyl methacrylate	4.345	100	41829	50.37	ug/L	#	69
66) 1,2-dichloropropane	4.334	76	47248	47.18	ug/L		94
67) dibromomethane	4.398	93	75492	43.54	ug/L		94
68) methylcyclohexane	4.323	83	200962	46.80	ug/L		99
69) bromodichloromethane	4.500	83	139794	47.27	ug/L		100
70) cis-1,3-dichloropropene	4.798	75	170414	49.73	ug/L		98
71) 4-methyl-2-pentanone	4.889	58	287201	204.68	ug/L		98
72) 3-methyl-1-butanol	4.910	70	123310	1133.30	ug/L		98
75) toluene	5.044	92	325921	52.10	ug/L		99
76) trans-1,3-dichloropropene	5.193	75	155771	49.80	ug/L		99
77) ethyl methacrylate	5.215	69	155872	49.49	ug/L		99
78) 1,1,2-trichloroethane	5.343	83	89320	47.14	ug/L		97
79) tetrachloroethene	5.418	164	119785	47.74	ug/L		96
80) 1,3-dichloropropane	5.466	76	164837	45.41	ug/L		100
81) 2-hexanone	5.487	58	292590	198.78	ug/L		100
82) butyl acetate	5.562	56	98979	47.30	ug/L		100
83) dibromochloromethane	5.631	129	124578	50.03	ug/L		100
84) 1,2-dibromoethane	5.727	107	121901	48.22	ug/L		95
85) n-butyl ether	6.149	57	478516	47.22	ug/L		99
86) chlorobenzene	6.095	112	331205	46.67	ug/L		99
87) 1,1,1,2-tetrachloroethane	6.159	131	121886	49.95	ug/L		98
88) ethylbenzene	6.165	91	841727	70.22	ug/L		99
89) m,p-xylene	6.266	106	534425	113.29	ug/L		100
90) o-xylene	6.570	91	587101	65.53	ug/L		100
91) styrene	6.586	104	357620	47.04	ug/L		99
92) butyl acrylate	6.512	55	251175	48.88	ug/L		98
93) n-amyl acetate	6.688	70	83760	49.00	ug/L		97
94) bromoform	6.736	173	86735	52.46	ug/L		97
95) isopropylbenzene	6.864	105	567616	48.60	ug/L		99
96) cis-1,4-dichloro-2-butene	6.907	88	35671	31.99	ug/L		97
99) bromobenzene	7.120	156	147705	47.56	ug/L		94
100) 1,1,2,2-tetrachloroethane	7.104	83	160536	52.19	ug/L		98
101) trans-1,4-dichloro-2-b...	7.131	53	34932	39.03	ug/L		88
102) 1,2,3-trichloropropane	7.152	110	51170	50.39	ug/L		94
103) n-propylbenzene	7.189	91	619791	48.25	ug/L		99
104) 2-chlorotoluene	7.264	126	138093	48.41	ug/L		96
105) 4-chlorotoluene	7.360	91	351599	46.99	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\davem1\10-03-22\v1x8637\
Data File : 1x200596.d
Acq On : 29 Sep 2022 4:22 pm
Operator : taylors
Sample : jd52594-1ms Inst : ACC-VOA-MSX
Misc : MS62564,V1X8637,5,,,,4
ALS Vial : 19 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Sep 30 07:05:26 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
106) 1,3,5-trimethylbenzene	7.328	105	447483	53.36	ug/L	99
107) tert-butylbenzene	7.568	119	389244	47.71	ug/L	98
108) 1,2,4-trimethylbenzene	7.611	105	537069	63.23	ug/L	98
109) sec-butylbenzene	7.734	105	549263	48.96	ug/L	99
110) 1,3-dichlorobenzene	7.824	146	265345	47.74	ug/L	98
111) p-isopropyltoluene	7.846	119	479077	50.37	ug/L	100
112) 1,4-dichlorobenzene	7.899	146	269785	47.09	ug/L	100
113) 1,2-dichlorobenzene	8.155	146	249569	48.02	ug/L	99
114) benzyl chloride	7.979	91	276927	60.25	ug/L	98
115) n-butylbenzene	8.134	92	214854	51.35	ug/L	98
116) 1,2-dibromo-3-chloropr...	8.689	157	47758	51.84	ug/L	98
117) 1,3,5-trichlorobenzene	8.812	180	159756	47.84	ug/L	98
118) hexachlorobutadiene	9.303	225	59419	49.91	ug/L	99
119) naphthalene	9.388	128	4649239	425.48	ug/L	98
120) 1,2,4-trichlorobenzene	9.217	180	141640	48.69	ug/L	99
121) 1,2,3-trichlorobenzene	9.522	180	138804	48.97	ug/L	99
122) hexachloroethane	8.347	201	55520	44.75	ug/L	93
123) 2-methylnaphthalene	10.109	142	168279	31.53	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\davem1\10-03-22\v1x8637\
Data File : 1x200596.d
Acq On : 29 Sep 2022 4:22 pm
Operator : taylors
Sample : jd52594-1ms Inst : ACC-VOA-MSX
Misc : MS62564,V1X8637,5,,,,4
ALS Vial : 19 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Sep 30 07:05:26 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\davem1\10-03-22\v1x8637\
Data File : 1x200597.d
Acq On : 29 Sep 2022 4:45 pm
Operator : taylors
Sample : jd52594-1msd Inst : ACC-VOA-MSX
Misc : MS62564,V1X8637,5,,,,4
ALS Vial : 20 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Sep 30 07:05:32 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.445	65	398841	500.00	ug/L	0.00
5) pentafluorobenzene	3.507	168	440207	50.00	ug/L	0.00
52) 1,4-difluorobenzene	3.998	114	602989	50.00	ug/L	0.00
73) chlorobenzene-d5	6.074	117	564501	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.883	152	279793	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.507	113	194167	46.76	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 93.52%			
53) 1,2-dichloroethane-d4 (s)	3.726	65	221938	48.15	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 96.30%			
74) toluene-d8 (s)	4.996	98	676344	50.09	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.18%			
98) 4-bromofluorobenzene (s)	7.008	95	239828	49.37	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.74%			
Target Compounds						Qvalue
2) ethanol	1.943	45	192438	5045.27	ug/L	96
3) tertiary butyl alcohol	2.493	59	145155	240.55	ug/L	99
4) 1,4-dioxane	4.377	88	62127	1295.25	ug/L	93
6) chlorodifluoromethane	1.255	51	148569	39.58	ug/L	100
7) dichlorodifluoromethane	1.239	85	146203	41.47	ug/L	99
8) chloromethane	1.367	50	123087	33.45	ug/L	99
9) vinyl chloride	1.431	62	136587	35.16	ug/L	100
10) bromomethane	1.639	96	16983	31.52	ug/L	99
11) chloroethane	1.703	64	53197	30.92	ug/L	99
12) trichlorofluoromethane	1.858	101	201573	39.63	ug/L	99
13) 1,3-butadiene	1.458	54	156091	50.32	ug/L	99
14) ethyl ether	2.018	74	58189	44.98	ug/L	91
15) acrolein	2.103	56	18897	25.82	ug/L	95
16) 1,1-dichloroethene	2.167	96	108107	43.99	ug/L	97
17) freon 113	2.167	101	131722	43.95	ug/L	99
18) acetone	2.183	58	71847	172.18	ug/L	96
19) acetonitrile	2.349	41	261021	452.17	ug/L	98
20) iodomethane	2.269	142	78903	69.98	ug/L	99
21) carbon disulfide	2.317	76	274496	44.45	ug/L	98
22) methylene chloride	2.456	84	105989	44.49	ug/L	96
23) methyl acetate	2.365	43	157642	46.51	ug/L	98
24) methyl tert butyl ether	2.605	73	324734	45.76	ug/L	100
25) acrylonitrile	2.589	53	48600	30.89	ug/L	98
26) trans-1,2-dichloroethene	2.616	96	115517	43.42	ug/L	93
27) hexane	2.770	57	186966	44.54	ug/L	99
28) di-isopropyl ether	2.877	45	408032	46.12	ug/L	98
29) 2-butanone	3.192	72	89873	194.78	ug/L #	88
30) 1,1-dichloroethane	2.877	63	203608	44.11	ug/L	99
31) chloroprene	2.920	53	198431	45.44	ug/L	98
32) vinyl acetate	2.856	86	26374	51.45	ug/L #	93
33) ethyl tert-butyl ether	3.091	59	371478	47.02	ug/L	100
34) ethyl acetate	3.208	45	34741	49.87	ug/L	98
35) 2,2-dichloropropane	3.224	77	176752	46.14	ug/L	99
36) cis-1,2-dichloroethene	3.213	96	128691	44.81	ug/L	95
37) methyl acrylate	3.240	55	211755	48.77	ug/L	97
38) propionitrile	3.235	54	309995	472.11	ug/L	74
39) tert-butyl formate	3.427	59	105065	60.96	ug/L	97
40) bromochloromethane	3.363	128	64536	44.06	ug/L	98
41) tetrahydrofuran	3.368	42	67455	45.85	ug/L	99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\davem1\10-03-22\v1x8637\
Data File : 1x200597.d
Acq On : 29 Sep 2022 4:45 pm
Operator : taylors
Sample : jd52594-1msd Inst : ACC-VOA-MSX
Misc : MS62564,V1X8637,5,,,,4
ALS Vial : 20 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Sep 30 07:05:32 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
42) chloroform	3.411	83	204442	42.96	ug/L		99
44) methacrylonitrile	3.325	67	67210	48.98	ug/L		95
45) 1,1,1-trichloroethane	3.528	97	198133	43.54	ug/L		96
46) cyclohexane	3.582	84	142449	34.24	ug/L	#	72
47) tert amyl alcohol	3.715	55	57450	245.48	ug/L		96
48) 1,1-dichloropropene	3.624	75	165226	44.18	ug/L		100
49) isobutyl alcohol	3.811	42	24895	422.40	ug/L	#	96
50) carbon tetrachloride	3.630	117	179222	44.58	ug/L		99
51) isopropyl acetate	3.736	87	33395	52.19	ug/L	#	89
54) iso-octane	3.811	57	381811	45.64	ug/L		100
55) epichlorohydrin	4.724	57	110165	262.76	ug/L		98
56) n-butyl alcohol	4.057	56	379107	2817.78	ug/L		99
57) benzene	3.752	78	2072041	204.83	ug/L		99
58) tert-amyl methyl ether	3.811	73	336659	50.44	ug/L		100
59) heptane	3.913	57	76791	50.91	ug/L		97
60) 1,2-dichloroethane	3.774	62	184534	48.37	ug/L		99
61) trichloroethene	4.163	130	147378	46.79	ug/L		96
62) ethyl acrylate	4.190	55	216277	52.52	ug/L		100
63) 2-nitropropane	4.649	41	52928	52.24	ug/L		99
64) 2-chloroethyl vinyl ether	4.681	63	479148	273.40	ug/L		99
65) methyl methacrylate	4.345	100	43203	52.69	ug/L	#	81
66) 1,2-dichloropropane	4.340	76	47401	47.94	ug/L		96
67) dibromomethane	4.398	93	78297	45.73	ug/L		97
68) methylcyclohexane	4.329	83	196633	46.37	ug/L		99
69) bromodichloromethane	4.505	83	143971	49.30	ug/L		99
70) cis-1,3-dichloropropene	4.798	75	175262	51.80	ug/L		97
71) 4-methyl-2-pentanone	4.889	58	294091	212.25	ug/L		99
72) 3-methyl-1-butanol	4.911	70	124722	1160.81	ug/L		99
75) toluene	5.044	92	325744	52.70	ug/L		99
76) trans-1,3-dichloropropene	5.199	75	161371	52.20	ug/L		98
77) ethyl methacrylate	5.220	69	160185	51.46	ug/L		99
78) 1,1,2-trichloroethane	5.343	83	91088	48.65	ug/L		99
79) tetrachloroethene	5.423	164	118571	47.83	ug/L		99
80) 1,3-dichloropropane	5.466	76	168209	46.90	ug/L		97
81) 2-hexanone	5.487	58	300719	206.74	ug/L		99
82) butyl acetate	5.567	56	102259	49.45	ug/L		99
83) dibromochloromethane	5.631	129	127726	51.91	ug/L		99
84) 1,2-dibromoethane	5.727	107	125291	50.15	ug/L		96
85) n-butyl ether	6.149	57	478241	47.76	ug/L		100
86) chlorobenzene	6.101	112	333672	47.58	ug/L		99
87) 1,1,1,2-tetrachloroethane	6.159	131	124879	51.79	ug/L		98
88) ethylbenzene	6.165	91	842394	71.12	ug/L		100
89) m,p-xylene	6.266	106	533996	114.55	ug/L		99
90) o-xylene	6.570	91	590582	66.70	ug/L		100
91) styrene	6.586	104	364379	48.50	ug/L		100
92) butyl acrylate	6.512	55	261307	51.46	ug/L		99
93) n-amyl acetate	6.688	70	86489	51.20	ug/L		99
94) bromoform	6.736	173	88811	54.36	ug/L		98
95) isopropylbenzene	6.864	105	567638	49.18	ug/L		99
96) cis-1,4-dichloro-2-butene	6.907	88	38033	34.29	ug/L		97
99) bromobenzene	7.125	156	150386	48.96	ug/L		98
100) 1,1,2,2-tetrachloroethane	7.104	83	164923	54.22	ug/L		100
101) trans-1,4-dichloro-2-b...	7.131	53	36523	41.27	ug/L		88
102) 1,2,3-trichloropropane	7.152	110	51954	51.74	ug/L		95
103) n-propylbenzene	7.189	91	610813	48.09	ug/L		100
104) 2-chlorotoluene	7.269	126	137330	48.69	ug/L		98
105) 4-chlorotoluene	7.360	91	356690	48.21	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\davem1\10-03-22\v1x8637\
Data File : 1x200597.d
Acq On : 29 Sep 2022 4:45 pm
Operator : taylors
Sample : jd52594-1msd Inst : ACC-VOA-MSX
Misc : MS62564,V1X8637,5,,,,4
ALS Vial : 20 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Sep 30 07:05:32 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
106) 1,3,5-trimethylbenzene	7.328	105	445688	53.75	ug/L	99
107) tert-butylbenzene	7.568	119	384870	47.70	ug/L	99
108) 1,2,4-trimethylbenzene	7.611	105	536452	63.87	ug/L	98
109) sec-butylbenzene	7.734	105	547953	49.39	ug/L	99
110) 1,3-dichlorobenzene	7.830	146	268490	48.85	ug/L	99
111) p-isopropyltoluene	7.846	119	474583	50.46	ug/L	100
112) 1,4-dichlorobenzene	7.899	146	271408	47.91	ug/L	100
113) 1,2-dichlorobenzene	8.155	146	254144	49.45	ug/L	99
114) benzyl chloride	7.979	91	280354	61.68	ug/L	99
115) n-butylbenzene	8.134	92	210171	50.80	ug/L	100
116) 1,2-dibromo-3-chloropr...	8.689	157	49849	54.72	ug/L	97
117) 1,3,5-trichlorobenzene	8.812	180	162652	49.25	ug/L	97
118) hexachlorobutadiene	9.308	225	57594	48.93	ug/L	97
119) naphthalene	9.388	128	4781158	442.49	ug/L	97
120) 1,2,4-trichlorobenzene	9.217	180	144773	50.33	ug/L	100
121) 1,2,3-trichlorobenzene	9.522	180	142391	50.81	ug/L	99
122) hexachloroethane	8.348	201	55397	45.14	ug/L	92
123) 2-methylnaphthalene	10.114	142	172420	32.67	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\davem1\10-03-22\v1x8637\
Data File : 1x200597.d
Acq On : 29 Sep 2022 4:45 pm
Operator : taylors
Sample : jd52594-1msd Inst : ACC-VOA-MSX
Misc : MS62564,V1X8637,5,,,,4
ALS Vial : 20 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Sep 30 07:05:32 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93006.d
Acq On : 29 Sep 2022 11:58 pm
Operator : KYLEM
Sample : jd52507-10ms Inst : MS2V
Misc : MS62506,V2V3777,5,,,,100
ALS Vial : 38 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Sep 30 09:41:05 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	2.321	65	259728	500.00	ug/L		0.00
5) pentafluorobenzene	3.286	168	309490	50.00	ug/L		0.00
50) 1,4-difluorobenzene	3.747	114	428017	50.00	ug/L		0.00
72) chlorobenzene-d5	5.734	117	407218	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	7.506	152	181836	50.00	ug/L		0.00
System Monitoring Compounds							
42) dibromofluoromethane (s)	3.291	113	153240	49.65	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.30%				
51) 1,2-dichloroethane-d4 (s)	3.495	65	154025	50.75	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 101.50%				
73) toluene-d8 (s)	4.696	98	495015	49.39	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.78%				
97) 4-bromofluorobenzene (s)	6.636	95	155831	48.00	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.00%				
Target Compounds							Qvalue
2) ethanol	1.886	45	502264	9520.55	ug/L		99
3) tertiary butyl alcohol	2.363	59	187301	231.50	ug/L		100
4) 1,4-dioxane	4.103	88	84406	1273.85	ug/L		94
6) chlorodifluoromethane	1.293	51	117469	40.64	ug/L		97
7) dichlorodifluoromethane	1.283	85	147531	42.66	ug/L		98
8) chloromethane	1.398	52	53194	40.75	ug/L		99
9) vinyl chloride	1.456	62	319133	75.27	ug/L		98
10) bromomethane	1.634	96	194916	66.10	ug/L		96
11) chloroethane	1.686	64	230966	90.85	ug/L		97
12) trichlorofluoromethane	1.823	101	503888	80.27	ug/L		99
13) 1,3-butadiene	1.471	54	209190	53.79	ug/L		99
14) ethyl ether	1.954	74	131704	88.79	ug/L		92
15) acrolein	2.032	56	62465	94.77	ug/L		97
16) freon 113	2.090	151	120670	48.48	ug/L		97
17) 1,1-dichloroethene	2.095	61	190485	50.53	ug/L		98
18) acetone	2.095	58	92093	230.75	ug/L		99
19) acetonitrile	2.242	41	306845	598.67	ug/L		99
20) iodomethane	2.185	142	122632	51.31	ug/L		99
21) carbon disulfide	2.232	76	298611	43.36	ug/L		98
22) methylene chloride	2.342	84	132617	47.24	ug/L		94
23) methyl acetate	2.253	74	38346	53.47	ug/L	#	80
24) methyl tert butyl ether	2.473	73	399105	52.32	ug/L		99
25) trans-1,2-dichloroethene	2.489	96	133527	50.17	ug/L		99
26) hexane	2.630	56	65966	44.72	ug/L		94
27) di-isopropyl ether	2.714	45	409290	54.29	ug/L		97
28) ethyl tert-butyl ether	2.908	59	387457	51.69	ug/L		98
29) 1,1-dichloroethane	2.719	63	236020	51.84	ug/L		99
30) chloroprene	2.761	53	174348	51.21	ug/L		99
31) acrylonitrile	2.452	53	80451	57.42	ug/L		97
32) vinyl acetate	2.693	86	32320	52.20	ug/L	#	65
33) ethyl acetate	3.008	45	40143	60.08	ug/L	#	84
34) 2-butanone	3.002	72	133453	246.74	ug/L	#	87
35) 2,2-dichloropropane	3.034	77	196033	48.80	ug/L		96
36) cis-1,2-dichloroethene	3.023	96	473772	153.99	ug/L		97
37) propionitrile	3.034	54	398649	638.30	ug/L		79
38) methyl acrylate	3.044	85	38910	54.25	ug/L	#	75
39) bromochloromethane	3.160	128	84783	52.71	ug/L		99
40) tetrahydrofuran	3.170	71	33141	50.44	ug/L		93
41) chloroform	3.202	83	255806	46.44	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93006.d
Acq On : 29 Sep 2022 11:58 pm
Operator : KYLEM
Sample : jd52507-10ms Inst : MS2V
Misc : MS62506,V2V3777,5,,,,100
ALS Vial : 38 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Sep 30 09:41:05 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
43) methacrylonitrile	3.123	67	83686	54.77	ug/L		97
44) 1,1,1-trichloroethane	3.317	97	223833	47.90	ug/L		98
45) cyclohexane	3.369	84	152153	41.70	ug/L		89
46) 1,1-dichloropropene	3.406	75	190401	52.14	ug/L		99
47) carbon tetrachloride	3.411	119	212695	49.25	ug/L		98
48) isobutyl alcohol	3.406	42	86254	652.59	ug/L		97
49) tert-amyl alcohol	3.480	55	68860	254.36	ug/L	#	79
52) n-butyl alcohol	3.799	56	470466	3078.29	ug/L		96
53) benzene	3.527	78	504322	49.11	ug/L		99
54) tert-amyl methyl ether	3.574	73	410460	51.02	ug/L		99
55) iso-octane	3.579	57	262223	47.83	ug/L		96
56) heptane	3.668	57	47197	44.47	ug/L		95
57) isopropyl acetate	3.501	87	43843	52.64	ug/L	#	81
58) 1,2-dichloroethane	3.542	62	207637	48.55	ug/L		100
59) trichloroethene	3.909	95	161783	53.21	ug/L		96
60) ethyl acrylate	3.920	55	256060	53.58	ug/L		99
61) 2-nitropropane	4.355	41	72800	57.40	ug/L		96
62) 2-chloroethyl vinyl ether	4.387	63	258936	161.01	ug/L		96
63) methyl methacrylate	4.072	100	54672	52.43	ug/L	#	82
64) 1,2-dichloropropane	4.067	63	143198	53.29	ug/L		96
65) methylcyclohexane	4.067	83	185904	49.09	ug/L		99
66) dibromomethane	4.124	93	117033	49.78	ug/L		93
67) bromodichloromethane	4.224	83	203620	49.26	ug/L		98
68) epichlorohydrin	4.429	57	121567	273.33	ug/L		96
69) cis-1,3-dichloropropene	4.507	75	220293	51.17	ug/L		99
70) 4-methyl-2-pentanone	4.586	58	387495	240.35	ug/L		92
71) 3-methyl-1-butanol	4.607	70	192790	1263.27	ug/L		95
74) toluene	4.743	92	322977	47.29	ug/L		98
75) ethyl methacrylate	4.906	69	208110	52.43	ug/L		98
76) trans-1,3-dichloropropene	4.885	75	204756	50.25	ug/L		99
77) 1,1,2-trichloroethane	5.026	83	122800	51.86	ug/L		96
78) 2-hexanone	5.163	58	404068	233.03	ug/L		94
79) tetrachloroethene	5.110	164	128425	48.48	ug/L		96
80) 1,3-dichloropropane	5.142	76	226136	51.81	ug/L		99
81) butyl acetate	5.236	56	117784	53.51	ug/L		92
82) dibromochloromethane	5.304	129	183875	49.39	ug/L		98
83) 1,2-dibromoethane	5.399	107	168516	50.68	ug/L		98
84) n-butyl ether	5.807	57	518505	53.17	ug/L		99
85) chlorobenzene	5.755	112	393250	47.80	ug/L		99
86) 1,1,1,2-tetrachloroethane	5.818	131	169863	52.78	ug/L		99
87) ethylbenzene	5.823	91	645853	49.99	ug/L		99
88) m,p-xylene	5.918	106	493239	98.46	ug/L		97
89) o-xylene	6.216	91	490986	49.57	ug/L		99
90) styrene	6.227	104	412007	50.13	ug/L		100
91) butyl acrylate	6.154	56	139486	57.15	ug/L		93
92) n-amyl acetate	6.327	70	112908	51.83	ug/L		97
93) bromoform	6.374	173	139264	50.54	ug/L		99
94) isopropylbenzene	6.500	105	578645	49.23	ug/L		99
95) cis-1,4-dichloro-2-butene	6.536	88	34916	25.41	ug/L		92
98) bromobenzene	6.751	156	175029	47.59	ug/L		98
99) 1,1,2,2-tetrachloroethane	6.730	83	232176	51.43	ug/L		99
100) trans-1,4-dichloro-2-b...	6.762	53	30691	28.82	ug/L		99
101) 1,2,3-trichloropropane	6.777	110	68069	50.71	ug/L		96
102) n-propylbenzene	6.825	91	635473	47.89	ug/L		99
103) 2-chlorotoluene	6.898	126	146555	48.18	ug/L		94
104) 4-chlorotoluene	6.987	126	147490	47.11	ug/L		91
105) 1,3,5-trimethylbenzene	6.961	105	428468	48.23	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93006.d
Acq On : 29 Sep 2022 11:58 pm
Operator : KYLEM
Sample : jd52507-10ms Inst : MS2V
Misc : MS62506,V2V3777,5,,,,100
ALS Vial : 38 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Sep 30 09:41:05 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
106) tert-butylbenzene	7.197	119	368379	47.56	ug/L	98
107) 1,2,4-trimethylbenzene	7.239	105	436497	47.07	ug/L	98
108) sec-butylbenzene	7.359	105	510029	48.60	ug/L	99
109) 1,3-dichlorobenzene	7.449	146	285547	47.10	ug/L	98
110) p-isopropyltoluene	7.470	119	429530	48.25	ug/L	99
111) 1,2,3-trimethylbenzene	7.538	105	447307	48.24	ug/L	98
112) 1,4-dichlorobenzene	7.522	146	293531	46.41	ug/L	98
113) 1,2-dichlorobenzene	7.774	146	276120	48.32	ug/L	99
114) benzyl chloride	7.595	91	265864	45.17	ug/L	98
115) n-butylbenzene	7.753	92	188699	49.84	ug/L	96
116) hexachloroethane	7.962	201	64968	47.05	ug/L	92
117) 1,2-dibromo-3-chloropr...	8.298	157	64895	53.64	ug/L	91
118) 1,3,5-trichlorobenzene	8.424	180	163782	51.06	ug/L	97
119) 1,2,4-trichlorobenzene	8.822	180	141430	50.29	ug/L	97
120) hexachlorobutadiene	8.906	225	48850	49.19	ug/L	100
121) naphthalene	8.979	128	493124	52.17	ug/L	100
122) 1,2,3-trichlorobenzene	9.116	180	131869	52.26	ug/L	97
123) 2-methylnaphthalene	9.672	142	73044	22.74	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93006.d
Acq On : 29 Sep 2022 11:58 pm
Operator : KYLEM
Sample : jd52507-10ms Inst : MS2V
Misc : MS62506,V2V3777,5,,,,100
ALS Vial : 38 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Sep 30 09:41:05 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration



Manual Integrations APPROVED (compounds with "m" flag)
MoHui Huang
10/05/22 21:50

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93007.d
Acq On : 30 Sep 2022 12:21 am
Operator : KYLEM
Sample : jd52507-10msd Inst : MS2V
Misc : MS62506,V2V3777,5,,,,100
ALS Vial : 39 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 07:16:39 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.321	65	277794	500.00	ug/L	0.00
5) pentafluorobenzene	3.286	168	319267	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.752	114	439814	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	420026	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.506	152	187653	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.291	113	158416	49.76	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.52%			
51) 1,2-dichloroethane-d4 (s)	3.495	65	159301	51.08	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 102.16%			
73) toluene-d8 (s)	4.696	98	508970	49.23	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.46%			
97) 4-bromofluorobenzene (s)	6.636	95	159832	47.70	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.40%			
Target Compounds						Qvalue
2) ethanol	1.886	45	499933	8860.08	ug/L	99
3) tertiary butyl alcohol	2.363	59	195323	225.72	ug/L	99
4) 1,4-dioxane	4.103	88	84980	1199.11	ug/L	99
6) chlorodifluoromethane	1.293	51	120338	40.35	ug/L	98
7) dichlorodifluoromethane	1.283	85	150152	42.09	ug/L	98
8) chloromethane	1.398	52	53865	40.00	ug/L	98
9) vinyl chloride	1.456	62	322946	73.84	ug/L	99
10) bromomethane	1.634	96	203886	67.03	ug/L	98
11) chloroethane	1.692	64	162715	62.04	ug/L	99
12) trichlorofluoromethane	1.828	101	497979	76.90	ug/L	100
13) 1,3-butadiene	1.477	54	202253	50.41	ug/L	99
14) ethyl ether	1.959	74	134240	87.73	ug/L	93
15) acrolein	2.032	56	60208	88.55	ug/L	98
16) freon 113	2.090	151	119824	46.67	ug/L	97
17) 1,1-dichloroethene	2.095	61	190623	49.02	ug/L	99
18) acetone	2.101	58	93207	226.39	ug/L	96
19) acetonitrile	2.242	41	314546	594.90	ug/L	97
20) iodomethane	2.184	142	147238	58.22	ug/L	98
21) carbon disulfide	2.237	76	304753	42.90	ug/L	99
22) methylene chloride	2.347	84	136810	47.24	ug/L	95
23) methyl acetate	2.258	74	40038	54.12	ug/L	90
24) methyl tert butyl ether	2.478	73	416217	52.90	ug/L	99
25) trans-1,2-dichloroethene	2.489	96	136518	49.72	ug/L	97
26) hexane	2.630	56	66087	43.43	ug/L	94
27) di-isopropyl ether	2.714	45	422203	54.28	ug/L	99
28) ethyl tert-butyl ether	2.908	59	402239	52.02	ug/L	97
29) 1,1-dichloroethane	2.719	63	242290	51.59	ug/L	98
30) chloroprene	2.761	53	177635	50.58	ug/L	99
31) acrylonitrile	2.452	53	84213	58.27	ug/L	97
32) vinyl acetate	2.698	86	34130	53.43	ug/L #	63
33) ethyl acetate	3.008	45	38293	55.56	ug/L #	83
34) 2-butanone	3.002	72	136898	245.36	ug/L #	89
35) 2,2-dichloropropane	3.034	77	197761	47.73	ug/L	94
36) cis-1,2-dichloroethene	3.023	96	484706	152.72	ug/L	99
37) propionitrile	3.034	54	408743	634.42	ug/L	76
38) methyl acrylate	3.044	85	39846	53.85	ug/L #	70
39) bromochloromethane	3.160	128	87818	52.92	ug/L	98
40) tetrahydrofuran	3.170	71	34400	50.75	ug/L	99
41) chloroform	3.202	83	263763	46.42	ug/L	99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93007.d
Acq On : 30 Sep 2022 12:21 am
Operator : KYLEM
Sample : jd52507-10msd Inst : MS2V
Misc : MS62506,V2V3777,5,,,,100
ALS Vial : 39 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 07:16:39 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
43) methacrylonitrile	3.123	67	85007	53.93	ug/L		96
44) 1,1,1-trichloroethane	3.317	97	230733	47.87	ug/L		97
45) cyclohexane	3.369	84	157774	41.91	ug/L		95
46) 1,1-dichloropropene	3.406	75	192543	51.11	ug/L		98
47) carbon tetrachloride	3.411	119	216037	48.50	ug/L		96
48) isobutyl alcohol	3.406	42	89831	658.84	ug/L		97
49) tert-amyl alcohol	3.485	55	68804	246.37	ug/L	#	73
52) n-butyl alcohol	3.799	56	479446	3052.90	ug/L		99
53) benzene	3.527	78	518071	49.09	ug/L		100
54) tert-amyl methyl ether	3.574	73	420261	50.84	ug/L		98
55) iso-octane	3.579	57	263896	46.84	ug/L		100
56) heptane	3.668	57	45501	41.72	ug/L		95
57) isopropyl acetate	3.501	87	46373	54.18	ug/L	#	79
58) 1,2-dichloroethane	3.542	62	210869	47.98	ug/L		100
59) trichloroethene	3.909	95	165345	52.93	ug/L		98
60) ethyl acrylate	3.920	55	263221	53.60	ug/L		99
61) 2-nitropropane	4.355	41	75015m	57.56	ug/L		
62) 2-chloroethyl vinyl ether	4.387	63	251760	152.35	ug/L		95
63) methyl methacrylate	4.072	100	56255	52.50	ug/L	#	81
64) 1,2-dichloropropane	4.067	63	145498	52.69	ug/L		95
65) methylcyclohexane	4.067	83	186001	47.80	ug/L		100
66) dibromomethane	4.124	93	117654	48.70	ug/L		95
67) bromodichloromethane	4.224	83	207091	48.76	ug/L		97
68) epichlorohydrin	4.429	57	124252	271.88	ug/L		98
69) cis-1,3-dichloropropene	4.507	75	225177	50.90	ug/L		99
70) 4-methyl-2-pentanone	4.586	58	391443	236.28	ug/L		93
71) 3-methyl-1-butanol	4.612	70	197610	1260.12	ug/L		98
74) toluene	4.743	92	327405	46.47	ug/L		99
75) ethyl methacrylate	4.906	69	211416	51.64	ug/L		98
76) trans-1,3-dichloropropene	4.885	75	209525	49.85	ug/L		100
77) 1,1,2-trichloroethane	5.021	83	125698	51.46	ug/L		94
78) 2-hexanone	5.163	58	415144	232.11	ug/L		96
79) tetrachloroethene	5.110	164	125900	46.08	ug/L		97
80) 1,3-dichloropropane	5.142	76	229561	50.99	ug/L		99
81) butyl acetate	5.236	56	120294	52.99	ug/L		92
82) dibromochloromethane	5.304	129	186638	48.60	ug/L		99
83) 1,2-dibromoethane	5.398	107	171935	50.13	ug/L		97
84) n-butyl ether	5.807	57	526959	52.39	ug/L		99
85) chlorobenzene	5.755	112	399227	47.04	ug/L		98
86) 1,1,1,2-tetrachloroethane	5.818	131	170882	51.48	ug/L		97
87) ethylbenzene	5.823	91	657036	49.31	ug/L		99
88) m,p-xylene	5.918	106	501306	97.02	ug/L		96
89) o-xylene	6.216	91	494781	48.43	ug/L		98
90) styrene	6.227	104	418173	49.33	ug/L		100
91) butyl acrylate	6.153	56	139568	55.44	ug/L		98
92) n-amyl acetate	6.327	70	115191	51.27	ug/L		93
93) bromoform	6.374	173	142361	50.08	ug/L		99
94) isopropylbenzene	6.500	105	578291	47.70	ug/L		98
95) cis-1,4-dichloro-2-butene	6.536	88	39300	27.73	ug/L		92
98) bromobenzene	6.756	156	178429	47.01	ug/L		91
99) 1,1,2,2-tetrachloroethane	6.730	83	235351	50.52	ug/L		99
100) trans-1,4-dichloro-2-b...	6.762	53	34649	31.53	ug/L		98
101) 1,2,3-trichloropropane	6.777	110	68963	49.79	ug/L		96
102) n-propylbenzene	6.825	91	646602	47.21	ug/L		100
103) 2-chlorotoluene	6.898	126	148156	47.20	ug/L		99
104) 4-chlorotoluene	6.987	126	149790	46.36	ug/L		99
105) 1,3,5-trimethylbenzene	6.961	105	435147	47.46	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93007.d
Acq On : 30 Sep 2022 12:21 am
Operator : KYLEM
Sample : jd52507-10msd Inst : MS2V
Misc : MS62506,V2V3777,5,,,,100
ALS Vial : 39 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 07:16:39 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
106) tert-butylbenzene	7.197	119	369871	46.27	ug/L	99
107) 1,2,4-trimethylbenzene	7.239	105	442923	46.28	ug/L	97
108) sec-butylbenzene	7.359	105	514299	47.49	ug/L	98
109) 1,3-dichlorobenzene	7.449	146	288950	46.18	ug/L	99
110) p-isopropyltoluene	7.469	119	427468	46.53	ug/L	99
111) 1,2,3-trimethylbenzene	7.538	105	449143	46.93	ug/L	99
112) 1,4-dichlorobenzene	7.522	146	296085	45.36	ug/L	99
113) 1,2-dichlorobenzene	7.774	146	275877	46.78	ug/L	98
114) benzyl chloride	7.595	91	267173	43.99	ug/L	98
115) n-butylbenzene	7.753	92	190948	48.87	ug/L	96
116) hexachloroethane	7.962	201	65904	46.25	ug/L	90
117) 1,2-dibromo-3-chloropr...	8.293	157	66901	53.59	ug/L	96
118) 1,3,5-trichlorobenzene	8.418	180	163237	49.31	ug/L	100
119) 1,2,4-trichlorobenzene	8.817	180	145207	50.03	ug/L	99
120) hexachlorobutadiene	8.906	225	50164	48.94	ug/L	95
121) naphthalene	8.979	128	496818	50.93	ug/L	99
122) 1,2,3-trichlorobenzene	9.116	180	135355	51.98	ug/L	100
123) 2-methylnaphthalene	9.672	142	76663	23.12	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93007.d
Acq On : 30 Sep 2022 12:21 am
Operator : KYLEM
Sample : jd52507-10msd Inst : MS2V
Misc : MS62506,V2V3777,5,,,,100
ALS Vial : 39 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Oct 03 07:16:39 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number:	JD52507-10MSD	**Method:**	SW846 8260D
Lab FileID:	2V93007.D	**Analyst approved:**	10/03/22 07:18 Lotus Acosta
Injection Time:	09/30/22 00:21	**Supervisor approved:**	10/05/22 21:50 MoHui Huang


Parameter	CAS	Sig#	R.T. (min.)	Reason
2-Nitropropane	79-46-9		4.36	Poor instrument integration

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93007.d
Acq On : 30 Sep 2022 12:21 am
Operator : KYLEM
Sample : jd52507-10msd Inst : MS2V
Misc : MS62506,V2V3777,5,,,,100
ALS Vial : 39 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Sep 30 09:41:09 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration





TIC: 2v93007.d\data.ms

(61) 2-nitropropane

4.355min (-0.001) 67.10ug/L


response 87454


Ion	Exp%	Act%
41.10	100	100
43.10	108.20	108.52
39.10	42.70	45.66
46.00	8.50	10.24

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93007.d
Acq On : 30 Sep 2022 12:21 am
Operator : KYLEM
Sample : jd52507-10msd Inst : MS2V
Misc : MS62506,V2V3777,5,,,,100
ALS Vial : 39 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Sep 30 09:41:09 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:37:13 2022
Response via : Initial Calibration





TIC: 2v93007.d\data.ms

(61) 2-nitropropane

4.355min (-0.001) 57.56ug/L m

response 75015

Ion	Exp%	Act%
41.10	100	100
43.10	108.20	108.52
39.10	42.70	45.66
46.00	8.50	10.24

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220451.d
Acq On : 30 Sep 2022 3:35 pm
Operator : nicoleh
Sample : jd52514-12ms Inst : GCMS2A
Misc : MS62508,V2A9583,5,,,,5
ALS Vial : 15 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 04 21:26:13 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	7.251	65	536246	500.00	ug/L	0.00
5) pentafluorobenzene	9.511	168	767509	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.434	114	1211541	50.00	ug/L	0.00
72) chlorobenzene-d5	13.558	117	1228623	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.886	152	636196	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.511	168	767509	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.537	113	395428	54.73	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 109.46%			
51) 1,2-dichloroethane-d4 (s)	9.951	65	443772	39.40	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 78.80%#			
73) toluene-d8 (s)	12.059	98	1403600	46.63	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 93.26%			
97) 4-bromofluorobenzene (s)	14.722	95	627048	53.28	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 106.56%			
Target Compounds						Qvalue
2) ethanol	5.982	45	543070	4157.03	ug/L	100
3) tertiary butyl alcohol	7.366	59	293686	222.93	ug/L	94
4) 1,4-dioxane	11.078	88	101592	1100.31	ug/L	99
6) chlorodifluoromethane	3.990	51	276795	26.45	ug/L	97
7) dichlorodifluoromethane	3.964	85	488927	47.43	ug/L	99
8) chloromethane	4.352	50	562177	42.15	ug/L	99
9) vinyl chloride	4.572	62	528937	51.84	ug/L	99
10) 1,3-butadiene	4.624	54	230786	25.39	ug/L	99
11) bromomethane	5.196	94	310584	51.61	ug/L	98
12) chloroethane	5.358	64	276664	57.28	ug/L	90
13) trichlorofluoromethane	5.783	101	574209	50.23	ug/L	95
14) ethyl ether	6.187	74	207684	57.02	ug/L	93
15) acrolein	6.412	56	84728	51.98	ug/L	96
16) freon 113	6.617	151	302440	55.67	ug/L	98
17) 1,1-dichloroethene	6.601	96	295463	51.89	ug/L	95
18) acetone	6.606	43	531411	180.08	ug/L	91
19) acetonitrile	7.015	41	594998	488.60	ug/L	99
20) iodomethane	6.847	142	591606	53.23	ug/L	94
21) carbon disulfide	6.989	76	953941	50.57	ug/L	92
22) methylene chloride	7.303	84	378386	56.07	ug/L	94
23) methyl acetate	7.062	43	363044	49.36	ug/L	100
24) methyl tert butyl ether	7.660	73	1127910	55.55	ug/L	95
25) trans-1,2-dichloroethene	7.686	96	373624	57.89	ug/L	97
26) hexane	8.037	57	671637	58.56	ug/L	98
27) di-isopropyl ether	8.252	45	1635766	58.19	ug/L	97
28) ethyl tert-butyl ether	8.709	59	1445757	59.09	ug/L	100
29) 2-butanone	8.903	72	169354	213.23	ug/L	96
30) 1,1-dichloroethane	8.258	63	729574	57.82	ug/L	99
31) chloroprene	8.357	53	673412	56.19	ug/L	94
32) acrylonitrile	7.592	53	167184	51.35	ug/L	97
33) vinyl acetate	8.200	86	78680	66.10	ug/L #	56
34) ethyl acetate	8.924	45	75401	51.14	ug/L #	63
35) 2,2-dichloropropane	8.997	77	601784	59.67	ug/L	97
36) cis-1,2-dichloroethene	8.966	96	2817695	396.97	ug/L	92
37) propionitrile	8.976	54	633918	522.06	ug/L	85
38) bromochloromethane	9.259	130	275990	58.48	ug/L	94
39) tetrahydrofuran	9.280	42	147236	43.73	ug/L	95
40) chloroform	9.348	83	713105	54.39	ug/L	96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220451.d
Acq On : 30 Sep 2022 3:35 pm
Operator : nicoleh
Sample : jd52514-12ms Inst : GCMS2A
Misc : MS62508,V2A9583,5,,,,5
ALS Vial : 15 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 04 21:26:13 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
41) tert-butyl formate	9.385	59	361097	56.64	ug/L		95
42) isobutyl alcohol	9.741	43	259211	510.12	ug/L		96
44) methacrylonitrile	9.175	67	169598	56.23	ug/L		85
45) 1,1,1-trichloroethane	9.605	97	633940	55.68	ug/L		98
46) cyclohexane	9.715	84	542386	57.01	ug/L		95
47) 1,1-dichloropropene	9.773	75	535450	58.41	ug/L		98
48) tert-amyl alcohol	9.909	73	126796	249.58	ug/L		93
49) carbon tetrachloride	9.799	117	555972	54.10	ug/L		98
52) 2,2,4-trimethylpentane	10.119	57	1741383	51.14	ug/L		94
53) tert-amyl methyl ether	10.103	73	1241968	49.77	ug/L		98
54) n-butyl alcohol	10.491	56	748057	2376.74	ug/L		92
55) benzene	10.019	78	1516901	52.77	ug/L		97
56) heptane	10.276	57	330364	47.55	ug/L		98
57) isopropyl acetate	9.935	87	91756	50.86	ug/L	#	93
58) 1,2-dichloroethane	10.046	62	602836	44.63	ug/L		99
59) trichloroethene	10.743	95	504300	61.36	ug/L		97
60) ethyl acrylate	10.732	55	646412	49.53	ug/L		99
61) 2-nitropropane	11.498	41	122990	35.85	ug/L		94
62) 2-chloroethyl vinyl ether	11.535	63	219143	59.18	ug/L		98
63) methyl methacrylate	11.000	100	108106	52.47	ug/L	#	73
64) 1,2-dichloropropane	11.031	63	439623	51.55	ug/L		95
65) methylcyclohexane	11.042	83	673896	50.11	ug/L		98
66) dibromomethane	11.141	93	262602	46.90	ug/L		94
67) bromodichloromethane	11.293	83	561651	48.46	ug/L		99
68) epichlorohydrin	11.618	57	225500	221.52	ug/L		97
69) cis-1,3-dichloropropene	11.755	75	670805	52.87	ug/L		85
70) 4-methyl-2-pentanone	11.860	58	757499	188.35	ug/L		93
71) 3-methyl-1-butanol	11.865	70	245930	991.46	ug/L	#	87
74) toluene	12.132	92	931288	47.72	ug/L		98
75) trans-1,3-dichloropropene	12.321	75	599569	46.34	ug/L		99
76) ethyl methacrylate	12.316	69	546333	49.18	ug/L		87
77) 1,1,2-trichloroethane	12.536	83	303213	45.18	ug/L		96
78) 2-hexanone	12.704	58	714791	175.06	ug/L		90
79) tetrachloroethene	12.683	166	459487	47.29	ug/L		98
80) 1,3-dichloropropane	12.720	76	573262	44.52	ug/L		98
81) butyl acetate	12.788	56	334385	47.66	ug/L		94
82) dibromochloromethane	12.961	129	432434	44.16	ug/L		99
83) 1,2-dibromoethane	13.113	107	367277	44.20	ug/L		96
84) n-butyl ether	13.558	57	1723515	44.57	ug/L		98
85) chlorobenzene	13.590	112	1027262	48.26	ug/L		98
86) 1,1,1,2-tetrachloroethane	13.658	131	395000	46.14	ug/L		96
87) ethylbenzene	13.658	91	1679786	45.90	ug/L		95
88) m,p-xylene	13.773	106	1272706	89.47	ug/L		93
89) o-xylene	14.177	91	1340634	44.88	ug/L		98
90) styrene	14.188	104	1034268	44.68	ug/L		98
91) n-amyl acetate	14.224	70	290182	48.04	ug/L	#	82
92) bromoform	14.408	173	309221	43.91	ug/L		97
93) butyl acrylate	14.009	55	998070	48.44	ug/L		100
94) isopropylbenzene	14.523	105	1578918	44.33	ug/L		99
95) cis-1,4-dichloro-2-butene	14.560	88	115545	30.13	ug/L		90
98) bromobenzene	14.901	156	449151	44.11	ug/L		99
99) 1,1,2,2-tetrachloroethane	14.801	83	449128	41.54	ug/L		98
100) trans-1,4-dichloro-2-b...	14.832	53	103656	28.80	ug/L		93
101) 1,2,3-trichloropropane	14.885	110	109154	39.23	ug/L		93
102) n-propylbenzene	14.937	91	1919088	47.00	ug/L		99
103) 2-chlorotoluene	15.068	126	406612	45.75	ug/L		95
104) 4-chlorotoluene	15.179	91	1204957	46.40	ug/L		97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220451.d
Acq On : 30 Sep 2022 3:35 pm
Operator : nicoleh
Sample : jd52514-12ms Inst : GCMS2A
Misc : MS62508,V2A9583,5,,,,5
ALS Vial : 15 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 04 21:26:13 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
105) 1,3,5-trimethylbenzene	15.095	105	1314824	46.36	ug/L	99
106) tert-butylbenzene	15.430	119	1132143	46.08	ug/L	98
107) 1,2,4-trimethylbenzene	15.483	105	1320534	45.71	ug/L	98
108) sec-butylbenzene	15.650	105	1643855	44.87	ug/L	100
109) 1,3-dichlorobenzene	15.818	146	803966	44.30	ug/L	98
110) p-isopropyltoluene	15.781	119	1407583	45.05	ug/L	99
111) benzyl chloride	16.002	91	834657	46.92	ug/L	99
112) 1,2,3-trimethylbenzene	15.913	105	1315003	44.14	ug/L	97
113) 1,4-dichlorobenzene	15.913	146	799026	42.34	ug/L	98
114) 1,2-dichlorobenzene	16.285	146	778314	43.87	ug/L	99
115) n-butylbenzene	16.196	92	738087	44.42	ug/L	98
116) 1,2-dibromo-3-chloropr...	17.050	157	93241	39.72	ug/L	90
117) 1,3,5-trichlorobenzene	17.239	180	635679	45.85	ug/L	98
118) 1,2,4-trichlorobenzene	17.879	180	545376	45.74	ug/L	98
119) hexachlorobutadiene	17.999	225	289856	47.24	ug/L	97
120) naphthalene	18.167	128	1076339	37.89	ug/L	98
121) 1,2,3-trichlorobenzene	18.398	180	463850	41.32	ug/L	98
122) hexachloroethane	16.573	201	225967	44.18	ug/L	98
123) 2-methylnaphthalene	19.404	142	253294	17.49	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220451.d
Acq On : 30 Sep 2022 3:35 pm
Operator : nicoleh
Sample : jd52514-12ms Inst : GCMS2A
Misc : MS62508,V2A9583,5,,,,5
ALS Vial : 15 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 04 21:26:13 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220452.d
Acq On : 30 Sep 2022 4:03 pm
Operator : nicoleh
Sample : jd52514-12msd Inst : GCMS2A
Misc : MS62508,V2A9583,5,,,,5
ALS Vial : 16 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 03 11:09:44 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	7.240	65	531321	500.00	ug/L	0.00
5) pentafluorobenzene	9.505	168	768609	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.433	114	1217767	50.00	ug/L	0.00
72) chlorobenzene-d5	13.563	117	1225838	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.886	152	642810	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.505	168	768084	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.537	113	394805	54.57	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 109.14%			
51) 1,2-dichloroethane-d4 (s)	9.951	65	446277	39.42	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 78.84%#			
73) toluene-d8 (s)	12.059	98	1409595	46.94	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 93.88%			
97) 4-bromofluorobenzene (s)	14.722	95	634614	53.37	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 106.74%			
Target Compounds						Qvalue
2) ethanol	5.972	45	521298	4027.36	ug/L	98
3) tertiary butyl alcohol	7.361	59	296091	226.84	ug/L	93
4) 1,4-dioxane	11.078	88	101105	1105.19	ug/L	99
6) chlorodifluoromethane	3.990	51	281791	26.89	ug/L	97
7) dichlorodifluoromethane	3.953	85	496799	48.12	ug/L	99
8) chloromethane	4.341	50	561628	42.04	ug/L	99
9) vinyl chloride	4.566	62	540124	52.86	ug/L	97
10) 1,3-butadiene	4.619	54	237527	26.10	ug/L	91
11) bromomethane	5.190	94	313878	52.08	ug/L	97
12) chloroethane	5.348	64	279124	57.70	ug/L	92
13) trichlorofluoromethane	5.778	101	583646	50.99	ug/L	99
14) ethyl ether	6.187	74	209101	57.33	ug/L	92
15) acrolein	6.407	56	84348	51.67	ug/L	95
16) freon 113	6.611	151	306146	56.27	ug/L	95
17) 1,1-dichloroethene	6.595	96	303495	53.22	ug/L	90
18) acetone	6.601	43	518226	175.36	ug/L	93
19) acetonitrile	7.010	41	596224	488.91	ug/L	97
20) iodomethane	6.842	142	586176	52.66	ug/L	92
21) carbon disulfide	6.978	76	954023	50.50	ug/L	92
22) methylene chloride	7.298	84	377797	55.91	ug/L	95
23) methyl acetate	7.057	43	354208	48.09	ug/L	97
24) methyl tert butyl ether	7.649	73	1128819	55.51	ug/L	96
25) trans-1,2-dichloroethene	7.681	96	370039	57.25	ug/L	98
26) hexane	8.037	57	671261	58.44	ug/L	97
27) di-isopropyl ether	8.247	45	1620621	57.57	ug/L	97
28) ethyl tert-butyl ether	8.703	59	1460333	59.60	ug/L	99
29) 2-butanone	8.902	72	174206	219.03	ug/L #	83
30) 1,1-dichloroethane	8.252	63	724103	57.30	ug/L	98
31) chloroprene	8.352	53	673029	56.08	ug/L	95
32) acrylonitrile	7.586	53	169463	51.98	ug/L	94
33) vinyl acetate	8.195	86	77916	65.37	ug/L #	66
34) ethyl acetate	8.918	45	75980	51.46	ug/L	80
35) 2,2-dichloropropane	8.997	77	599900	59.40	ug/L	97
36) cis-1,2-dichloroethene	8.965	96	2819315	396.63	ug/L	91
37) propionitrile	8.976	54	634422	521.72	ug/L	91
38) bromochloromethane	9.259	130	271067	57.36	ug/L	99
39) tetrahydrofuran	9.275	42	145937	43.28	ug/L	97
40) chloroform	9.348	83	719396	54.79	ug/L	96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220452.d
Acq On : 30 Sep 2022 4:03 pm
Operator : nicoleh
Sample : jd52514-12msd Inst : GCMS2A
Misc : MS62508,V2A9583,5,,,,5
ALS Vial : 16 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 03 11:09:44 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
41) tert-butyl formate	9.385	59	353000	55.29	ug/L		93
42) isobutyl alcohol	9.741	43	246050	483.53	ug/L		98
44) methacrylonitrile	9.170	67	171403	56.75	ug/L		84
45) 1,1,1-trichloroethane	9.605	97	639996	56.13	ug/L		99
46) cyclohexane	9.715	84	551570	57.89	ug/L		91
47) 1,1-dichloropropene	9.773	75	534772	58.25	ug/L		97
48) tert-amyl alcohol	9.904	73	132403	260.25	ug/L	#	89
49) carbon tetrachloride	9.799	117	562967	54.70	ug/L		98
52) 2,2,4-trimethylpentane	10.119	57	1719032	50.23	ug/L		92
53) tert-amyl methyl ether	10.103	73	1248118	49.76	ug/L		98
54) n-butyl alcohol	10.491	56	740883	2341.91	ug/L		91
55) benzene	10.019	78	1526596	52.84	ug/L		97
56) heptane	10.276	57	328253	47.01	ug/L		95
57) isopropyl acetate	9.935	87	92060	50.76	ug/L	#	86
58) 1,2-dichloroethane	10.040	62	604980	44.56	ug/L		100
59) trichloroethene	10.743	95	505599	61.21	ug/L		96
60) ethyl acrylate	10.732	55	644591	49.14	ug/L		99
61) 2-nitropropane	11.498	41	126481	36.68	ug/L		91
62) 2-chloroethyl vinyl ether	11.534	63	97626	30.45	ug/L		98
63) methyl methacrylate	11.000	100	110490	53.35	ug/L	#	75
64) 1,2-dichloropropane	11.031	63	441014	51.45	ug/L		96
65) methylcyclohexane	11.042	83	673011	49.79	ug/L		97
66) dibromomethane	11.136	93	262987	46.73	ug/L		94
67) bromodichloromethane	11.293	83	563254	48.35	ug/L		99
68) epichlorohydrin	11.618	57	219280	214.31	ug/L		96
69) cis-1,3-dichloropropene	11.749	75	677847	53.16	ug/L		85
70) 4-methyl-2-pentanone	11.860	58	767606	189.89	ug/L		93
71) 3-methyl-1-butanol	11.865	70	245588	985.02	ug/L	#	86
74) toluene	12.132	92	938228	48.18	ug/L		98
75) trans-1,3-dichloropropene	12.321	75	601973	46.63	ug/L		99
76) ethyl methacrylate	12.316	69	550905	49.70	ug/L		87
77) 1,1,2-trichloroethane	12.536	83	303000	45.26	ug/L		96
78) 2-hexanone	12.704	58	723715	177.65	ug/L	#	88
79) tetrachloroethene	12.683	166	460010	47.45	ug/L		98
80) 1,3-dichloropropane	12.719	76	568274	44.24	ug/L		99
81) butyl acetate	12.788	56	331020	47.29	ug/L		94
82) dibromochloromethane	12.961	129	433561	44.37	ug/L		100
83) 1,2-dibromoethane	13.113	107	367993	44.38	ug/L		94
84) n-butyl ether	13.558	57	1727014	44.76	ug/L		98
85) chlorobenzene	13.595	112	1028563	48.43	ug/L		97
86) 1,1,1,2-tetrachloroethane	13.658	131	392006	45.89	ug/L		99
87) ethylbenzene	13.658	91	1684527	46.14	ug/L		95
88) m,p-xylene	13.778	106	1276636	89.95	ug/L		93
89) o-xylene	14.177	91	1347021	45.20	ug/L		98
90) styrene	14.187	104	1036422	44.88	ug/L		98
91) n-amyl acetate	14.224	70	290936	48.27	ug/L	#	85
92) bromoform	14.408	173	310304	44.16	ug/L		96
93) butyl acrylate	14.014	55	994802	48.40	ug/L		99
94) isopropylbenzene	14.523	105	1582271	44.52	ug/L		99
95) cis-1,4-dichloro-2-butene	14.560	88	115209	30.11	ug/L		94
98) bromobenzene	14.900	156	454920	44.22	ug/L		98
99) 1,1,2,2-tetrachloroethane	14.801	83	452144	41.39	ug/L		99
100) trans-1,4-dichloro-2-b...	14.832	53	103475	28.45	ug/L		92
101) 1,2,3-trichloropropane	14.885	110	111220	39.56	ug/L		92
102) n-propylbenzene	14.937	91	1926885	46.70	ug/L		98
103) 2-chlorotoluene	15.068	126	409856	45.64	ug/L		97
104) 4-chlorotoluene	15.178	91	1202323	45.82	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220452.d
Acq On : 30 Sep 2022 4:03 pm
Operator : nicoleh
Sample : jd52514-12msd Inst : GCMS2A
Misc : MS62508,V2A9583,5,,,,5
ALS Vial : 16 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 03 11:09:44 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
105) 1,3,5-trimethylbenzene	15.094	105	1315852	45.92	ug/L	98
106) tert-butylbenzene	15.430	119	1141903	45.99	ug/L	97
107) 1,2,4-trimethylbenzene	15.482	105	1317137	45.12	ug/L	99
108) sec-butylbenzene	15.650	105	1649093	44.55	ug/L	100
109) 1,3-dichlorobenzene	15.818	146	804525	43.87	ug/L	99
110) p-isopropyltoluene	15.781	119	1418510	44.94	ug/L	99
111) benzyl chloride	16.002	91	826886	46.00	ug/L	97
112) 1,2,3-trimethylbenzene	15.912	105	1317088	43.75	ug/L	98
113) 1,4-dichlorobenzene	15.912	146	804581	42.19	ug/L	98
114) 1,2-dichlorobenzene	16.285	146	778072	43.41	ug/L	99
115) n-butylbenzene	16.195	92	741990	44.19	ug/L	98
116) 1,2-dibromo-3-chloropr...	17.045	157	92625	39.06	ug/L	98
117) 1,3,5-trichlorobenzene	17.239	180	644339	46.00	ug/L	99
118) 1,2,4-trichlorobenzene	17.878	180	548055	45.49	ug/L	97
119) hexachlorobutadiene	17.999	225	294386	47.48	ug/L	98
120) naphthalene	18.167	128	1059896	36.92	ug/L	99
121) 1,2,3-trichlorobenzene	18.392	180	467848	41.25	ug/L	98
122) hexachloroethane	16.573	201	226858	43.90	ug/L	98
123) 2-methylnaphthalene	19.404	142	204527	13.98	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed


7.4.12

7

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220452.d
Acq On : 30 Sep 2022 4:03 pm
Operator : nicoleh
Sample : jd52514-12msd Inst : GCMS2A
Misc : MS62508,V2A9583,5,,,,5
ALS Vial : 16 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Oct 03 11:09:44 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-03-22\v1a9705\
Data File : 1a226620.d
Acq On : 30 Sep 2022 4:56 pm
Operator : nickw
Sample : jd52624-3ms Inst : MSDTEST1A
Misc : MS62562, V1A9705,5,,,,10
ALS Vial : 17 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Oct 03 08:31:47 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Sep 29 14:48:46 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert Butyl Alcohol-d9	2.915	65	170612	500.00	ug/L		0.00
5) pentafluorobenzene	3.932	168	448671	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.401	114	675981	50.00	ug/L		0.00
72) chlorobenzene-d5	6.291	117	606677	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	7.841	152	243018	50.00	ug/L		0.00
124) pentafluorobenzene(a)	3.932	168	448671	50.00	ug/L		0.00
127) 1,4-dichlorobenzene-d4(a)	7.841	152	243018	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	3.948	113	198933	50.31	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.62%				
52) 1,2-dichloroethane-d4 (s)	4.157	65	226643	48.42	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 96.84%				
73) toluene-d8 (s)	5.312	98	788498	48.32	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.64%				
97) 4-bromofluorobenzene (s)	7.083	95	248515	49.29	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.58%				
Target Compounds							Qvalue
2) 1,4-dioxane	4.747	88	21670	866.40	ug/L		93
3) ethanol	2.414	45	75181	3552.19	ug/L		90
4) tertiary butyl alcohol	2.966	59	98182	251.05	ug/L		91
6) chlorodifluoromethane	1.644	51	98225	25.93	ug/L		95
7) dichlorodifluoromethane	1.631	85	223635	40.25	ug/L		99
8) chloromethane	1.779	50	169014	42.91	ug/L		99
9) vinyl chloride	1.862	62	334292	60.89	ug/L		98
10) 1,3-butadiene	1.891	54	132679	27.37	ug/L		99
11) bromomethane	2.100	96	83022	45.59	ug/L		98
12) chloroethane	2.170	64	168040	46.23	ug/L		97
13) trichlorofluoromethane	2.337	101	323306	48.38	ug/L		95
14) ethyl ether	2.501	74	96158	45.27	ug/L		95
15) acrolein	2.591	56	32945	47.05	ug/L		96
16) freon 113	2.655	151	125833	44.81	ug/L		97
17) 1,1-dichloroethene	2.661	96	136948	43.86	ug/L		98
18) acetone	2.665	58	70140	177.84	ug/L		87
19) acetonitrile	2.832	40	112927	419.30	ug/L		99
20) iodomethane	2.764	142	76865	46.17	ug/L		95
21) iso-butyl alcohol	2.844	43	155603	444.98	ug/L		97
22) carbon disulfide	2.819	76	348863	37.39	ug/L		96
23) methylene chloride	2.944	84	162322	44.30	ug/L		95
24) methyl acetate	2.848	74	38822	44.63	ug/L		95
25) methyl tert butyl ether	3.088	73	505295	46.19	ug/L		98
26) trans-1,2-dichloroethene	3.104	96	157346	47.16	ug/L		96
27) hexane	3.255	57	180265	41.12	ug/L		98
28) di-isopropyl ether	3.342	45	508047	49.99	ug/L		91
29) ethyl tert-butyl ether	3.550	59	499853	47.50	ug/L		99
30) 2-butanone	3.650	72	118071	191.13	ug/L		98
31) 1,1-dichloroethane	3.355	63	297440	48.75	ug/L		98
32) chloroprene	3.399	53	230525	47.74	ug/L		95
33) acrylonitrile	3.072	53	66626	40.28	ug/L		98
34) vinyl acetate	3.329	86	40028	47.15	ug/L	#	91
35) ethyl acetate	3.656	45	38031	52.25	ug/L		79
36) 2,2-dichloropropane	3.688	77	253039	59.43	ug/L		97
37) cis-1,2-dichloroethene	3.679	96	198648	53.04	ug/L		98
38) propionitrile	3.688	54	308335	474.70	ug/L		94
39) methyl acrylate	3.695	85	40015	48.25	ug/L		97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-03-22\v1a9705\
Data File : 1a226620.d
Acq On : 30 Sep 2022 4:56 pm
Operator : nickw
Sample : jd52624-3ms Inst : MSDTEST1A
Misc : MS62562, V1A9705,5,,,,10
ALS Vial : 17 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Oct 03 08:31:47 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Sep 29 14:48:46 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
40) bromochloromethane	3.813	128	94066	49.39	ug/L		97
41) tetrahydrofuran	3.826	72	35181	45.07	ug/L		99
42) chloroform	3.858	83	319454	47.03	ug/L		98
44) methacrylonitrile	3.778	67	96501	48.09	ug/L		94
45) 1,1,1-trichloroethane	3.977	97	278472	49.72	ug/L		98
46) cyclohexane	4.028	84	254518	48.07	ug/L		93
47) 1,1-dichloropropene	4.064	75	236324	48.48	ug/L		98
48) carbon tetrachloride	4.070	117	247365	51.44	ug/L		98
49) isopropyl acetate	4.144	87	50874	49.01	ug/L		94
50) tert amyl alcohol	4.128	55	40430	204.08	ug/L	#	81
53) tert-amyl methyl ether	4.227	73	523118	47.08	ug/L		99
54) 2,2,4-trimethylpentane	4.231	57	318204	35.90	ug/L		95
55) n-butyl alcohol	4.436	56	187224	1653.84	ug/L		94
56) benzene	4.186	78	687607	49.24	ug/L		99
57) heptane	4.314	57	66322	38.52	ug/L		94
58) 1,2-dichloroethane	4.202	62	251791	49.39	ug/L		99
59) trichloroethene	4.561	95	186242	50.09	ug/L		98
60) ethyl acrylate	4.561	55	286876	51.62	ug/L		97
61) 2-nitropropane	4.988	41	70809	44.47	ug/L		93
62) 2-chloroethyl vinyl ether	5.010	63	62718	75.30	ug/L		98
63) methyl methacrylate	4.706	100	66534	52.08	ug/L		95
64) 1,2-dichloropropane	4.718	63	177116	49.49	ug/L		98
65) methylcyclohexane	4.715	83	249688	43.74	ug/L		98
66) dibromomethane	4.776	93	122592	47.47	ug/L		96
67) bromodichloromethane	4.866	83	255246	48.41	ug/L		99
68) cis-1,3-dichloropropene	5.132	75	302859	52.24	ug/L		97
69) epichlorohydrin	5.058	57	57475	218.80	ug/L		90
70) 4-methyl-2-pentanone	5.203	58	370537	198.70	ug/L		99
71) 3-methyl-1-butanol	5.213	70	91809	714.31	ug/L		98
74) toluene	5.360	92	446380	50.24	ug/L		99
75) trans-1,3-dichloropropene	5.485	75	278428	54.41	ug/L		98
76) ethyl methacrylate	5.488	69	279504	52.80	ug/L		98
77) 1,1,2-trichloroethane	5.620	83	147603	47.68	ug/L		96
78) 2-hexanone	5.739	58	367367	195.10	ug/L		98
79) tetrachloroethene	5.703	166	185171	49.22	ug/L		99
80) 1,3-dichloropropane	5.732	76	297004	49.73	ug/L		98
81) butyl acetate	5.793	56	140289	53.20	ug/L		86
82) dibromochloromethane	5.886	129	196884	46.56	ug/L		96
83) 1,2-dibromoethane	5.983	107	192728	48.50	ug/L		100
84) n-butyl ether	6.320	57	655940	50.52	ug/L		98
85) chlorobenzene	6.310	112	478348	47.65	ug/L		99
86) 1,1,1,2-tetrachloroethane	6.361	131	173123	50.20	ug/L		96
87) ethylbenzene	6.361	91	799988	47.71	ug/L		99
88) m,p-xylene	6.448	106	606126	97.17	ug/L		99
89) o-xylene	6.718	106	307968	49.56	ug/L		99
90) butyl acrylate	6.634	55	383840	56.28	ug/L		98
91) n-amyl acetate	6.782	70	144703	53.73	ug/L		98
92) styrene	6.727	104	538666	53.07	ug/L		99
93) bromoform	6.865	173	132831	47.21	ug/L		98
94) isopropylbenzene	6.955	105	752223	47.78	ug/L		99
95) cis-1,4-dichloro-2-butene	6.990	88	63846	46.86	ug/L		93
98) bromobenzene	7.192	156	196890	50.78	ug/L		98
99) 1,1,2,2-tetrachloroethane	7.151	83	246850	48.41	ug/L		95
100) trans-1,4-dichloro-2-b...	7.176	53	49106	48.67	ug/L		96
101) 1,2,3-trichloropropane	7.202	110	75191	48.38	ug/L		97
102) n-propylbenzene	7.234	91	797365	46.63	ug/L		100
103) 2-chlorotoluene	7.308	126	173953	48.78	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-03-22\v1a9705\
Data File : 1a226620.d
Acq On : 30 Sep 2022 4:56 pm
Operator : nickw
Sample : jd52624-3ms Inst : MSDTEST1A
Misc : MS62562, V1A9705,5,,,,10
ALS Vial : 17 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Oct 03 08:31:47 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Sep 29 14:48:46 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
104) 4-chlorotoluene	7.388	126	177386	48.96	ug/L	99
105) 1,3,5-trimethylbenzene	7.346	105	534424	46.18	ug/L	99
106) tert-butylbenzene	7.558	119	457392	45.31	ug/L	97
107) 1,2,4-trimethylbenzene	7.597	105	553761	47.50	ug/L	99
108) sec-butylbenzene	7.703	105	614041	43.71	ug/L	99
109) 1,3-dichlorobenzene	7.796	146	318424	49.97	ug/L	98
110) p-isopropyltoluene	7.792	119	521109	45.74	ug/L	98
111) 1,2,3-trimethylbenzene	7.863	105	551038	46.68	ug/L	98
112) 1,4-dichlorobenzene	7.857	146	318796	47.03	ug/L	100
113) 1,2-dichlorobenzene	8.091	146	302981	49.71	ug/L	99
114) n-butylbenzene	8.052	92	224471	45.13	ug/L	97
115) 1,2-dibromo-3-chloropr...	8.566	157	56370	49.96	ug/L	93
116) 1,3,5-trichlorobenzene	8.678	180	166571	45.57	ug/L	99
117) 1,2,4-trichlorobenzene	9.054	180	141320	46.99	ug/L	95
118) hexachlorobutadiene	9.127	225	47660	42.89	ug/L	97
119) naphthalene	9.220	128	508833	48.17	ug/L	100
120) 1,2,3-trichlorobenzene	9.355	180	113044	43.46	ug/L	98
121) hexachloroethane	8.261	119	81039	45.22	ug/L	98
122) benzyl chloride	7.924	91	396855	69.04	ug/L	99
123) 2-methylnaphthalene	9.981	142	37734	16.49	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-03-22\v1a9705\
Data File : 1a226620.d
Acq On : 30 Sep 2022 4:56 pm
Operator : nickw
Sample : jd52624-3ms Inst : MSDTEST1A
Misc : MS62562, V1A9705,5,,,,10
ALS Vial : 17 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Oct 03 08:31:47 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Sep 29 14:48:46 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-03-22\v1a9705\
Data File : 1a226621.d
Acq On : 30 Sep 2022 5:20 pm
Operator : nickw
Sample : jd52624-3msd Inst : MSDTEST1A
Misc : MS62562, V1A9705,5,,,,10
ALS Vial : 18 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Oct 03 08:34:32 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Sep 29 14:48:46 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert Butyl Alcohol-d9	2.918	65	185202	500.00	ug/L	0.00
5) pentafluorobenzene	3.932	168	476113	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.397	114	689311	50.00	ug/L	0.00
72) chlorobenzene-d5	6.291	117	623825	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.841	152	243269	50.00	ug/L	0.00
124) pentafluorobenzene(a)	3.932	168	476113	50.00	ug/L	0.00
127) 1,4-dichlorobenzene-d4(a)	7.841	152	243269	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.948	113	208895	49.79	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.58%			
52) 1,2-dichloroethane-d4 (s)	4.157	65	236575	49.56	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.12%			
73) toluene-d8 (s)	5.315	98	793060	47.26	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 94.52%			
97) 4-bromofluorobenzene (s)	7.083	95	252541	50.03	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.06%			
Target Compounds						Qvalue
2) 1,4-dioxane	4.750	88	26175	964.07	ug/L	88
3) ethanol	2.411	45	90380	3933.91	ug/L	95
4) tertiary butyl alcohol	2.963	59	107113	252.31	ug/L	94
6) chlorodifluoromethane	1.644	51	107437	26.72	ug/L	93
7) dichlorodifluoromethane	1.631	85	241530	40.97	ug/L	100
8) chloromethane	1.779	50	185646	44.41	ug/L	98
9) vinyl chloride	1.862	62	354805	60.90	ug/L	100
10) 1,3-butadiene	1.891	54	150649	29.29	ug/L	98
11) bromomethane	2.100	96	106947	52.89	ug/L	95
12) chloroethane	2.171	64	182609	47.34	ug/L	98
13) trichlorofluoromethane	2.337	101	346678	48.88	ug/L	95
14) ethyl ether	2.498	74	100966	44.80	ug/L	94
15) acrolein	2.591	56	35482	47.76	ug/L	98
16) freon 113	2.655	151	132726	44.54	ug/L	99
17) 1,1-dichloroethene	2.661	96	145102	43.79	ug/L	98
18) acetone	2.668	58	72246	172.62	ug/L	90
19) acetonitrile	2.832	40	124337	435.05	ug/L	99
20) iodomethane	2.764	142	101405	57.40	ug/L	98
21) iso-butyl alcohol	2.844	43	167034	450.14	ug/L	98
22) carbon disulfide	2.819	76	377766	38.16	ug/L	98
23) methylene chloride	2.947	84	173969	44.74	ug/L	100
24) methyl acetate	2.844	74	41337	44.78	ug/L	98
25) methyl tert butyl ether	3.088	73	545360	46.98	ug/L	100
26) trans-1,2-dichloroethene	3.104	96	168672	47.64	ug/L	99
27) hexane	3.255	57	191058	41.07	ug/L	95
28) di-isopropyl ether	3.345	45	530301	49.18	ug/L	99
29) ethyl tert-butyl ether	3.550	59	536622	48.06	ug/L	98
30) 2-butanone	3.650	72	122284	186.54	ug/L	96
31) 1,1-dichloroethane	3.355	63	313515	48.42	ug/L	99
32) chloroprene	3.400	53	241142	47.06	ug/L	98
33) acrylonitrile	3.069	53	68707	39.14	ug/L	96
34) vinyl acetate	3.326	86	46436	51.55	ug/L	99
35) ethyl acetate	3.653	45	35633	46.14	ug/L	92
36) 2,2-dichloropropane	3.688	77	273429	60.51	ug/L	98
37) cis-1,2-dichloroethene	3.679	96	210353	52.93	ug/L	95
38) propionitrile	3.688	54	318845	462.59	ug/L	94
39) methyl acrylate	3.695	85	42251	48.01	ug/L #	89

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-03-22\v1a9705\
Data File : 1a226621.d
Acq On : 30 Sep 2022 5:20 pm
Operator : nickw
Sample : jd52624-3msd Inst : MSDTEST1A
Misc : MS62562, V1A9705,5,,,,10
ALS Vial : 18 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Oct 03 08:34:32 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Sep 29 14:48:46 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
40) bromochloromethane	3.817	128	100031	49.49	ug/L		98
41) tetrahydrofuran	3.829	72	37139	44.83	ug/L		85
42) chloroform	3.855	83	336439	46.67	ug/L		98
44) methacrylonitrile	3.778	67	103820	48.75	ug/L		94
45) 1,1,1-trichloroethane	3.980	97	296047	49.81	ug/L		94
46) cyclohexane	4.028	84	265917	47.32	ug/L		94
47) 1,1-dichloropropene	4.064	75	251717	48.66	ug/L		97
48) carbon tetrachloride	4.070	117	261951	51.33	ug/L		97
49) isopropyl acetate	4.147	87	53943	48.97	ug/L	#	88
50) tert amyl alcohol	4.128	55	44254	210.50	ug/L	#	86
53) tert-amyl methyl ether	4.224	73	555917	49.06	ug/L		98
54) 2,2,4-trimethylpentane	4.231	57	329396	36.44	ug/L		96
55) n-butyl alcohol	4.433	56	197162	1705.18	ug/L		98
56) benzene	4.186	78	722738	50.75	ug/L		99
57) heptane	4.317	57	67789	38.62	ug/L		98
58) 1,2-dichloroethane	4.202	62	258671	49.76	ug/L		96
59) trichloroethene	4.561	95	187659	49.49	ug/L		96
60) ethyl acrylate	4.561	55	291968	51.52	ug/L		97
61) 2-nitropropane	4.988	41	72535	44.67	ug/L		89
62) 2-chloroethyl vinyl ether	5.010	63	47017	55.36	ug/L		97
63) methyl methacrylate	4.706	100	69000	52.97	ug/L		93
64) 1,2-dichloropropane	4.718	63	179327	49.14	ug/L		98
65) methylcyclohexane	4.715	83	249812	42.91	ug/L		98
66) dibromomethane	4.776	93	128991	48.98	ug/L		97
67) bromodichloromethane	4.866	83	265877	49.45	ug/L		98
68) cis-1,3-dichloropropene	5.132	75	309237	52.31	ug/L		96
69) epichlorohydrin	5.059	57	58031	216.65	ug/L		91
70) 4-methyl-2-pentanone	5.203	58	380924	200.32	ug/L		98
71) 3-methyl-1-butanol	5.209	70	95917	731.14	ug/L	#	91
74) toluene	5.360	92	453676	49.66	ug/L		99
75) trans-1,3-dichloropropene	5.482	75	285161	54.19	ug/L		94
76) ethyl methacrylate	5.489	69	281628	51.74	ug/L		94
77) 1,1,2-trichloroethane	5.620	83	153408	48.19	ug/L		97
78) 2-hexanone	5.739	58	377123	194.78	ug/L		97
79) tetrachloroethene	5.704	166	187519	48.47	ug/L		97
80) 1,3-dichloropropane	5.736	76	303702	49.45	ug/L		99
81) butyl acetate	5.797	56	140373	51.77	ug/L		99
82) dibromochloromethane	5.886	129	210025	48.31	ug/L		98
83) 1,2-dibromoethane	5.983	107	200527	49.08	ug/L		98
84) n-butyl ether	6.320	57	678929	50.85	ug/L		99
85) chlorobenzene	6.313	112	502304	48.66	ug/L		96
86) 1,1,1,2-tetrachloroethane	6.361	131	182439	51.45	ug/L		98
87) ethylbenzene	6.361	91	832744	48.30	ug/L		99
88) m,p-xylene	6.448	106	639142	99.64	ug/L		98
89) o-xylene	6.718	106	322589	50.48	ug/L		96
90) butyl acrylate	6.634	55	398150	56.77	ug/L		98
91) n-amyl acetate	6.782	70	152878	55.21	ug/L		98
92) styrene	6.727	104	555063	53.18	ug/L		99
93) bromoform	6.865	173	139994	48.39	ug/L		100
94) isopropylbenzene	6.958	105	781457	48.27	ug/L		99
95) cis-1,4-dichloro-2-butene	6.987	88	62189	44.39	ug/L		96
98) bromobenzene	7.192	156	206200	53.13	ug/L		96
99) 1,1,2,2-tetrachloroethane	7.151	83	255736	50.10	ug/L		98
100) trans-1,4-dichloro-2-b...	7.176	53	48293	47.82	ug/L		96
101) 1,2,3-trichloropropane	7.202	110	79901	51.36	ug/L		97
102) n-propylbenzene	7.234	91	832604	48.64	ug/L		98
103) 2-chlorotoluene	7.308	126	181416	50.82	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-03-22\v1a9705\
Data File : 1a226621.d
Acq On : 30 Sep 2022 5:20 pm
Operator : nickw
Sample : jd52624-3msd Inst : MSDTEST1A
Misc : MS62562, V1A9705,5,,,,10
ALS Vial : 18 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Oct 03 08:34:32 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Sep 29 14:48:46 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
104) 4-chlorotoluene	7.388	126	183020	50.46	ug/L	99
105) 1,3,5-trimethylbenzene	7.346	105	557056	48.09	ug/L	99
106) tert-butylbenzene	7.558	119	477878	47.30	ug/L	98
107) 1,2,4-trimethylbenzene	7.597	105	575241	49.29	ug/L	97
108) sec-butylbenzene	7.703	105	635024	45.16	ug/L	99
109) 1,3-dichlorobenzene	7.796	146	325206	50.98	ug/L	98
110) p-isopropyltoluene	7.793	119	536150	47.01	ug/L	98
111) 1,2,3-trimethylbenzene	7.863	105	581478	49.20	ug/L	97
112) 1,4-dichlorobenzene	7.857	146	328644	48.43	ug/L	97
113) 1,2-dichlorobenzene	8.091	146	312580	51.24	ug/L	96
114) n-butylbenzene	8.052	92	234035	47.00	ug/L	99
115) 1,2-dibromo-3-chloropr...	8.566	157	58516	51.81	ug/L	93
116) 1,3,5-trichlorobenzene	8.678	180	169212	46.25	ug/L	95
117) 1,2,4-trichlorobenzene	9.054	180	149955	49.81	ug/L	98
118) hexachlorobutadiene	9.127	225	49044	44.09	ug/L	91
119) naphthalene	9.220	128	539245	50.99	ug/L	99
120) 1,2,3-trichlorobenzene	9.355	180	124454	47.80	ug/L	94
121) hexachloroethane	8.261	119	84892	47.32	ug/L	94
122) benzyl chloride	7.924	91	405980	70.55	ug/L	99
123) 2-methylnaphthalene	9.981	142	44184	19.04	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-03-22\v1a9705\
Data File : 1a226621.d
Acq On : 30 Sep 2022 5:20 pm
Operator : nickw
Sample : jd52624-3msd Inst : MSDTEST1A
Misc : MS62562, V1A9705,5,,,,10
ALS Vial : 18 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Oct 03 08:34:32 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Sep 29 14:48:46 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\Ocotober2022\10-4-22\v2v3782-whole batch\
Data File : 2v93140.d
Acq On : 3 Oct 2022 5:43 pm
Operator : taylors
Sample : jd52730-7ms
Misc : MS62629,V2V3782,5,,,,4
ALS Vial : 18 Sample Multiplier: 1

Quant Time: Oct 04 09:27:21 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	2.321	65	279910	500.00	ug/L		0.00
5) pentafluorobenzene	3.286	168	310324	50.00	ug/L		0.00
50) 1,4-difluorobenzene	3.747	114	453199	50.00	ug/L		0.00
72) chlorobenzene-d5	5.734	117	431442	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	7.506	152	191408	50.00	ug/L		0.00
System Monitoring Compounds							
42) dibromofluoromethane (s)	3.291	113	166129	53.68	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 107.36%				
51) 1,2-dichloroethane-d4 (s)	3.495	65	170653	53.11	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 106.22%				
73) toluene-d8 (s)	4.696	98	531098	50.01	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.02%				
97) 4-bromofluorobenzene (s)	6.636	95	165164	48.33	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.66%				
Target Compounds							Qvalue
2) ethanol	1.886	45	332361	5845.75	ug/L		99
3) tertiary butyl alcohol	2.363	59	1176116	1348.87	ug/L		99
4) 1,4-dioxane	4.104	88	100193	1403.09	ug/L		92
6) chlorodifluoromethane	1.293	51	72644	25.06	ug/L		94
7) dichlorodifluoromethane	1.283	85	167172	48.21	ug/L		99
8) chloromethane	1.393	52	77184	58.97	ug/L		97
9) vinyl chloride	1.451	62	293795	69.11	ug/L		97
10) bromomethane	1.634	96	170747	57.75	ug/L		98
11) chloroethane	1.687	64	322094	126.35	ug/L		96
12) trichlorofluoromethane	1.823	101	331097	52.60	ug/L		98
13) 1,3-butadiene	1.472	54	230071	59.00	ug/L		99
14) ethyl ether	1.954	74	111300	74.84	ug/L		88
15) acrolein	2.033	56	33417	50.56	ug/L		94
16) freon 113	2.090	151	116054	46.50	ug/L		96
17) 1,1-dichloroethene	2.096	61	192999	51.06	ug/L		99
18) acetone	2.096	58	190122	475.10	ug/L		95
19) acetonitrile	2.242	41	317661	618.11	ug/L		99
20) iodomethane	2.185	142	122815	51.26	ug/L		99
21) carbon disulfide	2.232	76	273765	39.65	ug/L		98
22) methylene chloride	2.342	84	171438	60.90	ug/L		92
23) methyl acetate	2.253	74	37754	52.51	ug/L	#	70
24) methyl tert butyl ether	2.473	73	436914	57.13	ug/L		98
25) trans-1,2-dichloroethene	2.489	96	141447	53.00	ug/L		99
26) hexane	2.630	56	73139	49.45	ug/L		93
27) di-isopropyl ether	2.714	45	727589	96.24	ug/L		95
28) ethyl tert-butyl ether	2.908	59	438732	58.38	ug/L		97
29) 1,1-dichloroethane	2.719	63	276877	60.65	ug/L		99
30) chloroprene	2.761	53	190778	55.89	ug/L		98
31) acrylonitrile	2.452	53	76851	54.70	ug/L		96
32) vinyl acetate	2.693	86	37093	59.74	ug/L	#	64
33) ethyl acetate	3.008	45	47067	70.26	ug/L	#	57
34) 2-butanone	3.003	72	267068	492.46	ug/L		94
35) 2,2-dichloropropane	3.034	77	241075	59.86	ug/L		100
36) cis-1,2-dichloroethene	3.024	96	184328	59.75	ug/L		93
37) propionitrile	3.034	54	411464	657.05	ug/L		81
38) methyl acrylate	3.045	85	40728	56.63	ug/L	#	70
39) bromochloromethane	3.160	128	94350	58.50	ug/L		97
40) tetrahydrofuran	3.170	71	147158	223.36	ug/L		99
41) chloroform	3.202	83	285495	51.69	ug/L		98
43) methacrylonitrile	3.123	67	89437	58.38	ug/L		96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\Ocotober2022\10-4-22\v2v3782-whole batch\
Data File : 2v93140.d
Acq On : 3 Oct 2022 5:43 pm
Operator : taylors
Sample : jd52730-7ms
Misc : MS62629,V2V3782,5,,,,4
ALS Vial : 18 Sample Multiplier: 1

Quant Time: Oct 04 09:27:21 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) 1,1,1-trichloroethane	3.317	97	244932	52.27	ug/L		97
45) cyclohexane	3.370	84	191162	52.25	ug/L		95
46) 1,1-dichloropropene	3.406	75	213282	58.25	ug/L		99
47) carbon tetrachloride	3.412	119	226054	52.21	ug/L		98
48) isobutyl alcohol	3.406	42	94640	714.12	ug/L		96
49) tert-amyl alcohol	3.480	55	74352	273.91	ug/L	#	78
52) n-butyl alcohol	3.794	56	520486	3216.34	ug/L		96
53) benzene	3.527	78	606517	55.78	ug/L		99
54) tert-amyl methyl ether	3.574	73	458491	53.82	ug/L		98
55) iso-octane	3.579	57	283708	48.87	ug/L		98
56) heptane	3.668	57	54785	48.75	ug/L	#	51
57) isopropyl acetate	3.501	87	49617	56.26	ug/L	#	82
58) 1,2-dichloroethane	3.543	62	233957	51.66	ug/L		99
59) trichloroethene	3.910	95	161130	50.05	ug/L		97
60) ethyl acrylate	3.920	55	285139	56.35	ug/L		99
61) 2-nitropropane	4.355	41	57752	43.01	ug/L		92
63) methyl methacrylate	4.072	100	59111	53.53	ug/L	#	83
64) 1,2-dichloropropane	4.067	63	161193	56.65	ug/L		96
65) methylcyclohexane	4.067	83	201184	50.17	ug/L		96
66) dibromomethane	4.125	93	126819	50.94	ug/L		92
67) bromodichloromethane	4.224	83	222660	50.88	ug/L		99
68) epichlorohydrin	4.429	57	131416	279.06	ug/L		95
69) cis-1,3-dichloropropene	4.507	75	253618	55.64	ug/L		99
70) 4-methyl-2-pentanone	4.586	58	885563	518.76	ug/L		96
71) 3-methyl-1-butanol	4.607	70	217581	1346.50	ug/L		86
74) toluene	4.743	92	574687	79.42	ug/L		96
75) ethyl methacrylate	4.906	69	238944	56.81	ug/L		99
76) trans-1,3-dichloropropene	4.885	75	238541	55.26	ug/L		98
77) 1,1,2-trichloroethane	5.021	83	135452	53.99	ug/L		97
78) 2-hexanone	5.163	58	458010	249.31	ug/L		95
79) tetrachloroethene	5.110	164	139873	49.84	ug/L		95
80) 1,3-dichloropropane	5.142	76	253909	54.90	ug/L		99
81) butyl acetate	5.236	56	133694	57.33	ug/L		93
82) dibromochloromethane	5.304	129	198724	50.38	ug/L		100
83) 1,2-dibromoethane	5.399	107	183082	51.97	ug/L		99
84) n-butyl ether	5.808	57	606965	58.75	ug/L		99
85) chlorobenzene	5.755	112	503743	57.79	ug/L		96
86) 1,1,1,2-tetrachloroethane	5.818	131	187450	54.98	ug/L		99
87) ethylbenzene	5.823	91	766915	56.03	ug/L		100
88) m,p-xylene	5.918	106	566997	106.83	ug/L		98
89) o-xylene	6.217	91	566272	53.96	ug/L		99
90) styrene	6.227	104	478839	54.99	ug/L		98
91) butyl acrylate	6.154	56	163791	63.34	ug/L		93
92) n-amyl acetate	6.327	70	133700	57.93	ug/L		92
93) bromoform	6.374	173	146955	50.33	ug/L		99
94) isopropylbenzene	6.500	105	659862	52.99	ug/L		99
95) cis-1,4-dichloro-2-butene	6.536	88	35699	24.52	ug/L		87
98) bromobenzene	6.751	156	190083	49.10	ug/L		99
99) 1,1,2,2-tetrachloroethane	6.730	83	257579	54.20	ug/L		98
100) trans-1,4-dichloro-2-b...	6.762	53	30415	27.13	ug/L		96
101) 1,2,3-trichloropropane	6.778	110	74469	52.71	ug/L		100
102) n-propylbenzene	6.825	91	725445	51.93	ug/L		100
103) 2-chlorotoluene	6.898	126	164429	51.35	ug/L		91
104) 4-chlorotoluene	6.987	126	169402	51.40	ug/L		91
105) 1,3,5-trimethylbenzene	6.961	105	495033	52.93	ug/L		98
106) tert-butylbenzene	7.197	119	408649	50.12	ug/L		98
107) 1,2,4-trimethylbenzene	7.239	105	502729	51.50	ug/L		98
108) sec-butylbenzene	7.360	105	577748	52.30	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\Ocotober2022\10-4-22\v2v3782-whole batch\
Data File : 2v93140.d
Acq On : 3 Oct 2022 5:43 pm
Operator : taylors
Sample : jd52730-7ms
Misc : MS62629,V2V3782,5,,,,4
ALS Vial : 18 Sample Multiplier: 1

Quant Time: Oct 04 09:27:21 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
109) 1,3-dichlorobenzene	7.449	146	318983	49.98	ug/L	100
110) p-isopropyltoluene	7.470	119	483205	51.57	ug/L	98
111) 1,2,3-trimethylbenzene	7.538	105	521749	53.45	ug/L	98
112) 1,4-dichlorobenzene	7.522	146	332893	50.00	ug/L	99
113) 1,2-dichlorobenzene	7.774	146	312974	52.03	ug/L	98
114) benzyl chloride	7.595	91	381559	61.59	ug/L	98
115) n-butylbenzene	7.758	92	216372	54.29	ug/L	96
116) hexachloroethane	7.962	201	64967	44.70	ug/L	94
117) 1,2-dibromo-3-chloropr...	8.298	157	65188	51.19	ug/L	95
118) 1,3,5-trichlorobenzene	8.419	180	168711	49.97	ug/L	99
119) 1,2,4-trichlorobenzene	8.817	180	148944	50.31	ug/L	98
120) hexachlorobutadiene	8.906	225	48005	45.92	ug/L	97
121) naphthalene	8.980	128	494644	49.72	ug/L	100
122) 1,2,3-trichlorobenzene	9.116	180	128970	48.56	ug/L	99
123) 2-methylnaphthalene	9.672	142	61326	18.13	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\Ocotober2022\10-4-22\v2v3782-whole batch\
Data File : 2v93140.d
Acq On : 3 Oct 2022 5:43 pm
Operator : taylors
Sample : jd52730-7ms
Misc : MS62629,V2V3782,5,,,,4
ALS Vial : 18 Sample Multiplier: 1

Quant Time: Oct 04 09:27:21 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\Ocotober2022\10-4-22\v2v3782-whole batch\
Data File : 2v93141.d
Acq On : 3 Oct 2022 6:07 pm
Operator : taylors
Sample : jd52730-7msd
Misc : MS62629,V2V3782,5,,,,4
ALS Vial : 19 Sample Multiplier: 1

Quant Time: Oct 04 09:27:31 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	2.321	65	283609	500.00	ug/L		0.00
5) pentafluorobenzene	3.286	168	319145	50.00	ug/L		0.00
50) 1,4-difluorobenzene	3.747	114	467307	50.00	ug/L		0.00
72) chlorobenzene-d5	5.734	117	440038	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	7.501	152	200167	50.00	ug/L		0.00
System Monitoring Compounds							
42) dibromofluoromethane (s)	3.291	113	170599	53.61	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 107.22%				
51) 1,2-dichloroethane-d4 (s)	3.496	65	175481	52.96	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 105.92%				
73) toluene-d8 (s)	4.696	98	557932	51.51	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 103.02%				
97) 4-bromofluorobenzene (s)	6.636	95	171498	47.99	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.98%				
Target Compounds							Qvalue
2) ethanol	1.886	45	360097	6250.98	ug/L		97
3) tertiary butyl alcohol	2.363	59	1241027	1404.75	ug/L		98
4) 1,4-dioxane	4.104	88	103860	1435.47	ug/L		96
6) chlorodifluoromethane	1.294	51	77796	26.10	ug/L		94
7) dichlorodifluoromethane	1.283	85	179924	50.45	ug/L		98
8) chloromethane	1.393	52	79962	59.40	ug/L		99
9) vinyl chloride	1.451	62	304442	69.64	ug/L		95
10) bromomethane	1.634	96	212962	70.04	ug/L		94
11) chloroethane	1.687	64	329350	125.63	ug/L		97
12) trichlorofluoromethane	1.823	101	344941	53.29	ug/L		98
13) 1,3-butadiene	1.472	54	225520	56.23	ug/L		100
14) ethyl ether	1.954	74	115401	75.45	ug/L		87
15) acrolein	2.033	56	36779	54.11	ug/L		95
16) freon 113	2.090	151	124322	48.44	ug/L		98
17) 1,1-dichloroethene	2.096	61	206256	53.06	ug/L		99
18) acetone	2.096	58	202032	490.91	ug/L		98
19) acetonitrile	2.243	41	329619	623.65	ug/L		98
20) iodomethane	2.185	142	168152	64.96	ug/L		99
21) carbon disulfide	2.232	76	293766	41.37	ug/L		99
22) methylene chloride	2.342	84	181772	62.79	ug/L		91
23) methyl acetate	2.253	74	40357	54.58	ug/L	#	78
24) methyl tert butyl ether	2.473	73	461133	58.63	ug/L		98
25) trans-1,2-dichloroethene	2.489	96	147268	53.66	ug/L		99
26) hexane	2.631	56	76258	50.13	ug/L		96
27) di-isopropyl ether	2.714	45	763261	98.17	ug/L		94
28) ethyl tert-butyl ether	2.908	59	463723	60.00	ug/L		98
29) 1,1-dichloroethane	2.720	63	288894	61.53	ug/L		99
30) chloroprene	2.762	53	199632	56.87	ug/L		99
31) acrylonitrile	2.452	53	79482	55.01	ug/L		98
32) vinyl acetate	2.693	86	38617	60.48	ug/L	#	61
33) ethyl acetate	3.008	45	50181	72.84	ug/L	#	61
34) 2-butanone	3.003	72	280717	503.32	ug/L	#	91
35) 2,2-dichloropropane	3.034	77	258090	62.31	ug/L		99
36) cis-1,2-dichloroethene	3.024	96	194043	61.16	ug/L		92
37) propionitrile	3.034	54	429611	667.07	ug/L		83
38) methyl acrylate	3.045	85	42832	57.91	ug/L	#	85
39) bromochloromethane	3.160	128	98438	59.34	ug/L		95
40) tetrahydrofuran	3.171	71	153529	226.58	ug/L		98
41) chloroform	3.202	83	301213	53.03	ug/L		99
43) methacrylonitrile	3.123	67	91046	57.78	ug/L		96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\Ocotober2022\10-4-22\v2v3782-whole batch\
Data File : 2v93141.d
Acq On : 3 Oct 2022 6:07 pm
Operator : taylors
Sample : jd52730-7msd
Misc : MS62629,V2V3782,5,,,,4
ALS Vial : 19 Sample Multiplier: 1

Quant Time: Oct 04 09:27:31 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44)	1,1,1-trichloroethane	3.317	97	261198	54.21	ug/L		99
45)	cyclohexane	3.370	84	198648	52.79	ug/L		94
46)	1,1-dichloropropene	3.406	75	222751	59.15	ug/L		99
47)	carbon tetrachloride	3.412	119	241870	54.31	ug/L		99
48)	isobutyl alcohol	3.401	42	98306	721.28	ug/L		95
49)	tert-amyl alcohol	3.480	55	78143	279.91	ug/L	#	74
52)	n-butyl alcohol	3.794	56	550381	3298.40	ug/L		98
53)	benzene	3.522	78	636051	56.73	ug/L		98
54)	tert-amyl methyl ether	3.574	73	485028	55.22	ug/L		97
55)	iso-octane	3.579	57	289550	48.37	ug/L		98
56)	heptane	3.669	57	55333	47.75	ug/L	#	54
57)	isopropyl acetate	3.501	87	52255	57.47	ug/L	#	85
58)	1,2-dichloroethane	3.543	62	245466	52.57	ug/L		99
59)	trichloroethene	3.910	95	168679	50.82	ug/L		96
60)	ethyl acrylate	3.920	55	296678	56.86	ug/L		99
61)	2-nitropropane	4.355	41	60952	44.02	ug/L		97
63)	methyl methacrylate	4.072	100	62454	54.85	ug/L	#	76
64)	1,2-dichloropropane	4.067	63	170287	58.04	ug/L		99
65)	methylcyclohexane	4.067	83	214923	51.98	ug/L		97
66)	dibromomethane	4.125	93	131903	51.39	ug/L		94
67)	bromodichloromethane	4.224	83	238303	52.81	ug/L		100
68)	epichlorohydrin	4.429	57	134402	276.78	ug/L		94
69)	cis-1,3-dichloropropene	4.508	75	267203	56.85	ug/L		99
70)	4-methyl-2-pentanone	4.586	58	923441	524.62	ug/L		96
71)	3-methyl-1-butanol	4.607	70	232077	1392.85	ug/L		88
74)	toluene	4.743	92	625248	84.72	ug/L		99
75)	ethyl methacrylate	4.906	69	253447	59.09	ug/L		99
76)	trans-1,3-dichloropropene	4.880	75	250876	56.98	ug/L		97
77)	1,1,2-trichloroethane	5.021	83	144211	56.36	ug/L		94
78)	2-hexanone	5.163	58	480105	256.23	ug/L		97
79)	tetrachloroethene	5.105	164	144313	50.41	ug/L		99
80)	1,3-dichloropropane	5.142	76	265861	56.37	ug/L		99
81)	butyl acetate	5.236	56	140721	59.17	ug/L		96
82)	dibromochloromethane	5.304	129	210050	52.21	ug/L		99
83)	1,2-dibromoethane	5.399	107	190734	53.08	ug/L		99
84)	n-butyl ether	5.808	57	649637	61.65	ug/L		99
85)	chlorobenzene	5.755	112	537062	60.41	ug/L		97
86)	1,1,1,2-tetrachloroethane	5.813	131	199091	57.25	ug/L		97
87)	ethylbenzene	5.818	91	808167	57.89	ug/L		100
88)	m,p-xylene	5.918	106	603839	111.55	ug/L		99
89)	o-xylene	6.217	91	617445	57.69	ug/L		100
90)	styrene	6.227	104	520983	58.66	ug/L		97
91)	butyl acrylate	6.154	56	170991	64.83	ug/L		96
92)	n-amyl acetate	6.327	70	142739	60.64	ug/L		94
93)	bromoform	6.374	173	156939	52.70	ug/L		99
94)	isopropylbenzene	6.500	105	705458	55.55	ug/L		98
95)	cis-1,4-dichloro-2-butene	6.537	88	41916	28.23	ug/L		92
98)	bromobenzene	6.752	156	204241	50.45	ug/L		99
99)	1,1,2,2-tetrachloroethane	6.731	83	267827	53.89	ug/L		99
100)	trans-1,4-dichloro-2-b...	6.762	53	35020	29.88	ug/L		99
101)	1,2,3-trichloropropane	6.778	110	75419	51.04	ug/L		94
102)	n-propylbenzene	6.825	91	782311	53.55	ug/L		99
103)	2-chlorotoluene	6.898	126	174458	52.10	ug/L		94
104)	4-chlorotoluene	6.987	126	183152	53.14	ug/L		91
105)	1,3,5-trimethylbenzene	6.961	105	528995	54.09	ug/L		99
106)	tert-butylbenzene	7.197	119	435574	51.08	ug/L		97
107)	1,2,4-trimethylbenzene	7.239	105	546862	53.57	ug/L		98
108)	sec-butylbenzene	7.360	105	617375	53.44	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\Ocotober2022\10-4-22\v2v3782-whole batch\
Data File : 2v93141.d
Acq On : 3 Oct 2022 6:07 pm
Operator : taylors
Sample : jd52730-7msd
Misc : MS62629,V2V3782,5,,,,4
ALS Vial : 19 Sample Multiplier: 1

Quant Time: Oct 04 09:27:31 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
109) 1,3-dichlorobenzene	7.449	146	340077	50.96	ug/L	100
110) p-isopropyltoluene	7.470	119	523711	53.45	ug/L	99
111) 1,2,3-trimethylbenzene	7.538	105	571819	56.02	ug/L	98
112) 1,4-dichlorobenzene	7.522	146	357919	51.41	ug/L	98
113) 1,2-dichlorobenzene	7.774	146	338454	53.80	ug/L	99
114) benzyl chloride	7.596	91	405350	62.57	ug/L	98
115) n-butylbenzene	7.753	92	230707	55.35	ug/L	94
116) hexachloroethane	7.963	201	68556	45.10	ug/L	87
117) 1,2-dibromo-3-chloropr...	8.293	157	68942	51.77	ug/L	92
118) 1,3,5-trichlorobenzene	8.419	180	177221	50.19	ug/L	99
119) 1,2,4-trichlorobenzene	8.817	180	154291	49.84	ug/L	99
120) hexachlorobutadiene	8.906	225	50592	46.28	ug/L	97
121) naphthalene	8.980	128	511715	49.18	ug/L	100
122) 1,2,3-trichlorobenzene	9.116	180	135795	48.89	ug/L	100
123) 2-methylnaphthalene	9.672	142	64362	18.20	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\Ocotober2022\10-4-22\v2v3782-whole batch\
Data File : 2v93141.d
Acq On : 3 Oct 2022 6:07 pm
Operator : taylors
Sample : jd52730-7msd
Misc : MS62629,V2V3782,5,,,,4
ALS Vial : 19 Sample Multiplier: 1

Quant Time: Oct 04 09:27:31 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\luckyc\06 oct 2022\vl10519\
Data File : l347847.d
Acq On : 4 Oct 2022 5:40 pm
Operator : nicoleh
Sample : jd52507-37ms Inst : GCMSL
Misc : MS62506,VL10519,5,,,,5
ALS Vial : 22 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 05 23:53:27 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.085	65	149943	500.00	ug/L		0.00
5) pentafluorobenzene	4.308	168	206470	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.876	114	315623	50.00	ug/L		0.00
72) chlorobenzene-d5	7.273	117	310949	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.471	152	121183	50.00	ug/L		0.00
123) pentafluorobenzene(a)	4.308	168	205233	50.00	ug/L		0.00
127) 1,4-dichlorobenzene-d4(a)	9.471	152	121183	50.00	ug/L		0.01
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.318	113	93551	50.17	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.34%				
52) 1,2-dichloroethane-d4 (s)	4.568	65	99046	43.00	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 86.00%				
73) toluene-d8 (s)	6.025	98	379510	44.34	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 88.68%				
96) 4-bromofluorobenzene (s)	8.351	95	144968	45.92	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 91.84%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.312	88	12674	324.16	ug/L		89
3) ethanol	2.505	45	78902	2107.92	ug/L		96
4) tertiary butyl alcohol	3.140	59	110624	240.72	ug/L		97
6) chlorodifluoromethane	1.680	51	71110	30.80	ug/L	#	85
7) dichlorodifluoromethane	1.657	85	175055	51.93	ug/L		95
8) chloromethane	1.818	50	100771	44.73	ug/L		100
9) vinyl chloride	1.901	62	123970	44.61	ug/L		99
10) 1,3-butadiene	1.930	54	97263	35.60	ug/L		95
11) bromomethane	2.158	96	35676	30.83	ug/L		93
12) chloroethane	2.235	64	66170	40.72	ug/L		99
13) trichlorofluoromethane	2.421	101	196201	50.48	ug/L		97
14) ethyl ether	2.601	74	77164	56.83	ug/L		91
15) acrolein	2.707	56	9298	18.86	ug/L		91
16) freon 113	2.781	151	86909	56.80	ug/L		85
17) 1,1-dichloroethene	2.784	96	99635	52.27	ug/L		95
18) acetone	2.797	58	66351	198.14	ug/L		90
19) acetonitrile	2.986	40	92303	425.42	ug/L		93
20) iodomethane	2.899	142	74209	42.76	ug/L		93
21) iso-butyl alcohol	4.456	43	66176	303.22	ug/L		92
22) carbon disulfide	2.960	76	245085	41.79	ug/L		97
23) methylene chloride	3.114	84	120683	54.38	ug/L		97
24) methyl acetate	3.005	74	34224	50.93	ug/L	#	85
25) methyl tert butyl ether	3.281	73	367672	50.95	ug/L		94
26) trans-1,2-dichloroethene	3.300	96	121572	58.95	ug/L		93
27) hexane	3.477	57	161437	55.67	ug/L		94
28) di-isopropyl ether	3.586	45	346476	59.17	ug/L		96
29) ethyl tert-butyl ether	3.833	59	387650	56.49	ug/L		95
30) 2-butanone	3.952	72	99159	192.77	ug/L		99
31) 1,1-dichloroethane	3.596	63	195528	54.00	ug/L		97
32) chloroprene	3.647	53	162646	55.22	ug/L		93
33) acrylonitrile	3.265	53	22628	19.00	ug/L		89
34) vinyl acetate	3.567	86	34089	54.57	ug/L	#	76
35) ethyl acetate	3.961	45	27694	53.02	ug/L	#	1
36) 2,2-dichloropropane	3.997	77	148251	42.09	ug/L		93
37) cis-1,2-dichloroethene	3.984	96	653834	280.27	ug/L		95
38) propionitrile	4.000	54	208890	424.90	ug/L		92
39) methyl acrylate	4.010	85	26001	42.90	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\luckyc\06 oct 2022\vl10519\
Data File : l347847.d
Acq On : 4 Oct 2022 5:40 pm
Operator : nicoleh
Sample : jd52507-37ms Inst : GCMSL
Misc : MS62506,VL10519,5,,,,5
ALS Vial : 22 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 05 23:53:27 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
40) bromochloromethane	4.154	128	54197	53.33	ug/L		86
41) tetrahydrofuran	4.164	72	28140	48.96	ug/L		93
42) chloroform	4.205	83	202263	48.77	ug/L		96
44) methacrylonitrile	4.109	67	72158	50.03	ug/L		100
45) 1,1,1-trichloroethane	4.347	97	181926	51.18	ug/L		96
46) cyclohexane	4.407	84	143635	43.91	ug/L		91
47) 1,1-dichloropropene	4.456	75	144112	50.75	ug/L		96
48) carbon tetrachloride	4.459	117	141599	48.06	ug/L		98
49) isopropyl acetate	4.571	87	37657	51.08	ug/L	#	75
50) tert amyl alcohol	4.545	55	43305	185.42	ug/L	#	90
53) tert-amyl methyl ether	4.661	73	339959	48.37	ug/L		96
54) 2,2,4-trimethylpentane	4.661	57	306341	54.85	ug/L		97
55) n-butyl alcohol	4.931	56	192440	1229.82	ug/L		99
56) benzene	4.600	78	431489	52.51	ug/L		98
57) heptane	4.777	57	65501	50.84	ug/L	#	77
58) 1,2-dichloroethane	4.626	62	147241	47.48	ug/L		98
59) trichloroethene	5.069	95	252007	108.44	ug/L		97
60) ethyl acrylate	5.088	55	207107	53.77	ug/L		99
61) 2-nitropropane	5.620	41	49841	44.23	ug/L		93
62) 2-chloroethyl vinyl ether	5.649	63	36901	27.43	ug/L		95
63) methyl methacrylate	5.264	100	43851	48.88	ug/L		96
64) 1,2-dichloropropane	5.271	63	113187	55.83	ug/L		89
65) methylcyclohexane	5.261	83	188053	51.38	ug/L		95
66) dibromomethane	5.338	93	75620	50.60	ug/L		97
67) bromodichloromethane	5.457	83	162486	47.72	ug/L		93
68) cis-1,3-dichloropropene	5.797	75	192206	50.32	ug/L		96
69) epichlorohydrin	5.707	57	100399	228.05	ug/L		96
70) 4-methyl-2-pentanone	5.893	58	298717	211.91	ug/L		93
71) 3-methyl-1-butanol	5.912	70	95266	552.08	ug/L	#	81
74) toluene	6.079	92	289705	49.62	ug/L		98
75) trans-1,3-dichloropropene	6.253	75	164201	40.62	ug/L		97
76) ethyl methacrylate	6.269	69	193985	47.67	ug/L		98
77) 1,1,2-trichloroethane	6.423	83	101671	49.98	ug/L		93
78) 2-hexanone	6.583	58	296632	183.36	ug/L		92
79) tetrachloroethene	6.516	166	123198	52.67	ug/L		99
80) 1,3-dichloropropane	6.564	76	188791	47.75	ug/L		99
81) butyl acetate	6.667	56	110975	52.59	ug/L		93
82) dibromochloromethane	6.760	129	120337	44.26	ug/L		97
83) 1,2-dibromoethane	6.875	107	127800	46.91	ug/L		98
84) n-butyl ether	7.340	57	470954	54.03	ug/L		96
85) chlorobenzene	7.302	112	307918	51.60	ug/L		95
86) 1,1,1,2-tetrachloroethane	7.373	131	104370	48.31	ug/L		95
87) ethylbenzene	7.376	91	512044	49.95	ug/L		99
88) m,p-xylene	7.485	106	387793	94.37	ug/L		99
89) o-xylene	7.844	106	203969	49.63	ug/L		98
90) butyl acrylate	7.764	55	283893	53.96	ug/L		98
91) styrene	7.860	104	328206	49.24	ug/L		99
92) bromoform	8.040	173	81735	42.72	ug/L		91
93) isopropylbenzene	8.181	105	516630	50.07	ug/L		97
94) cis-1,4-dichloro-2-butene	8.236	88	25518	33.26	ug/L	#	83
97) bromobenzene	8.502	156	120284	48.91	ug/L		89
98) 1,1,2,2-tetrachloroethane	8.464	83	186413	45.96	ug/L		97
99) trans-1,4-dichloro-2-b...	8.505	53	20900	36.26	ug/L		90
100) 1,2,3-trichloropropane	8.528	110	50631	43.34	ug/L		98
101) n-propylbenzene	8.576	91	577351	49.74	ug/L		99
102) 2-chlorotoluene	8.672	126	115279	50.47	ug/L		94
103) 4-chlorotoluene	8.788	126	111850	48.84	ug/L		92

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\luckyc\06 oct 2022\vl10519\
Data File : l347847.d
Acq On : 4 Oct 2022 5:40 pm
Operator : nicoleh
Sample : jd52507-37ms Inst : GCMSL
Misc : MS62506,VL10519,5,,,,5
ALS Vial : 22 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 05 23:53:27 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
104) 1,3,5-trimethylbenzene	8.743	105	399128	47.96	ug/L	99
105) tert-butylbenzene	9.051	119	354744	50.86	ug/L	96
106) 1,2,4-trimethylbenzene	9.105	105	403333	47.35	ug/L	98
107) sec-butylbenzene	9.266	105	497801	49.93	ug/L	99
108) 1,3-dichlorobenzene	9.397	146	211554	50.94	ug/L	98
109) p-isopropyltoluene	9.413	119	388590	49.42	ug/L	98
110) 1,4-dichlorobenzene	9.494	146	198434	48.73	ug/L	98
111) 1,2,3-trimethylbenzene	9.510	105	378042	46.77	ug/L	99
112) 1,2-dichlorobenzene	9.847	146	193280	47.30	ug/L	99
113) n-butylbenzene	9.811	92	208034	52.87	ug/L	99
114) 1,2-dibromo-3-chloropr...	10.614	157	44070	45.99	ug/L	90
115) 1,3,5-trichlorobenzene	10.803	180	141017	53.49	ug/L	94
116) 1,2,4-trichlorobenzene	11.432	180	117012	54.81	ug/L	91
117) hexachlorobutadiene	11.567	225	45882	53.67	ug/L	95
118) naphthalene	11.695	128	364719	50.59	ug/L	100
119) 1,2,3-trichlorobenzene	11.916	180	102427	52.99	ug/L	93
120) hexachloroethane	10.113	119	79951	49.04	ug/L	98
121) benzyl chloride	9.596	91	310884	44.17	ug/L	99
122) 2-methylnaphthalene	12.831	142	66619	25.81	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

7.4.17

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\luckyc\06 oct 2022\vl10519\
Data File : l347847.d
Acq On : 4 Oct 2022 5:40 pm
Operator : nicoleh
Sample : jd52507-37ms Inst : GCMSL
Misc : MS62506,VL10519,5,,,,5
ALS Vial : 22 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 05 23:53:27 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\luckyc\06 oct 2022\vl10519\
Data File : l347848.d
Acq On : 4 Oct 2022 6:03 pm
Operator : nicoleh
Sample : jd52507-37msd Inst : GCMSL
Misc : MS62506,VL10519,5,,,,5
ALS Vial : 23 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 05 23:54:47 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.085	65	152808	500.00	ug/L		0.00
5) pentafluorobenzene	4.308	168	208578	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.876	114	319842	50.00	ug/L		0.00
72) chlorobenzene-d5	7.273	117	311290	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.468	152	123232	50.00	ug/L		0.00
123) pentafluorobenzene(a)	4.308	168	209214	50.00	ug/L		0.00
127) 1,4-dichlorobenzene-d4(a)	9.468	152	123232	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.314	113	91617	48.63	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.26%				
52) 1,2-dichloroethane-d4 (s)	4.571	65	99326	42.55	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 85.10%				
73) toluene-d8 (s)	6.025	98	381309	44.50	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 89.00%				
96) 4-bromofluorobenzene (s)	8.351	95	150397	46.85	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 93.70%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.309	88	12141	304.71	ug/L		93
3) ethanol	2.508	45	74140	1943.57	ug/L		97
4) tertiary butyl alcohol	3.143	59	107158	228.80	ug/L		97
6) chlorodifluoromethane	1.673	51	70136	30.07	ug/L	#	90
7) dichlorodifluoromethane	1.657	85	174525	51.25	ug/L		99
8) chloromethane	1.818	50	102596	45.08	ug/L		96
9) vinyl chloride	1.901	62	125279	44.62	ug/L		98
10) 1,3-butadiene	1.930	54	99473	36.04	ug/L		92
11) bromomethane	2.158	96	44373	37.96	ug/L		90
12) chloroethane	2.238	64	66160	40.30	ug/L		97
13) trichlorofluoromethane	2.421	101	200315	51.02	ug/L		96
14) ethyl ether	2.601	74	78412	57.17	ug/L		80
15) acrolein	2.707	56	10023	20.12	ug/L		96
16) freon 113	2.781	151	85670	55.43	ug/L		90
17) 1,1-dichloroethene	2.784	96	98435	51.12	ug/L		94
18) acetone	2.793	58	66933	197.86	ug/L		88
19) acetonitrile	2.986	40	96670	441.05	ug/L		97
20) iodomethane	2.899	142	93405	52.89	ug/L		98
21) iso-butyl alcohol	4.452	43	67379	305.61	ug/L		89
22) carbon disulfide	2.960	76	254836	43.01	ug/L		98
23) methylene chloride	3.114	84	120670	53.83	ug/L		97
24) methyl acetate	2.999	74	36238	53.38	ug/L		88
25) methyl tert butyl ether	3.281	73	380585	52.21	ug/L		96
26) trans-1,2-dichloroethene	3.300	96	121148	58.15	ug/L		96
27) hexane	3.477	57	160437	54.76	ug/L		98
28) di-isopropyl ether	3.586	45	348862	58.97	ug/L		97
29) ethyl tert-butyl ether	3.836	59	388234	56.00	ug/L		96
30) 2-butanone	3.958	72	101792	195.89	ug/L	#	83
31) 1,1-dichloroethane	3.596	63	196706	53.78	ug/L		94
32) chloroprene	3.650	53	163741	55.03	ug/L		89
33) acrylonitrile	3.262	53	24144	20.07	ug/L		97
34) vinyl acetate	3.570	86	33555	53.17	ug/L	#	91
35) ethyl acetate	3.965	45	28082	53.22	ug/L	#	1
36) 2,2-dichloropropane	3.997	77	150054	42.17	ug/L		91
37) cis-1,2-dichloroethene	3.984	96	660592	280.30	ug/L		93
38) propionitrile	4.003	54	218343	439.64	ug/L		98
39) methyl acrylate	4.010	85	26149	42.71	ug/L	#	75

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\luckyc\06 oct 2022\vl10519\
Data File : l347848.d
Acq On : 4 Oct 2022 6:03 pm
Operator : nicoleh
Sample : jd52507-37msd Inst : GCMSL
Misc : MS62506,VL10519,5,,,,5
ALS Vial : 23 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 05 23:54:47 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
40) bromochloromethane	4.151	128	55334	53.89	ug/L		94
41) tetrahydrofuran	4.160	72	28097	48.39	ug/L		91
42) chloroform	4.205	83	206834	49.37	ug/L		95
44) methacrylonitrile	4.115	67	78549	53.92	ug/L		96
45) 1,1,1-trichloroethane	4.346	97	182887	50.93	ug/L		96
46) cyclohexane	4.404	84	144078	43.60	ug/L		96
47) 1,1-dichloropropene	4.452	75	148008	51.60	ug/L		99
48) carbon tetrachloride	4.462	117	144832	48.66	ug/L		99
49) isopropyl acetate	4.571	87	39729	53.35	ug/L	#	88
50) tert amyl alcohol	4.545	55	46385	196.60	ug/L	#	79
53) tert-amyl methyl ether	4.661	73	345490	48.51	ug/L		96
54) 2,2,4-trimethylpentane	4.664	57	306909	54.22	ug/L		97
55) n-butyl alcohol	4.931	56	184910	1166.11	ug/L		94
56) benzene	4.603	78	440164	52.86	ug/L		97
57) heptane	4.776	57	64506	49.41	ug/L		89
58) 1,2-dichloroethane	4.626	62	146764	46.70	ug/L		96
59) trichloroethene	5.072	95	259835	110.34	ug/L		93
60) ethyl acrylate	5.088	55	215022	55.09	ug/L		95
61) 2-nitropropane	5.624	41	51189	44.82	ug/L		88
62) 2-chloroethyl vinyl ether	5.649	63	21956	16.10	ug/L		98
63) methyl methacrylate	5.271	100	47730	52.50	ug/L		91
64) 1,2-dichloropropane	5.267	63	116816	56.86	ug/L		93
65) methylcyclohexane	5.261	83	192960	52.03	ug/L		94
66) dibromomethane	5.344	93	79520	52.51	ug/L		93
67) bromodichloromethane	5.457	83	168571	48.85	ug/L		90
68) cis-1,3-dichloropropene	5.797	75	196654	50.80	ug/L		98
69) epichlorohydrin	5.704	57	104535	234.31	ug/L		99
70) 4-methyl-2-pentanone	5.893	58	314370	220.08	ug/L		90
71) 3-methyl-1-butanol	5.916	70	95968	548.81	ug/L	#	71
74) toluene	6.079	92	295150	50.50	ug/L		100
75) trans-1,3-dichloropropene	6.253	75	170950	42.24	ug/L		96
76) ethyl methacrylate	6.269	69	196586	48.26	ug/L		97
77) 1,1,2-trichloroethane	6.419	83	105182	51.65	ug/L		96
78) 2-hexanone	6.586	58	311430	192.30	ug/L		93
79) tetrachloroethene	6.519	166	123461	52.72	ug/L		98
80) 1,3-dichloropropane	6.567	76	193579	48.90	ug/L		98
81) butyl acetate	6.667	56	115328	54.60	ug/L		99
82) dibromochloromethane	6.756	129	123396	45.33	ug/L		99
83) 1,2-dibromoethane	6.875	107	130380	47.80	ug/L		97
84) n-butyl ether	7.340	57	486389	55.74	ug/L		95
85) chlorobenzene	7.299	112	314034	52.57	ug/L		96
86) 1,1,1,2-tetrachloroethane	7.369	131	107280	49.60	ug/L		95
87) ethylbenzene	7.376	91	520635	50.73	ug/L		98
88) m,p-xylene	7.488	106	395923	96.24	ug/L		94
89) o-xylene	7.844	106	207848	50.52	ug/L		99
90) butyl acrylate	7.761	55	289959	55.05	ug/L		96
91) styrene	7.860	104	333650	50.00	ug/L		97
92) bromoform	8.043	173	83773	43.74	ug/L		99
93) isopropylbenzene	8.181	105	524847	50.81	ug/L		97
94) cis-1,4-dichloro-2-butene	8.236	88	28799	37.49	ug/L		85
97) bromobenzene	8.499	156	127745	51.08	ug/L		87
98) 1,1,2,2-tetrachloroethane	8.467	83	192424	46.65	ug/L		95
99) trans-1,4-dichloro-2-b...	8.502	53	22983	39.21	ug/L	#	86
100) 1,2,3-trichloropropane	8.531	110	51968	43.75	ug/L		98
101) n-propylbenzene	8.573	91	586505	49.69	ug/L		99
102) 2-chlorotoluene	8.672	126	122122	52.57	ug/L		88
103) 4-chlorotoluene	8.788	126	112658	48.38	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\luckyc\06 oct 2022\vl10519\
Data File : l347848.d
Acq On : 4 Oct 2022 6:03 pm
Operator : nicoleh
Sample : jd52507-37msd Inst : GCMSL
Misc : MS62506,VL10519,5,,,,5
ALS Vial : 23 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 05 23:54:47 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
104) 1,3,5-trimethylbenzene	8.746	105	402485	47.56	ug/L	96
105) tert-butylbenzene	9.051	119	365823	51.57	ug/L	100
106) 1,2,4-trimethylbenzene	9.108	105	405726	46.84	ug/L	99
107) sec-butylbenzene	9.266	105	502945	49.60	ug/L	99
108) 1,3-dichlorobenzene	9.394	146	219453	51.96	ug/L	96
109) p-isopropyltoluene	9.413	119	393538	49.22	ug/L	97
110) 1,4-dichlorobenzene	9.494	146	204460	49.37	ug/L	97
111) 1,2,3-trimethylbenzene	9.510	105	386958	47.07	ug/L	98
112) 1,2-dichlorobenzene	9.847	146	201276	48.44	ug/L	97
113) n-butylbenzene	9.811	92	212344	53.06	ug/L	98
114) 1,2-dibromo-3-chloropr...	10.617	157	45934	47.14	ug/L	85
115) 1,3,5-trichlorobenzene	10.803	180	148725	55.47	ug/L	94
116) 1,2,4-trichlorobenzene	11.432	180	124421	57.31	ug/L	97
117) hexachlorobutadiene	11.570	225	48043	55.27	ug/L	97
118) naphthalene	11.695	128	393037	53.61	ug/L	98
119) 1,2,3-trichlorobenzene	11.913	180	110393	56.16	ug/L	96
120) hexachloroethane	10.116	119	76942	46.41	ug/L	98
121) benzyl chloride	9.599	91	321899	44.98	ug/L	98
122) 2-methylnaphthalene	12.828	142	75251	28.67	ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\luckyc\06 oct 2022\vl10519\
Data File : l347848.d
Acq On : 4 Oct 2022 6:03 pm
Operator : nicoleh
Sample : jd52507-37msd Inst : GCMSL
Misc : MS62506,VL10519,5,,,,5
ALS Vial : 23 Sample Multiplier: 1


Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 05 23:54:47 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration



SW-846 Method 8260

Data File : C:\msdchem\1\data\V1A9688\1A226121.D Vial: 1
Acq On : 13 Sep 2022 8:54 pm Operator: PrashanS
Sample : BFB Inst : MSDTEST1A
Misc : MS62100, V1A9688,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\methods\M1A9688.M (RTE Integrator)
Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um



Spectrum Information: Average of 7.083 to 7.090 min.

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	18.6	26189	PASS
75	95	30	60	50.3	70837	PASS
95	95	100	100	100.0	140797	PASS
96	95	5	9	6.3	8869	PASS
173	174	0.00	2	0.0	0	PASS
174	95	50	120	85.4	120203	PASS
175	174	5	9	8.8	10540	PASS
176	174	95	101	95.3	114547	PASS
177	176	5	9	6.5	7444	PASS

1A226121.D M1A9688.M Tue Sep 20 17:32:45 2022 1A

Average of 7.083 to 7.090 min.: 1A226121.D\data.ms
BFB

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.20	1275.67	46.30	130	56.10	2496.67	68.10	16096.7
37.10	7481.33	47.00	337.333	57.10	4148.67	69.10	16264
38.15	6448	47.15	749.333	58.25	265.667	70.10	1419.67
39.15	2951	47.70	222.667	60.15	1464.67	72.05	790.333
40.05	1247	48.00	334.667	60.40	332.333	73.10	7223.67
41.20	77.6667	48.20	510.667	61.10	6820	74.10	27453.3
41.90	91	49.10	6035	62.15	7298.33	75.10	70837.3
43.15	159.333	50.10	26189.3	63.15	5230.33	76.10	6062.67
44.15	1834	51.10	8193.33	64.10	493	77.05	572.667
45.15	1326.33	52.10	306.667	64.90	102	77.90	365.333
45.90	70	55.15	600.667	67.20	207.333	79.00	5904.67

Average of 7.083 to 7.090 min.: 1A226121.D\data.ms
BFB

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
80.05	1812.33	92.15	4021.67	107.20	64	118.95	914
81.00	5389.67	93.10	6447	109.85	94	123.90	104
82.00	1098.67	94.10	19114.7	110.80	41.3333	124.10	34.6667
82.90	71.6667	95.10	140797	111.05	146	126.80	38.6667
83.20	69.3333	96.10	8868.67	111.85	118.667	127.90	628.667
83.60	46	97.05	251.667	113.00	265	129.00	312.333
85.40	36.6667	103.20	52	114.20	40.3333	130.00	861.667
86.05	132.333	104.05	535.667	115.00	152	130.90	63.6667
87.10	5895.33	104.90	179	116.05	704	131.05	96.6667
88.05	5939.67	106.00	877.333	116.95	888	131.90	42.3333
91.05	860.667	106.90	83.3333	118.00	644	132.90	36

Average of 7.083 to 7.090 min.: 1A226121.D\data.ms
BFB

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
134.50	34.6667	144.00	62.6667	153.70	80	167.40	37
134.80	120.667	144.70	102.667	154.70	114.667	167.80	67.6667
135.00	210.667	145.10	88.6667	154.95	393.667	168.80	42
136.20	36.6667	145.95	276	156.00	37.3333	170.15	86.6667
136.95	408.667	146.95	223	156.90	340.333	170.40	89
138.20	37.6667	147.85	343.333	159.00	176	171.00	141.333
138.70	101.667	149.00	105.667	160.10	34.3333	171.30	128.667
139.80	231	150.05	257.333	160.85	139.667	171.60	117.667
141.00	1909.67	152.20	49.3333	163.10	42	174.00	120203
141.95	211	152.80	42	165.50	38.3333	175.05	10540
143.00	1920.67	153.15	167.333	166.20	46	176.00	114547


Average of 7.083 to 7.090 min.: 1A226121.D\data.ms
BFB

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
177.00	7444	264.20	36.3333				
177.95	366.667	276.80	36.6667				
179.10	38	282.00	42.6667				
183.60	40	287.10	36				
196.40	48.3333						
202.30	33.3333						
203.50	73.6667						
217.20	36.3333						
236.10	83.3333						
238.30	36						
260.30	36.6667						

SW-846 Method 8260

Data File : C:\msdchem\1\data\re...22\v1a9698\1a226430.d Vial: 2
Acq On : 27 Sep 2022 9:36 am Operator: nickw
Sample : BFB Inst : MSDTEST1A
Misc : MS62471, V1A9698,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\methods\M1A9688.M (RTE Integrator)
Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um



AutoFind: Scans 1744, 1745, 1746; Background Corrected with Scan 1732

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	18.4	40068	PASS
75	95	30	60	51.7	112197	PASS
95	95	100	100	100.0	217195	PASS
96	95	5	9	6.9	14884	PASS
173	174	0.00	2	0.0	0	PASS
174	95	50	120	87.3	189525	PASS
175	174	5	9	8.9	16888	PASS
176	174	95	101	97.8	185365	PASS
177	176	5	9	6.7	12437	PASS

1a226430.d M1A9688.M Tue Sep 27 22:10:56 2022

Average of 7.080 to 7.087 min.: 1a226430.d\data.ms
BFB
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.10	2166	50.10	40068	64.05	541	74.10	41752
37.15	10593	51.05	12446	64.95	105	75.10	112197
38.10	9624	52.15	620	65.20	51	76.10	10353
39.10	3664	56.15	3772	65.90	56	77.05	1186
40.05	361	57.10	6598	68.10	22608	77.50	143
44.10	1713	58.15	224	69.10	22312	78.10	681
45.10	1832	58.80	69	70.10	1592	79.05	8662
46.20	223	60.15	1791	71.00	81	80.00	1581
47.15	1988	61.10	10793	71.25	157	80.20	708
48.05	1376	62.10	10329	72.05	1341	81.05	8157
49.15	8621	63.10	7946	73.10	10179	82.00	1895

Average of 7.080 to 7.087 min.: 1a226430.d\data.ms
BFB
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
82.95	124	94.10	29613	109.80	222	122.10	64
83.10	181	95.10	217195	110.95	233	123.95	228
83.30	43	96.10	14884	111.70	75	124.90	99
83.80	43	97.05	509	112.00	93	125.10	45
86.10	257	103.00	41	112.90	382	125.95	141
87.00	9103	103.20	76	114.95	334	126.30	46
88.05	8710	104.05	1200	115.95	928	126.60	79
89.40	35	104.90	39	117.00	1694	126.90	97
91.05	1057	105.15	253	118.00	1025	127.05	172
92.10	6536	106.00	1351	118.95	1228	127.95	1148
93.10	9979	106.80	73	120.00	57	128.95	422

Average of 7.080 to 7.087 min.: 1a226430.d\data.ms
BFB
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
129.95	839	142.95	2857	152.00	51	160.10	39
131.00	258	144.10	150	152.85	148	160.40	63
133.70	36	144.85	307	153.10	153	160.70	66
134.95	456	145.85	316	153.60	52	161.10	76
135.80	36	146.10	142	153.85	154	164.20	63
136.40	49	146.90	75	155.00	465	166.70	115
137.05	573	147.95	372	155.80	50	168.10	38
138.70	85	148.95	81	157.05	441	168.60	51
140.00	161	149.95	199	158.00	56	169.20	72
140.95	2761	151.10	57	158.20	57	169.55	211
142.00	307	151.70	111	158.90	408	169.80	45


Average of 7.080 to 7.087 min.: 1a226430.d\data.ms
BFB
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
170.10	84	178.15	141	263.40	54		
170.40	193	184.60	58	264.80	40		
170.70	102	188.90	35	279.10	48		
171.10	116	191.40	44	280.10	43		
171.35	218	196.70	34	288.90	38		
172.15	84	199.10	87	294.80	79		
174.00	189525	208.00	34	299.20	33		
175.05	16888	208.15	71				
176.00	185365	227.80	40				
177.00	12437	249.80	70				
177.80	126	262.00	38				

SW-846 Method 8260

Data File : C:\msdchem\1\data\re...22\v1a9705\1a226605.d Vial: 2
Acq On : 30 Sep 2022 10:42 am Operator: nickw
Sample : bfb Inst : MSDTEST1A
Misc : MS62579, V1A9705,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\methods\M1A9688.M (RTE Integrator)
Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um



AutoFind: Scans 1744, 1745, 1746; Background Corrected with Scan 1734

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	19.9	39099	PASS
75	95	30	60	51.4	100955	PASS
95	95	100	100	100.0	196224	PASS
96	95	5	9	6.9	13586	PASS
173	174	0.00	2	0.0	0	PASS
174	95	50	120	88.9	174400	PASS
175	174	5	9	8.8	15429	PASS
176	174	95	101	98.4	171605	PASS
177	176	5	9	6.8	11740	PASS

1a226605.d M1A9688.M Mon Oct 03 07:12:18 2022

Average of 7.080 to 7.087 min.: 1a226605.d\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.10	1766	46.15	189	57.15	6013	69.10	20789
37.15	10780	47.10	2199	58.20	237	70.10	2197
38.20	9400	48.10	760	59.05	87	72.20	434
39.15	3673	48.30	482	60.10	1918	73.10	10072
40.10	371	49.15	8769	61.10	10667	74.10	39125
41.40	50	50.10	39099	62.10	9913	75.10	100955
41.90	90	51.10	11532	63.10	8165	76.10	8364
43.05	155	52.20	607	64.10	705	77.05	1219
44.15	1074	53.00	57	64.30	274	78.15	644
45.05	1891	55.05	529	67.20	526	79.00	8242
45.90	100	56.05	3614	68.10	23664	80.05	2926

Average of 7.080 to 7.087 min.: 1a226605.d\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
81.00	8497	94.10	28000	109.70	63	122.50	43
82.00	1701	95.10	196224	110.00	214	123.20	57
83.05	276	96.10	13586	110.95	203	123.80	58
86.10	167	97.00	579	111.20	83	124.10	36
87.10	8998	103.95	1197	111.85	249	125.20	87
88.10	7927	105.00	251	112.85	311	126.05	104
89.30	71	105.85	717	114.80	218	126.70	78
90.25	119	106.10	288	116.00	1205	127.10	83
91.15	1066	106.80	81	116.95	1466	127.95	904
92.10	6622	107.00	218	117.95	1254	129.05	464
93.10	10531	109.40	55	118.85	1402	130.00	875

Average of 7.080 to 7.087 min.: 1a226605.d\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
131.00	440	139.50	129	147.15	86	158.10	51
132.10	52	139.90	140	148.05	596	159.00	460
132.90	84	141.00	2218	149.10	108	159.50	45
133.75	112	141.80	145	150.00	189	161.05	361
134.20	47	142.10	235	151.95	246	163.00	77
134.80	146	142.95	2629	152.95	170	163.90	34
135.05	340	143.70	123	153.70	73	164.20	39
135.90	41	144.00	45	153.90	75	165.70	49
136.80	137	145.00	253	155.00	574	167.80	56
137.00	331	145.90	257	155.90	61	168.75	150
138.80	35	146.20	48	156.90	306	169.20	36


Average of 7.080 to 7.087 min.: 1a226605.d\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
169.40	79	178.05	291	237.30	73		
170.00	49	185.00	51	241.70	38		
170.30	114	185.90	53	249.00	37		
170.50	74	195.40	34	250.70	54		
170.95	126	196.70	38	253.40	52		
171.40	65	202.20	38	270.50	36		
171.70	267	204.20	34	272.70	54		
174.00	174400	211.20	36	276.80	56		
175.10	15429	215.50	34	278.10	41		
176.00	171605	225.80	35	281.70	46		
177.00	11740	231.10	43	284.40	34		

BFB

Data File : C:\msdchem\1\data\VX8636\1X200546.D Vial: 1
Acq On : 28 Sep 2022 8:11 pm Operator: PrashanS
Sample : BFB Inst : ACC-VOA-M
Misc : MS62283,V1X8636,5,,,,1 Multiplr: 1.00
MS Integration Params: RTEINT.P

Method : C:\MSDCHEM\1\METHODS\M1X8636.M (RTE Integrator)
Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)



AutoFind: Scans 1166, 1167, 1168; Background Corrected with Scan 1159

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	21.5	34122	PASS
75	95	30	60	47.9	76093	PASS
95	95	100	100	100.0	158920	PASS
96	95	5	9	6.7	10654	PASS
173	174	0.00	2	0.0	0	PASS
174	95	50	120	90.4	143600	PASS
175	174	5	9	7.6	10847	PASS
176	174	95	101	96.5	138637	PASS
177	176	5	9	6.7	9314	PASS

1X200546.D M1X8636.M Thu Sep 29 13:49:03 2022 GCMSX

Average of 7.002 to 7.013 min.: 1X200546.D
BFB
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.10	1664	49.10	7258	63.10	5966	77.05	830
37.10	9278	50.10	34122	64.05	555	78.00	574
38.10	8338	51.10	10270	67.05	484	78.95	5442
39.10	3064	52.05	480	68.05	16053	80.00	1635
40.00	181	55.10	459	69.05	16223	80.95	5607
43.00	144	56.05	2721	70.05	1182	81.95	1180
43.20	75	57.05	4771	72.05	766	83.10	138
44.05	1218	58.05	216	73.00	6760	85.80	56
45.05	1677	60.00	1359	74.05	26477	87.00	7228
47.05	2025	61.00	7745	75.10	76093	88.00	6740
48.05	1021	62.10	7973	76.10	6423	90.95	703

Average of 7.002 to 7.013 min.: 1X200546.D
BFB
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
92.00	4446	110.95	178	130.95	212	149.80	132
93.00	6875	112.90	136	134.95	309	152.95	113
94.10	19039	114.95	180	136.90	386	154.95	405
95.05	158920	115.95	657	139.90	171	156.90	368
96.05	10654	117.00	1065	140.95	1596	158.85	215
97.05	353	117.90	634	142.05	244	160.90	217
103.95	820	118.95	938	142.90	1763	171.60	51
104.95	231	123.90	54	145.00	69	172.10	107
105.95	850	127.90	620	145.90	164	174.00	143600
107.00	133	128.95	318	147.95	428	175.00	10847
109.90	64	129.90	627	148.90	54	176.00	138637


Average of 7.002 to 7.013 min.: 1X200546.D
BFB
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
176.95	9314						
178.05	264						

BFB

Data File : C:\msdchem\1\data\da...22\v1x8637\1x200580.d Vial: 3
Acq On : 29 Sep 2022 10:06 am Operator: PrashanS
Sample : bfb Inst : ACC-VOA-MSX
Misc : MS62283,V1X8637,5,,,,1 Multiplr: 1.00
MS Integration Params: RTEINT.P

Method : C:\MSDCHEM\1\METHODS\M1X8636.M (RTE Integrator)
Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)



AutoFind: Scans 1165, 1166, 1167; Background Corrected with Scan 1158

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	20.6	33933	PASS
75	95	30	60	47.1	77451	PASS
95	95	100	100	100.0	164416	PASS
96	95	5	9	6.7	10956	PASS
173	174	0.00	2	0.0	0	PASS
174	95	50	120	93.4	153515	PASS
175	174	5	9	7.8	11945	PASS
176	174	95	101	96.4	147971	PASS
177	176	5	9	6.6	9818	PASS

1x200580.d M1X8636.M Mon Oct 03 06:39:05 2022

Average of 6.997 to 7.008 min.: 1x200580.d\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.10	1610	49.10	7402	64.10	545	78.05	637
37.10	9087	50.10	33933	67.10	477	78.95	5397
38.10	8437	51.10	10404	68.05	16099	80.00	1617
39.05	2959	52.10	447	69.10	16306	80.95	5400
40.00	82	56.10	2874	70.05	1257	81.95	1132
43.10	243	57.10	4856	72.05	829	82.90	67
44.05	1025	58.05	216	73.05	6700	85.90	135
45.10	1656	60.10	1563	74.10	26888	87.00	6961
46.10	80	61.10	7694	75.10	77451	88.00	6717
47.10	2207	62.10	7777	76.10	6659	90.95	670
48.05	1024	63.10	6077	77.05	911	92.05	4622

Average of 6.997 to 7.008 min.: 1x200580.d\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
93.00	6974	112.00	59	134.95	290	149.95	165
94.10	19380	112.90	121	136.95	366	153.00	55
95.10	164416	114.90	152	139.90	56	154.00	53
96.05	10956	115.95	659	140.95	1694	154.95	400
97.05	342	117.00	1116	141.95	236	157.00	313
103.95	773	117.95	657	143.00	1770	158.95	216
105.00	258	119.00	1042	144.00	52	161.00	74
105.95	834	127.95	588	144.90	58	171.90	70
106.95	171	128.95	328	146.00	269	174.00	153515
109.90	56	129.90	705	147.90	393	175.00	11945
110.90	200	130.95	233	149.00	51	176.00	147971


Average of 6.997 to 7.008 min.: 1x200580.d\data.ms
bfb
Modified:subtracted


m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
177.00	9818						
178.05	322						

SW-846 Method 8260

Data File : C:\MSDChem\1\DATA\V2A9511\2A218780.D Vial: 1
Acq On : 31 Jul 2022 4:50 pm Operator: PrashanS
Sample : BFB Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon May 16 17:44:57 2022





AutoFind: Scans 2168, 2169, 2170; Background Corrected with Scan 2160

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	25.4	75120	PASS
75	95	30	60	49.8	147328	PASS
95	95	100	100	100.0	295616	PASS
96	95	5	9	7.0	20757	PASS
173	174	0.00	2	0.0	0	PASS
174	95	50	120	88.0	260096	PASS
175	174	5	9	7.7	19904	PASS
176	174	95	101	95.6	248768	PASS
177	176	5	9	6.6	16468	PASS

2A218780.D M2A9511.M Mon Aug 01 14:24:31 2022 MS2A

Average of 14.719 to 14.730 min.: 2A218780.D
BFB
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.00	3875	48.00	2112	60.00	3001	71.95	1372
37.00	20709	49.00	15497	61.00	15875	73.00	14021
38.00	17835	50.00	75120	62.00	14595	73.95	50264
39.00	6234	51.00	21885	63.00	11254	75.00	147328
40.00	428	52.00	994	63.95	1038	76.00	12494
41.00	82	52.95	153	67.00	565	76.90	1733
43.00	100	54.95	831	68.00	31712	77.95	1194
43.95	2315	56.00	5567	69.00	30944	78.85	9664
45.00	3496	57.00	9970	69.95	2382	79.85	2795
46.00	393	57.95	549	70.60	67	80.90	9974
47.00	5306	58.70	69	70.95	199	81.85	2369

Average of 14.719 to 14.730 min.: 2A218780.D
BFB
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
82.95	205	96.95	537	115.80	1097	130.85	487
85.75	244	102.70	89	116.90	2216	134.50	145
86.00	142	103.85	1497	117.85	1469	134.85	599
86.90	12047	104.90	524	118.85	1740	136.85	784
87.90	12078	105.85	1405	121.90	72	139.00	80
90.90	1397	106.85	308	122.80	83	140.00	71
91.95	8505	109.75	174	123.85	229	140.80	3663
92.95	12474	110.85	382	125.85	187	141.90	459
94.00	34496	111.90	107	127.75	1210	142.85	3647
95.00	295616	112.85	288	128.80	624	143.90	172
96.00	20757	114.85	319	129.85	1094	144.80	135


Average of 14.719 to 14.730 min.: 2A218780.D
BFB
Modified:subtracted


m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
145.80	305	160.80	175	174.90	19904		
146.00	165	161.00	129	175.90	248768		
146.80	243	167.70	83	176.90	16468		
147.80	726	167.90	88	177.85	254		
148.90	183	168.20	72	206.90	336		
149.80	317	169.95	250	209.20	70		
152.85	209	170.65	216				
153.85	254	171.00	148				
154.85	727	171.30	96				
156.80	635	171.50	216				
158.85	490	173.90	260096				

SW-846 Method 8260

Data File : C:\msdchem\1\data\kr...22\v2a9581\2a220390.d Vial: 2
Acq On : 29 Sep 2022 9:13 am Operator: nicoleh
Sample : bfb Inst : GCMS2A
Misc : MS62546,V2A9581,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022





AutoFind: Scans 2161, 2162, 2163; Background Corrected with Scan 2153

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	21.8	69155	PASS
75	95	30	60	47.7	151467	PASS
95	95	100	100	100.0	317269	PASS
96	95	5	9	6.5	20589	PASS
173	174	0.00	2	0.3	687	PASS
174	95	50	120	84.2	267157	PASS
175	174	5	9	7.2	19184	PASS
176	174	95	101	97.1	259349	PASS
177	176	5	9	6.5	16789	PASS

2a220390.d M2A9511.M Sun Oct 02 22:30:17 2022

Average of 14.717 to 14.727 min.: 2a220390.d\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.00	3153	49.00	14619	62.00	13933	76.00	12892
37.00	17240	50.00	69155	63.00	10010	76.95	1892
38.00	15095	51.00	20149	64.05	963	78.00	1151
39.05	5557	51.95	1034	66.95	673	78.90	7994
39.90	41	54.80	205	68.00	30760	79.90	2178
42.95	300	54.95	689	69.00	30573	80.90	7922
44.00	2174	55.95	4383	70.00	2247	81.90	2125
45.00	3035	57.00	8676	72.00	1475	85.95	367
45.95	197	58.00	362	73.00	12432	87.00	12806
47.00	4942	59.95	2865	74.00	48363	88.00	12256
48.00	2031	61.00	15389	75.00	151467	88.70	182

Average of 14.717 to 14.727 min.: 2a220390.d\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
90.85	934	106.85	357	125.80	147	141.90	314
92.00	7966	109.80	109	127.85	1144	142.95	2933
93.00	11958	110.80	265	128.85	519	143.95	165
94.00	34221	111.90	165	129.85	1120	144.85	315
95.00	317269	112.90	148	130.70	103	145.90	573
96.00	20589	114.85	279	130.90	380	147.85	697
96.90	162	115.90	951	134.90	405	148.75	201
97.05	474	116.95	1862	136.70	192	149.90	204
103.90	1118	117.85	950	136.85	434	152.70	97
104.95	565	118.95	1683	140.00	115	152.95	187
105.85	1220	123.80	71	140.95	2875	153.95	197


Average of 14.717 to 14.727 min.: 2a220390.d\data.ms
bfb
Modified:subtracted


m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
154.95	726	177.85	552				
156.85	652	206.80	95				
158.85	372						
160.95	431						
171.75	202						
172.10	85						
173.00	687						
173.90	267157						
174.95	19184						
175.90	259349						
176.95	16789						

SW-846 Method 8260

Data File : C:\msdchem\1\data\lo...-5\v2a9583\2a220438.d Vial: 2
Acq On : 30 Sep 2022 9:16 am Operator: nicoleh
Sample : bfb Inst : GCMS2A
Misc : MS62539,V2A9583,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022





AutoFind: Scans 2161, 2162, 2163; Background Corrected with Scan 2153

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	21.7	80456	PASS
75	95	30	60	48.5	180032	PASS
95	95	100	100	100.0	371435	PASS
96	95	5	9	6.7	25032	PASS
173	174	0.00	2	0.6	1906	PASS
174	95	50	120	85.0	315563	PASS
175	174	5	9	7.7	24317	PASS
176	174	95	101	98.5	310720	PASS
177	176	5	9	6.6	20520	PASS

2a220438.d M2A9511.M Tue Oct 04 20:02:07 2022

Average of 14.717 to 14.728 min.: 2a220438.d\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.00	3387	49.00	16743	63.00	12147	76.00	15245
37.00	20331	50.00	80456	63.95	1389	77.00	1923
38.05	17029	51.00	23797	65.00	70	77.80	260
39.05	6727	52.05	1083	66.95	1086	78.05	1079
39.90	209	55.00	854	68.00	36656	78.90	9338
42.95	211	56.00	5889	69.00	36285	79.90	2773
43.95	2175	57.00	10249	70.05	2458	80.90	9674
45.05	3704	58.05	577	71.95	1685	81.90	2058
45.95	186	60.00	3954	73.00	14501	83.00	129
47.00	6190	61.00	16676	74.00	57555	85.90	357
47.95	2136	62.00	16213	75.00	180032	87.00	14917

Average of 14.717 to 14.728 min.: 2a220438.d\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
87.95	14829	104.90	467	117.90	1493	140.90	3631
90.95	1166	105.85	1460	118.95	2032	141.85	474
92.00	9600	106.70	73	123.80	167	142.90	3601
93.00	14139	106.95	191	125.70	74	143.85	164
94.00	39019	109.80	335	127.95	1277	144.90	355
95.00	371435	110.95	205	128.95	523	145.85	477
96.00	25032	111.70	78	129.90	1423	146.80	110
96.95	856	112.85	309	130.95	474	147.95	840
102.70	147	114.85	508	134.85	588	148.90	262
102.90	87	115.90	1324	136.90	673	149.80	254
103.90	1345	116.95	2138	139.85	324	151.80	83


Average of 14.717 to 14.728 min.: 2a220438.d\data.ms
bfb
Modified:subtracted


m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
152.85	263	174.95	24317				
153.90	172	175.90	310720				
154.95	747	176.95	20520				
156.90	566	177.85	558				
158.10	70						
158.85	466						
160.95	543						
171.80	107						
172.00	127						
173.00	1906						
173.90	315563						

SW-846 Method 8260

Data File : C:\msdchem\1\DATA\V2V3747\2V92136.D Vial: 1
Acq On : 11 Sep 2022 2:53 pm Operator: PrashanS
Sample : BFB Inst : MS2V
Misc : MS61977,V2V3747,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\MSDCHEM\1\METHODS\M2V3747.M (RTE Integrator)
Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)





AutoFind: Scans 1248, 1249, 1250; Background Corrected with Scan 1241

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	20.1	27517	PASS
75	95	30	60	51.9	71051	PASS
95	95	100	100	100.0	136912	PASS
96	95	5	9	6.7	9133	PASS
173	174	0.00	2	1.0	1406	PASS
174	95	50	120	100.3	137259	PASS
175	174	5	9	7.8	10650	PASS
176	174	95	101	99.8	136979	PASS
177	176	5	9	6.7	9176	PASS

2V92136.D M2V3747.M Mon Sep 12 10:43:27 2022 RPT1

Average of 6.631 to 6.642 min.: 2V92136.D\data.ms
BFB
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.05	1201	50.05	27517	64.00	616	77.95	557
37.05	7612	51.00	8523	66.95	446	78.90	8915
38.05	7079	52.05	421	68.00	15584	79.90	2210
39.10	2843	55.05	503	69.00	15708	80.90	8847
40.00	54	56.00	3099	70.00	1424	81.90	1841
44.00	1359	57.00	5080	72.00	782	87.00	6218
45.05	1508	58.05	265	73.00	6966	88.00	6278
46.05	159	60.00	1210	74.00	26448	90.95	867
47.05	1394	61.00	7371	75.00	71051	92.00	4292
48.00	825	62.00	7225	76.05	5927	93.00	6693
49.05	5830	63.05	5811	77.00	807	94.00	18735


Average of 6.631 to 6.642 min.: 2V92136.D\data.ms
BFB
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
95.00	136912	116.90	1275	142.90	1956	173.90	137259
96.00	9133	117.90	755	145.90	208	174.95	10650
97.00	343	118.95	1116	147.90	413	175.90	136979
103.90	893	127.90	695	149.90	76	176.95	9176
104.90	100	128.85	325	152.90	78	177.90	186
105.90	942	129.90	625	154.85	463		
106.95	190	130.85	186	156.90	222		
110.90	159	134.80	436	159.00	92		
112.90	198	136.95	317	160.90	210		
114.90	160	140.95	1803	172.10	109		
115.90	680	141.90	86	172.95	1406		

SW-846 Method 8260

Data File : C:\msdchem\1\data\KI...-22\v2v3773\2v92880.d Vial: 30
Acq On : 27 Sep 2022 9:00 pm Operator: KYLEM
Sample : cc3747-50 Inst : MS2V
Misc : MS62460,V2V3773,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\msdchem\1\methods\m2v3747.m (RTE Integrator)
Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)



AutoFind: Scans 1248, 1249, 1250; Background Corrected with Scan 1241

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	22.1	23805	PASS
75	95	30	60	54.6	58853	PASS
95	95	100	100	100.0	107864	PASS
96	95	5	9	6.8	7368	PASS
173	174	0.00	2	1.3	1322	PASS
174	95	50	120	97.6	105272	PASS
175	174	5	9	7.9	8354	PASS
176	174	95	101	100.7	105992	PASS
177	176	5	9	6.6	7017	PASS

2v92880.d m2v3747.m Wed Sep 28 11:38:09 2022

Average of 6.631 to 6.641 min.: 2v92880.d\data.ms
cc3747-50
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.00	935	50.00	23805	67.10	257	78.90	8131
37.05	6802	51.05	7466	68.00	12920	79.95	2047
38.10	6990	51.95	217	69.00	13673	80.90	8317
39.10	2717	56.05	2846	70.05	1251	81.90	2017
39.90	82	57.00	4455	72.00	708	82.90	78
43.05	165	58.10	117	73.05	5485	87.00	5283
44.00	1274	59.95	1227	74.00	22421	87.95	4869
45.05	1364	61.00	6301	75.00	58853	90.90	700
47.05	1347	62.00	6337	76.00	4960	92.00	3691
48.00	800	63.00	5075	76.95	631	93.00	5514
49.05	5043	64.00	428	78.10	422	94.00	15506


Average of 6.631 to 6.641 min.: 2v92880.d\data.ms
cc3747-50
Modified:subtracted


m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
95.00	107864	117.95	611	147.95	242		
96.00	7368	118.85	744	154.85	230		
97.00	191	127.95	504	156.90	168		
103.90	790	128.90	188	158.80	119		
104.85	190	129.85	565	160.90	89		
105.95	767	134.85	233	173.00	1322		
109.90	79	136.80	220	173.90	105272		
110.90	101	140.85	1462	174.95	8354		
112.90	83	142.90	1657	175.90	105992		
115.85	503	145.95	185	176.90	7017		
116.95	984	147.80	79	177.95	188		

SW-846 Method 8260

Data File : C:\msdchem\1\data\lo...0-3\v2v3777\2v93000.d Vial: 32
Acq On : 29 Sep 2022 9:38 pm Operator: KYLEM
Sample : bfb Inst : MS2V
Misc : MS62471,V2V3777,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\MSDCHEM\1\METHODS\M2V3747.M (RTE Integrator)
Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)





AutoFind: Scans 1248, 1249, 1250; Background Corrected with Scan 1241

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	22.8	24531	PASS
75	95	30	60	54.4	58573	PASS
95	95	100	100	100.0	107768	PASS
96	95	5	9	6.8	7341	PASS
173	174	0.00	2	0.9	1002	PASS
174	95	50	120	100.0	107731	PASS
175	174	5	9	7.9	8516	PASS
176	174	95	101	99.4	107051	PASS
177	176	5	9	6.5	6955	PASS

2v93000.d M2V3747.M Mon Oct 03 00:12:41 2022

Average of 6.631 to 6.641 min.: 2v93000.d\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.05	1343	51.00	7129	68.00	13269	79.95	2161
37.05	6973	52.05	385	69.00	13597	80.90	7994
38.05	7017	56.05	2810	70.00	1174	81.90	1853
39.05	2065	57.00	4455	72.00	602	83.00	90
39.95	340	58.00	194	73.00	6094	86.00	82
44.05	1547	60.00	1072	74.00	22851	87.00	5376
45.05	1374	61.00	6418	75.00	58573	88.00	5181
47.05	1274	61.95	6348	76.00	4900	90.95	714
47.95	888	63.05	5249	76.95	606	92.00	3653
49.00	5052	64.05	516	78.05	458	93.00	5864
50.05	24531	67.10	383	78.90	7960	94.00	14914


Average of 6.631 to 6.641 min.: 2v93000.d\data.ms
bfb
Modified:subtracted


m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
95.00	107768	118.95	863	154.95	274		
96.05	7341	127.90	544	157.00	92		
96.95	191	128.85	183	172.15	169		
103.95	936	129.85	464	172.90	302		
104.85	221	130.80	187	173.10	1002		
105.95	829	134.90	255	173.95	107731		
111.00	102	136.85	350	174.95	8516		
112.90	87	140.95	1487	175.90	107051		
115.85	585	142.10	83	176.95	6955		
116.90	1057	142.90	1685	177.90	85		
117.95	595	147.95	245				

SW-846 Method 8260

Data File : C:\msdchem\1\DATA\V2V3782\2V93125.D Vial: 4
Acq On : 3 Oct 2022 11:49 am Operator: taylors
Sample : bfb Inst : MS2V
Misc : MS62619,V2V3782,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\MSDCHEM\1\METHODS\M2V3747.M (RTE Integrator)
Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)





AutoFind: Scans 1248, 1249, 1250; Background Corrected with Scan 1241

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	22.2	25920	PASS
75	95	30	60	54.3	63240	PASS
95	95	100	100	100.0	116496	PASS
96	95	5	9	6.9	7982	PASS
173	174	0.00	2	1.3	1457	PASS
174	95	50	120	96.0	111837	PASS
175	174	5	9	8.1	9089	PASS
176	174	95	101	99.0	110755	PASS
177	176	5	9	6.9	7611	PASS

2V93125.D M2V3747.M Mon Oct 03 16:12:12 2022 RPT1

Average of 6.631 to 6.641 min.: 2V93125.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.00	1305	50.05	25920	64.00	488	76.95	745
37.05	7661	51.10	8487	67.00	244	78.00	585
38.05	7288	52.00	353	67.20	153	78.90	8275
39.05	2688	55.05	133	68.00	14780	79.95	2275
43.10	89	56.00	2826	69.00	14630	80.90	8555
44.05	1359	57.05	4732	70.05	1278	81.90	1960
45.00	1512	58.00	107	72.00	661	83.05	204
46.00	103	60.00	1245	73.00	6624	86.10	77
47.05	1247	61.00	6753	74.00	24352	87.00	5832
48.00	856	62.05	7248	75.05	63240	88.00	5789
49.05	5889	63.00	5548	76.00	5455	90.90	801


Average of 6.631 to 6.641 min.: 2V93125.D\data.ms
bfb
Modified:subtracted


m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
92.00	4054	115.00	86	140.95	1763	173.95	111837
93.00	6093	115.90	554	142.00	111	175.00	9089
94.00	16648	116.90	1109	142.90	1607	175.95	110755
95.00	116496	117.95	634	144.90	82	176.95	7611
96.05	7982	118.90	934	145.95	257	177.90	177
96.90	99	127.95	557	147.90	192		
97.10	127	128.90	328	154.85	334		
103.90	861	129.90	562	156.90	168		
104.90	220	130.85	294	158.90	181		
105.90	855	134.85	244	171.90	202		
112.85	186	136.95	320	173.05	1457		

SW-846 Method 8260

Data File : C:\msdchem\1\DATA\VL10355\L342967.D Vial: 1
Acq On : 15 Jun 2022 4:00 pm Operator: BridgetK
Sample : bfb Inst : GCMSL
Misc : MS59602,VL10355,5,,,,1 Multiplr: 1.00
MS Integration Params: lscint.p

Method : C:\MSDCHEM\1\METHODS\ML10355.M (RTE Integrator)
Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um





AutoFind: Scans 2139, 2140, 2141; Background Corrected with Scan 2126

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	15.4	15125	PASS
75	95	30	60	49.4	48661	PASS
95	95	100	100	100.0	98445	PASS
96	95	5	9	6.7	6625	PASS
173	174	0.00	2	0.0	0	PASS
174	95	50	120	67.7	66648	PASS
175	174	5	9	7.7	5157	PASS
176	174	95	101	96.2	64099	PASS
177	176	5	9	6.0	3835	PASS

L342967.D ML10355.M Thu Jun 16 15:29:52 2022 1

Average of 8.351 to 8.358 min.: L342967.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.05	681	49.00	3250	63.90	134	75.00	48661
37.10	3842	50.05	15125	64.05	194	76.00	4379
38.05	2959	51.10	4796	66.80	105	76.95	656
39.05	1410	52.10	204	67.10	123	77.70	75
39.95	141	55.05	425	68.00	9051	78.05	290
42.00	89	56.00	1315	69.05	9131	78.95	3052
43.00	221	57.00	2728	70.00	827	79.95	802
44.00	539	60.00	741	71.10	97	80.95	2857
45.05	771	61.00	4236	72.00	408	81.90	683
47.05	720	62.05	4544	73.05	4508	83.00	262
48.00	555	63.00	3193	74.00	17262	87.00	3854


Average of 8.351 to 8.358 min.: L342967.D\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
87.95	3421	105.10	72	130.00	120	172.30	128
90.80	148	105.90	593	134.80	88	173.90	66648
91.10	140	111.10	71	136.90	103	174.95	5157
92.00	2698	112.80	95	140.90	887	175.90	64099
93.00	3888	115.95	320	142.00	85	176.95	3835
94.00	11458	116.90	681	142.85	1175		
95.00	98445	117.80	367	147.90	149		
96.00	6625	118.95	520	154.90	149		
97.00	75	127.95	214	157.00	151		
103.95	450	129.00	123	160.80	72		
104.80	67	129.80	88	170.50	143		

SW-846 Method 8260

Data File : C:\msdchem\1\DATA\VL10355\L342984.D Vial: 18
Acq On : 16 Jun 2022 9:43 am Operator: BridgetK
Sample : bfb2 Inst : GCMSL
Misc : MS59602,VL10355,5,,,,1 Multiplr: 1.00
MS Integration Params: lscint.p

Method : C:\MSDCHEM\1\METHODS\ML10355.M (RTE Integrator)
Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um



AutoFind: Scans 2138, 2139, 2140; Background Corrected with Scan 2124

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	15.8	14743	PASS
75	95	30	60	50.6	47061	PASS
95	95	100	100	100.0	93093	PASS
96	95	5	9	6.9	6458	PASS
173	174	0.00	2	0.3	176	PASS
174	95	50	120	68.9	64179	PASS
175	174	5	9	7.4	4737	PASS
176	174	95	101	97.9	62803	PASS
177	176	5	9	6.6	4165	PASS

L342984.D ML10355.M Thu Jun 16 15:31:19 2022 1

Average of 8.348 to 8.354 min.: L342984.D\data.ms
bfb2
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
35.95	826	48.10	471	62.00	4093	74.05	15753
37.05	3606	49.05	3350	63.05	3093	75.00	47061
38.10	3755	50.00	14743	63.85	157	76.00	4182
39.05	1470	51.05	4490	64.10	175	76.95	672
40.00	1	51.90	192	66.95	9	77.30	186
41.05	163	54.80	83	68.05	9890	77.90	113
43.00	117	55.05	261	69.00	8997	78.05	212
44.00	201	56.05	1433	70.00	804	78.95	2685
45.00	772	57.05	1808	71.20	80	79.90	977
47.05	886	60.05	754	71.95	616	80.90	2942
47.60	169	61.00	4357	72.95	3914	81.85	647


Average of 8.348 to 8.354 min.: L342984.D\data.ms
bfb2
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
82.90	162	105.00	97	128.90	68	172.90	176
87.00	3873	105.95	413	129.80	130	173.90	64179
87.90	3598	112.70	69	130.80	92	174.95	4737
90.95	475	114.95	214	134.90	82	175.90	62803
92.00	2503	115.80	162	136.90	220	176.90	4165
92.95	4004	115.95	337	140.90	998	177.70	71
94.00	10851	116.90	786	142.90	844	206.90	80
95.00	93093	117.70	79	147.85	272		
96.00	6458	118.00	312	154.85	240		
97.00	247	118.90	496	156.90	73		
103.95	352	127.95	320	160.90	188		

SW-846 Method 8260

Data File : C:\msdchem\1\data\lo...9-due today\l347829.d Vial: 4
Acq On : 4 Oct 2022 10:21 am Operator: nicoleh
Sample : bfb Inst : GCMSL
Misc : MS62669,VL10519,5,,,,1 Multiplr: 1.00
MS Integration Params: lscint.p

Method : C:\MSDCHEM\1\METHODS\ML10355.M (RTE Integrator)
Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um



AutoFind: Scans 2138, 2139, 2140; Background Corrected with Scan 2122

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	15.4	14688	PASS
75	95	30	60	45.8	43632	PASS
95	95	100	100	100.0	95365	PASS
96	95	5	9	7.0	6660	PASS
173	174	0.00	2	0.0	0	PASS
174	95	50	120	72.1	68787	PASS
175	174	5	9	7.7	5286	PASS
176	174	95	101	98.0	67405	PASS
177	176	5	9	6.7	4530	PASS

l347829.d ML10355.M Wed Oct 05 01:26:51 2022

Average of 8.348 to 8.354 min.: l347829.d\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
36.05	920	50.05	14688	66.95	323	78.10	429
37.05	2981	51.10	4301	68.05	8486	78.95	1680
38.05	3095	52.20	80	69.05	8815	79.90	672
39.10	1371	56.05	1078	70.15	476	80.95	1583
40.00	190	57.05	2371	72.00	425	81.90	98
44.00	413	58.10	213	73.05	3946	82.05	270
45.00	513	60.10	626	74.10	13795	87.05	3999
45.20	314	61.10	3307	75.10	43632	88.05	3779
47.00	1161	61.95	3143	76.05	3400	91.00	368
48.00	419	63.05	2931	77.00	519	92.05	2487
49.05	3004	64.20	173	77.80	121	93.05	3488

Average of 8.348 to 8.354 min.: l347829.d\data.ms
bfb
Modified:subtracted

m/z	abund.	m/z	abund.	m/z	abund.	m/z	abund.
94.05	9912	127.95	200	157.10	129		
95.10	95365	128.95	142	158.90	81		
96.10	6660	129.90	241	174.00	68787		
97.10	96	134.80	83	174.95	5286		
103.85	213	136.90	105	176.00	67405		
105.00	103	140.85	717	176.95	4530		
105.85	323	142.95	987				
115.85	224	147.80	132				
116.90	355	150.00	70				
117.80	118	155.00	193				
118.95	359	156.90	109				

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226122.D
Acq On : 13 Sep 2022 9:28 pm
Operator : PrashanS
Sample : IC9688-0.2
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 20 17:34:03 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert Butyl Alcohol-d9	2.915	65	224503	500.00	ug/L	0.00
5) pentafluorobenzene	3.935	168	423002	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.401	114	614318	50.00	ug/L	0.00
72) chlorobenzene-d5	6.291	117	497969	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.844	152	207384	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.948	113	188485	49.53	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.06%			
52) 1,2-dichloroethane-d4 (s)	4.160	65	213986	51.33	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 102.66%			
73) toluene-d8 (s)	5.315	98	696966	53.88	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 107.76%			
97) 4-bromofluorobenzene (s)	7.087	95	215907	50.38	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.76%			
Target Compounds						Qvalue
7) dichlorodifluoromethane	1.631	85	1176	0.22	ug/L	86
13) trichlorofluoromethane	2.347	101	1219	0.19	ug/L	64
16) freon 113	2.649	151	646	0.26	ug/L #	76
25) methyl tert butyl ether	3.085	73	2077	0.20	ug/L	76
27) hexane	3.258	57	833	0.20	ug/L	84
28) di-isopropyl ether	3.339	45	2079	0.21	ug/L #	58
29) ethyl tert-butyl ether	3.557	59	1876	0.19	ug/L	85
30) 2-butanone	3.660	72	535	0.89	ug/L #	52
31) 1,1-dichloroethane	3.358	63	1404	0.25	ug/L	90
32) chloroprene	3.403	53	873	0.20	ug/L	83
37) cis-1,2-dichloroethene	3.679	96	667	0.18	ug/L	97
45) 1,1,1-trichloroethane	3.977	97	977	0.18	ug/L #	6
46) cyclohexane	4.025	84	1009	0.20	ug/L #	65
47) 1,1-dichloropropene	4.067	75	1030	0.23	ug/L	87
48) carbon tetrachloride	4.070	117	916	0.20	ug/L	84
53) tert-amyl methyl ether	4.221	73	2050	0.20	ug/L	80
54) 2,2,4-trimethylpentane	4.228	57	1648	0.21	ug/L	93
56) benzene	4.183	78	2614	0.21	ug/L	94
59) trichloroethene	4.564	95	615	0.18	ug/L #	59
65) methylcyclohexane	4.718	83	1075	0.21	ug/L #	60
67) bromodichloromethane	4.863	83	1072	0.23	ug/L	81
68) cis-1,3-dichloropropene	5.139	75	1150	0.21	ug/L	62
75) trans-1,3-dichloropropene	5.492	75	859	0.19	ug/L #	61
76) ethyl methacrylate	5.505	69	908	0.19	ug/L	72
77) 1,1,2-trichloroethane	5.627	83	524	0.21	ug/L	81
79) tetrachloroethene	5.707	166	525	0.17	ug/L	90
80) 1,3-dichloropropane	5.752	76	998	0.21	ug/L #	43
82) dibromochloromethane	5.899	129	854	0.26	ug/L	82
83) 1,2-dibromoethane	6.002	107	563	0.18	ug/L	80
84) n-butyl ether	6.345	57	1775	0.16	ug/L	97
87) ethylbenzene	6.368	91	3191	0.24	ug/L	79
88) m,p-xylene	6.464	106	1920	0.37	ug/L	89
89) o-xylene	6.737	106	964	0.18	ug/L #	50
92) styrene	6.753	104	1484	0.16	ug/L	93
94) isopropylbenzene	6.958	105	2576	0.19	ug/L	90
98) bromobenzene	7.199	156	568	0.17	ug/L #	30
99) 1,1,2,2-tetrachloroethane	7.160	83	901	0.21	ug/L	91
102) n-propylbenzene	7.241	91	2912	0.20	ug/L	87
105) 1,3,5-trimethylbenzene	7.356	105	1907	0.19	ug/L	87
106) tert-butylbenzene	7.568	119	1577	0.18	ug/L	98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226122.D
Acq On : 13 Sep 2022 9:28 pm
Operator : PrashanS
Sample : IC9688-0.2
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 20 17:34:03 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
107) 1,2,4-trimethylbenzene	7.603	105	1813	0.18	ug/L	84
108) sec-butylbenzene	7.706	105	2295	0.19	ug/L	87
109) 1,3-dichlorobenzene	7.802	146	1105	0.19	ug/L	79
110) p-isopropyltoluene	7.799	119	1751	0.17	ug/L	92
111) 1,2,3-trimethylbenzene	7.873	105	1820	0.18	ug/L	88
113) 1,2-dichlorobenzene	8.117	146	936	0.17	ug/L	94
121) hexachloroethane	8.271	119	320	0.19	ug/L #	30

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226122.D
Acq On : 13 Sep 2022 9:28 pm
Operator : PrashanS
Sample : IC9688-0.2
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 20 17:34:03 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226123.D
Acq On : 13 Sep 2022 9:52 pm
Operator : PrashanS
Sample : IC9688-0.5
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 20 17:35:29 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert Butyl Alcohol-d9	2.921	65	216369	500.00	ug/L		0.00
5) pentafluorobenzene	3.935	168	413709	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.401	114	593743	50.00	ug/L		0.00
72) chlorobenzene-d5	6.294	117	498596	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	7.844	152	199162	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	3.948	113	182212	48.95	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.90%				
52) 1,2-dichloroethane-d4 (s)	4.157	65	212768	52.81	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 105.62%				
73) toluene-d8 (s)	5.315	98	689994	53.28	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 106.56%				
97) 4-bromofluorobenzene (s)	7.087	95	202384	49.17	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.34%				
Target Compounds							Qvalue
7) dichlorodifluoromethane	1.635	85	2630	0.51	ug/L		93
8) chloromethane	1.779	50	1941	0.54	ug/L		94
9) vinyl chloride	1.866	62	2560	0.49	ug/L		90
13) trichlorofluoromethane	2.337	101	2942	0.47	ug/L		95
16) freon 113	2.658	151	1231	0.50	ug/L	#	74
17) 1,1-dichloroethene	2.661	96	1715	0.60	ug/L	#	75
25) methyl tert butyl ether	3.088	73	5631	0.56	ug/L		90
26) trans-1,2-dichloroethene	3.098	96	1626	0.53	ug/L	#	71
27) hexane	3.258	57	2159	0.53	ug/L	#	55
28) di-isopropyl ether	3.351	45	4877	0.51	ug/L		94
29) ethyl tert-butyl ether	3.554	59	5544	0.56	ug/L		83
30) 2-butanone	3.653	72	1187	2.01	ug/L	#	43
31) 1,1-dichloroethane	3.361	63	2672	0.48	ug/L		85
32) chloroprene	3.400	53	2658	0.62	ug/L		90
33) acrylonitrile	3.069	53	827	0.52	ug/L		91
37) cis-1,2-dichloroethene	3.682	96	1741	0.49	ug/L	#	53
38) propionitrile	3.695	54	3276	5.30	ug/L		82
39) methyl acrylate	3.704	85	469	0.59	ug/L	#	1
44) methacrylonitrile	3.788	67	1072	0.57	ug/L		91
45) 1,1,1-trichloroethane	3.984	97	2875	0.55	ug/L		90
46) cyclohexane	4.032	84	2645	0.54	ug/L		83
47) 1,1-dichloropropene	4.067	75	2626	0.60	ug/L		88
48) carbon tetrachloride	4.070	117	2363	0.52	ug/L		87
53) tert-amyl methyl ether	4.231	73	5102	0.52	ug/L		90
54) 2,2,4-trimethylpentane	4.231	57	4180	0.54	ug/L		89
56) benzene	4.186	78	6949	0.58	ug/L		87
57) heptane	4.324	57	792	0.52	ug/L	#	52
59) trichloroethene	4.561	95	1840	0.57	ug/L	#	67
60) ethyl acrylate	4.564	55	2534	0.48	ug/L		87
62) 2-chloroethyl vinyl ether	5.010	63	2012	2.98	ug/L		84
64) 1,2-dichloropropane	4.722	63	1643	0.53	ug/L		84
65) methylcyclohexane	4.715	83	2315	0.46	ug/L		98
66) dibromomethane	4.779	93	1374	0.64	ug/L		80
67) bromodichloromethane	4.869	83	2555	0.57	ug/L		77
68) cis-1,3-dichloropropene	5.139	75	2655	0.51	ug/L		65
69) epichlorohydrin	5.059	57	668	2.94	ug/L	#	62
70) 4-methyl-2-pentanone	5.206	58	3403	1.97	ug/L	#	80
74) toluene	5.360	92	3751	0.52	ug/L		83
75) trans-1,3-dichloropropene	5.495	75	1848	0.41	ug/L		83
76) ethyl methacrylate	5.508	69	1912	0.41	ug/L	#	69

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226123.D
Acq On : 13 Sep 2022 9:52 pm
Operator : PrashanS
Sample : IC9688-0.5
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 20 17:35:29 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
77) 1,1,2-trichloroethane	5.630	83	1358	0.55	ug/L		86
78) 2-hexanone	5.755	58	3055	1.90	ug/L		97
79) tetrachloroethene	5.707	166	1797	0.60	ug/L		92
80) 1,3-dichloropropane	5.742	76	2519	0.52	ug/L		93
81) butyl acetate	5.813	56	884	0.38	ug/L	#	56
82) dibromochloromethane	5.890	129	1899	0.57	ug/L	#	66
83) 1,2-dibromoethane	5.986	107	2020	0.63	ug/L	#	60
84) n-butyl ether	6.336	57	5603	0.50	ug/L		95
85) chlorobenzene	6.310	112	5055	0.63	ug/L		91
86) 1,1,1,2-tetrachloroethane	6.361	131	1426	0.50	ug/L		83
87) ethylbenzene	6.365	91	7355	0.55	ug/L		95
88) m,p-xylene	6.451	106	5703	1.10	ug/L	#	62
89) o-xylene	6.730	106	2574	0.49	ug/L	#	68
92) styrene	6.743	104	3785	0.41	ug/L		92
93) bromoform	6.872	173	1214	0.49	ug/L		91
94) isopropylbenzene	6.961	105	6889	0.52	ug/L		96
98) bromobenzene	7.196	156	1741	0.54	ug/L	#	71
99) 1,1,2,2-tetrachloroethane	7.164	83	2289	0.56	ug/L	#	60
102) n-propylbenzene	7.244	91	7376	0.53	ug/L		99
103) 2-chlorotoluene	7.314	126	1455	0.50	ug/L		86
105) 1,3,5-trimethylbenzene	7.356	105	4909	0.52	ug/L		85
106) tert-butylbenzene	7.561	119	4470	0.54	ug/L		82
107) 1,2,4-trimethylbenzene	7.606	105	5087	0.51	ug/L		85
108) sec-butylbenzene	7.706	105	6103	0.51	ug/L		94
109) 1,3-dichlorobenzene	7.802	146	2574	0.47	ug/L		89
110) p-isopropyltoluene	7.796	119	4686	0.46	ug/L		93
111) 1,2,3-trimethylbenzene	7.870	105	5619	0.57	ug/L		82
112) 1,4-dichlorobenzene	7.853	146	2935	0.53	ug/L		82
113) 1,2-dichlorobenzene	8.101	146	2905	0.55	ug/L		79
117) 1,2,4-trichlorobenzene	9.095	180	1020	0.37	ug/L		87
118) hexachlorobutadiene	9.134	225	436	0.49	ug/L		92
119) naphthalene	9.278	128	3974	0.41	ug/L		95
120) 1,2,3-trichlorobenzene	9.384	180	869	0.38	ug/L	#	69
121) hexachloroethane	8.258	119	728	0.46	ug/L	#	39

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226123.D
Acq On : 13 Sep 2022 9:52 pm
Operator : PrashanS
Sample : IC9688-0.5
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 20 17:35:29 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226124.D
Acq On : 13 Sep 2022 10:16 pm
Operator : PrashanS
Sample : IC9688-1
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Sep 20 17:36:49 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert Butyl Alcohol-d9	2.918	65	210289	500.00	ug/L		0.00
5) pentafluorobenzene	3.932	168	400927	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.401	114	575940	50.00	ug/L		0.00
72) chlorobenzene-d5	6.291	117	493128	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	7.844	152	198236	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	3.948	113	179667	49.81	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.62%				
52) 1,2-dichloroethane-d4 (s)	4.160	65	207126	53.00	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 106.00%				
73) toluene-d8 (s)	5.315	98	677049	52.86	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 105.72%				
97) 4-bromofluorobenzene (s)	7.087	95	206225	50.34	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.68%				
Target Compounds							Qvalue
3) ethanol	2.421	45	3360	129.97	ug/L		95
4) tertiary butyl alcohol	2.970	59	2758	5.76	ug/L		82
6) chlorodifluoromethane	1.644	51	3816	1.11	ug/L		90
7) dichlorodifluoromethane	1.632	85	5332	1.06	ug/L		84
8) chloromethane	1.773	50	3902	1.11	ug/L		79
9) vinyl chloride	1.866	62	4792	0.95	ug/L		82
10) 1,3-butadiene	1.895	54	4575	1.10	ug/L		92
11) bromomethane	2.110	96	2448	1.44	ug/L	#	46
12) chloroethane	2.167	64	3454	1.10	ug/L		82
13) trichlorofluoromethane	2.334	101	6364	1.05	ug/L		89
14) ethyl ether	2.498	74	2229	1.19	ug/L		97
16) freon 113	2.662	151	2697	1.13	ug/L	#	72
17) 1,1-dichloroethene	2.665	96	2763	1.00	ug/L	#	76
18) acetone	2.668	58	1634	4.57	ug/L	#	46
21) iso-butyl alcohol	2.851	43	3762	12.11	ug/L		91
22) carbon disulfide	2.819	76	10902	1.41	ug/L		90
23) methylene chloride	2.947	84	4296	1.38	ug/L		75
25) methyl tert butyl ether	3.085	73	10197	1.04	ug/L		87
26) trans-1,2-dichloroethene	3.108	96	3338	1.13	ug/L		91
27) hexane	3.255	57	4383	1.11	ug/L		86
28) di-isopropyl ether	3.345	45	9124	0.99	ug/L		79
29) ethyl tert-butyl ether	3.550	59	9683	1.02	ug/L		95
30) 2-butanone	3.656	72	2302	4.03	ug/L	#	76
31) 1,1-dichloroethane	3.358	63	6047	1.12	ug/L		90
32) chloroprene	3.400	53	4863	1.18	ug/L		92
33) acrylonitrile	3.069	53	1514	0.98	ug/L		83
35) ethyl acetate	3.663	45	722	1.14	ug/L	#	66
36) 2,2-dichloropropane	3.695	77	4305	1.11	ug/L		95
37) cis-1,2-dichloroethene	3.682	96	3792	1.10	ug/L	#	74
38) propionitrile	3.695	54	6419	10.72	ug/L		83
39) methyl acrylate	3.698	85	678	0.88	ug/L	#	42
40) bromochloromethane	3.814	128	1959	1.15	ug/L	#	81
42) chloroform	3.858	83	7968	1.40	ug/L		89
44) methacrylonitrile	3.781	67	2013	1.11	ug/L	#	68
45) 1,1,1-trichloroethane	3.980	97	5430	1.08	ug/L		94
46) cyclohexane	4.032	84	5022	1.06	ug/L		89
47) 1,1-dichloropropene	4.064	75	4565	1.08	ug/L		97
48) carbon tetrachloride	4.077	117	4600	1.05	ug/L		84
49) isopropyl acetate	4.141	87	1112	1.16	ug/L	#	6
50) tert amyl alcohol	4.138	55	982	5.33	ug/L	#	26

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226124.D
Acq On : 13 Sep 2022 10:16 pm
Operator : PrashanS
Sample : IC9688-1
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Sep 20 17:36:49 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc Units	Dev(Min)
53) tert-amyl methyl ether	4.224	73	10144	1.07 ug/L	93
54) 2,2,4-trimethylpentane	4.234	57	7523	1.00 ug/L	84
56) benzene	4.189	78	12914	1.10 ug/L	87
57) heptane	4.317	57	1597	1.09 ug/L #	63
58) 1,2-dichloroethane	4.202	62	5301	1.25 ug/L	84
59) trichloroethene	4.561	95	3622	1.15 ug/L	91
60) ethyl acrylate	4.564	55	4885	0.96 ug/L	91
62) 2-chloroethyl vinyl ether	5.011	63	4141	6.33 ug/L	82
63) methyl methacrylate	4.709	100	1073	0.91 ug/L #	55
64) 1,2-dichloropropane	4.718	63	3377	1.12 ug/L	78
65) methylcyclohexane	4.718	83	5267	1.08 ug/L	93
66) dibromomethane	4.776	93	2514	1.20 ug/L	85
67) bromodichloromethane	4.866	83	5123	1.18 ug/L	96
68) cis-1,3-dichloropropene	5.136	75	5135	1.01 ug/L	83
69) epichlorohydrin	5.059	57	937	4.25 ug/L	83
70) 4-methyl-2-pentanone	5.209	58	6369	3.80 ug/L #	77
74) toluene	5.360	92	7851	1.09 ug/L	85
75) trans-1,3-dichloropropene	5.485	75	4385	0.98 ug/L #	63
76) ethyl methacrylate	5.495	69	4145	0.90 ug/L	83
77) 1,1,2-trichloroethane	5.627	83	2780	1.13 ug/L	83
78) 2-hexanone	5.749	58	6771	4.25 ug/L	89
79) tetrachloroethene	5.704	166	3424	1.15 ug/L	84
80) 1,3-dichloropropane	5.736	76	5473	1.15 ug/L	95
81) butyl acetate	5.813	56	2106	0.91 ug/L #	29
82) dibromochloromethane	5.887	129	3626	1.10 ug/L	91
83) 1,2-dibromoethane	5.986	107	3548	1.12 ug/L	98
84) n-butyl ether	6.326	57	10716	0.98 ug/L	97
85) chlorobenzene	6.313	112	8444	1.06 ug/L	95
86) 1,1,1,2-tetrachloroethane	6.361	131	3278	1.16 ug/L	88
87) ethylbenzene	6.361	91	14397	1.09 ug/L	98
88) m,p-xylene	6.455	106	10208	1.99 ug/L	85
89) o-xylene	6.724	106	5456	1.05 ug/L	83
92) styrene	6.737	104	8108	0.90 ug/L	97
93) bromoform	6.868	173	2289	0.94 ug/L	92
94) isopropylbenzene	6.958	105	13442	1.02 ug/L	90
98) bromobenzene	7.199	156	3436	1.08 ug/L	81
99) 1,1,2,2-tetrachloroethane	7.154	83	4442	1.10 ug/L	76
101) 1,2,3-trichloropropane	7.212	110	1594	1.30 ug/L	84
102) n-propylbenzene	7.237	91	15053	1.09 ug/L	99
103) 2-chlorotoluene	7.311	126	2971	1.02 ug/L	89
105) 1,3,5-trimethylbenzene	7.353	105	10164	1.07 ug/L	93
106) tert-butylbenzene	7.562	119	8285	1.00 ug/L	97
107) 1,2,4-trimethylbenzene	7.607	105	9937	1.01 ug/L	83
108) sec-butylbenzene	7.706	105	10990	0.93 ug/L	91
109) 1,3-dichlorobenzene	7.802	146	5190	0.95 ug/L	91
110) p-isopropyltoluene	7.799	119	8255	0.82 ug/L	82
111) 1,2,3-trimethylbenzene	7.866	105	9797	1.00 ug/L	81
112) 1,4-dichlorobenzene	7.857	146	5690	1.03 ug/L	80
113) 1,2-dichlorobenzene	8.101	146	4473	0.86 ug/L	82
114) n-butylbenzene	8.069	92	3561	0.80 ug/L	84
115) 1,2-dibromo-3-chloropr...	8.582	157	985	1.00 ug/L	75
116) 1,3,5-trichlorobenzene	8.704	180	2892	0.90 ug/L	80
117) 1,2,4-trichlorobenzene	9.070	180	2252	0.82 ug/L	77
118) hexachlorobutadiene	9.128	225	1020	1.14 ug/L	76
119) naphthalene	9.269	128	7638	0.80 ug/L	81
120) 1,2,3-trichlorobenzene	9.375	180	2011	0.87 ug/L	81
121) hexachloroethane	8.268	119	1562	1.00 ug/L	80

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226124.D
Acq On : 13 Sep 2022 10:16 pm
Operator : PrashanS
Sample : IC9688-1
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Sep 20 17:36:49 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226124.D
Acq On : 13 Sep 2022 10:16 pm
Operator : PrashanS
Sample : IC9688-1
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Sep 20 17:36:49 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226125.D
Acq On : 13 Sep 2022 10:40 pm
Operator : PrashanS
Sample : IC9688-2
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Sep 20 17:37:26 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert Butyl Alcohol-d9	2.915	65	204980	500.00	ug/L	0.00
5) pentafluorobenzene	3.936	168	412352	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.401	114	594059	50.00	ug/L	0.00
72) chlorobenzene-d5	6.291	117	505491	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.844	152	199667	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.949	113	179625	48.42	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.84%			
52) 1,2-dichloroethane-d4 (s)	4.157	65	210946	52.33	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 104.66%			
73) toluene-d8 (s)	5.316	98	696367	53.04	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 106.08%			
97) 4-bromofluorobenzene (s)	7.087	95	212473	51.49	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.98%			
Target Compounds						Qvalue
3) ethanol	2.418	45	5176	205.40	ug/L	84
4) tertiary butyl alcohol	2.967	59	5291	11.34	ug/L	91
6) chlorodifluoromethane	1.645	51	7229	2.05	ug/L	97
7) dichlorodifluoromethane	1.632	85	10076	1.95	ug/L	89
8) chloromethane	1.776	50	8186	2.27	ug/L	93
9) vinyl chloride	1.863	62	11293	2.18	ug/L	97
10) 1,3-butadiene	1.895	54	10082	2.37	ug/L	91
11) bromomethane	2.103	96	3779	2.16	ug/L	92
12) chloroethane	2.171	64	7607	2.35	ug/L	94
13) trichlorofluoromethane	2.338	101	13420	2.16	ug/L	94
14) ethyl ether	2.498	74	3893	2.02	ug/L #	71
15) acrolein	2.591	56	1099	1.51	ug/L	90
16) freon 113	2.659	151	5116	2.08	ug/L	88
17) 1,1-dichloroethene	2.662	96	6320	2.23	ug/L	87
18) acetone	2.668	58	2572	6.99	ug/L #	66
20) iodomethane	2.768	142	1405	0.75	ug/L	74
21) iso-butyl alcohol	2.851	43	6576	20.58	ug/L	81
22) carbon disulfide	2.822	76	18870	2.38	ug/L	96
23) methylene chloride	2.947	84	7225	2.26	ug/L	85
24) methyl acetate	2.841	74	1679	2.04	ug/L #	36
25) methyl tert butyl ether	3.092	73	20421	2.03	ug/L	94
26) trans-1,2-dichloroethene	3.108	96	6271	2.06	ug/L	89
27) hexane	3.259	57	7701	1.90	ug/L	94
28) di-isopropyl ether	3.345	45	19856	2.10	ug/L	94
29) ethyl tert-butyl ether	3.551	59	19195	1.96	ug/L	93
30) 2-butanone	3.653	72	4448	7.57	ug/L	99
31) 1,1-dichloroethane	3.361	63	11498	2.07	ug/L	92
32) chloroprene	3.400	53	9225	2.18	ug/L	93
33) acrylonitrile	3.076	53	3098	1.95	ug/L #	63
34) vinyl acetate	3.339	86	1883	2.40	ug/L #	26
35) ethyl acetate	3.666	45	1398	2.14	ug/L #	1
36) 2,2-dichloropropane	3.689	77	7526	1.89	ug/L	97
37) cis-1,2-dichloroethene	3.676	96	7003	1.97	ug/L	90
38) propionitrile	3.695	54	11723	19.04	ug/L	75
39) methyl acrylate	3.701	85	1353	1.70	ug/L #	63
40) bromochloromethane	3.817	128	3827	2.18	ug/L #	74
42) chloroform	3.862	83	13827	2.36	ug/L	86
44) methacrylonitrile	3.785	67	3368	1.80	ug/L	94
45) 1,1,1-trichloroethane	3.981	97	10827	2.09	ug/L	88
46) cyclohexane	4.029	84	10288	2.12	ug/L	95

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226125.D
Acq On : 13 Sep 2022 10:40 pm
Operator : PrashanS
Sample : IC9688-2
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Sep 20 17:37:26 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
47) 1,1-dichloropropene	4.064	75	9232	2.13	ug/L		93
48) carbon tetrachloride	4.074	117	8775	1.95	ug/L		96
49) isopropyl acetate	4.144	87	1768	1.79	ug/L	#	59
50) tert amyl alcohol	4.128	55	1839	9.70	ug/L	#	16
53) tert-amyl methyl ether	4.228	73	19826	2.03	ug/L		89
54) 2,2,4-trimethylpentane	4.234	57	15573	2.01	ug/L		95
56) benzene	4.186	78	24239	2.01	ug/L		94
57) heptane	4.321	57	2922	1.93	ug/L	#	80
58) 1,2-dichloroethane	4.202	62	9516	2.17	ug/L		98
59) trichloroethene	4.561	95	6409	1.97	ug/L		88
60) ethyl acrylate	4.565	55	9347	1.79	ug/L		95
61) 2-nitropropane	4.995	41	2940	2.09	ug/L		80
62) 2-chloroethyl vinyl ether	5.017	63	7895	11.70	ug/L		92
63) methyl methacrylate	4.706	100	1980	1.63	ug/L	#	84
64) 1,2-dichloropropane	4.722	63	6845	2.21	ug/L		91
65) methylcyclohexane	4.715	83	10068	2.01	ug/L		87
66) dibromomethane	4.780	93	4544	2.10	ug/L		98
67) bromodichloromethane	4.873	83	9160	2.04	ug/L		90
68) cis-1,3-dichloropropene	5.133	75	10001	1.91	ug/L		91
69) epichlorohydrin	5.062	57	2483	10.92	ug/L		72
70) 4-methyl-2-pentanone	5.206	58	12537	7.25	ug/L	#	84
71) 3-methyl-1-butanol	5.216	70	2539	21.51	ug/L	#	77
74) toluene	5.360	92	14975	2.03	ug/L		95
75) trans-1,3-dichloropropene	5.486	75	7595	1.66	ug/L		85
76) ethyl methacrylate	5.495	69	8390	1.77	ug/L		88
77) 1,1,2-trichloroethane	5.620	83	5570	2.22	ug/L		96
78) 2-hexanone	5.752	58	11505	7.05	ug/L		83
79) tetrachloroethene	5.704	166	6620	2.16	ug/L		90
80) 1,3-dichloropropane	5.739	76	10327	2.12	ug/L		87
81) butyl acetate	5.806	56	4648	1.96	ug/L	#	77
82) dibromochloromethane	5.890	129	6790	2.01	ug/L		92
83) 1,2-dibromoethane	5.986	107	6886	2.12	ug/L		99
84) n-butyl ether	6.326	57	22187	1.97	ug/L		95
85) chlorobenzene	6.313	112	16400	2.01	ug/L		86
86) 1,1,1,2-tetrachloroethane	6.362	131	5698	1.96	ug/L		94
87) ethylbenzene	6.365	91	28120	2.08	ug/L		89
88) m,p-xylene	6.451	106	20670	3.93	ug/L		94
89) o-xylene	6.718	106	10775	2.02	ug/L		90
90) butyl acrylate	6.647	55	9082	1.41	ug/L		84
91) n-amyl acetate	6.798	70	3634	1.41	ug/L	#	85
92) styrene	6.737	104	16582	1.79	ug/L		92
93) bromoform	6.872	173	4665	1.88	ug/L		87
94) isopropylbenzene	6.958	105	26252	1.95	ug/L		97
95) cis-1,4-dichloro-2-butene	6.994	88	1976	1.47	ug/L	#	81
98) bromobenzene	7.193	156	6320	1.97	ug/L		85
99) 1,1,2,2-tetrachloroethane	7.154	83	8449	2.07	ug/L		70
101) 1,2,3-trichloropropane	7.206	110	2517	2.04	ug/L		86
102) n-propylbenzene	7.238	91	28706	2.06	ug/L		99
103) 2-chlorotoluene	7.308	126	6339	2.16	ug/L	#	55
104) 4-chlorotoluene	7.395	126	6377	2.14	ug/L	#	76
105) 1,3,5-trimethylbenzene	7.353	105	19991	2.09	ug/L		90
106) tert-butylbenzene	7.562	119	16629	1.99	ug/L		92
107) 1,2,4-trimethylbenzene	7.600	105	19952	2.01	ug/L		88
108) sec-butylbenzene	7.706	105	23393	1.96	ug/L		94
109) 1,3-dichlorobenzene	7.799	146	9767	1.78	ug/L		94
110) p-isopropyltoluene	7.796	119	18589	1.84	ug/L		98
111) 1,2,3-trimethylbenzene	7.867	105	19415	1.98	ug/L		86
112) 1,4-dichlorobenzene	7.857	146	11534	2.07	ug/L		97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226125.D
Acq On : 13 Sep 2022 10:40 pm
Operator : PrashanS
Sample : IC9688-2
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Sep 20 17:37:26 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
113) 1,2-dichlorobenzene	8.098	146	9924	1.89	ug/L	77
114) n-butylbenzene	8.066	92	7435	1.65	ug/L	91
115) 1,2-dibromo-3-chloropr...	8.579	157	1580	1.60	ug/L #	69
116) 1,3,5-trichlorobenzene	8.691	180	5438	1.69	ug/L	99
117) 1,2,4-trichlorobenzene	9.067	180	4500	1.62	ug/L	89
118) hexachlorobutadiene	9.134	225	1801	2.00	ug/L	82
119) naphthalene	9.243	128	16773	1.74	ug/L	91
120) 1,2,3-trichlorobenzene	9.372	180	4055	1.75	ug/L	91
121) hexachloroethane	8.265	119	2515	1.59	ug/L #	67
122) benzyl chloride	7.931	91	7627	1.39	ug/L	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226125.D
Acq On : 13 Sep 2022 10:40 pm
Operator : PrashanS
Sample : IC9688-2
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Sep 20 17:37:26 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration



Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 09/21/22 14:48

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226126.D
Acq On : 13 Sep 2022 11:04 pm
Operator : PrashanS
Sample : IC9688-4
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Sep 21 12:03:26 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert Butyl Alcohol-d9	2.918	65	216077	500.00	ug/L		0.00
5) pentafluorobenzene	3.935	168	410755	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.401	114	591900	50.00	ug/L		0.00
72) chlorobenzene-d5	6.294	117	513759	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	7.844	152	201613	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	3.948	113	182124	49.28	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.56%				
52) 1,2-dichloroethane-d4 (s)	4.157	65	213196	53.08	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 106.16%				
73) toluene-d8 (s)	5.315	98	704624	52.80	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 105.60%				
97) 4-bromofluorobenzene (s)	7.083	95	215898	51.82	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 103.64%				
Target Compounds							Qvalue
2) 1,4-dioxane	4.754	88	3378	99.05	ug/L		92
3) ethanol	2.421	45	10254	386.02	ug/L		94
4) tertiary butyl alcohol	2.966	59	9527	19.36	ug/L		97
6) chlorodifluoromethane	1.644	51	13635	3.87	ug/L		98
7) dichlorodifluoromethane	1.631	85	19774	3.85	ug/L		95
8) chloromethane	1.779	50	14697	4.09	ug/L		85
9) vinyl chloride	1.862	62	20991	4.06	ug/L		95
10) 1,3-butadiene	1.888	54	19664	4.63	ug/L		92
11) bromomethane	2.103	96	5633	3.23	ug/L		83
12) chloroethane	2.170	64	14385	4.47	ug/L		93
13) trichlorofluoromethane	2.337	101	25071	4.04	ug/L		99
14) ethyl ether	2.501	74	8303	4.33	ug/L		90
15) acrolein	2.594	56	1983	2.74	ug/L		80
16) freon 113	2.652	151	10096	4.11	ug/L		97
17) 1,1-dichloroethene	2.661	96	11094	3.94	ug/L		96
18) acetone	2.674	58	6085	16.61	ug/L	#	64
19) acetonitrile	2.835	40	11466	46.54	ug/L		97
20) iodomethane	2.764	142	2977	1.60	ug/L		83
21) iso-butyl alcohol	2.851	43	12874	40.45	ug/L		95
22) carbon disulfide	2.822	76	34785	4.40	ug/L		95
23) methylene chloride	2.947	84	13530	4.25	ug/L		92
24) methyl acetate	2.848	74	3323	4.06	ug/L	#	61
25) methyl tert butyl ether	3.088	73	40179	4.02	ug/L		98
26) trans-1,2-dichloroethene	3.104	96	12148	4.00	ug/L		98
27) hexane	3.255	57	15869	3.94	ug/L		95
28) di-isopropyl ether	3.345	45	36174	3.84	ug/L		90
29) ethyl tert-butyl ether	3.550	59	38011	3.89	ug/L		97
30) 2-butanone	3.650	72	8137	13.90	ug/L	#	86
31) 1,1-dichloroethane	3.358	63	21623	3.91	ug/L		97
32) chloroprene	3.403	53	17459	4.13	ug/L		93
33) acrylonitrile	3.072	53	5813	3.67	ug/L		89
34) vinyl acetate	3.326	86	3041	3.89	ug/L	#	53
35) ethyl acetate	3.653	45	2978	4.58	ug/L	#	74
36) 2,2-dichloropropane	3.691	77	14541	3.66	ug/L		91
37) cis-1,2-dichloroethene	3.679	96	13728	3.88	ug/L		96
38) propionitrile	3.691	54	23101	37.67	ug/L		94
39) methyl acrylate	3.701	85	3093	3.91	ug/L	#	64
40) bromochloromethane	3.820	128	6910	3.94	ug/L		89
41) tetrahydrofuran	3.829	72	3523	5.18	ug/L		89
42) chloroform	3.858	83	25515	4.37	ug/L		95

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226126.D
Acq On : 13 Sep 2022 11:04 pm
Operator : PrashanS
Sample : IC9688-4
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Sep 21 12:03:26 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) methacrylonitrile	3.785	67	7263	3.89	ug/L		98
45) 1,1,1-trichloroethane	3.980	97	20142	3.91	ug/L		93
46) cyclohexane	4.032	84	18664	3.86	ug/L		94
47) 1,1-dichloropropene	4.067	75	17066	3.96	ug/L		98
48) carbon tetrachloride	4.073	117	16510	3.69	ug/L		96
49) isopropyl acetate	4.147	87	3520	3.57	ug/L	#	82
50) tert amyl alcohol	4.131	55	3472	18.38	ug/L	#	73
53) tert-amyl methyl ether	4.231	73	37659	3.87	ug/L		94
54) 2,2,4-trimethylpentane	4.231	57	30951	4.00	ug/L		94
55) n-butyl alcohol	4.439	56	12105	112.40	ug/L		85
56) benzene	4.189	78	48552	4.03	ug/L		95
57) heptane	4.317	57	5812	3.85	ug/L		85
58) 1,2-dichloroethane	4.202	62	18105	4.15	ug/L		98
59) trichloroethene	4.564	95	12888	3.98	ug/L		95
60) ethyl acrylate	4.564	55	18493	3.55	ug/L		97
61) 2-nitropropane	4.988	41	5488	3.91	ug/L	#	61
62) 2-chloroethyl vinyl ether	5.014	63	16104	23.95	ug/L		93
63) methyl methacrylate	4.712	100	4502	3.72	ug/L	#	76
64) 1,2-dichloropropane	4.722	63	12337	4.00	ug/L		92
65) methylcyclohexane	4.718	83	20097	4.02	ug/L		94
66) dibromomethane	4.779	93	8471	3.93	ug/L		95
67) bromodichloromethane	4.869	83	18117	4.05	ug/L		86
68) cis-1,3-dichloropropene	5.135	75	18796	3.61	ug/L		87
69) epichlorohydrin	5.062	57	4488	19.82	ug/L		82
70) 4-methyl-2-pentanone	5.206	58	25288	14.68	ug/L		98
71) 3-methyl-1-butanol	5.219	70	5452	46.35	ug/L	#	75
74) toluene	5.360	92	30188	4.03	ug/L		90
75) trans-1,3-dichloropropene	5.485	75	16854	3.62	ug/L		93
76) ethyl methacrylate	5.492	69	18021	3.74	ug/L		91
77) 1,1,2-trichloroethane	5.623	83	10482	4.10	ug/L		93
78) 2-hexanone	5.745	58	24116	14.54	ug/L		88
79) tetrachloroethene	5.707	166	12032	3.87	ug/L		97
80) 1,3-dichloropropane	5.736	76	19924	4.02	ug/L		96
81) butyl acetate	5.806	56	8493	3.52	ug/L		93
82) dibromochloromethane	5.886	129	13276	3.87	ug/L		98
83) 1,2-dibromoethane	5.986	107	12638	3.83	ug/L		82
84) n-butyl ether	6.323	57	44887	3.92	ug/L		98
85) chlorobenzene	6.313	112	32937	3.98	ug/L		90
86) 1,1,1,2-tetrachloroethane	6.361	131	10862	3.67	ug/L		94
87) ethylbenzene	6.364	91	55896	4.07	ug/L		93
88) m,p-xylene	6.448	106	41208	7.70	ug/L		89
89) o-xylene	6.721	106	19488	3.60	ug/L		97
90) butyl acrylate	6.640	55	19705	3.01	ug/L		98
91) n-amyl acetate	6.788	70	7585	2.89	ug/L	#	79
92) styrene	6.734	104	34356	3.64	ug/L		95
93) bromoform	6.868	173	8651	3.42	ug/L		94
94) isopropylbenzene	6.958	105	50446	3.68	ug/L		98
95) cis-1,4-dichloro-2-butene	6.990	88	3925	2.88	ug/L	#	74
98) bromobenzene	7.192	156	13522	4.17	ug/L		91
99) 1,1,2,2-tetrachloroethane	7.154	83	17512	4.25	ug/L		97
100) trans-1,4-dichloro-2-b...	7.180	53	2994	3.31	ug/L	#	70
101) 1,2,3-trichloropropane	7.205	110	5200	4.18	ug/L		97
102) n-propylbenzene	7.237	91	57647	4.10	ug/L		95
103) 2-chlorotoluene	7.314	126	12290	4.14	ug/L		98
104) 4-chlorotoluene	7.395	126	12495m	4.15	ug/L		
105) 1,3,5-trimethylbenzene	7.346	105	39056	4.05	ug/L		98
106) tert-butylbenzene	7.565	119	33679	3.98	ug/L		88
107) 1,2,4-trimethylbenzene	7.600	105	38403	3.84	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226126.D
Acq On : 13 Sep 2022 11:04 pm
Operator : PrashanS
Sample : IC9688-4
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Sep 21 12:03:26 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
108) sec-butylbenzene	7.703	105	45772	3.80	ug/L		93
109) 1,3-dichlorobenzene	7.799	146	20925	3.77	ug/L		92
110) p-isopropyltoluene	7.792	119	37919	3.71	ug/L		89
111) 1,2,3-trimethylbenzene	7.869	105	40055	4.04	ug/L		90
112) 1,4-dichlorobenzene	7.857	146	22737	4.04	ug/L		93
113) 1,2-dichlorobenzene	8.094	146	19312	3.64	ug/L		96
114) n-butylbenzene	8.056	92	15797	3.47	ug/L		92
115) 1,2-dibromo-3-chloropr...	8.575	157	3365	3.36	ug/L		72
116) 1,3,5-trichlorobenzene	8.685	180	11708	3.60	ug/L		93
117) 1,2,4-trichlorobenzene	9.060	180	9784	3.50	ug/L		89
118) hexachlorobutadiene	9.131	225	3799	4.18	ug/L		97
119) naphthalene	9.233	128	33998	3.50	ug/L		98
120) 1,2,3-trichlorobenzene	9.365	180	8924	3.81	ug/L		96
121) hexachloroethane	8.264	119	5066	3.17	ug/L	#	80
122) benzyl chloride	7.930	91	15086	2.73	ug/L		93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226126.D
Acq On : 13 Sep 2022 11:04 pm
Operator : PrashanS
Sample : IC9688-4
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Sep 21 12:03:26 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration



Manual Integration Approval Summary

Sample Number: V1A9688-IC9688
Lab FileID: 1A226126.D
Injection Time: 09/13/22 23:04


Method: SW846 8260D
Analyst approved: 09/21/22 12:05 Bridget Kelly
Supervisor approved: 09/21/22 14:48 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
p-Chlorotoluene	106-43-4		7.39	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226126.D
Acq On : 13 Sep 2022 11:04 pm
Operator : PrashanS
Sample : IC9688-4
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Sep 20 17:37:56 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration





TIC: 1A226126.D\data.ms

(104) 4-chlorotoluene

7.314min (-0.074) 3.97ug/L


response 11973


Ion	Exp%	Act%
126.10	100	100
91.10	274.00	245.66
89.10	32.20	45.78
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226126.D
Acq On : 13 Sep 2022 11:04 pm
Operator : PrashanS
Sample : IC9688-4
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Sep 20 17:37:56 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration





TIC: 1A226126.D\data.ms

(104) 4-chlorotoluene

7.395min (+0.006) 4.15ug/L m

response 12495

Ion	Exp%	Act%
126.10	100	100
91.10	274.00	242.30#
89.10	32.20	30.02
0.00	0.00	0.00

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 09/21/22 14:48

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226127.D
Acq On : 13 Sep 2022 11:28 pm
Operator : PrashanS
Sample : IC9688-8
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Sep 20 17:46:38 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert Butyl Alcohol-d9	2.919	65	237242	500.00	ug/L		0.00
5) pentafluorobenzene	3.936	168	422003	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.401	114	622456	50.00	ug/L		0.00
72) chlorobenzene-d5	6.291	117	531621	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	7.844	152	212414	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	3.949	113	186697	49.17	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.34%				
52) 1,2-dichloroethane-d4 (s)	4.157	65	221737	52.50	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 105.00%				
73) toluene-d8 (s)	5.316	98	727358	52.67	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 105.34%				
97) 4-bromofluorobenzene (s)	7.084	95	227613	51.85	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 103.70%				
Target Compounds							Qvalue
2) 1,4-dioxane	4.751	88	6515	174.00	ug/L		100
3) ethanol	2.418	45	22810	782.10	ug/L		98
4) tertiary butyl alcohol	2.967	59	19608	36.30	ug/L		93
6) chlorodifluoromethane	1.648	51	28179	7.79	ug/L		95
7) dichlorodifluoromethane	1.632	85	40362	7.65	ug/L		97
8) chloromethane	1.779	50	29547	8.00	ug/L		98
9) vinyl chloride	1.863	62	41617	7.84	ug/L		95
10) 1,3-butadiene	1.888	54	38641	8.86	ug/L		96
11) bromomethane	2.100	96	10720	5.98	ug/L		95
12) chloroethane	2.171	64	26540	8.02	ug/L		93
13) trichlorofluoromethane	2.338	101	50568	7.94	ug/L		99
14) ethyl ether	2.501	74	15122	7.68	ug/L		94
15) acrolein	2.591	56	4889	6.57	ug/L		87
16) freon 113	2.652	151	20509	8.13	ug/L	#	82
17) 1,1-dichloroethene	2.665	96	22073	7.62	ug/L		95
18) acetone	2.668	58	12526	33.27	ug/L		95
19) acetonitrile	2.835	40	21340	84.31	ug/L		97
20) iodomethane	2.761	142	6562	3.43	ug/L		88
21) iso-butyl alcohol	2.845	43	26206	80.14	ug/L		95
22) carbon disulfide	2.819	76	66251	8.16	ug/L		97
23) methylene chloride	2.944	84	27551	8.43	ug/L		93
24) methyl acetate	2.845	74	6682	7.94	ug/L	#	81
25) methyl tert butyl ether	3.089	73	80092	7.79	ug/L		98
26) trans-1,2-dichloroethene	3.105	96	24001	7.70	ug/L		95
27) hexane	3.255	57	32738	7.90	ug/L		96
28) di-isopropyl ether	3.342	45	74417	7.70	ug/L		88
29) ethyl tert-butyl ether	3.551	59	77083	7.68	ug/L		99
30) 2-butanone	3.650	72	17871	29.70	ug/L	#	83
31) 1,1-dichloroethane	3.355	63	43292	7.61	ug/L		99
32) chloroprene	3.400	53	34437	7.94	ug/L		97
33) acrylonitrile	3.069	53	12193	7.50	ug/L		87
34) vinyl acetate	3.326	86	5501	6.85	ug/L	#	90
35) ethyl acetate	3.653	45	5015	7.51	ug/L		77
36) 2,2-dichloropropane	3.685	77	30579	7.49	ug/L		96
37) cis-1,2-dichloroethene	3.679	96	26536	7.30	ug/L		98
38) propionitrile	3.689	54	47875	75.98	ug/L		97
39) methyl acrylate	3.698	85	5969	7.35	ug/L	#	64
40) bromochloromethane	3.814	128	13357	7.42	ug/L		93
41) tetrahydrofuran	3.830	72	6220	8.90	ug/L		92
42) chloroform	3.856	83	48214	8.04	ug/L		96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226127.D
Acq On : 13 Sep 2022 11:28 pm
Operator : PrashanS
Sample : IC9688-8
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Sep 20 17:46:38 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) methacrylonitrile	3.782	67	13989	7.30	ug/L		97
45) 1,1,1-trichloroethane	3.981	97	39974	7.55	ug/L		97
46) cyclohexane	4.032	84	37376	7.51	ug/L		97
47) 1,1-dichloropropene	4.064	75	33936	7.66	ug/L		97
48) carbon tetrachloride	4.074	117	33898	7.37	ug/L		93
49) isopropyl acetate	4.148	87	7380	7.28	ug/L	#	85
50) tert amyl alcohol	4.132	55	7707	39.71	ug/L	#	77
53) tert-amyl methyl ether	4.228	73	78764	7.69	ug/L		97
54) 2,2,4-trimethylpentane	4.231	57	63380	7.79	ug/L		98
55) n-butyl alcohol	4.440	56	32754	289.20	ug/L		94
56) benzene	4.186	78	95815	7.57	ug/L		96
57) heptane	4.314	57	11787	7.42	ug/L		97
58) 1,2-dichloroethane	4.202	62	35731	7.78	ug/L		97
59) trichloroethene	4.565	95	25410	7.47	ug/L		91
60) ethyl acrylate	4.565	55	37390	6.82	ug/L		92
61) 2-nitropropane	4.992	41	12065	8.18	ug/L	#	71
62) 2-chloroethyl vinyl ether	5.014	63	30942	43.75	ug/L		100
63) methyl methacrylate	4.709	100	8545	6.72	ug/L	#	63
64) 1,2-dichloropropane	4.719	63	24483	7.54	ug/L		92
65) methylcyclohexane	4.716	83	39624	7.54	ug/L		93
66) dibromomethane	4.777	93	17584	7.76	ug/L		93
67) bromodichloromethane	4.866	83	34834	7.41	ug/L		95
68) cis-1,3-dichloropropene	5.133	75	40475	7.40	ug/L		92
69) epichlorohydrin	5.062	57	9160	38.46	ug/L		95
70) 4-methyl-2-pentanone	5.203	58	54044	29.83	ug/L		99
71) 3-methyl-1-butanol	5.210	70	12591	101.78	ug/L	#	73
74) toluene	5.361	92	60431	7.80	ug/L		93
75) trans-1,3-dichloropropene	5.486	75	34242	7.11	ug/L		94
76) ethyl methacrylate	5.492	69	36674	7.36	ug/L		96
77) 1,1,2-trichloroethane	5.624	83	20821	7.87	ug/L		95
78) 2-hexanone	5.742	58	54405	31.70	ug/L		96
79) tetrachloroethene	5.704	166	25815	8.02	ug/L		92
80) 1,3-dichloropropane	5.736	76	40537	7.90	ug/L		91
81) butyl acetate	5.797	56	18681	7.49	ug/L		85
82) dibromochloromethane	5.887	129	27502	7.75	ug/L		98
83) 1,2-dibromoethane	5.986	107	27137	7.95	ug/L		96
84) n-butyl ether	6.323	57	88966	7.51	ug/L		96
85) chlorobenzene	6.314	112	65403	7.63	ug/L		92
86) 1,1,1,2-tetrachloroethane	6.362	131	22309	7.29	ug/L		98
87) ethylbenzene	6.365	91	111274	7.83	ug/L		99
88) m,p-xylene	6.452	106	86716	15.67	ug/L		92
89) o-xylene	6.718	106	41182	7.36	ug/L		94
90) butyl acrylate	6.641	55	43755	6.46	ug/L		91
91) n-amyl acetate	6.785	70	17867	6.58	ug/L	#	87
92) styrene	6.728	104	69929	7.16	ug/L		98
93) bromoform	6.869	173	17644	6.74	ug/L		91
94) isopropylbenzene	6.959	105	104537	7.38	ug/L		99
95) cis-1,4-dichloro-2-butene	6.991	88	7769	5.51	ug/L		89
98) bromobenzene	7.196	156	26170	7.66	ug/L		95
99) 1,1,2,2-tetrachloroethane	7.154	83	34647	7.99	ug/L		93
100) trans-1,4-dichloro-2-b...	7.180	53	6353m	6.67	ug/L		
101) 1,2,3-trichloropropane	7.206	110	11093	8.46	ug/L		94
102) n-propylbenzene	7.238	91	118235	7.97	ug/L		98
103) 2-chlorotoluene	7.308	126	23114	7.40	ug/L		91
104) 4-chlorotoluene	7.389	126	24160	7.61	ug/L		94
105) 1,3,5-trimethylbenzene	7.350	105	78453	7.72	ug/L		97
106) tert-butylbenzene	7.559	119	68933	7.74	ug/L		99
107) 1,2,4-trimethylbenzene	7.600	105	80979	7.69	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226127.D
Acq On : 13 Sep 2022 11:28 pm
Operator : PrashanS
Sample : IC9688-8
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Sep 20 17:46:38 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
108) sec-butylbenzene	7.703	105	97611	7.70	ug/L	98
109) 1,3-dichlorobenzene	7.799	146	41441	7.09	ug/L	94
110) p-isopropyltoluene	7.796	119	78396	7.28	ug/L	95
111) 1,2,3-trimethylbenzene	7.867	105	81185	7.76	ug/L	96
112) 1,4-dichlorobenzene	7.857	146	43908	7.40	ug/L	99
113) 1,2-dichlorobenzene	8.091	146	42348	7.57	ug/L	95
114) n-butylbenzene	8.059	92	33192	6.93	ug/L	98
115) 1,2-dibromo-3-chloropr...	8.576	157	7569	7.18	ug/L	79
116) 1,3,5-trichlorobenzene	8.682	180	24394	7.11	ug/L	98
117) 1,2,4-trichlorobenzene	9.057	180	20130	6.83	ug/L	94
118) hexachlorobutadiene	9.131	225	7303	7.62	ug/L	95
119) naphthalene	9.227	128	71809	7.01	ug/L	98
120) 1,2,3-trichlorobenzene	9.362	180	18143	7.34	ug/L	93
121) hexachloroethane	8.265	119	11138	6.62	ug/L	98
122) benzyl chloride	7.928	91	34762	5.97	ug/L	96
123) 2-methylnaphthalene	10.020	142	4844	2.30	ug/L	86

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226127.D
Acq On : 13 Sep 2022 11:28 pm
Operator : PrashanS
Sample : IC9688-8
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Sep 20 17:46:38 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration



Manual Integration Approval Summary

Sample Number: V1A9688-IC9688
Lab FileID: 1A226127.D
Injection Time: 09/13/22 23:28


Method: SW846 8260D
Analyst approved: 09/20/22 17:49 Bridget Kelly
Supervisor approved: 09/21/22 14:48 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
trans-1,4-Dichloro-2-Butene	110-57-6		7.18	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226127.D
Acq On : 13 Sep 2022 11:28 pm
Operator : PrashanS
Sample : IC9688-8
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Sep 19 09:50:05 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration





TIC: 1A226127.D\data.ms

(100) trans-1,4-dichloro-2-butene

7.241min (+0.064) 0.71ug/L


response 673


Ion	Exp%	Act%
53.20	100	100
88.10	60.70	70.22
75.10	160.00	141.88
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226127.D
Acq On : 13 Sep 2022 11:28 pm
Operator : PrashanS
Sample : IC9688-8
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Sep 19 09:50:05 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration





TIC: 1A226127.D\data.ms

(100) trans-1,4-dichloro-2-butene

7.180min (+0.004) 6.67ug/L m

response 6353

Ion	Exp%	Act%
53.20	100	100
88.10	60.70	48.02
75.10	160.00	126.41#
0.00	0.00	0.00

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226128.D
Acq On : 13 Sep 2022 11:52 pm
Operator : PrashanS
Sample : IC9688-20
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Sep 19 09:50:09 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert Butyl Alcohol-d9	2.918	65	232821	500.00	ug/L	0.00
5) pentafluorobenzene	3.932	168	416989	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.401	114	620508	50.00	ug/L	0.00
72) chlorobenzene-d5	6.291	117	547341	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.844	152	223251	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.948	113	184838	49.27	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.54%			
52) 1,2-dichloroethane-d4 (s)	4.157	65	215556	51.19	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 102.38%			
73) toluene-d8 (s)	5.315	98	723607	50.90	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.80%			
97) 4-bromofluorobenzene (s)	7.083	95	233566	50.63	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.26%			
Target Compounds						Qvalue
2) 1,4-dioxane	4.750	88	15757	428.82	ug/L	100
3) ethanol	2.411	45	57891	2022.63	ug/L	95
4) tertiary butyl alcohol	2.970	59	50261	94.81	ug/L	99
6) chlorodifluoromethane	1.644	51	72802	20.38	ug/L	98
7) dichlorodifluoromethane	1.631	85	99755	19.13	ug/L	99
8) chloromethane	1.776	50	74235	20.34	ug/L	100
9) vinyl chloride	1.862	62	103882	19.80	ug/L	97
10) 1,3-butadiene	1.891	54	95405	22.14	ug/L	96
11) bromomethane	2.100	96	28714	16.21	ug/L	96
12) chloroethane	2.170	64	65608	20.07	ug/L	99
13) trichlorofluoromethane	2.337	101	124889	19.84	ug/L	98
14) ethyl ether	2.498	74	39530	20.30	ug/L	97
15) acrolein	2.594	56	14233	19.35	ug/L	82
16) freon 113	2.658	151	52690	21.14	ug/L	88
17) 1,1-dichloroethene	2.661	96	58419	20.42	ug/L	97
18) acetone	2.668	58	30482	81.94	ug/L	100
19) acetonitrile	2.832	40	51308	205.14	ug/L	93
20) iodomethane	2.764	142	24586	13.01	ug/L	98
21) iso-butyl alcohol	2.844	43	65909	203.98	ug/L	96
22) carbon disulfide	2.819	76	169422	21.13	ug/L	98
23) methylene chloride	2.947	84	64517	19.98	ug/L	97
24) methyl acetate	2.848	74	16795	20.21	ug/L #	75
25) methyl tert butyl ether	3.088	73	203795	20.06	ug/L	99
26) trans-1,2-dichloroethene	3.104	96	61977	20.11	ug/L	99
27) hexane	3.255	57	80647	19.71	ug/L	97
28) di-isopropyl ether	3.345	45	192543	20.16	ug/L	98
29) ethyl tert-butyl ether	3.550	59	199150	20.09	ug/L	98
30) 2-butanone	3.653	72	46683	78.53	ug/L	97
31) 1,1-dichloroethane	3.355	63	113631	20.22	ug/L	99
32) chloroprene	3.399	53	89688	20.92	ug/L	98
33) acrylonitrile	3.069	53	29998	18.67	ug/L	90
34) vinyl acetate	3.326	86	15701	19.80	ug/L #	87
35) ethyl acetate	3.656	45	13279	20.12	ug/L	89
36) 2,2-dichloropropane	3.688	77	80383	19.93	ug/L	98
37) cis-1,2-dichloroethene	3.675	96	70445	19.62	ug/L	97
38) propionitrile	3.692	54	123054	197.65	ug/L	87
39) methyl acrylate	3.695	85	15714	19.58	ug/L	94
40) bromochloromethane	3.817	128	34908	19.63	ug/L	94
41) tetrahydrofuran	3.829	72	14802	21.43	ug/L	83
42) chloroform	3.855	83	120074	20.27	ug/L	99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226128.D
Acq On : 13 Sep 2022 11:52 pm
Operator : PrashanS
Sample : IC9688-20
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Sep 19 09:50:09 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) methacrylonitrile	3.781	67	36990	19.52	ug/L		95
45) 1,1,1-trichloroethane	3.980	97	102147	19.54	ug/L		96
46) cyclohexane	4.028	84	95782	19.49	ug/L		96
47) 1,1-dichloropropene	4.067	75	87603	20.01	ug/L		96
48) carbon tetrachloride	4.073	117	89843	19.76	ug/L		98
49) isopropyl acetate	4.147	87	19822	19.80	ug/L		97
50) tert amyl alcohol	4.128	55	18959	98.85	ug/L	#	83
53) tert-amyl methyl ether	4.227	73	202081	19.80	ug/L		97
54) 2,2,4-trimethylpentane	4.231	57	159373	19.66	ug/L		100
55) n-butyl alcohol	4.436	56	97208	861.00	ug/L		96
56) benzene	4.186	78	254249	20.15	ug/L		99
57) heptane	4.314	57	30465	19.25	ug/L		93
58) 1,2-dichloroethane	4.202	62	91113	19.90	ug/L		99
59) trichloroethene	4.561	95	66098	19.49	ug/L		97
60) ethyl acrylate	4.561	55	102856	18.82	ug/L		100
61) 2-nitropropane	4.991	41	29760	20.23	ug/L		95
62) 2-chloroethyl vinyl ether	5.010	63	82986	117.72	ug/L		95
63) methyl methacrylate	4.712	100	24025	18.95	ug/L	#	70
64) 1,2-dichloropropane	4.722	63	65774	20.32	ug/L		92
65) methylcyclohexane	4.718	83	104516	19.95	ug/L		98
66) dibromomethane	4.779	93	46720	20.68	ug/L		94
67) bromodichloromethane	4.866	83	92328	19.69	ug/L		96
68) cis-1,3-dichloropropene	5.132	75	105282	19.30	ug/L		97
69) epichlorohydrin	5.059	57	24534	103.34	ug/L		95
70) 4-methyl-2-pentanone	5.203	58	141492	78.35	ug/L		97
71) 3-methyl-1-butanol	5.209	70	43181	350.15	ug/L		94
74) toluene	5.360	92	158268	19.83	ug/L		98
75) trans-1,3-dichloropropene	5.485	75	96303	19.42	ug/L		98
76) ethyl methacrylate	5.488	69	101068	19.69	ug/L		97
77) 1,1,2-trichloroethane	5.623	83	53384	19.61	ug/L		97
78) 2-hexanone	5.739	58	142468	80.62	ug/L		99
79) tetrachloroethene	5.703	166	66591	20.09	ug/L		98
80) 1,3-dichloropropane	5.736	76	107732	20.38	ug/L		98
81) butyl acetate	5.797	56	50411	19.63	ug/L		99
82) dibromochloromethane	5.886	129	72735	19.90	ug/L		96
83) 1,2-dibromoethane	5.983	107	70369	20.03	ug/L		99
84) n-butyl ether	6.323	57	247234	20.28	ug/L		96
85) chlorobenzene	6.313	112	176430	20.00	ug/L		98
86) 1,1,1,2-tetrachloroethane	6.361	131	60435	19.19	ug/L		96
87) ethylbenzene	6.365	91	296038	20.23	ug/L		98
88) m,p-xylene	6.448	106	225381	39.55	ug/L		98
89) o-xylene	6.718	106	114467	19.86	ug/L		98
90) butyl acrylate	6.637	55	134756	19.32	ug/L		98
91) n-amyl acetate	6.785	70	51258	18.34	ug/L		98
92) styrene	6.727	104	196681	19.56	ug/L		97
93) bromoform	6.865	173	49089	18.22	ug/L		98
94) isopropylbenzene	6.958	105	284264	19.48	ug/L		99
95) cis-1,4-dichloro-2-butene	6.990	88	23445	16.15	ug/L		91
98) bromobenzene	7.196	156	71626	19.93	ug/L		97
99) 1,1,2,2-tetrachloroethane	7.154	83	94617	20.75	ug/L		97
100) trans-1,4-dichloro-2-b...	7.180	53	18747	18.73	ug/L		91
101) 1,2,3-trichloropropane	7.202	110	28185	20.44	ug/L		100
102) n-propylbenzene	7.234	91	314727	20.19	ug/L		100
103) 2-chlorotoluene	7.311	126	65854	20.05	ug/L		99
104) 4-chlorotoluene	7.388	126	66069	19.81	ug/L		87
105) 1,3,5-trimethylbenzene	7.346	105	213385	19.97	ug/L		99
106) tert-butylbenzene	7.561	119	187574	20.03	ug/L		97
107) 1,2,4-trimethylbenzene	7.597	105	219561	19.83	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226128.D
Acq On : 13 Sep 2022 11:52 pm
Operator : PrashanS
Sample : IC9688-20
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Sep 19 09:50:09 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
108) sec-butylbenzene	7.703	105	263796	19.79	ug/L	99
109) 1,3-dichlorobenzene	7.796	146	119498	19.46	ug/L	99
110) p-isopropyltoluene	7.796	119	218958	19.35	ug/L	100
111) 1,2,3-trimethylbenzene	7.866	105	219499	19.97	ug/L	98
112) 1,4-dichlorobenzene	7.857	146	121338	19.46	ug/L	98
113) 1,2-dichlorobenzene	8.091	146	114576	19.49	ug/L	98
114) n-butylbenzene	8.056	92	96184	19.11	ug/L	98
115) 1,2-dibromo-3-chloropr...	8.569	157	21383	19.31	ug/L	92
116) 1,3,5-trichlorobenzene	8.681	180	67275	18.67	ug/L	99
117) 1,2,4-trichlorobenzene	9.054	180	58531	18.88	ug/L	97
118) hexachlorobutadiene	9.131	225	20831	20.68	ug/L	97
119) naphthalene	9.224	128	205220	19.06	ug/L	100
120) 1,2,3-trichlorobenzene	9.358	180	49815	19.18	ug/L	97
121) hexachloroethane	8.264	119	32893	18.61	ug/L	99
122) benzyl chloride	7.924	91	106055	17.32	ug/L	98
123) 2-methylnaphthalene	9.991	142	20956	9.47	ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226128.D
Acq On : 13 Sep 2022 11:52 pm
Operator : PrashanS
Sample : IC9688-20
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Sep 19 09:50:09 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226129.D
Acq On : 14 Sep 2022 12:16 am
Operator : PrashanS
Sample : ICC9688-50
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Sep 19 09:50:13 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert Butyl Alcohol-d9	2.918	65	252141	500.00	ug/L	0.00
5) pentafluorobenzene	3.935	168	447820	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.401	114	676309	50.00	ug/L	0.00
72) chlorobenzene-d5	6.291	117	609339	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.841	152	253615	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.948	113	201785	50.08	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.16%			
52) 1,2-dichloroethane-d4 (s)	4.157	65	229490	50.01	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.02%			
73) toluene-d8 (s)	5.315	98	791355	50.00	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.00%			
97) 4-bromofluorobenzene (s)	7.083	95	262048	50.00	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.00%			
Target Compounds						Qvalue
2) 1,4-dioxane	4.744	88	49777	1250.85	ug/L	100
3) ethanol	2.418	45	154984	5000.00	ug/L	100
4) tertiary butyl alcohol	2.966	59	143529	250.00	ug/L	100
6) chlorodifluoromethane	1.644	51	191847	50.00	ug/L	100
7) dichlorodifluoromethane	1.631	85	280040	50.00	ug/L	100
8) chloromethane	1.776	50	195998	50.00	ug/L	100
9) vinyl chloride	1.863	62	281649	50.00	ug/L	100
10) 1,3-butadiene	1.891	54	231439	50.00	ug/L	100
11) bromomethane	2.097	96	95132	50.00	ug/L	100
12) chloroethane	2.167	64	175502	50.00	ug/L	100
13) trichlorofluoromethane	2.337	101	338025	50.00	ug/L	100
14) ethyl ether	2.501	74	104540	50.00	ug/L	100
15) acrolein	2.591	56	39488	50.00	ug/L	100
16) freon 113	2.652	151	133840	50.00	ug/L	100
17) 1,1-dichloroethene	2.662	96	153623	50.00	ug/L	100
18) acetone	2.668	58	79901	200.00	ug/L	100
19) acetonitrile	2.835	40	134302	500.00	ug/L	100
20) iodomethane	2.764	142	101481	50.00	ug/L	100
21) iso-butyl alcohol	2.848	43	173503	500.00	ug/L	100
22) carbon disulfide	2.819	76	430543	50.00	ug/L	100
23) methylene chloride	2.947	84	173349	50.00	ug/L	100
24) methyl acetate	2.844	74	44628	50.00	ug/L	100
25) methyl tert butyl ether	3.088	73	545490	50.00	ug/L	100
26) trans-1,2-dichloroethene	3.104	96	165457	50.00	ug/L	100
27) hexane	3.255	57	219789	50.01	ug/L	100
28) di-isopropyl ether	3.345	45	512901	50.00	ug/L	100
29) ethyl tert-butyl ether	3.550	59	532416	50.00	ug/L	100
30) 2-butanone	3.650	72	127685	200.00	ug/L	100
31) 1,1-dichloroethane	3.355	63	301139	49.91	ug/L	100
32) chloroprene	3.400	53	230226	50.00	ug/L	100
33) acrylonitrile	3.069	53	86267	50.00	ug/L	100
34) vinyl acetate	3.329	86	42590	50.00	ug/L	100
35) ethyl acetate	3.653	45	35487	50.06	ug/L	100
36) 2,2-dichloropropane	3.688	77	216541	50.00	ug/L	100
37) cis-1,2-dichloroethene	3.679	96	192767	50.00	ug/L	100
38) propionitrile	3.688	54	334308	500.00	ug/L	100
39) methyl acrylate	3.692	85	43092	50.00	ug/L	100
40) bromochloromethane	3.817	128	95508	50.00	ug/L	100
41) tetrahydrofuran	3.826	72	37095	50.00	ug/L	100
42) chloroform	3.855	83	318148	50.00	ug/L	100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226129.D
Acq On : 14 Sep 2022 12:16 am
Operator : PrashanS
Sample : ICC9688-50
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Sep 19 09:50:13 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) methacrylonitrile	3.781	67	101734	50.00	ug/L	100
45) 1,1,1-trichloroethane	3.977	97	280747	50.00	ug/L	100
46) cyclohexane	4.029	84	263914	50.00	ug/L	100
47) 1,1-dichloropropene	4.064	75	235111	50.00	ug/L	100
48) carbon tetrachloride	4.073	117	244105	50.00	ug/L	100
49) isopropyl acetate	4.147	87	53760	50.00	ug/L	100
50) tert amyl alcohol	4.131	55	51492	250.00	ug/L	100
53) tert-amyl methyl ether	4.227	73	556278	50.01	ug/L	100
54) 2,2,4-trimethylpentane	4.231	57	441856	50.00	ug/L	100
55) n-butyl alcohol	4.436	56	307680	2500.35	ug/L	100
56) benzene	4.189	78	687682	50.01	ug/L	100
57) heptane	4.314	57	86277	50.01	ug/L	100
58) 1,2-dichloroethane	4.202	62	249562	50.01	ug/L	100
59) trichloroethene	4.561	95	184855	50.01	ug/L	100
60) ethyl acrylate	4.561	55	297922	50.01	ug/L	100
61) 2-nitropropane	4.991	41	80177	50.01	ug/L	100
62) 2-chloroethyl vinyl ether	5.010	63	192115	250.04	ug/L	100
63) methyl methacrylate	4.706	100	69096	50.01	ug/L	100
64) 1,2-dichloropropane	4.718	63	176421	50.01	ug/L	100
65) methylcyclohexane	4.715	83	285550	50.01	ug/L	100
66) dibromomethane	4.776	93	123145	50.01	ug/L	100
67) bromodichloromethane	4.866	83	255547	50.01	ug/L	100
68) cis-1,3-dichloropropene	5.132	75	297348	50.00	ug/L	100
69) epichlorohydrin	5.062	57	64697	250.04	ug/L	100
70) 4-methyl-2-pentanone	5.203	58	393748	200.05	ug/L	100
71) 3-methyl-1-butanol	5.209	70	134429	1000.14	ug/L	100
74) toluene	5.360	92	444159	50.00	ug/L	100
75) trans-1,3-dichloropropene	5.485	75	276008	50.00	ug/L	100
76) ethyl methacrylate	5.489	69	285688	50.00	ug/L	100
77) 1,1,2-trichloroethane	5.620	83	151529	50.00	ug/L	100
78) 2-hexanone	5.739	58	393449	200.00	ug/L	100
79) tetrachloroethene	5.704	166	184507	50.00	ug/L	100
80) 1,3-dichloropropane	5.736	76	294214	50.00	ug/L	100
81) butyl acetate	5.797	56	142639	49.90	ug/L	100
82) dibromochloromethane	5.886	129	203470	50.00	ug/L	100
83) 1,2-dibromoethane	5.983	107	195561	50.00	ug/L	100
84) n-butyl ether	6.320	57	678314	49.99	ug/L	100
85) chlorobenzene	6.313	112	491117	50.00	ug/L	100
86) 1,1,1,2-tetrachloroethane	6.361	131	175320	50.00	ug/L	100
87) ethylbenzene	6.365	91	814697	50.00	ug/L	100
88) m,p-xylene	6.448	106	634443	100.00	ug/L	100
89) o-xylene	6.718	106	320869	50.00	ug/L	100
90) butyl acrylate	6.634	55	388230	50.00	ug/L	100
91) n-amyl acetate	6.785	70	155589	50.00	ug/L	100
92) styrene	6.727	104	559618	50.00	ug/L	100
93) bromoform	6.865	173	149936	49.99	ug/L	100
94) isopropylbenzene	6.958	105	812241	50.00	ug/L	100
95) cis-1,4-dichloro-2-butene	6.990	88	80823	50.00	ug/L	100
98) bromobenzene	7.193	156	204086	50.00	ug/L	100
99) 1,1,2,2-tetrachloroethane	7.151	83	259001	50.00	ug/L	100
100) trans-1,4-dichloro-2-b...	7.176	53	56843	50.00	ug/L	100
101) 1,2,3-trichloropropane	7.202	110	78318	50.00	ug/L	100
102) n-propylbenzene	7.234	91	885293	50.00	ug/L	100
103) 2-chlorotoluene	7.308	126	186592	50.00	ug/L	100
104) 4-chlorotoluene	7.388	126	189483	50.00	ug/L	100
105) 1,3,5-trimethylbenzene	7.347	105	606847	50.00	ug/L	100
106) tert-butylbenzene	7.558	119	531848	50.00	ug/L	100
107) 1,2,4-trimethylbenzene	7.597	105	628968	50.00	ug/L	100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226129.D
Acq On : 14 Sep 2022 12:16 am
Operator : PrashanS
Sample : ICC9688-50
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Sep 19 09:50:13 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
108) sec-butylbenzene	7.703	105	756971	50.00	ug/L	100
109) 1,3-dichlorobenzene	7.796	146	348785	50.00	ug/L	100
110) p-isopropyltoluene	7.793	119	642601	50.00	ug/L	100
111) 1,2,3-trimethylbenzene	7.866	105	624234	50.00	ug/L	100
112) 1,4-dichlorobenzene	7.860	146	354064	49.99	ug/L	100
113) 1,2-dichlorobenzene	8.091	146	333831	50.00	ug/L	100
114) n-butylbenzene	8.053	92	285942	50.00	ug/L	100
115) 1,2-dibromo-3-chloropr...	8.566	157	62907	50.00	ug/L	100
116) 1,3,5-trichlorobenzene	8.678	180	204584	49.98	ug/L	100
117) 1,2,4-trichlorobenzene	9.054	180	176045	50.00	ug/L	100
118) hexachlorobutadiene	9.124	225	57218	50.00	ug/L	100
119) naphthalene	9.221	128	611627	50.00	ug/L	100
120) 1,2,3-trichlorobenzene	9.359	180	147506	50.00	ug/L	100
121) hexachloroethane	8.264	119	100404	50.00	ug/L	100
122) benzyl chloride	7.924	91	347820	50.00	ug/L	100
123) 2-methylnaphthalene	9.981	142	62831	25.00	ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226129.D
Acq On : 14 Sep 2022 12:16 am
Operator : PrashanS
Sample : ICC9688-50
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Sep 19 09:50:13 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226130.D
Acq On : 14 Sep 2022 12:40 am
Operator : PrashanS
Sample : IC9688-100
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Sep 19 09:50:17 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert Butyl Alcohol-d9	2.918	65	251993	500.00	ug/L		0.00
5) pentafluorobenzene	3.935	168	480164	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.401	114	713754	50.00	ug/L		0.00
72) chlorobenzene-d5	6.291	117	634427	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	7.844	152	270115	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	3.948	113	206581	47.82	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.64%				
52) 1,2-dichloroethane-d4 (s)	4.157	65	229780	47.44	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 94.88%				
73) toluene-d8 (s)	5.315	98	818724	49.68	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.36%				
97) 4-bromofluorobenzene (s)	7.083	95	271174	48.58	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.16%				
Target Compounds							Qvalue
2) 1,4-dioxane	4.747	88	93910	2361.27	ug/L		92
3) ethanol	2.418	45	285198	9206.29	ug/L		97
4) tertiary butyl alcohol	2.966	59	281831	491.18	ug/L		98
6) chlorodifluoromethane	1.644	51	386337	93.91	ug/L		98
7) dichlorodifluoromethane	1.631	85	574368	95.64	ug/L		99
8) chloromethane	1.776	50	369776	87.98	ug/L		97
9) vinyl chloride	1.862	62	552644	91.50	ug/L		98
10) 1,3-butadiene	1.888	54	448911	90.45	ug/L		98
11) bromomethane	2.097	96	262856	128.85	ug/L		99
12) chloroethane	2.167	64	359581	95.54	ug/L		99
13) trichlorofluoromethane	2.334	101	686931	94.77	ug/L		99
14) ethyl ether	2.498	74	210816	94.04	ug/L		98
15) acrolein	2.588	56	84847	100.20	ug/L		89
16) freon 113	2.652	151	280561	97.75	ug/L		96
17) 1,1-dichloroethene	2.661	96	310351	94.21	ug/L		98
18) acetone	2.668	58	158449	369.90	ug/L		90
19) acetonitrile	2.835	40	269866	937.02	ug/L		93
20) iodomethane	2.764	142	294733	135.43	ug/L		97
21) iso-butyl alcohol	2.844	43	341282	917.26	ug/L		97
22) carbon disulfide	2.819	76	881601	95.49	ug/L		100
23) methylene chloride	2.944	84	343624	92.44	ug/L		98
24) methyl acetate	2.848	74	88269	92.23	ug/L	#	87
25) methyl tert butyl ether	3.088	73	1097297	93.80	ug/L		98
26) trans-1,2-dichloroethene	3.104	96	338415	95.38	ug/L		100
27) hexane	3.252	57	451119	95.73	ug/L		99
28) di-isopropyl ether	3.345	45	1026491	93.33	ug/L		96
29) ethyl tert-butyl ether	3.550	59	1089798	95.45	ug/L		99
30) 2-butanone	3.650	72	253422	370.21	ug/L		97
31) 1,1-dichloroethane	3.355	63	600118	92.76	ug/L		99
32) chloroprene	3.400	53	472711	95.75	ug/L		99
33) acrylonitrile	3.069	53	173197	93.62	ug/L		97
34) vinyl acetate	3.326	86	89397	97.88	ug/L	#	91
35) ethyl acetate	3.656	45	78042	102.68	ug/L	#	79
36) 2,2-dichloropropane	3.688	77	454962	97.98	ug/L		98
37) cis-1,2-dichloroethene	3.679	96	393544	95.20	ug/L		99
38) propionitrile	3.688	54	655249	913.99	ug/L		92
39) methyl acrylate	3.695	85	87174	94.34	ug/L	#	92
40) bromochloromethane	3.817	128	192551	94.01	ug/L		94
41) tetrahydrofuran	3.826	72	75602	95.04	ug/L		90
42) chloroform	3.855	83	647469	94.90	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226130.D
Acq On : 14 Sep 2022 12:40 am
Operator : PrashanS
Sample : IC9688-100
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Sep 19 09:50:17 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc Units	Dev(Min)
44) methacrylonitrile	3.778	67	207108	94.93 ug/L	96
45) 1,1,1-trichloroethane	3.977	97	582621	96.77 ug/L	98
46) cyclohexane	4.028	84	550925	97.35 ug/L	99
47) 1,1-dichloropropene	4.064	75	482080	95.62 ug/L	98
48) carbon tetrachloride	4.073	117	509353	97.30 ug/L	96
49) isopropyl acetate	4.147	87	110064	95.47 ug/L #	86
50) tert amyl alcohol	4.128	55	102076	462.21 ug/L	89
53) tert-amyl methyl ether	4.227	73	1133533	96.55 ug/L	100
54) 2,2,4-trimethylpentane	4.231	57	906218	97.17 ug/L	99
55) n-butyl alcohol	4.436	56	637801	4911.15 ug/L	98
56) benzene	4.186	78	1385813	95.49 ug/L	99
57) heptane	4.317	57	186548	102.45 ug/L	98
58) 1,2-dichloroethane	4.202	62	487662	92.59 ug/L	99
59) trichloroethene	4.561	95	382366	98.01 ug/L	95
60) ethyl acrylate	4.561	55	605940	96.37 ug/L	97
61) 2-nitropropane	4.991	41	161739	95.59 ug/L	98
62) 2-chloroethyl vinyl ether	5.010	63	365952	451.29 ug/L	98
63) methyl methacrylate	4.706	100	140845	96.59 ug/L	90
64) 1,2-dichloropropane	4.718	63	354245	95.14 ug/L	99
65) methylcyclohexane	4.715	83	601784	99.86 ug/L	98
66) dibromomethane	4.776	93	252855	97.29 ug/L	95
67) bromodichloromethane	4.866	83	514859	95.47 ug/L	99
68) cis-1,3-dichloropropene	5.132	75	603129	96.10 ug/L	98
69) epichlorohydrin	5.059	57	130619	478.32 ug/L	88
70) 4-methyl-2-pentanone	5.203	58	777982	374.53 ug/L	99
71) 3-methyl-1-butanol	5.209	70	284204	2003.53 ug/L	97
74) toluene	5.360	92	911847	98.59 ug/L	96
75) trans-1,3-dichloropropene	5.485	75	569529	99.09 ug/L	98
76) ethyl methacrylate	5.489	69	579591	97.43 ug/L	98
77) 1,1,2-trichloroethane	5.620	83	302078	95.73 ug/L	99
78) 2-hexanone	5.739	58	775575	378.65 ug/L	97
79) tetrachloroethene	5.704	166	378777	98.59 ug/L	97
80) 1,3-dichloropropane	5.736	76	589125	96.16 ug/L	98
81) butyl acetate	5.797	56	289740	97.34 ug/L	94
82) dibromochloromethane	5.886	129	419628	99.04 ug/L	99
83) 1,2-dibromoethane	5.983	107	396357	97.33 ug/L	98
84) n-butyl ether	6.320	57	1383094	97.89 ug/L	98
85) chlorobenzene	6.313	112	1012463	99.00 ug/L	98
86) 1,1,1,2-tetrachloroethane	6.361	131	360721	98.81 ug/L	98
87) ethylbenzene	6.365	91	1645296	96.98 ug/L	99
88) m,p-xylene	6.448	106	1302218	197.14 ug/L	98
89) o-xylene	6.718	106	663699	99.33 ug/L	97
90) butyl acrylate	6.634	55	804066	99.46 ug/L	96
91) n-amyl acetate	6.785	70	318540	98.32 ug/L	97
92) styrene	6.727	104	1132126	97.15 ug/L	98
93) bromoform	6.865	173	317045	101.53 ug/L	98
94) isopropylbenzene	6.955	105	1673942	98.97 ug/L	99
95) cis-1,4-dichloro-2-butene	6.990	88	166636	99.01 ug/L	97
98) bromobenzene	7.192	156	420568	96.74 ug/L	95
99) 1,1,2,2-tetrachloroethane	7.154	83	519393	94.14 ug/L	95
100) trans-1,4-dichloro-2-b...	7.176	53	119771	98.92 ug/L	97
101) 1,2,3-trichloropropane	7.202	110	156863	94.03 ug/L	99
102) n-propylbenzene	7.234	91	1802101	95.56 ug/L	100
103) 2-chlorotoluene	7.311	126	383749	96.55 ug/L	98
104) 4-chlorotoluene	7.388	126	394596	97.76 ug/L	95
105) 1,3,5-trimethylbenzene	7.346	105	1235889	95.61 ug/L	100
106) tert-butylbenzene	7.558	119	1133509	100.05 ug/L	98
107) 1,2,4-trimethylbenzene	7.597	105	1255668	93.72 ug/L	98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226130.D
Acq On : 14 Sep 2022 12:40 am
Operator : PrashanS
Sample : IC9688-100
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Sep 19 09:50:17 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
108) sec-butylbenzene	7.703	105	1578709	97.91	ug/L	99
109) 1,3-dichlorobenzene	7.796	146	740073	99.61	ug/L	98
110) p-isopropyltoluene	7.796	119	1343962	98.18	ug/L	99
111) 1,2,3-trimethylbenzene	7.866	105	1254250	94.33	ug/L	99
112) 1,4-dichlorobenzene	7.860	146	738345	97.89	ug/L	99
113) 1,2-dichlorobenzene	8.091	146	693950	97.59	ug/L	99
114) n-butylbenzene	8.052	92	606896	99.64	ug/L	98
115) 1,2-dibromo-3-chloropr...	8.566	157	131688	98.28	ug/L	93
116) 1,3,5-trichlorobenzene	8.678	180	432022	99.09	ug/L	99
117) 1,2,4-trichlorobenzene	9.054	180	371837	99.16	ug/L	96
118) hexachlorobutadiene	9.127	225	120520	98.88	ug/L	97
119) naphthalene	9.220	128	1266679	97.22	ug/L	99
120) 1,2,3-trichlorobenzene	9.358	180	308622	98.22	ug/L	97
121) hexachloroethane	8.264	119	218971	102.38	ug/L	98
122) benzyl chloride	7.924	91	753713	101.73	ug/L	97
123) 2-methylnaphthalene	9.975	142	142697	53.31	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226130.D
Acq On : 14 Sep 2022 12:40 am
Operator : PrashanS
Sample : IC9688-100
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Sep 19 09:50:17 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226131.D
Acq On : 14 Sep 2022 1:04 am
Operator : PrashanS
Sample : IC9688-200
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Sep 20 17:38:06 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert Butyl Alcohol-d9	2.918	65	250954	500.00	ug/L	0.00
5) pentafluorobenzene	3.932	168	518214	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.401	114	743933	50.00	ug/L	0.00
72) chlorobenzene-d5	6.291	117	677622	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.844	152	280301	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.948	113	221037	47.41	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 94.82%			
52) 1,2-dichloroethane-d4 (s)	4.157	65	234979	46.55	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 93.10%			
73) toluene-d8 (s)	5.315	98	857104	48.70	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.40%			
97) 4-bromofluorobenzene (s)	7.083	95	276517	47.74	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.48%			
Target Compounds						Qvalue
2) 1,4-dioxane	4.751	88	180179	4549.16	ug/L	92
3) ethanol	2.421	45	537640	17427.06	ug/L	95
4) tertiary butyl alcohol	2.966	59	549761	962.11	ug/L	98
6) chlorodifluoromethane	1.644	51	754341	169.89	ug/L	98
7) dichlorodifluoromethane	1.631	85	1168041	180.22	ug/L	98
8) chloromethane	1.776	50	717287	158.13	ug/L	99
9) vinyl chloride	1.859	62	1083690	166.25	ug/L	99
10) 1,3-butadiene	1.888	54	855934	159.80	ug/L	98
12) chloroethane	2.164	64	742316	182.76	ug/L	99
13) trichlorofluoromethane	2.334	101	1405508	179.66	ug/L	97
14) ethyl ether	2.498	74	441257	182.38	ug/L	97
15) acrolein	2.591	56	176061	192.65	ug/L	98
16) freon 113	2.652	151	592555	191.30	ug/L	95
17) 1,1-dichloroethene	2.662	96	639947	179.99	ug/L	96
18) acetone	2.671	58	310748	672.17	ug/L	98
19) acetonitrile	2.838	40	512639	1649.28	ug/L	96
20) iodomethane	2.764	142	714509	304.22	ug/L	95
21) iso-butyl alcohol	2.844	43	687766	1712.77	ug/L	96
22) carbon disulfide	2.816	76	1822936	182.94	ug/L	98
23) methylene chloride	2.944	84	707966	176.46	ug/L	100
24) methyl acetate	2.844	74	174923	169.36	ug/L	89
25) methyl tert butyl ether	3.088	73	2280275	180.62	ug/L	100
26) trans-1,2-dichloroethene	3.104	96	701330	183.15	ug/L	97
27) hexane	3.252	57	924562	181.78	ug/L	99
28) di-isopropyl ether	3.345	45	2081405	175.34	ug/L	97
29) ethyl tert-butyl ether	3.550	59	2259718	183.39	ug/L	98
30) 2-butanone	3.650	72	523663	708.82	ug/L	93
31) 1,1-dichloroethane	3.355	63	1233367	176.64	ug/L	100
32) chloroprene	3.396	53	977487	183.45	ug/L	99
33) acrylonitrile	3.069	53	356832	178.72	ug/L	98
34) vinyl acetate	3.326	86	190084	192.84	ug/L #	83
35) ethyl acetate	3.656	45	143084	174.44	ug/L #	79
36) 2,2-dichloropropane	3.688	77	970675	193.69	ug/L	99
37) cis-1,2-dichloroethene	3.679	96	803877	180.19	ug/L	98
38) propionitrile	3.692	54	1311820	1695.48	ug/L	79
39) methyl acrylate	3.695	85	182544	183.04	ug/L	95
40) bromochloromethane	3.817	128	394794	178.61	ug/L	96
41) tetrahydrofuran	3.826	72	149889	174.59	ug/L	93
42) chloroform	3.855	83	1303773	177.07	ug/L	98
44) methacrylonitrile	3.778	67	426182	181.01	ug/L	99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226131.D
Acq On : 14 Sep 2022 1:04 am
Operator : PrashanS
Sample : IC9688-200
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Sep 20 17:38:06 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
45) 1,1,1-trichloroethane	3.977	97	1211753	186.49	ug/L		98
46) cyclohexane	4.029	84	1153547	188.86	ug/L		98
47) 1,1-dichloropropene	4.064	75	1007643	185.18	ug/L		99
48) carbon tetrachloride	4.073	117	1082129	191.54	ug/L		98
49) isopropyl acetate	4.147	87	227442	182.80	ug/L		92
50) tert amyl alcohol	4.131	55	195681	821.00	ug/L	#	80
53) tert-amyl methyl ether	4.227	73	2362401	193.07	ug/L		99
54) 2,2,4-trimethylpentane	4.231	57	1943765	199.96	ug/L		98
55) n-butyl alcohol	4.436	56	1267181	9361.64	ug/L		100
56) benzene	4.186	78	2840808	187.80	ug/L		99
57) heptane	4.314	57	383730	202.20	ug/L		98
58) 1,2-dichloroethane	4.202	62	1003355	182.78	ug/L		99
59) trichloroethene	4.561	95	807085	198.49	ug/L		93
60) ethyl acrylate	4.561	55	1219984	186.16	ug/L		97
61) 2-nitropropane	4.991	41	333088	188.87	ug/L		98
62) 2-chloroethyl vinyl ether	5.010	63	643162	760.98	ug/L		98
63) methyl methacrylate	4.706	100	300458	197.68	ug/L		98
64) 1,2-dichloropropane	4.718	63	726064	187.10	ug/L		97
65) methylcyclohexane	4.715	83	1270928	202.34	ug/L		98
66) dibromomethane	4.776	93	521596	192.56	ug/L		93
67) bromodichloromethane	4.866	83	1071146	190.55	ug/L		97
68) cis-1,3-dichloropropene	5.132	75	1239740	189.53	ug/L		98
69) epichlorohydrin	5.059	57	307130	1079.07	ug/L		85
70) 4-methyl-2-pentanone	5.203	58	1601050	739.51	ug/L		95
71) 3-methyl-1-butanol	5.209	70	581125	3930.51	ug/L		96
74) toluene	5.360	92	1858472	188.13	ug/L		97
75) trans-1,3-dichloropropene	5.482	75	1195953	194.82	ug/L		91
76) ethyl methacrylate	5.489	69	1168257	183.86	ug/L		98
77) 1,1,2-trichloroethane	5.620	83	618190	183.43	ug/L		97
78) 2-hexanone	5.739	58	1583902	724.00	ug/L		95
79) tetrachloroethene	5.704	166	814399	198.46	ug/L		99
80) 1,3-dichloropropane	5.736	76	1219838	186.41	ug/L		99
81) butyl acetate	5.797	56	586104	184.36	ug/L		95
82) dibromochloromethane	5.886	129	890623	196.80	ug/L		100
83) 1,2-dibromoethane	5.983	107	828627	190.51	ug/L		99
84) n-butyl ether	6.320	57	2797718	185.40	ug/L		97
85) chlorobenzene	6.313	112	2129520	194.96	ug/L		97
86) 1,1,1,2-tetrachloroethane	6.361	131	767508	196.83	ug/L		97
87) ethylbenzene	6.361	91	3351712	184.97	ug/L		98
88) m,p-xylene	6.448	106	2705219	383.43	ug/L		95
89) o-xylene	6.718	106	1367099	191.56	ug/L		94
90) butyl acrylate	6.634	55	1641245	190.08	ug/L		95
91) n-amyl acetate	6.782	70	647089	186.99	ug/L		97
92) styrene	6.727	104	2308512	185.47	ug/L		98
93) bromoform	6.865	173	657947	197.27	ug/L		97
94) isopropylbenzene	6.958	105	3338046	184.78	ug/L		98
95) cis-1,4-dichloro-2-butene	6.990	88	353538	196.67	ug/L		98
98) bromobenzene	7.193	156	859524	190.53	ug/L		95
99) 1,1,2,2-tetrachloroethane	7.151	83	1043646	182.29	ug/L		97
100) trans-1,4-dichloro-2-b...	7.176	53	243413	193.73	ug/L		100
101) 1,2,3-trichloropropane	7.202	110	310739	179.50	ug/L		99
102) n-propylbenzene	7.234	91	3561913	182.02	ug/L		100
103) 2-chlorotoluene	7.311	126	789739	191.47	ug/L		95
104) 4-chlorotoluene	7.388	126	803461	191.83	ug/L		95
105) 1,3,5-trimethylbenzene	7.350	105	2444461	182.23	ug/L		98
106) tert-butylbenzene	7.562	119	2285151	194.38	ug/L		95
107) 1,2,4-trimethylbenzene	7.597	105	2484735	178.72	ug/L		97
108) sec-butylbenzene	7.703	105	3138760	187.59	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226131.D
Acq On : 14 Sep 2022 1:04 am
Operator : PrashanS
Sample : IC9688-200
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Sep 20 17:38:06 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
109) 1,3-dichlorobenzene	7.796	146	1519504	197.09	ug/L	97
110) p-isopropyltoluene	7.793	119	2733292	192.43	ug/L	100
111) 1,2,3-trimethylbenzene	7.866	105	2532831	183.56	ug/L	98
112) 1,4-dichlorobenzene	7.860	146	1543421	197.18	ug/L	99
113) 1,2-dichlorobenzene	8.091	146	1406478	190.60	ug/L	98
114) n-butylbenzene	8.053	92	1204800	190.62	ug/L	96
115) 1,2-dibromo-3-chloropr...	8.566	157	278382	200.20	ug/L	92
116) 1,3,5-trichlorobenzene	8.678	180	899862	198.89	ug/L	100
117) 1,2,4-trichlorobenzene	9.054	180	772490	198.51	ug/L	99
118) hexachlorobutadiene	9.127	225	250702	198.22	ug/L	94
119) naphthalene	9.221	128	2538579	187.77	ug/L	99
120) 1,2,3-trichlorobenzene	9.355	180	635604	194.94	ug/L	97
121) hexachloroethane	8.261	119	466165	210.04	ug/L	97
122) benzyl chloride	7.924	91	1582619	205.85	ug/L	98
123) 2-methylnaphthalene	9.971	142	275256	99.10	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226131.D
Acq On : 14 Sep 2022 1:04 am
Operator : PrashanS
Sample : IC9688-200
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Sep 20 17:38:06 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 09:49:18 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226134.D
Acq On : 14 Sep 2022 2:15 am
Operator : PrashanS
Sample : ICV9688-50
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Sep 21 12:04:21 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert Butyl Alcohol-d9	2.918	65	251784	500.00	ug/L	0.00
5) pentafluorobenzene	3.935	168	459342	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.397	114	687566	50.00	ug/L	0.00
72) chlorobenzene-d5	6.291	117	619798	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.844	152	252647	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.948	113	203453	50.26	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.52%			
52) 1,2-dichloroethane-d4 (s)	4.157	65	229530	48.21	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 96.42%			
73) toluene-d8 (s)	5.315	98	799116	47.93	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.86%			
97) 4-bromofluorobenzene (s)	7.083	95	258474	49.31	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.62%			
Target Compounds						Qvalue
2) 1,4-dioxane	4.750	88	48781	1321.57	ug/L	93
3) ethanol	2.411	45	153959	4929.18	ug/L	100
4) tertiary butyl alcohol	2.963	59	138625	240.18	ug/L	96
7) dichlorodifluoromethane	1.631	85	274864	48.33	ug/L	96
8) chloromethane	1.776	50	198739	49.28	ug/L	99
9) vinyl chloride	1.862	62	292988	52.13	ug/L	96
10) 1,3-butadiene	1.891	54	282207	56.86	ug/L	99
11) bromomethane	2.100	96	121386	59.73	ug/L	99
12) chloroethane	2.170	64	184144	49.48	ug/L	98
13) trichlorofluoromethane	2.334	101	352889	51.58	ug/L	99
14) ethyl ether	2.498	74	114371	52.60	ug/L	97
15) acrolein	2.591	56	37788	52.72	ug/L	96
16) freon 113	2.655	151	140261	48.78	ug/L	98
17) 1,1-dichloroethene	2.661	96	163846	51.25	ug/L	94
18) acetone	2.668	58	79967	198.04	ug/L	98
20) iodomethane	2.764	142	113891	66.83	ug/L	93
21) iso-butyl alcohol	2.844	43	194101	542.18	ug/L	98
22) carbon disulfide	2.819	76	483319	50.60	ug/L	99
23) methylene chloride	2.944	84	178942	47.70	ug/L	95
24) methyl acetate	2.844	74	50933	57.20	ug/L	99
25) methyl tert butyl ether	3.088	73	582370	52.00	ug/L	97
26) trans-1,2-dichloroethene	3.104	96	173365	50.75	ug/L	98
27) hexane	3.255	57	251672	56.07	ug/L	99
28) di-isopropyl ether	3.342	45	530109	50.95	ug/L	95
29) ethyl tert-butyl ether	3.550	59	534744	49.64	ug/L	99
30) 2-butanone	3.650	72	131527	207.97	ug/L	98
31) 1,1-dichloroethane	3.355	63	311787	49.91	ug/L	98
32) chloroprene	3.400	53	256439	51.87	ug/L	97
34) vinyl acetate	3.326	86	38912	44.77	ug/L #	86
35) ethyl acetate	3.656	45	35255	47.32	ug/L	88
36) 2,2-dichloropropane	3.688	77	224711	51.55	ug/L	98
37) cis-1,2-dichloroethene	3.679	96	199823	52.11	ug/L	99
38) propionitrile	3.688	54	321968	484.17	ug/L	92
39) methyl acrylate	3.692	85	44955	52.95	ug/L	95
40) bromochloromethane	3.813	128	100306	51.44	ug/L	98
41) tetrahydrofuran	3.826	72	40435	50.60	ug/L #	82
42) chloroform	3.855	83	332499	47.81	ug/L	99
44) methacrylonitrile	3.778	67	106927	52.04	ug/L	98
45) 1,1,1-trichloroethane	3.980	97	294335	51.33	ug/L	98
46) cyclohexane	4.028	84	278967	51.46	ug/L	97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226134.D
Acq On : 14 Sep 2022 2:15 am
Operator : PrashanS
Sample : ICV9688-50
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Sep 21 12:04:21 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc Units	Dev(Min)
47) 1,1-dichloropropene	4.064	75	253718	50.83 ug/L	98
48) carbon tetrachloride	4.073	117	256977	52.20 ug/L	98
49) isopropyl acetate	4.147	87	55507	52.23 ug/L #	90
50) tert amyl alcohol	4.128	55	52598	259.33 ug/L	98
53) tert-amyl methyl ether	4.224	73	543028	48.04 ug/L	99
54) 2,2,4-trimethylpentane	4.231	57	444538	49.30 ug/L	99
55) n-butyl alcohol	4.436	56	298319	2542.81 ug/L	100
56) benzene	4.186	78	719126	50.63 ug/L	99
57) heptane	4.317	57	97631	55.76 ug/L	98
58) 1,2-dichloroethane	4.202	62	255831	49.34 ug/L	98
59) trichloroethene	4.561	95	193961	51.28 ug/L	95
60) ethyl acrylate	4.561	55	287737	50.90 ug/L	97
61) 2-nitropropane	4.991	41	83121	51.32 ug/L	97
62) 2-chloroethyl vinyl ether	5.010	63	213489	252.00 ug/L	97
63) methyl methacrylate	4.706	100	75083	57.78 ug/L	97
64) 1,2-dichloropropane	4.718	63	177072	48.65 ug/L	97
65) methylcyclohexane	4.718	83	306547	52.79 ug/L	99
66) dibromomethane	4.776	93	127479	48.53 ug/L	95
67) bromodichloromethane	4.866	83	264445	49.31 ug/L	99
68) cis-1,3-dichloropropene	5.132	75	298113	50.56 ug/L	99
69) epichlorohydrin	5.059	57	62870	235.31 ug/L	87
70) 4-methyl-2-pentanone	5.203	58	395806	208.67 ug/L	98
71) 3-methyl-1-butanol	5.209	70	131563	994.72 ug/L	97
74) toluene	5.357	92	455619	50.20 ug/L	96
75) trans-1,3-dichloropropene	5.482	75	280488	53.65 ug/L	93
76) ethyl methacrylate	5.489	69	276047	51.05 ug/L	96
77) 1,1,2-trichloroethane	5.617	83	152928	48.36 ug/L	98
78) 2-hexanone	5.739	58	396035	205.88 ug/L	97
80) 1,3-dichloropropane	5.736	76	301636	49.43 ug/L	99
81) butyl acetate	5.797	56	147231	54.65 ug/L	94
82) dibromochloromethane	5.886	129	217029	50.24 ug/L	100
83) 1,2-dibromoethane	5.983	107	200323	49.34 ug/L	100
84) n-butyl ether	6.320	57	672912	50.73 ug/L	99
85) chlorobenzene	6.310	112	503380	49.08 ug/L	98
86) 1,1,1,2-tetrachloroethane	6.361	131	177282	50.32 ug/L	98
87) ethylbenzene	6.361	91	832639	48.61 ug/L	98
88) m,p-xylene	6.448	106	651543	102.24 ug/L	99
89) o-xylene	6.718	106	331276	52.18 ug/L	98
90) butyl acrylate	6.634	55	393721	56.50 ug/L	98
91) n-amyl acetate	6.785	70	152145	55.30 ug/L	93
92) styrene	6.727	104	568976	54.87 ug/L	98
93) bromoform	6.865	173	153059	53.25 ug/L	98
94) isopropylbenzene	6.958	105	832017	51.73 ug/L	99
95) cis-1,4-dichloro-2-butene	6.990	88	76587	55.02 ug/L	98
98) bromobenzene	7.192	156	207985	51.60 ug/L	98
99) 1,1,2,2-tetrachloroethane	7.154	83	260495	49.14 ug/L	93
100) trans-1,4-dichloro-2-b...	7.180	53	60958	58.12 ug/L	96
101) 1,2,3-trichloropropane	7.202	110	79769	49.37 ug/L	98
102) n-propylbenzene	7.234	91	903917	50.84 ug/L	98
103) 2-chlorotoluene	7.311	126	190191	51.30 ug/L	99
104) 4-chlorotoluene	7.385	126	192245	51.04 ug/L	98
105) 1,3,5-trimethylbenzene	7.346	105	615850	51.19 ug/L	99
106) tert-butylbenzene	7.558	119	553837	52.78 ug/L	97
107) 1,2,4-trimethylbenzene	7.597	105	625582	51.61 ug/L	94
108) sec-butylbenzene	7.703	105	768427	52.62 ug/L	99
109) 1,3-dichlorobenzene	7.796	146	352591	53.22 ug/L	97
110) p-isopropyltoluene	7.793	119	653790	55.19 ug/L	97
112) 1,4-dichlorobenzene	7.857	146	349711	49.62 ug/L	98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226134.D
Acq On : 14 Sep 2022 2:15 am
Operator : PrashanS
Sample : ICV9688-50
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Sep 21 12:04:21 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
113) 1,2-dichlorobenzene	8.091	146	340164	53.69	ug/L	99
114) n-butylbenzene	8.052	92	290285	56.13	ug/L	98
115) 1,2-dibromo-3-chloropr...	8.566	157	64784	55.23	ug/L	92
116) 1,3,5-trichlorobenzene	8.678	180	210107	55.29	ug/L	98
117) 1,2,4-trichlorobenzene	9.054	180	177033	56.62	ug/L	98
118) hexachlorobutadiene	9.127	225	59707	51.68	ug/L	95
119) naphthalene	9.220	128	614557	55.96	ug/L	98
120) 1,2,3-trichlorobenzene	9.355	180	146042	54.01	ug/L	97
121) hexachloroethane	8.261	119	106154	56.97	ug/L	98
122) benzyl chloride	7.924	91	318363	53.27	ug/L	99
123) 2-methylnaphthalene	9.978	142	62060	25.25	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226134.D
Acq On : 14 Sep 2022 2:15 am
Operator : PrashanS
Sample : ICV9688-50
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Sep 21 12:04:21 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226135.D
Acq On : 14 Sep 2022 2:39 am
Operator : PrashanS
Sample : ICV9688-50
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Sep 20 17:40:11 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 11:59:35 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert Butyl Alcohol-d9	2.915	65	240030	500.00	ug/L	0.00
5) pentafluorobenzene	3.935	168	460882	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.401	114	665655	50.00	ug/L	0.00
72) chlorobenzene-d5	6.291	117	556796	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.844	152	221738	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.948	113	201137	49.52	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.04%			
52) 1,2-dichloroethane-d4 (s)	4.157	65	235006	50.98	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 101.96%			
73) toluene-d8 (s)	5.315	98	757188	50.55	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.10%			
97) 4-bromofluorobenzene (s)	7.083	95	234350	50.94	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.88%			
Target Compounds						Qvalue
6) chlorodifluoromethane	1.644	51	210275	54.03	ug/L	94
19) acetonitrile	2.835	40	125397	453.26	ug/L	98
33) acrylonitrile	3.072	53	67842	39.93	ug/L	95
79) tetrachloroethene	5.703	166	166383	48.19	ug/L	98
111) 1,2,3-trimethylbenzene	7.866	105	616080	57.19	ug/L	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\V1A9688\
Data File : 1A226135.D
Acq On : 14 Sep 2022 2:39 am
Operator : PrashanS
Sample : ICV9688-50
Misc : MS62100, V1A9688,5,,,,1
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Sep 20 17:40:11 2022
Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Mon Sep 19 11:59:35 2022
Response via : Initial Calibration



M1A9688.M Thu Sep 22 14:06:19 2022 1A

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\September\09-28-22\v1a9698\
Data File : 1a226430.d
Acq On : 27 Sep 2022 9:36 am
Operator : nickw
Sample : CCC9688-20 Inst : MSDTEST1A
Misc : MS62471, V1A9698,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 27 16:26:32 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert Butyl Alcohol-d9	2.918	65	232944	500.00	ug/L		0.00
5) pentafluorobenzene	3.932	168	525323	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.401	114	769721	50.00	ug/L		0.00
72) chlorobenzene-d5	6.291	117	668715	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	7.844	152	274586	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	3.948	113	227319	49.10	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.20%				
52) 1,2-dichloroethane-d4 (s)	4.157	65	255297	47.90	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 95.80%				
73) toluene-d8 (s)	5.315	98	883907	49.14	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.28%				
97) 4-bromofluorobenzene (s)	7.083	95	283154	49.70	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.40%				
Target Compounds							Qvalue
2) 1,4-dioxane	4.744	88	14897	436.23	ug/L		76
3) ethanol	2.414	45	50523	1748.38	ug/L		100
4) tertiary butyl alcohol	2.966	59	53403	100.01	ug/L		97
6) chlorodifluoromethane	1.647	51	69197	15.60	ug/L		97
7) dichlorodifluoromethane	1.635	85	108551	16.69	ug/L		96
8) chloromethane	1.779	50	81012	17.57	ug/L		97
9) vinyl chloride	1.862	62	114520	17.82	ug/L		99
10) 1,3-butadiene	1.891	54	86407	15.22	ug/L		99
11) bromomethane	2.100	96	31990	17.83	ug/L		97
12) chloroethane	2.171	64	72569	17.05	ug/L		98
13) trichlorofluoromethane	2.341	101	151455	19.36	ug/L		98
14) ethyl ether	2.501	74	48499	19.50	ug/L		97
15) acrolein	2.588	56	16994	20.73	ug/L		99
16) freon 113	2.658	151	63592	19.34	ug/L	#	82
17) 1,1-dichloroethene	2.661	96	70110	19.18	ug/L		97
18) acetone	2.668	58	37120	80.38	ug/L		100
19) acetonitrile	2.838	40	58783	186.41	ug/L		94
20) iodomethane	2.761	142	27607	14.16	ug/L		96
21) iso-butyl alcohol	2.844	43	75994	185.61	ug/L		98
22) carbon disulfide	2.819	76	194944	17.85	ug/L		98
23) methylene chloride	2.944	84	78964	18.40	ug/L		98
24) methyl acetate	2.848	74	20693	20.32	ug/L		89
25) methyl tert butyl ether	3.088	73	251720	19.65	ug/L		99
26) trans-1,2-dichloroethene	3.104	96	76811	19.66	ug/L		98
27) hexane	3.255	57	96576	18.81	ug/L		98
28) di-isopropyl ether	3.345	45	229547	19.29	ug/L		99
29) ethyl tert-butyl ether	3.550	59	238888	19.39	ug/L		98
30) 2-butanone	3.650	72	53587	74.09	ug/L		95
31) 1,1-dichloroethane	3.355	63	137782	19.29	ug/L		96
32) chloroprene	3.400	53	107137	18.95	ug/L		98
33) acrylonitrile	3.069	53	37756	19.50	ug/L		93
34) vinyl acetate	3.329	86	19743	19.86	ug/L		99
35) ethyl acetate	3.653	45	17365	20.38	ug/L		94
36) 2,2-dichloropropane	3.688	77	119861	24.04	ug/L		99
37) cis-1,2-dichloroethene	3.679	96	88956	20.29	ug/L		99
38) propionitrile	3.688	54	147792	194.33	ug/L		98
39) methyl acrylate	3.695	85	18613	19.17	ug/L		95
40) bromochloromethane	3.817	128	45133	20.24	ug/L		97
41) tetrahydrofuran	3.826	72	16876	18.46	ug/L		86

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\September\09-28-22\v1a9698\
Data File : 1a226430.d
Acq On : 27 Sep 2022 9:36 am
Operator : nickw
Sample : CCC9688-20 Inst : MSDTEST1A
Misc : MS62471, V1A9698,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 27 16:26:32 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
42)	chloroform	3.858	83	148631	18.69	ug/L	98
44)	methacrylonitrile	3.778	67	43654	18.58	ug/L	92
45)	1,1,1-trichloroethane	3.980	97	127260	19.41	ug/L	93
46)	cyclohexane	4.032	84	110546	17.83	ug/L	91
47)	1,1-dichloropropene	4.067	75	108118	18.94	ug/L	94
48)	carbon tetrachloride	4.073	117	111976	19.89	ug/L	97
49)	isopropyl acetate	4.147	87	24038	19.78	ug/L	93
50)	tert amyl alcohol	4.131	55	20826	89.78	ug/L	94
53)	tert-amyl methyl ether	4.227	73	246372	19.47	ug/L	96
54)	2,2,4-trimethylpentane	4.234	57	193598	19.18	ug/L	98
55)	n-butyl alcohol	4.436	56	96680	796.31	ug/L	98
56)	benzene	4.189	78	313217	19.70	ug/L	99
57)	heptane	4.314	57	38672	19.73	ug/L	94
58)	1,2-dichloroethane	4.202	62	117121	20.18	ug/L	98
59)	trichloroethene	4.561	95	85300	20.15	ug/L	90
60)	ethyl acrylate	4.561	55	125954	19.90	ug/L	96
61)	2-nitropropane	4.991	41	35075	19.34	ug/L	94
62)	2-chloroethyl vinyl ether	5.010	63	105718	111.47	ug/L	99
63)	methyl methacrylate	4.706	100	30018	20.64	ug/L	90
64)	1,2-dichloropropane	4.718	63	77027	18.90	ug/L	95
65)	methylcyclohexane	4.715	83	127957	19.68	ug/L	98
66)	dibromomethane	4.776	93	58084	19.75	ug/L	97
67)	bromodichloromethane	4.866	83	119041	19.83	ug/L	96
68)	cis-1,3-dichloropropene	5.132	75	133737	20.26	ug/L	96
69)	epichlorohydrin	5.059	57	28527	95.38	ug/L	91
70)	4-methyl-2-pentanone	5.203	58	168069	79.15	ug/L	94
71)	3-methyl-1-butanol	5.209	70	44748	322.04	ug/L	93
74)	toluene	5.360	92	202823	20.71	ug/L	95
75)	trans-1,3-dichloropropene	5.485	75	121366	21.52	ug/L	96
76)	ethyl methacrylate	5.489	69	124026	21.26	ug/L	99
77)	1,1,2-trichloroethane	5.620	83	69272	20.30	ug/L	94
78)	2-hexanone	5.739	58	165944	79.95	ug/L	99
79)	tetrachloroethene	5.704	166	88520	21.35	ug/L	98
80)	1,3-dichloropropane	5.736	76	134537	20.44	ug/L	97
81)	butyl acetate	5.797	56	60828	20.93	ug/L	98
82)	dibromochloromethane	5.886	129	92751	19.90	ug/L	99
83)	1,2-dibromoethane	5.983	107	88455	20.19	ug/L	99
84)	n-butyl ether	6.320	57	289418	20.22	ug/L	98
85)	chlorobenzene	6.313	112	221147	19.98	ug/L	95
86)	1,1,1,2-tetrachloroethane	6.361	131	77967	20.51	ug/L	98
87)	ethylbenzene	6.361	91	370431	20.04	ug/L	98
88)	m,p-xylene	6.448	106	288154	41.91	ug/L	98
89)	o-xylene	6.718	106	143498	20.95	ug/L	98
90)	butyl acrylate	6.637	55	162241	21.58	ug/L	96
91)	n-amyl acetate	6.785	70	62860	21.18	ug/L	96
92)	styrene	6.730	104	240362	21.48	ug/L	95
93)	bromoform	6.865	173	60514	19.51	ug/L	98
94)	isopropylbenzene	6.958	105	362523	20.89	ug/L	98
95)	cis-1,4-dichloro-2-butene	6.987	88	27688	18.44	ug/L	91
98)	bromobenzene	7.192	156	91822	20.96	ug/L	96
99)	1,1,2,2-tetrachloroethane	7.154	83	111563	19.36	ug/L	98
100)	trans-1,4-dichloro-2-b...	7.180	53	21916	19.23	ug/L	84
101)	1,2,3-trichloropropane	7.202	110	35848	20.42	ug/L	94
102)	n-propylbenzene	7.234	91	401433	20.77	ug/L	100
103)	2-chlorotoluene	7.311	126	84042	20.86	ug/L	96
104)	4-chlorotoluene	7.388	126	83448	20.38	ug/L	94
105)	1,3,5-trimethylbenzene	7.346	105	273039	20.88	ug/L	98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\September\09-28-22\v1a9698\
Data File : 1a226430.d
Acq On : 27 Sep 2022 9:36 am
Operator : nickw
Sample : CCC9688-20 Inst : MSDTEST1A
Misc : MS62471, V1A9698,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 27 16:26:32 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
106) tert-butylbenzene	7.558	119	241493	21.17	ug/L	97
107) 1,2,4-trimethylbenzene	7.597	105	278474	21.14	ug/L	99
108) sec-butylbenzene	7.703	105	336130	21.18	ug/L	99
109) 1,3-dichlorobenzene	7.796	146	151911	21.10	ug/L	96
110) p-isopropyltoluene	7.796	119	284637	22.11	ug/L	99
111) 1,2,3-trimethylbenzene	7.866	105	276030	20.69	ug/L	97
112) 1,4-dichlorobenzene	7.860	146	156636	20.45	ug/L	99
113) 1,2-dichlorobenzene	8.091	146	145710	21.16	ug/L	98
114) n-butylbenzene	8.052	92	127464	22.68	ug/L	93
115) 1,2-dibromo-3-chloropr...	8.569	157	26190	20.54	ug/L	77
116) 1,3,5-trichlorobenzene	8.681	180	92081	22.30	ug/L	95
117) 1,2,4-trichlorobenzene	9.054	180	77957	22.94	ug/L	96
118) hexachlorobutadiene	9.127	225	27194	21.66	ug/L	95
119) naphthalene	9.224	128	251459	21.07	ug/L	99
120) 1,2,3-trichlorobenzene	9.358	180	61858	21.05	ug/L	91
121) hexachloroethane	8.264	119	42920	21.20	ug/L	97
122) benzyl chloride	7.924	91	173415	26.70	ug/L	98
123) 2-methylnaphthalene	9.991	142	19160	8.19	ug/L	86

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\September\09-28-22\v1a9698\
Data File : 1a226430.d
Acq On : 27 Sep 2022 9:36 am
Operator : nickw
Sample : CCC9688-20 Inst : MSDTEST1A
Misc : MS62471, V1A9698,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Sep 27 16:26:32 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Wed Sep 21 12:03:58 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-03-22\v1a9705\
Data File : 1a226605.d
Acq On : 30 Sep 2022 10:42 am
Operator : nickw
Sample : CC9688-20 Inst : MSDTEST1A
Misc : MS62579, V1A9705,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Oct 03 07:23:25 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Sep 29 14:48:46 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert Butyl Alcohol-d9	2.915	65	253903	500.00	ug/L		0.00
5) pentafluorobenzene	3.932	168	489763	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.398	114	719250	50.00	ug/L		0.00
72) chlorobenzene-d5	6.291	117	626257	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	7.841	152	250966	50.00	ug/L		0.00
124) pentafluorobenzene(a)	3.932	168	489763	50.00	ug/L		0.00
127) 1,4-dichlorobenzene-d4(a)	7.841	152	250966	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	3.948	113	209754	48.60	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.20%				
52) 1,2-dichloroethane-d4 (s)	4.157	65	258904	51.98	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 103.96%				
73) toluene-d8 (s)	5.312	98	828131	49.16	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.32%				
97) 4-bromofluorobenzene (s)	7.083	95	255637	49.09	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.18%				
Target Compounds							Qvalue
2) 1,4-dioxane	4.744	88	17552	471.55	ug/L		96
3) ethanol	2.415	45	68276	2167.69	ug/L		98
4) tertiary butyl alcohol	2.963	59	59757	102.67	ug/L		95
6) chlorodifluoromethane	1.641	51	50203	12.14	ug/L		86
7) dichlorodifluoromethane	1.632	85	116774	19.26	ug/L		99
8) chloromethane	1.779	50	87880	20.44	ug/L		94
9) vinyl chloride	1.863	62	127538	21.28	ug/L		98
10) 1,3-butadiene	1.891	54	68077	12.87	ug/L		99
11) bromomethane	2.097	96	36844	21.58	ug/L		91
12) chloroethane	2.171	64	86058	21.69	ug/L		98
13) trichlorofluoromethane	2.334	101	167299	22.93	ug/L		99
14) ethyl ether	2.498	74	48761	21.03	ug/L		91
15) acrolein	2.588	56	15749	20.61	ug/L		88
16) freon 113	2.655	151	63921	20.85	ug/L		90
17) 1,1-dichloroethene	2.665	96	67156	19.70	ug/L		96
18) acetone	2.668	58	37515	87.14	ug/L		96
19) acetonitrile	2.835	40	63365	215.53	ug/L		99
20) iodomethane	2.764	142	33649	18.52	ug/L		96
21) iso-butyl alcohol	2.845	43	78340	205.23	ug/L		98
22) carbon disulfide	2.819	76	178500	17.53	ug/L		99
23) methylene chloride	2.944	84	80647	20.16	ug/L		97
24) methyl acetate	2.845	74	19877	20.93	ug/L		93
25) methyl tert butyl ether	3.085	73	249195	20.87	ug/L		99
26) trans-1,2-dichloroethene	3.104	96	77383	21.25	ug/L		96
27) hexane	3.255	57	89073	18.61	ug/L		98
28) di-isopropyl ether	3.345	45	240212	21.65	ug/L		97
29) ethyl tert-butyl ether	3.547	59	233679	20.34	ug/L		98
30) 2-butanone	3.650	72	53880	79.90	ug/L	#	88
31) 1,1-dichloroethane	3.355	63	140012	21.02	ug/L		94
32) chloroprene	3.400	53	110657	20.99	ug/L		96
33) acrylonitrile	3.066	53	32982	18.27	ug/L		98
34) vinyl acetate	3.329	86	19373	20.91	ug/L	#	93
35) ethyl acetate	3.656	45	17070	21.49	ug/L		77
36) 2,2-dichloropropane	3.688	77	116932	25.16	ug/L		96
37) cis-1,2-dichloroethene	3.676	96	87849	21.49	ug/L		97
38) propionitrile	3.688	54	148253	209.09	ug/L		92
39) methyl acrylate	3.692	85	19316	21.34	ug/L		95

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-03-22\v1a9705\
Data File : 1a226605.d
Acq On : 30 Sep 2022 10:42 am
Operator : nickw
Sample : CC9688-20 Inst : MSDTEST1A
Misc : MS62579, V1A9705,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Oct 03 07:23:25 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Sep 29 14:48:46 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
40) bromochloromethane	3.817	128	42951	20.66	ug/L		96
41) tetrahydrofuran	3.830	72	17320	20.33	ug/L		84
42) chloroform	3.855	83	150600	20.31	ug/L		97
44) methacrylonitrile	3.778	67	45568	20.80	ug/L		94
45) 1,1,1-trichloroethane	3.980	97	127230	20.81	ug/L		97
46) cyclohexane	4.029	84	119001	20.59	ug/L		93
47) 1,1-dichloropropene	4.064	75	107738	20.25	ug/L		98
48) carbon tetrachloride	4.070	117	112972	21.52	ug/L		97
49) isopropyl acetate	4.147	87	23273	20.54	ug/L	#	85
50) tert amyl alcohol	4.131	55	20438	94.51	ug/L	#	82
53) tert-amyl methyl ether	4.224	73	235437	19.91	ug/L		97
54) 2,2,4-trimethylpentane	4.231	57	152547	16.17	ug/L		97
55) n-butyl alcohol	4.436	56	107133	928.58	ug/L		95
56) benzene	4.186	78	315209	21.21	ug/L		99
57) heptane	4.317	57	29949	16.35	ug/L		88
58) 1,2-dichloroethane	4.202	62	116139	21.41	ug/L		99
59) trichloroethene	4.561	95	84351	21.32	ug/L		96
60) ethyl acrylate	4.561	55	125273	21.19	ug/L		96
61) 2-nitropropane	4.988	41	31136	18.38	ug/L		92
62) 2-chloroethyl vinyl ether	5.011	63	27247	30.75	ug/L		92
63) methyl methacrylate	4.706	100	29366	21.60	ug/L	#	84
64) 1,2-dichloropropane	4.719	63	79443	20.86	ug/L		97
65) methylcyclohexane	4.715	83	110503	18.19	ug/L		99
66) dibromomethane	4.773	93	57690	21.00	ug/L		93
67) bromodichloromethane	4.866	83	115818	20.65	ug/L		98
68) cis-1,3-dichloropropene	5.129	75	134512	21.81	ug/L		97
69) epichlorohydrin	5.059	57	25552	91.42	ug/L		89
70) 4-methyl-2-pentanone	5.203	58	166212	83.77	ug/L		93
71) 3-methyl-1-butanol	5.210	70	45954	351.11	ug/L		92
74) toluene	5.360	92	198746	21.67	ug/L		96
75) trans-1,3-dichloropropene	5.485	75	118315	22.40	ug/L		96
76) ethyl methacrylate	5.489	69	121812	22.29	ug/L		97
77) 1,1,2-trichloroethane	5.620	83	65556	20.52	ug/L		95
78) 2-hexanone	5.742	58	160539	82.59	ug/L		96
79) tetrachloroethene	5.704	166	82671	21.29	ug/L		98
80) 1,3-dichloropropane	5.736	76	130394	21.15	ug/L		99
81) butyl acetate	5.797	56	59754	21.95	ug/L		100
82) dibromochloromethane	5.887	129	90022	20.62	ug/L		97
83) 1,2-dibromoethane	5.983	107	86653	21.12	ug/L		98
84) n-butyl ether	6.320	57	291255	21.73	ug/L		96
85) chlorobenzene	6.313	112	210286	20.29	ug/L		98
86) 1,1,1,2-tetrachloroethane	6.362	131	75273	21.15	ug/L		96
87) ethylbenzene	6.362	91	355524	20.54	ug/L		99
88) m,p-xylene	6.448	106	268953	41.77	ug/L		97
89) o-xylene	6.718	106	135740	21.16	ug/L		98
90) butyl acrylate	6.637	55	158806	22.56	ug/L		99
91) n-amyl acetate	6.782	70	59463	21.39	ug/L		94
92) styrene	6.727	104	232343	22.18	ug/L		97
93) bromoform	6.865	173	59295	20.41	ug/L		98
94) isopropylbenzene	6.958	105	326866	20.11	ug/L		98
95) cis-1,4-dichloro-2-butene	6.987	88	26332	18.72	ug/L		90
98) bromobenzene	7.193	156	84707	21.16	ug/L		99
99) 1,1,2,2-tetrachloroethane	7.151	83	106261	20.18	ug/L		97
100) trans-1,4-dichloro-2-b...	7.180	53	19699	18.91	ug/L		97
101) 1,2,3-trichloropropane	7.202	110	32422	20.20	ug/L		96
102) n-propylbenzene	7.234	91	355020	20.10	ug/L		98
103) 2-chlorotoluene	7.308	126	73402	19.93	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-03-22\v1a9705\
Data File : 1a226605.d
Acq On : 30 Sep 2022 10:42 am
Operator : nickw
Sample : CC9688-20 Inst : MSDTEST1A
Misc : MS62579, V1A9705,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Oct 03 07:23:25 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Sep 29 14:48:46 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
104) 4-chlorotoluene	7.388	126	77644	20.75	ug/L	91
105) 1,3,5-trimethylbenzene	7.347	105	236116	19.76	ug/L	96
106) tert-butylbenzene	7.558	119	196730	18.87	ug/L	99
107) 1,2,4-trimethylbenzene	7.597	105	237752	19.75	ug/L	99
108) sec-butylbenzene	7.703	105	269544	18.58	ug/L	100
109) 1,3-dichlorobenzene	7.799	146	134868	20.49	ug/L	99
110) p-isopropyltoluene	7.793	119	228209	19.39	ug/L	97
111) 1,2,3-trimethylbenzene	7.866	105	243298	19.96	ug/L	97
112) 1,4-dichlorobenzene	7.857	146	138236	19.75	ug/L	97
113) 1,2-dichlorobenzene	8.091	146	129593	20.59	ug/L	99
114) n-butylbenzene	8.053	92	98479	19.17	ug/L	99
115) 1,2-dibromo-3-chloropr...	8.566	157	23848	20.47	ug/L	95
116) 1,3,5-trichlorobenzene	8.678	180	73039	19.35	ug/L	100
117) 1,2,4-trichlorobenzene	9.054	180	59127	19.04	ug/L	97
118) hexachlorobutadiene	9.128	225	22051	19.22	ug/L	87
119) naphthalene	9.224	128	213850	19.60	ug/L	99
120) 1,2,3-trichlorobenzene	9.359	180	49820	18.55	ug/L	96
121) hexachloroethane	8.264	119	33429	18.06	ug/L	93
122) benzyl chloride	7.924	91	151154	25.46	ug/L	99
123) 2-methylnaphthalene	9.991	142	15023	7.23	ug/L	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\renee\october\10-03-22\v1a9705\
Data File : 1a226605.d
Acq On : 30 Sep 2022 10:42 am
Operator : nickw
Sample : CC9688-20 Inst : MSDTEST1A
Misc : MS62579, V1A9705,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\M1A9688.M
Quant Results File: M1A9688.RES
Quant Time: Oct 03 07:23:25 2022
Quant Title : SW846 Method V8260C/D and EPA 624.1, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Sep 29 14:48:46 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200548.D
Acq On : 28 Sep 2022 9:15 pm
Operator : PrashanS
Sample : IC8636-0.2
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 13:50:55 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	2.44	65	348975	500.00	ug/L		0.00
5) pentafluorobenzene	3.51	168	393791	50.00	ug/L		0.00
52) 1,4-difluorobenzene	4.00	114	552425	50.00	ug/L		0.00
73) chlorobenzene-d5	6.08	117	504410	50.00	ug/L		0.00
97) 1,4-dichlorobenzene-d4	7.89	152	247386	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	3.51	113	182448	49.33	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.66%				
53) 1,2-dichloroethane-d4 (s)	3.73	65	208890	50.87	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 101.74%				
74) toluene-d8 (s)	5.00	98	605292	50.60	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.20%				
98) 4-bromofluorobenzene (s)	7.01	95	218369	51.57	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 103.14%				
Target Compounds							Qvalue
6) chlorodifluoromethane	1.25	51	748	0.23	ug/L		66
12) trichlorofluoromethane	1.86	101	878	0.18	ug/L		92
16) 1,1-dichloroethene	2.17	96	392	0.17	ug/L		83
17) freon 113	2.17	101	493	0.18	ug/L		93
24) methyl tert butyl ether	2.60	73	1279	0.20	ug/L		92
27) hexane	2.77	57	865	0.23	ug/L		86
28) di-isopropyl ether	2.87	45	1549	0.19	ug/L		94
30) 1,1-dichloroethane	2.88	63	745	0.18	ug/L		79
31) chloroprene	2.92	53	770	0.19	ug/L		73
33) ethyl tert-butyl ether	3.09	59	1475	0.20	ug/L		97
35) 2,2-dichloropropane	3.22	77	745	0.22	ug/L		79
38) propionitrile	3.23	54	1166	1.95	ug/L		83
40) bromochloromethane	3.36	128	311	0.24	ug/L		94
45) 1,1,1-trichloroethane	3.53	97	877	0.21	ug/L	#	1
46) cyclohexane	3.58	84	799	0.21	ug/L	#	68
48) 1,1-dichloropropene	3.62	75	743	0.22	ug/L		81
50) carbon tetrachloride	3.62	117	791	0.21	ug/L		97
54) iso-octane	3.82	57	1682	0.22	ug/L		88
57) benzene	3.75	78	2285	0.25	ug/L		97
58) tert-amyl methyl ether	3.82	73	1179	0.18	ug/L		91
59) heptane	3.91	57	283	0.21	ug/L	#	84
62) ethyl acrylate	4.19	55	682	0.17	ug/L		72
68) methylcyclohexane	4.33	83	774	0.19	ug/L		91
71) 4-methyl-2-pentanone	4.89	58	867	0.64	ug/L		97
78) 1,1,2-trichloroethane	5.35	83	359	0.21	ug/L	#	75
79) tetrachloroethene	5.42	164	527	0.23	ug/L		95
80) 1,3-dichloropropane	5.47	76	768	0.24	ug/L		98
81) 2-hexanone	5.49	58	901	0.66	ug/L		93
82) butyl acetate	5.57	56	429	0.23	ug/L	#	80
83) dibromochloromethane	5.64	129	461	0.18	ug/L		76
85) n-butyl ether	6.15	57	1846	0.20	ug/L		92
88) ethylbenzene	6.17	91	2440	0.23	ug/L		87
89) m,p-xylene	6.27	106	1748	0.41	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200548.D
Acq On : 28 Sep 2022 9:15 pm
Operator : PrashanS
Sample : IC8636-0.2
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 13:50:55 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
90) o-xylene	6.58	91	1621	0.20	ug/L		88
91) styrene	6.59	104	1642	0.24	ug/L		91
95) isopropylbenzene	6.86	105	2137	0.20	ug/L		97
100) 1,1,2,2-tetrachloroethane	7.11	83	453	0.16	ug/L		95
103) n-propylbenzene	7.19	91	2577	0.23	ug/L		99
104) 2-chlorotoluene	7.27	126	448	0.18	ug/L	#	84
106) 1,3,5-trimethylbenzene	7.33	105	1428	0.19	ug/L		89
107) tert-butylbenzene	7.57	119	1489	0.20	ug/L		90
108) 1,2,4-trimethylbenzene	7.62	105	1596	0.21	ug/L		100
109) sec-butylbenzene	7.73	105	2010	0.20	ug/L		95
111) p-isopropyltoluene	7.85	119	1680	0.19	ug/L		94
115) n-butylbenzene	8.13	92	804	0.21	ug/L		84
117) 1,3,5-trichlorobenzene	8.82	180	653	0.22	ug/L		85
118) hexachlorobutadiene	9.30	225	193	0.18	ug/L	#	49
119) naphthalene	9.39	128	2329	0.24	ug/L		81
120) 1,2,4-trichlorobenzene	9.22	180	575	0.22	ug/L	#	71
121) 1,2,3-trichlorobenzene	9.53	180	539	0.21	ug/L		86

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200548.D
Acq On : 28 Sep 2022 9:15 pm
Operator : PrashanS
Sample : IC8636-0.2
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 29 13:50:55 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200550.D
Acq On : 28 Sep 2022 9:47 pm
Operator : PrashanS
Sample : IC8636-0.5
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 29 13:52:58 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	2.44	65	344022	500.00	ug/L		0.00
5) pentafluorobenzene	3.51	168	387430	50.00	ug/L		0.00
52) 1,4-difluorobenzene	4.00	114	545173	50.00	ug/L		0.00
73) chlorobenzene-d5	6.08	117	510604	50.00	ug/L		0.00
97) 1,4-dichlorobenzene-d4	7.89	152	252825	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	3.51	113	184543	50.72	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.44%				
53) 1,2-dichloroethane-d4 (s)	3.73	65	211686	52.23	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 104.46%				
74) toluene-d8 (s)	5.00	98	608329	50.24	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.48%				
98) 4-bromofluorobenzene (s)	7.01	95	222341	51.38	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.76%				
Target Compounds							Qvalue
6) chlorodifluoromethane	1.26	51	1749	0.55	ug/L		89
7) dichlorodifluoromethane	1.24	85	1460	0.46	ug/L		94
9) vinyl chloride	1.44	62	1847	0.52	ug/L		95
12) trichlorofluoromethane	1.87	101	2028	0.42	ug/L		94
14) ethyl ether	2.03	74	545	0.47	ug/L	#	65
16) 1,1-dichloroethene	2.18	96	1138	0.51	ug/L		96
17) freon 113	2.17	101	1350	0.50	ug/L		92
18) acetone	2.19	58	853	2.37	ug/L	#	67
21) carbon disulfide	2.32	76	2774	0.49	ug/L		97
22) methylene chloride	2.47	84	1051	0.50	ug/L	#	81
24) methyl tert butyl ether	2.61	73	3034	0.47	ug/L		99
25) acrylonitrile	2.59	53	647	0.45	ug/L		98
26) trans-1,2-dichloroethene	2.62	96	1173	0.50	ug/L		97
27) hexane	2.78	57	1847	0.50	ug/L		88
28) di-isopropyl ether	2.88	45	4075	0.51	ug/L		93
29) 2-butanone	3.20	72	725	1.66	ug/L		98
30) 1,1-dichloroethane	2.88	63	2038	0.50	ug/L		95
31) chloroprene	2.93	53	1637	0.40	ug/L		97
33) ethyl tert-butyl ether	3.10	59	3264	0.45	ug/L		91
34) ethyl acetate	3.21	45	343	0.52	ug/L	#	25
35) 2,2-dichloropropane	3.23	77	1714	0.51	ug/L		95
36) cis-1,2-dichloroethene	3.22	96	1350	0.53	ug/L		87
37) methyl acrylate	3.25	55	1757	0.44	ug/L		90
38) propionitrile	3.24	54	2760	4.69	ug/L	#	60
39) tert-butyl formate	3.43	59	712	0.43	ug/L		83
40) bromochloromethane	3.37	128	676	0.53	ug/L		82
42) chloroform	3.42	83	2416	0.59	ug/L		94
44) methacrylonitrile	3.34	67	595	0.46	ug/L		86
45) 1,1,1-trichloroethane	3.54	97	2025	0.50	ug/L	#	1
46) cyclohexane	3.59	84	1755	0.48	ug/L		92
47) tert amyl alcohol	3.73	55	535	2.57	ug/L	#	62
48) 1,1-dichloropropene	3.63	75	1544	0.46	ug/L		94
50) carbon tetrachloride	3.63	117	1687	0.45	ug/L		91

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200550.D
Acq On : 28 Sep 2022 9:47 pm
Operator : PrashanS
Sample : IC8636-0.5
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 29 13:52:58 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
51) isopropyl acetate	3.75	87	259	0.41 ug/L	#	25
54) iso-octane	3.81	57	3957	0.53 ug/L		94
55) epichlorohydrin	4.72	57	794	1.92 ug/L		80
56) n-butyl alcohol	4.06	56	2312	16.86 ug/L		89
57) benzene	3.75	78	4276	0.48 ug/L		100
58) tert-amyl methyl ether	3.82	73	2717	0.42 ug/L		93
59) heptane	3.91	57	603	0.45 ug/L		88
61) trichloroethene	4.17	130	1396	0.48 ug/L		92
62) ethyl acrylate	4.20	55	1812	0.45 ug/L		82
64) 2-chloroethyl vinyl ether	4.68	63	3456	2.02 ug/L		94
66) 1,2-dichloropropane	4.34	76	406	0.43 ug/L	#	83
67) dibromomethane	4.40	93	905	0.60 ug/L	#	74
68) methylcyclohexane	4.33	83	1933	0.49 ug/L		86
69) bromodichloromethane	4.50	83	1284	0.45 ug/L		73
70) cis-1,3-dichloropropene	4.80	75	1354	0.40 ug/L		93
71) 4-methyl-2-pentanone	4.89	58	2395	1.79 ug/L		90
75) toluene	5.05	92	2709	0.48 ug/L		98
76) trans-1,3-dichloropropene	5.20	75	1339	0.43 ug/L		98
77) ethyl methacrylate	5.23	69	1260	0.42 ug/L	#	85
78) 1,1,2-trichloroethane	5.35	83	774	0.44 ug/L		95
79) tetrachloroethene	5.43	164	968	0.42 ug/L		84
80) 1,3-dichloropropane	5.47	76	1548	0.47 ug/L		91
81) 2-hexanone	5.49	58	2530	1.83 ug/L		99
82) butyl acetate	5.57	56	902	0.47 ug/L	#	61
83) dibromochloromethane	5.64	129	974	0.38 ug/L		88
84) 1,2-dibromoethane	5.73	107	1062	0.43 ug/L		98
85) n-butyl ether	6.15	57	4381	0.46 ug/L		95
86) chlorobenzene	6.10	112	3103	0.49 ug/L		82
88) ethylbenzene	6.17	91	5149	0.48 ug/L		93
89) m,p-xylene	6.27	106	4048	0.95 ug/L		97
90) o-xylene	6.58	91	3780	0.46 ug/L		98
91) styrene	6.59	104	3123	0.45 ug/L		88
92) butyl acrylate	6.52	55	2141	0.42 ug/L		90
93) n-amyl acetate	6.69	70	676	0.40 ug/L	#	65
95) isopropylbenzene	6.86	105	5086	0.47 ug/L		98
99) bromobenzene	7.13	156	1454	0.51 ug/L		80
100) 1,1,2,2-tetrachloroethane	7.10	83	1229	0.41 ug/L		86
102) 1,2,3-trichloropropane	7.16	110	396	0.41 ug/L	#	73
103) n-propylbenzene	7.19	91	5462	0.47 ug/L		94
104) 2-chlorotoluene	7.27	126	1257	0.48 ug/L		86
105) 4-chlorotoluene	7.37	91	3238	0.48 ug/L		99
106) 1,3,5-trimethylbenzene	7.33	105	3495	0.45 ug/L		96
107) tert-butylbenzene	7.57	119	3576	0.48 ug/L		98
108) 1,2,4-trimethylbenzene	7.62	105	3591	0.47 ug/L		90
109) sec-butylbenzene	7.74	105	4769	0.46 ug/L		90
110) 1,3-dichlorobenzene	7.83	146	2627	0.52 ug/L		99
111) p-isopropyltoluene	7.85	119	4083	0.46 ug/L		89
112) 1,4-dichlorobenzene	7.90	146	2861	0.55 ug/L		93
113) 1,2-dichlorobenzene	8.16	146	2285	0.47 ug/L		97
115) n-butylbenzene	8.13	92	1557	0.40 ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200550.D
Acq On : 28 Sep 2022 9:47 pm
Operator : PrashanS
Sample : IC8636-0.5
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 29 13:52:58 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
117) 1,3,5-trichlorobenzene	8.82	180	1412	0.46	ug/L	87
118) hexachlorobutadiene	9.31	225	493	0.45	ug/L	98
119) naphthalene	9.39	128	4619	0.47	ug/L	96
120) 1,2,4-trichlorobenzene	9.22	180	1199	0.45	ug/L	89
121) 1,2,3-trichlorobenzene	9.53	180	1248	0.48	ug/L	92
123) 2-methylnaphthalene	10.11	142	1193	0.22	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200550.D
Acq On : 28 Sep 2022 9:47 pm
Operator : PrashanS
Sample : IC8636-0.5
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 29 13:52:58 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200552.D
Acq On : 28 Sep 2022 10:23 pm
Operator : PrashanS
Sample : IC8636-1
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Sep 29 13:54:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	2.44	65	360242	500.00	ug/L	0.00
5) pentafluorobenzene	3.51	168	388987	50.00	ug/L	0.00
52) 1,4-difluorobenzene	4.00	114	545443	50.00	ug/L	0.00
73) chlorobenzene-d5	6.08	117	512993	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.88	152	256528	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.51	113	184869	50.61	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.22%			
53) 1,2-dichloroethane-d4 (s)	3.73	65	210855	52.00	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 104.00%			
74) toluene-d8 (s)	5.00	98	613113	50.40	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.80%			
98) 4-bromofluorobenzene (s)	7.01	95	224494	51.13	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.26%			
Target Compounds						Qvalue
2) ethanol	1.95	45	4664	142.74	ug/L	97
3) tertiary butyl alcohol	2.49	59	3114	5.71	ug/L	62
4) 1,4-dioxane	4.38	88	871	18.91	ug/L	83
6) chlorodifluoromethane	1.26	51	3646	1.14	ug/L	99
7) dichlorodifluoromethane	1.24	85	3550	1.12	ug/L	96
8) chloromethane	1.37	50	3918	1.20	ug/L	98
9) vinyl chloride	1.44	62	3682	1.04	ug/L	96
10) bromomethane	1.64	96	466	0.84	ug/L	87
11) chloroethane	1.71	64	1814	1.27	ug/L	91
12) trichlorofluoromethane	1.86	101	4948	1.02	ug/L	98
14) ethyl ether	2.02	74	1225	1.05	ug/L	91
15) acrolein	2.10	56	757	1.10	ug/L	86
16) 1,1-dichloroethene	2.17	96	2187	0.97	ug/L	92
17) freon 113	2.17	101	2696	1.00	ug/L	94
18) acetone	2.19	58	1679	4.66	ug/L	96
19) acetonitrile	2.35	41	6079	12.44	ug/L	92
21) carbon disulfide	2.32	76	5788	1.02	ug/L	95
22) methylene chloride	2.46	84	2457	1.16	ug/L	83
24) methyl tert butyl ether	2.61	73	6986	1.09	ug/L	94
25) acrylonitrile	2.59	53	1540	1.06	ug/L	85
26) trans-1,2-dichloroethene	2.62	96	2485	1.05	ug/L	95
27) hexane	2.78	57	3881	1.05	ug/L	97
28) di-isopropyl ether	2.88	45	8429	1.05	ug/L	96
29) 2-butanone	3.20	72	1800	4.10	ug/L #	84
30) 1,1-dichloroethane	2.88	63	4583	1.11	ug/L	96
31) chloroprene	2.93	53	4101	1.01	ug/L	93
32) vinyl acetate	2.86	86	417	0.82	ug/L #	56
33) ethyl tert-butyl ether	3.10	59	7397	1.02	ug/L	94
34) ethyl acetate	3.21	45	643	0.97	ug/L	75
35) 2,2-dichloropropane	3.23	77	3586	1.06	ug/L	94
36) cis-1,2-dichloroethene	3.22	96	2784	1.09	ug/L	91
37) methyl acrylate	3.25	55	4052	1.00	ug/L	96
38) propionitrile	3.24	54	6572	11.11	ug/L	76

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200552.D
Acq On : 28 Sep 2022 10:23 pm
Operator : PrashanS
Sample : IC8636-1
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Sep 29 13:54:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
39) tert-butyl formate	3.43	59	1575	0.94 ug/L	#	82
40) bromochloromethane	3.36	128	1361	1.07 ug/L	#	77
42) chloroform	3.42	83	4791	1.17 ug/L		91
44) methacrylonitrile	3.34	67	1206	0.93 ug/L		87
45) 1,1,1-trichloroethane	3.53	97	4073	1.00 ug/L	#	1
46) cyclohexane	3.58	84	4058	1.10 ug/L		97
47) tert amyl alcohol	3.72	55	1209	5.78 ug/L	#	71
48) 1,1-dichloropropene	3.63	75	3379	1.00 ug/L		95
49) isobutyl alcohol	3.82	42	580	11.68 ug/L	#	49
50) carbon tetrachloride	3.63	117	3505	0.94 ug/L		97
51) isopropyl acetate	3.74	87	561	0.88 ug/L	#	54
54) iso-octane	3.81	57	7909	1.06 ug/L		96
55) epichlorohydrin	4.72	57	2068	5.00 ug/L		85
56) n-butyl alcohol	4.06	56	6135	44.72 ug/L		83
57) benzene	3.76	78	9747	1.09 ug/L		95
58) tert-amyl methyl ether	3.81	73	6424	1.00 ug/L		94
59) heptane	3.92	57	1538	1.15 ug/L	#	80
60) 1,2-dichloroethane	3.78	62	4269	1.30 ug/L		93
61) trichloroethene	4.17	130	3105	1.06 ug/L		95
62) ethyl acrylate	4.19	55	3833	0.96 ug/L		96
63) 2-nitropropane	4.65	41	933	0.94 ug/L		83
64) 2-chloroethyl vinyl ether	4.68	63	8184	4.78 ug/L		98
65) methyl methacrylate	4.35	100	782	0.98 ug/L	#	60
66) 1,2-dichloropropane	4.34	76	915	0.98 ug/L	#	77
67) dibromomethane	4.40	93	1772	1.17 ug/L		86
68) methylcyclohexane	4.33	83	3821	0.96 ug/L		97
69) bromodichloromethane	4.50	83	2704	0.95 ug/L		92
70) cis-1,3-dichloropropene	4.80	75	3081	0.91 ug/L		98
71) 4-methyl-2-pentanone	4.89	58	5323	3.97 ug/L		98
72) 3-methyl-1-butanol	4.92	70	1663	14.78 ug/L		97
75) toluene	5.05	92	5985	1.06 ug/L		98
76) trans-1,3-dichloropropene	5.20	75	2673	0.86 ug/L		91
77) ethyl methacrylate	5.23	69	2947	0.97 ug/L		90
78) 1,1,2-trichloroethane	5.35	83	1903	1.07 ug/L		93
79) tetrachloroethene	5.42	164	2239	0.97 ug/L		89
80) 1,3-dichloropropane	5.47	76	3475	1.05 ug/L		99
81) 2-hexanone	5.49	58	5707	4.10 ug/L		98
82) butyl acetate	5.57	56	2118	1.11 ug/L		88
83) dibromochloromethane	5.63	129	2235	0.88 ug/L		95
84) 1,2-dibromoethane	5.73	107	2293	0.93 ug/L		100
85) n-butyl ether	6.15	57	9486	1.00 ug/L		97
86) chlorobenzene	6.10	112	7209	1.13 ug/L		98
87) 1,1,1,2-tetrachloroethane	6.16	131	2101	0.87 ug/L		98
88) ethylbenzene	6.17	91	11089	1.03 ug/L		98
89) m,p-xylene	6.27	106	8959	2.08 ug/L		94
90) o-xylene	6.58	91	8538	1.04 ug/L		92
91) styrene	6.59	104	7026	1.00 ug/L		92
92) butyl acrylate	6.51	55	4700	0.92 ug/L		96
93) n-amyl acetate	6.69	70	1605	0.94 ug/L	#	61
94) bromoform	6.74	173	1231	0.70 ug/L		80

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200552.D
Acq On : 28 Sep 2022 10:23 pm
Operator : PrashanS
Sample : IC8636-1
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Sep 29 13:54:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
95) isopropylbenzene	6.86	105	10985	1.01 ug/L	97
99) bromobenzene	7.13	156	3093	1.08 ug/L	96
100) 1,1,2,2-tetrachloroethane	7.10	83	2962	0.99 ug/L	89
102) 1,2,3-trichloropropane	7.16	110	984	1.01 ug/L	91
103) n-propylbenzene	7.19	91	12072	1.02 ug/L	98
104) 2-chlorotoluene	7.27	126	2820	1.07 ug/L	98
105) 4-chlorotoluene	7.36	91	7640	1.11 ug/L	97
106) 1,3,5-trimethylbenzene	7.33	105	8051	1.02 ug/L	96
107) tert-butylbenzene	7.57	119	7714	1.02 ug/L	93
108) 1,2,4-trimethylbenzene	7.62	105	8077	1.03 ug/L	98
109) sec-butylbenzene	7.73	105	10593	1.00 ug/L	98
110) 1,3-dichlorobenzene	7.83	146	5259	1.02 ug/L	99
111) p-isopropyltoluene	7.85	119	8711	0.97 ug/L	97
112) 1,4-dichlorobenzene	7.90	146	5598	1.07 ug/L	97
113) 1,2-dichlorobenzene	8.16	146	4916	1.01 ug/L	93
114) benzyl chloride	7.98	91	3601	0.74 ug/L	91
115) n-butylbenzene	8.14	92	3913	0.98 ug/L	86
117) 1,3,5-trichlorobenzene	8.82	180	3062	0.98 ug/L	86
118) hexachlorobutadiene	9.31	225	1198	1.08 ug/L	87
119) naphthalene	9.39	128	10192	1.02 ug/L	96
120) 1,2,4-trichlorobenzene	9.22	180	2710	1.00 ug/L	90
121) 1,2,3-trichlorobenzene	9.53	180	2548	0.96 ug/L	96
123) 2-methylnaphthalene	10.11	142	2302	0.43 ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200552.D
Acq On : 28 Sep 2022 10:23 pm
Operator : PrashanS
Sample : IC8636-1
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Sep 29 13:54:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200554.D
Acq On : 28 Sep 2022 11:00 pm
Operator : PrashanS
Sample : IC8636-2
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Sep 29 13:57:24 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	2.44	65	361361	500.00	ug/L		0.00
5) pentafluorobenzene	3.51	168	388246	50.00	ug/L		0.00
52) 1,4-difluorobenzene	4.00	114	544910	50.00	ug/L		0.00
73) chlorobenzene-d5	6.08	117	515236	50.00	ug/L		0.00
97) 1,4-dichlorobenzene-d4	7.88	152	257938	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	3.51	113	185461	50.87	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.74%				
53) 1,2-dichloroethane-d4 (s)	3.73	65	213669	52.75	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 105.50%				
74) toluene-d8 (s)	5.00	98	617059	50.50	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.00%				
98) 4-bromofluorobenzene (s)	7.01	95	225374	51.05	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.10%				
Target Compounds							Qvalue
2) ethanol	1.95	45	8009	244.36	ug/L		99
3) tertiary butyl alcohol	2.49	59	5662	10.35	ug/L		72
4) 1,4-dioxane	4.38	88	2163	46.81	ug/L		81
6) chlorodifluoromethane	1.26	51	6911	2.16	ug/L		96
7) dichlorodifluoromethane	1.24	85	6215	1.97	ug/L		99
8) chloromethane	1.37	50	6841	2.10	ug/L		91
9) vinyl chloride	1.44	62	6801	1.93	ug/L		97
10) bromomethane	1.64	96	884	1.60	ug/L		91
11) chloroethane	1.71	64	3120	2.18	ug/L		88
12) trichlorofluoromethane	1.86	101	8970	1.85	ug/L		97
14) ethyl ether	2.02	74	2307	1.97	ug/L		95
15) acrolein	2.11	56	1288	1.88	ug/L		95
16) 1,1-dichloroethene	2.17	96	4484	2.00	ug/L		87
17) freon 113	2.17	101	5555	2.06	ug/L		93
18) acetone	2.19	58	3101	8.62	ug/L	#	78
19) acetonitrile	2.35	41	11025	22.60	ug/L		95
20) iodomethane	2.27	142	505	0.33	ug/L		89
21) carbon disulfide	2.32	76	10478	1.85	ug/L		99
22) methylene chloride	2.46	84	4242	2.01	ug/L		97
23) methyl acetate	2.36	43	6758	2.20	ug/L		98
24) methyl tert butyl ether	2.61	73	12416	1.93	ug/L		98
25) acrylonitrile	2.59	53	2808	1.94	ug/L		95
26) trans-1,2-dichloroethene	2.62	96	4856	2.06	ug/L		85
27) hexane	2.78	57	7715	2.10	ug/L		97
28) di-isopropyl ether	2.88	45	15516	1.94	ug/L		96
29) 2-butanone	3.20	72	3238	7.40	ug/L		96
30) 1,1-dichloroethane	2.88	63	8289	2.01	ug/L		98
31) chloroprene	2.93	53	7931	1.95	ug/L		95
32) vinyl acetate	2.86	86	837	1.65	ug/L	#	92
33) ethyl tert-butyl ether	3.10	59	13917	1.92	ug/L		99
34) ethyl acetate	3.21	45	1164	1.76	ug/L		97
35) 2,2-dichloropropane	3.23	77	6804	2.01	ug/L		93
36) cis-1,2-dichloroethene	3.22	96	5021	1.96	ug/L		93

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200554.D
Acq On : 28 Sep 2022 11:00 pm
Operator : PrashanS
Sample : IC8636-2
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Sep 29 13:57:24 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
37) methyl acrylate	3.25	55	7758	1.92	ug/L		96
38) propionitrile	3.23	54	12140	20.57	ug/L	#	59
39) tert-butyl formate	3.43	59	2847	1.70	ug/L		85
40) bromochloromethane	3.36	128	2617	2.05	ug/L		95
41) tetrahydrofuran	3.37	42	3056	2.34	ug/L		82
42) chloroform	3.42	83	8640	2.12	ug/L		95
44) methacrylonitrile	3.33	67	2278	1.76	ug/L		90
45) 1,1,1-trichloroethane	3.53	97	8009	1.96	ug/L	#	37
46) cyclohexane	3.58	84	7441	2.02	ug/L		88
47) tert amyl alcohol	3.72	55	2190	10.50	ug/L		85
48) 1,1-dichloropropene	3.62	75	6399	1.90	ug/L		98
49) isobutyl alcohol	3.81	42	1200	24.22	ug/L	#	62
50) carbon tetrachloride	3.64	117	6691	1.80	ug/L		95
51) isopropyl acetate	3.74	87	1014	1.60	ug/L	#	71
54) iso-octane	3.81	57	15091	2.02	ug/L		98
55) epichlorohydrin	4.72	57	3868	9.36	ug/L		90
56) n-butyl alcohol	4.06	56	12152	88.67	ug/L		92
57) benzene	3.75	78	18597	2.08	ug/L		99
58) tert-amyl methyl ether	3.82	73	12064	1.88	ug/L		97
59) heptane	3.91	57	2883	2.17	ug/L		94
60) 1,2-dichloroethane	3.78	62	7843	2.39	ug/L		97
61) trichloroethene	4.17	130	5562	1.91	ug/L		97
62) ethyl acrylate	4.19	55	7475	1.87	ug/L		96
63) 2-nitropropane	4.65	41	1804	1.82	ug/L		93
64) 2-chloroethyl vinyl ether	4.68	63	15580	9.11	ug/L		99
65) methyl methacrylate	4.34	100	1399	1.76	ug/L	#	86
66) 1,2-dichloropropane	4.34	76	1767	1.89	ug/L	#	79
67) dibromomethane	4.40	93	3040	2.00	ug/L		92
68) methylcyclohexane	4.33	83	7899	1.99	ug/L		94
69) bromodichloromethane	4.51	83	4913	1.73	ug/L		98
70) cis-1,3-dichloropropene	4.80	75	5750	1.70	ug/L		97
71) 4-methyl-2-pentanone	4.89	58	10181	7.60	ug/L		91
72) 3-methyl-1-butanol	4.91	70	3532	31.42	ug/L		96
75) toluene	5.04	92	11426	2.02	ug/L		97
76) trans-1,3-dichloropropene	5.20	75	5058	1.61	ug/L		96
77) ethyl methacrylate	5.22	69	5717	1.88	ug/L		95
78) 1,1,2-trichloroethane	5.35	83	3299	1.85	ug/L		91
79) tetrachloroethene	5.42	164	4441	1.91	ug/L		88
80) 1,3-dichloropropane	5.47	76	6378	1.92	ug/L		97
81) 2-hexanone	5.49	58	10883	7.79	ug/L		98
82) butyl acetate	5.57	56	3694	1.92	ug/L		91
83) dibromochloromethane	5.63	129	3880	1.52	ug/L		93
84) 1,2-dibromoethane	5.73	107	4565	1.85	ug/L		98
85) n-butyl ether	6.15	57	18200	1.91	ug/L		99
86) chlorobenzene	6.10	112	13105	2.04	ug/L		97
87) 1,1,1,2-tetrachloroethane	6.16	131	3798	1.56	ug/L		95
88) ethylbenzene	6.17	91	21769	2.02	ug/L		98
89) m,p-xylene	6.27	106	17182	3.98	ug/L		99
90) o-xylene	6.57	91	16550	2.01	ug/L		90
91) styrene	6.59	104	13238	1.88	ug/L		97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200554.D
Acq On : 28 Sep 2022 11:00 pm
Operator : PrashanS
Sample : IC8636-2
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Sep 29 13:57:24 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
92) butyl acrylate	6.51	55	9022	1.77	ug/L		95
93) n-amyl acetate	6.69	70	3011	1.76	ug/L		96
94) bromoform	6.74	173	2454	1.38	ug/L		97
95) isopropylbenzene	6.86	105	21057	1.93	ug/L		99
99) bromobenzene	7.13	156	5641	1.95	ug/L		93
100) 1,1,2,2-tetrachloroethane	7.10	83	5711	1.89	ug/L		99
101) trans-1,4-dichloro-2-buten	7.14	53	1487	1.67	ug/L		87
102) 1,2,3-trichloropropane	7.15	110	1954	2.00	ug/L		90
103) n-propylbenzene	7.19	91	22476	1.89	ug/L		97
104) 2-chlorotoluene	7.27	126	5495	2.07	ug/L		89
105) 4-chlorotoluene	7.36	91	13689	1.98	ug/L		98
106) 1,3,5-trimethylbenzene	7.33	105	14857	1.87	ug/L		96
107) tert-butylbenzene	7.57	119	15210	2.00	ug/L		96
108) 1,2,4-trimethylbenzene	7.62	105	15210	1.93	ug/L		98
109) sec-butylbenzene	7.74	105	19800	1.86	ug/L		98
110) 1,3-dichlorobenzene	7.83	146	10211	1.97	ug/L		99
111) p-isopropyltoluene	7.85	119	16810	1.86	ug/L		99
112) 1,4-dichlorobenzene	7.90	146	10256	1.95	ug/L		88
113) 1,2-dichlorobenzene	8.16	146	9427	1.92	ug/L		97
114) benzyl chloride	7.98	91	6927	1.42	ug/L		96
115) n-butylbenzene	8.13	92	7484	1.87	ug/L		98
116) 1,2-dibromo-3-chloropropan	8.69	157	1490	1.58	ug/L		92
117) 1,3,5-trichlorobenzene	8.81	180	5835	1.85	ug/L		98
118) hexachlorobutadiene	9.31	225	2095	1.88	ug/L		94
119) naphthalene	9.39	128	18807	1.88	ug/L		98
120) 1,2,4-trichlorobenzene	9.22	180	5154	1.89	ug/L		89
121) 1,2,3-trichlorobenzene	9.52	180	4950	1.85	ug/L		97
122) hexachloroethane	8.35	201	1496	1.34	ug/L	#	55
123) 2-methylnaphthalene	10.11	142	4196	0.77	ug/L		90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200554.D
Acq On : 28 Sep 2022 11:00 pm
Operator : PrashanS
Sample : IC8636-2
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Sep 29 13:57:24 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200556.D
Acq On : 28 Sep 2022 11:36 pm
Operator : PrashanS
Sample : IC8636-4
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Sep 29 08:35:05 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	2.44	65	356575	500.00	ug/L		0.00
5) pentafluorobenzene	3.51	168	386225	50.00	ug/L		0.00
52) 1,4-difluorobenzene	4.00	114	547071	50.00	ug/L		0.00
73) chlorobenzene-d5	6.08	117	514026	50.00	ug/L		0.00
97) 1,4-dichlorobenzene-d4	7.88	152	258718	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	3.51	113	184657	50.91	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.82%				
53) 1,2-dichloroethane-d4 (s)	3.73	65	211847	52.09	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 104.18%				
74) toluene-d8 (s)	5.00	98	611709	50.18	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.36%				
98) 4-bromofluorobenzene (s)	7.01	95	226560	51.16	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.32%				
Target Compounds							Qvalue
2) ethanol	1.95	45	14520	448.96	ug/L		100
3) tertiary butyl alcohol	2.49	59	10520	19.49	ug/L		90
4) 1,4-dioxane	4.38	88	4351	95.42	ug/L		87
6) chlorodifluoromethane	1.26	51	13170	4.14	ug/L		97
7) dichlorodifluoromethane	1.24	85	12939	4.13	ug/L		98
8) chloromethane	1.37	50	13018	4.02	ug/L		98
9) vinyl chloride	1.44	62	13864	3.95	ug/L		96
10) bromomethane	1.64	96	1849	3.37	ug/L		95
11) chloroethane	1.71	64	6588	4.63	ug/L		99
12) trichlorofluoromethane	1.86	101	18085	3.76	ug/L		98
13) 1,3-butadiene	1.46	54	12160	4.41	ug/L		99
14) ethyl ether	2.02	74	4743	4.08	ug/L		89
15) acrolein	2.11	56	2210	3.24	ug/L		76
16) 1,1-dichloroethene	2.18	96	8594	3.85	ug/L		96
17) freon 113	2.17	101	10569	3.94	ug/L		97
18) acetone	2.19	58	5669	15.83	ug/L		98
19) acetonitrile	2.35	41	21216	43.71	ug/L		97
20) iodomethane	2.27	142	1282	0.85	ug/L		98
21) carbon disulfide	2.32	76	20488	3.64	ug/L		99
22) methylene chloride	2.46	84	8334	3.97	ug/L		85
23) methyl acetate	2.36	43	12305	4.02	ug/L		99
24) methyl tert butyl ether	2.61	73	24238	3.80	ug/L		93
25) acrylonitrile	2.59	53	5334	3.70	ug/L		93
26) trans-1,2-dichloroethene	2.62	96	9131	3.89	ug/L		95
27) hexane	2.78	57	14193	3.88	ug/L		97
28) di-isopropyl ether	2.88	45	30346	3.82	ug/L		97
29) 2-butanone	3.20	72	6332	14.54	ug/L	#	86
30) 1,1-dichloroethane	2.88	63	16372	4.00	ug/L		99
31) chloroprene	2.93	53	15001	3.72	ug/L		96
32) vinyl acetate	2.86	86	1654	3.28	ug/L	#	80
33) ethyl tert-butyl ether	3.10	59	26838	3.72	ug/L		98
34) ethyl acetate	3.21	45	2199	3.34	ug/L		89
35) 2,2-dichloropropane	3.23	77	12683	3.78	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200556.D
Acq On : 28 Sep 2022 11:36 pm
Operator : PrashanS
Sample : IC8636-4
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Sep 29 08:35:05 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
36) cis-1,2-dichloroethene	3.22	96	9791	3.84	ug/L		95
37) methyl acrylate	3.25	55	14610	3.64	ug/L		97
38) propionitrile	3.24	54	22999	39.16	ug/L		82
39) tert-butyl formate	3.43	59	5435	3.26	ug/L		91
40) bromochloromethane	3.36	128	5152	4.06	ug/L		95
41) tetrahydrofuran	3.37	42	5163	3.98	ug/L		92
42) chloroform	3.42	83	16373	4.04	ug/L		97
44) methacrylonitrile	3.33	67	4620	3.60	ug/L		98
45) 1,1,1-trichloroethane	3.53	97	15578	3.84	ug/L	#	69
46) cyclohexane	3.58	84	14348	3.91	ug/L		89
47) tert amyl alcohol	3.72	55	4239	20.42	ug/L		89
48) 1,1-dichloropropene	3.62	75	12836	3.82	ug/L		96
49) isobutyl alcohol	3.82	42	2182	44.27	ug/L	#	72
50) carbon tetrachloride	3.63	117	13177	3.56	ug/L		100
51) isopropyl acetate	3.74	87	2095	3.31	ug/L	#	78
54) iso-octane	3.82	57	28598	3.81	ug/L		99
55) epichlorohydrin	4.72	57	7394	17.82	ug/L		92
56) n-butyl alcohol	4.06	56	23448	170.43	ug/L		96
57) benzene	3.76	78	34974	3.90	ug/L		97
58) tert-amyl methyl ether	3.82	73	22973	3.57	ug/L		95
59) heptane	3.91	57	5353	4.00	ug/L		93
60) 1,2-dichloroethane	3.78	62	13694	4.15	ug/L		97
61) trichloroethene	4.17	130	11044	3.78	ug/L		97
62) ethyl acrylate	4.19	55	14558	3.64	ug/L		99
63) 2-nitropropane	4.65	41	3145	3.16	ug/L		93
64) 2-chloroethyl vinyl ether	4.68	63	30617	17.83	ug/L		98
65) methyl methacrylate	4.35	100	2699	3.37	ug/L	#	70
66) 1,2-dichloropropane	4.34	76	3509	3.74	ug/L		93
67) dibromomethane	4.40	93	6029	3.96	ug/L		93
68) methylcyclohexane	4.33	83	14426	3.62	ug/L		98
69) bromodichloromethane	4.50	83	10116	3.55	ug/L		99
70) cis-1,3-dichloropropene	4.80	75	11635	3.43	ug/L		97
71) 4-methyl-2-pentanone	4.89	58	19843	14.75	ug/L		95
72) 3-methyl-1-butanol	4.91	70	6746	59.78	ug/L		95
75) toluene	5.05	92	21996	3.89	ug/L		93
76) trans-1,3-dichloropropene	5.20	75	10093	3.23	ug/L		96
77) ethyl methacrylate	5.22	69	10902	3.59	ug/L		99
78) 1,1,2-trichloroethane	5.35	83	6469	3.64	ug/L		100
79) tetrachloroethene	5.42	164	8611	3.72	ug/L		97
80) 1,3-dichloropropane	5.47	76	12548	3.79	ug/L		99
81) 2-hexanone	5.49	58	21185	15.19	ug/L		96
82) butyl acetate	5.57	56	7049	3.67	ug/L		100
83) dibromochloromethane	5.64	129	7798	3.05	ug/L		96
84) 1,2-dibromoethane	5.73	107	8653	3.51	ug/L		100
85) n-butyl ether	6.15	57	34486	3.63	ug/L		97
86) chlorobenzene	6.10	112	25242	3.93	ug/L		98
87) 1,1,1,2-tetrachloroethane	6.16	131	7901	3.25	ug/L		93
88) ethylbenzene	6.17	91	41351	3.84	ug/L		97
89) m,p-xylene	6.27	106	32792	7.62	ug/L		98
90) o-xylene	6.58	91	31636	3.86	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200556.D
Acq On : 28 Sep 2022 11:36 pm
Operator : PrashanS
Sample : IC8636-4
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Sep 29 08:35:05 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
91) styrene	6.59	104	25665	3.65 ug/L	100
92) butyl acrylate	6.51	55	17390	3.41 ug/L	99
93) n-amyl acetate	6.69	70	5766	3.39 ug/L	97
94) bromoform	6.74	173	4909	2.77 ug/L	99
95) isopropylbenzene	6.86	105	41072	3.78 ug/L	96
96) cis-1,4-dichloro-2-butene	6.91	88	2262	2.27 ug/L	86
99) bromobenzene	7.13	156	10897	3.76 ug/L	97
100) 1,1,2,2-tetrachloroethane	7.10	83	10963	3.62 ug/L	98
101) trans-1,4-dichloro-2-buten	7.13	53	2773	3.10 ug/L #	78
102) 1,2,3-trichloropropane	7.16	110	3613	3.69 ug/L	86
103) n-propylbenzene	7.19	91	44570	3.73 ug/L	98
104) 2-chlorotoluene	7.27	126	10333	3.89 ug/L	99
105) 4-chlorotoluene	7.36	91	26235	3.78 ug/L	99
106) 1,3,5-trimethylbenzene	7.33	105	29495	3.70 ug/L	97
107) tert-butylbenzene	7.57	119	28639	3.76 ug/L	97
108) 1,2,4-trimethylbenzene	7.62	105	29993	3.80 ug/L	99
109) sec-butylbenzene	7.73	105	39652	3.71 ug/L	98
110) 1,3-dichlorobenzene	7.83	146	19676	3.79 ug/L	98
111) p-isopropyltoluene	7.85	119	32636	3.60 ug/L	99
112) 1,4-dichlorobenzene	7.90	146	20195	3.83 ug/L	98
113) 1,2-dichlorobenzene	8.16	146	18631	3.78 ug/L	99
114) benzyl chloride	7.98	91	13842	2.83 ug/L	95
115) n-butylbenzene	8.13	92	14338	3.58 ug/L	90
116) 1,2-dibromo-3-chloropropan	8.69	157	2808	2.97 ug/L	95
117) 1,3,5-trichlorobenzene	8.81	180	11378	3.60 ug/L	97
118) hexachlorobutadiene	9.31	225	4017	3.59 ug/L	89
119) naphthalene	9.39	128	37608	3.74 ug/L	99
120) 1,2,4-trichlorobenzene	9.22	180	9769	3.57 ug/L	95
121) 1,2,3-trichlorobenzene	9.52	180	9286	3.47 ug/L	95
122) hexachloroethane	8.35	201	2955	2.63 ug/L #	72
123) 2-methylnaphthalene	10.11	142	8348	1.53 ug/L	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200556.D
Acq On : 28 Sep 2022 11:36 pm
Operator : PrashanS
Sample : IC8636-4
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Sep 29 08:35:05 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200558.D
Acq On : 29 Sep 2022 12:12 am
Operator : PrashanS
Sample : IC8636-8
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Sep 29 08:35:07 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	2.44	65	368518	500.00	ug/L	0.00
5) pentafluorobenzene	3.51	168	389367	50.00	ug/L	0.00
52) 1,4-difluorobenzene	4.00	114	553321	50.00	ug/L	0.00
73) chlorobenzene-d5	6.08	117	519620	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.88	152	262373	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.51	113	186371	50.97	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.94%			
53) 1,2-dichloroethane-d4 (s)	3.73	65	213667	51.94	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 103.88%			
74) toluene-d8 (s)	5.00	98	619004	50.24	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.48%			
98) 4-bromofluorobenzene (s)	7.01	95	226223	50.37	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.74%			
Target Compounds						Qvalue
2) ethanol	1.94	45	27228	814.60	ug/L	98
3) tertiary butyl alcohol	2.49	59	21199	38.00	ug/L	96
4) 1,4-dioxane	4.38	88	8957	190.07	ug/L	95
6) chlorodifluoromethane	1.25	51	25810	8.04	ug/L	97
7) dichlorodifluoromethane	1.24	85	25072	7.93	ug/L	99
8) chloromethane	1.37	50	25595	7.84	ug/L	93
9) vinyl chloride	1.43	62	26890	7.60	ug/L	100
10) bromomethane	1.64	96	4085	7.39	ug/L	90
11) chloroethane	1.71	64	12516	8.73	ug/L	97
12) trichlorofluoromethane	1.86	101	36119	7.44	ug/L	99
13) 1,3-butadiene	1.46	54	23688	8.52	ug/L	98
14) ethyl ether	2.02	74	8900	7.59	ug/L	98
15) acrolein	2.10	56	4964	7.21	ug/L	90
16) 1,1-dichloroethene	2.17	96	17037	7.56	ug/L	96
17) freon 113	2.17	101	20686	7.65	ug/L	94
18) acetone	2.18	58	11019	30.53	ug/L	99
19) acetonitrile	2.35	41	40876	83.54	ug/L	99
20) iodomethane	2.27	142	3670	2.42	ug/L	95
21) carbon disulfide	2.32	76	40342	7.12	ug/L	99
22) methylene chloride	2.46	84	16207	7.66	ug/L	96
23) methyl acetate	2.36	43	23197	7.53	ug/L	98
24) methyl tert butyl ether	2.60	73	48804	7.58	ug/L	100
25) acrylonitrile	2.58	53	11044	7.61	ug/L	96
26) trans-1,2-dichloroethene	2.62	96	18057	7.63	ug/L	98
27) hexane	2.78	57	27180	7.37	ug/L	99
28) di-isopropyl ether	2.88	45	59141	7.38	ug/L	99
29) 2-butanone	3.19	72	12439	28.34	ug/L	91
30) 1,1-dichloroethane	2.88	63	32229	7.81	ug/L	97
31) chloroprene	2.92	53	29594	7.27	ug/L	96
32) vinyl acetate	2.86	86	3630	7.15	ug/L #	86
33) ethyl tert-butyl ether	3.09	59	53154	7.31	ug/L	98
34) ethyl acetate	3.21	45	4637	6.98	ug/L	96
35) 2,2-dichloropropane	3.22	77	25054	7.40	ug/L	91

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200558.D
Acq On : 29 Sep 2022 12:12 am
Operator : PrashanS
Sample : IC8636-8
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Sep 29 08:35:07 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
36) cis-1,2-dichloroethene	3.21	96	19126	7.45	ug/L		92
37) methyl acrylate	3.24	55	30486	7.53	ug/L		95
38) propionitrile	3.23	54	46725	78.93	ug/L		69
39) tert-butyl formate	3.43	59	11208	6.68	ug/L		94
40) bromochloromethane	3.36	128	9669	7.56	ug/L		96
41) tetrahydrofuran	3.37	42	10533	8.06	ug/L		99
42) chloroform	3.41	83	31006	7.58	ug/L		97
44) methacrylonitrile	3.33	67	9826	7.58	ug/L		95
45) 1,1,1-trichloroethane	3.53	97	30551	7.47	ug/L		86
46) cyclohexane	3.58	84	28196	7.63	ug/L		99
47) tert amyl alcohol	3.72	55	8271	39.52	ug/L		97
48) 1,1-dichloropropene	3.62	75	25335	7.49	ug/L		96
49) isobutyl alcohol	3.82	42	4257	85.67	ug/L	#	73
50) carbon tetrachloride	3.63	117	26125	7.00	ug/L		99
51) isopropyl acetate	3.74	87	4349	6.82	ug/L	#	82
54) iso-octane	3.81	57	56823	7.48	ug/L		98
55) epichlorohydrin	4.72	57	15028	35.82	ug/L		96
56) n-butyl alcohol	4.06	56	48046	345.27	ug/L		96
57) benzene	3.75	78	68364	7.53	ug/L		99
58) tert-amyl methyl ether	3.81	73	46415	7.13	ug/L		97
59) heptane	3.91	57	10584	7.83	ug/L		95
60) 1,2-dichloroethane	3.78	62	26324	7.89	ug/L		99
61) trichloroethene	4.17	130	21808	7.37	ug/L		99
62) ethyl acrylate	4.19	55	29363	7.25	ug/L		98
63) 2-nitropropane	4.65	41	6580	6.53	ug/L		93
64) 2-chloroethyl vinyl ether	4.68	63	62202	35.82	ug/L		99
65) methyl methacrylate	4.34	100	5581	6.90	ug/L	#	86
66) 1,2-dichloropropane	4.34	76	7253	7.64	ug/L		100
67) dibromomethane	4.40	93	11532	7.49	ug/L		96
68) methylcyclohexane	4.33	83	29180	7.24	ug/L		98
69) bromodichloromethane	4.50	83	19625	6.80	ug/L		100
70) cis-1,3-dichloropropene	4.80	75	22972	6.69	ug/L		97
71) 4-methyl-2-pentanone	4.89	58	40291	29.61	ug/L		98
72) 3-methyl-1-butanol	4.92	70	14847	130.07	ug/L		95
75) toluene	5.04	92	42596	7.46	ug/L		97
76) trans-1,3-dichloropropene	5.20	75	20851	6.59	ug/L		97
77) ethyl methacrylate	5.22	69	21521	7.01	ug/L		98
78) 1,1,2-trichloroethane	5.35	83	13087	7.28	ug/L		94
79) tetrachloroethene	5.42	164	17080	7.29	ug/L		95
80) 1,3-dichloropropane	5.47	76	24287	7.26	ug/L		99
81) 2-hexanone	5.49	58	42532	30.17	ug/L		96
82) butyl acetate	5.57	56	14136	7.28	ug/L		100
83) dibromochloromethane	5.63	129	16304	6.31	ug/L		96
84) 1,2-dibromoethane	5.73	107	17275	6.94	ug/L		98
85) n-butyl ether	6.15	57	69670	7.25	ug/L		98
86) chlorobenzene	6.10	112	48603	7.49	ug/L		97
87) 1,1,1,2-tetrachloroethane	6.16	131	16054	6.53	ug/L		100
88) ethylbenzene	6.17	91	81055	7.45	ug/L		98
89) m,p-xylene	6.27	106	64889	14.91	ug/L		99
90) o-xylene	6.57	91	62041	7.48	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200558.D
Acq On : 29 Sep 2022 12:12 am
Operator : PrashanS
Sample : IC8636-8
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Sep 29 08:35:07 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
91) styrene	6.59	104	50674	7.14	ug/L		99
92) butyl acrylate	6.51	55	35429	6.88	ug/L		99
93) n-amyl acetate	6.69	70	12148	7.06	ug/L		96
94) bromoform	6.74	173	10215	5.71	ug/L		98
95) isopropylbenzene	6.86	105	80584	7.33	ug/L		99
96) cis-1,4-dichloro-2-butene	6.91	88	5323	5.30	ug/L		91
99) bromobenzene	7.13	156	21377	7.27	ug/L		99
100) 1,1,2,2-tetrachloroethane	7.10	83	22528	7.33	ug/L		94
101) trans-1,4-dichloro-2-buten	7.14	53	5716	6.30	ug/L		82
102) 1,2,3-trichloropropane	7.15	110	7043	7.09	ug/L		97
103) n-propylbenzene	7.19	91	89124	7.36	ug/L		97
104) 2-chlorotoluene	7.27	126	20298	7.53	ug/L		93
105) 4-chlorotoluene	7.36	91	51898	7.37	ug/L		98
106) 1,3,5-trimethylbenzene	7.33	105	58252	7.21	ug/L		98
107) tert-butylbenzene	7.57	119	56205	7.28	ug/L		94
108) 1,2,4-trimethylbenzene	7.62	105	57982	7.24	ug/L		99
109) sec-butylbenzene	7.73	105	77931	7.20	ug/L		100
110) 1,3-dichlorobenzene	7.83	146	38198	7.26	ug/L		99
111) p-isopropyltoluene	7.85	119	66799	7.26	ug/L		99
112) 1,4-dichlorobenzene	7.90	146	39261	7.34	ug/L		99
113) 1,2-dichlorobenzene	8.16	146	36337	7.27	ug/L		97
114) benzyl chloride	7.98	91	29605	5.96	ug/L		96
115) n-butylbenzene	8.13	92	28641	7.05	ug/L		98
116) 1,2-dibromo-3-chloropropan	8.69	157	6056	6.32	ug/L		92
117) 1,3,5-trichlorobenzene	8.81	180	22762	7.10	ug/L		99
118) hexachlorobutadiene	9.31	225	7917	6.98	ug/L		94
119) naphthalene	9.39	128	74972	7.35	ug/L		99
120) 1,2,4-trichlorobenzene	9.22	180	19266	6.94	ug/L		95
121) 1,2,3-trichlorobenzene	9.52	180	18987	6.99	ug/L		98
122) hexachloroethane	8.35	201	6454	5.67	ug/L	#	75
123) 2-methylnaphthalene	10.11	142	17876	3.23	ug/L		92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200558.D
Acq On : 29 Sep 2022 12:12 am
Operator : PrashanS
Sample : IC8636-8
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Sep 29 08:35:07 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200560.D
Acq On : 29 Sep 2022 12:48 am
Operator : PrashanS
Sample : IC8636-20
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Sep 29 08:35:09 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	2.44	65	368620	500.00	ug/L		0.00
5) pentafluorobenzene	3.51	168	395577	50.00	ug/L		0.00
52) 1,4-difluorobenzene	4.00	114	567056	50.00	ug/L		0.00
73) chlorobenzene-d5	6.08	117	527311	50.00	ug/L		0.00
97) 1,4-dichlorobenzene-d4	7.88	152	270734	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	3.51	113	187574	50.49	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.98%				
53) 1,2-dichloroethane-d4 (s)	3.73	65	217924	51.70	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 103.40%				
74) toluene-d8 (s)	5.00	98	628520	50.26	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.52%				
98) 4-bromofluorobenzene (s)	7.01	95	228986	49.42	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.84%				
Target Compounds							Qvalue
2) ethanol	1.94	45	67777	2027.18	ug/L		97
3) tertiary butyl alcohol	2.49	59	54352	97.41	ug/L		94
4) 1,4-dioxane	4.38	88	22787	483.42	ug/L		92
6) chlorodifluoromethane	1.25	51	65691	20.15	ug/L		99
7) dichlorodifluoromethane	1.24	85	63015	19.62	ug/L		100
8) chloromethane	1.37	50	63683	19.21	ug/L		98
9) vinyl chloride	1.43	62	69291	19.27	ug/L		99
10) bromomethane	1.64	96	10204	18.18	ug/L		98
11) chloroethane	1.71	64	29790	20.46	ug/L		98
12) trichlorofluoromethane	1.86	101	91700	18.59	ug/L		98
13) 1,3-butadiene	1.46	54	58481	20.71	ug/L		99
14) ethyl ether	2.02	74	23241	19.50	ug/L		96
15) acrolein	2.11	56	12595	18.00	ug/L		96
16) 1,1-dichloroethene	2.17	96	44600	19.49	ug/L		98
17) freon 113	2.17	101	53654	19.54	ug/L		97
18) acetone	2.18	58	29183	79.57	ug/L		99
19) acetonitrile	2.35	41	100942	203.06	ug/L		98
20) iodomethane	2.27	142	16336	10.59	ug/L		98
21) carbon disulfide	2.32	76	110370	19.16	ug/L		99
22) methylene chloride	2.46	84	42884	19.94	ug/L		95
23) methyl acetate	2.36	43	58964	18.83	ug/L		99
24) methyl tert butyl ether	2.61	73	124828	19.09	ug/L		99
25) acrylonitrile	2.59	53	27972	18.96	ug/L		96
26) trans-1,2-dichloroethene	2.62	96	47713	19.83	ug/L		100
27) hexane	2.78	57	72589	19.38	ug/L		100
28) di-isopropyl ether	2.88	45	158016	19.41	ug/L		99
29) 2-butanone	3.19	72	33614	75.38	ug/L	#	85
30) 1,1-dichloroethane	2.88	63	82898	19.77	ug/L		100
31) chloroprene	2.92	53	82319	19.91	ug/L		99
32) vinyl acetate	2.86	86	9182	17.80	ug/L		98
33) ethyl tert-butyl ether	3.09	59	141461	19.15	ug/L		99
34) ethyl acetate	3.21	45	11981	17.75	ug/L		98
35) 2,2-dichloropropane	3.22	77	66974	19.47	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200560.D
Acq On : 29 Sep 2022 12:48 am
Operator : PrashanS
Sample : IC8636-20
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Sep 29 08:35:09 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
36) cis-1,2-dichloroethene	3.21	96	50310	19.29	ug/L		91
37) methyl acrylate	3.24	55	79182	19.24	ug/L		96
38) propionitrile	3.23	54	117522	195.39	ug/L		70
39) tert-butyl formate	3.43	59	29494	17.30	ug/L		99
40) bromochloromethane	3.36	128	25417	19.57	ug/L		98
41) tetrahydrofuran	3.37	42	25543	19.23	ug/L		98
42) chloroform	3.41	83	81055	19.51	ug/L		98
44) methacrylonitrile	3.33	67	25192	19.14	ug/L		96
45) 1,1,1-trichloroethane	3.53	97	80547	19.37	ug/L		96
46) cyclohexane	3.58	84	70859	18.87	ug/L		97
47) tert amyl alcohol	3.72	55	20513	96.48	ug/L		94
48) 1,1-dichloropropene	3.62	75	67203	19.55	ug/L		98
49) isobutyl alcohol	3.81	42	9419	186.57	ug/L		98
50) carbon tetrachloride	3.63	117	71550	18.87	ug/L		99
51) isopropyl acetate	3.74	87	11777	18.19	ug/L	#	85
54) iso-octane	3.81	57	149812	19.23	ug/L		98
55) epichlorohydrin	4.72	57	39819	92.61	ug/L		99
56) n-butyl alcohol	4.06	56	131516	922.20	ug/L		98
57) benzene	3.75	78	182006	19.56	ug/L		99
58) tert-amyl methyl ether	3.81	73	123317	18.49	ug/L		98
59) heptane	3.91	57	28093	20.28	ug/L		98
60) 1,2-dichloroethane	3.78	62	65750	19.23	ug/L		100
61) trichloroethene	4.17	130	59527	19.64	ug/L		97
62) ethyl acrylate	4.19	55	76470	18.43	ug/L		99
63) 2-nitropropane	4.65	41	17492	16.94	ug/L		96
64) 2-chloroethyl vinyl ether	4.68	63	165246	92.85	ug/L		100
65) methyl methacrylate	4.34	100	15302	18.46	ug/L		95
66) 1,2-dichloropropane	4.34	76	18688	19.21	ug/L		98
67) dibromomethane	4.40	93	30305	19.20	ug/L		99
68) methylcyclohexane	4.33	83	77613	18.79	ug/L		99
69) bromodichloromethane	4.51	83	54389	18.40	ug/L		100
70) cis-1,3-dichloropropene	4.80	75	64757	18.40	ug/L		96
71) 4-methyl-2-pentanone	4.89	58	104617	75.01	ug/L		99
72) 3-methyl-1-butanol	4.91	70	41434	354.20	ug/L		98
75) toluene	5.04	92	114690	19.79	ug/L		96
76) trans-1,3-dichloropropene	5.20	75	58322	18.17	ug/L		100
77) ethyl methacrylate	5.22	69	58163	18.67	ug/L		99
78) 1,1,2-trichloroethane	5.34	83	33805	18.52	ug/L		98
79) tetrachloroethene	5.42	164	45141	18.99	ug/L		99
80) 1,3-dichloropropane	5.47	76	64154	18.89	ug/L		99
81) 2-hexanone	5.49	58	109058	76.23	ug/L		99
82) butyl acetate	5.57	56	36853	18.71	ug/L		98
83) dibromochloromethane	5.63	129	45286	17.28	ug/L		95
84) 1,2-dibromoethane	5.73	107	46866	18.54	ug/L		98
85) n-butyl ether	6.15	57	184372	18.90	ug/L		100
86) chlorobenzene	6.10	112	127304	19.33	ug/L		98
87) 1,1,1,2-tetrachloroethane	6.16	131	44767	17.94	ug/L		97
88) ethylbenzene	6.16	91	213907	19.36	ug/L		100
89) m,p-xylene	6.27	106	173069	39.18	ug/L		100
90) o-xylene	6.57	91	163878	19.48	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200560.D
Acq On : 29 Sep 2022 12:48 am
Operator : PrashanS
Sample : IC8636-20
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Sep 29 08:35:09 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
91) styrene	6.59	104	138151	19.18	ug/L	99
92) butyl acrylate	6.51	55	95918	18.35	ug/L	99
93) n-amyl acetate	6.69	70	32272	18.48	ug/L	99
94) bromoform	6.74	173	30437	16.77	ug/L	96
95) isopropylbenzene	6.86	105	215483	19.32	ug/L	99
96) cis-1,4-dichloro-2-butene	6.91	88	16003	15.69	ug/L	94
99) bromobenzene	7.13	156	55941	18.43	ug/L	99
100) 1,1,2,2-tetrachloroethane	7.10	83	58795	18.53	ug/L	99
101) trans-1,4-dichloro-2-buten	7.14	53	16174	17.28	ug/L	86
102) 1,2,3-trichloropropane	7.15	110	19262	18.80	ug/L	93
103) n-propylbenzene	7.19	91	240327	19.22	ug/L	98
104) 2-chlorotoluene	7.27	126	53503	19.24	ug/L	100
105) 4-chlorotoluene	7.36	91	139012	19.14	ug/L	98
106) 1,3,5-trimethylbenzene	7.33	105	159225	19.11	ug/L	99
107) tert-butylbenzene	7.57	119	153567	19.28	ug/L	98
108) 1,2,4-trimethylbenzene	7.62	105	157842	19.11	ug/L	99
109) sec-butylbenzene	7.73	105	213563	19.12	ug/L	99
110) 1,3-dichlorobenzene	7.83	146	102729	18.91	ug/L	100
111) p-isopropyltoluene	7.85	119	181445	19.11	ug/L	100
112) 1,4-dichlorobenzene	7.90	146	104873	19.00	ug/L	98
113) 1,2-dichlorobenzene	8.16	146	98161	19.04	ug/L	99
114) benzyl chloride	7.98	91	88514	17.28	ug/L	100
115) n-butylbenzene	8.13	92	79041	18.85	ug/L	100
116) 1,2-dibromo-3-chloropropan	8.69	157	17355	17.55	ug/L	99
117) 1,3,5-trichlorobenzene	8.81	180	61943	18.73	ug/L	99
118) hexachlorobutadiene	9.31	225	22290	19.05	ug/L	97
119) naphthalene	9.39	128	196837	18.71	ug/L	99
120) 1,2,4-trichlorobenzene	9.22	180	52950	18.49	ug/L	99
121) 1,2,3-trichlorobenzene	9.52	180	52122	18.61	ug/L	98
122) hexachloroethane	8.35	201	19512	16.61	ug/L	89
123) 2-methylnaphthalene	10.11	142	49729	8.71	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200560.D
Acq On : 29 Sep 2022 12:48 am
Operator : PrashanS
Sample : IC8636-20
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Sep 29 08:35:09 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200562.D
Acq On : 29 Sep 2022 1:25 am
Operator : PrashanS
Sample : ICC8636-50
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Sep 29 08:35:11 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	2.44	65	372113	500.00	ug/L	0.00
5) pentafluorobenzene	3.51	168	405044	50.00	ug/L	0.00
52) 1,4-difluorobenzene	4.00	114	578854	50.00	ug/L	0.00
73) chlorobenzene-d5	6.07	117	537918	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.88	152	274585	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.51	113	190194	50.00	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.00%			
53) 1,2-dichloroethane-d4 (s)	3.73	65	215159	50.00	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.00%			
74) toluene-d8 (s)	5.00	98	637800	50.00	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.00%			
98) 4-bromofluorobenzene (s)	7.01	95	234991	50.00	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.00%			
Target Compounds						Qvalue
2) ethanol	1.94	45	168755	5000.00	ug/L	100
3) tertiary butyl alcohol	2.49	59	140821	250.00	ug/L	100
4) 1,4-dioxane	4.38	88	59480	1250.00	ug/L	100
6) chlorodifluoromethane	1.26	51	166886	50.00	ug/L	100
7) dichlorodifluoromethane	1.24	85	164409	50.00	ug/L	100
8) chloromethane	1.37	50	169725	50.00	ug/L	100
9) vinyl chloride	1.44	62	184112	50.00	ug/L	100
10) bromomethane	1.64	96	28737	50.00	ug/L	100
11) chloroethane	1.71	64	74557	50.00	ug/L	100
12) trichlorofluoromethane	1.86	101	252540	50.00	ug/L	100
13) 1,3-butadiene	1.46	54	144602	50.00	ug/L	100
14) ethyl ether	2.02	74	61006	50.00	ug/L	100
15) acrolein	2.11	56	35816	50.00	ug/L	100
16) 1,1-dichloroethene	2.17	96	117176	50.00	ug/L	100
17) freon 113	2.17	101	140601	50.00	ug/L	100
18) acetone	2.19	58	75103	200.00	ug/L	100
19) acetonitrile	2.35	41	254499	500.00	ug/L	100
20) iodomethane	2.27	142	78961	50.00	ug/L	100
21) carbon disulfide	2.32	76	294891	50.00	ug/L	100
22) methylene chloride	2.46	84	110117	50.00	ug/L	100
23) methyl acetate	2.36	43	160316	50.00	ug/L	100
24) methyl tert butyl ether	2.61	73	334781	50.00	ug/L	100
25) acrylonitrile	2.59	53	75520	50.00	ug/L	100
26) trans-1,2-dichloroethene	2.62	96	123172	50.00	ug/L	100
27) hexane	2.78	57	191791	50.00	ug/L	100
28) di-isopropyl ether	2.88	45	416691	50.00	ug/L	100
29) 2-butanone	3.20	72	91319	200.00	ug/L	100
30) 1,1-dichloroethane	2.88	63	214691	50.00	ug/L	100
31) chloroprene	2.92	53	211659	50.00	ug/L	100
32) vinyl acetate	2.86	86	26408	50.00	ug/L	100
33) ethyl tert-butyl ether	3.09	59	378101	50.00	ug/L	100
34) ethyl acetate	3.21	45	34552	50.00	ug/L	100
35) 2,2-dichloropropane	3.22	77	176147	50.00	ug/L	100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200562.D
Acq On : 29 Sep 2022 1:25 am
Operator : PrashanS
Sample : ICC8636-50
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Sep 29 08:35:11 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
36) cis-1,2-dichloroethene	3.22	96	133549	50.00	ug/L	100
37) methyl acrylate	3.25	55	210409	49.94	ug/L	100
38) propionitrile	3.24	54	307927	500.00	ug/L	100
39) tert-butyl formate	3.43	59	87301	50.00	ug/L	100
40) bromochloromethane	3.36	128	66482	50.00	ug/L	100
41) tetrahydrofuran	3.37	42	68358	50.27	ug/L	100
42) chloroform	3.41	83	212684	50.00	ug/L	100
44) methacrylonitrile	3.33	67	67386	50.00	ug/L	100
45) 1,1,1-trichloroethane	3.53	97	212862	50.00	ug/L	100
46) cyclohexane	3.58	84	192212	50.00	ug/L	100
47) tert amyl alcohol	3.72	55	53421	245.40	ug/L	100
48) 1,1-dichloropropene	3.62	75	175993	50.00	ug/L	100
49) isobutyl alcohol	3.81	42	25847	500.00	ug/L	100
50) carbon tetrachloride	3.63	117	194172	50.00	ug/L	100
51) isopropyl acetate	3.74	87	33145	50.00	ug/L	100
54) iso-octane	3.81	57	397602	50.00	ug/L	100
55) epichlorohydrin	4.72	57	109733	250.00	ug/L	100
56) n-butyl alcohol	4.06	56	363958	2500.09	ug/L	100
57) benzene	3.75	78	474820	50.00	ug/L	100
58) tert-amyl methyl ether	3.81	73	340482	50.00	ug/L	100
59) heptane	3.91	57	72186	51.04	ug/L	100
60) 1,2-dichloroethane	3.78	62	174486	50.00	ug/L	100
61) trichloroethene	4.17	130	154715	50.00	ug/L	100
62) ethyl acrylate	4.19	55	211808	50.00	ug/L	100
63) 2-nitropropane	4.65	41	52719	50.00	ug/L	100
64) 2-chloroethyl vinyl ether	4.68	63	454172	250.00	ug/L	100
65) methyl methacrylate	4.34	100	42309	50.00	ug/L	100
66) 1,2-dichloropropane	4.34	76	49656	50.00	ug/L	100
67) dibromomethane	4.40	93	80568	50.00	ug/L	100
68) methylcyclohexane	4.33	83	210834	50.00	ug/L	100
69) bromodichloromethane	4.51	83	150890	50.00	ug/L	100
70) cis-1,3-dichloropropene	4.80	75	179598	50.00	ug/L	100
71) 4-methyl-2-pentanone	4.89	58	284743	200.00	ug/L	100
72) 3-methyl-1-butanol	4.91	70	119412	1000.00	ug/L	100
75) toluene	5.04	92	295605	50.00	ug/L	100
76) trans-1,3-dichloropropene	5.20	75	163748	50.00	ug/L	100
77) ethyl methacrylate	5.22	69	158919	50.00	ug/L	100
78) 1,1,2-trichloroethane	5.34	83	93095	50.00	ug/L	100
79) tetrachloroethene	5.42	164	121232	50.00	ug/L	100
80) 1,3-dichloropropane	5.47	76	173181	50.00	ug/L	100
81) 2-hexanone	5.49	58	291869	200.00	ug/L	100
82) butyl acetate	5.57	56	100469	50.00	ug/L	100
83) dibromochloromethane	5.63	129	133659	50.00	ug/L	100
84) 1,2-dibromoethane	5.73	107	128900	50.00	ug/L	100
85) n-butyl ether	6.15	57	497563	50.00	ug/L	100
86) chlorobenzene	6.10	112	335895	50.00	ug/L	100
87) 1,1,1,2-tetrachloroethane	6.16	131	127282	50.00	ug/L	100
88) ethylbenzene	6.16	91	563484	50.00	ug/L	100
89) m,p-xylene	6.27	106	450639	100.00	ug/L	100
90) o-xylene	6.57	91	429137	50.00	ug/L	100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200562.D
Acq On : 29 Sep 2022 1:25 am
Operator : PrashanS
Sample : ICC8636-50
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Sep 29 08:35:11 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
91) styrene	6.59	104	367430	50.00	ug/L	100
92) butyl acrylate	6.51	55	266557	50.00	ug/L	100
93) n-amyl acetate	6.69	70	89053	50.00	ug/L	100
94) bromoform	6.74	173	92562	50.00	ug/L	100
95) isopropylbenzene	6.86	105	568799	50.00	ug/L	100
96) cis-1,4-dichloro-2-butene	6.91	88	52029	50.00	ug/L	100
99) bromobenzene	7.13	156	153913	50.00	ug/L	100
100) 1,1,2,2-tetrachloroethane	7.10	83	160930	50.00	ug/L	100
101) trans-1,4-dichloro-2-buten	7.14	53	47468	50.00	ug/L	100
102) 1,2,3-trichloropropane	7.15	110	51948	50.00	ug/L	100
103) n-propylbenzene	7.19	91	634017	50.00	ug/L	100
104) 2-chlorotoluene	7.27	126	140986	50.00	ug/L	100
105) 4-chlorotoluene	7.36	91	368384	50.00	ug/L	100
106) 1,3,5-trimethylbenzene	7.33	105	422544	50.00	ug/L	100
107) tert-butylbenzene	7.57	119	403972	50.00	ug/L	100
108) 1,2,4-trimethylbenzene	7.62	105	418787	50.00	ug/L	100
109) sec-butylbenzene	7.73	105	566409	50.00	ug/L	100
110) 1,3-dichlorobenzene	7.83	146	275494	50.00	ug/L	100
111) p-isopropyltoluene	7.85	119	481564	50.00	ug/L	100
112) 1,4-dichlorobenzene	7.90	146	279950	50.00	ug/L	100
113) 1,2-dichlorobenzene	8.16	146	261410	50.00	ug/L	100
114) benzyl chloride	7.98	91	259774	50.00	ug/L	100
115) n-butylbenzene	8.13	92	212691	50.00	ug/L	100
116) 1,2-dibromo-3-chloropropan	8.69	157	50156	50.00	ug/L	100
117) 1,3,5-trichlorobenzene	8.81	180	167722	50.00	ug/L	100
118) hexachlorobutadiene	9.30	225	59342	50.00	ug/L	100
119) naphthalene	9.39	128	533450	50.00	ug/L	100
120) 1,2,4-trichlorobenzene	9.22	180	145219	50.00	ug/L	100
121) 1,2,3-trichlorobenzene	9.52	180	142050	50.00	ug/L	100
122) hexachloroethane	8.35	201	59570	50.00	ug/L	100
123) 2-methylnaphthalene	10.11	142	144820	25.00	ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200562.D
Acq On : 29 Sep 2022 1:25 am
Operator : PrashanS
Sample : ICC8636-50
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Sep 29 08:35:11 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200564.D
Acq On : 29 Sep 2022 2:01 am
Operator : PrashanS
Sample : IC8636-100
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Sep 29 08:35:13 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	2.44	65	380540	500.00	ug/L		0.00
5) pentafluorobenzene	3.51	168	425838	50.00	ug/L		0.00
52) 1,4-difluorobenzene	4.00	114	599212	50.00	ug/L		0.00
73) chlorobenzene-d5	6.07	117	553178	50.00	ug/L		0.00
97) 1,4-dichlorobenzene-d4	7.88	152	275879	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	3.51	113	197095	49.28	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.56%				
53) 1,2-dichloroethane-d4 (s)	3.73	65	222651	49.98	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.96%				
74) toluene-d8 (s)	5.00	98	660398	50.34	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.68%				
98) 4-bromofluorobenzene (s)	7.01	95	237685	50.34	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.68%				
Target Compounds							Qvalue
2) ethanol	1.94	45	303436	8791.34	ug/L		96
3) tertiary butyl alcohol	2.49	59	281270	488.28	ug/L		95
4) 1,4-dioxane	4.38	88	118665	2438.58	ug/L		95
6) chlorodifluoromethane	1.25	51	331466	94.46	ug/L		99
7) dichlorodifluoromethane	1.24	85	328650	95.07	ug/L		100
8) chloromethane	1.37	50	329808	92.42	ug/L		99
9) vinyl chloride	1.43	62	357106	92.25	ug/L		99
10) bromomethane	1.64	96	54102	89.54	ug/L		96
11) chloroethane	1.70	64	125435	80.01	ug/L		99
12) trichlorofluoromethane	1.86	101	500341	94.22	ug/L		99
13) 1,3-butadiene	1.46	54	275767	90.70	ug/L		99
14) ethyl ether	2.02	74	121890	95.02	ug/L		92
15) acrolein	2.10	56	72418	96.16	ug/L		96
16) 1,1-dichloroethene	2.17	96	240484	97.61	ug/L		97
17) freon 113	2.17	101	295688	100.02	ug/L		98
18) acetone	2.18	58	148564	376.31	ug/L		97
19) acetonitrile	2.35	41	504619	942.99	ug/L		99
20) iodomethane	2.27	142	195159	117.54	ug/L		99
21) carbon disulfide	2.32	76	613459	98.94	ug/L		98
22) methylene chloride	2.46	84	217067	93.75	ug/L		96
23) methyl acetate	2.36	43	315580	93.62	ug/L		98
24) methyl tert butyl ether	2.61	73	679553	96.54	ug/L		100
25) acrylonitrile	2.59	53	152638	96.12	ug/L		99
26) trans-1,2-dichloroethene	2.62	96	253708	97.96	ug/L		96
27) hexane	2.78	57	401734	99.62	ug/L		99
28) di-isopropyl ether	2.88	45	848921	96.89	ug/L		98
29) 2-butanone	3.20	72	181999	379.14	ug/L		94
30) 1,1-dichloroethane	2.88	63	437763	96.97	ug/L		99
31) chloroprene	2.92	53	434104	97.54	ug/L		99
32) vinyl acetate	2.86	86	53432	96.23	ug/L	#	92
33) ethyl tert-butyl ether	3.09	59	771345	97.02	ug/L		100
34) ethyl acetate	3.21	45	69788	96.06	ug/L		98
35) 2,2-dichloropropane	3.22	77	370875	100.13	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200564.D
Acq On : 29 Sep 2022 2:01 am
Operator : PrashanS
Sample : IC8636-100
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Sep 29 08:35:13 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
36) cis-1,2-dichloroethene	3.21	96	270623	96.37	ug/L		93
37) methyl acrylate	3.24	55	425056	95.96	ug/L		97
38) propionitrile	3.24	54	604711	933.96	ug/L		94
39) tert-butyl formate	3.43	59	182472	99.40	ug/L		97
40) bromochloromethane	3.36	128	131736	94.24	ug/L		99
41) tetrahydrofuran	3.37	42	134482	94.07	ug/L		99
42) chloroform	3.41	83	431857	96.57	ug/L		99
44) methacrylonitrile	3.33	67	137093	96.75	ug/L		97
45) 1,1,1-trichloroethane	3.53	97	437908	97.84	ug/L		99
46) cyclohexane	3.58	84	397886	98.45	ug/L		97
47) tert amyl alcohol	3.72	55	102419	447.50	ug/L		95
48) 1,1-dichloropropene	3.62	75	365469	98.76	ug/L		100
49) isobutyl alcohol	3.81	42	52085	958.36	ug/L	#	96
50) carbon tetrachloride	3.63	117	413222	101.21	ug/L		99
51) isopropyl acetate	3.74	87	67094	96.27	ug/L		98
54) iso-octane	3.81	57	833526	101.26	ug/L		99
55) epichlorohydrin	4.72	57	209963	462.10	ug/L		98
56) n-butyl alcohol	4.06	56	728038	4831.11	ug/L		99
57) benzene	3.75	78	979156	99.61	ug/L		100
58) tert-amyl methyl ether	3.81	73	702806	99.70	ug/L		100
59) heptane	3.91	57	150824	103.02	ug/L		99
60) 1,2-dichloroethane	3.78	62	349729	96.81	ug/L		99
61) trichloroethene	4.17	130	317141	99.01	ug/L		98
62) ethyl acrylate	4.19	55	432267	98.58	ug/L		100
63) 2-nitropropane	4.65	41	110802	101.52	ug/L		100
64) 2-chloroethyl vinyl ether	4.68	63	919446	488.92	ug/L		99
65) methyl methacrylate	4.34	100	85783	97.93	ug/L	#	90
66) 1,2-dichloropropane	4.34	76	100592	97.85	ug/L		98
67) dibromomethane	4.40	93	162248	97.27	ug/L		97
68) methylcyclohexane	4.33	83	440876	101.00	ug/L		99
69) bromodichloromethane	4.50	83	309369	99.03	ug/L		100
70) cis-1,3-dichloropropene	4.80	75	365517	98.30	ug/L		98
71) 4-methyl-2-pentanone	4.89	58	577123	391.59	ug/L		98
72) 3-methyl-1-butanol	4.92	70	244242	1975.88	ug/L		99
75) toluene	5.04	92	613802	100.96	ug/L		97
76) trans-1,3-dichloropropene	5.20	75	339532	100.82	ug/L		100
77) ethyl methacrylate	5.22	69	318401	97.41	ug/L		98
78) 1,1,2-trichloroethane	5.34	83	186214	97.25	ug/L		99
79) tetrachloroethene	5.42	164	252388	101.22	ug/L		99
80) 1,3-dichloropropane	5.47	76	345874	97.10	ug/L		99
81) 2-hexanone	5.49	58	584575	389.52	ug/L		100
82) butyl acetate	5.57	56	198909	96.26	ug/L		97
83) dibromochloromethane	5.63	129	276908	100.73	ug/L		98
84) 1,2-dibromoethane	5.73	107	254727	96.08	ug/L		97
85) n-butyl ether	6.15	57	1013770	99.06	ug/L		99
86) chlorobenzene	6.10	112	674939	97.70	ug/L		99
87) 1,1,1,2-tetrachloroethane	6.16	131	265555	101.44	ug/L		98
88) ethylbenzene	6.16	91	1163416	100.39	ug/L		100
89) m,p-xylene	6.27	106	920234	198.57	ug/L		99
90) o-xylene	6.58	91	875303	99.17	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200564.D
Acq On : 29 Sep 2022 2:01 am
Operator : PrashanS
Sample : IC8636-100
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Sep 29 08:35:13 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
91) styrene	6.59	104	740350	97.97	ug/L	99
92) butyl acrylate	6.51	55	526052	95.95	ug/L	98
93) n-amyl acetate	6.69	70	174658	95.36	ug/L	98
94) bromoform	6.74	173	197244	103.61	ug/L	99
95) isopropylbenzene	6.86	105	1142103	97.63	ug/L	99
96) cis-1,4-dichloro-2-butene	6.91	88	115998	108.40	ug/L	99
99) bromobenzene	7.13	156	300874	97.28	ug/L	95
100) 1,1,2,2-tetrachloroethane	7.10	83	320849	99.22	ug/L	100
101) trans-1,4-dichloro-2-buten	7.14	53	100873	105.76	ug/L	97
102) 1,2,3-trichloropropane	7.15	110	101558	97.29	ug/L	87
103) n-propylbenzene	7.19	91	1274405	100.03	ug/L	98
104) 2-chlorotoluene	7.27	126	280211	98.91	ug/L	99
105) 4-chlorotoluene	7.36	91	733652	99.11	ug/L	99
106) 1,3,5-trimethylbenzene	7.33	105	864047	101.76	ug/L	99
107) tert-butylbenzene	7.57	119	806927	99.41	ug/L	100
108) 1,2,4-trimethylbenzene	7.62	105	849408	100.94	ug/L	100
109) sec-butylbenzene	7.73	105	1141841	100.32	ug/L	99
110) 1,3-dichlorobenzene	7.83	146	541295	97.78	ug/L	99
111) p-isopropyltoluene	7.85	119	978019	101.07	ug/L	99
112) 1,4-dichlorobenzene	7.90	146	545438	96.96	ug/L	99
113) 1,2-dichlorobenzene	8.16	146	511604	97.40	ug/L	99
114) benzyl chloride	7.98	91	540390	103.52	ug/L	99
115) n-butylbenzene	8.13	92	431226	100.90	ug/L	99
116) 1,2-dibromo-3-chloropropan	8.69	157	100067	99.29	ug/L	98
117) 1,3,5-trichlorobenzene	8.81	180	328084	97.35	ug/L	97
118) hexachlorobutadiene	9.30	225	121979	102.29	ug/L	99
119) naphthalene	9.39	128	1059976	98.89	ug/L	99
120) 1,2,4-trichlorobenzene	9.22	180	289842	99.33	ug/L	98
121) 1,2,3-trichlorobenzene	9.52	180	288793	101.18	ug/L	99
122) hexachloroethane	8.35	201	128214	107.11	ug/L	96
123) 2-methylnaphthalene	10.11	142	296527	50.95	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200564.D
Acq On : 29 Sep 2022 2:01 am
Operator : PrashanS
Sample : IC8636-100
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Sep 29 08:35:13 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200566.D
Acq On : 29 Sep 2022 2:37 am
Operator : PrashanS
Sample : IC8636-200
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Sep 29 13:58:25 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	2.44	65	377815	500.00	ug/L	0.00
5) pentafluorobenzene	3.51	168	444925	50.00	ug/L	0.00
52) 1,4-difluorobenzene	4.00	114	620401	50.00	ug/L	0.00
73) chlorobenzene-d5	6.07	117	561058	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.88	152	269248	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.51	113	204989	49.06	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.12%			
53) 1,2-dichloroethane-d4 (s)	3.73	65	233092	50.54	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 101.08%			
74) toluene-d8 (s)	5.00	98	686231	51.58	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 103.16%			
98) 4-bromofluorobenzene (s)	7.01	95	233867	50.75	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.50%			
Target Compounds						Qvalue
2) ethanol	1.95	45	515681	15048.39	ug/L	97
3) tertiary butyl alcohol	2.49	59	539596	943.49	ug/L	93
4) 1,4-dioxane	4.39	88	237787	4921.79	ug/L	95
6) chlorodifluoromethane	1.25	51	652628	178.00	ug/L	100
7) dichlorodifluoromethane	1.23	85	639412	177.03	ug/L	99
8) chloromethane	1.37	50	637860	171.07	ug/L	98
9) vinyl chloride	1.43	62	695366	171.92	ug/L	100
10) bromomethane	1.63	96	86121	136.41	ug/L	99
12) trichlorofluoromethane	1.85	101	938634	169.18	ug/L	99
13) 1,3-butadiene	1.45	54	515591	162.30	ug/L	99
14) ethyl ether	2.02	74	246953	184.26	ug/L	94
15) acrolein	2.10	56	143225	182.02	ug/L	98
16) 1,1-dichloroethene	2.17	96	487350	189.32	ug/L	97
17) freon 113	2.16	101	588707	190.59	ug/L	99
18) acetone	2.18	58	295393	716.12	ug/L	98
19) acetonitrile	2.35	41	983289	1758.65	ug/L	99
20) iodomethane	2.26	142	420286	242.28	ug/L	99
21) carbon disulfide	2.31	76	1284262	198.23	ug/L	99
22) methylene chloride	2.46	84	440075	181.91	ug/L	98
23) methyl acetate	2.36	43	622718	176.81	ug/L	99
24) methyl tert butyl ether	2.60	73	1401166	190.51	ug/L	99
25) acrylonitrile	2.59	53	302492	182.32	ug/L	100
26) trans-1,2-dichloroethene	2.62	96	526930	194.73	ug/L	98
27) hexane	2.77	57	794624	188.59	ug/L	99
28) di-isopropyl ether	2.88	45	1735286	189.56	ug/L	96
29) 2-butanone	3.20	72	362123	722.01	ug/L	94
30) 1,1-dichloroethane	2.87	63	900145	190.85	ug/L	99
31) chloroprene	2.92	53	886411	190.63	ug/L	98
32) vinyl acetate	2.86	86	107743	185.71	ug/L	99
33) ethyl tert-butyl ether	3.09	59	1590021	191.42	ug/L	99
34) ethyl acetate	3.21	45	137819	181.56	ug/L	96
35) 2,2-dichloropropane	3.22	77	766845	198.16	ug/L	97
36) cis-1,2-dichloroethene	3.21	96	563666	192.12	ug/L	95

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200566.D
Acq On : 29 Sep 2022 2:37 am
Operator : PrashanS
Sample : IC8636-200
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Sep 29 13:58:25 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
37) methyl acrylate	3.24	55	860208	185.86	ug/L		98
38) propionitrile	3.24	54	1195200	1766.76	ug/L		87
39) tert-butyl formate	3.43	59	391999	204.39	ug/L		96
40) bromochloromethane	3.36	128	261714	179.19	ug/L		99
41) tetrahydrofuran	3.37	42	264676	177.20	ug/L		98
42) chloroform	3.41	83	884496	189.30	ug/L		99
44) methacrylonitrile	3.33	67	273329	184.63	ug/L		98
45) 1,1,1-trichloroethane	3.53	97	901687	192.82	ug/L		98
46) cyclohexane	3.58	84	814326	192.84	ug/L		82
47) tert amyl alcohol	3.72	55	195676	818.30	ug/L		91
48) 1,1-dichloropropene	3.62	75	748434	193.57	ug/L		99
49) isobutyl alcohol	3.81	42	107251	1888.76	ug/L		97
50) carbon tetrachloride	3.63	117	862307	202.14	ug/L		99
51) isopropyl acetate	3.74	87	137325	188.59	ug/L		98
54) iso-octane	3.81	57	1721588	202.00	ug/L		99
55) epichlorohydrin	4.72	57	428657	911.19	ug/L		98
56) n-butyl alcohol	4.06	56	1443691	9252.84	ug/L		99
57) benzene	3.75	78	2014722	197.95	ug/L		99
58) tert-amyl methyl ether	3.81	73	1470071	201.42	ug/L		99
59) heptane	3.91	57	304109	200.62	ug/L		97
60) 1,2-dichloroethane	3.78	62	710582	189.99	ug/L		100
61) trichloroethene	4.16	130	649884	195.96	ug/L		96
62) ethyl acrylate	4.19	55	871958	192.05	ug/L		99
63) 2-nitropropane	4.65	41	240722	213.02	ug/L		99
64) 2-chloroethyl vinyl ether	4.68	63	1881078	966.10	ug/L		99
65) methyl methacrylate	4.34	100	176813	194.96	ug/L	#	85
66) 1,2-dichloropropane	4.34	76	209180	196.52	ug/L		99
67) dibromomethane	4.40	93	331760	192.10	ug/L		97
68) methylcyclohexane	4.33	83	906717	200.63	ug/L		98
69) bromodichloromethane	4.50	83	643217	198.87	ug/L		100
70) cis-1,3-dichloropropene	4.80	75	755748	196.31	ug/L		98
71) 4-methyl-2-pentanone	4.89	58	1155869	757.50	ug/L		96
72) 3-methyl-1-butanol	4.92	70	487344	3807.89	ug/L		99
75) toluene	5.04	92	1265426	205.21	ug/L		97
76) trans-1,3-dichloropropene	5.20	75	700140	204.97	ug/L		99
77) ethyl methacrylate	5.22	69	643965	194.25	ug/L		99
78) 1,1,2-trichloroethane	5.35	83	374870	193.03	ug/L		98
79) tetrachloroethene	5.42	164	514208	203.33	ug/L		99
80) 1,3-dichloropropane	5.47	76	693324	191.92	ug/L		99
81) 2-hexanone	5.49	58	1149637	755.29	ug/L		96
82) butyl acetate	5.57	56	390194	186.18	ug/L		100
83) dibromochloromethane	5.63	129	571936	205.13	ug/L		99
84) 1,2-dibromoethane	5.73	107	512104	190.45	ug/L		98
85) n-butyl ether	6.15	57	2013304	193.97	ug/L		99
86) chlorobenzene	6.10	112	1364005	194.67	ug/L		99
87) 1,1,1,2-tetrachloroethane	6.16	131	550958	207.51	ug/L		98
88) ethylbenzene	6.16	91	2340764	199.14	ug/L		100
89) m,p-xylene	6.27	106	1849270	393.44	ug/L		98
90) o-xylene	6.58	91	1754534	195.99	ug/L		99
91) styrene	6.59	104	1483712	193.58	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200566.D
Acq On : 29 Sep 2022 2:37 am
Operator : PrashanS
Sample : IC8636-200
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Sep 29 13:58:25 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
92) butyl acrylate	6.51	55	1027815	184.84	ug/L	99
93) n-amyl acetate	6.69	70	334133	179.87	ug/L	100
94) bromoform	6.74	173	407843	211.22	ug/L	99
95) isopropylbenzene	6.86	105	2235657	188.42	ug/L	99
96) cis-1,4-dichloro-2-butene	6.91	88	241250	222.28	ug/L	94
99) bromobenzene	7.13	156	599753	198.70	ug/L	96
100) 1,1,2,2-tetrachloroethane	7.10	83	628815	199.24	ug/L	100
101) trans-1,4-dichloro-2-buten	7.14	53	202120	217.12	ug/L	95
102) 1,2,3-trichloropropane	7.15	110	197908	194.26	ug/L	85
103) n-propylbenzene	7.19	91	2463075	198.09	ug/L	98
104) 2-chlorotoluene	7.27	126	549319	198.67	ug/L	97
105) 4-chlorotoluene	7.36	91	1448793	200.54	ug/L	100
106) 1,3,5-trimethylbenzene	7.33	105	1719237	207.47	ug/L	99
107) tert-butylbenzene	7.57	119	1557951	196.65	ug/L	99
108) 1,2,4-trimethylbenzene	7.62	105	1695881	206.49	ug/L	100
109) sec-butylbenzene	7.73	105	2205657	198.56	ug/L	100
110) 1,3-dichlorobenzene	7.83	146	1068141	197.70	ug/L	99
111) p-isopropyltoluene	7.85	119	1935908	204.99	ug/L	99
112) 1,4-dichlorobenzene	7.90	146	1084102	197.46	ug/L	98
113) 1,2-dichlorobenzene	8.16	146	1010949	197.20	ug/L	99
114) benzyl chloride	7.98	91	1085736	213.12	ug/L	99
115) n-butylbenzene	8.13	92	879400	210.83	ug/L	98
116) 1,2-dibromo-3-chloropropan	8.69	157	205566	208.99	ug/L	98
117) 1,3,5-trichlorobenzene	8.81	180	701357	213.23	ug/L	98
118) hexachlorobutadiene	9.31	225	270733	232.63	ug/L	97
119) naphthalene	9.39	128	2191555	209.49	ug/L	99
120) 1,2,4-trichlorobenzene	9.22	180	628671	220.75	ug/L	99
121) 1,2,3-trichlorobenzene	9.52	180	614604	220.62	ug/L	99
123) 2-methylnaphthalene	10.11	142	607200	106.90	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200566.D
Acq On : 29 Sep 2022 2:37 am
Operator : PrashanS
Sample : IC8636-200
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Sep 29 13:58:25 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 08:34:36 2022
Response via : Initial Calibration



Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 09/29/22 15:49

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200572.D
Acq On : 29 Sep 2022 4:25 am
Operator : PrashanS
Sample : ICV8636-50
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Sep 29 14:02:22 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	2.44	65	391418	500.00	ug/L		0.00
5) pentafluorobenzene	3.51	168	434205	50.00	ug/L		0.00
52) 1,4-difluorobenzene	4.00	114	605103	50.00	ug/L		0.00
73) chlorobenzene-d5	6.07	117	563236	50.00	ug/L		0.00
97) 1,4-dichlorobenzene-d4	7.88	152	286830	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	3.51	113	201287	49.14	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.28%				
53) 1,2-dichloroethane-d4 (s)	3.73	65	225424	48.74	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 97.48%				
74) toluene-d8 (s)	5.00	98	667127	49.52	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.04%				
98) 4-bromofluorobenzene (s)	7.01	95	244573	49.11	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.22%				
Target Compounds							Qvalue
2) ethanol	1.94	45	169072	4516.73	ug/L		98
3) tertiary butyl alcohol	2.49	59	153202	258.70	ug/L		98
4) 1,4-dioxane	4.38	88	61693	1310.59	ug/L	#	1
7) dichlorodifluoromethane	1.24	85	187939	54.05	ug/L		100
8) chloromethane	1.37	50	180414	49.71	ug/L		99
9) vinyl chloride	1.43	62	201319	52.54	ug/L		100
10) bromomethane	1.64	96	32529	61.21	ug/L		97
11) chloroethane	1.70	64	84075	49.55	ug/L		99
12) trichlorofluoromethane	1.86	101	264244	52.67	ug/L		99
13) 1,3-butadiene	1.46	54	214887	70.24	ug/L		99
14) ethyl ether	2.02	74	64361	50.44	ug/L		93
15) acrolein	2.10	56	38718	53.64	ug/L		97
16) 1,1-dichloroethene	2.17	96	125593	51.81	ug/L		94
17) freon 113	2.17	101	141789	47.97	ug/L		98
18) acetone	2.18	58	73617	178.86	ug/L		91
20) iodomethane	2.27	142	64276	57.80	ug/L		99
21) carbon disulfide	2.32	76	324076	53.20	ug/L		98
22) methylene chloride	2.46	84	116613	49.63	ug/L		96
23) methyl acetate	2.36	43	180609	54.03	ug/L		99
24) methyl tert butyl ether	2.60	73	357300	51.04	ug/L		98
26) trans-1,2-dichloroethene	2.62	96	134871	51.39	ug/L		95
27) hexane	2.78	57	211789	51.15	ug/L		99
28) di-isopropyl ether	2.88	45	440006	50.42	ug/L		96
29) 2-butanone	3.19	72	96146	211.26	ug/L	#	83
30) 1,1-dichloroethane	2.88	63	227985	50.07	ug/L		99
31) chloroprene	2.92	53	237865	55.22	ug/L		99
32) vinyl acetate	2.86	86	21545	42.61	ug/L		100
33) ethyl tert-butyl ether	3.09	59	391235	50.20	ug/L		99
34) ethyl acetate	3.21	45	36445	53.04	ug/L		98
35) 2,2-dichloropropane	3.22	77	183632	48.59	ug/L		98
36) cis-1,2-dichloroethene	3.21	96	142477	50.30	ug/L		95
37) methyl acrylate	3.24	55	212265	49.56	ug/L		98
38) propionitrile	3.23	54	294694	455.01	ug/L		80

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200572.D
Acq On : 29 Sep 2022 4:25 am
Operator : PrashanS
Sample : ICV8636-50
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Sep 29 14:02:22 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
39) tert-butyl formate	3.43	59	48592	28.58	ug/L		95
40) bromochloromethane	3.36	128	69632	48.19	ug/L		99
41) tetrahydrofuran	3.37	42	70787	48.78	ug/L		100
42) chloroform	3.41	83	234374	49.93	ug/L		100
44) methacrylonitrile	3.33	67	71407	52.76	ug/L		99
45) 1,1,1-trichloroethane	3.53	97	228293	50.86	ug/L		97
46) cyclohexane	3.58	84	206084	50.22	ug/L		91
47) tert amyl alcohol	3.72	55	52620	227.95	ug/L		100
48) 1,1-dichloropropene	3.62	75	190604	51.67	ug/L		99
49) isobutyl alcohol	3.81	42	26121	449.33	ug/L	#	92
50) carbon tetrachloride	3.63	117	206729	52.14	ug/L		100
51) isopropyl acetate	3.74	87	34116	54.06	ug/L	#	94
54) iso-octane	3.81	57	406927	48.48	ug/L		99
55) epichlorohydrin	4.72	57	109150	259.43	ug/L		100
56) n-butyl alcohol	4.06	56	366828	2716.98	ug/L		98
57) benzene	3.75	78	511045	50.34	ug/L		100
58) tert-amyl methyl ether	3.81	73	344306	51.41	ug/L		99
59) heptane	3.91	57	81094	53.57	ug/L		99
60) 1,2-dichloroethane	3.78	62	182248	47.60	ug/L		99
61) trichloroethene	4.16	130	168161	53.20	ug/L		97
62) ethyl acrylate	4.19	55	209995	50.82	ug/L		99
63) 2-nitropropane	4.65	41	55779	54.86	ug/L		99
64) 2-chloroethyl vinyl ether	4.68	63	431050	245.10	ug/L		99
65) methyl methacrylate	4.34	100	46323	56.29	ug/L	#	89
66) 1,2-dichloropropane	4.34	76	52177	52.58	ug/L		99
67) dibromomethane	4.40	93	83848	48.80	ug/L		95
68) methylcyclohexane	4.33	83	230385	54.14	ug/L		99
69) bromodichloromethane	4.50	83	158081	53.94	ug/L		99
70) cis-1,3-dichloropropene	4.80	75	184119	54.22	ug/L		97
71) 4-methyl-2-pentanone	4.89	58	294266	211.64	ug/L		97
72) 3-methyl-1-butanol	4.91	70	121836	1129.99	ug/L		98
75) toluene	5.04	92	320831	52.02	ug/L		97
76) trans-1,3-dichloropropene	5.20	75	168929	54.77	ug/L		99
77) ethyl methacrylate	5.22	69	155095	49.94	ug/L		99
78) 1,1,2-trichloroethane	5.34	83	97000	51.92	ug/L		99
80) 1,3-dichloropropane	5.47	76	181358	50.68	ug/L		98
81) 2-hexanone	5.49	58	300763	207.24	ug/L		99
82) butyl acetate	5.57	56	105148	50.96	ug/L		98
83) dibromochloromethane	5.63	129	140790	57.35	ug/L		100
84) 1,2-dibromoethane	5.73	107	133487	53.55	ug/L		98
85) n-butyl ether	6.15	57	506416	50.68	ug/L		99
86) chlorobenzene	6.10	112	356168	50.90	ug/L		99
87) 1,1,1,2-tetrachloroethane	6.16	131	133651	55.55	ug/L		98
88) ethylbenzene	6.16	91	607788	51.43	ug/L		100
89) m,p-xylene	6.27	106	488844	105.10	ug/L		98
90) o-xylene	6.57	91	464494	52.58	ug/L		100
91) styrene	6.59	104	392224	52.32	ug/L		99
92) butyl acrylate	6.51	55	266323	52.57	ug/L		98
93) n-amyl acetate	6.69	70	88673	52.61	ug/L		99
94) bromoform	6.74	173	95717	58.72	ug/L		100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200572.D
Acq On : 29 Sep 2022 4:25 am
Operator : PrashanS
Sample : ICV8636-50
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Sep 29 14:02:22 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
95) isopropylbenzene	6.86	105	613390	53.26 ug/L	100
96) cis-1,4-dichloro-2-butene	6.91	88	49202	43.63 ug/L	99
99) bromobenzene	7.13	156	160325	50.92 ug/L	96
100) 1,1,2,2-tetrachloroethane	7.10	83	166782	53.49 ug/L	99
101) trans-1,4-dichloro-2-buten	7.14	53	51103	56.33 ug/L	97
102) 1,2,3-trichloropropane	7.15	110	52867	51.36 ug/L	97
103) n-propylbenzene	7.19	91	680262	52.25 ug/L	99
104) 2-chlorotoluene	7.27	126	150278	51.97 ug/L	98
105) 4-chlorotoluene	7.36	91	388862	51.26 ug/L	99
106) 1,3,5-trimethylbenzene	7.33	105	452045	53.18 ug/L	99
107) tert-butylbenzene	7.57	119	445881m	53.91 ug/L	
108) 1,2,4-trimethylbenzene	7.62	105	445603	51.75 ug/L	100
109) sec-butylbenzene	7.73	105	610221	53.65 ug/L	99
110) 1,3-dichlorobenzene	7.83	146	291641	51.76 ug/L	99
111) p-isopropyltoluene	7.85	119	517243	53.65 ug/L	100
112) 1,4-dichlorobenzene	7.90	146	291047	50.12 ug/L	99
113) 1,2-dichlorobenzene	8.16	146	275182	52.23 ug/L	99
114) benzyl chloride	7.98	91	241622	51.85 ug/L	99
115) n-butylbenzene	8.13	92	227418	53.62 ug/L	100
116) 1,2-dibromo-3-chloropropan	8.69	157	51840	55.51 ug/L	99
117) 1,3,5-trichlorobenzene	8.81	180	174428	51.52 ug/L	98
118) hexachlorobutadiene	9.30	225	65334	54.14 ug/L	99
119) naphthalene	9.39	128	550776	49.72 ug/L	100
120) 1,2,4-trichlorobenzene	9.22	180	153935	52.20 ug/L	99
121) 1,2,3-trichlorobenzene	9.52	180	148252	51.60 ug/L	99
122) hexachloroethane	8.35	201	65533	51.89 ug/L	98
123) 2-methylnaphthalene	10.11	142	149736	27.67 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200572.D
Acq On : 29 Sep 2022 4:25 am
Operator : PrashanS
Sample : ICV8636-50
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Sep 29 14:02:22 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration



Manual Integration Approval Summary

Sample Number:	V1X8636-ICV8636	**Method:**	SW846 8260D
Lab FileID:	1X200572.D	**Analyst approved:**	09/29/22 14:18 Bridget Kelly
Injection Time:	09/29/22 04:25	**Supervisor approved:**	09/29/22 15:49 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
tert-Butylbenzene	98-06-6		7.57	Overlapping peak


Quantitation Report (Qedit)

Data File : C:\MSDCHEM\1\DATA\VX8636\1X200572.D Vial: 14
Acq On : 29 Sep 2022 4:25 am Operator: PrashanS
Sample : ICV8636-50 Inst : ACC-VOA-M
Misc : MS62283,V1X8636,5,,,,1 Multiplr: 1.00
MS Integration Params: RTEINT.P

Quant Time: Sep 29 14:00:40 2022 Results File: M1X8636.RES

Method : C:\MSDCHEM\1\METHODS\M1X8636.M (RTE Integrator)
Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
Last Update : Thu Sep 29 10:06:17 2022
Response via : Multiple Level Calibration





(107) tert-butylbenzene

7.57min 64.72ug/L

response 535333

Ion	Exp%	Act%
119.00	100	100
91.00	62.50	61.20
134.00	24.60	23.91
0.00	0.00	0.00


1X200572.D M1X8636.M Thu Sep 29 14:02:19 2022 GCMSX


Quantitation Report (Qedit)

Data File : C:\MSDCHEM\1\DATA\VX8636\1X200572.D Vial: 14
Acq On : 29 Sep 2022 4:25 am Operator: PrashanS
Sample : ICV8636-50 Inst : ACC-VOA-M
Misc : MS62283,V1X8636,5,,,,1 Multiplr: 1.00
MS Integration Params: RTEINT.P

Quant Time: Sep 29 14:00:40 2022 Results File: M1X8636.RES

Method : C:\MSDCHEM\1\METHODS\M1X8636.M (RTE Integrator)
Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
Last Update : Thu Sep 29 10:06:17 2022
Response via : Multiple Level Calibration





(107) tert-butylbenzene

7.57min 53.91ug/L m

response 445881

Ion	Exp%	Act%
119.00	100	100
91.00	62.50	61.20
134.00	24.60	23.91
0.00	0.00	0.00

1X200572.D M1X8636.M Thu Sep 29 14:02:24 2022 GCMSX

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200574.D
Acq On : 29 Sep 2022 5:02 am
Operator : PrashanS
Sample : ICV8636-50
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Sep 29 14:01:30 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	2.44	65	360839	500.00	ug/L	0.00
5) pentafluorobenzene	3.51	168	426110	50.00	ug/L	0.00
52) 1,4-difluorobenzene	4.00	114	580783	50.00	ug/L	0.00
73) chlorobenzene-d5	6.07	117	551871	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.88	152	280923	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.51	113	194852	48.48	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.96%			
53) 1,2-dichloroethane-d4 (s)	3.73	65	225525	50.80	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 101.60%			
74) toluene-d8 (s)	5.00	98	650879	49.31	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.62%			
98) 4-bromofluorobenzene (s)	7.01	95	242608	49.74	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.48%			
Target Compounds						Qvalue
6) chlorodifluoromethane	1.25	51	192908	53.09	ug/L	96
19) acetonitrile	2.35	41	251572	450.22	ug/L	97
25) acrylonitrile	2.58	53	63236	41.53	ug/L	99
79) tetrachloroethene	5.42	164	115359	47.59	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\VX8636\
Data File : 1X200574.D
Acq On : 29 Sep 2022 5:02 am
Operator : PrashanS
Sample : ICV8636-50
Misc : MS62283,V1X8636,5,,,,1
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Sep 29 14:01:30 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\davem1\10-03-22\v1x8637\
Data File : 1x200580.d
Acq On : 29 Sep 2022 10:06 am
Operator : PrashanS
Sample : cc8636-20 Inst : ACC-VOA-MSX
Misc : MS62283,V1X8637,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Sep 29 10:16:53 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.434	65	400214	500.00	ug/L	-0.01
5) pentafluorobenzene	3.502	168	434580	50.00	ug/L	0.00
52) 1,4-difluorobenzene	3.998	114	604917	50.00	ug/L	0.00
73) chlorobenzene-d5	6.074	117	559026	50.00	ug/L	0.00
97) 1,4-dichlorobenzene-d4	7.883	152	280010	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	3.507	113	196845	48.02	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.04%			
53) 1,2-dichloroethane-d4 (s)	3.726	65	227880	49.28	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 98.56%			
74) toluene-d8 (s)	4.991	98	658865	49.27	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.54%			
98) 4-bromofluorobenzene (s)	7.003	95	241210	49.62	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.24%			
Target Compounds						Qvalue
2) ethanol	1.938	45	79766	2084.10	ug/L	98
3) tertiary butyl alcohol	2.482	59	57224	94.51	ug/L	98
4) 1,4-dioxane	4.371	88	23839	495.30	ug/L	95
6) chlorodifluoromethane	1.249	51	66327	17.90	ug/L	99
7) dichlorodifluoromethane	1.233	85	57632	16.56	ug/L	99
8) chloromethane	1.361	50	60134	16.55	ug/L	96
9) vinyl chloride	1.426	62	62630	16.33	ug/L	100
10) bromomethane	1.634	96	13004	24.45	ug/L	96
11) chloroethane	1.703	64	27844	16.39	ug/L	98
12) trichlorofluoromethane	1.852	101	84647	16.86	ug/L	99
13) 1,3-butadiene	1.452	54	57655	18.83	ug/L	99
14) ethyl ether	2.013	74	23227	18.19	ug/L	94
15) acrolein	2.098	56	14254	19.73	ug/L	98
16) 1,1-dichloroethene	2.167	96	45011	18.55	ug/L	99
17) freon 113	2.162	101	54920	18.56	ug/L	98
18) acetone	2.178	58	28781	69.86	ug/L	100
19) acetonitrile	2.343	41	106735	187.29	ug/L	99
20) iodomethane	2.263	142	19629	17.64	ug/L	97
21) carbon disulfide	2.311	76	115235	18.90	ug/L	99
22) methylene chloride	2.456	84	42816	18.21	ug/L	95
23) methyl acetate	2.359	43	60907	18.20	ug/L	96
24) methyl tert butyl ether	2.600	73	126114	18.00	ug/L	99
25) acrylonitrile	2.584	53	29567	19.04	ug/L	99
26) trans-1,2-dichloroethene	2.616	96	47919	18.24	ug/L	98
27) hexane	2.770	57	78782	19.01	ug/L	100
28) di-isopropyl ether	2.872	45	158480	18.15	ug/L	99
29) 2-butanone	3.187	72	34329	75.37	ug/L #	85
30) 1,1-dichloroethane	2.872	63	81266	17.83	ug/L	99
31) chloroprene	2.914	53	80995	18.79	ug/L	99
32) vinyl acetate	2.856	86	9867	19.50	ug/L #	87
33) ethyl tert-butyl ether	3.085	59	142388	18.25	ug/L	99
34) ethyl acetate	3.203	45	13026	18.94	ug/L	95
35) 2,2-dichloropropane	3.219	77	72550	19.18	ug/L	96
36) cis-1,2-dichloroethene	3.208	96	50484	17.81	ug/L	91
37) methyl acrylate	3.235	55	81098	18.92	ug/L	96
38) propionitrile	3.229	54	122248	188.59	ug/L #	67
39) tert-butyl formate	3.422	59	35641	20.95	ug/L	97
40) bromochloromethane	3.357	128	26377	18.24	ug/L	97
41) tetrahydrofuran	3.363	42	26295	18.10	ug/L	98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\davem1\10-03-22\v1x8637\
Data File : 1x200580.d
Acq On : 29 Sep 2022 10:06 am
Operator : PrashanS
Sample : cc8636-20 Inst : ACC-VOA-MSX
Misc : MS62283,V1X8637,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Sep 29 10:16:53 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
42) chloroform	3.406	83	80786	17.20	ug/L		97
44) methacrylonitrile	3.325	67	25760	19.02	ug/L		96
45) 1,1,1-trichloroethane	3.523	97	80801	17.99	ug/L		85
46) cyclohexane	3.576	84	66467	16.18	ug/L		96
47) tert amyl alcohol	3.710	55	21191	91.72	ug/L		95
48) 1,1-dichloropropene	3.619	75	67652	18.32	ug/L		98
49) isobutyl alcohol	3.806	42	10586	181.94	ug/L	#	96
50) carbon tetrachloride	3.624	117	71401	17.99	ug/L		100
51) isopropyl acetate	3.736	87	12171	19.27	ug/L	#	85
54) iso-octane	3.806	57	157745	18.80	ug/L		99
55) epichlorohydrin	4.718	57	42681	101.48	ug/L		95
56) n-butyl alcohol	4.051	56	143718	1064.80	ug/L		97
57) benzene	3.747	78	180902	17.83	ug/L		100
58) tert-amyl methyl ether	3.806	73	125640	18.77	ug/L		99
59) heptane	3.907	57	29810	19.70	ug/L		98
60) 1,2-dichloroethane	3.774	62	67545	17.65	ug/L		98
61) trichloroethene	4.163	130	58476	18.50	ug/L		99
62) ethyl acrylate	4.185	55	80091	19.39	ug/L		99
63) 2-nitropropane	4.644	41	19201	18.89	ug/L		92
64) 2-chloroethyl vinyl ether	4.676	63	173506	98.69	ug/L		100
65) methyl methacrylate	4.345	100	15461	18.79	ug/L	#	68
66) 1,2-dichloropropane	4.334	76	18531	18.68	ug/L		98
67) dibromomethane	4.393	93	30522	17.77	ug/L		97
68) methylcyclohexane	4.323	83	79696	18.73	ug/L		98
69) bromodichloromethane	4.500	83	54322	18.54	ug/L		99
70) cis-1,3-dichloropropene	4.798	75	67137	19.78	ug/L		98
71) 4-methyl-2-pentanone	4.884	58	108694	78.20	ug/L		97
72) 3-methyl-1-butanol	4.910	70	46093	427.63	ug/L		95
75) toluene	5.044	92	113560	18.55	ug/L		97
76) trans-1,3-dichloropropene	5.193	75	60644	19.81	ug/L		99
77) ethyl methacrylate	5.215	69	58139	18.86	ug/L		99
78) 1,1,2-trichloroethane	5.343	83	34422	18.56	ug/L		96
79) tetrachloroethene	5.418	164	46050	18.76	ug/L		98
80) 1,3-dichloropropane	5.466	76	65081	18.32	ug/L		98
81) 2-hexanone	5.487	58	112213	77.90	ug/L		96
82) butyl acetate	5.562	56	37843	18.48	ug/L		96
83) dibromochloromethane	5.631	129	46167	18.95	ug/L		99
84) 1,2-dibromoethane	5.727	107	47429	19.17	ug/L		92
85) n-butyl ether	6.143	57	182350	18.39	ug/L		99
86) chlorobenzene	6.095	112	126873	18.27	ug/L		99
87) 1,1,1,2-tetrachloroethane	6.159	131	45303	18.97	ug/L		99
88) ethylbenzene	6.165	91	212578	18.12	ug/L		99
89) m,p-xylene	6.266	106	171930	37.24	ug/L		98
90) o-xylene	6.570	91	161860	18.46	ug/L		100
91) styrene	6.586	104	136694	18.37	ug/L		96
92) butyl acrylate	6.506	55	97905	19.47	ug/L		98
93) n-amyl acetate	6.682	70	32723	19.56	ug/L		93
94) bromoform	6.736	173	30978	19.15	ug/L		95
95) isopropylbenzene	6.858	105	212185	18.56	ug/L		99
96) cis-1,4-dichloro-2-butene	6.907	88	19128	18.79	ug/L		95
99) bromobenzene	7.120	156	57336	18.65	ug/L		93
100) 1,1,2,2-tetrachloroethane	7.099	83	60370	19.83	ug/L		100
101) trans-1,4-dichloro-2-b...	7.131	53	18298	20.66	ug/L		88
102) 1,2,3-trichloropropane	7.152	110	19253	19.16	ug/L		92
103) n-propylbenzene	7.189	91	241325	18.99	ug/L		99
104) 2-chlorotoluene	7.264	126	53172	18.84	ug/L		96
105) 4-chlorotoluene	7.355	91	135412	18.29	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\davem1\10-03-22\v1x8637\
Data File : 1x200580.d
Acq On : 29 Sep 2022 10:06 am
Operator : PrashanS
Sample : cc8636-20 Inst : ACC-VOA-MSX
Misc : MS62283,V1X8637,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Sep 29 10:16:53 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
106) 1,3,5-trimethylbenzene	7.328	105	155944	18.79	ug/L	98
107) tert-butylbenzene	7.568	119	152274	18.86	ug/L	100
108) 1,2,4-trimethylbenzene	7.611	105	154709	18.41	ug/L	99
109) sec-butylbenzene	7.734	105	213384	19.22	ug/L	98
110) 1,3-dichlorobenzene	7.824	146	104032	18.91	ug/L	99
111) p-isopropyltoluene	7.846	119	182289	19.37	ug/L	99
112) 1,4-dichlorobenzene	7.899	146	105339	18.58	ug/L	98
113) 1,2-dichlorobenzene	8.155	146	98450	19.14	ug/L	99
114) benzyl chloride	7.979	91	108603	23.87	ug/L	97
115) n-butylbenzene	8.134	92	79809	19.27	ug/L	96
116) 1,2-dibromo-3-chloropr...	8.689	157	18489	20.28	ug/L	95
117) 1,3,5-trichlorobenzene	8.812	180	62830	19.01	ug/L	98
118) hexachlorobutadiene	9.303	225	23683	20.10	ug/L	99
119) naphthalene	9.383	128	205470	19.00	ug/L	99
120) 1,2,4-trichlorobenzene	9.217	180	55610	19.32	ug/L	97
121) 1,2,3-trichlorobenzene	9.522	180	53166	18.96	ug/L	98
122) hexachloroethane	8.347	201	19256	16.54	ug/L	84
123) 2-methylnaphthalene	10.109	142	53538	10.14	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\davem1\10-03-22\v1x8637\
Data File : 1x200580.d
Acq On : 29 Sep 2022 10:06 am
Operator : PrashanS
Sample : cc8636-20 Inst : ACC-VOA-MSX
Misc : MS62283,V1X8637,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Results File: M1X8636.RES
Quant Time: Sep 29 10:16:53 2022
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-30-22\v1x8638\
Data File : 1x200612.d
Acq On : 29 Sep 2022 10:33 pm
Operator : taylors
Sample : cc8636-20/bs
Misc : MS62553,V1X8638,5,,,,1
ALS Vial : 35 Sample Multiplier: 1

Quant Time: Sep 30 14:33:57 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	2.440	65	386027	500.00	ug/L		0.00
5) pentafluorobenzene	3.507	168	428974	50.00	ug/L		0.00
52) 1,4-difluorobenzene	3.998	114	596813	50.00	ug/L		0.00
73) chlorobenzene-d5	6.074	117	555129	50.00	ug/L		0.00
97) 1,4-dichlorobenzene-d4	7.883	152	278409	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	3.507	113	193071	47.71	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.42%				
53) 1,2-dichloroethane-d4 (s)	3.726	65	223549	49.00	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 98.00%				
74) toluene-d8 (s)	4.996	98	651123	49.04	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.08%				
98) 4-bromofluorobenzene (s)	7.003	95	237508	49.14	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.28%				
Target Compounds							Qvalue
2) ethanol	1.938	45	74674	2022.76	ug/L		96
3) tertiary butyl alcohol	2.488	59	54560	93.42	ug/L		94
4) 1,4-dioxane	4.377	88	23172	499.14	ug/L	#	1
7) dichlorodifluoromethane	1.233	85	76419	22.24	ug/L		100
8) chloromethane	1.361	50	66799	18.63	ug/L		99
9) vinyl chloride	1.426	62	77091	20.37	ug/L		97
10) bromomethane	1.634	96	9885	18.83	ug/L		98
11) chloroethane	1.703	64	33374	19.91	ug/L		98
12) trichlorofluoromethane	1.852	101	98210	19.81	ug/L		98
13) 1,3-butadiene	1.452	54	89117	29.48	ug/L		99
14) ethyl ether	2.013	74	21920	17.39	ug/L		96
15) acrolein	2.103	56	13911	19.51	ug/L		96
16) 1,1-dichloroethene	2.167	96	39785	16.61	ug/L		97
17) freon 113	2.162	101	46672	15.98	ug/L		96
18) acetone	2.178	58	25996	63.93	ug/L		98
19) acetonitrile	2.349	41	65932	117.21	ug/L		99
20) iodomethane	2.263	142	16202	14.75	ug/L		97
21) carbon disulfide	2.311	76	96219	15.99	ug/L		100
22) methylene chloride	2.456	84	39561	17.04	ug/L		99
23) methyl acetate	2.359	43	63095	19.10	ug/L		98
24) methyl tert butyl ether	2.600	73	121843	17.62	ug/L		98
25) acrylonitrile	2.584	53	27403	17.88	ug/L		98
26) trans-1,2-dichloroethene	2.616	96	42538	16.41	ug/L		98
27) hexane	2.770	57	79954	19.55	ug/L		99
28) di-isopropyl ether	2.872	45	148172	17.19	ug/L		99
29) 2-butanone	3.192	72	33186	73.81	ug/L		98
30) 1,1-dichloroethane	2.872	63	74429	16.55	ug/L		99
31) chloroprene	2.914	53	76864	18.06	ug/L		99
32) vinyl acetate	2.856	86	7174	14.36	ug/L	#	89
33) ethyl tert-butyl ether	3.085	59	131748	17.11	ug/L		98
34) ethyl acetate	3.203	45	12610	18.58	ug/L		95
35) 2,2-dichloropropane	3.219	77	57182	15.32	ug/L		98
36) cis-1,2-dichloroethene	3.213	96	46021	16.45	ug/L		100
37) methyl acrylate	3.240	55	75994	17.96	ug/L		99
38) propionitrile	3.235	54	106941	167.13	ug/L		96
39) tert-butyl formate	3.422	59	18686	11.13	ug/L		94
40) bromochloromethane	3.357	128	24275	17.01	ug/L		95
41) tetrahydrofuran	3.363	42	24775	17.28	ug/L		99
42) chloroform	3.406	83	75078	16.19	ug/L		98
44) methacrylonitrile	3.325	67	24874	18.60	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-30-22\v1x8638\
Data File : 1x200612.d
Acq On : 29 Sep 2022 10:33 pm
Operator : taylors
Sample : cc8636-20/bs
Misc : MS62553,V1X8638,5,,,,1
ALS Vial : 35 Sample Multiplier: 1

Quant Time: Sep 30 14:33:57 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
45) 1,1,1-trichloroethane	3.528	97	72480	16.34	ug/L		94
46) cyclohexane	3.576	84	75690	18.67	ug/L		92
47) tert amyl alcohol	3.715	55	20166	88.42	ug/L		93
48) 1,1-dichloropropene	3.619	75	61069	16.76	ug/L		99
49) isobutyl alcohol	3.806	42	9401	163.69	ug/L		99
50) carbon tetrachloride	3.624	117	61377	15.67	ug/L		98
51) isopropyl acetate	3.736	87	11778	18.89	ug/L	#	92
54) iso-octane	3.806	57	134128	16.20	ug/L		100
55) epichlorohydrin	4.718	57	38257	92.19	ug/L		98
56) n-butyl alcohol	4.051	56	133474	1002.33	ug/L		98
57) benzene	3.747	78	168219	16.80	ug/L		99
58) tert-amyl methyl ether	3.806	73	115211	17.44	ug/L		98
59) heptane	3.907	57	28987	19.42	ug/L		99
60) 1,2-dichloroethane	3.774	62	62929	16.66	ug/L		99
61) trichloroethene	4.163	130	53448	17.14	ug/L		96
62) ethyl acrylate	4.185	55	71908	17.64	ug/L		99
63) 2-nitropropane	4.644	41	18135	18.08	ug/L		96
64) 2-chloroethyl vinyl ether	4.676	63	151006	87.06	ug/L		98
65) methyl methacrylate	4.345	100	16077	19.81	ug/L	#	64
66) 1,2-dichloropropane	4.334	76	17350	17.73	ug/L		98
67) dibromomethane	4.393	93	28567	16.86	ug/L		94
68) methylcyclohexane	4.323	83	73967	17.62	ug/L		97
69) bromodichloromethane	4.500	83	48651	16.83	ug/L		99
70) cis-1,3-dichloropropene	4.798	75	57772	17.25	ug/L		94
71) 4-methyl-2-pentanone	4.889	58	102216	74.53	ug/L		97
72) 3-methyl-1-butanol	4.910	70	42723	401.75	ug/L		95
75) toluene	5.044	92	105523	17.36	ug/L		99
76) trans-1,3-dichloropropene	5.193	75	53581	17.63	ug/L		99
77) ethyl methacrylate	5.215	69	51828	16.93	ug/L		97
78) 1,1,2-trichloroethane	5.343	83	33196	18.03	ug/L		98
79) tetrachloroethene	5.418	164	43024	17.65	ug/L		97
80) 1,3-dichloropropane	5.466	76	61267	17.37	ug/L		99
81) 2-hexanone	5.487	58	103369	72.27	ug/L		100
82) butyl acetate	5.562	56	35975	17.69	ug/L		96
83) dibromochloromethane	5.631	129	42449	17.54	ug/L		98
84) 1,2-dibromoethane	5.727	107	45000	18.32	ug/L		95
85) n-butyl ether	6.149	57	161418	16.39	ug/L		99
86) chlorobenzene	6.095	112	117737	17.07	ug/L		99
87) 1,1,1,2-tetrachloroethane	6.159	131	41206	17.38	ug/L		98
88) ethylbenzene	6.165	91	194551	16.70	ug/L		99
89) m,p-xylene	6.266	106	156423	34.12	ug/L		98
90) o-xylene	6.570	91	150321	17.26	ug/L		98
91) styrene	6.586	104	126271	17.09	ug/L		97
92) butyl acrylate	6.506	55	88015	17.63	ug/L		97
93) n-amyl acetate	6.688	70	29975	18.04	ug/L		98
94) bromoform	6.736	173	27767	17.28	ug/L		97
95) isopropylbenzene	6.864	105	196307	17.30	ug/L		100
96) cis-1,4-dichloro-2-butene	6.907	88	7825	9.39	ug/L		91
99) bromobenzene	7.125	156	53372	17.46	ug/L		98
100) 1,1,2,2-tetrachloroethane	7.099	83	57651	19.05	ug/L		97
101) trans-1,4-dichloro-2-b...	7.131	53	10240	11.63	ug/L		82
102) 1,2,3-trichloropropane	7.152	110	18163	18.18	ug/L		94
103) n-propylbenzene	7.189	91	219243	17.35	ug/L		99
104) 2-chlorotoluene	7.264	126	48662	17.34	ug/L		92
105) 4-chlorotoluene	7.360	91	126096	17.13	ug/L		97
106) 1,3,5-trimethylbenzene	7.328	105	144338	17.49	ug/L		98
107) tert-butylbenzene	7.568	119	176664	22.01	ug/L		97
108) 1,2,4-trimethylbenzene	7.611	105	143192	17.13	ug/L		100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-30-22\v1x8638\
Data File : 1x200612.d
Acq On : 29 Sep 2022 10:33 pm
Operator : taylors
Sample : cc8636-20/bs
Misc : MS62553,V1X8638,5,,,,1
ALS Vial : 35 Sample Multiplier: 1

Quant Time: Sep 30 14:33:57 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
109) sec-butylbenzene	7.734	105	193546	17.53	ug/L		99
110) 1,3-dichlorobenzene	7.824	146	94763	17.33	ug/L		98
111) p-isopropyltoluene	7.846	119	164004	17.52	ug/L		99
112) 1,4-dichlorobenzene	7.899	146	98301	17.44	ug/L		99
113) 1,2-dichlorobenzene	8.155	146	92342	18.06	ug/L		99
114) benzyl chloride	7.979	91	72358	16.00	ug/L		99
115) n-butylbenzene	8.134	92	71844	17.45	ug/L		99
116) 1,2-dibromo-3-chloropr...	8.689	157	16146	17.81	ug/L		98
117) 1,3,5-trichlorobenzene	8.812	180	57307	17.44	ug/L		100
118) hexachlorobutadiene	9.303	225	21264	18.15	ug/L		94
119) naphthalene	9.388	128	196924	18.32	ug/L		99
120) 1,2,4-trichlorobenzene	9.217	180	51628	18.04	ug/L		98
121) 1,2,3-trichlorobenzene	9.522	180	49078	17.60	ug/L		97
122) hexachloroethane	8.347	201	17001	14.83	ug/L	#	77
123) 2-methylnaphthalene	10.109	142	50441	9.60	ug/L		98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-30-22\v1x8638\
Data File : 1x200612.d
Acq On : 29 Sep 2022 10:33 pm
Operator : taylors
Sample : cc8636-20/bs
Misc : MS62553,V1X8638,5,,,,1
ALS Vial : 35 Sample Multiplier: 1

Quant Time: Sep 30 14:33:57 2022
Quant Method : C:\MSDCHEM\1\METHODS\M1X8636.M
Quant Title : Method 8260C/D, Rxi-624 (60m x 0.25mm x 1.4um)
QLast Update : Thu Sep 29 10:06:17 2022
Response via : Initial Calibration



Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/01/22 19:36

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218781.D
Acq On : 31 Jul 2022 5:23 pm
Operator : PrashanS
Sample : IC9511-0.2
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 01 14:38:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:30:00 2022
QLast Update : Mon Aug 01 14:31:10 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	7.25	65	413095	500.00	ug/L		0.00
5) pentafluorobenzene	9.51	168	704907	50.00	ug/L		0.00
50) 1,4-difluorobenzene	10.44	114	942450	50.00	ug/L		0.00
72) chlorobenzene-d5	13.56	117	907713	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	15.89	152	489845	50.00	ug/L		0.00
124) pentafluorobenzene(a)	9.51	168	703959	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	9.54	113	327890	48.92	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.84%				
51) 1,2-dichloroethane-d4 (s)	9.95	65	439924	50.13	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.26%				
73) toluene-d8 (s)	12.06	98	1101058	49.31	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.62%				
97) 4-bromofluorobenzene (s)	14.72	95	451758	50.21	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.42%				
Target Compounds							Qvalue
13) trichlorofluoromethane	5.79	101	1886	0.18	ug/L		75
20) iodomethane	6.84	142	2080	0.21	ug/L		73
24) methyl tert butyl ether	7.67	73	3921	0.22	ug/L		75
26) hexane	8.05	57	2404	0.24	ug/L		94
27) di-isopropyl ether	8.25	45	5687	0.23	ug/L		96
28) ethyl tert-butyl ether	8.72	59	4939	0.22	ug/L		92
30) 1,1-dichloroethane	8.26	63	2481	0.22	ug/L		73
31) chloroprene	8.36	53	2287	0.21	ug/L		86
35) 2,2-dichloropropane	9.00	77	2031	0.23	ug/L		92
36) cis-1,2-dichloroethene	8.98	96	1141	0.18	ug/L	#	68
41) tert-butyl formate	9.39	59	1059	0.17	ug/L		85
45) 1,1,1-trichloroethane	9.61	97	2008	0.20	ug/L	#	71
46) cyclohexane	9.73	84	1608	0.18	ug/L	#	43
47) 1,1-dichloropropene	9.79	75	1870	0.23	ug/L	#	78
49) carbon tetrachloride	9.81	117	1890	0.20	ug/L	#	65
52) 2,2,4-trimethylpentane	10.11	57	5838	0.23	ug/L		94
53) tert-amyl methyl ether	10.11	73	4313	0.23	ug/L		97
55) benzene	10.02	78	4522	0.21	ug/L		88
56) heptane	10.28	57	970	0.18	ug/L	#	73
59) trichloroethene	10.75	95	1268	0.20	ug/L	#	65
65) methylcyclohexane	11.04	83	2227	0.22	ug/L	#	72
66) dibromomethane	11.15	93	977	0.24	ug/L		94
67) bromodichloromethane	11.30	83	1917	0.22	ug/L		89
69) cis-1,3-dichloropropene	11.76	75	1843	0.18	ug/L		93
70) 4-methyl-2-pentanone	11.87	58	2482	0.79	ug/L		98
74) toluene	12.14	92	3058	0.22	ug/L	#	79
75) trans-1,3-dichloropropene	12.32	75	1875	0.19	ug/L	#	80
77) 1,1,2-trichloroethane	12.54	83	944	0.19	ug/L		91
79) tetrachloroethene	12.69	166	1390	0.20	ug/L		84
80) 1,3-dichloropropane	12.73	76	2250	0.25	ug/L		76
82) dibromochloromethane	12.97	129	1460	0.20	ug/L		91
83) 1,2-dibromoethane	13.12	107	1196	0.19	ug/L		95

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218781.D
Acq On : 31 Jul 2022 5:23 pm
Operator : PrashanS
Sample : IC9511-0.2
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 01 14:38:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:30:00 2022
QLast Update : Mon Aug 01 14:31:10 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
84) n-butyl ether	13.57	57	6000m	0.21	ug/L		
85) chlorobenzene	13.59	112	2945	0.19	ug/L		90
86) 1,1,1,2-tetrachloroethane	13.66	131	1165	0.19	ug/L	#	78
87) ethylbenzene	13.66	91	5830	0.22	ug/L		96
88) m,p-xylene	13.78	106	4185	0.40	ug/L		93
89) o-xylene	14.19	91	4811	0.22	ug/L		66
90) styrene	14.20	104	3356	0.19	ug/L		88
92) bromoform	14.41	173	954	0.17	ug/L		84
94) isopropylbenzene	14.53	105	5340	0.20	ug/L		91
98) bromobenzene	14.90	156	1847	0.25	ug/L	#	61
99) 1,1,2,2-tetrachloroethane	14.80	83	1678	0.20	ug/L		80
102) n-propylbenzene	14.94	91	6409	0.21	ug/L		82
103) 2-chlorotoluene	15.07	126	1582	0.24	ug/L	#	80
104) 4-chlorotoluene	15.18	91	4087	0.21	ug/L		96
105) 1,3,5-trimethylbenzene	15.10	105	4373	0.20	ug/L		96
106) tert-butylbenzene	15.44	119	3960	0.21	ug/L		86
107) 1,2,4-trimethylbenzene	15.49	105	4650	0.21	ug/L		83
108) sec-butylbenzene	15.66	105	5792	0.21	ug/L		94
109) 1,3-dichlorobenzene	15.83	146	2758	0.20	ug/L		82
110) p-isopropyltoluene	15.79	119	5326	0.22	ug/L		89
112) 1,2,3-trimethylbenzene	15.91	105	4974	0.22	ug/L		86
113) 1,4-dichlorobenzene	15.92	146	3452	0.25	ug/L		96
114) 1,2-dichlorobenzene	16.29	146	2734	0.20	ug/L		69
115) n-butylbenzene	16.20	92	2460	0.19	ug/L	#	71
117) 1,3,5-trichlorobenzene	17.25	180	2195	0.20	ug/L		78
118) 1,2,4-trichlorobenzene	17.89	180	1689	0.18	ug/L		80
119) hexachlorobutadiene	18.00	225	810	0.17	ug/L		77
120) naphthalene	18.18	128	4329	0.19	ug/L		94
121) 1,2,3-trichlorobenzene	18.41	180	1498	0.17	ug/L		96
122) hexachloroethane	16.58	201	661	0.15	ug/L		93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218781.D
Acq On : 31 Jul 2022 5:23 pm
Operator : PrashanS
Sample : IC9511-0.2
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 01 14:38:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:30:00 2022
QLast Update : Mon Aug 01 14:31:10 2022
Response via : Initial Calibration



Manual Integration Approval Summary

Sample Number:	V2A9511-IC9511	**Method:**	SW846 8260D
Lab FileID:	2A218781.D	**Analyst approved:**	08/01/22 15:32 MoHui Huang
Injection Time:	07/31/22 17:23	**Supervisor approved:**	08/01/22 19:36 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
n-Butyl Ether	142-96-1		13.57	Missed peak


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218781.D Vial: 2
Acq On : 31 Jul 2022 5:23 pm Operator: PrashanS
Sample : IC9511-0.2 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:31:19 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:31:10 2022
Last Update : Mon Aug 01 14:31:10 2022
Response via : Multiple Level Calibration







(84) n-butyl ether

13.61min 0.01ug/L

response 190

Ion	Exp%	Act%
57.00	100	100
87.00	16.10	0.00
101.00	3.80	0.00
0.00	0.00	0.00


2A218781.D M2A9511.M Mon Aug 01 14:36:32 2022 MS2A


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218781.D Vial: 2
Acq On : 31 Jul 2022 5:23 pm Operator: PrashanS
Sample : IC9511-0.2 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:31:19 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:31:10 2022
Last Update : Mon Aug 01 14:31:10 2022
Response via : Multiple Level Calibration







(84) n-butyl ether

13.57min 0.21ug/L m

response 6000

Ion	Exp%	Act%
57.00	100	100
87.00	16.10	173.40#
101.00	3.80	48.35#
0.00	0.00	0.00

2A218781.D M2A9511.M Mon Aug 01 14:36:53 2022 MS2A

2A218781.D edits: n-butyl ether

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/01/22 19:36

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218782.D
Acq On : 31 Jul 2022 5:51 pm
Operator : PrashanS
Sample : IC9511-0.5
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Aug 01 15:19:21 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:31:10 2022
QLast Update : Mon Aug 01 14:38:54 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	7.25	65	427684	500.00	ug/L		0.00
5) pentafluorobenzene	9.51	168	709874	50.00	ug/L		0.00
50) 1,4-difluorobenzene	10.44	114	963510	50.00	ug/L		0.00
72) chlorobenzene-d5	13.56	117	913372	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	15.89	152	497142	50.00	ug/L		0.00
124) pentafluorobenzene(a)	9.51	168	709874	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	9.54	113	332645	49.82	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.64%				
51) 1,2-dichloroethane-d4 (s)	9.95	65	447181	49.78	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.56%				
73) toluene-d8 (s)	12.06	98	1118880	50.14	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.28%				
97) 4-bromofluorobenzene (s)	14.72	95	464024	50.71	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.42%				
Target Compounds							Qvalue
6) chlorodifluoromethane	4.00	51	4561	0.48	ug/L		76
7) dichlorodifluoromethane	3.98	85	4014	0.42	ug/L	#	49
8) chloromethane	4.33	50	6827m	0.59	ug/L		
9) vinyl chloride	4.58	62	4303	0.46	ug/L		87
10) 1,3-butadiene	4.60	54	4893	0.63	ug/L		97
11) bromomethane	5.17	94	3097	0.58	ug/L		71
12) chloroethane	5.37	64	2045	0.46	ug/L	#	39
13) trichlorofluoromethane	5.79	101	4666	0.46	ug/L		88
14) ethyl ether	6.18	74	1674m	0.51	ug/L		
16) freon 113	6.62	151	2906	0.60	ug/L		93
17) 1,1-dichloroethene	6.61	96	2861m	0.56	ug/L		
18) acetone	6.61	43	6054	2.36	ug/L		51
19) acetonitrile	7.03	41	5486	5.02	ug/L		77
20) iodomethane	6.85	142	5604	0.55	ug/L		89
21) carbon disulfide	6.99	76	9356	0.55	ug/L		94
22) methylene chloride	7.31	84	3853	0.66	ug/L	#	56
23) methyl acetate	7.06	43	3336	0.49	ug/L		76
24) methyl tert butyl ether	7.66	73	10380	0.55	ug/L		91
25) trans-1,2-dichloroethene	7.69	96	3344	0.59	ug/L		90
26) hexane	8.04	57	5690	0.51	ug/L		87
27) di-isopropyl ether	8.25	45	13089	0.48	ug/L		97
28) ethyl tert-butyl ether	8.71	59	11341	0.48	ug/L		93
30) 1,1-dichloroethane	8.26	63	6281	0.53	ug/L		92
31) chloroprene	8.36	53	5235	0.46	ug/L		95
35) 2,2-dichloropropane	9.00	77	5384	0.56	ug/L		89
36) cis-1,2-dichloroethene	8.98	96	4024	0.67	ug/L	#	78
37) propionitrile	8.99	54	5369	4.80	ug/L		69
38) bromochloromethane	9.26	130	2135	0.49	ug/L		89
40) chloroform	9.35	83	7919	0.71	ug/L		92
41) tert-butyl formate	9.39	59	2820	0.49	ug/L		85
45) 1,1,1-trichloroethane	9.61	97	5624	0.55	ug/L		83
46) cyclohexane	9.71	84	4015	0.48	ug/L		87

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218782.D
Acq On : 31 Jul 2022 5:51 pm
Operator : PrashanS
Sample : IC9511-0.5
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Aug 01 15:19:21 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:31:10 2022
QLast Update : Mon Aug 01 14:38:54 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
47) 1,1-dichloropropene	9.77	75	4608	0.53	ug/L		86
49) carbon tetrachloride	9.80	117	5118	0.54	ug/L	#	80
52) 2,2,4-trimethylpentane	10.12	57	13366	0.48	ug/L		94
53) tert-amyl methyl ether	10.12	73	10504	0.51	ug/L		92
54) n-butyl alcohol	10.51	56	6004	23.25	ug/L		85
55) benzene	10.02	78	11784	0.52	ug/L		90
56) heptane	10.28	57	2760	0.53	ug/L		89
58) 1,2-dichloroethane	10.05	62	6275	0.62	ug/L		94
59) trichloroethene	10.75	95	3600	0.56	ug/L		86
60) ethyl acrylate	10.75	55	5180	0.48	ug/L		89
64) 1,2-dichloropropane	11.03	63	3346	0.50	ug/L		95
65) methylcyclohexane	11.04	83	5016	0.46	ug/L		82
66) dibromomethane	11.15	93	2581	0.56	ug/L		80
67) bromodichloromethane	11.29	83	4934	0.52	ug/L		93
69) cis-1,3-dichloropropene	11.76	75	5118	0.52	ug/L		86
70) 4-methyl-2-pentanone	11.87	58	6434	2.02	ug/L		90
71) 3-methyl-1-butanol	11.88	70	1593	7.64	ug/L	#	52
74) toluene	12.14	92	7736	0.52	ug/L		92
75) trans-1,3-dichloropropene	12.33	75	4616	0.48	ug/L		96
76) ethyl methacrylate	12.32	69	3621	0.42	ug/L		95
77) 1,1,2-trichloroethane	12.55	83	2607	0.54	ug/L	#	83
78) 2-hexanone	12.72	58	5965	1.94	ug/L		98
79) tetrachloroethene	12.68	166	4213	0.61	ug/L		82
80) 1,3-dichloropropane	12.72	76	4907	0.48	ug/L		93
81) butyl acetate	12.79	56	2426	0.46	ug/L	#	47
82) dibromochloromethane	12.97	129	3607	0.49	ug/L		79
83) 1,2-dibromoethane	13.11	107	2987	0.49	ug/L		98
84) n-butyl ether	13.56	57	15283	0.52	ug/L	#	1
85) chlorobenzene	13.59	112	8496	0.56	ug/L		86
86) 1,1,1,2-tetrachloroethane	13.65	131	3475	0.57	ug/L		75
87) ethylbenzene	13.66	91	14752	0.53	ug/L		88
88) m,p-xylene	13.78	106	11124	1.06	ug/L	#	82
89) o-xylene	14.18	91	11555	0.50	ug/L		93
90) styrene	14.19	104	8385	0.49	ug/L		95
91) n-amyl acetate	14.22	70	1923	0.41	ug/L	#	71
92) bromoform	14.42	173	2587	0.50	ug/L		91
93) butyl acrylate	14.02	55	6618	0.40	ug/L		90
94) isopropylbenzene	14.53	105	14109	0.53	ug/L		96
95) cis-1,4-dichloro-2-butene	14.57	88	1317	0.41	ug/L	#	81
98) bromobenzene	14.91	156	4394	0.52	ug/L	#	67
99) 1,1,2,2-tetrachloroethane	14.81	83	4398	0.52	ug/L		90
101) 1,2,3-trichloropropane	14.89	110	1087	0.51	ug/L		87
102) n-propylbenzene	14.94	91	17284	0.54	ug/L		90
103) 2-chlorotoluene	15.07	126	3325	0.45	ug/L		92
104) 4-chlorotoluene	15.18	91	10857	0.54	ug/L		93
105) 1,3,5-trimethylbenzene	15.10	105	12031	0.54	ug/L		91
106) tert-butylbenzene	15.44	119	10266	0.53	ug/L		84
107) 1,2,4-trimethylbenzene	15.49	105	11941	0.52	ug/L		91
108) sec-butylbenzene	15.65	105	15065	0.52	ug/L		98
109) 1,3-dichlorobenzene	15.82	146	7672	0.55	ug/L		89

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218782.D
Acq On : 31 Jul 2022 5:51 pm
Operator : PrashanS
Sample : IC9511-0.5
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Aug 01 15:19:21 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:31:10 2022
QLast Update : Mon Aug 01 14:38:54 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
110) p-isopropyltoluene	15.78	119	12719	0.50	ug/L	92
111) benzyl chloride	16.01	91	6683	0.45	ug/L	94
112) 1,2,3-trimethylbenzene	15.91	105	13172	0.55	ug/L	92
113) 1,4-dichlorobenzene	15.92	146	7227	0.46	ug/L	98
114) 1,2-dichlorobenzene	16.29	146	7104	0.51	ug/L	98
115) n-butylbenzene	16.20	92	6437	0.50	ug/L	93
116) 1,2-dibromo-3-chloropropan	17.06	157	779	0.40	ug/L	72
117) 1,3,5-trichlorobenzene	17.25	180	5546	0.50	ug/L	89
118) 1,2,4-trichlorobenzene	17.89	180	4459	0.49	ug/L	93
119) hexachlorobutadiene	18.00	225	2240	0.50	ug/L	91
120) naphthalene	18.18	128	9742	0.43	ug/L	93
121) 1,2,3-trichlorobenzene	18.40	180	4270	0.51	ug/L	84
122) hexachloroethane	16.58	201	1757	0.45	ug/L	87

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218782.D
Acq On : 31 Jul 2022 5:51 pm
Operator : PrashanS
Sample : IC9511-0.5
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Aug 01 15:19:21 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:31:10 2022
QLast Update : Mon Aug 01 14:38:54 2022
Response via : Initial Calibration



Manual Integration Approval Summary

Sample Number: V2A9511-IC9511
Lab FileID: 2A218782.D
Injection Time: 07/31/22 17:51
Method: SW846 8260D
Analyst approved: 08/01/22 15:32 MoHui Huang
Supervisor approved: 08/01/22 19:36 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Chloromethane	74-87-3		4.33	Split peak
Ethyl Ether	60-29-7		6.18	Split peak
1,1-Dichloroethene	75-35-4		6.61	Split peak


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218782.D Vial: 3
Acq On : 31 Jul 2022 5:51 pm Operator: PrashanS
Sample : IC9511-0.5 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:39:00 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:38:54 2022
Last Update : Mon Aug 01 14:38:54 2022
Response via : Multiple Level Calibration







(8) chloromethane

4.33min 0.25ug/L

response 2886

Ion	Exp%	Act%
50.00	100	100
52.00	31.70	29.94
49.00	9.80	12.99
0.00	0.00	0.00


2A218782.D M2A9511.M Mon Aug 01 14:39:29 2022 MS2A


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218782.D Vial: 3
Acq On : 31 Jul 2022 5:51 pm Operator: PrashanS
Sample : IC9511-0.5 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:39:00 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:38:54 2022
Last Update : Mon Aug 01 14:38:54 2022
Response via : Multiple Level Calibration







(8) chloromethane

4.33min 0.59ug/L m

response 6827

Ion	Exp%	Act%
50.00	100	100
52.00	31.70	29.94
49.00	9.80	12.99
0.00	0.00	0.00


2A218782.D M2A9511.M Mon Aug 01 14:39:46 2022 MS2A


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218782.D Vial: 3
Acq On : 31 Jul 2022 5:51 pm Operator: PrashanS
Sample : IC9511-0.5 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:39:00 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:38:54 2022
Last Update : Mon Aug 01 14:38:54 2022
Response via : Multiple Level Calibration







(14) ethyl ether

6.18min 0.37ug/L

response 1209

Ion	Exp%	Act%
74.10	100	100
45.10	150.10	106.15#
59.10	161.60	131.70
0.00	0.00	0.00


2A218782.D M2A9511.M Mon Aug 01 14:40:09 2022 MS2A


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218782.D Vial: 3
Acq On : 31 Jul 2022 5:51 pm Operator: PrashanS
Sample : IC9511-0.5 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:39:00 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:38:54 2022
Last Update : Mon Aug 01 14:38:54 2022
Response via : Multiple Level Calibration







(14) ethyl ether

6.18min 0.51ug/L m

response 1674

Ion	Exp%	Act%
74.10	100	100
45.10	150.10	148.26
59.10	161.60	131.70
0.00	0.00	0.00


2A218782.D M2A9511.M Mon Aug 01 14:40:24 2022 MS2A


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218782.D Vial: 3
Acq On : 31 Jul 2022 5:51 pm Operator: PrashanS
Sample : IC9511-0.5 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:39:00 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:38:54 2022
Last Update : Mon Aug 01 14:38:54 2022
Response via : Multiple Level Calibration







(17) 1,1-dichloroethene

6.61min 0.37ug/L

response 1851

Ion	Exp%	Act%
96.00	100	100
61.00	191.10	176.35
63.00	62.60	60.11
0.00	0.00	0.00


2A218782.D M2A9511.M Mon Aug 01 14:40:41 2022 MS2A


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218782.D Vial: 3
Acq On : 31 Jul 2022 5:51 pm Operator: PrashanS
Sample : IC9511-0.5 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:39:00 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:38:54 2022
Last Update : Mon Aug 01 14:38:54 2022
Response via : Multiple Level Calibration







(17) 1,1-dichloroethene

6.61min 0.56ug/L m

response 2861

Ion	Exp%	Act%
96.00	100	100
61.00	191.10	196.74
63.00	62.60	60.11
0.00	0.00	0.00

2A218782.D M2A9511.M Mon Aug 01 14:40:55 2022 MS2A

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/01/22 19:36

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218783.D
Acq On : 31 Jul 2022 6:19 pm
Operator : PrashanS
Sample : IC9511-1
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 01 15:19:51 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:38:54 2022
QLast Update : Mon Aug 01 14:46:21 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	7.25	65	407382	500.00	ug/L		0.00
5) pentafluorobenzene	9.51	168	694582	50.00	ug/L		0.00
50) 1,4-difluorobenzene	10.44	114	941814	50.00	ug/L		0.00
72) chlorobenzene-d5	13.56	117	912974	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	15.89	152	490057	50.00	ug/L		0.00
124) pentafluorobenzene(a)	9.51	168	694582	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	9.54	113	328824	50.39	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.78%				
51) 1,2-dichloroethane-d4 (s)	9.95	65	436526	49.79	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.58%				
73) toluene-d8 (s)	12.06	98	1114699	49.93	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.86%				
97) 4-bromofluorobenzene (s)	14.72	95	458403	50.58	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.16%				
Target Compounds							Qvalue
2) ethanol	6.01	45	9817	99.45	ug/L		78
3) tertiary butyl alcohol	7.38	59	5000	5.04	ug/L		96
4) 1,4-dioxane	11.08	88	1387	18.53	ug/L	#	54
6) chlorodifluoromethane	3.99	51	9439	1.04	ug/L		89
7) dichlorodifluoromethane	3.98	85	9663	1.12	ug/L		70
8) chloromethane	4.32	50	12556	1.01	ug/L		93
9) vinyl chloride	4.56	62	9647	1.10	ug/L		70
10) 1,3-butadiene	4.61	54	8189	0.95	ug/L		87
11) bromomethane	5.17	94	5519	0.98	ug/L	#	65
12) chloroethane	5.35	64	4321	1.03	ug/L		76
13) trichlorofluoromethane	5.79	101	10052	1.04	ug/L		88
14) ethyl ether	6.19	74	3197	0.99	ug/L	#	58
15) acrolein	6.42	56	1508m	0.99	ug/L		
16) freon 113	6.60	151	4687	0.90	ug/L	#	86
17) 1,1-dichloroethene	6.60	96	4941	0.94	ug/L		96
18) acetone	6.61	43	10837	3.96	ug/L		99
19) acetonitrile	7.04	41	10917	10.18	ug/L		77
20) iodomethane	6.85	142	9505	0.92	ug/L		91
21) carbon disulfide	6.99	76	17079	0.98	ug/L		96
22) methylene chloride	7.30	84	6013	0.91	ug/L		95
23) methyl acetate	7.07	43	6007	0.91	ug/L		84
24) methyl tert butyl ether	7.66	73	18028	0.95	ug/L		92
25) trans-1,2-dichloroethene	7.69	96	5966	0.99	ug/L		96
26) hexane	8.03	57	9813	0.90	ug/L		82
27) di-isopropyl ether	8.25	45	24016	0.92	ug/L		94
28) ethyl tert-butyl ether	8.70	59	21605	0.95	ug/L		87
29) 2-butanone	8.91	72	2520	3.44	ug/L	#	50
30) 1,1-dichloroethane	8.25	63	11081	0.94	ug/L		97
31) chloroprene	8.36	53	10206	0.94	ug/L		91
32) acrylonitrile	7.62	53	2570m	0.85	ug/L		
33) vinyl acetate	8.21	86	747	0.67	ug/L	#	6
34) ethyl acetate	8.93	45	963	0.71	ug/L	#	64

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218783.D
Acq On : 31 Jul 2022 6:19 pm
Operator : PrashanS
Sample : IC9511-1
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 01 15:19:51 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:38:54 2022
QLast Update : Mon Aug 01 14:46:21 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
35) 2,2-dichloropropane	9.00	77	8946	0.92 ug/L		92
36) cis-1,2-dichloroethene	8.97	96	6297	0.96 ug/L	#	75
37) propionitrile	9.00	54	10369	9.67 ug/L		86
38) bromochloromethane	9.25	130	4198	0.99 ug/L		93
39) tetrahydrofuran	9.29	42	3638	1.35 ug/L		78
40) chloroform	9.35	83	12172	0.92 ug/L		92
41) tert-butyl formate	9.39	59	5152	0.92 ug/L		92
42) isobutyl alcohol	9.75	43	4125	8.60 ug/L	#	76
44) methacrylonitrile	9.19	67	2548	0.94 ug/L	#	57
45) 1,1,1-trichloroethane	9.61	97	10154	0.98 ug/L		87
46) cyclohexane	9.71	84	8523	1.05 ug/L		87
47) 1,1-dichloropropene	9.78	75	7540	0.86 ug/L		94
48) tert-amyl alcohol	9.91	73	2477	5.91 ug/L	#	31
49) carbon tetrachloride	9.79	117	8857	0.93 ug/L		91
52) 2,2,4-trimethylpentane	10.12	57	26242	0.97 ug/L		98
53) tert-amyl methyl ether	10.11	73	19112	0.94 ug/L		98
54) n-butyl alcohol	10.51	56	9956	40.88 ug/L	#	66
55) benzene	10.02	78	22332	0.99 ug/L		94
56) heptane	10.28	57	5347	1.02 ug/L		87
57) isopropyl acetate	9.94	87	1386	1.03 ug/L	#	21
58) 1,2-dichloroethane	10.04	62	10727	0.97 ug/L		92
59) trichloroethene	10.74	95	6125	0.94 ug/L		99
60) ethyl acrylate	10.75	55	9095	0.88 ug/L		69
61) 2-nitropropane	11.50	41	2542	0.93 ug/L	#	73
63) methyl methacrylate	11.01	100	1221	0.73 ug/L	#	59
64) 1,2-dichloropropane	11.03	63	6477	0.99 ug/L		91
65) methylcyclohexane	11.04	83	10571	1.02 ug/L		88
66) dibromomethane	11.15	93	3826	0.82 ug/L		82
67) bromodichloromethane	11.29	83	8579	0.92 ug/L		99
68) epichlorohydrin	11.63	57	3017	3.67 ug/L		74
69) cis-1,3-dichloropropene	11.76	75	9309	0.95 ug/L		91
70) 4-methyl-2-pentanone	11.87	58	11509	3.68 ug/L		88
71) 3-methyl-1-butanol	11.87	70	3012	16.75 ug/L		83
74) toluene	12.14	92	13671	0.91 ug/L		97
75) trans-1,3-dichloropropene	12.32	75	8823	0.93 ug/L		90
76) ethyl methacrylate	12.32	69	6930	0.87 ug/L		87
77) 1,1,2-trichloroethane	12.53	83	4777	0.96 ug/L	#	79
78) 2-hexanone	12.71	58	11006	3.64 ug/L		94
79) tetrachloroethene	12.69	166	7061	0.95 ug/L		95
80) 1,3-dichloropropane	12.72	76	8963	0.89 ug/L		91
81) butyl acetate	12.79	56	5063	1.00 ug/L	#	60
82) dibromochloromethane	12.96	129	6773	0.93 ug/L		90
83) 1,2-dibromoethane	13.11	107	5756	0.95 ug/L		99
84) n-butyl ether	13.56	57	27691m	0.93 ug/L		
85) chlorobenzene	13.59	112	15502	0.98 ug/L		99
86) 1,1,1,2-tetrachloroethane	13.66	131	6041	0.95 ug/L		94
87) ethylbenzene	13.66	91	26935	0.95 ug/L		89
88) m,p-xylene	13.78	106	20264	1.90 ug/L		97
89) o-xylene	14.18	91	21553	0.94 ug/L		88
90) styrene	14.19	104	15596	0.91 ug/L		94

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218783.D
Acq On : 31 Jul 2022 6:19 pm
Operator : PrashanS
Sample : IC9511-1
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 01 15:19:51 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:38:54 2022
QLast Update : Mon Aug 01 14:46:21 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
91) n-amyl acetate	14.22	70	3976	0.93 ug/L #	78
92) bromoform	14.41	173	4471	0.86 ug/L	96
93) butyl acrylate	14.02	55	12771	0.86 ug/L	89
94) isopropylbenzene	14.53	105	25343	0.93 ug/L	98
95) cis-1,4-dichloro-2-butene	14.56	88	2072	0.71 ug/L #	86
98) bromobenzene	14.90	156	7240	0.86 ug/L	92
99) 1,1,2,2-tetrachloroethane	14.80	83	8059	0.96 ug/L	82
100) trans-1,4-dichloro-2-buten	14.84	53	2192	0.76 ug/L #	65
101) 1,2,3-trichloropropane	14.89	110	1960	0.92 ug/L	92
102) n-propylbenzene	14.94	91	31813	0.98 ug/L	93
103) 2-chlorotoluene	15.07	126	6407	0.91 ug/L #	85
104) 4-chlorotoluene	15.18	91	19712	0.97 ug/L	99
105) 1,3,5-trimethylbenzene	15.10	105	20965	0.94 ug/L	97
106) tert-butylbenzene	15.44	119	18253	0.93 ug/L	95
107) 1,2,4-trimethylbenzene	15.49	105	21476	0.94 ug/L	93
108) sec-butylbenzene	15.66	105	27429	0.95 ug/L	96
109) 1,3-dichlorobenzene	15.82	146	13883	0.98 ug/L	88
110) p-isopropyltoluene	15.79	119	23162	0.92 ug/L	97
111) benzyl chloride	16.01	91	11789	0.85 ug/L	96
112) 1,2,3-trimethylbenzene	15.91	105	21971	0.90 ug/L	92
113) 1,4-dichlorobenzene	15.91	146	14668	0.97 ug/L	99
114) 1,2-dichlorobenzene	16.29	146	13606	0.99 ug/L	97
115) n-butylbenzene	16.19	92	11781	0.93 ug/L	92
116) 1,2-dibromo-3-chloropropan	17.05	157	1511	0.87 ug/L	88
117) 1,3,5-trichlorobenzene	17.24	180	10119	0.93 ug/L	94
118) 1,2,4-trichlorobenzene	17.88	180	8315	0.93 ug/L	92
119) hexachlorobutadiene	18.00	225	4594	1.04 ug/L	92
120) naphthalene	18.17	128	20366	0.95 ug/L	95
121) 1,2,3-trichlorobenzene	18.40	180	7732	0.93 ug/L	93
122) hexachloroethane	16.57	201	3247	0.88 ug/L	89

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218783.D
Acq On : 31 Jul 2022 6:19 pm
Operator : PrashanS
Sample : IC9511-1
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 01 15:19:51 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:38:54 2022
QLast Update : Mon Aug 01 14:46:21 2022
Response via : Initial Calibration



Manual Integration Approval Summary

Sample Number: V2A9511-IC9511
Lab FileID: 2A218783.D
Injection Time: 07/31/22 18:19
Method: SW846 8260D
Analyst approved: 08/01/22 15:32 MoHui Huang
Supervisor approved: 08/01/22 19:36 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Acrolein	107-02-8		6.42	Split peak
Acrylonitrile	107-13-1		7.62	Split peak
n-Butyl Ether	142-96-1		13.56	Missed peak


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218783.D Vial: 4
Acq On : 31 Jul 2022 6:19 pm Operator: PrashanS
Sample : IC9511-1 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:46:27 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:46:21 2022
Last Update : Mon Aug 01 14:46:21 2022
Response via : Multiple Level Calibration







(15) acrolein

6.40min 0.15ug/L

response 229

Ion	Exp%	Act%
56.10	100	100
55.10	76.40	49.60
53.00	9.70	0.00
0.00	0.00	0.00


2A218783.D M2A9511.M Mon Aug 01 14:47:14 2022 MS2A


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218783.D Vial: 4
Acq On : 31 Jul 2022 6:19 pm Operator: PrashanS
Sample : IC9511-1 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:46:27 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:46:21 2022
Last Update : Mon Aug 01 14:46:21 2022
Response via : Multiple Level Calibration







(15) acrolein

6.42min 0.99ug/L m

response 1508

Ion	Exp%	Act%
56.10	100	100
55.10	76.40	70.77
53.00	9.70	0.00
0.00	0.00	0.00


2A218783.D M2A9511.M Mon Aug 01 14:47:29 2022 MS2A


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218783.D Vial: 4
Acq On : 31 Jul 2022 6:19 pm Operator: PrashanS
Sample : IC9511-1 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:46:27 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:46:21 2022
Last Update : Mon Aug 01 14:46:21 2022
Response via : Multiple Level Calibration







(32) acrylonitrile

7.61min 0.47ug/L

response 1407

Ion	Exp%	Act%
53.10	100	100
52.10	84.10	77.61
51.10	37.90	19.54
0.00	0.00	0.00


2A218783.D M2A9511.M Mon Aug 01 14:48:09 2022 MS2A


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218783.D Vial: 4
Acq On : 31 Jul 2022 6:19 pm Operator: PrashanS
Sample : IC9511-1 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:46:27 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:46:21 2022
Last Update : Mon Aug 01 14:46:21 2022
Response via : Multiple Level Calibration







(32) acrylonitrile

7.62min 0.85ug/L m

response 2570

Ion	Exp%	Act%
53.10	100	100
52.10	84.10	53.06#
51.10	37.90	26.41
0.00	0.00	0.00


2A218783.D M2A9511.M Mon Aug 01 14:48:26 2022 MS2A


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218783.D Vial: 4
Acq On : 31 Jul 2022 6:19 pm Operator: PrashanS
Sample : IC9511-1 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:46:27 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:46:21 2022
Last Update : Mon Aug 01 14:46:21 2022
Response via : Multiple Level Calibration







(84) n-butyl ether

13.69min 0.00ug/L

response 141

Ion	Exp%	Act%
57.00	100	100
87.00	16.10	0.00
101.00	3.80	0.00
0.00	0.00	0.00


2A218783.D M2A9511.M Mon Aug 01 14:50:31 2022 MS2A


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218783.D Vial: 4
Acq On : 31 Jul 2022 6:19 pm Operator: PrashanS
Sample : IC9511-1 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:46:27 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:46:21 2022
Last Update : Mon Aug 01 14:46:21 2022
Response via : Multiple Level Calibration







(84) n-butyl ether

13.56min 0.93ug/L m

response 27691

Ion	Exp%	Act%
57.00	100	100
87.00	16.10	55.73#
101.00	3.80	14.75
0.00	0.00	0.00

2A218783.D M2A9511.M Mon Aug 01 14:50:48 2022 MS2A

Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/01/22 19:36

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218784.D
Acq On : 31 Jul 2022 6:48 pm
Operator : PrashanS
Sample : IC9511-2
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Aug 01 14:52:53 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:46:21 2022
QLast Update : Mon Aug 01 14:52:17 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	7.25	65	406167	500.00	ug/L	0.00
5) pentafluorobenzene	9.50	168	697988	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.44	114	941963	50.00	ug/L	0.00
72) chlorobenzene-d5	13.56	117	907257	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.89	152	496275	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.50	168	696891	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.54	113	330509	50.31	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.62%			
51) 1,2-dichloroethane-d4 (s)	9.95	65	439811	50.21	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.42%			
73) toluene-d8 (s)	12.06	98	1112053	50.14	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.28%			
97) 4-bromofluorobenzene (s)	14.72	95	455531	49.49	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.98%			
Target Compounds						Qvalue
2) ethanol	5.97	45	17872	182.09	ug/L	77
3) tertiary butyl alcohol	7.36	59	10965	11.05	ug/L	71
4) 1,4-dioxane	11.08	88	3209	49.38	ug/L	91
6) chlorodifluoromethane	3.99	51	20241	2.19	ug/L	96
7) dichlorodifluoromethane	3.97	85	19834	2.20	ug/L	92
8) chloromethane	4.34	50	27802	2.23	ug/L	90
9) vinyl chloride	4.57	62	20617	2.26	ug/L	99
10) 1,3-butadiene	4.61	54	17744	2.09	ug/L	86
11) bromomethane	5.17	94	11645	2.07	ug/L	97
12) chloroethane	5.36	64	9254	2.17	ug/L	89
13) trichlorofluoromethane	5.80	101	23386	2.39	ug/L	87
14) ethyl ether	6.20	74	7306	2.25	ug/L	79
15) acrolein	6.42	56	3106m	2.04	ug/L	
16) freon 113	6.61	151	10516	2.08	ug/L	87
17) 1,1-dichloroethene	6.61	96	11256	2.17	ug/L	86
18) acetone	6.61	43	23139	8.44	ug/L	87
19) acetonitrile	7.03	41	23698	21.87	ug/L	84
20) iodomethane	6.85	142	20828	2.05	ug/L	91
21) carbon disulfide	6.99	76	36505	2.10	ug/L	95
22) methylene chloride	7.30	84	12963	2.01	ug/L	94
23) methyl acetate	7.06	43	14174	2.21	ug/L	98
24) methyl tert butyl ether	7.65	73	39512	2.09	ug/L	96
25) trans-1,2-dichloroethene	7.68	96	12951	2.14	ug/L	87
26) hexane	8.03	57	21554	2.01	ug/L	92
27) di-isopropyl ether	8.24	45	54810	2.13	ug/L	94
28) ethyl tert-butyl ether	8.71	59	46689	2.07	ug/L	98
29) 2-butanone	8.91	72	5869	8.57	ug/L #	72
30) 1,1-dichloroethane	8.26	63	24048	2.05	ug/L	97
31) chloroprene	8.35	53	22218	2.08	ug/L	94
32) acrylonitrile	7.61	53	5776	2.06	ug/L	86
33) vinyl acetate	8.20	86	2012	2.15	ug/L #	47
34) ethyl acetate	8.93	45	2817	2.42	ug/L #	70

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218784.D
Acq On : 31 Jul 2022 6:48 pm
Operator : PrashanS
Sample : IC9511-2
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Aug 01 14:52:53 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:46:21 2022
QLast Update : Mon Aug 01 14:52:17 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
35) 2,2-dichloropropane	9.00	77	18406	1.92	ug/L		94
36) cis-1,2-dichloroethene	8.97	96	13908	2.13	ug/L		84
37) propionitrile	8.99	54	24115	22.62	ug/L		90
38) bromochloromethane	9.26	130	8988	2.12	ug/L		98
39) tetrahydrofuran	9.29	42	7093	2.23	ug/L		75
40) chloroform	9.35	83	25721	1.99	ug/L		91
41) tert-butyl formate	9.38	59	10968	1.99	ug/L		97
42) isobutyl alcohol	9.76	43	10528	23.48	ug/L	#	81
44) methacrylonitrile	9.18	67	5507	2.08	ug/L	#	60
45) 1,1,1-trichloroethane	9.60	97	21983	2.13	ug/L		96
46) cyclohexane	9.71	84	19642	2.38	ug/L		96
47) 1,1-dichloropropene	9.78	75	17593	2.08	ug/L		94
48) tert-amyl alcohol	9.92	73	5096	11.09	ug/L	#	90
49) carbon tetrachloride	9.80	117	19503	2.08	ug/L		88
52) 2,2,4-trimethylpentane	10.12	57	55279	2.07	ug/L		96
53) tert-amyl methyl ether	10.11	73	40398	2.02	ug/L		98
54) n-butyl alcohol	10.50	56	28065	122.67	ug/L		97
55) benzene	10.02	78	46496	2.07	ug/L		98
56) heptane	10.28	57	11654	2.22	ug/L		88
57) isopropyl acetate	9.93	87	2880	2.11	ug/L	#	65
58) 1,2-dichloroethane	10.05	62	22867	2.09	ug/L		96
59) trichloroethene	10.75	95	13196	2.05	ug/L		90
60) ethyl acrylate	10.74	55	19664	1.99	ug/L		97
61) 2-nitropropane	11.50	41	5321	2.01	ug/L		82
62) 2-chloroethyl vinyl ether	11.54	63	16170	8.48	ug/L		95
63) methyl methacrylate	11.01	100	3050	2.11	ug/L	#	58
64) 1,2-dichloropropane	11.03	63	13827	2.13	ug/L		99
65) methylcyclohexane	11.04	83	21661	2.08	ug/L		97
66) dibromomethane	11.15	93	9349	2.09	ug/L		78
67) bromodichloromethane	11.30	83	17874	1.95	ug/L		95
68) epichlorohydrin	11.62	57	8486	11.91	ug/L		90
69) cis-1,3-dichloropropene	11.75	75	20285	2.10	ug/L		94
70) 4-methyl-2-pentanone	11.86	58	26958	8.79	ug/L		89
71) 3-methyl-1-butanol	11.87	70	7496	44.07	ug/L	#	87
74) toluene	12.13	92	30603	2.10	ug/L		99
75) trans-1,3-dichloropropene	12.32	75	19401	2.09	ug/L		87
76) ethyl methacrylate	12.32	69	16811	2.22	ug/L		86
77) 1,1,2-trichloroethane	12.54	83	10138	2.07	ug/L		93
78) 2-hexanone	12.71	58	25343	8.69	ug/L		92
79) tetrachloroethene	12.68	166	15667	2.15	ug/L		96
80) 1,3-dichloropropane	12.72	76	20161	2.07	ug/L		98
81) butyl acetate	12.79	56	10423	2.07	ug/L		97
82) dibromochloromethane	12.96	129	14214	1.99	ug/L		95
83) 1,2-dibromoethane	13.11	107	12770	2.14	ug/L		99
84) n-butyl ether	13.56	57	61494	2.11	ug/L		70
85) chlorobenzene	13.59	112	33272	2.13	ug/L		92
86) 1,1,1,2-tetrachloroethane	13.66	131	12812	2.05	ug/L		93
87) ethylbenzene	13.66	91	58980	2.12	ug/L		94
88) m,p-xylene	13.78	106	44686	4.27	ug/L		99
89) o-xylene	14.18	91	46798	2.08	ug/L		93

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218784.D
Acq On : 31 Jul 2022 6:48 pm
Operator : PrashanS
Sample : IC9511-2
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Aug 01 14:52:53 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:46:21 2022
QLast Update : Mon Aug 01 14:52:17 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
90) styrene	14.19	104	36751	2.21	ug/L	95
91) n-amyl acetate	14.23	70	9099	2.19	ug/L	89
92) bromoform	14.41	173	10363	2.08	ug/L	93
93) butyl acrylate	14.02	55	31834	2.27	ug/L	96
94) isopropylbenzene	14.53	105	57577	2.17	ug/L	99
95) cis-1,4-dichloro-2-butene	14.56	88	5382	2.06	ug/L	95
98) bromobenzene	14.90	156	16313	1.98	ug/L	93
99) 1,1,2,2-tetrachloroethane	14.80	83	17550	2.08	ug/L	87
100) trans-1,4-dichloro-2-buten	14.83	53	5379	2.09	ug/L	82
101) 1,2,3-trichloropropane	14.89	110	4449	2.12	ug/L	87
102) n-propylbenzene	14.94	91	69905	2.14	ug/L	97
103) 2-chlorotoluene	15.06	126	13917	1.99	ug/L	94
104) 4-chlorotoluene	15.18	91	44218	2.16	ug/L	98
105) 1,3,5-trimethylbenzene	15.10	105	48190	2.16	ug/L	98
106) tert-butylbenzene	15.44	119	39988	2.05	ug/L	95
107) 1,2,4-trimethylbenzene	15.49	105	47597	2.08	ug/L	90
108) sec-butylbenzene	15.65	105	62703	2.17	ug/L	95
109) 1,3-dichlorobenzene	15.82	146	30917	2.17	ug/L	94
110) p-isopropyltoluene	15.79	119	51218	2.05	ug/L	98
111) benzyl chloride	16.01	91	27763	2.08	ug/L	98
112) 1,2,3-trimethylbenzene	15.91	105	50072	2.08	ug/L	93
113) 1,4-dichlorobenzene	15.91	146	31448	2.07	ug/L	99
114) 1,2-dichlorobenzene	16.29	146	29453	2.12	ug/L	98
115) n-butylbenzene	16.19	92	28112	2.23	ug/L	95
116) 1,2-dibromo-3-chloropropan	17.05	157	3737	2.22	ug/L	89
117) 1,3,5-trichlorobenzene	17.24	180	22718	2.10	ug/L	92
118) 1,2,4-trichlorobenzene	17.88	180	19225	2.16	ug/L	98
119) hexachlorobutadiene	18.00	225	10068	2.23	ug/L	96
120) naphthalene	18.17	128	46525	2.17	ug/L	98
121) 1,2,3-trichlorobenzene	18.40	180	18839	2.28	ug/L	88
122) hexachloroethane	16.58	201	7843	2.15	ug/L	92
123) 2-methylnaphthalene	19.41	142	8512	0.68	ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218784.D
Acq On : 31 Jul 2022 6:48 pm
Operator : PrashanS
Sample : IC9511-2
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Aug 01 14:52:53 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:46:21 2022
QLast Update : Mon Aug 01 14:52:17 2022
Response via : Initial Calibration



Manual Integration Approval Summary

Sample Number:	V2A9511-IC9511	**Method:**	SW846 8260D
Lab FileID:	2A218784.D	**Analyst approved:**	08/01/22 15:32 MoHui Huang
Injection Time:	07/31/22 18:48	**Supervisor approved:**	08/01/22 19:36 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Acrolein	107-02-8		6.42	Missed peak


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218784.D Vial: 5
Acq On : 31 Jul 2022 6:48 pm Operator: PrashanS
Sample : IC9511-2 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:52:22 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:52:17 2022
Last Update : Mon Aug 01 14:52:17 2022
Response via : Multiple Level Calibration







(15) acrolein

6.38min 0.10ug/L

response 148

Ion	Exp%	Act%
56.10	100	100
55.10	76.40	79.18
53.00	9.70	0.00
0.00	0.00	0.00


2A218784.D M2A9511.M Mon Aug 01 14:52:42 2022 MS2A


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218784.D Vial: 5
Acq On : 31 Jul 2022 6:48 pm Operator: PrashanS
Sample : IC9511-2 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:52:22 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:52:17 2022
Last Update : Mon Aug 01 14:52:17 2022
Response via : Multiple Level Calibration







(15) acrolein

6.42min 2.04ug/L m

response 3106

Ion	Exp%	Act%
56.10	100	100
55.10	76.40	54.50
53.00	9.70	0.00
0.00	0.00	0.00

2A218784.D M2A9511.M Mon Aug 01 14:52:58 2022 MS2A

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218785.D
Acq On : 31 Jul 2022 7:16 pm
Operator : PrashanS
Sample : IC9511-4
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Aug 01 14:54:34 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:52:17 2022
QLast Update : Mon Aug 01 14:54:29 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	7.26	65	416050	500.00	ug/L		0.00
5) pentafluorobenzene	9.51	168	695431	50.00	ug/L		0.00
50) 1,4-difluorobenzene	10.44	114	940726	50.00	ug/L		0.00
72) chlorobenzene-d5	13.56	117	905476	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	15.89	152	493868	50.00	ug/L		0.00
124) pentafluorobenzene(a)	9.51	168	694712	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	9.54	113	328927	50.19	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.38%				
51) 1,2-dichloroethane-d4 (s)	9.95	65	436131	49.81	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.62%				
73) toluene-d8 (s)	12.06	98	1111069	50.17	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.34%				
97) 4-bromofluorobenzene (s)	14.72	95	457236	50.02	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.04%				
Target Compounds							Qvalue
2) ethanol	5.98	45	39993	410.04	ug/L		90
3) tertiary butyl alcohol	7.37	59	19436	18.47	ug/L		82
4) 1,4-dioxane	11.08	88	7131	107.58	ug/L		88
6) chlorodifluoromethane	4.00	51	41773	4.43	ug/L		99
7) dichlorodifluoromethane	3.97	85	40185	4.36	ug/L		97
8) chloromethane	4.35	50	50924	3.98	ug/L		94
9) vinyl chloride	4.58	62	39185	4.18	ug/L		97
10) 1,3-butadiene	4.62	54	35609	4.16	ug/L		92
11) bromomethane	5.19	94	22658	4.01	ug/L		85
12) chloroethane	5.35	64	18524	4.28	ug/L		89
13) trichlorofluoromethane	5.80	101	44832	4.42	ug/L		92
14) ethyl ether	6.18	74	13322	4.00	ug/L		84
15) acrolein	6.42	56	4838	3.16	ug/L	#	39
16) freon 113	6.60	151	20536	4.04	ug/L	#	82
17) 1,1-dichloroethene	6.61	96	21499	4.07	ug/L		87
18) acetone	6.62	43	43764	15.80	ug/L		97
19) acetonitrile	7.04	41	47369	42.87	ug/L		88
20) iodomethane	6.85	142	42592	4.18	ug/L		92
21) carbon disulfide	6.99	76	71073	4.05	ug/L		96
22) methylene chloride	7.31	84	25118	3.90	ug/L		96
23) methyl acetate	7.06	43	27246	4.15	ug/L		98
24) methyl tert butyl ether	7.65	73	76409	4.03	ug/L		96
25) trans-1,2-dichloroethene	7.69	96	23706	3.87	ug/L		93
26) hexane	8.05	57	42446	3.97	ug/L		92
27) di-isopropyl ether	8.26	45	106836	4.11	ug/L		94
28) ethyl tert-butyl ether	8.70	59	92606	4.09	ug/L		92
29) 2-butanone	8.91	72	11519	16.49	ug/L	#	88
30) 1,1-dichloroethane	8.26	63	45484	3.88	ug/L		95
31) chloroprene	8.36	53	44508	4.14	ug/L		95
32) acrylonitrile	7.60	53	11747	4.16	ug/L		96
33) vinyl acetate	8.20	86	4169	4.36	ug/L	#	74
34) ethyl acetate	8.92	45	5537	4.46	ug/L		95

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218785.D
Acq On : 31 Jul 2022 7:16 pm
Operator : PrashanS
Sample : IC9511-4
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Aug 01 14:54:34 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:52:17 2022
QLast Update : Mon Aug 01 14:54:29 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
35) 2,2-dichloropropane	9.00	77	37380	3.95	ug/L		96
36) cis-1,2-dichloroethene	8.97	96	26119	3.97	ug/L		96
37) propionitrile	8.99	54	44964	40.99	ug/L		96
38) bromochloromethane	9.26	130	17287	4.03	ug/L		95
39) tetrahydrofuran	9.28	42	13069	3.97	ug/L		96
40) chloroform	9.35	83	47228	3.67	ug/L		96
41) tert-butyl formate	9.38	59	23296	4.24	ug/L		89
42) isobutyl alcohol	9.76	43	17304	36.61	ug/L	#	71
44) methacrylonitrile	9.19	67	11327	4.24	ug/L	#	76
45) 1,1,1-trichloroethane	9.61	97	43710	4.19	ug/L		96
46) cyclohexane	9.71	84	36620	4.28	ug/L	#	77
47) 1,1-dichloropropene	9.77	75	34037	4.00	ug/L		89
48) tert-amyl alcohol	9.92	73	9340	19.69	ug/L	#	85
49) carbon tetrachloride	9.80	117	38452	4.08	ug/L		92
52) 2,2,4-trimethylpentane	10.12	57	109579	4.07	ug/L		97
53) tert-amyl methyl ether	10.11	73	80456	4.02	ug/L		99
54) n-butyl alcohol	10.50	56	46816	193.91	ug/L		98
55) benzene	10.02	78	93859	4.15	ug/L		97
56) heptane	10.28	57	21696	4.05	ug/L		94
57) isopropyl acetate	9.94	87	5314	3.82	ug/L	#	65
58) 1,2-dichloroethane	10.05	62	41512	3.75	ug/L		98
59) trichloroethene	10.74	95	26358	4.08	ug/L		90
60) ethyl acrylate	10.74	55	41329	4.19	ug/L		97
61) 2-nitropropane	11.50	41	9785	3.70	ug/L		94
62) 2-chloroethyl vinyl ether	11.54	63	39545	21.59	ug/L		96
63) methyl methacrylate	11.01	100	6410	4.36	ug/L		92
64) 1,2-dichloropropane	11.04	63	28062	4.25	ug/L		95
65) methylcyclohexane	11.04	83	43915	4.19	ug/L		96
66) dibromomethane	11.14	93	17112	3.80	ug/L		85
67) bromodichloromethane	11.30	83	36320	3.99	ug/L		98
68) epichlorohydrin	11.63	57	15785	20.86	ug/L		93
69) cis-1,3-dichloropropene	11.76	75	40876	4.20	ug/L		95
70) 4-methyl-2-pentanone	11.86	58	50307	16.11	ug/L	#	79
71) 3-methyl-1-butanol	11.87	70	16276	93.43	ug/L		92
74) toluene	12.14	92	59484	4.05	ug/L		95
75) trans-1,3-dichloropropene	12.32	75	40742	4.37	ug/L		94
76) ethyl methacrylate	12.32	69	33784	4.36	ug/L		96
77) 1,1,2-trichloroethane	12.54	83	20648	4.20	ug/L		94
78) 2-hexanone	12.71	58	49528	16.66	ug/L		94
79) tetrachloroethene	12.69	166	29311	3.97	ug/L		91
80) 1,3-dichloropropane	12.72	76	38316	3.91	ug/L		98
81) butyl acetate	12.79	56	20094	3.96	ug/L		97
82) dibromochloromethane	12.96	129	29545	4.15	ug/L		94
83) 1,2-dibromoethane	13.11	107	25754	4.27	ug/L		96
84) n-butyl ether	13.56	57	123434	4.20	ug/L		91
85) chlorobenzene	13.59	112	66832	4.23	ug/L		90
86) 1,1,1,2-tetrachloroethane	13.66	131	25726	4.11	ug/L		87
87) ethylbenzene	13.66	91	117611	4.18	ug/L		95
88) m,p-xylene	13.78	106	88253	8.33	ug/L		94
89) o-xylene	14.18	91	95915	4.24	ug/L		93

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218785.D
Acq On : 31 Jul 2022 7:16 pm
Operator : PrashanS
Sample : IC9511-4
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Aug 01 14:54:34 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:52:17 2022
QLast Update : Mon Aug 01 14:54:29 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
90) styrene	14.19	104	71154	4.20	ug/L		98
91) n-amyl acetate	14.23	70	17819	4.20	ug/L		94
92) bromoform	14.41	173	20992	4.19	ug/L		96
93) butyl acrylate	14.02	55	64539	4.46	ug/L		96
94) isopropylbenzene	14.53	105	111766	4.15	ug/L		96
95) cis-1,4-dichloro-2-butene	14.56	88	10523	4.00	ug/L		97
98) bromobenzene	14.90	156	31569	3.86	ug/L		95
99) 1,1,2,2-tetrachloroethane	14.80	83	35136	4.15	ug/L		91
100) trans-1,4-dichloro-2-buten	14.84	53	11116	4.27	ug/L		84
101) 1,2,3-trichloropropane	14.89	110	9384	4.43	ug/L		81
102) n-propylbenzene	14.94	91	139672	4.24	ug/L		92
103) 2-chlorotoluene	15.07	126	28405	4.09	ug/L	#	84
104) 4-chlorotoluene	15.18	91	87076	4.21	ug/L		96
105) 1,3,5-trimethylbenzene	15.10	105	93347	4.13	ug/L		97
106) tert-butylbenzene	15.44	119	81196	4.16	ug/L		89
107) 1,2,4-trimethylbenzene	15.49	105	96661	4.21	ug/L		92
108) sec-butylbenzene	15.66	105	123540	4.22	ug/L		98
109) 1,3-dichlorobenzene	15.82	146	58501	4.05	ug/L		97
110) p-isopropyltoluene	15.79	119	103061	4.12	ug/L		96
111) benzyl chloride	16.01	91	55672	4.14	ug/L		95
112) 1,2,3-trimethylbenzene	15.91	105	97384	4.03	ug/L		99
113) 1,4-dichlorobenzene	15.91	146	60620	3.98	ug/L		98
114) 1,2-dichlorobenzene	16.28	146	57365	4.10	ug/L		97
115) n-butylbenzene	16.19	92	53488	4.17	ug/L		89
116) 1,2-dibromo-3-chloropropan	17.05	157	6616	3.85	ug/L		95
117) 1,3,5-trichlorobenzene	17.24	180	45057	4.14	ug/L		95
118) 1,2,4-trichlorobenzene	17.88	180	38819	4.31	ug/L		95
119) hexachlorobutadiene	18.00	225	20451	4.45	ug/L		92
120) naphthalene	18.17	128	92151	4.25	ug/L		100
121) 1,2,3-trichlorobenzene	18.40	180	36433	4.30	ug/L		93
122) hexachloroethane	16.58	201	15640	4.25	ug/L		93
123) 2-methylnaphthalene	19.41	142	19109	1.82	ug/L		94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218785.D
Acq On : 31 Jul 2022 7:16 pm
Operator : PrashanS
Sample : IC9511-4
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Aug 01 14:54:34 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:52:17 2022
QLast Update : Mon Aug 01 14:54:29 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218786.D
Acq On : 31 Jul 2022 7:44 pm
Operator : PrashanS
Sample : IC9511-8
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Aug 01 14:55:38 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:54:29 2022
QLast Update : Mon Aug 01 14:55:32 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	7.25	65	418813	500.00	ug/L	0.00
5) pentafluorobenzene	9.50	168	706121	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.43	114	949113	50.00	ug/L	0.00
72) chlorobenzene-d5	13.56	117	908425	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.89	152	491314	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.50	168	704095	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.54	113	333336	50.06	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.12%			
51) 1,2-dichloroethane-d4 (s)	9.95	65	441213	49.98	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.96%			
73) toluene-d8 (s)	12.06	98	1121126	50.43	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.86%			
97) 4-bromofluorobenzene (s)	14.72	95	460961	50.69	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.38%			
Target Compounds						Qvalue
2) ethanol	5.98	45	78246	791.97	ug/L	97
3) tertiary butyl alcohol	7.36	59	39981	38.48	ug/L	91
4) 1,4-dioxane	11.08	88	14933	219.63	ug/L	93
6) chlorodifluoromethane	3.99	51	83330	8.52	ug/L	100
7) dichlorodifluoromethane	3.96	85	78979	8.29	ug/L	97
8) chloromethane	4.34	50	97953	7.55	ug/L	93
9) vinyl chloride	4.57	62	76494	7.96	ug/L	99
10) 1,3-butadiene	4.61	54	69401	7.92	ug/L	93
11) bromomethane	5.18	94	42067	7.32	ug/L	97
12) chloroethane	5.35	64	34672	7.77	ug/L	90
13) trichlorofluoromethane	5.79	101	85861	8.19	ug/L	96
14) ethyl ether	6.19	74	26723	7.90	ug/L	89
15) acrolein	6.41	56	12176	8.27	ug/L	81
16) freon 113	6.61	151	40048	7.74	ug/L	91
17) 1,1-dichloroethene	6.60	96	43186	8.02	ug/L	97
18) acetone	6.61	43	87554	31.21	ug/L	93
19) acetonitrile	7.03	41	89184	78.36	ug/L	94
20) iodomethane	6.85	142	84732	8.14	ug/L	97
21) carbon disulfide	6.98	76	144162	8.07	ug/L	98
22) methylene chloride	7.30	84	48712	7.49	ug/L	98
23) methyl acetate	7.06	43	57923	8.63	ug/L	92
24) methyl tert butyl ether	7.66	73	151461	7.85	ug/L	95
25) trans-1,2-dichloroethene	7.68	96	47146	7.63	ug/L	83
26) hexane	8.04	57	86226	7.96	ug/L	97
27) di-isopropyl ether	8.25	45	216275	8.16	ug/L	93
28) ethyl tert-butyl ether	8.70	59	184885	8.01	ug/L	100
29) 2-butanone	8.90	72	22983	32.16	ug/L #	78
30) 1,1-dichloroethane	8.25	63	95656	8.07	ug/L	99
31) chloroprene	8.36	53	93907	8.56	ug/L	95
32) acrylonitrile	7.59	53	24198	8.35	ug/L	92
33) vinyl acetate	8.20	86	9718	9.79	ug/L #	50
34) ethyl acetate	8.93	45	11952	9.22	ug/L	92

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218786.D
Acq On : 31 Jul 2022 7:44 pm
Operator : PrashanS
Sample : IC9511-8
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Aug 01 14:55:38 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:54:29 2022
QLast Update : Mon Aug 01 14:55:32 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
35) 2,2-dichloropropane	9.00	77	76411	7.96	ug/L		96
36) cis-1,2-dichloroethene	8.97	96	54158	8.11	ug/L		92
37) propionitrile	8.98	54	91959	82.16	ug/L		96
38) bromochloromethane	9.26	130	36441	8.36	ug/L		94
39) tetrahydrofuran	9.28	42	24369	7.30	ug/L		90
40) chloroform	9.35	83	95963	7.46	ug/L		99
41) tert-butyl formate	9.38	59	47036	8.35	ug/L		91
42) isobutyl alcohol	9.75	43	38458	81.88	ug/L		89
44) methacrylonitrile	9.18	67	21923	7.96	ug/L		86
45) 1,1,1-trichloroethane	9.60	97	85157	7.98	ug/L		99
46) cyclohexane	9.71	84	70715	8.05	ug/L		85
47) 1,1-dichloropropene	9.77	75	69956	8.10	ug/L		94
48) tert-amyl alcohol	9.90	73	18623	38.81	ug/L	#	73
49) carbon tetrachloride	9.80	117	79510	8.29	ug/L		96
52) 2,2,4-trimethylpentane	10.12	57	225532	8.28	ug/L		98
53) tert-amyl methyl ether	10.11	73	159347	7.89	ug/L		94
54) n-butyl alcohol	10.50	56	95119	392.88	ug/L		98
55) benzene	10.02	78	191197	8.33	ug/L		96
56) heptane	10.28	57	45598	8.41	ug/L		96
57) isopropyl acetate	9.93	87	11876	8.57	ug/L		96
58) 1,2-dichloroethane	10.04	62	86511	7.85	ug/L		99
59) trichloroethene	10.74	95	53291	8.15	ug/L		97
60) ethyl acrylate	10.74	55	84568	8.42	ug/L		97
61) 2-nitropropane	11.50	41	21429	8.18	ug/L		93
62) 2-chloroethyl vinyl ether	11.54	63	94301	50.23	ug/L		98
63) methyl methacrylate	11.00	100	13754	9.07	ug/L	#	85
64) 1,2-dichloropropane	11.03	63	56303	8.35	ug/L		95
65) methylcyclohexane	11.04	83	86472	8.11	ug/L		99
66) dibromomethane	11.14	93	34617	7.69	ug/L		91
67) bromodichloromethane	11.29	83	75602	8.23	ug/L		97
68) epichlorohydrin	11.62	57	32644	42.30	ug/L		98
69) cis-1,3-dichloropropene	11.75	75	83141	8.40	ug/L		98
70) 4-methyl-2-pentanone	11.86	58	104298	33.07	ug/L		92
71) 3-methyl-1-butanol	11.87	70	31962	175.95	ug/L		86
74) toluene	12.14	92	118849	8.05	ug/L		93
75) trans-1,3-dichloropropene	12.32	75	81969	8.62	ug/L		98
76) ethyl methacrylate	12.32	69	70711	8.93	ug/L		96
77) 1,1,2-trichloroethane	12.54	83	41515	8.34	ug/L		95
78) 2-hexanone	12.71	58	100140	33.29	ug/L		97
79) tetrachloroethene	12.68	166	58808	7.95	ug/L		97
80) 1,3-dichloropropane	12.72	76	78063	7.97	ug/L		97
81) butyl acetate	12.79	56	42776	8.42	ug/L	#	83
82) dibromochloromethane	12.96	129	59836	8.33	ug/L		99
83) 1,2-dibromoethane	13.11	107	51940	8.49	ug/L		99
84) n-butyl ether	13.56	57	249852	8.41	ug/L		94
85) chlorobenzene	13.59	112	135205	8.44	ug/L		94
86) 1,1,1,2-tetrachloroethane	13.66	131	53243	8.43	ug/L		95
87) ethylbenzene	13.66	91	234579	8.25	ug/L		94
88) m,p-xylene	13.78	106	178223	16.65	ug/L		89
89) o-xylene	14.18	91	189640	8.27	ug/L		93

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218786.D
Acq On : 31 Jul 2022 7:44 pm
Operator : PrashanS
Sample : IC9511-8
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Aug 01 14:55:38 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:54:29 2022
QLast Update : Mon Aug 01 14:55:32 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
90) styrene	14.19	104	149627	8.74	ug/L	97
91) n-amyl acetate	14.22	70	37199	8.66	ug/L	97
92) bromoform	14.41	173	42397	8.37	ug/L	97
93) butyl acrylate	14.01	55	132813	8.94	ug/L	97
94) isopropylbenzene	14.53	105	231604	8.51	ug/L	97
95) cis-1,4-dichloro-2-butene	14.56	88	22743	8.62	ug/L	89
98) bromobenzene	14.90	156	65047	8.03	ug/L	94
99) 1,1,2,2-tetrachloroethane	14.80	83	69378	8.19	ug/L	97
100) trans-1,4-dichloro-2-buten	14.83	53	22795	8.66	ug/L	97
101) 1,2,3-trichloropropane	14.89	110	17489	8.13	ug/L	95
102) n-propylbenzene	14.94	91	281415	8.51	ug/L	96
103) 2-chlorotoluene	15.07	126	57655	8.31	ug/L	96
104) 4-chlorotoluene	15.18	91	172721	8.31	ug/L	97
105) 1,3,5-trimethylbenzene	15.10	105	192735	8.53	ug/L	99
106) tert-butylbenzene	15.43	119	163544	8.37	ug/L	98
107) 1,2,4-trimethylbenzene	15.48	105	196793	8.55	ug/L	94
108) sec-butylbenzene	15.65	105	249910	8.51	ug/L	97
109) 1,3-dichlorobenzene	15.82	146	118333	8.22	ug/L	94
110) p-isopropyltoluene	15.79	119	210696	8.43	ug/L	95
111) benzyl chloride	16.01	91	117582	8.73	ug/L	96
112) 1,2,3-trimethylbenzene	15.91	105	196777	8.17	ug/L	95
113) 1,4-dichlorobenzene	15.91	146	121274	8.01	ug/L	97
114) 1,2-dichlorobenzene	16.28	146	117887	8.44	ug/L	98
115) n-butylbenzene	16.19	92	111412	8.67	ug/L	88
116) 1,2-dibromo-3-chloropropan	17.05	157	16157	9.51	ug/L	86
117) 1,3,5-trichlorobenzene	17.24	180	90238	8.29	ug/L	97
118) 1,2,4-trichlorobenzene	17.88	180	78595	8.66	ug/L	99
119) hexachlorobutadiene	18.00	225	41561	8.92	ug/L	95
120) naphthalene	18.17	128	190936	8.76	ug/L	100
121) 1,2,3-trichlorobenzene	18.40	180	73567	8.63	ug/L	99
122) hexachloroethane	16.58	201	35209	9.52	ug/L	94
123) 2-methylnaphthalene	19.41	142	42684	4.21	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218786.D
Acq On : 31 Jul 2022 7:44 pm
Operator : PrashanS
Sample : IC9511-8
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Aug 01 14:55:38 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:54:29 2022
QLast Update : Mon Aug 01 14:55:32 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218787.D
Acq On : 31 Jul 2022 8:13 pm
Operator : PrashanS
Sample : IC9511-20
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Aug 01 14:56:14 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:55:32 2022
QLast Update : Mon Aug 01 14:56:08 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	7.25	65	428714	500.00	ug/L	0.00
5) pentafluorobenzene	9.51	168	726573	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.44	114	975008	50.00	ug/L	0.00
72) chlorobenzene-d5	13.56	117	931654	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.89	152	513520	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.51	168	726573	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.54	113	341852	49.88	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.76%			
51) 1,2-dichloroethane-d4 (s)	9.95	65	453496	50.01	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.02%			
73) toluene-d8 (s)	12.06	98	1150863	50.41	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.82%			
97) 4-bromofluorobenzene (s)	14.72	95	474712	49.84	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.68%			
Target Compounds						Qvalue
2) ethanol	5.98	45	201148	1992.92	ug/L	91
3) tertiary butyl alcohol	7.37	59	99925	94.67	ug/L	95
4) 1,4-dioxane	11.08	88	36289	511.36	ug/L	91
6) chlorodifluoromethane	4.00	51	189834	18.66	ug/L	98
7) dichlorodifluoromethane	3.97	85	194905	19.76	ug/L	100
8) chloromethane	4.35	50	236025	17.84	ug/L	97
9) vinyl chloride	4.58	62	186333	18.86	ug/L	96
10) 1,3-butadiene	4.62	54	165284	18.35	ug/L	96
11) bromomethane	5.19	94	105060	18.03	ug/L	99
12) chloroethane	5.36	64	88757	19.43	ug/L	94
13) trichlorofluoromethane	5.80	101	216232	19.99	ug/L	95
14) ethyl ether	6.19	74	66845	19.24	ug/L	94
15) acrolein	6.41	56	28595	18.76	ug/L	91
16) freon 113	6.62	151	95865	18.11	ug/L	96
17) 1,1-dichloroethene	6.61	96	102333	18.47	ug/L	94
18) acetone	6.61	43	209498	72.88	ug/L	99
19) acetonitrile	7.03	41	220882	189.26	ug/L	99
20) iodomethane	6.85	142	201181	18.73	ug/L	98
21) carbon disulfide	6.99	76	339656	18.45	ug/L	99
22) methylene chloride	7.31	84	116736	17.63	ug/L	97
23) methyl acetate	7.06	43	135908	19.43	ug/L	97
24) methyl tert butyl ether	7.66	73	363194	18.35	ug/L	97
25) trans-1,2-dichloroethene	7.69	96	113785	18.03	ug/L	94
26) hexane	8.04	57	208222	18.69	ug/L	98
27) di-isopropyl ether	8.25	45	519192	18.98	ug/L	98
28) ethyl tert-butyl ether	8.71	59	446526	18.80	ug/L	99
29) 2-butanone	8.90	72	58559	79.56	ug/L #	91
30) 1,1-dichloroethane	8.26	63	226944	18.59	ug/L	98
31) chloroprene	8.36	53	223915	19.63	ug/L	99
32) acrylonitrile	7.59	53	61227	20.36	ug/L	90
33) vinyl acetate	8.20	86	21910	20.53	ug/L #	83
34) ethyl acetate	8.93	45	26784	19.49	ug/L	97

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218787.D
Acq On : 31 Jul 2022 8:13 pm
Operator : PrashanS
Sample : IC9511-20
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Aug 01 14:56:14 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:55:32 2022
QLast Update : Mon Aug 01 14:56:08 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
35) 2,2-dichloropropane	9.00	77	173614	17.59	ug/L		95
36) cis-1,2-dichloroethene	8.97	96	124837	18.13	ug/L		94
37) propionitrile	8.98	54	224569	194.11	ug/L		94
38) bromochloromethane	9.26	130	86308	19.10	ug/L		95
39) tetrahydrofuran	9.28	42	57263	16.98	ug/L		99
40) chloroform	9.35	83	225738	17.25	ug/L		99
41) tert-butyl formate	9.39	59	120638	20.68	ug/L		96
42) isobutyl alcohol	9.75	43	88672	182.61	ug/L		93
44) methacrylonitrile	9.18	67	55120	19.47	ug/L		94
45) 1,1,1-trichloroethane	9.60	97	208447	18.98	ug/L		95
46) cyclohexane	9.71	84	175098	19.36	ug/L	#	82
47) 1,1-dichloropropene	9.78	75	163733	18.40	ug/L		97
48) tert-amyl alcohol	9.91	73	45293	92.29	ug/L		89
49) carbon tetrachloride	9.80	117	183972	18.54	ug/L		98
52) 2,2,4-trimethylpentane	10.12	57	541401	19.26	ug/L		98
53) tert-amyl methyl ether	10.11	73	383899	18.54	ug/L		99
54) n-butyl alcohol	10.50	56	254149	1024.91	ug/L		98
55) benzene	10.02	78	455030	19.18	ug/L		97
56) heptane	10.28	57	110156	19.64	ug/L		97
57) isopropyl acetate	9.94	87	27594	19.10	ug/L	#	85
58) 1,2-dichloroethane	10.04	62	203567	18.03	ug/L		99
59) trichloroethene	10.74	95	125212	18.58	ug/L		96
60) ethyl acrylate	10.74	55	211396	20.30	ug/L		97
61) 2-nitropropane	11.50	41	53188	19.68	ug/L		98
62) 2-chloroethyl vinyl ether	11.53	63	271919	135.24	ug/L		96
63) methyl methacrylate	11.01	100	32581	20.36	ug/L		96
64) 1,2-dichloropropane	11.04	63	130263	18.68	ug/L		100
65) methylcyclohexane	11.04	83	210406	19.17	ug/L		98
66) dibromomethane	11.14	93	85263	18.53	ug/L		89
67) bromodichloromethane	11.30	83	177724	18.76	ug/L		97
68) epichlorohydrin	11.62	57	81786	101.98	ug/L		96
69) cis-1,3-dichloropropene	11.75	75	204747	19.99	ug/L		98
70) 4-methyl-2-pentanone	11.86	58	252997	77.71	ug/L		89
71) 3-methyl-1-butanol	11.87	70	81730	430.82	ug/L		96
74) toluene	12.14	92	287560	18.98	ug/L		96
75) trans-1,3-dichloropropene	12.32	75	194204	19.70	ug/L		98
76) ethyl methacrylate	12.32	69	176399	21.31	ug/L		97
77) 1,1,2-trichloroethane	12.54	83	100998	19.67	ug/L		96
78) 2-hexanone	12.71	58	248821	80.12	ug/L		96
79) tetrachloroethene	12.68	166	137905	18.19	ug/L		96
80) 1,3-dichloropropane	12.72	76	182704	18.20	ug/L		98
81) butyl acetate	12.79	56	108533	20.65	ug/L		92
82) dibromochloromethane	12.96	129	147361	19.89	ug/L		99
83) 1,2-dibromoethane	13.11	107	123583	19.53	ug/L		98
84) n-butyl ether	13.56	57	592133	19.30	ug/L		99
85) chlorobenzene	13.59	112	325014	19.64	ug/L		97
86) 1,1,1,2-tetrachloroethane	13.66	131	126686	19.41	ug/L		93
87) ethylbenzene	13.66	91	549381	18.76	ug/L		96
88) m,p-xylene	13.78	106	425017	38.50	ug/L		92
89) o-xylene	14.17	91	445865	18.87	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218787.D
Acq On : 31 Jul 2022 8:13 pm
Operator : PrashanS
Sample : IC9511-20
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Aug 01 14:56:14 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:55:32 2022
QLast Update : Mon Aug 01 14:56:08 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
90) styrene	14.19	104	358328	20.13	ug/L	94
91) n-amyl acetate	14.22	70	93122	20.84	ug/L	90
92) bromoform	14.41	173	106368	20.33	ug/L	97
93) butyl acrylate	14.01	55	332424	21.40	ug/L	100
94) isopropylbenzene	14.53	105	551439	19.58	ug/L	98
95) cis-1,4-dichloro-2-butene	14.56	88	60771	22.18	ug/L	99
98) bromobenzene	14.90	156	154205	18.21	ug/L	97
99) 1,1,2,2-tetrachloroethane	14.80	83	172140	19.37	ug/L	99
100) trans-1,4-dichloro-2-buten	14.83	53	58442	20.90	ug/L	98
101) 1,2,3-trichloropropane	14.89	110	43860	19.45	ug/L	95
102) n-propylbenzene	14.94	91	664796	19.06	ug/L	96
103) 2-chlorotoluene	15.07	126	137734	18.89	ug/L	90
104) 4-chlorotoluene	15.18	91	415037	19.01	ug/L	96
105) 1,3,5-trimethylbenzene	15.10	105	453630	19.04	ug/L	100
106) tert-butylbenzene	15.43	119	385273	18.75	ug/L	99
107) 1,2,4-trimethylbenzene	15.49	105	466785	19.21	ug/L	96
108) sec-butylbenzene	15.65	105	593422	19.16	ug/L	98
109) 1,3-dichlorobenzene	15.82	146	286521	18.96	ug/L	96
110) p-isopropyltoluene	15.79	119	503064	19.11	ug/L	95
111) benzyl chloride	16.01	91	292416	20.47	ug/L	97
112) 1,2,3-trimethylbenzene	15.91	105	472645	18.72	ug/L	96
113) 1,4-dichlorobenzene	15.91	146	287440	18.15	ug/L	97
114) 1,2-dichlorobenzene	16.28	146	283693	19.27	ug/L	100
115) n-butylbenzene	16.19	92	270266	19.88	ug/L	94
116) 1,2-dibromo-3-chloropropan	17.05	157	38568	21.06	ug/L	96
117) 1,3,5-trichlorobenzene	17.24	180	218557	19.11	ug/L	99
118) 1,2,4-trichlorobenzene	17.88	180	197555	20.59	ug/L	99
119) hexachlorobutadiene	18.00	225	99114	20.03	ug/L	91
120) naphthalene	18.17	128	482323	20.89	ug/L	99
121) 1,2,3-trichlorobenzene	18.40	180	184915	20.52	ug/L	96
122) hexachloroethane	16.58	201	85243	21.47	ug/L	92
123) 2-methylnaphthalene	19.41	142	115453	10.76	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218787.D
Acq On : 31 Jul 2022 8:13 pm
Operator : PrashanS
Sample : IC9511-20
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Aug 01 14:56:14 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:55:32 2022
QLast Update : Mon Aug 01 14:56:08 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218788.D
Acq On : 31 Jul 2022 8:41 pm
Operator : PrashanS
Sample : ICC9511-50
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Aug 01 14:30:56 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:25:46 2022
QLast Update : Mon Aug 01 14:30:00 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	7.25	65	430035	500.00	ug/L	0.00
5) pentafluorobenzene	9.51	168	739573	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.44	114	990901	50.00	ug/L	0.00
72) chlorobenzene-d5	13.56	117	951995	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.89	152	521245	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.51	168	739208	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.54	113	351605	50.00	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.00%			
51) 1,2-dichloroethane-d4 (s)	9.95	65	461345	50.00	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.00%			
73) toluene-d8 (s)	12.06	98	1170934	50.00	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.00%			
97) 4-bromofluorobenzene (s)	14.72	95	478753	50.00	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.00%			
Target Compounds						Qvalue
2) ethanol	5.98	45	521004	5000.00	ug/L	100
3) tertiary butyl alcohol	7.36	59	261604	250.00	ug/L	100
4) 1,4-dioxane	11.08	88	98789	1250.00	ug/L	100
6) chlorodifluoromethane	4.00	51	491666	50.00	ug/L	100
7) dichlorodifluoromethane	3.97	85	502619	50.01	ug/L	100
8) chloromethane	4.35	50	606131	50.00	ug/L	100
9) vinyl chloride	4.57	62	486994	50.00	ug/L	100
10) 1,3-butadiene	4.62	54	406614	50.00	ug/L	100
11) bromomethane	5.19	94	278236	50.00	ug/L	100
12) chloroethane	5.36	64	233276	50.00	ug/L	100
13) trichlorofluoromethane	5.79	101	561174	50.00	ug/L	100
14) ethyl ether	6.19	74	170540	50.00	ug/L	100
15) acrolein	6.41	56	81364	50.00	ug/L	100
16) freon 113	6.61	151	250484	50.00	ug/L	100
17) 1,1-dichloroethene	6.60	96	264084	50.00	ug/L	100
18) acetone	6.61	43	535473	200.00	ug/L	100
19) acetonitrile	7.01	41	569811	500.00	ug/L	100
20) iodomethane	6.85	142	518681	50.00	ug/L	100
21) carbon disulfide	6.98	76	882965	49.93	ug/L	100
22) methylene chloride	7.30	84	304836	50.00	ug/L	100
23) methyl acetate	7.06	43	352148	50.00	ug/L	100
24) methyl tert butyl ether	7.66	73	929573	50.00	ug/L	100
25) trans-1,2-dichloroethene	7.68	96	294733	50.00	ug/L	100
26) hexane	8.04	57	523892	50.00	ug/L	100
27) di-isopropyl ether	8.25	45	1323811	50.00	ug/L	100
28) ethyl tert-butyl ether	8.71	59	1155862	50.00	ug/L	100
29) 2-butanone	8.90	72	156008	200.00	ug/L	100
30) 1,1-dichloroethane	8.26	63	585886	50.00	ug/L	100
31) chloroprene	8.36	53	580070	50.00	ug/L	100
32) acrylonitrile	7.59	53	160857	50.00	ug/L	100
33) vinyl acetate	8.20	86	59412	50.00	ug/L	100
34) ethyl acetate	8.92	45	72024	50.00	ug/L	100

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218788.D
Acq On : 31 Jul 2022 8:41 pm
Operator : PrashanS
Sample : ICC9511-50
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Aug 01 14:30:56 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:25:46 2022
QLast Update : Mon Aug 01 14:30:00 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
35) 2,2-dichloropropane	9.00	77	461257	50.00	ug/L	100
36) cis-1,2-dichloroethene	8.97	96	328619	50.00	ug/L	100
37) propionitrile	8.98	54	582952	500.00	ug/L	100
38) bromochloromethane	9.26	130	227376	50.00	ug/L	100
39) tetrahydrofuran	9.28	42	143509	50.00	ug/L	100
40) chloroform	9.35	83	584987	50.00	ug/L	100
41) tert-butyl formate	9.38	59	324676	50.00	ug/L	100
42) isobutyl alcohol	9.75	43	255412	500.00	ug/L	100
44) methacrylonitrile	9.17	67	144788	50.00	ug/L	100
45) 1,1,1-trichloroethane	9.61	97	538312	50.00	ug/L	100
46) cyclohexane	9.72	84	458447	50.00	ug/L	100
47) 1,1-dichloropropene	9.78	75	422042	50.00	ug/L	100
48) tert-amyl alcohol	9.91	73	111514	250.00	ug/L	100
49) carbon tetrachloride	9.80	117	486009	50.00	ug/L	100
52) 2,2,4-trimethylpentane	10.12	57	1341381	50.00	ug/L	100
53) tert-amyl methyl ether	10.11	73	985231	50.00	ug/L	100
54) n-butyl alcohol	10.50	56	663849	2500.00	ug/L	100
55) benzene	10.02	78	1158667	50.00	ug/L	100
56) heptane	10.28	57	285626	50.00	ug/L	100
57) isopropyl acetate	9.94	87	70864	50.00	ug/L	100
58) 1,2-dichloroethane	10.04	62	520373	50.00	ug/L	100
59) trichloroethene	10.74	95	329122	50.00	ug/L	100
60) ethyl acrylate	10.74	55	549980	50.00	ug/L	100
61) 2-nitropropane	11.50	41	144509	50.00	ug/L	100
62) 2-chloroethyl vinyl ether	11.53	63	788930	250.00	ug/L	100
63) methyl methacrylate	11.01	100	87895	50.00	ug/L	100
64) 1,2-dichloropropane	11.03	63	341196	50.00	ug/L	100
65) methylcyclohexane	11.04	83	535262	50.00	ug/L	100
66) dibromomethane	11.14	93	216000	50.00	ug/L	100
67) bromodichloromethane	11.30	83	466331	50.00	ug/L	100
68) epichlorohydrin	11.62	57	216041	250.00	ug/L	100
69) cis-1,3-dichloropropene	11.75	75	528123	50.00	ug/L	100
70) 4-methyl-2-pentanone	11.86	58	660579	200.00	ug/L	100
71) 3-methyl-1-butanol	11.86	70	214542	1000.00	ug/L	100
74) toluene	12.14	92	735285	50.00	ug/L	100
75) trans-1,3-dichloropropene	12.32	75	511262	50.00	ug/L	100
76) ethyl methacrylate	12.31	69	450593	50.00	ug/L	100
77) 1,1,2-trichloroethane	12.54	83	258998	50.00	ug/L	100
78) 2-hexanone	12.71	58	640849	200.00	ug/L	100
79) tetrachloroethene	12.68	166	358070	50.00	ug/L	100
80) 1,3-dichloropropane	12.72	76	478006	50.00	ug/L	100
81) butyl acetate	12.79	56	276449	50.00	ug/L	100
82) dibromochloromethane	12.96	129	385243	50.00	ug/L	100
83) 1,2-dibromoethane	13.11	107	324612	50.00	ug/L	100
84) n-butyl ether	13.56	57	1493266	50.00	ug/L	100
85) chlorobenzene	13.59	112	817274	50.00	ug/L	100
86) 1,1,1,2-tetrachloroethane	13.66	131	328374	50.00	ug/L	100
87) ethylbenzene	13.66	91	1374498	50.00	ug/L	100
88) m,p-xylene	13.78	106	1084298	100.00	ug/L	100
89) o-xylene	14.18	91	1131192	50.00	ug/L	100

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218788.D
Acq On : 31 Jul 2022 8:41 pm
Operator : PrashanS
Sample : ICC9511-50
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Aug 01 14:30:56 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:25:46 2022
QLast Update : Mon Aug 01 14:30:00 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
90) styrene	14.19	104	918466	50.00	ug/L	100
91) n-amyl acetate	14.22	70	245352	50.00	ug/L	100
92) bromoform	14.41	173	292506	50.00	ug/L	100
93) butyl acrylate	14.01	55	852524	50.00	ug/L	100
94) isopropylbenzene	14.53	105	1382305	50.00	ug/L	100
95) cis-1,4-dichloro-2-butene	14.56	88	166175	50.00	ug/L	100
98) bromobenzene	14.90	156	395208	50.00	ug/L	100
99) 1,1,2,2-tetrachloroethane	14.80	83	435980	50.00	ug/L	100
100) trans-1,4-dichloro-2-buten	14.83	53	153920	50.00	ug/L	100
101) 1,2,3-trichloropropane	14.89	110	111981	50.00	ug/L	100
102) n-propylbenzene	14.94	91	1637606	50.00	ug/L	100
103) 2-chlorotoluene	15.07	126	357774	50.00	ug/L	100
104) 4-chlorotoluene	15.18	91	1028368	50.00	ug/L	100
105) 1,3,5-trimethylbenzene	15.10	105	1151685	50.00	ug/L	100
106) tert-butylbenzene	15.43	119	994736	50.00	ug/L	100
107) 1,2,4-trimethylbenzene	15.49	105	1172131	50.00	ug/L	100
108) sec-butylbenzene	15.66	105	1493082	50.00	ug/L	100
109) 1,3-dichlorobenzene	15.82	146	722902	50.00	ug/L	100
110) p-isopropyltoluene	15.79	119	1266530	50.00	ug/L	100
111) benzyl chloride	16.01	91	779733	49.94	ug/L	100
112) 1,2,3-trimethylbenzene	15.91	105	1191537	50.00	ug/L	100
113) 1,4-dichlorobenzene	15.91	146	739764	50.00	ug/L	100
114) 1,2-dichlorobenzene	16.28	146	721435	50.00	ug/L	100
115) n-butylbenzene	16.19	92	692266	50.00	ug/L	100
116) 1,2-dibromo-3-chloropropan	17.05	157	103021	50.00	ug/L	100
117) 1,3,5-trichlorobenzene	17.24	180	570163	50.00	ug/L	100
118) 1,2,4-trichlorobenzene	17.88	180	511452	50.00	ug/L	100
119) hexachlorobutadiene	18.00	225	253561	50.00	ug/L	100
120) naphthalene	18.17	128	1244748	50.00	ug/L	100
121) 1,2,3-trichlorobenzene	18.40	180	481606	50.00	ug/L	100
122) hexachloroethane	16.58	201	231840	50.00	ug/L	100
123) 2-methylnaphthalene	19.41	142	330650	25.00	ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218788.D
Acq On : 31 Jul 2022 8:41 pm
Operator : PrashanS
Sample : ICC9511-50
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Aug 01 14:30:56 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:25:46 2022
QLast Update : Mon Aug 01 14:30:00 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218789.D
Acq On : 31 Jul 2022 9:09 pm
Operator : PrashanS
Sample : IC9511-100
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Aug 01 14:57:44 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:56:08 2022
QLast Update : Mon Aug 01 14:56:58 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	7.25	65	459793	500.00	ug/L	0.00
5) pentafluorobenzene	9.51	168	767103	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.44	114	1020951	50.00	ug/L	0.00
72) chlorobenzene-d5	13.56	117	978755	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.89	152	538107	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.51	168	766203	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.54	113	356658	49.31	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.62%			
51) 1,2-dichloroethane-d4 (s)	9.95	65	474546	49.97	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.94%			
73) toluene-d8 (s)	12.06	98	1203527	50.13	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.26%			
97) 4-bromofluorobenzene (s)	14.72	95	490794	49.20	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.40%			
Target Compounds						Qvalue
2) ethanol	5.98	45	1234817	11414.00	ug/L	99
3) tertiary butyl alcohol	7.37	59	585243	521.63	ug/L	100
4) 1,4-dioxane	11.08	88	221072	2893.68	ug/L	98
6) chlorodifluoromethane	3.98	51	1019998	95.89	ug/L	99
7) dichlorodifluoromethane	3.95	85	1019002	98.02	ug/L	99
8) chloromethane	4.34	50	1240966	90.23	ug/L	99
9) vinyl chloride	4.57	62	999292	96.60	ug/L	99
10) 1,3-butadiene	4.61	54	831794	88.52	ug/L	98
11) bromomethane	5.18	94	593790	97.88	ug/L	97
12) chloroethane	5.35	64	497196	103.53	ug/L	93
13) trichlorofluoromethane	5.79	101	1164280	101.93	ug/L	95
14) ethyl ether	6.19	74	366512	100.48	ug/L	99
15) acrolein	6.41	56	175348	110.08	ug/L	99
16) freon 113	6.61	151	520898	94.48	ug/L	94
17) 1,1-dichloroethene	6.60	96	550153	95.09	ug/L	99
18) acetone	6.60	43	1150827	384.10	ug/L	98
19) acetonitrile	7.01	41	1229737	1005.75	ug/L	98
20) iodomethane	6.84	142	1084842	96.43	ug/L	99
21) carbon disulfide	6.98	76	1831506	95.27	ug/L	99
22) methylene chloride	7.30	84	647697	94.22	ug/L	98
23) methyl acetate	7.06	43	756374	102.82	ug/L	99
24) methyl tert butyl ether	7.65	73	1956452	94.58	ug/L	96
25) trans-1,2-dichloroethene	7.68	96	618814	94.18	ug/L	96
26) hexane	8.04	57	1091713	93.58	ug/L	98
27) di-isopropyl ether	8.25	45	2724270	94.93	ug/L	97
28) ethyl tert-butyl ether	8.71	59	2389269	96.01	ug/L	98
29) 2-butanone	8.90	72	347321	447.36	ug/L #	88
30) 1,1-dichloroethane	8.25	63	1237823	96.90	ug/L	99
31) chloroprene	8.36	53	1223805	101.86	ug/L	98
32) acrylonitrile	7.58	53	351188	110.28	ug/L	99
33) vinyl acetate	8.20	86	138861	122.72	ug/L #	66
34) ethyl acetate	8.92	45	157803	109.21	ug/L	99

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218789.D
Acq On : 31 Jul 2022 9:09 pm
Operator : PrashanS
Sample : IC9511-100
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Aug 01 14:57:44 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:56:08 2022
QLast Update : Mon Aug 01 14:56:58 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
35) 2,2-dichloropropane	9.00	77	965070	94.04	ug/L		99
36) cis-1,2-dichloroethene	8.97	96	691701	96.29	ug/L		97
37) propionitrile	8.98	54	1257873	1034.17	ug/L		92
38) bromochloromethane	9.26	130	475481	100.32	ug/L		97
39) tetrahydrofuran	9.28	42	312882	90.13	ug/L		98
40) chloroform	9.35	83	1209474	89.31	ug/L		98
41) tert-butyl formate	9.38	59	730261	118.05	ug/L		97
42) isobutyl alcohol	9.74	43	541170	1071.11	ug/L		99
44) methacrylonitrile	9.17	67	319550	107.39	ug/L		97
45) 1,1,1-trichloroethane	9.60	97	1125850	97.73	ug/L		99
46) cyclohexane	9.71	84	970919	102.08	ug/L		92
47) 1,1-dichloropropene	9.78	75	894376	96.15	ug/L		99
48) tert-amyl alcohol	9.91	73	252155	492.98	ug/L		97
49) carbon tetrachloride	9.80	117	1024277	98.68	ug/L		99
52) 2,2,4-trimethylpentane	10.12	57	2787152	95.13	ug/L		98
53) tert-amyl methyl ether	10.11	73	2038731	94.89	ug/L		98
54) n-butyl alcohol	10.49	56	1460985	5606.64	ug/L		98
55) benzene	10.02	78	2373166	96.01	ug/L		98
56) heptane	10.28	57	596268	101.74	ug/L		98
57) isopropyl acetate	9.94	87	161548	107.62	ug/L	#	85
58) 1,2-dichloroethane	10.04	62	1092441	93.72	ug/L		97
59) trichloroethene	10.74	95	688135	98.41	ug/L		99
60) ethyl acrylate	10.73	55	1180211	108.02	ug/L		98
61) 2-nitropropane	11.50	41	320922	113.68	ug/L		98
62) 2-chloroethyl vinyl ether	11.54	63	1888529	853.99	ug/L		95
63) methyl methacrylate	11.00	100	195712	116.47	ug/L		96
64) 1,2-dichloropropane	11.03	63	724213	100.11	ug/L		100
65) methylcyclohexane	11.04	83	1129075	98.74	ug/L		97
66) dibromomethane	11.14	93	465233	97.46	ug/L		96
67) bromodichloromethane	11.30	83	989742	100.53	ug/L		100
68) epichlorohydrin	11.62	57	469215	556.93	ug/L		96
69) cis-1,3-dichloropropene	11.75	75	1112379	103.74	ug/L		98
70) 4-methyl-2-pentanone	11.86	58	1416482	417.01	ug/L	#	79
71) 3-methyl-1-butanol	11.87	70	488983	2434.74	ug/L		88
74) toluene	12.14	92	1529303	96.69	ug/L		92
75) trans-1,3-dichloropropene	12.32	75	1070601	103.58	ug/L		98
76) ethyl methacrylate	12.31	69	955498	108.86	ug/L		99
77) 1,1,2-trichloroethane	12.54	83	541907	100.66	ug/L		96
78) 2-hexanone	12.71	58	1370894	420.10	ug/L	#	87
79) tetrachloroethene	12.68	166	748859	95.11	ug/L		98
80) 1,3-dichloropropane	12.72	76	1001429	96.03	ug/L		98
81) butyl acetate	12.79	56	598332	107.87	ug/L		95
82) dibromochloromethane	12.96	129	823008	105.79	ug/L		99
83) 1,2-dibromoethane	13.11	107	687815	103.76	ug/L		94
84) n-butyl ether	13.56	57	2887535	89.96	ug/L		95
85) chlorobenzene	13.59	112	1651463	95.19	ug/L		96
86) 1,1,1,2-tetrachloroethane	13.66	131	700680	102.58	ug/L		97
87) ethylbenzene	13.66	91	2646448	86.69	ug/L		94
88) m,p-xylene	13.78	106	2234566	193.57	ug/L		89
89) o-xylene	14.18	91	2246730	91.15	ug/L		94

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218789.D
Acq On : 31 Jul 2022 9:09 pm
Operator : PrashanS
Sample : IC9511-100
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Aug 01 14:57:44 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:56:08 2022
QLast Update : Mon Aug 01 14:56:58 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
90) styrene	14.19	104	1881419	100.55 ug/L	98
91) n-amyl acetate	14.22	70	530039	112.25 ug/L	93
92) bromoform	14.41	173	627627	113.97 ug/L	98
93) butyl acrylate	14.01	55	1758147	106.68 ug/L	95
94) isopropylbenzene	14.53	105	2659670	90.14 ug/L	93
95) cis-1,4-dichloro-2-butene	14.56	88	364115	124.56 ug/L	98
98) bromobenzene	14.90	156	830178	94.61 ug/L	98
99) 1,1,2,2-tetrachloroethane	14.80	83	907222	97.83 ug/L	97
100) trans-1,4-dichloro-2-buten	14.83	53	341911	115.82 ug/L	99
101) 1,2,3-trichloropropane	14.89	110	242837	103.16 ug/L	97
102) n-propylbenzene	14.94	91	3092740	85.12 ug/L	92
103) 2-chlorotoluene	15.07	126	750624	98.93 ug/L	91
104) 4-chlorotoluene	15.18	91	2043632	89.87 ug/L	97
105) 1,3,5-trimethylbenzene	15.10	105	2273581	91.60 ug/L	94
106) tert-butylbenzene	15.44	119	1982306	92.78 ug/L	98
107) 1,2,4-trimethylbenzene	15.49	105	2293767	90.53 ug/L	94
108) sec-butylbenzene	15.66	105	2881813	89.25 ug/L	93
109) 1,3-dichlorobenzene	15.82	146	1472886	93.64 ug/L	97
110) p-isopropyltoluene	15.79	119	2476449	90.29 ug/L	94
111) benzyl chloride	16.01	91	1622166	107.99 ug/L	97
112) 1,2,3-trimethylbenzene	15.91	105	2328806	88.74 ug/L	94
113) 1,4-dichlorobenzene	15.91	146	1520831	92.73 ug/L	98
114) 1,2-dichlorobenzene	16.28	146	1459443	95.06 ug/L	96
115) n-butylbenzene	16.19	92	1421483	99.84 ug/L	92
116) 1,2-dibromo-3-chloropropan	17.05	157	223516	115.61 ug/L	92
117) 1,3,5-trichlorobenzene	17.24	180	1164572	97.72 ug/L	98
118) 1,2,4-trichlorobenzene	17.88	180	1063844	105.43 ug/L	96
119) hexachlorobutadiene	18.00	225	541433	104.40 ug/L	99
120) naphthalene	18.17	128	2511427	103.21 ug/L	96
121) 1,2,3-trichlorobenzene	18.40	180	1007289	106.31 ug/L	99
122) hexachloroethane	16.58	201	498427	118.73 ug/L	99
123) 2-methylnaphthalene	19.41	142	746190	65.36 ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218789.D
Acq On : 31 Jul 2022 9:09 pm
Operator : PrashanS
Sample : IC9511-100
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Aug 01 14:57:44 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:56:08 2022
QLast Update : Mon Aug 01 14:56:58 2022
Response via : Initial Calibration



Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 08/01/22 19:36

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218790.D
Acq On : 31 Jul 2022 9:38 pm
Operator : PrashanS
Sample : IC9511-200
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Aug 01 14:59:58 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:56:58 2022
QLast Update : Mon Aug 01 14:57:51 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	7.26	65	466711	500.00	ug/L	0.00
5) pentafluorobenzene	9.51	168	787560	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.44	114	1056636	50.00	ug/L	0.00
72) chlorobenzene-d5	13.56	117	1016487	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.89	152	549265	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.51	168	786735	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.54	113	370135	49.92	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.84%			
51) 1,2-dichloroethane-d4 (s)	9.95	65	489230	49.78	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.56%			
73) toluene-d8 (s)	12.06	98	1227827	49.23	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.46%			
97) 4-bromofluorobenzene (s)	14.72	95	506250	49.80	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.60%			
Target Compounds						Qvalue
2) ethanol	5.98	45	2507597	22383.19	ug/L	99
3) tertiary butyl alcohol	7.37	59	1151431	1004.85	ug/L	95
4) 1,4-dioxane	11.08	88	439086	5537.57	ug/L	99
6) chlorodifluoromethane	3.99	51	1945766	179.09	ug/L	97
7) dichlorodifluoromethane	3.96	85	2007470	188.56	ug/L	99
8) chloromethane	4.34	50	2319881	166.32	ug/L	96
9) vinyl chloride	4.57	62	1922923	181.82	ug/L	99
10) 1,3-butadiene	4.61	54	1572491	165.38	ug/L	99
11) bromomethane	5.17	94	1175847	189.29	ug/L	100
12) chloroethane	5.35	64	998027	201.52	ug/L	94
13) trichlorofluoromethane	5.79	101	2305229	196.16	ug/L	98
14) ethyl ether	6.19	74	732066	195.37	ug/L	94
15) acrolein	6.41	56	353644	213.18	ug/L	98
16) freon 113	6.61	151	1039665	184.95	ug/L	93
17) 1,1-dichloroethene	6.60	96	1072566	181.69	ug/L	94
18) acetone	6.61	43	2212776	722.94	ug/L	96
19) acetonitrile	7.01	41	2392817	1904.78	ug/L	100
20) iodomethane	6.84	142	2101270	182.65	ug/L	99
21) carbon disulfide	6.98	76	3453484	176.02	ug/L	99
22) methylene chloride	7.30	84	1253295	178.88	ug/L	97
23) methyl acetate	7.06	43	1459173	192.53	ug/L	99
24) methyl tert butyl ether	7.66	73	3674108	174.05	ug/L	93
25) trans-1,2-dichloroethene	7.68	96	1205853	180.07	ug/L	96
26) hexane	8.03	57	2131802	179.26	ug/L	98
27) di-isopropyl ether	8.25	45	4954270	169.11	ug/L	93
28) ethyl tert-butyl ether	8.71	59	4422135	173.85	ug/L	93
29) 2-butanone	8.90	72	676627	834.75	ug/L #	79
30) 1,1-dichloroethane	8.25	63	2370352	181.36	ug/L	98
31) chloroprene	8.36	53	2345339	189.74	ug/L	96
32) acrylonitrile	7.59	53	700650	211.20	ug/L	98
33) vinyl acetate	8.20	86	275079	229.35	ug/L #	48
34) ethyl acetate	8.92	45	316543	210.61	ug/L	98

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218790.D
Acq On : 31 Jul 2022 9:38 pm
Operator : PrashanS
Sample : IC9511-200
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Aug 01 14:59:58 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:56:58 2022
QLast Update : Mon Aug 01 14:57:51 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
35) 2,2-dichloropropane	9.00	77	1856703	177.40 ug/L		97
36) cis-1,2-dichloroethene	8.97	96	1346873	183.39 ug/L		96
37) propionitrile	8.98	54	2362630	1883.95 ug/L		90
38) bromochloromethane	9.26	130	927216	190.47 ug/L		97
39) tetrahydrofuran	9.28	42	608625	173.21 ug/L		99
40) chloroform	9.35	83	2266992	165.26 ug/L		95
41) tert-butyl formate	9.38	59	1422033	219.50 ug/L		97
42) isobutyl alcohol	9.75	43	1006806	1921.44 ug/L		93
44) methacrylonitrile	9.18	67	629596	203.93 ug/L		95
45) 1,1,1-trichloroethane	9.60	97	2130679	180.60 ug/L		94
46) cyclohexane	9.71	84	1907068	194.85 ug/L		97
47) 1,1-dichloropropene	9.78	75	1698828	178.66 ug/L		96
48) tert-amyl alcohol	9.91	73	501885	957.65 ug/L		93
49) carbon tetrachloride	9.80	117	1936262	181.96 ug/L		97
52) 2,2,4-trimethylpentane	10.12	57	5105819	169.30 ug/L		93
53) tert-amyl methyl ether	10.11	73	3730617	168.72 ug/L		93
54) n-butyl alcohol	10.50	56	2802541	10236.50 ug/L		95
55) benzene	10.02	78	4295872	168.67 ug/L		93
56) heptane	10.28	57	1179216	194.04 ug/L		98
57) isopropyl acetate	9.94	87	318969	203.10 ug/L	#	68
58) 1,2-dichloroethane	10.04	62	2053719	171.58 ug/L		95
59) trichloroethene	10.74	95	1330747	184.20 ug/L		98
60) ethyl acrylate	10.74	55	2214265	193.88 ug/L		95
61) 2-nitropropane	11.50	41	616512	206.97 ug/L		97
62) 2-chloroethyl vinyl ether	11.54	63	3656614	1467.77 ug/L		84
63) methyl methacrylate	11.00	100	383199	215.28 ug/L	#	89
64) 1,2-dichloropropane	11.03	63	1406329	187.80 ug/L		97
65) methylcyclohexane	11.04	83	2186396	185.01 ug/L		97
66) dibromomethane	11.14	93	899104	182.51 ug/L		96
67) bromodichloromethane	11.30	83	1866491	183.08 ug/L		96
68) epichlorohydrin	11.62	57	899434	1015.00 ug/L		95
69) cis-1,3-dichloropropene	11.75	75	2070525	185.80 ug/L		98
70) 4-methyl-2-pentanone	11.86	58	2628926	744.30 ug/L	#	50
71) 3-methyl-1-butanol	11.87	70	955927	4477.35 ug/L	#	83
74) toluene	12.14	92	2835179	173.23 ug/L	#	81
75) trans-1,3-dichloropropene	12.32	75	2008871	186.40 ug/L		93
76) ethyl methacrylate	12.32	69	1797622	195.04 ug/L		95
77) 1,1,2-trichloroethane	12.54	83	1032478	184.53 ug/L		96
78) 2-hexanone	12.71	58	2496455m	732.02 ug/L		
79) tetrachloroethene	12.68	166	1438276	176.84 ug/L		96
80) 1,3-dichloropropane	12.72	76	1896115	175.85 ug/L		95
81) butyl acetate	12.79	56	1139985	195.97 ug/L	#	81
82) dibromochloromethane	12.96	129	1567845	192.82 ug/L		98
83) 1,2-dibromoethane	13.11	107	1307311	189.11 ug/L		98
84) n-butyl ether	13.56	57	4656404	141.27 ug/L		84
85) chlorobenzene	13.59	112	2958993	165.10 ug/L		89
86) 1,1,1,2-tetrachloroethane	13.66	131	1359925	191.15 ug/L		97
87) ethylbenzene	13.66	91	4325760	138.48 ug/L		78
88) m,p-xylene	13.78	106	4067940m	340.52 ug/L		
89) o-xylene	14.18	91	3798015	149.84 ug/L		81

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218790.D
Acq On : 31 Jul 2022 9:38 pm
Operator : PrashanS
Sample : IC9511-200
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Aug 01 14:59:58 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:56:58 2022
QLast Update : Mon Aug 01 14:57:51 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
90) styrene	14.19	104	3300708	169.75 ug/L		94
91) n-amyl acetate	14.22	70	1029302	206.73 ug/L	#	73
92) bromoform	14.41	173	1198100	206.29 ug/L		99
93) butyl acrylate	14.01	55	3066741	177.69 ug/L		86
94) isopropylbenzene	14.53	105	4389902	144.85 ug/L		79
95) cis-1,4-dichloro-2-butene	14.56	88	703659	224.87 ug/L		96
98) bromobenzene	14.90	156	1557178	174.91 ug/L		97
99) 1,1,2,2-tetrachloroethane	14.80	83	1671453	177.00 ug/L		93
100) trans-1,4-dichloro-2-buten	14.84	53	658540	213.72 ug/L		95
101) 1,2,3-trichloropropane	14.89	110	464207	192.43 ug/L		95
102) n-propylbenzene	14.94	91	4853553	133.07 ug/L		76
103) 2-chlorotoluene	15.07	126	1422059	183.83 ug/L	#	77
104) 4-chlorotoluene	15.18	91	3533495	153.97 ug/L		88
105) 1,3,5-trimethylbenzene	15.10	105	3795652	151.22 ug/L		79
106) tert-butylbenzene	15.44	119	3486356	161.15 ug/L		93
107) 1,2,4-trimethylbenzene	15.49	105	3819384	149.24 ug/L		80
108) sec-butylbenzene	15.66	105	4643148	142.58 ug/L		79
109) 1,3-dichlorobenzene	15.82	146	2643128	165.79 ug/L		92
110) p-isopropyltoluene	15.79	119	4099510	148.03 ug/L		80
111) benzyl chloride	16.01	91	2869003	185.27 ug/L		91
112) 1,2,3-trimethylbenzene	15.92	105	3830859	144.83 ug/L		81
113) 1,4-dichlorobenzene	15.91	146	2696046	162.35 ug/L		90
114) 1,2-dichlorobenzene	16.29	146	2578195	165.42 ug/L		90
115) n-butylbenzene	16.19	92	2538634	174.72 ug/L	#	79
116) 1,2-dibromo-3-chloropropan	17.05	157	428522	212.99 ug/L		94
117) 1,3,5-trichlorobenzene	17.24	180	2098252	172.93 ug/L		95
118) 1,2,4-trichlorobenzene	17.88	180	1935846	186.82 ug/L		93
119) hexachlorobutadiene	18.00	225	1019566	191.66 ug/L		98
120) naphthalene	18.17	128	4186948	167.97 ug/L		88
121) 1,2,3-trichlorobenzene	18.40	180	1852704	190.22 ug/L		98
122) hexachloroethane	16.58	201	958253	219.06 ug/L		99
123) 2-methylnaphthalene	19.41	142	1401982	114.45 ug/L		97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218790.D
Acq On : 31 Jul 2022 9:38 pm
Operator : PrashanS
Sample : IC9511-200
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Aug 01 14:59:58 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:56:58 2022
QLast Update : Mon Aug 01 14:57:51 2022
Response via : Initial Calibration



Manual Integration Approval Summary

Sample Number: V2A9511-IC9511
Lab FileID: 2A218790.D
Injection Time: 07/31/22 21:38
Method: SW846 8260D
Analyst approved: 08/01/22 15:32 MoHui Huang
Supervisor approved: 08/01/22 19:36 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
2-Hexanone	591-78-6		12.71	Missed peak
m,p-Xylene			13.78	Missed peak


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218790.D Vial: 11
Acq On : 31 Jul 2022 9:38 pm Operator: PrashanS
Sample : IC9511-200 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:57:58 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:57:51 2022
Last Update : Mon Aug 01 14:57:51 2022
Response via : Multiple Level Calibration







(78) 2-hexanone

12.50min 0.08ug/L

response 268

Ion	Exp%	Act%
58.00	100	100
43.00	211.60	202.36
85.00	13.20	0.00
100.00	15.00	0.00


2A218790.D M2A9511.M Mon Aug 01 14:58:38 2022 MS2A


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218790.D Vial: 11
Acq On : 31 Jul 2022 9:38 pm Operator: PrashanS
Sample : IC9511-200 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:57:58 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:57:51 2022
Last Update : Mon Aug 01 14:57:51 2022
Response via : Multiple Level Calibration







(78) 2-hexanone

12.71min 732.02ug/L m

response 2496455

Ion	Exp%	Act%
58.00	100	100
43.00	211.60	156.44#
85.00	13.20	16.03
100.00	15.00	18.58


2A218790.D M2A9511.M Mon Aug 01 14:58:59 2022 MS2A


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218790.D Vial: 11
Acq On : 31 Jul 2022 9:38 pm Operator: PrashanS
Sample : IC9511-200 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:57:58 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:57:51 2022
Last Update : Mon Aug 01 14:57:51 2022
Response via : Multiple Level Calibration







(88) m,p-xylene

13.66min 149.53ug/L

response 1786280

Ion	Exp%	Act%
106.10	100	100
91.10	188.10	208.07
77.00	28.60	31.62
0.00	0.00	0.00


2A218790.D M2A9511.M Mon Aug 01 14:59:10 2022 MS2A


Quantitation Report (Qedit)


Data File : C:\MSDChem\1\DATA\V2A9511\2A218790.D Vial: 11
Acq On : 31 Jul 2022 9:38 pm Operator: PrashanS
Sample : IC9511-200 Inst : GCMS2A
Misc : MS60684,V2A9511,5,,,,1 Multiplr: 1.00
MS Integration Params: rteint.p

Quant Time: Aug 01 14:57:58 2022 Results File: M2A9511.RES

Method : C:\MSDCHEM\1\METHODS\M2A9511.M (RTE Integrator)
Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 14:57:51 2022
Last Update : Mon Aug 01 14:57:51 2022
Response via : Multiple Level Calibration







(88) m,p-xylene

13.78min 340.52ug/L m

response 4067940

Ion	Exp%	Act%
106.10	100	100
91.10	188.10	139.32#
77.00	28.60	32.26
0.00	0.00	0.00

2A218790.D M2A9511.M Mon Aug 01 14:59:28 2022 MS2A

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218793.D
Acq On : 31 Jul 2022 11:03 pm
Operator : PrashanS
Sample : ICV9511-50
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Aug 01 15:16:16 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:09:53 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	7.25	65	445809	500.00	ug/L		0.00
5) pentafluorobenzene	9.51	168	771519	50.00	ug/L		0.00
50) 1,4-difluorobenzene	10.44	114	1037484	50.00	ug/L		0.00
72) chlorobenzene-d5	13.56	117	978504	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	15.89	152	534207	50.00	ug/L		0.00
124) pentafluorobenzene(a)	9.51	168	768917	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	9.54	113	359805	49.54	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.08%				
51) 1,2-dichloroethane-d4 (s)	9.95	65	479151	49.68	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.36%				
73) toluene-d8 (s)	12.06	98	1212604	50.59	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.18%				
97) 4-bromofluorobenzene (s)	14.72	95	495200	50.11	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.22%				
Target Compounds							Qvalue
2) ethanol	5.98	45	548160	5047.19	ug/L		97
3) tertiary butyl alcohol	7.37	59	283409	258.77	ug/L		98
4) 1,4-dioxane	11.08	88	103513	1348.55	ug/L		98
7) dichlorodifluoromethane	3.96	85	504631	48.69	ug/L		99
8) chloromethane	4.35	50	581197	43.35	ug/L		99
9) vinyl chloride	4.57	62	503038	49.05	ug/L		98
10) 1,3-butadiene	4.62	54	521809	57.12	ug/L		99
11) bromomethane	5.19	94	304171	50.28	ug/L		95
12) chloroethane	5.36	64	260183	53.58	ug/L		94
13) trichlorofluoromethane	5.79	101	596548	51.92	ug/L		94
14) ethyl ether	6.19	74	180624	49.33	ug/L		95
15) acrolein	6.41	56	84396	51.51	ug/L		99
16) freon 113	6.61	151	263505	48.25	ug/L		95
17) 1,1-dichloroethene	6.60	96	280795	49.05	ug/L		98
18) acetone	6.61	43	557328	187.88	ug/L		99
19) acetonitrile	7.02	41	523329	427.51	ug/L		99
20) iodomethane	6.85	142	542748	48.58	ug/L		98
21) carbon disulfide	6.98	76	968263	51.06	ug/L		99
22) methylene chloride	7.31	84	331689	48.90	ug/L		98
23) methyl acetate	7.06	43	393735	53.25	ug/L		97
24) methyl tert butyl ether	7.66	73	1014871	49.72	ug/L		97
25) trans-1,2-dichloroethene	7.69	96	315986	48.71	ug/L		95
26) hexane	8.04	57	629374	54.59	ug/L		97
27) di-isopropyl ether	8.25	45	1360441	48.15	ug/L		99
28) ethyl tert-butyl ether	8.71	59	1158329	47.10	ug/L		99
29) 2-butanone	8.90	72	173033	216.73	ug/L		96
30) 1,1-dichloroethane	8.26	63	616720	48.62	ug/L		99
31) chloroprene	8.36	53	656494	54.50	ug/L		97
32) acrylonitrile	7.59	53	170484	52.09	ug/L		98
33) vinyl acetate	8.20	86	57906	48.40	ug/L	#	92
34) ethyl acetate	8.92	45	76594	51.68	ug/L		93
35) 2,2-dichloropropane	9.00	77	456939	45.08	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218793.D
Acq On : 31 Jul 2022 11:03 pm
Operator : PrashanS
Sample : ICV9511-50
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Aug 01 15:16:16 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:09:53 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
36) cis-1,2-dichloroethene	8.97	96	344944	48.34	ug/L	99
37) propionitrile	8.98	54	591718	484.77	ug/L	84
38) bromochloromethane	9.26	130	235453	49.64	ug/L	96
39) tetrahydrofuran	9.28	42	149461	44.16	ug/L	97
40) chloroform	9.35	83	615437	46.70	ug/L	99
41) tert-butyl formate	9.39	59	204245	31.87	ug/L	97
42) isobutyl alcohol	9.75	43	241200	472.21	ug/L	95
44) methacrylonitrile	9.17	67	158794	52.38	ug/L	98
45) 1,1,1-trichloroethane	9.60	97	569432	49.75	ug/L	99
46) cyclohexane	9.72	84	492481	51.50	ug/L	97
47) 1,1-dichloropropene	9.78	75	456160	49.50	ug/L	99
48) tert-amyl alcohol	9.91	73	117479	230.04	ug/L	97
49) carbon tetrachloride	9.80	117	519661	50.30	ug/L	97
52) 2,2,4-trimethylpentane	10.12	57	1413533	48.48	ug/L	100
53) tert-amyl methyl ether	10.11	73	964039	45.11	ug/L	100
54) n-butyl alcohol	10.50	56	707896	2626.47	ug/L	98
55) benzene	10.02	78	1228169	49.89	ug/L	99
56) heptane	10.28	57	321460	54.03	ug/L	98
57) isopropyl acetate	9.94	87	79099	51.20	ug/L	95
58) 1,2-dichloroethane	10.04	62	551476	47.68	ug/L	99
59) trichloroethene	10.74	95	349136	49.61	ug/L	99
60) ethyl acrylate	10.74	55	571460	51.13	ug/L	99
61) 2-nitropropane	11.50	41	154744	52.68	ug/L	95
62) 2-chloroethyl vinyl ether	11.54	63	810631	230.49	ug/L	97
63) methyl methacrylate	11.01	100	94186	53.38	ug/L	97
64) 1,2-dichloropropane	11.03	63	359442	49.22	ug/L	99
65) methylcyclohexane	11.04	83	587118	50.98	ug/L	99
66) dibromomethane	11.14	93	231839	48.35	ug/L	96
67) bromodichloromethane	11.30	83	495295	49.90	ug/L	100
68) epichlorohydrin	11.62	57	216005	247.79	ug/L	100
69) cis-1,3-dichloropropene	11.75	75	556209	51.20	ug/L	98
70) 4-methyl-2-pentanone	11.86	58	691136	200.68	ug/L	99
71) 3-methyl-1-butanol	11.87	70	230963	1087.33	ug/L	96
74) toluene	12.14	92	784425	50.47	ug/L	97
75) trans-1,3-dichloropropene	12.32	75	532792	51.71	ug/L	99
76) ethyl methacrylate	12.31	69	469179	53.03	ug/L	99
77) 1,1,2-trichloroethane	12.54	83	270890	50.69	ug/L	96
78) 2-hexanone	12.71	58	670802	206.28	ug/L	96
79) tetrachloroethene	12.68	166	378879	48.96	ug/L	97
80) 1,3-dichloropropane	12.72	76	499148	48.68	ug/L	99
81) butyl acetate	12.79	56	306588	54.87	ug/L	98
82) dibromochloromethane	12.96	129	407592	52.26	ug/L	99
83) 1,2-dibromoethane	13.11	107	347342	52.48	ug/L	92
84) n-butyl ether	13.56	57	1537312	49.92	ug/L	100
85) chlorobenzene	13.59	112	855501	50.47	ug/L	100
86) 1,1,1,2-tetrachloroethane	13.66	131	345395	50.66	ug/L	98
87) ethylbenzene	13.66	91	1448324	49.69	ug/L	99
88) m,p-xylene	13.78	106	1149394	101.46	ug/L	97
89) o-xylene	14.18	91	1189905	50.02	ug/L	100
90) styrene	14.19	104	970311	52.63	ug/L	99

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218793.D
Acq On : 31 Jul 2022 11:03 pm
Operator : PrashanS
Sample : ICV9511-50
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Aug 01 15:16:16 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:09:53 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
91) n-amyl acetate	14.22	70	250835	52.14	ug/L	96
92) bromoform	14.41	173	300173	53.52	ug/L	97
93) butyl acrylate	14.01	55	909617	55.44	ug/L	99
94) isopropylbenzene	14.53	105	1434851	50.58	ug/L	99
95) cis-1,4-dichloro-2-butene	14.56	88	163957	53.69	ug/L	98
98) bromobenzene	14.90	156	412082	48.20	ug/L	99
99) 1,1,2,2-tetrachloroethane	14.80	83	449547	49.52	ug/L	97
100) trans-1,4-dichloro-2-buten	14.83	53	166056	54.94	ug/L	97
101) 1,2,3-trichloropropane	14.89	110	118265	50.62	ug/L	98
102) n-propylbenzene	14.94	91	1712642	49.95	ug/L	99
103) 2-chlorotoluene	15.07	126	374061	50.12	ug/L	100
104) 4-chlorotoluene	15.18	91	1084340	49.73	ug/L	99
105) 1,3,5-trimethylbenzene	15.10	105	1199084	50.35	ug/L	99
106) tert-butylbenzene	15.44	119	1031793	50.01	ug/L	99
107) 1,2,4-trimethylbenzene	15.49	105	1213807	50.04	ug/L	93
108) sec-butylbenzene	15.66	105	1560719	50.73	ug/L	99
109) 1,3-dichlorobenzene	15.82	146	757672	49.72	ug/L	100
110) p-isopropyltoluene	15.79	119	1321261	50.36	ug/L	99
111) benzyl chloride	16.01	91	733735	49.12	ug/L	99
113) 1,4-dichlorobenzene	15.91	146	763183	48.16	ug/L	99
114) 1,2-dichlorobenzene	16.28	146	741078	49.75	ug/L	99
115) n-butylbenzene	16.19	92	726411	52.06	ug/L	99
116) 1,2-dibromo-3-chloropropan	17.05	157	103729	52.63	ug/L	96
117) 1,3,5-trichlorobenzene	17.24	180	596644	51.25	ug/L	98
118) 1,2,4-trichlorobenzene	17.88	180	533344	53.27	ug/L	97
119) hexachlorobutadiene	18.00	225	270904	52.58	ug/L	98
120) naphthalene	18.17	128	1284545	53.85	ug/L	100
121) 1,2,3-trichlorobenzene	18.40	180	497058	52.73	ug/L	100
122) hexachloroethane	16.58	201	239966	55.87	ug/L	99
123) 2-methylnaphthalene	19.41	142	333601	27.44	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218793.D
Acq On : 31 Jul 2022 11:03 pm
Operator : PrashanS
Sample : ICV9511-50
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Aug 01 15:16:16 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:09:53 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218794.D
Acq On : 31 Jul 2022 11:31 pm
Operator : PrashanS
Sample : ICV9511-50
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Aug 02 08:37:05 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	7.25	65	452063	500.00	ug/L	0.00
5) pentafluorobenzene	9.51	168	763795	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.44	114	1025003	50.00	ug/L	0.00
72) chlorobenzene-d5	13.56	117	967016	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.89	152	523697	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.51	168	763699	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.54	113	360126	50.09	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.18%			
51) 1,2-dichloroethane-d4 (s)	9.95	65	483168	50.70	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 101.40%			
73) toluene-d8 (s)	12.06	98	1189110	50.20	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.40%			
97) 4-bromofluorobenzene (s)	14.72	95	489954	50.57	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.14%			
Target Compounds						Qvalue
6) chlorodifluoromethane	3.99	51	618028	59.34	ug/L	96
19) acetonitrile	7.02	41	547161	451.50	ug/L	98
32) acrylonitrile	7.59	53	132327	40.84	ug/L	99
79) tetrachloroethene	12.68	166	344120	45.00	ug/L	98
112) 1,2,3-trimethylbenzene	15.91	105	1281029	52.23	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\MSDCHEM\1\DATA\V2A9511\
Data File : 2A218794.D
Acq On : 31 Jul 2022 11:31 pm
Operator : PrashanS
Sample : ICV9511-50
Misc : MS60684,V2A9511,5,,,,1
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Aug 02 08:37:05 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10022022\v2a9581\
Data File : 2a220390.d
Acq On : 29 Sep 2022 9:13 am
Operator : nicoleh
Sample : cc9511-20 Inst : GCMS2A
Misc : MS62546,V2A9581,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 29 09:36:25 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	7.240	65	378078	500.00	ug/L	0.00
5) pentafluorobenzene	9.511	168	690934	50.00	ug/L	0.00
50) 1,4-difluorobenzene	10.433	114	1042793	50.00	ug/L	0.00
72) chlorobenzene-d5	13.563	117	969973	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	15.886	152	478807	50.00	ug/L	0.00
124) pentafluorobenzene(a)	9.511	168	690934	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	9.537	113	340136	52.30	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 104.60%			
51) 1,2-dichloroethane-d4 (s)	9.956	65	411235	42.42	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 84.84%			
73) toluene-d8 (s)	12.059	98	1187189	49.96	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.92%			
97) 4-bromofluorobenzene (s)	14.722	95	487221	55.01	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 110.02%			
Target Compounds						Qvalue
2) ethanol	5.966	45	121856	1322.99	ug/L	99
3) tertiary butyl alcohol	7.361	59	93707	100.89	ug/L	98
4) 1,4-dioxane	11.083	88	21829	335.33	ug/L	99
6) chlorodifluoromethane	3.984	51	207535	22.03	ug/L	97
7) dichlorodifluoromethane	3.958	85	181749	19.58	ug/L	96
8) chloromethane	4.346	50	223771	18.64	ug/L	98
9) vinyl chloride	4.566	62	177850	19.36	ug/L	97
10) 1,3-butadiene	4.614	54	164121	20.06	ug/L	95
11) bromomethane	5.190	94	115149	21.26	ug/L	99
12) chloroethane	5.353	64	102196	23.50	ug/L	91
13) trichlorofluoromethane	5.783	101	205221	19.94	ug/L	96
14) ethyl ether	6.186	74	73635	22.46	ug/L	95
15) acrolein	6.417	56	24438	16.65	ug/L	99
16) freon 113	6.611	151	104574	21.38	ug/L	95
17) 1,1-dichloroethene	6.601	96	109611	21.38	ug/L	89
18) acetone	6.606	43	271635	102.25	ug/L	98
19) acetonitrile	7.020	41	202941	185.12	ug/L	95
20) iodomethane	6.847	142	211415	21.13	ug/L	93
21) carbon disulfide	6.983	76	404257	23.80	ug/L	92
22) methylene chloride	7.303	84	127992	21.07	ug/L	96
23) methyl acetate	7.062	43	136214	20.57	ug/L	96
24) methyl tert butyl ether	7.655	73	390998	21.39	ug/L	94
25) trans-1,2-dichloroethene	7.686	96	124771	21.48	ug/L	95
26) hexane	8.037	57	243835	23.62	ug/L	98
27) di-isopropyl ether	8.252	45	583496	23.06	ug/L	98
28) ethyl tert-butyl ether	8.708	59	506264	22.99	ug/L	99
29) 2-butanone	8.902	72	69394	97.06	ug/L	97
30) 1,1-dichloroethane	8.257	63	249366	21.95	ug/L	98
31) chloroprene	8.357	53	231094	21.42	ug/L	95
32) acrylonitrile	7.586	53	56032	19.12	ug/L	96
33) vinyl acetate	8.195	86	26032	24.29	ug/L #	71
34) ethyl acetate	8.923	45	28642	21.58	ug/L	95
35) 2,2-dichloropropane	8.997	77	204051	22.48	ug/L	98
36) cis-1,2-dichloroethene	8.965	96	140224	21.94	ug/L	96
37) propionitrile	8.976	54	238587	218.26	ug/L	84
38) bromochloromethane	9.259	130	89352	21.03	ug/L	85
39) tetrahydrofuran	9.280	42	54722	18.05	ug/L	94
40) chloroform	9.348	83	242748	20.57	ug/L	96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10022022\v2a9581\
Data File : 2a220390.d
Acq On : 29 Sep 2022 9:13 am
Operator : nicoleh
Sample : cc9511-20 Inst : GCMS2A
Misc : MS62546,V2A9581,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 29 09:36:25 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
41) tert-butyl formate	9.385	59	135533	23.62	ug/L		97
42) isobutyl alcohol	9.746	43	82653	180.69	ug/L		92
44) methacrylonitrile	9.175	67	59780	22.02	ug/L		86
45) 1,1,1-trichloroethane	9.605	97	212089	20.69	ug/L		98
46) cyclohexane	9.715	84	197808	23.10	ug/L		98
47) 1,1-dichloropropene	9.773	75	179450	21.74	ug/L		94
48) tert-amyl alcohol	9.909	73	41137	89.95	ug/L		89
49) carbon tetrachloride	9.804	117	184732	19.97	ug/L		97
52) 2,2,4-trimethylpentane	10.119	57	583346	19.90	ug/L		93
53) tert-amyl methyl ether	10.103	73	431831	20.10	ug/L		97
54) n-butyl alcohol	10.496	56	222895	822.79	ug/L		95
55) benzene	10.019	78	519524	21.00	ug/L		96
56) heptane	10.281	57	110259	18.44	ug/L		98
57) isopropyl acetate	9.941	87	29891	19.25	ug/L	#	91
58) 1,2-dichloroethane	10.045	62	216831	18.65	ug/L		98
59) trichloroethene	10.748	95	139424	19.71	ug/L		95
60) ethyl acrylate	10.737	55	230357	20.51	ug/L		99
61) 2-nitropropane	11.503	41	46560	15.77	ug/L		98
62) 2-chloroethyl vinyl ether	11.540	63	46841	20.39	ug/L		97
63) methyl methacrylate	11.005	100	36816	20.76	ug/L	#	87
64) 1,2-dichloropropane	11.031	63	151202	20.60	ug/L		95
65) methylcyclohexane	11.042	83	224834	19.42	ug/L		96
66) dibromomethane	11.141	93	88525	18.37	ug/L		91
67) bromodichloromethane	11.298	83	192398	19.29	ug/L		99
68) epichlorohydrin	11.624	57	73321	83.68	ug/L		98
69) cis-1,3-dichloropropene	11.755	75	226793	20.77	ug/L		88
70) 4-methyl-2-pentanone	11.859	58	268206	77.48	ug/L		100
71) 3-methyl-1-butanol	11.870	70	71085	332.95	ug/L		96
74) toluene	12.132	92	310441	20.15	ug/L		94
75) trans-1,3-dichloropropene	12.321	75	200064	19.59	ug/L		99
76) ethyl methacrylate	12.316	69	190809	21.76	ug/L		93
77) 1,1,2-trichloroethane	12.541	83	106664	20.13	ug/L		98
78) 2-hexanone	12.709	58	260560	80.83	ug/L		98
79) tetrachloroethene	12.688	166	150856	19.67	ug/L		96
80) 1,3-dichloropropane	12.719	76	198822	19.56	ug/L		99
81) butyl acetate	12.787	56	112803	20.37	ug/L		99
82) dibromochloromethane	12.960	129	145548	18.83	ug/L		98
83) 1,2-dibromoethane	13.113	107	125193	19.08	ug/L		92
84) n-butyl ether	13.563	57	599153	19.63	ug/L		97
85) chlorobenzene	13.595	112	342566	20.39	ug/L		95
86) 1,1,1,2-tetrachloroethane	13.658	131	129310	19.13	ug/L		99
87) ethylbenzene	13.658	91	576976	19.97	ug/L		94
88) m,p-xylene	13.778	106	420873	37.48	ug/L		85
89) o-xylene	14.177	91	457346	19.39	ug/L		94
90) styrene	14.187	104	338672	18.53	ug/L		98
91) n-amyl acetate	14.224	70	88625	18.58	ug/L		96
92) bromoform	14.408	173	99654	17.92	ug/L		93
93) butyl acrylate	14.014	55	328608	20.20	ug/L		97
94) isopropylbenzene	14.523	105	529884	18.84	ug/L		97
95) cis-1,4-dichloro-2-butene	14.560	88	22378	7.39	ug/L		83
98) bromobenzene	14.900	156	146511	19.12	ug/L		91
99) 1,1,2,2-tetrachloroethane	14.801	83	156236	19.20	ug/L		98
100) trans-1,4-dichloro-2-b...	14.832	53	20882	7.71	ug/L		97
101) 1,2,3-trichloropropane	14.885	110	37903	18.10	ug/L		94
102) n-propylbenzene	14.937	91	653613	21.27	ug/L		94
103) 2-chlorotoluene	15.068	126	132322	19.78	ug/L		93
104) 4-chlorotoluene	15.178	91	404367	20.69	ug/L		95

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10022022\v2a9581\
Data File : 2a220390.d
Acq On : 29 Sep 2022 9:13 am
Operator : nicoleh
Sample : cc9511-20 Inst : GCMS2A
Misc : MS62546,V2A9581,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 29 09:36:25 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
105) 1,3,5-trimethylbenzene	15.094	105	432603	20.27	ug/L	96
106) tert-butylbenzene	15.430	119	367632	19.88	ug/L	98
107) 1,2,4-trimethylbenzene	15.488	105	439652	20.22	ug/L	97
108) sec-butylbenzene	15.650	105	545331	19.78	ug/L	97
109) 1,3-dichlorobenzene	15.818	146	263600	19.30	ug/L	97
110) p-isopropyltoluene	15.786	119	461719	19.64	ug/L	98
111) benzyl chloride	16.007	91	237212	17.72	ug/L	98
112) 1,2,3-trimethylbenzene	15.912	105	444112	19.81	ug/L	95
113) 1,4-dichlorobenzene	15.912	146	263853	18.58	ug/L	96
114) 1,2-dichlorobenzene	16.285	146	255354	19.13	ug/L	98
115) n-butylbenzene	16.195	92	240461	19.23	ug/L	97
116) 1,2-dibromo-3-chloropr...	17.050	157	28780	16.29	ug/L	93
117) 1,3,5-trichlorobenzene	17.239	180	202929	19.45	ug/L	99
118) 1,2,4-trichlorobenzene	17.884	180	165987	18.50	ug/L	100
119) hexachlorobutadiene	17.999	225	88129	19.08	ug/L	97
120) naphthalene	18.167	128	307990	14.40	ug/L	98
121) 1,2,3-trichlorobenzene	18.398	180	139076	16.46	ug/L	95
122) hexachloroethane	16.573	201	62299	16.18	ug/L	100
123) 2-methylnaphthalene	19.404	142	31017	2.85	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\kristelv\october 2022\10022022\v2a9581\
Data File : 2a220390.d
Acq On : 29 Sep 2022 9:13 am
Operator : nicoleh
Sample : cc9511-20 Inst : GCMS2A
Misc : MS62546,V2A9581,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 29 09:36:25 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220438.d
Acq On : 30 Sep 2022 9:16 am
Operator : nicoleh
Sample : cc9511-20 Inst : GCMS2A
Misc : MS62539,V2A9583,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 30 09:39:38 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	7.251	65	497683	500.00	ug/L		0.00
5) pentafluorobenzene	9.511	168	738209	50.00	ug/L		0.00
50) 1,4-difluorobenzene	10.439	114	1143253	50.00	ug/L		0.00
72) chlorobenzene-d5	13.564	117	1159557	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	15.886	152	591306	50.00	ug/L		0.00
124) pentafluorobenzene(a)	9.511	168	737254	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	9.542	113	381579	54.91	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 109.82%				
51) 1,2-dichloroethane-d4 (s)	9.956	65	436108	41.03	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 82.06%				
73) toluene-d8 (s)	12.064	98	1327851	46.75	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 93.50%				
97) 4-bromofluorobenzene (s)	14.722	95	584343	53.42	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 106.84%				
Target Compounds							Qvalue
2) ethanol	5.972	45	172972	1426.64	ug/L		96
3) tertiary butyl alcohol	7.366	59	116333	95.15	ug/L		90
4) 1,4-dioxane	11.084	88	36804	429.50	ug/L		78
6) chlorodifluoromethane	3.995	51	115418	11.47	ug/L		100
7) dichlorodifluoromethane	3.964	85	198520	20.02	ug/L		96
8) chloromethane	4.352	50	249210	19.42	ug/L		99
9) vinyl chloride	4.577	62	204942	20.88	ug/L		95
10) 1,3-butadiene	4.619	54	93826	10.73	ug/L		97
11) bromomethane	5.196	94	137899	23.83	ug/L		100
12) chloroethane	5.358	64	118650	25.54	ug/L		86
13) trichlorofluoromethane	5.794	101	250330	22.77	ug/L		91
14) ethyl ether	6.192	74	77127	22.02	ug/L		96
15) acrolein	6.417	56	35866	22.88	ug/L		94
16) freon 113	6.617	151	110060	21.06	ug/L		98
17) 1,1-dichloroethene	6.606	96	108211	19.76	ug/L		94
18) acetone	6.611	43	223753	78.83	ug/L		94
19) acetonitrile	7.026	41	244299	208.58	ug/L		96
20) iodomethane	6.853	142	218455	20.44	ug/L		89
21) carbon disulfide	6.989	76	364135	20.07	ug/L		91
22) methylene chloride	7.303	84	142458	21.95	ug/L		98
23) methyl acetate	7.062	43	146722	20.74	ug/L		99
24) methyl tert butyl ether	7.660	73	429210	21.98	ug/L		97
25) trans-1,2-dichloroethene	7.691	96	133220	21.46	ug/L		98
26) hexane	8.043	57	238414	21.61	ug/L		98
27) di-isopropyl ether	8.252	45	632745	23.40	ug/L		97
28) ethyl tert-butyl ether	8.714	59	556359	23.64	ug/L		98
29) 2-butanone	8.908	72	71685	93.84	ug/L		97
30) 1,1-dichloroethane	8.258	63	269516	22.21	ug/L		98
31) chloroprene	8.363	53	237862	20.64	ug/L		96
32) acrylonitrile	7.597	53	68650	21.92	ug/L		96
33) vinyl acetate	8.200	86	30265	26.44	ug/L	#	80
34) ethyl acetate	8.924	45	32156	22.67	ug/L		95
35) 2,2-dichloropropane	9.002	77	223316	23.02	ug/L		98
36) cis-1,2-dichloroethene	8.971	96	157733	23.10	ug/L		95
37) propionitrile	8.981	54	273696	234.35	ug/L		84
38) bromochloromethane	9.264	130	103267	22.75	ug/L		96
39) tetrahydrofuran	9.285	42	62207	19.21	ug/L		97
40) chloroform	9.354	83	267456	21.21	ug/L		95

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220438.d
Acq On : 30 Sep 2022 9:16 am
Operator : nicoleh
Sample : cc9511-20 Inst : GCMS2A
Misc : MS62539,V2A9583,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 30 09:39:38 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
41) tert-butyl formate	9.390	59	136643	22.28	ug/L		95
42) isobutyl alcohol	9.752	43	96664	197.78	ug/L		91
44) methacrylonitrile	9.181	67	68148	23.49	ug/L		91
45) 1,1,1-trichloroethane	9.610	97	231146	21.11	ug/L		96
46) cyclohexane	9.721	84	234619	25.64	ug/L		89
47) 1,1-dichloropropene	9.778	75	193612	21.96	ug/L		96
48) tert-amyl alcohol	9.909	73	50278	102.89	ug/L		86
49) carbon tetrachloride	9.804	117	205811	20.82	ug/L		98
52) 2,2,4-trimethylpentane	10.119	57	613691	19.10	ug/L		96
53) tert-amyl methyl ether	10.109	73	482805	20.50	ug/L		98
54) n-butyl alcohol	10.502	56	288647	971.87	ug/L		90
55) benzene	10.025	78	566694	20.89	ug/L		98
56) heptane	10.282	57	113129	17.26	ug/L		95
57) isopropyl acetate	9.946	87	34298	20.15	ug/L	#	79
58) 1,2-dichloroethane	10.046	62	242880	19.06	ug/L		99
59) trichloroethene	10.748	95	154028	19.86	ug/L		97
60) ethyl acrylate	10.743	55	254102	20.63	ug/L		99
61) 2-nitropropane	11.503	41	49341	15.24	ug/L		93
62) 2-chloroethyl vinyl ether	11.540	63	117298	36.85	ug/L		98
63) methyl methacrylate	11.005	100	41196	21.19	ug/L	#	83
64) 1,2-dichloropropane	11.037	63	170094	21.14	ug/L		96
65) methylcyclohexane	11.047	83	238403	18.79	ug/L		99
66) dibromomethane	11.141	93	103719	19.63	ug/L		93
67) bromodichloromethane	11.299	83	214250	19.59	ug/L		97
68) epichlorohydrin	11.624	57	92403	96.20	ug/L		99
69) cis-1,3-dichloropropene	11.755	75	257186	21.48	ug/L		87
70) 4-methyl-2-pentanone	11.865	58	304407	80.21	ug/L		99
71) 3-methyl-1-butanol	11.875	70	90396	386.20	ug/L	#	84
74) toluene	12.138	92	353451	19.19	ug/L		94
75) trans-1,3-dichloropropene	12.321	75	235119	19.26	ug/L		98
76) ethyl methacrylate	12.321	69	212287	20.25	ug/L		88
77) 1,1,2-trichloroethane	12.541	83	122288	19.31	ug/L		98
78) 2-hexanone	12.709	58	284615	73.86	ug/L		92
79) tetrachloroethene	12.688	166	172808	18.84	ug/L		98
80) 1,3-dichloropropane	12.720	76	227397	18.71	ug/L		98
81) butyl acetate	12.788	56	125846	19.01	ug/L		96
82) dibromochloromethane	12.961	129	170896	18.49	ug/L		99
83) 1,2-dibromoethane	13.113	107	146263	18.65	ug/L		91
84) n-butyl ether	13.564	57	659691	18.08	ug/L		99
85) chlorobenzene	13.595	112	387213	19.28	ug/L		96
86) 1,1,1,2-tetrachloroethane	13.658	131	149412	18.49	ug/L		95
87) ethylbenzene	13.658	91	641108	18.56	ug/L		94
88) m,p-xylene	13.779	106	477393	35.56	ug/L		90
89) o-xylene	14.177	91	524989	18.62	ug/L		92
90) styrene	14.193	104	392586	17.97	ug/L		95
91) n-amyl acetate	14.224	70	99364	17.43	ug/L		97
92) bromoform	14.413	173	121397	18.27	ug/L		95
93) butyl acrylate	14.015	55	355999	18.31	ug/L		98
94) isopropylbenzene	14.528	105	592985	17.64	ug/L		97
95) cis-1,4-dichloro-2-butene	14.565	88	45598	12.60	ug/L		91
98) bromobenzene	14.906	156	175135	18.51	ug/L		92
99) 1,1,2,2-tetrachloroethane	14.806	83	184110	18.32	ug/L		98
100) trans-1,4-dichloro-2-b...	14.838	53	41837	12.51	ug/L		90
101) 1,2,3-trichloropropane	14.890	110	44978	17.39	ug/L		94
102) n-propylbenzene	14.943	91	727995	19.18	ug/L		97
103) 2-chlorotoluene	15.068	126	152362	18.44	ug/L		86
104) 4-chlorotoluene	15.184	91	457522	18.95	ug/L		97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220438.d
Acq On : 30 Sep 2022 9:16 am
Operator : nicoleh
Sample : cc9511-20 Inst : GCMS2A
Misc : MS62539,V2A9583,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 30 09:39:38 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
105) 1,3,5-trimethylbenzene	15.100	105	490880	18.62	ug/L	100
106) tert-butylbenzene	15.435	119	416821	18.25	ug/L	96
107) 1,2,4-trimethylbenzene	15.488	105	494168	18.40	ug/L	99
108) sec-butylbenzene	15.656	105	609524	17.90	ug/L	98
109) 1,3-dichlorobenzene	15.818	146	310950	18.43	ug/L	97
110) p-isopropyltoluene	15.787	119	521707	17.97	ug/L	97
111) benzyl chloride	16.007	91	287869	17.41	ug/L	99
112) 1,2,3-trimethylbenzene	15.913	105	507272	18.32	ug/L	96
113) 1,4-dichlorobenzene	15.913	146	306685	17.48	ug/L	98
114) 1,2-dichlorobenzene	16.285	146	300386	18.22	ug/L	97
115) n-butylbenzene	16.196	92	260529	16.87	ug/L	93
116) 1,2-dibromo-3-chloropr...	17.050	157	34979	16.03	ug/L	92
117) 1,3,5-trichlorobenzene	17.244	180	232418	18.04	ug/L	97
118) 1,2,4-trichlorobenzene	17.884	180	189867	17.13	ug/L	97
119) hexachlorobutadiene	17.999	225	100854	17.68	ug/L	95
120) naphthalene	18.172	128	348439	13.20	ug/L	98
121) 1,2,3-trichlorobenzene	18.398	180	159772	15.31	ug/L	98
122) hexachloroethane	16.578	201	73722	15.51	ug/L	96
123) 2-methylnaphthalene	19.404	142	32793	2.44	ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\v2a9583\
Data File : 2a220438.d
Acq On : 30 Sep 2022 9:16 am
Operator : nicoleh
Sample : cc9511-20 Inst : GCMS2A
Misc : MS62539,V2A9583,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2A9511.M
Quant Results File: M2A9511.RES
Quant Time: Sep 30 09:39:38 2022
Quant Title : Method SW846 8260D, ZB624.1 60m x 0.25mm xFri May Mon Aug 01 15:13:00 2022
QLast Update : Mon Aug 01 15:13:00 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92138.D
Acq On : 11 Sep 2022 3:36 pm
Operator : PrashanS
Sample : IC3747-0.2
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 12 11:37:39 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 10:49:33 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	2.311	65	282321	500.00	ug/L		0.00
5) pentafluorobenzene	3.281	168	409542	50.00	ug/L		0.00
50) 1,4-difluorobenzene	3.747	114	539700	50.00	ug/L		0.00
72) chlorobenzene-d5	5.735	117	503605	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	7.501	152	226518	50.00	ug/L		0.00
System Monitoring Compounds							
42) dibromofluoromethane (s)	3.286	113	201983	49.16	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.32%				
51) 1,2-dichloroethane-d4 (s)	3.491	65	186305	48.02	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 96.04%				
73) toluene-d8 (s)	4.691	98	622001	51.09	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.18%				
97) 4-bromofluorobenzene (s)	6.636	95	199399	48.94	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.88%				
Target Compounds							Qvalue
3) tertiary butyl alcohol	2.358	59	879	1.06	ug/L		82
9) vinyl chloride	1.440	62	1161	0.22	ug/L		89
12) trichlorofluoromethane	1.818	101	1398	0.16	ug/L		87
14) ethyl ether	1.944	74	318	0.16	ug/L		84
16) freon 113	2.091	151	681	0.21	ug/L	#	76
17) 1,1-dichloroethene	2.085	61	944	0.19	ug/L	#	80
18) acetone	2.091	58	424	0.87	ug/L	#	85
24) methyl tert butyl ether	2.468	73	1846	0.18	ug/L		84
25) trans-1,2-dichloroethene	2.484	96	699	0.20	ug/L		85
26) hexane	2.620	56	405	0.21	ug/L	#	72
27) di-isopropyl ether	2.709	45	1877	0.19	ug/L		74
28) ethyl tert-butyl ether	2.909	59	2008	0.20	ug/L		97
29) 1,1-dichloroethane	2.709	63	1093	0.18	ug/L		77
30) chloroprene	2.756	53	757	0.17	ug/L		81
34) 2-butanone	3.003	72	425	0.58	ug/L	#	85
35) 2,2-dichloropropane	3.029	77	1032	0.20	ug/L		76
36) cis-1,2-dichloroethene	3.024	96	640	0.15	ug/L		96
37) propionitrile	3.034	54	1607	1.99	ug/L		95
39) bromochloromethane	3.155	128	343	0.16	ug/L		90
44) 1,1,1-trichloroethane	3.312	97	1165	0.19	ug/L	#	26
45) cyclohexane	3.370	84	937	0.20	ug/L	#	90
46) 1,1-dichloropropene	3.401	75	903	0.19	ug/L	#	53
47) carbon tetrachloride	3.407	119	1094	0.19	ug/L	#	72
53) benzene	3.522	78	2649	0.21	ug/L		93
54) tert-amyl methyl ether	3.574	73	1968	0.20	ug/L		90
55) iso-octane	3.569	57	1272	0.19	ug/L		89
59) trichloroethene	3.910	95	787	0.21	ug/L		100
62) 2-chloroethyl vinyl ether	4.387	63	1673	0.77	ug/L		96
65) methylcyclohexane	4.062	83	931	0.20	ug/L	#	67
66) dibromomethane	4.120	93	622	0.22	ug/L		87
67) bromodichloromethane	4.219	83	1162	0.23	ug/L		72
69) cis-1,3-dichloropropene	4.502	75	970	0.18	ug/L		78
70) 4-methyl-2-pentanone	4.581	58	1325	0.64	ug/L		89

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92138.D
Acq On : 11 Sep 2022 3:36 pm
Operator : PrashanS
Sample : IC3747-0.2
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 12 11:37:39 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 10:49:33 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc Units		Dev(Min)
74) toluene	4.744	92	1872	0.23 ug/L	#	80
76) trans-1,3-dichloropropene	4.880	75	865	0.17 ug/L	#	63
77) 1,1,2-trichloroethane	5.027	83	466	0.16 ug/L		88
78) 2-hexanone	5.168	58	1509	0.70 ug/L		95
79) tetrachloroethene	5.111	164	635	0.20 ug/L		84
80) 1,3-dichloropropane	5.137	76	1068	0.20 ug/L		91
81) butyl acetate	5.242	56	536	0.20 ug/L	#	56
82) dibromochloromethane	5.299	129	895	0.19 ug/L		82
83) 1,2-dibromoethane	5.399	107	865	0.21 ug/L		82
84) n-butyl ether	5.803	57	2211	0.18 ug/L		92
85) chlorobenzene	5.755	112	2027	0.21 ug/L		76
86) 1,1,1,2-tetrachloroethane	5.818	131	686	0.16 ug/L		91
87) ethylbenzene	5.824	91	3326	0.21 ug/L		94
88) m,p-xylene	5.918	106	2511	0.41 ug/L		100
89) o-xylene	6.217	91	2485	0.20 ug/L		84
90) styrene	6.227	104	1842	0.18 ug/L		98
91) butyl acrylate	6.159	56	496	0.16 ug/L	#	72
94) isopropylbenzene	6.500	105	2978	0.21 ug/L		92
98) bromobenzene	6.752	156	845	0.18 ug/L		93
99) 1,1,2,2-tetrachloroethane	6.731	83	1087	0.20 ug/L		92
102) n-propylbenzene	6.820	91	3285	0.20 ug/L		94
103) 2-chlorotoluene	6.893	126	633	0.17 ug/L	#	81
104) 4-chlorotoluene	6.993	126	698	0.18 ug/L	#	56
105) 1,3,5-trimethylbenzene	6.956	105	1974	0.18 ug/L		88
106) tert-butylbenzene	7.197	119	1698	0.18 ug/L		95
107) 1,2,4-trimethylbenzene	7.245	105	2606	0.23 ug/L		74
108) sec-butylbenzene	7.360	105	2411	0.19 ug/L		78
109) 1,3-dichlorobenzene	7.449	146	1501	0.20 ug/L		98
110) p-isopropyltoluene	7.470	119	2102	0.19 ug/L		86
111) 1,2,3-trimethylbenzene	7.538	105	2264	0.20 ug/L		95
112) 1,4-dichlorobenzene	7.522	146	1679	0.22 ug/L		78
113) 1,2-dichlorobenzene	7.769	146	1237	0.18 ug/L		84
114) benzyl chloride	7.601	91	1274	0.16 ug/L		89
115) n-butylbenzene	7.753	92	907	0.19 ug/L	#	76
118) 1,3,5-trichlorobenzene	8.424	180	676	0.17 ug/L	#	80
119) 1,2,4-trichlorobenzene	8.817	180	610	0.17 ug/L		81
121) naphthalene	8.985	128	2095	0.18 ug/L		83
122) 1,2,3-trichlorobenzene	9.111	180	449	0.14 ug/L		87

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92138.D
Acq On : 11 Sep 2022 3:36 pm
Operator : PrashanS
Sample : IC3747-0.2
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 12 11:37:39 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 10:49:33 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92140.D
Acq On : 11 Sep 2022 4:05 pm
Operator : PrashanS
Sample : IC3747-0.5
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 12 11:00:31 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 10:55:49 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	2.311	65	277633	500.00	ug/L		0.00
5) pentafluorobenzene	3.286	168	412430	50.00	ug/L		0.00
50) 1,4-difluorobenzene	3.748	114	550671	50.00	ug/L		0.00
72) chlorobenzene-d5	5.735	117	501246	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	7.502	152	221756	50.00	ug/L		0.00
System Monitoring Compounds							
42) dibromofluoromethane (s)	3.286	113	204153	49.76	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.52%				
51) 1,2-dichloroethane-d4 (s)	3.496	65	188314	48.53	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 97.06%				
73) toluene-d8 (s)	4.691	98	634215	51.78	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 103.56%				
97) 4-bromofluorobenzene (s)	6.636	95	199790	50.62	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.24%				
Target Compounds							Qvalue
2) ethanol	1.871	45	3014	59.09	ug/L		85
3) tertiary butyl alcohol	2.358	59	2139	2.54	ug/L		67
6) chlorodifluoromethane	1.289	51	1734	0.47	ug/L		76
7) dichlorodifluoromethane	1.278	85	2076	0.45	ug/L		90
8) chloromethane	1.393	52	1117	0.72	ug/L	#	77
9) vinyl chloride	1.446	62	3080	0.55	ug/L		93
12) trichlorofluoromethane	1.818	101	3607	0.45	ug/L		92
13) 1,3-butadiene	1.467	54	2719	0.58	ug/L		88
14) ethyl ether	1.954	74	710	0.39	ug/L		87
15) acrolein	2.028	56	352	0.41	ug/L	#	64
16) freon 113	2.085	151	1277	0.38	ug/L	#	84
17) 1,1-dichloroethene	2.091	61	2083	0.43	ug/L		95
18) acetone	2.096	58	1086	2.12	ug/L	#	75
19) acetonitrile	2.232	41	3442	5.44	ug/L		91
21) carbon disulfide	2.227	76	4740	0.56	ug/L		95
22) methylene chloride	2.342	84	2169	0.64	ug/L		95
24) methyl tert butyl ether	2.468	73	4460	0.46	ug/L		90
25) trans-1,2-dichloroethene	2.484	96	1467	0.42	ug/L		95
26) hexane	2.626	56	869	0.44	ug/L	#	88
27) di-isopropyl ether	2.709	45	4559	0.47	ug/L		92
28) ethyl tert-butyl ether	2.909	59	4205	0.42	ug/L		96
29) 1,1-dichloroethane	2.709	63	2668	0.46	ug/L		95
30) chloroprene	2.757	53	1964	0.47	ug/L		87
31) acrylonitrile	2.453	53	810	0.44	ug/L		92
34) 2-butanone	2.998	72	1250	1.97	ug/L	#	85
35) 2,2-dichloropropane	3.034	77	2524	0.48	ug/L		95
36) cis-1,2-dichloroethene	3.024	96	1756	0.47	ug/L		89
37) propionitrile	3.034	54	3679	4.54	ug/L		83
39) bromochloromethane	3.155	128	945	0.49	ug/L		95
43) methacrylonitrile	3.124	67	845	0.42	ug/L		95
44) 1,1,1-trichloroethane	3.318	97	2956	0.50	ug/L		83
45) cyclohexane	3.365	84	2316	0.49	ug/L		91
46) 1,1-dichloropropene	3.401	75	2252	0.48	ug/L		91

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92140.D
Acq On : 11 Sep 2022 4:05 pm
Operator : PrashanS
Sample : IC3747-0.5
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 12 11:00:31 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 10:55:49 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
47) carbon tetrachloride	3.412	119	2472	0.44	ug/L		93
49) tert-amyl alcohol	3.475	55	825	2.51	ug/L	#	82
52) n-butyl alcohol	3.795	56	3900	19.75	ug/L		86
53) benzene	3.522	78	6018	0.46	ug/L		95
54) tert-amyl methyl ether	3.575	73	4390	0.43	ug/L		91
55) iso-octane	3.580	57	3165	0.47	ug/L		95
58) 1,2-dichloroethane	3.538	62	2667	0.52	ug/L		88
59) trichloroethene	3.905	95	1779	0.45	ug/L	#	68
60) ethyl acrylate	3.921	55	2718	0.46	ug/L		73
62) 2-chloroethyl vinyl ether	4.387	63	3802	1.94	ug/L		95
64) 1,2-dichloropropane	4.067	63	1331	0.39	ug/L		73
65) methylcyclohexane	4.062	83	2130	0.45	ug/L		84
66) dibromomethane	4.125	93	1395	0.46	ug/L		92
67) bromodichloromethane	4.225	83	2413	0.43	ug/L		89
69) cis-1,3-dichloropropene	4.503	75	2259	0.43	ug/L		90
70) 4-methyl-2-pentanone	4.586	58	3655	1.93	ug/L		86
71) 3-methyl-1-butanol	4.607	70	1248	5.78	ug/L		90
74) toluene	4.738	92	3747	0.43	ug/L		97
75) ethyl methacrylate	4.901	69	1989	0.40	ug/L		92
76) trans-1,3-dichloropropene	4.880	75	2032	0.43	ug/L		90
77) 1,1,2-trichloroethane	5.016	83	1404	0.54	ug/L	#	83
78) 2-hexanone	5.163	58	3673	1.83	ug/L		96
79) tetrachloroethene	5.105	164	1302	0.41	ug/L		93
80) 1,3-dichloropropane	5.142	76	2450	0.46	ug/L		89
81) butyl acetate	5.237	56	1161	0.44	ug/L		87
82) dibromochloromethane	5.305	129	1885	0.41	ug/L		83
83) 1,2-dibromoethane	5.394	107	1618	0.39	ug/L		89
84) n-butyl ether	5.803	57	5077	0.44	ug/L		93
85) chlorobenzene	5.756	112	4754	0.48	ug/L		93
86) 1,1,1,2-tetrachloroethane	5.819	131	1509	0.40	ug/L		89
87) ethylbenzene	5.819	91	7224	0.45	ug/L		92
88) m,p-xylene	5.918	106	5494	0.89	ug/L		90
89) o-xylene	6.212	91	5216	0.42	ug/L		90
90) styrene	6.227	104	4351	0.45	ug/L		96
91) butyl acrylate	6.154	56	1173	0.42	ug/L		89
93) bromoform	6.374	173	1300	0.36	ug/L		80
94) isopropylbenzene	6.495	105	6212	0.43	ug/L		96
98) bromobenzene	6.752	156	1892	0.44	ug/L		95
99) 1,1,2,2-tetrachloroethane	6.731	83	2435	0.45	ug/L		88
101) 1,2,3-trichloropropane	6.778	110	723	0.45	ug/L		96
102) n-propylbenzene	6.825	91	7271	0.45	ug/L		91
103) 2-chlorotoluene	6.893	126	1590	0.47	ug/L		97
104) 4-chlorotoluene	6.988	126	1693	0.47	ug/L		89
105) 1,3,5-trimethylbenzene	6.956	105	4741	0.46	ug/L		90
106) tert-butylbenzene	7.197	119	4076	0.46	ug/L		97
107) 1,2,4-trimethylbenzene	7.239	105	4990	0.42	ug/L		98
108) sec-butylbenzene	7.360	105	5532	0.45	ug/L		93
109) 1,3-dichlorobenzene	7.449	146	3246	0.44	ug/L		92
110) p-isopropyltoluene	7.465	119	4494	0.42	ug/L		94
111) 1,2,3-trimethylbenzene	7.538	105	4860	0.44	ug/L		89

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92140.D
Acq On : 11 Sep 2022 4:05 pm
Operator : PrashanS
Sample : IC3747-0.5
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 12 11:00:31 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 10:55:49 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
112) 1,4-dichlorobenzene	7.523	146	3295	0.42	ug/L	93
113) 1,2-dichlorobenzene	7.774	146	3173	0.49	ug/L	92
114) benzyl chloride	7.596	91	2782	0.40	ug/L	95
115) n-butylbenzene	7.753	92	1827	0.40	ug/L	89
117) 1,2-dibromo-3-chloropr...	8.293	157	545	0.35	ug/L	82
118) 1,3,5-trichlorobenzene	8.424	180	1662	0.46	ug/L	90
119) 1,2,4-trichlorobenzene	8.823	180	1290	0.40	ug/L	83
120) hexachlorobutadiene	8.907	225	408	0.35	ug/L	94
121) naphthalene	8.980	128	4776	0.44	ug/L	94
122) 1,2,3-trichlorobenzene	9.116	180	1129	0.42	ug/L	97
123) 2-methylnaphthalene	9.672	142	738	0.20	ug/L	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92140.D
Acq On : 11 Sep 2022 4:05 pm
Operator : PrashanS
Sample : IC3747-0.5
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 12 11:00:31 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 10:55:49 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92142.D
Acq On : 11 Sep 2022 4:35 pm
Operator : PrashanS
Sample : IC3747-1
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Sep 12 11:23:35 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:09:07 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	2.311	65	281845	500.00	ug/L		0.00
5) pentafluorobenzene	3.281	168	412524	50.00	ug/L		0.00
50) 1,4-difluorobenzene	3.748	114	551462	50.00	ug/L		0.00
72) chlorobenzene-d5	5.735	117	503867	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	7.502	152	223731	50.00	ug/L		0.00
System Monitoring Compounds							
42) dibromofluoromethane (s)	3.286	113	204146	49.82	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.64%				
51) 1,2-dichloroethane-d4 (s)	3.491	65	188565	49.01	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 98.02%				
73) toluene-d8 (s)	4.691	98	634221	50.90	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.80%				
97) 4-bromofluorobenzene (s)	6.636	95	200717	50.20	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.40%				
Target Compounds							Qvalue
2) ethanol	1.871	45	6767	119.80	ug/L		93
3) tertiary butyl alcohol	2.353	59	4579	5.33	ug/L		89
4) 1,4-dioxane	4.099	88	1546	21.40	ug/L		92
6) chlorodifluoromethane	1.289	51	3960	1.11	ug/L		90
7) dichlorodifluoromethane	1.273	85	4645	1.06	ug/L		93
8) chloromethane	1.393	52	1983	1.05	ug/L		94
9) vinyl chloride	1.446	62	6114	1.05	ug/L		96
11) chloroethane	1.682	64	3399	0.94	ug/L		86
12) trichlorofluoromethane	1.818	101	7673	1.00	ug/L		94
13) 1,3-butadiene	1.467	54	6071	1.20	ug/L		98
14) ethyl ether	1.949	74	1988	1.19	ug/L		99
15) acrolein	2.028	56	913	1.17	ug/L		85
16) freon 113	2.085	151	3477	1.13	ug/L	#	85
17) 1,1-dichloroethene	2.091	61	5313	1.14	ug/L		95
18) acetone	2.091	58	2343	4.48	ug/L		87
19) acetonitrile	2.237	41	7665	11.60	ug/L		93
21) carbon disulfide	2.227	76	10247	1.14	ug/L		99
22) methylene chloride	2.337	84	4277	1.11	ug/L		89
23) methyl acetate	2.248	74	894	0.96	ug/L		94
24) methyl tert butyl ether	2.473	73	10275	1.08	ug/L		95
25) trans-1,2-dichloroethene	2.484	96	3574	1.08	ug/L		96
26) hexane	2.620	56	2123	1.11	ug/L	#	88
27) di-isopropyl ether	2.709	45	10363	1.09	ug/L		97
28) ethyl tert-butyl ether	2.903	59	10229	1.08	ug/L		96
29) 1,1-dichloroethane	2.715	63	6373	1.13	ug/L		97
30) chloroprene	2.757	53	4864	1.19	ug/L		94
31) acrylonitrile	2.447	53	1951	1.13	ug/L		94
32) vinyl acetate	2.694	86	630	0.73	ug/L	#	65
33) ethyl acetate	3.008	45	871	0.98	ug/L		93
34) 2-butanone	2.998	72	3011	4.76	ug/L		94
35) 2,2-dichloropropane	3.029	77	5670	1.10	ug/L		98
36) cis-1,2-dichloroethene	3.024	96	4201	1.15	ug/L		96
37) propionitrile	3.029	54	8842	11.25	ug/L		72

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92142.D
Acq On : 11 Sep 2022 4:35 pm
Operator : PrashanS
Sample : IC3747-1
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Sep 12 11:23:35 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:09:07 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
38) methyl acrylate	3.045	85	903	0.96 ug/L #	79
39) bromochloromethane	3.155	128	2469	1.28 ug/L	88
41) chloroform	3.197	83	8971	1.34 ug/L	99
43) methacrylonitrile	3.124	67	2203	1.19 ug/L	92
44) 1,1,1-trichloroethane	3.312	97	6906	1.16 ug/L	85
45) cyclohexane	3.365	84	5186	1.10 ug/L	97
46) 1,1-dichloropropene	3.401	75	5075	1.09 ug/L	97
47) carbon tetrachloride	3.407	119	5818	1.07 ug/L	93
48) isobutyl alcohol	3.401	42	1872	11.02 ug/L #	82
49) tert-amyl alcohol	3.475	55	2060	6.25 ug/L	80
52) n-butyl alcohol	3.795	56	10049	56.77 ug/L	90
53) benzene	3.522	78	13729	1.07 ug/L	99
54) tert-amyl methyl ether	3.574	73	10410	1.07 ug/L	96
55) iso-octane	3.574	57	7717	1.17 ug/L	94
56) heptane	3.664	57	1481	1.15 ug/L	87
57) isopropyl acetate	3.501	87	1021	0.98 ug/L #	67
58) 1,2-dichloroethane	3.538	62	5969	1.13 ug/L	91
59) trichloroethene	3.905	95	4001	1.05 ug/L	91
60) ethyl acrylate	3.926	55	6418	1.13 ug/L	99
61) 2-nitropropane	4.350	41	1698	1.07 ug/L	86
62) 2-chloroethyl vinyl ether	4.387	63	9319	5.14 ug/L	99
63) methyl methacrylate	4.073	100	1098	0.82 ug/L	93
64) 1,2-dichloropropane	4.067	63	3711	1.22 ug/L	99
65) methylcyclohexane	4.062	83	5031	1.09 ug/L	92
66) dibromomethane	4.125	93	3231	1.10 ug/L	95
67) bromodichloromethane	4.225	83	5469	1.03 ug/L	98
68) epichlorohydrin	4.424	57	2846	5.03 ug/L	92
69) cis-1,3-dichloropropene	4.508	75	6066	1.21 ug/L	94
70) 4-methyl-2-pentanone	4.586	58	8446	4.51 ug/L	96
71) 3-methyl-1-butanol	4.602	70	3541	20.76 ug/L #	80
74) toluene	4.744	92	8755	1.06 ug/L	94
75) ethyl methacrylate	4.906	69	4970	1.11 ug/L	95
76) trans-1,3-dichloropropene	4.880	75	5103	1.12 ug/L	91
77) 1,1,2-trichloroethane	5.022	83	3110	1.16 ug/L	96
78) 2-hexanone	5.163	58	9075	4.63 ug/L	98
79) tetrachloroethene	5.105	164	3410	1.13 ug/L	95
80) 1,3-dichloropropane	5.142	76	5412	1.04 ug/L	97
81) butyl acetate	5.237	56	2709	1.06 ug/L	90
82) dibromochloromethane	5.299	129	4751	1.10 ug/L	98
83) 1,2-dibromoethane	5.394	107	4373	1.13 ug/L	94
84) n-butyl ether	5.803	57	12165	1.09 ug/L	97
85) chlorobenzene	5.756	112	10716	1.09 ug/L	99
86) 1,1,1,2-tetrachloroethane	5.813	131	3753	1.06 ug/L	96
87) ethylbenzene	5.819	91	16364	1.05 ug/L	97
88) m,p-xylene	5.918	106	12739	2.14 ug/L	92
89) o-xylene	6.217	91	12197	1.04 ug/L	90
90) styrene	6.227	104	10283	1.09 ug/L	97
91) butyl acrylate	6.154	56	2935	1.10 ug/L	89
92) n-amyl acetate	6.327	70	2518	0.92 ug/L	97
93) bromoform	6.374	173	3360	1.08 ug/L	93

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92142.D
Acq On : 11 Sep 2022 4:35 pm
Operator : PrashanS
Sample : IC3747-1
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Sep 12 11:23:35 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:09:07 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
94) isopropylbenzene	6.500	105	15623	1.12	ug/L	98
95) cis-1,4-dichloro-2-butene	6.537	88	1318	0.68	ug/L	96
98) bromobenzene	6.752	156	4595	1.10	ug/L	92
99) 1,1,2,2-tetrachloroethane	6.731	83	5649	1.08	ug/L	99
100) trans-1,4-dichloro-2-b...	6.752	53	1084	0.76	ug/L	70
101) 1,2,3-trichloropropane	6.778	110	1648	1.06	ug/L	96
102) n-propylbenzene	6.820	91	16583	1.06	ug/L	99
103) 2-chlorotoluene	6.899	126	3934	1.17	ug/L	84
104) 4-chlorotoluene	6.988	126	3749	1.05	ug/L	88
105) 1,3,5-trimethylbenzene	6.961	105	11261	1.12	ug/L	98
106) tert-butylbenzene	7.192	119	9893	1.14	ug/L	96
107) 1,2,4-trimethylbenzene	7.239	105	11454	1.01	ug/L	96
108) sec-butylbenzene	7.360	105	13246	1.11	ug/L	97
109) 1,3-dichlorobenzene	7.449	146	7435	1.05	ug/L	93
110) p-isopropyltoluene	7.465	119	10892	1.07	ug/L	99
111) 1,2,3-trimethylbenzene	7.538	105	11820	1.11	ug/L	98
112) 1,4-dichlorobenzene	7.517	146	7909	1.06	ug/L	93
113) 1,2-dichlorobenzene	7.769	146	7294	1.12	ug/L	95
114) benzyl chloride	7.596	91	6809	1.04	ug/L	96
115) n-butylbenzene	7.753	92	4372	1.01	ug/L	91
116) hexachloroethane	7.963	201	1484	0.83	ug/L	91
117) 1,2-dibromo-3-chloropr...	8.293	157	1380	1.03	ug/L	88
118) 1,3,5-trichlorobenzene	8.419	180	3921	1.11	ug/L	93
119) 1,2,4-trichlorobenzene	8.818	180	3409	1.13	ug/L	97
120) hexachlorobutadiene	8.907	225	1372	1.38	ug/L	80
121) naphthalene	8.980	128	11326	1.07	ug/L	99
122) 1,2,3-trichlorobenzene	9.116	180	2951	1.15	ug/L	86
123) 2-methylnaphthalene	9.672	142	1964	0.59	ug/L	88

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92142.D
Acq On : 11 Sep 2022 4:35 pm
Operator : PrashanS
Sample : IC3747-1
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Sep 12 11:23:35 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:09:07 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92144.D
Acq On : 11 Sep 2022 5:04 pm
Operator : PrashanS
Sample : IC3747-2
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Sep 12 11:12:48 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:12:41 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	2.316	65	256822	500.00	ug/L		0.00
5) pentafluorobenzene	3.286	168	399210	50.00	ug/L		0.00
50) 1,4-difluorobenzene	3.747	114	535445	50.00	ug/L		0.00
72) chlorobenzene-d5	5.735	117	484814	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	7.501	152	211537	50.00	ug/L		0.00
System Monitoring Compounds							
42) dibromofluoromethane (s)	3.291	113	195740	49.41	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.82%				
51) 1,2-dichloroethane-d4 (s)	3.496	65	180233	48.48	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 96.96%				
73) toluene-d8 (s)	4.691	98	614041	50.99	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.98%				
97) 4-bromofluorobenzene (s)	6.636	95	189521	50.08	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.16%				
Target Compounds							Qvalue
2) ethanol	1.876	45	13609	248.03	ug/L		99
3) tertiary butyl alcohol	2.353	59	9581	12.04	ug/L		82
4) 1,4-dioxane	4.099	88	3900	63.84	ug/L		93
6) chlorodifluoromethane	1.288	51	8502	2.37	ug/L		94
7) dichlorodifluoromethane	1.273	85	9116	2.11	ug/L		98
8) chloromethane	1.393	52	3707	1.99	ug/L		100
9) vinyl chloride	1.446	62	11622	2.04	ug/L		99
10) bromomethane	1.634	96	8762	2.01	ug/L		94
11) chloroethane	1.687	64	7759	2.29	ug/L		96
12) trichlorofluoromethane	1.818	101	15520	2.08	ug/L		97
13) 1,3-butadiene	1.467	54	12115	2.32	ug/L		99
14) ethyl ether	1.954	74	3821	2.25	ug/L		94
15) acrolein	2.028	56	1894	2.38	ug/L		82
16) freon 113	2.085	151	6896	2.24	ug/L		93
17) 1,1-dichloroethene	2.091	61	10700	2.30	ug/L		92
18) acetone	2.091	58	4560	8.74	ug/L		92
19) acetonitrile	2.237	41	15081	22.39	ug/L		97
20) iodomethane	2.180	142	2392	0.72	ug/L		97
21) carbon disulfide	2.227	76	19585	2.15	ug/L		99
22) methylene chloride	2.342	84	7810	2.02	ug/L		93
23) methyl acetate	2.248	74	1973	2.23	ug/L		98
24) methyl tert butyl ether	2.468	73	20473	2.18	ug/L		96
25) trans-1,2-dichloroethene	2.484	96	7445	2.27	ug/L		98
26) hexane	2.625	56	3949	2.08	ug/L		94
27) di-isopropyl ether	2.709	45	21110	2.24	ug/L		97
28) ethyl tert-butyl ether	2.903	59	20137	2.15	ug/L		94
29) 1,1-dichloroethane	2.715	63	12617	2.24	ug/L		98
30) chloroprene	2.756	53	9828	2.37	ug/L		94
31) acrylonitrile	2.452	53	3723	2.14	ug/L		94
32) vinyl acetate	2.688	86	1695	2.36	ug/L	#	72
33) ethyl acetate	3.008	45	1577	1.86	ug/L		86
34) 2-butanone	2.998	72	5895	9.20	ug/L		95
35) 2,2-dichloropropane	3.029	77	10417	2.03	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92144.D
Acq On : 11 Sep 2022 5:04 pm
Operator : PrashanS
Sample : IC3747-2
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Sep 12 11:12:48 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:12:41 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
36) cis-1,2-dichloroethene	3.024	96	8856	2.42	ug/L		97
37) propionitrile	3.034	54	17767	22.66	ug/L		92
38) methyl acrylate	3.045	85	1882	2.11	ug/L	#	89
39) bromochloromethane	3.155	128	4558	2.28	ug/L		90
40) tetrahydrofuran	3.171	71	2116	2.77	ug/L		96
41) chloroform	3.197	83	16332	2.16	ug/L		98
43) methacrylonitrile	3.123	67	4152	2.18	ug/L		87
44) 1,1,1-trichloroethane	3.317	97	12826	2.15	ug/L		95
45) cyclohexane	3.370	84	9473	2.03	ug/L		94
46) 1,1-dichloropropene	3.401	75	9791	2.13	ug/L		97
47) carbon tetrachloride	3.407	119	11159	2.09	ug/L		92
48) isobutyl alcohol	3.401	42	4066	23.53	ug/L		97
49) tert-amyl alcohol	3.475	55	4210	12.18	ug/L		83
52) n-butyl alcohol	3.789	56	20111	111.96	ug/L		99
53) benzene	3.522	78	27235	2.15	ug/L		98
54) tert-amyl methyl ether	3.574	73	21220	2.21	ug/L		97
55) iso-octane	3.580	57	14757	2.22	ug/L		92
56) heptane	3.669	57	2768	2.11	ug/L		95
57) isopropyl acetate	3.496	87	2063	2.06	ug/L	#	67
58) 1,2-dichloroethane	3.538	62	11602	2.17	ug/L		99
59) trichloroethene	3.910	95	8112	2.17	ug/L		97
60) ethyl acrylate	3.926	55	13293	2.30	ug/L		96
61) 2-nitropropane	4.356	41	3228	2.03	ug/L		81
62) 2-chloroethyl vinyl ether	4.387	63	20134	11.35	ug/L		92
63) methyl methacrylate	4.072	100	2532	2.15	ug/L	#	83
64) 1,2-dichloropropane	4.067	63	7458	2.35	ug/L		91
65) methylcyclohexane	4.067	83	9909	2.17	ug/L		97
66) dibromomethane	4.125	93	6305	2.15	ug/L		98
67) bromodichloromethane	4.225	83	10910	2.10	ug/L		98
68) epichlorohydrin	4.424	57	5806	10.54	ug/L		93
69) cis-1,3-dichloropropene	4.508	75	11432	2.22	ug/L		97
70) 4-methyl-2-pentanone	4.586	58	16945	9.02	ug/L		90
71) 3-methyl-1-butanol	4.607	70	7848	46.79	ug/L		97
74) toluene	4.744	92	17933	2.22	ug/L		95
75) ethyl methacrylate	4.901	69	10222	2.29	ug/L		98
76) trans-1,3-dichloropropene	4.880	75	10429	2.31	ug/L		97
77) 1,1,2-trichloroethane	5.021	83	6300	2.35	ug/L		98
78) 2-hexanone	5.163	58	18324	9.35	ug/L		94
79) tetrachloroethene	5.105	164	7258	2.42	ug/L		94
80) 1,3-dichloropropane	5.142	76	11396	2.25	ug/L		97
81) butyl acetate	5.236	56	5980	2.39	ug/L		86
82) dibromochloromethane	5.299	129	9290	2.18	ug/L		98
83) 1,2-dibromoethane	5.394	107	8564	2.23	ug/L		98
84) n-butyl ether	5.803	57	25252	2.30	ug/L		97
85) chlorobenzene	5.755	112	21145	2.18	ug/L		95
86) 1,1,1,2-tetrachloroethane	5.813	131	7502	2.16	ug/L		90
87) ethylbenzene	5.818	91	32545	2.14	ug/L		97
88) m,p-xylene	5.918	106	25419	4.36	ug/L		95
89) o-xylene	6.212	91	25429	2.23	ug/L		97
90) styrene	6.227	104	20334	2.19	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92144.D
Acq On : 11 Sep 2022 5:04 pm
Operator : PrashanS
Sample : IC3747-2
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Sep 12 11:12:48 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:12:41 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
91) butyl acrylate	6.154	56	6072	2.30	ug/L		95
92) n-amyl acetate	6.327	70	5296	2.09	ug/L	#	78
93) bromoform	6.369	173	6452	2.10	ug/L		97
94) isopropylbenzene	6.495	105	30453	2.21	ug/L		99
95) cis-1,4-dichloro-2-butene	6.537	88	2744	1.76	ug/L	#	81
98) bromobenzene	6.752	156	9231	2.28	ug/L		93
99) 1,1,2,2-tetrachloroethane	6.731	83	11918	2.36	ug/L		94
100) trans-1,4-dichloro-2-b...	6.762	53	2146	1.81	ug/L		94
101) 1,2,3-trichloropropane	6.778	110	3328	2.23	ug/L		93
102) n-propylbenzene	6.820	91	34464	2.29	ug/L		98
103) 2-chlorotoluene	6.893	126	7879	2.38	ug/L		95
104) 4-chlorotoluene	6.988	126	7992	2.33	ug/L		96
105) 1,3,5-trimethylbenzene	6.961	105	22291	2.27	ug/L		96
106) tert-butylbenzene	7.197	119	20047	2.36	ug/L		99
107) 1,2,4-trimethylbenzene	7.239	105	22816	2.12	ug/L		98
108) sec-butylbenzene	7.360	105	27170	2.34	ug/L		99
109) 1,3-dichlorobenzene	7.449	146	15389	2.27	ug/L		95
110) p-isopropyltoluene	7.470	119	22625	2.32	ug/L		96
111) 1,2,3-trimethylbenzene	7.538	105	23453	2.26	ug/L		99
112) 1,4-dichlorobenzene	7.522	146	16393	2.28	ug/L		93
113) 1,2-dichlorobenzene	7.774	146	13957	2.21	ug/L		96
114) benzyl chloride	7.596	91	14079	2.25	ug/L		96
115) n-butylbenzene	7.753	92	9665	2.36	ug/L		93
116) hexachloroethane	7.963	201	2860	1.85	ug/L	#	83
117) 1,2-dibromo-3-chloropr...	8.293	157	2847	2.23	ug/L		92
118) 1,3,5-trichlorobenzene	8.419	180	8299	2.42	ug/L		93
119) 1,2,4-trichlorobenzene	8.817	180	7224	2.45	ug/L		99
120) hexachlorobutadiene	8.907	225	2512	2.37	ug/L		92
121) naphthalene	8.980	128	23460	2.30	ug/L		97
122) 1,2,3-trichlorobenzene	9.116	180	6526	2.59	ug/L		93
123) 2-methylnaphthalene	9.672	142	4140	1.24	ug/L		85

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92144.D
Acq On : 11 Sep 2022 5:04 pm
Operator : PrashanS
Sample : IC3747-2
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Sep 12 11:12:48 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:12:41 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92146.D
Acq On : 11 Sep 2022 5:33 pm
Operator : PrashanS
Sample : IC3747-4
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Sep 12 11:15:46 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:15:38 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	2.316	65	293588	500.00	ug/L		0.00
5) pentafluorobenzene	3.286	168	414212	50.00	ug/L		0.00
50) 1,4-difluorobenzene	3.748	114	552226	50.00	ug/L		0.00
72) chlorobenzene-d5	5.735	117	510733	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	7.502	152	231190	50.00	ug/L		0.00
System Monitoring Compounds							
42) dibromofluoromethane (s)	3.291	113	207144	50.51	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.02%				
51) 1,2-dichloroethane-d4 (s)	3.496	65	194942	51.16	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 102.32%				
73) toluene-d8 (s)	4.696	98	637479	50.05	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.10%				
97) 4-bromofluorobenzene (s)	6.636	95	203426	49.17	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.34%				
Target Compounds							Qvalue
2) ethanol	1.881	45	24858	373.87	ug/L		93
3) tertiary butyl alcohol	2.358	59	18148	19.17	ug/L		86
4) 1,4-dioxane	4.099	88	7210	94.52	ug/L		97
6) chlorodifluoromethane	1.299	51	15576	4.00	ug/L		98
7) dichlorodifluoromethane	1.278	85	18621	4.10	ug/L		99
8) chloromethane	1.399	52	7090	3.68	ug/L		99
9) vinyl chloride	1.451	62	22769	3.84	ug/L		95
10) bromomethane	1.635	96	17438	3.85	ug/L		93
11) chloroethane	1.692	64	15321	4.16	ug/L		95
12) trichlorofluoromethane	1.823	101	31425	4.03	ug/L		99
13) 1,3-butadiene	1.472	54	22094	3.92	ug/L		98
14) ethyl ether	1.960	74	7765	4.30	ug/L		95
15) acrolein	2.033	56	3578	4.13	ug/L		97
16) freon 113	2.091	151	13136	4.02	ug/L		96
17) 1,1-dichloroethene	2.096	61	20355	4.09	ug/L		98
18) acetone	2.096	58	8702	15.79	ug/L		92
19) acetonitrile	2.243	41	28262	39.27	ug/L		98
20) iodomethane	2.185	142	5874	2.51	ug/L		93
21) carbon disulfide	2.232	76	36585	3.80	ug/L		99
22) methylene chloride	2.348	84	15016	3.73	ug/L		89
23) methyl acetate	2.253	74	3955	4.15	ug/L		97
24) methyl tert butyl ether	2.473	73	40916	4.13	ug/L		98
25) trans-1,2-dichloroethene	2.489	96	13841	3.96	ug/L		98
26) hexane	2.631	56	7818	3.94	ug/L		92
27) di-isopropyl ether	2.715	45	40567	4.05	ug/L		97
28) ethyl tert-butyl ether	2.909	59	39251	3.98	ug/L		99
29) 1,1-dichloroethane	2.720	63	24857	4.16	ug/L		96
30) chloroprene	2.762	53	18649	4.17	ug/L		96
31) acrylonitrile	2.452	53	7709	4.20	ug/L		95
32) vinyl acetate	2.694	86	3206	4.05	ug/L	#	88
33) ethyl acetate	3.008	45	3402	3.95	ug/L	#	71
34) 2-butanone	2.998	72	12168	17.77	ug/L	#	92
35) 2,2-dichloropropane	3.034	77	20627	3.87	ug/L		100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92146.D
Acq On : 11 Sep 2022 5:33 pm
Operator : PrashanS
Sample : IC3747-4
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Sep 12 11:15:46 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:15:38 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
36) cis-1,2-dichloroethene	3.024	96	16334	4.13	ug/L		96
37) propionitrile	3.034	54	34800	41.67	ug/L		82
38) methyl acrylate	3.045	85	3578	3.79	ug/L	#	74
39) bromochloromethane	3.160	128	9246	4.34	ug/L		95
40) tetrahydrofuran	3.171	71	3807	4.03	ug/L		91
41) chloroform	3.202	83	28529	3.54	ug/L		97
43) methacrylonitrile	3.124	67	8386	4.16	ug/L		95
44) 1,1,1-trichloroethane	3.318	97	24425	3.88	ug/L		95
45) cyclohexane	3.370	84	18510	3.81	ug/L		96
46) 1,1-dichloropropene	3.407	75	19231	3.98	ug/L		100
47) carbon tetrachloride	3.412	119	21900	3.91	ug/L		93
48) isobutyl alcohol	3.401	42	7707	40.60	ug/L	#	84
49) tert-amyl alcohol	3.480	55	7628	20.18	ug/L		91
52) n-butyl alcohol	3.795	56	41485	217.44	ug/L		99
53) benzene	3.522	78	53100	4.01	ug/L		99
54) tert-amyl methyl ether	3.574	73	41763	4.13	ug/L		96
55) iso-octane	3.580	57	29031	4.14	ug/L		98
56) heptane	3.669	57	5316	3.87	ug/L		93
57) isopropyl acetate	3.501	87	4267	4.09	ug/L	#	81
58) 1,2-dichloroethane	3.543	62	22156	3.94	ug/L		99
59) trichloroethene	3.910	95	14998	3.82	ug/L		95
60) ethyl acrylate	3.921	55	25025	4.05	ug/L		99
61) 2-nitropropane	4.356	41	5895	3.57	ug/L		90
62) 2-chloroethyl vinyl ether	4.387	63	42282	22.50	ug/L		96
63) methyl methacrylate	4.073	100	5448	4.37	ug/L		96
64) 1,2-dichloropropane	4.067	63	13700	4.01	ug/L		99
65) methylcyclohexane	4.062	83	19290	4.02	ug/L		92
66) dibromomethane	4.125	93	12201	3.98	ug/L		95
67) bromodichloromethane	4.225	83	20756	3.83	ug/L		94
68) epichlorohydrin	4.424	57	11686	20.20	ug/L		98
69) cis-1,3-dichloropropene	4.508	75	22358	4.13	ug/L		100
70) 4-methyl-2-pentanone	4.586	58	34515	17.38	ug/L		97
71) 3-methyl-1-butanol	4.607	70	15985	88.65	ug/L		100
74) toluene	4.744	92	33686	3.87	ug/L		97
75) ethyl methacrylate	4.906	69	19897	4.08	ug/L		99
76) trans-1,3-dichloropropene	4.880	75	20524	4.19	ug/L		98
77) 1,1,2-trichloroethane	5.022	83	12606	4.31	ug/L		90
78) 2-hexanone	5.163	58	36100	16.91	ug/L		97
79) tetrachloroethene	5.111	164	13422	4.08	ug/L		94
80) 1,3-dichloropropane	5.142	76	22449	4.11	ug/L		99
81) butyl acetate	5.237	56	11670	4.26	ug/L		97
82) dibromochloromethane	5.305	129	18552	4.06	ug/L		100
83) 1,2-dibromoethane	5.394	107	17111	4.13	ug/L		99
84) n-butyl ether	5.803	57	48702	4.08	ug/L		99
85) chlorobenzene	5.756	112	40562	3.90	ug/L		94
86) 1,1,1,2-tetrachloroethane	5.813	131	15995	4.31	ug/L		97
87) ethylbenzene	5.819	91	63026	3.88	ug/L		99
88) m,p-xylene	5.918	106	48659	7.78	ug/L		99
89) o-xylene	6.212	91	49264	4.01	ug/L		98
90) styrene	6.227	104	40716	4.09	ug/L		97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92146.D
Acq On : 11 Sep 2022 5:33 pm
Operator : PrashanS
Sample : IC3747-4
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Sep 12 11:15:46 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:15:38 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
91) butyl acrylate	6.154	56	12713	4.44	ug/L		97
92) n-amyl acetate	6.327	70	10696	3.95	ug/L		94
93) bromoform	6.369	173	13603	4.15	ug/L		99
94) isopropylbenzene	6.495	105	59284	4.00	ug/L		98
95) cis-1,4-dichloro-2-butene	6.537	88	6149	3.90	ug/L	#	88
98) bromobenzene	6.752	156	18188	4.00	ug/L		97
99) 1,1,2,2-tetrachloroethane	6.731	83	22700	3.97	ug/L		99
100) trans-1,4-dichloro-2-b...	6.757	53	4442	3.53	ug/L		93
101) 1,2,3-trichloropropane	6.778	110	6702	3.99	ug/L		93
102) n-propylbenzene	6.820	91	65213	3.86	ug/L		98
103) 2-chlorotoluene	6.899	126	15262	4.06	ug/L		92
104) 4-chlorotoluene	6.988	126	15460	4.00	ug/L		98
105) 1,3,5-trimethylbenzene	6.961	105	43477	3.95	ug/L		97
106) tert-butylbenzene	7.197	119	39157	4.06	ug/L		96
107) 1,2,4-trimethylbenzene	7.239	105	44753	3.77	ug/L		99
108) sec-butylbenzene	7.360	105	52494	4.00	ug/L		98
109) 1,3-dichlorobenzene	7.449	146	29571	3.88	ug/L		96
110) p-isopropyltoluene	7.465	119	43836	3.98	ug/L		96
111) 1,2,3-trimethylbenzene	7.538	105	46494	4.00	ug/L		99
112) 1,4-dichlorobenzene	7.517	146	29885	3.71	ug/L		96
113) 1,2-dichlorobenzene	7.774	146	28793	4.08	ug/L		98
114) benzyl chloride	7.596	91	27875	3.97	ug/L		100
115) n-butylbenzene	7.753	92	18127	3.91	ug/L		98
116) hexachloroethane	7.963	201	6378	3.87	ug/L		99
117) 1,2-dibromo-3-chloropr...	8.293	157	5862	4.08	ug/L		92
118) 1,3,5-trichlorobenzene	8.419	180	15669	4.01	ug/L		99
119) 1,2,4-trichlorobenzene	8.818	180	13656	4.05	ug/L		95
120) hexachlorobutadiene	8.901	225	5133	4.24	ug/L		86
121) naphthalene	8.980	128	46265	4.03	ug/L		99
122) 1,2,3-trichlorobenzene	9.116	180	13260	4.55	ug/L		96
123) 2-methylnaphthalene	9.667	142	8488	2.19	ug/L		93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92146.D
Acq On : 11 Sep 2022 5:33 pm
Operator : PrashanS
Sample : IC3747-4
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Sep 12 11:15:46 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:15:38 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92148.D
Acq On : 11 Sep 2022 6:02 pm
Operator : PrashanS
Sample : IC3747-8
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Sep 12 11:16:33 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:16:26 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	2.316	65	291561	500.00	ug/L	0.00
5) pentafluorobenzene	3.286	168	414284	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.748	114	558215	50.00	ug/L	0.00
72) chlorobenzene-d5	5.735	117	511244	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.502	152	229542	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.291	113	207683	50.55	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.10%			
51) 1,2-dichloroethane-d4 (s)	3.496	65	193170	49.95	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.90%			
73) toluene-d8 (s)	4.691	98	643260	50.45	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.90%			
97) 4-bromofluorobenzene (s)	6.636	95	203295	49.63	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.26%			
Target Compounds						Qvalue
2) ethanol	1.876	45	46167	708.44	ug/L	98
3) tertiary butyl alcohol	2.358	59	35597	38.13	ug/L	93
4) 1,4-dioxane	4.099	88	14727	197.11	ug/L	93
6) chlorodifluoromethane	1.294	51	31806	8.17	ug/L	95
7) dichlorodifluoromethane	1.278	85	35835	7.85	ug/L	97
8) chloromethane	1.393	52	12922	6.81	ug/L	99
9) vinyl chloride	1.446	62	44293	7.51	ug/L	99
10) bromomethane	1.635	96	32288	7.19	ug/L	98
11) chloroethane	1.687	64	26967	7.24	ug/L	94
12) trichlorofluoromethane	1.818	101	69101	8.86	ug/L	97
13) 1,3-butadiene	1.467	54	42711	7.61	ug/L	99
14) ethyl ether	1.954	74	15955	8.73	ug/L	99
15) acrolein	2.028	56	6912	7.93	ug/L	96
16) freon 113	2.086	151	25130	7.68	ug/L	98
17) 1,1-dichloroethene	2.091	61	40370	8.08	ug/L	95
18) acetone	2.096	58	16973	30.85	ug/L	95
19) acetonitrile	2.238	41	54926	76.58	ug/L	96
20) iodomethane	2.180	142	14689	7.17	ug/L	98
21) carbon disulfide	2.227	76	72233	7.58	ug/L	100
22) methylene chloride	2.342	84	28639	7.22	ug/L	95
23) methyl acetate	2.253	74	7550	7.85	ug/L	91
24) methyl tert butyl ether	2.474	73	79432	7.98	ug/L	99
25) trans-1,2-dichloroethene	2.484	96	28498	8.17	ug/L	98
26) hexane	2.626	56	15719	7.94	ug/L	95
27) di-isopropyl ether	2.709	45	79657	7.94	ug/L	97
28) ethyl tert-butyl ether	2.909	59	78594	7.97	ug/L	99
29) 1,1-dichloroethane	2.715	63	48275	8.02	ug/L	98
30) chloroprene	2.757	53	37124	8.25	ug/L	98
31) acrylonitrile	2.453	53	14572	7.85	ug/L	98
32) vinyl acetate	2.694	86	6421	8.09	ug/L	94
33) ethyl acetate	3.008	45	7682	8.95	ug/L	91
34) 2-butanone	2.998	72	23290	33.39	ug/L	94
35) 2,2-dichloropropane	3.035	77	41472	7.82	ug/L	94

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92148.D
Acq On : 11 Sep 2022 6:02 pm
Operator : PrashanS
Sample : IC3747-8
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Sep 12 11:16:33 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:16:26 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
36) cis-1,2-dichloroethene	3.024	96	32116	8.07	ug/L		94
37) propionitrile	3.035	54	68610	81.57	ug/L		93
38) methyl acrylate	3.045	85	7669	8.23	ug/L		97
39) bromochloromethane	3.155	128	17755	8.22	ug/L		96
40) tetrahydrofuran	3.166	71	6820	7.20	ug/L		98
41) chloroform	3.202	83	56006	7.15	ug/L		99
43) methacrylonitrile	3.124	67	16125	7.93	ug/L		94
44) 1,1,1-trichloroethane	3.318	97	49767	7.95	ug/L		98
45) cyclohexane	3.370	84	36254	7.52	ug/L		97
46) 1,1-dichloropropene	3.402	75	38070	7.88	ug/L		98
47) carbon tetrachloride	3.412	119	45181	8.10	ug/L		98
48) isobutyl alcohol	3.402	42	14599	76.61	ug/L		98
49) tert-amyl alcohol	3.475	55	14975	39.53	ug/L		89
52) n-butyl alcohol	3.789	56	83030	423.14	ug/L		97
53) benzene	3.522	78	104683	7.82	ug/L		99
54) tert-amyl methyl ether	3.575	73	82327	8.02	ug/L		99
55) iso-octane	3.580	57	56348	7.90	ug/L		94
56) heptane	3.669	57	10834	7.86	ug/L		99
57) isopropyl acetate	3.501	87	8207	7.73	ug/L	#	93
58) 1,2-dichloroethane	3.538	62	42871	7.56	ug/L		100
59) trichloroethene	3.905	95	30608	7.77	ug/L		98
60) ethyl acrylate	3.921	55	48848	7.81	ug/L		99
61) 2-nitropropane	4.356	41	11971	7.38	ug/L		93
62) 2-chloroethyl vinyl ether	4.387	63	86873	44.81	ug/L		97
63) methyl methacrylate	4.073	100	10159	7.88	ug/L	#	88
64) 1,2-dichloropropane	4.067	63	27065	7.84	ug/L		99
65) methylcyclohexane	4.067	83	37070	7.64	ug/L		98
66) dibromomethane	4.125	93	23463	7.57	ug/L		98
67) bromodichloromethane	4.225	83	40513	7.45	ug/L		98
68) epichlorohydrin	4.424	57	23383	39.89	ug/L		96
69) cis-1,3-dichloropropene	4.508	75	44370	8.06	ug/L		95
70) 4-methyl-2-pentanone	4.586	58	67240	33.02	ug/L		98
71) 3-methyl-1-butanol	4.607	70	32616	175.15	ug/L		98
74) toluene	4.738	92	68638	7.92	ug/L		95
75) ethyl methacrylate	4.901	69	40225	8.21	ug/L		99
76) trans-1,3-dichloropropene	4.880	75	41332	8.36	ug/L		98
77) 1,1,2-trichloroethane	5.022	83	23950	8.08	ug/L		98
78) 2-hexanone	5.163	58	71275	33.04	ug/L		99
79) tetrachloroethene	5.106	164	26803	8.12	ug/L		99
80) 1,3-dichloropropane	5.142	76	42779	7.79	ug/L		94
81) butyl acetate	5.237	56	22447	8.10	ug/L		97
82) dibromochloromethane	5.299	129	37082	8.09	ug/L		99
83) 1,2-dibromoethane	5.394	107	33818	8.11	ug/L		93
84) n-butyl ether	5.803	57	99368	8.29	ug/L		100
85) chlorobenzene	5.756	112	81781	7.89	ug/L		99
86) 1,1,1,2-tetrachloroethane	5.813	131	31229	8.30	ug/L		95
87) ethylbenzene	5.819	91	126531	7.82	ug/L		98
88) m,p-xylene	5.918	106	97992	15.73	ug/L		100
89) o-xylene	6.212	91	97600	7.93	ug/L		99
90) styrene	6.228	104	82645	8.26	ug/L		97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92148.D
Acq On : 11 Sep 2022 6:02 pm
Operator : PrashanS
Sample : IC3747-8
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Sep 12 11:16:33 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:16:26 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
91) butyl acrylate	6.154	56	25711	8.81 ug/L	97
92) n-amyl acetate	6.327	70	22106	8.19 ug/L	98
93) bromoform	6.369	173	26912	8.14 ug/L	97
94) isopropylbenzene	6.495	105	116358	7.84 ug/L	99
95) cis-1,4-dichloro-2-butene	6.537	88	12716	8.10 ug/L	93
98) bromobenzene	6.752	156	35275	7.82 ug/L	98
99) 1,1,2,2-tetrachloroethane	6.731	83	44674	7.88 ug/L	99
100) trans-1,4-dichloro-2-b...	6.757	53	9711	8.02 ug/L	99
101) 1,2,3-trichloropropane	6.778	110	13472	8.08 ug/L	99
102) n-propylbenzene	6.820	91	131621	7.89 ug/L	99
103) 2-chlorotoluene	6.899	126	30534	8.16 ug/L	95
104) 4-chlorotoluene	6.988	126	31648	8.24 ug/L	99
105) 1,3,5-trimethylbenzene	6.962	105	89104	8.16 ug/L	99
106) tert-butylbenzene	7.197	119	76441	7.97 ug/L	100
107) 1,2,4-trimethylbenzene	7.239	105	88728	7.59 ug/L	98
108) sec-butylbenzene	7.360	105	104773	8.04 ug/L	99
109) 1,3-dichlorobenzene	7.449	146	58177	7.73 ug/L	98
110) p-isopropyltoluene	7.465	119	88657	8.12 ug/L	97
111) 1,2,3-trimethylbenzene	7.538	105	91295	7.91 ug/L	99
112) 1,4-dichlorobenzene	7.523	146	60579	7.66 ug/L	97
113) 1,2-dichlorobenzene	7.774	146	57213	8.14 ug/L	100
114) benzyl chloride	7.596	91	58280	8.38 ug/L	99
115) n-butylbenzene	7.753	92	37260	8.13 ug/L	96
116) hexachloroethane	7.963	201	12854	7.92 ug/L	93
117) 1,2-dibromo-3-chloropr...	8.293	157	11959	8.36 ug/L	95
118) 1,3,5-trichlorobenzene	8.419	180	31472	8.10 ug/L	99
119) 1,2,4-trichlorobenzene	8.818	180	27744	8.27 ug/L	96
120) hexachlorobutadiene	8.907	225	9762	8.02 ug/L	96
121) naphthalene	8.980	128	91822	8.05 ug/L	100
122) 1,2,3-trichlorobenzene	9.116	180	25296	8.55 ug/L	96
123) 2-methylnaphthalene	9.672	142	16392	4.18 ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92148.D
Acq On : 11 Sep 2022 6:02 pm
Operator : PrashanS
Sample : IC3747-8
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Sep 12 11:16:33 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:16:26 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92150.D
Acq On : 11 Sep 2022 6:32 pm
Operator : PrashanS
Sample : IC3747-20
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Sep 12 11:17:12 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:17:04 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	2.311	65	282010	500.00	ug/L		0.00
5) pentafluorobenzene	3.286	168	416711	50.00	ug/L		0.00
50) 1,4-difluorobenzene	3.748	114	558325	50.00	ug/L		0.00
72) chlorobenzene-d5	5.735	117	517455	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	7.502	152	231914	50.00	ug/L		0.00
System Monitoring Compounds							
42) dibromofluoromethane (s)	3.291	113	208342	50.34	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.68%				
51) 1,2-dichloroethane-d4 (s)	3.496	65	195852	50.64	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 101.28%				
73) toluene-d8 (s)	4.691	98	640592	49.57	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.14%				
97) 4-bromofluorobenzene (s)	6.636	95	202843	49.06	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.12%				
Target Compounds							Qvalue
2) ethanol	1.876	45	111625	1805.35	ug/L		98
3) tertiary butyl alcohol	2.358	59	84067	93.72	ug/L		96
4) 1,4-dioxane	4.099	88	37646	522.43	ug/L		97
6) chlorodifluoromethane	1.289	51	72017	18.32	ug/L		99
7) dichlorodifluoromethane	1.278	85	90718	19.82	ug/L		98
8) chloromethane	1.388	52	31265	16.80	ug/L		100
9) vinyl chloride	1.446	62	107670	18.31	ug/L		99
10) bromomethane	1.629	96	75229	17.00	ug/L		99
11) chloroethane	1.687	64	66739	18.16	ug/L		99
12) trichlorofluoromethane	1.818	101	148016	18.58	ug/L		99
13) 1,3-butadiene	1.467	54	96515	17.23	ug/L		99
14) ethyl ether	1.954	74	37888	20.34	ug/L		96
15) acrolein	2.028	56	16985	19.40	ug/L		100
16) freon 113	2.086	151	61968	18.93	ug/L		96
17) 1,1-dichloroethene	2.091	61	93571	18.60	ug/L		99
18) acetone	2.096	58	39654	72.03	ug/L		94
19) acetonitrile	2.238	41	130138	181.68	ug/L		98
20) iodomethane	2.180	142	50497	25.15	ug/L		98
21) carbon disulfide	2.227	76	166556	17.54	ug/L		100
22) methylene chloride	2.337	84	66700	16.99	ug/L		94
23) methyl acetate	2.248	74	17993	18.67	ug/L		88
24) methyl tert butyl ether	2.468	73	192503	19.23	ug/L		98
25) trans-1,2-dichloroethene	2.484	96	66732	18.96	ug/L		97
26) hexane	2.626	56	35451	17.82	ug/L		92
27) di-isopropyl ether	2.709	45	192027	19.05	ug/L		99
28) ethyl tert-butyl ether	2.903	59	191552	19.32	ug/L		98
29) 1,1-dichloroethane	2.715	63	114088	18.83	ug/L		100
30) chloroprene	2.757	53	86230	18.96	ug/L		98
31) acrylonitrile	2.447	53	37183	19.98	ug/L		95
32) vinyl acetate	2.688	86	15300	19.12	ug/L	#	81
33) ethyl acetate	3.008	45	16978	19.21	ug/L		94
34) 2-butanone	2.998	72	57362	81.25	ug/L		99
35) 2,2-dichloropropane	3.029	77	98076	18.44	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92150.D
Acq On : 11 Sep 2022 6:32 pm
Operator : PrashanS
Sample : IC3747-20
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Sep 12 11:17:12 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:17:04 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
36) cis-1,2-dichloroethene	3.024	96	77680	19.39	ug/L		99
37) propionitrile	3.029	54	164305	193.65	ug/L		75
38) methyl acrylate	3.040	85	17882	18.98	ug/L	#	85
39) bromochloromethane	3.155	128	44070	20.20	ug/L		100
40) tetrahydrofuran	3.166	71	16087	17.31	ug/L		95
41) chloroform	3.197	83	129322	16.77	ug/L		99
43) methacrylonitrile	3.118	67	40289	19.72	ug/L		98
44) 1,1,1-trichloroethane	3.318	97	114735	18.23	ug/L		100
45) cyclohexane	3.365	84	91556	19.04	ug/L		92
46) 1,1-dichloropropene	3.402	75	90898	18.75	ug/L		99
47) carbon tetrachloride	3.412	119	106697	18.98	ug/L		98
48) isobutyl alcohol	3.402	42	35352	186.00	ug/L		96
49) tert-amyl alcohol	3.475	55	34738	91.35	ug/L		99
52) n-butyl alcohol	3.790	56	196431	991.30	ug/L		99
53) benzene	3.522	78	249656	18.70	ug/L		100
54) tert-amyl methyl ether	3.575	73	198258	19.30	ug/L		98
55) iso-octane	3.580	57	133593	18.76	ug/L		97
56) heptane	3.669	57	25907	18.84	ug/L		95
57) isopropyl acetate	3.496	87	20968	19.89	ug/L	#	86
58) 1,2-dichloroethane	3.538	62	104029	18.52	ug/L		98
59) trichloroethene	3.905	95	72126	18.38	ug/L		98
60) ethyl acrylate	3.921	55	117631	18.87	ug/L		99
61) 2-nitropropane	4.351	41	29570	18.50	ug/L		97
62) 2-chloroethyl vinyl ether	4.382	63	210440	106.69	ug/L		95
63) methyl methacrylate	4.073	100	25432	19.79	ug/L		94
64) 1,2-dichloropropane	4.067	63	64393	18.71	ug/L		100
65) methylcyclohexane	4.062	83	90181	18.70	ug/L		99
66) dibromomethane	4.125	93	55989	18.20	ug/L		96
67) bromodichloromethane	4.225	83	98542	18.30	ug/L		99
68) epichlorohydrin	4.424	57	56427	96.29	ug/L		94
69) cis-1,3-dichloropropene	4.503	75	107341	19.47	ug/L		99
70) 4-methyl-2-pentanone	4.586	58	163533	79.92	ug/L		97
71) 3-methyl-1-butanol	4.607	70	83617	441.97	ug/L		97
74) toluene	4.739	92	158474	18.09	ug/L		99
75) ethyl methacrylate	4.901	69	98386	19.75	ug/L		99
76) trans-1,3-dichloropropene	4.880	75	100887	20.04	ug/L		99
77) 1,1,2-trichloroethane	5.022	83	57236	19.05	ug/L		98
78) 2-hexanone	5.163	58	173454	79.08	ug/L		99
79) tetrachloroethene	5.106	164	61861	18.47	ug/L		99
80) 1,3-dichloropropane	5.142	76	105050	18.97	ug/L		98
81) butyl acetate	5.237	56	54051	19.23	ug/L		97
82) dibromochloromethane	5.300	129	90490	19.48	ug/L		99
83) 1,2-dibromoethane	5.394	107	79988	18.91	ug/L		98
84) n-butyl ether	5.803	57	240951	19.76	ug/L		100
85) chlorobenzene	5.756	112	194570	18.59	ug/L		99
86) 1,1,1,2-tetrachloroethane	5.813	131	78970	20.62	ug/L		99
87) ethylbenzene	5.819	91	301847	18.50	ug/L		99
88) m,p-xylene	5.918	106	235420	37.42	ug/L		99
89) o-xylene	6.212	91	235046	18.90	ug/L		100
90) styrene	6.228	104	201774	19.84	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92150.D
Acq On : 11 Sep 2022 6:32 pm
Operator : PrashanS
Sample : IC3747-20
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Sep 12 11:17:12 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:17:04 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
91) butyl acrylate	6.154	56	63996	21.36 ug/L	95
92) n-amyl acetate	6.327	70	54287	19.77 ug/L	100
93) bromoform	6.374	173	69198	20.61 ug/L	98
94) isopropylbenzene	6.495	105	279305	18.65 ug/L	99
95) cis-1,4-dichloro-2-butene	6.537	88	34266	21.52 ug/L	97
98) bromobenzene	6.752	156	85426	18.80 ug/L	98
99) 1,1,2,2-tetrachloroethane	6.731	83	106141	18.56 ug/L	100
100) trans-1,4-dichloro-2-b...	6.757	53	25799	21.07 ug/L	95
101) 1,2,3-trichloropropane	6.778	110	32538	19.28 ug/L	97
102) n-propylbenzene	6.820	91	314519	18.70 ug/L	100
103) 2-chlorotoluene	6.893	126	72707	19.17 ug/L	97
104) 4-chlorotoluene	6.988	126	76765	19.70 ug/L	97
105) 1,3,5-trimethylbenzene	6.962	105	213769	19.33 ug/L	99
106) tert-butylbenzene	7.197	119	182488	18.84 ug/L	99
107) 1,2,4-trimethylbenzene	7.239	105	213621	18.23 ug/L	98
108) sec-butylbenzene	7.360	105	249550	18.94 ug/L	100
109) 1,3-dichlorobenzene	7.449	146	141186	18.66 ug/L	99
110) p-isopropyltoluene	7.465	119	214847	19.43 ug/L	99
111) 1,2,3-trimethylbenzene	7.538	105	220039	18.90 ug/L	99
112) 1,4-dichlorobenzene	7.523	146	147943	18.63 ug/L	99
113) 1,2-dichlorobenzene	7.774	146	137060	19.25 ug/L	99
114) benzyl chloride	7.596	91	150189	21.22 ug/L	99
115) n-butylbenzene	7.753	92	90989	19.60 ug/L	96
116) hexachloroethane	7.963	201	31795	19.42 ug/L	97
117) 1,2-dibromo-3-chloropr...	8.293	157	30352	20.84 ug/L	96
118) 1,3,5-trichlorobenzene	8.419	180	78317	19.92 ug/L	98
119) 1,2,4-trichlorobenzene	8.818	180	68203	20.02 ug/L	99
120) hexachlorobutadiene	8.907	225	24440	19.87 ug/L	94
121) naphthalene	8.980	128	228601	19.82 ug/L	99
122) 1,2,3-trichlorobenzene	9.116	180	65017	21.53 ug/L	96
123) 2-methylnaphthalene	9.672	142	38716	9.70 ug/L	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92150.D
Acq On : 11 Sep 2022 6:32 pm
Operator : PrashanS
Sample : IC3747-20
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Sep 12 11:17:12 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:17:04 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92152.D
Acq On : 11 Sep 2022 7:01 pm
Operator : PrashanS
Sample : ICC3747-50
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Sep 12 11:07:58 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:07:51 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	2.316	65	301085	500.00	ug/L	0.00
5) pentafluorobenzene	3.286	168	436873	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.747	114	591746	50.00	ug/L	0.00
72) chlorobenzene-d5	5.735	117	554834	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.501	152	241767	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.291	113	219151	50.00	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.00%			
51) 1,2-dichloroethane-d4 (s)	3.496	65	212708	50.00	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.00%			
73) toluene-d8 (s)	4.696	98	670613	50.00	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.00%			
97) 4-bromofluorobenzene (s)	6.636	95	217453	50.00	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.00%			
Target Compounds						Qvalue
2) ethanol	1.876	45	276565	5000.00	ug/L	100
3) tertiary butyl alcohol	2.358	59	221785	250.00	ug/L	100
4) 1,4-dioxane	4.104	88	96474	1250.00	ug/L	100
6) chlorodifluoromethane	1.294	51	195342	50.00	ug/L	100
7) dichlorodifluoromethane	1.278	85	242982	50.00	ug/L	100
8) chloromethane	1.393	52	82011	50.00	ug/L	100
9) vinyl chloride	1.446	62	287875	50.00	ug/L	100
10) bromomethane	1.629	96	201752	50.00	ug/L	100
11) chloroethane	1.682	64	190991	50.00	ug/L	100
12) trichlorofluoromethane	1.818	101	468078	50.00	ug/L	100
13) 1,3-butadiene	1.467	54	247841	50.00	ug/L	100
14) ethyl ether	1.954	74	106284	50.00	ug/L	100
15) acrolein	2.028	56	45135	50.00	ug/L	100
16) freon 113	2.085	151	172816	50.00	ug/L	100
17) 1,1-dichloroethene	2.091	61	265012	50.00	ug/L	100
18) acetone	2.096	58	104447	200.00	ug/L	100
19) acetonitrile	2.237	41	335158	500.00	ug/L	100
20) iodomethane	2.180	142	181322	50.00	ug/L	100
21) carbon disulfide	2.227	76	448129	50.00	ug/L	100
22) methylene chloride	2.342	84	178460	50.00	ug/L	100
23) methyl acetate	2.253	74	49433	50.00	ug/L	100
24) methyl tert butyl ether	2.473	73	541997	50.00	ug/L	100
25) trans-1,2-dichloroethene	2.484	96	186289	50.00	ug/L	100
26) hexane	2.625	56	102951	50.00	ug/L	100
27) di-isopropyl ether	2.709	45	528230	50.00	ug/L	100
28) ethyl tert-butyl ether	2.909	59	528261	50.00	ug/L	100
29) 1,1-dichloroethane	2.715	63	320003	50.00	ug/L	100
30) chloroprene	2.757	53	241997	50.00	ug/L	100
31) acrylonitrile	2.447	53	96626	50.00	ug/L	100
32) vinyl acetate	2.694	86	45392	50.00	ug/L	100
33) ethyl acetate	3.008	45	46873	50.00	ug/L	100
34) 2-butanone	2.998	72	155802	200.00	ug/L	100
35) 2,2-dichloropropane	3.034	77	278164	50.00	ug/L	100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92152.D
Acq On : 11 Sep 2022 7:01 pm
Operator : PrashanS
Sample : ICC3747-50
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Sep 12 11:07:58 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:07:51 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
36) cis-1,2-dichloroethene	3.024	96	221767	50.00	ug/L	100
37) propionitrile	3.034	54	429743	500.00	ug/L	100
38) methyl acrylate	3.045	85	49949	50.00	ug/L	100
39) bromochloromethane	3.155	128	114773	50.00	ug/L	100
40) tetrahydrofuran	3.165	71	41840	50.00	ug/L	100
41) chloroform	3.202	83	353472	50.00	ug/L	100
43) methacrylonitrile	3.124	67	105942	50.00	ug/L	100
44) 1,1,1-trichloroethane	3.318	97	319074	50.00	ug/L	100
45) cyclohexane	3.370	84	252185	50.00	ug/L	100
46) 1,1-dichloropropene	3.401	75	258109	50.00	ug/L	100
47) carbon tetrachloride	3.412	119	309264	50.00	ug/L	100
48) isobutyl alcohol	3.401	42	89948	500.00	ug/L	100
49) tert-amyl alcohol	3.480	55	87113	250.00	ug/L	100
52) n-butyl alcohol	3.795	56	530563	2500.00	ug/L	100
53) benzene	3.522	78	685352	50.00	ug/L	100
54) tert-amyl methyl ether	3.574	73	550053	50.00	ug/L	100
55) iso-octane	3.574	57	368584	50.00	ug/L	100
56) heptane	3.669	57	71493	50.00	ug/L	100
57) isopropyl acetate	3.501	87	56064	50.00	ug/L	100
58) 1,2-dichloroethane	3.538	62	277809	50.00	ug/L	100
59) trichloroethene	3.905	95	206347	50.00	ug/L	100
60) ethyl acrylate	3.920	55	319648	50.00	ug/L	100
61) 2-nitropropane	4.356	41	84846	50.00	ug/L	100
62) 2-chloroethyl vinyl ether	4.387	63	593205	250.00	ug/L	100
63) methyl methacrylate	4.073	100	71410	50.00	ug/L	100
64) 1,2-dichloropropane	4.067	63	183374	50.00	ug/L	100
65) methylcyclohexane	4.062	83	257548	50.00	ug/L	100
66) dibromomethane	4.125	93	154281	50.00	ug/L	100
67) bromodichloromethane	4.225	83	278759	50.00	ug/L	100
68) epichlorohydrin	4.424	57	151824	250.00	ug/L	100
69) cis-1,3-dichloropropene	4.502	75	301575	50.00	ug/L	100
70) 4-methyl-2-pentanone	4.586	58	451097	200.00	ug/L	100
71) 3-methyl-1-butanol	4.607	70	231983	1000.00	ug/L	100
74) toluene	4.738	92	439938	50.00	ug/L	100
75) ethyl methacrylate	4.901	69	273348	50.00	ug/L	100
76) trans-1,3-dichloropropene	4.880	75	287700	50.00	ug/L	100
77) 1,1,2-trichloroethane	5.022	83	158591	50.00	ug/L	100
78) 2-hexanone	5.163	58	472686	200.00	ug/L	100
79) tetrachloroethene	5.105	164	178349	50.00	ug/L	100
80) 1,3-dichloropropane	5.142	76	293692	50.00	ug/L	100
81) butyl acetate	5.236	56	147451	50.00	ug/L	100
82) dibromochloromethane	5.299	129	257424	50.00	ug/L	100
83) 1,2-dibromoethane	5.394	107	222536	50.00	ug/L	100
84) n-butyl ether	5.803	57	677257	50.00	ug/L	100
85) chlorobenzene	5.756	112	543236	50.00	ug/L	100
86) 1,1,1,2-tetrachloroethane	5.813	131	231047	50.00	ug/L	100
87) ethylbenzene	5.818	91	861883	50.00	ug/L	100
88) m,p-xylene	5.918	106	667613	100.00	ug/L	100
89) o-xylene	6.217	91	676049	50.00	ug/L	100
90) styrene	6.227	104	567035	50.00	ug/L	100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92152.D
Acq On : 11 Sep 2022 7:01 pm
Operator : PrashanS
Sample : ICC3747-50
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Sep 12 11:07:58 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:07:51 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
91) butyl acrylate	6.154	56	175627	50.00	ug/L	100
92) n-amyl acetate	6.327	70	150748	50.00	ug/L	100
93) bromoform	6.374	173	199134	50.00	ug/L	100
94) isopropylbenzene	6.495	105	787967	50.00	ug/L	100
95) cis-1,4-dichloro-2-butene	6.537	88	106005	50.00	ug/L	100
98) bromobenzene	6.752	156	244006	50.00	ug/L	100
99) 1,1,2,2-tetrachloroethane	6.731	83	294322	50.00	ug/L	100
100) trans-1,4-dichloro-2-b...	6.757	53	77226	50.00	ug/L	100
101) 1,2,3-trichloropropane	6.778	110	88495	50.00	ug/L	100
102) n-propylbenzene	6.820	91	869304	50.00	ug/L	100
103) 2-chlorotoluene	6.899	126	203170	50.00	ug/L	100
104) 4-chlorotoluene	6.988	126	209276	50.00	ug/L	100
105) 1,3,5-trimethylbenzene	6.961	105	592260	50.00	ug/L	100
106) tert-butylbenzene	7.197	119	513786	50.00	ug/L	100
107) 1,2,4-trimethylbenzene	7.239	105	596635	50.00	ug/L	100
108) sec-butylbenzene	7.360	105	693412	50.00	ug/L	100
109) 1,3-dichlorobenzene	7.449	146	395438	50.00	ug/L	100
110) p-isopropyltoluene	7.470	119	592791	50.00	ug/L	100
111) 1,2,3-trimethylbenzene	7.538	105	595948	50.00	ug/L	100
112) 1,4-dichlorobenzene	7.522	146	405490	50.00	ug/L	100
113) 1,2-dichlorobenzene	7.774	146	375807	50.00	ug/L	100
114) benzyl chloride	7.596	91	420547	50.00	ug/L	100
115) n-butylbenzene	7.753	92	257874	50.00	ug/L	100
116) hexachloroethane	7.963	201	96812	50.00	ug/L	100
117) 1,2-dibromo-3-chloropr...	8.293	157	84878	50.00	ug/L	100
118) 1,3,5-trichlorobenzene	8.419	180	212038	50.00	ug/L	100
119) 1,2,4-trichlorobenzene	8.817	180	187746	50.00	ug/L	100
120) hexachlorobutadiene	8.907	225	62844	50.00	ug/L	100
121) naphthalene	8.980	128	636795	50.00	ug/L	100
122) 1,2,3-trichlorobenzene	9.116	180	173235	50.00	ug/L	100
123) 2-methylnaphthalene	9.672	142	100096	25.00	ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92152.D
Acq On : 11 Sep 2022 7:01 pm
Operator : PrashanS
Sample : ICC3747-50
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Sep 12 11:07:58 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:07:51 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92154.D
Acq On : 11 Sep 2022 7:30 pm
Operator : PrashanS
Sample : IC3747-100
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Sep 12 11:17:49 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:17:39 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	2.321	65	299010	500.00	ug/L		0.00
5) pentafluorobenzene	3.286	168	437747	50.00	ug/L		0.00
50) 1,4-difluorobenzene	3.747	114	587251	50.00	ug/L		0.00
72) chlorobenzene-d5	5.735	117	559694	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	7.501	152	231415	50.00	ug/L		0.00
System Monitoring Compounds							
42) dibromofluoromethane (s)	3.291	113	218472	50.20	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.40%				
51) 1,2-dichloroethane-d4 (s)	3.496	65	218149	53.55	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 107.10%				
73) toluene-d8 (s)	4.696	98	656219	47.00	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 94.00%				
97) 4-bromofluorobenzene (s)	6.636	95	211007	51.27	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.54%				
Target Compounds							Qvalue
2) ethanol	1.881	45	561958	8692.89	ug/L		98
3) tertiary butyl alcohol	2.363	59	463202	490.90	ug/L		97
4) 1,4-dioxane	4.104	88	195030	2533.71	ug/L		95
6) chlorodifluoromethane	1.288	51	417645	102.37	ug/L		98
7) dichlorodifluoromethane	1.278	85	530175	110.38	ug/L		100
8) chloromethane	1.393	52	166918	87.37	ug/L		99
9) vinyl chloride	1.451	62	581551	95.16	ug/L		99
10) bromomethane	1.629	96	335454	74.02	ug/L		99
11) chloroethane	1.682	64	371963	97.87	ug/L		99
12) trichlorofluoromethane	1.818	101	1138576	137.25	ug/L		100
13) 1,3-butadiene	1.467	54	476773	82.67	ug/L		100
14) ethyl ether	1.954	74	246708	125.79	ug/L		95
15) acrolein	2.028	56	101002	110.31	ug/L		99
16) freon 113	2.085	151	383731	112.33	ug/L		97
17) 1,1-dichloroethene	2.091	61	568148	108.46	ug/L		98
18) acetone	2.096	58	221500	387.86	ug/L		100
19) acetonitrile	2.243	41	681798	918.12	ug/L		98
20) iodomethane	2.180	142	390772	176.19	ug/L		99
21) carbon disulfide	2.227	76	954729	97.41	ug/L		99
22) methylene chloride	2.342	84	376636	93.31	ug/L		97
23) methyl acetate	2.253	74	105874	105.73	ug/L		98
24) methyl tert butyl ether	2.473	73	1177561	112.50	ug/L		99
25) trans-1,2-dichloroethene	2.484	96	401060	109.19	ug/L		98
26) hexane	2.625	56	217019	105.26	ug/L		97
27) di-isopropyl ether	2.709	45	1108557	105.34	ug/L		98
28) ethyl tert-butyl ether	2.909	59	1136457	109.60	ug/L		99
29) 1,1-dichloroethane	2.715	63	677863	107.31	ug/L		99
30) chloroprene	2.756	53	507899	107.00	ug/L		100
31) acrylonitrile	2.452	53	210046	107.47	ug/L		99
32) vinyl acetate	2.694	86	97964	117.41	ug/L		94
33) ethyl acetate	3.008	45	101272	109.81	ug/L		94
34) 2-butanone	2.998	72	337312	453.95	ug/L	#	92
35) 2,2-dichloropropane	3.034	77	606966	109.72	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92154.D
Acq On : 11 Sep 2022 7:30 pm
Operator : PrashanS
Sample : IC3747-100
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Sep 12 11:17:49 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:17:39 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
36) cis-1,2-dichloroethene	3.024	96	477789	113.95	ug/L		98
37) propionitrile	3.034	54	892874	1005.77	ug/L		99
38) methyl acrylate	3.045	85	110075	112.16	ug/L		98
39) bromochloromethane	3.160	128	220534	96.09	ug/L		93
40) tetrahydrofuran	3.171	71	87914	92.54	ug/L		91
41) chloroform	3.202	83	742379	94.20	ug/L		98
43) methacrylonitrile	3.123	67	223215	104.22	ug/L		99
44) 1,1,1-trichloroethane	3.317	97	676469	103.46	ug/L		99
45) cyclohexane	3.365	84	554376	110.43	ug/L	#	83
46) 1,1-dichloropropene	3.401	75	550911	109.05	ug/L		99
47) carbon tetrachloride	3.412	119	681309	116.11	ug/L		100
48) isobutyl alcohol	3.407	42	179209	908.19	ug/L		98
49) tert-amyl alcohol	3.480	55	175234	444.14	ug/L		86
52) n-butyl alcohol	3.795	56	1126505	5411.70	ug/L		99
53) benzene	3.522	78	1455828	104.53	ug/L		99
54) tert-amyl methyl ether	3.574	73	1190913	110.70	ug/L		99
55) iso-octane	3.574	57	783419	105.42	ug/L		99
56) heptane	3.669	57	146403	102.05	ug/L		98
57) isopropyl acetate	3.501	87	123638	111.59	ug/L		97
58) 1,2-dichloroethane	3.538	62	590054	100.94	ug/L		99
59) trichloroethene	3.910	95	443217	108.48	ug/L		94
60) ethyl acrylate	3.920	55	680907	104.69	ug/L		100
61) 2-nitropropane	4.356	41	199791	120.37	ug/L		97
62) 2-chloroethyl vinyl ether	4.387	63	1310625	626.48	ug/L		99
63) methyl methacrylate	4.072	100	162438	120.37	ug/L	#	88
64) 1,2-dichloropropane	4.067	63	396751	110.61	ug/L		97
65) methylcyclohexane	4.067	83	567733	112.82	ug/L		98
66) dibromomethane	4.125	93	331189	103.52	ug/L		100
67) bromodichloromethane	4.225	83	586793	104.70	ug/L		99
68) epichlorohydrin	4.429	57	311185	508.00	ug/L		93
69) cis-1,3-dichloropropene	4.508	75	642010	111.09	ug/L		98
70) 4-methyl-2-pentanone	4.586	58	984533	457.51	ug/L		96
71) 3-methyl-1-butanol	4.607	70	484264	2397.61	ug/L		97
74) toluene	4.744	92	935895	99.94	ug/L		99
75) ethyl methacrylate	4.906	69	583001	108.38	ug/L		96
76) trans-1,3-dichloropropene	4.880	75	619105	113.67	ug/L		100
77) 1,1,2-trichloroethane	5.021	83	339025	104.95	ug/L		97
78) 2-hexanone	5.163	58	1001418	422.73	ug/L		98
79) tetrachloroethene	5.105	164	380900	106.17	ug/L		99
80) 1,3-dichloropropane	5.142	76	624018	104.86	ug/L		99
81) butyl acetate	5.236	56	310089	102.51	ug/L		97
82) dibromochloromethane	5.299	129	556823	111.18	ug/L		100
83) 1,2-dibromoethane	5.394	107	472842	104.06	ug/L		99
84) n-butyl ether	5.803	57	1445068	109.74	ug/L		99
85) chlorobenzene	5.755	112	1167594	104.05	ug/L		100
86) 1,1,1,2-tetrachloroethane	5.813	131	528532	127.09	ug/L		99
87) ethylbenzene	5.818	91	1867524	106.81	ug/L		100
88) m,p-xylene	5.918	106	1460916	216.46	ug/L		96
89) o-xylene	6.217	91	1450582	108.57	ug/L		98
90) styrene	6.227	104	1240637	112.88	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92154.D
Acq On : 11 Sep 2022 7:30 pm
Operator : PrashanS
Sample : IC3747-100
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Sep 12 11:17:49 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:17:39 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
91) butyl acrylate	6.154	56	378292	115.75 ug/L	95
92) n-amyl acetate	6.327	70	315320	106.37 ug/L	97
93) bromoform	6.374	173	429652	117.81 ug/L	100
94) isopropylbenzene	6.495	105	1662142	103.46 ug/L	100
95) cis-1,4-dichloro-2-butene	6.537	88	231912	132.97 ug/L	98
98) bromobenzene	6.752	156	530719	117.95 ug/L	99
99) 1,1,2,2-tetrachloroethane	6.731	83	619338	109.53 ug/L	100
100) trans-1,4-dichloro-2-b...	6.762	53	170950	138.68 ug/L	93
101) 1,2,3-trichloropropane	6.778	110	185860	110.95 ug/L	100
102) n-propylbenzene	6.825	91	1795244	107.82 ug/L	97
103) 2-chlorotoluene	6.898	126	429377	114.06 ug/L	98
104) 4-chlorotoluene	6.988	126	438331	112.97 ug/L	100
105) 1,3,5-trimethylbenzene	6.961	105	1241294	112.93 ug/L	99
106) tert-butylbenzene	7.197	119	1080917	112.67 ug/L	99
107) 1,2,4-trimethylbenzene	7.239	105	1274237	110.19 ug/L	99
108) sec-butylbenzene	7.360	105	1450966	111.09 ug/L	99
109) 1,3-dichlorobenzene	7.449	146	853000	113.93 ug/L	100
110) p-isopropyltoluene	7.470	119	1261874	114.76 ug/L	100
111) 1,2,3-trimethylbenzene	7.538	105	1277663	110.75 ug/L	100
112) 1,4-dichlorobenzene	7.522	146	868577	110.55 ug/L	99
113) 1,2-dichlorobenzene	7.774	146	804136	113.72 ug/L	99
114) benzyl chloride	7.596	91	900905	126.62 ug/L	100
115) n-butylbenzene	7.753	92	552035	119.48 ug/L	99
116) hexachloroethane	7.963	201	211214	129.91 ug/L	99
117) 1,2-dibromo-3-chloropr...	8.293	157	184098	125.91 ug/L	97
118) 1,3,5-trichlorobenzene	8.419	180	468692	119.52 ug/L	100
119) 1,2,4-trichlorobenzene	8.817	180	423376	124.54 ug/L	98
120) hexachlorobutadiene	8.907	225	139386	113.69 ug/L	99
121) naphthalene	8.980	128	1411264	122.77 ug/L	99
122) 1,2,3-trichlorobenzene	9.116	180	384667	126.44 ug/L	100
123) 2-methylnaphthalene	9.672	142	224015	56.51 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92154.D
Acq On : 11 Sep 2022 7:30 pm
Operator : PrashanS
Sample : IC3747-100
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Sep 12 11:17:49 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:17:39 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92156.D
Acq On : 11 Sep 2022 8:00 pm
Operator : PrashanS
Sample : IC3747-200
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Sep 12 11:35:09 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:18:33 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	2.321	65	306273	500.00	ug/L		0.00
5) pentafluorobenzene	3.281	168	447073	50.00	ug/L		0.00
50) 1,4-difluorobenzene	3.747	114	610685	50.00	ug/L		0.00
72) chlorobenzene-d5	5.735	117	590673	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	7.507	152	239721	50.00	ug/L		0.00
System Monitoring Compounds							
42) dibromofluoromethane (s)	3.286	113	228223	51.33	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.66%				
51) 1,2-dichloroethane-d4 (s)	3.496	65	243504	57.03	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 114.06%				
73) toluene-d8 (s)	4.696	98	682647	46.64	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 93.28%				
97) 4-bromofluorobenzene (s)	6.636	95	216149	50.56	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.12%				
Target Compounds							Qvalue
2) ethanol	1.881	45	776348	11919.23	ug/L		100
3) tertiary butyl alcohol	2.363	59	859531	891.12	ug/L		85
4) 1,4-dioxane	4.114	88	360532	4563.94	ug/L		98
6) chlorodifluoromethane	1.294	51	830096	198.64	ug/L		99
7) dichlorodifluoromethane	1.278	85	1041474	209.59	ug/L		98
8) chloromethane	1.393	52	321562	167.45	ug/L		98
9) vinyl chloride	1.446	62	1073983	172.99	ug/L		99
11) chloroethane	1.676	64	458516	118.49	ug/L		99
12) trichlorofluoromethane	1.813	101	2254605	255.54	ug/L		100
13) 1,3-butadiene	1.467	54	892275	154.84	ug/L		99
14) ethyl ether	1.949	74	576479	279.79	ug/L		99
15) acrolein	2.022	56	198386	209.45	ug/L		99
16) freon 113	2.080	151	824498	233.13	ug/L		95
17) 1,1-dichloroethene	2.085	61	1171333	216.90	ug/L		96
18) acetone	2.096	58	426922	734.45	ug/L		96
19) acetonitrile	2.243	41	1316538	1753.84	ug/L		98
21) carbon disulfide	2.222	76	1942537	194.69	ug/L		99
22) methylene chloride	2.337	84	759485	185.79	ug/L		97
23) methyl acetate	2.248	74	213891	207.44	ug/L		91
24) methyl tert butyl ether	2.468	73	2527512	233.20	ug/L		99
25) trans-1,2-dichloroethene	2.479	96	868274	229.13	ug/L		97
26) hexane	2.620	56	449687	212.32	ug/L		98
27) di-isopropyl ether	2.709	45	2321382	214.71	ug/L		95
28) ethyl tert-butyl ether	2.903	59	2389523	223.26	ug/L		99
29) 1,1-dichloroethane	2.709	63	1447241	222.53	ug/L		98
30) chloroprene	2.751	53	1041449	213.17	ug/L		99
31) acrylonitrile	2.447	53	419346	208.13	ug/L		98
32) vinyl acetate	2.688	86	208454	238.69	ug/L		98
33) ethyl acetate	3.008	45	207062	216.80	ug/L	#	54
34) 2-butanone	2.998	72	704439	914.54	ug/L		94
35) 2,2-dichloropropane	3.029	77	1325632	232.13	ug/L		99
36) cis-1,2-dichloroethene	3.019	96	1061017	243.99	ug/L		99
37) propionitrile	3.034	54	1713261	1888.42	ug/L		71

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92156.D
Acq On : 11 Sep 2022 8:00 pm
Operator : PrashanS
Sample : IC3747-200
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Sep 12 11:35:09 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:18:33 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
38) methyl acrylate	3.045	85	230170	225.72	ug/L		94
39) bromochloromethane	3.155	128	446606	191.36	ug/L		97
40) tetrahydrofuran	3.165	71	179009	186.82	ug/L		97
41) chloroform	3.197	83	1555955	194.93	ug/L		99
43) methacrylonitrile	3.123	67	454623	206.75	ug/L		97
44) 1,1,1-trichloroethane	3.312	97	1434019	213.92	ug/L		99
45) cyclohexane	3.365	84	1206422	232.60	ug/L	#	84
46) 1,1-dichloropropene	3.401	75	1170142	224.53	ug/L		98
47) carbon tetrachloride	3.407	119	1496313	245.30	ug/L		99
48) isobutyl alcohol	3.407	42	270428	1359.71	ug/L	#	87
49) tert-amyl alcohol	3.485	55	341056	858.39	ug/L	#	69
52) n-butyl alcohol	3.800	56	2129707	9738.22	ug/L		98
53) benzene	3.522	78	3104405	213.27	ug/L		100
54) tert-amyl methyl ether	3.574	73	2580240	227.93	ug/L		98
55) iso-octane	3.574	57	1651467	212.42	ug/L		98
56) heptane	3.669	57	305863	204.50	ug/L		97
57) isopropyl acetate	3.501	87	261585	223.34	ug/L		98
58) 1,2-dichloroethane	3.538	62	1246087	204.74	ug/L		100
59) trichloroethene	3.905	95	955647	222.82	ug/L		98
60) ethyl acrylate	3.920	55	1388639	204.11	ug/L		100
61) 2-nitropropane	4.356	41	408512	229.98	ug/L		97
62) 2-chloroethyl vinyl ether	4.387	63	2815026	1258.57	ug/L		97
63) methyl methacrylate	4.072	100	358748	248.41	ug/L	#	76
64) 1,2-dichloropropane	4.067	63	854609	226.12	ug/L		92
65) methylcyclohexane	4.062	83	1253112	236.10	ug/L		97
66) dibromomethane	4.125	93	697116	208.73	ug/L		98
67) bromodichloromethane	4.225	83	1249418	213.26	ug/L		100
68) epichlorohydrin	4.429	57	607273	951.13	ug/L		92
69) cis-1,3-dichloropropene	4.508	75	1333784	219.23	ug/L		96
70) 4-methyl-2-pentanone	4.592	58	2032529	893.98	ug/L		86
71) 3-methyl-1-butanol	4.613	70	950509	4415.69	ug/L		99
74) toluene	4.744	92	2026357	205.05	ug/L		96
75) ethyl methacrylate	4.906	69	1185865	206.73	ug/L		97
76) trans-1,3-dichloropropene	4.880	75	1316972	225.69	ug/L		98
77) 1,1,2-trichloroethane	5.021	83	699331	204.02	ug/L		99
78) 2-hexanone	5.163	58	2007181	797.81	ug/L		95
79) tetrachloroethene	5.105	164	822957	215.87	ug/L		100
80) 1,3-dichloropropane	5.142	76	1297100	205.43	ug/L		99
81) butyl acetate	5.236	56	622911	194.58	ug/L		96
82) dibromochloromethane	5.305	129	1168780	218.41	ug/L		100
83) 1,2-dibromoethane	5.399	107	975723	202.55	ug/L		100
84) n-butyl ether	5.808	57	3004710	213.89	ug/L		92
85) chlorobenzene	5.755	112	2454821	206.35	ug/L		99
86) 1,1,1,2-tetrachloroethane	5.813	131	1198402	265.08	ug/L		100
87) ethylbenzene	5.818	91	4012330	215.81	ug/L		98
88) m,p-xylene	5.918	106	3188711	443.62	ug/L		93
89) o-xylene	6.217	91	3110128	218.49	ug/L		97
90) styrene	6.227	104	2665224	226.53	ug/L		99
91) butyl acrylate	6.154	56	763353	217.51	ug/L		94
92) n-amyl acetate	6.327	70	635951	201.44	ug/L		93

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92156.D
Acq On : 11 Sep 2022 8:00 pm
Operator : PrashanS
Sample : IC3747-200
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Sep 12 11:35:09 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:18:33 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
93) bromoform	6.374	173	899772	228.68 ug/L	100
94) isopropylbenzene	6.500	105	3460411	203.32 ug/L	98
95) cis-1,4-dichloro-2-butene	6.537	88	490927	254.72 ug/L	99
98) bromobenzene	6.757	156	1139324	239.65 ug/L	92
99) 1,1,2,2-tetrachloroethane	6.731	83	1248057	210.84 ug/L	100
100) trans-1,4-dichloro-2-b...	6.762	53	359616	266.88 ug/L	90
101) 1,2,3-trichloropropane	6.778	110	370540	210.65 ug/L	100
102) n-propylbenzene	6.825	91	3675015	211.24 ug/L	96
103) 2-chlorotoluene	6.898	126	891380	225.07 ug/L	100
104) 4-chlorotoluene	6.988	126	915831	224.61 ug/L	99
105) 1,3,5-trimethylbenzene	6.961	105	2635575	228.20 ug/L	97
106) tert-butylbenzene	7.197	119	2283535	226.58 ug/L	98
107) 1,2,4-trimethylbenzene	7.239	105	2643886	218.23 ug/L	99
108) sec-butylbenzene	7.360	105	3017465	220.31 ug/L	99
109) 1,3-dichlorobenzene	7.449	146	1808726	229.66 ug/L	100
110) p-isopropyltoluene	7.470	119	2630500	227.21 ug/L	98
111) 1,2,3-trimethylbenzene	7.538	105	2682125	221.79 ug/L	99
112) 1,4-dichlorobenzene	7.522	146	1853501	225.09 ug/L	99
113) 1,2-dichlorobenzene	7.774	146	1682710	226.28 ug/L	98
114) benzyl chloride	7.596	91	1858043	244.85 ug/L	98
115) n-butylbenzene	7.753	92	1181142	241.55 ug/L	99
116) hexachloroethane	7.963	201	453898	258.46 ug/L	99
117) 1,2-dibromo-3-chloropr...	8.293	157	368782	235.84 ug/L	96
118) 1,3,5-trichlorobenzene	8.419	180	987222	237.87 ug/L	99
119) 1,2,4-trichlorobenzene	8.817	180	903552	249.77 ug/L	99
120) hexachlorobutadiene	8.907	225	289989	224.50 ug/L	99
121) naphthalene	8.980	128	2945588	241.26 ug/L	100
122) 1,2,3-trichlorobenzene	9.116	180	813574	250.79 ug/L	99
123) 2-methylnaphthalene	9.672	142	473539	113.47 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92156.D
Acq On : 11 Sep 2022 8:00 pm
Operator : PrashanS
Sample : IC3747-200
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Sep 12 11:35:09 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:18:33 2022
Response via : Initial Calibration



Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 09/12/22 13:48

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92162.D
Acq On : 11 Sep 2022 9:28 pm
Operator : PrashanS
Sample : ICV3747-50
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Sep 12 11:40:28 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) tert butyl alcohol-d9	2.311	65	302730	500.00	ug/L		0.00
5) pentafluorobenzene	3.281	168	444168	50.00	ug/L		0.00
50) 1,4-difluorobenzene	3.747	114	596162	50.00	ug/L		0.00
72) chlorobenzene-d5	5.735	117	554766	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	7.501	152	237374	50.00	ug/L		0.00
System Monitoring Compounds							
42) dibromofluoromethane (s)	3.286	113	221331	49.97	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.94%				
51) 1,2-dichloroethane-d4 (s)	3.491	65	210359	49.76	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 99.52%				
73) toluene-d8 (s)	4.691	98	673651	49.33	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.66%				
97) 4-bromofluorobenzene (s)	6.636	95	217219	51.25	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.50%				
Target Compounds							Qvalue
2) ethanol	1.876	45	296504	4821.96	ug/L		99
3) tertiary butyl alcohol	2.358	59	225645	239.28	ug/L		99
4) 1,4-dioxane	4.099	88	101046	1308.37	ug/L		95
7) dichlorodifluoromethane	1.273	85	251416	50.66	ug/L		100
8) chloromethane	1.388	52	79541	42.46	ug/L		97
9) vinyl chloride	1.446	62	292886	48.14	ug/L		99
10) bromomethane	1.624	96	200018	47.26	ug/L		99
11) chloroethane	1.682	64	198327	54.36	ug/L		100
12) trichlorofluoromethane	1.813	101	447001	49.62	ug/L		99
13) 1,3-butadiene	1.467	54	304653	54.58	ug/L		98
14) ethyl ether	1.949	74	111927	52.58	ug/L		97
15) acrolein	2.023	56	42802	45.25	ug/L		98
16) freon 113	2.085	151	177000	49.55	ug/L		95
17) 1,1-dichloroethene	2.085	61	286691	52.99	ug/L		97
18) acetone	2.091	58	104470	182.39	ug/L		100
19) acetonitrile	2.237	41	276507	375.90	ug/L		98
20) iodomethane	2.180	142	149794	44.80	ug/L		98
21) carbon disulfide	2.227	76	493918	49.97	ug/L		99
22) methylene chloride	2.337	84	191882	47.62	ug/L		97
23) methyl acetate	2.248	74	59257	57.58	ug/L		97
24) methyl tert butyl ether	2.468	73	577926	52.79	ug/L		100
25) trans-1,2-dichloroethene	2.484	96	195837	51.27	ug/L		99
26) hexane	2.625	56	102827	48.57	ug/L		97
27) di-isopropyl ether	2.709	45	552584	51.07	ug/L		96
28) ethyl tert-butyl ether	2.903	59	534357	49.68	ug/L		98
29) 1,1-dichloroethane	2.715	63	339379	51.94	ug/L		100
30) chloroprene	2.757	53	266968	54.64	ug/L		99
31) acrylonitrile	2.447	53	104251	51.85	ug/L		99
32) vinyl acetate	2.688	86	39043	43.94	ug/L	#	87
33) ethyl acetate	3.008	45	49369	51.49	ug/L	#	70
34) 2-butanone	2.998	72	167439	215.71	ug/L		100
35) 2,2-dichloropropane	3.029	77	281112	48.76	ug/L		98
36) cis-1,2-dichloroethene	3.019	96	229629	52.01	ug/L		96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92162.D
Acq On : 11 Sep 2022 9:28 pm
Operator : PrashanS
Sample : ICV3747-50
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Sep 12 11:40:28 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
37) propionitrile	3.029	54	419687	468.23	ug/L		83
38) methyl acrylate	3.040	85	51898	50.42	ug/L		94
39) bromochloromethane	3.155	128	116343	50.39	ug/L		96
40) tetrahydrofuran	3.166	71	44622	47.32	ug/L		97
41) chloroform	3.197	83	376148	47.58	ug/L		98
43) methacrylonitrile	3.118	67	112359	51.24	ug/L		99
44) 1,1,1-trichloroethane	3.318	97	334812	49.92	ug/L		97
45) cyclohexane	3.365	84	251204	47.97	ug/L		95
46) 1,1-dichloropropene	3.401	75	269631	51.45	ug/L		99
47) carbon tetrachloride	3.407	119	323704	52.23	ug/L		98
48) isobutyl alcohol	3.401	42	99523	524.67	ug/L		98
49) tert-amyl alcohol	3.475	55	87100	224.18	ug/L		95
52) n-butyl alcohol	3.795	56	551057	2588.66	ug/L		100
53) benzene	3.522	78	715300	50.01	ug/L		99
54) tert-amyl methyl ether	3.574	73	534208	47.67	ug/L		99
55) iso-octane	3.574	57	362162	47.42	ug/L		98
56) heptane	3.669	57	75052	50.77	ug/L		97
57) isopropyl acetate	3.496	87	58571	50.49	ug/L	#	91
58) 1,2-dichloroethane	3.538	62	289263	48.56	ug/L		99
59) trichloroethene	3.905	95	215298	50.84	ug/L		98
60) ethyl acrylate	3.920	55	319035	47.93	ug/L		99
61) 2-nitropropane	4.350	41	90257	51.09	ug/L		98
62) 2-chloroethyl vinyl ether	4.387	63	667635	298.06	ug/L		99
63) methyl methacrylate	4.067	100	81158	55.88	ug/L	#	85
64) 1,2-dichloropropane	4.067	63	190578	50.91	ug/L		98
65) methylcyclohexane	4.062	83	273459	51.84	ug/L		98
66) dibromomethane	4.125	93	159744	48.78	ug/L		97
67) bromodichloromethane	4.219	83	285999	49.68	ug/L		99
68) epichlorohydrin	4.424	57	151768	244.99	ug/L		94
69) cis-1,3-dichloropropene	4.502	75	306517	51.12	ug/L		99
70) 4-methyl-2-pentanone	4.586	58	465222	207.17	ug/L		99
71) 3-methyl-1-butanol	4.607	70	238116	1120.20	ug/L		97
74) toluene	4.738	92	456720	49.08	ug/L		100
75) ethyl methacrylate	4.901	69	264463	48.90	ug/L		99
76) trans-1,3-dichloropropene	4.880	75	293683	52.91	ug/L		98
77) 1,1,2-trichloroethane	5.022	83	164745	51.07	ug/L		99
78) 2-hexanone	5.158	58	481367	203.77	ug/L		97
79) tetrachloroethene	5.105	164	187106	51.84	ug/L		99
80) 1,3-dichloropropane	5.142	76	301936	50.78	ug/L		99
81) butyl acetate	5.237	56	158907	53.00	ug/L		100
82) dibromochloromethane	5.299	129	266030	52.45	ug/L		100
83) 1,2-dibromoethane	5.394	107	228218	50.38	ug/L		99
84) n-butyl ether	5.803	57	671349	50.53	ug/L		99
85) chlorobenzene	5.756	112	558816	49.86	ug/L		99
86) 1,1,1,2-tetrachloroethane	5.813	131	238769	54.46	ug/L		97
87) ethylbenzene	5.818	91	896266	50.93	ug/L		99
88) m,p-xylene	5.918	106	690916	101.24	ug/L		99
89) o-xylene	6.212	91	693356	51.39	ug/L		100
90) styrene	6.227	104	583552	52.12	ug/L		99
91) butyl acrylate	6.154	56	180914	54.41	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92162.D
Acq On : 11 Sep 2022 9:28 pm
Operator : PrashanS
Sample : ICV3747-50
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Sep 12 11:40:28 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
92) n-amyl acetate	6.327	70	152282	51.31 ug/L	98
93) bromoform	6.369	173	205785	54.81 ug/L	99
94) isopropylbenzene	6.495	105	811383	50.68 ug/L	100
95) cis-1,4-dichloro-2-butene	6.537	88	101109	54.01 ug/L	98
98) bromobenzene	6.752	156	252773	52.65 ug/L	99
99) 1,1,2,2-tetrachloroethane	6.731	83	301149	51.10 ug/L	99
100) trans-1,4-dichloro-2-b...	6.757	53	81829	58.87 ug/L	97
101) 1,2,3-trichloropropane	6.778	110	92316	52.69 ug/L	99
102) n-propylbenzene	6.820	91	890292	51.39 ug/L	99
103) 2-chlorotoluene	6.893	126	208962	52.62 ug/L	95
104) 4-chlorotoluene	6.988	126	213828	52.32 ug/L	98
105) 1,3,5-trimethylbenzene	6.956	105	605425	52.20 ug/L	99
106) tert-butylbenzene	7.197	119	600133m	59.35 ug/L	
107) 1,2,4-trimethylbenzene	7.239	105	619145	51.14 ug/L	99
108) sec-butylbenzene	7.360	105	711079	51.90 ug/L	99
109) 1,3-dichlorobenzene	7.449	146	403918	51.04 ug/L	99
110) p-isopropyltoluene	7.465	119	609812	52.48 ug/L	98
112) 1,4-dichlorobenzene	7.522	146	402535	48.76 ug/L	98
113) 1,2-dichlorobenzene	7.774	146	387187	51.90 ug/L	100
114) benzyl chloride	7.596	91	384524	50.05 ug/L	99
115) n-butylbenzene	7.753	92	262912	53.19 ug/L	99
116) hexachloroethane	7.963	201	100985	56.03 ug/L	98
117) 1,2-dibromo-3-chloropr...	8.293	157	88205	55.85 ug/L	98
118) 1,3,5-trichlorobenzene	8.419	180	221170	52.82 ug/L	99
119) 1,2,4-trichlorobenzene	8.817	180	196483	53.52 ug/L	99
120) hexachlorobutadiene	8.907	225	67022	51.70 ug/L	100
121) naphthalene	8.980	128	659407	53.44 ug/L	99
122) 1,2,3-trichlorobenzene	9.116	180	180773	54.88 ug/L	99
123) 2-methylnaphthalene	9.672	142	100325	23.92 ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92162.D
Acq On : 11 Sep 2022 9:28 pm
Operator : PrashanS
Sample : ICV3747-50
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Sep 12 11:40:28 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration



Manual Integration Approval Summary


Sample Number:	V2V3747-ICV3747	**Method:**	SW846 8260D
Lab FileID:	2V92162.D	**Analyst approved:**	09/12/22 11:55 MoHui Huang
Injection Time:	09/11/22 21:28	**Supervisor approved:**	09/12/22 13:48 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
tert-Butylbenzene	98-06-6		7.20	Overlapping peak


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92162.D
Acq On : 11 Sep 2022 9:28 pm
Operator : PrashanS
Sample : ICV3747-50
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Sep 12 11:30:20 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration







TIC: 2V92162.D\data.ms

(106) tert-butylbenzene

7.197min (0.000) 71.13ug/L


response 719316


Ion	Exp%	Act%
119.00	100	100
91.10	62.10	60.08
134.00	25.10	24.33
0.00	0.00	0.00


Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92162.D
Acq On : 11 Sep 2022 9:28 pm
Operator : PrashanS
Sample : ICV3747-50
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Sep 12 11:30:49 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration







TIC: 2V92162.D\data.ms

(106) tert-butylbenzene

7.197min (0.000) 59.35ug/L m

response 600133

Ion	Exp%	Act%
119.00	100	100
91.10	62.10	60.08
134.00	25.10	24.33
0.00	0.00	0.00

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92164.D
Acq On : 11 Sep 2022 9:57 pm
Operator : PrashanS
Sample : ICV3747-50
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Sep 12 11:45:14 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) tert butyl alcohol-d9	2.306	65	319445	500.00	ug/L	-0.01
5) pentafluorobenzene	3.281	168	447038	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.742	114	598733	50.00	ug/L	0.00
72) chlorobenzene-d5	5.729	117	552014	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.502	152	251042	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.286	113	223482	50.13	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.26%			
51) 1,2-dichloroethane-d4 (s)	3.491	65	214302	50.48	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.96%			
73) toluene-d8 (s)	4.691	98	693473	51.04	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 102.08%			
97) 4-bromofluorobenzene (s)	6.636	95	221082	49.32	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.64%			
Target Compounds						Qvalue
6) chlorodifluoromethane	1.283	51	212336	50.85	ug/L	92
19) acetonitrile	2.232	41	326952	441.63	ug/L	99
31) acrylonitrile	2.442	53	84619	41.81	ug/L	98
79) tetrachloroethene	5.105	164	168476	46.92	ug/L	98
111) 1,2,3-trimethylbenzene	7.538	105	695205	54.30	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\V2V3747\
Data File : 2V92164.D
Acq On : 11 Sep 2022 9:57 pm
Operator : PrashanS
Sample : ICV3747-50
Misc : MS61977,V2V3747,5,,,,1
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Sep 12 11:45:14 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92880.d
Acq On : 27 Sep 2022 9:00 pm
Operator : KYLEM
Sample : cc3747-50
Misc : MS62460,V2V3773,5,,,,1
ALS Vial : 30 Sample Multiplier: 1

Quant Time: Sep 27 21:11:15 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	2.321	65	266188	500.00	ug/L		0.00
5) pentafluorobenzene	3.286	168	303124	50.00	ug/L		0.00
50) 1,4-difluorobenzene	3.752	114	422646	50.00	ug/L		0.00
72) chlorobenzene-d5	5.734	117	404640	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	7.506	152	187488	50.00	ug/L		0.00
System Monitoring Compounds							
42) dibromofluoromethane (s)	3.291	113	153214	50.69	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.38%				
51) 1,2-dichloroethane-d4 (s)	3.495	65	154868	51.68	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 103.36%				
73) toluene-d8 (s)	4.696	98	493173	49.52	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.04%				
97) 4-bromofluorobenzene (s)	6.636	95	156460	46.74	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 93.48%				
Target Compounds							Qvalue
2) ethanol	1.886	45	494597	9147.69	ug/L		99
3) tertiary butyl alcohol	2.363	59	171744	207.12	ug/L		98
4) 1,4-dioxane	4.104	88	79793	1175.01	ug/L		94
6) chlorodifluoromethane	1.293	51	122296	43.19	ug/L		99
7) dichlorodifluoromethane	1.283	85	161039	47.55	ug/L		97
8) chloromethane	1.393	52	63958	50.03	ug/L		99
9) vinyl chloride	1.456	62	228243	54.97	ug/L		96
10) bromomethane	1.634	96	170918	59.18	ug/L		95
11) chloroethane	1.692	64	169113	67.91	ug/L		95
12) trichlorofluoromethane	1.823	101	533529	86.78	ug/L		99
13) 1,3-butadiene	1.477	54	187968	49.35	ug/L		99
14) ethyl ether	1.959	74	127850	88.01	ug/L		96
15) acrolein	2.033	56	53129	82.30	ug/L		97
16) freon 113	2.090	151	113443	46.54	ug/L		97
17) 1,1-dichloroethene	2.096	61	183942	49.82	ug/L		98
18) acetone	2.101	58	82885	212.04	ug/L		94
19) acetonitrile	2.242	41	288577	574.85	ug/L		97
20) iodomethane	2.185	142	105076	45.85	ug/L		96
21) carbon disulfide	2.232	76	296458	43.95	ug/L		96
22) methylene chloride	2.342	84	128294	46.66	ug/L		90
23) methyl acetate	2.258	74	34901	49.69	ug/L		92
24) methyl tert butyl ether	2.478	73	377501	50.53	ug/L		100
25) trans-1,2-dichloroethene	2.489	96	128194	49.18	ug/L		99
26) hexane	2.630	56	66314	45.90	ug/L	#	87
27) di-isopropyl ether	2.714	45	390726	52.91	ug/L		97
28) ethyl tert-butyl ether	2.908	59	363804	49.56	ug/L		99
29) 1,1-dichloroethane	2.719	63	228634	51.27	ug/L		98
30) chloroprene	2.761	53	165957	49.77	ug/L		100
31) acrylonitrile	2.452	53	75983	55.37	ug/L		99
32) vinyl acetate	2.693	86	31195	51.44	ug/L	#	78
33) ethyl acetate	3.008	45	35649	54.48	ug/L	#	58
34) 2-butanone	3.003	72	117206	221.25	ug/L	#	84
35) 2,2-dichloropropane	3.034	77	197607	50.23	ug/L		99
36) cis-1,2-dichloroethene	3.029	96	154816	51.38	ug/L		93
37) propionitrile	3.034	54	362016	591.82	ug/L		77
38) methyl acrylate	3.045	85	35260	50.19	ug/L	#	65
39) bromochloromethane	3.160	128	80380	51.02	ug/L		94
40) tetrahydrofuran	3.170	71	31851	49.49	ug/L		96
41) chloroform	3.202	83	248970	46.15	ug/L		98
43) methacrylonitrile	3.123	67	76434	51.07	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92880.d
Acq On : 27 Sep 2022 9:00 pm
Operator : KYLEM
Sample : cc3747-50
Misc : MS62460,V2V3773,5,,,,1
ALS Vial : 30 Sample Multiplier: 1

Quant Time: Sep 27 21:11:15 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) 1,1,1-trichloroethane	3.317	97	218256	47.69	ug/L		98
45) cyclohexane	3.370	84	168252	47.08	ug/L		98
46) 1,1-dichloropropene	3.406	75	183158	51.21	ug/L		97
47) carbon tetrachloride	3.412	119	204184	48.28	ug/L		97
48) isobutyl alcohol	3.406	42	82105	634.25	ug/L		95
49) tert-amyl alcohol	3.480	55	61230	230.92	ug/L	#	78
52) n-butyl alcohol	3.800	56	446598	2959.25	ug/L		98
53) benzene	3.527	78	487586	48.08	ug/L		100
54) tert-amyl methyl ether	3.574	73	388266	48.87	ug/L		99
55) iso-octane	3.579	57	254825	47.07	ug/L		99
56) heptane	3.668	57	46702	44.56	ug/L		96
57) isopropyl acetate	3.501	87	40657	49.44	ug/L	#	75
58) 1,2-dichloroethane	3.543	62	195136	46.21	ug/L		99
59) trichloroethene	3.910	95	139596	46.50	ug/L		96
60) ethyl acrylate	3.925	55	239747	50.80	ug/L		98
61) 2-nitropropane	4.355	41	67426	53.84	ug/L		97
62) 2-chloroethyl vinyl ether	4.387	63	496960	312.95	ug/L		97
63) methyl methacrylate	4.072	100	51100	49.62	ug/L	#	84
64) 1,2-dichloropropane	4.067	63	135421	51.03	ug/L		95
65) methylcyclohexane	4.067	83	181615	48.57	ug/L		99
66) dibromomethane	4.125	93	110400	47.55	ug/L		94
67) bromodichloromethane	4.224	83	191163	46.84	ug/L		100
68) epichlorohydrin	4.429	57	112752	256.73	ug/L		93
69) cis-1,3-dichloropropene	4.507	75	211119	49.66	ug/L		98
70) 4-methyl-2-pentanone	4.591	58	359592	225.88	ug/L		95
71) 3-methyl-1-butanol	4.607	70	178558	1184.88	ug/L		93
74) toluene	4.743	92	308325	45.43	ug/L		97
75) ethyl methacrylate	4.906	69	200775	50.90	ug/L		97
76) trans-1,3-dichloropropene	4.885	75	199759	49.34	ug/L		98
77) 1,1,2-trichloroethane	5.021	83	115933	49.27	ug/L		94
78) 2-hexanone	5.163	58	374649	217.44	ug/L		97
79) tetrachloroethene	5.105	164	122652	46.59	ug/L		99
80) 1,3-dichloropropane	5.142	76	213497	49.22	ug/L		99
81) butyl acetate	5.236	56	111892	51.16	ug/L		96
82) dibromochloromethane	5.304	129	177716	48.04	ug/L		97
83) 1,2-dibromoethane	5.399	107	161155	48.77	ug/L		96
84) n-butyl ether	5.808	57	505538	52.17	ug/L		99
85) chlorobenzene	5.755	112	377118	46.13	ug/L		99
86) 1,1,1,2-tetrachloroethane	5.818	131	160468	50.18	ug/L		96
87) ethylbenzene	5.823	91	629155	49.01	ug/L		99
88) m,p-xylene	5.918	106	478143	96.06	ug/L		99
89) o-xylene	6.217	91	478617	48.63	ug/L		97
90) styrene	6.227	104	398927	48.85	ug/L		98
91) butyl acrylate	6.154	56	132570	54.66	ug/L		99
92) n-amyl acetate	6.327	70	109417	50.55	ug/L		91
93) bromoform	6.374	173	135672	49.55	ug/L		100
94) isopropylbenzene	6.500	105	559745	47.93	ug/L		98
95) cis-1,4-dichloro-2-butene	6.536	88	43675	31.99	ug/L		89
98) bromobenzene	6.757	156	171272	45.17	ug/L		94
99) 1,1,2,2-tetrachloroethane	6.730	83	218503	46.94	ug/L		98
100) trans-1,4-dichloro-2-b...	6.762	53	37677	34.32	ug/L		99
101) 1,2,3-trichloropropane	6.778	110	61958	44.77	ug/L		94
102) n-propylbenzene	6.825	91	627820	45.88	ug/L		99
103) 2-chlorotoluene	6.898	126	144871	46.19	ug/L		96
104) 4-chlorotoluene	6.987	126	147602	45.72	ug/L		92
105) 1,3,5-trimethylbenzene	6.961	105	425248	46.42	ug/L		99
106) tert-butylbenzene	7.197	119	358839	44.93	ug/L		99
107) 1,2,4-trimethylbenzene	7.239	105	432427	45.23	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92880.d
Acq On : 27 Sep 2022 9:00 pm
Operator : KYLEM
Sample : cc3747-50
Misc : MS62460,V2V3773,5,,,,1
ALS Vial : 30 Sample Multiplier: 1

Quant Time: Sep 27 21:11:15 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc Units	Dev(Min)
108) sec-butylbenzene	7.360	105	500954	46.29 ug/L	99
109) 1,3-dichlorobenzene	7.449	146	285933	45.74 ug/L	99
110) p-isopropyltoluene	7.470	119	423646	46.16 ug/L	99
111) 1,2,3-trimethylbenzene	7.538	105	444506	46.49 ug/L	98
112) 1,4-dichlorobenzene	7.522	146	293636	45.03 ug/L	99
113) 1,2-dichlorobenzene	7.774	146	271940	46.15 ug/L	100
114) benzyl chloride	7.596	91	289770	47.75 ug/L	100
115) n-butylbenzene	7.758	92	186536	47.78 ug/L	93
116) hexachloroethane	7.963	201	63462	44.58 ug/L	91
117) 1,2-dibromo-3-chloropr...	8.298	157	60694	48.66 ug/L	94
118) 1,3,5-trichlorobenzene	8.424	180	159611	48.26 ug/L	98
119) 1,2,4-trichlorobenzene	8.822	180	140065	48.30 ug/L	99
120) hexachlorobutadiene	8.906	225	46969	45.87 ug/L	99
121) naphthalene	8.980	128	472306	48.46 ug/L	99
122) 1,2,3-trichlorobenzene	9.116	180	130917	50.32 ug/L	98
123) 2-methylnaphthalene	9.672	142	72014	21.74 ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\September2022\9-28-22\v2v3773\
Data File : 2v92880.d
Acq On : 27 Sep 2022 9:00 pm
Operator : KYLEM
Sample : cc3747-50
Misc : MS62460,V2V3773,5,,,,1
ALS Vial : 30 Sample Multiplier: 1

Quant Time: Sep 27 21:11:15 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93000.d
Acq On : 29 Sep 2022 9:38 pm
Operator : KYLEM
Sample : cc3747-50 Inst : MS2V
Misc : MS62471,V2V3777,5,,,,1
ALS Vial : 32 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Sep 29 21:49:22 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	2.321	65	262413	500.00	ug/L	0.00
5) pentafluorobenzene	3.286	168	309987	50.00	ug/L	0.00
50) 1,4-difluorobenzene	3.752	114	435465	50.00	ug/L	0.00
72) chlorobenzene-d5	5.734	117	414948	50.00	ug/L	0.00
96) 1,4-dichlorobenzene-d4	7.506	152	186492	50.00	ug/L	0.00
System Monitoring Compounds						
42) dibromofluoromethane (s)	3.291	113	155644	50.35	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.70%			
51) 1,2-dichloroethane-d4 (s)	3.495	65	155810	50.46	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.92%			
73) toluene-d8 (s)	4.696	98	503020	49.25	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.50%			
97) 4-bromofluorobenzene (s)	6.636	95	156117	46.89	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 93.78%			
Target Compounds						Qvalue
2) ethanol	1.886	45	503608	9448.35	ug/L	99
3) tertiary butyl alcohol	2.368	59	182573	223.35	ug/L	99
4) 1,4-dioxane	4.104	88	84367	1260.24	ug/L	99
6) chlorodifluoromethane	1.299	51	108751	37.56	ug/L	98
7) dichlorodifluoromethane	1.288	85	142376	41.11	ug/L	96
8) chloromethane	1.398	52	52143	39.88	ug/L	98
9) vinyl chloride	1.456	62	198672	46.79	ug/L	95
10) bromomethane	1.634	96	161881	54.81	ug/L	95
11) chloroethane	1.692	64	158654	62.30	ug/L	97
12) trichlorofluoromethane	1.828	101	497944	79.20	ug/L	100
13) 1,3-butadiene	1.477	54	202248	51.92	ug/L	99
14) ethyl ether	1.959	74	130474	87.82	ug/L	94
15) acrolein	2.033	56	55070	83.42	ug/L	95
16) freon 113	2.096	151	110717	44.41	ug/L	97
17) 1,1-dichloroethene	2.096	61	179651	47.58	ug/L	96
18) acetone	2.101	58	87970	220.07	ug/L	96
19) acetonitrile	2.242	41	297364	579.24	ug/L	96
20) iodomethane	2.190	142	105067	44.99	ug/L	97
21) carbon disulfide	2.237	76	285145	41.34	ug/L	99
22) methylene chloride	2.347	84	128982	45.87	ug/L	94
23) methyl acetate	2.258	74	37369	52.03	ug/L	93
24) methyl tert butyl ether	2.478	73	396732	51.93	ug/L	99
25) trans-1,2-dichloroethene	2.489	96	128149	48.07	ug/L	99
26) hexane	2.630	56	63431	42.93	ug/L	91
27) di-isopropyl ether	2.714	45	403130	53.38	ug/L	99
28) ethyl tert-butyl ether	2.913	59	381548	50.82	ug/L	98
29) 1,1-dichloroethane	2.719	63	229139	50.25	ug/L	98
30) chloroprene	2.761	53	166051	48.70	ug/L	97
31) acrylonitrile	2.457	53	79073	56.35	ug/L	94
32) vinyl acetate	2.698	86	29937	48.27	ug/L #	87
33) ethyl acetate	3.008	45	38592	57.67	ug/L #	42
34) 2-butanone	3.003	72	125623	231.89	ug/L	93
35) 2,2-dichloropropane	3.039	77	197765	49.16	ug/L	98
36) cis-1,2-dichloroethene	3.029	96	159316	51.70	ug/L	97
37) propionitrile	3.039	54	383321	612.78	ug/L	97
38) methyl acrylate	3.045	85	37880	52.73	ug/L #	70
39) bromochloromethane	3.160	128	84356	52.36	ug/L	93
40) tetrahydrofuran	3.176	71	32197	48.92	ug/L	91
41) chloroform	3.202	83	251277	45.55	ug/L	97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93000.d
Acq On : 29 Sep 2022 9:38 pm
Operator : KYLEM
Sample : cc3747-50 Inst : MS2V
Misc : MS62471,V2V3777,5,,,,1
ALS Vial : 32 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Sep 29 21:49:22 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
43) methacrylonitrile	3.123	67	81164	53.03	ug/L		94
44) 1,1,1-trichloroethane	3.322	97	218180	46.62	ug/L		98
45) cyclohexane	3.370	84	150036	41.05	ug/L		93
46) 1,1-dichloropropene	3.406	75	183782	50.24	ug/L		99
47) carbon tetrachloride	3.412	119	203423	47.03	ug/L		97
48) isobutyl alcohol	3.406	42	85530	646.08	ug/L		93
49) tert-amyl alcohol	3.485	55	67065	247.33	ug/L	#	73
52) n-butyl alcohol	3.800	56	467927	3009.31	ug/L		99
53) benzene	3.527	78	493311	47.21	ug/L		99
54) tert-amyl methyl ether	3.579	73	401335	49.03	ug/L		99
55) iso-octane	3.579	57	255641	45.83	ug/L		99
56) heptane	3.674	57	46705	43.25	ug/L		88
57) isopropyl acetate	3.501	87	43267	51.06	ug/L	#	79
58) 1,2-dichloroethane	3.543	62	204771	47.06	ug/L		98
59) trichloroethene	3.910	95	142060	45.93	ug/L		98
60) ethyl acrylate	3.925	55	251028	51.63	ug/L		99
61) 2-nitropropane	4.355	41	70645	54.75	ug/L		98
62) 2-chloroethyl vinyl ether	4.387	63	455840	278.60	ug/L		97
63) methyl methacrylate	4.072	100	52588	49.57	ug/L	#	77
64) 1,2-dichloropropane	4.067	63	138209	50.55	ug/L		94
65) methylcyclohexane	4.067	83	179604	46.61	ug/L		99
66) dibromomethane	4.125	93	114557	47.89	ug/L		93
67) bromodichloromethane	4.224	83	197634	47.00	ug/L		99
68) epichlorohydrin	4.429	57	117464	259.59	ug/L		95
69) cis-1,3-dichloropropene	4.507	75	214113	48.88	ug/L		99
70) 4-methyl-2-pentanone	4.591	58	375611	228.99	ug/L		96
71) 3-methyl-1-butanol	4.607	70	186535	1201.38	ug/L		90
74) toluene	4.743	92	316401	45.46	ug/L		97
75) ethyl methacrylate	4.906	69	203805	50.39	ug/L		97
76) trans-1,3-dichloropropene	4.885	75	203692	49.06	ug/L		99
77) 1,1,2-trichloroethane	5.026	83	120560	49.97	ug/L		99
78) 2-hexanone	5.163	58	390459	220.98	ug/L		96
79) tetrachloroethene	5.105	164	123719	45.83	ug/L		98
80) 1,3-dichloropropane	5.142	76	221651	49.83	ug/L		99
81) butyl acetate	5.236	56	115240	51.38	ug/L		94
82) dibromochloromethane	5.304	129	180339	47.53	ug/L		99
83) 1,2-dibromoethane	5.399	107	168562	49.75	ug/L		97
84) n-butyl ether	5.808	57	501315	50.45	ug/L		98
85) chlorobenzene	5.755	112	383340	45.72	ug/L		98
86) 1,1,1,2-tetrachloroethane	5.818	131	166582	50.80	ug/L		97
87) ethylbenzene	5.823	91	630822	47.92	ug/L		99
88) m,p-xylene	5.918	106	482104	94.45	ug/L		99
89) o-xylene	6.217	91	480440	47.60	ug/L		98
90) styrene	6.227	104	403606	48.19	ug/L		99
91) butyl acrylate	6.154	56	135191	54.36	ug/L		96
92) n-amyl acetate	6.327	70	111157	50.08	ug/L		94
93) bromoform	6.374	173	136651	48.66	ug/L		99
94) isopropylbenzene	6.500	105	562408	46.96	ug/L		98
95) cis-1,4-dichloro-2-butene	6.536	88	33473	23.91	ug/L		94
98) bromobenzene	6.757	156	172936	45.85	ug/L		92
99) 1,1,2,2-tetrachloroethane	6.730	83	225869	48.78	ug/L		97
100) trans-1,4-dichloro-2-b...	6.762	53	29659	27.16	ug/L		98
101) 1,2,3-trichloropropane	6.778	110	65394	47.51	ug/L		98
102) n-propylbenzene	6.825	91	620866	45.62	ug/L		99
103) 2-chlorotoluene	6.898	126	143994	46.16	ug/L		97
104) 4-chlorotoluene	6.987	126	147317	45.88	ug/L		95
105) 1,3,5-trimethylbenzene	6.961	105	417625	45.83	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93000.d
Acq On : 29 Sep 2022 9:38 pm
Operator : KYLEM
Sample : cc3747-50 Inst : MS2V
Misc : MS62471,V2V3777,5,,,,1
ALS Vial : 32 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Sep 29 21:49:22 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
106) tert-butylbenzene	7.197	119	353920	44.55	ug/L	97
107) 1,2,4-trimethylbenzene	7.239	105	426999	44.90	ug/L	96
108) sec-butylbenzene	7.360	105	491997	45.71	ug/L	98
109) 1,3-dichlorobenzene	7.449	146	284164	45.70	ug/L	98
110) p-isopropyltoluene	7.470	119	412025	45.13	ug/L	100
111) 1,2,3-trimethylbenzene	7.538	105	435332	45.77	ug/L	96
112) 1,4-dichlorobenzene	7.522	146	291921	45.00	ug/L	99
113) 1,2-dichlorobenzene	7.774	146	270702	46.19	ug/L	99
114) benzyl chloride	7.595	91	285686	47.33	ug/L	99
115) n-butylbenzene	7.753	92	182649	47.04	ug/L	96
116) hexachloroethane	7.963	201	61922	43.73	ug/L	94
117) 1,2-dibromo-3-chloropr...	8.293	157	62671	50.51	ug/L	97
118) 1,3,5-trichlorobenzene	8.424	180	158930	48.31	ug/L	97
119) 1,2,4-trichlorobenzene	8.817	180	141678	49.12	ug/L	99
120) hexachlorobutadiene	8.906	225	46804	45.95	ug/L	98
121) naphthalene	8.980	128	480755	49.59	ug/L	100
122) 1,2,3-trichlorobenzene	9.116	180	129657	50.10	ug/L	98
123) 2-methylnaphthalene	9.672	142	71317	21.64	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-3\v2v3777\
Data File : 2v93000.d
Acq On : 29 Sep 2022 9:38 pm
Operator : KYLEM
Sample : cc3747-50 Inst : MS2V
Misc : MS62471,V2V3777,5,,,,1
ALS Vial : 32 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Results File: M2V3747.RES
Quant Time: Sep 29 21:49:22 2022
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\Ocotober2022\10-3-22\v2v3782- due today\
Data File : 2v93125.d
Acq On : 3 Oct 2022 11:49 am
Operator : taylors
Sample : cc3747-20
Misc : MS62619,V2V3782,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Oct 03 12:00:48 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	2.316	65	295565	500.00	ug/L		0.00
5) pentafluorobenzene	3.286	168	319636	50.00	ug/L		0.00
50) 1,4-difluorobenzene	3.747	114	459640	50.00	ug/L		0.00
72) chlorobenzene-d5	5.734	117	425642	50.00	ug/L		0.00
96) 1,4-dichlorobenzene-d4	7.506	152	192257	50.00	ug/L		0.00
System Monitoring Compounds							
42) dibromofluoromethane (s)	3.291	113	170376	53.45	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 106.90%				
51) 1,2-dichloroethane-d4 (s)	3.490	65	171006	52.47	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 104.94%				
73) toluene-d8 (s)	4.691	98	542776	51.81	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 103.62%				
97) 4-bromofluorobenzene (s)	6.636	95	166627	48.54	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.08%				
Target Compounds							Qvalue
2) ethanol	1.875	45	137490	2290.16	ug/L		96
3) tertiary butyl alcohol	2.358	59	83139	90.30	ug/L		98
4) 1,4-dioxane	4.098	88	36170	479.69	ug/L		93
6) chlorodifluoromethane	1.288	51	31801	10.65	ug/L		93
7) dichlorodifluoromethane	1.278	85	68070	19.06	ug/L		99
8) chloromethane	1.388	52	31819	23.60	ug/L		96
9) vinyl chloride	1.445	62	121523	27.75	ug/L		99
10) bromomethane	1.629	96	96951	31.83	ug/L		96
11) chloroethane	1.687	64	84116	32.04	ug/L		99
12) trichlorofluoromethane	1.818	101	112657	17.38	ug/L		97
13) 1,3-butadiene	1.466	54	102298	25.47	ug/L		99
14) ethyl ether	1.954	74	29301	19.13	ug/L		88
15) acrolein	2.027	56	15338	22.53	ug/L		92
16) freon 113	2.085	151	44761	17.41	ug/L		95
17) 1,1-dichloroethene	2.090	61	72539	18.63	ug/L		98
18) acetone	2.096	58	36783	89.24	ug/L		99
19) acetonitrile	2.237	41	131580	248.57	ug/L		97
20) iodomethane	2.180	142	15543	8.65	ug/L		97
21) carbon disulfide	2.227	76	115295	16.21	ug/L		98
22) methylene chloride	2.342	84	56172	19.37	ug/L		94
23) methyl acetate	2.248	74	15506	20.94	ug/L	#	74
24) methyl tert butyl ether	2.468	73	169632	21.53	ug/L		99
25) trans-1,2-dichloroethene	2.484	96	54835	19.95	ug/L		98
26) hexane	2.625	56	30810	20.22	ug/L		94
27) di-isopropyl ether	2.709	45	177774	22.83	ug/L		98
28) ethyl tert-butyl ether	2.908	59	168285	21.74	ug/L		97
29) 1,1-dichloroethane	2.714	63	103015	21.91	ug/L		98
30) chloroprene	2.756	53	75650	21.52	ug/L		98
31) acrylonitrile	2.447	53	32466	22.44	ug/L		95
32) vinyl acetate	2.688	86	13168	20.59	ug/L	#	54
33) ethyl acetate	3.003	45	15270	22.13	ug/L	#	42
34) 2-butanone	2.997	72	52087	93.25	ug/L	#	87
35) 2,2-dichloropropane	3.034	77	92235	22.23	ug/L		99
36) cis-1,2-dichloroethene	3.024	96	68149	21.45	ug/L		94
37) propionitrile	3.029	54	163874	254.06	ug/L		73
38) methyl acrylate	3.045	85	16034	21.64	ug/L		95
39) bromochloromethane	3.155	128	35251	21.22	ug/L		87
40) tetrahydrofuran	3.165	71	14083	20.75	ug/L		91
41) chloroform	3.197	83	112399	19.76	ug/L		98
43) methacrylonitrile	3.123	67	36236	22.96	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\Ocotober2022\10-3-22\v2v3782- due today\
Data File : 2v93125.d
Acq On : 3 Oct 2022 11:49 am
Operator : taylors
Sample : cc3747-20
Misc : MS62619,V2V3782,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Oct 03 12:00:48 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44)	1,1,1-trichloroethane	3.317	97	96543	20.00	ug/L		97
45)	cyclohexane	3.370	84	73288	19.45	ug/L	#	88
46)	1,1-dichloropropene	3.401	75	79289	21.02	ug/L		96
47)	carbon tetrachloride	3.406	119	84923	19.04	ug/L		97
48)	isobutyl alcohol	3.401	42	38208	279.90	ug/L		95
49)	tert-amyl alcohol	3.475	55	30100	107.66	ug/L	#	73
52)	n-butyl alcohol	3.789	56	195833	1193.19	ug/L		99
53)	benzene	3.522	78	218870	19.85	ug/L		99
54)	tert-amyl methyl ether	3.574	73	176943	20.48	ug/L		99
55)	iso-octane	3.574	57	113518	19.28	ug/L		96
56)	heptane	3.669	57	22439	19.69	ug/L		91
57)	isopropyl acetate	3.495	87	18862	21.09	ug/L	#	57
58)	1,2-dichloroethane	3.537	62	89871	19.57	ug/L		99
59)	trichloroethene	3.904	95	62945	19.28	ug/L		96
60)	ethyl acrylate	3.920	55	110988	21.63	ug/L		97
61)	2-nitropropane	4.350	41	21452	15.75	ug/L		97
62)	2-chloroethyl vinyl ether	4.387	63	197434	114.32	ug/L		97
63)	methyl methacrylate	4.072	100	21825	19.49	ug/L	#	91
64)	1,2-dichloropropane	4.067	63	61525	21.32	ug/L		94
65)	methylcyclohexane	4.062	83	75149	18.48	ug/L		96
66)	dibromomethane	4.125	93	49817	19.73	ug/L		96
67)	bromodichloromethane	4.224	83	87479	19.71	ug/L		99
68)	epichlorohydrin	4.424	57	51867	108.59	ug/L		92
69)	cis-1,3-dichloropropene	4.507	75	94557	20.45	ug/L		99
70)	4-methyl-2-pentanone	4.586	58	160810	92.88	ug/L		91
71)	3-methyl-1-butanol	4.607	70	77600	473.50	ug/L		97
74)	toluene	4.743	92	137509	19.26	ug/L		98
75)	ethyl methacrylate	4.901	69	92170	22.21	ug/L		95
76)	trans-1,3-dichloropropene	4.880	75	89159	20.93	ug/L		97
77)	1,1,2-trichloroethane	5.021	83	52628	21.26	ug/L		95
78)	2-hexanone	5.163	58	170300	93.96	ug/L		93
79)	tetrachloroethene	5.105	164	51628	18.65	ug/L		99
80)	1,3-dichloropropane	5.142	76	96574	21.17	ug/L		99
81)	butyl acetate	5.236	56	53311	23.17	ug/L		99
82)	dibromochloromethane	5.299	129	75585	19.42	ug/L		99
83)	1,2-dibromoethane	5.393	107	71163	20.47	ug/L		95
84)	n-butyl ether	5.802	57	229338	22.50	ug/L		97
85)	chlorobenzene	5.755	112	163446	19.01	ug/L		98
86)	1,1,1,2-tetrachloroethane	5.813	131	64959	19.31	ug/L		98
87)	ethylbenzene	5.818	91	270624	20.04	ug/L		98
88)	m,p-xylene	5.918	106	206020	39.35	ug/L		99
89)	o-xylene	6.217	91	205435	19.84	ug/L		100
90)	styrene	6.227	104	170950	19.90	ug/L		98
91)	butyl acrylate	6.154	56	62504	24.50	ug/L		91
92)	n-amyl acetate	6.327	70	51449	22.60	ug/L		90
93)	bromoform	6.374	173	53200	18.47	ug/L		99
94)	isopropylbenzene	6.495	105	243911	19.85	ug/L		99
95)	cis-1,4-dichloro-2-butene	6.536	88	11813	8.22	ug/L		90
98)	bromobenzene	6.751	156	70627	18.16	ug/L		98
99)	1,1,2,2-tetrachloroethane	6.730	83	98735	20.69	ug/L		99
100)	trans-1,4-dichloro-2-b...	6.757	53	10610	9.42	ug/L		87
101)	1,2,3-trichloropropane	6.778	110	28164	19.85	ug/L		98
102)	n-propylbenzene	6.825	91	275959	19.67	ug/L		99
103)	2-chlorotoluene	6.898	126	61099	19.00	ug/L		88
104)	4-chlorotoluene	6.987	126	64372	19.45	ug/L		94
105)	1,3,5-trimethylbenzene	6.961	105	182556	19.43	ug/L		98
106)	tert-butylbenzene	7.197	119	154027	18.81	ug/L		98
107)	1,2,4-trimethylbenzene	7.239	105	189315	19.31	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\Ocotober2022\10-3-22\v2v3782- due today\
Data File : 2v93125.d
Acq On : 3 Oct 2022 11:49 am
Operator : taylors
Sample : cc3747-20
Misc : MS62619,V2V3782,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Oct 03 12:00:48 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
108) sec-butylbenzene	7.360	105	218240	19.67	ug/L	99
109) 1,3-dichlorobenzene	7.449	146	119988	18.72	ug/L	98
110) p-isopropyltoluene	7.470	119	178447	18.96	ug/L	98
111) 1,2,3-trimethylbenzene	7.538	105	191228	19.50	ug/L	96
112) 1,4-dichlorobenzene	7.522	146	122166	18.27	ug/L	98
113) 1,2-dichlorobenzene	7.774	146	111845	18.51	ug/L	98
114) benzyl chloride	7.596	91	139557	22.43	ug/L	97
115) n-butylbenzene	7.753	92	80431	20.09	ug/L	95
116) hexachloroethane	7.963	201	22573	15.46	ug/L	87
117) 1,2-dibromo-3-chloropr...	8.298	157	23631	18.48	ug/L	95
118) 1,3,5-trichlorobenzene	8.419	180	63827	18.82	ug/L	98
119) 1,2,4-trichlorobenzene	8.817	180	54569	18.35	ug/L	98
120) hexachlorobutadiene	8.906	225	18800	17.90	ug/L	95
121) naphthalene	8.980	128	179189	17.93	ug/L	99
122) 1,2,3-trichlorobenzene	9.116	180	48451	18.16	ug/L	95
123) 2-methylnaphthalene	9.672	142	23865	7.03	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\KINJALD\Ocotober2022\10-3-22\v2v3782- due today\
Data File : 2v93125.d
Acq On : 3 Oct 2022 11:49 am
Operator : taylors
Sample : cc3747-20
Misc : MS62619,V2V3782,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Oct 03 12:00:48 2022
Quant Method : C:\MSDCHEM\1\METHODS\M2V3747.M
Quant Title : SW 846 Method 8260C/D, Rxi-624 (30m x 0.25mm x 1.4um)
QLast Update : Mon Sep 12 11:19:58 2022
Response via : Initial Calibration



Manual Integrations APPROVED (compounds with "m" flag)
Kanya Veerawat 06/22/22 18:38

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342968.D
Acq On : 15 Jun 2022 4:25 pm
Operator : BridgetK
Sample : ic10355-0.2
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jun 17 18:01:24 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.092	65	277572	500.00	ug/L		0.00
5) pentafluorobenzene	4.314	168	263586	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.882	114	379866	50.00	ug/L		0.00
72) chlorobenzene-d5	7.276	117	328492	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.471	152	127404	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.321	113	116894	48.39	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.78%				
52) 1,2-dichloroethane-d4 (s)	4.577	65	143797	53.06	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 106.12%				
73) toluene-d8 (s)	6.028	98	470545	54.59	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 109.18%				
96) 4-bromofluorobenzene (s)	8.358	95	164910	50.16	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.32%				
Target Compounds							Qvalue
6) chlorodifluoromethane	1.677	51	669	0.23	ug/L	#	52
7) dichlorodifluoromethane	1.657	85	1059m	0.25	ug/L		
9) vinyl chloride	1.904	62	788	0.23	ug/L		91
12) chloroethane	2.232	64	464	0.24	ug/L	#	47
13) trichlorofluoromethane	2.415	101	889	0.18	ug/L		74
37) cis-1,2-dichloroethene	3.997	96	661	0.23	ug/L	#	44
46) cyclohexane	4.411	84	845	0.21	ug/L	#	78
47) 1,1-dichloropropene	4.462	75	798	0.22	ug/L	#	62
57) heptane	4.780	57	354	0.24	ug/L	#	5
69) epichlorohydrin	5.717	57	1117	2.28	ug/L	#	59
115) 1,3,5-trichlorobenzene	10.809	180	620	0.21	ug/L		83
120) hexachloroethane	10.110	119	381	0.22	ug/L	#	44

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342968.D
Acq On : 15 Jun 2022 4:25 pm
Operator : BridgetK
Sample : ic10355-0.2
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jun 17 18:01:24 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration



ML10355.M Tue Jun 21 15:32:31 2022 1 Page: 2

Manual Integration Approval Summary


Sample Number:	VL10355-IC10355	**Method:**	SW846 8260D
Lab FileID:	L342968.D	**Analyst approved:**	06/22/22 18:38 Kanya Veerawat
Injection Time:	06/15/22 16:25	**Supervisor approved:**	06/22/22 18:38 Kanya Veerawat


Parameter	CAS	Sig#	R.T. (min.)	Reason
Dichlorodifluoromethane	75-71-8		1.66	Missed peak

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342968.D
Acq On : 15 Jun 2022 4:25 pm
Operator : BridgetK
Sample : ic10355-0.2
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jun 16 15:08:49 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration





TIC: L342968.D\data.ms

(7) dichlorodifluoromethane

1.654min 0.00ug/L d


response 0


Ion	Exp%	Act%
85.00	100	0.00
87.00	33.00	0.00
100.90	8.90	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342968.D
Acq On : 15 Jun 2022 4:25 pm
Operator : BridgetK
Sample : ic10355-0.2
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jun 16 15:08:49 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration





TIC: L342968.D\data.ms

(7) dichlorodifluoromethane

1.657min (+0.003) 0.25ug/L m

response 1059

Ion	Exp%	Act%
85.00	100	100
87.00	33.00	37.18
100.90	8.90	0.00
0.00	0.00	0.00

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342969.D
Acq On : 15 Jun 2022 4:48 pm
Operator : BridgetK
Sample : ic10355-0.5
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Jun 16 15:10:57 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.092	65	274323	500.00	ug/L		0.00
5) pentafluorobenzene	4.314	168	255051	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.882	114	368348	50.00	ug/L		0.00
72) chlorobenzene-d5	7.279	117	321113	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.468	152	124594	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.324	113	113357	48.49	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 96.98%				
52) 1,2-dichloroethane-d4 (s)	4.577	65	140259	53.37	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 106.74%				
73) toluene-d8 (s)	6.028	98	460317	54.63	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 109.26%				
96) 4-bromofluorobenzene (s)	8.354	95	162731	50.61	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.22%				
Target Compounds							Qvalue
6) chlorodifluoromethane	1.673	51	1548	0.55	ug/L	#	59
7) dichlorodifluoromethane	1.664	85	1970	0.47	ug/L		82
9) vinyl chloride	1.898	62	1960	0.59	ug/L		86
12) chloroethane	2.241	64	1184	0.62	ug/L		62
13) trichlorofluoromethane	2.421	101	2509	0.53	ug/L		91
16) freon 113	2.784	151	1024	0.53	ug/L	#	58
17) 1,1-dichloroethene	2.793	96	1381	0.58	ug/L	#	50
25) methyl tert butyl ether	3.291	73	4885	0.54	ug/L		94
26) trans-1,2-dichloroethene	3.310	96	1506	0.60	ug/L	#	77
27) hexane	3.477	57	1976	0.56	ug/L		89
28) di-isopropyl ether	3.595	45	4074	0.56	ug/L		88
29) ethyl tert-butyl ether	3.833	59	4499	0.52	ug/L		83
30) 2-butanone	3.971	72	1419	2.27	ug/L	#	65
31) 1,1-dichloroethane	3.605	63	2360	0.53	ug/L		86
32) chloroprene	3.656	53	2149	0.61	ug/L		78
36) 2,2-dichloropropane	4.000	77	2394	0.58	ug/L		80
37) cis-1,2-dichloroethene	3.993	96	1606	0.58	ug/L		78
40) bromochloromethane	4.157	128	689	0.54	ug/L	#	78
41) tetrahydrofuran	4.176	72	277	0.38	ug/L	#	35
45) 1,1,1-trichloroethane	4.346	97	2395	0.55	ug/L	#	40
46) cyclohexane	4.414	84	2085	0.55	ug/L	#	54
47) 1,1-dichloropropene	4.455	75	1860	0.53	ug/L		85
48) carbon tetrachloride	4.465	117	2054	0.60	ug/L	#	63
55) n-butyl alcohol	4.946	56	4439	26.13	ug/L		77
56) benzene	4.609	78	5329	0.58	ug/L		86
57) heptane	4.780	57	929	0.65	ug/L	#	58
59) trichloroethene	5.084	95	1717	0.65	ug/L	#	58
62) 2-chloroethyl vinyl ether	5.659	63	4097	2.63	ug/L		94
65) methylcyclohexane	5.271	83	1955	0.46	ug/L		84
66) dibromomethane	5.351	93	973	0.59	ug/L	#	70
67) bromodichloromethane	5.463	83	2449	0.65	ug/L		72
68) cis-1,3-dichloropropene	5.810	75	2352	0.52	ug/L		69

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342969.D
Acq On : 15 Jun 2022 4:48 pm
Operator : BridgetK
Sample : ic10355-0.5
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Jun 16 15:10:57 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
70) 4-methyl-2-pentanone	5.906	58	3657	2.38	ug/L	#	75
71) 3-methyl-1-butanol	5.932	70	2244	12.66	ug/L	#	79
74) toluene	6.082	92	3549	0.63	ug/L		83
75) trans-1,3-dichloropropene	6.262	75	2522	0.62	ug/L		90
78) 2-hexanone	6.593	58	3941	2.65	ug/L		90
79) tetrachloroethene	6.525	166	1292	0.56	ug/L		86
82) dibromochloromethane	6.756	129	1751	0.69	ug/L		81
83) 1,2-dibromoethane	6.885	107	1704	0.65	ug/L	#	67
88) m,p-xylene	7.491	106	5283	1.33	ug/L		97
97) bromobenzene	8.495	156	1426	0.59	ug/L		77
98) 1,1,2,2-tetrachloroethane	8.470	83	2462	0.66	ug/L		94
110) 1,4-dichlorobenzene	9.497	146	2437	0.59	ug/L		73
112) 1,2-dichlorobenzene	9.846	146	2458	0.61	ug/L		90
113) n-butylbenzene	9.808	92	2176	0.52	ug/L		96
114) 1,2-dibromo-3-chloropr...	10.607	157	404	0.40	ug/L	#	4
115) 1,3,5-trichlorobenzene	10.809	180	1248	0.43	ug/L		79
119) 1,2,3-trichlorobenzene	11.903	180	959	0.45	ug/L	#	38
120) hexachloroethane	10.116	119	779	0.47	ug/L		86

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342969.D
Acq On : 15 Jun 2022 4:48 pm
Operator : BridgetK
Sample : ic10355-0.5
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Jun 16 15:10:57 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342970.D
Acq On : 15 Jun 2022 5:11 pm
Operator : BridgetK
Sample : ic10355-1
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Jun 16 15:12:10 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.089	65	277339	500.00	ug/L		0.00
5) pentafluorobenzene	4.308	168	259441	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.879	114	373581	50.00	ug/L		0.00
72) chlorobenzene-d5	7.273	117	325769	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.465	152	125399	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.318	113	115612	48.62	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.24%				
52) 1,2-dichloroethane-d4 (s)	4.571	65	139827	52.46	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 104.92%				
73) toluene-d8 (s)	6.025	98	465217	54.42	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 108.84%				
96) 4-bromofluorobenzene (s)	8.354	95	163636	50.57	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.14%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.316	88	1675	25.21	ug/L		70
3) ethanol	2.508	45	8093	126.43	ug/L		88
4) tertiary butyl alcohol	3.150	59	4737	6.12	ug/L		84
6) chlorodifluoromethane	1.677	51	2698	0.95	ug/L	#	78
7) dichlorodifluoromethane	1.657	85	5197	1.23	ug/L		91
8) chloromethane	1.815	50	3446	1.23	ug/L		96
9) vinyl chloride	1.901	62	4160	1.23	ug/L		77
12) chloroethane	2.232	64	2854	1.48	ug/L		83
13) trichlorofluoromethane	2.421	101	5933	1.23	ug/L		76
14) ethyl ether	2.604	74	1310	0.72	ug/L	#	73
16) freon 113	2.781	151	1785	0.90	ug/L	#	75
17) 1,1-dichloroethene	2.790	96	2108	0.88	ug/L	#	72
18) acetone	2.803	58	1492	3.57	ug/L	#	53
19) acetonitrile	2.992	40	3136	11.63	ug/L	#	68
22) carbon disulfide	2.963	76	7566	1.07	ug/L		93
23) methylene chloride	3.114	84	2740	1.04	ug/L		87
25) methyl tert butyl ether	3.284	73	8342	0.91	ug/L		93
26) trans-1,2-dichloroethene	3.300	96	2183	0.86	ug/L		88
27) hexane	3.480	57	3822	1.06	ug/L		87
28) di-isopropyl ether	3.592	45	6509	0.88	ug/L		95
29) ethyl tert-butyl ether	3.839	59	7465	0.86	ug/L		98
30) 2-butanone	3.958	72	2182	3.43	ug/L	#	85
31) 1,1-dichloroethane	3.596	63	4047	0.89	ug/L		76
32) chloroprene	3.650	53	3396	0.95	ug/L		85
33) acrylonitrile	3.275	53	1686	1.13	ug/L	#	70
36) 2,2-dichloropropane	4.000	77	4645	1.10	ug/L		96
37) cis-1,2-dichloroethene	3.990	96	2595	0.92	ug/L		87
38) propionitrile	4.010	54	5926	9.85	ug/L		82
40) bromochloromethane	4.164	128	1191	0.92	ug/L	#	70
41) tetrahydrofuran	4.164	72	692	0.94	ug/L	#	68
42) chloroform	4.208	83	5525	1.12	ug/L		85
44) methacrylonitrile	4.115	67	1702	0.98	ug/L	#	51

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342970.D
Acq On : 15 Jun 2022 5:11 pm
Operator : BridgetK
Sample : ic10355-1
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Jun 16 15:12:10 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
45) 1,1,1-trichloroethane	4.350	97	4043	0.91	ug/L	#	70
46) cyclohexane	4.407	84	5185	1.34	ug/L	#	78
47) 1,1-dichloropropene	4.456	75	3495	0.98	ug/L		85
48) carbon tetrachloride	4.459	117	3338	0.96	ug/L		97
53) tert-amyl methyl ether	4.664	73	7913	0.99	ug/L		96
54) 2,2,4-trimethylpentane	4.667	57	6553	1.03	ug/L		86
55) n-butyl alcohol	4.937	56	10235	59.40	ug/L		97
56) benzene	4.606	78	9329	1.01	ug/L		83
57) heptane	4.773	57	1523	1.05	ug/L	#	70
58) 1,2-dichloroethane	4.632	62	3780	1.05	ug/L		73
59) trichloroethene	5.075	95	2318	0.86	ug/L	#	78
60) ethyl acrylate	5.091	55	4393	0.99	ug/L		93
62) 2-chloroethyl vinyl ether	5.656	63	6921	4.37	ug/L		93
64) 1,2-dichloropropane	5.271	63	2353	1.00	ug/L		89
65) methylcyclohexane	5.258	83	4401	1.01	ug/L		80
66) dibromomethane	5.344	93	1569	0.93	ug/L	#	58
67) bromodichloromethane	5.466	83	3604	0.94	ug/L		73
68) cis-1,3-dichloropropene	5.800	75	3713	0.81	ug/L		89
70) 4-methyl-2-pentanone	5.900	58	6690	4.30	ug/L	#	82
71) 3-methyl-1-butanol	5.916	70	4744	26.39	ug/L	#	84
74) toluene	6.086	92	6012	1.04	ug/L		81
75) trans-1,3-dichloropropene	6.253	75	3535	0.86	ug/L		91
76) ethyl methacrylate	6.269	69	4618	1.15	ug/L		88
77) 1,1,2-trichloroethane	6.432	83	2027	0.99	ug/L	#	49
78) 2-hexanone	6.586	58	7288	4.83	ug/L		81
79) tetrachloroethene	6.506	166	2125	0.91	ug/L	#	39
80) 1,3-dichloropropane	6.573	76	4034	1.03	ug/L		91
82) dibromochloromethane	6.756	129	2691	1.04	ug/L		87
83) 1,2-dibromoethane	6.872	107	2581	0.97	ug/L		86
84) n-butyl ether	7.344	57	8639	0.97	ug/L		92
85) chlorobenzene	7.305	112	5484	0.88	ug/L		88
86) 1,1,1,2-tetrachloroethane	7.376	131	2167	1.03	ug/L	#	70
87) ethylbenzene	7.376	91	10425	1.03	ug/L		93
88) m,p-xylene	7.488	106	7861	1.96	ug/L		96
89) o-xylene	7.851	106	3723	0.88	ug/L		88
90) butyl acrylate	7.767	55	5868	1.11	ug/L		95
91) styrene	7.860	104	6299	0.94	ug/L		86
92) bromoform	8.034	173	2119	1.11	ug/L		84
93) isopropylbenzene	8.178	105	9671	0.92	ug/L		95
97) bromobenzene	8.502	156	2582	1.07	ug/L	#	58
98) 1,1,2,2-tetrachloroethane	8.467	83	4609	1.22	ug/L		81
100) 1,2,3-trichloropropane	8.531	110	1210	1.08	ug/L		70
101) n-propylbenzene	8.579	91	11535	1.00	ug/L		92
102) 2-chlorotoluene	8.669	126	2374	1.03	ug/L		99
103) 4-chlorotoluene	8.794	126	2293	1.02	ug/L	#	57
104) 1,3,5-trimethylbenzene	8.746	105	8401	1.00	ug/L		94
105) tert-butylbenzene	9.051	119	6221	0.86	ug/L		87
106) 1,2,4-trimethylbenzene	9.112	105	8403	0.98	ug/L		98
107) sec-butylbenzene	9.266	105	9540	0.93	ug/L		94
108) 1,3-dichlorobenzene	9.397	146	3912	0.90	ug/L		93

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342970.D
Acq On : 15 Jun 2022 5:11 pm
Operator : BridgetK
Sample : ic10355-1
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Jun 16 15:12:10 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
109) p-isopropyltoluene	9.417	119	7527	0.93	ug/L		80
110) 1,4-dichlorobenzene	9.487	146	3638	0.87	ug/L		92
111) 1,2,3-trimethylbenzene	9.513	105	8124	0.99	ug/L		85
112) 1,2-dichlorobenzene	9.840	146	3999	0.99	ug/L		78
113) n-butylbenzene	9.808	92	3247	0.76	ug/L	#	78
114) 1,2-dibromo-3-chloropr...	10.613	157	910	0.91	ug/L		87
115) 1,3,5-trichlorobenzene	10.812	180	2174	0.74	ug/L	#	63
116) 1,2,4-trichlorobenzene	11.435	180	1700	0.69	ug/L	#	61
119) 1,2,3-trichlorobenzene	11.913	180	1558	0.73	ug/L		97
120) hexachloroethane	10.116	119	1579	0.94	ug/L	#	63

(#) = qualifier out of range (m) = manual integration (+) = signals summed


7.6.60

7

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342970.D
Acq On : 15 Jun 2022 5:11 pm
Operator : BridgetK
Sample : ic10355-1
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Jun 16 15:12:10 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342971.D
Acq On : 15 Jun 2022 5:35 pm
Operator : BridgetK
Sample : ic10355-2
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Jun 16 15:15:04 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 09:03:24 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.092	65	284291	500.00	ug/L		0.00
5) pentafluorobenzene	4.314	168	249516	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.882	114	365208	50.00	ug/L		0.00
72) chlorobenzene-d5	7.276	117	320476	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.468	152	127027	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.324	113	114506	50.81	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.62%				
52) 1,2-dichloroethane-d4 (s)	4.577	65	138702	52.04	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 104.08%				
73) toluene-d8 (s)	6.028	98	459371	52.08	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 104.16%				
96) 4-bromofluorobenzene (s)	8.354	95	163387	49.37	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.74%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.319	88	4214	56.85	ug/L		100
3) ethanol	2.511	45	16203	228.31	ug/L		82
4) tertiary butyl alcohol	3.153	59	9997	11.47	ug/L		98
6) chlorodifluoromethane	1.677	51	6118	2.19	ug/L	#	90
7) dichlorodifluoromethane	1.654	85	7119	1.75	ug/L		95
8) chloromethane	1.821	50	5201	1.91	ug/L		89
9) vinyl chloride	1.901	62	6261	1.86	ug/L		83
11) bromomethane	2.158	96	3420	2.45	ug/L		90
12) chloroethane	2.238	64	3941	2.01	ug/L		74
13) trichlorofluoromethane	2.421	101	9500	2.02	ug/L		97
14) ethyl ether	2.610	74	3333	2.03	ug/L		90
15) acrolein	2.710	56	1454	2.44	ug/L		67
16) freon 113	2.784	151	3841	2.08	ug/L		96
17) 1,1-dichloroethene	2.790	96	5091	2.21	ug/L		86
18) acetone	2.809	58	3801	9.39	ug/L	#	53
19) acetonitrile	2.995	40	5557	21.19	ug/L		90
20) iodomethane	2.906	142	2144	2.55	ug/L		85
22) carbon disulfide	2.967	76	16970	2.39	ug/L		95
23) methylene chloride	3.124	84	6514	2.43	ug/L		91
24) methyl acetate	3.012	74	1677	2.06	ug/L	#	49
25) methyl tert butyl ether	3.287	73	19415	2.23	ug/L		95
26) trans-1,2-dichloroethene	3.310	96	5803	2.33	ug/L		87
27) hexane	3.486	57	7324	2.09	ug/L		93
28) di-isopropyl ether	3.596	45	15730	2.22	ug/L		89
29) ethyl tert-butyl ether	3.839	59	18788	2.27	ug/L		95
30) 2-butanone	3.961	72	5436	8.74	ug/L		91
31) 1,1-dichloroethane	3.605	63	10130	2.32	ug/L		95
32) chloroprene	3.656	53	7825	2.20	ug/L		89
33) acrylonitrile	3.278	53	2878	2.00	ug/L		89
34) vinyl acetate	3.573	86	1668	2.21	ug/L	#	91
35) ethyl acetate	3.977	45	1510	2.39	ug/L	#	50
36) 2,2-dichloropropane	4.003	77	10491	2.46	ug/L		89

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342971.D
Acq On : 15 Jun 2022 5:35 pm
Operator : BridgetK
Sample : ic10355-2
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Jun 16 15:15:04 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 09:03:24 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
37) cis-1,2-dichloroethene	3.997	96	6565	2.33	ug/L		81
38) propionitrile	4.013	54	13726	23.10	ug/L		91
39) methyl acrylate	4.016	85	1719	2.35	ug/L	#	67
40) bromochloromethane	4.160	128	2476	2.02	ug/L		97
41) tetrahydrofuran	4.183	72	1537	2.21	ug/L	#	52
42) chloroform	4.212	83	11960	2.39	ug/L		96
44) methacrylonitrile	4.122	67	4178	2.40	ug/L	#	70
45) 1,1,1-trichloroethane	4.353	97	9984	2.32	ug/L		97
46) cyclohexane	4.414	84	8055	2.04	ug/L		89
47) 1,1-dichloropropene	4.459	75	7604	2.22	ug/L		86
48) carbon tetrachloride	4.465	117	8277	2.32	ug/L	#	80
49) isopropyl acetate	4.577	87	2190	2.46	ug/L	#	27
53) tert-amyl methyl ether	4.671	73	19062	2.34	ug/L		98
54) 2,2,4-trimethylpentane	4.667	57	16041	2.48	ug/L		91
55) n-butyl alcohol	4.937	56	22094	122.03	ug/L		96
56) benzene	4.606	78	22120	2.33	ug/L		98
57) heptane	4.780	57	3063	2.05	ug/L		87
58) 1,2-dichloroethane	4.635	62	8207	2.29	ug/L		88
59) trichloroethene	5.078	95	6028	2.24	ug/L		79
60) ethyl acrylate	5.091	55	10760	2.41	ug/L		91
62) 2-chloroethyl vinyl ether	5.656	63	17659	11.34	ug/L		89
63) methyl methacrylate	5.271	100	2340	2.25	ug/L	#	81
64) 1,2-dichloropropane	5.280	63	5290	2.26	ug/L		88
65) methylcyclohexane	5.267	83	9940	2.35	ug/L		95
66) dibromomethane	5.344	93	3847	2.22	ug/L		95
67) bromodichloromethane	5.463	83	9114	2.31	ug/L		82
68) cis-1,3-dichloropropene	5.800	75	9922	2.24	ug/L		87
69) epichlorohydrin	5.710	57	6052	11.88	ug/L		86
70) 4-methyl-2-pentanone	5.906	58	15875	9.73	ug/L		96
71) 3-methyl-1-butanol	5.922	70	9724	48.70	ug/L		91
74) toluene	6.089	92	13489	2.24	ug/L		97
75) trans-1,3-dichloropropene	6.256	75	9482	2.28	ug/L		88
76) ethyl methacrylate	6.275	69	10222	2.44	ug/L		92
77) 1,1,2-trichloroethane	6.429	83	5056	2.41	ug/L		96
78) 2-hexanone	6.589	58	16360	9.81	ug/L		94
79) tetrachloroethene	6.528	166	5898	2.45	ug/L		84
80) 1,3-dichloropropane	6.570	76	9743	2.39	ug/L		83
82) dibromochloromethane	6.760	129	6675	2.38	ug/L		86
83) 1,2-dibromoethane	6.875	107	6208	2.21	ug/L		81
84) n-butyl ether	7.344	57	21435	2.39	ug/L		95
85) chlorobenzene	7.299	112	13981	2.27	ug/L		95
86) 1,1,1,2-tetrachloroethane	7.376	131	5439	2.44	ug/L		90
87) ethylbenzene	7.376	91	26472	2.51	ug/L		97
88) m,p-xylene	7.494	106	19628	4.63	ug/L		94
89) o-xylene	7.854	106	10251	2.42	ug/L		94
90) butyl acrylate	7.767	55	12608	2.33	ug/L		95
91) styrene	7.860	104	16596	2.42	ug/L		89
92) bromoform	8.046	173	4546	2.31	ug/L		75
93) isopropylbenzene	8.181	105	26291	2.47	ug/L		91
97) bromobenzene	8.505	156	5804	2.25	ug/L	#	76

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342971.D
Acq On : 15 Jun 2022 5:35 pm
Operator : BridgetK
Sample : ic10355-2
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Jun 16 15:15:04 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 09:03:24 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
98) 1,1,2,2-tetrachloroethane	8.470	83	9915	2.33	ug/L		98
99) trans-1,4-dichloro-2-b...	8.505	53	1135	1.88	ug/L	#	59
100) 1,2,3-trichloropropane	8.524	110	2973	2.43	ug/L		85
101) n-propylbenzene	8.579	91	28972	2.38	ug/L		93
102) 2-chlorotoluene	8.672	126	5387	2.25	ug/L	#	82
103) 4-chlorotoluene	8.788	126	5626	2.34	ug/L	#	86
104) 1,3,5-trimethylbenzene	8.739	105	20803	2.38	ug/L		92
105) tert-butylbenzene	9.051	119	17612	2.41	ug/L		91
106) 1,2,4-trimethylbenzene	9.112	105	22064	2.47	ug/L		91
107) sec-butylbenzene	9.266	105	24339	2.33	ug/L		94
108) 1,3-dichlorobenzene	9.397	146	9318	2.14	ug/L		92
109) p-isopropyltoluene	9.413	119	19275	2.34	ug/L		98
110) 1,4-dichlorobenzene	9.490	146	9451	2.21	ug/L		93
111) 1,2,3-trimethylbenzene	9.513	105	19602	2.31	ug/L		99
112) 1,2-dichlorobenzene	9.850	146	9891	2.31	ug/L		80
113) n-butylbenzene	9.811	92	8778	2.13	ug/L		84
114) 1,2-dibromo-3-chloropr...	10.610	157	2053	2.04	ug/L	#	74
115) 1,3,5-trichlorobenzene	10.793	180	5764	2.09	ug/L		88
116) 1,2,4-trichlorobenzene	11.428	180	4387	1.96	ug/L		93
117) hexachlorobutadiene	11.566	225	2060	2.30	ug/L	#	76
118) naphthalene	11.698	128	14875	1.97	ug/L		98
119) 1,2,3-trichlorobenzene	11.913	180	4236	2.09	ug/L		94
120) hexachloroethane	10.119	119	3883	2.27	ug/L		75

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342971.D
Acq On : 15 Jun 2022 5:35 pm
Operator : BridgetK
Sample : ic10355-2
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Jun 16 15:15:04 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 09:03:24 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342972.D
Acq On : 15 Jun 2022 5:58 pm
Operator : BridgetK
Sample : ic10355-4
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Jun 16 15:15:41 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.092	65	266435	500.00	ug/L		0.00
5) pentafluorobenzene	4.311	168	245625	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.879	114	359159	50.00	ug/L		0.00
72) chlorobenzene-d5	7.276	117	315874	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.468	152	122156	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.321	113	111169	49.38	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.76%				
52) 1,2-dichloroethane-d4 (s)	4.574	65	136899	53.43	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 106.86%				
73) toluene-d8 (s)	6.028	98	443001	53.44	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 106.88%				
96) 4-bromofluorobenzene (s)	8.354	95	162423	51.52	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 103.04%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.312	88	8566	134.18	ug/L		99
3) ethanol	2.514	45	31740	516.15	ug/L		95
4) tertiary butyl alcohol	3.146	59	20218	27.20	ug/L		96
6) chlorodifluoromethane	1.673	51	10962	4.07	ug/L	#	98
7) dichlorodifluoromethane	1.657	85	14063	3.51	ug/L		97
8) chloromethane	1.821	50	10279	3.88	ug/L		85
9) vinyl chloride	1.901	62	11668	3.63	ug/L		89
10) 1.3-butadiene	1.933	54	15635	4.77	ug/L		94
11) bromomethane	2.158	96	5181	3.82	ug/L		87
12) chloroethane	2.238	64	6404	3.51	ug/L		91
13) trichlorofluoromethane	2.424	101	17834	3.89	ug/L		94
14) ethyl ether	2.607	74	6710	3.88	ug/L		92
15) acrolein	2.713	56	2155	3.73	ug/L		87
16) freon 113	2.781	151	7517	4.02	ug/L		86
17) 1,1-dichloroethene	2.790	96	9106	4.00	ug/L		95
18) acetone	2.800	58	7341	18.53	ug/L		98
19) acetonitrile	2.992	40	9728	38.11	ug/L		89
20) iodomethane	2.906	142	4690	2.21	ug/L		80
21) iso-butyl alcohol	4.462	43	13588	58.96	ug/L		97
22) carbon disulfide	2.963	76	28854	4.32	ug/L		99
23) methylene chloride	3.121	84	11469	4.58	ug/L		89
24) methyl acetate	3.008	74	3757	4.76	ug/L	#	73
25) methyl tert butyl ether	3.288	73	36554	4.21	ug/L		95
26) trans-1,2-dichloroethene	3.307	96	10212	4.23	ug/L		94
27) hexane	3.480	57	13576	3.97	ug/L		86
28) di-isopropyl ether	3.592	45	30681	4.40	ug/L		95
29) ethyl tert-butyl ether	3.840	59	34369	4.16	ug/L		97
30) 2-butanone	3.961	72	10989	18.24	ug/L		93
31) 1,1-dichloroethane	3.599	63	19080	4.42	ug/L		95
32) chloroprene	3.653	53	14044	4.13	ug/L		91
33) acrylonitrile	3.268	53	5396	3.81	ug/L		80
34) vinyl acetate	3.576	86	2482	3.14	ug/L	#	92

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342972.D
Acq On : 15 Jun 2022 5:58 pm
Operator : BridgetK
Sample : ic10355-4
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Jun 16 15:15:41 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
35) ethyl acetate	3.968	45	2708	4.70	ug/L		83
36) 2,2-dichloropropane	4.003	77	18182	4.57	ug/L		96
37) cis-1,2-dichloroethene	3.994	96	11412	4.26	ug/L		98
38) propionitrile	4.006	54	26804	47.07	ug/L		84
39) methyl acrylate	4.019	85	3333	4.87	ug/L	#	49
40) bromochloromethane	4.160	128	5304	4.34	ug/L	#	77
41) tetrahydrofuran	4.170	72	2829	4.06	ug/L	#	83
42) chloroform	4.212	83	21338	4.55	ug/L		98
44) methacrylonitrile	4.115	67	7723	4.71	ug/L		97
45) 1,1,1-trichloroethane	4.350	97	16946	4.03	ug/L		84
46) cyclohexane	4.407	84	15314	4.17	ug/L	#	80
47) 1,1-dichloropropene	4.459	75	12819	3.81	ug/L		87
48) carbon tetrachloride	4.465	117	15209	4.60	ug/L		89
49) isopropyl acetate	4.578	87	3701	4.44	ug/L	#	79
50) tert amyl alcohol	4.549	55	7212	30.70	ug/L		96
53) tert-amyl methyl ether	4.667	73	37339	4.88	ug/L		94
54) 2,2,4-trimethylpentane	4.667	57	26526	4.34	ug/L		94
55) n-butyl alcohol	4.934	56	43558	262.94	ug/L		95
56) benzene	4.606	78	40650	4.57	ug/L		96
57) heptane	4.780	57	5554	4.00	ug/L		93
58) 1,2-dichloroethane	4.632	62	15638	4.51	ug/L		99
59) trichloroethene	5.081	95	10690	4.13	ug/L		78
60) ethyl acrylate	5.094	55	20359	4.77	ug/L		98
61) 2-nitropropane	5.630	41	6581	4.77	ug/L		88
62) 2-chloroethyl vinyl ether	5.653	63	34303	22.55	ug/L		96
63) methyl methacrylate	5.277	100	4808	4.79	ug/L	#	62
64) 1,2-dichloropropane	5.277	63	10071	4.45	ug/L		92
65) methylcyclohexane	5.264	83	17300	4.15	ug/L		93
66) dibromomethane	5.344	93	7876	4.87	ug/L		88
67) bromodichloromethane	5.466	83	16853	4.57	ug/L		94
68) cis-1,3-dichloropropene	5.800	75	19287	4.38	ug/L		92
69) epichlorohydrin	5.707	57	11669	25.20	ug/L		98
70) 4-methyl-2-pentanone	5.900	58	30616	20.47	ug/L		95
71) 3-methyl-1-butanol	5.919	70	18846	109.03	ug/L	#	85
74) toluene	6.086	92	25363	4.54	ug/L		96
75) trans-1,3-dichloropropene	6.256	75	18400	4.61	ug/L		98
76) ethyl methacrylate	6.272	69	18100	4.66	ug/L		98
77) 1,1,2-trichloroethane	6.426	83	9185	4.62	ug/L		94
78) 2-hexanone	6.590	58	32248	22.06	ug/L		89
79) tetrachloroethene	6.516	166	10334	4.58	ug/L		96
80) 1,3-dichloropropane	6.570	76	18674	4.90	ug/L		98
81) butyl acetate	6.670	56	11166	5.46	ug/L		88
82) dibromochloromethane	6.756	129	12569	5.01	ug/L		85
83) 1,2-dibromoethane	6.878	107	12901	4.99	ug/L		99
84) n-butyl ether	7.340	57	40720	4.74	ug/L		98
85) chlorobenzene	7.305	112	26778	4.45	ug/L		98
86) 1,1,1,2-tetrachloroethane	7.369	131	10600	5.18	ug/L		86
87) ethylbenzene	7.376	91	47879	4.90	ug/L		98
88) m,p-xylene	7.491	106	36887	9.47	ug/L		98
89) o-xylene	7.844	106	18526	4.52	ug/L		91

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342972.D
Acq On : 15 Jun 2022 5:58 pm
Operator : BridgetK
Sample : ic10355-4
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Jun 16 15:15:41 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
90) butyl acrylate	7.764	55	24700	4.83	ug/L		96
91) styrene	7.867	104	31133	4.77	ug/L		96
92) bromoform	8.043	173	8900	4.81	ug/L		99
93) isopropylbenzene	8.181	105	47667	4.66	ug/L		93
94) cis-1,4-dichloro-2-butene	8.229	88	3032	3.86	ug/L	#	84
97) bromobenzene	8.499	156	10837	4.60	ug/L		89
98) 1,1,2,2-tetrachloroethane	8.470	83	18694	5.09	ug/L		91
99) trans-1,4-dichloro-2-b...	8.502	53	2338	4.03	ug/L	#	81
100) 1,2,3-trichloropropane	8.531	110	5645	5.17	ug/L		68
101) n-propylbenzene	8.576	91	53660	4.75	ug/L		98
102) 2-chlorotoluene	8.669	126	10168	4.55	ug/L		93
103) 4-chlorotoluene	8.788	126	10314	4.72	ug/L		93
104) 1,3,5-trimethylbenzene	8.749	105	37180	4.55	ug/L		95
105) tert-butylbenzene	9.048	119	30984	4.41	ug/L		91
106) 1,2,4-trimethylbenzene	9.109	105	38948	4.67	ug/L		96
107) sec-butylbenzene	9.266	105	44588	4.48	ug/L		97
108) 1,3-dichlorobenzene	9.391	146	19043	4.50	ug/L		99
109) p-isopropyltoluene	9.413	119	35418	4.51	ug/L		98
110) 1,4-dichlorobenzene	9.490	146	18300	4.48	ug/L		92
111) 1,2,3-trimethylbenzene	9.516	105	37811	4.74	ug/L		86
112) 1,2-dichlorobenzene	9.843	146	17857	4.52	ug/L		93
113) n-butylbenzene	9.811	92	16580	4.01	ug/L		94
114) 1,2-dibromo-3-chloropr...	10.610	157	4535	4.63	ug/L		85
115) 1,3,5-trichlorobenzene	10.800	180	11434	3.99	ug/L		93
116) 1,2,4-trichlorobenzene	11.425	180	8340	3.45	ug/L		96
117) hexachlorobutadiene	11.570	225	3663	4.10	ug/L		71
118) naphthalene	11.698	128	29489	3.87	ug/L		96
119) 1,2,3-trichlorobenzene	11.916	180	7809	3.74	ug/L		77
120) hexachloroethane	10.116	119	6392	3.91	ug/L		89
121) benzyl chloride	9.596	91	33999	4.81	ug/L		94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342972.D
Acq On : 15 Jun 2022 5:58 pm
Operator : BridgetK
Sample : ic10355-4
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Jun 16 15:15:41 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342973.D
Acq On : 15 Jun 2022 6:22 pm
Operator : BridgetK
Sample : ic10355-8
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Jun 16 08:28:41 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.095	65	268003	500.00	ug/L		0.00
5) pentafluorobenzene	4.314	168	241805	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.886	114	362388	50.00	ug/L		0.00
72) chlorobenzene-d5	7.276	117	316508	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.465	152	124571	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.324	113	109709	49.51	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.02%				
52) 1,2-dichloroethane-d4 (s)	4.578	65	138961	53.75	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 107.50%				
73) toluene-d8 (s)	6.031	98	439836	52.96	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 105.92%				
96) 4-bromofluorobenzene (s)	8.354	95	159258	49.54	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.08%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.316	88	13510	210.39	ug/L		94
3) ethanol	2.511	45	50446	815.54	ug/L		88
4) tertiary butyl alcohol	3.150	59	29869	39.95	ug/L		95
6) chlorodifluoromethane	1.670	51	20175	7.62	ug/L	#	95
7) dichlorodifluoromethane	1.657	85	27799	7.04	ug/L		97
8) chloromethane	1.821	50	19640	7.54	ug/L		89
9) vinyl chloride	1.901	62	23738	7.51	ug/L		99
10) 1.3-butadiene	1.933	54	27528	8.54	ug/L		98
11) bromomethane	2.155	96	10748	8.05	ug/L		85
12) chloroethane	2.238	64	13682	7.61	ug/L		94
13) trichlorofluoromethane	2.424	101	35045	7.77	ug/L		99
14) ethyl ether	2.607	74	13343	7.84	ug/L		89
15) acrolein	2.713	56	4183	7.36	ug/L		87
16) freon 113	2.781	151	13895	7.55	ug/L	#	80
17) 1,1-dichloroethene	2.790	96	17549	7.82	ug/L		95
18) acetone	2.800	58	12426	31.87	ug/L	#	71
19) acetonitrile	2.996	40	20134	80.12	ug/L		97
20) iodomethane	2.906	142	10430	4.99	ug/L		92
21) iso-butyl alcohol	4.465	43	20606	90.82	ug/L		93
22) carbon disulfide	2.967	76	54317	8.26	ug/L		96
23) methylene chloride	3.121	84	20763	8.42	ug/L		85
24) methyl acetate	3.012	74	5952	7.67	ug/L	#	73
25) methyl tert butyl ether	3.291	73	67918	7.95	ug/L		96
26) trans-1,2-dichloroethene	3.307	96	19206	8.09	ug/L		92
27) hexane	3.486	57	26201	7.79	ug/L		95
28) di-isopropyl ether	3.599	45	55048	8.02	ug/L		87
29) ethyl tert-butyl ether	3.843	59	65642	8.08	ug/L		98
30) 2-butanone	3.968	72	18742	31.59	ug/L	#	80
31) 1,1-dichloroethane	3.605	63	33501	7.89	ug/L		96
32) chloroprene	3.660	53	27751	8.29	ug/L		94
33) acrylonitrile	3.268	53	10257	7.35	ug/L		97
34) vinyl acetate	3.576	86	5961	7.67	ug/L	#	71

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342973.D
Acq On : 15 Jun 2022 6:22 pm
Operator : BridgetK
Sample : ic10355-8
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Jun 16 08:28:41 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
35) ethyl acetate	3.971	45	5042	8.90	ug/L		97
36) 2,2-dichloropropane	4.003	77	33002	8.42	ug/L		98
37) cis-1,2-dichloroethene	3.997	96	21757	8.25	ug/L		96
38) propionitrile	4.010	54	45467	81.11	ug/L		79
39) methyl acrylate	4.022	85	5512	8.18	ug/L	#	70
40) bromochloromethane	4.160	128	9760	8.11	ug/L		91
41) tetrahydrofuran	4.176	72	5557	8.11	ug/L		87
42) chloroform	4.212	83	40399	8.76	ug/L		97
44) methacrylonitrile	4.119	67	12910	8.00	ug/L		87
45) 1,1,1-trichloroethane	4.353	97	32572	7.86	ug/L		91
46) cyclohexane	4.414	84	28949	8.00	ug/L		99
47) 1,1-dichloropropene	4.459	75	26114	7.89	ug/L		94
48) carbon tetrachloride	4.472	117	27381	8.41	ug/L		92
49) isopropyl acetate	4.578	87	6508	7.93	ug/L		94
50) tert amyl alcohol	4.558	55	11511	49.77	ug/L	#	81
53) tert-amyl methyl ether	4.667	73	65933	8.54	ug/L		95
54) 2,2,4-trimethylpentane	4.674	57	50834	8.25	ug/L		98
55) n-butyl alcohol	4.940	56	66800	399.64	ug/L		97
56) benzene	4.610	78	74628	8.31	ug/L		95
57) heptane	4.786	57	10688	7.63	ug/L		89
58) 1,2-dichloroethane	4.632	62	28808	8.24	ug/L		98
59) trichloroethene	5.081	95	19873	7.62	ug/L		94
60) ethyl acrylate	5.094	55	33973	7.89	ug/L		95
61) 2-nitropropane	5.624	41	9982	7.17	ug/L		89
62) 2-chloroethyl vinyl ether	5.656	63	60623	39.50	ug/L		98
63) methyl methacrylate	5.274	100	7435	7.34	ug/L	#	91
64) 1,2-dichloropropane	5.277	63	18437	8.08	ug/L		94
65) methylcyclohexane	5.271	83	32860	7.81	ug/L		92
66) dibromomethane	5.348	93	14003	8.58	ug/L		92
67) bromodichloromethane	5.466	83	29817	8.01	ug/L		85
68) cis-1,3-dichloropropene	5.803	75	34292	7.73	ug/L		97
69) epichlorohydrin	5.713	57	18574	39.75	ug/L		98
70) 4-methyl-2-pentanone	5.903	58	47588	31.53	ug/L		94
71) 3-methyl-1-butanol	5.919	70	29730	170.47	ug/L		95
74) toluene	6.089	92	46375	8.29	ug/L		96
75) trans-1,3-dichloropropene	6.259	75	31794	7.95	ug/L		93
76) ethyl methacrylate	6.272	69	33171	8.52	ug/L		90
77) 1,1,2-trichloroethane	6.429	83	16322	8.19	ug/L		94
78) 2-hexanone	6.590	58	49521	33.81	ug/L		95
79) tetrachloroethene	6.525	166	19131	8.46	ug/L		95
80) 1,3-dichloropropane	6.573	76	32880	8.61	ug/L		94
81) butyl acetate	6.676	56	16862	8.22	ug/L		93
82) dibromochloromethane	6.760	129	20481	8.15	ug/L		98
83) 1,2-dibromoethane	6.878	107	21987	8.48	ug/L		97
84) n-butyl ether	7.344	57	71808	8.34	ug/L		98
85) chlorobenzene	7.302	112	48684	8.08	ug/L		98
86) 1,1,1,2-tetrachloroethane	7.379	131	17961	8.77	ug/L		83
87) ethylbenzene	7.379	91	87094	8.89	ug/L		96
88) m,p-xylene	7.491	106	65789	16.86	ug/L		96
89) o-xylene	7.847	106	34409	8.38	ug/L		96

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342973.D
Acq On : 15 Jun 2022 6:22 pm
Operator : BridgetK
Sample : ic10355-8
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Jun 16 08:28:41 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
90) butyl acrylate	7.770	55	41585	8.12	ug/L		94
91) styrene	7.863	104	56611	8.66	ug/L		98
92) bromoform	8.043	173	14221	7.67	ug/L		88
93) isopropylbenzene	8.184	105	84552	8.26	ug/L		93
94) cis-1,4-dichloro-2-butene	8.232	88	4833	6.13	ug/L		88
97) bromobenzene	8.505	156	19548	8.13	ug/L	#	81
98) 1,1,2,2-tetrachloroethane	8.467	83	30551	8.16	ug/L		95
99) trans-1,4-dichloro-2-b...	8.505	53	3913	6.61	ug/L	#	83
100) 1,2,3-trichloropropane	8.534	110	9362	8.40	ug/L		95
101) n-propylbenzene	8.576	91	95404	8.29	ug/L		99
102) 2-chlorotoluene	8.672	126	17873	7.84	ug/L		95
103) 4-chlorotoluene	8.791	126	18235	8.18	ug/L	#	77
104) 1,3,5-trimethylbenzene	8.746	105	66923	8.02	ug/L		98
105) tert-butylbenzene	9.051	119	56175	7.84	ug/L		96
106) 1,2,4-trimethylbenzene	9.108	105	67782	7.97	ug/L		100
107) sec-butylbenzene	9.266	105	80248	7.90	ug/L		98
108) 1,3-dichlorobenzene	9.397	146	32967	7.64	ug/L		95
109) p-isopropyltoluene	9.413	119	65282	8.14	ug/L		95
110) 1,4-dichlorobenzene	9.490	146	31170	7.49	ug/L		99
111) 1,2,3-trimethylbenzene	9.513	105	65060	8.00	ug/L		99
112) 1,2-dichlorobenzene	9.840	146	31859	7.91	ug/L		92
113) n-butylbenzene	9.811	92	31046	7.36	ug/L		98
114) 1,2-dibromo-3-chloropr...	10.617	157	7203	7.22	ug/L		91
115) 1,3,5-trichlorobenzene	10.800	180	19872	6.81	ug/L		87
116) 1,2,4-trichlorobenzene	11.425	180	15981	6.49	ug/L		91
117) hexachlorobutadiene	11.567	225	6241	6.85	ug/L		93
118) naphthalene	11.695	128	53517	6.89	ug/L		98
119) 1,2,3-trichlorobenzene	11.916	180	14972	7.04	ug/L		99
120) hexachloroethane	10.116	119	12601	7.56	ug/L		92
121) benzyl chloride	9.599	91	56003	7.78	ug/L		96
122) 2-methylnaphthalene	12.828	142	4436	1.48	ug/L		90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342973.D
Acq On : 15 Jun 2022 6:22 pm
Operator : BridgetK
Sample : ic10355-8
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Jun 16 08:28:41 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342974.D
Acq On : 15 Jun 2022 6:45 pm
Operator : BridgetK
Sample : ic10355-20
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Jun 16 08:28:43 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.092	65	276462	500.00	ug/L		0.00
5) pentafluorobenzene	4.314	168	233148	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.882	114	348731	50.00	ug/L		0.00
72) chlorobenzene-d5	7.276	117	318149	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.468	152	123050	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.324	113	107069	50.11	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.22%				
52) 1,2-dichloroethane-d4 (s)	4.574	65	127430	51.22	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 102.44%				
73) toluene-d8 (s)	6.028	98	425337	50.95	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.90%				
96) 4-bromofluorobenzene (s)	8.354	95	159075	50.09	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.18%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.312	88	31901	481.60	ug/L		94
3) ethanol	2.514	45	125364	1964.71	ug/L		98
4) tertiary butyl alcohol	3.146	59	74314	96.34	ug/L		99
6) chlorodifluoromethane	1.673	51	51414	20.13	ug/L	#	93
7) dichlorodifluoromethane	1.654	85	75041	19.71	ug/L		98
8) chloromethane	1.818	50	50712	20.19	ug/L		95
9) vinyl chloride	1.901	62	61406	20.14	ug/L		99
10) 1.3-butadiene	1.930	54	64462	20.74	ug/L		98
11) bromomethane	2.151	96	23990	18.63	ug/L		95
12) chloroethane	2.235	64	33577	19.37	ug/L		97
13) trichlorofluoromethane	2.421	101	88057	20.25	ug/L		98
14) ethyl ether	2.607	74	32267	19.67	ug/L		97
15) acrolein	2.707	56	10726	19.57	ug/L		88
16) freon 113	2.780	151	34701	19.56	ug/L		94
17) 1,1-dichloroethene	2.787	96	44173	20.42	ug/L		98
18) acetone	2.800	58	30330	80.67	ug/L		98
19) acetonitrile	2.989	40	50277	207.50	ug/L		99
20) iodomethane	2.902	142	32908	16.32	ug/L		92
21) iso-butyl alcohol	4.459	43	47478	217.03	ug/L		95
22) carbon disulfide	2.963	76	131386	20.71	ug/L		99
23) methylene chloride	3.117	84	47169	19.84	ug/L		96
24) methyl acetate	3.008	74	15048	20.10	ug/L	#	85
25) methyl tert butyl ether	3.287	73	163588	19.86	ug/L		100
26) trans-1,2-dichloroethene	3.303	96	45861	20.03	ug/L		92
27) hexane	3.483	57	64616	19.92	ug/L		96
28) di-isopropyl ether	3.592	45	133145	20.12	ug/L		95
29) ethyl tert-butyl ether	3.843	59	156143	19.93	ug/L		96
30) 2-butanone	3.961	72	45681	79.87	ug/L		96
31) 1,1-dichloroethane	3.602	63	81110	19.80	ug/L		93
32) chloroprene	3.653	53	66355	20.56	ug/L		95
33) acrylonitrile	3.265	53	27270	20.27	ug/L		98
34) vinyl acetate	3.576	86	14309	19.09	ug/L	#	79

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342974.D
Acq On : 15 Jun 2022 6:45 pm
Operator : BridgetK
Sample : ic10355-20
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Jun 16 08:28:43 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
35) ethyl acetate	3.971	45	11568	21.17	ug/L	#	66
36) 2,2-dichloropropane	3.997	77	81101	21.46	ug/L		94
37) cis-1,2-dichloroethene	3.990	96	51623	20.30	ug/L		93
38) propionitrile	4.009	54	114716	212.24	ug/L		95
39) methyl acrylate	4.009	85	13639	21.00	ug/L	#	82
40) bromochloromethane	4.154	128	21859	18.84	ug/L		98
41) tetrahydrofuran	4.167	72	14031	21.23	ug/L		94
42) chloroform	4.212	83	89892	20.22	ug/L		93
44) methacrylonitrile	4.115	67	31040	19.95	ug/L		98
45) 1,1,1-trichloroethane	4.353	97	78511	19.66	ug/L		99
46) cyclohexane	4.411	84	71551	20.51	ug/L		93
47) 1,1-dichloropropene	4.455	75	64655	20.26	ug/L		96
48) carbon tetrachloride	4.465	117	67497	21.51	ug/L		98
49) isopropyl acetate	4.574	87	16078	20.33	ug/L		92
50) tert amyl alcohol	4.552	55	25265	113.29	ug/L	#	82
53) tert-amyl methyl ether	4.667	73	155299	20.90	ug/L		97
54) 2,2,4-trimethylpentane	4.667	57	125593	21.18	ug/L		98
55) n-butyl alcohol	4.937	56	167848	1043.51	ug/L		98
56) benzene	4.606	78	181807	21.04	ug/L		97
57) heptane	4.780	57	26622	19.75	ug/L		96
58) 1,2-dichloroethane	4.629	62	68082	20.23	ug/L		98
59) trichloroethene	5.075	95	50768	20.22	ug/L		94
60) ethyl acrylate	5.094	55	83645	20.19	ug/L		98
61) 2-nitropropane	5.627	41	25119	18.76	ug/L		97
62) 2-chloroethyl vinyl ether	5.656	63	148316	100.43	ug/L		97
63) methyl methacrylate	5.271	100	19579	20.10	ug/L		94
64) 1,2-dichloropropane	5.277	63	45071	20.52	ug/L		96
65) methylcyclohexane	5.264	83	80796	19.94	ug/L		97
66) dibromomethane	5.348	93	30898	19.68	ug/L		92
67) bromodichloromethane	5.463	83	69373	19.38	ug/L		99
68) cis-1,3-dichloropropene	5.803	75	83802	19.62	ug/L		95
69) epichlorohydrin	5.713	57	47009	104.55	ug/L		97
70) 4-methyl-2-pentanone	5.899	58	120995	83.30	ug/L		96
71) 3-methyl-1-butanol	5.919	70	72982	434.86	ug/L		99
74) toluene	6.082	92	114083	20.28	ug/L		98
75) trans-1,3-dichloropropene	6.252	75	78736	19.59	ug/L		95
76) ethyl methacrylate	6.275	69	80657	20.62	ug/L		97
77) 1,1,2-trichloroethane	6.423	83	40669	20.31	ug/L		94
78) 2-hexanone	6.589	58	124188	84.35	ug/L		95
79) tetrachloroethene	6.519	166	46237	20.33	ug/L		98
80) 1,3-dichloropropane	6.570	76	78639	20.48	ug/L		98
81) butyl acetate	6.673	56	42592	20.67	ug/L		94
82) dibromochloromethane	6.759	129	51085	20.21	ug/L		99
83) 1,2-dibromoethane	6.875	107	51863	19.90	ug/L		93
84) n-butyl ether	7.343	57	176992	20.44	ug/L		99
85) chlorobenzene	7.302	112	122587	20.25	ug/L		99
86) 1,1,1,2-tetrachloroethane	7.372	131	43016	20.89	ug/L		96
87) ethylbenzene	7.376	91	211999	21.53	ug/L		98
88) m,p-xylene	7.491	106	163588	41.70	ug/L		98
89) o-xylene	7.847	106	83773	20.29	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342974.D
Acq On : 15 Jun 2022 6:45 pm
Operator : BridgetK
Sample : ic10355-20
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Jun 16 08:28:43 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
90) butyl acrylate	7.764	55	102586	19.94	ug/L		97
91) styrene	7.863	104	137086	20.87	ug/L		94
92) bromoform	8.040	173	37690	20.22	ug/L		93
93) isopropylbenzene	8.181	105	211861	20.58	ug/L		97
94) cis-1,4-dichloro-2-butene	8.239	88	13665	17.25	ug/L		97
97) bromobenzene	8.499	156	44912	18.92	ug/L		99
98) 1,1,2,2-tetrachloroethane	8.467	83	73376	19.84	ug/L		99
99) trans-1,4-dichloro-2-b...	8.505	53	11020	18.84	ug/L	#	83
100) 1,2,3-trichloropropane	8.528	110	22800	20.71	ug/L		97
101) n-propylbenzene	8.576	91	231447	20.35	ug/L		100
102) 2-chlorotoluene	8.672	126	44147	19.60	ug/L	#	83
103) 4-chlorotoluene	8.791	126	44855	20.37	ug/L		89
104) 1,3,5-trimethylbenzene	8.743	105	167556	20.34	ug/L		99
105) tert-butylbenzene	9.051	119	138214	19.52	ug/L		98
106) 1,2,4-trimethylbenzene	9.108	105	168159	20.02	ug/L		99
107) sec-butylbenzene	9.266	105	202244	20.16	ug/L		98
108) 1,3-dichlorobenzene	9.391	146	81598	19.15	ug/L		99
109) p-isopropyltoluene	9.410	119	159112	20.09	ug/L		99
110) 1,4-dichlorobenzene	9.490	146	77710	18.90	ug/L		98
111) 1,2,3-trimethylbenzene	9.513	105	161150	20.05	ug/L		97
112) 1,2-dichlorobenzene	9.846	146	76755	19.29	ug/L		99
113) n-butylbenzene	9.811	92	79838	19.16	ug/L		96
114) 1,2-dibromo-3-chloropr...	10.610	157	18856	19.12	ug/L		93
115) 1,3,5-trichlorobenzene	10.799	180	52496	18.20	ug/L		99
116) 1,2,4-trichlorobenzene	11.428	180	43954	18.07	ug/L		98
117) hexachlorobutadiene	11.570	225	17234	19.14	ug/L		91
118) naphthalene	11.692	128	144346	18.80	ug/L		98
119) 1,2,3-trichlorobenzene	11.916	180	39157	18.64	ug/L		91
120) hexachloroethane	10.113	119	32158	19.52	ug/L		94
121) benzyl chloride	9.596	91	142607	20.04	ug/L		97
122) 2-methylnaphthalene	12.824	142	20540	6.95	ug/L		91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342974.D
Acq On : 15 Jun 2022 6:45 pm
Operator : BridgetK
Sample : ic10355-20
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Jun 16 08:28:43 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342975.D
Acq On : 15 Jun 2022 7:09 pm
Operator : BridgetK
Sample : icc10355-50
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Jun 16 08:28:45 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.095	65	252218	500.00	ug/L		0.00
5) pentafluorobenzene	4.311	168	224201	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.882	114	337069	50.00	ug/L		0.00
72) chlorobenzene-d5	7.276	117	317858	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.465	152	121119	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.324	113	102739	50.00	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.00%				
52) 1,2-dichloroethane-d4 (s)	4.577	65	120238	50.00	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 100.00%				
73) toluene-d8 (s)	6.028	98	417048	50.00	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.00%				
96) 4-bromofluorobenzene (s)	8.351	95	156283	50.00	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.00%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.319	88	75539	1250.00	ug/L		100
3) ethanol	2.514	45	289734	4977.19	ug/L		100
4) tertiary butyl alcohol	3.149	59	175923	250.00	ug/L		100
6) chlorodifluoromethane	1.673	51	122803	50.00	ug/L	#	100
7) dichlorodifluoromethane	1.654	85	183099	50.00	ug/L		100
8) chloromethane	1.814	50	120753	50.00	ug/L		100
9) vinyl chloride	1.901	62	146574	50.00	ug/L		100
10) 1.3-butadiene	1.930	54	148569	49.70	ug/L		100
11) bromomethane	2.148	96	61924	50.00	ug/L		100
12) chloroethane	2.232	64	82866	49.71	ug/L		100
13) trichlorofluoromethane	2.421	101	209108	50.00	ug/L		100
14) ethyl ether	2.607	74	78869	50.00	ug/L		100
15) acrolein	2.707	56	26350	50.00	ug/L		100
16) freon 113	2.780	151	85572	50.16	ug/L		100
17) 1,1-dichloroethene	2.787	96	104002	50.00	ug/L		100
18) acetone	2.800	58	71864	198.77	ug/L		100
19) acetonitrile	2.992	40	116498	500.00	ug/L		100
20) iodomethane	2.902	142	96944	50.00	ug/L		100
21) iso-butyl alcohol	4.462	43	105184	500.00	ug/L		100
22) carbon disulfide	2.963	76	304298	49.88	ug/L		100
23) methylene chloride	3.121	84	114311	50.01	ug/L		100
24) methyl acetate	3.008	74	36281	50.39	ug/L		99
25) methyl tert butyl ether	3.287	73	395598	49.93	ug/L		100
26) trans-1,2-dichloroethene	3.307	96	110086	50.01	ug/L		100
27) hexane	3.483	57	155978	50.00	ug/L		100
28) di-isopropyl ether	3.592	45	317822	49.95	ug/L		100
29) ethyl tert-butyl ether	3.843	59	376744	50.00	ug/L		100
30) 2-butanone	3.961	72	110005	200.00	ug/L		100
31) 1,1-dichloroethane	3.602	63	196778	49.96	ug/L		100
32) chloroprene	3.653	53	155228	50.02	ug/L		100
33) acrylonitrile	3.268	53	64586	49.93	ug/L		100
34) vinyl acetate	3.576	86	35775	49.64	ug/L		99

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342975.D
Acq On : 15 Jun 2022 7:09 pm
Operator : BridgetK
Sample : icc10355-50
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Jun 16 08:28:45 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
35) ethyl acetate	3.968	45	26270	50.00	ug/L	100
36) 2,2-dichloropropane	4.000	77	181734	50.00	ug/L	100
37) cis-1,2-dichloroethene	3.990	96	122248	49.99	ug/L	100
38) propionitrile	4.009	54	259170	498.63	ug/L	100
39) methyl acrylate	4.016	85	31225	50.01	ug/L	99
40) bromochloromethane	4.157	128	55675	49.91	ug/L	100
41) tetrahydrofuran	4.170	72	31774	50.00	ug/L	100
42) chloroform	4.208	83	213797	50.00	ug/L	100
44) methacrylonitrile	4.118	67	74809	50.00	ug/L	100
45) 1,1,1-trichloroethane	4.353	97	192051	50.00	ug/L	100
46) cyclohexane	4.414	84	167732	50.00	ug/L	100
47) 1,1-dichloropropene	4.462	75	152247	49.61	ug/L	99
48) carbon tetrachloride	4.465	117	150897	50.00	ug/L	100
49) isopropyl acetate	4.577	87	38026	50.00	ug/L	100
50) tert amyl alcohol	4.555	55	54869	255.86	ug/L	99
53) tert-amyl methyl ether	4.667	73	357765	49.81	ug/L	100
54) 2,2,4-trimethylpentane	4.670	57	286791	50.03	ug/L	100
55) n-butyl alcohol	4.940	56	388676	2500.00	ug/L	100
56) benzene	4.606	78	417634	50.00	ug/L	100
57) heptane	4.780	57	64996	49.89	ug/L	99
58) 1,2-dichloroethane	4.632	62	161582	49.68	ug/L	100
59) trichloroethene	5.078	95	121362	50.00	ug/L	100
60) ethyl acrylate	5.094	55	200243	50.00	ug/L	100
61) 2-nitropropane	5.627	41	59937	46.30	ug/L	100
62) 2-chloroethyl vinyl ether	5.656	63	363775	254.84	ug/L	100
63) methyl methacrylate	5.270	100	46855	49.76	ug/L	100
64) 1,2-dichloropropane	5.274	63	105970	49.91	ug/L	100
65) methylcyclohexane	5.264	83	196360	50.14	ug/L	100
66) dibromomethane	5.344	93	75879	50.00	ug/L	100
67) bromodichloromethane	5.463	83	173027	50.00	ug/L	100
68) cis-1,3-dichloropropene	5.803	75	206417	50.00	ug/L	100
69) epichlorohydrin	5.713	57	111049	255.53	ug/L	96
70) 4-methyl-2-pentanone	5.899	58	280781	200.00	ug/L	100
71) 3-methyl-1-butanol	5.919	70	162378	1001.00	ug/L	100
74) toluene	6.086	92	280964	49.99	ug/L	100
75) trans-1,3-dichloropropene	6.256	75	200623	49.97	ug/L	100
76) ethyl methacrylate	6.275	69	195554	50.04	ug/L	100
77) 1,1,2-trichloroethane	6.426	83	100060	50.02	ug/L	100
78) 2-hexanone	6.589	58	294135	199.96	ug/L	100
79) tetrachloroethene	6.522	166	113608	50.00	ug/L	100
80) 1,3-dichloropropane	6.570	76	191682	49.97	ug/L	100
81) butyl acetate	6.670	56	103150	50.10	ug/L	100
82) dibromochloromethane	6.763	129	126215	49.99	ug/L	100
83) 1,2-dibromoethane	6.878	107	130155	49.99	ug/L	100
84) n-butyl ether	7.343	57	432158	49.96	ug/L	100
85) chlorobenzene	7.305	112	302406	49.99	ug/L	100
86) 1,1,1,2-tetrachloroethane	7.372	131	102850	49.99	ug/L	100
87) ethylbenzene	7.376	91	491685	49.98	ug/L	100
88) m,p-xylene	7.491	106	391827	99.98	ug/L	100
89) o-xylene	7.847	106	206119	49.98	ug/L	100

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342975.D
Acq On : 15 Jun 2022 7:09 pm
Operator : BridgetK
Sample : icc10355-50
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Jun 16 08:28:45 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
90) butyl acrylate	7.764	55	256812	49.96	ug/L	100
91) styrene	7.863	104	328035	49.99	ug/L	100
92) bromoform	8.043	173	93097	49.99	ug/L	100
93) isopropylbenzene	8.181	105	513976	49.98	ug/L	100
94) cis-1,4-dichloro-2-butene	8.236	88	39445	49.85	ug/L	100
97) bromobenzene	8.499	156	116830	50.00	ug/L	100
98) 1,1,2,2-tetrachloroethane	8.467	83	181708	49.93	ug/L	100
99) trans-1,4-dichloro-2-b...	8.505	53	28792	50.00	ug/L	100
100) 1,2,3-trichloropropane	8.531	110	54173	50.00	ug/L	100
101) n-propylbenzene	8.572	91	559784	50.00	ug/L	100
102) 2-chlorotoluene	8.672	126	110834	50.00	ug/L	100
103) 4-chlorotoluene	8.791	126	108386	50.00	ug/L	100
104) 1,3,5-trimethylbenzene	8.743	105	404602	49.89	ug/L	100
105) tert-butylbenzene	9.051	119	348490	50.00	ug/L	100
106) 1,2,4-trimethylbenzene	9.108	105	413216	49.98	ug/L	100
107) sec-butylbenzene	9.266	105	494264	50.05	ug/L	100
108) 1,3-dichlorobenzene	9.394	146	209444	49.95	ug/L	100
109) p-isopropyltoluene	9.410	119	389663	49.99	ug/L	100
110) 1,4-dichlorobenzene	9.490	146	202159	49.95	ug/L	100
111) 1,2,3-trimethylbenzene	9.513	105	395628	50.01	ug/L	100
112) 1,2-dichlorobenzene	9.846	146	195778	50.00	ug/L	100
113) n-butylbenzene	9.811	92	205111	50.00	ug/L	100
114) 1,2-dibromo-3-chloropr...	10.613	157	48494	49.96	ug/L	100
115) 1,3,5-trichlorobenzene	10.799	180	141872	49.97	ug/L	100
116) 1,2,4-trichlorobenzene	11.425	180	119746	50.00	ug/L	100
117) hexachlorobutadiene	11.566	225	44303	50.00	ug/L	100
118) naphthalene	11.692	128	378029	50.03	ug/L	100
119) 1,2,3-trichlorobenzene	11.913	180	103457	50.03	ug/L	100
120) hexachloroethane	10.113	119	81061	50.00	ug/L	100
121) benzyl chloride	9.599	91	348346	49.74	ug/L	100
122) 2-methylnaphthalene	12.824	142	73037	25.11	ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342975.D
Acq On : 15 Jun 2022 7:09 pm
Operator : BridgetK
Sample : icc10355-50
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Jun 16 08:28:45 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342976.D
Acq On : 15 Jun 2022 7:32 pm
Operator : BridgetK
Sample : ic10355-100
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Jun 16 08:28:47 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.101	65	226351	500.00	ug/L		0.00
5) pentafluorobenzene	4.314	168	218933	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.885	114	332559	50.00	ug/L		0.00
72) chlorobenzene-d5	7.279	117	314205	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.468	152	117194	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.324	113	99625	49.65	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.30%				
52) 1,2-dichloroethane-d4 (s)	4.577	65	110726	46.67	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 93.34%				
73) toluene-d8 (s)	6.031	98	407784	49.46	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.92%				
96) 4-bromofluorobenzene (s)	8.354	95	153017	50.59	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.18%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.322	88	143680	2649.29	ug/L		96
3) ethanol	2.520	45	535638	10252.97	ug/L		99
4) tertiary butyl alcohol	3.156	59	319118	505.32	ug/L		98
6) chlorodifluoromethane	1.673	51	242203	100.99	ug/L	#	100
7) dichlorodifluoromethane	1.657	85	364178	101.84	ug/L		99
8) chloromethane	1.818	50	244161	103.53	ug/L		98
9) vinyl chloride	1.901	62	289832	101.25	ug/L		98
10) 1.3-butadiene	1.930	54	262433	89.91	ug/L		98
11) bromomethane	2.139	96	115484	95.49	ug/L		96
12) chloroethane	2.225	64	163272	100.30	ug/L		99
13) trichlorofluoromethane	2.418	101	413329	101.21	ug/L		98
14) ethyl ether	2.607	74	150432	97.66	ug/L		91
15) acrolein	2.710	56	52392	101.81	ug/L		91
16) freon 113	2.780	151	162624	97.61	ug/L		99
17) 1,1-dichloroethene	2.787	96	193228	95.13	ug/L		96
18) acetone	2.803	58	132443	375.15	ug/L		90
19) acetonitrile	2.992	40	216899	953.31	ug/L		100
20) iodomethane	2.906	142	206839	109.25	ug/L		93
21) iso-butyl alcohol	4.471	43	192769	938.39	ug/L		92
22) carbon disulfide	2.963	76	583545	97.96	ug/L		100
23) methylene chloride	3.120	84	224377	100.52	ug/L		98
24) methyl acetate	3.008	74	68927	98.04	ug/L		95
25) methyl tert butyl ether	3.287	73	730236	94.39	ug/L		96
26) trans-1,2-dichloroethene	3.307	96	205007	95.36	ug/L		96
27) hexane	3.483	57	300765	98.73	ug/L		98
28) di-isopropyl ether	3.595	45	585764	94.27	ug/L		96
29) ethyl tert-butyl ether	3.843	59	709098	96.37	ug/L		97
30) 2-butanone	3.964	72	210795	392.47	ug/L		95
31) 1,1-dichloroethane	3.602	63	368551	95.82	ug/L		98
32) chloroprene	3.653	53	299395	98.80	ug/L		99
33) acrylonitrile	3.268	53	127155	100.67	ug/L		94
34) vinyl acetate	3.576	86	68548	97.41	ug/L		93

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342976.D
Acq On : 15 Jun 2022 7:32 pm
Operator : BridgetK
Sample : ic10355-100
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Jun 16 08:28:47 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
35) ethyl acetate	3.974	45	50535	98.50	ug/L #	67
36) 2,2-dichloropropane	4.003	77	332007	93.54	ug/L	99
37) cis-1,2-dichloroethene	3.993	96	228818	95.83	ug/L	96
38) propionitrile	4.013	54	476799	939.42	ug/L	97
39) methyl acrylate	4.019	85	57649	94.55	ug/L	98
40) bromochloromethane	4.160	128	106160	97.46	ug/L	96
41) tetrahydrofuran	4.170	72	61547	99.18	ug/L	92
42) chloroform	4.215	83	395462	94.71	ug/L	93
44) methacrylonitrile	4.118	67	144668	99.02	ug/L	95
45) 1,1,1-trichloroethane	4.353	97	370465	98.77	ug/L	99
46) cyclohexane	4.414	84	328359	100.24	ug/L	92
47) 1,1-dichloropropene	4.462	75	284528	94.94	ug/L	96
48) carbon tetrachloride	4.465	117	289895	98.37	ug/L	99
49) isopropyl acetate	4.581	87	74584	100.43	ug/L	98
50) tert amyl alcohol	4.558	55	102341	488.70	ug/L	99
53) tert-amyl methyl ether	4.667	73	680808	96.07	ug/L	99
54) 2,2,4-trimethylpentane	4.670	57	539004	95.30	ug/L	99
55) n-butyl alcohol	4.946	56	705512	4599.46	ug/L	99
56) benzene	4.609	78	796385	96.64	ug/L	98
57) heptane	4.783	57	129998	101.14	ug/L	92
58) 1,2-dichloroethane	4.635	62	298800	93.12	ug/L	100
59) trichloroethene	5.078	95	235620	98.39	ug/L	97
60) ethyl acrylate	5.094	55	372092	94.17	ug/L	98
61) 2-nitropropane	5.630	41	104087	81.50	ug/L	92
62) 2-chloroethyl vinyl ether	5.659	63	681465	483.87	ug/L	97
63) methyl methacrylate	5.274	100	88207	94.95	ug/L	95
64) 1,2-dichloropropane	5.277	63	203891	97.34	ug/L	100
65) methylcyclohexane	5.267	83	375507	97.19	ug/L	97
66) dibromomethane	5.347	93	149342	99.74	ug/L	98
67) bromodichloromethane	5.466	83	337358	98.81	ug/L	94
68) cis-1,3-dichloropropene	5.806	75	399432	98.07	ug/L	97
69) epichlorohydrin	5.713	57	215179	501.85	ug/L	98
70) 4-methyl-2-pentanone	5.903	58	516748	373.07	ug/L	94
71) 3-methyl-1-butanol	5.925	70	286823	1792.13	ug/L	91
74) toluene	6.086	92	547151	98.48	ug/L	98
75) trans-1,3-dichloropropene	6.256	75	384686	96.92	ug/L	95
76) ethyl methacrylate	6.275	69	365980	94.74	ug/L	99
77) 1,1,2-trichloroethane	6.429	83	192490	97.34	ug/L	96
78) 2-hexanone	6.589	58	530794	365.04	ug/L	96
79) tetrachloroethene	6.522	166	221795	98.74	ug/L	97
80) 1,3-dichloropropane	6.573	76	361898	95.44	ug/L	98
81) butyl acetate	6.673	56	194823	95.73	ug/L	94
82) dibromochloromethane	6.763	129	246706	98.85	ug/L	99
83) 1,2-dibromoethane	6.878	107	249537	96.96	ug/L	97
84) n-butyl ether	7.343	57	817743	95.63	ug/L	99
85) chlorobenzene	7.305	112	595177	99.53	ug/L	98
86) 1,1,1,2-tetrachloroethane	7.372	131	194452	95.61	ug/L	97
87) ethylbenzene	7.379	91	909100	93.49	ug/L	98
88) m,p-xylene	7.491	106	741758	191.47	ug/L	94
89) o-xylene	7.847	106	393079	96.41	ug/L	98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342976.D
Acq On : 15 Jun 2022 7:32 pm
Operator : BridgetK
Sample : ic10355-100
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Jun 16 08:28:47 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
90) butyl acrylate	7.767	55	488981	96.22	ug/L		98
91) styrene	7.863	104	620546	95.67	ug/L		98
92) bromoform	8.046	173	181496	98.59	ug/L		98
93) isopropylbenzene	8.184	105	975796	96.00	ug/L		99
94) cis-1,4-dichloro-2-butene	8.236	88	87729	112.17	ug/L		88
97) bromobenzene	8.499	156	224870	99.46	ug/L		96
98) 1,1,2,2-tetrachloroethane	8.470	83	346102	98.28	ug/L		97
99) trans-1,4-dichloro-2-b...	8.505	53	62013	111.30	ug/L		87
100) 1,2,3-trichloropropane	8.528	110	99496	94.91	ug/L		100
101) n-propylbenzene	8.576	91	1047914	96.73	ug/L		96
102) 2-chlorotoluene	8.675	126	215980	100.70	ug/L	#	86
103) 4-chlorotoluene	8.791	126	213021	101.56	ug/L		88
104) 1,3,5-trimethylbenzene	8.746	105	756087	96.35	ug/L		95
105) tert-butylbenzene	9.051	119	663858	98.44	ug/L		96
106) 1,2,4-trimethylbenzene	9.108	105	774369	96.80	ug/L		97
107) sec-butylbenzene	9.269	105	937049	98.06	ug/L		98
108) 1,3-dichlorobenzene	9.397	146	405173	99.87	ug/L		98
109) p-isopropyltoluene	9.413	119	726021	96.26	ug/L		98
110) 1,4-dichlorobenzene	9.490	146	385362	98.40	ug/L		99
111) 1,2,3-trimethylbenzene	9.513	105	736622	96.23	ug/L		98
112) 1,2-dichlorobenzene	9.846	146	372599	98.35	ug/L		97
113) n-butylbenzene	9.811	92	401398	101.13	ug/L		97
114) 1,2-dibromo-3-chloropr...	10.610	157	98827	105.23	ug/L		94
115) 1,3,5-trichlorobenzene	10.799	180	272784	99.30	ug/L		93
116) 1,2,4-trichlorobenzene	11.428	180	234498	101.19	ug/L		98
117) hexachlorobutadiene	11.566	225	78448	91.50	ug/L		87
118) naphthalene	11.691	128	734252	100.43	ug/L		98
119) 1,2,3-trichlorobenzene	11.913	180	208707	104.31	ug/L		94
120) hexachloroethane	10.113	119	163995	104.54	ug/L		100
121) benzyl chloride	9.599	91	654250	96.55	ug/L		98
122) 2-methylnaphthalene	12.824	142	159652	56.72	ug/L		94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342976.D
Acq On : 15 Jun 2022 7:32 pm
Operator : BridgetK
Sample : ic10355-100
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Jun 16 08:28:47 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342977.D
Acq On : 15 Jun 2022 7:56 pm
Operator : BridgetK
Sample : ic10355-200
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Jun 16 15:16:06 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.108	65	217862	500.00	ug/L		0.01
5) pentafluorobenzene	4.311	168	219715	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.879	114	334098	50.00	ug/L		0.00
72) chlorobenzene-d5	7.276	117	316615	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.468	152	114201	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.321	113	97720	48.53	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.06%				
52) 1,2-dichloroethane-d4 (s)	4.574	65	105632	44.32	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 88.64%				
73) toluene-d8 (s)	6.028	98	410289	49.38	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 98.76%				
96) 4-bromofluorobenzene (s)	8.354	95	152680	51.81	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 103.62%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.322	88	272447	5219.34	ug/L		95
3) ethanol	2.530	45	845654	16817.90	ug/L		96
4) tertiary butyl alcohol	3.166	59	590093	970.81	ug/L		95
6) chlorodifluoromethane	1.674	51	426703	177.28	ug/L	#	100
7) dichlorodifluoromethane	1.654	85	689201	192.05	ug/L		97
8) chloromethane	1.818	50	447308	189.00	ug/L		96
9) vinyl chloride	1.901	62	530435	184.64	ug/L		97
10) 1.3-butadiene	1.930	54	447255	152.68	ug/L		98
12) chloroethane	2.216	64	267488	163.73	ug/L		98
13) trichlorofluoromethane	2.408	101	751664	183.40	ug/L		99
14) ethyl ether	2.601	74	278095	179.90	ug/L		87
15) acrolein	2.707	56	105577	204.43	ug/L		95
16) freon 113	2.771	151	296662	177.43	ug/L		97
17) 1,1-dichloroethene	2.781	96	352118	172.74	ug/L		96
18) acetone	2.800	58	249239	703.47	ug/L		87
19) acetonitrile	2.996	40	415396	1819.25	ug/L		100
20) iodomethane	2.899	142	365927	192.58	ug/L		96
22) carbon disulfide	2.957	76	1083905	181.30	ug/L		98
23) methylene chloride	3.118	84	413072	184.39	ug/L		94
24) methyl acetate	3.002	74	127925	181.31	ug/L		98
25) methyl tert butyl ether	3.284	73	1280045	164.87	ug/L		97
26) trans-1,2-dichloroethene	3.300	96	382422	177.26	ug/L		97
27) hexane	3.477	57	555444	181.69	ug/L		99
28) di-isopropyl ether	3.592	45	1026290	164.59	ug/L		92
29) ethyl tert-butyl ether	3.840	59	1275461	172.73	ug/L		92
30) 2-butanone	3.961	72	401968	745.74	ug/L	#	85
31) 1,1-dichloroethane	3.599	63	655058	169.71	ug/L		99
32) chloroprene	3.650	53	543585	178.75	ug/L		95
33) acrylonitrile	3.265	53	249132	196.54	ug/L		94
34) vinyl acetate	3.570	86	124691	176.57	ug/L	#	82
35) ethyl acetate	3.971	45	96148	186.74	ug/L	#	46
36) 2,2-dichloropropane	3.997	77	580981	163.11	ug/L		97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342977.D
Acq On : 15 Jun 2022 7:56 pm
Operator : BridgetK
Sample : ic10355-200
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Jun 16 15:16:06 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
37) cis-1,2-dichloroethene	3.987	96	413498	172.55	ug/L		98
38) propionitrile	4.013	54	872418	1712.77	ug/L		83
39) methyl acrylate	4.016	85	110614	180.76	ug/L	#	91
40) bromochloromethane	4.154	128	193365	176.89	ug/L		95
41) tetrahydrofuran	4.167	72	119900	192.53	ug/L		97
42) chloroform	4.209	83	721705	172.23	ug/L		96
44) methacrylonitrile	4.119	67	284474	194.02	ug/L		93
45) 1,1,1-trichloroethane	4.353	97	685023	181.99	ug/L		98
46) cyclohexane	4.408	84	618696	188.20	ug/L		84
47) 1,1-dichloropropene	4.456	75	532049	176.91	ug/L		95
48) carbon tetrachloride	4.465	117	529650	179.08	ug/L		100
49) isopropyl acetate	4.574	87	141770	190.22	ug/L		96
53) tert-amyl methyl ether	4.664	73	1213199	170.41	ug/L		96
54) 2,2,4-trimethylpentane	4.667	57	991638	174.52	ug/L		98
55) n-butyl alcohol	4.953	56	1312831	8519.34	ug/L		99
56) benzene	4.606	78	1422244	171.79	ug/L		95
57) heptane	4.777	57	247995	192.06	ug/L		94
58) 1,2-dichloroethane	4.629	62	540717	167.73	ug/L		98
59) trichloroethene	5.072	95	442530	183.94	ug/L		98
60) ethyl acrylate	5.094	55	680020	171.32	ug/L		98
61) 2-nitropropane	5.624	41	207959	162.09	ug/L		97
62) 2-chloroethyl vinyl ether	5.656	63	1251658	884.64	ug/L		94
63) methyl methacrylate	5.274	100	169905	182.06	ug/L	#	74
64) 1,2-dichloropropane	5.274	63	373670	177.57	ug/L		98
65) methylcyclohexane	5.261	83	698271	179.90	ug/L		97
66) dibromomethane	5.345	93	275658	183.26	ug/L		95
67) bromodichloromethane	5.460	83	621825	181.29	ug/L		97
68) cis-1,3-dichloropropene	5.803	75	741907	181.31	ug/L		97
69) epichlorohydrin	5.714	57	414673	962.67	ug/L		95
70) 4-methyl-2-pentanone	5.900	58	936134	672.74	ug/L	#	81
71) 3-methyl-1-butanol	5.929	70	542476	3373.90	ug/L		98
74) toluene	6.086	92	1011723	180.71	ug/L		95
75) trans-1,3-dichloropropene	6.256	75	714561	178.67	ug/L		95
76) ethyl methacrylate	6.275	69	665455	170.94	ug/L		98
77) 1,1,2-trichloroethane	6.426	83	360547	180.93	ug/L		99
78) 2-hexanone	6.590	58	940358	641.78	ug/L		92
79) tetrachloroethene	6.519	166	425716	188.08	ug/L		97
80) 1,3-dichloropropane	6.570	76	661214	173.05	ug/L		100
81) butyl acetate	6.670	56	369348	180.10	ug/L		97
82) dibromochloromethane	6.760	129	459749	182.81	ug/L		96
83) 1,2-dibromoethane	6.875	107	472531	182.20	ug/L		99
84) n-butyl ether	7.344	57	1436555	166.72	ug/L		95
85) chlorobenzene	7.302	112	1090365	180.95	ug/L		99
86) 1,1,1,2-tetrachloroethane	7.373	131	351173	171.36	ug/L		98
87) ethylbenzene	7.376	91	1580938	161.34	ug/L		94
88) m,p-xylene	7.491	106	1333999	341.72	ug/L		88
89) o-xylene	7.847	106	723298	176.06	ug/L		87
90) butyl acrylate	7.764	55	878105	171.48	ug/L		94
91) styrene	7.864	104	1097016	167.84	ug/L		99
92) bromoform	8.043	173	342363	184.55	ug/L		98

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342977.D
Acq On : 15 Jun 2022 7:56 pm
Operator : BridgetK
Sample : ic10355-200
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Jun 16 15:16:06 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration


	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
93)	isopropylbenzene	8.181	105	1705972	166.56	ug/L		98
94)	cis-1,4-dichloro-2-butene	8.236	88	194710	247.05	ug/L		89
97)	bromobenzene	8.499	156	406393	184.46	ug/L		95
98)	1,1,2,2-tetrachloroethane	8.467	83	631905	184.14	ug/L		99
99)	trans-1,4-dichloro-2-b...	8.505	53	127822	235.42	ug/L	#	83
100)	1,2,3-trichloropropane	8.528	110	185454	181.54	ug/L		98
101)	n-propylbenzene	8.576	91	1800355	170.55	ug/L		92
102)	2-chlorotoluene	8.672	126	393998	188.51	ug/L	#	87
103)	4-chlorotoluene	8.788	126	389143	190.39	ug/L	#	81
104)	1,3,5-trimethylbenzene	8.743	105	1322434	172.93	ug/L		93
105)	tert-butylbenzene	9.051	119	1174200	178.68	ug/L		95
106)	1,2,4-trimethylbenzene	9.109	105	1326584	170.18	ug/L		94
107)	sec-butylbenzene	9.266	105	1617594	173.71	ug/L		94
108)	1,3-dichlorobenzene	9.394	146	729508	184.52	ug/L		96
109)	p-isopropyltoluene	9.413	119	1238349	168.50	ug/L		95
110)	1,4-dichlorobenzene	9.490	146	697766	182.83	ug/L		97
111)	1,2,3-trimethylbenzene	9.513	105	1264624	169.53	ug/L		93
112)	1,2-dichlorobenzene	9.843	146	671020	181.75	ug/L		98
113)	n-butylbenzene	9.811	92	713410	184.44	ug/L		94
114)	1,2-dibromo-3-chloropr...	10.614	157	199540	218.03	ug/L		97
115)	1,3,5-trichlorobenzene	10.800	180	497760	185.95	ug/L		95
116)	1,2,4-trichlorobenzene	11.425	180	442234	195.84	ug/L		98
117)	hexachlorobutadiene	11.567	225	148468	177.71	ug/L		83
118)	naphthalene	11.692	128	1372763	192.68	ug/L		95
119)	1,2,3-trichlorobenzene	11.913	180	394181	202.17	ug/L		95
120)	hexachloroethane	10.110	119	297747	194.78	ug/L		96
121)	benzyl chloride	9.596	91	1173936	177.78	ug/L		97
122)	2-methylnaphthalene	12.824	142	337429	123.03	ug/L		95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342977.D
Acq On : 15 Jun 2022 7:56 pm
Operator : BridgetK
Sample : ic10355-200
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Jun 16 15:16:06 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 16 08:28:06 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342980.D
Acq On : 15 Jun 2022 9:06 pm
Operator : BridgetK
Sample : icv10355-50
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Jun 17 18:02:09 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Jun 17 18:01:43 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	3.095	65	232014	500.00	ug/L	0.00
5) pentafluorobenzene	4.314	168	218400	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.886	114	332458	50.00	ug/L	0.00
72) chlorobenzene-d5	7.276	117	310136	50.00	ug/L	0.00
95) 1,4-dichlorobenzene-d4	9.468	152	116267	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	4.327	113	99014	50.19	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.38%			
52) 1,2-dichloroethane-d4 (s)	4.577	65	114947	47.37	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 94.74%			
73) toluene-d8 (s)	6.031	98	403676	47.29	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 94.58%			
96) 4-bromofluorobenzene (s)	8.354	95	151835	50.13	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.26%			
Target Compounds						Qvalue
2) 1,4-dioxane	5.319	88	75726	1251.73	ug/L	91
3) ethanol	2.517	45	300298	5184.79	ug/L	100
4) tertiary butyl alcohol	3.153	59	169230	237.98	ug/L	98
7) dichlorodifluoromethane	1.654	85	227546	63.82	ug/L	99
8) chloromethane	1.818	50	138069	57.93	ug/L	99
9) vinyl chloride	1.901	62	170762	58.09	ug/L	98
10) 1,3-butadiene	1.933	54	173644	60.09	ug/L	99
11) bromomethane	2.148	96	78757	64.34	ug/L	95
12) chloroethane	2.235	64	95932	55.80	ug/L	99
13) trichlorofluoromethane	2.421	101	233259	56.74	ug/L	99
14) ethyl ether	2.607	74	77147	53.71	ug/L	98
15) acrolein	2.713	56	19522	37.43	ug/L	90
16) freon 113	2.784	151	86784	53.62	ug/L	98
17) 1,1-dichloroethene	2.790	96	104519	51.84	ug/L	99
18) acetone	2.800	58	67510	190.59	ug/L	97
20) iodomethane	2.906	142	83750	45.52	ug/L	94
21) iso-butyl alcohol	4.465	43	103818	449.71	ug/L	98
22) carbon disulfide	2.963	76	321109	51.76	ug/L	99
23) methylene chloride	3.121	84	114453	48.76	ug/L	97
24) methyl acetate	3.005	74	35891	50.49	ug/L	93
25) methyl tert butyl ether	3.288	73	396518	51.95	ug/L	98
26) trans-1,2-dichloroethene	3.307	96	112718	51.67	ug/L	95
27) hexane	3.486	57	167686	54.66	ug/L	98
28) di-isopropyl ether	3.596	45	310477	50.12	ug/L	96
29) ethyl tert-butyl ether	3.843	59	355794	49.02	ug/L	98
30) 2-butanone	3.961	72	115015	211.38	ug/L #	86
31) 1,1-dichloroethane	3.605	63	195846	51.13	ug/L	95
32) chloroprene	3.657	53	166962	53.59	ug/L	99
34) vinyl acetate	3.576	86	32197	48.73	ug/L	97
35) ethyl acetate	3.974	45	26336	47.67	ug/L #	58
36) 2,2-dichloropropane	4.003	77	182558	49.00	ug/L	99
37) cis-1,2-dichloroethene	3.993	96	122984	49.84	ug/L	93

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342980.D
Acq On : 15 Jun 2022 9:06 pm
Operator : BridgetK
Sample : icv10355-50
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Jun 17 18:02:09 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Jun 17 18:01:43 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
38) propionitrile	4.013	54	247490	475.92	ug/L		97
39) methyl acrylate	4.016	85	30117	46.98	ug/L	#	77
40) bromochloromethane	4.160	128	56204	52.28	ug/L		91
41) tetrahydrofuran	4.167	72	31482	51.78	ug/L		95
42) chloroform	4.212	83	213985	48.78	ug/L		97
44) methacrylonitrile	4.119	67	75823	49.70	ug/L		93
45) 1,1,1-trichloroethane	4.353	97	193673	51.51	ug/L		96
46) cyclohexane	4.414	84	183102	52.91	ug/L		94
47) 1,1-dichloropropene	4.462	75	157773	52.53	ug/L		97
48) carbon tetrachloride	4.465	117	157187	50.44	ug/L		100
49) isopropyl acetate	4.581	87	39509	50.67	ug/L		100
50) tert amyl alcohol	4.558	55	54327	219.91	ug/L		92
53) tert-amyl methyl ether	4.667	73	344226	46.50	ug/L		99
54) 2,2,4-trimethylpentane	4.671	57	287414	48.85	ug/L		98
55) n-butyl alcohol	4.943	56	381773	2316.24	ug/L		99
56) benzene	4.610	78	438563	50.67	ug/L		99
57) heptane	4.783	57	69989	51.57	ug/L		91
58) 1,2-dichloroethane	4.635	62	159607	48.86	ug/L		98
59) trichloroethene	5.078	95	123912	50.62	ug/L		98
60) ethyl acrylate	5.094	55	190753	47.02	ug/L		98
61) 2-nitropropane	5.627	41	57386	48.34	ug/L		98
62) 2-chloroethyl vinyl ether	5.659	63	392152	276.73	ug/L		98
63) methyl methacrylate	5.277	100	45315	47.95	ug/L		93
64) 1,2-dichloropropane	5.277	63	102627	48.06	ug/L		99
65) methylcyclohexane	5.267	83	197430	51.21	ug/L		98
66) dibromomethane	5.348	93	76466	48.58	ug/L		99
67) bromodichloromethane	5.466	83	175939	49.05	ug/L		96
68) cis-1,3-dichloropropene	5.803	75	202450	50.32	ug/L		98
69) epichlorohydrin	5.713	57	109384	235.88	ug/L		96
70) 4-methyl-2-pentanone	5.900	58	278751	187.74	ug/L		100
71) 3-methyl-1-butanol	5.922	70	163600	900.07	ug/L		94
74) toluene	6.089	92	284201	48.80	ug/L		96
75) trans-1,3-dichloropropene	6.259	75	197008	48.87	ug/L		96
76) ethyl methacrylate	6.275	69	193653	47.72	ug/L		99
77) 1,1,2-trichloroethane	6.429	83	99405	49.00	ug/L		97
78) 2-hexanone	6.589	58	284176	176.13	ug/L		99
80) 1,3-dichloropropane	6.570	76	193265	49.01	ug/L		97
81) butyl acetate	6.670	56	104573	49.69	ug/L		91
82) dibromochloromethane	6.763	129	128344	47.33	ug/L		97
83) 1,2-dibromoethane	6.878	107	130545	48.04	ug/L		99
84) n-butyl ether	7.347	57	425534	48.94	ug/L		99
85) chlorobenzene	7.305	112	307670	51.70	ug/L		100
86) 1,1,1,2-tetrachloroethane	7.376	131	104743	48.61	ug/L		96
87) ethylbenzene	7.379	91	511359	50.01	ug/L		100
88) m,p-xylene	7.491	106	402745	98.27	ug/L		97
89) o-xylene	7.847	106	206817	50.45	ug/L		97
90) butyl acrylate	7.764	55	258041	49.17	ug/L		99
91) styrene	7.863	104	335580	50.48	ug/L		96
92) bromoform	8.043	173	94649	49.60	ug/L		97
93) isopropylbenzene	8.181	105	535338	52.02	ug/L		95

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342980.D
Acq On : 15 Jun 2022 9:06 pm
Operator : BridgetK
Sample : icv10355-50
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Jun 17 18:02:09 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Jun 17 18:01:43 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
94) cis-1,4-dichloro-2-butene	8.236	88	43682	57.08	ug/L		92
97) bromobenzene	8.502	156	118135	50.07	ug/L		98
98) 1,1,2,2-tetrachloroethane	8.467	83	181406	46.62	ug/L		99
99) trans-1,4-dichloro-2-b...	8.502	53	33056	59.77	ug/L	#	76
100) 1,2,3-trichloropropane	8.531	110	53955	48.14	ug/L		93
101) n-propylbenzene	8.576	91	579118	52.00	ug/L		99
102) 2-chlorotoluene	8.675	126	113693	51.88	ug/L		94
103) 4-chlorotoluene	8.788	126	111764	50.87	ug/L		94
104) 1,3,5-trimethylbenzene	8.746	105	411358	51.52	ug/L		98
105) tert-butylbenzene	9.051	119	371090	55.45	ug/L		97
106) 1,2,4-trimethylbenzene	9.108	105	398351	48.74	ug/L		98
107) sec-butylbenzene	9.266	105	505018	52.79	ug/L		99
108) 1,3-dichlorobenzene	9.394	146	207375	52.04	ug/L		100
109) p-isopropyltoluene	9.413	119	394615	52.31	ug/L		98
110) 1,4-dichlorobenzene	9.490	146	199256	51.00	ug/L		96
112) 1,2-dichlorobenzene	9.843	146	193057	49.24	ug/L		98
113) n-butylbenzene	9.811	92	210268	55.69	ug/L		98
114) 1,2-dibromo-3-chloropr...	10.617	157	49285	53.60	ug/L		95
115) 1,3,5-trichlorobenzene	10.796	180	142739	56.43	ug/L		99
116) 1,2,4-trichlorobenzene	11.429	180	117263	57.25	ug/L		96
117) hexachlorobutadiene	11.570	225	44801	54.62	ug/L		92
118) naphthalene	11.692	128	368327	53.25	ug/L		97
119) 1,2,3-trichlorobenzene	11.913	180	103114	55.60	ug/L		99
120) hexachloroethane	10.113	119	82948	53.03	ug/L		96
121) benzyl chloride	9.599	91	325673	48.23	ug/L		97
122) 2-methylnaphthalene	12.821	142	69405	28.02	ug/L		91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342980.D
Acq On : 15 Jun 2022 9:06 pm
Operator : BridgetK
Sample : icv10355-50
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Jun 17 18:02:09 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Jun 17 18:01:43 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342981.D
Acq On : 15 Jun 2022 9:29 pm
Operator : BridgetK
Sample : icv10355-50
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Jun 17 18:02:44 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Jun 17 18:01:43 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	3.092	65	262183	500.00	ug/L	0.00
5) pentafluorobenzene	4.314	168	250367	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.882	114	366353	50.00	ug/L	0.00
72) chlorobenzene-d5	7.279	117	315664	50.00	ug/L	0.00
95) 1,4-dichlorobenzene-d4	9.468	152	124313	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	4.324	113	112305	49.66	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.32%			
52) 1,2-dichloroethane-d4 (s)	4.577	65	140164	52.42	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 104.84%			
73) toluene-d8 (s)	6.031	98	460692	53.02	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 106.04%			
96) 4-bromofluorobenzene (s)	8.354	95	163818	50.59	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.18%			
Target Compounds						Qvalue
6) chlorodifluoromethane	1.673	51	64184	22.92	ug/L #	100
19) acetonitrile	2.992	40	140050	532.32	ug/L	99
33) acrylonitrile	3.265	53	66083	45.76	ug/L	97
79) tetrachloroethene	6.525	166	126642	53.33	ug/L	97
111) 1,2,3-trimethylbenzene	9.513	105	453175	54.65	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342981.D
Acq On : 15 Jun 2022 9:29 pm
Operator : BridgetK
Sample : icv10355-50
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 15 Sample Multiplier: 1

Quant Time: Jun 17 18:02:44 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Jun 17 18:01:43 2022
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342985.D
Acq On : 16 Jun 2022 10:06 am
Operator : BridgetK
Sample : icv10355-50
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 19 Sample Multiplier: 1

Quant Time: Jun 17 18:03:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Jun 17 18:01:43 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) tert butyl alcohol-d9	3.088	65	298843	500.00	ug/L	0.00
5) pentafluorobenzene	4.308	168	253371	50.00	ug/L	0.00
51) 1,4-difluorobenzene	4.876	114	366335	50.00	ug/L	0.00
72) chlorobenzene-d5	7.276	117	322435	50.00	ug/L	0.00
95) 1,4-dichlorobenzene-d4	9.468	152	126497	50.00	ug/L	0.00
System Monitoring Compounds						
43) dibromofluoromethane (s)	4.317	113	115379	50.42	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 100.84%			
52) 1,2-dichloroethane-d4 (s)	4.571	65	144698	54.12	ug/L	0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 108.24%			
73) toluene-d8 (s)	6.025	98	466572	52.57	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 105.14%			
96) 4-bromofluorobenzene (s)	8.351	95	164461	49.91	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.82%			
Target Compounds						Qvalue
6) chlorodifluoromethane	1.673	51	122930	43.39	ug/L	# 97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\DATA\VL10355\
Data File : L342985.D
Acq On : 16 Jun 2022 10:06 am
Operator : BridgetK
Sample : icv10355-50
Misc : MS59602,VL10355,5,,,,1
ALS Vial : 19 Sample Multiplier: 1

Quant Time: Jun 17 18:03:36 2022
Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Fri Jun 17 18:01:43 2022
Response via : Initial Calibration



ML10355.M Tue Jun 21 15:33:09 2022 1 Page: 2

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\vl10519-due today\
Data File : l347829.d
Acq On : 4 Oct 2022 10:21 am
Operator : nicoleh
Sample : cc10355-20 Inst : GCMSL
Misc : MS62669,VL10519,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 05 01:25:58 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) tert butyl alcohol-d9	3.085	65	160578	500.00	ug/L		0.00
5) pentafluorobenzene	4.305	168	233064	50.00	ug/L		0.00
51) 1,4-difluorobenzene	4.873	114	343670	50.00	ug/L		0.00
72) chlorobenzene-d5	7.273	117	322965	50.00	ug/L		0.00
95) 1,4-dichlorobenzene-d4	9.468	152	124033	50.00	ug/L		0.00
123) pentafluorobenzene(a)	4.305	168	232963	50.00	ug/L		0.00
127) 1,4-dichlorobenzene-d4(a)	9.468	152	124034	50.00	ug/L		0.00
System Monitoring Compounds							
43) dibromofluoromethane (s)	4.314	113	100650	47.81	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 95.62%				
52) 1,2-dichloroethane-d4 (s)	4.568	65	111194	44.33	ug/L		0.00
Spiked Amount 50.000	Range 81 - 124		Recovery = 88.66%				
73) toluene-d8 (s)	6.022	98	413287	46.49	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 92.98%				
96) 4-bromofluorobenzene (s)	8.351	95	157400	48.71	ug/L		0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 97.42%				
Target Compounds							Qvalue
2) 1,4-dioxane	5.303	88	6078	145.16	ug/L		75
3) ethanol	2.505	45	32604	813.35	ug/L		89
4) tertiary butyl alcohol	3.140	59	49551	100.68	ug/L		96
6) chlorodifluoromethane	1.677	51	71837	27.56	ug/L	#	89
7) dichlorodifluoromethane	1.661	85	80669	21.20	ug/L		98
8) chloromethane	1.821	50	48697	19.15	ug/L		96
9) vinyl chloride	1.901	62	58517	18.65	ug/L		95
10) 1,3-butadiene	1.930	54	68583	22.24	ug/L		95
11) bromomethane	2.158	96	20879	15.98	ug/L		96
12) chloroethane	2.238	64	30969	16.88	ug/L		97
13) trichlorofluoromethane	2.418	101	90038	20.52	ug/L		97
14) ethyl ether	2.601	74	37375	24.39	ug/L		84
15) acrolein	2.704	56	14283	25.66	ug/L		97
16) freon 113	2.774	151	44515	25.77	ug/L		95
17) 1,1-dichloroethene	2.787	96	50838	23.63	ug/L		93
18) acetone	2.793	58	32868	86.95	ug/L		85
19) acetonitrile	2.986	40	40542	165.54	ug/L		87
20) iodomethane	2.899	142	27791	15.23	ug/L		96
21) iso-butyl alcohol	4.452	43	32108	130.33	ug/L		96
22) carbon disulfide	2.960	76	144240	21.79	ug/L		95
23) methylene chloride	3.111	84	55544	22.17	ug/L		92
24) methyl acetate	3.005	74	15582	20.54	ug/L	#	77
25) methyl tert butyl ether	3.281	73	167717	20.59	ug/L		94
26) trans-1,2-dichloroethene	3.297	96	52582	22.59	ug/L		92
27) hexane	3.477	57	78012	23.83	ug/L		97
28) di-isopropyl ether	3.586	45	158798	24.02	ug/L		92
29) ethyl tert-butyl ether	3.830	59	174882	22.58	ug/L		93
30) 2-butanone	3.952	72	44363	76.40	ug/L		98
31) 1,1-dichloroethane	3.592	63	93261	22.82	ug/L		96
32) chloroprene	3.647	53	75715	22.77	ug/L		93
33) acrylonitrile	3.262	53	30803	22.91	ug/L		96
34) vinyl acetate	3.567	86	15931	22.59	ug/L		97
35) ethyl acetate	3.965	45	13119	22.25	ug/L	#	61
36) 2,2-dichloropropane	3.990	77	77445	19.48	ug/L		93
37) cis-1,2-dichloroethene	3.981	96	55589	21.11	ug/L		89
38) propionitrile	3.997	54	114869	206.99	ug/L		89
39) methyl acrylate	4.006	85	14756	21.57	ug/L		97

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\vl10519-due today\
Data File : l347829.d
Acq On : 4 Oct 2022 10:21 am
Operator : nicoleh
Sample : cc10355-20 Inst : GCMSL
Misc : MS62669,VL10519,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 05 01:25:58 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
40) bromochloromethane	4.144	128	25049	21.83	ug/L		96
41) tetrahydrofuran	4.164	72	12774	19.69	ug/L		91
42) chloroform	4.202	83	93339	19.94	ug/L		97
44) methacrylonitrile	4.106	67	34524	21.21	ug/L		90
45) 1,1,1-trichloroethane	4.343	97	75794	18.89	ug/L		97
46) cyclohexane	4.401	84	73174	19.82	ug/L		93
47) 1,1-dichloropropene	4.449	75	67334	21.01	ug/L		96
48) carbon tetrachloride	4.459	117	65128	19.58	ug/L		97
49) isopropyl acetate	4.571	87	17287	20.77	ug/L	#	74
50) tert amyl alcohol	4.549	55	18832	71.43	ug/L	#	77
53) tert-amyl methyl ether	4.655	73	157221	20.55	ug/L		97
54) 2,2,4-trimethylpentane	4.658	57	139515	22.94	ug/L		98
55) n-butyl alcohol	4.931	56	81824	480.24	ug/L		93
56) benzene	4.600	78	197814	22.11	ug/L		98
57) heptane	4.773	57	28669	20.44	ug/L	#	84
58) 1,2-dichloroethane	4.622	62	66881	19.81	ug/L		99
59) trichloroethene	5.065	95	54885	21.69	ug/L		97
60) ethyl acrylate	5.085	55	96021	22.90	ug/L		96
61) 2-nitropropane	5.617	41	24084	19.63	ug/L		91
62) 2-chloroethyl vinyl ether	5.646	63	188199	128.47	ug/L		93
63) methyl methacrylate	5.264	100	20799	21.29	ug/L		94
64) 1,2-dichloropropane	5.264	63	51918	23.52	ug/L		91
65) methylcyclohexane	5.258	83	85977	21.58	ug/L		88
66) dibromomethane	5.335	93	32537	20.00	ug/L		96
67) bromodichloromethane	5.454	83	70157	18.92	ug/L		95
68) cis-1,3-dichloropropene	5.794	75	79100	19.02	ug/L		95
69) epichlorohydrin	5.704	57	42444	88.54	ug/L		98
70) 4-methyl-2-pentanone	5.893	58	136272	88.78	ug/L		91
71) 3-methyl-1-butanol	5.912	70	40908	217.72	ug/L	#	79
74) toluene	6.076	92	128095	21.12	ug/L		93
75) trans-1,3-dichloropropene	6.249	75	69607	16.58	ug/L		96
76) ethyl methacrylate	6.265	69	86509	20.47	ug/L		96
77) 1,1,2-trichloroethane	6.416	83	43739	20.70	ug/L		96
78) 2-hexanone	6.580	58	138588	82.48	ug/L		90
79) tetrachloroethene	6.513	166	51153	21.05	ug/L		97
80) 1,3-dichloropropane	6.564	76	84722	20.63	ug/L		96
81) butyl acetate	6.667	56	48945	22.33	ug/L		96
82) dibromochloromethane	6.750	129	52197	18.48	ug/L		99
83) 1,2-dibromoethane	6.872	107	56242	19.87	ug/L		100
84) n-butyl ether	7.340	57	210266	23.22	ug/L		92
85) chlorobenzene	7.299	112	132533	21.38	ug/L		95
86) 1,1,1,2-tetrachloroethane	7.366	131	45585	20.31	ug/L		95
87) ethylbenzene	7.373	91	235185	22.09	ug/L		95
88) m,p-xylene	7.485	106	169823	39.79	ug/L		93
89) o-xylene	7.844	106	88744	20.79	ug/L		98
90) butyl acrylate	7.761	55	121418	22.22	ug/L		94
91) styrene	7.860	104	145190	20.97	ug/L		98
92) bromoform	8.040	173	33392	16.80	ug/L		89
93) isopropylbenzene	8.178	105	227509	21.23	ug/L		95
94) cis-1,4-dichloro-2-butene	8.232	88	8683	10.90	ug/L	#	87
97) bromobenzene	8.496	156	53170	21.12	ug/L	#	86
98) 1,1,2,2-tetrachloroethane	8.467	83	80099	19.29	ug/L		100
99) trans-1,4-dichloro-2-b...	8.502	53	7202	12.21	ug/L	#	65
100) 1,2,3-trichloropropane	8.528	110	22380	18.72	ug/L		97
101) n-propylbenzene	8.573	91	252375	21.24	ug/L		98
102) 2-chlorotoluene	8.672	126	49739	21.27	ug/L		92
103) 4-chlorotoluene	8.788	126	50825	21.68	ug/L	#	86

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\vl10519-due today\
Data File : l347829.d
Acq On : 4 Oct 2022 10:21 am
Operator : nicoleh
Sample : cc10355-20 Inst : GCMSL
Misc : MS62669,VL10519,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 05 01:25:58 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
104) 1,3,5-trimethylbenzene	8.739	105	175962	20.66	ug/L	98
105) tert-butylbenzene	9.051	119	152105	21.31	ug/L	98
106) 1,2,4-trimethylbenzene	9.105	105	176101	20.20	ug/L	96
107) sec-butylbenzene	9.266	105	214290	21.00	ug/L	97
108) 1,3-dichlorobenzene	9.394	146	90454	21.28	ug/L	98
109) p-isopropyltoluene	9.410	119	168334	20.92	ug/L	97
110) 1,4-dichlorobenzene	9.490	146	85361	20.48	ug/L	96
111) 1,2,3-trimethylbenzene	9.510	105	164201	19.85	ug/L	99
112) 1,2-dichlorobenzene	9.843	146	87328	20.88	ug/L	97
113) n-butylbenzene	9.811	92	85899	21.33	ug/L	99
114) 1,2-dibromo-3-chloropr...	10.617	157	16773	17.10	ug/L	85
115) 1,3,5-trichlorobenzene	10.803	180	56609	20.98	ug/L	88
116) 1,2,4-trichlorobenzene	11.432	180	45601	20.87	ug/L	98
117) hexachlorobutadiene	11.573	225	17979	20.55	ug/L	78
118) naphthalene	11.695	128	146549	19.86	ug/L	99
119) 1,2,3-trichlorobenzene	11.913	180	41637	21.05	ug/L	91
120) hexachloroethane	10.116	119	30214	18.11	ug/L	96
121) benzyl chloride	9.600	91	126731	17.59	ug/L	96
122) 2-methylnaphthalene	12.821	142	24384	9.23	ug/L	85

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

Data Path : C:\msdchem\1\data\lotusa\VOA-SVOA\oct-22\10-5\vl10519-due today\
Data File : l347829.d
Acq On : 4 Oct 2022 10:21 am
Operator : nicoleh
Sample : cc10355-20 Inst : GCMSL
Misc : MS62669,VL10519,5,,,,1
ALS Vial : 4 Sample Multiplier: 1

Quant Method : C:\MSDCHEM\1\METHODS\ML10355.M
Quant Results File: ML10355.RES
Quant Time: Oct 05 01:25:58 2022
Quant Title : SW846 Method V8260C/D, column ZB-624 60m x 0.25mm x 1.4 um
QLast Update : Thu Jun 23 18:51:37 2022
Response via : Initial Calibration



GCMS Volatile Run Log

Standard / Reagents	Lot #					
Standard	ABK: V022-2752-74.52	EC: V022-2752-105.11	AA: V022-2752-81.43	Ext.Chlorodifluoromethane: V022-2752-75	Column	RXI-624(60mx0.25mmx1.4um)
Concentration	100-10,000ppm	100ppm	100ppm	100ppm	Method	V8260D
Expiration	9/23/2022	9/19/2022	9/26/2022	9/23/2022	Init Calib Date	2/8/2022
Internal/Surrogate	V022-2752-94					
Concentration	50/500ppm				Analysis Date	9/13/2022
Expiration	10/3/2022				Sequence loaded by	Prashant B. Shukla
Ext.Standard	Ext. ABK: V022-2752-101.2	Ext. EC: V022-2752-97.6	Ext.Acrolein: V022-2752-76.9	Ext.PA: V022-2752-83.3	Data processed by	Bridget Kelly
Concentration	100-10,000ppm	100ppm	100ppm	100-1,000ppm	Batch ID	V1A9688
Expiration	10/8/2022	9/13/2022	9/26/2022	9/30/2022	Matrix	AQ
Rough reviewed by					Approved By:	KANYAV
pH Paper Lot# (wide range): 222221	Exp. 8/1/2024		Initial Calibration Method	M1A9688	Approved Date:	9/21/2022 3:09:43 PM

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
1A	226121	BFB		NA		TUNE	5			1	OK	8:54 PM
1A	226122	IC9688-0.2		NA		ICC8260 WATER	5			2	OK	1uL Std.A/B/K,EC,AA in 500mL DI H2O
1A	226123	IC9688-0.5		NA		ICC8260 WATER	5			3	OK	1uL Std.A/B/K,EC,AA in 200mL DI H2O
1A	226124	IC9688-1		NA		ICC8260 WATER	5			4	OK	1uL Std.A/B/K,EC,AA in 100mL DI H2O
1A	226125	IC9688-2		NA		ICC8260 WATER	5			5	OK	1uL Std.A/B/K,EC,AA in 50mL DI H2O
1A	226126	IC9688-4		NA		ICC8260 WATER	5			6	OK	2uL Std.A/B/K,EC,AA in 50mL DI H2O
1A	226127	IC9688-8		NA		ICC8260 WATER	5			7	OK	4uL Std.A/B/K,EC,AA in 50mL DI H2O
1A	226128	IC9688-20		NA		ICC8260 WATER	5			8	OK	10uL Std.A/B/K,EC,AA in 50mL DI H2O
1A	226129	ICC9688-50		NA		ICC8260 WATER	5			9	OK	25uL Std.A/B/K,EC,AA in 50mL DI H2O
1A	226130	IC9688-100		NA		ICC8260 WATER	5			10	OK	50uL Std.A/B/K,EC,AA in 50mL DI H2O
1A	226131	IC9688-200		NA		ICC8260 WATER	5			11	OK	100uL Std.A/B/K,EC,AA in 50mL DI H2O

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
1A	226132	IB		NA			5			12	OK	
1A	226133	IB		NA			5			13	OK	
1A	226134	ICV9688-50		NA		ICV8260 WATER	5			14	OK	25uL Ext.A/B/K,EC,Acrolein, in 50mL DI H2O
1A	226135	ICV9688-50		NA		ICV8260 WATER	5			15	OK	25uL Ext.PA,Chlorodifluoromethane in 50mL DI H2O
1A	226136	IB		NA			5			16	OK	

GCMS Volatile Run Log

Standard / Reagents	Lot #					
Standard	ABK: V022-2752-121.8	EC: V022-2752-122.9	AA: V022-2752-125.5		Column	RXI-624(60mx0.25mmx1.4um)
Concentration	100-10,000ppm	100ppm	100ppm		Method	v8260d
Expiration	10/21/2022	9/29/2022	10/27/2022		Init Calib Date	2/8/2022
Internal/Surrogate	V022-2752-48.1					
Concentration	50/500ppm				Analysis Date	9/27/2022
Expiration	10/3/2022				Sequence loaded by	nickw
					Data processed by	reneec
					Batch ID	V1A9698
Rough reviewed by					Matrix	AQ
					Approved By:	MOHUI
pH Paper Lot# (wide range): 222221	Exp. 8/1/2024		Initial Calibration Method	M1A9688	Approved Date:	10/4/2022 2:52:00 PM

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
1a	226429	IB		NA			5			1	ok	
1a	226430	BFB/CC9688-20		NA			5			2	ok/ok	9:36a.m.; 20uL ABK, AA, EC / 100mL
1a	226431	CC9688-1		NA			5			3	ok	1uL ABK, AA, EC / 100mL
1a	226432	BS		NA			5			4	ok	50uL ABK, AA, EC / 100mL
1a	226433	IB		NA			5			5	ok	
1a	226434	MB		NA			5			6	ok	
1a	226435	JD52372-4	1	NA	MS62426	V8260TCL20+,TBA	5		3	7	ok	
1a	226436	JD52310-7	10	NA	MS62427	V8260PPTCL42+	5		1	8	ok	+MPXYL,OXYL,NAP,TBA
1a	226437	JD52310-13	10	NA	MS62427	V8260PPTCL42+	5		1	9	ok	+MPXYL,OXYL,NAP,TBA
1a	226438	JD52310-3	10	5x	MS62427	V8260PPTCL42+	10/50		1	10	ok	+MPXYL,OXYL,NAP,TBA
1a	226439	JD52310-8	27	10x	MS62427	V8260PPTCL42+	5/50		1	11	ok	+1a226440 ; +MPXYL,OXYL,NAP,TBA

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
1a	226440	JD52310-8	27	NA	MS62427	V8260PPTCL42+	5		1	12	ok	+1a226439 ; +MPXYL,OXYL,NAP,TBA
1a	226441	JD52310-3	10	50x	MS62427	V8260PPTCL42+	1/50		1	13	ok	not used ; +MPXYL,OXYL,NAP,TBA
1a	226442	JD52467-20	1	NA	MS62460	V8260TCL20+	5		1	14	ok	
1a	226443	JD52406-5	4	5x	MS62451	V8260TCL20+, TBA	10/50		5	15	ok	+L347434
1a	226444	JD52310-3MS	10	5x	MS62427	V8260PPTCL42+	10/50		1	16	ok	25uL ABK, AA, EC / 50mL
1a	226445	JD52310-3MSD	10	5x	MS62427	V8260PPTCL42+	10/50		1	17	ok	25uL ABK, AA, EC / 50mL
1a	226446	IB		NA			5			18	ok	
1a	226447	JD52467-21	1	NA	MS62460	V8260TCL20+	5		1	19	ok	
1a	226448	JD52467-22	1	NA	MS62460	V8260TCL20+	5		1	20	ok	
1a	226449	JD52467-23	2	NA	MS62460	V8260TCL20+	5		1	21	ok	
1a	226450	JD52507-15	1	NA	MS62506	V8260TCL42	5		1	22	ok	
1a	226451	JD52507-16	1	NA	MS62506	V8260TCL42	5		1	23	ok	
1a	226452	JD52507-17	1	NA	MS62506	V8260TCL42	5		1	24	ok	
1a	226453	JD52507-18	1	NA	MS62506	V8260TCL42	5		1	25	ok/rr	f/d
1a	226454	JD52507-19	1	NA	MS62506	V8260TCL42	5		1	26	ok/rr	c/o
1a	226455	JD52507-20	1	NA	MS62506	V8260TCL42	5		1	27	ok	
1a	226456	JD52507-21	1	NA	MS62506	V8260TCL42	5		1	28	ok	
1a	226457	JD52372-1	2	NA	MS62426	V8260TCL20+	5		3	29	ok	9:35p.m.
1a	226458	JD52372-2	2	NA	MS62426	V8260TCL20+	5		1	30	ok/rr	out of bfb 9:59 p.m
1a	226459	IB		NA			5			31	ok	

GCMS Volatile Run Log

Standard / Reagents	Lot #				Column	RXI-624(60mx0.25mmx1.4um)
Standard	ABK: V022-2752-121.8	EC: V022-2752-132.8	AA: V022-2752-125.5		Method	v8260d
Concentration	100-10,000ppm	100ppm	100ppm		Init Calib Date	2/8/2022
Expiration	10/21/2022	10/5/2022	10/27/2022			
Internal/Surrogate	V022-2752-94					
Concentration	50/500ppm				Analysis Date	9/30/2022
Expiration	10/3/2022				Sequence loaded by	nickw
					Data processed by	reneec
					Batch ID	V1A9705
Rough reviewed by					Matrix	AQ
					Approved By:	MOHUI
pH Paper Lot# (wide range): 222221	Exp. 8/1/2024		Initial Calibration Method	M1A9688	Approved Date:	10/4/2022 3:26:23 PM

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
1a	226604	IB		NA			5			1	ok	
1a	226605	BFB/CC9688-20		NA			5			2	ok/ok	10:42a.m.; 20uL ABK, AA, EC / 100mL
1a	226606	CC9688-1		NA			5			3	ok	1uL ABK, AA, EC / 100mL
1a	226607	BS		NA			5			4	ok	50uL ABK, AA, EC / 100mL
1a	226608	IB		NA			5			5	ok	
1a	226609	MB		NA			5			6	ok	
1a	226610	JD52667-3DUP	1	NA	MS62579	V8260RCP	5		1	7	ok	v1a9604
1a	226611	JD52561-2	1	NA	MS62539	V8260TCL20	5		7	8	ok	
1a	226612	JD52561-3	11	NA	MS62539	V8260TCL20	5		7	9	ok	
1a	226613	JD52507-10	3	20X	MS62506	V8260TCL42	2.5/50		1	10	ok	+1A226618
1a	226614	JD52507-8	2	NA	MS62506	V8260TCL42	5		1	11	ok	+1A226617

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
1a	226615	JD52561-12	2	500X	MS62539	V8260TCL20	0.1/50		7	12	ok	+2A220433
1a	226616	JD52561-13	6	4X	MS62539	V8260TCL20	12.5/50		7	13	ok	+2A220434
1a	226617	JD52507-8	2	10X	MS62506	V8260TCL42	5/50		1	14	ok	+1A226614
1a	226618	JD52507-10	3	100X	MS62506	V8260TCL42	0.5/50		1	15	ok	+1A226613
1a	226619	JD52624-3	10	10X	MS62562	V8260TCL20+	5/50		1	16	ok/rr	o/d
1a	226620	JD52624-3MS	10	10X	MS62562	V8260TCL20+	5/50		1	17	ok	25uL ABK, AA, EC / 50mL
1a	226621	JD52624-3MSD	10	10X	MS62562	V8260TCL20+	5/50		1	18	ok	25uL ABK, AA, EC / 50mL
1a	226622	IB		NA			5			19	ok	
1a	226623	JD52624-6	8	NA	MS62562	V8260TCL20+	5		1	20	ok	
1a	226624	JD52624-7	1	NA	MS62562	V8260TCL20+	5		1	21	ok	
1a	226625	JD52507-9	2	NA	MS62506	V8260TCL42	5		1	22	ok	
1a	226626	JD52561-10	1	NA	MS62539	V8260TCL20	5		7	23	ok	
1a	226627	JD52507-14	1	NA	MS62506	V8260TCL42	5		1	24	ok	
1a	226628	JD52626-24	1	50X	MS62593	V8260TCL20+	1/50		1	25	ok/rr	o/d
1a	226629	JD52624-4	8	10X	MS62562	V8260TCL20+	5/50		1	26	ok/rr	f/d
1a	226630	JD52624-5	10	100X	MS62562	V8260TCL20+	0.5/50		1	27	ok/rr	f/d
1a	226631	JD52624-1	7	NA	MS62562	V8260TCL20+	5		1	28	ok	
1a	226632	JD52624-2	7	NA	MS62562	V8260TCL20+	5		1	29	ok	
1a	226633	JD52570-6	1	NA	MS62544	V8260TCL20+	5		1	30	ok	
1a	226634	JD52570-1	1	NA	MS62544	V8260TCL20+	5		1	31	ok/rr	c/o; 10:31p.m.

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
1a	226635	IB	1	NA	MS62544		5			32	ok	

GCMS Volatile Run Log

Standard / Reagents	Lot #				Column	Rxi-624(30mx0.25mmx1.4um)
Standard	ABK: V021-2752-121.29	Ec:V021-2752-136.8	AA:V021-2752-125.6	EXT EC: V022-2752-126.1	Method	v8260d
Standard Concentration	100-10,000ppm	100ppm	100ppm	100 ppm	Init Calib Date	9/28/2022
Expiration Date	10/21/2022	10/5/2022	10/27/2022	10/4/2022		
Internal Surrogate	V021-2741-117					
Internal Surrogate Concentration	50/500ppm				Analysis Date	9/28/2022
Expiration Date	3/23/2022				Sequence loaded by	Prashant B. Shukla
Standard	EXT PA: v022-2752-83.3	EXT Chlorodifluoromethane: V022-2752-120	EXT ABK: V022-2752-101.3	EXT Acrolein: V022-2752-128.21	Data processed by	Mohui Huang
Standard Concentration	100 ppm	100 ppm	100 ppm	100 ppm	Batch ID	V1X8636
Expiration Date	9/30/2022	10/20/2022	10/8/2022	10/27/2022	Matrix	AQ
					Approved By:	KANYAV
pH Paper Lot# (wide range): 223120	Exp:8/15/2023		Initial Calibration Method	M1X8415	Approved Date:	10/8/2022 2:17:03 PM

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
1X	200546	BFB		NA			5			1	ok	8:11pm
2X	200547	BFB		NA			5			2	ok	8:31pm
1X	200548	IC8636-0.2		NA		AQ Initical Calibration	5			3	ok	1.0 ul abk, aa, ex / 500 ml
2X	200549	IC8636-0.2		NA		AQ Initical Calibration	5			4	ok	1.0 ul abk, aa, ex / 500 ml
1X	200550	IC8636-0.5		NA		AQ Initical Calibration	5			5	ok	1.0 ul abk, aa, ex / 200 ml
2X	200551	IC8636-0.5		NA		AQ Initical Calibration	5			6	ok	1.0 ul abk, aa, ex / 200 ml
1X	200552	IC8636-1.0		NA		AQ Initical Calibration	5			7	ok	1.0 ul abk, aa, ex / 100 ml
2X	200553	IC8636-1.0		NA		AQ Initical Calibration	5			8	ok	1.0 ul abk, aa, ec / 100 ml
1X	200554	IC8636-2.0		NA		AQ Initical Calibration	5			9	ok	2.0 ul abk, aa, ec / 100 ml
2X	200555	IC8636-2.0		NA		AQ Initical Calibration	5			10	ok	2.0 ul abk, aa, ec / 100 ml
1X	200556	IC8636-4.0		NA		AQ Initical Calibration	5			11	ok	4.0 ul abk, aa, ec / 100 ml

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
2X	200557	IC8636-4.0		NA		AQ Initical Calibration	5			12	ok	4.0 ul abk, aa, ec / 100 ml
1X	200558	IC8636-8.0		NA		AQ Initical Calibration	5			13	ok	8.0 ul abk, aa, ec / 100 ml
2X	200559	IC8636-8.0		NA		AQ Initical Calibration	5			14	ok	8.0 ul abk, aa, ec / 100 ml
1X	200560	IC8636-20		NA		AQ Initical Calibration	5			15	ok	20 ul abk, aa, ec / 100 ml
2X	200561	IC8636-20		NA		AQ Initical Calibration	5			16	ok	20 ul abk, aa, ec / 100 ml
1X	200562	ICC8636-50		NA		AQ Initical Calibration	5			17	ok	50 ul abk, aa, ec / 100 ml
2X	200563	ICC8636-50		NA		AQ Initical Calibration	5			18	ok	50 ul abk, aa, ec / 100 ml
1X	200564	IC8636-100		NA		AQ Initical Calibration	5			19	ok	100 ul abk, aa, ec / 100 ml
2X	200565	IC8636-100		NA		AQ Initical Calibration	5			20	ok	100 ul abk, aa, ec / 100 ml
1X	200566	IC8636-200		NA		AQ Initical Calibration	5			21	ok	200 ul abk, aa, ec / 100 ml
2X	200567	IC8636-200		NA		AQ Initical Calibration	5			22	ok	200 ul abk, aa, ec / 100 ml
1X	200568	IB		NA			5			23		
2X	200569	IB		NA			5			24		
1X	200570	IB		NA			5			25		
2X	200571	IB		NA			5			26		
1X	200572	ICV8636-50		NA		AQ Initical Calibration	5			27	ok	50 uL EXT ABK, EXT EC, EXT Acrolein / 100 mL DI H2O
2X	200573	ICV8636-50		NA		AQ Initical Calibration	5			28	ok	50 uL EXT ABK, EXT EC, EXT Acrolein / 100 mL DI H2O
1X	200574	ICV8636-50		NA		AQ Initical Calibration	5			29	ok	50 uL EXT PA, EXT Chlorodifluoromethan / 100 mL DI H2O
2X	200575	ICV8636-50		NA		AQ Initical Calibration	5			30	ok	50 uL EXT PA, EXT Chlorodifluoromethan / 100 mL DI H2O

GCMS Volatile Run Log

Standard / Reagents	Lot #					
Standard	ABK: V022-2752-121.29	EC: V022-2752-132.6	AA: V022-2752-125.6		Column	Rxi-624(60mx0.25mmx1.4um)
Concentration	100-10,000ppm	100ppm	100ppm		Method	v8260d
Expiration	10/21/2022	10/5/2022	10/27/2022		Init Calib Date	9/30/2022
Internal/Surrogate	V022-2752-94					
Concentration	50/500ppm				Analysis Date	9/29/2022
Expiration	10/3/2022				Sequence loaded by	taylors
					Data processed by	davem1
					Batch ID	V1X8637
Rough reviewed by					Matrix	AQ
					Approved By:	MEI
pH Paper Lot# (wide range): 222221	Exp. 8/1/2024		Initial Calibration Method	M1X8636	Approved Date:	10/5/2022 5:06:55 PM

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
1X	200578	IB		NA			5			1	ok	
1X	200579	IB		NA			5			2	ok	
1X	200580	BFB/CC8636-20		NA			5			3	ok/ok	10:06am, 20 ul abk, aa, ec / 100 ml
1X	200581	BS		NA			5			4	ok	50 ul abk, aa, ec / 100 ml
1X	200582	IB		NA			5			5	ok	
1X	200583	MB		NA			5			6	ok	
1X	200584	JD52594-1	2	4x	MS62564	V8260BTX, 124TMB, 135TMB,2MNAP,NAP	12.5/50		6	7	ok/dl	+1X200598
1X	200585	JD52507-18	2	10x	MS62506	V8260TCL42	5/50		1	8	ok	+1A226453
1X	200586	JD52594-5	2	NA	MS62564	V8260BTX, 124TMB, 135TMB,2MNAP,NAP	5		1	9	ok	
1X	200587	JD52594-4	2	NA	MS62564	V8260BTX, 124TMB, 135TMB,2MNAP,NAP	5		1	10	rr	f/d rr 10x
1X	200588	JD52594-10	2	50	MS62564	V8260BTX, 124TMB, 135TMB,2MNAP,NAP	1/50		1	11	rr	o/d

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
1X	200589	JD52594-2	2	NA	MS62564	V8260BTX, 124TMB, 135TMB,2MNAP,NAP	5		1	12	ok	
1X	200590	JD52594-3	2	NA	MS62564	V8260BTX, 124TMB, 135TMB,2MNAP,NAP	5		1	13	ok	
1X	200591	JD52594-6	2	NA	MS62564	V8260BTX, 124TMB, 135TMB,2MNAP,NAP	5		1	14	ok	
1X	200592	JD52461-1	1	10x	MS62524	V8260TCL20	5/50		1	15	ok	
1X	200593	JD52461-2	2	10x	MS62524	V8260TCL20	5/50		1	16	ok	
1X	200594	JD52461-1	1	NA	MS62524	V8260TCL20	5		1	17	ok/dl	+1X200592
1X	200595	JD52461-2	2	NA	MS62524	V8260TCL20	5		1	18	ok/dl	+1X200593
1X	200596	JD52594-1MS	2	4x	MS62564	V8260BTX, 124TMB, 135TMB,2MNAP,NAP	12.5/50		6	19	ok	25 ul abk, aa, ec / 50 ml
1X	200597	JD52594-1MSD	2	4x	MS62564	V8260BTX, 124TMB, 135TMB,2MNAP,NAP	12.5/50		6	20	ok	25 ul abk, aa, ec / 50 ml
1X	200598	JD52594-1	2	40x	MS62564	V8260BTX, 124TMB, 135TMB,2MNAP,NAP	1.25/50		6	21	ok	
1X	200599	JD52507-19	2	NA	MS62506	V8260TCL42	5		1	22	ok	
1X	200600	JD52656-3	7	NA	MS62583	V8260TCL	5		1	23	ok	
1X	200601	JD52656-4	2	NA	MS62583	V8260TCL	5		1	24	ok	
1X	200602	JD52507-22	1	NA	MS62506	V8260TCL42	5		1	25	ok	
1X	200603	JD52594-10	2	NA	MS62564	V8260BTX, 124TMB, 135TMB,2MNAP,NAP	5		1	26	ok	
1X	200604	JD52594-7	2	NA	MS62564	V8260BTX, 124TMB, 135TMB,2MNAP,NAP	5		1	27	ok	
1X	200605	JD52594-8	2	NA	MS62564	V8260BTX, 124TMB, 135TMB,2MNAP,NAP	5		1	28	ok	
1X	200606	JD52594-9	2	NA	MS62564	V8260BTX, 124TMB, 135TMB,2MNAP,NAP	5		1	29	ok	
1X	200607	JD52594-11	3	NA	MS62564	V8260BTX, 124TMB, 135TMB,2MNAP,NAP	5		1	30	ok	
1X	200608	JD52656-1	8	NA	MS62583	V8260TCL	5		1	31	ok	

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
1X	200609	JD52656-2	8	NA	MS62583	V8260TCL	5		1	32	ok	9:24pm

GCMS Volatile Run Log

Standard / Reagents	Lot #					
Standard	EXT ABK: V022-2752-101.3	EXT EC: V022-2752-126.1	EXT Acrolein: V022-2752-128.21		Column	Rxi-624(60mx0.25mmx1.4um)
Concentration	100-10,000ppm	100ppm	100ppm		Method	v624.1
Expiration	10/8/2022	10/4/2022	10/27/2022		Init Calib Date	9/30/2022
Internal/Surrogate	V022-2752-94					
Concentration	50/500ppm				Analysis Date	9/29/2022
Expiration	10/3/2022				Sequence loaded by	taylors
					Data processed by	kinjald/kristelv
					Batch ID	V1X8638
Rough reviewed by					Matrix	AQ
					Approved By:	MOHUI
pH Paper Lot# (narrow range): 222221	Exp. 8/1/2024		Initial Calibration Method	M1X8636	Approved Date:	10/3/2022 5:50:25 PM

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
1X	200610	IB		NA			5			1	ok	
1X	200611	BFB		NA			5			2	ok	10:10pm
1X	200612	CC8636-20/BS		NA			5			3	ok/ok	20 ul ext ec, ext abk, ext acrolein / 100 ml
1X	200613	IB		NA			5			4	ok	
1X	200614	MB		NA			5			5	ok	
1X	200615	JD52604-4	5	4x	MS62553	V624BTX	12.5/50		1.5	6	ok	
1X	200616	JD52604-4MS	5	4x	MS62553	V624BTX	12.5/50		1.5	7	ok	10 ul ext abk, ext ec, ext acrolein / 50 ml
1X	200617	JD52604-4MSD	5	4x	MS62553	V624BTX	12.5/50		1.5	8	ok	10 ul ext abk, ext ec, ext acrolein / 50 ml
1X	200618	IB		NA			5			9	ok	
1X	200619	JD52705-3	2	NA	MS62578	V624TTO	5		1.5	10	ok	
1X	200620	JD52499-1	7	NA	MS62496	V624TCE	5		1.5	11	ok	

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
1X	200621	JD52708-1	6	NA	MS62578	V624ACROLEIN,UNPR	5		6	12	ok	
1X	200622	JD52681-4	2	5x	MS62578	V624PPL+,MMC,STYR,UNPR	10/50		6	13	ok	O/D
1X	200623	JD52690-2	2	NA	MS62578	V624PPTCL,14DIOXANE,ACE,UNPR	5		5	14	ok	
1X	200624	JD52601-38	1	NA	MS62537	V624PPL+10,UNPR	5		5	15	ok	
1X	200625	JD52601-39	1	NA	MS62537	V624PPL+10,UNPR	5		5	16	ok	
1X	200626	JD52601-40	1	NA	MS62537	V624PPL+10,UNPR	5		5	17	ok	
1X	200627	JD52599-3A	11	NA	MS62535	V624TCL20+,TBA	5		1.5	18	ok	
1X	200628	JD52456-9	5	NA	MS62459	V624BTXMT	5		2.5	19	ok	
1X	200629	JD52456-10	2	NA	MS62459	V624BTX	5		1.5	20	ok	C/O
1X	200630	JD52456-13	3	NA	MS62459	V624BTXMT	5		1.5	21	ok	
1X	200631	JD52456-14	3	NA	MS62459	V624BTXMT	5		1.5	22	ok	
1X	200632	JD52456-15	3	NA	MS62459	V624BTXMT	5		1.5	23	ok	
1X	200633	JD52456-16	3	NA	MS62459	V624BTXMT	5		1.5	24	ok	
1X	200634	JD52395-1	5	NA	MS62446	V624ACE,AMYLACE,EACE,ISOACE,MECL	5		1.5	25	ok	
1X	200635	JD52604-1	5	NA	MS62553	V624BTX,124TMB	5		1.5	26	ok	7:26AM
1X	200636	JD52604-2	5	NA	MS62553	V624BTX,124TMB	5			27	NR	
1X	200637	JD52604-3	9	NA	MS62553	V624BTX,124TMB	5			28	NR	

GCMS Volatile Run Log

Standard / Reagents	Lot #				Column	Rxi-624(60mx0.25mmx1.4um)
Standards	ABK: V022-2752-36.15	EC: V022-2752-42.1	AA: V021-2752-40.58	Ext.Chlorodifluoromethane: V022-2752-31	Method	V8260D
Concentration	100-10,000ppm	100ppm	100ppm	100ppm	Init Calib Date	5/6/2022
Expiration	8/23/2022	8/4/2022	8/28/2022	8/21/2022		
Ext.Standards	Ext.ABK: V022-2752-29.4	Ext.EC: V022-2752-43.3	Ext.Acrolein: V022-2752-39.9	Ext.PA: V022-2752-38.9		
Concentration	100-10,000ppm	100ppm	100ppm	100-1,000ppm	Analysis Date	7/31/2022
Expiration	8/18/2022	8/5/2022	8/26/2022	8/26/2022	Sequence loaded by	Prashant B. Shukla
Internal/Surrogate	V022-2752-20				Data processed by	Mohui Huang
Concentration	250/2500ppm				Batch ID	V2A9511
Expiration	8/14/2022				Matrix	AQ
Rough reviewed by					Approved By:	KANYAV
pH Paper Lot# (wide range):222221	Exp. 8/1/2024		Initial Calibration Method	M2A9511	Approved Date:	8/1/2022 6:38:11 PM

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
2A	218780	BFB		NA		TUNE	5			1	ok	
2A	218781	IC9511-0.2		NA		ICC 8260 Water	5			2	ok	1uL Std.A/B/K,EC,AA in 500mL DI H2O
2A	218782	IC9511-0.5		NA		ICC 8260 Water	5			3	ok	1uL Std.A/B/K,EC,AA in 200mL DI H2O
2A	218783	IC9511-1		NA		ICC 8260 Water	5			4	ok	1uL Std.A/B/K,EC,AA in 100mL DI H2O
2A	218784	IC9511-2		NA		ICC 8260 Water	5			5	ok	1uL Std.A/B/K,EC,AA in 50mL DI H2O
2A	218785	IC9511-4		NA		ICC 8260 Water	5			6	ok	2uL Std.A/B/K,EC,AA in 50mL DI H2O
2A	218786	IC9511-8		NA		ICC 8260 Water	5			7	ok	4uL Std.A/B/K,EC,AA in 50mL DI H2O
2A	218787	IC9511-20		NA		ICC 8260 Water	5			8	ok	10uL Std.A/B/K,EC,AA in 50mL DI H2O
2A	218788	ICC9511-50		NA		ICC 8260 Water	5			9	ok	25uL Std.A/B/K,EC,AA in 50mL DI H2O
2A	218789	IC9511-100		NA		ICC 8260 Water	5			10	ok	50uL Std.A/B/K,EC,AA in 50mL DI H2O
2A	218790	IC9511-200		NA		ICC 8260 Water	5			11	ok	100uL Std.A/B/K,EC,AA in 50mL DI H2O

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
2A	218791	IB		NA			5			12	OK	
2A	218792	IB		NA			5			13	OK	
2A	218793	ICV9511-50		NA		ICV 8260 Water	5			14	ok	25uL Ext.A/B/K,EC,Acrolein, in 50mL DI H2O
2A	218794	ICV9511-50		NA		ICV 8260 Water	5			15	ok	25uL Ext.PA,Chlorodifluoromethane in 50mL DI H2O
2A	218795	IB		NA			5			16	OK	

GCMS Volatile Run Log

Standard / Reagents	Lot #					
Standard	ABK: V022-2752-121.7	EC: V022-2752-122.8	AA: V022-2752-125.1		Column	Rxi-624(60mx0.25mmx1.4um)
Standard Concentration	100-10,000ppm	100ppm	100ppm		Method	V8260D
Expiration Date	10/21/2022	9/29/22	10/27/2022		Init Calib Date	7/31/22
Internal Surrogate	V022-2752-93					
Internal Surrogate Concentration	50/500ppm				Analysis Date	9/29/2022
Expiration Date	10/3/2022				Sequence loaded by	nicoleh
					Data processed by	kristelv
					Batch ID	V2A9581
Rough reviewed by					Matrix	AQ
					Approved By:	MEI
pH paper Lot# (wide range):	222221	81/2024	Initial Calibration Method	M2A9511	Approved Date:	10/3/2022 1:00:03 PM

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
2A	220389	IB		NA			5			1	ok	
2A	220390	BFB/CC9511-20		NA			5			2	ok/ok	20uL ABK EC AA / 100mL 9:13am
2A	220391	CC9511-1		NA			5			3	ok	1uL ABK EC AA / 100mL
2A	220392	BS		NA			5			4	ok	50uL ABK EC AA / 100mL
2A	220393	IB		NA			5			5	ok	
2A	220394	MB		NA			5			6	ok	
2A	220395	JD50917-15	15	5X	MS62503	V8260TCL20	10/50		1	7	ok	
2A	220396	JD50917-22	16	100X	MS62503	V8260TCL20	0.5/50		1	8	ok	+2U48792
2A	220397	JD50917-10	1	50X	MS62503	V8260TCL20	1/50		1	9	ok	+1U48811
2A	220398	JD52507-3	2	10X	MS62506	V8260TCL42	5/0		1	10	ok	+2V92892
2A	220399	JD50917-11	5	250X	MS62503	V8260TCL20	0.2/50		1	11	ok	+2U48812

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
2A	220400	JD50917-15MS	15	5X	MS62503	V8260TCL20	10/50		1	12	ok	25uL ABK EC AA / 50mL
2A	220401	JD50917-15MSD	15	5X	MS62503	V8260TCL20	10/50		1	13	ok	25uL ABK EC AA / 50mL
2A	220402	JD50917-14	5	500X	MS62503	V8260TCL20	0.1/50		1	14	ok	+1U48813
2A	220403	JD52644-8	1	NA	MS62577	V8260TCL20,UNPR	5		6	15	ok	
2A	220404	JD52644-1	8	50X	MS62577	V8260TCL20,UNPR	1/50		6	16	rr	o/d
2A	220405	JD52644-2	7	500X	MS62577	V8260TCL20,UNPR	0.1/50		6	17	rr	f/d
2A	220406	JD52644-3	7	2.5X	MS62577	V8260TCL20,UNPR	20/50		6	18	rr	cchit and f/d
2A	220407	JD52644-4	8	500X	MS62577	V8260TCL20,UNPR	0.1/50		6	19	ok	
2A	220408	JD52644-5	1	10X	MS62577	V8260TCL20,UNPR	5/50		6	20	rr	o/d
2A	220409	JD52644-6	8	50X	MS62577	V8260TCL20,UNPR	1/50		6	21	rr	f/d
2A	220410	JD52644-7	1	25X	MS62577	V8260TCL20,UNPR	2/50		8	22	rr	f/d
2A	220411	JD50917-16	4	200X	MS62503	V8260TCL20	0.25/50		1	23	rr	o/d
2A	220412	JD50917-23	5	50X	MS62503	V8260TCL20	1/50		1	24	ok	7:53pm

GCMS Volatile Run Log

Standard / Reagents	Lot #					
Standard	ABK: V022-2752-121.7	EC: V022-2752-132.7	AA: V022-2752-125.1		Column	Rxi-624(60mx0.25mmx1.4um)
Standard Concentration	100-10,000ppm	100ppm	100ppm		Method	V8260D
Expiration Date	10/21/2022	10/5/2022	10/27/2022		Init Calib Date	7/31/22
Internal Surrogate	V022-2752-93					
Internal Surrogate Concentration	50/500ppm				Analysis Date	9/30/2022
Expiration Date	10/3/2022				Sequence loaded by	nicoleh
					Data processed by	Lotusa
					Batch ID	V2A9583
Rough reviewed by					Matrix	AQ
					Approved By:	MEI
pH paper Lot# (wide range):	222221	81/2024	Initial Calibration Method	M2A9511	Approved Date:	10/5/2022 4:07:04 PM

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
2A	220437	IB		NA			5			1	OK	
2A	220438	BFB/CC9511-20		NA			5			2	OK	9:16AM 20uL abk ec aa / 100mL
2A	220439	CC9511-1		NA			5			3	OK	1uL abk ec aa / 100mL
2A	220440	BS		NA			5			4	OK	50uL abk ec aa / 100mL
2A	220441	IB		NA			5			5	OK	
2A	220442	MB		NA			5			6	OK	
2A	220443	JD52572-11	1	NA	MS62546	V8260TCL20+	5		7	7	OK	123TMB,NAP,NBBNZ,NPBNZ,SBBNZ,TBA
2A	220444	JD52507-12	1	100x	MS62506	V8260TCL42	0.5/50		1	8	OK	+2v93015
2A	220445	JD52680-6	1	10x	MS62593	V8260TCL20+, TBA	5/50		1	9	OK/rr	o/d
2A	220446	JD52507-13	1	100x	MS62506	V8260TCL42	0.5/50		1	10	OK	+2v93015
2A	220447	JD52514-12	2	5x	MS62508	V8260TCL42	10/50		1	11	OK	+2a220449

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
2A	220448	JD52680-4	1	10x	MS62593	V8260TCL20+, TBA	5/50		1	12	OK/rr	10x/100x ccit and c/o and f/d
2A	220449	JD52514-12	2	50x	MS62508	V8260TCL42	1/50		1	13	OK	
2A	220450	JD52602-3	8	NA	MS62550	V8260TCL	5		1	14	OK	+3d182123
2A	220451	JD52514-12MS	2	5x	MS62508	V8260TCL42	10/50		1	15	OK	25uL abk ec aa / 50mL
2A	220452	JD52514-12MSD	2	5x	MS62508	V8260TCL42	10/50		1	16	OK	25uL abk ec aa / 50mL
2A	220453	IB		NA			5			17	OK	
2A	220454	JD52661-2	2	NA	MS62593	V8260SL2	5		1	18	OK	
2A	220455	JD52602-5	8	NA	MS62550	V8260TCL	5		1	19	OK	
2A	220456	JD52602-6	7	NA	MS62550	V8260TCL	5		1	20	OK	
2A	220457	JD52602-7	8	NA	MS62550	V8260TCL	5		1	21	OK	
2A	220458	JD52661-1	13	NA	MS62593	V8260SL2	5		1	22	OK	
2A	220459	JD52680-1	1	NA	MS62593	V8260TCL20+, TBA	5		1	23	OK	
2A	220460	JD52680-3	2	NA	MS62593	V8260TCL20+, TBA	5		1	24	OK/rr	cchit
2A	220461	JD52680-2	1	4x	MS62593	V8260TCL20+, TBA	12.5/50		1	25	OK/rr	cchit
2A	220462	JD52680-5	2	4x	MS62593	V8260TCL20+, TBA	12.5/50		1	26	OK/rr	8:49pm cchit

GCMS Volatile Run Log

Standard / Reagents	Lot #				Column	Rxi-624(30mx0.25mmx1.4um)
Standard lot#	ABK: V022-2752-74.45	EC: V022-2752-99.1	AA: V022-2752-81.45	Ext.Chlorodifluoromethane: V022-2752-75	Method	V8260D
Standard concentration	100-10,000ppm	100ppm	100ppm	100ppm	Init Calib Date	9/11/2022
Standard expiration date	9/23/2022	9/14/2022	9/26/2020	9/23/2022		
Internal/surrogate lot#	V022-2752-94					
Internal/surrogate concentration	50/500ppm				Analysis Date	9/11/2022
Internal/surrogate expiration date	10/3/2022				Sequence loaded by	Prashant B. Shukla
Ext.Standard lot#	Ext.ABK: V022-2752-101.2	Ext.EC: V022-2752-97.1	Ext.Acrolein: V022-2752-76.9	Ext.PA: V022-2752-83.3	Data processed by	Mohui Huang
Standard concentration	100-10,000ppm	100ppm	100ppm	100-1,000ppm	Batch ID	V2V3747
Standard expiration date	10/8/2022	9/13/2022	9/26/2022	9/30/2022	Matrix	AQ
Rough reviewed by					Approved By:	KANYAV
pH Paper(wide-range) lot# 222221	Exp. Date: 8/1/2024		Initial Calibration Method	M2V3747	Approved Date:	9/13/2022 1:51:47 PM

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
2V	92136	BFB		NA		TUNE	5			1	ok	2:53 PM
2V	92138	IC3747-0.2		NA		ICC 8260 WATER	5			2	ok	1uL Std.A/B/K,EC,AA in 500mL DI H2O
2V	92140	IC3747-0.5		NA		ICC 8260 WATER	5			3	ok	1uL Std.A/B/K,EC,AA in 200mL DI H2O
2V	92142	IC3747-1		NA		ICC 8260 WATER	5			4	ok	1uL Std.A/B/K,EC,AA in 100mL DI H2O
2V	92144	IC3747-2		NA		ICC 8260 WATER	5			5	ok	1uL Std.A/B/K,EC,AA in 50mL DI H2O
2V	92146	IC3747-4		NA		ICC 8260 WATER	5			6	ok	2uL Std.A/B/K,EC,AA in 50mL DI H2O
2V	92148	IC3747-8		NA		ICC 8260 WATER	5			7	ok	4uL Std.A/B/K,EC,AA in 50mL DI H2O
2V	92150	IC3747-20		NA		ICC 8260 WATER	5			8	ok	10uL Std.A/B/K,EC,AA in 50mL DI H2O
2V	92152	ICC3747-50		NA		ICC 8260 WATER	5			9	ok	25uL Std.A/B/K,EC,AA in 50mL DI H2O
2V	92154	IC3747-100		NA		ICC 8260 WATER	5			10	ok	50uL Std.A/B/K,EC,AA in 50mL DI H2O
2V	92156	IC3747-200		NA		ICC 8260 WATER	5			11	ok	100uL Std.A/B/K,EC,AA in 50mL DI H2O

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
2V	92158	IB		NA			5			12	OK	
2V	92160	IB		NA			5			13	OK	
2V	92162	ICV3747-50		NA		ICV 8260 WATER	5			14	ok	25uL Ext.A/B/K,EC,Acrolein, in 50mL DI H2O
2V	92164	ICV3747-50		NA		ICV 8260 WATER	5			15	ok	25uL Ext.PA,Chlorodifluoromethane in 50mL DI H2O
2V	92166	IB		NA			5			16	OK	

GCMS Volatile Run Log

Standard / Reagents	Lot #				Column	Rxi-624(30mx0.25mmx1.4um)
Standard lot#	ABK: V022-2752-121.1	EC: V022-2752-122.2	AA: V022-2752-125.8		Method	V8260D
Standard concentration	100-10,000ppm	100ppm	100ppm		Init Calib Date	8/3/2022
Standard expiration date	10/21/2022	9/29/2022	10/27/2022			
Internal/surrogate lot#	V022-2752-94					
Internal/surrogate concentration	50/500ppm				Analysis Date	9/27/2022
Internal/surrogate expiration date	10/3/2022				Sequence loaded by	kylem
					Data processed by	kinjald/nelsonf
					Batch ID	V2V3773
Rough reviewed by					Matrix	AQ
					Approved By:	MEI
pH Paper(wide-range) lot# 222221	Exp. Date: 8/1/2024		Initial Calibration Method	M2V3747	Approved Date:	9/30/2022 10:27:09 PM

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
2v	92879	IB		NA			5			1	ok	
2v	92880	BFB/CC3747-50		NA			5			2	ok/ok	50uL abk, ec, aa / 100mL; 9:00pm
2v	92881	CC3747-1		NA			5			3	ok	1uL abk, ec, aa / 100mL
2v	92882	BS		NA			5			4	ok	50uL abk, ec, aa / 100mL
2v	92883	IB		NA			5			5	ok	
2v	92884	MB		NA			5			6	ok	
2v	92885	JD52507-6	3	NA	MS62506	V8260TCL42	5		1	7	ok	
2v	92886	JD52507-6MS	7	NA	MS62506	V8260TCL42	5		1	8	ok	20uL abk, ec, aa / 40mL
2v	92887	JD52507-6MSD	8	NA	MS62506	V8260TCL42	5		1	9	ok	20uL abk, ec, aa / 40mL
2v	92888	IB		NA			5			10	ok	

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
2v	92889	JD52507-2	2	NA	MS62506	V8260TCL42	5		1	11	ok	Checked client-ID
2v	92890	JD52208-20	2	NA	MS62481	V8260TCL20	5		1	12	ok	
2v	92891	JD52507-1	2	NA	MS62506	V8260TCL42	5		1	13	ok	
2v	92892	JD52507-3	1	50x	MS62506	V8260TCL42	1/50		1	14	rr	o/d
2v	92893	JD52507-4	1	NA	MS62506	V8260TCL42	5		1	15	ok	
2v	92894	JD52507-5	2	NA	MS62506	V8260TCL42	5		1	16	ok	
2v	92895	JD52507-7	2	NA	MS62506	V8260TCL42	5		1	17	ok	
2v	92896	JD52208-17	14	NA	MS62481	V8260TCL20	5		1	18	rr	f/d
2v	92897	JD52208-18	18	NA	MS62481	V8260TCL20	5		1	19	rr	c/o
2v	92898	JD52208-19	19	NA	MS62481	V8260TCL20	5		1	20	OK/rr	cc hit
2v	92899	JD52474-1	2	NA	MS62476	V8260TCL20+	5		1	21	OK	
2v	92900	JD52474-2	1	NA	MS62476	V8260TCL20+	5		1	22	OK	
2v	92901	JD52474-3	2	NA	MS62476	V8260TCL20+	5		1	23	OK	
2v	92902	JD52474-4	1	NA	MS62476	V8260TCL20+	5		1	24	OK	
2v	92903	JD52474-5	2	NA	MS62476	V8260TCL20+	5		1	25	OK	
2v	92904	JD52474-6	1	NA	MS62476	V8260TCL20+	5		1	26	OK	
2v	92905	JD52474-7	2	NA	MS62476	V8260TCL20+	5		1	27	OK	
2v	92906	JD52474-8	2	NA	MS62476	V8260TCL20+	5		1	28	OK	
2v	92907	JD52208-16	15	NA	MS62481	V8260TCL20	5		1	29	OK	7:28am

GCMS Volatile Run Log


Standard / Reagents	Lot #				Column	Rxi-624(30mx0.25mmx1.4um)
Standard lot#	ABK: V022-2752-121.1	EC: V022-2752-122.2	AA: V022-2752-125.8		Method	V8260D
Standard concentration	100-10,000ppm	100ppm	100ppm		Init Calib Date	8/3/2022
Standard expiration date	10/21/2022	9/29/2022	10/27/2022			
Internal/surrogate lot#	V022-2752-94					
Internal/surrogate concentration	50/500ppm				Analysis Date	9/29/2022
Internal/surrogate expiration date	10/3/2022				Sequence loaded by	kylem
					Data processed by	Lotusa
					Batch ID	V2V3777
Rough reviewed by					Matrix	AQ
					Approved By:	MOHUI
pH Paper(wide-range) lot# 222221	Exp. Date: 8/1/2024		Initial Calibration Method	M2V3747	Approved Date:	10/5/2022 9:51:08 PM

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
2v	92999	IB		NA			5			1	OK/OK	
2v	93000	BFB/CC3747-50		NA			5			2	OK	50uL abk, ec, aa / 100mL; 9:38pm
2v	93001	CC3747-1		NA			5			3	OK	1uL abk, ec, aa / 100mL
2v	93002	BS		NA			5			4	OK	50uL abk, ec, aa / 100mL
2v	93003	IB		NA			5			5	OK	
2v	93004	MB		NA			5			6	OK	
2v	93005	JD52507-10	7	100x	MS62506	V8260TCL42	0.5/50		1	7	OK/RR	O/D
2v	93006	JD52507-10MS	7	100x	MS62506	V8260TCL42	0.5/50		1	8	OK	25uL abk, ec, aa / 50mL
2v	93007	JD52507-10MSD	7	100x	MS62506	V8260TCL42	0.5/50		1	9	OK	25uL abk, ec, aa / 50mL
2v	93008	IB		NA			5			10	OK	

ix1.4um)

PM

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
2v	93009	JD52507-14	2	NA	MS62506	V8260TCL42	5		1	11	OK	checked Client-ID
2v	93010	JD52507-23	1	NA	MS62506	V8260TCL42	5		1	12	OK	
2v	93011	JD52507-33	1	NA	MS62506	V8260TCL42	5		1	13	OK	
2v	93012	JD52507-36	2	NA	MS62506	V8260TCL42	5		1	14	OK	No client-ID on vial
2v	93013	JD52507-9	1	NA	MS62506	V8260TCL42	5		1	15	OK	
2v	93014	JD52507-11	2	100x	MS62506	V8260TCL42	0.5/50		1	16	OK	
2v	93015	JD52507-12	2	10x	MS62506	V8260TCL42	5/50		1	17	OK/RR	F/D
2v	93016	JD52507-13	2	10x	MS62506	V8260TCL42	5/50		1	18	OK/RR	F/D
2v	93017	JD52507-24	1	NA	MS62506	V8260TCL42	5		1	19	OK	
2v	93018	JD52507-25	1	NA	MS62506	V8260TCL42	5		1	20	OK	
2v	93019	JD52507-26	1	NA	MS62506	V8260TCL42	5		1	21	OK	
2v	93020	JD52507-27	2	NA	MS62506	V8260TCL42	5		1	22	OK	
2v	93021	JD52507-28	1	NA	MS62506	V8260TCL42	5		1	23	OK	
2v	93022	JD52507-29	2	50x	MS62506	V8260TCL42	1/50		1	24	OK	
2v	93023	JD52507-30	1	NA	MS62506	V8260TCL42	5		1	25	OK/RR	F/D
2v	93024	JD52507-31	1	NA	MS62506	V8260TCL42	5		1	26	OK/RR	F/D
2v	93025	JD52507-32	2	NA	MS62506	V8260TCL42	5		1	27	OK/RR	C/O
2v	93026	JD52507-34	1	NA	MS62506	V8260TCL42	5		1	28	OK/RR	C/O
2v	93027	JD52507-8	1	NA	MS62506	V8260TCL42	5		1	29	OK/RR	F/D; t; 8:05am




GCMS Volatile Run Log

Standard / Reagents	Lot #				Column	Rxi-624(30mx0.25mmx1.4um)
Standard lot#	ABK: V022-2752-121.1	EC: V022-2752-132.11	AA: V022-2752-125.8		Method	v8260d
Standard concentration	100-10,000ppm	100ppm	100ppm		Init Calib Date	8/3/2022
Standard expiration date	10/21/2022	10/5/2022	10/27/2022			
Internal/surrogate lot#	V022-2752-94					
Internal/surrogate concentration	50/500ppm				Analysis Date	10/3/2022
Internal/surrogate expiration date	10/3/2022				Sequence loaded by	taylors
					Data processed by	kinjald/davem1
					Batch ID	V2V3782
Rough reviewed by					Matrix	AQ
					Approved By:	MOHUI
pH Paper(wide-range) lot# 222221	Exp. Date: 8/1/2024		Initial Calibration Method	M2V3747	Approved Date:	10/5/2022 9:34:16 PM


Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
2V	93122	IB		NA			5			1	ok	
2V	93123	IB		NA			5			2	ok	
2V	93124	IB		NA			5			3	ok	
2V	93125	BFB/CC3747-20		NA			5			4	ok/ok	11:49am, 20 ul abk, aa, ec / 100 ml
2V	93126	BS		NA			5			5	ok	50 ul abk, aa, ec / 100 ml
2V	93127	IB		NA			5			6	ok	
2V	93128	MB		NA			5			7	ok	
2V	93129	JD52572-8	2	NA	MS62546	V8260TCL20+	5		2	8	ok	
2V	93130	JD52507-31	2	20x	MS62506	V8260TCL42	2.5/50		1	9	ok	+2V93024
2V	93131	JD52507-30	2	20x	MS62506	V8260TCL42	2.5/50		1	10	ok	+2V93023

ix1.4um)
1
PM

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
2V	93132	JD52541-8	4	10x	MS62502	V8260BTXMTN	5/50		1	11	ok	+L347540
2V	93133	JD52507-37	1	5x	MS62506	V8260TCL42	10/50		1	12	rr	cc hit
2V	93134	JD52730-7	6	4x	MS62629	V8260TCL42+	12.5/50		1	13	rr	f/d
2V	93135	JD52541-14	4	100x	MS62502	V8260BTXMTN	0.5/50		1	14	ok	+L347539
2V	93136	JD52507-32	1	NA	MS62506	V8260TCL42	5		1	15	ok	
2V	93137	JD52507-34	2	NA	MS62506	V8260TCL42	5		1	16	ok	
2V	93138	JD52602-7	7	NA	MS62550	V8260TCL	5		1	17	ok	
2V	93139	JD52730-3	7	NA	MS62629	V8260TCL42+	5		1	18	ok	
2V	93140	JD52730-7MS	6	4x	MS62629	V8260TCL42+	12.5/50		1	19	ok	25 ul abk, aa, ec / 50 ml
2V	93141	JD52730-7MSD	6	4x	MS62629	V8260TCL42+	12.5/50		1	20	ok	25 ul abk, aa, ec / 50 ml
2V	93142	JD52507-30	2	200x	MS62506	V8260TCL42	0.25/50		1	21	ok	
2V	93143	JD52730-3	7	10x	MS62629	V8260TCL42+, TBA, THF	5/50		1	22	not need	not used; too dilute
2V	93144	JD52730-9	8	NA	MS62629	V8260TCL42+, TBA, THF	5		1	23	ok	
2V	93145	JD52730-10	7	NA	MS62629	V8260TCL42+, TBA, THF	5		1	24	ok	
2V	93146	JD52507-35	1	NA	MS62506	V8260TCL42	5		1	25	ok	
2V	93147	JD52730-1	6	NA	MS62629	V8260TCL42+, TBA, THF	5		1	26	ok	
2V	93148	JD52730-2	6	NA	MS62629	V8260TCL42+, TBA, THF	5		1	27	ok	
2V	93149	JD52730-4	8	NA	MS62629	V8260TCL42+, TBA, THF	5		1	28	ok	
2V	93150	JD52730-5	9	NA	MS62629	V8260TCL42+, TBA, THF	5		1	29	ok	



Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
2V	93151	JD52730-6	7	NA	MS62629	V8260TCL42+, TBA, THF	5		1	30	ok	
2V	93152	JD52730-8	9	NA	MS62629	V8260TCL42+, TBA, THF	5		1	31	ok/dl	10:23pm, rr 20x f/d



GCMS Volatile Run Log

Standard / Reagents	Lot #				Column	Rxi-624(60mx0.25mmx1.4um)
Standard	ABK: V022-2747-89.69	EC: V022-2747-132.9	AA: V022-2747-107.18		Method	V8260D
Standard Concentration	100-10,000ppm	100ppm	100ppm		Init Calib Date	6/15/22
Expiration Date	6/16/22	6/22/22	6/27/2022			
Internal Surrogate	V022-2747-129		EXT Chlorodifluoromethane v022-2747-127.1	EXT Chlorodifluoromethane		
Internal Surrogate Concentration	50/500ppm		100ppm	100ppm	Analysis Date	6/15/2022
Expiration Date	7/14/2022		7/11/22	7/11/22	Sequence loaded by	Bridget Kelly
Standard	EXT ABK v022-2747-91.5	EXT EC v022-2747-122.5	EXT Acro v022-2747-101.9	EXT PA v022-2747-92.1	Data processed by	Bridget Kelly
Standard Concentration	100-10,000ppm	100ppm	100ppm	100/1000ppm	Batch ID	VL10355
Expiration Date	6/17/22	6/16/22	6/23/22	6/17/22	Matrix	AQ
					Approved By:	KANYAV
pH paper Lot# (wide range):	222221	81/2024	Initial Calibration Method	ML10355	Approved Date:	6/21/2022 4:02:04 PM

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
I	342966	IB		NA			5			1	ok	
I	342967	BFB		NA			5			2	ok	
I	342968	IC10355-0.2		NA		V8260 initial calibration	5			3	ok	2 uL ABK EC AA / 1000 mL
I	342969	IC10355-0.5		NA		V8260 initial calibration	5			4	ok	5 uL ABK EC AA / 1000 mL
I	342970	IC10355-1		NA		V8260 initial calibration	5			5	ok	1 uL ABK EC AA / 100 mL
I	342971	IC10355-2		NA		V8260 initial calibration	5			6	ok	2 uL ABK EC AA / 100 mL
I	342972	IC10355-4		NA		V8260 initial calibration	5			7	ok	4 uL ABK EC AA / 100 mL
I	342973	IC10355-8		NA		V8260 initial calibration	5			8	ok	8 uL ABK EC AA / 100 mL
I	342974	IC10355-20		NA		V8260 initial calibration	5			9	ok	20 uL ABK EC AA / 100 mL
I	342975	ICC10355-50		NA		V8260 initial calibration	5			10	ok	50 uL ABK EC AA / 100 mL
I	342976	IC10355-100		NA		V8260 initial calibration	5			11	ok	100 uL ABK EC AA / 100 mL

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
I	342977	IC10355-200		NA		V8260 initial calibration	5			12	ok	200 uL ABK EC AA / 100 mL
I	342978	IB		NA			5			13	ok	
I	342979	IB		NA			5			14	ok	
I	342980	ICV10355-50		NA		V8260 initial calibration	5			15	ok	50 uL EXT ABK EC Acro / 100 mL
I	342981	ICV10355-50		NA		V8260 initial calibration	5			16	ok	50 uL EXT PA Chlorodifluoromethane / 100 mL
I	342982	IB		NA			5			17	ok	
I	342983	IB		NA			5			18	ok	
I	342984	BFB2		NA			5			19	ok	
I	342985	ICV10355-50		NA		V8260 initial calibration	5			20	ok	50 uL EXT Chlorodifluoromethane / 100 mL

GCMS Volatile Run Log

Standard / Reagents	Lot #					
Standard	ABK: V022-2752-121.7	EC: V022-2752-132.7	AA:V022-2752-125.4		Column	Rxi-624(60mx0.25mmx1.4um)
Standard Concentration	100-10,000ppm	100ppm	100ppm		Method	V8260D
Expiration Date	10/21/2022	10/5/2022	10/27/2022		Init Calib Date	5/17/2022
Internal Surrogate	V022-2752-136					
Internal Surrogate Concentration	50/500ppm				Analysis Date	10/4/2022
Expiration Date	10/30/2022				Sequence loaded by	nicoleh
					Data processed by	Lotusa/luckyc
					Batch ID	VL10519
Rough reviewed by					Matrix	AQ
					Approved By:	MOHUI
pH paper Lot# (wide range):	222221	81/2024	Initial Calibration Method	ML10355	Approved Date:	10/7/2022 12:02:17 PM

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
L	347826	IB		NA			5			1	OK	
L	347827	CC10355-20		NA			5			2	NG	FAILED HIGH
L	347828	IB		NA			5			3	OK	
L	347829	BFB/CC10355-20		NA			5			4	OK/OK	10:21AM 20uL ABK EC AA / 100mL
L	347830	CC10355-1		NA			5			5	OK	1uL ABK EC AA / 100mL
L	347831	BS		NA			5			6	OK	50uL ABK EC AA / 100mL
L	347832	BSD		NA			5			7	OK	50uL ABK EC AA / 100mL
L	347833	IB		NA			5			8	OK	
L	347834	MB		NA			5			9	OK	
L	347835	JD52514-11	2	50x	MS62508	V8260TCL42	1/50		1	10	OK	double checked client ids +4D121706
L	347836	JD52507-37	2	50x	MS62506	V8260TCL42	1/50		1	11	OK	+L347837

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
L	347837	JD52507-37	2	5x	MS62506	V8260TCL42	10/50		1	12	OK	
L	347838	JD52567-1	2	10x	MS62542	V8260MCP	5/50		1	13	OK	+1A226649
L	347839	JD52626-24	2	NA	MS62593	V8260TCL20+, TBA	5		1	14	OK	
L	347840	JD52711-7	1	10x	MS62614	V8260MCP	5/50		1	15	OK	+1A226643
L	347841	JD52371-19	2	NA	MS62425	V8260SL	5		1	16	OK	+1A226566 for ethanol, vinrl bromide and allyl chloride
L	347842	JD52711-8	1	10x	MS62614	V8260MCP	5/50		1	17	ok	+1A226657
L	347843	JD52803-8	9	NA	MS62647	V8260NJTCL20+	5		1	18	ok	+1A226619
L	347844	JD52624-4	4	100x	MS62562	V8260TCL20+	0.5/50		1	19	ok	+1A226629
L	347845	JD52701-4	2	2.5x	MS62586	v8260btx,vls	20/50		1	20	ok	
L	347846	JD52624-5	11	500x	MS62562	V8260TCL20+	0.1/50		1	21	ok	+1A226630
L	347847	JD52507-37MS	2	5x	MS62506	V8260TCL42	10/50		1	22	ok	25uL ABK EC AA / 50mL
L	347848	JD52507-37MSD	2	5x	MS62506	V8260TCL42	10/50		1	23	ok	25uL ABK EC AA / 50mL
L	347849	IB		NA			5			24	ok	
L	347850	JD52568-13	2	NA	MS62610	V8260SL	5		1	25	ok	
L	347851	JD52568-14	4	NA	MS62610	V8260SL	5		1	26	ok	
L	347852	JD52568-7	4	NA	MS62610	V8260SL	5		1	27	ok	
L	347853	JD52689-5	2	100x	MS62592	v8260tcl20,nap	0.5/50		1	28	rr	f/d
L	347854	JD52689-6	2	100x	MS62592	v8260tcl20,nap	0.5/50		1	29	rr	f/d
L	347855	JD52689-1	1	100x	MS62592	v8260tcl20,nap	0.5/50			30	rr	o/d and c/o 50x
L	347856	JD52689-2	1	100x	MS62592	v8260tcl20,nap	0.4/40			31	rr	o/d and c/o 50x PURGE VOLUME DUE TO LIMITED SAMPLE VOLUME

Data File		Sample ID	Bot #	Dil	Workgroup #	Test	Purge Vol (ml)	IS/Surr	pH	ALS #	Status	Comments
L	347857	JD52689-3	1	100x	MS62592	v8260tcl20,nap	0.4/40			32	rr	o/d and c/o 50x PURGE VOLUME DUE TO LIMITED SAMPLE VOLUME
L	347858	JD52689-4	1	100x	MS62592	v8260tcl20,nap	0.4/40			33	rr	9:56pmf/d PURGE VOLUME DUE TO LIMITED SAMPLE VOLUME

APPENDIX

B DATA USABILITY SUMMARY REPORTS

The analytical data provided by the laboratory were reviewed for precision, accuracy, and completeness based on applicable sections of the following guidelines.

- EPA Region 2 Data Validation SOP No. HW-34A, Revision 1

Specific criteria for QC limits were obtained from the master QAPP. Compliance with the project QA program is indicated in the checklist and tables below. Any major or minor concerns affecting data usability are listed below. The checklist and tables also indicate whether data qualification is required and/or the type of qualifier assigned.

Reference:

Project ID	Lab Work Order	Laboratory Report
31401545.001.01	JD52507	SGS North America Inc.

Table 1 Sample Listing Summary

Work Order	Matrix	Sample ID	Lab ID	Sample Date	Field QC	ID Corrections
JD52507	WH	EB-091922	JD52507-2	09/19/2022 16:30:00	EB	
JD52507	WH	EB-092022	JD52507-14	09/20/2022 16:50:00	EB	
JD52507	WH	EB-092222-1	JD52507-23	09/22/2022 08:35:00	EB	EB-092222
JD52507	WH	EB-092222-2	JD52507-33	09/22/2022 13:10:00	EB	EB-092222
JD52507	WG	EXB-10	JD52507-6	09/20/2022 10:50:00	MS/ MSD	
JD52507	WG	EXB-11	JD52507-37	09/21/2022 10:45:00		
JD52507	WG	EXB-9	JD52507-1	09/19/2022 14:00:00		
JD52507	WG	MW-092022	JD52507-13	09/20/2022 17:00:00	FD	
JD52507	WG	MW-092222	JD52507-28	09/22/2022 08:00:00	FD	
JD52507	WG	MW-12C	JD52507-17	09/21/2022 09:50:00		
JD52507	WG	MW-13C	JD52507-18	09/21/2022 10:00:00		
JD52507	WG	MW-15C	JD52507-8	09/20/2022 14:40:00		
JD52507	WG	MW-16-100	JD52507-22	09/21/2022 17:25:00		
JD52507	WG	MW-17-40	JD52507-32	09/22/2022 11:15:00		
JD52507	WG	MW-18A	JD52507-24	09/22/2022 10:10:00		
JD52507	WG	MW-1B	JD52507-27	09/22/2022 10:45:00		
JD52507	WG	MW-20B	JD52507-15	09/21/2022 09:20:00		
JD52507	WG	MW-22B	JD52507-26	09/22/2022 10:30:00		
JD52507	WG	MW-25A	JD52507-35	09/22/2022 14:20:00		
JD52507	WG	MW-26A	JD52507-34	09/22/2022 14:10:00		

Work Order	Matrix	Sample ID	Lab ID	Sample Date	Field QC	ID Corrections
JD52507	WG	MW-2B	JD52507-29	09/22/2022 11:00:00		
JD52507	WG	MW-32B	JD52507-7	09/20/2022 13:50:00		
JD52507	WG	MW-36B	JD52507-9	09/20/2022 14:45:00		
JD52507	WG	MW-3B	JD52507-30	09/22/2022 11:10:00		
JD52507	WG	MW-46-43C	JD52507-11	09/20/2022 15:05:00		
JD52507	WG	MW-46-72C	JD52507-10	09/20/2022 14:55:00	MS/ MSD	
JD52507	WG	MW-4B	JD52507-20	09/21/2022 10:40:00		
JD52507	WG	MW-5-100	JD52507-19	09/21/2022 10:05:00		
JD52507	WG	MW-5-25	JD52507-4	09/20/2022 10:35:00		
JD52507	WG	MW-5-40	JD52507-3	09/20/2022 10:30:00		
JD52507	WG	MW-50-160D	JD52507-12	09/20/2022 16:00:00		
JD52507	WG	MW-5B	JD52507-31	09/22/2022 11:20:00		
JD52507	WG	MW-7-40	JD52507-21	09/21/2022 14:35:00		
JD52507	WG	MW-7B	JD52507-16	09/21/2022 09:40:00		
JD52507	WG	MW-8-40	JD52507-25	09/22/2022 10:20:00		
JD52507	WG	MW-8B	JD52507-5	09/20/2022 10:40:00		
JD52507	WQ	TRIP BLANK	JD52507-36	09/22/2022 14:20:00	TB	

Table 1A Sample Test Summary

Work Orders	Matrix	Test Method	Method Name	Number of Samples	Sample Type
JD52507	WG	SW8260C	Volatile Organic Compounds by GC/MS	30	N
JD52507	WG	SW8260C	Volatile Organic Compounds by GC/MS	2	FD
JD52507	WQ	SW8260C	Volatile Organic Compounds by GC/MS	1	TB
JD52507	WH	SW8260C	Volatile Organic Compounds by GC/MS	4	EB
JD52507	WQ	SW8260C	Volatile Organic Compounds by GC/MS	2	MS/MSD

Data Usability Summary Report	Project: Former EPT Ithaca
Date Completed: April 13, 2023	Completed by: Devon Richards, Nick Archer

General Sample Information	
Do Samples and Analyses on COC check against Lab Sample Tracking Form?	A "-1" was added to sample EB-092222 taken on 09/22/2022 at 08:35 and a "-2" was added to sample EB-092222 taken on 09/22/2022 at 13:10 to differentiate the sample results in the EDD.
Did coolers arrive at lab between 2 and 6°C and in good condition as indicated on COC and Cooler Receipt Form?	Yes.
Frequency of Field QC Samples Correct? Field Duplicate - 1/20 samples Trip Blank - Every cooler with VOCs Equipment Blank - 1/20 samples	2 FD per 30 samples. 2 MS/MSD per 30 samples. 1 trip blank. 2 equipment blanks.
Case narrative present and complete?	Yes.
Any holding time violations?	No.

The following tables are presented at the end of this DUSR and provide summaries of results outside QC criteria:

- Method Blanks Results (Table 2)
- Surrogates Outside Limits (Table 3)
- MS/MSD Outside Limits (Table 4)
- LCS and ICV/CCV Outside Limits (Table 5)
- Reanalysis Results (Table 6)
- Field Duplicate Results (Table 7)

Go to Tables List

Volatile Organic Compounds by GC/MS – Method 8260C	
Description	**Notes and Qualifiers**
Any compounds present in method, trip, or, field blanks (see Table 2)?	Yes.
For samples, if results are < 5 times the blank or < 10 times the blank for common laboratory contaminants, then "U" flag data. Qualification also applies to TICs.	Carbon disulfide was detected below the PQL in EB-091922. The associated samples were non-detect for the detected analyte therefore no qualifications were made. Chloroform was detected above the PQL in TRIP BLANK. Samples EB-091922 and EB-092022 were U qualified as non-detect and the PQL was elevated to the sample result. Samples MW-13C, MW-32B, and MW-3B were U qualified as non-detect and the MDL was elevated to the sample result.
Are surrogates for method blanks and LCS within limits?	Yes.
Are surrogates for samples and MS/MSD within limits? (See Table 3). If not, were all samples reanalyzed for VOCs? Matrix effects should be established.	Yes.
Is Laboratory QC frequency at least one blank and LCS with each batch and one set of MS/MSD per 20 samples?	Yes.
Is MS/MSD within QC criteria (see Table 4)? If out and LCS is compliant, then "J" flag positive data in original sample due to matrix.	No. Chloroethane and trichlorofluoromethane were recovered above the acceptance criteria in the MS and MSD for samples EXB-10 and MW-46-72C. The parent sample was non-detect; therefore, no qualification was made. cis-1,2-Dichloroethene was recovered outside acceptance criteria in the MS and MSD for samples EXB-11. The associated sample result was greater than four times the spike amount; therefore, no qualification was made.
Is LCS within QC criteria (see Table 5A)? If out, and the recovery is high with no positive values, then no data qualification is required.	No. Multiple analytes were recovered above acceptance criteria in multiple LCS. The associated sample results were non-detect; therefore, no qualifications were made.
Do internal standards areas and retention time meet criteria? If not was sample re-analyzed to establish matrix (see Table 6)?	Yes.
Is initial calibration for target compounds <20 %RSD or curve fit?	Yes.
Is %D in the continuing calibration for target compounds less than method specifications? (see Table 5B)	No. Multiple analytes were recovered outside of the acceptance criteria of +/- 20 %D in multiple CCVs. The associated sample results which were non-detect were UJ qualified as estimated non-detect and results which were detected were J qualified as estimated.

Data Usability Summary Report	Project: Former EPT Ithaca
Date Completed: April 13, 2023	Completed by: Devon Richards, Nick Archer

Volatile Organic Compounds by GC/MS – Method 8260C	
Description	**Notes and Qualifiers**
Were any samples reanalyzed or diluted (see Table 6)? For any sample reanalysis or dilutions, is only one reportable result flagged?	Multiple samples were diluted to bring the concentration of target analytes within calibration range. Elevated reporting limits were provided for the following samples which may impact screening criteria: • MW-46-72C, MW-50-160D, EXB-11, MW-092022, MW-2B, MW-46-43C, and MW-5-40.
For TICs are there any system related compounds that should not be reported?	No.
Do field duplicate results show good precision for all compounds (see Table 7)?	Yes.

Summary of Findings

VOCs by 8260C

- Chloroform was U qualified in samples MW-13C, MW-32B, MW-3B, EB-091922, and EB-092022 due to a detection in the associated trip blank.
- cis-1,2-Dichloroethene was recovered below acceptance criteria in the MS and MSD for sample MW-50-160D due to high level in sample relative to spike amount. The associated sample results were J qualified as a result.
- Multiple analytes were recovered outside of the acceptance criteria of +/- 20 %D in multiple CCVs. The associated sample results which were non-detect were UJ qualified as estimated non-detect and results which were detected were J qualified as estimated. See Table 5B for a summary of associated sample results.
- Multiple samples were diluted due to high concentration of target analytes. Elevated reporting limits were provided for multiple analytes in samples MW-46-72C, MW-50-160D, EXB-11, MW-092022, MW-2B, MW-46-43C, and MW-5-40.

Table 2 - List of Positive Results for Blank Samples

Method	Sample Name	Sample Type	Analyte	Result	Qualifier	Units	MDL	PQL
8260D	EB-091922	EB	Carbon disulfide	0.49	J	ug/l	0.46	2
8260D	TRIP BLANK	TB	Chloroform	1.4		ug/l	0.50	1

Table 2A - List of Samples Qualified for Method Blank Contamination

None.

Table 2B - List of Samples Qualified for Field Blank Contamination

Method	Field Blank	Matrix	Analyte	Blank Result	Lab Qual	Sample Result	Sample Flag	MDL	PQL	Sample Name	Sample Qual
8260D	TRIP BLANK	WQ	Chloroform	1.4		2 2 0.52 0.63 0.8	 J J J	0.50	1	EB-091922 EB-092022 MW-13C MW-32B MW-3B	U Flag

Table 3 - List of Samples with Surrogates outside Control Limits

None.

Table 4A – List of MS/MSD Recoveries outside Control Limits

Method	Parent Sample	Sample Type	Analyte	Orig. Result	Spike Amount	Dil Fac	Unit	Low Limit	High Limit	MS	MSD	Qualifier
8260D	MW-46-72C	MS	Chloroethane	ND	5000	20	ug/l	48	152	182	124	None – High & ND
8260D	MW-46-72C	MS/MSD	Trichlorofluoromethane	ND	5000	20	ug/l	61	145	161	154	None – High & ND
8260D	EXB-11	MS/MSD	cis-1,2-Dichloroethene	1830	250	50	ug/l	52	140	-44	-44	None – 4X
8260D	EXB-10	MS	Chloroethane	ND	50	1	ug/l	48	152	188	138	None – High & ND
8260D	EXB-10	MS	Trichlorofluoromethane	ND	50	1	ug/l	61	145	183	174	None – High & ND

Table 4B – List of MS/MSD RPDs outside Control Limits

Method	Sample ID	Analyte	RPD	RPD Limit	Sample Flag
8260D	MW-46-72C	Chloroethane	38	17	UJ
8260D	EXB-10	Chloroethane	30	17	UJ
8260D	EXB-10	Freon 113	18	14	UJ

Table 5A - List of LCS Recoveries outside Control Limits

Method	Sample ID	Analyte	Rec.	Low Limit	High Limit	Associated Samples	Sample Qualifier
8260D	V2V3773-BS	Trichlorofluoromethane	173	67	134	EB-091922 EXB-10 EXB-9 MW-32B MW-5-25 MW-8B	None – High & ND
8260D	V2V3777-BS	Chloroethane	183	56	144	EB-092022 MW-092022 MW-092222 MW-18A MW-1B MW-22B MW-2B MW-36B MW-3B MW-46-43C MW-50-160D MW-5B MW-8-40 TRIP BLANK	None – High & ND
8260D	V2V3777-BS	Trichlorofluoromethane	163	67	134		
8260D	V2V3782-BS	Bromomethane	173	40	162	MW-17-40 MW-25A MW-26A	None – High & ND
8260D	V2V3782-BS	Chloroethane	199	56	144		

Table 5B – List of ICV/CCV Recoveries outside Control Limits

Method	Calibration ID	Matrix	Analyte	Associated Samples	%D Result	%D Limit	Sample Flag
8260D	V2A9581-CC9511	CCV	Acetone	MW-5-40	-28.1	20	UJ Flag
8260D	V2A9581-CC9511	CCV	2-Butanone		-21.2	20	
8260D	V1X8637-CC8636	CCV	Bromomethane	MW-16-100 MW-5-100	-23.0	20	UJ Flag
8260D	V2V3773-CC3747	CCV	Chloroethane	EB-091922 EXB-10	-35.8	20	UJ Flag

Table 5B – List of ICV/CCV Recoveries outside Control Limits

Method	Calibration ID	Matrix	Analyte	Associated Samples	%D Result	%D Limit	Sample Flag
8260D	V2V3773-CC3747	CCV	Trichlorofluoromethane	EXB-9 MW-32B MW-5-25 MW-8B	-73.6	20	
8260D	V2V3777-CC3747	CCV	Chloromethane	EB-092022 EB-092222-1 EB-092222-2 MW-092022 MW-18A MW-1B MW-22B MW-2B MW-36B MW-3B MW-46-43C MW-50-160D MW-5B MW-8-40 TRIP BLANK	20.4	20	UJ Flag
8260D	V2V3777-CC3747	CCV	Chloroethane		-24.6	20	
8260D	V2V3777-CC3747	CCV	Trichlorofluoromethane		-58.4	20	
8260D	V2V3782-CC3747	CCV	Vinyl chloride	MW-17-40 MW-25A MW-26A	-38.7	20	UJ Flag
8260D	V2V3782-CC3747	CCV	Bromomethane	MW-17-40 MW-25A MW-26A	-59.2	20	UJ Flag
8260D	V2V3782-CC3747	CCV	Chloroethane		-60.1	20	UJ Flag
8260D	VL10519-CC10355	CCV	Freon 113	EXB-11	-28.6	20	UJ Flag

Table 6 –Samples that were Re-analyzed/Diluted

Sample ID	Lab ID	Method	Sample Type	Action
MW-15C	JD52507-8	8260D	N	10X: Diluted due to bring the concentration of cis-1,2-dichloroethene within calibration range.
MW-3B	JD52507-30	8260D	N	200X: Diluted due to bring the concentration of cis-1,2-dichloroethene and trichloroethene within calibration range.

Table 6 –Samples that were Re-analyzed/Diluted

Sample ID	Lab ID	Method	Sample Type	Action
MW-46-72C	JD52507-10	8260D	N	100X: Diluted due to bring the concentration of cis-1,2-dichloroethene within calibration range.
MW-46-72C	JD52507-10	8260D	N	20X: Diluted due to bring the concentration of target analytes within calibration range. Elevated reporting limits have been provided for multiple analytes.
MW-5-40	JD52507-3	8260D	N	50X: Diluted due to bring the concentration of cis-1,2-dichloroethene and vinyl chloride within calibration range.
MW-5-40	JD52507-3	8260D	N	10X: Diluted due to bring the concentration of target analytes within calibration range. Elevated reporting limits have been provided for multiple analytes.
MW-5B	JD52507-31	8260D	N	20X: Diluted due to bring the concentration of cis-1,2-dichloroethene and trichloroethene within calibration range.
EXB-11	JD52507-37	8260D	N	50X: Diluted to bring the concentration of cis-1,2-dichloroethene within calibration range.
EXB-11	JD52507-37	8260D	N	5X: Diluted to bring the concentration of target analytes within calibration range. Elevated reporting limits have been provided for multiple analytes.
MW-092022	JD52507-13	8260D	N	100X: Diluted to bring the concentration of cis-1,2-dichloroethene within calibration range.
MW-092022	JD52507-13	8260D	N	10X: Diluted to bring the concentration of target analytes within calibration range. Elevated reporting limits have been provided for multiple analytes.
MW-13C	JD52507-18	8260D	N	10X: Diluted to bring the concentration of trichloroethene within calibration range.
MW-2B	JD52507-29	8260D	N	50X: Diluted to bring the concentration of target analytes within calibration range. Elevated reporting limits have been provided for multiple analytes.
MW-46-43C	JD52507-11	8260D	N	100X: Diluted to bring the concentration of target analytes within calibration range. Elevated reporting limits have been provided for multiple analytes.
MW-50-160D	JD52507-12	8260D	N	100X: Diluted to bring the concentration of cis-1,2-dichloroethene within calibration range.
MW-50-160D	JD52507-12	8260D	N	10X: Diluted to bring the concentration of trichloroethene within calibration range. Elevated reporting limits have been provided for multiple analytes.

Table 7A – Summary of Field Duplicate Results

Method	Analyte	Unit	Matrix	PQL	MW-3B	MW-1222A	RPD	RPD Rating	Sample Qual
SW8260	1,1-Dichloroethene	ug/l	WG	5	8.3	8.2	1.2%	Good	None
SW8260	cis-1,2-Dichloroethene	ug/l	WG	50	4990	4900	1.8%	Good	None
SW8260	trans-1,2-Dichloroethene	ug/l	WG	5	27.1	27.3	0.7%	Good	None

Data Usability Summary Report	Project: Former EPT Ithaca
Date Completed: April 13, 2023	Completed by: Devon Richards, Nick Archer

Table 7A – Summary of Field Duplicate Results

Method	Analyte	Unit	Matrix	PQL	MW-3B	MW-1222A	RPD	RPD Rating	Sample Qual
SW8260	Trichloroethene	ug/l	WG	50	1170	1190	1.7%	Good	None
SW8260	Vinyl chloride	ug/l	WG	5	133	140	5.1%	Good	None

Table 7B – Summary of Field Duplicate Results

Method	Analyte	Unit	Matrix	PQL	EXB-10	MW-121522	RPD	RPD Rating	Sample Qual
SW8260	Benzene	ug/l	WG	0.5	0.91	0.93	2.2%	Good	None
SW8260	cis-1,2-Dichloroethene	ug/l	WG	1	1.8	1.7	5.7%	Good	None
SW8260	Cyclohexane	ug/l	WG	5	1.8	1.8	0.0%	Good	None
SW8260	Methylcyclohexane	ug/l	WG	5	1.4	1.1	24.0%	Good	None
SW8260	Vinyl chloride	ug/l	WG	1	0.97	1.1	12.6%	Good	None

Table 7C – Summary of Field Duplicate Results

Method	Analyte	Unit	Matrix	PQL	MW-50-160D	MW-092022	RPD	RPD Rating	Sample Qual
SW8260	cis-1,2-Dichloroethene	ug/l	WG	100	3150	3200	1.6%	Good	None
SW8260	trans-1,2-Dichloroethene	ug/l	WG	10	17.1	16.8	1.8%	Good	None
SW8260	Trichloroethene	ug/l	WG	10	23	24	4.3%	Good	None
SW8260	Vinyl chloride	ug/l	WG	10	1120	1080	3.6%	Good	None

Table 7D – Summary of Field Duplicate Results

Method	Analyte	Unit	Matrix	PQL	MW-50-160D	MW-092222	RPD	RPD Rating	Sample Qual
SW8260	cis-1,2-Dichloroethene	ug/l	WG	1	1.7	1.7	0.0%	Good	None
SW8260	Trichloroethene	ug/l	WG	1	2.5	2.7	7.7%	Good	None

Acronym List and Table Key:

CCV	=	continuing calibration verification
COC	=	chain of custody
DUSR	=	data usability summary report
EPA	=	Environmental Protection Agency
FD	=	field duplicate
GC/MS	=	gas chromatography / mass spectrometry
ICV	=	initial calibration verification
LCS	=	laboratory control sample
MB	=	method blank
MDL	=	method detection limit
µg/L	=	micrograms per liter
MS	=	matrix spike
MSD	=	matrix spike duplicate
N	=	normal (field) sample
NC	=	not calculated
ND	=	not detected
PQL	=	practical quantitation limit
QA	=	quality assurance
QAPP	=	quality assurance project plan
QC	=	quality control
EB	=	equipment rinse blank
RPD	=	relative percent difference
RL	=	reporting limit
SDG	=	sample delivery group
TB	=	trip blank
TRG	=	target compound
%D	=	percent difference
%RSD	=	percent relative standard deviation

#data_provider	sys_sample_code	sample_name	sample_matrix_code	sample_type_code	sample_source	parent_sample_code	sample_delivery_group	sample_date	sys_loc_code	start_depth	end_depth	depth_unit	chain_of_custody	sent_to_lab_date	sample_receipt_date
WSP	EB-091922-ACTD-JD52507AQ	EB-091922	WH	EB	FIELD		JD52507	09/19/2022 16:30:00						09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	EB-092022-ACTD-JD52507AQ	EB-092022	WH	EB	FIELD		JD52507	09/20/2022 16:50:00						09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	EB-092222-1-ACTD-JD52507AQ	EB-092222-1	WH	EB	FIELD		JD52507	09/22/2022 08:35:00						09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	EB-092222-2-ACTD-JD52507AQ	EB-092222-2	WH	EB	FIELD		JD52507	2022/9/22 13:10:00						09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	EXB-10-ACTD-JD52507AQ	EXB-10	WG	N	FIELD		JD52507	09/20/2022 10:50:00	EXB-10					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	EXB-11-ACTD-JD52507AQ	EXB-11	WG	N	FIELD		JD52507	09/21/2022 10:45:00	EXB-11					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	EXB-9-ACTD-JD52507AQ	EXB-9	WG	N	FIELD		JD52507	09/19/2022 14:00:00	EXB-9					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	MW-092022-ACTD-JD52507AQ	MW-092022	WG	FD	FIELD	MW-50-160D	JD52507	09/20/2022 17:00:00	MW-50-160D					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	MW-092222-ACTD-JD52507AQ	MW-092222	WG	FD	FIELD	MW-1B	JD52507	09/22/2022 08:00:00	MW-1B					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	MW-12C-ACTD-JD52507AQ	MW-12C	WG	N	FIELD		JD52507	09/21/2022 09:50:00	MW-12C					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	MW-13C-ACTD-JD52507AQ	MW-13C	WG	N	FIELD		JD52507	09/21/2022 10:00:00	MW-13C					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	MW-15C-ACTD-JD52507AQ	MW-15C	WG	N	FIELD		JD52507	09/20/2022 14:40:00	MW-15C					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	MW-16-100-ACTD-JD52507AQ	MW-16-100	WG	N	FIELD		JD52507	09/21/2022 17:25:00	MW-16-100					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	MW-17-40-ACTD-JD52507AQ	MW-17-40	WG	N	FIELD		JD52507	09/22/2022 11:15:00	MW-17-40					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	MW-18A-ACTD-JD52507AQ	MW-18A	WG	N	FIELD		JD52507	09/22/2022 10:10:00	MW-18A					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	MW-1B-ACTD-JD52507AQ	MW-1B	WG	N	FIELD		JD52507	09/22/2022 10:45:00	MW-1B					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	MW-20B-ACTD-JD52507AQ	MW-20B	WG	N	FIELD		JD52507	09/21/2022 09:20:00	MW-20B					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	MW-22B-ACTD-JD52507AQ	MW-22B	WG	N	FIELD		JD52507	09/22/2022 10:30:00	MW-22B					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	MW-25A-ACTD-JD52507AQ	MW-25A	WG	N	FIELD		JD52507	09/22/2022 14:20:00	MW-25A					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	MW-26A-ACTD-JD52507AQ	MW-26A	WG	N	FIELD		JD52507	09/22/2022 14:10:00	MW-26A					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	MW-2B-ACTD-JD52507AQ	MW-2B	WG	N	FIELD		JD52507	09/22/2022 11:00:00	MW-2B					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	MW-32B-ACTD-JD52507AQ	MW-32B	WG	N	FIELD		JD52507	09/20/2022 13:50:00	MW-32B					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	MW-36B-ACTD-JD52507AQ	MW-36B	WG	N	FIELD		JD52507	09/20/2022 14:45:00	MW-36B					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	MW-3B-ACTD-JD52507AQ	MW-3B	WG	N	FIELD		JD52507	09/22/2022 11:10:00	MW-3B					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	MW-46-43C-ACTD-JD52507AQ	MW-46-43C	WG	N	FIELD		JD52507	09/20/2022 15:05:00	MW-46-43C					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	MW-46-72C-ACTD-JD52507AQ	MW-46-72C	WG	N	FIELD		JD52507	09/20/2022 14:55:00	MW-46-72C					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	MW-4B-ACTD-JD52507AQ	MW-4B	WG	N	FIELD		JD52507	09/21/2022 10:40:00	MW-4B					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	MW-5-100-ACTD-JD52507AQ	MW-5-100	WG	N	FIELD		JD52507	09/21/2022 10:05:00	MW-5-100					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	MW-5-25-ACTD-JD52507AQ	MW-5-25	WG	N	FIELD		JD52507	09/20/2022 10:35:00	MW-5-25					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	MW-5-40-ACTD-JD52507AQ	MW-5-40	WG	N	FIELD		JD52507	09/20/2022 10:30:00	MW-5-40					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	MW-50-160D-ACTD-JD52507AQ	MW-50-160D	WG	N	FIELD		JD52507	09/20/2022 16:00:00	MW-50-160D					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	MW-5B-ACTD-JD52507AQ	MW-5B	WG	N	FIELD		JD52507	09/22/2022 11:20:00	MW-5B					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	MW-7-40-ACTD-JD52507AQ	MW-7-40	WG	N	FIELD		JD52507	09/21/2022 14:35:00	MW-7-40					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	MW-7B-ACTD-JD52507AQ	MW-7B	WG	N	FIELD		JD52507	09/21/2022 09:40:00	MW-7B					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	MW-8-40-ACTD-JD52507AQ	MW-8-40	WG	N	FIELD		JD52507	09/22/2022 10:20:00	MW-8-40					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	MW-8B-ACTD-JD52507AQ	MW-8B	WG	N	FIELD		JD52507	09/20/2022 10:40:00	MW-8B					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	TRIP BLANK-ACTD-JD52507AQ	TRIP BLANK	WG	TB	FIELD		JD52507	09/22/2022 14:20:00						09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	JD52507-10MS-ACTD-JD52507A	MW-46-72C	WQ	MS	LAB	MW-46-72C-ACTD-JD52	JD52507	09/20/2022 14:55:00	MW-46-72C					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	JD52507-37MS-ACTD-JD52507A	EXB-11	WQ	MS	LAB	EXB-11-ACTD-JD52507A	JD52507	09/21/2022 10:45:00	EXB-11					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	JD52507-6MS-ACTD-JD52507AQ	EXB-10	WQ	MS	LAB	EXB-10-ACTD-JD52507A	JD52507	09/20/2022 10:50:00	EXB-10					09/24/2022 00:00:00	09/24/2022 00:00:00
WSP	V1A9698-BS-ACTD-JD52507AQ	V1A9698-BS	WQ	LCS	LAB		JD52507	09/27/2022 10:32:00							
WSP	V1A9698-MB-ACTD-JD52507AQ	V1A9698-MB	WQ	LB	LAB		JD52507	09/27/2022 11:28:00							
WSP	V1A9705-BS-ACTD-JD52507AQ	V1A9705-BS	WQ	LCS	LAB		JD52507	09/30/2022 11:38:00							
WSP	V1A9705-MB-ACTD-JD52507AQ	V1A9705-MB	WQ	LB	LAB		JD52507	09/30/2022 12:29:00							
WSP	V1X8637-BS-ACTD-JD52507AQ	V1X8637-BS	WQ	LCS	LAB		JD52507	09/29/2022 10:34:00							
WSP	V1X8637-MB-ACTD-JD52507AQ	V1X8637-MB	WQ	LB	LAB		JD52507	09/29/2022 11:20:00							
WSP	V2A9581-BS-ACTD-JD52507AQ	V2A9581-BS	WQ	LCS	LAB		JD52507	09/29/2022 10:19:00							
WSP	V2A9581-MB-ACTD-JD52507AQ	V2A9581-MB	WQ	LB	LAB		JD52507	09/29/2022 11:16:00							
WSP	V2A9583-BS-ACTD-JD52507AQ	V2A9583-BS	WQ	LCS	LAB		JD52507	09/30/2022 10:21:00							
WSP	V2A9583-MB-ACTD-JD52507AQ	V2A9583-MB	WQ	LB	LAB		JD52507	09/30/2022 11:18:00							
WSP	V2V3773-BS-ACTD-JD52507AQ	V2V3773-BS	WQ	LCS	LAB		JD52507	09/27/2022 21:47:00							
WSP	V2V3773-MB-ACTD-JD52507AQ	V2V3773-MB	WQ	LB	LAB		JD52507	09/27/2022 22:33:00							
WSP	V2V3777-BS-ACTD-JD52507AQ	V2V3777-BS	WQ	LCS	LAB		JD52507	09/29/2022 22:25:00							
WSP	V2V3777-MB-ACTD-JD52507AQ	V2V3777-MB	WQ	LB	LAB		JD52507	09/29/2022 23:11:00							
WSP	V2V3782-BS-ACTD-JD52507AQ	V2V3782-BS	WQ	LCS	LAB		JD52507	10/03/2022 12:18:00							
WSP	V2V3782-MB-ACTD-JD52507AQ	V2V3782-MB	WQ	LB	LAB		JD52507	10/03/2022 13:04:00							
WSP	VL10519-BS-ACTD-JD52507AQ	VL10519-BS	WQ	LCS	LAB		JD52507	10/04/2022 11:19:00							
WSP	VL10519-MB-ACTD-JD52507AQ	VL10519-MB	WQ	LB	LAB		JD52507	10/04/2022 12:29:00							

sampler	sampling_company_code	sampling_reason	sampling_technique	task_code	collection_quarter	composite_yn	composite_desc	sample_class	custom_field_1	custom_field_2	custom_field_3	comment
	WSP USA En					N						EB-091922
	WSP USA En					N						EB-092022
	WSP USA En					N						EB-092222
	WSP USA En					N						EB-092222
	WSP USA En					N						EXB-10
	WSP USA En					N						EXB-11
	WSP USA En					N						EXB-9
	WSP USA En					N						MW-092022
	WSP USA En					N						MW-092222
	WSP USA En					N						MW-12C
	WSP USA En					N						MW-13C
	WSP USA En					N						MW-15C
	WSP USA En					N						MW-16-100
	WSP USA En					N						MW-17-40
	WSP USA En					N						MW-18A
	WSP USA En					N						MW-1B
	WSP USA En					N						MW-20B
	WSP USA En					N						MW-22B
	WSP USA En					N						MW-25A
	WSP USA En					N						MW-26A
	WSP USA En					N						MW-2B
	WSP USA En					N						MW-32B
	WSP USA En					N						MW-36B
	WSP USA En					N						MW-3B
	WSP USA En					N						MW-46-43C
	WSP USA En					N						MW-46-72C
	WSP USA En					N						MW-4B
	WSP USA En					N						MW-5-100
	WSP USA En					N						MW-5-25
	WSP USA En					N						MW-5-40
	WSP USA En					N						MW-50-160D
	WSP USA En					N						MW-5B
	WSP USA En					N						MW-7-40
	WSP USA En					N						MW-7B
	WSP USA En					N						MW-8-40
	WSP USA En					N						MW-8B
	WSP USA En					N						TRIP BLANK
	WSP USA En					N						MW-46-72C
	WSP USA En					N						EXB-11
	WSP USA En					N						EXB-10
	WSP USA En					N						
	WSP USA En					N						
	WSP USA En					N					

#sys_sample_code	lab_anl_meth	analysis_date	test_type	dilution_factor	lab_sample_id	cas_rn	chemical_name	result_value	result_error_	result_typ	reportable_	detect_flag	lab_qualifie
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	100-41-4	Ethylbenzene			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	100-42-5	Styrene			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	10061-01-	cis-1,3-Dichloropropene			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	10061-02-	trans-1,3-Dichloropropene			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	106-46-7	1,4-Dichlorobenzene			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	106-93-4	1,2-Dibromoethane			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	107-06-2	1,2-Dichloroethane			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	108-10-1	4-Methyl-2-pentanone(MIBK)			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	108-87-2	Methylcyclohexane			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	108-88-3	Toluene			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	108-90-7	Chlorobenzene			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	110-82-7	Cyclohexane			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	120-82-1	1,2,4-Trichlorobenzene			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	124-48-1	Dibromochloromethane			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	127-18-4	Tetrachloroethene			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	1330-20-7	Xylene (total)			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	156-59-2	cis-1,2-Dichloroethene			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	156-60-5	trans-1,2-Dichloroethene			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	1634-04-4	Methyl Tert Butyl Ether			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	17060-07-	1,2-Dichloroethane-D4	48		SUR	Yes	Y	
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	1868-53-7	Dibromofluoromethane	50.3		SUR	Yes	Y	
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	2037-26-5	Toluene-D8	51.2		SUR	Yes	Y	
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	460-00-4	4-Bromofluorobenzene	45.9		SUR	Yes	Y	
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	541-73-1	1,3-Dichlorobenzene			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	56-23-5	Carbon tetrachloride			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	591-78-6	2-Hexanone			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	67-64-1	Acetone			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	67-66-3	Chloroform			TRG	Yes	N	
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	71-43-2	Benzene			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	71-55-6	1,1,1-Trichloroethane			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	74-83-9	Bromomethane			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	74-87-3	Chloromethane			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	75-00-3	Chloroethane			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	75-01-4	Vinyl chloride			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	75-09-2	Methylene chloride			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	75-15-0	Carbon disulfide	0.49		TRG	Yes	Y	J
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	75-25-2	Bromoform			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	75-27-4	Bromodichloromethane			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	75-34-3	1,1-Dichloroethane			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	75-35-4	1,1-Dichloroethene			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	75-69-4	Trichlorofluoromethane			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	75-71-8	Dichlorodifluoromethane			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	76-13-1	Freon 113			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	78-87-5	1,2-Dichloropropane			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	78-93-3	2-Butanone (MEK)			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	79-00-5	1,1,2-Trichloroethane			TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	79-01-6	Trichloroethene			TRG	Yes	N	U

validator_qua	interpreted	validated	method_dete	reporting_d	quantitatio	result_unit	detectic	tic_retention_time	minimum_detectable_conc	counting_error	uncertainty	critical_value	validation_level	result_comment
U	U	Y	0.60	1	1	ug/l	ug/l						DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l						DUSR	ND
U	U	Y	0.47	1	1	ug/l	ug/l						DUSR	ND
U	U	Y	0.43	1	1	ug/l	ug/l						DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l						DUSR	ND
U	U	Y	0.48	1	1	ug/l	ug/l						DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l						DUSR	ND
U	U	Y	1.9	5	5	ug/l	ug/l						DUSR	ND
U	U	Y	0.60	5	5	ug/l	ug/l						DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l						DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l						DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l						DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l						DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l						DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l						DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l						DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l						DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l						DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l						DUSR	ND
		Y	0	0	0	%	%						DUSR	
		Y	0	0	0	%	%						DUSR	
		Y	0	0	0	%	%						DUSR	
		Y	0	0	0	%	%						DUSR	
U	U	Y	0.54	1	1	ug/l	ug/l						DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l						DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l						DUSR	ND
U	U	Y	3.1	10	10	ug/l	ug/l						DUSR	ND
U	U	Y	0.50	2	1	ug/l	ug/l						DUSR	
U	U	Y	0.43	0.5	0.5	ug/l	ug/l						DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l						DUSR	ND
U	U	Y	1.6	2	2	ug/l	ug/l						DUSR	ND
U	U	Y	0.76	1	1	ug/l	ug/l						DUSR	ND
UJ	UJ	Y	0.73	1	1	ug/l	ug/l						DUSR	ND, Associated CCV
U	U	Y	0.52	1	1	ug/l	ug/l						DUSR	ND
U	U	Y	1.0	2	2	ug/l	ug/l						DUSR	ND
J	J	Y	0.46	2	2	ug/l	ug/l						DUSR	
U	U	Y	0.63	1	1	ug/l	ug/l						DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l						DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l						DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l						DUSR	ND
UJ	UJ	Y	0.40	2	2	ug/l	ug/l						DUSR	ND, Associated CCV
U	U	Y	0.56	2	2	ug/l	ug/l						DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l						DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l						DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l						DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l						DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l						DUSR	ND

qc_original_conc	qc_spike_added	qc_spike_measured	qc_spike_recovery	qc_dup_original_conc	qc_dup_spike_added	qc_dup_spike_measured	qc_dup_spike_recovery	qc_rpd	qc_spike_lcl	qc_spike_ucl	qc_rpd_cl
0	50	48	96						80	120	
0	49.8	50.3	101						80	120	
0	50.2	51.2	102						80	120	
0	49.9	45.9	92						82	114	

/ outside of control limits high, sample was ND.

/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

qc_spike_status	qc_dup_spike_status	qc_rpd_status	lab_sdg
			JD52507
			JD52507
			JD52507

EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	79-20-9	Methyl Acetate		TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:3(	INITIAL	1	JD52507-2	98-82-8	Isopropylbenzene		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	100-41-4	Ethylbenzene		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	100-42-5	Styrene		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	108-87-2	Methylcyclohexane		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	108-88-3	Toluene		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	108-90-7	Chlorobenzene		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	110-82-7	Cyclohexane		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	124-48-1	Dibromochloromethane		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	127-18-4	Tetrachloroethene		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	1330-20-7	Xylene (total)		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	156-59-2	cis-1,2-Dichloroethene		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	156-60-5	trans-1,2-Dichloroethene		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	17060-07-	1,2-Dichloroethane-D4	48.4	SUR	Yes	Y	
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	1868-53-7	Dibromofluoromethane	50.6	SUR	Yes	Y	
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	2037-26-5	Toluene-D8	50.7	SUR	Yes	Y	
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	460-00-4	4-Bromofluorobenzene	46.7	SUR	Yes	Y	
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	591-78-6	2-Hexanone		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	67-64-1	Acetone		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	67-66-3	Chloroform		TRG	Yes	N	
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	71-43-2	Benzene		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	74-83-9	Bromomethane		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	74-87-3	Chloromethane		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	75-00-3	Chloroethane		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	75-01-4	Vinyl chloride		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	75-09-2	Methylene chloride		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	75-15-0	Carbon disulfide		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	75-25-2	Bromoform		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	75-27-4	Bromodichloromethane		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0(	INITIAL	1	JD52507-14	76-13-1	Freon 113		TRG	Yes	N	U

U	U	Y	0.80	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.47	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.48	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.9	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	3.1	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	2	1	ug/l	ug/l	DUSR	
U	U	Y	0.43	0.5	0.5	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	1.6	2	2	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.76	1	1	ug/l	ug/l	DUSR	ND, Associated CCV
UJ	UJ	Y	0.73	1	1	ug/l	ug/l	DUSR	ND, Associated CCV
U	U	Y	0.52	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.0	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.63	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.40	2	2	ug/l	ug/l	DUSR	ND, Associated CCV
U	U	Y	0.56	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l	DUSR	ND

| | | |

JD52507
JD52507
JD52507

EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0€	INITIAL	1	JD52507-14	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0€	INITIAL	1	JD52507-14	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0€	INITIAL	1	JD52507-14	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0€	INITIAL	1	JD52507-14	79-01-6	Trichloroethene		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0€	INITIAL	1	JD52507-14	79-20-9	Methyl Acetate		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0€	INITIAL	1	JD52507-14	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0€	INITIAL	1	JD52507-14	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0€	INITIAL	1	JD52507-14	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:0€	INITIAL	1	JD52507-14	98-82-8	Isopropylbenzene		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	100-41-4	Ethylbenzene		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	100-42-5	Styrene		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	108-87-2	Methylcyclohexane		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	108-88-3	Toluene		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	108-90-7	Chlorobenzene		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	110-82-7	Cyclohexane		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	124-48-1	Dibromochloromethane		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	127-18-4	Tetrachloroethene		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	1330-20-7	Xylene (total)		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	156-59-2	cis-1,2-Dichloroethene		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	156-60-5	trans-1,2-Dichloroethene		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	17060-07-	1,2-Dichloroethane-D4	48.2	SUR	Yes	Y	
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	1868-53-7	Dibromofluoromethane	49.9	SUR	Yes	Y	
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	2037-26-5	Toluene-D8	50.9	SUR	Yes	Y	
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	460-00-4	4-Bromofluorobenzene	46.4	SUR	Yes	Y	
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	591-78-6	2-Hexanone		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	67-64-1	Acetone		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	67-66-3	Chloroform		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	71-43-2	Benzene		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	74-83-9	Bromomethane		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	74-87-3	Chloromethane		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	75-00-3	Chloroethane		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	75-01-4	Vinyl chloride		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	75-09-2	Methylene chloride		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	75-15-0	Carbon disulfide		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	75-25-2	Bromoform		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	75-27-4	Bromodichloromethane		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U

U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.47	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.43	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.48	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	1.9	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.60	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
U	U	Y	0.54	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	3.1	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l		DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l		DUSR	ND
UJ	UJ	Y	1.6	2	2	ug/l	ug/l		DUSR	ND
UJ	UJ	Y	0.76	1	1	ug/l	ug/l		DUSR	ND, Associated CCV
UJ	UJ	Y	0.73	1	1	ug/l	ug/l		DUSR	ND, Associated CCV
U	U	Y	0.52	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	1.0	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.63	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l		DUSR	ND

0	50.2	48.2	96		80	120
0	49.9	49.9	100		80	120
0	49.9	50.9	102		80	120
0	49.9	46.4	93		82	114

/ outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

JD52507
JD52507
JD52507

EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	76-13-1	Freon 113		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	79-01-6	Trichloroethene		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	79-20-9	Methyl Acetate		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31	INITIAL	1	JD52507-23	98-82-8	Isopropylbenzene		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	100-41-4	Ethylbenzene		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	100-42-5	Styrene		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	108-87-2	Methylcyclohexane		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	108-88-3	Toluene		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	108-90-7	Chlorobenzene		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	110-82-7	Cyclohexane		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	124-48-1	Dibromochloromethane		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	127-18-4	Tetrachloroethene		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	1330-20-7	Xylene (total)		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	156-59-2	cis-1,2-Dichloroethene		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	156-60-5	trans-1,2-Dichloroethene		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	17060-07-	1,2-Dichloroethane-D4	46.4	SUR	Yes	Y	
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	1868-53-7	Dibromofluoromethane	49.6	SUR	Yes	Y	
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	2037-26-5	Toluene-D8	50.8	SUR	Yes	Y	
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	460-00-4	4-Bromofluorobenzene	46.4	SUR	Yes	Y	
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	591-78-6	2-Hexanone		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	67-64-1	Acetone		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	67-66-3	Chloroform		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	71-43-2	Benzene		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	74-83-9	Bromomethane		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	74-87-3	Chloromethane		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	75-00-3	Chloroethane		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	75-01-4	Vinyl chloride		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	75-09-2	Methylene chloride		TRG	Yes	N	U

U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.40	2	2	ug/l	ug/l	DUSR	ND, Associated CCV
U	U	Y	0.56	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.47	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.48	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.9	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	3.1	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	1.6	2	2	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.76	1	1	ug/l	ug/l	DUSR	ND, Associated CCV
UJ	UJ	Y	0.73	1	1	ug/l	ug/l	DUSR	ND, Associated CCV
U	U	Y	0.52	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.0	2	2	ug/l	ug/l	DUSR	ND

/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

0	49.8	46.4	93	80	120
0	50.1	49.6	99	80	120
0	49.8	50.8	102	80	120
0	49.9	46.4	93	82	114

/ outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

JD52507
JD52507
JD52507

EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	75-15-0	Carbon disulfide		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	75-25-2	Bromoform		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	75-27-4	Bromodichloromethane		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	76-13-1	Freon 113		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	79-01-6	Trichloroethene		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	79-20-9	Methyl Acetate		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
EB-092222-ACTD-JD52507AQ	SW8260	09/30/2022 01:54	reanalysis	1	JD52507-33	98-82-8	Isopropylbenzene		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	100-41-4	Ethylbenzene		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	100-42-5	Styrene		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	108-87-2	Methylcyclohexane	0.96	TRG	Yes	Y	J
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	108-88-3	Toluene		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	108-90-7	Chlorobenzene		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	110-82-7	Cyclohexane	1.2	TRG	Yes	Y	J
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	124-48-1	Dibromochloromethane		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	127-18-4	Tetrachloroethene		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	1330-20-7	Xylene (total)		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	156-59-2	cis-1,2-Dichloroethene	2.8	TRG	Yes	Y	
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	156-60-5	trans-1,2-Dichloroethene		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	17060-07-	1,2-Dichloroethane-D4	45.6	SUR	Yes	Y	
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	1868-53-7	Dibromofluoromethane	49.2	SUR	Yes	Y	
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	2037-26-5	Toluene-D8	51.4	SUR	Yes	Y	
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	460-00-4	4-Bromofluorobenzene	47.1	SUR	Yes	Y	
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	591-78-6	2-Hexanone		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	67-64-1	Acetone		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	67-66-3	Chloroform		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	71-43-2	Benzene	0.67	TRG	Yes	Y	
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	74-83-9	Bromomethane		TRG	Yes	N	U

U	U	Y	0.46	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.63	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.40	2	2	ug/l	ug/l	DUSR	ND, Associated CCV
U	U	Y	0.56	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.47	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.48	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.9	5	5	ug/l	ug/l	DUSR	ND
J	J	Y	0.60	5	5	ug/l	ug/l	DUSR	
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
J	J	Y	0.78	5	5	ug/l	ug/l	DUSR	
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
		Y	0.51	1	1	ug/l	ug/l	DUSR	
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	3.1	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
		Y	0.43	0.5	0.5	ug/l	ug/l	DUSR	
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.6	2	2	ug/l	ug/l	DUSR	ND

/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

0	50.1	45.6	91	80	120
0	50.2	49.2	98	80	120
0	49.9	51.4	103	80	120
0	50.1	47.1	94	82	114

JD52507
JD52507
JD52507

EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	74-87-3	Chloromethane		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	75-00-3	Chloroethane		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	75-01-4	Vinyl chloride		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	75-09-2	Methylene chloride		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	75-15-0	Carbon disulfide		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	75-25-2	Bromoform		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	75-27-4	Bromodichloromethane		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	76-13-1	Freon 113		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	79-01-6	Trichloroethene		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	79-20-9	Methyl Acetate		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57	INITIAL	1	JD52507-6	98-82-8	Isopropylbenzene		TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:25	DILUTION1	50	JD52507-37	156-59-2	cis-1,2-Dichloroethene	1830	TRG	Yes	Y	
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:25	DILUTION1	50	JD52507-37	17060-07-	1,2-Dichloroethane-D4	2280	SUR	No	Y	
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:25	DILUTION1	50	JD52507-37	1868-53-7	Dibromofluoromethane	2320	SUR	No	Y	
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:25	DILUTION1	50	JD52507-37	2037-26-5	Toluene-D8	2460	SUR	No	Y	
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:25	DILUTION1	50	JD52507-37	460-00-4	4-Bromofluorobenzene	2260	SUR	No	Y	
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	100-41-4	Ethylbenzene		TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	100-42-5	Styrene		TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	108-87-2	Methylcyclohexane		TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	108-88-3	Toluene		TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	108-90-7	Chlorobenzene		TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	110-82-7	Cyclohexane		TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	124-48-1	Dibromochloromethane		TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	127-18-4	Tetrachloroethene		TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	1330-20-7	Xylene (total)		TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	156-60-5	trans-1,2-Dichloroethene	33.6	TRG	Yes	Y	
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	17060-07-	1,2-Dichloroethane-D4	230	SUR	Yes	Y	
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	1868-53-7	Dibromofluoromethane	237	SUR	Yes	Y	
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	2037-26-5	Toluene-D8	243	SUR	Yes	Y	
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	460-00-4	4-Bromofluorobenzene	227	SUR	Yes	Y	

U	U	Y	0.76	1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.73	1	1	ug/l	ug/l	DUSR	ND, Associated CCV
U	U	Y	0.52	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.0	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.63	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.40	2	2	ug/l	ug/l	DUSR	ND, Associated CCV
U	U	Y	0.56	2	2	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.58	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
J	J	Y	25	50	50	ug/l	ug/l	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
U	U	Y	3.0	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	2.4	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	2.4	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	2.2	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	2.5	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	2.4	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	3.0	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	9.3	25	25	ug/l	ug/l	DUSR	ND
U	U	Y	3.0	25	25	ug/l	ug/l	DUSR	ND
U	U	Y	2.5	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	2.8	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	3.9	25	25	ug/l	ug/l	DUSR	ND
U	U	Y	2.5	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	2.8	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	2.8	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	3.0	5	5	ug/l	ug/l	DUSR	ND
		Y	2.7	5	5	ug/l	ug/l	DUSR	
U	U	Y	2.5	5	5	ug/l	ug/l	DUSR	ND
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	

/ outside of control limits high, sample was ND.

/ outside of control limits high, sample was ND.

0	2510	2280	91	80	120
0	2500	2320	93	80	120
0	2510	2460	98	80	120
0	2490	2260	91	82	114

0	250	230	92	80	120
0	250	237	95	80	120
0	251	243	97	80	120
0	249	227	91	82	114

JD52507
JD52507
JD52507

EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	541-73-1	1,3-Dichlorobenzene			TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	56-23-5	Carbon tetrachloride			TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	591-78-6	2-Hexanone			TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	67-64-1	Acetone			TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	67-66-3	Chloroform			TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	71-43-2	Benzene			TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	71-55-6	1,1,1-Trichloroethane			TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	74-83-9	Bromomethane			TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	74-87-3	Chloromethane			TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	75-00-3	Chloroethane			TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	75-01-4	Vinyl chloride	13.8		TRG	Yes	Y	
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	75-09-2	Methylene chloride			TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	75-15-0	Carbon disulfide			TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	75-25-2	Bromoform			TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	75-27-4	Bromodichloromethane			TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	75-34-3	1,1-Dichloroethane			TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	75-35-4	1,1-Dichloroethene			TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	75-69-4	Trichlorofluoromethane			TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	75-71-8	Dichlorodifluoromethane			TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	76-13-1	Freon 113			TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	78-87-5	1,2-Dichloropropane			TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	78-93-3	2-Butanone (MEK)			TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	79-00-5	1,1,2-Trichloroethane			TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	79-01-6	Trichloroethene	400		TRG	Yes	Y	
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	79-20-9	Methyl Acetate			TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	79-34-5	1,1,2,2-Tetrachloroethane			TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	95-50-1	1,2-Dichlorobenzene			TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	96-12-8	1,2-Dibromo-3-chloropropane			TRG	Yes	N	U
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48	INITIAL	5	JD52507-37	98-82-8	Isopropylbenzene			TRG	Yes	N	U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	100-41-4	Ethylbenzene			TRG	Yes	N	U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	100-42-5	Styrene			TRG	Yes	N	U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	10061-01-	cis-1,3-Dichloropropene			TRG	Yes	N	U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	10061-02-	trans-1,3-Dichloropropene			TRG	Yes	N	U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	106-46-7	1,4-Dichlorobenzene			TRG	Yes	N	U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	106-93-4	1,2-Dibromoethane			TRG	Yes	N	U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	107-06-2	1,2-Dichloroethane			TRG	Yes	N	U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	108-10-1	4-Methyl-2-pentanone(MIBK)			TRG	Yes	N	U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	108-87-2	Methylcyclohexane			TRG	Yes	N	U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	108-88-3	Toluene			TRG	Yes	N	U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	108-90-7	Chlorobenzene			TRG	Yes	N	U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	110-82-7	Cyclohexane			TRG	Yes	N	U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	120-82-1	1,2,4-Trichlorobenzene			TRG	Yes	N	U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	124-48-1	Dibromochloromethane			TRG	Yes	N	U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	127-18-4	Tetrachloroethene			TRG	Yes	N	U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	1330-20-7	Xylene (total)			TRG	Yes	N	U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	156-59-2	cis-1,2-Dichloroethene			TRG	Yes	N	U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	156-60-5	trans-1,2-Dichloroethene			TRG	Yes	N	U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	1634-04-4	Methyl Tert Butyl Ether			TRG	Yes	N	U

U	U	Y	2.7	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	2.8	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	10	25	25	ug/l	ug/l	DUSR	ND
U	U	Y	15	50	50	ug/l	ug/l	DUSR	ND
U	U	Y	2.5	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	2.1	2.5	2.5	ug/l	ug/l	DUSR	ND
U	U	Y	2.7	5	5	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	8.2	10	10	ug/l	ug/l	DUSR	ND, Associated CCV
U	U	Y	3.8	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	3.6	5	5	ug/l	ug/l	DUSR	ND
		Y	2.6	5	5	ug/l	ug/l	DUSR	
U	U	Y	5.0	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	2.3	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	3.2	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	2.3	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	2.8	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	3.0	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	2.0	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	2.8	10	10	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	2.9	25	25	ug/l	ug/l	DUSR	ND, Associated CCV
U	U	Y	2.5	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	14	50	50	ug/l	ug/l	DUSR	ND
U	U	Y	2.7	5	5	ug/l	ug/l	DUSR	ND
		Y	2.6	5	5	ug/l	ug/l	DUSR	
U	U	Y	4.0	25	25	ug/l	ug/l	DUSR	ND
U	U	Y	3.3	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	2.7	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	2.6	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	3.2	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.47	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.48	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.9	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND

/ outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

/ outside of control limits high, sample was ND.

JD52507
JD52507
JD52507

EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	17060-07-	1,2-Dichloroethane-D4	47.4	SUR	Yes	Y		
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	1868-53-7	Dibromofluoromethane	50.1	SUR	Yes	Y		
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	2037-26-5	Toluene-D8	50.8	SUR	Yes	Y		
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	460-00-4	4-Bromofluorobenzene	48.1	SUR	Yes	Y		
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N		U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	56-23-5	Carbon tetrachloride		TRG	Yes	N		U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	591-78-6	2-Hexanone		TRG	Yes	N		U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	67-64-1	Acetone		TRG	Yes	N		U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	67-66-3	Chloroform		TRG	Yes	N		U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	71-43-2	Benzene		TRG	Yes	N		U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N		U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	74-83-9	Bromomethane		TRG	Yes	N		U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	74-87-3	Chloromethane		TRG	Yes	N		U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	75-00-3	Chloroethane		TRG	Yes	N		U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	75-01-4	Vinyl chloride		TRG	Yes	N		U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	75-09-2	Methylene chloride		TRG	Yes	N		U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	75-15-0	Carbon disulfide		TRG	Yes	N		U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	75-25-2	Bromoform		TRG	Yes	N		U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	75-27-4	Bromodichloromethane		TRG	Yes	N		U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	75-34-3	1,1-Dichloroethane		TRG	Yes	N		U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	75-35-4	1,1-Dichloroethene		TRG	Yes	N		U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	75-69-4	Trichlorofluoromethane		TRG	Yes	N		U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	75-71-8	Dichlorodifluoromethane		TRG	Yes	N		U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	76-13-1	Freon 113		TRG	Yes	N		U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	78-87-5	1,2-Dichloropropane		TRG	Yes	N		U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	78-93-3	2-Butanone (MEK)		TRG	Yes	N		U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N		U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	79-01-6	Trichloroethene		TRG	Yes	N		U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	79-20-9	Methyl Acetate		TRG	Yes	N		U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N		U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N		U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N		U
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16	INITIAL	1	JD52507-1	98-82-8	Isopropylbenzene		TRG	Yes	N		U
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:58	INITIAL	100	JD52507-10MS	100-41-4	Ethylbenzene	4930	SC	Yes	Y		
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:58	INITIAL	100	JD52507-10MS	100-42-5	Styrene	4930	SC	Yes	Y		
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:58	INITIAL	100	JD52507-10MS	10061-01-	cis-1,3-Dichloropropene	5090	SC	Yes	Y		
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:58	INITIAL	100	JD52507-10MS	10061-02-	trans-1,3-Dichloropropene	4990	SC	Yes	Y		
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:58	INITIAL	100	JD52507-10MS	106-46-7	1,4-Dichlorobenzene	4540	SC	Yes	Y		
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:58	INITIAL	100	JD52507-10MS	106-93-4	1,2-Dibromoethane	5010	SC	Yes	Y		
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:58	INITIAL	100	JD52507-10MS	107-06-2	1,2-Dichloroethane	4800	SC	Yes	Y		
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:58	INITIAL	100	JD52507-10MS	108-10-1	4-Methyl-2-pentanone(MIE	23600	SC	Yes	Y		
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:58	INITIAL	100	JD52507-10MS	108-87-2	Methylcyclohexane	4780	SC	Yes	Y		
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:58	INITIAL	100	JD52507-10MS	108-88-3	Toluene	4650	SC	Yes	Y		
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:58	INITIAL	100	JD52507-10MS	108-90-7	Chlorobenzene	4700	SC	Yes	Y		
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:58	INITIAL	100	JD52507-10MS	110-82-7	Cyclohexane	4190	SC	Yes	Y		
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:58	INITIAL	100	JD52507-10MS	120-82-1	1,2,4-Trichlorobenzene	5000	SC	Yes	Y		
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:58	INITIAL	100	JD52507-10MS	124-48-1	Dibromochloromethane	4860	SC	Yes	Y		
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:58	INITIAL	100	JD52507-10MS	127-18-4	Tetrachloroethene	4610	SC	Yes	Y		

		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	3.1	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.6	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.76	1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.73	1	1	ug/l	ug/l	DUSR	ND, Associated CCV
U	U	Y	0.52	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.0	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.63	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.40	2	2	ug/l	ug/l	DUSR	ND, Associated CCV
U	U	Y	0.56	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
		Y	60	100	100	ug/l	ug/l	DUSR	5000 ug/l added
		Y	49	100	100	ug/l	ug/l	DUSR	5000 ug/l added
		Y	47	100	100	ug/l	ug/l	DUSR	5000 ug/l added
		Y	43	100	100	ug/l	ug/l	DUSR	5000 ug/l added
		Y	51	100	100	ug/l	ug/l	DUSR	5000 ug/l added
		Y	48	100	100	ug/l	ug/l	DUSR	5000 ug/l added
		Y	60	100	100	ug/l	ug/l	DUSR	5000 ug/l added
		Y	190	500	500	ug/l	ug/l	DUSR	20000 ug/l added
		Y	60	500	500	ug/l	ug/l	DUSR	5000 ug/l added
		Y	49	100	100	ug/l	ug/l	DUSR	5000 ug/l added
		Y	56	100	100	ug/l	ug/l	DUSR	5000 ug/l added
		Y	78	500	500	ug/l	ug/l	DUSR	5000 ug/l added
		Y	50	100	100	ug/l	ug/l	DUSR	5000 ug/l added
		Y	56	100	100	ug/l	ug/l	DUSR	5000 ug/l added
		Y	56	100	100	ug/l	ug/l	DUSR	5000 ug/l added

0	49.9	47.4	95						80	120	
0	50.1	50.1	100						80	120	
0	49.8	50.8	102						80	120	
0	50.1	48.1	96						82	114	

/ outside of control limits high, sample was ND.

/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

0	5000	5000	100	0	5000	4930	99	1	37	144	12
0	5000	5010	100	0	5000	4930	99	2	71	133	12
0	5000	5120	102	0	5000	5090	102	1	75	125	13
0	5000	5030	101	0	5000	4990	100	1	75	122	12
0	5000	4640	93	0	5000	4540	91	2	72	117	12
0	5000	5070	101	0	5000	5010	100	1	63	134	12
0	5000	4850	97	0	5000	4800	96	1	66	120	13
0	20000	24000	120	0	20000	23600	118	2	65	135	14
0	5000	4910	98	0	5000	4780	96	3	59	137	16
0	5000	4730	95	0	5000	4650	93	2	46	139	12
0	5000	4780	96	0	5000	4700	94	2	68	123	12
0	5000	4170	83	0	5000	4190	84	0	53	146	14
0	5000	5030	101	0	5000	5000	100	1	61	137	16
0	5000	4940	99	0	5000	4860	97	2	75	122	12
0	5000	4850	97	0	5000	4610	92	5	58	132	13

JD52507
JD52507
JD52507

JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	1330-20-7	Xylene (total)	14500	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	156-59-2	cis-1,2-Dichloroethene	15300	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	156-60-5	trans-1,2-Dichloroethene	4970	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	1634-04-4	Methyl Tert Butyl Ether	5290	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	541-73-1	1,3-Dichlorobenzene	4620	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	56-23-5	Carbon tetrachloride	4850	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	591-78-6	2-Hexanone	23200	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	67-64-1	Acetone	22600	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	67-66-3	Chloroform	4640	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	71-43-2	Benzene	4910	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	71-55-6	1,1,1-Trichloroethane	4790	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	74-83-9	Bromomethane	6700	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	74-87-3	Chloromethane	4000	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	75-00-3	Chloroethane	6200	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	75-01-4	Vinyl chloride	7380	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	75-09-2	Methylene chloride	4720	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	75-15-0	Carbon disulfide	4290	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	75-25-2	Bromoform	5010	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	75-27-4	Bromodichloromethane	4880	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	75-34-3	1,1-Dichloroethane	5160	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	75-35-4	1,1-Dichloroethene	4900	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	75-69-4	Trichlorofluoromethane	7690	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	75-71-8	Dichlorodifluoromethane	4210	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	76-13-1	Freon 113	4670	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	78-87-5	1,2-Dichloropropane	5270	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	78-93-3	2-Butanone (MEK)	24500	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	79-00-5	1,1,2-Trichloroethane	5150	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	79-01-6	Trichloroethene	5290	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	79-20-9	Methyl Acetate	5410	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	79-34-5	1,1,2,2-Tetrachloroethane	5050	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	95-50-1	1,2-Dichlorobenzene	4680	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	96-12-8	1,2-Dibromo-3-chloroprop	5360	SC	Yes	Y
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:5€	INITIAL	100	JD52507-10MS	98-82-8	Isopropylbenzene	4770	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4C	INITIAL	5	JD52507-37MS	100-41-4	Ethylbenzene	254	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4C	INITIAL	5	JD52507-37MS	100-42-5	Styrene	250	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4C	INITIAL	5	JD52507-37MS	10061-01-	cis-1,3-Dichloropropene	254	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4C	INITIAL	5	JD52507-37MS	10061-02-	trans-1,3-Dichloropropene	211	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4C	INITIAL	5	JD52507-37MS	106-46-7	1,4-Dichlorobenzene	247	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4C	INITIAL	5	JD52507-37MS	106-93-4	1,2-Dibromoethane	239	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4C	INITIAL	5	JD52507-37MS	107-06-2	1,2-Dichloroethane	234	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4C	INITIAL	5	JD52507-37MS	108-10-1	4-Methyl-2-pentanone(MIE	1100	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4C	INITIAL	5	JD52507-37MS	108-87-2	Methylcyclohexane	260	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4C	INITIAL	5	JD52507-37MS	108-88-3	Toluene	252	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4C	INITIAL	5	JD52507-37MS	108-90-7	Chlorobenzene	263	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4C	INITIAL	5	JD52507-37MS	110-82-7	Cyclohexane	218	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4C	INITIAL	5	JD52507-37MS	120-82-1	1,2,4-Trichlorobenzene	287	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4C	INITIAL	5	JD52507-37MS	124-48-1	Dibromochloromethane	227	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4C	INITIAL	5	JD52507-37MS	127-18-4	Tetrachloroethene	264	SC	Yes	Y

Y	59	100	100 ug/l	ug/l		DUSR	15000 ug/l added
Y	51	100	100 ug/l	ug/l		DUSR	5000 ug/l added
Y	54	100	100 ug/l	ug/l		DUSR	5000 ug/l added
Y	51	100	100 ug/l	ug/l		DUSR	5000 ug/l added
Y	54	100	100 ug/l	ug/l		DUSR	5000 ug/l added
Y	55	100	100 ug/l	ug/l		DUSR	5000 ug/l added
Y	200	500	500 ug/l	ug/l		DUSR	20000 ug/l added
Y	310	1000	1000 ug/l	ug/l		DUSR	20000 ug/l added
Y	50	100	100 ug/l	ug/l		DUSR	5000 ug/l added
Y	43	50	50 ug/l	ug/l		DUSR	5000 ug/l added
Y	54	100	100 ug/l	ug/l		DUSR	5000 ug/l added
Y	160	200	200 ug/l	ug/l		DUSR	5000 ug/l added
Y	76	100	100 ug/l	ug/l		DUSR	5000 ug/l added
Y	73	100	100 ug/l	ug/l		DUSR	5000 ug/l added
Y	52	100	100 ug/l	ug/l		DUSR	5000 ug/l added
Y	100	200	200 ug/l	ug/l		DUSR	5000 ug/l added
Y	46	200	200 ug/l	ug/l		DUSR	5000 ug/l added
Y	63	100	100 ug/l	ug/l		DUSR	5000 ug/l added
Y	45	100	100 ug/l	ug/l		DUSR	5000 ug/l added
Y	57	100	100 ug/l	ug/l		DUSR	5000 ug/l added
Y	59	100	100 ug/l	ug/l		DUSR	5000 ug/l added
Y	40	200	200 ug/l	ug/l		DUSR	5000 ug/l added
Y	56	200	200 ug/l	ug/l		DUSR	5000 ug/l added
Y	58	500	500 ug/l	ug/l		DUSR	5000 ug/l added
Y	51	100	100 ug/l	ug/l		DUSR	5000 ug/l added
Y	270	1000	1000 ug/l	ug/l		DUSR	20000 ug/l added
Y	53	100	100 ug/l	ug/l		DUSR	5000 ug/l added
Y	53	100	100 ug/l	ug/l		DUSR	5000 ug/l added
Y	80	500	500 ug/l	ug/l		DUSR	5000 ug/l added
Y	65	100	100 ug/l	ug/l		DUSR	5000 ug/l added
Y	53	100	100 ug/l	ug/l		DUSR	5000 ug/l added
Y	53	200	200 ug/l	ug/l		DUSR	5000 ug/l added
Y	65	100	100 ug/l	ug/l		DUSR	5000 ug/l added
Y	3.0	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	2.4	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	2.4	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	2.2	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	2.5	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	2.4	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	3.0	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	9.3	25	25 ug/l	ug/l		DUSR	1000 ug/l added
Y	3.0	25	25 ug/l	ug/l		DUSR	250 ug/l added
Y	2.5	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	2.8	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	3.9	25	25 ug/l	ug/l		DUSR	250 ug/l added
Y	2.5	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	2.8	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	2.8	5	5 ug/l	ug/l		DUSR	250 ug/l added

0	15000	14800	99	0	15000	14500	97	2	38	147	12
9010	5000	15400	128	9010	5000	15300	126	1	52	140	12
0	5000	5020	100	0	5000	4970	99	1	70	125	13
0	5000	5230	105	0	5000	5290	106	1	66	124	12
0	5000	4710	94	0	5000	4620	92	2	75	117	12
0	5000	4930	99	0	5000	4850	97	2	70	132	13
0	20000	23300	117	0	20000	23200	116	0	56	132	16
0	20000	23100	116	0	20000	22600	113	2	22	134	19
0	5000	4640	93	0	5000	4640	93	0	68	120	13
0	5000	4910	98	0	5000	4910	98	0	49	137	12
0	5000	4790	96	0	5000	4790	96	0	67	132	13
0	5000	6610	132	0	5000	6700	134	1	27	164	38
0	5000	4080	82	0	5000	4000	80	2	35	156	18
0	5000	9080	182	0	5000	6200	124	38	48	152	17
2920	5000	7530	92	2920	5000	7380	89	2	41	156	16
0	5000	4720	94	0	5000	4720	94	0	66	125	14
0	5000	4340	87	0	5000	4290	86	1	54	136	16
0	5000	5050	101	0	5000	5010	100	1	70	133	13
0	5000	4930	99	0	5000	4880	98	1	76	121	12
0	5000	5180	104	0	5000	5160	103	0	68	129	13
0	5000	5050	101	0	5000	4900	98	3	59	133	15
0	5000	8030	161	0	5000	7690	154	4	61	145	16
0	5000	4270	85	0	5000	4210	84	1	34	163	16
0	5000	4850	97	0	5000	4670	93	4	61	142	14
0	5000	5330	107	0	5000	5270	105	1	73	124	12
0	20000	24700	124	0	20000	24500	123	1	52	137	17
0	5000	5190	104	0	5000	5150	103	1	75	120	12
517	5000	5320	96	517	5000	5290	95	1	56	136	12
0	5000	5350	107	0	5000	5410	108	1	51	139	18
0	5000	5140	103	0	5000	5050	101	2	68	127	14
0	5000	4830	97	0	5000	4680	94	3	74	119	12
0	5000	5360	107	0	5000	5360	107	0	63	134	16
0	5000	4920	98	0	5000	4770	95	3	71	126	13
0	250	250	100	0	250	254	102	2	37	144	12
0	250	246	98	0	250	250	100	2	71	133	12
0	250	252	101	0	250	254	102	1	75	125	13
0	250	203	81	0	250	211	84	4	75	122	12
0	250	244	98	0	250	247	99	1	72	117	12
0	250	235	94	0	250	239	96	2	63	134	12
0	250	237	95	0	250	234	94	1	66	120	13
0	1000	1060	106	0	1000	1100	110	4	65	135	14
0	250	257	103	0	250	260	104	1	59	137	16
0	250	248	99	0	250	252	101	2	46	139	12
0	250	258	103	0	250	263	105	2	68	123	12
0	250	220	88	0	250	218	87	1	53	146	14
0	250	274	110	0	250	287	115	5	61	137	16
0	250	221	88	0	250	227	91	3	75	122	12
0	250	263	105	0	250	264	106	0	58	132	13

JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
*
*
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
*
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507

JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	1330-20-7	Xylene (total)	734	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	156-59-2	cis-1,2-Dichloroethene	1400	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	156-60-5	trans-1,2-Dichloroethene	291	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	1634-04-4	Methyl Tert Butyl Ether	261	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	541-73-1	1,3-Dichlorobenzene	260	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	56-23-5	Carbon tetrachloride	243	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	591-78-6	2-Hexanone	962	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	67-64-1	Acetone	989	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	67-66-3	Chloroform	247	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	71-43-2	Benzene	264	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	71-55-6	1,1,1-Trichloroethane	255	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	74-83-9	Bromomethane	190	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	74-87-3	Chloromethane	225	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	75-00-3	Chloroethane	201	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	75-01-4	Vinyl chloride	223	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	75-09-2	Methylene chloride	269	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	75-15-0	Carbon disulfide	215	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	75-25-2	Bromoform	219	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	75-27-4	Bromodichloromethane	244	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	75-34-3	1,1-Dichloroethane	269	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	75-35-4	1,1-Dichloroethene	256	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	75-69-4	Trichlorofluoromethane	255	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	75-71-8	Dichlorodifluoromethane	256	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	76-13-1	Freon 113	277	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	78-87-5	1,2-Dichloropropane	284	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	78-93-3	2-Butanone (MEK)	979	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	79-00-5	1,1,2-Trichloroethane	258	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	79-01-6	Trichloroethene	552	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	79-20-9	Methyl Acetate	267	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	79-34-5	1,1,2,2-Tetrachloroethane	233	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	95-50-1	1,2-Dichlorobenzene	242	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	96-12-8	1,2-Dibromo-3-chloroprop	236	SC	Yes	Y
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:4(	INITIAL	5	JD52507-37MS	98-82-8	Isopropylbenzene	254	SC	Yes	Y
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	100-41-4	Ethylbenzene	45	SC	Yes	Y
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	100-42-5	Styrene	44	SC	Yes	Y
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	10061-01-	cis-1,3-Dichloropropene	44.6	SC	Yes	Y
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	10061-02-	trans-1,3-Dichloropropene	43.9	SC	Yes	Y
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	106-46-7	1,4-Dichlorobenzene	41.8	SC	Yes	Y
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	106-93-4	1,2-Dibromoethane	43.2	SC	Yes	Y
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	107-06-2	1,2-Dichloroethane	41.2	SC	Yes	Y
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	108-10-1	4-Methyl-2-pentanone(MIE	205	SC	Yes	Y
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	108-87-2	Methylcyclohexane	45.3	SC	Yes	Y
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	108-88-3	Toluene	43.1	SC	Yes	Y
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	108-90-7	Chlorobenzene	42.4	SC	Yes	Y
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	110-82-7	Cyclohexane	51.3	SC	Yes	Y
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	120-82-1	1,2,4-Trichlorobenzene	44.3	SC	Yes	Y
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	124-48-1	Dibromochloromethane	42.7	SC	Yes	Y
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	127-18-4	Tetrachloroethene	44.3	SC	Yes	Y

Y	3.0	5	5 ug/l	ug/l		DUSR	750 ug/l added
Y	2.5	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	2.7	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	2.5	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	2.7	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	2.8	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	10	25	25 ug/l	ug/l		DUSR	1000 ug/l added
Y	15	50	50 ug/l	ug/l		DUSR	1000 ug/l added
Y	2.5	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	2.1	2.5	2.5 ug/l	ug/l		DUSR	250 ug/l added
Y	2.7	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	8.2	10	10 ug/l	ug/l		DUSR	250 ug/l added
Y	3.8	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	3.6	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	2.6	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	5.0	10	10 ug/l	ug/l		DUSR	250 ug/l added
Y	2.3	10	10 ug/l	ug/l		DUSR	250 ug/l added
Y	3.2	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	2.3	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	2.8	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	3.0	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	2.0	10	10 ug/l	ug/l		DUSR	250 ug/l added
Y	2.8	10	10 ug/l	ug/l		DUSR	250 ug/l added
Y	2.9	25	25 ug/l	ug/l		DUSR	250 ug/l added
Y	2.5	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	14	50	50 ug/l	ug/l		DUSR	1000 ug/l added
Y	2.7	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	2.6	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	4.0	25	25 ug/l	ug/l		DUSR	250 ug/l added
Y	3.3	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	2.7	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	2.6	10	10 ug/l	ug/l		DUSR	250 ug/l added
Y	3.2	5	5 ug/l	ug/l		DUSR	250 ug/l added
Y	0.60	1	1 ug/l	ug/l		DUSR	50 ug/l added
Y	0.49	1	1 ug/l	ug/l		DUSR	50 ug/l added
Y	0.47	1	1 ug/l	ug/l		DUSR	50 ug/l added
Y	0.43	1	1 ug/l	ug/l		DUSR	50 ug/l added
Y	0.51	1	1 ug/l	ug/l		DUSR	50 ug/l added
Y	0.48	1	1 ug/l	ug/l		DUSR	50 ug/l added
Y	0.60	1	1 ug/l	ug/l		DUSR	50 ug/l added
Y	1.9	5	5 ug/l	ug/l		DUSR	200 ug/l added
Y	0.60	5	5 ug/l	ug/l		DUSR	50 ug/l added
Y	0.49	1	1 ug/l	ug/l		DUSR	50 ug/l added
Y	0.56	1	1 ug/l	ug/l		DUSR	50 ug/l added
Y	0.78	5	5 ug/l	ug/l		DUSR	50 ug/l added
Y	0.50	1	1 ug/l	ug/l		DUSR	50 ug/l added
Y	0.56	1	1 ug/l	ug/l		DUSR	50 ug/l added
Y	0.56	1	1 ug/l	ug/l		DUSR	50 ug/l added

0	750	720	96	0	750	734	98	2	38	147	12
1830	250	1400	-44	1830	250	1400	-44	0	52	140	12
33.6	250	295	105	33.6	250	291	103	1	70	125	13
0	250	255	102	0	250	261	104	2	66	124	12
0	250	255	102	0	250	260	104	2	75	117	12
0	250	240	96	0	250	243	97	1	70	132	13
0	1000	917	92	0	1000	962	96	5	56	132	16
0	1000	991	99	0	1000	989	99	0	22	134	19
0	250	244	98	0	250	247	99	1	68	120	13
0	250	263	105	0	250	264	106	0	49	137	12
0	250	256	102	0	250	255	102	0	67	132	13
0	250	154	62	0	250	190	76	21	27	164	38
0	250	224	90	0	250	225	90	0	35	156	18
0	250	204	82	0	250	201	80	1	48	152	17
13.8	250	223	84	13.8	250	223	84	0	41	156	16
0	250	272	109	0	250	269	108	1	66	125	14
0	250	209	84	0	250	215	86	3	54	136	16
0	250	214	86	0	250	219	88	2	70	133	13
0	250	239	96	0	250	244	98	2	76	121	12
0	250	270	108	0	250	269	108	0	68	129	13
0	250	261	104	0	250	256	102	2	59	133	15
0	250	252	101	0	250	255	102	1	61	145	16
0	250	260	104	0	250	256	102	2	34	163	16
0	250	284	114	0	250	277	111	2	61	142	14
0	250	279	112	0	250	284	114	2	73	124	12
0	1000	964	96	0	1000	979	98	2	52	137	17
0	250	250	100	0	250	258	103	3	75	120	12
400	250	542	57	400	250	552	61	2	56	136	12
0	250	255	102	0	250	267	107	5	51	139	18
0	250	230	92	0	250	233	93	1	68	127	14
0	250	236	94	0	250	242	97	3	74	119	12
0	250	230	92	0	250	236	94	3	63	134	16
0	250	250	100	0	250	254	102	2	71	126	13
0	50	49.9	100	0	50	45	90	10	37	144	12
0	50	48.6	97	0	50	44	88	10	71	133	12
0	50	47.3	95	0	50	44.6	89	6	75	125	13
0	50	47.7	95	0	50	43.9	88	8	75	122	12
0	50	45.5	91	0	50	41.8	84	8	72	117	12
0	50	47.2	94	0	50	43.2	86	9	63	134	12
0	50	43.9	88	0	50	41.2	82	6	66	120	13
0	200	222	111	0	200	205	103	8	65	135	14
0.96	50	48	94	0.96	50	45.3	89	6	59	137	16
0	50	46.8	94	0	50	43.1	86	8	46	139	12
0	50	46.7	93	0	50	42.4	85	10	68	123	12
1.2	50	52.7	103	1.2	50	51.3	100	3	53	146	14
0	50	47.7	95	0	50	44.3	89	7	61	137	16
0	50	46.9	94	0	50	42.7	85	9	75	122	12
0	50	47.6	95	0	50	44.3	89	7	58	132	13

*

JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507

JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	1330-20-7	Xylene (total)	132	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	156-59-2	cis-1,2-Dichloroethene	51	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	156-60-5	trans-1,2-Dichloroethene	46.2	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	1634-04-4	Methyl Tert Butyl Ether	45.5	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	541-73-1	1,3-Dichlorobenzene	43	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	56-23-5	Carbon tetrachloride	45	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	591-78-6	2-Hexanone	203	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	67-64-1	Acetone	198	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	67-66-3	Chloroform	41.8	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	71-43-2	Benzene	45	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	71-55-6	1,1,1-Trichloroethane	44.5	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	74-83-9	Bromomethane	72.4	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	74-87-3	Chloromethane	51.8	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	75-00-3	Chloroethane	69.2	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	75-01-4	Vinyl chloride	61.6	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	75-09-2	Methylene chloride	42.1	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	75-15-0	Carbon disulfide	41.8	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	75-25-2	Bromoform	43.6	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	75-27-4	Bromodichloromethane	43.1	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	75-34-3	1,1-Dichloroethane	47.2	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	75-35-4	1,1-Dichloroethene	48.3	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	75-69-4	Trichlorofluoromethane	87.2	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	75-71-8	Dichlorodifluoromethane	50.7	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	76-13-1	Freon 113	45.1	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	78-87-5	1,2-Dichloropropane	47.5	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	78-93-3	2-Butanone (MEK)	205	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	79-00-5	1,1,2-Trichloroethane	45.2	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	79-01-6	Trichloroethene	43.3	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	79-20-9	Methyl Acetate	42.2	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	79-34-5	1,1,2,2-Tetrachloroethane	44.1	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	95-50-1	1,2-Dichlorobenzene	43	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	96-12-8	1,2-Dibromo-3-chloroprop	46.5	SC	Yes	Y	
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:2(	INITIAL	1	JD52507-6MS	98-82-8	Isopropylbenzene	44.5	SC	Yes	Y	
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	591-78-6	2-Hexanone		TRG	Yes	N	U

		Y	0.59	1	1	ug/l	ug/l	DUSR	150 ug/l added
		Y	0.51	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.54	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.51	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.54	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.55	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	2.0	5	5	ug/l	ug/l	DUSR	200 ug/l added
		Y	3.1	10	10	ug/l	ug/l	DUSR	200 ug/l added
		Y	0.50	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.43	0.5	0.5	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.54	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	1.6	2	2	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.76	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.73	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.52	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	1.0	2	2	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.46	2	2	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.63	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.45	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.57	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.59	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.40	2	2	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.56	2	2	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.58	5	5	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.51	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	2.7	10	10	ug/l	ug/l	DUSR	200 ug/l added
		Y	0.53	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.53	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.80	5	5	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.65	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.53	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.53	2	2	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.65	1	1	ug/l	ug/l	DUSR	50 ug/l added
U	U	Y	5.4	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	6.5	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	5.3	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	5.7	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	5.9	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	5.0	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	5.3	20	20	ug/l	ug/l	DUSR	ND
U	U	Y	4.8	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	5.3	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	6.0	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	5.1	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	5.4	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	5.1	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	27	100	100	ug/l	ug/l	DUSR	ND
U	U	Y	20	50	50	ug/l	ug/l	DUSR	ND

0	150	146	97	0	150	132	88	10	38	147	12
2.8	50	54.8	104	2.8	50	51	96	7	52	140	12
0	50	49.4	99	0	50	46.2	92	7	70	125	13
0	50	47.8	96	0	50	45.5	91	5	66	124	12
0	50	46.3	93	0	50	43	86	7	75	117	12
0	50	49.2	98	0	50	45	90	9	70	132	13
0	200	222	111	0	200	203	102	9	56	132	16
0	200	226	113	0	200	198	99	13	22	134	19
0	50	45	90	0	50	41.8	84	7	68	120	13
0.67	50	48	95	0.67	50	45	89	6	49	137	12
0	50	47.8	96	0	50	44.5	89	7	67	132	13
0	50	68.4	137	0	50	72.4	145	6	27	164	38
0	50	53.6	107	0	50	51.8	104	3	35	156	18
0	50	93.8	188	0	50	69.2	138	30	48	152	17
0	50	62.7	125	0	50	61.6	123	2	41	156	16
0	50	45.1	90	0	50	42.1	84	7	66	125	14
0	50	44.9	90	0	50	41.8	84	7	54	136	16
0	50	48.4	97	0	50	43.6	87	10	70	133	13
0	50	45	90	0	50	43.1	86	4	76	121	12
0	50	50.7	101	0	50	47.2	94	7	68	129	13
0	50	54.7	109	0	50	48.3	97	12	59	133	15
0	50	91.3	183	0	50	87.2	174	5	61	145	16
0	50	51.1	102	0	50	50.7	101	1	34	163	16
0	50	54	108	0	50	45.1	90	18	61	142	14
0	50	50.4	101	0	50	47.5	95	6	73	124	12
0	200	220	110	0	200	205	103	7	52	137	17
0	50	48.8	98	0	50	45.2	90	8	75	120	12
0	50	47	94	0	50	43.3	87	8	56	136	12
0	50	45.3	91	0	50	42.2	84	7	51	139	18
0	50	47.1	94	0	50	44.1	88	7	68	127	14
0	50	46.3	93	0	50	43	86	7	74	119	12
0	50	50.3	101	0	50	46.5	93	8	63	134	16
0	50	48.9	98	0	50	44.5	89	9	71	126	13

		JD52507
		JD52507
		JD52507
		JD52507
		JD52507
		JD52507
		JD52507
		JD52507
		JD52507
		JD52507
		JD52507
		JD52507
		JD52507
*	*	JD52507
		JD52507
		JD52507
		JD52507
		JD52507
		JD52507
		JD52507
		JD52507
*		JD52507
		JD52507
	*	JD52507
		JD52507
		JD52507
		JD52507
		JD52507
		JD52507
		JD52507
		JD52507
		JD52507
		JD52507
		JD52507
		JD52507

MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	67-64-1	Acetone		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	71-43-2	Benzene		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	17060-07-	1,2-Dichloroethane-D4	453	SUR	Yes	Y	
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	1868-53-7	Dibromofluoromethane	490	SUR	Yes	Y	
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	2037-26-5	Toluene-D8	509	SUR	Yes	Y	
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	460-00-4	4-Bromofluorobenzene	462	SUR	Yes	Y	
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	75-27-4	Bromodichloromethane		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	75-25-2	Bromoform		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	74-83-9	Bromomethane		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	75-15-0	Carbon disulfide		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	108-90-7	Chlorobenzene		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	75-00-3	Chloroethane		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	67-66-3	Chloroform		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	74-87-3	Chloromethane		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 13:12	DILUTION1	100	JD52507-13	156-59-2	cis-1,2-Dichloroethene	3200	TRG	Yes	Y	
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	110-82-7	Cyclohexane		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	124-48-1	Dibromochloromethane		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	100-41-4	Ethylbenzene		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	76-13-1	Freon 113		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	98-82-8	Isopropylbenzene		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	79-20-9	Methyl Acetate		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	108-87-2	Methylcyclohexane		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	75-09-2	Methylene chloride		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	100-42-5	Styrene		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	127-18-4	Tetrachloroethene		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	108-88-3	Toluene		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	156-60-5	trans-1,2-Dichloroethene	16.8	TRG	Yes	Y	
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	79-01-6	Trichloroethene	24	TRG	Yes	Y	
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	75-01-4	Vinyl chloride	1080	TRG	Yes	Y	
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:5(	INITIAL	10	JD52507-13	1330-20-7	Xylene (total)		TRG	Yes	N	U
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 13:12	DILUTION1	100	JD52507-13	17060-07-	1,2-Dichloroethane-D4	4160	SUR	No	Y	
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 13:12	DILUTION1	100	JD52507-13	1868-53-7	Dibromofluoromethane	5470	SUR	No	Y	
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 13:12	DILUTION1	100	JD52507-13	2037-26-5	Toluene-D8	4600	SUR	No	Y	
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 13:12	DILUTION1	100	JD52507-13	460-00-4	4-Bromofluorobenzene	5510	SUR	No	Y	
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4(	INITIAL	1	JD52507-28	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4(	INITIAL	1	JD52507-28	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4(	INITIAL	1	JD52507-28	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4(	INITIAL	1	JD52507-28	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4(	INITIAL	1	JD52507-28	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4(	INITIAL	1	JD52507-28	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4(	INITIAL	1	JD52507-28	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U

U	U	Y	19	50	50	ug/l	ug/l		DUSR	ND
U	U	Y	31	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	4.3	5	5	ug/l	ug/l		DUSR	ND
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
U	U	Y	4.5	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	6.3	10	10	ug/l	ug/l		DUSR	ND
UJ	UJ	Y	16	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	4.6	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	5.5	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	5.6	10	10	ug/l	ug/l		DUSR	ND
UJ	UJ	Y	7.3	10	10	ug/l	ug/l		DUSR	ND, Associated CCV
U	U	Y	5.0	10	10	ug/l	ug/l		DUSR	ND
UJ	UJ	Y	7.6	10	10	ug/l	ug/l		DUSR	ND, Associated CCV
		Y	51	100	100	ug/l	ug/l		DUSR	
U	U	Y	4.7	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	7.8	50	50	ug/l	ug/l		DUSR	ND
U	U	Y	5.6	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	5.6	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	6.0	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	5.8	50	50	ug/l	ug/l		DUSR	ND
U	U	Y	6.5	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	8.0	50	50	ug/l	ug/l		DUSR	ND
U	U	Y	5.1	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	6.0	50	50	ug/l	ug/l		DUSR	ND
U	U	Y	10	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	4.9	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	5.6	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	4.9	10	10	ug/l	ug/l		DUSR	ND
		Y	5.4	10	10	ug/l	ug/l		DUSR	
U	U	Y	4.3	10	10	ug/l	ug/l		DUSR	ND
		Y	5.3	10	10	ug/l	ug/l		DUSR	
UJ	UJ	Y	4.0	20	20	ug/l	ug/l		DUSR	ND, Associated CCV
		Y	5.2	10	10	ug/l	ug/l		DUSR	
U	U	Y	5.9	10	10	ug/l	ug/l		DUSR	ND
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
U	U	Y	0.54	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l		DUSR	ND

0	498	453	91		80	120
0	500	490	98		80	120
0	499	509	102		80	120
0	503	462	92		82	114

/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

/ outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

0	5010	4160	83		80	120
0	5020	5470	109		80	120
0	5000	4600	92		80	120
0	5000	5510	110		82	114

JD52507
JD52507
JD52507

MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	591-78-6	2-Hexanone		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	67-64-1	Acetone		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	71-43-2	Benzene		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	75-27-4	Bromodichloromethane		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	17060-07-	1,2-Dichloroethane-D4	45.5	SUR	Yes	Y	
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	1868-53-7	Dibromofluoromethane	49.5	SUR	Yes	Y	
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	2037-26-5	Toluene-D8	50.6	SUR	Yes	Y	
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	460-00-4	4-Bromofluorobenzene	47.4	SUR	Yes	Y	
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	75-25-2	Bromoform		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	74-83-9	Bromomethane		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	75-15-0	Carbon disulfide		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	108-90-7	Chlorobenzene		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	75-00-3	Chloroethane		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	67-66-3	Chloroform		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	74-87-3	Chloromethane		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	156-59-2	cis-1,2-Dichloroethene	1.7	TRG	Yes	Y	
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	110-82-7	Cyclohexane		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	124-48-1	Dibromochloromethane		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	100-41-4	Ethylbenzene		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	76-13-1	Freon 113		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	98-82-8	Isopropylbenzene		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	79-20-9	Methyl Acetate		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	108-87-2	Methylcyclohexane		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	75-09-2	Methylene chloride		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	100-42-5	Styrene		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	127-18-4	Tetrachloroethene		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	108-88-3	Toluene		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	156-60-5	trans-1,2-Dichloroethene		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	79-01-6	Trichloroethene	2.7	TRG	Yes	Y	
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	75-01-4	Vinyl chloride		TRG	Yes	N	U
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:4€	INITIAL	1	JD52507-28	1330-20-7	Xylene (total)		TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	100-41-4	Ethylbenzene		TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	100-42-5	Styrene		TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U

U	U	Y	0.48	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	1.9	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	3.1	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l	DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l	DUSR	ND
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
U	U	Y	0.63	1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	1.6	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.73	1	1	ug/l	ug/l	DUSR	ND, Associated CCV
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.76	1	1	ug/l	ug/l	DUSR	ND, Associated CCV
		Y	0.51	1	1	ug/l	ug/l	DUSR	
U	U	Y	0.47	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	1.0	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	1	1	ug/l	ug/l	DUSR	ND
		Y	0.53	1	1	ug/l	ug/l	DUSR	
UJ	UJ	Y	0.40	2	2	ug/l	ug/l	DUSR	ND, Associated CCV
U	U	Y	0.52	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.47	1	1	ug/l	ug/l	DUSR	ND

0	50	45.5	91		80	120
0	50	49.5	99		80	120
0	50.1	50.6	101		80	120
0	49.9	47.4	95		82	114

/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

/ outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

JD52507
JD52507
JD52507

MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	10061-02-	trans-1,3-Dichloropropene			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	106-46-7	1,4-Dichlorobenzene			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	106-93-4	1,2-Dibromoethane			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	107-06-2	1,2-Dichloroethane			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	108-10-1	4-Methyl-2-pentanone(MIBK)			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	108-87-2	Methylcyclohexane			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	108-88-3	Toluene			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	108-90-7	Chlorobenzene			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	110-82-7	Cyclohexane			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	120-82-1	1,2,4-Trichlorobenzene			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	124-48-1	Dibromochloromethane			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	127-18-4	Tetrachloroethene			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	1330-20-7	Xylene (total)			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	156-59-2	cis-1,2-Dichloroethene	1.5		TRG	Yes	Y	
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	156-60-5	trans-1,2-Dichloroethene			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	1634-04-4	Methyl Tert Butyl Ether			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	17060-07-	1,2-Dichloroethane-D4	50.2		SUR	Yes	Y	
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	1868-53-7	Dibromofluoromethane	50.8		SUR	Yes	Y	
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	2037-26-5	Toluene-D8	50.4		SUR	Yes	Y	
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	460-00-4	4-Bromofluorobenzene	48.2		SUR	Yes	Y	
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	541-73-1	1,3-Dichlorobenzene			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	56-23-5	Carbon tetrachloride			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	591-78-6	2-Hexanone			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	67-64-1	Acetone			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	67-66-3	Chloroform			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	71-43-2	Benzene			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	71-55-6	1,1,1-Trichloroethane			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	74-83-9	Bromomethane			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	74-87-3	Chloromethane			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	75-00-3	Chloroethane			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	75-01-4	Vinyl chloride			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	75-09-2	Methylene chloride			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	75-15-0	Carbon disulfide			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	75-25-2	Bromoform			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	75-27-4	Bromodichloromethane			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	75-34-3	1,1-Dichloroethane			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	75-35-4	1,1-Dichloroethene			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	75-69-4	Trichlorofluoromethane			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	75-71-8	Dichlorodifluoromethane			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	76-13-1	Freon 113			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	78-87-5	1,2-Dichloropropane			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	78-93-3	2-Butanone (MEK)			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	79-00-5	1,1,2-Trichloroethane			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	79-01-6	Trichloroethene			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	79-20-9	Methyl Acetate			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	79-34-5	1,1,2,2-Tetrachloroethane			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	95-50-1	1,2-Dichlorobenzene			TRG	Yes	N	U
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:3€	INITIAL	1	JD52507-17	96-12-8	1,2-Dibromo-3-chloropropane			TRG	Yes	N	U

U	U	Y	0.43	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.48	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	1.9	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.60	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l		DUSR	ND
		Y	0.51	1	1	ug/l	ug/l		DUSR	
U	U	Y	0.54	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
U	U	Y	0.54	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	3.1	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l		DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	1.6	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.76	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.73	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.52	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	1.0	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.63	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.40	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l		DUSR	ND

0	50.2	50.2	100		80	120
0	49.8	50.8	102		80	120
0	49.9	50.4	101		80	120
0	50.2	48.2	96		82	114

JD52507
JD52507
JD52507

MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:36	INITIAL	1	JD52507-17	98-82-8	Isopropylbenzene		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	100-41-4	Ethylbenzene		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	100-42-5	Styrene		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	108-87-2	Methylcyclohexane		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	108-88-3	Toluene		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	108-90-7	Chlorobenzene		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	110-82-7	Cyclohexane		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	124-48-1	Dibromochloromethane		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	127-18-4	Tetrachloroethene		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	1330-20-7	Xylene (total)		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	156-59-2	cis-1,2-Dichloroethene	163	TRG	Yes	Y	
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	156-60-5	trans-1,2-Dichloroethene		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	17060-07-	1,2-Dichloroethane-D4	50	SUR	Yes	Y	
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	1868-53-7	Dibromofluoromethane	50.1	SUR	Yes	Y	
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	2037-26-5	Toluene-D8	50.1	SUR	Yes	Y	
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	460-00-4	4-Bromofluorobenzene	48.9	SUR	Yes	Y	
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	591-78-6	2-Hexanone		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	67-64-1	Acetone	3.1	TRG	Yes	Y	J
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	67-66-3	Chloroform		TRG	Yes	N	J
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	71-43-2	Benzene	3.7	TRG	Yes	Y	
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	74-83-9	Bromomethane		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	74-87-3	Chloromethane		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	75-00-3	Chloroethane		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	75-01-4	Vinyl chloride	1.7	TRG	Yes	Y	
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	75-09-2	Methylene chloride		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	75-15-0	Carbon disulfide		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	75-25-2	Bromoform		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	75-27-4	Bromodichloromethane		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	76-13-1	Freon 113		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00	INITIAL	1	JD52507-18	79-20-9	Methyl Acetate		TRG	Yes	N	U

U	U	Y	0.65		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.60		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.49		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.47		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.43		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.51		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.48		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.60		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	1.9		5	5 ug/l	ug/l	DUSR	ND
U	U	Y	0.60		5	5 ug/l	ug/l	DUSR	ND
U	U	Y	0.49		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.56		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.78		5	5 ug/l	ug/l	DUSR	ND
U	U	Y	0.50		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.56		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.56		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.59		1	1 ug/l	ug/l	DUSR	ND
		Y	0.51		1	1 ug/l	ug/l	DUSR	
U	U	Y	0.54		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.51		1	1 ug/l	ug/l	DUSR	ND
		Y	0		0	0 %	%	DUSR	
		Y	0		0	0 %	%	DUSR	
		Y	0		0	0 %	%	DUSR	
		Y	0		0	0 %	%	DUSR	
U	U	Y	0.54		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.55		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	2.0		5	5 ug/l	ug/l	DUSR	ND
J	J	Y	3.1		10	10 ug/l	ug/l	DUSR	
U	U	Y		0.52	1	1 ug/l	ug/l	DUSR	
		Y	0.43		0.5	0.5 ug/l	ug/l	DUSR	
U	U	Y	0.54		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	1.6		2	2 ug/l	ug/l	DUSR	ND
U	U	Y	0.76		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.73		1	1 ug/l	ug/l	DUSR	ND
		Y	0.52		1	1 ug/l	ug/l	DUSR	
U	U	Y	1.0		2	2 ug/l	ug/l	DUSR	ND
U	U	Y	0.46		2	2 ug/l	ug/l	DUSR	ND
U	U	Y	0.63		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.45		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.57		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.59		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.40		2	2 ug/l	ug/l	DUSR	ND
U	U	Y	0.56		2	2 ug/l	ug/l	DUSR	ND
U	U	Y	0.58		5	5 ug/l	ug/l	DUSR	ND
U	U	Y	0.51		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	2.7		10	10 ug/l	ug/l	DUSR	ND
U	U	Y	0.53		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.80		5	5 ug/l	ug/l	DUSR	ND

0	50	50	100		80	120
0	50.1	50.1	100		80	120
0	50.1	50.1	100		80	120
0	49.9	48.9	98		82	114

JD52507
JD52507
JD52507

MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:0(	INITIAL	1	JD52507-18	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:0(	INITIAL	1	JD52507-18	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:0(	INITIAL	1	JD52507-18	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:0(	INITIAL	1	JD52507-18	98-82-8	Isopropylbenzene		TRG	Yes	N	U
MW-13C-ACTD-JD52507AQ	SW8260	09/29/2022 12:0(	DILUTION1	10	JD52507-18	17060-07-	1,2-Dichloroethane-D4	490	SUR	No	Y	
MW-13C-ACTD-JD52507AQ	SW8260	09/29/2022 12:0(	DILUTION1	10	JD52507-18	1868-53-7	Dibromofluoromethane	482	SUR	No	Y	
MW-13C-ACTD-JD52507AQ	SW8260	09/29/2022 12:0(	DILUTION1	10	JD52507-18	2037-26-5	Toluene-D8	498	SUR	No	Y	
MW-13C-ACTD-JD52507AQ	SW8260	09/29/2022 12:0(	DILUTION1	10	JD52507-18	460-00-4	4-Bromofluorobenzene	502	SUR	No	Y	
MW-13C-ACTD-JD52507AQ	SW8260	09/29/2022 12:0(	DILUTION1	10	JD52507-18	79-01-6	Trichloroethene	219	TRG	Yes	Y	
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	100-41-4	Ethylbenzene		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	100-42-5	Styrene		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	108-87-2	Methylcyclohexane		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	108-88-3	Toluene		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	108-90-7	Chlorobenzene		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	110-82-7	Cyclohexane		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	124-48-1	Dibromochloromethane		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	127-18-4	Tetrachloroethene		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	1330-20-7	Xylene (total)		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	156-60-5	trans-1,2-Dichloroethene	1.7	TRG	Yes	Y	
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	17060-07-	1,2-Dichloroethane-D4	49.9	SUR	Yes	Y	
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	1868-53-7	Dibromofluoromethane	49.6	SUR	Yes	Y	
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	2037-26-5	Toluene-D8	51.6	SUR	Yes	Y	
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	460-00-4	4-Bromofluorobenzene	50.1	SUR	Yes	Y	
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	591-78-6	2-Hexanone		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	67-64-1	Acetone	4.6	TRG	Yes	Y	J
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	67-66-3	Chloroform		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	71-43-2	Benzene		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	74-83-9	Bromomethane		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	74-87-3	Chloromethane		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	75-00-3	Chloroethane		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	75-01-4	Vinyl chloride	19.1	TRG	Yes	Y	
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	75-09-2	Methylene chloride		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	75-15-0	Carbon disulfide		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	75-25-2	Bromoform		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	75-27-4	Bromodichloromethane		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:3(	INITIAL	1	JD52507-8	75-35-4	1,1-Dichloroethene	0.61	TRG	Yes	Y	J

U	U	Y	0.65	1	1	ug/l	ug/l			DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l			DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l			DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l			DUSR	ND
		Y	0	0	0	%	%			DUSR	
		Y	0	0	0	%	%			DUSR	
		Y	0	0	0	%	%			DUSR	
		Y	0	0	0	%	%			DUSR	
		Y	5.3	10	10	ug/l	ug/l			DUSR	
U	U	Y	0.60	1	1	ug/l	ug/l			DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l			DUSR	ND
U	U	Y	0.47	1	1	ug/l	ug/l			DUSR	ND
U	U	Y	0.43	1	1	ug/l	ug/l			DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l			DUSR	ND
U	U	Y	0.48	1	1	ug/l	ug/l			DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l			DUSR	ND
U	U	Y	1.9	5	5	ug/l	ug/l			DUSR	ND
U	U	Y	0.60	5	5	ug/l	ug/l			DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l			DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l			DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l			DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l			DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l			DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l			DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l			DUSR	ND
		Y	0.54	1	1	ug/l	ug/l			DUSR	
U	U	Y	0.51	1	1	ug/l	ug/l			DUSR	ND
		Y	0	0	0	%	%			DUSR	
		Y	0	0	0	%	%			DUSR	
		Y	0	0	0	%	%			DUSR	
		Y	0	0	0	%	%			DUSR	
U	U	Y	0.54	1	1	ug/l	ug/l			DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l			DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l			DUSR	ND
J	J	Y	3.1	10	10	ug/l	ug/l			DUSR	
U	U	Y	0.50	1	1	ug/l	ug/l			DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l			DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l			DUSR	ND
U	U	Y	1.6	2	2	ug/l	ug/l			DUSR	ND
U	U	Y	0.76	1	1	ug/l	ug/l			DUSR	ND
U	U	Y	0.73	1	1	ug/l	ug/l			DUSR	ND
		Y	0.52	1	1	ug/l	ug/l			DUSR	
U	U	Y	1.0	2	2	ug/l	ug/l			DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l			DUSR	ND
U	U	Y	0.63	1	1	ug/l	ug/l			DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l			DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l			DUSR	ND
J	J	Y	0.59	1	1	ug/l	ug/l			DUSR	

0	500	490	98		80	120
0	503	482	96		80	120
0	498	498	100		80	120
0	502	502	100		82	114

0	49.9	49.9	100		80	120
0	50.1	49.6	99		80	120
0	50.1	51.6	103		80	120
0	50.1	50.1	100		82	114

JD52507
JD52507
JD52507

MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:33	INITIAL	1	JD52507-8	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	9/30/2022 14:33	INITIAL	1	JD52507-8	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:33	INITIAL	1	JD52507-8	76-13-1	Freon 113		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:33	INITIAL	1	JD52507-8	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:33	INITIAL	1	JD52507-8	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:33	INITIAL	1	JD52507-8	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:33	INITIAL	1	JD52507-8	79-01-6	Trichloroethene	4.7	TRG	Yes	Y	
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:33	INITIAL	1	JD52507-8	79-20-9	Methyl Acetate		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:33	INITIAL	1	JD52507-8	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:33	INITIAL	1	JD52507-8	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:33	INITIAL	1	JD52507-8	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:33	INITIAL	1	JD52507-8	98-82-8	Isopropylbenzene		TRG	Yes	N	U
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 15:45	DILUTION1	10	JD52507-8	156-59-2	cis-1,2-Dichloroethene	451	TRG	Yes	Y	
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 15:45	DILUTION1	10	JD52507-8	17060-07-	1,2-Dichloroethane-D4	500	SUR	No	Y	
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 15:45	DILUTION1	10	JD52507-8	1868-53-7	Dibromofluoromethane	496	SUR	No	Y	
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 15:45	DILUTION1	10	JD52507-8	2037-26-5	Toluene-D8	510	SUR	No	Y	
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 15:45	DILUTION1	10	JD52507-8	460-00-4	4-Bromofluorobenzene	536	SUR	No	Y	
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	100-41-4	Ethylbenzene		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	100-42-5	Styrene		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	108-87-2	Methylcyclohexane		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	108-88-3	Toluene		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	108-90-7	Chlorobenzene		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	110-82-7	Cyclohexane		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	124-48-1	Dibromochloromethane		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	127-18-4	Tetrachloroethene		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	1330-20-7	Xylene (total)		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	156-59-2	cis-1,2-Dichloroethene	4	TRG	Yes	Y	
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	156-60-5	trans-1,2-Dichloroethene		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	17060-07-	1,2-Dichloroethane-D4	49	SUR	Yes	Y	
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	1868-53-7	Dibromofluoromethane	47.8	SUR	Yes	Y	
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	2037-26-5	Toluene-D8	49.8	SUR	Yes	Y	
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	460-00-4	4-Bromofluorobenzene	50.4	SUR	Yes	Y	
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	591-78-6	2-Hexanone		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	67-64-1	Acetone		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	67-66-3	Chloroform		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	71-43-2	Benzene		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	74-83-9	Bromomethane		TRG	Yes	N	U

U	U	Y	0.40	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
		Y	0.53	1	1	ug/l	ug/l	DUSR	
U	U	Y	0.80	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
		Y	5.1	10	10	ug/l	ug/l	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.47	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.48	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.9	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
		Y	0.51	1	1	ug/l	ug/l	DUSR	
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	3.1	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	1.6	2	2	ug/l	ug/l	DUSR	ND, Associated CCV

0	500	500	100		80	120
0	501	496	99		80	120
0	500	510	102		80	120
0	501	536	107		82	114

0	50	49	98		80	120
0	49.8	47.8	96		80	120
0	49.8	49.8	100		80	120
0	49.9	50.4	101		82	114

/ outside of control limits high, sample was ND.

JD52507
JD52507
JD52507

MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	74-87-3	Chloromethane		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	75-00-3	Chloroethane		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	75-01-4	Vinyl chloride	19	TRG	Yes	Y	
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	75-09-2	Methylene chloride		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	75-15-0	Carbon disulfide		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	75-25-2	Bromoform		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	75-27-4	Bromodichloromethane		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	76-13-1	Freon 113		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	79-01-6	Trichloroethene		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	79-20-9	Methyl Acetate		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41	INITIAL	1	JD52507-22	98-82-8	Isopropylbenzene		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	591-78-6	2-Hexanone		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	67-64-1	Acetone		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	71-43-2	Benzene		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	75-27-4	Bromodichloromethane		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	17060-07-	1,2-Dichloroethane-D4	49.2	SUR	Yes	Y	
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	1868-53-7	Dibromofluoromethane	53.4	SUR	Yes	Y	
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	2037-26-5	Toluene-D8	52.3	SUR	Yes	Y	
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	460-00-4	4-Bromofluorobenzene	48.8	SUR	Yes	Y	
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	75-25-2	Bromoform		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	74-83-9	Bromomethane		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	75-15-0	Carbon disulfide		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	56-23-5	Carbon tetrachloride		TRG	Yes	N	U

U	U	Y	0.76	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.73	1	1	ug/l	ug/l		DUSR	ND
		Y	0.52	1	1	ug/l	ug/l		DUSR	
U	U	Y	1.0	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.63	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.40	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.48	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	1.9	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	3.1	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l		DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l		DUSR	ND
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
U	U	Y	0.63	1	1	ug/l	ug/l		DUSR	ND
UJ	UJ	Y	1.6	2	2	ug/l	ug/l		DUSR	ND, Associated CCV
U	U	Y	0.46	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l		DUSR	ND

0	50.2	49.2	98	80	120
0	49.9	53.4	107	80	120
0	49.8	52.3	105	80	120
0	49.8	48.8	98	82	114

/ outside of control limits high, sample was ND.This compound in blank spkie is outside in house QC limits bias high.

JD52507
JD52507
JD52507

MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	108-90-7	Chlorobenzene		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	75-00-3	Chloroethane		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	67-66-3	Chloroform		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	74-87-3	Chloromethane		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	156-59-2	cis-1,2-Dichloroethene		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	110-82-7	Cyclohexane		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	124-48-1	Dibromochloromethane		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	100-41-4	Ethylbenzene		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	76-13-1	Freon 113		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	98-82-8	Isopropylbenzene		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	79-20-9	Methyl Acetate		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	108-87-2	Methylcyclohexane		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	75-09-2	Methylene chloride		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	100-42-5	Styrene		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	127-18-4	Tetrachloroethene		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	108-88-3	Toluene		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	156-60-5	trans-1,2-Dichloroethene		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	79-01-6	Trichloroethene		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	75-01-4	Vinyl chloride		TRG	Yes	N	U
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10	INITIAL	1	JD52507-32	1330-20-7	Xylene (total)		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	100-41-4	Ethylbenzene		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	100-42-5	Styrene		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	108-87-2	Methylcyclohexane		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	108-88-3	Toluene		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	108-90-7	Chlorobenzene		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	110-82-7	Cyclohexane		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	124-48-1	Dibromochloromethane		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	127-18-4	Tetrachloroethene		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	1330-20-7	Xylene (total)		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	156-59-2	cis-1,2-Dichloroethene		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	156-60-5	trans-1,2-Dichloroethene		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	17060-07-	1,2-Dichloroethane-D4	47.3	SUR	Yes	Y	
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	1868-53-7	Dibromofluoromethane	49.8	SUR	Yes	Y	
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	2037-26-5	Toluene-D8	50.7	SUR	Yes	Y	
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	460-00-4	4-Bromofluorobenzene	46.4	SUR	Yes	Y	

U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.73	1	1	ug/l	ug/l	DUSR	ND, Associated CCV
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.76	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.47	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	1.0	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.40	2	2	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.52	1	1	ug/l	ug/l	DUSR	ND, Associated CCV
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.47	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.48	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.9	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	

/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

/ outside of control limits high, sample was ND.

0	49.8	47.3	95		80	120
0	49.8	49.8	100		80	120
0	50.2	50.7	101		80	120
0	49.8	46.4	93		82	114

JD52507
JD52507
JD52507

MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	591-78-6	2-Hexanone		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	67-64-1	Acetone	4.8	TRG	Yes	Y	J
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	67-66-3	Chloroform		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	71-43-2	Benzene		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	74-83-9	Bromomethane		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	74-87-3	Chloromethane		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	75-00-3	Chloroethane		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	75-01-4	Vinyl chloride		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	75-09-2	Methylene chloride		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	75-15-0	Carbon disulfide		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	75-25-2	Bromoform		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	75-27-4	Bromodichloromethane		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	76-13-1	Freon 113		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	79-01-6	Trichloroethene		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	79-20-9	Methyl Acetate		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14	INITIAL	1	JD52507-24	98-82-8	Isopropylbenzene		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	591-78-6	2-Hexanone		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	67-64-1	Acetone		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	71-43-2	Benzene		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	75-27-4	Bromodichloromethane		TRG	Yes	N	U

U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l	DUSR	ND
J	J	Y	3.1	10	10	ug/l	ug/l	DUSR	
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	1.6	2	2	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.76	1	1	ug/l	ug/l	DUSR	ND, Associated CC\
UJ	UJ	Y	0.73	1	1	ug/l	ug/l	DUSR	ND, Associated CC\
U	U	Y	0.52	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.0	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.63	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.40	2	2	ug/l	ug/l	DUSR	ND, Associated CC\
U	U	Y	0.56	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.48	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	1.9	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	3.1	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l	DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l	DUSR	ND

/ outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

JD52507
JD52507
JD52507

MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	17060-07-	1,2-Dichloroethane-D4	46.3	SUR	Yes	Y	
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	1868-53-7	Dibromofluoromethane	49.2	SUR	Yes	Y	
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	2037-26-5	Toluene-D8	50.8	SUR	Yes	Y	
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	460-00-4	4-Bromofluorobenzene	46.8	SUR	Yes	Y	
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	75-25-2	Bromoform		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	74-83-9	Bromomethane		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	75-15-0	Carbon disulfide		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	108-90-7	Chlorobenzene		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	75-00-3	Chloroethane		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	67-66-3	Chloroform		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	74-87-3	Chloromethane		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	156-59-2	cis-1,2-Dichloroethene	1.7	TRG	Yes	Y	
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	110-82-7	Cyclohexane		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	124-48-1	Dibromochloromethane		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	100-41-4	Ethylbenzene		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	76-13-1	Freon 113		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	98-82-8	Isopropylbenzene		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	79-20-9	Methyl Acetate		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	108-87-2	Methylcyclohexane		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	75-09-2	Methylene chloride		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	100-42-5	Styrene		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	127-18-4	Tetrachloroethene		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	108-88-3	Toluene		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	156-60-5	trans-1,2-Dichloroethene		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	79-01-6	Trichloroethene	2.5	TRG	Yes	Y	
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	75-01-4	Vinyl chloride		TRG	Yes	N	U
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23	INITIAL	1	JD52507-27	1330-20-7	Xylene (total)		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:48	INITIAL	1	JD52507-15	100-41-4	Ethylbenzene		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:48	INITIAL	1	JD52507-15	100-42-5	Styrene		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:48	INITIAL	1	JD52507-15	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:48	INITIAL	1	JD52507-15	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:48	INITIAL	1	JD52507-15	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:48	INITIAL	1	JD52507-15	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:48	INITIAL	1	JD52507-15	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:48	INITIAL	1	JD52507-15	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:48	INITIAL	1	JD52507-15	108-87-2	Methylcyclohexane		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:48	INITIAL	1	JD52507-15	108-88-3	Toluene		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:48	INITIAL	1	JD52507-15	108-90-7	Chlorobenzene		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:48	INITIAL	1	JD52507-15	110-82-7	Cyclohexane		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:48	INITIAL	1	JD52507-15	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:48	INITIAL	1	JD52507-15	124-48-1	Dibromochloromethane		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:48	INITIAL	1	JD52507-15	127-18-4	Tetrachloroethene		TRG	Yes	N	U

		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
U	U	Y	0.63	1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	1.6	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.73	1	1	ug/l	ug/l	DUSR	ND, Associated CCV
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.76	1	1	ug/l	ug/l	DUSR	ND, Associated CCV
		Y	0.51	1	1	ug/l	ug/l	DUSR	
U	U	Y	0.47	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	1.0	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	1	1	ug/l	ug/l	DUSR	ND
		Y	0.53	1	1	ug/l	ug/l	DUSR	
UJ	UJ	Y	0.40	2	2	ug/l	ug/l	DUSR	ND, Associated CCV
U	U	Y	0.52	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.47	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.48	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.9	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND

0	49.8	46.3	93		80	120
0	50.2	49.2	98		80	120
0	49.8	50.8	102		80	120
0	49.8	46.8	94		82	114

/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

/ outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

JD52507
JD52507
JD52507

MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	1330-20-7	Xylene (total)		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	156-59-2	cis-1,2-Dichloroethene		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	156-60-5	trans-1,2-Dichloroethene		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	17060-07-	1,2-Dichloroethane-D4	49.4	SUR	Yes	Y	
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	1868-53-7	Dibromofluoromethane	49.6	SUR	Yes	Y	
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	2037-26-5	Toluene-D8	50.7	SUR	Yes	Y	
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	460-00-4	4-Bromofluorobenzene	49.7	SUR	Yes	Y	
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	591-78-6	2-Hexanone		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	67-64-1	Acetone		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	67-66-3	Chloroform		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	71-43-2	Benzene		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	74-83-9	Bromomethane		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	74-87-3	Chloromethane		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	75-00-3	Chloroethane		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	75-01-4	Vinyl chloride		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	75-09-2	Methylene chloride		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	75-15-0	Carbon disulfide		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	75-25-2	Bromoform		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	75-27-4	Bromodichloromethane		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	76-13-1	Freon 113		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	79-01-6	Trichloroethene		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	79-20-9	Methyl Acetate		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:4€	INITIAL	1	JD52507-15	98-82-8	Isopropylbenzene		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0C	INITIAL	1	JD52507-26	100-41-4	Ethylbenzene		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0C	INITIAL	1	JD52507-26	100-42-5	Styrene		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0C	INITIAL	1	JD52507-26	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0C	INITIAL	1	JD52507-26	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0C	INITIAL	1	JD52507-26	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0C	INITIAL	1	JD52507-26	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0C	INITIAL	1	JD52507-26	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0C	INITIAL	1	JD52507-26	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0C	INITIAL	1	JD52507-26	108-87-2	Methylcyclohexane		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0C	INITIAL	1	JD52507-26	108-88-3	Toluene		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0C	INITIAL	1	JD52507-26	108-90-7	Chlorobenzene		TRG	Yes	N	U

U	U	Y	0.59	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
U	U	Y	0.54	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	3.1	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l		DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	1.6	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.76	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.73	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.52	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	1.0	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.63	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.40	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.47	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.43	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.48	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	1.9	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.60	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l		DUSR	ND

0	49.9	49.4	99		80	120
0	50.1	49.6	99		80	120
0	50.2	50.7	101		80	120
0	50.2	49.7	99		82	114

JD52507
JD52507
JD52507

MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	110-82-7	Cyclohexane		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	124-48-1	Dibromochloromethane		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	127-18-4	Tetrachloroethene		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	1330-20-7	Xylene (total)		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	156-59-2	cis-1,2-Dichloroethene		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	156-60-5	trans-1,2-Dichloroethene		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	17060-07-	1,2-Dichloroethane-D4	46.4	SUR	Yes	Y	
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	1868-53-7	Dibromofluoromethane	48.9	SUR	Yes	Y	
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	2037-26-5	Toluene-D8	51.8	SUR	Yes	Y	
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	460-00-4	4-Bromofluorobenzene	46.5	SUR	Yes	Y	
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	591-78-6	2-Hexanone		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	67-64-1	Acetone		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	67-66-3	Chloroform		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	71-43-2	Benzene		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	74-83-9	Bromomethane		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	74-87-3	Chloromethane		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	75-00-3	Chloroethane		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	75-01-4	Vinyl chloride		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	75-09-2	Methylene chloride		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	75-15-0	Carbon disulfide		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	75-25-2	Bromoform		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	75-27-4	Bromodichloromethane		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	76-13-1	Freon 113		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	79-01-6	Trichloroethene		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	79-20-9	Methyl Acetate		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:0(	INITIAL	1	JD52507-26	98-82-8	Isopropylbenzene		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	100-41-4	Ethylbenzene		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	100-42-5	Styrene		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U

U	U	Y	0.78	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	3.1	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	1.6	2	2	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.76	1	1	ug/l	ug/l	DUSR	ND, Associated CCV
UJ	UJ	Y	0.73	1	1	ug/l	ug/l	DUSR	ND, Associated CCV
U	U	Y	0.52	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.0	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.63	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.40	2	2	ug/l	ug/l	DUSR	ND, Associated CCV
U	U	Y	0.56	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.47	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.48	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND

0	49.8	46.4	93		80	120
0	49.9	48.9	98		80	120
0	49.8	51.8	104		80	120
0	50	46.5	93		82	114

/ outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

JD52507
JD52507
JD52507

MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	108-87-2	Methylcyclohexane		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	108-88-3	Toluene		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	108-90-7	Chlorobenzene		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	110-82-7	Cyclohexane		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	124-48-1	Dibromochloromethane		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	127-18-4	Tetrachloroethene		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	1330-20-7	Xylene (total)		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	156-59-2	cis-1,2-Dichloroethene		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	156-60-5	trans-1,2-Dichloroethene		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	17060-07-	1,2-Dichloroethane-D4	48	SUR	Yes	Y	
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	1868-53-7	Dibromofluoromethane	53.2	SUR	Yes	Y	
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	2037-26-5	Toluene-D8	52	SUR	Yes	Y	
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	460-00-4	4-Bromofluorobenzene	49.1	SUR	Yes	Y	
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	591-78-6	2-Hexanone		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	67-64-1	Acetone		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	67-66-3	Chloroform		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	71-43-2	Benzene		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	74-83-9	Bromomethane		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	74-87-3	Chloromethane		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	75-00-3	Chloroethane		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	75-01-4	Vinyl chloride		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	75-09-2	Methylene chloride		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	75-15-0	Carbon disulfide		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	75-25-2	Bromoform		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	75-27-4	Bromodichloromethane		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	76-13-1	Freon 113		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	79-01-6	Trichloroethene		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	79-20-9	Methyl Acetate		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03	INITIAL	1	JD52507-35	98-82-8	Isopropylbenzene		TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:33	INITIAL	1	JD52507-34	100-41-4	Ethylbenzene		TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:33	INITIAL	1	JD52507-34	100-42-5	Styrene		TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:33	INITIAL	1	JD52507-34	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U

U	U	Y	1.9	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	3.1	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	1.6	2	2	ug/l	ug/l	DUSR	ND, Associated CC\
U	U	Y	0.76	1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.73	1	1	ug/l	ug/l	DUSR	ND, Associated CC\
UJ	UJ	Y	0.52	1	1	ug/l	ug/l	DUSR	ND, Associated CC\
U	U	Y	1.0	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.63	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.40	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.47	1	1	ug/l	ug/l	DUSR	ND

0	50	48	96		80	120
0	50.2	53.2	106		80	120
0	50	52	104		80	120
0	50.1	49.1	98		82	114

/ outside of control limits high, sample was ND.This compound in blank spkie is outside in house QC limits bias high.
/ outside of control limits high, sample was ND.

JD52507
JD52507
JD52507

MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	10061-02-	trans-1,3-Dichloropropene			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	106-46-7	1,4-Dichlorobenzene			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	106-93-4	1,2-Dibromoethane			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	107-06-2	1,2-Dichloroethane			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	108-10-1	4-Methyl-2-pentanone(MIBK)			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	108-87-2	Methylcyclohexane			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	108-88-3	Toluene			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	108-90-7	Chlorobenzene			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	110-82-7	Cyclohexane			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	120-82-1	1,2,4-Trichlorobenzene			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	124-48-1	Dibromochloromethane			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	127-18-4	Tetrachloroethene			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	1330-20-7	Xylene (total)			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	156-59-2	cis-1,2-Dichloroethene			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	156-60-5	trans-1,2-Dichloroethene			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	1634-04-4	Methyl Tert Butyl Ether			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	17060-07-	1,2-Dichloroethane-D4	49.9		SUR	Yes	Y	
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	1868-53-7	Dibromofluoromethane	54.2		SUR	Yes	Y	
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	2037-26-5	Toluene-D8	52.2		SUR	Yes	Y	
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	460-00-4	4-Bromofluorobenzene	48.9		SUR	Yes	Y	
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	541-73-1	1,3-Dichlorobenzene			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	56-23-5	Carbon tetrachloride			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	591-78-6	2-Hexanone			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	67-64-1	Acetone			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	67-66-3	Chloroform			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	71-43-2	Benzene			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	71-55-6	1,1,1-Trichloroethane			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	74-83-9	Bromomethane			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	74-87-3	Chloromethane			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	75-00-3	Chloroethane			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	75-01-4	Vinyl chloride			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	75-09-2	Methylene chloride			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	75-15-0	Carbon disulfide			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	75-25-2	Bromoform			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	75-27-4	Bromodichloromethane			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	75-34-3	1,1-Dichloroethane			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	75-35-4	1,1-Dichloroethene			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	75-69-4	Trichlorofluoromethane			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	75-71-8	Dichlorodifluoromethane			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	76-13-1	Freon 113			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	78-87-5	1,2-Dichloropropane			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	78-93-3	2-Butanone (MEK)			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	79-00-5	1,1,2-Trichloroethane			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	79-01-6	Trichloroethene			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	79-20-9	Methyl Acetate			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	79-34-5	1,1,2,2-Tetrachloroethane			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	95-50-1	1,2-Dichlorobenzene			TRG	Yes	N	U
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:3	INITIAL	1	JD52507-34	96-12-8	1,2-Dibromo-3-chloropropane			TRG	Yes	N	U

U	U	Y	0.43	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.48	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	1.9	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.60	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
U	U	Y	0.54	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	3.1	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l		DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l		DUSR	ND
UJ	UJ	Y	1.6	2	2	ug/l	ug/l		DUSR	ND, Associated CCV
U	U	Y	0.76	1	1	ug/l	ug/l		DUSR	ND
UJ	UJ	Y	0.73	1	1	ug/l	ug/l		DUSR	ND, Associated CCV
UJ	UJ	Y	0.52	1	1	ug/l	ug/l		DUSR	ND, Associated CCV
U	U	Y	1.0	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.63	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.40	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l		DUSR	ND

0	49.9	49.9	100		80	120
0	50.1	54.2	108		80	120
0	50.2	52.2	104		80	120
0	49.9	48.9	98		82	114

/ outside of control limits high, sample was ND.This compound in blank spkie is outside in house QC limits bias high.

/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.
/ outside of control limits high, sample was ND.

JD52507
JD52507
JD52507

MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:33	INITIAL	1	JD52507-34	98-82-8	Isopropylbenzene		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	100-41-4	Ethylbenzene		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	100-42-5	Styrene		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	108-87-2	Methylcyclohexane		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	108-88-3	Toluene		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	108-90-7	Chlorobenzene		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	110-82-7	Cyclohexane		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	124-48-1	Dibromochloromethane		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	127-18-4	Tetrachloroethene		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	1330-20-7	Xylene (total)		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	156-59-2	cis-1,2-Dichloroethene	5720	TRG	Yes	Y	
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	156-60-5	trans-1,2-Dichloroethene	31.8	TRG	Yes	Y	J
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	17060-07-	1,2-Dichloroethane-D4	2360	SUR	Yes	Y	
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	1868-53-7	Dibromofluoromethane	2480	SUR	Yes	Y	
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	2037-26-5	Toluene-D8	2480	SUR	Yes	Y	
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	460-00-4	4-Bromofluorobenzene	2330	SUR	Yes	Y	
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	591-78-6	2-Hexanone		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	67-64-1	Acetone		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	67-66-3	Chloroform		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	71-43-2	Benzene		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	74-83-9	Bromomethane		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	74-87-3	Chloromethane		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	75-00-3	Chloroethane		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	75-01-4	Vinyl chloride	67.9	TRG	Yes	Y	
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	75-09-2	Methylene chloride		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	75-15-0	Carbon disulfide		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	75-25-2	Bromoform		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	75-27-4	Bromodichloromethane		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	76-13-1	Freon 113		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09	INITIAL	50	JD52507-29	79-01-6	Trichloroethene	7600	TRG	Yes	Y	

U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	30	50	50	ug/l	ug/l	DUSR	ND
U	U	Y	24	50	50	ug/l	ug/l	DUSR	ND
U	U	Y	24	50	50	ug/l	ug/l	DUSR	ND
U	U	Y	22	50	50	ug/l	ug/l	DUSR	ND
U	U	Y	25	50	50	ug/l	ug/l	DUSR	ND
U	U	Y	24	50	50	ug/l	ug/l	DUSR	ND
U	U	Y	30	50	50	ug/l	ug/l	DUSR	ND
U	U	Y	93	250	250	ug/l	ug/l	DUSR	ND
U	U	Y	30	250	250	ug/l	ug/l	DUSR	ND
U	U	Y	25	50	50	ug/l	ug/l	DUSR	ND
U	U	Y	28	50	50	ug/l	ug/l	DUSR	ND
U	U	Y	39	250	250	ug/l	ug/l	DUSR	ND
U	U	Y	25	50	50	ug/l	ug/l	DUSR	ND
U	U	Y	28	50	50	ug/l	ug/l	DUSR	ND
U	U	Y	28	50	50	ug/l	ug/l	DUSR	ND
U	U	Y	30	50	50	ug/l	ug/l	DUSR	ND
		Y	25	50	50	ug/l	ug/l	DUSR	
J	J	Y	27	50	50	ug/l	ug/l	DUSR	
U	U	Y	25	50	50	ug/l	ug/l	DUSR	ND
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
U	U	Y	27	50	50	ug/l	ug/l	DUSR	ND
U	U	Y	28	50	50	ug/l	ug/l	DUSR	ND
U	U	Y	100	250	250	ug/l	ug/l	DUSR	ND
U	U	Y	150	500	500	ug/l	ug/l	DUSR	ND
U	U	Y	25	50	50	ug/l	ug/l	DUSR	ND
U	U	Y	21	25	25	ug/l	ug/l	DUSR	ND
U	U	Y	27	50	50	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	82	100	100	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	38	50	50	ug/l	ug/l	DUSR	ND, Associated CCV
UJ	UJ	Y	36	50	50	ug/l	ug/l	DUSR	ND, Associated CCV
		Y	26	50	50	ug/l	ug/l	DUSR	
U	U	Y	50	100	100	ug/l	ug/l	DUSR	ND
U	U	Y	23	100	100	ug/l	ug/l	DUSR	ND
U	U	Y	32	50	50	ug/l	ug/l	DUSR	ND
U	U	Y	23	50	50	ug/l	ug/l	DUSR	ND
U	U	Y	28	50	50	ug/l	ug/l	DUSR	ND
U	U	Y	30	50	50	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	20	100	100	ug/l	ug/l	DUSR	ND, Associated CCV
U	U	Y	28	100	100	ug/l	ug/l	DUSR	ND
U	U	Y	29	250	250	ug/l	ug/l	DUSR	ND
U	U	Y	25	50	50	ug/l	ug/l	DUSR	ND
U	U	Y	140	500	500	ug/l	ug/l	DUSR	ND
U	U	Y	27	50	50	ug/l	ug/l	DUSR	ND
		Y	26	50	50	ug/l	ug/l	DUSR	

0	2510	2360	94			80	120
0	2500	2480	99			80	120
0	2500	2480	99			80	120
0	2500	2330	93			82	114

/ outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

JD52507
JD52507
JD52507

MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:0	INITIAL	50	JD52507-29	79-20-9	Methyl Acetate		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:0	INITIAL	50	JD52507-29	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:0	INITIAL	50	JD52507-29	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:0	INITIAL	50	JD52507-29	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:0	INITIAL	50	JD52507-29	98-82-8	Isopropylbenzene		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	100-41-4	Ethylbenzene		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	100-42-5	Styrene		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	108-87-2	Methylcyclohexane		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	108-88-3	Toluene		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	108-90-7	Chlorobenzene		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	110-82-7	Cyclohexane		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	124-48-1	Dibromochloromethane		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	127-18-4	Tetrachloroethene		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	1330-20-7	Xylene (total)		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	156-59-2	cis-1,2-Dichloroethene	7.8	TRG	Yes	Y	
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	156-60-5	trans-1,2-Dichloroethene		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	17060-07-	1,2-Dichloroethane-D4	46.9	SUR	Yes	Y	
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	1868-53-7	Dibromofluoromethane	49.6	SUR	Yes	Y	
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	2037-26-5	Toluene-D8	50.7	SUR	Yes	Y	
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	460-00-4	4-Bromofluorobenzene	46.5	SUR	Yes	Y	
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	591-78-6	2-Hexanone		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	67-64-1	Acetone		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	67-66-3	Chloroform		TRG	Yes	N	J
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	71-43-2	Benzene		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	71-55-6	1,1,1-Trichloroethane	0.58	TRG	Yes	Y	J
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	74-83-9	Bromomethane		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	74-87-3	Chloromethane		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	75-00-3	Chloroethane		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	75-01-4	Vinyl chloride		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	75-09-2	Methylene chloride		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	75-15-0	Carbon disulfide		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	75-25-2	Bromoform		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	75-27-4	Bromodichloromethane		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:4	INITIAL	1	JD52507-7	76-13-1	Freon 113		TRG	Yes	N	U

U	U	Y	40		250	250	ug/l	ug/l	DUSR	ND
U	U	Y	33		50	50	ug/l	ug/l	DUSR	ND
U	U	Y	27		50	50	ug/l	ug/l	DUSR	ND
U	U	Y	26		100	100	ug/l	ug/l	DUSR	ND
U	U	Y	32		50	50	ug/l	ug/l	DUSR	ND
U	U	Y	0.60		1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.49		1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.47		1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43		1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51		1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.48		1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.60		1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.9		5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.60		5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.49		1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56		1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.78		5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.50		1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56		1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56		1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59		1	1	ug/l	ug/l	DUSR	ND
		Y	0.51		1	1	ug/l	ug/l	DUSR	
U	U	Y	0.54		1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51		1	1	ug/l	ug/l	DUSR	ND
		Y	0		0	0	%	%	DUSR	
		Y	0		0	0	%	%	DUSR	
		Y	0		0	0	%	%	DUSR	
U	U	Y	0.54		1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.55		1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.0		5	5	ug/l	ug/l	DUSR	ND
U	U	Y	3.1		10	10	ug/l	ug/l	DUSR	ND
U	U	Y		0.63	1	1	ug/l	ug/l	DUSR	
U	U	Y	0.43		0.5	0.5	ug/l	ug/l	DUSR	ND
J	J	Y	0.54		1	1	ug/l	ug/l	DUSR	
U	U	Y	1.6		2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.76		1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.73		1	1	ug/l	ug/l	DUSR	ND, Associated CCV
U	U	Y	0.52		1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.0		2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.46		2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.63		1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.45		1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.57		1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59		1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.40		2	2	ug/l	ug/l	DUSR	ND, Associated CCV
U	U	Y	0.56		2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.58		5	5	ug/l	ug/l	DUSR	ND

0	49.9	46.9	94			80	120
0	50.1	49.6	99			80	120
0	50.2	50.7	101			80	120
0	50	46.5	93			82	114

/ outside of control limits high, sample was ND.

/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

JD52507
JD52507
JD52507

MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:49	INITIAL	1	JD52507-7	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:49	INITIAL	1	JD52507-7	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:49	INITIAL	1	JD52507-7	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:49	INITIAL	1	JD52507-7	79-01-6	Trichloroethene	35.1	TRG	Yes	Y	
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:49	INITIAL	1	JD52507-7	79-20-9	Methyl Acetate		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:49	INITIAL	1	JD52507-7	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:49	INITIAL	1	JD52507-7	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:49	INITIAL	1	JD52507-7	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:49	INITIAL	1	JD52507-7	98-82-8	Isopropylbenzene		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	100-41-4	Ethylbenzene		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	100-42-5	Styrene		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	108-87-2	Methylcyclohexane		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	108-88-3	Toluene		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	108-90-7	Chlorobenzene		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	110-82-7	Cyclohexane		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	124-48-1	Dibromochloromethane		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	127-18-4	Tetrachloroethene		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	1330-20-7	Xylene (total)		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	156-59-2	cis-1,2-Dichloroethene	10	TRG	Yes	Y	
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	156-60-5	trans-1,2-Dichloroethene		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	17060-07-	1,2-Dichloroethane-D4	46.7	SUR	Yes	Y	
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	1868-53-7	Dibromofluoromethane	50.2	SUR	Yes	Y	
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	2037-26-5	Toluene-D8	50.9	SUR	Yes	Y	
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	460-00-4	4-Bromofluorobenzene	47.4	SUR	Yes	Y	
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	591-78-6	2-Hexanone		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	67-64-1	Acetone		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	67-66-3	Chloroform		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	71-43-2	Benzene		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	74-83-9	Bromomethane		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	74-87-3	Chloromethane		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	75-00-3	Chloroethane		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	75-01-4	Vinyl chloride		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	75-09-2	Methylene chloride		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	75-15-0	Carbon disulfide		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	75-25-2	Bromoform		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	75-27-4	Bromodichloromethane		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U

U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
		Y	0.53	1	1	ug/l	ug/l		DUSR	
U	U	Y	0.80	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.47	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.43	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.48	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	1.9	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.60	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l		DUSR	ND
		Y	0.51	1	1	ug/l	ug/l		DUSR	
U	U	Y	0.54	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
U	U	Y	0.54	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	3.1	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l		DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l		DUSR	ND
UJ	UJ	Y	1.6	2	2	ug/l	ug/l		DUSR	ND
UJ	UJ	Y	0.76	1	1	ug/l	ug/l		DUSR	ND, Associated CCV
UJ	UJ	Y	0.73	1	1	ug/l	ug/l		DUSR	ND, Associated CCV
U	U	Y	0.52	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	1.0	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.63	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l		DUSR	ND

0	50.2	46.7	93		80	120
0	50.2	50.2	100		80	120
0	49.9	50.9	102		80	120
0	49.9	47.4	95		82	114

/ outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

JD52507
JD52507
JD52507

MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	76-13-1	Freon 113		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	79-01-6	Trichloroethene	5.6	TRG	Yes	Y	
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	79-20-9	Methyl Acetate		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41	INITIAL	1	JD52507-9	98-82-8	Isopropylbenzene		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	100-41-4	Ethylbenzene		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	100-42-5	Styrene		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	108-87-2	Methylcyclohexane		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	108-88-3	Toluene		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	108-90-7	Chlorobenzene		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	110-82-7	Cyclohexane		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	124-48-1	Dibromochloromethane		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	127-18-4	Tetrachloroethene	1.6	TRG	Yes	Y	
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	1330-20-7	Xylene (total)		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	156-60-5	trans-1,2-Dichloroethene	149	TRG	Yes	Y	
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	17060-07-	1,2-Dichloroethane-D4	46.4	SUR	Yes	Y	
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	1868-53-7	Dibromofluoromethane	51.3	SUR	Yes	Y	
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	2037-26-5	Toluene-D8	49.7	SUR	Yes	Y	
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	460-00-4	4-Bromofluorobenzene	47.6	SUR	Yes	Y	
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	591-78-6	2-Hexanone		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	67-64-1	Acetone		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	67-66-3	Chloroform		TRG	Yes	N	J
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	71-43-2	Benzene		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	74-83-9	Bromomethane		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	74-87-3	Chloromethane		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	75-00-3	Chloroethane		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	75-01-4	Vinyl chloride	110	TRG	Yes	Y	
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	75-09-2	Methylene chloride		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	75-15-0	Carbon disulfide	0.5	TRG	Yes	Y	J

U	U	Y	0.59		1	1 ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.40		2	2 ug/l	ug/l	DUSR	ND, Associated CCV
U	U	Y	0.56		2	2 ug/l	ug/l	DUSR	ND
U	U	Y	0.58		5	5 ug/l	ug/l	DUSR	ND
U	U	Y	0.51		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	2.7		10	10 ug/l	ug/l	DUSR	ND
U	U	Y	0.53		1	1 ug/l	ug/l	DUSR	ND
		Y	0.53		1	1 ug/l	ug/l	DUSR	
U	U	Y	0.80		5	5 ug/l	ug/l	DUSR	ND
U	U	Y	0.65		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.53		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.53		2	2 ug/l	ug/l	DUSR	ND
U	U	Y	0.65		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.60		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.49		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.47		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.43		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.51		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.48		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.60		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	1.9		5	5 ug/l	ug/l	DUSR	ND
U	U	Y	0.60		5	5 ug/l	ug/l	DUSR	ND
U	U	Y	0.49		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.56		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.78		5	5 ug/l	ug/l	DUSR	ND
U	U	Y	0.50		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.56		1	1 ug/l	ug/l	DUSR	ND
		Y	0.56		1	1 ug/l	ug/l	DUSR	
U	U	Y	0.59		1	1 ug/l	ug/l	DUSR	ND
		Y	0.54		1	1 ug/l	ug/l	DUSR	
U	U	Y	0.51		1	1 ug/l	ug/l	DUSR	ND
		Y	0		0	0 %	%	DUSR	
		Y	0		0	0 %	%	DUSR	
		Y	0		0	0 %	%	DUSR	
		Y	0		0	0 %	%	DUSR	
U	U	Y	0.54		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.55		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	2.0		5	5 ug/l	ug/l	DUSR	ND
U	U	Y	3.1		10	10 ug/l	ug/l	DUSR	ND
U	U	Y		0.8	1	1 ug/l	ug/l	DUSR	
U	U	Y	0.43		0.5	0.5 ug/l	ug/l	DUSR	ND
U	U	Y	0.54		1	1 ug/l	ug/l	DUSR	ND
U	U	Y	1.6		2	2 ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.76		1	1 ug/l	ug/l	DUSR	ND, Associated CCV
UJ	UJ	Y	0.73		1	1 ug/l	ug/l	DUSR	ND, Associated CCV
		Y	0.52		1	1 ug/l	ug/l	DUSR	
U	U	Y	1.0		2	2 ug/l	ug/l	DUSR	ND
J	J	Y	0.46		2	2 ug/l	ug/l	DUSR	

/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

0	49.9	46.4	93		80	120
0	49.9	51.3	103		80	120
0	50.2	49.7	99		80	120
0	50.1	47.6	95		82	114

/ outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

JD52507
JD52507
JD52507

MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	75-25-2	Bromoform		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	75-27-4	Bromodichloromethane		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	75-35-4	1,1-Dichloroethene	16.8	TRG	Yes	Y	
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	76-13-1	Freon 113		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	79-20-9	Methyl Acetate		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32	INITIAL	1	JD52507-30	98-82-8	Isopropylbenzene		TRG	Yes	N	U
MW-3B-ACTD-JD52507AQ	SW8260	10/03/2022 18:30	DILUTION1	200	JD52507-30	156-59-2	cis-1,2-Dichloroethene	7150	TRG	Yes	Y	
MW-3B-ACTD-JD52507AQ	SW8260	10/03/2022 18:30	DILUTION1	200	JD52507-30	17060-07-	1,2-Dichloroethane-D4	10000	SUR	No	Y	
MW-3B-ACTD-JD52507AQ	SW8260	10/03/2022 18:30	DILUTION1	200	JD52507-30	1868-53-7	Dibromofluoromethane	10600	SUR	No	Y	
MW-3B-ACTD-JD52507AQ	SW8260	10/03/2022 18:30	DILUTION1	200	JD52507-30	2037-26-5	Toluene-D8	10500	SUR	No	Y	
MW-3B-ACTD-JD52507AQ	SW8260	10/03/2022 18:30	DILUTION1	200	JD52507-30	460-00-4	4-Bromofluorobenzene	10000	SUR	No	Y	
MW-3B-ACTD-JD52507AQ	SW8260	10/03/2022 18:30	DILUTION1	200	JD52507-30	79-01-6	Trichloroethene	4730	TRG	Yes	Y	
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	100-41-4	Ethylbenzene		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	100-42-5	Styrene		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	108-87-2	Methylcyclohexane		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	108-88-3	Toluene		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	108-90-7	Chlorobenzene		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	110-82-7	Cyclohexane		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	124-48-1	Dibromochloromethane		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	127-18-4	Tetrachloroethene		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	1330-20-7	Xylene (total)		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	156-59-2	cis-1,2-Dichloroethene	14600	TRG	Yes	Y	
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	156-60-5	trans-1,2-Dichloroethene	112	TRG	Yes	Y	
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	17060-07-	1,2-Dichloroethane-D4	4940	SUR	Yes	Y	
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	1868-53-7	Dibromofluoromethane	5060	SUR	Yes	Y	
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	2037-26-5	Toluene-D8	5060	SUR	Yes	Y	
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	460-00-4	4-Bromofluorobenzene	4650	SUR	Yes	Y	
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	591-78-6	2-Hexanone		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	67-64-1	Acetone		TRG	Yes	N	U

U	U	Y	0.63	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l		DUSR	ND
		Y	0.59	1	1	ug/l	ug/l		DUSR	
UJ	UJ	Y	0.40	2	2	ug/l	ug/l		DUSR	ND, Associated CCV
U	U	Y	0.56	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l		DUSR	ND
		Y	100	200	200	ug/l	ug/l		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	110	200	200	ug/l	ug/l		DUSR	
U	U	Y	60	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	49	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	47	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	43	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	51	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	48	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	60	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	190	500	500	ug/l	ug/l		DUSR	ND
U	U	Y	60	500	500	ug/l	ug/l		DUSR	ND
U	U	Y	49	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	56	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	78	500	500	ug/l	ug/l		DUSR	ND
U	U	Y	50	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	56	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	56	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	59	100	100	ug/l	ug/l		DUSR	ND
		Y	51	100	100	ug/l	ug/l		DUSR	
		Y	54	100	100	ug/l	ug/l		DUSR	
U	U	Y	51	100	100	ug/l	ug/l		DUSR	ND
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
U	U	Y	54	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	55	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	200	500	500	ug/l	ug/l		DUSR	ND
U	U	Y	310	1000	1000	ug/l	ug/l		DUSR	ND

/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

0	10000	10000	100	80	120
0	10000	10600	106	80	120
0	9970	10500	105	80	120
0	10000	10000	100	82	114

0	4990	4940	99	80	120
0	5010	5060	101	80	120
0	5010	5060	101	80	120
0	5000	4650	93	82	114

JD52507
JD52507
JD52507

MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	67-66-3	Chloroform		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	71-43-2	Benzene		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	74-83-9	Bromomethane		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	74-87-3	Chloromethane		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	75-00-3	Chloroethane		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	75-01-4	Vinyl chloride	8960	TRG	Yes	Y	
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	75-09-2	Methylene chloride		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	75-15-0	Carbon disulfide		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	75-25-2	Bromoform		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	75-27-4	Bromodichloromethane		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	76-13-1	Freon 113		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	79-01-6	Trichloroethene		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	79-20-9	Methyl Acetate		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04	INITIAL	100	JD52507-11	98-82-8	Isopropylbenzene		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	100-41-4	Ethylbenzene		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	100-42-5	Styrene		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	108-87-2	Methylcyclohexane		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	108-88-3	Toluene		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	108-90-7	Chlorobenzene		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	110-82-7	Cyclohexane		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	124-48-1	Dibromochloromethane		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	127-18-4	Tetrachloroethene		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	1330-20-7	Xylene (total)		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	156-60-5	trans-1,2-Dichloroethene	42	TRG	Yes	Y	
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	17060-07-	1,2-Dichloroethane-D4	1160	SUR	Yes	Y	
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	1868-53-7	Dibromofluoromethane	989	SUR	Yes	Y	
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	2037-26-5	Toluene-D8	1040	SUR	Yes	Y	
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	460-00-4	4-Bromofluorobenzene	964	SUR	Yes	Y	
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U

U	U	Y	50	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	43	50	50	ug/l	ug/l		DUSR	ND
U	U	Y	54	100	100	ug/l	ug/l		DUSR	ND
UJ	UJ	Y	160	200	200	ug/l	ug/l		DUSR	ND
UJ	UJ	Y	76	100	100	ug/l	ug/l		DUSR	ND, Associated CCV
UJ	UJ	Y	73	100	100	ug/l	ug/l		DUSR	ND, Associated CCV
		Y	52	100	100	ug/l	ug/l		DUSR	
U	U	Y	100	200	200	ug/l	ug/l		DUSR	ND
U	U	Y	46	200	200	ug/l	ug/l		DUSR	ND
U	U	Y	63	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	45	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	57	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	59	100	100	ug/l	ug/l		DUSR	ND
UJ	UJ	Y	40	200	200	ug/l	ug/l		DUSR	ND, Associated CCV
U	U	Y	56	200	200	ug/l	ug/l		DUSR	ND
U	U	Y	58	500	500	ug/l	ug/l		DUSR	ND
U	U	Y	51	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	270	1000	1000	ug/l	ug/l		DUSR	ND
U	U	Y	53	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	53	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	80	500	500	ug/l	ug/l		DUSR	ND
U	U	Y	65	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	53	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	53	200	200	ug/l	ug/l		DUSR	ND
U	U	Y	65	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	12	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	9.7	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	9.4	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	8.6	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	10	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	9.5	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	12	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	37	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	12	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	9.8	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	11	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	16	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	10	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	11	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	11	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	12	20	20	ug/l	ug/l		DUSR	ND
		Y	11	20	20	ug/l	ug/l		DUSR	
U	U	Y	10	20	20	ug/l	ug/l		DUSR	ND
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
U	U	Y	11	20	20	ug/l	ug/l		DUSR	ND

/ outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

0	999	1160	116		80	120
0	999	989	99		80	120
0	1000	1040	104		80	120
0	1000	964	96		82	114

JD52507
JD52507
JD52507

MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	591-78-6	2-Hexanone		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	67-64-1	Acetone		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	67-66-3	Chloroform		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	71-43-2	Benzene		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	74-83-9	Bromomethane		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	74-87-3	Chloromethane		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	75-00-3	Chloroethane		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	75-01-4	Vinyl chloride	964	TRG	Yes	Y	
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	75-09-2	Methylene chloride		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	75-15-0	Carbon disulfide		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	75-25-2	Bromoform		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	75-27-4	Bromodichloromethane		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	76-13-1	Freon 113		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	79-01-6	Trichloroethene	1090	TRG	Yes	Y	
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	79-20-9	Methyl Acetate		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09	INITIAL	20	JD52507-10	98-82-8	Isopropylbenzene		TRG	Yes	N	U
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 16:09	DILUTION1	100	JD52507-10	156-59-2	cis-1,2-Dichloroethene	11200	TRG	Yes	Y	
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 16:09	DILUTION1	100	JD52507-10	17060-07-	1,2-Dichloroethane-D4	5050	SUR	No	Y	
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 16:09	DILUTION1	100	JD52507-10	1868-53-7	Dibromofluoromethane	5040	SUR	No	Y	
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 16:09	DILUTION1	100	JD52507-10	2037-26-5	Toluene-D8	5150	SUR	No	Y	
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 16:09	DILUTION1	100	JD52507-10	460-00-4	4-Bromofluorobenzene	4880	SUR	No	Y	
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	100-41-4	Ethylbenzene		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	100-42-5	Styrene		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	108-87-2	Methylcyclohexane		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	108-88-3	Toluene		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	108-90-7	Chlorobenzene		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	110-82-7	Cyclohexane		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	124-48-1	Dibromochloromethane		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	127-18-4	Tetrachloroethene		TRG	Yes	N	U

U	U	Y	11	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	41	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	61	200	200	ug/l	ug/l		DUSR	ND
U	U	Y	10	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	8.5	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	11	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	33	40	40	ug/l	ug/l		DUSR	ND
U	U	Y	15	20	20	ug/l	ug/l		DUSR	ND
UJ	UJ	Y	15	20	20	ug/l	ug/l		DUSR	ND
		Y	10	20	20	ug/l	ug/l		DUSR	
U	U	Y	20	40	40	ug/l	ug/l		DUSR	ND
U	U	Y	9.1	40	40	ug/l	ug/l		DUSR	ND
U	U	Y	13	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	9.0	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	11	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	12	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	8.0	40	40	ug/l	ug/l		DUSR	ND
U	U	Y	11	40	40	ug/l	ug/l		DUSR	ND
U	U	Y	12	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	10	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	55	200	200	ug/l	ug/l		DUSR	ND
U	U	Y	11	20	20	ug/l	ug/l		DUSR	ND
		Y	11	20	20	ug/l	ug/l		DUSR	
U	U	Y	16	100	100	ug/l	ug/l		DUSR	ND
U	U	Y	13	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	11	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	11	40	40	ug/l	ug/l		DUSR	ND
U	U	Y	13	20	20	ug/l	ug/l		DUSR	ND
		Y	51	100	100	ug/l	ug/l		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
U	U	Y	0.60	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.47	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.43	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.48	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	1.9	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.60	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l		DUSR	ND

0	5000	5050	101			80	120
0	4990	5040	101			80	120
0	5000	5150	103			80	120
0	4980	4880	98			82	114

JD52507
JD52507
JD52507

MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	1330-20-7	Xylene (total)		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	156-59-2	cis-1,2-Dichloroethene		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	156-60-5	trans-1,2-Dichloroethene		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	17060-07-	1,2-Dichloroethane-D4	49.9	SUR	Yes	Y	
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	1868-53-7	Dibromofluoromethane	48.9	SUR	Yes	Y	
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	2037-26-5	Toluene-D8	50.7	SUR	Yes	Y	
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	460-00-4	4-Bromofluorobenzene	50.2	SUR	Yes	Y	
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	591-78-6	2-Hexanone		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	67-64-1	Acetone	3.2	TRG	Yes	Y	J
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	67-66-3	Chloroform		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	71-43-2	Benzene		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	74-83-9	Bromomethane		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	74-87-3	Chloromethane		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	75-00-3	Chloroethane		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	75-01-4	Vinyl chloride	1.4	TRG	Yes	Y	
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	75-09-2	Methylene chloride		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	75-15-0	Carbon disulfide		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	75-25-2	Bromoform		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	75-27-4	Bromodichloromethane		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	76-13-1	Freon 113		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	79-01-6	Trichloroethene		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	79-20-9	Methyl Acetate		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47	INITIAL	1	JD52507-20	98-82-8	Isopropylbenzene		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	100-41-4	Ethylbenzene		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	100-42-5	Styrene		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	108-87-2	Methylcyclohexane		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	108-88-3	Toluene		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	108-90-7	Chlorobenzene		TRG	Yes	N	U

U	U	Y	0.59	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
U	U	Y	0.54	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l		DUSR	ND
J	J	Y	3.1	10	10	ug/l	ug/l		DUSR	
U	U	Y	0.50	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l		DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	1.6	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.76	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.73	1	1	ug/l	ug/l		DUSR	ND
		Y	0.52	1	1	ug/l	ug/l		DUSR	
U	U	Y	1.0	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.63	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.40	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.47	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.43	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.48	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	1.9	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.60	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l		DUSR	ND

0	49.9	49.9	100		80	120
0	49.9	48.9	98		80	120
0	50.2	50.7	101		80	120
0	50.2	50.2	100		82	114

JD52507
JD52507
JD52507

MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	110-82-7	Cyclohexane		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	124-48-1	Dibromochloromethane		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	127-18-4	Tetrachloroethene		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	1330-20-7	Xylene (total)		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	156-59-2	cis-1,2-Dichloroethene	33.4	TRG	Yes	Y	
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	156-60-5	trans-1,2-Dichloroethene		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	17060-07-	1,2-Dichloroethane-D4	48.9	SUR	Yes	Y	
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	1868-53-7	Dibromofluoromethane	48	SUR	Yes	Y	
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	2037-26-5	Toluene-D8	49.6	SUR	Yes	Y	
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	460-00-4	4-Bromofluorobenzene	50.9	SUR	Yes	Y	
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	591-78-6	2-Hexanone		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	67-64-1	Acetone		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	67-66-3	Chloroform		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	71-43-2	Benzene		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	74-83-9	Bromomethane		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	74-87-3	Chloromethane		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	75-00-3	Chloroethane	3.6	TRG	Yes	Y	
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	75-01-4	Vinyl chloride	35.4	TRG	Yes	Y	
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	75-09-2	Methylene chloride		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	75-15-0	Carbon disulfide		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	75-25-2	Bromoform		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	75-27-4	Bromodichloromethane		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	76-13-1	Freon 113		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	79-01-6	Trichloroethene		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	79-20-9	Methyl Acetate		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32	INITIAL	1	JD52507-19	98-82-8	Isopropylbenzene		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	100-41-4	Ethylbenzene		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	100-42-5	Styrene		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U

U	U	Y	0.78	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l		DUSR	ND
		Y	0.51	1	1	ug/l	ug/l		DUSR	
U	U	Y	0.54	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
U	U	Y	0.54	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	3.1	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l		DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l		DUSR	ND
UJ	UJ	Y	1.6	2	2	ug/l	ug/l		DUSR	ND, Associated CCV
U	U	Y	0.76	1	1	ug/l	ug/l		DUSR	ND
		Y	0.73	1	1	ug/l	ug/l		DUSR	
		Y	0.52	1	1	ug/l	ug/l		DUSR	
U	U	Y	1.0	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.63	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.40	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.47	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.43	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.48	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l		DUSR	ND

0	49.9	48.9	98		80	120
0	50	48	96		80	120
0	50.1	49.6	99		80	120
0	49.9	50.9	102		82	114

/ outside of control limits high, sample was ND.

JD52507
JD52507
JD52507

MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	108-87-2	Methylcyclohexane		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	108-88-3	Toluene		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	108-90-7	Chlorobenzene		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	110-82-7	Cyclohexane		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	124-48-1	Dibromochloromethane		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	127-18-4	Tetrachloroethene		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	1330-20-7	Xylene (total)		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	156-59-2	cis-1,2-Dichloroethene		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	156-60-5	trans-1,2-Dichloroethene		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	17060-07-	1,2-Dichloroethane-D4	46.8	SUR	Yes	Y	
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	1868-53-7	Dibromofluoromethane	49.7	SUR	Yes	Y	
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	2037-26-5	Toluene-D8	51.2	SUR	Yes	Y	
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	460-00-4	4-Bromofluorobenzene	46.1	SUR	Yes	Y	
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	591-78-6	2-Hexanone		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	67-64-1	Acetone	6.5	TRG	Yes	Y	J
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	67-66-3	Chloroform		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	71-43-2	Benzene		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	74-83-9	Bromomethane		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	74-87-3	Chloromethane		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	75-00-3	Chloroethane		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	75-01-4	Vinyl chloride		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	75-09-2	Methylene chloride		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	75-15-0	Carbon disulfide		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	75-25-2	Bromoform		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	75-27-4	Bromodichloromethane		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	76-13-1	Freon 113		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	79-01-6	Trichloroethene		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	79-20-9	Methyl Acetate		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03	INITIAL	1	JD52507-4	98-82-8	Isopropylbenzene		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/28/2022 01:39	DILUTION1	50	JD52507-3	156-59-2	cis-1,2-Dichloroethene	2420	TRG	Yes	Y	
MW-5-40-ACTD-JD52507AQ	SW8260	09/28/2022 01:39	DILUTION1	50	JD52507-3	17060-07-	1,2-Dichloroethane-D4	2380	SUR	No	Y	
MW-5-40-ACTD-JD52507AQ	SW8260	09/28/2022 01:39	DILUTION1	50	JD52507-3	1868-53-7	Dibromofluoromethane	2490	SUR	No	Y	

U	U	Y	1.9	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l	DUSR	ND
J	J	Y	3.1	10	10	ug/l	ug/l	DUSR	
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.6	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.76	1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.73	1	1	ug/l	ug/l	DUSR	ND, Associated CCV
U	U	Y	0.52	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.0	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.63	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.40	2	2	ug/l	ug/l	DUSR	ND, Associated CCV
U	U	Y	0.56	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
		Y	25	50	50	ug/l	ug/l	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	

0	49.8	46.8	94		80	120
0	50.2	49.7	99		80	120
0	50.2	51.2	102		80	120
0	50.1	46.1	92		82	114

/ outside of control limits high, sample was ND.

/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

0	2500	2380	95		80	120
0	2490	2490	100		80	120

JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507

MW-5-40-ACTD-JD52507AQ	SW8260	09/28/2022 01:39	DILUTION1	50	JD52507-3	2037-26-5	Toluene-D8	2530	SUR	No	Y	
MW-5-40-ACTD-JD52507AQ	SW8260	09/28/2022 01:39	DILUTION1	50	JD52507-3	460-00-4	4-Bromofluorobenzene	2300	SUR	No	Y	
MW-5-40-ACTD-JD52507AQ	SW8260	09/28/2022 01:39	DILUTION1	50	JD52507-3	75-01-4	Vinyl chloride	4250	TRG	Yes	Y	
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	100-41-4	Ethylbenzene		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	100-42-5	Styrene		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	108-87-2	Methylcyclohexane		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	108-88-3	Toluene		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	108-90-7	Chlorobenzene		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	110-82-7	Cyclohexane		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	124-48-1	Dibromochloromethane		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	127-18-4	Tetrachloroethene		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	1330-20-7	Xylene (total)		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	156-60-5	trans-1,2-Dichloroethene	101	TRG	Yes	Y	
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	17060-07-	1,2-Dichloroethane-D4	431	SUR	Yes	Y	
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	1868-53-7	Dibromofluoromethane	526	SUR	Yes	Y	
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	2037-26-5	Toluene-D8	490	SUR	Yes	Y	
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	460-00-4	4-Bromofluorobenzene	558	SUR	Yes	Y	
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	591-78-6	2-Hexanone		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	67-64-1	Acetone		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	67-66-3	Chloroform		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	71-43-2	Benzene		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	74-83-9	Bromomethane		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	74-87-3	Chloromethane		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	75-00-3	Chloroethane		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	75-09-2	Methylene chloride		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	75-15-0	Carbon disulfide		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	75-25-2	Bromoform		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	75-27-4	Bromodichloromethane		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	76-13-1	Freon 113		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	79-01-6	Trichloroethene	33	TRG	Yes	Y	

		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	26	50	50	ug/l	ug/l		DUSR	
U	U	Y	6.0	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	4.9	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	4.7	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	4.3	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	5.1	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	4.8	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	6.0	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	19	50	50	ug/l	ug/l		DUSR	ND
U	U	Y	6.0	50	50	ug/l	ug/l		DUSR	ND
U	U	Y	4.9	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	5.6	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	7.8	50	50	ug/l	ug/l		DUSR	ND
U	U	Y	5.0	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	5.6	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	5.6	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	5.9	10	10	ug/l	ug/l		DUSR	ND
		Y	5.4	10	10	ug/l	ug/l		DUSR	
U	U	Y	5.1	10	10	ug/l	ug/l		DUSR	ND
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
U	U	Y	5.4	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	5.5	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	20	50	50	ug/l	ug/l		DUSR	ND
UJ	UJ	Y	31	100	100	ug/l	ug/l		DUSR	ND, Associated CCV
U	U	Y	5.0	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	4.3	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	5.4	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	16	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	7.6	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	7.3	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	10	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	4.6	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	6.3	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	4.5	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	5.7	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	5.9	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	4.0	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	5.6	20	20	ug/l	ug/l		DUSR	ND
U	U	Y	5.8	50	50	ug/l	ug/l		DUSR	ND
U	U	Y	5.1	10	10	ug/l	ug/l		DUSR	ND
UJ	UJ	Y	27	100	100	ug/l	ug/l		DUSR	ND, Associated CCV
U	U	Y	5.3	10	10	ug/l	ug/l		DUSR	ND
		Y	5.3	10	10	ug/l	ug/l		DUSR	

0	2500	2530	101		80	120
0	2500	2300	92		82	114

0	502	431	86		80	120
0	501	526	105		80	120
0	500	490	98		80	120
0	498	558	112		82	114

/ outside of control limits high, sample was ND.

/ outside of control limits high, sample was ND.

JD52507
JD52507
JD52507

MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	79-20-9	Methyl Acetate		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11	INITIAL	10	JD52507-3	98-82-8	Isopropylbenzene		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	591-78-6	2-Hexanone		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	67-64-1	Acetone		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	71-43-2	Benzene		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	17060-07-	1,2-Dichloroethane-D4	469	SUR	Yes	Y	
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	1868-53-7	Dibromofluoromethane	509	SUR	Yes	Y	
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	2037-26-5	Toluene-D8	508	SUR	Yes	Y	
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	460-00-4	4-Bromofluorobenzene	462	SUR	Yes	Y	
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	75-27-4	Bromodichloromethane		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	75-25-2	Bromoform		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	74-83-9	Bromomethane		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	75-15-0	Carbon disulfide		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	108-90-7	Chlorobenzene		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	75-00-3	Chloroethane		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	67-66-3	Chloroform		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	74-87-3	Chloromethane		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 12:15	DILUTION1	100	JD52507-12	156-59-2	cis-1,2-Dichloroethene	3150	TRG	Yes	Y	
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	110-82-7	Cyclohexane		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	124-48-1	Dibromochloromethane		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	100-41-4	Ethylbenzene		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	76-13-1	Freon 113		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	98-82-8	Isopropylbenzene		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	79-20-9	Methyl Acetate		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	108-87-2	Methylcyclohexane		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	75-09-2	Methylene chloride		TRG	Yes	N	U

U	U	Y	8.0	50	50	ug/l	ug/l	DUSR	ND
U	U	Y	6.5	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	5.3	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	5.3	20	20	ug/l	ug/l	DUSR	ND
U	U	Y	6.5	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	5.4	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	6.5	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	5.3	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	5.7	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	5.9	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	5.0	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	5.3	20	20	ug/l	ug/l	DUSR	ND
U	U	Y	4.8	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	5.3	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	6.0	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	5.1	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	5.4	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	5.1	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	27	100	100	ug/l	ug/l	DUSR	ND
U	U	Y	20	50	50	ug/l	ug/l	DUSR	ND
U	U	Y	19	50	50	ug/l	ug/l	DUSR	ND
U	U	Y	31	100	100	ug/l	ug/l	DUSR	ND
U	U	Y	4.3	5	5	ug/l	ug/l	DUSR	ND
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
U	U	Y	4.5	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	6.3	10	10	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	16	20	20	ug/l	ug/l	DUSR	ND
U	U	Y	4.6	20	20	ug/l	ug/l	DUSR	ND
U	U	Y	5.5	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	5.6	10	10	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	7.3	10	10	ug/l	ug/l	DUSR	ND, Associated CCV
U	U	Y	5.0	10	10	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	7.6	10	10	ug/l	ug/l	DUSR	ND, Associated CCV
		Y	51	100	100	ug/l	ug/l	DUSR	
U	U	Y	4.7	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	7.8	50	50	ug/l	ug/l	DUSR	ND
U	U	Y	5.6	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	5.6	20	20	ug/l	ug/l	DUSR	ND
U	U	Y	6.0	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	5.8	50	50	ug/l	ug/l	DUSR	ND
U	U	Y	6.5	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	8.0	50	50	ug/l	ug/l	DUSR	ND
U	U	Y	5.1	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	6.0	50	50	ug/l	ug/l	DUSR	ND
U	U	Y	10	20	20	ug/l	ug/l	DUSR	ND

0	498	469	94			80	120
0	499	509	102			80	120
0	498	508	102			80	120
0	502	462	92			82	114

/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

/ outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.

JD52507
JD52507
JD52507

MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	100-42-5	Styrene		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	127-18-4	Tetrachloroethene		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	108-88-3	Toluene		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	156-60-5	trans-1,2-Dichloroethene	17.1	TRG	Yes	Y	
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	79-01-6	Trichloroethene	23	TRG	Yes	Y	
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	75-01-4	Vinyl chloride	1120	TRG	Yes	Y	
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27	INITIAL	10	JD52507-12	1330-20-7	Xylene (total)		TRG	Yes	N	U
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 12:15	DILUTION1	100	JD52507-12	17060-07-	1,2-Dichloroethane-D4	4150	SUR	No	Y	
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 12:15	DILUTION1	100	JD52507-12	1868-53-7	Dibromofluoromethane	5530	SUR	No	Y	
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 12:15	DILUTION1	100	JD52507-12	2037-26-5	Toluene-D8	4610	SUR	No	Y	
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 12:15	DILUTION1	100	JD52507-12	460-00-4	4-Bromofluorobenzene	5550	SUR	No	Y	
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	100-41-4	Ethylbenzene		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	100-42-5	Styrene		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	108-87-2	Methylcyclohexane		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	108-88-3	Toluene		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	108-90-7	Chlorobenzene		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	110-82-7	Cyclohexane		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	124-48-1	Dibromochloromethane		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	127-18-4	Tetrachloroethene	0.81	TRG	Yes	Y	J
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	1330-20-7	Xylene (total)		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	156-60-5	trans-1,2-Dichloroethene	11.7	TRG	Yes	Y	
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	17060-07-	1,2-Dichloroethane-D4	45.5	SUR	Yes	Y	
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	1868-53-7	Dibromofluoromethane	48.9	SUR	Yes	Y	
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	2037-26-5	Toluene-D8	49.8	SUR	Yes	Y	
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	460-00-4	4-Bromofluorobenzene	46.3	SUR	Yes	Y	
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	591-78-6	2-Hexanone		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	67-64-1	Acetone		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	67-66-3	Chloroform		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	71-43-2	Benzene		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	74-83-9	Bromomethane		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	74-87-3	Chloromethane		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	75-00-3	Chloroethane		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	75-01-4	Vinyl chloride	27.7	TRG	Yes	Y	
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	75-09-2	Methylene chloride		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55	INITIAL	1	JD52507-31	75-15-0	Carbon disulfide		TRG	Yes	N	U

U	U	Y	4.9	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	5.6	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	4.9	10	10	ug/l	ug/l	DUSR	ND
		Y	5.4	10	10	ug/l	ug/l	DUSR	
U	U	Y	4.3	10	10	ug/l	ug/l	DUSR	ND
		Y	5.3	10	10	ug/l	ug/l	DUSR	
UJ	UJ	Y	4.0	20	20	ug/l	ug/l	DUSR	ND, Associated CCV
		Y	5.2	10	10	ug/l	ug/l	DUSR	
U	U	Y	5.9	10	10	ug/l	ug/l	DUSR	ND
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.47	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.48	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.9	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
J	J	Y	0.56	1	1	ug/l	ug/l	DUSR	
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
		Y	0.54	1	1	ug/l	ug/l	DUSR	
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	3.1	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.6	2	2	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.76	1	1	ug/l	ug/l	DUSR	ND, Associated CCV
UJ	UJ	Y	0.73	1	1	ug/l	ug/l	DUSR	ND, Associated CCV
		Y	0.52	1	1	ug/l	ug/l	DUSR	
U	U	Y	1.0	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l	DUSR	ND

/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

0	5000	4150	83	80	120
0	4980	5530	111	80	120
0	5010	4610	92	80	120
0	5000	5550	111	82	114

0	50	45.5	91	80	120
0	49.9	48.9	98	80	120
0	49.8	49.8	100	80	120
0	49.7	46.3	93	82	114

/ outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

JD52507
JD52507
JD52507

MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:5	INITIAL	1	JD52507-31	75-25-2	Bromoform		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:5	INITIAL	1	JD52507-31	75-27-4	Bromodichloromethane		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:5	INITIAL	1	JD52507-31	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:5	INITIAL	1	JD52507-31	75-35-4	1,1-Dichloroethene	1.5	TRG	Yes	Y	
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:5	INITIAL	1	JD52507-31	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:5	INITIAL	1	JD52507-31	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:5	INITIAL	1	JD52507-31	76-13-1	Freon 113		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:5	INITIAL	1	JD52507-31	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:5	INITIAL	1	JD52507-31	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:5	INITIAL	1	JD52507-31	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:5	INITIAL	1	JD52507-31	79-20-9	Methyl Acetate		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:5	INITIAL	1	JD52507-31	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:5	INITIAL	1	JD52507-31	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:5	INITIAL	1	JD52507-31	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:5	INITIAL	1	JD52507-31	98-82-8	Isopropylbenzene		TRG	Yes	N	U
MW-5B-ACTD-JD52507AQ	SW8260	10/03/2022 13:51	DILUTION1	20	JD52507-31	156-59-2	cis-1,2-Dichloroethene	795	TRG	Yes	Y	
MW-5B-ACTD-JD52507AQ	SW8260	10/03/2022 13:51	DILUTION1	20	JD52507-31	17060-07-	1,2-Dichloroethane-D4	981	SUR	No	Y	
MW-5B-ACTD-JD52507AQ	SW8260	10/03/2022 13:51	DILUTION1	20	JD52507-31	1868-53-7	Dibromofluoromethane	1050	SUR	No	Y	
MW-5B-ACTD-JD52507AQ	SW8260	10/03/2022 13:51	DILUTION1	20	JD52507-31	2037-26-5	Toluene-D8	1050	SUR	No	Y	
MW-5B-ACTD-JD52507AQ	SW8260	10/03/2022 13:51	DILUTION1	20	JD52507-31	460-00-4	4-Bromofluorobenzene	956	SUR	No	Y	
MW-5B-ACTD-JD52507AQ	SW8260	10/03/2022 13:51	DILUTION1	20	JD52507-31	79-01-6	Trichloroethene	554	TRG	Yes	Y	
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	100-41-4	Ethylbenzene		TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	100-42-5	Styrene		TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	108-87-2	Methylcyclohexane		TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	108-88-3	Toluene		TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	108-90-7	Chlorobenzene		TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	110-82-7	Cyclohexane		TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	124-48-1	Dibromochloromethane		TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	127-18-4	Tetrachloroethene		TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	1330-20-7	Xylene (total)		TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	156-59-2	cis-1,2-Dichloroethene	150	TRG	Yes	Y	
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	156-60-5	trans-1,2-Dichloroethene	2.2	TRG	Yes	Y	
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	17060-07-	1,2-Dichloroethane-D4	49.9	SUR	Yes	Y	
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	1868-53-7	Dibromofluoromethane	49.7	SUR	Yes	Y	
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	2037-26-5	Toluene-D8	51.1	SUR	Yes	Y	
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	460-00-4	4-Bromofluorobenzene	50.1	SUR	Yes	Y	
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	591-78-6	2-Hexanone		TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	67-64-1	Acetone		TRG	Yes	N	U

U	U	Y	0.63	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l		DUSR	ND
		Y	0.59	1	1	ug/l	ug/l		DUSR	
UJ	UJ	Y	0.40	2	2	ug/l	ug/l		DUSR	ND, Associated CCV
U	U	Y	0.56	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l		DUSR	ND
		Y	10	20	20	ug/l	ug/l		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	11	20	20	ug/l	ug/l		DUSR	
U	U	Y	0.60	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.47	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.43	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.48	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	1.9	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.60	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l		DUSR	ND
		Y	0.51	1	1	ug/l	ug/l		DUSR	
		Y	0.54	1	1	ug/l	ug/l		DUSR	
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
U	U	Y	0.54	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	3.1	10	10	ug/l	ug/l		DUSR	ND

/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

0	1000	981	98	80	120
0	1000	1050	105	80	120
0	1000	1050	105	80	120
0	996	956	96	82	114

0	49.9	49.9	100	80	120
0	50.2	49.7	99	80	120
0	50.1	51.1	102	80	120
0	50.1	50.1	100	82	114

JD52507
JD52507
JD52507

MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	67-66-3	Chloroform			TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	71-43-2	Benzene			TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	71-55-6	1,1,1-Trichloroethane			TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	74-83-9	Bromomethane			TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	74-87-3	Chloromethane			TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	75-00-3	Chloroethane			TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	75-01-4	Vinyl chloride	41.5		TRG	Yes	Y	
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	75-09-2	Methylene chloride			TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	75-15-0	Carbon disulfide			TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	75-25-2	Bromoform			TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	75-27-4	Bromodichloromethane			TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	75-34-3	1,1-Dichloroethane			TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	75-35-4	1,1-Dichloroethene			TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	75-69-4	Trichlorofluoromethane			TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	75-71-8	Dichlorodifluoromethane			TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	76-13-1	Freon 113			TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	78-87-5	1,2-Dichloropropane			TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	78-93-3	2-Butanone (MEK)			TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	79-00-5	1,1,2-Trichloroethane			TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	79-01-6	Trichloroethene			TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	79-20-9	Methyl Acetate			TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	79-34-5	1,1,2,2-Tetrachloroethane			TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	95-50-1	1,2-Dichlorobenzene			TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	96-12-8	1,2-Dibromo-3-chloropropane			TRG	Yes	N	U
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11	INITIAL	1	JD52507-21	98-82-8	Isopropylbenzene			TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	100-41-4	Ethylbenzene			TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	100-42-5	Styrene			TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	10061-01-	cis-1,3-Dichloropropene			TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	10061-02-	trans-1,3-Dichloropropene			TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	106-46-7	1,4-Dichlorobenzene			TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	106-93-4	1,2-Dibromoethane			TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	107-06-2	1,2-Dichloroethane			TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	108-10-1	4-Methyl-2-pentanone(MIBK)			TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	108-87-2	Methylcyclohexane			TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	108-88-3	Toluene			TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	108-90-7	Chlorobenzene			TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	110-82-7	Cyclohexane			TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	120-82-1	1,2,4-Trichlorobenzene			TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	124-48-1	Dibromochloromethane			TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	127-18-4	Tetrachloroethene			TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	1330-20-7	Xylene (total)			TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	156-59-2	cis-1,2-Dichloroethene	1.7		TRG	Yes	Y	
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	156-60-5	trans-1,2-Dichloroethene			TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	1634-04-4	Methyl Tert Butyl Ether			TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	17060-07-	1,2-Dichloroethane-D4	49.6		SUR	Yes	Y	
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	1868-53-7	Dibromofluoromethane	49.2		SUR	Yes	Y	
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	2037-26-5	Toluene-D8	49.9		SUR	Yes	Y	
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	460-00-4	4-Bromofluorobenzene	49		SUR	Yes	Y	

U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.6	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.76	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.73	1	1	ug/l	ug/l	DUSR	ND
		Y	0.52	1	1	ug/l	ug/l	DUSR	
U	U	Y	1.0	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.63	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.40	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.47	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.48	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.9	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
		Y	0.51	1	1	ug/l	ug/l	DUSR	
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	

0	50.1	49.6	99		80	120
0	50.2	49.2	98		80	120
0	49.9	49.9	100		80	120
0	50	49	98		82	114

JD52507
JD52507
JD52507

MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	591-78-6	2-Hexanone		TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	67-64-1	Acetone	4.5	TRG	Yes	Y	J
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	67-66-3	Chloroform		TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	71-43-2	Benzene		TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	74-83-9	Bromomethane		TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	74-87-3	Chloromethane		TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	75-00-3	Chloroethane		TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	75-01-4	Vinyl chloride		TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	75-09-2	Methylene chloride		TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	75-15-0	Carbon disulfide		TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	75-25-2	Bromoform		TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	75-27-4	Bromodichloromethane		TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	76-13-1	Freon 113		TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	79-01-6	Trichloroethene		TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	79-20-9	Methyl Acetate		TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12	INITIAL	1	JD52507-16	98-82-8	Isopropylbenzene		TRG	Yes	N	U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	100-41-4	Ethylbenzene		TRG	Yes	N	U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	100-42-5	Styrene		TRG	Yes	N	U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	108-87-2	Methylcyclohexane		TRG	Yes	N	U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	108-88-3	Toluene		TRG	Yes	N	U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	108-90-7	Chlorobenzene		TRG	Yes	N	U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	110-82-7	Cyclohexane		TRG	Yes	N	U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	124-48-1	Dibromochloromethane		TRG	Yes	N	U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	127-18-4	Tetrachloroethene		TRG	Yes	N	U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	1330-20-7	Xylene (total)		TRG	Yes	N	U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	156-59-2	cis-1,2-Dichloroethene		TRG	Yes	N	U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	156-60-5	trans-1,2-Dichloroethene		TRG	Yes	N	U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U

U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l	DUSR	ND
J	J	Y	3.1	10	10	ug/l	ug/l	DUSR	
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.6	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.76	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.73	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.52	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.0	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.63	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.40	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.47	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.48	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.9	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND

JD52507
JD52507
JD52507

MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	17060-07-	1,2-Dichloroethane-D4	45.6	SUR	Yes	Y		
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	1868-53-7	Dibromofluoromethane	49.3	SUR	Yes	Y		
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	2037-26-5	Toluene-D8	51.9	SUR	Yes	Y		
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	460-00-4	4-Bromofluorobenzene	46.1	SUR	Yes	Y		
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N		U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	56-23-5	Carbon tetrachloride		TRG	Yes	N		U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	591-78-6	2-Hexanone		TRG	Yes	N		U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	67-64-1	Acetone		TRG	Yes	N		U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	67-66-3	Chloroform		TRG	Yes	N		U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	71-43-2	Benzene		TRG	Yes	N		U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N		U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	74-83-9	Bromomethane		TRG	Yes	N		U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	74-87-3	Chloromethane		TRG	Yes	N		U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	75-00-3	Chloroethane		TRG	Yes	N		U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	75-01-4	Vinyl chloride		TRG	Yes	N		U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	75-09-2	Methylene chloride		TRG	Yes	N		U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	75-15-0	Carbon disulfide		TRG	Yes	N		U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	75-25-2	Bromoform		TRG	Yes	N		U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	75-27-4	Bromodichloromethane		TRG	Yes	N		U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	75-34-3	1,1-Dichloroethane		TRG	Yes	N		U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	75-35-4	1,1-Dichloroethene		TRG	Yes	N		U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	75-69-4	Trichlorofluoromethane		TRG	Yes	N		U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	75-71-8	Dichlorodifluoromethane		TRG	Yes	N		U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	76-13-1	Freon 113		TRG	Yes	N		U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	78-87-5	1,2-Dichloropropane		TRG	Yes	N		U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	78-93-3	2-Butanone (MEK)		TRG	Yes	N		U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N		U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	79-01-6	Trichloroethene		TRG	Yes	N		U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	79-20-9	Methyl Acetate		TRG	Yes	N		U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N		U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N		U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N		U
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37	INITIAL	1	JD52507-25	98-82-8	Isopropylbenzene		TRG	Yes	N		U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	100-41-4	Ethylbenzene		TRG	Yes	N		U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	100-42-5	Styrene		TRG	Yes	N		U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N		U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N		U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N		U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	106-93-4	1,2-Dibromoethane		TRG	Yes	N		U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	107-06-2	1,2-Dichloroethane		TRG	Yes	N		U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N		U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	108-87-2	Methylcyclohexane		TRG	Yes	N		U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	108-88-3	Toluene		TRG	Yes	N		U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	108-90-7	Chlorobenzene		TRG	Yes	N		U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	110-82-7	Cyclohexane		TRG	Yes	N		U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N		U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	124-48-1	Dibromochloromethane		TRG	Yes	N		U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	127-18-4	Tetrachloroethene		TRG	Yes	N		U

		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
		Y	0	0	0	%	%		DUSR	
U	U	Y	0.54	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	3.1	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l		DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l		DUSR	ND
UJ	UJ	Y	1.6	2	2	ug/l	ug/l		DUSR	ND
UJ	UJ	Y	0.76	1	1	ug/l	ug/l		DUSR	ND, Associated CC\
UJ	UJ	Y	0.73	1	1	ug/l	ug/l		DUSR	ND, Associated CC\
U	U	Y	0.52	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	1.0	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.63	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l		DUSR	ND
UJ	UJ	Y	0.40	2	2	ug/l	ug/l		DUSR	ND, Associated CC\
U	U	Y	0.56	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l		DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.47	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.43	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.48	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	1.9	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.60	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l		DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l		DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l		DUSR	ND

0	50.1	45.6	91		80	120
0	49.8	49.3	99		80	120
0	49.9	51.9	104		80	120
0	50.1	46.1	92		82	114

/ outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

JD52507
JD52507
JD52507

MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	1330-20-7	Xylene (total)		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	156-59-2	cis-1,2-Dichloroethene		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	156-60-5	trans-1,2-Dichloroethene		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	17060-07-	1,2-Dichloroethane-D4	47.3	SUR	Yes	Y	
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	1868-53-7	Dibromofluoromethane	49.5	SUR	Yes	Y	
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	2037-26-5	Toluene-D8	51.3	SUR	Yes	Y	
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	460-00-4	4-Bromofluorobenzene	45.7	SUR	Yes	Y	
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	591-78-6	2-Hexanone		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	67-64-1	Acetone		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	67-66-3	Chloroform		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	71-43-2	Benzene		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	74-83-9	Bromomethane		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	74-87-3	Chloromethane		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	75-00-3	Chloroethane		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	75-01-4	Vinyl chloride		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	75-09-2	Methylene chloride		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	75-15-0	Carbon disulfide		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	75-25-2	Bromoform		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	75-27-4	Bromodichloromethane		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	76-13-1	Freon 113		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	79-01-6	Trichloroethene		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	79-20-9	Methyl Acetate		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26	INITIAL	1	JD52507-5	98-82-8	Isopropylbenzene		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	100-41-4	Ethylbenzene		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	100-42-5	Styrene		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	108-87-2	Methylcyclohexane		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	108-88-3	Toluene		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	108-90-7	Chlorobenzene		TRG	Yes	N	U

U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	3.1	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.6	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.76	1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.73	1	1	ug/l	ug/l	DUSR	ND, Associated CCV
U	U	Y	0.52	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.0	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.63	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.40	2	2	ug/l	ug/l	DUSR	ND, Associated CCV
U	U	Y	0.56	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.47	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.48	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.9	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND

0	49.8	47.3	95		80	120
0	50	49.5	99		80	120
0	49.8	51.3	103		80	120
0	50.2	45.7	91		82	114

/ outside of control limits high, sample was ND.

/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

JD52507
JD52507
JD52507

TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	110-82-7	Cyclohexane		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	124-48-1	Dibromochloromethane		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	127-18-4	Tetrachloroethene		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	1330-20-7	Xylene (total)		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	156-59-2	cis-1,2-Dichloroethene		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	156-60-5	trans-1,2-Dichloroethene		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	17060-07-	1,2-Dichloroethane-D4	47.9	SUR	Yes	Y	
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	1868-53-7	Dibromofluoromethane	49.6	SUR	Yes	Y	
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	2037-26-5	Toluene-D8	50.9	SUR	Yes	Y	
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	460-00-4	4-Bromofluorobenzene	46.8	SUR	Yes	Y	
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	591-78-6	2-Hexanone		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	67-64-1	Acetone		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	67-66-3	Chloroform	1.4	TRG	Yes	Y	
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	71-43-2	Benzene		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	74-83-9	Bromomethane		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	74-87-3	Chloromethane		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	75-00-3	Chloroethane		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	75-01-4	Vinyl chloride		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	75-09-2	Methylene chloride		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	75-15-0	Carbon disulfide		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	75-25-2	Bromoform		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	75-27-4	Bromodichloromethane		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	76-13-1	Freon 113		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	79-01-6	Trichloroethene		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	79-20-9	Methyl Acetate		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17	INITIAL	1	JD52507-36	98-82-8	Isopropylbenzene		TRG	Yes	N	U
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	100-41-4	Ethylbenzene	47.1	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	100-42-5	Styrene	52.9	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	10061-01-	cis-1,3-Dichloropropene	49.9	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	10061-02-	trans-1,3-Dichloropropene	53.8	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	106-46-7	1,4-Dichlorobenzene	48.7	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	106-93-4	1,2-Dibromoethane	48.4	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	107-06-2	1,2-Dichloroethane	46.8	SC	Yes	Y	

U	U	Y	0.78	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
		Y	0	0	0	%	%	DUSR	
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	3.1	10	10	ug/l	ug/l	DUSR	ND
		Y	0.50	1	1	ug/l	ug/l	DUSR	
U	U	Y	0.43	0.5	0.5	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	1.6	2	2	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.76	1	1	ug/l	ug/l	DUSR	ND, Associated CCV
UJ	UJ	Y	0.73	1	1	ug/l	ug/l	DUSR	ND, Associated CCV
U	U	Y	0.52	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.0	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.63	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
UJ	UJ	Y	0.40	2	2	ug/l	ug/l	DUSR	ND, Associated CCV
U	U	Y	0.56	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
		Y	0.60	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.49	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.47	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.43	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.51	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.48	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.60	1	1	ug/l	ug/l	DUSR	50 ug/l added

0	49.9	47.9	96		80	120
0	50.1	49.6	99		80	120
0	49.9	50.9	102		80	120
0	49.8	46.8	94		82	114

/ outside of control limits low. A sensitivity check was analyzed to demonstrate system suitability to detect affected analyte. Sample was ND.
/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

/ outside of control limits high, sample was ND.This compound in blank spike is outside in house QC limits bias high.

0	50	47.1	94		78	116
0	50	52.9	106		81	125
0	50	49.9	100		83	123
0	50	53.8	108		83	122
0	50	48.7	97		80	114
0	50	48.4	97		67	138
0	50	46.8	94		73	117

JD52507
JD52507
JD52507

V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	108-10-1	4-Methyl-2-pentanone(MIE	189	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	108-87-2	Methylcyclohexane	48.8	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	108-88-3	Toluene	47.8	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	108-90-7	Chlorobenzene	47.7	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	110-82-7	Cyclohexane	42.9	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	120-82-1	1,2,4-Trichlorobenzene	55.4	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	124-48-1	Dibromochloromethane	48.4	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	127-18-4	Tetrachloroethene	50.4	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	1330-20-7	Xylene (total)	149	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	156-59-2	cis-1,2-Dichloroethene	48.5	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	156-60-5	trans-1,2-Dichloroethene	46.3	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	1634-04-4	Methyl Tert Butyl Ether	45.6	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	541-73-1	1,3-Dichlorobenzene	51.4	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	56-23-5	Carbon tetrachloride	49.7	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	591-78-6	2-Hexanone	187	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	67-64-1	Acetone	194	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	67-66-3	Chloroform	44.9	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	71-43-2	Benzene	46.6	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	71-55-6	1,1,1-Trichloroethane	47.8	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	74-83-9	Bromomethane	44.5	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	74-87-3	Chloromethane	38.8	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	75-00-3	Chloroethane	39.8	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	75-01-4	Vinyl chloride	40.6	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	75-09-2	Methylene chloride	43.1	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	75-15-0	Carbon disulfide	41	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	75-25-2	Bromoform	50.7	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	75-27-4	Bromodichloromethane	47.3	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	75-34-3	1,1-Dichloroethane	45.4	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	75-35-4	1,1-Dichloroethene	43.9	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	75-69-4	Trichlorofluoromethane	45.4	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	75-71-8	Dichlorodifluoromethane	38.7	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	76-13-1	Freon 113	45.2	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	78-87-5	1,2-Dichloropropane	46.4	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	78-93-3	2-Butanone (MEK)	190	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	79-00-5	1,1,2-Trichloroethane	47.2	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	79-01-6	Trichloroethene	49.7	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	79-20-9	Methyl Acetate	43.2	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	79-34-5	1,1,2,2-Tetrachloroethane	45.4	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	95-50-1	1,2-Dichlorobenzene	51.4	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	96-12-8	1,2-Dibromo-3-chloroprop	52	SC	Yes	Y	
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32	INITIAL	1	V1A9698-BS	98-82-8	Isopropylbenzene	50.6	SC	Yes	Y	
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:28	INITIAL	1	V1A9698-MB	100-41-4	Ethylbenzene		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:28	INITIAL	1	V1A9698-MB	100-42-5	Styrene		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:28	INITIAL	1	V1A9698-MB	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:28	INITIAL	1	V1A9698-MB	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:28	INITIAL	1	V1A9698-MB	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:28	INITIAL	1	V1A9698-MB	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:28	INITIAL	1	V1A9698-MB	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U

		Y	1.9	5	5 ug/l	ug/l	DUSR	200 ug/l added
		Y	0.60	5	5 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.49	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.56	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.78	5	5 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.50	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.56	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.56	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.59	1	1 ug/l	ug/l	DUSR	150 ug/l added
		Y	0.51	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.54	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.51	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.54	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.55	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	2.0	5	5 ug/l	ug/l	DUSR	200 ug/l added
		Y	3.1	10	10 ug/l	ug/l	DUSR	200 ug/l added
		Y	0.50	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.43	0.5	0.5 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.54	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	1.6	2	2 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.76	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.73	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.52	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	1.0	2	2 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.46	2	2 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.63	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.45	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.57	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.59	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.40	2	2 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.56	2	2 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.58	5	5 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.51	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	2.7	10	10 ug/l	ug/l	DUSR	200 ug/l added
		Y	0.53	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.53	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.80	5	5 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.65	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.53	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.53	2	2 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.65	1	1 ug/l	ug/l	DUSR	50 ug/l added
U	U	Y	0.60	1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.47	1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.43	1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.48	1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1 ug/l	ug/l	DUSR	ND

0	200	189	95	73	134
0	50	48.8	98	71	123
0	50	47.8	96	79	116
0	50	47.7	95	80	115
0	50	42.9	86	66	129
0	50	55.4	111	68	135
0	50	48.4	97	81	123
0	50	50.4	101	73	119
0	150	149	99	80	119
0	50	48.5	97	80	120
0	50	46.3	93	77	121
0	50	45.6	91	76	123
0	50	51.4	103	81	115
0	50	49.7	99	75	127
0	200	187	94	66	136
0	200	194	97	27	175
0	50	44.9	90	75	116
0	50	46.6	93	80	115
0	50	47.8	96	76	124
0	50	44.5	89	40	162
0	50	38.8	78	41	153
0	50	39.8	80	56	144
0	50	40.6	81	52	146
0	50	43.1	86	73	123
0	50	41	82	64	130
0	50	50.7	101	77	135
0	50	47.3	95	82	119
0	50	45.4	91	75	125
0	50	43.9	88	70	124
0	50	45.4	91	67	134
0	50	38.7	77	43	152
0	50	45.2	90	68	134
0	50	46.4	93	79	121
0	200	190	95	61	150
0	50	47.2	94	83	117
0	50	49.7	99	80	118
0	50	43.2	86	60	143
0	50	45.4	91	73	126
0	50	51.4	103	81	117
0	50	52	104	69	134
0	50	50.6	101	78	121

JD52507
JD52507
JD52507

V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	108-87-2	Methylcyclohexane		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	108-88-3	Toluene		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	108-90-7	Chlorobenzene		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	110-82-7	Cyclohexane		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	124-48-1	Dibromochloromethane		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	127-18-4	Tetrachloroethene		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	1330-20-7	Xylene (total)		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	156-59-2	cis-1,2-Dichloroethene		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	156-60-5	trans-1,2-Dichloroethene		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	591-78-6	2-Hexanone		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	67-64-1	Acetone		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	67-66-3	Chloroform		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	71-43-2	Benzene		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	74-83-9	Bromomethane		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	74-87-3	Chloromethane		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	75-00-3	Chloroethane		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	75-01-4	Vinyl chloride		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	75-09-2	Methylene chloride		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	75-15-0	Carbon disulfide		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	75-25-2	Bromoform		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	75-27-4	Bromodichloromethane		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	76-13-1	Freon 113		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	79-01-6	Trichloroethene		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	79-20-9	Methyl Acetate		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:2E	INITIAL	1	V1A9698-MB	98-82-8	Isopropylbenzene		TRG	Yes	N	U
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3E	INITIAL	1	V1A9705-BS	100-41-4	Ethylbenzene	47.2	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3E	INITIAL	1	V1A9705-BS	100-42-5	Styrene	53.6	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3E	INITIAL	1	V1A9705-BS	10061-01-	cis-1,3-Dichloropropene	52.4	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3E	INITIAL	1	V1A9705-BS	10061-02-	trans-1,3-Dichloropropene	56.1	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3E	INITIAL	1	V1A9705-BS	106-46-7	1,4-Dichlorobenzene	47.6	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3E	INITIAL	1	V1A9705-BS	106-93-4	1,2-Dibromoethane	50.4	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3E	INITIAL	1	V1A9705-BS	107-06-2	1,2-Dichloroethane	48.4	SC	Yes	Y	

U	U	Y	1.9	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	3.1	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.6	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.76	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.73	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.52	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.0	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.63	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.40	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
		Y	0.60	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.49	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.47	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.43	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.51	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.48	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.60	1	1	ug/l	ug/l	DUSR	50 ug/l added

0	50	47.2	94		78	116
0	50	53.6	107		81	125
0	50	52.4	105		83	123
0	50	56.1	112		83	122
0	50	47.6	95		80	114
0	50	50.4	101		67	138
0	50	48.4	97		73	117

JD52507
JD52507
JD52507

V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	108-10-1	4-Methyl-2-pentanone(MIE	201	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	108-87-2	Methylcyclohexane	42.8	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	108-88-3	Toluene	50.3	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	108-90-7	Chlorobenzene	49.1	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	110-82-7	Cyclohexane	48.3	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	120-82-1	1,2,4-Trichlorobenzene	50.9	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	124-48-1	Dibromochloromethane	49.6	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	127-18-4	Tetrachloroethene	49.6	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	1330-20-7	Xylene (total)	149	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	156-59-2	cis-1,2-Dichloroethene	50.6	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	156-60-5	trans-1,2-Dichloroethene	48.7	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	1634-04-4	Methyl Tert Butyl Ether	48.1	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	541-73-1	1,3-Dichlorobenzene	51.8	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	56-23-5	Carbon tetrachloride	51.4	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	591-78-6	2-Hexanone	201	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	67-64-1	Acetone	190	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	67-66-3	Chloroform	47.7	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	71-43-2	Benzene	49	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	71-55-6	1,1,1-Trichloroethane	50.1	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	74-83-9	Bromomethane	44.8	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	74-87-3	Chloromethane	44.1	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	75-00-3	Chloroethane	46.1	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	75-01-4	Vinyl chloride	45	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	75-09-2	Methylene chloride	45.2	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	75-15-0	Carbon disulfide	38.5	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	75-25-2	Bromoform	51.6	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	75-27-4	Bromodichloromethane	49.5	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	75-34-3	1,1-Dichloroethane	48.4	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	75-35-4	1,1-Dichloroethene	43.7	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	75-69-4	Trichlorofluoromethane	48.7	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	75-71-8	Dichlorodifluoromethane	39.8	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	76-13-1	Freon 113	45.5	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	78-87-5	1,2-Dichloropropane	48.5	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	78-93-3	2-Butanone (MEK)	196	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	79-00-5	1,1,2-Trichloroethane	49.7	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	79-01-6	Trichloroethene	50.5	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	79-20-9	Methyl Acetate	46.5	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	79-34-5	1,1,2,2-Tetrachloroethane	49.6	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	95-50-1	1,2-Dichlorobenzene	51.6	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	96-12-8	1,2-Dibromo-3-chloroprop	52.3	SC	Yes	Y	
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:3€	INITIAL	1	V1A9705-BS	98-82-8	Isopropylbenzene	47.6	SC	Yes	Y	
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:2€	INITIAL	1	V1A9705-MB	100-41-4	Ethylbenzene		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:2€	INITIAL	1	V1A9705-MB	100-42-5	Styrene		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:2€	INITIAL	1	V1A9705-MB	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:2€	INITIAL	1	V1A9705-MB	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:2€	INITIAL	1	V1A9705-MB	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:2€	INITIAL	1	V1A9705-MB	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:2€	INITIAL	1	V1A9705-MB	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U

		Y	1.9	5	5 ug/l	ug/l	DUSR	200 ug/l added
		Y	0.60	5	5 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.49	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.56	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.78	5	5 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.50	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.56	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.56	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.59	1	1 ug/l	ug/l	DUSR	150 ug/l added
		Y	0.51	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.54	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.51	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.54	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.55	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	2.0	5	5 ug/l	ug/l	DUSR	200 ug/l added
		Y	3.1	10	10 ug/l	ug/l	DUSR	200 ug/l added
		Y	0.50	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.43	0.5	0.5 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.54	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	1.6	2	2 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.76	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.73	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.52	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	1.0	2	2 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.46	2	2 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.63	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.45	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.57	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.59	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.40	2	2 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.56	2	2 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.58	5	5 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.51	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	2.7	10	10 ug/l	ug/l	DUSR	200 ug/l added
		Y	0.53	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.53	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.80	5	5 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.65	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.53	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.53	2	2 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.65	1	1 ug/l	ug/l	DUSR	50 ug/l added
U	U	Y	0.60	1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.47	1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.43	1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.48	1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1 ug/l	ug/l	DUSR	ND

0	200	201	101	73	134
0	50	42.8	86	71	123
0	50	50.3	101	79	116
0	50	49.1	98	80	115
0	50	48.3	97	66	129
0	50	50.9	102	68	135
0	50	49.6	99	81	123
0	50	49.6	99	73	119
0	150	149	99	80	119
0	50	50.6	101	80	120
0	50	48.7	97	77	121
0	50	48.1	96	76	123
0	50	51.8	104	81	115
0	50	51.4	103	75	127
0	200	201	101	66	136
0	200	190	95	27	175
0	50	47.7	95	75	116
0	50	49	98	80	115
0	50	50.1	100	76	124
0	50	44.8	90	40	162
0	50	44.1	88	41	153
0	50	46.1	92	56	144
0	50	45	90	52	146
0	50	45.2	90	73	123
0	50	38.5	77	64	130
0	50	51.6	103	77	135
0	50	49.5	99	82	119
0	50	48.4	97	75	125
0	50	43.7	87	70	124
0	50	48.7	97	67	134
0	50	39.8	80	43	152
0	50	45.5	91	68	134
0	50	48.5	97	79	121
0	200	196	98	61	150
0	50	49.7	99	83	117
0	50	50.5	101	80	118
0	50	46.5	93	60	143
0	50	49.6	99	73	126
0	50	51.6	103	81	117
0	50	52.3	105	69	134
0	50	47.6	95	78	121

JD52507
JD52507
JD52507

V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	108-87-2	Methylcyclohexane		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	108-88-3	Toluene		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	108-90-7	Chlorobenzene		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	110-82-7	Cyclohexane		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	124-48-1	Dibromochloromethane		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	127-18-4	Tetrachloroethene		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	1330-20-7	Xylene (total)		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	156-59-2	cis-1,2-Dichloroethene		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	156-60-5	trans-1,2-Dichloroethene		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	591-78-6	2-Hexanone		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	67-64-1	Acetone		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	67-66-3	Chloroform		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	71-43-2	Benzene		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	74-83-9	Bromomethane		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	74-87-3	Chloromethane		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	75-00-3	Chloroethane		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	75-01-4	Vinyl chloride		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	75-09-2	Methylene chloride		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	75-15-0	Carbon disulfide		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	75-25-2	Bromoform		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	75-27-4	Bromodichloromethane		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	76-13-1	Freon 113		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	79-01-6	Trichloroethene		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	79-20-9	Methyl Acetate		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29	INITIAL	1	V1A9705-MB	98-82-8	Isopropylbenzene		TRG	Yes	N	U
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	100-41-4	Ethylbenzene	44.9	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	100-42-5	Styrene	45.6	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	10061-01-	cis-1,3-Dichloropropene	50.6	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	10061-02-	trans-1,3-Dichloropropene	51.7	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	106-46-7	1,4-Dichlorobenzene	46	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	106-93-4	1,2-Dibromoethane	49.1	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	107-06-2	1,2-Dichloroethane	43.1	SC	Yes	Y	

U	U	Y	1.9	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	3.1	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.6	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.76	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.73	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.52	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.0	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.63	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.40	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
		Y	0.60	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.49	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.47	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.43	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.51	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.48	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.60	1	1	ug/l	ug/l	DUSR	50 ug/l added

0	50	44.9	90		78	116
0	50	45.6	91		81	125
0	50	50.6	101		83	123
0	50	51.7	103		83	122
0	50	46	92		80	114
0	50	49.1	98		67	138
0	50	43.1	86		73	117

JD52507
JD52507
JD52507

V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	108-10-1	4-Methyl-2-pentanone(MIE	202	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	108-87-2	Methylcyclohexane	48.2	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	108-88-3	Toluene	45.9	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	108-90-7	Chlorobenzene	45.4	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	110-82-7	Cyclohexane	39.5	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	120-82-1	1,2,4-Trichlorobenzene	48.8	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	124-48-1	Dibromochloromethane	50.5	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	127-18-4	Tetrachloroethene	47.7	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	1330-20-7	Xylene (total)	135	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	156-59-2	cis-1,2-Dichloroethene	43.6	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	156-60-5	trans-1,2-Dichloroethene	44.5	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	1634-04-4	Methyl Tert Butyl Ether	45.2	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	541-73-1	1,3-Dichlorobenzene	46.3	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	56-23-5	Carbon tetrachloride	45.5	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	591-78-6	2-Hexanone	198	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	67-64-1	Acetone	176	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	67-66-3	Chloroform	41.9	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	71-43-2	Benzene	43.9	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	71-55-6	1,1,1-Trichloroethane	43.8	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	74-83-9	Bromomethane	50.1	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	74-87-3	Chloromethane	39.1	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	75-00-3	Chloroethane	35.5	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	75-01-4	Vinyl chloride	39.4	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	75-09-2	Methylene chloride	43.7	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	75-15-0	Carbon disulfide	47.1	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	75-25-2	Bromoform	54.4	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	75-27-4	Bromodichloromethane	47.8	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	75-34-3	1,1-Dichloroethane	43.5	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	75-35-4	1,1-Dichloroethene	46	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	75-69-4	Trichlorofluoromethane	42.3	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	75-71-8	Dichlorodifluoromethane	40.3	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	76-13-1	Freon 113	45.6	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	78-87-5	1,2-Dichloropropane	46.7	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	78-93-3	2-Butanone (MEK)	192	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	79-00-5	1,1,2-Trichloroethane	47.1	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	79-01-6	Trichloroethene	45.7	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	79-20-9	Methyl Acetate	45.3	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	79-34-5	1,1,2,2-Tetrachloroethane	51.4	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	95-50-1	1,2-Dichlorobenzene	47.3	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	96-12-8	1,2-Dibromo-3-chloroprop	52.6	SC	Yes	Y	
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34	INITIAL	1	V1X8637-BS	98-82-8	Isopropylbenzene	46.3	SC	Yes	Y	
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:20	INITIAL	1	V1X8637-MB	100-41-4	Ethylbenzene		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:20	INITIAL	1	V1X8637-MB	100-42-5	Styrene		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:20	INITIAL	1	V1X8637-MB	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:20	INITIAL	1	V1X8637-MB	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:20	INITIAL	1	V1X8637-MB	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:20	INITIAL	1	V1X8637-MB	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:20	INITIAL	1	V1X8637-MB	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U

		Y	1.9	5	5 ug/l	ug/l	DUSR	200 ug/l added
		Y	0.60	5	5 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.49	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.56	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.78	5	5 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.50	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.56	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.56	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.59	1	1 ug/l	ug/l	DUSR	150 ug/l added
		Y	0.51	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.54	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.51	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.54	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.55	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	2.0	5	5 ug/l	ug/l	DUSR	200 ug/l added
		Y	3.1	10	10 ug/l	ug/l	DUSR	200 ug/l added
		Y	0.50	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.43	0.5	0.5 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.54	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	1.6	2	2 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.76	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.73	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.52	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	1.0	2	2 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.46	2	2 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.63	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.45	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.57	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.59	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.40	2	2 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.56	2	2 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.58	5	5 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.51	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	2.7	10	10 ug/l	ug/l	DUSR	200 ug/l added
		Y	0.53	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.53	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.80	5	5 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.65	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.53	1	1 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.53	2	2 ug/l	ug/l	DUSR	50 ug/l added
		Y	0.65	1	1 ug/l	ug/l	DUSR	50 ug/l added
U	U	Y	0.60	1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.47	1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.43	1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.48	1	1 ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1 ug/l	ug/l	DUSR	ND

0	200	202	101		73	134
0	50	48.2	96		71	123
0	50	45.9	92		79	116
0	50	45.4	91		80	115
0	50	39.5	79		66	129
0	50	48.8	98		68	135
0	50	50.5	101		81	123
0	50	47.7	95		73	119
0	150	135	90		80	119
0	50	43.6	87		80	120
0	50	44.5	89		77	121
0	50	45.2	90		76	123
0	50	46.3	93		81	115
0	50	45.5	91		75	127
0	200	198	99		66	136
0	200	176	88		27	175
0	50	41.9	84		75	116
0	50	43.9	88		80	115
0	50	43.8	88		76	124
0	50	50.1	100		40	162
0	50	39.1	78		41	153
0	50	35.5	71		56	144
0	50	39.4	79		52	146
0	50	43.7	87		73	123
0	50	47.1	94		64	130
0	50	54.4	109		77	135
0	50	47.8	96		82	119
0	50	43.5	87		75	125
0	50	46	92		70	124
0	50	42.3	85		67	134
0	50	40.3	81		43	152
0	50	45.6	91		68	134
0	50	46.7	93		79	121
0	200	192	96		61	150
0	50	47.1	94		83	117
0	50	45.7	91		80	118
0	50	45.3	91		60	143
0	50	51.4	103		73	126
0	50	47.3	95		81	117
0	50	52.6	105		69	134
0	50	46.3	93		78	121

JD52507
JD52507
JD52507

V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	108-87-2	Methylcyclohexane		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	108-88-3	Toluene		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	108-90-7	Chlorobenzene		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	110-82-7	Cyclohexane		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	124-48-1	Dibromochloromethane		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	127-18-4	Tetrachloroethene		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	1330-20-7	Xylene (total)		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	156-59-2	cis-1,2-Dichloroethene		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	156-60-5	trans-1,2-Dichloroethene		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	591-78-6	2-Hexanone		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	67-64-1	Acetone		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	67-66-3	Chloroform		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	71-43-2	Benzene		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	74-83-9	Bromomethane		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	74-87-3	Chloromethane		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	75-00-3	Chloroethane		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	75-01-4	Vinyl chloride		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	75-09-2	Methylene chloride		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	75-15-0	Carbon disulfide		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	75-25-2	Bromoform		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	75-27-4	Bromodichloromethane		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	76-13-1	Freon 113		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	79-01-6	Trichloroethene		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	79-20-9	Methyl Acetate		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:2(	INITIAL	1	V1X8637-MB	98-82-8	Isopropylbenzene		TRG	Yes	N	U
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	100-41-4	Ethylbenzene	45.6	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	100-42-5	Styrene	44.1	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	10061-01-	cis-1,3-Dichloropropene	48	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	10061-02-	trans-1,3-Dichloropropene	46.6	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	106-46-7	1,4-Dichlorobenzene	42.6	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	106-93-4	1,2-Dibromoethane	44.3	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	107-06-2	1,2-Dichloroethane	42.6	SC	Yes	Y	

U	U	Y	1.9	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	3.1	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.6	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.76	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.73	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.52	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.0	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.63	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.40	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
		Y	0.60	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.49	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.47	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.43	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.51	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.48	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.60	1	1	ug/l	ug/l	DUSR	50 ug/l added

0	50	45.6	91	78	116
0	50	44.1	88	81	125
0	50	48	96	83	123
0	50	46.6	93	83	122
0	50	42.6	85	80	114
0	50	44.3	89	67	138
0	50	42.6	85	73	117

JD52507
JD52507
JD52507

V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	108-10-1	4-Methyl-2-pentanone(MIE	173	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	108-87-2	Methylcyclohexane	45.5	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	108-88-3	Toluene	47.6	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	108-90-7	Chlorobenzene	46.7	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	110-82-7	Cyclohexane	51.5	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	120-82-1	1,2,4-Trichlorobenzene	45	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	124-48-1	Dibromochloromethane	43.2	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	127-18-4	Tetrachloroethene	45.9	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	1330-20-7	Xylene (total)	132	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	156-60-5	trans-1,2-Dichloroethene	51.4	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	1634-04-4	Methyl Tert Butyl Ether	50.3	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	541-73-1	1,3-Dichlorobenzene	44.6	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	56-23-5	Carbon tetrachloride	47.3	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	591-78-6	2-Hexanone	191	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	67-64-1	Acetone	275	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	67-66-3	Chloroform	47.5	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	71-43-2	Benzene	49.3	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	71-55-6	1,1,1-Trichloroethane	49	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	74-83-9	Bromomethane	46.2	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	74-87-3	Chloromethane	41.2	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	75-00-3	Chloroethane	53.4	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	75-09-2	Methylene chloride	51.7	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	75-15-0	Carbon disulfide	56.8	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	75-25-2	Bromoform	43	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	75-27-4	Bromodichloromethane	43.6	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	75-34-3	1,1-Dichloroethane	52.5	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	75-35-4	1,1-Dichloroethene	52	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	75-69-4	Trichlorofluoromethane	45.9	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	75-71-8	Dichlorodifluoromethane	43.9	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	76-13-1	Freon 113	51.4	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	78-87-5	1,2-Dichloropropane	47.8	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	78-93-3	2-Butanone (MEK)	244	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	79-00-5	1,1,2-Trichloroethane	45	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	79-01-6	Trichloroethene	46.2	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	79-20-9	Methyl Acetate	47.4	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	79-34-5	1,1,2,2-Tetrachloroethane	43.8	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	95-50-1	1,2-Dichlorobenzene	44	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	96-12-8	1,2-Dibromo-3-chloroprop	39.8	SC	Yes	Y	
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19	INITIAL	1	V2A9581-BS	98-82-8	Isopropylbenzene	43.6	SC	Yes	Y	
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	100-41-4	Ethylbenzene		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	100-42-5	Styrene		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	108-87-2	Methylcyclohexane		TRG	Yes	N	U

		Y	1.9	5	5	ug/l	ug/l	DUSR	200 ug/l added
		Y	0.60	5	5	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.49	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.56	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.78	5	5	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.50	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.56	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.56	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.59	1	1	ug/l	ug/l	DUSR	150 ug/l added
		Y	0.54	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.51	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.54	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.55	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	2.0	5	5	ug/l	ug/l	DUSR	200 ug/l added
		Y	3.1	10	10	ug/l	ug/l	DUSR	200 ug/l added
		Y	0.50	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.43	0.5	0.5	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.54	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	1.6	2	2	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.76	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.73	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	1.0	2	2	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.46	2	2	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.63	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.45	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.57	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.59	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.40	2	2	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.56	2	2	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.58	5	5	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.51	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	2.7	10	10	ug/l	ug/l	DUSR	200 ug/l added
		Y	0.53	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.53	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.80	5	5	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.65	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.53	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.53	2	2	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.65	1	1	ug/l	ug/l	DUSR	50 ug/l added
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.47	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.48	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.9	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.60	5	5	ug/l	ug/l	DUSR	ND

0	200	173	87		73	134
0	50	45.5	91		71	123
0	50	47.6	95		79	116
0	50	46.7	93		80	115
0	50	51.5	103		66	129
0	50	45	90		68	135
0	50	43.2	86		81	123
0	50	45.9	92		73	119
0	150	132	88		80	119
0	50	51.4	103		77	121
0	50	50.3	101		76	123
0	50	44.6	89		81	115
0	50	47.3	95		75	127
0	200	191	96		66	136
0	200	275	138		27	175
0	50	47.5	95		75	116
0	50	49.3	99		80	115
0	50	49	98		76	124
0	50	46.2	92		40	162
0	50	41.2	82		41	153
0	50	53.4	107		56	144
0	50	51.7	103		73	123
0	50	56.8	114		64	130
0	50	43	86		77	135
0	50	43.6	87		82	119
0	50	52.5	105		75	125
0	50	52	104		70	124
0	50	45.9	92		67	134
0	50	43.9	88		43	152
0	50	51.4	103		68	134
0	50	47.8	96		79	121
0	200	244	122		61	150
0	50	45	90		83	117
0	50	46.2	92		80	118
0	50	47.4	95		60	143
0	50	43.8	88		73	126
0	50	44	88		81	117
0	50	39.8	80		69	134
0	50	43.6	87		78	121

JD52507
JD52507
JD52507

V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	108-88-3	Toluene		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	108-90-7	Chlorobenzene		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	110-82-7	Cyclohexane		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	124-48-1	Dibromochloromethane		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	127-18-4	Tetrachloroethene		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	1330-20-7	Xylene (total)		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	156-60-5	trans-1,2-Dichloroethene		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	591-78-6	2-Hexanone		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	67-64-1	Acetone		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	67-66-3	Chloroform		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	71-43-2	Benzene		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	74-83-9	Bromomethane		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	74-87-3	Chloromethane		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	75-00-3	Chloroethane		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	75-09-2	Methylene chloride		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	75-15-0	Carbon disulfide		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	75-25-2	Bromoform		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	75-27-4	Bromodichloromethane		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	76-13-1	Freon 113		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	79-01-6	Trichloroethene		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	79-20-9	Methyl Acetate		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16	INITIAL	1	V2A9581-MB	98-82-8	Isopropylbenzene		TRG	Yes	N	U
V2A9583-BS-ACTD-JD52507AQ	SW8260	09/30/2022 10:21	INITIAL	1	V2A9583-BS	156-59-2	cis-1,2-Dichloroethene	56.4	SC	Yes	Y	
V2A9583-MB-ACTD-JD52507AQ	SW8260	09/30/2022 11:18	INITIAL	1	V2A9583-MB	156-59-2	cis-1,2-Dichloroethene		TRG	Yes	N	U
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	100-41-4	Ethylbenzene	47.7	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	100-42-5	Styrene	47.8	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	10061-01-	cis-1,3-Dichloropropene	48.2	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	10061-02-	trans-1,3-Dichloropropene	48.4	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	106-46-7	1,4-Dichlorobenzene	44.2	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	106-93-4	1,2-Dibromoethane	48	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	107-06-2	1,2-Dichloroethane	45.9	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	108-10-1	4-Methyl-2-pentanone(MIE	223	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	108-87-2	Methylcyclohexane	47.3	SC	Yes	Y	

U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	3.1	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.6	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.76	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.73	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.0	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.63	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.40	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
		Y	0.51	1	1	ug/l	ug/l	DUSR	50 ug/l added
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
		Y	0.60	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.49	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.47	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.43	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.51	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.48	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.60	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	1.9	5	5	ug/l	ug/l	DUSR	200 ug/l added
		Y	0.60	5	5	ug/l	ug/l	DUSR	50 ug/l added

0	50	56.4	113	80	120
0	50	47.7	95	78	116
0	50	47.8	96	81	125
0	50	48.2	96	83	123
0	50	48.4	97	83	122
0	50	44.2	88	80	114
0	50	48	96	67	138
0	50	45.9	92	73	117
0	200	223	112	73	134
0	50	47.3	95	71	123

JD52507
JD52507
JD52507

V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	108-88-3	Toluene	44.8	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	108-90-7	Chlorobenzene	45.5	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	110-82-7	Cyclohexane	46.7	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	120-82-1	1,2,4-Trichlorobenzene	48.8	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	124-48-1	Dibromochloromethane	47.2	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	127-18-4	Tetrachloroethene	45.2	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	1330-20-7	Xylene (total)	141	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	156-59-2	cis-1,2-Dichloroethene	52	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	156-60-5	trans-1,2-Dichloroethene	49.9	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	1634-04-4	Methyl Tert Butyl Ether	51	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	541-73-1	1,3-Dichlorobenzene	45.5	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	56-23-5	Carbon tetrachloride	48.3	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	591-78-6	2-Hexanone	216	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	67-64-1	Acetone	215	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	67-66-3	Chloroform	46.3	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	71-43-2	Benzene	47.3	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	71-55-6	1,1,1-Trichloroethane	47.5	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	74-83-9	Bromomethane	78.7	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	74-87-3	Chloromethane	47.9	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	75-00-3	Chloroethane	66.9	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	75-01-4	Vinyl chloride	54.1	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	75-09-2	Methylene chloride	46	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	75-15-0	Carbon disulfide	44.1	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	75-25-2	Bromoform	48.2	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	75-27-4	Bromodichloromethane	46.1	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	75-34-3	1,1-Dichloroethane	50.9	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	75-35-4	1,1-Dichloroethene	49.8	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	75-69-4	Trichlorofluoromethane	86.7	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	75-71-8	Dichlorodifluoromethane	48	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	76-13-1	Freon 113	46.6	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	78-87-5	1,2-Dichloropropane	51.1	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	78-93-3	2-Butanone (MEK)	228	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	79-00-5	1,1,2-Trichloroethane	49	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	79-01-6	Trichloroethene	46	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	79-20-9	Methyl Acetate	50.7	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	79-34-5	1,1,2,2-Tetrachloroethane	47.3	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	95-50-1	1,2-Dichlorobenzene	46.2	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	96-12-8	1,2-Dibromo-3-chloroprop	49.8	SC	Yes	Y	
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47	INITIAL	1	V2V3773-BS	98-82-8	Isopropylbenzene	46.4	SC	Yes	Y	
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:33	INITIAL	1	V2V3773-MB	100-41-4	Ethylbenzene		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:33	INITIAL	1	V2V3773-MB	100-42-5	Styrene		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:33	INITIAL	1	V2V3773-MB	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:33	INITIAL	1	V2V3773-MB	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:33	INITIAL	1	V2V3773-MB	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:33	INITIAL	1	V2V3773-MB	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:33	INITIAL	1	V2V3773-MB	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:33	INITIAL	1	V2V3773-MB	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:33	INITIAL	1	V2V3773-MB	108-87-2	Methylcyclohexane		TRG	Yes	N	U

		Y	0.49	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.56	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.78	5	5 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.50	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.56	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.56	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.59	1	1 ug/l	ug/l		DUSR	150 ug/l added
		Y	0.51	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.54	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.51	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.54	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.55	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	2.0	5	5 ug/l	ug/l		DUSR	200 ug/l added
		Y	3.1	10	10 ug/l	ug/l		DUSR	200 ug/l added
		Y	0.50	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.43	0.5	0.5 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.54	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	1.6	2	2 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.76	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.73	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.52	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	1.0	2	2 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.46	2	2 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.63	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.45	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.57	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.59	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.40	2	2 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.56	2	2 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.58	5	5 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.51	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	2.7	10	10 ug/l	ug/l		DUSR	200 ug/l added
		Y	0.53	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.53	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.80	5	5 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.65	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.53	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.53	2	2 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.65	1	1 ug/l	ug/l		DUSR	50 ug/l added
U	U	Y	0.60	1	1 ug/l	ug/l		DUSR	ND
U	U	Y	0.49	1	1 ug/l	ug/l		DUSR	ND
U	U	Y	0.47	1	1 ug/l	ug/l		DUSR	ND
U	U	Y	0.43	1	1 ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1 ug/l	ug/l		DUSR	ND
U	U	Y	0.48	1	1 ug/l	ug/l		DUSR	ND
U	U	Y	0.60	1	1 ug/l	ug/l		DUSR	ND
U	U	Y	1.9	5	5 ug/l	ug/l		DUSR	ND
U	U	Y	0.60	5	5 ug/l	ug/l		DUSR	ND

0	50	44.8	90	79	116
0	50	45.5	91	80	115
0	50	46.7	93	66	129
0	50	48.8	98	68	135
0	50	47.2	94	81	123
0	50	45.2	90	73	119
0	150	141	94	80	119
0	50	52	104	80	120
0	50	49.9	100	77	121
0	50	51	102	76	123
0	50	45.5	91	81	115
0	50	48.3	97	75	127
0	200	216	108	66	136
0	200	215	108	27	175
0	50	46.3	93	75	116
0	50	47.3	95	80	115
0	50	47.5	95	76	124
0	50	78.7	157	40	162
0	50	47.9	96	41	153
0	50	66.9	134	56	144
0	50	54.1	108	52	146
0	50	46	92	73	123
0	50	44.1	88	64	130
0	50	48.2	96	77	135
0	50	46.1	92	82	119
0	50	50.9	102	75	125
0	50	49.8	100	70	124
0	50	86.7	173	67	134
0	50	48	96	43	152
0	50	46.6	93	68	134
0	50	51.1	102	79	121
0	200	228	114	61	150
0	50	49	98	83	117
0	50	46	92	80	118
0	50	50.7	101	60	143
0	50	47.3	95	73	126
0	50	46.2	92	81	117
0	50	49.8	100	69	134
0	50	46.4	93	78	121

JD52507
JD52507
JD52507

V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	108-88-3	Toluene		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	108-90-7	Chlorobenzene		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	110-82-7	Cyclohexane		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	124-48-1	Dibromochloromethane		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	127-18-4	Tetrachloroethene		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	1330-20-7	Xylene (total)		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	156-59-2	cis-1,2-Dichloroethene		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	156-60-5	trans-1,2-Dichloroethene		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	591-78-6	2-Hexanone		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	67-64-1	Acetone		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	67-66-3	Chloroform		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	71-43-2	Benzene		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	74-83-9	Bromomethane		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	74-87-3	Chloromethane		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	75-00-3	Chloroethane		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	75-01-4	Vinyl chloride		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	75-09-2	Methylene chloride		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	75-15-0	Carbon disulfide		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	75-25-2	Bromoform		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	75-27-4	Bromodichloromethane		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	76-13-1	Freon 113		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	79-01-6	Trichloroethene		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	79-20-9	Methyl Acetate		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:3	INITIAL	1	V2V3773-MB	98-82-8	Isopropylbenzene		TRG	Yes	N	U
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:2	INITIAL	1	V2V3777-BS	100-41-4	Ethylbenzene	50	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:2	INITIAL	1	V2V3777-BS	100-42-5	Styrene	49.3	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:2	INITIAL	1	V2V3777-BS	10061-01-	cis-1,3-Dichloropropene	50.1	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:2	INITIAL	1	V2V3777-BS	10061-02-	trans-1,3-Dichloropropene	50.3	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:2	INITIAL	1	V2V3777-BS	106-46-7	1,4-Dichlorobenzene	46.2	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:2	INITIAL	1	V2V3777-BS	106-93-4	1,2-Dibromoethane	49.6	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:2	INITIAL	1	V2V3777-BS	107-06-2	1,2-Dichloroethane	47.6	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:2	INITIAL	1	V2V3777-BS	108-10-1	4-Methyl-2-pentanone(MIE	231	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:2	INITIAL	1	V2V3777-BS	108-87-2	Methylcyclohexane	47.5	SC	Yes	Y	

U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	3.1	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.6	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.76	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.73	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.52	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.0	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.63	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.40	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
		Y	0.60	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.49	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.47	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.43	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.51	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.48	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.60	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	1.9	5	5	ug/l	ug/l	DUSR	200 ug/l added
		Y	0.60	5	5	ug/l	ug/l	DUSR	50 ug/l added

0	50	50	100	78	116
0	50	49.3	99	81	125
0	50	50.1	100	83	123
0	50	50.3	101	83	122
0	50	46.2	92	80	114
0	50	49.6	99	67	138
0	50	47.6	95	73	117
0	200	231	116	73	134
0	50	47.5	95	71	123

JD52507
JD52507
JD52507

V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	108-88-3	Toluene	46.9	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	108-90-7	Chlorobenzene	47.7	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	110-82-7	Cyclohexane	42.6	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	120-82-1	1,2,4-Trichlorobenzene	50.5	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	124-48-1	Dibromochloromethane	49.1	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	127-18-4	Tetrachloroethene	47.7	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	1330-20-7	Xylene (total)	146	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	156-59-2	cis-1,2-Dichloroethene	53.7	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	156-60-5	trans-1,2-Dichloroethene	49.9	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	1634-04-4	Methyl Tert Butyl Ether	51.9	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	541-73-1	1,3-Dichlorobenzene	47.2	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	56-23-5	Carbon tetrachloride	49.4	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	591-78-6	2-Hexanone	229	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	67-64-1	Acetone	278	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	67-66-3	Chloroform	47.1	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	71-43-2	Benzene	48.6	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	71-55-6	1,1,1-Trichloroethane	48.4	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	74-83-9	Bromomethane	63.1	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	74-87-3	Chloromethane	41.5	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	75-00-3	Chloroethane	91.6	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	75-01-4	Vinyl chloride	48.3	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	75-09-2	Methylene chloride	47	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	75-15-0	Carbon disulfide	43.1	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	75-25-2	Bromoform	49.3	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	75-27-4	Bromodichloromethane	48.1	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	75-34-3	1,1-Dichloroethane	51.9	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	75-35-4	1,1-Dichloroethene	50	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	75-69-4	Trichlorofluoromethane	81.7	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	75-71-8	Dichlorodifluoromethane	42.7	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	76-13-1	Freon 113	47.1	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	78-87-5	1,2-Dichloropropane	52.8	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	78-93-3	2-Butanone (MEK)	243	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	79-00-5	1,1,2-Trichloroethane	50.6	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	79-01-6	Trichloroethene	49.2	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	79-20-9	Methyl Acetate	52	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	79-34-5	1,1,2,2-Tetrachloroethane	48.3	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	95-50-1	1,2-Dichlorobenzene	47.2	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	96-12-8	1,2-Dibromo-3-chloroprop	52.9	SC	Yes	Y	
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25	INITIAL	1	V2V3777-BS	98-82-8	Isopropylbenzene	48.3	SC	Yes	Y	
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	100-41-4	Ethylbenzene		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	100-42-5	Styrene		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	108-87-2	Methylcyclohexane		TRG	Yes	N	U

		Y	0.49	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.56	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.78	5	5 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.50	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.56	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.56	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.59	1	1 ug/l	ug/l		DUSR	150 ug/l added
		Y	0.51	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.54	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.51	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.54	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.55	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	2.0	5	5 ug/l	ug/l		DUSR	200 ug/l added
		Y	3.1	10	10 ug/l	ug/l		DUSR	200 ug/l added
		Y	0.50	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.43	0.5	0.5 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.54	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	1.6	2	2 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.76	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.73	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.52	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	1.0	2	2 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.46	2	2 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.63	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.45	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.57	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.59	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.40	2	2 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.56	2	2 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.58	5	5 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.51	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	2.7	10	10 ug/l	ug/l		DUSR	200 ug/l added
		Y	0.53	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.53	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.80	5	5 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.65	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.53	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.53	2	2 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.65	1	1 ug/l	ug/l		DUSR	50 ug/l added
U	U	Y	0.60	1	1 ug/l	ug/l		DUSR	ND
U	U	Y	0.49	1	1 ug/l	ug/l		DUSR	ND
U	U	Y	0.47	1	1 ug/l	ug/l		DUSR	ND
U	U	Y	0.43	1	1 ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1 ug/l	ug/l		DUSR	ND
U	U	Y	0.48	1	1 ug/l	ug/l		DUSR	ND
U	U	Y	0.60	1	1 ug/l	ug/l		DUSR	ND
U	U	Y	1.9	5	5 ug/l	ug/l		DUSR	ND
U	U	Y	0.60	5	5 ug/l	ug/l		DUSR	ND

0	50	46.9	94	79	116
0	50	47.7	95	80	115
0	50	42.6	85	66	129
0	50	50.5	101	68	135
0	50	49.1	98	81	123
0	50	47.7	95	73	119
0	150	146	97	80	119
0	50	53.7	107	80	120
0	50	49.9	100	77	121
0	50	51.9	104	76	123
0	50	47.2	94	81	115
0	50	49.4	99	75	127
0	200	229	115	66	136
0	200	278	139	27	175
0	50	47.1	94	75	116
0	50	48.6	97	80	115
0	50	48.4	97	76	124
0	50	63.1	126	40	162
0	50	41.5	83	41	153
0	50	91.6	183	56	144
0	50	48.3	97	52	146
0	50	47	94	73	123
0	50	43.1	86	64	130
0	50	49.3	99	77	135
0	50	48.1	96	82	119
0	50	51.9	104	75	125
0	50	50	100	70	124
0	50	81.7	163	67	134
0	50	42.7	85	43	152
0	50	47.1	94	68	134
0	50	52.8	106	79	121
0	200	243	122	61	150
0	50	50.6	101	83	117
0	50	49.2	98	80	118
0	50	52	104	60	143
0	50	48.3	97	73	126
0	50	47.2	94	81	117
0	50	52.9	106	69	134
0	50	48.3	97	78	121

JD52507
JD52507
JD52507

V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	108-88-3	Toluene		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	108-90-7	Chlorobenzene		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	110-82-7	Cyclohexane		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	124-48-1	Dibromochloromethane		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	127-18-4	Tetrachloroethene		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	1330-20-7	Xylene (total)		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	156-59-2	cis-1,2-Dichloroethene		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	156-60-5	trans-1,2-Dichloroethene		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	591-78-6	2-Hexanone		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	67-64-1	Acetone		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	67-66-3	Chloroform		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	71-43-2	Benzene		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	74-83-9	Bromomethane		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	74-87-3	Chloromethane		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	75-00-3	Chloroethane		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	75-01-4	Vinyl chloride		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	75-09-2	Methylene chloride		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	75-15-0	Carbon disulfide		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	75-25-2	Bromoform		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	75-27-4	Bromodichloromethane		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	76-13-1	Freon 113		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	79-01-6	Trichloroethene		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	79-20-9	Methyl Acetate		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11	INITIAL	1	V2V3777-MB	98-82-8	Isopropylbenzene		TRG	Yes	N	U
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	100-41-4	Ethylbenzene	54.4	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	100-42-5	Styrene	55.6	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	10061-01-	cis-1,3-Dichloropropene	55.7	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	10061-02-	trans-1,3-Dichloropropene	56.7	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	106-46-7	1,4-Dichlorobenzene	50.9	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	106-93-4	1,2-Dibromoethane	53.4	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	107-06-2	1,2-Dichloroethane	50.8	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	108-10-1	4-Methyl-2-pentanone(MIE	257	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	108-87-2	Methylcyclohexane	51	SC	Yes	Y	

U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	3.1	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.6	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.76	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.73	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.52	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.0	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.63	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.40	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
		Y	0.60	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.49	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.47	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.43	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.51	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.48	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.60	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	1.9	5	5	ug/l	ug/l	DUSR	200 ug/l added
		Y	0.60	5	5	ug/l	ug/l	DUSR	50 ug/l added

0	50	54.4	109	78	116
0	50	55.6	111	81	125
0	50	55.7	111	83	123
0	50	56.7	113	83	122
0	50	50.9	102	80	114
0	50	53.4	107	67	138
0	50	50.8	102	73	117
0	200	257	129	73	134
0	50	51	102	71	123

JD52507
JD52507
JD52507

V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	108-88-3	Toluene	51.1	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	108-90-7	Chlorobenzene	49.9	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	110-82-7	Cyclohexane	51.8	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	120-82-1	1,2,4-Trichlorobenzene	51.7	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	124-48-1	Dibromochloromethane	50.9	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	127-18-4	Tetrachloroethene	49.7	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	1330-20-7	Xylene (total)	160	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	156-59-2	cis-1,2-Dichloroethene	57.6	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	156-60-5	trans-1,2-Dichloroethene	54.2	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	1634-04-4	Methyl Tert Butyl Ether	57.9	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	541-73-1	1,3-Dichlorobenzene	51.3	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	56-23-5	Carbon tetrachloride	52.2	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	591-78-6	2-Hexanone	257	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	67-64-1	Acetone	239	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	67-66-3	Chloroform	51.2	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	71-43-2	Benzene	51.8	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	71-55-6	1,1,1-Trichloroethane	52.2	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	74-83-9	Bromomethane	86.5	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	74-87-3	Chloromethane	59.4	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	75-00-3	Chloroethane	99.4	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	75-01-4	Vinyl chloride	67.5	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	75-09-2	Methylene chloride	50.4	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	75-15-0	Carbon disulfide	42	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	75-25-2	Bromoform	50.8	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	75-27-4	Bromodichloromethane	51.3	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	75-34-3	1,1-Dichloroethane	57.7	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	75-35-4	1,1-Dichloroethene	51.3	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	75-69-4	Trichlorofluoromethane	50.8	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	75-71-8	Dichlorodifluoromethane	49.9	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	76-13-1	Freon 113	46.7	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	78-87-5	1,2-Dichloropropane	56.2	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	78-93-3	2-Butanone (MEK)	256	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	79-00-5	1,1,2-Trichloroethane	55.6	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	79-01-6	Trichloroethene	50.3	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	79-20-9	Methyl Acetate	56.5	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	79-34-5	1,1,2,2-Tetrachloroethane	57.5	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	95-50-1	1,2-Dichlorobenzene	52.4	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	96-12-8	1,2-Dibromo-3-chloroprop	53.5	SC	Yes	Y	
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18	INITIAL	1	V2V3782-BS	98-82-8	Isopropylbenzene	52.6	SC	Yes	Y	
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	100-41-4	Ethylbenzene		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	100-42-5	Styrene		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	108-87-2	Methylcyclohexane		TRG	Yes	N	U

		Y	0.49	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.56	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.78	5	5 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.50	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.56	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.56	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.59	1	1 ug/l	ug/l		DUSR	150 ug/l added
		Y	0.51	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.54	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.51	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.54	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.55	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	2.0	5	5 ug/l	ug/l		DUSR	200 ug/l added
		Y	3.1	10	10 ug/l	ug/l		DUSR	200 ug/l added
		Y	0.50	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.43	0.5	0.5 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.54	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	1.6	2	2 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.76	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.73	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.52	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	1.0	2	2 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.46	2	2 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.63	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.45	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.57	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.59	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.40	2	2 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.56	2	2 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.58	5	5 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.51	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	2.7	10	10 ug/l	ug/l		DUSR	200 ug/l added
		Y	0.53	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.53	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.80	5	5 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.65	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.53	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.53	2	2 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.65	1	1 ug/l	ug/l		DUSR	50 ug/l added
U	U	Y	0.60	1	1 ug/l	ug/l		DUSR	ND
U	U	Y	0.49	1	1 ug/l	ug/l		DUSR	ND
U	U	Y	0.47	1	1 ug/l	ug/l		DUSR	ND
U	U	Y	0.43	1	1 ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1 ug/l	ug/l		DUSR	ND
U	U	Y	0.48	1	1 ug/l	ug/l		DUSR	ND
U	U	Y	0.60	1	1 ug/l	ug/l		DUSR	ND
U	U	Y	1.9	5	5 ug/l	ug/l		DUSR	ND
U	U	Y	0.60	5	5 ug/l	ug/l		DUSR	ND

0	50	51.1	102	79	116
0	50	49.9	100	80	115
0	50	51.8	104	66	129
0	50	51.7	103	68	135
0	50	50.9	102	81	123
0	50	49.7	99	73	119
0	150	160	107	80	119
0	50	57.6	115	80	120
0	50	54.2	108	77	121
0	50	57.9	116	76	123
0	50	51.3	103	81	115
0	50	52.2	104	75	127
0	200	257	129	66	136
0	200	239	120	27	175
0	50	51.2	102	75	116
0	50	51.8	104	80	115
0	50	52.2	104	76	124
0	50	86.5	173	40	162
0	50	59.4	119	41	153
0	50	99.4	199	56	144
0	50	67.5	135	52	146
0	50	50.4	101	73	123
0	50	42	84	64	130
0	50	50.8	102	77	135
0	50	51.3	103	82	119
0	50	57.7	115	75	125
0	50	51.3	103	70	124
0	50	50.8	102	67	134
0	50	49.9	100	43	152
0	50	46.7	93	68	134
0	50	56.2	112	79	121
0	200	256	128	61	150
0	50	55.6	111	83	117
0	50	50.3	101	80	118
0	50	56.5	113	60	143
0	50	57.5	115	73	126
0	50	52.4	105	81	117
0	50	53.5	107	69	134
0	50	52.6	105	78	121

JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
*
JD52507
JD52507
*
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507

V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	108-88-3	Toluene		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	108-90-7	Chlorobenzene		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	110-82-7	Cyclohexane		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	120-82-1	1,2,4-Trichlorobenzene		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	124-48-1	Dibromochloromethane		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	127-18-4	Tetrachloroethene		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	1330-20-7	Xylene (total)		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	156-59-2	cis-1,2-Dichloroethene		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	156-60-5	trans-1,2-Dichloroethene		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	1634-04-4	Methyl Tert Butyl Ether		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	541-73-1	1,3-Dichlorobenzene		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	56-23-5	Carbon tetrachloride		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	591-78-6	2-Hexanone		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	67-64-1	Acetone		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	67-66-3	Chloroform		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	71-43-2	Benzene		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	71-55-6	1,1,1-Trichloroethane		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	74-83-9	Bromomethane		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	74-87-3	Chloromethane		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	75-00-3	Chloroethane		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	75-01-4	Vinyl chloride		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	75-09-2	Methylene chloride		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	75-15-0	Carbon disulfide		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	75-25-2	Bromoform		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	75-27-4	Bromodichloromethane		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	75-34-3	1,1-Dichloroethane		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	75-35-4	1,1-Dichloroethene		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	75-69-4	Trichlorofluoromethane		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	75-71-8	Dichlorodifluoromethane		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	76-13-1	Freon 113		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	78-87-5	1,2-Dichloropropane		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	78-93-3	2-Butanone (MEK)		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	79-00-5	1,1,2-Trichloroethane		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	79-01-6	Trichloroethene		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	79-20-9	Methyl Acetate		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	79-34-5	1,1,2,2-Tetrachloroethane		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	95-50-1	1,2-Dichlorobenzene		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	96-12-8	1,2-Dibromo-3-chloropropane		TRG	Yes	N	U
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04	INITIAL	1	V2V3782-MB	98-82-8	Isopropylbenzene		TRG	Yes	N	U
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	100-41-4	Ethylbenzene	49.9	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	100-42-5	Styrene	49.4	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	10061-01-	cis-1,3-Dichloropropene	48	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	10061-02-	trans-1,3-Dichloropropene	42.7	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	106-46-7	1,4-Dichlorobenzene	50.7	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	106-93-4	1,2-Dibromoethane	48.3	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	107-06-2	1,2-Dichloroethane	48.5	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	108-10-1	4-Methyl-2-pentanone(MIE	205	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	108-87-2	Methylcyclohexane	53.8	SC	Yes	Y	

U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	3.1	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.6	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.76	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.73	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.52	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.0	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.63	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.40	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
		Y	0.60	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.49	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.47	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.43	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.51	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.48	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	0.60	1	1	ug/l	ug/l	DUSR	50 ug/l added
		Y	1.9	5	5	ug/l	ug/l	DUSR	200 ug/l added
		Y	0.60	5	5	ug/l	ug/l	DUSR	50 ug/l added

0	50	49.9	100		78	116
0	50	49.4	99		81	125
0	50	48	96		83	123
0	50	42.7	85		83	122
0	50	50.7	101		80	114
0	50	48.3	97		67	138
0	50	48.5	97		73	117
0	200	205	103		73	134
0	50	53.8	108		71	123

JD52507
JD52507
JD52507

VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	108-88-3	Toluene	51.4	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	108-90-7	Chlorobenzene	51.9	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	110-82-7	Cyclohexane	48	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	120-82-1	1,2,4-Trichlorobenzene	57.9	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	124-48-1	Dibromochloromethane	45.9	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	127-18-4	Tetrachloroethene	53.6	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	1330-20-7	Xylene (total)	146	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	156-59-2	cis-1,2-Dichloroethene	52.5	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	156-60-5	trans-1,2-Dichloroethene	55.7	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	1634-04-4	Methyl Tert Butyl Ether	51.4	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	541-73-1	1,3-Dichlorobenzene	53.5	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	56-23-5	Carbon tetrachloride	49.3	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	591-78-6	2-Hexanone	187	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	67-64-1	Acetone	208	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	67-66-3	Chloroform	48.9	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	71-43-2	Benzene	53.2	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	71-55-6	1,1,1-Trichloroethane	50.4	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	74-83-9	Bromomethane	43.1	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	74-87-3	Chloromethane	49.9	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	75-00-3	Chloroethane	44.1	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	75-01-4	Vinyl chloride	47.2	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	75-09-2	Methylene chloride	54.7	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	75-15-0	Carbon disulfide	54.2	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	75-25-2	Bromoform	42.9	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	75-27-4	Bromodichloromethane	49.3	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	75-34-3	1,1-Dichloroethane	53.9	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	75-35-4	1,1-Dichloroethene	57.7	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	75-69-4	Trichlorofluoromethane	52.8	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	75-71-8	Dichlorodifluoromethane	53.8	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	76-13-1	Freon 113	62	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	78-87-5	1,2-Dichloropropane	56.4	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	78-93-3	2-Butanone (MEK)	189	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	79-00-5	1,1,2-Trichloroethane	53	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	79-01-6	Trichloroethene	54.8	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	79-20-9	Methyl Acetate	49.9	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	79-34-5	1,1,2,2-Tetrachloroethane	47.6	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	95-50-1	1,2-Dichlorobenzene	49.7	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	96-12-8	1,2-Dibromo-3-chloroprop	46.9	SC	Yes	Y	
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19	INITIAL	1	VL10519-BS	98-82-8	Isopropylbenzene	50.7	SC	Yes	Y	
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	100-41-4	Ethylbenzene		TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	100-42-5	Styrene		TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	10061-01-	cis-1,3-Dichloropropene		TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	10061-02-	trans-1,3-Dichloropropene		TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	106-46-7	1,4-Dichlorobenzene		TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	106-93-4	1,2-Dibromoethane		TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	107-06-2	1,2-Dichloroethane		TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	108-10-1	4-Methyl-2-pentanone(MIBK)		TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	108-87-2	Methylcyclohexane		TRG	Yes	N	U

		Y	0.49	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.56	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.78	5	5 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.50	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.56	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.56	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.59	1	1 ug/l	ug/l		DUSR	150 ug/l added
		Y	0.51	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.54	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.51	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.54	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.55	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	2.0	5	5 ug/l	ug/l		DUSR	200 ug/l added
		Y	3.1	10	10 ug/l	ug/l		DUSR	200 ug/l added
		Y	0.50	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.43	0.5	0.5 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.54	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	1.6	2	2 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.76	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.73	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.52	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	1.0	2	2 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.46	2	2 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.63	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.45	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.57	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.59	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.40	2	2 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.56	2	2 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.58	5	5 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.51	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	2.7	10	10 ug/l	ug/l		DUSR	200 ug/l added
		Y	0.53	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.53	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.80	5	5 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.65	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.53	1	1 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.53	2	2 ug/l	ug/l		DUSR	50 ug/l added
		Y	0.65	1	1 ug/l	ug/l		DUSR	50 ug/l added
U	U	Y	0.60	1	1 ug/l	ug/l		DUSR	ND
U	U	Y	0.49	1	1 ug/l	ug/l		DUSR	ND
U	U	Y	0.47	1	1 ug/l	ug/l		DUSR	ND
U	U	Y	0.43	1	1 ug/l	ug/l		DUSR	ND
U	U	Y	0.51	1	1 ug/l	ug/l		DUSR	ND
U	U	Y	0.48	1	1 ug/l	ug/l		DUSR	ND
U	U	Y	0.60	1	1 ug/l	ug/l		DUSR	ND
U	U	Y	1.9	5	5 ug/l	ug/l		DUSR	ND
U	U	Y	0.60	5	5 ug/l	ug/l		DUSR	ND

0	50	51.4	103	79	116
0	50	51.9	104	80	115
0	50	48	96	66	129
0	50	57.9	116	68	135
0	50	45.9	92	81	123
0	50	53.6	107	73	119
0	150	146	97	80	119
0	50	52.5	105	80	120
0	50	55.7	111	77	121
0	50	51.4	103	76	123
0	50	53.5	107	81	115
0	50	49.3	99	75	127
0	200	187	94	66	136
0	200	208	104	27	175
0	50	48.9	98	75	116
0	50	53.2	106	80	115
0	50	50.4	101	76	124
0	50	43.1	86	40	162
0	50	49.9	100	41	153
0	50	44.1	88	56	144
0	50	47.2	94	52	146
0	50	54.7	109	73	123
0	50	54.2	108	64	130
0	50	42.9	86	77	135
0	50	49.3	99	82	119
0	50	53.9	108	75	125
0	50	57.7	115	70	124
0	50	52.8	106	67	134
0	50	53.8	108	43	152
0	50	62	124	68	134
0	50	56.4	113	79	121
0	200	189	95	61	150
0	50	53	106	83	117
0	50	54.8	110	80	118
0	50	49.9	100	60	143
0	50	47.6	95	73	126
0	50	49.7	99	81	117
0	50	46.9	94	69	134
0	50	50.7	101	78	121

JD52507
JD52507
JD52507

VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	108-88-3	Toluene	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	108-90-7	Chlorobenzene	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	110-82-7	Cyclohexane	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	120-82-1	1,2,4-Trichlorobenzene	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	124-48-1	Dibromochloromethane	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	127-18-4	Tetrachloroethene	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	1330-20-7	Xylene (total)	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	156-59-2	cis-1,2-Dichloroethene	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	156-60-5	trans-1,2-Dichloroethene	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	1634-04-4	Methyl Tert Butyl Ether	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	541-73-1	1,3-Dichlorobenzene	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	56-23-5	Carbon tetrachloride	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	591-78-6	2-Hexanone	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	67-64-1	Acetone	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	67-66-3	Chloroform	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	71-43-2	Benzene	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	71-55-6	1,1,1-Trichloroethane	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	74-83-9	Bromomethane	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	74-87-3	Chloromethane	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	75-00-3	Chloroethane	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	75-01-4	Vinyl chloride	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	75-09-2	Methylene chloride	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	75-15-0	Carbon disulfide	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	75-25-2	Bromoform	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	75-27-4	Bromodichloromethane	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	75-34-3	1,1-Dichloroethane	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	75-35-4	1,1-Dichloroethene	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	75-69-4	Trichlorofluoromethane	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	75-71-8	Dichlorodifluoromethane	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	76-13-1	Freon 113	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	78-87-5	1,2-Dichloropropane	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	78-93-3	2-Butanone (MEK)	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	79-00-5	1,1,2-Trichloroethane	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	79-01-6	Trichloroethene	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	79-20-9	Methyl Acetate	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	79-34-5	1,1,2,2-Tetrachloroethane	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	95-50-1	1,2-Dichlorobenzene	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	96-12-8	1,2-Dibromo-3-chloropropane	TRG	Yes	N	U
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29	INITIAL	1	VL10519-MB	98-82-8	Isopropylbenzene	TRG	Yes	N	U

U	U	Y	0.49	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.78	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.55	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.0	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	3.1	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.50	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.43	0.5	0.5	ug/l	ug/l	DUSR	ND
U	U	Y	0.54	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.6	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.76	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.73	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.52	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	1.0	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.46	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.63	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.45	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.57	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.59	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.40	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.56	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.58	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.51	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	2.7	10	10	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.80	5	5	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	1	1	ug/l	ug/l	DUSR	ND
U	U	Y	0.53	2	2	ug/l	ug/l	DUSR	ND
U	U	Y	0.65	1	1	ug/l	ug/l	DUSR	ND

JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507
JD52507

#sys_sample_code	lab_anl_method_name	analysis_date	fraction	column_number	test_type	test_batch_type	test_batch_id
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:30:00	NA	NA	INITIAL	ANALYSIS	V2V3773
EB-091922-ACTD-JD52507AQ	SW8260	09/28/2022 00:30:00	NA	NA	INITIAL	PREP	V2V3773
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:08:00	NA	NA	INITIAL	ANALYSIS	V2V3777
EB-092022-ACTD-JD52507AQ	SW8260	09/30/2022 01:08:00	NA	NA	INITIAL	PREP	V2V3777
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31:00	NA	NA	INITIAL	ANALYSIS	V2V3777
EB-092222-1-ACTD-JD52507AQ	SW8260	09/30/2022 01:31:00	NA	NA	INITIAL	PREP	V2V3777
EB-092222-2-ACTD-JD52507AQ	SW8260	09/30/2022 01:54:00	NA	NA	INITIAL	ANALYSIS	V2V3777
EB-092222-2-ACTD-JD52507AQ	SW8260	09/30/2022 01:54:00	NA	NA	INITIAL	PREP	V2V3777
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57:00	NA	NA	INITIAL	ANALYSIS	V2V3773
EXB-10-ACTD-JD52507AQ	SW8260	09/27/2022 22:57:00	NA	NA	INITIAL	PREP	V2V3773
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:25:00	NA	NA	DILUTION1	ANALYSIS	VL10519
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:25:00	NA	NA	DILUTION1	PREP	VL10519
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48:00	NA	NA	INITIAL	ANALYSIS	VL10519
EXB-11-ACTD-JD52507AQ	SW8260	10/04/2022 13:48:00	NA	NA	INITIAL	PREP	VL10519
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16:00	NA	NA	INITIAL	ANALYSIS	V2V3773
EXB-9-ACTD-JD52507AQ	SW8260	09/28/2022 01:16:00	NA	NA	INITIAL	PREP	V2V3773
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:58:00	NA	NA	INITIAL	ANALYSIS	V2V3777
JD52507-10MS-ACTD-JD52507AQ	SW8260	09/29/2022 23:58:00	NA	NA	INITIAL	PREP	V2V3777
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:40:00	NA	NA	INITIAL	ANALYSIS	VL10519
JD52507-37MS-ACTD-JD52507AQ	SW8260	10/04/2022 17:40:00	NA	NA	INITIAL	PREP	VL10519
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:20:00	NA	NA	INITIAL	ANALYSIS	V2V3773
JD52507-6MS-ACTD-JD52507AQ	SW8260	09/27/2022 23:20:00	NA	NA	INITIAL	PREP	V2V3773
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:50:00	NA	NA	INITIAL	ANALYSIS	V2V3777
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 03:50:00	NA	NA	INITIAL	PREP	V2V3777
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 13:12:00	NA	NA	DILUTION1	ANALYSIS	V2A9583
MW-092022-ACTD-JD52507AQ	SW8260	09/30/2022 13:12:00	NA	NA	DILUTION1	PREP	V2A9583
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:46:00	NA	NA	INITIAL	ANALYSIS	V2V3777
MW-092222-ACTD-JD52507AQ	SW8260	09/30/2022 05:46:00	NA	NA	INITIAL	PREP	V2V3777
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:36:00	NA	NA	INITIAL	ANALYSIS	V1A9698
MW-12C-ACTD-JD52507AQ	SW8260	09/27/2022 19:36:00	NA	NA	INITIAL	PREP	V1A9698
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00:00	NA	NA	INITIAL	ANALYSIS	V1A9698
MW-13C-ACTD-JD52507AQ	SW8260	09/27/2022 20:00:00	NA	NA	INITIAL	PREP	V1A9698
MW-13C-ACTD-JD52507AQ	SW8260	09/29/2022 12:06:00	NA	NA	DILUTION1	ANALYSIS	V1X8637
MW-13C-ACTD-JD52507AQ	SW8260	09/29/2022 12:06:00	NA	NA	DILUTION1	PREP	V1X8637
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:33:00	NA	NA	INITIAL	ANALYSIS	V1A9705
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 14:33:00	NA	NA	INITIAL	PREP	V1A9705
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 15:45:00	NA	NA	DILUTION1	ANALYSIS	V1A9705
MW-15C-ACTD-JD52507AQ	SW8260	09/30/2022 15:45:00	NA	NA	DILUTION1	PREP	V1A9705
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41:00	NA	NA	INITIAL	ANALYSIS	V1X8637
MW-16-100-ACTD-JD52507AQ	SW8260	09/29/2022 18:41:00	NA	NA	INITIAL	PREP	V1X8637
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10:00	NA	NA	INITIAL	ANALYSIS	V2V3782
MW-17-40-ACTD-JD52507AQ	SW8260	10/03/2022 16:10:00	NA	NA	INITIAL	PREP	V2V3782
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14:00	NA	NA	INITIAL	ANALYSIS	V2V3777
MW-18A-ACTD-JD52507AQ	SW8260	09/30/2022 04:14:00	NA	NA	INITIAL	PREP	V2V3777
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23:00	NA	NA	INITIAL	ANALYSIS	V2V3777
MW-1B-ACTD-JD52507AQ	SW8260	09/30/2022 05:23:00	NA	NA	INITIAL	PREP	V2V3777
MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:48:00	NA	NA	INITIAL	ANALYSIS	V1A9698

MW-20B-ACTD-JD52507AQ	SW8260	09/27/2022 18:48:00	NA	NA	INITIAL	PREP	V1A9698
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:00:00	NA	NA	INITIAL	ANALYSIS	V2V3777
MW-22B-ACTD-JD52507AQ	SW8260	09/30/2022 05:00:00	NA	NA	INITIAL	PREP	V2V3777
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03:00	NA	NA	INITIAL	ANALYSIS	V2V3782
MW-25A-ACTD-JD52507AQ	SW8260	10/03/2022 20:03:00	NA	NA	INITIAL	PREP	V2V3782
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:33:00	NA	NA	INITIAL	ANALYSIS	V2V3782
MW-26A-ACTD-JD52507AQ	SW8260	10/03/2022 16:33:00	NA	NA	INITIAL	PREP	V2V3782
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09:00	NA	NA	INITIAL	ANALYSIS	V2V3777
MW-2B-ACTD-JD52507AQ	SW8260	09/30/2022 06:09:00	NA	NA	INITIAL	PREP	V2V3777
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:49:00	NA	NA	INITIAL	ANALYSIS	V2V3773
MW-32B-ACTD-JD52507AQ	SW8260	09/28/2022 02:49:00	NA	NA	INITIAL	PREP	V2V3773
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41:00	NA	NA	INITIAL	ANALYSIS	V2V3777
MW-36B-ACTD-JD52507AQ	SW8260	09/30/2022 02:41:00	NA	NA	INITIAL	PREP	V2V3777
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32:00	NA	NA	INITIAL	ANALYSIS	V2V3777
MW-3B-ACTD-JD52507AQ	SW8260	09/30/2022 06:32:00	NA	NA	INITIAL	PREP	V2V3777
MW-3B-ACTD-JD52507AQ	SW8260	10/03/2022 18:30:00	NA	NA	DILUTION1	ANALYSIS	V2V3782
MW-3B-ACTD-JD52507AQ	SW8260	10/03/2022 18:30:00	NA	NA	DILUTION1	PREP	V2V3782
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04:00	NA	NA	INITIAL	ANALYSIS	V2V3777
MW-46-43C-ACTD-JD52507AQ	SW8260	09/30/2022 03:04:00	NA	NA	INITIAL	PREP	V2V3777
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09:00	NA	NA	INITIAL	ANALYSIS	V1A9705
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 14:09:00	NA	NA	INITIAL	PREP	V1A9705
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 16:09:00	NA	NA	DILUTION1	ANALYSIS	V1A9705
MW-46-72C-ACTD-JD52507AQ	SW8260	09/30/2022 16:09:00	NA	NA	DILUTION1	PREP	V1A9705
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47:00	NA	NA	INITIAL	ANALYSIS	V1A9698
MW-4B-ACTD-JD52507AQ	SW8260	09/27/2022 20:47:00	NA	NA	INITIAL	PREP	V1A9698
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32:00	NA	NA	INITIAL	ANALYSIS	V1X8637
MW-5-100-ACTD-JD52507AQ	SW8260	09/29/2022 17:32:00	NA	NA	INITIAL	PREP	V1X8637
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03:00	NA	NA	INITIAL	ANALYSIS	V2V3773
MW-5-25-ACTD-JD52507AQ	SW8260	09/28/2022 02:03:00	NA	NA	INITIAL	PREP	V2V3773
MW-5-40-ACTD-JD52507AQ	SW8260	09/28/2022 01:39:00	NA	NA	DILUTION1	ANALYSIS	V2V3773
MW-5-40-ACTD-JD52507AQ	SW8260	09/28/2022 01:39:00	NA	NA	DILUTION1	PREP	V2V3773
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11:00	NA	NA	INITIAL	ANALYSIS	V2A9581
MW-5-40-ACTD-JD52507AQ	SW8260	09/29/2022 13:11:00	NA	NA	INITIAL	PREP	V2A9581
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27:00	NA	NA	INITIAL	ANALYSIS	V2V3777
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 03:27:00	NA	NA	INITIAL	PREP	V2V3777
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 12:15:00	NA	NA	DILUTION1	ANALYSIS	V2A9583
MW-50-160D-ACTD-JD52507AQ	SW8260	09/30/2022 12:15:00	NA	NA	DILUTION1	PREP	V2A9583
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55:00	NA	NA	INITIAL	ANALYSIS	V2V3777
MW-5B-ACTD-JD52507AQ	SW8260	09/30/2022 06:55:00	NA	NA	INITIAL	PREP	V2V3777
MW-5B-ACTD-JD52507AQ	SW8260	10/03/2022 13:51:00	NA	NA	DILUTION1	ANALYSIS	V2V3782
MW-5B-ACTD-JD52507AQ	SW8260	10/03/2022 13:51:00	NA	NA	DILUTION1	PREP	V2V3782
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11:00	NA	NA	INITIAL	ANALYSIS	V1A9698
MW-7-40-ACTD-JD52507AQ	SW8260	09/27/2022 21:11:00	NA	NA	INITIAL	PREP	V1A9698
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12:00	NA	NA	INITIAL	ANALYSIS	V1A9698
MW-7B-ACTD-JD52507AQ	SW8260	09/27/2022 19:12:00	NA	NA	INITIAL	PREP	V1A9698
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37:00	NA	NA	INITIAL	ANALYSIS	V2V3777
MW-8-40-ACTD-JD52507AQ	SW8260	09/30/2022 04:37:00	NA	NA	INITIAL	PREP	V2V3777
MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26:00	NA	NA	INITIAL	ANALYSIS	V2V3773

MW-8B-ACTD-JD52507AQ	SW8260	09/28/2022 02:26:00	NA	NA	INITIAL	PREP	V2V3773
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17:00	NA	NA	INITIAL	ANALYSIS	V2V3777
TRIP BLANK-ACTD-JD52507AQ	SW8260	09/30/2022 02:17:00	NA	NA	INITIAL	PREP	V2V3777
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32:00	NA	NA	INITIAL	ANALYSIS	V1A9698
V1A9698-BS-ACTD-JD52507AQ	SW8260	09/27/2022 10:32:00	NA	NA	INITIAL	PREP	V1A9698
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:28:00	NA	NA	INITIAL	ANALYSIS	V1A9698
V1A9698-MB-ACTD-JD52507AQ	SW8260	09/27/2022 11:28:00	NA	NA	INITIAL	PREP	V1A9698
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:38:00	NA	NA	INITIAL	ANALYSIS	V1A9705
V1A9705-BS-ACTD-JD52507AQ	SW8260	09/30/2022 11:38:00	NA	NA	INITIAL	PREP	V1A9705
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29:00	NA	NA	INITIAL	ANALYSIS	V1A9705
V1A9705-MB-ACTD-JD52507AQ	SW8260	09/30/2022 12:29:00	NA	NA	INITIAL	PREP	V1A9705
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34:00	NA	NA	INITIAL	ANALYSIS	V1X8637
V1X8637-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:34:00	NA	NA	INITIAL	PREP	V1X8637
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:20:00	NA	NA	INITIAL	ANALYSIS	V1X8637
V1X8637-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:20:00	NA	NA	INITIAL	PREP	V1X8637
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19:00	NA	NA	INITIAL	ANALYSIS	V2A9581
V2A9581-BS-ACTD-JD52507AQ	SW8260	09/29/2022 10:19:00	NA	NA	INITIAL	PREP	V2A9581
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16:00	NA	NA	INITIAL	ANALYSIS	V2A9581
V2A9581-MB-ACTD-JD52507AQ	SW8260	09/29/2022 11:16:00	NA	NA	INITIAL	PREP	V2A9581
V2A9583-BS-ACTD-JD52507AQ	SW8260	09/30/2022 10:21:00	NA	NA	INITIAL	ANALYSIS	V2A9583
V2A9583-BS-ACTD-JD52507AQ	SW8260	09/30/2022 10:21:00	NA	NA	INITIAL	PREP	V2A9583
V2A9583-MB-ACTD-JD52507AQ	SW8260	09/30/2022 11:18:00	NA	NA	INITIAL	ANALYSIS	V2A9583
V2A9583-MB-ACTD-JD52507AQ	SW8260	09/30/2022 11:18:00	NA	NA	INITIAL	PREP	V2A9583
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47:00	NA	NA	INITIAL	ANALYSIS	V2V3773
V2V3773-BS-ACTD-JD52507AQ	SW8260	09/27/2022 21:47:00	NA	NA	INITIAL	PREP	V2V3773
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:33:00	NA	NA	INITIAL	ANALYSIS	V2V3773
V2V3773-MB-ACTD-JD52507AQ	SW8260	09/27/2022 22:33:00	NA	NA	INITIAL	PREP	V2V3773
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25:00	NA	NA	INITIAL	ANALYSIS	V2V3777
V2V3777-BS-ACTD-JD52507AQ	SW8260	09/29/2022 22:25:00	NA	NA	INITIAL	PREP	V2V3777
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11:00	NA	NA	INITIAL	ANALYSIS	V2V3777
V2V3777-MB-ACTD-JD52507AQ	SW8260	09/29/2022 23:11:00	NA	NA	INITIAL	PREP	V2V3777
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18:00	NA	NA	INITIAL	ANALYSIS	V2V3782
V2V3782-BS-ACTD-JD52507AQ	SW8260	10/03/2022 12:18:00	NA	NA	INITIAL	PREP	V2V3782
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04:00	NA	NA	INITIAL	ANALYSIS	V2V3782
V2V3782-MB-ACTD-JD52507AQ	SW8260	10/03/2022 13:04:00	NA	NA	INITIAL	PREP	V2V3782
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19:00	NA	NA	INITIAL	ANALYSIS	VL10519
VL10519-BS-ACTD-JD52507AQ	SW8260	10/04/2022 11:19:00	NA	NA	INITIAL	PREP	VL10519
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29:00	NA	NA	INITIAL	ANALYSIS	VL10519
VL10519-MB-ACTD-JD52507AQ	SW8260	10/04/2022 12:29:00	NA	NA	INITIAL	PREP	VL10519

APPENDIX

C MONITORING WELL PURGE LOGS

WSP
7000 Genesee Street, Building D, 2nd Floor
Fayetteville, NY 13066 (315) 655-3900 • Fax (315) 655-3907

Low-Flow Groundwater Sampling Monitoring Form

Well ID	MW-16-100	**Site ID:**	EPT - Ithaca, New York	**Sample Date:**	9/21/22
Well Diameter	2 in	**Sampling Event:**	Quarterly Groundwater Sampling		
Depth to Water	~~80~~ 76.71 ft				
Total Well Depth	103.1 ft	**Samplers**	C. Porreca		
Screen Length	N/A ft	**Weather Conditions and Notes:**	80°F, mostly cloudy		
Pump Intake	85.0 ft	**Flow Rate**	50 mL/min		

Stabilized: ±10-percent for temperature, turbidity, DO, and ORP; ±0.1 unit for pH; and ± 3-percent for specific conductance

Instrument Calibration Information

Horiba U52 with flow-through cell - Calibrated to manufacturer's specifications using auto-calibration standard solution

Well Purging Information

Air temp: 80 °F | Start purge: 1350 | End purge: | Pump Type: QED Sample pro w/ MP-15 and CO_2

Time	DTW	Purge Volume (L)	pH	Conductivity (mS/cm)	Turbidity (NTU)	D.O. (mg/l) *	T (°C)	ORP (mV)	Appearance of Purge Water	Flow Rate (mL/min)
~~1605~~ 1605	77.39		6.71	2.94	20.1	3.05	22.24	-71		
1610	77.48		6.68	3.03	13.7	2.27	22.02	-68		
~~1615~~					Paused to switch compressor					
1620	78.02	~1.5	6.87	3.37	12.2	1.34	21.68	-74		50
1625	78.76	1.75	7.19	3.32	25.0	1.07	20.41	-76		
1630	79.14	2.0	7.56	3.44	77.5	0.89	19.33	-81		
1635	79.52	2.25	8.01	3.52	91.3	0.70	19.11	-85		
1640	79.90	2.5	8.28	3.55	84.5	0.54	19.16	-88		
1645	80.25	2.75	8.41	3.56	59.3	0.46	18.81	-88		
1650	80.63	3.0	8.50	3.49	43.8	0.35	18.88	-88		
1655	80.98	3.25	8.58	3.36	23.7	0.23	19.24	-89		
1700	81.33	3.5	8.60	3.30	18.3	0.23	18.86	-87		
1705	81.61	3.75	8.61	3.22	17.1	0.19	19.04	-87		
1710	81.98	4.0	8.61	3.19	10.6	0.21	18.69	-86		
1715	82.31	4.25	8.58	3.13	9.9	0.17	18.66	-86		
1720	82.67	4.5	8.54	3.09	10.8	0.14	18.59	-84		

Laboratory Analysis Information

# of Bottles	Sample ID	Analytes	Preservative	Bottle Type	Lab	Sample Time	Comments
3	MW-16-100	VOCs	HCl	VOA VIALS		1725	Leaky Flow-through cell

WSP
7000 Genesee Street, Building D, 2nd Floor
Fayetteville, NY 13066 (315) 655-3900 • Fax (315) 655-3907

Low-Flow Groundwater Sampling Monitoring Form

Well ID	MW-7-40	**Site ID:**	EPT - Ithaca, New York	**Sample Date:**	9/21/22
Well Diameter	4 in	**Sampling Event:**	Quarterly Groundwater Sampling		
Depth to Water	17.24 ft				
Total Well Depth	47.2 ft	**Samplers**	C. Porreca		
Screen Length	N/A ft	**Weather Conditions and Notes:**	79°F, sunny		
Pump Intake	40.0 ft	**Flow Rate**	50 mL/min		

Stabilized: ±10-percent for temperature, turbidity, DO, and ORP; ±0.1 unit for pH; and ± 3-percent for specific conductance

Instrument Calibration Information

Horiba U52 with flow-through cell - Calibrated to manufacturer's specifications using auto-calibration standard solution

Well Purging Information

Air temp: 79 °F | Start purge: 1305 | End purge: | Pump Type: QED Sample pro w/ MP-15 and CO_2

Time	DTW	Purge Volume (L)	pH	Conductivity (mS/cm)	Turbidity (NTU)	D.O. (mg/l) *	T (°C)	ORP (mV)	Appearance of Purge Water	Flow Rate (mL/min)
1315	17.42	0.5	6.73	1.96	71.1	0.38	19.43	-103	Clear; red/brown	50
1320	17.52	0.75	7.06	2.00	68.7	0.40	19.89	-109	silty sediment	
1325	17.60	1.0	7.34	2.01	55.0	0.44	20.85	-112		
1330	17.66	1.25	7.49	2.00	50.5	0.47	21.86	-111		
1335	17.71	1.5	7.54	2.00	44.8	0.47	22.29	-112		
1340	17.80	1.75	7.61	2.00	27.6	0.43	22.69	-112		
1345	17.86	2.0	7.68	2.00	33.2	0.38	22.93	-115		
1350	17.91	2.25	7.70	2.00	24.0	0.40	23.31	-113		
1355	17.96	2.5	7.66	2.00	16.7	0.30	23.56	-113		
1400	18.02	2.75	7.68	2.00	16.2	0.30	23.74	-115		
1405	18.11	3.0	7.65	2.00	16.6	0.12	23.88	-119		
1410	18.17	3.25	7.68	2.00	13.7	0.16	23.89	-125		
1415	18.23	3.5	7.68	2.00	11.7	0.22	24.03	-125		
1420	18.29	3.75	7.73	2.00	11.6	0.15	23.97	-128		
1425	18.36	4.0	7.78	2.00	12.1	0.11	23.87	-131		
1430	18.43	4.25	7.83	2.00	12.0	0.08	23.93	-131		

Laboratory Analysis Information

# of Bottles	Sample ID	Analytes	Preservative	Bottle Type	Lab	Sample Time	Comments
3	MW-7-40	VOCs	HCl	VOA vials		1435	leaky flow-through cell

WSP
7000 Genesee Street, Building D, 2nd Floor
Fayetteville, NY 13066 (315) 655-3900 • Fax (315) 655-3907

Low-Flow Groundwater Sampling Monitoring Form

Well ID	~~EXB-10~~ EXB-11	Site ID:	EPT - Ithaca, New York	Sample Date:	9/21/22
Well Diameter	4 in	Sampling Event:	Quarterly Groundwater Sampling		
Depth to Water	~~6.89~~ ft 6.19	Samplers	C. Porreca		
Total Well Depth	11.02 ft	Weather Conditions and Notes:	63°F, partly cloudy/hazy		
Screen Length	N/A ft	Flow Rate	50 ml/min		
Pump Intake	10 ft				

Stabilized: ±10-percent for temperature, turbidity, DO, and ORP; ±0.1 unit for pH; and ± 3-percent for specific conductance

Instrument Calibration Information

Horiba U52 with flow-through cell - Calibrated to manufacturer's specifications using auto-calibration standard solution

Well Purging Information

Air temp: ~~925~~ 63 °F | Start purge: 925 | End purge: | Pump Type: QED Sample pro w/ MP-15 and CO_2

Time	DTW	Purge Volume (L)	pH	Conductivity (mS/cm)	Turbidity (NTU)	D.O. (mg/l) *	T (°C)	ORP (mV)	Appearance of Purge Water	Flow Rate (mL/min)
935	8.19	0.5	5.92	2.24	11.9	0.67	15.65	49	Clear	50
940	8.43	0.75	6.10	2.26	11.3	0.06	15.72	43		
945	8.66	1.0	6.33	2.28	11.0	Ø	15.71	36		
950	8.83	1.25	6.42	2.31	12.0	Ø	15.74	40		
955	8.98	1.5	6.50	2.33	11.2	Ø	15.72	47		
1000	9.18	1.75	6.56	2.36	10.4	Ø	15.69	50		
1005	9.38	2.0	6.65	2.35	12.1	Ø	15.77	55		
1010	9.58	2.25	6.76	2.35	11.0	Ø	15.78	55		
1015	9.78	2.75	6.79	2.36	9.8	Ø	15.78	57		
1020	9.93	3.0	6.82	2.37	9.5	Ø	15.83	57		
1025	10.10	3.25	6.83	2.36	11.3	Ø	15.87	61		
1030	10.27	3.5	6.89	2.37	11.0	Ø	15.86	61		
1035	10.43	3.75	6.88	2.40	10.5	Ø	15.76	64		
1040	10.55	4.0	6.92	2.41	10.2	Ø	15.69	63		

Laboratory Analysis Information

# of Bottles	Sample ID	Analytes	Preservative	Bottle Type	Lab	Sample Time	Comments
3	EXB-11	VOCs	HCl	VOAs		1045	*loose flow-through cell leaks

WSP
7000 Genesee Street, Building D, 2nd Floor
Fayetteville, NY 13066 (315) 655-3900 • Fax (315) 655-3907

Low-Flow Groundwater Sampling Monitoring Form

Well ID	MW-50-160D	**Site ID:**	EPT - Ithaca, New York	**Sample Date:**	9/20/22
Well Diameter	4 in	**Sampling Event:**	Quarterly Groundwater Sampling		
Depth to Water	128.31 ft				
Total Well Depth	163.50 ft	**Samplers**	C. Porreca		
Screen Length	N/A ft	**Weather Conditions and Notes:**	69°F, partly cloudy, scattered light rain		
Pump Intake	161.0 ft	**Flow Rate**	100 mL/min		

Stabilized: ±10-percent for temperature, turbidity, DO, and ORP; ±0.1 unit for pH; and ± 3-percent for specific conductance

Instrument Calibration Information

Horiba U52 with flow-through cell - Calibrated to manufacturer's specifications using auto-calibration standard solution

Well Purging Information

Air temp: 69 °F | Start purge: 1350 | End purge: | Pump Type: QED Sample pro w/ MP-15 and CO_2

Time	DTW	Purge Volume (L)	pH	Conductivity (mS/cm)	Turbidity (NTU)	D.O. (mg/l) *	T (°C)	ORP (mV)	Appearance of Purge Water	Flow Rate (mL/min)
1350	125.74	–	6.88	2.01	Ø	8.72	18.27	-147	Clear	~~150~~ 50 (CP)
~~1400~~	125.75	0.5	7.08	2.04	Ø	7.44	17.99	-130		
~~1405~~ 1405	125.75	0.75	7.17	2.07	Ø	6.80	17.91	-117		100
1410	125.83	1.25	7.12	2.05	Ø	6.24	17.98	-106		
1415	125.94	1.75	6.98	2.07	Ø	5.98	17.15	-97		
1420	126.05	2.25	6.87	2.06	Ø	5.40	17.03	-92		
1425	126.11	2.75	6.80	2.07	6.1	5.02	16.95	-97		
1430	126.19	3.25	6.78	2.07	1.3	4.48	16.74	-103		
1435	126.24	3.75	6.87	2.08	2.5	4.03	17.15	-123		
1440	126.26	4.25	6.81	2.07	1.0	3.54	17.45	-130		
1445	126.27	4.75	6.61	2.07	3.3	2.62	17.95	-124		
1450	126.23	5.25	6.56	2.07	1.6	2.59	18.13	-117		
1455	126.23	5.75	6.74	2.06	27.9	2.54	18.53	-111		
1500	126.23	6.25	7.32	2.06	30.4	2.56	18.86	-107		
1505	126.23	6.75	7.51	2.04	27.0	2.57	19.10	-105		
1510	126.23	7.25	7.53	2.05	25.4	2.57	19.22	-102	See p.2 →	

Laboratory Analysis Information

# of Bottles	Sample ID	Analytes	Preservative	Bottle Type	Lab	Sample Time	Comments
3	MW-50-160D	VOCs	HCl	VOAs		1600	*began measurements after prolonged start due to bad water line + leaky flow-through cell
3	MW ~~50~~ -092022 (CP)	VOCs	HCl	VOAs		~~1600~~ 1700 (CP)	

WSP
7000 Genesee Street, Building D, 2nd Floor
Fayetteville, NY 13066 (315) 655-3900 • Fax (315) 655-3907

Low-Flow Groundwater Sampling Monitoring Form

Well ID	MW-50-160D	**Site ID:**	EPT - Ithaca, New York	**Sample Date:**	4/20/22
Well Diameter	4 in	**Sampling Event:**	Quarterly Groundwater Sampling		
Depth to Water	128.31 ft				
Total Well Depth	163.50 ft	**Samplers**	C. Porreca		
Screen Length	N/A ft	**Weather Conditions and Notes:**	69°F		
Pump Intake	~161.0 ft	**Flow Rate**	100 mL/min		

Stabilized: ±10-percent for temperature, turbidity, DO, and ORP; ±0.1 unit for pH; and ± 3-percent for specific conductance

Instrument Calibration Information

Horiba U52 with flow-through cell - Calibrated to manufacturer's specifications using auto-calibration standard solution

Well Purging Information

Air temp: 69 °F | Start purge: | End purge: | Pump Type: QED Sample pro w/ MP-15 and CO_2

Time	DTW	Purge Volume (L)	pH	Conductivity (mS/cm)	Turbidity (NTU)	D.O. (mg/l) *	T (°C)	ORP (mV)	Appearance of Purge Water	Flow Rate (mL/min)
1515	126.25	7.75	7.58	2.04	26.6	2.61	19.35	-102		
1520	126.25	8.25	7.58	2.04	24.4	2.65	19.48	-100		
1525	126.24	8.75	7.62	2.04	22.7	2.70	19.68	-99		
1530	126.24	9.25	7.64	2.04	25.2	2.70	19.82	-99		
1535	126.24	9.75	7.62	2.04	19.9	2.72	19.84	-95		
1540	126.24	10.25	7.56	2.03	20.6	2.71	20.11	-92		
1545	126.24	10.75	7.55	2.04	19.3	2.78	20.08	-91		
1550	126.24	11.25	7.53	2.05	17.4	2.80	20.14	-87		
1555	126.24	11.75	7.53	2.05	18.4	2.85	20.28	-84		
*	Prior to sampling: shut off vehicle and purging ceased - sampled via gravity method from remaining gw in tubing									

Laboratory Analysis Information

# of Bottles	Sample ID	Analytes	Preservative	Bottle Type	Lab	Sample Time	Comments

WSP
7000 Genesee Street, Building D, 2nd Floor
Fayetteville, NY 13066 (315) 655-3900 • Fax (315) 655-3907

Low-Flow Groundwater Sampling Monitoring Form

Well ID	EXB-10	**Site ID:**	EPT - Ithaca, New York	**Sample Date:** 9/20/22	9/20/22
Well Diameter	4 in	**Sampling Event:**	Quarterly Groundwater Sampling		
Depth to Water	34.96 ft				
Total Well Depth	63.79 ft	**Samplers**	Chuck Porreca		
Screen Length	N/A ft	**Weather Conditions and Notes:**	62°F, mostly cloudy		
Pump Intake	55.0 ft	**Flow Rate**	50 mL/min		

Stabilized: ±10-percent for temperature, turbidity, DO, and ORP; ±0.1 unit for pH; and ± 3-percent for specific conductance

Instrument Calibration Information

Horiba U52 with flow-through cell - Calibrated to manufacturer's specifications using auto-calibration standard solution

Well Purging Information

Air temp: 62 °F | Start purge: 915 | End purge: 1045 | Pump Type: QED Sample pro w/ MP-15 and CO_2

Time	DTW	Purge Volume (L)	pH	Conductivity (mS/cm)	Turbidity (NTU)	D.O. (mg/l) *	T (°C)	ORP (mV)	Appearance of Purge Water	Flow Rate (mL/min)
930	45.20	0.75	9.12	2.49	18.0	6.29	15.78	-213	Clear; chemical	50
935	45.45	1.0	9.68	2.48	12.9	6.02	15.47	-214	odor;	
940	45.70	1.25	10.19	2.49	13.0	5.27	15.36	-216	dark gray/black	
945	45.95	1.5	10.31	2.50	15.3	5.16	15.26	-216	tint	
950	46.39	1.75	10.40	2.50	15.4	4.87	15.34	-217		
955	46.69	2.0	10.44	2.51	10.5	4.59	15.33	-218		
1000	47.00	2.25	10.57	2.53	7.1	4.27	15.28	-219		
1005	47.25	2.5	10.69	2.54	5.7	4.04	15.26	-226		
1010	47.56	2.75	10.73	2.55	6.3	3.92	15.12	-222		
1015	47.85	3.0	10.83	2.56	4.5	3.66	15.21	-224		
1020	48.19	3.25	10.95	2.57	4.1	3.44	15.22	-231		
1025	48.44	3.5	11.01	2.58	3.9	3.27	15.20	-228		
1030	48.74	3.75	11.06	2.57	3.3	3.04	15.23	-230		
1035	49.03	4.0	11.09	2.58	3.5	2.89	15.24	-232		
1040	49.36	4.25	11.13	2.58	3.9	2.66	15.35	-236		
1045	49.63	4.5	11.17	2.58	3.1	2.55	15.36	-237		

Laboratory Analysis Information

# of Bottles	Sample ID	Analytes	Preservative	Bottle Type	Lab	Sample Time	Comments
9 (MS/MSD)	EXB-10	VOCs	HCl	VOAs		1050	Flow through cell ~~may be~~ loose/leaking (FB)

WSP
7000 Genesee Street, Building D, 2nd Floor
Fayetteville, NY 13066 (315) 655-3900 • Fax (315) 655-3907

Low-Flow Groundwater Sampling Monitoring Form

Well ID	EXB-9		**Site ID:**	EPT - Ithaca, New York	**Sample Date:** 4/19/22
Well Diameter	4	in	**Sampling Event:**	Quarterly Groundwater Sampling	
Depth to Water	42.05	ft			
Total Well Depth	63.37	ft	**Samplers**	C. Porreca	
Screen Length	N/A	ft	**Weather Conditions and Notes:**	70°F, scattered rain storms	
Pump Intake	55.0	ft	**Flow Rate**	50 mL/min	

Stabilized: ±10-percent for temperature, turbidity, DO, and ORP; ±0.1 unit for pH; and ± 3-percent for specific conductance

Instrument Calibration Information

Horiba U52 with flow-through cell - Calibrated to manufacturer's specifications using auto-calibration standard solution

Well Purging Information

Air temp: °F | Start purge: 1215 | End purge: 1355 | Pump Type: QED Sample pro w/ MP-15 and CO_2

Time	DTW	Purge Volume (L)	pH	Conductivity (mS/cm)	Turbidity (NTU)	D.O. (mg/l) *	T (°C)	ORP (mV)	Appearance of Purge Water	Flow Rate (mL/min)
1230	42.90	0.75	4.85	1.72	Ø	0.94	15.86	-78	clear	50
1235	42.96	1.00	4.91	1.72	Ø	1.34	16.95	-78		
1240	43.02	1.25	5.04	1.73	Ø	1.14	17.49	-77		
1245	43.10	1.50	5.12	1.72	Ø	0.85	17.99	-79		
1250	43.21	1.75	5.16	1.72	Ø	0.64	18.21	-74		
1255	43.30	2.00	5.24	1.71	Ø	0.79	18.67	-74		
1300	43.36	2.25	5.30	1.71	Ø	0.98	19.04	-74		
1305	43.39	2.50	5.33	1.71	Ø	0.83	19.21	-73		
1310	43.49	2.75	5.35	1.71	Ø	0.88	19.41	-71		
1315	43.49	3.00	5.37	1.70	Ø	0.90	19.52	-70		
1320	43.56	3.25	5.38	1.70	Ø	0.55	19.58	-69		
1325	43.61	3.50	5.39	1.70	Ø	0.77	19.62	-69		
1330	43.67	3.75	5.39	1.70	Ø	0.88	19.57	-68		
1335	43.71	4.00	5.40	1.69	Ø	0.99	19.55	-68		
1340	43.75	4.25	5.47	1.69	Ø	0.73	19.50	-67		
1345	43.80	4.50	5.64	1.68	Ø	0.69	19.28	-67	*Additional readings on back →	

Laboratory Analysis Information

# of Bottles	Sample ID	Analytes	Preservative	Bottle Type	Lab	Sample Time	Comments
3	EXB-9	VOCs	HCl	VOA		1400	Leaky Flow-through cell

	DTW (ft)	Purge Vol. (L)	pH	Conductivity MS/cm	Turbidity (NTU)	DO (mg/L)	Temp. (°C)	ORP (mV)
1350	43.79	4.75	5.62	1.68	Ø	0.76	19.07	-68
1355	43.79	5.00	5.56	1.68	Ø	0.66	18.88	-68

WSP
7000 Genesee Street, Building D, 2nd Floor
Favetteville. NY 13066 (315) 655-3900 • Fax (315) 655-3907

Groundwater Sampling Monitoring Form

Well ID	MW-18A	**Site:**	EPT - Ithaca, NY	**Sample Date:**	9/21/22
Well Diameter	2 in	**Sampling Event**	Quarterly GW Sampling		
Depth to Water (btoc)	5.33 ft	**Samplers**	NTW, EM		
Total Well Depth (btoc)	19.9 ft	**Weather Conditions:**	77°F, Sunny		
Height of Water Column	14.57 ft	**Notes:**			
Well Volume	2.37 x 3 gal 7.12				

Instrument Calibration Information

Horiba U52 - Calibrated to manufacturer's specifications using auto-calibration standard solution

Well Purging Information

Air temp: 77°F °F	Start purge: 1500	End purge:	Pump Type: Bailer

Well Purging Information

Purge Volume (gal)	D.O. (mg/L)	T (°C)	ORP (mV)	S.C. (mS/cm)	Turb. (NTU)	pH	Notes
INT	10.27	19.37	-56	1.02	14.9	6.95	
~~0.6~~ 0.9	5.60	17.59	-79	1.04	43.1	6.85	
~~1.2~~ 1.8	4.90	16.74	-81	1.05	2.8	6.80	
~~1.8~~ 2.7	1.38	15.22	-80	1.07	0.0	6.78	
3.6	9.99	14.75	-83	1.08	349	6.75	
4.5	7.64	14.41	-82	1.09	209	6.74	
5.4	7.80	14.29	-79	1.08	308	6.73	
6.3	1.57	13.95	-79	1.08	>1000	6.71	
bailed dry	@ 7.0 gallons						

Laboratory Analysis Information

# of Bottles	Sample ID	Analytes	Preservative	Bottle Type	Lab	Sample Time	Comments

WSP
7000 Genesee Street, Building D, 2nd Floor
Fayetteville. NY 13066 (315) 655-3900 • Fax (315) 655-3907

Groundwater Sampling Monitoring Form

Well ID	MW-22B	**Site:**	EPT - Ithaca, NY	**Sample Date:**	9/27/22
Well Diameter	2 in	**Sampling Event**	Quarterly GW Sampling		
Depth to Water (btoc)	13.24 ft	**Samplers**	NTW, EM		
Total Well Depth (btoc)	16.55 ft	**Weather Conditions:**	77°F, sunny		
Height of Water Column	3.31 ft	**Notes:**			
Well Volume	0.54 x3 gal 1.61				

Instrument Calibration Information

Horiba U52 - Calibrated to manufacturer's specifications using auto-calibration standard solution

Well Purging Information

Air temp:	77 °F	Start purge:		End purge:	Pump Type: Bailer

Well Purging Information

Purge Volume (gal)	D.O. (mg/L)	T (°C)	ORP (mV)	S.C. (mS/cm)	Turb. (NTU)	pH	Notes
INT	4.01	18.38	156	0.824	0.0	7.01	
0.6	4.16	17.07	126	0.857	233	6.99	
0.9	3.11	16.45	78	0.868	177	6.98	
1.2	1.94	16.17	61	0.870	169	6.97	
bailed dry	@ 1.3						

Laboratory Analysis Information

# of Bottles	Sample ID	Analytes	Preservative	Bottle Type	Lab	Sample Time	Comments

WSP
7000 Genesee Street, Building D, 2nd Floor
Favetteville. NY 13066 (315) 655-3900 • Fax (315) 655-3907

Groundwater Sampling Monitoring Form

Well ID	MW-36A	**Site:**	EPT - Ithaca, NY	**Sample Date:**	9/23/21
Well Diameter	2 in	**Sampling Event**	Quarterly GW Sampling		
Depth to Water (btoc)	6.00 ft	**Samplers**	NTW, EM		
Total Well Depth (btoc)	19.9 ft	**Weather Conditions:**	65°F, sunny		
Height of Water Column	13.9 ft	**Notes:**			
Well Volume	2.27 x 3 gal 6.8				

Instrument Calibration Information

Horiba U52 - Calibrated to manufacturer's specifications using auto-calibration standard solution

Well Purging Information

Air temp: °F	Start purge:	End purge:	Pump Type: Bailer

Well Purging Information

Purge Volume (gal)	D.O. (mg/L)	T (°C)	ORP (mV)	S.C. (mS/cm)	Turb. (NTU)	pH	Notes
Init	~~8.00~~ 1.06	15.42	-42	2.00	15.8	6.11	
1.2	1.42	16.45	-67	1.54	44.6	6.33	
2.4	1.50	15.81	-61	1.88	49.1	6.31	
3.6	1.71	16.12	-64	1.71	276	6.39	
4.8	1.53	16.11	-60	1.78	704	6.43	
6.0	1.413	15.63	-55	1.97	>1000	6.41	
7.2	1.45	15.17	-58	2.06	>1000	6.44	
8.4	1.78	14.70	-61	2.15	>1000	6.47	

Laboratory Analysis Information

# of Bottles	Sample ID	Analytes	Preservative	Bottle Type	Lab	Sample Time	Comments

WSP
7000 Genesee Street, Building D, 2nd Floor
Favetteville. NY 13066 (315) 655-3900 • Fax (315) 655-3907

Groundwater Sampling Monitoring Form

Well ID	MW-35A	**Site:**	EPT - Ithaca, NY	**Sample Date:**	9/22/20
Well Diameter	2 in	**Sampling Event**	Quarterly GW Sampling		
Depth to Water (btoc)	5.05 ft	**Samplers**	NTW, EM		
Total Well Depth (btoc)	17.5 ft	**Weather Conditions:**			
Height of Water Column	12.45 ft	**Notes:**			
Well Volume	2.03 x 3 = gal 6.09				

Instrument Calibration Information

Horiba U52 - Calibrated to manufacturer's specifications using auto-calibration standard solution

Well Purging Information

Air temp: °F	Start purge:	End purge:	Pump Type: Bailer

Well Purging Information

Purge Volume (gal)	D.O. (mg/L)	T (°C)	ORP (mV)	S.C. (mS/cm)	Turb. (NTU)	pH	Notes
Init	2.85	16.75	~~1.4~~ 22	1.44	0.0	5.50	
0.6	2.43	15.90	-27	1.36	71.4	5.71	
1.2	2.20	15.36	-46	1.35	230	5.89	
1.8	3.88	15.40	-60	1.36	628	5.94	
2.4	2.08	15.13	-65	1.36	406	6.01	
3.0	2.08	15.00	-69	1.35	517	6.05	
3.6	1.95	14.91	-70	1.35	570	6.08	
~~3~~ 4.5	1.40	15.01	-74	1.35	857	6.12	
6	1.63	14.87	-73	1.35	344	6.15	
7	1.64	14.99	-76	1.35	805	6.15	

Laboratory Analysis Information

~~# of Bottles~~	~~Sample ID~~		~~Analytes~~	~~Preservative~~	~~Bottle Type~~	~~Lab~~	Sample Time	Comments
8	1.58	14.83	-77	1.35	424	6.15		
9	1.55	14.97	-77	1.34	973	6.14		
~~10~~ 12	1.56	15.17	-76	1.34	>1000	6.15		

Purged dry @ 12 gal

WSP
7000 Genesee Street, Building D, 2nd Floor
Fayetteville, NY 13066 (315) 655-3900 • Fax (315) 655-3907

Groundwater Sampling Monitoring Form

Well ID	MW-5B	**Site:**	EPT - Ithaca, NY	**Sample Date:**	9/23/22
Well Diameter	4 in	**Sampling Event**	Quarterly GW Sampling		
Depth to Water (btoc)	12.87 ft	**Samplers**	NTW, EM		
Total Well Depth (btoc)	18.50 ft	**Weather Conditions:**	78°F, sunny		
Height of Water Column	5.63 ft	**Notes:**			
Well Volume	~~3~~ 3.67 x 3 gal	11.0			

Instrument Calibration Information

Horiba U52 - Calibrated to manufacturer's specifications using auto-calibration standard solution

Well Purging Information

Air temp:	°F	Start purge: 1400	End purge:	Pump Type: Bailer

Well Purging Information

Purge Volume (gal)	D.O. (mg/L)	T (°C)	ORP (mV)	S.C. (mS/cm)	Turb. (NTU)	pH	Notes
INT	9.11	17.23	33	1.04	168	6.66	
2	7.34	16.81	45	1.02	30.0	6.70	
3	8.10	16.39	54	1.03	85.6	6.74	
4	9.68	16.20	60	1.04	61.5	6.76	
5	9.54	15.99	67	1.03	106	6.78	
5.25	bailed dry						

Laboratory Analysis Information

# of Bottles	Sample ID	Analytes	Preservative	Bottle Type	Lab	Sample Time	Comments

WSP
7000 Genesee Street, Building D, 2nd Floor
Fayetteville, NY 13066 (315) 655-3900 • Fax (315) 655-3907

Groundwater Sampling Monitoring Form

Well ID	MW-3B	**Site:**	EPT - Ithaca, NY	**Sample Date:**	9/23/22
Well Diameter	4 in	**Sampling Event**	Quarterly GW Sampling		
Depth to Water (btoc)	14.41 ft	**Samplers**	NTW, EM		
Total Well Depth (btoc)	25.05 ft	**Weather Conditions:**			
Height of Water Column	10.61 ft	**Notes:**			
Well Volume	6.95 x 3 gal 20.8				

Instrument Calibration Information

Horiba U52 - Calibrated to manufacturer's specifications using auto-calibration standard solution

Well Purging Information

Air temp:	°F	Start purge: 1325	End purge:	Pump Type:	Bailer

Well Purging Information

Purge Volume (gal)	D.O. (mg/L)	T (°C)	ORP (mV)	S.C. (mS/cm)	Turb. (NTU)	pH	Notes
INT	6.79	18.92	159	0.741	61.8	7.41	
2	3.00	17.26	170	0.835	342	7.30	
4	2.70	16.59	178	0.868	608	7.24	
6	3.24	15.81	36	1.15	>1000	7.02	
8	2.32	15.46	35	1.25	>1000	6.75	
bailed dry	@ 8.75 gal						

Laboratory Analysis Information

# of Bottles	Sample ID	Analytes	Preservative	Bottle Type	Lab	Sample Time	Comments

WSP
7000 Genesee Street, Building D, 2nd Floor
Favetteville. NY 13066 (315) 655-3900 • Fax (315) 655-3907

Groundwater Sampling Monitoring Form

Well ID	MW-7D	**Site:**	EPT - Ithaca, NY	**Sample Date:**	9/24/22
Well Diameter	4 in	**Sampling Event**	Quarterly GW Sampling		
Depth to Water (btoc)	12.96 ft	**Samplers**	NTW, EM		
Total Well Depth (btoc)	20.50 ft	**Weather Conditions:**	74°F, sunny		
Height of Water Column	7.54 ft	**Notes:**			
Well Volume	4.92×3 gal 14.8				

Instrument Calibration Information

Horiba U52 - Calibrated to manufacturer's specifications using auto-calibration standard solution

Well Purging Information

Air temp: 74 °F	Start purge: 1245	End purge:	Pump Type: Bailer

Well Purging Information

Purge Volume (gal)	D.O. (mg/L)	T (°C)	ORP (mV)	S.C. (mS/cm)	Turb. (NTU)	pH	Notes
INT	3.40	18.98	106	0.814	965	7.19	
1	4.64	17.51	108	0.816	893	7.20	
2	3.26	16.90	113	0.815	921	7.20	
3	2.05	16.28	116	0.819	709	7.20	
4	2.43	15.92	118	0.815	598	7.19	
5	2.70	15.56	117	0.815	496	7.18	
~~5~~ bailed	dry @	5.5 gallons.					

Laboratory Analysis Information

# of Bottles	Sample ID	Analytes	Preservative	Bottle Type	Lab	Sample Time	Comments

WSP
7000 Genesee Street, Building D, 2nd Floor
Favetteville. NY 13066 (315) 655-3900 • Fax (315) 655-3907

Groundwater Sampling Monitoring Form

Well ID	MW-1B	**Site:**	EPT - Ithaca, NY	**Sample Date:**	9/21/22
Well Diameter	4 in	**Sampling Event**	Quarterly GW Sampling		
Depth to Water (btoc)	4.62 ft	**Samplers**	NTW, EM		
Total Well Depth (btoc)	19.77 ft	**Weather Conditions:**	72°F, Sunny		
Height of Water Column	15.15 ft	**Notes:**			
Well Volume	9.89 x 3 gal 29.6				

Instrument Calibration Information

Horiba U52 - Calibrated to manufacturer's specifications using auto-calibration standard solution

Well Purging Information

Air temp:	72 °F	Start purge:	1102	End purge:	Pump Type:	Bailer

Well Purging Information

Purge Volume (gal)	D.O. (mg/L)	T (°C)	ORP (mV)	S.C. (mS/cm)	Turb. (NTU)	pH	Notes
INT	7.02	19.15	244	0.689	0.0	6.55	
2	5.31	18.65	223	0.607	35.7	6.48	
4	4.96	18.12	214	0.638	66.9	6.57	
6	5.11	17.57	215	0.647	222	6.63	
8	4.23	17.42	205	0.641	295	6.69	
bailed dry	@ 9.0	gallons.					

Laboratory Analysis Information

# of Bottles	Sample ID	Analytes	Preservative	Bottle Type	Lab	Sample Time	Comments

WSP
7000 Genesee Street, Building D, 2nd Floor
Favetteville. NY 13066 (315) 655-3900 • Fax (315) 655-3907

Groundwater Sampling Monitoring Form

Well ID	MW-20B	**Site:**	EPT - Ithaca, NY	**Sample Date:**	7/22
Well Diameter	2 in	**Sampling Event**	Quarterly GW Sampling		
Depth to Water (btoc)	11.84 ft	**Samplers**	NW, EM		
Total Well Depth (btoc)	20.07 ft	**Weather Conditions:**	64°F, cloudy		
Height of Water Column	8.23 ft	**Notes:**			
Well Volume	1.34×3 gal 4,02				

Instrument Calibration Information

Horiba U52 - Calibrated to manufacturer's specifications using auto-calibration standard solution

Well Purging Information

Air temp:	64 °F	Start purge:	1330	End purge:	Pump Type: Bailer

Well Purging Information

Purge Volume (gal)	D.O. (mg/L)	T (°C)	ORP (mV)	S.C. (mS/cm)	Turb. (NTU)	pH	Notes
INT	4.99	13.94	51	0.403	0.0	8.08	
0.6	6.07	13.70	57	0.430	13.1	7.82	
0.9	6.68	13.39	81	0.701	4.8	7.58	
1.2	5.02	13.32	82	0.607	23.9	7.61	
1.5	4.70	13.06	84	0.657	16.7	7.58	
1.8	6.44	12.99	87	0.701	13.9	7.59	
2.1	6.40	12.85	89	0.752	36.6	7.60	
bailed dry @ 2.2 gal							

Laboratory Analysis Information

# of Bottles	Sample ID	Analytes	Preservative	Bottle Type	Lab	Sample Time	Comments

WSP
7000 Genesee Street, Building D, 2nd Floor
Favetteville. NY 13066 (315) 655-3900 • Fax (315) 655-3907

Groundwater Sampling Monitoring Form

Well ID	MW-4B	**Site:**	EPT - Ithaca, NY	**Sample Date:**	9/20/22
Well Diameter	4 in	**Sampling Event**	Quarterly GW Sampling		
Depth to Water (btoc)	19.75 ft	**Samplers**	NTW, EM		
Total Well Depth (btoc)	22.60 ft	**Weather Conditions:**	64°F, cloudy		
Height of Water Column	2.85 ft	**Notes:**			
Well Volume	1.65 × 3 gal 5.5				

Instrument Calibration Information

Horiba U52 - Calibrated to manufacturer's specifications using auto-calibration standard solution

Well Purging Information

Air temp:	64 °F	Start purge:	1247	End purge: 1300	Pump Type: Bailer

Well Purging Information

Purge Volume (gal)	D.O. (mg/L)	T (°C)	ORP (mV)	S.C. (mS/cm)	Turb. (NTU)	pH	Notes
INT	5.13	16.72	47	1.20	11.2	8.17	
2.0	3.23	16.04	4	1.20	4.8	7.69	
3.0	2.14	15.72	-40	1.21	22.3	7.53	
4.0	1.71	15.57	-64	1.20	15.2	7.33	
bailed dry @ 4.10 gal							

Laboratory Analysis Information

# of Bottles	Sample ID	Analytes	Preservative	Bottle Type	Lab	Sample Time	Comments

WSP
7000 Genesee Street, Building D, 2nd Floor
Favetteville. NY 13066 (315) 655-3900 • Fax (315) 655-3907

Groundwater Sampling Monitoring Form

Well ID	MW-8-40	**Site:**	EPT - Ithaca, NY	**Sample Date:**	9/21
Well Diameter	3 in	**Sampling Event**	Quarterly GW Sampling		
Depth to Water (btoc)	35.04 ft	**Samplers**	NTW, EM		
Total Well Depth (btoc)	42.33 ft	**Weather Conditions:**	64°F, cloudy		
Height of Water Column	7.29 ft	**Notes:**			
Well Volume	3.65 x 3 gal 10.9				

Instrument Calibration Information

Horiba U52 - Calibrated to manufacturer's specifications using auto-calibration standard solution

Well Purging Information

Air temp:	°F	Start purge:	End purge:	Pump Type:
60+		1315	1335	Bailer

Well Purging Information

Purge Volume (gal)	D.O. (mg/L)	T (°C)	ORP (mV)	S.C. (mS/cm)	Turb. (NTU)	pH	Notes
INT	4.71	14.58	17	1.25	0.0	7.78	
1.0	5.01	13.17	32	1.27	14.6	7.76	
2.0	10.36	12.61	44	1.28	34.0	7.77	
3.0	4.11	12.38	51	1.33	43.3	7.76	
bailed dry @ 3.3 gallons							

Laboratory Analysis Information

# of Bottles	Sample ID	Analytes	Preservative	Bottle Type	Lab	Sample Time	Comments

WSP
7000 Genesee Street, Building D, 2nd Floor
Favetteville. NY 13066 (315) 655-3900 • Fax (315) 655-3907

Groundwater Sampling Monitoring Form

Well ID	MW-32B	**Site:**	EPT - Ithaca, NY	**Sample Date:**	9/20/22
Well Diameter	2 in	**Sampling Event**	Quarterly GW Sampling		
Depth to Water (btoc)	4.60 ft	**Samplers**	MW, EM		
Total Well Depth (btoc)	10.08 ft	**Weather Conditions:**	64°F, cloudy		
Height of Water Column	5.50 ft	**Notes:**			
Well Volume	0.89 x 3 gal 2.7				

Instrument Calibration Information

Horiba U52 - Calibrated to manufacturer's specifications using auto-calibration standard solution

Well Purging Information

Air temp: 64 °F	Start purge: 1115	End purge: 1130	Pump Type: Bailer		

Well Purging Information

Purge Volume (gal)	D.O. (mg/L)	T (°C)	ORP (mV)	S.C. (mS/cm)	Turb. (NTU)	pH	Notes
INT	4.74	18.33	55	2.86	3.9	7.50	
0.6	9.36	18.44	59	2.69	45.6	7.64	
0.9	6.81	18.44	65	2.80	46.3	7.68	
1.2	3.70	18.21	71	2.90	67.9	7.69	
1.5	3.20	18.20	74	2.98	56.9	7.69	
1.8	3.17	18.21	76	301	49.0	7.72	
bailed dry @ 2.0 gal							

Laboratory Analysis Information

# of Bottles	Sample ID	Analytes	Preservative	Bottle Type	Lab	Sample Time	Comments

WSP
7000 Genesee Street, Building D, 2nd Floor
Favetteville. NY 13066 (315) 655-3900 • Fax (315) 655-3907

Groundwater Sampling Monitoring Form

Well ID	MW-15C	**Site:**	EPT - Ithaca, NY	**Sample Date:**	9/19/22
Well Diameter	3" in	**Sampling Event**	Quarterly GW Sampling		
Depth to Water (btoc)	0.68 ft	**Samplers**	MW, EM		
Total Well Depth (btoc)	45.70 ft	**Weather Conditions:**	66°F, light rain.		
Height of Water Column	45.02 ft	**Notes:**			
Well Volume	22.51 gal				

Instrument Calibration Information

Horiba U52 - Calibrated to manufacturer's specifications using auto-calibration standard solution

Well Purging Information

Air temp:	°F	Start purge: 1450	End purge: 1607	Pump Type:	Bailer

Well Purging Information

Purge Volume (gal)	D.O. (mg/L)	T (°C)	ORP (mV)	S.C. (mS/cm)	Turb. (NTU)	pH	Notes
INT	10.30	19.50	26	0.277	250	9.40	—
5.0	6.35	19.46	31	0.127	79.5	6.25	—
10	1.76	18.63	25	0.117	132	9.74	—
15	8.16	17.49	35	0.133	190	9.63	—
20	6.41	16.50	46	0.216	160	9.37	—
25	10.75	16.02	42	0.214	503	9.23	
30	8.11	16.45	43	0.218	546	9.16	
Dry @ 31	gallons						

Laboratory Analysis Information

# of Bottles	Sample ID	Analytes	Preservative	Bottle Type	Lab	Sample Time	Comments

WSP
7000 Genesee Street, Building D, 2nd Floor
Fayetteville, NY 13066 (315) 655-3900 • Fax (315) 655-3907

Low-Flow Groundwater Sampling Monitoring Form

Well ID	~~MW-9-100~~	**Site ID:**	EPT - Ithaca, New York	**Sample Date:**	9/22/22
Well Diameter	2 in	**Sampling Event:**	Quarterly Groundwater Sampling		
Depth to Water	75.74 ft	**Samplers**	C. Porreca		
Total Well Depth	99.8 ft	**Weather Conditions and Notes:**	@ 65° F, mostly cloudy, 15mph wind, rain @ 1500		
Screen Length	ft				
Pump Intake	~88 ft	**Flow Rate**	50 mL/min		

Stabilized: ±10-percent for temperature, turbidity, DO, and ORP; ±0.1 unit for pH; and ± 3-percent for specific conductance

Instrument Calibration Information

Horiba U52 with flow-through cell - Calibrated to manufacturer's specifications using auto-calibration standard solution

Well Purging Information

Air temp: 65 °F | Start purge: 1410 | End purge: | Pump Type: QED Sample pro w/ MP-15 and CO_2

Time	DTW	Purge Volume (L)	pH	Conductivity (mS/cm)	Turbidity (NTU)	D.O. (mg/l) *	T (°C)	ORP (mV)	Appearance of Purge Water	Flow Rate (mL/min)
1420	77.40	0.5	6.42	1.49	35.5	0.99	15.02	-167	Clear	
1425	77.77	0.75	7.05	1.33	32.7	0.75	15.23	-170		
1430	78.23	1.0	7.41	1.24	37.9	0.71	14.88	-170		
1435	78.76	1.25	7.57	1.20	38.7	0.58	14.88	-170		
1440	79.28	1.5	7.65	1.17	39.5	0.44	14.71	-168		
1445	79.53	1.75	7.72	1.15	50.4	0.30	14.88	-170		
1450	79.75	2.0	7.76	1.15	34.5	0.15	14.70	-170		
1455	79.90	2.25	7.88	1.13	37.9	0.02	14.82	-176		
1500	80.08	2.5	7.96	1.14	36.5	0	14.55	-178		
1505	80.23	2.75	9.116	1.12	39.5		14.41	-185		
1510	80.45	3.0	9.06	1.13	36.6		14.35	-188		
1515	80.63	3.25	9.06	1.13	36.0		14.14	-191		
1520	80.72	3.5	9.17	1.13	34.0		14.05	-194		
1525	80.92	3.75	9.26	1.13	33.3		14.00	-196		
1530	81.08	4.0	9.40	1.13	36.3		13.92	-200		
1535	81.32	4.25	9.51	1.14	42.8	↓	13.71	-200	Cont'd. on back →	

Laboratory Analysis Information

# of Bottles	Sample ID	Analytes	Preservative	Bottle Type	Lab	Sample Time	Comments
3	MW-9-100	VOCs	HCl	VOA vials		1600	-leaky flow-through cell

TD = 100.73

Time	DTW (Ft.)	Purge Vol. (L)	pH	Conductivity (mS/cm)	Turbidity (NTU)	D.O. (mg/L)	Temp. (°C)	ORP (mV)
1540	81.50	4.5	9.60	1.13	45.6	Ø	13.86	-203
1545	81.61	4.75	9.62	1.13	47.4	↓	13.79	-204
1550	81.85	5.0	9.65	1.13	44.1	↓	13.85	-205
1555	82.02	5.25	9.69	1.13	45.2	↓	13.84	-208

APPENDIX

D FREE PRODUCT SURVEILLANCE REPORT

VIA ELECTRONIC MAIL

April 25, 2023

New York State Department of Environmental Conservation
Division of Environmental Remediation, Region 7
615 Erie Boulevard West
Syracuse, New York 13204-2400
Attn: Karen A. Cahill, Project Manager

Subject: **Former Emerson Power Transmission (EPT), Ithaca, NY Site No. 755010**
Quarterly Free Product Surveillance Report No. 030 – Third and Fourth Quarter 2022
620 South Aurora Street, Ithaca, New York

Dear Karen:

On behalf of Emerson, WSP USA Inc. is submitting Quarterly Free Product Surveillance Report No. 030 for the former Emerson Power Transmission site located in Ithaca, New York. This report summarizes the semi-annual free product monitoring and recovery activities for the third and fourth quarter (September through December) of 2022 at groundwater wells that have free product present in them which include MW-8B, LBA-MW-35, LBA-MW-39, MW-50-160D, and MW-47A as shown on enclosed Figure 1. The use of absorbent socks continuously collected free product throughout the quarter, and are replaced quarterly.

SUMMARY OF RELEVANT FINDINGS

Quarterly groundwater elevation and light-phase free product monitoring and recovery were conducted on September 16, and December 12, 2022. Free product recovery is conducted using free product absorbent socks at each location and bailers, where appropriate. Following the retrieval of the free product absorbent socks, a new free product absorbent sock is deployed at each location to collect the free product.

Free product was observed in MW-47A during site activites in September 2022, subsequently MW-47A was added to the free product survalience monitoring program. No absorbent sock is deployed in MW-50-160D due to no observed measurable free product to date.

MW-8B FREE PRODUCT MONITORING & RECOVERY

Free product was detected in MW-8B with an apparent thickness of 0.01-feet (September; Table 1). No free product was detected during the December event. In total, 0.87 gallons of the free product was recovered during this reporting period; a total of 20.07 gallons of the free product has been removed since recovery was initiated in August 2016 (Table 1).

WSP USA
Suite 650
5411 SkyCenter Drive
Tampa, FL 33607

Tel.: +1 813 520-4444
Fax: +1 813 520-4290
wsp.com

LBA-MW-35 FREE PRODUCT MONITORING & RECOVERY

Free product was detected in LBA-MW-35 with an apparent thickness of 0.02-feet (September; Table 2). No free product was detected during the December event. In total, 0.97 gallons of the free product was recovered during this reporting period; a total of 14.26 gallons of the free product have been removed since recovery was initiated in October 2018 (Table 2).

LBA-MW-39 FREE PRODUCT MONITORING & RECOVERY

Free product was detected in LBA-MW-39 with an apparent thickness of 0.05-feet (December; Table 3). No free product was detected during the September event. In total, 0.86 gallons of the free product was recovered during this reporting period; a total of 7.54 gallons of the free product have been removed since recovery was initiated in October 2018 (Table 3).

MW-50-160D FREE PRODUCT MONITORING & RECOVERY

Free product measuring was initiated on June 21, 2021 (Table 4), no free product was detected during the September or December 2022 monitoring event. No free product was recovered during this reporting period.

MW-47A FREE PRODUCT MONITORING & RECOVERY

Free product measuring was initiated on September 16, 2022 (Table 5). Free product was detected in MW-47A with an apparent thickness of 0.20 feet (September; Table 5) and 0.03 feet (December; Table 5). In total, 0.58 gallons of the free product was recovered during this reporting period; a total of 0.58 gallons of the free product have been removed since recovery was initiated in September 2022 (Table 5).

Subsequent semi-annual reports will continue to provide updates on the free product monitoring and recovery at groundwater wells that have free product present. As requested by the New York State Department of Environmental Conservation, free product measurements will also be reported in the semi-annual Progress Reports.

Please do not hesitate to contact me at (813) 520-4340 with any questions or concerns.

Sincerely yours,



Jeffrey Baker
Lead Consultant



Scott Haitz
Senior Vice President, National Practice Lead

NTW: JRB
\\USHRN1SER01\es\Clients\Emerson\ITHACA\Product Surveillance and Recovery\2022 NYSDEC\Q3 and Q4

Enclosures

cc/encl.: Anthony Perretta, NYSDOH
Steve Clarke, Emerson

FIGURE

13B
13A
14
15
35
10
9
8
3
4
5
18
FORMER FIREWATER RESERVOIR

LBA-MW-18
LBA-MW-35
LBA-MW-16
LBA-MW-17
LBA-MW-43N
LBA-MW-43S
LBA-MW-08
LBA-MW-06
LBA-MW-36
LBA-MW-05
WSP-MW-07C
WSP-MW-07B
LBA-MW-07
LBA-MW-44E
LBA-MW-44W
LBA-MW-03
LBA-MW-04
LBA-MW-19
MW-16C
MW-16B/C
MW-17B
MW-18B
MW-24B
WSP-MW-03B
MW-12C
MW-13C
MW-9B
MW-13-25
MW-15C
MW-5-100
MW-5-40
MW-08B
MW-5-25
RW-24B
EW-12-45C/EXB-02
MW-47A
MW-25B
PZ-2
MW-10B
PZ-4
PZ-3
PZ-1
PTW-1
PZ-5
MW-26B
RW-15A
MW-11B
RW-15
MW-11-40
LBA-MW-39
LBA-MW-26
MW-15-40
MW-37B
HISTWELL-1
EXB-01
EW-11-43/MW-14C
MW-36B
MW-7B
EW-9-86C/EXB-08
EW-9R-72C
WSP-MW-02C
WSP-MW-02B
MW-12B
MW-33B
MW-34B
MW-35B

LEGEND

- PRODUCT SURVEILLANCE WELL
- HISTORICAL WELL
- A HYDROGEOLOGIC ZONE WELL
- A/B HYDROGEOLOGIC ZONES WELL
- B HYDROGEOLOGIC ZONE WELL
- B/C HYDROGEOLOGIC ZONES WELL
- C HYDROGEOLOGIC ZONE WELL
- D HYDROGEOLOGIC ZONE WELL
- EXTRACTION WELL
- PIEZOMETER
- ABANDONED WELL
- 34 BUILDING NUMBER

N

20 10 0 20 40
SCALE, FEET

THE ORIGINAL VERSION OF THIS DRAWING IS IN COLOR. BLACK & WHITE REPRODUCTION MAY NOT ACCURATELY DEPICT CERTAIN INFORMATION.

D

R:\Shared_GSC\CAD\Shared\CAD\Acad_CLIENTS\EMERSON\NY-ithaca\314p1545.001\314P1545.001-D09.dwg 2/13/2023 7:38 AM LSR620165

REVISIONS

REV	DESCRIPTION	Chkd:	Appr.:
1	Revised:	Chkd:	Appr.:
2	Revised:	Chkd:	Appr.:
3	Revised:	Chkd:	Appr.:

SEAL

DATE

DRAWN BY AK 2/13/2023
CHECKED DC 2/13/2023
APPROVED

PROPERTY OF WSP USA INC.
IMPORTANT: THIS DRAWING PRINT IS LOANED FOR MUTUAL ASSISTANCE AND MAY BE RETURNED AT ANY TIME. INFORMATION CONTAINED HEREON IS NOT TO BE USED FOR ANY OTHER PURPOSE EXCEPT FOR THE BENEFIT OF PARTIES OTHER THAN NECESSARY DESIGNATED PERSONNEL WITHOUT THE WRITTEN CONSENT OF WSP USA INC.

NOTICE: THIS DRAWING HAS BEEN PREPARED UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER. IT IS UNLAWFUL FOR ANY PERSON, UNLESS ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER ANY ITEM ON THIS DRAWING IN ANY WAY.

PRODUCT SURVEILLANCE WELLS

FORMER EMERSON POWER TRANSMISSION
ITHACA, NEW YORK

PREPARED FOR
EMERSON
ST. LOUIS, MISSOURI

WSP USA Inc.
13530 DULLES TECHNOLOGY DR., SUITE 300
HERNDON, VA 20171
TEL: +1 703.709.6500

FIGURE 1

Drawing Number
314P1545.001–D09

TABLES

Table 1

Product Monitoring and Removal Summary - MW-8B
Former Emerson Power Transmission Facility
Ithaca, New York
Third and Fourth Quarter 2022 (a)

Well Identification:	MW-8B
Casing Diameter (inches):	2.00
Top of Casing (ft asml) (b):	586.08
Total Depth (feet):	21.30

Date (e)	Depth to Product (ft btoc)	Depth to Water (ft btoc, b)		Apparent Product Thickness (feet)	Apparent Product Volume (gallons)	Groundwater Elevation (ft amsl)	Product Removal (gallons)				Water Removed (gallons)	
		Measured	Corrected				Bailer	Absorbent Sock	Total Quarterly	Total Cumulative	Total Quarterly	Total Water Bailed
Previous to Third and Fourth Quarter 2022	-	-	-	-	-	-	-	-	-	19.21	0.05	1.90
September 16, 2022	9.19	9.20	9.19	0.01	0.00	577.45	0.00	0.43	0.43	19.64	0.04	1.95
December 12, 2022	NM	9.48	9.48	-	-	577.16	0.00	0.44	0.44	20.07	0.04	1.99

a/ Abbreviations: NM = no measureable product; "-" = not applicable; "--" = measurement not taken; ft btoc = feet below top of casing; amsl = above mean sea level; ft amsl = feet amsl; LNAPL = light non-aqueous phase liquid.

b/ All depth to water measurements were corrected to account for the depression caused by the weight of the light phase free product. For correction of the depth to water, the free phase product specific gravity of 0.90 was used.

e/ Measurements were collected monthly until September 2020 and after September 2020 measurements were collected quarterly. Free product was continuously collected using sorbent socks.

Table 2

Product Monitoring and Removal Summary - LBA-MW-35
Former Emerson Power Transmission Facility
Ithaca, New York
Third and Fourth Quarter 2022 (a)

Well Identification:	LBA-MW-35
Casing Diameter (inches):	2.00
Top of Casing (ft asml):	612.59
Total Depth (feet):	32.00

Date (c)	Depth to Product (ft btoc)	Depth to Water (ft btoc, b)		Apparent Product Thickness (feet)	Apparent Product Volume (gallons)	Groundwater Elevation (ft amsl)	Product Removal (gallons)				Water Removed (gallons)	
		Measured	Corrected				Bailer	Absorbent Sock	Total Quarterly	Total Cumulative	Total Quarterly	Total Water Bailed
Previous to Third and Fourth Quarter 2022	-	-	-	-	-	-	-	-	-	13.29	0.06	1.33
September 16, 2022	5.68	5.70	5.68	0.02	0.00	606.91	0.00	0.49	0.49	13.78	0.05	1.38
December 12, 2022	NM	5.66	5.66	-	-	606.93	0.00	0.49	0.49	14.26	0.05	1.43

a/ Abbreviations: NM = no measureable product; "-" = not applicable; "--" = measurement not taken; ft btoc = feet below top of casing; amsl = above mean sea level; ft amsl = feet amsl; LNAPL = light non-aqueous phase liquid.

b/ All depth to water measurements were corrected to account for the depression caused by the weight of the light phase free product. For correction of the depth to water, the free phase product specific gravity of 0.90 was used.

c/ Measurements were collected monthly until September 2020 and after September 2020 measurements were collected quarterly. Free product was continuously collected using sorbent socks.

Table 3

Product Monitoring and Removal Summary - LBA-MW-39
Former Emerson Power Transmission Facility
Ithaca, New York
Third and Fourth Quarter 2022 (a)

Well Identification:	LBA-MW-39
Casing Diameter (inches):	2.00
Top of Casing (ft asml) (b):	583.06
Total Depth (feet):	25.50

Date (c)	Depth to Product (ft btoc)	Depth to Water (ft btoc, b)		Apparent Product Thickness (feet)	Apparent Product Volume (gallons)	Groundwater Elevation (ft amsl)	Product Removal (gallons)				Water Removed (gallons)	
		Measured	Corrected				Bailer	Absorbent Sock	Total Quarterly	Total Cumulative	Total Quarterly	Total Water Bailed
Previous to Third and Fourth Quarter 2022	-	-	-	-	-	-	-	-	-	6.68	0.04	0.67
September 16, 2022	NM	18.40	18.40	-	-	564.66	0.00	0.40	0.40	7.09	0.04	0.71
December 12, 2022	18.36	18.41	18.37	0.05	0.01	564.70	0.00	0.45	0.45	7.54	0.05	0.75

a/ Abbreviations: NM = no measureable product; "-" = not applicable; "--" = measurement not taken; ft btoc = feet below top of casing; amsl = above mean sea level; ft amsl = feet amsl; LNAPL = light non-aqueous phase liquid.

b/ All depth to water measurements were corrected to account for the depression caused by the weight of the light phase free product. For correction of the depth to water, the free phase product specific gravity of 0.90 was used.

c/ Measurements were collected monthly until September 2020 and after September 2020 measurements were collected quarterly. Free product was continuously collected using sorbent socks.

Table 4

Product Monitoring and Removal Summary - MW-50-160D
Former Emerson Power Transmission Facility
Ithaca, New York
Third and Fourth Quarter 2022 (a)

Well Identification:	MW-50-160D
Casing Diameter (inches):	4.00
Top of Casing (ft asml) (b):	587.42
Total Depth (feet):	163.53

Date	Depth to Product (ft btoc)	Depth to Water (ft btoc, b)		Apparent Product Thickness (feet)	Apparent Product Volume (gallons)	Groundwater Elevation (ft amsl)	Product Removal (gallons)				Water Removed (gallons)	
		Measured	Corrected				Bailer	Absorbent Sock	Total Quarterly	Total Cumulative	Total Quarterly	Total Water Bailed
Previous to Third and Fourth Quarter 2022	-	-	-	-	-	-	-	-	-	-	-	0.00
September 16, 2022	NM	121.18	121.18	-	-	465.24	0.00	0.00	0.00	0.00	0.00	0.00
December 12, 2022	NM	129.09	129.09	-	-	457.33	0.00	0.00	0.00	0.00	0.00	0.00

a/ Abbreviations: NM = no measureable product; "-" = not applicable; "--" = measurement not taken; ft btoc = feet below top of casing; amsl = above mean sea level; ft amsl = feet amsl; LNAPL = light non-aqueous phase liquid.

b/ All depth to water measurements were corrected to account for the depression caused by the weight of the light phase free product. For correction of the depth to water, the free phase product specific gravity of 0.90 was used.

Table 5

Product Monitoring and Removal Summary - MW-47A
Former Emerson Power Transmission Facility
Ithaca, New York
Third and Fourth Quarter 2022 (a)

Well Identification:	**MW-47A**
Casing Diameter (inches):	**4.00**
Top of Casing (ft asml) (b):	**586.70**
Total Depth (feet):	**18.75**

Date	Depth to Product (ft btoc)	Depth to Water (ft btoc, b)		Apparent Product Thickness (feet)	Apparent Product Volume (gallons)	Groundwater Elevation (ft amsl)	Product Removal (gallons)				Water Removed (gallons)	
		Measured	Corrected				Bailer	Absorbent Sock	Total Quarterly	Total Cumulative	Total Quarterly	Total Water Bailed
Previous to Third and Fourth Quarter 2022	-	-	-	-	-	-	-	-	-	0.00	-	0.00
September 16, 2022	11.77	11.97	11.79	0.20	0.033	574.91	0.00	0.00	0.00	0.00	0.00	0.00
December 12, 2022	11.88	11.91	11.88	0.03	0.00	574.82	0.00	0.58	0.58	0.58	0.06	0.06

a/ Abbreviations: NM = no measureable product; "-" = not applicable; "--" = measurement not taken; ft btoc = feet below top of casing; amsl = above mean sea level; ft amsl = feet amsl; LNAPL = light non-aqueous phase liquid.

b/ All depth to water measurements were corrected to account for the depression caused by the weight of the light phase free product. For correction of the depth to water, the free phase product specific gravity of 0.90 was used.