

UST REMOVAL

**Quicklee's #16
336 West Washington Street
Bath, New York 14810
PBS # 8-050636**

Prepared f.or:

**C. A. Norris, LLC
PO Box 275
Attica, New York**

Prepared by:

**SENTINEL Technologies, Inc.
5505 Route 19A
Castile, New York**

April 2026

EXECUTIVE SUMMARY

SENTINEL Technologies, Inc. (SENTINEL) was authorized by Ms. Dawn Chamberlain (C.A. Norris, LLC) to oversee subsurface soil screening in an area of underground storage tanks (UST's) and dispensers . SENTINEL was authorized to collect closure samples per direction of the New York State Department of Environmental Conservation (NYSDEC), and prepare a UST Closure Report. The work was being completed as part of the removal of petroleum storage and dispensing facilities at the site.

During excavation and removal of the UST's and dispensers, soils were screened by accepted headspace screening methodologies with no indication of subsurface petroleum impact.

Excavation continued until such time that the UST's and dispensers had been removed. At this time the UST's were cleaned, placed into a dumpster and smashed to allow for disposal. Following the collection of closure samples, the excavation was backfilled with screened excavation and virgin materials.

PROPERTY DESCRIPTION

The subject property is located at 336 West Washington Street, Bath New York. Site is presently in the process of removal of all petroleum storage and dispensing facilities.

The topography and surficial geology of the site in the vicinity are the results of glaciation. Soils within the excavation area were composed of gravel, sand and silt with an increasing fraction of clay. The UST's had been installed with pea stone backfill.

The topography of the site and surrounding area is relatively flat.

SENSITIVE RECEPTOR SURVEY

Site Reconnaissance identified that the area is commercial/residential.

Underground Storage Tank Removal

C.A. Norris, LLC provided the equipment and manpower to excavate the UST's, inert and clean the UST's, disposal of the tanks and backfill and compaction of the excavation.

SENTINEL provided an Environmental Scientist to perform soil screening, collect closure samples and provide documentation to be provided for UST Closure Report.

The soils were screened for the presence of petroleum hydrocarbon-based volatile organic compounds (VOC's) using gross visual and olfactory inspection and accepted headspace screening methodology. Screening was performed by placing a representative sample from the excavation walls and/or floor into a Ziplock™ (or equivalent) plastic bag, sealing the bag and allowing the sample to volatilize for at least 15 minutes. The concentrations of VOC's are then measured by inserting the tip of an Hnu photo-ionization detector in the samples headspace and taking a reading. These results were placed onto the C.A. Norris site assessment form that is included in Attachment D (Documents).

The following UST's listed on PBS Certificate 8-050636 were removed from the tank grave.

001	Fiberglass	12,000 Gallon	Regular Unleaded
002	Fiberglass	10,000 Gallon	Premium Unleaded
003	Fiberglass	10,000 Gallon	Diesel

A vacuum truck was brought to the site to remove remaining fluids and rinse material from the tanks.

Copy of liquid disposal receipt is presented in Appendix D (Documents)

Photographs of site work are presented in Appendix B (Photographs)

Soil screening results as project continued ranged from ND to < 1 ppm.

Upon removal of the UST's, they were found to be in good condition with no stressed areas or holes present. Upon removal the UST's were opened to vent and allowing for cleaning with residual product and rinse material being collected by a vacuum truck. Once the tanks were cleaned they were placed into a roll-off dumpster and crushed in preparation for disposal.

Site maps showing excavation areas and sample locations are presented in Appendix A. (Figures)

Closure samples were prepared from grab sample aliquots taken per NYSDEC guidance from the walls and floor of the final excavation, along with samples collected from beneath the area of dispensers that were located on the pump island.

It must be noted that soil screening performed throughout the entire project produced no evidence of subsurface petroleum impact.

The samples were analyzed by EPA Method 8260 (volatile organic compounds) and 8270 (semi-volatile organic compounds) and reported against the CP-51 Restricted Residential Guidance. The samples were transported under Standard Chain of Custody Protocol to Paradigm Environmental Services, a New York certified laboratory located in Rochester, New York.

Presented below are Summary Tables of Closure Sample Analyses.

Laboratory Results are presented in Appendix C (Analytical Results)

SUMMARY TABLES
EPA Methods 8260 and 8270 STARS

Contaminant	Soil Cleanup Objectives (ppm)	Sample Results SN#032526-1H 3/25/2026 Below Diesel UST (ppm)	Sample Results SN#032526-2H 3/25/2026 Below RUL UST (ppm)	Sample Results SN#032526-3H 3/25/2026 Below PUL UST (ppm)
Acenaphthene	20.00	ND <0.289	ND <0.315	ND <0.290
Acenaphthylene	100.00	ND <0.289	ND <0.315	ND <0.290
Anthracene	100.00	ND <0.289	ND <0.315	ND <0.290
Benzo(a)Anthracene	1.00	ND <0.289	ND <0.315	ND <0.290
Dibenz(a,h)Anthracene	0.33	ND <0.289	ND <0.315	ND <0.290
Benzene	0.06	ND <0.007	ND <0.007	ND <0.006
n-Butylbenzene	12.00	ND <0.007	ND <0.007	ND <0.006
sec-Butylbenzene	11.00	ND <0.007	ND <0.007	ND <0.006
Tert-Butylbenzene	5.90	ND <0.007	ND <0.007	ND <0.006
Chrysene	1.00	ND <0.289	ND <0.315	ND <0.290
Ethylbenzene	1.00	ND <0.007	ND <0.007	ND <0.006
Fluoranthene	100.00	ND <0.289	ND <0.315	ND <0.290
Benzo(b)Fluoranthene	1.00	ND <0.289	ND <0.315	ND <0.290
Benzo(k)Fluoranthene	0.80	ND <0.289	ND <0.315	ND <0.290
Fluorene	30.00	ND <0.289	ND <0.315	ND <0.290
Isopropylbenzene	2.30	ND <0.007	ND <0.007	ND <0.006
p-Isopropyltoluene	10.00	ND <0.007	ND <0.007	ND <0.006
Napthalene	12.00	ND <0.018	ND <0.019	ND <0.015
n-Propylbenzene	3.90	ND <0.007	ND <0.007	ND <0.006
Benzo(g,h,i)Perylene	100.00	ND <0.289	ND <0.315	ND <0.290
Phenathrene	100.00	ND <0.289	ND <0.315	ND <0.290
Pyrene	100.00	ND <0.289	ND <0.315	ND <0.290
Benzo(a)pyrene	1.00	ND <0.289	ND <0.315	ND <0.290
Indeno(1,2,3-cd)Pyrene	0.50	ND <0.289	ND <0.315	ND <0.290
1,2,4-Trimethylbenzene	3.60	ND <0.007	ND <0.007	ND <0.006
1,3,5-Trimethylbenzene	8.40	ND <0.007	ND <0.007	ND <0.006
Toluene	0.70	ND <0.007	ND <0.007	ND <0.006
Xylene (Mixed)	0.26	ND <0.007	ND <0.007	ND <0.006

Boldface Exceeds CP-51 Guidance

Contaminant	Soil Cleanup Objectives (ppm)	Sample Results SN#032526-4H 3/25/2026 West Wall (ppm)	Sample Results SN#032526-5H 3/25/2026 North Wall (ppm)	Sample Results SN#032526-6H 3/25/2026 East Wall (ppm)
Acenaphthene	20.00	ND <0.298	ND <0.277	ND <0.308
Acenaphthylene	100.00	ND <0.298	ND <0.277	ND <0.308
Anthracene	100.00	ND <0.298	ND <0.277	ND <0.308
Benzo(a)Anthracene	1.00	ND <0.298	ND <0.277	ND <0.308
Dibenz(a,h)Anthracene	0.33	ND <0.298	ND <0.277	ND <0.308
Benzene	0.06	ND <0.007	ND <0.006	ND <0.009
n-Butylbenzene	12.00	ND <0.007	ND <0.006	ND <0.009
sec-Butylbenzene	11.00	ND <0.007	ND <0.006	ND <0.009
Tert-Butylbenzene	5.90	ND <0.007	ND <0.006	ND <0.009
Chrysene	1.00	ND <0.298	ND <0.277	ND <0.308
Ethylbenzene	1.00	ND <0.007	ND <0.006	ND <0.009
Fluoranthene	100.00	ND <0.298	ND <0.277	ND <0.308
Benzo(b)Fluoranthene	1.00	ND <0.298	ND <0.277	ND <0.308
Benzo(k)Fluoranthene	0.80	ND <0.298	ND <0.277	ND <0.308
Fluorene	30.00	ND <0.298	ND <0.277	ND <0.308
Isopropylbenzene	2.30	ND <0.007	ND <0.006	ND <0.009
p-Isopropyltoluene	10.00	ND <0.007	ND <0.006	ND <0.009
Napthalene	12.00	ND <0.018	ND <0.015	ND <0.022
n-Propylbenzene	3.90	ND <0.007	ND <0.006	ND <0.009
Benzo(g,h,i)Perylene	100.00	ND <0.298	ND <0.277	ND <0.308
Phenathrene	100.00	ND <0.298	ND <0.277	ND <0.308
Pyrene	100.00	ND <0.298	ND <0.277	ND <0.308
Benzo(a)pyrene	1.00	ND <0.298	ND <0.277	ND <0.308
Indeno(1,2,3-cd)Pyrene	0.50	ND <0.298	ND <0.277	ND <0.308
1,2,4-Trimethylbenzene	3.60	ND <0.007	ND <0.006	ND <0.009
1,3,5-Trimethylbenzene	8.40	ND <0.007	ND <0.006	ND <0.009
Toluene	0.70	ND <0.007	ND <0.006	ND <0.009
Xylene (Mixed)	0.26	ND <0.007	ND <0.006	ND <0.009

Boldface Exceeds CP-51 Guidance

Contaminant	Soil Cleanup Objectives (ppm)	Sample Results SN#032526-7H 3/25/2026 South Wall (ppm)	Sample Results SN#032726-1H 3/27/2026 Disp. #1 (ppm)	Sample Results SN#032726-2H 3/27/2026 Disp. #2 (ppm)
Acenaphthene	20.00	ND <0.317	ND <0.302	ND <0.311
Acenaphthylene	100.00	ND <0.317	ND <0.302	ND <0.311
Anthracene	100.00	ND <0.317	ND <0.302	ND <0.311
Benzo(a)Anthracene	1.00	ND <0.317	ND <0.302	ND <0.311
Dibenz(a,h)Anthracene	0.33	ND <0.317	ND <0.302	ND <0.311
Benzene	0.06	ND <0.006	ND <0.006	ND <0.007
n-Butylbenzene	12.00	ND <0.006	ND <0.006	ND <0.007
sec-Butylbenzene	11.00	ND <0.006	ND <0.006	ND <0.007
Tert-Butylbenzene	5.90	ND <0.006	ND <0.006	ND <0.007
Chrysene	1.00	ND <0.317	ND <0.302	ND <0.311
Ethylbenzene	1.00	ND <0.006	ND <0.006	ND <0.007
Fluoranthene	100.00	ND <0.317	ND <0.302	ND <0.311
Benzo(b)Fluoranthene	1.00	ND <0.317	ND <0.302	ND <0.311
Benzo(k)Fluoranthene	0.80	ND <0.317	ND <0.302	ND <0.311
Fluorene	30.00	ND <0.317	ND <0.302	ND <0.311
Isopropylbenzene	2.30	ND <0.006	ND <0.006	ND <0.007
p-Isopropyltoluene	10.00	ND <0.006	ND <0.006	ND <0.007
Napthalene	12.00	ND <0.016	ND <0.016	ND <0.017
n-Propylbenzene	3.90	ND <0.006	ND <0.006	ND <0.007
Benzo(g,h,i)Perylene	100.00	ND <0.317	ND <0.302	ND <0.311
Phenathrene	100.00	ND <0.317	ND <0.302	ND <0.311
Pyrene	100.00	ND <0.317	ND <0.302	ND <0.311
Benzo(a)pyrene	1.00	ND <0.317	ND <0.302	ND <0.311
Indeno(1,2,3-cd)Pyrene	0.50	ND <0.317	ND <0.302	ND <0.311
1,2,4-Trimethylbenzene	3.60	ND <0.006	ND <0.006	ND <0.007
1,3,5-Trimethylbenzene	8.40	ND <0.006	ND <0.006	ND <0.007
Toluene	0.70	ND <0.006	ND <0.006	ND <0.007
Xylene (Mixed)	0.26	ND <0.006	ND <0.006	ND <0.007

Boldface Exceeds CP-51 Guidance

Contaminant	Soil Cleanup Objectives (ppm)	Sample Results SN#032726-3H 3/27/2026 Disp. #3 (ppm)	Sample Results SN#031726-4H 3/27/2026 Disp. #4 (ppm)
Acenaphthene	20.00	ND <0.288	ND <0.309
Acenaphthylene	100.00	ND <0.288	ND <0.309
Anthracene	100.00	ND <0.288	ND <0.309
Benzo(a)Anthracene	1.00	ND <0.288	ND <0.309
Dibenz(a,h)Anthracene	0.33	ND <0.288	ND <0.309
Benzene	0.06	ND <0.006	ND <0.006
n-Butylbenzene	12.00	ND <0.006	ND <0.006
sec-Butylbenzene	11.00	ND <0.006	ND <0.006
Tert-Butylbenzene	5.90	ND <0.006	ND <0.006
Chrysene	1.00	ND <0.288	ND <0.309
Ethylbenzene	1.00	ND <0.006	ND <0.006
Fluoranthene	100.00	ND <0.288	ND <0.309
Benzo(b)Fluoranthene	1.00	ND <0.288	ND <0.309
Benzo(k)Fluoranthene	0.80	ND <0.288	ND <0.309
Fluorene	30.00	ND <0.288	ND <0.309
Isopropylbenzene	2.30	ND <0.006	ND <0.006
p-Isopropyltoluene	10.00	ND <0.006	ND <0.006
Napthalene	12.00	ND <0.016	ND <0.016
n-Propylbenzene	3.90	ND <0.006	ND <0.006
Benzo(g,h,i)Perylene	100.00	ND <0.288	ND <0.309
Phenathrene	100.00	ND <0.288	ND <0.309
Pyrene	100.00	ND <0.288	ND <0.309
Benzo(a)pyrene	1.00	ND <0.288	ND <0.309
Indeno(1,2,3-cd)Pyrene	0.50	ND <0.288	ND <0.309
1,2,4-Trimethylbenzene	3.60	ND <0.006	ND <0.006
1,3,5-Trimethylbenzene	8.40	ND <0.006	ND <0.006
Toluene	0.70	ND <0.006	ND <0.006
Xylene (Mixed)	0.26	ND <0.006	ND <0.006

Boldface Exceeds CP-51

The results of the analyses of the closure samples collected for laboratory analysis produced results of below method detection limits or regulatory guidance for all compounds.

CONCLUSIONS/RECOMMENDATIONS

In consideration of the removal of the UST's and being crushed for disposal, with the closure sample analysis. SEINTINEL on behalf of Quicklee's (PEMM, LLC) would request that NYSDEC Petroleum Bulk Storage Certificate No. 8-050636 be amended to show that UST's 001, 002, and 003 were "Closed-Removed".



WEST WASHINGTON ST.



Quicklee's
W. Washington, Bath, NY
prepared for
C. A. NORRIS, LLC
ATTICA, NEW YORK

FIGURE 2
SITE
FEATURES

SCALE
NOT TO SCALE

SENTINEL Technologies, Inc.

DRAWN BY	J. FISHER	3-20-26
CHECKED BY		
APPROVED BY		
REVISED		
DRAWING NUMBER	214226-A2	



TANK
FIELD



WEST WASHINGTON ST.

Quicklee's W. Washington, Bath, NY prepared for C. A. NORRIS, LLC ATTICA, NEW YORK	FIGURE 3		SENTINEL Technologies, Inc.		
	LIST FEATURES		DRAWN BY	J. FISHER	3-20-26
			CHECKED BY		
			APPROVED BY		
			REVISED	J. FISHER	4-13-26
SCALE NOT TO SCALE			DRAWING NUMBER 214226-A3		



SAMPLE KEY

- | | |
|----|----------------|
| 1 | SN # 032526-1H |
| 2 | SN#032526-2H |
| 3 | SN#032526-3H |
| 4 | SN #032526-4H |
| 5 | SN #032526-5H |
| 6 | SN #032625-6H |
| 7 | SN #032526-7H |
| 8 | SN#032726-1H |
| 9 | SN #032726-2H |
| 10 | SN #032726-3H |
| 11 | SN #032726-4H |



WEST WASHINGTON ST.

Quicklee's
W. Washington, Bath, NY
prepared for
C. A. NORRIS, LLC
ATTICA, NEW YORK

FIGURE 4 CLOSURE SAMPLE LOCATIONS

SCALE
NOT TO SCALE

SENTINEL Technologies, Inc.

DRAWN BY	J. FISHER	3-20-26
CHECKED BY		
APPROVED BY		
REVISED	J. FISHER	4-2--26
DRAWING NUMBER	214226-A4	

APPENDIX B
(Photographs)







APPENDIX C
(Laboratory Results)



Lab Project ID: 261134

Client: **Sentinel Technologies Inc.**

Project Reference: 2142-26, CA Norris, Bath

Sample Identifier: 032526-1H Below Diesel UST

Lab Sample ID: 261134-01

Date Sampled: 3/25/2026 12:00

Matrix: Soil

Date Received 3/30/2026

Percent Solids

Analyte	Result	Units	Qualifier	Date Analyzed
Percent Solids	94.1	%		4/1/2026

Method Reference(s): Par%M

ELAP does not offer this test for approval as part of their laboratory certification program.

Semi-Volatile Organics (PAHs)

Analyte	Result	Units	Qualifier	Date Analyzed
Acenaphthene	< 289	ug/Kg		4/1/2026 22:35
Acenaphthylene	< 289	ug/Kg		4/1/2026 22:35
Anthracene	< 289	ug/Kg		4/1/2026 22:35
Benzo (a) anthracene	< 289	ug/Kg		4/1/2026 22:35
Benzo (a) pyrene	< 289	ug/Kg		4/1/2026 22:35
Benzo (b) fluoranthene	< 289	ug/Kg		4/1/2026 22:35
Benzo (g,h,i) perylene	< 289	ug/Kg		4/1/2026 22:35
Benzo (k) fluoranthene	< 289	ug/Kg		4/1/2026 22:35
Chrysene	< 289	ug/Kg		4/1/2026 22:35
Dibenz (a,h) anthracene	< 289	ug/Kg		4/1/2026 22:35
Fluoranthene	< 289	ug/Kg		4/1/2026 22:35
Fluorene	< 289	ug/Kg		4/1/2026 22:35
Indeno (1,2,3-cd) pyrene	< 289	ug/Kg		4/1/2026 22:35
Naphthalene	< 289	ug/Kg		4/1/2026 22:35
Phenanthrene	< 289	ug/Kg		4/1/2026 22:35
Pyrene	< 289	ug/Kg		4/1/2026 22:35

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Monday, April 6, 2026



Lab Project ID: 261134

Client: **Sentinel Technologies Inc.**

Project Reference: 2142-26, CA Norris, Bath

Sample Identifier: 032526-1H Below Diesel UST

Lab Sample ID: 261134-01

Date Sampled: 3/25/2026 12:00

Matrix: Soil

Date Received 3/30/2026

Surrogate	Percent Recovery	Limits	Outliers	Date Analyzed
2-Fluorobiphenyl	63.7	31.1 - 87.6		4/1/2026 22:35
Nitrobenzene-d5	59.2	29.5 - 81.6		4/1/2026 22:35
Terphenyl-d14	67.1	38.4 - 102		4/1/2026 22:35

Method Reference(s): EPA 8270D

EPA 3546

Preparation Date: 4/1/2026

Data File: B834328.D

Volatile Organics (Petroleum)

Analyte	Result	Units	Qualifier	Date Analyzed
1,2,4-Trimethylbenzene	< 7.18	ug/Kg		4/3/2026 14:20
1,3,5-Trimethylbenzene	< 7.18	ug/Kg		4/3/2026 14:20
Benzene	< 7.18	ug/Kg		4/3/2026 14:20
Ethylbenzene	< 7.18	ug/Kg		4/3/2026 14:20
Isopropylbenzene	< 7.18	ug/Kg		4/3/2026 14:20
m,p-Xylene	< 7.18	ug/Kg		4/3/2026 14:20
Methyl tert-butyl Ether	< 7.18	ug/Kg		4/3/2026 14:20
Naphthalene	< 17.9	ug/Kg		4/3/2026 14:20
n-Butylbenzene	< 7.18	ug/Kg		4/3/2026 14:20
n-Propylbenzene	< 7.18	ug/Kg		4/3/2026 14:20
o-Xylene	< 7.18	ug/Kg		4/3/2026 14:20
p-Isopropyltoluene	< 7.18	ug/Kg		4/3/2026 14:20
sec-Butylbenzene	< 7.18	ug/Kg		4/3/2026 14:20
tert-Butylbenzene	< 7.18	ug/Kg		4/3/2026 14:20
Toluene	< 7.18	ug/Kg		4/3/2026 14:20

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Monday, April 6, 2026



Lab Project ID: 261134

Client: **Sentinel Technologies Inc.**

Project Reference: 2142-26, CA Norris, Bath

Sample Identifier: 032526-2H Below RUL UST

Lab Sample ID: 261134-02

Date Sampled: 3/25/2026 12:15

Matrix: Soil

Date Received 3/30/2026

Percent Solids

Analyte	Result	Units	Qualifier	Date Analyzed
Percent Solids	87.8	%		4/1/2026

Method Reference(s): Par%M

ELAP does not offer this test for approval as part of their laboratory certification program.

Semi-Volatile Organics (PAHs)

Analyte	Result	Units	Qualifier	Date Analyzed
Acenaphthene	< 315	ug/Kg		4/1/2026 23:04
Acenaphthylene	< 315	ug/Kg		4/1/2026 23:04
Anthracene	< 315	ug/Kg		4/1/2026 23:04
Benzo (a) anthracene	< 315	ug/Kg		4/1/2026 23:04
Benzo (a) pyrene	< 315	ug/Kg		4/1/2026 23:04
Benzo (b) fluoranthene	< 315	ug/Kg		4/1/2026 23:04
Benzo (g,h,i) perylene	< 315	ug/Kg		4/1/2026 23:04
Benzo (k) fluoranthene	< 315	ug/Kg		4/1/2026 23:04
Chrysene	< 315	ug/Kg		4/1/2026 23:04
Dibenz (a,h) anthracene	< 315	ug/Kg		4/1/2026 23:04
Fluoranthene	< 315	ug/Kg		4/1/2026 23:04
Fluorene	< 315	ug/Kg		4/1/2026 23:04
Indeno (1,2,3-cd) pyrene	< 315	ug/Kg		4/1/2026 23:04
Naphthalene	< 315	ug/Kg		4/1/2026 23:04
Phenanthrene	< 315	ug/Kg		4/1/2026 23:04
Pyrene	< 315	ug/Kg		4/1/2026 23:04

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Monday, April 6, 2026



Client: **Sentinel Technologies Inc.**

Project Reference: 2142-26, CA Norris, Bath

Sample Identifier: 032526-2H Below RUL UST

Lab Sample ID: 261134-02

Date Sampled: 3/25/2026 12:15

Matrix: Soil

Date Received 3/30/2026

Surrogate	Percent Recovery	Limits	Outliers	Date Analyzed
2-Fluorobiphenyl	62.1	31.1 - 87.6		4/1/2026 23:04
Nitrobenzene-d5	55.7	29.5 - 81.6		4/1/2026 23:04
Terphenyl-d14	66.3	38.4 - 102		4/1/2026 23:04

Method Reference(s): EPA 8270D

EPA 3546

Preparation Date: 4/1/2026

Data File: B834329.D

Volatile Organics (Petroleum)

Analyte	Result	Units	Qualifier	Date Analyzed
1,2,4-Trimethylbenzene	< 7.44	ug/Kg		4/3/2026 14:39
1,3,5-Trimethylbenzene	< 7.44	ug/Kg		4/3/2026 14:39
Benzene	< 7.44	ug/Kg		4/3/2026 14:39
Ethylbenzene	< 7.44	ug/Kg		4/3/2026 14:39
Isopropylbenzene	< 7.44	ug/Kg		4/3/2026 14:39
m,p-Xylene	< 7.44	ug/Kg		4/3/2026 14:39
Methyl tert-butyl Ether	< 7.44	ug/Kg		4/3/2026 14:39
Naphthalene	< 18.6	ug/Kg		4/3/2026 14:39
n-Butylbenzene	< 7.44	ug/Kg		4/3/2026 14:39
n-Propylbenzene	< 7.44	ug/Kg		4/3/2026 14:39
o-Xylene	< 7.44	ug/Kg		4/3/2026 14:39
p-Isopropyltoluene	< 7.44	ug/Kg		4/3/2026 14:39
sec-Butylbenzene	< 7.44	ug/Kg		4/3/2026 14:39
tert-Butylbenzene	< 7.44	ug/Kg		4/3/2026 14:39
Toluene	< 7.44	ug/Kg		4/3/2026 14:39

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.



Lab Project ID: 261134

Client: **Sentinel Technologies Inc.**

Project Reference: 2142-26, CA Norris, Bath

Sample Identifier: 032526-3H Below PUL UST

Lab Sample ID: 261134-03

Date Sampled: 3/25/2026 12:30

Matrix: Soil

Date Received 3/30/2026

Percent Solids

Analyte	Result	Units	Qualifier	Date Analyzed
Percent Solids	88.4	%		4/1/2026

Method Reference(s): Par%M

ELAP does not offer this test for approval as part of their laboratory certification program.

Semi-Volatile Organics (PAHs)

Analyte	Result	Units	Qualifier	Date Analyzed
Acenaphthene	< 290	ug/Kg		4/2/2026 02:29
Acenaphthylene	< 290	ug/Kg		4/2/2026 02:29
Anthracene	< 290	ug/Kg		4/2/2026 02:29
Benzo (a) anthracene	< 290	ug/Kg		4/2/2026 02:29
Benzo (a) pyrene	< 290	ug/Kg		4/2/2026 02:29
Benzo (b) fluoranthene	< 290	ug/Kg		4/2/2026 02:29
Benzo (g,h,i) perylene	< 290	ug/Kg		4/2/2026 02:29
Benzo (k) fluoranthene	< 290	ug/Kg		4/2/2026 02:29
Chrysene	< 290	ug/Kg		4/2/2026 02:29
Dibenz (a,h) anthracene	< 290	ug/Kg		4/2/2026 02:29
Fluoranthene	< 290	ug/Kg		4/2/2026 02:29
Fluorene	< 290	ug/Kg		4/2/2026 02:29
Indeno (1,2,3-cd) pyrene	< 290	ug/Kg		4/2/2026 02:29
Naphthalene	< 290	ug/Kg		4/2/2026 02:29
Phenanthrene	< 290	ug/Kg		4/2/2026 02:29
Pyrene	< 290	ug/Kg		4/2/2026 02:29

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Monday, April 6, 2026



Lab Project ID: 261134

Client: **Sentinel Technologies Inc.**

Project Reference: 2142-26, CA Norris, Bath

Sample Identifier: 032526-3H Below PUL UST

Lab Sample ID: 261134-03

Date Sampled: 3/25/2026 12:30

Matrix: Soil

Date Received 3/30/2026

Surrogate	Percent Recovery	Limits	Outliers	Date Analyzed
2-Fluorobiphenyl	65.6	31.1 - 87.6		4/2/2026 02:29
Nitrobenzene-d5	58.7	29.5 - 81.6		4/2/2026 02:29
Terphenyl-d14	64.9	38.4 - 102		4/2/2026 02:29

Method Reference(s): EPA 8270D

EPA 3546

Preparation Date: 4/1/2026

Data File: B834336.D

Volatile Organics (Petroleum)

Analyte	Result	Units	Qualifier	Date Analyzed
1,2,4-Trimethylbenzene	< 5.95	ug/Kg		4/3/2026 14:59
1,3,5-Trimethylbenzene	< 5.95	ug/Kg		4/3/2026 14:59
Benzene	< 5.95	ug/Kg		4/3/2026 14:59
Ethylbenzene	< 5.95	ug/Kg		4/3/2026 14:59
Isopropylbenzene	< 5.95	ug/Kg		4/3/2026 14:59
m,p-Xylene	< 5.95	ug/Kg		4/3/2026 14:59
Methyl tert-butyl Ether	< 5.95	ug/Kg		4/3/2026 14:59
Naphthalene	< 14.9	ug/Kg		4/3/2026 14:59
n-Butylbenzene	< 5.95	ug/Kg		4/3/2026 14:59
n-Propylbenzene	< 5.95	ug/Kg		4/3/2026 14:59
o-Xylene	< 5.95	ug/Kg		4/3/2026 14:59
p-Isopropyltoluene	< 5.95	ug/Kg		4/3/2026 14:59
sec-Butylbenzene	< 5.95	ug/Kg		4/3/2026 14:59
tert-Butylbenzene	< 5.95	ug/Kg		4/3/2026 14:59
Toluene	< 5.95	ug/Kg		4/3/2026 14:59

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.



Client: **Sentinel Technologies Inc.**

Project Reference: 2142-26, CA Norris, Bath

Sample Identifier: 032526-4H West Wall

Lab Sample ID: 261134-04

Matrix: Soil

Date Sampled: 3/25/2026 12:45

Date Received 3/30/2026

Percent Solids

Analyte	Result	Units	Qualifier	Date Analyzed
Percent Solids	87.0	%		4/1/2026

Method Reference(s): Par%M

ELAP does not offer this test for approval as part of their laboratory certification program.

Semi-Volatile Organics (PAHs)

Analyte	Result	Units	Qualifier	Date Analyzed
Acenaphthene	< 298	ug/Kg		4/2/2026 02:59
Acenaphthylene	< 298	ug/Kg		4/2/2026 02:59
Anthracene	< 298	ug/Kg		4/2/2026 02:59
Benzo (a) anthracene	< 298	ug/Kg		4/2/2026 02:59
Benzo (a) pyrene	< 298	ug/Kg		4/2/2026 02:59
Benzo (b) fluoranthene	< 298	ug/Kg		4/2/2026 02:59
Benzo (g,h,i) perylene	< 298	ug/Kg		4/2/2026 02:59
Benzo (k) fluoranthene	< 298	ug/Kg		4/2/2026 02:59
Chrysene	< 298	ug/Kg		4/2/2026 02:59
Dibenz (a,h) anthracene	< 298	ug/Kg		4/2/2026 02:59
Fluoranthene	< 298	ug/Kg		4/2/2026 02:59
Fluorene	< 298	ug/Kg		4/2/2026 02:59
Indeno (1,2,3-cd) pyrene	< 298	ug/Kg		4/2/2026 02:59
Naphthalene	< 298	ug/Kg		4/2/2026 02:59
Phenanthrene	< 298	ug/Kg		4/2/2026 02:59
Pyrene	< 298	ug/Kg		4/2/2026 02:59

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.



Lab Project ID: 261134

Client: **Sentinel Technologies Inc.**

Project Reference: 2142-26, CA Norris, Bath

Sample Identifier: 032526-4H West Wall

Lab Sample ID: 261134-04

Date Sampled: 3/25/2026 12:45

Matrix: Soil

Date Received 3/30/2026

Surrogate	Percent Recovery	Limits	Outliers	Date Analyzed
2-Fluorobiphenyl	64.7	31.1 - 87.6		4/2/2026 02:59
Nitrobenzene-d5	57.1	29.5 - 81.6		4/2/2026 02:59
Terphenyl-d14	66.0	38.4 - 102		4/2/2026 02:59

Method Reference(s): EPA 8270D

EPA 3546

Preparation Date: 4/1/2026

Data File: B834337.D

Volatile Organics (Petroleum)

Analyte	Result	Units	Qualifier	Date Analyzed
1,2,4-Trimethylbenzene	< 7.14	ug/Kg		4/3/2026 15:18
1,3,5-Trimethylbenzene	< 7.14	ug/Kg		4/3/2026 15:18
Benzene	< 7.14	ug/Kg		4/3/2026 15:18
Ethylbenzene	< 7.14	ug/Kg		4/3/2026 15:18
Isopropylbenzene	< 7.14	ug/Kg		4/3/2026 15:18
m,p-Xylene	< 7.14	ug/Kg		4/3/2026 15:18
Methyl tert-butyl Ether	< 7.14	ug/Kg		4/3/2026 15:18
Naphthalene	< 17.8	ug/Kg		4/3/2026 15:18
n-Butylbenzene	< 7.14	ug/Kg		4/3/2026 15:18
n-Propylbenzene	< 7.14	ug/Kg		4/3/2026 15:18
o-Xylene	< 7.14	ug/Kg		4/3/2026 15:18
p-Isopropyltoluene	< 7.14	ug/Kg		4/3/2026 15:18
sec-Butylbenzene	< 7.14	ug/Kg		4/3/2026 15:18
tert-Butylbenzene	< 7.14	ug/Kg		4/3/2026 15:18
Toluene	< 7.14	ug/Kg		4/3/2026 15:18

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.



Lab Project ID: 261134

Client: **Sentinel Technologies Inc.**

Project Reference: 2142-26, CA Norris, Bath

Sample Identifier: 032526-5H North Wall

Lab Sample ID: 261134-05

Date Sampled: 3/25/2026 12:50

Matrix: Soil

Date Received 3/30/2026

Percent Solids

Analyte	Result	Units	Qualifier	Date Analyzed
Percent Solids	93.4	%		4/1/2026

Method Reference(s): Par%M

ELAP does not offer this test for approval as part of their laboratory certification program.

Semi-Volatile Organics (PAHs)

Analyte	Result	Units	Qualifier	Date Analyzed
Acenaphthene	< 277	ug/Kg		4/2/2026 13:10
Acenaphthylene	< 277	ug/Kg		4/2/2026 13:10
Anthracene	< 277	ug/Kg		4/2/2026 13:10
Benzo (a) anthracene	< 277	ug/Kg		4/2/2026 13:10
Benzo (a) pyrene	< 277	ug/Kg		4/2/2026 13:10
Benzo (b) fluoranthene	< 277	ug/Kg		4/2/2026 13:10
Benzo (g,h,i) perylene	< 277	ug/Kg		4/2/2026 13:10
Benzo (k) fluoranthene	< 277	ug/Kg		4/2/2026 13:10
Chrysene	< 277	ug/Kg		4/2/2026 13:10
Dibenz (a,h) anthracene	< 277	ug/Kg		4/2/2026 13:10
Fluoranthene	< 277	ug/Kg		4/2/2026 13:10
Fluorene	< 277	ug/Kg		4/2/2026 13:10
Indeno (1,2,3-cd) pyrene	< 277	ug/Kg		4/2/2026 13:10
Naphthalene	< 277	ug/Kg		4/2/2026 13:10
Phenanthrene	< 277	ug/Kg		4/2/2026 13:10
Pyrene	< 277	ug/Kg		4/2/2026 13:10

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Monday, April 6, 2026



Lab Project ID: 261134

Client: **Sentinel Technologies Inc.**

Project Reference: 2142-26, CA Norris, Bath

Sample Identifier: 032526-5H North Wall

Lab Sample ID: 261134-05

Date Sampled: 3/25/2026 12:50

Matrix: Soil

Date Received 3/30/2026

Surrogate	Percent Recovery	Limits	Outliers	Date Analyzed
2-Fluorobiphenyl	65.1	31.1 - 87.6		4/2/2026 13:10
Nitrobenzene-d5	58.5	29.5 - 81.6		4/2/2026 13:10
Terphenyl-d14	69.4	38.4 - 102		4/2/2026 13:10

Method Reference(s): EPA 8270D

EPA 3546

Preparation Date: 4/1/2026

Data File: B834354.D

Volatile Organics (Petroleum)

Analyte	Result	Units	Qualifier	Date Analyzed
1,2,4-Trimethylbenzene	< 5.82	ug/Kg		4/3/2026 15:37
1,3,5-Trimethylbenzene	< 5.82	ug/Kg		4/3/2026 15:37
Benzene	< 5.82	ug/Kg		4/3/2026 15:37
Ethylbenzene	< 5.82	ug/Kg		4/3/2026 15:37
Isopropylbenzene	< 5.82	ug/Kg		4/3/2026 15:37
m,p-Xylene	< 5.82	ug/Kg		4/3/2026 15:37
Methyl tert-butyl Ether	< 5.82	ug/Kg		4/3/2026 15:37
Naphthalene	< 14.5	ug/Kg		4/3/2026 15:37
n-Butylbenzene	< 5.82	ug/Kg		4/3/2026 15:37
n-Propylbenzene	< 5.82	ug/Kg		4/3/2026 15:37
o-Xylene	< 5.82	ug/Kg		4/3/2026 15:37
p-Isopropyltoluene	< 5.82	ug/Kg		4/3/2026 15:37
sec-Butylbenzene	< 5.82	ug/Kg		4/3/2026 15:37
tert-Butylbenzene	< 5.82	ug/Kg		4/3/2026 15:37
Toluene	< 5.82	ug/Kg		4/3/2026 15:37

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Monday, April 6, 2026



Lab Project ID: 261134

Client: **Sentinel Technologies Inc.**

Project Reference: 2142-26, CA Norris, Bath

Sample Identifier: 032526-6H East Wall

Lab Sample ID: 261134-06

Date Sampled: 3/25/2026 13:00

Matrix: Soil

Date Received 3/30/2026

Percent Solids

Analyte	Result	Units	Qualifier	Date Analyzed
Percent Solids	90.2	%		4/1/2026

Method Reference(s): Par%M

ELAP does not offer this test for approval as part of their laboratory certification program.

Semi-Volatile Organics (PAHs)

Analyte	Result	Units	Qualifier	Date Analyzed
Acenaphthene	< 308	ug/Kg		4/2/2026 04:55
Acenaphthylene	< 308	ug/Kg		4/2/2026 04:55
Anthracene	< 308	ug/Kg		4/2/2026 04:55
Benzo (a) anthracene	< 308	ug/Kg		4/2/2026 04:55
Benzo (a) pyrene	< 308	ug/Kg		4/2/2026 04:55
Benzo (b) fluoranthene	< 308	ug/Kg		4/2/2026 04:55
Benzo (g,h,i) perylene	< 308	ug/Kg		4/2/2026 04:55
Benzo (k) fluoranthene	< 308	ug/Kg		4/2/2026 04:55
Chrysene	< 308	ug/Kg		4/2/2026 04:55
Dibenz (a,h) anthracene	< 308	ug/Kg		4/2/2026 04:55
Fluoranthene	< 308	ug/Kg		4/2/2026 04:55
Fluorene	< 308	ug/Kg		4/2/2026 04:55
Indeno (1,2,3-cd) pyrene	< 308	ug/Kg		4/2/2026 04:55
Naphthalene	< 308	ug/Kg		4/2/2026 04:55
Phenanthrene	< 308	ug/Kg		4/2/2026 04:55
Pyrene	< 308	ug/Kg		4/2/2026 04:55

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Monday, April 6, 2026



Lab Project ID: 261134

Client: **Sentinel Technologies Inc.**

Project Reference: 2142-26, CA Norris, Bath

Sample Identifier: 032526-6H East Wall

Lab Sample ID: 261134-06

Date Sampled: 3/25/2026 13:00

Matrix: Soil

Date Received 3/30/2026

Surrogate	Percent Recovery	Limits	Outliers	Date Analyzed
2-Fluorobiphenyl	63.5	31.1 - 87.6		4/2/2026 04:55
Nitrobenzene-d5	57.8	29.5 - 81.6		4/2/2026 04:55
Terphenyl-d14	69.0	38.4 - 102		4/2/2026 04:55

Method Reference(s): EPA 8270D

EPA 3546

Preparation Date: 4/1/2026

Data File: B834341.D

Volatile Organics (Petroleum)

Analyte	Result	Units	Qualifier	Date Analyzed
1,2,4-Trimethylbenzene	< 8.80	ug/Kg		4/3/2026 15:57
1,3,5-Trimethylbenzene	< 8.80	ug/Kg		4/3/2026 15:57
Benzene	< 8.80	ug/Kg		4/3/2026 15:57
Ethylbenzene	< 8.80	ug/Kg		4/3/2026 15:57
Isopropylbenzene	< 8.80	ug/Kg		4/3/2026 15:57
m,p-Xylene	< 8.80	ug/Kg		4/3/2026 15:57
Methyl tert-butyl Ether	< 8.80	ug/Kg		4/3/2026 15:57
Naphthalene	< 22.0	ug/Kg		4/3/2026 15:57
n-Butylbenzene	< 8.80	ug/Kg		4/3/2026 15:57
n-Propylbenzene	< 8.80	ug/Kg		4/3/2026 15:57
o-Xylene	< 8.80	ug/Kg		4/3/2026 15:57
p-Isopropyltoluene	< 8.80	ug/Kg		4/3/2026 15:57
sec-Butylbenzene	< 8.80	ug/Kg		4/3/2026 15:57
tert-Butylbenzene	< 8.80	ug/Kg		4/3/2026 15:57
Toluene	< 8.80	ug/Kg		4/3/2026 15:57

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Monday, April 6, 2026



Client: Sentinel Technologies Inc.

Project Reference: 2142-26, CA Norris, Bath

Sample Identifier: 032526-7H South Wall

Lab Sample ID: 261134-07

Date Sampled: 3/25/2026 13:15

Matrix: Soil

Date Received 3/30/2026

Percent Solids

Analyte	Result	Units	Qualifier	Date Analyzed
Percent Solids	84.8	%		4/1/2026

Method Reference(s): Par%M

ELAP does not offer this test for approval as part of their laboratory certification program.

Semi-Volatile Organics (PAHs)

Analyte	Result	Units	Qualifier	Date Analyzed
Acenaphthene	< 317	ug/Kg		4/2/2026 05:24
Acenaphthylene	< 317	ug/Kg		4/2/2026 05:24
Anthracene	< 317	ug/Kg		4/2/2026 05:24
Benzo (a) anthracene	< 317	ug/Kg		4/2/2026 05:24
Benzo (a) pyrene	< 317	ug/Kg		4/2/2026 05:24
Benzo (b) fluoranthene	< 317	ug/Kg		4/2/2026 05:24
Benzo (g,h,i) perylene	< 317	ug/Kg		4/2/2026 05:24
Benzo (k) fluoranthene	< 317	ug/Kg		4/2/2026 05:24
Chrysene	< 317	ug/Kg		4/2/2026 05:24
Dibenz (a,h) anthracene	< 317	ug/Kg		4/2/2026 05:24
Fluoranthene	< 317	ug/Kg		4/2/2026 05:24
Fluorene	< 317	ug/Kg		4/2/2026 05:24
Indeno (1,2,3-cd) pyrene	< 317	ug/Kg		4/2/2026 05:24
Naphthalene	< 317	ug/Kg		4/2/2026 05:24
Phenanthrene	< 317	ug/Kg		4/2/2026 05:24
Pyrene	< 317	ug/Kg		4/2/2026 05:24

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.



Lab Project ID: 261134

Client: **Sentinel Technologies Inc.**

Project Reference: 2142-26, CA Norris, Bath

Sample Identifier: 032526-7H South Wall

Lab Sample ID: 261134-07

Date Sampled: 3/25/2026 13:15

Matrix: Soil

Date Received 3/30/2026

Surrogate	Percent Recovery	Limits	Outliers	Date Analyzed
2-Fluorobiphenyl	62.2	31.1 - 87.6		4/2/2026 05:24
Nitrobenzene-d5	56.0	29.5 - 81.6		4/2/2026 05:24
Terphenyl-d14	66.1	38.4 - 102		4/2/2026 05:24

Method Reference(s): EPA 8270D

EPA 3546

Preparation Date: 4/1/2026

Data File: B834342.D

Volatile Organics (Petroleum)

Analyte	Result	Units	Qualifier	Date Analyzed
1,2,4-Trimethylbenzene	< 6.37	ug/Kg		4/3/2026 16:16
1,3,5-Trimethylbenzene	< 6.37	ug/Kg		4/3/2026 16:16
Benzene	< 6.37	ug/Kg		4/3/2026 16:16
Ethylbenzene	< 6.37	ug/Kg		4/3/2026 16:16
Isopropylbenzene	< 6.37	ug/Kg		4/3/2026 16:16
m,p-Xylene	< 6.37	ug/Kg		4/3/2026 16:16
Methyl tert-butyl Ether	< 6.37	ug/Kg		4/3/2026 16:16
Naphthalene	< 15.9	ug/Kg		4/3/2026 16:16
n-Butylbenzene	< 6.37	ug/Kg		4/3/2026 16:16
n-Propylbenzene	< 6.37	ug/Kg		4/3/2026 16:16
o-Xylene	< 6.37	ug/Kg		4/3/2026 16:16
p-Isopropyltoluene	< 6.37	ug/Kg		4/3/2026 16:16
sec-Butylbenzene	< 6.37	ug/Kg		4/3/2026 16:16
tert-Butylbenzene	< 6.37	ug/Kg		4/3/2026 16:16
Toluene	< 6.37	ug/Kg		4/3/2026 16:16

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

SENTINEL Technologies, Inc.

Billing: 5505 Route 19A, Castile, NY 14427

Report To: 1956 W. Henrietta Rd., Rochester, NY 14623 Fax: 585.272.7705 Phone: 585.750.2414

261134

Chain of Custody

Date Due: NORMAL

1 of 2

Client: CANORRIS			SENTINEL Project Manager: JAF			Laboratory		Analysis Requested					
Project Name: BATH			SENTINEL Project No: 2142-26			PARADIGM							
Sample Number	Date	Time	Comp	Grab	Sample Description	Number of Containers	8260 STARS	8270 STARS					
032526-1H	3-25-26	1200		✓	BELOW DIESEL UST	4	✓	✓					01
032526-2H	3-25-26	1215		✓	BELOW ROL UST	1	✓	✓					02
032526-3H	3-25-26	1230		✓	BELOW PUL UST	1	✓	✓					03
032526-4H	3-25-26	1245		✓	WEST WALL	1	✓	✓					04
032526-5H	3-25-26	1250		✓	NORTH WALL	1	✓	✓					05
032526-6H	3-25-26	1300		✓	EAST WALL	1	✓	✓					06
032526-7H	3-25-26	1315		✓	SOUTH WALL	1	✓	✓					07
					Soils per visual CP 3/30/26								
Comments: INVOICE TO CANORRIS, LLC PO #8639 RESULTS TO SENTINEL3 C FRONTIER.NET.NET													
Sampled/Relinquished By (Signature)			Date	Time	Relinquished By (Signature)			Date	Time				
			3-30-26	1348									
Received By (Signature)			Date	Time	Received By (Signature)			Date	Time				
			3-30-26	1350									
Relinquished By (Signature)			Date	Time	Relinquished By (Signature)			Date	Time				
Received By (Signature)			Date	Time	Received at Laboratory By (Signature)			Date	Time				
								3/30/26	16:28				

5 2°C iced 3/30/26 16:25



Client: Sentinel Technologies Inc.

Project Reference: 2142-26, CA Norris, Bath

Sample Identifier: 032726-1H Disp. #1

Lab Sample ID: 261135-01

Date Sampled: 3/27/2026 9:55

Matrix: Soil

Date Received 3/30/2026

Percent Solids

Analyte	Result	Units	Qualifier	Date Analyzed
Percent Solids	90.0	%		4/1/2026

Method Reference(s): Par%M

ELAP does not offer this test for approval as part of their laboratory certification program.

Semi-Volatile Organics (PAHs)

Analyte	Result	Units	Qualifier	Date Analyzed
Acenaphthene	< 302	ug/Kg		4/2/2026 05:53
Acenaphthylene	< 302	ug/Kg		4/2/2026 05:53
Anthracene	< 302	ug/Kg		4/2/2026 05:53
Benzo (a) anthracene	< 302	ug/Kg		4/2/2026 05:53
Benzo (a) pyrene	< 302	ug/Kg		4/2/2026 05:53
Benzo (b) fluoranthene	< 302	ug/Kg		4/2/2026 05:53
Benzo (g,h,i) perylene	< 302	ug/Kg		4/2/2026 05:53
Benzo (k) fluoranthene	< 302	ug/Kg		4/2/2026 05:53
Chrysene	< 302	ug/Kg		4/2/2026 05:53
Dibenz (a,h) anthracene	< 302	ug/Kg		4/2/2026 05:53
Fluoranthene	< 302	ug/Kg		4/2/2026 05:53
Fluorene	< 302	ug/Kg		4/2/2026 05:53
Indeno (1,2,3-cd) pyrene	< 302	ug/Kg		4/2/2026 05:53
Naphthalene	< 302	ug/Kg		4/2/2026 05:53
Phenanthrene	< 302	ug/Kg		4/2/2026 05:53
Pyrene	< 302	ug/Kg		4/2/2026 05:53



Lab Project ID: 261135

Client: **Sentinel Technologies Inc.**

Project Reference: 2142-26, CA Norris, Bath

Sample Identifier: 032726-1H Disp. #1

Lab Sample ID: 261135-01

Date Sampled: 3/27/2026 9:55

Matrix: Soil

Date Received 3/30/2026

Surrogate	Percent Recovery	Limits	Outliers	Date Analyzed
2-Fluorobiphenyl	62.1	31.1 - 87.6		4/2/2026 05:53
Nitrobenzene-d5	57.2	29.5 - 81.6		4/2/2026 05:53
Terphenyl-d14	65.0	38.4 - 102		4/2/2026 05:53

Method Reference(s): EPA 8270D

EPA 3546

Preparation Date: 4/1/2026

Data File: B834343.D

Volatile Organics (Petroleum)

Analyte	Result	Units	Qualifier	Date Analyzed
1,2,4-Trimethylbenzene	< 6.46	ug/Kg		4/3/2026 16:35
1,3,5-Trimethylbenzene	< 6.46	ug/Kg		4/3/2026 16:35
Benzene	< 6.46	ug/Kg		4/3/2026 16:35
Ethylbenzene	< 6.46	ug/Kg		4/3/2026 16:35
Isopropylbenzene	< 6.46	ug/Kg		4/3/2026 16:35
m,p-Xylene	< 6.46	ug/Kg		4/3/2026 16:35
Methyl tert-butyl Ether	< 6.46	ug/Kg		4/3/2026 16:35
Naphthalene	< 16.1	ug/Kg		4/3/2026 16:35
n-Butylbenzene	< 6.46	ug/Kg		4/3/2026 16:35
n-Propylbenzene	< 6.46	ug/Kg		4/3/2026 16:35
o-Xylene	< 6.46	ug/Kg		4/3/2026 16:35
p-Isopropyltoluene	< 6.46	ug/Kg		4/3/2026 16:35
sec-Butylbenzene	< 6.46	ug/Kg		4/3/2026 16:35
tert-Butylbenzene	< 6.46	ug/Kg		4/3/2026 16:35
Toluene	< 6.46	ug/Kg		4/3/2026 16:35

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.



Client: **Sentinel Technologies Inc.**

Project Reference: 2142-26, CA Norris, Bath

Sample Identifier: 032726-2H Disp. #2

Lab Sample ID: 261135-02

Date Sampled: 3/27/2026 10:05

Matrix: Soil

Date Received 3/30/2026

Percent Solids

Analyte	Result	Units	Qualifier	Date Analyzed
Percent Solids	89.8	%		4/1/2026

Method Reference(s): Par%M

ELAP does not offer this test for approval as part of their laboratory certification program.

Semi-Volatile Organics (PAHs)

Analyte	Result	Units	Qualifier	Date Analyzed
Acenaphthene	< 311	ug/Kg		4/2/2026 06:22
Acenaphthylene	< 311	ug/Kg		4/2/2026 06:22
Anthracene	< 311	ug/Kg		4/2/2026 06:22
Benzo (a) anthracene	< 311	ug/Kg		4/2/2026 06:22
Benzo (a) pyrene	< 311	ug/Kg		4/2/2026 06:22
Benzo (b) fluoranthene	< 311	ug/Kg		4/2/2026 06:22
Benzo (g,h,i) perylene	< 311	ug/Kg		4/2/2026 06:22
Benzo (k) fluoranthene	< 311	ug/Kg		4/2/2026 06:22
Chrysene	< 311	ug/Kg		4/2/2026 06:22
Dibenz (a,h) anthracene	< 311	ug/Kg		4/2/2026 06:22
Fluoranthene	< 311	ug/Kg		4/2/2026 06:22
Fluorene	< 311	ug/Kg		4/2/2026 06:22
Indeno (1,2,3-cd) pyrene	< 311	ug/Kg		4/2/2026 06:22
Naphthalene	< 311	ug/Kg		4/2/2026 06:22
Phenanthrene	< 311	ug/Kg		4/2/2026 06:22
Pyrene	< 311	ug/Kg		4/2/2026 06:22

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.



Lab Project ID: 261135

Client: **Sentinel Technologies Inc.**

Project Reference: 2142-26, CA Norris, Bath

Sample Identifier: 032726-2H Disp. #2

Lab Sample ID: 261135-02

Date Sampled: 3/27/2026 10:05

Matrix: Soil

Date Received 3/30/2026

Surrogate	Percent Recovery	Limits	Outliers	Date Analyzed
2-Fluorobiphenyl	50.6	31.1 - 87.6		4/2/2026 06:22
Nitrobenzene-d5	44.5	29.5 - 81.6		4/2/2026 06:22
Terphenyl-d14	53.5	38.4 - 102		4/2/2026 06:22

Method Reference(s): EPA 8270D

EPA 3546

Preparation Date: 4/1/2026

Data File: B834344.D

Volatile Organics (Petroleum)

Analyte	Result	Units	Qualifier	Date Analyzed
1,2,4-Trimethylbenzene	< 6.75	ug/Kg		4/3/2026 16:55
1,3,5-Trimethylbenzene	< 6.75	ug/Kg		4/3/2026 16:55
Benzene	< 6.75	ug/Kg		4/3/2026 16:55
Ethylbenzene	< 6.75	ug/Kg		4/3/2026 16:55
Isopropylbenzene	< 6.75	ug/Kg		4/3/2026 16:55
m,p-Xylene	< 6.75	ug/Kg		4/3/2026 16:55
Methyl tert-butyl Ether	< 6.75	ug/Kg		4/3/2026 16:55
Naphthalene	< 16.9	ug/Kg		4/3/2026 16:55
n-Butylbenzene	< 6.75	ug/Kg		4/3/2026 16:55
n-Propylbenzene	< 6.75	ug/Kg		4/3/2026 16:55
o-Xylene	< 6.75	ug/Kg		4/3/2026 16:55
p-Isopropyltoluene	< 6.75	ug/Kg		4/3/2026 16:55
sec-Butylbenzene	< 6.75	ug/Kg		4/3/2026 16:55
tert-Butylbenzene	< 6.75	ug/Kg		4/3/2026 16:55
Toluene	< 6.75	ug/Kg		4/3/2026 16:55

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.



Client: **Sentinel Technologies Inc.**

Project Reference: 2142-26, CA Norris, Bath

Sample Identifier: 032726-3H Disp. #3

Lab Sample ID: 261135-03

Date Sampled: 3/27/2026 10:10

Matrix: Soil

Date Received 3/30/2026

Percent Solids

Analyte	Result	Units	Qualifier	Date Analyzed
Percent Solids	87.8	%		4/1/2026

Method Reference(s): Par%M

ELAP does not offer this test for approval as part of their laboratory certification program.

Semi-Volatile Organics (PAHs)

Analyte	Result	Units	Qualifier	Date Analyzed
Acenaphthene	< 288	ug/Kg		4/2/2026 06:51
Acenaphthylene	< 288	ug/Kg		4/2/2026 06:51
Anthracene	< 288	ug/Kg		4/2/2026 06:51
Benzo (a) anthracene	< 288	ug/Kg		4/2/2026 06:51
Benzo (a) pyrene	< 288	ug/Kg		4/2/2026 06:51
Benzo (b) fluoranthene	< 288	ug/Kg		4/2/2026 06:51
Benzo (g,h,i) perylene	< 288	ug/Kg		4/2/2026 06:51
Benzo (k) fluoranthene	< 288	ug/Kg		4/2/2026 06:51
Chrysene	< 288	ug/Kg		4/2/2026 06:51
Dibenz (a,h) anthracene	< 288	ug/Kg		4/2/2026 06:51
Fluoranthene	< 288	ug/Kg		4/2/2026 06:51
Fluorene	< 288	ug/Kg		4/2/2026 06:51
Indeno (1,2,3-cd) pyrene	< 288	ug/Kg		4/2/2026 06:51
Naphthalene	< 288	ug/Kg		4/2/2026 06:51
Phenanthrene	< 288	ug/Kg		4/2/2026 06:51
Pyrene	< 288	ug/Kg		4/2/2026 06:51

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.



Client: Sentinel Technologies Inc.

Project Reference: 2142-26, CA Norris, Bath

Sample Identifier: 032726-3H Disp. #3

Lab Sample ID: 261135-03

Date Sampled: 3/27/2026 10:10

Matrix: Soil

Date Received 3/30/2026

<u>Surrogate</u>	<u>Percent Recovery</u>	<u>Limits</u>	<u>Outliers</u>	<u>Date Analyzed</u>
2-Fluorobiphenyl	57.2	31.1 - 87.6		4/2/2026 06:51
Nitrobenzene-d5	52.8	29.5 - 81.6		4/2/2026 06:51
Terphenyl-d14	60.3	38.4 - 102		4/2/2026 06:51

Method Reference(s): EPA 8270D

EPA 3546

Preparation Date: 4/1/2026

Data File: B834345.D

Volatile Organics (Petroleum)

<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Qualifier</u>	<u>Date Analyzed</u>
1,2,4-Trimethylbenzene	< 6.22	ug/Kg		4/3/2026 17:14
1,3,5-Trimethylbenzene	< 6.22	ug/Kg		4/3/2026 17:14
Benzene	< 6.22	ug/Kg		4/3/2026 17:14
Ethylbenzene	< 6.22	ug/Kg		4/3/2026 17:14
Isopropylbenzene	< 6.22	ug/Kg		4/3/2026 17:14
m,p-Xylene	< 6.22	ug/Kg		4/3/2026 17:14
Methyl tert-butyl Ether	< 6.22	ug/Kg		4/3/2026 17:14
Naphthalene	< 15.6	ug/Kg		4/3/2026 17:14
n-Butylbenzene	< 6.22	ug/Kg		4/3/2026 17:14
n-Propylbenzene	< 6.22	ug/Kg		4/3/2026 17:14
o-Xylene	< 6.22	ug/Kg		4/3/2026 17:14
p-Isopropyltoluene	< 6.22	ug/Kg		4/3/2026 17:14
sec-Butylbenzene	< 6.22	ug/Kg		4/3/2026 17:14
tert-Butylbenzene	< 6.22	ug/Kg		4/3/2026 17:14
Toluene	< 6.22	ug/Kg		4/3/2026 17:14

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.



Client: **Sentinel Technologies Inc.**

Project Reference: 2142-26, CA Norris, Bath

Sample Identifier: 032726-4H Disp. #4

Lab Sample ID: 261135-04

Matrix: Soil

Date Sampled: 3/27/2026 10:20

Date Received 3/30/2026

Percent Solids

Analyte	Result	Units	Qualifier	Date Analyzed
Percent Solids	91.0	%		4/1/2026

Method Reference(s): Par%M

ELAP does not offer this test for approval as part of their laboratory certification program.

Semi-Volatile Organics (PAHs)

Analyte	Result	Units	Qualifier	Date Analyzed
Acenaphthene	< 309	ug/Kg		4/2/2026 07:20
Acenaphthylene	< 309	ug/Kg		4/2/2026 07:20
Anthracene	< 309	ug/Kg		4/2/2026 07:20
Benzo (a) anthracene	< 309	ug/Kg		4/2/2026 07:20
Benzo (a) pyrene	< 309	ug/Kg		4/2/2026 07:20
Benzo (b) fluoranthene	< 309	ug/Kg		4/2/2026 07:20
Benzo (g,h,i) perylene	< 309	ug/Kg		4/2/2026 07:20
Benzo (k) fluoranthene	< 309	ug/Kg		4/2/2026 07:20
Chrysene	< 309	ug/Kg		4/2/2026 07:20
Dibenz (a,h) anthracene	< 309	ug/Kg		4/2/2026 07:20
Fluoranthene	< 309	ug/Kg		4/2/2026 07:20
Fluorene	< 309	ug/Kg		4/2/2026 07:20
Indeno (1,2,3-cd) pyrene	< 309	ug/Kg		4/2/2026 07:20
Naphthalene	< 309	ug/Kg		4/2/2026 07:20
Phenanthrene	< 309	ug/Kg		4/2/2026 07:20
Pyrene	< 309	ug/Kg		4/2/2026 07:20

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.



Lab Project ID: 261135

Client: **Sentinel Technologies Inc.**

Project Reference: 2142-26, CA Norris, Bath

Sample Identifier: 032726-4H Disp. #4

Lab Sample ID: 261135-04

Date Sampled: 3/27/2026 10:20

Matrix: Soil

Date Received 3/30/2026

Surrogate	Percent Recovery	Limits	Outliers	Date Analyzed
2-Fluorobiphenyl	59.2	31.1 - 87.6		4/2/2026 07:20
Nitrobenzene-d5	53.4	29.5 - 81.6		4/2/2026 07:20
Terphenyl-d14	62.2	38.4 - 102		4/2/2026 07:20

Method Reference(s): EPA 8270D

EPA 3546

Preparation Date: 4/1/2026

Data File: B834346.D

Volatile Organics (Petroleum)

Analyte	Result	Units	Qualifier	Date Analyzed
1,2,4-Trimethylbenzene	< 6.39	ug/Kg		4/3/2026 17:34
1,3,5-Trimethylbenzene	< 6.39	ug/Kg		4/3/2026 17:34
Benzene	< 6.39	ug/Kg		4/3/2026 17:34
Ethylbenzene	< 6.39	ug/Kg		4/3/2026 17:34
Isopropylbenzene	< 6.39	ug/Kg		4/3/2026 17:34
m,p-Xylene	< 6.39	ug/Kg		4/3/2026 17:34
Methyl tert-butyl Ether	< 6.39	ug/Kg		4/3/2026 17:34
Naphthalene	< 16.0	ug/Kg		4/3/2026 17:34
n-Butylbenzene	< 6.39	ug/Kg		4/3/2026 17:34
n-Propylbenzene	< 6.39	ug/Kg		4/3/2026 17:34
o-Xylene	< 6.39	ug/Kg		4/3/2026 17:34
p-Isopropyltoluene	< 6.39	ug/Kg		4/3/2026 17:34
sec-Butylbenzene	< 6.39	ug/Kg		4/3/2026 17:34
tert-Butylbenzene	< 6.39	ug/Kg		4/3/2026 17:34
Toluene	< 6.39	ug/Kg		4/3/2026 17:34

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

SENTINEL Technologies, Inc.

Billing: 5505 Route 19A, Castile, NY 14427

Report To: 1956 W. Henrietta Rd., Rochester, NY 14623 Fax: 585.272.7705 Phone: 585.750.2414

Chain of Custody

Date Due: NORMAL

261135

1.02

Client: <u>CA NORRIS</u>		SENTINEL Project Manager: <u>JAF</u>		Laboratory		Analysis Requested						
Project Name: <u>BATH</u>		SENTINEL Project No: <u>2182-26</u>		<u>PARADIGM</u>		<u>B260 STARS</u>	<u>B270 STARS</u>					
Sample Number	Date	Time	Comp	Grab	Sample Description	Number of Containers						
<u>032726-1H</u>	<u>3-27-26</u>	<u>0955</u>		<u>✓</u>	<u>DISP #1</u>	<u>1</u>	<u>✓</u>	<u>✓</u>				<u>01</u>
<u>032726-2H</u>	<u>3-27-26</u>	<u>1005</u>		<u>✓</u>	<u>DISP #2</u>	<u>1</u>	<u>✓</u>	<u>✓</u>				<u>02</u>
<u>032726-3H</u>	<u>3-27-26</u>	<u>1010</u>		<u>✓</u>	<u>DISP #3</u>	<u>1</u>	<u>✓</u>	<u>✓</u>				<u>03</u>
<u>032726-4H</u>	<u>3-27-26</u>	<u>1020</u>		<u>✓</u>	<u>DISP #4</u>	<u>1</u>	<u>✓</u>	<u>✓</u>				<u>04</u>
					<u>Soils per visual</u>							
					<u>6P 3/30/26</u>							

Comments: INVOICE TO CA NORRIS, LLC PO #8639
RESULTS TO SENTINEL3@FRONTIER.NET.NET

Sampled/Relinquished By (Signature) <u>Cal P. Felt</u>	Date <u>3-30-26</u>	Time <u>1348</u>	Relinquished By (Signature)	Date	Time
Received By (Signature) <u>Donald W. John</u>	Date <u>3-30-26</u>	Time <u>1350</u>	Received By (Signature)	Date	Time
Relinquished By (Signature)	Date	Time	Relinquished By (Signature)	Date	Time
Received By (Signature)	Date	Time	Received at Laboratory By (Signature) <u>JP</u>	Date <u>3/30/26</u>	Time <u>16:33</u>

5.2°C iced 3/30/26 16:25

APPENDIX D
(Documentation)



Specialized Construction and Service for the Petroleum Industry

PO Box 275

Attica, NY 14011

Phone: 585-591-4041 Fax: 585-591-3351

www.canorris.com

"We Keep Your Fuel Moving!"

Tank Closure

Wednesday March 25, 2026

Quicklee's 16
336 West Washington Street
Bath, NY 14810
PBS #8-050636

To whom it concerns:

This letter is to certify that tank 001- 12,000 gallon, tank 002- 10,000 gallon and tank 003- 10,000 underground storage tanks and piping systems at the above location have been decommissioned and removed in compliance with the New York State Department of Environmental Conservation Standards for Handling and Storage of Petroleum, 6 NYCRR Part 613.

Sincerely

A handwritten signature in blue ink, appearing to read 'Dawn Chamberlain', with a long horizontal flourish extending to the right.

Dawn Chamberlain
Project and Safety Manager



Specialized Construction and Service for the Petroleum Industry
 P.O. Box 275
 Attica, NY 14011
 Phone: 585.591.4041 Fax: 585.591.3351
 www.canorris.com
 We Keep Your Fuel Moving!

Fuel System Removal Site Assessment

Facility Name:	Quicklees 16	Owner:	Pemm LLC
Address:	336 West Washington Street	Address:	
City,State,Zip Code:	Bath, NY 14810	City,State,Zip Code:	
Testing Company:	C.A. Norris, LLC	Contact #:	
Phone #:	585-591-4041	Facility ID/PBS #:	8-050636
Fax #:	585-591-3351	Date:	3/25/2026

This data sheet is recording a site assessment performed to permanently close an underground storage tank system

Tank Number	001	002	003	Piping Trench	Under Dispenser Sump 1/2	Under Dispenser Sump 3/4
Product Stored	RUL	Efree	DSL	na	na	na
Capacity	12,000	10,000	10,000	na	na	na
Install Date	6/1/1986					
Construction Material	FRP	FRP	FRP	FRP	Poly	Poly
Month/Year last used	unknown	unknown	unknown	unknown	unknown	unknown
Depth (ft) to Excavation Base	8	8	8	3	3	3
Spill Prevention Equipment	yes	yes	yes	yes	yes	yes
Overfill Prevention Equipment	yes	yes	yes	na	na	na
Method of Closure: Removed or Filled	REMOVAL	REMOVAL	REMOVAL	REMOVAL	REMOVAL	REMOVAL

Visual Inspection:

Visible Corrosion or Pitting	no	no	no	no	no	no
Visible Holes	no	no	na	no	no	no
Location of visible corrosion, pitting, holes	na	na	na	na	na	na
Tank empty	yes	yes	yes	na	na	na
Tank needs to be cleaned	yes and was	yes and was	yes and was	na	na	na
During visual inspection, any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells	no	no	no	no	no	no
During visual inspection, any strong petroleum odors detected in the UST excavation, soil borings, trenches, or monitoring wells	no	no	no	no	no	no

Water present during excavation	no	no	no	no	no	no									
Presence of Release Analysis Preferred Type Method:															
Groundwater sampling	na	na	na												
Soil sampling	yes	yes	yes	yes	yes	yes									
Presence of Release Analysis if Sampling is not possible:															
PID METER reading	yes	yes	yes	yes	yes	yes									
Pick One: Sampling not possible due to 1. tank installed in convault 2. tank surrounded in pea stone 3. other: (please fill in comments below)	na	na	na	na	na	na									
Site Assessment Not Required due to :															
Groundwater monitoring present															
Vapor monitoring present															
AND no indication that a release occurred prior to closure															
Site assessment must be submitted to the DEC/DEP within 90 days after the tank system is permanently closed															
Comments:															
Drawing :															
Write in reading on locations taken 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 Tank Hole Readings <table border="1" style="width: 100%; text-align: center;"> <tr> <td>0.1</td> <td>0.0</td> <td>0.0</td> </tr> <tr> <td></td> <td>0.0</td> <td></td> </tr> <tr> <td>0.1</td> <td>0.3</td> <td>0.2</td> </tr> </table>							0.1	0.0	0.0		0.0		0.1	0.3	0.2
0.1	0.0	0.0													
	0.0														
0.1	0.3	0.2													
PA Certification # if applicable: _____				Digital											
Technician Name (print): Adam Krebs				Signature: <i>Adam Krebs</i>											



Specialized Construction and Service for the Petroleum Industry

P.O. Box 275

Attica, NY 14011

Phone: 585.591.4041 Fax: 585.591.3351

www.canorris.com

We Keep Your Fuel Moving!

Fuel System Removal Site Assessment

Facility Name:	Quicklees 16	Owner:	Pemm LLC
Address:	336 West Washington Street	Address:	
City,State,Zip Code:	Bath, NY 14810	City,State,Zip Code:	
Testing Company:	C.A. Norris, LLC	Contact #:	
Phone #:	585-591-4041	Facility ID/PBS #:	8-050636
Fax #:	585-591-3351	Date:	3/25/2026

This data sheet is recording a site assessment performed to permanently close an underground storage tank system

Tank Number	Under Dispenser Sump 5/6	Under Dispenser Sump 7/8				
Product Stored	na	na				
Capacity	na	na				
Install Date	6/1/1986	6/1/1986				
Construction Material	Poly	Poly				
Month/Year last used	unknown	unknown				
Depth (ft) to Excavation Base	3	3				
Spill Prevention Equipment	yes	yes				
Overfill Prevention Equipment	na	na				
Method of Closure: Removed or Filled	REMOVAL	REMOVAL				

Visual Inspection:

Visible Corrosion or Pitting	no	no				
Visible Holes	no	no				
Location of visible corrosion, pitting, holes	na	na				
Tank empty	na	na				
Tank needs to be cleaned	na	na				
During visual inspection, any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells	no	no				
During visual inspection, any strong petroleum odors detected in the UST excavation, soil borings, trenches, or monitoring wells	no	no				

Water present during excavation	no	no				
Presence of Release Analysis Preferred Type Method:						
Groundwater sampling	no	no				
Soil sampling	yes	yes				
Presence of Release Analysis if Sampling is not possible:						
PID METER reading	yes	yes				
Pick One: Sampling not possible due to 1. tank installed in convault 2. tank surrounded in pea stone 3. other: (please fill in comments below)	na	na				
Site Assessment Not Required due to :						
Groundwater monitoring present						
Vapor monitoring present						
AND no indication that a release occurred prior to closure						
Site assessment must be submitted to the DEC/DEP within 90 days after the tank system is permanently closed						
Comments:						
Drawing :						
PA Certification # if applicable: _____			Digital			
Technician Name (print): Adam Krebs			Signature: <i>Adam Krebs</i>			

NON-HAZARDOUS WASTE MANIFEST		1. Generator ID Number	2. Page 1 of 1	3. Emergency Response Phone 800-535-5053	4. Waste Tracking Number 65940	
5. Generator's Name and Mailing Address Quicklees 16 336 West Washington Street Bath, NY 14810			Generator's Site Address (if different than mailing address)			
Generator's Phone: 585.591.4041						
6. Transporter 1 Company Name CA Norris			U.S. EPA ID Number			
7. Transporter 2 Company Name			U.S. EPA ID Number			
8. Designated Facility Name and Site Address American Recyclers Company 177 Wales Avenue Tonawanda, NY 14150			U.S. EPA ID Number NYR000030809			
Facility's Phone: 716.695.6720						
9. Waste Shipping Name and Description			10. Containers		11. Total	12. Unit
			No.	Type	Quantity	Wt./Vol.
X 1. UN1203, Gasoline, 3, II, (for recycle)			001	TP	2400	P
2. Non RCRA Non DOT Regulated, (Diesel Tank Bottoms, Water)			001	DM	450	P
3. Non RCRA Non DOT Regulated, (Diesel Fuel, Water)			001	DM	450	P
4.						
13. Special Handling Instructions and Additional Information						
ERG:		Approval #:	Handling Codes:		24 Hour Emergency Contact:	
1 - 128	1 - M-28510R		1 - None		INFOTRAC (Caller Must ID	
2 -	2 - B-28509L		2 - None		Momentum)	
3 -	3 - B-28508IW		3 - None			
4 -	4 -		4 -			
14. GENERATOR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.						
Generator's/Owner's Printed/Typed Name X Bryan Wood			Signature X <i>[Signature]</i>		Month 4	Day 1
					Year 26	
15. International Shipments ☐ Import to U.S. ☐ Export from U.S.			Port of entry/exit: Date leaving U.S.:			
16. Transporter Acknowledgment of Receipt of Materials						
Transporter 1 Printed/Typed Name X Bryan Wood			Signature X <i>[Signature]</i>		Month 4	Day 1
Transporter 2 Printed/Typed Name			Signature		Year 26	
					Month	Day
					Year	
17. Discrepancy						
17a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection						
Manifest Reference Number:						
17b. Alternate Facility (or Generator)			U.S. EPA ID Number			
Facility's Phone:						
17c. Signature of Alternate Facility (or Generator)					Month	Day
					Year	
18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a						
Printed/Typed Name Laura Mess			Signature <i>[Signature]</i>		Month 4	Day 1
					Year 26	

Account #: [REDACTED]

Hauler Information

A NORRIS C
Billing Address:
PO BOX 275
ATTICA, NY 14011-0275

LIPPINCOTT'S RUBBISH INC.
PO BOX 675
HORNEILL, NY 14843
607-324-5409

Service Address:
336 W WASHINGTON ST
BATH, NY 14810-1024
Email: SERVICE@CANORRIS.COM

Balance: \$0.00

This information is accurate as of: Apr 14th 2:12pm

[Make Payment](#)

[Hide Account History](#)

Date	Charge	Taxes & Fees	Description
Mar 31st, 2026	[REDACTED]	[REDACTED]	Pull Roll-off Box
Mar 27th, 2026	[REDACTED]	[REDACTED]	Payment CC File: [REDACTED]
Mar 27th, 2026	[REDACTED]	[REDACTED]	D&R 40yd Roll-off 03/26-04/02
Mar 24th, 2026	[REDACTED]	[REDACTED]	40yd Roll-off Del 03/24-03/31

[Hide Account History](#)

Auto-Pay: Allows you to easily pay your trash bill through automatic withdrawals from either your bank account or by credit card.

[Sign up for Auto-Pay](#)