New York State Department of Environmental Conservation

Division of Environmental Remediation, Region 8

6274 East Avon-Lima Road, Avon, New York 14414-9519

Phone: (716) 226-5355 FAX: (716) 226-8696



MEMORANDUM

To:

US Chrome File

From:

David G. Pratt, P.E. - DER, Region 8

Subject:

US Chrome #819006

Batavia (C), Genesee (C)

Date:

February 15, 2001

On February 15, 2001, I visited the US Chrome facility at 31 Swan Street in Batavia, Genesee County, for the purposes of performing an Operation & Maintenance inspection regarding the class 4 site pump and treat system.

According to the plant manager, Michael Klotzbach, the facility has been pumping and treating groundwater for more than 15 years. Mr. Klotzback showed me the system.

According to Mr. Klotzbach, the system works in this way: The normal operations at the facility include the use of five chrome plating dip tanks. Beneath the five dip tanks is a large, lined concrete tank with a sump at one end. The contents of this tank is occasionally pumped into a 7000 gallon above ground batch treatment tank. Every couple days, groundwater is pumped into the tank to bring it up to full capacity. The system consists of four groundwater wells which surround the US Chrome building. The contents of the full 7000 gallon tank are treated with sodium metabisulfite. This produces a sludge which contains the chromium. The liquid is discharged to the local POTW under permit. The sludge is put through a filter press and hauled off-site.

While at the site, I was shown the equipment which these operations utilize; however, I was not able to witness the actual pumping of groundwater or treatment of the tank since this is a sporadic batch operation, not a continuous operation.

According to 1999 sample results taken by US Chrome, the groundwater chromium concentrations are at approximately 1.1 ppm. The current groundwater standard is .05 ppm.

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION Division of Environmental Remediation

Inactive Hazardous Waste Site Operations and Maintenance Review Report

			Form Date 96.10.
Site Name: U.S. Chra	me	Class: 4	Number: 819006
O&M Funding Source:	State Superfund	uperfund Municipal	/X Responsible Party
O&M Information:	0&M Start: 1983	End: continuing	Annual Cost: \$ Estimated
Interim Remedial Measures/0	Operable Units in O&M Phase:		
☐ Drum F		il Removal	☐ Tank Removal
☐ Cap/Co		ntainment Structure	☐ Fence/Security
•		achate Collection/Treatment	☐ Vapor Extraction/Treatment
☐ Air Spa ☐ Other:	rging/Stripper System Tre	eatment/Filtration Plant/System	m □ Potable Water Supply/System
Institutional Controls:	□ Deed Restriction	Discharge Permit	☐ Department of Health Sampling
☐ Other:			
O&M Review Information:		· · · · · · · · · · · · · · · · · · ·	
Reports:			
•		* *	
Inspection:	See Attended		
Sampling:		· · · · · · · · · · · · · · · · · · ·	
Other:			80000
Conclusions:			
Remedy Effective?	M Yes □ No:	be indefinite pro	np # trent.
DOD 0			
ROD Compliance?	☐ Yes ☐ No://		
Consent Order Compliance?	□ Yes □ No: µ/#		
Other:		r	
			1
Recommendations:	Continue punn	it treat. I reco.	mended the facility
continue to monitor	groundwater concentention		
a a			
ROD/Consent Order Modificati	ons? No Yes (per above)	Reclassify	the Site? K No ☐ Yes → Class:
Comments:	Industrial area, serve		
,		- <i>U</i>)	
	1		***************************************
•			
	·		
Project Manager:	Pavi	ewer: 0 0	4
Project Wallayer.	- / / 1 ()	naw Jane Pea	cher 2/15/01
Signature	Date	Signature	Date
DAVID G. PRATT Reg. Name Region or		ary Jane Peach	ion or Bureau Telephone
ryanie region or	Jaroba Folephone	Name reg	THE PARTY TOTAL PROPERTY OF THE PARTY OF THE
1		,	
· ·		. •	•

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF FISCAL MANAGEMENT

CONTRACTOR'S APPLICATION FOR PAYMENT

(Consultant Contract)

RP Oversight - Group 1- WA #3 3612062066 (WA 3: #12) TO BE COMPLETED BY CONTRACTOR FOR AGENCY USE ONLY ORIGINATING AGENCY PAYEE NAME COMPTROLLER CONTRACT NUMBER MACTEC Engineering and Consulting, P.C. D-004444-3 CODE ADDRESS APPLICATION NUMBER 09000 PO Box 7050 Attn: Theresa Casavant 17
WORK PERIOD ENDING
May, 9, 2008
EMPLOYER IDENTIFICATION NUMBER DATE APPLICATION Portland, ME 04112
TELEPHONE NUMBER RECEIVED (207) 775-5401 010475349 WITH FINAL PAYMENTS ATTACH LABOR AFFIDAVITS FOR PAYROLL PERIOD TO CONFORM TO THE NEW YORK STATE LABOR LAW, SECTION 220A SCHEDULE I CONTRACT VALUE FINANCIAL STATEMENT

CONTRACT WORK PERFORMED

Line Work performed in previous applications (Schedule V-Col 1) Work performed this application (Schedule V-Col 2) 1. Original Contract 48,812.00 \$ 37,105.70 2. Amendments (Schedule VI) 0.00 1,934.23 \$ Work performed to date (Schedule V-Col 3) 3. Net Contract Amount 48,812.00 39,039.93 Retainage Work performed to date less retainage 4. Maximum Retainage 2,441.00 0.00 (5% of line 3) 39,039.93 6. Less previous payments \$ 37,105.70 7. Payment this application \$ 1,934.23 SCHEDULE II CERTIFICATION BY CONTRACTOR I (Name) William Weber do hereby certifythat I am of the Company/Corporation herein referenced (Title) Program Manager and contractor for the work described in the foregoing application for payment. According to my knowledge and belief all items and amounts shown on the face of this application for payment are correct, all work has been performed and/or materials supplied, the foregoing is a true and correct statement of the contract account up to and including the last day of the period covered by this application. Im 5/29/08 Signature SCHEDULE III CERTIFICATION BY ENGINEER/OR PROJECT MANAGER I certify that I have checked this application for payment; that to the best of my knowledge and belief it is a true and correct statement of the work performed and/or materials supplied by the contractor, and that the work has been performed and/or materials supplied in accordance with the contract requirements. ... Signature and Title Date ENDORSEMENT BY DEPARTMENT OF ENVIRONMENTAL CONSERVATION SCHEDULE IV EXAMINED AND APPROVED BY RESPONSIBLE DIVISION APPROVED FOR PAYMENT BY DIVISION OF FISCAL OR BUREAU MANAGEMENT Date Date Signature Signature EXPENDITURES LIQUIDATION ACCUM Dept State



INVOICE

Remit to: MACTEC Engineering & Consulting, P.C. Federal ID 01-0475349 7477 Collection Center Drive Chicago, IL 60693-0076

NEW YORK STATE DEPT OF ENVIRONMENTAL CONSE To:

625 BROADWAY ALBANY, NY 12233

Worksite: 625 BROADWAY
ALBANY, NY 12233

ACCOUNTS PAYABLE Attn:

Project Name : NYSDEC - RP Oversite Group 1 Project Number: 3612062066

Invoice Date : 05/23/2008 Invoice Number: 8308530

Due Date: On Receipt Terms : IMMEDIATE

Contract Number

: D004444

Period of Performance: 08/15/2006 to 12/31/2008

Contract Value: Funded Value :

7,000,000.00

48,812.00

For Professional Services from: 03/08/2008 through: 05/09/2008

Task Number 01 - US Chrome	e.			•
Professional Services	*	Qty. UON	Rate	Cost
NSPE Grade 5 NSPE Grade 2	Connolly, Jayme P Casavant, Theresa M	5.50 HOURS		206.14 5.97
	Professional Services Subtotal			212.11
	Application of Multipliers	Cost Base	Rate	Amount
	Indirect Costs	212.11	166.6000%	353.38
	Professional Services Total	, , , , , , , , , , , , , , , , , , ,	*	565.49
Other		Cost	Markup	Amount
FEE .		6.27		. 6.27
•	Other Subtotal			6.27
	TASK 01_SUBTOTAL		·	571-76

. Task Number 02 - Rochester Fire Acade

Professional Services			Qty	MOU	Rate	. Cost
NSPE Grade 5 NSPE Grade 2	Connolly, Jayme P Casavant, Theresa M	,	1.50	HOURS HOURS	37.48 23.88	56.22 11.94
•	Professional Services Subtotal			•		68.16

Professional Services Subtotal

MACTEC Engineering and Consulting, P.C. 511 Congress Street, P.O. Box 7050 • Portland, ME 04112 207-775-5401 • Fax: 207-772-4762 www.mactec.com

WA #3

ΥΡ ΟΙ	ersign	t - Group 1	DEPAIR AND AND A	IIIANIS MUMMAHAN		WA #3
ITEM	DULE '	TYPE OF WORK	CONTRACT BUDGET	WORK PERFORMI COLUMN 1 PREVIOUS WORK	COLUMN 2 WORK THIS APPLICATION	COLUMN 3 WORK PERFORMED TO DATE
1	U.S. C	hrome	\$9,763.00	\$9,191.23	\$571.76	\$9,762.99
2	,	ster Fire Academy	\$9,763.00	\$9,580.31	\$181.72	\$9,762.0
=_ 3		port Landfill	\$9,762.00	\$0.00	\$0.00	\$0.00
<u>4</u> -		y South Landfill	\$9,762.00	\$9,762.00	\$0.00	\$9,762.0
5	Yates	County Landfill	\$9,762.00	\$8,572.16	\$1,180.75	\$9,752.9
			 			
		· · · · · · · · · · · · · · · · · · ·				
		· · · · · · · · · · · · · · · · · · ·				
		·				
		, 				,
					• ,	
-						
		<u> </u>	<u> </u>	· · · · · · · · · · · · · · · · · · ·		
		<u> </u>				·
					·	•
					·	
		·			·	
		······································		·		
			•		·	
,						,
		······································				
						
	····	· · · · · · · · · · · · · · · · · · ·				
		TOTALS	\$48,812.00	\$37,105.70	\$1,934.23	\$39,039.5
MEN	DULE V	/	APPROVED A	AMENDMENTS AMENDMENT		
MUM		INCREASE	DECREASE	NUMBER	INCREASE	DECREASE
					· · · · · · · · · · · · · · · · · · ·	
				ì		
	_					
			,			
						<u></u>
		,				
			,			•
				•		

BATANA, N.Y

1.

2.

PROJECT MANAGERS PRR 45- Day Reminder Notice UIS CHECKLIST

		dial Site Information
		Site name, site address, and site size are accurate. All affiliation information in the "View Contacts" area is complete and accurate. Contact SCS for assistance if necessary. (This information should match the information in the "Site Property Details" in the "IC/EC Module" for owner and contact information. This info will be linked in the future.)
	IC/EC	C Module
	Site P	roperty Details:
	□ `	Property information is complete and accurate: Check against appropriate document to verify tax ID information is correct. Some may not have been ever populated so work with SCS to get the information in the module if necessary.
		Owner Information is complete and accurate: Enter or verify this is correct. Contact Information is complete and accurate: Enter or verify the certifying party, (may not be owner). If owner and contact are not the same entity, the owner will be cc'd on the notice. If the certifying party is the owner, (e.g., for sites with IC only) also enter in both areas.
*	Contr	ol Details:
		Indicate what type of Institutional Control is governing Site Management: Legacy Restriction, Environmental Easement, or Other. If no filed instrument (e.g., deed restriction) exists or was not required as part of the remedy, to continue, it will be necessary to check "Legacy Restriction" and then below that, "Decision Document" which will identify this (e.g. ROD or SMP) as the type of IC which is governing the EC's required in the remedy. Control in-place date for those sites would be the date the
		decision document was executed.
		All IC and EC information is complete and accurate. ICs - indicate all applicable components of the IC, (e.g., groundwater use restriction). If a deed restriction was filed, "Legacy Restriction" will indicate such, and it will not be necessary to additionally check "Decision Document".
		ECs - indicate all types used for the site Control Description text field is complete.
	□.	Write a summary of the Environmental Easement or Deed Restriction if that has not already been done as per IGP-8. For sites with <u>only a Decision Document as the IC</u> , state what the decision document is and summarize the requirements and the EC's being certified.
		draft report - Reports area of UIS, SM reports, select "PRR 45- Day Reminder Notice L'EC Certification Package" report. Contact SCS for any problems regarding the actual
	Odkan	
		- edocs Deed Restriction or Environmental Easement must be in edocs Check to see if the ROD, SMP, and any other appropriate and pertinent documents pertaining to verifying IC/ECs are in edocs. File any missing documents in edocs.
		5-Day Reminder Notice Process" excludes: EPA lead sites, DSHM lead sites and SSF crefore your Periodic Review Project must have "RP" or "Volunteer" identified as funding

*Th lead source for a notice to go out.

05/29/09

3.

4.

U.S. CLEONE,

REMINDER NOTICE PROCESSFOR PR PROJECTS WITH PLN START and ENDS

Except: EPA. DSHM, and SSF lead, (therefore funding source for PR Project should be RP, or Volunteer for a notice to go out.)

- 1) Minimum of 60 days prior to the START date of a PR:

 SCS contacts PM that a notice will be due to go out on_____,2009 and provides a Project Managers UIS Checklist that identifies all the UIS info that needs verification and/or update for the notice report to run. This checklist is also posted in the UIS in Project Manager's Tools/Guidance/Administrative Guidance

 (http://internal/home/der/guidance/#ag) and the DER Resources/Computer Information/Remediation area (http://internal/home/der/comp/) of the internal website.
- 2) PM completes the checklist and runs a draft of the report and notifies the SCS if help is needed.
- 3) 45 Days prior to PR PLN START, SCS sends out notice, and enters "PRR 45-Day Reminder Notice Sent" date on the Control Details page of the IC/EC Module. (Note, the date field for "PRR Due" on the Controls Details Page is auto filled with the PR projects PLN start date.)
- 4) PM Receives PRR from Remedial Party on start date of project and enters that date and status of ACT START for PR project in UIS. (Note, this date also is automatically filled in the "PRR Received" Control Details Page IC/EC Module
- 5) PM performs Periodic Evaluation Review Report in UIS as per IGP-8. (If a follow up letter to address problems is needed, PM enters date of letter in date field for "Follow up letter" in the Controls Details page.)
- 6) PM Approves PRR, Supervisor electronically signs(check box) and saves (Click tab).
- 7) PM enters the "ACT" end date of PR project. The "PRR Approved" date field on the "Controls Details" page is auto filled with that date. The next PR planned project is auto generated and the above mentioned date fields on the Controls details page are blanked out for the next cycle.

The PR Evaluation Report, and the PR Project must not signed and saved until ALL controls and items in the 45-Day Reminder Notice are certified to.

3/31/09

INVOICE

Remit to: MACTEC Engineering & Consulting, P.C. Federal ID 01-0475349 7477 Collection Center Drive Chicago, IL 60693-0076

NEW YORK STATE DEPT OF ENVIRONMENTAL CONSE

625 BROADWAY

ALBANY, NY 12233

Worksite: 625 BROADWAY

ALBANY, NY 12233

ACCOUNTS PAYABLE

To:

Project Name : NYSDEC - RP Oversite Group 1 Project Number: 3612062066

Invoice Date : 07/27/2007 Invoice Number: 8266679

Due Date: On Receipt : IMMEDIATE Terms

Contract Number : D004444

Period of Performance 08/15/2006 to 12/31/2007

Contract Value: Funded Value : 7,000,000.00 48,812.00

	·		···			
Task Number 01 - US Chro	me ·					
Professional Services		•	Qty	y UO	M Rate	Cost
NSPE Grade 4	Connolly, Jayme P		5.00) HOUR	S 34.19	170.96
NSPE Grade 2	Muller, Philip J		11.00) HOUR	S 27.31	300.36
	Casavant, Theresa M		0.2	5 HOUR	\$ 23.88	5.97
	Wherren, Jeremy J		3.0	O HOUR	S 23.82	71.46
	Cunningham, Bruce D		0.5	O HOUR	S 23.40	11.70
	Casavant, Theresa M		0.2	5 HOUR	S 22.92	5.73
.;	Cunningham, Bruce D		1.00) HOUR	S 22.84	22.84
NSPE Grade 1	Stiles, Bryanna T	7	0.2	5 HOUR	S 17.60	4.40
	Whitcomb, Julie		0.5	0 HOUR	S 17.26	8.63
NSPE Grade 2	Franklin, Peggy E.		0.5	O HOUR	S 16.48	8.24
î.	Professional Services Subtota	al				610.29
»:	Application of Multipliers		Co	ost Base	Rate	Amount
er.	Indirect Costs			610.29	166.6000%	1,016.76
De B	Professional Services Total			· ·	_	1,627.05
In-House Services		Qty	MOU	Rate	Markup	Amount
Horiba U-22	1	3.00	DAYS	68.000		204.00
DISPOSABLE INLINE FILTER	. N	1.00	EACH	14,750		14.75
TUBING-TEFLON/SILICON	A CV	12.00	EACH	2.950		35.40

MACTEC Engineering and Consulting, P.C. 511 Congress Street, P.O. Box 7050 • Portland, ME 04112 207-775-5401 • Fax: 207-772-4762 www.mactec.com

Misc. Genesee County

Batavia Landfill 819001

Was a USEPA NPL site. Remedy complete, delisted from NPL, in O&M. Should try to set up a PRR with the PRP Group.

Mike Walters - USEPA - 212-637-4279

Lapp Insulator 819017

DOH contact was Susan Shearer. Not sure if reassigned.

Joe Hausbeck - DEE

Lapp Contact:
Rob Johnson
Lapp Insulator
130 Gilbert Street
LeRoy, NY 14482
585-768-5180
RJohnson@lappinsulator.com

Lapp's Consultant:
Anne Marie McMannis
Malcolm Pirnie
Buffalo Office
716-667-6611
AMcManus@PIRNIE.COM

Lapp's Counsel: Paul Silvestri

ROD issued March 2009. Lapp cannot afford the full remedy and is negotiating a buyout. Those negotiations are occurring in Albany DEE. Meanwhile, Joe Hausbeck sent PRP request letters to three entities. We need to wait for a response from them and then press DEE (Jim Charles?) for SSF referral if no consent order is negotiated.


U.S. Chrome 819006

From UIS history:

"U.S. Chrome operated a plating facility at this location for several years. Plating bath liquid leaked from one of the plating tanks into the sandy soil and eventually into the groundwater. As a result, groundwater in the vicinity is contaminated with hexavalent chromium (Cr+6). The Company pumped groundwater via a single wellpoint 25 feet deep. The treated water was discharged to a sanitary sewer. The hexavalent chromium contamination in the groundwater at the well point has been reduced from 2000 ppm down to below 70 ppm. The plant is located in an industrial area, and is served by municipal water. Construction to replace an old sewer line was done in the summer of 1987. It crossed part of the contaminated area, where soil sampling indicated levels of total chromium up to 88 ppm. A Phase I Investigation has been completed, and no further investigation is planned."

Additional evaluation is needed to determine whether delisting, monitoring, or additional remedial measures are appropriate. See June 18, 2009 letter from U.S. Chrome.

Contact: Michael Klotzbach General Manager U.S. Chrome 31 Swan Street Batavia, NY 14020 585-343-7077



Gary Bonarski - US Chrome Corporation, #819006

From:

Debra Moloughney

To:

Bonarski, Gary

Date:

1/15/2010 12:44 PM

Subject:

US Chrome Corporation, #819006

Attachments:

prrguidance[1].pdf; prrchecklst45d[1].pdf

Hi Gary,

The 45-Day PR Reminder Notice for the subject site is due to be sent on Feb. 14, 2010 based on the upcoming PR Project start date of March 31, 2010 and the funding source of RP.

Attached is the checklist and guidance for you to use for updating the UIS and populating the IC/EC module so that the crystal report for the 45-Day PR Reminder Notice will be complete. I will send you a few more reminders before the due date. Please let me know if you need any assistance with this. I will be happy to walk you through it.

Deb



Please consider the environment before printing this email.

Debra Moloughney
Environmental Program Specialist 1
Site Control Section
Bureau of Technical Support
NYSDEC
Division of Environmental Remediation
625 Broadway, 11th Floor
Albany, NY 12233-7020
(518) 402-9581
email: dmmoloug@gw.dec.state.ny.us

FAX: (518) 402-9577

file://C:\Documents and Settings\gebonars\Local Settings\Temp\XPgrpwise\4B506314RE... 1/22/2010

PROJECT MANAGERS PRR 45- Day Reminder Notice UIS CHECKLIST

1.		edial Site Information								
		Site name, site address, and site size are accurate.								
		All affiliation information in the "View Contacts" area is complete and accurate. Contact SCS for assistance if necessary. (This information should match the information								
		in the "Site Property Details" in the "IC/EC Module" for owner and contact								
		information. This info will be linked in the future.)								
2.		IC/EC Module								
	•	Property Details:								
		Property information is complete and accurate: Check against appropriate document to verify tax ID information is correct. Some may not have been ever populated so work								
		with SCS to get the information in the module if necessary.								
,		Owner Information is complete and accurate: Enter or verify this is correct.								
		Contact Information is complete and accurate: Enter or verify the certifying party, (may								
		not be owner). If owner and contact are not the same entity, the owner will be cc'd on the notice. If the certifying party is the owner, (e.g., for sites with IC only) also enter in								
		both areas.								
	Cont	rol Details:								
	<u> </u>	Indicate what type of Institutional Control is governing Site Management: Legacy								
		Restriction, Environmental Easement, or Other. If no filed instrument (e.g., deed								
1		restriction) exists or was not required as part of the remedy, to continue, it will be								
		necessary to check "Legacy Restriction" and then below that, "Decision Document"								
		which will identify this (e.g. ROD or SMP) as the type of IC which is governing the EC's								
		required in the remedy. Control in-place date for those sites would be the date the								
	_	decision document was executed.								
		All IC and EC information is complete and accurate.								
		ICs - indicate all applicable components of the IC, (e.g., groundwater use restriction). If a								
		deed restriction was filed, "Legacy Restriction" will indicate such, and it will not be necessary to additionally check "Decision Document".								
	·	ECs - indicate all types used for the site								
		Control Description text field is complete.								
	_	Write a summary of the Environmental Easement or Deed Restriction if that has not								
		already been done as per IGP-8. For sites with only a Decision Document as the IC, state								
		what the decision document is and summarize the requirements and the EC's being								
		certified.								
2	D	duid to the Double of Cities on the state of the Double of the Nation								
3.		a draft report - Reports area of UIS, SM reports, select "PRR 45- Day Reminder Notice C/EC Certification Package" report. Contact SCS for any problems regarding the actual								
,	repor									
	repor	.								
4.	Othe	r - edocs								
		Deed Restriction or Environmental Easement must be in edocs								
		Check to see if the ROD, SMP, and any other appropriate and pertinent documents								
		pertaining to verifying IC/ECs are in edocs. File any missing documents in edocs.								
₩m1	(IDDD)	45 Day Day 1 day Nation Day 2007 and also FDA 1 also to DOING 1 also at 1 COD								
		45-Day Reminder Notice Process" excludes: EPA lead sites, DSHM lead sites and SSF								
read s	sites. Tr	nerefore your Periodic Review Project must have "RP" or "Volunteer" identified as funding								

05/29/09

source for a notice to go out.

1.

REMINDER NOTICE PROCESS FOR PR PROJECTS WITH PLN START and ENDS

Except: EPA. DSHM, and SSF lead, (therefore funding source for PR Project should be RP, or Volunteer for a notice to go out.)

- Minimum of 60 days prior to the START date of a PR:

 SCS contacts PM that a notice will be due to go out on_____,2009 and provides a Project Managers UIS Checklist that identifies all the UIS info that needs verification and/or update for the notice report to run. This checklist is also posted in the UIS in Project Manager's Tools/Guidance/Administrative Guidance

 (http://internal/home/der/guidance/#ag) and the DER Resources/Computer Information/Remediation area (http://internal/home/der/comp/) of the internal website.
- 2) PM completes the checklist and runs a draft of the report and notifies the SCS if help is needed.
- 3) 45 Days prior to PR PLN START, SCS sends out notice, and enters "PRR 45-Day Reminder Notice Sent" date on the Control Details page of the IC/EC Module. (Note, the date field for "PRR Due" on the Controls Details Page is auto filled with the PR projects PLN start date.)
- 4) PM Receives PRR from Remedial Party on start date of project and enters that date and status of ACT START for PR project in UIS. (Note, this date also is automatically filled in the "PRR Received" Control Details Page IC/EC Module
- 5) PM performs Periodic Evaluation Review Report in UIS as per IGP-8. (If a follow up letter to address problems is needed, PM enters date of letter in date field for "Follow up letter" in the Controls Details page.)
- 6) PM Approves PRR, Supervisor electronically signs(check box) and saves (Click tab).
- 7) PM enters the "ACT" end date of PR project. The "PRR Approved" date field on the "Controls Details" page is auto filled with that date. The next PR planned project is auto generated and the above mentioned date fields on the Controls details page are blanked out for the next cycle.

The PR Evaluation Report, and the PR Project must not signed and saved until ALL controls and items in the 45-Day Reminder Notice are certified to .

3/31/09



NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION DIVISION OF ENVIRONMENTAL REMEDIATION

Inactive Hazardous Waste Disposal Report



Site Code

819006

Site Name

U.S. Chrome Corporation

Address

31 Swan Street

Classification

04

City

Batavia

Zip 14020

Region

8

County

Genesee

Town Batavia

Latitude

42 degrees, 59 minutes, 36.45 seconds

Estimated Size

Longitude

-78 degrees, 10 minutes, 25.10 seconds

Site Type

Dump

Site Description

U.S. Chrome operated a plating facility at this location for several years. Plating bath liquid leaked from one of the plating tanks into the sandy soil and eventually into the groundwater. As a result, groundwater in the vicinity is contaminated with hexavalent chromium (Cr+6). The Company pumped groundwater via a single wellpoint 25 feet deep. The treated water was discharged to a sanitary sewer. The hexavalent chromium contamination in the groundwater at the well point has been reduced from 2000 ppm down to below 70 ppm. The plant is located in an industrial area, and is served by municipal water. Construction to replace an old sewer line was done in the summer of 1987. It crossed part of the contaminated area, where soil sampling indicated levels of total chromium up to 88 ppm. A Phase I Investigation has been completed, and no further investigation is planned.

Contaminants of Concern (I	Quantity		
OU 01 PLATING BATH CONTAINING HE (CR+6)	·	.00 .00	
Analytical Data Available for :	Groundwater		
Applicable Standards Exceeded for:	Groundwater		

Site Environmental Assessment

Some groundwater contamination still remains. The need for continued pumping and treating of the groundwater is being evaluated.

Site Health Assessment

Exposures via drinking water are not expected because public water is supplied to all commercial facilities and residences near the site.

Owners

Current Owner(s)

US Chrome Corporation

31 Swan Street

Batavia

NY 14020

Operators

Current Operator(s)

US Chrome Corporation

31 Swan Street

Batavia

NY

14020

Disposal Owner(s)

U.S. CHROME CORPORATION

ZZ