



**Groundwater
& Environmental Services, Inc.**

300 Gateway Park Drive • North Syracuse, New York 13212 • 800-220-3069 • Fax 315-452-3237

November 10, 2010

Mr. Vivek Nattanmai, P.E.
Division of Environmental Remediation
NYSDEC
625 Broadway
Albany, New York 12233-7013

**Re: 2010 Annual Site Summary Report
Trimmer Road Landfill Site #8-28-012
Parma, New York**

Dear Mr. Nattanmai,

Please find the enclosed Site Summary Report for 2010 prepared by Groundwater & Environmental Services, Inc., (GES) on behalf of NYSDEC, for the above referenced site. This report includes the photographic logs for the mowing events conducted on July 15, August 25, and October 22, of 2010. Additionally, the analytical results and corresponding documentation from the August 2010 sampling event has been provided.

Please disregard the previously submitted report from November 5, 2010 as this report represents a complete summary of the 2010 site activities. If you have any questions about these activities or the photo documentation, please feel free to contact GES, Inc. at 1-800-220-3069.

Sincerely,
GROUNDWATER & ENVIRONMENTAL SERVICES, INC.

Richard A. Mayer Jr.
Staff Hydrogeologist

Justin Domago
Hydrogeologist / Project Manager



SITE SUMMARY REPORT

2010

November 10, 2010

Trimmer Road Landfill

Parma, Monroe County, New York

NYSDEC Site No.: 82-8012

NYSDEC Contact: Mr. Vivek Nattanmai, P.E.

2010 SITE ACTIVITIES:

- **July 8, 2010:** Initial site walk and reconnaissance. Each vegetative buffer zone was inspected to determine the appropriate clearing and grubbing equipment needed to remove brush between trees. During the site walk, a fallen tree was discovered across the main access road leading toward vegetative buffer #1.
- **July 15, 2010:** Completed site maintenance, including the removal of a fallen tree across the main access road and mowing of all three vegetative buffers. One damaged poplar tree was identified and photographic documentation was submitted.
- **July 29, 2010:** Installation of passive diffusion bags (PDBs) into select monitoring wells (MW-4s, MW-5s, MW-6s, MW-8s, MW-9s, MW-13, MW-14, MW-15, MW-16, MW-17, MW-18 and MW-19).
- **August 25, 2010:** Completed site mowing of all three vegetative buffers and collection of groundwater samples from PDBs installed in MW-4s, MW-5s, MW-6s, MW-8s, MW-9s, MW-13, MW-14, MW-15, MW-16, MW-17, MW-18 and MW-19.
- **October 22, 2010:** Completed site mowing of all three vegetative buffers. Existing hardy plants and/or weeds around the trunks of the planted poplar trees were removed by hand to prevent tree damage.

FUTURE ACTIVITIES:

- Mowing with photographic documentation of the three vegetative buffers conducted during the following months for 2011:
 - Mid June/July
 - Mid to late August
 - Mid to late October
- Annual groundwater sampling using passive diffusion bags to be conducted in mid June/July 2011.

MONITORING:

Well Specifications:	Twelve 2-inch diameter PVC monitoring wells
Sample Method:	Volatiles via EPA method 8260
Sample Frequency:	Annually (MW-4S, 5S, 6S, 8S, 9S, 13, 14, 15, 16, 17, 18, and 19)
Analytical Laboratory Used:	Environmental Laboratory Services, North Syracuse, NY (ELAP# 42694)



2010 Site Summary Report
Trimmer Road Landfill
NYSDEC Site No. 82-8012
Parma, NY
November 10, 2010

ATTACHMENTS:


Figure 1: Revised Monitoring Well Location Plan

Table 1: Groundwater Analytical Data

Table 2: Groundwater Analytical Data – Tentatively Identified Compounds (TICs)

Photographic Log – Complete 2010 Site Activities

Laboratory Analytical Reports



NOTE:
MONITORING WELL MW-13
IS LOCATED APPROXIMATELY
20' NORTH OF MW-18

NO.	DATE	REVISION	INT.

UNAUTHORIZED ALTERATION OR ADDITION TO THIS DOCUMENT IS A VIOLATION OF SECTION 7209 OF THE NEW YORK STATE EDUCATION LAW.	
PROJECT ENGINEER: MW	DRAWN BY: JEZ
DESIGNED BY: MW	CHECKED BY: RMW

db Dvirka and Bartilucci
CONSULTING ENGINEERS
A DIVISION OF WILLIAM F. COSULICH ASSOCIATES, P.C.

NEW YORK STATE DEPARTMENT
OF ENVIRONMENTAL CONSERVATION
TRIMMER ROAD LANDFILL SITE

REMEDIAL CONSTRUCTION
CONTRACT NO. D006373

REVISED MONITORING WELL LOCATION PLAN

PROJECT NO. 2538	1
DATE: OCTOBER 2007	
SCALE: 1"=100'	

Table 1
GROUNDWATER ANALYTICAL DATA

Trimmer Road Landfill Site

Site #8-28-012

Parma, New York

August 26, 2010



Well ID	TOGS 1.1.1 Ground Water Standards (µg/l)	MW-4S	MW-5S	MW-6S	MW-8S	MW-9S	MW-13
1,1,1,2-tetrachloroethane	5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
1,1,1-trichloroethane	5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
1,1,2,2-tetrachloroethane	5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
1,1,2-trichloroethane	1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
1,1-dichloroethane	5	ND<1	ND<1	ND<1	ND<1	57	7.91
1,1-dichloroethene	0.7	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
1,2,3-trichlorobenzene	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
1,2,4-trichlorobenzene	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
1,2-dichlorobenzene	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
1,2-dichloroethane	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
1,2-dichloropropane	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
1,3-dichlorobenzene	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
1,4-dichlorobenzene	NA	ND<1	2.57	1.88	ND<1	2.89	ND<1
2-butanone	NA	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5
2-chlorotoluene	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
2-hexanone	NA	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5
4-chlorotoluene	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
4-methyl-2-pentanone	NA	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5
acetone	50	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5
benzene	1	ND<0.7	7.57	2.87	ND<0.7	5.13	1.18
bromochloromethane	5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
bromodichloromethane	50	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
bromoform	50	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
bromomethane	5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
carbon disulfide	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
carbon tetrachloride	0.4	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
chlorobenzene	5	ND<1	17.5	12.3	ND<1	24.4	1.97
chloroethane	5	ND<1	15	2.12	ND<1	57.4	8.24
chloroform	7	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
chloromethane	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
cis- 1,2 - dichloroethene	5	ND<1	4.75	ND<1	ND<1	4.2	9.48
cis- 1,3- dichloropropene	0.4	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
dibromochloromethane	50	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
dichlorodifluoromethane	5	ND<1	1.25	1.71	ND<1	ND<1	ND<1
ethylbenzene	5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
methylene chloride	5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
MtBE	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
styrene	5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
tetrachloroethene	0.7	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
tolune	5	1.05	ND<1	ND<1	ND<1	ND<1	ND<1
trans- 1,2- dichloroethene	5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
trans- 1,3- dichloropropene	5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
trichloroethene	5	ND<1	ND<1	ND<1	ND<1	2.24	2.98
trichlorofluoromethane	5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
vinyl acetate	NA	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5
vinyl chloride	0.3	ND<1	19.8	ND<1	ND<1	4.32	4.45
xylene, m+p	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
xylenes, o	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
Total BTEX Compounds	NA	1.05	7.57	2.87	ND	5.13	1.18
Total 8260 STARS Compounds	NA	1.05	68.44	20.88	ND	157.58	36.21

Notes:

All concentrations reported in µg/l.

ND< = none detected above laboratory limit indicated.

Bold type indicates that compound exceeds TOGS 1.1.1 limit.

NA= TOGS Groundwater Standard not available

Table 1
GROUNDWATER ANALYTICAL DATA

Trimmer Road Landfill Site

Site #8-28-012

Parma, New York

August 26, 2010



Well ID	TOGS 1.1.1 Ground Water Standards (µg/l)	MW-14	MW-15	MW-16	MW-17	MW-18	MW-19
1,1,1,2-tetrachloroethane	5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
1,1,1-trichloroethane	5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
1,1,2,2-tetrachloroethane	5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
1,1,2-trichloroethane	1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
1,1-dichloroethane	5	ND<1	ND<1	14.8	4.31	5.92	26.3
1,1-dichloroethene	0.7	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
1,2,3-trichlorobenzene	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
1,2,4-trichlorobenzene	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
1,2-dichlorobenzene	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
1,2-dichloroethane	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
1,2-dichloropropane	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
1,3-dichlorobenzene	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
1,4-dichlorobenzene	NA	ND<1	ND<1	2.87	1.72	ND<1	1.86
2-butanone	NA	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5
2-chlorotoluene	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
2-hexanone	NA	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5
4-chlorotoluene	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
4-methyl-2-pentanone	NA	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5
acetone	50	ND<5	5.43	6.24	ND<5	ND<5	ND<5
benzene	1	ND<0.7	3.58	7.9	6.24	1.8	3.99
bromochloromethane	5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
bromodichloromethane	50	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
bromoform	50	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
bromomethane	5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
carbon disulfide	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
carbon tetrachloride	0.4	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
chlorobenzene	5	1.38	8.11	23.5	13.4	4.19	15.3
chloroethane	5	ND<1	1.14	17.6	3.96	9.48	25.8
chloroform	7	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
chloromethane	NA	ND<1	ND<1	1.04	ND<1	ND<1	ND<1
cis- 1,2 - dichloroethene	5	ND<1	3.7	4.49	ND<1	19.7	6.96
cis- 1,3- dichloropropene	0.4	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
dibromochloromethane	50	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
dichlorodifluoromethane	5	ND<1	ND<1	1.01	3.8	ND<1	ND<1
ethylbenzene	5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
methylene chloride	5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
MtBE	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
styrene	5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
tetrachloroethene	0.7	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
toluene	5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
trans- 1,2- dichloroethene	5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
trans- 1,3- dichloropropene	5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
trichloroethene	5	ND<1	ND<1	ND<1	ND<1	5.6	3.14
trichlorofluoromethane	5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
vinyl acetate	NA	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5
vinyl chloride	0.3	ND<1	5.49	25.5	ND<1	11	7.31
xylene, m+p	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
xylenes, o	NA	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1
Total BTEX Compounds	NA	ND	3.58	7.9	6.24	1.8	3.99
Total 8260 STARS Compounds	NA	1.38	27.45	104.95	33.43	57.69	90.66

Notes:

All concentrations reported in µg/l.

ND< = none detected above laboratory limit indicated.

Bold type indicates that compound exceeds TOGS 1.1.1 limit.

NA= TOGS Groundwater Standard not available

Table 2

GROUNDWATER ANALYTICAL DATA

Tentatively Identified Compounds (TICs)

Trimmer Road Landfill Site

Site #8-28-012

Parma, New York

August 26, 2010

Well ID	MW-5S	MW-6S	MW-9S	MW-13	MW-14	MW-15	MW-16	MW-17	MW-18	MW-19
Tentatively Identified Compounds										
Ethyl ether	15.2	21.5	5.7	4.1	2.1	10.1	17.3	20.4	6.3	6.8
Indane	1.3									
Unknown hydrocarbon		1.5					1	1		
Unknown alkane							1	3		
Substituted benzene								2		
Total TICs Concentration	16.5	23	5.7	4.1	2.1	10.1	19.3	25.8	6.3	6.8

Notes:

All concentrations reported in µg/l.

Blank cells indicate compound not detected at location.

TICs not detected in MW-4S or MW-8S.



Photo #1: July 8, 2010 – Tree across main access road.



Photo #2: July 15, 2010 – Tree crossing main access road following removal.



Photo #3: July 8, 2010 – Vegetative buffer #1 prior to site mowing.



Photo #4: July 15, 2010 – Vegetative Buffer #1 following site mowing.



Photo #5: July 8, 2010 – Vegetative buffer #2 prior to site mowing.



Photo #6: July 15, 2010 – Vegetative buffer #2 following site mowing.



Photo #7: July 8, 2010 – Vegetative buffer #3 prior to site mowing.



Photo #8: July 15, 2010 – Vegetative buffer #3 following site mowing.



Photo #9: July 15, 2010 – Damaged tree in vegetative buffer #1.



Photo #10: July 29, 2010 – PDB install at MW-4s.



Photo #11: July 29, 2010 – PDB install at MW-4s complete.



Photo #12: July 29, 2010 – PDB install at MW-17.



Photo #13: July 29, 2010 – PDB install at MW-17 complete.



Photo #14: July 29, 2010 – PDB install at MW-6s.



Photo #15: July 29, 2010 – PDB install complete at MW-6s.



Photo #16: July 29, 2010 – PDB install at MW-16.



Photo #17: July 29, 2010 – PDB install complete at MW-16.



Photo #18: July 29, 2010 – PDB install at MW-5s.



Photo #19: July 29, 2010 – PDB install complete at MW-5s.



Photo #20: July 29, 2010 – PDB install at MW-9s.



Photo #21: July 29, 2010 – PDB install complete at MW-9s.



Photo #22: July 29, 2010 – PDB install at MW-8s.



Photo #23: July 29, 2010 – PDB install complete at MW-8s.



Photo #24: July 29, 2010 – PDB install at MW-18.



Photo #25: July 29, 2010 – PDB install complete at MW-18.



Photo #26: July 29, 2010 – PDB install at MW-13.



Photo #27: July 29, 2010 – PDB install complete at MW-13.



Photo #28: July 29, 2010 – PDB install at MW-15.



Photo #29: July 29, 2010 – PDB install complete at MW-15.



Photo #30: July 29, 2010 – PDB install at MW-19.



Photo #31: July 29, 2010 – PDB install complete at MW-19.



Photo #32: July 29, 2010 – PDB install at MW-14.



Photo #33: July 29, 2010 – PDB install complete at MW-14.



Photo #34: August 25, 2010 – Vegetative buffer #1 prior to site mowing.



Photo #35: August 25, 2010 – Vegetative buffer #1 following site mowing



Photo #36: August 25, 2010 – Vegetative buffer #2 following site mowing



Photo #37: August 25, 2010 – Vegetative buffer #3 prior to site mowing.



Photo #38: August 25, 2010 – Vegetative buffer #3 following site mowing.



Photo #39: October 22, 2010 – Vegetative buffer #1 (East) prior to site mowing.



Photo #40: October 22, 2010 – Vegetative buffer #1 (East) following site mowing.



Photo #41: October 22, 2010 – Vegetative buffer #1 (West) prior to site mowing.



Photo #42: October 22, 2010 – Vegetative buffer #1 (West) following site mowing.



Photo #43: October 22, 2010 – Vegetative buffer #1 (Gate) prior to site mowing.



Photo #44: October 22, 2010 – Vegetative buffer #1 (Gate) following site mowing.



Photo #45: October 22, 2010 – Vegetative buffer #2 prior to site mowing.



Photo #46: October 22, 2010 – Vegetative buffer #2 following site mowing.



Photo #47: October 22, 2010 – Vegetative buffer #3 prior to site mowing.



Photo #48: October 22, 2010 – Vegetative buffer #3 following site mowing.



Environmental
LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park, North Syracuse, NY 13212
(315) 458-8033, FAX (315) 458-0526, (800) 842-4667

RECEIVED SEP 09 2010

Analysis Testing
Organics
Inorganics
Metals
Microbiology
Soils
Air Sampling
Collection Services

Laboratory Analysis Report

GROUNDWATER ENVIRONMENTAL SERVICES
300 Gateway Park Dr.

PROJECT #: 245666
RECEIVED: 08/26/2010 @ 14:40

North Syracuse, NY 13212
ATTN: Ken Hubbard

Site Address:
TRIMMER ROAD
PARMA, NY

PO#: 06-02278

SPILL#: 82-8012

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 654989	CLIENT SAMPLE ID:	MW-4S	DATE/TIME SAMPLED: 08/25/10 @ 12:40		
Volatile - 8260					
1,1,1,2-tetrachloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1,1-trichloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1,2,2-tetrachloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1,2-trichloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1-dichloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1-dichloroethene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2,3-trichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2,4-trichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2-dichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2-dichloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2-dichloropropane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,3-dichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,4-dichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
2-butanone	<5.00	UG/L	08/31/10	EPA 8260B	ASI
2-chlorotoluene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
2-hexanone	<5.00	UG/L	08/31/10	EPA 8260B	ASI
4-chlorotoluene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
4-methyl-2-pentanone	<5.00	UG/L	08/31/10	EPA 8260B	ASI
acetone	<5.00	UG/L	08/31/10	EPA 8260B	ASI
benzene	<0.700	UG/L	08/31/10	EPA 8260B	ASI
bromochloromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
bromodichloromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
bromoform	<1.00	UG/L	08/31/10	EPA 8260B	ASI
bromomethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
carbon disulfide	<1.00	UG/L	08/31/10	EPA 8260B	ASI
carbon tetrachloride	<1.00	UG/L	08/31/10	EPA 8260B	ASI
chlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
chloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
chloroform	<1.00	UG/L	08/31/10	EPA 8260B	ASI
chloromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
cis-1,2-dichloroethene	<1.00	UG/L	08/31/10	EPA 8260B	ASI

GROUNDWATER ENVIRONMENTAL SERVICES
300 Gateway Park Dr.

North Syracuse, NY 13212
ATTN: Ken Hubbard

PO#: 06-02278

SPILL#: 82-8012

PROJECT #: 245666
RECEIVED: 08/26/2010 @ 14:40

Site Address:
TRIMMER ROAD
PARMA, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 554989	CLIENT SAMPLE ID: MW-4S			DATE/TIME SAMPLED: 08/25/10 @ 12:40	
Volatile - 8260					
cis-1,3-dichloropropene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
dibromochloromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
dichlorodifluoromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
ethylbenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
methylene chloride	<1.00	UG/L	08/31/10	EPA 8260B	ASI
mtbe	<1.00	UG/L	08/31/10	EPA 8260B	ASI
styrene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
tetrachloroethene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
toluene	1.05	UG/L	08/31/10	EPA 8260B	ASI
trans-1,2-dichloroethene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
trans-1,3-dichloropropene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
trichloroethene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
trichlorofluoromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
vinyl acetate	<5.00	UG/L	08/31/10	EPA 8260B	ASI
vinyl chloride	<1.00	UG/L	08/31/10	EPA 8260B	ASI
xylene, m+p	<1.00	UG/L	08/31/10	EPA 8260B	ASI
xylene, o	<1.00	UG/L	08/31/10	EPA 8260B	ASI
Surrogate (fluorobenzene): 108 % recovery, (toluene-d8): 98 % recovery, (bromofluorobenzene): 97 % recovery, (1,2-dichlorobenzene-d4): 112 % recovery. Surrogate recovery acceptance limits are 85-115%					
Volatile - LIBRARY SEARCH (VOLATILE) See Attached -			08/31/10		ASI

SAMPLE #: 554990	CLIENT SAMPLE ID: MW-5S			DATE/TIME SAMPLED: 08/25/10 @ 13:00	
Volatile - 8260					
1,1,1,2-tetrachloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1,1-trichloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1,2,2-tetrachloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1,2-trichloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1-dichloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1-dichloroethene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2,3-trichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2,4-trichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2-dichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2-dichloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2-dichloropropane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,3-dichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,4-dichlorobenzene	2.57	UG/L	08/31/10	EPA 8260B	ASI
2-butanone	<5.00	UG/L	08/31/10	EPA 8260B	ASI
2-chlorotoluene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
2-hexanone	<5.00	UG/L	08/31/10	EPA 8260B	ASI
4-chlorotoluene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
4-methyl-2-pentanone	<5.00	UG/L	08/31/10	EPA 8260B	ASI
acetone	<5.00	UG/L	08/31/10	EPA 8260B	ASI



GROUNDWATER ENVIRONMENTAL SERVICES
300 Gateway Park Dr.

North Syracuse, NY 13212
ATTN: Ken Hubbard

PO#: 06-02278

SPILL#: 82-8012

PROJECT #: 245666
RECEIVED: 08/26/2010 @ 14:40

Site Address:
TRIMMER ROAD
PARMA, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 554990	CLIENT SAMPLE ID:	MW-5S	DATE/TIME SAMPLED: 08/25/10 @ 13:00		
Volatile - 8260					
benzene	7.57	UG/L	08/31/10	EPA 8260B	ASI
bromochloromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
bromodichloromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
bromoform	<1.00	UG/L	08/31/10	EPA 8260B	ASI
bromomethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
carbon disulfide	<1.00	UG/L	08/31/10	EPA 8260B	ASI
carbon tetrachloride	<1.00	UG/L	08/31/10	EPA 8260B	ASI
chlorobenzene	17.5	UG/L	08/31/10	EPA 8260B	ASI
chloroethane	15.0	UG/L	08/31/10	EPA 8260B	ASI
chloroform	<1.00	UG/L	08/31/10	EPA 8260B	ASI
chloromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
cis-1,2-dichloroethene	4.75	UG/L	08/31/10	EPA 8260B	ASI
cis-1,3-dichloropropene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
dibromochloromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
dichlorodifluoromethane	1.25	UG/L	08/31/10	EPA 8260B	ASI
ethylbenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
methylene chloride	<1.00	UG/L	08/31/10	EPA 8260B	ASI
mtbe	<1.00	UG/L	08/31/10	EPA 8260B	ASI
styrene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
tetrachloroethene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
toluene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
trans-1,2-dichloroethene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
trans-1,3-dichloropropene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
trichloroethene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
trichlorofluoromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
vinyl acetate	<5.00	UG/L	08/31/10	EPA 8260B	ASI
vinyl chloride	19.8	UG/L	08/31/10	EPA 8260B	ASI
xylene, m+p	<1.00	UG/L	08/31/10	EPA 8260B	ASI
xylene, o	<1.00	UG/L	08/31/10	EPA 8260B	ASI
Surrogate (fluorobenzene): 107 % recovery,(toluene-d8): 97 % recovery,(bromofluorobenzene): 101 % recovery,(1,2-dichlorobenzene-d4): 114 % recovery. Surrogate recovery acceptance limits are 85-115%					
Volatile - LIBRARY SEARCH (VOLATILE)See Attached - -			08/31/10		ASI

SAMPLE #: 554991 CLIENT SAMPLE ID: MW-6S

DATE/TIME SAMPLED: 08/25/10 @ 13:45

Volatile - 8260					
1,1,1,2-tetrachloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1,1-trichloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1,2,2-tetrachloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1,2-trichloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1-dichloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1-dichloroethene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2,3-trichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI



Environmental
LABORATORY SERVICES

GROUNDWATER ENVIRONMENTAL SERVICES
300 Gateway Park Dr.

North Syracuse, NY 13212
ATTN: Ken Hubbard

PO#: 06-02278

SPILL#: 82-8012

PROJECT #: 245666
RECEIVED: 08/26/2010 @ 14:40

Site Address:
TRIMMER ROAD
PARMA, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 554991 CLIENT SAMPLE ID: MW-55			DATE/TIME SAMPLED: 08/25/10 @ 13:45		
Volatile - 8260					
1,2,4-trichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2-dichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2-dichloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2-dichloropropane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,3-dichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,4-dichlorobenzene	1.88	UG/L	08/31/10	EPA 8260B	ASI
2-butanone	<5.00	UG/L	08/31/10	EPA 8260B	ASI
2-chlorotoluene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
2-hexanone	<5.00	UG/L	08/31/10	EPA 8260B	ASI
4-chlorotoluene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
4-methyl-2-pentanone	<5.00	UG/L	08/31/10	EPA 8260B	ASI
acetone	<5.00	UG/L	08/31/10	EPA 8260B	ASI
benzene	2.87	UG/L	08/31/10	EPA 8260B	ASI
bromochloromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
bromodichloromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
bromoform	<1.00	UG/L	08/31/10	EPA 8260B	ASI
bromomethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
carbon disulfide	<1.00	UG/L	08/31/10	EPA 8260B	ASI
carbon tetrachloride	<1.00	UG/L	08/31/10	EPA 8260B	ASI
chlorobenzene	12.3	UG/L	08/31/10	EPA 8260B	ASI
chloroethane	2.12	UG/L	08/31/10	EPA 8260B	ASI
chloroform	<1.00	UG/L	08/31/10	EPA 8260B	ASI
chloromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
cis-1,2-dichloroethene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
cis-1,3-dichloropropene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
di-bromochloromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
dichlorodifluoromethane	1.71	UG/L	08/31/10	EPA 8260B	ASI
ethylbenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
methylene chloride	<1.00	UG/L	08/31/10	EPA 8260B	ASI
mtbe	<1.00	UG/L	08/31/10	EPA 8260B	ASI
styrene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
tetrachloroethene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
toluene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
trans-1,2-dichloroethene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
trans-1,3-dichloropropene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
trichloroethene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
trichlorofluoromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
vinyl acetate	<5.00	UG/L	08/31/10	EPA 8260B	ASI
vinyl chloride	<1.00	UG/L	08/31/10	EPA 8260B	ASI
xylene, m+p	<1.00	UG/L	08/31/10	EPA 8260B	ASI
xylene, o	<1.00	UG/L	08/31/10	EPA 8260B	ASI

Surrogate (fluorobenzene): 105 % recovery, (toluene-d8): 96 % recovery, (bromofluorobenzene): 99 % recovery, (1,2-dichlorobenzene-d4): 111 % recovery. Surrogate recovery acceptance limits are 85-115%



Environmental
LABORATORY SERVICES

GROUNDWATER ENVIRONMENTAL SERVICES
300 Gateway Park Dr.

North Syracuse, NY 13212
ATTN: Ken Hubbard


PO#: 06-02278

SPILL#: 82-8012

PROJECT #: 245666
RECEIVED: 08/26/2010 @ 14:40

Site Address:
TRIMMER ROAD
PARMA, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 554991	CLIENT SAMPLE ID: MW-6S			DATE/TIME SAMPLED: 08/25/10 @ 13:45	
Volatile - LIBRARY SEARCH (VOLATILE) See Attached - -			08/31/10		ASI
SAMPLE #: 554992	CLIENT SAMPLE ID: MW-6S			DATE/TIME SAMPLED: 08/25/10 @ 10:40	
Volatile - 8260					
1,1,1,2-tetrachloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1,1-trichloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1,2,2-tetrachloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1,2-trichloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1-dichloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1-dichloroethene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2,3-trichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2,4-trichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2-dichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2-dichloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2-dichloropropane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,3-dichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,4-dichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
2-butanone	<5.00	UG/L	08/31/10	EPA 8260B	ASI
2-chlorotoluene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
2-hexanone	<5.00	UG/L	08/31/10	EPA 8260B	ASI
4-chlorotoluene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
4-methyl-2-pentanone	<5.00	UG/L	08/31/10	EPA 8260B	ASI
acetone	<5.00	UG/L	08/31/10	EPA 8260B	ASI
benzene	<0.700	UG/L	08/31/10	EPA 8260B	ASI
bromochloromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
bromodichloromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
bromoform	<1.00	UG/L	08/31/10	EPA 8260B	ASI
bromomethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
carbon disulfide	<1.00	UG/L	08/31/10	EPA 8260B	ASI
carbon tetrachloride	<1.00	UG/L	08/31/10	EPA 8260B	ASI
chlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
chloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
chloroform	<1.00	UG/L	08/31/10	EPA 8260B	ASI
chloromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
cis-1,2-dichloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
cis-1,3-dichloropropene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
dibromochloromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
dichlorodifluoromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
ethylbenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
methylene chloride	<1.00	UG/L	08/31/10	EPA 8260B	ASI
mife	<1.00	UG/L	08/31/10	EPA 8260B	ASI
styrene	<1.00	UG/L	08/31/10	EPA 8260B	ASI



GROUNDWATER ENVIRONMENTAL SERVICES
300 Gateway Park Dr.

North Syracuse, NY 13212
ATTN: Ken Hubbard

PO#: 06-02278

SPILL#: 82-8012

PROJECT #: 245666
RECEIVED: 08/26/2010 @ 14:40

Site Address:
TRIMMER ROAD
PARMA, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 554992 CLIENT SAMPLE ID: MW-8S			DATE/TIME SAMPLED: 08/26/10 @ 10:40		
Volatile - 8260					
tetrachloroethene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
toluene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
trans-1,2-dichloroethene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
trans-1,3-dichloropropene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
trichloroethene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
trichlorofluoromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
vinyl acetate	<5.00	UG/L	08/31/10	EPA 8260B	ASI
vinyl chloride	<1.00	UG/L	08/31/10	EPA 8260B	ASI
xylene, m+p	<1.00	UG/L	08/31/10	EPA 8260B	ASI
xylene, o	<1.00	UG/L	08/31/10	EPA 8260B	ASI
Surrogate (fluorobenzene): 107 % recovery, (toluene-d8): 97 % recovery, (bromofluorobenzene): 94 % recovery, (1,2-dichlorobenzene-d4): 110 % recovery. Surrogate recovery acceptance limits are 85-115%					
Volatile - LIBRARY SEARCH (VOLATILE) See Attached - -			08/31/10		ASI
SAMPLE #: 554993 CLIENT SAMPLE ID: MW-8S			DATE/TIME SAMPLED: 08/26/10 @ 13:15		
Volatile - 8260					
1,1,1,2-tetrachloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1,1-trichloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1,2,2-tetrachloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1,2-trichloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1-dichloroethane	57.0	UG/L	08/31/10	EPA 8260B	ASI
1,1-dichloroethene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2,3-trichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2,4-trichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2-dichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2-dichloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2-dichloropropane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,3-dichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,4-dichlorobenzene	2.89	UG/L	08/31/10	EPA 8260B	ASI
2-butanone	<5.00	UG/L	08/31/10	EPA 8260B	ASI
2-chlorotoluene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
2-hexanone	<5.00	UG/L	08/31/10	EPA 8260B	ASI
4-chlorotoluene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
4-methyl-2-pentanone	<5.00	UG/L	08/31/10	EPA 8260B	ASI
acetone	<5.00	UG/L	08/31/10	EPA 8260B	ASI
benzene	5.13	UG/L	08/31/10	EPA 8260B	ASI
bromochloromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
bromodichloromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
bromoform	<1.00	UG/L	08/31/10	EPA 8260B	ASI
bromomethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
carbon disulfide	<1.00	UG/L	08/31/10	EPA 8260B	ASI
carbon tetrachloride	<1.00	UG/L	08/31/10	EPA 8260B	ASI



GROUNDWATER ENVIRONMENTAL SERVICES
300 Gateway Park Dr.

North Syracuse, NY 13212
ATTN: Ken Hubbard

PO#: 08-02278


SPILL#: 82-8012

PROJECT #: 246666
RECEIVED: 08/26/2010 @ 14:40

Site Address:
TRIMMER ROAD
PARMA, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 554993	CLIENT SAMPLE ID: MW-95			DATE/TIME SAMPLED: 08/25/10 @ 13:15	
Volatile - 8260					
chlorobenzene	24.4	UG/L	08/31/10	EPA 8260B	ASI
chloroethane	57.4	UG/L	08/31/10	EPA 8260B	ASI
chloroform	<1.00	UG/L	08/31/10	EPA 8260B	ASI
chloromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
cis-1,2-dichloroethene	4.20	UG/L	08/31/10	EPA 8260B	ASI
cis-1,3-dichloropropene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
dibromochloromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
dichlorodifluoromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
ethylbenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
methylene chloride	<1.00	UG/L	08/31/10	EPA 8260B	ASI
mtbe	<1.00	UG/L	08/31/10	EPA 8260B	ASI
styrene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
tetrachloroethene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
toluene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
trans-1,2-dichloroethene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
trans-1,3-dichloropropene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
trichloroethene	2.24	UG/L	08/31/10	EPA 8260B	ASI
trichlorofluoromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
vinyl acetate	<5.00	UG/L	08/31/10	EPA 8260B	ASI
vinyl chloride	4.32	UG/L	08/31/10	EPA 8260B	ASI
xylene, m+p	<1.00	UG/L	08/31/10	EPA 8260B	ASI
xylene, o	<1.00	UG/L	08/31/10	EPA 8260B	ASI
Surrogate (fluorobenzene): 106 % recovery, (toluene-d8): 98 % recovery, (bromofluorobenzene): 98 % recovery, (1,2-dichlorobenzene-d4): 112 % recovery. Surrogate recovery acceptance limits are 85-115%					
Volatile - LIBRARY SEARCH (VOLATILE) See Attached -			08/31/10		ASI

SAMPLE #: 554994	CLIENT SAMPLE ID: MW-13			DATE/TIME SAMPLED: 08/25/10 @ 11:10	
Volatile - 8260					
1,1,1,2-tetrachloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1,1-trichloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1,2,2-tetrachloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1,2-trichloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1-dichloroethane	7.91	UG/L	08/31/10	EPA 8260B	ASI
1,1-dichloroethene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2,3-trichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2,4-trichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2-dichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2-dichloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2-dichloropropene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,3-dichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,4-dichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
2-butanone	<5.00	UG/L	08/31/10	EPA 8260B	ASI



GROUNDWATER ENVIRONMENTAL SERVICES
300 Gateway Park Dr.

North Syracuse, NY 13212
ATTN: Ken Hubbard

PO#: 06-02278


SPILL#: 82-8012

PROJECT #: 245666
RECEIVED: 08/26/2010 @ 14:40

Site Address:
TRIMMER ROAD
PARMA, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
DATE/TIME SAMPLED: 08/25/10 @ 11:10					
SAMPLE #: 554994	CLIENT SAMPLE ID:	MW-13			
Volatile - 8260					
2-chlorotoluene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
2-hexanone	<5.00	UG/L	08/31/10	EPA 8260B	ASI
4-chlorotoluene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
4-methyl-2-pentanone	<5.00	UG/L	08/31/10	EPA 8260B	ASI
acetone	<5.00	UG/L	08/31/10	EPA 8260B	ASI
benzene	1.18	UG/L	08/31/10	EPA 8260B	ASI
bromochloromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
bromodichloromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
bromoform	<1.00	UG/L	08/31/10	EPA 8260B	ASI
bromomethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
carbon disulfide	<1.00	UG/L	08/31/10	EPA 8260B	ASI
carbon tetrachloride	<1.00	UG/L	08/31/10	EPA 8260B	ASI
chlorobenzene	1.97	UG/L	08/31/10	EPA 8260B	ASI
chloroethane	8.24	UG/L	08/31/10	EPA 8260B	ASI
chloroform	<1.00	UG/L	08/31/10	EPA 8260B	ASI
chloromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
cis-1,2-dichloroethene	9.48	UG/L	08/31/10	EPA 8260B	ASI
cis-1,3-dichloropropene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
dibromochloromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
dichlorodifluoromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
ethylbenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
methylene chloride	<1.00	UG/L	08/31/10	EPA 8260B	ASI
mtbe	<1.00	UG/L	08/31/10	EPA 8260B	ASI
styrene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
tetrachloroethene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
toluene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
trans-1,2-dichloroethene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
trans-1,3-dichloropropene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
trichloroethene	2.98	UG/L	08/31/10	EPA 8260B	ASI
trichlorofluoromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
vinyl acetate	<5.00	UG/L	08/31/10	EPA 8260B	ASI
vinyl chloride	4.45	UG/L	08/31/10	EPA 8260B	ASI
xylene, m+p	<1.00	UG/L	08/31/10	EPA 8260B	ASI
xylene, o	<1.00	UG/L	08/31/10	EPA 8260B	ASI
Surrogate (fluorobenzene): 103 % recovery, (toluene-d8): 96 % recovery, (bromofluorobenzene): 94 % recovery, (1,2-dichlorobenzene-d4): 114 % recovery. Surrogate recovery acceptance limits are 85-115%					
Volatile - LIBRARY SEARCH (VOLATILE) See Attached -			08/31/10		ASI

SAMPLE #: 554995	CLIENT SAMPLE ID:	MW-14	DATE/TIME SAMPLED: 08/25/10 @ 12:05		
Volatile - 8260					
1,1,1,2-tetrachloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1,1-trichloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI



Environmental
LABORATORY SERVICES

GROUNDWATER ENVIRONMENTAL SERVICES
300 Gateway Park Dr.

North Syracuse, NY 13212
ATTN: Ken Hubbard


PO#: 06-02278

SPILL#: 82-8012

PROJECT #: 245666
RECEIVED: 08/26/2010 @ 14:40

Site Address:
TRIMMER ROAD
PARMA, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 554885 CLIENT SAMPLE ID: MW-14			DATE/TIME SAMPLED: 08/25/10 @ 12:05		
Volatile - 8260					
1,1,2,2-tetrachloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1,2-trichloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1-dichloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,1-dichloroethene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2,3-trichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2,4-trichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2-dichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2-dichloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,2-dichloropropane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,3-dichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
1,4-dichlorobenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
2-butanone	<5.00	UG/L	08/31/10	EPA 8260B	ASI
2-chlorotoluene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
2-hexanone	<5.00	UG/L	08/31/10	EPA 8260B	ASI
4-chlorotoluene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
4-methyl-2-pentanone	<5.00	UG/L	08/31/10	EPA 8260B	ASI
acetone	<5.00	UG/L	08/31/10	EPA 8260B	ASI
benzene	<0.700	UG/L	08/31/10	EPA 8260B	ASI
bromochloromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
bromodichloromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
bromoform	<1.00	UG/L	08/31/10	EPA 8260B	ASI
bromomethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
carbon disulfide	<1.00	UG/L	08/31/10	EPA 8260B	ASI
carbon tetrachloride	<1.00	UG/L	08/31/10	EPA 8260B	ASI
chlorobenzene	1.38	UG/L	08/31/10	EPA 8260B	ASI
chloroethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
chloroform	<1.00	UG/L	08/31/10	EPA 8260B	ASI
chloromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
cis-1,2-dichloroethene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
cis-1,3-dichloropropene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
dibromochloromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
dichlorodifluoromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI
ethylbenzene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
methylene chloride	<1.00	UG/L	08/31/10	EPA 8260B	ASI
mtbe	<1.00	UG/L	08/31/10	EPA 8260B	ASI
styrene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
tetrachloroethene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
toluene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
trans-1,2-dichloroethene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
trans-1,3-dichloropropene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
trichloroethene	<1.00	UG/L	08/31/10	EPA 8260B	ASI
trichlorofluoromethane	<1.00	UG/L	08/31/10	EPA 8260B	ASI



GROUNDWATER ENVIRONMENTAL SERVICES
300 Gateway Park Dr.

North Syracuse, NY 13212
ATTN: Ken Hubbard

PO#: 06-02278

SPILL#: 82-8012

PROJECT #: 245666
RECEIVED: 08/26/2010 @ 14:40

Site Address:
TRIMMER ROAD
PARMA, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 554995 CLIENT SAMPLE ID: MW-14			DATE/TIME SAMPLED: 08/25/10 @ 12:05		
Volatile - 8260					
vinyl acetate	<5.00	UG/L	08/31/10	EPA 8260B	ASI
vinyl chloride	<1.00	UG/L	08/31/10	EPA 8260B	ASI
xylene, m+p	<1.00	UG/L	08/31/10	EPA 8260B	ASI
xylene, o	<1.00	UG/L	08/31/10	EPA 8260B	ASI
Surrogate (fluorobenzene): 109 % recovery, (toluene-d8): 97 % recovery, (bromofluorobenzene): 94 % recovery, (1,2-dichlorobenzene-d4): 112 % recovery. Surrogate recovery acceptance limits are 85-115%					
Volatile - LIBRARY SEARCH (VOLATILE) See Attached - -			08/31/10		ASI
SAMPLE #: 554996 CLIENT SAMPLE ID: MW-15			DATE/TIME SAMPLED: 08/25/10 @ 11:35		
Volatile - 8260					
1,1,1,2-tetrachloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,1,1-trichloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,1,2,2-tetrachloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,1,2-trichloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,1-dichloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,1-dichloroethene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,2,3-trichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,2,4-trichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,2-dichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,2-dichloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,2-dichloropropane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,3-dichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,4-dichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
2-butanone	<5.00	UG/L	09/01/10	EPA 8260B	ASI
2-chlorotoluene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
2-hexanone	<5.00	UG/L	09/01/10	EPA 8260B	ASI
4-chlorotoluene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
4-methyl-2-pentanone	<5.00	UG/L	09/01/10	EPA 8260B	ASI
acetone	5.43	UG/L	09/01/10	EPA 8260B	ASI
benzene	3.58	UG/L	09/01/10	EPA 8260B	ASI
bromochloromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
bromodichloromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
bromoform	<1.00	UG/L	09/01/10	EPA 8260B	ASI
bromomethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
carbon disulfide	<1.00	UG/L	09/01/10	EPA 8260B	ASI
carbon tetrachloride	<1.00	UG/L	09/01/10	EPA 8260B	ASI
chlorobenzene	8.11	UG/L	09/01/10	EPA 8260B	ASI
chloroethane	1.14	UG/L	09/01/10	EPA 8260B	ASI
chloroform	<1.00	UG/L	09/01/10	EPA 8260B	ASI
chloromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
cis-1,2-dichloroethene	3.70	UG/L	09/01/10	EPA 8260B	ASI
cis-1,3-dichloropropene	<1.00	UG/L	09/01/10	EPA 8260B	ASI



GROUNDWATER ENVIRONMENTAL SERVICES
300 Gateway Park Dr.

North Syracuse, NY 13212
ATTN: Ken Hubbard

PO#: 06-02278

SPILL#: 82-8012

PROJECT #: 245666
RECEIVED: 08/26/2010 @ 14:40

Site Address:
TRIMMER ROAD
PARMA, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 554996 CLIENT SAMPLE ID: MW-16			DATE/TIME SAMPLED: 08/25/10 @ 11:35		
Volatile - 8260					
dibromochloromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
dichlorodifluoromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
ethylbenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
methylene chloride	<1.00	UG/L	09/01/10	EPA 8260B	ASI
mtbe	<1.00	UG/L	09/01/10	EPA 8260B	ASI
styrene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
tetrachloroethene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
toluene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
trans-1,2-dichloroethene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
trans-1,3-dichloropropene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
trichloroethene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
trichlorofluoromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
vinyl acetate	<5.00	UG/L	09/01/10	EPA 8260B	ASI
vinyl chloride	5.49	UG/L	09/01/10	EPA 8260B	ASI
xylene, m+p	<1.00	UG/L	09/01/10	EPA 8260B	ASI
xylene, o	<1.00	UG/L	09/01/10	EPA 8260B	ASI
Surrogate (fluorobenzene): 108 % recovery, (toluene-d8): 93 % recovery, (bromofluorobenzene): 96 % recovery, (1,2-dichlorobenzene-d4): 114 % recovery. Surrogate recovery acceptance limits are 85-115%					
Volatile - LIBRARY SEARCH (VOLATILE) See Attached - -			09/01/10		ASI
SAMPLE #: 554997 CLIENT SAMPLE ID: MW-16			DATE/TIME SAMPLED: 08/25/10 @ 13:25		
Volatile - 8260					
1,1,1,2-tetrachloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,1,1-trichloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,1,2,2-tetrachloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,1,2-trichloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,1-dichloroethane	14.8	UG/L	09/01/10	EPA 8260B	ASI
1,1-dichloroethene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,2,3-trichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,2,4-trichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,2-dichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,2-dichloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,2-dichloropropane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,3-dichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,4-dichlorobenzene	2.87	UG/L	09/01/10	EPA 8260B	ASI
2-butanone	<5.00	UG/L	09/01/10	EPA 8260B	ASI
2-chlorotoluene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
2-hexanone	<5.00	UG/L	09/01/10	EPA 8260B	ASI
4-chlorotoluene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
4-methyl-2-pentanone	<5.00	UG/L	09/01/10	EPA 8260B	ASI
acetone	6.24	UG/L	09/01/10	EPA 8260B	ASI
benzene	7.90	UG/L	09/01/10	EPA 8260B	ASI



GROUNDWATER ENVIRONMENTAL SERVICES
300 Gateway Park Dr.

North Syracuse, NY 13212
ATTN: Ken Hubbard

PO#: 06-02278

SPILL#: 82-8012

PROJECT #: 245666
RECEIVED: 08/26/2010 @ 14:40

Site Address:
TRIMMER ROAD
PARMA, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 554997 CLIENT SAMPLE ID: MWV-16			DATE/TIME SAMPLED: 08/25/10 @ 13:25		
Volatile - 8260					
bromochloromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
bromodichloromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
bromoform	<1.00	UG/L	09/01/10	EPA 8260B	ASI
bromomethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
carbon disulfide	<1.00	UG/L	09/01/10	EPA 8260B	ASI
carbon tetrachloride	<1.00	UG/L	09/01/10	EPA 8260B	ASI
chlorobenzene	23.5	UG/L	09/01/10	EPA 8260B	ASI
chloroethane	17.6	UG/L	09/01/10	EPA 8260B	ASI
chloroform	<1.00	UG/L	09/01/10	EPA 8260B	ASI
chloromethane	1.04	UG/L	09/01/10	EPA 8260B	ASI
cis-1,2-dichloroethene	4.49	UG/L	09/01/10	EPA 8260B	ASI
cis-1,3-dichloropropene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
dibromochloromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
dichlorodifluoromethane	1.01	UG/L	09/01/10	EPA 8260B	ASI
ethylbenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
methylene chloride	<1.00	UG/L	09/01/10	EPA 8260B	ASI
mtbe	<1.00	UG/L	09/01/10	EPA 8260B	ASI
styrene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
tetrachloroethene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
toluene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
trans-1,2-dichloroethene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
trans-1,3-dichloropropene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
trichloroethene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
trichlorofluoromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
vinyl acetate	<5.00	UG/L	09/01/10	EPA 8260B	ASI
vinyl chloride	25.5	UG/L	09/01/10	EPA 8260B	ASI
xylene, m+p	<1.00	UG/L	09/01/10	EPA 8260B	ASI
xylene, o	<1.00	UG/L	09/01/10	EPA 8260B	ASI

Surrogate (fluorobenzene): 108 % recovery, (toluene-d8): 92 % recovery, (bromofluorobenzene): 101 % recovery, (1,2-dichlorobenzene-d4): 115 % recovery. Surrogate recovery acceptance limits are 85-115%

Volatile - LIBRARY SEARCH (VOLATILE) Sec Attached - - 09/01/10 ASI

SAMPLE #: 554998		CLIENT SAMPLE ID:	MW-17	DATE/TIME SAMPLED: 08/25/10 @ 13:35		
Volatile - 8260						
1,1,1,2-tetrachloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI	
1,1,1-trichloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI	
1,1,2,2-tetrachloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI	
1,1,2-trichloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI	
1,1-dichloroethane	4.31	UG/L	09/01/10	EPA 8260B	ASI	
1,1-dichloroethene	<1.00	UG/L	09/01/10	EPA 8260B	ASI	
1,2,3-trichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI	
1,2,4-trichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI	



GROUNDWATER ENVIRONMENTAL SERVICES
300 Gateway Park Dr.

North Syracuse, NY 13212
ATTN: Ken Hubbard

PO#: 06-02278

SPILL#: 82-8012

PROJECT #: 245666
RECEIVED: 08/26/2010 @ 14:40

Site Address:
TRIMMER ROAD
PARMA, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 564998 CLIENT SAMPLE ID: MW-17			DATE/TIME SAMPLED: 08/25/10 @ 13:35		
Volatile - 8260					
1,2-dichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,2-dichloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,2-dichloropropane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,3-dichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,4-dichlorobenzene	1.72	UG/L	09/01/10	EPA 8260B	ASI
2-butanone	<5.00	UG/L	09/01/10	EPA 8260B	ASI
2-chlorotoluene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
2-hexanone	<5.00	UG/L	09/01/10	EPA 8260B	ASI
4-chlorotoluene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
4-methyl-2-pentanone	<5.00	UG/L	09/01/10	EPA 8260B	ASI
acetone	<5.00	UG/L	09/01/10	EPA 8260B	ASI
benzene	6.24	UG/L	09/01/10	EPA 8260B	ASI
bromochloromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
bromodichloromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
bromoform	<1.00	UG/L	09/01/10	EPA 8260B	ASI
bromomethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
carbon disulfide	<1.00	UG/L	09/01/10	EPA 8260B	ASI
carbon tetrachloride	<1.00	UG/L	09/01/10	EPA 8260B	ASI
chlorobenzene	13.4	UG/L	09/01/10	EPA 8260B	ASI
chloroethane	3.98	UG/L	09/01/10	EPA 8260B	ASI
chloroform	<1.00	UG/L	09/01/10	EPA 8260B	ASI
chloromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
cis-1,2-dichloroethene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
cis-1,3-dichloropropene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
dibromochloromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
dichlorodifluoromethane	3.80	UG/L	09/01/10	EPA 8260B	ASI
ethylbenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
methylene chloride	<1.00	UG/L	09/01/10	EPA 8260B	ASI
mtbe	<1.00	UG/L	09/01/10	EPA 8260B	ASI
styrene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
tetrachloroethene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
toluene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
trans-1,2-dichloroethene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
trans-1,3-dichloropropene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
trichloroethene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
trichlorofluoromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
vinyl acetate	<5.00	UG/L	09/01/10	EPA 8260B	ASI
vinyl chloride	<1.00	UG/L	09/01/10	EPA 8260B	ASI
xylene, m+p	<1.00	UG/L	09/01/10	EPA 8260B	ASI
xylene, o	<1.00	UG/L	09/01/10	EPA 8260B	ASI

Surrogate (fluorobenzene): 110 % recovery, (toluene-d8): 93 % recovery, (bromofluorobenzene): 101 % recovery, (1,2-dichlorobenzene-d4): 112 % recovery. Surrogate recovery acceptance limits are 85-115%



GROUNDWATER ENVIRONMENTAL SERVICES
300 Gateway Park Dr.

North Syracuse, NY 13212
ATTN: Ken Hubbard


PO#: 06-02278

SPILL#: 82-8012

PROJECT #: 245666
RECEIVED: 08/26/2010 @ 14:40

Site Address:
TRIMMER ROAD
PARMA, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 554998 CLIENT SAMPLE ID: MW-17			DATE/TIME SAMPLED: 08/25/10 @ 13:35		
Volatile - LIBRARY SEARCH (VOLATILE) See Attached - -			09/01/10		ASI
SAMPLE #: 554999 CLIENT SAMPLE ID: MW-18			DATE/TIME SAMPLED: 08/25/10 @ 11:00		
Volatile - 8260					
1,1,1,2-tetrachloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,1,1-trichloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,1,2,2-tetrachloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,1,2-trichloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,1-dichloroethane	5.92	UG/L	09/01/10	EPA 8260B	ASI
1,1-dichloroethene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,2,3-trichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,2,4-trichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,2-dichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,2-dichloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,2-dichloropropane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,3-dichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,4-dichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
2-butanone	<5.00	UG/L	09/01/10	EPA 8260B	ASI
2-chlorotoluene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
2-hexanone	<5.00	UG/L	09/01/10	EPA 8260B	ASI
4-chlorotoluene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
4-methyl-2-pentanone	<5.00	UG/L	09/01/10	EPA 8260B	ASI
acetone	<5.00	UG/L	09/01/10	EPA 8260B	ASI
benzene	1.80	UG/L	09/01/10	EPA 8260B	ASI
bromochloromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
bromodichloromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
bromoform	<1.00	UG/L	09/01/10	EPA 8260B	ASI
bromomethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
carbon disulfide	<1.00	UG/L	09/01/10	EPA 8260B	ASI
carbon tetrachloride	<1.00	UG/L	09/01/10	EPA 8260B	ASI
chlorobenzene	4.19	UG/L	09/01/10	EPA 8260B	ASI
chloroethane	9.48	UG/L	09/01/10	EPA 8260B	ASI
chloroform	<1.00	UG/L	09/01/10	EPA 8260B	ASI
chloromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
cis-1,2-dichloroethene	19.7	UG/L	09/01/10	EPA 8260B	ASI
cis-1,3-dichloropropene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
dibromochloromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
dichlorodifluoromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
ethylbenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
methylene chloride	<1.00	UG/L	09/01/10	EPA 8260B	ASI
mtbe	<1.00	UG/L	09/01/10	EPA 8260B	ASI
styrene	<1.00	UG/L	09/01/10	EPA 8260B	ASI



GROUNDWATER ENVIRONMENTAL SERVICES
300 Gateway Park Dr.

North Syracuse, NY 13212
ATTN: Ken Hubbard

PO#: 08-02278


SPILL#: 82-8012

PROJECT #: 245666
RECEIVED: 08/26/2010 @ 14:40

Site Address:
TRIMMER ROAD
PARMA, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 554999 CLIENT SAMPLE ID: MW-18			DATE/TIME SAMPLED: 08/25/10 @ 11:00		
Volatile - 8260					
tetrachloroethene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
toluene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
trans-1,2-dichloroethene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
trans-1,3-dichloropropene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
trichloroethene	5.60	UG/L	09/01/10	EPA 8260B	ASI
trichlorofluoromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
vinyl acetate	<5.00	UG/L	09/01/10	EPA 8260B	ASI
vinyl chloride	11.0	UG/L	09/01/10	EPA 8260B	ASI
xylene, m+p	<1.00	UG/L	09/01/10	EPA 8260B	ASI
xylene, o	<1.00	UG/L	09/01/10	EPA 8260B	ASI
Surrogate (fluorobenzene): 96 % recovery, (toluene-d8): 95 % recovery, (bromofluorobenzene): 93 % recovery, (1,2-dichlorobenzene-d4): 114 % recovery. Surrogate recovery acceptance limits are 85-115%					
Volatile - LIBRARY SEARCH (VOLATILE) See Attached - -			09/01/10		ASI

SAMPLE #: 555000		CLIENT SAMPLE ID: MW-19		DATE/TIME SAMPLED: 08/25/10 @ 11:50		
Volatile - 8260						
1,1,1,2-tetrachloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI	
1,1,1-trichloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI	
1,1,2,2-tetrachloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI	
1,1,2-trichloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI	
1,1-dichloroethane	26.3	UG/L	09/01/10	EPA 8260B	ASI	
1,1-dichloroethene	<1.00	UG/L	09/01/10	EPA 8260B	ASI	
1,2,3-trichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI	
1,2,4-trichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI	
1,2-dichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI	
1,2-dichloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI	
1,2-dichloropropane	<1.00	UG/L	09/01/10	EPA 8260B	ASI	
1,3-dichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI	
1,4-dichlorobenzene	1.86	UG/L	09/01/10	EPA 8260B	ASI	
2-butanone	<5.00	UG/L	09/01/10	EPA 8260B	ASI	
2-chlorotoluene	<1.00	UG/L	09/01/10	EPA 8260B	ASI	
2-hexanone	<5.00	UG/L	09/01/10	EPA 8260B	ASI	
4-chlorotoluene	<1.00	UG/L	09/01/10	EPA 8260B	ASI	
4-methyl-2-pentanone	<5.00	UG/L	09/01/10	EPA 8260B	ASI	
acetone	<5.00	UG/L	09/01/10	EPA 8260B	ASI	
benzene	3.89	UG/L	09/01/10	EPA 8260B	ASI	
bromochloromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI	
bromodichloromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI	
bromoform	<1.00	UG/L	09/01/10	EPA 8260B	ASI	
bromomethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI	
carbon disulfide	<1.00	UG/L	09/01/10	EPA 8260B	ASI	
carbon tetrachloride	<1.00	UG/L	09/01/10	EPA 8260B	ASI	



GROUNDWATER ENVIRONMENTAL SERVICES
300 Gateway Park Dr.

North Syracuse, NY 13212
ATTN: Ken Hubbard

PO#: 06-02278

SPILL#: 82-8012

PROJECT #: 245668
RECEIVED: 08/26/2010 @ 14:40


Site Address:
TRIMMER ROAD
PARMA, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 555000 CLIENT SAMPLE ID: MW-19			DATE/TIME SAMPLED: 08/26/10 @ 11:50		
Volatile - 8260					
chlorobenzene	15.3	UG/L	09/01/10	EPA 8260B	ASI
chloroethane	25.8	UG/L	09/01/10	EPA 8260B	ASI
chloroform	<1.00	UG/L	09/01/10	EPA 8260B	ASI
chloromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
cis-1,2-dichloroethene	6.96	UG/L	09/01/10	EPA 8260B	ASI
cis-1,3-dichloropropene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
dibromochloromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
dichlorodifluoromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
ethylbenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
methylene chloride	<1.00	UG/L	09/01/10	EPA 8260B	ASI
mtbe	<1.00	UG/L	09/01/10	EPA 8260B	ASI
styrene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
tetrachloroethene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
toluene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
trans-1,2-dichloroethene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
trans-1,3-dichloropropene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
trichloroethene	3.14	UG/L	09/01/10	EPA 8260B	ASI
trichlorofluoromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
vinyl acetate	<5.00	UG/L	09/01/10	EPA 8260B	ASI
vinyl chloride	7.31	UG/L	09/01/10	EPA 8260B	ASI
xylene, m+p	<1.00	UG/L	09/01/10	EPA 8260B	ASI
xylene, o	<1.00	UG/L	09/01/10	EPA 8260B	ASI

Surrogate (fluorobenzene): 108 % recovery, (toluene-d8): 93 % recovery, (bromofluorobenzene): 98 % recovery, (1,2-dichlorobenzene-d4): 111 % recovery. Surrogate recovery acceptance limits are 85-115%

Volatile - LIBRARY SEARCH (VOLATILE) See Attached - - 09/01/10 ASI

SAMPLE #: 555001 CLIENT SAMPLE ID: FIELD DUP			DATE/TIME SAMPLED: 08/25/10 @ 12:45		
Volatile - 8260					
1,1,1,2-tetrachloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,1,1-trichloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,1,2,2-tetrachloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,1,2-trichloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,1-dichloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,1-dichloroethene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,2,3-trichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,2,4-trichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,2-dichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,2-dichloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,2-dichloropropane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,3-dichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,4-dichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
2-butanone	<5.00	UG/L	09/01/10	EPA 8260B	ASI



GROUNDWATER ENVIRONMENTAL SERVICES
300 Gateway Park Dr.

North Syracuse, NY 13212
ATTN: Ken Hubbard

PO#: 06-02278

SPILL#: 82-8012

PROJECT #: 245686
RECEIVED: 08/26/2010 @ 14:40


Site Address:
TRIMMER ROAD
PARMA, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
DATE/TIME SAMPLED: 08/25/10 @ 12:45					
SAMPLE #: 555001	CLIENT SAMPLE ID:	FIELD DUP			
Volatile - 8260					
2-chlorotoluene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
2-hexanone	<5.00	UG/L	09/01/10	EPA 8260B	ASI
4-chlorotoluene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
4-methyl-2-pentanone	<5.00	UG/L	09/01/10	EPA 8260B	ASI
acetone	<5.00	UG/L	09/01/10	EPA 8260B	ASI
benzene	<0.700	UG/L	09/01/10	EPA 8260B	ASI
bromochloromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
bromodichloromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
bromoform	<1.00	UG/L	09/01/10	EPA 8260B	ASI
bromomethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
carbon disulfide	<1.00	UG/L	09/01/10	EPA 8260B	ASI
carbon tetrachloride	<1.00	UG/L	09/01/10	EPA 8260B	ASI
chlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
chloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
chloroform	<1.00	UG/L	09/01/10	EPA 8260B	ASI
chloromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
cis-1,2-dichloroethene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
cis-1,3-dichloropropene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
dibromochloromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
dichlorodifluoromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
ethylbenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
methylene chloride	<1.00	UG/L	09/01/10	EPA 8260B	ASI
mtbe	<1.00	UG/L	09/01/10	EPA 8260B	ASI
styrene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
tetrachloroethene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
toluene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
trans-1,2-dichloroethene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
trans-1,3-dichloropropene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
trichloroethene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
trichlorofluoromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
vinyl acetate	<5.00	UG/L	09/01/10	EPA 8260B	ASI
vinyl chloride	<1.00	UG/L	09/01/10	EPA 8260B	ASI
xylene, m+p	<1.00	UG/L	09/01/10	EPA 8260B	ASI
xylene, o	<1.00	UG/L	09/01/10	EPA 8260B	ASI

Surrogate (fluorobenzene): 108 % recovery, (toluene-d8): 96 % recovery, (bromofluorobenzene): 92 % recovery, (1,2-dichlorobenzene-d4): 112 % recovery. Surrogate recovery acceptance limits are 85-115%

Volatile - LIBRARY SEARCH (VOLATILE) See Attached - - 09/01/10 ASI

SAMPLE #: 555002	CLIENT SAMPLE ID:	MW-5S MS	DATE/TIME SAMPLED: 08/25/10 @ 13:00		
Volatile - 8260					
1,1,1,2-tetrachloroethane	129	PERCENT	09/01/10	EPA 8260B	ASI
1,1,1-trichloroethane	131	PERCENT	09/01/10	EPA 8260B	ASI



Environmental
LABORATORY SERVICES

GROUNDWATER ENVIRONMENTAL SERVICES
300 Gateway Park Dr.

North Syracuse, NY 13212
ATTN: Ken Hubbard


PO#: 06-02278

SPILL#: 82-8012

PROJECT #: 245666
RECEIVED: 08/26/2010 @ 14:40

Site Address:
TRIMMER ROAD
PARMA, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 855002 CLIENT SAMPLE ID: MW-55 MS			DATE/TIME SAMPLED: 08/25/10 @ 13:00		
Volatile - 8260					
1,1,2,2-tetrachloroethane	130	PERCENT	09/01/10	EPA 8260B	ASI
1,1,2-trichloroethane	136	PERCENT	09/01/10	EPA 8260B	ASI
1,1-dichloroethane	123	PERCENT	09/01/10	EPA 8260B	ASI
1,1-dichloroethene	103	PERCENT	09/01/10	EPA 8260B	ASI
1,2,3-trichlorobenzene	91	PERCENT	09/01/10	EPA 8260B	ASI
1,2,4-trichlorobenzene	84	PERCENT	09/01/10	EPA 8260B	ASI
1,2-dichlorobenzene	111	PERCENT	09/01/10	EPA 8260B	ASI
1,2-dichloroethane	121	PERCENT	09/01/10	EPA 8260B	ASI
1,2-dichloropropane	137	PERCENT	09/01/10	EPA 8260B	ASI
1,3-dichlorobenzene	122	PERCENT	09/01/10	EPA 8260B	ASI
1,4-dichlorobenzene	102	PERCENT	09/01/10	EPA 8260B	ASI
2-butanone	106	PERCENT	09/01/10	EPA 8260B	ASI
2-chlorotoluene	128	PERCENT	09/01/10	EPA 8260B	ASI
2-hexanone	108	PERCENT	09/01/10	EPA 8260B	ASI
4-chlorotoluene	127	PERCENT	09/01/10	EPA 8260B	ASI
4-methyl-2-pentanone	98	PERCENT	09/01/10	EPA 8260B	ASI
acetone	49	PERCENT	09/01/10	EPA 8260B	ASI
benzene	92	PERCENT	09/01/10	EPA 8260B	ASI
bromochloromethane	113	PERCENT	09/01/10	EPA 8260B	ASI
bromodichloromethane	146	PERCENT	09/01/10	EPA 8260B	ASI
bromoform	131	PERCENT	09/01/10	EPA 8260B	ASI
bromomethane	85	PERCENT	09/01/10	EPA 8260B	ASI
carbon disulfide	128	PERCENT	09/01/10	EPA 8260B	ASI
carbon tetrachloride	133	PERCENT	09/01/10	EPA 8260B	ASI
chlorobenzene	113	PERCENT	09/01/10	EPA 8260B	ASI
chloroethane	86	PERCENT	09/01/10	EPA 8260B	ASI
chloroform	123	PERCENT	09/01/10	EPA 8260B	ASI
chloromethane	111	PERCENT	09/01/10	EPA 8260B	ASI
cis-1,2-dichloroethene	98	PERCENT	09/01/10	EPA 8260B	ASI
cis-1,3-dichloropropene	116	PERCENT	09/01/10	EPA 8260B	ASI
dibromochloromethane	139	PERCENT	09/01/10	EPA 8260B	ASI
dichlorodifluoromethane	115	PERCENT	09/01/10	EPA 8260B	ASI
ethylbenzene	119	PERCENT	09/01/10	EPA 8260B	ASI
methylene chloride	113	PERCENT	09/01/10	EPA 8260B	ASI
mtbe	92	PERCENT	09/01/10	EPA 8260B	ASI
styrene	108	PERCENT	09/01/10	EPA 8260B	ASI
tetrachloroethene	128	PERCENT	09/01/10	EPA 8260B	ASI
toluene	124	PERCENT	09/01/10	EPA 8260B	ASI
trans-1,2-dichloroethene	107	PERCENT	09/01/10	EPA 8260B	ASI
trans-1,3-dichloropropene	120	PERCENT	09/01/10	EPA 8260B	ASI
trichloroethene	123	PERCENT	09/01/10	EPA 8260B	ASI
trichlorofluoromethane	168	PERCENT	09/01/10	EPA 8260B	ASI



GROUNDWATER ENVIRONMENTAL SERVICES
300 Gateway Park Dr.

North Syracuse, NY 13212
ATTN: Ken Hubbard


PO#: 06-02278

SPILL#: 82-8012

PROJECT #: 245686
RECEIVED: 08/26/2010 @ 14:40

Site Address:
TRIMMER ROAD
PARMA, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 555002 CLIENT SAMPLE ID: MW-5S MS DATE/TIME SAMPLED: 08/25/10 @ 13:00					
Volatile - 8260					
vinyl acetate	73	PERCENT	09/01/10	EPA 8260B	ASI
vinyl chloride	52	PERCENT	09/01/10	EPA 8260B	ASI
xylene, m+p	114	PERCENT	09/01/10	EPA 8260B	ASI
xylene, o	122	PERCENT	09/01/10	EPA 8260B	ASI
Surrogate (fluorobenzene): 92 % recovery, (toluene-d8): 94 % recovery, (bromofluorobenzene): 109 % recovery, (1,2-dichlorobenzene-d4): 104 % recovery. Surrogate recovery acceptance limits are 85-115%					
SAMPLE #: 555003 CLIENT SAMPLE ID: MW-5S MSD DATE/TIME SAMPLED: 08/25/10 @ 13:00					
Volatile - 8260					
1,1,1,2-tetrachloroethane	113	PERCENT	09/01/10	EPA 8260B	ASI
1,1,1-trichloroethane	128	PERCENT	09/01/10	EPA 8260B	ASI
1,1,2,2-tetrachloroethane	112	PERCENT	09/01/10	EPA 8260B	ASI
1,1,2-trichloroethane	122	PERCENT	09/01/10	EPA 8260B	ASI
1,1-dichloroethane	122	PERCENT	09/01/10	EPA 8260B	ASI
1,1-dichloroethene	110	PERCENT	09/01/10	EPA 8260B	ASI
1,2,3-trichlorobenzene	101	PERCENT	09/01/10	EPA 8260B	ASI
1,2,4-trichlorobenzene	95	PERCENT	09/01/10	EPA 8260B	ASI
1,2-dichlorobenzene	119	PERCENT	09/01/10	EPA 8260B	ASI
1,2-dichloroethane	128	PERCENT	09/01/10	EPA 8260B	ASI
1,2-dichloropropane	136	PERCENT	09/01/10	EPA 8260B	ASI
1,3-dichlorobenzene	109	PERCENT	09/01/10	EPA 8260B	ASI
1,4-dichlorobenzene	116	PERCENT	09/01/10	EPA 8260B	ASI
2-butanone	102	PERCENT	09/01/10	EPA 8260B	ASI
2-chlorotoluene	111	PERCENT	09/01/10	EPA 8260B	ASI
2-hexanone	114	PERCENT	09/01/10	EPA 8260B	ASI
4-chlorotoluene	114	PERCENT	09/01/10	EPA 8260B	ASI
4-methyl-2-pentanone	109	PERCENT	09/01/10	EPA 8260B	ASI
acetone	63	PERCENT	09/01/10	EPA 8260B	ASI
benzene	104	PERCENT	09/01/10	EPA 8260B	ASI
bromochloromethane	121	PERCENT	09/01/10	EPA 8260B	ASI
bromodichloromethane	147	PERCENT	09/01/10	EPA 8260B	ASI
bromoforn	113	PERCENT	09/01/10	EPA 8260B	ASI
bromomethane	97	PERCENT	09/01/10	EPA 8260B	ASI
carbon disulfide	131	PERCENT	09/01/10	EPA 8260B	ASI
carbon tetrachloride	130	PERCENT	09/01/10	EPA 8260B	ASI
chlorobenzene	74	PERCENT	09/01/10	EPA 8260B	ASI
chloroethane	82	PERCENT	09/01/10	EPA 8260B	ASI
chloroform	127	PERCENT	09/01/10	EPA 8260B	ASI
chloromethane	119	PERCENT	09/01/10	EPA 8260B	ASI
cis-1,2-dichloroethene	95	PERCENT	09/01/10	EPA 8260B	ASI
cis-1,3-dichloropropene	125	PERCENT	09/01/10	EPA 8260B	ASI
dibromochloromethane	134	PERCENT	09/01/10	EPA 8260B	ASI



GROUNDWATER ENVIRONMENTAL SERVICES
300 Gateway Park Dr.

North Syracuse, NY 13212
ATTN: Ken Hubbard

PO#: 06-02278

SPILL#: 82-8012


PROJECT #: 245666
RECEIVED: 08/26/2010 @ 14:40

Site Address:
TRIMMER ROAD
PARMA, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 555003 CLIENT SAMPLE ID: MW-5S MSD DATE/TIME SAMPLED: 08/26/10 @ 13:00					
Volatile - 8260					
dichlorodifluoromethane	118	PERCENT	09/01/10	EPA 8260B	ASI
ethylbenzene	107	PERCENT	09/01/10	EPA 8260B	ASI
methylene chloride	128	PERCENT	09/01/10	EPA 8260B	ASI
mtbe	101	PERCENT	09/01/10	EPA 8260B	ASI
styrene	98	PERCENT	09/01/10	EPA 8260B	ASI
tetrachloroethene	126	PERCENT	09/01/10	EPA 8260B	ASI
toluene	124	PERCENT	09/01/10	EPA 8260B	ASI
trans-1,2-dichloroethene	116	PERCENT	09/01/10	EPA 8260B	ASI
trans-1,3-dichloropropene	127	PERCENT	09/01/10	EPA 8260B	ASI
trichloroethene	119	PERCENT	09/01/10	EPA 8260B	ASI
trichlorofluoromethane	181	PERCENT	09/01/10	EPA 8260B	ASI
vinyl acetate	77	PERCENT	09/01/10	EPA 8260B	ASI
vinyl chloride	85	PERCENT	09/01/10	EPA 8260B	ASI
xylene, m+p	100	PERCENT	09/01/10	EPA 8260B	ASI
xylene, o	109	PERCENT	09/01/10	EPA 8260B	ASI

Surrogate (fluorobenzene): 100 % recovery, (toluene-d8): 92 % recovery, (bromofluorobenzene): 97 % recovery, (1,2-dichlorobenzene-d4): 104 % recovery. Surrogate recovery acceptance limits are 85-115%

SAMPLE #: 555004 CLIENT SAMPLE ID: TRIP BLANK DATE/TIME SAMPLED: 07/15/10 @ :					
Volatile - 8260					
1,1,1,2-tetrachloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,1,1-trichloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,1,2,2-tetrachloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,1,2-trichloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,1-dichloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,1-dichloroethene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,2,3-trichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,2,4-trichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,2-dichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,2-dichloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,2-dichloropropane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,3-dichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
1,4-dichlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
2-butanone	<5.00	UG/L	09/01/10	EPA 8260B	ASI
2-chlorotoluene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
2-hexanone	<5.00	UG/L	09/01/10	EPA 8260B	ASI
4-chlorotoluene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
4-methyl-2-pentanone	<5.00	UG/L	09/01/10	EPA 8260B	ASI
acetone	<5.00	UG/L	09/01/10	EPA 8260B	ASI
benzene	<0.700	UG/L	09/01/10	EPA 8260B	ASI
bromochloromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
bromodichloromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI



GROUNDWATER ENVIRONMENTAL SERVICES
300 Gateway Park Dr.

North Syracuse, NY 13212
ATTN: Ken Hubbard

PO#: 06-02278

SPILL#: 82-8012

PROJECT #: 246666
RECEIVED: 08/26/2010 @ 14:40

Site Address:
TRIMMER ROAD
PARMA, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 555004 CLIENT SAMPLE ID: TRIP BLANK			DATE/TIME SAMPLED: 07/15/10 @ :		
Volatile - 8260					
bromoform	<1.00	UG/L	09/01/10	EPA 8260B	ASI
bromomethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
carbon disulfide	<1.00	UG/L	09/01/10	EPA 8260B	ASI
carbon tetrachloride	<1.00	UG/L	09/01/10	EPA 8260B	ASI
chlorobenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
chloroethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
chloroform	<1.00	UG/L	09/01/10	EPA 8260B	ASI
chloromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
cis-1,2-dichloroethene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
cis-1,3-dichloropropene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
dibromochloromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
dichlorodifluoromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
ethylbenzene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
methylene chloride	<1.00	UG/L	09/01/10	EPA 8260B	ASI
mtbe	<1.00	UG/L	09/01/10	EPA 8260B	ASI
styrene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
tetrachloroethene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
toluene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
trans-1,2-dichloroethene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
trans-1,3-dichloropropene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
trichloroethene	<1.00	UG/L	09/01/10	EPA 8260B	ASI
trichlorofluoromethane	<1.00	UG/L	09/01/10	EPA 8260B	ASI
vinyl acetate	<5.00	UG/L	09/01/10	EPA 8260B	ASI
vinyl chloride	<1.00	UG/L	09/01/10	EPA 8260B	ASI
xylene, m+p	<1.00	UG/L	09/01/10	EPA 8260B	ASI
xylene, o	<1.00	UG/L	09/01/10	EPA 8260B	ASI

Surrogate (fluorobenzene): 108 % recovery, (toluene-d8): 96 % recovery, (bromofluorobenzene): 93 % recovery, (1,2-dichlorobenzene-d4): 114 % recovery. Surrogate recovery acceptance limits are 85-115%



GROUNDWATER ENVIRONMENTAL SERVICES
300 Gateway Park Dr.

North Syracuse, NY 13212
ATTN: Ken Hubbard

PO#: 06-02278

SPILL#: 82-8012

PROJECT #: 245666
RECEIVED: 08/26/2010 @ 14:40

Site Address:
TRIMMER ROAD
PARMA, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
----------------	---------	-------	------------------------	------------------	-----------------

Sample Receipt Temperature: 10 Degrees C
Samples received above acceptable temperature requirements of 0-6 degrees C.


David R. Hill
Laboratory Director

09/03/2010
Print Date

All NELAC Quality Control requirements pertaining to the analyses were met, unless otherwise specified.
All analyses performed by NYS ELAP Laboratory Certification #11375, unless otherwise stated.
Report relates only to the samples as received by the laboratory and shall not be reproduced
except in full, without written approval from Environmental Laboratory Services.

The information contained in this report is confidential and intended for the addressee only. If the reader is not the intended recipient or agent responsible for delivering the report to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this report is strictly prohibited. If you have received this report in error, please notify sender by reply email or telephone, delete or destroy the report and/or any attachments.



VOLATILE ORGANICS ANALYSIS DATA SHEET
ELS SAMPLE NO. 554989
TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: Environmental Lab Services Project: 245666 Client ID: MW-4S
Lab Code: 11375 Case No. SAS No. Lab Sample ID: 554989
Sample Wt/Vol : 5 (g/ml) ml Lab File ID: 083108.D
Level: (low/med) Date Received: 8/26/10
% Moisture: NA decanted: (Y/N) N Date Extracted: NA
Concentrated Extract Volume: NA (uL) Date Analyzed: 8/31/10
Injection Volume: NA (uL) Dilution Factor: 1X
GPC CLEANUP: (Y/N) N pH: CONCENTRATION UNITS:
(ug/L or mg/kg) ug/L
Number TICs Found: 0 Detection Limit: 1.00

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
------------	---------------	----	------------	---

No Library Search Volatiles Found.



VOLATILE ORGANICS ANALYSIS DATA SHEET
ELS SAMPLE NO. 554990
TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: Environmental Lab Services Project: 245666 Client ID: MW-5S
Lab Code: 11375 Case No. SAS No. Lab Sample ID: 554990
Sample Wt/Vol : 5 (g/ml) ml Lab File ID: 083109.D
Level: (low/med) Date Received: 8/26/10
% Moisture: NA decanted: (Y/N) N Date Extracted: NA
Concentrated Extract Volume: NA (uL) Date Analyzed: 8/31/10
Injection Volume: NA (uL) Dilution Factor: 1X
GPC CLEANUP: (Y/N) N pH: CONCENTRATION UNITS:
(ug/L or mg/kg) ug/L
Number TICs Found: 2 Detection Limit: 1.00

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
<u>000060-29-7</u>	<u>Ethyl ether</u>	<u>7.40</u>	<u>15.2</u>	<u>86</u>
<u>000496-11-7</u>	<u>Indane</u>	<u>22.06</u>	<u>1.30</u>	<u>93</u>



VOLATILE ORGANICS ANALYSIS DATA SHEET
 ELS SAMPLE NO. 554991
 TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: Environmental Lab Services Project: 245666 Client ID: MW-6S
 Lab Code: 11375 Case No. _____ SAS No. _____ Lab Sample ID: 554991
 Sample Wt/Vol : 5 (g/ml) ml Lab File ID: 083110.D
 Level: (low/med) _____ Date Received: 8/26/10
 % Moisture: NA decanted: (Y/N) N Date Extracted: NA
 Concentrated Extract Volume: NA (uL) Date Analyzed: 8/31/10
 Injection Volume: NA (uL) Dilution Factor: 1X
 GPC CLEANUP: (Y/N) N pH: _____ CONCENTRATION UNITS:
 (ug/L or mg/kg) ug/L
 Number TICs Found: 2 Detection Limit: 1.00

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
<u>000060-29-7</u>	<u>Ethyl ether</u>	<u>7.40</u>	<u>21.5</u>	<u>86</u>
<u>NA</u>	<u>Unknown hydrocarbon</u>	<u>9.86</u>	<u>1.50</u>	<u>NA</u>



VOLATILE ORGANICS ANALYSIS DATA SHEET
ELS SAMPLE NO. 554992
TENTATIVELY IDENTIFIED COMPOUNDS


Lab Name: Environmental Lab Services Project: 245666 Client ID: MW-8S
Lab Code: 11375 Case No. _____ SAS No. _____ Lab Sample ID: 554992
Sample Wt/Vol : 5 (g/ml) ml Lab File ID: 083111.D
Level: (low/med) _____ Date Received: 8/26/10
% Moisture: NA decanted: (Y/N) N Date Extracted: NA
Concentrated Extract Volume: NA (uL) Date Analyzed: 8/31/10
Injection Volume: NA (uL) Dilution Factor: 1X
GPC CLEANUP: (Y/N) N pH: _____ CONCENTRATION UNITS:
(ug/L or mg/kg) ug/L
Number TICs Found: 0 Detection Limit: 1.00

CAS NUMBER

COMPOUND NAME

RT EST. CONC. Q


No Library Search Volatiles Found.



VOLATILE ORGANICS ANALYSIS DATA SHEET
ELS SAMPLE NO. 554993
TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: Environmental Lab Services Project: 245666 Client ID: MW-9S
Lab Code: 11375 Case No. _____ SAS No. _____ Lab Sample ID: 554993
Sample Wt/Vol : 5 (g/ml) ml Lab File ID: 083112.D
Level: (low/med) _____ Date Received: 8/26/10
% Moisture: NA decanted: (Y/N) N Date Extracted: NA
Concentrated Extract Volume: NA (uL) Date Analyzed: 8/31/10
Injection Volume: NA (uL) Dilution Factor: 1X
GPC CLEANUP: (Y/N) N pH: _____ CONCENTRATION UNITS:
(ug/L or mg/kg) ug/L
Number TICs Found: 1 Detection Limit: 1.00

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
<u>000060-29-7</u>	<u>Ethyl ether</u>	<u>7.39</u>	<u>5.70</u>	<u>86</u>



VOLATILE ORGANICS ANALYSIS DATA SHEET
ELS SAMPLE NO. 554994
TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: Environmental Lab Services Project: 245666 Client ID: MW-13
Lab Code: 11375 Case No. SAS No. Lab Sample ID: 554994
Sample Wt/Vol : 5 (g/ml) ml Lab File ID: 083113.D
Level: (low/med) Date Received: 8/26/10
% Moisture: NA decanted: (Y/N) N Date Extracted: NA
Concentrated Extract Volume: NA (uL) Date Analyzed: 8/31/10
Injection Volume: NA (uL) Dilution Factor: 1X
GPC CLEANUP: (Y/N) N pH: CONCENTRATION UNITS:
 (ug/L or mg/kg) ug/L
Number TICs Found: 1 Detection Limit: 1.00


CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
<u>000060-29-7</u>	<u>Ethyl ether</u>	<u>7.40</u>	<u>4.10</u>	<u>80</u>



VOLATILE ORGANICS ANALYSIS DATA SHEET
HLS SAMPLE NO. 554995
TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: Environmental Lab Services Project: 245666 Client ID: MW-14
Lab Code: 11375 Case No. SAS No. Lab Sample ID: 554995
Sample Wt/Vol : 5 (g/ml) ml Lab File ID: 083114.D
Level: (low/med) Date Received: 8/26/10
% Moisture: NA decanted: (Y/N) N Date Extracted: NA
Concentrated Extract Volume: NA (uL) Date Analyzed: 8/31/10
Injection Volume: NA (uL) Dilution Factor: 1X
GPC CLEANUP: (Y/N) N pH: CONCENTRATION UNITS:
 (ug/L or mg/kg) ug/L
Number TICs Found: 1 Detection Limit: 1.00

CAS NUMBER	COMPOUND NAME	RT	BST. CONC.	Q
<u>000060-29-7</u>	<u>Ethyl ether</u>	<u>7.40</u>	<u>2.10</u>	<u>72</u>



VOLATILE ORGANICS ANALYSIS DATA SHEET
 ELS SAMPLE NO. 554996
 TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: Environmental Lab Services Project: 245666 Client ID: MW-15
 Lab Code: 11375 Case No. _____ SAS No. _____ Lab Sample ID: 554996
 Sample Wt/Vol : 5 (g/ml) ml Lab File ID: 083115.D
 Level: (low/med) _____ Date Received: 8/26/10
 % Moisture: NA decanted: (Y/N) N Date Extracted: NA
 Concentrated Extract Volume: NA (uL) Date Analyzed: 9/1/10
 Injection Volume: NA (uL) Dilution Factor: 1X
 GPC CLEANUP: (Y/N) N pH: _____ CONCENTRATION UNITS:
 (ug/L or mg/kg) ug/L
 Number TICs Found: 1 Detection Limit: 1.00

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
<u>000060-29-7</u>	<u>Ethyl ether</u>	<u>7.40</u>	<u>10.1</u>	<u>80</u>



VOLATILE ORGANICS ANALYSIS DATA SHEET

ELS SAMPLE NO. 554997

TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: Environmental Lab Services Project: 245666 Client ID: MW-16

Lab Code: 11375 Case No. _____ SAS No. _____ Lab Sample ID: 554997

Sample Wt/Vol : 5 (g/ml) ml

Lab File ID: 083116.D

Level: (low/med)

Date Received: 8/26/10

% Moisture: NA decanted: (Y/N) N

Date Extracted: NA

Concentrated Extract Volume: NA (uL)

Date Analyzed: 9/1/10

Injection Volume: NA (uL)

Dilution Factor: 1X

GPC CLEANUP: (Y/N) N pH:

CONCENTRATION UNITS:
(ug/L or mg/kg) ug/L

Number TICs Found: 3

Detection Limit: 1.00

CAS NUMBER

COMPOUND NAME

RT	EST. CONC.	Q
----	------------	---

000060-29-7

Ethyl ether

7.40

17.3

86

NA

Unknown hydrocarbon

7.54

1.0

NA


NA

Unknown alkane

22.06

1.0

NA



VOLATILE ORGANICS ANALYSIS DATA SHEET
 ELS SAMPLE NO. 554998
 TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: Environmental Lab Services Project: 245666 Client ID: MW-17
 Lab Code: 11375 Case No. _____ SAS No. _____ Lab Sample ID: 554998
 Sample Wt/Vol : 5 (g/ml) ml Lab File ID: 083117.D
 Level: (low/med) _____ Date Received: 8/26/10
 % Moisture: NA decanted: (Y/N) N Date Extracted: NA
 Concentrated Extract Volume: NA (uL) Date Analyzed: 9/1/10
 Injection Volume: NA (uL) Dilution Factor: 1X
 GPC CLEANUP: (Y/N) N pH: _____ CONCENTRATION UNITS:
 (ug/L or mg/kg) ug/L
 Number TICs Found: 4 Detection Limit: 1.00

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
<u>000060-29-7</u>	<u>Ethyl ether</u>	<u>7.40</u>	<u>20.4</u>	<u>86</u>
<u>NA</u>	<u>Unknown hydrocarbon</u>	<u>20.86</u>	<u>1.10</u>	<u>NA</u>
<u>NA</u>	<u>Unknown alkane</u>	<u>22.06</u>	<u>2.70</u>	<u>NA</u>
<u>NA</u>	<u>Substituted benzene</u>	<u>22.39</u>	<u>1.60</u>	<u>NA</u>



VOLATILE ORGANICS ANALYSIS DATA SHEET
 ELS SAMPLE NO. 554999
 TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: Environmental Lab Services Project: 245666 Client ID: MW-18
 Lab Code: 11375 Case No. _____ SAS No. _____ Lab Sample ID: 554999
 Sample Wt/Vol : 5 (g/ml) ml Lab File ID: 083118.D
 Level: (low/med) _____ Date Received: 8/26/10
 % Moisture: NA decanted: (Y/N) N Date Extracted: NA
 Concentrated Extract Volume: NA (uL) Date Analyzed: 9/1/10
 Injection Volume: NA (uL) Dilution Factor: 1X
 GPC CLEANUP: (Y/N) N pH: _____ CONCENTRATION UNITS:
 (ug/L or mg/kg) ug/L
 Number TICs Found: 1 Detection Limit: 1.00

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
<u>000060-29-7</u>	<u>Ethyl ether</u>	<u>7.40</u>	<u>6.30</u>	<u>80</u>



VOLATILE ORGANICS ANALYSIS DATA SHEET
 ELS SAMPLE NO. 555000
 TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: Environmental Lab Services Project: 245666 Client ID: MW-19
 Lab Code: 11375 Case No. _____ SAS No. _____ Lab Sample ID: 555000
 Sample Wt/Vol : 5 (g/ml) ml Lab File ID: 083119.D
 Level: (low/med) _____ Date Received: 8/26/10
 % Moisture: NA decanted: (Y/N) N Date Extracted: NA
 Concentrated Extract Volume: NA (uL) Date Analyzed: 9/1/10
 Injection Volume: NA (uL) Dilution Factor: 1X
 GPC CLEANUP: (Y/N) N pH: _____ CONCENTRATION UNITS:
 (ug/L or mg/kg) ug/L
 Number TICs Found: 1 Detection Limit: 1.00

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
<u>000060-29-7</u>	<u>Ethyl ether</u>	<u>7.40</u>	<u>6.80</u>	<u>80</u>



VOLATILE ORGANICS ANALYSIS DATA SHEET
ELS SAMPLE NO. 555001
TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: Environmental Lab Services Project: 245666 Client ID: FIELD DUP

Lab Code: 11375 Case No. SAS No. Lab Sample ID: 555001

Sample Wt/Vol : 5 (g/ml) ml

Lab File ID: 083120.D

Level: (low/med)

Date Received: 8/26/10

% Moisture: NA decanted: (Y/N) N

Date Extracted: NA

Concentrated Extract Volume: NA (uL)

Date Analyzed: 9/1/10

Injection Volume: NA (uL)

Dilution Factor: 1X

GPC CLEANUP: (Y/N) N pH:

CONCENTRATION UNITS:
(ug/L or mg/kg) ug/L

Number TICs Found: 0

Detection Limit: 1.00

CAS NUMBER

COMPOUND NAME

RT

EST. CONC.

Q

No Library Search Volatiles Found.



245666

DEC Contact Information										DEC Spill Information																	
Company: NYSDEC Region 4					Contact: Vivek Nattam					SPILL NO: 82-8012																	
Address: 625 Broadway					City/State: Albany, NY 12233					SPILL NO: NA																	
Phone: (518) 402-9814					Fax: (518) 402-9819					Email: hwamer@cw.dec.state.ny.us																	
Spill Contractor Contact Information										Site Address																	
Company: GES					Contact: Kenneth Hubbard					Trimmer Road																	
Address: 300 Gateway Park Drive					City/State: N. Syracuse, NY 13212					Panna, NY																	
Phone: 800-220-3069 ext 4063					Fax: 315 452 3237					Email: khubbard@gesonline.com																	
Turn Around Time		Matrix Codes		Remarks/Special Instructions		Container Type/Preservative										Analysis Requested											
<input type="checkbox"/> 24 Hour <input type="checkbox"/> 72 Hour <input checked="" type="checkbox"/> 10 Work Day <input type="checkbox"/> 30 Day		DW: Drinking Water GW: Ground Water OL: Oil PC: Paint Chips PR: Product SD: Soil/Sludge/Solid SW: Surface Water WW: Waste Water WP: Wipe		Normal TAT Fax results DEC Mail original report to DEC Mail copy of report to GES e-mail results to K. Hubbard (GES) GES PO NUMBER 08-02278		Plastic / No Preservatives Plastic / HNO ₃ Plastic / H ₂ SO ₄ Plastic / NaOH / As ₂ O ₃ Plastic / NaOH / Na ₂ SO ₃ Glass / No Preservatives Glass / H ₂ SO ₄ VOA / H ₂ O Other:										8260 (See Attached Compound List) Trichlorofluoromethane Acetone Vinyl Acetate 4-Methyl-2-pentanone 2-Hexanone 10 TICS											
EDS Use Only	Date	Time	Comp	Grb	MDX	Sampling Location/Sample ID	Number of Containers	Plastic / No Preservatives	Plastic / HNO ₃	Plastic / H ₂ SO ₄	Plastic / NaOH / As ₂ O ₃	Plastic / NaOH / Na ₂ SO ₃	Glass / No Preservatives	Glass / H ₂ SO ₄	VOA / H ₂ O	Other	8260 (See Attached Compound List)	Trichlorofluoromethane	Acetone	Vinyl Acetate	4-Methyl-2-pentanone	2-Hexanone	10 TICS				
✓	8/25/10	12:40				MW-4s	2								x		x	x	x	x	x	x	x				
	9910	13:00				MW-5s	2								x		x	x	x	x	x	x	x				
	9911	13:45				MW-6s	2								x		x	x	x	x	x	x	x				
	9912	10:40				MW-8s	2								x		x	x	x	x	x	x	x				
	9913	11:15				MW-9s	2								x		x	x	x	x	x	x	x				
	9914	11:10				MW-13	2								x		x	x	x	x	x	x	x				
	9915	12:05				MW-14	2								x		x	x	x	x	x	x	x				
	9916	11:35				MW-15	2								x		x	x	x	x	x	x	x				
	9917	13:25				MW-16	2								x		x	x	x	x	x	x	x				
	9918	13:35				MW-17	2								x		x	x	x	x	x	x	x				
	9919	11:00				MW-18	2								x		x	x	x	x	x	x	x				
	9920	11:50				MW-19	2								x		x	x	x	x	x	x	x				
	001	12:45				Field DUP	2								x		x	x	x	x	x	x	x				
	002	13:08				MW-5s MS	2								x		x	x	x	x	x	x	x				
	003	13:00				MW-5s MSD	2								x		x	x	x	x	x	x	x				
Relinquished By: [Signature]						Date: 8/25/10	Time: 16:25	Received By: [Signature]										Date: 8/26/10	Time: 07:00								
Relinquished By: [Signature]						Date: 8/26/10	Time: 14:25	Received By: [Signature]										Date: 8/26/10	Time: 2:25								
Relinquished By: [Signature]						Date: 8/26/10	Time: 2:40p	Received By: [Signature]										Date: 8/26/10	Time: 1:44p								
Sampler Signature: [Signature]						Date: []	Time: []	Sample Received Temperature: 10										Sample Received in Good Condition: Yes/No									

SEE ATTACHED COMPOUND LIST

2278.06.206