


EMPIRE **GEO** SERVICES, INC.



☐ **CORPORATE/
BUFFALO OFFICE**
5167 South Park Avenue
Hamburg, NY 14075
Phone: (716) 649-8110
Fax: (716) 649-8051

☐ **ALBANY OFFICE**
PO Box 2199
Ballston Spa, NY 12020

5 Knabner Road
Mechanicville, NY 12118
Phone: (518) 889-7491
(518) 889-7496

☐ **CORTLAND OFFICE**
60 Miller Street
Cortland, NY 13045
Phone: (607) 758-7182
Fax: (607) 758-7188

☐ **CUBA OFFICE**
39 Water Street
PO Box 274
Cuba, NY 14727
Phone: (585) 968-9686
Fax: (585) 968-9688

☒ **ROCHESTER OFFICE**
535 Summit Point Drive
Henrietta, NY 14467
Phone: (585) 359-2730
Fax: (585) 359-9668

☐ **SYRACUSE OFFICE**
6730 Myers Road
East Syracuse, NY 13057
Phone: (315) 437-3890
Fax: (315) 437-3582

September 18, 2006

Mr. Ed Hampston
NYS Department of Environmental Conservation
Division of Environmental Remediation
625 Broadway, 12th Floor
Albany, New York 12233-7013

**Subject: DRAFT – Soil Removal Report
Luster-Coate Metallizing Corporation
32 East Buffalo Street
Village of Churchville, Monroe County, New York
NYSDEC Site No. 828113**

Dear Mr. Hampston:

Empire Geo-Services, Inc. (Empire) has prepared this draft report presenting the results of polychlorinated biphenyl (PCB)-contaminated soil removal activities conducted at the above-referenced site. The soil removal was conducted in accordance with Empire's work plan dated February 6, 2006. The goal of the soil removal was to excavate and dispose of soil with PCB concentrations greater than 1,000 parts per billion (ppb; equivalent to 1 milligram per kilogram [mg/kg]).

Figure 1 is a site layout map. Figure 2 depicts the areas where soil removal was proposed. The removal areas were based on soil sampling locations where PCB concentrations in soil exceeded 1,000 ppb, as summarized in Empire's February 2006 work plan. In addition to the Luster Coate property, PCB-contaminated soil was present on residential properties located at 34, 36, and 40 East Buffalo Street.

Site activities were initiated on May 24, 2006. The soil removal consisted of three main components:

- Soil removal and confirmation sampling
- Air monitoring
- Site restoration

Soil removal was completed on June 26, 2006. Air monitoring was conducted from May 24 through June 30, 2006. Miscellaneous site restoration activities were completed by September 7, 2006. These activities are described in detail in the following sections.

SOIL REMOVAL AND CONFIRMATION SAMPLING

Soil removal was initiated on May 24, 2006 and continued through June 26, 2006. Per NYSDEC, no soil removal was done in Excavation Areas 1, 2, or 3 (see Figure 2). Also, per NYSDEC, no excavation was performed in areas covered by concrete, asphalt, or structures.

Figure 3 indicates the approximate areas of actual soil removal. The soil removal areas shown in Figure 3 have been assigned new designations, to more clearly reflect the four individual, contiguous areas where soil removal was performed. The procedure for the soil removal was:

- Excavating the anticipated areal extent and depth of impacted soil (PCB concentration greater than 1,000 ppb)
- Collecting one composite confirmatory sample from each individual 30 foot long segment of sidewall
- Collecting a composite confirmation floor sample representing up to 900 square feet of floor area
- If the PCB concentration in a sidewall or floor confirmation sample exceeded 1,000 ppb, additional excavation and confirmation sampling was performed.

All confirmation samples were transported to Upstate Laboratory, Inc. (Upstate), in Syracuse, New York, for analysis of PCB concentration by EPA Method 8082. The laboratory analytical data packages provided by Upstate are included in Attachment A. An ASP Category B deliverable package was also prepared by Upstate. This deliverable package was forwarded directly to NYSDEC, and is not included in this report.

During the course of the soil removal, many confirmation samples with PCB concentrations greater than 1,000 ppb were collected. These sample results are included in the laboratory analytical data package in Attachment A. In all instances where confirmation sample PCB concentrations exceeded 1,000 ppb, additional soil removal and sampling was performed until the PCB concentration was less

than 1,000 ppb. Therefore, confirmation samples with concentrations greater than 1,000 ppb are not discussed further in this report.

Confirmation samples with PCB concentrations less than 1,000 ppb are summarized in Tables 1 through 4. A discussion of the individual soil removal areas shown in Figure 3 is presented in the following paragraphs.

Excavation Area A

This area is located on the south property line of the Luster Coate facility, at the north property lines of 34 and 36 East Buffalo Street. Soil removal and confirmation sampling in this area took place between May 24 and June 26, 2006. The excavation area and sample results are depicted in Figure 4. The laboratory analytical results are summarized in Table 1. A total of four sidewall samples and two floor confirmation samples define the remediated boundaries of the excavation. PCB concentrations in the confirmation samples ranged between 40 and 620 ppb. Sidewall confirmation samples were not collected adjacent to the Luster Coate concrete sidewalk.

Excavation Area B

This area is located west of the Luster Coate driveway and extends on to the 36 East Buffalo Street property. Soil removal and confirmation sampling in this area took place between June 9 and June 29, 2006. The excavation area and sample results are depicted in Figure 5. The laboratory analytical results are summarized in Table 2. A total of 10 sidewall samples (including one duplicate) and five floor confirmation samples define the remediated boundaries of the excavation. PCB concentrations in the confirmation samples ranged between 120 and 1,000 ppb. Sidewall confirmation samples were not collected adjacent to the sidewalk to the south, the Luster Coate driveway to the east, or the asphalt area to the north.

Excavation Area C

This area is located east of the Luster Coate driveway and extends on to the 40 East Buffalo Street property. Soil removal and confirmation sampling in this area took place between May 30 and June 14, 2006. The excavation area and sample results are depicted in Figure 6. The laboratory analytical results are summarized in Table 3. A total of nine sidewall samples and four floor confirmation

samples define the remediated boundaries of the excavation. PCB concentrations in the confirmation samples ranged between zero and 530 ppb. Sidewall confirmation samples were not collected along the north and south sides of either of the two garages located in the removal area, or along the Luster Coate driveway to the west.

Excavation Area D

This area is located east of the Luster Coate driveway and south of the 40 East Buffalo Street driveway. Soil removal and confirmation sampling in this area took place between June 1 and June 9, 2006. The excavation area and sample results are depicted in Figure 7. The laboratory analytical results are summarized in Table 4. A total of three sidewall samples and one floor confirmation samples define the remediated boundaries of the excavation. PCB concentrations in the confirmation samples ranged between zero and 410 ppb. No sidewall confirmation sample was collected along the Luster Coate driveway to the west.

Summary

Soil removal was performed in four discrete areas of the site. A total of 26 sidewall and 12 floor confirmation samples were collected with PCB-concentrations of 1,000 ppb or less. In all instances where a confirmation sample had a PCB concentration greater than 1,000 ppb, additional soil was excavated and confirmation sampling performed until the PCB concentration was reduced to 1,000 ppb or less.

A total of approximately 700 tons of non-hazardous PCB-contaminated soil were removed from the site. This waste was transported to Waste Management's Mill Seat Landfill in Bergen, New York, for disposal. Copies of the disposal manifests are included in Attachment B.

A total of approximately 80 tons classified as TSCA hazardous waste due to PCB concentrations greater than 50 mg/kg (50,000 ppb) were removed from the site. This material was removed from a portion of Excavation Area B. The approximate extent of this material is depicted on Figure 2 in Excavation Area 7. This waste was hauled to Waste Management's Model City Landfill in Model City, New York, for disposal. Copies of the disposal manifests are included in Attachment C.

AIR MONITORING

Air monitoring was conducted in accordance with the New York State Department of Health's Generic Community Air Monitoring Plan (CAMP). Monitoring of volatile organic compound (VOC) concentrations in air was performed using two RAE Systems MiniRAE 2000 photoionization detectors (PID) with data logging capabilities. Monitoring of airborne particulate concentrations was performed using two TSI DustTrak Model 8520 Aerosol Monitors with data logging capabilities. Monitoring was performed at any time soil removal or excavation backfilling was being conducted, except on days where rainfall would naturally mitigate VOC vapors or particulates in the air. If visible dust was evident, a water spray was used to wet the dust source and reduce airborne particulate concentrations to meet the CAMP requirements.

The monitors were generally set up on the east and west sides of the area in which soil removal or backfilling activities were being performed. As soil removal progressed over time, the monitors were relocated in an effort to most accurately reflect VOC and particulate concentrations in the air. The data logging capabilities of both meters were utilized to collect data. Airborne VOC concentrations were recorded by the PIDs at five minute intervals. Airborne particulate concentrations were recorded by the aerosol monitors at one minute intervals. The VOC and particulate concentration readings are presented in Attachment D. Due to the large volume of data generated by the aerosol monitors, only the daily particulate concentration statistics are presented in Attachment D. A comprehensive record of the concentrations recorded by the aerosol monitors can be provided upon request. Empire also manually recorded the instrument readings throughout the project. The manual measurements were used as backup in case the instrument data logging failed. Manual measurements collected during the project are included in Attachment D.

The only day during which persistent, elevated VOC concentrations were detected was June 2, 2006. On this date, a former gasoline underground storage tank was removed from the property at 40 East Buffalo Street. Petroleum-contaminated soils exposed at the surface were kept covered with plastic or sand to reduce VOC concentrations in the air. A water spray was also utilized to mitigate VOC vapors in the air. Air monitoring for VOC concentrations was discontinued on June 22, 2006.

A water spray was utilized on roadways and soil removal areas throughout the project to minimize airborne particulates and visible dust. Persistent, elevated particulate concentrations and visible dust were generally not present during the project. The average daily particulate concentrations were less

than 0.150 milligrams per cubic meter (mg/m³) on each day of monitoring. Average daily particulate concentration exceeded 0.100 mg/m³ only on May 31 (east and west monitors), June 1 (east and west monitors), and June 7 (east monitor). Average daily particulate concentrations were otherwise generally less than 0.050 mg/m³. Monitoring for airborne particulate concentrations was discontinued on July 6, 2006.

SITE RESTORATION

The majority of the site restoration consisted of backfilling excavated areas. Clean sand fill was used to backfill all excavations to a depth of about 1 foot below the previously existing ground surface. About 556 tons of sand backfill was used. The sand backfill was obtained from Elam Sand and Gravel in West Bloomfield, New York. Screened topsoil was placed above the sand backfill to reestablish the grade that existed prior to the soil removal. About 150 tons of topsoil was placed over excavated areas. The topsoil was obtained from American Green Landscape in Spencerport, New York. Other significant site restoration activities conducted at the affected properties are described below:

32 East Buffalo Street (Luster Coate) - Excavated areas were seeded and watered to restore grass.


34 East Buffalo Street - Excavated areas were seeded and watered to restore grass. A board fence was installed along the length of the north property line as replacement for trees taken down during soil removal activities.

36 East Buffalo Street – Sod was placed on excavated areas to restore grass. A chain link fence along the northeast property line, and a portion of a board fence along the north property line were reinstalled. The fences had been taken down to facilitate soil removal. The asphalt driveway was leveled and covered with new asphalt topcoat to repair damage from trucks and machinery. Six garden plants removed during excavation were replaced.

40 East Buffalo Street - Excavated areas were seeded and watered to restore grass. A buried electrical wire between two sheds was replaced after the existing wire was damaged. Minor trim damage to site sheds was repaired. A portion of the asphalt driveway was leveled and covered with new asphalt topcoat to repair damage from trucks and machinery.

We hope this information meets your needs. If you have any questions, please call me at (585) 359-2730.

Sincerely,



Greg Young
Project Manager

Figures

Figure 1	Site Layout Map
Figure 2	Proposed Excavation Areas
Figure 3	Final Excavation Areas
Figure 4	Excavation Area A Summary
Figure 5	Excavation Area B Summary
Figure 6	Excavation Area C Summary
Figure 7	Excavation Area D Summary



Tables

Table 1	Summary of PCB Concentrations in Soil – Excavation Area A
Table 2	Summary of PCB Concentrations in Soil – Excavation Area B
Table 3	Summary of PCB Concentrations in Soil – Excavation Area C
Table 4	Summary of PCB Concentrations in Soil – Excavation Area D


Attachments

Attachment A	Laboratory Analytical Data
Attachment B	Non-hazardous Waste Disposal Manifests
Attachment C	Hazardous Waste Disposal Manifests
Attachment D	Air Monitoring Data

FIGURES



EMPIREGEO SERVICES INC a subsidiary of SJB Services, Inc.	LUSTER COATE METALLIZING SITE		
	SITE PLAN	DR BY: YD CHKD BY:	SCALE: 1"=40' DATE: 12/02/05
		PROJ NO.:	FIGURE NO: 1



Note: Red shading indicates the approximate boundaries of soil with PCB concentrations greater than 50 parts per million

EMPIREGEO
SERVICES INC.
a subsidiary of SJB Services, Inc.

**LUSTER COATE
METALLIZING SITE**

**PROPOSED
EXCAVATION AREAS**

DR BY: YD



SCALE: 1"=40'

PROJ NO.:

CHKD BY:

DATE: 12/02/05

FIGURE NO: 2



EMPIRE**GEO**
SERVICES INC.
a subsidiary of SJB Services, Inc.


LUSTER COATE METALLIZING SITE

FINAL
EXCAVATION AREAS

DR BY: YD
CHKD BY:

SCALE: 1"=40'
DATE: 12/02/05

PROJ NO.:
FIGURE NO: 3



LEGEND

- CS-3 (100 ppb) ▲ Floor sample location, identification, and PCB concentration
- CS-1 (120 ppb) ● Side wall sample location, identification, and PCB concentration
- × Side wall sample not collected due to presence of asphalt, concrete, or a structure
- Boundary between samples
- ppb parts per billion

EMPIREGEO
SERVICES INC
a subsidiary of SJ8 Services, Inc.

LUSTER COATE METALLIZING SITE

EXCAVATION AREA A

DR BY: JM


SCALE: 1"=10'

PROJ NO.:

CHKD BY:

DATE: 9/13/06

FIGURE NO: 4



LEGEND

- CS-55 (490 ppb) ▲ Floor sample location, identification, and PCB concentration
- CS-40 (330 ppb) ● Side wall sample location, identification, and PCB concentration
- × Side wall sample not collected due to presence of asphalt, concrete, or a structure
- - - - Boundary between samples
- ppb parts per billion

EMPIREGEO
SERVICES INC
a subsidiary of SJB Services, Inc.

EXCAVATION AREA B

LUSTER COATE METALLIZING SITE

DR BY: JM


CHKD BY:

SCALE: 1"=30'

DATE: 9/13/06


PROJ NO.:

FIGURE NO: 5



LEGEND

- CS-33 (200 ppb) ▲ Floor sample location, identification, and PCB concentration
- CS-45 (0 ppb) ● Side wall sample location, identification, and PCB concentration
- × Side wall sample not collected due to presence of asphalt, concrete, or a structure
- - - Boundary between samples
- ppb parts per billion



EMPIREGEO
SERVICES INC
a subsidiary of SJB Services, Inc.


**LUSTER COATE
METALLIZING SITE**

EXCAVATION AREA C

DR BY: JM
CHKD BY:

SCALE: 1"=20'
DATE: 9/13/06

PROJ NO.:
FIGURE NO: 6



LEGEND

CS-26 (100 ppb) ▲ Floor sample location, identification, and PCB concentration

CS-31 (150 ppb) ● Side wall sample location, identification, and PCB concentration

× Side wall sample not collected due to presence of asphalt, concrete, or a structure

--- Boundary between samples

ppb parts per billion

EMPIREGEO
SERVICES INC.
a subsidiary of SJB Services, Inc.

LUSTER COATE METALLIZING SITE

EXCAVATION AREA D

DR BY: JM

SCALE: 1"=4'

PROJ NO.:

CHKD BY:

DATE: 9/13/06

FIGURE NO: 7

TABLES

TABLE 1
SUMMARY OF PCB CONCENTRATIONS IN SOIL
EXCAVATION AREA A
Luster Coate Metallizing Site 828113
East Buffalo Street
Churchville, New York

	East Wall	South Wall		West Wall	Floor	
Sample ID:	CS-60	CS-2	CS-61	CS-1	CS-3	CS-43
Date:	06/26/06	05/24/06	06/26/06	05/24/06	05/24/06	06/08/06
PCB Aroclor						
1016	ND	ND	ND	ND	ND	ND
1221	ND	ND	ND	ND	ND	ND
1232	ND	ND	ND	ND	ND	ND
1242	ND	ND	ND	ND	ND	ND
1248	200	590	200	ND	100	ND
1254	ND	ND	ND	100	ND	40
1260	ND	30	ND	20	ND	ND
Total PCBs	200	620	200	120	100	40

NOTES:

- 1) All samples analyzed by SW8082
- 2) All concentrations are presented in parts per billion
- 3) Only final confirmation samples are shown
- 4) ND denotes not detected at the reporting limit
- 5) J denotes analyte detected below quantitation limits

TABLE 2
SUMMARY OF PCB CONCENTRATIONS IN SOIL
EXCAVATION AREA B
Luster Coate Metallizing Site 828113
East Buffalo Street
Churchville, New York

	South Wall	West Wall								
Sample ID:	CS-47	CS-38	CS-39	CS-40	CS-46	CS-53	CS-54	CS-57	CS-63	CS-63 DUP
Date:	06/09/06	06/08/06	06/08/06	06/08/06	06/09/06	06/21/06	06/21/06	06/21/06	06/29/06	06/29/06
PCB Aroclor										
1016	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1221	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1232	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1242	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1248	ND	ND	ND	ND	ND	300	100	530	570	660
1254	980	100	400	300	200	ND	ND	ND	ND	ND
1260	ND	20	30	30	ND	ND	ND	ND	ND	ND
Total PCBs	980	120	430	330	200	300	100	530	570	660

	Floor				
Sample ID:	CS-49	CS-49 DUP	CS-48	CS-56	CS-55
Date:	06/12/06	06/12/06	06/09/06	06/21/06	06/21/06
PCB Aroclor					
1016	ND	ND	ND	ND	ND
1221	ND	ND	ND	ND	ND
1232	ND	ND	ND	ND	ND
1242	ND	ND	ND	ND	ND
1248	1,000	910	ND	590	490
1254	ND	ND	540	ND	ND
1260	ND	ND	ND	ND	ND
Total PCBs	1,000	910	540	590	490

NOTES:

- 1) All samples analyzed by SW8082
- 2) All concentrations are presented in parts per billion
- 3) Only final confirmation samples are shown
- 4) ND denotes not detected at the reporting limit
- 5) J denotes analyte detected below quantitation limits

TABLE 3
SUMMARY OF PCB CONCENTRATIONS IN SOIL
EXCAVATION AREA C
Luster Coate Metallizing Site 828113
East Buffalo Street
Churchville, New York

	East Wall							
Sample ID:	CS-12	CS-13	CS-15	CS-16	CS-18	CS-20	CS-21	CS-22
Date:	05/30/06	05/30/06	05/31/06	05/31/06	06/01/06	06/01/06	06/01/06	06/01/06
PCB Aroclor								
1016	ND	ND	ND	ND	ND	ND	ND	ND
1221	ND	ND	ND	ND	ND	ND	ND	ND
1232	ND	ND	ND	ND	ND	ND	ND	ND
1242	ND	ND	ND	ND	ND	ND	ND	ND
1248	70	100	200	200	ND	ND	ND	ND
1254	ND	ND	ND	ND	100	100	530	300
1260	10	20	10	20	ND	ND	ND	ND
Total PCBs	80	120	210	220	100	100	530	300

	South Wall	Floor			
Sample ID:	CS-45	CS-27	CS-33	CS-50	CS-51
Date:	06/09/06	06/05/06	06/07/06	06/14/06	06/14/06
PCB Aroclor					
1016	ND	ND	ND	ND	ND
1221	ND	ND	ND	ND	ND
1232	ND	ND	ND	ND	ND
1242	ND	ND	ND	ND	ND
1248	ND	ND	200	ND	ND
1254	ND	30	ND	100	200
1260	ND	ND	ND	ND	ND
Total PCBs	ND	30	200	100	200

NOTES:

- 1) All samples analyzed by SW8082
- 2) All concentrations are presented in parts per billion
- 3) Only final confirmation samples are shown
- 4) ND denotes not detected at the reporting limit
- 5) J denotes analyte detected below quantitation limits

TABLE 4
SUMMARY OF PCB CONCENTRATIONS IN SOIL
EXCAVATION AREA D
Luster Coate Metallizing Site 828113
East Buffalo Street
Churchville, New York

	North Wall	East Wall	South Wall	Floor
Sample ID:	CS-44	CS-24	CS-31	CS-26
Date:	06/09/06	06/01/06	06/06/06	06/01/06
PCB Aroclor				
1016	ND	ND	ND	ND
1221	ND	ND	ND	ND
1232	ND	ND	ND	ND
1242	ND	ND	ND	ND
1248	ND	ND	ND	ND
1254	ND	410	150	100
1260	ND	ND	ND	ND
Total PCBs	ND	410	150	100

NOTES:

- 1) All samples analyzed by SW8082
- 2) All concentrations are presented in parts per billion
- 3) Only final confirmation samples are shown
- 4) ND denotes not detected at the reporting limit
- 5) J denotes analyte detected below quantitation limits

ATTACHMENT A
Laboratory Analytical Data

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * Fax (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site # 828113

Order No.: U0605435

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 3 sample(s) on 5/24/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.



Anthony J. Scala
President/CEO

✓ CC:
C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8

Client Sample ID: CS-1

Lab Order: U0605435

Collection Date: 5/24/2006 3:40:00 PM

Project: Lustre Coate/Site # 828113

Lab ID: U0605435-001

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1248	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1254	100	370	J	µg/Kg-dry	10	5/30/2006
Aroclor 1260	20	370	J	µg/Kg-dry	10	5/30/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	11.8	0.00100		wt%	1	5/25/2006

Approved By: PF

Date: 6-30-06

Page 1 of 3

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0605435
Project: Lustre Coate/Site # 828113
Lab ID: U0605435-002

Client Sample ID: CS-2
Collection Date: 5/24/2006 3:50:00 PM
Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1248	590	370		µg/Kg-dry	10	5/30/2006
Aroclor 1254	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1260	30	370	J	µg/Kg-dry	10	5/30/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	9.92	0.00100		wt%	1	5/25/2006

Approved By: PF

Date: 6-30-06

Page 2 of 3

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8

Client Sample ID: CS-3 Floor

Lab Order: U0605435

Collection Date: 5/24/2006 4:00:00 PM

Project: Lustre Coate/Site # 828113

Lab ID: U0605435-003

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	350		µg/Kg-dry	10	5/30/2006
Aroclor 1221	ND	350		µg/Kg-dry	10	5/30/2006
Aroclor 1232	ND	350		µg/Kg-dry	10	5/30/2006
Aroclor 1242	ND	350		µg/Kg-dry	10	5/30/2006
Aroclor 1248	100	350	J	µg/Kg-dry	10	5/30/2006
Aroclor 1254	ND	350		µg/Kg-dry	10	5/30/2006
Aroclor 1260	ND	350		µg/Kg-dry	10	5/30/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	6.75	0.00100		wt%	1	5/25/2006

Approved By: PF

Date: 6-30-06

Page 3 of 3

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

6034 Corporate Drive • E. Syracuse, NY 13057-1017
(315) 437 0255 Fax 437 1209

Chain Of Custody Record

ULI Computer Input Form

Client: <u>Central office</u> <u>NYSDDEC</u> <u>Section 8</u>		Client Project # / Project Name <u>Lustre Conte / Site # 828113</u>		No. of Containers		Special Turnaround Time _____ (Lab Notification required)																											
Client Contact: <u>Ed Thompson NYSDDEC</u>		Phone # <u>585 429812</u>		Site Location (city/state) <u>Churchville, NY</u>		Grab or Comp.		ULI Internal Use Only		Remarks																							
Sample Location:		Date		Time		Matrix		Grab or Comp.		ULI Internal Use Only		Remarks																					
CS-1 MS/MSD		5/24/06		1540		Soil		C		-1		① X		② X		③ X		④		⑤		⑥		⑦		⑧		⑨		⑩		ASP Cat B	
CS-2		5/24/06		1550		Soil		C		2		① X		② X		③ X		④		⑤		⑥		⑦		⑧		⑨		⑩		24 hr TAT	
CS-3 Floor		5/24/06		1600		Soil		C		3		① X		② X		③ X		④		⑤		⑥		⑦		⑧		⑨		⑩			
parameter and method		sample bottle:		type		size		pres.		Sampled by: (Please Print)		ULI Internal Use Only Delivery (check one): ☐ ULI Sampled ☐ Pickup ☐ Dropoff ☐ CC																					
1) PCB 8082		G		4oz		none				Gres Young																							
2) 24-hr turnaround; fax										Company: Empire Geo Services																							
3) * results to 585-359-9668 *										Relinquished by: (Signature)		Date		Time		Received by: (Signature)																	
4)										[Signature]		5/24/06		1610		[Signature]																	
5)										Relinquished by: (Signature)		Date		Time		Received by: (Signature)																	
6)										Relinquished by: (Signature)		Date		Time		Received by: (Signature)																	
7)										Relinquished by: (Signature)		Date		Time		Received by: (Signature)																	
8)										Relinquished by: (Signature)		Date		Time		Received by: (Signature)																	
9)										Relinquished by: (Signature)		Date		Time		Received by: (Signature)																	
10)										Relinquished by: (Signature)		Date		Time		Received by: (Signature)																	

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * Fax (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site # 828113

Order No.: U0605450

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 6 sample(s) on 5/25/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.

Anthony J. Scala

Anthony J. Scala

President/CEO

cc:

✓ C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8

Client Sample ID: CS-4

Lab Order: U0605450

Collection Date: 5/25/2006 3:10:00 PM

Project: Lustre Coate/Site # 828113

Lab ID: U0605450-001

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082	(SW3550B)	Analyst: LD		
Aroclor 1016	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1248	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1254	1100	370		µg/Kg-dry	10	5/30/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	5/30/2006
PERCENT MOISTURE		D2216		Analyst: JM		
Percent Moisture	10.7	0.00100		wt%	1	5/26/2006

Approved By: PFDate: 6-30-06

Page 1 of 6

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8

Client Sample ID: CS-5

Lab Order: U0605450

Collection Date: 5/25/2006 3:15:00 PM

Project: Lustre Coate/Site # 828113

Lab ID: U0605450-002

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	360		µg/Kg-dry	10	5/30/2006
Aroclor 1221	ND	360		µg/Kg-dry	10	5/30/2006
Aroclor 1232	ND	360		µg/Kg-dry	10	5/30/2006
Aroclor 1242	ND	360		µg/Kg-dry	10	5/30/2006
Aroclor 1248	ND	360		µg/Kg-dry	10	5/30/2006
Aroclor 1254	1300	360		µg/Kg-dry	10	5/30/2006
Aroclor 1260	ND	360		µg/Kg-dry	10	5/30/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	7.76	0.00100		wt%	1	5/26/2006

Approved By: PFDate: 6-30-06

Page 2 of 6

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0605450
Project: Lustre Coate/Site # 828113
Lab ID: U0605450-003

Client Sample ID: CS-6 Floor
Collection Date: 5/25/2006 3:20:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	360		µg/Kg-dry	10	5/30/2006
Aroclor 1221	ND	360		µg/Kg-dry	10	5/30/2006
Aroclor 1232	ND	360		µg/Kg-dry	10	5/30/2006
Aroclor 1242	ND	360		µg/Kg-dry	10	5/30/2006
Aroclor 1248	ND	360		µg/Kg-dry	10	5/30/2006
Aroclor 1254	2200	360		µg/Kg-dry	10	5/30/2006
Aroclor 1260	ND	360		µg/Kg-dry	10	5/30/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	7.90	0.00100		wt%	1	5/26/2006

Approved By: PFDate: 6-30-06

Page 3 of 6

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0605450
Project: Lustre Coate/Site # 828113
Lab ID: U0605450-004

Client Sample ID: CS-7
Collection Date: 5/25/2006 4:25:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1248	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1254	2900	370		µg/Kg-dry	10	5/30/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	5/30/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	10.9	0.00100		wt%	1	5/26/2006

Approved By: PFDate: 6-30-06

Page 4 of 6

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0605450
Project: Lustre Coate/Site # 828113
Lab ID: U0605450-005

Client Sample ID: CS-8
Collection Date: 5/25/2006 4:30:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1248	1600	370		µg/Kg-dry	10	5/30/2006
Aroclor 1254	1100	370		µg/Kg-dry	10	5/30/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	5/30/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	12.0	0.00100		wt%	1	5/26/2006

Approved By: PFDate: 6-30-06

Page 5 of 6

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0605450
Project: Lustre Coate/Site # 828113
Lab ID: U0605450-006

Client Sample ID: CS-9 Floor
Collection Date: 5/25/2006 4:35:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	400		µg/Kg-dry	10	5/30/2006
Aroclor 1221	ND	400		µg/Kg-dry	10	5/30/2006
Aroclor 1232	ND	400		µg/Kg-dry	10	5/30/2006
Aroclor 1242	ND	400		µg/Kg-dry	10	5/30/2006
Aroclor 1248	1500	400		µg/Kg-dry	10	5/30/2006
Aroclor 1254	1000	400		µg/Kg-dry	10	5/30/2006
Aroclor 1260	ND	400		µg/Kg-dry	10	5/30/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	16.7	0.00100		wt%	1	5/26/2006

Approved By: PF

Date: 6-30-06

Page 6 of 6

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Update Laboratories, Inc.
6034 Corporate Drive • E. Syracuse, NY 13057-1017
(315) 437 0255 Fax 437 1209

Chain Of Custody Record

ULI Computer Input Form

Client: NYSDCL Central Office		Client Project # / Project Name Wester Coate / Site # 828113				No. of Containers	1	2	3	4	5	6	7	8	9	10	Special Turnaround Time _____ (Lab Notification required)
Client Contact: Ed Hampton NYSDCL Greg Young Empire	Phone # 518 402 4842 585 359 2730	Site Location (city/state) Churchville, NY															Remarks
Sample Location:	Date	Time	Matrix	Grab or Comp.	ULI Internal Use Only												
CS-4	5/25/05	1510	So. 1	C	10605450	1	X	X									* ASP Cat B
CS-5		1515				2	X	X									* 24-hr turnaround:
CS-6 Floor		1520				3	X	X									for results to
CS-7		1625				4	X	X									SBS-359.9668
CS-8		1630				5	X	X									Attn Greg Young
CS-9 Floor		1635				6	X	X									

parameter and method	sample bottle:	type	size	pres.	Sampled by: (Please Print) Greg Young	ULI Internal Use Only Delivery (check one): ☐ ULI Sampled ☐ Pickup ☐ Dropoff ☐ CO	
1) PCB 8082		Glass	4oz	None	Company: Empire Laboratories	Relinquished by: (Signature) Greg Young	Date 5/25/05
2) (So Moisture)	5/25/05					Time 1640	Received by: (Signature) Louis R...
3)							
4)							
5)							
6)							
7)							
8)							
9)							
10)							

Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * Fax (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site #828113

Order No.: U0605481

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 6 sample(s) on 5/30/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.


Anthony J. Scala
President/CEO

✓cc:
C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0605481
Project: Lustre Coate/Site #828113
Lab ID: U0605481-001

Client Sample ID: CS-10
Collection Date: 5/30/2006 11:05:00 AM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	3700		µg/Kg-dry	100	6/1/2006
Aroclor 1221	ND	3700		µg/Kg-dry	100	6/1/2006
Aroclor 1232	ND	3700		µg/Kg-dry	100	6/1/2006
Aroclor 1242	ND	3700		µg/Kg-dry	100	6/1/2006
Aroclor 1248	3000	3700	J	µg/Kg-dry	100	6/1/2006
Aroclor 1254	ND	3700		µg/Kg-dry	100	6/1/2006
Aroclor 1260	300	3700	J	µg/Kg-dry	100	6/1/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	11.3	0.00100		wt%	1	5/31/2006

Approved By: PFDate: 6-30-06

Page 1 of 6

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0605481
Project: Lustre Coate/Site #828113
Lab ID: U0605481-002

Client Sample ID: CS-10 Dup
Collection Date: 5/30/2006 11:05:00 AM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	3700		µg/Kg-dry	100	6/1/2006
Aroclor 1221	ND	3700		µg/Kg-dry	100	6/1/2006
Aroclor 1232	ND	3700		µg/Kg-dry	100	6/1/2006
Aroclor 1242	ND	3700		µg/Kg-dry	100	6/1/2006
Aroclor 1248	3000	3700	J	µg/Kg-dry	100	6/1/2006
Aroclor 1254	ND	3700		µg/Kg-dry	100	6/1/2006
Aroclor 1260	200	3700	J	µg/Kg-dry	100	6/1/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	11.0	0.00100		wt%	1	5/31/2006

Approved By: PFDate: 6-30-06

Page 2 of 6

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0605481
Project: Lustre Coate/Site #828113
Lab ID: U0605481-003

Client Sample ID: CS-11 Floor
Collection Date: 5/30/2006 11:10:00 AM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	4000		µg/Kg-dry	100	6/1/2006
Aroclor 1221	ND	4000		µg/Kg-dry	100	6/1/2006
Aroclor 1232	ND	4000		µg/Kg-dry	100	6/1/2006
Aroclor 1242	ND	4000		µg/Kg-dry	100	6/1/2006
Aroclor 1248	3000	4000	J	µg/Kg-dry	100	6/1/2006
Aroclor 1254	ND	4000		µg/Kg-dry	100	6/1/2006
Aroclor 1260	200	4000	J	µg/Kg-dry	100	6/1/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	16.5	0.00100		wt%	1	5/31/2006

Approved By: PFDate: 6-30-06

Page 3 of 6

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0605481
Project: Lustre Coate/Site #828113
Lab ID: U0605481-004

Client Sample ID: CS-12
Collection Date: 5/30/2006 3:15:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1248	70	370	J	µg/Kg-dry	10	6/5/2006
Aroclor 1254	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1260	10	370	J	µg/Kg-dry	10	6/5/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	10.5	0.00100		wt%	1	5/31/2006

Approved By: PFDate: 6-30-06

Page 4 of 6

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0605481
Project: Lustre Coate/Site #828113
Lab ID: U0605481-005

Client Sample ID: CS-13
Collection Date: 5/30/2006 3:50:00 PM
Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/1/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/1/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/1/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/1/2006
Aroclor 1248	100	370	J	µg/Kg-dry	10	6/1/2006
Aroclor 1254	ND	370		µg/Kg-dry	10	6/1/2006
Aroclor 1260	20	370	J	µg/Kg-dry	10	6/1/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	11.4	0.00100		wt%	1	5/31/2006

Approved By: PF

Date: 6-30-06

Page 5 of 6

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0605481
Project: Lustre Coate/Site #828113
Lab ID: U0605481-006

Client Sample ID: CS-14 Floor
Collection Date: 5/30/2006 4:00:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	3600		µg/Kg-dry	100	6/1/2006
Aroclor 1221	ND	3600		µg/Kg-dry	100	6/1/2006
Aroclor 1232	ND	3600		µg/Kg-dry	100	6/1/2006
Aroclor 1242	ND	3600		µg/Kg-dry	100	6/1/2006
Aroclor 1248	7900	3600		µg/Kg-dry	100	6/1/2006
Aroclor 1254	ND	3600		µg/Kg-dry	100	6/1/2006
Aroclor 1260	200	3600	J	µg/Kg-dry	100	6/1/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	8.78	0.00100		wt%	1	5/31/2006

Approved By: PFDate: 6-30-06

Page 6 of 6

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Chain Of Custody Record

ULI Computer Input Form

Client: NYSDOC Central Office		Client Project # / Project Name: Lytle Gate / Site # 828113				No. of Containers	1)	2)	3)	4)	5)	6)	7)	8)	9)	10)	Special Turnaround Time _____ (Lab Notification required)
Client Contact: Ed Thompson Green Valley Empire	Phone #: 516 44 992 385 341-2730	Site Location (city/state): Churchville, NY															Remarks
Sample Location:	Date	Time	Matrix	Grab or Comp.	ULI Internal Use Only												
CS-10	5/30/06	1105	Soil	C	-1		X	X									
CS-10 D ₂₀	5/30/06	1105	Soil	C	-2		X	X									
CS-11 Floor	5/30/06	1110	Soil	C	-3		X	X									
CS-12	5/30/06	1515	Soil	C	-4		X	X									
CS-13	5/30/06	1550	Soil	C	-5		X	X									
CS-14 Floor	5/30/06	1600	Soil	C	-6		X	X									

use for mslmsd

* ASP Cat B *
* 24-hr turnaround *
for all samples

parameter and method	sample bottle:	type	size	pres.	Sampled by: (Please Print) Green Valley			ULI Internal Use Only Delivery (check one): ☐ ULI Sampled ☐ Pickup ☐ Dropoff ☐ CC	
1) PCB 8082	Glass	4oz	16oz	None	Company: Empire Green Service				
2) (90 Moisture) ^{EC} 5/30/06					Relinquished by: (Signature)	Date	Time	Received by: (Signature)	
3)					<i>[Signature]</i>	5/30/06	1605	<i>[Signature]</i>	
4)					Relinquished by: (Signature)	Date	Time	Received by: (Signature)	
5)									
6)					Relinquished by: (Signature)	Date	Time	Received by: (Signature)	
7)									
8)					Relinquished by: (Signature)	Date	Time	Received by: (Signature)	
9)									
10)					Relinquished by: (Signature)	Date	Time	Rec'd for Lab by: (Signature)	
					<i>[Signature]</i>	5/30/06	5:45 P	<i>[Signature]</i>	

Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * **Fax** (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site #828113

Order No.: U0605495

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 3 sample(s) on 5/31/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.


Anthony J. Scala
President/CEO

✓cc:
C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0605495
Project: Lustre Coate/Site #828113
Lab ID: U0605495-001

Client Sample ID: CS-15
Collection Date: 5/31/2006 1:40:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	380		µg/Kg-dry	10	6/5/2006
Aroclor 1221	ND	380		µg/Kg-dry	10	6/5/2006
Aroclor 1232	ND	380		µg/Kg-dry	10	6/5/2006
Aroclor 1242	ND	380		µg/Kg-dry	10	6/5/2006
Aroclor 1248	200	380	J	µg/Kg-dry	10	6/5/2006
Aroclor 1254	ND	380		µg/Kg-dry	10	6/5/2006
Aroclor 1260	10	380	J	µg/Kg-dry	10	6/5/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	14.1	0.00100		wt%	1	6/2/2006

Approved By: PFDate: 6-30-06

Page 1 of 3

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0605495
Project: Lustre Coate/Site #828113
Lab ID: U0605495-002

Client Sample ID: CS-16
Collection Date: 5/31/2006 1:50:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1248	200	370	J	µg/Kg-dry	10	6/5/2006
Aroclor 1254	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1260	20	370	J	µg/Kg-dry	10	6/5/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	11.9	0.00100		wt%	1	6/2/2006

Approved By: PFDate: 6-30-06

Page 2 of 3

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0605495
Project: Lustre Coate/Site #828113
Lab ID: U0605495-003

Client Sample ID: CS-17 Floor
Collection Date: 5/31/2006 2:00:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	3800		µg/Kg-dry	100	6/5/2006
Aroclor 1221	ND	3800		µg/Kg-dry	100	6/5/2006
Aroclor 1232	ND	3800		µg/Kg-dry	100	6/5/2006
Aroclor 1242	ND	3800		µg/Kg-dry	100	6/5/2006
Aroclor 1248	5000	3800		µg/Kg-dry	100	6/5/2006
Aroclor 1254	ND	3800		µg/Kg-dry	100	6/5/2006
Aroclor 1260	100	3800	J	µg/Kg-dry	100	6/5/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	13.3	0.00100		wt%	1	6/2/2006

Approved By: PFDate: 6-30-06

Page 3 of 3

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

6034 Corporate Drive • E. Syracuse, NY 13057-1017
(315) 437 0255 Fax 437 1209

Chain Of Custody Record

[illegible]

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * Fax (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site #828113

Order No.: U0606022

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 9 sample(s) on 6/1/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.


We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.


Anthony J. Scala

President/CEO

✓ cc:
C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8

Client Sample ID: CS-18

Lab Order: U0606022

Collection Date: 6/1/2006 12:15:00 PM

Project: Lustre Coate/Site #828113

Lab ID: U0606022-001

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1248	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1254	100	370	J	µg/Kg-dry	10	6/5/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	6/5/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	11.7	0.00100		wt%	1	6/2/2006

Approved By: PFDate: 6-30-06

Page 1 of 9

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606022
Project: Lustre Coate/Site #828113
Lab ID: U0606022-002

Client Sample ID: CS-19 Floor
Collection Date: 6/1/2006 12:30:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	390		µg/Kg-dry	10	6/5/2006
Aroclor 1221	ND	390		µg/Kg-dry	10	6/5/2006
Aroclor 1232	ND	390		µg/Kg-dry	10	6/5/2006
Aroclor 1242	ND	390		µg/Kg-dry	10	6/5/2006
Aroclor 1248	3600	390		µg/Kg-dry	10	6/5/2006
Aroclor 1254	ND	390		µg/Kg-dry	10	6/5/2006
Aroclor 1260	ND	390		µg/Kg-dry	10	6/5/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	14.5	0.00100		wt%	1	6/2/2006

Approved By: PF

Date: 6-30-06

Page 2 of 9

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

- ** Value exceeds Maximum Contaminant Value
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8

Client Sample ID: CS-20

Lab Order: U0606022

Collection Date: 6/1/2006 1:40:00 PM

Project: Lustre Coate/Site #828113

Lab ID: U0606022-003

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	390		µg/Kg-dry	10	6/5/2006
Aroclor 1221	ND	390		µg/Kg-dry	10	6/5/2006
Aroclor 1232	ND	390		µg/Kg-dry	10	6/5/2006
Aroclor 1242	ND	390		µg/Kg-dry	10	6/5/2006
Aroclor 1248	ND	390		µg/Kg-dry	10	6/5/2006
Aroclor 1254	100	390	J	µg/Kg-dry	10	6/5/2006
Aroclor 1260	ND	390		µg/Kg-dry	10	6/5/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	14.3	0.00100		wt%	1	6/2/2006

Approved By: PFDate: 6-30-06

Page 3 of 9

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

- ** Value exceeds Maximum Contaminant Value
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606022
Project: Lustre Coate/Site #828113
Lab ID: U0606022-004

Client Sample ID: CS-21
Collection Date: 6/1/2006 1:45:00 PM
Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1248	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1254	530	370		µg/Kg-dry	10	6/5/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	6/5/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	10.9	0.00100		wt%	1	6/2/2006

Approved By: DFDate: 6-30-06

Page 4 of 9

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606022
Project: Lustre Coate/Site #828113
Lab ID: U0606022-005

Client Sample ID: CS-22
Collection Date: 6/1/2006 1:50:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1248	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1254	300	370	J	µg/Kg-dry	10	6/5/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	6/5/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	10.2	0.00100		wt%	1	6/2/2006

Approved By: PFDate: 6-30-06

Page 5 of 9

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606022
Project: Lustre Coate/Site #828113
Lab ID: U0606022-006

Client Sample ID: CS-23 Floor
Collection Date: 6/1/2006 1:55:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	380		µg/Kg-dry	10	6/5/2006
Aroclor 1221	ND	380		µg/Kg-dry	10	6/5/2006
Aroclor 1232	ND	380		µg/Kg-dry	10	6/5/2006
Aroclor 1242	ND	380		µg/Kg-dry	10	6/5/2006
Aroclor 1248	1100	380		µg/Kg-dry	10	6/5/2006
Aroclor 1254	ND	380		µg/Kg-dry	10	6/5/2006
Aroclor 1260	ND	380		µg/Kg-dry	10	6/5/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	12.0	0.00100		wt%	1	6/2/2006

Approved By: PF

Date: 6-30-06

Page 6 of 9

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606022
Project: Lustre Coate/Site #828113
Lab ID: U0606022-007

Client Sample ID: CS-24
Collection Date: 6/1/2006 2:15:00 PM
Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1248	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1254	410	370		µg/Kg-dry	10	6/5/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	6/5/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	12.0	0.00100		wt%	1	6/2/2006

Approved By: PF

Date: 6-30-06

Page 7 of 9

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606022
Project: Lustre Coate/Site #828113
Lab ID: U0606022-008

Client Sample ID: CS-25
Collection Date: 6/1/2006 2:20:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1248	1000	370		µg/Kg-dry	10	6/5/2006
Aroclor 1254	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	6/5/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	11.1	0.00100		wt%	1	6/2/2006

Approved By: PF

Date: 6-30-06

Page 8 of 9

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606022
Project: Lustre Coate/Site #828113
Lab ID: U0606022-009

Client Sample ID: CS-26 Floor
Collection Date: 6/1/2006 2:25:00 PM
Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG						
		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	380		µg/Kg-dry	10	6/5/2006
Aroclor 1221	ND	380		µg/Kg-dry	10	6/5/2006
Aroclor 1232	ND	380		µg/Kg-dry	10	6/5/2006
Aroclor 1242	ND	380		µg/Kg-dry	10	6/5/2006
Aroclor 1248	ND	380		µg/Kg-dry	10	6/5/2006
Aroclor 1254	100	380	J	µg/Kg-dry	10	6/5/2006
Aroclor 1260	ND	380		µg/Kg-dry	10	6/5/2006
PERCENT MOISTURE						
		D2216				Analyst: JM
Percent Moisture	12.4	0.00100		wt%	1	6/2/2006

Approved By: PFDate: 6-30-06

Page 9 of 9

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Chain Of Custody Record

Client: NYSDEC Central Office		Client Project # / Project Name: Cluster Code / Site # 828113					No. of Containers										Special Turnaround Time _____ (Lab Notification required)						
Client Contact: Ed Haggston NYSDEC		Phone # 518 462 9812		Site Location (city/state): Churchville, NY																			
Sample Location:		Date		Time		Matrix		Grab or Comp.		ULI Internal Use Only												Remarks	
CS-18		6/1/06		1215		Soil		C		U0606022-1													
CS-19 Floor		6/1/06		1230						-2													
CS-20		6/1/06		1340						-3													
CS-21		6/1/06		1345						-4													
CS-22		6/1/06		1350						-5													
CS-23 Floor		6/1/06		1355						-6													
CS-24		6/1/06		1415						-7													
CS-25		6/1/06		1420						-8													
CS-26 Floor		6/1/06		1425						-9													
parameter and method		sample bottle:		type		size		pres.		Sampled by: (Please Print)										ULI Internal Use Only			
1) PCB 8082				493		4oz		Ave		Greg Young										Delivery (check one)			
2) (90 Moisture) <i>KE 6/1/06</i>										Company: Empire GeoService										☐ ULI Sampled			
3)										Relinquished by: (Signature)										Date			
4)										Time										Received by: (Signature)			
5)										Relinquished by: (Signature)										Date			
6)										Time										Received by: (Signature)			
7)										Relinquished by: (Signature)										Date			
8)										Time										Received by: (Signature)			
9)										Relinquished by: (Signature)										Date			
10)										Time										Rec'd for Lab by: (Signature)			
										6/1/06 4:30													

* ASP Cat B
21 - hr turnaround
on all samples

Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * Fax (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site #828113

Order No.: U0606085

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 5 sample(s) on 6/5/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.

Anthony J. Scala

Anthony J. Scala

President/CEO

✓ CC:

C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606085
Project: Lustre Coate/Site #828113
Lab ID: U0606085-001

Client Sample ID: CS-27 Floor
Collection Date: 6/5/2006 3:15:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/6/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/6/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/6/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/6/2006
Aroclor 1248	ND	370		µg/Kg-dry	10	6/6/2006
Aroclor 1254	30	370	J	µg/Kg-dry	10	6/6/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	6/6/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	10.9	0.00100		wt%	1	6/7/2006

Approved By: PFDate: 6-30-06

Page 1 of 5

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606085
Project: Lustre Coate/Site #828113
Lab ID: U0606085-002

Client Sample ID: CS-28 Floor
Collection Date: 6/5/2006 3:20:00 PM
Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	390		µg/Kg-dry	10	6/6/2006
Aroclor 1221	ND	390		µg/Kg-dry	10	6/6/2006
Aroclor 1232	ND	390		µg/Kg-dry	10	6/6/2006
Aroclor 1242	ND	390		µg/Kg-dry	10	6/6/2006
Aroclor 1248	ND	390		µg/Kg-dry	10	6/6/2006
Aroclor 1254	1500	390		µg/Kg-dry	10	6/6/2006
Aroclor 1260	ND	390		µg/Kg-dry	10	6/6/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	15.7	0.00100		wt%	1	6/7/2006

Approved By: PEDate: 6-30-06

Page 2 of 5

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606085
Project: Lustre Coate/Site #828113
Lab ID: U0606085-003

Client Sample ID: CS-28 Floor Dup
Collection Date: 6/5/2006 3:20:00 PM
Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	390		µg/Kg-dry	10	6/6/2006
Aroclor 1221	ND	390		µg/Kg-dry	10	6/6/2006
Aroclor 1232	ND	390		µg/Kg-dry	10	6/6/2006
Aroclor 1242	ND	390		µg/Kg-dry	10	6/6/2006
Aroclor 1248	ND	390		µg/Kg-dry	10	6/6/2006
Aroclor 1254	730	390		µg/Kg-dry	10	6/6/2006
Aroclor 1260	ND	390		µg/Kg-dry	10	6/6/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	16.1	0.00100		wt%	1	6/7/2006

Approved By: PF

Date: 6-30-06

Page 3 of 5

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8

Client Sample ID: CS/DS-29(1')

Lab Order: U0606085

Collection Date: 6/5/2006 3:35:00 PM

Project: Lustre Coate/Site #828113

Lab ID: U0606085-004

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	400		µg/Kg-dry	10	6/6/2006
Aroclor 1221	ND	400		µg/Kg-dry	10	6/6/2006
Aroclor 1232	ND	400		µg/Kg-dry	10	6/6/2006
Aroclor 1242	ND	400		µg/Kg-dry	10	6/6/2006
Aroclor 1248	ND	400		µg/Kg-dry	10	6/6/2006
Aroclor 1254	540	400		µg/Kg-dry	10	6/6/2006
Aroclor 1260	ND	400		µg/Kg-dry	10	6/6/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	16.9	0.00100		wt%	1	6/7/2006

Approved By: PFDate: 6-30-06

Page 4 of 5

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606085
Project: Lustre Coate/Site #828113
Lab ID: U0606085-005

Client Sample ID: CS/DS-30(2')
Collection Date: 6/5/2006 3:40:00 PM
Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	390		µg/Kg-dry	10	6/6/2006
Aroclor 1221	ND	390		µg/Kg-dry	10	6/6/2006
Aroclor 1232	ND	390		µg/Kg-dry	10	6/6/2006
Aroclor 1242	ND	390		µg/Kg-dry	10	6/6/2006
Aroclor 1248	ND	390		µg/Kg-dry	10	6/6/2006
Aroclor 1254	400	390		µg/Kg-dry	10	6/6/2006
Aroclor 1260	ND	390		µg/Kg-dry	10	6/6/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	14.5	0.00100		wt%	1	6/7/2006

Approved By: PF

Date: 6-30-06

Page 5 of 5

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

ULI Computer Input Form

Fair Lawn (N.I)

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * Fax (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site #828113

Order No.: U0606113

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 1 sample(s) on 6/6/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.

Anthony J. Scala
Anthony J. Scala
President/CEO

✓ CC:
C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8

Client Sample ID: CS-31

Lab Order: U0606113

Collection Date: 6/6/2006 3:45:00 PM

Project: Lustre Coate/Site #828113

Lab ID: U0606113-001

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	37		µg/Kg-dry	1	6/9/2006
Aroclor 1221	ND	37		µg/Kg-dry	1	6/9/2006
Aroclor 1232	ND	37		µg/Kg-dry	1	6/9/2006
Aroclor 1242	ND	37		µg/Kg-dry	1	6/9/2006
Aroclor 1248	ND	37		µg/Kg-dry	1	6/9/2006
Aroclor 1254	150	37		µg/Kg-dry	1	6/9/2006
Aroclor 1260	ND	37		µg/Kg-dry	1	6/9/2006
NOTES:						
Aroclor is altered and/or weathered.						
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	12.0	0.00100		wt%	1	6/7/2006

Approved By: PFDate: 6-30-06

Page 1 of 1

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

6034 Corporate Drive • E. Syracuse, NY 13057-1017
(315) 437 0255 Fax 437 1209

Chain Of Custody Record

ULI Computer Input Form

Client: NYSDCL Central office		Client Project # / Project Name: Luster Gate / Site No 828113				No. of Containers										Special Turnaround Time _____ (Lab Notification required)					
Client Contact: Ed Hargston		Phone #: 518 402 9612		Site Location (city/state): Churchville, NY				1) 2) 3) 4) 5) 6) 7) 8) 9) 10)										Remarks			
Sample Location: CS-31		Date: 6/6/06		Time: 1515		Matrix: Soil		Grab or Comp.: C		ULI Internal Use Only: 1106061113		☒ X ☒ X * ASP Cat B * 24-hr turnaround									
parameter and method		sample bottle:		type		size		pres.		Sampled by: (Please Print)				ULI Internal Use Only Delivery (check one):							
1) PCB BOB2				Glass		4oz		1oz		Greg Young				☐ ULI Sampled ☐ Pickup ☐ Dropoff ☐ CC							
2) (90 Moisture)										Company: Empire Gas Services											
3)										Relinquished by: (Signature)		Date		Time		Received by: (Signature)					
4)												6/6/06		4:05							
5)										Relinquished by: (Signature)		Date		Time		Received by: (Signature)					
6)																					
7)																					
8)																					
9)																					
10)										Relinquished by: (Signature)		Date		Time		Rec'd for Lab by: (Signature)					
												6/6/06		6:00							

Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * Fax (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site #828113

Order No.: U0606132

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 2 sample(s) on 6/7/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.


Anthony J. Scala
President/CEO

✓ CC:
C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606132
Project: Lustre Coate/Site #828113
Lab ID: U0606132-001

Client Sample ID: CS-32 Floor
Collection Date: 6/7/2006 3:00:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	380		µg/Kg-dry	10	6/9/2006
Aroclor 1221	ND	380		µg/Kg-dry	10	6/9/2006
Aroclor 1232	ND	380		µg/Kg-dry	10	6/9/2006
Aroclor 1242	ND	380		µg/Kg-dry	10	6/9/2006
Aroclor 1248	1400	380		µg/Kg-dry	10	6/9/2006
Aroclor 1254	ND	380		µg/Kg-dry	10	6/9/2006
Aroclor 1260	ND	380		µg/Kg-dry	10	6/9/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	13.3	0.00100		wt%	1	6/9/2006

Approved By: PF

Date: 6-30-06

Page 1 of 2

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606132
Project: Lustre Coate/Site #828113
Lab ID: U0606132-002

Client Sample ID: CS-33 Floor
Collection Date: 6/7/2006 3:10:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	390		µg/Kg-dry	10	6/9/2006
Aroclor 1221	ND	390		µg/Kg-dry	10	6/9/2006
Aroclor 1232	ND	390		µg/Kg-dry	10	6/9/2006
Aroclor 1242	ND	390		µg/Kg-dry	10	6/9/2006
Aroclor 1248	200	390	J	µg/Kg-dry	10	6/9/2006
Aroclor 1254	ND	390		µg/Kg-dry	10	6/9/2006
Aroclor 1260	ND	390		µg/Kg-dry	10	6/9/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	16.3	0.00100		wt%	1	6/9/2006

Approved By: PF

Date: 6-30-06

Page 2 of 2

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

6034 Corporate Drive • E. Syracuse, NY 13057-1017
(315) 437 0255 Fax 437 1209

Chain Of Custody Record

Client: NYSDEC Central Office		Client Project # / Project Name: Luster Caste / Site # 828113				No. of Containers										Special Turnaround Time			
Client Contact: Ed Hampton NYSDEC Greg Young Empire		Phone # 518 402 9612 485 367 2730		Site Location (city/state): Churchville, NY				ULI Computer										(Lab Notification required)	
Sample Location: -		Date	Time	Matrix	Grab or Comp.	ULI Internal Use Only	1)	2)	3)	4)	5)	6)	7)	8)	9)	10)	Remarks		
CS-32 Floor		6/7/06	1500	Soil	C	-1	①	X	(X)								* ASP Cgt B		
CS-33 Floor		6/7/06	1510	Soil	C	-2	①	X	(X)								* 24-hr turnaround on all samples		
parameter and method		sample bottle:			type	size	pres.	Sampled by: (Please Print) Greg Young Company: Empire								ULI Internal Use Only Delivery (check one): ☐ ULI Sampled ☐ Pickup ☐ Dropoff ☐ CC			
1)	PCB 8082				Glass	4oz	None	Relinquished by: (Signature)				Date	Time	Received by: (Signature)					
2)	(90 moisture) 6/7/06							Relinquished by: (Signature)				Date	Time	Received by: (Signature)					
3)								Relinquished by: (Signature)				Date	Time	Received by: (Signature)					
4)								Relinquished by: (Signature)				Date	Time	Received by: (Signature)					
5)								Relinquished by: (Signature)				Date	Time	Received by: (Signature)					
6)								Relinquished by: (Signature)				Date	Time	Received by: (Signature)					
7)								Relinquished by: (Signature)				Date	Time	Received by: (Signature)					
8)								Relinquished by: (Signature)				Date	Time	Received by: (Signature)					
9)								Relinquished by: (Signature)				Date	Time	Received by: (Signature)					
10)								Relinquished by: (Signature)				Date	Time	Rec'd for Lab by: (Signature)					
Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.																			

Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * Fax (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site #828113

Order No.: U0606166

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 10 sample(s) on 6/8/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.

Anthony J. Scala
Anthony J. Scala
President/CEO

CC:

✓ C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8

Client Sample ID: DS-35(2')

Lab Order: U0606166

Collection Date: 6/8/2006 1:40:00 PM

Project: Lustre Coate/Site #828113

Lab ID: U0606166-002

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	410		µg/Kg-dry	10	6/12/2006
Aroclor 1221	ND	410		µg/Kg-dry	10	6/12/2006
Aroclor 1232	ND	410		µg/Kg-dry	10	6/12/2006
Aroclor 1242	ND	410		µg/Kg-dry	10	6/12/2006
Aroclor 1248	ND	410		µg/Kg-dry	10	6/12/2006
Aroclor 1254	1400	410		µg/Kg-dry	10	6/12/2006
Aroclor 1260	90	410	J	µg/Kg-dry	10	6/12/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	19.5	0.00100		wt%	1	6/11/2006

Approved By: PF

Date: 6-30-06

Page 2 of 10

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606166
Project: Lustre Coate/Site #828113
Lab ID: U0606166-003

Client Sample ID: DS-36(1')
Collection Date: 6/8/2006 1:50:00 PM
Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	400		µg/Kg-dry	10	6/12/2006
Aroclor 1221	ND	400		µg/Kg-dry	10	6/12/2006
Aroclor 1232	ND	400		µg/Kg-dry	10	6/12/2006
Aroclor 1242	ND	400		µg/Kg-dry	10	6/12/2006
Aroclor 1248	ND	400		µg/Kg-dry	10	6/12/2006
Aroclor 1254	2900	400		µg/Kg-dry	10	6/12/2006
Aroclor 1260	200	400	J	µg/Kg-dry	10	6/12/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	16.6	0.00100		wt%	1	6/11/2006

Approved By: PF

Date: 6-30-06

Page 3 of 10

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606166
Project: Lustre Coate/Site #828113
Lab ID: U0606166-004

Client Sample ID: DS-37(2')
Collection Date: 6/8/2006 1:55:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1248	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1254	200	370	J	µg/Kg-dry	10	6/12/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	6/12/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	10.8	0.00100		wt%	1	6/11/2006

Approved By: PFDate: 6-30-06

Page 4 of 10

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606166
Project: Lustre Coate/Site #828113
Lab ID: U0606166-005

Client Sample ID: CS-38
Collection Date: 6/8/2006 2:45:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	380		µg/Kg-dry	10	6/12/2006
Aroclor 1221	ND	380		µg/Kg-dry	10	6/12/2006
Aroclor 1232	ND	380		µg/Kg-dry	10	6/12/2006
Aroclor 1242	ND	380		µg/Kg-dry	10	6/12/2006
Aroclor 1248	ND	380		µg/Kg-dry	10	6/12/2006
Aroclor 1254	100	380	J	µg/Kg-dry	10	6/12/2006
Aroclor 1260	20	380	J	µg/Kg-dry	10	6/12/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	13.5	0.00100		wt%	1	6/11/2006

Approved By: PF

Date: 6-30-06

Page 5 of 10

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606166
Project: Lustre Coate/Site #828113
Lab ID: U0606166-006

Client Sample ID: CS-39
Collection Date: 6/8/2006 2:50:00 PM
Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1221	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1232	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1242	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1248	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1254	400	390	J	µg/Kg-dry	10	6/12/2006
Aroclor 1260	30	390	J	µg/Kg-dry	10	6/12/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	15.6	0.00100		wt%	1	6/11/2006

Approved By: PF

Date: 6-30-06

Page 6 of 10

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606166
Project: Lustre Coate/Site #828113
Lab ID: U0606166-007

Client Sample ID: CS-40
Collection Date: 6/8/2006 2:55:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1221	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1232	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1242	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1248	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1254	300	390	J	µg/Kg-dry	10	6/12/2006
Aroclor 1260	30	390	J	µg/Kg-dry	10	6/12/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	15.4	0.00100		wt%	1	6/11/2006

Approved By: PF

Date: 6-30-06

Page 7 of 10

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606166
Project: Lustre Coate/Site #828113
Lab ID: U0606166-008

Client Sample ID: CS-41
Collection Date: 6/8/2006 3:15:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1221	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1232	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1242	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1248	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1254	1700	390		µg/Kg-dry	10	6/12/2006
Aroclor 1260	300	390	J	µg/Kg-dry	10	6/12/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	15.1	0.00100		wt%	1	6/11/2006

Approved By: PF

Date: 6-30-06

Page 8 of 10

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606166
Project: Lustre Coate/Site #828113
Lab ID: U0606166-009

Client Sample ID: CS-42
Collection Date: 6/8/2006 3:20:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG						
		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	3700		µg/Kg-dry	100	6/12/2006
Aroclor 1221	ND	3700		µg/Kg-dry	100	6/12/2006
Aroclor 1232	ND	3700		µg/Kg-dry	100	6/12/2006
Aroclor 1242	ND	3700		µg/Kg-dry	100	6/12/2006
Aroclor 1248	ND	3700		µg/Kg-dry	100	6/12/2006
Aroclor 1254	10000	3700		µg/Kg-dry	100	6/12/2006
Aroclor 1260	800	3700	J	µg/Kg-dry	100	6/12/2006
PERCENT MOISTURE						
		D2216				Analyst: JM
Percent Moisture	9.92	0.00100		wt%	1	6/11/2006

Approved By: PFDate: 6-30-06

Page 9 of 10

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606166
Project: Lustre Coate/Site #828113
Lab ID: U0606166-010

Client Sample ID: CS-43 Floor
Collection Date: 6/8/2006 3:30:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	360		µg/Kg-dry	10	6/12/2006
Aroclor 1221	ND	360		µg/Kg-dry	10	6/12/2006
Aroclor 1232	ND	360		µg/Kg-dry	10	6/12/2006
Aroclor 1242	ND	360		µg/Kg-dry	10	6/12/2006
Aroclor 1248	ND	360		µg/Kg-dry	10	6/12/2006
Aroclor 1254	40	360	J	µg/Kg-dry	10	6/12/2006
Aroclor 1260	ND	360		µg/Kg-dry	10	6/12/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	7.68	0.00100		wt%	1	6/11/2006

Approved By: PFDate: 6-30-06

Page 10 of 10

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Chain Of Custody Record

Client: NYSDOC Central Office		Client Project # / Project Name: Lute Cate / Site No 828113				No. of Containers										ULI Computer		Input Form		Special Turnaround Time		Remarks											
Client Contact: Ed Hampton		Phone # 518 402 4402		Site Location (city/state): Churchville, NY				Grab or Comp.		ULI Internal Use Only		1)		2)		3)		4)		5)		6)		7)		8)		9)		10)		Special Turnaround Time (Lab Notification required)	
Sample Location:		Date		Time		Matrix		Grab or Comp.		ULI Internal Use Only		1)		2)		3)		4)		5)		6)		7)		8)		9)		10)		Remarks	
OS-34 (1')		6/8/06		1335		Soil		C		-1		X		X																* ASP Cat B			
OS-35 (2')				1340						-2		X		X																* 24 turnaround			
OS-36 (1')				1350						-3		X		X																on all samples;			
OS-37 (2')				1355						-4		X		X																CS-41, CS-42, 9			
CS-38				1445						-5		X		X																CS-43 are highest			
CS-39				1450						-6		X		X																priority			
CS-40				1455						-7		X		X																			
CS-41				1515						-8		X		X																			
CS-42				1520						-9		X		X																			
CS-43 Floor				1530						-10		X		X																			
parameter and method		sample bottle:		type		size		pres.		Sampled by: (Please Print)										ULI Internal Use Only													
1) PUB 8082		Glass		4oz		None				Grey Young										Delivery (check one):													
2) (90 moisture) ^{KG} 6/9/06										Company: Empire Geo Services										☐ ULI Sampled													
3)										Relinquished by: (Signature)										Date		Time		Received by: (Signature)									
4)										[Signature]										6/8/06		3:55 p		[Signature]									
5)										Relinquished by: (Signature)										Date		Time		Received by: (Signature)									
6)										Relinquished by: (Signature)										Date		Time		Received by: (Signature)									
7)										Relinquished by: (Signature)										Date		Time		Received by: (Signature)									
8)										Relinquished by: (Signature)										Date		Time		Received by: (Signature)									
9)										Relinquished by: (Signature)										Date		Time		Received by: (Signature)									
10)										Relinquished by: (Signature)										Date		Time		Received by: (Signature)									

Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.

Syracuse

Rochester

Buffalo

Albany

Binghamton

Fair Lawn (NJ)

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * Fax (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site #828113

Order No.: U0606215

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 5 sample(s) on 6/9/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.

Anthony J. Scala

Anthony J. Scala
President/CEO

✓
CC:

C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606215
Project: Lustre Coate/Site #828113
Lab ID: U0606215-001

Client Sample ID: CS-44
Collection Date: 6/9/2006 9:05:00 AM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1248	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1254	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	6/12/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	11.4	0.00100		wt%	1	6/12/2006

Approved By: PFDate: 6-30-06

Page 1 of 5

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606215
Project: Lustre Coate/Site #828113
Lab ID: U0606215-002

Client Sample ID: CS-45
Collection Date: 6/9/2006 9:10:00 AM
Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	360		µg/Kg-dry	10	6/12/2006
Aroclor 1221	ND	360		µg/Kg-dry	10	6/12/2006
Aroclor 1232	ND	360		µg/Kg-dry	10	6/12/2006
Aroclor 1242	ND	360		µg/Kg-dry	10	6/12/2006
Aroclor 1248	ND	360		µg/Kg-dry	10	6/12/2006
Aroclor 1254	ND	360		µg/Kg-dry	10	6/12/2006
Aroclor 1260	ND	360		µg/Kg-dry	10	6/12/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	9.39	0.00100		wt%	1	6/12/2006

Approved By: PFDate: 6-30-06

Page 2 of 5

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606215
Project: Lustre Coate/Site #828113
Lab ID: U0606215-003

Client Sample ID: CS-46
Collection Date: 6/9/2006 12:45:00 PM
Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1248	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1254	200	370	J	µg/Kg-dry	10	6/12/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	6/12/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	11.6	0.00100		wt%	1	6/12/2006

Approved By: PFDate: 6-30-06

Page 3 of 5

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606215
Project: Lustre Coate/Site #828113
Lab ID: U0606215-004

Client Sample ID: CS-47
Collection Date: 6/9/2006 12:50:00 PM
Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1221	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1232	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1242	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1248	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1254	980	390		µg/Kg-dry	10	6/12/2006
Aroclor 1260	ND	390		µg/Kg-dry	10	6/12/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	15.8	0.00100		wt%	1	6/12/2006

Approved By: PF

Date: 6-30-06

Page 4 of 5

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606215
Project: Lustre Coate/Site #828113
Lab ID: U0606215-005

Client Sample ID: CS-48 Floor
Collection Date: 6/9/2006 12:55:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	400		µg/Kg-dry	10	6/12/2006
Aroclor 1221	ND	400		µg/Kg-dry	10	6/12/2006
Aroclor 1232	ND	400		µg/Kg-dry	10	6/12/2006
Aroclor 1242	ND	400		µg/Kg-dry	10	6/12/2006
Aroclor 1248	ND	400		µg/Kg-dry	10	6/12/2006
Aroclor 1254	540	400		µg/Kg-dry	10	6/12/2006
Aroclor 1260	ND	400		µg/Kg-dry	10	6/12/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	16.9	0.00100		wt%	1	6/12/2006

Approved By: PFDate: 6-30-06

Page 5 of 5

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

6034 Corporate Drive • E. Syracuse, NY 13057-1017
(315) 437 0255 Fax 437 1209

Chain Of Custody Record

ULI Computer Input Form

Client: NYSDEC Central office		Client Project # / Project Name: Luster Code / S.k # 828113					No. of Containers										Special Turnaround Time _____ (Lab Notification required)			
Client Contact: Ed Kowalski		Phone # 518-402-7882		Site Location (city/state): Churchville, NY					No. of Containers										Special Turnaround Time _____ (Lab Notification required)	
Sample Location:		Date	Time	Matrix	Grab or Comp.	ULI Internal Use Only	1)	2)	3)	4)	5)	6)	7)	8)	9)	10)	Remarks			
CS-44		6/9/06	905	Soil	C	606000215	1)	X	(X)								ASP Cat B			
CS-45			910				2)	X	(X)								24 hr turnaround			
CS-46			1245				3)	X	(X)								on all samples			
CS-47			1250				4)	X	(X)											
CS-48 Floor			1255				5)	X	(X)											

parameter and method		sample bottle:	type	size	pres.	Sampled by: (Please Print)			ULI Internal Use Only		
1) PCB 8082			Glass	4oz	none	Greg Young			Delivery (check one):		
2) (Se Moisture) 6/10/06						Company: Empire Gas Services			☐ ULI Sampled		
3)						Relinquished by: (Signature)			Date	Time	Received by: (Signature)
4)						Relinquished by: (Signature)			Date	Time	Received by: (Signature)
5)						Relinquished by: (Signature)			Date	Time	Received by: (Signature)
6)						Relinquished by: (Signature)			Date	Time	Received by: (Signature)
7)						Relinquished by: (Signature)			Date	Time	Received by: (Signature)
8)						Relinquished by: (Signature)			Date	Time	Received by: (Signature)
9)						Relinquished by: (Signature)			Date	Time	Received by: (Signature)
10)						Relinquished by: (Signature)			Date	Time	Rec'd for Lab by: (Signature)

Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * Fax (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site #828113

Order No.: U0606230

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 2 sample(s) on 6/12/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.


We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.


Anthony J. Scala
President/CEO

✓ CC:

C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606230
Project: Lustre Coate/Site #828113
Lab ID: U0606230-001

Client Sample ID: CS-49 Floor
Collection Date: 6/12/2006 3:50:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	380		µg/Kg-dry	10	6/13/2006
Aroclor 1221	ND	380		µg/Kg-dry	10	6/13/2006
Aroclor 1232	ND	380		µg/Kg-dry	10	6/13/2006
Aroclor 1242	ND	380		µg/Kg-dry	10	6/13/2006
Aroclor 1248	1000	380		µg/Kg-dry	10	6/13/2006
Aroclor 1254	ND	380		µg/Kg-dry	10	6/13/2006
Aroclor 1260	ND	380		µg/Kg-dry	10	6/13/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	13.4	0.00100		wt%	1	6/13/2006

Approved By: PF

Date: 6-30-06

Page 1 of 2

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606230
Project: Lustre Coate/Site #828113
Lab ID: U0606230-002

Client Sample ID: CS-49 Floor Dup
Collection Date: 6/12/2006 3:55:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/13/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/13/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/13/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/13/2006
Aroclor 1248	910	370		µg/Kg-dry	10	6/13/2006
Aroclor 1254	ND	370		µg/Kg-dry	10	6/13/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	6/13/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	11.7	0.00100		wt%	1	6/13/2006

Approved By: PF

Date: 6-30-06

Page 2 of 2

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * Fax (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site #828113

Order No.: U0606257

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 2 sample(s) on 6/14/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.


We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.


Anthony J. Scala
President/CEO

✓ CC:
C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606257
Project: Lustre Coate/Site #828113
Lab ID: U0606257-001

Client Sample ID: CS-50 Floor
Collection Date: 6/14/2006 3:00:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/17/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/17/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/17/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/17/2006
Aroclor 1248	ND	370		µg/Kg-dry	10	6/17/2006
Aroclor 1254	100	370	J	µg/Kg-dry	10	6/17/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	6/17/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	11.5	0.00100		wt%	1	6/15/2006

Approved By: PF

Date: 6-30-06

Page 1 of 2

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606257
Project: Lustre Coate/Site #828113
Lab ID: U0606257-002

Client Sample ID: CS-51
Collection Date: 6/14/2006 3:10:00 PM
Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	400		µg/Kg-dry	10	6/17/2006
Aroclor 1221	ND	400		µg/Kg-dry	10	6/17/2006
Aroclor 1232	ND	400		µg/Kg-dry	10	6/17/2006
Aroclor 1242	ND	400		µg/Kg-dry	10	6/17/2006
Aroclor 1248	ND	400		µg/Kg-dry	10	6/17/2006
Aroclor 1254	200	400	J	µg/Kg-dry	10	6/17/2006
Aroclor 1260	ND	400		µg/Kg-dry	10	6/17/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	17.7	0.00100		wt%	1	6/15/2006

Approved By: PFDate: 6-30-06

Page 2 of 2

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

ULI Computer Input Form

Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * Fax (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site #828113

Order No.: U0606388

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 7 sample(s) on 6/21/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.

Anthony J. Scala

Anthony J. Scala
President/CEO

✓ CC:
C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606388
Project: Lustre Coate/Site #828113
Lab ID: U0606388-001

Client Sample ID: CS-52
Collection Date: 6/21/2006 1:20:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	4000		µg/Kg-dry	100	6/23/2006
Aroclor 1221	ND	4000		µg/Kg-dry	100	6/23/2006
Aroclor 1232	ND	4000		µg/Kg-dry	100	6/23/2006
Aroclor 1242	ND	4000		µg/Kg-dry	100	6/23/2006
Aroclor 1248	16000	4000		µg/Kg-dry	100	6/23/2006
Aroclor 1254	ND	4000		µg/Kg-dry	100	6/23/2006
Aroclor 1260	ND	4000		µg/Kg-dry	100	6/23/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	17.4	0.00100		wt%	1	6/22/2006

Approved By: DEDate: 6-30-06

Page 1 of 7

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8

Client Sample ID: CS-52 Dup

Lab Order: U0606388

Collection Date: 6/21/2006 1:25:00 PM

Project: Lustre Coate/Site #828113

Lab ID: U0606388-002

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	3900		µg/Kg-dry	100	6/23/2006
Aroclor 1221	ND	3900		µg/Kg-dry	100	6/23/2006
Aroclor 1232	ND	390		µg/Kg-dry	10	6/22/2006
Aroclor 1232	ND	3900		µg/Kg-dry	100	6/23/2006
Aroclor 1242	ND	3900		µg/Kg-dry	100	6/23/2006
Aroclor 1248	11000	3900		µg/Kg-dry	100	6/23/2006
Aroclor 1254	ND	3900		µg/Kg-dry	100	6/23/2006
Aroclor 1260	ND	3900		µg/Kg-dry	100	6/23/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	16.1	0.00100		wt%	1	6/22/2006

Approved By: PF

Date: 6-30-06

Page 2 of 7

Qualifiers: * Low Level

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value

E Value above quantitation range

J Analyte detected below quantitation limits

S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606388
Project: Lustre Coate/Site #828113
Lab ID: U0606388-003

Client Sample ID: CS-53
Collection Date: 6/21/2006 1:30:00 PM
Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/23/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/23/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/23/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/23/2006
Aroclor 1248	300	370	J	µg/Kg-dry	10	6/23/2006
Aroclor 1254	ND	370		µg/Kg-dry	10	6/23/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	6/23/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	9.95	0.00100		wt%	1	6/22/2006

Approved By: PFDate: 6-30-06

Page 3 of 7

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606388
Project: Lustre Coate/Site #828113
Lab ID: U0606388-004

Client Sample ID: CS-54
Collection Date: 6/21/2006 1:35:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/23/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/23/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/23/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/23/2006
Aroclor 1248	100	370	J	µg/Kg-dry	10	6/23/2006
Aroclor 1254	ND	370		µg/Kg-dry	10	6/23/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	6/23/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	11.1	0.00100		wt%	1	6/22/2006

Approved By: PFDate: 6-30-06

Page 4 of 7

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606388
Project: Lustre Coate/Site #828113
Lab ID: U0606388-005

Client Sample ID: CS-55 Floor
Collection Date: 6/21/2006 1:40:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	380		µg/Kg-dry	10	6/23/2006
Aroclor 1221	ND	380		µg/Kg-dry	10	6/23/2006
Aroclor 1232	ND	380		µg/Kg-dry	10	6/23/2006
Aroclor 1242	ND	380		µg/Kg-dry	10	6/23/2006
Aroclor 1248	490	380		µg/Kg-dry	10	6/23/2006
Aroclor 1254	ND	380		µg/Kg-dry	10	6/23/2006
Aroclor 1260	ND	380		µg/Kg-dry	10	6/23/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	12.2	0.00100		wt%	1	6/22/2006

Approved By: PFDate: 6-30-06

Page 5 of 7

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8

Client Sample ID: CS-56 Floor

Lab Order: U0606388

Collection Date: 6/21/2006 1:50:00 PM

Project: Lustre Coate/Site #828113

Lab ID: U0606388-006

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/23/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/23/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/23/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/23/2006
Aroclor 1248	590	370		µg/Kg-dry	10	6/23/2006
Aroclor 1254	ND	370		µg/Kg-dry	10	6/23/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	6/23/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	11.2	0.00100		wt%	1	6/22/2006

Approved By: PFDate: 6-30-06

Page 6 of 7

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8

Client Sample ID: CS-57

Lab Order: U0606388

Collection Date: 6/21/2006 2:00:00 PM

Project: Lustre Coate/Site #828113

Lab ID: U0606388-007

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	39		µg/Kg-dry	1	6/23/2006
Aroclor 1221	ND	39		µg/Kg-dry	1	6/23/2006
Aroclor 1232	ND	39		µg/Kg-dry	1	6/23/2006
Aroclor 1242	ND	39		µg/Kg-dry	1	6/23/2006
Aroclor 1248	530	39	E	µg/Kg-dry	1	6/23/2006
Aroclor 1254	ND	39		µg/Kg-dry	1	6/23/2006
Aroclor 1260	ND	39		µg/Kg-dry	1	6/23/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	15.0	0.00100		wt%	1	6/22/2006

Approved By: PF

Date: 6-30-06

Page 7 of 7

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

- ** Value exceeds Maximum Contaminant Value
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

ULI Computer Input Form

Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * Fax (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site #828113

Order No.: U0606444

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 2 sample(s) on 6/23/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.


Anthony J. Scala
President/CEO

✓ CC:
C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606444
Project: Lustre Coate/Site #828113
Lab ID: U0606444-001

Client Sample ID: CS-58
Collection Date: 6/23/2006 2:00:00 PM
Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: FP
Aroclor 1016	ND	3800		µg/Kg-dry	100	6/27/2006
Aroclor 1221	ND	3800		µg/Kg-dry	100	6/27/2006
Aroclor 1232	ND	3800		µg/Kg-dry	100	6/27/2006
Aroclor 1242	ND	3800		µg/Kg-dry	100	6/27/2006
Aroclor 1248	14000	3800		µg/Kg-dry	100	6/27/2006
Aroclor 1254	ND	3800		µg/Kg-dry	100	6/27/2006
Aroclor 1260	ND	3800		µg/Kg-dry	100	6/27/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	13.6	0.00100		wt%	1	6/27/2006

Approved By: PFDate: 6-30-06

Page 1 of 2

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606444
Project: Lustre Coate/Site #828113
Lab ID: U0606444-002

Client Sample ID: CS-59
Collection Date: 6/23/2006 2:10:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: FP
Aroclor 1016	ND	3800		µg/Kg-dry	100	6/27/2006
Aroclor 1221	ND	3800		µg/Kg-dry	100	6/27/2006
Aroclor 1232	ND	3800		µg/Kg-dry	100	6/27/2006
Aroclor 1242	ND	3800		µg/Kg-dry	100	6/27/2006
Aroclor 1248	18000	3800		µg/Kg-dry	100	6/27/2006
Aroclor 1254	ND	3800		µg/Kg-dry	100	6/27/2006
Aroclor 1260	ND	3800		µg/Kg-dry	100	6/27/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	13.6	0.00100		wt%	1	6/27/2006

Approved By: PFDate: 6-30-06

Page 2 of 2

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

6034 Corporate Drive • E. Syracuse, NY 13057-1017
(315) 437 0255 Fax 437 1209

ord Computer Input Fo

Client: NYSDEC Central Office		Client Project # / Project Name Waste Code / Site # 828113		No. of Containers		Special Turnaround Time _____ (Lab Notification required)												
Client Contact: Ed Hampton Greg Young		Phone # 588 402 7442 585 354 2730		Site Location (city/state) Churchville, NY		ULI Internal Use Only 120606444		1) 2) 3) 4) 5) 6) 7) 8) 9) 10)										Remarks ASP Cat B *24 hr turnaround on all samples
Sample Location:		Date		Time				Matrix		Grab or Comp.								
CS-58		6/23/06		1400		Soil		C		-1		(1) X (X)						
CS-59		6/23/06		1410		Soil		C		-2		(1) X (X)						
parameter and method		sample bottle:		type		size		pres.		Sampled by: (Please Print) Greg Young		ULI Internal Use Only Delivery (check one): ☐ ULI Sampled ☐ Pickup ☐ Dropoff ☒ CC						
1) PCB 8082		Glass		Bot		Anal				Company: Enviro Geo Services								
2) (90 moisture) K₂CO₃										Relinquished by: (Signature) [Signature]		Date 6/23/06		Time 4:00p		Received by: (Signature) [Signature]		
3)										Relinquished by: (Signature)		Date		Time		Received by: (Signature)		
4)										Relinquished by: (Signature)		Date		Time		Received by: (Signature)		
5)										Relinquished by: (Signature)		Date		Time		Received by: (Signature)		
6)										Relinquished by: (Signature)		Date		Time		Received by: (Signature)		
7)										Relinquished by: (Signature)		Date		Time		Received by: (Signature)		
8)										Relinquished by: (Signature)		Date		Time		Received by: (Signature)		
9)										Relinquished by: (Signature)		Date		Time		Received by: (Signature)		
10)										Relinquished by: (Signature) [Signature]		Date 6/23/06		Time 4:40p		Rec'd for lab by: (Signature) [Signature]		
Notes: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.																		

Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * Fax (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site #828113

Order No.: U0606458

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 2 sample(s) on 6/26/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.


Anthony J. Scala

President/CEO

✓ CC:
C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606458
Project: Lustre Coate/Site #828113
Lab ID: U0606458-002

Client Sample ID: CS-61
Collection Date: 6/26/2006 2:50:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: FP
Aroclor 1016	ND	360		µg/Kg-dry	10	6/27/2006
Aroclor 1221	ND	360		µg/Kg-dry	10	6/27/2006
Aroclor 1232	ND	360		µg/Kg-dry	10	6/27/2006
Aroclor 1242	ND	360		µg/Kg-dry	10	6/27/2006
Aroclor 1248	200	360	J	µg/Kg-dry	10	6/27/2006
Aroclor 1254	ND	360		µg/Kg-dry	10	6/27/2006
Aroclor 1260	ND	360		µg/Kg-dry	10	6/27/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	8.03	0.00100		wt%	1	6/27/2006

Approved By: PF

Date: 6-30-06

Page 2 of 2

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

ULI Computer input Form

Client:		Client Project # / Project Name		No. of Containers		Special Turnaround Time (Lab Notification required)																			
Client Contact:		Site Location (city/state)		Grab or Comp.		ULI Internal Use Only		Remarks																	
Sample Location:		Date		Time		Matrix		Grab or Comp.		ULI Internal Use Only		Remarks													
Ed Hampton 143065		585 339 2730		Churchville, NY		C		140606458		1) X (X)		KARP Cat B													
G Young 120163		585 339 2730		Churchville, NY		C		140606458		1) X (X)		224 h turnaround													
CS-60		6/26/06		1445		Soil		C		140606458															
CS-61		6/26/06		1450		Soil		C		140606458															
parameter and method		sample bottle:		type		size		pres.		Sampled by: (Please Print)		ULI Internal Use Only													
1) PCB 8082		Glass		800		none		none		Greg Young		Delivery (check one):													
2) (90 moisture)		Glass		800		none		none		Company: Empire Geo Services		☐ ULI Sampled													
3)		Glass		800		none		none		Relinquished by: (Signature)		Date		Time		Received by: (Signature)									
4)		Glass		800		none		none		Relinquished by: (Signature)		Date		Time		Received by: (Signature)									
5)		Glass		800		none		none		Relinquished by: (Signature)		Date		Time		Received by: (Signature)									
6)		Glass		800		none		none		Relinquished by: (Signature)		Date		Time		Received by: (Signature)									
7)		Glass		800		none		none		Relinquished by: (Signature)		Date		Time		Received by: (Signature)									
8)		Glass		800		none		none		Relinquished by: (Signature)		Date		Time		Received by: (Signature)									
9)		Glass		800		none		none		Relinquished by: (Signature)		Date		Time		Received by: (Signature)									
10)		Glass		800		none		none		Relinquished by: (Signature)		Date		Time		Rec'd for Lab by: (Signature)									

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * Fax (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site #828113

Order No.: U0606476

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 1 sample(s) on 6/27/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.


We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.



Anthony J. Scala
President/CEO

✓ CC:
C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606476
Project: Lustre Coate/Site #828113
Lab ID: U0606476-001

Client Sample ID: CS-62
Collection Date: 6/27/2006 2:50:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	3800		µg/Kg-dry	100	6/29/2006
Aroclor 1221	ND	3800		µg/Kg-dry	100	6/29/2006
Aroclor 1232	ND	3800		µg/Kg-dry	100	6/29/2006
Aroclor 1242	ND	3800		µg/Kg-dry	100	6/29/2006
Aroclor 1248	3600	3800	J	µg/Kg-dry	100	6/29/2006
Aroclor 1254	ND	3800		µg/Kg-dry	100	6/29/2006
Aroclor 1260	ND	3800		µg/Kg-dry	100	6/29/2006
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	13.9	0.00100		wt%	1	6/29/2006

Approved By: PF

Date: 6-30-06

Page 1 of 1

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Fair Lawn (NJ)

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * Fax (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, July 07, 2006

RE: Lustre Coate/Site #828113

Order No.: U0606510

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 3 sample(s) on 6/29/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.


Anthony J. Scala
President/CEO

✓cc:

C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 07-Jul-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606510
Project: Lustre Coate/Site #828113
Lab ID: U0606510-001

Client Sample ID: CS-63
Collection Date: 6/29/2006 10:50:00 AM
Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	7/3/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	7/3/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	7/3/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	7/3/2006
Aroclor 1248	570	370		µg/Kg-dry	10	7/3/2006
Aroclor 1254	ND	370		µg/Kg-dry	10	7/3/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	7/3/2006
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	10.7	0.00100		wt%	1	6/30/2006

Approved By: PFDate: 7-7-06

Page 1 of 3

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 07-Jul-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606510
Project: Lustre Coate/Site #828113
Lab ID: U0606510-002

Client Sample ID: CS-63 Dup
Collection Date: 6/29/2006 10:50:00 AM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	7/3/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	7/3/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	7/3/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	7/3/2006
Aroclor 1248	660	370		µg/Kg-dry	10	7/3/2006
Aroclor 1254	ND	370		µg/Kg-dry	10	7/3/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	7/3/2006
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	10.8	0.00100		wt%	1	6/30/2006

Approved By: PFDate: 7-7-06

Page 2 of 3

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 07-Jul-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606510
Project: Lustre Coate/Site #828113
Lab ID: U0606510-003

Client Sample ID: CS-64
Collection Date: 6/29/2006 11:00:00 AM
Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	7/3/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	7/3/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	7/3/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	7/3/2006
Aroclor 1248	1500	370		µg/Kg-dry	10	7/3/2006
Aroclor 1254	ND	370		µg/Kg-dry	10	7/3/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	7/3/2006
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	9.94	0.00100		wt%	1	6/30/2006

Approved By: PF

Date: 7-7-06

Page 3 of 3

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

6034 Corporate Drive • E. Syracuse, NY 13057-1017
(315) 437 0255 Fax 437 1209

Chain Of Custody Record

ULI Computer Input Form

Client: NYSDOC Central office		Client Project # / Project Name Luster Cate / Site # 828113					No. of Containers										Special Turnaround Time _____ (Lab Notification required)			
Client Contact: Ed Thompson (NYSDOC) Greg Young (Empire)		Phone #		Site Location (city/state) Churchville, NY															Remarks	
Sample Location:		Date	Time	Matrix	Grab or Comp.	ULI Internal Use Only	1)	2)	3)	4)	5)	6)	7)	8)	9)	10)				
CS-63		6/29/06	1050	Soil	Comp	4106010510	(1)	X	(X)								MS/MSO			
CS-63 Dup		↓	1050	↓	↓	-2	(1)	X	(X)											
CS-64		↓	1100	↓	↓	-3	(1)	X	(X)											
Use for MS/MSO * ASP Cat B * 24 hr turnaround																				
parameter and method		sample bottle:			type	size	pres.	Sampled by: (Please Print) Greg Young								ULI Internal Use Only Delivery (check one): ☐ ULI Sampled ☐ Pickup ☐ Dropoff ☐ CC				
1) PCB 8082					Glass	8oz	NR	Company: Empire Gas Service												
2) (So Moisture)								Relinquished by: (Signature) [Signature]								Date 6/29/06	Time 1:30 P	Received by: (Signature) [Signature]		
3)								Relinquished by: (Signature)								Date	Time	Received by: (Signature)		
4)								Relinquished by: (Signature)								Date	Time	Received by: (Signature)		
5)								Relinquished by: (Signature)								Date	Time	Received by: (Signature)		
6)								Relinquished by: (Signature)								Date	Time	Received by: (Signature)		
7)								Relinquished by: (Signature)								Date	Time	Received by: (Signature)		
8)								Relinquished by: (Signature)								Date	Time	Received by: (Signature)		
9)								Relinquished by: (Signature)								Date	Time	Received by: (Signature)		
10)								Relinquished by: (Signature) [Signature]								Date 6/29/06	Time 3:45P	Rec'd for Lab by: (Signature) [Signature]		

Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.

Syracuse

Rochester

Buffalo

Albany

Binghamton

Fair Lawn (NJ)

ATTACHMENT B
Non-hazardous Waste Disposal Manifests

**NON-HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.

N/A

Manifest Doc. No.

0.0.0.1.

2. Page 1
of 1

3. Generator's Name and Mailing Address

NYS Dept. of Env. Conservation
32 East Buffalo Street
Churchville NY 14428

WMNH 012647

SAME

4. Generator's Phone ()

5. Transporter 1 Company Name

Shank Trucking

6. US EPA ID Number

.....

A. Transporter's Phone

585-272-0711

7. Transporter 2 Company Name

8. US EPA ID Number

.....

B. Transporter's Phone

9. Designated Facility Name and Site Address

WM of NEW YORK at MILL SEAT LANDFILL
303 BREW STREET
BERGEN NY 14418

10. US EPA ID Number

.....

C. Facility's Phone

(585)494-3000

11. Waste Shipping Name and Description

a. NON-REGULATED MATERIAL

12. Containers

No.

Type

13. Total
Quantity14. Unit
Wt/Vol

1

RO

20

yd

..

.

2.5

cu

b.

c.

d.

D. Additional Descriptions for Materials Listed Above

a. VB0848 - SOIL

E. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT

WEIGHT IS ESTIMATED

16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Printed/Typed Name

Greg Young representing NY DEC

Signature

[Signature]

Month Day Year

10/5/30/06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Robert Silvestre

Signature

[Signature]

Month Day Year

10/5/30/06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

. . .

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Month Day Year

. . .

GENERATOR'S COPY

**NON-HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.

Manifest Doc. No.

2. Page 1
of 1

3. Generator's Name and Mailing Address

NYS Dept. of Env. Conservation
32 East Buffalo Street
Churchville NY 14428

4. Generator's Phone (518) 462 9812

5. Transporter 1 Company Name

Silverole Trucking

7. Transporter 2 Company Name

9. Designated Facility Name and Site Address

WM of NEW YORK at MILL SEAT LANDFILL
303 BREW STREET
BERGEN NY 14416

6. US EPA ID Number

8. US EPA ID Number

10. US EPA ID Number

WMNH 012648

SAME

A. Transporter's Phone

1585 272 0741

B. Transporter's Phone

C. Facility's Phone

(585) 494-3000

11. Waste Shipping Name and Description

a. NON-REGULATED MATERIAL

12. Containers
No. Type

2

RO

13. Total
Quantity

25

14. Unit
Wt/Vol

Ton

b.

c.

d.

D. Additional Descriptions for Materials Listed Above

a. VB0648 - SOIL

E. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMH CONTACT

WEIGHT IS ESTIMATED

16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Printed/Typed Name

Greg Young, representative NYSDOC

Signature



Month Day Year


10 5 30 06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Robert Silverole

Signature



Month Day Year

10 5 30 06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

. . . .

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Month Day Year

. . . .

GENERATOR'S COPY

**NON-HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.

N J A

Manifest Doc. No.

.003.

2. Page 1
of 1

3. Generator's Name and Mailing Address

NYS Dept. of Env. Conservation
32 East Buffalo Street
Churchville NY 14428

WMNH 012627

SAME

4. Generator's Phone (518) 402 9812

5. Transporter 1 Company Name

Silverde Trucking

6. US EPA ID Number

.

A. Transporter's Phone

(585) 272-0741

7. Transporter 2 Company Name

8. US EPA ID Number

.

B. Transporter's Phone

9. Designated Facility Name and Site Address

WM of NEW YORK at MILL SEAT LANDFILL
303 BREW STREET
BERGEN NY 14416

10. US EPA ID Number

.

C. Facility's Phone

(585) 494-3000

11. Waste Shipping Name and Description

a. NON-REGULATED MATERIAL

b.

c.

d.

D. Additional Descriptions for Materials Listed Above

a. VB0648 - SOIL

E. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT

WEIGHT IS ESTIMATED

16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Printed/Typed Name

C. V. Yang representative, NYSDEC

Signature

[Signature]

Month Day Year

10/5/30/06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Robert Silverde

Signature

[Signature]

Month Day Year

10/5/30/06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

.

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.

Printed/Typed Name



Signature

Month Day Year

.

GENERATOR'S COPY

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. N / A	Manifest Doc. No. 001	2. Page 1 of 1
3. Generator's Name and Mailing Address NYS Dept. of Env. Conservation 32 East Buffalo Street Churchville NY 14428			WMNH 012644 SAME	
4. Generator's Phone (518) 462-7812				
5. Transporter 1 Company Name <i>Silva Trucking</i>	6. US EPA ID Number 	A. Transporter's Phone 585-272-0291		
7. Transporter 2 Company Name	8. US EPA ID Number 	B. Transporter's Phone		
9. Designated Facility Name and Site Address WM of NEW YORK at MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14416	10. US EPA ID Number 	C. Facility's Phone (585) 494-3000		
11. Waste Shipping Name and Description a. NON-REGULATED MATERIAL b. c. d.		12. Containers No.	Type	13. Total Quantity
D. Additional Descriptions for Materials Listed Above a. VB0548 - SOIL		E. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 300-424-9300 WMI CONTACT WEIGHT IS ESTIMATED				
16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.				
Printed/Typed Name <i>Greg Young</i>		Signature <i>[Signature]</i>		Month Day Year 05/31/06
17. Transporter 1 Acknowledgement of Receipt of Materials		Printed/Typed Name <i>Robert Silva</i>		Signature <i>[Signature]</i>
18. Transporter 2 Acknowledgement of Receipt of Materials		Printed/Typed Name		Signature
19. Discrepancy Indication Space		Month Day Year . . .		
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.				
Printed/Typed Name		Signature		Month Day Year . . .

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. N/A	Manifest Doc. No. 005	2. Page 1 of 1	
3. Generator's Name and Mailing Address NY3 Dept. of Env. Conservation 32 East Buffalo Street Churchville NY 14428			WMNH 012643		
			SAME		
4. Generator's Phone (518) 402 9812	6. US EPA ID Number	A. Transporter's Phone (585) 272 0741			
5. Transporter 1 Company Name Silvaco Trucking	8. US EPA ID Number	B. Transporter's Phone			
7. Transporter 2 Company Name	10. US EPA ID Number	C. Facility's Phone (585) 424-3000			
9. Designated Facility Name and Site Address WM of NEW YORK at MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14418					
11. Waste Shipping Name and Description a. NON-REGULATED MATERIAL b. c. d.		12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol
		1	RO	20	kg
D. Additional Descriptions for Materials Listed Above a. VB0648 - SOIL		E. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT WEIGHT IS ESTIMATED					
16. GENERATOR'S CERTIFICATION Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.					
Printed/Typed Name Greg Young representing NY/DOEC		Signature 		Month Day Year 05 31 06	
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature 		Month Day Year 05 31 06	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.					
Printed/Typed Name		Signature		Month Day Year	

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. N / A	Manifest Doc. No. 0.06.	2. Page 1 of 1		
3. Generator's Name and Mailing Address NYS Dept. of Env. Conservation 32 East Buffalo Street Churchville NY 14428			WMNH 012640			
			SAME			
4. Generator's Phone (518) 402 9812		6. US EPA ID Number		A. Transporter's Phone		
5. Transporter 1 Company Name <i>Silvaco Tracking</i>		8. US EPA ID Number		B. Transporter's Phone		
7. Transporter 2 Company Name		10. US EPA ID Number		C. Facility's Phone		
9. Designated Facility Name and Site Address WM of NEW YORK at MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14416				(585) 494-3000		
11. Waste Shipping Name and Description a. NON-REGULATED MATERIAL b. c. d.			12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol
			1	RO	20	7.5
D. Additional Descriptions for Materials Listed Above a. VB0646 - SOIL			E. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT WEIGHT IS ESTIMATED						
16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.						
Printed/Typed Name <i>Greg Young</i>		Signature <i>[Signature]</i>		Month Day Year 0.6 0.1 0.6		
17. Transporter 1 Acknowledgement of Receipt of Materials						
Printed/Typed Name <i>Robert Silvaco</i>		Signature <i>[Signature]</i>		Month Day Year 0.6 0.1 0.6		
18. Transporter 2 Acknowledgement of Receipt of Materials						
Printed/Typed Name		Signature		Month Day Year		
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name		Signature		Month Day Year		

GENERATOR'S COPY

NON-HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

N / A

Manifest Doc. No.

0.00.7.

2. Page 1

of 1

WMNH 012641

SAVE

3. Generator's Name and Mailing Address

NYS Dept. of Env. Conservation
32 East Buffalo Street
Churchville NY 14428

4. Generator's Phone ()

5. Transporter 1 Company Name

Silverdale Trucking

6. US EPA ID Number

.

A. Transporter's Phone

585-272-0741

7. Transporter 2 Company Name

8. US EPA ID Number

.

B. Transporter's Phone

9. Designated Facility Name and Site Address

WM of NEW YORK at MILL SEAT LANDFILL
303 BREW STREET
BERGEN NY 14418

10. US EPA ID Number

.

C. Facility's Phone

(585)494-3000

11. Waste Shipping Name and Description

a. NON-REGULATED MATERIAL

b.

c.

d.

12. Containers

No.

Type

13. Total

Quantity

14. Unit

Wi/Vol

1 Ro 20 Ton

D. Additional Descriptions for Materials Listed Above

a. VB0648 - SOIL

E. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT

WEIGHT IS ESTIMATED

16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.
In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Printed/Typed Name

Signature

Month Day Year

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Robert Silverdale

Signature

[Signature]

Month Day Year

06/01/06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

. . .

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Month Day Year

. . .

GENERATOR'S COPY

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. N/A	Manifest Doc. No. 00008	2. Page 1 of 1
3. Generator's Name and Mailing Address NYS Dept. of Env. Conservation 32 East Buffalo Street Churchville NY 14428			WMNH 012642	
4. Generator's Phone (CLB) 402 9812			SAME	
5. Transporter 1 Company Name Silvanole Trucking	6. US EPA ID Number 8A: 190	A. Transporter's Phone 585-272-0741		
7. Transporter 2 Company Name	8. US EPA ID Number	B. Transporter's Phone		
9. Designated Facility Name and Site Address WM of NEW YORK at MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14418	10. US EPA ID Number	C. Facility's Phone (585) 494-3000		
11. Waste Shipping Name and Description		12. Containers No. Type	13. Total Quantity	14. Unit Wt/Vol
a. NON-REGULATED MATERIAL				
b.				
c.				
d.				
D. Additional Descriptions for Materials Listed Above a. VB0848 - SOIL		E. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT WEIGHT IS ESTIMATED				
16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.				
Printed/Typed Name Greg Young, NYSDEC		Signature <i>Greg Young</i>		Month Day Year 06 02 06
17. Transporter 1 Acknowledgement of Receipt of Materials				
Printed/Typed Name Bill Silvanole		Signature <i>Bill Silvanole</i>		Month Day Year 06 02 06
18. Transporter 2 Acknowledgement of Receipt of Materials				
Printed/Typed Name		Signature		Month Day Year . . .
19. Discrepancy Indication Space				
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.				
Printed/Typed Name		Signature		Month Day Year . . .

NON-HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

N/A

Manifest Doc. No.

0009

2. Page 1

of 1

WMNH 012639

SAME

3. Generator's Name and Mailing Address

NYS Dept. of Env. Conservation
32 East Buffalo Street
Churchville NY 14428

4. Generator's Phone (518) 462 9812

5. Transporter 1 Company Name

Silvanus Trucking

6. US EPA ID Number

8A-140

A. Transporter's Phone

272-0741

7. Transporter 2 Company Name

8. US EPA ID Number

B. Transporter's Phone

9. Designated Facility Name and Site Address

WM of NEW YORK at MILL SEAT LANDFILL
303 BREW STREET
BERGEN NY 14416

10. US EPA ID Number

C. Facility's Phone

(565) 484-3000

11. Waste Shipping Name and Description

a. NON-REGULATED MATERIAL

b.

c.

d.

12. Containers

No.

Type

13. Total

Quantity

14. Unit

Wt/Vol

D. Additional Descriptions for Materials Listed Above

a. VB004S - SOIL

E. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT
WEIGHT IS ESTIMATED

16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Printed/Typed Name

Greg Young

Signature

[Signature]

Month Day Year

06 06 06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Silvanus Trucking

Signature

[Signature]

Month Day Year

06 06 06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

. . .

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Month Day Year

. . .

GENERATOR'S COPY

**NON-HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.

N/A

Manifest Doc. No.

010

2. Page 1
of 1

WMNH 012637

SAME

3. Generator's Name and Mailing Address

NYS Dept. of Env. Conservation
32 East Buffalo Street
Churchville NY 14428

4. Generator's Phone (518) 462-9812

5. Transporter 1 Company Name

6.

US EPA ID Number

A. Transporter's Phone

7. Transporter 2 Company Name

8.

US EPA ID Number

B. Transporter's Phone

9. Designated Facility Name and Site Address

WM of NEW YORK at MILL SEAT LANDFILL
303 BREW STREET
BERGEN NY 14418

10.

US EPA ID Number

C. Facility's Phone

(585) 494-3000

11. Waste Shipping Name and Description

a. NON-REGULATED MATERIAL

b.

c.

d.

12. Containers

No.

Type

13.
Total
Quantity14.
Unit
Wt/Vol

D. Additional Descriptions for Materials Listed Above

a. VB0648 - SOIL

E. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

CHEM EMERGENCY RESPONSE NO. 800-424-9300 VVM CONTACT

WEIGHT IS ESTIMATED

16. GENERATOR'S CERTIFICATION Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Printed/Typed Name

Signature

Month Day Year

06 06 06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

06 06 06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

06 06 06

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Month Day Year

06 06 06

GENERATOR'S COPY

**NON-HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.

N/A

Manifest Doc. No.

0.1.1.

2. Page 1
of 1

WMNH 012638

SAME

3. Generator's Name and Mailing Address

NYS Dept. of Env. Conservation
32 East Buffalo Street
Churchville NY 14428

4. Generator's Phone (518) 402-9812

5. Transporter 1 Company Name

Silverado Trucking

6. US EPA ID Number

. . . 84-170

7. Transporter 2 Company Name

8. US EPA ID Number

.

9. Designated Facility Name and Site Address

WM of NEW YORK & MILL SEAT LANDFILL
303 BREW STREET
BERGEN NY 14418

10. US EPA ID Number

.

A. Transporter's Phone

B. Transporter's Phone

C. Facility's Phone

(585) 494-3000

11. Waste Shipping Name and Description

a. NON-REGULATED MATERIAL

b.

c.

d.

12. Containers

No.

Type

13. Total
Quantity14. Unit
Wt/Vol

D. Additional Descriptions for Materials Listed Above

a. VB0045 - SOIL

E. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT

WEIGHT IS ESTIMATED

16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Printed/Typed Name

Greg Young - general manager

Signature

[Signature]

Month Day Year

10.9.2000

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Silverado Trucking

Signature

[Signature]

Month Day Year

11.10.2000

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

.

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Month Day Year

.

GENERATOR'S COPY

**NON-HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.

N/A

Manifest Doc. No.

012

2. Page 1
of 1

WMNH 012636

SAME

3. Generator's Name and Mailing Address

NYS Dept of Env. Conservation
32 East Buffalo Street
Churchville NY 14428

4. Generator's Phone (518) 402 9812

5. Transporter 1 Company Name

Silvanus Trucking

6. US EPA ID Number

. . . 85120

7. Transporter 2 Company Name

8. US EPA ID Number

.

9. Designated Facility Name and Site Address

WM of NEW YORK at MILL SEAT LANDFILL
303 BREW STREET
BERGEN NY 14418

10. US EPA ID Number

.

C. Facility's Phone

(565) 494-3000

11. Waste Shipping Name and Description

a. NON-REGULATED MATERIAL

b.

c.

d.

12. Containers

No.

Type

13. Total
Quantity14. Unit
Wt/Vol

D. Additional Descriptions for Materials Listed Above

a. VB0648 - SOIL

E. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMH CONTACT

WEIGHT IS ESTIMATED

16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Printed/Typed Name

Gene Vane

Signature

[Signature]

Month Day Year

06 07 06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

[Signature]

Signature

[Signature]

Month Day Year

06 07 06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

[Signature]

Signature

[Signature]

Month Day Year

. . .

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

[Signature]



Signature

[Signature]

Month Day Year

. . .

GENERATOR'S COPY

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. N/A	Manifest Doc. No. 013	2. Page 1 of 1
3. Generator's Name and Mailing Address NYS Dept. of Env. Conservation 32 East Buffalo Street Churchville NY 14428			WMNH 012628	
4. Generator's Phone (518) 402 9812			A. Transporter's Phone SAME	
5. Transporter 1 Company Name Silvaratz Trucking	6. US EPA ID Number . 81-190	B. Transporter's Phone		
7. Transporter 2 Company Name	8. US EPA ID Number	C. Facility's Phone (565) 404-3000		
9. Designated Facility Name and Site Address WM of NEW YORK & MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14416		10. US EPA ID Number		
11. Waste Shipping Name and Description a. NON-REGULATED MATERIAL b. c. d.		12. Containers		13. Total Quantity
		No.	Type	14. Unit Wt/Vol
D. Additional Descriptions for Materials Listed Above a. VB0848 - SOIL		E. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT WEIGHT IS ESTIMATED				
16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.				
Printed/Typed Name Greg Young, APPLICANT, ANSOEL		Signature 		Month Day Year 06 08 06
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature 		Month Day Year 06 08 06
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Month Day Year
Printed/Typed Name				
19. Discrepancy Indication Space				
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.				
Printed/Typed Name		Signature		Month Day Year

GENERATOR'S COPY

**NON-HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.

N/A

Manifest Doc. No.

014

2. Page 1
of 1

WMNH 012629

SAME

3. Generator's Name and Mailing Address

NYS Dept. of Env. Conservation
32 East Buffalo Street
Chatham NY 14428

4. Generator's Phone (518) 402 9812

5. Transporter 1 Company Name

Silverdale Trucking

6. US EPA ID Number

1-84-190

7. Transporter 2 Company Name

8. US EPA ID Number

9. Designated Facility Name and Site Address

WM of NEW YORK at MILL SEAT LANDFILL
303 BREW STREET
BERGEN NY 14416

10. US EPA ID Number

A. Transporter's Phone

B. Transporter's Phone

C. Facility's Phone

(585) 494-3000

11. Waste Shipping Name and Description

a. NON-REGULATED MATERIAL

b.

c.

d.

12. Containers

No. Type

13.
Total
Quantity14.
Unit
Wt/Vol

D. Additional Descriptions for Materials Listed Above

a. VB0648 - SOIL

E. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

CHEM EMERGENCY RESPONSE NO. 800-424-8300 WMI CONTACT

WEIGHT IS ESTIMATED

16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Printed/Typed Name

Greg Young

Signature

[Signature]

Month Day Year

06 06 06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Silverdale

Signature

[Signature]

Month Day Year

06 07 06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

. . .

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Month Day Year

. . .

GENERATOR'S COPY

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. N J A	Manifest Doc. No. O.I.S.	2. Page 1 of 1
3. Generator's Name and Mailing Address NYS Dept. of Env. Conservation 32 East Buffalo Street Churchville NY 14428			WMNH 012635	
4. Generator's Phone (518) 1402 4812			SAME	
5. Transporter 1 Company Name SILVANO TRUCKING	6. US EPA ID Number S.A. 190	A. Transporter's Phone 85-370-5162		
7. Transporter 2 Company Name	8. US EPA ID Number	B. Transporter's Phone		
9. Designated Facility Name and Site Address WM of NEW YORK at MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14416	10. US EPA ID Number	C. Facility's Phone (585) 494-3000		
11. Waste Shipping Name and Description		12. Containers No. Type	13. Total Quantity	14. Unit Wt/Vol
a. NON-REGULATED MATERIAL		1	Box	20 TON
b.		.	.	.
c.		.	.	.
d.		.	.	.
D. Additional Descriptions for Materials Listed Above a. VB0640 - SOIL		E. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT WEIGHT IS ESTIMATED				
16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.				
Printed/Typed Name GREG STANLEY		Signature 		Month Day Year 06/12/06
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature SCOTT MILLER		Month Day Year 06/12/06
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Month Day Year . . .
19. Discrepancy Indication Space				
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.				
Printed/Typed Name		Signature		Month Day Year . . .

GENERATOR'S COPY

**NON-HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.

N/A

Manifest Doc. No.

016.

2. Page 1

of 1

3. Generator's Name and Mailing Address

NYS Dept. of Env. Conservation
32 East Buffalo Street
Churchville NY 14428

WMNH 012634

SAME

4. Generator's Phone (518) 402 9812

5. Transporter 1 Company Name

Silverstein

6. US EPA ID Number

181-190

A. Transporter's Phone

7. Transporter 2 Company Name

8. US EPA ID Number

.

B. Transporter's Phone

9. Designated Facility Name and Site Address

WM of NEW YORK at MILL SEAT LANDFILL
303 BREW STREET
BERGEN NY 14418

10. US EPA ID Number

.

C. Facility's Phone

(565) 494-3000

11. Waste Shipping Name and Description

a. NON-REGULATED MATERIAL

b.

c.

d.

12. Containers

No.

Type

13. Total
Quantity14. Unit
Wt/Vol

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

D. Additional Descriptions for Materials Listed Above

a. V60548 - SOIL

E. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT

WEIGHT IS ESTIMATED

16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Printed/Typed Name

Green Youngs representing NISDEC

Signature

[Signature]

Month Day Year

06/13/06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

[Signature]

Signature

[Signature]

Month Day Year

06/16/06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

.

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Month Day Year

.

GENERATOR'S COPY

**NON-HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.

N / A

Manifest Doc. No.

017.

2. Page 1
of 1

3. Generator's Name and Mailing Address

NYS Dept. of Env. Conservation
32 East Buffalo Street
Churchville NY 14428

WMNH 012630

SAME

4. Generator's Phone (98) 102 9612

5. Transporter 1 Company Name

6.

US EPA ID Number

8.

US EPA ID Number

10.

US EPA ID Number

A. Transporter's Phone

B. Transporter's Phone

9. Designated Facility Name and Site Address

WM of NEW YORK at MILL SEAT LANDFILL
303 BREW STREET
BERGEN NY 14418

C. Facility's Phone

(585) 494-3000

11. Waste Shipping Name and Description

a. NON-REGULATED MATERIAL

b.

c.

d.

12. Containers

No.

Type

13.
Total
Quantity14.
Unit
Wt/Vol

D. Additional Descriptions for Materials Listed Above

a. V80841- SOIL

E. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT

WEIGHT IS ESTIMATED

16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Printed/Typed Name

Greg Young

Signature

[Signature]

Month Day Year

06/13/06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

[Signature]

Signature

[Signature]

Month Day Year

06/13/06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

. . .

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Month Day Year

. . .

GENERATOR'S COPY

**NON-HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.

N/A

Manifest Doc. No.

018

2. Page 1
of 1

WMNH 012631

SAME

3. Generator's Name and Mailing Address

NYS Dept. of Env. Conservation
31 East Buffalo Street
Churchville NY 14428

4. Generator's Phone (518) 402 9812

5. Transporter 1 Company Name

Storck Trucking

6. US EPA ID Number

84190

7. Transporter 2 Company Name

8. US EPA ID Number

.

9. Designated Facility Name and Site Address

WM of NEW YORK at MILL SEAT LANDFILL
303 BREW STREET
BERGEN NY 14410

10. US EPA ID Number

.

11. Waste Shipping Name and Description

a. NON-REGULATED MATERIAL

b.

c.

d.

12. Containers
No. Type13. Total
Quantity14. Unit
Wt/Vol

D. Additional Descriptions for Materials Listed Above

a. V80843 - SOIL

E. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT

WEIGHT IS ESTIMATED

16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Printed/Typed Name

Greg Young, representative NY DEC

Signature

[Signature]

Month Day Year

06/11/06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

[Signature]

Signature

[Signature]

Month Day Year

11/1/06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

.

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Month Day Year

.

GENERATOR'S COPY

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. N/A	Manifest Doc. No. 019	2. Page 1 of 1
3. Generator's Name and Mailing Address NYS Dept. of Env. Conservation 32 East Buffalo Street Churchville NY 14428			WMNH 012632 SAME	
4. Generator's Phone (518) 462-4612		6. US EPA ID Number	A. Transporter's Phone	
5. Transporter 1 Company Name Silver Lake		8. US EPA ID Number	B. Transporter's Phone	
7. Transporter 2 Company Name		10. US EPA ID Number	C. Facility's Phone (585) 494-3000	
9. Designated Facility Name and Site Address WM of NEW YORK at MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14418				
11. Waste Shipping Name and Description a. NON-REGULATED MATERIAL b. c. d.		12. Containers		13. Total
		No.	Type	Quantity
D. Additional Descriptions for Materials Listed Above a. VB0846-301		E. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT WEIGHT IS ESTIMATED				
16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.				
Printed/Typed Name Gregory J. Mac		Signature <i>[Signature]</i>		Month Day Year 05/11/06
17. Transporter 1 Acknowledgement of Receipt of Materials				
Printed/Typed Name <i>[Signature]</i>		Signature <i>[Signature]</i>		Month Day Year 05/11/06
18. Transporter 2 Acknowledgement of Receipt of Materials				
Printed/Typed Name		Signature		Month Day Year
19. Discrepancy Indication Space				
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.				
Printed/Typed Name		Signature		Month Day Year

GENERATOR

TRANSPORTER

FACILITY

**NON-HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.

Manifest Doc. No.

2. Page 1
of 1

3. Generator's Name and Mailing Address

NYS Dept. of Env. Conservation
32 East Buffalo Street
Churchville NY 14428

WMNH 012633

SAME

4. Generator's Phone (518) 462 7812

5. Transporter 1 Company Name

6. US EPA ID Number

A. Transporter's Phone

7. Transporter 2 Company Name

8. US EPA ID Number

B. Transporter's Phone

9. Designated Facility Name and Site Address

WM of NEW YORK at MILL SEAT LANDFILL
303 BREW STREET
BERGEN NY 14416

10. US EPA ID Number

C. Facility's Phone

(585) 494-3000

11. Waste Shipping Name and Description

a. NON-REGULATED MATERIAL

b.

c.

d.

D. Additional Descriptions for Materials Listed Above

a. VB0848 - SOIL

E. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT

WEIGHT IS ESTIMATED

16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Printed/Typed Name

Signature

Month Day Year

06 14 06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

06 14 06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

. . .

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Month Day Year

. . .

GENERATOR'S COPY

**NON-HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.

Manifest Doc. No.

2. Page 1
of 1

3. Generator's Name and Mailing Address
 NYS DEPT. OF ENV. CONSERVATION
 32 EAST BUFFALO STREET
 CHURCHVILLE NY 14428

WMNH 014779

4. Generator's Phone (518) 402-9812

5. Transporter 1 Company Name

6.

US EPA ID Number

A. Transporter's Phone

7. Transporter 2 Company Name

8.

US EPA ID Number

B. Transporter's Phone

9. Designated Facility Name and Site Address

10.

US EPA ID Number

C. Facility's Phone

WM OF NEW YORK AT MILL SEAT LANDFILL
 303 BREW STREET
 BERGEN NY 14416

11. Waste Shipping Name and Description

12. Containers
No. Type13.
Total
Quantity14.
Unit
Wt/Vol

a. NON-REGULATED MATERIAL

b.

c.

d.

D. Additional Descriptions for Materials Listed Above

a. VB0848 - SOIL

E. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT

WEIGHT IS ESTIMATED

16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.
 In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Printed/Typed Name

Signature

Month Day Year

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Month Day Year

GENERATOR'S COPY

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Doc. No. 022		2. Page 1 of 1		
3. Generator's Name and Mailing Address NYS DEPT. OF ENV. CONSERVATION 32 EAST BUFFALO STREET CHURCHVILLE NY 14428 4. Generator's Phone (98) 402 9612						WMNH 014802		
5. Transporter 1 Company Name Silvaco Trucking			6. US EPA ID Number 81-190		A. Transporter's Phone			
7. Transporter 2 Company Name			8. US EPA ID Number		B. Transporter's Phone			
9. Designated Facility Name and Site Address WM OF NEW YORK AT MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14410			10. US EPA ID Number		C. Facility's Phone			
11. Waste Shipping Name and Description a. NON-REGULATED MATERIAL					12. Containers		13. Total	14. Unit
					No.	Type	Quantity	Wt/Vol
b.								
c.								
d.								
D. Additional Descriptions for Materials Listed Above a. VB0848 - SOIL						E. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT WEIGHT IS ESTIMATED								
16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.								
Printed/Typed Name Greg Young				Signature 		Month Day Year 06 20 06		
17. Transporter 1 Acknowledgement of Receipt of Materials								
Printed/Typed Name [Signature]				Signature 		Month Day Year 06 20 06		
18. Transporter 2 Acknowledgement of Receipt of Materials								
Printed/Typed Name				Signature		Month Day Year . . .		
19. Discrepancy Indication Space								
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.								
Printed/Typed Name				Signature		Month Day Year . . .		

GENERATOR'S COPY

**NON-HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.	Manifest Doc. No. 023	2. Page 1 of 1
---------------------------------------	--------------------------	----------------

3. Generator's Name and Mailing Address
 NYS DEPT. OF ENV. CONSERVATION
 32 EAST BUFFALO STREET
 CHURCHVILLE NY 14428

WMNH 014801

4. Generator's Phone (518) 1402 9812

5. Transporter 1 Company Name
 Silvarote Trucking

6. US EPA ID Number
 1.84-190.....

A. Transporter's Phone

7. Transporter 2 Company Name

8. US EPA ID Number

B. Transporter's Phone

9. Designated Facility Name and Site Address
 WM OF NEW YORK AT MILL SEAT LANDFILL
 303 BREW STREET
 BERGEN NY 14416

10. US EPA ID Number

C. Facility's Phone

11. Waste Shipping Name and Description

12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol
-----------------------	------	-----------------------	--------------------

a. NON-REGULATED MATERIAL

.....			
-------	-------	-------	-------

b.

.....			
-------	-------	-------	-------

c.

.....			
-------	-------	-------	-------

d.

.....			
-------	-------	-------	-------

D. Additional Descriptions for Materials Listed Above
 a. V60848 - SOIL

E. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information
 CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT
 WEIGHT IS ESTIMATED

16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.
 In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Printed/Typed Name Gren Yang representative 11/DEC	Signature <i>[Signature]</i>	Month Day Year 10 6 2006
---	---------------------------------	-----------------------------

17. Transporter 1 Acknowledgement of Receipt of Materials		
Printed/Typed Name Kewch...	Signature <i>[Signature]</i>	Month Day Year 10 6 2006

18. Transporter 2 Acknowledgement of Receipt of Materials		
Printed/Typed Name	Signature	Month Day Year
.....		

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.

Printed/Typed Name	Signature	Month Day Year
.....		

GENERATOR
TRANSPORTER
FACILITY

**NON-HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.

Manifest Doc. No.

2. Page 1

of 1

WMNH 014800

3. Generator's Name and Mailing Address
NYS DEPT. OF ENV. CONSERVATION
32 EAST BUFFALO STREET
CHURCHVILLE NY 14428

4. Generator's Phone (518) 402 9812

5. Transporter 1 Company Name
SILVADOLE TRK

6. US EPA ID Number

8A-150...

A. Transporter's Phone

272-0741

7. Transporter 2 Company Name

8. US EPA ID Number

B. Transporter's Phone

9. Designated Facility Name and Site Address

WM OF NEW YORK AT MILL SEAT LANDFILL
303 BREW STREET
BERGEN NY 14410

10. US EPA ID Number

C. Facility's Phone

11. Waste Shipping Name and Description

12. Containers

No.

Type

13. Total

Quantity

14. Unit

Wt/Vol

a. NON-REGULATED MATERIAL

b.

c.

d.

D. Additional Descriptions for Materials Listed Above

a. VB0648 - SOIL

E. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT

WEIGHT IS ESTIMATED

16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Printed/Typed Name

Greg Young representative NYSDEC

Signature

[Signature]

Month Day Year

06 20 06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

JOHN TURNER

Signature

[Signature]

Month Day Year

06 20 06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

. . .

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.



Printed/Typed Name

Signature

Month Day Year

. . .

GENERATOR'S COPY

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Doc. No. 025.	2. Page 1 of 1	
3. Generator's Name and Mailing Address NYS DEPT. OF ENV. CONSERVATION 32 EAST BUFFALO STREET CHURCHVILLE NY 14428			WMNH 014799		
4. Generator's Phone (SIB) 1402 9812		6. US EPA ID Number 8A...19.D...	A. Transporter's Phone 272-0741		
5. Transporter 1 Company Name SILVERDALE TRK		8. US EPA ID Number	B. Transporter's Phone		
7. Transporter 2 Company Name		10. US EPA ID Number	C. Facility's Phone		
9. Designated Facility Name and Site Address WM OF NEW YORK AT MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14418					
11. Waste Shipping Name and Description a. NON-REGULATED MATERIAL b. c. d.			12. Containers No. Type	13. Total Quantity	14. Unit Wt/Vol
			..	..	23.1
			..	..	..
			..	..	..
			..	..	..
D. Additional Descriptions for Materials Listed Above a. VB0848 - SOIL			E. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT WEIGHT IS ESTIMATED					
16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.					
Printed/Typed Name Greg Young		Signature 		Month Day Year 06/20/06	
17. Transporter 1 Acknowledgement of Receipt of Materials					
Printed/Typed Name JOAN TURNER		Signature 		Month Day Year 06/20/06	
18. Transporter 2 Acknowledgement of Receipt of Materials					
Printed/Typed Name		Signature		Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.					
Printed/Typed Name		Signature		Month Day Year	

GENERATOR'S COPY

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Doc. No. 026	2. Page 1 of 1
3. Generator's Name and Mailing Address NYS DEPT. OF ENV. CONSERVATION 32 EAST BUFFALO STREET CHURCHVILLE NY 14428			WMNH 014798	
4. Generator's Phone (518) 402 9812				
5. Transporter 1 Company Name SILVARO/E TRK	6. US EPA ID Number 8A-190	A. Transporter's Phone 272-0741		
7. Transporter 2 Company Name	8. US EPA ID Number	B. Transporter's Phone		
9. Designated Facility Name and Site Address WM OF NEW YORK AT MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14418	10. US EPA ID Number	C. Facility's Phone		
11. Waste Shipping Name and Description		12. Containers No. Type	13. Total Quantity	14. Unit Wt/Vol
a. NON-REGULATED MATERIAL		..	231	
b.		..	..	
c.		..	..	
d.		..	..	
D. Additional Descriptions for Materials Listed Above a. VB0845 - SOIL		E. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT WEIGHT IS ESTIMATED				
16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.				
Printed/Typed Name Greg Young representing NYSDOC		Signature <i>Greg Young</i>		Month Day Year 05/20/06
17. Transporter 1 Acknowledgement of Receipt of Materials		Printed/Typed Name JOHN TURNER		Signature <i>John Turner</i>
18. Transporter 2 Acknowledgement of Receipt of Materials		Printed/Typed Name		Signature
19. Discrepancy Indication Space		Month Day Year . . .		
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.				
Printed/Typed Name		Signature		Month Day Year . . .

GENERATOR'S COPY

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Doc. No.	2. Page 1 of 1
3. Generator's Name and Mailing Address NYS DEPT. OF ENV. CONSERVATION 32 EAST BUFFALO STREET CHURCHVILLE NY 14428			WMNH 014780	
4. Generator's Phone (518) 462				
5. Transporter 1 Company Name SILVEROKE TRUCKING		6. US EPA ID Number 8A-190	A. Transporter's Phone 272-0741	
7. Transporter 2 Company Name		8. US EPA ID Number	B. Transporter's Phone	
9. Designated Facility Name and Site Address WM OF NEW YORK AT MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14416		10. US EPA ID Number	C. Facility's Phone	
11. Waste Shipping Name and Description			12. Containers	13. Total Quantity
a. NON-REGULATED MATERIAL			No.	Type
b.				23+
c.				
d.				
D. Additional Descriptions for Materials Listed Above a. VB0048 - SOIL			E. Handling Codes for Wastes Listed Above	
15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT WEIGHT IS ESTIMATED				
16. GENERATOR'S CERTIFICATION Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.				
Printed/Typed Name Gree Young		Signature Gree Young		Month Day Year 06/25/06
17. Transporter 1 Acknowledgement of Receipt of Materials				
Printed/Typed Name JOHN TURNER		Signature John Turner		Month Day Year 06/28/06
18. Transporter 2 Acknowledgement of Receipt of Materials				
Printed/Typed Name		Signature		Month Day Year
19. Discrepancy Indication Space				
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.				
Printed/Typed Name		Signature		Month Day Year

GENERATOR'S COPY

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Doc. No. 02.8.	2. Page 1 of 1
3. Generator's Name and Mailing Address NYS DEPT. OF ENV. CONSERVATION 32 EAST BUFFALO STREET CHURCHVILLE NY 14428			WMNH 014781	
4. Generator's Phone (518) 402 9812				
5. Transporter 1 Company Name SILVAROLE TRK	6. US EPA ID Number 8A-190	A. Transporter's Phone 272-0741		
7. Transporter 2 Company Name	8. US EPA ID Number	B. Transporter's Phone		
9. Designated Facility Name and Site Address WM OF NEW YORK AT MILL SEAT LANDFILL 303 BREW STREET SERGEN NY 14418	10. US EPA ID Number	C. Facility's Phone		
11. Waste Shipping Name and Description		12. Containers No. Type	13. Total Quantity	14. Unit Wt/Vol
a. NON-REGULATED MATERIAL			23+	
b.				
c.				
d.				
D. Additional Descriptions for Materials Listed Above a. VB0648 - SOIL		E. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT WEIGHT IS ESTIMATED				
16. GENERATOR'S CERTIFICATION Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.				
Printed/Typed Name Greg Young		Signature <i>Greg Young</i>		Month Day Year 10/6/28/06
17. Transporter 1 Acknowledgement of Receipt of Materials				
Printed/Typed Name John Turner		Signature <i>John Turner</i>		Month Day Year 10/6/28/06
18. Transporter 2 Acknowledgement of Receipt of Materials				
Printed/Typed Name		Signature		Month Day Year
19. Discrepancy Indication Space				
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.				
Printed/Typed Name		Signature		Month Day Year

GENERATOR'S COPY

NON-HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

Manifest Doc. No.

2. Page 1
of 1

029

WMNH 014782

3. Generator's Name and Mailing Address
NYS DEPT. OF ENV. CONSERVATION
32 EAST BUFFALO STREET
CHURCHVILLE NY 14428

4. Generator's Phone (SIB) 402 9812

5. Transporter 1 Company Name

6. US EPA ID Number

A. Transporter's Phone

7. Transporter 2 Company Name

8. US EPA ID Number

B. Transporter's Phone

9. Designated Facility Name and Site Address

10. US EPA ID Number

C. Facility's Phone

WM OF NEW YORK AT MILL SEAT LANDFILL
303 BREW STREET
BERGEN NY 14416

11. Waste Shipping Name and Description

a. NON-REGULATED MATERIAL

b.

c.

d.

D. Additional Descriptions for Materials Listed Above

a. VB0048 - SOIL

E. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT

WEIGHT IS ESTIMATED

16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Printed/Typed Name

Signature

Month Day Year
06 30 06

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year
06 30 06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year
. . .

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Month Day Year
. . .

GENERATOR'S COPY

ATTACHMENT C
Hazardous Waste Disposal Manifests

To, Chuck



RECEIVED

JUL 20 2006

CWM CHEMICAL SERVICES, LLC

1550 Balmer Road
PO Box 200
Model City, NY 14107
(716) 754-8231
(716) 754-0211 Fax


NYS DEPT OF ENV CONSERVATION
ATTN: ENVIRONMENTAL COMPLIANCE DEPT
NYD002216125
32 EAST BUFFALO STREET
CHURCHVILLE NY 14428

CERTIFICATE OF DISPOSAL

CWM CHEMICAL SERVICES, L.L.C., EPA ID: NYD049836679, has received waste material from NYS DEPT OF ENV CONSERVATION on 06/19/06 as described on Hazardous Waste Manifest number NYH1540557 Sequence number 01. CWM CHEMICAL SERVICES, L.L.C. hereby certifies that the above described material was landfilled in accordance with the 40 CFR part 761 as it pertains to the land disposal of polychlorinated biphenyl contaminated materials.

Profile Number: VB0646
CWM Tracking ID: 8160653801
CWM Unit #: 1*0
Disposal Date: 06/19/06

Under civil and criminal penalties of law for the making or submission of false or fraudulent statements or representations (18 U.S.C 1001 and 15 U.S.C. 2615) I certify that the information contained in or accompanying this document is true accurate and complete. As to the identified section(s) of this document for which I cannot personally verify truth and accuracy, I certify as the company official having supervisory responsibility for the persons who, acting under my direct instructions, made the verification that this information is true accurate and complete.


RICHARD STURGES
DISTRICT MANAGER
Certificate # 293681
06/20/06

For questions please call
our Customer Service Dept.
at (800) 843-3604

STATE OF NEW YORK
DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF SOLID & HAZARDOUS MATERIALS



NYH1540557

HAZARDOUS WASTE MANIFEST

P.O. Box 12820, Albany, New York 12212

Please type or print. Do not staple.

(Hazardous Waste Manifest 5/00)

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA No. 0012692319123		Manifest Doc. No. 11111		2. Page 1 of		Information within heavy bold line is not required by Federal Law.	
3. Generator's Name and Mailing Address Hazardous Waste Management 1234567890 1234567890						A. NYH1540557			
4. Generator's Telephone Number ()						B. Generator's ID			
5. Transporter 1 (Company Name) Price Transporting				6. US EPA ID Number 0012692319123		C. State Transporter's ID			
7. Transporter 2 (Company Name)				8. US EPA ID Number		D. Transporter's Telephone ()			
9. Designated Facility Name and Site Address						E. State Transporter's ID			
10. US EPA ID Number						F. Transporter's Telephone ()			
11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)						G. State Facility ID			
12. Containers						13. Total		14. Unit	
Number						Quantity		Wt/Vol	
a.						EPA		I. Waste No.	
b.						STATE			
c.						EPA			
d.						STATE			
J. Additional Descriptions for Materials listed Above						K. Handling Codes for Wastes Listed Above			
a.						a.		c.	
b.						b.		d.	
15. Special Handling Instructions and Additional Information									
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and state laws and regulations. If I am large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR if I am a smaller generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.									
Printed/Typed Name				Signature				Mo. Day Year	
17. Transporter 1 Acknowledgement of Receipt of Materials									
Printed/Typed Name				Signature				Mo. Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials									
Printed/Typed Name				Signature				Mo. Day Year	
19. Discrepancy Indication Space									
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.									
Printed/Typed Name				Signature				Mo. Day Year	

COPY 5-GENERATOR - MAILED BY TSD FACILITY

**CWM CHEMICAL SERVICES, LLC**

1550 Balmer Road
PO Box 200
Model City, NY 14107
(716) 754-8231
(716) 754-0211 Fax

June 20, 2006

Mr. Kenneth Stoller- Chief Pesticides /and Toxic Substances Branch
United States Environmental Protection Agency - Region II
2890 Woodbridge Avenue
Edison, NJ 08837-3679

Re: PCB Exception Report

Dear Mr. Stoller:

Per 40 CFR 761.215 (c), below is an explanation of PCBs received more than nine (9) months from and not disposed of within one year of the date they were removed from service for disposal. Please find attached a copy(s) of the referenced manifest(s) and the PCB continuation sheet(s), if applicable.

Manifest Number(s):	NYH1540557
Container Unique I.D. No.:	N/A
Removal From Service Date:	11/18/2004
Shipment Date:	06/16/06
Generator:	NYS Dept. of Env. Conservation
Generator's I.D. No.:	NYD002216125
Transporter:	Price Trucking
Transporter EPA I.D. No.:	NYD046765574
TSD Facility:	CWM Chemical Services, L.L.C.
TSD EPA I.D. No.:	NYD049836679
Received Date:	06/19/06
Disposal:	Line a. Material was landfilled 06/19/06.

Reason: The PCB material was received after the one year disposal deadline. Further explanation for the delay in disposing the PCBs is unknown.

Should you require any additional information, please contact me at (716) 754-0354.

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment."

Very truly yours,

Donna Ames-Cassick

Donna Ames-Cassick
Compliance Manager

cc: file - DOR - 06/19/06 -81606538

Generator		
EMD file	CWM/Model City, NY	
E. Dassatti	NYSDEC/Albany, NY	w/o attachments
J. Devald	NCHD/Niagara Falls, NY	w/ attachments
J. Reidy	USEPA/New York, NY	w/o attachments
J. McMahon	CWM/Model City, NY	w/attachments
USEPA - Region 9		



CWM CHEMICAL SERVICES, LLC

1550 Balmer Road
P.O. Box 200
Model City, NY 14107
(716) 754-8231
(716) 754-0211 Fax

NYS DEPT OF ENV CONSERVATION
ATTN: ENVIRONMENTAL COMPLIANCE DEPT
NYD002216125
32 EAST BUFFALO STREET
CHURCHVILLE NY 14428

CERTIFICATE OF DISPOSAL

CWM CHEMICAL SERVICES, L.L.C., EPA ID: NYD049836679, has received waste material from NYS DEPT OF ENV CONSERVATION on 06/20/06 as described on Hazardous Waste Manifest number NYH1540665 Sequence number 01. CWM CHEMICAL SERVICES, L.L.C. hereby certifies that the above described material was landfilled in accordance with the 40 CFR part 761 as it pertains to the land disposal of polychlorinated biphenyl contaminated materials.

Profile Number: VB0646
CWM Tracking ID: 8160657201
CWM Unit #: 1*0
Disposal Date: 06/20/06

Under civil and criminal penalties of law for the making or submission of false or fraudulent statements or representations (18 U.S.C 1001 and 15 U.S.C. 2615) I certify that the information contained in or accompanying this document is true accurate and complete. As to the identified section(s) of this document for which I cannot personally verify truth and accuracy, I certify as the company official having supervisory responsibility for the persons who, acting under my direct instructions, made the verification that this information is true accurate and complete.

RICHARD STURGES
DISTRICT MANAGER
Certificate # 293718
06/21/06

For questions please call
our Customer Service Dept.
at (800) 843-3604

STATE OF NEW YORK
DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF SOLID & HAZARDOUS MATERIALS

3020



NYH1540665

HAZARDOUS WASTE MANIFEST
P.O. Box 12820, Albany, New York 12212

Please type or print. Do not staple.

(Hazardous Waste Manifest 5/00)

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA No. <i>NY 6009216125</i>		Manifest Doc. No. <i>410665</i>		2. Page 1 of Information within heavy bold line is not required by Federal Law.									
3. Generator's Name and Mailing Address <i>PRICE TRUCKING</i>						A. NYH1540665									
4. Generator's Telephone Number () <i>518-457-7362</i>						B. Generator's ID <i>41507412</i>									
5. Transporter 1 (Company Name) <i>PRICE TRUCKING</i>				6. US EPA ID Number <i>NYD0414765574</i>		C. State Transporter's ID <i>41507412</i>									
7. Transporter 2 (Company Name)				8. US EPA ID Number		D. Transporter's Telephone () <i>710-233-4411</i>									
9. Designated Facility Name and Site Address						E. State Transporter's ID									
10. US EPA ID Number						F. Transporter's Telephone ()									
						G. State Facility ID									
						H. Facility Telephone ()									
11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)						12. Containers		13. Total		14. Unit		I. Waste No.			
						Number		Type		Quantity				Wt/Vol	
						a.									
						b.									
						c.									
J. Additional Descriptions for Materials listed Above						K. Handling Codes for Wastes Listed Above									
a.						a.									
b.						b.									
15. Special Handling Instructions and Additional Information															
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and state laws and regulations. If I am large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR if I am a smaller generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.															
Printed/Typed Name						Signature						Mo. Day Year			
17. Transporter 1 Acknowledgement of Receipt of Materials															
Printed/Typed Name <i>Michael Price</i>						Signature <i>[Signature]</i>						Mo. Day Year <i>11/10/00</i>			
18. Transporter 2 Acknowledgement of Receipt of Materials															
Printed/Typed Name						Signature						Mo. Day Year			
19. Discrepancy Indication Space															
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.															
Printed/Typed Name <i>[Signature]</i>						Signature <i>[Signature]</i>						Mo. Day Year <i>11/10/00</i>			

COPY 5-GENERATOR - MAILED BY TSD FACILITY

In case of emergency or spill immediately call the National Response Center (800) 424-8802 and the NYS Department of Environmental Conservation (518) 457-7362

**CWM CHEMICAL SERVICES, LLC**

1550 Balmer Road
PO Box 200
Model City, NY 14107
(716) 754-8231
(716) 754-0211 Fax

June 21, 2006

Mr. Kenneth Stoller- Chief Pesticides /and Toxic Substances Branch
United States Environmental Protection Agency - Region II
2890 Woodbridge Avenue
Edison, NJ 08837-3679

Re: PCB Exception Report

Dear Mr. Stoller:

Per 40 CFR 761.215 (c), below is an explanation of PCBs received more than nine (9) months from and not disposed of within one year of the date they were removed from service for disposal. Please find attached, a copy(s) of the referenced manifest(s) and the PCB continuation sheet(s), if applicable.

Manifest Number(s):	NYH1540665
Container Unique I.D. No.:	N/A
Removal From Service Date:	11/18/2004
Shipment Date:	06/19/06
Generator:	NYS Dept. of Env. Conservation
Generator's I.D. No.:	NYD002216125
Transporter:	Price Trucking
Transporter EPA I.D. No.:	NYD046765574
TSDF Facility:	CWM Chemical Services, L.L.C.
TSDF EPA I.D. No.:	NYD049836679
Received Date:	06/20/06
Disposal:	Line a. Material was landfilled 06/20/06.

Reason: The PCB material was received after the one year disposal deadline. Further explanation for the delay in disposing the PCBs is unknown.

Should you require any additional information, please contact me at (716) 754-0354.

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment."

Very truly yours,

Donna Ames-Cassick

Donna Ames-Cassick
Compliance Manager

cc: file - DOR - 06/20/06 - 81606572

Generator	CWM/Model City, NY	
EMD file	NYSDEC/Albany, NY	w/o attachments
E. Dassatti	NCHD/Niagara Falls, NY	w/ attachments
J. Devald	USEPA/New York, NY	w/o attachments
J. Reidy	CWM/Model City, NY	w/attachments
J. McMahon		
USEPA - Region 2		



CWM CHEMICAL SERVICES, LLC

1550 Balmer Road
PO Box 200
Model City, NY 14107
(716) 754-8231
(716) 754-0211 Fax

NYS DEPT OF ENV CONSERVATION
ATTN: ENVIRONMENTAL COMPLIANCE DEPT
NYD002216125
32 EAST BUFFALO STREET
CHURCHVILLE NY 14428

CERTIFICATE OF DISPOSAL

CWM CHEMICAL SERVICES, L.L.C., EPA ID: NYD049836679, has received waste material from NYS DEPT OF ENV CONSERVATION on 06/22/06 as described on Hazardous Waste Manifest number NYH1540566 Sequence number 01. CWM CHEMICAL SERVICES, L.L.C. hereby certifies that the above described material was landfilled in accordance with the 40 CFR part 761 as it pertains to the land disposal of polychlorinated biphenyl contaminated materials.

Profile Number: VB0646
CWM Tracking ID: 8160664101
CWM Unit #: 1*0
Disposal Date: 06/22/06

Under civil and criminal penalties of law for the making or submission of false or fraudulent statements or representations (18 U.S.C 1001 and 15 U.S.C. 2615) I certify that the information contained in or accompanying this document is true accurate and complete. As to the identified section(s) of this document for which I cannot personally verify truth and accuracy, I certify as the company official having supervisory responsibility for the persons who, acting under my direct instructions, made the verification that this information is true accurate and complete.

RICHARD STURGES
DISTRICT MANAGER
Certificate # 293819
06/23/06

For questions please call
our Customer Service Dept.
at (800) 843-3604

STATE OF NEW YORK
DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF SOLID & HAZARDOUS MATERIALS

NYH1540566

HAZARDOUS WASTE MANIFEST
P.O. Box 12820, Albany, New York 12212



Please type or print. Do not staple.

(Hazardous Waste Manifest 500)

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA No. <i>AYD10000104125</i>		Manifest Doc. No. <i>1611217</i>		2. Page 1 of		Information within heavy bold line is not required by Federal Law.			
		3. Generator's Name and Mailing Address <i>State of New York Department of Environmental Conservation 609 Albany</i>		6. US EPA ID Number <i>AYD10000104125</i>		A. NYH1540566		B. Generator's ID <i>State</i>			
4. Generator's Telephone Number () <i>(518) 402-8802</i>		5. Transporter 1 (Company Name) <i>Kyle Trucking</i>		8. US EPA ID Number		C. State Transporter's ID <i>4000117</i>		D. Transporter's Telephone () <i>(716) 150-1500</i>			
7. Transporter 2 (Company Name)		9. Designated Facility Name and Site Address <i>State of New York Department of Environmental Conservation 609 Albany</i>		10. US EPA ID Number		E. State Transporter's ID		F. Transporter's Telephone ()			
						G. State Facility ID		H. Facility Telephone ()			
11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)		12. Containers		13. Total		14. Unit		I. Waste No.			
		Number Type		Quantity		Wt/Vol					
		a.								EPA	
		b.								STATE	
		c.								EPA	
								STATE			
								EPA			
								STATE			
								EPA			
								STATE			
J. Additional Descriptions for Materials listed Above		K. Handling Codes for Wastes Listed Above									
a.		c.		a.		c.					
b.		d.		b.		d.					
15. Special Handling Instructions and Additional Information											
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and state laws and regulations. If I am large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR if I am a smaller generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.											
Printed/Typed Name				Signature				Mo. Day Year			
17. Transporter 1 Acknowledgement of Receipt of Materials											
Printed/Typed Name				Signature				Mo. Day Year			
18. Transporter 2 Acknowledgement of Receipt of Materials											
Printed/Typed Name				Signature				Mo. Day Year			
19. Discrepancy Indication Space											
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.											
Printed/Typed Name				Signature				Mo. Day Year			

COPY 5-GENERATOR - MAILED BY TSD FACILITY

In case of emergency or spill immediately call the National Response Center (800) 424-8802 and the NYS Department of Environmental Conservation (518) 457-7362



WASTE MANAGEMENT, INC.
CWM Chemical Services, L.L.C.
1550 Balmer Rd.
P.O. Box 200
Model City, N.Y. 14107
716/754-8231

June 23, 2006

Mr. Kenneth Stoller- Chief Pesticides /and Toxic Substances Branch
United States Environmental Protection Agency - Region II
2890 Woodbridge Avenue
Edison, NJ 08837-3679

Re: PCB Exception Report

Dear Mr. Stoller:

Per 40 CFR 761.215 (c), below is an explanation of PCBs received more than nine (9) months from and not disposed of within one year of the date they were removed from service for disposal. Please find attached, a copy(s) of the referenced manifest(s) and the PCB continuation sheet(s), if applicable.


Manifest Number(s):	NYH1540566
Container Unique I.D. No.:	N/A
Removal From Service Date:	11/18/2004
Shipment Date:	06/21/06
Generator:	NYS Dept. of Env. Conservation
Generator's I.D. No.:	NYD002216125
Transporter:	Price Trucking
Transporter EPA I.D. No.:	NYD046765574
TSDF Facility:	CWM Chemical Services, L.L.C.
TSDF EPA I.D. No.:	NYD049836679
Received Date:	06/22/06
Disposal:	Line a. Material was landfilled 06/22/06.

Reason: The PCB material was received after the one year disposal deadline. Further explanation for the delay in disposing the PCBs is unknown.

Should you require any additional information, please contact me at (716) 754-0354.

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment."

Very truly yours,


Donna Ames-Cassick
Compliance Manager

cc: file - DOR - 06/22/06 -81606641

Generator		
EMD file	CWM/Model City, NY	
E. Dassatti	NYSDEC/Albany, NY	w/o attachments
J. Devald	NCHD/Niagara Falls, NY	w/ attachments
J. Reidy	USEPA/New York, NY	w/o attachments
J. McMahon	CWM/Model City, NY	w/attachments
USEPA - Region 2		



CWM CHEMICAL SERVICES, LLC

1550 Balmer Road
P.O. Box 200
Model City, NY 14107
(716) 754-8231
(716) 754-0211 Fax

NYS DEPT OF ENV CONSERVATION
ATTN: ENVIRONMENTAL COMPLIANCE DEPT
NYD002216125
32 EAST BUFFALO STREET
CHURCHVILLE NY 14428

RECEIVED

JUL 27 2006

CERTIFICATE OF DISPOSAL

CWM CHEMICAL SERVICES, L.L.C., EPA ID: NYD049836679, has received waste material from NYS DEPT OF ENV CONSERVATION on 06/29/06 as described on Hazardous Waste Manifest number NYH1540575 Sequence number 01. CWM CHEMICAL SERVICES, L.L.C. hereby certifies that the above described material was landfilled in accordance with the 40 CFR part 761 as it pertains to the land disposal of polychlorinated biphenyl contaminated materials.

Profile Number: VB0646
CWM Tracking ID: 8160683001
CWM Unit #: 1*0
Disposal Date: 06/29/06

Under civil and criminal penalties of law for the making or submission of false or fraudulent statements or representations (18 U.S.C 1001 and 15 U.S.C. 2615) I certify that the information contained in or accompanying this document is true accurate and complete. As to the identified section(s) of this document for which I cannot personally verify truth and accuracy, I certify as the company official having supervisory responsibility for the persons who, acting under my direct instructions, made the verification that this information is true accurate and complete.



RICHARD STURGES
DISTRICT MANAGER
Certificate # 294108
06/30/06

For questions please call
our Customer Service Dept.
at (800) 843-3604



CWM CHEMICAL SERVICES, LLC

1550 Balmer Road
P.O. Box 200
Model City, NY 14107
(716) 754-8231
(716) 754-0211 Fax

June 30, 2006

Mr. Kenneth Stoller- Chief Pesticides and Toxic Substances Branch
United States Environmental Protection Agency - Region II
2890 Woodbridge Avenue
Edison, NJ 08837-3679

Re: PCB Exception Report

Dear Mr. Stoller:

Per 40 CFR 761.215 (c), below is an explanation of PCBs received more than nine (9) months from and not disposed of within one year of the date they were removed from service for disposal. Please find attached, a copy(s) of the referenced manifest(s) and the PCB continuation sheet(s), if applicable.

Manifest Number(s): NYH1540575
Container Unique I.D. No.: N.A.
Removal From Service Date : 11/18/04
Shipment Date: 06/23/06

Generator: NYSDEC
Generator I.D. No.: NYD002216125

Transporter : Price Trucking
Transporter EPA I.D. No.: NYD046765574

TSDF Facility: CWM Chemical Services, L.L.C.
TSDF EPA I.D. No.: NYD049836679

Received Date: 06/29/06
Disposal: Landfilled on 06/29/06


Page 2 – PCB Exception Report June 30, 2006 to Mr. Kenneth Stoller

Reason: The PCB material was received after the one year disposal deadline. Further explanation for the delay in disposing the PCBs is unknown,

Should you require any additional information, please contact me at (716) 754-0354.

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment."

Very truly yours,
CWM Chemical Services, LLC



Donna Ames-Cassick
Compliance Manager

cc: DOR 81606830

Generator

Generator's EPA Regional Administrator

E.Dassatti

NYSDEC/Albany, NY

w/o attachments

J. Devald

NCHD/Lockport, NY

w/o attachments

J. Reidy

USEPA/New York, NY

w/o attachments

EMD File

CWM/Model City, NY

w/ attachments



NYH1540575

HAZARDOUS WASTE MANIFEST
P.O. Box 12820, Albany, New York 12212

(Hazardous Waste Manifest 5/00)

Please type or print. Do not staple.

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA No. _____		Manifest Doc. No. _____		2. Page 1 of _____		Information within heavy bold line is not required by Federal Law.						
3. Generator's Name and Mailing Address _____ _____ _____						A. NYH1540575								
						B. Generator's ID _____								
4. Generator's Telephone Number () _____						C. State Transporter's ID _____								
5. Transporter 1 (Company Name) _____				6. US EPA ID Number _____		D. Transporter's Telephone () _____								
7. Transporter 2 (Company Name) _____				8. US EPA ID Number _____		E. State Transporter's ID _____								
9. Designated Facility Name and Site Address _____ _____ _____						F. Transporter's Telephone () _____								
						G. State Facility ID _____								
11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number) a. _____ b. _____ c. _____ d. _____						12. Containers		13. Total		14. Unit		I. Waste No.		
						Number		Type		Quantity		Wt/Vol		EPA
												EPA		
														STATE
												EPA		
														STATE
												EPA		
														STATE
												EPA		
														STATE
J. Additional Descriptions for Materials listed Above						K. Handling Codes for Wastes Listed Above								
a. _____ c. _____						a. ☐		c. ☐						
b. _____ d. _____						b. ☐		d. ☐						
15. Special Handling Instructions and Additional Information _____ _____ _____														
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and state laws and regulations. If I am large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR if I am a smaller generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.														
Printed/Typed Name _____					Signature _____					Mo. Day Year _____				
17. Transporter 1 Acknowledgement of Receipt of Materials														
Printed/Typed Name _____					Signature _____					Mo. Day Year _____				
18. Transporter 2 Acknowledgement of Receipt of Materials														
Printed/Typed Name _____					Signature _____					Mo. Day Year _____				
19. Discrepancy Indication Space _____ _____ _____														
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.														
Printed/Typed Name _____					Signature _____					Mo. Day Year _____				



RECEIVED

JUN 27 2006

CWM CHEMICAL SERVICES, LLC

1550 Balmer Road
P.O. Box 200
Model City, NY 14107
(716) 754-8231
(716) 754-0211 Fax


NYS DEPT OF ENV CONSERVATION
ATTN: ENVIRONMENTAL COMPLIANCE DEPT
NYD002216125
32 EAST BUFFALO STREET
CHURCHVILLE NY 14428

CERTIFICATE OF DISPOSAL

CWM CHEMICAL SERVICES, L.L.C., EPA ID: NYD049836679, has received waste material from NYS DEPT OF ENV CONSERVATION on 07/18/06 as described on Hazardous Waste Manifest number NYH1540584 Sequence number 01. CWM CHEMICAL SERVICES, L.L.C. hereby certifies that the above described material was landfilled in accordance with the 40 CFR part 761 as it pertains to the land disposal of polychlorinated biphenyl contaminated materials.

Profile Number: VB0646
CWM Tracking ID: 8160709601
CWM Unit #: 1*0
Disposal Date: 07/18/06

Under civil and criminal penalties of law for the making or submission of false or fraudulent statements or representations (18 U.S.C 1001 and 15 U.S.C. 2615) I certify that the information contained in or accompanying this document is true accurate and complete. As to the identified section(s) of this document for which I cannot personally verify truth and accuracy, I certify as the company official having supervisory responsibility for the persons who, acting under my direct instructions, made the verification that this information is true accurate and complete.


RICHARD STURGES
DISTRICT MANAGER
Certificate # 294416
07/19/06

For questions please call
our Customer Service Dept.
at (800) 843-3604

STATE OF NEW YORK
DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF SOLID & HAZARDOUS MATERIALS



NYH1540584

HAZARDOUS WASTE MANIFEST
P.O. Box 12820, Albany, New York 12212

Please type or print. Do not staple.

(Hazardous Waste Manifest 5/00)

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA No.		Manifest Doc. No.		2. Page 1 of		Information within heavy bold line is not required by Federal Law.									
3. Generator's Name and Mailing Address 4. Generator's Telephone Number ()		5. Transporter 1 (Company Name)		6. US EPA ID Number		7. Transporter 2 (Company Name)		8. US EPA ID Number		A. NYH1540584							
										B. Generator's ID							
9. Designated Facility Name and Site Address		10. US EPA ID Number		11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)		12. Containers Number Type		13. Total Quantity		14. Unit Wt/Vol		1. Waste No. EPA					
												STATE					
a.		b.		c.		d.		EPA		STATE							
										STATE							
J. Additional Descriptions for Materials listed Above		a.		b.		c.		d.		K. Handling Codes for Wastes Listed Above		EPA					
												STATE					
15. Special Handling Instructions and Additional Information		16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and state laws and regulations. If I am large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR if I am a smaller generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.		Printed/Typed Name		Signature		Mo. Day Year		17. Transporter 1 Acknowledgement of Receipt of Materials		Printed/Typed Name		Signature		Mo. Day Year	
19. Discrepancy Indication Space		20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.		Printed/Typed Name		Signature		Mo. Day Year									
										20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.		Printed/Typed Name		Signature		Mo. Day Year	

COPY 5-GENERATOR - MAILED BY TSD FACILITY

In case of emergency or spill immediately call the National Response Center (800) 424-8802 and the NYS Department of Environmental Conservation (518) 457-7362



CWM CHEMICAL SERVICES, LLC

1550 Balmer Road
P.O. Box 200
Model City, NY 14107
(716) 754-8231
(716) 754-0211 Fax

July 21, 2006

Mr. Kenneth Stoller- Chief Pesticides /and Toxic Substances Branch
United States Environmental Protection Agency - Region II
2890 Woodbridge Avenue
Edison, NJ 08837-3679

Re: PCB Exception Report

Dear Mr. Stoller:

Per 40 CFR 761.215 (c), below is an explanation of PCBs received more than nine (9) months from and not disposed of within one year of the date they were removed from service for disposal. Please find attached, a copy(s) of the referenced manifest(s) and the PCB continuation sheet(s), if applicable.

Manifest Number(s): NYH1540584
Container Unique I.D. No.: N/A
Removal From Service Date: 11/18/2004
Shipment Date: 06/26/06
Generator: NYS Dept. of Env. Conservation
Generator's I.D. No.: NYD002216125
Transporter: Price Trucking
Transporter EPA I.D. No.: NYD046765574

TSDF Facility: CWM Chemical Services, L.L.C.
TSDF EPA I.D. No.: NYD049836679

Received Date: 07/18/06
Disposal: Line a. Material was landfilled 07/18/06.

Reason: The PCB material was received after the one year disposal deadline. Further explanation for the delay in disposing the PCBs is unknown.

Should you require any additional information, please contact me at (716) 754-0354.

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment."

Very truly yours,

Donna Ames-Cassick

Donna Ames-Cassick
Compliance Manager

cc: file - DOR - 07/18/06 -81607096

Generator	CWM/Model City, NY	
EMD file	NYSDEC/Albany, NY	w/o attachments
E. Dassatti	NCHD/Niagara Falls, NY	w/ attachments
J. Devald	USEPA/New York, NY	w/o attachments
J. Reidy	CWM/Model City, NY	w/attachments
J. McMahon		
USEPA -- Region 2		

ATTACHMENT D
Air Monitoring Data

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988
User ID: 00000000 Site ID: LUCOATE
Data Points: 17 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/24/2006 8:02

```
=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         1100             1100             1100
Low Alarm Levels:          50              50              50
=====
```

```
=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
1  5/24/2006 11:43         0              0              0
2  5/24/2006 11:58         0              0              0
3  5/24/2006 12:13         0              0              0
4  5/24/2006 12:28         0              0              0
5  5/24/2006 12:43         0              0              0
6  5/24/2006 12:58         0              0              0
7  5/24/2006 13:13         0              0              0
8  5/24/2006 13:28         0              0              0
9  5/24/2006 13:43         0              0              0
10 5/24/2006 13:58         0              0              0
11 5/24/2006 14:13         0              0              0
12 5/24/2006 14:28         0              0              0
13 5/24/2006 14:43         0              0              0
14 5/24/2006 14:58         0              0              0
15 5/24/2006 15:13         0              0              0
16 5/24/2006 15:28         0              0              0
17 5/24/2006 15:43         0              0              0
=====
```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988
User ID: 00000000 Site ID: LUCOATE
Data Points: 12 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/24/2006 8:02

```
=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:           1100             1100             1100
Low Alarm Levels:            50              50              50
=====
```

```
=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
1  5/25/2006 13:29         0              0              0
2  5/25/2006 13:44         0              0              0
3  5/25/2006 13:59         0              0              0
4  5/25/2006 14:14         0              0              0
5  5/25/2006 14:29         0              0              0
6  5/25/2006 14:44         0              0              0
7  5/25/2006 14:59         0              0              0
8  5/25/2006 15:14         0              0              0
9  5/25/2006 15:29         0              0              0
10 5/25/2006 15:44         0              0              0
11 5/25/2006 15:59         0              0              0
12 5/25/2006 16:14         0              0              0
=====
```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988
User ID: 00000000 Site ID: LUCOATE
Data Points: 81 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 05/30/2006 8:38

=====

Measurement Type	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels	1100	1100	1100
Low Alarm Levels	50	50	50

=====

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	5/30/2006 9:38	0		0		0	
2	5/30/2006 9:43	0		0		0	
3	5/30/2006 9:48	0		0		0	
4	5/30/2006 9:53	0		0		0	
5	5/30/2006 9:58	0		0		0	
6	5/30/2006 10:03	0		0		0	
7	5/30/2006 10:08	0		0		0	
8	5/30/2006 10:13	0		0		0	
9	5/30/2006 10:18	0		0		0	
10	5/30/2006 10:23	0		0		0	
11	5/30/2006 10:28	0		0		0	
12	5/30/2006 10:33	0		0		0	
13	5/30/2006 10:38	0		0		0	
14	5/30/2006 10:43	0		0		0	
15	5/30/2006 10:48	0		0		0	
16	5/30/2006 10:53	0		0		0	
17	5/30/2006 10:58	0		0		0	
18	5/30/2006 11:03	0		0		0	
19	5/30/2006 11:08	0		0		0	
20	5/30/2006 11:13	0		0		0	
21	5/30/2006 11:18	0		0		0	
22	5/30/2006 11:23	0		0		0	
23	5/30/2006 11:28	0		0		0	
24	5/30/2006 11:33	0		0		0	
25	5/30/2006 11:38	0		0		0	
26	5/30/2006 11:43	0		0		0	
27	5/30/2006 11:48	0		0		0	
28	5/30/2006 11:53	0		0		0	
29	5/30/2006 11:58	0		0		0	
30	5/30/2006 12:03	0		0		0	
31	5/30/2006 12:08	0		0		0	
32	5/30/2006 12:13	0		0		0	
33	5/30/2006 12:18	0		0		0	
34	5/30/2006 12:23	0		0		0	
35	5/30/2006 12:28	0		0		0	
36	5/30/2006 12:33	0		0		0	
37	5/30/2006 12:38	0		0		0	
38	5/30/2006 12:43	0		0		0	
39	5/30/2006 12:48	0		0		0	
40	5/30/2006 12:53	0		0		0	
41	5/30/2006 12:58	0		0		0	
42	5/30/2006 13:03	0		0		0	
43	5/30/2006 13:08	0		0		0	
44	5/30/2006 13:13	0		0		0	
45	5/30/2006 13:18	0		0		0	
46	5/30/2006 13:23	0		0		0	
47	5/30/2006 13:28	0		0		0	
48	5/30/2006 13:33	0		0		0.7	
49	5/30/2006 13:38	0		0		0	
50	5/30/2006 13:43	0		0		0	
51	5/30/2006 13:48	0		0		0	
52	5/30/2006 13:53	0		0		0	
53	5/30/2006 13:58	0		0		0	
54	5/30/2006 14:03	0		0		0	
55	5/30/2006 14:08	0		0		0	
56	5/30/2006 14:13	0		0		0	
57	5/30/2006 14:18	0		0		0	
58	5/30/2006 14:23	0		0		0	
59	5/30/2006 14:28	0		0		0	
60	5/30/2006 14:33	0		0		0	
61	5/30/2006 14:38	0		0		0	
62	5/30/2006 14:43	0		0		0	
63	5/30/2006 14:48	0		0		0	
64	5/30/2006 14:53	0		0		0	
65	5/30/2006 14:58	0		0		0	
66	5/30/2006 15:03	0		0		0	
67	5/30/2006 15:08	0		0		0	
68	5/30/2006 15:13	0		0		0	
69	5/30/2006 15:18	0		0		0	
70	5/30/2006 15:23	0		0		0	
71	5/30/2006 15:28	0		0		0	
72	5/30/2006 15:33	0		0		0	
73	5/30/2006 15:38	0		0		0	
74	5/30/2006 15:43	0		0		0	
75	5/30/2006 15:48	0		0		0	
76	5/30/2006 15:53	0		0		0	
77	5/30/2006 15:58	0		0		0	
78	5/30/2006 16:03	0		0		0	
79	5/30/2006 16:08	0		0		0	
80	5/30/2006 16:13	0		0		0	
81	5/30/2006 16:18	0		0		0	

Instrument: MinRAE 2000 (PGM7600) Serial Number: 001988
User ID: 00000000 Site ID: LUCOATE
Data Points: 64 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 5/30/2006 8:38

=====

Measurement Type	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels	1100	1100	1100
Low Alarm Levels	50	50	50

=====

=====

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Max(ppm) Alarm
1	5/31/2006 8:09	0	0	0
2	5/31/2006 8:14	0	0	0
3	5/31/2006 8:19	0	0	0
4	5/31/2006 8:24	0	0	0
5	5/31/2006 8:29	0	0	0
6	5/31/2006 8:34	0	0	0
7	5/31/2006 8:39	0	0	0
8	5/31/2006 8:44	0	0	0
9	5/31/2006 8:49	0	0	0
10	5/31/2006 8:54	0	0	0
11	5/31/2006 8:59	0	0	0
12	5/31/2006 9:04	0	0	0
13	5/31/2006 9:09	0	0	0
14	5/31/2006 9:14	0	0	0
15	5/31/2006 9:19	0	0	0
16	5/31/2006 9:24	0	0	0
17	5/31/2006 9:29	0	0	0
18	5/31/2006 9:34	0	0	0
19	5/31/2006 9:39	0	0	0
20	5/31/2006 9:44	0	0	0
21	5/31/2006 9:49	0	0	0
22	5/31/2006 9:54	0	0	0
23	5/31/2006 9:59	0	0	0
24	5/31/2006 10:04	0	0	0
25	5/31/2006 10:09	0	0	0
26	5/31/2006 10:14	0	0	0
27	5/31/2006 10:19	0	0	0
28	5/31/2006 10:24	0	0	0
29	5/31/2006 10:29	0	0	0
30	5/31/2006 10:34	0	0	0
31	5/31/2006 10:39	0	0	0
32	5/31/2006 10:44	0	0	0
33	5/31/2006 10:49	0	0	0
34	5/31/2006 10:54	0	0	0
35	5/31/2006 10:59	0	0	0
36	5/31/2006 11:04	0	0	0
37	5/31/2006 11:09	0	0	0
38	5/31/2006 11:14	0	0	0
39	5/31/2006 11:19	0	0	0
40	5/31/2006 11:24	0	0	0
41	5/31/2006 11:29	0	0	0
42	5/31/2006 11:34	0	0	0
43	5/31/2006 11:39	0	0	0
44	5/31/2006 11:44	0	0	0
45	5/31/2006 11:49	0	0	0
46	5/31/2006 11:54	0	0	0
47	5/31/2006 11:59	0	0	0
48	5/31/2006 12:04	0	0	0
49	5/31/2006 12:09	0	0	0
50	5/31/2006 12:14	0	0	0
51	5/31/2006 12:19	0	0	0
52	5/31/2006 12:24	0	0	0
53	5/31/2006 12:29	0	0	0
54	5/31/2006 12:34	0	0	0
55	5/31/2006 12:39	0	0	0
56	5/31/2006 12:44	0	0	0
57	5/31/2006 12:49	0	0	0
58	5/31/2006 12:54	0	0	0
59	5/31/2006 12:59	0	0	0
60	5/31/2006 13:04	0	0	0
61	5/31/2006 13:09	0	0	0
62	5/31/2006 13:14	0	0	0
63	5/31/2006 13:19	0	0	0
64	5/31/2006 13:24	0	0	0
65	5/31/2006 13:29	0	0	0
66	5/31/2006 13:34	0	0	0
67	5/31/2006 13:39	0	0	0
68	5/31/2006 13:44	0	0	0
69	5/31/2006 13:49	0	0	0
70	5/31/2006 13:54	0	0	0
71	5/31/2006 13:59	0	0	0
72	5/31/2006 14:04	0	0	0
73	5/31/2006 14:09	0	0	0
74	5/31/2006 14:14	0	0	0
75	5/31/2006 14:19	0	0	0
76	5/31/2006 14:24	0	0	0
77	5/31/2006 14:29	0	0	0
78	5/31/2006 14:34	0	0	0
79	5/31/2006 14:39	0	0	0
80	5/31/2006 14:44	0	0	0
81	5/31/2006 14:49	0	0	0
82	5/31/2006 14:54	0	0	0
83	5/31/2006 14:59	0	0	0
84	5/31/2006 15:04	0	0	0

=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988
 User ID: 00000000 Site ID: LUCOATE
 Data Points: 66 Gas Name: Isobutylene Sample Period: 300 sec
 Last Calibration Time: 05/30/2006 8:38

=====

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	1100	1100	1100
Low Alarm Levels:	50	50	50

=====

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
-------	-----------	----------	-------	----------	-------	----------	-------

=====

1	6/1/2006 9:14	19.5		23.8		24.7	
2	6/1/2006 9:19	0.3		20.6		25	
3	6/1/2006 9:24	0		0		0.3	
4	6/1/2006 9:29	0		6.5		10.2	
5	6/1/2006 9:34	1.6		5.2		109.8 L	
6	6/1/2006 9:39	0.3		0.7		1.6	
7	6/1/2006 9:44	0		0.1		0.3	
8	6/1/2006 9:49	0		0		0	
9	6/1/2006 9:54	0		0		0.3	
10	6/1/2006 9:59	0.3		0.4		0.9	
11	6/1/2006 10:04	0.8		0.9		1.1	
12	6/1/2006 10:09	0.9		1.1		1.4	
13	6/1/2006 10:14	0.7		0.9		1.4	
14	6/1/2006 10:19	0.6		0.7		1	
15	6/1/2006 10:24	0.5		0.6		0.9	
16	6/1/2006 10:29	0.2		0.4		0.7	
17	6/1/2006 10:34	0.2		0.3		0.6	
18	6/1/2006 10:39	0.5		0.6		0.7	
19	6/1/2006 10:44	0.6		0.8		1	
20	6/1/2006 10:49	0.7		0.9		1.2	
21	6/1/2006 10:54	0.6		0.9		1.2	
22	6/1/2006 10:59	0.5		0.6		0.9	
23	6/1/2006 11:04	0.3		0.5		0.9	
24	6/1/2006 11:09	0		0.2		0.4	
25	6/1/2006 11:14	0		0.1		0.3	
26	6/1/2006 11:19	0.1		0.2		0.6	
27	6/1/2006 11:24	0.5		0.6		1	
28	6/1/2006 11:29	1		1.6		2.2	
29	6/1/2006 11:34	1.1		1.6		1.9	
30	6/1/2006 11:39	0.4		0.8		1.4	
31	6/1/2006 11:44	0		0.2		0.4	
32	6/1/2006 11:49	0		0		0.3	
33	6/1/2006 11:54	0		0		0	
34	6/1/2006 11:59	0		0		0	
35	6/1/2006 12:04	0		0		0	
36	6/1/2006 12:09	0		0		0	
37	6/1/2006 12:14	0		0		0	
38	6/1/2006 12:19	0		0		0	
39	6/1/2006 12:24	0		0		0	
40	6/1/2006 12:29	0		0		0	
41	6/1/2006 12:34	0		0		0	
42	6/1/2006 12:39	0		0		0	
43	6/1/2006 12:44	0		0		0	
44	6/1/2006 12:49	0		0		0	
45	6/1/2006 12:54	0		0		0	
46	6/1/2006 12:59	0		0		0	
47	6/1/2006 13:04	0		0		0	
48	6/1/2006 13:09	0		0		0	
49	6/1/2006 13:14	0		0		0	
50	6/1/2006 13:19	0		0		0	
51	6/1/2006 13:24	0		0		0	
52	6/1/2006 13:29	0		0		0	
53	6/1/2006 13:34	0		0		0	
54	6/1/2006 13:39	0		0		0	
55	6/1/2006 13:44	0		0		0	
56	6/1/2006 13:49	0		0		0	
57	6/1/2006 13:54	0		0		0	
58	6/1/2006 13:59	0		0		0	
59	6/1/2006 14:04	0		0		0	
60	6/1/2006 14:09	0		0		0	
61	6/1/2006 14:14	0		0		0	
62	6/1/2006 14:19	0		0		0	
63	6/1/2006 14:24	0		0		0	
64	6/1/2006 14:29	0		0		0	
65	6/1/2006 14:34	0		0		0.2	
66	6/1/2006 14:39	0		0.1		0.2	

=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988
 User ID: 00000000 Site ID: LUCOATE
 Data Points: 49 Gas Name: Isobutylene Sample Period: 300 sec
 Last Calibration Time: 05/30/2006 8:38

```
=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:           1100              1100              1100
Low Alarm Levels:            50                50                50
=====
```

```
=====
Line#   Date Time   Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
```

1	6/2/2006 8:46	0	0	0
2	6/2/2006 8:51	0	0	0.4
3	6/2/2006 8:56	0	0.1	3.5
4	6/2/2006 9:01	0	1.4	23.2
5	6/2/2006 9:06	0	0.5	11
6	6/2/2006 9:11	0	0	0
7	6/2/2006 9:16	0	0	0
8	6/2/2006 9:21	0	0	0
9	6/2/2006 9:26	0	0	0
10	6/2/2006 9:31	0	0	0
11	6/2/2006 9:36	0	0	0
12	6/2/2006 9:41	0	0	0.8
13	6/2/2006 9:46	0	0	1
14	6/2/2006 9:51	0	0	0
15	6/2/2006 9:56	0	0	0
16	6/2/2006 10:01	0	0	0
17	6/2/2006 10:06	0	0	0.9
18	6/2/2006 10:11	0	0	0
19	6/2/2006 10:16	0	0	0
20	6/2/2006 10:21	0	0	0
21	6/2/2006 10:26	0	0	0
22	6/2/2006 10:31	0	0	0
23	6/2/2006 10:36	0	0	0
24	6/2/2006 10:41	0	0	0
25	6/2/2006 10:46	0	0	0
26	6/2/2006 10:51	0	0	0
27	6/2/2006 10:56	0	0	0
28	6/2/2006 11:01	0	0	0.5
29	6/2/2006 11:06	0	0	0
30	6/2/2006 11:11	0	0	0
31	6/2/2006 11:16	0	0	0
32	6/2/2006 11:21	0	0	0
33	6/2/2006 11:26	0	0	0
34	6/2/2006 11:31	0	0	0
35	6/2/2006 11:36	0	0	2
36	6/2/2006 11:41	0	0.1	2.3
37	6/2/2006 11:46	0	0	10.6
38	6/2/2006 11:51	0	0.5	12.8
39	6/2/2006 11:56	0	0	0
40	6/2/2006 12:01	0	0	0
41	6/2/2006 12:06	0	0.1	5.7
42	6/2/2006 12:11	0	0	0
43	6/2/2006 12:16	0	0	0
44	6/2/2006 12:21	0	0	0.1
45	6/2/2006 12:26	0	0	0
46	6/2/2006 12:31	0	0	0
47	6/2/2006 12:36	0	0	0
48	6/2/2006 12:41	0	0	0
49	6/2/2006 12:46	0	0	0

```
=====
```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988
User ID: 00000000 Site ID: LUCOATE
Data Points: 9 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 05/30/2006 8:38

```
=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:           1100             1100             1100
Low Alarm Levels:            50              50              50
=====
```

```
=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
1    6/2/2006 15:18           0              0              0
2    6/2/2006 15:23           0              0              0
3    6/2/2006 15:28           0              0              0
4    6/2/2006 15:33           0              0              0
5    6/2/2006 15:38           0              0              0
6    6/2/2006 15:43           0              0              0
7    6/2/2006 15:48           0              0              0
8    6/2/2006 15:53           0              0              0
9    6/2/2006 15:58           0              0              0
=====
```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988
User ID: 00000000 Site ID: LUCOATE
Data Points: 74 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/05/2006 8:11

=====

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	1100	1100	1100
Low Alarm Levels:	50	50	50

=====

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/5/2006 8:46	0		0		0	
2	6/5/2006 8:51	0		0		0	
3	6/5/2006 8:56	0		0		0	
4	6/5/2006 9:01	0		0		0	
5	6/5/2006 9:06	0		0		0	
6	6/5/2006 9:11	0		0		0	
7	6/5/2006 9:16	0		0		0	
8	6/5/2006 9:21	0		0		0	
9	6/5/2006 9:26	0		0		0	
10	6/5/2006 9:31	0		0		0	
11	6/5/2006 9:36	0		0		0	
12	6/5/2006 9:41	0		0		0	
13	6/5/2006 9:46	0		0		0	
14	6/5/2006 9:51	0		0		0	
15	6/5/2006 9:56	0		0		0	
16	6/5/2006 10:01	0		0		0	
17	6/5/2006 10:06	0		0		0	
18	6/5/2006 10:11	0		0		0	
19	6/5/2006 10:16	0		0		0	
20	6/5/2006 10:21	0		0		0	
21	6/5/2006 10:26	0		0		0	
22	6/5/2006 10:31	0		0		0	
23	6/5/2006 10:36	0		0		0	
24	6/5/2006 10:41	0		0		0	
25	6/5/2006 10:46	0		0		0	
26	6/5/2006 10:51	0		0		0	
27	6/5/2006 10:56	0		0		0	
28	6/5/2006 11:01	0		0		0	
29	6/5/2006 11:06	0		0		0	
30	6/5/2006 11:11	0		0		0	
31	6/5/2006 11:16	0		0		0	
32	6/5/2006 11:21	0		0		0	
33	6/5/2006 11:26	0		0		0	
34	6/5/2006 11:31	0		0		0	
35	6/5/2006 11:36	0		0		0	
36	6/5/2006 11:41	0		0		0	
37	6/5/2006 11:46	0		0		0	
38	6/5/2006 11:51	0		0		0	
39	6/5/2006 11:56	0		0		0	
40	6/5/2006 12:01	0		0		0	
41	6/5/2006 12:06	0		0		0	
42	6/5/2006 12:11	0		0		0	
43	6/5/2006 12:16	0		0		0	
44	6/5/2006 12:21	0		0		0	
45	6/5/2006 12:26	0		0		0	
46	6/5/2006 12:31	0		0		0	
47	6/5/2006 12:36	0		0		0	
48	6/5/2006 12:41	0		0		0	
49	6/5/2006 12:46	0		0		0	
50	6/5/2006 12:51	0		0		0	
51	6/5/2006 12:56	0		0		0	
52	6/5/2006 13:01	0		0		0	
53	6/5/2006 13:06	0		0		0	
54	6/5/2006 13:11	0		0		0	
55	6/5/2006 13:16	0		0		0	
56	6/5/2006 13:21	0		0		0	
57	6/5/2006 13:26	0		0		0	
58	6/5/2006 13:31	0		0		0	
59	6/5/2006 13:36	0		0		0	
60	6/5/2006 13:41	0		0		0	
61	6/5/2006 13:46	0		0		0	
62	6/5/2006 13:51	0		0		0	
63	6/5/2006 13:56	0		0		0	
64	6/5/2006 14:01	0		0		0	
65	6/5/2006 14:06	0		0		0	
66	6/5/2006 14:11	0		0		0	
67	6/5/2006 14:16	0		0		0	
68	6/5/2006 14:21	0		0		0	
69	6/5/2006 14:26	0		0		0	
70	6/5/2006 14:31	0		0		0	
71	6/5/2006 14:36	0		0		0	
72	6/5/2006 14:41	0		0		0	
73	6/5/2006 14:46	0		0		0	
74	6/5/2006 14:51	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988
User ID: 00000000 Site ID: LUCOATE
Data Points: 91 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/05/2006 8:11

Measurement Type	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels	1100	1100	1100
Low Alarm Levels	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/6/2006 8:16	0		0		0	
2	6/6/2006 8:21	0		0		0	
3	6/6/2006 8:26	0		0		0	
4	6/6/2006 8:31	0		0		0	
5	6/6/2006 8:36	0		0		0	
6	6/6/2006 8:41	0		0		0	
7	6/6/2006 8:46	0		0		0	
8	6/6/2006 8:51	0		0		0	
9	6/6/2006 8:56	0		0		0	
10	6/6/2006 9:01	0		0		0	
11	6/6/2006 9:06	0		0		0	
12	6/6/2006 9:11	0		0		0	
13	6/6/2006 9:16	0		0		0	
14	6/6/2006 9:21	0		0		0	
15	6/6/2006 9:26	0		0		0	
16	6/6/2006 9:31	0		0		0	
17	6/6/2006 9:36	0		0		0	
18	6/6/2006 9:41	0		0		0	
19	6/6/2006 9:46	0		0		0	
20	6/6/2006 9:51	0		0		0	
21	6/6/2006 9:56	0		0		0	
22	6/6/2006 10:01	0		0		0	
23	6/6/2006 10:06	0		0		0	
24	6/6/2006 10:11	0		0		0	
25	6/6/2006 10:16	0		0		0	
26	6/6/2006 10:21	0		0		0	
27	6/6/2006 10:26	0		0		0	
28	6/6/2006 10:31	0		0		0	
29	6/6/2006 10:36	0		0		0	
30	6/6/2006 10:41	0		0		0	
31	6/6/2006 10:46	0		0		0	
32	6/6/2006 10:51	0		0		0	
33	6/6/2006 10:56	0		0		0	
34	6/6/2006 11:01	0		0		0	
35	6/6/2006 11:06	0		0		0	
36	6/6/2006 11:11	0		0		0	
37	6/6/2006 11:16	0		0		0	
38	6/6/2006 11:21	0		0		0	
39	6/6/2006 11:26	0		0		0	
40	6/6/2006 11:31	0		0		0	
41	6/6/2006 11:36	0		0		0	
42	6/6/2006 11:41	0		0		0	
43	6/6/2006 11:46	0		0		0	
44	6/6/2006 11:51	0		0		0	
45	6/6/2006 11:56	0		0		0	
46	6/6/2006 12:01	0		0		0	
47	6/6/2006 12:06	0		0		0	
48	6/6/2006 12:11	0		0		0	
49	6/6/2006 12:16	0		0		0	
50	6/6/2006 12:21	0		0		0	
51	6/6/2006 12:26	0		0		0	
52	6/6/2006 12:31	0		0		0	
53	6/6/2006 12:36	0		0		0	
54	6/6/2006 12:41	0		0		0	
55	6/6/2006 12:46	0		0		0	
56	6/6/2006 12:51	0		0		0	
57	6/6/2006 12:56	0		0		0	
58	6/6/2006 13:01	0		0		0	
59	6/6/2006 13:06	0		0		0	
60	6/6/2006 13:11	0		0		0	
61	6/6/2006 13:16	0		0		0	
62	6/6/2006 13:21	0		0		0	
63	6/6/2006 13:26	0		0		0	
64	6/6/2006 13:31	0		0		0	
65	6/6/2006 13:36	0		0		0	
66	6/6/2006 13:41	0		0		0	
67	6/6/2006 13:46	0		0		0	
68	6/6/2006 13:51	0		0		0	
69	6/6/2006 13:56	0		0		0	
70	6/6/2006 14:01	0		0		0	
71	6/6/2006 14:06	0		0		0	
72	6/6/2006 14:11	0		0		0	
73	6/6/2006 14:16	0		0		0	
74	6/6/2006 14:21	0		0		0	
75	6/6/2006 14:26	0		0		0	
76	6/6/2006 14:31	0		0		0	
77	6/6/2006 14:36	0		0		0	
78	6/6/2006 14:41	0		0		0	
79	6/6/2006 14:46	0		0		0	
80	6/6/2006 14:51	0		0		0	
81	6/6/2006 14:56	0		0		0	
82	6/6/2006 15:01	0		0		0	
83	6/6/2006 15:06	0		0		0	
84	6/6/2006 15:11	0		0		0	
85	6/6/2006 15:16	0		0		0	
86	6/6/2006 15:21	0		0		0	
87	6/6/2006 15:26	0		0		0	
88	6/6/2006 15:31	0		0		0	
89	6/6/2006 15:36	0		0		0	
90	6/6/2006 15:41	0		0		0	
91	6/6/2006 15:46	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988
User ID: 00000000 Site ID: LUCOATE
Data Points: 86 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/05/2006 8:11

=====

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	1100	1100	1100
Low Alarm Levels:	50	50	50

=====

=====

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/7/2006 8:22	0		0		0	
2	6/7/2006 8:27	0		0		0	
3	6/7/2006 8:32	0		0		0	
4	6/7/2006 8:37	0		0		0	
5	6/7/2006 8:42	0		0		0	
6	6/7/2006 8:47	0		0		0	
7	6/7/2006 8:52	0		0		0	
8	6/7/2006 8:57	0		0		0	
9	6/7/2006 9:02	0		0		0	
10	6/7/2006 9:07	0		0		0	
11	6/7/2006 9:12	0		0		0	
12	6/7/2006 9:17	0		0		0	
13	6/7/2006 9:22	0		0		0	
14	6/7/2006 9:27	0		0		0	
15	6/7/2006 9:32	0		0		0	
16	6/7/2006 9:37	0		0		0	
17	6/7/2006 9:42	0		0		0	
18	6/7/2006 9:47	0		0		0	
19	6/7/2006 9:52	0		0		0	
20	6/7/2006 9:57	0		0		0	
21	6/7/2006 10:02	0		0		0	
22	6/7/2006 10:07	0		0		0	
23	6/7/2006 10:12	0		0		0	
24	6/7/2006 10:17	0		0		0	
25	6/7/2006 10:22	0		0		0	
26	6/7/2006 10:27	0		0		0	
27	6/7/2006 10:32	0		0		0	
28	6/7/2006 10:37	0		0		0	
29	6/7/2006 10:42	0		0		0	
30	6/7/2006 10:47	0		0		0	
31	6/7/2006 10:52	0		0		0	
32	6/7/2006 10:57	0		0		0	
33	6/7/2006 11:02	0		0		0	
34	6/7/2006 11:07	0		0		0	
35	6/7/2006 11:12	0		0		0	
36	6/7/2006 11:17	0		0		0	
37	6/7/2006 11:22	0		0		0	
38	6/7/2006 11:27	0		0		0	
39	6/7/2006 11:32	0		0		0	
40	6/7/2006 11:37	0		0		0	
41	6/7/2006 11:42	0		0		0	
42	6/7/2006 11:47	0		0		0	
43	6/7/2006 11:52	0		0		0	
44	6/7/2006 11:57	0		0		0	
45	6/7/2006 12:02	0		0		0	
46	6/7/2006 12:07	0		0		0	
47	6/7/2006 12:12	0		0		0	
48	6/7/2006 12:17	0		0		0	
49	6/7/2006 12:22	0		0		0	
50	6/7/2006 12:27	0		0		0	
51	6/7/2006 12:32	0		0		0	
52	6/7/2006 12:37	0		0		0	
53	6/7/2006 12:42	0		0		0	
54	6/7/2006 12:47	0		0		0	
55	6/7/2006 12:52	0		0		0	
56	6/7/2006 12:57	0		0		0	
57	6/7/2006 13:02	0		0		0	
58	6/7/2006 13:07	0		0		0	
59	6/7/2006 13:12	0		0		0	
60	6/7/2006 13:17	0		0		0	
61	6/7/2006 13:22	0		0		0	
62	6/7/2006 13:27	0		0		0	
63	6/7/2006 13:32	0		0		0	
64	6/7/2006 13:37	0		0		0	
65	6/7/2006 13:42	0		0		0	
66	6/7/2006 13:47	0		0		0	
67	6/7/2006 13:52	0		0		0	
68	6/7/2006 13:57	0		0		0	
69	6/7/2006 14:02	0		0		0	
70	6/7/2006 14:07	0		0		0	
71	6/7/2006 14:12	0		0		0	
72	6/7/2006 14:17	0		0		0	
73	6/7/2006 14:22	0		0		0	
74	6/7/2006 14:27	0		0		0	
75	6/7/2006 14:32	0		0		0	
76	6/7/2006 14:37	0		0		0	
77	6/7/2006 14:42	0		0		0	
78	6/7/2006 14:47	0		0		0	
79	6/7/2006 14:52	0		0		0	
80	6/7/2006 14:57	0		0		0	
81	6/7/2006 15:02	0		0		0	
82	6/7/2006 15:07	0		0		0	
83	6/7/2006 15:12	0		0		0	
84	6/7/2006 15:17	0		0		0	
85	6/7/2006 15:22	0		0		0	
86	6/7/2006 15:27	0		0		0	

=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988
User ID: 00000000 Site ID: LUCOATE
Data Points: 86 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/05/2006 8:11

=====

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	1100	1100	1100
Low Alarm Levels:	50	50	50

=====

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/8/2006 8:18	0		0		0	
2	6/8/2006 8:23	0		0		0	
3	6/8/2006 8:28	0		0		0	
4	6/8/2006 8:33	0		0		0	
5	6/8/2006 8:38	0		0		0	
6	6/8/2006 8:43	0		0		0	
7	6/8/2006 8:48	0		0		0	
8	6/8/2006 8:53	0		0		0	
9	6/8/2006 8:58	0		0		0	
10	6/8/2006 9:03	0		0		0	
11	6/8/2006 9:08	0		0		0	
12	6/8/2006 9:13	0		0		0	
13	6/8/2006 9:18	0		0		0	
14	6/8/2006 9:23	0		0		0	
15	6/8/2006 9:28	0		0		0	
16	6/8/2006 9:33	0		0		0	
17	6/8/2006 9:38	0		0		0	
18	6/8/2006 9:43	0		0		0	
19	6/8/2006 9:48	0		0		0	
20	6/8/2006 9:53	0		0		0	
21	6/8/2006 9:58	0		0		0	
22	6/8/2006 10:03	0		0		0	
23	6/8/2006 10:08	0		0		0	
24	6/8/2006 10:13	0		0		0	
25	6/8/2006 10:18	0		0		0	
26	6/8/2006 10:23	0		0		0	
27	6/8/2006 10:28	0		0		0	
28	6/8/2006 10:33	0		0		0	
29	6/8/2006 10:38	0		0		0	
30	6/8/2006 10:43	0		0		0	
31	6/8/2006 10:48	0		0		0	
32	6/8/2006 10:53	0		0		0	
33	6/8/2006 10:58	0		0		0	
34	6/8/2006 11:03	0		0		0	
35	6/8/2006 11:08	0		0		0	
36	6/8/2006 11:13	0		0		0	
37	6/8/2006 11:18	0		0		0	
38	6/8/2006 11:23	0		0		0	
39	6/8/2006 11:28	0		0		0	
40	6/8/2006 11:33	0		0		0	
41	6/8/2006 11:38	0		0		0	
42	6/8/2006 11:43	0		0		0	
43	6/8/2006 11:48	0		0		0	
44	6/8/2006 11:53	0		0		0	
45	6/8/2006 11:58	0		0		0	
46	6/8/2006 12:03	0		0		0	
47	6/8/2006 12:08	0		0		0	
48	6/8/2006 12:13	0		0		0	
49	6/8/2006 12:18	0		0		0	
50	6/8/2006 12:23	0		0		0	
51	6/8/2006 12:28	0		0		0	
52	6/8/2006 12:33	0		0		0	
53	6/8/2006 12:38	0		0		0	
54	6/8/2006 12:43	0		0		0	
55	6/8/2006 12:48	0		0		0	
56	6/8/2006 12:53	0		0		0	
57	6/8/2006 12:58	0		0		0	
58	6/8/2006 13:03	0		0		0	
59	6/8/2006 13:08	0		0		0	
60	6/8/2006 13:13	0		0		0	
61	6/8/2006 13:18	0		0		0	
62	6/8/2006 13:23	0		0		0	
63	6/8/2006 13:28	0		0		0	
64	6/8/2006 13:33	0		0		0	
65	6/8/2006 13:38	0		0		0	
66	6/8/2006 13:43	0		0		0	
67	6/8/2006 13:48	0		0		0	
68	6/8/2006 13:53	0		0		0	
69	6/8/2006 13:58	0		0		0	
70	6/8/2006 14:03	0		0		0	
71	6/8/2006 14:08	0		0		0	
72	6/8/2006 14:13	0		0		0	
73	6/8/2006 14:18	0		0		0	
74	6/8/2006 14:23	0		0		0	
75	6/8/2006 14:28	0		0		0	
76	6/8/2006 14:33	0		0		0	
77	6/8/2006 14:38	0		0		0	
78	6/8/2006 14:43	0		0		0	
79	6/8/2006 14:48	0		0		0	
80	6/8/2006 14:53	0		0		0	
81	6/8/2006 14:58	0		0		0	
82	6/8/2006 15:03	0		0		0	
83	6/8/2006 15:08	0		0		0	
84	6/8/2006 15:13	0		0		0	
85	6/8/2006 15:18	0		0		0	
86	6/8/2006 15:23	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988
User ID: 00000000 Site ID: LUCOATE
Data Points: 33 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/05/2006 8:11

```
=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:           1100             1100             1100
Low Alarm Levels:            50               50               50
=====
```

```
=====
Line#   Date Time      Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
```

1	6/9/2006 8:23	0		0		0	
2	6/9/2006 8:28	0		0		0	
3	6/9/2006 8:33	0		0		0	
4	6/9/2006 8:38	0		0		0	
5	6/9/2006 8:43	0		0		0	
6	6/9/2006 8:48	0		0		0	
7	6/9/2006 8:53	0		0		0	
8	6/9/2006 8:58	0		0		0	
9	6/9/2006 9:03	0		11.9		23	
10	6/9/2006 9:08	3		5.9		9	
11	6/9/2006 9:13	1.7		3.1		5.2	
12	6/9/2006 9:18	1		1.3		2	
13	6/9/2006 9:23	0.3		0.7		1.6	
14	6/9/2006 9:28	0		0.1		0.4	
15	6/9/2006 9:33	0		0		0.3	
16	6/9/2006 9:38	0		0		0.3	
17	6/9/2006 9:43	0		0		0	
18	6/9/2006 9:48	0		0		0	
19	6/9/2006 9:53	0		0		0	
20	6/9/2006 9:58	0		0		0	
21	6/9/2006 10:03	0		0		0	
22	6/9/2006 10:08	0		0		0	
23	6/9/2006 10:13	0		0		0	
24	6/9/2006 10:18	0		0		0	
25	6/9/2006 10:23	0		0		0	
26	6/9/2006 10:28	0		0		0	
27	6/9/2006 10:33	0		0		0	
28	6/9/2006 10:38	0		0		0	
29	6/9/2006 10:43	0		0		0	
30	6/9/2006 10:48	0		0		0	
31	6/9/2006 10:53	0		0		0	
32	6/9/2006 10:58	0		0		0	
33	6/9/2006 11:03	0		0		0	

```
=====
```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988
User ID: 00000000 Site ID: LUCOATE
Data Points: 91 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/12/2006 8:27

=====

Measurement Type	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels	1100	1100	1100
Low Alarm Levels	50	50	50

=====

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/12/2006 8:40	0		0		0	
2	6/12/2006 8:45	0		0		0	
3	6/12/2006 8:50	0		0		0	
4	6/12/2006 8:55	0		0		0	
5	6/12/2006 9:00	0		0		0	
6	6/12/2006 9:05	0		0		0	
7	6/12/2006 9:10	0		0		0	
8	6/12/2006 9:15	0		0		0	
9	6/12/2006 9:20	0		0		0	
10	6/12/2006 9:25	0		0		0	
11	6/12/2006 9:30	0		0		0	
12	6/12/2006 9:35	0		0		0	
13	6/12/2006 9:40	0		0		0	
14	6/12/2006 9:45	0		0		0	
15	6/12/2006 9:50	0		0		0	
16	6/12/2006 9:55	0		0		0	
17	6/12/2006 10:00	0		0		0	
18	6/12/2006 10:05	0		0		0	
19	6/12/2006 10:10	0		0		0	
20	6/12/2006 10:15	0		0		0	
21	6/12/2006 10:20	0		0		0	
22	6/12/2006 10:25	0		0		0	
23	6/12/2006 10:30	0		0		0	
24	6/12/2006 10:35	0		0		0	
25	6/12/2006 10:40	0		0		0	
26	6/12/2006 10:45	0		0		0	
27	6/12/2006 10:50	0		0		0	
28	6/12/2006 10:55	0		0		0	
29	6/12/2006 11:00	0		0		0	
30	6/12/2006 11:05	0		0		0	
31	6/12/2006 11:10	0		0		0	
32	6/12/2006 11:15	0		0		0	
33	6/12/2006 11:20	0		0		0	
34	6/12/2006 11:25	0		0		0	
35	6/12/2006 11:30	0		0		0	
36	6/12/2006 11:35	0		0		0	
37	6/12/2006 11:40	0		0		0	
38	6/12/2006 11:45	0		0		0	
39	6/12/2006 11:50	0		0		0	
40	6/12/2006 11:55	0		0		0	
41	6/12/2006 12:00	0		0		0	
42	6/12/2006 12:05	0		0		0	
43	6/12/2006 12:10	0		0		0	
44	6/12/2006 12:15	0		0		0	
45	6/12/2006 12:20	0		0		0	
46	6/12/2006 12:25	0		0		0	
47	6/12/2006 12:30	0		0		0	
48	6/12/2006 12:35	0		0		0	
49	6/12/2006 12:40	0		0		0	
50	6/12/2006 12:45	0		0		0	
51	6/12/2006 12:50	0		0		0	
52	6/12/2006 12:55	0		0		0	
53	6/12/2006 13:00	0		0		0	
54	6/12/2006 13:05	0		0		0	
55	6/12/2006 13:10	0		0		0	
56	6/12/2006 13:15	0		0		0	
57	6/12/2006 13:20	0		0		0	
58	6/12/2006 13:25	0		0		0	
59	6/12/2006 13:30	0		0		0	
60	6/12/2006 13:35	0		0		0	
61	6/12/2006 13:40	0		0		0	
62	6/12/2006 13:45	0		0		0	
63	6/12/2006 13:50	0		0		0	
64	6/12/2006 13:55	0		0		0	
65	6/12/2006 14:00	0		0		0	
66	6/12/2006 14:05	0		0		0	
67	6/12/2006 14:10	0		0		0	
68	6/12/2006 14:15	0		0		0	
69	6/12/2006 14:20	0		0		0	
70	6/12/2006 14:25	0		0		0	
71	6/12/2006 14:30	0		0		0	
72	6/12/2006 14:35	0		0		0	
73	6/12/2006 14:40	0		0		0	
74	6/12/2006 14:45	0		0		0	
75	6/12/2006 14:50	0		0		0	
76	6/12/2006 14:55	0		0		0	
77	6/12/2006 15:00	0		0		0	
78	6/12/2006 15:05	0		0		0	
79	6/12/2006 15:10	0		0		0	
80	6/12/2006 15:15	0		0		0	
81	6/12/2006 15:20	0		0		0	
82	6/12/2006 15:25	0		0		0	
83	6/12/2006 15:30	0		0		0	
84	6/12/2006 15:35	0		0		0	
85	6/12/2006 15:40	0		0		0	
86	6/12/2006 15:45	0		0		0	
87	6/12/2006 15:50	0		0		0	
88	6/12/2006 15:55	0		0		0	
89	6/12/2006 16:00	0		0		0	
90	6/12/2006 16:05	0		0		0	
91	6/12/2006 16:10	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988
User ID: 00000000 Site ID: LUCOATE
Data Points: 71 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/12/2006 8:27

=====

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	1100	1100	1100
Low Alarm Levels:	50	50	50

=====

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/13/2006 9:01	0		0		0	
2	6/13/2006 9:06	0		0		0	
3	6/13/2006 9:11	0		0		0.8	
4	6/13/2006 9:16	0		0		0	
5	6/13/2006 9:21	0		0		0	
6	6/13/2006 9:26	0		0		0	
7	6/13/2006 9:31	0		0		0	
8	6/13/2006 9:36	0		0		0	
9	6/13/2006 9:41	0		0		0	
10	6/13/2006 9:46	0		0		0	
11	6/13/2006 9:51	0		0		0	
12	6/13/2006 9:56	0		0		0	
13	6/13/2006 10:01	0		0		0	
14	6/13/2006 10:06	0		0		0	
15	6/13/2006 10:11	0		0		0	
16	6/13/2006 10:16	0		0		0	
17	6/13/2006 10:21	0		0		0	
18	6/13/2006 10:26	0		0		0	
19	6/13/2006 10:31	0		0		0	
20	6/13/2006 10:36	0		0		0	
21	6/13/2006 10:41	0		0		0	
22	6/13/2006 10:46	0		0		0	
23	6/13/2006 10:51	0		0		0	
24	6/13/2006 10:56	0		0		0	
25	6/13/2006 11:01	0		0		0	
26	6/13/2006 11:06	0		0		0	
27	6/13/2006 11:11	0		0		0	
28	6/13/2006 11:16	0		0		0	
29	6/13/2006 11:21	0		0		0	
30	6/13/2006 11:26	0		0		0	
31	6/13/2006 11:31	0		0		0	
32	6/13/2006 11:36	0		0		0	
33	6/13/2006 11:41	0		0		0	
34	6/13/2006 11:46	0		0		0	
35	6/13/2006 11:51	0		0		0	
36	6/13/2006 11:56	0		0		0	
37	6/13/2006 12:01	0		0		0	
38	6/13/2006 12:06	0		0		0	
39	6/13/2006 12:11	0		0		0	
40	6/13/2006 12:16	0		0		0	
41	6/13/2006 12:21	0		0		0	
42	6/13/2006 12:26	0		0		0	
43	6/13/2006 12:31	0		0		0	
44	6/13/2006 12:36	0		0		0	
45	6/13/2006 12:41	0		0		0	
46	6/13/2006 12:46	0		0		0	
47	6/13/2006 12:51	0		0		0	
48	6/13/2006 12:56	0		0		0	
49	6/13/2006 13:01	0		0		0	
50	6/13/2006 13:06	0		0		0	
51	6/13/2006 13:11	0		0		0	
52	6/13/2006 13:16	0		0		0	
53	6/13/2006 13:21	0		0		0	
54	6/13/2006 13:26	0		0		0	
55	6/13/2006 13:31	0		0		0	
56	6/13/2006 13:36	0		0		0	
57	6/13/2006 13:41	0		0		0	
58	6/13/2006 13:46	0		0		0	
59	6/13/2006 13:51	0		0		0	
60	6/13/2006 13:56	0		0		0	
61	6/13/2006 14:01	0		0		0	
62	6/13/2006 14:06	0		0		0	
63	6/13/2006 14:11	0		0		0	
64	6/13/2006 14:16	0		0		0	
65	6/13/2006 14:21	0		0		0	
66	6/13/2006 14:26	0		0		0	
67	6/13/2006 14:31	0		0		0	
68	6/13/2006 14:36	0		0		0	
69	6/13/2006 14:41	0		0		0	
70	6/13/2006 14:46	0		0		0	
71	6/13/2006 14:51	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988
User ID: 00000000 Site ID: LUCCATE
Data Points: 91 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/12/2006 8:27

=====

Measurement Type	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels	1100	1100	1100
Low Alarm Levels	50	50	50

=====

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/14/2006 8:24	0		0		0	
2	6/14/2006 8:29	0		0		0	
3	6/14/2006 8:34	0		0		0	
4	6/14/2006 8:39	0		0		0	
5	6/14/2006 8:44	0		0		0	
6	6/14/2006 8:49	0		0		0	
7	6/14/2006 8:54	0		0		0	
8	6/14/2006 8:59	0		0		0	
9	6/14/2006 9:04	0		0		0	
10	6/14/2006 9:09	0		0		0	
11	6/14/2006 9:14	0		0		0	
12	6/14/2006 9:19	0		0		0	
13	6/14/2006 9:24	0		0		0	
14	6/14/2006 9:29	0		0		0	
15	6/14/2006 9:34	0		0		0	
16	6/14/2006 9:39	0		0		0	
17	6/14/2006 9:44	0		0		0	
18	6/14/2006 9:49	0		0		0	
19	6/14/2006 9:54	0		0		0	
20	6/14/2006 9:59	0		0		0	
21	6/14/2006 10:04	0		0		0	
22	6/14/2006 10:09	0		0		0	
23	6/14/2006 10:14	0		0		0	
24	6/14/2006 10:19	0		0		0	
25	6/14/2006 10:24	0		0		0	
26	6/14/2006 10:29	0		0		0	
27	6/14/2006 10:34	0		0		0	
28	6/14/2006 10:39	0		0		0	
29	6/14/2006 10:44	0		0		0	
30	6/14/2006 10:49	0		0		0	
31	6/14/2006 10:54	0		0		0	
32	6/14/2006 10:59	0		0		0	
33	6/14/2006 11:04	0		0		0	
34	6/14/2006 11:09	0		0		0	
35	6/14/2006 11:14	0		0		0	
36	6/14/2006 11:19	0		0		0	
37	6/14/2006 11:24	0		0		0	
38	6/14/2006 11:29	0		0		0	
39	6/14/2006 11:34	0		0		0	
40	6/14/2006 11:39	0		0		0	
41	6/14/2006 11:44	0		0		0	
42	6/14/2006 11:49	0		0		0	
43	6/14/2006 11:54	0		0		0	
44	6/14/2006 11:59	0		0		0	
45	6/14/2006 12:04	0		0		0	
46	6/14/2006 12:09	0		0		0	
47	6/14/2006 12:14	0		0		0	
48	6/14/2006 12:19	0		0		0	
49	6/14/2006 12:24	0		0		0	
50	6/14/2006 12:29	0		0		0	
51	6/14/2006 12:34	0		0		0	
52	6/14/2006 12:39	0		0		0	
53	6/14/2006 12:44	0		0		0	
54	6/14/2006 12:49	0		0		0	
55	6/14/2006 12:54	0		0		0	
56	6/14/2006 12:59	0		0		0	
57	6/14/2006 13:04	0		0		0	
58	6/14/2006 13:09	0		0		0	
59	6/14/2006 13:14	0		0		0	
60	6/14/2006 13:19	0		0		0	
61	6/14/2006 13:24	0		0		0	
62	6/14/2006 13:29	0		0		0	
63	6/14/2006 13:34	0		0		0	
64	6/14/2006 13:39	0		0		0	
65	6/14/2006 13:44	0		0		0	
66	6/14/2006 13:49	0		0		0	
67	6/14/2006 13:54	0		0		0	
68	6/14/2006 13:59	0		0		0	
69	6/14/2006 14:04	0		0		0	
70	6/14/2006 14:09	0		0		0	
71	6/14/2006 14:14	0		0		0	
72	6/14/2006 14:19	0		0		0	
73	6/14/2006 14:24	0		0		0	
74	6/14/2006 14:29	0		0		0	
75	6/14/2006 14:34	0		0		0	
76	6/14/2006 14:39	0		0		0	
77	6/14/2006 14:44	0		0		0	
78	6/14/2006 14:49	0		0		0	
79	6/14/2006 14:54	0		0		0	
80	6/14/2006 14:59	0		0		0	
81	6/14/2006 15:04	0		0		0	
82	6/14/2006 15:09	0		0		0	
83	6/14/2006 15:14	0		0		0	
84	6/14/2006 15:19	0		0		0	
85	6/14/2006 15:24	0		0		0	
86	6/14/2006 15:29	0		0		0	
87	6/14/2006 15:34	0		0		0	
88	6/14/2006 15:39	0		0		0	
89	6/14/2006 15:44	0		0		0	
90	6/14/2006 15:49	0		0		0	
91	6/14/2006 15:54	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988
User ID: 00000000 Site ID: LUCOATE
Data Points: 51 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/12/2006 8:27

=====
Measurement Type: Min(ppm) Avg(ppm) Max(ppm)
High Alarm Levels: 1100 1100 1100
Low Alarm Levels: 50 50 50
=====

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/15/2006 12:03	0		0		0	
2	6/15/2006 12:08	0		0		0	
3	6/15/2006 12:13	0		0		0	
4	6/15/2006 12:18	0		0		0	
5	6/15/2006 12:23	0		0		0	
6	6/15/2006 12:28	0		0		0	
7	6/15/2006 12:33	0		0		0	
8	6/15/2006 12:38	0		0		0	
9	6/15/2006 12:43	0		0		0	
10	6/15/2006 12:48	0		0		0	
11	6/15/2006 12:53	0		0		0	
12	6/15/2006 12:58	0		0		0	
13	6/15/2006 13:03	0		0		0	
14	6/15/2006 13:08	0		0		0	
15	6/15/2006 13:13	0		0		0	
16	6/15/2006 13:18	0		0		0	
17	6/15/2006 13:23	0		0		0	
18	6/15/2006 13:28	0		0		0	
19	6/15/2006 13:33	0		0		0	
20	6/15/2006 13:38	0		0		0	
21	6/15/2006 13:43	0		0		0	
22	6/15/2006 13:48	0		0		0	
23	6/15/2006 13:53	0		0		0	
24	6/15/2006 13:58	0		0		0	
25	6/15/2006 14:03	0		0		0	
26	6/15/2006 14:08	0		0		0	
27	6/15/2006 14:13	0		0		0	
28	6/15/2006 14:18	0		0		0	
29	6/15/2006 14:23	0		0		0	
30	6/15/2006 14:28	0		0		0	
31	6/15/2006 14:33	0		0		0	
32	6/15/2006 14:38	0		0		0	
33	6/15/2006 14:43	0		0		0	
34	6/15/2006 14:48	0		0		0	
35	6/15/2006 14:53	0		0		0	
36	6/15/2006 14:58	0		0		0	
37	6/15/2006 15:03	0		0		0	
38	6/15/2006 15:08	0		0		0	
39	6/15/2006 15:13	0		0		0	
40	6/15/2006 15:18	0		0		0	
41	6/15/2006 15:23	0		0		0	
42	6/15/2006 15:28	0		0		0	
43	6/15/2006 15:33	0		0		0	
44	6/15/2006 15:38	0		0		0	
45	6/15/2006 15:43	0		0		0	
46	6/15/2006 15:48	0		0		0	
47	6/15/2006 15:53	0		0		0	
48	6/15/2006 15:58	0		0		0	
49	6/15/2006 16:03	0		0		0	
50	6/15/2006 16:08	0		0		0	
51	6/15/2006 16:13	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988
User ID: 00000000 Site ID: LUCOATE
Data Points: 18 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/12/2006 8:27

```
=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:           1100             1100             1100
Low Alarm Levels:            50              50              50
=====
```

```
=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
1    6/16/2006 13:22           0             0             0
2    6/16/2006 13:27           0             0             0
3    6/16/2006 13:32           0             0             0
4    6/16/2006 13:37           0             0             0
5    6/16/2006 13:42           0             0             0
6    6/16/2006 13:47           0             0             0
7    6/16/2006 13:52           0             0             0
8    6/16/2006 13:57           0             0             0
9    6/16/2006 14:02           0             0             0
10   6/16/2006 14:07           0             0             0
11   6/16/2006 14:12           0             0             0
12   6/16/2006 14:17           0             0             0
13   6/16/2006 14:22           0             0             0
14   6/16/2006 14:27           0             0             0
15   6/16/2006 14:32           0             0             0
16   6/16/2006 14:37           0             0             0
17   6/16/2006 14:42           0             0             0
18   6/16/2006 14:47           0             0             0
=====
```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988
User ID: 00000000 Site ID: LUCOATE
Data Points: 72 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/20/2006 8:33

=====

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	1100	1100	1100
Low Alarm Levels:	50	50	50

=====

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Max(ppm) Alarm
1	6/20/2006 8:47	0	0	0.8
2	6/20/2006 8:52	0	0	0
3	6/20/2006 8:57	0	0	0
4	6/20/2006 9:02	0	0	0
5	6/20/2006 9:07	0	0	0
6	6/20/2006 9:12	0	0	0
7	6/20/2006 9:17	0	0	0
8	6/20/2006 9:22	0	0	0
9	6/20/2006 9:27	0	0	0
10	6/20/2006 9:32	0	0	0
11	6/20/2006 9:37	0	0	0
12	6/20/2006 9:42	0	0	0
13	6/20/2006 9:47	0	0	0
14	6/20/2006 9:52	0	0	0
15	6/20/2006 9:57	0	0	0
16	6/20/2006 10:02	0	0	0
17	6/20/2006 10:07	0	0	0
18	6/20/2006 10:12	0	0	0
19	6/20/2006 10:17	0	0	0
20	6/20/2006 10:22	0	0	0
21	6/20/2006 10:27	0	0	0
22	6/20/2006 10:32	0	0	0
23	6/20/2006 10:37	0	0	0
24	6/20/2006 10:42	0	0	0
25	6/20/2006 10:47	0	0	0
26	6/20/2006 10:52	0	0	0
27	6/20/2006 10:57	0	0	0
28	6/20/2006 11:02	0	0	0
29	6/20/2006 11:07	0	0	0
30	6/20/2006 11:12	0	0	0
31	6/20/2006 11:17	0	0	0
32	6/20/2006 11:22	0	0	0
33	6/20/2006 11:27	0	0	0
34	6/20/2006 11:32	0	0	0
35	6/20/2006 11:37	0	0	0
36	6/20/2006 11:42	0	0	0
37	6/20/2006 11:47	0	0	0
38	6/20/2006 11:52	0	0	0
39	6/20/2006 11:57	0	0	0
40	6/20/2006 12:02	0	0	0
41	6/20/2006 12:07	0	0	0
42	6/20/2006 12:12	0	0	0
43	6/20/2006 12:17	0	0	0
44	6/20/2006 12:22	0	0	0
45	6/20/2006 12:27	0	0	0
46	6/20/2006 12:32	0	0	0
47	6/20/2006 12:37	0	0	0
48	6/20/2006 12:42	0	0	0
49	6/20/2006 12:47	0	0	0
50	6/20/2006 12:52	0	0	0
51	6/20/2006 12:57	0	0	0
52	6/20/2006 13:02	0	0	0
53	6/20/2006 13:07	0	0	0
54	6/20/2006 13:12	0	0	0
55	6/20/2006 13:17	0	0	0
56	6/20/2006 13:22	0	0	0
57	6/20/2006 13:27	0	0	0
58	6/20/2006 13:32	0	0	0
59	6/20/2006 13:37	0	0	0
60	6/20/2006 13:42	0	0	0
61	6/20/2006 13:47	0	0	0
62	6/20/2006 13:52	0	0	0
63	6/20/2006 13:57	0	0	0
64	6/20/2006 14:02	0	0	0
65	6/20/2006 14:07	0	0	0
66	6/20/2006 14:12	0	0	0
67	6/20/2006 14:17	0	0	0
68	6/20/2006 14:22	0	0	0
69	6/20/2006 14:27	0	0	0
70	6/20/2006 14:32	0	0	0
71	6/20/2006 14:37	0	0	0
72	6/20/2006 14:42	0	0	0

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988
User ID: 00000000 Site ID: LUCOATE
Data Points: 92 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/20/2006 8:33

=====

Measurement Type	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels	1100	1100	1100
Low Alarm Levels	50	50	50

=====

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/21/2006 7:41	0		0		0	
2	6/21/2006 7:46	0		0		0	
3	6/21/2006 7:51	0		0		0	
4	6/21/2006 7:56	0		0		0	
5	6/21/2006 8:01	0		0		0	
6	6/21/2006 8:06	0		0		0	
7	6/21/2006 8:11	0		0		0	
8	6/21/2006 8:16	0		0		0	
9	6/21/2006 8:21	0		0		0	
10	6/21/2006 8:26	0		0		0	
11	6/21/2006 8:31	0		0		0	
12	6/21/2006 8:36	0		0		0	
13	6/21/2006 8:41	0		0		0	
14	6/21/2006 8:46	0		0		0	
15	6/21/2006 8:51	0		0		0	
16	6/21/2006 8:56	0		0		0	
17	6/21/2006 9:01	0		0		0	
18	6/21/2006 9:06	0		0		0	
19	6/21/2006 9:11	0		0		0	
20	6/21/2006 9:16	0		0		0	
21	6/21/2006 9:21	0		0		0	
22	6/21/2006 9:26	0		0		0	
23	6/21/2006 9:31	0		0		0	
24	6/21/2006 9:36	0		0		0	
25	6/21/2006 9:41	0		0		0	
26	6/21/2006 9:46	0		0		0	
27	6/21/2006 9:51	0		0		0	
28	6/21/2006 9:56	0		0		0	
29	6/21/2006 10:01	0		0		0	
30	6/21/2006 10:06	0		0		0	
31	6/21/2006 10:11	0		0		0	
32	6/21/2006 10:16	0		0		0	
33	6/21/2006 10:21	0		0		0	
34	6/21/2006 10:26	0		0		0	
35	6/21/2006 10:31	0		0		0	
36	6/21/2006 10:36	0		0		0	
37	6/21/2006 10:41	0		0		0	
38	6/21/2006 10:46	0		0		0	
39	6/21/2006 10:51	0		0		0	
40	6/21/2006 10:56	0		0		0	
41	6/21/2006 11:01	0		0		0	
42	6/21/2006 11:06	0		0		0	
43	6/21/2006 11:11	0		0		0	
44	6/21/2006 11:16	0		0		0	
45	6/21/2006 11:21	0		0		0	
46	6/21/2006 11:26	0		0		0	
47	6/21/2006 11:31	0		0		0	
48	6/21/2006 11:36	0		0		0	
49	6/21/2006 11:41	0		0		0	
50	6/21/2006 11:46	0		0		0	
51	6/21/2006 11:51	0		0		0	
52	6/21/2006 11:56	0		0		0	
53	6/21/2006 12:01	0		0		0	
54	6/21/2006 12:06	0		0		0	
55	6/21/2006 12:11	0		0		0	
56	6/21/2006 12:16	0		0		0	
57	6/21/2006 12:21	0		0		0	
58	6/21/2006 12:26	0		0		0	
59	6/21/2006 12:31	0		0		0	
60	6/21/2006 12:36	0		0		0	
61	6/21/2006 12:41	0		0		0	
62	6/21/2006 12:46	0		0		0	
63	6/21/2006 12:51	0		0		0	
64	6/21/2006 12:56	0		0		0	
65	6/21/2006 13:01	0		0		0	
66	6/21/2006 13:06	0		0		0	
67	6/21/2006 13:11	0		0		0	
68	6/21/2006 13:16	0		0		0	
69	6/21/2006 13:21	0		0		0	
70	6/21/2006 13:26	0		0		0	
71	6/21/2006 13:31	0		0		0	
72	6/21/2006 13:36	0		0		0	
73	6/21/2006 13:41	0		0		0	
74	6/21/2006 13:46	0		0		0	
75	6/21/2006 13:51	0		0		0	
76	6/21/2006 13:56	0		0		0	
77	6/21/2006 14:01	0		0		0	
78	6/21/2006 14:06	0		0		0	
79	6/21/2006 14:11	0		0		0	
80	6/21/2006 14:16	0		0		0	
81	6/21/2006 14:21	0		0		0	
82	6/21/2006 14:26	0		0		0	
83	6/21/2006 14:31	0		0		0	
84	6/21/2006 14:36	0		0		0	
85	6/21/2006 14:41	0		0		0	
86	6/21/2006 14:46	0		0		0	
87	6/21/2006 14:51	0		0		0	
88	6/21/2006 14:56	0		0		0	
89	6/21/2006 15:01	0		0		0	
90	6/21/2006 15:06	0		0		0	
91	6/21/2006 15:11	0		0		0	
92	6/21/2006 15:16	0		0		0	

Daily Airborne VOC Concentrations – West Monitor

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 17 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/24/2006 8:03

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	25	25	25
Low Alarm Levels:	5	5	5

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	5/24/2006 11:42	0		0		0	
2	5/24/2006 11:57	0		0		0	
3	5/24/2006 12:12	0		0		0	
4	5/24/2006 12:27	0		0		0	
5	5/24/2006 12:42	0		0		0	
6	5/24/2006 12:57	0		0		0	
7	5/24/2006 13:12	0		0		0	
8	5/24/2006 13:27	0		0		0	
9	5/24/2006 13:42	0		0		0	
10	5/24/2006 13:57	0		0		0	
11	5/24/2006 14:12	0		0		0	
12	5/24/2006 14:27	0		0		0	
13	5/24/2006 14:42	0		0		0	
14	5/24/2006 14:57	0		0		0	
15	5/24/2006 15:12	0		0		0	
16	5/24/2006 15:27	0		0		0	
17	5/24/2006 15:42	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 12 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/24/2006 8:03

```
=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:           25                25                25
Low Alarm Levels:            5                  5                  5
=====
```

```
=====
Line#   Date Time      Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
1  5/25/2006 13:27      0             0             0
2  5/25/2006 13:42      0             0             0
3  5/25/2006 13:57      0             0             0
4  5/25/2006 14:12      0             0             0.4
5  5/25/2006 14:27      0             0             0
6  5/25/2006 14:42      0             0             0
7  5/25/2006 14:57      0             0             0
8  5/25/2006 15:12      0             0             0
9  5/25/2006 15:27      0             0             0
10 5/25/2006 15:42      0             0             0.1
11 5/25/2006 15:57      0             0             0.1
12 5/25/2006 16:12      0             0             0
=====
```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 81 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 05/30/2006 8:40

=====

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	25	25	25
Low Alarm Levels:	5	5	5

=====

=====

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Max(ppm) Alarm
1	5/30/2006 9:37	0	0	0
2	5/30/2006 9:42	0	0	0
3	5/30/2006 9:47	0	0	0
4	5/30/2006 9:52	0	0	0
5	5/30/2006 9:57	0	0	0
6	5/30/2006 10:02	0	0	0
7	5/30/2006 10:07	0	0	0
8	5/30/2006 10:12	0	0	0
9	5/30/2006 10:17	0	0	0
10	5/30/2006 10:22	0	0	0
11	5/30/2006 10:27	0	0	0
12	5/30/2006 10:32	0	0	0
13	5/30/2006 10:37	0	0	0
14	5/30/2006 10:42	0	0	0.1
15	5/30/2006 10:47	0	0	0
16	5/30/2006 10:52	0	0	0
17	5/30/2006 10:57	0	0	0
18	5/30/2006 11:02	0	0	0
19	5/30/2006 11:07	0	0	0
20	5/30/2006 11:12	0	0	0
21	5/30/2006 11:17	0	0	0
22	5/30/2006 11:22	0	0	0
23	5/30/2006 11:27	0	0	0
24	5/30/2006 11:32	0	0	0
25	5/30/2006 11:37	0	0	0
26	5/30/2006 11:42	0	0	0
27	5/30/2006 11:47	0	0	0
28	5/30/2006 11:52	0	0	0
29	5/30/2006 11:57	0	0	0
30	5/30/2006 12:02	0	0	0
31	5/30/2006 12:07	0	0	0
32	5/30/2006 12:12	0	0	0
33	5/30/2006 12:17	0	0	0
34	5/30/2006 12:22	0	0	0
35	5/30/2006 12:27	0	0	0
36	5/30/2006 12:32	0	0	0
37	5/30/2006 12:37	0	0	0
38	5/30/2006 12:42	0	0	0
39	5/30/2006 12:47	0	0	0
40	5/30/2006 12:52	0	0	0
41	5/30/2006 12:57	0	0	0
42	5/30/2006 13:02	0	0	0
43	5/30/2006 13:07	0	0	0
44	5/30/2006 13:12	0	0	0
45	5/30/2006 13:17	0	0	0
46	5/30/2006 13:22	0	0	0
47	5/30/2006 13:27	0	0	0
48	5/30/2006 13:32	0	0	0
49	5/30/2006 13:37	0	0	0
50	5/30/2006 13:42	0	0	0.1
51	5/30/2006 13:47	0	0	0
52	5/30/2006 13:52	0	0	0
53	5/30/2006 13:57	0	0	0
54	5/30/2006 14:02	0	0	0
55	5/30/2006 14:07	0	0	0
56	5/30/2006 14:12	0	0	0
57	5/30/2006 14:17	0	0	0
58	5/30/2006 14:22	0	0	0
59	5/30/2006 14:27	0	0	0
60	5/30/2006 14:32	0	0	0
61	5/30/2006 14:37	0	0	0
62	5/30/2006 14:42	0	0	0
63	5/30/2006 14:47	0	0	0
64	5/30/2006 14:52	0	0	0
65	5/30/2006 14:57	0	0	0
66	5/30/2006 15:02	0	0	0
67	5/30/2006 15:07	0	0	0
68	5/30/2006 15:12	0	0	0
69	5/30/2006 15:17	0	0	0
70	5/30/2006 15:22	0	0	0
71	5/30/2006 15:27	0	0	0
72	5/30/2006 15:32	0	0	0
73	5/30/2006 15:37	0	0	0
74	5/30/2006 15:42	0	0	0
75	5/30/2006 15:47	0	0	0
76	5/30/2006 15:52	0	0	0
77	5/30/2006 15:57	0	0	0
78	5/30/2006 16:02	0	0	0
79	5/30/2006 16:07	0	0	0
80	5/30/2006 16:12	0	0	0
81	5/30/2006 16:17	0	0	0

=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 85 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 05/30/2006 8:40

=====

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	25	25	25
Low Alarm Levels:	5	5	5

=====

=====

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Max(ppm) Alarm
1	5/31/2006 8:09	0	0	0
2	5/31/2006 8:14	0	0	0
3	5/31/2006 8:19	0	0	0
4	5/31/2006 8:24	0	0	0
5	5/31/2006 8:29	0	0	0
6	5/31/2006 8:34	0	0	0
7	5/31/2006 8:39	0	0	0.2
8	5/31/2006 8:44	0	0	0
9	5/31/2006 8:49	0	0	0
10	5/31/2006 8:54	0	0	0
11	5/31/2006 8:59	0	0	0
12	5/31/2006 9:04	0	0	0
13	5/31/2006 9:09	0	0	0
14	5/31/2006 9:14	0	0	0
15	5/31/2006 9:19	0	0	0
16	5/31/2006 9:24	0	0	0
17	5/31/2006 9:29	0	0	0
18	5/31/2006 9:34	0	0	0
19	5/31/2006 9:39	0	0	0
20	5/31/2006 9:44	0	0	0
21	5/31/2006 9:49	0	0	0
22	5/31/2006 9:54	0	0	0
23	5/31/2006 9:59	0	0	0
24	5/31/2006 10:04	0	0	0
25	5/31/2006 10:09	0	0	0
26	5/31/2006 10:14	0	0	0
27	5/31/2006 10:19	0	0	0
28	5/31/2006 10:24	0	0	0
29	5/31/2006 10:29	0	0	0
30	5/31/2006 10:34	0	0	0
31	5/31/2006 10:39	0	0	0
32	5/31/2006 10:44	0	0	0
33	5/31/2006 10:49	0	0	0
34	5/31/2006 10:54	0	0	0
35	5/31/2006 10:59	0	0	0
36	5/31/2006 11:04	0	0	0
37	5/31/2006 11:09	0	0	0
38	5/31/2006 11:14	0	0	0
39	5/31/2006 11:19	0	0	0
40	5/31/2006 11:24	0	0	0
41	5/31/2006 11:29	0	0	0
42	5/31/2006 11:34	0	0	0
43	5/31/2006 11:39	0	0	0
44	5/31/2006 11:44	0	0	0
45	5/31/2006 11:49	0	0	0
46	5/31/2006 11:54	0	0	0.2
47	5/31/2006 11:59	0	0	0
48	5/31/2006 12:04	0	0	0
49	5/31/2006 12:09	0	0	0
50	5/31/2006 12:14	0	0	0
51	5/31/2006 12:19	0	0	0
52	5/31/2006 12:24	0	0	0
53	5/31/2006 12:29	0	0	0
54	5/31/2006 12:34	0	0	0
55	5/31/2006 12:39	0	0	0
56	5/31/2006 12:44	0	0	0
57	5/31/2006 12:49	0	0	0
58	5/31/2006 12:54	0	0	0
59	5/31/2006 12:59	0	0	0
60	5/31/2006 13:04	0	0	0
61	5/31/2006 13:09	0	0	0
62	5/31/2006 13:14	0	0	0
63	5/31/2006 13:19	0	0	0
64	5/31/2006 13:24	0	0	0
65	5/31/2006 13:29	0	0	0
66	5/31/2006 13:34	0	0	0
67	5/31/2006 13:39	0	0	0
68	5/31/2006 13:44	0	0	0
69	5/31/2006 13:49	0	0	11.9 L
70	5/31/2006 13:54	0	0	0.2
71	5/31/2006 13:59	0	0	0
72	5/31/2006 14:04	0	0	0
73	5/31/2006 14:09	0	0	0
74	5/31/2006 14:14	0	0	0
75	5/31/2006 14:19	0	0	0
76	5/31/2006 14:24	0	0	0
77	5/31/2006 14:29	0	0	0
78	5/31/2006 14:34	0	0	0
79	5/31/2006 14:39	0	0	0
80	5/31/2006 14:44	0	0	0
81	5/31/2006 14:49	0	0	0
82	5/31/2006 14:54	0	0	0
83	5/31/2006 14:59	0	0	0
84	5/31/2006 15:04	0	0	0
85	5/31/2006 15:09	0	0	0

=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 83 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 05/30/2006 8:40

=====

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	25	25	25
Low Alarm Levels:	5	5	5

=====

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/1/2006 7:49	0		0		0.6	
2	6/1/2006 7:54	0		0		0	
3	6/1/2006 7:59	0		0		0	
4	6/1/2006 8:04	0		0		0	
5	6/1/2006 8:09	0		0		0.1	
6	6/1/2006 8:14	0		0		0	
7	6/1/2006 8:19	0		0		0	
8	6/1/2006 8:24	0		0		0.1	
9	6/1/2006 8:29	0		0		0	
10	6/1/2006 8:34	0		0		0	
11	6/1/2006 8:39	0		0		0	
12	6/1/2006 8:44	0		0		0	
13	6/1/2006 8:49	0		0		0	
14	6/1/2006 8:54	0		0		0	
15	6/1/2006 8:59	0		0		0	
16	6/1/2006 9:04	0		0		0	
17	6/1/2006 9:09	0		0		0	
18	6/1/2006 9:14	0		0		0.3	
19	6/1/2006 9:19	0		0		0	
20	6/1/2006 9:24	0		0		0.1	
21	6/1/2006 9:29	0		0		0.1	
22	6/1/2006 9:34	0		0		0.2	
23	6/1/2006 9:39	0		0		0.1	
24	6/1/2006 9:44	0		0		0.2	
25	6/1/2006 9:49	0		0		0	
26	6/1/2006 9:54	0		0		0.1	
27	6/1/2006 9:59	0		0		0.1	
28	6/1/2006 10:04	0		0		0	
29	6/1/2006 10:09	0		0		0.3	
30	6/1/2006 10:14	0		0		0.1	
31	6/1/2006 10:19	0		0		0.1	
32	6/1/2006 10:24	0		0.1		24.9 L	
33	6/1/2006 10:29	0		0		0.3	
34	6/1/2006 10:34	0		0		0.2	
35	6/1/2006 10:39	0		0		0.1	
36	6/1/2006 10:44	0		0		0.1	
37	6/1/2006 10:49	0		0		0.2	
38	6/1/2006 10:54	0		0		0.2	
39	6/1/2006 10:59	0		0		0	
40	6/1/2006 11:04	0		0		0.4	
41	6/1/2006 11:09	0		0		0.3	
42	6/1/2006 11:14	0		0		0	
43	6/1/2006 11:19	0		0		0	
44	6/1/2006 11:24	0		0		0	
45	6/1/2006 11:29	0		0		0.1	
46	6/1/2006 11:34	0		0		0	
47	6/1/2006 11:39	0		0		0.2	
48	6/1/2006 11:44	0		0		0.4	
49	6/1/2006 11:49	0		0		0.5	
50	6/1/2006 11:54	0		0		0.5	
51	6/1/2006 11:59	0		0		0	
52	6/1/2006 12:04	0		0		0	
53	6/1/2006 12:09	0		0		0	
54	6/1/2006 12:14	0		0		0.2	
55	6/1/2006 12:19	0		0		0.2	
56	6/1/2006 12:24	0		0		0	
57	6/1/2006 12:29	0		0		0	
58	6/1/2006 12:34	0		0		0	
59	6/1/2006 12:39	0		0		0	
60	6/1/2006 12:44	0		0		0.5	
61	6/1/2006 12:49	0		0		0.4	
62	6/1/2006 12:54	0		0		0	
63	6/1/2006 12:59	0		0		0	
64	6/1/2006 13:04	0		0		0	
65	6/1/2006 13:09	0		0		0.1	
66	6/1/2006 13:14	0		0		0.1	
67	6/1/2006 13:19	0		0		0	
68	6/1/2006 13:24	0		0		0	
69	6/1/2006 13:29	0		0		0	
70	6/1/2006 13:34	0		0		0	
71	6/1/2006 13:39	0		0		0	
72	6/1/2006 13:44	0		0		0.1	
73	6/1/2006 13:49	0		0		0	
74	6/1/2006 13:54	0		0		0	
75	6/1/2006 13:59	0		0		0.1	
76	6/1/2006 14:04	0		0		0	
77	6/1/2006 14:09	0		0		0.1	
78	6/1/2006 14:14	0		0		0.1	
79	6/1/2006 14:19	0		0		0.1	
80	6/1/2006 14:24	0		0		0.1	
81	6/1/2006 14:29	0		0		0	
82	6/1/2006 14:34	0		0		0.1	
83	6/1/2006 14:39	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 88 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 05/30/2006 8:40

=====

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	25	25	25
Low Alarm Levels:	5	5	5

=====

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Max(ppm) Alarm
1	6/2/2006 8:46	0	0	0
2	6/2/2006 8:51	0	0	1.2
3	6/2/2006 8:56	0	0	0.2
4	6/2/2006 9:01	0	0	0.4
5	6/2/2006 9:06	0	0	0.2
6	6/2/2006 9:11	0	0	0
7	6/2/2006 9:16	0	0.1	3.9
8	6/2/2006 9:21	0	0	0
9	6/2/2006 9:26	0	0	0.2
10	6/2/2006 9:31	0	0	0.7
11	6/2/2006 9:36	0	0	0
12	6/2/2006 9:41	0	0.1	6.8 L
13	6/2/2006 9:46	0	0	2.2
14	6/2/2006 9:51	0	0	0
15	6/2/2006 9:56	0	0	0.2
16	6/2/2006 10:01	0	0.1	5
17	6/2/2006 10:06	0	0	1.2
18	6/2/2006 10:11	0	0	0
19	6/2/2006 10:16	0	0	2.3
20	6/2/2006 10:21	0	0	1.3
21	6/2/2006 10:26	0	0	1
22	6/2/2006 10:31	0	0.1	1.1
23	6/2/2006 10:36	0	0.8	15.6 L
24	6/2/2006 10:41	0	0.8	48.3 H
25	6/2/2006 10:46	0	0.8	47.3 H
26	6/2/2006 10:51	0	1.8	61.7 H
27	6/2/2006 10:56	0	0.1	5.8 L
28	6/2/2006 11:01	0	5.3 L	220.6 H
29	6/2/2006 11:06	0	0.3	4.7
30	6/2/2006 11:11	0	0.2	4.9
31	6/2/2006 11:16	0	0.1	3.3
32	6/2/2006 11:21	0	0.2	3.8
33	6/2/2006 11:26	0	0.4	5.9 L
34	6/2/2006 11:31	0	0.4	3.7
35	6/2/2006 11:36	0	0.8	16.1 L
36	6/2/2006 11:41	0	1.6	45.5 H
37	6/2/2006 11:46	0	10.4 L	284 H
38	6/2/2006 11:51	0	1.7	60.9 H
39	6/2/2006 11:56	0	2.3	61.7 H
40	6/2/2006 12:01	0	2.8	28.8 H
41	6/2/2006 12:06	0	0.8	11.7 L
42	6/2/2006 12:11	0	0.6	1.1 L
43	6/2/2006 12:16	0	0.2	3.8
44	6/2/2006 12:21	0	0.1	2.2
45	6/2/2006 12:26	0	0.5	4.5
46	6/2/2006 12:31	0	0.2	2.5
47	6/2/2006 12:36	0	0.3	3.8
48	6/2/2006 12:41	0	0.2	2.5
49	6/2/2006 12:46	0	0.1	2.8
50	6/2/2006 12:51	0	0.1	4.9
51	6/2/2006 12:56	0	0.4	3.9
52	6/2/2006 13:01	0	0.2	5
53	6/2/2006 13:06	0	0.1	3.3
54	6/2/2006 13:11	0	0.2	5.8 L
55	6/2/2006 13:16	0	0.3	2.2
56	6/2/2006 13:21	0	0.4	3.6
57	6/2/2006 13:26	0	0.2	1.6 L
58	6/2/2006 13:31	0	0.2	7.4 L
59	6/2/2006 13:36	0	0.5	11.3 L
60	6/2/2006 13:41	0	0	2
61	6/2/2006 13:46	0	0	0.7
62	6/2/2006 13:51	0	0	2
63	6/2/2006 13:56	0	0	0.8
64	6/2/2006 14:01	0	0.3	2.1 L
65	6/2/2006 14:06	0	2.8	76.2 H
66	6/2/2006 14:11	0	0.9	18.4 L
67	6/2/2006 14:16	0	0.8	41.5 H
68	6/2/2006 14:21	0	0	0.1
69	6/2/2006 14:26	0	0	0.2
70	6/2/2006 14:31	0	0	0.1
71	6/2/2006 14:36	0	0	0.7
72	6/2/2006 14:41	0	0	0.1
73	6/2/2006 14:46	0	0	0
74	6/2/2006 14:51	0	0	0.2
75	6/2/2006 14:56	0	0	0.4
76	6/2/2006 15:01	0	0	0.2
77	6/2/2006 15:06	0	0	0
78	6/2/2006 15:11	0	0	0.2
79	6/2/2006 15:16	0	0	0.2
80	6/2/2006 15:21	0	0	0
81	6/2/2006 15:26	0	0	0.2
82	6/2/2006 15:31	0	0	0
83	6/2/2006 15:36	0	0	0.4
84	6/2/2006 15:41	0	0	0.2
85	6/2/2006 15:46	0	0	0.2
86	6/2/2006 15:51	0	0	0.1
87	6/2/2006 15:56	0	0	0.1
88	6/2/2006 16:01	0	0	0

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 75 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/05/2006 8:09

=====

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	25	25	25
Low Alarm Levels:	5	5	5

=====

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/5/2006 8:41	0		0		0	
2	6/5/2006 8:46	0		0		0	
3	6/5/2006 8:51	0		0		0	
4	6/5/2006 8:56	0		0		0	
5	6/5/2006 9:01	0		0		0	
6	6/5/2006 9:06	0		0		0	
7	6/5/2006 9:11	0		0		0	
8	6/5/2006 9:16	0		0		0	
9	6/5/2006 9:21	0		0		0	
10	6/5/2006 9:26	0		0		0	
11	6/5/2006 9:31	0		0		0.1	
12	6/5/2006 9:36	0		0		0	
13	6/5/2006 9:41	0		0		0	
14	6/5/2006 9:46	0		0		0	
15	6/5/2006 9:51	0		0		0	
16	6/5/2006 9:56	0		0		0	
17	6/5/2006 10:01	0		0		0	
18	6/5/2006 10:06	0		0		0	
19	6/5/2006 10:11	0		0		0	
20	6/5/2006 10:16	0		0		0	
21	6/5/2006 10:21	0		0		0	
22	6/5/2006 10:26	0		0		0.3	
23	6/5/2006 10:31	0		0		0	
24	6/5/2006 10:36	0		0		0	
25	6/5/2006 10:41	0		0		0.2	
26	6/5/2006 10:46	0		0		0	
27	6/5/2006 10:51	0		0		0	
28	6/5/2006 10:56	0		0		0	
29	6/5/2006 11:01	0		0		0	
30	6/5/2006 11:06	0		0		0.1	
31	6/5/2006 11:11	0		0		0	
32	6/5/2006 11:16	0		0		0	
33	6/5/2006 11:21	0		0		0.2	
34	6/5/2006 11:26	0		0		0.5	
35	6/5/2006 11:31	0		0		0	
36	6/5/2006 11:36	0		0		0	
37	6/5/2006 11:41	0		0		0	
38	6/5/2006 11:46	0		0		0	
39	6/5/2006 11:51	0		0		0	
40	6/5/2006 11:56	0		0		0	
41	6/5/2006 12:01	0		0		0	
42	6/5/2006 12:06	0		0		0	
43	6/5/2006 12:11	0		0		0	
44	6/5/2006 12:16	0		0		0	
45	6/5/2006 12:21	0		0		0	
46	6/5/2006 12:26	0		0		0.3	
47	6/5/2006 12:31	0		0		0.1	
48	6/5/2006 12:36	0		0		0.1	
49	6/5/2006 12:41	0		0		0.1	
50	6/5/2006 12:46	0		0		0.1	
51	6/5/2006 12:51	0		0		0.5	
52	6/5/2006 12:56	0		0		0.1	
53	6/5/2006 13:01	0		0		0.4	
54	6/5/2006 13:06	0		0		0	
55	6/5/2006 13:11	0		0		0.3	
56	6/5/2006 13:16	0		0		0.2	
57	6/5/2006 13:21	0		0		0.2	
58	6/5/2006 13:26	0		0		0	
59	6/5/2006 13:31	0		0		0	
60	6/5/2006 13:36	0		0		0	
61	6/5/2006 13:41	0		0		0	
62	6/5/2006 13:46	0		0		0.7	
63	6/5/2006 13:51	0		0		0	
64	6/5/2006 13:56	0		0		0	
65	6/5/2006 14:01	0		0		0	
66	6/5/2006 14:06	0		0		0	
67	6/5/2006 14:11	0		0		0.1	
68	6/5/2006 14:16	0		0		0	
69	6/5/2006 14:21	0		0		0	
70	6/5/2006 14:26	0		0		0	
71	6/5/2006 14:31	0		0		0	
72	6/5/2006 14:36	0		0		0	
73	6/5/2006 14:41	0		0		0	
74	6/5/2006 14:46	0		0		0	
75	6/5/2006 14:51	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 92 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/05/2006 8:09

=====

Measurement Type	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	25	25	25
Low Alarm Levels:	5	5	5

=====

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/6/2006 8:13	0		0		0	
2	6/6/2006 8:18	0		0		0	
3	6/6/2006 8:23	0		0		0	
4	6/6/2006 8:28	0		0		0	
5	6/6/2006 8:33	0		0		0	
6	6/6/2006 8:38	0		0		0	
7	6/6/2006 8:43	0		0		0	
8	6/6/2006 8:48	0		0		0	
9	6/6/2006 8:53	0		0		0	
10	6/6/2006 8:58	0		0		0	
11	6/6/2006 9:03	0		0		0	
12	6/6/2006 9:08	0		0		0	
13	6/6/2006 9:13	0		0		0	
14	6/6/2006 9:18	0		0		0	
15	6/6/2006 9:23	0		0		0	
16	6/6/2006 9:28	0		0		0	
17	6/6/2006 9:33	0		0		0	
18	6/6/2006 9:38	0		0		0	
19	6/6/2006 9:43	0		0		0	
20	6/6/2006 9:48	0		0		0	
21	6/6/2006 9:53	0		0		0	
22	6/6/2006 9:58	0		0		0	
23	6/6/2006 10:03	0		0		0.1	
24	6/6/2006 10:08	0		0		0	
25	6/6/2006 10:13	0		0		0	
26	6/6/2006 10:18	0		0		0	
27	6/6/2006 10:23	0		0		0	
28	6/6/2006 10:28	0		0		0	
29	6/6/2006 10:33	0		0		0	
30	6/6/2006 10:38	0		0		0	
31	6/6/2006 10:43	0		0		0.7	
32	6/6/2006 10:48	0		0		0	
33	6/6/2006 10:53	0		0		0	
34	6/6/2006 10:58	0		0		0	
35	6/6/2006 11:03	0		0		0	
36	6/6/2006 11:08	0		0		0	
37	6/6/2006 11:13	0		0		0	
38	6/6/2006 11:18	0		0		0	
39	6/6/2006 11:23	0		0		0	
40	6/6/2006 11:28	0		0		0	
41	6/6/2006 11:33	0		0		0	
42	6/6/2006 11:38	0		0		0	
43	6/6/2006 11:43	0		0		0	
44	6/6/2006 11:48	0		0		0	
45	6/6/2006 11:53	0		0		0	
46	6/6/2006 11:58	0		0		0	
47	6/6/2006 12:03	0		0		0	
48	6/6/2006 12:08	0		0		0	
49	6/6/2006 12:13	0		0		0	
50	6/6/2006 12:18	0		0		0	
51	6/6/2006 12:23	0		0		0	
52	6/6/2006 12:28	0		0		0	
53	6/6/2006 12:33	0		0		0	
54	6/6/2006 12:38	0		0		0	
55	6/6/2006 12:43	0		0		0	
56	6/6/2006 12:48	0		0		0	
57	6/6/2006 12:53	0		0		0	
58	6/6/2006 12:58	0		0		0	
59	6/6/2006 13:03	0		0		0	
60	6/6/2006 13:08	0		0		0	
61	6/6/2006 13:13	0		0		0	
62	6/6/2006 13:18	0		0		0	
63	6/6/2006 13:23	0		0		0	
64	6/6/2006 13:28	0		0		0	
65	6/6/2006 13:33	0		0		0	
66	6/6/2006 13:38	0		0		0	
67	6/6/2006 13:43	0		0		0	
68	6/6/2006 13:48	0		0		0	
69	6/6/2006 13:53	0		0		0	
70	6/6/2006 13:58	0		0		0	
71	6/6/2006 14:03	0		0		0	
72	6/6/2006 14:08	0		0		0	
73	6/6/2006 14:13	0		0		0	
74	6/6/2006 14:18	0		0		0	
75	6/6/2006 14:23	0		0		0	
76	6/6/2006 14:28	0		0		0.3	
77	6/6/2006 14:33	0		0		0	
78	6/6/2006 14:38	0		0		0	
79	6/6/2006 14:43	0		0		0	
80	6/6/2006 14:48	0		0		0	
81	6/6/2006 14:53	0		0		0	
82	6/6/2006 14:58	0		0		0.1	
83	6/6/2006 15:03	0		0		0	
84	6/6/2006 15:08	0		0		0	
85	6/6/2006 15:13	0		0		0	
86	6/6/2006 15:18	0		0		0	
87	6/6/2006 15:23	0		0		0	
88	6/6/2006 15:28	0		0		0	
89	6/6/2006 15:33	0		0		0	
90	6/6/2006 15:38	0		0		0	
91	6/6/2006 15:43	0		0		0	
92	6/6/2006 15:48	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703

User ID: 00000001 Site ID: LUSCOATE

Data Points: 43 Gas Name: Isobutylene Sample Period: 300 sec

Last Calibration Time: 06/05/2006 8:09

```
=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:           25                25                25
Low Alarm Levels:            5                  5                  5
=====
```

```
=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
1    6/7/2006 12:00           0              0              0
2    6/7/2006 12:05           0              0              0
3    6/7/2006 12:10           0              0              0
4    6/7/2006 12:15           0              0              0
5    6/7/2006 12:20           0              0              0
6    6/7/2006 12:25           0              0              0
7    6/7/2006 12:30           0              0              0
8    6/7/2006 12:35           0              0              0
9    6/7/2006 12:40           0              0              0
10   6/7/2006 12:45           0              0              0
11   6/7/2006 12:50           0              0              0
12   6/7/2006 12:55           0              0              0
13   6/7/2006 13:00           0              0              0
14   6/7/2006 13:05           0              0              0
15   6/7/2006 13:10           0              0              0.1
16   6/7/2006 13:15           0              0              0
17   6/7/2006 13:20           0              0              0
18   6/7/2006 13:25           0              0              0
19   6/7/2006 13:30           0              0              0.1
20   6/7/2006 13:35           0              0              0
21   6/7/2006 13:40           0              0              0
22   6/7/2006 13:45           0              0              0
23   6/7/2006 13:50           0              0              0
24   6/7/2006 13:55           0              0              0
25   6/7/2006 14:00           0              0              0
26   6/7/2006 14:05           0              0              0
27   6/7/2006 14:10           0              0              0
28   6/7/2006 14:15           0              0              0
29   6/7/2006 14:20           0              0              0
30   6/7/2006 14:25           0              0              0
31   6/7/2006 14:30           0              0              0.7
32   6/7/2006 14:35           0              0              0
33   6/7/2006 14:40           0              0              0
34   6/7/2006 14:45           0              0              0.3
35   6/7/2006 14:50           0              0              0
36   6/7/2006 14:55           0              0              0.1
37   6/7/2006 15:00           0              0              0
38   6/7/2006 15:05           0              0              0
39   6/7/2006 15:10           0              0              0
40   6/7/2006 15:15           0              0              0
41   6/7/2006 15:20           0              0              0
42   6/7/2006 15:25           0              0              0
43   6/7/2006 15:30           0              0              0
=====
```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 82 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/05/2006 8:09

=====

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	25	25	25
Low Alarm Levels:	5	5	5

=====

=====

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/8/2006 8:41	0		0		0	
2	6/8/2006 8:46	0		0		0	
3	6/8/2006 8:51	0		0		0	
4	6/8/2006 8:56	0		0		0	
5	6/8/2006 9:01	0		0		0	
6	6/8/2006 9:06	0		0		0	
7	6/8/2006 9:11	0		0		0	
8	6/8/2006 9:16	0		0		0	
9	6/8/2006 9:21	0		0		0	
10	6/8/2006 9:26	0		0		0	
11	6/8/2006 9:31	0		0		0.1	
12	6/8/2006 9:36	0		0		0.1	
13	6/8/2006 9:41	0		0		0	
14	6/8/2006 9:46	0		0		0	
15	6/8/2006 9:51	0		0		0	
16	6/8/2006 9:56	0		0		0	
17	6/8/2006 10:01	0		0		0.1	
18	6/8/2006 10:06	0		0		0	
19	6/8/2006 10:11	0		0		0	
20	6/8/2006 10:16	0		0		0	
21	6/8/2006 10:21	0		0		0	
22	6/8/2006 10:26	0		0		0	
23	6/8/2006 10:31	0		0		0	
24	6/8/2006 10:36	0		0		0	
25	6/8/2006 10:41	0		0		0	
26	6/8/2006 10:46	0		0		0	
27	6/8/2006 10:51	0		0		0	
28	6/8/2006 10:56	0		0		0	
29	6/8/2006 11:01	0		0		0	
30	6/8/2006 11:06	0		0		0.1	
31	6/8/2006 11:11	0		0		0.1	
32	6/8/2006 11:16	0		0		0.1	
33	6/8/2006 11:21	0		0		0	
34	6/8/2006 11:26	0		0		0	
35	6/8/2006 11:31	0		0		0.1	
36	6/8/2006 11:36	0		0		0.1	
37	6/8/2006 11:41	0		0		0.1	
38	6/8/2006 11:46	0		0		0.1	
39	6/8/2006 11:51	0		0		0.3	
40	6/8/2006 11:56	0		0		0.1	
41	6/8/2006 12:01	0		0		0.1	
42	6/8/2006 12:06	0		0		0	
43	6/8/2006 12:11	0		0		0.1	
44	6/8/2006 12:16	0		0		0.1	
45	6/8/2006 12:21	0		0		0.1	
46	6/8/2006 12:26	0		0		0.2	
47	6/8/2006 12:31	0		0		0.1	
48	6/8/2006 12:36	0		0		0	
49	6/8/2006 12:41	0		0		0.1	
50	6/8/2006 12:46	0		0		0	
51	6/8/2006 12:51	0		0		0	
52	6/8/2006 12:56	0		0		0.1	
53	6/8/2006 13:01	0		0		0.1	
54	6/8/2006 13:06	0		0		0.1	
55	6/8/2006 13:11	0		0		0	
56	6/8/2006 13:16	0		0		0	
57	6/8/2006 13:21	0		0		0	
58	6/8/2006 13:26	0		0		0	
59	6/8/2006 13:31	0		0		0	
60	6/8/2006 13:36	0		0		0	
61	6/8/2006 13:41	0		0		0	
62	6/8/2006 13:46	0		0		0	
63	6/8/2006 13:51	0		0		0	
64	6/8/2006 13:56	0		0		0	
65	6/8/2006 14:01	0		0		0	
66	6/8/2006 14:06	0		0		0	
67	6/8/2006 14:11	0		0		0	
68	6/8/2006 14:16	0		0		0	
69	6/8/2006 14:21	0		0		0	
70	6/8/2006 14:26	0		0		0	
71	6/8/2006 14:31	0		0		0	
72	6/8/2006 14:36	0		0		0	
73	6/8/2006 14:41	0		0		0	
74	6/8/2006 14:46	0		0		0	
75	6/8/2006 14:51	0		0		0	
76	6/8/2006 14:56	0		0		0	
77	6/8/2006 15:01	0		0		0	
78	6/8/2006 15:06	0		0		0	
79	6/8/2006 15:11	0		0		0	
80	6/8/2006 15:16	0		0		0	
81	6/8/2006 15:21	0		0		0	
82	6/8/2006 15:26	0		0		0.2	

=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 33 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/05/2006 8:09

```
=====
Measurement Type:                Min(ppm)      Avg(ppm)      Max(ppm)
High Alarm Levels:                25          25          25
Low Alarm Levels:                  5           5           5
=====
```

```
=====
Line#   Date Time      Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
```

1	6/9/2006 8:26	0		0		0	
2	6/9/2006 8:31	0		0		0	
3	6/9/2006 8:36	0		0		0	
4	6/9/2006 8:41	0		0		0	
5	6/9/2006 8:46	0		0		0	
6	6/9/2006 8:51	0		0		0	
7	6/9/2006 8:56	0		0		0	
8	6/9/2006 9:01	0		0		0	
9	6/9/2006 9:06	0		0		0	
10	6/9/2006 9:11	0		0		0	
11	6/9/2006 9:16	0		0		0	
12	6/9/2006 9:21	0		0		0	
13	6/9/2006 9:26	0		0		0	
14	6/9/2006 9:31	0		0		0	
15	6/9/2006 9:36	0		0		0	
16	6/9/2006 9:41	0		0		0	
17	6/9/2006 9:46	0		0		0	
18	6/9/2006 9:51	0		0		0	
19	6/9/2006 9:56	0		0		0	
20	6/9/2006 10:01	0		0		0	
21	6/9/2006 10:06	0		0		0	
22	6/9/2006 10:11	0		0		0	
23	6/9/2006 10:16	0		0		0	
24	6/9/2006 10:21	0		0		0	
25	6/9/2006 10:26	0		0		0	
26	6/9/2006 10:31	0		0		0	
27	6/9/2006 10:36	0		0		0	
28	6/9/2006 10:41	0		0		0	
29	6/9/2006 10:46	0		0		0	
30	6/9/2006 10:51	0		0		0	
31	6/9/2006 10:56	0		0		0	
32	6/9/2006 11:01	0		0		0	
33	6/9/2006 11:06	0		0		0.1	

```
=====
```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 91 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/12/2006 8:33

=====

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	25	25	25
Low Alarm Levels:	5	5	5

=====

=====

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/12/2006 8:40	0		0		0	
2	6/12/2006 8:45	0		0		0	
3	6/12/2006 8:50	0		0		0	
4	6/12/2006 8:55	0		0		0	
5	6/12/2006 9:00	0		0		0	
6	6/12/2006 9:05	0		0		0	
7	6/12/2006 9:10	0		0		0	
8	6/12/2006 9:15	0		0		0	
9	6/12/2006 9:20	0		0		0	
10	6/12/2006 9:25	0		0		0	
11	6/12/2006 9:30	0		0		0	
12	6/12/2006 9:35	0		0		0	
13	6/12/2006 9:40	0		0		0	
14	6/12/2006 9:45	0		0		0	
15	6/12/2006 9:50	0		0		0	
16	6/12/2006 9:55	0		0		0.1	
17	6/12/2006 10:00	0		0		0	
18	6/12/2006 10:05	0		0		0	
19	6/12/2006 10:10	0		0		0	
20	6/12/2006 10:15	0		0		0.1	
21	6/12/2006 10:20	0		0		0.1	
22	6/12/2006 10:25	0		0		0.1	
23	6/12/2006 10:30	0		0		0	
24	6/12/2006 10:35	0		0		0	
25	6/12/2006 10:40	0		0		0	
26	6/12/2006 10:45	0		0		0	
27	6/12/2006 10:50	0		0		0	
28	6/12/2006 10:55	0		0		0	
29	6/12/2006 11:00	0		0		0.1	
30	6/12/2006 11:05	0		0		0.1	
31	6/12/2006 11:10	0		0		0	
32	6/12/2006 11:15	0		0		0	
33	6/12/2006 11:20	0		0		0	
34	6/12/2006 11:25	0		0		0.1	
35	6/12/2006 11:30	0		0		0	
36	6/12/2006 11:35	0		0		0	
37	6/12/2006 11:40	0		0		0	
38	6/12/2006 11:45	0		0		0	
39	6/12/2006 11:50	0		0		0	
40	6/12/2006 11:55	0		0		0	
41	6/12/2006 12:00	0		0		0	
42	6/12/2006 12:05	0		0		0	
43	6/12/2006 12:10	0		0		0	
44	6/12/2006 12:15	0		0		0	
45	6/12/2006 12:20	0		0		0	
46	6/12/2006 12:25	0		0		0	
47	6/12/2006 12:30	0		0		0	
48	6/12/2006 12:35	0		0		0	
49	6/12/2006 12:40	0		0		0	
50	6/12/2006 12:45	0		0		0	
51	6/12/2006 12:50	0		0		0	
52	6/12/2006 12:55	0		0		0	
53	6/12/2006 13:00	0		0		0	
54	6/12/2006 13:05	0		0		0	
55	6/12/2006 13:10	0		0		0	
56	6/12/2006 13:15	0		0		0.1	
57	6/12/2006 13:20	0		0		0	
58	6/12/2006 13:25	0		0		0	
59	6/12/2006 13:30	0		0		0	
60	6/12/2006 13:35	0		0		0	
61	6/12/2006 13:40	0		0		0	
62	6/12/2006 13:45	0		0		0	
63	6/12/2006 13:50	0		0		0	
64	6/12/2006 13:55	0		0		0	
65	6/12/2006 14:00	0		0		0	
66	6/12/2006 14:05	0		0		0	
67	6/12/2006 14:10	0		0		0	
68	6/12/2006 14:15	0		0		0	
69	6/12/2006 14:20	0		0		0	
70	6/12/2006 14:25	0		0		0	
71	6/12/2006 14:30	0		0		0	
72	6/12/2006 14:35	0		0		0	
73	6/12/2006 14:40	0		0		0	
74	6/12/2006 14:45	0		0		0	
75	6/12/2006 14:50	0		0		0	
76	6/12/2006 14:55	0		0		0	
77	6/12/2006 15:00	0		0		0	
78	6/12/2006 15:05	0		0		0	
79	6/12/2006 15:10	0		0		0	
80	6/12/2006 15:15	0		0		0	
81	6/12/2006 15:20	0		0		0	
82	6/12/2006 15:25	0		0		0	
83	6/12/2006 15:30	0		0		0	
84	6/12/2006 15:35	0		0		0	
85	6/12/2006 15:40	0		0		0	
86	6/12/2006 15:45	0		0		0	
87	6/12/2006 15:50	0		0		0	
88	6/12/2006 15:55	0		0		0	
89	6/12/2006 16:00	0		0		0	
90	6/12/2006 16:05	0		0		0	
91	6/12/2006 16:10	0		0		0	

=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 72 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/12/2006 8:33

=====

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	25	25	25
Low Alarm Levels:	5	5	5

=====

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/13/2006 9:00	0		0		0	
2	6/13/2006 9:05	0		0		0	
3	6/13/2006 9:10	0		0		0.1	
4	6/13/2006 9:15	0		0		0	
5	6/13/2006 9:20	0		0		0	
6	6/13/2006 9:25	0		0		0	
7	6/13/2006 9:30	0		0		0	
8	6/13/2006 9:35	0		0		0	
9	6/13/2006 9:40	0		0		0	
10	6/13/2006 9:45	0		0		0	
11	6/13/2006 9:50	0		0		0	
12	6/13/2006 9:55	0		0		0	
13	6/13/2006 10:00	0		0		0	
14	6/13/2006 10:05	0		0		0	
15	6/13/2006 10:10	0		0		0	
16	6/13/2006 10:15	0		0		0	
17	6/13/2006 10:20	0		0		0	
18	6/13/2006 10:25	0		0		0	
19	6/13/2006 10:30	0		0		0	
20	6/13/2006 10:35	0		0		0	
21	6/13/2006 10:40	0		0		0	
22	6/13/2006 10:45	0		0		0	
23	6/13/2006 10:50	0		0		0	
24	6/13/2006 10:55	0		0		0	
25	6/13/2006 11:00	0		0		0	
26	6/13/2006 11:05	0		0		0	
27	6/13/2006 11:10	0		0		0	
28	6/13/2006 11:15	0		0		0	
29	6/13/2006 11:20	0		0		0	
30	6/13/2006 11:25	0		0		0	
31	6/13/2006 11:30	0		0		0	
32	6/13/2006 11:35	0		0		0	
33	6/13/2006 11:40	0		0		0	
34	6/13/2006 11:45	0		0		0	
35	6/13/2006 11:50	0		0		0	
36	6/13/2006 11:55	0		0		0	
37	6/13/2006 12:00	0		0		0	
38	6/13/2006 12:05	0		0		0	
39	6/13/2006 12:10	0		0		0	
40	6/13/2006 12:15	0		0		0	
41	6/13/2006 12:20	0		0		0	
42	6/13/2006 12:25	0		0		0	
43	6/13/2006 12:30	0		0		0	
44	6/13/2006 12:35	0		0		0	
45	6/13/2006 12:40	0		0		0	
46	6/13/2006 12:45	0		0		0	
47	6/13/2006 12:50	0		0		6 L	
48	6/13/2006 12:55	0		0		0.8	
49	6/13/2006 13:00	0		0		4.4	
50	6/13/2006 13:05	0		0		0.3	
51	6/13/2006 13:10	0		0		0	
52	6/13/2006 13:15	0		0		0	
53	6/13/2006 13:20	0		0		0	
54	6/13/2006 13:25	0		0		0	
55	6/13/2006 13:30	0		0		0	
56	6/13/2006 13:35	0		0		0	
57	6/13/2006 13:40	0		0		0	
58	6/13/2006 13:45	0		0		0	
59	6/13/2006 13:50	0		0		0	
60	6/13/2006 13:55	0		0		0	
61	6/13/2006 14:00	0		0		0	
62	6/13/2006 14:05	0		0		0	
63	6/13/2006 14:10	0		0		0	
64	6/13/2006 14:15	0		0		0	
65	6/13/2006 14:20	0		0		0	
66	6/13/2006 14:25	0		0		0	
67	6/13/2006 14:30	0		0		0	
68	6/13/2006 14:35	0		0		0	
69	6/13/2006 14:40	0		0		0	
70	6/13/2006 14:45	0		0		0	
71	6/13/2006 14:50	0		0		0	
72	6/13/2006 14:55	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 105 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/12/2006 8:33

Measurement Type	Min(ppm)	Avg(ppm)	Max(ppm)	
High Alarm Levels	25	25	25	
Low Alarm Levels	5	5	5	
Line#	Date/Time	Min(ppm)	Avg(ppm)	Max(ppm)
1	6/14/2006 8:23	0	0	0
2	6/14/2006 8:28	0	0	0
3	6/14/2006 8:33	0	0	0
4	6/14/2006 8:38	0	0	0
5	6/14/2006 8:43	0	0	0
6	6/14/2006 8:48	0	0	0
7	6/14/2006 8:53	0	0	16
8	6/14/2006 8:58	0	0	0.9
9	6/14/2006 9:03	0	0	0
10	6/14/2006 9:08	0	0	0
11	6/14/2006 9:13	0	0.2	6.5 L
12	6/14/2006 9:18	0	0.1	6.8 L
13	6/14/2006 9:23	0	0	0.5
14	6/14/2006 9:28	0	0	0
15	6/14/2006 9:33	0	0	0
16	6/14/2006 9:38	0	0	0
17	6/14/2006 9:43	0	0	0.1
18	6/14/2006 9:48	0	0	0
19	6/14/2006 9:53	0	0	0.1
20	6/14/2006 9:58	0	0	0.2
21	6/14/2006 10:03	0	0	0
22	6/14/2006 10:08	0	0	2.5
23	6/14/2006 10:13	0	0	0
24	6/14/2006 10:18	0	0	0
25	6/14/2006 10:23	0	0	0
26	6/14/2006 10:28	0	0	0
27	6/14/2006 10:33	0	0	0
28	6/14/2006 10:38	0	0	0
29	6/14/2006 10:43	0	0	0
30	6/14/2006 10:48	0	0	0
31	6/14/2006 10:53	0	0	0
32	6/14/2006 10:58	0	0	0
33	6/14/2006 11:03	0	0	0
34	6/14/2006 11:08	0	0	0
35	6/14/2006 11:13	0	0	0
36	6/14/2006 11:18	0	0	0
37	6/14/2006 11:23	0	0	0.1
38	6/14/2006 11:28	0	0	0
39	6/14/2006 11:33	0	0	0.2
40	6/14/2006 11:38	0	0	0.1
41	6/14/2006 11:43	0	0	0
42	6/14/2006 11:48	0	0	0
43	6/14/2006 11:53	0	0	0
44	6/14/2006 11:58	0	0	0
45	6/14/2006 12:03	0	0	0
46	6/14/2006 12:08	0	0	0
47	6/14/2006 12:13	0	0	0
48	6/14/2006 12:18	0	0	0
49	6/14/2006 12:23	0	0	0
50	6/14/2006 12:28	0	0	0
51	6/14/2006 12:33	0	0	0
52	6/14/2006 12:38	0	0	0
53	6/14/2006 12:43	0	0	0
54	6/14/2006 12:48	0	0	0
55	6/14/2006 12:53	0	0	0
56	6/14/2006 12:58	0	0	0
57	6/14/2006 13:03	0	0	0
58	6/14/2006 13:08	0	0	0
59	6/14/2006 13:13	0	0	0
60	6/14/2006 13:18	0	0	0
61	6/14/2006 13:23	0	0	0
62	6/14/2006 13:28	0	0	0
63	6/14/2006 13:33	0	0	0.1
64	6/14/2006 13:38	0	0	0
65	6/14/2006 13:43	0	0	0
66	6/14/2006 13:48	0	0	0
67	6/14/2006 13:53	0	0	0
68	6/14/2006 13:58	0	0	0
69	6/14/2006 14:03	0	0	0
70	6/14/2006 14:08	0	0	0
71	6/14/2006 14:13	0	0	0
72	6/14/2006 14:18	0	0	0
73	6/14/2006 14:23	0	0	0
74	6/14/2006 14:28	0	0	0
75	6/14/2006 14:33	0	0	0.6
76	6/14/2006 14:38	0	0	0
77	6/14/2006 14:43	0	0	0
78	6/14/2006 14:48	0	0	0
79	6/14/2006 14:53	0	0	0
80	6/14/2006 14:58	0	0	0
81	6/14/2006 15:03	0	0	0
82	6/14/2006 15:08	0	0	0
83	6/14/2006 15:13	0	0	0
84	6/14/2006 15:18	0	0	0
85	6/14/2006 15:23	0	0	0
86	6/14/2006 15:28	0	0	0
87	6/14/2006 15:33	0	0	0
88	6/14/2006 15:38	0	0	0
89	6/14/2006 15:43	0	0	0
90	6/14/2006 15:48	0	0	0
91	6/14/2006 15:53	0	0	0
92	6/14/2006 15:58	0	0	0
93	6/14/2006 16:03	0	0	0
94	6/14/2006 16:08	0	0	0
95	6/14/2006 16:13	0	0	0
96	6/14/2006 16:18	0	0	0
97	6/14/2006 16:23	0	0	0
98	6/14/2006 16:28	0	0	0
99	6/14/2006 16:33	0	0	0
100	6/14/2006 16:38	0	0	0
101	6/14/2006 16:43	0	0	0
102	6/14/2006 16:48	0	0	0
103	6/14/2006 16:53	0	0	0
104	6/14/2006 16:58	0	0	0
105	6/14/2006 17:03	0	0	0

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 50 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/12/2006 8:33

```
=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:           25                 25                 25
Low Alarm Levels:            5                  5                  5
=====
```

```
=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
```

1	6/15/2006 12:05	0	0	0
2	6/15/2006 12:10	0	0	0
3	6/15/2006 12:15	0	0	0
4	6/15/2006 12:20	0	0	0
5	6/15/2006 12:25	0	0	0.2
6	6/15/2006 12:30	0	0	0
7	6/15/2006 12:35	0	0	0
8	6/15/2006 12:40	0	0	0
9	6/15/2006 12:45	0	0	0
10	6/15/2006 12:50	0	0	0
11	6/15/2006 12:55	0	0	0
12	6/15/2006 13:00	0	0	0.3
13	6/15/2006 13:05	0	0	0.1
14	6/15/2006 13:10	0	0	0
15	6/15/2006 13:15	0	0	0
16	6/15/2006 13:20	0	0	0
17	6/15/2006 13:25	0	0	0
18	6/15/2006 13:30	0	0	0
19	6/15/2006 13:35	0	0	0
20	6/15/2006 13:40	0	0	0
21	6/15/2006 13:45	0	0	0
22	6/15/2006 13:50	0	0	0
23	6/15/2006 13:55	0	0	0
24	6/15/2006 14:00	0	0	0
25	6/15/2006 14:05	0	0	0
26	6/15/2006 14:10	0	0	0
27	6/15/2006 14:15	0	0	0
28	6/15/2006 14:20	0	0	0
29	6/15/2006 14:25	0	0	0
30	6/15/2006 14:30	0	0	0
31	6/15/2006 14:35	0	0	0
32	6/15/2006 14:40	0	0	0
33	6/15/2006 14:45	0	0	0
34	6/15/2006 14:50	0	0	0
35	6/15/2006 14:55	0	0	0
36	6/15/2006 15:00	0	0	0
37	6/15/2006 15:05	0	0	0
38	6/15/2006 15:10	0	0	0
39	6/15/2006 15:15	0	0	0
40	6/15/2006 15:20	0	0	0
41	6/15/2006 15:25	0	0	0
42	6/15/2006 15:30	0	0	0.2
43	6/15/2006 15:35	0	0	0.3
44	6/15/2006 15:40	0	0	0
45	6/15/2006 15:45	0	0	0
46	6/15/2006 15:50	0	0	0
47	6/15/2006 15:55	0	0	0
48	6/15/2006 16:00	0	0	0
49	6/15/2006 16:05	0	0	0
50	6/15/2006 16:10	0	0	0

```
=====
```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 17 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/12/2006 8:33

```
=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:           25                25                25
Low Alarm Levels:            5                  5                  5
=====
```

```
=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
1    6/16/2006 13:20           0                0                0
2    6/16/2006 13:25           0                0                0
3    6/16/2006 13:30           0                0                0
4    6/16/2006 13:35           0                0                0
5    6/16/2006 13:40           0                0                0
6    6/16/2006 13:45           0                0                0
7    6/16/2006 13:50           0                0                0
8    6/16/2006 13:55           0                0                0
9    6/16/2006 14:00           0                0                0
10   6/16/2006 14:05           0                0                0
11   6/16/2006 14:10           0                0                0
12   6/16/2006 14:15           0                0                0
13   6/16/2006 14:20           0                0                0
14   6/16/2006 14:25           0                0                0
15   6/16/2006 14:30           0                0                0
16   6/16/2006 14:35           0                0                0
17   6/16/2006 14:40           0                0                0
=====
```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 72 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/20/2006 8:00

=====

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	25	25	25
Low Alarm Levels:	5	5	5

=====

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/20/2006 8:46	0		0		0.1	
2	6/20/2006 8:51	0		0		0	
3	6/20/2006 8:56	0		0		0	
4	6/20/2006 9:01	0		0		0	
5	6/20/2006 9:06	0		0		0	
6	6/20/2006 9:11	0		0		0.1	
7	6/20/2006 9:16	0		0		0.1	
8	6/20/2006 9:21	0		0		0	
9	6/20/2006 9:26	0		0		0	
10	6/20/2006 9:31	0		0		0	
11	6/20/2006 9:36	0		0		0.1	
12	6/20/2006 9:41	0		0		0	
13	6/20/2006 9:46	0		0		0	
14	6/20/2006 9:51	0		0		0	
15	6/20/2006 9:56	0		0		0	
16	6/20/2006 10:01	0		0		0	
17	6/20/2006 10:06	0		0		0	
18	6/20/2006 10:11	0		0		0	
19	6/20/2006 10:16	0		0		0	
20	6/20/2006 10:21	0		0		0.1	
21	6/20/2006 10:26	0		0		0	
22	6/20/2006 10:31	0		0		0	
23	6/20/2006 10:36	0		0		0	
24	6/20/2006 10:41	0		0		0	
25	6/20/2006 10:46	0		0		0	
26	6/20/2006 10:51	0		0		0	
27	6/20/2006 10:56	0		0		0	
28	6/20/2006 11:01	0		0		0	
29	6/20/2006 11:06	0		0		0	
30	6/20/2006 11:11	0		0		0	
31	6/20/2006 11:16	0		0		0	
32	6/20/2006 11:21	0		0		0	
33	6/20/2006 11:26	0		0		0	
34	6/20/2006 11:31	0		0		0	
35	6/20/2006 11:36	0		0		0	
36	6/20/2006 11:41	0		0		0	
37	6/20/2006 11:46	0		0		0	
38	6/20/2006 11:51	0		0		0	
39	6/20/2006 11:56	0		0		0	
40	6/20/2006 12:01	0		0		0	
41	6/20/2006 12:06	0		0		0	
42	6/20/2006 12:11	0		0		0	
43	6/20/2006 12:16	0		0		0	
44	6/20/2006 12:21	0		0		0	
45	6/20/2006 12:26	0		0		0	
46	6/20/2006 12:31	0		0		0	
47	6/20/2006 12:36	0		0		0	
48	6/20/2006 12:41	0		0		0	
49	6/20/2006 12:46	0		0		0	
50	6/20/2006 12:51	0		0		0	
51	6/20/2006 12:56	0		0		0	
52	6/20/2006 13:01	0		0		0	
53	6/20/2006 13:06	0		0		0	
54	6/20/2006 13:11	0		0		0	
55	6/20/2006 13:16	0		0		0	
56	6/20/2006 13:21	0		0		0	
57	6/20/2006 13:26	0		0		0	
58	6/20/2006 13:31	0		0		0	
59	6/20/2006 13:36	0		0		0	
60	6/20/2006 13:41	0		0		0	
61	6/20/2006 13:46	0		0		0	
62	6/20/2006 13:51	0		0		0	
63	6/20/2006 13:56	0		0		0	
64	6/20/2006 14:01	0		0		0	
65	6/20/2006 14:06	0		0		0.1	
66	6/20/2006 14:11	0		0		0	
67	6/20/2006 14:16	0		0		0	
68	6/20/2006 14:21	0		0		0	
69	6/20/2006 14:26	0		0		0	
70	6/20/2006 14:31	0		0		0	
71	6/20/2006 14:36	0		0		0	
72	6/20/2006 14:41	0		0		0	

Instrument: MinIRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 87 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/20/2006 8:00

Measurement Type:		Min(ppm)	Avg(ppm)		Max(ppm)		
High Alarm Levels:		25	25		25		
Low Alarm Levels:		5	5		5		
=====							
Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm *
=====							
1	6/21/2006 8:10	0		0		0	
2	6/21/2006 8:15	0		0		0	
3	6/21/2006 8:20	0		0		0	
4	6/21/2006 8:25	0		0		0	
5	6/21/2006 8:30	0		0		0	
6	6/21/2006 8:35	0		0		0	
7	6/21/2006 8:40	0		0		0	
8	6/21/2006 8:45	0		0		0	
9	6/21/2006 8:50	0		0		0	
10	6/21/2006 8:55	0		0		0	
11	6/21/2006 9:00	0		0		0	
12	6/21/2006 9:05	0		0		0	
13	6/21/2006 9:10	0		0		0	
14	6/21/2006 9:15	0		0		0	
15	6/21/2006 9:20	0		0		0	
16	6/21/2006 9:25	0		0		0	
17	6/21/2006 9:30	0		0		0	
18	6/21/2006 9:35	0		0		0	
19	6/21/2006 9:40	0		0		0	
20	6/21/2006 9:45	0		0		0	
21	6/21/2006 9:50	0		0		0	
22	6/21/2006 9:55	0		0		0	
23	6/21/2006 10:00	0		0		0	
24	6/21/2006 10:05	0		0		0	
25	6/21/2006 10:10	0		0		0	
26	6/21/2006 10:15	0		0		0	
27	6/21/2006 10:20	0		0		0	
28	6/21/2006 10:25	0		0		0	
29	6/21/2006 10:30	0		0		0	
30	6/21/2006 10:35	0		0		0	
31	6/21/2006 10:40	0		0		0	
32	6/21/2006 10:45	0		0		0	
33	6/21/2006 10:50	0		0		0	
34	6/21/2006 10:55	0		0		0	
35	6/21/2006 11:00	0		0		0	
36	6/21/2006 11:05	0		0		0	
37	6/21/2006 11:10	0		0		0	
38	6/21/2006 11:15	0		0		0	
39	6/21/2006 11:20	0		0		0	
40	6/21/2006 11:25	0		0		0	
41	6/21/2006 11:30	0		0		0	
42	6/21/2006 11:35	0		0		0	
43	6/21/2006 11:40	0		0		0	
44	6/21/2006 11:45	0		0		0	
45	6/21/2006 11:50	0		0		0	
46	6/21/2006 11:55	0		0		0	
47	6/21/2006 12:00	0		0		0	
48	6/21/2006 12:05	0		0		0	
49	6/21/2006 12:10	0		0		0	
50	6/21/2006 12:15	0		0		0	
51	6/21/2006 12:20	0		0		0	
52	6/21/2006 12:25	0		0		0	
53	6/21/2006 12:30	0		0		0	
54	6/21/2006 12:35	0		0		0	
55	6/21/2006 12:40	0		0		0	
56	6/21/2006 12:45	0		0		0	
57	6/21/2006 12:50	0		0		0	
58	6/21/2006 12:55	0		0		0	
59	6/21/2006 13:00	0		0		0	
60	6/21/2006 13:05	0		0		13	
61	6/21/2006 13:10	0		0		0	
62	6/21/2006 13:15	0		0		0	
63	6/21/2006 13:20	0		0		0	
64	6/21/2006 13:25	0		0		0	
65	6/21/2006 13:30	0		0		0	
66	6/21/2006 13:35	0		0		0	
67	6/21/2006 13:40	0		0		0	
68	6/21/2006 13:45	0		0		0	
69	6/21/2006 13:50	0		0		0	
70	6/21/2006 13:55	0		0		0	
71	6/21/2006 14:00	0		0		0	
72	6/21/2006 14:05	0		0		0	
73	6/21/2006 14:10	0		0		0	
74	6/21/2006 14:15	0		0		0	
75	6/21/2006 14:20	0		0		0	
76	6/21/2006 14:25	0		0		0	
77	6/21/2006 14:30	0		0		0	
78	6/21/2006 14:35	0		0		0	
79	6/21/2006 14:40	0		0		0	
80	6/21/2006 14:45	0		0		0	
81	6/21/2006 14:50	0		0		0	
82	6/21/2006 14:55	0		0		0	
83	6/21/2006 15:00	0		0		0	
84	6/21/2006 15:05	0		0		0	
85	6/21/2006 15:10	0		0		0	
86	6/21/2006 15:15	0		0		0	
87	6/21/2006 15:20	0		0		0	

Daily Airborne Particulate Concentration Statistics – East Monitor

Current Test: 001
Start Time: 11:27:46 05/24/2006
Stop Time: 16:01:46 05/24/2006
Total Time: 00:04:34:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.006

TWA (8 hr): 0.003

Minimum: 0.000
Time 11:32:46
Date 05/24/2006

Maximum: 0.022
Time 15:43:46
Date 05/24/2006

Current Test: 002
Start Time: 13:13:44 05/25/2006
Stop Time: 16:38:44 05/25/2006
Total Time: 00:03:25:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.023

TWA (8 hr): 0.010

Minimum: 0.017
Time 13:28:44
Date 05/25/2006

Maximum: 0.053
Time 16:08:44
Date 05/25/2006

Current Test: 001
Start Time: 09:33:53 05/30/2006
Stop Time: 16:24:53 05/30/2006
Total Time: 00:06:51:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.076

TWA (8 hr): 0.065

Minimum: 0.034
Time 12:45:53
Date 05/30/2006

Maximum: 0.246
Time 10:46:53
Date 05/30/2006

Current Test: 002
Start Time: 08:06:09 05/31/2006
Stop Time: 15:13:09 05/31/2006
Total Time: 00:07:07:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.105

TWA (8 hr): 0.094

Minimum: 0.069
Time 10:08:09
Date 05/31/2006

Maximum: 0.410
Time 13:47:09
Date 05/31/2006

Current Test: 001
Start Time: 07:47:39 06/01/2006
Stop Time: 14:46:39 06/01/2006
Total Time: 00:06:59:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.101

TWA (8 hr): 0.088

Minimum: 0.060
Time 08:56:39
Date 06/01/2006

Maximum: 0.188
Time 13:17:39
Date 06/01/2006

Current Test: 002
Start Time: 08:43:42 06/02/2006
Stop Time: 16:04:42 06/02/2006
Total Time: 00:07:21:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.014

TWA (8 hr): 0.013

Minimum: 0.000
Time 13:49:42
Date 06/02/2006

Maximum: 0.156
Time 09:02:42
Date 06/02/2006

Current Test: 003
Start Time: 08:43:12 06/05/2006
Stop Time: 14:59:12 06/05/2006
Total Time: 00:06:16:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.027

TWA (8 hr): 0.021

Minimum: 0.014
Time 08:45:12
Date 06/05/2006

Maximum: 0.197
Time 13:20:12
Date 06/05/2006

Current Test: 004
Start Time: 08:13:49 06/06/2006
Stop Time: 15:53:49 06/06/2006
Total Time: 00:07:40:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.025

TWA (8 hr): 0.024

Minimum: 0.018
Time 10:49:49
Date 06/06/2006

Maximum: 0.064
Time 08:54:49
Date 06/06/2006

Current Test: 005
Start Time: 08:19:49 06/07/2006
Stop Time: 12:09:49 06/07/2006
Total Time: 00:03:50:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.113

TWA (8 hr): 0.054

Minimum: 0.024
Time 08:49:49
Date 06/07/2006

Maximum: 0.334
Time 11:55:49
Date 06/07/2006

Current Test: 006
Start Time: 12:49:42 06/07/2006
Stop Time: 15:35:42 06/07/2006
Total Time: 00:02:46:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.016

TWA (8 hr): 0.006

Minimum: -0.008
Time 12:50:42
Date 06/07/2006

Maximum: 0.176
Time 13:36:42
Date 06/07/2006

Current Test: 001
Start Time: 08:16:07 06/08/2006
Stop Time: 15:34:07 06/08/2006
Total Time: 00:07:18:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: -0.019

TWA (8 hr): -0.017

Minimum: -0.036
Time 10:15:07
Date 06/08/2006

Maximum: 0.078
Time 10:01:07
Date 06/08/2006

Current Test: 002
Start Time: 08:21:27 06/09/2006
Stop Time: 11:14:27 06/09/2006
Total Time: 00:02:53:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.007

TWA (8 hr): 0.003

Minimum: -0.005
Time 09:18:27
Date 06/09/2006

Maximum: 0.026
Time 10:57:27
Date 06/09/2006

Current Test: 003
Start Time: 08:36:41 06/12/2006
Stop Time: 14:46:41 06/12/2006
Total Time: 00:06:10:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.017

TWA (8 hr): 0.013

Minimum: 0.006
Time 08:47:41
Date 06/12/2006

Maximum: 0.262
Time 09:47:41
Date 06/12/2006

Current Test: 004
Start Time: 15:29:16 06/12/2006
Stop Time: 16:19:16 06/12/2006
Total Time: 00:00:50:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.014

TWA (8 hr): 0.001

Minimum: 0.006
Time 15:31:16
Date 06/12/2006

Maximum: 0.063
Time 15:43:16
Date 06/12/2006

Current Test: 003
Start Time: 09:01:45 06/13/2006
Stop Time: 15:03:45 06/13/2006
Total Time: 00:06:02:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.021

TWA (8 hr): 0.016

Minimum: 0.009
Time 13:17:45
Date 06/13/2006

Maximum: 0.139
Time 14:53:45
Date 06/13/2006

Current Test: 001
Start Time: 08:20:21 06/14/2006
Stop Time: 16:04:21 06/14/2006
Total Time: 00:07:44:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.029

TWA (8 hr): 0.028

Minimum: 0.013
Time 15:30:21
Date 06/14/2006

Maximum: 0.217
Time 14:55:21
Date 06/14/2006

Current Test: 002
Start Time: 12:01:23 06/15/2006
Stop Time: 16:25:23 06/15/2006
Total Time: 00:04:24:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.017

TWA (8 hr): 0.009

Minimum: 0.011
Time 12:23:23
Date 06/15/2006

Maximum: 0.059
Time 15:03:23
Date 06/15/2006

Current Test: 003
Start Time: 13:22:14 06/16/2006
Stop Time: 14:56:14 06/16/2006
Total Time: 00:01:34:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.023

TWA (8 hr): 0.005

Minimum: 0.018
Time 13:33:14
Date 06/16/2006

Maximum: 0.076
Time 14:39:14
Date 06/16/2006

Current Test: 001
Start Time: 08:47:34 06/20/2006
Stop Time: 14:54:34 06/20/2006
Total Time: 00:06:07:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.030

TWA (8 hr): 0.023

Minimum: 0.009
Time 11:35:34
Date 06/20/2006

Maximum: 0.122
Time 09:56:34
Date 06/20/2006

Current Test: 002
Start Time: 08:59:00 06/21/2006
Stop Time: 15:29:00 06/21/2006
Total Time: 00:06:30:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.019

TWA (8 hr): 0.015

Minimum: 0.009
Time 09:17:00
Date 06/21/2006

Maximum: 0.495
Time 14:12:00
Date 06/21/2006

Current Test: 003
Start Time: 07:58:36 06/22/2006
Stop Time: 16:09:36 06/22/2006
Total Time: 00:08:11:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.035

TWA (8 hr): 0.035

Minimum: 0.012
Time 08:18:36
Date 06/22/2006

Maximum: 0.100
Time 16:04:36
Date 06/22/2006

Current Test: 004
Start Time: 08:05:47 06/23/2006
Stop Time: 12:20:47 06/23/2006
Total Time: 00:04:15:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.012

TWA (8 hr): 0.006

Minimum: 0.003
Time 11:23:47
Date 06/23/2006

Maximum: 0.068
Time 08:06:47
Date 06/23/2006

Current Test: 005
Start Time: 12:21:30 06/23/2006
Stop Time: 15:38:30 06/23/2006
Total Time: 00:03:17:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.008

TWA (8 hr): 0.003

Minimum: 0.004
Time 14:15:30
Date 06/23/2006

Maximum: 0.041
Time 13:02:30
Date 06/23/2006

Current Test: 006
Start Time: 08:13:48 06/26/2006
Stop Time: 15:23:48 06/26/2006
Total Time: 00:07:10:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.013

TWA (8 hr): 0.012

Minimum: 0.006
Time 12:57:48
Date 06/26/2006

Maximum: 0.046
Time 08:14:48
Date 06/26/2006

Current Test: 007
Start Time: 09:42:59 06/28/2006
Stop Time: 15:08:59 06/28/2006
Total Time: 00:05:26:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.024

TWA (8 hr): 0.016

Minimum: 0.005
Time 10:04:59
Date 06/28/2006

Maximum: 0.097
Time 09:43:59
Date 06/28/2006

Current Test: 008
Start Time: 08:09:13 06/29/2006
Stop Time: 14:22:13 06/29/2006
Total Time: 00:06:13:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.038

TWA (8 hr): 0.029

Minimum: 0.016
Time 09:33:13
Date 06/29/2006

Maximum: 0.122
Time 13:39:13
Date 06/29/2006

Current Test: 009
Start Time: 07:50:00 06/30/2006
Stop Time: 13:52:00 06/30/2006
Total Time: 00:06:02:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.018

TWA (8 hr): 0.013

Minimum: 0.007
Time 08:09:00
Date 06/30/2006

Maximum: 0.067
Time 07:51:00
Date 06/30/2006

Current Test: 001
Start Time: 09:52:09 07/03/2006
Stop Time: 10:37:09 07/03/2006
Total Time: 00:00:45:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.059

TWA (8 hr): 0.006

Minimum: 0.041
Time 10:20:09
Date 07/03/2006

Maximum: 0.086
Time 09:53:09
Date 07/03/2006

Current Test: 002
Start Time: 09:48:21 07/06/2006
Stop Time: 14:05:21 07/06/2006
Total Time: 00:04:17:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.004

TWA (8 hr): 0.002

Minimum: 0.002
Time 11:42:21
Date 07/06/2006

Maximum: 0.014
Time 09:49:21
Date 07/06/2006

Daily Airborne Particulate Concentration Statistics – West Monitor

Current Test: 001
Start Time: 11:27:24 05/24/2006
Stop Time: 16:04:24 05/24/2006
Total Time: 00:04:37:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.006

TWA (8 hr): 0.003

Minimum: 0.000
Time 11:33:24
Date 05/24/2006

Maximum: 0.065
Time 15:13:24
Date 05/24/2006

Current Test: 002
Start Time: 13:12:25 05/25/2006
Stop Time: 14:05:25 05/25/2006
Total Time: 00:00:53:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.020

TWA (8 hr): 0.002

Minimum: 0.017
Time 13:28:25
Date 05/25/2006

Maximum: 0.029
Time 13:29:25
Date 05/25/2006

Current Test: 003
Start Time: 14:19:46 05/25/2006
Stop Time: 14:22:46 05/25/2006
Total Time: 00:00:03:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.021

TWA (8 hr): N/A

Minimum: 0.021
Time 14:21:46
Date 05/25/2006

Maximum: 0.022
Time 14:20:46
Date 05/25/2006

Current Test: 004
Start Time: 14:31:47 05/25/2006
Stop Time: 14:33:47 05/25/2006
Total Time: 00:00:02:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.028

TWA (8 hr): N/A

Minimum: 0.027
Time 14:32:47
Date 05/25/2006

Maximum: 0.029
Time 14:33:47
Date 05/25/2006

Current Test: 005
Start Time: 09:34:22 05/30/2006
Stop Time: 09:38:22 05/30/2006
Total Time: 00:00:04:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.105

TWA (8 hr): N/A

Minimum: 0.103
Time 09:36:22
Date 05/30/2006

Maximum: 0.108
Time 09:38:22
Date 05/30/2006

Current Test: 006
Start Time: 09:53:24 05/30/2006
Stop Time: 16:27:24 05/30/2006
Total Time: 00:06:34:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.082

TWA (8 hr): 0.068

Minimum: 0.037
Time 12:47:24
Date 05/30/2006

Maximum: 0.664
Time 11:30:24
Date 05/30/2006

Current Test: 007
Start Time: 08:05:30 05/31/2006
Stop Time: 15:15:30 05/31/2006
Total Time: 00:07:10:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.110

TWA (8 hr): 0.098

Minimum: 0.068
Time 10:17:30
Date 05/31/2006

Maximum: 2.222
Time 13:48:30
Date 05/31/2006

Current Test: 001
Start Time: 07:46:06 06/01/2006
Stop Time: 14:46:06 06/01/2006
Total Time: 00:07:00:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.106

TWA (8 hr): 0.092

Minimum: 0.055
Time 10:47:06
Date 06/01/2006

Maximum: 0.427
Time 09:20:06
Date 06/01/2006

Current Test: 002
Start Time: 08:42:58 06/02/2006
Stop Time: 08:45:58 06/02/2006
Total Time: 00:00:03:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.027

TWA (8 hr): N/A

Minimum: 0.027
Time 08:44:58
Date 06/02/2006

Maximum: 0.028
Time 08:43:58
Date 06/02/2006

Current Test: 003
Start Time: 09:02:31 06/02/2006
Stop Time: 09:04:31 06/02/2006
Total Time: 00:00:02:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.024

TWA (8 hr): N/A

Minimum: 0.022
Time 09:03:31
Date 06/02/2006

Maximum: 0.027
Time 09:04:31
Date 06/02/2006

Current Test: 004
Start Time: 08:38:47 06/05/2006
Stop Time: 15:00:47 06/05/2006
Total Time: 00:06:22:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.042

TWA (8 hr): 0.034

Minimum: 0.013
Time 13:55:47
Date 06/05/2006

Maximum: 0.468
Time 12:52:47
Date 06/05/2006

Current Test: 005
Start Time: 08:10:48 06/06/2006
Stop Time: 14:50:48 06/06/2006
Total Time: 00:06:40:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.029

TWA (8 hr): 0.024

Minimum: 0.018
Time 11:26:48
Date 06/06/2006

Maximum: 0.172
Time 12:59:48
Date 06/06/2006

Current Test: 006
Start Time: 08:16:47 06/07/2006
Stop Time: 12:15:47 06/07/2006
Total Time: 00:03:59:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.032

TWA (8 hr): 0.016

Minimum: 0.010
Time 11:05:47
Date 06/07/2006

Maximum: 0.444
Time 11:55:47
Date 06/07/2006

Current Test: 007
Start Time: 12:49:51 06/07/2006
Stop Time: 14:16:51 06/07/2006
Total Time: 00:01:27:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.024

TWA (8 hr): 0.004

Minimum: 0.011
Time 13:40:51
Date 06/07/2006

Maximum: 0.076
Time 13:13:51
Date 06/07/2006

Current Test: 008
Start Time: 14:36:50 06/07/2006
Stop Time: 15:37:50 06/07/2006
Total Time: 00:01:01:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.018

TWA (8 hr): 0.002

Minimum: 0.011
Time 14:51:50
Date 06/07/2006

Maximum: 0.081
Time 14:59:50
Date 06/07/2006

Current Test: 001
Start Time: 08:39:35 06/08/2006
Stop Time: 15:18:35 06/08/2006
Total Time: 00:06:39:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.030

TWA (8 hr): 0.025

Minimum: 0.007
Time 10:18:35
Date 06/08/2006

Maximum: 0.140
Time 08:49:35
Date 06/08/2006

Current Test: 003
Start Time: 08:36:41 06/12/2006
Stop Time: 14:46:41 06/12/2006
Total Time: 00:06:10:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.017

TWA (8 hr): 0.013

Minimum: 0.006
Time 08:47:41
Date 06/12/2006

Maximum: 0.262
Time 09:47:41
Date 06/12/2006

Current Test: 004
Start Time: 15:29:16 06/12/2006
Stop Time: 16:19:16 06/12/2006
Total Time: 00:00:50:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.014

TWA (8 hr): 0.001

Minimum: 0.006
Time 15:31:16
Date 06/12/2006

Maximum: 0.063
Time 15:43:16
Date 06/12/2006

Current Test: 005
Start Time: 09:02:40 06/13/2006
Stop Time: 13:38:40 06/13/2006
Total Time: 00:04:36:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.016

TWA (8 hr): 0.009

Minimum: 0.004
Time 13:04:40
Date 06/13/2006

Maximum: 0.144
Time 12:53:40
Date 06/13/2006

Current Test: 001
Start Time: 08:20:21 06/14/2006
Stop Time: 16:04:21 06/14/2006
Total Time: 00:07:44:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.029

TWA (8 hr): 0.028

Minimum: 0.013
Time 15:30:21
Date 06/14/2006

Maximum: 0.217
Time 14:55:21
Date 06/14/2006

Current Test: 002
Start Time: 12:01:23 06/15/2006
Stop Time: 16:25:23 06/15/2006
Total Time: 00:04:24:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.017

TWA (8 hr): 0.009

Minimum: 0.011
Time 12:23:23
Date 06/15/2006

Maximum: 0.059
Time 15:03:23
Date 06/15/2006

Current Test: 003
Start Time: 13:22:14 06/16/2006
Stop Time: 14:56:14 06/16/2006
Total Time: 00:01:34:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.023

TWA (8 hr): 0.005

Minimum: 0.018
Time 13:33:14
Date 06/16/2006

Maximum: 0.076
Time 14:39:14
Date 06/16/2006

Current Test: 001
Start Time: 08:47:34 06/20/2006
Stop Time: 14:54:34 06/20/2006
Total Time: 00:06:07:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.030

TWA (8 hr): 0.023

Minimum: 0.009
Time 11:35:34
Date 06/20/2006

Maximum: 0.122
Time 09:56:34
Date 06/20/2006

Current Test: 002
Start Time: 08:59:00 06/21/2006
Stop Time: 15:29:00 06/21/2006
Total Time: 00:06:30:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.019

TWA (8 hr): 0.015

Minimum: 0.009
Time 09:17:00
Date 06/21/2006

Maximum: 0.495
Time 14:12:00
Date 06/21/2006

Current Test: 003
Start Time: 07:58:36 06/22/2006
Stop Time: 16:09:36 06/22/2006
Total Time: 00:08:11:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.035

TWA (8 hr): 0.035

Minimum: 0.012
Time 08:18:36
Date 06/22/2006

Maximum: 0.100
Time 16:04:36
Date 06/22/2006

Current Test: 004
Start Time: 08:05:47 06/23/2006
Stop Time: 12:20:47 06/23/2006
Total Time: 00:04:15:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.012

TWA (8 hr): 0.006

Minimum: 0.003
Time 11:23:47
Date 06/23/2006

Maximum: 0.068
Time 08:06:47
Date 06/23/2006

Current Test: 005
Start Time: 12:21:30 06/23/2006
Stop Time: 15:38:30 06/23/2006
Total Time: 00:03:17:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.008

TWA (8 hr): 0.003

Minimum: 0.004
Time 14:15:30
Date 06/23/2006

Maximum: 0.041
Time 13:02:30
Date 06/23/2006

Current Test: 006
Start Time: 08:13:48 06/26/2006
Stop Time: 15:23:48 06/26/2006
Total Time: 00:07:10:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.013

TWA (8 hr): 0.012

Minimum: 0.006
Time 12:57:48
Date 06/26/2006

Maximum: 0.046
Time 08:14:48
Date 06/26/2006

Current Test: 007
Start Time: 09:42:59 06/28/2006
Stop Time: 15:08:59 06/28/2006
Total Time: 00:05:26:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.024

TWA (8 hr): 0.016

Minimum: 0.005
Time 10:04:59
Date 06/28/2006

Maximum: 0.097
Time 09:43:59
Date 06/28/2006

Current Test: 008
Start Time: 08:09:13 06/29/2006
Stop Time: 14:22:13 06/29/2006
Total Time: 00:06:13:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.038

TWA (8 hr): 0.029

Minimum: 0.016
Time 09:33:13
Date 06/29/2006

Maximum: 0.122
Time 13:39:13
Date 06/29/2006

Current Test: 009
Start Time: 07:50:00 06/30/2006
Stop Time: 13:52:00 06/30/2006
Total Time: 00:06:02:00

.Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.018

TWA (8 hr): 0.013

Minimum: 0.007
Time 08:09:00
Date 06/30/2006

Maximum: 0.067
Time 07:51:00
Date 06/30/2006

Current Test: 001
Start Time: 09:47:48 07/03/2006
Stop Time: 10:35:48 07/03/2006
Total Time: 00:00:48:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.014

TWA (8 hr): 0.001

Minimum: 0.003
Time 10:14:48
Date 07/03/2006

Maximum: 0.097
Time 09:48:48
Date 07/03/2006

Current Test: 002
Start Time: 09:46:33 07/06/2006
Stop Time: 14:02:33 07/06/2006
Total Time: 00:04:16:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.001

TWA (8 hr): 0.000

Minimum: 0.000
Time 10:01:33
Date 07/06/2006

Maximum: 0.022
Time 09:47:33
Date 07/06/2006

Summary of Manual Air Monitoring Measurements

SUMMARY OF MANUAL AIR MONITORING DATA
Luster Coate Metallizing Site 828113
East Buffalo Street
Churchville, New York

Date	Time	WEST		EAST	
		PID (ppm)	Particulate (mg/m ³)	PID (ppm)	Particulate (mg/m ³)
5/24/2006	1145	0	0.000	0	0.000
	1200	0	0.008	0	0.002
	1210	0	0.022	0	0.010
	1230	0	0.010	0	0.020
	1320	0	0.010	0	0.010
	1345	0	0.010	0	0.010
	1400	0	0.010	0	0.020
	1415	0	0.010	0	0.020
	1430	0	0.060	0	0.010
	1445	0	0.010	0	0.010
	1500	0	0.010	0	0.010
	1515	0	0.010	0	0.025
	1530	0	0.010	0	0.020
	1600	0	0.010	0	0.015
5/25/2006	1330	0	0.019	0	0.018
	1345	0	0.030	0	0.020
	1400	0	0.023	0	0.040
	1415	0	0.023	0	0.023
	1430	0	0.028	0	0.026
	1500	0	0.012	0	0.023
	1515	0	0.038	0	0.023
	1530	0	0.025	0	0.021
	1545	0	0.024	0	0.025
	1600	0	0.024	0	0.024
	1615	0	0.120	0	0.026
	1630	0	0.050	0	0.010
5/26/2006	1115	0	0.047	0	0.052
	1130	0	0.031	0	0.027
	1145	0	0.025	0	0.017
	1200	0	0.011	0	0.020
	1215	0	0.041	0	0.039
	1230	0	0.051	0	0.055
	1245	0	0.040	0	0.041
	1300	0	0.071	0	0.044
	1345	0	0.031	0	0.017
	1400	0	0.021	0	0.021
	1415	0	0.110	0	0.044
	1430	0	0.008	0	0.022
5/30/2006	930	0	0.106	0	0.109
	945	0	0.211	0	0.198
	1000	0	0.118	0	0.085
	1015	0	0.211	0	0.091
	1030	0	0.096	0	0.106
	1100	0	0.077	0	0.116
	1500	0	0.308	0	0.099
	1515	0	0.511	0	0.444

SUMMARY OF MANUAL AIR MONITORING DATA
Luster Coate Metallizing Site 828113
East Buffalo Street
Churchville, New York

Date	Time	WEST		EAST	
		PID (ppm)	Particulate (mg/m ³)	PID (ppm)	Particulate (mg/m ³)
5/30/2006 (continued)	1530	0	0.255	0	0.098
	1545	0	0.093	0	0.129
	1600	0	0.093	0	0.095
5/31/2006	900	0	0.102	0	0.105
	915	0	0.138	0	0.106
	1000	0	0.067	0	0.068
	1030	0	0.069	0	0.072
	1130	0	0.097	0	0.098
	1145	0	0.090	0	0.096
	1200	0	0.107	0	0.095
	1215	0	0.095	0	0.097
	1230	0	0.128	0	0.118
	1245	0	0.103	0	0.103
	1300	0	0.142	0	0.120
	1315	0	0.108	0	0.106
	1330	0	0.105	0	0.103
	1430	0	0.102	0	0.110
6/1/2006	830	0	0.113	28.9	0.101
	900	0	0.095	28.9	0.088
	915	0	0.084	24.6	0.090
	930	0	0.086	4.2	0.103
	1000	0	0.080	0.4	0.086
	1030	0	0.113	0.3	0.096
	1045	0	0.103	0.9	0.097
	1145	0	0.080	0.5	0.086
	1240	0	0.104	0	0.107
	1300	0	0.109	0	0.111
	1330	0	0.201	0	0.101
	1345	0	0.108	0	0.106
	1400	0	0.108	0	0.145
	1430	0	0.130	0.2	0.129
6/2/2006	930	0	0.042	0	0.015
	1000	0	0.015	0	0.011
	1015	0	0.110	0	0.027
	1500	0	0.013	0	0.116
6/5/2006	850	0	0.014	0	0.022
	1020	0	0.017	0	0.037
	1105	0	0.321	0	0.020
	1235	0	0.037	0	0.015
	1305	0	0.183	0	0.059
	1355	0	0.015	0	0.020
6/6/2006	850	0	0.039	0	0.052
	1500	0	0.022	0	0.026
	1515	0	0.029	0	0.029

SUMMARY OF MANUAL AIR MONITORING DATA
Luster Coate Metallizing Site 828113
East Buffalo Street
Churchville, New York

Date	Time	WEST		EAST	
		PID (ppm)	Particulate (mg/m3)	PID (ppm)	Particulate (mg/m ³)
6/6/2006 (continued)	1530	0	0.023	NR	NR
	1545	0	0.037	NR	NR
6/7/2006	830	0	0.041	0	0.037
	850	0	0.028	0	0.032
	900	0	0.023	0	0.027
	9158	0	0.040	0	0.094
	930	0	0.024	0	0.052
	945	0	0.124	0	0.077
	1000	0	0.019	0	0.057
	1015	0	0.043	0	0.127
	1030	0	0.018	0	0.127
	1040	0	0.120	0	0.127
	1055	0	0.032	0	0.148
	1105	0	0.014	0	0.235
	1115	0	0.019	0	0.167
	1125	0	0.010	0	0.253
	1130	0	0.012	0	0.316
	1135	0	0.010	0	0.180
	1145	0	0.017	0	0.013
	1300	0	0.012	0	0.000
	1310	0	0.021	0	0.007
	1330	0	0.017	0	0.000
	1345	0	0.020	0	0.000
	1415	0	0.017	0	0.016
6/8/2006	845	0	0.017	0	-0.024
	1000	0	0.012	0	-0.030
	1050	0	0.016	0	-0.024
	1105	0	0.017	0	-0.022
	1225	NR	NR	0	-0.021
	1155	0	0.038	0	-0.012
6/9/2006	900	0	0.043	0	0.003
	930	0	0.043	0	0.000
	1030	0	0.053	0	0.008
	1045	0	0.056	0	0.011
	1100	0	0.054	0	0.011
	1300	0	0.041	0	0.036
	1330	0	0.037	0	0.027
	1400	0	0.013	0	0.041
	1430	0	0.027	0	0.036
	1500	0	0.137	0	0.021
	1515	0	0.150	0	0.099
6/12/2006	905	0	0.013	0	0.008
	930	0	0.058	0	0.202
	1000	0	0.131	0	0.011
	1015	0	0.023	0	0.016
	1040	0	0.008	0	0.013

SUMMARY OF MANUAL AIR MONITORING DATA
Luster Coate Metallizing Site 828113
East Buffalo Street
Churchville, New York

Date	Time	WEST		EAST	
		PID (ppm)	Particulate (mg/m ³)	PID (ppm)	Particulate (mg/m ³)
6/12/2006 (continued)	1050	0	0.010	0	0.017
	1100	0	0.015	0	0.008
	1115	0	0.010	0	0.011
	1125	0	0.021	0	0.010
	1210	0	0.009	0	0.012
	1220	0	0.012	0	0.011
	1300	0	0.019	0	0.029
	1315	0	0.054	0	0.013
	1330	0	0.015	0	0.022
	1350	0	0.010	0	0.019
	1420	0	0.013	0	0.030
	1440	0	0.011	0	0.008
	1520	0	0.008	0	0.025
	1540	0	0.015	0	0.016
6/13/2006	930	0	0.013	0	0.014
	950	0	0.014	0	0.015
	1110	0	0.037	0	0.016
	1235	0	0.015	0	0.017
6/14/2006	845	0	0.074	0	0.032
	910	0	0.028	0	0.039
	930	0	0.001	0	0.027
	1015	0	0.058	0	0.034
	1130	0	0.023	0	0.026
	1345	0	0.019	0	0.051
	1445	0	0.016	0	0.027
6/15/2006	1230	0	0.063	NR	NR
	1530	0	0.011	0	0.029
6/16/2006	1320	0	0.035	0	0.018
6/20/2006	1115	0	0.010	0	0.010
	1210	0	0.012	0	0.021
	1310	0	0.027	0	0.049
	1405	0	0.029	0	0.074

Notes:

mg/m³ = micrograms per cubic meter

NR = not recorded

ppm = parts per million