

PROJECT:	1000 Turk Hill Road (Site No. 828161)
ADDRESS:	1000 Turk Hill Road, Fairport, Monroe County, New York
PREPARED BY:	Roux Environmental Engineering and Geology, D.P.C.
DATE:	July 9, 2025
WEATHER:	Temp: 76° Cloudy, Wind: NW @ 5 mph

Remedial Action Work Summary

Work Activities Performed Onsite:

- Installation of proposed injection point
- Mobile CAMP monitoring
- Drum disposal

Roux was onsite to coordinate with the subcontractor performing the injection remedy. TREC Environmental, Inc. continued performing injection activities at one location in the vicinity of monitoring well MW-35M (35M-IP-2) and two locations in the vicinity of monitoring well MW-16S (16S-IP-1 and 16S-IP-2) were attempted. A Geoprobe direct push drill rig was used to inject the ABC+ and ZVI into the points. 35M-IP-2 was installed to 16' below grade and received a total of ~550 gallons of injection fluid between July 8th and July 9th. 16S-IP-1 and 16S-IP-2 were installed to 14' below grade but once injection activity began daylighting of the injection fluid at the point of injection was observed almost immediately. Approximately 10 gallons of fluid was injected before injection activity was halted at 16S-IP-1 and 16S-IP-2. Reevaluation of utilization of these proposed injection point will be performed.

Due to the relatively small area and mobile nature of groundwater injection work, ambient air was monitored at each injection location using a handheld five-gas meter and personal dust monitor. Volatile organic compounds (VOCs) levels were monitored throughout the day and compared to the action limits of both the Site-specific HASP and Generic NYSDOH CAMP guidelines. No exceedances were observed. Dust was not observed at any point during the course of the work and not detected above background levels.

Clean Harbors removed 5 previously generated 55 gallons drums (4 with recovered groundwater/ purge water and 1 with soil cuttings) from the Site for disposal at Spring Grove Resource Recovery Inc. Copies of the waste profiles are attached to this DSR. Copies of the final waste manifests will be provided to the NYSDEC at a later date.

Kathryn Lovell representing the NYSDEC was onsite to observe the work.

CAMP


Time	PID (ppm)	Dust (mg/m ³)
8:55 AM	3.8	0.033
9:40 AM	6.3	0.019
11:05 AM	0.0	0.021
12:05 PM	0.0	0.037
1:30 PM	0.0	0.031

Anticipated Upcoming Work:

- Continue the 2nd phase of injections.

PROJECT:	1000 Turk Hill Road (Site No. 828161)
ADDRESS:	1000 Turk Hill Road, Fairport, Monroe County, New York
PREPARED BY:	Roux Environmental Engineering and Geology, D.P.C.
DATE:	July 9, 2025
WEATHER:	Temp: 76° Cloudy, Wind: NW @ 5 mph

Site Map



PROJECT:	1000 Turk Hill Road (Site No. 828161)
ADDRESS:	1000 Turk Hill Road, Fairport, Monroe County, New York
PREPARED BY:	Roux Environmental Engineering and Geology, D.P.C.
DATE:	July 9, 2025
WEATHER:	Temp: 76° Cloudy, Wind: NW @ 5 mph

Photos



Photo 1:
View of TREC Environmental injecting fluids at 35M-IP-2 in the vicinity of monitoring well MW-35M.



Photo 2:
View of Clean Harbors picking up previously generated 55-gallon drums for offsite disposal.



WASTE MATERIAL PROFILE SHEET

Clean Harbors Profile No. CH2884437

A. GENERAL INFORMATION

GENERATOR EPA ID #/REGISTRATION # **NYR000228635** GENERATOR NAME: **New Coleman Holdings., Inc.**
GENERATOR CODE (Assigned by Clean Harbors) **NE28539** CITY **Fairport** STATE/PROVINCE **NY** ZIP/POSTAL CODE **14450**
ADDRESS **1000 Turk Hill Road** PHONE: **(917) 825-1108**
CUSTOMER CODE (Assigned by Clean Harbors) **RO1026** CUSTOMER NAME: **Roux Environmental Engineering and Geology**
ADDRESS **209 Shafter Street** CITY **Islandia** STATE/PROVINCE **NY** ZIP/POSTAL CODE **11749**

B. CUSTOMER WASTE DESCRIPTION

CUSTOMER WASTE DESCRIPTION: **Soil Cuttings (Hazardous)**

PROCESS GENERATING WASTE: **IDW**

IS THIS WASTE CONTAINED IN SMALL PACKAGING CONTAINED WITHIN A LARGER SHIPPING CONTAINER ? **No**

SHIPPING CONTAINER TYPE



CONTAINERIZED

BULK LIQUID

BULK SOLID

C. PHYSICAL PROPERTIES (at 25C or 77F)

PHYSICAL STATE <input checked="" type="checkbox"/> SOLID WITHOUT FREE LIQUID POWDER MONOLITHIC SOLID LIQUID WITH NO SOLIDS LIQUID/SOLID MIXTURE % FREE LIQUID % SETTLED SOLID GAS/AEROSOL SLUDGE GAS/AEROSOL	NUMBER OF PHASES/LAYERS 1 2 3 TOP 0.00 % BY VOLUME (Approx.) MIDDLE 0.00 BOTTOM 0.00 DOES THIS WASTE HAVE A STRONG ODOR (INTENSE/OVERPOWERING)? <input checked="" type="checkbox"/> NO YES Describe:	THICKNESS (VISCOSITY) 1 - 100 (e.g. Water) 101 - 500 (e.g. Motor Oil) 501 - 10,000 (e.g. Molasses) > 10,000 BOILING POINT °F (°C) <= 95 (<=35) 95 - 100 (35-38) 101 - 129 (38-54) ≥ 130 (>54)	COLOR Brown MELTING POINT °F (°C) < 140 (<60) 140-200 (60-93) <input checked="" type="checkbox"/> > 200 (>93) TOTAL ORGANIC CARBON (%) <input checked="" type="checkbox"/> <= 1 >1 - <10 ≥ 10	
FLASH POINT °F (°C) < 73 (<23) 73 - 100 (23-38) 101 -140 (38-60) 141 -200 (60-93) > 200 (>93)	pH <= 2 2.1 - 6.9 7 (Neutral) <input checked="" type="checkbox"/> 7.1 - 12.4 ≥ 12.5	SPECIFIC GRAVITY < 0.8 (e.g. Gasoline) 0.8-1.0 (e.g. Ethanol) 1.0 (e.g. Water) 1.0-1.2 (e.g. Antifreeze) <input checked="" type="checkbox"/> > 1.2 (e.g. Methylene Chloride)	ASH < 0.1 0.1 - 1.0 <input checked="" type="checkbox"/> > 20 1.1 - 5.0 5.1 - 20.0	BTU/LB (MJ/kg) <input checked="" type="checkbox"/> < 2,000 (<4.6) ≥ 2,000-4,999 (≥4.6-11.62) ≥ 5,000-10,000 (≥11.63-23.2) > 10,000 (>23.2) Actual:

D. COMPOSITION&WASTE DETAILS (List the complete composition of the waste, include any inert components and/or debris. Ranges for individual components are acceptable. If a trade name is used, please supply an MSDS. Please do not use abbreviations.)

CHEMICAL	MIN	--	MAX	UOM
2-METHYLNAPHTHALENE	85.0000000	--	85.0000000	PPB
ACENAPHTHENE	120.0000000	--	120.0000000	PPB
BENZO(A)ANTHRACENE	2000.0000000	--	2000.0000000	PPB
BENZO(A)PYRENE	2100.0000000	--	2100.0000000	PPB
BENZO(B)FLUORANTHENE	2700.0000000	--	2700.0000000	PPB
BENZO(GH)PERYLENE	1300.0000000	--	1300.0000000	PPB
CARBAZOLE	250.0000000	--	250.0000000	PPB
CHRYSENE	2000.0000000	--	2000.0000000	PPB
CIS-1,2-DICHLOROETHENE		--		Trace
DIBENZO(A,H)ANTHRACENE	310.0000000	--	310.0000000	PPB



<input checked="" type="checkbox"/> YES	NO	USEPA HAZARDOUS WASTE?
		F002
YES	<input checked="" type="checkbox"/> NO	DO ANY STATE WASTE CODES APPLY?
		Texas Waste Code OUTS409H
YES	<input checked="" type="checkbox"/> NO	DO ANY CANADIAN PROVINCIAL WASTE CODES APPLY?

DOES THIS WASTE CONTAIN ANY HEAVY GAUGE METAL DEBRIS OR OTHER LARGE OBJECTS ? YES ☒ NO

If yes, describe, including dimensions:

DOES THIS WASTE CONTAIN ANY METALS IN POWDERED OR OTHER FINELY DIVIDED FORM? YES ☒ NO

DOES THIS WASTE CONTAIN OR HAS IT CONTACTED ANY OF THE FOLLOWING; ANIMAL WASTES, HUMAN BLOOD, BLOOD PRODUCTS, BODY FLUIDS, MICROBIOLOGICAL WASTE, PATHOLOGICAL WASTE, HUMAN OR ANIMAL DERIVED SERUMS OR PROTEINS OR ANY OTHER POTENTIALLY INFECTIOUS MATERIAL? YES ☒ NO

I acknowledge that this waste material is neither infectious nor does it contain any organism known to be a threat to human health. This certification is based on my knowledge of the material. Select the answer below that applies:

The waste was never exposed to potentially infectious material. YES ☒ NO

Chemical disinfection or some other form of sterilization has been applied to the waste. YES ☒ NO

I ACKNOWLEDGE THAT THIS PROFILE MEETS THE CLEAN HARBORS BATTERY PACKAGING REQUIREMENTS. YES ☒ NO

I ACKNOWLEDGE THAT MY FRIABLE ASBESTOS WASTE IS DOUBLE BAGGED AND WETTED. YES ☒ NO

SPECIFY THE SOURCE CODE ASSOCIATED WITH THE WASTE. **G49** SPECIFY THE FORM CODE ASSOCIATED WITH THE WASTE. **W301**

Are these values based on testing or knowledge? Knowledge ☒ Testing

If constituent concentrations are based on analytical testing, analysis must be provided. Please attach document(s) using the link on the Submit tab.

HALOGENATED ORGANIC COMPOUNDS	POLYCHLORINATED BIPHENYLS (PCB's)
<input checked="" type="checkbox"/> NONE	<input checked="" type="checkbox"/> NONE
<input checked="" type="checkbox"/> < 1000 PPM	< 50 PPM
>= 1000 PPM	>=50 PPM
	IF PCBs ARE PRESENT, IS THE WASTE REGULATED BY TSCA 40 CFR 761?
	YES <input checked="" type="checkbox"/> NO

ADDITIONAL HAZARDS

DOES THIS WASTE HAVE ANY PRIOR INCIDENTS ASSOCIATED WITH IT, WHICH COULD AFFECT THE WAY IT SHOULD BE HANDLED?

YES ☒ NO (If yes, explain) ""

CHOOSE ALL THAT APPLY

DEA REGULATED SUBSTANCES	EXPLOSIVE	FUMING	OSHA REGULATED CARCINOGENS
POLYMERIZABLE	RADIOACTIVE	REACTIVE MATERIAL	<input checked="" type="checkbox"/> NONE OF THE ABOVE



Please indicate which constituents below apply. Concentrations must be entered when applicable to assist in accurate review and expedited approval of your waste profile. Please note that the total regulated metals and other constituents sections require answers.

RCRA	REGULATED METALS	REGULATORY LEVEL (mg/l)	TCLP mg/l	TOTAL	UOM	NOT APPLICABLE	
D004	ARSENIC	5.0				<input checked="" type="checkbox"/>	
D005	BARIUM	100.0				<input checked="" type="checkbox"/>	
D006	CADMIUM	1.0				<input checked="" type="checkbox"/>	
D007	CHROMIUM	5.0				<input checked="" type="checkbox"/>	
D008	LEAD	5.0				<input checked="" type="checkbox"/>	
D009	MERCURY	0.2				<input checked="" type="checkbox"/>	
D010	SELENIUM	1.0				<input checked="" type="checkbox"/>	
D011	SILVER	5.0				<input checked="" type="checkbox"/>	
VOLATILE COMPOUNDS				OTHER CONSTITUENTS	MAX	UOM	NOT APPLICABLE
D018	BENZENE	0.5		BROMINE			<input checked="" type="checkbox"/>
D019	CARBON TETRACHLORIDE	0.5		CHLORINE			<input checked="" type="checkbox"/>
D021	CHLORO BENZENE	100.0		FLUORINE			<input checked="" type="checkbox"/>
D022	CHLOROFORM	6.0		IODINE			<input checked="" type="checkbox"/>
D028	1,2-DICHLOROETHANE	0.5		SULFUR			<input checked="" type="checkbox"/>
D029	1,1-DICHLOROETHYLENE	0.7	0.0003	POTASSIUM			<input checked="" type="checkbox"/>
D035	METHYL ETHYL KETONE	200.0		SODIUM			<input checked="" type="checkbox"/>
D039	TETRACHLOROETHYLENE	0.7		AMMONIA			<input checked="" type="checkbox"/>
D040	TRICHLOROETHYLENE	0.5	0.0088	CYANIDE AMENABLE			<input checked="" type="checkbox"/>
D043	VINYL CHLORIDE	0.2		CYANIDE REACTIVE			<input checked="" type="checkbox"/>
SEMI-VOLATILE COMPOUNDS				CYANIDE TOTAL			<input checked="" type="checkbox"/>
D023	o-CRESOL	200.0		SULFIDE REACTIVE			<input checked="" type="checkbox"/>
D024	m-CRESOL	200.0					
D025	p-CRESOL	200.0					
D026	CRESOL (TOTAL)	200.0					
D027	1,4-DICHLORO BENZENE	7.5					
D030	2,4-DINITROTOLUENE	0.13					
D032	HEXACHLORO BENZENE	0.13					
D033	HEXACHLOROBUTADIENE	0.5					
D034	HEXACHLOROETHANE	3.0					
D036	NITROBENZENE	2.0					
D037	PENTACHLOROPHENOL	100.0					
D038	PYRIDINE	5.0					
D041	2,4,5-TRICHLOROPHENOL	400.0					
D042	2,4,6-TRICHLOROPHENOL	2.0					
PESTICIDES AND HERBICIDES							
D012	ENDRIN	0.02					
D013	LINDANE	0.4					
D014	METHOXYCHLOR	10.0					
D015	TOXAPHENE	0.5					
D016	2,4-D	10.0					
D017	2,4,5-TP (SILVEX)	1.0					
D020	CHLORDANE	0.03					
D031	HEPTACHLOR (AND ITS EPOXIDE)	0.008					



E. REGULATORY

<input checked="" type="checkbox"/>	YES	NO	IS THIS WASTE PROHIBITED FROM LAND DISPOSAL WITHOUT FURTHER TREATMENT PER 40 CFR PART 268?
			LDR CATEGORY: This is subject to LDR.
			VARIANCE INFO:
YES	<input checked="" type="checkbox"/>	NO	IS THIS A UNIVERSAL WASTE?
YES	<input checked="" type="checkbox"/>	NO	IS THE GENERATOR OF THE WASTE CLASSIFIED AS A VERY SMALL QUANTITY GENERATOR (VSQG) OR A STATE EQUIVALENT DESIGNATION?
YES	<input checked="" type="checkbox"/>	NO	IS THIS MATERIAL GOING TO BE MANAGED AS A RCRA EXEMPT COMMERCIAL PRODUCT, WHICH IS FUEL (40 CFR 261.2 (C)(2)(II))?
YES	<input checked="" type="checkbox"/>	NO	PROCESSES SUCH AS ELECTROPLATING, METAL ETCHING, ELECTROCHEMICAL MACHINING, OR MILLING WILL GENERATE EPA F006 OR F019 LISTED SLUDGE AFTER TREATMENT. DO YOUR WASTES ORIGINATE FROM ANY OF THESE PROCESSES?
YES	<input checked="" type="checkbox"/>	NO	IS THIS WASTE STREAM PROHIBITED FROM INCINERATION BASED ON THE INORGANIC METAL BEARING WASTE PROHIBITION FOUND AT 40 CFR 268.3(C)?
YES	<input checked="" type="checkbox"/>	NO	IS THIS WASTE STREAM "USED OIL" WHICH IS TO BE MANAGED UNDER 40 CFR PART 279 - STANDARDS FOR THE MANAGEMENT OF USED OIL?
YES	<input checked="" type="checkbox"/>	NO	DOES THIS WASTE CONTAIN VOC'S IN CONCENTRATIONS ≥ 500 PPM?
YES	<input checked="" type="checkbox"/>	NO	DOES THE WASTE CONTAIN GREATER THAN 20% OF ORGANIC CONSTITUENTS WITH A VAPOR PRESSURE $\geq .3$ KPA (.044 PSIA)?
YES	<input checked="" type="checkbox"/>	NO	DOES THIS WASTE CONTAIN AN ORGANIC CONSTITUENT WHICH IN ITS PURE FORM HAS A VAPOR PRESSURE > 76.6 KPA (11.1 PSIA)?
YES	<input checked="" type="checkbox"/>	NO	WAS THIS WASTE GENERATED AT A REGULATED SUPERFUND SITE?
YES	<input checked="" type="checkbox"/>	NO	IS THE WASTE SUBJECT TO ONE OF THE FOLLOWING NESHAP RULES?
			Hazardous Organic NESHAP (HON) rule (subpart G) Pharmaceuticals production (subpart GGG)
YES	<input checked="" type="checkbox"/>	NO	IF THIS IS A US EPA HAZARDOUS WASTE, DOES THIS WASTE STREAM CONTAIN BENZENE?
YES	<input checked="" type="checkbox"/>	NO	Does the waste stream come from a facility with one of the SIC codes listed under benzene NESHAP or is this waste regulated under the benzene NESHAP rules because the original source of the waste is from a chemical manufacturing, coke by-product recovery, or petroleum refinery process?
YES	<input checked="" type="checkbox"/>	NO	Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) > 10 Mg/year?
			What is the TAB quantity for your facility? Megagram/year (1 Mg = 2,200 lbs)
			The basis for this determination is: Knowledge of the Waste Or Test Data Knowledge Testing
			Describe the knowledge :

F. DOT/TDG INFORMATION

DOT/TDG PROPER SHIPPING NAME:

UN3077, WASTE ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S., (SOIL CUTTINGS), 9, PG III

G. GENERATOR CERTIFICATION

GENERATOR'S CERTIFICATION

I certify that I am authorized to execute this document as an authorized agent. I hereby certify that all information submitted in this and attached documents is correct to the best of my knowledge. I also certify that any samples submitted are representative of the actual waste. If Clean Harbors discovers a discrepancy during the approval process, Generator grants Clean Harbors the authority to amend the profile, as Clean Harbors deems necessary, to reflect the discrepancy.

AUTHORIZED SIGNATURE

masmith@rouxinc.com

NAME (PRINT)

masmith@rouxinc.com

TITLE

DATE

5/5/2025 12:00 AM

*40 CFR Sec. 264.12 required notice:

As required by Federal Resource Conservation and Recovery Act regulations found in 40 CFR Part 264.12(b) and all equivalent State hazardous waste regulations, notice is hereby provided that all Clean Harbors facilities that may be used to treat, store, and /or dispose of the hazardous waste described on this waste profile have the appropriate permits and the capacity to manage these wastes.

Please note this profile must be submitted for re-evaluation if there has been a change in the waste generating process or when there have been changes in the chemical composition or physical characteristics of the material.



Addendum

D. COMPOSITION

CHEMICAL	MIN	--	MAX	UOM
DIBENZOFURAN	86.0000 000	--	86.000 0000	PPB
FLUORANTHENE	4300.00 00000	--	4300.0 000000	PPB
INDENO(1,2,3-CD)PYRENE	1400.00 00000	--	1400.0 000000	PPB
NAPHTHALENE	100.000 0000	--	100.00 00000	PPB
PYRENE	3500.00 00000	--	3500.0 000000	PPB
SOIL	99.0000 000	--	100.00 00000	%
TRICHLOROETHENE	8.00000 00	--	9.0000 000	PPB

F. REGULATORY STATUS



WASTE MATERIAL PROFILE SHEET

Clean Harbors Profile No. CH2443893

A. GENERAL INFORMATION

GENERATOR EPA ID #/REGISTRATION #
GENERATOR CODE (Assigned by Clean Harbors)
ADDRESS **1000 Turk Hill Road**
CUSTOMER CODE (Assigned by Clean Harbors)
ADDRESS **209 Shafter Street**

NYR000228635
NE28539

GENERATOR NAME:
CITY **Fairport**
CUSTOMER NAME:
CITY **Islandia**

New Coleman Holdings., Inc.

STATE/PROVINCE **NY** ZIP/POSTAL CODE **14450**

PHONE: **(917) 825-1108**

Roux Environmental Engineering and Geology
STATE/PROVINCE **NY** ZIP/POSTAL CODE **11749**

B. CUSTOMER WASTE DESCRIPTION

CUSTOMER WASTE DESCRIPTION: **Purge Water**

PROCESS GENERATING WASTE: **IDW**

IS THIS WASTE CONTAINED IN SMALL PACKAGING CONTAINED WITHIN A LARGER SHIPPING CONTAINER ? **No**

SHIPPING CONTAINER TYPE



CONTAINERIZED

BULK LIQUID

BULK SOLID

C. PHYSICAL PROPERTIES (at 25C or 77F)

PHYSICAL STATE SOLID WITHOUT FREE LIQUID POWDER MONOLITHIC SOLID <input checked="" type="checkbox"/> LIQUID WITH NO SOLIDS LIQUID/SOLID MIXTURE % FREE LIQUID % SETTLED SOLID GAS/AEROSOL SLUDGE GAS/AEROSOL	NUMBER OF PHASES/LAYERS <input checked="" type="checkbox"/> 1 2 3 TOP 0.00 % BY VOLUME (Approx.) MIDDLE 0.00 BOTTOM 0.00 DOES THIS WASTE HAVE A STRONG ODOR (INTENSE/OVERPOWERING)? <input checked="" type="checkbox"/> NO YES Describe:	THICKNESS (VISCOSITY) <input checked="" type="checkbox"/> 1 - 100 (e.g. Water) 101 - 500 (e.g. Motor Oil) 501 - 10,000 (e.g. Molasses) > 10,000 MELTING POINT °F (°C) < 140 (<60) 140-200 (60-93) > 200 (>93)	COLOR <u>varies</u> TOTAL ORGANIC CARBON (%) <input checked="" type="checkbox"/> <= 1 >1 - <10 >= 10	
FLASH POINT °F (°C) < 73 (<23) 73 - 100 (23-38) 101 -140 (38-60) 141 -200 (60-93) <input checked="" type="checkbox"/> > 200 (>93)	pH <= 2 2.1 - 6.9 7 (Neutral) <input checked="" type="checkbox"/> 7.1 - 12.4 >= 12.5	SPECIFIC GRAVITY < 0.8 (e.g. Gasoline) 0.8-1.0 (e.g. Ethanol) <input checked="" type="checkbox"/> 1.0 (e.g. Water) 1.0-1.2 (e.g. Antifreeze) > 1.2 (e.g. Methylene Chloride)	ASH < 0.1 > 20 0.1 - 1.0 <input checked="" type="checkbox"/> Unknown 1.1 - 5.0 5.1 - 20.0	BTU/LB (MJ/kg) <input checked="" type="checkbox"/> < 2,000 (<4.6) >=2,000-4,999 (>=4.6-11.62) >=5,000-10,000 (>=11.63-23.2) > 10,000 (>23.2) Actual:

D. COMPOSITION&WASTE DETAILS

(List the complete composition of the waste, include any inert components and/or debris. Ranges for individual components are acceptable. If a trade name is used, please supply an MSDS. Please do not use abbreviations.)

CHEMICAL	MIN	--	MAX	UOM
1,2-DICHLOROETHENE	0.0000000	--	2.0000000	PPB
2,4-DIMETHYLPHENOL	2.0000000	--	3.0000000	PPB
CIS-1,2-DICHLOROETHENE	0.0000000	--	2.0000000	PPB
TRICHLOROETHENE	0.0000000	--	1.0000000	PPB
VINYL CHLORIDE	250.0000000	--	280.0000000	PPB
WATER	99.0000000	--	100.0000000	%



☒ YES

NO

USEPA HAZARDOUS WASTE?

D040 D043 F002

☒ YES

NO

DO ANY STATE WASTE CODES APPLY?

B

Texas Waste Code

OUTS119H

YES

☒ NO

DO ANY CANADIAN PROVINCIAL WASTE CODES APPLY?

DOES THIS WASTE CONTAIN ANY HEAVY GAUGE METAL DEBRIS OR OTHER LARGE OBJECTS ? YES ☒ NO

If yes, describe, including dimensions:

DOES THIS WASTE CONTAIN ANY METALS IN POWDERED OR OTHER FINELY DIVIDED FORM? YES ☒ NO

DOES THIS WASTE CONTAIN OR HAS IT CONTACTED ANY OF THE FOLLOWING; ANIMAL WASTES, HUMAN BLOOD, BLOOD PRODUCTS, BODY FLUIDS, MICROBIOLOGICAL WASTE, PATHOLOGICAL WASTE, HUMAN OR ANIMAL DERIVED SERUMS OR PROTEINS OR ANY OTHER POTENTIALLY INFECTIOUS MATERIAL? YES ☒ NO

I acknowledge that this waste material is neither infectious nor does it contain any organism known to be a threat to human health. This certification is based on my knowledge of the material. Select the answer below that applies:

The waste was never exposed to potentially infectious material. YES ☒ NO

Chemical disinfection or some other form of sterilization has been applied to the waste. YES ☒ NO

I ACKNOWLEDGE THAT THIS PROFILE MEETS THE CLEAN HARBORS BATTERY PACKAGING REQUIREMENTS. YES ☒ NO

I ACKNOWLEDGE THAT MY FRIABLE ASBESTOS WASTE IS DOUBLE BAGGED AND WETTED. YES ☒ NO

SPECIFY THE SOURCE CODE ASSOCIATED WITH THE WASTE. G19 SPECIFY THE FORM CODE ASSOCIATED WITH THE WASTE. W119

Are these values based on testing or knowledge? Knowledge ☒ Testing

If constituent concentrations are based on analytical testing, analysis must be provided. Please attach document(s) using the link on the Submit tab.

HALOGENATED ORGANIC COMPOUNDS <input checked="" type="checkbox"/> NONE < 1000 PPM >= 1000 PPM	POLYCHLORINATED BIPHENYLS (PCB's) <input checked="" type="checkbox"/> NONE < 50 PPM >=50 PPM IF PCBs ARE PRESENT, IS THE WASTE REGULATED BY TSCA 40 CFR 761? <div>YES <input checked="" type="checkbox"/> NO</div>
---	--

ADDITIONAL HAZARDS

DOES THIS WASTE HAVE ANY PRIOR INCIDENTS ASSOCIATED WITH IT, WHICH COULD AFFECT THE WAY IT SHOULD BE HANDLED?

YES ☒ NO (If yes, explain)

CHOOSE ALL THAT APPLY

- DEA REGULATED SUBSTANCES
- EXPLOSIVE
- FUMING
- ☒ OSHA REGULATED CARCINOGENS
- POLYMERIZABLE
- RADIOACTIVE
- REACTIVE MATERIAL
- NONE OF THE ABOVE



Please indicate which constituents below apply. Concentrations must be entered when applicable to assist in accurate review and expedited approval of your waste profile. Please note that the total regulated metals and other constituents sections require answers.

RCRA	REGULATED METALS	REGULATORY LEVEL (mg/l)	TCLP mg/l	TOTAL	UOM	NOT APPLICABLE	
D004	ARSENIC	5.0				<input checked="" type="checkbox"/>	
D005	BARIUM	100.0				<input checked="" type="checkbox"/>	
D006	CADMIUM	1.0				<input checked="" type="checkbox"/>	
D007	CHROMIUM	5.0				<input checked="" type="checkbox"/>	
D008	LEAD	5.0				<input checked="" type="checkbox"/>	
D009	MERCURY	0.2				<input checked="" type="checkbox"/>	
D010	SELENIUM	1.0				<input checked="" type="checkbox"/>	
D011	SILVER	5.0				<input checked="" type="checkbox"/>	
VOLATILE COMPOUNDS				OTHER CONSTITUENTS	MAX	UOM	NOT APPLICABLE
D018	BENZENE	0.5					<input checked="" type="checkbox"/>
D019	CARBON TETRACHLORIDE	0.5		BROMINE			<input checked="" type="checkbox"/>
D021	CHLORO BENZENE	100.0		CHLORINE			<input checked="" type="checkbox"/>
D022	CHLOROFORM	6.0		FLUORINE			<input checked="" type="checkbox"/>
D028	1,2-DICHLOROETHANE	0.5		IODINE			<input checked="" type="checkbox"/>
D029	1,1-DICHLOROETHYLENE	0.7		SULFUR			<input checked="" type="checkbox"/>
D035	METHYL ETHYL KETONE	200.0		POTASSIUM			<input checked="" type="checkbox"/>
D039	TETRACHLOROETHYLENE	0.7		SODIUM			<input checked="" type="checkbox"/>
D040	TRICHLOROETHYLENE	0.5	0.5100	AMMONIA			<input checked="" type="checkbox"/>
D043	VINYL CHLORIDE	0.2	0.0480	CYANIDE AMENABLE			<input checked="" type="checkbox"/>
SEMI-VOLATILE COMPOUNDS				CYANIDE REACTIVE			<input checked="" type="checkbox"/>
D023	o-CRESOL	200.0		CYANIDE TOTAL			<input checked="" type="checkbox"/>
D024	m-CRESOL	200.0		SULFIDE REACTIVE			<input checked="" type="checkbox"/>
D025	p-CRESOL	200.0					
D026	CRESOL (TOTAL)	200.0					
D027	1,4-DICHLOROBENZENE	7.5					
D030	2,4-DINITROTOLUENE	0.13					
D032	HEXACHLOROBENZENE	0.13					
D033	HEXACHLOROBUTADIENE	0.5					
D034	HEXACHLOROETHANE	3.0					
D036	NITROBENZENE	2.0					
D037	PENTACHLOROPHENOL	100.0					
D038	PYRIDINE	5.0					
D041	2,4,5-TRICHLOROPHENOL	400.0					
D042	2,4,6-TRICHLOROPHENOL	2.0					
PESTICIDES AND HERBICIDES							
D012	ENDRIN	0.02					
D013	LINDANE	0.4					
D014	METHOXYCHLOR	10.0					
D015	TOXAPHENE	0.5					
D016	2,4-D	10.0					
D017	2,4,5-TP (SILVEX)	1.0					
D020	CHLORDANE	0.03					
D031	HEPTACHLOR (AND ITS EPOXIDE)	0.008					



E. REGULATORY

<input checked="" type="checkbox"/>	YES	NO	IS THIS WASTE PROHIBITED FROM LAND DISPOSAL WITHOUT FURTHER TREATMENT PER 40 CFR PART 268?
			LDR CATEGORY: This is subject to LDR.
			VARIANCE INFO:
YES	<input checked="" type="checkbox"/>	NO	IS THIS A UNIVERSAL WASTE?
YES	<input checked="" type="checkbox"/>	NO	IS THE GENERATOR OF THE WASTE CLASSIFIED AS A VERY SMALL QUANTITY GENERATOR (VSQG) OR A STATE EQUIVALENT DESIGNATION?
YES	<input checked="" type="checkbox"/>	NO	IS THIS MATERIAL GOING TO BE MANAGED AS A RCRA EXEMPT COMMERCIAL PRODUCT, WHICH IS FUEL (40 CFR 261.2 (C)(2)(II))?
YES	<input checked="" type="checkbox"/>	NO	PROCESSES SUCH AS ELECTROPLATING, METAL ETCHING, ELECTROCHEMICAL MACHINING, OR MILLING WILL GENERATE EPA F006 OR F019 LISTED SLUDGE AFTER TREATMENT. DO YOUR WASTES ORIGINATE FROM ANY OF THESE PROCESSES?
YES	<input checked="" type="checkbox"/>	NO	IS THIS WASTE STREAM PROHIBITED FROM INCINERATION BASED ON THE INORGANIC METAL BEARING WASTE PROHIBITION FOUND AT 40 CFR 268.3(C)?
YES	<input checked="" type="checkbox"/>	NO	IS THIS WASTE STREAM "USED OIL" WHICH IS TO BE MANAGED UNDER 40 CFR PART 279 - STANDARDS FOR THE MANAGEMENT OF USED OIL?
YES	<input checked="" type="checkbox"/>	NO	DOES THIS WASTE CONTAIN VOC'S IN CONCENTRATIONS >=500 PPM?
YES	<input checked="" type="checkbox"/>	NO	DOES THE WASTE CONTAIN GREATER THAN 20% OF ORGANIC CONSTITUENTS WITH A VAPOR PRESSURE >= .3KPA (.044 PSIA)?
YES	<input checked="" type="checkbox"/>	NO	DOES THIS WASTE CONTAIN AN ORGANIC CONSTITUENT WHICH IN ITS PURE FORM HAS A VAPOR PRESSURE > 76.6 KPA (11.1 PSIA)?
YES	<input checked="" type="checkbox"/>	NO	WAS THIS WASTE GENERATED AT A REGULATED SUPERFUND SITE?
YES	<input checked="" type="checkbox"/>	NO	IS THE WASTE SUBJECT TO ONE OF THE FOLLOWING NESHAP RULES?
			Hazardous Organic NESHAP (HON) rule (subpart G) Pharmaceuticals production (subpart GGG)
YES	<input checked="" type="checkbox"/>	NO	IF THIS IS A US EPA HAZARDOUS WASTE, DOES THIS WASTE STREAM CONTAIN BENZENE?
YES	<input checked="" type="checkbox"/>	NO	Does the waste stream come from a facility with one of the SIC codes listed under benzene NESHAP or is this waste regulated under the benzene NESHAP rules because the original source of the waste is from a chemical manufacturing, coke by-product recovery, or petroleum refinery process?
YES	<input checked="" type="checkbox"/>	NO	Is the generating source of this waste stream a facility with Total Annual Benzene (TAB) >10 Mg/year?
			What is the TAB quantity for your facility? Megagram/year (1 Mg = 2,200 lbs)
			The basis for this determination is: Knowledge of the Waste Or Test Data Knowledge Testing
			Describe the knowledge :

F. DOT/TDG INFORMATION

DOT/TDG PROPER SHIPPING NAME:

UN3082, WASTE ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S., (TRICHLOROETHENE, WATER), 9, PG III

G. GENERATOR CERTIFICATION

GENERATOR'S CERTIFICATION

I certify that I am authorized to execute this document as an authorized agent. I hereby certify that all information submitted in this and attached documents is correct to the best of my knowledge. I also certify that any samples submitted are representative of the actual waste. If Clean Harbors discovers a discrepancy during the approval process, Generator grants Clean Harbors the authority to amend the profile, as Clean Harbors deems necessary, to reflect the discrepancy.

AUTHORIZED SIGNATURE

masmith@rouxinc.com

NAME (PRINT)

masmith@rouxinc.com

TITLE

DATE

5/2/2025 12:00 AM

*40 CFR Sec. 264.12 required notice:

As required by Federal Resource Conservation and Recovery Act regulations found in 40 CFR Part 264.12(b) and all equivalent State hazardous waste regulations, notice is hereby provided that all Clean Harbors facilities that may be used to treat, store, and /or dispose of the hazardous waste described on this waste profile have the appropriate permits and the capacity to manage these wastes.

Please note this profile must be submitted for re-evaluation if there has been a change in the waste generating process or when there have been changes in the chemical composition or physical characteristics of the material.



Addendum

D. COMPOSITION

F. REGULATORY STATUS