

Date: December 20, 2024

To: Mr. David G. Pratt, P.E. and Ms. Kathryn Lovell, New York State Department of Environmental Conservation, Region 8, East Avon-Lima Road, Avon, NY 14414

From: Eric A. Warren, Roux Environmental Engineering and Geology, D.P.C.

Subject: **November 2024 Monthly Progress Report  
Patriot Way Site No. 828223  
293 Patriot Way, Chili, NY**

Roux Environmental Engineering and Geology, D.P.C. (Roux) conducted and completed the post injection well sampling on October 24, 2024, within the one-month requirement from the completion of the injection scope of work timeframe as stated in the Remedial Action Work Plan (RAWP) Addendum dated March 2024. The sampling included monitoring wells MW-3 and MW4-B as well as temporary wells TMW-1A and MW-B which were sampled for dissolved iron, total iron, sulfate, nitrate, total organic carbon (TOC) and target compound list (TCL) plus NYSDEC Commissioner Policy 51 (CP-51) VOCs. Please see the attached Alpha Analytical Report # L2462191 and the tabulated results comparing them to NYSDEC Division of Water Groundwater Quality Standards. We left the post remedial groundwater well sampling results in the chart for easy comparison and we marked the columns in green that are the most recent post injection results.

The second round of post injection well sampling is to be completed within the three-month timeframe from the date of the injection activities per the RAWP Addendum. This round of sampling was completed on December 11, 2024 and we are awaiting analytical results. Once the analytical results are received, we will tabulate them and send to the DEC for review. The results will also be captured in the December 2024 Monthly Progress Report.

Roux had contracted and coordinated with American Recyclers Company (ARC) in Tonawanda, NY for the disposal of the 12 onsite steel 55-gallon drums that have contained well development water from past well installation or sampling events. The drum pickup was completed in two separate events. The first pick up event was on November 8, 2024, Environmental Service Group (ESG), who is the contracting company of ARC, mobilized to the site with a lift gate truck and picked up 10 of the well water development drums for disposal. The following week on November 14, 2024, ESG mobilized back to the site with a lift gate truck and picked up the remaining two drums of the well development water along with an additional four drums that contained a mixture of both water and PlumeStop amendment that was generated and containerized in the drums during the previous onsite injection work. These drum pick up events were completed with oversight from Roux personnel. Please see the attached drum disposal manifests.


Roux also contracted and coordinated with Steuben County Department of Public Works to dispose of the 19 onsite drums at their landfill facility located in Bath, NY that contained soil cuttings that was generated from previous groundwater well installation work. Please see the attached landfill approval letter. Roux then coordinated with Trec Environmental Inc. and on November 19, 2024, Trec manually emptied the soil contents of each of the drums into one roll off container that was supplied by T&R Environmental. The next day on November 20, 2024, T&R Environmental mobilized back to the site and picked up the roll off container and hauled it to Steuben County's Landfill facility in Bath, NY for disposal. This drum emptying and consolidation into the roll off scope of work was completed with oversight from Roux personnel. Roux has not received the landfill documentation of soil drill cutting disposal yet. Once

the disposal documentation is received, we will send to DEC for review. The documentation will also be captured in the December 2024 Monthly Progress report.

Please feel free to let me know if you have any questions.

Sincerely,

**ROUX ENVIRONMENTAL ENGINEERING AND GEOLOGY, D.P.C.**

A handwritten signature in black ink that reads "Eric A. Warren". The script is cursive and fluid, with the first letters of each word being capitalized and prominent.

Eric A. Warren  
Senior Scientist II/Project Manager

---

**Tabulated Analytical Results and Alpha Analytical  
Report # L2462191**

---



SUMMARY OF GROUNDWATER ANALYTICAL RESULTS  
POST REMEDIAL AND POST INJECTION RESULTS  
293 PATRIOT WAY  
ROCHESTER, NY

PARAMETER <sup>1</sup>	GWQS <sup>2</sup>	Sample Location							
		MW-4B	MW-4B	MW-3	MW-3	MW-B	MW-B	TMW-1A	TMW-1A
		7/5/2024 <sup>3</sup>	10/24/2024 <sup>4</sup>	7/5/2024 <sup>3</sup>	10/24/2024 <sup>4</sup>	7/5/2024 <sup>3</sup>	10/24/2024 <sup>4</sup>	7/5/2024 <sup>3</sup>	10/24/2024 <sup>4</sup>
Volatile Organic Compounds (VOCs) - ug/L									
1,1-Dchloroethene	5	1.1	ND	0.32 J	ND	ND	ND	ND	ND
Acetone	50	ND	ND	ND	ND	ND	ND	ND	1.5 J
Benzene	1	ND	ND	ND	ND	ND	ND	0.16 J	ND
Cis-1,2-Dichloroethene	5	120	ND	100	ND	1.7 J	1.2 J	0.8 J	0.76 J
Cyclohexane	--	ND	ND	ND	ND	ND	ND	ND	0.87 J
Methylcyclohexane	--	ND	ND	ND	ND	ND	1.4 J	ND	1.5 J
Tetrachloroethene	5	ND	ND	3.8	ND	1.3	1.1	ND	ND
Trichloroethene	5	180	ND	82	ND	11	9.4	3.1	4.2
Trans-1,2- Dichloroethene	5	25	ND	2.6	ND	ND	ND	ND	ND
Vinyl Choloride	2	10	ND	0.66 J	ND	ND	ND	ND	ND
Dissolved Metals - ug/L									
Iron Total	--	0.000757	0.00711	0.000224	0.0178	0.108	0.118	0.0976	0.0494
Iron Dissolved	--	0.0002	0.0025	0.0000315 J	0.00126 J	0.0000574	0.00502	0.0000646	0.000758
General Chemistry - ug/L									
Nitrogen, Nitrate/ Nitrite	--	ND	ND	0.00019	ND	0.0017	0.00138	0.013	0.0213
Total Organic Carbon	--	0.00195	0.15	0.00248	0.36	0.00532	0.0039	0.0263	0.011
Anions- ug/L									
Sulfate	--	0.0677	0.032	0.0428	0.031	0.0284	0.022	0.0347	0.031

**Notes:**

- Only those parameters detected at a minimum of one sample location are presented in this table; all other compounds were reported as non-detect.
- Values per NYSDEC Division of Water Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations - Class GA (TOGS 1.1.1)
- Post Remediation Analytical Report L2438093
- Post Injection Analytical Report L2462191

**Definitions:**

ND = Parameter not detected above laboratory detection limit.

--" = Sample not analyzed for parameter or no SCO available for the parameter.

J = Estimated Value - Below calibration range.

**BOLD**

= Result exceeds GWQS.



## ANALYTICAL REPORT

Lab Number:	L2462191
Client:	Roux 2558 Hamburg Turnpike Suite 300 Buffalo, NY 14218
ATTN:	Eric Warren
Phone:	(716) 856-0599
Project Name:	293 PATRIOT WAY
Project Number:	4351.0001B000
Report Date:	10/31/24

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0826), IL (200077), IN (C-MA-03), KY (KY98045), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), OR (MA-1316), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #525-23-122-91930A1).

---

Eight Walkup Drive, Westborough, MA 01581-1019  
508-898-9220 (Fax) 508-898-9193 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)



**Project Name:** 293 PATRIOT WAY  
**Project Number:** 4351.0001B000

**Lab Number:** L2462191  
**Report Date:** 10/31/24

<b>Alpha Sample ID</b>	<b>Client ID</b>	<b>Matrix</b>	<b>Sample Location</b>	<b>Collection Date/Time</b>	<b>Receive Date</b>
L2462191-01	MW-4B	WATER	ROCHESTER, NY	10/24/24 10:45	10/24/24
L2462191-02	MW-3	WATER	ROCHESTER, NY	10/24/24 11:30	10/24/24
L2462191-03	MW-8	WATER	ROCHESTER, NY	10/24/24 12:15	10/24/24
L2462191-04	TMW-1A	WATER	ROCHESTER, NY	10/24/24 13:00	10/24/24

**Project Name:** 293 PATRIOT WAY  
**Project Number:** 4351.0001B000

**Lab Number:** L2462191  
**Report Date:** 10/31/24

### Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments and solids are reported on a dry weight basis unless otherwise noted. Tissues are reported "as received" or on a wet weight basis, unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

**HOLD POLICY** - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

---

**Project Name:** 293 PATRIOT WAY  
**Project Number:** 4351.0001B000

**Lab Number:** L2462191  
**Report Date:** 10/31/24

### Case Narrative (continued)

#### Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

#### Volatile Organics

L2462191-01D and -02D: The sample has elevated detection limits due to the dilution required by the sample matrix (black dusty particles).

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:



Ashaley Moynihan

Title: Technical Director/Representative

Date: 10/31/24



# ORGANICS

# **VOLATILES**

**Project Name:** 293 PATRIOT WAY**Lab Number:** L2462191**Project Number:** 4351.0001B000**Report Date:** 10/31/24**SAMPLE RESULTS**

Lab ID: L2462191-01 D

Date Collected: 10/24/24 10:45

Client ID: MW-4B

Date Received: 10/24/24

Sample Location: ROCHESTER, NY

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Analytical Method: 1,8260D

Analytical Date: 10/29/24 12:50

Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	250	70.	100
1,1-Dichloroethane	ND		ug/l	250	70.	100
Chloroform	ND		ug/l	250	70.	100
Carbon tetrachloride	ND		ug/l	50	13.	100
1,2-Dichloropropane	ND		ug/l	100	14.	100
Dibromochloromethane	ND		ug/l	50	15.	100
1,1,2-Trichloroethane	ND		ug/l	150	50.	100
Tetrachloroethene	ND		ug/l	50	18.	100
Chlorobenzene	ND		ug/l	250	70.	100
Trichlorofluoromethane	ND		ug/l	250	70.	100
1,2-Dichloroethane	ND		ug/l	50	13.	100
1,1,1-Trichloroethane	ND		ug/l	250	70.	100
Bromodichloromethane	ND		ug/l	50	19.	100
trans-1,3-Dichloropropene	ND		ug/l	50	16.	100
cis-1,3-Dichloropropene	ND		ug/l	50	14.	100
Bromoform	ND		ug/l	200	65.	100
1,1,2,2-Tetrachloroethane	ND		ug/l	50	17.	100
Benzene	ND		ug/l	50	16.	100
Toluene	ND		ug/l	250	70.	100
Ethylbenzene	ND		ug/l	250	70.	100
Chloromethane	ND		ug/l	250	70.	100
Bromomethane	ND		ug/l	250	70.	100
Vinyl chloride	ND		ug/l	100	7.1	100
Chloroethane	ND		ug/l	250	70.	100
1,1-Dichloroethene	ND		ug/l	50	17.	100
trans-1,2-Dichloroethene	ND		ug/l	250	70.	100
Trichloroethene	ND		ug/l	50	18.	100
1,2-Dichlorobenzene	ND		ug/l	250	70.	100

**Project Name:** 293 PATRIOT WAY**Lab Number:** L2462191**Project Number:** 4351.0001B000**Report Date:** 10/31/24**SAMPLE RESULTS**

Lab ID: L2462191-01 D

Date Collected: 10/24/24 10:45

Client ID: MW-4B

Date Received: 10/24/24

Sample Location: ROCHESTER, NY

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	250	70.	100
1,4-Dichlorobenzene	ND		ug/l	250	70.	100
Methyl tert butyl ether	ND		ug/l	250	17.	100
p/m-Xylene	ND		ug/l	250	70.	100
o-Xylene	ND		ug/l	250	70.	100
cis-1,2-Dichloroethene	ND		ug/l	250	70.	100
Styrene	ND		ug/l	250	70.	100
Dichlorodifluoromethane	ND		ug/l	500	100	100
Acetone	ND		ug/l	500	150	100
Carbon disulfide	ND		ug/l	500	100	100
2-Butanone	ND		ug/l	500	190	100
4-Methyl-2-pentanone	ND		ug/l	500	100	100
2-Hexanone	ND		ug/l	500	100	100
Bromochloromethane	ND		ug/l	250	70.	100
1,2-Dibromoethane	ND		ug/l	200	65.	100
n-Butylbenzene	ND		ug/l	250	70.	100
sec-Butylbenzene	ND		ug/l	250	70.	100
1,2-Dibromo-3-chloropropane	ND		ug/l	250	70.	100
Isopropylbenzene	ND		ug/l	250	70.	100
p-Isopropyltoluene	ND		ug/l	250	70.	100
n-Propylbenzene	ND		ug/l	250	70.	100
1,2,3-Trichlorobenzene	ND		ug/l	250	70.	100
1,2,4-Trichlorobenzene	ND		ug/l	250	70.	100
1,3,5-Trimethylbenzene	ND		ug/l	250	70.	100
1,2,4-Trimethylbenzene	ND		ug/l	250	70.	100
Methyl Acetate	ND		ug/l	200	23.	100
Cyclohexane	ND		ug/l	1000	27.	100
1,4-Dioxane	ND		ug/l	25000	6100	100
Freon-113	ND		ug/l	250	70.	100
Methyl cyclohexane	ND		ug/l	1000	40.	100

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	104		70-130
Toluene-d8	102		70-130
4-Bromofluorobenzene	96		70-130
Dibromofluoromethane	108		70-130

**Project Name:** 293 PATRIOT WAY**Lab Number:** L2462191**Project Number:** 4351.0001B000**Report Date:** 10/31/24**SAMPLE RESULTS**

Lab ID: L2462191-02 D

Date Collected: 10/24/24 11:30

Client ID: MW-3

Date Received: 10/24/24

Sample Location: ROCHESTER, NY

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Analytical Method: 1,8260D

Analytical Date: 10/29/24 13:14

Analyst: LAC

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	120	35.	50
1,1-Dichloroethane	ND		ug/l	120	35.	50
Chloroform	ND		ug/l	120	35.	50
Carbon tetrachloride	ND		ug/l	25	6.7	50
1,2-Dichloropropane	ND		ug/l	50	6.8	50
Dibromochloromethane	ND		ug/l	25	7.4	50
1,1,2-Trichloroethane	ND		ug/l	75	25.	50
Tetrachloroethene	ND		ug/l	25	9.0	50
Chlorobenzene	ND		ug/l	120	35.	50
Trichlorofluoromethane	ND		ug/l	120	35.	50
1,2-Dichloroethane	ND		ug/l	25	6.6	50
1,1,1-Trichloroethane	ND		ug/l	120	35.	50
Bromodichloromethane	ND		ug/l	25	9.6	50
trans-1,3-Dichloropropene	ND		ug/l	25	8.2	50
cis-1,3-Dichloropropene	ND		ug/l	25	7.2	50
Bromoform	ND		ug/l	100	32.	50
1,1,2,2-Tetrachloroethane	ND		ug/l	25	8.4	50
Benzene	ND		ug/l	25	8.0	50
Toluene	ND		ug/l	120	35.	50
Ethylbenzene	ND		ug/l	120	35.	50
Chloromethane	ND		ug/l	120	35.	50
Bromomethane	ND		ug/l	120	35.	50
Vinyl chloride	ND		ug/l	50	3.6	50
Chloroethane	ND		ug/l	120	35.	50
1,1-Dichloroethene	ND		ug/l	25	8.4	50
trans-1,2-Dichloroethene	ND		ug/l	120	35.	50
Trichloroethene	ND		ug/l	25	8.8	50
1,2-Dichlorobenzene	ND		ug/l	120	35.	50

**Project Name:** 293 PATRIOT WAY**Lab Number:** L2462191**Project Number:** 4351.0001B000**Report Date:** 10/31/24**SAMPLE RESULTS**

Lab ID: L2462191-02 D

Date Collected: 10/24/24 11:30

Client ID: MW-3

Date Received: 10/24/24

Sample Location: ROCHESTER, NY

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	120	35.	50
1,4-Dichlorobenzene	ND		ug/l	120	35.	50
Methyl tert butyl ether	ND		ug/l	120	8.3	50
p/m-Xylene	ND		ug/l	120	35.	50
o-Xylene	ND		ug/l	120	35.	50
cis-1,2-Dichloroethene	ND		ug/l	120	35.	50
Styrene	ND		ug/l	120	35.	50
Dichlorodifluoromethane	ND		ug/l	250	50.	50
Acetone	ND		ug/l	250	73.	50
Carbon disulfide	ND		ug/l	250	50.	50
2-Butanone	ND		ug/l	250	97.	50
4-Methyl-2-pentanone	ND		ug/l	250	50.	50
2-Hexanone	ND		ug/l	250	50.	50
Bromochloromethane	ND		ug/l	120	35.	50
1,2-Dibromoethane	ND		ug/l	100	32.	50
n-Butylbenzene	ND		ug/l	120	35.	50
sec-Butylbenzene	ND		ug/l	120	35.	50
1,2-Dibromo-3-chloropropane	ND		ug/l	120	35.	50
Isopropylbenzene	ND		ug/l	120	35.	50
p-Isopropyltoluene	ND		ug/l	120	35.	50
n-Propylbenzene	ND		ug/l	120	35.	50
1,2,3-Trichlorobenzene	ND		ug/l	120	35.	50
1,2,4-Trichlorobenzene	ND		ug/l	120	35.	50
1,3,5-Trimethylbenzene	ND		ug/l	120	35.	50
1,2,4-Trimethylbenzene	ND		ug/l	120	35.	50
Methyl Acetate	ND		ug/l	100	12.	50
Cyclohexane	ND		ug/l	500	14.	50
1,4-Dioxane	ND		ug/l	12000	3000	50
Freon-113	ND		ug/l	120	35.	50
Methyl cyclohexane	ND		ug/l	500	20.	50

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	109		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	94		70-130
Dibromofluoromethane	107		70-130

**Project Name:** 293 PATRIOT WAY  
**Project Number:** 4351.0001B000

**Lab Number:** L2462191  
**Report Date:** 10/31/24

**SAMPLE RESULTS**

**Lab ID:** L2462191-03  
**Client ID:** MW-8  
**Sample Location:** ROCHESTER, NY

**Date Collected:** 10/24/24 12:15  
**Date Received:** 10/24/24  
**Field Prep:** Not Specified

**Sample Depth:**

**Matrix:** Water  
**Analytical Method:** 1,8260D  
**Analytical Date:** 10/29/24 13:39  
**Analyst:** LAC

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	1.1		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	9.4		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

**Project Name:** 293 PATRIOT WAY**Lab Number:** L2462191**Project Number:** 4351.0001B000**Report Date:** 10/31/24**SAMPLE RESULTS**

**Lab ID:** L2462191-03  
**Client ID:** MW-8  
**Sample Location:** ROCHESTER, NY

**Date Collected:** 10/24/24 12:15  
**Date Received:** 10/24/24  
**Field Prep:** Not Specified

**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.17	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	1.2	J	ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	1.4	J	ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	107		70-130
Toluene-d8	96		70-130
4-Bromofluorobenzene	88		70-130
Dibromofluoromethane	110		70-130



**Project Name:** 293 PATRIOT WAY**Lab Number:** L2462191**Project Number:** 4351.0001B000**Report Date:** 10/31/24**SAMPLE RESULTS**

Lab ID: L2462191-04  
 Client ID: TMW-1A  
 Sample Location: ROCHESTER, NY

Date Collected: 10/24/24 13:00  
 Date Received: 10/24/24  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260D  
 Analytical Date: 10/29/24 14:03  
 Analyst: LAC

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	4.2		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

**Project Name:** 293 PATRIOT WAY**Lab Number:** L2462191**Project Number:** 4351.0001B000**Report Date:** 10/31/24**SAMPLE RESULTS**

**Lab ID:** L2462191-04  
**Client ID:** TMW-1A  
**Sample Location:** ROCHESTER, NY

**Date Collected:** 10/24/24 13:00  
**Date Received:** 10/24/24  
**Field Prep:** Not Specified

**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.17	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	0.76	J	ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	1.5	J	ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	0.87	J	ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	1.5	J	ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	110		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	87		70-130
Dibromofluoromethane	109		70-130

**Project Name:** 293 PATRIOT WAY  
**Project Number:** 4351.0001B000

**Lab Number:** L2462191  
**Report Date:** 10/31/24

### Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260D  
 Analytical Date: 10/29/24 09:58  
 Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-04 Batch: WG1990972-5					
Methylene chloride	ND		ug/l	2.5	0.70
1,1-Dichloroethane	ND		ug/l	2.5	0.70
Chloroform	ND		ug/l	2.5	0.70
Carbon tetrachloride	ND		ug/l	0.50	0.13
1,2-Dichloropropane	ND		ug/l	1.0	0.14
Dibromochloromethane	ND		ug/l	0.50	0.15
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50
Tetrachloroethene	ND		ug/l	0.50	0.18
Chlorobenzene	ND		ug/l	2.5	0.70
Trichlorofluoromethane	ND		ug/l	2.5	0.70
1,2-Dichloroethane	ND		ug/l	0.50	0.13
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70
Bromodichloromethane	ND		ug/l	0.50	0.19
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14
Bromoform	ND		ug/l	2.0	0.65
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17
Benzene	ND		ug/l	0.50	0.16
Toluene	ND		ug/l	2.5	0.70
Ethylbenzene	ND		ug/l	2.5	0.70
Chloromethane	ND		ug/l	2.5	0.70
Bromomethane	ND		ug/l	2.5	0.70
Vinyl chloride	ND		ug/l	1.0	0.07
Chloroethane	ND		ug/l	2.5	0.70
1,1-Dichloroethene	ND		ug/l	0.50	0.17
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Trichloroethene	ND		ug/l	0.50	0.18
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70

**Project Name:** 293 PATRIOT WAY  
**Project Number:** 4351.0001B000

**Lab Number:** L2462191  
**Report Date:** 10/31/24

### Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260D  
 Analytical Date: 10/29/24 09:58  
 Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-04 Batch: WG1990972-5					
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70
Methyl tert butyl ether	ND		ug/l	2.5	0.17
p/m-Xylene	ND		ug/l	2.5	0.70
o-Xylene	ND		ug/l	2.5	0.70
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Styrene	ND		ug/l	2.5	0.70
Dichlorodifluoromethane	ND		ug/l	5.0	1.0
Acetone	ND		ug/l	5.0	1.5
Carbon disulfide	ND		ug/l	5.0	1.0
2-Butanone	ND		ug/l	5.0	1.9
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0
2-Hexanone	ND		ug/l	5.0	1.0
Bromochloromethane	ND		ug/l	2.5	0.70
1,2-Dibromoethane	ND		ug/l	2.0	0.65
n-Butylbenzene	ND		ug/l	2.5	0.70
sec-Butylbenzene	ND		ug/l	2.5	0.70
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70
Isopropylbenzene	ND		ug/l	2.5	0.70
p-Isopropyltoluene	ND		ug/l	2.5	0.70
n-Propylbenzene	ND		ug/l	2.5	0.70
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70
Methyl Acetate	ND		ug/l	2.0	0.23
Cyclohexane	ND		ug/l	10	0.27
1,4-Dioxane	ND		ug/l	250	61.
Freon-113	ND		ug/l	2.5	0.70
Methyl cyclohexane	ND		ug/l	10	0.40

**Project Name:** 293 PATRIOT WAY  
**Project Number:** 4351.0001B000

**Lab Number:** L2462191  
**Report Date:** 10/31/24

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260D  
Analytical Date: 10/29/24 09:58  
Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-04 Batch: WG1990972-5					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	107		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	89		70-130
Dibromofluoromethane	109		70-130

# **Lab Control Sample Analysis** Batch Quality Control

**Project Name:** 293 PATRIOT WAY

**Project Number:** 4351.0001B000

**Lab Number:** L2462191

**Report Date:** 10/31/24

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-04 Batch: WG1990972-3 WG1990972-4								
Methylene chloride	98		92		70-130	6		20
1,1-Dichloroethane	100		96		70-130	4		20
Chloroform	100		100		70-130	0		20
Carbon tetrachloride	110		110		63-132	0		20
1,2-Dichloropropane	94		93		70-130	1		20
Dibromochloromethane	90		95		63-130	5		20
1,1,2-Trichloroethane	92		94		70-130	2		20
Tetrachloroethene	120		120		70-130	0		20
Chlorobenzene	100		100		75-130	0		20
Trichlorofluoromethane	110		110		62-150	0		20
1,2-Dichloroethane	100		100		70-130	0		20
1,1,1-Trichloroethane	110		100		67-130	10		20
Bromodichloromethane	100		110		67-130	10		20
trans-1,3-Dichloropropene	87		89		70-130	2		20
cis-1,3-Dichloropropene	100		100		70-130	0		20
Bromoform	95		100		54-136	5		20
1,1,2,2-Tetrachloroethane	82		89		67-130	8		20
Benzene	100		95		70-130	5		20
Toluene	100		99		70-130	1		20
Ethylbenzene	100		100		70-130	0		20
Chloromethane	86		80		64-130	7		20
Bromomethane	75		70		39-139	7		20
Vinyl chloride	120		110		55-140	9		20

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: 293 PATRIOT WAY

Project Number: 4351.0001B000

Lab Number: L2462191

Report Date: 10/31/24

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-04 Batch: WG1990972-3 WG1990972-4								
Chloroethane	120		120		55-138	0		20
1,1-Dichloroethene	110		100		61-145	10		20
trans-1,2-Dichloroethene	100		98		70-130	2		20
Trichloroethene	97		100		70-130	3		20
1,2-Dichlorobenzene	98		98		70-130	0		20
1,3-Dichlorobenzene	99		99		70-130	0		20
1,4-Dichlorobenzene	98		97		70-130	1		20
Methyl tert butyl ether	82		90		63-130	9		20
p/m-Xylene	100		100		70-130	0		20
o-Xylene	90		100		70-130	11		20
cis-1,2-Dichloroethene	100		97		70-130	3		20
Styrene	95		100		70-130	5		20
Dichlorodifluoromethane	98		95		36-147	3		20
Acetone	100		82		58-148	20		20
Carbon disulfide	110		100		51-130	10		20
2-Butanone	81		87		63-138	7		20
4-Methyl-2-pentanone	73		80		59-130	9		20
2-Hexanone	69		72		57-130	4		20
Bromochloromethane	100		100		70-130	0		20
1,2-Dibromoethane	96		99		70-130	3		20
n-Butylbenzene	96		94		53-136	2		20
sec-Butylbenzene	92		91		70-130	1		20
1,2-Dibromo-3-chloropropane	88		93		41-144	6		20

# Lab Control Sample Analysis

## Batch Quality Control

**Project Name:** 293 PATRIOT WAY

**Project Number:** 4351.0001B000

**Lab Number:** L2462191

**Report Date:** 10/31/24

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-04 Batch: WG1990972-3 WG1990972-4								
Isopropylbenzene	94		93		70-130	1		20
p-Isopropyltoluene	96		94		70-130	2		20
n-Propylbenzene	94		92		69-130	2		20
1,2,3-Trichlorobenzene	110		110		70-130	0		20
1,2,4-Trichlorobenzene	100		100		70-130	0		20
1,3,5-Trimethylbenzene	97		97		64-130	0		20
1,2,4-Trimethylbenzene	90		89		70-130	1		20
Methyl Acetate	77		79		70-130	3		20
Cyclohexane	93		90		70-130	3		20
1,4-Dioxane	112		108		56-162	4		20
Freon-113	110		100		70-130	10		20
Methyl cyclohexane	100		96		70-130	4		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	101		101		70-130
Toluene-d8	100		99		70-130
4-Bromofluorobenzene	90		92		70-130
Dibromofluoromethane	102		100		70-130



## METALS

**Project Name:** 293 PATRIOT WAY**Lab Number:** L2462191**Project Number:** 4351.0001B000**Report Date:** 10/31/24**SAMPLE RESULTS**

Lab ID: L2462191-01

Date Collected: 10/24/24 10:45

Client ID: MW-4B

Date Received: 10/24/24

Sample Location: ROCHESTER, NY

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
-----------	--------	-----------	-------	----	-----	--------------------	------------------	------------------	----------------	----------------------	---------

**Total Metals - Mansfield Lab**

Iron, Total	7.11		mg/l	0.0500	0.0191	1	10/25/24 15:32	10/31/24 08:52	EPA 3005A	1,6020B	NTB
-------------	------	--	------	--------	--------	---	----------------	----------------	-----------	---------	-----

**Dissolved Metals - Mansfield Lab**

Iron, Dissolved	2.50		mg/l	0.0500	0.0191	1	10/27/24 11:05	10/30/24 19:34	EPA 3005A	1,6020B	NTB
-----------------	------	--	------	--------	--------	---	----------------	----------------	-----------	---------	-----



**Project Name:** 293 PATRIOT WAY**Lab Number:** L2462191**Project Number:** 4351.0001B000**Report Date:** 10/31/24**SAMPLE RESULTS**

Lab ID: L2462191-02

Date Collected: 10/24/24 11:30

Client ID: MW-3

Date Received: 10/24/24

Sample Location: ROCHESTER, NY

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
-----------	--------	-----------	-------	----	-----	--------------------	------------------	------------------	----------------	----------------------	---------

**Total Metals - Mansfield Lab**

Iron, Total	17.8		mg/l	0.0500	0.0191	1	10/25/24 15:32	10/31/24 08:56	EPA 3005A	1,6020B	NTB
-------------	------	--	------	--------	--------	---	----------------	----------------	-----------	---------	-----

**Dissolved Metals - Mansfield Lab**

Iron, Dissolved	1.26		mg/l	0.0500	0.0191	1	10/27/24 11:05	10/30/24 19:58	EPA 3005A	1,6020B	NTB
-----------------	------	--	------	--------	--------	---	----------------	----------------	-----------	---------	-----



**Project Name:** 293 PATRIOT WAY**Lab Number:** L2462191**Project Number:** 4351.0001B000**Report Date:** 10/31/24**SAMPLE RESULTS**

Lab ID: L2462191-03

Date Collected: 10/24/24 12:15

Client ID: MW-8

Date Received: 10/24/24

Sample Location: ROCHESTER, NY

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
-----------	--------	-----------	-------	----	-----	--------------------	------------------	------------------	----------------	----------------------	---------

**Total Metals - Mansfield Lab**

Iron, Total	118.		mg/l	0.0500	0.0191	1	10/25/24 15:32	10/31/24 09:01	EPA 3005A	1,6020B	NTB
-------------	------	--	------	--------	--------	---	----------------	----------------	-----------	---------	-----

**Dissolved Metals - Mansfield Lab**

Iron, Dissolved	5.02		mg/l	0.0500	0.0191	1	10/27/24 11:05	10/30/24 20:03	EPA 3005A	1,6020B	NTB
-----------------	------	--	------	--------	--------	---	----------------	----------------	-----------	---------	-----



**Project Name:** 293 PATRIOT WAY**Lab Number:** L2462191**Project Number:** 4351.0001B000**Report Date:** 10/31/24**SAMPLE RESULTS**

Lab ID: L2462191-04

Date Collected: 10/24/24 13:00

Client ID: TMW-1A

Date Received: 10/24/24

Sample Location: ROCHESTER, NY

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
-----------	--------	-----------	-------	----	-----	--------------------	------------------	------------------	----------------	----------------------	---------

**Total Metals - Mansfield Lab**

Iron, Total	49.4		mg/l	0.0500	0.0191	1	10/25/24 15:32	10/31/24 09:19	EPA 3005A	1,6020B	NTB
-------------	------	--	------	--------	--------	---	----------------	----------------	-----------	---------	-----

**Dissolved Metals - Mansfield Lab**

Iron, Dissolved	0.758		mg/l	0.0500	0.0191	1	10/27/24 11:05	10/30/24 20:07	EPA 3005A	1,6020B	NTB
-----------------	-------	--	------	--------	--------	---	----------------	----------------	-----------	---------	-----



Project Name: 293 PATRIOT WAY

Lab Number: L2462191

Project Number: 4351.0001B000

Report Date: 10/31/24

## Method Blank Analysis Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01-04 Batch: WG1989108-1										
Iron, Total	ND		mg/l	0.0500	0.0191	1	10/25/24 15:32	10/31/24 08:19	1,6020B	NTB

### Prep Information

Digestion Method: EPA 3005A

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Dissolved Metals - Mansfield Lab for sample(s): 01-04 Batch: WG1989535-1										
Iron, Dissolved	ND		mg/l	0.0500	0.0191	1	10/27/24 11:05	10/30/24 16:27	1,6020B	NTB

### Prep Information

Digestion Method: EPA 3005A

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** 293 PATRIOT WAY

**Project Number:** 4351.0001B000

**Lab Number:** L2462191

**Report Date:** 10/31/24

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-04 Batch: WG1989108-2								
Iron, Total	105		-		80-120	-		
Dissolved Metals - Mansfield Lab Associated sample(s): 01-04 Batch: WG1989535-2								
Iron, Dissolved	108		-		80-120	-		

# Matrix Spike Analysis

## Batch Quality Control

**Project Name:** 293 PATRIOT WAY

**Lab Number:** L2462191

**Project Number:** 4351.0001B000

**Report Date:** 10/31/24

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-04 QC Batch ID: WG1989108-3 QC Sample: L2461670-01 Client ID: MS Sample												
Iron, Total	16.7	1	18.0	130	Q	-	-		75-125	-		20
Dissolved Metals - Mansfield Lab Associated sample(s): 01-04 QC Batch ID: WG1989535-3 WG1989535-4 QC Sample: L2462016-06 Client ID: MS Sample												
Iron, Dissolved	0.235	1	1.23	100		1.20	96		75-125	2		20



**Lab Duplicate Analysis**  
*Batch Quality Control***Project Name:** 293 PATRIOT WAY**Project Number:** 4351.0001B000**Lab Number:** L2462191**Report Date:** 10/31/24

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-04 QC Batch ID: WG1989108-4 QC Sample: L2461670-01 Client ID: DUP Sample						
Iron, Total	16.7	17.8	mg/l	6		20

# **INORGANICS & MISCELLANEOUS**

Project Name: 293 PATRIOT WAY

Project Number: 4351.0001B000

Lab Number: L2462191

Report Date: 10/31/24

## SAMPLE RESULTS

Lab ID: L2462191-01

Client ID: MW-4B

Sample Location: ROCHESTER, NY

Date Collected: 10/24/24 10:45

Date Received: 10/24/24

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Nitrogen, Nitrate	ND		mg/l	0.100	0.022	1	-	10/25/24 09:25	121,4500NO3-F	KAF
Sulfate	32.		mg/l	10	1.4	1	10/30/24 14:45	10/30/24 14:45	1,9038	MRW
Total Organic Carbon	150		mg/l	20	3.9	40	-	10/28/24 02:19	1,9060A	DEW



Project Name: 293 PATRIOT WAY

Project Number: 4351.0001B000

Lab Number: L2462191

Report Date: 10/31/24

## SAMPLE RESULTS

Lab ID: L2462191-02

Client ID: MW-3

Sample Location: ROCHESTER, NY

Date Collected: 10/24/24 11:30

Date Received: 10/24/24

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Nitrogen, Nitrate	ND		mg/l	0.100	0.022	1	-	10/25/24 09:26	121,4500NO3-F	KAF
Sulfate	31.		mg/l	10	1.4	1	10/30/24 14:45	10/30/24 14:45	1,9038	MRW
Total Organic Carbon	360		mg/l	20	3.9	40	-	10/28/24 02:19	1,9060A	DEW



Project Name: 293 PATRIOT WAY

Project Number: 4351.0001B000

Lab Number: L2462191

Report Date: 10/31/24

## SAMPLE RESULTS

Lab ID: L2462191-03

Client ID: MW-8

Sample Location: ROCHESTER, NY

Date Collected: 10/24/24 12:15

Date Received: 10/24/24

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Nitrogen, Nitrate	1.38		mg/l	0.100	0.022	1	-	10/25/24 09:27	121,4500NO3-F	KAF
Sulfate	22.		mg/l	10	1.4	1	10/30/24 14:45	10/30/24 14:45	1,9038	MRW
Total Organic Carbon	3.9		mg/l	1.0	0.19	2	-	10/28/24 02:19	1,9060A	DEW



Project Name: 293 PATRIOT WAY

Project Number: 4351.0001B000

Lab Number: L2462191

Report Date: 10/31/24

## SAMPLE RESULTS

Lab ID: L2462191-04

Client ID: TMW-1A

Sample Location: ROCHESTER, NY

Date Collected: 10/24/24 13:00

Date Received: 10/24/24

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Nitrogen, Nitrate	21.3		mg/l	1.00	0.228	10	-	10/26/24 07:23	121,4500NO3-F	KAF
Sulfate	31.		mg/l	25	3.4	2.5	10/30/24 14:45	10/30/24 14:45	1,9038	MRW
Total Organic Carbon	11.		mg/l	2.0	0.39	4	-	10/28/24 02:19	1,9060A	DEW



**Project Name:** 293 PATRIOT WAY  
**Project Number:** 4351.0001B000

**Lab Number:** L2462191  
**Report Date:** 10/31/24

**Method Blank Analysis**  
**Batch Quality Control**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01-03 Batch: WG1988876-1										
Nitrogen, Nitrate	ND		mg/l	0.100	0.022	1	-	10/25/24 04:53	121,4500NO3-F	KAF
General Chemistry - Westborough Lab for sample(s): 04 Batch: WG1989317-1										
Nitrogen, Nitrate	ND		mg/l	0.100	0.022	1	-	10/26/24 03:45	121,4500NO3-F	KAF
General Chemistry - Westborough Lab for sample(s): 01-04 Batch: WG1989712-1										
Total Organic Carbon	ND		mg/l	0.50	0.09	1	-	10/28/24 02:19	1,9060A	DEW
General Chemistry - Westborough Lab for sample(s): 01-04 Batch: WG1990876-1										
Sulfate	1.9	J	mg/l	10	1.4	1	10/30/24 14:45	10/30/24 14:45	1,9038	MRW

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** 293 PATRIOT WAY

**Project Number:** 4351.0001B000

**Lab Number:** L2462191

**Report Date:** 10/31/24

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-03 Batch: WG1988876-2								
Nitrogen, Nitrate	99		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 04 Batch: WG1989317-2								
Nitrogen, Nitrate	99		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01-04 Batch: WG1989712-2								
Total Organic Carbon	102		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01-04 Batch: WG1990876-2								
Sulfate	90		-		90-110	-		



# **Matrix Spike Analysis** Batch Quality Control

**Project Name:** 293 PATRIOT WAY

**Project Number:** 4351.0001B000

**Lab Number:** L2462191

**Report Date:** 10/31/24

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-03 QC Batch ID: WG1988876-4 QC Sample: L2461969-01 Client ID: MS Sample												
Nitrogen, Nitrate	2.25	4	6.07	96		-	-		83-113	-		17
General Chemistry - Westborough Lab Associated sample(s): 04 QC Batch ID: WG1989317-4 QC Sample: L2462427-01 Client ID: MS Sample												
Nitrogen, Nitrate	0.736	4	4.75	100		-	-		83-113	-		17
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG1989712-4 QC Sample: L2461774-01 Client ID: MS Sample												
Total Organic Carbon	21.	160	200	114		-	-		80-120	-		20
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG1990876-4 QC Sample: L2462137-04 Client ID: MS Sample												
Sulfate	59.	100	160	104		-	-		55-147	-		14

# Lab Duplicate Analysis

*Batch Quality Control*

**Project Name:** 293 PATRIOT WAY  
**Project Number:** 4351.0001B000

**Lab Number:** L2462191  
**Report Date:** 10/31/24

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-03 QC Batch ID: WG1988876-3 QC Sample: L2461969-01 Client ID: DUP Sample						
Nitrogen, Nitrate	2.25	2.24	mg/l	0		17
General Chemistry - Westborough Lab Associated sample(s): 04 QC Batch ID: WG1989317-3 QC Sample: L2462427-01 Client ID: DUP Sample						
Nitrogen, Nitrate	0.736	0.740	mg/l	1		17
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG1989712-3 QC Sample: L2461774-01 Client ID: DUP Sample						
Total Organic Carbon	21.	21	mg/l	0		20
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG1990876-3 QC Sample: L2462137-04 Client ID: DUP Sample						
Sulfate	59.	59	mg/l	0		14

**Project Name:** 293 PATRIOT WAY**Lab Number:** L2462191**Project Number:** 4351.0001B000**Report Date:** 10/31/24**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

**Cooler Information**

<b>Cooler</b>	<b>Custody Seal</b>
A	Absent

**Container Information**

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2462191-01A	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2462191-01B	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2462191-01C	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2462191-01D	Vial H2SO4 preserved	A	NA		3.3	Y	Absent		TOC-9060(28)
L2462191-01E	Vial H2SO4 preserved	A	NA		3.3	Y	Absent		TOC-9060(28)
L2462191-01F	Plastic 250ml unpreserved	A	7	7	3.3	Y	Absent		SO4-9038(28),NO3-4500(2)
L2462191-01G	Plastic 250ml unpreserved	A	7	7	3.3	Y	Absent		-
L2462191-01H	Plastic 250ml HNO3 preserved	A	<2	<2	3.3	Y	Absent		FE-6020T(180)
L2462191-01X	Plastic 120ml HNO3 preserved Filtrates	A	N/A	N/A	3.3	Y	Absent		FE-6020S(180)
L2462191-02A	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2462191-02B	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2462191-02C	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2462191-02D	Vial H2SO4 preserved	A	NA		3.3	Y	Absent		TOC-9060(28)
L2462191-02E	Vial H2SO4 preserved	A	NA		3.3	Y	Absent		TOC-9060(28)
L2462191-02F	Plastic 250ml unpreserved	A	7	7	3.3	Y	Absent		SO4-9038(28),NO3-4500(2)
L2462191-02G	Plastic 250ml unpreserved	A	7	7	3.3	Y	Absent		-
L2462191-02H	Plastic 250ml HNO3 preserved	A	<2	<2	3.3	Y	Absent		FE-6020T(180)
L2462191-02X	Plastic 120ml HNO3 preserved Filtrates	A	N/A	N/A	3.3	Y	Absent		FE-6020S(180)
L2462191-03A	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2462191-03B	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2462191-03C	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2462191-03D	Vial H2SO4 preserved	A	NA		3.3	Y	Absent		TOC-9060(28)
L2462191-03E	Vial H2SO4 preserved	A	NA		3.3	Y	Absent		TOC-9060(28)

**Project Name:** 293 PATRIOT WAY  
**Project Number:** 4351.0001B000

Serial\_No:10312413:54  
**Lab Number:** L2462191  
**Report Date:** 10/31/24

**Container Information**

<b>Container ID</b>	<b>Container Type</b>	<b>Cooler</b>	<b>Initial pH</b>	<b>Final pH</b>	<b>Temp deg C</b>	<b>Pres</b>	<b>Seal</b>	<b>Frozen Date/Time</b>	<b>Analysis(*)</b>
L2462191-03F	Plastic 250ml unpreserved	A	7	7	3.3	Y	Absent		SO4-9038(28),NO3-4500(2)
L2462191-03G	Plastic 250ml unpreserved	A	7	7	3.3	Y	Absent		-
L2462191-03H	Plastic 250ml HNO3 preserved	A	<2	<2	3.3	Y	Absent		FE-6020T(180)
L2462191-03X	Plastic 120ml HNO3 preserved Filtrates	A	N/A	N/A	3.3	Y	Absent		FE-6020S(180)
L2462191-04A	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2462191-04B	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2462191-04C	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2462191-04D	Vial H2SO4 preserved	A	NA		3.3	Y	Absent		TOC-9060(28)
L2462191-04E	Vial H2SO4 preserved	A	NA		3.3	Y	Absent		TOC-9060(28)
L2462191-04F	Plastic 250ml unpreserved	A	7	7	3.3	Y	Absent		SO4-9038(28),NO3-4500(2)
L2462191-04G	Plastic 250ml unpreserved	A	7	7	3.3	Y	Absent		-
L2462191-04H	Plastic 250ml HNO3 preserved	A	<2	<2	3.3	Y	Absent		FE-6020T(180)
L2462191-04X	Plastic 120ml HNO3 preserved Filtrates	A	N/A	N/A	3.3	Y	Absent		FE-6020S(180)

**Project Name:** 293 PATRIOT WAY  
**Project Number:** 4351.0001B000

**Lab Number:** L2462191  
**Report Date:** 10/31/24

## GLOSSARY

### Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)  Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

*Report Format: DU Report with 'J' Qualifiers*



**Project Name:** 293 PATRIOT WAY  
**Project Number:** 4351.0001B000

**Lab Number:** L2462191  
**Report Date:** 10/31/24

### Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

### Terms

**Analytical Method:** Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

**Chlordane:** The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

**Difference:** With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

**Final pH:** As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

**Frozen Date/Time:** With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

**Gasoline Range Organics (GRO):** Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

**Initial pH:** As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

**PAH Total:** With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

**PFAS Total:** With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

**Total:** With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

### Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

**Report Format:** DU Report with 'J' Qualifiers



**Project Name:** 293 PATRIOT WAY  
**Project Number:** 4351.0001B000

**Lab Number:** L2462191  
**Report Date:** 10/31/24

#### Data Qualifiers

Identified Compounds (TICs). For calculated parameters, this represents that one or more values used in the calculation were estimated.

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Report Format: DU Report with 'J' Qualifiers



**Project Name:** 293 PATRIOT WAY**Lab Number:** L2462191**Project Number:** 4351.0001B000**Report Date:** 10/31/24

## REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - VI, 2018.
- 121 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WEF. Standard Methods Online.

## LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.





---

## Certification Information

---

The following analytes are not included in our Primary NELAP Scope of Accreditation:

**Westborough Facility**

**EPA 624.1:** m/p-xylene, o-xylene, Naphthalene

**EPA 625.1:** alpha-Terpineol

**EPA 8260D:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

**EPA 8270E:** NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpineol, Azobenzene; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine, 2,6-Dichlorophenol.

**SM4500:** NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO2, NO3.

**Mansfield Facility**

**SM 2540D:** TSS.

**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

**Nonpotable Water:** **EPA RSK-175 Dissolved Gases**

**Biological Tissue Matrix:** EPA 3050B

---

The following analytes are included in our Massachusetts DEP Scope of Accreditation

**Westborough Facility:**

**Drinking Water**

**EPA 300.0:** Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,**

**EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B**

**EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

**Non-Potable Water**

**SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH:** Ammonia-N and Kjeldahl-N, **EPA 350.1:**

Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E,**

**SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.

**EPA 624.1:** Volatile Halocarbons & Aromatics,

**EPA 608.3:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

**EPA 625.1:** SVOC (Acid/Base/Neutral Extractables).

**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, EPA 1600, EPA 1603, SM9222D.**

**Mansfield Facility:**

**Drinking Water**

**EPA 200.7:** Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg.**

**EPA 522, EPA 537.1.**

**Non-Potable Water**

**EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

**EPA 245.1 Hg.**

**SM2340B**

---




For a complete listing of analytes and methods, please contact your Alpha Project Manager.

[illegible]

## **Water Drum Disposal Manifests**

<b>NON-HAZARDOUS WASTE MANIFEST</b>		1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone <b>800-535-5053</b>	4. Waste Tracking Number <b>57487</b>																					
		5. Generator's Name and Mailing Address <b>Former Kaddis Manufacturing Facility 293 Patriot Way Rochester, NY 14624</b> <small>Generator's Phone:</small>																								
6. Transporter 1 Company Name <b>Environmental Service Group, Inc</b>		716.695.6720			U.S. EPA ID Number <b>NYD986903904</b>																					
7. Transporter 2 Company Name					U.S. EPA ID Number																					
8. Designated Facility Name and Site Address <b>American Recyclers Company 177 Wales Avenue Tonawanda, NY 14150</b> <small>Facility's Phone:</small>		716.695.6720			U.S. EPA ID Number <b>NYR000030809</b>																					
9. Waste Shipping Name and Description		10. Containers		11. Total Quantity	12. Unit Wt./Vol.																					
		No.	Type																							
1. <b>Non RCRA Non DOT Regulated , (Well Water)</b>		010	Dr	250	P																					
2.																										
3.																										
4.																										
13. Special Handling Instructions and Additional Information <table style="width:100%;"><tr><td><b>ERG:</b></td><td><b>Approval #:</b></td><td><b>Handling Codes:</b></td><td><b>24 Hour Emergency Contact:</b></td></tr><tr><td>1 -</td><td>1 - H-25147T</td><td>1 - None</td><td>INFOTRAC (Caller Must ID</td></tr><tr><td>2 -</td><td>2 -</td><td>2 -</td><td>ESG)</td></tr><tr><td>3 -</td><td>3 -</td><td>3 -</td><td></td></tr><tr><td>4 -</td><td>4 -</td><td>4 -</td><td></td></tr></table>							<b>ERG:</b>	<b>Approval #:</b>	<b>Handling Codes:</b>	<b>24 Hour Emergency Contact:</b>	1 -	1 - H-25147T	1 - None	INFOTRAC (Caller Must ID	2 -	2 -	2 -	ESG)	3 -	3 -	3 -		4 -	4 -	4 -	
<b>ERG:</b>	<b>Approval #:</b>	<b>Handling Codes:</b>	<b>24 Hour Emergency Contact:</b>																							
1 -	1 - H-25147T	1 - None	INFOTRAC (Caller Must ID																							
2 -	2 -	2 -	ESG)																							
3 -	3 -	3 -																								
4 -	4 -	4 -																								
14. GENERATOR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.																										
Generator's/Officer's Printed/Typed Name <b>Emma Spirito</b>		Signature <i>Emma Spirito</i>			Month <b>11</b>	Day <b>18</b>																				
15. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S.		Port of entry/exit: Date leaving U.S.:			Year <b>24</b>																					
16. Transporter Acknowledgment of Receipt of Materials		Signature <i>Cameron Rutherford</i>			Month <b>11</b>	Day <b>18</b>																				
Transporter 1 Printed/Typed Name <b>Cameron Rutherford</b>		Signature <i>[Signature]</i>			Year <b>24</b>																					
Transporter 2 Printed/Typed Name		Signature			Month	Day																				
17. Discrepancy																										
17a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection		Manifest Reference Number:																								
17b. Alternate Facility (or Generator)		U.S. EPA ID Number																								
Facility's Phone:																										
17c. Signature of Alternate Facility (or Generator)		Month Day Year																								
18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a																										
Printed/Typed Name <b>Justin Rainville</b>		Signature <i>Justin Rainville</i>			Month <b>11</b>	Day <b>18</b>																				
					Year <b>24</b>																					



<b>NON-HAZARDOUS WASTE MANIFEST</b>		1. Generator ID Number	2. Page 1 of 1	3. Emergency Response Phone <b>800-535-5053</b>	4. Waste Tracking Number <b>57593</b>	
5. Generator's Name and Mailing Address <b>Former Kaddis Manufacturing Facility 293 Patriot Way Rochester, NY 14624</b>				Generator's Site Address (if different than mailing address)		
6. Transporter 1 Company Name <b>Environmental Service Group, Inc</b>				716.695.6720		U.S. EPA ID Number <b>NYD986903904</b>
7. Transporter 2 Company Name						U.S. EPA ID Number
8. Designated Facility Name and Site Address <b>American Recyclers Company 177 Wales Avenue Tonawanda, NY 14150</b>				716.695.6720		U.S. EPA ID Number <b>NYR000030809</b>
9. Waste Shipping Name and Description		10. Containers		11. Total Quantity	12. Unit Wt./Vol.	
		No.	Type			
1. <b>Non RCRA Non DOT Regulated, (Well Water)</b>		001	DF	220	G	
2. <b>NON RCRA NON DOT REGULATED, (WELL WATER)</b>		002	DM	110	G	
3.						
4.						
13. Special Handling Instructions and Additional Information						
ERG:		Approval #:		Handling Codes: 24 Hour Emergency Contact:		
1 -		1 - H-25147T		1 - None INFOTRAC (Caller Must ID		
2 -		2 - H-25147T		2 - NONE ESG)		
3 -		3 -		3 -		
4 -		4 -		4 -		
14. GENERATOR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.						
Generator's/Officer's Printed/Typed Name <b>Mike Shaw Agent for Kaddis</b>		Signature 		Month   Day   Year <b>11   14   24</b>		
15. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S.		Port of entry/exit: Date leaving U.S.:				
Transporter Signature (for exports only):						
16. Transporter Acknowledgment of Receipt of Materials						
Transporter 1 Printed/Typed Name <b>JAMES FEDESON</b>		Signature 		Month   Day   Year <b>11   14   24</b>		
Transporter 2 Printed/Typed Name		Signature		Month   Day   Year		
17. Discrepancy						
17a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection						
Manifest Reference Number:						
17b. Alternate Facility (or Generator) U.S. EPA ID Number						
Facility's Phone:						
17c. Signature of Alternate Facility (or Generator) Month   Day   Year						
18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a						
Printed/Typed Name <b>Justin Rainville</b>		Signature 		Month   Day   Year <b>11   14   24</b>		

## **Soil Drum Landfill Disposal Approval**

**STEUBEN COUNTY  
DEPARTMENT OF PUBLIC WORKS  
SOLID WASTE DIVISION  
3 EAST PULTENEY SQUARE  
BATH, NEW YORK 14810**

APPLICATION FOR DISPOSAL OF AN  
INDUSTRIAL WASTE STREAM  
BATH LANDFILL – SITE NO. 51S21

*AOC Soil*  
*Approval #: 241114-1*

FOR COUNTY USE	
<input checked="" type="checkbox"/> APPROVED	<input type="checkbox"/> DISAPPROVED
DATE <i>14 Nov 2024</i>	DATE SENT TO DEC <i>14 Nov 2024</i>

**Please Note:** A copy of the approved application must accompany each load.

SEND INVOICE TO: *T+R ENV.*  
~~Roux Environmental Engineering & Geology, D.P.C., 209 Shafter Street, Islandia, 50~~  
New York, 11749

Company Generating Waste: Kaddis Manufacturing Corp.	Address of Generator: 293 Patriot Way, Rochester, NY 14624	Telephone No. 585-766-5521
Representative of Generator: Michael Tedeschi	Address of Generator 6709 Saint Johns Pkwy Victor, New York 14564	Telephone No. 585-766-5521
Description of Process Producing Waste (generator must notify County of any changes to process): Soil drill cuttings from onsite investigations used to delineate an area of impact.		
Expected Annual Waste Production <u>50</u> Tons/Year	Waste Hauled In <input checked="" type="checkbox"/> Roll-Off <input type="checkbox"/> Dump Truck <input type="checkbox"/> Compactor Truck <input type="checkbox"/> Other	
Waste Composition Average Percent Solids <u>98%</u>	Physical State <input type="checkbox"/> Sewage Sludge <input checked="" type="checkbox"/> Stabilized <input type="checkbox"/> Un-stabilized <input type="checkbox"/> Industrial Sludge <input checked="" type="checkbox"/> Solid	
Description of Waste 1) Urban soil/fill 2) 3) 4)		
Is An Analysis of Waste Attached? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Was EPA Toxicity Test Conducted on Waste? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Attach Results	Material is: <input type="checkbox"/> Hazardous <input checked="" type="checkbox"/> Non-Hazardous
Detail All Hazardous and Nuisance Problems Associated with the Waste. List Necessary Safety, Handling, and Disposal Precautions. N/A		
Name of Waste Transporter <i>T+R Environmental</i>	Address <i>7244 SR 415 1304h, NY 14810</i>	NYSDEC Permit No. <i>0A-932</i>
Telephone No. <i>(607) 383-5500</i>		
CERTIFICATION I hereby affirm under penalty of perjury that information provided in this form and attached statements exhibits is true to the best of my knowledge and belief. False statements made herein are punishable as a Class A misdemeanor pursuant to Section 210.45 of the Penal Law.		
Signature and Title of Representative of Waste Generator <i>Michael C. Tedeschi</i> <i>Shareholder's Representative, Kaddis Mfg. Corp</i>		Date <i>11/6/2024</i>
Signature and Title of Representative of Steuben County <i>Steve Crichton, Assistant Commissioner</i>		Date <i>11/14/2024</i>