

Date: January 27, 2025

To: Mr. David G. Pratt, P.E. and Ms. Kathryn Lovell, New York State Department of Environmental Conservation, Region 8, East Avon-Lima Road, Avon, NY 14414

From: Eric A. Warren, Roux Environmental Engineering and Geology, D.P.C.

Subject: **December 2024 Monthly Progress Report**
Patriot Way Site No. 828223
293 Patriot Way, Chili, NY

Roux Environmental Engineering and Geology, D.P.C. (Roux) conducted the second round of post injection well sampling on December 11, 2024 which is within the three-month timeframe from the date of the injection activities per the Remedial Action Work Plan (RAWP) Addendum dated March 2024. The sampling included monitoring wells MW-3 and MW4-B as well as temporary wells TMW-1A and MW-B which were sampled for dissolved iron, total iron, sulfate, nitrate, total organic carbon (TOC) and target compound list (TCL) plus NYSDEC Commissioner Policy 51 (CP-51) VOCs. Please see the attached Alpha Analytical Report # L2472614 and the tabulated results comparing them to NYSDEC Division of Water Groundwater Quality Standards. We left the post remedial groundwater well sampling results in the chart for easy comparison and we marked the columns in green that are the most recent post injection results.

Please feel free to let me know if you have any questions.

Sincerely,

ROUX ENVIRONMENTAL ENGINEERING AND GEOLOGY, D.P.C.

Eric A. Warren

Eric A. Warren
Senior Scientist II/Project Manager

**Tabulated Analytical Results and Alpha Analytical
Report # L2472614**



TABLE 2

SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
PHASE II ENVIRONMENTAL INVESTIGATION
293 PATRIOT WAY
ROCHESTER, NY

PARAMETER ¹	GWQS ²	Sample Location											
		MW-4B	MW-4B	MW-4B	MW-3	MW-3	MW-3	MW-B	MW-B	MW-B	TMW-1A	TMW-1A	TMW-1A
		7/5/2024 ³	10/24/2024 ⁴	12/11/2024 ⁵	7/5/2024 ³	10/24/2024 ⁴	12/11/2024 ⁵	7/5/2024 ³	10/24/2024 ⁴	12/11/2024 ⁵	7/5/2024 ³	10/24/2024 ⁴	12/11/2024 ⁵
Volatile Organic Compounds (VOCs) - ug/L													
1,1-Dchloroethene	5	1.1	ND	ND	0.32 J	ND	ND	ND	ND	ND	ND	ND	ND
Acetone	50	ND	ND	4.8 J	ND	ND	9.6	ND	ND	3.9 J	ND	1.5 J	ND
Benzene	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.16 J	ND	ND
Cis-1,2-Dichloroethene	5	120	ND	2 J	100	ND	ND	1.7 J	1.2 J	ND	0.8 J	0.76 J	ND
Cyclohexane	--	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.87 J	ND
Methyl Acetate	--	ND	ND	0.92 J	ND	ND	1.7 J	ND	ND	ND	ND	ND	ND
Methylcyclohexane	--	ND	ND	ND	ND	ND	ND	ND	1.4 J	ND	ND	1.5 J	ND
p-Isopropyltoluene	5	ND	ND	ND	ND	ND	ND	ND	ND	3.4	ND	ND	ND
Tetrachloroethene	5	ND	ND	ND	3.8	ND	ND	1.3	1.1	0.19 J	ND	ND	ND
Trichloroethene	5	180	ND	8.8	82	ND	2.2	11	9.4	1.4	3.1	4.2	4.3
Trans-1,2- Dichloroethene	5	25	ND	ND	2.6	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl Chloride	2	10	ND	0.47 J	0.66 J	ND	ND	ND	ND	ND	ND	ND	ND
Dissolved Metals - ug/L													
Iron Total	--	0.000757	0.00711	4.8	0.000224	0.0178	3.29	0.108	0.118	23.6	0.0976	0.0494	13.1
Iron Dissolved	--	0.0002	0.0025	0.521	0.0000315 J	0.00126 J	ND	0.0000574	0.00502	0.0215 J	0.0000646	0.000758	ND
General Chemistry - ug/L													
Nitrogen, Nitrate/ Nitrite	--	ND	ND	ND	0.00019	ND	ND	0.0017	0.00138	0.309	0.013	0.0213	13.5
Total Organic Carbon	--	0.00195	0.15	47	0.00248	0.36	94	0.00532	0.0039	2.4	0.0263	0.011	7.4
Anions- ug/L													
Sulfate	--	0.0677	0.032	6.5 J	0.0428	0.031	1.7 J	0.0284	0.022	29	0.0347	0.031	28

Notes:

- Only those parameters detected at a minimum of one sample location are presented in this table; all other compounds were reported as non-detect.
- Values per NYSDCE Division of Water Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations - Class GA (TOGS 1.1.1)
- Post Remediation Analytical Report L2462191
- Post Injection Analytical Report L2462191
- Post Injection Analytical Report L2472614

Definitions:

ND = Parameter not detected above laboratory detection limit.
"--" = Sample not analyzed for parameter or no SCO available for the parameter.
J = Estimated Value - Below calibration range.

BOLD = Result exceeds GWQS.



ANALYTICAL REPORT

Lab Number:	L2472614
Client:	Roux 2558 Hamburg Turnpike Suite 300 Buffalo, NY 14218
ATTN:	Eric Warren
Phone:	(716) 856-0599
Project Name:	293 PATRIOT WAY
Project Number:	4351.0001B000-03
Report Date:	12/18/24

The original project report/data package is held by Pace Analytical Services. This report/data package is paginated and should be reproduced only in its entirety. Pace Analytical Services holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0826), IL (200077), IN (C-MA-03), KY (KY98045), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), OR (MA-1316), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #525-23-122-91930A1).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: 293 PATRIOT WAY**Project Number:** 4351.0001B000-03**Lab Number:** L2472614**Report Date:** 12/18/24

Lab Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2472614-01	MW-4B	WATER	ROCHESTER, NY	12/11/24 09:45	12/11/24
L2472614-02	MW-3	WATER	ROCHESTER, NY	12/11/24 11:00	12/11/24
L2472614-03	TMW-1A	WATER	ROCHESTER, NY	12/11/24 13:00	12/11/24
L2472614-04	MW-B	WATER	ROCHESTER, NY	12/11/24 12:00	12/11/24

Project Name: 293 PATRIOT WAY
Project Number: 4351.0001B000-03

Lab Number: L2472614
Report Date: 12/18/24

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Pace Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments and solids are reported on a dry weight basis unless otherwise noted. Tissues are reported "as received" or on a wet weight basis, unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Pace's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Pace Project Manager and made arrangements for Pace to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: 293 PATRIOT WAY
Project Number: 4351.0001B000-03

Lab Number: L2472614
Report Date: 12/18/24

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:  Melissa Sturgis

Title: Technical Director/Representative

Date: 12/18/24

ORGANICS

VOLATILES

Project Name: 293 PATRIOT WAY
Project Number: 4351.0001B000-03

Lab Number: L2472614
Report Date: 12/18/24

SAMPLE RESULTS

Lab ID: L2472614-01
Client ID: MW-4B
Sample Location: ROCHESTER, NY

Date Collected: 12/11/24 09:45
Date Received: 12/11/24
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 1,8260D
Analytical Date: 12/16/24 13:43
Analyst: MJV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	0.47	J	ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	8.8		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

Project Name: 293 PATRIOT WAY**Lab Number:** L2472614**Project Number:** 4351.0001B000-03**Report Date:** 12/18/24**SAMPLE RESULTS****Lab ID:** L2472614-01**Date Collected:** 12/11/24 09:45**Client ID:** MW-4B**Date Received:** 12/11/24**Sample Location:** ROCHESTER, NY**Field Prep:** Not Specified**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.17	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	2.0	J	ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	4.8	J	ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	0.92	J	ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	105		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	93		70-130
Dibromofluoromethane	104		70-130



Project Name: 293 PATRIOT WAY**Lab Number:** L2472614**Project Number:** 4351.0001B000-03**Report Date:** 12/18/24**SAMPLE RESULTS**

Lab ID: L2472614-02
 Client ID: MW-3
 Sample Location: ROCHESTER, NY

Date Collected: 12/11/24 11:00
 Date Received: 12/11/24
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 12/16/24 14:09
 Analyst: MJV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	2.2		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

Project Name: 293 PATRIOT WAY**Lab Number:** L2472614**Project Number:** 4351.0001B000-03**Report Date:** 12/18/24**SAMPLE RESULTS**

Lab ID: L2472614-02
 Client ID: MW-3
 Sample Location: ROCHESTER, NY

Date Collected: 12/11/24 11:00
 Date Received: 12/11/24
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.17	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	9.6		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	1.7	J	ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	104		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	95		70-130
Dibromofluoromethane	108		70-130



Project Name: 293 PATRIOT WAY
Project Number: 4351.0001B000-03

Lab Number: L2472614
Report Date: 12/18/24

SAMPLE RESULTS

Lab ID: L2472614-03
Client ID: TMW-1A
Sample Location: ROCHESTER, NY

Date Collected: 12/11/24 13:00
Date Received: 12/11/24
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 1,8260D
Analytical Date: 12/16/24 14:34
Analyst: MJV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	4.3		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

Project Name: 293 PATRIOT WAY**Lab Number:** L2472614**Project Number:** 4351.0001B000-03**Report Date:** 12/18/24**SAMPLE RESULTS**

Lab ID: L2472614-03
 Client ID: TMW-1A
 Sample Location: ROCHESTER, NY

Date Collected: 12/11/24 13:00
 Date Received: 12/11/24
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.17	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	104		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	91		70-130
Dibromofluoromethane	103		70-130



Project Name: 293 PATRIOT WAY
Project Number: 4351.0001B000-03

Lab Number: L2472614
Report Date: 12/18/24

SAMPLE RESULTS

Lab ID: L2472614-04
Client ID: MW-B
Sample Location: ROCHESTER, NY

Date Collected: 12/11/24 12:00
Date Received: 12/11/24
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 1,8260D
Analytical Date: 12/16/24 14:59
Analyst: MJV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	0.19	J	ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	1.4		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

Project Name: 293 PATRIOT WAY**Lab Number:** L2472614**Project Number:** 4351.0001B000-03**Report Date:** 12/18/24**SAMPLE RESULTS**

Lab ID: L2472614-04
 Client ID: MW-B
 Sample Location: ROCHESTER, NY

Date Collected: 12/11/24 12:00
 Date Received: 12/11/24
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.17	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	3.9	J	ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	3.4		ug/l	2.5	0.70	1
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	106		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	92		70-130
Dibromofluoromethane	101		70-130



Project Name: 293 PATRIOT WAY
Project Number: 4351.0001B000-03

Lab Number: L2472614
Report Date: 12/18/24

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260D
 Analytical Date: 12/16/24 11:09
 Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-04 Batch: WG2010286-5					
Methylene chloride	ND		ug/l	2.5	0.70
1,1-Dichloroethane	ND		ug/l	2.5	0.70
Chloroform	ND		ug/l	2.5	0.70
Carbon tetrachloride	ND		ug/l	0.50	0.13
1,2-Dichloropropane	ND		ug/l	1.0	0.14
Dibromochloromethane	ND		ug/l	0.50	0.15
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50
Tetrachloroethene	ND		ug/l	0.50	0.18
Chlorobenzene	ND		ug/l	2.5	0.70
Trichlorofluoromethane	ND		ug/l	2.5	0.70
1,2-Dichloroethane	ND		ug/l	0.50	0.13
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70
Bromodichloromethane	ND		ug/l	0.50	0.19
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14
Bromoform	ND		ug/l	2.0	0.65
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17
Benzene	ND		ug/l	0.50	0.16
Toluene	ND		ug/l	2.5	0.70
Ethylbenzene	ND		ug/l	2.5	0.70
Chloromethane	ND		ug/l	2.5	0.70
Bromomethane	ND		ug/l	2.5	0.70
Vinyl chloride	ND		ug/l	1.0	0.07
Chloroethane	ND		ug/l	2.5	0.70
1,1-Dichloroethene	ND		ug/l	0.50	0.17
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Trichloroethene	ND		ug/l	0.50	0.18
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70



Project Name: 293 PATRIOT WAY
Project Number: 4351.0001B000-03

Lab Number: L2472614
Report Date: 12/18/24

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260D
 Analytical Date: 12/16/24 11:09
 Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-04 Batch: WG2010286-5					
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70
Methyl tert butyl ether	ND		ug/l	2.5	0.17
p/m-Xylene	ND		ug/l	2.5	0.70
o-Xylene	ND		ug/l	2.5	0.70
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Styrene	ND		ug/l	2.5	0.70
Dichlorodifluoromethane	ND		ug/l	5.0	1.0
Acetone	ND		ug/l	5.0	1.5
Carbon disulfide	ND		ug/l	5.0	1.0
2-Butanone	ND		ug/l	5.0	1.9
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0
2-Hexanone	ND		ug/l	5.0	1.0
Bromochloromethane	ND		ug/l	2.5	0.70
1,2-Dibromoethane	ND		ug/l	2.0	0.65
n-Butylbenzene	ND		ug/l	2.5	0.70
sec-Butylbenzene	ND		ug/l	2.5	0.70
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70
Isopropylbenzene	ND		ug/l	2.5	0.70
p-Isopropyltoluene	ND		ug/l	2.5	0.70
n-Propylbenzene	ND		ug/l	2.5	0.70
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70
Methyl Acetate	ND		ug/l	2.0	0.23
Cyclohexane	ND		ug/l	10	0.27
1,4-Dioxane	ND		ug/l	250	61.
Freon-113	ND		ug/l	2.5	0.70
Methyl cyclohexane	ND		ug/l	10	0.40

Project Name: 293 PATRIOT WAY
Project Number: 4351.0001B000-03

Lab Number: L2472614
Report Date: 12/18/24

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 12/16/24 11:09
Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-04 Batch: WG2010286-5					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	101		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	95		70-130
Dibromofluoromethane	98		70-130

Lab Control Sample Analysis **Batch Quality Control**

Project Name: 293 PATRIOT WAY

Project Number: 4351.0001B000-03

Lab Number: L2472614

Report Date: 12/18/24

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-04 Batch: WG2010286-3 WG2010286-4								
Methylene chloride	99		78		70-130	24	Q	20
1,1-Dichloroethane	90		74		70-130	20		20
Chloroform	100		99		70-130	1		20
Carbon tetrachloride	93		90		63-132	3		20
1,2-Dichloropropane	87		85		70-130	2		20
Dibromochloromethane	100		100		63-130	0		20
1,1,2-Trichloroethane	100		100		70-130	0		20
Tetrachloroethene	100		97		70-130	3		20
Chlorobenzene	100		97		75-130	3		20
Trichlorofluoromethane	88		77		62-150	13		20
1,2-Dichloroethane	92		90		70-130	2		20
1,1,1-Trichloroethane	94		92		67-130	2		20
Bromodichloromethane	100		98		67-130	2		20
trans-1,3-Dichloropropene	100		99		70-130	1		20
cis-1,3-Dichloropropene	99		95		70-130	4		20
Bromoform	100		110		54-136	10		20
1,1,2,2-Tetrachloroethane	96		92		67-130	4		20
Benzene	100		98		70-130	2		20
Toluene	100		96		70-130	4		20
Ethylbenzene	98		94		70-130	4		20
Chloromethane	68		57	Q	64-130	18		20
Bromomethane	76		64		39-139	17		20
Vinyl chloride	75		60		55-140	22	Q	20

Lab Control Sample Analysis **Batch Quality Control**

Project Name: 293 PATRIOT WAY

Project Number: 4351.0001B000-03

Lab Number: L2472614

Report Date: 12/18/24

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-04 Batch: WG2010286-3 WG2010286-4								
Chloroethane	83		68		55-138	20		20
1,1-Dichloroethene	94		75		61-145	22	Q	20
trans-1,2-Dichloroethene	100		81		70-130	21	Q	20
Trichloroethene	96		93		70-130	3		20
1,2-Dichlorobenzene	98		94		70-130	4		20
1,3-Dichlorobenzene	100		93		70-130	7		20
1,4-Dichlorobenzene	100		96		70-130	4		20
Methyl tert butyl ether	110		92		63-130	18		20
p/m-Xylene	100		95		70-130	5		20
o-Xylene	100		95		70-130	5		20
cis-1,2-Dichloroethene	100		100		70-130	0		20
Styrene	100		100		70-130	0		20
Dichlorodifluoromethane	68		57		36-147	18		20
Acetone	83		84		58-148	1		20
Carbon disulfide	96		74		51-130	26	Q	20
2-Butanone	100		100		63-138	0		20
4-Methyl-2-pentanone	87		84		59-130	4		20
2-Hexanone	85		84		57-130	1		20
Bromochloromethane	110		100		70-130	10		20
1,2-Dibromoethane	100		99		70-130	1		20
n-Butylbenzene	90		85		53-136	6		20
sec-Butylbenzene	91		85		70-130	7		20
1,2-Dibromo-3-chloropropane	92		87		41-144	6		20

Lab Control Sample Analysis **Batch Quality Control**

Project Name: 293 PATRIOT WAY

Lab Number: L2472614

Project Number: 4351.0001B000-03

Report Date: 12/18/24

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-04 Batch: WG2010286-3 WG2010286-4								
Isopropylbenzene	91		89		70-130	2		20
p-Isopropyltoluene	91		87		70-130	4		20
n-Propylbenzene	92		87		69-130	6		20
1,2,3-Trichlorobenzene	93		91		70-130	2		20
1,2,4-Trichlorobenzene	99		93		70-130	6		20
1,3,5-Trimethylbenzene	90		87		64-130	3		20
1,2,4-Trimethylbenzene	92		89		70-130	3		20
Methyl Acetate	85		79		70-130	7		20
Cyclohexane	71		69	Q	70-130	3		20
1,4-Dioxane	142		136		56-162	4		20
Freon-113	89		74		70-130	18		20
Methyl cyclohexane	89		87		70-130	2		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	99		101		70-130
Toluene-d8	100		100		70-130
4-Bromofluorobenzene	94		93		70-130
Dibromofluoromethane	103		105		70-130

METALS

Project Name: 293 PATRIOT WAY**Lab Number:** L2472614**Project Number:** 4351.0001B000-03**Report Date:** 12/18/24**SAMPLE RESULTS**

Lab ID: L2472614-01

Date Collected: 12/11/24 09:45

Client ID: MW-4B

Date Received: 12/11/24

Sample Location: ROCHESTER, NY

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
-----------	--------	-----------	-------	----	-----	--------------------	------------------	------------------	----------------	----------------------	---------

Total Metals - Mansfield Lab

Iron, Total	4.80		mg/l	0.0500	0.0191	1	12/15/24 16:41	12/16/24 16:33	EPA 3005A	1,6020B	NTB
-------------	------	--	------	--------	--------	---	----------------	----------------	-----------	---------	-----

Dissolved Metals - Mansfield Lab

Iron, Dissolved	0.521		mg/l	0.0500	0.0191	1	12/17/24 12:25	12/17/24 17:31	EPA 3005A	1,6020B	NTB
-----------------	-------	--	------	--------	--------	---	----------------	----------------	-----------	---------	-----



Project Name: 293 PATRIOT WAY**Lab Number:** L2472614**Project Number:** 4351.0001B000-03**Report Date:** 12/18/24**SAMPLE RESULTS**

Lab ID: L2472614-02

Date Collected: 12/11/24 11:00

Client ID: MW-3

Date Received: 12/11/24

Sample Location: ROCHESTER, NY

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
-----------	--------	-----------	-------	----	-----	--------------------	------------------	------------------	----------------	----------------------	---------

Total Metals - Mansfield Lab

Iron, Total	3.29		mg/l	0.0500	0.0191	1	12/15/24 16:41	12/16/24 16:38	EPA 3005A	1,6020B	NTB
-------------	------	--	------	--------	--------	---	----------------	----------------	-----------	---------	-----

Dissolved Metals - Mansfield Lab

Iron, Dissolved	ND		mg/l	0.0500	0.0191	1	12/17/24 12:25	12/17/24 17:36	EPA 3005A	1,6020B	NTB
-----------------	----	--	------	--------	--------	---	----------------	----------------	-----------	---------	-----



Project Name: 293 PATRIOT WAY**Lab Number:** L2472614**Project Number:** 4351.0001B000-03**Report Date:** 12/18/24**SAMPLE RESULTS**

Lab ID: L2472614-03

Date Collected: 12/11/24 13:00

Client ID: TMW-1A

Date Received: 12/11/24

Sample Location: ROCHESTER, NY

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
-----------	--------	-----------	-------	----	-----	--------------------	------------------	------------------	----------------	----------------------	---------

Total Metals - Mansfield Lab

Iron, Total	13.1		mg/l	0.0500	0.0191	1	12/15/24 16:41	12/16/24 16:42	EPA 3005A	1,6020B	NTB
-------------	------	--	------	--------	--------	---	----------------	----------------	-----------	---------	-----

Dissolved Metals - Mansfield Lab

Iron, Dissolved	ND		mg/l	0.0500	0.0191	1	12/17/24 12:25	12/17/24 17:41	EPA 3005A	1,6020B	NTB
-----------------	----	--	------	--------	--------	---	----------------	----------------	-----------	---------	-----



Project Name: 293 PATRIOT WAY
Project Number: 4351.0001B000-03

Lab Number: L2472614
Report Date: 12/18/24

SAMPLE RESULTS

Lab ID: L2472614-04
 Client ID: MW-B
 Sample Location: ROCHESTER, NY

Date Collected: 12/11/24 12:00
 Date Received: 12/11/24
 Field Prep: Not Specified

Sample Depth:
 Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
-----------	--------	-----------	-------	----	-----	-----------------	---------------	---------------	-------------	-------------------	---------

Total Metals - Mansfield Lab

Iron, Total	23.6		mg/l	0.0500	0.0191	1	12/15/24 16:41	12/16/24 16:47	EPA 3005A	1,6020B	NTB
-------------	------	--	------	--------	--------	---	----------------	----------------	-----------	---------	-----

Dissolved Metals - Mansfield Lab

Iron, Dissolved	0.0215	J	mg/l	0.0500	0.0191	1	12/17/24 12:25	12/17/24 17:45	EPA 3005A	1,6020B	NTB
-----------------	--------	---	------	--------	--------	---	----------------	----------------	-----------	---------	-----



Project Name: 293 PATRIOT WAY

Lab Number: L2472614

Project Number: 4351.0001B000-03

Report Date: 12/18/24

Method Blank Analysis Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01-04 Batch: WG2009434-1										
Iron, Total	ND		mg/l	0.0500	0.0191	1	12/15/24 16:41	12/16/24 14:46	1,6020B	NTB

Prep Information

Digestion Method: EPA 3005A

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Dissolved Metals - Mansfield Lab for sample(s): 01-04 Batch: WG2010152-1										
Iron, Dissolved	ND		mg/l	0.0500	0.0191	1	12/17/24 12:25	12/17/24 16:44	1,6020B	NTB

Prep Information

Digestion Method: EPA 3005A



Lab Control Sample Analysis **Batch Quality Control**

Project Name: 293 PATRIOT WAY

Project Number: 4351.0001B000-03

Lab Number: L2472614

Report Date: 12/18/24

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-04 Batch: WG2009434-2								
Iron, Total	104		-		80-120	-		
Dissolved Metals - Mansfield Lab Associated sample(s): 01-04 Batch: WG2010152-2								
Iron, Dissolved	91		-		80-120	-		

Matrix Spike Analysis

Batch Quality Control

Project Name: 293 PATRIOT WAY

Lab Number: L2472614

Project Number: 4351.0001B000-03

Report Date: 12/18/24

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-04 QC Batch ID: WG2009434-3 WG2009434-4 QC Sample: L2472464-01 Client ID: MS Sample												
Iron, Total	0.174	1	1.32	115		1.24	107		75-125	6		20
Dissolved Metals - Mansfield Lab Associated sample(s): 01-04 QC Batch ID: WG2010152-3 QC Sample: L2472100-01 Client ID: MS Sample												
Iron, Dissolved	0.0397J	1	1.06	106		-	-		75-125	-		20

Lab Duplicate Analysis
*Batch Quality Control***Project Name:** 293 PATRIOT WAY**Project Number:** 4351.0001B000-03**Lab Number:** L2472614**Report Date:** 12/18/24

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Dissolved Metals - Mansfield Lab Associated sample(s): 01-04 QC Batch ID: WG2010152-4 QC Sample: L2472100-01 Client ID: DUP Sample						
Iron, Dissolved	0.0397J	0.0439J	mg/l	NC		20

INORGANICS & MISCELLANEOUS

Project Name: 293 PATRIOT WAY

Project Number: 4351.0001B000-03

Lab Number: L2472614

Report Date: 12/18/24

SAMPLE RESULTS

Lab ID: L2472614-01

Client ID: MW-4B

Sample Location: ROCHESTER, NY

Date Collected: 12/11/24 09:45

Date Received: 12/11/24

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Nitrogen, Nitrate	ND		mg/l	0.100	0.022	1	-	12/13/24 06:46	121,4500NO3-F	KAF
Sulfate	6.5	J	mg/l	10	1.4	1	12/16/24 16:00	12/16/24 16:00	121,4500SO4-E	MRW
Total Organic Carbon	47.		mg/l	5.0	0.97	10	-	12/16/24 02:08	1,9060A	DEW



Project Name: 293 PATRIOT WAY

Project Number: 4351.0001B000-03

Lab Number: L2472614

Report Date: 12/18/24

SAMPLE RESULTS

Lab ID: L2472614-02

Client ID: MW-3

Sample Location: ROCHESTER, NY

Date Collected: 12/11/24 11:00

Date Received: 12/11/24

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Nitrogen, Nitrate	ND		mg/l	0.100	0.022	1	-	12/13/24 06:17	121,4500NO3-F	KAF
Sulfate	1.7	J	mg/l	10	1.4	1	12/16/24 16:00	12/16/24 16:00	121,4500SO4-E	MRW
Total Organic Carbon	94.		mg/l	10	1.9	20	-	12/16/24 02:08	1,9060A	DEW



Project Name: 293 PATRIOT WAY

Project Number: 4351.0001B000-03

Lab Number: L2472614

Report Date: 12/18/24

SAMPLE RESULTS

Lab ID: L2472614-03

Client ID: TMW-1A

Sample Location: ROCHESTER, NY

Date Collected: 12/11/24 13:00

Date Received: 12/11/24

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Nitrogen, Nitrate	13.5		mg/l	1.00	0.228	10	-	12/13/24 07:55	121,4500NO3-F	KAF
Sulfate	28.		mg/l	20	2.7	2	12/16/24 16:00	12/16/24 16:00	121,4500SO4-E	MRW
Total Organic Carbon	7.4		mg/l	2.0	0.39	4	-	12/16/24 02:08	1,9060A	DEW



Project Name: 293 PATRIOT WAY

Project Number: 4351.0001B000-03

Lab Number: L2472614

Report Date: 12/18/24

SAMPLE RESULTS

Lab ID: L2472614-04

Client ID: MW-B

Sample Location: ROCHESTER, NY

Date Collected: 12/11/24 12:00

Date Received: 12/11/24

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Nitrogen, Nitrate	0.309		mg/l	0.100	0.022	1	-	12/13/24 06:47	121,4500NO3-F	KAF
Sulfate	29.		mg/l	10	1.4	1	12/18/24 11:30	12/18/24 11:30	121,4500SO4-E	MRW
Total Organic Carbon	2.4		mg/l	0.50	0.09	1	-	12/16/24 02:08	1,9060A	DEW



Project Name: 293 PATRIOT WAY
Project Number: 4351.0001B000-03

Lab Number: L2472614
Report Date: 12/18/24

Method Blank Analysis
Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01-04 Batch: WG2008679-1										
Nitrogen, Nitrate	ND		mg/l	0.100	0.022	1	-	12/13/24 05:19	121,4500NO3-F	KAF
General Chemistry - Westborough Lab for sample(s): 01-04 Batch: WG2009516-1										
Total Organic Carbon	ND		mg/l	0.50	0.09	1	-	12/16/24 02:08	1,9060A	DEW
General Chemistry - Westborough Lab for sample(s): 01-03 Batch: WG2009705-1										
Sulfate	2.2	J	mg/l	10	1.4	1	12/16/24 16:00	12/16/24 16:00	121,4500SO4-E	MRW
General Chemistry - Westborough Lab for sample(s): 04 Batch: WG2010681-1										
Sulfate	1.9	J	mg/l	10	1.4	1	12/18/24 11:30	12/18/24 11:30	121,4500SO4-E	MRW



Lab Control Sample Analysis **Batch Quality Control**

Project Name: 293 PATRIOT WAY

Project Number: 4351.0001B000-03

Lab Number: L2472614

Report Date: 12/18/24

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-04 Batch: WG2008679-2								
Nitrogen, Nitrate	101		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01-04 Batch: WG2009516-2								
Total Organic Carbon	106		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01-03 Batch: WG2009705-2								
Sulfate	105		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 04 Batch: WG2010681-2								
Sulfate	105		-		90-110	-		

Matrix Spike Analysis

Batch Quality Control

Project Name: 293 PATRIOT WAY
Project Number: 4351.0001B000-03

Lab Number: L2472614
Report Date: 12/18/24

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG2008679-4 QC Sample: L2472545-01 Client ID: MS Sample												
Nitrogen, Nitrate	ND	4	3.93	98		-	-		83-113	-		17
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG2009516-4 QC Sample: L2472174-01 Client ID: MS Sample												
Total Organic Carbon	52000	128000	170000	95		-	-		80-120	-		20
General Chemistry - Westborough Lab Associated sample(s): 01-03 QC Batch ID: WG2009705-4 QC Sample: L2472333-04 Client ID: MS Sample												
Sulfate	30.	80	120	111		-	-		55-147	-		14
General Chemistry - Westborough Lab Associated sample(s): 04 QC Batch ID: WG2010681-4 QC Sample: L2473162-06 Client ID: MS Sample												
Sulfate	38.	100	140	103		-	-		55-147	-		14

Lab Duplicate Analysis

Batch Quality Control

Project Name: 293 PATRIOT WAY
Project Number: 4351.0001B000-03

Lab Number: L2472614
Report Date: 12/18/24

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG2008679-3 QC Sample: L2472545-01 Client ID: DUP Sample						
Nitrogen, Nitrate	ND	ND	mg/l	NC		17
General Chemistry - Westborough Lab Associated sample(s): 01-04 QC Batch ID: WG2009516-3 QC Sample: L2472174-01 Client ID: DUP Sample						
Total Organic Carbon	52000	51000	mg/l	2		20
General Chemistry - Westborough Lab Associated sample(s): 01-03 QC Batch ID: WG2009705-3 QC Sample: L2472333-04 Client ID: DUP Sample						
Sulfate	30.	30	mg/l	0		14
General Chemistry - Westborough Lab Associated sample(s): 04 QC Batch ID: WG2010681-3 QC Sample: L2473162-06 Client ID: DUP Sample						
Sulfate	38.	38	mg/l	0		14

Project Name: 293 PATRIOT WAY**Lab Number:** L2472614**Project Number:** 4351.0001B000-03**Report Date:** 12/18/24**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

Cooler Information

Cooler	Custody Seal
A	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2472614-01A	Vial HCl preserved	A	NA		2.0	Y	Absent		NYTCL-8260-R2(14)
L2472614-01B	Vial HCl preserved	A	NA		2.0	Y	Absent		NYTCL-8260-R2(14)
L2472614-01C	Vial HCl preserved	A	NA		2.0	Y	Absent		NYTCL-8260-R2(14)
L2472614-01D	Vial H2SO4 preserved	A	NA		2.0	Y	Absent		TOC-9060(28)
L2472614-01E	Vial H2SO4 preserved	A	NA		2.0	Y	Absent		TOC-9060(28)
L2472614-01F	Plastic 250ml unpreserved	A	7	7	2.0	Y	Absent		-
L2472614-01G	Plastic 250ml unpreserved	A	7	7	2.0	Y	Absent		SO4-4500(28),NO3-4500(2)
L2472614-01H	Plastic 250ml HNO3 preserved	A	<2	<2	2.0	Y	Absent		FE-6020T(180)
L2472614-01X	Plastic 120ml HNO3 preserved Filtrates	A	NA		2.0	Y	Absent		FE-6020S(180)
L2472614-02A	Vial HCl preserved	A	NA		2.0	Y	Absent		NYTCL-8260-R2(14)
L2472614-02B	Vial HCl preserved	A	NA		2.0	Y	Absent		NYTCL-8260-R2(14)
L2472614-02C	Vial HCl preserved	A	NA		2.0	Y	Absent		NYTCL-8260-R2(14)
L2472614-02D	Vial H2SO4 preserved	A	NA		2.0	Y	Absent		TOC-9060(28)
L2472614-02E	Vial H2SO4 preserved	A	NA		2.0	Y	Absent		TOC-9060(28)
L2472614-02F	Plastic 250ml unpreserved	A	7	7	2.0	Y	Absent		-
L2472614-02G	Plastic 250ml unpreserved	A	7	7	2.0	Y	Absent		SO4-4500(28),NO3-4500(2)
L2472614-02H	Plastic 250ml HNO3 preserved	A	<2	<2	2.0	Y	Absent		FE-6020T(180)
L2472614-02X	Plastic 120ml HNO3 preserved Filtrates	A	NA		2.0	Y	Absent		FE-6020S(180)
L2472614-03A	Vial HCl preserved	A	NA		2.0	Y	Absent		NYTCL-8260-R2(14)
L2472614-03B	Vial HCl preserved	A	NA		2.0	Y	Absent		NYTCL-8260-R2(14)
L2472614-03C	Vial HCl preserved	A	NA		2.0	Y	Absent		NYTCL-8260-R2(14)
L2472614-03D	Vial H2SO4 preserved	A	NA		2.0	Y	Absent		TOC-9060(28)
L2472614-03E	Vial H2SO4 preserved	A	NA		2.0	Y	Absent		TOC-9060(28)

Project Name: 293 PATRIOT WAY
Project Number: 4351.0001B000-03

Serial_No:12182417:02
Lab Number: L2472614
Report Date: 12/18/24

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2472614-03F	Plastic 250ml unpreserved	A	7	7	2.0	Y	Absent		-
L2472614-03G	Plastic 250ml unpreserved	A	7	7	2.0	Y	Absent		SO4-4500(28),NO3-4500(2)
L2472614-03H	Plastic 250ml HNO3 preserved	A	<2	<2	2.0	Y	Absent		FE-6020T(180)
L2472614-03X	Plastic 120ml HNO3 preserved Filtrates	A	NA		2.0	Y	Absent		FE-6020S(180)
L2472614-04A	Vial HCl preserved	A	NA		2.0	Y	Absent		NYTCL-8260-R2(14)
L2472614-04B	Vial HCl preserved	A	NA		2.0	Y	Absent		NYTCL-8260-R2(14)
L2472614-04C	Vial HCl preserved	A	NA		2.0	Y	Absent		NYTCL-8260-R2(14)
L2472614-04D	Vial H2SO4 preserved	A	NA		2.0	Y	Absent		TOC-9060(28)
L2472614-04E	Vial H2SO4 preserved	A	NA		2.0	Y	Absent		TOC-9060(28)
L2472614-04F	Plastic 250ml unpreserved	A	7	7	2.0	Y	Absent		-
L2472614-04G	Plastic 250ml unpreserved	A	7	7	2.0	Y	Absent		SO4-4500(28),NO3-4500(2)
L2472614-04H	Plastic 250ml HNO3 preserved	A	<2	<2	2.0	Y	Absent		FE-6020T(180)
L2472614-04X	Plastic 120ml HNO3 preserved Filtrates	A	NA		2.0	Y	Absent		FE-6020S(180)

Project Name: 293 PATRIOT WAY
Project Number: 4351.0001B000-03

Lab Number: L2472614
Report Date: 12/18/24

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
	Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers



Project Name: 293 PATRIOT WAY
Project Number: 4351.0001B000-03

Lab Number: L2472614
Report Date: 12/18/24

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

Report Format: DU Report with 'J' Qualifiers



Project Name: 293 PATRIOT WAY
Project Number: 4351.0001B000-03

Lab Number: L2472614
Report Date: 12/18/24

Data Qualifiers

Identified Compounds (TICs). For calculated parameters, this represents that one or more values used in the calculation were estimated.

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Project Name: 293 PATRIOT WAY
Project Number: 4351.0001B000-03

Lab Number: L2472614
Report Date: 12/18/24

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - VI, 2018.
- 121 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WEF. Standard Methods Online.

LIMITATION OF LIABILITIES

Pace Analytical Services performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Pace Analytical Services shall be to re-perform the work at it's own expense. In no event shall Pace Analytical Services be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Pace Analytical Services.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Pace Analytical Services LLCFacility: **Northeast**Department: **Quality Assurance**Title: **Certificate/Approval Program Summary**ID No.: **17873**Revision **23**Published Date: **12/09/2024**Page **1** of **1****Certification Information**

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility – 8 Walkup Dr. Westborough, MA 01581**EPA 624.1:** m/p-xylene, o-xylene, Naphthalene**EPA 625.1:** alpha-Terpineol**EPA 8260D:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.**EPA 8270E:** NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpineol, Azobenzene; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.**SM4500:** NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.**Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048****SM 2540D:** TSS.**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Nonpotable Water: **EPA RSK-175 Dissolved Gases****Biological Tissue Matrix:** EPA 3050B**Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048****EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Nonpotable Water: **EPA RSK-175 Dissolved Gases**

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility – 8 Walkup Dr. Westborough, MA 01581**Drinking Water****EPA 300.0:** Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,****EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B****EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.****Non-Potable Water****SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH:** Ammonia-N and Kjeldahl-N, **EPA 350.1:**Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E,****SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.**EPA 624.1:** Volatile Halocarbons & Aromatics,**EPA 608.3:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II,

Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables).**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, EPA 1600, EPA 1603, SM9222D.****Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048****Drinking Water****EPA 200.7:** Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg.****EPA 522, EPA 537.1.****Non-Potable Water****EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.**EPA 245.1 Hg.****SM2340B**

For a complete listing of analytes and methods, please contact your Project Manager.

Page 46 of 46