

**FINAL REPORT**

**RECEIVED**

**AUG 23 2000**

**DER/HAZ. WASTE REMED  
REGION 8**

**INTERIM REMEDIAL MEASURE  
QUARTERLY PROGRESS REPORT  
(APRIL – JUNE 2000)**

**FORMER GRIFFIN TECHNOLOGY FACILITY  
FARMINGTON, NEW YORK  
INDEX NO. (B8-315-90-01)**

Prepared for:  
Diebold, Inc.  
Canton, Ohio

August 16, 2000

**URS**

800 West St. Clair Avenue  
Cleveland, Ohio 44113  
216-622-2400  
Project No. 38-06E06191.03

# CERTIFICATION

## INTERIM REMEDIAL MEASURE QUARTERLY PROGRESS REPORT

APRIL - JUNE 2000


**GRIFFIN TECHNOLOGY, INC. FACILITY**

**TOWN OF FARMINGTON**

**ONTARIO COUNTY, NEW YORK**

The enclosed Quarterly Progress Report has been reviewed by the undersigned and found to be consistent with the requirements of the Order on Consent (Index No. B8-315-90-01) entered into by the New York State Department of Environmental Conservation and Griffin Technology, Inc.

Name: Martin S. Leonard P.E.  
Title: Consulting Professional Engineer  
Date: August 17, 2000





## Table of Contents

<b>Section 1</b>	<b>Introduction .....</b>	<b>1-1</b>
<b>Section 2</b>	<b>Scope of Work .....</b>	<b>2-1</b>
	2.1 Hydraulic Head Measurement .....	2-1
	2.2 Effluent Monitoring, Sampling and Analysis .....	2-1
	2.3 Completion of New Sanitary Sewer Connection .....	2-1
<b>Section 3</b>	<b>Quarterly Monitoring Results .....</b>	<b>3-1</b>
	3.1 Effluent Operating Data and Analytical Results .....	3-1
	3.2 Hydraulic Head Measurement Results .....	3-1
<b>Section 4</b>	<b>Summary .....</b>	<b>4-1</b>

### List of Tables

Table 1	Summary of Effluent Discharges to POTW
Table 2	Summary of Groundwater Elevations: April – June 2000

### List of Figures

Figure 1	General Location Map
Figure 2	IRM System Layout
Figure 3	Overburden Groundwater Contour Map – April 14, 2000
Figure 4	Overburden Groundwater Contour Map – May 15, 2000
Figure 5	Overburden Groundwater Contour Map – June 13, 2000
Figure 6	Bedrock Groundwater Contour Map – April 14, 2000
Figure 7	Bedrock Groundwater Contour Map – May 15, 2000
Figure 8	Bedrock Groundwater Contour Map – June 13, 2000

### List of Appendices

Appendix A	Effluent Analytical Results: April – June 2000
------------	--



This report presents the information collected by URS Corporation (URS), formerly URS Greiner Woodward Clyde, between April and June 2000 during operation of the Interim Remedial Measure (IRM) system at the Griffin Technology, Inc. (GTI) site located at 6132 Victor-Manchester Road in the Town of Farmington, Ontario County, New York. The IRM system consists of four wells equipped with groundwater extraction pumps, which have been plumbed to discharge groundwater into the local sanitary sewer system. A general location map is included as Figure 1. The system layout is shown in Figure 2.

The IRM system was proposed in the *IRM Work Plan* submitted to the New York State Department of Environmental Conservation (NYSDEC) on July 10, 1996. The Work Plan was prepared in accordance with the Order on Consent agreement (Index No. B8-315-90-01) entered into by GTI and the NYSDEC. Information supporting the selected IRM, such as a Field Sampling Plan (FSP), Quality Assurance Project Plan (QAPP), and Health and Safety Plan (HASP) were included in the Work Plan.

On September 27, 1996, GTI submitted an *Interim Remedial Measure Program, Final Design Document* to the NYSDEC. This document contained the proposed layout and detail drawings for the IRM system and a copy of the letter approving the discharge of recovered groundwater into the local publicly-owned treatment works (POTW) sanitary sewer.

During December 1996 and January 1997, the IRM components were installed at the site. The components included three recovery wells (RW-1 through RW-3) and one deep monitoring well with the potential to be converted to a recovery well in the future. Following approval by the NYSDEC and the Canandagua-Farmington Water and Sewer District to discharge recovery water into the sanitary sewer system, the system was placed on-line with three recovery wells. The IRM system began operating on February 18, 1997. Between April and June 1999, one deep monitoring well (MW-2D) was converted to a recovery well (RW-4) and brought online.

In April 1999, a subsurface soil investigation was conducted at the GTI site to evaluate current soil conditions west of the manufacturing building. The scope of work and results are detailed in the *Soil Investigation Report*, dated June 25, 1999.

The activities performed during this three-month period of operation are described in Section 2.0. Information collected during this period of operation is presented in Section 3.0. Summary information is presented in Section 4.0.



The activities performed during this quarter of IRM operation consisted of measuring monitoring well groundwater elevations, recording the quantity of water discharged by the IRM system, collecting samples of the IRM system effluent for laboratory analysis, and connecting the IRM system to the new sanitary sewer. Each of these activities is described in greater detail below.

## **2.1 HYDRAULIC HEAD MEASUREMENT**

During this quarter of IRM operation, hydraulic head (groundwater elevation) measurements were collected an average of twice per month from each on-site groundwater well and piezometer and off-site monitoring well MW-11D. Hydraulic head measurements were also collected monthly from off-site monitoring wells MW-6S and MW-6D. These off-site wells are located in the immediate vicinity of the IRM system. Measurements were collected using an electronic water level indicator capable of measuring the water elevation to the nearest 0.01 feet.

## **2.2 EFFLUENT MONITORING, SAMPLING AND ANALYSIS**

At the end of each month of operation, the quantity of effluent discharged by the IRM system was recorded from a totalizing flow meter located on the common header discharge in the Central Access Vault. The value from the preceding months operation was subtracted from this value in order to determine the monthly effluent discharge to the Farmington Water and Sewer District wastewater treatment facility. In addition, a sample of the effluent was collected monthly from a sample port located on the header discharge in the Central Access Vault in order to evaluate the quality of the groundwater being recovered by the IRM system. The effluent samples were submitted to Columbia Analytical Services, Inc. (CASI) for analysis of volatile organic compounds (VOCs) by United States Environmental Protection Agency (USEPA) Test Method 8260. The analytical results of the samples collected were used to report estimated loadings to the POTW.

## **2.3 COMPLETION OF NEW SANITARY SEWER CONNECTION**

On April 7, 2000, the recovery system discharge was disconnected from the sanitary sewer on the central parcel of the GTI site (where the former GTI building is located). The 1-inch diameter discharge piping that had been connected to the clean out on the central parcel was removed by pulling. The recovery system discharge was then connected to the new sanitary sewer main crossing at the clean out on the western parcel.



Data collected and analytical results obtained during this quarter of IRM system operation are presented in the following subsections.

### **3.1 EFFLUENT OPERATING DATA AND ANALYTICAL RESULTS**

A summary of the operating data and effluent analysis collected during each month of the IRM system operation is presented in Table 1. The results indicate that groundwater containing chemicals of concern (COCs) is being removed from underneath the GTI site. The only COC detected in the effluent samples during this quarter was trichloroethene (TCE). These results are consistent with earlier results, except that previously identified COCs, such as 1,1,1-trichloroethane (1,1,1-TCA), cis-1,2-dichloroethene (cis-1,2-DCE) and vinyl chloride, were not detected during this quarter.

Historically, TCE has consistently been the compound with the highest reported concentration in the effluent samples. The concentrations of TCE in the system effluent were generally slightly lower than during the previous quarter. Laboratory data sheets for the effluent sampling during this quarter are provided in Appendix A.

The quantity of water discharged by the system was higher than during previous quarter. The monthly discharge was slightly higher at the beginning of the quarter and slightly lower at the end of the quarter. The quantity of water discharged by the system appears to correlate with seasonal changes in groundwater elevations.

### **3.2 HYDRAULIC HEAD MEASUREMENT RESULTS**

Hydraulic head measurements collected during this quarter of IRM system operation are presented in Table 2. These data were used to prepare monthly groundwater elevation and flow maps for the overburden and bedrock groundwater zones (Figures 3 through 8).

During this quarter of operation, groundwater elevations were relatively high in April and the beginning of May 2000 and then decreased during the remainder of the quarter. The groundwater contour maps from the GTI site indicate that groundwater in the overburden water-bearing zone typically flows to the south or southwest. In the bedrock water-bearing zone, groundwater generally appeared to flow toward a groundwater low area near the southwest corner of the site, in the vicinity of RW-03. The data indicate that the IRM system is continuing to influence groundwater flow patterns at the GTI site. These data are consistent with previous observed site conditions.



Based on the information collected during this quarterly monitoring period of IRM system operation, the following summary has been developed regarding environmental conditions at the GTI site:

- TCE was the only COC detected in the system effluent during this quarter. The concentrations of TCE in the IRM system effluent were generally slightly lower than during the previous quarter. The effluent TCE concentrations appear to be higher during periods of lower groundwater elevations and lower during periods of higher groundwater elevations.
- The monthly quantity of groundwater discharged by the IRM system was slightly higher at the beginning of the quarter and slightly lower at the end of the quarter. The quantity of groundwater discharged by the system appears to correlate with seasonal changes in groundwater elevations, with lower discharge and groundwater elevations in late summer, fall, and early winter and higher discharge and groundwater elevations in late winter, spring, and early summer.
- Groundwater elevations were at relatively high levels in April and the beginning of May 2000 and then decreased during the remainder of this quarter of operation.
- Groundwater flow in the overburden water-bearing zone at this site is primarily to the south and southwest. This is consistent with previous reports for the GTI site.
- The IRM system is affecting groundwater flow patterns in the vicinity of the GTI facility. The groundwater elevation data indicate the presence of a groundwater low in the bedrock water-bearing zone in the southwest portion of the site, which is in the immediate vicinity of the IRM system.

Data collection activities during the next quarter of IRM operation will consist of the same activities performed during the previous quarter of operation. The next semi-annual sampling of all groundwater monitoring wells is scheduled to be completed in September 2000.

## Tables



**TABLE 1**  
**SUMMARY OF EFFLUENT DISCHARGES TO POTW**  
**GRIFFIN TECHNOLOGY FACILITY**  
**FARMINGTON, NEW YORK**

MONTH	DISCHARGE (GAL.)	CONCENTRATIONS				
		TCE	1,1,1-TCA	Cis-1,2-DCE	2-BUTANONE	VINYL CHLORIDE
March 1997	320,150	610	14	6.5	ND	ND
April 1997	362,132	240	5.8	6	ND	ND
May 1997	235,601	360	9.8	ND	ND	ND
June 1997	213,976	380	12	10	ND	ND
July 1997	135,320	570	16	15	ND	ND
August 1997	68,270	700	21	13	26.0	ND
September 1997	70,218	810	ND	ND	ND	ND
October 1997	90,717	880	18	10	ND	ND
November 1997	93,914	690	17	12	ND	ND
December 1997	210,268	420	ND	ND	ND	ND
January 1998	456,551	250	ND	ND	ND	ND
February 1998	191,493	180	ND	ND	ND	ND
March 1998	387,910	200	5.4	ND	ND	ND
April 1998	352,742	150	ND	ND	ND	ND
May 1998	191,088	250	ND	ND	ND	ND
June 1998	96,750	320	7.5	ND	ND	ND
July 1998	270,973	200	ND	ND	ND	ND
August 1998	68,147	400	13	12	ND	ND
September 1998	44,030	510	14	15	ND	ND
October 1998	66,160	400	ND	ND	ND	ND

**Notes:**

1. All results expressed in micrograms per liter ( $\mu\text{g/l}$ ).
2. No other VOC compounds detected.
3. ND indicates not detected.

**TABLE 1**  
**SUMMARY OF EFFLUENT DISCHARGES TO POTW**  
**GRIFFIN TECHNOLOGY FACILITY**  
**FARMINGTON, NEW YORK**

MONTH	DISCHARGE (GAL.)	CONCENTRATIONS				
		TCE	1,1,1-TCA	Cis-1,2-DCE	2-BUTANONE	VINYL CHLORIDE
November 1998	44,150	440	12	ND	ND	ND
December 1998	43,580	590	22	19	ND	ND
January 1999	33,531	660	ND	ND	ND	ND
February 1999	144,720	230	ND	ND	ND	ND
March 1999	139,410	140	ND	12.0	ND	17
April 1999	188,610	170	ND	ND	ND	ND
May 1999	199,541	250	ND	ND	ND	ND
June 1999	75,780	370	ND	ND	ND	ND
July 1999	72,359	510	14	ND	ND	ND
August 1999	55,841	490	15	7.5	ND	ND
September 1999	64,019	450	ND	ND	ND	ND
October 1999	64,350	500	ND	ND	ND	ND
November 1999	58,261	450	ND	ND	ND	ND
December 1999	75,250	420	ND	ND	ND	ND
January 2000	107,879	410	10	ND	ND	ND
February 2000	149,221	460	12	5.6	ND	ND
March 2000	333,840	310	ND	ND	ND	ND
April 2000	384,419	350	ND	ND	ND	ND
May 2000	398,590	250	ND	ND	ND	ND
June 2000	282,710	360	ND	ND	ND	ND

**Notes:**

1. All results expressed in micrograms per liter ( $\mu\text{g/l}$ ).
2. No other VOC compounds detected.
3. ND indicates not detected.



**TABLE 2**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**APRIL - JUNE 2000**  
**GRIFFIN TECHNOLOGY, INC.**  
**FARMINGTON, NEW YORK**

Well ID	Top of Casing Elevation (ft)	Date	Depth to Groundwater (ft)	Groundwater Elevation (ft)
MW-01	641.79	04/14/00	4.00	637.79
		04/28/00	4.19	637.60
		05/15/00	3.58	638.21
		05/31/00	4.92	636.87
		06/13/00	5.98	635.81
		06/30/00	5.91	635.88
MW-02S	641.28	04/14/00	6.41	634.87
		04/28/00	6.78	634.50
		05/15/00	5.02	636.26
		05/31/00	7.99	633.29
		06/13/00	9.45	631.83
		06/30/00	9.65	631.63
MW-2D	642.37	Monitoring well converted to recovery well RW-4.		
MW-03	642.17	04/14/00	5.91	636.26
		04/28/00	6.52	635.65
		05/15/00	4.99	637.18
		05/31/00	7.81	634.36
		06/13/00	11.72	630.45
		06/30/00	10.51	631.66
MW-04	641.75	04/14/00	7.68	634.07
		04/28/00	8.15	633.60
		05/15/00	6.37	635.38
		05/31/00	10.00	631.75
		06/13/00	13.57	628.18
		06/30/00	12.69	629.06

## NOTES

NM indicates water elevation not measured.

DRY indicates well did not contain groundwater.

**TABLE 2**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**APRIL - JUNE 2000**  
**GRIFFIN TECHNOLOGY, INC.**  
**FARMINGTON, NEW YORK**

Well ID	Top of Casing Elevation (ft)	Date	Depth to Groundwater (ft)	Groundwater Elevation (ft)
MW-05S	640.85	04/14/00	8.99	631.86
		04/28/00	9.50	631.35
		05/15/00	7.68	633.17
		05/31/00	11.20	629.65
		06/13/00	15.18	625.67
		06/30/00	13.91	626.94
MW-05D	641.01	04/14/00	15.00	626.01
		04/28/00	15.32	625.69
		05/15/00	14.12	626.89
		05/31/00	16.29	624.72
		06/13/00	17.95	623.06
		06/30/00	17.17	623.84
MW-06S	636.61	04/14/00	4.17	632.44
		04/28/00	NM	NM
		05/15/00	3.47	633.14
		05/31/00	NM	NM
		06/13/00	9.98	626.63
		06/30/00	NM	NM
MW-06D	636.83	04/14/00	4.45	632.38
		04/28/00	NM	NM
		05/15/00	3.65	633.18
		05/31/00	NM	NM
		06/13/00	9.92	626.91
		06/30/00	NM	NM

## NOTES

NM indicates water elevation not measured.

DRY indicates well did not contain groundwater.



**TABLE 2**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**APRIL - JUNE 2000**  
**GRIFFIN TECHNOLOGY, INC.**  
**FARMINGTON, NEW YORK**

Well ID	Top of Casing Elevation (ft)	Date	Depth to Groundwater (ft)	Groundwater Elevation (ft)
MW-07S	634.29	04/14/00	NM	NM
		04/28/00	NM	NM
		05/15/00	NM	NM
		05/31/00	NM	NM
		06/13/00	NM	NM
		06/30/00	NM	NM
MW-07D	634.16	04/14/00	NM	NM
		04/28/00	NM	NM
		05/15/00	NM	NM
		05/31/00	NM	NM
		06/13/00	NM	NM
		06/30/00	NM	NM
MW-09S	630.16	04/14/00	NM	NM
		04/28/00	NM	NM
		05/15/00	NM	NM
		05/31/00	NM	NM
		06/13/00	NM	NM
		06/30/00	NM	NM
MW-09D	630.29	04/14/00	NM	NM
		04/28/00	NM	NM
		05/15/00	NM	NM
		05/31/00	NM	NM
		06/13/00	NM	NM
		06/30/00	NM	NM

## NOTES

NM indicates water elevation not measured.

DRY indicates well did not contain groundwater.

**TABLE 2**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**APRIL - JUNE 2000**  
**GRIFFIN TECHNOLOGY, INC.**  
**FARMINGTON, NEW YORK**

Well ID	Top of Casing Elevation (ft)	Date	Depth to Groundwater (ft)	Groundwater Elevation (ft)
MW-10S	629.00	04/14/00	NM	NM
		04/28/00	NM	NM
		05/15/00	NM	NM
		05/31/00	NM	NM
		06/13/00	NM	NM
		06/30/00	NM	NM
MW-10D	626.80	04/14/00	NM	NM
		04/28/00	NM	NM
		05/15/00	NM	NM
		05/31/00	NM	NM
		06/13/00	NM	NM
		06/30/00	NM	NM
MW-11D	641.89	04/14/00	6.92	634.97
		04/28/00	7.77	634.12
		05/15/00	6.32	635.57
		05/31/00	9.97	631.92
		06/13/00	12.14	629.75
		06/30/00	11.30	630.59
MW-13D	636.58	04/14/00	NM	NM
		04/28/00	NM	NM
		05/15/00	NM	NM
		05/31/00	NM	NM
		06/13/00	NM	NM
		06/30/00	NM	NM

## NOTES

NM indicates water elevation not measured.

DRY indicates well did not contain groundwater.



**TABLE 2**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**APRIL - JUNE 2000**  
**GRIFFIN TECHNOLOGY, INC.**  
**FARMINGTON, NEW YORK**

Well ID	Top of Casing Elevation (ft)	Date	Depth to Groundwater (ft)	Groundwater Elevation (ft)
PZ-1S	640.50	04/14/00	6.70	633.80
		04/28/00	7.25	633.25
		05/15/00	5.28	635.22
		05/31/00	9.48	631.02
		06/13/00	DRY	DRY
		06/30/00	DRY	DRY
PZ-1D	640.67	04/14/00	6.86	633.81
		04/28/00	7.41	633.26
		05/15/00	5.44	635.23
		05/31/00	9.62	631.05
		06/13/00	13.08	627.59
		06/30/00	11.98	628.69
PZ-2S	639.73	04/14/00	9.62	630.11
		04/28/00	9.90	629.83
		05/15/00	8.32	631.41
		05/31/00	11.28	628.45
		06/13/00	14.32	625.41
		06/30/00	13.20	626.53
PZ-2D	640.01	04/14/00	10.92	629.09
		04/28/00	11.12	628.89
		05/15/00	9.62	630.39
		05/31/00	12.38	627.63
		06/13/00	15.10	624.91
		06/30/00	13.99	626.02

## NOTES



NM indicates water elevation not measured.

DRY indicates well did not contain groundwater.

**Figures**



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
VICTOR, NEW YORK  
1971 PHOTOREVISED 1978  
CANANDAIGUA, NEW YORK  
1951 PHOTOREVISED 1978




**GENERAL LOCATION MAP**  
**FORMER GRIFFIN TECHNOLOGY INC. - ONTARIO COUNTY - FARMINGTON, NEW YORK**

DRAWN BY: MMS	CHECKED BY: MTS	PROJECT NUMBER: 6E06191	DATE: 6-18-99	FIGURE NO: 1
---------------	-----------------	-------------------------	---------------	--------------

**URS Greiner Woodward Clyde**







Q:\6E06191\BASEMAP4.DWG

**URS Greiner Woodward Clyde**





# OVERBURDEN GROUNDWATER CONTOUR MAP

APRIL 14, 2000

GRIFFIN TECHNOLOGY, INC. - FARMINGTON, NEW YORK


DRAWN BY: ERB

CHECKED BY: MTS


PROJECT NUMBER: 6E06191

DATE: 7/27/00

FIGURE NO: 3



- LEGEND**
- MW-5S MONITORING WELL
  - RW-01 RECOVERY WELL
  - PZ-01S/D PIEZOMETER (SHALLOW/DEEP)
  - MARKER POST
  - BENCHMARK
  - 634 — GROUNDWATER CONTOUR LINE (CONTOUR INTERVAL = 1 FOOT)
  - ← GROUNDWATER FLOW DIRECTION
  - (633.17) GROUNDWATER ELEVATION
  - - - - - PROPERTY BOUNDARIES
  - CL CENTERLINE



## OVERBURDEN GROUNDWATER CONTOUR MAP

MAY 15, 2000

GRIFFIN TECHNOLOGY, INC. - FARMINGTON, NEW YORK

DRAWN BY: ERB


CHECKED BY: MTS

PROJECT NUMBER: 6E06191


DATE: 7/27/00

FIGURE NO: 4






**URS Greiner Woodward Clyde**



Q:\6E06191\2QF6.DWG


**URS Greiner Woodward Clyde**





Q:\6E06191\2QF7.DWG

**URS Greiner Woodward Clyde**




Q:\6E06191\2QF8.DWG

**URS Greiner Woodward Clyde**



## Appendix A



A FULL SERVICE ENVIRONMENTAL LABORATORY

May 2, 2000

Mr. Mark Schmidt  
URS Greiner Woodward Clyde  
30775 Bainbridge Road  
Suite 200  
Solon, OH 44139

PROJECT: GRIFFIN IRM  
Submission #: R2001655

Dear Mr. Schmidt

Enclosed are the analytical results of the analyses requested. All data has been reviewed prior to report submission. Should you have any questions please contact me at (716) 288-5380.

Thank you for letting us provide this service.


Sincerely,

COLUMBIA ANALYTICAL SERVICES

Mark Wilson  
Client Service Manager

Enc.





1 Mustard ST.  
Suite 250  
Rochester, NY 14609

THIS IS AN ANALYTICAL TEST REPORT FOR:


Client : URS Greiner Woodward Clyde  
Project Reference: GRIFFIN IRM  
Lab Submission # : R2001655  
Reported : 05/02/00

Report Contains a total of 7 pages

The results reported herein relate only to the samples received by the laboratory. This report may not be reproduced except in full, without the approval of Columbia Analytical Services.

This package has been reviewed by Columbia Analytical Services' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal. *Michael K. P.*

00001



**CASE NARRATIVE**

This report contains analytical results for the following samples:

Submission #: R2001655

Lab ID

371915

Client ID

EFF-4-14-00

All samples were received in good condition.

All samples have been analyzed by the approved methods cited on the analytical results pages.

All holding times and associated QC were within limits.

No analytical or QC problems were encountered.





Effective 04/01/96

### CAS LIST OF QUALIFIERS

(The basis of this proposal are the EPA-CLP Qualifiers)

- U - Indicates compound was analyzed for but was not detected. The sample quantitation limit must be corrected for dilution and for percent moisture.
- J - Indicates an estimated value. For further explanation see case narrative / cover letter.
- B - This flag is used when the analyte is found in the associated blank as well as in the sample.
- E - This flag identifies compounds whose concentrations exceed the calibration range.
- A - This flag indicates that a TIC is a suspected aldol-condensation product.
- N - Spiked sample recovery not within control limits.  
(Flag the entire batch - Inorganic analysis only)
- \* - Duplicate analysis not within control limits.  
(Flag the entire batch - Inorganic analysis only)
  - Also used to qualify Organics QC data outside limits.
- D - Spike diluted out.
- S - Reported value determined by Method of Standard Additions. (MSA)
- X - As specified in the case narrative.

### CAS Lab ID # for State Certifications

NY ID # in Rochester: 10145  
CT ID # in Rochester: PH0556  
MA ID # in Rochester: M-NY032  
OH EPA # in Rochester: VAP

NJ ID # in Rochester: 73004  
RI ID # in Rochester: 158  
NH ID # in Rochester: 294198-A  
AIHA # in Rochester: 7889



## COLUMBIA ANALYTICAL SERVICES

## VOLATILE ORGANICS

METHOD 8260B TCL

Reported: 05/02/00

URS Greiner Woodward Clyde

Project Reference: GRIFFIN IRM

Client Sample ID : EFF-4-14-00

Date Sampled : 04/14/00 11:55 Order #: 371915  
Date Received: 04/14/00 Submission #: R2001655Sample Matrix: WATER  
Analytical Run 50036

ANALYTE	PQL	RESULT	UNITS
DATE ANALYZED	: 04/24/00		
ANALYTICAL DILUTION:	2.00		
ACETONE	20	40 U	UG/L
BENZENE	5.0	10 U	UG/L
BROMODICHLOROMETHANE	5.0	10 U	UG/L
BROMOFORM	5.0	10 U	UG/L
BROMOMETHANE	5.0	10 U	UG/L
2-BUTANONE (MEK)	10	20 U	UG/L
CARBON DISULFIDE	10	20 U	UG/L
CARBON TETRACHLORIDE	5.0	10 U	UG/L
CHLOROBENZENE	5.0	10 U	UG/L
CHLOROETHANE	5.0	10 U	UG/L
CHLOROFORM	5.0	10 U	UG/L
CHLOROMETHANE	5.0	10 U	UG/L
DIBROMOCHLOROMETHANE	5.0	10 U	UG/L
1,1-DICHLOROETHANE	5.0	10 U	UG/L
1,2-DICHLOROETHANE	5.0	10 U	UG/L
1,1-DICHLOROETHENE	5.0	10 U	UG/L
CIS-1,2-DICHLOROETHENE	5.0	10 U	UG/L
TRANS-1,2-DICHLOROETHENE	5.0	10 U	UG/L
1,2-DICHLOROPROPANE	5.0	10 U	UG/L
CIS-1,3-DICHLOROPROPENE	5.0	10 U	UG/L
TRANS-1,3-DICHLOROPROPENE	5.0	10 U	UG/L
ETHYLBENZENE	5.0	10 U	UG/L
2-HEXANONE	10	20 U	UG/L
METHYLENE CHLORIDE	5.0	10 U	UG/L
4-METHYL-2-PENTANONE (MIBK)	10	20 U	UG/L
STYRENE	5.0	10 U	UG/L
1,1,2,2-TETRACHLOROETHANE	5.0	10 U	UG/L
TETRACHLOROETHENE	5.0	10 U	UG/L
TOLUENE	5.0	10 U	UG/L
1,1,1-TRICHLOROETHANE	5.0	10 U	UG/L
1,1,2-TRICHLOROETHANE	5.0	10 U	UG/L
TRICHLOROETHENE	5.0	350	UG/L
VINYL CHLORIDE	5.0	10 U	UG/L
O-XYLENE	5.0	10 U	UG/L
M+P-XYLENE	5.0	10 U	UG/L

## SURROGATE RECOVERIES

## QC LIMITS

4-BROMOFLUOROBENZENE	(86 - 115 %)	105	%
TOLUENE-D8	(88 - 110 %)	99	%
DIBROMOFLUOROMETHANE	(86 - 118 %)	109	%

00004



## COLUMBIA ANALYTICAL SERVICES

## VOLATILE ORGANICS

METHOD 8260B TCL

Reported: 05/02/00

Project Reference:

Client Sample ID : METHOD BLANK

Date Sampled :

Order #: 375931

Sample Matrix: WATER

Date Received:

Submission #:

Analytical Run 50036

ANALYTE	PQL	RESULT	UNITS
DATE ANALYZED : 04/24/00			
ANALYTICAL DILUTION: 1.00			
ACETONE	20	20 U	UG/L
BENZENE	5.0	5.0 U	UG/L
BROMODICHLOROMETHANE	5.0	5.0 U	UG/L
BROMOFORM	5.0	5.0 U	UG/L
BROMOMETHANE	5.0	5.0 U	UG/L
2-BUTANONE (MEK)	10	10 U	UG/L
CARBON DISULFIDE	10	10 U	UG/L
CARBON TETRACHLORIDE	5.0	5.0 U	UG/L
CHLOROBENZENE	5.0	5.0 U	UG/L
CHLOROETHANE	5.0	5.0 U	UG/L
CHLOROFORM	5.0	5.0 U	UG/L
CHLOROMETHANE	5.0	5.0 U	UG/L
DIBROMOCHLOROMETHANE	5.0	5.0 U	UG/L
1,1-DICHLOROETHANE	5.0	5.0 U	UG/L
1,2-DICHLOROETHANE	5.0	5.0 U	UG/L
1,1-DICHLOROETHENE	5.0	5.0 U	UG/L
CIS-1,2-DICHLOROETHENE	5.0	5.0 U	UG/L
TRANS-1,2-DICHLOROETHENE	5.0	5.0 U	UG/L
1,2-DICHLOROPROPANE	5.0	5.0 U	UG/L
CIS-1,3-DICHLOROPROPENE	5.0	5.0 U	UG/L
TRANS-1,3-DICHLOROPROPENE	5.0	5.0 U	UG/L
ETHYLBENZENE	5.0	5.0 U	UG/L
2-HEXANONE	10	10 U	UG/L
METHYLENE CHLORIDE	5.0	5.0 U	UG/L
4-METHYL-2-PENTANONE (MIBK)	10	10 U	UG/L
STYRENE	5.0	5.0 U	UG/L
1,1,2,2-TETRACHLOROETHANE	5.0	5.0 U	UG/L
TETRACHLOROETHENE	5.0	5.0 U	UG/L
TOLUENE	5.0	5.0 U	UG/L
1,1,1-TRICHLOROETHANE	5.0	5.0 U	UG/L
1,1,2-TRICHLOROETHANE	5.0	5.0 U	UG/L
TRICHLOROETHENE	5.0	5.0 U	UG/L
VINYL CHLORIDE	5.0	5.0 U	UG/L
O-XYLENE	5.0	5.0 U	UG/L
M+P-XYLENE	5.0	5.0 U	UG/L


## SURROGATE RECOVERIES

## QC LIMITS

4-BROMOFLUOROBENZENE	(86 - 115 %)	103	%
TOLUENE-D8	(88 - 110 %)	97	%
DIBROMOFLUOROMETHANE	(86 - 118 %)	114	%

00005





**Columbia  
Analytical  
Services INC.**

Mustard St., Suite 250, Rochester, NY 14609-69245  
(716) 288-5380 • FAX (716) 288-8475

## CHAIN OF CUSTODY/LABORATORY ANALYSIS REQUEST FORM

DATE 11-14-00 PAGE 1 OF 1

[illegible]



**Columbia Analytical Services Inc.**  
Cooler Receipt And Preservation Check Form

Project/Client URS GWC Submission Number R2-1655

Cooler received on 4/14/00 by: yg COURIER: CAS UPS FEDEX CD&L CLIENT

1. Were custody seals on outside of cooler? YES (NO) : Date \_\_\_\_\_ : Signature \_\_\_\_\_
2. Were custody papers properly filled out (ink, signed, etc.)? YES NO
3. Did all bottles arrive in good condition (unbroken)? YES NO
4. Were VOA vials checked for absence of air bubbles, and noted if so? YES NO
5. Were Ice or Ice packs present? YES NO
6. Where did the bottles originate? CAS/ROC, CLIENT
7. Temperature of cooler(s) upon receipt: 4°C

Is the temperature within 0° - 6° C?: Yes ☒ Yes ☐ Yes ☐ Yes ☐ Yes ☐

If No, Explain Below No ☐ No ☐ No ☐ No ☐ No ☐

Date/Time Temperatures Taken: 4/14/00 @ 1236

Thermometer ID: \_\_\_\_\_ Temp Blank Sample Bottle Cooler Temp. IR Gun

If out of Temperature, Client Approval to Run Samples \_\_\_\_\_

Cooler Breakdown: Date: 4/17/00 by: yg

1. Were all bottle labels complete (i.e. analysis, preservation, etc.)? YES NO
2. Did all bottle labels and tags agree with custody papers? YES NO
3. Were correct bottles used for the tests indicated? YES NO

Explain any discrepancies: \_\_\_\_\_

		YES	NO	Sample ID.	Reagent	Vol. Added
pH	Reagent					
12	NaOH					
2	HNO <sub>3</sub>					
2	H <sub>2</sub> SO <sub>4</sub>					
5-9*	P/PCBs (608 only)					

YES = All samples OK

NO = Samples were preserved at lab as listed

PC OK to adjust pH \_\_\_\_\_


\*If pH adjustment is required, use NaOH and/or H<sub>2</sub>SO<sub>4</sub>

VOC Vial pH Verification (Tested after Analysis) Following Samples Exhibited pH > 2					

Other Comments:







A FULL SERVICE ENVIRONMENTAL LABORATORY

June 6, 2000

Mr. Mark Schmidt  
URS Greiner Woodward Clyde  
30775 Bainbridge Road  
Suite 200  
Solon, OH 44139

PROJECT: GRIFFIN IRM  
Submission #: R2002051

Dear Mr. Schmidt

Enclosed are the analytical results of the analyses requested. All data has been reviewed prior to report submission. Should you have any questions please contact me at (716) 288-5380.


Thank you for letting us provide this service.

Sincerely,

COLUMBIA ANALYTICAL SERVICES

Mark Wilson  
Client Service Manager

Enc.



1 Mustard ST.  
Suite 250  
Rochester, NY 14609

THIS IS AN ANALYTICAL TEST REPORT FOR:

Client : URS Greiner Woodward Clyde  
Project Reference: GRIFFIN IRM  
Lab Submission # : R2002051  
Reported : 06/06/00


Report Contains a total of 7 pages

The results reported herein relate only to the samples received by the laboratory. This report may not be reproduced except in full, without the approval of Columbia Analytical Services.

This package has been reviewed by Columbia Analytical Services' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal. *Michael K. P.*

00001





**CASE NARRATIVE**

This report contains analytical results for the following samples:

Submission #: R2002051

Lab ID

379517

Client ID

EFF-5-15-00

All samples were received in good condition.

All samples have been analyzed by the approved methods cited on the analytical results pages.

All holding times and associated QC were within limits.

No analytical or QC problems were encountered.

00002



Effective 04/01/96

### CAS LIST OF QUALIFIERS

(The basis of this proposal are the EPA-CLP Qualifiers)

- U - Indicates compound was analyzed for but was not detected. The sample quantitation limit must be corrected for dilution and for percent moisture.
- J - Indicates an estimated value. For further explanation see case narrative / cover letter.
- B - This flag is used when the analyte is found in the associated blank as well as in the sample.
- E - This flag identifies compounds whose concentrations exceed the calibration range.
- A - This flag indicates that a TIC is a suspected aldol-condensation product.
- N - Spiked sample recovery not within control limits.  
(Flag the entire batch - Inorganic analysis only)
- \* - Duplicate analysis not within control limits.  
(Flag the entire batch - Inorganic analysis only)
  - Also used to qualify Organics QC data outside limits.
- D - Spike diluted out.
- S - Reported value determined by Method of Standard Additions. (MSA)
- X - As specified in the case narrative.

### CAS Lab ID # for State Certifications

NY ID # in Rochester: 10145  
CT ID # in Rochester: PH0556  
MA ID # in Rochester: M-NY032  
OH EPA # in Rochester: VAP

NJ ID # in Rochester: 73004  
RI ID # in Rochester: 158  
NH ID # in Rochester: 294198-A  
AIHA # in Rochester: 7889



## COLUMBIA ANALYTICAL SERVICES

## VOLATILE ORGANICS

METHOD 8260B TCL

Reported: 06/06/00

URS Greiner Woodward Clyde

Project Reference: GRIFFIN IRM

Client Sample ID : EFF-5-15-00

Date Sampled : 05/15/00 11:45 Order #: 379517  
Date Received: 05/15/00 Submission #: R2002051Sample Matrix: WATER  
Analytical Run 51299

ANALYTE	PQL	RESULT	UNITS
DATE ANALYZED	: 05/25/00		
ANALYTICAL DILUTION:	2.00		
ACETONE	20	40 U	UG/L
BENZENE	5.0	10 U	UG/L
BROMODICHLOROMETHANE	5.0	10 U	UG/L
BROMOFORM	5.0	10 U	UG/L
BROMOMETHANE	5.0	10 U	UG/L
2-BUTANONE (MEK)	10	20 U	UG/L
CARBON DISULFIDE	10	20 U	UG/L
CARBON TETRACHLORIDE	5.0	10 U	UG/L
CHLOROBENZENE	5.0	10 U	UG/L
CHLOROETHANE	5.0	10 U	UG/L
CHLOROFORM	5.0	10 U	UG/L
CHLOROMETHANE	5.0	10 U	UG/L
DIBROMOCHLOROMETHANE	5.0	10 U	UG/L
1,1-DICHLOROETHANE	5.0	10 U	UG/L
1,2-DICHLOROETHANE	5.0	10 U	UG/L
1,1-DICHLOROETHENE	5.0	10 U	UG/L
CIS-1,2-DICHLOROETHENE	5.0	10 U	UG/L
TRANS-1,2-DICHLOROETHENE	5.0	10 U	UG/L
1,2-DICHLOROPROPANE	5.0	10 U	UG/L
CIS-1,3-DICHLOROPROPENE	5.0	10 U	UG/L
TRANS-1,3-DICHLOROPROPENE	5.0	10 U	UG/L
ETHYLBENZENE	5.0	10 U	UG/L
2-HEXANONE	10	20 U	UG/L
METHYLENE CHLORIDE	5.0	10 U	UG/L
4-METHYL-2-PENTANONE (MIBK)	10	20 U	UG/L
STYRENE	5.0	10 U	UG/L
1,1,2,2-TETRACHLOROETHANE	5.0	10 U	UG/L
TETRACHLOROETHENE	5.0	10 U	UG/L
TOLUENE	5.0	10 U	UG/L
1,1,1-TRICHLOROETHANE	5.0	10 U	UG/L
1,1,2-TRICHLOROETHANE	5.0	10 U	UG/L
TRICHLOROETHENE	5.0	250	UG/L
VINYL CHLORIDE	5.0	10 U	UG/L
O-XYLENE	5.0	10 U	UG/L
M+P-XYLENE	5.0	10 U	UG/L

## SURROGATE RECOVERIES

## QC LIMITS

4-BROMOFLUOROBENZENE	(86 - 115 %)	96	%
TOLUENE-D8	(88 - 110 %)	100	%
DIBROMOFLUOROMETHANE	(86 - 118 %)	110	%

00004



## COLUMBIA ANALYTICAL SERVICES

## VOLATILE ORGANICS

METHOD 8260B TCL

Reported: 06/06/00

Project Reference:

Client Sample ID : METHOD BLANK

Date Sampled :

Order #: 383694

Sample Matrix: WATER

Date Received:

Submission #:

Analytical Run 51299

ANALYTE	PQL	RESULT	UNITS
DATE ANALYZED	: 05/25/00		
ANALYTICAL DILUTION:	1.00		
ACETONE	20	20 U	UG/L
BENZENE	5.0	5.0 U	UG/L
BROMODICHLOROMETHANE	5.0	5.0 U	UG/L
BROMOFORM	5.0	5.0 U	UG/L
BROMOMETHANE	5.0	5.0 U	UG/L
2-BUTANONE (MEK)	10	10 U	UG/L
CARBON DISULFIDE	10	10 U	UG/L
CARBON TETRACHLORIDE	5.0	5.0 U	UG/L
CHLOROBENZENE	5.0	5.0 U	UG/L
CHLOROETHANE	5.0	5.0 U	UG/L
CHLOROFORM	5.0	5.0 U	UG/L
CHLOROMETHANE	5.0	5.0 U	UG/L
DIBROMOCHLOROMETHANE	5.0	5.0 U	UG/L
1,1-DICHLOROETHANE	5.0	5.0 U	UG/L
1,2-DICHLOROETHANE	5.0	5.0 U	UG/L
1,1-DICHLOROETHENE	5.0	5.0 U	UG/L
CIS-1,2-DICHLOROETHENE	5.0	5.0 U	UG/L
TRANS-1,2-DICHLOROETHENE	5.0	5.0 U	UG/L
1,2-DICHLOROPROPANE	5.0	5.0 U	UG/L
CIS-1,3-DICHLOROPROPENE	5.0	5.0 U	UG/L
TRANS-1,3-DICHLOROPROPENE	5.0	5.0 U	UG/L
ETHYLBENZENE	5.0	5.0 U	UG/L
2-HEXANONE	10	10 U	UG/L
METHYLENE CHLORIDE	5.0	5.0 U	UG/L
4-METHYL-2-PENTANONE (MIBK)	10	10 U	UG/L
STYRENE	5.0	5.0 U	UG/L
1,1,2,2-TETRACHLOROETHANE	5.0	5.0 U	UG/L
TETRACHLOROETHENE	5.0	5.0 U	UG/L
TOLUENE	5.0	5.0 U	UG/L
1,1,1-TRICHLOROETHANE	5.0	5.0 U	UG/L
1,1,2-TRICHLOROETHANE	5.0	5.0 U	UG/L
TRICHLOROETHENE	5.0	5.0 U	UG/L
VINYL CHLORIDE	5.0	5.0 U	UG/L
O-XYLENE	5.0	5.0 U	UG/L
M+P-XYLENE	5.0	5.0 U	UG/L

## SURROGATE RECOVERIES

## QC LIMITS

4-BROMOFLUOROBENZENE	(86 - 115 %)	94	%
TOLUENE-D8	(88 - 110 %)	97	%
DIBROMOFLUOROMETHANE	(86 - 118 %)	106	%

00005



# CHAIN OF CUSTODY/LABORATORY ANALYSIS REQUEST FORM

DATE \_\_\_\_\_ PAGE \_\_\_\_\_ OF \_\_\_\_\_

[illegible]



**Columbia Analytical Services Inc.**  
Cooler Receipt And Preservation Check Form

Project/Client \_\_\_\_\_ Submission Number \_\_\_\_\_

Cooler received on 5-15-00 by: HE COURIER: CAS UPS FEDEX CD&L CLIENT

1. Were custody seals on outside of cooler? YES (NO) Date \_\_\_\_\_ : Signature \_\_\_\_\_
2. Were custody papers properly filled out (ink, signed, etc.)? (YES) NO
3. Did all bottles arrive in good condition (unbroken)? (YES) NO
4. Were VOA vials checked for absence of air bubbles, and noted if so? (YES) NO
5. Were Ice or Ice packs present? (YES) NO
6. Where did the bottles originate? 4 hour Rule (CAS/ROC) CLIENT
7. Temperature of cooler(s) upon receipt: 7° \_\_\_\_\_

Is the temperature within 0° - 6° C?: Yes ☐ No ☒ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No ☐

If No, Explain Below

Date/Time Temperatures Taken: 5-15-00 12:32

Thermometer ID: IR-Gun Temp Blank Sample Bottle Cooler Temp. IR. Gun

If out of Temperature, Client Approval to Run Samples \_\_\_\_\_

Cooler Breakdown: Date : \_\_\_\_\_ by: \_\_\_\_\_

1. Were all bottle labels complete (i.e. analysis, preservation, etc.)? YES NO
2. Did all bottle labels and tags agree with custody papers? YES NO
3. Were correct bottles used for the tests indicated? YES NO

Explain any discrepancies: \_\_\_\_\_

		YES	NO	Sample I.D.	Reagent	Vol. Added
pH	Reagent					
12	NaOH					
2	HNO <sub>3</sub>					
2	H <sub>2</sub> SO <sub>4</sub>					
5-9*	P/PCBs (608 only)					

YES = All samples OK

NO = Samples were preserved at lab as listed

PC OK to adjust pH \_\_\_\_\_

\*If pH adjustment is required, use NaOH and/or H<sub>2</sub>SO<sub>4</sub>

VOC Vial pH Verification (Tested after Analysis) Following Samples Exhibited pH > 2				

Other Comments:

00007







A FULL SERVICE ENVIRONMENTAL LABORATORY

June 29, 2000

Mr. Mark Schmidt  
URS Greiner Woodward Clyde  
30775 Bainbridge Road  
Suite 200  
Solon, OH 44139

PROJECT: GRIFFIN IRM  
Submission #: R2002438

Dear Mr. Schmidt

Enclosed are the analytical results of the analyses requested. All data has been reviewed prior to report submission. Should you have any questions please contact me at (716) 288-5380.

Thank you for letting us provide this service.

Sincerely,


COLUMBIA ANALYTICAL SERVICES

A handwritten signature in black ink, appearing to read 'Mark Wilson', is written over the typed name.

Mark Wilson  
Client Service Manager

Enc.





1 Mustard ST.  
Suite 250  
Rochester, NY 14609

THIS IS AN ANALYTICAL TEST REPORT FOR:

Client : URS Greiner Woodward Clyde  
Project Reference: GRIFFIN IRM  
Lab Submission # : R2002438  
Reported : 06/29/00

Report Contains a total of 1 pages

The results reported herein relate only to the samples received by the laboratory. This report may not be reproduced except in full, without the approval of Columbia Analytical Services.

This package has been reviewed by Columbia Analytical Services' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal. *Michael K. [Signature]*

00001



**CASE NARRATIVE**

This report contains analytical results for the following samples:

Submission #: R2002438

Lab ID

385823

Client ID

EFF-6-13-00

All samples were received in good condition.

All samples have been analyzed by the approved methods cited on the analytical results pages.

All holding times and associated QC were within limits.

No analytical or QC problems were encountered.

00002





Effective 04/01/96

### CAS LIST OF QUALIFIERS

(The basis of this proposal are the EPA-CLP Qualifiers)

- U - Indicates compound was analyzed for but was not detected. The sample quantitation limit must be corrected for dilution and for percent moisture.
- J - Indicates an estimated value. For further explanation see case narrative / cover letter.
- B - This flag is used when the analyte is found in the associated blank as well as in the sample.
- E - This flag identifies compounds whose concentrations exceed the calibration range.
- A - This flag indicates that a TIC is a suspected aldol-condensation product.
- N - Spiked sample recovery not within control limits.  
(Flag the entire batch - Inorganic analysis only)
- \* - Duplicate analysis not within control limits.  
(Flag the entire batch - Inorganic analysis only)
  - Also used to qualify Organics QC data outside limits.
- D - Spike diluted out.
- S - Reported value determined by Method of Standard Additions. (MSA)
- X - As specified in the case narrative.

### CAS Lab ID # for State Certifications

NY ID # in Rochester: 10145  
CT ID # in Rochester: PH0556  
MA ID # in Rochester: M-NY032  
OH EPA # in Rochester: VAP

NJ ID # in Rochester: 73004  
RI ID # in Rochester: 158  
NH ID # in Rochester: 294198-A  
AIHA # in Rochester: 7889



COLUMBIA ANALYTICAL SERVICESVOLATILE ORGANICS  
METHOD 8260B TCL  
Reported: 06/29/00URS Greiner Woodward Clyde  
Project Reference: GRIFFIN IRM  
Client Sample ID : EFF-6-13-00Date Sampled : 06/13/00 13:25 Order #: 385823      Sample Matrix: WATER  
Date Received: 06/14/00 Submission #: R2002438      Analytical Run 52171

ANALYTE	PQL	RESULT	UNITS
DATE ANALYZED	: 06/23/00		
ANALYTICAL DILUTION:	2.50		
ACETONE	20	50 U	UG/L
BENZENE	5.0	13 U	UG/L
BROMODICHLOROMETHANE	5.0	13 U	UG/L
BROMOFORM	5.0	13 U	UG/L
BROMOMETHANE	5.0	13 U	UG/L
2-BUTANONE (MEK)	10	25 U	UG/L
CARBON DISULFIDE	10	25 U	UG/L
CARBON TETRACHLORIDE	5.0	13 U	UG/L
CHLOROBENZENE	5.0	13 U	UG/L
CHLOROETHANE	5.0	13 U	UG/L
CHLOROFORM	5.0	13 U	UG/L
CHLOROMETHANE	5.0	13 U	UG/L
DIBROMOCHLOROMETHANE	5.0	13 U	UG/L
1,1-DICHLOROETHANE	5.0	13 U	UG/L
1,2-DICHLOROETHANE	5.0	13 U	UG/L
1,1-DICHLOROETHENE	5.0	13 U	UG/L
CIS-1,2-DICHLOROETHENE	5.0	13 U	UG/L
TRANS-1,2-DICHLOROETHENE	5.0	13 U	UG/L
1,2-DICHLOROPROPANE	5.0	13 U	UG/L
CIS-1,3-DICHLOROPROPENE	5.0	13 U	UG/L
TRANS-1,3-DICHLOROPROPENE	5.0	13 U	UG/L
ETHYLBENZENE	5.0	13 U	UG/L
2-HEXANONE	10	25 U	UG/L
METHYLENE CHLORIDE	5.0	13 U	UG/L
4-METHYL-2-PENTANONE (MIBK)	10	25 U	UG/L
STYRENE	5.0	13 U	UG/L
1,1,2,2-TETRACHLOROETHANE	5.0	13 U	UG/L
TETRACHLOROETHENE	5.0	13 U	UG/L
TOLUENE	5.0	13 U	UG/L
1,1,1-TRICHLOROETHANE	5.0	13 U	UG/L
1,1,2-TRICHLOROETHANE	5.0	13 U	UG/L
TRICHLOROETHENE	5.0	360	UG/L
VINYL CHLORIDE	5.0	13 U	UG/L
O-XYLENE	5.0	13 U	UG/L
M+P-XYLENE	5.0	13 U	UG/L

SURROGATE RECOVERIESQC LIMITS

4-BROMOFLUOROBENZENE	(86 - 115 %)	102	%
TOLUENE-D8	(88 - 110 %)	104	%
DIBROMOFLUOROMETHANE	(86 - 118 %)	98	%

00004



## COLUMBIA ANALYTICAL SERVICES

## VOLATILE ORGANICS

METHOD 8260B TCL

Reported: 06/29/00

Project Reference:

Client Sample ID : METHOD BLANK

Date Sampled :

Order #: 389145

Sample Matrix: WATER

Date Received:

Submission #:

Analytical Run 52171

ANALYTE	PQL	RESULT	UNITS
DATE ANALYZED : 06/23/00			
ANALYTICAL DILUTION: 1.00			
ACETONE	20	20 U	UG/L
BENZENE	5.0	5.0 U	UG/L
BROMODICHLOROMETHANE	5.0	5.0 U	UG/L
BROMOFORM	5.0	5.0 U	UG/L
BROMOMETHANE	5.0	5.0 U	UG/L
2-BUTANONE (MEK)	10	10 U	UG/L
CARBON DISULFIDE	10	10 U	UG/L
CARBON TETRACHLORIDE	5.0	5.0 U	UG/L
CHLOROBENZENE	5.0	5.0 U	UG/L
CHLOROETHANE	5.0	5.0 U	UG/L
CHLOROFORM	5.0	5.0 U	UG/L
CHLOROMETHANE	5.0	5.0 U	UG/L
DIBROMOCHLOROMETHANE	5.0	5.0 U	UG/L
1,1-DICHLOROETHANE	5.0	5.0 U	UG/L
1,2-DICHLOROETHANE	5.0	5.0 U	UG/L
1,1-DICHLOROETHENE	5.0	5.0 U	UG/L
CIS-1,2-DICHLOROETHENE	5.0	5.0 U	UG/L
TRANS-1,2-DICHLOROETHENE	5.0	5.0 U	UG/L
1,2-DICHLOROPROPANE	5.0	5.0 U	UG/L
CIS-1,3-DICHLOROPROPENE	5.0	5.0 U	UG/L
TRANS-1,3-DICHLOROPROPENE	5.0	5.0 U	UG/L
ETHYLBENZENE	5.0	5.0 U	UG/L
2-HEXANONE	10	10 U	UG/L
METHYLENE CHLORIDE	5.0	5.0 U	UG/L
4-METHYL-2-PENTANONE (MIBK)	10	10 U	UG/L
STYRENE	5.0	5.0 U	UG/L
1,1,2,2-TETRACHLOROETHANE	5.0	5.0 U	UG/L
TETRACHLOROETHENE	5.0	5.0 U	UG/L
TOLUENE	5.0	5.0 U	UG/L
1,1,1-TRICHLOROETHANE	5.0	5.0 U	UG/L
1,1,2-TRICHLOROETHANE	5.0	5.0 U	UG/L
TRICHLOROETHENE	5.0	5.0 U	UG/L
VINYL CHLORIDE	5.0	5.0 U	UG/L
O-XYLENE	5.0	5.0 U	UG/L
M+P-XYLENE	5.0	5.0 U	UG/L

## SURROGATE RECOVERIES

## QC LIMITS

4-BROMOFLUOROBENZENE	(86 - 115 %)	102	%
TOLUENE-DB	(88 - 110 %)	103	%
DIBROMOFLUOROMETHANE	(86 - 118 %)	98	%

00005



**1 Mustard St., Suite 250, Rochester, NY 14609-6925**  
**(716) 288-5380 • FAX (716) 288-8475**



**Columbia Analytical Services Inc.  
Cooler Receipt And Preservation Check Form**

Project/Client URS Submission Number 12-2438

Cooler received on 10-13-00 by: AM COURIER: CAS UPS FEDEX CD&L CLIENT

1. Were custody seals on outside of cooler? YES/NO
2. Were custody papers properly filled out (ink, signed, etc.)? YES NO
3. Did all bottles arrive in good condition (unbroken)? YES NO
4. Did any VOA vials have significant air bubbles? YES NO N/A
5. Were Ice or Ice packs present? YES NO
6. Where did the bottles originate? CAS/ROC, CLIENT
7. Temperature of cooler(s) upon receipt: 10

Is the temperature within 0° - 6° C?: Yes ☐ No ☒ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No ☐

If No, Explain Below

Date/Time Temperatures Taken: 10-13-00 14:07

Thermometer ID: \_\_\_\_\_ Temp Blank \_\_\_\_\_ Sample Bottle \_\_\_\_\_ Cooler Temp. IR. Gun

If out of Temperature, Client Approval to Run Samples \_\_\_\_\_

Cooler Breakdown: Date: 6/14/00 by: BC

1. Were all bottle labels complete (i.e. analysis, preservation, etc.)? YES NO
2. Did all bottle labels and tags agree with custody papers? YES NO
3. Were correct containers used for the tests indicated? YES NO
4. Air Samples: Cassettes / Tubes Intact \_\_\_\_\_ Canisters Pressurized \_\_\_\_\_ Tedlar® Bags Inflated N/A

Explain any discrepancies: \_\_\_\_\_

		YES	NO	Sample I.D.	Reagent	Vol. Added
pH	Reagent					
12	NaOH					
2	HNO <sub>3</sub>					
2	H <sub>2</sub> SO <sub>4</sub>					
5-9*	P/PCBs (608 only)					

YES = All samples OK

NO = Samples were preserved at lab as listed

PC OK to adjust pH

\*If pH adjustment is required, use NaOH and/or H<sub>2</sub>SO<sub>4</sub>

VOC Vial pH Verification (Tested after Analysis) Following Samples Exhibited pH > 2				

Other Comments:

00007