

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: Cambridge Industries, Inc.
Project: Canandaigua, NY
Proj. Desc:

Job No.: 3435.024.517
Certification NY No.: 10155

Sample: M7111
Samp. Description: PTB-1 - Grab
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 62

Collected: 07/14/99
Received: 07/14/99
Prepared: 07/15/99
Matrix: Solid
QC Batch: 071599S1
% Solids: 85.6
Sample size: 5 g

Parameter	Result	Surrog Limits Dilution	Analyzed Notes
Dichlorodifluoromethane	<5.8	1	07/15/99
Chloromethane	<5.8	1	07/15/99
Vinyl chloride	<5.8	1	07/15/99
Bromomethane	<5.8	1	07/15/99
Chloroethane	<5.8	1	07/15/99
Trichlorofluoromethane	<5.8	1	07/15/99
1,1-Dichloroethene	<2.9	1	07/15/99
Methylene chloride	<5.8	1	07/15/99
trans-1,2-Dichloroethene	<2.9	1	07/15/99
1,1-Dichloroethane	<2.9	1	07/15/99
cis-1,2-Dichloroethene	54.	1	07/15/99
Bromochloromethane	<2.9	1	07/15/99
Chloroform	<2.9	1	07/15/99
2,2-Dichloropropane	<2.9	1	07/15/99
1,2-Dichloroethane	<2.9	1	07/15/99
1,1,1-Trichloroethane	17.	1	07/15/99
1,1-Dichloropropene	<2.9	1	07/15/99
Carbon tetrachloride	<2.9	1	07/15/99
Benzene	<2.9	1	07/15/99
Dibromomethane	<2.9	1	07/15/99
1,2-Dichloropropane	<2.9	1	07/15/99
Trichloroethene	65.	1	07/15/99
Bromodichloromethane	<2.9	1	07/15/99
cis-1,3-Dichloropropene	<2.9	1	07/15/99
trans-1,3-Dichloropropene	<2.9	1	07/15/99
1,1,2-Trichloroethane	<2.9	1	07/15/99
Toluene	14.	1	07/15/99
1,3-Dichloropropane	<2.9	1	07/15/99
Dibromochloromethane	<2.9	1	07/15/99

- Outside control limits J-Estimated value

Authorized: _____

Date: July 19, 1999

Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: Cambridge Industries, Inc.
Project: Canandaigua, NY
Proj. Desc:

Job No.: 3435.024.517
Certification NY No.: 10155

Sample: M7111
Samp. Description: PTB-1 - Grab
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 62

Collected: 07/14/99
Received: 07/14/99
Prepared: 07/15/99
Matrix: Solid
QC Batch: 071599S1
%Solids: 85.6
Sample size: 5 g

Parameter		Result	Surrog Limits	Dilution	Analyzed	Notes
1,2-Dibromoethane		<2.9		1	07/15/99	
Tetrachloroethene	E	580.		1	07/15/99	
1,1,1,2-Tetrachloroethane		<2.9		1	07/15/99	
Chlorobenzene		<2.9		1	07/15/99	
Ethylbenzene		5.0		1	07/15/99	
Bromoform		<2.9		1	07/15/99	
Xylene (total)		25.		1	07/15/99	
Styrene		<2.9		1	07/15/99	
1,1,2,2-Tetrachloroethane		<2.9		1	07/15/99	
1,2,3-Trichloropropane		<2.9		1	07/15/99	
Isopropylbenzene		<2.9		1	07/15/99	
Bromobenzene		<2.9		1	07/15/99	
n-Propylbenzene		<2.9		1	07/15/99	
2-Chlorotoluene		<2.9		1	07/15/99	
4-Chlorotoluene		<2.9		1	07/15/99	
1,3,5-Trimethylbenzene		<2.9		1	07/15/99	
tert-Butylbenzene		<2.9		1	07/15/99	
n-Butylbenzene		<2.9		1	07/15/99	
1,2,4-Trimethylbenzene		<2.9		1	07/15/99	
sec-Butylbenzene		<2.9		1	07/15/99	
1,3-Dichlorobenzene		<2.9		1	07/15/99	
1,4-Dichlorobenzene		<2.9		1	07/15/99	
p-Isopropyltoluene		<2.9		1	07/15/99	
1,2-Dichlorobenzene		<2.9		1	07/15/99	
1,2-Dibromo-3-chloropropane		<2.9		1	07/15/99	
1,2,4-Trichlorobenzene		<2.9		1	07/15/99	
Naphthalene		<2.9		1	07/15/99	
Hexachlorobutadiene		<2.9		1	07/15/99	
1,2,3-Trichlorobenzene		<2.9		1	07/15/99	
Dibromofluoromethane (surrogate)		105.%	70-129	1	07/15/99	
1,2-Dichloroethane-d4 (surrogate)		98.%	70-121	1	07/15/99	

- Outside control limits J-Estimated value

Authorized: _____

Date: July 19, 1999

Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: Cambridge Industries, Inc.
Project: Canandaigua, NY
Proj. Desc:

Job No.: 3435.024.517
Certification NY No.: 10155

Sample: M7111
Samp. Description: PTB-1 - Grab
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 62

Collected: 07/14/99 Matrix: Solid
Received: 07/14/99 QC Batch: 071599S1
Prepared: 07/15/99 % Solids: 85.6
Sample size: 5 g

<u>Parameter</u>	<u>Result</u>	<u>Surrog</u> <u>Limits</u>	<u>Dilution</u>	<u>Analyzed</u>	<u>Notes</u>
Toluene-d8 (surrogate)	102.%	70-124	1	07/15/99	
Bromofluorobenzene (surrogate)	86.%	72-130	1	07/15/99	

Notes:

- Outside control limits J-Estimated value

Authorized: _____
Date: July 19, 1999 Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: Cambridge Industries, Inc.
Project: Canandaigua, NY
Proj. Desc:

Job No.: 3435.024.517
Certification NY No.: 10155

Sample: M7111DL
Samp. Description: PTB-1 - Grab
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 62

Collected: 07/14/99
Received: 07/14/99
Prepared: 07/15/99

Matrix: Solid
QC Batch: 071599S1
%Solids: 85.6
Sample size: 1 g

Parameter	Result	Surrog		Analyzed	Notes
		Limits	Dilution		
Dichlorodifluoromethane	<29.		1	07/15/99	
Chloromethane	<29.		1	07/15/99	
Vinyl chloride	<29.		1	07/15/99	
Bromomethane	<29.		1	07/15/99	
Chloroethane	<29.		1	07/15/99	
Trichlorofluoromethane	<29.		1	07/15/99	
1,1-Dichloroethene	<15.		1	07/15/99	
Methylene chloride	<29.		1	07/15/99	
trans-1,2-Dichloroethene	<15.		1	07/15/99	
1,1-Dichloroethane	<15.		1	07/15/99	
cis-1,2-Dichloroethene	52.		1	07/15/99	
Bromochloromethane	<15.		1	07/15/99	
Chloroform	<15.		1	07/15/99	
2,2-Dichloropropane	<15.		1	07/15/99	
1,2-Dichloroethane	<15.		1	07/15/99	
1,1,1-Trichloroethane	<15.		1	07/15/99	
1,1-Dichloropropene	<15.		1	07/15/99	
Carbon tetrachloride	<15.		1	07/15/99	
Benzene	<15.		1	07/15/99	
Dibromomethane	<15.		1	07/15/99	
1,2-Dichloropropane	<15.		1	07/15/99	
Trichloroethene	57.		1	07/15/99	
Bromodichloromethane	<15.		1	07/15/99	
cis-1,3-Dichloropropene	<15.		1	07/15/99	
trans-1,3-Dichloropropene	<15.		1	07/15/99	
1,1,2-Trichloroethane	<15.		1	07/15/99	
Toluene	<15.		1	07/15/99	
1,3-Dichloropropane	<15.		1	07/15/99	
Dibromochloromethane	<15.		1	07/15/99	

- Outside control limits J-Estimated value

Authorized: _____
Date: July 19, 1999 Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: Cambridge Industries, Inc.
Project: Canandaigua, NY
Proj. Desc:

Job No.: 3435.024.517
Certification NY No.: 10155

Sample: M7111DL
Samp. Description: PTB-1 - Grab
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 62

Collected: 07/14/99
Received: 07/14/99
Prepared: 07/15/99
Matrix: Solid
QC Batch: 071599S1
%Solids: 85.6
Sample size: 1 g

Parameter	Result	Surrog Limits	Dilution	Analyzed	Notes
1,2-Dibromoethane	<15.		1	07/15/99	
Tetrachloroethene	510.		1	07/15/99	
1,1,1,2-Tetrachloroethane	<15.		1	07/15/99	
Chlorobenzene	<15.		1	07/15/99	
Ethylbenzene	15.		1	07/15/99	
Bromoform	<15.		1	07/15/99	
Xylene (total)	62.		1	07/15/99	
Styrene	<15.		1	07/15/99	
1,1,2,2-Tetrachloroethane	<15.		1	07/15/99	
1,2,3-Trichloropropane	<15.		1	07/15/99	
Isopropylbenzene	<15.		1	07/15/99	
Bromobenzene	<15.		1	07/15/99	
n-Propylbenzene	<15.		1	07/15/99	
2-Chlorotoluene	<15.		1	07/15/99	
4-Chlorotoluene	<15.		1	07/15/99	
1,3,5-Trimethylbenzene	<15.		1	07/15/99	
tert-Butylbenzene	<15.		1	07/15/99	
n-Butylbenzene	<15.		1	07/15/99	
1,2,4-Trimethylbenzene	<15.		1	07/15/99	
sec-Butylbenzene	<15.		1	07/15/99	
1,3-Dichlorobenzene	<15.		1	07/15/99	
1,4-Dichlorobenzene	<15.		1	07/15/99	
p-Isopropyltoluene	<15.		1	07/15/99	
1,2-Dichlorobenzene	<15.		1	07/15/99	
1,2-Dibromo-3-chloropropane	<15.		1	07/15/99	
1,2,4-Trichlorobenzene	<15.		1	07/15/99	
Naphthalene	<15.		1	07/15/99	
Hexachlorobutadiene	<15.		1	07/15/99	
1,2,3-Trichlorobenzene	<15.		1	07/15/99	
Dibromofluoromethane (surrogate)	98.%	70-129	1	07/15/99	
1,2-Dichloroethane-d4 (surrogate)	98.%	70-121	1	07/15/99	

- Outside control limits J-Estimated value

Authorized: _____

Date: July 19, 1999

Thomas Alexander

**O'Brien & Gere
Laboratories, Inc.**

**Analytical Results
Method: 8260**

Client: Cambridge Industries, Inc.
Project: Canandaigua, NY
Proj. Desc:

Job No.: 3435.024.517
Certification NY No.: 10155

Sample: M7111DL
Samp. Description: PTB-1 - Grab
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 62

Collected: 07/14/99 Matrix: Solid
Received: 07/14/99 QC Batch: 071599S1
Prepared: 07/15/99 %Solids: 85.6
Sample size: 1 g

<u>Parameter</u>	<u>Result</u>	<u>Surrog</u> <u>Limits</u>	<u>Dilution</u>	<u>Analyzed</u>	<u>Notes</u>
Toluene-d8 (surrogate)	108.%	70-124	1	07/15/99	
Bromofluorobenzene (surrogate)	92.%	72-130	1	07/15/99	

Notes:

- Outside control limits J-Estimated value

Authorized: _____
Date: July 19, 1999 Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: Cambridge Industries, Inc.
Project: Canandaigua, NY
Proj. Desc:

Job No.: 3435.024.517
Certification NY No.: 10155

Sample: M7112
Samp. Description: PTB-1 - Composite
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 62

Collected: 07/14/99
Received: 07/14/99
Prepared: 07/15/99
Matrix: Solid
QC Batch: 071599S1
%Solids: 85.2
Sample size: 5 g

Parameter	Result	Surrog Limits Dilution	Analyzed Notes
Dichlorodifluoromethane	<5.9	1	07/15/99
Chloromethane	<5.9	1	07/15/99
Vinyl chloride	<5.9	1	07/15/99
Bromomethane	<5.9	1	07/15/99
Chloroethane	<5.9	1	07/15/99
Trichlorofluoromethane	<5.9	1	07/15/99
1,1-Dichloroethene	<2.9	1	07/15/99
Methylene chloride	7.9	1	07/15/99
trans-1,2-Dichloroethene	<2.9	1	07/15/99
1,1-Dichloroethane	<2.9	1	07/15/99
cis-1,2-Dichloroethene	20.	1	07/15/99
Bromochloromethane	<2.9	1	07/15/99
Chloroform	<2.9	1	07/15/99
2,2-Dichloropropane	<2.9	1	07/15/99
1,2-Dichloroethane	<2.9	1	07/15/99
1,1,1-Trichloroethane	14.	1	07/15/99
1,1-Dichloropropene	<2.9	1	07/15/99
Carbon tetrachloride	<2.9	1	07/15/99
Benzene	<2.9	1	07/15/99
Dibromomethane	<2.9	1	07/15/99
1,2-Dichloropropane	<2.9	1	07/15/99
Trichloroethene	81.	1	07/15/99
Bromodichloromethane	<2.9	1	07/15/99
cis-1,3-Dichloropropene	<2.9	1	07/15/99
trans-1,3-Dichloropropene	<2.9	1	07/15/99
1,1,2-Trichloroethane	<2.9	1	07/15/99
Toluene	18.	1	07/15/99
1,3-Dichloropropane	<2.9	1	07/15/99
Dibromochloromethane	<2.9	1	07/15/99

- Outside control limits J-Estimated value

Authorized:

Date: July 19, 1999

Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: Cambridge Industries, Inc.
Project: Canandaigua, NY
Proj. Desc:

Job No.: 3435.024.517
Certification NY No.: 10155

Sample: M7112
Samp. Description: PTB-1 - Composite
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 62

Collected: 07/14/99
Received: 07/14/99
Prepared: 07/15/99
Matrix: Solid
QC Batch: 071599S1
% Solids: 85.2
Sample size: 5 g

Parameter	Result	Surrog Limits	Dilution	Analyzed	Notes
1,2-Dibromoethane	<2.9		1	07/15/99	
Tetrachloroethene	350.		1	07/15/99	E
1,1,1,2-Tetrachloroethane	<2.9		1	07/15/99	
Chlorobenzene	<2.9		1	07/15/99	
Ethylbenzene	4.8		1	07/15/99	
Bromoform	<2.9		1	07/15/99	
Xylene (total)	23.		1	07/15/99	
Styrene	<2.9		1	07/15/99	
1,1,2,2-Tetrachloroethane	<2.9		1	07/15/99	
1,2,3-Trichloropropane	<2.9		1	07/15/99	
Isopropylbenzene	<2.9		1	07/15/99	
Bromobenzene	<2.9		1	07/15/99	
n-Propylbenzene	<2.9		1	07/15/99	
2-Chlorotoluene	<2.9		1	07/15/99	
4-Chlorotoluene	<2.9		1	07/15/99	
1,3,5-Trimethylbenzene	<2.9		1	07/15/99	
tert-Butylbenzene	<2.9		1	07/15/99	
n-Butylbenzene	<2.9		1	07/15/99	
1,2,4-Trimethylbenzene	<2.9		1	07/15/99	
sec-Butylbenzene	<2.9		1	07/15/99	
1,3-Dichlorobenzene	<2.9		1	07/15/99	
1,4-Dichlorobenzene	<2.9		1	07/15/99	
p-Isopropyltoluene	<2.9		1	07/15/99	
1,2-Dichlorobenzene	<2.9		1	07/15/99	
1,2-Dibromo-3-chloropropane	<2.9		1	07/15/99	
1,2,4-Trichlorobenzene	<2.9		1	07/15/99	
Naphthalene	<2.9		1	07/15/99	
Hexachlorobutadiene	<2.9		1	07/15/99	
1,2,3-Trichlorobenzene	<2.9		1	07/15/99	
Dibromofluoromethane (surrogate)	101.%	70-129	1	07/15/99	
1,2-Dichloroethane-d4 (surrogate)	101.%	70-121	1	07/15/99	

- Outside control limits J-Estimated value

Authorized:

Date: July 19, 1999

Thomas Alexander

**O'Brien & Gere
Laboratories, Inc.**

**Analytical Results
Method: 8260**

Client: Cambridge Industries, Inc.
Project: Canandaigua, NY
Proj. Desc:

Job No.: 3435.024.517
Certification NY No.: 10155

Sample: M7112
Samp. Description: PTB-1 - Composite
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 62

Collected: 07/14/99
Received: 07/14/99
Prepared: 07/15/99
Matrix: Solid
QC Batch: 071599S1
%Solids: 85.2
Sample size: 5 g

<u>Parameter</u>	<u>Result</u>	<u>Surrog Limits</u>	<u>Dilution</u>	<u>Analyzed</u>	<u>Notes</u>
Toluene-d8 (surrogate)	104.%	70-124	1	07/15/99	
Bromofluorobenzene (surrogate)	90.%	72-130	1	07/15/99	

Notes:

- Outside control limits J-Estimated value

Authorized: _____
Date: July 19, 1999 Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: Cambridge Industries, Inc.
Project: Canandaigua, NY
Proj. Desc:

Job No.: 3435.024.517
Certification NY No.: 10155

Sample: M7112DL
Samp. Description: PTB-1 - Composite
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 62

Collected: 07/14/99
Received: 07/14/99
Prepared: 07/15/99
Matrix: Solid
QC Batch: 071599S1
%Solids: 85.2
Sample size: 1 g

Parameter	Result	Surrog		Analyzed Notes
		Limits	Dilution	
Dichlorodifluoromethane	<29.		1	07/15/99
Chloromethane	<29.		1	07/15/99
Vinyl chloride	<29.		1	07/15/99
Bromomethane	<29.		1	07/15/99
Chloroethane	<29.		1	07/15/99
Trichlorofluoromethane	<29.		1	07/15/99
1,1-Dichloroethene	<15.		1	07/15/99
Methylene chloride	<29.		1	07/15/99
trans-1,2-Dichloroethene	<15.		1	07/15/99
1,1-Dichloroethane	<15.		1	07/15/99
cis-1,2-Dichloroethene	<15.		1	07/15/99
Bromochloromethane	<15.		1	07/15/99
Chloroform	<15.		1	07/15/99
2,2-Dichloropropane	<15.		1	07/15/99
1,2-Dichloroethane	<15.		1	07/15/99
1,1,1-Trichloroethane	<15.		1	07/15/99
1,1-Dichloropropene	<15.		1	07/15/99
Carbon tetrachloride	<15.		1	07/15/99
Benzene	<15.		1	07/15/99
Dibromomethane	<15.		1	07/15/99
1,2-Dichloropropane	<15.		1	07/15/99
Trichloroethene	46.		1	07/15/99
Bromodichloromethane	<15.		1	07/15/99
cis-1,3-Dichloropropene	<15.		1	07/15/99
trans-1,3-Dichloropropene	<15.		1	07/15/99
1,1,2-Trichloroethane	<15.		1	07/15/99
Toluene	<15.		1	07/15/99
1,3-Dichloropropane	<15.		1	07/15/99
Dibromochloromethane	<15.		1	07/15/99

- Outside control limits J-Estimated value

Authorized: _____
Date: July 19, 1999 Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: Cambridge Industries, Inc.
Project: Canandaigua, NY
Proj. Desc:

Job No.: 3435.024.517
Certification NY No.: 10155

Sample: M7112DL
Samp. Description: PTB-1 - Composite
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 62

Collected: 07/14/99
Received: 07/14/99
Prepared: 07/15/99
Matrix: Solid
QC Batch: 071599S1
%Solids: 85.2
Sample size: 1 g

Parameter	Result	Surrog Limits	Dilution	Analyzed	Notes
1,2-Dibromoethane	<15.		1	07/15/99	
Tetrachloroethene	240.		1	07/15/99	
1,1,1,2-Tetrachloroethane	<15.		1	07/15/99	
Chlorobenzene	<15.		1	07/15/99	
Ethylbenzene	15.		1	07/15/99	
Bromoform	<15.		1	07/15/99	
Xylene (total)	48.		1	07/15/99	
Styrene	<15.		1	07/15/99	
1,1,2,2-Tetrachloroethane	<15.		1	07/15/99	
1,2,3-Trichloropropane	<15.		1	07/15/99	
Isopropylbenzene	<15.		1	07/15/99	
Bromobenzene	<15.		1	07/15/99	
n-Propylbenzene	<15.		1	07/15/99	
2-Chlorotoluene	<15.		1	07/15/99	
4-Chlorotoluene	<15.		1	07/15/99	
1,3,5-Trimethylbenzene	<15.		1	07/15/99	
tert-Butylbenzene	<15.		1	07/15/99	
n-Butylbenzene	<15.		1	07/15/99	
1,2,4-Trimethylbenzene	<15.		1	07/15/99	
sec-Butylbenzene	<15.		1	07/15/99	
1,3-Dichlorobenzene	<15.		1	07/15/99	
1,4-Dichlorobenzene	<15.		1	07/15/99	
p-Isopropyltoluene	<15.		1	07/15/99	
1,2-Dichlorobenzene	<15.		1	07/15/99	
1,2-Dibromo-3-chloropropane	<15.		1	07/15/99	
1,2,4-Trichlorobenzene	<15.		1	07/15/99	
Naphthalene	<15.		1	07/15/99	
Hexachlorobutadiene	<15.		1	07/15/99	
1,2,3-Trichlorobenzene	<15.		1	07/15/99	
Dibromofluoromethane (surrogate)	104.%	70-129	1	07/15/99	
1,2-Dichloroethane-d4 (surrogate)	97.%	70-121	1	07/15/99	

- Outside control limits J-Estimated value

Authorized: _____

Date: July 19, 1999

Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: Cambridge Industries, Inc.
Project: Canandaigua, NY
Proj. Desc:

Job No.: 3435.024.517
Certification NY No.: 10155

Sample: M7112DL
Samp. Description: PTB-1 - Composite
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 62

Collected: 07/14/99 Matrix: Solid
Received: 07/14/99 QC Batch: 071599S1
Prepared: 07/15/99 %Solids: 85.2
Sample size: 1 g

Parameter	Result	Surrog	Dilution	Analyzed	Notes
		Limits			
Toluene-d8 (surrogate)	104.%	70-124	1	07/15/99	
Bromofluorobenzene (surrogate)	91.%	72-130	1	07/15/99	

Notes:

- Outside control limits J-Estimated value

Authorized: _____
Date: July 19, 1999 Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: O'Brien & Gere Technical Services, Inc.
Project: Cambridge Industries, Inc.
Proj. Desc: Canandaigua, NY


Job No.: 2488.080.517
Certification NY No.: 10155

Sample: M8331
Samp. Description: PTO-1 - Grab
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 66

Collected: 07/28/99
Received: 07/28/99
Prepared: 07/29/99
Matrix: Solid
QC Batch: 072999S1
%Solids: 85.1
Sample size: 5 g

Parameter	Result	Surrog Limits Dilution	Analyzed Notes
Dichlorodifluoromethane	<5.9	1	07/29/99
Chloromethane	<5.9	1	07/29/99
Vinyl chloride	<5.9	1	07/29/99
Bromomethane	<5.9	1	07/29/99
Chloroethane	<5.9	1	07/29/99
Trichlorofluoromethane	<5.9	1	07/29/99
Acetone	<12.	1	07/29/99
1,1-Dichloroethene	<2.9	1	07/29/99
Methylene chloride	<5.9	1	07/29/99
trans-1,2-Dichloroethene	<2.9	1	07/29/99
1,1-Dichloroethane	11.	1	07/29/99
2-Butanone	<12.	1	07/29/99
cis-1,2-Dichloroethene	86.	1	07/29/99
Bromochloromethane	<2.9	1	07/29/99
Chloroform	<2.9	1	07/29/99
2,2-Dichloropropane	<2.9	1	07/29/99
1,2-Dichloroethane	<2.9	1	07/29/99
1,1,1-Trichloroethane	E 450.	1	07/29/99
1,1-Dichloropropene	<2.9	1	07/29/99
Carbon tetrachloride	<2.9	1	07/29/99
Benzene	<2.9	1	07/29/99
Dibromomethane	<2.9	1	07/29/99
1,2-Dichloropropane	<2.9	1	07/29/99
Trichloroethene	E 1100.	1	07/29/99
Bromodichloromethane	<2.9	1	07/29/99
cis-1,3-Dichloropropene	<2.9	1	07/29/99
4-Methyl-2-pentanone	<5.9	1	07/29/99
trans-1,3-Dichloropropene	<2.9	1	07/29/99
1,1,2-Trichloroethane	<2.9	1	07/29/99

- Outside control limits J-Estimated value

Authorized: 
Date: July 30, 1999 Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: O'Brien & Gere Technical Services, Inc.
Project: Cambridge Industries, Inc.
Proj. Desc: Canandaigua, NY


Job No.: 2488.080.517
Certification NY No.: 10155

Sample: M8331
Samp. Description: PTO-1 - Grab
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 66

Collected: 07/28/99
Received: 07/28/99
Prepared: 07/29/99
Matrix: Solid
QC Batch: 072999S1
%Solids: 85.1
Sample size: 5 g

Parameter	Result	Surrog Limits	Dilution	Analyzed Notes
Toluene	55.		1	07/29/99
1,3-Dichloropropane	<2.9		1	07/29/99
Dibromochloromethane	<2.9		1	07/29/99
2-Hexanone	<5.9		1	07/29/99
1,2-Dibromoethane	<2.9		1	07/29/99
Tetrachloroethene	3500.	E	1	07/29/99
1,1,1,2-Tetrachloroethane	<2.9		1	07/29/99
Chlorobenzene	<2.9		1	07/29/99
Ethylbenzene	6.0		1	07/29/99
Bromoform	<2.9		1	07/29/99
Xylene (total)	35.		1	07/29/99
Styrene	<2.9		1	07/29/99
1,1,2,2-Tetrachloroethane	<2.9		1	07/29/99
1,2,3-Trichloropropane	<2.9		1	07/29/99
Isopropylbenzene	<2.9		1	07/29/99
Bromobenzene	<2.9		1	07/29/99
n-Propylbenzene	<2.9		1	07/29/99
2-Chlorotoluene	<2.9		1	07/29/99
4-Chlorotoluene	<2.9		1	07/29/99
1,3,5-Trimethylbenzene	<2.9		1	07/29/99
tert-Butylbenzene	<2.9		1	07/29/99
n-Butylbenzene	<2.9		1	07/29/99
1,2,4-Trimethylbenzene	<2.9		1	07/29/99
sec-Butylbenzene	<2.9		1	07/29/99
1,3-Dichlorobenzene	<2.9		1	07/29/99
1,4-Dichlorobenzene	<2.9		1	07/29/99
p-Isopropyltoluene	<2.9		1	07/29/99
1,2-Dichlorobenzene	<2.9		1	07/29/99
1,2-Dibromo-3-chloropropane	<2.9		1	07/29/99
1,2,4-Trichlorobenzene	<2.9		1	07/29/99
Naphthalene	<2.9		1	07/29/99

- Outside control limits J-Estimated value

Authorized: 

Date: July 30, 1999

Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: O'Brien & Gere Technical Services, Inc.
Project: Cambridge Industries, Inc.
Proj. Desc: Canandaigua, NY

Job No.: 2488.080.517
Certification NY No.: 10155

Sample: M8331
Samp. Description: PTO-1 - Grab
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 66

Collected: 07/28/99 Matrix: Solid
Received: 07/28/99 QC Batch: 072999S1
Prepared: 07/29/99 %Solids: 85.1
Sample size: 5 g

<u>Parameter</u>	<u>Result</u>	<u>Surrog</u> <u>Limits</u>	<u>Dilution</u>	<u>Analyzed</u>	<u>Notes</u>
Hexachlorobutadiene	<2.9		1	07/29/99	
1,2,3-Trichlorobenzene	<2.9		1	07/29/99	
Dibromofluoromethane (surrogate)	95.%	70-129	1	07/29/99	
1,2-Dichloroethane-d4 (surrogate)	97.%	70-121	1	07/29/99	
Toluene-d8 (surrogate)	94.%	70-124	1	07/29/99	
Bromofluorobenzene (surrogate)	79.%	72-130	1	07/29/99	

Notes:

- Outside control limits J-Estimated value

Authorized: 
Date: July 30, 1999 Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: O'Brien & Gere Technical Services, Inc.
Project: Cambridge Industries, Inc.
Proj. Desc: Canandaigua, NY


Job No.: 2488.080.517
Certification NY No.: 10155

Sample: M8331DL
Samp. Description: PTO-1 - Grab
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 66

Collected: 07/28/99
Received: 07/28/99
Prepared: 08/02/99
Matrix: Solid
QC Batch: 080299S1
%Solids: 85.1
Sample size: .5 g

Parameter	Result	Surrog		Analyzed Notes
		Limits	Dilution	
Dichlorodifluoromethane	<59.		1	08/02/99
Chloromethane	<59.		1	08/02/99
Vinyl chloride	<59.		1	08/02/99
Bromomethane	<59.		1	08/02/99
Chloroethane	<59.		1	08/02/99
Trichlorofluoromethane	<59.		1	08/02/99
Acetone	<120.		1	08/02/99
1,1-Dichloroethene	<29.		1	08/02/99
Methylene chloride	<59.		1	08/02/99
trans-1,2-Dichloroethene	<29.		1	08/02/99
1,1-Dichloroethane	<29.		1	08/02/99
2-Butanone	<120.		1	08/02/99
cis-1,2-Dichloroethene	<29.		1	08/02/99
Bromochloromethane	<29.		1	08/02/99
Chloroform	<29.		1	08/02/99
2,2-Dichloropropane	<29.		1	08/02/99
1,2-Dichloroethane	<29.		1	08/02/99
1,1,1-Trichloroethane	<29.		1	08/02/99
1,1-Dichloropropene	<29.		1	08/02/99
Carbon tetrachloride	<29.		1	08/02/99
Benzene	<29.		1	08/02/99
Dibromomethane	<29.		1	08/02/99
1,2-Dichloropropane	<29.		1	08/02/99
Trichloroethene	180.		1	08/02/99
Bromodichloromethane	<29.		1	08/02/99
cis-1,3-Dichloropropene	<29.		1	08/02/99
4-Methyl-2-pentanone	<59.		1	08/02/99
trans-1,3-Dichloropropene	<29.		1	08/02/99
1,1,2-Trichloroethane	<29.		1	08/02/99

- Outside control limits J-Estimated value

Authorized: 
Date: August 2, 1999 Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: O'Brien & Gere Technical Services, Inc.
Project: Cambridge Industries, Inc.
Proj. Desc: Canandaigua, NY


Job No.: 2488.080.517
Certification NY No.: 10155

Sample: M8331DL
Samp. Description: PTO-1 - Grab
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 66

Collected: 07/28/99
Received: 07/28/99
Prepared: 08/02/99
Matrix: Solid
QC Batch: 080299S1
%Solids: 85.1
Sample size: .5 g

Parameter	Result	Surrog Limits Dilution	Analyzed Notes
Toluene	<29.	1	08/02/99
1,3-Dichloropropane	<29.	1	08/02/99
Dibromochloromethane	<29.	1	08/02/99
2-Hexanone	<59.	1	08/02/99
1,2-Dibromoethane	<29.	1	08/02/99
Tetrachloroethene	2200.	1	08/02/99
1,1,1,2-Tetrachloroethane	<29.	1	08/02/99
Chlorobenzene	<29.	1	08/02/99
Ethylbenzene	<29.	1	08/02/99
Bromoform	<29.	1	08/02/99
Xylene (total)	<29.	1	08/02/99
Styrene	<29.	1	08/02/99
1,1,2,2-Tetrachloroethane	<29.	1	08/02/99
1,2,3-Trichloropropane	<29.	1	08/02/99
Isopropylbenzene	<29.	1	08/02/99
Bromobenzene	<29.	1	08/02/99
n-Propylbenzene	<29.	1	08/02/99
2-Chlorotoluene	<29.	1	08/02/99
4-Chlorotoluene	<29.	1	08/02/99
1,3,5-Trimethylbenzene	<29.	1	08/02/99
tert-Butylbenzene	<29.	1	08/02/99
n-Butylbenzene	<29.	1	08/02/99
1,2,4-Trimethylbenzene	<29.	1	08/02/99
sec-Butylbenzene	<29.	1	08/02/99
1,3-Dichlorobenzene	<29.	1	08/02/99
1,4-Dichlorobenzene	<29.	1	08/02/99
p-Isopropyltoluene	<29.	1	08/02/99
1,2-Dichlorobenzene	<29.	1	08/02/99
1,2-Dibromo-3-chloropropane	<29.	1	08/02/99
1,2,4-Trichlorobenzene	<29.	1	08/02/99
Naphthalene	<29.	1	08/02/99

- Outside control limits J-Estimated value

Authorized: 
Date: August 2, 1999 Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: O'Brien & Gere Technical Services, Inc.
Project: Cambridge Industries, Inc.
Proj. Desc: Canandaigua, NY

Job No.: 2488.080.517
Certification NY No.: 10155


Sample: M8331DL
Samp. Description: PTO-1 - Grab
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 66

Collected: 07/28/99 Matrix: Solid
Received: 07/28/99 QC Batch: 080299S1
Prepared: 08/02/99 %Solids: 85.1
Sample size: .5 g

<u>Parameter</u>	<u>Result</u>	<u>Surrog</u> <u>Limits</u>	<u>Dilution</u>	<u>Analyzed</u>	<u>Notes</u>
Hexachlorobutadiene	<29.		1	08/02/99	
1,2,3-Trichlorobenzene	<29.		1	08/02/99	
Dibromofluoromethane (surrogate)	97.%	70-129	1	08/02/99	
1,2-Dichloroethane-d4 (surrogate)	100.%	70-121	1	08/02/99	
Toluene-d8 (surrogate)	98.%	70-124	1	08/02/99	
Bromofluorobenzene (surrogate)	82.%	72-130	1	08/02/99	

Notes:

- Outside control limits J-Estimated value

Authorized: 

Date: August 2, 1999

Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: O'Brien & Gere Technical Services, Inc.
Project: Cambridge Industries, Inc.
Proj. Desc: Canandaigua, NY

Job No.: 2488.080.517
Certification NY No.: 10155

Sample: M8332
Samp. Description: PTO-1 - Composite
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 66

Collected: 07/28/99
Received: 07/28/99
Prepared: 07/29/99
Matrix: Solid
QC Batch: 072999S1
%Solids: 86.5
Sample size: 5 g

Parameter	Result	Surrog Limits Dilution	Analyzed Notes
Dichlorodifluoromethane	<5.8	1	07/29/99
Chloromethane	<5.8	1	07/29/99
Vinyl chloride	<5.8	1	07/29/99
Bromomethane	<5.8	1	07/29/99
Chloroethane	<5.8	1	07/29/99
Trichlorofluoromethane	<5.8	1	07/29/99
Acetone	<12.	1	07/29/99
1,1-Dichloroethene	<2.9	1	07/29/99
Methylene chloride	<5.8	1	07/29/99
trans-1,2-Dichloroethene	<2.9	1	07/29/99
1,1-Dichloroethane	4.4	1	07/29/99
2-Butanone	<12.	1	07/29/99
cis-1,2-Dichloroethene	58.	1	07/29/99
Bromochloromethane	<2.9	1	07/29/99
Chloroform	<2.9	1	07/29/99
2,2-Dichloropropane	<2.9	1	07/29/99
1,2-Dichloroethane	<2.9	1	07/29/99
1,1,1-Trichloroethane	56.	1	07/29/99
1,1-Dichloropropene	<2.9	1	07/29/99
Carbon tetrachloride	<2.9	1	07/29/99
Benzene	<2.9	1	07/29/99
Dibromomethane	<2.9	1	07/29/99
1,2-Dichloropropane	<2.9	1	07/29/99
Trichloroethene	170.	1	07/29/99
Bromodichloromethane	<2.9	1	07/29/99
cis-1,3-Dichloropropene	<2.9	1	07/29/99
4-Methyl-2-pentanone	<5.8	1	07/29/99
trans-1,3-Dichloropropene	<2.9	1	07/29/99
1,1,2-Trichloroethane	<2.9	1	07/29/99

- Outside control limits J-Estimated value

Authorized: 
Date: July 30, 1999 Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: O'Brien & Gere Technical Services, Inc.
Project: Cambridge Industries, Inc.
Proj. Desc: Canandaigua, NY


Job No.: 2488.080.517
Certification NY No.: 10155

Sample: M8332
Samp. Description: PTO-1 - Composite
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 66

Collected: 07/28/99
Received: 07/28/99
Prepared: 07/29/99
Matrix: Solid
QC Batch: 072999S1
%Solids: 86.5
Sample size: 5 g

Parameter	Result	Surrog		Analyzed	Notes
		Limits	Dilution		
Toluene	15.		1	07/29/99	
1,3-Dichloropropane	<2.9		1	07/29/99	
Dibromochloromethane	<2.9		1	07/29/99	
2-Hexanone	<5.8		1	07/29/99	
1,2-Dibromoethane	<2.9		1	07/29/99	
Tetrachloroethene	630.		1	07/29/99	E
1,1,1,2-Tetrachloroethane	<2.9		1	07/29/99	
Chlorobenzene	<2.9		1	07/29/99	
Ethylbenzene	<2.9		1	07/29/99	
Bromoform	<2.9		1	07/29/99	
Xylene (total)	11.		1	07/29/99	
Styrene	<2.9		1	07/29/99	
1,1,2,2-Tetrachloroethane	<2.9		1	07/29/99	
1,2,3-Trichloropropane	<2.9		1	07/29/99	
Isopropylbenzene	<2.9		1	07/29/99	
Bromobenzene	<2.9		1	07/29/99	
n-Propylbenzene	<2.9		1	07/29/99	
2-Chlorotoluene	<2.9		1	07/29/99	
4-Chlorotoluene	<2.9		1	07/29/99	
1,3,5-Trimethylbenzene	<2.9		1	07/29/99	
tert-Butylbenzene	<2.9		1	07/29/99	
n-Butylbenzene	<2.9		1	07/29/99	
1,2,4-Trimethylbenzene	<2.9		1	07/29/99	
sec-Butylbenzene	<2.9		1	07/29/99	
1,3-Dichlorobenzene	<2.9		1	07/29/99	
1,4-Dichlorobenzene	<2.9		1	07/29/99	
p-Isopropyltoluene	<2.9		1	07/29/99	
1,2-Dichlorobenzene	<2.9		1	07/29/99	
1,2-Dibromo-3-chloropropane	<2.9		1	07/29/99	
1,2,4-Trichlorobenzene	<2.9		1	07/29/99	
Naphthalene	<2.9		1	07/29/99	

- Outside control limits J-Estimated value

Authorized: 

Date: July 30, 1999

Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: O'Brien & Gere Technical Services, Inc.
Project: Cambridge Industries, Inc.
Proj. Desc: Canandaigua, NY

Job No.: 2488.080.517
Certification NY No.: 10155

Sample: M8332
Samp. Description: PTO-1 - Composite
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 66

Collected: 07/28/99
Received: 07/28/99
Prepared: 07/29/99
Matrix: Solid
QC Batch: 072999S1
%Solids: 86.5
Sample size: 5 g

Parameter	Result	Surrog Limits	Dilution	Analyzed	Notes
Hexachlorobutadiene	<2.9		1	07/29/99	
1,2,3-Trichlorobenzene	<2.9		1	07/29/99	
Dibromofluoromethane (surrogate)	94.%	70-129	1	07/29/99	
1,2-Dichloroethane-d4 (surrogate)	101.%	70-121	1	07/29/99	
Toluene-d8 (surrogate)	94.%	70-124	1	07/29/99	
Bromofluorobenzene (surrogate)	80.%	72-130	1	07/29/99	

Notes:

- Outside control limits J-Estimated value

Authorized: 

Date: July 30, 1999

Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: O'Brien & Gere Technical Services, Inc.
Project: Cambridge Industries, Inc.
Proj. Desc: Canandaigua, NY

Job No.: 2488.080.517
Certification NY No.: 10155

Sample: M8150
Samp. Description: ATB-2 - Grab
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 62

Collected: 07/26/99
Received: 07/26/99
Prepared: 07/27/99
Matrix: Solid
QC Batch: 072799S1
%Solids: 89.0
Sample size: 5 g

Parameter	Result	Surrog Limits Dilution	Analyzed Notes
Dichlorodifluoromethane	<5.6	1	07/27/99
Chloromethane	<5.6	1	07/27/99
Vinyl chloride	<5.6	1	07/27/99
Bromomethane	<5.6	1	07/27/99
Chloroethane	<5.6	1	07/27/99
Trichlorofluoromethane	<5.6	1	07/27/99
1,1-Dichloroethene	<2.8	1	07/27/99
Methylene chloride	<5.6	1	07/27/99
trans-1,2-Dichloroethene	<2.8	1	07/27/99
1,1-Dichloroethane	<2.8	1	07/27/99
cis-1,2-Dichloroethene	3.0	1	07/27/99
Bromochloromethane	<2.8	1	07/27/99
Chloroform	<2.8	1	07/27/99
2,2-Dichloropropane	<2.8	1	07/27/99
1,2-Dichloroethane	<2.8	1	07/27/99
1,1,1-Trichloroethane	8.5	1	07/27/99
1,1-Dichloropropene	<2.8	1	07/27/99
Carbon tetrachloride	<2.8	1	07/27/99
Benzene	<2.8	1	07/27/99
Dibromomethane	<2.8	1	07/27/99
1,2-Dichloropropane	<2.8	1	07/27/99
Trichloroethene	56.	1	07/27/99
Bromodichloromethane	<2.8	1	07/27/99
cis-1,3-Dichloropropene	<2.8	1	07/27/99
trans-1,3-Dichloropropene	<2.8	1	07/27/99
1,1,2-Trichloroethane	<2.8	1	07/27/99
Toluene	12.	1	07/27/99
1,3-Dichloropropane	<2.8	1	07/27/99
Dibromochloromethane	<2.8	1	07/27/99

- Outside control limits J-Estimated value

Authorized: _____

Date: July 28, 1999

Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: O'Brien & Gere Technical Services, Inc.
Project: Cambridge Industries, Inc.
Proj. Desc: Canandaigua, NY

Job No.: 2488.080.517
Certification NY No.: 10155

Sample: M8150
Samp. Description: ATB-2 - Grab
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 62

Collected: 07/26/99
Received: 07/26/99
Prepared: 07/27/99
Matrix: Solid
QC Batch: 072799S1
%Solids: 89.0
Sample size: 5 g

Parameter		Result	Surrog Limits	Dilution	Analyzed	Notes
1,2-Dibromoethane		<2.8		1	07/27/99	
Tetrachloroethene	E	510.		1	07/27/99	
1,1,1,2-Tetrachloroethane		<2.8		1	07/27/99	
Chlorobenzene		<2.8		1	07/27/99	
Ethylbenzene		5.0		1	07/27/99	
Bromoform		<2.8		1	07/27/99	
Xylene (total)		29.		1	07/27/99	
Styrene		<2.8		1	07/27/99	
1,1,2,2-Tetrachloroethane		<2.8		1	07/27/99	
1,2,3-Trichloropropane		<2.8		1	07/27/99	
Isopropylbenzene		<2.8		1	07/27/99	
Bromobenzene		<2.8		1	07/27/99	
n-Propylbenzene		<2.8		1	07/27/99	
2-Chlorotoluene		<2.8		1	07/27/99	
4-Chlorotoluene		<2.8		1	07/27/99	
1,3,5-Trimethylbenzene		<2.8		1	07/27/99	
tert-Butylbenzene		<2.8		1	07/27/99	
n-Butylbenzene		<2.8		1	07/27/99	
1,2,4-Trimethylbenzene		<2.8		1	07/27/99	
sec-Butylbenzene		<2.8		1	07/27/99	
1,3-Dichlorobenzene		<2.8		1	07/27/99	
1,4-Dichlorobenzene		<2.8		1	07/27/99	
p-Isopropyltoluene		<2.8		1	07/27/99	
1,2-Dichlorobenzene		<2.8		1	07/27/99	
1,2-Dibromo-3-chloropropane		<2.8		1	07/27/99	
1,2,4-Trichlorobenzene		<2.8		1	07/27/99	
Naphthalene		<2.8		1	07/27/99	
Hexachlorobutadiene		<2.8		1	07/27/99	
1,2,3-Trichlorobenzene		<2.8		1	07/27/99	
Dibromofluoromethane (surrogate)		3.4%	# 70-129	1	07/27/99	
1,2-Dichloroethane-d4 (surrogate)		105.%	70-121	1	07/27/99	

- Outside control limits J-Estimated value

Authorized:

Date: July 28, 1999

Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: O'Brien & Gere Technical Services, Inc.
Project: Cambridge Industries, Inc.
Proj. Desc: Canandaigua, NY

Job No.: 2488.080.517
Certification NY No.: 10155

Sample: M8150
Samp. Description: ATB-2 - Grab
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 62

Collected: 07/26/99
Received: 07/26/99
Prepared: 07/27/99
Matrix: Solid
QC Batch: 072799S1
%Solids: 89.0
Sample size: 5 g

<u>Parameter</u>	<u>Result</u>	<u>Surrog</u> <u>Limits</u>	<u>Dilution</u>	<u>Analyzed</u>	<u>Notes</u>
Toluene-d8 (surrogate)	97.%	70-124	1	07/27/99	
Bromofluorobenzene (surrogate)	88.%	72-130	1	07/27/99	

Notes:

- Outside control limits J-Estimated value

Authorized: _____

Date: July 28, 1999

Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: O'Brien & Gere Technical Services, Inc.
Project: Cambridge Industries, Inc.
Proj. Desc: Canandaigua, NY

Job No.: 2488.080.517
Certification NY No.: 10155

Sample: M8151
Samp. Description: ATB-2 - Composite
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 62

Collected: 07/26/99
Received: 07/26/99
Prepared: 07/27/99
Matrix: Solid
QC Batch: 072799S1
%Solids: 88.7
Sample size: 5 g

Parameter	Result	Surrog		Analyzed Notes
		Limits	Dilution	
Dichlorodifluoromethane	<5.6		1	07/27/99
Chloromethane	<5.6		1	07/27/99
Vinyl chloride	<5.6		1	07/27/99
Bromomethane	<5.6		1	07/27/99
Chloroethane	<5.6		1	07/27/99
Trichlorofluoromethane	<5.6		1	07/27/99
1,1-Dichloroethene	<2.8		1	07/27/99
Methylene chloride	<5.6		1	07/27/99
trans-1,2-Dichloroethene	<2.8		1	07/27/99
1,1-Dichloroethane	<2.8		1	07/27/99
cis-1,2-Dichloroethene	<2.8		1	07/27/99
Bromochloromethane	<2.8		1	07/27/99
Chloroform	<2.8		1	07/27/99
2,2-Dichloropropane	<2.8		1	07/27/99
1,2-Dichloroethane	<2.8		1	07/27/99
1,1,1-Trichloroethane	3.4		1	07/27/99
1,1-Dichloropropene	<2.8		1	07/27/99
Carbon tetrachloride	<2.8		1	07/27/99
Benzene	<2.8		1	07/27/99
Dibromomethane	<2.8		1	07/27/99
1,2-Dichloropropane	<2.8		1	07/27/99
Trichloroethene	22.		1	07/27/99
Bromodichloromethane	<2.8		1	07/27/99
cis-1,3-Dichloropropene	<2.8		1	07/27/99
trans-1,3-Dichloropropene	<2.8		1	07/27/99
1,1,2-Trichloroethane	<2.8		1	07/27/99
Toluene	5.0		1	07/27/99
1,3-Dichloropropane	<2.8		1	07/27/99
Dibromochloromethane	<2.8		1	07/27/99

- Outside control limits J-Estimated value

Authorized: _____

Date: July 28, 1999

Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: O'Brien & Gere Technical Services, Inc.
Project: Cambridge Industries, Inc.
Proj. Desc: Canandaigua, NY

Job No.: 2488.080.517
Certification NY No.: 10155

Sample: M8151
Samp. Description: ATB-2 - Composite
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 62

Collected: 07/26/99
Received: 07/26/99
Prepared: 07/27/99
Matrix: Solid
QC Batch: 072799S1
%Solids: 88.7
Sample size: 5 g

Parameter	Result	Surrog Limits	Dilution	Analyzed	Notes
1,2-Dibromoethane	<2.8		1	07/27/99	
Tetrachloroethene	200.		1	07/27/99	
1,1,1,2-Tetrachloroethane	<2.8		1	07/27/99	
Chlorobenzene	<2.8		1	07/27/99	
Ethylbenzene	<2.8		1	07/27/99	
Bromoform	<2.8		1	07/27/99	
Xylene (total)	10.		1	07/27/99	
Styrene	<2.8		1	07/27/99	
1,1,2,2-Tetrachloroethane	<2.8		1	07/27/99	
1,2,3-Trichloropropane	<2.8		1	07/27/99	
Isopropylbenzene	<2.8		1	07/27/99	
Bromobenzene	<2.8		1	07/27/99	
n-Propylbenzene	<2.8		1	07/27/99	
2-Chlorotoluene	<2.8		1	07/27/99	
4-Chlorotoluene	<2.8		1	07/27/99	
1,3,5-Trimethylbenzene	<2.8		1	07/27/99	
tert-Butylbenzene	<2.8		1	07/27/99	
n-Butylbenzene	<2.8		1	07/27/99	
1,2,4-Trimethylbenzene	<2.8		1	07/27/99	
sec-Butylbenzene	<2.8		1	07/27/99	
1,3-Dichlorobenzene	<2.8		1	07/27/99	
1,4-Dichlorobenzene	<2.8		1	07/27/99	
p-Isopropyltoluene	<2.8		1	07/27/99	
1,2-Dichlorobenzene	<2.8		1	07/27/99	
1,2-Dibromo-3-chloropropane	<2.8		1	07/27/99	
1,2,4-Trichlorobenzene	<2.8		1	07/27/99	
Naphthalene	<2.8		1	07/27/99	
Hexachlorobutadiene	<2.8		1	07/27/99	
1,2,3-Trichlorobenzene	<2.8		1	07/27/99	
Dibromofluoromethane (surrogate)	0.8	# 70-129	1	07/27/99	
1,2-Dichloroethane-d4 (surrogate)	88.8	70-121	1	07/27/99	

- Outside control limits J-Estimated value

Authorized:

Date: July 28, 1999

Thomas Alexander

**O'Brien & Gere
Laboratories, Inc.**

**Analytical Results
Method: 8260**

Client: O'Brien & Gere Technical Services, Inc.
Project: Cambridge Industries, Inc.
Proj. Desc: Canandaigua, NY

Job No.: 2488.080.517
Certification NY No.: 10155

Sample: M8151
Samp. Description: ATB-2 - Composite
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 62

Collected: 07/26/99 Matrix: Solid
Received: 07/26/99 QC Batch: 072799S1
Prepared: 07/27/99 %Solids: 88.7
Sample size: 5 g

<u>Parameter</u>	<u>Result</u>	<u>Surrog Limits</u>	<u>Dilution</u>	<u>Analyzed</u>	<u>Notes</u>
Toluene-d8 (surrogate)	96.%	70-124	1	07/27/99	
Bromofluorobenzene (surrogate)	78.%	72-130	1	07/27/99	

Notes:

- Outside control limits J-Estimated value

Authorized: _____
Date: July 28, 1999 Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: O'Brien & Gere Technical Services, Inc.
Project: Cambridge Industries, Inc.
Proj. Desc: Canandaigua, NY

Job No.: 2488.080.517
Certification NY No.: 10155

Sample: M7724
Samp. Description: PTB-2 - Composite
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 62

Collected: 07/21/99
Received: 07/21/99
Prepared: 07/26/99
Matrix: Solid
QC Batch: 072699S1
%Solids: 86.6
Sample size: 1 g

Parameter	Result	Surrog Limits	Dilution	Analyzed	Notes
Dichlorodifluoromethane	<29.		1	07/26/99	
Chloromethane	<29.		1	07/26/99	
Vinyl chloride	<29.		1	07/26/99	
Bromomethane	<29.		1	07/26/99	
Chloroethane	<29.		1	07/26/99	
Trichlorofluoromethane	<29.		1	07/26/99	
1,1-Dichloroethene	<14.		1	07/26/99	
Methylene chloride	<29.		1	07/26/99	
trans-1,2-Dichloroethene	<14.		1	07/26/99	
1,1-Dichloroethane	<14.		1	07/26/99	
cis-1,2-Dichloroethene	<14.		1	07/26/99	
Bromochloromethane	<14.		1	07/26/99	
Chloroform	<14.		1	07/26/99	
2,2-Dichloropropane	<14.		1	07/26/99	
1,2-Dichloroethane	<14.		1	07/26/99	
1,1,1-Trichloroethane	16.		1	07/26/99	
1,1-Dichloropropene	<14.		1	07/26/99	
Carbon tetrachloride	<14.		1	07/26/99	
Benzene	<14.		1	07/26/99	
Dibromomethane	<14.		1	07/26/99	
1,2-Dichloropropane	<14.		1	07/26/99	
Trichloroethene	100.		1	07/26/99	
Bromodichloromethane	<14.		1	07/26/99	
cis-1,3-Dichloropropene	<14.		1	07/26/99	
trans-1,3-Dichloropropene	<14.		1	07/26/99	
1,1,2-Trichloroethane	<14.		1	07/26/99	
Toluene	22.		1	07/26/99	
1,3-Dichloropropane	<14.		1	07/26/99	
Dibromochloromethane	<14.		1	07/26/99	

- Outside control limits J-Estimated value

Authorized: _____

Date: July 26, 1999

Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: O'Brien & Gere Technical Services, Inc.
Project: Cambridge Industries, Inc.
Proj. Desc: Canandaigua, NY

Job No.: 2488.080.517
Certification NY No.: 10155

Sample: M7724
Samp. Description: PTB-2 - Composite
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 62

Collected: 07/21/99
Received: 07/21/99
Prepared: 07/26/99
Matrix: Solid
QC Batch: 072699S1
%Solids: 86.6
Sample size: 1 g

Parameter	Result	Surrog Limits	Dilution	Analyzed	Notes
1,2-Dibromoethane	<14.	-	1	07/26/99	
Tetrachloroethene	790.		1	07/26/99	
1,1,1,2-Tetrachloroethane	<14.		1	07/26/99	
Chlorobenzene	<14.		1	07/26/99	
Ethylbenzene	<14.		1	07/26/99	
Bromoform	<14.		1	07/26/99	
Xylene (total)	33.		1	07/26/99	
Styrene	<14.		1	07/26/99	
1,1,2,2-Tetrachloroethane	<14.		1	07/26/99	
1,2,3-Trichloropropane	<14.		1	07/26/99	
Isopropylbenzene	<14.		1	07/26/99	
Bromobenzene	<14.		1	07/26/99	
n-Propylbenzene	<14.		1	07/26/99	
2-Chlorotoluene	<14.		1	07/26/99	
4-Chlorotoluene	<14.		1	07/26/99	
1,3,5-Trimethylbenzene	<14.		1	07/26/99	
tert-Butylbenzene	<14.		1	07/26/99	
n-Butylbenzene	<14.		1	07/26/99	
1,2,4-Trimethylbenzene	<14.		1	07/26/99	
sec-Butylbenzene	<14.		1	07/26/99	
1,3-Dichlorobenzene	<14.		1	07/26/99	
1,4-Dichlorobenzene	<14.		1	07/26/99	
p-Isopropyltoluene	<14.		1	07/26/99	
1,2-Dichlorobenzene	<14.		1	07/26/99	
1,2-Dibromo-3-chloropropane	<14.		1	07/26/99	
1,2,4-Trichlorobenzene	<14.		1	07/26/99	
Naphthalene	<14.		1	07/26/99	
Hexachlorobutadiene	<14.		1	07/26/99	
1,2,3-Trichlorobenzene	<14.		1	07/26/99	
Dibromofluoromethane (surrogate)	11.%	# 70-129	1	07/26/99	
1,2-Dichloroethane-d4 (surrogate)	96.%	70-121	1	07/26/99	

- Outside control limits J-Estimated value

Authorized: _____

Date: July 26, 1999

Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: O'Brien & Gere Technical Services, Inc.
Project: Cambridge Industries, Inc.
Proj. Desc: Canandaigua, NY

Job No.: 2488.080.517
Certification NY No.: 10155

Sample: M7724
Samp. Description: PTB-2 - Composite
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 62

Collected: 07/21/99 Matrix: Solid
Received: 07/21/99 QC Batch: 072699S1
Prepared: 07/26/99 %Solids: 86.6
Sample size: 1 g

<u>Parameter</u>	<u>Result</u>	<u>Surrog</u> <u>Limits</u>	<u>Dilution</u>	<u>Analyzed</u>	<u>Notes</u>
Toluene-d8 (surrogate)	97.%	70-124	1	07/26/99	
Bromofluorobenzene (surrogate)	85.%	72-130	1	07/26/99	

Notes:

- Outside control limits J-Estimated value

Authorized: _____

Date: July 26, 1999

Thomas Alexander

5000 Brittonfield Parkway / Suite 300, Box 4942 / Syracuse, NY 13221 / (315) 437-0200

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: O'Brien & Gere Technical Services, Inc.
Project: Cambridge Industries, Inc.
Proj. Desc: Canandaigua, NY

Job No.: 2488.080:517
Certification NY No.: 10155

Sample: M7725
Samp. Description: PTB-2 - Grab
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 62

Collected: 07/21/99
Received: 07/21/99
Prepared: 07/26/99
Matrix: Solid
QC Batch: 072699S1
%Solids: 87.0
Sample size: .5 g

Parameter	Result	Surrog		Analyzed	Notes
		Limits	Dilution		
Dichlorodifluoromethane	<57.		1	07/26/99	
Chloromethane	<57.		1	07/26/99	
Vinyl chloride	<57.		1	07/26/99	
Bromomethane	<57.		1	07/26/99	
Chloroethane	<57.		1	07/26/99	
Trichlorofluoromethane	<57.		1	07/26/99	
1,1-Dichloroethene	<29.		1	07/26/99	
Methylene chloride	<57.		1	07/26/99	
trans-1,2-Dichloroethene	<29.		1	07/26/99	
1,1-Dichloroethane	<29.		1	07/26/99	
cis-1,2-Dichloroethene	<29.		1	07/26/99	
Bromochloromethane	<29.		1	07/26/99	
Chloroform	<29.		1	07/26/99	
2,2-Dichloropropane	<29.		1	07/26/99	
1,2-Dichloroethane	<29.		1	07/26/99	
1,1,1-Trichloroethane	<29.		1	07/26/99	
1,1-Dichloropropene	<29.		1	07/26/99	
Carbon tetrachloride	<29.		1	07/26/99	
Benzene	<29.		1	07/26/99	
Dibromomethane	<29.		1	07/26/99	
1,2-Dichloropropane	<29.		1	07/26/99	
Trichloroethene	36.		1	07/26/99	
Bromodichloromethane	<29.		1	07/26/99	
cis-1,3-Dichloropropene	<29.		1	07/26/99	
trans-1,3-Dichloropropene	<29.		1	07/26/99	
1,1,2-Trichloroethane	<29.		1	07/26/99	
Toluene	<29.		1	07/26/99	
1,3-Dichloropropane	<29.		1	07/26/99	
Dibromochloromethane	<29.		1	07/26/99	

- Outside control limits J-Estimated value

Authorized: _____

Date: July 26, 1999

Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: O'Brien & Gere Technical Services, Inc.
Project: Cambridge Industries, Inc.
Proj. Desc: Canandaigua, NY

Job No.: 2488.080.517
Certification NY No.: 10155

Sample: M7725
Samp. Description: PTB-2 - Grab
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 62

Collected: 07/21/99
Received: 07/21/99
Prepared: 07/26/99
Matrix: Solid
QC Batch: 072699S1
%Solids: 87.0
Sample size: .5 g

Parameter	Result	Surrog Limits	Dilution	Analyzed Notes
1,2-Dibromoethane	<29.		1	07/26/99
Tetrachloroethene	700.		1	07/26/99
1,1,1,2-Tetrachloroethane	<29.		1	07/26/99
Chlorobenzene	<29.		1	07/26/99
Ethylbenzene	<29.		1	07/26/99
Bromoform	<29.		1	07/26/99
Xylene (total)	87.		1	07/26/99
Styrene	<29.		1	07/26/99
1,1,2,2-Tetrachloroethane	<29.		1	07/26/99
1,2,3-Trichloropropane	<29.		1	07/26/99
Isopropylbenzene	<29.		1	07/26/99
Bromobenzene	<29.		1	07/26/99
n-Propylbenzene	<29.		1	07/26/99
2-Chlorotoluene	<29.		1	07/26/99
4-Chlorotoluene	<29.		1	07/26/99
1,3,5-Trimethylbenzene	<29.		1	07/26/99
tert-Butylbenzene	<29.		1	07/26/99
n-Butylbenzene	<29.		1	07/26/99
1,2,4-Trimethylbenzene	<29.		1	07/26/99
sec-Butylbenzene	<29.		1	07/26/99
1,3-Dichlorobenzene	<29.		1	07/26/99
1,4-Dichlorobenzene	<29.		1	07/26/99
p-Isopropyltoluene	<29.		1	07/26/99
1,2-Dichlorobenzene	<29.		1	07/26/99
1,2-Dibromo-3-chloropropane	<29.		1	07/26/99
1,2,4-Trichlorobenzene	<29.		1	07/26/99
Naphthalene	<29.		1	07/26/99
Hexachlorobutadiene	<29.		1	07/26/99
1,2,3-Trichlorobenzene	<29.		1	07/26/99
Dibromofluoromethane (surrogate)	2.3%	# 70-129	1	07/26/99
1,2-Dichloroethane-d4 (surrogate)	100.%	70-121	1	07/26/99

- Outside control limits J-Estimated value

Authorized:

Date: July 26, 1999

Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: O'Brien & Gere Technical Services, Inc.
Project: Cambridge Industries, Inc.
Proj. Desc: Canandaigua, NY

Job No.: 2488.080.517
Certification NY No.: 10155

Sample: M7725
Samp. Description: PTB-2 - Grab
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 62

Collected: 07/21/99
Received: 07/21/99
Prepared: 07/26/99
Matrix: Solid
QC Batch: 072699S1
%Solids: 87.0
Sample size: .5 g

<u>Parameter</u>	<u>Result</u>	<u>Surrog</u> <u>Limits</u>	<u>Dilution</u>	<u>Analyzed</u>	<u>Notes</u>
Toluene-d8 (surrogate)	97.%	70-124	1	07/26/99	
Bromofluorobenzene (surrogate)	87.%	72-130	1	07/26/99	

Notes:

- Outside control limits J-Estimated value

Authorized: _____

Date: July 26, 1999

Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: O'Brien & Gere Technical Services, Inc.
Project: Cambridge Industries, Inc.
Proj. Desc: Canandaigua, NY

Job No.: 2488.080.517
Certification NY No.: 10155

Sample: M7620
Samp. Description: ATB-1-(Post Treatment)-Grab
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 62

Collected: 07/20/99
Received: 07/20/99
Prepared: 07/22/99
Matrix: Solid
QC Batch: 072199S1
%Solids: 88.7
Sample size: 5 g

Parameter	Result	Surrog Limits Dilution	Analyzed Notes
Dichlorodifluoromethane	<5.6	1	07/22/99
Chloromethane	<5.6	1	07/22/99
Vinyl chloride	<5.6	1	07/22/99
Bromomethane	<5.6	1	07/22/99
Chloroethane	<5.6	1	07/22/99
Trichlorofluoromethane	<5.6	1	07/22/99
1,1-Dichloroethene	<2.8	1	07/22/99
Methylene chloride	<5.6	1	07/22/99
trans-1,2-Dichloroethene	<2.8	1	07/22/99
1,1-Dichloroethane	<2.8	1	07/22/99
cis-1,2-Dichloroethene	<2.8	1	07/22/99
Bromochloromethane	<2.8	1	07/22/99
Chloroform	<2.8	1	07/22/99
2,2-Dichloropropane	<2.8	1	07/22/99
1,2-Dichloroethane	<2.8	1	07/22/99
1,1,1-Trichloroethane	<2.8	1	07/22/99
1,1-Dichloropropene	<2.8	1	07/22/99
Carbon tetrachloride	<2.8	1	07/22/99
Benzene	<2.8	1	07/22/99
Dibromomethane	<2.8	1	07/22/99
1,2-Dichloropropane	<2.8	1	07/22/99
Trichloroethene	8.0	1	07/22/99
Bromodichloromethane	<2.8	1	07/22/99
cis-1,3-Dichloropropene	<2.8	1	07/22/99
trans-1,3-Dichloropropene	<2.8	1	07/22/99
1,1,2-Trichloroethane	<2.8	1	07/22/99
Toluene	<2.8	1	07/22/99
1,3-Dichloropropane	<2.8	1	07/22/99
Dibromochloromethane	<2.8	1	07/22/99

- Outside control limits J-Estimated value

Authorized: _____
Date: July 23, 1999 Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: O'Brien & Gere Technical Services, Inc.
Project: Cambridge Industries, Inc.
Proj. Desc: Canandaigua, NY

Job No.: 2488.080.517
Certification NY No.: 10155

Sample: M7620
Samp. Description: ATB-1-(Post Treatment)-Grab
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 62

Collected: 07/20/99
Received: 07/20/99
Prepared: 07/22/99
Matrix: Solid
QC Batch: 072199S1
%Solids: 88.7
Sample size: 5 g

Parameter	Result	Surrog Limits	Dilution	Analyzed	Notes
1,2-Dibromoethane	<2.8		1	07/22/99	
Tetrachloroethene	85.		1	07/22/99	
1,1,1,2-Tetrachloroethane	<2.8		1	07/22/99	
Chlorobenzene	<2.8		1	07/22/99	
Ethylbenzene	<2.8		1	07/22/99	
Bromoform	<2.8		1	07/22/99	
Xylene (total)	12.		1	07/22/99	
Styrene	<2.8		1	07/22/99	
1,1,2,2-Tetrachloroethane	<2.8		1	07/22/99	
1,2,3-Trichloropropane	<2.8		1	07/22/99	
Isopropylbenzene	<2.8		1	07/22/99	
Bromobenzene	<2.8		1	07/22/99	
n-Propylbenzene	<2.8		1	07/22/99	
2-Chlorotoluene	<2.8		1	07/22/99	
4-Chlorotoluene	<2.8		1	07/22/99	
1,3,5-Trimethylbenzene	<2.8		1	07/22/99	
tert-Butylbenzene	<2.8		1	07/22/99	
n-Butylbenzene	<2.8		1	07/22/99	
1,2,4-Trimethylbenzene	<2.8		1	07/22/99	
sec-Butylbenzene	<2.8		1	07/22/99	
1,3-Dichlorobenzene	<2.8		1	07/22/99	
1,4-Dichlorobenzene	<2.8		1	07/22/99	
p-Isopropyltoluene	<2.8		1	07/22/99	
1,2-Dichlorobenzene	<2.8		1	07/22/99	
1,2-Dibromo-3-chloropropane	<2.8		1	07/22/99	
1,2,4-Trichlorobenzene	<2.8		1	07/22/99	
Naphthalene	<2.8		1	07/22/99	
Hexachlorobutadiene	<2.8		1	07/22/99	
1,2,3-Trichlorobenzene	<2.8		1	07/22/99	
Dibromofluoromethane (surrogate)	20.%	# 70-129	1	07/22/99	
1,2-Dichloroethane-d4 (surrogate)	103.%	70-121	1	07/22/99	

- Outside control limits J-Estimated value

Authorized: _____

Date: July 23, 1999

Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: O'Brien & Gere Technical Services, Inc.
Project: Cambridge Industries, Inc.
Proj. Desc: Canandaigua, NY

Job No.: 2488.080.517
Certification NY No.: 10155

Sample: M7620
Samp. Description: ATB-1-(Post Treatment)-Grab
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 62

Collected: 07/20/99
Received: 07/20/99
Prepared: 07/22/99

Matrix: Solid
QC Batch: 072199S1
% Solids: 88.7
Sample size: 5 g

Parameter	Result	Surrog		Analyzed	Notes
		Limits	Dilution		
Toluene-d8 (surrogate)	103.%	70-124	1	07/22/99	
Bromofluorobenzene (surrogate)	81.%	72-130	1	07/22/99	

Notes:

- Outside control limits J-Estimated value

Authorized: _____
Date: July 23, 1999 Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: O'Brien & Gere Technical Services, Inc.
Project: Cambridge Industries, Inc.
Proj. Desc: Canandaigua, NY

Job No.: 2488.080.517
Certification NY No.: 10155

Sample: M7621
Samp. Description: ATB-1-(Post Treatment)-Composite
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 62

Collected: 07/20/99
Received: 07/20/99
Prepared: 07/22/99
Matrix: Solid
QC Batch: 072199S1
% Solids: 89.4
Sample size: 5 g

Parameter	Result	Surrog Limits Dilution	Analyzed Notes
Dichlorodifluoromethane	<5.6	1	07/22/99
Chloromethane	<5.6	1	07/22/99
Vinyl chloride	<5.6	1	07/22/99
Bromomethane	<5.6	1	07/22/99
Chloroethane	<5.6	1	07/22/99
Trichlorofluoromethane	<5.6	1	07/22/99
1,1-Dichloroethene	<2.8	1	07/22/99
Methylene chloride	<5.6	1	07/22/99
trans-1,2-Dichloroethene	<2.8	1	07/22/99
1,1-Dichloroethane	<2.8	1	07/22/99
cis-1,2-Dichloroethene	<2.8	1	07/22/99
Bromochloromethane	<2.8	1	07/22/99
Chloroform	<2.8	1	07/22/99
2,2-Dichloropropane	<2.8	1	07/22/99
1,2-Dichloroethane	<2.8	1	07/22/99
1,1,1-Trichloroethane	<2.8	1	07/22/99
1,1-Dichloropropene	<2.8	1	07/22/99
Carbon tetrachloride	<2.8	1	07/22/99
Benzene	<2.8	1	07/22/99
Dibromomethane	<2.8	1	07/22/99
1,2-Dichloropropane	<2.8	1	07/22/99
Trichloroethene	6.6	1	07/22/99
Bromodichloromethane	<2.8	1	07/22/99
cis-1,3-Dichloropropene	<2.8	1	07/22/99
trans-1,3-Dichloropropene	<2.8	1	07/22/99
1,1,2-Trichloroethane	<2.8	1	07/22/99
Toluene	<2.8	1	07/22/99
1,3-Dichloropropane	<2.8	1	07/22/99
Dibromochloromethane	<2.8	1	07/22/99

- Outside control limits J-Estimated value

Authorized: _____

Date: July 23, 1999

Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: O'Brien & Gere Technical Services, Inc.
Project: Cambridge Industries, Inc.
Proj. Desc: Canandaigua, NY

Job No.: 2488.080.517
Certification NY No.: 10155

Sample: M7621
Samp. Description: ATB-1-(Post Treatment)-Composite
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 62

Collected: 07/20/99
Received: 07/20/99
Prepared: 07/22/99
Matrix: Solid
QC Batch: 072199S1
% Solids: 89.4
Sample size: 5 g

Parameter	Result	Surrog Limits	Dilution	Analyzed	Notes
1,2-Dibromoethane	<2.8		1	07/22/99	
Tetrachloroethene	45.		1	07/22/99	
1,1,1,2-Tetrachloroethane	<2.8		1	07/22/99	
Chlorobenzene	<2.8		1	07/22/99	
Ethylbenzene	<2.8		1	07/22/99	
Bromoform	<2.8		1	07/22/99	
Xylene (total)	9.9		1	07/22/99	
Styrene	<2.8		1	07/22/99	
1,1,2,2-Tetrachloroethane	<2.8		1	07/22/99	
1,2,3-Trichloropropane	<2.8		1	07/22/99	
Isopropylbenzene	<2.8		1	07/22/99	
Bromobenzene	<2.8		1	07/22/99	
n-Propylbenzene	<2.8		1	07/22/99	
2-Chlorotoluene	<2.8		1	07/22/99	
4-Chlorotoluene	<2.8		1	07/22/99	
1,3,5-Trimethylbenzene	<2.8		1	07/22/99	
tert-Butylbenzene	<2.8		1	07/22/99	
n-Butylbenzene	<2.8		1	07/22/99	
1,2,4-Trimethylbenzene	<2.8		1	07/22/99	
sec-Butylbenzene	<2.8		1	07/22/99	
1,3-Dichlorobenzene	<2.8		1	07/22/99	
1,4-Dichlorobenzene	<2.8		1	07/22/99	
p-Isopropyltoluene	<2.8		1	07/22/99	
1,2-Dichlorobenzene	<2.8		1	07/22/99	
1,2-Dibromo-3-chloropropane	<2.8		1	07/22/99	
1,2,4-Trichlorobenzene	<2.8		1	07/22/99	
Naphthalene	<2.8		1	07/22/99	
Hexachlorobutadiene	<2.8		1	07/22/99	
1,2,3-Trichlorobenzene	<2.8		1	07/22/99	
Dibromofluoromethane (surrogate)	5.6%	# 70-129	1	07/22/99	
1,2-Dichloroethane-d4 (surrogate)	101.1%	70-121	1	07/22/99	

- Outside control limits J-Estimated value

Authorized: _____

Date: July 23, 1999

Thomas Alexander

O'Brien & Gere Laboratories, Inc.

Analytical Results Method: 8260

Client: O'Brien & Gere Technical Services, Inc.
Project: Cambridge Industries, Inc.
Proj. Desc: Canandaigua, NY

Job No.: 2488.080.517
Certification NY No.: 10155

Sample: M7621
Samp. Description: ATB-1-(Post Treatment)-Composite
Instrument: HP5973 GCMS#3
Units: ug/Kg Dry weight
Number of analytes: 62

Collected: 07/20/99
Received: 07/20/99
Prepared: 07/22/99
Matrix: Solid
QC Batch: 072199S1
%Solids: 89.4
Sample size: 5 g

<u>Parameter</u>	<u>Result</u>	<u>Surrog</u> <u>Limits</u>	<u>Dilution</u>	<u>Analyzed</u>	<u>Notes</u>
Toluene-d8 (surrogate)	101.%	70-124	1	07/22/99	
Bromofluorobenzene (surrogate)	81.%	72-130	1	07/22/99	

Notes:

- Outside control limits J-Estimated value

Authorized: _____

Date: July 23, 1999

Thomas Alexander