

Mr. Todd Caffoe
Regional Hazardous Waste Remediation Engineer
New York State Department of Environmental Conservation
6274 Avon-Lima Road
Avon, New York 14414-9519

Arcadis of New York, Inc.
100 Chestnut Street
Suite 1020
Rochester
New York 14604
Tel 585 385 0090
Fax 585 546 1973
www.arcadis.com

Subject:
Semiannual Groundwater Monitoring and Reporting
Crosman Site
East Bloomfield, New York

Date:
May 13, 2020

Dear Mr. Caffoe:

On behalf of Crosman Corporation and New Coleman Holdings, Inc. (collectively, Crosman), Arcadis of New York, Inc. (Arcadis) has prepared this letter report to update the New York State Department of Environmental Conservation (NYSDEC) on the results of the semiannual groundwater sampling event conducted in April 2020 at the Crosman site, located in East Bloomfield, New York (site).

The groundwater monitoring program at the site has changed several times since its inception. Presently, as requested in the Semiannual Groundwater Monitoring Report, dated December 22, 2010, and approved by the NYSDEC, the groundwater program currently includes semiannual sampling of monitoring wells PW-1, MW-4, MW-5, MW-13, MW-14, and MW-15 (conducted in April and October) and annual sampling of monitoring wells MW-3A, MW-17, MW-18, MW-19, and MW-20 (conducted in April).

GROUNDWATER MONITORING

On April 21, 2020, Arcadis collected water-level measurement at all site wells, then collected groundwater quality samples from monitoring wells PW-1, MW-3A, MW-4, MW-5, MW-13, MW-14, MW-15, MW-17, MW-18, MW-19, and MW-20. Table 1 presents the site-wide water-level measurements. Figure 1 represents the groundwater elevation contour map for the April 2020 groundwater sampling event.

Contact:
William B. Popham

Phone:
585 662 4022

Email:
bill.popham@arcadis.com

Our ref:
30005202

Error! No document variable supplied.

ALS Environmental laboratory in Rochester, New York, analyzed the groundwater quality samples for volatile organic compounds by United States Environmental Protection Agency Method 8260. Table 2 presents the laboratory analytical results for this event, as well as for previous sampling events (past 10 years to present). Attachment 1 provides the laboratory report documenting the practical quantitation limits and dilution factors.

Analytical data from April 2020 reflects little change in levels of trichloroethene (TCE); overall changes observed at select wells are consistent with historical fluctuations. In addition, monitoring wells located at the perimeter of the contaminant plume continue to show that the plume is not migrating offsite. Below is a summary of the findings:

- A continued non-detectable concentration in monitoring wells MW-4, MW-14, MW-15, MW-18, and MW-19.
- A decrease in concentration in production well PW-1 – from 38 parts per billion (ppb) in October 2019 to 14 ppb in April 2020.
- A decrease in concentration in monitoring well MW-5 – from 9.1 ppb in October 2019 to 7.8 ppb in April 2020.
- An increase in concentration in monitoring well MW-13 – from 58 ppb in October 2019 to 340 ppb in April 2020.
- An increase in concentration in monitoring well MW-3A – from 130 ppb in April 2019 to 220 ppb in April 2020.
- No change in concentration in monitoring well MW-17 – remaining at 440 ppb in April 2019 and April 2020.
- An increase in concentration in monitoring well MW-20 – from 150 ppb in April 2019 to 180 ppb in April 2020.

Figure 2 provides a map depicting TCE concentrations in groundwater over time (past 10 years to present). For clarity purposes, only data for the groundwater monitoring wells included in the present monitoring program are shown on this figure.

The TCE concentration in the effluent from the cooling pond also remains below the State Pollutant Discharge Elimination System permitted level of 10 ppb.

The electronic data deliverable will be submitted electronically in accordance with NYSDEC guidelines.

PUMP WELL OPERATIONS

Groundwater elevation contours (Figure 1) for the groundwater monitoring event show that production well PW-1 continues to influence and capture groundwater flow, thereby maintaining hydraulic control of the site. Therefore, operation of PW-1 continues to maintain hydraulic control of the TCE plume contained in the groundwater system and to demonstrably abate the potential for direct human exposure.

In addition, these groundwater monitoring results continue to demonstrate that the state's water quality standard of 5 ppb for TCE is being achieved at the limits of the area of concern to the extent practicable. Therefore, the NYSDEC's March 26, 1997 Record of Decision remedial goals and the remedial action

Mr. Todd Caffoe
May 13, 2020

objectives set forth in the Remedial Design/Remedial Action Work Plan (Blasland, Bouck & Lee, Inc., May 1997) continue to be achieved.

The second semiannual groundwater sampling event for 2020 is tentatively scheduled for the third week of October 2020. As in the past, upon receipt and review of the analytical data, a report will be prepared and submitted to the NYSDEC.

If you should have any questions, feel free to contact me at 585.662.4022.

Sincerely,

Arcadis of New York, Inc.



William B. Popham
Senior Vice President

Copies:

Justin Deming, New York State Department of Health
Timothy S. Martin, Esq., New Coleman Holdings, Inc.
Benedict Moshier, New Coleman Holdings, Inc.
Thomas F. Walsh, Esq., Barclay Damon, LLP
Gina Thomas, Crosman Corporation
Aaron D. Richardson, Arcadis of New York, Inc.

Enclosures:

Tables

- 1 Groundwater Elevation Data
- 2 Groundwater Analytical Results

Figures

- 1 Groundwater Elevation Contour Map – April 21, 2020
- 2 Map of Trichloroethylene Concentrations in Groundwater

Attachments

- 1 Laboratory Data

Tables

Table 1
Groundwater Elevation Data
Semiannual Groundwater Monitoring and Reporting
Crosman Site
East Bloomfield, New York

Location I.D.	T.O.R. Reference Elevation **	October 22, 2010		April 21, 2011		October 20, 2011		April 16, 2012		October 10, 2012	
		Depth to Water	Groundwater Elevation								
MW-1	1053.97	13.65	1038.44	6.02	1046.07	15.31	1038.66	8.59	1045.38	18.25	1035.72
MW-1A	1053.86	72.08	979.78	72.12	979.74	71.15	982.71	71.60	982.26	72.08	981.78
MW-2	1020.06	51.12	966.88	48.64	969.36	50.57	969.49	51.18	968.88	51.70	968.36
MW-3	1020.21	27.53	990.78	26.40	991.91	27.01	993.2	28.72	991.49	27.98	992.23
MW-3A	1019.71	50.22	967.59	48.51	969.3	49.43	970.28	48.79	970.92	50.49	969.22
MW-4	978.46	21.44	954.98	14.34	962.08	21.80	956.66	18.24	960.22	22.80	955.66
MW-5	980.91	18.14	960.79	19.23	959.7	17.87	963.04	15.76	965.15	19.10	961.81
MW-6	1017.85	48.80	967.15	46.27	969.68	48.08	969.77	46.54	971.31	49.22	968.63
MW-7	981.19	18.70	960.61	13.60	965.71	18.59	962.6	16.52	964.67	19.76	961.43
MW-8	1027.75	50.39	975.23	49.84	975.78	NR	---	49.05	978.70	49.85	977.90
MW-9	1028.02	53.69	972.40	53.59	972.5	52.50	975.52	52.76	975.26	53.57	974.45
MW-10	1025.68	54.56	969.31	53.08	970.79	53.29	972.39	52.79	972.89	54.51	971.17
MW-11	1018.46	55.40	961.08	53.48	963	54.72	963.74	54.05	964.41	55.88	962.58
MW-12	983.83	27.27	954.57	20.12	961.72	27.54	956.29	23.87	959.96	29.14	954.69
MW-13	998.94	33.52	963.45	29.85	967.12	33.34	965.6	31.41	967.53	34.49	964.45
MW-14	1023.58	58.35	963.31	54.70	966.96	57.75	965.83	56.02	967.56	58.88	964.70
MW-15	973.61	19.36	952.54	10.13	961.77	19.39	954.22	14.09	959.52	16.71	956.90
MW-16	1028.80	56.52	970.36	55.42	971.46	55.22	973.58	55.81	972.99	56.31	972.49
MW-17	1025.86	50.61	973.56	53.83	970.34	49.59	976.27	53.09	972.77	50.59	975.27
MW-18	1004.65	39.20	963.44	37.42	965.22	36.15	968.5	37.95	966.70	36.92	967.73
MW-19	981.95	23.59	956.22	16.13	963.68	24.35	957.6	20.60	961.35	25.50	956.45
MW-20 (1)	1027.56	53.84	972.25	53.29	972.8	52.34	975.22	52.44	975.12	53.39	974.17
MW-21	1027.97	53.93	---	53.52	---	48.85	---	-	---	53.59	---
PZ-1	1026.28	53.24	971.09	52.78	971.55	51.98	974.3	51.92	974.36	52.96	973.32
PZ-2	1026.75	56.53	968.36	54.87	970.02	55.62	971.13	54.68	972.07	56.66	970.09
PZ-3	980.30	24.24	954.99	16.54	962.69	24.40	955.9	21.03	959.27	26.07	954.23
PW-1	975.57	20.01	951.84	12.09	959.76	20.22	955.35	16.43	959.14	21.19	954.38

Notes on page 4.

Table 1
Groundwater Elevation Data
Semiannual Groundwater Monitoring and Reporting
Crosman Site
East Bloomfield, New York

Location I.D.	T.O.R. Reference Elevation **	April 8, 2013		October 16, 2013		April 9, 2014		October 29, 2014		April 22, 2015	
		Depth to Water	Groundwater Elevation								
MW-1	1053.97	8.97	1045.00	15.55	1038.42	6.67	1047.30	13.33	1040.64	6.30	1047.67
MW-1A	1053.86	24.39	1029.47	24.37	1029.49	24.35	1029.51	24.55	1029.31	24.75	1029.11
MW-2	1020.06	51.15	968.91	50.80	969.26	50.45	969.61	50.14	969.92	48.75	971.31
MW-3	1020.21	27.81	992.40	27.95	992.26	25.57	994.64	27.77	992.44	26.63	993.58
MW-3A	1019.71	50.98	968.73	50.13	969.58	50.49	969.22	49.53	970.18	48.71	971.00
MW-4	978.46	18.37	960.09	18.60	959.86	14.79	963.67	20.45	958.01	15.70	962.76
MW-5	980.91	20.05	960.86	15.35	965.56	14.74	966.17	17.19	963.72	14.29	966.62
MW-6	1017.85	48.80	969.05	48.34	969.51	48.20	969.65	47.69	970.16	46.09	971.76
MW-7	981.19	17.57	963.62	17.75	963.44	14.72	966.47	17.71	963.48	14.59	966.60
MW-8	1027.75	24.31	1003.44	50.15	977.60	51.23	976.52	49.26	978.49	49.05	978.70
MW-9	1028.02	34.89	993.13	53.67	974.35	54.82	973.20	52.75	975.27	52.59	975.43
MW-10	1025.68	55.09	970.59	54.23	971.45	54.74	970.94	53.33	972.35	52.60	973.08
MW-11	1018.46	55.05	963.41	55.22	963.24	54.55	963.91	54.63	963.83	53.31	965.15
MW-12	983.83	24.01	959.82	24.73	959.10	20.69	963.14	26.11	957.72	21.52	962.31
MW-13	998.94	38.94	960.00	32.68	966.26	31.33	967.61	32.63	966.31	21.33	977.61
MW-14	1023.58	57.72	965.86	57.34	966.24	56.54	967.04	57.14	966.44	55.11	968.47
MW-15	973.61	18.12	955.49	13.96	959.65	12.30	961.31	15.32	958.29	10.59	963.02
MW-16	1028.80	57.12	971.68	56.11	972.69	56.81	971.99	55.14	973.66	54.56	974.24
MW-17	1025.86	52.09	973.77	50.84	975.02	51.92	973.94	50.00	975.86	50.21	975.65
MW-18	1004.65	38.35	966.30	35.59	969.06	13.77	990.88	35.34	969.31	NR	---
MW-19	981.95	21.80	960.15	22.33	959.62	15.45	966.50	22.59	959.36	16.73	965.22
MW-20 (1)	1027.56	54.81	972.75	53.49	974.07	54.44	973.12	52.55	975.01	52.24	975.32
MW-21	1027.97	54.95	---	53.59	---	--	---	60.87	---	50.71	---
PZ-1	1026.28	54.23	972.05	53.03	973.25	53.93	972.35	51.95	974.33	NR	---
PZ-2	1026.75	56.87	969.88	56.18	970.57	56.45	970.30	55.34	971.41	54.45	972.30
PZ-3	980.30	20.94	959.36	21.82	958.48	17.51	962.79	23.19	957.11	18.05	962.25
PW-1	975.57	16.81	958.76	17.55	958.02	12.57	963.00	18.35	957.22	12.68	962.89

Notes on page 4.

Table 1
Groundwater Elevation Data
Semiannual Groundwater Monitoring and Reporting
Crosman Site
East Bloomfield, New York

Location I.D.	T.O.R. Reference Elevation **	October 21, 2015		April 18, 2016		October 26, 2016		April 19, 2017		October 17, 2017	
		Depth to Water	Groundwater Elevation								
MW-1	1053.97	12.89	1041.08	8.41	1045.56	19.50	1034.47	6.97	1047.00	12.71	1041.26
MW-1A	1053.86	71.11	982.75	NR	---	NR	---	NR	---	NR	---
MW-2	1020.06	49.75	970.31	49.25	970.81	52.78	967.28	50.25	969.81	48.31	971.75
MW-3	1020.21	27.74	992.47	28.29	991.92	26.39	993.82	26.71	993.50	27.09	993.12
MW-3A	1019.71	49.40	970.31	49.12	970.59	52.07	967.64	50.37	969.34	47.82	971.89
MW-4	978.46	21.55	956.91	17.94	960.52	23.47	954.99	14.80	963.66	14.96	963.50
MW-5	980.91	16.80	964.11	15.70	965.21	20.03	960.88	14.42	966.49	16.00	964.91
MW-6	1017.85	47.16	970.69	46.59	971.26	50.28	967.57	47.56	970.29	45.89	971.96
MW-7	981.19	18.18	963.01	14.15	967.04	20.51	960.68	14.35	966.84	15.05	966.14
MW-8	1027.75	48.61	979.14	49.18	978.57	51.02	976.73	51.24	976.51	48.28	979.47
MW-9	1028.02	51.95	976.07	52.75	975.27	55.78	972.24	54.93	973.09	51.86	976.16
MW-10	1025.68	52.75	972.93	52.93	972.75	55.60	970.08	NR	---	52.08	973.60
MW-11	1018.46	54.43	964.03	54.09	964.37	56.73	961.73	54.48	963.98	53.11	965.35
MW-12	983.83	27.70	956.13	23.82	960.01	29.69	954.14	20.88	962.95	19.72	964.11
MW-13	998.94	28.11	970.83	31.35	967.59	35.45	963.49	31.05	967.89	30.20	968.74
MW-14	1023.58	57.08	966.50	56.00	967.58	59.86	963.72	56.03	967.55	54.95	968.63
MW-15	973.61	15.60	958.01	13.54	960.07	17.60	956.01	13.23	960.38	13.12	960.49
MW-16	1028.80	54.45	974.35	54.80	974.00	57.42	971.38	56.84	971.96	53.93	974.87
MW-17	1025.86	49.55	976.31	50.27	975.59	51.44	974.42	52.25	973.61	49.65	976.21
MW-18	1004.65	34.58	970.07	34.62	970.03	38.28	966.37	34.64	970.01	34.27	970.38
MW-19	981.95	23.29	958.66	20.16	961.79	26.32	955.63	14.88	967.07	19.51	962.44
MW-20 (1)	1027.56	51.71	975.85	52.48	975.08	54.28	973.28	54.85	972.71	51.61	975.95
MW-21	1027.97	50.91	---	54.15	---	54.35	---	54.45	---	51.80	---
PZ-1	1026.28	51.33	974.95	51.93	974.35	53.92	972.36	53.93	972.35	50.91	975.37
PZ-2	1026.75	54.93	971.82	54.84	971.91	55.50	971.25	55.38	971.37	53.90	972.85
PZ-3	980.30	24.60	955.70	20.70	959.60	26.83	953.47	17.51	962.79	17.14	963.16
PW-1	975.57	19.72	955.85	15.63	959.94	22.60	952.97	13.08	962.49	12.38	963.19

Notes on page 4.

Table 1
Groundwater Elevation Data
Semiannual Groundwater Monitoring and Reporting
Crosman Site
East Bloomfield, New York

Location I.D.	T.O.R. Reference Elevation **	April 3, 2018		October 26, 2018		April 23, 2019		October 31, 2019		April 21, 2020	
		Depth to Water	Groundwater Elevation								
MW-1	1053.97	5.59	1048.38	11.52	1042.45	6.94	1047.03	13.23	1040.74	7.13	1046.84
MW-1A	1053.86	NR	---	69.89	983.97	68.02	985.84	69.06	984.80	69.06	984.80
MW-2	1020.06	46.36	973.70	48.68	971.38	46.49	973.57	48.81	971.25	46.97	973.09
MW-3	1020.21	26.33	993.88	28.31	991.90	27.67	992.54	27.90	992.31	27.77	992.44
MW-3A	1019.71	46.14	973.57	47.83	971.88	45.91	973.80	48.04	971.67	46.45	973.26
MW-4	978.46	12.90	965.56	17.24	961.22	14.63	963.83	17.82	960.64	14.55	963.91
MW-5	980.91	11.57	969.34	15.29	965.62	12.71	968.20	15.67	965.24	12.99	967.92
MW-6	1017.85	43.82	974.03	46.22	971.63	43.80	974.05	46.26	971.59	44.27	973.58
MW-7	981.19	11.50	969.69	15.90	965.29	13.15	968.04	16.34	964.85	13.41	967.78
MW-8	1027.75	46.80	980.95	47.54	980.21	45.82	981.93	46.91	980.84	46.20	981.55
MW-9	1028.02	50.74	977.28	51.25	976.77	49.70	978.32	50.81	977.21	50.20	977.82
MW-10	1025.68	50.58	975.10	NR	---	50.09	975.59	NR	---	NR	---
MW-11	1018.46	51.33	967.13	52.93	965.53	51.26	967.20	53.02	965.44	51.52	966.94
MW-12	983.83	19.00	964.83	22.75	961.08	20.38	963.45	NR	---	NR	---
MW-13	998.94	27.70	971.24	30.98	967.96	28.50	970.44	31.26	967.68	28.50	970.44
MW-14	1023.58	52.66	970.92	55.55	968.03	53.05	970.53	55.72	967.86	53.35	970.23
MW-15	973.61	9.25	964.36	13.54	960.07	10.86	962.75	14.59	959.02	11.04	962.57
MW-16	1028.80	52.47	976.33	53.80	975.00	51.84	976.96	53.42	975.38	52.48	976.32
MW-17	1025.86	48.53	977.33	48.43	977.43	47.31	978.55	47.78	978.08	47.48	978.38
MW-18	1004.65	31.69	972.96	33.86	970.79	31.91	972.74	34.20	970.45	32.13	972.52
MW-19	981.95	14.70	967.25	20.00	961.95	17.55	964.40	20.95	961.00	17.50	964.45
MW-20 (1)	1027.56	50.44	977.12	51.02	976.54	49.42	978.14	50.51	977.05	50.03	977.53
MW-21	1027.97	50.59	---	51.13	976.84	49.58	978.39	50.53	977.44	50.12	977.85
PZ-1	1026.28	49.78	976.50	50.57	975.71	48.91	977.37	50.16	976.12	49.35	976.93
PZ-2	1026.75	53.23	973.52	53.99	972.76	51.95	974.80	53.86	972.89	52.49	974.26
PZ-3	980.30	15.13	965.17	19.69	960.61	16.91	963.39	20.23	960.07	16.72	963.58
PW-1	975.57	10.16	965.41	15.30	960.27	12.30	963.27	15.62	959.95	12.24	963.33

Notes:

All data are expressed in feet.

Wells MW-17, MW-18, MW-19, IRM-1, PZ-1, and PZ-2 were installed during October and November 1994.

MW-21 was installed July 31, 2000 through August 3, 2000.

PZ-3 was installed on May 14, 2001.

** = Reference elevation for all wells re-established with October 2018 survey by Fisher Associates.

(1) Monitoring well MW-20 was formerly IRM-1.

--- = not measured

NR = not recorded

T.O.R. = top of polyvinyl chloride riser

Table 2
Program Monitoring Wells
Groundwater Analytical Results
Crosman Site
East Bloomfield, New York

Well I.D.	MW-3A										
Date Sampled	21-Apr-11	16-Apr-12	8-Apr-13	9-Apr-14	22-Apr-15	18-Apr-16	19-Apr-17	3-Apr-18	23-Apr-19	21-Apr-20	
Volatiles											
Acetone	-	-	-	-	-	-	-	-	-	-	
Benzene	-	-	-	-	-	-	-	-	-	-	
Bromodichloromethane	-	-	-	-	-	-	-	-	-	-	
Bromoform	-	-	-	-	-	-	-	-	-	-	
Carbon Disulfide	-	-	-	-	-	-	-	-	-	-	
Carbon Tetrachloride	-	-	-	-	-	-	-	-	-	-	
Chlorobenzene	-	-	-	-	-	-	-	-	-	-	
Chloroform	-	-	-	-	-	-	-	-	-	-	
cis-1,2-Dichloroethene	-	-	-	-	-	-	-	-	-	-	
trans-1,2-Dichloroethene	-	-	-	-	-	-	-	-	-	-	
Dibromochloromethane	-	-	-	-	-	-	-	-	-	-	
1,1-Dichloroethane	-	-	-	-	-	-	-	-	-	-	
1,1-Dichloroethene	-	-	-	-	-	-	-	-	-	-	
1,1,2,2-Tetrachloroethane	-	-	-	-	-	-	-	-	-	-	
Methylene Chloride	-	-	-	-	-	-	-	-	-	-	
Tetrachloroethene	-	-	-	-	-	-	-	-	-	-	
Trichloroethene	240	210	190	280	250	350	260	190	130	220 D	
Toluene	-	-	-	-	-	-	-	-	-	-	
Xylenes (total)	-	-	-	-	-	-	-	-	-	-	

Notes on page 20.

Table 2
Program Monitoring Wells
Groundwater Analytical Results
Crosman Site
East Bloomfield, New York

Well I.D.	MW-4									
Date Sampled	21-Apr-11	20-Oct-11	16-Apr-12	10-Oct-12	8-Apr-13	16-Oct-13	9-Apr-14	29-Oct-14	22-Apr-15	
Volatiles										
Acetone	-	-	-	-	-	-	-	-	-	
Benzene	-	-	-	-	-	-	-	-	-	
Bromodichloromethane	-	-	-	-	-	-	-	-	-	
Bromoform	-	-	-	-	-	-	-	-	-	
Carbon Disulfide	-	-	-	-	-	-	-	-	-	
Carbon Tetrachloride	-	-	-	-	-	-	-	-	-	
Chlorobenzene	-	-	-	-	-	-	-	-	-	
Chloroform	-	-	-	-	-	-	-	-	-	
cis-1,2-Dichloroethene	-	-	-	-	-	-	-	-	-	
trans-1,2-Dichloroethene	-	-	-	-	-	-	-	-	-	
Dibromochloromethane	-	-	-	-	-	-	-	-	-	
1,1 - Dichloroethane	-	-	-	-	-	-	-	-	-	
1,1 - Dichloroethene	-	-	-	-	-	-	-	-	-	
1,1,2,2 - Tetrachloroethane	-	-	-	-	-	-	-	-	-	
Methylene Chloride	-	-	-	-	-	-	-	-	-	
Tetrachloroethene	-	-	-	-	-	-	-	-	-	
Trichloroethene	-	-	-	-	4.06	-	-	-	-	
Toluene	-	-	-	-	-	-	-	-	-	
Xylenes (total)	-	-	-	-	-	-	-	-	-	

Notes on page 20.

Table 2
Program Monitoring Wells
Groundwater Analytical Results
Crosman Site
East Bloomfield, New York

Well I.D.	MW-4 (cont.)										
Date Sampled	21-Oct-15	18-Apr-16	26-Oct-16	19-Apr-17	17-Oct-17	3-Apr-18	26-Oct-18	23-Apr-19	31-Oct-19	21-Apr-20	
Volatiles											
Acetone	-	-	-	-	-	-	-	-	-	-	
Benzene	-	-	-	-	-	-	-	-	-	-	
Bromodichloromethane	-	-	-	-	-	-	-	-	-	-	
Bromoform	-	-	-	-	-	-	-	-	-	-	
Carbon Disulfide	-	-	-	-	-	-	-	-	-	-	
Carbon Tetrachloride	-	-	-	-	-	-	-	-	-	-	
Chlorobenzene	-	-	-	-	-	-	-	-	-	-	
Chloroform	-	-	-	-	-	-	-	-	-	-	
cis-1,2-Dichloroethene	-	-	-	-	-	-	-	-	-	-	
trans-1,2-Dichloroethene	-	-	-	-	-	-	-	-	-	-	
Dibromochloromethane	-	-	-	-	-	-	-	-	-	-	
1,1 - Dichloroethane	-	-	-	-	-	-	-	-	-	-	
1,1 - Dichloroethene	-	-	-	-	-	-	-	-	-	-	
1,1,2,2 - Tetrachloroethane	-	-	-	-	-	-	-	-	-	-	
Methylene Chloride	-	-	-	-	-	-	-	-	-	-	
Tetrachloroethene	-	-	-	-	-	-	-	-	-	-	
Trichloroethene	-	-	-	-	-	-	-	-	-	-	
Toluene	-	-	-	-	-	-	-	-	-	-	
Xylenes (total)	-	-	-	-	-	-	-	-	-	-	

Notes on page 20.

Table 2
Program Monitoring Wells
Groundwater Analytical Results
Crosman Site
East Bloomfield, New York

Well I.D.	MW-5									
Date Sampled	22-Oct-10	21-Apr-11	20-Oct-11	16-Apr-12	10-Oct-12	8-Apr-13	16-Oct-13	9-Apr-14	29-Oct-14	22-Apr-15
Volatiles										
Acetone	-	-	-	-	-	-	-	-	-	-
Benzene	-	-	-	-	-	-	-	-	-	-
Bromodichloromethane	-	-	-	-	-	-	-	-	-	-
Bromoform	-	-	-	-	-	-	-	-	-	-
Carbon Disulfide	-	-	-	-	-	-	-	-	-	-
Carbon Tetrachloride	-	-	-	-	-	-	-	-	-	-
Chlorobenzene	-	-	-	-	-	-	-	-	-	-
Chloroform	-	-	-	-	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	6.28	9.6	-	8.8	17
trans-1,2-Dichloroethene	-	-	-	-	-	-	-	-	-	-
Dibromochloromethane	-	-	-	-	-	-	-	-	-	-
1,1-Dichloroethane	-	-	-	-	-	-	-	-	-	-
1,1-Dichloroethene	-	-	-	-	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	-	-	-	-	-	-	-	-	-	-
Methylene Chloride	-	-	-	-	-	-	-	-	-	-
Tetrachloroethene	-	-	-	-	-	-	-	-	-	-
Trichloroethene	29	29	27	23	33	16.4	19	7.9	8.7	5.7
Toluene	-	-	-	-	-	-	-	-	-	-
Xylenes (total)	-	-	-	-	-	-	-	-	-	-

Notes on page 20.

Table 2
Program Monitoring Wells
Groundwater Analytical Results
Crosman Site
East Bloomfield, New York

Well I.D.	MW-5 (cont.)									
Date Sampled	21-Oct-15	18-Apr-16	26-Oct-16	19-Apr-17	17-Oct-17	3-Apr-18	26-Oct-18	23-Apr-19	31-Oct-19	21-Apr-20
Volatiles										
Acetone	-	-	-	-	-	-	12	-	-	-
Benzene	-	-	-	-	-	-	-	-	-	-
Bromodichloromethane	-	-	-	-	-	-	-	-	-	-
Bromoform	-	-	-	-	-	-	-	-	-	-
Carbon Disulfide	-	-	-	-	-	-	-	-	-	-
Carbon Tetrachloride	-	-	-	-	-	-	-	-	-	-
Chlorobenzene	-	-	-	-	-	-	-	-	-	-
Chloroform	-	-	-	-	-	-	-	-	-	-
cis-1,2-Dichloroethene	15	14	9.4	8.8	9.6	11	8.0	9.5	9.4	8.5
trans-1,2-Dichloroethene	-	-	-	-	-	-	-	-	-	-
Dibromochloromethane	-	-	-	-	-	-	-	-	-	-
1,1-Dichloroethane	-	-	-	-	-	-	-	-	-	-
1,1-Dichloroethene	-	-	-	-	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	-	-	-	-	-	-	-	-	-	-
Methylene Chloride	-	-	-	-	-	-	-	-	-	-
Tetrachloroethene	-	-	-	-	-	-	-	-	-	-
Trichloroethene	6.4	-	6.1	5.0	17	11	11	9.5	9.1	7.8
Toluene	-	-	-	-	-	-	-	-	-	-
Xylenes (total)	-	-	-	-	-	-	-	-	-	-

Notes on page 20.

Table 2
Program Monitoring Wells
Groundwater Analytical Results
Crosman Site
East Bloomfield, New York

Well I.D.	MW-13										
Date Sampled	22-Oct-10	21-Apr-11	20-Oct-11	16-Apr-12	10-Oct-12	8-Apr-13	16-Oct-13	9-Apr-14	29-Oct-14	22-Apr-15	
Volatiles											
Acetone	-	-	-	-	-	-	-	-	-	-	
Benzene	-	-	-	-	-	-	-	-	-	-	
Bromodichloromethane	-	-	-	-	-	-	-	-	-	-	
Bromoform	-	-	-	-	-	-	-	-	-	-	
Carbon Disulfide	-	-	-	-	-	-	-	-	-	-	
Carbon Tetrachloride	-	-	-	-	-	-	-	-	-	-	
Chlorobenzene	-	-	-	-	-	-	-	-	-	-	
Chloroform	-	-	-	-	-	-	-	-	-	-	
cis-1,2-Dichloroethene	11	29	-	28	28	19.2	-	-	-	-	
trans-1,2-Dichloroethene	-	-	-	-	-	-	-	-	-	-	
Dibromochloromethane	-	-	-	-	-	-	-	-	-	-	
1,1-Dichloroethane	-	-	-	-	-	-	-	-	-	-	
1,1-Dichloroethene	-	-	-	-	-	-	-	-	-	-	
1,1,2,2-Tetrachloroethane	-	-	-	-	-	-	-	-	-	-	
Methylene Chloride	-	-	-	-	-	-	-	-	-	-	
Tetrachloroethene	-	-	-	-	-	-	-	-	-	-	
Trichloroethene	630 D	590	610	460	640	381	480	310	190	180	
Toluene	-	-	-	-	-	-	-	-	-	-	
Xylenes (total)	-	-	-	-	-	-	-	-	-	-	

Notes on page 20.

Table 2
Program Monitoring Wells
Groundwater Analytical Results
Crosman Site
East Bloomfield, New York

Well I.D.	MW-13 (cont.)											
	22-Apr-15	21-Oct-15	18-Apr-16	26-Oct-16	19-Apr-17	17-Oct-17	3-Apr-18	26-Oct-18	23-Apr-19	31-Oct-19	21-Apr-20	
Volatiles												
Acetone	-	-	-	-	-	-	-	16	-	-	-	-
Benzaldehyde	-	-	-	-	-	-	-	-	-	-	-	-
Benzene	-	-	-	-	-	-	-	-	-	-	-	-
Bromodichloromethane	-	-	-	-	-	-	-	-	-	-	-	-
Bromoform	-	-	-	-	-	-	-	-	-	-	-	-
Carbon Disulfide	-	-	-	-	-	-	-	-	-	-	-	-
Carbon Tetrachloride	-	-	-	-	-	-	-	-	-	-	-	-
Chlorobenzene	-	-	-	-	-	-	-	-	-	-	-	-
Chloroform	-	-	-	-	-	-	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	29	-	13	16	-	-	15	-	-	-	19
trans-1,2-Dichloroethene	-	-	-	-	-	-	-	-	-	-	-	-
Dibromochloromethane	-	-	-	-	-	-	-	-	-	-	-	-
1,1-Dichloroethane	-	-	-	-	-	-	-	-	-	-	-	-
1,1-Dichloroethene	-	-	-	-	-	-	-	-	-	-	-	-
1,2-Dichloroethene (total)	-	-	-	-	-	-	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	-	-	-	-	-	-	-	-	-	-	-	-
Methylene Chloride	-	-	-	-	-	-	-	-	-	-	-	-
Naphthalene	-	-	-	-	-	-	-	-	-	-	-	-
Tetrachloroethene	-	-	-	-	-	-	-	-	-	-	-	-
Trichloroethene	180	400 D	130	96	250 D	110	51	140	34	58	340 D	-
Toluene	-	-	-	-	-	-	-	-	-	-	-	-
Xylenes (total)	-	-	-	-	-	-	-	-	-	-	-	-

Notes on page 20.

Table 2
Program Monitoring Wells
Groundwater Analytical Results
Crosman Site
East Bloomfield, New York

Well I.D.	MW-14										
	22-Oct-10	21-Apr-11	20-Oct-11	16-Apr-12	10-Oct-12	8-Apr-13	16-Oct-13	9-Apr-14	29-Oct-14	22-Apr-15	
Volatiles											
Acetone	-	-	-	-	-	-	-	-	-	-	
Benzene	-	-	-	-	-	-	-	-	-	-	
Bromodichloromethane	-	-	-	-	-	-	-	-	-	-	
Bromoform	-	-	-	-	-	-	-	-	-	-	
Carbon Disulfide	-	-	-	-	-	-	-	-	-	-	
Carbon Tetrachloride	-	-	-	-	-	-	-	-	-	-	
Chlorobenzene	-	-	-	-	-	-	-	-	-	-	
Chloroform	-	-	-	-	-	-	-	-	-	-	
cis-1,2-Dichloroethene	-	-	-	-	-	-	-	-	-	-	
trans-1,2-Dichloroethene	-	-	-	-	-	-	-	-	-	-	
Dibromochloromethane	-	-	-	-	-	-	-	-	-	-	
1,1-Dichloroethane	-	-	-	-	-	-	-	-	-	-	
1,1-Dichloroethene	-	-	-	-	-	-	-	-	-	-	
1,1,2,2-Tetrachloroethane	-	-	-	-	-	-	-	-	-	-	
Methylene Chloride	-	-	-	-	-	-	-	-	-	-	
Tetrachloroethene	-	-	-	-	-	-	-	-	-	-	
Trichloroethene	-	-	-	-	-	-	-	-	-	-	
Toluene	-	-	-	-	-	-	-	-	-	-	
Xylenes (total)	-	-	-	-	-	-	-	-	-	-	

Notes on page 20.

Table 2
Program Monitoring Wells
Groundwater Analytical Results
Crosman Site
East Bloomfield, New York

Well I.D.	MW-14 (cont.)									
Date Sampled	21-Oct-15	18-Apr-16	26-Oct-16	19-Apr-17	17-Oct-17	3-Apr-18	26-Oct-18	23-Apr-19	31-Oct-19	21-Apr-20
Volatiles										
Acetone	-	-	-	-	-	-	-	-	-	-
Benzaldehyde	-	-	-	-	-	-	-	-	-	-
Benzene	-	-	-	-	-	-	-	-	-	-
Bromodichloromethane	-	-	-	-	-	-	-	-	-	-
Bromoform	-	-	-	-	-	-	-	-	-	-
Carbon Disulfide	-	-	-	-	-	-	-	-	-	-
Carbon Tetrachloride	-	-	-	-	-	-	-	-	-	-
Chlorobenzene	-	-	-	-	-	-	-	-	-	-
Chloroform	-	-	-	-	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-	-	-	-	-
trans-1,2-Dichloroethene	-	-	-	-	-	-	-	-	-	-
Dibromochloromethane	-	-	-	-	-	-	-	-	-	-
1,1-Dichloroethane	-	-	-	-	-	-	-	-	-	-
1,1-Dichloroethene	-	-	-	-	-	-	-	-	-	-
1,2-Dichloroethene (total)	-	-	-	-	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	-	-	-	-	-	-	-	-	-	-
Methylene Chloride	-	-	-	-	-	-	-	-	-	-
Naphthalene	-	-	-	-	-	-	-	-	-	-
Tetrachloroethene	-	-	-	-	-	-	-	-	-	-
Trichloroethene	-	-	-	-	-	-	-	-	-	-
Toluene	-	-	-	-	-	-	-	-	-	-
Xylenes (total)	-	-	-	-	-	-	-	-	-	-

Notes on page 20.

Table 2
Program Monitoring Wells
Groundwater Analytical Results
Crosman Site
East Bloomfield, New York

Well I.D.	MW-15										
Date Sampled	22-Oct-10	21-Apr-11	20-Oct-11	16-Apr-12	10-Oct-12	8-Apr-13	16-Oct-13	9-Apr-14	29-Oct-14	22-Apr-15	
Volatiles											
Acetone	-	-	-	-	-	-	-	-	-	-	
Benzene	-	-	-	-	-	-	-	-	-	-	
Bromodichloromethane	-	-	-	-	-	-	-	-	-	-	
Bromoform	-	-	-	-	-	-	-	-	-	-	
Carbon Disulfide	-	-	-	-	-	-	-	-	-	-	
Carbon Tetrachloride	-	-	-	-	-	-	-	-	-	-	
Chlorobenzene	-	-	-	-	-	-	-	-	-	-	
Chloroform	-	-	-	-	-	-	-	-	-	-	
cis-1,2-Dichloroethene	-	-	-	-	-	-	-	-	-	-	
trans-1,2-Dichloroethene	-	-	-	-	-	-	-	-	-	-	
Dibromochloromethane	-	-	-	-	-	-	-	-	-	-	
1,1-Dichloroethane	-	-	-	-	-	-	-	-	-	-	
1,1-Dichloroethene	-	-	-	-	-	-	-	-	-	-	
1,1,2,2-Tetrachloroethane	-	-	-	-	-	-	-	-	-	-	
Methylene Chloride	-	-	-	-	-	-	-	-	-	-	
Tetrachloroethene	-	-	-	-	-	-	-	-	-	-	
Trichloroethene	-	-	-	-	-	-	-	-	-	-	
Toluene	-	-	-	-	-	-	-	-	-	-	
Xylenes (total)	-	-	-	-	-	-	-	-	-	-	

Notes on page 20.

Table 2
Program Monitoring Wells
Groundwater Analytical Results
Crosman Site
East Bloomfield, New York

Well I.D.	MW-15 (cont.)									
Date Sampled	21-Oct-15	18-Apr-16	26-Oct-16	19-Apr-17	17-Oct-17	3-Apr-18	26-Oct-18	23-Apr-19	31-Oct-19	21-Apr-20
Volatiles										
Acetone	-	-	-	-	-	-	15	-	-	-
Benzene	-	-	-	-	-	-	-	-	-	-
Bromodichloromethane	-	-	-	-	-	-	-	-	-	-
Bromoform	-	-	-	-	-	-	-	-	-	-
Carbon Disulfide	-	-	-	-	-	-	-	-	-	-
Carbon Tetrachloride	-	-	-	-	-	-	-	-	-	-
Chlorobenzene	-	-	-	-	-	-	-	-	-	-
Chloroform	-	-	-	-	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-	-	-	-	-
trans-1,2-Dichloroethene	-	-	-	-	-	-	-	-	-	-
Dibromochloromethane	-	-	-	-	-	-	-	-	-	-
1,1-Dichloroethane	-	-	-	-	-	-	-	-	-	-
1,1-Dichloroethene	-	-	-	-	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	-	-	-	-	-	-	-	-	-	-
Methylene Chloride	-	-	-	-	-	-	-	-	-	-
Tetrachloroethene	-	-	-	-	-	-	-	-	-	-
Trichloroethene	-	-	-	-	-	-	-	-	-	-
Toluene	-	-	-	-	-	-	-	-	-	-
Xylenes (total)	-	-	-	-	-	-	-	-	-	-

Notes on page 20.

Table 2
Program Monitoring Wells
Groundwater Analytical Results
Crosman Site
East Bloomfield, New York

Well I.D.	MW-17										
Date Sampled	21-Apr-11	16-Apr-12	8-Apr-13	9-Apr-14	22-Apr-15	18-Apr-16	19-Apr-17	3-Apr-18	23-Apr-19	21-Apr-20	
Volatiles											
Acetone	-	-	-	-	-	-	-	-	-	-	
Benzene	-	-	-	-	-	-	-	-	-	-	
Bromodichloromethane	-	-	-	-	-	-	-	-	-	-	
Bromoform	-	-	-	-	-	-	-	-	-	-	
Carbon Disulfide	-	-	-	-	-	-	-	-	-	-	
Carbon Tetrachloride	-	-	-	-	-	-	-	-	-	-	
Chlorobenzene	-	-	-	-	-	-	-	-	-	-	
Chloroform	-	-	-	-	-	-	-	-	-	-	
cis-1,2-Dichloroethene	-	-	6.48	-	-	-	-	-	-	-	
trans-1,2-Dichloroethene	-	25	13.4	-	-	-	-	-	15	-	
Dibromochloromethane	-	-	-	-	-	-	-	-	-	-	
1,1-Dichloroethane	-	-	-	-	-	-	-	-	-	-	
1,1-Dichloroethene	-	-	-	-	-	-	-	-	-	-	
1,1,2,2-Tetrachloroethane	-	-	-	-	-	-	-	-	-	-	
Methylene Chloride	-	-	-	-	-	-	-	-	-	-	
Tetrachloroethene	-	-	-	-	-	-	-	-	-	-	
Trichloroethene	510	370	324	440	400	340	500 D	470	440	440	
Toluene	-	-	-	-	-	-	-	-	-	-	
Xylenes (total)	-	-	-	-	-	-	-	-	-	-	

Notes on page 20.

Table 2
Program Monitoring Wells
Groundwater Analytical Results
Crosman Site
East Bloomfield, New York

Well I.D.	MW-18					
Date Sampled	22-Oct-10	21-Apr-11	20-Oct-11	16-Apr-12	8-Apr-13	9-Apr-14
Volatiles						
Acetone	-	-	-	-	-	-
Benzene	-	-	-	-	-	-
Bromodichloromethane	-	-	-	-	-	-
Bromoform	-	-	-	-	-	-
Carbon Disulfide	-	-	-	-	-	-
Carbon Tetrachloride	-	-	-	-	-	-
Chlorobenzene	-	-	-	-	-	-
Chloroform	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-
trans-1,2-Dichloroethene	-	-	-	-	-	-
Dibromochloromethane	-	-	-	-	-	-
1,1-Dichloroethane	-	-	-	-	-	-
1,1-Dichloroethene	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	-	-	-	-	-	-
Methylene Chloride	-	-	-	-	-	-
Tetrachloroethene	-	-	-	-	-	-
Trichloroethene	-	-	-	-	-	-
Notes on page 20.	-	-	-	-	-	-
Xylenes (total)	-	-	-	-	-	-

Notes on page 20.

Table 2
Program Monitoring Wells
Groundwater Analytical Results
Crosman Site
East Bloomfield, New York

Well I.D.	MW-18 (cont.)					
Date Sampled	22-Apr-15	18-Apr-16	19-Apr-17	3-Apr-18	23-Apr-19	21-Apr-20
Volatiles						
Acetone	-	-	-	-	-	-
Benzene	-	-	-	-	-	-
Bromodichloromethane	-	-	-	-	-	-
Bromoform	-	-	-	-	-	-
Carbon Disulfide	-	-	-	-	-	-
Carbon Tetrachloride	-	-	-	-	-	-
Chlorobenzene	-	-	-	-	-	-
Chloroform	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-
trans-1,2-Dichloroethene	-	-	-	-	-	-
Dibromochloromethane	-	-	-	-	-	-
1,1-Dichloroethane	-	-	-	-	-	-
1,1-Dichloroethene	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	-	-	-	-	-	-
Methylene Chloride	-	-	-	-	-	-
Tetrachloroethene	-	-	-	-	-	-
Trichloroethene	-	-	-	-	-	-
Notes on page 20.	-	-	-	-	-	-
Xylenes (total)	-	-	-	-	-	-

Notes on page 20.

Table 2
Program Monitoring Wells
Groundwater Analytical Results
Crosman Site
East Bloomfield, New York

Well I.D.	MW-19					
Date Sampled	22-Oct-10	21-Apr-11	20-Oct-11	16-Apr-12	8-Apr-13	9-Apr-14
Volatiles						
Acetone	-	-	-	-	-	-
Benzene	-	-	-	-	-	-
Bromodichloromethane	-	-	-	-	-	-
Bromoform	-	-	-	-	-	-
Carbon Disulfide	-	-	-	-	-	-
Carbon Tetrachloride	-	-	-	-	-	-
Chlorobenzene	-	-	-	-	-	-
Chloroform	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-
trans-1,2-Dichloroethene	-	-	-	-	-	-
Dibromochloromethane	-	-	-	-	-	-
1,1-Dichloroethane	-	-	-	-	-	-
1,1-Dichloroethene	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	-	-	-	-	-	-
Methylene Chloride	-	-	-	-	-	-
Tetrachloroethene	-	-	-	-	-	-
Trichloroethene	-	-	-	-	-	-
Notes on page 20.	-	-	-	-	-	-
Xylenes (total)	-	-	-	-	-	-

Notes on page 20.

Table 2
Program Monitoring Wells
Groundwater Analytical Results
Crosman Site
East Bloomfield, New York

Well I.D.	MW-19 (cont.)					
Date Sampled	22-Apr-15	18-Apr-16	19-Apr-17	3-Apr-18	23-Apr-19	21-Apr-20
Volatiles						
Acetone	-	-	-	-	-	-
Benzene	-	-	-	-	-	-
Bromodichloromethane	-	-	-	-	-	-
Bromoform	-	-	-	-	-	-
2-Butanone	-	-	-	-	-	-
Carbon Disulfide	-	-	-	-	-	-
Carbon Tetrachloride	-	-	-	-	-	-
Chlorobenzene	-	-	-	-	-	-
Chloroform	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-
trans-1,2-Dichloroethene	-	-	-	-	-	-
Dibromochloromethane	-	-	-	-	-	-
1,1-Dichloroethane	-	-	-	-	-	-
1,1-Dichloroethene	-	-	-	-	-	-
1,2-Dichloroethene (total)	-	-	-	-	-	-
2-Hexanone	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	-	-	-	-	-	-
4-Methyl-2-pentanone	-	-	-	-	-	-
Methylene Chloride	-	-	-	-	-	-
Tetrachloroethene	-	-	-	-	-	-
Trichloroethene	-	-	-	-	-	-
Notes on page 20.	-	-	-	-	-	-
Xylenes (total)	-	-	-	-	-	-

Notes on page 20.

Table 2
Program Monitoring Wells
Groundwater Analytical Results
Crosman Site
East Bloomfield, New York

Well I.D.	PW-1										
Date Sampled	22-Oct-10	21-Apr-11	20-Oct-11	16-Apr-12	10-Oct-12	8-Apr-13	16-Oct-13	9-Apr-14	29-Oct-14	27-Apr-15	
Volatiles											
Acetone	-	-	-	-	-	-	-	-	-	-	
Benzene	-	-	-	-	-	-	-	-	-	-	
Bromodichloromethane	-	-	-	-	-	-	-	-	-	-	
Bromoform	-	-	-	-	-	-	-	-	-	-	
Carbon Disulfide	-	-	-	-	-	-	-	-	-	-	
Carbon Tetrachloride	-	-	-	-	-	-	-	-	-	-	
Chlorobenzene	-	-	-	-	-	-	-	-	-	-	
Chloroform	-	-	-	-	-	-	-	-	-	-	
cis-1,2-Dichloroethene	-	-	-	-	-	-	-	-	-	-	
trans-1,2-Dichloroethene	-	-	-	-	-	-	-	-	-	-	
Dibromochloromethane	-	-	-	-	-	-	-	-	-	-	
1,1-Dichloroethane	-	-	-	-	-	-	-	-	-	-	
1,1-Dichloroethene	-	-	-	-	-	-	-	-	-	-	
1,1,2,2-Tetrachloroethane	-	-	-	-	-	-	-	-	-	-	
Methylene Chloride	-	-	-	-	-	-	-	-	-	-	
Tetrachloroethene	-	-	-	-	-	-	-	-	-	-	
Trichloroethene	200 D	92	160	130	150	105	140	120	110	69	
Notes on page 20.	-	-	-	-	-	-	-	-	-	-	
Xylenes (total)	-	-	-	-	-	-	-	-	-	-	

Notes on page 20.

Table 2
Program Monitoring Wells
Groundwater Analytical Results
Crosman Site
East Bloomfield, New York

Well I.D.	PW-1 (cont.)									
Date Sampled	21-Oct-15	18-Apr-16	26-Oct-16	19-Apr-17	3-Apr-18	26-Oct-18	23-Apr-19	31-Oct-19	21-Apr-20	
Volatiles										
Acetone	-	-	-	-	-	-	-	-	-	
Benzene	-	-	-	-	-	-	-	-	-	
Bromodichloromethane	-	-	-	-	-	-	-	-	-	
Bromoform	-	-	-	-	-	-	-	-	-	
Carbon Disulfide	-	-	-	-	-	-	-	-	-	
Carbon Tetrachloride	-	-	-	-	-	-	-	-	-	
Chlorobenzene	-	-	-	-	-	-	-	-	-	
Chloroform	-	-	-	-	-	-	-	-	-	
cis-1,2-Dichloroethene	-	-	-	-	-	-	-	-	-	
trans-1,2-Dichloroethene	-	-	-	-	-	-	-	-	-	
Dibromochloromethane	-	-	-	-	-	-	-	-	-	
1,1-Dichloroethane	-	-	-	-	-	-	-	-	-	
1,1-Dichloroethene	-	-	-	-	-	-	-	-	-	
1,1,2,2-Tetrachloroethane	-	-	-	-	-	-	-	-	-	
Methylene Chloride	-	-	-	-	-	-	-	-	-	
Tetrachloroethene	-	-	-	-	-	-	-	-	-	
Trichloroethene	98	79	92	41	14	22	15	15	14	
Notes on page 20.	-	-	-	-	-	-	-	-	-	
Xylenes (total)	-	-	-	-	-	-	-	-	-	

Notes on page 20.

Table 2
Program Monitoring Wells
Groundwater Analytical Results
Crosman Site
East Bloomfield, New York

Well I.D.	MW-20 (formerly IRM-1)										
	21-Apr-11	16-Apr-12	8-Apr-13	9-Apr-14	22-Apr-15	18-Apr-16	19-Apr-17	3-Apr-18	23-Apr-19	21-Apr-20	
Volatiles											
Acetone	-	-	-	-	-	-	-	-	-	-	
Benzene	-	-	-	-	-	-	-	-	-	-	
Bromodichloromethane	-	-	-	-	-	-	-	-	-	-	
Bromoform	-	-	-	-	-	-	-	-	-	-	
Carbon Disulfide	-	-	-	-	-	-	-	-	-	-	
Carbon Tetrachloride	-	-	-	-	-	-	-	-	-	-	
Chlorobenzene	-	-	-	-	-	-	-	-	-	-	
Chloroform	-	-	-	-	-	-	-	-	-	-	
cis-1,2-Dichloroethene	-	-	-	-	-	-	-	-	-	-	
trans-1,2-Dichloroethene	-	-	-	-	-	-	-	-	-	-	
Dibromochloromethane	-	-	-	-	-	-	-	-	-	-	
1,1-Dichloroethane	-	-	-	-	-	-	-	-	-	-	
1,1-Dichloroethene	-	-	-	-	-	-	-	-	-	-	
1,1,2,2-Tetrachloroethane	-	-	-	-	-	-	-	-	-	-	
Methylene Chloride	-	-	-	-	-	-	-	-	-	-	
Tetrachloroethene	-	-	-	-	-	-	-	-	-	-	
Trichloroethene	150	130	138	170	110	120	160	120	150	180	
Toluene	-	-	-	-	-	-	-	-	-	-	
Xylenes (total)	-	-	-	-	-	-	-	-	-	-	


Notes on page 20.


Table 2
Program Monitoring Wells
Groundwater Analytical Results
Qualifiers and Notes
Crosman Site
East Bloomfield, New York

- J : The compound was positively identified; however, the associated numerical value is an estimated concentration.
- N : Spiked sample recovery was not within control limits.
- S : The reported value was determined by the method of standard additions (MSA).
- D : Denotes a secondary dilution.
- E : Exceeds calibration range.
- NA : Denotes not analyzed.
- : Denotes a nondetectable concentration.

Water quality results are expressed in micrograms per liter ($\mu\text{g/L}$), equivalent to parts per billion.

Figures





Attachment 1

Laboratory Data



April 30, 2020

Service Request No:R2003286

Mr. Aaron Richardson
ARCADIS of New York, Inc.
295 Woodcliff Drive
Third Floor, Suite 301
Fairport, NY 14450

Laboratory Results for: Crosman

Dear Mr.Richardson,

Enclosed are the results of the sample(s) submitted to our laboratory April 22, 2020
For your reference, these analyses have been assigned our service request number **R2003286**.

All testing was performed according to our laboratory's quality assurance program and met the requirements of the TNI standards except as noted in the case narrative report. Any testing not included in the lab's accreditation is identified on a Non-Certified Analytes report. All results are intended to be considered in their entirety. ALS Environmental is not responsible for use of less than the complete report. Results apply only to the individual samples submitted to the lab for analysis, as listed in the report. The measurement uncertainty of the results included in this report is within that expected when using the prescribed method(s), and represented by Laboratory Control Sample control limits. Any events, such as QC failures or Holding Time exceedances, which may add to the uncertainty are explained in the report narrative or are flagged with qualifiers. The flags are explained in the Report Qualifiers and Definitions page of this report.

Please contact me if you have any questions. My extension is 7472. You may also contact me via email at Janice.Jaeger@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

A handwritten signature in black ink that reads "Janice Jaeger".

Janice Jaeger
Project Manager



Narrative Documents

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com



Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman
Sample Matrix: Water

Service Request: R2003286
Date Received: 04/22/2020

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt:

Twelve water samples were received for analysis at ALS Environmental on 04/22/2020. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

Volatiles by GC/MS:

No significant anomalies were noted with this analysis.

A handwritten signature in black ink that appears to read "James Dugay".

Approved by _____

Date _____ 04/30/2020



SAMPLE DETECTION SUMMARY

CLIENT ID: MW-20		Lab ID: R2003286-001				
Analyte	Results	Flag	MDL	MRL	Units	Method
Trichloroethene	180			5.0	ug/L	8260C
CLIENT ID: MW-3A		Lab ID: R2003286-002				
Analyte	Results	Flag	MDL	MRL	Units	Method
Trichloroethene	220	D		10	ug/L	8260C
CLIENT ID: MW-17		Lab ID: R2003286-003				
Analyte	Results	Flag	MDL	MRL	Units	Method
Trichloroethene	440			13	ug/L	8260C
CLIENT ID: MW-5		Lab ID: R2003286-004				
Analyte	Results	Flag	MDL	MRL	Units	Method
cis-1,2-Dichloroethene	8.5			5.0	ug/L	8260C
Trichloroethene	7.8			5.0	ug/L	8260C
CLIENT ID: PW-1		Lab ID: R2003286-006				
Analyte	Results	Flag	MDL	MRL	Units	Method
Trichloroethene	14			5.0	ug/L	8260C
CLIENT ID: MW-13		Lab ID: R2003286-010				
Analyte	Results	Flag	MDL	MRL	Units	Method
cis-1,2-Dichloroethene	19			5.0	ug/L	8260C
Trichloroethene	340	D		25	ug/L	8260C



Sample Receipt Information

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202

Service Request: R2003286

SAMPLE CROSS-REFERENCE

<u>SAMPLE #</u>	<u>CLIENT SAMPLE ID</u>	<u>DATE</u>	<u>TIME</u>
R2003286-001	MW-20	4/21/2020	1300
R2003286-002	MW-3A	4/21/2020	1330
R2003286-003	MW-17	4/21/2020	1400
R2003286-004	MW-5	4/21/2020	1430
R2003286-005	MW-14	4/21/2020	1430
R2003286-006	PW-1	4/21/2020	1500
R2003286-007	MW-19	4/21/2020	1530
R2003286-008	MW-18	4/21/2020	1600
R2003286-009	MW-15	4/21/2020	1630
R2003286-010	MW-13	4/21/2020	0850
R2003286-011	MW-4	4/21/2020	1055
R2003286-012	Trip Blank	4/21/2020	



CHAIN OF CUSTODY/LABORATORY ANALYSIS REQUEST FORM

000397

1565 Jefferson Road, Building 300, Suite 360 • Rochester, NY 14623 | +1 585 288 5380 | +1 585 288 8475 (fax) PAGE 1 OF 2

Distribution: White - Lab Copy; Yellow - Return to Originator

7 of 53

© 2012 by Al S Group



CHAIN OF CUSTODY/LABORATORY ANALYSIS REQUEST FORM

000398

1565 Jefferson Road, Building 300, Suite 360 • Rochester, NY 14623 | +1 585 288 5380 +1 585 288 8475 (fax) PAGE 2 OF 2



Cooler Receipt and Preservation Check Form

R2003286
ARCADIS of New York, Inc.
Crosman

5

Project/Client

ARCADIS

Folder Number

Cooler received on

4/22/2020

by: RE

COURIER: ALS UPS FEDEX VELOCITY CLIENT

1	Were Custody seals on outside of cooler?	<u>Y</u> <u>N</u>
2	Custody papers properly completed (ink, signed)?	<u>Y</u> <u>N</u>
3	Did all bottles arrive in good condition (unbroken)?	<u>Y</u> <u>N</u>
4	Circle: <u>Wet Ice</u> <u>Dry Ice</u> <u>Gel packs</u> present?	<u>Y</u> <u>N</u>

5a	Perchlorate samples have required headspace?	<u>Y</u> <u>N</u> <u>NA</u>
5b	Did VOA vials, Alk, or Sulfide have sig* bubbles?	<u>Y</u> <u>N</u> <u>NA</u>
6	Where did the bottles originate?	<u>ALS/ROC</u> <u>CLIENT</u>
7	Soil VOA received as:	Bulk Encore 5035set <u>NA</u>

8. Temperature Readings Date: 4/22/2020 Time: 11:38

ID: IR#7 IR#10

From: Temp Blank Sample Bottle

Observed Temp (°C)	<u>2.5</u>						
Within 0-6°C?	<u>Y</u> <u>N</u>						
If <0°C, were samples frozen?	<u>Y</u> <u>N</u>						

If out of Temperature, note packing/ice condition: _____ Ice melted Poorly Packed (described below) Same Day Rule

& Client Approval to Run Samples: _____ Standing Approval Client aware at drop-off Client notified by: _____

All samples held in storage location:	<u>R-002</u>	by	<u>RE</u>	on	<u>4/22/2020</u>	at	<u>1140</u>
5035 samples placed in storage location:		by		on		at	

within 48 hours of sampling? Y N

Cooler Breakdown/Preservation Check**: Date: 4/22/2020 Time: 1309 by: RE

9. Were all bottle labels complete (i.e. analysis, preservation, etc.)?

YES NO

10. Did all bottle labels and tags agree with custody papers?

YES NO

11. Were correct containers used for the tests indicated?

YES NO

12. Were 5035 vials acceptable (no extra labels, not leaking)?

YES NO

13. Air Samples: Cassettes / Tubes Intact with MS? Canisters Pressurized

Tedlar® Bags Inflated

N/A N/A

pH	Lot of test paper	Reagent	Preserved?	Lot Received	Exp	Sample ID Adjusted	Vol. Added	Lot Added	Final pH
			Yes No						
<u>>12</u>		NaOH							
<u><2</u>		HNO ₃							
<u><2</u>		H ₂ SO ₄							
<u><4</u>		NaHSO ₄							
<u>5-9</u>		For 608pest		No=Notify for 3day					
Residual Chlorine (-)		For CN, Phenol, 625, 608pest, 522		If +, contact PM to add Na ₂ S ₂ O ₃ (625, 608, CN), ascorbic (phenol).					
		Na ₂ S ₂ O ₃							
		ZnAcetate	- -						
		HCl	** **						

**VOAs and 1664 Not to be tested before analysis.
Otherwise, all bottles of all samples with chemical preservatives are checked (not just representatives).

Bottle lot numbers: 2502-13

Explain all Discrepancies/ Other Comments:

* Trip Blank: 1 of 3 vials

MW-14 : 1 of 3 vials

HPROD	BULK
HTR	FLDT
SUB	HGFB
ALS	LJ3541

Labels secondary reviewed by: RE

PC Secondary Review: RE 4/22/20

*significant air bubbles: VOA > 5-6 mm : WC > 1 in. diameter



Miscellaneous Forms

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

REPORT QUALIFIERS AND DEFINITIONS

- | | |
|--|--|
| <p>U Analyte was analyzed for but not detected. The sample quantitation limit has been corrected for dilution and for percent moisture, unless otherwise noted in the case narrative.</p> <p>J Estimated value due to either being a Tentatively Identified Compound (TIC) or that the concentration is between the MRL and the MDL. Concentrations are not verified within the linear range of the calibration. For DoD: concentration >40% difference between two GC columns (pesticides/Aroclors).</p> <p>B Analyte was also detected in the associated method blank at a concentration that may have contributed to the sample result.</p> <p>E Inorganics- Concentration is estimated due to the serial dilution was outside control limits.</p> <p>E Organics- Concentration has exceeded the calibration range for that specific analysis.</p> <p>D Concentration is a result of a dilution, typically a secondary analysis of the sample due to exceeding the calibration range or that a surrogate has been diluted out of the sample and cannot be assessed.</p> <p>* Indicates that a quality control parameter has exceeded laboratory limits. Under the öNotesö column of the Form I, this qualifier denotes analysis was performed out of Holding Time.</p> <p>H Analysis was performed out of hold time for tests that have an öimmediateö hold time criteria.</p> <p># Spike was diluted out.</p> | <p>+ Correlation coefficient for MSA is <0.995.</p> <p>N Inorganics- Matrix spike recovery was outside laboratory limits.</p> <p>N Organics- Presumptive evidence of a compound (reported as a TIC) based on the MS library search.</p> <p>S Concentration has been determined using Method of Standard Additions (MSA).</p> <p>W Post-Digestion Spike recovery is outside control limits and the sample absorbance is <50% of the spike absorbance.</p> <p>P Concentration >40% difference between the two GC columns.</p> <p>C Confirmed by GC/MS</p> <p>Q DoD reports: indicates a pesticide/Aroclor is not confirmed (>100% Difference between two GC columns).</p> <p>X See Case Narrative for discussion.</p> <p>MRL Method Reporting Limit. Also known as:
LOQ Limit of Quantitation (LOQ)
The lowest concentration at which the method analyte may be reliably quantified under the method conditions.</p> <p>MDL Method Detection Limit. A statistical value derived from a study designed to provide the lowest concentration that will be detected 99% of the time. Values between the MDL and MRL are estimated (see J qualifier).</p> <p>LOD Limit of Detection. A value at or above the MDL which has been verified to be detectable.</p> <p>ND Non-Detect. Analyte was not detected at the concentration listed. Same as U qualifier.</p> |
|--|--|



Rochester Lab ID # for State Certifications¹

Connecticut ID # PH0556	Maine ID #NY0032	Pennsylvania ID# 68-786
Delaware Approved	New Hampshire ID # 2941	Rhode Island ID # 158
DoD ELAP #65817	New York ID # 10145	Virginia #460167
Florida ID # E87674	North Carolina #676	

¹ Analyses were performed according to our laboratory's NELAP-approved quality assurance program and any applicable state or agency requirements. The test results meet requirements of the current NELAP/TNI standards or state or agency requirements, where applicable, except as noted in the case narrative. Since not all analyte/method/matrix combinations are offered for state/NELAC accreditation, this report may contain results which are not accredited. For a specific list of accredited analytes, contact the laboratory or go to <https://www.alsglobal.com/locations/americas/north-america/usa/new-york/rochester-environmental>

ALS Laboratory Group

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

ALS Group USA, Corp.

dba ALS Environmental

Analyst Summary report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York) **Service Request:** R2003286
Project: Crosman/30005202

Sample Name: MW-20 **Date Collected:** 04/21/20
Lab Code: R2003286-001 **Date Received:** 04/22/20
Sample Matrix: Water

Analysis Method **Extracted/Digested By** **Analyzed By**
8260C FNAEGLER

Sample Name: MW-3A **Date Collected:** 04/21/20
Lab Code: R2003286-002 **Date Received:** 04/22/20
Sample Matrix: Water

Analysis Method **Extracted/Digested By** **Analyzed By**
8260C FNAEGLER

Sample Name: MW-3A **Date Collected:** 04/21/20
Lab Code: R2003286-002.R01 **Date Received:** 04/22/20
Sample Matrix: Water

Analysis Method **Extracted/Digested By** **Analyzed By**
8260C FNAEGLER

Sample Name: MW-17 **Date Collected:** 04/21/20
Lab Code: R2003286-003 **Date Received:** 04/22/20
Sample Matrix: Water

Analysis Method **Extracted/Digested By** **Analyzed By**
8260C FNAEGLER

Sample Name: MW-5 **Date Collected:** 04/21/20
Lab Code: R2003286-004 **Date Received:** 04/22/20
Sample Matrix: Water

Analysis Method **Extracted/Digested By** **Analyzed By**
8260C FNAEGLER

ALS Group USA, Corp.

dba ALS Environmental

Analyst Summary report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York) **Service Request:** R2003286
Project: Crosman/30005202

Sample Name: MW-14 **Date Collected:** 04/21/20
Lab Code: R2003286-005 **Date Received:** 04/22/20
Sample Matrix: Water

Analysis Method **Extracted/Digested By** **Analyzed By**
8260C FNAEGLER

Sample Name: PW-1 **Date Collected:** 04/21/20
Lab Code: R2003286-006 **Date Received:** 04/22/20
Sample Matrix: Water

Analysis Method **Extracted/Digested By** **Analyzed By**
8260C FNAEGLER

Sample Name: MW-19 **Date Collected:** 04/21/20
Lab Code: R2003286-007 **Date Received:** 04/22/20
Sample Matrix: Water

Analysis Method **Extracted/Digested By** **Analyzed By**
8260C FNAEGLER

Sample Name: MW-18 **Date Collected:** 04/21/20
Lab Code: R2003286-008 **Date Received:** 04/22/20
Sample Matrix: Water

Analysis Method **Extracted/Digested By** **Analyzed By**
8260C FNAEGLER

Sample Name: MW-15 **Date Collected:** 04/21/20
Lab Code: R2003286-009 **Date Received:** 04/22/20
Sample Matrix: Water

Analysis Method **Extracted/Digested By** **Analyzed By**
8260C FNAEGLER

ALS Group USA, Corp.
dba ALS Environmental

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York) **Service Request:** R2003286
Project: Crosman/30005202

Sample Name: MW-13 **Date Collected:** 04/21/20
Lab Code: R2003286-010 **Date Received:** 04/22/20
Sample Matrix: Water

Analysis Method	Extracted/Digested By	Analyzed By
8260C		FNAEGLER

Sample Name: MW-13 **Date Collected:** 04/21/20
Lab Code: R2003286-010.R01 **Date Received:** 04/22/20
Sample Matrix: Water

Analysis Method Extracted/Digested By Analyzed By
8260C FNAEGLER

Sample Name: MW-4 **Date Collected:** 04/21/20
Lab Code: R2003286-011 **Date Received:** 04/22/20
Sample Matrix: Water

Analysis Method Extracted/Digested By Analyzed By
8260C FNAEGLER

Sample Name: Trip Blank **Date Collected:** 04/21/20
Lab Code: R2003286-012 **Date Received:** 04/22/20
Sample Matrix: Water



INORGANIC PREPARATION METHODS

The preparation methods associated with this report are found in these tables unless discussed in the case narrative.

Water/Liquid Matrix

Analytical Method	Preparation Method
200.7	200.2
200.8	200.2
6010C	3005A/3010A
6020A	ILM05.3
9034 Sulfide Acid Soluble	9030B
SM 4500-CN-E Residual Cyanide	SM 4500-CN-G
SM 4500-CN-E WAD Cyanide	SM 4500-CN-I

Solid/Soil/Non-Aqueous Matrix

Analytical Method	Preparation Method
6010C	3050B
6020A	3050B
6010C TCLP (1311) extract	3005A/3010A
6010 SPLP (1312) extract	3005A/3010A
7199	3060A
300.0 Anions/ 350.1/ 353.2/ SM 2320B/ SM 5210B/ 9056A Anions	DI extraction
For analytical methods not listed, the preparation method is the same as the analytical method reference.	

RIGHT SOLUTIONS | RIGHT PARTNER



Sample Results

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com



Volatile Organic Compounds by GC/MS

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water
Sample Name: MW-20
Lab Code: R2003286-001

Service Request: R2003286
Date Collected: 04/21/20 13:00
Date Received: 04/22/20 11:30

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	Dil.	Date Analyzed	Q
Acetone	ND U	10	1	04/27/20 17:09	
Benzene	ND U	5.0	1	04/27/20 17:09	
Bromodichloromethane	ND U	5.0	1	04/27/20 17:09	
Bromoform	ND U	5.0	1	04/27/20 17:09	
Bromomethane	ND U	5.0	1	04/27/20 17:09	
2-Butanone (MEK)	ND U	10	1	04/27/20 17:09	
Carbon Disulfide	ND U	10	1	04/27/20 17:09	
Carbon Tetrachloride	ND U	5.0	1	04/27/20 17:09	
Chlorobenzene	ND U	5.0	1	04/27/20 17:09	
Chloroethane	ND U	5.0	1	04/27/20 17:09	
Chloroform	ND U	5.0	1	04/27/20 17:09	
Chloromethane	ND U	5.0	1	04/27/20 17:09	
Dibromochloromethane	ND U	5.0	1	04/27/20 17:09	
1,1-Dichloroethane	ND U	5.0	1	04/27/20 17:09	
1,2-Dichloroethane	ND U	5.0	1	04/27/20 17:09	
1,1-Dichloroethene	ND U	5.0	1	04/27/20 17:09	
cis-1,2-Dichloroethene	ND U	5.0	1	04/27/20 17:09	
trans-1,2-Dichloroethene	ND U	5.0	1	04/27/20 17:09	
1,2-Dichloropropane	ND U	5.0	1	04/27/20 17:09	
cis-1,3-Dichloropropene	ND U	5.0	1	04/27/20 17:09	
trans-1,3-Dichloropropene	ND U	5.0	1	04/27/20 17:09	
Ethylbenzene	ND U	5.0	1	04/27/20 17:09	
2-Hexanone	ND U	10	1	04/27/20 17:09	
Methylene Chloride	ND U	5.0	1	04/27/20 17:09	
4-Methyl-2-pentanone (MIBK)	ND U	10	1	04/27/20 17:09	
Styrene	ND U	5.0	1	04/27/20 17:09	
1,1,2,2-Tetrachloroethane	ND U	5.0	1	04/27/20 17:09	
Tetrachloroethene	ND U	5.0	1	04/27/20 17:09	
Toluene	ND U	5.0	1	04/27/20 17:09	
1,1,1-Trichloroethane	ND U	5.0	1	04/27/20 17:09	
1,1,2-Trichloroethane	ND U	5.0	1	04/27/20 17:09	
Trichloroethene	180	5.0	1	04/27/20 17:09	
Vinyl Chloride	ND U	5.0	1	04/27/20 17:09	
o-Xylene	ND U	5.0	1	04/27/20 17:09	
m,p-Xylenes	ND U	5.0	1	04/27/20 17:09	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water

Sample Name: MW-20
Lab Code: R2003286-001

Service Request: R2003286
Date Collected: 04/21/20 13:00
Date Received: 04/22/20 11:30

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	103	85 - 122	04/27/20 17:09	
Toluene-d8	110	87 - 121	04/27/20 17:09	
Dibromofluoromethane	108	89 - 119	04/27/20 17:09	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water
Sample Name: MW-3A
Lab Code: R2003286-002

Service Request: R2003286
Date Collected: 04/21/20 13:30
Date Received: 04/22/20 11:30

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	Dil.	Date Analyzed	Q
Acetone	ND U	10	1	04/27/20 17:30	
Benzene	ND U	5.0	1	04/27/20 17:30	
Bromodichloromethane	ND U	5.0	1	04/27/20 17:30	
Bromoform	ND U	5.0	1	04/27/20 17:30	
Bromomethane	ND U	5.0	1	04/27/20 17:30	
2-Butanone (MEK)	ND U	10	1	04/27/20 17:30	
Carbon Disulfide	ND U	10	1	04/27/20 17:30	
Carbon Tetrachloride	ND U	5.0	1	04/27/20 17:30	
Chlorobenzene	ND U	5.0	1	04/27/20 17:30	
Chloroethane	ND U	5.0	1	04/27/20 17:30	
Chloroform	ND U	5.0	1	04/27/20 17:30	
Chloromethane	ND U	5.0	1	04/27/20 17:30	
Dibromochloromethane	ND U	5.0	1	04/27/20 17:30	
1,1-Dichloroethane	ND U	5.0	1	04/27/20 17:30	
1,2-Dichloroethane	ND U	5.0	1	04/27/20 17:30	
1,1-Dichloroethene	ND U	5.0	1	04/27/20 17:30	
cis-1,2-Dichloroethene	ND U	5.0	1	04/27/20 17:30	
trans-1,2-Dichloroethene	ND U	5.0	1	04/27/20 17:30	
1,2-Dichloropropane	ND U	5.0	1	04/27/20 17:30	
cis-1,3-Dichloropropene	ND U	5.0	1	04/27/20 17:30	
trans-1,3-Dichloropropene	ND U	5.0	1	04/27/20 17:30	
Ethylbenzene	ND U	5.0	1	04/27/20 17:30	
2-Hexanone	ND U	10	1	04/27/20 17:30	
Methylene Chloride	ND U	5.0	1	04/27/20 17:30	
4-Methyl-2-pentanone (MIBK)	ND U	10	1	04/27/20 17:30	
Styrene	ND U	5.0	1	04/27/20 17:30	
1,1,2,2-Tetrachloroethane	ND U	5.0	1	04/27/20 17:30	
Tetrachloroethene	ND U	5.0	1	04/27/20 17:30	
Toluene	ND U	5.0	1	04/27/20 17:30	
1,1,1-Trichloroethane	ND U	5.0	1	04/27/20 17:30	
1,1,2-Trichloroethane	ND U	5.0	1	04/27/20 17:30	
Trichloroethene	220 D	10	2	04/28/20 18:10	
Vinyl Chloride	ND U	5.0	1	04/27/20 17:30	
o-Xylene	ND U	5.0	1	04/27/20 17:30	
m,p-Xylenes	ND U	5.0	1	04/27/20 17:30	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water

Sample Name: MW-3A
Lab Code: R2003286-002

Service Request: R2003286
Date Collected: 04/21/20 13:30
Date Received: 04/22/20 11:30

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	98	85 - 122	04/27/20 17:30	
Toluene-d8	108	87 - 121	04/27/20 17:30	
Dibromofluoromethane	102	89 - 119	04/27/20 17:30	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water
Sample Name: MW-17
Lab Code: R2003286-003

Service Request: R2003286
Date Collected: 04/21/20 14:00
Date Received: 04/22/20 11:30

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	Dil.	Date Analyzed	Q
Acetone	ND U	25	2.5	04/27/20 17:52	
Benzene	ND U	13	2.5	04/27/20 17:52	
Bromodichloromethane	ND U	13	2.5	04/27/20 17:52	
Bromoform	ND U	13	2.5	04/27/20 17:52	
Bromomethane	ND U	13	2.5	04/27/20 17:52	
2-Butanone (MEK)	ND U	25	2.5	04/27/20 17:52	
Carbon Disulfide	ND U	25	2.5	04/27/20 17:52	
Carbon Tetrachloride	ND U	13	2.5	04/27/20 17:52	
Chlorobenzene	ND U	13	2.5	04/27/20 17:52	
Chloroethane	ND U	13	2.5	04/27/20 17:52	
Chloroform	ND U	13	2.5	04/27/20 17:52	
Chloromethane	ND U	13	2.5	04/27/20 17:52	
Dibromochloromethane	ND U	13	2.5	04/27/20 17:52	
1,1-Dichloroethane	ND U	13	2.5	04/27/20 17:52	
1,2-Dichloroethane	ND U	13	2.5	04/27/20 17:52	
1,1-Dichloroethene	ND U	13	2.5	04/27/20 17:52	
cis-1,2-Dichloroethene	ND U	13	2.5	04/27/20 17:52	
trans-1,2-Dichloroethene	ND U	13	2.5	04/27/20 17:52	
1,2-Dichloropropane	ND U	13	2.5	04/27/20 17:52	
cis-1,3-Dichloropropene	ND U	13	2.5	04/27/20 17:52	
trans-1,3-Dichloropropene	ND U	13	2.5	04/27/20 17:52	
Ethylbenzene	ND U	13	2.5	04/27/20 17:52	
2-Hexanone	ND U	25	2.5	04/27/20 17:52	
Methylene Chloride	ND U	13	2.5	04/27/20 17:52	
4-Methyl-2-pentanone (MIBK)	ND U	25	2.5	04/27/20 17:52	
Styrene	ND U	13	2.5	04/27/20 17:52	
1,1,2,2-Tetrachloroethane	ND U	13	2.5	04/27/20 17:52	
Tetrachloroethene	ND U	13	2.5	04/27/20 17:52	
Toluene	ND U	13	2.5	04/27/20 17:52	
1,1,1-Trichloroethane	ND U	13	2.5	04/27/20 17:52	
1,1,2-Trichloroethane	ND U	13	2.5	04/27/20 17:52	
Trichloroethene	440	13	2.5	04/27/20 17:52	
Vinyl Chloride	ND U	13	2.5	04/27/20 17:52	
o-Xylene	ND U	13	2.5	04/27/20 17:52	
m,p-Xylenes	ND U	13	2.5	04/27/20 17:52	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water

Sample Name: MW-17
Lab Code: R2003286-003

Service Request: R2003286
Date Collected: 04/21/20 14:00
Date Received: 04/22/20 11:30

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	102	85 - 122	04/27/20 17:52	
Toluene-d8	107	87 - 121	04/27/20 17:52	
Dibromofluoromethane	102	89 - 119	04/27/20 17:52	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water
Sample Name: MW-5
Lab Code: R2003286-004

Service Request: R2003286
Date Collected: 04/21/20 14:30
Date Received: 04/22/20 11:30

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	Dil.	Date Analyzed	Q
Acetone	ND U	10	1	04/27/20 14:58	
Benzene	ND U	5.0	1	04/27/20 14:58	
Bromodichloromethane	ND U	5.0	1	04/27/20 14:58	
Bromoform	ND U	5.0	1	04/27/20 14:58	
Bromomethane	ND U	5.0	1	04/27/20 14:58	
2-Butanone (MEK)	ND U	10	1	04/27/20 14:58	
Carbon Disulfide	ND U	10	1	04/27/20 14:58	
Carbon Tetrachloride	ND U	5.0	1	04/27/20 14:58	
Chlorobenzene	ND U	5.0	1	04/27/20 14:58	
Chloroethane	ND U	5.0	1	04/27/20 14:58	
Chloroform	ND U	5.0	1	04/27/20 14:58	
Chloromethane	ND U	5.0	1	04/27/20 14:58	
Dibromochloromethane	ND U	5.0	1	04/27/20 14:58	
1,1-Dichloroethane	ND U	5.0	1	04/27/20 14:58	
1,2-Dichloroethane	ND U	5.0	1	04/27/20 14:58	
1,1-Dichloroethene	ND U	5.0	1	04/27/20 14:58	
cis-1,2-Dichloroethene	8.5	5.0	1	04/27/20 14:58	
trans-1,2-Dichloroethene	ND U	5.0	1	04/27/20 14:58	
1,2-Dichloropropane	ND U	5.0	1	04/27/20 14:58	
cis-1,3-Dichloropropene	ND U	5.0	1	04/27/20 14:58	
trans-1,3-Dichloropropene	ND U	5.0	1	04/27/20 14:58	
Ethylbenzene	ND U	5.0	1	04/27/20 14:58	
2-Hexanone	ND U	10	1	04/27/20 14:58	
Methylene Chloride	ND U	5.0	1	04/27/20 14:58	
4-Methyl-2-pentanone (MIBK)	ND U	10	1	04/27/20 14:58	
Styrene	ND U	5.0	1	04/27/20 14:58	
1,1,2,2-Tetrachloroethane	ND U	5.0	1	04/27/20 14:58	
Tetrachloroethene	ND U	5.0	1	04/27/20 14:58	
Toluene	ND U	5.0	1	04/27/20 14:58	
1,1,1-Trichloroethane	ND U	5.0	1	04/27/20 14:58	
1,1,2-Trichloroethane	ND U	5.0	1	04/27/20 14:58	
Trichloroethene	7.8	5.0	1	04/27/20 14:58	
Vinyl Chloride	ND U	5.0	1	04/27/20 14:58	
o-Xylene	ND U	5.0	1	04/27/20 14:58	
m,p-Xylenes	ND U	5.0	1	04/27/20 14:58	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water

Sample Name: MW-5
Lab Code: R2003286-004

Service Request: R2003286
Date Collected: 04/21/20 14:30
Date Received: 04/22/20 11:30

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	97	85 - 122	04/27/20 14:58	
Toluene-d8	106	87 - 121	04/27/20 14:58	
Dibromofluoromethane	103	89 - 119	04/27/20 14:58	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water
Sample Name: MW-14
Lab Code: R2003286-005

Service Request: R2003286
Date Collected: 04/21/20 14:30
Date Received: 04/22/20 11:30

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	Dil.	Date Analyzed	Q
Acetone	ND U	10	1	04/27/20 15:20	
Benzene	ND U	5.0	1	04/27/20 15:20	
Bromodichloromethane	ND U	5.0	1	04/27/20 15:20	
Bromoform	ND U	5.0	1	04/27/20 15:20	
Bromomethane	ND U	5.0	1	04/27/20 15:20	
2-Butanone (MEK)	ND U	10	1	04/27/20 15:20	
Carbon Disulfide	ND U	10	1	04/27/20 15:20	
Carbon Tetrachloride	ND U	5.0	1	04/27/20 15:20	
Chlorobenzene	ND U	5.0	1	04/27/20 15:20	
Chloroethane	ND U	5.0	1	04/27/20 15:20	
Chloroform	ND U	5.0	1	04/27/20 15:20	
Chloromethane	ND U	5.0	1	04/27/20 15:20	
Dibromochloromethane	ND U	5.0	1	04/27/20 15:20	
1,1-Dichloroethane	ND U	5.0	1	04/27/20 15:20	
1,2-Dichloroethane	ND U	5.0	1	04/27/20 15:20	
1,1-Dichloroethene	ND U	5.0	1	04/27/20 15:20	
cis-1,2-Dichloroethene	ND U	5.0	1	04/27/20 15:20	
trans-1,2-Dichloroethene	ND U	5.0	1	04/27/20 15:20	
1,2-Dichloropropane	ND U	5.0	1	04/27/20 15:20	
cis-1,3-Dichloropropene	ND U	5.0	1	04/27/20 15:20	
trans-1,3-Dichloropropene	ND U	5.0	1	04/27/20 15:20	
Ethylbenzene	ND U	5.0	1	04/27/20 15:20	
2-Hexanone	ND U	10	1	04/27/20 15:20	
Methylene Chloride	ND U	5.0	1	04/27/20 15:20	
4-Methyl-2-pentanone (MIBK)	ND U	10	1	04/27/20 15:20	
Styrene	ND U	5.0	1	04/27/20 15:20	
1,1,2,2-Tetrachloroethane	ND U	5.0	1	04/27/20 15:20	
Tetrachloroethene	ND U	5.0	1	04/27/20 15:20	
Toluene	ND U	5.0	1	04/27/20 15:20	
1,1,1-Trichloroethane	ND U	5.0	1	04/27/20 15:20	
1,1,2-Trichloroethane	ND U	5.0	1	04/27/20 15:20	
Trichloroethene	ND U	5.0	1	04/27/20 15:20	
Vinyl Chloride	ND U	5.0	1	04/27/20 15:20	
o-Xylene	ND U	5.0	1	04/27/20 15:20	
m,p-Xylenes	ND U	5.0	1	04/27/20 15:20	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water

Sample Name: MW-14
Lab Code: R2003286-005

Service Request: R2003286
Date Collected: 04/21/20 14:30
Date Received: 04/22/20 11:30

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	106	85 - 122	04/27/20 15:20	
Toluene-d8	111	87 - 121	04/27/20 15:20	
Dibromofluoromethane	107	89 - 119	04/27/20 15:20	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water
Sample Name: PW-1
Lab Code: R2003286-006

Service Request: R2003286
Date Collected: 04/21/20 15:00
Date Received: 04/22/20 11:30

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	Dil.	Date Analyzed	Q
Acetone	ND U	10	1	04/27/20 18:14	
Benzene	ND U	5.0	1	04/27/20 18:14	
Bromodichloromethane	ND U	5.0	1	04/27/20 18:14	
Bromoform	ND U	5.0	1	04/27/20 18:14	
Bromomethane	ND U	5.0	1	04/27/20 18:14	
2-Butanone (MEK)	ND U	10	1	04/27/20 18:14	
Carbon Disulfide	ND U	10	1	04/27/20 18:14	
Carbon Tetrachloride	ND U	5.0	1	04/27/20 18:14	
Chlorobenzene	ND U	5.0	1	04/27/20 18:14	
Chloroethane	ND U	5.0	1	04/27/20 18:14	
Chloroform	ND U	5.0	1	04/27/20 18:14	
Chloromethane	ND U	5.0	1	04/27/20 18:14	
Dibromochloromethane	ND U	5.0	1	04/27/20 18:14	
1,1-Dichloroethane	ND U	5.0	1	04/27/20 18:14	
1,2-Dichloroethane	ND U	5.0	1	04/27/20 18:14	
1,1-Dichloroethene	ND U	5.0	1	04/27/20 18:14	
cis-1,2-Dichloroethene	ND U	5.0	1	04/27/20 18:14	
trans-1,2-Dichloroethene	ND U	5.0	1	04/27/20 18:14	
1,2-Dichloropropane	ND U	5.0	1	04/27/20 18:14	
cis-1,3-Dichloropropene	ND U	5.0	1	04/27/20 18:14	
trans-1,3-Dichloropropene	ND U	5.0	1	04/27/20 18:14	
Ethylbenzene	ND U	5.0	1	04/27/20 18:14	
2-Hexanone	ND U	10	1	04/27/20 18:14	
Methylene Chloride	ND U	5.0	1	04/27/20 18:14	
4-Methyl-2-pentanone (MIBK)	ND U	10	1	04/27/20 18:14	
Styrene	ND U	5.0	1	04/27/20 18:14	
1,1,2,2-Tetrachloroethane	ND U	5.0	1	04/27/20 18:14	
Tetrachloroethene	ND U	5.0	1	04/27/20 18:14	
Toluene	ND U	5.0	1	04/27/20 18:14	
1,1,1-Trichloroethane	ND U	5.0	1	04/27/20 18:14	
1,1,2-Trichloroethane	ND U	5.0	1	04/27/20 18:14	
Trichloroethene	14	5.0	1	04/27/20 18:14	
Vinyl Chloride	ND U	5.0	1	04/27/20 18:14	
o-Xylene	ND U	5.0	1	04/27/20 18:14	
m,p-Xylenes	ND U	5.0	1	04/27/20 18:14	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water

Sample Name: PW-1
Lab Code: R2003286-006

Service Request: R2003286
Date Collected: 04/21/20 15:00
Date Received: 04/22/20 11:30

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	100	85 - 122	04/27/20 18:14	
Toluene-d8	110	87 - 121	04/27/20 18:14	
Dibromofluoromethane	104	89 - 119	04/27/20 18:14	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water
Sample Name: MW-19
Lab Code: R2003286-007

Service Request: R2003286
Date Collected: 04/21/20 15:30
Date Received: 04/22/20 11:30

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	Dil.	Date Analyzed	Q
Acetone	ND U	10	1	04/27/20 15:41	
Benzene	ND U	5.0	1	04/27/20 15:41	
Bromodichloromethane	ND U	5.0	1	04/27/20 15:41	
Bromoform	ND U	5.0	1	04/27/20 15:41	
Bromomethane	ND U	5.0	1	04/27/20 15:41	
2-Butanone (MEK)	ND U	10	1	04/27/20 15:41	
Carbon Disulfide	ND U	10	1	04/27/20 15:41	
Carbon Tetrachloride	ND U	5.0	1	04/27/20 15:41	
Chlorobenzene	ND U	5.0	1	04/27/20 15:41	
Chloroethane	ND U	5.0	1	04/27/20 15:41	
Chloroform	ND U	5.0	1	04/27/20 15:41	
Chloromethane	ND U	5.0	1	04/27/20 15:41	
Dibromochloromethane	ND U	5.0	1	04/27/20 15:41	
1,1-Dichloroethane	ND U	5.0	1	04/27/20 15:41	
1,2-Dichloroethane	ND U	5.0	1	04/27/20 15:41	
1,1-Dichloroethene	ND U	5.0	1	04/27/20 15:41	
cis-1,2-Dichloroethene	ND U	5.0	1	04/27/20 15:41	
trans-1,2-Dichloroethene	ND U	5.0	1	04/27/20 15:41	
1,2-Dichloropropane	ND U	5.0	1	04/27/20 15:41	
cis-1,3-Dichloropropene	ND U	5.0	1	04/27/20 15:41	
trans-1,3-Dichloropropene	ND U	5.0	1	04/27/20 15:41	
Ethylbenzene	ND U	5.0	1	04/27/20 15:41	
2-Hexanone	ND U	10	1	04/27/20 15:41	
Methylene Chloride	ND U	5.0	1	04/27/20 15:41	
4-Methyl-2-pentanone (MIBK)	ND U	10	1	04/27/20 15:41	
Styrene	ND U	5.0	1	04/27/20 15:41	
1,1,2,2-Tetrachloroethane	ND U	5.0	1	04/27/20 15:41	
Tetrachloroethene	ND U	5.0	1	04/27/20 15:41	
Toluene	ND U	5.0	1	04/27/20 15:41	
1,1,1-Trichloroethane	ND U	5.0	1	04/27/20 15:41	
1,1,2-Trichloroethane	ND U	5.0	1	04/27/20 15:41	
Trichloroethene	ND U	5.0	1	04/27/20 15:41	
Vinyl Chloride	ND U	5.0	1	04/27/20 15:41	
o-Xylene	ND U	5.0	1	04/27/20 15:41	
m,p-Xylenes	ND U	5.0	1	04/27/20 15:41	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water

Sample Name: MW-19
Lab Code: R2003286-007

Service Request: R2003286
Date Collected: 04/21/20 15:30
Date Received: 04/22/20 11:30

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	105	85 - 122	04/27/20 15:41	
Toluene-d8	112	87 - 121	04/27/20 15:41	
Dibromofluoromethane	109	89 - 119	04/27/20 15:41	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water
Sample Name: MW-18
Lab Code: R2003286-008

Service Request: R2003286
Date Collected: 04/21/20 16:00
Date Received: 04/22/20 11:30

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	Dil.	Date Analyzed	Q
Acetone	ND U	10	1	04/27/20 16:03	
Benzene	ND U	5.0	1	04/27/20 16:03	
Bromodichloromethane	ND U	5.0	1	04/27/20 16:03	
Bromoform	ND U	5.0	1	04/27/20 16:03	
Bromomethane	ND U	5.0	1	04/27/20 16:03	
2-Butanone (MEK)	ND U	10	1	04/27/20 16:03	
Carbon Disulfide	ND U	10	1	04/27/20 16:03	
Carbon Tetrachloride	ND U	5.0	1	04/27/20 16:03	
Chlorobenzene	ND U	5.0	1	04/27/20 16:03	
Chloroethane	ND U	5.0	1	04/27/20 16:03	
Chloroform	ND U	5.0	1	04/27/20 16:03	
Chloromethane	ND U	5.0	1	04/27/20 16:03	
Dibromochloromethane	ND U	5.0	1	04/27/20 16:03	
1,1-Dichloroethane	ND U	5.0	1	04/27/20 16:03	
1,2-Dichloroethane	ND U	5.0	1	04/27/20 16:03	
1,1-Dichloroethene	ND U	5.0	1	04/27/20 16:03	
cis-1,2-Dichloroethene	ND U	5.0	1	04/27/20 16:03	
trans-1,2-Dichloroethene	ND U	5.0	1	04/27/20 16:03	
1,2-Dichloropropane	ND U	5.0	1	04/27/20 16:03	
cis-1,3-Dichloropropene	ND U	5.0	1	04/27/20 16:03	
trans-1,3-Dichloropropene	ND U	5.0	1	04/27/20 16:03	
Ethylbenzene	ND U	5.0	1	04/27/20 16:03	
2-Hexanone	ND U	10	1	04/27/20 16:03	
Methylene Chloride	ND U	5.0	1	04/27/20 16:03	
4-Methyl-2-pentanone (MIBK)	ND U	10	1	04/27/20 16:03	
Styrene	ND U	5.0	1	04/27/20 16:03	
1,1,2,2-Tetrachloroethane	ND U	5.0	1	04/27/20 16:03	
Tetrachloroethene	ND U	5.0	1	04/27/20 16:03	
Toluene	ND U	5.0	1	04/27/20 16:03	
1,1,1-Trichloroethane	ND U	5.0	1	04/27/20 16:03	
1,1,2-Trichloroethane	ND U	5.0	1	04/27/20 16:03	
Trichloroethene	ND U	5.0	1	04/27/20 16:03	
Vinyl Chloride	ND U	5.0	1	04/27/20 16:03	
o-Xylene	ND U	5.0	1	04/27/20 16:03	
m,p-Xylenes	ND U	5.0	1	04/27/20 16:03	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water

Sample Name: MW-18
Lab Code: R2003286-008

Service Request: R2003286
Date Collected: 04/21/20 16:00
Date Received: 04/22/20 11:30

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	103	85 - 122	04/27/20 16:03	
Toluene-d8	109	87 - 121	04/27/20 16:03	
Dibromofluoromethane	101	89 - 119	04/27/20 16:03	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water
Sample Name: MW-15
Lab Code: R2003286-009

Service Request: R2003286
Date Collected: 04/21/20 16:30
Date Received: 04/22/20 11:30

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	Dil.	Date Analyzed	Q
Acetone	ND U	10	1	04/27/20 16:25	
Benzene	ND U	5.0	1	04/27/20 16:25	
Bromodichloromethane	ND U	5.0	1	04/27/20 16:25	
Bromoform	ND U	5.0	1	04/27/20 16:25	
Bromomethane	ND U	5.0	1	04/27/20 16:25	
2-Butanone (MEK)	ND U	10	1	04/27/20 16:25	
Carbon Disulfide	ND U	10	1	04/27/20 16:25	
Carbon Tetrachloride	ND U	5.0	1	04/27/20 16:25	
Chlorobenzene	ND U	5.0	1	04/27/20 16:25	
Chloroethane	ND U	5.0	1	04/27/20 16:25	
Chloroform	ND U	5.0	1	04/27/20 16:25	
Chloromethane	ND U	5.0	1	04/27/20 16:25	
Dibromochloromethane	ND U	5.0	1	04/27/20 16:25	
1,1-Dichloroethane	ND U	5.0	1	04/27/20 16:25	
1,2-Dichloroethane	ND U	5.0	1	04/27/20 16:25	
1,1-Dichloroethene	ND U	5.0	1	04/27/20 16:25	
cis-1,2-Dichloroethene	ND U	5.0	1	04/27/20 16:25	
trans-1,2-Dichloroethene	ND U	5.0	1	04/27/20 16:25	
1,2-Dichloropropane	ND U	5.0	1	04/27/20 16:25	
cis-1,3-Dichloropropene	ND U	5.0	1	04/27/20 16:25	
trans-1,3-Dichloropropene	ND U	5.0	1	04/27/20 16:25	
Ethylbenzene	ND U	5.0	1	04/27/20 16:25	
2-Hexanone	ND U	10	1	04/27/20 16:25	
Methylene Chloride	ND U	5.0	1	04/27/20 16:25	
4-Methyl-2-pentanone (MIBK)	ND U	10	1	04/27/20 16:25	
Styrene	ND U	5.0	1	04/27/20 16:25	
1,1,2,2-Tetrachloroethane	ND U	5.0	1	04/27/20 16:25	
Tetrachloroethene	ND U	5.0	1	04/27/20 16:25	
Toluene	ND U	5.0	1	04/27/20 16:25	
1,1,1-Trichloroethane	ND U	5.0	1	04/27/20 16:25	
1,1,2-Trichloroethane	ND U	5.0	1	04/27/20 16:25	
Trichloroethene	ND U	5.0	1	04/27/20 16:25	
Vinyl Chloride	ND U	5.0	1	04/27/20 16:25	
o-Xylene	ND U	5.0	1	04/27/20 16:25	
m,p-Xylenes	ND U	5.0	1	04/27/20 16:25	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water

Sample Name: MW-15
Lab Code: R2003286-009

Service Request: R2003286
Date Collected: 04/21/20 16:30
Date Received: 04/22/20 11:30

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	102	85 - 122	04/27/20 16:25	
Toluene-d8	110	87 - 121	04/27/20 16:25	
Dibromofluoromethane	105	89 - 119	04/27/20 16:25	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water
Sample Name: MW-13
Lab Code: R2003286-010

Service Request: R2003286
Date Collected: 04/21/20 08:50
Date Received: 04/22/20 11:30

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	Dil.	Date Analyzed	Q
Acetone	ND U	10	1	04/27/20 18:36	
Benzene	ND U	5.0	1	04/27/20 18:36	
Bromodichloromethane	ND U	5.0	1	04/27/20 18:36	
Bromoform	ND U	5.0	1	04/27/20 18:36	
Bromomethane	ND U	5.0	1	04/27/20 18:36	
2-Butanone (MEK)	ND U	10	1	04/27/20 18:36	
Carbon Disulfide	ND U	10	1	04/27/20 18:36	
Carbon Tetrachloride	ND U	5.0	1	04/27/20 18:36	
Chlorobenzene	ND U	5.0	1	04/27/20 18:36	
Chloroethane	ND U	5.0	1	04/27/20 18:36	
Chloroform	ND U	5.0	1	04/27/20 18:36	
Chloromethane	ND U	5.0	1	04/27/20 18:36	
Dibromochloromethane	ND U	5.0	1	04/27/20 18:36	
1,1-Dichloroethane	ND U	5.0	1	04/27/20 18:36	
1,2-Dichloroethane	ND U	5.0	1	04/27/20 18:36	
1,1-Dichloroethene	ND U	5.0	1	04/27/20 18:36	
cis-1,2-Dichloroethene	19	5.0	1	04/27/20 18:36	
trans-1,2-Dichloroethene	ND U	5.0	1	04/27/20 18:36	
1,2-Dichloropropane	ND U	5.0	1	04/27/20 18:36	
cis-1,3-Dichloropropene	ND U	5.0	1	04/27/20 18:36	
trans-1,3-Dichloropropene	ND U	5.0	1	04/27/20 18:36	
Ethylbenzene	ND U	5.0	1	04/27/20 18:36	
2-Hexanone	ND U	10	1	04/27/20 18:36	
Methylene Chloride	ND U	5.0	1	04/27/20 18:36	
4-Methyl-2-pentanone (MIBK)	ND U	10	1	04/27/20 18:36	
Styrene	ND U	5.0	1	04/27/20 18:36	
1,1,2,2-Tetrachloroethane	ND U	5.0	1	04/27/20 18:36	
Tetrachloroethene	ND U	5.0	1	04/27/20 18:36	
Toluene	ND U	5.0	1	04/27/20 18:36	
1,1,1-Trichloroethane	ND U	5.0	1	04/27/20 18:36	
1,1,2-Trichloroethane	ND U	5.0	1	04/27/20 18:36	
Trichloroethene	340 D	25	5	04/28/20 18:32	
Vinyl Chloride	ND U	5.0	1	04/27/20 18:36	
o-Xylene	ND U	5.0	1	04/27/20 18:36	
m,p-Xylenes	ND U	5.0	1	04/27/20 18:36	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water

Sample Name: MW-13
Lab Code: R2003286-010

Service Request: R2003286
Date Collected: 04/21/20 08:50
Date Received: 04/22/20 11:30

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	103	85 - 122	04/27/20 18:36	
Toluene-d8	110	87 - 121	04/27/20 18:36	
Dibromofluoromethane	103	89 - 119	04/27/20 18:36	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water
Sample Name: MW-4
Lab Code: R2003286-011

Service Request: R2003286
Date Collected: 04/21/20 10:55
Date Received: 04/22/20 11:30

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	Dil.	Date Analyzed	Q
Acetone	ND U	10	1	04/27/20 16:47	
Benzene	ND U	5.0	1	04/27/20 16:47	
Bromodichloromethane	ND U	5.0	1	04/27/20 16:47	
Bromoform	ND U	5.0	1	04/27/20 16:47	
Bromomethane	ND U	5.0	1	04/27/20 16:47	
2-Butanone (MEK)	ND U	10	1	04/27/20 16:47	
Carbon Disulfide	ND U	10	1	04/27/20 16:47	
Carbon Tetrachloride	ND U	5.0	1	04/27/20 16:47	
Chlorobenzene	ND U	5.0	1	04/27/20 16:47	
Chloroethane	ND U	5.0	1	04/27/20 16:47	
Chloroform	ND U	5.0	1	04/27/20 16:47	
Chloromethane	ND U	5.0	1	04/27/20 16:47	
Dibromochloromethane	ND U	5.0	1	04/27/20 16:47	
1,1-Dichloroethane	ND U	5.0	1	04/27/20 16:47	
1,2-Dichloroethane	ND U	5.0	1	04/27/20 16:47	
1,1-Dichloroethene	ND U	5.0	1	04/27/20 16:47	
cis-1,2-Dichloroethene	ND U	5.0	1	04/27/20 16:47	
trans-1,2-Dichloroethene	ND U	5.0	1	04/27/20 16:47	
1,2-Dichloropropane	ND U	5.0	1	04/27/20 16:47	
cis-1,3-Dichloropropene	ND U	5.0	1	04/27/20 16:47	
trans-1,3-Dichloropropene	ND U	5.0	1	04/27/20 16:47	
Ethylbenzene	ND U	5.0	1	04/27/20 16:47	
2-Hexanone	ND U	10	1	04/27/20 16:47	
Methylene Chloride	ND U	5.0	1	04/27/20 16:47	
4-Methyl-2-pentanone (MIBK)	ND U	10	1	04/27/20 16:47	
Styrene	ND U	5.0	1	04/27/20 16:47	
1,1,2,2-Tetrachloroethane	ND U	5.0	1	04/27/20 16:47	
Tetrachloroethene	ND U	5.0	1	04/27/20 16:47	
Toluene	ND U	5.0	1	04/27/20 16:47	
1,1,1-Trichloroethane	ND U	5.0	1	04/27/20 16:47	
1,1,2-Trichloroethane	ND U	5.0	1	04/27/20 16:47	
Trichloroethene	ND U	5.0	1	04/27/20 16:47	
Vinyl Chloride	ND U	5.0	1	04/27/20 16:47	
o-Xylene	ND U	5.0	1	04/27/20 16:47	
m,p-Xylenes	ND U	5.0	1	04/27/20 16:47	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water

Sample Name: MW-4
Lab Code: R2003286-011

Service Request: R2003286
Date Collected: 04/21/20 10:55
Date Received: 04/22/20 11:30

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	99	85 - 122	04/27/20 16:47	
Toluene-d8	109	87 - 121	04/27/20 16:47	
Dibromofluoromethane	104	89 - 119	04/27/20 16:47	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water
Sample Name: Trip Blank
Lab Code: R2003286-012

Service Request: R2003286
Date Collected: 04/21/20
Date Received: 04/22/20 11:30

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	Dil.	Date Analyzed	Q
Acetone	ND U	10	1	04/27/20 14:36	
Benzene	ND U	5.0	1	04/27/20 14:36	
Bromodichloromethane	ND U	5.0	1	04/27/20 14:36	
Bromoform	ND U	5.0	1	04/27/20 14:36	
Bromomethane	ND U	5.0	1	04/27/20 14:36	
2-Butanone (MEK)	ND U	10	1	04/27/20 14:36	
Carbon Disulfide	ND U	10	1	04/27/20 14:36	
Carbon Tetrachloride	ND U	5.0	1	04/27/20 14:36	
Chlorobenzene	ND U	5.0	1	04/27/20 14:36	
Chloroethane	ND U	5.0	1	04/27/20 14:36	
Chloroform	ND U	5.0	1	04/27/20 14:36	
Chloromethane	ND U	5.0	1	04/27/20 14:36	
Dibromochloromethane	ND U	5.0	1	04/27/20 14:36	
1,1-Dichloroethane	ND U	5.0	1	04/27/20 14:36	
1,2-Dichloroethane	ND U	5.0	1	04/27/20 14:36	
1,1-Dichloroethene	ND U	5.0	1	04/27/20 14:36	
cis-1,2-Dichloroethene	ND U	5.0	1	04/27/20 14:36	
trans-1,2-Dichloroethene	ND U	5.0	1	04/27/20 14:36	
1,2-Dichloropropane	ND U	5.0	1	04/27/20 14:36	
cis-1,3-Dichloropropene	ND U	5.0	1	04/27/20 14:36	
trans-1,3-Dichloropropene	ND U	5.0	1	04/27/20 14:36	
Ethylbenzene	ND U	5.0	1	04/27/20 14:36	
2-Hexanone	ND U	10	1	04/27/20 14:36	
Methylene Chloride	ND U	5.0	1	04/27/20 14:36	
4-Methyl-2-pentanone (MIBK)	ND U	10	1	04/27/20 14:36	
Styrene	ND U	5.0	1	04/27/20 14:36	
1,1,2,2-Tetrachloroethane	ND U	5.0	1	04/27/20 14:36	
Tetrachloroethene	ND U	5.0	1	04/27/20 14:36	
Toluene	ND U	5.0	1	04/27/20 14:36	
1,1,1-Trichloroethane	ND U	5.0	1	04/27/20 14:36	
1,1,2-Trichloroethane	ND U	5.0	1	04/27/20 14:36	
Trichloroethene	ND U	5.0	1	04/27/20 14:36	
Vinyl Chloride	ND U	5.0	1	04/27/20 14:36	
o-Xylene	ND U	5.0	1	04/27/20 14:36	
m,p-Xylenes	ND U	5.0	1	04/27/20 14:36	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water

Sample Name: Trip Blank
Lab Code: R2003286-012

Service Request: R2003286
Date Collected: 04/21/20
Date Received: 04/22/20 11:30

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	101	85 - 122	04/27/20 14:36	
Toluene-d8	109	87 - 121	04/27/20 14:36	
Dibromofluoromethane	103	89 - 119	04/27/20 14:36	



QC Summary Forms

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com



Volatile Organic Compounds by GC/MS

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water

Service Request: R2003286

SURROGATE RECOVERY SUMMARY
Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Extraction Method: EPA 5030C

Sample Name	Lab Code	4-Bromofluorobenzene	Toluene-d8	Dibromofluoromethane
MW-20	R2003286-001	103	110	108
MW-3A	R2003286-002	98	108	102
MW-17	R2003286-003	102	107	102
MW-5	R2003286-004	97	106	103
MW-14	R2003286-005	106	111	107
PW-1	R2003286-006	100	110	104
MW-19	R2003286-007	105	112	109
MW-18	R2003286-008	103	109	101
MW-15	R2003286-009	102	110	105
MW-13	R2003286-010	103	110	103
MW-4	R2003286-011	99	109	104
Trip Blank	R2003286-012	101	109	103
Method Blank	RQ2004140-04	102	110	102
Method Blank	RQ2004179-04	99	105	100
Lab Control Sample	RQ2004140-03	96	101	103
Lab Control Sample	RQ2004179-03	101	106	107

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water
Sample Name: Method Blank
Lab Code: RQ2004140-04

Service Request: R2003286
Date Collected: NA
Date Received: NA
Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	Dil.	Date Analyzed	Q
Acetone	ND U	10	1	04/27/20 12:03	
Benzene	ND U	5.0	1	04/27/20 12:03	
Bromodichloromethane	ND U	5.0	1	04/27/20 12:03	
Bromoform	ND U	5.0	1	04/27/20 12:03	
Bromomethane	ND U	5.0	1	04/27/20 12:03	
2-Butanone (MEK)	ND U	10	1	04/27/20 12:03	
Carbon Disulfide	ND U	10	1	04/27/20 12:03	
Carbon Tetrachloride	ND U	5.0	1	04/27/20 12:03	
Chlorobenzene	ND U	5.0	1	04/27/20 12:03	
Chloroethane	ND U	5.0	1	04/27/20 12:03	
Chloroform	ND U	5.0	1	04/27/20 12:03	
Chloromethane	ND U	5.0	1	04/27/20 12:03	
Dibromochloromethane	ND U	5.0	1	04/27/20 12:03	
1,1-Dichloroethane	ND U	5.0	1	04/27/20 12:03	
1,2-Dichloroethane	ND U	5.0	1	04/27/20 12:03	
1,1-Dichloroethene	ND U	5.0	1	04/27/20 12:03	
cis-1,2-Dichloroethene	ND U	5.0	1	04/27/20 12:03	
trans-1,2-Dichloroethene	ND U	5.0	1	04/27/20 12:03	
1,2-Dichloropropane	ND U	5.0	1	04/27/20 12:03	
cis-1,3-Dichloropropene	ND U	5.0	1	04/27/20 12:03	
trans-1,3-Dichloropropene	ND U	5.0	1	04/27/20 12:03	
Ethylbenzene	ND U	5.0	1	04/27/20 12:03	
2-Hexanone	ND U	10	1	04/27/20 12:03	
Methylene Chloride	ND U	5.0	1	04/27/20 12:03	
4-Methyl-2-pentanone (MIBK)	ND U	10	1	04/27/20 12:03	
Styrene	ND U	5.0	1	04/27/20 12:03	
1,1,2,2-Tetrachloroethane	ND U	5.0	1	04/27/20 12:03	
Tetrachloroethene	ND U	5.0	1	04/27/20 12:03	
Toluene	ND U	5.0	1	04/27/20 12:03	
1,1,1-Trichloroethane	ND U	5.0	1	04/27/20 12:03	
1,1,2-Trichloroethane	ND U	5.0	1	04/27/20 12:03	
Trichloroethene	ND U	5.0	1	04/27/20 12:03	
Vinyl Chloride	ND U	5.0	1	04/27/20 12:03	
o-Xylene	ND U	5.0	1	04/27/20 12:03	
m,p-Xylenes	ND U	5.0	1	04/27/20 12:03	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water

Sample Name: Method Blank
Lab Code: RQ2004140-04

Service Request: R2003286
Date Collected: NA
Date Received: NA

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	102	85 - 122	04/27/20 12:03	
Toluene-d8	110	87 - 121	04/27/20 12:03	
Dibromofluoromethane	102	89 - 119	04/27/20 12:03	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water
Sample Name: Method Blank
Lab Code: RQ2004179-04

Service Request: R2003286
Date Collected: NA
Date Received: NA
Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	Dil.	Date Analyzed	Q
Acetone	ND U	10	1	04/28/20 11:37	
Benzene	ND U	5.0	1	04/28/20 11:37	
Bromodichloromethane	ND U	5.0	1	04/28/20 11:37	
Bromoform	ND U	5.0	1	04/28/20 11:37	
Bromomethane	ND U	5.0	1	04/28/20 11:37	
2-Butanone (MEK)	ND U	10	1	04/28/20 11:37	
Carbon Disulfide	ND U	10	1	04/28/20 11:37	
Carbon Tetrachloride	ND U	5.0	1	04/28/20 11:37	
Chlorobenzene	ND U	5.0	1	04/28/20 11:37	
Chloroethane	ND U	5.0	1	04/28/20 11:37	
Chloroform	ND U	5.0	1	04/28/20 11:37	
Chloromethane	ND U	5.0	1	04/28/20 11:37	
Dibromochloromethane	ND U	5.0	1	04/28/20 11:37	
1,1-Dichloroethane	ND U	5.0	1	04/28/20 11:37	
1,2-Dichloroethane	ND U	5.0	1	04/28/20 11:37	
1,1-Dichloroethene	ND U	5.0	1	04/28/20 11:37	
cis-1,2-Dichloroethene	ND U	5.0	1	04/28/20 11:37	
trans-1,2-Dichloroethene	ND U	5.0	1	04/28/20 11:37	
1,2-Dichloropropane	ND U	5.0	1	04/28/20 11:37	
cis-1,3-Dichloropropene	ND U	5.0	1	04/28/20 11:37	
trans-1,3-Dichloropropene	ND U	5.0	1	04/28/20 11:37	
Ethylbenzene	ND U	5.0	1	04/28/20 11:37	
2-Hexanone	ND U	10	1	04/28/20 11:37	
Methylene Chloride	ND U	5.0	1	04/28/20 11:37	
4-Methyl-2-pentanone (MIBK)	ND U	10	1	04/28/20 11:37	
Styrene	ND U	5.0	1	04/28/20 11:37	
1,1,2,2-Tetrachloroethane	ND U	5.0	1	04/28/20 11:37	
Tetrachloroethene	ND U	5.0	1	04/28/20 11:37	
Toluene	ND U	5.0	1	04/28/20 11:37	
1,1,1-Trichloroethane	ND U	5.0	1	04/28/20 11:37	
1,1,2-Trichloroethane	ND U	5.0	1	04/28/20 11:37	
Trichloroethene	ND U	5.0	1	04/28/20 11:37	
Vinyl Chloride	ND U	5.0	1	04/28/20 11:37	
o-Xylene	ND U	5.0	1	04/28/20 11:37	
m,p-Xylenes	ND U	5.0	1	04/28/20 11:37	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water

Sample Name: Method Blank
Lab Code: RQ2004179-04

Service Request: R2003286
Date Collected: NA
Date Received: NA

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	99	85 - 122	04/28/20 11:37	
Toluene-d8	105	87 - 121	04/28/20 11:37	
Dibromofluoromethane	100	89 - 119	04/28/20 11:37	

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water

Service Request: R2003286
Date Analyzed: 04/27/20

Lab Control Sample Summary
Volatile Organic Compounds by GC/MS

Units:ug/L
Basis:NA

Lab Control Sample
RQ2004140-03

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Acetone	8260C	19.0	20.0	95	40-161
Benzene	8260C	21.3	20.0	106	79-119
Bromodichloromethane	8260C	20.9	20.0	105	81-123
Bromoform	8260C	17.7	20.0	89	65-146
Bromomethane	8260C	19.2	20.0	96	42-166
2-Butanone (MEK)	8260C	18.6	20.0	93	61-137
Carbon Disulfide	8260C	21.3	20.0	107	66-128
Carbon Tetrachloride	8260C	19.0	20.0	95	70-127
Chlorobenzene	8260C	20.0	20.0	100	80-121
Chloroethane	8260C	19.5	20.0	98	62-131
Chloroform	8260C	21.2	20.0	106	79-120
Chloromethane	8260C	24.1	20.0	121	65-135
Dibromochloromethane	8260C	21.4	20.0	107	72-128
1,1-Dichloroethane	8260C	21.7	20.0	108	80-124
1,2-Dichloroethane	8260C	19.9	20.0	99	71-127
1,1-Dichloroethene	8260C	21.1	20.0	105	71-118
cis-1,2-Dichloroethene	8260C	21.9	20.0	110	80-121
trans-1,2-Dichloroethene	8260C	20.6	20.0	103	73-118
1,2-Dichloropropane	8260C	20.0	20.0	100	80-119
cis-1,3-Dichloropropene	8260C	19.4	20.0	97	77-122
trans-1,3-Dichloropropene	8260C	19.3	20.0	96	71-133
Ethylbenzene	8260C	19.3	20.0	97	76-120
2-Hexanone	8260C	18.8	20.0	94	63-124
Methylene Chloride	8260C	21.3	20.0	106	73-122
4-Methyl-2-pentanone (MIBK)	8260C	19.0	20.0	95	66-124
Styrene	8260C	21.4	20.0	107	80-124
1,1,2,2-Tetrachloroethane	8260C	21.2	20.0	106	78-126
Tetrachloroethene	8260C	19.7	20.0	99	72-125
Toluene	8260C	20.6	20.0	103	79-119
1,1,1-Trichloroethane	8260C	19.6	20.0	98	75-125
1,1,2-Trichloroethane	8260C	19.8	20.0	99	82-121
Trichloroethene	8260C	19.1	20.0	95	74-122
Vinyl Chloride	8260C	22.0	20.0	110	74-159

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water

Service Request: R2003286
Date Analyzed: 04/27/20

Lab Control Sample Summary
Volatile Organic Compounds by GC/MS

Units:ug/L
Basis:NA

Lab Control Sample
RQ2004140-03

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
o-Xylene	8260C	20.4	20.0	102	79-123
m,p-Xylenes	8260C	40.1	40.0	100	80-126

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water

Service Request: R2003286
Date Analyzed: 04/28/20

Lab Control Sample Summary
Volatile Organic Compounds by GC/MS

Units:ug/L
Basis:NA

Lab Control Sample
RQ2004179-03

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Acetone	8260C	20.3	20.0	101	40-161
Benzene	8260C	19.3	20.0	97	79-119
Bromodichloromethane	8260C	18.7	20.0	93	81-123
Bromoform	8260C	17.2	20.0	86	65-146
Bromomethane	8260C	17.8	20.0	89	42-166
2-Butanone (MEK)	8260C	20.3	20.0	101	61-137
Carbon Disulfide	8260C	25.6	20.0	128	66-128
Carbon Tetrachloride	8260C	16.8	20.0	84	70-127
Chlorobenzene	8260C	18.1	20.0	91	80-121
Chloroethane	8260C	16.8	20.0	84	62-131
Chloroform	8260C	18.8	20.0	94	79-120
Chloromethane	8260C	20.8	20.0	104	65-135
Dibromochloromethane	8260C	18.8	20.0	94	72-128
1,1-Dichloroethane	8260C	19.7	20.0	98	80-124
1,2-Dichloroethane	8260C	19.3	20.0	96	71-127
1,1-Dichloroethene	8260C	18.3	20.0	92	71-118
cis-1,2-Dichloroethene	8260C	19.0	20.0	95	80-121
trans-1,2-Dichloroethene	8260C	17.4	20.0	87	73-118
1,2-Dichloropropane	8260C	19.9	20.0	99	80-119
cis-1,3-Dichloropropene	8260C	18.4	20.0	92	77-122
trans-1,3-Dichloropropene	8260C	17.8	20.0	89	71-133
Ethylbenzene	8260C	16.7	20.0	83	76-120
2-Hexanone	8260C	20.3	20.0	102	63-124
Methylene Chloride	8260C	20.0	20.0	100	73-122
4-Methyl-2-pentanone (MIBK)	8260C	21.0	20.0	105	66-124
Styrene	8260C	18.8	20.0	94	80-124
1,1,2,2-Tetrachloroethane	8260C	20.1	20.0	100	78-126
Tetrachloroethene	8260C	18.1	20.0	91	72-125
Toluene	8260C	18.8	20.0	94	79-119
1,1,1-Trichloroethane	8260C	17.2	20.0	86	75-125
1,1,2-Trichloroethane	8260C	19.3	20.0	96	82-121
Trichloroethene	8260C	17.0	20.0	85	74-122
Vinyl Chloride	8260C	18.3	20.0	91	74-159

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ARCADIS U.S., Inc. (formerly ARCADIS of New York)
Project: Crosman/30005202
Sample Matrix: Water

Service Request: R2003286
Date Analyzed: 04/28/20

Lab Control Sample Summary
Volatile Organic Compounds by GC/MS

Units:ug/L
Basis:NA

Lab Control Sample
RQ2004179-03

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
o-Xylene	8260C	18.7	20.0	93	79-123
m,p-Xylenes	8260C	37.8	40.0	94	80-126