

December 2023

Soil Vapor Point Annual Sampling Report

October 2023 Sample Event

Prepared for:
Syracusa Sand and Gravel Inc.

Site:
Modock Rd. Springs/DLS Sand & Gravel Inc. Site
Town of Victor, Ontario County, NY
NYSDEC Site No. 8-35-013



4303 Routes 5 & 20
Canandaigua, NY 14424

Table of Contents

1.0 Introduction	2
2.0 Site Description and History	2
3.0 Scope of work.....	2
3.1 Sampling of Soil Vapor Points	3
3.1.1 Purpose and Objectives	3
3.1.2 Collection and Analysis of Laboratory Samples	3
3.1.3 Reporting of Results and Data Validation	3
4.0 Results	4
4.1. Soil Vapor Sampling Results	4
5.0 Evaluation of Results, Findings and Conclusions	4
6.0 References.....	4

LIST OF FIGURES

- 1)** Site Plan and Soil Vapor Sample Location Map
- 2)** Summary of Total CVOC Detections in Soil Vapor (October 2023)
- 3)** Summary of Total CVOC Detections in Groundwater (October 2023)

LIST OF TABLES

- 1)** Summary of Soil Vapor Point Coordinates
- 2)** Summary of Soil Vapor Sampling Program
- 3)** Summary of Soil Vapor Results VOCs

LIST OF APPENDICES

- A)** Soil Vapor Sampling Logs
- B)** Chain of Custody Form

LIST OF EXHIBITS

- A)** Laboratory Report (Results Only)
- B)** Laboratory Report (Full Category B Packages) (Provided electronically)
- C)** Data Usability Summary Report (DUSR)
- D)** Electronic Data Deliverables (EDDs) (Provided electronically)

1.0 INTRODUCTION

Marks Engineering, P.C. (Marks Engineering) conducted an on-site and off-site annual soil vapor sampling event in October of 2023 at the Modock Rd. Springs/DLS Sand & Gravel, Inc. Site located in the Town of Victor, Ontario County, New York (herein referred to as the "Site"). A Site Plan and Soil Vapor Sample Location Map is presented as **Figure 1**.

The Site is a NYSDEC Class 4 Inactive Hazardous Waste Disposal Site (Site No. 8-35-013). The scope of work presented herein is consistent with the SMP, and the NYSDEC Record of Decision (ROD), for the Site.

The October 2023 annual soil vapor sample event, the findings of which are discussed in this Report, is part of the SMP's media monitoring program and ROD's overall long-term plume management monitoring (PMM) program to evaluate plume stability and the natural reduction of the Site-related chlorinated volatile organic compounds (CVOCs) over time. This sample event included collection of soil vapor samples from 13 of 13 permanent soil vapor points

This Report provides a summary of the soil vapor sample event and is organized as follows:

- **Site Description and History** (Section 2) – presents a summary of the history and description of the Site.
- **Scope of Work** (Section 3) – provides details on the scope of work and procedures that were used to sample the soil vapor points.
- **Results** (Section 4) – presents the field observations, findings and analytical results for laboratory samples collected during the sample event.
- **Evaluation of Results, Findings and Conclusions** (Section 5) – presents an evaluation of the results and data.

2.0 SITE DESCRIPTION AND HISTORY

A detailed description of the Site and History is provided in the SMP. A concise history of the Site is as follows:

The Site is comprised of a 173-acre parcel, currently operating as an active sand and gravel mine operated by Syracusa Sand and Gravel Inc. (SS&G). The Site was acquired by SS&G in 1953. Prior to SS&G's ownership, the property was used for agricultural purposes. The Site operated under the name of D.L.S. Sand and Gravel, Inc. until 1973 when the corporate name was changed to Syracusa Sand and Gravel Inc. From 1966 to 1971, a portion of the Site was leased to Rochester Block, Inc. (NYSDEC, 2010).

A series of investigations at the Site have been conducted starting in approximately 1995. The data from the investigations generally shows that CVOCs, including trichloroethene (TCE), 1,1,1-trichloroethane (TCA), and 1,1-dichloroethene (DCE), were likely released by parties unknown on the Site in the 1960s or 1970s and have contributed to both on-site and off-site CVOC contamination in groundwater (NYSDEC, 2010). The soil into which the CVOCs were first released; however, no longer exists on the Site. On the basis of the investigations, in 2001, the Department listed the Site as a Class 2 site in the Registry of Inactive Hazardous Waste Disposal Sites in New York. After subsequent site characterization, remedial investigation, feasibility study and remedial alternatives analysis, the ROD for the Site was issued in 2010 selecting monitored natural attenuation (MNA) as the remedy. The SMP for the Site was approved by the NYSDEC in March of 2019. In December of 2022, the Site was reclassified by the NYSDEC as a class 4 Site that "no longer presents a significant threat to public health and/or the environment" (NYSDEC, 2022).

In addition to MNA, the ROD selected the following additional remedial actions for the Site: (a) an environmental easement to restrict the future use of groundwater at the Site; (b) implementation of the SMP with its requirements for long-term plume management monitoring, including groundwater, surface water and soil vapor, maintenance of the Sub Slab Depressurization Systems (SSDSs) in several residences, long-term monitoring of soil vapor intrusion in residences, and periodic review reporting to the NYSDEC; and (c) a contingency for the implementation of a zero valent iron amendment injection to reduce contaminant mass in the area of highest groundwater CVOC concentrations if the results of the PMM demonstrate that the CVOC groundwater concentrations are at concentrations not acceptable to NYSDEC and are not continuing to decline.

3.0 SCOPE OF WORK

This section provides details on the scope of work and procedures that were used during implementation of the October 2023 soil vapor sample event taking place as part of the long-term plume management monitoring. The primary components of the scope of work were as follows:

- Completion of an annual soil vapor sample event using 6-liter stainless steel SUMMA® vacuum canisters equipped with laboratory-calibrated fixed rate flow controllers installed at all 13 of the 13 permanent soil vapor points (SV-01, SV-02, SV-03, SV-04, SV-05R, SV-06, SV-07, SV-08, SV-09R, SV-10, SV-11, SV-12 and SV-13).
- Collection of soil vapor samples (and two blind field duplicates) from 10 of the soil vapor points for laboratory analysis for Target Compound List (TCL) VOCs in accordance with USEPA Method TO-15, including CVOCs. Sampling equipment installed at SV-08, SV-09R and SV-12 did not produce an adequate sample (due to no change in canister pressure during the sampling duration). These locations have periodically not produced adequate sample volumes for laboratory analysis during previous sample events. However, the blind duplicate sample canister installed at SV-12 (DUP100323A) did collect an adequate sample and was used as the data set for this location, yielding samples for a total of 11 locations.
- Completion of a 3rd party Data Usability Summary Report (DUSR) to review, qualify and validate the analytical laboratory data generated during this sample event.
- Submittal of electronic data deliverables (EDDs) of the sample event data to the NYSDEC for inclusion in the Site's existing EQuIS database.

3.1 Sampling of Soil Vapor Points

3.1.1 Purpose and Objectives

The October 2023 annual soil vapor sample event, the findings of which are discussed in this Report, is part of the SMP's media monitoring program associated with the long-term PMM program for the Site. The objective of the PMM program is to evaluate plume stability and the natural reduction of the Site's CVOC contamination over time.

3.1.2 Collection and Analysis of Laboratory Samples

Soil vapor sampling was conducted on October 3, 2023 at all 13 of the permanent soil vapor points (SV-01, SV-02, SV-03, SV-04, SV-05R, SV-06, SV-07, SV-08, SV-09R, SV-10, SV-11, SV-12 and SV-13), see **Table 1**. Samples were collected using the methodology described in Section 2.7.3 of the Field Sampling Plan (FSP) provided as Appendix D of the SMP.

Prior to the collection of the soil vapor samples, the sampling tubing was purged of ambient air using a photoionization detector (PID). The PID readings before and after sample collection were recorded on the Soil Vapor Sampling Log for each location (provided in **Appendix A**).

The soil vapor samples were collected using batch certified-clean 6-liter stainless steel SUMMA® vacuum canisters equipped with laboratory-calibrated fixed rate flow controllers. The flow controllers were set to collect soil vapor samples for a period of four hours, at a sample rate of approximately 0.020 liters per minute. This flow rate represents a slightly lower sample rate than specified in the FSP (0.025 liters per minute) but is the rate as recommended by the analytical laboratory. Each canister was equipped with a vacuum gauge that was periodically monitored during collection of the samples. Sample collection was terminated before the canister vacuum was exhausted, and the canister vacuum level at the beginning and end of sample collection was recorded on the Soil Vapor Sampling Log for each location (provided in **Appendix B**).

The soil vapor samples were submitted under appropriate chain of custody protocols to Alpha Analytical located in Mansfield, Massachusetts for laboratory analysis for TCL VOCs, including CVOCs, in accordance with USEPA Method TO-15 SIM. Each SUMMA® canister was labeled with the sample identification, the start and end time of sample collection, date, project identification, and required laboratory analysis. The same information was recorded on the Soil Vapor Sampling Logs (**Appendix B**) and chain of custody forms (**Appendix C**). The soil vapor sample analytical results are summarized on **Table 2**. **Table 2** also includes the analytical results from the previous soil vapor sampling events, initiated in February 2020, for comparison purposes.

3.1.3 Reporting of Results and Data Validation

The laboratory reports were provided in both results only and full Category B formats. Copies of the laboratory reports are provided in **Exhibit A** and **Exhibit B**, respectively. The data was reviewed by a 3rd party data validator (Environmental Data Usability in Dansville, New York) to review, qualify and validate the analytical laboratory data generated during this sample event and the data validator concluded that all results (100%) were found to be usable. A copy of the Data Usability Summary Report (DUSR) is presented as **Exhibit C**. At the request of the NYSDEC, the laboratory results were also provided in an

electronic data deliverable (EDD) format. The EDD, which incorporated the validated laboratory results, was submitted to the NYSDEC on November 28, 2023 (see **Exhibit D**).

4.0 RESULTS

4.1. Soil Vapor Sampling Results

The soil vapor sample analytical results are summarized on **Table 2**, which segregates the three CVOCs identified as contaminants of concern in the ROD (TCE, TCA and DCE) from the remainder of the analyzed TO-15 VOCs. As presented in **Table 2**, detectable concentrations of these three CVOCs were found in soil vapor samples collected at 10 of the 11 soil vapor locations analyzed by the laboratory this sample event (SV-01, SV-02, SV-04, SV-05R, SV-06, SV-07, SV-10, SV-11, SV-12 and SV-13). SV-03, which is located outside of the plume to the northeast, was non-detect for all three CVOC contaminants of concern. Sampling equipment installed at SV-08, SV-09R and SV-12 did not produce an adequate sample (due to no change in canister pressure during the sampling duration). These locations have periodically not produced adequate sample volumes for laboratory analysis during previous sample events. The blind duplicate sample canister installed at SV-12 (DUP100323A) did, however, collect an adequate sample and that sample was used as the data set for this location. There are currently no applicable NYSDEC standards, criteria and/or guidance values (SCGVs) to compare with the soil vapor analytical results. The soil vapor analytical results will be used to assist in determining trends in the concentration(s) of these CVOCs in support of the ROD.

5.0 EVALUATION OF RESULTS, FINDINGS AND CONCLUSIONS

The October 2023 annual soil vapor sample event, the findings of which are discussed in this Report, is part of the ROD and SMP's long-term PMM program for the Site. The objective of the PMM is to evaluate plume stability and the natural reduction of the Site's CVOC contamination over time.

Consistent with previous sample events, the highest total soil vapor concentrations of TCE, TCA and DCE correlate to the locations where the highest detections of these CVOCs were found within the plume in the corresponding groundwater sample event conducted at the Site, see **Figure 3**. Highest concentrations in groundwater were generally found in the groundwater monitoring wells immediately downgradient of the mine and attenuated at distance from the mine. **Figure 2** summarizes the total CVOC concentrations in soil vapor from the October 2023 soil vapor sample event and **Figure 3** summarizes the total CVOC concentrations in groundwater from the October 2023 groundwater sample event.

The objective of the PMM program is to evaluate plume stability and the natural reduction of CVOCs over time; the detected concentrations of TCE, TCA and DCE in soil vapor during the October 2022 sample event are overall much lower (TCE was detected at concentrations ranging from non-detect [ND] to 18.4 ug/m³, TCA from ND to 928 ug/m³ and DCE from ND to 27.8 ug/m³) than those previously detected within the plume as summarized in the ROD (TCE was previously detected at concentrations ranging from ND to 1,700 ug/m³, TCA from ND to 5,900 ug/m³ and DCE from ND to 1,100 ug/m³)(NYSDEC, 2010) which supports that MNA is occurring.

The full expanded set of 13 soil vapor points was sampled for this sample event and is proposed for the next annual sampling event planned in October of 2024. Consistent with historic sample events, soil vapor sampling will continue to be scheduled annually at the same time as the groundwater sampling event.

6.0 REFERENCES

Bristol Consulting and Marks Engineering, P.C., *Site Management Plan*, Modock Road Springs/DLS Sand and Gravel, Inc. Inactive Hazardous Waste Site, Town of Victor, Ontario County, New York Site Number 8-35-013, March 2019

Marks Engineering, 2023, *Annual Groundwater and Surface Water Sampling Report, October 2023 Sample Event*, Modock Road Springs/DLS Sand and Gravel, Inc. Site Town of Victor, Ontario County, New York Site Number 8-35-013, December 2023

NYSDEC, 2010, *Record of Decision*, Modock Road Springs/DLS Sand and Gravel, Inc. Site Town of Victor, Ontario County, New York Site Number 8-35-013, January 2010





NYSDEC, 2022, *Public Notice, State Superfund Program, State Superfund Site Reclassification Notice Class 2 to Class 4*
Modock Springs-DLS Sand and Gravel, Inc., Site No 83513, December 2022


NYSDOH, 2006, *Guidance for Evaluating Soil Vapor Intrusion in the State of New York* (as amended through May 2017),
October 2006



Figures









Tables

Table 1
 Summary of Soil Vapor Sampling Program
 October 2023 Sample Event
 Modock Road Springs/DLS Sand Gravel Inc., Site
 NYSDEC Site No. 8-35-013
 Victor, New York

Soil Vapor Probe ID	Soil Vapor Probe Located	Soil Vapor Probe Sampled	Soil Vapor Sample Analyzed by Laboratory for TO15 VOCs	Notes
SV-01	Y	Y	Y	
SV-02	Y	Y	Y	
SV-03	Y	Y	Y	
SV-04	Y	Y	Y	
SV-05R	Y	Y	Y	
SV-06	Y	Y	Y	
SV-07	Y	Y	Y	
SV-08	Y	Y	N	Sampling equipment installed at SV-08, SV-09R and SV-12 did not produce an adequate sample (due to no change in canister pressure during the sampling duration). These locations have periodically not produced adequate samples during previous sample events.
SV-09R	Y	Y	N	Sampling equipment installed at SV-08, SV-09R and SV-12 did not produce an adequate sample (due to no change in canister pressure during the sampling duration). These locations have periodically not produced adequate samples during previous sample events.
SV-10	Y	Y	Y	
SV-11	Y	Y	Y	
SV-12	Y	Y	Y	Sampling equipment installed at SV-08, SV-09R and SV-12 did not produce an adequate sample (due to no change in canister pressure during the sampling duration). These locations have periodically not produced adequate samples during previous sample events. The blind duplicate sample canister installed at SV-12 (DUP100323A) did collect an adequate sample and was used as the data set for this location.
SV-13	Y	Y	Y	

Table 2
SOIL VAPOR VOCs ANALYTICAL DATA
October 2023 Sample Event (green shading)
Modock Road Springs/DLS Sand and Gravel, Inc. Site
(NYSDEC HW ID 8-35-013)
Victor, New York

CAS No.	Volatile Organic Compounds	UNIT	SV-01	SV-01	SV-01	SV-01	SV-01	SV-01	SV-02	SV-02	SV-02	SV-02	SV-03	SV-03	SV-03	SV-03	SV-04						
			2/19/2020	7/24/2020	10/14/2020	1/21/2021	4/29/2021	10/16/2022	10/3/2023	7/24/2020	10/14/2020	2/1/2021	4/28/2021	10/16/2022	10/3/2023	7/24/2020	10/14/2020	1/21/2021	4/28/2021	10/16/2022	10/3/2023	7/24/2020	
Contaminants of Concern																							
79-01-6	Trichloroethene (TCE)	ug/m3	11.5	3.37	4.6	17.4	11.4	4.91	1.3	<0.107	<0.107	<0.107	0.317	<0.107	<0.517	<0.107	<0.107	0.656	<0.107	<0.107	<0.107		
71-55-6	1,1,1-Trichloroethane (TCA)	ug/m3	105	8.4	18	186	170	16.3	6.38	2.32	2.38	2.68	2.79	1.99	3.02	<0.109	<0.109	<0.237	<0.109	<0.109	4.63	8.95	
75-35-4	1,1-Dichloroethene (DCE)	ug/m3	14	<0.079	<0.079	39.3	4.84	<0.079	<0.079	<0.079	<0.079	<0.079	<0.079	<0.079	<0.381	<0.079	<0.079	<0.172	<0.079	<0.079	<0.079		
Total Concentrations			130.5	11.77	22.6	242.7	186.24	21.21	7.68	2.32	2.38	2.68	3.107	1.99	3.02	ND	ND	0.656	ND	ND	4.63	8.95	
Other Compounds																							
75-34-3	1,1-Dichloroethane	ug/m3	0.097	<0.081	<0.081	0.271	0.178	<0.081	<0.081	<0.081	<0.081	<0.081	<0.081	<0.081	<0.389	<0.081	<0.081	<0.176	<0.081	<0.081	<0.081		
79-00-5	1,1,2-Trichloroethane	ug/m3	<0.109	<0.109	<0.109	<0.109	<0.109	<0.109	<0.109	<0.109	<0.109	<0.109	<0.109	<0.109	<0.525	<0.109	<0.109	<0.237	<0.109	<0.109	<0.109		
79-34-5	1,1,2,2-Tetrachloroethane	ug/m3	<0.137	<0.137	<0.137	<0.137	1.04	<0.137	<0.137	<0.137	<0.137	<0.137	<0.137	<0.137	0.224	<0.661	<0.137	<0.137	0.678	<0.137	<0.137	<0.137	
120-82-1	1,2,4-Trichlorobenzene	ug/m3	<0.371	<0.371 UJ	<0.371	<0.371	<0.371	<0.371	<0.371 UJ	<0.371	<0.371	<0.371	<0.371	<0.371	<1.78	<0.371 UJ	<0.371	<0.371	<0.809	<0.137	<0.371	<0.371 UJ	
95-63-6	1,2,4-Trimethylbenzene	ug/m3	0.113	0.226	1.02	0.118	5.65	<0.371	0.098	12.8	5.75	1.27	3.43	<0.371	1.47	0.929	0.138	<0.098	0.246	<0.371	0.113	4.22	16.6
106-93-4	1,2-Dibromoethane	ug/m3	<0.154	<0.154	<0.154	<0.154	<0.154	0.128	<0.154	<0.154	<0.154	<0.154	<0.154	<0.154	0.482	<0.739	<0.154	<0.154	<0.334	0.108	<0.154	<0.154	
95-50-1	1,2-Dichlorobenzene	ug/m3	<0.120	<0.120	<0.12	<0.12	<0.12	<0.154	<0.12	<0.120	<0.12	<0.12	<0.12	<0.154	<0.578	<0.120	<0.12	<0.262	<0.154	<0.12	<0.262	<0.120	
107-06-2	1,2-Dichloroethane	ug/m3	<0.081	<0.081	<0.081	<0.081	<0.081	<0.12	<0.081	<0.081	<0.081	<0.081	<0.081	<0.12	<0.389	<0.081	<0.081	<0.176	<0.081	<0.081	<0.081		
78-87-5	1,2-Dichloropropane	ug/m3	<0.092	<0.092	<0.092	<0.092	<0.092	<0.081	<0.092	<0.092	<0.092	<0.092	<0.092	<0.081	<0.445	<0.092	<0.092	<0.201	<0.081	<0.092	<0.092		
108-67-8	1,3,5-Trimethylbenzene	ug/m3	<0.098	0.172	0.29	<0.098	2.41	<0.092	<0.098	4.38	1.8	0.467	1.08	<0.092	0.615	0.369	0.103	<0.098	<0.214	<0.092	<0.098	2.88	10.6
106-99-0	1,3-Butadiene	ug/m3	<0.044	<0.044	<0.044	<0.044	<0.044	<0.098	<0.044	<0.044	0.069	<0.044	0.082	0.3	<0.213	<0.044	<0.044	<0.096	<0.098	<0.044	<0.044	<0.044	
541-73-1	1,3-Dichlorobenzene	ug/m3	<0.120	<0.120	<0.12	<0.12	<0.12	<0.144	<0.12	0.571	0.228	<0.12	0.198	<0.044	<0.578	<0.120	<0.12	<0.262	<0.044	<0.12	<0.262	0.427	
106-46-7	1,4-Dichlorobenzene	ug/m3	<0.120	<0.120	<0.12	<0.12	<0.12	<0.12	<0.12	<0.120	<0.12	<0.12	<0.12	<0.12	<0.578	<0.120	<0.12	<0.262	<0.12	<0.12	<0.262	<0.120	
123-91-1	1,4-Dioxane	ug/m3	<0.360	<0.360	<0.36	<0.36	<0.36	<0.12	<0.360	<0.36	<0.36	<0.36	<0.36	<0.12	<1.73	<0.360	<0.36	<0.782	<0.12	<0.360	<0.360		
540-84-1	2,2,4-Trimethylpentane	ug/m3	<0.934	<0.934	<0.934	<0.934	<0.934	0.99	1.04	<0.934	<0.934	<0.934	<0.934	<0.934	<4.49	3.57	0.981	<0.934	<2.03	<0.934	<0.934	<0.934	
78-93-3	2-Butanone	ug/m3	3.98	8.14	5.28	3.72	6.93	<0.934	9.23	33.6	49	8.88	71.1	<0.934	286	21.5	6.05	4.01	41	61.1	11.3	129	
591-78-6	2-Hexanone	ug/m3	0.836	2.41	0.91	<0.82	1.91	2.66	1.27	4.05	5.29	1.12	6.07	6.28	27	7.01	1.07	<0.82	9.55	10.3	10	<0.820	
107-05-1	3-Chloropropene	ug/m3	<0.626	<0.626 UJ	<0.626	<0.626	<0.626	<0.82	<0.626	<0.626 UJ	<0.626	<0.626	<0.626	<0.626	<0.82	<3.01	<0.626	<0.626	<0.626	<0.626	<0.626	<0.626 UJ	
622-96-8	4-Ethyltoluene	ug/m3	<0.098	<0.098	2.19	<0.086	0.098	2.48	1.34	0.197	0.506	<0.626	<0.473	0.3	<0.098	<0.214	<0.626	<0.098	2.48	5.21			
108-10-1	4-Methyl-2-pentanone	ug/m3	<2.05	<2.05	<2.05	<2.05	<2.05	<2.05	<2.05	<2.05	<2.05	<2.05	<2.05	<2.05	0.118	<9.84	<2.05	<2.05	<0.098	<2.05	<2.05	<2.05	
67-64-1	Acetone	ug/m3	21.5	16.5	13.8	14	13	<2.05	51.1	18.1	19.8	7.51	34.9	<2.05	137	72.2	20.8	22.3	172	2.92	26.8		
71-43-2	Benzene	ug/m3	0.735	0.738	0.946	<0.319	<0.319	15.1	0.604	0.447	1.07	<0.319	<0.319	6.6	2.67	2.49	0.422	<0.319	1.57	66.8	0.984	<0.319	
100-44-7	Benzyl Chloride	ug/m3	<1.04	<1.04	<1.04	<1.04	<1.04	<0.319	<0.518	<1.04	<1.04	<1.04	<1.04	0.617	<2.49	<1.04	<1.04	<2.25	0.361	<0.518	<1.04		
75-27-4	Bromodichloromethane	ug/m3	<0.134	<0.134	<0.134	<0.134	<0.134	<0.134	<0.134	<0.134	<0.134	<0.134	<0.134	<0.134	<0.518	<0.644	<0.134	<0.134	<0.291	<0.518	<0.134		
75-25-2	Bromoform	ug/m3	<0.207	<0.207	<0.207	<0.207	<0.207	<0.207	<0.207	<0.207	<0.207	<0.207	<0.207	<0.207	<0.134	<0.995	<0.207	<0.207	<0.45	<0.134	<0.207		
74-83-9	Bromomethane	ug/m3	<0.078	<0.078	<0.078	<0.078	<0.078	<0.078	<0.078	<0.078	<0.078	<0.078	<0.078	<0.078	<0.078	<0.374	<0.078	<0.078	<0.169	<0.207	<0.078		
75-15-0	Carbon disulfide	ug/m3	<0.623	<0.623	<0.623	<0.623	<0.623	<0.078	<0.623	250 D	37.1	11.9	101	<0.078	46.1	2.45	0.76	0.747	2.8	<0.078	3.39		
56-23-5	Carbon tetrachloride	ug/m3	0.201	0.289	0.377	0.403	0.623	0.409	0.208	0.176	0.176	0.126	0.201	13.4	<0.605	<0.126	<0.126	<0.274	1.16	0.145	<0.126		
108-90-7	Carbonbenzene	ug/m3	<0.461	<0.461	<0.461	<0.461	<0.461	0.258	<0.461	<0.461	<0.461	<0.461	<0.461	<0.461	<0.461	<0.461	<0.461	<0.461	<0.461	<0.461			
75-00-3	Chloroethane	ug/m3	<0.264	<0.264	<0.264	<0.264	<0.264	0.461	<0.264	<0.264	<0.264	<0.264	<0.264	<0.264	<0.264	<0.264	<0.264	<0.264	<0.264	<0.264			
67-66-3	Chloroform	ug/m3	0.234	0.493	<0.098	0.259	0.327	<0.264	0.132	<0.098	<0.098	<0.098	<0.098	<0.264	<0.47	0.273	0.147	<0.098	0.212	<0.264	0.278		
74-87-3	Chloromethane	ug/m3	<0.413	<0.413	<0.413	<0.413	<0.413	2.19	<0.413	<0.413	<0.413	<0.413	<0.413	<0.413	<0.413	<0.413	<0.413	<0.413	<0.413	<0.413			
156-59-2	cis-1,2-Dichloroethene	ug/m3	<0.079	<0.079	<0.079	<0.079	<0.079	0.413	<0.079	<0.079	<0.079	<0.079	<0.079	<0.079	0.087	<0.431	<0.381	<0.079	0.123	<0.172	<0.079		
100-01-1	cis-1,3-Dichloropropene	ug/m3	<0.091	<0.091	<0.091	<0.091	<0.091	0.091	<0.091	<0.091	<0.091	<0.091	<0.091	<0.091	<0.091	<0.091	<0.091	<0.091	<0.197	<0.091	<0.091		
110-82-7	Cyclohexane	ug/m3	<0.688	<0.688	<0.688	<0.688	<0.688	<0.091	<0.688	<0.688	<0.688	<0.688	<0.688	<0.688	<0.688	<0.688	<0.688	<0.688	<0.688	<0.688			
124-48-1	Dibromochloromethane	ug/m3	<0.170	<0.170	<0.17	<0.17	<0.17	<0.17	1.92	1.79	1.73	2.14	2.05	<0.17	<4.76	1.85	1.1	1.96	2.19	<0.17	1.54		
75-71-8	Dichlorodifluoromethane	ug/m3	2.14	2.01	1.81	2.42	2.24	<0.17	1.92	1.79	1.73	2.14	2.05	<0.17	<4.76	1.85	1.1	1.96	2.19	<0.17	1.54	2.68	
64-17-5	Ethanol	ug/m3	<0.942	<0.942	<0.942	<0.942	<0.942	2.37	<0.942	<0.942	<0.942	<0.942	<0.942	2.4	46.4	<9.42	<9.42	<9.42	<20.5	2.28	14.7	<9.42	
141-78-6	Ethyl Acetate	ug/m3	<1.80	<1.80	<1.8	<1.8	<1.8	<0.942	<1.8	<1.80	<1.8	<1.8	<1.8	<0.942	<8.65	<1.80	<1.8	<1.8	<3.93	<4.2	<1.8		
100-41-4	Ethylnitrobenzene	ug/m3	0.7																				

NOTES:

Bolded results detected above the Reporting Limit

$\mu\text{g}/\text{m}^3$: microgram per meter cubed

Samples were analyzed by Alpha Analytical in Westborough, Massachusetts.

"Contaminants of Concern": Table 1 January 2010 NYSDEC Record of Decision

DATA QUALIFIED

no qualifier The compound was positively identified at the associated numerical value which is the co

"J" The analyte was positively identified; the associated numerical value is the approximate concentration.

"UJ" The analyte was analyzed for but not detected. The reported quantitation limit is approximate and conservative.

Table 2
SOIL VAPOR VOCs ANALYTICAL DATA
October 2023 Sample Event (green shading)
Modock Road Springs/DLS Sand and Gravel, Inc. Site
(NYSDEC HW ID 8-35-013)
Victor, New York

CAS No.	Volatile Organic Compounds	SV-04	SV-04	SV-04	SV-04	SV-04	SV-05	SV-05R	SV-06	SV-06	SV-07	SV-07	SV-08	SV-08	SV-08	SV-08	SV-10	DUP021920	SV-10					
		10/14/2020	1/21/2021	4/28/2021	10/16/2022	10/3/2023	2/19/2020	10/16/2022	10/3/2023	2/19/2020	10/16/2022	10/3/2023	2/19/2020	10/16/2022	10/3/2023	2/19/2020	7/24/2020	10/14/2020	1/21/2021	4/28/2021	10/16/2022	2/19/2020	10/16/2022	
Contaminants of Concern																								
79-01-6	Trichloroethene (TCE)	<0.107	<0.107	<0.107	<0.107	<0.371	<0.107	0.15	0.175	<0.177	<0.107	<0.107	<0.107	<0.377	<0.817	<0.107	<0.107	<0.107	0.403	<0.107	0.597	0.881	0.371	
71-55-6	1,1,2-Trichloroethane (TCA)	12.6	7.31	6.27	9	13.5	0.327	0.109	0.178	0.324	1.25	1.17	1.72	7.37	10.1	16.2	24.4	33.2	38.8	15.9	79.7	133	66.6	
75-35-5	1,1-Dichloroethene (DCE)	<0.079	<0.079	<0.079	<0.274	<0.079	<0.079	<0.108	<0.131	<0.079	<0.079	<0.079	<0.079	<0.278	<0.603	<0.079	<0.079	<0.238	<0.079	0.666	0.896	<0.079		
Total Concentrations		12.6	7.31	6.27	9	13.5	0.327	0.259	0.353	0.324	1.25	1.17	1.72	7.37	10.1	16.2	24.4	33.2	38.8	15.9	80.963	134.777	66.971	
Other Compounds																								
75-34-3	1,1-Dichloroethane	<0.081	<0.081	<0.081	<0.081	<0.28	<0.081	<0.081	<0.11	<0.134	<0.081	<0.081	<0.081	<0.284	<0.615	<0.081	<0.081	<0.081	<0.243	<0.081	<0.081	<0.081	<0.081	
79-00-5	1,1,2-Trichloroethane	<0.109	<0.109	<0.109	<0.109	<0.377	<0.109	<0.109	<0.148	<0.180	<0.109	<0.109	<0.109	<0.382	<0.829	<0.109	<0.109	<0.109	<0.327	<0.109	<0.109	<0.109	<0.109	
79-34-5	1,1,2-Tetrachloroethane	<0.137	<0.137	<0.137	0.536	<0.475	<0.137	0.671	<0.187	0.502	<0.137	0.61	<0.481	<1.04	<0.137	<0.137	<0.412	0.692	<0.137	<0.137	9.83 J			
120-82-1	1,2,4-Trichlorobenzene	<0.371	<0.371	<0.371	<0.137	<1.28	<0.371	<0.371	<0.505	<0.612	<0.371	<0.371	<0.371	<1.3	<2.83 UJ	<0.711 UJ	<0.371	<0.371	<0.111	<0.137	<0.371 UJ	<0.371	<0.137	
95-63-6	1,2,4-Trimethylbenzene	6.88	2.22	2.93	<0.371	<0.34	2.98	<0.371	0.301	3.3	<0.371	0.98	<0.747	8.41	4.71	2.65	0.31	<0.371	<0.277	<0.081	<0.092	<0.081	<0.092	<0.081
106-93-4	1,2-Dibromoethane	<0.154	<0.154	<0.154	0.639	<0.531	<0.154	1.09	<0.209	<0.254	1.03	<0.154	<0.098	<0.539	<1.17	<0.154	<0.154	<0.461	1.37	<0.154	<0.154	9.14 J		
95-50-3	1,2-Dichlorobenzene	<0.12	<0.12	<0.12	<0.154	<0.415	<0.120	<0.154	<0.164	<0.198	<0.154	<0.12	<0.120	<0.154	<0.421	<0.914	<0.120	<0.12	<0.361	<0.154	<0.120	<0.120	<0.154	
107-06-2	1,2-Dichloroethane	<0.081	<0.081	<0.081	<0.12	<0.28	<0.081	<0.12	<0.11	<0.134	<0.12	<0.081	<0.12	<0.284	<0.615	<0.081	<0.081	<0.243	<0.12	<0.081	<0.12	<0.081		
78-87-5	1,2-Dichloropropane	<0.092	<0.092	<0.092	<0.081	<0.319	<0.092	<0.081	<0.126	<0.153	<0.081	<0.092	<0.081	<0.324	<0.702	<0.092	<0.092	<0.277	<0.081	<0.092	<0.092	<0.081		
108-67-8	1,3,5-Trimethylbenzene	4.38	1.61	2.09	<0.092	<0.34	1.1	<0.092	<0.147	1.26	<0.092	<0.098	1.62	<0.092	<0.345	<0.747	7.67	3.89	2.67	<0.295	<0.092	0.359	0.428	
106-99-0	1,3-Butadiene	<0.044	<0.044	0.08	0.61	<0.153	<0.044	0.206	<0.06	<0.073	1.03	<0.044	<0.064	<0.155	<0.336	<0.044	0.071	<0.044	0.139	1.66	<0.044	<0.044	0.307 J	
541-73-1	1,3-Dichlorobenzene	0.132	<0.12	<0.12	<0.044	<0.415	0.162	<0.044	<0.164	<0.198	<0.044	<0.12	<0.120	<0.044	<0.421	<0.914	0.204	<0.12	<0.12	<0.361	0.199	<0.120	<0.120	<0.044
106-46-7	1,4-Dichlorobenzene	<0.12	<0.12	<0.12	<0.12	<0.415	<0.120	<0.12	<0.164	<0.198	<0.12	<0.12	<0.120	<0.12	<0.412	<0.914	<0.120	<0.12	<0.361	<0.12	<0.120	<0.120	<0.12	
123-91-1	1,4-Dioxane	<0.36	<0.36	<0.36	<0.12	<1.24	<0.360	<0.12	<0.49	<0.595	<0.12	<0.36	<0.360	<0.12	<1.26	<2.75	<0.360	<0.36	<0.36	<1.08	<0.12	<0.360	<0.12	
540-84-1	2,2,4-Trimethylpentane	<0.934	<0.934	<0.934	<0.36	<0.23	<0.934	<0.36	<0.27	2.2	<0.36	<0.934	<0.36	<0.27	<2.34	8.87	3.65	<0.934	3.36	<0.36	1.8	1.46	<0.36	
78-93-2	2-Butanone	62.5	10.7	11.5	<0.934	217	9.73	<0.934	133	14.7	<0.934	31.3	4.19	<0.934	207	99.1	126	59.6	9.76	108	<0.934	27.1	36.3	<0.934
591-78-2	2-Hexanone	3.21	<0.82	5.9	34.8	15.3	<0.820	65.2	20.7	1.44	29.8	1.49	<0.820	23.2	21.9	<0.623	12.5	<0.82	<0.82	<2.46	41.9	1.27	1.92	33.9
107-05-1	3-Chloropropene	<0.626	<0.626	<0.626	3.38	<2.16	<0.626	5.74	<0.851	<1.03	1.06	<0.626	<0.626	2.41	<2.19	<4.76	<0.626 UU	<0.626	<0.626	<1.88	1.53	<0.626	1.3	
622-96-8	4-Ethyltoluene	2.13	0.703	0.821	<0.626	<0.34	0.693	<0.626	<0.134	1.03	<0.626	<0.098	1.25	<0.626	<0.345	<0.747	3.67	2.11	0.929	<0.295	<0.626	0.418	<0.526	
108-10-1	4-Methyl-2-pentanone	<2.05	<2.05	<2.05	0.113	<7.09	<2.05	0.172	<2.79	<3.38	<0.098	<2.05	<2.05	0.334	<7.17	<15.6	<2.05	<2.05	<2.05	<2.05	<2.05	0.452		
67-64-1	Acetone	11.4	4.23	28.7	<2.05	70.3	3.18	<2.05	43.9	16.1	<2.05	18.7	3.14	<2.05	103	55.8	34.7	18.1	8.39	54.2	<2.05	11.9	15.1	
71-43-2	Benzene	<0.319	<0.319	<0.319	14	<1.1	<0.319	23	0.498 J	0.722	<17.8	<0.319	0.511	<0.722	34	<1.12	<0.43	0.323	<0.319	<0.319	<0.956	39.7	2.14	2.64
100-44-7	Benzyl chloride	<1.04	<1.04	<1.04	<0.319	<1.79	<1.04	0.677	<0.704	<1.71	<0.319	<0.518	<1.04	0.831	<1.81	<7.87	<1.04	<1.04	<3.11	7.86	<1.04	<1.04	1.07 J	
75-27-4	Bromodichloromethane	<0.134	<0.134	<0.134	<0.518	<0.463	<0.134	<0.518	<0.182	<0.221	<0.518	<0.134	<0.518	<0.47	<1.02	<0.134	<0.134	<0.402	<0.518	<0.134	<0.518			
75-25-2	Bromoform	<0.207	<0.207	<0.207	<0.134	<0.714	<0.207	<0.134	<0.281	<0.341	<0.134	<0.207	<0.134	<0.725	<1.57	<0.207	<0.207	<0.207	<0.207	<0.207	<0.207	<0.207		
74-83-9	Bromomethane	<0.078	<0.078	<0.078	<0.207	<0.268	<0.078	<0.207	<0.106	<0.128	<0.207	<0.078	<0.207	<0.272	<0.590	<0.078	<0.078	<0.233	<0.207	<0.078	<0.078	<0.207		
75-15-0	Carbon disulfide	1.73	0.623	2.16	<0.768	<2.15	16.9	<0.768	2.46	<0.768	0.978	15.9	<0.768	3.61	<0.768	4.73	7.38	0.726	<0.623	<1.87	0.109	0.707		
56-23-5	Carbon tetrachloride	<0.126	<0.126	<0.126	0.623	<0.435	0.138	2.37	0.556	<0.208	0.76	<0.126	0.732	<0.441	<0.956	<0.126	<0.126	<0.377	0.688	<0.126	1.05			
108-90-7	Chlorobenzene	<0.461	<0.461	<0.461	<0.126	<1.59	<0.461	0.333	<0.626	<0.760	<0.126	<0.461	<0.461	<1.61	<3.51	<0.								

Table 2
SOIL VAPOR VOCs ANALYTICAL DATA
October 2023 Sample Event (green shading)
Modock Road Springs/DLS Sand and Gravel, Inc. Site
(NYSDEC HW ID 8-35-013)
Victor, New York

CAS No.	Volatile Organic Compounds	SV-10 DUP 101622 A 10/16/2022	SV-10 10/3/2023
Contaminants of Concern			
79-01-6	Trichloroethene (TCE)	0.274	0.527
71-55-6	1,1,1-Trichloroethane (TCA)	46.4	124
75-35-4	1,1-Dichloroethene (DCE)	<0.079	<0.079
	Total Concentrations	46.674	124.527
Other Compounds			
75-34-3	1,1-Dichloroethane	<0.081	<0.081
79-00-5	1,1,2-Trichloroethane	<0.109	<0.109
79-34-5	1,1,2,2-Tetrachloroethane	3.03 J	<0.137
120-82-1	1,2,4-Trichlorobenzene	<0.137	<0.371
95-63-6	1,2,4-Trimethylbenzene	<0.371	0.216
106-93-4	1,2-Dibromoethane	18.2 J	<0.154
95-50-1	1,2-Dichlorobenzene	<0.154	<0.12
107-06-2	1,2-Dichloroethane	<0.12	<0.081
78-87-5	1,2-Dichloropropane	<0.081	<0.092
108-67-8	1,3,5-Trimethylbenzene	<0.092	<0.098
106-99-0	1,3-Butadiene	1.22 J	<0.044
541-73-1	1,3-Dichlorobenzene	<0.044	<0.12
106-46-7	1,4-Dichlorobenzene	<0.12	<0.12
123-91-1	1,4-Dioxane	<0.12	<0.36
540-84-1	2,2,4-Trimethylpentane	<0.36	<0.934
78-93-3	2-Butanone	<0.934	104
591-78-6	2-Hexanone	23.9	7.46
107-05-1	3-Chloropropene	1.48	<0.626
622-96-8	4-Ethyltoluene	<0.626	<0.098
108-10-3	4-Methyl-2-pentanone	3.21	<2.05
67-64-1	Acetone	<2.05	29.5
71-43-2	Benzene	10.6	1.84
100-44-7	Benzyl chloride	3.61 J	<0.518
75-27-4	Bromodichloromethane	<0.518	<0.134
75-25-2	Bromoform	<0.134	<0.207
74-83-9	Bromomethane	<0.207	<0.078
75-15-0	Carbon disulfide	<0.078	1.18
56-23-5	Carbon tetrachloride	<0.623	0.138
108-90-7	Chlorobenzene	0.195	<0.461
75-00-3	Chloroethane	<0.461	<0.264
67-66-3	Chloroform	<0.264	<0.098
74-87-3	Chloromethane	<0.098	<0.413
156-59-2	cis-1,2-Dichloroethene	<0.413	<0.079
10061-01-1	cis-1,3-Dichloropropene	<0.079	<0.091
110-82-7	Cyclohexane	<0.091	<0.688
124-48-1	Dibromochloromethane	<0.688	<0.17
75-71-8	Dichlorodifluoromethane	<0.17	1.61
64-17-5	Ethanol	2.19	<9.42
141-78-6	Ethyl Acetate	10.1	<1.8
100-41-4	Ethylbenzene	<1.8	<0.087
76-13-1	Freon-113	0.873 J	0.927
76-14-2	Freon-114	0.874	<0.349
142-82-5	Heptane	<0.349	<0.82
87-68-3	Hexachlorobutadiene	<0.82	<0.533
67-63-0	Isopropanol	<0.533	<1.23
1634-04-4	Methyl tert butyl ether	2.97	<0.721
75-09-2	Methylene chloride	<0.721	<1.74
110-54-3	n-Hexane	5.7	<0.705
95-47-6	o-Xylene	<0.705	0.122
179601-23	p/m-Xylene	1.01	0.239
100-42-5	Styrene	4.65 J	<0.083
75-65-0	Tertiary butyl Alcohol	2.52	11.7
127-18-4	Tetrachloroethene	5.34	<0.136
109-99-9	Tetrahydrofuran	<1.47	<1.47
108-88-3	Toluene	3.48 J	<0.377
156-60-5	trans-1,2-Dichloroethene	<0.079	<0.079
10061-02-2	trans-1,3-Dichloropropene	<0.091	<0.091
75-69-4	Trichlorofluoromethane	1.3	1.63
593-60-2	Vinyl bromide	<0.874	<0.074
75-01-4	Vinyl chloride	<0.051	<0.051

NOTES:

Bolded results detected above the Reporting Limit.

µg/m³: microgram per meter cubed

Samples were analyzed by Alpha Analytical in West

"Contaminants of Concern": Table 1 January 2010 N

Table 2

SOIL VAPOR VOCs ANALYTICAL DATA

October 2023 Sample Event (green shading)

Modock Road Springs/DLS Sand and Gravel, Inc. Site

(NYSDEC HW ID 8-35-013)

Victor, New York

CAS No.	Volatile Organic Compounds	SV-11 2/19/2020	SV-11 7/24/2020	SV-11 10/14/2020	SV-11 DUP101320 10/14/2020	SV-11 1/21/2021	SV-11 DUP012121 1/21/2021	SV-11 DUP 042821 4/28/2021	SV-11 DUP 101622 B 10/16/2022	SV-11 DUP100323B 10/3/2023	SV-12 10/3/2023	SV-12 2/19/2020 10/16/2022	SV-12 10/3/2023	SV-13 10/16/2022	SV-13 10/3/2023			
Contaminants of Concern																		
79-01-6	Trichloroethene (TCE)	<0.107	0.263	<0.358	0.461	0.199	0.177	0.134	0.204	0.602	0.559	0.672	0.742	0.29	7.09	6.18	33.8	18.4
71-55-6	1,1,1-Trichloroethane (TCA)	227	470 D	677	698	432	411	357	464	557	546	928	878	10.3	217	229	56.2	65.5
75-35-4	1,1-Dichloroethene (DCE)	0.896	0.777	0.607	0.65	0.956	0.936	1.23	1.82 J	0.547	0.511	0.579	0.492	3.63	36.9	27.8	1.59	0.761
Total Concentrations		227.896	471.04	677.607	699.111	433.16	412.11	358.36	466.02	558.149	547.07	929.251	879.234	14.22	260.99	262.98	91.59	84.661
Other Compounds																		
75-34-3	1,1-Dichloroethane	<0.081	<0.081	<0.27	<0.289	<0.081	<0.081	<0.081	<0.311	<0.337	<0.337	<0.081	<0.081	<0.253	<0.126	<0.119	<0.123	
79-00-5	1,1,2-Trichloroethane	<0.109	<0.109	<0.364	<0.39	<0.109	<0.109	<0.109	<0.42	<0.454	<0.454	<0.109	<0.109	<0.341	<0.17	<0.16	<0.165	
79-34-5	1,1,2-Tetrachloroethane	<0.137	<0.137	<0.458	<0.49	<0.137	<0.137	<0.137	13.5	12.8	<0.572	<0.137	<0.424	<0.214	0.705	<0.208		
120-82-1	1,2,4-Trichlorobenzene	<0.371 UJ	<0.371 UJ	<1.24	<1.32	<0.371	<0.371	<0.371	<0.528	<0.572	<1.54	<0.371	<0.371 UJ	<0.429	<0.58	<0.202	<0.563	
95-63-6	1,2,4-Trimethylbenzene	0.334	0.556	0.688	0.369	<0.098	<0.098	1.7	2.4 J	<1.43	<1.54	2.56	3.8	<0.098	<1.16	1.83	<0.546	0.678
106-93-4	1,2-Dibromoethane	<0.154	<0.154	<0.513	<0.549	<0.154	<0.154	<0.154	<0.154	10.2	9.19	<0.64	<0.154	<0.307	<0.24	2.84	<0.233	
95-50-1	1,2-Dichlorobenzene	<0.120	<0.120	<0.401	<0.429	<0.12	<0.12	<0.12	<0.591	<0.64	<0.501	<0.12	<0.120	<0.48	<0.188	<0.226	<0.182	
107-06-2	1,2-Dichloroethane	<0.081	<0.081	<0.27	<0.289	<0.081	<0.081	<0.081	<0.462	<0.501	<0.337	<0.081	<0.081	<0.376	<0.126	<0.177	<0.123	
78-87-5	1,2-Dichloropropane	<0.092	<0.092	<0.308	<0.33	<0.092	<0.092	<0.092	<0.311	<0.337	<0.385	<0.092	<0.092	<0.253	<0.144	<0.119	<0.14	
108-67-8	1,3,5-Trimethylbenzene	0.123	0.192	<0.328	<0.351	<0.098	<0.098	0.369	0.467	<0.355	<0.385	0.551	0.831	<0.098	<0.289	0.407	<0.136	0.194
106-99-0	1,3-Butadiene	<0.044	<0.044	<0.148	<0.158	<0.044	<0.044	0.049	0.08	2.89	2.58	<0.184	<0.044	<0.044	<0.307	<0.069	1.13	<0.067
541-73-1	1,3-Dichlorobenzene	<0.120	<0.120	<0.401	<0.429	<0.12	<0.12	<0.12	<0.17	<0.184	<0.501	<0.12	<0.120	<0.138	<0.188	0.094	<0.182	
106-46-7	1,4-Dichlorobenzene	<0.120	<0.120	<0.401	<0.429	<0.12	<0.12	<0.12	<0.462	<0.501	<0.501	<0.12	<0.120	<0.376	<0.188	<0.177	<0.182	
123-91-1	1,4-Dioxane	<0.360	<0.360	<1.2	<1.29	<0.36	<0.36	<0.36	<0.462	<0.501	<1.5	<0.36	<0.360	<0.376	<0.562	<0.177	<0.548	
540-84-1	2,2,4-Trimethylpentane	<0.934	<0.934	<3.12	<3.33	<0.934	<0.934	<0.934	<1.39	<1.5	<3.89	<0.934	<0.934	<1.12	<1.46	<0.53	<1.42	
78-93-3	2-Butanone	6.37	109	7.37	6.61	4.42	4.48	26.8	38.9 J	<3.59	<3.89	35.4	41	48.7	<2.9	164	<1.37	425
591-78-6	2-Hexanone	0.988	25.1	<2.73	<2.93	<0.82	<0.82	4.59	7.5	7.61	7.52	6.07	7.66	2.93	202	12.8	89.4	56.6
107-05-1	3-Chloropropene	<0.626	<0.626 UJ	<2.09	<2.23	<0.626	<0.626	<0.626	<0.626	<3.15	<3.41	<2.61	<0.626	<0.626	12.3	<0.977	9.22	<0.948
622-96-8	4-Ethyltoluene	<0.098	<0.098	<0.328	<0.351	<0.098	<0.098	0.398	0.57	<2.41	<2.61	<0.41	0.428	<0.098	<1.96	0.253	<0.92	<0.149
108-10-1	4-Methyl-pentanone	<2.05	<2.05	<6.84	<7.29	<2.05	<2.05	<2.05	<2.05	2.27	2.13	<8.52	<2.05	<2.05	<0.307	<3.2	0.405	<3.11
67-64-1	Acetone	40.9	337	35.9	39	16.9	17.5	126	184	<7.87	<8.52	175	176	9.91	<0.39	49.9	<3.01	156
71-43-2	Benzene	1.12	6.01	<1.06	<1.14	<0.319	0.677	0.837	41.8	39.9	16.61	15.61	0.591	55.8	1.65	36.1	0.684	
100-44-7	Benzyl chloride	<1.04	<1.04	<3.45	<3.7	<1.04	<1.04	<1.04	<1.23	<1.33	<2.16	<0.518	<1.04	<0.997	<0.808	<0.47	<0.787	
75-27-4	Bromodichloromethane	<0.134	<0.134	<0.447	<0.478	<0.134	<0.134	<0.134	<1.99	<2.16	<0.558	<0.134	<1.62	<0.209	<0.761			
75-25-2	Bromoform	<0.207	<0.207	<0.69	<0.738	<0.207	<0.207	<0.207	<0.515	<0.558	<0.861	<0.207	<0.419	<0.323	<0.197	<0.313		
74-83-9	Bromomethane	<0.078	<0.078	<0.259	<0.277	<0.078	<0.078	<0.078	<0.795	<0.861	<0.323	<0.078	<0.646	<0.121	<0.304	<0.118		
75-15-0	Carbon disulfide	<0.623	2.92	<2.08	<2.22	<0.623	<0.623	<0.623	<0.299	<0.323	<2.59	0.981	2.34	<0.243	6.32	<0.114	1.3	
56-23-5	Carbon tetrachloride	0.157	0.315	<0.42	<0.449	0.352	0.359	0.359	0.283	<2.39	<2.59	0.55	0.472	0.359	16.6	0.774	1.55	0.286
108-90-7	Chlorobenzene	<0.461	<0.461	<1.53	<1.64	<0.461	<0.461	<0.461	<0.484	<0.524	<1.92	<0.461	<0.461	0.629	<0.718	0.194	<0.7	
75-00-3	Chloroethane	<0.264	<0.264	<0.879	<0.942	<0.264	<0.264	<0.264	<0.264	<1.77	<1.92	<1.1	<0.264	<0.264	<1.44	<0.412	<0.677	<0.401
67-66-3	Chloroform	0.112	0.205	<0.326	<0.349	0.122	0.137	0.107	0.137	<1.02	<1.1	0.468	0.386	<0.098	<0.823	0.465	<0.388	1.49
74-87-3	Chloromethane	<0.413	<0.413	<1.38	<1.47	<0.413	<0.413	<0.413	<0.413	<0.376	<0.407	<1.72	<0.413	<0.413	0.547	<0.644	1.09	<0.626
156-59-2	cis-1,2-Dichloroethene	<0.079	<0.079	<0.264	<0.283	<0.079	<0.079	<0.079	<0.159	<0.177	<0.33	<0.079	<0.079	<0.739	<0.124	<0.607	<0.12	
10061-01-1	cis-1,3-Dichloropropene	<0.091	<0.091	<0.303	<0.324	<0.091	<0.091	<0.091	<0.305	<0.33	<0.378	<0.091	<0.091	<0.248	<0.142	<0.117	<0.138	
110-82-5	Cyclohexane	<0.688	<0.688	<2.3	<2.46	<0.688	<0.688	<0.688	<0.349	<0.349	<0.378	<2.87	<0.688	<0.688	<0.284	<1.07	<0.133	<1.04
124-48-1	Dibromochloromethane	<0.170	<0.170	<0.568	<0.608	<0.17	<0.17	<0.17	<2.65	<2.87	<0.71	<0.17	<0.17	<0.170	<2.15	<0.266	<1.01	<0.254
75-71-8	Dichlorodifluoromethane	1.69	1.96	<3.3	<3.53	2.19	2.25	2.12	1.93	<0.655	<0.71	<4.12	1.87	1.79	<0.532	2.35	<0.25	1.89
64-17-5	Ethanol	<0.42	22.6	<31.5	<33.5	<9.42	<9.42	9.95	11.8	<3.8	<4.12	<39.2 UJ	15.9 J	<9.42	<3.09	17.6	2.45	137
141-78-6	Ethyl Acetate	<1.80	<1.80	<6.02	<6.41	<1.8	<1.8	<1.8	<36.2	<39.2	<7.5	<1.8	<1.80	<29.4	<2.81	<13.8	<2.73	
100-41-4	Ethylbenzene	<0.087	0.269	<0.29	<0.31	<0.087	<0.087	0.539	0.665	<6.92	<7.5	0.38	0.604	<0.087	<5.62	0.387	<2.65	0.349
76-13-1	Freon-113	4.84	15.8	11.5	11.6	7.97	7.97	4.72	6.3 J	0.469	0.508	12.6	15.9	1.02	<0.271	2.66	0.39	0.755
76-14-2	Freon-114	<0.349	<0.349	<1.17	<1.24	<0.349	<0.349	<0.349	14	13.3	<1.45	<0.349	<0.349	4.64	<0.546	0.866	<0.53	
142-82-5	Heptane	<0.820	0.832	<2.73	<2.93	<0.82	2.31	3.17	<1.34	<1.45	<3.41	<0.82	<0.820	<1.09	<1.28	<0.514	4.14	
87-68-3	Hexachlorobutadiene	<0.533	<0.533	<1.78	<1.9	<0.533	<0.533	<0.533	<3.15	<3.41	<2.22	<0.53						



Appendix A

Soil Vapor Sampling Logs

Air/Soil Gas Sampling Form

Project #	NYSDEC Site No. 8-35-013	Date	10/3/2023
Project Name	Modock Rd. Springs/DLS Sand & Gravel	Personnel	J. Wolf / J. Moore

Type of sample:
(Circle one) Indoor air Substructure soil gas Ambient air **Soil gas**

<u>Sample Location</u>	<u>Canister Record</u>
SU-01	3583
	01/27
	4145
	20 ml/min

Sample ID	SU-01	Start pressure	-29.48
Date/Time start	10/3/23 0910	End pressure	-9.34
Date/Time end	10/3/23 1310		

Complete all that apply:

Air temperature (°F)	65 °F	PID meter ID	NA	% O ₂	NA
Barometric pressure		FID meter ID	↓	% CO ₂	↓
PID reading (before)	0.0	Gas analyzer ID	↓	% CH ₄	↓
PID reading (after)	0.0	Ft. tubing used	↓		

For indoor location:

Noticeable odor	NA
Floor slab depth	
Intake height above floor (ft)	↓
Intake depth below floor (ft)	↓
Ground surface type	↓
Potential vapor entry points observed	↓
Room	↓
Story/level	↓

Comments:

For outdoor location:

Noticeable odor	No
Distance to road (ft)	
Direction to closest building (degrees)	
Distance to closest building (ft)	
Intake height above ground level (ft)	
Intake depth below ground level (ft)	8 ft
Soil type	

Analytical method required	USEPA Method TO-15 SIM
Laboratory used	ALPHA Analytical Mansfield, MA

Air/Soil Gas Sampling Form

Project # NYSDEC Site No. 8-35-013 Date 10/3/2023
 Project Name Modock Rd. Springs/DLS Sand & Gravel Personnel J. Wolf / J. Moore

Type of sample:
 (Circle one) Indoor air Substructure soil gas Ambient air Soil gas

Sample Location SU-02 Canister Record
Canister ID 1559
Flow controller ID 92141
Sample duration 7 HRS 50 min
Sampling rate 20 ml/min

Sample ID SU-02 Start pressure -29.56
Date/Time start 10/3/23 0925 End pressure -12.10
Date/Time end 10/3/23 1325

Complete all that apply:

Air temperature (°F)	<u>65 °F</u>	PID meter ID	<u>NA</u>	% O ₂	<u>NA</u>
Barometric pressure		FID meter ID		% CO ₂	
PID reading (before)	<u>0.0</u>	Gas analyzer ID		% CH ₄	<u>✓</u>
PID reading (after)	<u>0.0</u>	Ft. tubing used	<u>↓</u>		

For indoor location:

Noticeable odor NA
 Floor slab depth
 Intake height above floor (ft)
 Intake depth below floor (ft)
 Ground surface type
 Potential vapor entry points observed
 Room
 Story/level
↓

Comments:

For outdoor location:

Noticeable odor No
 Distance to road (ft)
 Direction to closest building (degrees)
 Distance to closest building (ft)
 Intake height above ground level (ft)
 Intake depth below ground level (ft) 8ft
 Soil type

Analytical method required USEPA Method TO-15 SIM
 Laboratory used ALPHA Analytical Mansfield, MA

Air/Soil Gas Sampling Form

Project #	NYSDEC Site No. 8-35-013	Date	10/3/2023
Project Name	Modock Rd. Springs/DLS Sand & Gravel	Personnell	J. Wolf / J. Moore

Type of sample:
(Circle one) Indoor air Substructure soil gas Ambient air **Soil gas**

<u>Sample Location</u>	<u>Canister Record</u>		
SU-03	Canister ID	2002	
	Flow controller ID	01519	
	Sample duration	7 HRS 30 min	
	Sampling rate	20 ml/min	

Sample ID	SU03	Start pressure	-29.57
Date/Time start	10/3/23 0935	End pressure	-9.50
Date/Time end	10/3/23 1705		

Complete all that apply:

Air temperature (°F)	65 °F	PID meter ID	NA	% O ₂	NA
Barometric pressure		FID meter ID	↓	% CO ₂	↓
PID reading (before)	0.0	Gas analyzer ID	↓	% CH ₄	↓
PID reading (after)	0.0	Ft. tubing used	↓		

For indoor location:

Noticeable odor	NA
Floor slab depth	↓
Intake height above floor (ft)	↓
Intake depth below floor (ft)	↓
Ground surface type	↓
Potential vapor entry points observed	↓
Room	↓
Story/level	↓

Comments:

For outdoor location:

Noticeable odor	No
Distance to road (ft)	
Direction to closest building (degrees)	
Distance to closest building (ft)	
Intake height above ground level (ft)	8 ft
Intake depth below ground level (ft)	
Soil type	

Analytical method required	USEPA Method TO-15 SIM
Laboratory used	ALPHA Analytical Mansfield, MA

Air/Soil Gas Sampling Form

Project # NYSDEC Site No. 8-35-013
 Project Name Modock Rd. Springs/DLS Sand & Gravel

Date 10/3/2023
 Personnel J. Wolf / J. Moore

Type of sample:
 (Circle one) Indoor air Substructure soil gas Ambient air

Soil gas

Sample Location
SV-04

Canister Record

SV-04 3127
01135
5 HRS 15 min
20 ml/min

Sample ID SV-04
 Date/Time start 10/3/23 0955
 Date/Time end 10/3/23 1510

Start pressure -29.81
 End pressure -10.40

Complete all that apply:

Air temperature (°F) 65 °F
 Barometric pressure
 PID reading (before) 0.0
 PID reading (after) 0.0

PID meter ID NA
 FID meter ID
 Gas analyzer ID
 Ft. tubing used ↓

% O₂ NA
 % CO₂
 % CH₄ ↓

For indoor location:

Noticeable odor NA
 Floor slab depth ↓
 Intake height above floor (ft)
 Intake depth below floor (ft)
 Ground surface type
 Potential vapor entry points observed
 Room
 Story/level ↓

For outdoor location:

Noticeable odor No
 Distance to road (ft)
 Direction to closest building (degrees)
 Distance to closest building (ft)
 Intake height above ground level (ft)
 Intake depth below ground level (ft) 8 ft
 Soil type

Comments:

Analytical method required USEPA Method TO-15 SIM
 Laboratory used ALPHA Analytical Mansfield, MA

Air/Soil Gas Sampling Form

Project # NYSDEC Site No. 8-35-013 Date 10/3/2023
 Project Name Modock Rd. Springs/DLS Sand & Gravel Personnel J. Wolf / J. Moore

Type of sample:
(Circle one)

Indoor air

Substructure soil gas

Ambient air

Soil gas

Sample Location

SV - 05R

Canister Record

Canister ID

3343

Flow controller ID

0904

Sample duration

4 HRS

Sampling rate

20 ml/min

Sample ID SV - 05R

Date/Time start 10/3/23 0940

Start pressure

~ 29.90

Date/Time end 10/3/23 1340

End pressure

- 10.35

Complete all that apply:

Air temperature (°F) 65°F

PID meter ID

NA

% O₂

NA

Barometric pressure

FID meter ID

↓

% CO₂

↓

PID reading (before)

0.0

Gas analyzer ID

↓

% CH₄

↓

PID reading (after)

0.0

Ft. tubing used

For indoor location:

Noticeable odor NA

For outdoor location:

No

Floor slab depth

Noticeable odor

↓

Distance to road (ft)

↓

Direction to closest

↓

building (degrees)

↓

Distance to closest

↓

building (ft)

↓

Intake height above

↓

ground level (ft)

↓

Intake depth below

↓

ground level (ft)

↓

8 ft

Room

Soil type

Story/level

Comments:

Analytical method required

USEPA Method TO-15 SIM

Laboratory used

ALPHA Analytical Mansfield, MA

Air/Soil Gas Sampling Form

Project #	NYSDEC Site No. 8-35-013	Date	10/3/2023
Project Name	Modock Rd. Springs/DLS Sand & Gravel	Personnel	J. Wolf / J. Moore

Type of sample:
(Circle one) Indoor air Substructure soil gas Ambient air **Soil gas**

<u>Sample Location</u>	<u>SV - 06</u>	<u>Canister Record</u>
		Canister ID
		Flow controller ID
		Sample duration
		Sampling rate

3653
01696
4 HRS
20 ml/min

<u>Sample ID</u>	<u>SV - 06</u>	<u>Start pressure</u>	<u>- 29.94</u>
<u>Date/Time start</u>	<u>10/3/23 0810</u>	<u>End pressure</u>	<u>- 7.95</u>
<u>Date/Time end</u>	<u>10/3/23 1210</u>		

Complete all that apply:

Air temperature (°F)	<u>61 °F</u>	PID meter ID	<u>NA</u>	% O ₂	<u>NA</u>
Barometric pressure		FID meter ID		% CO ₂	
PID reading (before)	<u>0.0</u>	Gas analyzer ID		% CH ₄	
PID reading (after)	<u>0.0</u>	Ft. tubing used	<u>✓</u>		

For indoor location:

Noticeable odor	<u>NA</u>
Floor slab depth	<u> </u>
Intake height above floor (ft)	<u> </u>
Intake depth below floor (ft)	<u> </u>
Ground surface type	<u> </u>
Potential vapor entry points observed	<u> </u>
Room	<u> </u>
Story/level	<u> </u>

Comments:

For outdoor location:

Noticeable odor	<u>No</u>
Distance to road (ft)	<u> </u>
Direction to closest building (degrees)	<u> </u>
Distance to closest building (ft)	<u> </u>
Intake height above ground level (ft)	<u> </u>
Intake depth below ground level (ft)	<u>8 ft.</u>
Soil type	<u> </u>

Analytical method required	USEPA Method TO-15 SIM
Laboratory used	ALPHA Analytical Mansfield, MA

Air/Soil Gas Sampling Form

Project # NYSDEC Site No. 8-35-013 Date 10/3/2023
 Project Name Modock Rd. Springs/DLS Sand & Gravel Personnel J. Wolf / J. Moore

Type of sample:
(Circle one)

Indoor air

Substructure soil gas

Ambient air

Soil gas

Sample Location

SJ-07

Canister Record

2367

Canister ID

01439

Flow controller ID

6 HRS 10 min

Sample duration

20 ml/min

Sampling rate

Sample ID	<u>SJ-07</u>	Start pressure	<u>-30.16</u>
Date/Time start	<u>10/3/23 1000</u>	End pressure	<u>-9.67</u>
Date/Time end	<u>10/3/23</u>		

Complete all that apply:

Air temperature (°F)	<u>65°F</u>	PID meter ID	<u>NA</u>	% O ₂	<u>NA</u>
Barometric pressure		FID meter ID		% CO ₂	
PID reading (before)	<u>0.0</u>	Gas analyzer ID	<u>↓</u>	% CH ₄	<u>↓</u>
PID reading (after)	<u>0.0</u>	Ft. tubing used	<u>↓</u>		

For indoor location:

Noticeable odor	<u>NA</u>
Floor slab depth	<u>1</u>
Intake height above floor (ft)	<u>1</u>
Intake depth below floor (ft)	<u>1</u>
Ground surface type	
Potential vapor entry points observed	
Room	
Story/level	<u>1</u>

Comments:

For outdoor location:

Noticeable odor	<u>No</u>
Distance to road (ft)	
Direction to closest building (degrees)	
Distance to closest building (ft)	
Intake height above ground level (ft)	
Intake depth below ground level (ft)	<u>8 ft</u>
Soil type	

Analytical method required

USEPA Method TO-15 SIM

Laboratory used

ALPHA Analytical Mansfield, MA

Air/Soil Gas Sampling Form

Project # NYSDEC Site No. 8-35-013 Date 10/3/2023
 Project Name Modock Rd. Springs/DLS Sand & Gravel Personnel J. Wolf / J. Moore

Type of sample:
 (Circle one) Indoor air Substructure soil gas Ambient air Soil gas

<u>Sample Location</u>	<u>Canister Record</u>		
<u>SU-08</u>	Canister ID	<u>3590</u>	
	Flow controller ID	<u>01953</u>	
	Sample duration	<u>8 H/R 15 m, 21</u>	
	Sampling rate	<u>20 ml/min</u>	

Sample ID	<u>SU-08</u>	Start pressure	<u>-29.43</u>
Date/Time start	<u>10/3/23 1010</u>	End pressure	<u>-27.80</u>
Date/Time end	<u>10/3/23 1825</u>		

Complete all that apply:

Air temperature (°F)	<u>65°F</u>	PID meter ID	<u>NA</u>	% O ₂	<u>NA</u>
Barometric pressure		FID meter ID		% CO ₂	
PID reading (before)	<u>0.0</u>	Gas analyzer ID		% CH ₄	<u>↓</u>
PID reading (after)	<u>0.0</u>	Ft. tubing used	<u>↓</u>		

For indoor location:

Noticeable odor	<u>NA</u>
Floor slab depth	<u>/</u>
Intake height above floor (ft)	<u>/</u>
Intake depth below floor (ft)	<u>/</u>
Ground surface type	
Potential vapor entry points observed	
Room	
Story/level	<u>↓</u>

Comments:

For outdoor location:

Noticeable odor	<u>No</u>
Distance to road (ft)	
Direction to closest building (degrees)	
Distance to closest building (ft)	
Intake height above ground level (ft)	
Intake depth below ground level (ft)	<u>8 ft</u>
Soil type	

Analytical method required USEPA Method TO-15 SIM
 Laboratory used ALPHA Analytical Mansfield, MA

Do Not Analyze - minimal change in
 canister pressure over > 8 HR
 sample duration.

Air/Soil Gas Sampling Form

Project #	NYSDEC Site No. 8-35-013	Date	10/3/2023
Project Name	Modock Rd. Springs/DLS Sand & Gravel	Personnell	J. Wolf / J. Moore

Type of sample: (Circle one)	Indoor air	Substructure soil gas	Ambient air	Soil gas
---------------------------------	------------	-----------------------	-------------	-----------------

<u>Sample Location</u>	SU-09R	<u>Canister Record</u>
		Canister ID
		Flow controller ID
		Sample duration
		Sampling rate

Sample ID	SU-09R	Start pressure	-29.51
Date/Time start	10/3/23 1020	End pressure	-29.50
Date/Time end	10/3/23 1640		

Complete all that apply:

Air temperature (°F)	65°F	PID meter ID	NA	% O ₂	NA
Barometric pressure		FID meter ID		% CO ₂	
PID reading (before)	0.0	Gas analyzer ID		% CH ₄	
PID reading (after)	0.0	Ft. tubing used	↓		

For indoor location:

Noticeable odor	NA
Floor slab depth	1
Intake height above floor (ft)	1
Intake depth below floor (ft)	
Ground surface type	1
Potential vapor entry points observed	
Room	
Story/level	1

Comments:

For outdoor location:

Noticeable odor	No
Distance to road (ft)	
Direction to closest building (degrees)	
Distance to closest building (ft)	
Intake height above ground level (ft)	
Intake depth below ground level (ft)	8 ft
Soil type	

Analytical method required	USEPA Method TO-15 SIM
Laboratory used	ALPHA Analytical Mansfield, MA

Do Not Analyze - No pressure changey

Air/Soil Gas Sampling Form

Project #	NYSDEC Site No. 8-35-013	Date	10/3/2023
Project Name	Modock Rd. Springs/DLS Sand & Gravel	Personnell	J. Wolf / J. Moore

Type of sample:
(Circle one) Indoor air Substructure soil gas Ambient air **Soil gas**

<u>Sample Location</u>	SU -10	<u>Canister Record</u>
		Canister ID
		Flow controller ID
		Sample duration
		Sampling rate

Sample ID	SU -10	Start pressure	- 29.41
Date/Time start	10/3/23 1035	End pressure	- 2.93
Date/Time end	10/3/23 1535		

Complete all that apply:

Air temperature (°F)	65 °F	PID meter ID	NA	% O ₂	NA
Barometric pressure		FID meter ID		% CO ₂	
PID reading (before)	0.0	Gas analyzer ID		% CH ₄	
PID reading (after)	0.0	Ft. tubing used	↓		↓

For indoor location:

Noticeable odor **No**
 Floor slab depth |
 Intake height above floor (ft) |
 Intake depth below floor (ft) |
 Ground surface type
 Potential vapor entry points observed
 Room
 Story/level ↓

Comments:

For outdoor location:

Noticeable odor **No**
 Distance to road (ft)
 Direction to closest building (degrees)
 Distance to closest building (ft)
 Intake height above ground level (ft)
 Intake depth below ground level (ft) **8ft**
 Soil type

Analytical method required	USEPA Method TO-15 SIM
Laboratory used	ALPHA Analytical Mansfield, MA

Air/Soil Gas Sampling Form

Project # NYSDEC Site No. 8-35-013
 Project Name Modock Rd. Springs/DLS Sand & Gravel

Date 10/3/2023
 Personnel J. Wolf / J. Moore

Type of sample:
 (Circle one) Indoor air Substructure soil gas Ambient air

Soil gas

Sample Location
SV - 11

Canister Record

Canister ID	<u>706</u>
Flow controller ID	<u>02169</u>
Sample duration	<u>5 HRS</u>
Sampling rate	<u>20 ml/min</u>

Sample ID SV - 11
 Date/Time start 10/3/23 1045
 Date/Time end 10/3/23 1545

Start pressure -29.34
 End pressure -6.63

Complete all that apply:

Air temperature (°F) 65°F
 Barometric pressure
 PID reading (before) 0.0
 PID reading (after) 0.0

PID meter ID	<u>NA</u>	% O ₂	<u>NA</u>
FID meter ID	<u>↓</u>	% CO ₂	<u>↓</u>
Gas analyzer ID	<u>↓</u>	% CH ₄	<u>↓</u>
Ft. tubing used	<u>↓</u>		

For indoor location:

Noticeable odor NA
 Floor slab depth ↓
 Intake height above floor (ft) ↓
 Intake depth below floor (ft)
 Ground surface type
 Potential vapor entry points observed
 Room ↓
 Story/level -V

For outdoor location:

Noticeable odor No
 Distance to road (ft)
 Direction to closest building (degrees)
 Distance to closest building (ft)
 Intake height above ground level (ft)
 Intake depth below ground level (ft) 8 ft
 Soil type

Comments:

Analytical method required USEPA Method TO-15 SIM
 Laboratory used ALPHA Analytical Mansfield, MA

Collected Blind Dup

DUP ID: DUP100323 B

DUP TIME: 1300

END TIME: 1000

CAN ID: 1821

Flow ID: 01952

Start Pressure: -29.14

End Pressure: -12.24

Air/Soil Gas Sampling Form

Project #	NYSDEC Site No. 8-35-013	Date	10/3/2023
Project Name	Modock Rd. Springs/DLS Sand & Gravel	Personnel	J. Wolf / J. Moore

Type of sample: (Circle one)	Indoor air	Substructure soil gas	Ambient air	Soil gas
---------------------------------	------------	-----------------------	-------------	-----------------

Sample Location	SU-12	Canister Record	1831
		Canister ID	01810
		Flow controller ID	6HRS 10 min
		Sample duration	
		Sampling rate	20mL/min

Sample ID	SU-12	Start pressure	-29.44
Date/Time start	10/3/23 0835	End pressure	-25.89
Date/Time end	10/3/23 1445		

Complete all that apply:

Air temperature (°F)	61 °F	PID meter ID	NA	% O ₂	NA
Barometric pressure		FID meter ID	↓	% CO ₂	↓
PID reading (before)	0.0	Gas analyzer ID		% CH ₄	↓
PID reading (after)	0.0	Ft. tubing used	↓		

For indoor location:

Noticeable odor	NA
Floor slab depth	1
Intake height above floor (ft)	1
Intake depth below floor (ft)	1
Ground surface type	
Potential vapor entry points observed	
Room	
Story/level	↓

Comments:

For outdoor location:

Noticeable odor	No
Distance to road (ft)	
Direction to closest building (degrees)	
Distance to closest building (ft)	
Intake height above ground level (ft)	
Intake depth below ground level (ft)	8 ft
Soil type	

Analytical method required	USEPA Method TO-15 SIM
Laboratory used	ALPHA Analytical Mansfield, MA

Collected Blind DUP

DUP ID : DUP 100323 A

Start Time : 1200

End Time : 1600

CAN ID: 2977

Flow ID: 01919

Start pressure: -29.60

End pressure: -29.64

Air/Soil Gas Sampling Form

Project #	NYSDEC Site No. 8-35-013	Date	10/3/2023
Project Name	Modock Rd. Springs/DLS Sand & Gravel	Personnell	J. Wolf / J. Moore

Type of sample: (Circle one)	Indoor air	Substructure soil gas	Ambient air	Soil gas
---------------------------------	------------	-----------------------	-------------	----------

<u>Sample Location</u>	<u>Canister Record</u>			
SU-13	Canister ID	3086		
	Flow controller ID	01554		
	Sample duration	8 HR 45 min		
	Sampling rate	20 ml/min		

Sample ID	SU-13	Start pressure	- 29.30
Date/Time start	10/3/23 1015	End pressure	- 15.81
Date/Time end	10/3/23 1900		

Complete all that apply:

Air temperature (°F)	65°F	PID meter ID	NA	% O ₂	NA
Barometric pressure		FID meter ID	↓	% CO ₂	↓
PID reading (before)	0.0	Gas analyzer ID		% CH ₄	↓
PID reading (after)	0.0	Ft. tubing used	↓		

For indoor location:

Noticeable odor	NA
Floor slab depth	1
Intake height above floor (ft)	1
Intake depth below floor (ft)	
Ground surface type	
Potential vapor entry points observed	
Room	
Story/level	↓

For outdoor location:

Noticeable odor	No
Distance to road (ft)	
Direction to closest building (degrees)	
Distance to closest building (ft)	
Intake height above ground level (ft)	
Intake depth below ground level (ft)	8 ft
Soil type	

Comments:

Analytical method required	USEPA Method TO-15 SIM
Laboratory used	ALPHA Analytical Mansfield, MA



Appendix B

Chain of Custody Forms



AIR ANALYSIS

CHAIN OF CUSTODY

320 Forbes Blvd, Mansfield, MA 02048
TEL: 508-822-9300 FAX: 508-822-3288

Client Information

Client: Marks Engineering
Address: 4303 Route 5 & 20
Carmel, NY 14424
Phone: 585-500-8392

Fax:

Email: JWolf@MarksEngineering.com

 These samples have been previously analyzed by Alpha

Other Project Specific Requirements/Comments:

Project-Specific Target Compound List:

Project Information Project Name: DLS / Modack RD Project Location: Victor NY Project #: 23-040C Project Manager: Jeremy Wolf ALPHA Quote #: 10613 Turn-Around Time <input checked="" type="checkbox"/> Standard <input type="checkbox"/> RUSH (only confirmed if pre-approved) Date Due: Time: <input type="checkbox"/> Same as Client Info PO #: 23-040C	Date Rec'd in Lab: 10/5/23	ALPHA Job #: L235850C
	Report Information - Data Deliverables	
	<input type="checkbox"/> FAX <input type="checkbox"/> ADEX Criteria Checker: _____ (Default based on Regulatory Criteria Indicated) Other Formats: <input checked="" type="checkbox"/> EMAIL (standard pdf report) <input type="checkbox"/> Additional Deliverables: CATB NYSDEC E 00 Report to: (if different than Project Manager)	
	Billing Information	

All Columns Below Must Be Filled Out													
ALPHA Lab ID (Lab Use Only)	Sample ID	COLLECTION				Sample Matrix*	Sampler's Initials	Can Size	ID Can	ID - Flow Controller	TO-15	TO-15 SIM	APH
		End Date	Start Time	End Time	Initial Vacuum								
5850C-01	SV-01	10/3/23	0910	1310	-29.48	-9.34	SU	JW	6L	3583 01127	X		
02	SV-02	10/3/23	0925	1715	-29.56	-12.10	SU	JW	6L	1559 02141	X		
03	SV-03	10/3/23	0935	1705	-29.57	-9.50	SU	JW	6L	2002 01519	X		
04	SV-04	10/3/23	0955	1510	-29.8	-10.40	SU	JW	6L	312701135	X		
05	SV-05R	10/3/23	0940	1340	-29.90	-10.35	SU	JW	6L	33430904	X		
06	SV-06	10/3/23	0810	1210	-29.94	-7.95	SU	JW	6L	3653 01696	X		
07	SV-07	10/3/23	1000	1610	-30.16	-9.67	SU	JW	6L	2367 01439	X		
08	SV-08	10/3/23	1010	1825	-29.43	-27.80	SU	JW	6L	3590 01953	X		
09	SV-09R	10/3/23	1020	1640	-29.51	-29.50	SU	JW	6L	15720830	X		
10	SV-10	10/3/23	1035	1535	-29.41	-2.93	SU	JW	6L	1891 01546	X		

*SAMPLE MATRIX CODES

AA = Ambient Air (Indoor/Outdoor)

SV = Soil Vapor/Landfill Gas/SVE

Other = Please Specify

Container Type

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

Relinquished By: J. Wolf AAL 10/5/23 500	Date/Time: 10/4/23 1330	Received By: J. H. Neppel AAL 10/4/23 13:40	Date/Time: 10/5/23 0100 10/5/23 0500
--	--------------------------------	--	--



AIR ANALYSIS

CHAIN OF CUSTODY

320 Forbes Blvd, Mansfield, MA 02048
TEL: 508-822-9300 FAX: 508-822-3288

Client Information

Client: Marks Engineering
Address: 4303 Route 5920
Concordia NY 14424
Phone: 585 - 500 - 8392
Fax:

Email: JWolf@MarksEngineering.com
 These samples have been previously analyzed by Alpha

Other Project Specific Requirements/Comments:

Project-Specific Target Compound List:

All Columns Below Must Be Filled Out

ALPHA Lab ID (Lab Use Only)	Sample ID	COLLECTION				Sample Matrix*	Sampler's Initials	Can Size	ID Can	ID - Flow Controller	TO-15	TO-15 SIM	APH	Sulfur Non-petroleum HCs	Fixed Gases	Sulfides & Mercaptans by TO-15	Sample Comments (i.e. PID)
11	SU-11	10/3/23	1045	1545	-29.34	-6.63	SU	JW	6L	70602169	X						
12	SU-12	10/3/23	0835	1445	-29.44	-25.89	SU	JW	6L	183101810	X						DO NOT Analyze
13	SU-13	10/3/23	1015	1900	-29.30	-15.81	SU	JW	6L	308601554	X						
14	DUP 100323 A	10/3/23	1200	1600	-29.60	-8.54	SJ	JW	6L	297101919	X						
15	DUP 100323 B	10/3/23	1300	1800	-29.14	-12.24	SU	JW	6L	182101952	X						

*SAMPLE MATRIX CODES

AA = Ambient Air (Indoor/Outdoor)
SV = Soil Vapor/Landfill Gas/SVE
Other = Please Specify

Container Type

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

Relinquished By:
JW Wolf AAL
10/5/23 SW

Date/Time:
10/4/23 1340

Received By:
J H Ngoh AAL
10/4/23 13:40

Date/Time:
10/5/23 0100
10/5/23 0505



Exhibit A

Laboratory Reports

(Results Only)



ANALYTICAL REPORT

Lab Number:	L2358506
Client:	Marks Engineering, PC 42 Beeman Street Canandaigua, NY 14424
ATTN:	Jeremy Wolf
Phone:	(585) 500-8392
Project Name:	DLS/MODOCK RD
Project Number:	23-040C
Report Date:	10/23/23

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA030), NH NELAP (2062), CT (PH-0825), DoD (L2474), FL (E87814), IL (200081), IN (C-MA-04), KY (KY98046), LA (85084), ME (MA00030), MD (350), MI (99110), NJ (MA015), NY (11627), NC (685), OH (CL106), OR (MA-0262), PA (68-02089), RI (LA000299), TX (T104704419), VT (VT-0015), VA (460194), WA (C954), US Army Corps of Engineers, USDA (Permit #525-23-107-88708), USFWS (Permit #206964).

320 Forbes Boulevard, Mansfield, MA 02048-1806
 508-822-9300 (Fax) 508-822-3288 800-624-9220 - www.alphalab.com

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2358506-01	SV-01	SOIL_VAPOR	VICTOR NY	10/03/23 13:10	10/04/23
L2358506-02	SV-02	SOIL_VAPOR	VICTOR NY	10/03/23 17:15	10/04/23
L2358506-03	SV-03	SOIL_VAPOR	VICTOR NY	10/03/23 17:05	10/04/23
L2358506-04	SV-04	SOIL_VAPOR	VICTOR NY	10/03/23 15:10	10/04/23
L2358506-05	SV-05R	SOIL_VAPOR	VICTOR NY	10/03/23 13:40	10/04/23
L2358506-06	SV-06	SOIL_VAPOR	VICTOR NY	10/03/23 12:10	10/04/23
L2358506-07	SV-07	SOIL_VAPOR	VICTOR NY	10/03/23 16:10	10/04/23
L2358506-08	SV-08	SOIL_VAPOR	VICTOR NY	10/03/23 18:25	10/04/23
L2358506-09	SV-09R	SOIL_VAPOR	VICTOR NY	10/03/23 16:40	10/04/23
L2358506-10	SV-10	SOIL_VAPOR	VICTOR NY	10/03/23 15:35	10/04/23
L2358506-11	SV-11	SOIL_VAPOR	VICTOR NY	10/03/23 15:45	10/04/23
L2358506-12	SV-12	SOIL_VAPOR	VICTOR NY	10/03/23 14:45	10/04/23
L2358506-13	SV-13	SOIL_VAPOR	VICTOR NY	10/03/23 19:00	10/04/23
L2358506-14	DUP100323A	SOIL_VAPOR	VICTOR NY	10/03/23 16:00	10/04/23
L2358506-15	DUP100323B	SOIL_VAPOR	VICTOR NY	10/03/23 18:00	10/04/23

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

Case Narrative (continued)

Volatile Organics in Air

Canisters were released from the laboratory on September 27, 2023. The canister certification results are provided as an addendum.

L2358506-02D: The sample has elevated detection limits due to the dilution required by the elevated concentrations of target compounds in the sample.

L2358506-04D: The sample has elevated detection limits due to the dilution required by the elevated concentrations of target compounds in the sample.

L2358506-05D: The sample has elevated detection limits due to the dilution required by the elevated concentrations of target compounds in the sample.

L2358506-07D: The sample has elevated detection limits due to the dilution required by the elevated concentrations of target compounds in the sample.

L2358506-11D: The sample has elevated detection limits due to the dilution required by the elevated concentrations of target compounds in the sample.

L2358506-13D: The sample has elevated detection limits due to the dilution required by the elevated concentrations of target compounds in the sample.

L2358506-13D2: The sample was re-analyzed on dilution in order to quantitate the results within the calibration range. The result(s) should be considered estimated, and are qualified with an E flag, for any compound(s) that exceeded the calibration range in the initial analysis. The re-analysis was performed only for the compound(s) that exceeded the calibration range.

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

Case Narrative (continued)

L2358506-14D: The sample has elevated detection limits due to the dilution required by the elevated concentrations of target compounds in the sample.

L2358506-15: The sample has elevated detection limits due to the dilution required by the elevated concentrations of target compounds in the sample.

L2358506-15D: The sample was re-analyzed on dilution in order to quantitate the results within the calibration range. The result(s) should be considered estimated, and are qualified with an E flag, for any compound(s) that exceeded the calibration range in the initial analysis. The re-analysis was performed only for the compound(s) that exceeded the calibration range.

The WG1841988-4 Method Blank, associated with L2358506-01, -02D, -03, -04D, -05D, -06, -07D, -10, -11D, -13D2, -13D, -14D, -15, and -15D, has a concentration above the reporting limit for Benzene. Since the associated sample concentrations are either greater than 10x the blank concentration or non-detect to the RL for this target analyte, no corrective action is required. Any results detected below the reporting limit are qualified with a "B".

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

Christopher J. Anderson Christopher J. Anderson

Title: Technical Director/Representative

Date: 10/23/23

AIR



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-01	Date Collected:	10/03/23 13:10
Client ID:	SV-01	Date Received:	10/04/23
Sample Location:	VICTOR NY	Field Prep:	Not Specified

Sample Depth:

Matrix: Soil_Vapor
 Analytical Method: 48,TO-15-SIM
 Analytical Date: 10/19/23 21:10
 Analyst: RAY

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
Dichlorodifluoromethane	0.389	0.200	--	1.92	0.989	--	1
Chloromethane	ND	0.200	--	ND	0.413	--	1
Freon-114	ND	0.050	--	ND	0.349	--	1
Vinyl chloride	ND	0.020	--	ND	0.051	--	1
1,3-Butadiene	ND	0.020	--	ND	0.044	--	1
Bromomethane	ND	0.020	--	ND	0.078	--	1
Chloroethane	ND	0.100	--	ND	0.264	--	1
Ethanol	ND	5.00	--	ND	9.42	--	1
Vinyl bromide	ND	0.200	--	ND	0.874	--	1
Acetone	21.5	1.00	--	51.1	2.38	--	1
Trichlorofluoromethane	0.234	0.050	--	1.31	0.281	--	1
Isopropanol	ND	0.500	--	ND	1.23	--	1
1,1-Dichloroethene	ND	0.020	--	ND	0.079	--	1
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--	1
Methylene chloride	1.84	0.500	--	6.39	1.74	--	1
3-Chloropropene	ND	0.200	--	ND	0.626	--	1
Carbon disulfide	ND	0.200	--	ND	0.623	--	1
Freon-113	0.056	0.050	--	0.429	0.383	--	1
trans-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--	1
1,1-Dichloroethane	ND	0.020	--	ND	0.081	--	1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--	1
2-Butanone	3.13	0.500	--	9.23	1.47	--	1
cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--	1



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-01	Date Collected:	10/03/23 13:10
Client ID:	SV-01	Date Received:	10/04/23
Sample Location:	VICTOR NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
Ethyl Acetate	ND	0.500	--	ND	1.80	--	1
Chloroform	0.027	0.020	--	0.132	0.098	--	1
Tetrahydrofuran	ND	0.500	--	ND	1.47	--	1
1,2-Dichloroethane	ND	0.020	--	ND	0.081	--	1
n-Hexane	ND	0.200	--	ND	0.705	--	1
1,1,1-Trichloroethane	1.17	0.020	--	6.38	0.109	--	1
Carbon tetrachloride	0.065	0.020	--	0.409	0.126	--	1
Cyclohexane	ND	0.200	--	ND	0.688	--	1
1,2-Dichloropropane	ND	0.020	--	ND	0.092	--	1
Bromodichloromethane	ND	0.020	--	ND	0.134	--	1
1,4-Dioxane	ND	0.100	--	ND	0.360	--	1
Trichloroethene	0.242	0.020	--	1.30	0.107	--	1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--	1
Heptane	ND	0.200	--	ND	0.820	--	1
cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	1
trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	1
1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--	1
Toluene	ND	0.100	--	ND	0.377	--	1
2-Hexanone	0.310	0.200	--	1.27	0.820	--	1
Dibromochloromethane	ND	0.020	--	ND	0.170	--	1
1,2-Dibromoethane	ND	0.020	--	ND	0.154	--	1
Tetrachloroethene	ND	0.020	--	ND	0.136	--	1
Chlorobenzene	ND	0.100	--	ND	0.461	--	1
Ethylbenzene	ND	0.020	--	ND	0.087	--	1
p/m-Xylene	0.046	0.040	--	0.200	0.174	--	1



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-01	Date Collected:	10/03/23 13:10
Client ID:	SV-01	Date Received:	10/04/23
Sample Location:	VICTOR NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
Bromoform	ND	0.020	--	ND	0.207	--	1
Styrene	ND	0.020	--	ND	0.085	--	1
1,1,2,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--	1
o-Xylene	0.022	0.020	--	0.096	0.087	--	1
4-Ethyltoluene	ND	0.020	--	ND	0.098	--	1
1,3,5-Trimethylbenzene	ND	0.020	--	ND	0.098	--	1
1,2,4-Trimethylbenzene	ND	0.020	--	ND	0.098	--	1
Benzyl chloride	ND	0.100	--	ND	0.518	--	1
1,3-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1
1,4-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1
1,2-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1
1,2,4-Trichlorobenzene	ND	0.050	--	ND	0.371	--	1
Hexachlorobutadiene	ND	0.050	--	ND	0.533	--	1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	96		60-140
bromochloromethane	97		60-140
chlorobenzene-d5	98		60-140



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-01	Date Collected:	10/03/23 13:10
Client ID:	SV-01	Date Received:	10/04/23
Sample Location:	VICTOR NY	Field Prep:	Not Specified

Sample Depth:

Matrix: Soil_Vapor
 Analytical Method: 48,TO-15-SIM
 Analytical Date: 10/20/23 22:47
 Analyst: JMB

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
Benzene	0.189	0.100	--	0.604	0.319	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	100		60-140
bromochloromethane	101		60-140
chlorobenzene-d5	97		60-140

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-02	D	Date Collected:	10/03/23 17:15
Client ID:	SV-02		Date Received:	10/04/23
Sample Location:	VICTOR NY		Field Prep:	Not Specified

Sample Depth:

Matrix: Soil_Vapor
Anaytical Method: 48,TO-15-SIM
Analytical Date: 10/19/23 21:38
Analyst: RAY

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	Results	RL	MDL	
Volatile Organics in Air by SIM - Mansfield Lab							
Dichlorodifluoromethane	ND	0.962	--	ND	4.76	--	4.808
Chloromethane	ND	0.962	--	ND	1.99	--	4.808
Freon-114	ND	0.240	--	ND	1.68	--	4.808
Vinyl chloride	ND	0.096	--	ND	0.246	--	4.808
1,3-Butadiene	ND	0.096	--	ND	0.213	--	4.808
Bromomethane	ND	0.096	--	ND	0.374	--	4.808
Chloroethane	ND	0.481	--	ND	1.27	--	4.808
Ethanol	24.6	24.0	--	46.4	45.2	--	4.808
Vinyl bromide	ND	0.962	--	ND	4.21	--	4.808
Acetone	57.8	4.81	--	137	11.4	--	4.808
Trichlorofluoromethane	0.284	0.240	--	1.60	1.35	--	4.808
Isopropanol	ND	2.40	--	ND	5.90	--	4.808
1,1-Dichloroethene	ND	0.096	--	ND	0.381	--	4.808
Tertiary butyl Alcohol	39.9	2.40	--	121	7.28	--	4.808
Methylene chloride	ND	2.40	--	ND	8.34	--	4.808
3-Chloropropene	ND	0.962	--	ND	3.01	--	4.808
Carbon disulfide	14.8	0.962	--	46.1	3.00	--	4.808
Freon-113	ND	0.240	--	ND	1.84	--	4.808
trans-1,2-Dichloroethene	ND	0.096	--	ND	0.381	--	4.808
1,1-Dichloroethane	ND	0.096	--	ND	0.389	--	4.808
Methyl tert butyl ether	ND	0.962	--	ND	3.47	--	4.808
2-Butanone	96.9	2.40	--	286	7.08	--	4.808
cis-1,2-Dichloroethene	ND	0.096	--	ND	0.381	--	4.808



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-02	D	Date Collected:	10/03/23 17:15
Client ID:	SV-02		Date Received:	10/04/23
Sample Location:	VICTOR NY		Field Prep:	Not Specified

Sample Depth:

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
Ethyl Acetate	ND	2.40	--	ND	8.65	--	4.808
Chloroform	ND	0.096	--	ND	0.470	--	4.808
Tetrahydrofuran	ND	2.40	--	ND	7.08	--	4.808
1,2-Dichloroethane	ND	0.096	--	ND	0.389	--	4.808
n-Hexane	ND	0.962	--	ND	3.39	--	4.808
1,1,1-Trichloroethane	0.553	0.096	--	3.02	0.525	--	4.808
Carbon tetrachloride	ND	0.096	--	ND	0.605	--	4.808
Cyclohexane	ND	0.962	--	ND	3.31	--	4.808
1,2-Dichloropropane	ND	0.096	--	ND	0.445	--	4.808
Bromodichloromethane	ND	0.096	--	ND	0.644	--	4.808
1,4-Dioxane	ND	0.481	--	ND	1.73	--	4.808
Trichloroethene	ND	0.096	--	ND	0.517	--	4.808
2,2,4-Trimethylpentane	ND	0.962	--	ND	4.49	--	4.808
Heptane	ND	0.962	--	ND	3.94	--	4.808
cis-1,3-Dichloropropene	ND	0.096	--	ND	0.437	--	4.808
4-Methyl-2-pentanone	ND	2.40	--	ND	9.84	--	4.808
trans-1,3-Dichloropropene	ND	0.096	--	ND	0.437	--	4.808
1,1,2-Trichloroethane	ND	0.096	--	ND	0.525	--	4.808
Toluene	0.798	0.481	--	3.01	1.81	--	4.808
2-Hexanone	6.58	0.962	--	27.0	3.94	--	4.808
Dibromochloromethane	ND	0.096	--	ND	0.820	--	4.808
1,2-Dibromoethane	ND	0.096	--	ND	0.739	--	4.808
Tetrachloroethene	ND	0.096	--	ND	0.652	--	4.808
Chlorobenzene	ND	0.481	--	ND	2.22	--	4.808
Ethylbenzene	0.245	0.096	--	1.06	0.418	--	4.808
p/m-Xylene	0.808	0.192	--	3.51	0.834	--	4.808



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID: L2358506-02 D Date Collected: 10/03/23 17:15
Client ID: SV-02 Date Received: 10/04/23
Sample Location: VICTOR NY Field Prep: Not Specified

Sample Depth:

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
Bromoform	ND	0.096	--	ND	0.995	--	4.808
Styrene	ND	0.096	--	ND	0.410	--	4.808
1,1,2,2-Tetrachloroethane	ND	0.096	--	ND	0.661	--	4.808
o-Xylene	0.644	0.096	--	2.80	0.418	--	4.808
4-Ethyltoluene	ND	0.096	--	ND	0.473	--	4.808
1,3,5-Trimethylbenzene	0.125	0.096	--	0.615	0.473	--	4.808
1,2,4-Trimethylbenzene	0.298	0.096	--	1.47	0.473	--	4.808
Benzyl chloride	ND	0.481	--	ND	2.49	--	4.808
1,3-Dichlorobenzene	ND	0.096	--	ND	0.578	--	4.808
1,4-Dichlorobenzene	ND	0.096	--	ND	0.578	--	4.808
1,2-Dichlorobenzene	ND	0.096	--	ND	0.578	--	4.808
1,2,4-Trichlorobenzene	ND	0.240	--	ND	1.78	--	4.808
Hexachlorobutadiene	ND	0.240	--	ND	2.56	--	4.808

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	93		60-140
bromochloromethane	93		60-140
chlorobenzene-d5	97		60-140



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID: L2358506-02 D
Client ID: SV-02
Sample Location: VICTOR NY

Date Collected: 10/03/23 17:15
Date Received: 10/04/23
Field Prep: Not Specified

Sample Depth:
Matrix: Soil_Vapor
Anaytical Method: 48,TO-15-SIM
Analytical Date: 10/20/23 23:23
Analyst: JMB

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
Benzene	0.836	0.481	--	2.67	1.54	--		4.808

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	94		60-140
bromochloromethane	101		60-140
chlorobenzene-d5	96		60-140

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-03	Date Collected:	10/03/23 17:05
Client ID:	SV-03	Date Received:	10/04/23
Sample Location:	VICTOR NY	Field Prep:	Not Specified

Sample Depth:

Matrix: Soil_Vapor
 Analytical Method: 48,TO-15-SIM
 Analytical Date: 10/19/23 22:10
 Analyst: RAY

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
Dichlorodifluoromethane	0.312	0.200	--	1.54	0.989	--	1
Chloromethane	ND	0.200	--	ND	0.413	--	1
Freon-114	ND	0.050	--	ND	0.349	--	1
Vinyl chloride	ND	0.020	--	ND	0.051	--	1
1,3-Butadiene	ND	0.020	--	ND	0.044	--	1
Bromomethane	ND	0.020	--	ND	0.078	--	1
Chloroethane	ND	0.100	--	ND	0.264	--	1
Ethanol	7.80	5.00	--	14.7	9.42	--	1
Vinyl bromide	ND	0.200	--	ND	0.874	--	1
Acetone	117	1.00	--	278	2.38	--	1
Trichlorofluoromethane	0.232	0.050	--	1.30	0.281	--	1
Isopropanol	ND	0.500	--	ND	1.23	--	1
1,1-Dichloroethene	ND	0.020	--	ND	0.079	--	1
Tertiary butyl Alcohol	0.558	0.500	--	1.69	1.52	--	1
Methylene chloride	0.936	0.500	--	3.25	1.74	--	1
3-Chloropropene	ND	0.200	--	ND	0.626	--	1
Carbon disulfide	1.09	0.200	--	3.39	0.623	--	1
Freon-113	0.057	0.050	--	0.437	0.383	--	1
trans-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--	1
1,1-Dichloroethane	ND	0.020	--	ND	0.081	--	1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--	1
2-Butanone	20.7	0.500	--	61.1	1.47	--	1
cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--	1



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-03	Date Collected:	10/03/23 17:05
Client ID:	SV-03	Date Received:	10/04/23
Sample Location:	VICTOR NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
Ethyl Acetate	ND	0.500	--	ND	1.80	--	1
Chloroform	0.057	0.020	--	0.278	0.098	--	1
Tetrahydrofuran	ND	0.500	--	ND	1.47	--	1
1,2-Dichloroethane	ND	0.020	--	ND	0.081	--	1
n-Hexane	0.215	0.200	--	0.758	0.705	--	1
1,1,1-Trichloroethane	ND	0.020	--	ND	0.109	--	1
Carbon tetrachloride	0.023	0.020	--	0.145	0.126	--	1
Cyclohexane	ND	0.200	--	ND	0.688	--	1
1,2-Dichloropropane	ND	0.020	--	ND	0.092	--	1
Bromodichloromethane	ND	0.020	--	ND	0.134	--	1
1,4-Dioxane	ND	0.100	--	ND	0.360	--	1
Trichloroethene	ND	0.020	--	ND	0.107	--	1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--	1
Heptane	ND	0.200	--	ND	0.820	--	1
cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	1
trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	1
1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--	1
Toluene	ND	0.100	--	ND	0.377	--	1
2-Hexanone	2.44	0.200	--	10.0	0.820	--	1
Dibromochloromethane	ND	0.020	--	ND	0.170	--	1
1,2-Dibromoethane	ND	0.020	--	ND	0.154	--	1
Tetrachloroethene	ND	0.020	--	ND	0.136	--	1
Chlorobenzene	ND	0.100	--	ND	0.461	--	1
Ethylbenzene	0.022	0.020	--	0.096	0.087	--	1
p/m-Xylene	0.062	0.040	--	0.269	0.174	--	1



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-03	Date Collected:	10/03/23 17:05
Client ID:	SV-03	Date Received:	10/04/23
Sample Location:	VICTOR NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
Bromoform	ND	0.020	--	ND	0.207	--	1
Styrene	ND	0.020	--	ND	0.085	--	1
1,1,2,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--	1
o-Xylene	0.029	0.020	--	0.126	0.087	--	1
4-Ethyltoluene	ND	0.020	--	ND	0.098	--	1
1,3,5-Trimethylbenzene	ND	0.020	--	ND	0.098	--	1
1,2,4-Trimethylbenzene	0.023	0.020	--	0.113	0.098	--	1
Benzyl chloride	ND	0.100	--	ND	0.518	--	1
1,3-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1
1,4-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1
1,2-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1
1,2,4-Trichlorobenzene	ND	0.050	--	ND	0.371	--	1
Hexachlorobutadiene	ND	0.050	--	ND	0.533	--	1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	97		60-140
bromochloromethane	97		60-140
chlorobenzene-d5	100		60-140



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-03	Date Collected:	10/03/23 17:05
Client ID:	SV-03	Date Received:	10/04/23
Sample Location:	VICTOR NY	Field Prep:	Not Specified

Sample Depth:

Matrix: Soil_Vapor
Analytical Method: 48,TO-15-SIM
Analytical Date: 10/21/23 00:02
Analyst: JMB

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
Benzene	0.308	0.100	--	0.984	0.319	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	92		60-140
bromochloromethane	96		60-140
chlorobenzene-d5	95		60-140

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-04	D	Date Collected:	10/03/23 15:10
Client ID:	SV-04		Date Received:	10/04/23
Sample Location:	VICTOR NY		Field Prep:	Not Specified

Sample Depth:

Matrix: Soil_Vapor
 Analytical Method: 48,TO-15-SIM
 Analytical Date: 10/19/23 22:39
 Analyst: RAY

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
Dichlorodifluoromethane	1.99	0.691	--	9.84	3.42	--	3.454
Chloromethane	ND	0.691	--	ND	1.43	--	3.454
Freon-114	ND	0.173	--	ND	1.21	--	3.454
Vinyl chloride	ND	0.069	--	ND	0.177	--	3.454
1,3-Butadiene	ND	0.069	--	ND	0.153	--	3.454
Bromomethane	ND	0.069	--	ND	0.268	--	3.454
Chloroethane	ND	0.345	--	ND	0.910	--	3.454
Ethanol	ND	17.3	--	ND	32.6	--	3.454
Vinyl bromide	ND	0.691	--	ND	3.02	--	3.454
Acetone	29.6	3.45	--	70.3	8.20	--	3.454
Trichlorofluoromethane	0.300	0.173	--	1.69	0.972	--	3.454
Isopropanol	ND	1.73	--	ND	4.25	--	3.454
1,1-Dichloroethene	ND	0.069	--	ND	0.274	--	3.454
Tertiary butyl Alcohol	5.26	1.73	--	15.9	5.24	--	3.454
Methylene chloride	ND	1.73	--	ND	6.01	--	3.454
3-Chloropropene	ND	0.691	--	ND	2.16	--	3.454
Carbon disulfide	ND	0.691	--	ND	2.15	--	3.454
Freon-113	ND	0.173	--	ND	1.33	--	3.454
trans-1,2-Dichloroethene	ND	0.069	--	ND	0.274	--	3.454
1,1-Dichloroethane	ND	0.069	--	ND	0.280	--	3.454
Methyl tert butyl ether	ND	0.691	--	ND	2.49	--	3.454
2-Butanone	73.7	1.73	--	217	5.10	--	3.454
cis-1,2-Dichloroethene	ND	0.069	--	ND	0.274	--	3.454



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-04	D	Date Collected:	10/03/23 15:10
Client ID:	SV-04		Date Received:	10/04/23
Sample Location:	VICTOR NY		Field Prep:	Not Specified

Sample Depth:

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
Ethyl Acetate	ND	1.73	--	ND	6.23	--	3.454
Chloroform	0.093	0.069	--	0.455	0.337	--	3.454
Tetrahydrofuran	ND	1.73	--	ND	5.10	--	3.454
1,2-Dichloroethane	ND	0.069	--	ND	0.280	--	3.454
n-Hexane	ND	0.691	--	ND	2.44	--	3.454
1,1,1-Trichloroethane	2.48	0.069	--	13.5	0.377	--	3.454
Benzene	ND	0.345	--	ND	1.10	--	3.454
Carbon tetrachloride	ND	0.069	--	ND	0.435	--	3.454
Cyclohexane	ND	0.691	--	ND	2.38	--	3.454
1,2-Dichloropropane	ND	0.069	--	ND	0.319	--	3.454
Bromodichloromethane	ND	0.069	--	ND	0.463	--	3.454
1,4-Dioxane	ND	0.345	--	ND	1.24	--	3.454
Trichloroethene	ND	0.069	--	ND	0.371	--	3.454
2,2,4-Trimethylpentane	ND	0.691	--	ND	3.23	--	3.454
Heptane	ND	0.691	--	ND	2.83	--	3.454
cis-1,3-Dichloropropene	ND	0.069	--	ND	0.314	--	3.454
4-Methyl-2-pentanone	ND	1.73	--	ND	7.09	--	3.454
trans-1,3-Dichloropropene	ND	0.069	--	ND	0.314	--	3.454
1,1,2-Trichloroethane	ND	0.069	--	ND	0.377	--	3.454
Toluene	ND	0.345	--	ND	1.30	--	3.454
2-Hexanone	3.73	0.691	--	15.3	2.83	--	3.454
Dibromochloromethane	ND	0.069	--	ND	0.589	--	3.454
1,2-Dibromoethane	ND	0.069	--	ND	0.531	--	3.454
Tetrachloroethene	ND	0.069	--	ND	0.469	--	3.454
Chlorobenzene	ND	0.345	--	ND	1.59	--	3.454
Ethylbenzene	ND	0.069	--	ND	0.300	--	3.454



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-04 D	Date Collected:	10/03/23 15:10
Client ID:	SV-04	Date Received:	10/04/23
Sample Location:	VICTOR NY	Field Prep:	Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
p/m-Xylene	ND	0.138	--	ND	0.599	--		3.454
Bromoform	ND	0.069	--	ND	0.714	--		3.454
Styrene	ND	0.069	--	ND	0.294	--		3.454
1,1,2,2-Tetrachloroethane	ND	0.069	--	ND	0.475	--		3.454
o-Xylene	ND	0.069	--	ND	0.300	--		3.454
4-Ethyltoluene	ND	0.069	--	ND	0.340	--		3.454
1,3,5-Trimethylbenzene	ND	0.069	--	ND	0.340	--		3.454
1,2,4-Trimethylbenzene	ND	0.069	--	ND	0.340	--		3.454
Benzyl chloride	ND	0.345	--	ND	1.79	--		3.454
1,3-Dichlorobenzene	ND	0.069	--	ND	0.415	--		3.454
1,4-Dichlorobenzene	ND	0.069	--	ND	0.415	--		3.454
1,2-Dichlorobenzene	ND	0.069	--	ND	0.415	--		3.454
1,2,4-Trichlorobenzene	ND	0.173	--	ND	1.28	--		3.454
Hexachlorobutadiene	ND	0.173	--	ND	1.85	--		3.454

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	94		60-140
bromochloromethane	95		60-140
chlorobenzene-d5	97		60-140

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-05	D	Date Collected:	10/03/23 13:40
Client ID:	SV-05R		Date Received:	10/04/23
Sample Location:	VICTOR NY		Field Prep:	Not Specified

Sample Depth:

Matrix: Soil_Vapor
 Analytical Method: 48,TO-15-SIM
 Analytical Date: 10/20/23 07:25
 Analyst: RAY

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
Dichlorodifluoromethane	0.428	0.272	--	2.12	1.34	--	1.36
Chloromethane	ND	0.272	--	ND	0.562	--	1.36
Freon-114	ND	0.068	--	ND	0.475	--	1.36
Vinyl chloride	ND	0.027	--	ND	0.070	--	1.36
1,3-Butadiene	ND	0.027	--	ND	0.060	--	1.36
Bromomethane	ND	0.027	--	ND	0.106	--	1.36
Chloroethane	ND	0.136	--	ND	0.359	--	1.36
Ethanol	15.2	6.80	--	28.6	12.8	--	1.36
Vinyl bromide	ND	0.272	--	ND	1.19	--	1.36
Acetone	18.5	1.36	--	43.9	3.23	--	1.36
Trichlorofluoromethane	0.254	0.068	--	1.43	0.382	--	1.36
Isopropanol	ND	0.680	--	ND	1.67	--	1.36
1,1-Dichloroethene	ND	0.027	--	ND	0.108	--	1.36
Tertiary butyl Alcohol	4.16	0.680	--	12.6	2.06	--	1.36
Methylene chloride	ND	0.680	--	ND	2.36	--	1.36
3-Chloropropene	ND	0.272	--	ND	0.851	--	1.36
Carbon disulfide	0.898	0.272	--	2.80	0.847	--	1.36
Freon-113	ND	0.068	--	ND	0.521	--	1.36
trans-1,2-Dichloroethene	ND	0.027	--	ND	0.108	--	1.36
1,1-Dichloroethane	ND	0.027	--	ND	0.110	--	1.36
Methyl tert butyl ether	ND	0.272	--	ND	0.981	--	1.36
2-Butanone	45.2	0.680	--	133	2.01	--	1.36
cis-1,2-Dichloroethene	ND	0.027	--	ND	0.108	--	1.36



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-05	D	Date Collected:	10/03/23 13:40
Client ID:	SV-05R		Date Received:	10/04/23
Sample Location:	VICTOR NY		Field Prep:	Not Specified

Sample Depth:

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
Ethyl Acetate	ND	0.680	--	ND	2.45	--	1.36
Chloroform	0.392	0.027	--	1.91	0.133	--	1.36
Tetrahydrofuran	ND	0.680	--	ND	2.01	--	1.36
1,2-Dichloroethane	ND	0.027	--	ND	0.110	--	1.36
n-Hexane	0.507	0.272	--	1.79	0.959	--	1.36
1,1,1-Trichloroethane	0.033	0.027	--	0.178	0.148	--	1.36
Benzene	0.156	0.136	--	0.498	0.434	--	1.36
Carbon tetrachloride	0.088	0.027	--	0.556	0.171	--	1.36
Cyclohexane	ND	0.272	--	ND	0.936	--	1.36
1,2-Dichloropropane	ND	0.027	--	ND	0.126	--	1.36
Bromodichloromethane	ND	0.027	--	ND	0.182	--	1.36
1,4-Dioxane	ND	0.136	--	ND	0.490	--	1.36
Trichloroethene	0.033	0.027	--	0.175	0.146	--	1.36
2,2,4-Trimethylpentane	ND	0.272	--	ND	1.27	--	1.36
Heptane	0.352	0.272	--	1.44	1.11	--	1.36
cis-1,3-Dichloropropene	ND	0.027	--	ND	0.123	--	1.36
4-Methyl-2-pentanone	ND	0.680	--	ND	2.79	--	1.36
trans-1,3-Dichloropropene	ND	0.027	--	ND	0.123	--	1.36
1,1,2-Trichloroethane	ND	0.027	--	ND	0.148	--	1.36
Toluene	0.506	0.136	--	1.91	0.513	--	1.36
2-Hexanone	5.05	0.272	--	20.7	1.11	--	1.36
Dibromochloromethane	ND	0.027	--	ND	0.232	--	1.36
1,2-Dibromoethane	ND	0.027	--	ND	0.209	--	1.36
Tetrachloroethene	0.065	0.027	--	0.443	0.184	--	1.36
Chlorobenzene	ND	0.136	--	ND	0.626	--	1.36
Ethylbenzene	0.125	0.027	--	0.543	0.118	--	1.36



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID: L2358506-05 D Date Collected: 10/03/23 13:40
Client ID: SV-05R Date Received: 10/04/23
Sample Location: VICTOR NY Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
p/m-Xylene	0.415	0.054	--	1.80	0.236	--		1.36
Bromoform	ND	0.027	--	ND	0.281	--		1.36
Styrene	0.039	0.027	--	0.168	0.116	--		1.36
1,1,2,2-Tetrachloroethane	ND	0.027	--	ND	0.187	--		1.36
o-Xylene	0.130	0.027	--	0.565	0.118	--		1.36
4-Ethyltoluene	ND	0.027	--	ND	0.134	--		1.36
1,3,5-Trimethylbenzene	0.030	0.027	--	0.147	0.134	--		1.36
1,2,4-Trimethylbenzene	0.061	0.027	--	0.301	0.134	--		1.36
Benzyl chloride	ND	0.136	--	ND	0.704	--		1.36
1,3-Dichlorobenzene	ND	0.027	--	ND	0.164	--		1.36
1,4-Dichlorobenzene	ND	0.027	--	ND	0.164	--		1.36
1,2-Dichlorobenzene	ND	0.027	--	ND	0.164	--		1.36
1,2,4-Trichlorobenzene	ND	0.068	--	ND	0.505	--		1.36
Hexachlorobutadiene	ND	0.068	--	ND	0.725	--		1.36

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	97		60-140
bromochloromethane	97		60-140
chlorobenzene-d5	100		60-140



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-06	Date Collected:	10/03/23 12:10
Client ID:	SV-06	Date Received:	10/04/23
Sample Location:	VICTOR NY	Field Prep:	Not Specified

Sample Depth:

Matrix: Soil_Vapor
Anaytical Method: 48,TO-15-SIM
Analytical Date: 10/19/23 23:40
Analyst: RAY

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
Dichlorodifluoromethane	0.663	0.200	--	3.28	0.989	--	1
Chloromethane	ND	0.200	--	ND	0.413	--	1
Freon-114	ND	0.050	--	ND	0.349	--	1
Vinyl chloride	ND	0.020	--	ND	0.051	--	1
1,3-Butadiene	ND	0.020	--	ND	0.044	--	1
Bromomethane	ND	0.020	--	ND	0.078	--	1
Chloroethane	ND	0.100	--	ND	0.264	--	1
Ethanol	ND	5.00	--	ND	9.42	--	1
Vinyl bromide	ND	0.200	--	ND	0.874	--	1
Acetone	7.88	1.00	--	18.7	2.38	--	1
Trichlorofluoromethane	0.286	0.050	--	1.61	0.281	--	1
Isopropanol	ND	0.500	--	ND	1.23	--	1
1,1-Dichloroethene	ND	0.020	--	ND	0.079	--	1
Tertiary butyl Alcohol	7.94	0.500	--	24.1	1.52	--	1
Methylene chloride	ND	0.500	--	ND	1.74	--	1
3-Chloropropene	ND	0.200	--	ND	0.626	--	1
Carbon disulfide	0.314	0.200	--	0.978	0.623	--	1
Freon-113	0.080	0.050	--	0.613	0.383	--	1
trans-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--	1
1,1-Dichloroethane	ND	0.020	--	ND	0.081	--	1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--	1
2-Butanone	10.6	0.500	--	31.3	1.47	--	1
cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--	1



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-06	Date Collected:	10/03/23 12:10
Client ID:	SV-06	Date Received:	10/04/23
Sample Location:	VICTOR NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
Ethyl Acetate	ND	0.500	--	ND	1.80	--	1
Chloroform	0.089	0.020	--	0.435	0.098	--	1
Tetrahydrofuran	ND	0.500	--	ND	1.47	--	1
1,2-Dichloroethane	ND	0.020	--	ND	0.081	--	1
n-Hexane	ND	0.200	--	ND	0.705	--	1
1,1,1-Trichloroethane	0.214	0.020	--	1.17	0.109	--	1
Benzene	ND	0.100	--	ND	0.319	--	1
Carbon tetrachloride	ND	0.020	--	ND	0.126	--	1
Cyclohexane	ND	0.200	--	ND	0.688	--	1
1,2-Dichloropropane	ND	0.020	--	ND	0.092	--	1
Bromodichloromethane	ND	0.020	--	ND	0.134	--	1
1,4-Dioxane	ND	0.100	--	ND	0.360	--	1
Trichloroethene	ND	0.020	--	ND	0.107	--	1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--	1
Heptane	ND	0.200	--	ND	0.820	--	1
cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	1
trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	1
1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--	1
Toluene	ND	0.100	--	ND	0.377	--	1
2-Hexanone	0.363	0.200	--	1.49	0.820	--	1
Dibromochloromethane	ND	0.020	--	ND	0.170	--	1
1,2-Dibromoethane	ND	0.020	--	ND	0.154	--	1
Tetrachloroethene	0.024	0.020	--	0.163	0.136	--	1
Chlorobenzene	ND	0.100	--	ND	0.461	--	1
Ethylbenzene	ND	0.020	--	ND	0.087	--	1



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-06	Date Collected:	10/03/23 12:10
Client ID:	SV-06	Date Received:	10/04/23
Sample Location:	VICTOR NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
p/m-Xylene	ND	0.040	--	ND	0.174	--	1
Bromoform	ND	0.020	--	ND	0.207	--	1
Styrene	ND	0.020	--	ND	0.085	--	1
1,1,2,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--	1
o-Xylene	ND	0.020	--	ND	0.087	--	1
4-Ethyltoluene	ND	0.020	--	ND	0.098	--	1
1,3,5-Trimethylbenzene	ND	0.020	--	ND	0.098	--	1
1,2,4-Trimethylbenzene	0.020	0.020	--	0.098	0.098	--	1
Benzyl chloride	ND	0.100	--	ND	0.518	--	1
1,3-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1
1,4-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1
1,2-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1
1,2,4-Trichlorobenzene	ND	0.050	--	ND	0.371	--	1
Hexachlorobutadiene	ND	0.050	--	ND	0.533	--	1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	94		60-140
bromochloromethane	95		60-140
chlorobenzene-d5	98		60-140



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-07	D	Date Collected:	10/03/23 16:10
Client ID:	SV-07		Date Received:	10/04/23
Sample Location:	VICTOR NY		Field Prep:	Not Specified

Sample Depth:

Matrix: Soil_Vapor
Anaytical Method: 48,TO-15-SIM
Analytical Date: 10/20/23 00:08
Analyst: RAY

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	Results	RL	MDL	
Volatile Organics in Air by SIM - Mansfield Lab							
Dichlorodifluoromethane	ND	0.701	--	ND	3.47	--	3.503
Chloromethane	ND	0.701	--	ND	1.45	--	3.503
Freon-114	ND	0.175	--	ND	1.22	--	3.503
Vinyl chloride	ND	0.070	--	ND	0.179	--	3.503
1,3-Butadiene	ND	0.070	--	ND	0.155	--	3.503
Bromomethane	ND	0.070	--	ND	0.272	--	3.503
Chloroethane	ND	0.350	--	ND	0.924	--	3.503
Ethanol	ND	17.5	--	ND	33.0	--	3.503
Vinyl bromide	ND	0.701	--	ND	3.06	--	3.503
Acetone	43.4	3.50	--	103	8.31	--	3.503
Trichlorofluoromethane	0.392	0.175	--	2.20	0.983	--	3.503
Isopropanol	ND	1.75	--	ND	4.30	--	3.503
1,1-Dichloroethene	ND	0.070	--	ND	0.278	--	3.503
Tertiary butyl Alcohol	34.6	1.75	--	105	5.31	--	3.503
Methylene chloride	ND	1.75	--	ND	6.08	--	3.503
3-Chloropropene	ND	0.701	--	ND	2.19	--	3.503
Carbon disulfide	1.16	0.701	--	3.61	2.18	--	3.503
Freon-113	ND	0.175	--	ND	1.34	--	3.503
trans-1,2-Dichloroethene	ND	0.070	--	ND	0.278	--	3.503
1,1-Dichloroethane	ND	0.070	--	ND	0.284	--	3.503
Methyl tert butyl ether	ND	0.701	--	ND	2.53	--	3.503
2-Butanone	70.3	1.75	--	207	5.16	--	3.503
cis-1,2-Dichloroethene	ND	0.070	--	ND	0.278	--	3.503



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-07	D	Date Collected:	10/03/23 16:10
Client ID:	SV-07		Date Received:	10/04/23
Sample Location:	VICTOR NY		Field Prep:	Not Specified

Sample Depth:

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
Ethyl Acetate	ND	1.75	--	ND	6.31	--	3.503
Chloroform	ND	0.070	--	ND	0.342	--	3.503
Tetrahydrofuran	ND	1.75	--	ND	5.16	--	3.503
1,2-Dichloroethane	ND	0.070	--	ND	0.284	--	3.503
n-Hexane	ND	0.701	--	ND	2.47	--	3.503
1,1,1-Trichloroethane	1.86	0.070	--	10.1	0.382	--	3.503
Benzene	ND	0.350	--	ND	1.12	--	3.503
Carbon tetrachloride	ND	0.070	--	ND	0.441	--	3.503
Cyclohexane	ND	0.701	--	ND	2.41	--	3.503
1,2-Dichloropropane	ND	0.070	--	ND	0.324	--	3.503
Bromodichloromethane	ND	0.070	--	ND	0.470	--	3.503
1,4-Dioxane	ND	0.350	--	ND	1.26	--	3.503
Trichloroethene	ND	0.070	--	ND	0.377	--	3.503
2,2,4-Trimethylpentane	ND	0.701	--	ND	3.27	--	3.503
Heptane	ND	0.701	--	ND	2.87	--	3.503
cis-1,3-Dichloropropene	ND	0.070	--	ND	0.318	--	3.503
4-Methyl-2-pentanone	ND	1.75	--	ND	7.17	--	3.503
trans-1,3-Dichloropropene	ND	0.070	--	ND	0.318	--	3.503
1,1,2-Trichloroethane	ND	0.070	--	ND	0.382	--	3.503
Toluene	0.753	0.350	--	2.84	1.32	--	3.503
2-Hexanone	5.35	0.701	--	21.9	2.87	--	3.503
Dibromochloromethane	ND	0.070	--	ND	0.597	--	3.503
1,2-Dibromoethane	ND	0.070	--	ND	0.539	--	3.503
Tetrachloroethene	ND	0.070	--	ND	0.475	--	3.503
Chlorobenzene	ND	0.350	--	ND	1.61	--	3.503
Ethylbenzene	0.221	0.070	--	0.960	0.304	--	3.503



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-07 D	Date Collected:	10/03/23 16:10
Client ID:	SV-07	Date Received:	10/04/23
Sample Location:	VICTOR NY	Field Prep:	Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
p/m-Xylene	0.508	0.140	--	2.21	0.608	--		3.503
Bromoform	ND	0.070	--	ND	0.725	--		3.503
Styrene	0.165	0.070	--	0.703	0.298	--		3.503
1,1,2,2-Tetrachloroethane	ND	0.070	--	ND	0.481	--		3.503
o-Xylene	0.284	0.070	--	1.23	0.304	--		3.503
4-Ethyltoluene	ND	0.070	--	ND	0.345	--		3.503
1,3,5-Trimethylbenzene	ND	0.070	--	ND	0.345	--		3.503
1,2,4-Trimethylbenzene	ND	0.070	--	ND	0.345	--		3.503
Benzyl chloride	ND	0.350	--	ND	1.81	--		3.503
1,3-Dichlorobenzene	ND	0.070	--	ND	0.421	--		3.503
1,4-Dichlorobenzene	ND	0.070	--	ND	0.421	--		3.503
1,2-Dichlorobenzene	ND	0.070	--	ND	0.421	--		3.503
1,2,4-Trichlorobenzene	ND	0.175	--	ND	1.30	--		3.503
Hexachlorobutadiene	ND	0.175	--	ND	1.87	--		3.503

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	97		60-140
bromochloromethane	97		60-140
chlorobenzene-d5	100		60-140

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-10	Date Collected:	10/03/23 15:35
Client ID:	SV-10	Date Received:	10/04/23
Sample Location:	VICTOR NY	Field Prep:	Not Specified

Sample Depth:

Matrix: Soil_Vapor
 Analytical Method: 48,TO-15-SIM
 Analytical Date: 10/20/23 00:39
 Analyst: RAY

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
Dichlorodifluoromethane	0.325	0.200	--	1.61	0.989	--	1
Chloromethane	ND	0.200	--	ND	0.413	--	1
Freon-114	ND	0.050	--	ND	0.349	--	1
Vinyl chloride	ND	0.020	--	ND	0.051	--	1
1,3-Butadiene	ND	0.020	--	ND	0.044	--	1
Bromomethane	ND	0.020	--	ND	0.078	--	1
Chloroethane	ND	0.100	--	ND	0.264	--	1
Ethanol	ND	5.00	--	ND	9.42	--	1
Vinyl bromide	ND	0.200	--	ND	0.874	--	1
Acetone	12.4	1.00	--	29.5	2.38	--	1
Trichlorofluoromethane	0.290	0.050	--	1.63	0.281	--	1
Isopropanol	ND	0.500	--	ND	1.23	--	1
1,1-Dichloroethene	ND	0.020	--	ND	0.079	--	1
Tertiary butyl Alcohol	3.85	0.500	--	11.7	1.52	--	1
Methylene chloride	ND	0.500	--	ND	1.74	--	1
3-Chloropropene	ND	0.200	--	ND	0.626	--	1
Carbon disulfide	0.380	0.200	--	1.18	0.623	--	1
Freon-113	0.121	0.050	--	0.927	0.383	--	1
trans-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--	1
1,1-Dichloroethane	ND	0.020	--	ND	0.081	--	1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--	1
2-Butanone	35.2	0.500	--	104	1.47	--	1
cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--	1



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-10	Date Collected:	10/03/23 15:35
Client ID:	SV-10	Date Received:	10/04/23
Sample Location:	VICTOR NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
Ethyl Acetate	ND	0.500	--	ND	1.80	--	1
Chloroform	ND	0.020	--	ND	0.098	--	1
Tetrahydrofuran	ND	0.500	--	ND	1.47	--	1
1,2-Dichloroethane	ND	0.020	--	ND	0.081	--	1
n-Hexane	ND	0.200	--	ND	0.705	--	1
1,1,1-Trichloroethane	22.8	0.020	--	124	0.109	--	1
Carbon tetrachloride	0.022	0.020	--	0.138	0.126	--	1
Cyclohexane	ND	0.200	--	ND	0.688	--	1
1,2-Dichloropropane	ND	0.020	--	ND	0.092	--	1
Bromodichloromethane	ND	0.020	--	ND	0.134	--	1
1,4-Dioxane	ND	0.100	--	ND	0.360	--	1
Trichloroethene	0.098	0.020	--	0.527	0.107	--	1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--	1
Heptane	ND	0.200	--	ND	0.820	--	1
cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	1
trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	1
1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--	1
Toluene	ND	0.100	--	ND	0.377	--	1
2-Hexanone	1.82	0.200	--	7.46	0.820	--	1
Dibromochloromethane	ND	0.020	--	ND	0.170	--	1
1,2-Dibromoethane	ND	0.020	--	ND	0.154	--	1
Tetrachloroethene	ND	0.020	--	ND	0.136	--	1
Chlorobenzene	ND	0.100	--	ND	0.461	--	1
Ethylbenzene	ND	0.020	--	ND	0.087	--	1
p/m-Xylene	0.055	0.040	--	0.239	0.174	--	1



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-10	Date Collected:	10/03/23 15:35
Client ID:	SV-10	Date Received:	10/04/23
Sample Location:	VICTOR NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
Bromoform	ND	0.020	--	ND	0.207	--	1
Styrene	ND	0.020	--	ND	0.085	--	1
1,1,2,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--	1
o-Xylene	0.028	0.020	--	0.122	0.087	--	1
4-Ethyltoluene	ND	0.020	--	ND	0.098	--	1
1,3,5-Trimethylbenzene	ND	0.020	--	ND	0.098	--	1
1,2,4-Trimethylbenzene	0.044	0.020	--	0.216	0.098	--	1
Benzyl chloride	ND	0.100	--	ND	0.518	--	1
1,3-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1
1,4-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1
1,2-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1
1,2,4-Trichlorobenzene	ND	0.050	--	ND	0.371	--	1
Hexachlorobutadiene	ND	0.050	--	ND	0.533	--	1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	100		60-140
bromochloromethane	99		60-140
chlorobenzene-d5	102		60-140



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-10	Date Collected:	10/03/23 15:35
Client ID:	SV-10	Date Received:	10/04/23
Sample Location:	VICTOR NY	Field Prep:	Not Specified

Sample Depth:

Matrix: Soil_Vapor
Analytical Method: 48,TO-15-SIM
Analytical Date: 10/21/23 01:22
Analyst: JMB

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
Benzene	0.575	0.100	--	1.84	0.319	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	96		60-140
bromochloromethane	100		60-140
chlorobenzene-d5	99		60-140

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-11	D	Date Collected:	10/03/23 15:45
Client ID:	SV-11		Date Received:	10/04/23
Sample Location:	VICTOR NY		Field Prep:	Not Specified

Sample Depth:

Matrix: Soil_Vapor
Anaytical Method: 48,TO-15-SIM
Analytical Date: 10/20/23 01:38
Analyst: RAY

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	Results	RL	MDL	
Volatile Organics in Air by SIM - Mansfield Lab							
Dichlorodifluoromethane	ND	0.833	--	ND	4.12	--	4.167
Chloromethane	ND	0.833	--	ND	1.72	--	4.167
Freon-114	ND	0.208	--	ND	1.45	--	4.167
Vinyl chloride	ND	0.083	--	ND	0.213	--	4.167
1,3-Butadiene	ND	0.083	--	ND	0.184	--	4.167
Bromomethane	ND	0.083	--	ND	0.323	--	4.167
Chloroethane	ND	0.417	--	ND	1.10	--	4.167
Ethanol	ND	20.8	--	ND	39.2	--	4.167
Vinyl bromide	ND	0.833	--	ND	3.64	--	4.167
Acetone	73.6	4.17	--	175	9.91	--	4.167
Trichlorofluoromethane	0.275	0.208	--	1.55	1.17	--	4.167
Isopropanol	ND	2.08	--	ND	5.11	--	4.167
1,1-Dichloroethene	0.146	0.083	--	0.579	0.330	--	4.167
Tertiary butyl Alcohol	ND	2.08	--	ND	6.31	--	4.167
Methylene chloride	ND	2.08	--	ND	7.23	--	4.167
3-Chloropropene	ND	0.833	--	ND	2.61	--	4.167
Carbon disulfide	ND	0.833	--	ND	2.59	--	4.167
Freon-113	1.65	0.208	--	12.6	1.59	--	4.167
trans-1,2-Dichloroethene	ND	0.083	--	ND	0.330	--	4.167
1,1-Dichloroethane	ND	0.083	--	ND	0.337	--	4.167
Methyl tert butyl ether	ND	0.833	--	ND	3.00	--	4.167
2-Butanone	12.0	2.08	--	35.4	6.13	--	4.167
cis-1,2-Dichloroethene	ND	0.083	--	ND	0.330	--	4.167



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-11	D	Date Collected:	10/03/23 15:45
Client ID:	SV-11		Date Received:	10/04/23
Sample Location:	VICTOR NY		Field Prep:	Not Specified

Sample Depth:

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
Ethyl Acetate	ND	2.08	--	ND	7.50	--	4.167
Chloroform	0.096	0.083	--	0.468	0.407	--	4.167
Tetrahydrofuran	ND	2.08	--	ND	6.13	--	4.167
1,2-Dichloroethane	ND	0.083	--	ND	0.337	--	4.167
n-Hexane	ND	0.833	--	ND	2.94	--	4.167
1,1,1-Trichloroethane	170	0.083	--	928	0.454	--	4.167
Carbon tetrachloride	0.088	0.083	--	0.550	0.524	--	4.167
Cyclohexane	ND	0.833	--	ND	2.87	--	4.167
1,2-Dichloropropane	ND	0.083	--	ND	0.385	--	4.167
Bromodichloromethane	ND	0.083	--	ND	0.558	--	4.167
1,4-Dioxane	ND	0.417	--	ND	1.50	--	4.167
Trichloroethylene	0.125	0.083	--	0.672	0.448	--	4.167
2,2,4-Trimethylpentane	ND	0.833	--	ND	3.89	--	4.167
Heptane	ND	0.833	--	ND	3.41	--	4.167
cis-1,3-Dichloropropene	ND	0.083	--	ND	0.378	--	4.167
4-Methyl-2-pentanone	ND	2.08	--	ND	8.52	--	4.167
trans-1,3-Dichloropropene	ND	0.083	--	ND	0.378	--	4.167
1,1,2-Trichloroethane	ND	0.083	--	ND	0.454	--	4.167
Toluene	ND	0.417	--	ND	1.57	--	4.167
2-Hexanone	1.48	0.833	--	6.07	3.41	--	4.167
Dibromochloromethane	ND	0.083	--	ND	0.710	--	4.167
1,2-Dibromoethane	ND	0.083	--	ND	0.640	--	4.167
Tetrachloroethylene	ND	0.083	--	ND	0.565	--	4.167
Chlorobenzene	ND	0.417	--	ND	1.92	--	4.167
Ethylbenzene	0.092	0.083	--	0.398	0.362	--	4.167
p/m-Xylene	0.417	0.167	--	1.81	0.725	--	4.167



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID: L2358506-11 D Date Collected: 10/03/23 15:45
Client ID: SV-11 Date Received: 10/04/23
Sample Location: VICTOR NY Field Prep: Not Specified

Sample Depth:

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
Bromoform	ND	0.083	--	ND	0.861	--	4.167
Styrene	ND	0.083	--	ND	0.355	--	4.167
1,1,2,2-Tetrachloroethane	ND	0.083	--	ND	0.572	--	4.167
o-Xylene	0.183	0.083	--	0.795	0.362	--	4.167
4-Ethyltoluene	ND	0.083	--	ND	0.410	--	4.167
1,3,5-Trimethylbenzene	0.112	0.083	--	0.551	0.410	--	4.167
1,2,4-Trimethylbenzene	0.521	0.083	--	2.56	0.410	--	4.167
Benzyl chloride	ND	0.417	--	ND	2.16	--	4.167
1,3-Dichlorobenzene	ND	0.083	--	ND	0.501	--	4.167
1,4-Dichlorobenzene	ND	0.083	--	ND	0.501	--	4.167
1,2-Dichlorobenzene	ND	0.083	--	ND	0.501	--	4.167
1,2,4-Trichlorobenzene	ND	0.208	--	ND	1.54	--	4.167
Hexachlorobutadiene	ND	0.208	--	ND	2.22	--	4.167

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	97		60-140
bromochloromethane	97		60-140
chlorobenzene-d5	99		60-140



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID: L2358506-11 D
Client ID: SV-11
Sample Location: VICTOR NY

Date Collected: 10/03/23 15:45
Date Received: 10/04/23
Field Prep: Not Specified

Sample Depth:
Matrix: Soil_Vapor
Anaytical Method: 48,TO-15-SIM
Analytical Date: 10/21/23 01:58
Analyst: JMB

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
Benzene	0.521	0.417	--	1.66	1.33	--		4.167

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	95		60-140
bromochloromethane	100		60-140
chlorobenzene-d5	95		60-140

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-13	D	Date Collected:	10/03/23 19:00
Client ID:	SV-13		Date Received:	10/04/23
Sample Location:	VICTOR NY		Field Prep:	Not Specified

Sample Depth:

Matrix: Soil_Vapor
 Analytical Method: 48,TO-15-SIM
 Analytical Date: 10/20/23 02:12
 Analyst: RAY

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	Results	RL	MDL	
Volatile Organics in Air by SIM - Mansfield Lab							
Dichlorodifluoromethane	0.382	0.303	--	1.89	1.50	--	1.515
Chloromethane	ND	0.303	--	ND	0.626	--	1.515
Freon-114	ND	0.076	--	ND	0.530	--	1.515
Vinyl chloride	ND	0.030	--	ND	0.078	--	1.515
1,3-Butadiene	ND	0.030	--	ND	0.067	--	1.515
Bromomethane	ND	0.030	--	ND	0.118	--	1.515
Chloroethane	ND	0.152	--	ND	0.401	--	1.515
Ethanol	72.9	7.58	--	137	14.3	--	1.515
Vinyl bromide	ND	0.303	--	ND	1.32	--	1.515
Acetone	65.7	1.52	--	156	3.61	--	1.515
Trichlorofluoromethane	0.289	0.076	--	1.62	0.426	--	1.515
Isopropanol	1.15	0.758	--	2.83	1.86	--	1.515
1,1-Dichloroethene	0.192	0.030	--	0.761	0.120	--	1.515
Tertiary butyl Alcohol	9.84	0.758	--	29.8	2.30	--	1.515
Methylene chloride	ND	0.758	--	ND	2.63	--	1.515
3-Chloropropene	ND	0.303	--	ND	0.948	--	1.515
Carbon disulfide	0.417	0.303	--	1.30	0.944	--	1.515
Freon-113	0.099	0.076	--	0.755	0.581	--	1.515
trans-1,2-Dichloroethene	ND	0.030	--	ND	0.120	--	1.515
1,1-Dichloroethane	ND	0.030	--	ND	0.123	--	1.515
Methyl tert butyl ether	ND	0.303	--	ND	1.09	--	1.515
2-Butanone	134	0.758	--	395	2.24	--	E 1.515
cis-1,2-Dichloroethene	ND	0.030	--	ND	0.120	--	1.515



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-13 D	Date Collected:	10/03/23 19:00
Client ID:	SV-13	Date Received:	10/04/23
Sample Location:	VICTOR NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
Ethyl Acetate	ND	0.758	--	ND	2.73	--	1.515
Chloroform	0.306	0.030	--	1.49	0.148	--	1.515
Tetrahydrofuran	ND	0.758	--	ND	2.24	--	1.515
1,2-Dichloroethane	ND	0.030	--	ND	0.123	--	1.515
n-Hexane	1.41	0.303	--	4.97	1.07	--	1.515
1,1,1-Trichloroethane	12.0	0.030	--	65.5	0.165	--	1.515
Carbon tetrachloride	0.045	0.030	--	0.286	0.191	--	1.515
Cyclohexane	ND	0.303	--	ND	1.04	--	1.515
1,2-Dichloropropane	ND	0.030	--	ND	0.140	--	1.515
Bromodichloromethane	ND	0.030	--	ND	0.203	--	1.515
1,4-Dioxane	ND	0.152	--	ND	0.548	--	1.515
Trichloroethylene	3.42	0.030	--	18.4	0.163	--	1.515
2,2,4-Trimethylpentane	ND	0.303	--	ND	1.42	--	1.515
Heptane	1.01	0.303	--	4.14	1.24	--	1.515
cis-1,3-Dichloropropene	ND	0.030	--	ND	0.138	--	1.515
4-Methyl-2-pentanone	ND	0.758	--	ND	3.11	--	1.515
trans-1,3-Dichloropropene	ND	0.030	--	ND	0.138	--	1.515
1,1,2-Trichloroethane	ND	0.030	--	ND	0.165	--	1.515
Toluene	0.433	0.152	--	1.63	0.573	--	1.515
2-Hexanone	13.8	0.303	--	56.6	1.24	--	1.515
Dibromochloromethane	ND	0.030	--	ND	0.258	--	1.515
1,2-Dibromoethane	ND	0.030	--	ND	0.233	--	1.515
Tetrachloroethylene	0.038	0.030	--	0.257	0.205	--	1.515
Chlorobenzene	ND	0.152	--	ND	0.700	--	1.515
Ethylbenzene	0.080	0.030	--	0.349	0.132	--	1.515
p/m-Xylene	0.232	0.061	--	1.01	0.263	--	1.515



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID: L2358506-13 D Date Collected: 10/03/23 19:00
Client ID: SV-13 Date Received: 10/04/23
Sample Location: VICTOR NY Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
Bromoform	ND	0.030	--	ND	0.313	--		1.515
Styrene	0.045	0.030	--	0.193	0.129	--		1.515
1,1,2,2-Tetrachloroethane	ND	0.030	--	ND	0.208	--		1.515
o-Xylene	0.110	0.030	--	0.478	0.132	--		1.515
4-Ethyltoluene	ND	0.030	--	ND	0.149	--		1.515
1,3,5-Trimethylbenzene	0.039	0.030	--	0.194	0.149	--		1.515
1,2,4-Trimethylbenzene	0.138	0.030	--	0.678	0.149	--		1.515
Benzyl chloride	ND	0.152	--	ND	0.787	--		1.515
1,3-Dichlorobenzene	ND	0.030	--	ND	0.182	--		1.515
1,4-Dichlorobenzene	ND	0.030	--	ND	0.182	--		1.515
1,2-Dichlorobenzene	ND	0.030	--	ND	0.182	--		1.515
1,2,4-Trichlorobenzene	ND	0.076	--	ND	0.563	--		1.515
Hexachlorobutadiene	ND	0.076	--	ND	0.809	--		1.515

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	98		60-140
bromochloromethane	97		60-140
chlorobenzene-d5	102		60-140



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-13 D	Date Collected:	10/03/23 19:00
Client ID:	SV-13	Date Received:	10/04/23
Sample Location:	VICTOR NY	Field Prep:	Not Specified

Sample Depth:

Matrix: Soil_Vapor
Analytical Method: 48,TO-15-SIM
Analytical Date: 10/21/23 02:37
Analyst: JMB

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
Benzene	0.214	0.152	--	0.684	0.486	--		1.515

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	97		60-140
bromochloromethane	100		60-140
chlorobenzene-d5	97		60-140

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID: L2358506-13 D2
Client ID: SV-13
Sample Location: VICTOR NY

Date Collected: 10/03/23 19:00
Date Received: 10/04/23
Field Prep: Not Specified

Sample Depth:

Matrix: Soil_Vapor
Anaytical Method: 48,TO-15-SIM
Analytical Date: 10/20/23 07:53
Analyst: RAY

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
2-Butanone	144	3.79	--	425	11.2	--		7.576

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	100		60-140
bromochloromethane	100		60-140
chlorobenzene-d5	101		60-140

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-14 D	Date Collected:	10/03/23 16:00
Client ID:	DUP100323A	Date Received:	10/04/23
Sample Location:	VICTOR NY	Field Prep:	Not Specified

Sample Depth:

Matrix: Soil_Vapor
Analytical Method: 48,TO-15-SIM
Analytical Date: 10/20/23 08:22
Analyst: RAY

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
Dichlorodifluoromethane	0.475	0.312	--	2.35	1.54	--	1.563
Chloromethane	ND	0.312	--	ND	0.644	--	1.563
Freon-114	ND	0.078	--	ND	0.546	--	1.563
Vinyl chloride	ND	0.031	--	ND	0.080	--	1.563
1,3-Butadiene	ND	0.031	--	ND	0.069	--	1.563
Bromomethane	ND	0.031	--	ND	0.121	--	1.563
Chloroethane	ND	0.156	--	ND	0.412	--	1.563
Ethanol	9.36	7.81	--	17.6	14.7	--	1.563
Vinyl bromide	ND	0.312	--	ND	1.36	--	1.563
Acetone	21.0	1.56	--	49.9	3.71	--	1.563
Trichlorofluoromethane	0.248	0.078	--	1.39	0.439	--	1.563
Isopropanol	ND	0.781	--	ND	1.92	--	1.563
1,1-Dichloroethene	7.02	0.031	--	27.8	0.124	--	1.563
Tertiary butyl Alcohol	4.44	0.781	--	13.5	2.37	--	1.563
Methylene chloride	1.29	0.781	--	4.48	2.71	--	1.563
3-Chloropropene	ND	0.312	--	ND	0.977	--	1.563
Carbon disulfide	2.03	0.312	--	6.32	0.972	--	1.563
Freon-113	0.347	0.078	--	2.66	0.599	--	1.563
trans-1,2-Dichloroethene	ND	0.031	--	ND	0.124	--	1.563
1,1-Dichloroethane	ND	0.031	--	ND	0.126	--	1.563
Methyl tert butyl ether	ND	0.312	--	ND	1.12	--	1.563
2-Butanone	55.5	0.781	--	164	2.30	--	1.563
cis-1,2-Dichloroethene	ND	0.031	--	ND	0.124	--	1.563



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-14 D	Date Collected:	10/03/23 16:00
Client ID:	DUP100323A	Date Received:	10/04/23
Sample Location:	VICTOR NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
Ethyl Acetate	ND	0.781	--	ND	2.81	--	1.563
Chloroform	0.095	0.031	--	0.465	0.152	--	1.563
Tetrahydrofuran	ND	0.781	--	ND	2.30	--	1.563
1,2-Dichloroethane	ND	0.031	--	ND	0.126	--	1.563
n-Hexane	0.553	0.312	--	1.95	1.10	--	1.563
1,1,1-Trichloroethane	42.0	0.031	--	229	0.170	--	1.563
Carbon tetrachloride	0.123	0.031	--	0.774	0.196	--	1.563
Cyclohexane	ND	0.312	--	ND	1.07	--	1.563
1,2-Dichloropropane	ND	0.031	--	ND	0.144	--	1.563
Bromodichloromethane	ND	0.031	--	ND	0.209	--	1.563
1,4-Dioxane	ND	0.156	--	ND	0.562	--	1.563
Trichloroethylene	1.15	0.031	--	6.18	0.168	--	1.563
2,2,4-Trimethylpentane	ND	0.312	--	ND	1.46	--	1.563
Heptane	ND	0.312	--	ND	1.28	--	1.563
cis-1,3-Dichloropropene	ND	0.031	--	ND	0.142	--	1.563
4-Methyl-2-pentanone	ND	0.781	--	ND	3.20	--	1.563
trans-1,3-Dichloropropene	ND	0.031	--	ND	0.142	--	1.563
1,1,2-Trichloroethane	ND	0.031	--	ND	0.170	--	1.563
Toluene	0.340	0.156	--	1.28	0.588	--	1.563
2-Hexanone	3.12	0.312	--	12.8	1.28	--	1.563
Dibromochloromethane	ND	0.031	--	ND	0.266	--	1.563
1,2-Dibromoethane	ND	0.031	--	ND	0.240	--	1.563
Tetrachloroethylene	ND	0.031	--	ND	0.212	--	1.563
Chlorobenzene	ND	0.156	--	ND	0.718	--	1.563
Ethylbenzene	0.089	0.031	--	0.387	0.136	--	1.563
p/m-Xylene	0.356	0.063	--	1.55	0.271	--	1.563



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID: L2358506-14 D Date Collected: 10/03/23 16:00
Client ID: DUP100323A Date Received: 10/04/23
Sample Location: VICTOR NY Field Prep: Not Specified

Sample Depth:

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
Bromoform	ND	0.031	--	ND	0.323	--	1.563
Styrene	0.033	0.031	--	0.140	0.133	--	1.563
1,1,2,2-Tetrachloroethane	ND	0.031	--	ND	0.214	--	1.563
o-Xylene	0.147	0.031	--	0.639	0.136	--	1.563
4-Ethyltoluene	0.052	0.031	--	0.253	0.153	--	1.563
1,3,5-Trimethylbenzene	0.083	0.031	--	0.407	0.153	--	1.563
1,2,4-Trimethylbenzene	0.372	0.031	--	1.83	0.153	--	1.563
Benzyl chloride	ND	0.156	--	ND	0.808	--	1.563
1,3-Dichlorobenzene	ND	0.031	--	ND	0.188	--	1.563
1,4-Dichlorobenzene	ND	0.031	--	ND	0.188	--	1.563
1,2-Dichlorobenzene	ND	0.031	--	ND	0.188	--	1.563
1,2,4-Trichlorobenzene	ND	0.078	--	ND	0.580	--	1.563
Hexachlorobutadiene	ND	0.078	--	ND	0.833	--	1.563

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	101		60-140
bromochloromethane	100		60-140
chlorobenzene-d5	103		60-140



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID: L2358506-14 D
Client ID: DUP100323A
Sample Location: VICTOR NY

Date Collected: 10/03/23 16:00
Date Received: 10/04/23
Field Prep: Not Specified

Sample Depth:
Matrix: Soil_Vapor
Anaytical Method: 48,TO-15-SIM
Analytical Date: 10/21/23 03:15
Analyst: JMB

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
Benzene	0.518	0.156	--	1.65	0.498	--		1.563

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	99		60-140
bromochloromethane	102		60-140
chlorobenzene-d5	99		60-140

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-15	Date Collected:	10/03/23 18:00
Client ID:	DUP100323B	Date Received:	10/04/23
Sample Location:	VICTOR NY	Field Prep:	Not Specified

Sample Depth:
Matrix: Soil_Vapor
Anaytical Method: 48,TO-15-SIM
Analytical Date: 10/20/23 03:18
Analyst: RAY

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
Dichlorodifluoromethane	0.378	0.200	--	1.87	0.989	--	1
Chloromethane	ND	0.200	--	ND	0.413	--	1
Freon-114	ND	0.050	--	ND	0.349	--	1
Vinyl chloride	ND	0.020	--	ND	0.051	--	1
1,3-Butadiene	ND	0.020	--	ND	0.044	--	1
Bromomethane	ND	0.020	--	ND	0.078	--	1
Chloroethane	ND	0.100	--	ND	0.264	--	1
Ethanol	8.45	5.00	--	15.9	9.42	--	1
Vinyl bromide	ND	0.200	--	ND	0.874	--	1
Acetone	74.2	1.00	--	176	2.38	--	1
Trichlorofluoromethane	0.272	0.050	--	1.53	0.281	--	1
Isopropanol	ND	0.500	--	ND	1.23	--	1
1,1-Dichloroethene	0.124	0.020	--	0.492	0.079	--	1
Tertiary butyl Alcohol	0.698	0.500	--	2.12	1.52	--	1
Methylene chloride	ND	0.500	--	ND	1.74	--	1
3-Chloropropene	ND	0.200	--	ND	0.626	--	1
Carbon disulfide	0.315	0.200	--	0.981	0.623	--	1
Freon-113	2.08	0.050	--	15.9	0.383	--	1
trans-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--	1
1,1-Dichloroethane	ND	0.020	--	ND	0.081	--	1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--	1
2-Butanone	13.9	0.500	--	41.0	1.47	--	1
cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--	1



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-15	Date Collected:	10/03/23 18:00
Client ID:	DUP100323B	Date Received:	10/04/23
Sample Location:	VICTOR NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	Results	RL		
Volatile Organics in Air by SIM - Mansfield Lab							
Ethyl Acetate	ND	0.500	--	ND	1.80	--	1
Chloroform	0.079	0.020	--	0.386	0.098	--	1
Tetrahydrofuran	0.978	0.500	--	2.88	1.47	--	1
1,2-Dichloroethane	ND	0.020	--	ND	0.081	--	1
n-Hexane	ND	0.200	--	ND	0.705	--	1
1,1,1-Trichloroethane	134	0.020	--	731	0.109	--	E 1
Carbon tetrachloride	0.075	0.020	--	0.472	0.126	--	1
Cyclohexane	ND	0.200	--	ND	0.688	--	1
1,2-Dichloropropane	ND	0.020	--	ND	0.092	--	1
Bromodichloromethane	ND	0.020	--	ND	0.134	--	1
1,4-Dioxane	ND	0.100	--	ND	0.360	--	1
Trichloroethene	0.138	0.020	--	0.742	0.107	--	1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--	1
Heptane	ND	0.200	--	ND	0.820	--	1
cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	1
trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	1
1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--	1
Toluene	0.375	0.100	--	1.41	0.377	--	1
2-Hexanone	1.87	0.200	--	7.66	0.820	--	1
Dibromochloromethane	ND	0.020	--	ND	0.170	--	1
1,2-Dibromoethane	ND	0.020	--	ND	0.154	--	1
Tetrachloroethene	0.357	0.020	--	2.42	0.136	--	1
Chlorobenzene	ND	0.100	--	ND	0.461	--	1
Ethylbenzene	0.139	0.020	--	0.604	0.087	--	1
p/m-Xylene	0.605	0.040	--	2.63	0.174	--	1



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-15	Date Collected:	10/03/23 18:00
Client ID:	DUP100323B	Date Received:	10/04/23
Sample Location:	VICTOR NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
Bromoform	ND	0.020	--	ND	0.207	--	1
Styrene	0.054	0.020	--	0.230	0.085	--	1
1,1,2,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--	1
o-Xylene	0.270	0.020	--	1.17	0.087	--	1
4-Ethyltoluene	0.087	0.020	--	0.428	0.098	--	1
1,3,5-Trimethylbenzene	0.169	0.020	--	0.831	0.098	--	1
1,2,4-Trimethylbenzene	0.772	0.020	--	3.80	0.098	--	1
Benzyl chloride	ND	0.100	--	ND	0.518	--	1
1,3-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1
1,4-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1
1,2-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1
1,2,4-Trichlorobenzene	ND	0.050	--	ND	0.371	--	1
Hexachlorobutadiene	ND	0.050	--	ND	0.533	--	1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	98		60-140
bromochloromethane	97		60-140
chlorobenzene-d5	99		60-140

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID:	L2358506-15	Date Collected:	10/03/23 18:00
Client ID:	DUP100323B	Date Received:	10/04/23
Sample Location:	VICTOR NY	Field Prep:	Not Specified

Sample Depth:
Matrix: Soil_Vapor
Anaytical Method: 48,TO-15-SIM
Analytical Date: 10/21/23 03:57
Analyst: JMB

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
Benzene	4.87	0.100	--	15.6	0.319	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	96		60-140
bromochloromethane	100		60-140
chlorobenzene-d5	95		60-140

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

SAMPLE RESULTS

Lab ID: L2358506-15 D
Client ID: DUP100323B
Sample Location: VICTOR NY

Date Collected: 10/03/23 18:00
Date Received: 10/04/23
Field Prep: Not Specified

Sample Depth:
Matrix: Soil_Vapor
Anaytical Method: 48,TO-15-SIM
Analytical Date: 10/20/23 08:50
Analyst: RAY

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
1,1,1-Trichloroethane	161	0.200	--	878	1.09	--		10

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	99		60-140
bromochloromethane	99		60-140
chlorobenzene-d5	100		60-140

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15-SIM
Analytical Date: 10/19/23 18:53

Parameter	ppbV			ug/m3			Dilution Factor
	Results	RL	MDL	Results	RL	MDL	Qualifier
Volatile Organics in Air by SIM - Mansfield Lab for sample(s): 01-07,10-11,13-15 Batch: WG1841988-4							
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--	1
Chloromethane	ND	0.200	--	ND	0.413	--	1
Freon-114	ND	0.050	--	ND	0.349	--	1
Vinyl chloride	ND	0.020	--	ND	0.051	--	1
1,3-Butadiene	ND	0.020	--	ND	0.044	--	1
Bromomethane	ND	0.020	--	ND	0.078	--	1
Chloroethane	ND	0.100	--	ND	0.264	--	1
Ethanol	ND	5.00	--	ND	9.42	--	1
Vinyl bromide	ND	0.200	--	ND	0.874	--	1
Acetone	ND	1.00	--	ND	2.38	--	1
Trichlorofluoromethane	ND	0.050	--	ND	0.281	--	1
Isopropanol	ND	0.500	--	ND	1.23	--	1
1,1-Dichloroethene	ND	0.020	--	ND	0.079	--	1
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--	1
Methylene chloride	ND	0.500	--	ND	1.74	--	1
3-Chloropropene	ND	0.200	--	ND	0.626	--	1
Carbon disulfide	ND	0.200	--	ND	0.623	--	1
Freon-113	ND	0.050	--	ND	0.383	--	1
trans-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--	1
1,1-Dichloroethane	ND	0.020	--	ND	0.081	--	1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--	1
2-Butanone	ND	0.500	--	ND	1.47	--	1
cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--	1
Ethyl Acetate	ND	0.500	--	ND	1.80	--	1
Chloroform	ND	0.020	--	ND	0.098	--	1



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15-SIM
Analytical Date: 10/19/23 18:53

Parameter	ppbV			ug/m3			Dilution Factor
	Results	RL	MDL	Results	RL	MDL	Qualifier
Volatile Organics in Air by SIM - Mansfield Lab for sample(s): 01-07,10-11,13-15 Batch: WG1841988-4							
Tetrahydrofuran	ND	0.500	--	ND	1.47	--	1
1,2-Dichloroethane	ND	0.020	--	ND	0.081	--	1
n-Hexane	ND	0.200	--	ND	0.705	--	1
1,1,1-Trichloroethane	ND	0.020	--	ND	0.109	--	1
Benzene	0.100	0.100	--	0.319	0.319	--	1
Carbon tetrachloride	ND	0.020	--	ND	0.126	--	1
Cyclohexane	ND	0.200	--	ND	0.688	--	1
1,2-Dichloropropane	ND	0.020	--	ND	0.092	--	1
Bromodichloromethane	ND	0.020	--	ND	0.134	--	1
1,4-Dioxane	ND	0.100	--	ND	0.360	--	1
Trichloroethene	ND	0.020	--	ND	0.107	--	1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--	1
Heptane	ND	0.200	--	ND	0.820	--	1
cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	1
trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	1
1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--	1
Toluene	ND	0.100	--	ND	0.377	--	1
2-Hexanone	ND	0.200	--	ND	0.820	--	1
Dibromochloromethane	ND	0.020	--	ND	0.170	--	1
1,2-Dibromoethane	ND	0.020	--	ND	0.154	--	1
Tetrachloroethene	ND	0.020	--	ND	0.136	--	1
Chlorobenzene	ND	0.100	--	ND	0.461	--	1
Ethylbenzene	ND	0.020	--	ND	0.087	--	1
p/m-Xylene	ND	0.040	--	ND	0.174	--	1



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15-SIM
Analytical Date: 10/19/23 18:53

Parameter	ppbV			ug/m3			Dilution Factor
	Results	RL	MDL	Results	RL	MDL	Qualifier
Volatile Organics in Air by SIM - Mansfield Lab for sample(s): 01-07,10-11,13-15 Batch: WG1841988-4							
Bromoform	ND	0.020	--	ND	0.207	--	1
Styrene	ND	0.020	--	ND	0.085	--	1
1,1,2,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--	1
o-Xylene	ND	0.020	--	ND	0.087	--	1
4-Ethyltoluene	ND	0.020	--	ND	0.098	--	1
1,3,5-Trimethylbenzene	ND	0.020	--	ND	0.098	--	1
1,2,4-Trimethylbenzene	ND	0.020	--	ND	0.098	--	1
Benzyl chloride	ND	0.100	--	ND	0.518	--	1
1,3-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1
1,4-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1
1,2-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1
1,2,4-Trichlorobenzene	ND	0.050	--	ND	0.371	--	1
Hexachlorobutadiene	ND	0.050	--	ND	0.533	--	1



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15-SIM
Analytical Date: 10/20/23 18:52

Parameter	ppbV			ug/m3			Dilution Factor
	Results	RL	MDL	Results	RL	MDL	Qualifier
Volatile Organics in Air by SIM - Mansfield Lab for sample(s): 01-03,10-11,13-15 Batch: WG1842585-4							
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--	1
Chloromethane	ND	0.200	--	ND	0.413	--	1
Freon-114	ND	0.050	--	ND	0.349	--	1
Vinyl chloride	ND	0.020	--	ND	0.051	--	1
1,3-Butadiene	ND	0.020	--	ND	0.044	--	1
Bromomethane	ND	0.020	--	ND	0.078	--	1
Chloroethane	ND	0.100	--	ND	0.264	--	1
Ethanol	ND	5.00	--	ND	9.42	--	1
Vinyl bromide	ND	0.200	--	ND	0.874	--	1
Acetone	ND	1.00	--	ND	2.38	--	1
Trichlorofluoromethane	ND	0.050	--	ND	0.281	--	1
Isopropanol	ND	0.500	--	ND	1.23	--	1
1,1-Dichloroethene	ND	0.020	--	ND	0.079	--	1
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--	1
Methylene chloride	ND	0.500	--	ND	1.74	--	1
3-Chloropropene	ND	0.200	--	ND	0.626	--	1
Carbon disulfide	ND	0.200	--	ND	0.623	--	1
Freon-113	ND	0.050	--	ND	0.383	--	1
trans-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--	1
1,1-Dichloroethane	ND	0.020	--	ND	0.081	--	1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--	1
2-Butanone	ND	0.500	--	ND	1.47	--	1
cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--	1
Ethyl Acetate	ND	0.500	--	ND	1.80	--	1
Chloroform	ND	0.020	--	ND	0.098	--	1



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15-SIM
Analytical Date: 10/20/23 18:52

Parameter	ppbV			ug/m3			Dilution Factor
	Results	RL	MDL	Results	RL	MDL	Qualifier
Volatile Organics in Air by SIM - Mansfield Lab for sample(s): 01-03,10-11,13-15 Batch: WG1842585-4							
Tetrahydrofuran	ND	0.500	--	ND	1.47	--	1
1,2-Dichloroethane	ND	0.020	--	ND	0.081	--	1
n-Hexane	ND	0.200	--	ND	0.705	--	1
1,1,1-Trichloroethane	ND	0.020	--	ND	0.109	--	1
Benzene	ND	0.100	--	ND	0.319	--	1
Carbon tetrachloride	ND	0.020	--	ND	0.126	--	1
Cyclohexane	ND	0.200	--	ND	0.688	--	1
1,2-Dichloropropane	ND	0.020	--	ND	0.092	--	1
Bromodichloromethane	ND	0.020	--	ND	0.134	--	1
1,4-Dioxane	ND	0.100	--	ND	0.360	--	1
Trichloroethene	ND	0.020	--	ND	0.107	--	1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--	1
Heptane	ND	0.200	--	ND	0.820	--	1
cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	1
trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	1
1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--	1
Toluene	ND	0.100	--	ND	0.377	--	1
2-Hexanone	ND	0.200	--	ND	0.820	--	1
Dibromochloromethane	ND	0.020	--	ND	0.170	--	1
1,2-Dibromoethane	ND	0.020	--	ND	0.154	--	1
Tetrachloroethene	ND	0.020	--	ND	0.136	--	1
Chlorobenzene	ND	0.100	--	ND	0.461	--	1
Ethylbenzene	ND	0.020	--	ND	0.087	--	1
p/m-Xylene	ND	0.040	--	ND	0.174	--	1



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15-SIM
Analytical Date: 10/20/23 18:52

Parameter	ppbV			ug/m3			Dilution Factor
	Results	RL	MDL	Results	RL	MDL	Qualifier
Volatile Organics in Air by SIM - Mansfield Lab for sample(s): 01-03,10-11,13-15 Batch: WG1842585-4							
Bromoform	ND	0.020	--	ND	0.207	--	1
Styrene	ND	0.020	--	ND	0.085	--	1
1,1,2,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--	1
o-Xylene	ND	0.020	--	ND	0.087	--	1
4-Ethyltoluene	ND	0.020	--	ND	0.098	--	1
1,3,5-Trimethylbenzene	ND	0.020	--	ND	0.098	--	1
1,2,4-Trimethylbenzene	ND	0.020	--	ND	0.098	--	1
Benzyl chloride	ND	0.100	--	ND	0.518	--	1
1,3-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1
1,4-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1
1,2-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1
1,2,4-Trichlorobenzene	ND	0.050	--	ND	0.371	--	1
Hexachlorobutadiene	ND	0.050	--	ND	0.533	--	1



Lab Control Sample Analysis

Batch Quality Control

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air by SIM - Mansfield Lab Associated sample(s): 01-07,10-11,13-15 Batch: WG1841988-3								
Dichlorodifluoromethane	97		-		70-130	-		25
Chloromethane	86		-		70-130	-		25
Freon-114	90		-		70-130	-		25
Vinyl chloride	87		-		70-130	-		25
1,3-Butadiene	96		-		70-130	-		25
Bromomethane	96		-		70-130	-		25
Chloroethane	90		-		70-130	-		25
Ethanol	100		-		40-160	-		25
Vinyl bromide	102		-		70-130	-		25
Acetone	93		-		40-160	-		25
Trichlorofluoromethane	108		-		70-130	-		25
Isopropanol	89		-		40-160	-		25
1,1-Dichloroethene	99		-		70-130	-		25
Tertiary butyl Alcohol ¹	95		-		70-130	-		25
Methylene chloride	90		-		70-130	-		25
3-Chloropropene	90		-		70-130	-		25
Carbon disulfide	71		-		70-130	-		25
Freon-113	83		-		70-130	-		25
trans-1,2-Dichloroethene	81		-		70-130	-		25
1,1-Dichloroethane	88		-		70-130	-		25
Methyl tert butyl ether	91		-		70-130	-		25
2-Butanone	83		-		70-130	-		25
cis-1,2-Dichloroethene	88		-		70-130	-		25

Lab Control Sample Analysis

Batch Quality Control

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air by SIM - Mansfield Lab Associated sample(s): 01-07,10-11,13-15 Batch: WG1841988-3								
Ethyl Acetate	83		-		70-130	-		25
Chloroform	92		-		70-130	-		25
Tetrahydrofuran	85		-		70-130	-		25
1,2-Dichloroethane	110		-		70-130	-		25
n-Hexane	92		-		70-130	-		25
1,1,1-Trichloroethane	128		-		70-130	-		25
Benzene	89		-		70-130	-		25
Carbon tetrachloride	125		-		70-130	-		25
Cyclohexane	94		-		70-130	-		25
1,2-Dichloropropane	93		-		70-130	-		25
Bromodichloromethane	105		-		70-130	-		25
1,4-Dioxane	94		-		70-130	-		25
Trichloroethene	92		-		70-130	-		25
2,2,4-Trimethylpentane	93		-		70-130	-		25
cis-1,3-Dichloropropene	105		-		70-130	-		25
4-Methyl-2-pentanone	109		-		70-130	-		25
trans-1,3-Dichloropropene	98		-		70-130	-		25
1,1,2-Trichloroethane	97		-		70-130	-		25
Toluene	79		-		70-130	-		25
2-Hexanone	87		-		70-130	-		25
Dibromochloromethane	91		-		70-130	-		25
1,2-Dibromoethane	79		-		70-130	-		25
Tetrachloroethene	74		-		70-130	-		25

Lab Control Sample Analysis

Batch Quality Control

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air by SIM - Mansfield Lab Associated sample(s): 01-07,10-11,13-15 Batch: WG1841988-3								
Chlorobenzene	78		-		70-130	-		25
Ethylbenzene	84		-		70-130	-		25
p/m-Xylene	88		-		70-130	-		25
Bromoform	84		-		70-130	-		25
Styrene	82		-		70-130	-		25
1,1,2,2-Tetrachloroethane	81		-		70-130	-		25
o-Xylene	89		-		70-130	-		25
4-Ethyltoluene	83		-		70-130	-		25
1,3,5-Trimethylbenzene	90		-		70-130	-		25
1,2,4-Trimethylbenzene	93		-		70-130	-		25
Benzyl chloride	92		-		70-130	-		25
1,3-Dichlorobenzene	82		-		70-130	-		25
1,4-Dichlorobenzene	82		-		70-130	-		25
1,2-Dichlorobenzene	81		-		70-130	-		25
1,2,4-Trichlorobenzene	82		-		70-130	-		25
Hexachlorobutadiene	84		-		70-130	-		25

Lab Control Sample Analysis

Batch Quality Control

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air by SIM - Mansfield Lab Associated sample(s): 01-03,10-11,13-15 Batch: WG1842585-3								
Dichlorodifluoromethane	105		-		70-130	-		25
Chloromethane	86		-		70-130	-		25
Freon-114	97		-		70-130	-		25
Vinyl chloride	98		-		70-130	-		25
1,3-Butadiene	91		-		70-130	-		25
Bromomethane	98		-		70-130	-		25
Chloroethane	97		-		70-130	-		25
Ethanol	73		-		40-160	-		25
Vinyl bromide	99		-		70-130	-		25
Acetone	87		-		40-160	-		25
Trichlorofluoromethane	103		-		70-130	-		25
Isopropanol	91		-		40-160	-		25
1,1-Dichloroethene	94		-		70-130	-		25
Tertiary butyl Alcohol ¹	102		-		70-130	-		25
Methylene chloride	92		-		70-130	-		25
3-Chloropropene	80		-		70-130	-		25
Carbon disulfide	93		-		70-130	-		25
Freon-113	99		-		70-130	-		25
trans-1,2-Dichloroethene	90		-		70-130	-		25
1,1-Dichloroethane	94		-		70-130	-		25
Methyl tert butyl ether	103		-		70-130	-		25
2-Butanone	90		-		70-130	-		25
cis-1,2-Dichloroethene	97		-		70-130	-		25

Lab Control Sample Analysis

Batch Quality Control

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air by SIM - Mansfield Lab Associated sample(s): 01-03,10-11,13-15 Batch: WG1842585-3								
Ethyl Acetate	104		-		70-130	-		25
Chloroform	105		-		70-130	-		25
Tetrahydrofuran	86		-		70-130	-		25
1,2-Dichloroethane	99		-		70-130	-		25
n-Hexane	79		-		70-130	-		25
1,1,1-Trichloroethane	85		-		70-130	-		25
Benzene	85		-		70-130	-		25
Carbon tetrachloride	89		-		70-130	-		25
Cyclohexane	79		-		70-130	-		25
1,2-Dichloropropane	79		-		70-130	-		25
Bromodichloromethane	87		-		70-130	-		25
1,4-Dioxane	84		-		70-130	-		25
Trichloroethene	97		-		70-130	-		25
2,2,4-Trimethylpentane	83		-		70-130	-		25
cis-1,3-Dichloropropene	88		-		70-130	-		25
4-Methyl-2-pentanone	83		-		70-130	-		25
trans-1,3-Dichloropropene	78		-		70-130	-		25
1,1,2-Trichloroethane	87		-		70-130	-		25
Toluene	99		-		70-130	-		25
2-Hexanone	79		-		70-130	-		25
Dibromochloromethane	118		-		70-130	-		25
1,2-Dibromoethane	115		-		70-130	-		25
Tetrachloroethene	114		-		70-130	-		25

Lab Control Sample Analysis

Batch Quality Control

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air by SIM - Mansfield Lab Associated sample(s): 01-03,10-11,13-15 Batch: WG1842585-3								
Chlorobenzene	112		-		70-130	-		25
Ethylbenzene	101		-		70-130	-		25
p/m-Xylene	105		-		70-130	-		25
Bromoform	114		-		70-130	-		25
Styrene	117		-		70-130	-		25
1,1,2,2-Tetrachloroethane	107		-		70-130	-		25
o-Xylene	105		-		70-130	-		25
4-Ethyltoluene	110		-		70-130	-		25
1,3,5-Trimethylbenzene	107		-		70-130	-		25
1,2,4-Trimethylbenzene	117		-		70-130	-		25
Benzyl chloride	77		-		70-130	-		25
1,3-Dichlorobenzene	122		-		70-130	-		25
1,4-Dichlorobenzene	126		-		70-130	-		25
1,2-Dichlorobenzene	130		-		70-130	-		25
1,2,4-Trichlorobenzene	141	Q	-		70-130	-		25
Hexachlorobutadiene	133	Q	-		70-130	-		25

Lab Duplicate Analysis
Batch Quality Control

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Volatile Organics in Air by SIM - Mansfield Lab Associated sample(s): 01-07,10-11,13-15 QC Batch ID: WG1841988-5 QC Sample: L2358506-10 Client ID: SV-10						
Dichlorodifluoromethane	0.325	0.326	ppbV	0		25
Chloromethane	ND	ND	ppbV	NC		25
Freon-114	ND	ND	ppbV	NC		25
Vinyl chloride	ND	ND	ppbV	NC		25
1,3-Butadiene	ND	ND	ppbV	NC		25
Bromomethane	ND	ND	ppbV	NC		25
Chloroethane	ND	ND	ppbV	NC		25
Ethanol	ND	ND	ppbV	NC		25
Vinyl bromide	ND	ND	ppbV	NC		25
Acetone	12.4	13.2	ppbV	6		25
Trichlorodifluoromethane	0.290	0.292	ppbV	1		25
Isopropanol	ND	ND	ppbV	NC		25
1,1-Dichloroethene	ND	ND	ppbV	NC		25
Tertiary butyl Alcohol ¹	3.85	3.87	ppbV	1		25
Methylene chloride	ND	ND	ppbV	NC		25
3-Chloropropene	ND	ND	ppbV	NC		25
Carbon disulfide	0.380	0.381	ppbV	0		25
Freon-113	0.121	0.123	ppbV	2		25
trans-1,2-Dichloroethene	ND	ND	ppbV	NC		25
1,1-Dichloroethane	ND	ND	ppbV	NC		25
Methyl tert butyl ether	ND	ND	ppbV	NC		25

Lab Duplicate Analysis
Batch Quality Control

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Volatile Organics in Air by SIM - Mansfield Lab Associated sample(s): 01-07,10-11,13-15 QC Batch ID: WG1841988-5 QC Sample: L2358506-10 Client ID: SV-10						
2-Butanone	35.2	35.6	ppbV	1		25
cis-1,2-Dichloroethene	ND	ND	ppbV	NC		25
Ethyl Acetate	ND	ND	ppbV	NC		25
Chloroform	ND	ND	ppbV	NC		25
Tetrahydrofuran	ND	ND	ppbV	NC		25
1,2-Dichloroethane	ND	ND	ppbV	NC		25
n-Hexane	ND	ND	ppbV	NC		25
1,1,1-Trichloroethane	22.8	22.7	ppbV	0		25
Carbon tetrachloride	0.022	0.023	ppbV	4		25
Cyclohexane	ND	ND	ppbV	NC		25
1,2-Dichloropropane	ND	ND	ppbV	NC		25
Bromodichloromethane	ND	ND	ppbV	NC		25
1,4-Dioxane	ND	ND	ppbV	NC		25
Trichloroethene	0.098	0.100	ppbV	2		25
2,2,4-Trimethylpentane	ND	ND	ppbV	NC		25
Heptane	ND	ND	ppbV	NC		25
cis-1,3-Dichloropropene	ND	ND	ppbV	NC		25
4-Methyl-2-pentanone	ND	ND	ppbV	NC		25
trans-1,3-Dichloropropene	ND	ND	ppbV	NC		25
1,1,2-Trichloroethane	ND	ND	ppbV	NC		25
Toluene	ND	ND	ppbV	NC		25

Lab Duplicate Analysis
Batch Quality Control

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Volatile Organics in Air by SIM - Mansfield Lab Associated sample(s): 01-07,10-11,13-15 QC Batch ID: WG1841988-5 QC Sample: L2358506-10 Client ID: SV-10						
2-Hexanone	1.82	1.82	ppbV	0		25
Dibromochloromethane	ND	ND	ppbV	NC		25
1,2-Dibromoethane	ND	ND	ppbV	NC		25
Tetrachloroethene	ND	ND	ppbV	NC		25
Chlorobenzene	ND	ND	ppbV	NC		25
Ethylbenzene	ND	ND	ppbV	NC		25
p/m-Xylene	0.055	0.056	ppbV	2		25
Bromoform	ND	ND	ppbV	NC		25
Styrene	ND	ND	ppbV	NC		25
1,1,2,2-Tetrachloroethane	ND	ND	ppbV	NC		25
o-Xylene	0.028	0.028	ppbV	0		25
4-Ethyltoluene	ND	ND	ppbV	NC		25
1,3,5-Trimethylbenzene	ND	ND	ppbV	NC		25
1,2,4-Trimethylbenzene	0.044	0.044	ppbV	0		25
Benzyl chloride	ND	ND	ppbV	NC		25
1,3-Dichlorobenzene	ND	ND	ppbV	NC		25
1,4-Dichlorobenzene	ND	ND	ppbV	NC		25
1,2-Dichlorobenzene	ND	ND	ppbV	NC		25
1,2,4-Trichlorobenzene	ND	ND	ppbV	NC		25
Hexachlorobutadiene	ND	ND	ppbV	NC		25

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Duplicate Analysis
Batch Quality Control

Lab Number: L2358506
Report Date: 10/23/23

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Volatile Organics in Air by SIM - Mansfield Lab Associated sample(s): 01-03,10-11,13-15 QC Batch ID: WG1842585-5 QC Sample: L2358506-03 Client ID: SV-03						
Benzene	0.308	0.321	ppbV	4		25

Project Name: DLS/MODOCK RD

Lab Number: L2358506

Project Number: 23-040C

Report Date: 10/23/23

Canister and Flow Controller Information

Samplenum	Client ID	Media ID	Media Type	Date Prepared	Bottle Order	Cleaning Batch ID	Can Leak Check	Initial Pressure (in. Hg)	Pressure on Receipt (in. Hg)	Flow Controller Leak Chk	Flow Out mL/min	Flow In mL/min	% RPD
L2358506-01	SV-01	01127	Flow 2	09/27/23	438169		-	-	-	Pass	20	18.0	11
L2358506-01	SV-01	3583	6.0L Can	09/27/23	438169	L2355336-10	Pass	-29.9	-9.7	-	-	-	-
L2358506-02	SV-02	02141	Flow 2	09/27/23	438169		-	-	-	Pass	20	11.1	57
L2358506-02	SV-02	1559	6.0L Can	09/27/23	438169	L2355336-03	Pass	-29.9	-13.1	-	-	-	-
L2358506-03	SV-03	01519	Flow 2	09/27/23	438169		-	-	-	Pass	20	14.3	33
L2358506-03	SV-03	2002	6.0L Can	09/27/23	438169	L2355336-03	Pass	-29.8	-9.8	-	-	-	-
L2358506-04	SV-04	01135	Flow 2	09/27/23	438169		-	-	-	Pass	20	16.2	21
L2358506-04	SV-04	3127	6.0L Can	09/27/23	438169	L2355336-05	Pass	-29.9	-11.2	-	-	-	-
L2358506-05	SV-05R	0904	Flow 3	09/27/23	438169		-	-	-	Pass	20	0.8	185
L2358506-05	SV-05R	3343	6.0L Can	09/27/23	438169	L2355336-05	Pass	-29.9	-11.1	-	-	-	-
L2358506-06	SV-06	01696	Flow 2	09/27/23	438169		-	-	-	Pass	20	18.6	7
L2358506-06	SV-06	3653	6.0L Can	09/27/23	438169	L2355336-10	Pass	-29.9	-8.0	-	-	-	-
L2358506-07	SV-07	01439	Flow 2	09/27/23	438169		-	-	-	Pass	20	18.4	8
L2358506-07	SV-07	2367	6.0L Can	09/27/23	438169	L2355336-05	Pass	-29.9	-10.1	-	-	-	-
L2358506-08	SV-08	01953	Flow 2	09/27/23	438169		-	-	-	Pass	20	15.0	29

Project Name: DLS/MODOCK RD

Serial_No:10232316:48

Project Number: 23-040C

Lab Number: L2358506

Report Date: 10/23/23

Canister and Flow Controller Information

Samplenum	Client ID	Media ID	Media Type	Date Prepared	Bottle Order	Cleaning Batch ID	Can Leak Check	Initial Pressure (in. Hg)	Pressure on Receipt (in. Hg)	Flow Controller Leak Chk	Flow Out mL/min	Flow In mL/min	% RPD
L2358506-08	SV-08	3590	6.0L Can	09/27/23	438169	L2355336-10	Pass	-29.8	-27.7	-	-	-	-
L2358506-09	SV-09R	0830	Flow 2	09/27/23	438169		-	-	-	Pass	20	14.3	33
L2358506-09	SV-09R	1572	6.0L Can	09/27/23	438169	L2355336-05	Pass	-29.8	-29.2	-	-	-	-
L2358506-10	SV-10	01546	Flow 3	09/27/23	438169		-	-	-	Pass	20	18.0	11
L2358506-10	SV-10	1891	6.0L Can	09/27/23	438169	L2355336-03	Pass	-29.9	-3.8	-	-	-	-
L2358506-11	SV-11	02169	Flow 2	09/27/23	438169		-	-	-	Pass	20	20.5	2
L2358506-11	SV-11	706	6.0L Can	09/27/23	438169	L2355336-03	Pass	-29.9	-7.2	-	-	-	-
L2358506-12	SV-12	01810	Flow 2	09/27/23	438169		-	-	-	Pass	20	15.1	28
L2358506-12	SV-12	1831	6.0L Can	09/27/23	438169	L2355336-10	Pass	-29.9	-25.7	-	-	-	-
L2358506-13	SV-13	01554	Flow 2	09/27/23	438169		-	-	-	Pass	20	7.2	94
L2358506-13	SV-13	3086	6.0L Can	09/27/23	438169	L2355336-05	Pass	-29.9	-16.5	-	-	-	-
L2358506-14	DUP100323A	01919	Flow 2	09/27/23	438169		-	-	-	Pass	20	19.0	5
L2358506-14	DUP100323A	2977	6.0L Can	09/27/23	438169	L2355336-10	Pass	-29.9	-9.8	-	-	-	-
L2358506-15	DUP100323B	01952	Flow 2	09/27/23	438169		-	-	-	Pass	20	15.2	27
L2358506-15	DUP100323B	1821	6.0L Can	09/27/23	438169	L2355336-03	Pass	-29.9	-13.0	-	-	-	-

Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2355336

Project Number: CANISTER QC BAT

Report Date: 10/23/23

Air Canister Certification Results

Lab ID:	L2355336-03	Date Collected:	09/20/23 18:00
Client ID:	CAN 3381 SHELF 33	Date Received:	09/21/23
Sample Location:		Field Prep:	Not Specified

Sample Depth:

Matrix: Air
 Analytical Method: 48,TO-15
 Analytical Date: 09/21/23 21:24
 Analyst: BJB

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air - Mansfield Lab							
Chlorodifluoromethane	ND	0.200	--	0.707	--		1
Propylene	ND	0.500	--	0.861	--		1
Propane	ND	0.500	--	0.902	--		1
Dichlorodifluoromethane	ND	0.200	--	0.989	--		1
Chloromethane	ND	0.200	--	0.413	--		1
Freon-114	ND	0.200	--	1.40	--		1
Methanol	ND	5.00	--	6.55	--		1
Vinyl chloride	ND	0.200	--	0.511	--		1
1,3-Butadiene	ND	0.200	--	0.442	--		1
Butane	ND	0.200	--	0.475	--		1
Bromomethane	ND	0.200	--	0.777	--		1
Chloroethane	ND	0.200	--	0.528	--		1
Ethanol	ND	5.00	--	9.42	--		1
Dichlorofluoromethane	ND	0.200	--	0.842	--		1
Vinyl bromide	ND	0.200	--	0.874	--		1
Acrolein	ND	0.500	--	1.15	--		1
Acetone	ND	1.00	--	2.38	--		1
Acetonitrile	ND	0.200	--	0.336	--		1
Trichlorofluoromethane	ND	0.200	--	1.12	--		1
Isopropanol	ND	0.500	--	1.23	--		1
Acrylonitrile	ND	0.500	--	1.09	--		1
Pentane	ND	0.200	--	0.590	--		1
Ethyl ether	ND	0.200	--	0.606	--		1
1,1-Dichloroethene	ND	0.200	--	0.793	--		1



Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2355336

Project Number: CANISTER QC BAT

Report Date: 10/23/23

Air Canister Certification Results

Lab ID: L2355336-03 Date Collected: 09/20/23 18:00
 Client ID: CAN 3381 SHELF 33 Date Received: 09/21/23
 Sample Location: Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
Vinyl acetate	ND	1.00	--	ND	3.52	--		1
Xylenes, total	ND	0.600	--	ND	0.869	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
2,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
Diisopropyl ether	ND	0.200	--	ND	0.836	--		1
tert-Butyl Ethyl Ether	ND	0.200	--	ND	0.836	--		1
1,2-Dichloroethene (total)	ND	1.00	--	ND	1.00	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
1,1-Dichloropropene	ND	0.200	--	ND	0.908	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
tert-Amyl Methyl Ether	ND	0.200	--	ND	0.836	--		1



Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2355336

Project Number: CANISTER QC BAT

Report Date: 10/23/23

Air Canister Certification Results

Lab ID: L2355336-03 Date Collected: 09/20/23 18:00
 Client ID: CAN 3381 SHELF 33 Date Received: 09/21/23
 Sample Location: Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Dibromomethane	ND	0.200	--	ND	1.42	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Methyl Methacrylate	ND	0.500	--	ND	2.05	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
1,3-Dichloropropane	ND	0.200	--	ND	0.924	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Butyl acetate	ND	0.500	--	ND	2.38	--		1
Octane	ND	0.200	--	ND	0.934	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
1,1,1,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1



Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2355336

Project Number: CANISTER QC BAT

Report Date: 10/23/23

Air Canister Certification Results

Lab ID: L2355336-03 Date Collected: 09/20/23 18:00
 Client ID: CAN 3381 SHELF 33 Date Received: 09/21/23
 Sample Location: Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
o-Xylene	ND	0.200	--	ND	0.869	--		1
1,2,3-Trichloropropane	ND	0.200	--	ND	1.21	--		1
Nonane	ND	0.200	--	ND	1.05	--		1
Isopropylbenzene	ND	0.200	--	ND	0.983	--		1
Bromobenzene	ND	0.200	--	ND	0.793	--		1
2-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
n-Propylbenzene	ND	0.200	--	ND	0.983	--		1
4-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
tert-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Decane	ND	0.200	--	ND	1.16	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2-Dibromo-3-chloropropane	ND	0.200	--	ND	1.93	--		1
Undecane	ND	0.200	--	ND	1.28	--		1
Dodecane	ND	0.200	--	ND	1.39	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	ND	0.200	--	ND	1.05	--		1
1,2,3-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1



Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2355336

Project Number: CANISTER QC BAT

Report Date: 10/23/23

Air Canister Certification Results

Lab ID: L2355336-03 Date Collected: 09/20/23 18:00
 Client ID: CAN 3381 SHELF 33 Date Received: 09/21/23
 Sample Location: Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Dilution Factor
	Results	RL	MDL	Results	RL	MDL	Qualifier
Volatile Organics in Air - Mansfield Lab							

Tentatively Identified Compounds

No Tentatively Identified Compounds

Internal Standard	% Recovery	Qualifier	Units	RDL	Dilution Factor
1,4-Difluorobenzene	97			60-140	
Bromochloromethane	97			60-140	
chlorobenzene-d5	96			60-140	

Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2355336

Project Number: CANISTER QC BAT

Report Date: 10/23/23

Air Canister Certification Results

Lab ID:	L2355336-03	Date Collected:	09/20/23 18:00
Client ID:	CAN 3381 SHELF 33	Date Received:	09/21/23
Sample Location:		Field Prep:	Not Specified

Sample Depth:

Matrix: Air
 Analytical Method: 48,TO-15-SIM
 Analytical Date: 09/21/23 21:24
 Analyst: BJB

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
Dichlorodifluoromethane	ND	0.200	--	0.989	--		1
Chloromethane	ND	0.200	--	0.413	--		1
Freon-114	ND	0.050	--	0.349	--		1
Vinyl chloride	ND	0.020	--	0.051	--		1
1,3-Butadiene	ND	0.020	--	0.044	--		1
Bromomethane	ND	0.020	--	0.078	--		1
Chloroethane	ND	0.100	--	0.264	--		1
Acrolein	ND	0.050	--	0.115	--		1
Acetone	ND	1.00	--	2.38	--		1
Trichlorofluoromethane	ND	0.050	--	0.281	--		1
Acrylonitrile	ND	0.500	--	1.09	--		1
1,1-Dichloroethene	ND	0.020	--	0.079	--		1
Methylene chloride	ND	0.500	--	1.74	--		1
Freon-113	ND	0.050	--	0.383	--		1
trans-1,2-Dichloroethene	ND	0.020	--	0.079	--		1
1,1-Dichloroethane	ND	0.020	--	0.081	--		1
Methyl tert butyl ether	ND	0.200	--	0.721	--		1
2-Butanone	ND	0.500	--	1.47	--		1
cis-1,2-Dichloroethene	ND	0.020	--	0.079	--		1
Chloroform	ND	0.020	--	0.098	--		1
1,2-Dichloroethane	ND	0.020	--	0.081	--		1
1,1,1-Trichloroethane	ND	0.020	--	0.109	--		1
Benzene	ND	0.100	--	0.319	--		1
Carbon tetrachloride	ND	0.020	--	0.126	--		1



Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2355336

Project Number: CANISTER QC BAT

Report Date: 10/23/23

Air Canister Certification Results

Lab ID: L2355336-03 Date Collected: 09/20/23 18:00
 Client ID: CAN 3381 SHELF 33 Date Received: 09/21/23
 Sample Location: Field Prep: Not Specified

Sample Depth:

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	Results	RL		
Volatile Organics in Air by SIM - Mansfield Lab							
1,2-Dichloropropane	ND	0.020	--	ND	0.092	--	1
Bromodichloromethane	ND	0.020	--	ND	0.134	--	1
1,4-Dioxane	ND	0.100	--	ND	0.360	--	1
Trichloroethene	ND	0.020	--	ND	0.107	--	1
cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	1
trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	1
1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--	1
Toluene	ND	0.100	--	ND	0.377	--	1
Dibromochloromethane	ND	0.020	--	ND	0.170	--	1
1,2-Dibromoethane	ND	0.020	--	ND	0.154	--	1
Tetrachloroethene	ND	0.020	--	ND	0.136	--	1
1,1,1,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--	1
Chlorobenzene	ND	0.100	--	ND	0.461	--	1
Ethylbenzene	ND	0.020	--	ND	0.087	--	1
p/m-Xylene	ND	0.040	--	ND	0.174	--	1
Bromoform	ND	0.020	--	ND	0.207	--	1
Styrene	ND	0.020	--	ND	0.085	--	1
1,1,2,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--	1
o-Xylene	ND	0.020	--	ND	0.087	--	1
Isopropylbenzene	ND	0.200	--	ND	0.983	--	1
4-Ethyltoluene	ND	0.020	--	ND	0.098	--	1
1,3,5-Trimethylbenzene	ND	0.020	--	ND	0.098	--	1
1,2,4-Trimethylbenzene	ND	0.020	--	ND	0.098	--	1
Benzyl chloride	ND	0.100	--	ND	0.518	--	1
1,3-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1
1,4-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1



Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2355336

Project Number: CANISTER QC BAT

Report Date: 10/23/23

Air Canister Certification Results

Lab ID: L2355336-03 Date Collected: 09/20/23 18:00
 Client ID: CAN 3381 SHELF 33 Date Received: 09/21/23
 Sample Location: Field Prep: Not Specified

Sample Depth:

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
sec-Butylbenzene	ND	0.200	--	ND	1.10	--	1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--	1
1,2-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1
n-Butylbenzene	ND	0.200	--	ND	1.10	--	1
1,2,4-Trichlorobenzene	ND	0.050	--	ND	0.371	--	1
Naphthalene	ND	0.050	--	ND	0.262	--	1
1,2,3-Trichlorobenzene	ND	0.050	--	ND	0.371	--	1
Hexachlorobutadiene	ND	0.050	--	ND	0.533	--	1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	94		60-140
bromochloromethane	97		60-140
chlorobenzene-d5	95		60-140

Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2355336

Project Number: CANISTER QC BAT

Report Date: 10/23/23

Air Canister Certification Results

Lab ID:	L2355336-05	Date Collected:	09/20/23 18:00
Client ID:	CAN 2620 SHELF 38	Date Received:	09/21/23
Sample Location:		Field Prep:	Not Specified

Sample Depth:

Matrix: Air
 Analytical Method: 48,TO-15
 Analytical Date: 09/21/23 22:40
 Analyst: BJB

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Chlorodifluoromethane	ND	0.200	--	ND	0.707	--		1
Propylene	ND	0.500	--	ND	0.861	--		1
Propane	ND	0.500	--	ND	0.902	--		1
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Methanol	ND	5.00	--	ND	6.55	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Butane	ND	0.200	--	ND	0.475	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	5.00	--	ND	9.42	--		1
Dichlorofluoromethane	ND	0.200	--	ND	0.842	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acrolein	ND	0.500	--	ND	1.15	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Acetonitrile	ND	0.200	--	ND	0.336	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Isopropanol	ND	0.500	--	ND	1.23	--		1
Acrylonitrile	ND	0.500	--	ND	1.09	--		1
Pentane	ND	0.200	--	ND	0.590	--		1
Ethyl ether	ND	0.200	--	ND	0.606	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1



Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2355336

Project Number: CANISTER QC BAT

Report Date: 10/23/23

Air Canister Certification Results

Lab ID: L2355336-05 Date Collected: 09/20/23 18:00
 Client ID: CAN 2620 SHELF 38 Date Received: 09/21/23
 Sample Location: Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
Vinyl acetate	ND	1.00	--	ND	3.52	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
Xylenes, total	ND	0.600	--	ND	0.869	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
2,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
Diisopropyl ether	ND	0.200	--	ND	0.836	--		1
tert-Butyl Ethyl Ether	ND	0.200	--	ND	0.836	--		1
1,2-Dichloroethene (total)	ND	1.00	--	ND	1.00	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
1,1-Dichloropropene	ND	0.200	--	ND	0.908	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
tert-Amyl Methyl Ether	ND	0.200	--	ND	0.836	--		1



Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2355336

Project Number: CANISTER QC BAT

Report Date: 10/23/23

Air Canister Certification Results

Lab ID: L2355336-05 Date Collected: 09/20/23 18:00
 Client ID: CAN 2620 SHELF 38 Date Received: 09/21/23
 Sample Location: Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Dibromomethane	ND	0.200	--	ND	1.42	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Methyl Methacrylate	ND	0.500	--	ND	2.05	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
1,3-Dichloropropane	ND	0.200	--	ND	0.924	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Butyl acetate	ND	0.500	--	ND	2.38	--		1
Octane	ND	0.200	--	ND	0.934	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
1,1,1,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1



Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2355336

Project Number: CANISTER QC BAT

Report Date: 10/23/23

Air Canister Certification Results

Lab ID: L2355336-05 Date Collected: 09/20/23 18:00
 Client ID: CAN 2620 SHELF 38 Date Received: 09/21/23
 Sample Location: Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
o-Xylene	ND	0.200	--	ND	0.869	--		1
1,2,3-Trichloropropane	ND	0.200	--	ND	1.21	--		1
Nonane	ND	0.200	--	ND	1.05	--		1
Isopropylbenzene	ND	0.200	--	ND	0.983	--		1
Bromobenzene	ND	0.200	--	ND	0.793	--		1
2-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
n-Propylbenzene	ND	0.200	--	ND	0.983	--		1
4-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
tert-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Decane	ND	0.200	--	ND	1.16	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2-Dibromo-3-chloropropane	ND	0.200	--	ND	1.93	--		1
Undecane	ND	0.200	--	ND	1.28	--		1
Dodecane	ND	0.200	--	ND	1.39	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	ND	0.200	--	ND	1.05	--		1
1,2,3-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1



Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2355336

Project Number: CANISTER QC BAT

Report Date: 10/23/23

Air Canister Certification Results

Lab ID: L2355336-05 Date Collected: 09/20/23 18:00
 Client ID: CAN 2620 SHELF 38 Date Received: 09/21/23
 Sample Location: Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Dilution Factor
	Results	RL	MDL	Results	RL	MDL	Qualifier
Volatile Organics in Air - Mansfield Lab							

	Results	Qualifier	Units	RDL	Dilution Factor
--	---------	-----------	-------	-----	-----------------

Tentatively Identified Compounds

No Tentatively Identified Compounds

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	97		60-140
Bromochloromethane	96		60-140
chlorobenzene-d5	95		60-140

Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2355336

Project Number: CANISTER QC BAT

Report Date: 10/23/23

Air Canister Certification Results

Lab ID:	L2355336-05	Date Collected:	09/20/23 18:00
Client ID:	CAN 2620 SHELF 38	Date Received:	09/21/23
Sample Location:		Field Prep:	Not Specified

Sample Depth:

Matrix:	Air
Anaytical Method:	48,TO-15-SIM
Analytical Date:	09/21/23 22:40
Analyst:	BBJ

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
Dichlorodifluoromethane	ND	0.200	--	0.989	--		1
Chloromethane	ND	0.200	--	0.413	--		1
Freon-114	ND	0.050	--	0.349	--		1
Vinyl chloride	ND	0.020	--	0.051	--		1
1,3-Butadiene	ND	0.020	--	0.044	--		1
Bromomethane	ND	0.020	--	0.078	--		1
Chloroethane	ND	0.100	--	0.264	--		1
Acrolein	ND	0.050	--	0.115	--		1
Acetone	ND	1.00	--	2.38	--		1
Trichlorofluoromethane	ND	0.050	--	0.281	--		1
Acrylonitrile	ND	0.500	--	1.09	--		1
1,1-Dichloroethene	ND	0.020	--	0.079	--		1
Methylene chloride	ND	0.500	--	1.74	--		1
Freon-113	ND	0.050	--	0.383	--		1
trans-1,2-Dichloroethene	ND	0.020	--	0.079	--		1
1,1-Dichloroethane	ND	0.020	--	0.081	--		1
Methyl tert butyl ether	ND	0.200	--	0.721	--		1
2-Butanone	ND	0.500	--	1.47	--		1
cis-1,2-Dichloroethene	ND	0.020	--	0.079	--		1
Chloroform	ND	0.020	--	0.098	--		1
1,2-Dichloroethane	ND	0.020	--	0.081	--		1
1,1,1-Trichloroethane	ND	0.020	--	0.109	--		1
Benzene	ND	0.100	--	0.319	--		1
Carbon tetrachloride	ND	0.020	--	0.126	--		1



Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2355336

Project Number: CANISTER QC BAT

Report Date: 10/23/23

Air Canister Certification Results

Lab ID: L2355336-05 Date Collected: 09/20/23 18:00
 Client ID: CAN 2620 SHELF 38 Date Received: 09/21/23
 Sample Location: Field Prep: Not Specified

Sample Depth:

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	Results	RL		
Volatile Organics in Air by SIM - Mansfield Lab							
1,2-Dichloropropane	ND	0.020	--	ND	0.092	--	1
Bromodichloromethane	ND	0.020	--	ND	0.134	--	1
1,4-Dioxane	ND	0.100	--	ND	0.360	--	1
Trichloroethene	ND	0.020	--	ND	0.107	--	1
cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	1
trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	1
1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--	1
Toluene	ND	0.100	--	ND	0.377	--	1
Dibromochloromethane	ND	0.020	--	ND	0.170	--	1
1,2-Dibromoethane	ND	0.020	--	ND	0.154	--	1
Tetrachloroethene	ND	0.020	--	ND	0.136	--	1
1,1,1,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--	1
Chlorobenzene	ND	0.100	--	ND	0.461	--	1
Ethylbenzene	ND	0.020	--	ND	0.087	--	1
p/m-Xylene	ND	0.040	--	ND	0.174	--	1
Bromoform	ND	0.020	--	ND	0.207	--	1
Styrene	ND	0.020	--	ND	0.085	--	1
1,1,2,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--	1
o-Xylene	ND	0.020	--	ND	0.087	--	1
Isopropylbenzene	ND	0.200	--	ND	0.983	--	1
4-Ethyltoluene	ND	0.020	--	ND	0.098	--	1
1,3,5-Trimethylbenzene	ND	0.020	--	ND	0.098	--	1
1,2,4-Trimethylbenzene	ND	0.020	--	ND	0.098	--	1
Benzyl chloride	ND	0.100	--	ND	0.518	--	1
1,3-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1
1,4-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1



Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2355336

Project Number: CANISTER QC BAT

Report Date: 10/23/23

Air Canister Certification Results

Lab ID: L2355336-05 Date Collected: 09/20/23 18:00
 Client ID: CAN 2620 SHELF 38 Date Received: 09/21/23
 Sample Location: Field Prep: Not Specified

Sample Depth:

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
sec-Butylbenzene	ND	0.200	--	ND	1.10	--	1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--	1
1,2-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1
n-Butylbenzene	ND	0.200	--	ND	1.10	--	1
1,2,4-Trichlorobenzene	ND	0.050	--	ND	0.371	--	1
Naphthalene	ND	0.050	--	ND	0.262	--	1
1,2,3-Trichlorobenzene	ND	0.050	--	ND	0.371	--	1
Hexachlorobutadiene	ND	0.050	--	ND	0.533	--	1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	96		60-140
bromochloromethane	97		60-140
chlorobenzene-d5	95		60-140

Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2355336

Project Number: CANISTER QC BAT

Report Date: 10/23/23

Air Canister Certification Results

Lab ID:	L2355336-10	Date Collected:	09/21/23 09:00
Client ID:	CAN 978 SHELF 62	Date Received:	09/21/23
Sample Location:		Field Prep:	Not Specified

Sample Depth:

Matrix: Air
 Analytical Method: 48,TO-15
 Analytical Date: 09/22/23 01:53
 Analyst: BJB

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Chlorodifluoromethane	ND	0.200	--	ND	0.707	--		1
Propylene	ND	0.500	--	ND	0.861	--		1
Propane	ND	0.500	--	ND	0.902	--		1
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Methanol	ND	5.00	--	ND	6.55	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Butane	ND	0.200	--	ND	0.475	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	5.00	--	ND	9.42	--		1
Dichlorofluoromethane	ND	0.200	--	ND	0.842	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acrolein	ND	0.500	--	ND	1.15	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Acetonitrile	ND	0.200	--	ND	0.336	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Isopropanol	ND	0.500	--	ND	1.23	--		1
Acrylonitrile	ND	0.500	--	ND	1.09	--		1
Pentane	ND	0.200	--	ND	0.590	--		1
Ethyl ether	ND	0.200	--	ND	0.606	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1



Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2355336

Project Number: CANISTER QC BAT

Report Date: 10/23/23

Air Canister Certification Results

Lab ID: L2355336-10 Date Collected: 09/21/23 09:00
 Client ID: CAN 978 SHELF 62 Date Received: 09/21/23
 Sample Location: Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
Vinyl acetate	ND	1.00	--	ND	3.52	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
Xylenes, total	ND	0.600	--	ND	0.869	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
2,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
Diisopropyl ether	ND	0.200	--	ND	0.836	--		1
tert-Butyl Ethyl Ether	ND	0.200	--	ND	0.836	--		1
1,2-Dichloroethene (total)	ND	1.00	--	ND	1.00	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
1,1-Dichloropropene	ND	0.200	--	ND	0.908	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
tert-Amyl Methyl Ether	ND	0.200	--	ND	0.836	--		1



Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2355336

Project Number: CANISTER QC BAT

Report Date: 10/23/23

Air Canister Certification Results

Lab ID: L2355336-10 Date Collected: 09/21/23 09:00
 Client ID: CAN 978 SHELF 62 Date Received: 09/21/23
 Sample Location: Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Dibromomethane	ND	0.200	--	ND	1.42	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Methyl Methacrylate	ND	0.500	--	ND	2.05	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
1,3-Dichloropropane	ND	0.200	--	ND	0.924	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Butyl acetate	ND	0.500	--	ND	2.38	--		1
Octane	ND	0.200	--	ND	0.934	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
1,1,1,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1



Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2355336

Project Number: CANISTER QC BAT

Report Date: 10/23/23

Air Canister Certification Results

Lab ID: L2355336-10 Date Collected: 09/21/23 09:00
 Client ID: CAN 978 SHELF 62 Date Received: 09/21/23
 Sample Location: Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
o-Xylene	ND	0.200	--	ND	0.869	--		1
1,2,3-Trichloropropane	ND	0.200	--	ND	1.21	--		1
Nonane	ND	0.200	--	ND	1.05	--		1
Isopropylbenzene	ND	0.200	--	ND	0.983	--		1
Bromobenzene	ND	0.200	--	ND	0.793	--		1
2-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
n-Propylbenzene	ND	0.200	--	ND	0.983	--		1
4-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
tert-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Decane	ND	0.200	--	ND	1.16	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2-Dibromo-3-chloropropane	ND	0.200	--	ND	1.93	--		1
Undecane	ND	0.200	--	ND	1.28	--		1
Dodecane	ND	0.200	--	ND	1.39	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	ND	0.200	--	ND	1.05	--		1
1,2,3-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1



Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2355336

Project Number: CANISTER QC BAT

Report Date: 10/23/23

Air Canister Certification Results

Lab ID: L2355336-10 Date Collected: 09/21/23 09:00
 Client ID: CAN 978 SHELF 62 Date Received: 09/21/23
 Sample Location: Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Dilution Factor
	Results	RL	MDL	Results	RL	MDL	Qualifier
Volatile Organics in Air - Mansfield Lab							

Tentatively Identified Compounds

No Tentatively Identified Compounds

Internal Standard	% Recovery	Qualifier	Units	RDL	Dilution Factor
1,4-Difluorobenzene	94			60-140	
Bromochloromethane	93			60-140	
chlorobenzene-d5	96			60-140	

Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2355336

Project Number: CANISTER QC BAT

Report Date: 10/23/23

Air Canister Certification Results

Lab ID:	L2355336-10	Date Collected:	09/21/23 09:00
Client ID:	CAN 978 SHELF 62	Date Received:	09/21/23
Sample Location:		Field Prep:	Not Specified

Sample Depth:

Matrix: Air
 Analytical Method: 48,TO-15-SIM
 Analytical Date: 09/22/23 01:53
 Analyst: BJB

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
Dichlorodifluoromethane	ND	0.200	--	0.989	--		1
Chloromethane	ND	0.200	--	0.413	--		1
Freon-114	ND	0.050	--	0.349	--		1
Vinyl chloride	ND	0.020	--	0.051	--		1
1,3-Butadiene	ND	0.020	--	0.044	--		1
Bromomethane	ND	0.020	--	0.078	--		1
Chloroethane	ND	0.100	--	0.264	--		1
Acrolein	ND	0.050	--	0.115	--		1
Acetone	ND	1.00	--	2.38	--		1
Trichlorofluoromethane	ND	0.050	--	0.281	--		1
Acrylonitrile	ND	0.500	--	1.09	--		1
1,1-Dichloroethene	ND	0.020	--	0.079	--		1
Methylene chloride	ND	0.500	--	1.74	--		1
Freon-113	ND	0.050	--	0.383	--		1
trans-1,2-Dichloroethene	ND	0.020	--	0.079	--		1
1,1-Dichloroethane	ND	0.020	--	0.081	--		1
Methyl tert butyl ether	ND	0.200	--	0.721	--		1
2-Butanone	ND	0.500	--	1.47	--		1
cis-1,2-Dichloroethene	ND	0.020	--	0.079	--		1
Chloroform	ND	0.020	--	0.098	--		1
1,2-Dichloroethane	ND	0.020	--	0.081	--		1
1,1,1-Trichloroethane	ND	0.020	--	0.109	--		1
Benzene	ND	0.100	--	0.319	--		1
Carbon tetrachloride	ND	0.020	--	0.126	--		1



Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2355336

Project Number: CANISTER QC BAT

Report Date: 10/23/23

Air Canister Certification Results

Lab ID: L2355336-10 Date Collected: 09/21/23 09:00
 Client ID: CAN 978 SHELF 62 Date Received: 09/21/23
 Sample Location: Field Prep: Not Specified

Sample Depth:

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	Results	RL		
Volatile Organics in Air by SIM - Mansfield Lab							
1,2-Dichloropropane	ND	0.020	--	ND	0.092	--	1
Bromodichloromethane	ND	0.020	--	ND	0.134	--	1
1,4-Dioxane	ND	0.100	--	ND	0.360	--	1
Trichloroethene	ND	0.020	--	ND	0.107	--	1
cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	1
trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	1
1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--	1
Toluene	ND	0.100	--	ND	0.377	--	1
Dibromochloromethane	ND	0.020	--	ND	0.170	--	1
1,2-Dibromoethane	ND	0.020	--	ND	0.154	--	1
Tetrachloroethene	ND	0.020	--	ND	0.136	--	1
1,1,1,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--	1
Chlorobenzene	ND	0.100	--	ND	0.461	--	1
Ethylbenzene	ND	0.020	--	ND	0.087	--	1
p/m-Xylene	ND	0.040	--	ND	0.174	--	1
Bromoform	ND	0.020	--	ND	0.207	--	1
Styrene	ND	0.020	--	ND	0.085	--	1
1,1,2,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--	1
o-Xylene	ND	0.020	--	ND	0.087	--	1
Isopropylbenzene	ND	0.200	--	ND	0.983	--	1
4-Ethyltoluene	ND	0.020	--	ND	0.098	--	1
1,3,5-Trimethylbenzene	ND	0.020	--	ND	0.098	--	1
1,2,4-Trimethylbenzene	ND	0.020	--	ND	0.098	--	1
Benzyl chloride	ND	0.100	--	ND	0.518	--	1
1,3-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1
1,4-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1



Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2355336

Project Number: CANISTER QC BAT

Report Date: 10/23/23

Air Canister Certification Results

Lab ID: L2355336-10 Date Collected: 09/21/23 09:00
 Client ID: CAN 978 SHELF 62 Date Received: 09/21/23
 Sample Location: Field Prep: Not Specified

Sample Depth:

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
sec-Butylbenzene	ND	0.200	--	ND	1.10	--	1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--	1
1,2-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1
n-Butylbenzene	ND	0.200	--	ND	1.10	--	1
1,2,4-Trichlorobenzene	ND	0.050	--	ND	0.371	--	1
Naphthalene	ND	0.050	--	ND	0.262	--	1
1,2,3-Trichlorobenzene	ND	0.050	--	ND	0.371	--	1
Hexachlorobutadiene	ND	0.050	--	ND	0.533	--	1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	92		60-140
bromochloromethane	94		60-140
chlorobenzene-d5	96		60-140

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Serial_No:10232316:48
Lab Number: L2358506
Report Date: 10/23/23

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Cooler Information

Cooler	Custody Seal
NA	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2358506-01A	Canister - 6 Liter	NA	NA			Y	Absent		TO15-SIM(30)
L2358506-02A	Canister - 6 Liter	NA	NA			Y	Absent		TO15-SIM(30)
L2358506-03A	Canister - 6 Liter	NA	NA			Y	Absent		TO15-SIM(30)
L2358506-04A	Canister - 6 Liter	NA	NA			Y	Absent		TO15-SIM(30)
L2358506-05A	Canister - 6 Liter	NA	NA			Y	Absent		TO15-SIM(30)
L2358506-06A	Canister - 6 Liter	NA	NA			Y	Absent		TO15-SIM(30)
L2358506-07A	Canister - 6 Liter	NA	NA			Y	Absent		TO15-SIM(30)
L2358506-08A	Canister - 6 Liter	NA	NA			Y	Absent		CANCELLED()
L2358506-09A	Canister - 6 Liter	NA	NA			Y	Absent		CANCELLED()
L2358506-10A	Canister - 6 Liter	NA	NA			Y	Absent		TO15-SIM(30)
L2358506-11A	Canister - 6 Liter	NA	NA			Y	Absent		TO15-SIM(30)
L2358506-12A	Canister - 6 Liter	NA	NA			Y	Absent		CANCELLED()
L2358506-13A	Canister - 6 Liter	NA	NA			Y	Absent		TO15-SIM(30)
L2358506-14A	Canister - 6 Liter	NA	NA			Y	Absent		TO15-SIM(30)
L2358506-15A	Canister - 6 Liter	NA	NA			Y	Absent		TO15-SIM(30)

*Values in parentheses indicate holding time in days

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
	Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: Data Usability Report



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.

Report Format: Data Usability Report



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

Data Qualifiers

- ND** - Not detected at the reporting limit (RL) for the sample.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Report Format: Data Usability Report



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

REFERENCES

- 48 Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air. Second Edition. EPA/625/R-96/010b, January 1999.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at its own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624.1: m/p-xylene, o-xylene, Naphthalene

EPA 625.1: alpha-Terpineol

EPA 8260D: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270E: NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine, alpha-Terpineol; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.

SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.

Mansfield Facility

SM 2540D: TSS.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; EPA 353.2: Nitrate-N, Nitrite-N; SM4500NO3-F: Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B**

EPA 524.2: THMs and VOCs; EPA 504.1: EDB, DBCP.

Microbiology: SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1: Ammonia-N, LACHAT 10-107-06-1-B: Ammonia-N, EPA 351.1, SM4500NO3-F, EPA 353.2: Nitrate-N, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300: Chloride, Sulfate, Nitrate.**

EPA 624.1: Volatile Halocarbons & Aromatics,

EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables).

Microbiology: SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603, SM9222D.

Mansfield Facility:

Drinking Water

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8: Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. EPA 245.1 Hg. EPA 522, EPA 537.1.**

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.


**AIR ANALYSIS
CHAIN OF CUSTODY**

320 Forbes Blvd, Mansfield, MA 02048
TEL: 508-822-9300 FAX: 508-822-3288

Client Information

Client: Marks Engineering
Address: 4303 Route 5 & 20
Carmelton NY 14424
Phone: 585-500-8392

Fax:

Email: JWolf@MarksEngineering.com

 These samples have been previously analyzed by Alpha

Other Project Specific Requirements/Comments:

Project-Specific Target Compound List: **All Columns Below Must Be Filled Out**

ALPHA Lab ID (Lab Use Only)	Sample ID	COLLECTION				Sample Matrix*	Sampler's Initials	Can Size	ID Can	ID - Flow Controller	TO-15	TO-15 SIM	APH	Sulfuric Non-methane Acids	Fixed Gases	Sulfides & Mercaptans by TO-15	Sample Comments (i.e. PID)
58506-01	SV-01	10/3/23	0910	1310	-29.48	-9.34	SV	JW	6L	3583 01127	X						
02	SV-02	10/3/23	0925	1715	-29.56	-12.10	SV	JW	6L	1559 02141	X						
03	SV-03	10/3/23	0935	1705	-29.57	-9.50	SV	JW	6L	2002 01519	X						
04	SV-04	10/3/23	0955	1510	-29.8	-10.40	SU	JW	6L	312701135	X						
05	SV-05R	10/3/23	0940	1340	-29.90	-10.35	SU	JW	6L	33430904	X						
06	SV-06	10/3/23	0810	1210	-29.94	-7.95	SU	JW	6L	365301696	X						
07	SV-07	10/3/23	1000	1610	-30.16	-9.67	SU	JW	6L	236701439	X						
08	SV-08	10/3/23	1010	1825	-29.43	-27.80	SU	JW	6L	359001953	X						DO NOT Analyze
09	SV-09R	10/3/23	1020	1640	-29.51	-29.50	SU	JW	6L	15720830	X						DO NOT Analyze
10	SV-10	10/3/23	1035	1535	-29.41	-2.93	SU	JW	6L	1891 01546	X						

***SAMPLE MATRIX CODES**

AA = Ambient Air (Indoor/Outdoor)

SV = Soil Vapor/Landfill Gas/SVE

Other = Please Specify

Container Type

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

Relinquished By:

Jeff W. Wolf AAL
10/3/23 500

Date/Time

 10/4/23
10/4/23 1330

Received By:

J-H Neoh AAL
10/4/23 13:40
J-H Neoh AAL

Date/Time:

 10/5/23 0100
10/5/23 0500


**AIR ANALYSIS
CHAIN OF CUSTODY**

320 Forbes Blvd, Mansfield, MA 02048
TEL: 508-822-9300 FAX: 508-822-3288

Client Information

Client: *Marks Engineering*
Address: *4303 Route 5920
Concordia NY 14424*
Phone: *585 - 500 - 8392*

Fax:

Email: *JWolf@MarksEngineering.com*
 These samples have been previously analyzed by Alpha

Other Project Specific Requirements/Comments:

Project-Specific Target Compound List: **All Columns Below Must Be Filled Out**

ALPHA Lab ID (Lab Use Only)	Sample ID	COLLECTION				Sample Matrix*	Sampler's Initials	Can Size	ID - Flow Controller	TO-15	TO-15 SIM	APH	Sulfur Non-petroleum HCs	Fixed Gases	Sulfides & Mercaptans by TO-15	Sample Comments (i.e. PID)
11	SU-11	10/3/23	1045	1545	-29.34	-6.63	SU	JW	6L	70602169	X					
12	SU-12	10/3/23	0835	1445	-29.44	-25.89	SU	JW	6L	183101810	X					DO NOT Analyze
13	SU-13	10/3/23	1015	1900	-29.30	-15.81	SU	JW	6L	308601554	X					
14	DUP 100323 A	10/3/23	1200	1600	-29.60	-8.54	SJ	JW	6L	297101919	X					
15	DUP 100323 B	10/3/23	1300	1800	-29.14	-12.24	SU	JW	6L	182101952	X					

***SAMPLE MATRIX CODES**

AA = Ambient Air (Indoor/Outdoor)
SV = Soil Vapor/Landfill Gas/SVE
Other = Please Specify

Container Type

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

Relinquished By:
J.Wolf AAL
10/5/23 SU

Date/Time:
10/4/23 1340

Received By:
J.H.Nguyen AAL
10/4/23 13:40

Date/Time:
10/5/23 0100
10/5/23 0505



Exhibit B
Laboratory Reports
(Full Category B Packages)
(Provided Electronically)

Table of Contents

New York ASP Category B Data Deliverable Package.....	1
Table of Contents	2
Sample ID Cross Reference	5
SDG Narrative	6
Data Qualifier Definitions	9
Instrument Information	12
Sample Log-in Sheet	15
Lims COC (LN01)	16
External Chain of Custody	19
Supporting Documentation	21
Air Canister Report	22
Air Canister Certification Results	24
Organics Analysis	48
GCMS SIM Air Analysis	49
Volatile QC Summary	50
Form 3 - Organics	51
Form 4 - Organics	61
Form 5 - Organics	63
Form 8 - Organics	67
MDL Study - Volatile Organics in Air: TO-15 SIM	69
TO15-LL	69
Volatile Sample Data	72
Form 1 - Organics	73
SV-01 (L2358506-01) Analyzed: 10/19/23 21:10	129
SV-02 (L2358506-02) Analyzed: 10/19/23 21:38	168
SV-03 (L2358506-03) Analyzed: 10/19/23 22:10	205
SV-04 (L2358506-04) Analyzed: 10/19/23 22:39	244
SV-06 (L2358506-06) Analyzed: 10/19/23 23:40	274
SV-07 (L2358506-07) Analyzed: 10/20/23 00:08	312
SV-10 (L2358506-10) Analyzed: 10/20/23 00:39	348
SV-11 (L2358506-11) Analyzed: 10/20/23 01:38	387
SV-13 (L2358506-13) Analyzed: 10/20/23 02:12	426
DUP100323B (L2358506-15) Analyzed: 10/20/23 03:18	468
SV-05R (L2358506-05) Analyzed: 10/20/23 07:25	509
SV-13 (L2358506-13) Analyzed: 10/20/23 07:53	552
DUP100323A (L2358506-14) Analyzed: 10/20/23 08:22	556
DUP100323B (L2358506-15) Analyzed: 10/20/23 08:50	596
SV-01 (L2358506-01) Analyzed: 10/20/23 22:47	600
SV-02 (L2358506-02) Analyzed: 10/20/23 23:23	604
SV-03 (L2358506-03) Analyzed: 10/21/23 00:02	608
SV-10 (L2358506-10) Analyzed: 10/21/23 01:22	612
SV-11 (L2358506-11) Analyzed: 10/21/23 01:58	616
SV-13 (L2358506-13) Analyzed: 10/21/23 02:37	620
DUP100323A (L2358506-14) Analyzed: 10/21/23 03:15	624
DUP100323B (L2358506-15) Analyzed: 10/21/23 03:57	628
Volatile Standards Data	632
Initial Calibration	633
Form 6 - Organics	634
ICAL for AIRLAB19 on 05/02/23 ICAL19975	640
Initial Calibration Summary - Cal Date: 05/02/23 00:00	640

Table of Contents

BFB TUNE Injected on: 05/01/23 07:03	643
STD0.02 Injected on: 05/01/23 07:39	644
STD0.05 Injected on: 05/01/23 08:15	712
STD0.1 Injected on: 05/01/23 08:54	782
STD0.2 Injected on: 05/01/23 09:32	827
STD0.5 Injected on: 05/01/23 10:11	855
STD1.0 Injected on: 05/01/23 10:52	866
STD5.0 Injected on: 05/01/23 11:31	874
STD010 Injected on: 05/01/23 12:12	880
STD020 Injected on: 05/01/23 12:50	886
STD050 Injected on: 05/01/23 13:28	893
ICV SUMMARY Injected on: 05/01/23 19:55	901
ICV QUANT Injected on: 05/01/23 19:55	904
ICAL for AIRLAB22 on 09/14/23 ICAL20367	909
Initial Calibration Summary - Cal Date: 09/14/23 00:00	909
BFB Injected on: 09/13/23 19:10	915
STD0.02 Injected on: 09/13/23 19:39	916
STD0.05 Injected on: 09/13/23 20:07	924
STD0.1 Injected on: 09/13/23 20:38	931
STD0.2 Injected on: 09/13/23 21:07	936
STD0.5 Injected on: 09/13/23 21:38	941
STD1.0 Injected on: 09/13/23 22:11	946
STD5.0 Injected on: 09/13/23 22:42	951
STD010 Injected on: 09/13/23 23:15	958
STD020 Injected on: 09/13/23 23:44	964
STD050 Injected on: 09/14/23 00:15	970
ICV SUMMARY Injected on: 09/14/23 11:15	975
ICV QUANT Injected on: 09/14/23 11:15	978
Continuing Calibration	983
Form 7 - Organics	984
CC Summary - AIRLAB22 Run: 10/19/23 13:26	988
CC Quant - WG1841988-2 AIRLAB22 Run: 10/19/23 13:26	991
CC Summary - AIRLAB19 Run: 10/20/23 15:34	996
CC Quant - WG1842585-2 AIRLAB19 Run: 10/20/23 15:34	999
bfb tune - Inst. AIRLAB22 10/19/23 11:46	1007
bfb tune - Inst. AIRLAB19 10/20/23 12:51	1008
Volatiles Raw QC Data	1009
Laboratory Method BI (WG1841988-4) Analyzed: 10/19/23 18:53	1010
Laboratory Method BI (WG1842585-4) Analyzed: 10/20/23 18:52	1021
LCS Summary for WG1841988-3	1032
LCS Summary for WG1842585-3	1035
Laboratory Control S (WG1841988-3) Analyzed: 10/19/23 13:26	1038
Laboratory Control S (WG1842585-3) Analyzed: 10/20/23 15:34	1105
Duplicate Sample (WG1841988-5) Analyzed: 10/20/23 01:10	1174
Duplicate Sample (WG1842585-5) Analyzed: 10/21/23 00:43	1212
Air Calculations	1216
QC Batch WG1841988	1218
QC Batch WG1842585	1219
ICAL Sequence for AIRLAB19 on 02-MAY-2023 00:00 ICAL19975	1220
ICAL Sequence for AIRLAB22 on 14-SEP-2023 00:00 ICAL20367	1222

Table of Contents

Instrument AIRLAB22 Run Date 10/19/23 Run ID R1754670	1224
Instrument AIRLAB19 Run Date 10/20/23 Run ID R1755186	1226
Canister Dilution Calculation Worksheet	1229



Exhibit C

Data Usability Summary Report

(DUSR)

DATA USABILITY SUMMARY REPORT (DUSR)

**Site: Modock Road Springs/DLS
Victor, NY
Project #: 23-040C**

**SDGs: L2358506
15 Air Samples**

Prepared for:

**Marks Engineering
4303 Routes 5 & 20
Canandaigua, NY 14424
Attention: Jeremy Wolf**

November 2023

EDU

Environmental Data Usability 10028 Deer Park Dr. Dansville, NY 14437 585-991-9156

Table of Contents

	<u>Page No.</u>
REVIEWER'S NARRATIVE	
1.0 SUMMARY	1
2.0 INTRODUCTION	1
3.0 SAMPLE AND ANALYSIS SUMMARY	2
4.0 GUIDANCE DOCUMENTS AND DATA REVIEW CRITERIA	2
5.0 DATA VALIDATION QUALIFIERS	3
6.0 RESULTS OF THE DATA REVIEW	4
7.0 TOTAL USABLE DATA	4

APPENDIX A	Validated Analytical Results
APPENDIX B	Laboratory QC Documentation
APPENDIX C	Validator Qualifications

Tables

Table 4-1	Data Validation Guidance Documents
Table 4-2	Quality Control Criteria for Validating Laboratory Analytical Data

Summaries of Validated Results

Table 6-1	TO-15-SIM
-----------	-----------

REVIEWER'S NARRATIVE**SDG L2358506 Marks Engineering Modock Road Springs/DLS**

The data associated with this Sample Delivery Group (SDG), analyzed by Alpha Analytical Westborough, MA have been reviewed in accordance with assessment criteria provided by the New York State Department of Environmental Conservation following the review procedures provided in the USEPA Functional Guidelines for evaluating organic and inorganic data.

All analytical results reported by the laboratory are considered valid and acceptable except results that have been qualified as rejected, "R". Results qualified as estimated "J", or as non-detects, "U", are considered usable for the purpose of evaluating water and/or soil quality. However, these qualifiers indicate that the accuracy and/or precision of the analytical result is questionable. A summary of all data that have been qualified and the reasons for qualification are provided in the following data usability summary report (DUSR).

Two facts should be noted by all data users. First, the "R" qualifier means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the analyte is present or not. Values qualified with an "R" should not appear on the final data tables because they cannot be relied upon, even as the last resort. Second, no analyte concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data, but any value potentially contains error.

Reviewer's Signature: Michael K. Perry Date: 11/21/2023
Michael K. Perry
Chemist

1.0 SUMMARY

SITE: Modock Road Springs/DLS
Victor, NY
Project No. 23-040c

SAMPLING DATE: October 03, 2023

SAMPLE TYPE: 15 air samples

LABORATORY: Alpha Analytical
Westborough, MA

SDG No.: L2358506

2.0 INTRODUCTION

This data usability summary report (DUSR) was prepared in accordance with guidance provided by the New York State Department of Environmental Conservation (NYSDEC). The DUSR is based on a review and evaluation of the laboratory analytical data package. Specifically, the NYSDEC guidance recommends review and evaluation of the following elements of the data package:

- Completeness of the data package as defined under the requirements of the NYSDEC Analytical Services Protocols (ASP) Category B or the United States Environmental Protection Agency (USEPA) Contract Laboratory Program (CLP) deliverables,
- Compliance with established analyte holding times,
- Adherence to quality control (QC) limits and specifications for blanks, instrument tuning and calibration, surrogate recoveries, spike recoveries, laboratory duplicate analyses, and other QC criteria,
- Adherence to established analytical protocols,
- Conformance of data summary sheets with raw analytical data, and
- Use of correct data qualifiers.

Data deficiencies, analytical protocol deviations, and quality control problems identified using the review criteria above and their effect on the analytical results are discussed in this report.

3.0 SAMPLE AND ANALYSIS SUMMARY

The data package consists of analytical results for twelve air samples collected on October 03, 2023. These samples were analyzed for TO-15-SIM Volatile Organic Compounds.

All laboratory analyses were performed by ALPHA Analytical, Westborough, MA and analyzed as SDG L2358506. The analytical results were provided in NYSDEC ASP Category B format, which includes all raw analytical data and laboratory QC data.

4.0 GUIDANCE DOCUMENTS AND DATA REVIEW CRITERIA

The guidance documents appropriate for reviewing laboratory quality control (QC) data and assigning data qualifiers (flags) to analytical results were selected from those listed in Table 4-1. The QC limits established in the documents applicable to this data review were used to assess the quality of the analytical results. In some cases, however, QC limits established internally by the laboratory were taken into account to determine data quality.

The QC criteria considered for assessing the usability of the reported analytical results provided for each analyte type (i.e. VOCs, SVOCs, metals, etc.) are listed in Table 4-2. These criteria may vary with the analytical method utilized by the laboratory. These criteria comply with the guidance recommended in Section 2.0 above.

5.0 DATA VALIDATION QUALIFIERS

The letter qualifiers (flags) used to define data usability are described briefly below. These letters are assigned by the data validator to analytical results having questionable accuracy and/or precision as determined by reviewing the laboratory QC data associated with the analytical results.

TABLE 4-1
Guidance Used For Validating Laboratory Analytical Data

Analyte Group	Guidance	Date
Metals (ICP-AES)	USEPA SOP HW-3a, Rev. 1	September 2016
Metals (Hg & CN)	USEPA SOP HW-3c, Rev. 1	September 2016
Volatile Organic Compounds (by Methods 8260B & 8260C)	USEPA SOP HW-24, Rev. 4	September 2014
Semi-Volatile Organic Compounds (by Method 8270D)	USEPA SOP HW-22 Rev. 5	December 2010
Pesticides (by Method 8181B)	USEPA SOP HW-44, Rev. 1.1	December 2010
Chlorinated Herbicides (by Method 8151A)	USEPA SOP HW-17, Rev. 3.1	December 2010
Polychlorinated Biphenyls (PCBs)	USEPA SOP HW-37A, Rev. 0	June 2015
Volatile Organic Compounds (Air) (by Method TO-15)	USEPA SOP HW-31, Rev. 6	September 2016
Per- and PolyFluoroAlkyl Substances (PFAS)	* NYSDEC ** US Dept. of Defense	January 2021 November 2022
Radiological Analysis		
Uranium	USEPA Method 908.0	June 1999
Radium-226	USEPA Method 903.1	1980
General Chemistry Parameters	per NYSDEC ASP	July 2005

* Sampling, Analysis, and Assessment of Per- and Polyfluoroalkyl Substances (PFAS) Under NYSDEC's Part 375 Remedial Programs, Appendix I

** Data Validation Guidelines Module 6: Data Validation Procedures for Per- and Polyfluoroalkyl Substances Analysis by QSM Table B-24

TABLE 4-2
**QUALITY CONTROL CRITERIA USED FOR VALIDATING
LABORATORY ANALYTICAL DATA**

VOCs	SVOCs	Pesticides/PCBs	Metals	Gen Chemistry	PFAS
Completeness of Pkg Sample Preservation Holding Time System Monitoring Compounds Lab Control Sample Matrix Spikes Blanks Instrument Tuning Internal Standards Initial Calibration Continuing Calibration Lab Qualifiers Field Duplicate	Completeness of Pkg Sample Preservation Holding Time Surrogate Recoveries Lab Control Sample Matrix Spikes Blanks Instrument Tuning Internal Standards Initial Calibration Continuing Calibration Lab Qualifiers Field Duplicate	Completeness of Pkg Sample Preservation Holding Time Surrogate Recoveries Matrix Spikes Blanks Instrument Calibration & Verification Comparison of duplicate GC column results Analyte ID Lab Qualifiers Field Duplicate	Completeness of Pkg Sample Preservation Holding Time Initial/Continuing Calibration CRDL Standards Blanks Interference Check Sample Spike Recoveries Lab Duplicate Lab Control Sample ICP Serial Dilutions Lab Qualifiers Field Duplicate	Completeness of Pkg Sample Preservation Holding Times Calibration Lab Control Samples Blanks Spike Recoveries Lab Duplicates	Completeness of Pkg Sample Preservation Holding Time Instr Performance Check Initial Calibration Continuing Calibration Blanks Surrogates Lab Fortified Blank Matrix Spikes Internal Standards

Method TO-15 (Air)	Radiological (U and Ra)
Completeness of Pkg Sample Preservation Holding Time Canister Certification Instrument Tuning Initial Calibration and Instrument Performance Daily Calibration Blanks Lab Control Sample Field Duplicate	Completeness of Pkg Sample Preservation Holding Time Sample Specific Yield Required Detection Limit Laboratory Control Sample Matrix Spikes Method Blank Instrument Calibration

The laboratory may also use various letters and symbols to flag analytical results generated when QC limits were exceeded. The meanings of these flags may differ from those used by the independent data validator. Those used by the laboratory are provided with the analytical results.

NOTE: The assignment of data qualifiers by the data reviewer (validator) to laboratory analytical results should not necessarily be interpreted by the data user as a measure of laboratory ability or proficiency. Rather, the qualifiers are intended to provide a measure of data accuracy and precision to the data user, which, for example, may provide a level of confidence in determining whether or not standards or cleanup objectives have been met.

- U** The analyte was analyzed for but was not detected at or above the sample quantitation limit.
- J** The analyte was positively identified; the associated numerical value is the *approximate* concentration of the analyte in the sample.
(The magnitude of any \pm value associated with the result is not determined by data validation).
- J+** The result is an estimated quantity and may be biased high.
- J-** The result is an estimated quantity and may be biased low.
- UJ** The analyte was analyzed for but not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
- R** The sample result is rejected (i.e., is unusable) due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.
- NJ** The analysis indicates the presence of an analyte that has been “tentatively identified” and the associated numerical value represents its approximate concentration.

The validated analytical results are attached to this report. Validation qualifiers (flags) are indicated in red print. Data sheets having qualified data are signed and dated by the data reviewer.

6.0 RESULTS OF THE DATA REVIEW

The results of the data review are summarized in Table 6-1. The table lists the samples where QC criteria were found to exceed acceptable limits and the actions taken to qualify the associated analytical results.

7.0 TOTAL USABLE DATA

For SDG L2358506, twelve samples were analyzed and results were reported for 768 analytes. Even though some results were flagged with a “J” as estimated, all results (100 %) are considered usable. See the summary table for the analyses that have been rejected and the associated QC reasons.

Note 1): Samples SV08, SV12, and SV09R were not analyzed.

L2358606

Table 6-1 TO-15-SIM


SAMPLES AFFECTED	ANALYTES	ACTION	QC VIOLATION	COMMENTS
SV-05R	Benzene	J Detect	Analyte detected in method blank	Data are estimated
SV-11 DUP100323B	Ethanol Tetrachloroethene Benzene	J detects	Field Dup % D > 50 %	Data are estimated

ACRONYMS

BSP	Blank Spike
CCAL	Continuing Calibration
CCB	Continuing Calibration Blank
CCV	Continuing Calibration Verification
CRDL	Contract Required Detection Limit
CRQL	Contract Required Quantitation Limit
%D	Percent Difference
ICAL	Initial Calibration
ICB	Initial Calibration Blank
IS	Internal Standard
LCS	Laboratory Control Sample
MS/MSD	Matrix Spike/Matrix Spike Duplicate
QA	Quality Assurance
QC	Quality Control
%R	Percent recovery
RPD	Relative Percent Difference
RRF	Relative Response Factor
%RSD	Percent Relative Standard Deviation
TAL	Target Analyte List (metals)
TCL	Target Compound List (organics)

Appendix A

Validated Analytical Results



www.alphalab.com



Alpha Analytical

Laboratory Code: 11148

SDG Number: L2358506

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2358506-01	SV-01	SOIL_VAPOR	VICTOR NY	10/03/23 13:10	10/04/23
L2358506-02	SV-02	SOIL_VAPOR	VICTOR NY	10/03/23 17:15	10/04/23
L2358506-03	SV-03	SOIL_VAPOR	VICTOR NY	10/03/23 17:05	10/04/23
L2358506-04	SV-04	SOIL_VAPOR	VICTOR NY	10/03/23 15:10	10/04/23
L2358506-05	SV-05R	SOIL_VAPOR	VICTOR NY	10/03/23 13:40	10/04/23
L2358506-06	SV-06	SOIL_VAPOR	VICTOR NY	10/03/23 12:10	10/04/23
L2358506-07	SV-07	SOIL_VAPOR	VICTOR NY	10/03/23 16:10	10/04/23
L2358506-08	SV-08	SOIL_VAPOR	VICTOR NY	10/03/23 18:25	10/04/23
L2358506-09	SV-09R	SOIL_VAPOR	VICTOR NY	10/03/23 16:40	10/04/23
L2358506-10	SV-10	SOIL_VAPOR	VICTOR NY	10/03/23 15:35	10/04/23
L2358506-11	SV-11	SOIL_VAPOR	VICTOR NY	10/03/23 15:45	10/04/23
L2358506-12	SV-12	SOIL_VAPOR	VICTOR NY	10/03/23 14:45	10/04/23
L2358506-13	SV-13	SOIL_VAPOR	VICTOR NY	10/03/23 19:00	10/04/23
L2358506-14	DUP100323A	SOIL_VAPOR	VICTOR NY	10/03/23 16:00	10/04/23
L2358506-15	DUP100323B	SOIL_VAPOR	VICTOR NY	10/03/23 18:00	10/04/23

Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

Case Narrative (continued)

Volatile Organics in Air

Canisters were released from the laboratory on September 27, 2023. The canister certification results are provided as an addendum.

L2358506-02D: The sample has elevated detection limits due to the dilution required by the elevated concentrations of target compounds in the sample.

L2358506-04D: The sample has elevated detection limits due to the dilution required by the elevated concentrations of target compounds in the sample.

L2358506-05D: The sample has elevated detection limits due to the dilution required by the elevated concentrations of target compounds in the sample.

L2358506-07D: The sample has elevated detection limits due to the dilution required by the elevated concentrations of target compounds in the sample.

L2358506-11D: The sample has elevated detection limits due to the dilution required by the elevated concentrations of target compounds in the sample.

L2358506-13D: The sample has elevated detection limits due to the dilution required by the elevated concentrations of target compounds in the sample.

L2358506-13D2: The sample was re-analyzed on dilution in order to quantitate the results within the calibration range. The result(s) should be considered estimated, and are qualified with an E flag, for any compound(s) that exceeded the calibration range in the initial analysis. The re-analysis was performed only for the compound(s) that exceeded the calibration range.

L2358506-14D: The sample has elevated detection limits due to the dilution required by the elevated



Project Name: DLS/MODOCK RD
Project Number: 23-040C

Lab Number: L2358506
Report Date: 10/23/23

Case Narrative (continued)

concentrations of target compounds in the sample.

L2358506-15: The sample has elevated detection limits due to the dilution required by the elevated concentrations of target compounds in the sample.

L2358506-15D: The sample was re-analyzed on dilution in order to quantitate the results within the calibration range. The result(s) should be considered estimated, and are qualified with an E flag, for any compound(s) that exceeded the calibration range in the initial analysis. The re-analysis was performed only for the compound(s) that exceeded the calibration range.

The WG1841988-4 Method Blank, associated with L2358506-01, -02D, -03, -04D, -05D, -06, -07D, -10, -11D, -13D2, -13D, -14D, -15, and -15D, has a concentration above the reporting limit for Benzene. Since the associated sample concentrations are either greater than 10x the blank concentration or non-detect to the RL for this target analyte, no corrective action is required. Any results detected below the reporting limit are qualified with a "B".

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature: *Christopher J Anderson*

Report Date: 10/23/23

Title: Technical Director/Representative





AIR ANALYSIS

CHAIN OF CUSTODY

320 Forbes Blvd, Mansfield, MA 02048
TEL: 508-822-9300 FAX: 508-822-3288

Client Information

Client: Marks Engineering
Address: 4303 Route 5 & 20
Carmel, NY 14424
Phone: 585-500-8392

Fax:

Email: JWolf@MarksEngineering.com

 These samples have been previously analyzed by Alpha

Other Project Specific Requirements/Comments:

Project-Specific Target Compound List:

Project Information Project Name: DLS / Modack RD Project Location: Victor NY Project #: 23-040C Project Manager: Jeremy Wolf ALPHA Quote #: 10613 Turn-Around Time <input checked="" type="checkbox"/> Standard <input type="checkbox"/> RUSH (only confirmed if pre-approved) Date Due: Time: <input type="checkbox"/> Same as Client Info PO #: 23-040C	Date Rec'd in Lab: 10/5/23										ALPHA Job #: L235850C		
	Report Information - Data Deliverables										Billing Information		
	<input type="checkbox"/> FAX <input type="checkbox"/> ADEx Criteria Checker: _____ <small>(Default based on Regulatory Criteria Indicated)</small> Other Formats: <input checked="" type="checkbox"/> EMAIL (standard pdf report) <input checked="" type="checkbox"/> Additional Deliverables: CATB NYSDEC E 00										<input type="checkbox"/> Same as Client Info PO #: 23-040C		
											Regulatory Requirements/Report Limits		
											State/Fed Program Res / Comm		

All Columns Below Must Be Filled Out													
ALPHA Lab ID (Lab Use Only)	Sample ID	COLLECTION				Sample Matrix*	Sampler's Initials	Can Size	ID Can	ID - Flow Controller	TO-15	TO-15 SIM	APH
		End Date	Start Time	End Time	Initial Vacuum								
5850C-01	SV-01	10/3/23	0910	1310	-29.48	-9.34	SU	JW	6L	3583 01127	X		
	02	10/3/23	0925	1715	-29.56	-12.10	SU	JW	6L	1559 02141	X		
	03	10/3/23	0935	1705	-29.57	-9.50	SU	JW	6L	2002 01519	X		
	04	10/3/23	0955	1510	-29.8	-10.40	SU	JW	6L	312701135	X		
	05	10/3/23	0940	1340	-29.90	-10.35	SU	JW	6L	33430904	X		
	06	10/3/23	0810	1210	-29.94	-7.95	SU	JW	6L	3653 01696	X		
	07	10/3/23	1000	1610	-30.16	-9.67	SU	JW	6L	2367 01439	X		
	08	10/3/23	1010	1825	-29.43	-27.80	SU	JW	6L	3590 01953	X		
	09	10/3/23	1020	1640	-29.51	-29.50	SU	JW	6L	15720830	X		
	10	10/3/23	1035	1535	-29.41	-2.93	SU	JW	6L	1891 01546	X		

*SAMPLE MATRIX CODES

AA = Ambient Air (Indoor/Outdoor)

SV = Soil Vapor/Landfill Gas/SVE

Other = Please Specify

Container Type

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

Relinquished By:	Date/Time	Received By:	Date/Time:
<i>J. Wolf</i> <i>J. Wolf</i> <i>10/3/23 500</i>	10/4/23 1330	<i>J. H. Neppel</i> <i>AAL</i> <i>10/4/23 13:40</i>	10/4/23 13:40



AIR ANALYSIS

CHAIN OF CUSTODY

320 Forbes Blvd, Mansfield, MA 02048
TEL: 508-822-9300 FAX: 508-822-3288

Client Information

Client: Marks Engineering
Address: 4303 Route 5920
Concordia NY 14424
Phone: 585 - 500 - 8392
Fax:

Email: JWolf@MarksEngineering.com
 These samples have been previously analyzed by Alpha

Other Project Specific Requirements/Comments:

Project-Specific Target Compound List:

All Columns Below Must Be Filled Out

ALPHA Lab ID (Lab Use Only)	Sample ID	COLLECTION				Sample Matrix*	Sampler's Initials	Can Size	ID Can	ID - Flow Controller	TO-15	TO-15 SIM	APH	Sulfur Non-petroleum HCs	TO-15 Fixed Gases	Sulfides & Mercaptans by TO-15	Sample Comments (i.e. PID)
11	SU-11	10/3/23	1045	1545	-29.34	-6.63	SU	JW	6L	70602169	X						
12	SU-12	10/3/23	0835	1445	-29.44	-25.89	SU	JW	6L	183101810	X						DO NOT Analyze
13	SU-13	10/3/23	1015	1900	-29.30	-15.81	SU	JW	6L	308601554	X						
14	DUP 100323 A	10/3/23	1200	1600	-29.60	-8.54	SJ	JW	6L	297101919	X						
15	DUP 100323 B	10/3/23	1300	1800	-29.14	-12.24	SU	JW	6L	182101952	X						

*SAMPLE MATRIX CODES

AA = Ambient Air (Indoor/Outdoor)
SV = Soil Vapor/Landfill Gas/SVE
Other = Please Specify

Container Type

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

Relinquished By:
JW Wolf AAL
10/5/23 SU

Date/Time:
10/4/23 13:40
Received By:
JH Ngoh AAL
10/4/23 13:40

Date/Time:
10/5/23 01:00
10/5/23 05:00

Project Name: DLS/MODOCK RD

Lab Number: L2358506

Project Number: 23-040C

Report Date: 10/23/23

Canister and Flow Controller Information

Samplenum	Client ID	Media ID	Media Type	Date Prepared	Bottle Order	Cleaning Batch ID	Can Leak Check	Initial Pressure (in. Hg)	Pressure on Receipt (in. Hg)	Flow Controller Leak Chk	Flow Out mL/min	Flow In mL/min	% RPD
L2358506-01	SV-01	01127	Flow 2	09/27/23	438169		-	-	-	Pass	20	18.0	11
L2358506-01	SV-01	3583	6.0L Can	09/27/23	438169	L2355336-10	Pass	-29.9	-9.7	-	-	-	-
L2358506-02	SV-02	02141	Flow 2	09/27/23	438169		-	-	-	Pass	20	11.1	57
L2358506-02	SV-02	1559	6.0L Can	09/27/23	438169	L2355336-03	Pass	-29.9	-13.1	-	-	-	-
L2358506-03	SV-03	01519	Flow 2	09/27/23	438169		-	-	-	Pass	20	14.3	33
L2358506-03	SV-03	2002	6.0L Can	09/27/23	438169	L2355336-03	Pass	-29.8	-9.8	-	-	-	-
L2358506-04	SV-04	01135	Flow 2	09/27/23	438169		-	-	-	Pass	20	16.2	21
L2358506-04	SV-04	3127	6.0L Can	09/27/23	438169	L2355336-05	Pass	-29.9	-11.2	-	-	-	-
L2358506-05	SV-05R	0904	Flow 3	09/27/23	438169		-	-	-	Pass	20	0.8	185
L2358506-05	SV-05R	3343	6.0L Can	09/27/23	438169	L2355336-05	Pass	-29.9	-11.1	-	-	-	-
L2358506-06	SV-06	01696	Flow 2	09/27/23	438169		-	-	-	Pass	20	18.6	7
L2358506-06	SV-06	3653	6.0L Can	09/27/23	438169	L2355336-10	Pass	-29.9	-8.0	-	-	-	-
L2358506-07	SV-07	01439	Flow 2	09/27/23	438169		-	-	-	Pass	20	18.4	8
L2358506-07	SV-07	2367	6.0L Can	09/27/23	438169	L2355336-05	Pass	-29.9	-10.1	-	-	-	-
L2358506-08	SV-08	01953	Flow 2	09/27/23	438169		-	-	-	Pass	20	15.0	29

Project Name: DLS/MODOCK RD

Lab Number: L2358506

Project Number: 23-040C

Report Date: 10/23/23

Canister and Flow Controller Information

Samplenum	Client ID	Media ID	Media Type	Date Prepared	Bottle Order	Cleaning Batch ID	Can Leak Check	Initial Pressure (in. Hg)	Pressure on Receipt (in. Hg)	Flow Controller Leak Chk	Flow Out mL/min	Flow In mL/min	% RPD
L2358506-08	SV-08	3590	6.0L Can	09/27/23	438169	L2355336-10	Pass	-29.8	-27.7	-	-	-	-
L2358506-09	SV-09R	0830	Flow 2	09/27/23	438169		-	-	-	Pass	20	14.3	33
L2358506-09	SV-09R	1572	6.0L Can	09/27/23	438169	L2355336-05	Pass	-29.8	-29.2	-	-	-	-
L2358506-10	SV-10	01546	Flow 3	09/27/23	438169		-	-	-	Pass	20	18.0	11
L2358506-10	SV-10	1891	6.0L Can	09/27/23	438169	L2355336-03	Pass	-29.9	-3.8	-	-	-	-
L2358506-11	SV-11	02169	Flow 2	09/27/23	438169		-	-	-	Pass	20	20.5	2
L2358506-11	SV-11	706	6.0L Can	09/27/23	438169	L2355336-03	Pass	-29.9	-7.2	-	-	-	-
L2358506-12	SV-12	01810	Flow 2	09/27/23	438169		-	-	-	Pass	20	15.1	28
L2358506-12	SV-12	1831	6.0L Can	09/27/23	438169	L2355336-10	Pass	-29.9	-25.7	-	-	-	-
L2358506-13	SV-13	01554	Flow 2	09/27/23	438169		-	-	-	Pass	20	7.2	94
L2358506-13	SV-13	3086	6.0L Can	09/27/23	438169	L2355336-05	Pass	-29.9	-16.5	-	-	-	-
L2358506-14	DUP100323A	01919	Flow 2	09/27/23	438169		-	-	-	Pass	20	19.0	5
L2358506-14	DUP100323A	2977	6.0L Can	09/27/23	438169	L2355336-10	Pass	-29.9	-9.8	-	-	-	-
L2358506-15	DUP100323B	01952	Flow 2	09/27/23	438169		-	-	-	Pass	20	15.2	27
L2358506-15	DUP100323B	1821	6.0L Can	09/27/23	438169	L2355336-03	Pass	-29.9	-13.0	-	-	-	-

**GC/MS VOA
Air Analysis
Selective Ion Monitoring**

Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-01	Date Collected	: 10/03/23 13:10
Client ID	: SV-01	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/19/23 21:10
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221240_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 250 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
75-71-8	Dichlorodifluoromethane	0.389	0.200	--	1.92	0.989	--	
74-87-3	Chloromethane	ND	0.200	--	ND	0.413	--	U
76-14-2	Freon-114	ND	0.050	--	ND	0.349	--	U
75-01-4	Vinyl chloride	ND	0.020	--	ND	0.051	--	U
106-99-0	1,3-Butadiene	ND	0.020	--	ND	0.044	--	U
74-83-9	Bromomethane	ND	0.020	--	ND	0.078	--	U
75-00-3	Chloroethane	ND	0.100	--	ND	0.264	--	U
64-17-5	Ethanol	ND	5.00	--	ND	9.42	--	U
593-60-2	Vinyl bromide	ND	0.200	--	ND	0.874	--	U
67-64-1	Acetone	21.5	1.00	--	51.1	2.38	--	
75-69-4	Trichlorofluoromethane	0.234	0.050	--	1.31	0.281	--	
67-63-0	Isopropanol	ND	0.500	--	ND	1.23	--	U
75-35-4	1,1-Dichloroethene	ND	0.020	--	ND	0.079	--	U
75-65-0	Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--	U
75-09-2	Methylene chloride	1.84	0.500	--	6.39	1.74	--	
107-05-1	3-Chloropropene	ND	0.200	--	ND	0.626	--	U
75-15-0	Carbon disulfide	ND	0.200	--	ND	0.623	--	U
76-13-1	Freon-113	0.056	0.050	--	0.429	0.383	--	
156-60-5	trans-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--	U
75-34-3	1,1-Dichloroethane	ND	0.020	--	ND	0.081	--	U
1634-04-4	Methyl tert butyl ether	ND	0.200	--	ND	0.721	--	U
78-93-3	2-Butanone	3.13	0.500	--	9.23	1.47	--	
156-59-2	cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--	U
141-78-6	Ethyl Acetate	ND	0.500	--	ND	1.80	--	U
67-66-3	Chloroform	0.027	0.020	--	0.132	0.098	--	
109-99-9	Tetrahydrofuran	ND	0.500	--	ND	1.47	--	U



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-01	Date Collected	: 10/03/23 13:10
Client ID	: SV-01	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/19/23 21:10
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221240_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 250 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
107-06-2	1,2-Dichloroethane	ND	0.020	--	ND	0.081	--	U
110-54-3	n-Hexane	ND	0.200	--	ND	0.705	--	U
71-55-6	1,1,1-Trichloroethane	1.17	0.020	--	6.38	0.109	--	
56-23-5	Carbon tetrachloride	0.065	0.020	--	0.409	0.126	--	
110-82-7	Cyclohexane	ND	0.200	--	ND	0.688	--	U
78-87-5	1,2-Dichloropropane	ND	0.020	--	ND	0.092	--	U
75-27-4	Bromodichloromethane	ND	0.020	--	ND	0.134	--	U
123-91-1	1,4-Dioxane	ND	0.100	--	ND	0.360	--	U
79-01-6	Trichloroethene	0.242	0.020	--	1.30	0.107	--	
540-84-1	2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--	U
142-82-5	Heptane	ND	0.200	--	ND	0.820	--	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	U
108-10-1	4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	U
79-00-5	1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--	U
108-88-3	Toluene	ND	0.100	--	ND	0.377	--	U
591-78-6	2-Hexanone	0.310	0.200	--	1.27	0.820	--	
124-48-1	Dibromochloromethane	ND	0.020	--	ND	0.170	--	U
106-93-4	1,2-Dibromoethane	ND	0.020	--	ND	0.154	--	U
127-18-4	Tetrachloroethene	ND	0.020	--	ND	0.136	--	U
108-90-7	Chlorobenzene	ND	0.100	--	ND	0.461	--	U
100-41-4	Ethylbenzene	ND	0.020	--	ND	0.087	--	U
179601-23-1	p/m-Xylene	0.046	0.040	--	0.200	0.174	--	
75-25-2	Bromoform	ND	0.020	--	ND	0.207	--	U
100-42-5	Styrene	ND	0.020	--	ND	0.085	--	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--	U



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-01	Date Collected	: 10/03/23 13:10
Client ID	: SV-01	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/19/23 21:10
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221240_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 250 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
95-47-6	o-Xylene	0.022	0.020	--	0.096	0.087	--	
622-96-8	4-Ethyltoluene	ND	0.020	--	ND	0.098	--	U
108-67-8	1,3,5-Trimethylbenzene	ND	0.020	--	ND	0.098	--	U
95-63-6	1,2,4-Trimethylbenzene	ND	0.020	--	ND	0.098	--	U
100-44-7	Benzyl chloride	ND	0.100	--	ND	0.518	--	U
541-73-1	1,3-Dichlorobenzene	ND	0.020	--	ND	0.120	--	U
106-46-7	1,4-Dichlorobenzene	ND	0.020	--	ND	0.120	--	U
95-50-1	1,2-Dichlorobenzene	ND	0.020	--	ND	0.120	--	U
120-82-1	1,2,4-Trichlorobenzene	ND	0.050	--	ND	0.371	--	U
87-68-3	Hexachlorobutadiene	ND	0.050	--	ND	0.533	--	U

Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-01	Date Collected	: 10/03/23 13:10
Client ID	: SV-01	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/20/23 22:47
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15-SIM	Analyst	: JMB
Lab File ID	: R1925892_EV2	Instrument ID	: AIRLAB19
Sample Amount	: 250 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
71-43-2	Benzene	0.189	0.100	--	0.604	0.319	--	



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-02D	Date Collected	: 10/03/23 17:15
Client ID	: SV-02	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/19/23 21:38
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 4.808
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221241_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 52.0 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
75-71-8	Dichlorodifluoromethane	ND	0.962	--	ND	4.76	--	U
74-87-3	Chloromethane	ND	0.962	--	ND	1.99	--	U
76-14-2	Freon-114	ND	0.240	--	ND	1.68	--	U
75-01-4	Vinyl chloride	ND	0.096	--	ND	0.246	--	U
106-99-0	1,3-Butadiene	ND	0.096	--	ND	0.213	--	U
74-83-9	Bromomethane	ND	0.096	--	ND	0.374	--	U
75-00-3	Chloroethane	ND	0.481	--	ND	1.27	--	U
64-17-5	Ethanol	24.6	24.0	--	46.4	45.2	--	
593-60-2	Vinyl bromide	ND	0.962	--	ND	4.21	--	U
67-64-1	Acetone	57.8	4.81	--	137	11.4	--	
75-69-4	Trichlorofluoromethane	0.284	0.240	--	1.60	1.35	--	
67-63-0	Isopropanol	ND	2.40	--	ND	5.90	--	U
75-35-4	1,1-Dichloroethene	ND	0.096	--	ND	0.381	--	U
75-65-0	Tertiary butyl Alcohol	39.9	2.40	--	121	7.28	--	
75-09-2	Methylene chloride	ND	2.40	--	ND	8.34	--	U
107-05-1	3-Chloropropene	ND	0.962	--	ND	3.01	--	U
75-15-0	Carbon disulfide	14.8	0.962	--	46.1	3.00	--	
76-13-1	Freon-113	ND	0.240	--	ND	1.84	--	U
156-60-5	trans-1,2-Dichloroethene	ND	0.096	--	ND	0.381	--	U
75-34-3	1,1-Dichloroethane	ND	0.096	--	ND	0.389	--	U
1634-04-4	Methyl tert butyl ether	ND	0.962	--	ND	3.47	--	U
78-93-3	2-Butanone	96.9	2.40	--	286	7.08	--	
156-59-2	cis-1,2-Dichloroethene	ND	0.096	--	ND	0.381	--	U
141-78-6	Ethyl Acetate	ND	2.40	--	ND	8.65	--	U
67-66-3	Chloroform	ND	0.096	--	ND	0.470	--	U
109-99-9	Tetrahydrofuran	ND	2.40	--	ND	7.08	--	U



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-02D	Date Collected	: 10/03/23 17:15
Client ID	: SV-02	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/19/23 21:38
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 4.808
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221241_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 52.0 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
107-06-2	1,2-Dichloroethane	ND	0.096	--	ND	0.389	--	U
110-54-3	n-Hexane	ND	0.962	--	ND	3.39	--	U
71-55-6	1,1,1-Trichloroethane	0.553	0.096	--	3.02	0.525	--	
56-23-5	Carbon tetrachloride	ND	0.096	--	ND	0.605	--	U
110-82-7	Cyclohexane	ND	0.962	--	ND	3.31	--	U
78-87-5	1,2-Dichloropropane	ND	0.096	--	ND	0.445	--	U
75-27-4	Bromodichloromethane	ND	0.096	--	ND	0.644	--	U
123-91-1	1,4-Dioxane	ND	0.481	--	ND	1.73	--	U
79-01-6	Trichloroethene	ND	0.096	--	ND	0.517	--	U
540-84-1	2,2,4-Trimethylpentane	ND	0.962	--	ND	4.49	--	U
142-82-5	Heptane	ND	0.962	--	ND	3.94	--	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.096	--	ND	0.437	--	U
108-10-1	4-Methyl-2-pentanone	ND	2.40	--	ND	9.84	--	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.096	--	ND	0.437	--	U
79-00-5	1,1,2-Trichloroethane	ND	0.096	--	ND	0.525	--	U
108-88-3	Toluene	0.798	0.481	--	3.01	1.81	--	
591-78-6	2-Hexanone	6.58	0.962	--	27.0	3.94	--	
124-48-1	Dibromochloromethane	ND	0.096	--	ND	0.820	--	U
106-93-4	1,2-Dibromoethane	ND	0.096	--	ND	0.739	--	U
127-18-4	Tetrachloroethene	ND	0.096	--	ND	0.652	--	U
108-90-7	Chlorobenzene	ND	0.481	--	ND	2.22	--	U
100-41-4	Ethylbenzene	0.245	0.096	--	1.06	0.418	--	
179601-23-1	p/m-Xylene	0.808	0.192	--	3.51	0.834	--	
75-25-2	Bromoform	ND	0.096	--	ND	0.995	--	U
100-42-5	Styrene	ND	0.096	--	ND	0.410	--	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.096	--	ND	0.661	--	U



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-02D	Date Collected	: 10/03/23 17:15
Client ID	: SV-02	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/19/23 21:38
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 4.808
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221241_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 52.0 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
95-47-6	o-Xylene	0.644	0.096	--	2.80	0.418	--	
622-96-8	4-Ethyltoluene	ND	0.096	--	ND	0.473	--	U
108-67-8	1,3,5-Trimethylbenzene	0.125	0.096	--	0.615	0.473	--	
95-63-6	1,2,4-Trimethylbenzene	0.298	0.096	--	1.47	0.473	--	
100-44-7	Benzyl chloride	ND	0.481	--	ND	2.49	--	U
541-73-1	1,3-Dichlorobenzene	ND	0.096	--	ND	0.578	--	U
106-46-7	1,4-Dichlorobenzene	ND	0.096	--	ND	0.578	--	U
95-50-1	1,2-Dichlorobenzene	ND	0.096	--	ND	0.578	--	U
120-82-1	1,2,4-Trichlorobenzene	ND	0.240	--	ND	1.78	--	U
87-68-3	Hexachlorobutadiene	ND	0.240	--	ND	2.56	--	U



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-02D	Date Collected	: 10/03/23 17:15
Client ID	: SV-02	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/20/23 23:23
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 4.808
Analytical Method	: 48,TO-15-SIM	Analyst	: JMB
Lab File ID	: R1925893_EV2	Instrument ID	: AIRLAB19
Sample Amount	: 52.0 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
71-43-2	Benzene	0.836	0.481	--	2.67	1.54	--	



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-03	Date Collected	: 10/03/23 17:05
Client ID	: SV-03	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/19/23 22:10
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221242_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 250 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
75-71-8	Dichlorodifluoromethane	0.312	0.200	--	1.54	0.989	--	
74-87-3	Chloromethane	ND	0.200	--	ND	0.413	--	U
76-14-2	Freon-114	ND	0.050	--	ND	0.349	--	U
75-01-4	Vinyl chloride	ND	0.020	--	ND	0.051	--	U
106-99-0	1,3-Butadiene	ND	0.020	--	ND	0.044	--	U
74-83-9	Bromomethane	ND	0.020	--	ND	0.078	--	U
75-00-3	Chloroethane	ND	0.100	--	ND	0.264	--	U
64-17-5	Ethanol	7.80	5.00	--	14.7	9.42	--	
593-60-2	Vinyl bromide	ND	0.200	--	ND	0.874	--	U
67-64-1	Acetone	117	1.00	--	278	2.38	--	
75-69-4	Trichlorofluoromethane	0.232	0.050	--	1.30	0.281	--	
67-63-0	Isopropanol	ND	0.500	--	ND	1.23	--	U
75-35-4	1,1-Dichloroethene	ND	0.020	--	ND	0.079	--	U
75-65-0	Tertiary butyl Alcohol	0.558	0.500	--	1.69	1.52	--	
75-09-2	Methylene chloride	0.936	0.500	--	3.25	1.74	--	
107-05-1	3-Chloropropene	ND	0.200	--	ND	0.626	--	U
75-15-0	Carbon disulfide	1.09	0.200	--	3.39	0.623	--	
76-13-1	Freon-113	0.057	0.050	--	0.437	0.383	--	
156-60-5	trans-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--	U
75-34-3	1,1-Dichloroethane	ND	0.020	--	ND	0.081	--	U
1634-04-4	Methyl tert butyl ether	ND	0.200	--	ND	0.721	--	U
78-93-3	2-Butanone	20.7	0.500	--	61.1	1.47	--	
156-59-2	cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--	U
141-78-6	Ethyl Acetate	ND	0.500	--	ND	1.80	--	U
67-66-3	Chloroform	0.057	0.020	--	0.278	0.098	--	
109-99-9	Tetrahydrofuran	ND	0.500	--	ND	1.47	--	U



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-03	Date Collected	: 10/03/23 17:05
Client ID	: SV-03	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/19/23 22:10
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221242_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 250 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
107-06-2	1,2-Dichloroethane	ND	0.020	--	ND	0.081	--	U
110-54-3	n-Hexane	0.215	0.200	--	0.758	0.705	--	
71-55-6	1,1,1-Trichloroethane	ND	0.020	--	ND	0.109	--	U
56-23-5	Carbon tetrachloride	0.023	0.020	--	0.145	0.126	--	
110-82-7	Cyclohexane	ND	0.200	--	ND	0.688	--	U
78-87-5	1,2-Dichloropropane	ND	0.020	--	ND	0.092	--	U
75-27-4	Bromodichloromethane	ND	0.020	--	ND	0.134	--	U
123-91-1	1,4-Dioxane	ND	0.100	--	ND	0.360	--	U
79-01-6	Trichloroethene	ND	0.020	--	ND	0.107	--	U
540-84-1	2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--	U
142-82-5	Heptane	ND	0.200	--	ND	0.820	--	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	U
108-10-1	4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	U
79-00-5	1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--	U
108-88-3	Toluene	ND	0.100	--	ND	0.377	--	U
591-78-6	2-Hexanone	2.44	0.200	--	10.0	0.820	--	
124-48-1	Dibromochloromethane	ND	0.020	--	ND	0.170	--	U
106-93-4	1,2-Dibromoethane	ND	0.020	--	ND	0.154	--	U
127-18-4	Tetrachloroethene	ND	0.020	--	ND	0.136	--	U
108-90-7	Chlorobenzene	ND	0.100	--	ND	0.461	--	U
100-41-4	Ethylbenzene	0.022	0.020	--	0.096	0.087	--	
179601-23-1	p/m-Xylene	0.062	0.040	--	0.269	0.174	--	
75-25-2	Bromoform	ND	0.020	--	ND	0.207	--	U
100-42-5	Styrene	ND	0.020	--	ND	0.085	--	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--	U



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-03	Date Collected	: 10/03/23 17:05
Client ID	: SV-03	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/19/23 22:10
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221242_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 250 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
95-47-6	o-Xylene	0.029	0.020	--	0.126	0.087	--	
622-96-8	4-Ethyltoluene	ND	0.020	--	ND	0.098	--	U
108-67-8	1,3,5-Trimethylbenzene	ND	0.020	--	ND	0.098	--	U
95-63-6	1,2,4-Trimethylbenzene	0.023	0.020	--	0.113	0.098	--	
100-44-7	Benzyl chloride	ND	0.100	--	ND	0.518	--	U
541-73-1	1,3-Dichlorobenzene	ND	0.020	--	ND	0.120	--	U
106-46-7	1,4-Dichlorobenzene	ND	0.020	--	ND	0.120	--	U
95-50-1	1,2-Dichlorobenzene	ND	0.020	--	ND	0.120	--	U
120-82-1	1,2,4-Trichlorobenzene	ND	0.050	--	ND	0.371	--	U
87-68-3	Hexachlorobutadiene	ND	0.050	--	ND	0.533	--	U



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-03	Date Collected	: 10/03/23 17:05
Client ID	: SV-03	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/21/23 00:02
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15-SIM	Analyst	: JMB
Lab File ID	: R1925894_EV2	Instrument ID	: AIRLAB19
Sample Amount	: 250 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
71-43-2	Benzene	0.308	0.100	--	0.984	0.319	--	



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-04D	Date Collected	: 10/03/23 15:10
Client ID	: SV-04	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/19/23 22:39
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 3.454
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221243_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 72.4 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
75-71-8	Dichlorodifluoromethane	1.99	0.691	--	9.84	3.42	--	
74-87-3	Chloromethane	ND	0.691	--	ND	1.43	--	U
76-14-2	Freon-114	ND	0.173	--	ND	1.21	--	U
75-01-4	Vinyl chloride	ND	0.069	--	ND	0.177	--	U
106-99-0	1,3-Butadiene	ND	0.069	--	ND	0.153	--	U
74-83-9	Bromomethane	ND	0.069	--	ND	0.268	--	U
75-00-3	Chloroethane	ND	0.345	--	ND	0.910	--	U
64-17-5	Ethanol	ND	17.3	--	ND	32.6	--	U
593-60-2	Vinyl bromide	ND	0.691	--	ND	3.02	--	U
67-64-1	Acetone	29.6	3.45	--	70.3	8.20	--	
75-69-4	Trichlorofluoromethane	0.300	0.173	--	1.69	0.972	--	
67-63-0	Isopropanol	ND	1.73	--	ND	4.25	--	U
75-35-4	1,1-Dichloroethene	ND	0.069	--	ND	0.274	--	U
75-65-0	Tertiary butyl Alcohol	5.26	1.73	--	15.9	5.24	--	
75-09-2	Methylene chloride	ND	1.73	--	ND	6.01	--	U
107-05-1	3-Chloropropene	ND	0.691	--	ND	2.16	--	U
75-15-0	Carbon disulfide	ND	0.691	--	ND	2.15	--	U
76-13-1	Freon-113	ND	0.173	--	ND	1.33	--	U
156-60-5	trans-1,2-Dichloroethene	ND	0.069	--	ND	0.274	--	U
75-34-3	1,1-Dichloroethane	ND	0.069	--	ND	0.280	--	U
1634-04-4	Methyl tert butyl ether	ND	0.691	--	ND	2.49	--	U
78-93-3	2-Butanone	73.7	1.73	--	217	5.10	--	
156-59-2	cis-1,2-Dichloroethene	ND	0.069	--	ND	0.274	--	U
141-78-6	Ethyl Acetate	ND	1.73	--	ND	6.23	--	U
67-66-3	Chloroform	0.093	0.069	--	0.455	0.337	--	
109-99-9	Tetrahydrofuran	ND	1.73	--	ND	5.10	--	U



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-04D	Date Collected	: 10/03/23 15:10
Client ID	: SV-04	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/19/23 22:39
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 3.454
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221243_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 72.4 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
107-06-2	1,2-Dichloroethane	ND	0.069	--	ND	0.280	--	U
110-54-3	n-Hexane	ND	0.691	--	ND	2.44	--	U
71-55-6	1,1,1-Trichloroethane	2.48	0.069	--	13.5	0.377	--	
71-43-2	Benzene	ND	0.345	--	ND	1.10	--	U
56-23-5	Carbon tetrachloride	ND	0.069	--	ND	0.435	--	U
110-82-7	Cyclohexane	ND	0.691	--	ND	2.38	--	U
78-87-5	1,2-Dichloropropane	ND	0.069	--	ND	0.319	--	U
75-27-4	Bromodichloromethane	ND	0.069	--	ND	0.463	--	U
123-91-1	1,4-Dioxane	ND	0.345	--	ND	1.24	--	U
79-01-6	Trichloroethylene	ND	0.069	--	ND	0.371	--	U
540-84-1	2,2,4-Trimethylpentane	ND	0.691	--	ND	3.23	--	U
142-82-5	Heptane	ND	0.691	--	ND	2.83	--	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.069	--	ND	0.314	--	U
108-10-1	4-Methyl-2-pentanone	ND	1.73	--	ND	7.09	--	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.069	--	ND	0.314	--	U
79-00-5	1,1,2-Trichloroethane	ND	0.069	--	ND	0.377	--	U
108-88-3	Toluene	ND	0.345	--	ND	1.30	--	U
591-78-6	2-Hexanone	3.73	0.691	--	15.3	2.83	--	
124-48-1	Dibromochloromethane	ND	0.069	--	ND	0.589	--	U
106-93-4	1,2-Dibromoethane	ND	0.069	--	ND	0.531	--	U
127-18-4	Tetrachloroethene	ND	0.069	--	ND	0.469	--	U
108-90-7	Chlorobenzene	ND	0.345	--	ND	1.59	--	U
100-41-4	Ethylbenzene	ND	0.069	--	ND	0.300	--	U
179601-23-1	p/m-Xylene	ND	0.138	--	ND	0.599	--	U
75-25-2	Bromoform	ND	0.069	--	ND	0.714	--	U
100-42-5	Styrene	ND	0.069	--	ND	0.294	--	U



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-04D	Date Collected	: 10/03/23 15:10
Client ID	: SV-04	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/19/23 22:39
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 3.454
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221243_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 72.4 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.069	--	ND	0.475	--	U
95-47-6	o-Xylene	ND	0.069	--	ND	0.300	--	U
622-96-8	4-Ethyltoluene	ND	0.069	--	ND	0.340	--	U
108-67-8	1,3,5-Trimethylbenzene	ND	0.069	--	ND	0.340	--	U
95-63-6	1,2,4-Trimethylbenzene	ND	0.069	--	ND	0.340	--	U
100-44-7	Benzyl chloride	ND	0.345	--	ND	1.79	--	U
541-73-1	1,3-Dichlorobenzene	ND	0.069	--	ND	0.415	--	U
106-46-7	1,4-Dichlorobenzene	ND	0.069	--	ND	0.415	--	U
95-50-1	1,2-Dichlorobenzene	ND	0.069	--	ND	0.415	--	U
120-82-1	1,2,4-Trichlorobenzene	ND	0.173	--	ND	1.28	--	U
87-68-3	Hexachlorobutadiene	ND	0.173	--	ND	1.85	--	U



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-05D	Date Collected	: 10/03/23 13:40
Client ID	: SV-05R	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/20/23 07:25
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1.36
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221253_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 184 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
75-71-8	Dichlorodifluoromethane	0.428	0.272	--	2.12	1.34	--	
74-87-3	Chloromethane	ND	0.272	--	ND	0.562	--	U
76-14-2	Freon-114	ND	0.068	--	ND	0.475	--	U
75-01-4	Vinyl chloride	ND	0.027	--	ND	0.070	--	U
106-99-0	1,3-Butadiene	ND	0.027	--	ND	0.060	--	U
74-83-9	Bromomethane	ND	0.027	--	ND	0.106	--	U
75-00-3	Chloroethane	ND	0.136	--	ND	0.359	--	U
64-17-5	Ethanol	15.2	6.80	--	28.6	12.8	--	
593-60-2	Vinyl bromide	ND	0.272	--	ND	1.19	--	U
67-64-1	Acetone	18.5	1.36	--	43.9	3.23	--	
75-69-4	Trichlorofluoromethane	0.254	0.068	--	1.43	0.382	--	
67-63-0	Isopropanol	ND	0.680	--	ND	1.67	--	U
75-35-4	1,1-Dichloroethene	ND	0.027	--	ND	0.108	--	U
75-65-0	Tertiary butyl Alcohol	4.16	0.680	--	12.6	2.06	--	
75-09-2	Methylene chloride	ND	0.680	--	ND	2.36	--	U
107-05-1	3-Chloropropene	ND	0.272	--	ND	0.851	--	U
75-15-0	Carbon disulfide	0.898	0.272	--	2.80	0.847	--	
76-13-1	Freon-113	ND	0.068	--	ND	0.521	--	U
156-60-5	trans-1,2-Dichloroethene	ND	0.027	--	ND	0.108	--	U
75-34-3	1,1-Dichloroethane	ND	0.027	--	ND	0.110	--	U
1634-04-4	Methyl tert butyl ether	ND	0.272	--	ND	0.981	--	U
78-93-3	2-Butanone	45.2	0.680	--	133	2.01	--	
156-59-2	cis-1,2-Dichloroethene	ND	0.027	--	ND	0.108	--	U
141-78-6	Ethyl Acetate	ND	0.680	--	ND	2.45	--	U
67-66-3	Chloroform	0.392	0.027	--	1.91	0.133	--	
109-99-9	Tetrahydrofuran	ND	0.680	--	ND	2.01	--	U



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-05D	Date Collected	: 10/03/23 13:40
Client ID	: SV-05R	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/20/23 07:25
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1.36
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221253_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 184 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
107-06-2	1,2-Dichloroethane	ND	0.027	--	ND	0.110	--	U
110-54-3	n-Hexane	0.507	0.272	--	1.79	0.959	--	
71-55-6	1,1,1-Trichloroethane	0.033	0.027	--	0.178	0.148	--	
71-43-2	Benzene	0.156	0.136	--	0.498	0.434	--	J
56-23-5	Carbon tetrachloride	0.088	0.027	--	0.556	0.171	--	
110-82-7	Cyclohexane	ND	0.272	--	ND	0.936	--	U
78-87-5	1,2-Dichloropropane	ND	0.027	--	ND	0.126	--	U
75-27-4	Bromodichloromethane	ND	0.027	--	ND	0.182	--	U
123-91-1	1,4-Dioxane	ND	0.136	--	ND	0.490	--	U
79-01-6	Trichloroethylene	0.033	0.027	--	0.175	0.146	--	
540-84-1	2,2,4-Trimethylpentane	ND	0.272	--	ND	1.27	--	U
142-82-5	Heptane	0.352	0.272	--	1.44	1.11	--	
10061-01-5	cis-1,3-Dichloropropene	ND	0.027	--	ND	0.123	--	U
108-10-1	4-Methyl-2-pentanone	ND	0.680	--	ND	2.79	--	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.027	--	ND	0.123	--	U
79-00-5	1,1,2-Trichloroethane	ND	0.027	--	ND	0.148	--	U
108-88-3	Toluene	0.506	0.136	--	1.91	0.513	--	
591-78-6	2-Hexanone	5.05	0.272	--	20.7	1.11	--	
124-48-1	Dibromochloromethane	ND	0.027	--	ND	0.232	--	U
106-93-4	1,2-Dibromoethane	ND	0.027	--	ND	0.209	--	U
127-18-4	Tetrachloroethene	0.065	0.027	--	0.443	0.184	--	
108-90-7	Chlorobenzene	ND	0.136	--	ND	0.626	--	U
100-41-4	Ethylbenzene	0.125	0.027	--	0.543	0.118	--	
179601-23-1	p/m-Xylene	0.415	0.054	--	1.80	0.236	--	
75-25-2	Bromoform	ND	0.027	--	ND	0.281	--	U
100-42-5	Styrene	0.039	0.027	--	0.168	0.116	--	

Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-05D	Date Collected	: 10/03/23 13:40
Client ID	: SV-05R	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/20/23 07:25
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1.36
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221253_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 184 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.027	--	ND	0.187	--	U
95-47-6	o-Xylene	0.130	0.027	--	0.565	0.118	--	
622-96-8	4-Ethyltoluene	ND	0.027	--	ND	0.134	--	U
108-67-8	1,3,5-Trimethylbenzene	0.030	0.027	--	0.147	0.134	--	
95-63-6	1,2,4-Trimethylbenzene	0.061	0.027	--	0.301	0.134	--	
100-44-7	Benzyl chloride	ND	0.136	--	ND	0.704	--	U
541-73-1	1,3-Dichlorobenzene	ND	0.027	--	ND	0.164	--	U
106-46-7	1,4-Dichlorobenzene	ND	0.027	--	ND	0.164	--	U
95-50-1	1,2-Dichlorobenzene	ND	0.027	--	ND	0.164	--	U
120-82-1	1,2,4-Trichlorobenzene	ND	0.068	--	ND	0.505	--	U
87-68-3	Hexachlorobutadiene	ND	0.068	--	ND	0.725	--	U



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-06	Date Collected	: 10/03/23 12:10
Client ID	: SV-06	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/19/23 23:40
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221245_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 250 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
75-71-8	Dichlorodifluoromethane	0.663	0.200	--	3.28	0.989	--	
74-87-3	Chloromethane	ND	0.200	--	ND	0.413	--	U
76-14-2	Freon-114	ND	0.050	--	ND	0.349	--	U
75-01-4	Vinyl chloride	ND	0.020	--	ND	0.051	--	U
106-99-0	1,3-Butadiene	ND	0.020	--	ND	0.044	--	U
74-83-9	Bromomethane	ND	0.020	--	ND	0.078	--	U
75-00-3	Chloroethane	ND	0.100	--	ND	0.264	--	U
64-17-5	Ethanol	ND	5.00	--	ND	9.42	--	U
593-60-2	Vinyl bromide	ND	0.200	--	ND	0.874	--	U
67-64-1	Acetone	7.88	1.00	--	18.7	2.38	--	
75-69-4	Trichlorofluoromethane	0.286	0.050	--	1.61	0.281	--	
67-63-0	Isopropanol	ND	0.500	--	ND	1.23	--	U
75-35-4	1,1-Dichloroethene	ND	0.020	--	ND	0.079	--	U
75-65-0	Tertiary butyl Alcohol	7.94	0.500	--	24.1	1.52	--	
75-09-2	Methylene chloride	ND	0.500	--	ND	1.74	--	U
107-05-1	3-Chloropropene	ND	0.200	--	ND	0.626	--	U
75-15-0	Carbon disulfide	0.314	0.200	--	0.978	0.623	--	
76-13-1	Freon-113	0.080	0.050	--	0.613	0.383	--	
156-60-5	trans-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--	U
75-34-3	1,1-Dichloroethane	ND	0.020	--	ND	0.081	--	U
1634-04-4	Methyl tert butyl ether	ND	0.200	--	ND	0.721	--	U
78-93-3	2-Butanone	10.6	0.500	--	31.3	1.47	--	
156-59-2	cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--	U
141-78-6	Ethyl Acetate	ND	0.500	--	ND	1.80	--	U
67-66-3	Chloroform	0.089	0.020	--	0.435	0.098	--	
109-99-9	Tetrahydrofuran	ND	0.500	--	ND	1.47	--	U



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-06	Date Collected	: 10/03/23 12:10
Client ID	: SV-06	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/19/23 23:40
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221245_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 250 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
107-06-2	1,2-Dichloroethane	ND	0.020	--	ND	0.081	--	U
110-54-3	n-Hexane	ND	0.200	--	ND	0.705	--	U
71-55-6	1,1,1-Trichloroethane	0.214	0.020	--	1.17	0.109	--	
71-43-2	Benzene	ND	0.100	--	ND	0.319	--	U
56-23-5	Carbon tetrachloride	ND	0.020	--	ND	0.126	--	U
110-82-7	Cyclohexane	ND	0.200	--	ND	0.688	--	U
78-87-5	1,2-Dichloropropane	ND	0.020	--	ND	0.092	--	U
75-27-4	Bromodichloromethane	ND	0.020	--	ND	0.134	--	U
123-91-1	1,4-Dioxane	ND	0.100	--	ND	0.360	--	U
79-01-6	Trichloroethylene	ND	0.020	--	ND	0.107	--	U
540-84-1	2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--	U
142-82-5	Heptane	ND	0.200	--	ND	0.820	--	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	U
108-10-1	4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	U
79-00-5	1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--	U
108-88-3	Toluene	ND	0.100	--	ND	0.377	--	U
591-78-6	2-Hexanone	0.363	0.200	--	1.49	0.820	--	
124-48-1	Dibromochloromethane	ND	0.020	--	ND	0.170	--	U
106-93-4	1,2-Dibromoethane	ND	0.020	--	ND	0.154	--	U
127-18-4	Tetrachloroethene	0.024	0.020	--	0.163	0.136	--	
108-90-7	Chlorobenzene	ND	0.100	--	ND	0.461	--	U
100-41-4	Ethylbenzene	ND	0.020	--	ND	0.087	--	U
179601-23-1	p/m-Xylene	ND	0.040	--	ND	0.174	--	U
75-25-2	Bromoform	ND	0.020	--	ND	0.207	--	U
100-42-5	Styrene	ND	0.020	--	ND	0.085	--	U



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-06	Date Collected	: 10/03/23 12:10
Client ID	: SV-06	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/19/23 23:40
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221245_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 250 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--	U
95-47-6	o-Xylene	ND	0.020	--	ND	0.087	--	U
622-96-8	4-Ethyltoluene	ND	0.020	--	ND	0.098	--	U
108-67-8	1,3,5-Trimethylbenzene	ND	0.020	--	ND	0.098	--	U
95-63-6	1,2,4-Trimethylbenzene	0.020	0.020	--	0.098	0.098	--	
100-44-7	Benzyl chloride	ND	0.100	--	ND	0.518	--	U
541-73-1	1,3-Dichlorobenzene	ND	0.020	--	ND	0.120	--	U
106-46-7	1,4-Dichlorobenzene	ND	0.020	--	ND	0.120	--	U
95-50-1	1,2-Dichlorobenzene	ND	0.020	--	ND	0.120	--	U
120-82-1	1,2,4-Trichlorobenzene	ND	0.050	--	ND	0.371	--	U
87-68-3	Hexachlorobutadiene	ND	0.050	--	ND	0.533	--	U



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-07D	Date Collected	: 10/03/23 16:10
Client ID	: SV-07	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/20/23 00:08
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 3.503
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221246_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 71.4 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
75-71-8	Dichlorodifluoromethane	ND	0.701	--	ND	3.47	--	U
74-87-3	Chloromethane	ND	0.701	--	ND	1.45	--	U
76-14-2	Freon-114	ND	0.175	--	ND	1.22	--	U
75-01-4	Vinyl chloride	ND	0.070	--	ND	0.179	--	U
106-99-0	1,3-Butadiene	ND	0.070	--	ND	0.155	--	U
74-83-9	Bromomethane	ND	0.070	--	ND	0.272	--	U
75-00-3	Chloroethane	ND	0.350	--	ND	0.924	--	U
64-17-5	Ethanol	ND	17.5	--	ND	33.0	--	U
593-60-2	Vinyl bromide	ND	0.701	--	ND	3.06	--	U
67-64-1	Acetone	43.4	3.50	--	103	8.31	--	
75-69-4	Trichlorofluoromethane	0.392	0.175	--	2.20	0.983	--	
67-63-0	Isopropanol	ND	1.75	--	ND	4.30	--	U
75-35-4	1,1-Dichloroethene	ND	0.070	--	ND	0.278	--	U
75-65-0	Tertiary butyl Alcohol	34.6	1.75	--	105	5.31	--	
75-09-2	Methylene chloride	ND	1.75	--	ND	6.08	--	U
107-05-1	3-Chloropropene	ND	0.701	--	ND	2.19	--	U
75-15-0	Carbon disulfide	1.16	0.701	--	3.61	2.18	--	
76-13-1	Freon-113	ND	0.175	--	ND	1.34	--	U
156-60-5	trans-1,2-Dichloroethene	ND	0.070	--	ND	0.278	--	U
75-34-3	1,1-Dichloroethane	ND	0.070	--	ND	0.284	--	U
1634-04-4	Methyl tert butyl ether	ND	0.701	--	ND	2.53	--	U
78-93-3	2-Butanone	70.3	1.75	--	207	5.16	--	
156-59-2	cis-1,2-Dichloroethene	ND	0.070	--	ND	0.278	--	U
141-78-6	Ethyl Acetate	ND	1.75	--	ND	6.31	--	U
67-66-3	Chloroform	ND	0.070	--	ND	0.342	--	U
109-99-9	Tetrahydrofuran	ND	1.75	--	ND	5.16	--	U



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-07D	Date Collected	: 10/03/23 16:10
Client ID	: SV-07	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/20/23 00:08
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 3.503
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221246_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 71.4 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
107-06-2	1,2-Dichloroethane	ND	0.070	--	ND	0.284	--	U
110-54-3	n-Hexane	ND	0.701	--	ND	2.47	--	U
71-55-6	1,1,1-Trichloroethane	1.86	0.070	--	10.1	0.382	--	
71-43-2	Benzene	ND	0.350	--	ND	1.12	--	U
56-23-5	Carbon tetrachloride	ND	0.070	--	ND	0.441	--	U
110-82-7	Cyclohexane	ND	0.701	--	ND	2.41	--	U
78-87-5	1,2-Dichloropropane	ND	0.070	--	ND	0.324	--	U
75-27-4	Bromodichloromethane	ND	0.070	--	ND	0.470	--	U
123-91-1	1,4-Dioxane	ND	0.350	--	ND	1.26	--	U
79-01-6	Trichloroethylene	ND	0.070	--	ND	0.377	--	U
540-84-1	2,2,4-Trimethylpentane	ND	0.701	--	ND	3.27	--	U
142-82-5	Heptane	ND	0.701	--	ND	2.87	--	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.070	--	ND	0.318	--	U
108-10-1	4-Methyl-2-pentanone	ND	1.75	--	ND	7.17	--	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.070	--	ND	0.318	--	U
79-00-5	1,1,2-Trichloroethane	ND	0.070	--	ND	0.382	--	U
108-88-3	Toluene	0.753	0.350	--	2.84	1.32	--	
591-78-6	2-Hexanone	5.35	0.701	--	21.9	2.87	--	
124-48-1	Dibromochloromethane	ND	0.070	--	ND	0.597	--	U
106-93-4	1,2-Dibromoethane	ND	0.070	--	ND	0.539	--	U
127-18-4	Tetrachloroethene	ND	0.070	--	ND	0.475	--	U
108-90-7	Chlorobenzene	ND	0.350	--	ND	1.61	--	U
100-41-4	Ethylbenzene	0.221	0.070	--	0.960	0.304	--	
179601-23-1	p/m-Xylene	0.508	0.140	--	2.21	0.608	--	
75-25-2	Bromoform	ND	0.070	--	ND	0.725	--	U
100-42-5	Styrene	0.165	0.070	--	0.703	0.298	--	



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-07D	Date Collected	: 10/03/23 16:10
Client ID	: SV-07	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/20/23 00:08
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 3.503
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221246_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 71.4 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.070	--	ND	0.481	--	U
95-47-6	o-Xylene	0.284	0.070	--	1.23	0.304	--	
622-96-8	4-Ethyltoluene	ND	0.070	--	ND	0.345	--	U
108-67-8	1,3,5-Trimethylbenzene	ND	0.070	--	ND	0.345	--	U
95-63-6	1,2,4-Trimethylbenzene	ND	0.070	--	ND	0.345	--	U
100-44-7	Benzyl chloride	ND	0.350	--	ND	1.81	--	U
541-73-1	1,3-Dichlorobenzene	ND	0.070	--	ND	0.421	--	U
106-46-7	1,4-Dichlorobenzene	ND	0.070	--	ND	0.421	--	U
95-50-1	1,2-Dichlorobenzene	ND	0.070	--	ND	0.421	--	U
120-82-1	1,2,4-Trichlorobenzene	ND	0.175	--	ND	1.30	--	U
87-68-3	Hexachlorobutadiene	ND	0.175	--	ND	1.87	--	U



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-10	Date Collected	: 10/03/23 15:35
Client ID	: SV-10	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/20/23 00:39
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221247_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 250 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
75-71-8	Dichlorodifluoromethane	0.325	0.200	--	1.61	0.989	--	
74-87-3	Chloromethane	ND	0.200	--	ND	0.413	--	U
76-14-2	Freon-114	ND	0.050	--	ND	0.349	--	U
75-01-4	Vinyl chloride	ND	0.020	--	ND	0.051	--	U
106-99-0	1,3-Butadiene	ND	0.020	--	ND	0.044	--	U
74-83-9	Bromomethane	ND	0.020	--	ND	0.078	--	U
75-00-3	Chloroethane	ND	0.100	--	ND	0.264	--	U
64-17-5	Ethanol	ND	5.00	--	ND	9.42	--	U
593-60-2	Vinyl bromide	ND	0.200	--	ND	0.874	--	U
67-64-1	Acetone	12.4	1.00	--	29.5	2.38	--	
75-69-4	Trichlorofluoromethane	0.290	0.050	--	1.63	0.281	--	
67-63-0	Isopropanol	ND	0.500	--	ND	1.23	--	U
75-35-4	1,1-Dichloroethene	ND	0.020	--	ND	0.079	--	U
75-65-0	Tertiary butyl Alcohol	3.85	0.500	--	11.7	1.52	--	
75-09-2	Methylene chloride	ND	0.500	--	ND	1.74	--	U
107-05-1	3-Chloropropene	ND	0.200	--	ND	0.626	--	U
75-15-0	Carbon disulfide	0.380	0.200	--	1.18	0.623	--	
76-13-1	Freon-113	0.121	0.050	--	0.927	0.383	--	
156-60-5	trans-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--	U
75-34-3	1,1-Dichloroethane	ND	0.020	--	ND	0.081	--	U
1634-04-4	Methyl tert butyl ether	ND	0.200	--	ND	0.721	--	U
78-93-3	2-Butanone	35.2	0.500	--	104	1.47	--	
156-59-2	cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--	U
141-78-6	Ethyl Acetate	ND	0.500	--	ND	1.80	--	U
67-66-3	Chloroform	ND	0.020	--	ND	0.098	--	U
109-99-9	Tetrahydrofuran	ND	0.500	--	ND	1.47	--	U



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-10	Date Collected	: 10/03/23 15:35
Client ID	: SV-10	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/20/23 00:39
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221247_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 250 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
107-06-2	1,2-Dichloroethane	ND	0.020	--	ND	0.081	--	U
110-54-3	n-Hexane	ND	0.200	--	ND	0.705	--	U
71-55-6	1,1,1-Trichloroethane	22.8	0.020	--	124	0.109	--	
56-23-5	Carbon tetrachloride	0.022	0.020	--	0.138	0.126	--	
110-82-7	Cyclohexane	ND	0.200	--	ND	0.688	--	U
78-87-5	1,2-Dichloropropane	ND	0.020	--	ND	0.092	--	U
75-27-4	Bromodichloromethane	ND	0.020	--	ND	0.134	--	U
123-91-1	1,4-Dioxane	ND	0.100	--	ND	0.360	--	U
79-01-6	Trichloroethene	0.098	0.020	--	0.527	0.107	--	
540-84-1	2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--	U
142-82-5	Heptane	ND	0.200	--	ND	0.820	--	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	U
108-10-1	4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	U
79-00-5	1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--	U
108-88-3	Toluene	ND	0.100	--	ND	0.377	--	U
591-78-6	2-Hexanone	1.82	0.200	--	7.46	0.820	--	
124-48-1	Dibromochloromethane	ND	0.020	--	ND	0.170	--	U
106-93-4	1,2-Dibromoethane	ND	0.020	--	ND	0.154	--	U
127-18-4	Tetrachloroethene	ND	0.020	--	ND	0.136	--	U
108-90-7	Chlorobenzene	ND	0.100	--	ND	0.461	--	U
100-41-4	Ethylbenzene	ND	0.020	--	ND	0.087	--	U
179601-23-1	p/m-Xylene	0.055	0.040	--	0.239	0.174	--	
75-25-2	Bromoform	ND	0.020	--	ND	0.207	--	U
100-42-5	Styrene	ND	0.020	--	ND	0.085	--	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--	U



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-10	Date Collected	: 10/03/23 15:35
Client ID	: SV-10	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/20/23 00:39
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221247_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 250 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
95-47-6	o-Xylene	0.028	0.020	--	0.122	0.087	--	
622-96-8	4-Ethyltoluene	ND	0.020	--	ND	0.098	--	U
108-67-8	1,3,5-Trimethylbenzene	ND	0.020	--	ND	0.098	--	U
95-63-6	1,2,4-Trimethylbenzene	0.044	0.020	--	0.216	0.098	--	
100-44-7	Benzyl chloride	ND	0.100	--	ND	0.518	--	U
541-73-1	1,3-Dichlorobenzene	ND	0.020	--	ND	0.120	--	U
106-46-7	1,4-Dichlorobenzene	ND	0.020	--	ND	0.120	--	U
95-50-1	1,2-Dichlorobenzene	ND	0.020	--	ND	0.120	--	U
120-82-1	1,2,4-Trichlorobenzene	ND	0.050	--	ND	0.371	--	U
87-68-3	Hexachlorobutadiene	ND	0.050	--	ND	0.533	--	U



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-10	Date Collected	: 10/03/23 15:35
Client ID	: SV-10	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/21/23 01:22
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15-SIM	Analyst	: JMB
Lab File ID	: R1925896_EV2	Instrument ID	: AIRLAB19
Sample Amount	: 250 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
71-43-2	Benzene	0.575	0.100	--	1.84	0.319	--	



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-11D	Date Collected	: 10/03/23 15:45
Client ID	: SV-11	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/20/23 01:38
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 4.167
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221249_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 60.0 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
75-71-8	Dichlorodifluoromethane	ND	0.833	--	ND	4.12	--	U
74-87-3	Chloromethane	ND	0.833	--	ND	1.72	--	U
76-14-2	Freon-114	ND	0.208	--	ND	1.45	--	U
75-01-4	Vinyl chloride	ND	0.083	--	ND	0.213	--	U
106-99-0	1,3-Butadiene	ND	0.083	--	ND	0.184	--	U
74-83-9	Bromomethane	ND	0.083	--	ND	0.323	--	U
75-00-3	Chloroethane	ND	0.417	--	ND	1.10	--	U
64-17-5	Ethanol	ND	20.8	--	ND	39.2	--	U UJ
593-60-2	Vinyl bromide	ND	0.833	--	ND	3.64	--	U
67-64-1	Acetone	73.6	4.17	--	175	9.91	--	
75-69-4	Trichlorofluoromethane	0.275	0.208	--	1.55	1.17	--	
67-63-0	Isopropanol	ND	2.08	--	ND	5.11	--	U
75-35-4	1,1-Dichloroethene	0.146	0.083	--	0.579	0.330	--	
75-65-0	Tertiary butyl Alcohol	ND	2.08	--	ND	6.31	--	U
75-09-2	Methylene chloride	ND	2.08	--	ND	7.23	--	U
107-05-1	3-Chloropropene	ND	0.833	--	ND	2.61	--	U
75-15-0	Carbon disulfide	ND	0.833	--	ND	2.59	--	U
76-13-1	Freon-113	1.65	0.208	--	12.6	1.59	--	
156-60-5	trans-1,2-Dichloroethene	ND	0.083	--	ND	0.330	--	U
75-34-3	1,1-Dichloroethane	ND	0.083	--	ND	0.337	--	U
1634-04-4	Methyl tert butyl ether	ND	0.833	--	ND	3.00	--	U
78-93-3	2-Butanone	12.0	2.08	--	35.4	6.13	--	
156-59-2	cis-1,2-Dichloroethene	ND	0.083	--	ND	0.330	--	U
141-78-6	Ethyl Acetate	ND	2.08	--	ND	7.50	--	U
67-66-3	Chloroform	0.096	0.083	--	0.468	0.407	--	
109-99-9	Tetrahydrofuran	ND	2.08	--	ND	6.13	--	U

Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-11D	Date Collected	: 10/03/23 15:45
Client ID	: SV-11	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/20/23 01:38
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 4.167
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221249_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 60.0 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
107-06-2	1,2-Dichloroethane	ND	0.083	--	ND	0.337	--	U
110-54-3	n-Hexane	ND	0.833	--	ND	2.94	--	U
71-55-6	1,1,1-Trichloroethane	170	0.083	--	928	0.454	--	
56-23-5	Carbon tetrachloride	0.088	0.083	--	0.550	0.524	--	
110-82-7	Cyclohexane	ND	0.833	--	ND	2.87	--	U
78-87-5	1,2-Dichloropropane	ND	0.083	--	ND	0.385	--	U
75-27-4	Bromodichloromethane	ND	0.083	--	ND	0.558	--	U
123-91-1	1,4-Dioxane	ND	0.417	--	ND	1.50	--	U
79-01-6	Trichloroethene	0.125	0.083	--	0.672	0.448	--	
540-84-1	2,2,4-Trimethylpentane	ND	0.833	--	ND	3.89	--	U
142-82-5	Heptane	ND	0.833	--	ND	3.41	--	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.083	--	ND	0.378	--	U
108-10-1	4-Methyl-2-pentanone	ND	2.08	--	ND	8.52	--	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.083	--	ND	0.378	--	U
79-00-5	1,1,2-Trichloroethane	ND	0.083	--	ND	0.454	--	U
108-88-3	Toluene	ND	0.417	--	ND	1.57	--	U
591-78-6	2-Hexanone	1.48	0.833	--	6.07	3.41	--	
124-48-1	Dibromochloromethane	ND	0.083	--	ND	0.710	--	U
106-93-4	1,2-Dibromoethane	ND	0.083	--	ND	0.640	--	U
127-18-4	Tetrachloroethene	ND	0.083	--	ND	0.565	--	U
108-90-7	Chlorobenzene	ND	0.417	--	ND	1.92	--	U
100-41-4	Ethylbenzene	0.092	0.083	--	0.398	0.362	--	
179601-23-1	p/m-Xylene	0.417	0.167	--	1.81	0.725	--	
75-25-2	Bromoform	ND	0.083	--	ND	0.861	--	U
100-42-5	Styrene	ND	0.083	--	ND	0.355	--	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.083	--	ND	0.572	--	U

Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-11D	Date Collected	: 10/03/23 15:45
Client ID	: SV-11	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/20/23 01:38
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 4.167
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221249_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 60.0 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
95-47-6	o-Xylene	0.183	0.083	--	0.795	0.362	--	
622-96-8	4-Ethyltoluene	ND	0.083	--	ND	0.410	--	U
108-67-8	1,3,5-Trimethylbenzene	0.112	0.083	--	0.551	0.410	--	
95-63-6	1,2,4-Trimethylbenzene	0.521	0.083	--	2.56	0.410	--	
100-44-7	Benzyl chloride	ND	0.417	--	ND	2.16	--	U
541-73-1	1,3-Dichlorobenzene	ND	0.083	--	ND	0.501	--	U
106-46-7	1,4-Dichlorobenzene	ND	0.083	--	ND	0.501	--	U
95-50-1	1,2-Dichlorobenzene	ND	0.083	--	ND	0.501	--	U
120-82-1	1,2,4-Trichlorobenzene	ND	0.208	--	ND	1.54	--	U
87-68-3	Hexachlorobutadiene	ND	0.208	--	ND	2.22	--	U



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-11D	Date Collected	: 10/03/23 15:45
Client ID	: SV-11	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/21/23 01:58
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 4.167
Analytical Method	: 48,TO-15-SIM	Analyst	: JMB
Lab File ID	: R1925897_EV2	Instrument ID	: AIRLAB19
Sample Amount	: 60.0 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
71-43-2	Benzene	0.521	0.417	--	1.66	1.33	--	J

MKP 11/21/2023



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-13D	Date Collected	: 10/03/23 19:00
Client ID	: SV-13	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/20/23 02:12
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1.515
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221250_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 165 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
75-71-8	Dichlorodifluoromethane	0.382	0.303	--	1.89	1.50	--	
74-87-3	Chloromethane	ND	0.303	--	ND	0.626	--	U
76-14-2	Freon-114	ND	0.076	--	ND	0.530	--	U
75-01-4	Vinyl chloride	ND	0.030	--	ND	0.078	--	U
106-99-0	1,3-Butadiene	ND	0.030	--	ND	0.067	--	U
74-83-9	Bromomethane	ND	0.030	--	ND	0.118	--	U
75-00-3	Chloroethane	ND	0.152	--	ND	0.401	--	U
64-17-5	Ethanol	72.9	7.58	--	137	14.3	--	
593-60-2	Vinyl bromide	ND	0.303	--	ND	1.32	--	U
67-64-1	Acetone	65.7	1.52	--	156	3.61	--	
75-69-4	Trichlorofluoromethane	0.289	0.076	--	1.62	0.426	--	
67-63-0	Isopropanol	1.15	0.758	--	2.83	1.86	--	
75-35-4	1,1-Dichloroethene	0.192	0.030	--	0.761	0.120	--	
75-65-0	Tertiary butyl Alcohol	9.84	0.758	--	29.8	2.30	--	
75-09-2	Methylene chloride	ND	0.758	--	ND	2.63	--	U
107-05-1	3-Chloropropene	ND	0.303	--	ND	0.948	--	U
75-15-0	Carbon disulfide	0.417	0.303	--	1.30	0.944	--	
76-13-1	Freon-113	0.099	0.076	--	0.755	0.581	--	
156-60-5	trans-1,2-Dichloroethene	ND	0.030	--	ND	0.120	--	U
75-34-3	1,1-Dichloroethane	ND	0.030	--	ND	0.123	--	U
1634-04-4	Methyl tert butyl ether	ND	0.303	--	ND	1.09	--	U
78-93-3	2-Butanone	134	0.758	--	395	2.24	--	E
156-59-2	cis-1,2-Dichloroethene	ND	0.030	--	ND	0.120	--	U
141-78-6	Ethyl Acetate	ND	0.758	--	ND	2.73	--	U
67-66-3	Chloroform	0.306	0.030	--	1.49	0.148	--	
109-99-9	Tetrahydrofuran	ND	0.758	--	ND	2.24	--	U



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-13D	Date Collected	: 10/03/23 19:00
Client ID	: SV-13	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/20/23 02:12
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1.515
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221250_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 165 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
107-06-2	1,2-Dichloroethane	ND	0.030	--	ND	0.123	--	U
110-54-3	n-Hexane	1.41	0.303	--	4.97	1.07	--	
71-55-6	1,1,1-Trichloroethane	12.0	0.030	--	65.5	0.165	--	
56-23-5	Carbon tetrachloride	0.045	0.030	--	0.286	0.191	--	
110-82-7	Cyclohexane	ND	0.303	--	ND	1.04	--	U
78-87-5	1,2-Dichloropropane	ND	0.030	--	ND	0.140	--	U
75-27-4	Bromodichloromethane	ND	0.030	--	ND	0.203	--	U
123-91-1	1,4-Dioxane	ND	0.152	--	ND	0.548	--	U
79-01-6	Trichloroethene	3.42	0.030	--	18.4	0.163	--	
540-84-1	2,2,4-Trimethylpentane	ND	0.303	--	ND	1.42	--	U
142-82-5	Heptane	1.01	0.303	--	4.14	1.24	--	
10061-01-5	cis-1,3-Dichloropropene	ND	0.030	--	ND	0.138	--	U
108-10-1	4-Methyl-2-pentanone	ND	0.758	--	ND	3.11	--	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.030	--	ND	0.138	--	U
79-00-5	1,1,2-Trichloroethane	ND	0.030	--	ND	0.165	--	U
108-88-3	Toluene	0.433	0.152	--	1.63	0.573	--	
591-78-6	2-Hexanone	13.8	0.303	--	56.6	1.24	--	
124-48-1	Dibromochloromethane	ND	0.030	--	ND	0.258	--	U
106-93-4	1,2-Dibromoethane	ND	0.030	--	ND	0.233	--	U
127-18-4	Tetrachloroethene	0.038	0.030	--	0.257	0.205	--	
108-90-7	Chlorobenzene	ND	0.152	--	ND	0.700	--	U
100-41-4	Ethylbenzene	0.080	0.030	--	0.349	0.132	--	
179601-23-1	p/m-Xylene	0.232	0.061	--	1.01	0.263	--	
75-25-2	Bromoform	ND	0.030	--	ND	0.313	--	U
100-42-5	Styrene	0.045	0.030	--	0.193	0.129	--	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.030	--	ND	0.208	--	U



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-13D	Date Collected	: 10/03/23 19:00
Client ID	: SV-13	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/20/23 02:12
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1.515
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221250_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 165 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
95-47-6	o-Xylene	0.110	0.030	--	0.478	0.132	--	
622-96-8	4-Ethyltoluene	ND	0.030	--	ND	0.149	--	U
108-67-8	1,3,5-Trimethylbenzene	0.039	0.030	--	0.194	0.149	--	
95-63-6	1,2,4-Trimethylbenzene	0.138	0.030	--	0.678	0.149	--	
100-44-7	Benzyl chloride	ND	0.152	--	ND	0.787	--	U
541-73-1	1,3-Dichlorobenzene	ND	0.030	--	ND	0.182	--	U
106-46-7	1,4-Dichlorobenzene	ND	0.030	--	ND	0.182	--	U
95-50-1	1,2-Dichlorobenzene	ND	0.030	--	ND	0.182	--	U
120-82-1	1,2,4-Trichlorobenzene	ND	0.076	--	ND	0.563	--	U
87-68-3	Hexachlorobutadiene	ND	0.076	--	ND	0.809	--	U



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-13D2	Date Collected	: 10/03/23 19:00
Client ID	: SV-13	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/20/23 07:53
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 7.576
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221254_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 33.0 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
78-93-3	2-Butanone	144	3.79	--	425	11.2	--	



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-13D	Date Collected	: 10/03/23 19:00
Client ID	: SV-13	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/21/23 02:37
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1.515
Analytical Method	: 48,TO-15-SIM	Analyst	: JMB
Lab File ID	: R1925898_EV2	Instrument ID	: AIRLAB19
Sample Amount	: 165 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
71-43-2	Benzene	0.214	0.152	--	0.684	0.486	--	



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-14D	Date Collected	: 10/03/23 16:00
Client ID	: DUP100323A	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/20/23 08:22
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1.563
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221255_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 160 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
75-71-8	Dichlorodifluoromethane	0.475	0.312	--	2.35	1.54	--	
74-87-3	Chloromethane	ND	0.312	--	ND	0.644	--	U
76-14-2	Freon-114	ND	0.078	--	ND	0.546	--	U
75-01-4	Vinyl chloride	ND	0.031	--	ND	0.080	--	U
106-99-0	1,3-Butadiene	ND	0.031	--	ND	0.069	--	U
74-83-9	Bromomethane	ND	0.031	--	ND	0.121	--	U
75-00-3	Chloroethane	ND	0.156	--	ND	0.412	--	U
64-17-5	Ethanol	9.36	7.81	--	17.6	14.7	--	
593-60-2	Vinyl bromide	ND	0.312	--	ND	1.36	--	U
67-64-1	Acetone	21.0	1.56	--	49.9	3.71	--	
75-69-4	Trichlorofluoromethane	0.248	0.078	--	1.39	0.439	--	
67-63-0	Isopropanol	ND	0.781	--	ND	1.92	--	U
75-35-4	1,1-Dichloroethene	7.02	0.031	--	27.8	0.124	--	
75-65-0	Tertiary butyl Alcohol	4.44	0.781	--	13.5	2.37	--	
75-09-2	Methylene chloride	1.29	0.781	--	4.48	2.71	--	
107-05-1	3-Chloropropene	ND	0.312	--	ND	0.977	--	U
75-15-0	Carbon disulfide	2.03	0.312	--	6.32	0.972	--	
76-13-1	Freon-113	0.347	0.078	--	2.66	0.599	--	
156-60-5	trans-1,2-Dichloroethene	ND	0.031	--	ND	0.124	--	U
75-34-3	1,1-Dichloroethane	ND	0.031	--	ND	0.126	--	U
1634-04-4	Methyl tert butyl ether	ND	0.312	--	ND	1.12	--	U
78-93-3	2-Butanone	55.5	0.781	--	164	2.30	--	
156-59-2	cis-1,2-Dichloroethene	ND	0.031	--	ND	0.124	--	U
141-78-6	Ethyl Acetate	ND	0.781	--	ND	2.81	--	U
67-66-3	Chloroform	0.095	0.031	--	0.465	0.152	--	
109-99-9	Tetrahydrofuran	ND	0.781	--	ND	2.30	--	U



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-14D	Date Collected	: 10/03/23 16:00
Client ID	: DUP100323A	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/20/23 08:22
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1.563
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221255_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 160 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
107-06-2	1,2-Dichloroethane	ND	0.031	--	ND	0.126	--	U
110-54-3	n-Hexane	0.553	0.312	--	1.95	1.10	--	
71-55-6	1,1,1-Trichloroethane	42.0	0.031	--	229	0.170	--	
56-23-5	Carbon tetrachloride	0.123	0.031	--	0.774	0.196	--	
110-82-7	Cyclohexane	ND	0.312	--	ND	1.07	--	U
78-87-5	1,2-Dichloropropane	ND	0.031	--	ND	0.144	--	U
75-27-4	Bromodichloromethane	ND	0.031	--	ND	0.209	--	U
123-91-1	1,4-Dioxane	ND	0.156	--	ND	0.562	--	U
79-01-6	Trichloroethene	1.15	0.031	--	6.18	0.168	--	
540-84-1	2,2,4-Trimethylpentane	ND	0.312	--	ND	1.46	--	U
142-82-5	Heptane	ND	0.312	--	ND	1.28	--	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.031	--	ND	0.142	--	U
108-10-1	4-Methyl-2-pentanone	ND	0.781	--	ND	3.20	--	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.031	--	ND	0.142	--	U
79-00-5	1,1,2-Trichloroethane	ND	0.031	--	ND	0.170	--	U
108-88-3	Toluene	0.340	0.156	--	1.28	0.588	--	
591-78-6	2-Hexanone	3.12	0.312	--	12.8	1.28	--	
124-48-1	Dibromochloromethane	ND	0.031	--	ND	0.266	--	U
106-93-4	1,2-Dibromoethane	ND	0.031	--	ND	0.240	--	U
127-18-4	Tetrachloroethene	ND	0.031	--	ND	0.212	--	U
108-90-7	Chlorobenzene	ND	0.156	--	ND	0.718	--	U
100-41-4	Ethylbenzene	0.089	0.031	--	0.387	0.136	--	
179601-23-1	p/m-Xylene	0.356	0.063	--	1.55	0.271	--	
75-25-2	Bromoform	ND	0.031	--	ND	0.323	--	U
100-42-5	Styrene	0.033	0.031	--	0.140	0.133	--	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.031	--	ND	0.214	--	U



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-14D	Date Collected	: 10/03/23 16:00
Client ID	: DUP100323A	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/20/23 08:22
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1.563
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221255_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 160 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
95-47-6	o-Xylene	0.147	0.031	--	0.639	0.136	--	
622-96-8	4-Ethyltoluene	0.052	0.031	--	0.253	0.153	--	
108-67-8	1,3,5-Trimethylbenzene	0.083	0.031	--	0.407	0.153	--	
95-63-6	1,2,4-Trimethylbenzene	0.372	0.031	--	1.83	0.153	--	
100-44-7	Benzyl chloride	ND	0.156	--	ND	0.808	--	U
541-73-1	1,3-Dichlorobenzene	ND	0.031	--	ND	0.188	--	U
106-46-7	1,4-Dichlorobenzene	ND	0.031	--	ND	0.188	--	U
95-50-1	1,2-Dichlorobenzene	ND	0.031	--	ND	0.188	--	U
120-82-1	1,2,4-Trichlorobenzene	ND	0.078	--	ND	0.580	--	U
87-68-3	Hexachlorobutadiene	ND	0.078	--	ND	0.833	--	U



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-14D	Date Collected	: 10/03/23 16:00
Client ID	: DUP100323A	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/21/23 03:15
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1.563
Analytical Method	: 48,TO-15-SIM	Analyst	: JMB
Lab File ID	: R1925899_EV2	Instrument ID	: AIRLAB19
Sample Amount	: 160 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
71-43-2	Benzene	0.518	0.156	--	1.65	0.498	--	



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-15	Date Collected	: 10/03/23 18:00
Client ID	: DUP100323B	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/20/23 03:18
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221252_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 250 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
75-71-8	Dichlorodifluoromethane	0.378	0.200	--	1.87	0.989	--	
74-87-3	Chloromethane	ND	0.200	--	ND	0.413	--	U
76-14-2	Freon-114	ND	0.050	--	ND	0.349	--	U
75-01-4	Vinyl chloride	ND	0.020	--	ND	0.051	--	U
106-99-0	1,3-Butadiene	ND	0.020	--	ND	0.044	--	U
74-83-9	Bromomethane	ND	0.020	--	ND	0.078	--	U
75-00-3	Chloroethane	ND	0.100	--	ND	0.264	--	U
64-17-5	Ethanol	8.45	5.00	--	15.9	9.42	--	J
593-60-2	Vinyl bromide	ND	0.200	--	ND	0.874	--	U
67-64-1	Acetone	74.2	1.00	--	176	2.38	--	
75-69-4	Trichlorofluoromethane	0.272	0.050	--	1.53	0.281	--	
67-63-0	Isopropanol	ND	0.500	--	ND	1.23	--	U
75-35-4	1,1-Dichloroethene	0.124	0.020	--	0.492	0.079	--	
75-65-0	Tertiary butyl Alcohol	0.698	0.500	--	2.12	1.52	--	
75-09-2	Methylene chloride	ND	0.500	--	ND	1.74	--	U
107-05-1	3-Chloropropene	ND	0.200	--	ND	0.626	--	U
75-15-0	Carbon disulfide	0.315	0.200	--	0.981	0.623	--	
76-13-1	Freon-113	2.08	0.050	--	15.9	0.383	--	
156-60-5	trans-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--	U
75-34-3	1,1-Dichloroethane	ND	0.020	--	ND	0.081	--	U
1634-04-4	Methyl tert butyl ether	ND	0.200	--	ND	0.721	--	U
78-93-3	2-Butanone	13.9	0.500	--	41.0	1.47	--	
156-59-2	cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--	U
141-78-6	Ethyl Acetate	ND	0.500	--	ND	1.80	--	U
67-66-3	Chloroform	0.079	0.020	--	0.386	0.098	--	
109-99-9	Tetrahydrofuran	0.978	0.500	--	2.88	1.47	--	

Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-15	Date Collected	: 10/03/23 18:00
Client ID	: DUP100323B	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/20/23 03:18
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221252_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 250 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
107-06-2	1,2-Dichloroethane	ND	0.020	--	ND	0.081	--	U
110-54-3	n-Hexane	ND	0.200	--	ND	0.705	--	U
71-55-6	1,1,1-Trichloroethane	134	0.020	--	731	0.109	--	E
56-23-5	Carbon tetrachloride	0.075	0.020	--	0.472	0.126	--	
110-82-7	Cyclohexane	ND	0.200	--	ND	0.688	--	U
78-87-5	1,2-Dichloropropane	ND	0.020	--	ND	0.092	--	U
75-27-4	Bromodichloromethane	ND	0.020	--	ND	0.134	--	U
123-91-1	1,4-Dioxane	ND	0.100	--	ND	0.360	--	U
79-01-6	Trichloroethene	0.138	0.020	--	0.742	0.107	--	
540-84-1	2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--	U
142-82-5	Heptane	ND	0.200	--	ND	0.820	--	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	U
108-10-1	4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	U
79-00-5	1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--	U
108-88-3	Toluene	0.375	0.100	--	1.41	0.377	--	
591-78-6	2-Hexanone	1.87	0.200	--	7.66	0.820	--	
124-48-1	Dibromochloromethane	ND	0.020	--	ND	0.170	--	U
106-93-4	1,2-Dibromoethane	ND	0.020	--	ND	0.154	--	U
127-18-4	Tetrachloroethene	0.357	0.020	--	2.42	0.136	--	J
108-90-7	Chlorobenzene	ND	0.100	--	ND	0.461	--	U
100-41-4	Ethylbenzene	0.139	0.020	--	0.604	0.087	--	
179601-23-1	p/m-Xylene	0.605	0.040	--	2.63	0.174	--	
75-25-2	Bromoform	ND	0.020	--	ND	0.207	--	U
100-42-5	Styrene	0.054	0.020	--	0.230	0.085	--	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--	U

Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-15	Date Collected	: 10/03/23 18:00
Client ID	: DUP100323B	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/20/23 03:18
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221252_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 250 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
95-47-6	o-Xylene	0.270	0.020	--	1.17	0.087	--	
622-96-8	4-Ethyltoluene	0.087	0.020	--	0.428	0.098	--	
108-67-8	1,3,5-Trimethylbenzene	0.169	0.020	--	0.831	0.098	--	
95-63-6	1,2,4-Trimethylbenzene	0.772	0.020	--	3.80	0.098	--	
100-44-7	Benzyl chloride	ND	0.100	--	ND	0.518	--	U
541-73-1	1,3-Dichlorobenzene	ND	0.020	--	ND	0.120	--	U
106-46-7	1,4-Dichlorobenzene	ND	0.020	--	ND	0.120	--	U
95-50-1	1,2-Dichlorobenzene	ND	0.020	--	ND	0.120	--	U
120-82-1	1,2,4-Trichlorobenzene	ND	0.050	--	ND	0.371	--	U
87-68-3	Hexachlorobutadiene	ND	0.050	--	ND	0.533	--	U

Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-15	Date Collected	: 10/03/23 18:00
Client ID	: DUP100323B	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/21/23 03:57
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15-SIM	Analyst	: JMB
Lab File ID	: R1925900_EV2	Instrument ID	: AIRLAB19
Sample Amount	: 250 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
71-43-2	Benzene	4.87	0.100	--	15.6	0.319	--	J

MKP 11/21/2023



Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: L2358506-15D	Date Collected	: 10/03/23 18:00
Client ID	: DUP100323B	Date Received	: 10/04/23
Sample Location	: VICTOR NY	Date Analyzed	: 10/20/23 08:50
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 10
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221256_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 25.0 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
71-55-6	1,1,1-Trichloroethane	161	0.200	--	878	1.09	--	



Appendix B

Laboratory QC Documentation

Laboratory Control Sample Summary
Form 3
Air Volatiles

Client : Marks Engineering, PC Lab Number : L2358506
 Project Name : DLS/MODOCK RD Project Number : 23-040C
 Matrix (Level) : SOIL_VAPOR (LOW)
 LCS Sample ID : WG1842585-3 Analysis Date : 10/20/23 15:34 File ID : r1925884_Ev2
 LCSD Sample ID : Analysis Date : File ID :

Parameter	Laboratory Control Sample			Laboratory Control Duplicate			RPD	Recovery Limits	RPD Limit
	True (ppbV)	Found (ppbV)	%R	True (ppbV)	Found (ppbV)	%R			
o-Xylene	5	5.27	105				-	70-130	25
4-Ethyltoluene	5	5.49	110				-	70-130	25
1,3,5-Trimethylbenzene	5	5.35	107				-	70-130	25
1,2,4-Trimethylbenzene	5	5.86	117				-	70-130	25
Benzyl chloride	5	3.86	77				-	70-130	25
1,3-Dichlorobenzene	5	6.12	122				-	70-130	25
1,4-Dichlorobenzene	5	6.28	126				-	70-130	25
1,2-Dichlorobenzene	5	6.51	130				-	70-130	25
1,2,4-Trichlorobenzene	5	7.05	141 Q				-	70-130	25
Hexachlorobutadiene	5	6.65	133 Q				-	70-130	25

Results Summary
Form 1
Volatile Organics in Air by SIM

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Lab ID	: WG1841988-4	Date Collected	: NA
Client ID	: WG1841988-4BLANK	Date Received	: NA
Sample Location	:	Date Analyzed	: 10/19/23 18:53
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15-SIM	Analyst	: RAY
Lab File ID	: R221236_EV2	Instrument ID	: AIRLAB22
Sample Amount	: 250 ml	GC Column	: RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
107-06-2	1,2-Dichloroethane	ND	0.020	--	ND	0.081	--	U
110-54-3	n-Hexane	ND	0.200	--	ND	0.705	--	U
71-55-6	1,1,1-Trichloroethane	ND	0.020	--	ND	0.109	--	U
71-43-2	Benzene	0.100	0.100	--	0.319	0.319	--	
56-23-5	Carbon tetrachloride	ND	0.020	--	ND	0.126	--	U
110-82-7	Cyclohexane	ND	0.200	--	ND	0.688	--	U
78-87-5	1,2-Dichloropropane	ND	0.020	--	ND	0.092	--	U
75-27-4	Bromodichloromethane	ND	0.020	--	ND	0.134	--	U
123-91-1	1,4-Dioxane	ND	0.100	--	ND	0.360	--	U
79-01-6	Trichloroethene	ND	0.020	--	ND	0.107	--	U
540-84-1	2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--	U
142-82-5	Heptane	ND	0.200	--	ND	0.820	--	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	U
108-10-1	4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	U
79-00-5	1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--	U
108-88-3	Toluene	ND	0.100	--	ND	0.377	--	U
591-78-6	2-Hexanone	ND	0.200	--	ND	0.820	--	U
124-48-1	Dibromochloromethane	ND	0.020	--	ND	0.170	--	U
106-93-4	1,2-Dibromoethane	ND	0.020	--	ND	0.154	--	U
127-18-4	Tetrachloroethene	ND	0.020	--	ND	0.136	--	U
108-90-7	Chlorobenzene	ND	0.100	--	ND	0.461	--	U
100-41-4	Ethylbenzene	ND	0.020	--	ND	0.087	--	U
179601-23-1	p/m-Xylene	ND	0.040	--	ND	0.174	--	U
75-25-2	Bromoform	ND	0.020	--	ND	0.207	--	U
100-42-5	Styrene	ND	0.020	--	ND	0.085	--	U



Calibration Verification Summary
Form 7
Air Volatiles

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Instrument ID	: AIRLAB19	Calibration Date	: 10/20/23 15:34
Lab File ID	: R1925884_EV2	Init. Calib. Date(s)	: 05/01/23 05/01/23
Sample No	: WG1842585-2	Init. Calib. Times	: 07:39 13:28
Channel	:		

Compound	Ave. RRF	RRF	Min RRF	%D	Max %D	Area%	Dev(min)
bromochloromethane	1	1	-	0	30	102	-.04
propylene	0.428	0.414	-	3.3	30	113	-.02
dichlorodifluoromethane	0.917	0.96	-	-4.7	30	116	-.02
chloromethane	0.414	0.357	-	13.8	30	97	-.02
Freon-114	0.973	0.946	-	2.8	30	109	-.02
vinyl chloride	0.468	0.461	-	1.5	30	113	-.02
1,3-butadiene	0.405	0.367	-	9.4	30	100	-.02
bromomethane	0.349	0.341	-	2.3	30	116	-.02
chloroethane	0.25	0.243	-	2.8	30	112	-.02
ethanol	0.381	0.277	-	27.3	30	80	-.03
vinyl bromide	0.377	0.375	-	0.5	30	109	-.03
acrolein	0.249	0.203	-	18.5	30	96	-.04
acetone	0.847	0.74	-	12.6	30	97	-.04
trichlorofluoromethane	0.92	0.95	-	-3.3	30	117	-.03
isopropyl alcohol	0.868	0.794	-	8.5	30	99	-.04
acrylonitrile	0.438	0.378	-	13.7	30	92	-.03
1,1-dichloroethene	0.793	0.745	-	6.1	30	107	-.04
tertiary butyl alcohol	1.011	1.035	-	-2.4	30	110	-.04
methylene chloride	0.586	0.542	-	7.5	30	102	-.04
3-chloropropene	0.848	0.682	-	19.6	30	92	-.03
carbon disulfide	1.413	1.321	-	6.5	30	99	-.03
Freon 113	0.829	0.824	-	0.6	30	113	-.04
trans-1,2-dichloroethene	0.765	0.691	-	9.7	30	98	-.03
1,1-dichloroethane	0.935	0.878	-	6.1	30	106	-.03
MTBE	1.328	1.367	-	-2.9	30	108	-.04
vinyl acetate	1.233	0.737	-	40.2*	30	62	-.03
2-butanone	1.251	1.12	-	10.5	30	94	-.04
cis-1,2-dichloroethene	0.703	0.679	-	3.4	30	110	-.03
Ethyl Acetate	0.174	0.18	-	-3.4	30	108	-.03
chloroform	0.868	0.907	-	-4.5	30	119	-.04
Tetrahydrofuran	0.727	0.622	-	14.4	30	92	-.04
1,2-dichloroethane	0.676	0.668	-	1.2	30	112	-.04
1,4-difluorobenzene	1	1	-	0	30	123	-.05
hexane	0.389	0.308	-	20.8	30	101	-.03
1,1,1-trichloroethane	0.357	0.305	-	14.6	30	118	-.04
benzene	0.643	0.544	-	15.4	30	115	-.05
carbon tetrachloride	0.293	0.261	-	10.9	30	121	-.05
cyclohexane	0.41	0.326	-	20.5	30	102	-.05
Dibromomethane	0.211	0.161	-	23.7	30	104	-.05
1,2-dichloropropane	0.253	0.201	-	20.6	30	109	-.05
bromodichloromethane	0.396	0.346	-	12.6	30	114	-.05
1,4-dioxane	0.139	0.116	-	16.5	30	105	-.04
trichloroethene	0.231	0.223	-	3.5	30	130	-.05

* Value outside of QC limits.



Calibration Verification Summary
Form 7
Air Volatiles

Client	: Marks Engineering, PC	Lab Number	: L2358506
Project Name	: DLS/MODOCK RD	Project Number	: 23-040C
Instrument ID	: AIRLAB19	Calibration Date	: 10/20/23 15:34
Lab File ID	: R1925884_EV2	Init. Calib. Date(s)	: 05/01/23 05/01/23
Sample No	: WG1842585-2	Init. Calib. Times	: 07:39 13:28
Channel	:		

Compound	Ave. RRF	RRF	Min RRF	%D	Max %D	Area%	Dev(min)
2,2,4-trimethylpentane	1.246	1.033	-	17.1	30	106	-.05
heptane	0.509	0.373	-	26.7	30	95	-.05
cis-1,3-dichloropropene	0.328	0.289	-	11.9	30	115	-.05
4-methyl-2-pentanone	0.501	0.418	-	16.6	30	93	-.05
trans-1,3-dichloropropene	0.311	0.243	-	21.9	30	97	-.05
1,1,2-trichloroethane	0.235	0.205	-	12.8	30	117	-.06
chlorobenzene-D5	1	1	-	0	30	103	-.05
toluene	3.678	3.63	-	1.3	30	113	-.06
2-hexanone	2.54	2.004	-	21.1	30	96	-.05
dibromochloromethane	1.564	1.838	-	-17.5	30	125	-.05
1,2-dibromoethane	1.567	1.8	-	-14.9	30	126	-.05
tetrachloroethene	1.128	1.283	-	-13.7	30	132	-.05
1,1,1,2-tetrachloroethane	1.142	1.21	-	-6	30	116	-.05
chlorobenzene	2.507	2.809	-	-12	30	126	-.05
ethylbenzene	4.362	4.413	-	-1.2	30	109	-.05
m+p-xylene	3.474	3.646	-	-5	30	112	-.05
bromoform	1.074	1.227	-	-14.2	30	119	-.05
styrene	2.485	2.917	-	-17.4	30	122	-.05
1,1,2,2-tetrachloroethane	2.332	2.487	-	-6.6	30	114	-.05
o-xylene	3.484	3.674	-	-5.5	30	113	-.05
1,2,3-Trichloropropane	2.012	1.985	-	1.3	30	107	-.04
isopropylbenzene	4.456	4.828	-	-8.3	30	119	-.04
Bromobenzene	2.574	2.59	-	-0.6	30	108	-.04
4-ethyl toluene	4.296	4.716	-	-9.8	30	110	-.05
1,3,5-trimethylbenzene	3.931	4.203	-	-6.9	30	107	-.04
tert-butylbenzene	4.03	4.222	-	-4.8	30	114	-.05
1,2,4-trimethylbenzene	3.577	4.194	-	-17.2	30	123	-.04
Benzyl Chloride	2.703	2.088	-	22.8	30	73	-.04
1,3-dichlorobenzene	1.73	2.118	-	-22.4	30	126	-.04
1,4-dichlorobenzene	1.683	2.115	-	-25.7	30	126	-.05
sec-butylbenzene	5.635	5.822	-	-3.3	30	113	-.04
p-isopropyltoluene	4.825	4.764	-	1.3	30	107	-.04
1,2-dichlorobenzene	1.594	2.075	-	-30.2*	30	133	-.05
n-butylbenzene	4.576	4.621	-	-1	30	106	-.04
1,2-dibromo-3-chloropropan	1.128	1.191	-	-5.6	30	102	-.04
1,2,4-trichlorobenzene	0.987	1.392	-	-41*	30	125	-.06
naphthalene	3.521	4.503	-	-27.9	30	110	-.07
1,2,3-trichlorobenzene	1.031	1.422	-	-37.9*	30	120	-.06
hexachlorobutadiene	1.324	1.762	-	-33.1*	30	138	-.07

* Value outside of QC limits.



Appendix C

Validator Qualifications

KENNETH R. APPLIN

Geochemist/Data Validator

Ph.D., Geochemistry and Mineralogy, The Pennsylvania State University

M.S., Geochemistry and Mineralogy, The Pennsylvania State University

B.A., Geological Sciences, SUNY at Geneseo, NY

Dr. Applin has over 35 years of experience working with the geochemistry of natural waters. His prior experience includes working as an Assistant Professor of Geology at the University of Missouri-Columbia and as Chief Hydrogeologist and Geochemist with a leading engineering firm in Rochester, NY. In 1993, he established KR Applin and Associates, a small consulting business that focuses on the geochemistry of natural waters, especially as applied to problems involving the contamination of groundwater and surface water.

Dr. Applin is also an experienced analytical data validator and has provided data validation services since 1994 to a variety of clients performing brownfield cleanup projects, hazardous waste remediation, groundwater monitoring at solid waste facilities, and other projects requiring third-party data validation. Dr. Applin has several years of hands-on experience with the laboratory analysis of natural waters and has successfully completed the USEPA Region II certification courses for performing inorganic and organic analytical data validation.

MICHAEL K. PERRY

Chemist/Data Validator

B.S. Chemistry, Georgia State University, Atlanta, GA

A.A.S., Chemical Technology, Alfred State College, Alfred, NY

Mr. Perry has over 30 years of experience in the analytical laboratory business. During his early career, he spent several years as a laboratory analyst performing the analysis of soil, water, and air samples for inorganic and organic chemical parameters. During his last 20 years in the environmental laboratory business, he managed and directed two major analytical laboratories in Rochester, NY. His management responsibilities included oversight of the daily operations of the lab, staff training and supervision, the selection, purchase, and maintenance of analytical instruments, the introduction of new laboratory methods, analytical quality assurance and quality control, data acquisition and management, and other business-related activities.

Mr. Perry has an extensive working knowledge of the methods and procedures used for sampling and analyzing both inorganic and organic analytes in soil, water, and air. He is an accomplished laboratory chemist and is familiar with the analytical methods and procedures established under the USEPA Contract Laboratory Protocols (CLP), the NYSDEC Analytical Services Protocols (ASP), and the NYSDOH Environmental Laboratory Approval Program (ELAP).



Exhibit D

Electronic Data Deliverable

(EDD)

(Provided Electronically)

jwolf@marksengineering.com

From: Noll, Rebecca <rnoch@LaBellaPC.com>
Sent: Tuesday, November 28, 2023 10:22 AM
To: dec.sm.NYENVDATA
Cc: Gregory, Charles T (DEC); jwolf@marksengineering.com; Noll, Dan
Subject: New EDD set for Modock Springs-DLS Sand and Gravel, Inc., Site 835013
Attachments: 20231128 1018.835013.NYSDEC_MERGE.zip

Attached please find a new EDD set for Modock Springs-DLS Sand and Gravel, Inc., Site 835013, including groundwater and soil vapor data.

Rebecca Noll
LaBella Associates | GIS & Environmental Specialist



300 State Street, Suite 201
Rochester, NY 14614
labellapc.com