

Revised and Reissued March 2026

Groundwater and Surface Water Sampling Report January 2026 Sample Event

Prepared for:
Syracusa Sand and Gravel Inc.

Site:
Modock Rd. Springs/DLS Sand & Gravel Inc. Site
Town of Victor, Ontario County, NY
NYSDEC Site No. 8-35-013



MarksEngineering

4303 Routes 5 & 20
Canandaigua, NY 14424

Table of Contents

1.0 Introduction 1

2.0 Site Description and History 1

3.0 Scope of work..... 2

 3.1 Sampling of Groundwater Monitoring Wells and Surface Water 2

 3.1.1 Purpose and Objectives 2

 3.1.2 Methodology and Procedures 2

 3.1.3 Collection and Analysis of Laboratory Samples 3

 3.1.4 Reporting of Results and Data Validation 3

 3.2 Handling of Sampling-Related Waste 3

4.0 Results 3

 4.1 Groundwater Sampling Results 4

 4.2 Surface Water Sampling Results 4

 4.3 Groundwater Mapping 4

5.0 Evaluation of Results, Findings and Conclusions 4

6.0 References 5

LIST OF FIGURES

- 1) Site Plan and Groundwater Sample Location Map
- 2) Surface Water Sample Location Map
- 3) Groundwater Contour Map
- 4) Summary of Total CVOC Detections in Groundwater

LIST OF TABLES

- 1) Summary of Annual Monitoring Well Sampling Program
- 2) Summary of Groundwater Results VOCs
- 3) Summary of Surface Water Results VOCs
- 4) Summary of Historic Data and Trends CVOCs

LIST OF APPENDICES

- A) Groundwater Sampling Log (PDBs)
- B) Surface Water Sampling Log
- C) Chain of Custody Forms

LIST OF EXHIBITS

- A)** Laboratory Report (Results Only)
- B)** Laboratory Report (Full Category B Package) (Provided electronically)
- C)** Data Usability Summary Report (DUSR)
- D)** Electronic Data Deliverable (EDD) (Provided electronically)

1.0 INTRODUCTION

Marks Engineering, P.C. (Marks Engineering) conducted an on-site and off-site groundwater and surface water sample event in January 2025 at the Modock Rd. Springs/DLS Sand & Gravel, Inc. Site located in the Town of Victor, Ontario County, New York (herein referred to as the “Site”). A Site Plan and Groundwater Sample Location Map is presented as **Figure 1**.

The Site is a NYSDEC Class 4 Inactive Hazardous Waste Disposal Site (Site No. 8-35-013). The scope of work presented herein is consistent with the NYSDEC-approved Site Management Plan (SMP), and the NYSDEC Record of Decision (ROD), for the Site.

The January 2025 groundwater and surface water sample event, the findings of which are discussed in this Report, is part of the SMP and ROD’s long-term plume management monitoring (PMM) program to evaluate plume stability and the natural reduction of the chlorinated volatile organic compound (CVOC) contamination over time. This sample event included 11 groundwater monitoring wells (MW-4, MW-10, MW-13, MW-14, MW-15, MW-16, MW-17s, MW-23, MW-24s, MW-26 and SS&G MW-3) and one surface water location (SC-1) as described in the SMP.

This Report provides a summary of the groundwater and surface water sample event and is organized as follows:

- **Site Description and History** (Section 2) – presents a summary of the history and description of the Site.
- **Scope of Work** (Section 3) – provides details on the scope of work and procedures that were used during the sample event.
- **Results** (Section 4) – presents the field observations, findings and analytical results for laboratory samples collected during the sample event.
- **Evaluation of Results and Conclusions** (Section 5) – presents an evaluation of the results and data.

2.0 SITE DESCRIPTION AND HISTORY

A detailed description of the Site and its History is provided in the SMP. A concise history of the Site is summarized as follows:

The Site is comprised of a 173-acre parcel, currently operated by Syracuse Sand and Gravel Inc. (SS&G) as an active sand and gravel mine. The Site was acquired by SS&G in 1953. Prior to SS&G’s ownership, the property was used for agricultural purposes. The Site operated under the name of D.L.S. Sand and Gravel until 1973 when the corporate name was changed to Syracuse Sand and Gravel Inc. From 1966 to 1971, a portion of the property was leased to Rochester Block, Inc. (NYSDEC, 2010).

A series of investigations at the Site have been conducted starting in approximately 1995. The data from the investigations generally shows that CVOCs, including trichloroethene (TCE), 1,1,1-trichloroethane (TCA), and 1,1-dichloroethene (1,1-DCE), were likely released by parties unknown on the Site in the 1960s or 1970s and have contributed to both on-site and off-site CVOC contamination in groundwater (NYSDEC, 2010). The soil into which the CVOCs were first released; however, no longer exists on the Site. On the basis of the investigations, in 2001, the Department listed the site as a Class 2 site in the Registry of Inactive Hazardous Waste Disposal Sites in New York. After subsequent site characterization, remedial investigation, feasibility study and remedial alternatives analysis, the ROD for the Site was issued in 2010 selecting monitored natural attenuation (MNA) as the remedy for the Site. The SMP for the Site was initially approved by the NYSDEC in March of 2019 and was subsequently revised and approved in August of 2025. In December of 2022, the Site was reclassified by the NYSDEC as a Class 4 Site that “no longer presents a significant threat to public health and/or the environment” (NYSDEC, 2022).

In addition to MNA, the ROD selected the following additional remedial actions for the Site: (a) an environmental easement to restrict the future use of groundwater at the Site; (b) implementation of the SMP with its requirements for long-term PMM monitoring, including groundwater, surface water and soil vapor monitoring, maintenance of the Sub Slab Depressurization Systems (SSDSs) in several residences, long-term monitoring of soil vapor intrusion in residences, and periodic review reporting to the NYSDEC; and (c) a contingency for the implementation of a zero valent iron amendment injection to reduce contaminant mass in the area of highest groundwater CVOC concentrations if the results of the PMM demonstrate that the CVOC groundwater concentrations are at concentrations not acceptable to NYSDEC and are not continuing to decline.

3.0 SCOPE OF WORK

This section provides details on the scope of work and procedures that were used during implementation of the January 2025 groundwater and surface water sample event taking place as part of the long-term PMM monitoring. The primary components of the scope of work were as follows:

- Completion of a 15-month frequency groundwater sample event using passive diffusion sampling bags (PDBs) installed at 11 existing groundwater monitoring wells (MW-4, MW-10, MW-13, MW-14, MW-15, MW-16, MW-17s, MW-23, MW-24s, MW-26 and SS&G MW-3).
- Collection of 11 groundwater samples for laboratory analysis for Target Compound List (TCL) VOCs, including CVOCs, in accordance with USEPA Method 8260.
- Completion of a 15-month frequency surface water sample event from one surface water location (SC-1) associated with Modock Road Springs for laboratory analysis for TCL VOCs, including CVOCs, in accordance with USEPA Method 8260.
- Collection of Quality Assurance/ Quality Control (QA/QC) samples including a trip blank, equipment blank, blind field duplicates and Matrix Spike/Matrix Spike Duplicate (MS/MSD) samples.
- Completion of a 3rd party Data Usability Summary Report (DUSR) to review, qualify and validate the analytical laboratory data generated during this sample event.
- Submittal of electronic data deliverables (EDDs) of the sample event data to the NYSDEC for inclusion in the Site's existing EQuls database.

3.1 Sampling of Groundwater Monitoring Wells and Surface Water

3.1.1 Purpose and Objectives

The January 2025 groundwater and surface water sample event, the findings of which are discussed in this Report, is part of the ROD's long-term PMM program for the Site. The objective of the PMM program is to evaluate plume stability and the natural reduction of the Site's CVOC contamination over time.

3.1.2 Methodology and Procedures

A total of 11 PDBs were installed in 11 existing monitoring wells (MW-4, MW-10, MW-13, MW-14, MW-15, MW-16, MW-17s, MW-23, MW-24s, MW-26 and SS&G MW-3) at the Site on December 19, 2025, see **Table 1**. The locations of the monitoring wells are depicted on **Figure 1**. The condition of the monitoring wells, as well as the actions undertaken to remedy any noted deficiencies, is also included on **Table 1**.

Prior to the installation of each PDB, the depth to water and depth to bottom of each well was gauged using a decontaminated water level probe. The field measurements were used to calculate the standing water column in each well. New nitrile gloves were donned by field personnel prior to the handling and installation of each PDB. PDBs were installed at the center of the standing water column or the midpoint of the well screen (whichever was less) using new nylon twine and a decontaminated stainless-steel bottom weight. The weight was suspended from the bottom of the PDB with an appropriate length of string, the PDB and weight were slowly lowered to the bottom of the well (*i.e.*, the weight was felt to hit bottom and the suspension string affixed to the top of the PDB slacked) and the suspension string was secured at the surface at the top of the well casing. Field measurements were recorded on a field log included as **Appendix A**.

A surface water sample was collected on January 2, 2026 from one surface location (SC-1) associated with Modock Road Springs, depicted on **Figure 2**. The surface water sample was collected directly from the surface water using a decontaminated high density polyethylene (HDPE) dipper. It is noted that the sample location (SC-1) was collected from the outlet of the culvert on the *east* side of the access road/foot path, to be consistent with past sampling practices. Field measurements collected during surface water sampling were recorded on a field log included as **Appendix B**.

The water level probe and the non-disposable sampling equipment (e.g., the HDPE dipper) were decontaminated using an Alconox®/potable water wash and a separate potable water rinse. Decontamination water associated with sampling activities was discharged to the ground surface within the mine upon completion of work.

3.1.3 Collection and Analysis of Laboratory Samples

The PDBs were retrieved from the groundwater monitoring wells two weeks later on January 2, 2026. One groundwater sample was collected for laboratory analysis from each of the 11 monitoring wells (MW-4, MW-10, MW-13, MW-14, MW-15, MW-16, MW-17s, MW-23, MW-24s, MW-26 and SS&G MW-3). Samples were collected by retrieving each PDB from the respective well and placing the PDB on a new sheet of polyethylene sheeting. A corner of the PDB was cut with a pair of decontaminated scissors and the contents of the PDB were collected in appropriate laboratory-supplied sample containers. Samples were placed in a plastic cooler pre-chilled with ice and submitted under appropriate chain of custody protocols to ALS Environmental (ALS) located in Rochester, New York, for laboratory analysis for TCL VOCs, including CVOCs, in accordance with USEPA Method 8260.

The surface water sample (SC-1) was collected using a decontaminated HDPE dipper and transferred to laboratory supplied glassware. The sample was placed in a plastic cooler pre-chilled with ice and submitted under appropriate chain of custody protocols to ALS for laboratory analysis for TCL VOCs, including CVOCS, in accordance with USEPA Method 8260.

QA/QC samples for the groundwater and surface water samples including a trip blank, equipment blank, blind field duplicates and MS/MSD samples were analyzed for TCL VOCs in accordance with USEPA Method 8260. The locations where QA/QC samples were collected are specified on the field forms included as **Appendix A** and **Appendix B**.

A copy of the chain of custody form is included as **Appendix C**.

3.1.4 Reporting of Results and Data Validation

The laboratory report was provided in both a results only and full Category B format, provided in **Exhibit A** and **Exhibit B**, respectively. The data was reviewed by a 3rd party data validator (Environmental Data Usability in Dansville, New York) to review, qualify and validate the analytical laboratory data generated during this sample event and the data validator concluded that all results (100%) were found to be usable. A copy of the Data Usability Summary Report (DUSR) is presented as **Exhibit C**. At the request of the NYSDEC, the laboratory results were also provided in an electronic data deliverable (EDD) format. The EDD, which incorporated the validated laboratory results, was submitted electronically to the NYSDEC on February 5, 2026, see **Exhibit D**.

3.2 Handling of Sampling-Related Waste

The groundwater and surface water sampling activities implemented at the Site produced sampling-related waste media including the following:

- Decontamination wash water resulting from decontamination of equipment and sampling tools
- General refuse (i.e., paper towels, used twine, used personal protective equipment [PPE], etc.).

The sampling-related waste was disposed of as follows:

- Used decontamination water was discharged to the ground surface within the mine in the area of MW-26 at the completion of work
- Used PPE and other general refuse was placed in trash bags and disposed of as municipal trash at a sanitary landfill.

4.0 RESULTS

The groundwater and surface water sample analytical results were compared to the following NYSDEC standards, criteria and/or guidance values (SCGVs):

- Class GA groundwater standards and guidance values referenced in Table 1 of the NYSDEC Division of Water Technical and Operational Guidance Series 1.1.1 document titled Ambient Water Quality Standard and Guidance Values and Groundwater Effluent Limitations (TOGS 1.1.1) dated June 1998 (as amended January 1999, April 2000 and June 2004).
- Class C surface water standards and guidance values referenced in Table 1 of the NYSDEC Division of Water Technical and Operational Guidance Series 1.1.1 document titled Ambient Water Quality Standard and Guidance

Values and Groundwater Effluent Limitations (TOGS 1.1.1) dated June 1998 (as amended January 1999, April 2000 and June 2004).

4.1 Groundwater Sampling Results

As presented in **Table 2**, detectable concentrations of VOCs were found in groundwater samples collected at all 11 of the 11 monitoring wells sampled. Exceedances of NYSDEC groundwater SCGVs for VOCs were present at 9 of the 11 monitoring wells sampled. The exceedances of groundwater SCGVs included only two CVOCs which were previously identified as contaminants of concern at the Site in the ROD (TCE and/or TCA).

4.2 Surface Water Sampling Results

As presented in **Table 3**, while detectable concentrations of VOCs were found in the surface water sample collected at SC-01, no exceedances of NYSDEC Class C surface water SCGVs for VOCs, including CVOCs, were present.

4.3 Groundwater Mapping

A groundwater contour map is presented as **Figure 3**. The map depicts groundwater flow to the north/northwest which is consistent with prior mapped groundwater flow at the Site (NYSDEC, 2010). A figure depicting the total concentrations for three CVOCs (TCE, TCA and 1,1-DCE) is provided as **Figure 4**. Note that 1,1-DCE is a breakdown product of TCE. As described in Section 5 below the overall data trend shows that the concentrations of the CVOCs in the plume are continuing to decline (See **Table 4**).

5.0 EVALUATION OF RESULTS, FINDINGS AND CONCLUSIONS

The January 2026 groundwater and surface water sample event, the evaluation of the results, findings and conclusions of which are discussed below, is part of the ROD and SMP's long-term PMM program. The objective of the PMM program is to evaluate plume stability and the natural reduction of the Site's CVOC contamination over time.

As presented in **Table 2** and **Table 3**, the laboratory results for VOC analysis of the groundwater samples collected at 11 monitoring wells and one surface water location indicate detections of different combinations of three CVOCs (TCE, 1,1-DCE and/or TCA) which are contaminants of concern at the Site, with at least one of the three CVOCs being detected at 9 of the monitoring wells above the respective NYSDEC Class GA groundwater SCGVs. The surface water sample (SC-1) continues not to have CVOCs detected at concentrations above the respective NYSDEC Class C surface water SCGVs. There are no Class C surface water standards for three of the four detected CVOCs in surface water (TCA, 1,1-dichloroethane and 1,1-DCE).

The objective of the PMM program is to evaluate plume stability and the natural reduction of CVOCs over time; therefore, a comparison of the January 2026 analytical data to the analytical data from historic groundwater and surface water sampling events, dating back as far as 1990, is presented on **Table 4**. As illustrated on **Table 4**, the long term CVOC data trend for all 11 of the monitoring wells sampled and the one surface water location sampled is down (*i.e.*, decreasing concentrations of CVOC contaminants) and/or CVOCs were not detected.

The overall data trend, for samples dating back as far as 1990, shows that the concentrations of the CVOCs in the plume are continuing to decline; indicating that natural attenuation of contaminants continues to occur, and satisfying the objectives of the remedy (long term PMM and the monitored natural attenuation remedy) selected for the Site in the ROD.

In a NYSDEC comment letter dated April 24, 2025, the frequency of soil vapor, surface water and groundwater monitoring was reduced to once every 15-months from an annual frequency. The SMP was subsequently revised in accordance with the NYSDEC comment letter dated April 24, 2025, and approved in August 2025. Therefore, the next groundwater and surface water sampling event, conducted at a 15-month frequency, will be planned for April 2027. Consistent with recent historic sample events, groundwater sampling will continue to be conducted at the same subset of eleven monitoring wells (MW-4, MW-10, MW-13, MW-14, MW-15, MW-16, MW-17s, MW-23, MW-24s, MW-26 and SS&G MW-3) and one surface water sample location (SC-1) and will be scheduled at the same time as the soil vapor point sampling event.

6.0 REFERENCES

Bristol Consulting and Marks Engineering, P.C., *Site Management Plan*, Modock Road Springs/DLS Sand and Gravel, Inc. Inactive Hazardous Waste Site, Town of Victor, Ontario County, New York Site Number 8-35-013, March 2019 (Revised August 2025)


NYSDEC, 1998, *Ambient Water Quality Standard and Guidance Values and Groundwater Effluent Limitations - TOGS 1.1.1* (as amended January 1999, April 2000 and June 2004), Albany, New York


NYSDEC, 2010, *Record of Decision*, Modock Road Springs/DLS Sand and Gravel, Inc. Site Town of Victor, Ontario County, New York Site Number 8-35-013, January 2010

NYSDEC, 2022, *Public Notice, State Superfund Program, State Superfund Site Reclassification Notice Class 2 to Class 4* Modock Springs-DLS Sand and Gravel, Inc., Site No 83513, December 2022







Figures





Legend

-  Surface Water (Sampled) [1]
-  Surface Water (Not Sampled) [4]
-  NYSDEC Class C Stream
-  National Hydrography Dataset

Stream Source:
 NYSDEC Water Quality Classifications -
<https://gis.ny.gov/>
 5/2019

USGS National Hydrography Dataset (NHD)
 2/16/2018

Aerial Imagery Source:
 Google - <https://www.google.com>
 Estimated: 2021


0 200 ft


JANUARY 2026 GROUNDWATER AND SURFACE WATER SAMPLE EVENT
 MODOCK RD. SPRINGS/DLS SAND & GRAVEL INC. SITE
 TOWN OF VICTOR, ONTARIO COUNTY, NEW YORK
 NYSDEC SITE NO. 8-35-013

FIGURE 2
 SURFACE WATER SAMPLE LOCATION MAP
 (JANUARY 2026 SAMPLE EVENT)



MarksEngineering







Tables

Table 1
 Summary of Monitoring Well Sampling Program
 January 2026 Sample Event
 Modock Road Springs/DLS Sand Gravel Inc., Site
 NYSDEC Site No. 8-35-013
 Victor, New York

Well ID	Well sampled for TCL VOCs	Well sampled for "Other Parameters" (SVOCs, Metals, PCBs and Pesticides)	Well Condition
MW-4	Y	N	Good
MW-10	Y	N	Good
MW-13	Y	N	Protective standpipe (4" steel pipe) missing lid OK (Replaced missing lid with plastic 4" cap 8/5/20)
MW-14	Y	N	Good
MW-15	Y	N	Good
MW-16	Y	N	Good
MW-17S	Y	N	Protective standpipe (box type) bent over (has been struck). Unable to develop well, could not get 2" submersible past kink in PVC well casing. Stood standpipe back up vertical. Able to sample with PDB ok (October 2020).
MW-23	Y	N	PVC riser is damaged, preventing J plug from sealing properly, surface grade well not water tight. Cut and removed 3/4" from PVC riser to repair and allow J plug to seal properly at top of well (10/19/22). The revised top of casing (TOC) elevation is reflected on the PDB sampling form.
MW-24S	Y	N	Good
MW-26	Y	N	Good
SS&G MW-3	Y	N	Protective standpipe (4" steel pipe) missing cover. PVC riser fractured at top. OK placed 2" PVC slip cap over PVC riser and 5-gallon pail over standpipe 8/5/20)

Table 2
 JANUARY 2026 GROUNDWATER VOCs ANALYTICAL DATA (green shading)
 Modock Road Springs/DLS Sand and Gravel, Inc. Site
 (NYSDEC HW ID 8-35-013)
 Victor, New York

CAS No.	Volatiles Organic Compounds	NYS Class GA Standards	Unit	MW-2 8/21/2019	MW-4 8/21/2019	MW-4 8/5/2020	MW-4 10/22/2020	MW-4 2/3/2021	MW-4 4/21/2021	MW-4 10/19/22	MW-4 10/16/2023	MW-4 10/4/2024	MW-4 1/2/2026	MW-5 8/21/2019	MW-6 8/21/2019	MW-7 8/21/2019	MW-8 8/21/2019	MW-9 8/21/2019
71-55-6	1,1,1-Trichloroethane (TCA)	5	ug/L	2.1	8.4	8.5	9.5	8.3	7.9	9	6.9	7.9	9.3	0.73 J	6.8	10	0.21 U	0.21 U
79-34-5	1,1,2,2-Tetrachloroethane	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
79-00-5	1,1,2-Trichloroethane	1	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
26523-64-8	Trichlorotrifluoroethane (Freon-113)	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
75-34-3	1,1-Dichloroethane	5	ug/L	0.2 U	0.37 J	0.31 J	0.49	0.35 J	0.33 J	0.62 J	0.52 J	0.66 J	0.81 J	0.2 U	0.2 U	0.82 J	0.2 U	0.2 U
75-35-4	1,1-Dichloroethene (1,1-DCE)	5	ug/L	0.61 J	2.1	1.7	2.2	1.8	1.8	2.1	1.6	1.7	2.4	0.28 JN	1.1	2.7	0.25 U	0.25 U
87-61-6	1,2,3-Trichlorobenzene	5	ug/L	0.2 U	0.2 U	0.25 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
120-82-1	1,2,4-Trichlorobenzene	5	ug/L	0.25 U	0.25 U	0.34 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U
96-12-8	1,2-Dibromo-3-Chloropropane	0.04	ug/L	0.45 U	0.45 U	0.45 U	2.0 U	2 U	2 U	2.0 U	2 UJ	2 UJ	NA	0.45 U	0.45 U	0.45 U	0.45 U	0.45 U
106-93-4	1,2-Dibromoethane (Ethylene Dibromide)	NL	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
95-50-1	1,2-Dichlorobenzene	3	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
107-06-2	1,2-Dichloroethane	0.6	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
78-87-5	1,2-Dichloropropane	1	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
541-73-1	1,3-Dichlorobenzene	3	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
106-46-7	1,4-Dichlorobenzene	3	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
123-91-1	1,4-Dioxane (P-Dioxane)	NL	ug/L	13 U	13 U	13 U	40 U	40 U	40 U	40 U	40 U	40 U	NA	13 U	13 U	13 U	13 U	13 U
78-93-3	Methyl Ethyl Ketone (2-Butanone)	50*	ug/L	0.78 U	0.78 U	0.78 U	5.0 U	5 U	5 U	5.0 U	5 U	5 U	5 U	0.78 U	0.78 U	0.78 U	0.78 U	0.78 U
591-78-6	2-Hexanone	50*	ug/L	0.2 U	0.2 U	0.2 U	5.0 U	5 U	5 U	5.0 U	5 U	5 U	5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
108-10-1	Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	NL	ug/L	0.2 U	0.2 U	0.2 U	5.0 U	5 U	5 U	5.0 U	5 U	5 U	NA	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
67-64-1	Acetone	50*	ug/L	15 J	13	5 UJ	5.0 U	5 U	5 U	5.0 UJ	5 U	5 UJ	5 U	13	14	12 J	15	11
71-43-2	Benzene	1	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
74-97-5	Bromochloromethane	5	ug/L	0.24 U	0.24 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U
75-27-4	Bromodichloromethane	50*	ug/L	0.22 U	0.33 J	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U
75-25-2	Bromoform	50*	ug/L	0.25 UJ	0.25 U	0.25 U	1.0 U	1 U	1 U	1.0 U	1 UJ	1 U	1 U	0.25 U	0.25 U	0.25 UJ	0.25 UJ	0.25 UJ
74-83-9	Bromomethane	5	ug/L	0.7 U	0.7 U	0.7 U	1.0 U	1 UJ	1 U	1.0 U	1 U	1 U	1 U	0.7 U	0.7 U	0.7 U	0.7 U	0.7 U
75-15-0	Carbon Disulfide	60*	ug/L	0.25 U	0.25 U	0.42 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 UJ	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U
56-23-5	Carbon Tetrachloride	5	ug/L	0.34 U	0.34 U	0.34 U	1.0 U	1 UJ	1 U	1.0 U	1 U	1 U	1 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U
108-90-7	Chlorobenzene	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
75-00-3	Chloroethane	5	ug/L	0.23 U	0.23 U	0.23 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.23 U	0.23 U	0.23 U	0.23 U	0.23 U
67-66-3	Chloroform	7	ug/L	0.24 U	0.51 J	0.24 U	0.29	0.29 J	1 U	1.0 U	1 U	1 U	1 U	0.24 U	0.61 J	0.24 U	0.24 U	0.24 U
74-87-3	Chloromethane	NL	ug/L	0.28 U	0.28 J	0.28 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.31 J	0.28 U	1 U	1 U	1 U
110-82-7	Cyclohexane	NL	ug/L	0.26 U	0.26 U	0.26 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U
124-48-1	Dibromochloromethane	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
75-71-8	Dichlorodifluoromethane	5	ug/L	0.21 U	0.21 U	0.21 U	1.0 U	1 U	1 U	1.0 UJ	1 U	1 UJ	NA	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U
75-09-2	Methylene Chloride	5	ug/L	0.36 U	0.36 U	0.65 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U
100-41-4	Ethylbenzene	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
98-82-8	Isopropylbenzene (Cumene)	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
79-20-9	Methyl Acetate	NL	ug/L	0.33 U	0.33 U	0.33 U	2.0 U	2 U	2 U	2.0 U	2 U	2 U	NA	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U
1634-04-4	Tert-Butyl Methyl Ether	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
108-87-2	Methylcyclohexane	NL	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	5 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
100-42-5	Styrene	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
127-18-4	Tetrachloroethylene (PCE)	5	ug/L	0.21 U	0.21 U	0.21 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U
108-88-3	Toluene	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
79-01-6	Trichloroethylene (TCE)	5	ug/L	4.9	48	45	53	44	42	39	40	40	49	1.8	26	48	0.2 U	0.2 U
75-69-4	Trichlorofluoromethane	5	ug/L	0.24 U	0.24 U	0.24 U	1.0 UJ	1 U	1 U	1.0 U	1 U	1 U	NA	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U
75-01-4	Vinyl Chloride	2	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
156-59-2	Cis-1,2-Dichloroethylene	5	ug/L	0.23 U	0.23 U	0.23 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.23 U	0.23 U	0.23 U	0.23 U	0.23 U
10061-01-5	Cis-1,3-Dichloropropene	0.4	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
XYLMP	M,P-Xylene (Sum Of Isomers)	5	ug/L	0.2 U	0.2 U	0.2 U	2.0 U	2 U	2 U	2.0 U	2 U	2 U	2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
95-47-6	O-Xylene (1,2-Dimethylbenzene)	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
156-60-5	Trans-1,2-Dichloroethene	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
10061-02-6	Trans-1,3-Dichloropropene	0.4	ug/L	0.23 U	0.23 U	0.23 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.23 U	0.23 U	0.23 U	0.23 U	0.23 U
460-00-4	1-Bromo-4-Fluorobenzene Bromofluorobenzene)	NL	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	106	NA	NA	NA	NA	NA
1868-53-7	Dibromofluoromethane	NL	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	102	NA	NA	NA	NA	NA
2037-26-5	Toluene-D8	NL	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	103	NA	NA	NA	NA	NA

NOTES:

* = Guidance Value

Bolded results detected above the Reporting Limit.

Highlighted results exceed NYS standard

U = Not detected. Reporting limit shown.

NL = Not Listed D = Dilution NA = Not Analyzed

J = Estimated JN = The analyte is "presumptively present". The associated result is an approximate concentration.

Table 2
 JANUARY 2026 GROUNDWATER VOCs ANALYTICAL DATA (green shading)
 Modock Road Springs/DLS Sand and Gravel, Inc. Site
 (NYSDEC HW ID 8-35-013)
 Victor, New York

CAS No.	Volatile Organic Compounds	NYS Class GA Standards	Unit	MW-10 8/21/2019	MW-10 8/5/2020	MW-10 10/22/2020	MW-10 2/3/2021	MW-10 4/21/2021	MW-10 10/19/22	MW-10 10/16/2023	MW-10 10/4/2024	MW-10 1/2/2026	MW-11 8/21/2019	MW-12 8/21/2019	MW-13 8/21/2019	MW-13 8/5/2020	MW-13 10/22/2020	MW-13 2/3/2021	MW-13 4/21/2021	MW-13 10/19/22	MW-13 10/16/2023	MW-13 10/4/2024	MW-13 1/2/2026
71-55-6	1,1,1-Trichloroethane (TCA)	5	ug/L	1.9	2.8	3.6	2.6	2.6	1.5	1.6	1.5	2.1 J	0.21 U	3.8	30	34	45	41	36	33	21	19	25
79-34-5	1,1,2,2-Tetrachloroethane	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
79-00-5	1,1,2-Trichloroethane	1	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
26523-64-8	Trichlorotrifluoroethane (Freon-113)	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
75-34-3	1,1-Dichloroethane	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
75-35-4	1,1-Dichloroethene (1,1-DCE)	5	ug/L	0.25 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.25 U	0.52 J	4.6	6.3	7.3	7.4	7.2	4.6	3.4	2.8	3.8
87-61-6	1,2,3-Trichlorobenzene	5	ug/L	0.2 U	0.25 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	0.2 U	0.25 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
120-82-1	1,2,4-Trichlorobenzene	5	ug/L	0.25 U	0.34 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.25 U	0.25 U	0.25 U	0.34 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
96-12-8	1,2-Dibromo-3-Chloropropane	0.04	ug/L	0.45 U	0.45 U	2.0 U	2 U	2 U	2.0 U	2 U	2 U	NA	0.45 U	0.45 U	0.45 U	0.45 U	2.0 U	2 U	2 U	2.0 U	2 U	2 U	NA
106-93-4	1,2-Dibromoethane (Ethylene Dibromide)	NL	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
95-50-1	1,2-Dichlorobenzene	3	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
107-06-2	1,2-Dichloroethane	0.6	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
78-87-5	1,2-Dichloropropane	1	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
541-73-1	1,3-Dichlorobenzene	3	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
106-46-7	1,4-Dichlorobenzene	3	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
123-91-1	1,4-Dioxane (P-Dioxane)	NL	ug/L	13 U	13 U	40 U	40 U	40 U	40 U	40 U	40 U	NA	13 U	13 U	13 U	13 U	40 U	40 U	40 U	40 U	40 U	40 U	NA
78-93-3	Methyl Ethyl Ketone (2-Butanone)	50*	ug/L	0.78 U	0.78 U	5.0 U	5 U	5 U	5.0 U	5 U	5 U	5 U	0.78 U	0.78 U	0.78 U	0.78 U	5.0 U	5 U	5 U	5.0 U	5 U	5 U	5 U
591-78-6	2-Hexanone	50*	ug/L	0.2 U	0.2 U	5.0 U	5 U	5 U	5.0 U	5 U	5 U	5 U	0.2 U	0.2 U	0.2 U	0.2 U	5.0 U	5 U	5 U	5.0 U	5 U	5 U	5 U
108-10-1	Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	NL	ug/L	0.2 U	0.2 U	5.0 U	5 U	5 U	5.0 U	5 U	5 U	NA	0.2 U	0.2 U	0.2 U	0.2 U	5.0 U	5 U	5 U	5.0 U	5 U	5 U	NA
67-64-1	Acetone	50*	ug/L	13	5 U	5.0 U	5 U	5 U	5.0 U	5 U	5 U	5 U	1 U	20	16	5 U	5.0 U	5 U	5 U	5.0 U	5 U	5 U	5 U
71-43-2	Benzene	1	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
74-97-5	Bromochloromethane	5	ug/L	0.24 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.24 U	0.24 U	0.24 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
75-27-4	Bromodichloromethane	50*	ug/L	0.22 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.22 U	0.22 U	0.22 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
75-25-2	Bromoform	50*	ug/L	0.25 U	0.25 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.25 U	0.25 U	0.25 U	0.25 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
74-83-9	Bromomethane	5	ug/L	0.7 U	0.7 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.7 U	0.7 U	0.7 U	0.7 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
75-15-0	Carbon Disulfide	60*	ug/L	0.25 U	0.42 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.25 U	0.25 U	0.25 U	0.42 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
56-23-5	Carbon Tetrachloride	5	ug/L	0.34 U	0.34 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.34 U	0.34 U	0.34 U	0.34 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
108-90-7	Chlorobenzene	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
75-00-3	Chloroethane	5	ug/L	0.23 U	0.23 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.23 U	0.23 U	0.23 U	0.23 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
67-66-3	Chloroform	7	ug/L	0.24 U	0.24 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.24 U	0.24 U	0.24 U	0.24 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
74-87-3	Chloromethane	NL	ug/L	0.28 U	0.28 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	1 U	0.28 U	0.28 U	0.28 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
110-82-7	Cyclohexane	NL	ug/L	0.26 U	0.26 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.26 U	0.26 U	0.26 U	0.26 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
124-48-1	Dibromochloromethane	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
75-71-8	Dichlorodifluoromethane	5	ug/L	0.21 U	0.21 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.21 U	0.21 U	0.21 U	0.21 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
75-09-2	Methylene Chloride	5	ug/L	0.36 U	0.65 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.36 U	0.36 U	0.36 U	0.65 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
100-41-4	Ethylbenzene	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
98-82-8	Isopropylbenzene (Cumene)	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
79-20-9	Methyl Acetate	NL	ug/L	0.33 U	0.33 U	2.0 U	2 U	2 U	2.0 U	2 U	2 U	NA	0.33 U	0.33 U	0.33 U	0.33 U	2.0 U	2 U	2 U	2.0 U	2 U	2 U	NA
1634-04-4	Tert-Butyl Methyl Ether	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
108-87-2	Methylcyclohexane	NL	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	5 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	5 U
100-42-5	Styrene	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
127-18-4	Tetrachloroethylene (PCE)	5	ug/L	0.21 U	0.21 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.21 U	0.21 U	0.41 J	0.25 J	0.28	0.28 J	0.35 J	0.28 J	0.33 J	0.42 J	0.44 J
108-88-3	Toluene	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
79-01-6	Trichloroethylene (TCE)	5	ug/L	0.44 J	0.48 J	0.53	0.28 J	0.46 J	0.37 J	0.33 J	0.38 J	0.63 J	0.2 U	0.2 U	53	46	52	46	44	40	42	43	44
75-69-4	Trichlorofluoromethane	5	ug/L	0.24 U	0.24 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.24 U	0.24 U	0.24 U	0.24 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
75-01-4	Vinyl Chloride	2	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
156-59-2	Cis-1,2-Dichloroethylene	5	ug/L	0.23 U	0.23 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.23 U	0.23 U	0.23 U	0.23 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
10061-01-5	Cis-1,3-Dichloropropene	0.4	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
XYLMP	M,P-Xylene (Sum Of Isomers)	5	ug/L	0.2 U	0.2 U	2.0 U	2 U	2 U	2.0 U	2 U	2 U	2 U	0.2 U	0.2 U	0.2 U	0.2 U	2.0 U	2 U	2 U	2.0 U	2 U	2 U	2 U
95-47-6	O-Xylene (1,2-Dimethylbenzene)	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
156-60-5	Trans-1,2-Dichloroethene	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U			

Table 2
 JANUARY 2026 GROUNDWATER VOCs ANALYTICAL DATA (green shading)
 Modock Road Springs/DLS Sand and Gravel, Inc. Site
 (NYSDEC HW ID 8-35-013)
 Victor, New York

CAS No.	Volatile Organic Compounds	NYS Class GA Standards	Unit	MW-14 8/21/2019	MW-14 8/5/2020	MW-14 10/22/2020	MW-14 2/3/2021	MW-14 4/21/2021	MW-14 10/19/22	MW-14 10/16/2023	MW-14 10/4/2024	MW-14 1/2/2026	MW-15 8/21/2019	MW-15 8/5/2020	MW-15 10/22/2020	MW-15 2/3/2021	MW-15 4/21/2021	MW-15 10/19/22	MW-15 10/16/2023	MW-15 10/4/2024	MW-15 1/2/2026
71-55-6	1,1,1-Trichloroethane (TCA)	5	ug/L	14	14	14	10	12	10	9.2	9.9	7.9	18	18	25	22	26	12	12	12	12
79-34-5	1,1,2,2-Tetrachloroethane	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
79-00-5	1,1,2-Trichloroethane	1	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
26523-64-8	Trichlorotrifluoroethane (Freon-113)	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
75-34-3	1,1-Dichloroethane	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
75-35-4	1,1-Dichloroethene (1,1-DCE)	5	ug/L	2	2.2	1.8	1.5	1.9	1	0.97 J	0.96 J	0.91 J	3.2	3.3	4.9	4	5.5 J	1.9	2.1	1.9	2.2
87-61-6	1,2,3-Trichlorobenzene	5	ug/L	0.2 U	0.25 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.25 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
120-82-1	1,2,4-Trichlorobenzene	5	ug/L	0.25 U	0.34 UJ	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.25 U	0.34 UJ	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
96-12-8	1,2-Dibromo-3-Chloropropane	0.04	ug/L	0.45 U	0.45 U	2.0 U	2 U	2 U	2.0 U	2 UJ	2 UJ	NA	0.45 U	0.45 U	2.0 U	2 U	2 U	2.0 U	2 UJ	2 UJ	NA
106-93-4	1,2-Dibromoethane (Ethylene Dibromide)	NL	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
95-50-1	1,2-Dichlorobenzene	3	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
107-06-2	1,2-Dichloroethane	0.6	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
78-87-5	1,2-Dichloropropane	1	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
541-73-1	1,3-Dichlorobenzene	3	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
106-46-7	1,4-Dichlorobenzene	3	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
123-91-1	1,4-Dioxane (P-Dioxane)	NL	ug/L	13 U	13 U	40 U	40 U	40 U	40 U	40 U	40 U	NA	13 U	13 U	40 U	40 U	40 U	40 U	40 U	40 U	NA
78-93-3	Methyl Ethyl Ketone (2-Butanone)	50*	ug/L	0.78 U	0.78 U	5.0 U	5 U	5 U	5.0 UJ	5 U	5 U	5 U	0.78 U	0.78 U	5.0 U	5 U	5 U	5.0 U	5 U	5 U	5 U
591-78-6	2-Hexanone	50*	ug/L	0.2 U	0.2 U	5.0 U	5 U	5 U	5.0 U	5 U	5 U	5 U	0.2 U	0.2 U	5.0 U	5 U	5 U	5.0 U	5 U	5 U	5 U
108-10-1	Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	NL	ug/L	0.2 U	0.2 U	5.0 U	5 U	5 U	5.0 U	5 U	5 U	NA	0.2 U	0.2 U	5.0 U	5 U	5 U	5.0 U	5 U	5 U	NA
67-64-1	Acetone	50*	ug/L	12	5 U	5.0 U	5 U	5 U	5.0 UJ	5 U	5 UJ	5 U	16	5 U	5.0 U	5 U	5 U	5.0 UJ	5 U	5 UJ	5 U
71-43-2	Benzene	1	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
74-97-5	Bromochloromethane	5	ug/L	0.24 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.24 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
75-27-4	Bromodichloromethane	50*	ug/L	0.22 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.22 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
75-25-2	Bromoform	50*	ug/L	0.25 UJ	0.25 U	1.0 U	1 U	1 U	1.0 U	1 UJ	1 U	1 U	0.25 UJ	0.25 U	1.0 U	1 U	1 U	1.0 U	1 UJ	1 U	1 U
74-83-9	Bromomethane	5	ug/L	0.7 U	0.7 UJ	1.0 U	1 UJ	1 U	1.0 U	1 U	1 U	1 U	0.7 U	0.7 UJ	1.0 UJ	1 UJ	1 U	1.0 U	1 U	1 U	1 U
75-15-0	Carbon Disulfide	60*	ug/L	0.25 U	0.42 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 UJ	0.25 U	0.42 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 UJ
56-23-5	Carbon Tetrachloride	5	ug/L	0.34 U	0.34 U	1.0 U	1 UJ	1 U	1.0 U	1 U	1 U	1 U	0.34 U	0.34 U	1.0 UJ	1 UJ	1 U	1.0 U	1 U	1 U	1 U
108-90-7	Chlorobenzene	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
75-00-3	Chloroethane	5	ug/L	0.23 U	0.23 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.23 U	0.23 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
67-66-3	Chloroform	7	ug/L	0.24 U	0.24 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.24 U	0.24 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
74-87-3	Chloromethane	NL	ug/L	0.28 U	0.28 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.28 U	0.28 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
110-82-7	Cyclohexane	NL	ug/L	0.26 U	0.26 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.26 U	0.26 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
124-48-1	Dibromochloromethane	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
75-71-8	Dichlorodifluoromethane	5	ug/L	0.21 U	0.21 U	1.0 U	1 U	1 U	1.0 UJ	1 U	1 UJ	NA	0.21 U	0.21 U	1.0 U	1 U	1 U	1.0 UJ	1 U	1 UJ	NA
75-09-2	Methylene Chloride	5	ug/L	0.36 U	0.65 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.36 U	0.65 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
100-41-4	Ethylbenzene	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
98-82-8	Isopropylbenzene (Cumene)	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
79-20-9	Methyl Acetate	NL	ug/L	0.33 U	0.33 U	2.0 U	2 U	2 U	2.0 UJ	2 U	2 U	NA	0.33 U	0.33 U	2.0 U	2 U	2 U	2.0 U	2 U	2 U	NA
1634-04-4	Tert-Butyl Methyl Ether	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
108-87-2	Methylcyclohexane	NL	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	5 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	5 U
100-42-5	Styrene	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
127-18-4	Tetrachloroethylene (PCE)	5	ug/L	0.61 J	0.73 J	0.88	0.57 J	0.72 J	0.63 J	0.53 J	0.57 J	0.51 J	0.21 U	0.21 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
108-88-3	Toluene	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
79-01-6	Trichloroethylene (TCE)	5	ug/L	59	56	61	46	47	45	40	40	39	1	1.1	1.2	1.1	1.8	1.6	2	3.1	3.7
75-69-4	Trichlorofluoromethane	5	ug/L	0.24 U	0.24 U	1.0 UJ	1 U	1 U	1.0 U	1 U	1 U	NA	0.24 U	0.24 U	1.0 UJ	1 U	1 U	1.0 U	1 U	1 U	NA
75-01-4	Vinyl Chloride	2	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 UJ	1 U	1 U	1 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
156-59-2	Cis-1,2-Dichloroethylene	5	ug/L	0.23 U	0.23 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.23 U	0.23 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
10061-01-5	Cis-1,3-Dichloropropene	0.4	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
	XYLMP M,P-Xylene (Sum Of Isomers)	5	ug/L	0.2 U	0.2 U	2.0 U	2 U	2 U	2.0 U	2 U	2 U	2 U	0.2 U	0.2 U	2.0 U	2 U	2 U	2.0 U	2 U	2 U	2 U
95-47-6	O-Xylene (1,2-Dimethylbenzene)	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
156-60-5	Trans-1,2-Dichloroethene	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
10061-02-6	Trans-1,3-Dichloropropene	0.4	ug/L	0.23 U	0.23 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.23 U	0.23 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
460-00-4	1-Bromo-4-Fluorobenzene Bromofluorobenzene)	NL	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	110	NA	NA	NA	NA	NA	NA	NA	NA	108
1868-53-7	Dibromofluoromethane	NL	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	105	NA	NA	NA	NA	NA	NA	NA	NA	99
2037-26-5	Toluene-D8	NL	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	104	NA	NA	NA	NA	NA	NA	NA	NA	102

NOTES:
 * = Guidance Value
 Bolded results detected above the Reporting Limit.
 Highlighted results exceed NYS standard
 U = Not detected. Reporting limit shown.
 NL = Not Listed D = Dilution NA= Not Analyzed
 J = Estimated JN = The analyte is "presumptively present". The associated result is an approximate concentration.

Table 2
 JANUARY 2026 GROUNDWATER VOCs ANALYTICAL DATA (green shading)
 Modock Road Springs/DLS Sand and Gravel, Inc. Site
 (NYSDEC HW ID 8-35-013)
 Victor, New York

CAS No.	Volatile Organic Compounds	NYS Class GA Standards	Unit	MW-16 8/21/2019	MW-16 8/5/2020	MW-16 10/22/2020	MW-16 2/3/2021	MW-16 4/21/2021	MW-16 10/19/22	MW-16 10/16/2023	MW-16 10/4/2024	MW-16 1/2/2026	MW-17D 8/21/2019	MW-17S 8/21/2019	MW-17S 8/5/2020	MW-17S 10/22/2020	MW-17S 2/3/2021	MW-17S 4/21/2021	MW-17S 10/19/22	MW-17S 10/16/2023	MW-17S 10/4/2024	MW-17S 1/2/2026	MW-18 8/21/2019	MW-20 8/21/2019	MW-21 8/21/2019
71-55-6	1,1,1-Trichloroethane (TCA)	5	ug/L	19	17	20	21	17	14	14	15	16	0.21 U	22	20	22	21 D	20	3.8	14	13	11	5.6	1.4	5.1
79-34-5	1,1,2,2-Tetrachloroethane	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.4 U	0.4 U	2.5 U	5 U	2.5 U	1.0 U	1 U	2 U	2 U	0.2 U	0.2 U	0.2 U
79-00-5	1,1,2-Trichloroethane	1	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	1.2 J	0.72 J	0.85	5 U	0.73 J	0.41 J	0.54 J	2 U	2 U	0.2 U	0.2 U	0.2 U
26523-64-8	Trichlorotrifluoroethane (Freon-113)	5	ug/L	0.2 U	0.71 J	0.81	0.82 J	1 U	0.56 J	0.68 J	0.77 J	NA	0.2 U	0.4 U	0.4 U	2.5 U	5 U	2.5 U	1.0 U	1 U	2 U	NA	0.2 U	0.2 U	0.2 U
75-34-3	1,1-Dichloroethane	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.4 U	0.4 U	2.5 U	5 U	2.5 U	1.0 U	1 U	2 U	2 U	0.2 U	0.2 U	0.3 J
75-35-4	1,1-Dichloroethene (1,1-DCE)	5	ug/L	3.5	4.1	4.3	4.9	4.1	2.5	2.9	3	3.1	0.25 U	5.3	3.5	4.7	3.7 DJ	4.2	0.56 J	2.4	2.2	1.9 J	1.2	0.31 J	1.6
87-61-6	1,2,3-Trichlorobenzene	5	ug/L	0.2 U	0.25 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.4 U	0.5 U	2.5 U	5 U	2.5 U	1.0 U	1 U	2 U	NA	0.2 U	0.2 U	0.2 U
120-82-1	1,2,4-Trichlorobenzene	5	ug/L	0.25 U	0.34 UJ	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.25 U	0.5 U	0.68 UJ	2.5 U	5 U	2.5 U	1.0 U	1 U	2 U	NA	0.25 U	0.25 U	0.25 U
96-12-8	1,2-Dibromo-3-Chloropropane	0.04	ug/L	0.45 U	0.45 U	2.0 U	2 U	2 U	2.0 U	2 UJ	2 UJ	NA	0.45 U	0.9 U	0.9 U	5.0 U	10 U	5 U	2.0 U	2 UJ	4 UJ	NA	0.45 U	0.45 U	0.45 U
106-93-4	1,2-Dibromoethane (Ethylene Dibromide)	NL	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.4 U	0.4 U	2.5 U	5 U	2.5 U	1.0 U	1 U	2 U	NA	0.2 U	0.2 U	0.2 U
95-50-1	1,2-Dichlorobenzene	3	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.4 U	0.4 U	2.5 U	5 U	2.5 U	1.0 U	1 U	2 U	NA	0.2 U	0.2 U	0.2 U
107-06-2	1,2-Dichloroethane	0.6	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.4 U	0.4 U	2.5 U	5 U	2.5 U	1.0 U	1 U	2 U	2 U	0.2 U	0.2 U	0.2 U
78-87-5	1,2-Dichloropropane	1	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.4 U	0.4 U	2.5 U	5 U	2.5 U	1.0 U	1 U	2 U	2 U	0.2 U	0.2 U	0.2 U
541-73-1	1,3-Dichlorobenzene	3	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.4 U	0.4 U	2.5 U	5 U	2.5 U	1.0 U	1 U	2 U	NA	0.2 U	0.2 U	0.2 U
106-46-7	1,4-Dichlorobenzene	3	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.4 U	0.4 U	2.5 U	5 U	2.5 U	1.0 U	1 U	2 U	NA	0.2 U	0.2 U	0.2 U
123-91-1	1,4-Dioxane (P-Dioxane)	NL	ug/L	13 U	13 U	40 U	40 U	40 U	40 U	40 U	40 U	NA	13 U	26 U	26 U	100 U	200 U	100 U	40 U	40 U	80 U	NA	13 U	13 U	13 U
78-93-3	Methyl Ethyl Ketone (2-Butanone)	50*	ug/L	0.78 U	0.78 U	5.0 U	5 U	5 U	5.0 UJ	5 U	5 U	5 U	0.78 U	1.6 U	1.6 U	13 U	25 U	13 U	5.0 U	5 U	10 U	10 U	0.78 U	0.78 U	0.78 U
591-78-6	2-Hexanone	50*	ug/L	0.2 U	0.2 U	5.0 U	5 U	5 U	5.0 U	5 U	5 U	5 U	0.2 U	0.4 U	0.4 U	13 U	25 U	13 U	5.0 U	5 U	10 U	10 U	0.2 U	0.2 U	0.2 U
108-10-1	Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	NL	ug/L	0.2 U	0.2 U	5.0 U	5 U	5 U	5.0 UJ	5 U	5 U	NA	0.2 U	0.4 U	0.4 U	13 U	25 U	13 U	5.0 U	5 U	10 U	NA	0.2 U	0.2 U	0.2 U
67-64-1	Acetone	50*	ug/L	14	5 U	5.0 U	5 U	5 U	5.0 UJ	5 U	5 UJ	5 U	15	19	10 U	13 U	25 U	13 U	5.0 U	5 U	10 UJ	10 U	13	15	14
71-43-2	Benzene	1	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.4 U	0.4 U	2.5 U	5 U	2.5 U	1.0 U	1 U	2 U	2 U	0.2 U	0.2 U	0.2 U
74-97-5	Bromochloromethane	5	ug/L	0.24 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.24 U	0.48 U	0.4 U	2.5 U	5 U	2.5 U	1.0 U	1 U	2 U	NA	0.24 U	0.24 U	0.24 U
75-27-4	Bromodichloromethane	50*	ug/L	0.22 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.22 U	0.44 U	0.4 U	2.5 U	5 U	2.5 U	1.0 U	1 U	2 U	2 U	0.22 U	0.22 U	0.22 U
75-25-2	Bromoform	50*	ug/L	0.25 UJ	0.25 U	1.0 U	1 U	1 U	1.0 U	1 UJ	1 U	1 U	0.25 UJ	0.5 UJ	0.5 U	2.5 U	5 U	2.5 U	1.0 U	1 UJ	2 U	2 U	0.25 UJ	0.25 UJ	0.25 U
74-83-9	Bromomethane	5	ug/L	0.7 U	0.7 UJ	1.0 U	1 UJ	1 U	1.0 U	1 U	1 U	1 U	0.7 U	1.4 U	1.4 UJ	2.5 U	5 UJ	2.5 U	1.0 U	1 U	2 U	2 U	0.7 U	0.7 U	0.7 U
75-15-0	Carbon Disulfide	60*	ug/L	0.25 U	0.42 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 UJ	0.25 U	0.5 U	0.84 U	2.5 U	5 U	2.5 U	1.0 U	1 U	2 U	2 UJ	0.25 U	0.25 U	0.25 U
56-23-5	Carbon Tetrachloride	5	ug/L	0.34 U	0.34 U	1.0 U	1 UJ	1 U	1.0 U	1 U	1 U	1 U	0.34 U	0.68 U	0.68 U	2.5 U	5 UJ	2.5 U	1.0 U	1 U	2 U	2 U	0.34 U	0.34 U	0.34 U
108-90-7	Chlorobenzene	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.4 U	0.4 U	2.5 U	5 U	2.5 U	1.0 U	1 U	2 U	2 U	0.2 U	0.2 U	0.2 U
75-00-3	Chloroethane	5	ug/L	0.23 U	0.23 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.23 U	0.46 U	0.46 U	2.5 U	5 U	2.5 U	1.0 U	1 U	2 U	2 U	0.23 U	0.23 U	0.23 U
67-66-3	Chloroform	7	ug/L	0.24 U	0.24 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.24 U	0.78 J	0.48 U	2.5 U	5 U	2.5 U	1.0 U	1 U	2 U	2 U	0.24 U	0.24 U	0.24 U
74-87-3	Chloromethane	NL	ug/L	0.28 U	0.28 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.28 U	0.56 U	0.56 U	2.5 U	5 U	2.5 U	1.0 U	1 U	2 U	2 U	0.28 U	1 U	0.28 U
110-82-7	Cyclohexane	NL	ug/L	0.26 U	0.26 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.26 U	0.52 U	0.52 U	2.5 U	5 U	2.5 U	1.0 U	1 U	2 U	NA	0.26 U	0.26 U	0.26 U
124-48-1	Dibromochloromethane	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.4 U	0.4 U	2.5 U	5 U	2.5 U	1.0 U	1 U	2 U	2 U	0.2 U	0.2 U	0.2 U
75-71-8	Dichlorodifluoromethane	5	ug/L	0.21 U	0.21 U	1.0 U	1 U	1 U	1.0 UJ	1 U	1 UJ	NA	0.21 U	0.42 U	0.42 U	2.5 U	5 U	2.5 U	1.0 UJ	1 U	2 UJ	NA	0.21 U	0.21 U	0.21 U
75-09-2	Methylene Chloride	5	ug/L	0.36 U	0.65 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.36 U	0.72 U	1.3 U	2.5 U	5 U	2.5 U	1.0 U	1 U	2 U	2 U	0.36 U	0.36 U	0.36 U
100-41-4	Ethylbenzene	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.4 U	0.4 U	2.5 U	5 U	2.5 U	1.0 U	1 U	2 U	2 U	0.2 U	0.2 U	0.2 U
98-82-8	Isopropylbenzene (Cumene)	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.4 U	0.4 U	2.5 U	5 U	2.5 U	1.0 U	1 U	2 U	NA	0.2 U	0.2 U	0.2 U
79-20-9	Methyl Acetate	NL	ug/L	0.33 U	0.33 U	2.0 U	2 U	2 U	2.0 UJ	2 U	2 U	NA	0.33 U	0.66 U	0.66 U	5.0 U	10 U	5 U	0.59 BJ	2 U	4 U	NA	0.33 U	0.33 U	0.33 U
1634-04-4	Tert-Butyl Methyl Ether	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.4 U	0.4 U	2.5 U	5 U	2.5 U	1.0 U	1 U	2 U	NA	0.2 U	0.2 U	0.2 U
108-87-2	Methylcyclohexane	NL	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	5 U	0.2 U	0.4 U	0.4 U	2.5 U	5 U	2.5 U	1.0 U	1 U	2 U	10 U	0.2 U	0.2 U	0.2 U
100-42-5	Styrene	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.4 U	0.4 U	2.5 U	5 U	2.5 U	1.0 U	1 U	2 U	2 U	0.2 U	0.2 U	0.2 U
127-18-4	Tetrachloroethylene (PCE)	5	ug/L	0.42 J	0.4 J	0.36	0.4 J	0.44 J	0.4 J	0.36 J	0.45 J	0.54 J	0.21 U	1.2 J	1.3 J	1.5	1.6 DJ	1.2 J	0.27 J	0.98 J	0.82 J	0.97 J	2.1	0.21 U	0.21 U
108-88-3	Toluene	5	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.4 U	0.4 U	2.5 U	5 U	2.5 U	0.23 J	1 U	2 U	2 U	0.2 U	0.2 U	0.2 U
79-01-6	Trichloroethylene (TCE)	5	ug/L	150	140	160	170	130	130	120	140	160	0.2 U	320	300	340	290 D	280	96	210 D	210	210	45	0.2 U	29
75-69-4	Trichlorofluoromethane	5	ug/L	0.24 U	0.24 U	1.0 UJ	1 U	1 U	1.0 U	1 U	1 U	NA	0.24 U	0.48 U	0.48 U	2.5 UJ	5 U	2.5 U	1.0 U	1 U	2 U	NA	0.24 U	0.24 U	0.24 U
75-01-4	Vinyl Chloride	2	ug/L	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 UJ	1 U	1 U	1 U	0.2 U	0.4 U	0.4 U	2.5 U	5 U	2.5 U	1.0 UJ	1 U	2 U	2 U	0.2 U	0.2 U	0.2 U
156-59-2	Cis-1,																								

Table 2
 JANUARY 2026 GROUNDWATER VOCs ANALYTICAL DATA (green shading)
 Modock Road Springs/DLS Sand and Gravel, Inc. Site
 (NYSDEC HW ID 8-35-013)
 Victor, New York

CAS No.	Volatile Organic Compounds	NYS Class GA Standards	Unit	MW-22 8/21/2019	MW-23 8/21/2019	MW-23 8/5/2020	MW-23 10/22/2020	MW-23 2/3/2021	MW-23 4/21/2021	MW-23 10/19/22	MW-23 10/16/2023	MW-23 10/4/2024	MW-23 1/2/2026	MW-24D 8/21/2019	MW-24S 8/21/2019	MW-24S 8/5/2020	MW-24S 10/22/2020	MW-24S 2/3/2021	MW-24S 4/21/2021	MW-24S 10/19/22	MW-24S 10/16/2023	MW-24S 10/4/2024	MW-24S 1/2/2026
71-55-6	1,1,1-Trichloroethane (TCA)	5	ug/L	0.21 U	0.21 U	0.2 U	1.0 U	0.46 J	0.97 J	1.0 U	0.54 J	0.72 J	0.81 J	7.7	15	16	19	14	13	13	11	11	10
79-34-5	1,1,2,2-Tetrachloroethane	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
79-00-5	1,1,2-Trichloroethane	1	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
26523-64-8	Trichlorotrifluoroethane (Freon-113)	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
75-34-3	1,1-Dichloroethane	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1.5	0.35 J	1.6	0.87 J	1.3	1.4	1.7	1.6	1.4	1.4	1.5	1.4	1.3
75-35-4	1,1-Dichloroethene (1,1-DCE)	5	ug/L	0.25 U	0.25 U	0.2 U	1.0 U	1 U	1 U	1.0 U	0.2 J	1 U	1 U	1.6	4.4	5.9	6.1	4.6	5.1	3.8	3.6	3.1	3.3
87-61-6	1,2,3-Trichlorobenzene	5	ug/L	0.2 U	0.2 U	0.25 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	0.25 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
120-82-1	1,2,4-Trichlorobenzene	5	ug/L	0.25 U	0.25 U	0.34 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.25 U	0.25 U	0.34 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
96-12-8	1,2-Dibromo-3-Chloropropane	0.04	ug/L	0.45 U	0.45 U	0.45 U	2.0 U	2 U	2 U	2.0 U	2 U	2 U	NA	0.45 U	0.45 U	0.45 U	2.0 U	2 U	2 U	2.0 U	2 U	2 U	NA
106-93-4	1,2-Dibromoethane (Ethylene Dibromide)	NL	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
95-50-1	1,2-Dichlorobenzene	3	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
107-06-2	1,2-Dichloroethane	0.6	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
78-87-5	1,2-Dichloropropane	1	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
541-73-1	1,3-Dichlorobenzene	3	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
106-46-7	1,4-Dichlorobenzene	3	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
123-91-1	1,4-Dioxane (P-Dioxane)	NL	ug/L	13 U	13 U	13 U	40 U	40 U	40 U	40 U	40 U	40 U	NA	13 U	13 U	13 U	40 U	40 U	40 U	40 U	40 U	40 U	NA
78-93-3	Methyl Ethyl Ketone (2-Butanone)	50*	ug/L	0.78 U	0.78 U	0.78 U	5.0 U	5 U	5 U	5.0 U	5 U	5 U	5 U	0.78 U	0.78 U	0.78 U	5.0 U	5 U	5 U	5.0 U	5 U	5 U	5 U
591-78-6	2-Hexanone	50*	ug/L	0.2 U	0.2 U	0.2 U	5.0 U	5 U	5 U	5.0 U	5 U	5 U	5 U	0.2 U	0.2 U	0.2 U	5.0 U	5 U	5 U	5.0 U	5 U	5 U	5 U
108-10-1	Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	NL	ug/L	0.2 U	0.2 U	0.2 U	5.0 U	5 U	5 U	5.0 U	5 U	5 U	NA	0.2 U	0.2 U	0.2 U	5.0 U	5 U	5 U	5.0 U	5 U	5 U	NA
67-64-1	Acetone	50*	ug/L	15 J	12	5 U	5.0 U	5 U	5 U	5.0 U	5 U	5 U	5 U	8.4	13	5 U	5.0 U	5 U	5 U	5.0 U	5 U	5 U	5 U
71-43-2	Benzene	1	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
74-97-5	Bromochloromethane	5	ug/L	0.24 U	0.24 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.24 U	0.24 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
75-27-4	Bromodichloromethane	50*	ug/L	0.22 U	0.22 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.22 U	0.22 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
75-25-2	Bromoform	50*	ug/L	0.25 U	0.25 U	0.25 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.25 U	0.25 U	0.25 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
74-83-9	Bromomethane	5	ug/L	0.7 U	0.7 U	0.7 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.7 U	0.7 U	0.7 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
75-15-0	Carbon Disulfide	60*	ug/L	0.25 U	0.25 U	0.42 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.25 U	0.25 U	0.42 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
56-23-5	Carbon Tetrachloride	5	ug/L	0.34 U	0.34 U	0.34 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.34 U	0.34 U	0.34 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
108-90-7	Chlorobenzene	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
75-00-3	Chloroethane	5	ug/L	0.23 U	0.23 U	0.23 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.23 U	0.23 U	0.23 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
67-66-3	Chloroform	7	ug/L	0.24 U	0.24 U	0.24 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.24 U	0.24 U	0.24 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
74-87-3	Chloromethane	NL	ug/L	1 U	0.29 J	0.28 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.35 J	0.36 J	0.28 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
110-82-7	Cyclohexane	NL	ug/L	0.26 U	0.26 U	0.26 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.26 U	0.26 U	0.26 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
124-48-1	Dibromochloromethane	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
75-71-8	Dichlorodifluoromethane	5	ug/L	0.21 U	0.21 U	0.21 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.21 U	0.21 U	0.21 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
75-09-2	Methylene Chloride	5	ug/L	0.36 U	0.36 U	0.65 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.36 U	0.36 U	0.65 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
100-41-4	Ethylbenzene	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
98-82-8	Isopropylbenzene (Cumene)	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
79-20-9	Methyl Acetate	NL	ug/L	0.33 U	0.33 U	2	2.0 U	2 U	2 U	2.0 U	2 U	2 U	NA	0.33 U	0.33 U	0.33 U	2.0 U	2 U	2 U	2.0 U	2 U	2 U	NA
1634-04-4	Tert-Butyl Methyl Ether	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
108-87-2	Methylcyclohexane	NL	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	5 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	5 U
100-42-5	Styrene	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
127-18-4	Tetrachloroethylene (PCE)	5	ug/L	0.21 U	0.21 U	0.21 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.21 U	0.34 BJ	0.21 U	0.28	0.24 J	0.26 J	1.0 U	1 U	1 U	1 U
108-88-3	Toluene	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
79-01-6	Trichloroethylene (TCE)	5	ug/L	0.21 JN	0.3 J	0.83 J	0.43	0.97 J	1.2	0.23 J	3.9	3	3	31	72	80	94	69	63	71	58	55	57
75-69-4	Trichlorofluoromethane	5	ug/L	0.24 U	0.24 U	0.24 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA	0.24 U	0.24 U	0.24 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
75-01-4	Vinyl Chloride	2	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
156-59-2	Cis-1,2-Dichloroethylene	5	ug/L	0.23 U	0.23 U	0.23 U	1.0 U	1 U	1 U	1.0 U	1.4	0.92 J	3	0.23 U	0.23 U	0.35 J	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
10061-01-5	Cis-1,3-Dichloropropene	0.4	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
XYLMP	M,P-Xylene (Sum Of Isomers)	5	ug/L	0.2 U	0.2 U	0.2 U	2.0 U	2 U	2 U	2.0 U	2 U	2 U	2 U	0.2 U	0.2 U	0.2 U	2.0 U	2 U	2 U	2.0 U	2 U	2 U	2 U
95-47-6	O-Xylene (1,2-Dimethylbenzene)	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
156-60-5	Trans-1,2-Dichloroethene	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	0.34 J	1.8	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U</				

Table 2
 JANUARY 2026 GROUNDWATER VOCs ANALYTICAL DATA (green shading)
 Modock Road Springs/DLS Sand and Gravel, Inc. Site
 (NYSDEC HW ID 8-35-013)
 Victor, New York

CAS No.	Volatile Organic Compounds	NYS Class GA Standards	Unit	MW-26 8/21/2019	MW-26 8/5/2020	MW-26 DUP080520 8/5/2020	MW-26 10/22/2020	MW-26 DUP102220B 10/22/2020	MW-26 2/3/2021	MW-26 DUP020321B 2/3/2021	MW-26 4/21/2021	MW-26 DUP042121B 4/21/2021	MW-26 10/19/22	MW-26 DUP101922B 10/19/22	MW-26 10/16/2023	MW-26 DUP 101623 B 10/16/2023	MW-26 10/4/2024	MW-26 DUP100424 B 10/4/2024	MW-26 1/2/2026	MW-26 DUP10226B 1/2/2026	MW-27 8/21/2019	TEST WELL 8/21/2019
71-55-6	1,1,1-Trichloroethane (TCA)	5	ug/L	8.3	7.4	7	7.7	8.4	7.2	7.1	6.3	6.9	6.4	6.5	6.5	6.5	6.1	6.5	3.7	3.6	0.21 U	1.4
79-34-5	1,1,2,2-Tetrachloroethane	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U	0.2 U
79-00-5	1,1,2-Trichloroethane	1	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U	0.2 U
26523-64-8	Trichlorotrifluoroethane (Freon-113)	5	ug/L	1.6	1.3	1.1	1.2	1.4	1.3	1.1	1 U	1.2	0.94 J	0.98 J	0.98 J	1	0.95 J	1.1	NA	NA	0.2 U	0.2 U
75-34-3	1,1-Dichloroethane	5	ug/L	0.44 J	0.27 J	0.2 U	0.27	0.28	1 U	0.32 J	1 U	1 U	1.0 U	1.0 U	1 U	0.21 J	1 U	1 U	1 U	1 U	0.2 U	0.51 J
75-35-4	1,1-Dichloroethene (1,1-DCE)	5	ug/L	1.9	1.6	1.4	1.7	1.8	1.5	1.5	1.7	1.6	1.2	1.2	1.6	1.5	1.2	1.2	0.8 J	0.87 J	0.25 U	0.92 J
87-61-6	1,2,3-Trichlorobenzene	5	ug/L	0.2 U	0.25 U	0.25 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	NA	NA	0.2 U	0.2 U
120-82-1	1,2,4-Trichlorobenzene	5	ug/L	0.25 U	0.34 UJ	0.34 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	NA	NA	0.25 U	0.25 U
96-12-8	1,2-Dibromo-3-Chloropropane	0.04	ug/L	0.45 U	0.45 U	0.45 U	2.0 U	2.0 U	2 U	2 U	2 U	2 U	2.0 U	2.0 U	2 UJ	2 UJ	2 UJ	2 UJ	NA	NA	0.45 U	0.45 U
106-93-4	1,2-Dibromoethane (Ethylene Dibromide)	NL	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	NA	NA	0.2 U	0.2 U
95-50-1	1,2-Dichlorobenzene	3	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	NA	NA	0.2 U	0.2 U
107-06-2	1,2-Dichloroethane	0.6	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U	0.2 U
78-87-5	1,2-Dichloropropane	1	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U	0.2 U
541-73-1	1,3-Dichlorobenzene	3	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	NA	NA	0.2 U	0.2 U
106-46-7	1,4-Dichlorobenzene	3	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	NA	NA	0.2 U	0.2 U
123-91-1	1,4-Dioxane (P-Dioxane)	NL	ug/L	13 U	13 U	13 U	40 U	40 U	40 U	40 U	40 U	40 U	40 U	40 U	40 U	40 U	40 U	40 U	NA	NA	13 U	13 U
78-93-3	Methyl Ethyl Ketone (2-Butanone)	50*	ug/L	0.78 U	0.78 U	0.78 U	5.0 U	5.0 U	5 U	5 U	5 U	5 U	5.0 UJ	5.0 UJ	5 U	5 U	5 U	5 U	5 U	5 U	0.78 U	0.78 U
591-78-6	2-Hexanone	50*	ug/L	0.2 U	0.2 U	0.2 U	5.0 U	5.0 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	5 U	5 U	5 U	5 U	5 U	5 U	0.2 U	0.2 U
108-10-1	Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	NL	ug/L	0.2 U	0.2 U	0.2 U	5.0 U	5.0 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	5 U	5 U	5 U	5 U	NA	NA	0.2 U	0.2 U
67-64-1	Acetone	50*	ug/L	14	5 U	5 UJ	5.0 U	5.0 U	5 U	5 U	5 U	5 U	5.1 J	5.0 UJ	5 U	5 U	5 UJ	5 UJ	5 U	5 U	9.2	13
71-43-2	Benzene	1	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U	0.2 U
74-97-5	Bromochloromethane	5	ug/L	0.24 U	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	NA	NA	0.24 U	0.24 U
75-27-4	Bromodichloromethane	50*	ug/L	0.22 U	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.22 U	0.22 U
75-25-2	Bromoform	50*	ug/L	0.25 UJ	0.25 U	0.25 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 UJ	1 UJ	1 U	1 U	1 U	1 U	0.25 U	0.25 U
74-83-9	Bromomethane	5	ug/L	0.7 U	0.7 UJ	0.7 U	1.0 U	1.0 U	1 UJ	1 UJ	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.7 U	0.7 U
75-15-0	Carbon Disulfide	60*	ug/L	0.25 U	0.42 U	0.42 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 UJ	1 UJ	0.25 U	0.25 U
56-23-5	Carbon Tetrachloride	5	ug/L	0.34 U	0.34 U	0.34 U	1.0 U	1.0 U	1 UJ	1 UJ	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.34 U	0.34 U
108-90-7	Chlorobenzene	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U	0.2 U
75-00-3	Chloroethane	5	ug/L	0.23 U	0.23 U	0.23 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.23 U	0.23 U
67-66-3	Chloroform	7	ug/L	0.24 U	0.24 U	0.24 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.24 U	0.24 U
74-87-3	Chloromethane	NL	ug/L	0.28 U	0.28 U	0.28 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.33 J	0.48 J
110-82-7	Cyclohexane	NL	ug/L	0.26 U	0.26 U	0.26 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	NA	NA	0.26 U	0.26 U
124-48-1	Dibromochloromethane	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U	0.2 U
75-71-8	Dichlorodifluoromethane	5	ug/L	0.21 U	0.21 U	0.21 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 UJ	1.0 UJ	1 U	1 U	1 UJ	1 UJ	NA	NA	0.21 U	0.21 U
75-09-2	Methylene Chloride	5	ug/L	0.36 U	0.65 U	0.65 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.36 U
100-41-4	Ethylbenzene	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U	0.2 U
98-82-8	Isopropylbenzene (Cumene)	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	NA	NA	0.2 U	0.2 U
79-20-9	Methyl Acetate	NL	ug/L	0.33 U	0.33 U	0.33 U	2.0 U	2.0 U	2 U	2 U	2 U	2 U	2.0 UJ	2.0 UJ	2 U	2 U	2 U	2 U	NA	NA	0.33 U	0.33 U
1634-04-4	Tert-Butyl Methyl Ether	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	NA	NA	0.2 U	0.2 U
108-87-2	Methylcyclohexane	NL	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	5 U	5 U	0.2 U	0.2 U
100-42-5	Styrene	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U	0.2 U
127-18-4	Tetrachloroethylene (PCE)	5	ug/L	2.1	2.2	1.7	1.7	2.3	2	1.8	1.9	1.9	2.4	2.1	1.8	2.3	1.7	2.4	0.61 J	0.66 J	0.21 U	0.21 U
108-88-3	Toluene	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U	0.2 U
79-01-6	Trichloroethylene (TCE)	5	ug/L	120	120	110	130	140	110	110	100	100	110	110	110	100	98	120	62	58	0.2 U	20
75-69-4	Trichlorofluoromethane	5	ug/L	0.24 U	0.24 U	0.24 U	1.0 UJ	1.0 UJ	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	NA	NA	0.24 U	0.24 U
75-01-4	Vinyl Chloride	2	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 UJ	1.0 UJ	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U	0.2 U
156-59-2	Cis-1,2-Dichloroethylene	5	ug/L	0.23 U	0.23 U	0.23 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.23 U	0.23 U
10061-01-5	Cis-1,3-Dichloropropene	0.4	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U	0.2 U
XYLMP	M,P-Xylene (Sum Of Isomers)	5	ug/L	0.2 U	0.2 U	0.2 U	2.0 U	2.0 U	2 U	2 U	2 U	2 U	2.0 U	2.0 U	2 U	2 U	2 U	2 U	2 U	2 U	0.2 U	0.2 U
95-47-6	O-Xylene (1,2-Dimethylbenzene)	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U	0.2 U
156-60-5	Trans-1,2-Dichloroethene	5	ug/L	0.2 U	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U	0.2 U
10061-02-6	Trans-1,3-Dichloropropene	0.4	ug/L	0.23 U	0.23 U	0.23 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.23 U	0.23 U
460-00-4	1-Bromo-4-Fluorobenzene Bromofluorobenzene)	NL	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	106	107	NA	NA
1868-53-7																						

Table 2
 JANUARY 2026 GROUNDWATER VOCs ANALYTICAL DATA (green shading)
 Modock Road Springs/DLS Sand and Gravel, Inc. Site
 (NYSDEC HW ID 8-35-013)
 Victor, New York

CAS No.	Volatile Organic Compounds	NYS Class GA Standards	Unit	Spring PZ-1 8/21/2019	GP-02 8/21/2019	GP-03 8/21/2019	GP-04 8/21/2019	GP-06 8/21/2019	SS&G MW-3 8/21/2019	SS&G MW-3 8/5/2020	SS&G MW-3 10/22/2020	SS&G MW-3 2/3/2021	SS&G MW-3 4/21/2021	SS&G MW-3 10/19/22	SS&G MW-3 10/16/2023	SS&G MW-3 10/4/2024	SS&G MW-3 1/2/2026
71-55-6	1,1,1-Trichloroethane (TCA)	5	ug/L	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	8.1	4.1	5.1	4.3	4.2	4.3	3.9	3.9	4.7
79-34-5	1,1,2,2-Tetrachloroethane	5	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
79-00-5	1,1,2-Trichloroethane	1	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
26523-64-8	Trichlorotrifluoroethane (Freon-113)	5	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
75-34-3	1,1-Dichloroethane	5	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
75-35-4	1,1-Dichloroethene (1,1-DCE)	5	ug/L	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	1.3	0.88 J	0.78	0.65 J	0.66 J	0.63 J	0.59 J	0.62 J	0.67 J
87-61-6	1,2,3-Trichlorobenzene	5	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.25 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
120-82-1	1,2,4-Trichlorobenzene	5	ug/L	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.34 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
96-12-8	1,2-Dibromo-3-Chloropropane	0.04	ug/L	0.45 U	0.45 U	0.45 U	0.45 U	0.45 U	0.45 U	0.45 U	2.0 U	2 U	2 U	2.0 U	2 UJ	2 UJ	NA
106-93-4	1,2-Dibromoethane (Ethylene Dibromide)	NL	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
95-50-1	1,2-Dichlorobenzene	3	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
107-06-2	1,2-Dichloroethane	0.6	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
78-87-5	1,2-Dichloropropane	1	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
541-73-1	1,3-Dichlorobenzene	3	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
106-46-7	1,4-Dichlorobenzene	3	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
123-91-1	1,4-Dioxane (P-Dioxane)	NL	ug/L	13 U	13 U	13 U	13 U	13 U	13 U	13 U	40 U	40 U	40 U	40 U	40 U	40 U	NA
78-93-3	Methyl Ethyl Ketone (2-Butanone)	50*	ug/L	0.78 U	0.78 U	0.78 U	0.78 U	0.78 U	0.78 U	0.78 U	5.0 U	5 U	5 U	5.0 U	5 U	5 U	5 U
591-78-6	2-Hexanone	50*	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	5.0 U	5 U	5 U	5.0 U	5 U	5 U	5 U
108-10-1	Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	NL	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	5.0 U	5 U	5 U	5.0 U	5 U	5 U	NA
67-64-1	Acetone	50*	ug/L	13	11	11	17	16	17	5 UJ	5.0 U	5 U	5 U	5.0 U	5 U	5 UJ	5 U
71-43-2	Benzene	1	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
74-97-5	Bromochloromethane	5	ug/L	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
75-27-4	Bromodichloromethane	50*	ug/L	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
75-25-2	Bromoform	50*	ug/L	0.25 U	0.25 UJ	0.25 U	0.25 U	0.25 U	0.25 UJ	0.25 U	1.0 U	1 U	1 U	1.0 U	1 UJ	1 U	1 U
74-83-9	Bromomethane	5	ug/L	0.7 U	0.7 U	0.7 U	0.7 U	0.7 U	0.7 U	0.7 U	1.0 U	1 UJ	1 U	1.0 U	1 U	1 U	1 U
75-15-0	Carbon Disulfide	60*	ug/L	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.42 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 UJ
56-23-5	Carbon Tetrachloride	5	ug/L	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	1.0 U	1 UJ	1 U	1.0 U	1 U	1 U	1 U
108-90-7	Chlorobenzene	5	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
75-00-3	Chloroethane	5	ug/L	0.23 U	0.23 U	0.23 U	0.23 U	0.23 U	0.23 U	0.23 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
67-66-3	Chloroform	7	ug/L	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
74-87-3	Chloromethane	NL	ug/L	0.36 J	0.28 U	0.3 J	0.28 U	0.3 J	0.28 U	0.28 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
110-82-7	Cyclohexane	NL	ug/L	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
124-48-1	Dibromochloromethane	5	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
75-71-8	Dichlorodifluoromethane	5	ug/L	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	1.0 U	1 U	1 U	1.0 UJ	1 U	1 UJ	NA
75-09-2	Methylene Chloride	5	ug/L	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	0.65 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
100-41-4	Ethylbenzene	5	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
98-82-8	Isopropylbenzene (Cumene)	5	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
79-20-9	Methyl Acetate	NL	ug/L	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U	2.0 U	2 U	2 U	2.0 U	2 U	2 U	NA
1634-04-4	Tert-Butyl Methyl Ether	5	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	NA
108-87-2	Methylcyclohexane	NL	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	5 U
100-42-5	Styrene	5	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
127-18-4	Tetrachloroethylene (PCE)	5	ug/L	0.21 U	0.21 U	1 U	1 U	0.21 U	0.21 U	0.21 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
108-88-3	Toluene	5	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
79-01-6	Trichloroethylene (TCE)	5	ug/L	0.27 J	0.2 U	0.2 U	0.2 U	0.2 U	9	5.1	5.2	4.4	4.7	9.5	4.8	6.9	7.3
75-69-4	Trichlorofluoromethane	5	ug/L	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	1.0 UJ	1 U	1 U	1.0 U	1 U	1 U	NA
75-01-4	Vinyl Chloride	2	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 UJ	1 U	1 U	1 U
156-59-2	Cis-1,2-Dichloroethylene	5	ug/L	0.23 U	0.23 U	0.23 U	0.23 U	0.23 U	0.23 U	0.23 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
10061-01-5	Cis-1,3-Dichloropropene	0.4	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
	XYLMP M,P-Xylene (Sum Of Isomers)	5	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	2.0 U	2 U	2 U	2.0 U	2 U	2 U	2 U
95-47-6	O-Xylene (1,2-Dimethylbenzene)	5	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
156-60-5	Trans-1,2-Dichloroethene	5	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
10061-02-6	Trans-1,3-Dichloropropene	0.4	ug/L	0.23 U	0.23 U	0.23 U	0.23 U	0.23 U	0.23 U	0.23 U	1.0 U	1 U	1 U	1.0 U	1 U	1 U	1 U
460-00-4	1-Bromo-4-Fluorobenzene Bromofluorobenzene)	NL	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	103
1868-53-7	Dibromofluoromethane	NL	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	95
2037-26-5	Toluene-D8	NL	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	98

NOTES:

* = Guidance Value

Bolded results detected above the Reporting Limit.

Highlighted results exceed NYS standard

U = Not detected. Reporting limit shown.

NL = Not Listed D = Dilution NA = Not Analyzed

J = Estimated JN = The analyte is "presumptively present". The associated result is an approximate concentration.

Table 2
 JANUARY 2026 GROUNDWATER VOCs ANALYTICAL DATA (green shading)
 Modock Road Springs/DLS Sand and Gravel, Inc. Site
 (NYSDEC HW ID 8-35-013)
 Victor, New York

CAS No.	Volatile Organic Compounds	NYS Class GA Standards	Unit	SS&G MW-4 8/21/2019	SS&G MW-5 8/21/2019	SS&G MW-7 8/21/2019	SS&G MW-8 8/21/2019	SS&G MW-15 8/21/2019
71-55-6	1,1,1-Trichloroethane (TCA)	5	ug/L	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U
79-34-5	1,1,2,2-Tetrachloroethane	5	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
79-00-5	1,1,2-Trichloroethane	1	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
26523-64-8	Trichlorotrifluoroethane (Freon-113)	5	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
75-34-3	1,1-Dichloroethane	5	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
75-35-4	1,1-Dichloroethene (1,1-DCE)	5	ug/L	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U
87-61-6	1,2,3-Trichlorobenzene	5	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
120-82-1	1,2,4-Trichlorobenzene	5	ug/L	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U
96-12-8	1,2-Dibromo-3-Chloropropane	0.04	ug/L	0.45 U	0.45 U	0.45 U	0.45 U	0.45 U
106-93-4	1,2-Dibromoethane (Ethylene Dibromide)	NL	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
95-50-1	1,2-Dichlorobenzene	3	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
107-06-2	1,2-Dichloroethane	0.6	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
78-87-5	1,2-Dichloropropane	1	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
541-73-1	1,3-Dichlorobenzene	3	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
106-46-7	1,4-Dichlorobenzene	3	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
123-91-1	1,4-Dioxane (P-Dioxane)	NL	ug/L	13 U	13 U	13 U	13 U	13 U
78-93-3	Methyl Ethyl Ketone (2-Butanone)	50*	ug/L	0.78 U	0.78 U	0.78 U	0.78 U	0.78 U
591-78-6	2-Hexanone	50*	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
108-10-1	Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	NL	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
67-64-1	Acetone	50*	ug/L	17	12	15	17	22
71-43-2	Benzene	1	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
74-97-5	Bromochloromethane	5	ug/L	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U
75-27-4	Bromodichloromethane	50*	ug/L	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U
75-25-2	Bromoform	50*	ug/L	0.25 UJ	0.25 UJ	0.25 UJ	0.25 UJ	0.25 UJ
74-83-9	Bromomethane	5	ug/L	0.7 U	0.7 UJ	0.7 U	0.7 U	0.7 U
75-15-0	Carbon Disulfide	60*	ug/L	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U
56-23-5	Carbon Tetrachloride	5	ug/L	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U
108-90-7	Chlorobenzene	5	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
75-00-3	Chloroethane	5	ug/L	0.23 U	0.23 U	0.23 U	0.23 U	0.23 U
67-66-3	Chloroform	7	ug/L	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U
74-87-3	Chloromethane	NL	ug/L	0.28 U	0.28 U	1 U	0.28 U	0.28 U
110-82-7	Cyclohexane	NL	ug/L	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U
124-48-1	Dibromochloromethane	5	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
75-71-8	Dichlorodifluoromethane	5	ug/L	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U
75-09-2	Methylene Chloride	5	ug/L	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U
100-41-4	Ethylbenzene	5	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
98-82-8	Isopropylbenzene (Cumene)	5	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
79-20-9	Methyl Acetate	NL	ug/L	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U
1634-04-4	Tert-Butyl Methyl Ether	5	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
108-87-2	Methylcyclohexane	NL	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
100-42-5	Styrene	5	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
127-18-4	Tetrachloroethylene (PCE)	5	ug/L	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U
108-88-3	Toluene	5	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
79-01-6	Trichloroethylene (TCE)	5	ug/L	0.2 U	13	0.2 U	0.2 U	0.2 U
75-69-4	Trichlorofluoromethane	5	ug/L	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U
75-01-4	Vinyl Chloride	2	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
156-59-2	Cis-1,2-Dichloroethylene	5	ug/L	0.23 U	0.23 U	0.23 U	0.23 U	0.23 U
10061-01-5	Cis-1,3-Dichloropropene	0.4	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
XYLMP	M,P-Xylene (Sum Of Isomers)	5	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
95-47-6	O-Xylene (1,2-Dimethylbenzene)	5	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
156-60-5	Trans-1,2-Dichloroethene	5	ug/L	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
10061-02-6	Trans-1,3-Dichloropropene	0.4	ug/L	0.23 U	0.23 U	0.23 U	0.23 U	0.23 U
460-00-4	1-Bromo-4-Fluorobenzene Bromofluorobenzene)	NL	ug/L	NA	NA	NA	NA	NA
1868-53-7	Dibromofluoromethane	NL	ug/L	NA	NA	NA	NA	NA
2037-26-5	Toluene-D8	NL	ug/L	NA	NA	NA	NA	NA

NOTES:

* = Guidance Value

Bolded results detected above the Reporting Limit.

Highlighted results exceed NYS standard

U = Not detected. Reporting limit shown.

NL = Not Listed D = Dilution NA= Not Analyzed

J = Estimated JN = The analyte is "presumptively present". The associated result is an approximate concentration.

Table 3
 JANUARY 2026 SURFACE WATER VOCs ANALYTICAL DATA (green shading)
 Modock Road Springs/DLS Sand and Gravel, Inc. Site
 (NYSDEC HW ID 8-35-013)
 Victor, New York

CAS No.	Volatile Organic Compounds	NYS Class C Standards for Detected Compounds	Unit	SC-1 8/22/2019	SC-1 8/5/2020	SC-1 10/22/2020	SC-1 DUP102220A 10/22/2020	SC-1 2/3/2021	SC-1 DUP020321A 2/3/2021	SC-1 4/21/2021	SC-1 DUP042121A 4/21/2021	SC-1 10/19/22	SC-1 DUP101922A 10/19/22	SC-1 10/16/2023	SC-1 DUP 101623 A 10/16/2023	SC-1 10/4/2024	SC-1 DUP100424 A 10/4/2024	SC-1 1/2/2026	SC-1 DUP010226A 1/2/2026	SPRING HOUSE 8/22/2019	ST-1 8/22/2019
71-55-6	1,1,1-Trichloroethane (TCA)	NL	ug/L	5.9	6.3	7.6	7.5	6.2	6.1	6.8	6.5	5	5.1	4.6	4.6	5	4.9	5.3	4.8	6.4	1.9
79-34-5	1,1,2,2-Tetrachloroethane	NA	ug/L	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U	0.2 U
79-00-5	1,1,2-Trichloroethane	NA	ug/L	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U	0.2 U
26523-64	Trichlorotrifluoroethane (Freon-113)	NA	ug/L	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	NA	NA	0.2 U	0.2 U
75-34-3	1,1-Dichloroethane	NL	ug/L	0.48 J	0.4 J	0.41	0.43	0.35 J	0.42 J	0.44 J	0.43 J	0.37 J	0.36 J	0.4 J	0.48 J	0.4 J	0.41 J	0.54 J	0.46 J	0.48 J	0.2 U
75-35-4	1,1-Dichloroethene (1.1-DCE)	NL	ug/L	1.2	1.6	1.9	1.9	1.6	1.3	1.7	2	1	1	1.1	1.1	1.1	1.1	1.2	1.2	1.5	0.29 J
87-61-6	1,2,3-Trichlorobenzene	NA	ug/L	0.2 U	0.25 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	NA	NA	0.2 U	0.2 U
120-82-1	1,2,4-Trichlorobenzene	NA	ug/L	0.25 U	0.34 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	NA	NA	0.25 U	0.25 U
96-12-8	1,2-Dibromo-3-Chloropropane	NA	ug/L	0.45 U	0.45 U	2.0 U	2.0 U	2 U	2 U	2 U	2 U	2.0 U	2.0 U	2 UJ	2 UJ	2 UJ	2 UJ	NA	NA	0.45 U	0.45 U
106-93-4	1,2-Dibromoethane (Ethylene Dibromide)	NA	ug/L	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	NA	NA	0.2 U	0.2 U
95-50-1	1,2-Dichlorobenzene	NA	ug/L	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	NA	NA	0.2 U	0.2 U
107-06-2	1,2-Dichloroethane	NA	ug/L	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U	0.2 U
78-87-5	1,2-Dichloropropane	NA	ug/L	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U	0.2 U
541-73-1	1,3-Dichlorobenzene	NA	ug/L	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	NA	NA	0.2 U	0.2 U
106-46-7	1,4-Dichlorobenzene	NA	ug/L	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	NA	NA	0.2 U	0.2 U
123-91-1	1,4-Dioxane (P-Dioxane)	NA	ug/L	13 U	13 U	40 U	40 U	40 U	40 U	40 U	40 U	40 U	40 U	40 U	40 U	40 U	40 U	NA	NA	13 U	13 U
78-93-3	Methyl Ethyl Ketone (2-Butanone)	NA	ug/L	0.78 U	0.78 U	5.0 U	5.0 U	5 U	5 U	5 U	5 U	5.0 U	5.0 UJ	5 U	5 U	5 U	5 U	5 U	5 U	0.78 U	0.78 U
591-78-6	2-Hexanone	NA	ug/L	0.2 U	0.2 U	5.0 U	5.0 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	5 U	5 U	5 U	5 U	5 U	5 U	0.2 U	0.2 U
108-10-1	Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	NA	ug/L	0.2 U	0.2 U	5.0 U	5.0 U	5 U	5 U	5 U	5 U	5.0 U	5.0 U	5 U	5 U	5 U	5 U	NA	NA	0.2 U	0.2 U
67-64-1	Acetone	NA	ug/L	6.7 U	5 UJ	5.0 U	5.0 U	5 U	5 U	5 U	5 U	5.0 UJ	5.0 UJ	5 U	5 U	5 UJ	5 UJ	5 U	5 U	7.1 U	11 U
71-43-2	Benzene	NA	ug/L	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U	0.2 U
74-97-5	Bromochloromethane	NA	ug/L	0.24 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	NA	NA	0.24 U	0.24 U
75-27-4	Bromodichloromethane	NA	ug/L	0.22 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.22 U	0.22 U
75-25-2	Bromoform	NA	ug/L	0.25 UJ	0.25 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 UJ	1 UJ	1 U	1 U	1 U	1 U	0.25 UJ	0.25 UJ
74-83-9	Bromomethane	NA	ug/L	0.7 U	0.7 U	1.0 U	1.0 U	1 UJ	1 UJ	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.7 U	0.7 U
75-15-0	Carbon Disulfide	NA	ug/L	0.25 U	0.42 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 UJ	1 UJ	0.25 U	0.25 U
56-23-5	Carbon Tetrachloride	NA	ug/L	0.34 U	0.34 U	1.0 U	1.0 U	1 UJ	1 UJ	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.34 U	0.34 U
108-90-7	Chlorobenzene	NA	ug/L	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U	0.2 U
75-00-3	Chloroethane	NA	ug/L	0.23 U	0.23 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.23 U	0.23 U
67-66-3	Chloroform	NL	ug/L	0.31 J	0.24 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.24 U	0.24 U
74-87-3	Chloromethane	NA	ug/L	1 U	0.28 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.28 U	0.28 U
110-82-7	Cyclohexane	NA	ug/L	0.26 U	0.26 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	NA	NA	0.26 U	0.26 U
124-48-1	Dibromochloromethane	NA	ug/L	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U	0.2 U
75-71-8	Dichlorodifluoromethane	NA	ug/L	0.21 U	0.21 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 UJ	1.0 UJ	1 U	1 U	1 UJ	1 UJ	NA	NA	0.21 U	0.21 U
75-09-2	Methylene Chloride	NA	ug/L	0.36 U	0.65 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.36 U
100-41-4	Ethylbenzene	NA	ug/L	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U	0.2 U
98-82-8	Isopropylbenzene (Cumene)	NA	ug/L	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	NA	NA	0.2 U	0.2 U
79-20-9	Methyl Acetate	NA	ug/L	0.33 U	0.33 U	2.0 U	2.0 U	2 U	2 U	2 U	2 U	2.0 UJ	2.0 UJ	2 U	2 U	2 U	2 U	NA	NA	0.33 U	0.33 U
1634-04-4	Tert-Butyl Methyl Ether	NA	ug/L	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	NA	NA	0.2 U	0.2 U
108-87-2	Methylcyclohexane	NA	ug/L	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	5 U	5 U	0.2 U	0.2 U
100-42-5	Styrene	NA	ug/L	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U	0.2 U
127-18-4	Tetrachloroethylene (PCE)	NA	ug/L	0.21 U	0.21 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.21 U	0.21 U
108-88-3	Toluene	NA	ug/L	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U	0.2 U
79-01-6	Trichloroethylene (TCE)	40	ug/L	30	34	37	37	31	28	33	32	30	31	26	26	27	28	30	30	32	9.4
75-69-4	Trichlorofluoromethane	NA	ug/L	0.24 U	0.24 U	1.0 UJ	1.0 UJ	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	NA	NA	0.24 U	0.24 U
75-01-4	Vinyl Chloride	NA	ug/L	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 UJ	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U	0.2 U
156-59-2	Cis-1,2-Dichloroethylene	NA	ug/L	0.23 U	0.23 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.23 U	0.23 U
10061-01-1	Cis-1,3-Dichloropropene	NA	ug/L	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U	0.2 U
XYLMP	M,P-Xylene (Sum Of Isomers)	NA	ug/L	0.2 U	0.2 U	2.0 U	2.0 U	2 U	2 U	2 U	2 U	2.0 U	2.0 U	2 U	2 U	2 U	2 U	2 U	2 U	0.2 U	0.2 U
95-47-6	O-Xylene (1,2-Dimethylbenzene)	NA	ug/L	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U	0.2 U
156-60-5	Trans-1,2-Dichloroethene	NA	ug/L	0.2 U	0.2 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U	0.2 U
10061-02-1	Trans-1,3-Dichloropropene	NA	ug/L	0.23 U	0.23 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1.0 U	1.0 U	1 U	1 U	1 U	1 U	1 U	1 U	0.23 U	0.23 U
460-00-4	1-Bromo-4-Fluorobenzene Bromofluorobenzene)	NL	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	106	114	NA	NA
1868-53-7	Dibromofluoromethane	NL	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	98	102	NA	NA
2037-26-5	Toluene-D8	NL	ug/L	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	100	103	NA	NA

NOTES:
 * = Guidance Value
 Bolded results detected above the Reporting Limit.
 Highlighted results exceed NYS standard
 U = Not detected. Reporting limit shown.
 J = Estimated
 NL = Not Listed
 NA = Standard not applicable because the analyte was not detected, or analyte not analyzed.

Table 4 - Historic Data and Trends CVOCs
 Modock Rd. Springs/DSL Sand Gravel Inc. Site (NYSEC Site No. 8-35-013)
 Victor, New York

MW-4	8/2/1995	8/11/1995	8/25/1995	8/7/1996	4/24/1997	7/29/1997	4/30/1998	10/13/1999	11/9/1999	11/10/2000	5/23/2001	10/31/2003	11/18/2004	3/2/2005	9/15/2006	11/17/2006	6/6/2007	7/1/2008	5/6/2009	9/21/2009	8/10/2010	10/30/2011	9/8/2015	8/21/2019	8/5/2020
TCE	NS	160	160	200	240	200	180	NS	140	NS	150	NS	200	NS	NS	130	100	120	100	120	120	20.7	82	48	45
TCA	NS	110	96	150	140	110	74	NS	85	NS	72	NS	79	NS	NS	41	36	40	34	35	34	14.3	17	8.4	8.5
DCE	NS	6.9	5.1	7	5.6	7.7	7.4	NS	9.7	NS	11	NS	10	NS	NS	6	5	5	4	6.5	6.2	0	0	2.1	1.7
TCVOCs	NS	276.9	261.1	357	385.6	317.7	261.4	NS	234.7	NS	233	NS	289	NS	NS	177	141	165	138	161.5	160.2	35	99	58.5	55.2
MW-10	8/2/1995	8/11/1995	8/25/1995	8/7/1996	4/24/1997	7/29/1997	4/30/1998	10/13/1999	11/9/1999	11/10/2000	5/23/2001	10/31/2003	11/18/2004	3/2/2005	9/15/2006	11/17/2006	6/6/2007	6/30/2008	5/6/2009	9/21/2009	8/10/2010	10/30/2011	9/8/2015	8/21/2019	8/5/2020
TCE	NS	NS	NS	NS	NS	NS	NS	NS	0	NS	NS	NS	NS	NS	NS	0	1	0	NS	NS	0.7	20.8	0	0.44	0.48
TCA	NS	NS	NS	NS	NS	NS	NS	NS	3.2	NS	NS	NS	NS	NS	NS	2	3	3	NS	NS	2.9	0	0	1.9	2.8
DCE	NS	NS	NS	NS	NS	NS	NS	NS	0	NS	NS	NS	NS	NS	NS	0	0	0	NS	NS	0	0	0	0	0
TCVOCs	NS	NS	NS	NS	NS	NS	NS	NS	3.2	NS	NS	NS	NS	NS	NS	2	4	3	NS	NS	3.6	20.8	0	2.34	3.28
MW-13	8/2/1995	8/11/1995	8/25/1995	8/7/1996	4/24/1997	7/29/1997	4/30/1998	10/13/1999	11/9/1999	11/10/2000	5/23/2001	10/31/2003	11/18/2004	3/2/2005	9/15/2006	11/17/2006	6/6/2007	6/30/2008	5/5/2009	9/21/2009	8/10/2010	10/31/2011	12/28/2011	9/8/2015	8/21/2019
TCE	NS	NS	NS	NS	NS	NS	NS	NS	NS	610	450	340	NS	NS	NS	180	150	150	150	150	150	31.8	104	32	53
TCA	NS	NS	NS	NS	NS	NS	NS	NS	NS	540	400	260	NS	NS	NS	180	150	180	170	130	120	37.8	71.9	7.8	30
DCE	NS	NS	NS	NS	NS	NS	NS	NS	NS	66	58	31	NS	NS	NS	31	20	24	23	23	20	0	11.2	0	4.6
TCVOCs	NS	NS	NS	NS	NS	NS	NS	NS	NS	1216	908	631	NS	NS	NS	391	320	354	343	303	290	69.6	187.1	39.8	87.6
MW-14	8/2/1995	8/11/1995	8/25/1995	8/7/1996	4/24/1997	7/29/1997	4/30/1998	10/13/1999	11/9/1999	11/10/2000	5/23/2001	10/31/2003	11/18/2004	3/2/2005	9/15/2006	11/17/2006	6/6/2007	6/30/2008	5/5/2009	9/21/2009	8/10/2010	10/31/2011	9/8/2015	8/21/2019	8/5/2020
TCE	NS	NS	NS	NS	NS	NS	NS	NS	NS	11000	3300	1000	950	1400	2600	470	1100	410	450	550	150	166	120	59	56
TCA	NS	NS	NS	NS	NS	NS	NS	NS	NS	4600	880	210	200	280	360	150	250	120	110	100	31	41.4	25	14	14
DCE	NS	NS	NS	NS	NS	NS	NS	NS	NS	570	120	32	28	54	45	23	38	16	14	17	5.3	5.06	0	2	2.2
TCVOCs	NS	NS	NS	NS	NS	NS	NS	NS	NS	16170	4300	1242	1178	1734	3005	643	1388	546	574	667	186.3	212.46	145	75	72.2
MW-15	8/2/1995	8/11/1995	8/25/1995	8/7/1996	4/24/1997	7/29/1997	4/30/1998	10/13/1999	11/9/1999	11/10/2000	5/23/2001	10/31/2003	11/18/2004	3/2/2005	9/15/2006	11/17/2006	6/7/2007	6/30/2008	5/5/2009	9/21/2009	8/10/2010	10/30/2011	9/8/2015	8/21/2019	8/5/2020
TCE	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	1.8	0	1	NS	2.7	19.1	0	1	1.1
TCA	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	60	57	65	NS	45	8.7	12.8	19	18	18
DCE	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	11	21	10	NS	NS	8.7	0	0	3.2	3.3
TCVOCs	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	72.8	78	76	NS	56.4	31.9	19	22.2	22.4
MW-16	8/2/1995	8/11/1995	8/25/1995	8/7/1996	4/24/1997	7/29/1997	4/30/1998	10/13/1999	11/9/1999	11/10/2000	5/23/2001	10/31/2003	11/18/2004	3/2/2005	9/15/2006	11/17/2006	6/14/2007	7/1/2008	5/5/2009	9/21/2009	8/10/2010	10/30/2011	12/28/2011	9/8/2015	8/21/2019
TCE	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	350	340	520	NS	450	51.6	464	250	150
TCA	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	98	120	150	NS	86	53	82.6	42	19
DCE	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	19	21	25	NS	0	2.41	17.2	9.3	3.5
TCVOCs	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	467	481	695	NS	536	107.01	563.8	301.3	172.5
MW-17S	8/2/1995	8/11/1995	8/25/1995	8/7/1996	4/24/1997	7/29/1997	4/30/1998	10/13/1999	11/9/1999	11/10/2000	5/23/2001	10/31/2003	11/18/2004	3/2/2005	9/15/2006	11/17/2006	6/14/2007	7/1/2008	5/5/2009	9/21/2009	8/10/2010	10/31/2011	12/28/2011	9/8/2015	8/21/2019
TCE	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	850	2300	3700	NS	2700	77.3	1220	480	320
TCA	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	81	330	410	NS	250	65.6	102	43	22
DCE	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	26	55	120	NS	62	2.74	21.5	8.3	5.3
TCVOCs	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	957	2685	4230	NS	3012	145.64	1343.5	531.3	347.3
MW-23	8/2/1995	8/11/1995	8/25/1995	8/7/1996	4/24/1997	7/29/1997	4/30/1998	10/13/1999	11/9/1999	11/10/2000	5/23/2001	10/31/2003	11/18/2004	3/2/2005	9/15/2006	11/17/2006	6/14/2007	8/20/2008	5/5/2009	9/21/2009	8/10/2010	10/31/2011	12/28/2011	9/8/2015	8/21/2019
TCE	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	3	47	NS	3.6	21.6	NS	0	0.3
TCA	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	1	13	NS	2.6	6.7	NS	0	0
DCE	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0	2	NS	0	0	NS	0	0
TCVOCs	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	4	62	NS	6.2	28.3	NS	0	0.3
MW-24S	8/2/1995	8/11/1995	8/25/1995	8/7/1996	4/24/1997	7/29/1997	4/30/1998	10/13/1999	11/9/1999	11/10/2000	5/23/2001	10/31/2003	11/18/2004	3/2/2005	9/15/2006	11/17/2006	6/14/2007	8/20/2008	5/5/2009	9/21/2009	8/10/2010	10/31/2011	12/28/2011	9/8/2015	8/21/2019
TCE	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	210	190	NS	150	24.1	NS	110	72
TCA	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	62	64	NS	46	20.4	NS	27	15
DCE	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	9	9	NS	10	0	NS	6.8	4.4
TCVOCs	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	281	263	NS	206	44.5	NS	143.8	91.4
MW-26	8/2/1995	8/11/1995	8/25/1995	8/7/1996	4/24/1997	7/29/1997	4/30/1998	10/13/1999	11/9/1999	11/10/2000	5/23/2001	10/31/2003	11/18/2004	3/2/2005	9/15/2006	11/17/2006	6/14/2007	8/20/2008	5/5/2009	9/21/2009	8/10/2010	10/30/2011	12/28/2011	9/8/2015	8/21/2019
TCE	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	4	NS	NS	NS	NS	NS	NS	120
TCA	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0	NS	NS	NS	NS	NS	NS	8.3
DCE	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0	NS	NS	NS	NS	NS	NS	1.9
TCVOCs	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	4	NS	NS	NS	NS	NS	NS	130.2
SS&G MW-3	8/2/1995	8/11/1995	8/25/1995	8/7/1996	4/24/1997	7/29/1997	4/30/1998	10/13/1999	11/9/1999	11/10/2000	4/24/2001	10/31/2003	11/18/2004	3/2/2005	9/15/2006	11/17/2006	6/7/2007	7/1/2008	5/6/2009	9/21/2009	8/10/2010	11/1/2011	12/28/2011	9/8/2015	8/21/2019
TCE	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	327	NS	NS	NS	NS	NS	28	18	24	25	16	6.39	NS	13	9
TCA	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	224	NS	NS	NS	NS	NS	45	29	40	30	19	16	NS	9.1	8.1
DCE	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	52.9	NS	NS	NS	NS	NS	6	4	5	5.4	3.8	0	NS	0	1.3
TCVOCs	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	603.9	NS	NS	NS	NS	NS	79	51	69	60.4	38.8	22.39	NS	22.1	18.4
SC-1	4/9/1990	8/7/1990	4/2/1992	11/3/1992	9/14/1993	6/8/1994	4/10/1995	8/2/1995	8/25/1995	8/7/1996	4/24/1997	7/29/1997	4/30/1998	11/9/1999	5/9/2000	5/23/2001	11/18/2004	9/15/2006	11/17/2006	2/15/2007	5/10/2007	6/11			

Table 4 - Historic Data and Trends CVOCs
 Modock Rd. Springs/DSL Sand Gravel Inc. Site (NYSEC Site No. 8-35-013)
 Victor, New York

MW-4	10/22/2020	2/4/2021	4/21/2021	10/19/2022	10/16/2023	10/4/2024	1/2/2026	% Difference	Data Trend ¹							
TCE	53	44	42	39	40	40	49	-69	Down							
TCA	9.5	8.3	7.9	9	6.9	7.9	9.3	-92	Down							
DCE	2.2	1.8	1.8	2.1	1.6	1.7	2.4	-65	Down							
TCVOCs	64.7	54.1	51.7	50.1	48.5	49.6	60.7	-78	Down							
MW-10	10/22/2020	2/4/2021	4/21/2021	10/19/2022	10/16/2023	10/4/2024	1/2/2026	% Difference	Data Trend ¹							
TCE	0.53	0.28	0.46	0.37	0.33	0.38	0.63	-37	Down							
TCA	3.6	2.6	2.6	1.5	1.6	1.5	2.1	-34.375	Down							
DCE	0	0	0	0	0	0	0	Non Detect	Down							
TCVOCs	4.13	2.88	3.06	1.87	1.93	1.88	2.73	-14.6875	Down							
MW-13	8/5/2020	10/22/2020	2/4/2021	4/21/2021	10/19/2022	10/16/2023	10/4/2024	1/2/2026	% Difference	Data Trend ¹						
TCE	46	52	46	44	40	42	43	44	-93	Down						
TCA	34	45	41	36	33	21	19	25	-95	Down						
DCE	6.3	7.3	7.4	7.2	4.6	3.4	2.8	3.8	-94	Down						
TCVOCs	86.3	104.3	94.4	87.2	77.6	66.4	64.8	72.8	-94	Down						
MW-14	10/22/2020	2/4/2021	4/21/2021	10/19/2022	10/16/2023	10/4/2024	1/2/2026	% Difference	Data Trend ¹							
TCE	61	46	47	45	40	40	39	-100	Down							
TCA	14	10	12	10	9.2	9.9	7.9	-100	Down							
DCE	1.8	1.5	1.9	1	0.97	0.96	0.91	-100	Down							
TCVOCs	76.8	57.5	60.9	56	50.17	50.86	47.81	-100	Down							
MW-15	10/22/2020	2/4/2021	4/21/2021	10/19/2022	10/16/2023	10/4/2024	1/2/2026	% Difference	Data Trend ¹							
TCE	1.2	1.1	1.8	1.6	2	3.1	3.7	106	Up							
TCA	25	22	26	12	12	12	12	-80	Down							
DCE	4.9	4	5.5	1.9	2.1	1.9	2.2	-80	Down							
TCVOCs	31.1	27.1	33.3	15.5	16.1	17	17.9	-75	Down							
MW-16	8/5/2020	10/22/2020	2/4/2021	4/21/2021	10/19/2022	10/16/2023	10/4/2024	1/2/2026	% Difference	Data Trend ¹						
TCE	140	160	170	130	130	120	140	160	-53	Down						
TCA	17	20	21	17	14	14	15	16	-87	Down						
DCE	4.1	4.3	4.9	4.1	2.5	2.9	3	3.1	-85	Down						
TCVOCs	161.1	184.3	195.9	151.1	146.5	136.9	158	179.1	-63	Down						
MW-17S	8/5/2020	10/22/2020	2/4/2021	4/21/2021	10/19/2022	10/16/2023	10/4/2024	1/2/2026	% Difference	Data Trend ¹						
TCE	300	340	290	280	96	210	210	210	-91	Down						
TCA	20	22	21	20	3.8	14	13	11	-97	Down						
DCE	3.5	4.7	3.7	4.2	0.56	2.4	2.2	1.9	-97	Down						
TCVOCs	323.5	366.7	314.7	304.2	100.36	226.4	225.2	222.9	-92	Down						
MW-23	8/5/2020	10/22/2020	2/4/2021	4/21/2021	10/19/2022	10/16/2023	10/4/2023	1/2/2026	% Difference	Data Trend ¹						
TCE	0.83	0.43	0.97	1.2	0.23	3.9	3	3	-94	Down						
TCA	0	0	0.46	0.97	0	0.54	0.72	0.81	-94	Down						
DCE	0	0	0	0	0	0.2	0	0	Non Detect	Down						
TCVOCs	0.83	0.43	1.43	2.17	0.23	4.64	3.72	3.81	-94	Down						
MW-24S	8/5/2020	10/22/2020	2/4/2021	4/21/2021	10/19/2022	10/16/2023	10/4/2024	1/2/2026	% Difference	Data Trend ¹						
TCE	80	94	69	63	71	58	55	57	-70	Down						
TCA	16	19	14	13	13	11	11	10	-84	Down						
DCE	5.9	6.1	4.6	5.1	3.8	3.6	3.1	3.3	-63	Down						
TCVOCs	101.9	119.1	87.6	81.1	87.8	72.6	69.1	70.3	-73	Down						
MW-26	8/5/2020	10/22/2020	2/4/2021	4/21/2021	10/19/2022	10/16/2023	10/4/2024	1/2/2026	% Difference	Data Trend ¹						
TCE	120	130	110	100	110	110	120	62	-48	Down						
TCA	7.4	7.7	7.2	6.3	6.4	6.5	6.1	3.7	-50	Down						
DCE	1.6	1.7	1.5	1.7	1.2	0.98	0.95	0.8	-50	Down						
TCVOCs	129	139.4	118.7	108	117.6	117.48	127.05	66.5	-48	Down						
SS&G MW-3	8/5/2020	10/22/2020	2/4/2021	4/21/2021	10/19/2022	10/16/2023	10/4/2024	1/2/2026	% Difference	Data Trend ¹						
TCE	5.1	5.2	4.4	4.7	9.5	4.8	6.9	7.3	-98	Down						
TCA	4.1	5.1	4.3	4.2	4.3	3.9	3.9	4.7	-98	Down						
DCE	0.88	0.78	0.65	0.66	0.63	0.59	0.62	0.67	-99	Down						
TCVOCs	10.08	11.08	9.35	9.56	14.43	9.29	11.42	12.67	-98	Down						
SC-1	6/30/2008	9/21/2009	8/10/2010	10/31/2011	3/19/2012	11/14/2012	9/8/2015	8/22/2019	8/5/2020	10/22/2020	2/4/2021	4/21/2021	10/19/2022	10/16/2023	10/4/2024	1/2/2026
TCE	77	91	77	56.3	76	57	50	30	34	37	31	33	30	26	27	30
TCA	31	24	23	15.1	21	16	12	5.9	6.3	7.6	6.2	6.8	5	4.6	5	5.3
DCE	4	3.2	4.1	2.17	3.1	0	0	1.2	1.6	1.9	1.6	1.7	1	0.4	0.41	0.54
TOTAL VOCs	112	118.2	104.1	73.57	100.1	73	62	37.1	41.9	46.5	38.8	41.5	36	31	32.41	35.84

NOTES:



Appendix A

Groundwater Sampling Log (PDBs)

Modock Road Springs/DLS Sand Gravel Inc., Site
 NYSDEC Site No. 8-35-013
 Passive Diffusion Bag Groundwater Sampling Form
 December 2025

Well ID	Top of PVC Elevation (ft. amsl)	Field Measurements						Elevations					Distance from PDB _{top} to Groundwater (ft.)	PDP Deploy Date	PDP Deploy Time	PDP Recovery Date	PDP Recovery Time	Depth to Groundwater (ft. BTOC) prior to PDB removal
		Depth to Groundwater (ft. BTOC)	Measured Total Depth (ft. BTOC)	Standing Water Column (ft.)	Water Column Center (ft. BTOC)	PDB _{top} (ft. from bottom of well)	PDB _{bottom} (ft. from bottom of well)	Groundwater Elevation (ft. amsl)	Measured Total Depth (ft. amsl)	Water Column Center Elevation (ft. amsl)	PDB _{top} Elevation (ft. amsl)	PDB _{bottom} Elevation (ft. amsl)						
MW-4	676.61	41.48	51.05	9.57	46.27	5.78	3.78	635.13	625.56	630.35	631.34	629.34	3.79	12/19/2025	1130	1/2/2026	940	41.52
MW-10	731.44	80.31	90.62	10.31	85.47	6.00	4.00	651.13	640.82	645.98	646.82	644.82	4.31	12/19/2025	0925	1/2/2026	0900	80.35
MW-13	781.20	65.87	74.55	8.68	70.21	5.34	3.34	715.33	706.65	710.99	711.99	709.99	3.34	12/19/2025	1020	1/2/2026	1130	65.92
MW-14	759.17	54.08	63.91	9.83	59.00	5.91	3.91	705.09	695.26	700.18	701.17	699.17	3.92	12/19/2025	1030	1/2/2026	1140	54.10
MW-15	786.44	60.91	70.13	9.22	65.52	5.61	3.61	725.53	716.31	720.92	721.92	719.92	3.61	12/19/2025	1005	1/2/2026	1120	60.94
MW-16	754.95	65.52	70.56	5.04	68.04	3.52	1.52	689.43	684.39	686.91	687.91	685.91	1.52	12/19/2025	1115	1/2/2026	1205	65.77
MW-17S	760.09	59.2	68.33	9.13	63.77	5.56	3.56	700.89	691.76	696.33	697.32	695.32	3.57	12/19/2025	1045	1/2/2026	1150	58.73
MW-23	691.42	39.58	46.21	6.63	42.90	4.32	2.32	651.84	645.21	41.11	649.53	647.53	2.32	12/19/2025	0910	1/2/2026	0845	38.67
MW-24S	722.31	67.24	74.11	6.87	70.68	4.44	2.44	655.07	648.2	651.64	652.64	650.64	2.44	12/19/2025	0940	1/2/2026	0920	66.22
MW-26	800.59	68.21	84.45	16.24	76.33	6.00	4.00	732.38	716.14	724.26	722.14	720.14	10.24	12/19/2025	1215	1/2/2026	1045	68.40
SS&G MW-3	805.43	70.8	74.85	4.05	72.83	3.02	1.02	734.63	730.58	732.61	733.60	731.60	1.03	12/19/2025	1200	1/2/2026	1035	70.81

Sampling Personnel: Jeremy Wolf / James Moore

Weather:

Notes: MW-23 Top of PVC Elevation illustrated herein includes 3/4" of well casing that was removed in October 2022 (former elevation was 692.17)
 Collected MS/MSD at MW-10; Collected Blind Dup at MW-26, Dup ID: DUP010226B, Dup Time: 1230



Appendix B

Surface Water Sampling Log

Surface Water Sampling Log


Date 1/2/2026
 Site Name Modock Rd. Springs/DLS Sand & Gravel, Inc. Site
 Location Victor, NY
 Project No. 25-008
 Personnel Jeremy Wolf

Weather _____
 Location ID SC-1
 Sampling Method Teflon Dipper
 Other _____

Sample Information:

Location of Sample SC-1 1000
 Amount of Water at Surface (est.) _____ gal.(s)
 Other Description: _____

Approximate Location Drawing:



Instrument Calibration:

pH Buffer Readings

4.0 Standard _____
 7.0 Standard _____
 10.0 Standard _____

Conductivity Standard Readings

84 S Standard _____
 1413 S Standard _____

Water parameters:

Oxidation-Reduction Potential

initial _____

Temperature Readings

initial _____

pH Readings

initial _____

Conductivity Readings uS/cm

initial _____

Turbidity Readings Ntu

initial _____

Water Sample:

Time Collected 1000

Physical Appearance at Start

Color clear
 Odor No
 Turbidity (> 100 NTU) No
 Sheen/Free Product No

Physical Appearance at Sampling

Color clear
 Odor No
 Turbidity (> 100 NTU) No
 Sheen/Free Product No

Samples collected:

Container Size	Container Type	# Collected	Field	Filtered	Preservative	Container pH
3 VOA for 8260 JAC				NO	HCL	

Notes:

collected Blind DUP
 DUP ID: DUPO10226A
 Time: 1200

collected Equipment Blank
 EB ID: EB010226
 Time: 1005



Appendix C

Chain of Custody Form



1565 Jefferson Road, Building 300, Suite 360 • Rochester, NY 14623 • +1 585 288 5380 • alsglobal.com

Chain of Custody / Analytical Request Form

088920

Cr6 7196/SM3500 ; BOD ; CT ; Cr6 7199/218.6
353.2 NO2 ; OPO4 ; 300/9056A NO2/NO3 ; Sulfide
RES Cl ; DO ; Ferrous Iron ; Sulfite ; UV 254 ; CHL A
Color ; Turbidity ; Set Solids

Report To:		ALL SHADED AREAS MUST BE COMPLETED BY THE CLIENT / SAMPLER			Preservative →		0-None, 1-HCl, 2-HNO3, 3-H2SO4, 4-NaOH, 5-ZnAc, 6-MeOH, 7-NaHSO4, 8-Other																
Company: Marks Engineering		Project Name: DLS Madack Rd Springs			GW WW SW DW S L NA	Number of Containers	MS/MSD?	↓ Tests / Analytes Requested ↓															
Contact: Jeremy Wolf		Project Number: 25-008						GC/MS VOA - 8260 • 624 • 524 • TCLP	GC/MS SVOA - 8270 • 625 • TCLP	Pesticides - 8081 • 608 • TCLP	PCBs - 8082 • 608	Herbicides - 8151 • TCLP	Metals, Total - Select Below	Metals, Dissolved - Field / In-Lab Filter									
Email: JWolf@MarksEngineering.com		ALS Quote #:		DOD? Y/N																			
Phone: 585-500-8392		Sampler Signature: <i>[Signature]</i>																					
Address: 4303 Route 59, 20		Email CC:																					
Censusairign NY 14425		State Samples Collected (Circle or Write): NY, MA, PA, CT, Other:																					
Lab ID (ALS)	Sample Collection Information:			Matrix	Number of Containers	MS/MSD?																	
	Sample ID / Name of Collection Point:	Date	Time																				
	DUP010226 A	1/2/26	1200	SW	3	3																	
	EB010226	1/2/26	1005		3	3																	
	DUP010226 B	1/2/26	1230	6W	3	3																	
	MW-17S	1/2/26	1150	GW	3	3																	
	MW-16	1/2/26	1205	GW	3	3																	
Metals: RCRA 8•PP 13•TAL 23•TCLP•Part 375•Other (List)				Turnaround Requirements			Report Requirements			Invoice To: (Same as Report To)													
VOA/SVOA Report List: TCL • BTEX • TCLP • CP-51/Stars • THM•Part 375 • Other (List)				*Rush (Surcharges Apply)			Tier II/Cat A - Results/QC			PO #: 25-008													
Special Instructions / Comments:				*Subject to Availability*			X Tier IV/Cat B - Data			Company: Marks Engineering													
				Please Check with your PM			Validation Report w/. Data			Contact: Jeremy Wolf													
				X Standard (10 Business Days)			EOD: X Yes ___ No			Email: JWolf@MarksEngineering.com													
				TAT / Date Required:			EOD Type: INS DEC			Phone: 585-500-8392													
Relinquished By / Company Name		Date	Time	Received By / Company Name		Address:																	
1 Sampled By		1/2/26	1339	2 <i>[Signature]</i> Jeremy Wolf		ALS Rochester SR Sticker Here																	
3				4 <i>[Signature]</i> ALS 1/2/26 13:39																			
5				6																			
7				8																			
Page 7 of 59						Page 2 of 2																	



Exhibit A
Laboratory Report
(Results Only)



January 13, 2026

Service Request No:R2600011

Mr. Jeremy Wolf
Marks Engineering, PC
4303 Route 5 & 20
Canadaigua, NY 14425

Laboratory Results for: DLS Modock Road Springs

Dear Mr.Wolf,

Enclosed are the results of the sample(s) submitted to our laboratory January 02, 2026
For your reference, these analyses have been assigned our service request number **R2600011**.

All testing was performed according to our laboratory's quality assurance program and met the requirements of the TNI standards except as noted in the case narrative report. Any testing not included in the lab's accreditation is identified on a Non-Certified Analytes report. All results are intended to be considered in their entirety. ALS Environmental is not responsible for use of less than the complete report. Results apply only to the individual samples submitted to the lab for analysis, as listed in the report. The measurement uncertainty of the results included in this report is within that expected when using the prescribed method(s), and represented by Laboratory Control Sample control limits. Any events, such as QC failures or Holding Time exceedances, which may add to the uncertainty are explained in the report narrative or are flagged with qualifiers. The flags are explained in the Report Qualifiers and Definitions page of this report.

Please contact me if you have any questions. My extension is 7476. You may also contact me via email at Chris.Leavy@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Christopher Leavy
Project Manager

ADDRESS

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

PHONE +1 585 288 5380 | **FAX** +1 585 288 8475

ALS Group USA, Corp.
dba ALS Environmental



Narrative Documents

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com



Client: Marks Engineering, PC
Project: DLS Modock Road Springs
Sample Matrix: Water

Service Request: R2600011
Date Received: 01/02/2026

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier level IV requested by the client.

Manual Integrations may have been used in the quantitation of the results in this report. Manual Integrations are readily identified in the raw data on the Quantitation Reports (Organics) by the automatic placement of an "m" next to the sample result. For Ion Chromatography, the manual integrations are identified by the automatic placement of "manipulated" or "manually integrated" in the upper left corner of the chromatogram (Hexavalent Chromium) or "M" by the result in the "Type" column (anions). The reason for the manual integration is noted on the "after" chromatogram, which is found with the original chromatogram and quantitation report. All integrations follow the lab SOP ADM-INT "Manual Integration."

Sample Receipt:

Sixteen water samples were received for analysis at ALS Environmental on 01/02/2026. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

Volatiles by GC/MS:

Method 8260D, 01/09/2026: The lower control limit was exceeded for one or more analytes in the Continuing Calibration Verification (CCV). Since there were no detections of the analyte(s) above the MRL in the associated field samples, the quantitation is not affected. The data quality was not significantly affected and no further corrective action was taken.

Approved by 

Date 01/13/2026



Sample Receipt Information

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008

Service Request:R2600011

SAMPLE CROSS-REFERENCE

<u>SAMPLE #</u>	<u>CLIENT SAMPLE ID</u>	<u>DATE</u>	<u>TIME</u>
R2600011-001	MW-23	1/2/2026	0845
R2600011-002	MW-10	1/2/2026	0900
R2600011-003	MW-24S	1/2/2026	0920
R2600011-004	MW-4	1/2/2026	0940
R2600011-005	SC-1	1/2/2026	1000
R2600011-006	SSG MW-3	1/2/2026	1035
R2600011-007	MW-26	1/2/2026	1045
R2600011-008	MW-15	1/2/2026	1120
R2600011-009	MW-13	1/2/2026	1130
R2600011-010	MW-14	1/2/2026	1140
R2600011-011	DUP010226A	1/2/2026	1200
R2600011-012	EB010226	1/2/2026	1005
R2600011-013	DUP010226B	1/2/2026	1230
R2600011-014	MW-17S	1/2/2026	1150
R2600011-015	MW-16	1/2/2026	1205
R2600011-016	Trip Blank	1/2/2026	



1565 Jefferson Road, Building 300, Suite 360 • Rochester, NY 14623 • +1 585 288 5380 • alsglobal.com

Chain of Custody / Analytical Request Form

088921

Cr6 7196/SM3500 ; BOD ; CT ; Cr6 7199/218.6
353.2 NO2 ; OPO4 ; 300/9056A NO2/NO3 ; Sulfide
RES Cl ; DO ; Ferrous Iron ; Sulfite ; UV 254 ; CHL A
Color ; Turbidity ; Set Solids

Report To:		ALL SHADED AREAS MUST BE COMPLETED BY THE CLIENT / SAMPLER			Preservative		0-None, 1-HCl, 2-HNO3, 3-H2SO4, 4-NaOH, 5-ZnAc, 6-MeOH, 7-NaHSO4, 8-Other																		
Company: Marks Engineering		Project Name: DLS Modock Rd Springs			→																				
Contact: Jeremy Wolf		Project Number: 25-008					↓ Tests / Analytes Requested ↓																		
Email: JWolf@marksEngineering.com		ALS Quote #:		DOD? Y/10		GW WW SW OW S L NA	Number of Containers	MS/MSD?	GC/MS VOA - 8260 • 624 • 524 • TCLP	GC/MS SVOA - 8270 • 625 • TCLP	Pesticides - 8081 • 608 • TCLP	PCBs - 8082 • 608	Herbicides - 8151 • TCLP	Metals, Total - Select Below	Metals, Dissolved - Field / In-Lab Filter										
Phone: 585-500-8392		Sampler's Signature: <i>[Signature]</i>																							
Address: 4303 Route 5920		Email CC:																							
Candauqua NY 14425		Email CC:																							
		State Samples Collected (Circle or Write): NY MA, PA, CT, Other:																							
Lab ID (ALS)	Sample Collection Information:			Matrix	Number of Containers	MS/MSD?																			
	Sample ID / Name of Collection Point:	Date	Time																						
	MW-23	1/2/26	845	GW	3		3																		
	MW-10	1/2/26	900	GW	9	6	3																		
	MW-24S	1/2/26	920	GW	3		3																		
	MW-4	1/2/26	940	GW	3		3																		
	SC-1	1/2/26	1000	SW	3		3																		
	SSIG MW-3	1/2/26	1035	GW	3		3																		
	MW-26	1/2/26	1045	GW	3		3																		
	MW-15	1/2/26	1120	GW	3		3																		
	MW-13	1/2/26	1130	GW	3		3																		
	MW-14	1/2/26	1140	GW	3		3																		
Metals: RCRA 8•PP 13•TAL 23•TCLP•Part 375•Other (List)				Turnaround Requirements			Report Requirements			Invoice To: (X) Same as Report To															
VOA/SVOA Report List: TCL • BTEX • TCLP • CP-51/Stars • THM • Part 375 • Other (List)				*Rush (Surcharges Apply)			Tier II/Cat A - Results/QC			PO #: 25-008															
Special Instructions / Comments:				*Subject to Availability*			<input checked="" type="checkbox"/> Tier IV/Cat B - Data			Company: Marks Engineering															
				Please Check with your PM			Validation Report w/. Data			Contact: Jeremy Wolf															
				<input checked="" type="checkbox"/> Standard (10 Business Days)			EDD: <input checked="" type="checkbox"/> Yes ___ No			Email: JWolf@marksEngineering.com															
				TAT / Date Required:			EDD Type: NY DEC			Phone: 585-500-8392															
Relinquished By / Company Name		Date	Time	Received By / Company Name		Address:																			
1 Sampled By		1/2/26	1339	2 <i>[Signature]</i> Jeremy Wolf		R2600011 5 Marks Engineering, PC Modock Road Springs 																			
3				4 <i>[Signature]</i> ALS 1/2/26 13:39																					
5				6																					
7				8																					



1565 Jefferson Road, Building 300, Suite 360 • Rochester, NY 14623 • +1 585 288 5380 • alsglobal.com

Chain of Custody / Analytical Request Form

088920

Cr6 7196/SM3500; BOD; CT; Cr6 7199/218.6
353.2 NO2; OPO4; 300/9056A NO2/NO3; Sulfide
RES Cl; DO; Ferrous Iron; Sulfite; UV 254; CHL A
Color; Turbidity; Set Solids

Report To:		ALL SHADED AREAS MUST BE COMPLETED BY THE CLIENT / SAMPLER			Preservative →		0-None, 1-HCl, 2-HNO3, 3-H2SO4, 4-NaOH, 5-ZnAc, 6-MeOH, 7-NaHSO4, 8-Other																								
Company: <u>Marks Engineering</u>		Project Name: <u>DLS Madack Rd Springs</u>			GW WW SW DW S L NA	Number of Containers	MS/MSD?	↓ Tests / Analytes Requested ↓																							
Contact: <u>Jeremy Wolf</u>		Project Number: <u>25-008</u>						GC/MS VOA - 8260 • 624 • 524 • TCLP	GC/MS SVOA - 8270 • 625 • TCLP	Pesticides - 8081 • 608 • TCLP	PCBs - 8082 • 608	Herbicides - 8151 • TCLP	Metals, Total - Select Below	Metals, Dissolved - Field / In-Lab Filter																	
Email: <u>JWolf@MarksEngineering.com</u>		ALS Quote #:		DOD? <u>Y</u> <input checked="" type="checkbox"/>																											
Phone: <u>585-500-8392</u>		Sampler Signature: <u>[Signature]</u>																													
Address: <u>4303 Route 59, 20</u>		Email CC:																													
<u>Censusairway NY 14425</u>		State Samples Collected (Circle or Write): <u>NY</u> , MA, PA, CT, Other:																													
Lab ID (ALS)	Sample Collection Information:			Matrix	Number of Containers	MS/MSD?	GC/MS VOA - 8260 • 624 • 524 • TCLP	GC/MS SVOA - 8270 • 625 • TCLP	Pesticides - 8081 • 608 • TCLP	PCBs - 8082 • 608	Herbicides - 8151 • TCLP	Metals, Total - Select Below	Metals, Dissolved - Field / In-Lab Filter																		
	Sample ID / Name of Collection Point:	Date	Time																												
	<u>DUP010226 A</u>	<u>1/2/26</u>	<u>1200</u>											<u>SW</u>	<u>3</u>		<u>3</u>														
	<u>EB010226</u>	<u>1/2/26</u>	<u>1005</u>												<u>3</u>		<u>3</u>														
	<u>DUP010226 B</u>	<u>1/2/26</u>	<u>1230</u>											<u>6W</u>	<u>3</u>		<u>3</u>														
	<u>MW-17S</u>	<u>1/2/26</u>	<u>1150</u>											<u>GW</u>	<u>3</u>		<u>3</u>														
	<u>MW-16</u>	<u>1/2/26</u>	<u>1205</u>	<u>GW</u>	<u>3</u>		<u>3</u>																								
Metals: RCRA 8•PP 13•TAL 23•TCLP•Part 375•Other (List)				Turnaround Requirements			Report Requirements			Invoice To: <u>(Same as Report To)</u>																					
VOA/SVOA Report List: TCL • BTEX • TCLP • CP-51/Stars • THM•Part 375 • Other (List)				*Rush (Surcharges Apply) *Subject to Availability* *Please Check with your PM*			Tier II/Cat A - Results/QC <input checked="" type="checkbox"/> Tier IV/Cat B - Data Validation Report w/. Data			PO #: <u>25-008</u>																					
Special Instructions / Comments:				<input checked="" type="checkbox"/> Standard (10 Business Days)			EDD: <input checked="" type="checkbox"/> Yes ___ No			Company: <u>Marks Engineering</u>																					
				TAT / Date Required:			EDD Type: <u>INS DEC</u>			Contact: <u>Jeremy Wolf</u>																					
										Email: <u>JWolf@MarksEngineering.com</u>																					
										Phone: <u>585-500-8392</u>																					
Relinquished By / Company Name		Date	Time	Received By / Company Name		Address:																									
<u>Sampled By</u>		<u>1/2/26</u>	<u>1339</u>	<u>[Signature] Jeremy Wolf</u>		ALS Rochester SR Sticker Here																									
				<u>[Signature] ALS 1/2/26 13:39</u>																											
						Page <u>2</u> of <u>2</u>																									



R2600011
Marks Engineering, PC
Modock Road Springs

5

Cooler Receipt and Preservation C



Project/Client _____ Folder Number _____

Cooler received on 11/2/26 by: RM

COURIER: ALS UPS FEDEX VELOCITY CLIENT

1	Were Custody seals on outside of cooler?	Y <u>(N)</u>
2	Custody papers properly completed (ink, signed)?	<u>(Y)</u> N
3	Did all bottles arrive in good condition (unbroken)?	<u>(Y)</u> N
4	Circle: <u>(Wet Ice)</u> Dry Ice Gel packs present?	<u>(Y)</u> N

5a	Did VOA vials have sig* bubbles?	Y <u>(N)</u> NA
5b	Sig* bubbles: Alk? Y N <u>(NA)</u> Sulfide? Y N <u>(NA)</u>	
6	Where did the bottles originate?	<u>ALS/ROO</u> CLIENT
7	Soil VOA received as: Bulk Encore 5035set	<u>(NA)</u>

8. Temperature Readings Date: 11/2/26 Time: 14:06 ID: (IR#11) IR#12 IR#13 From: Temp Blank (Sample Bottle)

Temp (°C)	<u>5.8</u>						
Within 0-6°C?	<u>(Y)</u> N	Y N	Y N	Y N	Y N	Y N	Y N
If <0°C, were samples frozen?	Y N	Y N	Y N	Y N	Y N	Y N	Y N

If out of Temperature, note packing/ice condition: _____ Ice melted Poorly Packed (described below) Same Day Rule
& Client Approval to Run Samples: _____ Standing Approval Client aware at drop-off Client notified by: _____

All samples held in storage location: SMO by RM on 11/2 at 14:09
5035 samples placed in storage location: _____ by _____ on _____ at _____ within 48 hours of sampling? Y N

Cooler Breakdown/Preservation Check**: Date: 11/2 Time: 15:30 by: AG

- 9. Were all bottle labels complete (i.e. analysis, preservation, etc.)? (YES) NO
- 10. Did all bottle labels and tags agree with custody papers? (YES) NO
- 11. Were correct containers used for the tests indicated? (YES) NO
- 12. Were 5035 vials acceptable (no extra labels, not leaking)? (YES) NO (N/A)
- 13. Were dissolved metals filtered in the field? (YES) NO (N/A)

pH	Lot of test paper	Reagent	Preserved?		Lot Received	Exp	Sample ID Adjusted	Vol. Added	Lot Added	Final pH
			Yes	No						
≥12		NaOH								
≤2		HNO ₃								
≤2		H ₂ SO ₄								
<4		NaHSO ₄								
5-9		For 608pest			No=Notify for 3day					
Residual Chlorine (-)		For CN, Phenol, 625, 608pest, 522			If +, contact PM to add Na ₂ S ₂ O ₃ (625, 608, CN), ascorbic (phenol).					
		Na ₂ S ₂ O ₃								
		ZnAcetate	-	-						
		HCl	**	**						

**VOAs and 1664 Not to be tested before analysis. Otherwise, all bottles of all samples with chemical preservatives are checked (not just representatives).

Bottle lot numbers: _____
Explain all Discrepancies/ Other Comments: _____

HPROD	BULK
HTR	FLDT
SUB	HGFB
ALS	LL3541

Labels secondary reviewed by: AG *significant air bubbles: VOA > 5-6 mm : WC > 1 in. diameter



Miscellaneous Forms

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com



REPORT QUALIFIERS AND DEFINITIONS

- U Analyte was analyzed for but not detected. The sample quantitation limit has been corrected for dilution and for percent moisture, unless otherwise noted in the case narrative.
- J Estimated value due to either being a Tentatively Identified Compound (TIC) or that the concentration is between the MRL and the MDL. Concentrations are not verified within the linear range of the calibration. For DoD: concentration >40% difference between two GC columns (pesticides/Aroclors).
- B Analyte was also detected in the associated method blank at a concentration that may have contributed to the sample result.
- E Inorganics- Concentration is estimated due to the serial dilution was outside control limits.
- E Organics- Concentration has exceeded the calibration range for that specific analysis.
- D Concentration is a result of a dilution, typically a secondary analysis of the sample due to exceeding the calibration range or that a surrogate has been diluted out of the sample and cannot be assessed.
- * Indicates that a quality control parameter has exceeded laboratory limits. Under the “Notes” column of the Form I, this qualifier denotes analysis was performed out of Holding Time.
- H Analysis was performed out of hold time for tests that have an “immediate” hold time criteria.
- # Spike was diluted out.
- + Correlation coefficient for MSA is <0.995.
- N Inorganics- Matrix spike recovery was outside laboratory limits.
- N Organics- Presumptive evidence of a compound (reported as a TIC) based on the MS library search.
- S Concentration has been determined using Method of Standard Additions (MSA).
- W Post-Digestion Spike recovery is outside control limits and the sample absorbance is <50% of the spike absorbance.
- P Concentration >40% difference between the two GC columns.
- C Confirmed by GC/MS
- Q DoD reports: indicates a pesticide/Aroclor is not confirmed ($\geq 100\%$ Difference between two GC columns).
- X See Case Narrative for discussion.
- MRL Method Reporting Limit. Also known as:
- LOQ Limit of Quantitation (LOQ)
The lowest concentration at which the method analyte may be reliably quantified under the method conditions.
- MDL Method Detection Limit. A statistical value derived from a study designed to provide the lowest concentration that will be detected 99% of the time. Values between the MDL and MRL are estimated (see J qualifier).
- LOD Limit of Detection. A value at or above the MDL which has been verified to be detectable.
- ND Non-Detect. Analyte was not detected at the concentration listed. Same as U qualifier.

Rochester Lab ID # for State Accreditations¹



NELAP States
Florida ID # E87674
New Hampshire ID # 2941
New York ID # 10145
Pennsylvania ID# 68-786
Texas ID#T104704581
Virginia #460167

Non-NELAP States
Connecticut ID #PH0556
Delaware Approved
Maine ID #NY01587
North Carolina #36701
North Carolina #676
Rhode Island LAO00333

¹ Analyses were performed according to our laboratory’s NELAP-approved quality assurance program and any applicable state or agency requirements. The test results meet requirements of the current NELAP/TNI standards or state or agency requirements, where applicable, except as noted in the case narrative. Since not all analyte/method/matrix combinations are offered for state/NELAC accreditation, this report may contain results which are not accredited. For a specific list of accredited analytes, contact the laboratory. To verify NH accredited analytes, go to <https://www4.des.state.nh.us/CertifiedLabs/Certified-Method.aspx>.

ALS Laboratory Group

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

ALS Group USA, Corp.
dba ALS Environmental

Analyst Summary report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008

Service Request: R2600011

Sample Name: MW-23
Lab Code: R2600011-001
Sample Matrix: Water

Date Collected: 01/2/26
Date Received: 01/2/26

Analysis Method
8260D

Extracted/Digested By

Analyzed By
JMCCAFFERY

Sample Name: MW-10
Lab Code: R2600011-002
Sample Matrix: Water

Date Collected: 01/2/26
Date Received: 01/2/26

Analysis Method
8260D

Extracted/Digested By

Analyzed By
JMCCAFFERY

Sample Name: MW-24S
Lab Code: R2600011-003
Sample Matrix: Water

Date Collected: 01/2/26
Date Received: 01/2/26

Analysis Method
8260D

Extracted/Digested By

Analyzed By
JMCCAFFERY

Sample Name: MW-4
Lab Code: R2600011-004
Sample Matrix: Water

Date Collected: 01/2/26
Date Received: 01/2/26

Analysis Method
8260D

Extracted/Digested By

Analyzed By
JMCCAFFERY

Sample Name: SC-1
Lab Code: R2600011-005
Sample Matrix: Water

Date Collected: 01/2/26
Date Received: 01/2/26

Analysis Method
8260D

Extracted/Digested By

Analyzed By
JMCCAFFERY

ALS Group USA, Corp.
dba ALS Environmental

Analyst Summary report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008

Service Request: R2600011

Sample Name: SSG MW-3
Lab Code: R2600011-006
Sample Matrix: Water

Date Collected: 01/2/26
Date Received: 01/2/26

Analysis Method
8260D

Extracted/Digested By

Analyzed By
JMCCAFFERY

Sample Name: MW-26
Lab Code: R2600011-007
Sample Matrix: Water

Date Collected: 01/2/26
Date Received: 01/2/26

Analysis Method
8260D

Extracted/Digested By

Analyzed By
JMCCAFFERY

Sample Name: MW-15
Lab Code: R2600011-008
Sample Matrix: Water

Date Collected: 01/2/26
Date Received: 01/2/26

Analysis Method
8260D

Extracted/Digested By

Analyzed By
JMCCAFFERY

Sample Name: MW-13
Lab Code: R2600011-009
Sample Matrix: Water

Date Collected: 01/2/26
Date Received: 01/2/26

Analysis Method
8260D

Extracted/Digested By

Analyzed By
JMCCAFFERY

Sample Name: MW-14
Lab Code: R2600011-010
Sample Matrix: Water

Date Collected: 01/2/26
Date Received: 01/2/26

Analysis Method
8260D

Extracted/Digested By

Analyzed By
JMCCAFFERY

ALS Group USA, Corp.
dba ALS Environmental

Analyst Summary report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008

Service Request: R2600011

Sample Name: DUP010226A
Lab Code: R2600011-011
Sample Matrix: Water

Date Collected: 01/2/26
Date Received: 01/2/26

Analysis Method
8260D

Extracted/Digested By

Analyzed By
JMCCAFFERY

Sample Name: EB010226
Lab Code: R2600011-012
Sample Matrix: Water

Date Collected: 01/2/26
Date Received: 01/2/26

Analysis Method
8260D

Extracted/Digested By

Analyzed By
JMCCAFFERY

Sample Name: DUP010226B
Lab Code: R2600011-013
Sample Matrix: Water

Date Collected: 01/2/26
Date Received: 01/2/26

Analysis Method
8260D

Extracted/Digested By

Analyzed By
JMCCAFFERY

Sample Name: MW-17S
Lab Code: R2600011-014
Sample Matrix: Water

Date Collected: 01/2/26
Date Received: 01/2/26

Analysis Method
8260D

Extracted/Digested By

Analyzed By
JMCCAFFERY

Sample Name: MW-16
Lab Code: R2600011-015
Sample Matrix: Water

Date Collected: 01/2/26
Date Received: 01/2/26

Analysis Method
8260D

Extracted/Digested By

Analyzed By
JMCCAFFERY

ALS Group USA, Corp.

dba ALS Environmental

Analyst Summary report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008

Service Request: R2600011

Sample Name: Trip Blank
Lab Code: R2600011-016
Sample Matrix: Water

Date Collected: 01/2/26
Date Received: 01/2/26

Analysis Method
8260D

Extracted/Digested By

Analyzed By
JMCCAFFERY



PREPARATION METHODS

The preparation methods associated with this report are found in these tables unless discussed in the case narrative.

INORGANIC

Water/Liquid Matrix

Analytical Method	Preparation Method
200.7 / 200.8	200.2
6010D	3005A/3010A
6020B	ILM05.3
9034 Sulfide Acid Soluble	9030B
SM 4500-CN-N-2016 Amenable and Residual Cyanide	SM 4500-CN-G and SM 4500-CN-B,C-2016
SM 4500-CN-E WAD Cyanide	SM 4500-CN-I

Solid/Soil/Non-Aqueous Matrix

Analytical Method	Preparation Method
6010D	3050B
6010D TCLP (1311) extract	3005A/3010A
6010D SPLP (1312) extract	3005A/3010A
7199	3060A
300.0 Anions/ 350.1/ 353.2/ SM 2320B/ SM 5210B/ 9056A Anions	DI extraction
For analytical methods not listed, the preparation method is the same as the analytical method reference.	

ORGANIC

Preparation Methods for Organic methods are listed in the header of the Results pages.

Regarding "Bulk/5035A":

For soil/solid samples submitted in soil jars for Volatiles analysis, the prep method is listed as "Bulk/5035A". The lab follows the closed-system EPA 5035A protocols once the sample is transferred to a sealed vial, but collection in bulk in soil jars does not follow the collection protocols listed in EPA 5035A. In accordance with the NYSDOH technical notice of October 2012, all results or reporting limits <200 ug/kg are to be considered estimated due to potential low bias.



Sample Results

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com



Volatile Organic Compounds by GC/MS

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 08:45
Date Received: 01/02/26 13:39

Sample Name: MW-23
Lab Code: R2600011-001

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	0.81 J	1.0	0.20	1	01/09/26 14:21	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 14:21	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 14:21	
1,1-Dichloroethane (1,1-DCA)	1.6	1.0	0.20	1	01/09/26 14:21	
1,1-Dichloroethene (1,1-DCE)	1.0 U	1.0	0.20	1	01/09/26 14:21	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 14:21	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 14:21	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 14:21	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 14:21	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 14:21	
Acetone	5.0 U	5.0	5.0	1	01/09/26 14:21	
Benzene	1.0 U	1.0	0.20	1	01/09/26 14:21	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 14:21	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 14:21	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 14:21	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 14:21	
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 14:21	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 14:21	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 14:21	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 14:21	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 14:21	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 14:21	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 14:21	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 14:21	
Styrene	1.0 U	1.0	0.20	1	01/09/26 14:21	
Tetrachloroethene (PCE)	1.0 U	1.0	0.21	1	01/09/26 14:21	
Toluene	1.0 U	1.0	0.20	1	01/09/26 14:21	
Trichloroethene (TCE)	3.0	1.0	0.20	1	01/09/26 14:21	
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 14:21	
cis-1,2-Dichloroethene	3.0	1.0	0.23	1	01/09/26 14:21	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 14:21	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 14:21	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 14:21	
trans-1,2-Dichloroethene	1.8	1.0	0.20	1	01/09/26 14:21	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 14:21	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 08:45
Date Received: 01/02/26 13:39

Sample Name: MW-23
Lab Code: R2600011-001

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	104	85 - 122	01/09/26 14:21	
Dibromofluoromethane	96	80 - 116	01/09/26 14:21	
Toluene-d8	98	87 - 121	01/09/26 14:21	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 09:00
Date Received: 01/02/26 13:39

Sample Name: MW-10
Lab Code: R2600011-002

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	2.1	1.0	0.20	1	01/09/26 14:44	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 14:44	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 14:44	
1,1-Dichloroethane (1,1-DCA)	1.0 U	1.0	0.20	1	01/09/26 14:44	
1,1-Dichloroethene (1,1-DCE)	1.0 U	1.0	0.20	1	01/09/26 14:44	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 14:44	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 14:44	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 14:44	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 14:44	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 14:44	
Acetone	5.0 U	5.0	5.0	1	01/09/26 14:44	
Benzene	1.0 U	1.0	0.20	1	01/09/26 14:44	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 14:44	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 14:44	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 14:44	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 14:44	
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 14:44	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 14:44	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 14:44	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 14:44	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 14:44	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 14:44	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 14:44	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 14:44	
Styrene	1.0 U	1.0	0.20	1	01/09/26 14:44	
Tetrachloroethene (PCE)	1.0 U	1.0	0.21	1	01/09/26 14:44	
Toluene	1.0 U	1.0	0.20	1	01/09/26 14:44	
Trichloroethene (TCE)	0.63 J	1.0	0.20	1	01/09/26 14:44	
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 14:44	
cis-1,2-Dichloroethene	1.0 U	1.0	0.23	1	01/09/26 14:44	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 14:44	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 14:44	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 14:44	
trans-1,2-Dichloroethene	1.0 U	1.0	0.20	1	01/09/26 14:44	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 14:44	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 09:00
Date Received: 01/02/26 13:39

Sample Name: MW-10
Lab Code: R2600011-002

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	106	85 - 122	01/09/26 14:44	
Dibromofluoromethane	97	80 - 116	01/09/26 14:44	
Toluene-d8	99	87 - 121	01/09/26 14:44	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 09:20
Date Received: 01/02/26 13:39

Sample Name: MW-24S
Lab Code: R2600011-003

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	10	1.0	0.20	1	01/09/26 15:07	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 15:07	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 15:07	
1,1-Dichloroethane (1,1-DCA)	1.3	1.0	0.20	1	01/09/26 15:07	
1,1-Dichloroethene (1,1-DCE)	3.3	1.0	0.20	1	01/09/26 15:07	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 15:07	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 15:07	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 15:07	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 15:07	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 15:07	
Acetone	5.0 U	5.0	5.0	1	01/09/26 15:07	
Benzene	1.0 U	1.0	0.20	1	01/09/26 15:07	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 15:07	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 15:07	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 15:07	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 15:07	
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 15:07	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 15:07	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 15:07	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 15:07	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 15:07	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 15:07	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 15:07	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 15:07	
Styrene	1.0 U	1.0	0.20	1	01/09/26 15:07	
Tetrachloroethene (PCE)	1.0 U	1.0	0.21	1	01/09/26 15:07	
Toluene	1.0 U	1.0	0.20	1	01/09/26 15:07	
Trichloroethene (TCE)	57	1.0	0.20	1	01/09/26 15:07	
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 15:07	
cis-1,2-Dichloroethene	1.0 U	1.0	0.23	1	01/09/26 15:07	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 15:07	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 15:07	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 15:07	
trans-1,2-Dichloroethene	1.0 U	1.0	0.20	1	01/09/26 15:07	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 15:07	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 09:20
Date Received: 01/02/26 13:39

Sample Name: MW-24S
Lab Code: R2600011-003

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	108	85 - 122	01/09/26 15:07	
Dibromofluoromethane	99	80 - 116	01/09/26 15:07	
Toluene-d8	100	87 - 121	01/09/26 15:07	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 09:40
Date Received: 01/02/26 13:39

Sample Name: MW-4
Lab Code: R2600011-004

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	9.3	1.0	0.20	1	01/09/26 15:31	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 15:31	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 15:31	
1,1-Dichloroethane (1,1-DCA)	0.81 J	1.0	0.20	1	01/09/26 15:31	
1,1-Dichloroethene (1,1-DCE)	2.4	1.0	0.20	1	01/09/26 15:31	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 15:31	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 15:31	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 15:31	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 15:31	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 15:31	
Acetone	5.0 U	5.0	5.0	1	01/09/26 15:31	
Benzene	1.0 U	1.0	0.20	1	01/09/26 15:31	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 15:31	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 15:31	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 15:31	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 15:31	
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 15:31	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 15:31	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 15:31	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 15:31	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 15:31	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 15:31	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 15:31	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 15:31	
Styrene	1.0 U	1.0	0.20	1	01/09/26 15:31	
Tetrachloroethene (PCE)	1.0 U	1.0	0.21	1	01/09/26 15:31	
Toluene	1.0 U	1.0	0.20	1	01/09/26 15:31	
Trichloroethene (TCE)	49	1.0	0.20	1	01/09/26 15:31	
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 15:31	
cis-1,2-Dichloroethene	1.0 U	1.0	0.23	1	01/09/26 15:31	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 15:31	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 15:31	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 15:31	
trans-1,2-Dichloroethene	1.0 U	1.0	0.20	1	01/09/26 15:31	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 15:31	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 09:40
Date Received: 01/02/26 13:39

Sample Name: MW-4
Lab Code: R2600011-004

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	106	85 - 122	01/09/26 15:31	
Dibromofluoromethane	102	80 - 116	01/09/26 15:31	
Toluene-d8	103	87 - 121	01/09/26 15:31	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 10:00
Date Received: 01/02/26 13:39

Sample Name: SC-1
Lab Code: R2600011-005

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	5.3	1.0	0.20	1	01/09/26 15:54	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 15:54	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 15:54	
1,1-Dichloroethane (1,1-DCA)	0.54 J	1.0	0.20	1	01/09/26 15:54	
1,1-Dichloroethene (1,1-DCE)	1.2	1.0	0.20	1	01/09/26 15:54	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 15:54	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 15:54	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 15:54	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 15:54	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 15:54	
Acetone	5.0 U	5.0	5.0	1	01/09/26 15:54	
Benzene	1.0 U	1.0	0.20	1	01/09/26 15:54	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 15:54	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 15:54	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 15:54	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 15:54	
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 15:54	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 15:54	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 15:54	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 15:54	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 15:54	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 15:54	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 15:54	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 15:54	
Styrene	1.0 U	1.0	0.20	1	01/09/26 15:54	
Tetrachloroethene (PCE)	1.0 U	1.0	0.21	1	01/09/26 15:54	
Toluene	1.0 U	1.0	0.20	1	01/09/26 15:54	
Trichloroethene (TCE)	30	1.0	0.20	1	01/09/26 15:54	
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 15:54	
cis-1,2-Dichloroethene	1.0 U	1.0	0.23	1	01/09/26 15:54	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 15:54	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 15:54	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 15:54	
trans-1,2-Dichloroethene	1.0 U	1.0	0.20	1	01/09/26 15:54	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 15:54	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 10:00
Date Received: 01/02/26 13:39

Sample Name: SC-1
Lab Code: R2600011-005

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	106	85 - 122	01/09/26 15:54	
Dibromofluoromethane	98	80 - 116	01/09/26 15:54	
Toluene-d8	100	87 - 121	01/09/26 15:54	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 10:35
Date Received: 01/02/26 13:39

Sample Name: SSG MW-3
Lab Code: R2600011-006

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	4.7	1.0	0.20	1	01/09/26 16:17	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 16:17	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 16:17	
1,1-Dichloroethane (1,1-DCA)	1.0 U	1.0	0.20	1	01/09/26 16:17	
1,1-Dichloroethene (1,1-DCE)	0.67 J	1.0	0.20	1	01/09/26 16:17	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 16:17	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 16:17	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 16:17	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 16:17	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 16:17	
Acetone	5.0 U	5.0	5.0	1	01/09/26 16:17	
Benzene	1.0 U	1.0	0.20	1	01/09/26 16:17	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 16:17	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 16:17	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 16:17	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 16:17	
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 16:17	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 16:17	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 16:17	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 16:17	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 16:17	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 16:17	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 16:17	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 16:17	
Styrene	1.0 U	1.0	0.20	1	01/09/26 16:17	
Tetrachloroethene (PCE)	1.0 U	1.0	0.21	1	01/09/26 16:17	
Toluene	1.0 U	1.0	0.20	1	01/09/26 16:17	
Trichloroethene (TCE)	7.3	1.0	0.20	1	01/09/26 16:17	
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 16:17	
cis-1,2-Dichloroethene	1.0 U	1.0	0.23	1	01/09/26 16:17	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 16:17	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 16:17	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 16:17	
trans-1,2-Dichloroethene	1.0 U	1.0	0.20	1	01/09/26 16:17	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 16:17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 10:35
Date Received: 01/02/26 13:39

Sample Name: SSG MW-3
Lab Code: R2600011-006

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	103	85 - 122	01/09/26 16:17	
Dibromofluoromethane	95	80 - 116	01/09/26 16:17	
Toluene-d8	98	87 - 121	01/09/26 16:17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 10:45
Date Received: 01/02/26 13:39

Sample Name: MW-26
Lab Code: R2600011-007

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	3.7	1.0	0.20	1	01/09/26 18:37	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 18:37	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 18:37	
1,1-Dichloroethane (1,1-DCA)	1.0 U	1.0	0.20	1	01/09/26 18:37	
1,1-Dichloroethene (1,1-DCE)	0.80 J	1.0	0.20	1	01/09/26 18:37	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 18:37	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 18:37	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 18:37	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 18:37	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 18:37	
Acetone	5.0 U	5.0	5.0	1	01/09/26 18:37	
Benzene	1.0 U	1.0	0.20	1	01/09/26 18:37	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 18:37	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 18:37	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 18:37	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 18:37	
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 18:37	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 18:37	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 18:37	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 18:37	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 18:37	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 18:37	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 18:37	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 18:37	
Styrene	1.0 U	1.0	0.20	1	01/09/26 18:37	
Tetrachloroethene (PCE)	0.61 J	1.0	0.21	1	01/09/26 18:37	
Toluene	1.0 U	1.0	0.20	1	01/09/26 18:37	
Trichloroethene (TCE)	62	1.0	0.20	1	01/09/26 18:37	
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 18:37	
cis-1,2-Dichloroethene	1.0 U	1.0	0.23	1	01/09/26 18:37	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 18:37	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 18:37	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 18:37	
trans-1,2-Dichloroethene	1.0 U	1.0	0.20	1	01/09/26 18:37	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 18:37	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 10:45
Date Received: 01/02/26 13:39

Sample Name: MW-26
Lab Code: R2600011-007

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	106	85 - 122	01/09/26 18:37	
Dibromofluoromethane	96	80 - 116	01/09/26 18:37	
Toluene-d8	100	87 - 121	01/09/26 18:37	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 11:20
Date Received: 01/02/26 13:39

Sample Name: MW-15
Lab Code: R2600011-008

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	12	1.0	0.20	1	01/09/26 16:40	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 16:40	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 16:40	
1,1-Dichloroethane (1,1-DCA)	1.0 U	1.0	0.20	1	01/09/26 16:40	
1,1-Dichloroethene (1,1-DCE)	2.2	1.0	0.20	1	01/09/26 16:40	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 16:40	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 16:40	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 16:40	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 16:40	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 16:40	
Acetone	5.0 U	5.0	5.0	1	01/09/26 16:40	
Benzene	1.0 U	1.0	0.20	1	01/09/26 16:40	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 16:40	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 16:40	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 16:40	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 16:40	
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 16:40	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 16:40	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 16:40	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 16:40	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 16:40	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 16:40	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 16:40	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 16:40	
Styrene	1.0 U	1.0	0.20	1	01/09/26 16:40	
Tetrachloroethene (PCE)	1.0 U	1.0	0.21	1	01/09/26 16:40	
Toluene	1.0 U	1.0	0.20	1	01/09/26 16:40	
Trichloroethene (TCE)	3.7	1.0	0.20	1	01/09/26 16:40	
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 16:40	
cis-1,2-Dichloroethene	1.0 U	1.0	0.23	1	01/09/26 16:40	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 16:40	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 16:40	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 16:40	
trans-1,2-Dichloroethene	1.0 U	1.0	0.20	1	01/09/26 16:40	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 16:40	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 11:20
Date Received: 01/02/26 13:39

Sample Name: MW-15
Lab Code: R2600011-008

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	108	85 - 122	01/09/26 16:40	
Dibromofluoromethane	99	80 - 116	01/09/26 16:40	
Toluene-d8	102	87 - 121	01/09/26 16:40	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 11:30
Date Received: 01/02/26 13:39

Sample Name: MW-13
Lab Code: R2600011-009

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	25	1.0	0.20	1	01/09/26 17:04	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 17:04	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 17:04	
1,1-Dichloroethane (1,1-DCA)	1.0 U	1.0	0.20	1	01/09/26 17:04	
1,1-Dichloroethene (1,1-DCE)	3.8	1.0	0.20	1	01/09/26 17:04	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 17:04	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 17:04	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 17:04	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 17:04	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 17:04	
Acetone	5.0 U	5.0	5.0	1	01/09/26 17:04	
Benzene	1.0 U	1.0	0.20	1	01/09/26 17:04	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 17:04	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 17:04	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 17:04	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 17:04	
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 17:04	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 17:04	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 17:04	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 17:04	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 17:04	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 17:04	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 17:04	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 17:04	
Styrene	1.0 U	1.0	0.20	1	01/09/26 17:04	
Tetrachloroethene (PCE)	0.44 J	1.0	0.21	1	01/09/26 17:04	
Toluene	1.0 U	1.0	0.20	1	01/09/26 17:04	
Trichloroethene (TCE)	44	1.0	0.20	1	01/09/26 17:04	
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 17:04	
cis-1,2-Dichloroethene	1.0 U	1.0	0.23	1	01/09/26 17:04	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 17:04	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 17:04	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 17:04	
trans-1,2-Dichloroethene	1.0 U	1.0	0.20	1	01/09/26 17:04	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 17:04	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 11:30
Date Received: 01/02/26 13:39

Sample Name: MW-13
Lab Code: R2600011-009

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	103	85 - 122	01/09/26 17:04	
Dibromofluoromethane	96	80 - 116	01/09/26 17:04	
Toluene-d8	98	87 - 121	01/09/26 17:04	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 11:40
Date Received: 01/02/26 13:39

Sample Name: MW-14
Lab Code: R2600011-010

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	7.9	1.0	0.20	1	01/09/26 17:27	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 17:27	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 17:27	
1,1-Dichloroethane (1,1-DCA)	1.0 U	1.0	0.20	1	01/09/26 17:27	
1,1-Dichloroethene (1,1-DCE)	0.91 J	1.0	0.20	1	01/09/26 17:27	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 17:27	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 17:27	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 17:27	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 17:27	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 17:27	
Acetone	5.0 U	5.0	5.0	1	01/09/26 17:27	
Benzene	1.0 U	1.0	0.20	1	01/09/26 17:27	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 17:27	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 17:27	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 17:27	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 17:27	
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 17:27	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 17:27	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 17:27	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 17:27	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 17:27	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 17:27	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 17:27	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 17:27	
Styrene	1.0 U	1.0	0.20	1	01/09/26 17:27	
Tetrachloroethene (PCE)	0.51 J	1.0	0.21	1	01/09/26 17:27	
Toluene	1.0 U	1.0	0.20	1	01/09/26 17:27	
Trichloroethene (TCE)	39	1.0	0.20	1	01/09/26 17:27	
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 17:27	
cis-1,2-Dichloroethene	1.0 U	1.0	0.23	1	01/09/26 17:27	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 17:27	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 17:27	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 17:27	
trans-1,2-Dichloroethene	1.0 U	1.0	0.20	1	01/09/26 17:27	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 17:27	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 11:40
Date Received: 01/02/26 13:39

Sample Name: MW-14
Lab Code: R2600011-010

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	110	85 - 122	01/09/26 17:27	
Dibromofluoromethane	105	80 - 116	01/09/26 17:27	
Toluene-d8	104	87 - 121	01/09/26 17:27	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 12:00
Date Received: 01/02/26 13:39

Sample Name: DUP010226A
Lab Code: R2600011-011

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	4.8	1.0	0.20	1	01/09/26 17:50	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 17:50	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 17:50	
1,1-Dichloroethane (1,1-DCA)	0.46 J	1.0	0.20	1	01/09/26 17:50	
1,1-Dichloroethene (1,1-DCE)	1.2	1.0	0.20	1	01/09/26 17:50	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 17:50	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 17:50	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 17:50	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 17:50	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 17:50	
Acetone	5.0 U	5.0	5.0	1	01/09/26 17:50	
Benzene	1.0 U	1.0	0.20	1	01/09/26 17:50	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 17:50	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 17:50	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 17:50	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 17:50	
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 17:50	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 17:50	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 17:50	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 17:50	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 17:50	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 17:50	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 17:50	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 17:50	
Styrene	1.0 U	1.0	0.20	1	01/09/26 17:50	
Tetrachloroethene (PCE)	1.0 U	1.0	0.21	1	01/09/26 17:50	
Toluene	1.0 U	1.0	0.20	1	01/09/26 17:50	
Trichloroethene (TCE)	30	1.0	0.20	1	01/09/26 17:50	
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 17:50	
cis-1,2-Dichloroethene	1.0 U	1.0	0.23	1	01/09/26 17:50	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 17:50	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 17:50	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 17:50	
trans-1,2-Dichloroethene	1.0 U	1.0	0.20	1	01/09/26 17:50	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 17:50	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 12:00
Date Received: 01/02/26 13:39

Sample Name: DUP010226A
Lab Code: R2600011-011

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	114	85 - 122	01/09/26 17:50	
Dibromofluoromethane	102	80 - 116	01/09/26 17:50	
Toluene-d8	103	87 - 121	01/09/26 17:50	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 10:05
Date Received: 01/02/26 13:39

Sample Name: EB010226
Lab Code: R2600011-012

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	1.0 U	1.0	0.20	1	01/09/26 13:57	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 13:57	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 13:57	
1,1-Dichloroethane (1,1-DCA)	1.0 U	1.0	0.20	1	01/09/26 13:57	
1,1-Dichloroethene (1,1-DCE)	1.0 U	1.0	0.20	1	01/09/26 13:57	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 13:57	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 13:57	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 13:57	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 13:57	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 13:57	
Acetone	5.0 U	5.0	5.0	1	01/09/26 13:57	
Benzene	1.0 U	1.0	0.20	1	01/09/26 13:57	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 13:57	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 13:57	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 13:57	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 13:57	
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 13:57	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 13:57	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 13:57	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 13:57	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 13:57	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 13:57	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 13:57	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 13:57	
Styrene	1.0 U	1.0	0.20	1	01/09/26 13:57	
Tetrachloroethene (PCE)	1.0 U	1.0	0.21	1	01/09/26 13:57	
Toluene	1.0 U	1.0	0.20	1	01/09/26 13:57	
Trichloroethene (TCE)	1.0 U	1.0	0.20	1	01/09/26 13:57	
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 13:57	
cis-1,2-Dichloroethene	1.0 U	1.0	0.23	1	01/09/26 13:57	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 13:57	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 13:57	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 13:57	
trans-1,2-Dichloroethene	1.0 U	1.0	0.20	1	01/09/26 13:57	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 13:57	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 10:05
Date Received: 01/02/26 13:39

Sample Name: EB010226
Lab Code: R2600011-012

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	108	85 - 122	01/09/26 13:57	
Dibromofluoromethane	104	80 - 116	01/09/26 13:57	
Toluene-d8	103	87 - 121	01/09/26 13:57	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 12:30
Date Received: 01/02/26 13:39

Sample Name: DUP010226B
Lab Code: R2600011-013

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	3.6	1.0	0.20	1	01/09/26 18:13	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 18:13	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 18:13	
1,1-Dichloroethane (1,1-DCA)	1.0 U	1.0	0.20	1	01/09/26 18:13	
1,1-Dichloroethene (1,1-DCE)	0.87 J	1.0	0.20	1	01/09/26 18:13	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 18:13	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 18:13	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 18:13	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 18:13	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 18:13	
Acetone	5.0 U	5.0	5.0	1	01/09/26 18:13	
Benzene	1.0 U	1.0	0.20	1	01/09/26 18:13	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 18:13	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 18:13	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 18:13	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 18:13	
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 18:13	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 18:13	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 18:13	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 18:13	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 18:13	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 18:13	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 18:13	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 18:13	
Styrene	1.0 U	1.0	0.20	1	01/09/26 18:13	
Tetrachloroethene (PCE)	0.66 J	1.0	0.21	1	01/09/26 18:13	
Toluene	1.0 U	1.0	0.20	1	01/09/26 18:13	
Trichloroethene (TCE)	58	1.0	0.20	1	01/09/26 18:13	
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 18:13	
cis-1,2-Dichloroethene	1.0 U	1.0	0.23	1	01/09/26 18:13	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 18:13	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 18:13	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 18:13	
trans-1,2-Dichloroethene	1.0 U	1.0	0.20	1	01/09/26 18:13	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 18:13	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 12:30
Date Received: 01/02/26 13:39

Sample Name: DUP010226B
Lab Code: R2600011-013

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	107	85 - 122	01/09/26 18:13	
Dibromofluoromethane	99	80 - 116	01/09/26 18:13	
Toluene-d8	101	87 - 121	01/09/26 18:13	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 11:50
Date Received: 01/02/26 13:39

Sample Name: MW-17S
Lab Code: R2600011-014

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	11	2.0	0.40	2	01/09/26 19:23	
1,1,2,2-Tetrachloroethane	2.0 U	2.0	0.40	2	01/09/26 19:23	
1,1,2-Trichloroethane	2.0 U	2.0	0.40	2	01/09/26 19:23	
1,1-Dichloroethane (1,1-DCA)	2.0 U	2.0	0.40	2	01/09/26 19:23	
1,1-Dichloroethene (1,1-DCE)	1.9 J	2.0	0.40	2	01/09/26 19:23	
1,2-Dichloroethane	2.0 U	2.0	0.40	2	01/09/26 19:23	
1,2-Dichloropropane	2.0 U	2.0	0.40	2	01/09/26 19:23	
2-Butanone (MEK)	10 U	10	1.6	2	01/09/26 19:23	
2-Hexanone	10 U	10	0.40	2	01/09/26 19:23	
4-Methyl-2-pentanone	10 U	10	0.40	2	01/09/26 19:23	
Acetone	10 U	10	10	2	01/09/26 19:23	
Benzene	2.0 U	2.0	0.40	2	01/09/26 19:23	
Bromodichloromethane	2.0 U	2.0	0.40	2	01/09/26 19:23	
Bromoform	2.0 U	2.0	0.50	2	01/09/26 19:23	
Bromomethane	2.0 U	2.0	1.4	2	01/09/26 19:23	
Carbon Disulfide	2.0 U	2.0	0.84	2	01/09/26 19:23	
Carbon Tetrachloride	2.0 U	2.0	0.68	2	01/09/26 19:23	
Chlorobenzene	2.0 U	2.0	0.40	2	01/09/26 19:23	
Chloroethane	2.0 U	2.0	0.46	2	01/09/26 19:23	
Chloroform	2.0 U	2.0	1.1	2	01/09/26 19:23	
Chloromethane	2.0 U	2.0	0.80	2	01/09/26 19:23	
Dibromochloromethane	2.0 U	2.0	0.40	2	01/09/26 19:23	
Dichloromethane	2.0 U	2.0	1.3	2	01/09/26 19:23	
Ethylbenzene	2.0 U	2.0	0.40	2	01/09/26 19:23	
Styrene	2.0 U	2.0	0.40	2	01/09/26 19:23	
Tetrachloroethene (PCE)	0.97 J	2.0	0.42	2	01/09/26 19:23	
Toluene	2.0 U	2.0	0.40	2	01/09/26 19:23	
Trichloroethene (TCE)	210	2.0	0.40	2	01/09/26 19:23	
Vinyl Chloride	2.0 U	2.0	0.40	2	01/09/26 19:23	
cis-1,2-Dichloroethene	2.0 U	2.0	0.46	2	01/09/26 19:23	
cis-1,3-Dichloropropene	2.0 U	2.0	0.40	2	01/09/26 19:23	
m,p-Xylenes	4.0 U	4.0	0.50	2	01/09/26 19:23	
o-Xylene	2.0 U	2.0	0.40	2	01/09/26 19:23	
trans-1,2-Dichloroethene	2.0 U	2.0	0.40	2	01/09/26 19:23	
trans-1,3-Dichloropropene	2.0 U	2.0	0.46	2	01/09/26 19:23	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 11:50
Date Received: 01/02/26 13:39

Sample Name: MW-17S
Lab Code: R2600011-014

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	103	85 - 122	01/09/26 19:23	
Dibromofluoromethane	99	80 - 116	01/09/26 19:23	
Toluene-d8	100	87 - 121	01/09/26 19:23	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 12:05
Date Received: 01/02/26 13:39

Sample Name: MW-16
Lab Code: R2600011-015

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	16	1.0	0.20	1	01/09/26 19:00	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 19:00	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 19:00	
1,1-Dichloroethane (1,1-DCA)	1.0 U	1.0	0.20	1	01/09/26 19:00	
1,1-Dichloroethene (1,1-DCE)	3.1	1.0	0.20	1	01/09/26 19:00	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 19:00	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 19:00	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 19:00	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 19:00	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 19:00	
Acetone	5.0 U	5.0	5.0	1	01/09/26 19:00	
Benzene	1.0 U	1.0	0.20	1	01/09/26 19:00	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 19:00	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 19:00	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 19:00	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 19:00	
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 19:00	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 19:00	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 19:00	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 19:00	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 19:00	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 19:00	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 19:00	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 19:00	
Styrene	1.0 U	1.0	0.20	1	01/09/26 19:00	
Tetrachloroethene (PCE)	0.54 J	1.0	0.21	1	01/09/26 19:00	
Toluene	1.0 U	1.0	0.20	1	01/09/26 19:00	
Trichloroethene (TCE)	160	1.0	0.20	1	01/09/26 19:00	
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 19:00	
cis-1,2-Dichloroethene	1.0 U	1.0	0.23	1	01/09/26 19:00	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 19:00	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 19:00	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 19:00	
trans-1,2-Dichloroethene	1.0 U	1.0	0.20	1	01/09/26 19:00	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 19:00	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 12:05
Date Received: 01/02/26 13:39

Sample Name: MW-16
Lab Code: R2600011-015

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	107	85 - 122	01/09/26 19:00	
Dibromofluoromethane	103	80 - 116	01/09/26 19:00	
Toluene-d8	107	87 - 121	01/09/26 19:00	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26
Date Received: 01/02/26 13:39

Sample Name: Trip Blank
Lab Code: R2600011-016

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	1.0 U	1.0	0.20	1	01/09/26 13:34	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 13:34	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 13:34	
1,1-Dichloroethane (1,1-DCA)	1.0 U	1.0	0.20	1	01/09/26 13:34	
1,1-Dichloroethene (1,1-DCE)	1.0 U	1.0	0.20	1	01/09/26 13:34	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 13:34	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 13:34	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 13:34	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 13:34	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 13:34	
Acetone	5.0 U	5.0	5.0	1	01/09/26 13:34	
Benzene	1.0 U	1.0	0.20	1	01/09/26 13:34	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 13:34	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 13:34	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 13:34	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 13:34	
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 13:34	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 13:34	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 13:34	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 13:34	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 13:34	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 13:34	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 13:34	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 13:34	
Styrene	1.0 U	1.0	0.20	1	01/09/26 13:34	
Tetrachloroethene (PCE)	1.0 U	1.0	0.21	1	01/09/26 13:34	
Toluene	1.0 U	1.0	0.20	1	01/09/26 13:34	
Trichloroethene (TCE)	1.0 U	1.0	0.20	1	01/09/26 13:34	
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 13:34	
cis-1,2-Dichloroethene	1.0 U	1.0	0.23	1	01/09/26 13:34	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 13:34	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 13:34	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 13:34	
trans-1,2-Dichloroethene	1.0 U	1.0	0.20	1	01/09/26 13:34	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 13:34	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26
Date Received: 01/02/26 13:39

Sample Name: Trip Blank
Lab Code: R2600011-016

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	100	85 - 122	01/09/26 13:34	
Dibromofluoromethane	95	80 - 116	01/09/26 13:34	
Toluene-d8	99	87 - 121	01/09/26 13:34	



QC Summary Forms

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com



Volatile Organic Compounds by GC/MS

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011

SURROGATE RECOVERY SUMMARY
Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Extraction Method: EPA 5030C

Sample Name	Lab Code	4-Bromofluorobenzene	Dibromofluoromethane	Toluene-d8
		85 - 122	80 - 116	87 - 121
MW-23	R2600011-001	104	96	98
MW-10	R2600011-002	106	97	99
MW-24S	R2600011-003	108	99	100
MW-4	R2600011-004	106	102	103
SC-1	R2600011-005	106	98	100
SSG MW-3	R2600011-006	103	95	98
MW-26	R2600011-007	106	96	100
MW-15	R2600011-008	108	99	102
MW-13	R2600011-009	103	96	98
MW-14	R2600011-010	110	105	104
DUP010226A	R2600011-011	114	102	103
EB010226	R2600011-012	108	104	103
DUP010226B	R2600011-013	107	99	101
MW-17S	R2600011-014	103	99	100
MW-16	R2600011-015	107	103	107
Trip Blank	R2600011-016	100	95	99
Lab Control Sample	RQ2600425-02	107	102	104
Method Blank	RQ2600425-03	103	98	99
MW-10 MS	RQ2600425-04	93	98	98
MW-10 DMS	RQ2600425-05	96	100	98

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26
Date Received: 01/02/26
Date Analyzed: 01/9/26
Date Extracted: NA

Duplicate Matrix Spike Summary
Volatile Organic Compounds by GC/MS

Sample Name: MW-10
Lab Code: R2600011-002
Analysis Method: 8260D
Prep Method: EPA 5030C

Units: ug/L
Basis: NA

Analyte Name	Matrix Spike RQ2600425-04				Duplicate Matrix Spike RQ2600425-05				% Rec Limits	RPD	RPD Limit
	Sample Result	Result	Spike Amount	% Rec	Result	Spike Amount	% Rec				
1,1,1-Trichloroethane (TCA)	2.1	56.3	50.0	108	66.5	50.0	129 *	74-127	17	30	
1,1,2,2-Tetrachloroethane	1.0 U	56.6	50.0	113	65.9	50.0	132 *	72-122	15	30	
1,1,2-Trichloroethane	1.0 U	58.1	50.0	116	64.5	50.0	129 *	82-121	10	30	
1,1-Dichloroethane (1,1-DCA)	1.0 U	56.9	50.0	114	65.1	50.0	130	74-132	13	30	
1,1-Dichloroethene (1,1-DCE)	1.0 U	55.2	50.0	110	63.8	50.0	128 *	71-118	15	30	
1,2-Dichloroethane	1.0 U	55.0	50.0	110	61.8	50.0	124	68-130	12	30	
1,2-Dichloropropane	1.0 U	57.8	50.0	116	63.8	50.0	128 *	79-124	10	30	
2-Butanone (MEK)	5.0 U	53.5	50.0	107	55.9	50.0	112	61-137	4	30	
2-Hexanone	5.0 U	59.0	50.0	118	62.7	50.0	125	56-132	6	30	
4-Methyl-2-pentanone	5.0 U	64.2	50.0	128	66.7	50.0	133	60-141	4	30	
Acetone	5.0 U	46.4	50.0	93	49.9	50.0	100	35-183	7	30	
Benzene	1.0 U	58.2	50.0	116	65.5	50.0	131 *	76-129	12	30	
Bromodichloromethane	1.0 U	55.3	50.0	111	63.5	50.0	127	78-133	14	30	
Bromoform	1.0 U	55.6	50.0	111	63.6	50.0	127	58-133	13	30	
Bromomethane	1.0 U	47.4	50.0	95	55.3	50.0	111	10-184	15	30	
Carbon Disulfide	1.0 U	59.5	50.0	119	64.0	50.0	128	59-140	7	30	
Carbon Tetrachloride	1.0 U	56.7	50.0	113	64.2	50.0	128	65-135	12	30	
Chlorobenzene	1.0 U	52.9	50.0	106	60.4	50.0	121	76-125	13	30	
Chloroethane	1.0 U	41.1	50.0	82	45.6	50.0	91	48-146	10	30	
Chloroform	1.0 U	54.7	50.0	109	63.4	50.0	127	75-130	15	30	
Chloromethane	1.0 U	63.5	50.0	127	73.3	50.0	147	55-160	14	30	
Dibromochloromethane	1.0 U	53.4	50.0	107	63.3	50.0	127	72-128	17	30	
Dichloromethane	1.0 U	51.7	50.0	103	59.1	50.0	118	73-122	13	30	
Ethylbenzene	1.0 U	56.5	50.0	113	63.5	50.0	127	72-134	12	30	
Styrene	1.0 U	58.0	50.0	116	66.1	50.0	132	74-136	13	30	
Tetrachloroethene (PCE)	1.0 U	53.6	50.0	107	62.0	50.0	124	72-125	14	30	
Toluene	1.0 U	56.0	50.0	112	62.6	50.0	125 *	79-119	11	30	
Trichloroethene (TCE)	0.63 J	56.9	50.0	112	63.2	50.0	125 *	74-122	11	30	
Vinyl Chloride	1.0 U	63.7	50.0	127	73.8	50.0	148	74-159	15	30	
cis-1,2-Dichloroethene	1.0 U	52.5	50.0	105	59.2	50.0	118	77-127	12	30	
cis-1,3-Dichloropropene	1.0 U	58.9	50.0	118	66.7	50.0	133	52-134	12	30	
m,p-Xylenes	2.0 U	114	100	114	127	100	127 *	80-126	11	30	
o-Xylene	1.0 U	54.9	50.0	110	62.5	50.0	125 *	79-123	13	30	

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Matrix Spike and Matrix Spike Duplicate Data is presented for information purposes only. The matrix may or may not be relevant to samples reported in this report. The laboratory evaluates system performance based on the LCS and LCSD control limits.

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26
Date Received: 01/02/26
Date Analyzed: 01/9/26
Date Extracted: NA

Duplicate Matrix Spike Summary
Volatile Organic Compounds by GC/MS

Sample Name: MW-10
Lab Code: R2600011-002
Analysis Method: 8260D
Prep Method: EPA 5030C

Units: ug/L
Basis: NA

Analyte Name	Sample Result	Matrix Spike RQ2600425-04			Duplicate Matrix Spike RQ2600425-05			% Rec Limits	RPD	RPD Limit
		Result	Spike Amount	% Rec	Result	Spike Amount	% Rec			
trans-1,2-Dichloroethene	1.0 U	55.3	50.0	111	62.9	50.0	126 *	73-118	13	30
trans-1,3-Dichloropropene	1.0 U	58.2	50.0	116	65.7	50.0	131	71-133	12	30

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Matrix Spike and Matrix Spike Duplicate Data is presented for information purposes only. The matrix may or may not be relevant to samples reported in this report. The laboratory evaluates system performance based on the LCS and LCSD control limits.

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: NA
Date Received: NA

Sample Name: Method Blank
Lab Code: RQ2600425-03

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	1.0 U	1.0	0.20	1	01/09/26 12:59	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 12:59	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 12:59	
1,1-Dichloroethane (1,1-DCA)	1.0 U	1.0	0.20	1	01/09/26 12:59	
1,1-Dichloroethene (1,1-DCE)	1.0 U	1.0	0.20	1	01/09/26 12:59	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 12:59	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 12:59	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 12:59	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 12:59	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 12:59	
Acetone	5.0 U	5.0	5.0	1	01/09/26 12:59	
Benzene	1.0 U	1.0	0.20	1	01/09/26 12:59	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 12:59	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 12:59	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 12:59	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 12:59	
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 12:59	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 12:59	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 12:59	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 12:59	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 12:59	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 12:59	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 12:59	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 12:59	
Styrene	1.0 U	1.0	0.20	1	01/09/26 12:59	
Tetrachloroethene (PCE)	1.0 U	1.0	0.21	1	01/09/26 12:59	
Toluene	1.0 U	1.0	0.20	1	01/09/26 12:59	
Trichloroethene (TCE)	1.0 U	1.0	0.20	1	01/09/26 12:59	
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 12:59	
cis-1,2-Dichloroethene	1.0 U	1.0	0.23	1	01/09/26 12:59	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 12:59	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 12:59	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 12:59	
trans-1,2-Dichloroethene	1.0 U	1.0	0.20	1	01/09/26 12:59	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 12:59	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: NA
Date Received: NA

Sample Name: Method Blank
Lab Code: RQ2600425-03

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	103	85 - 122	01/09/26 12:59	
Dibromofluoromethane	98	80 - 116	01/09/26 12:59	
Toluene-d8	99	87 - 121	01/09/26 12:59	

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Analyzed: 01/09/26

Lab Control Sample Summary
Volatile Organic Compounds by GC/MS

Units:ug/L
Basis:NA

Lab Control Sample
RQ2600425-02

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
1,1,1-Trichloroethane (TCA)	8260D	18.5	20.0	92	75-125
1,1,2,2-Tetrachloroethane	8260D	20.6	20.0	103	78-126
1,1,2-Trichloroethane	8260D	20.4	20.0	102	82-121
1,1-Dichloroethane (1,1-DCA)	8260D	19.6	20.0	98	80-124
1,1-Dichloroethene (1,1-DCE)	8260D	18.5	20.0	93	71-118
1,2-Dichloroethane	8260D	19.9	20.0	99	71-127
1,2-Dichloropropane	8260D	19.3	20.0	97	80-119
2-Butanone (MEK)	8260D	16.3	20.0	82	61-137
2-Hexanone	8260D	17.2	20.0	86	63-124
4-Methyl-2-pentanone	8260D	19.7	20.0	99	66-124
Acetone	8260D	13.0	20.0	65	40-161
Benzene	8260D	20.0	20.0	100	79-119
Bromodichloromethane	8260D	19.6	20.0	98	81-123
Bromoform	8260D	19.3	20.0	96	65-146
Bromomethane	8260D	18.2	20.0	91	42-166
Carbon Disulfide	8260D	18.3	20.0	91	66-128
Carbon Tetrachloride	8260D	18.4	20.0	92	70-127
Chlorobenzene	8260D	19.3	20.0	96	80-121
Chloroethane	8260D	13.6	20.0	68	62-131
Chloroform	8260D	19.5	20.0	98	79-120
Chloromethane	8260D	22.0	20.0	110	61-143
Dibromochloromethane	8260D	20.0	20.0	100	72-128
Dichloromethane	8260D	18.9	20.0	94	73-122
Ethylbenzene	8260D	19.5	20.0	98	76-120
Styrene	8260D	20.8	20.0	104	80-124
Tetrachloroethene (PCE)	8260D	19.1	20.0	96	72-125
Toluene	8260D	19.1	20.0	96	79-119
Trichloroethene (TCE)	8260D	18.4	20.0	92	74-122
Vinyl Chloride	8260D	21.5	20.0	107	74-159
cis-1,2-Dichloroethene	8260D	18.5	20.0	92	80-121
cis-1,3-Dichloropropene	8260D	21.9	20.0	110	77-122
m,p-Xylenes	8260D	39.2	40.0	98	80-126
o-Xylene	8260D	19.4	20.0	97	79-123

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Analyzed: 01/09/26

Lab Control Sample Summary
Volatile Organic Compounds by GC/MS

Units:ug/L
Basis:NA

Lab Control Sample
RQ2600425-02

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
trans-1,2-Dichloroethene	8260D	19.4	20.0	97	73-118
trans-1,3-Dichloropropene	8260D	21.4	20.0	107	71-133



Exhibit B
Laboratory Report
(Full Category B Packages)
(Provided Electronically)



January 13, 2026

Service Request No:R2600011

Mr. Jeremy Wolf
Marks Engineering, PC
4303 Route 5 & 20
Canadaigua, NY 14425

Laboratory Results for: DLS Modock Road Springs

Dear Mr.Wolf,

Enclosed are the results of the sample(s) submitted to our laboratory January 02, 2026
For your reference, these analyses have been assigned our service request number **R2600011**.

All testing was performed according to our laboratory's quality assurance program and met the requirements of the TNI standards except as noted in the case narrative report. Any testing not included in the lab's accreditation is identified on a Non-Certified Analytes report. All results are intended to be considered in their entirety. ALS Environmental is not responsible for use of less than the complete report. Results apply only to the individual samples submitted to the lab for analysis, as listed in the report. The measurement uncertainty of the results included in this report is within that expected when using the prescribed method(s), and represented by Laboratory Control Sample control limits. Any events, such as QC failures or Holding Time exceedances, which may add to the uncertainty are explained in the report narrative or are flagged with qualifiers. The flags are explained in the Report Qualifiers and Definitions page of this report.

Please contact me if you have any questions. My extension is 7476. You may also contact me via email at Chris.Leavy@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Christopher Leavy
Project Manager

ADDRESS 1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
PHONE +1 585 288 5380 | FAX +1 585 288 8475
ALS Group USA, Corp.
dba ALS Environmental



ALS Environmental
ALS Group USA, Corp
1565 Jefferson Road, Building 300, Suite 360
Rochester, NY 14623
T : +1 585 288 5380
F : +1 585 288 8475
www.alsglobal.com

Table of Contents

CoverLetter	1
Table of Contents	2
Narrative Documents	5
Case Narrative	6
Sample Receipt Information	7
Sample Cross-Reference	8
Chain Of Custody	9
Miscellaneous Forms	12
Qualifiers	13
Acronyms	14
Analyst Summary	15
Prep Method Inorganic	19
Sample Results	20
Volatile Organic Compounds by GCMS	21
8260D - Volatile Organic Compounds by GC/MS	
MW-23 - VOA GCMS	22
MW-10 - VOA GCMS	24
MW-24S - VOA GCMS	26
MW-4 - VOA GCMS	28
SC-1 - VOA GCMS	30
SSG MW-3 - VOA GCMS	32
MW-26 - VOA GCMS	34

Table of Contents (continued)

MW-15 - VOA GCMS	36
MW-13 - VOA GCMS	38
MW-14 - VOA GCMS	40
DUP010226A - VOA GCMS	42
EB010226 - VOA GCMS	44
DUP010226B - VOA GCMS	46
MW-17S - VOA GCMS	48
MW-16 - VOA GCMS	50
Trip Blank - VOA GCMS	52
QC Summary Forms	54
Volatile Organic Compounds by GCMS	55
8260D - Volatile Organic Compounds by GC/MS	
VOA GCMS Surrogate Summary	56
RQ2600425-05 MW-10 - DMS VOA GCMS	57
MB Summary VOA GCMS	59
Method Blank - VOA GCMS	60
LCS Summary VOA GCMS	62
RQ2600425-02 - LCS VOA GCMS	63
Tune Summary 8260D	65
IS Summary VOA GCMS	66
Raw Data	68
Volatile Organic Compounds by GCMS	69
8260D - VOC_FP	
Form 1s	
MW-23 - VOA GCMS	70
MW-10 - VOA GCMS	72
MW-24S - VOA GCMS	74
MW-4 - VOA GCMS	76
SC-1 - VOA GCMS	78
SSG MW-3 - VOA GCMS	80
MW-26 - VOA GCMS	82
MW-15 - VOA GCMS	84

Table of Contents (continued)

MW-13 - VOA GCMS	86
MW-14 - VOA GCMS	88
DUP010226A - VOA GCMS	90
EB010226 - VOA GCMS	92
DUP010226B - VOA GCMS	94
MW-17S - VOA GCMS	96
MW-16 - VOA GCMS	98
Trip Blank - VOA GCMS	100
Raw Data	102
ICAL Summary	646
ICV Summary	653
RQ2600425-01 - CCV VOA GCMS	655
Run Log	657
Run Log Sheets	658



Exhibit C
Data Usability Summary Report
(DUSR)

DATA USABILITY SUMMARY REPORT (DUSR)

**Site: DLS/Modock Road Springs
Victor, NY
Project #: 25-008**

SDG: R2600011
15 Water Samples and 1 Trip Blank

Prepared for:

**Marks Engineering
4303 Routes 5 & 20
Canandaigua, NY 14424
Attention: Jeremy Wolf**

January 2026



Table of Contents

	<u>Page No.</u>
REVIEWER'S NARRATIVE	
1.0 SUMMARY	1
2.0 INTRODUCTION	1
3.0 SAMPLE AND ANALYSIS SUMMARY	2
4.0 GUIDANCE DOCUMENTS AND DATA REVIEW CRITERIA	2
5.0 DATA VALIDATION QUALIFIERS	3
6.0 RESULTS OF THE DATA REVIEW	4
7.0 TOTAL USABLE DATA	4

APPENDIX A	Validated Analytical Results
APPENDIX B	Laboratory QC Documentation
APPENDIX C	Validator Qualifications

Tables

Table 4-1	Data Validation Guidance Documents
Table 4-2	Quality Control Criteria for Validating Laboratory Analytical Data

Summaries of Validated Results

Table 6-1	8260D
-----------	-------

REVIEWER'S NARRATIVE
SDG R2600011 Marks Engineering DLS/Modock Road Springs

The data associated with this Sample Delivery Group (SDG), analyzed by ALS Environmental Rochester, NY have been reviewed in accordance with assessment criteria provided by the New York State Department of Environmental Conservation following the review procedures provided in the USEPA Functional Guidelines for evaluating organic and inorganic data.

All analytical results reported by the laboratory are considered valid and acceptable except results that have been qualified as rejected, "R". Results qualified as estimated "J", or as non-detects, "U", are considered usable for the purpose of evaluating water and/or soil quality. However, these qualifiers indicate that the accuracy and/or precision of the analytical result is questionable. A summary of all data that have been qualified and the reasons for qualification are provided in the following data usability summary report (DUSR).

Two facts should be noted by all data users. First, the "R" qualifier means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the analyte is present or not. Values qualified with an "R" should not appear on the final data tables because they cannot be relied upon, even as the last resort. Second, no analyte concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data, but any value potentially contains error.

Reviewer's Signature: Michael K Perry Date: 1/20/2026
Michael K. Perry
Chemist

1.0 SUMMARY

SITE:	DLS/Modock Road Springs Victor, NY Project No. 25-008
SAMPLING DATE:	January 02, 2026
SAMPLE TYPE:	15 water samples and 1 trip blank
LABORATORY:	ALS Environmental Rochester, NY
SDG No.:	R2600011

2.0 INTRODUCTION

This data usability summary report (DUSR) was prepared in accordance with guidance provided by the New York State Department of Environmental Conservation (NYSDEC). The DUSR is based on a review and evaluation of the laboratory analytical data package. Specifically, the NYSDEC guidance recommends review and evaluation of the following elements of the data package:

- Completeness of the data package as defined under the requirements of the NYSDEC Analytical Services Protocols (ASP) Category B or the United States Environmental Protection Agency (USEPA) Contract Laboratory Program (CLP) deliverables,
- Compliance with established analyte holding times,
- Adherence to quality control (QC) limits and specifications for blanks, instrument tuning and calibration, surrogate recoveries, spike recoveries, laboratory duplicate analyses, and other QC criteria,
- Adherence to established analytical protocols,
- Conformance of data summary sheets with raw analytical data, and
- Use of correct data qualifiers.

Data deficiencies, analytical protocol deviations, and quality control problems identified using the review criteria above and their effect on the analytical results are discussed in this report.

3.0 SAMPLE AND ANALYSIS SUMMARY

The data package consists of analytical results for sixteen water samples collected on January 02, 2026. These samples were analyzed for 8260D Volatile Organic Compounds (VOCs).

All laboratory analyses were performed by ALS Environmental, Rochester, NY and analyzed as SDG R2600011. The analytical results were provided in NYSDEC ASP Category B format, which includes all raw analytical data and laboratory QC data.

4.0 GUIDANCE DOCUMENTS AND DATA REVIEW CRITERIA

The guidance documents appropriate for reviewing laboratory quality control (QC) data and assigning data qualifiers (flags) to analytical results were selected from those listed in Table 4-1. The QC limits established in the documents applicable to this data review were used to assess the quality of the analytical results. In some cases, however, QC limits established internally by the laboratory were taken into account to determine data quality.

The QC criteria considered for assessing the usability of the reported analytical results provided for each analyte type (i.e. VOCs, SVOCs, metals, etc.) are listed in Table 4-2. These criteria may vary with the analytical method utilized by the laboratory. These criteria comply with the guidance recommended in Section 2.0 above.

5.0 DATA VALIDATION QUALIFIERS

The letter qualifiers (flags) used to define data usability are described briefly below. These letters are assigned by the data validator to analytical results having questionable accuracy and/or precision as determined by reviewing the laboratory QC data associated with the analytical results.

TABLE 4-1

Guidance Used For Validating Laboratory Analytical Data

Analyte Group	Guidance	Date
Metals (ICP-AES)	USEPA SOP HW-3a, Rev. 1	September 2016
Metals (Hg & CN)	USEPA SOP HW-3c, Rev. 1	September 2016
Volatile Organic Compounds (by Methods 8260B & 8260C)	USEPA SOP HW-24, Rev. 4	September 2014
Semi-Volatile Organic Compounds (by Method 8270D)	USEPA SOP HW-22 Rev. 5	December 2010
Pesticides (by Method 8181B)	USEPA SOP HW-44, Rev. 1.1	December 2010
Chlorinated Herbicides (by Method 8151A)	USEPA SOP HW-17, Rev. 3.1	December 2010
Polychlorinated Biphenyls (PCBs)	USEPA SOP HW-37A, Rev. 0	June 2015
Volatile Organic Compounds (Air) (by Method TO-15)	USEPA SOP HW-31, Rev. 6	September 2016
Per- and PolyFluoroAlkyl Substances (PFAS)	* NYSDEC ** US Dept. of Defense	January 2021 November 2022
Radiological Analysis Uranium	USEPA Method 908.0	June 1999
Radium-226	USEPA Method 903.1	1980
General Chemistry Parameters	per NYSDEC ASP	July 2005

* Sampling, Analysis, and Assessment of Per- and Polyfluoroalkyl Substances (PFAS) Under NYSDEC's Part 375 Remedial Programs, Appendix I

** Data Validation Guidelines Module 6: Data Validation Procedures for Per- and Polyfluoroalkyl Substances Analysis by QSM Table B-24

TABLE 4-2

**QUALITY CONTROL CRITERIA USED FOR VALIDATING
LABORATORY ANALYTICAL DATA**

VOCs	SVOCs	Pesticides/PCBs	Metals	Gen Chemistry	PFAS
Completeness of Pkg Sample Preservation Holding Time System Monitoring Compounds Lab Control Sample Matrix Spikes Blanks Instrument Tuning Internal Standards Initial Calibration Continuing Calibration Lab Qualifiers Field Duplicate	Completeness of Pkg Sample Preservation Holding Time Surrogate Recoveries Lab Control Sample Matrix Spikes Blanks Instrument Tuning Internal Standards Initial Calibration Continuing Calibration Lab Qualifiers Field Duplicate	Completeness of Pkg Sample Preservation Holding Time Surrogate Recoveries Matrix Spikes Blanks Instrument Calibration & Verification Comparison of duplicate GC column results Analyte ID Lab Qualifiers Field Duplicate	Completeness of Pkg Sample Preservation Holding Time Initial/Continuing Calibration CRDL Standards Blanks Interference Check Sample Spike Recoveries Lab Duplicate Lab Control Sample ICP Serial Dilutions Lab Qualifiers Field Duplicate	Completeness of Pkg Sample Preservation Holding Times Calibration Lab Control Samples Blanks Spike Recoveries Lab Duplicates	Completeness of Pkg Sample Preservation Holding Time Instr Performance Check Initial Calibration Continuing Calibration Blanks Surrogates Lab Fortified Blank Matrix Spikes Internal Standards

Method TO-15 (Air)	Radiological (U and Ra)
Completeness of Pkg Sample Preservation Holding Time Canister Certification Instrument Tuning Initial Calibration and Instrument Performance Daily Calibration Blanks Lab Control Sample Field Duplicate	Completeness of Pkg Sample Preservation Holding Time Sample Specific Yield Required Detection Limit Laboratory Control Sample Matrix Spikes Method Blank Instrument Calibration

The laboratory may also use various letters and symbols to flag analytical results generated when QC limits were exceeded. The meanings of these flags may differ from those used by the independent data validator. Those used by the laboratory are provided with the analytical results.

NOTE: The assignment of data qualifiers by the data reviewer (validator) to laboratory analytical results should not necessarily be interpreted by the data user as a measure of laboratory ability or proficiency. Rather, the qualifiers are intended to provide a measure of data accuracy and precision to the data user, which, for example, may provide a level of confidence in determining whether or not standards or cleanup objectives have been met.

- U** The analyte was analyzed for but was not detected at or above the sample quantitation limit.
- J** The analyte was positively identified; the associated numerical value is the *approximate* concentration of the analyte in the sample. (The magnitude of any \pm value associated with the result is not determined by data validation).
- J+** The result is an estimated quantity and may be biased high.
- J-** The result is an estimated quantity and may be biased low.
- UJ** The analyte was analyzed for but not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
- R** The sample result is rejected (i.e., is unusable) due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.
- NJ** The analysis indicates the presence of an analyte that has been “tentatively identified” and the associated numerical value represents its approximate concentration.

The validated analytical results are attached to this report. Validation qualifiers (flags) are indicated in red print. Data sheets having qualified data are signed and dated by the data reviewer.

6.0 RESULTS OF THE DATA REVIEW

The results of the data review are summarized in Table 6-1. The table lists the samples where QC criteria were found to exceed acceptable limits and the actions taken to qualify the associated analytical results.

7.0 TOTAL USABLE DATA

For SDG R2600011, sixteen samples were analyzed and results were reported for 560 analytes. Even though some results were flagged with a “J” as estimated, all results (100 %) are considered usable. See the summary table for the analyses that have been rejected and the associated QC reasons.

R2600011

Table 6-1 8260D

SAMPLES AFFECTED	ANALYTES	ACTION	QC VIOLATION	COMMENTS
MW-10	1,1,1-Trichloroethane Trichloroethene	J detects	MSD rec > QC limis	Data are estimated
All samples	Carbon disulfide	UJ non-detects J detects	CCV % D > QC limit	Data are estimated

ACRONYMS

BSP	Blank Spike
CCAL	Continuing Calibration
CCB	Continuing Calibration Blank
CCV	Continuing Calibration Verification
CRDL	Contract Required Detection Limit
CRQL	Contract Required Quantitation Limit
%D	Percent Difference
ICAL	Initial Calibration
ICB	Initial Calibration Blank
IS	Internal Standard
LCS	Laboratory Control Sample
MS/MSD	Matrix Spike/Matrix Spike Duplicate
QA	Quality Assurance
QC	Quality Control
%R	Percent recovery
RPD	Relative Percent Difference
RRF	Relative Response Factor
%RSD	Percent Relative Standard Deviation
TAL	Target Analyte List (metals)
TCL	Target Compound List (organics)

Appendix A

*Validated
Analytical
Results*



January 13, 2026

Service Request No:R2600011

Mr. Jeremy Wolf
Marks Engineering, PC
4303 Route 5 & 20
Canadaigua, NY 14425

Laboratory Results for: DLS Modock Road Springs

Dear Mr.Wolf,

Enclosed are the results of the sample(s) submitted to our laboratory January 02, 2026
For your reference, these analyses have been assigned our service request number **R2600011**.

All testing was performed according to our laboratory's quality assurance program and met the requirements of the TNI standards except as noted in the case narrative report. Any testing not included in the lab's accreditation is identified on a Non-Certified Analytes report. All results are intended to be considered in their entirety. ALS Environmental is not responsible for use of less than the complete report. Results apply only to the individual samples submitted to the lab for analysis, as listed in the report. The measurement uncertainty of the results included in this report is within that expected when using the prescribed method(s), and represented by Laboratory Control Sample control limits. Any events, such as QC failures or Holding Time exceedances, which may add to the uncertainty are explained in the report narrative or are flagged with qualifiers. The flags are explained in the Report Qualifiers and Definitions page of this report.

Please contact me if you have any questions. My extension is 7476. You may also contact me via email at Chris.Leavy@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Christopher Leavy
Project Manager

ADDRESS

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

PHONE +1 585 288 5380 | **FAX** +1 585 288 8475

ALS Group USA, Corp.
dba ALS Environmental



Client: Marks Engineering, PC
Project: DLS Modock Road Springs
Sample Matrix: Water

Service Request: R2600011
Date Received: 01/02/2026

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier level IV requested by the client.

Manual Integrations may have been used in the quantitation of the results in this report. Manual Integrations are readily identified in the raw data on the Quantitation Reports (Organics) by the automatic placement of an "m" next to the sample result. For Ion Chromatography, the manual integrations are identified by the automatic placement of "manipulated" or "manually integrated" in the upper left corner of the chromatogram (Hexavalent Chromium) or "M" by the result in the "Type" column (anions). The reason for the manual integration is noted on the "after" chromatogram, which is found with the original chromatogram and quantitation report. All integrations follow the lab SOP ADM-INT "Manual Integration."

Sample Receipt:

Sixteen water samples were received for analysis at ALS Environmental on 01/02/2026. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

Volatiles by GC/MS:

Method 8260D, 01/09/2026: The lower control limit was exceeded for one or more analytes in the Continuing Calibration Verification (CCV). Since there were no detections of the analyte(s) above the MRL in the associated field samples, the quantitation is not affected. The data quality was not significantly affected and no further corrective action was taken.

Approved by 

Date 01/13/2026

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008

Service Request:R2600011

SAMPLE CROSS-REFERENCE

<u>SAMPLE #</u>	<u>CLIENT SAMPLE ID</u>	<u>DATE</u>	<u>TIME</u>
R2600011-001	MW-23	1/2/2026	0845
R2600011-002	MW-10	1/2/2026	0900
R2600011-003	MW-24S	1/2/2026	0920
R2600011-004	MW-4	1/2/2026	0940
R2600011-005	SC-1	1/2/2026	1000
R2600011-006	SSG MW-3	1/2/2026	1035
R2600011-007	MW-26	1/2/2026	1045
R2600011-008	MW-15	1/2/2026	1120
R2600011-009	MW-13	1/2/2026	1130
R2600011-010	MW-14	1/2/2026	1140
R2600011-011	DUP010226A	1/2/2026	1200
R2600011-012	EB010226	1/2/2026	1005
R2600011-013	DUP010226B	1/2/2026	1230
R2600011-014	MW-17S	1/2/2026	1150
R2600011-015	MW-16	1/2/2026	1205
R2600011-016	Trip Blank	1/2/2026	



1565 Jefferson Road, Building 300, Suite 360 • Rochester, NY 14623 • +1 585 288 5380 • alsglobal.com

Chain of Custody / Analytical Request Form

088920

Cr6 7196/SM3500 ; BOD ; CT ; Cr6 7199/218.6
353.2 NO2 ; OPO4 ; 300/9056A NO2/NO3 ; Sulfide
RES Cl ; DO ; Ferrous Iron ; Sulfite ; UV 254 ; CHL A
Color ; Turbidity ; Set Solids

Report To:		ALL SHADED AREAS MUST BE COMPLETED BY THE CLIENT / SAMPLER			Preservative		0-None, 1-HCl, 2-HNO3, 3-H2SO4, 4-NaOH, 5-ZnAc, 6-MeOH, 7-NaHSO4, 8-Other																
Company: Marks Engineering		Project Name: DLS Madack Rd Springs			→		↓ Tests / Analytes Requested ↓																
Contact: Jeremy Wolf		Project Number: 25-008			GW WW SW DW S L NA	Number of Containers	MS/MSD?																
Email: JWolf@MarksEngineering.com		ALS Quote #:		DOD? Y/N				GC/MS VOA - 8260 • 624 • 524 • TCLP	GC/MS SVOA - 8270 • 625 • TCLP	Pesticides - 8081 • 608 • TCLP	PCBs - 8082 • 608	Herbicides - 8151 • TCLP	Metals, Total - Select Below	Metals, Dissolved - Field / In-Lab Filter									
Phone: 585-500-8392		Sampler Signature: <i>[Signature]</i>																					
Address: 4303 Route 59, 20		Email CC:																					
Censusairign NY 14425		State Samples Collected (Circle or Write): NY, MA, PA, CT, Other:																					
Lab ID (ALS)	Sample Collection Information:			Matrix	Number of Containers	MS/MSD?																	
	Sample ID / Name of Collection Point:	Date	Time																				
	DUP010226 A	1/2/26	1200	SW	3	3																	
	EB010226	1/2/26	1005		3	3																	
	DUP010226 B	1/2/26	1230	6W	3	3																	
	MW-17S	1/2/26	1150	GW	3	3																	
	MW-16	1/2/26	1205	GW	3	3																	
Metals: RCRA 8•PP 13•TAL 23•TCLP•Part 375•Other (List)				Turnaround Requirements			Report Requirements			Invoice To: (Same as Report To)													
VOA/SVOA Report List: TCL • BTEX • TCLP • CP-51/Stars • THM•Part 375 • Other (List)				*Rush (Surcharges Apply) *Subject to Availability* *Please Check with your PM*			Tier II/Cat A - Results/QC <input checked="" type="checkbox"/> Tier IV/Cat B - Data Validation Report w/. Data			PO #: 25-008													
Special Instructions / Comments:				<input checked="" type="checkbox"/> Standard (10 Business Days)			EOD: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			Company: Marks Engineering													
				TAT / Date Required:			EDD Type: INS DEC			Contact: Jeremy Wolf													
										Email: JWolf@MarksEngineering.com													
										Phone: 585-500-8392													
Relinquished By / Company Name		Date	Time	Received By / Company Name		Address:																	
1 Sampled By		1/2/26	1339	2 <i>[Signature]</i> Jeremy Wolf		ALS Rochester SR Sticker Here																	
3				4 <i>[Signature]</i> ALS 1/2/26 13:39																			
5				6																			
7				8																			
Page 10 of 658						Page 2 of 2																	



R2600011
Marks Engineering, PC
Modock Road Springs

5

Cooler Receipt and Preservation C



Project/Client _____ Folder Number _____

Cooler received on 11/2/26 by: RM

COURIER: ALS UPS FEDEX VELOCITY CLIENT

1	Were Custody seals on outside of cooler?	Y <u>(N)</u>
2	Custody papers properly completed (ink, signed)?	<u>(Y)</u> N
3	Did all bottles arrive in good condition (unbroken)?	<u>(Y)</u> N
4	Circle: <u>(Wet Ice)</u> Dry Ice Gel packs present?	<u>(Y)</u> N

5a	Did VOA vials have sig* bubbles?	Y <u>(N)</u> NA
5b	Sig* bubbles: Alk? Y N <u>(NA)</u> Sulfide? Y N <u>(NA)</u>	
6	Where did the bottles originate?	<u>ALS/ROC</u> CLIENT
7	Soil VOA received as: Bulk Encore 5035set	<u>(NA)</u>

8. Temperature Readings Date: 11/2/26 Time: 14:06 ID: (IR#11) IR#12 IR#13 From: Temp Blank (Sample Bottle)

Temp (°C)	<u>5.8</u>						
Within 0-6°C?	<u>(Y)</u> N	Y N	Y N	Y N	Y N	Y N	Y N
If <0°C, were samples frozen?	Y N	Y N	Y N	Y N	Y N	Y N	Y N

If out of Temperature, note packing/ice condition: _____ Ice melted Poorly Packed (described below) Same Day Rule
& Client Approval to Run Samples: _____ Standing Approval Client aware at drop-off Client notified by: _____

All samples held in storage location: SMO by RM on 11/2 at 14:09
5035 samples placed in storage location: _____ by _____ on _____ at _____ within 48 hours of sampling? Y N

Cooler Breakdown/Preservation Check**: Date: 11/2 Time: 15:30 by: AG

- 9. Were all bottle labels complete (i.e. analysis, preservation, etc.)? (YES) NO
- 10. Did all bottle labels and tags agree with custody papers? (YES) NO
- 11. Were correct containers used for the tests indicated? (YES) NO
- 12. Were 5035 vials acceptable (no extra labels, not leaking)? (YES) NO (N/A)
- 13. Were dissolved metals filtered in the field? (YES) NO (N/A)

pH	Lot of test paper	Reagent	Preserved?		Lot Received	Exp	Sample ID Adjusted	Vol. Added	Lot Added	Final pH
			Yes	No						
≥12		NaOH								
≤2		HNO ₃								
≤2		H ₂ SO ₄								
<4		NaHSO ₄								
5-9		For 608pest			No=Notify for 3day					
Residual Chlorine (-)		For CN, Phenol, 625, 608pest, 522			If +, contact PM to add Na ₂ S ₂ O ₃ (625, 608, CN), ascorbic (phenol).					
		Na ₂ S ₂ O ₃								
		ZnAcetate	-	-						
		HCl	**	**						

**VOAs and 1664 Not to be tested before analysis. Otherwise, all bottles of all samples with chemical preservatives are checked (not just representatives).

Bottle lot numbers: _____
Explain all Discrepancies/ Other Comments: _____

HPROD	BULK
HTR	FLDT
SUB	HGFB
ALS	LL3541

Labels secondary reviewed by: AG *significant air bubbles: VOA > 5-6 mm : WC > 1 in. diameter



PREPARATION METHODS

The preparation methods associated with this report are found in these tables unless discussed in the case narrative.

INORGANIC

Water/Liquid Matrix

Analytical Method	Preparation Method
200.7 / 200.8	200.2
6010D	3005A/3010A
6020B	ILM05.3
9034 Sulfide Acid Soluble	9030B
SM 4500-CN-N-2016 Amenable and Residual Cyanide	SM 4500-CN-G and SM 4500-CN-B,C-2016
SM 4500-CN-E WAD Cyanide	SM 4500-CN-I

Solid/Soil/Non-Aqueous Matrix

Analytical Method	Preparation Method
6010D	3050B
6010D TCLP (1311) extract	3005A/3010A
6010D SPLP (1312) extract	3005A/3010A
7199	3060A
300.0 Anions/ 350.1/ 353.2/ SM 2320B/ SM 5210B/ 9056A Anions	DI extraction
For analytical methods not listed, the preparation method is the same as the analytical method reference.	

ORGANIC

Preparation Methods for Organic methods are listed in the header of the Results pages.

Regarding "Bulk/5035A":

For soil/solid samples submitted in soil jars for Volatiles analysis, the prep method is listed as "Bulk/5035A". The lab follows the closed-system EPA 5035A protocols once the sample is transferred to a sealed vial, but collection in bulk in soil jars does not follow the collection protocols listed in EPA 5035A. In accordance with the NYSDOH technical notice of October 2012, all results or reporting limits <200 ug/kg are to be considered estimated due to potential low bias.



Volatile Organic Compounds by GC/MS

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 08:45
Date Received: 01/02/26 13:39

Sample Name: MW-23
Lab Code: R2600011-001

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	0.81 J	1.0	0.20	1	01/09/26 14:21	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 14:21	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 14:21	
1,1-Dichloroethane (1,1-DCA)	1.6	1.0	0.20	1	01/09/26 14:21	
1,1-Dichloroethene (1,1-DCE)	1.0 U	1.0	0.20	1	01/09/26 14:21	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 14:21	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 14:21	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 14:21	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 14:21	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 14:21	
Acetone	5.0 U	5.0	5.0	1	01/09/26 14:21	
Benzene	1.0 U	1.0	0.20	1	01/09/26 14:21	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 14:21	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 14:21	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 14:21	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 14:21	UJ
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 14:21	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 14:21	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 14:21	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 14:21	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 14:21	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 14:21	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 14:21	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 14:21	
Styrene	1.0 U	1.0	0.20	1	01/09/26 14:21	
Tetrachloroethene (PCE)	1.0 U	1.0	0.21	1	01/09/26 14:21	
Toluene	1.0 U	1.0	0.20	1	01/09/26 14:21	
Trichloroethene (TCE)	3.0	1.0	0.20	1	01/09/26 14:21	
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 14:21	
cis-1,2-Dichloroethene	3.0	1.0	0.23	1	01/09/26 14:21	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 14:21	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 14:21	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 14:21	
trans-1,2-Dichloroethene	1.8	1.0	0.20	1	01/09/26 14:21	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 14:21	

MKP 1/20/2026

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 08:45
Date Received: 01/02/26 13:39

Sample Name: MW-23
Lab Code: R2600011-001

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	104	85 - 122	01/09/26 14:21	
Dibromofluoromethane	96	80 - 116	01/09/26 14:21	
Toluene-d8	98	87 - 121	01/09/26 14:21	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 09:00
Date Received: 01/02/26 13:39

Sample Name: MW-10
Lab Code: R2600011-002

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	2.1	1.0	0.20	1	01/09/26 14:44	J
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 14:44	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 14:44	
1,1-Dichloroethane (1,1-DCA)	1.0 U	1.0	0.20	1	01/09/26 14:44	
1,1-Dichloroethene (1,1-DCE)	1.0 U	1.0	0.20	1	01/09/26 14:44	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 14:44	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 14:44	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 14:44	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 14:44	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 14:44	
Acetone	5.0 U	5.0	5.0	1	01/09/26 14:44	
Benzene	1.0 U	1.0	0.20	1	01/09/26 14:44	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 14:44	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 14:44	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 14:44	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 14:44	UJ
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 14:44	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 14:44	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 14:44	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 14:44	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 14:44	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 14:44	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 14:44	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 14:44	
Styrene	1.0 U	1.0	0.20	1	01/09/26 14:44	
Tetrachloroethene (PCE)	1.0 U	1.0	0.21	1	01/09/26 14:44	
Toluene	1.0 U	1.0	0.20	1	01/09/26 14:44	
Trichloroethene (TCE)	0.63 J	1.0	0.20	1	01/09/26 14:44	J
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 14:44	
cis-1,2-Dichloroethene	1.0 U	1.0	0.23	1	01/09/26 14:44	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 14:44	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 14:44	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 14:44	
trans-1,2-Dichloroethene	1.0 U	1.0	0.20	1	01/09/26 14:44	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 14:44	

MKP 1/20/2026

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 09:00
Date Received: 01/02/26 13:39

Sample Name: MW-10
Lab Code: R2600011-002

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	106	85 - 122	01/09/26 14:44	
Dibromofluoromethane	97	80 - 116	01/09/26 14:44	
Toluene-d8	99	87 - 121	01/09/26 14:44	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 09:20
Date Received: 01/02/26 13:39

Sample Name: MW-24S
Lab Code: R2600011-003

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	10	1.0	0.20	1	01/09/26 15:07	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 15:07	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 15:07	
1,1-Dichloroethane (1,1-DCA)	1.3	1.0	0.20	1	01/09/26 15:07	
1,1-Dichloroethene (1,1-DCE)	3.3	1.0	0.20	1	01/09/26 15:07	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 15:07	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 15:07	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 15:07	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 15:07	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 15:07	
Acetone	5.0 U	5.0	5.0	1	01/09/26 15:07	
Benzene	1.0 U	1.0	0.20	1	01/09/26 15:07	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 15:07	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 15:07	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 15:07	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 15:07	UJ
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 15:07	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 15:07	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 15:07	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 15:07	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 15:07	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 15:07	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 15:07	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 15:07	
Styrene	1.0 U	1.0	0.20	1	01/09/26 15:07	
Tetrachloroethene (PCE)	1.0 U	1.0	0.21	1	01/09/26 15:07	
Toluene	1.0 U	1.0	0.20	1	01/09/26 15:07	
Trichloroethene (TCE)	57	1.0	0.20	1	01/09/26 15:07	
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 15:07	
cis-1,2-Dichloroethene	1.0 U	1.0	0.23	1	01/09/26 15:07	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 15:07	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 15:07	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 15:07	
trans-1,2-Dichloroethene	1.0 U	1.0	0.20	1	01/09/26 15:07	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 15:07	

MKP 1/20/2026

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 09:20
Date Received: 01/02/26 13:39

Sample Name: MW-24S
Lab Code: R2600011-003

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	108	85 - 122	01/09/26 15:07	
Dibromofluoromethane	99	80 - 116	01/09/26 15:07	
Toluene-d8	100	87 - 121	01/09/26 15:07	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 09:40
Date Received: 01/02/26 13:39

Sample Name: MW-4
Lab Code: R2600011-004

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	9.3	1.0	0.20	1	01/09/26 15:31	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 15:31	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 15:31	
1,1-Dichloroethane (1,1-DCA)	0.81 J	1.0	0.20	1	01/09/26 15:31	
1,1-Dichloroethene (1,1-DCE)	2.4	1.0	0.20	1	01/09/26 15:31	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 15:31	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 15:31	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 15:31	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 15:31	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 15:31	
Acetone	5.0 U	5.0	5.0	1	01/09/26 15:31	
Benzene	1.0 U	1.0	0.20	1	01/09/26 15:31	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 15:31	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 15:31	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 15:31	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 15:31	UJ
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 15:31	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 15:31	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 15:31	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 15:31	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 15:31	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 15:31	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 15:31	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 15:31	
Styrene	1.0 U	1.0	0.20	1	01/09/26 15:31	
Tetrachloroethene (PCE)	1.0 U	1.0	0.21	1	01/09/26 15:31	
Toluene	1.0 U	1.0	0.20	1	01/09/26 15:31	
Trichloroethene (TCE)	49	1.0	0.20	1	01/09/26 15:31	
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 15:31	
cis-1,2-Dichloroethene	1.0 U	1.0	0.23	1	01/09/26 15:31	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 15:31	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 15:31	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 15:31	
trans-1,2-Dichloroethene	1.0 U	1.0	0.20	1	01/09/26 15:31	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 15:31	

MKP 1/20/2026

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 09:40
Date Received: 01/02/26 13:39

Sample Name: MW-4
Lab Code: R2600011-004

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	106	85 - 122	01/09/26 15:31	
Dibromofluoromethane	102	80 - 116	01/09/26 15:31	
Toluene-d8	103	87 - 121	01/09/26 15:31	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 10:00
Date Received: 01/02/26 13:39

Sample Name: SC-1
Lab Code: R2600011-005

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	5.3	1.0	0.20	1	01/09/26 15:54	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 15:54	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 15:54	
1,1-Dichloroethane (1,1-DCA)	0.54 J	1.0	0.20	1	01/09/26 15:54	
1,1-Dichloroethene (1,1-DCE)	1.2	1.0	0.20	1	01/09/26 15:54	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 15:54	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 15:54	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 15:54	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 15:54	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 15:54	
Acetone	5.0 U	5.0	5.0	1	01/09/26 15:54	
Benzene	1.0 U	1.0	0.20	1	01/09/26 15:54	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 15:54	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 15:54	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 15:54	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 15:54	UJ
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 15:54	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 15:54	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 15:54	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 15:54	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 15:54	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 15:54	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 15:54	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 15:54	
Styrene	1.0 U	1.0	0.20	1	01/09/26 15:54	
Tetrachloroethene (PCE)	1.0 U	1.0	0.21	1	01/09/26 15:54	
Toluene	1.0 U	1.0	0.20	1	01/09/26 15:54	
Trichloroethene (TCE)	30	1.0	0.20	1	01/09/26 15:54	
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 15:54	
cis-1,2-Dichloroethene	1.0 U	1.0	0.23	1	01/09/26 15:54	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 15:54	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 15:54	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 15:54	
trans-1,2-Dichloroethene	1.0 U	1.0	0.20	1	01/09/26 15:54	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 15:54	

MKP 1/20/2026

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 10:00
Date Received: 01/02/26 13:39

Sample Name: SC-1
Lab Code: R2600011-005

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	106	85 - 122	01/09/26 15:54	
Dibromofluoromethane	98	80 - 116	01/09/26 15:54	
Toluene-d8	100	87 - 121	01/09/26 15:54	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 10:35
Date Received: 01/02/26 13:39

Sample Name: SSG MW-3
Lab Code: R2600011-006

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	4.7	1.0	0.20	1	01/09/26 16:17	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 16:17	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 16:17	
1,1-Dichloroethane (1,1-DCA)	1.0 U	1.0	0.20	1	01/09/26 16:17	
1,1-Dichloroethene (1,1-DCE)	0.67 J	1.0	0.20	1	01/09/26 16:17	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 16:17	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 16:17	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 16:17	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 16:17	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 16:17	
Acetone	5.0 U	5.0	5.0	1	01/09/26 16:17	
Benzene	1.0 U	1.0	0.20	1	01/09/26 16:17	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 16:17	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 16:17	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 16:17	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 16:17	UJ
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 16:17	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 16:17	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 16:17	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 16:17	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 16:17	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 16:17	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 16:17	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 16:17	
Styrene	1.0 U	1.0	0.20	1	01/09/26 16:17	
Tetrachloroethene (PCE)	1.0 U	1.0	0.21	1	01/09/26 16:17	
Toluene	1.0 U	1.0	0.20	1	01/09/26 16:17	
Trichloroethene (TCE)	7.3	1.0	0.20	1	01/09/26 16:17	
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 16:17	
cis-1,2-Dichloroethene	1.0 U	1.0	0.23	1	01/09/26 16:17	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 16:17	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 16:17	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 16:17	
trans-1,2-Dichloroethene	1.0 U	1.0	0.20	1	01/09/26 16:17	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 16:17	

MKP 1/20/2026

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 10:35
Date Received: 01/02/26 13:39

Sample Name: SSG MW-3
Lab Code: R2600011-006

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	103	85 - 122	01/09/26 16:17	
Dibromofluoromethane	95	80 - 116	01/09/26 16:17	
Toluene-d8	98	87 - 121	01/09/26 16:17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water
Sample Name: MW-26
Lab Code: R2600011-007

Service Request: R2600011
Date Collected: 01/02/26 10:45
Date Received: 01/02/26 13:39

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	3.7	1.0	0.20	1	01/09/26 18:37	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 18:37	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 18:37	
1,1-Dichloroethane (1,1-DCA)	1.0 U	1.0	0.20	1	01/09/26 18:37	
1,1-Dichloroethene (1,1-DCE)	0.80 J	1.0	0.20	1	01/09/26 18:37	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 18:37	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 18:37	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 18:37	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 18:37	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 18:37	
Acetone	5.0 U	5.0	5.0	1	01/09/26 18:37	
Benzene	1.0 U	1.0	0.20	1	01/09/26 18:37	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 18:37	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 18:37	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 18:37	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 18:37	UJ
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 18:37	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 18:37	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 18:37	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 18:37	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 18:37	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 18:37	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 18:37	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 18:37	
Styrene	1.0 U	1.0	0.20	1	01/09/26 18:37	
Tetrachloroethene (PCE)	0.61 J	1.0	0.21	1	01/09/26 18:37	
Toluene	1.0 U	1.0	0.20	1	01/09/26 18:37	
Trichloroethene (TCE)	62	1.0	0.20	1	01/09/26 18:37	
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 18:37	
cis-1,2-Dichloroethene	1.0 U	1.0	0.23	1	01/09/26 18:37	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 18:37	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 18:37	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 18:37	
trans-1,2-Dichloroethene	1.0 U	1.0	0.20	1	01/09/26 18:37	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 18:37	

MKP 1/20/2026

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 10:45
Date Received: 01/02/26 13:39

Sample Name: MW-26
Lab Code: R2600011-007

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	106	85 - 122	01/09/26 18:37	
Dibromofluoromethane	96	80 - 116	01/09/26 18:37	
Toluene-d8	100	87 - 121	01/09/26 18:37	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 11:20
Date Received: 01/02/26 13:39

Sample Name: MW-15
Lab Code: R2600011-008

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	12	1.0	0.20	1	01/09/26 16:40	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 16:40	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 16:40	
1,1-Dichloroethane (1,1-DCA)	1.0 U	1.0	0.20	1	01/09/26 16:40	
1,1-Dichloroethene (1,1-DCE)	2.2	1.0	0.20	1	01/09/26 16:40	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 16:40	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 16:40	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 16:40	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 16:40	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 16:40	
Acetone	5.0 U	5.0	5.0	1	01/09/26 16:40	
Benzene	1.0 U	1.0	0.20	1	01/09/26 16:40	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 16:40	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 16:40	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 16:40	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 16:40	UJ
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 16:40	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 16:40	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 16:40	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 16:40	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 16:40	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 16:40	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 16:40	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 16:40	
Styrene	1.0 U	1.0	0.20	1	01/09/26 16:40	
Tetrachloroethene (PCE)	1.0 U	1.0	0.21	1	01/09/26 16:40	
Toluene	1.0 U	1.0	0.20	1	01/09/26 16:40	
Trichloroethene (TCE)	3.7	1.0	0.20	1	01/09/26 16:40	
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 16:40	
cis-1,2-Dichloroethene	1.0 U	1.0	0.23	1	01/09/26 16:40	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 16:40	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 16:40	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 16:40	
trans-1,2-Dichloroethene	1.0 U	1.0	0.20	1	01/09/26 16:40	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 16:40	

MKP 1/20/2026

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 11:20
Date Received: 01/02/26 13:39

Sample Name: MW-15
Lab Code: R2600011-008

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	108	85 - 122	01/09/26 16:40	
Dibromofluoromethane	99	80 - 116	01/09/26 16:40	
Toluene-d8	102	87 - 121	01/09/26 16:40	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 11:30
Date Received: 01/02/26 13:39

Sample Name: MW-13
Lab Code: R2600011-009

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	25	1.0	0.20	1	01/09/26 17:04	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 17:04	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 17:04	
1,1-Dichloroethane (1,1-DCA)	1.0 U	1.0	0.20	1	01/09/26 17:04	
1,1-Dichloroethene (1,1-DCE)	3.8	1.0	0.20	1	01/09/26 17:04	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 17:04	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 17:04	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 17:04	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 17:04	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 17:04	
Acetone	5.0 U	5.0	5.0	1	01/09/26 17:04	
Benzene	1.0 U	1.0	0.20	1	01/09/26 17:04	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 17:04	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 17:04	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 17:04	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 17:04	UJ
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 17:04	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 17:04	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 17:04	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 17:04	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 17:04	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 17:04	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 17:04	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 17:04	
Styrene	1.0 U	1.0	0.20	1	01/09/26 17:04	
Tetrachloroethene (PCE)	0.44 J	1.0	0.21	1	01/09/26 17:04	
Toluene	1.0 U	1.0	0.20	1	01/09/26 17:04	
Trichloroethene (TCE)	44	1.0	0.20	1	01/09/26 17:04	
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 17:04	
cis-1,2-Dichloroethene	1.0 U	1.0	0.23	1	01/09/26 17:04	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 17:04	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 17:04	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 17:04	
trans-1,2-Dichloroethene	1.0 U	1.0	0.20	1	01/09/26 17:04	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 17:04	

MKP 1/20/2026

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 11:30
Date Received: 01/02/26 13:39

Sample Name: MW-13
Lab Code: R2600011-009

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	103	85 - 122	01/09/26 17:04	
Dibromofluoromethane	96	80 - 116	01/09/26 17:04	
Toluene-d8	98	87 - 121	01/09/26 17:04	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 11:40
Date Received: 01/02/26 13:39

Sample Name: MW-14
Lab Code: R2600011-010

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	7.9	1.0	0.20	1	01/09/26 17:27	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 17:27	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 17:27	
1,1-Dichloroethane (1,1-DCA)	1.0 U	1.0	0.20	1	01/09/26 17:27	
1,1-Dichloroethene (1,1-DCE)	0.91 J	1.0	0.20	1	01/09/26 17:27	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 17:27	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 17:27	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 17:27	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 17:27	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 17:27	
Acetone	5.0 U	5.0	5.0	1	01/09/26 17:27	
Benzene	1.0 U	1.0	0.20	1	01/09/26 17:27	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 17:27	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 17:27	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 17:27	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 17:27	UJ
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 17:27	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 17:27	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 17:27	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 17:27	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 17:27	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 17:27	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 17:27	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 17:27	
Styrene	1.0 U	1.0	0.20	1	01/09/26 17:27	
Tetrachloroethene (PCE)	0.51 J	1.0	0.21	1	01/09/26 17:27	
Toluene	1.0 U	1.0	0.20	1	01/09/26 17:27	
Trichloroethene (TCE)	39	1.0	0.20	1	01/09/26 17:27	
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 17:27	
cis-1,2-Dichloroethene	1.0 U	1.0	0.23	1	01/09/26 17:27	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 17:27	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 17:27	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 17:27	
trans-1,2-Dichloroethene	1.0 U	1.0	0.20	1	01/09/26 17:27	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 17:27	

MKP 1/20/2026

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 11:40
Date Received: 01/02/26 13:39

Sample Name: MW-14
Lab Code: R2600011-010

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	110	85 - 122	01/09/26 17:27	
Dibromofluoromethane	105	80 - 116	01/09/26 17:27	
Toluene-d8	104	87 - 121	01/09/26 17:27	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 12:00
Date Received: 01/02/26 13:39

Sample Name: DUP010226A
Lab Code: R2600011-011

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	4.8	1.0	0.20	1	01/09/26 17:50	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 17:50	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 17:50	
1,1-Dichloroethane (1,1-DCA)	0.46 J	1.0	0.20	1	01/09/26 17:50	
1,1-Dichloroethene (1,1-DCE)	1.2	1.0	0.20	1	01/09/26 17:50	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 17:50	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 17:50	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 17:50	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 17:50	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 17:50	
Acetone	5.0 U	5.0	5.0	1	01/09/26 17:50	
Benzene	1.0 U	1.0	0.20	1	01/09/26 17:50	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 17:50	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 17:50	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 17:50	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 17:50	UJ
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 17:50	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 17:50	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 17:50	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 17:50	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 17:50	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 17:50	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 17:50	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 17:50	
Styrene	1.0 U	1.0	0.20	1	01/09/26 17:50	
Tetrachloroethene (PCE)	1.0 U	1.0	0.21	1	01/09/26 17:50	
Toluene	1.0 U	1.0	0.20	1	01/09/26 17:50	
Trichloroethene (TCE)	30	1.0	0.20	1	01/09/26 17:50	
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 17:50	
cis-1,2-Dichloroethene	1.0 U	1.0	0.23	1	01/09/26 17:50	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 17:50	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 17:50	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 17:50	
trans-1,2-Dichloroethene	1.0 U	1.0	0.20	1	01/09/26 17:50	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 17:50	

MKP 1/20/2026

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 12:00
Date Received: 01/02/26 13:39

Sample Name: DUP010226A
Lab Code: R2600011-011

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	114	85 - 122	01/09/26 17:50	
Dibromofluoromethane	102	80 - 116	01/09/26 17:50	
Toluene-d8	103	87 - 121	01/09/26 17:50	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 10:05
Date Received: 01/02/26 13:39

Sample Name: EB010226
Lab Code: R2600011-012

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	1.0 U	1.0	0.20	1	01/09/26 13:57	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 13:57	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 13:57	
1,1-Dichloroethane (1,1-DCA)	1.0 U	1.0	0.20	1	01/09/26 13:57	
1,1-Dichloroethene (1,1-DCE)	1.0 U	1.0	0.20	1	01/09/26 13:57	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 13:57	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 13:57	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 13:57	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 13:57	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 13:57	
Acetone	5.0 U	5.0	5.0	1	01/09/26 13:57	
Benzene	1.0 U	1.0	0.20	1	01/09/26 13:57	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 13:57	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 13:57	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 13:57	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 13:57	UJ
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 13:57	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 13:57	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 13:57	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 13:57	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 13:57	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 13:57	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 13:57	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 13:57	
Styrene	1.0 U	1.0	0.20	1	01/09/26 13:57	
Tetrachloroethene (PCE)	1.0 U	1.0	0.21	1	01/09/26 13:57	
Toluene	1.0 U	1.0	0.20	1	01/09/26 13:57	
Trichloroethene (TCE)	1.0 U	1.0	0.20	1	01/09/26 13:57	
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 13:57	
cis-1,2-Dichloroethene	1.0 U	1.0	0.23	1	01/09/26 13:57	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 13:57	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 13:57	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 13:57	
trans-1,2-Dichloroethene	1.0 U	1.0	0.20	1	01/09/26 13:57	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 13:57	

MKP 1/20/2026

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 10:05
Date Received: 01/02/26 13:39

Sample Name: EB010226
Lab Code: R2600011-012

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	108	85 - 122	01/09/26 13:57	
Dibromofluoromethane	104	80 - 116	01/09/26 13:57	
Toluene-d8	103	87 - 121	01/09/26 13:57	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 12:30
Date Received: 01/02/26 13:39

Sample Name: DUP010226B
Lab Code: R2600011-013

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	3.6	1.0	0.20	1	01/09/26 18:13	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 18:13	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 18:13	
1,1-Dichloroethane (1,1-DCA)	1.0 U	1.0	0.20	1	01/09/26 18:13	
1,1-Dichloroethene (1,1-DCE)	0.87 J	1.0	0.20	1	01/09/26 18:13	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 18:13	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 18:13	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 18:13	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 18:13	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 18:13	
Acetone	5.0 U	5.0	5.0	1	01/09/26 18:13	
Benzene	1.0 U	1.0	0.20	1	01/09/26 18:13	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 18:13	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 18:13	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 18:13	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 18:13	UJ
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 18:13	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 18:13	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 18:13	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 18:13	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 18:13	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 18:13	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 18:13	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 18:13	
Styrene	1.0 U	1.0	0.20	1	01/09/26 18:13	
Tetrachloroethene (PCE)	0.66 J	1.0	0.21	1	01/09/26 18:13	
Toluene	1.0 U	1.0	0.20	1	01/09/26 18:13	
Trichloroethene (TCE)	58	1.0	0.20	1	01/09/26 18:13	
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 18:13	
cis-1,2-Dichloroethene	1.0 U	1.0	0.23	1	01/09/26 18:13	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 18:13	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 18:13	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 18:13	
trans-1,2-Dichloroethene	1.0 U	1.0	0.20	1	01/09/26 18:13	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 18:13	

MKP 1/20/2026

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 12:30
Date Received: 01/02/26 13:39

Sample Name: DUP010226B
Lab Code: R2600011-013

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	107	85 - 122	01/09/26 18:13	
Dibromofluoromethane	99	80 - 116	01/09/26 18:13	
Toluene-d8	101	87 - 121	01/09/26 18:13	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 11:50
Date Received: 01/02/26 13:39

Sample Name: MW-17S
Lab Code: R2600011-014

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	11	2.0	0.40	2	01/09/26 19:23	
1,1,2,2-Tetrachloroethane	2.0 U	2.0	0.40	2	01/09/26 19:23	
1,1,2-Trichloroethane	2.0 U	2.0	0.40	2	01/09/26 19:23	
1,1-Dichloroethane (1,1-DCA)	2.0 U	2.0	0.40	2	01/09/26 19:23	
1,1-Dichloroethene (1,1-DCE)	1.9 J	2.0	0.40	2	01/09/26 19:23	
1,2-Dichloroethane	2.0 U	2.0	0.40	2	01/09/26 19:23	
1,2-Dichloropropane	2.0 U	2.0	0.40	2	01/09/26 19:23	
2-Butanone (MEK)	10 U	10	1.6	2	01/09/26 19:23	
2-Hexanone	10 U	10	0.40	2	01/09/26 19:23	
4-Methyl-2-pentanone	10 U	10	0.40	2	01/09/26 19:23	
Acetone	10 U	10	10	2	01/09/26 19:23	
Benzene	2.0 U	2.0	0.40	2	01/09/26 19:23	
Bromodichloromethane	2.0 U	2.0	0.40	2	01/09/26 19:23	
Bromoform	2.0 U	2.0	0.50	2	01/09/26 19:23	
Bromomethane	2.0 U	2.0	1.4	2	01/09/26 19:23	
Carbon Disulfide	2.0 U	2.0	0.84	2	01/09/26 19:23	UJ
Carbon Tetrachloride	2.0 U	2.0	0.68	2	01/09/26 19:23	
Chlorobenzene	2.0 U	2.0	0.40	2	01/09/26 19:23	
Chloroethane	2.0 U	2.0	0.46	2	01/09/26 19:23	
Chloroform	2.0 U	2.0	1.1	2	01/09/26 19:23	
Chloromethane	2.0 U	2.0	0.80	2	01/09/26 19:23	
Dibromochloromethane	2.0 U	2.0	0.40	2	01/09/26 19:23	
Dichloromethane	2.0 U	2.0	1.3	2	01/09/26 19:23	
Ethylbenzene	2.0 U	2.0	0.40	2	01/09/26 19:23	
Styrene	2.0 U	2.0	0.40	2	01/09/26 19:23	
Tetrachloroethene (PCE)	0.97 J	2.0	0.42	2	01/09/26 19:23	
Toluene	2.0 U	2.0	0.40	2	01/09/26 19:23	
Trichloroethene (TCE)	210	2.0	0.40	2	01/09/26 19:23	
Vinyl Chloride	2.0 U	2.0	0.40	2	01/09/26 19:23	
cis-1,2-Dichloroethene	2.0 U	2.0	0.46	2	01/09/26 19:23	
cis-1,3-Dichloropropene	2.0 U	2.0	0.40	2	01/09/26 19:23	
m,p-Xylenes	4.0 U	4.0	0.50	2	01/09/26 19:23	
o-Xylene	2.0 U	2.0	0.40	2	01/09/26 19:23	
trans-1,2-Dichloroethene	2.0 U	2.0	0.40	2	01/09/26 19:23	
trans-1,3-Dichloropropene	2.0 U	2.0	0.46	2	01/09/26 19:23	

MKP 1/20/2026

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 11:50
Date Received: 01/02/26 13:39

Sample Name: MW-17S
Lab Code: R2600011-014

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	103	85 - 122	01/09/26 19:23	
Dibromofluoromethane	99	80 - 116	01/09/26 19:23	
Toluene-d8	100	87 - 121	01/09/26 19:23	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 12:05
Date Received: 01/02/26 13:39

Sample Name: MW-16
Lab Code: R2600011-015

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	16	1.0	0.20	1	01/09/26 19:00	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 19:00	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 19:00	
1,1-Dichloroethane (1,1-DCA)	1.0 U	1.0	0.20	1	01/09/26 19:00	
1,1-Dichloroethene (1,1-DCE)	3.1	1.0	0.20	1	01/09/26 19:00	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 19:00	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 19:00	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 19:00	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 19:00	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 19:00	
Acetone	5.0 U	5.0	5.0	1	01/09/26 19:00	
Benzene	1.0 U	1.0	0.20	1	01/09/26 19:00	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 19:00	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 19:00	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 19:00	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 19:00	UJ
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 19:00	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 19:00	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 19:00	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 19:00	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 19:00	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 19:00	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 19:00	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 19:00	
Styrene	1.0 U	1.0	0.20	1	01/09/26 19:00	
Tetrachloroethene (PCE)	0.54 J	1.0	0.21	1	01/09/26 19:00	
Toluene	1.0 U	1.0	0.20	1	01/09/26 19:00	
Trichloroethene (TCE)	160	1.0	0.20	1	01/09/26 19:00	
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 19:00	
cis-1,2-Dichloroethene	1.0 U	1.0	0.23	1	01/09/26 19:00	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 19:00	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 19:00	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 19:00	
trans-1,2-Dichloroethene	1.0 U	1.0	0.20	1	01/09/26 19:00	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 19:00	

MKP 1/20/2026

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26 12:05
Date Received: 01/02/26 13:39

Sample Name: MW-16
Lab Code: R2600011-015

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	107	85 - 122	01/09/26 19:00	
Dibromofluoromethane	103	80 - 116	01/09/26 19:00	
Toluene-d8	107	87 - 121	01/09/26 19:00	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26
Date Received: 01/02/26 13:39

Sample Name: Trip Blank
Lab Code: R2600011-016

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	1.0 U	1.0	0.20	1	01/09/26 13:34	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.20	1	01/09/26 13:34	
1,1,2-Trichloroethane	1.0 U	1.0	0.20	1	01/09/26 13:34	
1,1-Dichloroethane (1,1-DCA)	1.0 U	1.0	0.20	1	01/09/26 13:34	
1,1-Dichloroethene (1,1-DCE)	1.0 U	1.0	0.20	1	01/09/26 13:34	
1,2-Dichloroethane	1.0 U	1.0	0.20	1	01/09/26 13:34	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	01/09/26 13:34	
2-Butanone (MEK)	5.0 U	5.0	0.78	1	01/09/26 13:34	
2-Hexanone	5.0 U	5.0	0.20	1	01/09/26 13:34	
4-Methyl-2-pentanone	5.0 U	5.0	0.20	1	01/09/26 13:34	
Acetone	5.0 U	5.0	5.0	1	01/09/26 13:34	
Benzene	1.0 U	1.0	0.20	1	01/09/26 13:34	
Bromodichloromethane	1.0 U	1.0	0.20	1	01/09/26 13:34	
Bromoform	1.0 U	1.0	0.25	1	01/09/26 13:34	
Bromomethane	1.0 U	1.0	0.70	1	01/09/26 13:34	
Carbon Disulfide	1.0 U	1.0	0.42	1	01/09/26 13:34	UJ
Carbon Tetrachloride	1.0 U	1.0	0.34	1	01/09/26 13:34	
Chlorobenzene	1.0 U	1.0	0.20	1	01/09/26 13:34	
Chloroethane	1.0 U	1.0	0.23	1	01/09/26 13:34	
Chloroform	1.0 U	1.0	0.51	1	01/09/26 13:34	
Chloromethane	1.0 U	1.0	0.40	1	01/09/26 13:34	
Dibromochloromethane	1.0 U	1.0	0.20	1	01/09/26 13:34	
Dichloromethane	1.0 U	1.0	0.65	1	01/09/26 13:34	
Ethylbenzene	1.0 U	1.0	0.20	1	01/09/26 13:34	
Styrene	1.0 U	1.0	0.20	1	01/09/26 13:34	
Tetrachloroethene (PCE)	1.0 U	1.0	0.21	1	01/09/26 13:34	
Toluene	1.0 U	1.0	0.20	1	01/09/26 13:34	
Trichloroethene (TCE)	1.0 U	1.0	0.20	1	01/09/26 13:34	
Vinyl Chloride	1.0 U	1.0	0.20	1	01/09/26 13:34	
cis-1,2-Dichloroethene	1.0 U	1.0	0.23	1	01/09/26 13:34	
cis-1,3-Dichloropropene	1.0 U	1.0	0.20	1	01/09/26 13:34	
m,p-Xylenes	2.0 U	2.0	0.25	1	01/09/26 13:34	
o-Xylene	1.0 U	1.0	0.20	1	01/09/26 13:34	
trans-1,2-Dichloroethene	1.0 U	1.0	0.20	1	01/09/26 13:34	
trans-1,3-Dichloropropene	1.0 U	1.0	0.23	1	01/09/26 13:34	

MKP 1/20/2026

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26
Date Received: 01/02/26 13:39

Sample Name: Trip Blank
Lab Code: R2600011-016

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	100	85 - 122	01/09/26 13:34	
Dibromofluoromethane	95	80 - 116	01/09/26 13:34	
Toluene-d8	99	87 - 121	01/09/26 13:34	

Appendix B

*Laboratory
QC
Documentation*

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26
Date Received: 01/02/26
Date Analyzed: 01/9/26
Date Extracted: NA

Duplicate Matrix Spike Summary
Volatile Organic Compounds by GC/MS

Sample Name: MW-10
Lab Code: R2600011-002
Analysis Method: 8260D
Prep Method: EPA 5030C

Units: ug/L
Basis: NA

Analyte Name	Matrix Spike RQ2600425-04				Duplicate Matrix Spike RQ2600425-05				% Rec Limits	RPD	RPD Limit
	Sample Result	Result	Spike Amount	% Rec	Result	Spike Amount	% Rec				
1,1,1-Trichloroethane (TCA)	2.1	56.3	50.0	108	66.5	50.0	129 *	74-127	17	30	
1,1,2,2-Tetrachloroethane	1.0 U	56.6	50.0	113	65.9	50.0	132 *	72-122	15	30	
1,1,2-Trichloroethane	1.0 U	58.1	50.0	116	64.5	50.0	129 *	82-121	10	30	
1,1-Dichloroethane (1,1-DCA)	1.0 U	56.9	50.0	114	65.1	50.0	130	74-132	13	30	
1,1-Dichloroethene (1,1-DCE)	1.0 U	55.2	50.0	110	63.8	50.0	128 *	71-118	15	30	
1,2-Dichloroethane	1.0 U	55.0	50.0	110	61.8	50.0	124	68-130	12	30	
1,2-Dichloropropane	1.0 U	57.8	50.0	116	63.8	50.0	128 *	79-124	10	30	
2-Butanone (MEK)	5.0 U	53.5	50.0	107	55.9	50.0	112	61-137	4	30	
2-Hexanone	5.0 U	59.0	50.0	118	62.7	50.0	125	56-132	6	30	
4-Methyl-2-pentanone	5.0 U	64.2	50.0	128	66.7	50.0	133	60-141	4	30	
Acetone	5.0 U	46.4	50.0	93	49.9	50.0	100	35-183	7	30	
Benzene	1.0 U	58.2	50.0	116	65.5	50.0	131 *	76-129	12	30	
Bromodichloromethane	1.0 U	55.3	50.0	111	63.5	50.0	127	78-133	14	30	
Bromoform	1.0 U	55.6	50.0	111	63.6	50.0	127	58-133	13	30	
Bromomethane	1.0 U	47.4	50.0	95	55.3	50.0	111	10-184	15	30	
Carbon Disulfide	1.0 U	59.5	50.0	119	64.0	50.0	128	59-140	7	30	
Carbon Tetrachloride	1.0 U	56.7	50.0	113	64.2	50.0	128	65-135	12	30	
Chlorobenzene	1.0 U	52.9	50.0	106	60.4	50.0	121	76-125	13	30	
Chloroethane	1.0 U	41.1	50.0	82	45.6	50.0	91	48-146	10	30	
Chloroform	1.0 U	54.7	50.0	109	63.4	50.0	127	75-130	15	30	
Chloromethane	1.0 U	63.5	50.0	127	73.3	50.0	147	55-160	14	30	
Dibromochloromethane	1.0 U	53.4	50.0	107	63.3	50.0	127	72-128	17	30	
Dichloromethane	1.0 U	51.7	50.0	103	59.1	50.0	118	73-122	13	30	
Ethylbenzene	1.0 U	56.5	50.0	113	63.5	50.0	127	72-134	12	30	
Styrene	1.0 U	58.0	50.0	116	66.1	50.0	132	74-136	13	30	
Tetrachloroethene (PCE)	1.0 U	53.6	50.0	107	62.0	50.0	124	72-125	14	30	
Toluene	1.0 U	56.0	50.0	112	62.6	50.0	125 *	79-119	11	30	
Trichloroethene (TCE)	0.63 J	56.9	50.0	112	63.2	50.0	125 *	74-122	11	30	
Vinyl Chloride	1.0 U	63.7	50.0	127	73.8	50.0	148	74-159	15	30	
cis-1,2-Dichloroethene	1.0 U	52.5	50.0	105	59.2	50.0	118	77-127	12	30	
cis-1,3-Dichloropropene	1.0 U	58.9	50.0	118	66.7	50.0	133	52-134	12	30	
m,p-Xylenes	2.0 U	114	100	114	127	100	127 *	80-126	11	30	
o-Xylene	1.0 U	54.9	50.0	110	62.5	50.0	125 *	79-123	13	30	

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Matrix Spike and Matrix Spike Duplicate Data is presented for information purposes only. The matrix may or may not be relevant to samples reported in this report. The laboratory evaluates system performance based on the LCS and LCSD control limits.

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008
Sample Matrix: Water

Service Request: R2600011
Date Collected: 01/02/26
Date Received: 01/02/26
Date Analyzed: 01/9/26
Date Extracted: NA

Duplicate Matrix Spike Summary
Volatile Organic Compounds by GC/MS

Sample Name: MW-10
Lab Code: R2600011-002
Analysis Method: 8260D
Prep Method: EPA 5030C

Units: ug/L
Basis: NA

Analyte Name	Sample Result	Matrix Spike RQ2600425-04			Duplicate Matrix Spike RQ2600425-05			% Rec Limits	RPD	RPD Limit
		Result	Spike Amount	% Rec	Result	Spike Amount	% Rec			
trans-1,2-Dichloroethene	1.0 U	55.3	50.0	111	62.9	50.0	126 *	73-118	13	30
trans-1,3-Dichloropropene	1.0 U	58.2	50.0	116	65.7	50.0	131	71-133	12	30

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Matrix Spike and Matrix Spike Duplicate Data is presented for information purposes only. The matrix may or may not be relevant to samples reported in this report. The laboratory evaluates system performance based on the LCS and LCSD control limits.

Client: Marks Engineering, PC
Project: DLS Modock Road Springs/25-008

Service Request: R2600011
Date Analyzed: 01/09/26 10:53

Continuing Calibration Verification (CCV) Summary
Volatile Organic Compounds by GC/MS

Analysis Method: 8260D
File ID: I:\ACQUADATA\msvov10\data\010926\E8490.D
Signal ID: 1

Calibration Date: 1/2/2026
Calibration ID: RC2600002
Analysis Lot: 906806
Units: ug/L

Analyte Name	Expected	Result	Average RF	CCV RF	% D	% Drift	Criteria	Curve Fit
1,1,1-Trichloroethane (TCA)	50.0	44.8	0.5814	0.5207	-10.4	NA	±20	Average RF
1,1,2,2-Tetrachloroethane	50.0	53.8	0.8622	0.9276	7.6	NA	±20	Average RF
1,1,2-Trichloroethane	50.0	53.7	0.233	0.2504	7.5	NA	±20	Average RF
1,1-Dichloroethane (1,1-DCA)	50.0	49.7	0.857	0.852	-0.6	NA	±20	Average RF
1,1-Dichloroethene (1,1-DCE)	50.0	48.0	0.7073	0.6794	-3.9	NA	±20	Average RF
1,2-Dichloroethane	50.0	53.7	0.3996	0.4289	7.3	NA	±20	Average RF
1,2-Dichloropropane	50.0	51.7	0.304	0.3142	3.4	NA	±20	Average RF
2-Butanone (MEK)	50.0	45.4	0.3234	0.2937	-9.2	NA	±20	Average RF
2-Hexanone	50.0	45.8	0.1555	0.1424	-8.4	NA	±20	Average RF
4-Methyl-2-pentanone	50.0	49.2	0.3424	0.3373	-1.5	NA	±20	Average RF
Acetone	50.0	44.1	0.2661	0.2346	-11.8	NA	±20	Average RF
Benzene	50.0	49.5	1.104	1.0921	-1.1	NA	±20	Average RF
Bromodichloromethane	50.0	52.3	0.324	0.3387	4.5	NA	±20	Average RF
Bromoform	50.0	53.6	0.1506	0.1615	7.3	NA	±20	Average RF
Bromomethane	50.0	48.6	0.3415	0.2941	NA	-2.9	±20	Quadratic
Carbon Disulfide	50.0	38.4	1.248	0.9586	-23.2*	NA	±20	Average RF
Carbon Tetrachloride	50.0	45.8	0.2387	0.2185	-8.4	NA	±20	Average RF
Chlorobenzene	50.0	49.1	0.8236	0.8088	-1.8	NA	±20	Average RF
Chloroethane	50.0	47.0	0.3839	0.3607	-6.0	NA	±20	Average RF
Chloroform	50.0	49.4	0.7516	0.7427	-1.2	NA	±20	Average RF
Chloromethane	50.0	49.5	0.5629	0.557	-1.0	NA	±20	Average RF
Dibromochloromethane	50.0	54.3	0.244	0.2649	8.6	NA	±20	Average RF
Dichloromethane	50.0	48.7	0.4918	0.4789	-2.6	NA	±20	Average RF
Ethylbenzene	50.0	47.1	1.4318	1.3482	-5.8	NA	±20	Average RF
Styrene	50.0	51.4	0.8695	0.8933	2.7	NA	±20	Average RF
Tetrachloroethene (PCE)	50.0	45.9	0.2577	0.2367	-8.1	NA	±20	Average RF
Toluene	50.0	48.2	1.1541	1.1136	-3.5	NA	±20	Average RF
Trichloroethene (TCE)	50.0	46.6	0.2406	0.2242	-6.8	NA	±20	Average RF
Vinyl Chloride	50.0	47.1	0.5854	0.551	-5.9	NA	±20	Average RF
cis-1,2-Dichloroethene	50.0	47.4	0.5082	0.4812	-5.3	NA	±20	Average RF
cis-1,3-Dichloropropene	50.0	54.7	0.4221	0.4617	9.4	NA	±20	Average RF
m,p-Xylenes	100	97.1	1.097	1.0653	-2.9	NA	±20	Average RF
o-Xylene	50.0	49.6	1.1371	1.1284	-0.8	NA	±20	Average RF
trans-1,2-Dichloroethene	50.0	48.0	0.6946	0.6662	-4.1	NA	±20	Average RF
trans-1,3-Dichloropropene	50.0	54.6	0.3806	0.4154	9.1	NA	±20	Average RF

Analyte Name	Expected	Result	Average RF	CCV RF	% D	% Drift	Criteria	Curve Fit
--------------	----------	--------	------------	--------	-----	---------	----------	-----------

Appendix C

Validator Qualifications

KENNETH R. APPLIN
Geochemist/Data Validator

Ph.D., Geochemistry and Mineralogy, The Pennsylvania State University

M.S., Geochemistry and Mineralogy, The Pennsylvania State University

B.A., Geological Sciences, SUNY at Geneseo, NY

Dr. Applin has over 35 years of experience working with the geochemistry of natural waters. His prior experience includes working as an Assistant Professor of Geology at the University of Missouri-Columbia and as Chief Hydrogeologist and Geochemist with a leading engineering firm in Rochester, NY. In 1993, he established KR Applin and Associates, a small consulting business that focuses on the geochemistry of natural waters, especially as applied to problems involving the contamination of groundwater and surface water.

Dr. Applin is also an experienced analytical data validator and has provided data validation services since 1994 to a variety of clients performing brownfield cleanup projects, hazardous waste remediation, groundwater monitoring at solid waste facilities, and other projects requiring third-party data validation. Dr. Applin has several years of hands-on experience with the laboratory analysis of natural waters and has successfully completed the USEPA Region II certification courses for performing inorganic and organic analytical data validation.

MICHAEL K. PERRY
Chemist/Data Validator

B.S. Chemistry, Georgia State University, Atlanta, GA

A.A.S., Chemical Technology, Alfred State College, Alfred, NY

Mr. Perry has over 30 years of experience in the analytical laboratory business. During his early career, he spent several years as a laboratory analyst performing the analysis of soil, water, and air samples for inorganic and organic chemical parameters. During his last 20 years in the environmental laboratory business, he managed and directed two major analytical laboratories in Rochester, NY. His management responsibilities included oversight of the daily operations of the lab, staff training and supervision, the selection, purchase, and maintenance of analytical instruments, the introduction of new laboratory methods, analytical quality assurance and quality control, data acquisition and management, and other business-related activities.

Mr. Perry has an extensive working knowledge of the methods and procedures used for sampling and analyzing both inorganic and organic analytes in soil, water, and air. He is an accomplished laboratory chemist and is familiar with the analytical methods and procedures established under the USEPA Contract Laboratory Protocols (CLP), the NYSDEC Analytical Services Protocols (ASP), and the NYSDOH Environmental Laboratory Approval Program (ELAP).



Exhibit D
Electronic Data Deliverable
(EDD)
(Provided Electronically)

New EDD set for Modock Springs-DLS Sand and Gravel, Inc., Site 835013

From Noll, Rebecca <rnoll@LaBellaPC.com>

Date Thu 2/5/2026 11:28 AM

To nyenvedd@dec.ny.gov <nyenvedd@dec.ny.gov>; jeffrey.dyber@dec.ny.gov <jeffrey.dyber@dec.ny.gov>

Cc Jeremy Wolf <jwolf@marksengineering.com>; Noll, Dan <dnoll@LaBellaPC.com>

 1 attachment (11 KB)

20260205 1125.835013.NYSDEC_v5_MERGE.zip;

Attached please find a new EDD set for Modock Springs-DLS Sand and Gravel, Inc., Site 835013.

Job Number	Type	Description	Date
R2600011	GW	MW-23, MW-10, MW-24S, MW-4, SC-1, SSG MW-3, MW-26, MW-15, MW-13, MW-14, MW-17S, MW-16	1/2/2026

Rebecca Noll

LaBella Associates | GIS & Environmental Specialist



300 State Street, Suite 201

Rochester, NY 14614

labellapc.com