FIELD INVESTIGATION LETTER REPORT SOIL-GAS CONDUIT SAMPLING AND INDOOR AIR SAMPLING AT VFW POST 2674 AND THE SENECA MARKET BUILDING

NORTH FRANKLIN STREET SITE SITE #8-49-002 VILLAGE OF WATKINS GLEN, NEW YORK

Prepared For:

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION DIVISION OF ENVIRONMENTAL REMEDIATION WORK ASSIGNMENT D003825-09.5

DRAFT

Prepared By:

URS CORPORATION 77 GOODELL STREET BUFFALO, NEW YORK 14203

April 2006

Mr. David J. Chiusano, Project Manager New York State Department of Environmental Conservation Division of Environmental Remediation 625 Broadway 12th Floor Albany, New York 12233-7013

RE: NYSDEC Standby Contract

Active Venting System Operation and Maintenance # D003825-09.5 North Franklin Street Site, Site No. 8-49-002 Field Investigation Letter Report: Soil-Gas Conduit Sampling and Indoor Air Sampling at VFW Post 2674 and the Seneca Market Building

Dear Mr. Chiusano:

URS Corporation (URS) has completed the collection of indoor air samples from the VFW Post 2674 (VFW Post) and the Seneca Market Building and the collection of soil—gas samples from existing soil-gas conduit locations. The indoor air and soil-gas sampling was performed to determine if indoor air quality has been impacted by soil and groundwater contamination resulting from historic activities at the North Franklin Street Site (Figure 1). URS was instructed to perform this work by the Department in an e-mail dated December 21, 2005. The collection of the indoor air samples was performed in accordance with the *Field Sampling Plan for the North Franklin Street Site Indoor Air Sampling* (URS, March 2005). The collection of the soil-gas samples was performed in accordance with the *Field Sampling Plan for the Soil-Gas Conduit Installation and Sampling at the North Franklin Street Site* (URS, July 2005).

The fieldwork associated with this investigation consisted of completing a pre-sampling questionnaire and inventory at the VFW followed by the collection of indoor air samples, sub-slab vapor samples, and an outdoor air sample. Indoor air samples were also collected from the Seneca Market building to verify the efficiency of a sub-slab depressurization (SSD) system installed during October 2005. In addition, three soil-gas samples were collected from soil-gas conduits that were previously installed and sampled in July 2005. The soil-gas conduits are located immediately south of the VFW Post. URS personnel conducted the pre-sampling questionnaire and inventory on January 23, 2006, and the indoor air samples, sub-slab vapor samples, an outdoor air sample and the soil-gas samples were collected concurrently on January 24, 2006 from the VFW Post, the Seneca Market Building and the soil-gas conduits.

FIELD ACTIVITIES

VFW Post

Pre Sampling Questionnaire and Inventory

Prior to the indoor air sampling, a pre-sampling questionnaire and inventory was conducted on the first floor of the VFW. Mr. Robert Estes, Commander of VFW Post 2674, completed the questionnaire concerning the buildings characteristics and history. URS personnel completed an inventory of household chemicals present, which may have potentially impacted the air sample results. A photoionization detector (PID) model RAE Systems ppb RAE was used to survey each household chemical container for the presence of volatile organic compounds (VOCs). The pre-sampling questionnaire and inventory forms are included in Attachment 1.

Indoor Air and Soil Vapor Sampling

URS collected indoor air and sub-slab samples from two locations within the VFW Post at the locations shown of Figure 2. All samples were collected using six-liter Summa canisters, in accordance with the procedures outlined in the Field Sampling Plan (URS, March 2005). URS collected two 8-hour indoor air samples plus a field duplicate and two 8-hour sub-slab vapor samples plus a field duplicate. A photographic log of the sampling activities is included in Attachment 2. Completed sampling logs are provided in Attachment 3.

Outdoor Air Sampling

URS collected one 8-hour outdoor air sample upwind of the locations being sampled for soil-gas and indoor air (Figure 2). The outdoor air sample was collected from ground level in a parking lot located south of the VFW Post and between the SG-08 and SG-10 soil-gas conduit locations. A photographic log containing a picture of the sample location is included in Attachment 2.

After the sampling was completed, the samples were shipped under chain-of-custody (COC) control for VOC analysis via United States Environmental Protection Agency (USEPA) Compendium Method TO-15 to Severn Trent Laboratories (STL) located in Burlington, Vermont. STL-Burlington is a New York State Department of Health (NYSDOH) approved laboratory. A copy of the COCs is included in Attachment 3.

Seneca Market Building

Indoor Air Sampling

URS collected 8-hour indoor air samples from two locations within the Seneca Market Building at the locations shown of Figure 3. All samples were collected using six-liter Summa canisters, in accordance with the procedures outlined in the Field Sampling Plan (URS, March 2005). A photographic log of the sampling activities is included in Attachment 2. Completed sampling logs are provided in Attachment 3.

After the sampling was completed, the samples were shipped under COC control for VOC analysis via

EPA Compendium Method TO-15 to STL-Burlington. A copy of the COCs is included in Attachment 3. **Soil-Gas Conduit Sampling**

URS collected soil-gas samples from soil-gas conduits SG-08, SG-09 and SG-10 (Figure 4). All samples were collected using six-liter Summa canisters, in accordance with the procedures outlined in the Field Sampling Plan (URS, July 2005). URS collected three one-hour soil gas samples plus one field duplicate sample. A helium tracer gas was not used during the collection of the soil-gas samples during this sampling event because during the collection of soil-gas samples in July 2005, a helium tracer gas was used and no elevated concentrations of helium (>20%) were detected at any of the soil-gas conduit locations. Therefore, since the soil-gas conduit passed the tracer gas test in July 2005, the use of a tracer gas was not used during this sampling event. A photographic log of the sampling activities is included in Attachment 2. Completed sampling logs are provided in Attachment 3.

After the sampling was completed, the samples were shipped under chain-of-custody (COC) control for VOC analysis via EPA Compendium Method TO-15 to STL- Burlington. A copy of the COCs is included in Attachment 3.

ANALYTICAL RESULTS

Data Usability

The data packages were prepared by the laboratory in accordance with the NYSDEC's Category B Deliverables requirements. These deliverables were reviewed by a URS chemist for compliance with the referenced method following the guidelines in USEPA Region II's *Validating Canisters of Volatile Organics in Ambient Air, Rev. 0,* April 1994. A Data Usability Summary Report (DUSR) was prepared by a URS chemist following the guidelines provided in NYSDEC Division of Environmental Remediation Guidance for the Development of Data Usability Summary Reports, dated June 1999. The DUSR may be found in Attachment 4.

VFW Post Analytical Summary

The analytical results from the indoor air samples, sub-slab vapor samples, and the ambient air sample have been compared to New York State Department of Health (NYSDOH) indoor air criteria (Table 1). Concentrations of detected compounds at each sample location are shown on Figure 5.

As shown in Table 1, the concentration of most VOCs detected in the ambient air samples were detected at similar concentrations to those in the outdoor air sample. However, tertachloroethene (PCE) was detected at concentrations ranging from 2.0 to 2.4 ug/m³, which is above the background level of the ambient air sample but below the NYSDOH indoor air criteria for PCE, which is 100 ug/m³. Trichloroethene (TCE) was not detected at the H-004-1-A sample location. TCE was however detected at 81.0 ug/m³ at the H-004-1-B sample location and at 0.22 ug/m³ at the field duplicate location (20060124-FD-1), which was collected at the H-004-1-B sample location. The concentration of TCE detected at the H-004-1-B sample location exceeded the NYSDOH indoor air criteria for TCE, which is 5 ug/m³. It should be noted that the laboratory diluted the concentration of TCE in the H-004-1-B sample location and the concentration found in the duplicate sample, which was not diluted, was 0.22 ug/m³. It should

also be noted that the H-004-1-B sample and the duplicate sample were also collected through a "T" setup, which connects to the sample inlet of both Summa canisters, and draws the sample through a common inlet. URS questioned the concentration of TCE detected in the H-004-1-B sample when compared to the concentration of TCE in the associated field duplicate (20060124-FD-1). STL-Burlington has stated that the concentration of TCE reported in the H-004-1-B sample is accurate and there is no explanation for the discrepancy between the concentrations found in the H-004-1-B sample and the associated field duplicate sample (20060124-FD-1).

Table 1 shows the concentration of sub-slab soil vapor samples collected at the VFW Post. At sub-slab vapor sample location H-004-SS-A, TCE was detected at 47.0 ug/m³, which is below the NYSDOH sub-slab criteria for TCE (250 ug/m³). However, PCE was detected at 1,100 ug/m³, which, is above the NYSDOH sub-slab criteria for PCE (1,000 ug/m³). At sub-slab vapor sample location H-004-SS-B and the associated field duplicate (20060124-FD-2), the concentrations of TCE and PCE were below their respective NYSDOH sub-slab criteria.

Based on the results of the sub-slab sample from sample location H-004-SS-A, the concentration of PCE below the building slab exceeds the NYSDOH sub-slab criteria for PCE (1,000 ug/m³). NYSDOH has recommended the installation of a mitigation system to minimize the potential exposure associated with soil vapor intrusion.

Seneca Market Building Analytical Summary

The analytical results from the indoor air samples have been compared to NYSDOH indoor air criteria (Table 2). Concentrations of detected compounds at each sample location are shown on Figure 6.

As shown in Table 2, the concentration of VOCs detected in the indoor air samples were detected at similar concentrations to those in the ambient air sample. Neither TCE nor PCE were detected in the indoor air samples from the Seneca Market Building.

Soil-Gas Conduit Analytical Summary

The analytical results from the soil-gas samples are shown on Table 3. Concentrations of detected compounds at each sample location are shown on Figure 7. As shown in Table 3, the concentration of VOCs detected in the soil-gas samples were detected at similar concentrations to those in the ambient air sample. Neither TCE nor PCE were detected in the soil-gas samples collected.

The following tables, figures and attachments are included as part of this field investigation letter report:

Tables

Table 1	Summary of Detected Analytical Results - VFW Post
Table 2	Summary of Detected Analytical Results - Seneca Market
Table 3	Summary of Detected Analytical Results – Soil-Gas Conduit Locations

Figures

Figure 1	Project Site
Figure 2	VFW Post Indoor/Sub-Slab Air Sample Locations
Figure 3	Seneca Market Building Indoor Air Sample Locations
Figure 4	Soil-Gas Conduit Locations
Figure 5	VFW Post Indoor/Sub-Slab Sample Results
Figure 6	Seneca Market Building Indoor Air Sample Results
Figure 7	Soil-Gas Conduit Analytical Results

Attachments

Attachment 1	Pre-Sampling Questionnaire And Inventory Forms
Attachment 2	Photographic Log
Attachment 3	Sampling Logs and Chain-of-Custody

Should you have any questions or comments, please do not hesitate to contact me at 716-856-5636.

Sincerely,

cc:

URS Corporation

Charles E. Dusel, Jr. Sr. Project Manager

File: 05.35388 (C-1) (11173258)

at M'labe for C. Dosel.

Attachment 4 Data Usability Summary Report



TABLE 1 SUMMARY OF DETECTED ANALYTICAL RESULTS VFW POST

Loc	ation ID			20060124-AB-1	H-004-1-A	H-004-1-B	H-004-1-B	H-004-SS-A
Sa	Sample ID Matrix			20060124-AB-1 Ambient Air	H-004-1-A Indoor Air	H-004-1-B	H-004-1-B-DUP Indoor Air	H-004-SS-A Sub-Slab Air -
ı						Indoor Air		
Depth	Depth Interval (ft)		-	-	-	-		
Date	Sampled			01/24/06	01/24/06	01/24/06	01/24/06	01/24/06
Parameter	Units	Criteria (1)	Criteria (2)				Field Duplicate (1-1)	
Volatile Organic Comp	ounds							
Chloroform	UG/M3	-	-					13 J
Bromodichloromethane	UG/M3	-	-					13 J
Trichloroethene	UG/M3	5	250			81 D	0.22	47 J
Benzene	UG/M3	-	-	1.7	1.6	1.6	1.6	
Tetrachloroethene	UG/M3	100	1000		2.0	2.3	2.4	1,100 J
Toluene	UG/M3	-	-	3.0	3.0	4.1	4.9	
Xylene (total)	UG/M3	-	-	1.7		2.4	2.6	
1,3-Butadiene	UG/M3	-	-		0.35		0.44	
Cyclohexane	UG/M3	-	-		1.5	1.5	1.7	
Heptane	UG/M3	-	-		0.82		1.1	11 J
Hexane	UG/M3	-	-	1.1	1.1	1.2	1.5	
Trichlorofluoromethane	UG/M3	-	-	1.4	16	7.9	9.0	
Dichlorodifluoromethane	UG/M3	-	-	2.9	49 D	28 D	24 D	
2,2,4-Trimethylpentane	UG/M3	-	-				0.70	

Criteria (1)- NYSDOH letter from N. Kim to D. Desnoyers, Division of Environmental Remediation, NYSDEC (October 31, 2003)

Criteria (2)- NYSDOH Guidance for Evaluating Soil Vapor Intrusion in the State of New York, Soil Vapor/Indoor Air Matrix 1 and 2.

Flags assigned during chemistry validation are shown.

Concentration Exceeds Criteria (1)

Concentration Exceeds Criteria (2)

Note: Non-detects are shown as blank.

- J The analyte was positively identified, the quantitation is an estimation.
- D Result reported from a secondary dilution analysis.
- No criteria available

Only Detected Results Reported.

TABLE 1 SUMMARY OF DETECTED ANALYTICAL RESULTS VFW POST

Loc	cation ID			H-004-SS-B	H-004-SS-B
Sa	mple ID			H-004-SS-B	H-004-SS-B-DUP
-	Matrix	Sub-Slab Air	Sub-Slab Air		
Depth	Interval (ft	-	-		
Date	Sampled			01/24/06	01/24/06
Parameter Units		Criteria (1)	Criteria (2)		Field Duplicate (1-1)
Volatile Organic Comp	ounds				
Chloroform	UG/M3	-	-		
Bromodichloromethane	UG/M3	-	-		6.7 J
Trichloroethene	UG/M3	5	250	31 J	33 J
Benzene	UG/M3	-	-		
Tetrachloroethene	UG/M3	100	1000	640 J	680 J
Toluene	UG/M3	-	-	5.3 J	6.8 J
Xylene (total)	UG/M3	-	-		
1,3-Butadiene	UG/M3	-	-		
Cyclohexane	UG/M3	-	-		
Heptane	UG/M3	-	-	5.7 J	6.1 J
Hexane	UG/M3	-	-		
Trichlorofluoromethane	UG/M3	-	-		
Dichlorodifluoromethane	UG/M3	-	-		
2,2,4-Trimethylpentane	UG/M3	-	-		

Criteria (1)- NYSDOH letter from N. Kim to D. Desnoyers, Division of Environmental Remediation, NYSDEC (October 31, 2003)

Criteria (2)- NYSDOH Guidance for Evaluating Soil Vapor Intrusion in the State of New York, Soil Vapor/Indoor Air Matrix 1 and 2.

Flags assigned during chemistry validation are shown.

Concentration Exceeds Criteria (1)

Concentration Exceeds Criteria (2)

Note: Non-detects are shown as blank.

- J The analyte was positively identified, the quantitation is an estimation.
- D Result reported from a secondary dilution analysis.
- No criteria available

Only Detected Results Reported.

TABLE 2 **SUMMARY OF DETECTED ANALYTICAL RESULTS SENECA MARKET**

Location ID	Location ID			H-002
Sample ID	20060124-AB-1	H-001-1	H-002-1	
Matrix		Ambient Air	Indoor Air	Indoor Air
Depth Interval (ft)		-	-	-
Date Sampled		01/24/06	01/24/06	01/24/06
Parameter	Units			
Volatile Organic Compounds				
Benzene	UG/M3	1.7	1.5	1.5
Toluene	UG/M3	3.0	3.0	3.0
Xylene (total)	UG/M3	1.7	2.7	2.5
4-Ethyltoluene	UG/M3		0.74	
Heptane	UG/M3		0.74	
Hexane	UG/M3	1.1	1.2	1.1
Trichlorofluoromethane	UG/M3	1.4	1.5	1.7
Dichlorodifluoromethane	UG/M3	2.9	7.9	8.4

Flags assigned during chemistry validation are shown.

Note: Non-detects are shown as blank.

J - The analyte was positively identified, the quantitation is an estimation.

D - Result reported from a secondary dilution analysis.

⁻ No criteria available

TABLE 3 SUMMARY OF DETECTED ANALYTICAL RESULTS SOIL GAS-CONDUIT LOCATIONS


Location ID Sample ID		20060124-AB-1	SG-08	SG-08	SG-09	SG-10
		20060124-AB-1	SG-08	SG-08-DUP	SG-09	SG-10
Matrix		Ambient Air	Soil Gas	Soil Gas	Soil Gas	Soil Gas
Depth Interval (ft)		-	-	-	-	-
Date Sampled		01/24/06	01/24/06	01/24/06	01/24/06	01/24/06
Parameter	Units			Field Duplicate (1-1)		
Volatile Organic Compounds						
Benzene	UG/M3	1.7	2.7	2.0 J	1.5	1.0
Toluene	UG/M3	3.0	4.1	4.9 J	0.83	2.1
Ethylbenzene	UG/M3		0.83	1.2 J		0.74
Xylene (total)	UG/M3	1.7	3.0	7.4 J		4.3
1,3,5-Trimethylbenzene	UG/M3					0.93
4-Ethyltoluene	UG/M3			2.5 J		2.8
Heptane	UG/M3		0.82			
Hexane	UG/M3	1.1				
Trichlorofluoromethane	UG/M3	1.4			2.4	
Dichlorodifluoromethane	UG/M3	2.9			4.3	


Flags assigned during chemistry validation are shown.


Note: Non-detects are shown as blank.


 $[\]mbox{\bf J}$ - The analyte was positively identified, the quantitation is an estimation.


D - Result reported from a secondary dilution analysis.












URS


NORTH FRANKLIN STREET SOIL-GAS CONDUIT LOCATIONS


FIGURE 4



URS

INDOOR/SUB-SLAB AIR SAMPLE RESULTS





URS

NORTH FRANKLIN STREET SOIL-GAS CONDUIT ANALYTICAL RESULTS

FIGURE 7

ATTACHMENT 1 PRE-SAMPLING QUESTIONNAIRE AND INVENTORY FORM

NEW YORK STATE DEPARTMENT OF HEALTH INDOOR AIR QUALITY QUESTIONNAIRE AND BUILDING INVENTORY CENTER FOR ENVIRONMENTAL HEALTH

Home Phone: Office Phone:

3. BUILDING CHARACTERISTICS

Type of Building: (Circle appropriate	e response)			
Residential Scho Industrial Chur		mercial/Multi-U	ise	
If the property is residential, type?	(Circle appropria	ate response)		
Cape Cod Conte Duplex Apart	nily Level emporary tment House Home	3-Family Colonial Mobile Hom Townhouses/ Other: <u>Came</u>		ing Bldg.
If the property is commercial, type?	485			•
Business Type(s) VFW	1-1-11			
Does it include residences (i.e. mi		If yes	, how many?	· .
Other characteristics:				
Number of floors	Buildi	ing age_/89	9	
Is the building insulated YN			Average / Not	Fight
4. BASEMENT AND CONSTRUCT	TION CHARAC	TERISTICS (Circle all that app	dy)
a. Above grade construction:	wood frame	concrete	stone	brick
b. Basement type:	full	crawlspace	slab	other IN previous
c. Basement floor: NA	concrete	dirt	stone	other
d. Basement floor: NA	uncovered	covered	covered with _	
e. Concrete floor: MAIN Floor	unsealed	sealed	sealed with	Tile (good shape)
f. Foundation walls:	poured	block	stone	other CANNOT be SEEN
g. Foundation walls:	unsealed	sealed	sealed with	Other CANNOT BESSEN CAN'T DETERMINE
h. The basement is: NA	wet	damp	dry	moldy
i. The basement is: NA	finished	unfinished	partially finishe	ed

j. Sump present?	Y (1)	<i>!</i>	•	
k. Water in sump?	Y/N	N (not applical	ble	
Basement/Lowest level dep	th below grade:	MA (fee	et)	
Identify potential soil vapor	r entry points an	d approxima	te size (e.g., cracks, uti	lity ports, drains)
None Noted -	Prewon	busen	entor Crow	1 Spreefelle
in many years age back strongs a	· Floor	A NOW O	cerente, Tile	our, Except
bach struct a	ien 76097 hi	45 4 Ca	rente floor -	good and itin
5. HEATING, VENTING				/
Type of heating system(s) us	sed in this buildi	ng:		
Hot air circulation	Heat j	pump	Hot water baseboar	ď
Kerosene Heater	Stream	n radiation	Radiant floor	•
Electric baseboard	Wood	stove	Other	
The type of fuel used is:		•		
Natural Gas	Fuel C	Nil	Kerosene	
Bleetric	Propa		Solar	
Wood	Coal		Potat	
Hot water tank fueled by:	MAT SAS	•		
	U		and se	end floor
Boiler/furnace located in:	Basement	Outdoors	Main Floor	Other
Air Conditioning:	Central Air	Window uni	ts Open Windows	None
Are there air distribution du	cts present?	Y/N		
Describe the supply and cold air return and the tightness	i air return duct of duct joints. Ir	work in the b	asement including whe cations on the floor plan	ther there is a cold n diagram.
Funse and Au	waliter	182 /00	Red on 2nd fl	non _ Ser
Tunsee and Aus Map for skerch		_		
				
6. OCCUPANCY				
Basement / lowest level occup	pancy? N	4		
Full time Occas.	ionally	Seldom	Almost Never	

Level	General Use of Each Floor (e.g., family/playroom, bedroom, laundry, workshop, storage, office)
Basement	NA
1 st Floor	BAR, FUNCTION ROOM
2 nd Floor	BAR, FUNCTION RESON. [GT chan + Mesting. Furnace.
3 rd Floor	STORAGE
4 th Floor	
	THAT MAY INFLUENCE INDOOR AIR QUALITY a attached garage? Y N
b. Does the g	garage have a separate heating unit? Y/N/NA
	eum-powered machines or vehicles Y/N/NA he garage (e.g., lawnmower, atv, car etc.) Please specify
d. Has the bu	uilding ever had a fire? YN When?
e. Is there a l	kerosene heater present? YN Where?
f. Is there a y	workshop or hobby/craft area? Y N Where & Type?
g. Is there sm	10king in the building? YN How frequently?
b. Have clear	ning products been used recently? (Y) N When & Type?
i. Have cosm	etic products been used recently? YN When & Type?
j. Has paintir 6 months?	ng/staining been done in the last YN Where & When?
k. Is there ne	w carpet, drapes or other textiles? Y/N Where & When?
l. Have air fr	esheners been used recently? (Y)/N When & Type? Unin (4kes)
m. Is there a	kitchen exhaust fan? (Y/) If yes, where vented? outside 2 velloon
n. Is there a c	clothes dryer? Y/N If yes, is it vented outside? Y/N
o. Has there l	been a pesticide application? YN When & Type? Today in Am

Are there odors in the building?




If yes, please describe:
Do any of the building occupants use solvents at work? (e.g., chemical manufacturing or laboratory, automechanic or autobody shop, painting, fuel oil delivery, boiler mechanic, pesticide application, cosmetologist etc.)
If yes, what types of solvents are used?
If yes, are their clothes washed at work?
Do any of the building occupants regularly use or work at a dry-cleaning service? (Circle appropriate response)
Yes, use dry-cleaning regularly (weekly) Yes, use dry-cleaning infrequently (monthly or less) Yes, work at a dry-cleaning service Is there a radon mitigation system for the building/structure? Date of Installation:
8. WATER AND SEWAGE
Water Supply: Public Water Drilled Well Driven Well Dug Well Other:
Sewage Disposal. Public Sewer Septic Tank Leach Field Other:
9. RELOCATION INFORMATION (for oil spill residential emergency)
a. Provide reasons why relocation is recommended:
b. Residents choose to: remain in home relocate to friends/family relocate to hotel/motel
c. Responsibility for costs associated with reimbursement explained? Y/N
d. Relocation package provided and explained to residents? Y/N

27

10. FLOOR PLANS

Draw a plan view sketch of the basement and first floor of the building. Indicate air sampling locations, possible indoor air pollution sources and PID meter readings. If the building does not have a basement, please note.




1/8

6

11. OUTDOOR PLOT

Draw a sketch of the area surrounding the building being sampled. If applicable, provide information on spill locations, potential air contamination sources (industries, gas stations, repair shops, landfills, etc.), outdoor air sampling location(s) and PID meter readings.

Also indicate compass direction, wind direction and speed during sampling, the locations of the well and septic system, if applicable, and a qualifying statement to help locate the site on a topographic map.





PJ /

12. PRODUCT INVENTORY FORM

Make & Model of field instrument used:	ppi RAE	
--	---------	--

List specific products found in the residence that have the potential to affect indoor air quality.

Location Unitery Closer	and Description	Size (units)	Condition		Field Instrument Reading (units)	Photo Y/N
11	SPAN FOLISK	17.70	\cup	more LISTED	226	N
13	150 peoply Alcahol	1103	U	(Old CAN)	45	20
	3121 01/	1603	U	150 propy Alcount	20	N
	Cregned Lightwine	303	U	PETROLEUM DISTILLATES	12	1
<u> </u>	Stain Less- Steel	4003		gy col ether, de Regents		N
	ACZ Luba penatran 2 CANS	1702	<u> </u>	SULVENT. MICHANISTALON,	110	~
	Schicare Lube	 	VO	pertuolium dur. 1/4/85	135	N
<u> </u>	RUST Stoype ZUAME	1003	U	Is o haven's	625	LV
1/	Cleaner Spany	122	UU	Acesone, xylene, Petrol. distillates,	117	~
1/	FOOD PLANT	110,6.5	J U0	Ethylene glycal Isobutane	3/	2
Rear	PUSECT SPRAY	15 03	U	Aperuatic PETRAL.	15	N
77	KINNUMY	16 03	U	10000 01571114785	0	2
13	Main Voly URE Angus	741	_ V _	Al-phonic hydrocarbons	70	~
	Suparel PAINT	Q†	<u>U0</u>	Petral, DistillATES	O.	~
<u>.</u>	SPRAY PAIR	901		Stry have 94400/	4/	۸
		11.5		(Olliene + >ry/ene	725	~
4	SPARY THANKS	1103	U	Retrolam DisA/4725	3200	N
	(2 CANS)	(503	U	NOT LISTED	1262	N
	Church	403	υ	acetone, MEK	301	

^{*} Describe the condition of the product containers as Unopened (UO), Used (U), or Deteriorated (D)

** Photographs of the front and back of product containers can replace the handwritten list of chemical ingredients. However, the photographs must be of good quality and ingredient labels must be legible.

Bothyrund - ban area = = 115 106 -> 75ppb AVE - 100 ppb
Bothyrund whility Closed = AVE 100 ppb
Bothyrund rean Storice: area = 30ppb

12. PRODUCT INVENTORY FORM

Py 2

Make & Model of field instrument used: phh. 1972

List specific products found in the residence that have the potential to affect indoor air quality.

Location	Product Description	Size (units)	Condition*	Chemical Ingredients	Field Instrument Reading	Photo Y/N
5701464	MINA WAX	403	UO	MEK acetene, Tetrahydwhynon	7100	1
	STAIN	12 PINT	U	PETAL. disallures	40	10
1	la inthinner	34/	\mathcal{O}	PET. DISTILLARE,		
	Hom Covering Admission LATEX PAINT	CPT	U	443. Ingledient	7400	N N
11	(2-CANS) Tile Cement	921	U	None LisRd	0	~
under STAIR	ARX PHINT	JA /	U	Not Listed		
1'	(3 can's)	241	U	None Listal	20	<u> </u>
Hilipy Coser	Stumize denner	941	: U	(So propy) Alcohol	20	2
KOUM	Old English	a'r	U .	Heighte hydrocarbors	24, 2 ppm	~ .
	Fusinime Polish.	8 23	J	PATION dentillARI	45	N
						
	<u> </u>					
	· .					
	· · · · · · · · · · · · · · · · · · ·					
		<u> </u>				

^{*} Describe the condition of the product containers as Unopened (UO), Used (U), or Deteriorated (D)

** Photographs of the front and back of product containers can replace the handwritten list of chemical ingredients. However, the photographs must be of good quality and ingredient labels must be legible.

Bachground, STURER under STAIR = 100pps.
8 Utiling Room bachground =

ATTACHMENT 2 PHOTOGRAPHIC LOG



Photo 1: 20060124-AB-1 (Ambient Air Sample)



Photo 2: SG-08





Photo 3: SG-09



Photo 4: SG-10






Photo 5: H-004-SS-B, 20060124-FD-1 (duplicate of H-004-SS-B), H-004-1A



Photo 6: H-004-SS-A, H-004-1-B, 2006124-FD-2 (duplicate of H-004-1-B)






Photo 7: H-001-1



Photo 8: H-002-1



ATTACHMENT 3 SAMPLING LOGS AND CHAIN-OF-CUSTODY

Summa Canister Sampling Field Data Sheet

Site: N. FRANKLIN ST. Samplers: John Bayks

Date: 1/24/06

Date. 1/24/			=		
Sample #	H-004-55-A	H-004-55-B	X 2060124-FD-	,	
Location	ZO N FANKLIN	30 N FRanklin	2060124-FD-, 30 N FROMU. ST	W	
Summa Canister ID	12.308	04738	7-22 5619		
Flow Controller ID	7237458	7237461	7229534		
Additional Tubing Added ⁽	NO/ YES - How much	VE9- How much	NO/ YES - How much	NO/ YES - How much	NO/ YES - How much
Purge Time (Start)	0933	0918	0918		
Purge Time (Stop)	0937	0921	0921		•
Total Purge Time (min)	4 MIN	3 MIN	3 M/N		
Purge Volume	1 LITER	LITER	LITEL		
PID Test of Purge Air	410 886	275	275		•
Initial Tracer Gas Results					
Pressure Gauge - before sampling	-29	27.5	29.0		
Sample Time (Start)	0939	0923	0923		
Sample Time (Stop)	1739	1723	1723		
Total Sample Time (min)	8 m.	8 m.	8 m.		
Pressure Gauge - after sampling	-4.5	91-8-14	-15		·
Sample Volume	6 LITERS	6 LITERS	6 Cittis		·
Canister Pressure Went To Ambient Pressure?	YES (NO	YES (NO	YES /NO	YES / NO	YES / NO
Final Tracer Gas Results	_				
Associated Ambient Air Sample Number	20060124-18-1	2006 cizy - AB-1	2006 0124-48-1		
General Comments:	AT WIST end of hidy Photo 2	AT EAST ind & Bldy	Dupy H-004-55-A		
	Photo 2	Phy To *1	Photo #1		<u> </u>

Summa Canister Sampling Field Data Sheet

Site: N. Franklin ST.
Samplers: John Boyo
Date: 1/24/06

5010.	700				
	 	T	1	 	
Sample #	H-004-1-A	H204-1-B	20060124-50-	2 20060124-AB-/	
Location	30 N. FRANKLIN ST	30 W. Franklin ST.	30 U FRANKLIN	20060124-AB-1 15T STREET	
	VEW HALL	VFW HALL	VFW HALL		
Summa Canister ID	2619	3287	275/	3547	
Flow Controller ID	7279819	7299278	7301373	7228626	
Additional Tubing Added	YES - How much	YES - How much	(NO) YES - How much	YES - How much	NO/ YES - How much
Purge Time (Start)			_		
Purge Time (Stop)	~ .		_		
Total Purge Time (min)	_	<u>.</u>			
Purge Volume		-			
PID Test of Purge Air		~	_	~	
Initial Tracer Gas Results	_		-	_	
Pressure Gauge - before sampling	-30+	-29	-30	-28	
Sample Time (Start)	0943	0946	0946	1020	
Sample Time (Stop)	1743	1746	1746	1337	
Total Sample Time (min)	8 m	8m	8m	34× 17 11 1	
Pressure Gauge - after sampling	-5	-0:5	-/	-0.5	·
Sample Volume	6 CITERS	6 C17825	6 LITERS	6 Corres	
Canister Pressure Went To Ambient Pressure?	YES (NO)	YES (NO)	YES (NO)	YES (N)	YES / NO
Final Tracer Gas Results					
Associated Ambient Air Sample Number	20060124-18-1	20060124-08-1	20060124-A	8 9-/	
General Comments:	AT EAST END	at usit end	Dup: of 11-004-1-B	Photo 3	
NOTE (PART ALON			Photo 2	17 min - Cha	elelvacion
WOTE 1 20060124	18 . This one	Mend O.O.	TOCA LAB TO	check press	un and to
U	(1	W DeLord	aualnsis.		

Summa Canister Sampling Field Data Sheet

N. Franklin ST. Site: John BoyD Samplers: Date: 24/06

Sample #	1.002-1	H-001-1	SG-10		
Location	2 V Franklin	2 N FRANKLIN	1 ST STREET		
Summa Canister ID	3038	3412	2869		
Flow Controller ID	7242826	723 4424	7245305		
Additional Tubing Added	YES - How much	(NQ/) YES - How much	NO/ (YES) How much 2	NO/ YES - How much	NO/ YES - How much
Purge Time (Start)		٠. ٠.	1238		
Purge Time (Stop)		. ۱۰۰۰ بعضیمی	1242		
Total Purge Time (min)			4 MIN		
Purge Volume			1 LIFE		
PID Test of Purge Air	-		176 pp6		
Initial Tracer Gas Results					
Pressure Gauge - before sampling	-29	-30	-27.5		
Sample Time (Start)	3034,045	1046	135%		
Sample Time (Stop)	1845	1846	1456		
Total Sample Time (min)	8 M	8h.	60 Min		
Pressure Gauge - after sampling	-2	- 8	-1.5		
Sample Volume	6 Likes	6 LITERS	6 LI PEAS		
Canister Pressure Went To Ambient Pressure?	YES / NO	YES / NO	YES NO	YES / NO	YES / NO
Final Tracer Gas Results					
Sample Number			2006 0124-AB-1	· · · · · · · · · · · · · · · · · · ·	
General Comments:	Photo 4	Photo 5	AWTO 8		
NOTE: 56-10 - Pession to amble in 60	unple many o	nig. Regulation	and we w LL	CAMISTER. ON	agust went

Summa Canister Sampling Field Data Sheet

Site:	N. FRANKLIN STREET	·
Samplers:	John Bord	
Date:	1/24/06	

· ····					
Sample #	56-97	56-10 56-8	56-10/	20060124-FO-	3 56-09
Location	UNIKINS/GLEN	IST STREET WHTKING GLEN	UST/STREET WATKINGGIEN	151 Street WATKINS CLEN	15t Street watkins Glan
Summa Canister ID	12/61	04339	03840	93074	12574
Flow Controller ID	724 5443	7280617	7245505	7280641	7249629
Additional Tubing Added	(ES) How muchy	NO/ YES - How much	NO/ YES How much 2	NO/ (YES) How much	NO/ YES - How much
Purge Time (Start)	1202	1216	12/38	1214	1310
Purge Time (Stop)	1205	1220,220	1242	1220	1314
Total Purge Time (min)	3 MIN	Lt MIN	4 min	YMIN	4 MIN
Purge Volume	1 LITER	1 LiRa	1 DUTER	1 LITER	1617er
PID Test of Purge Air	B55 PP6	360 PPb	176 476	360 PP6	346114
Initial Tracer Gas Results	\ <u> </u>		-/		-
Pressure Gauge - before sampling	-28	-27.5	-2/8	28.5	-25
Sample Time (Start)	1206	1222	1244	1222	1316
Sample Time (Stop)		1324	1244	1324	1416
Total Sample Time (min)		62	60 min	62	60 MIN
Pressure Gauge - after sampling		-18.5	=18:	-18.5	-18.5
Sample Volume		6 LIBL	6 fire	6CIRA	6 LITER
Canister Pressure Went To Ambient Pressure?	YES (NO)	YES / NO	(ES) NO	YES / NO	YES (NO
Final Tracer Gas Results					
Associated Ambient Air Sample Number	2006 0124-AB-1	ZOX6 0/24-AB1	2806 0124-181	2060124-11-1	2006 0124-18-1
General Comments:	Photo 6	Photo 7	Photo 8	Dup of 56-8	Photo 9
NOTE: SEE FIRST	56-9 proce Losi	promue ongo	ye. Kesampla	/ Photo 7	
NOTE: 56-10 Appear	4 B hove gon	c 13 autust	1 60 MIN.	Kleanglest -	fle other shad
MAIL. Istampted De	nothing a	STAINING UNEUVI	r,		

Original yellow copy with aum Marie Kropowich

TESTS		CANDAGE TIN BALL	COOLER	BOTTLE TYPE AND PRESERVATIVE PAGE / of /	TYPE TYPE	ATMOS OF THE MAILS	65 1 V + 4.38 + 4.38	150	6/80	44 1 V	1 MA 1 1 NA 1-	19:50	45.34	65 1 V	4. i	1 212	56.9 1 5	1 1 1	3 65 / 1	าส∘	MENTAL SAMPLE (# · SEQUENTIAL I	ED BY (SIGNATURE) DATE TIME SPECIAL INSTRUCTIONS	DATE TIME 1/5 QUISTIMUS >	101 206012 16-1 ON	(or 3 ha 17 min
		51-9	27		(VW) VY INEBS	ATMOD ATMOD 712 6	B 65 1 V	65 !	13	•	-/ MA !		/	,	-	1	1 65 1	1 11 11 7	-3 Gs /	WG - GROUND WATER SO - SOIL DC - DRILL CUTTINGS	MENTAL SAMPLE	ED BY (SIGNATURE) DATE	ED FOR LAB BY (SIGNATURE) DATE		r field files
ı	USIOUT R	N. PANKLIN		1 without	AIRBILL NO:	COMP/ GRAB SAMPLE ID	8 in & 4-004-55.	8m 4-85-40	8 h. H-004-1-A	8th 11-604-1-B	8 th 2006 0124-AB	8h H-002-4	Bin 14.001-1	1 M SG-08	1 ha 56-69	1 h. 56-10	20060124	8 th 200601 24-FD	1 m. 2006 0/24-FD	SL. SLUGGE WP - DRINKING WATER WASTE WW - WASTE WATER	RB# · RINSE BLANK PLICATE FR# · FIELD REPLICATE	V/25/0/ 1200	DATE TIME RECEIV		Distribution: Original accompanies shipment, copy to coordinator
CHAIN OF CHETONY		11 7421 19998	S (PRINT/SIGNATUR	TOWN POND NAME	DELIVERY SERVICE:	LOCATION DATE TIME	1/24/06 69923	9939	0943	2600	/0.20	2401	-002 1046	56-08 1722	8.09 13/6	1356	,	,) - 	MATRIX AA - AMBIENT AR SE - SEDIMENT SH - HAZARDOUS SOLID WASTE	SAMPLE 18# - TRIP BLANK 1YPE CODES SO# - MATRIX SPIKE DUPLICATE	RELINQUISHED BY (SIGNATURE)	RELINQUISHED BY (SIGNATURE)		on: Original accompanies s

ATTACHMENT 4 DATA USABILITY SUMMARY REPORT

DATA USABILITY SUMMARY REPORT

NORTH FRANKLIN STREET SITE SITE NO. 84-90-002 WORK ASSIGNMENT D003825-09.3

Analyses Performed by:

STL-BURLINGTON

Prepared by:

URS CORPORATION
77 GOODELL STREET
BUFFALO, NY 14203

APRIL 2006

TABLE OF CONTENTS

	<u>Pa</u>	<u>age No</u> .
I.	INTRODUCTION	1
II.	ANALYTICAL METHODOLOGIES	1
III.	DATA DELIVERABLE COMPLETENESS	1
IV.	HOLDING TIMES/SAMPLE RECEIPT	1
V.	NONCONFORMANCES	2
VII.	SUMMARY	2

TABLES (Following Text)

Table 1 Summary of Data QualificationsTable 2 Validated Air Analytical Results

APPENDICES

Appendix A Support Documentation

Appendix B Validated Form I's

I. INTRODUCTION

This Data Usability Summary Report (DUSR) has been prepared following the guidelines provided in New York State Department of Environmental Conservation (NYSDEC) Division of Environmental Remediation *Guidance for the Development of Data Usability Summary Reports*, dated June 1999. This DUSR discusses sub slab, indoor, soil gas, and ambient air samples collected on January 24, 2006.

II. ANALYTICAL METHODOLOGIES

The sub slab, indoor, soil gas, and ambient air data being evaluated is from the January 24, 2006 sampling of 4 indoor air samples, 2 subslab air samples, 3 soil gas samples, 1 ambient air sample, and 3 field duplicates. The analytical laboratory that performed the analyses is Severn-Trent Laboratories, Inc. located in Burlington, VT (STL-Burlington). The samples were analyzed for volatile organic compounds (VOCs) following USEPA Compendium Method TO-15, *Determination of VOCs in Air Collected in Specially Prepared Canisters and Analyzed By Gas Chromatography/ Mass Spectrometry (GC/MS)*.

Table 1 summarizes the data qualification applied to the sample results. The validated analytical results are presented in Table 2.

A limited data validation consisting of a completeness review, review of quality control problems, and verification of sample results was performed following the guidelines in WSEPA Region II *Validating Canisters of Volatile Organics in Ambient Air, Rev. 0*, April 1994. Qualifications applied to the data include 'J' (estimated concentration) or 'UJ' (estimated quantitation limit). Documentation supporting the qualification of data is presented in Appendix A. Copies of the validated laboratory results (i.e., Form I's) are presented in Appendix B. Only problems affecting data usability are discussed in this report.

III. DATA DELIVERABLE COMPLETENESS

Full deliverable data packages were provided by the laboratory, which included all reporting forms and raw data necessary to fully evaluate and verify the reported analytical results.

IV. HOLDING TIMES/SAMPLE RECEIPT

All samples were received by the laboratory intact and analyzed within the holding time with the following exception:

The samples were originally sent to the wrong facility due to a clerical error. The samples were then sent to the correct laboratory. Due to this delay, samples H-004-SS-A, H-004-SS-B, 20060124-FD-1 (H-004-SS-B), and 20060124-FD-3 (SG-08) were analyzed outside of the 14 day technical holding time. The results for all compounds were qualified 'J' or 'UJ' in these samples.

There are no contractual holding times in the June 2000 version of NYSDEC Analytical Services Protocol (ASP) for VOCs in air samples collected in Summa® canisters. For air samples collected in Summa® canisters, the USEPA Region II technical holding time from the validated time of sample receipt (VTSR) is seven days for polar compounds (i.e., alcohols, ketones) and 14 days for non-polar compounds. It should be noted Method TO-15 indicates storage stability for many VOCs in Summa® canisters over a period of up to 30 days.

V. NONCONFORMANCES

Continuing Calibrations

The %D between the initial calibration (ICAL) average relative response factor (RRF) and the continuing calibration (CCAL) RRF exceeded the QC limit [(i.e., > 25 percent difference (%D)] for 1,3,5-trimethylbenzene. The results for this compound in the samples listed on Table 1 have been qualified 'UJ.'

Documentation supporting the qualification of data (e.g., Continuing Calibration Form) is presented in Appendix A.

VII. SUMMARY

All sample analyses were found to be compliant with the method criteria, except where previously noted. Those results qualified 'J' (estimated) or 'UJ' (estimated reporting limit) are considered conditionally usable. Results qualified 'D' are reported from a secondary dilution analysis. All other sample results are usable as reported. URS does not recommend the re-collection of any samples at this time.

Prepared By: Ann Marie Kropovitch, Chemist

Reviewed By: George E. Kisluk, Senior Chemist

Date: 3/3/06

DEFINITIONS OF USEPA REGION II DATA QUALIFIERS

- U The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
- J The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
- UJ The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.
- R The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.
- D The sample results are reported from a separate secondary dilution analysis.
- NJ Presumptive evidence of a compound at an estimated value.

TABLE 1 SUMMARY OF DATA QUALIFICATIONS

SAMPLE ID	FRACTION	ANALYTICAL DEVIATION	QUALIFICATION
H-004-SS-A, H-004-SS-B, 20060124-FD-1 (H-004-SS- B), and 20060124-FD-3 (SG- 08)	VOCs	Analyzed outside of technical holding time.	Qualify detects 'J' and non-detect results 'UJ'.
H-001-1, H-002-1, H-004- 1A, H-004-1-B, 20060124- AB-1, 20060124-FD-2 (20060124-FD-2)	VOCs	CCAL %D > 25% for 1,3,5-trimethylbenzene.	Qualify non-detect results 'UJ'.

Location ID		20060124-AB-1	H-001	H-002	H-004-1-A	H-004-1-B
Sample ID		20060124-AB-1	H-001-1	H-002-1	H-004-1-A	H-004-1-B
Matrix		Amblent Air	Indoor Air	Indoor Air	indoor Air	Indoor Air
Depth Interval (ft)				-	<u>-</u>	
Date Sampled		01/24/06	01/24/06	01/24/06	01/24/06	01/24/06
Parameter	Units					
Volatile Organic Compounds						
Bromomethane	UG/M3	0.58 U	0.58 U	0.58 ∪	0.58 ∪	0.58 U
Vinyl Chloride	UG/M3	0.38 U	0.38 ∪	0.38 ∪	0.38 ∪	0.38 U
Chloroethane	UG/M3	0.4 U	0.4 U	0.4 U	0.4 ∪	0.4 U
1,1-Dichloroethene	UG/M3	0.59 U	0.59 ∪	0.59 U	0.59 U	0.59 U
1,1-Dichloroethane	UG/M3	0.61 U	0.61 U	0.61 U	0.61 U	0.61 U
Chloroform	UG/M3	0.73 U	0.73 U	0.73 ∪	0.73 ∪	0.73 U
1,2-Dichloroethane	UG/M3	0.61 U	0.61 U	0.61 ∪	0.61 U	0.61 U
1,2-Dichloroethene (total)	UG/M3	0.59 U	0.59 U	0.59 ∪	0.59 ∪	0.59 U
1,1,1-Trichtoroethane	UG/M3	0.82 U	0.82 U	0.82 ∪	0.82 U	0.82 U
Carbon Tetrachloride	UG/M3	0.94 U	0.94 U	0.94 U	0.94 ∪	0.94 U
Bromodichloromethane	UG/M3	1 U	1 U	1 U	: 1 U	1 U
1,2-Dichloropropane	UG/M3	0.69 U	0.69 U	0.69 ∪	0.69 ∪	0.69 U
cis-1,3-Dichloropropene	UG/M3	0.68 U	0.68 U	0.68 U	0.68 U	0.68 U
Trichloroethene	UG/M3	0.21 U	0.21 U	0.21 U	0.21 U	81 D
Benzene	NG/W3	1.7	1.5	1.5	1.6	1.6
Dibromochloromethane	UG/M3	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U
trans-1,3-Dichloropropene	UG/M3	0.68 U	0.68 U	0.68 U	0.68 U	0.68 U
1,1,2-Trichtoroethane	UG/M3	0.82 U	0.82 U	0.82 ∪	0.82 U	0.82 U
Bromoform	UG/M3	1.6 U	1.6 U	1.6 U	1.6 U	1.6 U
Bromoethene	UG/M3	0.66 U	0.66 U	0.66 년	0.66 U	0.66 U
Tetrachloroethene	UG/M3	1 ป	1 U	1 U	2.0	2.3
1,1,2,2-Tetrachloroethane	UG/M3	1 U	1 U	1 U	1 U	1 U
Toluene	UG/M3	3.0	3.0	3.0	3.0	4.1

Flags assigned during chemistry validation are shown.

Location ID		20060124-AB-1	H-001	H-002	H-004-1-A	H-004-1-B
Sample ID		20060124-AB-1	H-001-1	H-002-1	H-004-1-A	H-004-1-B
Matrix		Ambient Alr	Indoor Air	Indoor Air	Indoor Air	Indoor Air
Depth Interval (ft)		<u> </u>	-		-	
Date Sampled		01/24/06	01/24/06	01/24/06	01/24/06	01/24/06
Parameter	Units					
Volatile Organic Compounds						
Ethylbenzene	UG/M3	0.65 U	0.65 U	0.65 ∪	0.65 U	0.65 U
Xylene (total)	UG/M3	1.7	2.7	2.5	0.65 U	2.4
cis-1,2-Dichloroethene	UG/M3	0.59 U	0.59 U	0.59 U	0.59 U	0.59 U
trans-1,2-Dichloroethene	UG/M3	0.59 U	0. 59 U	0.59 U	0.59 U	0.59 U
1,3,5-Trimethylbenzene	UG/M3	0.74 UJ	0.74 UJ	0.74 UJ	0.74 UJ	0.74 UJ
Methyl tert-Butyl Ether	UG/M3	0.54 ∪	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Butadiene	UG/M3	0.33 ∪	0.33 U	0.33 U	0.35	0.33 U
3-Chloropropene	UG/M3	0.47 ∪	0.47 U	0.47 U	0.47 U	0.47 U
4-Ethyltoluene	NG/W3	0.74 U	0.74	0.74 U	0.74 U	0.74 U
Cyclohexane	UG/M3	0.52 U	0.52 U	0.52 U	1,5	1.5
Ethylene Dibromide	UG/M3	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U
Heptane	UG/M3	0.61 U	0.74	0. 6 1 U	0.82	0.61 U
Hexane 	UG/M3	1.1	1.2	1.1	1.1	1.2
Trichlorofluoromethane	UG/M3	1.4	1.5	1.7	16	7.9
Dichlorodifluoromethane	UG/M3	2.9	7.9	8.4	49 D	28 D
1,2-Dichlorotetrafluoroethane	UG/M3	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2,2,4-Trimethylpentane	UG/M3	0.7 U	0.7 U	0.7 U	0.7 Ų	0.7 U

Flags assigned during chemistry validation are shown.

Location (D		H-004-1-B	H-004-SS-A	H-004-SS-B	H-004-SS-B	SG-08
Sample ID		H-004-1-B-DUP	H-004-SS-A	H-004-55-8	H-004-SS-8-DUP	SG-08
Matrix		Indoor Air	Sub-Slab Air	Sub-Slab Air	Sub-Slab Air	Soil Gas
Depth Interval (ft)			-			•
Date Sampled		01/24/06	01/24/06	01/24/06	01/24/06	01/24/06
Parameter	Units	Field Duplicate (1-1)			Field Duplicate (1-1)	
Volatile Organic Compounds						
Bromomethane	UG/M3	0.58 U	7.8 UJ	3.9 UJ	3.9 UJ	0.62 U
Vinyl Chloride	UG/M3	0.38 ∪	5.1 UJ	2.6 UJ	2.6 UJ	0.41 U
Chloroethane	UG/M3	0.4 U	13 UJ	6.6 U.J	6.6 UJ	1.1 U
1,1-Dichloroethene	UG/M3	0.59 U	7.9 UJ	4 UJ	4 U.J	0.63 U
1,1-Dichloroethane	UG/M3	0.61 ∪	8.1 UJ	4 UJ	4 UJ	0. 65 U
Chloroform	UG/M3	0.73 U	13 J	4.9 UJ	4.9 UJ	0.78 U
1,2-Dichloroethane	UG/M3	0.61 U	8.1 UJ	4 UJ	4 UJ	0.65 U
1,2-Dichloroethene (total)	UG/M3	0.59 ∪	7.9 UJ	4 UJ	4 UJ	0.63 U
1,1,1-Trichtoroethane	UG/M3	0.82 U	11 UJ	5.5 UJ	5.5 UJ	0.87 ∪
Carbon Tetrachloride	UG/M3	0.94 ∪	13 UJ	6.3 UJ	6.3 UJ	10
Bromodichloromethane	UG/M3	1 U	13 J	6.7 UJ	6.7 J	1.1 U
,2-Dichloropropane	UG/M3	0.69 U	9.2 UJ	4.6 UJ	4.6 UJ	0.74 ∪
is-1,3-Dichlaropropene	UG/M3	0.68 ∪	9.1 UJ	4.5 UJ	4.5 UJ	0.73 U
richloroethene	UG/M3	0.22	47 J	31 J	33 J	0.86 U
Benzene	UG/M3	1.6	6.4 UJ	3.2 UJ	3.2 UJ	2.7
Dibromochloromethane	UG/M3	1.3 U	17 UJ	8.5 UJ	8.5 UJ	1.4 U
rans-1,3-Dichloropropene	UG/M3	0.68 U	9.1 UJ	4.5 UJ	4.5 UJ	0.73 U
,1,2-Trichloroethane	UG/M3	0.82 U	11 UJ	5.5 UJ	5.5 UJ	0.87 ∪
romotorm	UG/M3	1.6 U	21 UJ	10 W	10 UJ	1.7 U
romoethene	UG/M3	0.66 U	8.7 UJ	4.4 UJ	4.4 UJ	0.7 U
etrachlorcethene	UG/M3	2.4	1,100 J	640 J	680 J	1.1 U
1,2,2-Tetrachloroethane	UG/M3	10	14 UJ	6.9 W	6.9 UJ	1.1 U
oluene	UG/M3	4.9	7.5 UJ	5.3 J	6.8 J	4.1

Flags assigned during chemistry validation are shown.

Location ID		H-004-1-B	H-004-SS-A	H-004-SS-B	H-004-SS-B	SG-08	
Sample ID		H-004-1-B-DUP	H-004-SS-A	H-004-SS-B	H-004-SS-B-DUP	SG-08	
Matrix		Indoor Air	Sub-Slab Air	Sub-Slab Air	Sub-Slab Air	Soil Gas	
Depth Interval (ft)		· _	-	-		-	
Date Sampled		01/24/06	01/24/06	01/24/06	01/24/06	01/24/06	
Parameter	Units	Field Duplicate (1-1)			Field Duplicate (1-1)		
Votatile Organic Compounds							
thylbenzene	UG/M3	0.65 U	8.7 UJ	4.3 UJ	4.3 UJ	0.83	
(ylene (total)	UG/M3	2.6	8.7 UJ	11 W	11 W	3.0	
is-1,2-Dichtoroethene	UG/M3	0.59 ⊔	7.9 UJ	4 UJ	4 UJ	0.63 U	
rans-1,2-Dichloroethene	UG/M3	0.59 ∪	7.9 UJ	4 นม	4 UJ	0.63 U	
,3,5-Trimethylbenzene	UG/M3	0.74 UJ	9.8 UJ	4.9 UJ	4.9 UJ	0.79 U	
Methyl tert-Butyl Ether	UG/M3	0.54 U	18 UJ	9 UJ	9 W	1.4 U	
,3-Butadiene	UG/M3	0.44	11 UJ	5.5 UJ	5.5 UJ	0.88 U	
-Chloropropene	UG/M3	0.47 U	16 UJ	7.8 UJ	7.8 UJ	1.3 U	
-Ethyltoluene	UG/M3	0.74 U	9.8 UJ	4.9 UJ	4.9 UJ	0.79 U	
cyclohexane	UG/M3	1.7	6.9 UJ	3.4 UJ	3.4 UJ	0.55 U	
thylene Dibromide	UG/M3	1.2 U	15 UJ	7.7 UJ	7.7 UJ	1.2 U	
eptane	UG/M3	1.1	11 J	5.7 J	6.1 J	0.82	
exane	UG/M3	1.5	18 UJ	8.8 UJ	8.8 UJ	1.4 U	
richlorofluoromethane	UG/M3	9.0	11 UJ	5.6 UJ	5.6 UJ	0.9 U	
ichloroditluoromethane	UG/M3	24 D	25 UJ	12 UJ	12 UJ	2 U	
2-Dichlorotetrafluoroethane	UG/M3	1.0 ∪	14 UJ	7.0 UJ	7.0 UJ	1.1 U	
2,4-Trimethylpentane	UG/M3	0.70	9.3 UJ	4.7 UJ	4.7 UJ	0.75 U	

Flags assigned during chemistry validation are shown.

Location ID		SG-08	SG-09	SG-10	
Sample ID		SG-08-DUP	SG-09	SG-10	
Matrix		Soll Gas	Soll Gas	Soil Gas	
Depth Interval (ft)			-	01/24/06	
Date Sampled	<u></u>	01/24/06	01/24/06		
Parameter	Units	Field Duplicate (1-1)			
Volatile Organic Compounds					
Bromomethane	UG/M3	0.62 UJ	0.78 U	0.62 U	
Vinyl Chloride	UG/M3	0.41 U	0.51 U	0.41 U	
Chloroethane	UG/M3	1.1 UJ	1.3 U	1.1 U	
1,1-Dichloroethene	UG/M3	0.63 UJ	0.79 U	0.63 U	
1,1-Dichloroethane	UG/M3	0.65 UJ	0.81 U	0. 6 5 U	
Chloroform	UG/M3	0.78 UJ	0.98 U	0.78 ∪	
1,2-Dichloroethane	UG/M3	0.65 UJ	0.81 U	0.65 U	
1,2-Dichloroethene (total)	UG/M3	0.63 UJ	0.79 U	0.63 U	
1,1,1-Trichioroethane	UG/M3	0.87 UJ	1.1 U	0.87 U	
Carbon Tetrachloride	UG/M3	1 UJ	1.3 U	1 U	
Bromodichloromethane	UG/M3	1.1 UJ	1.3 U	1.1 U	
,2-Dichloropropane	UG/M3	0.74 UJ	0.92 U	0.74 U	
sis-1,3-Dichloropropene	UG/M3	0.73 UJ	0.91 ∪	0.73 U	
richloroethene	UG/M3	0.86 UJ	1.1 U	0.86 U	
Benzene	UG/M3	2.0 J	1.5	1.0	
Dibromochloromethane	UG/M3	1.4 UJ	1.7 ∪	1,4 U	
rans-1,3-Dichloropropene	UG/M3	0.73 UJ	0.91 U	0.73 U	
,1,2-Trichloroethane	UG/M3	0.87 UJ	1.1 U	0.87 U	
Bromoform	UG/M3	1.7 UJ	2.1 U	1.7 ∪	
romoethene	UG/M3	0.7 UJ	0.87 U	0.7 U	
etrachloroethene	UG/M3	1.1 UJ	1.4 U	1.1 U	
,1,2,2-Tetrachloroethane	UG/M3	1.1 UJ	1.4 U	1.1 ∪	
oluene	UG/M3	4.9 J	0.83	2.1	

Flags assigned during chemistry validation are shown.

Location ID		SG-08	SG-09	SG-10
Sample ID		SG-08-DUP	SG-09	SG-10
Matrix		Soll Gas	Soil Gas	Soll Gas
Depth Interval (ft)		-		-
Date Sampled		01/24/06	01/24/06	01/24/06
Parameter	Units	Field Duplicate (1-1)		
Volatile Organic Compounds				
thylbenzene	UG/M3	1.2 J	0.87 U	0.74
(ylene (total)	UG/M3	7.4 J	0.87 U	4.3
is-1,2-Dichloroethene	UG/M3	0.63 UJ	0.79 U	0.63 U
rans-1,2-Dichloroethene	UG/M3	0.63 UJ	0.79 ∪	0.63 U
,3,5-Trimethylbenzene	UG/M3	0.79 UJ	0.98 U	0.93
lethyl tert-Butyl Ether	UG/M3	1.4 UJ	1.8 ∪	1.4 U
,3-Butadiene	UG/M3	0.88 UJ	1.1 U	0.88 U
-Chloropropene	UG/M3	1.3 UJ	1.5 U	1.3 U
-Ethyltoluene	UG/M3	2.5 J	0.98 ∪	2.8
yclohexane	UG/M3	0.55 UJ	0.69 U	0.55 U
thylene Dibromide	UG/M3	1.2 UJ	1.5 U	1.2 U
eptane	UG/M3	0.66 UJ	0.82 U	0.66 U
exane	UG/M3	1.4 UJ	1.7 U	1,4 U
richlorofluoromethane	UG/M3	0.9 UJ	2.4	0.9 U
ichlorodifluoromethane	UG/M3	2 UJ	4.3	2 U
2-Dichlorotetrafluoroethane	UG/M3	1.1 UJ	1.4 U	1.1 U
2,4-Trimethylpentane	UG/M3	0.75 UJ	0.93 U	0.75 U

Flags assigned during chemistry validation are shown.

APPENDIX A

SUPPORT DOCUMENTATION

		0.0							TESTS			E	_	Γ
Š	Z Z	CHAIN OF COSIOD	200		Z Z	Y KECORD	_5	/ *			5	3	_	
8666. 11244-11999B	17511	86666		SITE NAME N. FRANKLIN	×12.8		1- <u>01</u>	1871 S≻9			I	BURLINGTON 5		
SAMPLERS (PRINT/SIGNATURE)	(PRINT/SIG	SNATURE)	,				, -	77 2 <u>7</u>			COOLER			1
70hu	Buso	Now West	200	1		}		BOTTLE TY	A CAND	TYPE AND PHESERVATIVE	PAGE	/ o /		
	E.	12 × 1	•											
DELIVERY SERVICE:	ERVICE:			- AIRBILL NO.:			<i>₩₩</i> ¥ MNEB				REMARKS	DANK		N TO.
LOCATION	DATE	TIME	COMP/ GRAB	SAMPLE 10	۵	ATOT	(7 9 (100)	17-9			CANISTRA LO TER	PEGIN	ENDINE HTGGO	G.(317 G(1913)
H-00-H	20/42/1	6260 9	ž.	8-55-40-HX	8-8	65 1	<u>\</u>				4738 373461	Z	'	f
H-004		1939	8h	H-55-10-H	P	65 1	^				85 pt 835 3455	'n	*	١
H-00+		6443	49.64	A-1-400-H		AA .		^			26.92 48/9	N.		1
H-00-H		2460	814	8-1-400-H	3	44 I		1		-	3287 220 9738	, (A)	1	١
		070)		-42/09002	1-84-42	1 44		V			3547 25.836	N.	•	ij
H-W2		Sha!	84	H-2024		AA 1		~	-		7187 434 BEOE	N.	ì	ï
H-007		9,401	® ₹			1 HH		1			4142 F32 214E	J. J.	,	ţ
\$0-98		(222	<u>\$</u>	80-95		65 1	>				4330 22806.7	` -2.	<u> </u>	1
82.98		13/6	<u> </u>	60-95		1 59	`				1250 124 1229	à	·	i
8-10		1356	<u>₹</u>	56 -1		65 1	`				1864		<u>'</u>	1
,		1	3	200601		1 53	>				56.9 25.4534		<u>'</u>	'
,		,	84	- tr 109005 . M 8	z-ay- hr	AA 1		~			245/25/373	782	1	1
1	>	l	3	M. 2006 0/24	, '	1 59	7		_		1490 82 46 W. C	3	-	
LATTIIK CODES	₹₩3	AA - MABNENT AR SE - SEDMAENT SH - HAZANDOUS SOLIO WASTE	WASTE	St SLUDGE WP - DHNWGNG WATER WW - WASTE WATER		WG - GROUND WATER SO - SOIL DC - DRILL CUTTINGS		W LEACHATE GS - SOK. GAS WC - DRILLING WATER	WATER	WO - OCEAN WATER WS - SURFACE WATER WQ - WATER FIELD OC	1.H - HAZARDOUS LIQUID WASTE 1.F - FLOATINGFRIEE PRODUCT ON GW TABLE	HID WASTE PRODUCT ON	GW TAI	¥
SAMPLE		TB# - TRIP BLANK SD# - MATRIX SPICE DUPLICATE	LCATE	RB4 - RINGSE BLANK FR4 - FIELD REPLICATE		NF - NOPALAL BYMRONMENTAL SAMPLE NS# - MATRIX SPIXE	RONMENTA E		SEQUENTIAL	MJAUBER FROM 1 TO 6] TO	(4 - SEQUENTIAL MAJUREN FROM 1 TO B) TO ACCOMMICIDATE MULTIPLE SAMPLES IN A SINGLE DAY)	SAMPLES IN A	V SINGI	(W)
RELINQUISHED BY (SIGNATURE)	ם ע	(SIGNATURE)	DATE	TIME	EWED	BY (siggature)		DATE	TIME	SPECIAL INSTRUCTIONS	Ιô		;	
2	Just 52	Ý	37/1	0021 90/52/	' []	700		-		CALL ANN MARKES	ar Knopowith at UKS	ドをだ	Z)	
RELINQUISI	₩ 8	(SIGNATURE)	DATE	TIME	EIVED FC	RECEIVED FOR LAB BY (SIGNATURE)	(SIGNATI		TIME	wassand go	7525-258-9H	952	•	
88	\$	$\setminus $		10	STANIA CO	Sulle C		118611	25	10/12 2060/24	2060124-46-1 Only Stry	*	Ĭ	_
Distribution:	Original	Distribution: Original accompanies shipment, copy to c	shipment	, copy to coording	cordinator field files	se				G. 3 hz (7#	C OHELSWI W	y ms		



STL Burlington 208 South Park Drive, Suite 1 Colchester, VT 05446

Tel: 802 655 1203 Fax: 802 655 1248 www.stl-inc.com

February 28, 2006

Mr. George Kisluk URS Corporation 77 Goddell Street Buffalo, NY 14203

Re: Laboratory Project No. 26000

Case: 26000; SDG: 112332

Dear Mr. Kisluk:

Enclosed are the analytical results for the samples that were received by STL Burlington on January 30th, 2006. Laboratory identification numbers were assigned, and designated as follows:

<u>Lab ID</u>	Client <u>Sample ID</u>	Sample <u>Date</u>	Sample <u>Matrix</u>
	Received: 01/30/06 ETR No:	112332	
656042	H-004-SS-B	01/24/06	Air
656043	H-004-SS-A	01/24/06	Air
656044	H-004-1-A	01/24/06	Air
656045	H-004-1-B	01/24/06	Air
656046	20060124-AB-1	01/24/06	Air
656047	H-002-1	01/24/06	Air
656048	H-001-1	01/24/06	Air
656049	SG-08	01/24/06	Air
656050	SG-09	01/24/06	Air
656051	SG-10	01/24/06	Air
656052	20060124-FD-1	01/24/06	Air
656053	20060124-FD-2	01/24/06	Air
656054	20060124-FD-3	01/24/06	Air

Documentation of the condition of the samples at the time of their receipt and any exception to the laboratory's Sample Acceptance Policy is documented in the Sample Handling section of this submittal.

Method TO-15 - Routine Level Volatile Organics:

The analyses of the field samples 20060124-FD-1, H-004-SS-A and H-004-SS-B were performed at an appropriate dilution in order to provide quantification of all target analytes within the calibrated range of instrument response. The results of the dilution analyses were within the calibration range of the instrument.



Method TO-15 Low Level Volatile Organics:

The original analyses of the field samples H-004-1-A, H-004-1-B and 20060124-FD-2 exhibited the presence of select target compounds, which exceeded the calibration range of the instrument. Consequently, dilution analyses were performed for these samples and yielded results that were within the calibration range of the instrument. Both sets of data have been presented in this case submittal.

The analysis of the blank spike sample EBON LCS and the associated blank spike duplicate sample yielded percent recoveries of the target compounds Vinyl Chloride and Trichloroethene that were outside the control limits. These outliers are presented on the analytical form 3s.

Manual integration was employed in deriving certain of the analytical results. The values that have been derived from manual integration are qualified on the quantitation reports, and extracted ion current profiles are included in the data package.

The analytical results associated with the samples presented in this test report were generated under a quality system that adheres to requirements specified in the NELAC standard. Release of the data in this test report and any associated electronic deliverables is authorized by the Laboratory Director's designee as verified by the following signature.

If there are any questions regarding this submittal, please contact me at 802 655-1203.

Sincerely,

Ron Pentkowski Project Manager

Enclosure

FORM 7 VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: STL BURLINGTON

Contract: 26000

Lab Code: STLVT Case No.: 26000 SAS No.: SDG No.: 112332

Instrument ID: E

Calibration Date: 02/06/06 Time: 1010

Lab File ID: EB010NV

Init. Calib. Date(s): 01/05/06 01/06/06

Heated Purge: (Y/N) N Init. Calib. Times: 1616 0148

GC Column: RTX-624 ID: 0.32 (mm)

COMPOUND	RRF	RRFO.1	MIN RRF	%D	MA
	3=====±=			======	% D
1,2-Dichlorotetrafluoroethan	1.994		0.01	8.8	
Vinyl Chloride	0.523				
1,3-Butadiene	0.327		0.01	24.8	
Bromomethane	0.719		0.01		30.
Chloroethane	0.272				30.
Bromoethene	0.759			16.0	30.
Trichlorofluoromethane	2.785				30.
1,1-Dichloroethene	0.540				
3-Chloropropene	0.329				30.
Methyl tert-Butyl Ether	1.017	1.140			
trans-1,2-Dichloroethene	0.675				30.
n-Hexane	0.510	0.537			
1,1-Dichloroethane	0.866	0.742			
1,2-Dichloroethene (total)	0.632	0.626			
cis-1,2-Dichloroethene	0.590	0.576			
Chloroform	1.459	1.246			
1,1,1-Trichloroethane	0.378				
Cyclohexane	0.141	0.352			
Carbon Tetrachloride	0.440	0.391			
2,2,4-Trimethylpentane	0.312	0.346			
Dichlorodifluoromethane	2.310	2.066			
Benzene	0.332	0.316		10.6	30.
,3,5-Trimethylbenzene	0.456	0.332			30.
1,2-Dichloroethane	0.180	0.159		27.2	
1-Heptane	0.105	0.110			
Trichloroethene	0.244	0.238			
,2-Dichloropropane	0.099	0.089	0.01		
Bromodichloromethane	0.307	0.270			
is-1,3-Dichloropropene	0.153	0.134	0.01	12.0	
oluene	0.218	0.241	0.01		
rans-1,3-Dichloropropene	0.173	0.135]	
.,1,2-Trichloroethane	0.120	0.112	0.01		
Cetrachloroethene	0.343	0.347	0.01		
Dibromochloromethane	0.346	0.304	0.01		
,2-Dibromoethane	0.248	0.304	0.01		
thylbenzene	0.548	0.236	0.01		
Cylene (m,p)	0.201		0.01	0.9	
	0.201	0.189	0.01	6.0	30.

page 1 of 2

FORM VII VOA

APPENDIX B

VALIDATED FORM I's

CLIENT SAMPLE NO.

20060124-AB-1

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Air

Lab Sample No.: 656046

Date Analyzed:

02/06/2008

Date Received:

01/30/2006

Target Compound	CAS Number	Results in ppbv	Q	RL In ppbv	Results in ug/m3	a	RL In ug/m3
1,2-Dichiorotetrafluoroethane	76-14-2	0.15	u	0.15	1.0	 	1.0
Vlnyl Chlorida	75-01-4	0.15	U	0.15	0.38	U	0.38
1,3-Butadiene	106-99-0	0.15	U	0.15	0.33	1 0 1	0.33
Bromomethane	74-83-9	0.15	U	0.15	0.58	U	0.58
Chloroethane	75-00-3	0.15	U	0.15	0.40	Ü	0.40
Bromoethene	593-60-2	0.15	U	0.15	0.66	1 0	0.66
Trichlorofluoromethane	75-69-4	0.25		0.15	1.4	 - -	0.84
1,1-Dichloroethene	75-35-4	0.15	U	0.15	0.59	- 	0.59
3-Chloropropene	107-05-1	0.15	U	0.15	0.47	U U	0.47
Methyl tert-Butyl Ether	1634-04-4	0.15	U	0.15	0.54	u	0.54
trans-1,2-Dichloroethene	158-60-5	0,15	U	0.15	0.59	u	0.59
n-Hexane	110-54-3	0.30		0.15	1.1	- <u> </u>	0.53
1,1-Dichloroethane	75-34-3	0.15	U	0.15	0.61	U	0.61
1,2-Dichloroethene (total)	540-59-0	0.15	U	0.15	0.59	Ū	0.59
cis-1,2-Dichloroethene	156-59-2	0.15	U	0.15	0.59	U	0.59
Chloroform	67-66-3	0.15	U	0.15	0.73	U	0.73
1,1,1-Trichloroethane	71-55-6	0.15	U	0.15	0.82	u l	0.82
Cyclohexane	110-82-7	0.15	U	0.15	0.52	U	0.52
Carbon Tetrachloride	56-23-5	0.15	U	0.15	0.94	Ū	0.94
2,2,4-Trimethylpentane	540-84-1	0.15	U	0.15	0.70	U	0.70
Dichlorodifluoromethane	75-71-8	0.58		0.15	2.9		0.74
Benzene	71-43-2	0.53		0.15	1.7		0.48
1,3,5-Trimethylbenzene	108-67-8	0.15	U	0.15	0.74	U-3	0.74
1,2-Dichtoroethane	107-06-2	0.15	υ	0.15	0.61	U	0.61
n-Heptane	142-82-5	0.15	Ü	0,15	0.61	U	0.61
Trichloroethene	79-01-6	0.040	U 7	0.040	0.21	. ٰ <u>'</u> ٰ	0.21
,2-Dichloropropane	78-87-5	0.15	U	0.15	0.89	U	0.69
3romodichioromethane	75-27-4	0.15	U	0.15	1.0	Ü	1.0
ds-1,3-Dichloropropena	10061-01-5	0.15	U	0.15	0.68	Ü	0.68
l'aluen e	108-68-3	0.80		0.15	3.0		0.57
rans-1,3-Dichloropropene	10061-02-6	0.15	U	0.15	0.68	Ü	0.68
.1,2-Trichloroethane	79-00-5	0.15	U	0.15	0.82	U	0.82
etrachloroethene	127-18-4	0.15	U	0.15	1.0	U	1.0

Printed: 02/27/2006 10:38:37 AM

CLIENT SAMPLE NO.

20060124-AB-1

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Air

Lab Sample No.: 656046

Date Analyzed: 02/06/2006

Date Received: 01/30/2006

Target Compound	CAS Number	Results in ppby	D	RL In ppbv	Results in ug/m3	Q	RL In ug/m3
Dibromochloromethane	124-48-1	0.15	Ü	0.15	1.3	IJ	1,3
1,2-Dibromoethane	106-93-4	0.15	Ü	0.15	1.2	U	1.2
Ethylbenzene	100-41-4	0.15	υ	0.15	0.65	U	0.65
Xylene (m,p)	1330-20-7	0.34		0.15	1.5		0.65
Xylene (o)	95-47-6	0.15	Ü	0.15	0.65	υ	0.65
Xylene (total)	1330-20-7	0.39		0.15	1.7		0.65
Bromoform	75-25-2	0.15	U	0.15	1.6	U	1.6
1,1,2,2-Tetrachloroethane	79-34-5	0.15	U	0.15	1.0	U	1.0
4-Ethyltoluene	622-96-8	0.15	U	0.15	0.74	Ü	0.74

CLIENT SAMPLE NO.

H-001-1

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Alr

Lab Sample No.: 656048

Date Analyzed:

02/06/2006

Date Received:

Target Compound	CAS Number	Results in ppbv	a	RL In ppbv	Results in ug/m3	a	RL in ug/m3
1,2-Dichlorotetrafluoroethane	76-14-2	0.15	U	0.15	1.0	Ü	1.0
Vinyl Chloride	75-01-4	0.15	U;	0.15	0.38	U I	0.38
1,3-Sutadiene	106-99-0	0.15	U	0.15	0.33	T 0 1	0.33
Bromomethane	74-83-9	0.15	U	0.15	0.58	U	0.58
Chloroethane	75-00-3	0.15	U	0.15	0.40	U	0.40
Bromoethene	593-60-2	0.15	υ	0.15	0.66	U	0.88
Trichlorofluoromethane	75-69-4	0.27		0.15	1.5		0.84
1,1-Dichloroethene	75-35-4	0,15	U	0.15	0.59	U	0.59
3-Chloropropene	107-05-1	0.15	U	0,15	0.47	U	0.47
Methyl tert-Butyl Ether	1634-04-4	0.15	U	0.15	0.54	U	0.54
trans-1,2-Dichloroethene	156-60-5	0.15	U	0.15	0.59	U	0.59
n-Hexane	110-54-3	0.33		0.15	1.2	† †	0.53
1,1-Dichlaroethene	75-34-3	0.15	U	0.15	0.61	υ	0.61
1,2-Dichloroethene (total)	540-59-0	0.15	υ	0.15	0.59	U	0.59
cis-1,2-Dichloroethene	156-59-2	0.15	U	0.15	0.59	U	0.59
Chloroform	57-66-3	0.15	U	0.15	0.73	U	0.73
1,1,1-Trichloroethane	71-55-6	0.15	U	0.15	0.82	U	0.82
Cyclohexane	110-82-7	0.15	U	0.15	0,52	U	0.52
Carbon Tetrachloride	56-23-5	0.15	U	0.15	0.94	U	0.94
2,2,4-Trimethylpentane	540-84-1	0.15	U	0.15	0.70	U	0.70
Dichlorodifluoromethane	75-71-8	1,6		0.15	7.9		0.74
Senzene	71-43-2	0.47		0.15	1.5	Ţ	0.48
1,3,5-Trimethylbenzene	108-67-8	0.15	کیں	0.15	0.74	υ <u>σ</u>	0.74
1,2-Dichloroethane	107-06-2	0.15	U	0.15	0.61	U	0.61
-Нертапе	142-82-5	0.18		0.15	0.74		0.61
Frichlorgethene	79-01-6	0.040	U 1	0.040	0.21	U.	0.21
,2-Dichloropropane	78-87-5	0.15	U	0.15	0.69	U	0.69
Bromodichloromethane	75-27-4	0.15	U	0.15	1.0	U	1.0
is-1,3-Dichloropropene	10061-01-5	0.15	υ	0.15	0.68	U	0.68
l'oluene	108-88-3	0.80		0.15	3.0		0.57
rans-1,3-Dichloropropene	10061-02-6	0.15	٦	0.15	0.68	υ	0.68
,1,2-Trichloroethane	79-00-5	0.15	נ	0.15	0.82	U	0.82
etrachioroethene	127-18-4	0.15	U	0.15	1.0	Ü	1.0

CLIENT SAMPLE NO.

H-001-1

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Air

Lab Sample No.: 656048

Date Analyzed:

02/06/2006

Date Received:

Target Compound	CAS Number	Results In ppby	Q.	RL in ppbv	Results In ug/m3	Q	RL In ug/m3
Dibromochioromethane	124-48-1	0.15	U	0.15	1,3	U	1.3
1,2-Dibromoethane	106-93-4	0.15	U	0.15	1.2	Ü	1,2
Ethylbenzene	100-41-4	0.15	U	0.15	0.85	- 	0.65
Xylene (m,p)	1330-20-7	0,40		0.15	1.7	-	0.65
Xylena (o)	95-47-6	0.18		0.15	0.78		0.65
Xylene (total)	1330-20-7	0.63		0.15	2.7	├──	0.65
Bromoform	75-25-2	0.15	U	0.15	1,6	Ш	
1,1,2,2-Tetrachloroethane	79-34-5	0.15	Ü	0.15	1.0	U	1.6
4-Ethyltoluene	622-96-8	0.15		0.15	0.74	- 	1.0 0.74

CLIENT SAMPLE NO.

H-004-1-A

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Air


Lab Sample No.: 656044

Date Analyzed;

02/06/2006

Date Received:

Target Compound	CAS Number	Results in ppbv	Q	RL, In ppbv	Results In ug/m3	a	RL in ug/m3
1,2-Dichlorotetrattuoroethane	76-14-2	0.15	U	0.15	1.0	U	1,0
Vinyl Chloride	75-01-4	0.15	U·	0.15	0.38	Un	0.38
1,3-Butadiene	106-99-0	0.16	 	0.15	0.35	├	0.33
Bromomethane	74-83-9	0,15	U	0.15	0.58	Ü	0.58
Chloroethane	75-00-3	0.15	U	0.15	0.40	Ü	0.40
Bromoethene	593-60-2	0.15	U	0.15	0.66	 "u 	0.68
Trichlorofluoromethane	75-69-4	2.8	1	0.15	16	├ॅ ┤	0.84
1,1-Dichloroethene	75-35-4	0.15	U	0.15	0.59	 	0.59
3-Chloropropene	107-05-1	0.15		0.15	0.47	 	0.47
Methyl tert-Butyl Ether	1634-04-4	0.15	U	0.15	0.54	 ~ 	0.54
trans-1,2-Dichloroethene	156-60-5	0.15	U	0.15	0.59	1 3 1	0.59
n-Hexane	110-54-3	0.30	1	0.15	1.1	 	0.53
1,1-Dichloroethane	75-34-3	0.15	U	0.15	0.61	 	0.61
1,2-Dichloroethene (total)	540-59-0	0,15	U	0.15	0.59	 ~ 	0.59
cis-1,2-Dichtoroethene	156-59-2	0.15	U	0.15	0.59	l''' u	0.59
Chloroform	67-66-3	0.15	U	0.15	0.73	- 0 	0.73
1,1,1-Trichloroethane	71-55-6	0.15	U	0.15	0.82	Ū	0.82
Cyclohexane	110-82-7	0.43	1	0.15	1.5	 	0.52
Carbon Tetrachloride	56-23-5	0.15	U	0.15	0.94	U	0.94
2,2,4-Trimethylpentane	540-84-1	0.15	U	0.15	0.70	U	0.70
Dichlorodifluoromethane	75-71-8	100	/O	0.15	49.00	10	0.74
Benzene	71-43-2	0.51		0,15	1.8		0.48
,3,5-Trimethylbenzene	108-67-8	0.15	UZ	0.15	0.74	0-1	0.74
,2-Dichloroethane	107-06-2	0.15	U	0.15	0.61	U	0.61
-Heptane	142-82-5	0.20		0.15	0.82		0.61
richiaroethene	79-01-6	0.040	U	0.040	0.21	T-0 +	0.21
,2-Dichioropropane	78-87-5	0.15	U	0.15	0.89		0.69
romedichloromethane	75-27-4	0.15	Ų	0.15	1.0	Ü	1.0
is-1,3-Dichloropropene	10061-01-5	0.15	U	0.15	0.68	U	0.68
Oluane	108-88-3	0.79		0.15	3.0	 	0.57
ans-1,3-Dichloropropene	10061-02-6	0.15	U	0.15	0.68	U	0.68
,1,2-Trichtoroethane	79-00-5	0.15	Ü	0.15	0.82	U	0.82
etrach)oroethene	127-18-4	0.29		0.15	2.0		1.0



CLIENT SAMPLE NO.

H-004-1-A

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Air

Lab Sample No.: 656044

Date Analyzed:

02/06/2006

Date Received:

Target Compound	CAS Number	Results in ppbv	o	RL in ppbv	Results in ug/m3	a	RL In ug/m3
Dibromochloromethane	124-48-1	0.15	U	0.15	1.3	U	1.3
1,2-Dibromoethane	106-93-4	0.15	C	0,15	1.2	IJ	1.2
Ethylbenzene	100-41-4	0.15	υ	0.15	0.65	U	0.65
Xylene (m,p)	1330-20-7	0.15	Ų	0.15	0.65	Ü	0.65
Xylene (o)	95-47-6	0.15	ນ	0.15	0.65	Ú	0.65
Xylene (total)	1330-20-7	0.15	v	0.15	0.65	U	0.65
Bromoform	75-25-2	0.15	U	0.15	1.6	υ	1.6
1,1,2,2-Tetrachloroethane	79-34-5	0.15	U	0.15	1.0	U	1.0
4-Ethyitoluene	622-96-8	0.15	U	0.15	0.74	- U	0.74

CLIENT SAMPLE NO.

H-004-1-ADL

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Air

Lab Sample No.: 656044D1

Date Analyzed:

02/07/2006

Date Received;

	<u> </u>	Ţ ·		<u> </u>		<i></i>	
Target Compound	CAS Number	Results In ppbv	o	RL In ppbv	Results in ug/m3	o	RL in ug/m3
1,2-Dichlorotetrafiuoroethane	76-14-2	0.75	U	0.75	5,2	Ü	5.2
Vinyi Chloride	75-01-4	0.75	U	0.75	1.9	U	1.9
1,3-Butadiene	106-99-0	0.75	Ü	0.75	1,7		1.7
Bromomethane	74-83-9	0.75	U	0/15	2.9	U	2.9
Chlorcethane	75-00-3	0.75	Ü	0.75	2.0	Ü	2.0
Bromoethene	593-60-2	0.75	U	0.75	3.3	U	3.3
Trichiorofluoromethane	75-69-4	3.4	D /	0.75	19	Б	4.2
1,1-Dichtoroethene	75-35-4	0.75	U/	0.75	3.0	<u> </u>	3.0
3-Chloropropene	107-05-1	0.75	1	0.75	2.3	U	2.3
Methyl tert-Butyl Ether	1634-04-4	0.75	/u	0.75	2.7	U U	2.7
trans-1,2-Dichloroethene	156-60-5	0.75	Ų	0.75	3.0	U	3.0
n-Hexana	110-54-3	0.75	U	0.75	2.6		2,8
1,1-Dichloroethane	75-34-3	0.75	U	0.75	3.0	Ü	3.0
1,2-Dichioroethene (total)	540-59-0	0/75	U	0.75	3.0	- <u>·</u>	3.0
cls-1,2-Dichloroethene	156-59-2	0.75	U	0.75	3.0	Ū	3.0
Chloroform	67-66-3	0.75	U	0.75	3.7	- 	3.7
1,1,1-Trichioroethane	71-55-6	0.75	U	0.75	4.1	Ü	4.1
Cyclohexane	110-82-7	0.75	Ų	0.75	2.6	U	2.6
Carbon Tetrachloride	56-23-5	0.75	U	0.75	4.7	Ū	4.7
2,2,4-Trimethylpentane	540-94-1	0.75	U	0.75	3.5	U	3.5
Dichlorodifluoromethane	75-71-8	10	D	0.75	49	В	3.7
Benzene	7 1-43-2	0.75	U	0.75	2.4	Ų	2.4
1,3,5-Trimethylbenzene	108-67-8	0.75	U	0.75	3.7	U	3.7
1,2-Dichloroethane	107-08-2	0.75	U	0.75	3.0	U	3.0
n-Heptane	142-82-5	0.75	U	0.75	3.1	u	3.1
Trichloroethene	79-01-6	0.20	υţ	0.20	1.1	<u>u</u> ; -1	1.1
1,2-Dichloropropane	78-87-5	0.75	[י	0.75	3.5	─ †	3.5
Bromodichioromethane	75-27-4	0.75	U	0.75	5.0	Ü	5.0
cis-1,3-Dichloropropene	10061-01-5	0.75	Ü	0.75	3.4	U	3.4
Toluene	108-88-3	0.90	D	0.75	3.4	D	2.8
rans-1,3-Dichloropropens	10061-02-6	0.75	U	0.75	3.4	U	3.4
1,1,2-Trichloroethane	79-00-5	0.75	υ	0.75	4.1	U	4.1
Tetrachloroethene	127-18-4	0.75	U	0.75	5.1	u	5.1

CLIENT SAMPLE NO.

H-004-1-ADL

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Air

Lab Sample No.: 656044D1

Date Analyzed:

02/07/2006

Date Received:

Target Compound	CAS Number	Results In ppbv	Q	PPbv RL	Results in ug/m3	, 0	RL In ug/m3
Dibromochloromethane	124-48-1	0.75	U	0.75	6,4	Ü	6.4
1,2-Dibromoethane	106-93-4	0.75	υ	0.75	5.8	U	5.8
Ethylbenzene	100-41-4	0.75	Ü	0.75	3.3	U	3.3
Xylene (m,p)	1330-20-7	0.75	U	0.75	3.3	Ü	3.3
Xylene (o)	95-47-8	0.75	U	0.75	3.3	U	3.3
Xylene (total)	1330-20-7	0.75	U	0.75	3.3	U	3.3
Bromotorm	75-25-2	0.75	U	0.78	7.8	U	7.8
1,1,2,2-Tetrachloroethane	79-34-5	0.75	U	0.75	5.1	Ü	5.1
4-Ethyltoluene	622-96-8	0.75	U	0.75	3.7	Ü	3.7

CLIENT SAMPLE NO.

H-004-SS-B

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Air

Lab Sample No.: 656042

Date Analyzed:

02/10/2006

Date Received:

01/30/2006

Target Compound	CAS Number	Results in ppby	a	RL In ppbv	Results in ug/m3	a	RL in ug/m3
Dichlorodifluoromethane	75-71-8	2.5	U-3	2.5	12	U-35	12
1,2-Dichlorotetrafluorosthane	76-14-2	1,0	U j	1.0	7.0	U	7.0
Vinyl Chloride	75-01-4	1.0	U	1.0	2.6	U	2.6
1,3-Butadiene	106-99-0	2.5	U	2.5	5.5	U	5.5
Bromomethane	74-83-9	1.0	U	1.0	3.9	ul	3.9
Chloroethane	75-00-3	2.5	U	2.5	6.6	 	6.6
Bromoethene	593-60-2	1.0	U	1.0	4.4	<u> </u>	4.4
Trichlorofluoromethane	75-69-4	1.0	U	1.0	5.6	U	5.6
1,1-Dichtoroethene	75-35-4	1.0	U	1.0	4.0	U I	4.0
3-Chloropropene	107-05-1	2.5	U	2.5	7.8	- U	7.B
Methyl tert-Butyl Ether	1634-04-4	2.5	U	2.5	9.0	U	9.0
trans-1,2-Dichloroethene	156-60-5	1.0	U	1.0	4.0	U	4.0
п-Нехале	110-54-3	2.5	- U 1	2.5	8.8	10	8.8
1,1-Dichloroethane	75-34-3	1.0	U	1.0	4.0	u	4.0
1,2-Dichioroethene (total)	540-59-0	1.0	U	1.0	4.0	u	4.0
cis-1,2-Dichloroethene	156-59-2	1.0	U	1.0	4.0	U	4.0
Chloroform	67-66-3	1.0	U	1.0	4.9	Ū	4.9
1,1,1-Trichioroethane	71-55-6	1.0	U	1.0	5.5	U	5,5
Cyclohexane	110-82-7	1.0	U	1.0	3.4	U	3,4
Carbon Tetrachloride	56-23-5	1.0	U	1.0	6.3	- U	6.3
2,2,4-Trimethylpentane	540-84-1	1.0	U	1.0	4.7	U	4.7
Benzene	71-43-2	1.0	U	1.0	3.2	u	3.2
1,2-Dichloroethane	107-06-2	1.0	U 🛴	1.0	4.0	U.J.	4.0
n-Heptane	142-82-5	1.4	3	1.0	5.7	-5	4.1
Trichloroethene	79-01-6	5.7	3	1.0	31	7	5.4
1,2-Dichloropropane	78-87-5	1.0	U-S	1.0	4.6	US	4.6
Bromodichloromethane	75-27-4	1.0	U,	1.0	6.7	Ul	6.7
cis-1,3-Dichloropropene	10061-01-5	1.0	U 7	1.0	4.5	T.O.	4.5
Toluene	108-88-3	1.4	-5	1.0	5.3	7	3.8
trans-1,3-Dichloropropene	10081-02-6	1.0	- U-S	1.0	4.5	U-3	4.5
1,1,2-Trichloroethane	79-00-5	1,0	υJ	1.0	5.5	U 7	5.5
Tetrachloroethene	127-18-4	94	3	1.0	640	7	6.8
Dibromochloromethane	124-48-1	1.0	U	1.0	8.5	7	8.5

Printed: 02/27/2006 10:39:07 AM

CLIENT SAMPLE NO.

H-004-SS-B

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Air

Lab Sample No.: 656042

Date Analyzed:

02/10/2006

Date Received:

Target Compound	CAS Number	Results In ppbv	0	RL in ppbv	Results In ug/m3	a	RL in ug/m3
1,2-Dibromoethane	106-93-4	1.0	Ung	1.0	7.7	U	7.7
Ethylbenzene	100-41-4	1.0	U	1.0	4.3	U	4.3
Xylene (m,p)	1330-20-7	2.5	U	2.5	11		11
Xylene (o)	95-47-6	1.0	U	1.0	4.3	U	4.3
Xylene (total)	1330-20-7	1.0	U	1.0	4.3	u l	4.3
Bromoform	75-25-2	1.0	υ	1.0	10	<u> </u>	10
1,1,2,2-Tetrachlorcethane	79-34-5	1.0	U	1.0	8.9	- - 	6.9
4-Ethyltoluene	622-96-8	1.0	U	1.Q	4,9	U	4.9
,3,5-Trimethylbenzene	108-67-8	1.0	U J	1.0	4.9	<u>" Ja</u>	4.9

H-004-55-B

TO-14/15 **Result Summary**

CLIENT SAMPLE NO.

20060124-FD-1

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Air

Lab Sample No.: 656052

Date Analyzed:

02/10/2006

Date Received:

01/30/2006

Target Compound	CAS Number	Results in ppbv	a	RL In ppbv	Results in ug/m3	a	RL in ug/m3
Dichlorodifluoromethane	75-71-8	2.5	U-5	2.5	12	U-4	12
1,2-Dichlorotetrafluoroethane	76-14-2	1.0	UI	1.0	7.0	U .	7.0
Vinyl Chloride	75-01-4	1.0	U 1	1.0	2.6	 u 	2.6
1,3-Butadiene	108-99-0	2.5	U	2.5	5.5		5.5
Bromomethane	74-83-9	1.0	U	1.0	3.9		3.9
Chlorcethans	75-00-3	2.5	U I	2.5	6.6	i i	6.6
Bromoethene	593-60-2	1.0	U	1.0	4.4	- H	4.4
Trichlorofluoromethane	75-69-4	1.0	U	1.0	5.6	 	5.6
1,1-Dichloroethene	75-35-4	1.0	u	1.0	4.0	1 0	4.0
3-Chloropropene	107-05-1	2.5	U	2.5	7.8	i üli	7.8
Methyl tert-Butyl Ether	1634-04-4	2.5	U	2.5	9.0	U I	9.0
trans-1,2-Dichloroethene	156-60-5	1.0	U	1.0	4.0	 	4.0
n-Hexane	110-54-3	2.5	U T	2.5	8.8	 <u> </u>	8.8
1,1-Dichtoroethane	75-34-3	1.0	U	1,0	4.0	 <u> </u>	4.0
1,2-Dichloroethene (total)	540-59-0	1.0	U	1.0	4.0	u I	4.0
cis-1,2-Dichloroethene	156-59-2	1.0	U	1.0	4.0	U II	4.0
Chloroform	67-66-3	1.0	U	1.0	4.9	i i	4.9
1,1,1-Trichloroethane	71-55-6	1.0	U	1.0	5.5	<u> </u>	5.5
Cyclohexane	110-82-7	1.0	Ü	1.0	3.4	<u> </u>	3.4
Carbon Tetrachtoride	56-23-5	1.0	u	1.0	6.3	u II	6.3
2,2,4-Trimethylpentane	540-84-1	1.0	U	1.0	4.7	U	4.7
Benzene	71-43-2	1.0	U	1.0	3.2	U	3.2
1,2-Dichloroethane	107-06-2	1,0	υ ψ	1.0	4.0	U	4.0
n-Heptane	142-82-5	1.5	3	1.0	6.1		4.1
Trichloroethene	79-01-6	6.1	3	1.0	33	3	5.4
1,2-Dichioropropane	78-87-5	1.0	U-T	1.0	4.6	U-X	4.6
Bromodichiaromethane	75-27-4	1.0	3	1.0	6.7	-	6.7
cis-1,3-Dichloropropene	10061-01-5	1.0	V-3	1.0	4.5	उन्त	4.5
Toluene	108-88-3	1.8	3	1.0	6.8	 ->	3.8
rans-1,3-Dichloropropene	10061-02-6	1.0	v3	1.0	4.5	<u> </u>	4.5
1,1,2-Trichloroethane	79-00-5	1.0	υ . 5	1.0	5.5	UJ	5.5
Tetrachiorcethene	127-18-4	100	3	1.0	680	~**	6.8
Dibromochloromethane	124-48-1	1.0	U.S	1.0	8.5	<u> </u>	8.5

Printed: 02/27/2006 10:39:12 AM

3/21/06 Page 1 of 2

Result Summary

20060124-FD-1

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Air

Lab Sample No.: 656052

Date Analyzed:

02/10/2006

Date Received:

Target Compound	CAS Number	Results in ppbv	Q	AL ju ppbv	Results in ug/m3	a	RL in ug/m3
1,2-Dibromosthane	108-93-4	1.0	Umg	1.0	7.7	U-4	7.7
Ethylbenzene	100-41-4	1.0	U	1,0	4.3	U 1	4.3
Xylene (m,p)	1330-20-7	2.5	U	2.5	11	<u> </u>	11
Xylene (o)	95-47-8	1.0	U	1.0	4.3	U	4.3
Xylene (total)	1330-20-7	1.0	U	1.0	4.3	- 	4.3
Bramoform	75-25-2	1.0	U I	1.0	10	- <u>-</u> 	10
1,1,2,2-Tetrachloroethane	79-34-5	1.0	U	1.0	6.9	U I	6.9
4-Ethyltoluene	622-96-8	1.0	U	1.0	4.9	U II	4.9
1,3,5-Trimethylbenzene	108-67-8	1.0	U	1.0	4.9	Ū.	4.9



CLIENT SAMPLE NO.

H-004-SS-A

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Air


Lab Sample No.: 656043

Date Analyzed:

02/10/2006

Date Received:

Target Compound	CAS . Number	Results in ppby	a	RL in ppbv	Results In ug/m3	a	RL In ug/m3
Dichlorodifluoromethans	75-71-8	5.0	U-5	5.0	25	U	25
1,2-Dichlorotetrafluoroethane	76-14-2	2.0	U	2.0	14	<u> </u>	14
Vinyl Chiaride	75-01-4	2.0	U	2.0	5.1	 	5,1
1,3-Butadiene	106-99-0	5.0	U I	5.0	11	1 	11
Bromomethane	74-83-9	2.0	U	2.0	7.8	1 0	7.8
Chloroethane	75-00-3	5.0	U	5.0	13	1 0	13
Bromoethene	593-60-2	2.0	U	2.0	8.7	ا ان ا	8.7
Trichlorofluoromethane	75-89-4	2.0	U	2.0	11	1 	11
1,1-Dichloroethene	75-35-4	2.0	U	2.0	7.9	1 - j 	7.9
3-Chloropropene	107-05-1	5.0	U	5.0	18	u l	16
Methyl tert-Butyl Ether	1634-04-4	5.0	UI I	5.0	18	 • 	18
trans-1,2-Dichloroethene	156-60-5	2.0	U	2.0	7.9	 ~ 	7.9
n-Hexane	110-54-3	5.0	U	5.0	18	T U	18
1,1-Dichloroethane	75-34-3	2.0	U	2.0	8.1	<u>-</u>	8.1
1,2-Dichloroethene (total)	540-59-0	2.0	U	2.0	7.9	U	7.9
cls-1,2-Dichloroethene	156-59-2	2.0		2.0	7.9	1	7,9
Chloroform	67-66-3	2.7	-5	2.0	13	3	9.8
1,1,1-Trichioroethane	71-55-6	2.0	U-R	2.0	11	U	11
Cyclohexane	110-82-7	2.0	U	2.0	6.9	U, U	6.9
Carbon Tetrachlorida	56-23-5	2.0	U	2.0	13	U	13
2,2,4-Trimethylpentane	540-84-1	2.0	U	2.0	9.3	U	9.3
Benzene	71-43-2	2.0	U	2.0	6.4	U	6.4
1,2-Dichloroethane	107-06-2	2.0	U	2.0	8.1	<u> </u>	8.1
n-Heptene	142-82-5	2.6	-5	2.0	11		8.2
Trichloroethene	79-01-6	8.8	7	2.0	47		11
,2-Dichloropropane	78-87-5	2.0	U-5	2.0	9.2	03	9.2
Bromodichioromethane	75-27-4	2.0	3	2.0	13	3	13
cis-1,3-Dichloropropene	10081-01-5	2.0	0.5	2.0	9.1	U	9.1
oluene	108-88-3	2.0	υl	2.0	7.5	U,	7.5
rans-1,3-Dichloropropene	10061-02-6	2.0	Ų	2.0	9.1	U	9.1
,1,2-Trichloroethane	79-00-5	2.0	U 🕏	2.0	11	U.J	11
etrachloroethene	127-18-4	160	7	2.0	1100	3	14
Dibromochloromethane	124-48-1	2.0	U-5	2.0	17	U-3	17



CLIENT SAMPLE NO.

H-004-SS-A

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Air

Lab Sample No.: 656043

Date Analyzed:

02/10/2006

Date Received:

Target Compound	CAS Number	Results in ppbv	a	RL In ppbv	Results in ug/m3	a	AL In ug/m3
1,2-Dibromoethane	106-93-4	2.0	U S	2.0	15	0-4	15
Ethylbenzene	100-41-4	2.0	UI	2.0	8.7	<u> </u>	8.7
Xylene (m,p)	1330-20-7	5.0	U	5.0	22	u	22
Xylene (o)	95-47-6	2.0	U	2.0	8.7	u	8.7
Xylene (total)	1330-20-7	2.0	U	2.0	8.7	ull	8.7
Bromoform	75-25-2	2.0	U	2.0	21	ü	21
1,1,2,2-Tetrachloroethane	79-34-5	2.0	U	2.0	14	 - - - - - - - - - - - - 	14
4-Ethyltoluene	622-96-8	2.0	U	2.0	9.8	Ü	9.8
1,3,5-Trimethylbenzene	108-67-8	2.0	u J	2.0	9.8	u J	9.8

CLIENT SAMPLE NO.

SG-08

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Air

Lab Sample No.: 656049

Date Analyzed:

02/09/2006

Date Received:

01/30/2006

Target Compound	CAS Number	Results in ppbv	a	RL in ppbv	Results In Ug/m3	Q	RL in ug/m3
Dichlorodifluoromethane	75-71-8	0.40	u u	0.40	 	ļ	<u> </u>
1,2-Dichlorotetraffuoroethane	76-14-2	0.16	T u	0.40	2.0	<u>U</u>	2.0
Vinyl Chloride	75-01-4	0.16	 "	0.18	1.1	U	1.1
1,3-Butadiene	108-99-0	0.40	 u -		0.41	U	0.41
Bromomethane	74-83-9	0.16	u u	0.40	0.88	U	0.68
Chloroethane	75-00-3	0.40	U	0.16	0.62	<u> </u>	0.62
Bromoethene	593-60-2	0.16	- u	0.40	1.1	U	1.1
Trichlorofluoromethane	75-69-4	0.18	- U	0.16	0.70	U	0.70
1,1-Dichloroethene	75-35-4	0.16	u u	0.18	0.90	U	0.90
3-Chloropropene	107-05-1	0.10	U	0.16	0.63	U	0.63
Methyl tert-Butyl Ether	1634-04-4	6.40	<u> </u>	0.40	1.3	<u> </u>	1.3
rans-1,2-Dichtoroethene	158-60-5			0.40	1.4	U	1.4
-Hexane	110-54-3	0.16	U	0.16	0.63	U U	0.83
,1-Dichloroethane	75-34-3	0.40	u	0.40	1.4	U	1.4
,2-Dichloroethene (total)	540-59-0	0.16	U	0.18	0.65	U	0.65
is-1,2-Dichloroethene	156-59-2		υ 	0.16	0.63	U	0.63
hloroform	67-68-3	0.16		0,16	0.63	U	0.63
1,1-Trichloroethane	71-55-6	0.16	U	0.16	0.78	U	0.78
yclohexane	110-82-7	0.16		0,16	0.87	U	0.87
arbon Tetrachloride	56-23-5		U	0.16	0.55	U	0.55
2,4-Trimethylpentane	540-84-1	0.16	U	0.18	1.0	Ų	1.0
enzene	71-43-2	0.16	U	0.16	0.75	U	0.75
2-Dichloroethane	107-06-2	0.86	::	0.16	2.7		0.51
Heptane	142-82-5	0.18	U	0.16	0.65	u	0.65
ichloroethene	79-01-6	0.20	 	0.16	0.82		0.88
2-Dichloropropane	78-87-5	0.16	<u> </u>	0.16	0.86	U	0.86
omodichloromethane		0.16	U	0,16	0.74	U	0.74
-1,3-Dichloropropene	75-27-4	0.16	U	0,18	1.1	Ų	1.1
luene	10061-01-5	0.16	U	0.16	0.73	<u> </u>	0.73
ns-1,3-Dichloropropene	10061-02-8	1.1		0.18	4.1		0.60
,2-Trichloroethane	79-00-5	0.16	U	0.16	0.73	υ	0.73
irachioroethene	127-18-4	0.16	U	0.18	0.87	u	0.87
romochloromethane	124-48-1	0.16	U	0.18	1.1	U	1.1

Printed: 02/27/2006 10:39:09 AM

CLIENT SAMPLE NO.

SG-08

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Air

Lab Sample No.: 656049

Date Analyzed:

02/09/2006

Date Received:

Target Compound	CAS Number	Results In ppbv	a	RL In ppbv	Results in ug/m3	a	RL in ug/m3
1,2-Dibromoethane	106-93-4	0.16	U :	0.16	1.2	U	1.2
Ethylbenzene	100-41-4	0.19		0.16	0.83	 	0.69
Xylene (m,p)	1330-20-7	0.50		0.40	2.2		1.7
Xylene (a)	95-47-6	0.17		0.16	0.74		0,69
Xylene (total)	1330-20-7	0.68		0.18	3.0	 	0.69
Bromotorm	75-25-2	0.16	U	0.18	1.7	u	1.7
1,1,2,2-Tetrachloroethane	79-34-5	0.16	- U	0.18	1.1	U	1,1
-Ethyltoluene	622-96-8	0.16	Ü	0.16	0.79	Ü	0.79
1,3,5-Trimethylbenzene	108-67-8	0.16	Ü	0.18	0.79	-	0.79

CLIENT SAMPLE NO.

20060124-FD-3

Lab Name:

STL Burlington

SDG Number: 112332

Case Number;

Sample Matrix: Air

Lab Sample No.: 656054

02/10/2006

Date Analyzed: Date Received:

01/30/2006

Target Compound	CAS Number	Results in ppbv	a	RL In ppbv	Results In ug/m3	a	RL in ug/m3
Dichlorodifluoromethane	75-71-8	0.40	UI	0.40	2.0	U	2.0
1,2-Dichlorotetraftuoroethane	76-14-2	0.16	į U	0.16	1.1	U 1	1.1
Vinyl Chloride	75-01-4	0.16	U	0.16	0.41	<u> </u>	0.41
1,3-Butadiene	106-99-0	0.40	U	0.40	0.88	υ l	0.88
Bromomethane	74-83-9	0.16	U	0.16	0.62	U	0.62
Chloroethane	75-00-3	0.40	U	0.40	1.1	U	1.1
Bromoethene	593-60-2	0.16	U	0.16	0.70	 	0.70
Trichtorofluoromethane	75-69-4	0.16	U	0.16	0.90	U	0.90
1,1-Dichioroethene	75-35-4	0.16	Ü	0.16	0.63	l ŭ H	0.63
3-Chloropropene	107-05-1	0.40	U	0.40	1.3	† " 	1.3
Methyl tert-Butyl Ether	1634-04-4	0.40	U	0.40	1.4	<u> </u>	1.4
trans-1,2-Dichlorcethene	156-60-5	0.16	U	0.16	0.63	U I	0.63
n-Hexane	110-54-3	0.40	υÜ	0.40	1.4	Ū	1.4
1,1-Dichloroethane	75-34-3	0.16	υ	0.16	0.65	U	0.65
1,2-Dichloroethene (total)	540-59-0	0.16	U	0.16	.0.63	U T	0.63
ds-1,2-Dichloroethene	156-59-2	0.16	U	0.16	0.63	u I	0.63
Chloroform	- 67-68-3	0.16	υ	0.16	0.78	<u> </u>	0.78
1,1,1-Trichloroethane	71-55-6	0.16	U	0.16	0.87	U	0.87
Cyclohexane	110-82-7	0.16	U	0.16	0.55	U	0.55
Carbon Tetrachioride	56-23-5	0.16	U	0.16	1.0	U I	1.0
2,2,4-Trimethylpentane	540-84-1	0.16	U	0.18	0.75	ىل	0.75
Benzene	71-43-2	0.63	3	0.16	2.0	3	0.51
,2-Dichloroethane	107-08-2	0.16	v3	0.16	0.65	<u> </u>	0.65
-Heptane	142-82-5	0.16	UI	0.16	0.66	Ui	0.66
richloroethene	79-01-6	0.16	U	0.16	0.86	U	0.86
,2-Dichloropropane	78-87-5	0.16	U	0.16	0.74	U	0.74
romodichioromethane	75-27-4	0.16	U	0.16	1.1	U	1.1
is-1,3-Dichtoropropene	10081-01-5	0.16	υ J	0.16	0.73	U J	0.73
oluene	108-88-3	1.3	3	0.16	4.9	3	0.60
ans-1,3-Dichloropropene	10061-02-6	0,16	υ - Δ	0.16	0.73	U.S	0.73
1,2-Trichloroethane	79-00-5	0.16	U	0.16	0.87	υ,	0.87
etrachloroethene	127-18-4	0.16	U	0.16	1,1	U	1,1
ibromochloromethane	124-48-1	0.16	U	0.16	1.4	U	1.4

Printed: 02/27/2006 10:39:13 AM

CLIENT SAMPLE NO.

20060124-FD-3

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Air

Lab Sample No.: 656054

Date Analyzed:

02/10/2006

Date Received:

Target Compound	CAS Number	Results in ppbv	٥	RL In ppbv	Results in ug/m3	o	RL in ug/m3
1,2-Dibromoethane	105-93-4	0.16	UZ	0.16	1.2	U-5	1,2
Ethylbenzene	100-41-4	0.28	-3	0.16	1.2	7	0.69
Xylene (m,p)	1330-20-7	1.2		0.40	5.2		1.7
Xylene (o)	95-47-6	0.50		0.16	2.2		0.69
Xylene (total)	1330-20-7	1.7	J	0.16	7,4	7	0.69
Bromoform	75-25-2	0.16	ंड	0.16	1.7	vs	1.7
1,1,2,2-Tetrachloroethane	79-34-5	0.16	U.5	0.16	1,1	U	1.1
4-Ethyltoluene	622-96-8	0.51	~	0.16	2,5	~	0.79
1,3,5-Trimethylbenzene	108-67-8	0.16	U	0.16	0.79	U	0.79



H-004-1B

TO-14/15 Result Summary

CLIENT SAMPLE NO.

20060124-FD-2

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Air

Lab Sample No.: 656053

Date Analyzed:

02/06/2006

Date Received:

01/30/2006

							
Target Compound	CAS Number	Results in ppbv	a	AL In ppbv	Results in ug/m3	O	RL In ug/m3
1,2-Dichlorotetrafluoroethane	76-14-2	0.15	┼-;-	0.15	1.0	 	1.0
Vinyl Chloride	75-01-4	0.15	U	0.15	0.38	U	0,38
1,3-Butadiene	106-99-0	0.20	┼┷╶	0.15	0.44	ऻ ──॔ॏ	0.33
Bromomethane	74-83-9	0.15	 	0.15	0.58	l u	0.58
Chloroethane	75-00-3	0.15	\overline{U}	0.15	0.40	 	0.40
Bromoethene	593-60-2	0.15	U	0.15	0.66	U	0.66
Trichiorofiuoromethane	75-69-4	1.6	 	0.15	9.0	 	0.84
1,1-Dichloroethene	75-35-4	0.15	U	0,15	0.59	U	0.59
3-Chloropropene	107-05-1	0.15	T-U	0.15	0.47	 	0.47
Methyl tert-Butyl Ether	1634-04-4	0.15	T U	0.15	0.54	 	0.54
trans-1,2-Dichloroethene	156-60-5	0.15	U	0.15	0.59	1 - 0 - 1	0.59
n-Hexane	110-54-3	0.42	 -	0.15	1.5	 	0.53
1,1-Dichloroethane	75-34-3	0.15	U	0.15	0.61	 	0.61
1,2-Dichloroethene (total)	540-59-0	0.15	U	0.15	0.59	i ü	0.59
cis-1,2-Dichloroethene	156-59-2	0.15	U	0.15	0.59		0.59
Chloroform	67-66-3	0.15	U	0.15	0.73	Ü	0.73
1,1,1-Trichloroethane	71-55-6	0.15	U	0.15	0.82	U	0.82
Cyclohexane	110-82-7	0.50		0.15	1.7	 	0.52
Carbon Tetrachloride	56-23-5	0.15	U	0.15	0.94	U	0.94
2,2,4-Trimethylpentane	540-84-1	0.15		0.15	0.70		0.70
Dichlorodifluoromethane	75-71-8 ਪ	91	70	0.15	2428	70	0.74
Benzene	71-43-2	0.50	1 -	0.15	1.6		0.48
1,3,5-Trimethylbenzene	108-67-8	0.15	υ - Ζ	0.15	0.74	0-5	0.74
1,2-Dichloroethane	107-06-2	0.15	U	0.15	0.61	<u> </u>	0.81
n-Heptane	142-82-5	0.26	1	0.15	1.1		0.61
Trichloroethene	79-01-6	0.041	<u> </u>	0.040	0.22	 	0.21
1,2-Dichioropropane	78-87-5	0.15	Ų	0.15	0.69	U	0.69
Bromodichloromethane	75-27-4	0.15	U	0.15	1.0	U	1.0
sis-1,3-Dichtoropropene	10061-01-5	0.15	Ü	0.15	0.68	U	0.68
Гоlueле	108-88-3	1.3		0.15	4.9	- 	0.57
rans-1,3-Dichloropropene	10061-02-6	0.15	U	0.15	0.68	Ü	0.68
,1,2-Trichioroethane	79-00-5	0.15	Ü	0.15	0.82	υ	0.82
etrachloroethene	127-18-4	0.36		0.15	2.4	 	1.0

Printed: 02/27/2006 10:38:40 AM

4-004-13

CLIENT SAMPLE NO.

20060124-FD-2

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Air

Lab Sample No.: 656053

Date Analyzed:

02/06/2006

Date Received:

Target Compound	CAS Number	Results In ppbv	a	RL in ppbv	Results in ug/m3	a	RL in ug/m3
Dibromochkoromethane	124-48-1	0.15	υ	0.15	1.3	U	1.3
1,2-Dibromoethane	106-93-4	0.15	U	0.15	1.2	U	1,2
Ethylbenzene	100-41-4	0.15	U	0.15	0.65	U	0.65
Xylene (m,p)	1330-20-7	0.39		0.15	1.7		0.65
Xylene (o)	95-47-6	0.16		0.15	0.69		0.65
Xylene (total)	1330-20-7	0.60		0.15	2.6		0.65
Bromoform	75-25-2	0.15	U	0.15	1.6	U	1.6
1,1,2,2-Tetrachioroethane	79-34-5	0.15	Ü	0.15	1.0	Ü	1.0
4-Ethyltoluene	622-96-8	0,15	Ü	0.15	0.74	Ü	0.74

H-004-1B

CLIENT SAMPLE NO.

20060124-FD-2DL

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Air

Lab Sample No.: 658053D/

Date Analyzed:

02/07/2006

Date Received:

01/20/2006

						 	
Target Compound	CAS Number	Results In ppbv	o	RL in ppbv	Results in ug/m3	9/	RL in ug/m3
1,2-Dichlorotetrafluoroethane	76-14-2	0.38	- U	0.38	2.7	/ _U	2,7
Vinyl Chloride	75-01-4	0.38	<u> </u>	0.38	0.97	<u> </u>	0.97
1,3-Butadiene	106-99-0	0.38	U	0.38	0.84	U	0.84
Bromomethane	74-83-9	0.38	u	0.38	18	U U	1.5
Chloroethane	75-00-3	0.38	Ū	0.38	1.0	-	1.0
Bromoethene	593-60-2	0.38	T U	0.38	1.7	- u -	1.7
Trichlorofluoromethane	75-69-4	1.7	D	0.38	9.6	0	2.1
1,1-Dichloroetherie	75-35-4	0.38	Ü	0.38	1.5	" "	1.5
3-Chloropropene	107-05-1	0.38	T U	0.38	1.2	 	1,2
Methyl tert-Butyl Ether	1634-04-4	0.38	u	0.39	1.4	- u	1.4
trans-1,2-Dichloroethene	156-60-5	0.38	Ū	0/38	1.5	U	1.5
п-Нежале	110-54-3	0.39	D	/0.38	1.4	<u> </u>	1.3
1,1-Dichloroethane	75-34-3	0.38	Ū	0.38	1.5	U	1.5
1,2-Dichloroetherie (total)	540-59-0	0.38	U	0.38	1.5	Ü	1.5
cis-1,2-Dichloroethene	156-59-2	0.38	Ū/	0.38	1.5	U	1.5
Chloroform	67-88-3	0.38		0.38	1.9	U	1.9
1,1,1-Trichloroethane	71-55-6	0.38	 / _	0.38	2,1	u u	2.1
Cyclohexane	110-82-7	0.53	/ D	0.38	1.8	<u> </u>	1.3
Carbon Tetrachloride	56-23-5	0.38	T U	0.38	2.4	U	2.4
2,2,4-Trimethylpentane	540-84-1	0.38	U	0.38	1.8	U	1.8
Dichlorodifluoromethane	75-71-8	4/8	D	0.38	24		1.9
Benzene	71-43-2	0.48	D	0.38	1.5	0	1.2
1,3,5-Trimethylbenzene	108-67-8	0.38	U	0.38	1.9	U Z	1.0
1,2-Dichloroethane	107-06-2	0.38	- 	0.38	1,5		1.5
n-Heptane	142-82-5	0.38	U.	0.38	1.6	C	1.6
Trichloroethene	79-01,6	0.10	Tu i	0.10	0.54	١	0.54
1,2-Dichioropropane	78-97-5	0.38	U	0.38	1.8	U	1.8
3romodichloromethane	76-27-4	0.38	U	0.38	2.5	ט	2.5
sis-1,3-Dichloropropene	/0061-01-5	0.38	Ü	0.38	1.7	U	1.7
Coluene	108-88-3	1.2		0.38	4.5	0	1.4
rans-1,3-Dichloropropene	10061-02-6	0.38	Ü	0.38	1.7	- U	1.7
,1,2-Trichioroethane	79-00-5	0.38	U	0.38	2.1	- U	2.1
etrachloroethene	127-18-4	0.38	U	0.38	2.6	U	2.6

CLIENT SAMPLE NO.

20060124-FD-2DL

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Air

Lab Sample No.: 656053D1

Date Analyzed:

02/07/2006

Date Received: /01/30/2006

Target Compound	CAS Number	Results In ppbv	Q	RL in ppbv	Results in ug/m3		RL in ug/m3
Dibromochloromethane	124-48-1	0.38	U	0.38	3.2	 	3.2
1,2-Dibromoethane	106-93-4	0.38	U	0.38	2/9	1 0	2.9
Ethylbenzene	100-41-4	0.38	U	0.38	1.7	U	1.7
Xylene (m,p)	1330-20-7	0.43	5	0.38	1.9	0	1.7
Xylene (a)	95-47-6	0.38	U U	0.38	1.7	┠╸╶ ╺┽	
Xylene (total)	1330-20-7	0.49	Ď	0.38		l v	1.7
Bromoform	75-25-2	0.38	U		2.1	D	1.7
1,1,2,2-Tetrachioroethane	79-34-5			0.38	3.9	<u> </u>	3.9
4-Ethyltoluene		0.38	U	0.36	2.6	U	2.6
- Luiyitoldaria	622-96-8	0.38	U	9 /.38	1.9	U	1,9

CLIENT SAMPLE NO.

H-004-1-B

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Air

Lab Sample No.: 656045

Date Analyzed:

02/06/2006

Date Received:

01/30/2006

Target Compound	CAS Number	Results In ppbv	Q	RL In ppbv	Results in ug/m3	a	RL in ug/m3
1,2-Dichlorotetrafluoroethane	78-14-2	0,15	╁	0.15	1.0		1,0
Vinyl Chloride	75-01-4	0.15	U :	0.15	0.38	<u> </u>	0.38
1,3-Butadiene	106-99-0	0.15	U	0.15	0.33	Ū.	0.33
Bromomethane	74-83-9	0.15	U	0.15	0.58	u U	0.58
Chioroethane	75-00-3	0.15	U	0.15	0.40	u u	0.40
Bromoethane	593-60-2	0.15	U	0.15	0.68	Ū.	0.66
Trichlorofluoromethane	75-69-4	1,4	<u> </u>	0.15	7.9	-	0.84
1,1-Dichloroetherre	75-35-4	0.15	U	0.15	0.59	U	0.59
3-Chloropropene	107-05-1	0.15	 	0,15	0.47	U	0.47
Methyl tert-Butyl Ether	1634-04-4	0.15	U	0.15	0.54	U	0.54
trans-1,2-Dichloroethene	156-60-5	0.15	U	0.15	0.59	Ü	0.59
n-Hexane	110-54-3	0.33	1	0.15	1,2		0.53
1,1-Dichloroethane	75-34-3	0.15	U	0.15	0.61	U	0.61
1,2-Dichloroethene (total)	540-59-0	0.15	u	0.15	0.59	U	0.59
cis-1,2-Dichloroethene	156-59-2	0.15	U	0.15	0.59	_ u	0.59
Chloroform	67-66-3	0.15	Ü	0.15	0.73	U	0.73
1,1,1-Trichloroethane	71-55-6	0.15	U	0.15	0.82	Ū	0.82
Cyclohexane	110-82-7	0.45	1	0.15	1.5		0.52
Carbon Tetrachloride	56-23-5	0.15	U	0.15	0.94	Ü	0.94
2,2,4-Trimethylpentane	540-84-1	0.15	U	0.15	0.70	Ū l	0.70
Dichlorodifluoromethane	75-71-8	0.61	× 0	0.15	20/2	Zn	0.74
Benzene	71-43-2	0.49		0.15	1.6		0.48
1,3,5-Trimethylbenzene	108-67-8	0.15	<u>ک</u> سوں	0.15	0.74	U-7	0.74
,2-Dichloroethane	107-06-2	0.15	U	0.15	0.61	U	0.61
n-Heptane	142-82-5	0.15	U	0.15	0.61	U T	0.61
richloroethene	79-01-6	151	20	0.040	1898	7	0.21
,2-Dichloropropane	78-87-5	0.15	U	0.15	0.69	U	0.69
romodichioromethane	75-27-4	0.15	U	0.15	1.0	U	1.0
is-1,3-Dichloropropene	10061-01-5	0.15	U	0.15	0.68	Ū	0.68
oluana	108-88-3	1.1		0.15	4,1	 -	0.57
ans-1,3-Dichloropropene	10061-02-6	0.15	U	0.15	0.68	U	0.68
,1,2-Trichloroethane	79-00-5	0.15	U	0.15	0.82		0.82
etrachicroethene	127-18-4	0,34	1 1	0.15	2.3		1.0

Printed: 02/27/2006 10:38:35 AM

CLIENT SAMPLE NO.

H-004-1-B

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Air

Lab Sample No.: 656045

02/06/2006

Date Analyzed: Date Received:

Target Compound	CAS Number	Results In ppbv	Q	RL In Ppbv	Results in ug/m3	o	RL In ug/m3
Dibromochloromethane	124-48-1	0.15	IJ	0.15	1,3	U	1.3
1,2-Dibromoethane	106-93-4	0.15	U	0.15	1.2	U I	1.2
Ethylbenzene	100-41-4	0.15	U	0.15	0.85	 	0.65
Xylene (m,p)	1330-20-7	0.36		0.15	1.6		0.65
Xylene (o)	95-47-8	0.15		0,15	0.65	- -	
Xylene (total)	1330-20-7	0.58		0.15	2.4		0.65
Bromoform	75-25-2	0.15	Ü	0.15	1.6		0.65
1,1,2,2-Tetrachioroethane	79-34-5	0.15	u	0.15	 	<u>u</u>	1.6
I-Ethyltoluene	622-96-8	0.15	0	0.15	1.0 0.74	U	0.74

CLIENT SAMPLE NO.

H-004-1-BDL

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Air

Lab Sample No.: 658045D1

Date Analyzed:

02/07/2006

Date Received:

01/30/2006

Target Compound	CAS Number	Results in ppbv	a	RL in ppbv	Results in ug/m3		Ri. in ug/m3
1,2-Dichlorotetrafluoroethane	76-14-2	1,2	 	1.2	8,4	 	8.4
Vinyl Chioride	75-01-4	1.2	U	1,2	/3.1	T U	3.1
1,3-Butadiene	106-99-0	1,2	- u	1,2	2.7	"	
Bromomethane	74-83-9	1.2	Ü	1.2	4.7	U	2.7
Chloroethane	75-00-3	1.2		1.2	3.2	U	4.7
Bromoethene	593-60-2	1.2	†~ ~	1.2	5.2	-	3.2
Trichlorofluoromethane	75-69-4	2,0	1 0	1/2	11	0	5.2
1,1-Dichloroethene	75-35-4	1.2	1 0	/1.2	4.8		6.7
3-Chloropropene	107-05-1	1,2	 "	1.2	3.8	- U	4.8
Methyl tert-Butyl Ether	1634-04-4	1,2	U	1.2	4.3		3.8
trans-1,2-Dichloroethene	156-60-5	1.2	 	1.2		U	4.3
n-Hexane	110-54-3	1.2	 }	1.2	4.8 4.2	<u>U</u>	4.8
1,1-Dichloroethane	75-34-3	1.2	 /u	1.2	4.9	<u>U</u>	4.2
1,2-Dichiproethene (total)	540-59-0	1.2	/ 5	1.2	4.8	Ü	4.9
cls-1,2-Dichloroethene	156-59-2	1.2	U	1.2	4.8		4.8
Chloroform	67-66-3	1.2/	U	1.2	5.9	<u> </u>	4.8
1,1,1-Trichloroethane	71-55-6	1/2	1 - u	1,2	6.5	-	5.9
Cyclohexane	110-82-7	1.2	U U	1.2	4.1	U	6.5
Carbon Tetrachloride	56-23-5	1.2	Ü	1,2	7.5		
2,2,4-Trimethylpentane	540-84-1	1.2	U	1.2	5.6	- U	7.5
Dichlorodifluoromethane	75-71-8	5.6	D	1.2	28	D	5.6
Benzene	71-43-2	1.2	U	1.2	3.8	U	5.9
1,3,5-Trimethylbenzene	198-67-8	1.2	υ ત	1,2	5.9	Ŭ-	3.8 5.9
1,2-Dichioroethane	107-08-2	1.2	U	1,2	4.9	<u> </u>	4.9
n-Heptane	142-82-5	1.2	Ü	1.2	4.9	U	4.9
richloroethene	79-01-6	15		0.33	81	<u></u>	1.8
,2-Dichloropropane	78-87-5	1.2	U	1.2	5.5	- U	
Bromodichloromethane	75-27-4	1.2	U	1,2	8.0	- "	5.5 8.0
is-1,3-Dichloropropene	10061-01-5	1.2		1.2	5.4	"	5.4
oluene	108-88-3	1.3	D	1.2	4.9	6	4.5
ans-1,3-Dichloropropene	10061-02-6	1.2	Ü	1.2	5.4	U	5.4
,1,2-Trichloroethane	79-00-5	1.2	Ü	1,2	6.5	Ü	8.5
etrachloroethene	127-18-4	1.2	U	1.2	8.1	- - U	8.1

Printed: 02/27/2006 10:38:36 AM

CLIENT SAMPLE NO.

H-004-1-BDL

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Air

Lab Sample No.: 65604501

Date Analyzed:

02/07/2006

Date Received:

Ø1/30/2006

Target Compound	CAS Number	Results In ppby	Q	RL in ppbv	Results in ug/m3	a	RL In ug/m3
Dibromochloromethane	124-48-1	1.2	U	1.2	10/	 	10
1,2-Dibromoethane	106-93-4	1.2	U	1,2	8.2	 	9.2
Ethylbenzene	100-41-4	1.2	u	1,2	5.2	u	
Xylane (m,p)	1330-20-7	1.2		1.2	5.2		5.2
Xylene (o)	95-47-6	1.2	U	1.2	·	U .	5.2
Xylene (total)	1330-20-7				5.2	<u> </u>	5.2
Bromotorm	 -	1.2	U	1.2/	5.2	U	5.2
	75-25-2	1.2	_ u	<i>‡</i> .2	12	U	12
1,1,2,2-Tetrachloroethane	79-34-5	1.2	U	/ 1.2	8.2	U T	8.2
4-Ethyltoluene	622-96-8	1.2	U	1.2	5.9	U	5.9

CLIENT SAMPLE NO.

H-002-1

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Air

Lab Sample No.: 656047

Date Analyzed: 02/06/2006

Date Received: 01/30/2006

Target Compound	CAS Number	Results in ppbv	a	PL in ppbv	Results in ug/m3	a	RL In ug/m3
1,2-Dichlorotetrafluoroethane	76-14-2	0.15	U	0.15	1.0	Ü	1.0
Vinyl Chloride	75-01-4	0.15	U+	0.15	0.38	U	0.38
1,3-Butadiene	106-99-0	0.15	U	0.15	0.33	U	0.33
Bromomethane	74-83-9	0.15	U	0,15	0.58	U	0.58
Chloroethane	75-00-3	0.15	Ü	0.15	0.40	 	0.40
Bromoethene	593-60-2	0.15	1 	0.15	0.58	U	0.40
Trichloroflucromethans	75-69-4	0.31	 -	0.15	1.7	-	0.84
1,1-Dichloroethene	75-35-4	0.15	U	0.15	0.59	U	0.59
3-Chloropropene	107-05-1	0.15	U	0.15	0.47	U U	0.47
Methyl tert-Butyl Ether	1634-04-4	0.15	U	0.15	0.54	Ü	0,54
trans-1,2-Dichloroethene	156-60-5	0.15	U	0.15	0.59	U	0.59
n-Hexane	110-54-3	0.31	 	0.15	1.1	- -	0.53
1,1-Dichloroethane	75-34-3	0.15	U	0.15	0.61	U	0.61
1,2-Dichloroethene (total)	540-59-0	0.15	U	0.15	0.59	U	0.59
cis-1,2-Dichloroethene	156-59-2	0.15	U	0.15	0.59	U	0.59
Chloroform	67-66-3	0.15	U	0.15	0.73	- u	0.73
1,1,1-Trichloroethane	71-55-6	0.15	Ü	0.15	0.82	U	0.82
Cyclohexane	110-82-7	0.15	Ü	0.15	0.52	- <u>-</u>	0.52
Carbon Tetrachloride	56-23-5	0.15	U	0.15	0.94	U	0.94
2,2,4-Trimethylpentane	540-84-1	0.15	U	0.15	0.70		0.70
Dichlorodifluoromethane	75-71-8	1.7		0.15	8.4	- -	0.74
Benzene	71-43-2	0.47		0.15	1.5		0.48
1,3,5-Trimethylbenzene	108-67-8	0.15	U- 3	0.15	0.74	U 3	0.74
1,2-Dichloroethane	107-06-2	0.15	υ	0.15	0.61	U	0.61
n-Heptane	142-82-5	0.15	U	0.15	0.61	U	0.61
Frichloroethene	79-01-6	0.040	U;	0.040	0.21	<u> </u>	0.21
,2-Dichloropropane	78-87-5	0.15	U	0.15	0.69	u ~	0.69
Promodichloromethane	75-27-4	0.15	C	0.15	1.0	- i	1.0
fs-1,3-Dichloropropens	10061-01-5	0.15	υ	0.15	0.68	Ū	0.68
oluene	108-88-3	0.79		0.15	3.0		0.57
ans-1,3-Dichloropropene	10061-02-6	0.15	۲	0.15	0.68	- , 	0.68
.1,2-Trichloroethane	79-00-5	0.15	Ü	0.15	0.82	U	0.82
etrachloroethene	127-18-4	0.15	U	0.15	1.0	u	1,0



CLIENT SAMPLE NO.

H-002-1

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Air

Lab Sample No.: 656047

Date Analyzed:

02/08/2006

Date Received:

Target Compound	CAS Number	Results in ppbv	a	RL In ppbv	Results in ug/m3	a	RL In ug/m3
Dibromochioromethane	124-48-1	0.15	U	0.15	1.3	υ	1.3
1,2-Dibromoethane	106-93-4	0.15	U	0.15	1.2	- U	1.2
Ethylbenzene	100-41-4	0.15	U	0.15	0.85	- ŭ	0.65
Xylene (m,p)	1330-20-7	0.35		0.15	1.5		0.65
Xylene (o)	95-47-6	0.18		0.15	0.78		0.65
Xylens (total)	1330-20-7	0.58		0.15	2.5		0.85
Bromaform	75-25-2	0.15	u	0,15	1.6	- u	1,6
1,1,2,2-Tetrachloroethane	79-34-5	0.15	U	0.15	1.0		
4-Ethyltoluene	622-96-8	0.15	U	0.15	0.74	U	0.74

CLIENT SAMPLE NO.

SG-09

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Air

Lab Sample No.: 656050

Date Analyzed:

02/09/2006

Date Received:

01/30/2008

Target Compound	CAS Number	Results in ppbv	a	RL in ppbv	Results in ug/m3	a	RL in ug/m3
Dichiorodifluoromethane	75-71-8	0.87	 	0,49	 	<u> </u>	ļ <u>. </u>
1,2-Dichlorotetralluoroethane	76-14-2	0.20	- U	0.20	4.3	 	2.4
Vinyl Chloride	75-01-4	0,20	 	0.20	1.4	U	1.4
1,3-Butadiene	106-99-0	0.49	1 0	0.49	0.51	U	0.51
Bromomethane	74-83-9	0.20	U	0.20	1.1	U	1.1
Chloroethane	75-00-3	0.49	+-;-	 	0.78	<u> </u>	0.78
Bromoethene	593-60-2	0.20	 " -	0.49	1.3	u	1.3
Trichlorofluoromethane	75-69-4	0.43	 -	0.20	0.87	U	0.87
1,1-Dichloroethene	75-35-4	0.20	<u> </u>	0.20	2.4	 	1,1
3-Chioropropene	107-05-1	0.49	 	0.20	0.79	U	0.79
Methyl tert-Butyl Ether	1634-04-4		 	0.49	1.5	U	1.5
rans-1,2-Dichloroethene	156-60-5	0.49	U 	0.49	1.8	U	1.8
-Hexane	110-54-3	0.20	U	0.20	0.79	U	0.79
,1-Dichloroethane		0.49	U	0.49	1.7	U	1.7
,2-Dichloroethene (total)	75-34-3 540-59-0	0.20	U	0.20	0.81	U	0.81
is-1,2-Dichloroethene	156-59-2	0.20	U.	0.20	0.79	U	0.79
hloroform		0.20	U	0.20	0.79	U	0.79
1,1-Trichloroethane	67-68-3	0.20	U	0.20	0.98	<u>u</u>	0.98
yclohexane	71-55-6	0.20	U	0.20	1.1	U	1.1
arbon Tetrachloride	110-82-7	0.20	U	0.20	0.69	U	0.69
2,4-Trimethylpeniane	58-23-5	0.20	U	0.20	1.3	U	1.3
enzene	540-84-1	0.20	U	0.20	0.93	U	0.93
2-Dichloroethane	71-43-2	0.47		0.20	1.5		0.64
Heptane	107-06-2	0.20	U	0.20	0.81	Ü	0.81
chloraethene	142-82-5	0.20	Ų.	0.20	0.82	U	0.82
2-Dichloropropane	79-01-6	0.20	Ü	0.20	1.1	U	1.1
omodichloromethane	76-87-5	0.20	Ų	9.20	0.92	U	0.92
-1,3-Dichloropropene	75-27-4	0.20	U	0.20	1.3	U	1.3
luene	10081-01-5	0.20	U	0.20	0.91	U	0.91
ns-1,3-Dichloropropene	108-88-3	0.22		0.20	0.83		0.75
,2-Trichloroethane	10061-02-6	0.20	U	0.20	0.91	Ų	0.91
rachlorcethene	79-00-5	0.20	υ	0.20	1.1	U	1.1
romochloromethane	127-18-4	0.20	Ų	0.20	1.4	U	1.4
A COLLOCATION THE RESIDENCE OF THE PROPERTY OF	124-48-1	0.20	ֹ ט ֹ	0.20	1.7	U	1.7

Printed: 02/27/2006 10:39:10 AM

CLIENT SAMPLE NO.

SG-09

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Air

Lab Sample No.: 656050

Date Analyzed:

02/09/2006

Date Received: 01/30/2006

Target Compound	CAS Number	Results in ppbv	a	RL In ppbv	Results In ug/m3	a	HL In ug/m3
1,2-Dibromoethene	108-93-4	0.20	U	0,20	1,5	U	1.5
Ethylbenzene	100-41-4	0.20	U	0.20	0.87	u	0.87
Xylene (m,p)	1330-20-7	0.49	U	0.49	2.1	Ü	2.1
Xylene (o)	95-47-6	0.20	Ū	0.20	0.87	U	0.87
Xylene (total)	1330-20-7	0.20	Ü	0.20	0.87	 -	0.87
Bromoform	75-25-2	0.20	U	0.20	2.1	u	2.1
1,1,2,2-Tetrachloroethane	79-34-5	0.20	Ü	0.20	1.4	Ü	1.4
4-Ethyltoluene	622-96-8	0.20	U	0,20	0.98	- u	0.88
1,3,5-Trimethylbenzene	108-67-8	0.20	Ü	0.20	0.98	- U	0.98

CLIENT SAMPLE NO.

SG-10

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Alr

Lab Sample No.: 656051

Date Analyzed:

02/09/2006

Date Received:

Target Compound	CAS Number	Results in ppbv	a	RL in ppby	Results in ug/m3	Q.	RL In ug/m3
Dichlorodifluoromethane	75-71-8	0.40	 	0.40	 	 	
1,2-Dichlorotetrafluoroethane	76-14-2	0.16	1 0		2.0	<u> </u>	2.0
Vinyl Chloride	75-01-4	0.18	+ ;	0.16	1.1	<u> </u>	1.1
1,3-Butadiene	106-99-0	0.40	1 "	0.18	0.41	U	0.41
Bromomethane	74-83-9		 -	0.40	0.88	U	0.88
Chloroethane	75-00-3	0.16	U	0.18	0.62	U	0.62
Bromoethene	593-60-2	0.40	U	0.40	1.1	U	1.1
Trichlorofluoromethane	75-69-4	0.16	U	0.16	0.70	U	0.70
1,1-Dichloroethene	75-35-4	0.16	U	0.18	0.90	U	0.90
3-Chloroproperie	107-05-1	0.16	<u> </u>	0.18	0.63	U	0.83
Methyl tert-Butyl Ether		0.40	U	0.40	1.3	U	1.3
trans-1,2-Dichloroethene	1634-04-4	0.40	↓	0.40	1.4	U	1.4
-Hexane	156-80-5	0.16	<u> </u>	0.16	0.63	U	0.63
,1-Dichloroethane	110-54-3	0.40	U	0.40	1,4	U	1.4
2-Dichloroethene (total)	75-34-3	C.16	U	0.18	0.65	Ü	0.65
is-1,2-Dichloroethene	540-59-0	0.16	U	0.16	0.63	U	0.63
hloroform	158-59-2	0.18	U	0.16	0.63	U	0.83
,1,1-Trichioroethane	<u> 87-66-3</u>	0.16	U	0.16	0.78	U	0.78
volohexane	71-55-8	0.16	U	0.16	0.87	U	0.87
arbon Tetrachloride	110-82-7	0.16	U	0.16	0.55	U	0.55
2,4-Trimethylpentane	56-23-5	0.16	U	0.16	1.0	U	1.0
enzene	540-84-1	0.18	U	0.18	0.75	U	0.75
2-Dichloroethane	71-43-2	0.32		0,18	1.0		0.51
Heptane	107-08-2	0.18	Ü	0.16	0.85	Ü	0.65
ichlorcethene	142-82-5	0.18	Ü	0.16	0.66	U	0.66
2-Dichloropropane	79-01-6	0.16	U	0.18	0.86	U	0.86
cmodich/oromethene	78-87-5	0.18	υ	C.18	0.74	- u	0.74
	75-27-4	0.16	U	0.16	1.1	- <u>u</u> - 	1.1
-1,3-Dichloropropene	10061-01-5	0.18	U	0.16	0.73	-	0.73
	108-88-3	0.56		0.16	2.1		0.80
ns-1,3-Dichloropropene	10061-02-6	0.16	U	0.16	0.73		0.73
,2-Trichkoroethane	79-00-5	0.16	U	0.16	0.87		0.73
trachloroethens	127-18-4	0.16	U	0.16	1,1	- 5- -	1.1
romochiorornethane	124-48-1	0.16	U I	0.18	1.4	- 0	1.1

CLIENT SAMPLE NO.

SG-10

Lab Name:

STL Burlington

SDG Number: 112332

Case Number:

Sample Matrix: Alr

Lab Sample No.: 656051

Date Analyzed:

02/09/2006

Date Received:

Target Compound	CAS Number	Results in ppbv	a	RL In ppbv	Results In ug/m3	a	RL In ug/m3
1,2-Dibromoethane	108-83-4	0.16	نا	0.16	1,2	U	1,2
Ethylbenzene	100-41-4	0.17		0.16	0.74	-	0.69
Xylene (m,p)	1330-20-7	0.63		0.40	2.7	·	1.7
Xylene (o)	95-47-6	0.35		0.16	1.5	 	0.69
Xylene (total)	1330-20-7	1.0		0.16	4.3	 	0.69
Bromoform	75-25-2	0.16	U	0.16	1.7	u l	1.7
1,1,2,2-Tetrachioroethans	79-34-5	0.16	υ	0.16	1.1	Ü	1.1
4-Ethyltoluene	622-96-8	0.56		0.18	2.8	 	0.79
1,3,5-Trimethylbenzene	108-67-8	0.19		0.16	0.93		0.79