

Storm Sewer Photolog



5. Manhole MH2B



6. Catch basin near sanitary sewer lift station.

Storm Sewer Photolog



7. Sanitary sewer lift station north of Building 10A.



8. Manhole MH1

Storm Sewer Photolog



9. Manhole MH3



10. Manhole MH4

Storm Sewer Photolog



11. Manhole MH5



12. Manhole MH6

Storm Sewer Photolog



13. Manhole MH7



14. Manhole MH8

Storm Sewer Photolog



15. Manhole MH9 under bushes



16. Looking down into sanitary lift station –sump pump and hose to pump out groundwater.

Storm Sewer Photolog



17. Hose leading to catch basin from sanitary lift station.



18. Reverse view of previous photo.

Storm Sewer Photolog



19. Hose that discharges to catch basin.



20. Example of a storm sewer where the PVC pipe tie-in is not cemented in well.

Storm Sewer Photolog



21. Example of a storm sewer where tie-in is cemented in well.



22. Manhole MH9A

TCE Management Photolog




1. Former TCE standpipe with locking cover and valve, located on the corner of Building 11A.



2. View of the TCE standpipe next to a re-routed PVC roof drain.

TCE Management Photolog



3. PVC roof drain inside Building 11A.



4. Former vent through roof from vapor degreaser.

ANALYTICAL REPORT

JOB NUMBER: 201972

Prepared For:

URS CORPORATION
1701 Golf Road
Suite 1000
Rolling Meadows, IL 60008

Project: SENECA FALLS, NY

Attention: Steve Bunsen


Date: 09/27/2002


Signature

Name: Maryam A. Taylor

Title: Project Manager

E-Mail: mataylor@stl-inc.com


Date

STL Connecticut
128 Long Hill Cross Road
Shelton, CT 06484

This Report Contains (44) Pages

STL Report : 201972
URS-SENECA FALLS

Case Narrative

Sample Receipt – All samples were received in good condition and at the proper temperature.

Volatile Organics – Volatile organics were determined by purge and trap GC/MS using guidance provided in Method 5030B/8260B. The instrumentation used was a Tekmar Model 2000/2016 Concentrator interfaced with a Hewlett Packard Model 5971A GC/MS/DS.

The spike compound percent recoveries were within the laboratory generated guidelines in the independent source quality control samples (020PPB_QCS) except for trans-1,2-dichloroethene, 1,2-dichloropropane and trichloroethene.

The following samples were analyzed at dilutions due to high target compound concentrations:

MH-3	1:2
MH-7	1:2

Sample Calculation:

Sample ID-MH-3

Compound-cis-1,2-Dichloroethene

$$\frac{(1499727)(125)(2)}{(949004)(.329)(5)} = 240.17 = 240 \text{ UG/L.}$$

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in the case narrative.

S A M P L E I N F O R M A T I O N

Date: 09/17/2002

Job Number.: 201972
 Customer....: URS CORPORATION
 Attn.....: Steve Bunsen

Project Number.....: 20000403
 Customer Project ID....: SENECA FALLS, NY
 Project Description.....: Seneca Falls, NY

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
201972-1	MH-12	Groundwater	09/16/2002	16:35	09/19/2002	09:20
201972-2	MH-4B	Groundwater	09/16/2002	17:00	09/19/2002	09:20
201972-3	MH-3B	Groundwater	09/16/2002	17:15	09/19/2002	09:20
201972-4	MW-BR-05	Groundwater	09/16/2002	16:25	09/19/2002	09:20
201972-5	MW-BR-04	Groundwater	09/17/2002	11:55	09/19/2002	09:20
201972-6	MW-20	Groundwater	09/17/2002	12:52	09/19/2002	09:20
201972-7	MW-21	Groundwater	09/17/2002	15:40	09/19/2002	09:20
201972-8	MW-28	Groundwater	09/17/2002	15:56	09/19/2002	09:20
201972-9	MW-27	Groundwater	09/17/2002	17:35	09/19/2002	09:20
201972-10	MW-29	Groundwater	09/17/2002	17:49	09/19/2002	09:20
201972-11	MH-1B	Groundwater	09/17/2002	08:35	09/19/2002	09:20
201972-12	MH-1	Groundwater	09/17/2002	09:00	09/19/2002	09:20
201972-13	MH-3	Groundwater	09/17/2002	09:15	09/19/2002	09:20
201972-14	MH-5	Groundwater	09/17/2002	09:25	09/19/2002	09:20
201972-15	MH-7	Groundwater	09/17/2002	09:35	09/19/2002	09:20
201972-16	MH-8	Groundwater	09/17/2002	09:50	09/19/2002	09:20
201972-17	MH-9A	Groundwater	09/17/2002	14:00	09/19/2002	09:20
201972-18	MH DUPLICATE	Groundwater	09/17/2002	00:00	09/19/2002	09:20
201972-19	TB091702	Groundwater	09/17/2002	00:00	09/19/2002	09:20

LABORATORY TEST RESULTS

Job Number: 201972

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MH-12
Date Sampled.....: 09/16/2002
Time Sampled.....: 16:35
Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-1
Date Received.....: 09/19/2002
Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics (5mL Purge)											
	Dichlorodifluoromethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1051	pam
	Chloromethane	ND	U		0.9	5	1.00000	ug/L	9892		09/23/02 1051	pam
	Vinyl chloride	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1051	pam
	Bromomethane	ND	U		2	5	1.00000	ug/L	9892		09/23/02 1051	pam
	Chloroethane	ND	U		4	5	1.00000	ug/L	9892		09/23/02 1051	pam
	Trichlorofluoromethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1051	pam
	1,1-Dichloroethene	ND	U		0.6	5	1.00000	ug/L	9892		09/23/02 1051	pam
	Carbon disulfide	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1051	pam
	Acetone	ND	U		0.9	10	1.00000	ug/L	9892		09/23/02 1051	pam
	Methylene chloride	0.9	J	B	0.2	5	1.00000	ug/L	9892		09/23/02 1051	pam
	trans-1,2-Dichloroethene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1051	pam
	1,1-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1051	pam
	Vinyl acetate	ND	U		0.7	5	1.00000	ug/L	9892		09/23/02 1051	pam
	cis-1,2-Dichloroethene	3	J		0.3	5	1.00000	ug/L	9892		09/23/02 1051	pam
	2-Butanone (MEK)	ND	U		0.4	10	1.00000	ug/L	9892		09/23/02 1051	pam
	Chloroform	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1051	pam
	1,1,1-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1051	pam
	Carbon tetrachloride	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1051	pam
	Benzene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1051	pam
	1,2-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1051	pam
	Trichloroethene	6	U		0.8	5	1.00000	ug/L	9892		09/23/02 1051	pam
	1,2-Dichloropropane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1051	pam
	Bromodichloromethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1051	pam
	cis-1,3-Dichloropropene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1051	pam
	4-Methyl-2-pentanone (MIBK)	ND	U		0.4	10	1.00000	ug/L	9892		09/23/02 1051	pam
	Toluene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1051	pam
	trans-1,3-Dichloropropene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1051	pam
	1,1,2-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1051	pam

* In Description = Dry Wgt.

Job Number: 201972

LABORATORY TEST RESULTS

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MH-12
 Date Sampled.....: 09/16/2002
 Time Sampled.....: 16:35
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-1'
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1051	pam
	2-Hexanone	ND	U		0.8	10	1.00000	ug/L	9892		09/23/02 1051	pam
	Dibromochloromethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1051	pam
	Chlorobenzene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1051	pam
	Ethylbenzene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1051	pam
	Styrene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1051	pam
	Bromoform	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1051	pam
	1,1,2,2-Tetrachloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1051	pam
	Xylenes (total)	ND	U		0.5	5	1.00000	ug/L	9892		09/23/02 1051	pam

* In Description = Dry Wgt.

Page 3

Job Number: 201972

LABORATORY TEST RESULTS

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MH-4B
 Date Sampled.....: 09/16/2002
 Time Sampled.....: 17:00
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-2
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics (5ml Purge)											
	Dichlorodifluoromethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1121	pam
	Chloromethane	ND	U		0.9	5	1.00000	ug/L	9892		09/23/02 1121	pam
	Vinyl chloride	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1121	pam
	Bromomethane	ND	U		2	5	1.00000	ug/L	9892		09/23/02 1121	pam
	Chloroethane	ND	U		4	5	1.00000	ug/L	9892		09/23/02 1121	pam
	Trichlorofluoromethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1121	pam
	1,1-Dichloroethene	ND	U		0.6	5	1.00000	ug/L	9892		09/23/02 1121	pam
	Carbon disulfide	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1121	pam
	Acetone	ND	U		0.9	10	1.00000	ug/L	9892		09/23/02 1121	pam
	Methylene chloride	1	J	B	0.2	5	1.00000	ug/L	9892		09/23/02 1121	pam
	trans-1,2-Dichloroethene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1121	pam
	1,1-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1121	pam
	Vinyl acetate	ND	U		0.7	5	1.00000	ug/L	9892		09/23/02 1121	pam
	cis-1,2-Dichloroethene	4	J		0.3	5	1.00000	ug/L	9892		09/23/02 1121	pam
	2-Butanone (MEK)	ND	U		0.4	10	1.00000	ug/L	9892		09/23/02 1121	pam
	Chloroform	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1121	pam
	1,1,1-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1121	pam
	Carbon tetrachloride	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1121	pam
	Benzene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1121	pam
	1,2-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1121	pam
	Trichloroethene	3	J		0.8	5	1.00000	ug/L	9892		09/23/02 1121	pam
	1,2-Dichloropropane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1121	pam
	Bromodichloromethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1121	pam
	cis-1,3-Dichloropropene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1121	pam
	4-Methyl-2-pentanone (MIBK)	ND	U		0.4	10	1.00000	ug/L	9892		09/23/02 1121	pam
	Toluene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1121	pam
	trans-1,3-Dichloropropene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1121	pam
	1,1,2-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1121	pam

* In Description = Dry Wgt.

Job Number: 201972

LABORATORY TEST RESULTS

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MH-4B
 Date Sampled.....: 09/16/2002
 Time Sampled.....: 17:00
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-2
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1121	pam
	2-Hexanone	ND	U		0.8	10	1.00000	ug/L	9892		09/23/02 1121	pam
	Dibromochloromethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1121	pam
	Chlorobenzene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1121	pam
	Ethylbenzene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1121	pam
	Styrene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1121	pam
	Bromoform	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1121	pam
	1,1,2,2-Tetrachloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1121	pam
	Xylenes (total)	ND	U		0.5	5	1.00000	ug/L	9892		09/23/02 1121	pam

* In Description = Dry Wgt.

Job Number: 201972

LABORATORY TEST RESULTS

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MH-38
 Date Sampled.....: 09/16/2002
 Time Sampled.....: 17:15
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-3
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics (5mL Purge)											
	Dichlorodifluoromethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1152	pam
	Chloromethane	ND	U		0.9	5	1.00000	ug/L	9892		09/23/02 1152	pam
	Vinyl chloride	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1152	pam
	Bromomethane	ND	U		2	5	1.00000	ug/L	9892		09/23/02 1152	pam
	Chloroethane	ND	U		4	5	1.00000	ug/L	9892		09/23/02 1152	pam
	Trichlorofluoromethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1152	pam
	1,1-Dichloroethene	ND	U		0.6	5	1.00000	ug/L	9892		09/23/02 1152	pam
	Carbon disulfide	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1152	pam
	Acetone	ND	U		0.9	10	1.00000	ug/L	9892		09/23/02 1152	pam
	Methylene chloride	0.8	J	B	0.2	5	1.00000	ug/L	9892		09/23/02 1152	pam
	trans-1,2-Dichloroethene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1152	pam
	1,1-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1152	pam
	Vinyl acetate	ND	U		0.7	5	1.00000	ug/L	9892		09/23/02 1152	pam
	cis-1,2-Dichloroethene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1152	pam
	2-Butanone (MEK)	ND	U		0.4	10	1.00000	ug/L	9892		09/23/02 1152	pam
	Chloroform	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1152	pam
	1,1,1-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1152	pam
	Carbon tetrachloride	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1152	pam
	Benzene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1152	pam
	1,2-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1152	pam
	Trichloroethene	ND	U		0.8	5	1.00000	ug/L	9892		09/23/02 1152	pam
	1,2-Dichloropropane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1152	pam
	Bromodichloromethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1152	pam
	cis-1,3-Dichloropropene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1152	pam
	4-Methyl-2-pentanone (MIBK)	ND	U		0.4	10	1.00000	ug/L	9892		09/23/02 1152	pam
	Toluene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1152	pam
	trans-1,3-Dichloropropene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1152	pam
	1,1,2-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1152	pam

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 201972

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MH-38
 Date Sampled.....: 09/16/2002
 Time Sampled.....: 17:15
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-3
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1152	pam
	2-Hexanone	ND	U		0.8	10	1.00000	ug/L	9892		09/23/02 1152	pam
	Dibromochloromethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1152	pam
	Chlorobenzene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1152	pam
	Ethylbenzene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1152	pam
	Styrene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1152	pam
	Bromoform	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1152	pam
	1,1,2,2-Tetrachloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1152	pam
	Xylenes (total)	ND	U		0.5	5	1.00000	ug/L	9892		09/23/02 1152	pam

* In Description = Dry Wgt.

Job Number: 201972

LABORATORY TEST RESULTS

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MW-BR-05
 Date Sampled.....: 09/16/2002
 Time Sampled.....: 16:25
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-4
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics (5mL Purge)											
	Dichlorodifluoromethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1222	pam
	Chloromethane	ND	U		0.9	5	1.00000	ug/L	9892		09/23/02 1222	pam
	Vinyl chloride	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1222	pam
	Bromomethane	ND	U		2	5	1.00000	ug/L	9892		09/23/02 1222	pam
	Chloroethane	ND	U		4	5	1.00000	ug/L	9892		09/23/02 1222	pam
	Trichlorofluoromethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1222	pam
	1,1-Dichloroethene	ND	U		0.6	5	1.00000	ug/L	9892		09/23/02 1222	pam
	Carbon disulfide	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1222	pam
	Acetone	ND	U		0.9	10	1.00000	ug/L	9892		09/23/02 1222	pam
	Methylene chloride	1	J	B	0.2	5	1.00000	ug/L	9892		09/23/02 1222	pam
	trans-1,2-Dichloroethene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1222	pam
	1,1-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1222	pam
	Vinyl acetate	ND	U		0.7	5	1.00000	ug/L	9892		09/23/02 1222	pam
	cis-1,2-Dichloroethene	1	J		0.3	5	1.00000	ug/L	9892		09/23/02 1222	pam
	2-Butanone (MEK)	ND	U		0.4	10	1.00000	ug/L	9892		09/23/02 1222	pam
	Chloroform	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1222	pam
	1,1,1-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1222	pam
	Carbon tetrachloride	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1222	pam
	Benzene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1222	pam
	1,2-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1222	pam
	Trichloroethene	ND	U		0.8	5	1.00000	ug/L	9892		09/23/02 1222	pam
	1,2-Dichloropropane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1222	pam
	Bromodichloromethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1222	pam
	cis-1,3-Dichloropropene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1222	pam
	4-Methyl-2-pentanone (MIBK)	ND	U		0.4	10	1.00000	ug/L	9892		09/23/02 1222	pam
	Toluene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1222	pam
	trans-1,3-Dichloropropene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1222	pam
	1,1,2-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1222	pam

* In Description = Dry Wgt.

Job Number: 201972

LABORATORY TEST RESULTS

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MW-BR-05
 Date Sampled.....: 09/16/2002
 Time Sampled.....: 16:25
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-4
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1222	pam
	2-Hexanone	ND	U		0.8	10	1.00000	ug/L	9892		09/23/02 1222	pam
	Dibromochloromethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1222	pam
	Chlorobenzene	0.6	J		0.2	5	1.00000	ug/L	9892		09/23/02 1222	pam
	Ethylbenzene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1222	pam
	Styrene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1222	pam
	Bromoform	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1222	pam
	1,1,2,2-Tetrachloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1222	pam
	Xylenes (total)	ND	U		0.5	5	1.00000	ug/L	9892		09/23/02 1222	pam

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 201972

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MW-BR-04
Date Sampled.....: 09/17/2002
Time Sampled.....: 11:55
Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-5
Date Received.....: 09/19/2002
Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics (5mL Purge)											
	Dichlorodifluoromethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1433	pam
	Chloromethane	ND	U		0.9	5	1.00000	ug/L	9892		09/23/02 1433	pam
	Vinyl chloride	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1433	pam
	Bromomethane	ND	U		2	5	1.00000	ug/L	9892		09/23/02 1433	pam
	Chloroethane	ND	U		4	5	1.00000	ug/L	9892		09/23/02 1433	pam
	Trichlorofluoromethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1433	pam
	1,1-Dichloroethene	ND	U		0.6	5	1.00000	ug/L	9892		09/23/02 1433	pam
	Carbon disulfide	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1433	pam
	Acetone	5	J		0.9	10	1.00000	ug/L	9892		09/23/02 1433	pam
	Methylene chloride	1	J	B	0.2	5	1.00000	ug/L	9892		09/23/02 1433	pam
	trans-1,2-Dichloroethene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1433	pam
	1,1-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1433	pam
	Vinyl acetate	ND	U		0.7	5	1.00000	ug/L	9892		09/23/02 1433	pam
	cis-1,2-Dichloroethene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1433	pam
	2-Butanone (MEK)	ND	U		0.4	10	1.00000	ug/L	9892		09/23/02 1433	pam
	Chloroform	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1433	pam
	1,1,1-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1433	pam
	Carbon tetrachloride	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1433	pam
	Benzene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1433	pam
	1,2-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1433	pam
	Trichloroethene	ND	U		0.8	5	1.00000	ug/L	9892		09/23/02 1433	pam
	1,2-Dichloropropane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1433	pam
	Bromodichloromethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1433	pam
	cis-1,3-Dichloropropene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1433	pam
	4-Methyl-2-pentanone (MIBK)	ND	U		0.4	10	1.00000	ug/L	9892		09/23/02 1433	pam
	Toluene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1433	pam
	trans-1,3-Dichloropropene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1433	pam
	1,1,2-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1433	pam

* In Description = Dry Wgt.

Job Number: 201972

LABORATORY TEST RESULTS

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MW-BR-04
 Date Sampled.....: 09/17/2002
 Time Sampled.....: 11:55
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-5
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1433	pam
	2-Hexanone	ND	U		0.8	10	1.00000	ug/L	9892		09/23/02 1433	pam
	Dibromochloromethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1433	pam
	Chlorobenzene	0.6	J		0.2	5	1.00000	ug/L	9892		09/23/02 1433	pam
	Ethylbenzene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1433	pam
	Styrene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1433	pam
	Bromoform	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1433	pam
	1,1,2,2-Tetrachloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1433	pam
	Xylenes (total)	ND	U		0.5	5	1.00000	ug/L	9892		09/23/02 1433	pam

* In Description = Dry Wgt.

Job Number: 201972

LABORATORY TEST RESULTS

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MW-20
 Date Sampled.....: 09/17/2002
 Time Sampled.....: 12:52
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-6
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics (5mL Purge)											
	Dichlorodifluoromethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1503	pam
	Chloromethane	ND	U		0.9	5	1.00000	ug/L	9892		09/23/02 1503	pam
	Vinyl chloride	53			0.3	5	1.00000	ug/L	9892		09/23/02 1503	pam
	Bromomethane	ND	U		2	5	1.00000	ug/L	9892		09/23/02 1503	pam
	Chloroethane	ND	U		4	5	1.00000	ug/L	9892		09/23/02 1503	pam
	Trichlorofluoromethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1503	pam
	1,1-Dichloroethene	ND	U		0.6	5	1.00000	ug/L	9892		09/23/02 1503	pam
	Carbon disulfide	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1503	pam
	Acetone	ND	U		0.9	10	1.00000	ug/L	9892		09/23/02 1503	pam
	Methylene chloride	1	J	B	0.2	5	1.00000	ug/L	9892		09/23/02 1503	pam
	trans-1,2-Dichloroethene	1	J		0.3	5	1.00000	ug/L	9892		09/23/02 1503	pam
	1,1-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1503	pam
	Vinyl acetate	ND	U		0.7	5	1.00000	ug/L	9892		09/23/02 1503	pam
	cis-1,2-Dichloroethene	13			0.3	5	1.00000	ug/L	9892		09/23/02 1503	pam
	2-Butanone (MEK)	ND	U		0.4	10	1.00000	ug/L	9892		09/23/02 1503	pam
	Chloroform	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1503	pam
	1,1,1-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1503	pam
	Carbon tetrachloride	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1503	pam
	Benzene	0.3	J		0.3	5	1.00000	ug/L	9892		09/23/02 1503	pam
	1,2-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1503	pam
	Trichloroethene	ND	U		0.8	5	1.00000	ug/L	9892		09/23/02 1503	pam
	1,2-Dichloropropane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1503	pam
	Bromodichloromethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1503	pam
	cis-1,3-Dichloropropene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1503	pam
	4-Methyl-2-pentanone (MIBK)	ND	U		0.4	10	1.00000	ug/L	9892		09/23/02 1503	pam
	Toluene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1503	pam
	trans-1,3-Dichloropropene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1503	pam
	1,1,2-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1503	pam

* In Description = Dry Wgt.

Job Number: 201972

LABORATORY TEST RESULTS

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MW-20
 Date Sampled.....: 09/17/2002
 Time Sampled.....: 12:52
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-6
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1503	pam
	2-Hexanone	ND	U		0.8	10	1.00000	ug/L	9892		09/23/02 1503	pam
	Dibromochloromethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1503	pam
	Chlorobenzene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1503	pam
	Ethylbenzene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1503	pam
	Styrene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1503	pam
	Bromoform	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1503	pam
	1,1,2,2-Tetrachloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1503	pam
	Xylenes (total)	ND	U		0.5	5	1.00000	ug/L	9892		09/23/02 1503	pam

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 201972

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MW-21
Date Sampled.....: 09/17/2002
Time Sampled.....: 15:40
Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-7
Date Received.....: 09/19/2002
Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics (5mL Purge)											
	Dichlorodifluoromethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1533	pam
	Chloromethane	ND	U		0.9	5	1.00000	ug/L	9892		09/23/02 1533	pam
	Vinyl chloride	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1533	pam
	Bromomethane	ND	U		2	5	1.00000	ug/L	9892		09/23/02 1533	pam
	Chloroethane	ND	U		4	5	1.00000	ug/L	9892		09/23/02 1533	pam
	Trichlorofluoromethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1533	pam
	1,1-Dichloroethene	ND	U		0.6	5	1.00000	ug/L	9892		09/23/02 1533	pam
	Carbon disulfide	1	J		0.3	5	1.00000	ug/L	9892		09/23/02 1533	pam
	Acetone	ND	U		0.9	10	1.00000	ug/L	9892		09/23/02 1533	pam
	Methylene chloride	1	J	B	0.2	5	1.00000	ug/L	9892		09/23/02 1533	pam
	trans-1,2-Dichloroethene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1533	pam
	1,1-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1533	pam
	Vinyl acetate	ND	U		0.7	5	1.00000	ug/L	9892		09/23/02 1533	pam
	cis-1,2-Dichloroethene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1533	pam
	2-Butanone (MEK)	ND	U		0.4	10	1.00000	ug/L	9892		09/23/02 1533	pam
	Chloroform	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1533	pam
	1,1,1-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1533	pam
	Carbon tetrachloride	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1533	pam
	Benzene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1533	pam
	1,2-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1533	pam
	Trichloroethene	ND	U		0.8	5	1.00000	ug/L	9892		09/23/02 1533	pam
	1,2-Dichloropropane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1533	pam
	Bromodichloromethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1533	pam
	cis-1,3-Dichloropropene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1533	pam
	4-Methyl-2-pentanone (MIBK)	ND	U		0.4	10	1.00000	ug/L	9892		09/23/02 1533	pam
	Toluene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1533	pam
	trans-1,3-Dichloropropene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1533	pam
	1,1,2-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1533	pam

* In Description = Dry Wgt.

Job Number: 201972

LABORATORY TEST RESULTS

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MW-21
 Date Sampled.....: 09/17/2002
 Time Sampled.....: 15:40
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-7
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1533	pam
	2-Hexanone	ND	U		0.8	10	1.00000	ug/L	9892		09/23/02 1533	pam
	Dibromochloromethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1533	pam
	Chlorobenzene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1533	pam
	Ethylbenzene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1533	pam
	Styrene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1533	pam
	Bromoform	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1533	pam
	1,1,2,2-Tetrachloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1533	pam
	Xylenes (total)	ND	U		0.5	5	1.00000	ug/L	9892		09/23/02 1533	pam

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 201972

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MW-28
Date Sampled.....: 09/17/2002
Time Sampled.....: 15:56
Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-8
Date Received.....: 09/19/2002
Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics (5mL Purge)											
	Dichlorodifluoromethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1604	pam
	Chloromethane	ND	U		0.9	5	1.00000	ug/L	9892		09/23/02 1604	pam
	Vinyl chloride	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1604	pam
	Bromomethane	ND	U		2	5	1.00000	ug/L	9892		09/23/02 1604	pam
	Chloroethane	ND	U		4	5	1.00000	ug/L	9892		09/23/02 1604	pam
	Trichlorofluoromethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1604	pam
	1,1-Dichloroethene	ND	U		0.6	5	1.00000	ug/L	9892		09/23/02 1604	pam
	Carbon disulfide	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1604	pam
	Acetone	ND	U		0.9	10	1.00000	ug/L	9892		09/23/02 1604	pam
	Methylene chloride	0.9	J	B	0.2	5	1.00000	ug/L	9892		09/23/02 1604	pam
	trans-1,2-Dichloroethene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1604	pam
	1,1-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1604	pam
	Vinyl acetate	ND	U		0.7	5	1.00000	ug/L	9892		09/23/02 1604	pam
	cis-1,2-Dichloroethene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1604	pam
	2-Butanone (MEK)	ND	U		0.4	10	1.00000	ug/L	9892		09/23/02 1604	pam
	Chloroform	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1604	pam
	1,1,1-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1604	pam
	Carbon tetrachloride	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1604	pam
	Benzene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1604	pam
	1,2-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1604	pam
	Trichloroethene	16	U		0.8	5	1.00000	ug/L	9892		09/23/02 1604	pam
	1,2-Dichloropropane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1604	pam
	Bromodichloromethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1604	pam
	cis-1,3-Dichloropropene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1604	pam
	4-Methyl-2-pentanone (MIBK)	ND	U		0.4	10	1.00000	ug/L	9892		09/23/02 1604	pam
	Toluene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1604	pam
	trans-1,3-Dichloropropene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1604	pam
	1,1,2-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1604	pam

* In Description = Dry Wgt.

Job Number: 201972

LABORATORY TEST RESULTS

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MW-28
 Date Sampled.....: 09/17/2002
 Time Sampled.....: 15:56
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-8
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1604	pam
	2-Hexanone	ND	U		0.8	10	1.00000	ug/L	9892		09/23/02 1604	pam
	Dibromochloromethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1604	pam
	Chlorobenzene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1604	pam
	Ethylbenzene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1604	pam
	Styrene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1604	pam
	Bromoform	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1604	pam
	1,1,2,2-Tetrachloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1604	pam
	Xylenes (total)	ND	U		0.5	5	1.00000	ug/L	9892		09/23/02 1604	pam

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 201972

Date: 09/27/2002

STOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MW-27
 Date Sampled.....: 09/17/2002
 Time Sampled.....: 17:35
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-9
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics (5mL Purge)											
	Dichlorodifluoromethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1634	pam
	Chloromethane	ND	U		0.9	5	1.00000	ug/L	9892		09/23/02 1634	pam
	Vinyl chloride	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1634	pam
	Bromomethane	ND	U		2	5	1.00000	ug/L	9892		09/23/02 1634	pam
	Chloroethane	ND	U		4	5	1.00000	ug/L	9892		09/23/02 1634	pam
	Trichlorofluoromethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1634	pam
	1,1-Dichloroethene	ND	U		0.6	5	1.00000	ug/L	9892		09/23/02 1634	pam
	Carbon disulfide	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1634	pam
	Acetone	ND	U		0.9	10	1.00000	ug/L	9892		09/23/02 1634	pam
	Methylene chloride	0.8	J	B	0.2	5	1.00000	ug/L	9892		09/23/02 1634	pam
	trans-1,2-Dichloroethene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1634	pam
	1,1-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1634	pam
	Vinyl acetate	ND	U		0.7	5	1.00000	ug/L	9892		09/23/02 1634	pam
	cis-1,2-Dichloroethene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1634	pam
	2-Butanone (MEK)	ND	U		0.4	10	1.00000	ug/L	9892		09/23/02 1634	pam
	Chloroform	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1634	pam
	1,1,1-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1634	pam
	Carbon tetrachloride	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1634	pam
	Benzene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1634	pam
	1,2-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1634	pam
	Trichloroethene	ND	U		0.8	5	1.00000	ug/L	9892		09/23/02 1634	pam
	1,2-Dichloropropane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1634	pam
	Bromodichloromethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1634	pam
	cis-1,3-Dichloropropene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1634	pam
	4-Methyl-2-pentanone (MIBK)	ND	U		0.4	10	1.00000	ug/L	9892		09/23/02 1634	pam
	Toluene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1634	pam
	trans-1,3-Dichloropropene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1634	pam
	1,1,2-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1634	pam

* In Description = Dry Wgt.

Job Number: 201972

LABORATORY TEST RESULTS

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MW-27
 Date Sampled.....: 09/17/2002
 Time Sampled.....: 17:35
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-9
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1634	pam
	2-Hexanone	ND	U		0.8	10	1.00000	ug/L	9892		09/23/02 1634	pam
	Dibromochloromethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1634	pam
	Chlorobenzene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1634	pam
	Ethylbenzene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1634	pam
	Styrene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1634	pam
	Bromoform	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1634	pam
	1,1,2,2-Tetrachloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1634	pam
	Xylenes (total)	ND	U		0.5	5	1.00000	ug/L	9892		09/23/02 1634	pam

* In Description = Dry Wgt.

Job Number: 201972

LABORATORY TEST RESULTS

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MW-29
 Date Sampled.....: 09/17/2002
 Time Sampled.....: 17:49
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-10
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics (5mL Purge)											
	Dichlorodifluoromethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1704	pam
	Chloromethane	ND	U		0.9	5	1.00000	ug/L	9892		09/23/02 1704	pam
	Vinyl chloride	7			0.3	5	1.00000	ug/L	9892		09/23/02 1704	pam
	Bromomethane	ND	U		2	5	1.00000	ug/L	9892		09/23/02 1704	pam
	Chloroethane	ND	U		4	5	1.00000	ug/L	9892		09/23/02 1704	pam
	Trichlorofluoromethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1704	pam
	1,1-Dichloroethene	ND	U		0.6	5	1.00000	ug/L	9892		09/23/02 1704	pam
	Carbon disulfide	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1704	pam
	Acetone	ND	U		0.9	10	1.00000	ug/L	9892		09/23/02 1704	pam
	Methylene chloride	0.9	J	B	0.2	5	1.00000	ug/L	9892		09/23/02 1704	pam
	trans-1,2-Dichloroethene	0.7	J		0.3	5	1.00000	ug/L	9892		09/23/02 1704	pam
	1,1-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1704	pam
	Vinyl acetate	ND	U		0.7	5	1.00000	ug/L	9892		09/23/02 1704	pam
	cis-1,2-Dichloroethene	12			0.3	5	1.00000	ug/L	9892		09/23/02 1704	pam
	2-Butanone (MEK)	ND	U		0.4	10	1.00000	ug/L	9892		09/23/02 1704	pam
	Chloroform	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1704	pam
	1,1,1-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1704	pam
	Carbon tetrachloride	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1704	pam
	Benzene	3	J		0.3	5	1.00000	ug/L	9892		09/23/02 1704	pam
	1,2-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1704	pam
	Trichloroethene	ND	U		0.8	5	1.00000	ug/L	9892		09/23/02 1704	pam
	1,2-Dichloropropane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1704	pam
	Bromodichloromethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1704	pam
	cis-1,3-Dichloropropene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1704	pam
	4-Methyl-2-pentanone (MIBK)	ND	U		0.4	10	1.00000	ug/L	9892		09/23/02 1704	pam
	Toluene	1	J		0.3	5	1.00000	ug/L	9892		09/23/02 1704	pam
	trans-1,3-Dichloropropene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1704	pam
	1,1,2-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1704	pam

* In Description = Dry Wgt.

Job Number: 201972

LABORATORY TEST RESULTS

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MW-29
 Date Sampled.....: 09/17/2002
 Time Sampled.....: 17:49
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-10
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1704	pam
	2-Hexanone	ND	U		0.8	10	1.00000	ug/L	9892		09/23/02 1704	pam
	Dibromochloromethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1704	pam
	Chlorobenzene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1704	pam
	Ethylbenzene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1704	pam
	Styrene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1704	pam
	Bromoform	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1704	pam
	1,1,2,2-Tetrachloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1704	pam
	Xylenes (total)	ND	U		0.5	5	1.00000	ug/L	9892		09/23/02 1704	pam

* In Description = Dry Wgt.

Job Number: 201972

LABORATORY TEST RESULTS

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MH-1B
 Date Sampled.....: 09/17/2002
 Time Sampled.....: 08:35
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-11
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics (5mL Purge)											
	Dichlorodifluoromethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1805	pam
	Chloromethane	ND	U		0.9	5	1.00000	ug/L	9892		09/23/02 1805	pam
	Vinyl chloride	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1805	pam
	Bromomethane	ND	U		2	5	1.00000	ug/L	9892		09/23/02 1805	pam
	Chloroethane	ND	U		4	5	1.00000	ug/L	9892		09/23/02 1805	pam
	Trichlorofluoromethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1805	pam
	1,1-Dichloroethene	ND	U		0.6	5	1.00000	ug/L	9892		09/23/02 1805	pam
	Carbon disulfide	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1805	pam
	Acetone	ND	U		0.9	10	1.00000	ug/L	9892		09/23/02 1805	pam
	Methylene chloride	0.8	J	B	0.2	5	1.00000	ug/L	9892		09/23/02 1805	pam
	trans-1,2-Dichloroethene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1805	pam
	1,1-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1805	pam
	Vinyl acetate	ND	U		0.7	5	1.00000	ug/L	9892		09/23/02 1805	pam
	cis-1,2-Dichloroethene	1	J		0.3	5	1.00000	ug/L	9892		09/23/02 1805	pam
	2-Butanone (MEK)	ND	U		0.4	10	1.00000	ug/L	9892		09/23/02 1805	pam
	Chloroform	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1805	pam
	1,1,1-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1805	pam
	Carbon tetrachloride	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1805	pam
	Benzene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1805	pam
	1,2-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1805	pam
	Trichloroethene	ND	U		0.8	5	1.00000	ug/L	9892		09/23/02 1805	pam
	1,2-Dichloropropane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1805	pam
	Bromodichloromethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1805	pam
	cis-1,3-Dichloropropene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1805	pam
	4-Methyl-2-pentanone (MIBK)	ND	U		0.4	10	1.00000	ug/L	9892		09/23/02 1805	pam
	Toluene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1805	pam
	trans-1,3-Dichloropropene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1805	pam
	1,1,2-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1805	pam

* In Description = Dry Wgt.

Job Number: 201972

LABORATORY TEST RESULTS

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MH-1B
 Date Sampled.....: 09/17/2002
 Time Sampled.....: 08:35
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-11
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1805	pam
	2-Hexanone	ND	U		0.8	10	1.00000	ug/L	9892		09/23/02 1805	pam
	Dibromochloromethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1805	pam
	Chlorobenzene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1805	pam
	Ethylbenzene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1805	pam
	Styrene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1805	pam
	Bromoform	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1805	pam
	1,1,2,2-Tetrachloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1805	pam
	Xylenes (total)	ND	U		0.5	5	1.00000	ug/L	9892		09/23/02 1805	pam

* In Description = Dry Wgt.

Job Number: 201972

LABORATORY TEST RESULTS

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MH-1
 Date Sampled.....: 09/17/2002
 Time Sampled.....: 09:00
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-12
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics (5mL Purge)											
	Dichlorodifluoromethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1734	pam
	Chloromethane	ND	U		0.9	5	1.00000	ug/L	9892		09/23/02 1734	pam
	Vinyl chloride	93	U	M	0.3	5	1.00000	ug/L	9892		09/23/02 1734	pam
	Bromomethane	ND	U		2	5	1.00000	ug/L	9892		09/23/02 1734	pam
	Chloroethane	ND	U		4	5	1.00000	ug/L	9892		09/23/02 1734	pam
	Trichlorofluoromethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1734	pam
	1,1-Dichloroethene	ND	U		0.6	5	1.00000	ug/L	9892		09/23/02 1734	pam
	Carbon disulfide	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1734	pam
	Acetone	ND	U		0.9	10	1.00000	ug/L	9892		09/23/02 1734	pam
	Methylene chloride	0.9	J	B	0.2	5	1.00000	ug/L	9892		09/23/02 1734	pam
	trans-1,2-Dichloroethene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1734	pam
	1,1-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1734	pam
	Vinyl acetate	ND	U		0.7	5	1.00000	ug/L	9892		09/23/02 1734	pam
	cis-1,2-Dichloroethene	160	U		0.3	5	1.00000	ug/L	9892		09/23/02 1734	pam
	2-Butanone (MEK)	ND	U		0.4	10	1.00000	ug/L	9892		09/23/02 1734	pam
	Chloroform	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1734	pam
	1,1,1-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1734	pam
	Carbon tetrachloride	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1734	pam
	Benzene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1734	pam
	1,2-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1734	pam
	Trichloroethene	10	U		0.8	5	1.00000	ug/L	9892		09/23/02 1734	pam
	1,2-Dichloropropane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1734	pam
	Bromodichloromethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1734	pam
	cis-1,3-Dichloropropene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1734	pam
	4-Methyl-2-pentanone (MIBK)	ND	U		0.4	10	1.00000	ug/L	9892		09/23/02 1734	pam
	Toluene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1734	pam
	trans-1,3-Dichloropropene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1734	pam
	1,1,2-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1734	pam

* In Description = Dry Wgt.

Page 24

Job Number: 201972

LABORATORY TEST RESULTS

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MH-1
 Date Sampled.....: 09/17/2002
 Time Sampled.....: 09:00
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-12
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1734	pam
	2-Hexanone	ND	U		0.8	10	1.00000	ug/L	9892		09/23/02 1734	pam
	Dibromochloromethane	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1734	pam
	Chlorobenzene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1734	pam
	Ethylbenzene	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1734	pam
	Styrene	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1734	pam
	Bromoform	ND	U		0.2	5	1.00000	ug/L	9892		09/23/02 1734	pam
	1,1,2,2-Tetrachloroethane	ND	U		0.3	5	1.00000	ug/L	9892		09/23/02 1734	pam
	Xylenes (total)	ND	U		0.5	5	1.00000	ug/L	9892		09/23/02 1734	pam

* In Description = Dry Wgt.

Job Number: 201972

LABORATORY TEST RESULTS

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MH-3
 Date Sampled.....: 09/17/2002
 Time Sampled.....: 09:15
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-13
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics (5mL Purge)											
	Dichlorodifluoromethane	ND	U		0.6	10	2.00000	ug/L	9942		09/24/02 1046	pam
	Chloromethane	ND	U		2	10	2.00000	ug/L	9942		09/24/02 1046	pam
	Vinyl chloride	16		M	0.6	10	2.00000	ug/L	9942		09/24/02 1046	pam
	Bromomethane	ND	U		3	10	2.00000	ug/L	9942		09/24/02 1046	pam
	Chloroethane	ND	U		8	10	2.00000	ug/L	9942		09/24/02 1046	pam
	Trichlorofluoromethane	ND	U		0.6	10	2.00000	ug/L	9942		09/24/02 1046	pam
	1,1-Dichloroethene	ND	U		1	10	2.00000	ug/L	9942		09/24/02 1046	pam
	Carbon disulfide	3	J		0.6	10	2.00000	ug/L	9942		09/24/02 1046	pam
	Acetone	ND	U		2	20	2.00000	ug/L	9942		09/24/02 1046	pam
	Methylene chloride	2	J	B	0.4	10	2.00000	ug/L	9942		09/24/02 1046	pam
	trans-1,2-Dichloroethene	ND	U		0.6	10	2.00000	ug/L	9942		09/24/02 1046	pam
	1,1-Dichloroethane	ND	U		0.6	10	2.00000	ug/L	9942		09/24/02 1046	pam
	Vinyl acetate	ND	U		1	10	2.00000	ug/L	9942		09/24/02 1046	pam
	cis-1,2-Dichloroethene	240			0.6	10	2.00000	ug/L	9942		09/24/02 1046	pam
	2-Butanone (MEK)	ND	U		0.8	20	2.00000	ug/L	9942		09/24/02 1046	pam
	Chloroform	ND	U		0.4	10	2.00000	ug/L	9942		09/24/02 1046	pam
	1,1,1-Trichloroethane	ND	U		0.4	10	2.00000	ug/L	9942		09/24/02 1046	pam
	Carbon tetrachloride	ND	U		0.4	10	2.00000	ug/L	9942		09/24/02 1046	pam
	Benzene	ND	U		0.6	10	2.00000	ug/L	9942		09/24/02 1046	pam
	1,2-Dichloroethane	ND	U		0.6	10	2.00000	ug/L	9942		09/24/02 1046	pam
	Trichloroethene	43			2	10	2.00000	ug/L	9942		09/24/02 1046	pam
	1,2-Dichloropropane	ND	U		0.6	10	2.00000	ug/L	9942		09/24/02 1046	pam
	Bromodichloromethane	ND	U		0.4	10	2.00000	ug/L	9942		09/24/02 1046	pam
	cis-1,3-Dichloropropene	ND	U		0.6	10	2.00000	ug/L	9942		09/24/02 1046	pam
	4-Methyl-2-pentanone (MIBK)	ND	U		0.8	20	2.00000	ug/L	9942		09/24/02 1046	pam
	Toluene	ND	U		0.6	10	2.00000	ug/L	9942		09/24/02 1046	pam
	trans-1,3-Dichloropropene	ND	U		0.4	10	2.00000	ug/L	9942		09/24/02 1046	pam
	1,1,2-Trichloroethane	ND	U		0.4	10	2.00000	ug/L	9942		09/24/02 1046	pam

* In Description = Dry Wgt.

Job Number: 201972

LABORATORY TEST RESULTS

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MH-3
 Date Sampled.....: 09/17/2002
 Time Sampled.....: 09:15
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-13
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene	ND	U		0.6	10	2.00000	ug/L	9942		09/24/02 1046	pam
	2-Hexanone	ND	U		2	20	2.00000	ug/L	9942		09/24/02 1046	pam
	Dibromochloromethane	ND	U		0.4	10	2.00000	ug/L	9942		09/24/02 1046	pam
	Chlorobenzene	ND	U		0.4	10	2.00000	ug/L	9942		09/24/02 1046	pam
	Ethylbenzene	ND	U		0.6	10	2.00000	ug/L	9942		09/24/02 1046	pam
	Styrene	ND	U		0.4	10	2.00000	ug/L	9942		09/24/02 1046	pam
	Bromoform	ND	U		0.4	10	2.00000	ug/L	9942		09/24/02 1046	pam
	1,1,2,2-Tetrachloroethane	ND	U		0.6	10	2.00000	ug/L	9942		09/24/02 1046	pam
	Xylenes (total)	ND	U		1	10	2.00000	ug/L	9942		09/24/02 1046	pam

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 201972

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MH-5
Date Sampled.....: 09/17/2002
Time Sampled.....: 09:25
Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-14
Date Received.....: 09/19/2002
Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics (5mL Purge)											
	Dichlorodifluoromethane	ND	U		0.3	5	1.00000	ug/L	9986		09/25/02 1150	pam
	Chloromethane	ND	U		0.9	5	1.00000	ug/L	9986		09/25/02 1150	pam
	Vinyl chloride	ND	U		0.3	5	1.00000	ug/L	9986		09/25/02 1150	pam
	Bromomethane	ND	U		2	5	1.00000	ug/L	9986		09/25/02 1150	pam
	Chloroethane	ND	U		4	5	1.00000	ug/L	9986		09/25/02 1150	pam
	Trichlorofluoromethane	ND	U		0.3	5	1.00000	ug/L	9986		09/25/02 1150	pam
	1,1-Dichloroethene	ND	U		0.6	5	1.00000	ug/L	9986		09/25/02 1150	pam
	Carbon disulfide	ND	U		0.3	5	1.00000	ug/L	9986		09/25/02 1150	pam
	Acetone	ND	U		0.9	10	1.00000	ug/L	9986		09/25/02 1150	pam
	Methylene chloride	1	J	8	0.2	5	1.00000	ug/L	9986		09/25/02 1150	pam
	trans-1,2-Dichloroethene	ND	U		0.3	5	1.00000	ug/L	9986		09/25/02 1150	pam
	1,1-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9986		09/25/02 1150	pam
	Vinyl acetate	ND	U		0.7	5	1.00000	ug/L	9986		09/25/02 1150	pam
	cis-1,2-Dichloroethene	18	U		0.3	5	1.00000	ug/L	9986		09/25/02 1150	pam
	2-Butanone (MEK)	ND	U		0.4	10	1.00000	ug/L	9986		09/25/02 1150	pam
	Chloroform	ND	U		0.2	5	1.00000	ug/L	9986		09/25/02 1150	pam
	1,1,1-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9986		09/25/02 1150	pam
	Carbon tetrachloride	ND	U		0.2	5	1.00000	ug/L	9986		09/25/02 1150	pam
	Benzene	ND	U		0.3	5	1.00000	ug/L	9986		09/25/02 1150	pam
	1,2-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9986		09/25/02 1150	pam
	Trichloroethene	6	U		0.8	5	1.00000	ug/L	9986		09/25/02 1150	pam
	1,2-Dichloropropane	ND	U		0.3	5	1.00000	ug/L	9986		09/25/02 1150	pam
	Bromodichloromethane	ND	U		0.2	5	1.00000	ug/L	9986		09/25/02 1150	pam
	cis-1,3-Dichloropropene	ND	U		0.3	5	1.00000	ug/L	9986		09/25/02 1150	pam
	4-Methyl-2-pentanone (MIBK)	ND	U		0.4	10	1.00000	ug/L	9986		09/25/02 1150	pam
	Toluene	ND	U		0.3	5	1.00000	ug/L	9986		09/25/02 1150	pam
	trans-1,3-Dichloropropene	ND	U		0.2	5	1.00000	ug/L	9986		09/25/02 1150	pam
	1,1,2-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9986		09/25/02 1150	pam

* In Description = Dry Wgt.

Job Number: 201972

LABORATORY TEST RESULTS

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MH-5
 Date Sampled.....: 09/17/2002
 Time Sampled.....: 09:25
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-14
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene	ND	U		0.3	5	1.00000	ug/L	9986		09/25/02 1150	pam
	2-Hexanone	ND	U		0.8	10	1.00000	ug/L	9986		09/25/02 1150	pam
	Dibromochloromethane	ND	U		0.2	5	1.00000	ug/L	9986		09/25/02 1150	pam
	Chlorobenzene	ND	U		0.2	5	1.00000	ug/L	9986		09/25/02 1150	pam
	Ethylbenzene	ND	U		0.3	5	1.00000	ug/L	9986		09/25/02 1150	pam
	Styrene	ND	U		0.2	5	1.00000	ug/L	9986		09/25/02 1150	pam
	Bromoform	ND	U		0.2	5	1.00000	ug/L	9986		09/25/02 1150	pam
	1,1,2,2-Tetrachloroethane	ND	U		0.3	5	1.00000	ug/L	9986		09/25/02 1150	pam
	Xylenes (total)	ND	U		0.5	5	1.00000	ug/L	9986		09/25/02 1150	pam

* In Description = Dry Wgt.

Job Number: 201972

LABORATORY TEST RESULTS

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MH-7
 Date Sampled.....: 09/17/2002
 Time Sampled.....: 09:35
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-15
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics (5mL Purge)											
	Dichlorodifluoromethane	ND	U		0.6	10	2.00000	ug/L	9986		09/25/02 1224	pam
	Chloromethane	ND	U		2	10	2.00000	ug/L	9986		09/25/02 1224	pam
	Vinyl chloride	ND	U		0.6	10	2.00000	ug/L	9986		09/25/02 1224	pam
	Bromomethane	ND	U		3	10	2.00000	ug/L	9986		09/25/02 1224	pam
	Chloroethane	ND	U		8	10	2.00000	ug/L	9986		09/25/02 1224	pam
	Trichlorofluoromethane	ND	U		0.6	10	2.00000	ug/L	9986		09/25/02 1224	pam
	1,1-Dichloroethene	4	J		1	10	2.00000	ug/L	9986		09/25/02 1224	pam
	Carbon disulfide	ND	U		0.6	10	2.00000	ug/L	9986		09/25/02 1224	pam
	Acetone	ND	U		2	20	2.00000	ug/L	9986		09/25/02 1224	pam
	Methylene chloride	2	J	B	0.4	10	2.00000	ug/L	9986		09/25/02 1224	pam
	trans-1,2-Dichloroethene	ND	U		0.6	10	2.00000	ug/L	9986		09/25/02 1224	pam
	1,1-Dichloroethane	ND	U		0.6	10	2.00000	ug/L	9986		09/25/02 1224	pam
	Vinyl acetate	ND	U		1	10	2.00000	ug/L	9986		09/25/02 1224	pam
	cis-1,2-Dichloroethene	48			0.6	10	2.00000	ug/L	9986		09/25/02 1224	pam
	2-Butanone (MEK)	ND	U		0.8	20	2.00000	ug/L	9986		09/25/02 1224	pam
	Chloroform	ND	U		0.4	10	2.00000	ug/L	9986		09/25/02 1224	pam
	1,1,1-Trichloroethane	10			0.4	10	2.00000	ug/L	9986		09/25/02 1224	pam
	Carbon tetrachloride	ND	U		0.4	10	2.00000	ug/L	9986		09/25/02 1224	pam
	Benzene	ND	U		0.6	10	2.00000	ug/L	9986		09/25/02 1224	pam
	1,2-Dichloroethane	ND	U		0.6	10	2.00000	ug/L	9986		09/25/02 1224	pam
	Trichloroethene	300			2	10	2.00000	ug/L	9986		09/25/02 1224	pam
	1,2-Dichloropropane	ND	U		0.6	10	2.00000	ug/L	9986		09/25/02 1224	pam
	Bromodichloromethane	ND	U		0.4	10	2.00000	ug/L	9986		09/25/02 1224	pam
	cis-1,3-Dichloropropene	ND	U		0.6	10	2.00000	ug/L	9986		09/25/02 1224	pam
	4-Methyl-2-pentanone (MIBK)	ND	U		0.8	20	2.00000	ug/L	9986		09/25/02 1224	pam
	Toluene	ND	U		0.6	10	2.00000	ug/L	9986		09/25/02 1224	pam
	trans-1,3-Dichloropropene	ND	U		0.4	10	2.00000	ug/L	9986		09/25/02 1224	pam
	1,1,2-Trichloroethane	ND	U		0.4	10	2.00000	ug/L	9986		09/25/02 1224	pam

* In Description = Dry Wgt.

Job Number: 201972

LABORATORY TEST RESULTS

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MH-7
 Date Sampled.....: 09/17/2002
 Time Sampled.....: 09:35
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-15
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene	ND	U		0.6	10	2.00000	ug/L	9986		09/25/02 1224	pam
	2-Hexanone	ND	U		2	20	2.00000	ug/L	9986		09/25/02 1224	pam
	Dibromochloromethane	ND	U		0.4	10	2.00000	ug/L	9986		09/25/02 1224	pam
	Chlorobenzene	ND	U		0.4	10	2.00000	ug/L	9986		09/25/02 1224	pam
	Ethylbenzene	ND	U		0.6	10	2.00000	ug/L	9986		09/25/02 1224	pam
	Styrene	ND	U		0.4	10	2.00000	ug/L	9986		09/25/02 1224	pam
	Bromoform	ND	U		0.4	10	2.00000	ug/L	9986		09/25/02 1224	pam
	1,1,2,2-Tetrachloroethane	ND	U		0.6	10	2.00000	ug/L	9986		09/25/02 1224	pam
	Xylenes (total)	ND	U		1	10	2.00000	ug/L	9986		09/25/02 1224	pam

* In Description = Dry Wgt.

Job Number: 201972

LABORATORY TEST RESULTS

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MH-8
 Date Sampled.....: 09/17/2002
 Time Sampled.....: 09:50
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-16
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics (5mL Purge)											
	Dichlorodifluoromethane	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1146	pam
	Chloromethane	ND	U		0.9	5	1.00000	ug/L	9942		09/24/02 1146	pam
	Vinyl chloride	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1146	pam
	Bromomethane	ND	U		2	5	1.00000	ug/L	9942		09/24/02 1146	pam
	Chloroethane	ND	U		4	5	1.00000	ug/L	9942		09/24/02 1146	pam
	Trichlorofluoromethane	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1146	pam
	1,1-Dichloroethene	3	J		0.6	5	1.00000	ug/L	9942		09/24/02 1146	pam
	Carbon disulfide	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1146	pam
	Acetone	ND	U		0.9	10	1.00000	ug/L	9942		09/24/02 1146	pam
	Methylene chloride	0.8	J	B	0.2	5	1.00000	ug/L	9942		09/24/02 1146	pam
	trans-1,2-Dichloroethene	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1146	pam
	1,1-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1146	pam
	Vinyl acetate	ND	U		0.7	5	1.00000	ug/L	9942		09/24/02 1146	pam
	cis-1,2-Dichloroethene	27	U		0.3	5	1.00000	ug/L	9942		09/24/02 1146	pam
	2-Butanone (MEK)	ND	U		0.4	10	1.00000	ug/L	9942		09/24/02 1146	pam
	Chloroform	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1146	pam
	1,1,1-Trichloroethane	7	U		0.2	5	1.00000	ug/L	9942		09/24/02 1146	pam
	Carbon tetrachloride	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1146	pam
	Benzene	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1146	pam
	1,2-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1146	pam
	Trichloroethene	180	U		0.8	5	1.00000	ug/L	9942		09/24/02 1146	pam
	1,2-Dichloropropane	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1146	pam
	Bromodichloromethane	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1146	pam
	cis-1,3-Dichloropropene	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1146	pam
	4-Methyl-2-pentanone (MIBK)	ND	U		0.4	10	1.00000	ug/L	9942		09/24/02 1146	pam
	Toluene	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1146	pam
	trans-1,3-Dichloropropene	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1146	pam
	1,1,2-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1146	pam

* In Description = Dry Wgt.

Job Number: 201972

LABORATORY TEST RESULTS

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MH-8
 Date Sampled.....: 09/17/2002
 Time Sampled.....: 09:50
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-16
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1146	pam
	2-Hexanone	ND	U		0.8	10	1.00000	ug/L	9942		09/24/02 1146	pam
	Dibromochloromethane	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1146	pam
	Chlorobenzene	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1146	pam
	Ethylbenzene	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1146	pam
	Styrene	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1146	pam
	Bromoform	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1146	pam
	1,1,2,2-Tetrachloroethane	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1146	pam
	Xylenes (total)	ND	U		0.5	5	1.00000	ug/L	9942		09/24/02 1146	pam

* In Description = Dry Wgt.

Job Number: 201972

LABORATORY TEST RESULTS

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MH-9A
 Date Sampled.....: 09/17/2002
 Time Sampled.....: 14:00
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-17
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics (5mL Purge)											
	Dichlorodifluoromethane	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1216	pam
	Chloromethane	ND	U		0.9	5	1.00000	ug/L	9942		09/24/02 1216	pam
	Vinyl chloride	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1216	pam
	Bromomethane	ND	U		2	5	1.00000	ug/L	9942		09/24/02 1216	pam
	Chloroethane	ND	U		4	5	1.00000	ug/L	9942		09/24/02 1216	pam
	Trichlorofluoromethane	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1216	pam
	1,1-Dichloroethene	ND	U		0.6	5	1.00000	ug/L	9942		09/24/02 1216	pam
	Carbon disulfide	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1216	pam
	Acetone	ND	U		0.9	10	1.00000	ug/L	9942		09/24/02 1216	pam
	Methylene chloride	0.8	J	B	0.2	5	1.00000	ug/L	9942		09/24/02 1216	pam
	trans-1,2-Dichloroethene	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1216	pam
	1,1-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1216	pam
	Vinyl acetate	ND	U		0.7	5	1.00000	ug/L	9942		09/24/02 1216	pam
	cis-1,2-Dichloroethene	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1216	pam
	2-Butanone (MEK)	ND	U		0.4	10	1.00000	ug/L	9942		09/24/02 1216	pam
	Chloroform	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1216	pam
	1,1,1-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1216	pam
	Carbon tetrachloride	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1216	pam
	Benzene	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1216	pam
	1,2-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1216	pam
	Trichloroethene	ND	U		0.8	5	1.00000	ug/L	9942		09/24/02 1216	pam
	1,2-Dichloropropane	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1216	pam
	Bromodichloromethane	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1216	pam
	cis-1,3-Dichloropropene	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1216	pam
	4-Methyl-2-pentanone (MIBK)	ND	U		0.4	10	1.00000	ug/L	9942		09/24/02 1216	pam
	Toluene	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1216	pam
	trans-1,3-Dichloropropene	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1216	pam
	1,1,2-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1216	pam

* In Description = Dry Wgt.

Job Number: 201972

LABORATORY TEST RESULTS

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MH-9A
 Date Sampled.....: 09/17/2002
 Time Sampled.....: 14:00
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-17
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1216	pam
	2-Hexanone	ND	U		0.8	10	1.00000	ug/L	9942		09/24/02 1216	pam
	Dibromochloromethane	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1216	pam
	Chlorobenzene	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1216	pam
	Ethylbenzene	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1216	pam
	Styrene	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1216	pam
	Bromoform	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1216	pam
	1,1,2,2-Tetrachloroethane	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1216	pam
	Xylenes (total)	ND	U		0.5	5	1.00000	ug/L	9942		09/24/02 1216	pam

* In Description = Dry Wgt.

Job Number: 201972

LABORATORY TEST RESULTS

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MH DUPLICATE
 Date Sampled.....: 09/17/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-18
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics (5mL Purge)											
	Dichlorodifluoromethane	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1247	pam
	Chloromethane	ND	U		0.9	5	1.00000	ug/L	9942		09/24/02 1247	pam
	Vinyl chloride	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1247	pam
	Bromomethane	ND	U		2	5	1.00000	ug/L	9942		09/24/02 1247	pam
	Chloroethane	ND	U		4	5	1.00000	ug/L	9942		09/24/02 1247	pam
	Trichlorofluoromethane	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1247	pam
	1,1-Dichloroethene	ND	U		0.6	5	1.00000	ug/L	9942		09/24/02 1247	pam
	Carbon disulfide	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1247	pam
	Acetone	ND	U		0.9	10	1.00000	ug/L	9942		09/24/02 1247	pam
	Methylene chloride	0.8	J	B	0.2	5	1.00000	ug/L	9942		09/24/02 1247	pam
	trans-1,2-Dichloroethene	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1247	pam
	1,1-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1247	pam
	Vinyl acetate	ND	U		0.7	5	1.00000	ug/L	9942		09/24/02 1247	pam
	cis-1,2-Dichloroethene	0.9	J		0.3	5	1.00000	ug/L	9942		09/24/02 1247	pam
	2-Butanone (MEK)	ND	U		0.4	10	1.00000	ug/L	9942		09/24/02 1247	pam
	Chloroform	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1247	pam
	1,1,1-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1247	pam
	Carbon tetrachloride	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1247	pam
	Benzene	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1247	pam
	1,2-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1247	pam
	Trichloroethene	ND	U		0.8	5	1.00000	ug/L	9942		09/24/02 1247	pam
	1,2-Dichloropropane	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1247	pam
	Bromodichloromethane	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1247	pam
	cis-1,3-Dichloropropene	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1247	pam
	4-Methyl-2-pentanone (MIBK)	ND	U		0.4	10	1.00000	ug/L	9942		09/24/02 1247	pam
	Toluene	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1247	pam
	trans-1,3-Dichloropropene	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1247	pam
	1,1,2-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1247	pam

* In Description = Dry Wgt.

Job Number: 201972

LABORATORY TEST RESULTS

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: MH DUPLICATE
 Date Sampled.....: 09/17/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-18
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1247	pam
	2-Hexanone	ND	U		0.8	10	1.00000	ug/L	9942		09/24/02 1247	pam
	Dibromochloromethane	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1247	pam
	Chlorobenzene	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1247	pam
	Ethylbenzene	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1247	pam
	Styrene	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1247	pam
	Bromoform	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1247	pam
	1,1,2,2-Tetrachloroethane	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1247	pam
	Xylenes (total)	ND	U		0.5	5	1.00000	ug/L	9942		09/24/02 1247	pam

* In Description = Dry Wgt.

Job Number: 201972

LABORATORY TEST RESULTS

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Customer Sample ID: TB091702
 Date Sampled.....: 09/17/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-19
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics (5mL Purge)											
	Dichlorodifluoromethane	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1347	pam
	Chloromethane	ND	U		0.9	5	1.00000	ug/L	9942		09/24/02 1347	pam
	Vinyl chloride	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1347	pam
	Bromomethane	ND	U		2	5	1.00000	ug/L	9942		09/24/02 1347	pam
	Chloroethane	ND	U		4	5	1.00000	ug/L	9942		09/24/02 1347	pam
	Trichlorofluoromethane	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1347	pam
	1,1-Dichloroethene	ND	U		0.6	5	1.00000	ug/L	9942		09/24/02 1347	pam
	Carbon disulfide	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1347	pam
	Acetone	ND	U		0.9	10	1.00000	ug/L	9942		09/24/02 1347	pam
	Methylene chloride	2	J	B	0.2	5	1.00000	ug/L	9942		09/24/02 1347	pam
	trans-1,2-Dichloroethene	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1347	pam
	1,1-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1347	pam
	Vinyl acetate	ND	U		0.7	5	1.00000	ug/L	9942		09/24/02 1347	pam
	cis-1,2-Dichloroethene	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1347	pam
	2-Butanone (MEK)	ND	U		0.4	10	1.00000	ug/L	9942		09/24/02 1347	pam
	Chloroform	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1347	pam
	1,1,1-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1347	pam
	Carbon tetrachloride	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1347	pam
	Benzene	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1347	pam
	1,2-Dichloroethane	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1347	pam
	Trichloroethene	ND	U		0.8	5	1.00000	ug/L	9942		09/24/02 1347	pam
	1,2-Dichloropropane	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1347	pam
	Bromodichloromethane	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1347	pam
	cis-1,3-Dichloropropene	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1347	pam
	4-Methyl-2-pentanone (MIBK)	ND	U		0.4	10	1.00000	ug/L	9942		09/24/02 1347	pam
	Toluene	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1347	pam
	trans-1,3-Dichloropropene	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1347	pam
	1,1,2-Trichloroethane	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1347	pam

* In Description = Dry Wgt.

Job Number: 201972

LABORATORY TEST RESULTS

Date:09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS,NY

ATTN: Steve Bunsen

Customer Sample ID: TB091702
 Date Sampled.....: 09/17/2002
 Time Sampled.....: 00:00
 Sample Matrix.....: Groundwater

Laboratory Sample ID: 201972-19
 Date Received.....: 09/19/2002
 Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1347	pam
	2-Hexanone	ND	U		0.8	10	1.00000	ug/L	9942		09/24/02 1347	pam
	Dibromochloromethane	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1347	pam
	Chlorobenzene	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1347	pam
	Ethylbenzene	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1347	pam
	Styrene	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1347	pam
	Bromoform	ND	U		0.2	5	1.00000	ug/L	9942		09/24/02 1347	pam
	1,1,2,2-Tetrachloroethane	ND	U		0.3	5	1.00000	ug/L	9942		09/24/02 1347	pam
	Xylenes (total)	ND	U		0.5	5	1.00000	ug/L	9942		09/24/02 1347	pam

* In Description = Dry Wgt.

LABORATORY CHRONICLE

Job Number: 201972

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Lab ID: 201972-1	Client ID: MH-12	Date Recvd: 09/19/2002	Sample Date: 09/16/2002	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)
5030A	5030 5 mL Purge Prep	1	9851	
8260B	Volatile Organics (5mL Purge)	1	9892	9851
			09/23/2002	1051 1.00000
Lab ID: 201972-2	Client ID: MH-48	Date Recvd: 09/19/2002	Sample Date: 09/16/2002	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)
5030A	5030 5 mL Purge Prep	1	9851	
8260B	Volatile Organics (5mL Purge)	1	9892	9851
			09/23/2002	1121 1.00000
Lab ID: 201972-3	Client ID: MH-38	Date Recvd: 09/19/2002	Sample Date: 09/16/2002	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)
5030A	5030 5 mL Purge Prep	1	9851	
8260B	Volatile Organics (5mL Purge)	1	9892	9851
			09/23/2002	1152 1.00000
Lab ID: 201972-4	Client ID: MW-BR-05	Date Recvd: 09/19/2002	Sample Date: 09/16/2002	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)
5030A	5030 5 mL Purge Prep	1	9851	
8260B	Volatile Organics (5mL Purge)	1	9892	9851
			09/23/2002	1222 1.00000
Lab ID: 201972-5	Client ID: MW-BR-04	Date Recvd: 09/19/2002	Sample Date: 09/17/2002	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)
5030A	5030 5 mL Purge Prep	1	9851	
8260B	Volatile Organics (5mL Purge)	1	9892	9851
			09/23/2002	1433 1.00000
Lab ID: 201972-6	Client ID: MW-20	Date Recvd: 09/19/2002	Sample Date: 09/17/2002	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)
5030A	5030 5 mL Purge Prep	1	9851	
8260B	Volatile Organics (5mL Purge)	1	9892	9851
			09/23/2002	1503 1.00000
Lab ID: 201972-7	Client ID: MW-21	Date Recvd: 09/19/2002	Sample Date: 09/17/2002	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)
5030A	5030 5 mL Purge Prep	1	9851	
8260B	Volatile Organics (5mL Purge)	1	9892	9851
			09/23/2002	1533 1.00000
Lab ID: 201972-8	Client ID: MW-28	Date Recvd: 09/19/2002	Sample Date: 09/17/2002	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)
5030A	5030 5 mL Purge Prep	1	9851	
8260B	Volatile Organics (5mL Purge)	1	9892	9851
			09/23/2002	1604 1.00000
Lab ID: 201972-9	Client ID: MW-27	Date Recvd: 09/19/2002	Sample Date: 09/17/2002	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)
5030A	5030 5 mL Purge Prep	1	9851	
8260B	Volatile Organics (5mL Purge)	1	9892	9851
			09/23/2002	1634 1.00000
Lab ID: 201972-10	Client ID: MW-29	Date Recvd: 09/19/2002	Sample Date: 09/17/2002	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)
5030A	5030 5 mL Purge Prep	1	9851	
8260B	Volatile Organics (5mL Purge)	1	9892	9851
			09/23/2002	1704 1.00000
Lab ID: 201972-11	Client ID: MH-18	Date Recvd: 09/19/2002	Sample Date: 09/17/2002	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)
5030A	5030 5 mL Purge Prep	1	9851	
8260B	Volatile Organics (5mL Purge)	1	9892	9851
			09/23/2002	1805 1.00000
Lab ID: 201972-12	Client ID: MH-1	Date Recvd: 09/19/2002	Sample Date: 09/17/2002	
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT # (S)
5030A	5030 5 mL Purge Prep	1	9851	

L A B O R A T O R Y C H R O N I C L E

Job Number: 201972

Date: 09/27/2002

CUSTOMER: URS CORPORATION

PROJECT: SENECA FALLS, NY

ATTN: Steve Bunsen

Lab ID: 201972-12	Client ID: MH-1	Date Recvd: 09/19/2002	Sample Date: 09/17/2002		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT	#(S) DATE/TIME ANALYZED DILUTION
8260B	Volatile Organics (5mL Purge)	1	9892	9851	09/23/2002 1734 1.00000
Lab ID: 201972-13	Client ID: MH-3	Date Recvd: 09/19/2002	Sample Date: 09/17/2002		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT	#(S) DATE/TIME ANALYZED DILUTION
5030A	5030 5 mL Purge Prep	1	9905		
8260B	Volatile Organics (5mL Purge)	1	9942	9905	09/24/2002 1046 2.00000
Lab ID: 201972-14	Client ID: MH-5	Date Recvd: 09/19/2002	Sample Date: 09/17/2002		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT	#(S) DATE/TIME ANALYZED DILUTION
5030A	5030 5 mL Purge Prep	1	9984		
8260B	Volatile Organics (5mL Purge)	1	9986	9984	09/25/2002 1150 1.00000
Lab ID: 201972-15	Client ID: MH-7	Date Recvd: 09/19/2002	Sample Date: 09/17/2002		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT	#(S) DATE/TIME ANALYZED DILUTION
5030A	5030 5 mL Purge Prep	1	9984		
8260B	Volatile Organics (5mL Purge)	1	9986	9984	09/25/2002 1224 2.00000
Lab ID: 201972-16	Client ID: MH-8	Date Recvd: 09/19/2002	Sample Date: 09/17/2002		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT	#(S) DATE/TIME ANALYZED DILUTION
5030A	5030 5 mL Purge Prep	1	9905		
8260B	Volatile Organics (5mL Purge)	1	9942	9905	09/24/2002 1146 1.00000
Lab ID: 201972-17	Client ID: MH-9A	Date Recvd: 09/19/2002	Sample Date: 09/17/2002		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT	#(S) DATE/TIME ANALYZED DILUTION
5030A	5030 5 mL Purge Prep	1	9905		
8260B	Volatile Organics (5mL Purge)	1	9942	9905	09/24/2002 1216 1.00000
Lab ID: 201972-18	Client ID: MH DUPLICATE	Date Recvd: 09/19/2002	Sample Date: 09/17/2002		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT	#(S) DATE/TIME ANALYZED DILUTION
5030A	5030 5 mL Purge Prep	1	9905		
8260B	Volatile Organics (5mL Purge)	1	9942	9905	09/24/2002 1247 1.00000
Lab ID: 201972-19	Client ID: T8091702	Date Recvd: 09/19/2002	Sample Date: 09/17/2002		
METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT	#(S) DATE/TIME ANALYZED DILUTION
5030A	5030 5 mL Purge Prep	1	9905		
8260B	Volatile Organics (5mL Purge)	1	9942	9905	09/24/2002 1347 1.00000

QUALITY ASSURANCE METHODS

REFERENCES AND NOTES

Report Date: 09/27/2002

REPORT COMMENTS

- 1) All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.
- 2) Soil, sediment and sludge sample results are reported on a "dry weight" basis except when analyzed for landfill disposal or incineration parameters. All other solid matrix samples are reported on an "as received" basis unless noted differently.
- 3) Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.
- 4) The test results for the noted analytical method(s) meet the requirements of NELAC. Lab Cert. ID# 10604
- 5) According to 40CFR Part 136.3, pH, Chlorine Residual and Dissolved Oxygen analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH Field) they were not analyzed immediately, but as soon as possible on laboratory receipt.

Glossary of flags, qualifiers and abbreviation

Inorganic Qualifiers (Q-Column)

- U Analyte was not detected at or above the reporting limit.
- < Not detected at or above the reporting limit.
- J Result is less than the RL, but greater than or equal to the method detection limit.
- B Result is less than the CRDL/RL, but greater than or equal to the IDL/MDL.
- S Result was determined by the Method of Standard Additions.

Inorganic Flags (Flag Column)

- ICV,CCV,ICB,CCB,ISA,ISB,CRI,CRA,MRL: Instrument related QC exceed the upper or lower control limits.
- * LCS, LCD, MD: Batch QC exceeds the upper or lower control limits.
- + MSA correlation coefficient is less than 0.995.
- 4 MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not applicable.
- E SD: Serial dilution exceeds the control limits.
- H MB, EB: Batch QC is greater than reporting limit or had a negative instrument reading lower than the absolute value of the reporting limit.
- N MS, MSD: Spike recovery exceeds the upper or lower control limits.
- W PS: Post-digestion spike was outside 85-115% control limits.

Organic Qualifiers (Q - Column)

- U Analyte was not detected at or above the reporting limit.
- ND Compound not detected.
- J Result is an estimated value below the reporting limit or a tentatively identified compound (TIC).
- Q Result was qualitatively confirmed, but not quantified.
- C Pesticide identification was confirmed by GC/MS.
- Y The chromatographic response resembles a typical fuel pattern.
- Z The chromatographic response does not resemble a typical fuel pattern.
- E Result exceeded calibration range, secondary dilution required.

Organic Flags (Flags Column)

- MB,EB, MLE: Batch QC is greater than reporting limit.
- * LCS, LCD, CCV, MS, MSD, Surrogate, RS:Batch QC exceeds the upper or lower control limits.
- A Concentration exceeds the instrument calibration range or below the reporting limit.
- B Compound was found in the blank and sample.
- D Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution will be flagged with a D.
- H Alternate peak selection upon analytical review
- I Indicates the presence of an interference, recovery is not calculated.
- M Manually integrated compound.
- P The lower of the two values is reported when the % difference between the results of two GC columns is greater than 25%.

QUALITY ASSURANCE METHODS

REFERENCES AND NOTES

Report Date: 09/27/2002

Abbreviations

Batch	Designation given to identify a specific extraction, digestion, preparation set, or analysis set
CAP	Capillary Column
CCB	Continuing Calibration Blank
CCV	Continuing Calibration Verification
CF	Confirmation Analysis
CRA	Low Level Standard Check - GFAA; Mercury
CRI	Low Level Standard Check - ICP
Dil Fac	Dilution Factor
DL	Secondary dilution and analysis
DLFac	Detection Limit Factor
DSH	Distilled Standard - High Level
DSL	Distilled Standard - Low Level
DSM	Distilled Standard - Medium Level
EB	Extraction Blank
ICB	Initial Calibration Blank
ICV	Initial Calibration Verification
IDL	Instrument Detection Limit
ISA	Interference Check Sample A
ISB	Interference Check Sample B
Job No.	The first six digits of the sample ID which refers to a specific client, project and sample group
Lab ID	An 8 number unique laboratory identification
LCD	Laboratory Control Standard Duplicate
LCS	Laboratory Control Standard with reagent grade water or a matrix free from the analyte of interest
MB	Method Blank or (PB) Preparation Blank
MD	Method Duplicate
MDL	Method Detection Limit
MLE	Medium Level Extraction Blank
MRL	Method Reporting Limit Standard
MSA	Method of Standard Additions
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ND	Not Detected
PACK	Packed Column
PREPF	Preparation factor used by the Laboratory's Information Management System (LIMS)
PS	Post Spike
PSD	Post Spike Duplicate
RA	Re-analysis
RE	Re-extraction and analysis
RL	Reporting Limit
RPD	Relative Percent Difference of duplicate (unrounded) analyses
RRF	Relative Response Factor
RS	Reference Standard
RT	Retention Time
RTW	Retention Time Window
SampleID	A 9 digit number unique for each sample, the first six digits are referred as the job number
SCB	Seeded Control Blank
SD	Serial Dilution
UCB	Unseeded Control Blank

One or a combination of these data qualifiers and abbreviations may appear in the analytical report.

STATE CERTIFICATIONS

In some instances it may be necessary for environmental data to be reported to a regulatory authority with reference to a certified laboratory. For your convenience, the laboratory identification numbers for the STL-Connecticut laboratory are provided in the following table. Many states certify laboratories for specific parameters or tests within a category (i.e. method 325.2 for wastewater). The information in the following table indicates the lab is certified in a general category of testing such as drinking water or wastewater analysis. The laboratory should be contacted directly if parameter-specific certification information is required.

STL-Connecticut Certification Summary (as of May 2002)

State	Responsible Agency	Certification	Lab Number
Connecticut	Department of Health Services	Drinking Water, Wastewater	PH-0497
Maine	Department of Health and Environmental Services	Drinking Water, Wastewater/Solid, Hazardous Waste	CT023
Massachusetts	Department of Environmental Protection	Potable/Non-Potable Water	M-CT023
New Hampshire	Department of Environmental Services	Drinking Water, Wastewater	2528
New Jersey	Department of Environmental Protection	Drinking Water, Wastewater	CT410
New York	Department of Health	CLP, Drinking Water, Wastewater, Solid/ Hazardous Waste NELAC	10602
North Carolina	Division of Environmental Management	Wastewater	388
Rhode Island	Department of Health	Chemistry...Non- Potable Water and Wastewater	, A43
Utah	Department of Health	RCRA	2032614458
Wisconsin	Department of Natural Resources	Wastewater	998355710