



GTE Operations Support Incorporated
One Verizon Way (VC34W414)
Basking Ridge, NJ 07920-1097
(908) 559-3691

March 18, 2010

Mr. Stephen Condon
New York State Department of Environmental Conservation
Bureau of Radiation & Hazardous Site Management
Division of Solid & Hazardous Materials
625 Broadway
Albany, NY 12233-7252

Re: *December 2009 Indoor Air Sampling Report*

Dear Mr. Condon:

Attached are the results of the December 2009 indoor air sampling event at the former Philips Display Components Facility in Seneca Falls, New York. Volatile organic compounds (VOC), primarily trichloroethene, were detected in subslab vapor and indoor air. Two subslab depressurization systems and a crawl space ventilation system have been effective in reducing VOC concentrations in the subsurface.

We will continue to collect samples quarterly to monitor the effectiveness of the subslab depressurization and ventilation systems. The next sampling will be conducted during the week of March 22, 2010.

Please call me at (908) 559-3691 if you have any questions.

Sincerely,

A handwritten signature in cursive script that reads "Pam M. Cox" followed by a small mark that appears to be "af".

Pam M. Cox
Manager – Workplace Safety & Environmental Compliance

ATTACHMENTS

Attachment A – December 2009 Indoor Air Sampling Event Summary
Attachment B – Figures
Attachment C – Tables
Attachment D – Data Validation Report

c: Ms. Denise Radtke
NYSDEC
625 Broadway
Albany, NY 12233-7252

Ms. Melissa A. Menetti
New York State Department of Health
547 River Street
Troy, NY 12180

Mr. James Reidy
U.S. Environmental Protection Agency
290 Broadway
New York, NY 10007-1866

Mr. Ray Larkin
Philips Components
Environmental Consultant
9 Hawthorne Court
North Kingstown, RI 02852-4646

Mr. Michael Hanna
H.P. Neun
75 North Main Street
Fairport, NY 14450

Mr. Daniel Lang
Malcolm Pirnie, Inc.
855 Route 146, Suite 210
Clifton Park, NY 12065

Mr. Steven Malsan
NYSDEC
625 Broadway
Albany, NY 12233-7252

Mr. Scott Foti
NYSDEC
6274 East Avon-Lima Road
Avon, NY 14414

Mr. Sam Ezekwo
U.S. Environmental Protection Agency
290 Broadway
New York, NY 10007-1866

Ms. Marzi Sharfaei
Malcolm Pirnie, Inc.
1515 E. Woodfield Road
Suite 360
Schaumburg, IL 60173

Ms. Patricia Jones
Seneca County IDA
1 DiPronio Drive
Waterloo, NY 13165-1681

Attachment A
December 2009 Indoor Air Sampling Event Summary

Introduction

In December 2009, indoor air and subslab vapor samples were collected at the former Philips Display Components Facility in Seneca Falls, New York (Figure 1). Indoor air samples are collected quarterly and subslab vapor samples are collected annually to monitor concentrations of volatile organic compounds (VOC), primarily trichloroethene (TCE).

Three systems were installed to minimize VOC concentrations. The Building 9 Office Area crawl space ventilation system began operating in November 2004, the Building 11 Area subslab depressurization (SSD) system in November 2005, and the Building 7 Area SSD system in October 2006. A digital manometer is used to confirm that the systems are operating as designed. The manometer measures pressure at subslab monitoring points and vapor extraction wells to confirm that negative pressures are sustained.

On December 17, 2009, the following air samples were collected:

- Eight indoor air samples and one duplicate indoor air sample,
- Six subslab vapor sample and one duplicate subslab vapor sample, and
- Two outdoor (ambient) air samples.

The sample locations are shown on Figures 2 through 4. Samples were analyzed by TestAmerica Laboratories, Inc. of Burlington, Vermont for 16 site-specific VOCs. Subslab samples were analyzed using United States Environmental Protection Agency (USEPA) Method TO-15. Crawl space and indoor- and outdoor-air samples were analyzed using low-level USEPA Method TO-15. Analytical results are provided in Tables 1 through 4 and displayed graphically on Figures 5 and 6.

Sampling, laboratory analysis, quality assurance and quality control, and data validation were conducted in accordance with the *Soil Vapor Intrusion Pathway Investigation Work Plan and Quality Assurance Project Plan* dated May 7, 2003. Data Validation Services, Inc. of North Creek, New York performed third-party data validation. Sample analysis and reporting were completed in compliance with project requirements. These data are usable as reported with the exception of OA-B11-01. In sample OA-B11-01, the cis-1,2-dichloroethene was qualified as estimated because of mass spectral interference.

Contaminant Trends

The December 2009 indoor air TCE concentrations ranged from 2.4 to 64 micrograms per cubic meter ($\mu\text{g}/\text{m}^3$), which are within the range measured since the crawl space ventilation and subslab depressurization systems began operating. However, the TCE concentration range was slightly wider than in December 2008 (4.7 to 46 $\mu\text{g}/\text{m}^3$).

Building 9 Area

The Building 9 office indoor air and crawl space air was not sampled in December 2009 because the crawl space ventilation system fan was overheating and operating intermittently. On December 14, 2009, the fan motor was replaced. The office indoor air and crawl space air will be sampled in March 2010.

Building 11 Area

In December 2009 samples of indoor air and subslab soil vapor were collected in the Building 11 Area. The Building 11 Area comprises parts of Buildings 10, 10A, 11, 11A, 13, and 13A. The TCE concentration data is provided below.

Indoor Air

TCE concentrations in Building 11 Area indoor air ranged from 2.4 to 64 $\mu\text{g}/\text{m}^3$, which are within the concentration range (1.5 to 97 $\mu\text{g}/\text{m}^3$) measured since the Building 11 SSD system began operating in 2005. The following list summarizes the concentrations of TCE reported in Building 11 Area indoor air samples in 2008 and 2009:

- Building 10 and 10A - TCE concentrations were 64 and 25 $\mu\text{g}/\text{m}^3$, respectively, higher than the 37 and 19 $\mu\text{g}/\text{m}^3$ reported in December 2008.
- Building 11 and 11A – TCE concentrations were 26 and 30 $\mu\text{g}/\text{m}^3$, respectively, higher than the 14 and 13 $\mu\text{g}/\text{m}^3$ reported in December 2008.
- Buildings 13 and 13A – TCE concentrations were 2.4 and 2.7 $\mu\text{g}/\text{m}^3$, respectively, less than the 5.2 and 4.7 $\mu\text{g}/\text{m}^3$ reported in December 2008.

Subslab

Subslab vapor samples in the Building 11 Area are collected each December (Figure 5). The following list summarizes the concentrations of TCE reported in Building 11 Area subslab samples in 2008 and 2009:

- Buildings 10 and 10A - TCE concentrations were 1,200 and 13 $\mu\text{g}/\text{m}^3$, respectively, similar to the 1,700 and 10 $\mu\text{g}/\text{m}^3$ reported in December 2008.
- Building 11A – TCE concentration was 64 $\mu\text{g}/\text{m}^3$, several orders of magnitude lower than the 160,000 $\mu\text{g}/\text{m}^3$ reported before the SSD system began operating in 2005.
- Building 13 – TCE concentration was 1.1 $\mu\text{g}/\text{m}^3$, similar to the 1.6 $\mu\text{g}/\text{m}^3$ reported in December 2008.
- Building 13A – TCE was not detected in either December 2008 or 2009.

The Building 11 Area SSD system continues to sustain negative pressures in the subslab greater than 100 feet from the extraction wells.

Building 7 Area


The TCE concentration in the indoor air was 5.4 $\mu\text{g}/\text{m}^3$, within the range (0.64 to 18 $\mu\text{g}/\text{m}^3$) reported since the Building 7 SSD system began operating in 2006, and lower than the 6.4 $\mu\text{g}/\text{m}^3$ reported in December 2008. TCE concentrations in the subslab vapor beneath Building 7 have decreased by two orders of magnitude, from 3,300 to 70 $\mu\text{g}/\text{m}^3$ (Figure 7). The Building 7 SSD system continues to sustain negative pressures in the subslab greater than 45 feet from the extraction wells.

Conclusions

The analytical results and field measurements indicate that the systems are effective at sustaining negative differential pressures. Operation of the systems has significantly lowered the concentrations of VOCs in the subslab vapor, crawl space, and indoor air.


Attachment B

Figures



MAP SOURCE: USGS 7.5 MINUTE TOPOGRAPHIC SERIES, SENECA FALLS QUADRANGLE

APPROXIMATE SCALE IN MILES



LEGEND



APPROXIMATE INDOOR OR CRAWL
SPACE AIR SAMPLING LOCATION



APPROXIMATE OUTDOOR AIR
SAMPLING LOCATION



BUILDING COMPLEX

BUILDING 9



IA-B9-02

**BUILDING 9
OFFICE**



IA-B9-01



IA-B9-CS

BUILDING 4

BUILDING 6

BUILDING 3

BUILDING 5

BUILDING 7

BUILDING 12



OA-B2-01

APPROXIMATE SCALE IN FEET



LEGEND



APPROXIMATE INDOOR AIR
SAMPLING LOCATION




APPROXIMATE EXTRACTION
WELL LOCATION



APPROXIMATE
OUTDOOR/AMBIENT AIR
SAMPLING LOCATION



BUILDING COMPLEX



LEGEND



APPROXIMATE INDOOR AIR
SAMPLING LOCATION



APPROXIMATE SUB-SLAB SOIL
VAPOR SAMPLING LOCATION



APPROXIMATE EXTRACTION
WELL LOCATION



APPROXIMATE
OUTDOOR/AMBIENT AIR
SAMPLING LOCATION



BUILDING COMPLEX

BUILDING 4

BUILDING 6

BUILDING 3

BUILDING 5

BUILDING 7

BUILDING 9

BUILDING 12

EW-1

SVSS-B7-01

IA-B7-01

EW-2

FORMER TRAIN SHED



OA-B2-01

APPROXIMATE SCALE IN FEET



Figure 5: Building 11 Area TCE Concentrations





Figure 6: Building 7 Area TCE Concentrations



Attachment C Tables

Table 1
Building 9 Area Analytical Data Summary
Former Philips Display Facility - Seneca Falls, New York

Sample Description		BUILDING 9 OFFICE INDOOR AIR																							
Sample ID		IA-B9-01																							
Date Collected	7/15/2003	10/2/2003	1/20/2004	3/26/2004	12/22/2004	3/31/2005	7/22/2005	9/20/2005	1/11/2006	7/17/2006	12/12/2006	3/20/2007	6/21/2007	9/28/2007	12/11/2007	3/26/2008	6/17/2008	9/24/2008	12/18/2008	3/26/2009	6/25/2009	9/23/2009	12/17/2009		
1,1,1-Trichloroethane	0.22	0.55 U	0.27 U	0.15 U	0.17	0.076	0.10	0.12	0.13	0.23	0.21	0.44	0.065	0.071	0.25	0.14	0.22 U	0.18	0.34	0.38	0.39	0.22 U	NS		
1,1,2,2-Tetrachloroethane	0.14 U	0.69 U	0.34 U	0.069 U	0.069 U	0.069 U	0.069 U	0.14 U	0.069 U	0.21 U	0.14 U	0.27 U	0.069 U	0.069 U	0.10 U	0.14 U	0.27 U	0.069 U	0.38 UJ	0.082 U	0.34 U	0.27 U	NS		
1,1,2-Trichloroethane	0.10 U	0.55 U	0.27 U	0.055 U	0.055 U	0.055 U	0.055 U	0.11 U	0.055 U	0.16 U	0.11 U	0.22 U	0.055 U	0.055 U	0.082 U	0.11 U	0.22 U	0.055 U	0.31 U	0.065 U	0.27 U	0.22 U	NS		
1,1-Dichloroethane	0.080 U	0.40 U	0.20 U	0.040 U	0.040 U	0.040 U	0.040 U	0.081 U	0.040 U	0.12 U	0.081 U	0.16 U	0.040 U	0.040 U	0.061 U	0.081 U	0.160 U	0.040 U	0.230 U	0.049 U	0.20 U	0.16 U	NS		
1,1-Dichloroethene	0.040 U	0.40 U	0.20 U	0.040 U	0.040 U	0.040 U	0.040 U	0.16 U	0.040 U	0.12 U	0.079 U	0.16 U	0.040 U	0.040 U	0.059 U	0.079 U	0.160 U	0.040 U	0.220 U	0.048 U	0.20 U	0.16 U	NS		
1,2-Dichloroethane	0.087	0.40 U	0.20 U	0.093	0.077	0.049	0.04 U	0.081 U	0.093	0.34	0.16 U	0.32 U	0.081 U	0.081 U	0.12 U	0.16 U	0.32 U	0.081 U	0.45 U	0.11	0.4 U	0.32 U	NS		
Benzene	1.3	2.2	2.3	2.7	2.7	0.77	2.0	1.3	3.5	3.1	2.9	3.1	0.42	0.51	1.5	1.4	0.61	0.51	2.8	1.1	1.4	0.96	NS		
cis-1,2-Dichloroethene	0.22	0.67	0.2 U	0.38	0.27	0.04 U	0.16	0.16	0.17	1.1	0.27	0.52	0.040 NJ	0.040 U	0.31	0.40	0.52	0.075	0.67 NJ	0.12	0.24	0.16 U	NS		
Ethylbenzene	1.4	1.1	2.7	0.91	0.87	0.28	2.9	0.96	2.0	4.0	1.3	1.1	0.43	0.32	0.52	0.48	0.69	0.43	1.4	0.43	1.5	0.91	NS		
Tetrachloroethene	0.77	0.68 U	0.75	0.6	3.1	0.088	0.52	2.6	0.51	8.8	2.0	2.0	0.35	0.31	1.6	0.52	1.1	1.6	0.38 U	0.16	0.34 U	0.27 U	NS		
Toluene	9.6	4.1	11	7.5	5.7	1.4	9.4	2.9	9.4	10	6.8	4.5	1.5	1.8	3.1	4.1	11	2.8	8.3	4.1	12	14	NS		
trans-1,2-Dichloroethene	0.056 U	0.40 U	0.20 U	0.040 U	0.040 U	0.040 U	0.040 U	0.079 U	0.04 U	0.12 U	0.079 U	0.16 U	0.040 U	0.040 U	0.059 U	0.079 U	0.160 U	0.040 U	0.220 U	0.048 U	0.20 U	0.16 U	NS		
Trichloroethene	22	30	15	1.3	4.6	0.12	4.3	0.70	4.0	4.2	9.1	14	0.34	0.37	5.9	5.3	1.2	2.6	18	1.2	1.7	0.34	NS		
Vinyl chloride	0.020 U	0.26 U	0.13 U	0.026 U	0.028	0.026 U	0.026 U	0.051 U	0.026 U	0.15 U	0.1 U	0.2 U	0.051 U	0.051 U	0.077 U	0.10 U	0.20 U	0.051 U	0.28 U	0.064 U	0.26 U	0.20 U	NS		
m-Xylene & p-Xylene	5.0	2.8	10	3.1	3.3	0.91	8.3	3.6	5.6	18	4.3	3.8	1.8	1.0	1.6	1.8	2.6	1.6	5.2	1.4	5.6	3.3	NS		
o-Xylene	2.0	1.2	3.2	1.2	1.2	0.33	2.4	1.2	3.0	6.5	1.6	1.3	0.61	0.36	0.56	0.65	0.91	0.56	1.8	0.52	2.1	1.3	NS		

Sample Description	BUILDING 9 CRAWL SPACE AIR																							
Sample ID	IA-B9-CS																							
Date Collected	7/15/2003	10/2/2003	1/20/2004	3/26/2004	12/22/2004	3/31/2005	7/22/2005	9/20/2005	1/11/2006	7/17/2006	12/12/2006	3/20/2007	6/21/2007	9/28/2007	12/11/2007	3/26/2008	6/17/2008	9/24/2008	12/18/2008	3/26/2009	6/25/2009	9/23/2009	12/17/2009	
Differential Pressure (inches water)	NA	NA	NA	NA	-0.03	-0.07	-0.15*	-0.15	-0.15	-0.15	-0.15	-0.11	-0.10	-0.08	-0.04	-0.03	-0.03	-0.03	-0.03	-0.03	-0.03	-0.03	0	
1,1,1-Trichloroethane	NS	0.55 U	0.27 U	0.18	0.14	0.040 U	0.093	0.55 U	0.12	0.44 U	0.17	0.27	0.22 U	0.27 U	0.16 U	0.082 U	0.27 U	0.22 U	0.22 U	0.11 U	0.43 U	0.27 U	NS	
1,1,2,2-Tetrachloroethane	NS	0.69 U	0.34 U	0.069 U	0.069 U	0.069 U	0.069 U	0.69 U	0.069 U	0.55 U	0.21 U	0.21 U	0.27 U	0.34 U	0.21 U	0.10 U	0.34 U	0.27 U	0.27 UJ	0.14 U	0.54 U	0.34 U	NS	
1,1,2-Trichloroethane	NS	0.55 U	0.27 U	0.055 U	0.055 U	0.055 U	0.055 U	0.55 U	0.055 U	0.44 U	0.16 U	0.16 U	0.22 U	0.27 U	0.16 U	0.082 U	0.27 U	0.22 U	0.22 U	0.11 U	0.43 U	0.27 U	NS	
1,1-Dichloroethane	NS	0.40 U	0.20 U	0.040 U	0.040 U	0.040 U	0.040 U	0.40 U	0.040 U	0.32 U	0.12 U	0.12 U	0.16 U	0.20 U	0.12 U	0.061 U	0.200 U	0.16 U	0.16 U	0.081 U	0.32 U	0.20 U	NS	
1,1-Dichloroethene	NS	0.40 U	0.20 U	0.040 U	0.040 U	0.040 U	0.040 U	0.79 U	0.040 U	0.32 U	0.12 U	0.12 U	0.16 U	0.20 U	0.12 U	0.059 U	0.200 U	0.16 U	0.16 U	0.079 U	0.31 U	0.20 U	NS	
1,2-Dichloroethane	NS	0.40 U	0.20 U	0.081	0.057	0.040	0.040 U	0.40 U	0.040 U	0.65 U	0.24 U	0.24 U	0.32 U	0.40 U	0.24 U	0.12 U	0.40 U	0.32 U	0.32 U	0.16 U	0.65 U	0.40 U	NS	
Benzene	NS	0.64	1.6	1.7	1.7	0.51	0.96	0.96	2.4	2.9	2.8	2.1	0.13 U	0.38	1.1	1.1	0.42	0.38	1.6	0.8	1.5	0.99	NS	
cis-1,2-Dichloroethene	NS	1.6	0.95 NJ	2.4	0.24	0.19	0.87	1.1	0.29	1.2	0.29	0.56	0.44	0.48	0.21	0.23	0.87	0.18 NJ	0.31 NJ	0.18	0.39 NJ	0.40	NS	
Ethylbenzene	NS	0.48	1.4	0.78	0.61	0.22	1.7	0.83	1.2	3.5	1.6	0.65	0.17 U	0.24	0.32	0.38	0.56	0.25	0.78	0.28	1.4	0.69	NS	
Tetrachloroethene	NS	0.88	0.54	3.7	1.2	0.14	0.41	1.4	0.35	4.8	1.5	1.0	0.27 U	0.55	0.75	0.23	0.62	0.37	0.27 U	0.22	0.54 U	0.34 U	NS	
Toluene	NS	1.3	7.2	9.8	4.1	0.90	4.5	3.0	6.4	16	7.5	3.1	0.15 U	0.87	1.9	2.8	3.5	1.8	4.5	1.7	17	5.7	NS	
trans-1,2-Dichloroethene	NS	0.40 U	0.20 U	0.040 U	0.040 U	0.040 U	0.040 U	0.40 U	0.040 U	0.32 U	0.12 U	0.12 U	0.16 U	0.20 U	0.12 U	0.059 U	0.200 U	0.16 U	0.16 U	0.079 U	0.31 U	0.20 U	NS	
Trichloroethene	NS	210	75	110	10	15	35	43	11	35	11	14	12	19	10	5.9	18	15	15	5.4	24	20	NS	
Vinyl chloride	NS	0.26 U	0.13 U	0.026 U	0.026 U	0.026 U	0.026 U	0.26 U	0.026 U	0.41 U	0.15 U	0.15 U	0.20 U	0.26 U	0.15 U	0.077 U	0.260 U	0.20 U	0.20 U	0.10 U	0.41 U	0.26 U	NS	
m-Xylene & p-Xylene	NS	1.2	4.8	2.7	2.1	0.65	5.2	3.0	3.8	15	5.2	2.4	0.35 U	0.61	1.0	1.3	1.9	0.87	2.6	0.91	4.8	2.5	NS	
o-Xylene	NS	0.52	1.7	1.1	0.87	0.22	2.7	1.0	1.6	5.6	1.9	0.83	0.17 U	0.25	0.40	0.48	0.65	0.33	0.96	0.37	1.7	0.83	NS	

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

NA - Not Applicable

NJ - Tentative in identification and estimated in value due to poor mass spectral quality

NS - Not Sampled

* - This differential pressure was maintained during the sampling event, but the ventilation system operated intermittently and was inoperable for one week prior to the sampling event.

Table 1
Building 9 Area Analytical Data Summary
Former Philips Display Facility - Seneca Falls, New York

Sample Description	BUILDING 9 WAREHOUSE INDOOR AIR														
Sample ID	IA-B9-02														
Date Collected	7/15/2003	10/2/2003	1/20/2004	3/20/2007	6/21/2007	9/28/2007	12/11/2007	3/26/2008	6/17/2008	9/24/2008	12/18/2008	3/26/2009	6/25/2009	9/23/2009	12/17/2009
1,1,1-Trichloroethane	0.15	0.55 U	0.41 U	0.49	0.055 U	0.060	0.33 U	0.14	0.10	0.11 U	0.55 U	0.43 U	0.43 U	0.065	0.87 U
1,1,1,2,2-Tetrachloroethane	0.14 U	0.69 U	0.51 U	0.34 U	0.069 U	0.069 U	0.41 U	0.14 U	0.069 U	0.14 U	0.69 UJ	0.54 U	0.54 U	0.069 U	1.1 U
1,1,2-Trichloroethane	0.10 U	0.55 U	0.41 U	0.27 U	0.055 U	0.055 U	0.33 U	0.11 U	0.055 U	0.11 U	0.55 U	0.43 U	0.43 U	0.055 U	0.87 U
1,1-Dichloroethane	0.080 U	0.40 U	0.30 U	0.20 U	0.040 U	0.040 U	0.24 U	0.081 U	0.040 U	0.081 U	0.40 U	0.32 U	0.32 U	0.040 U	0.65 U
1,1-Dichloroethene	0.040 U	0.40 U	0.30 U	0.20 U	0.040 U	0.040 U	0.24 U	0.079 U	0.040 U	0.079 U	0.40 U	0.31 U	0.31 U	0.040 U	0.63 U
1,2-Dichloroethane	0.080 U	0.40 U	0.30 U	0.40 U	0.081 U	0.081 U	0.49 U	0.16 U	0.081 U	0.16 U	0.81 U	0.65	0.65 U	0.081 U	1.3 U
Benzene	1.1	3.1	5.1	3.8	0.45	0.51	2.5	0.83	0.58	0.83	4.8	3.8 U	3.5	1.2	2.4
cis-1,2-Dichloroethene	0.056 U	2.2	3.0	0.87	0.083 NJ	0.040 U	0.99	1.1	0.79	0.14	1.8 NJ	1.1	0.79	0.04 U	1.7
Ethylbenzene	0.35	0.65	16	1.1	0.48	0.20	0.74	0.087 U	0.83	0.52	2.0	1.1	3.5	0.40	0.87
Tetrachloroethene	1.9	2.0	7.5	2.8	0.39	0.21	5.5	0.14	0.56	12	0.68 U	0.54 U	0.75	0.11	1.1 U
Toluene	2.1	2.4	9.8	3.8	2.1	0.83	4.5	0.21	2.3	3.0	12	6.8	26	1.9	4.1
trans-1,2-Dichloroethene	0.056 U	0.40 U	0.30 U	0.20 U	0.040 U	0.040 U	0.24 U	0.079 U	0.040 U	0.079 U	0.40 U	0.31 U	0.31 U	0.04 U	0.63 U
Trichloroethene	0.22	30	24	19	0.30	1.0	19	7.0	1.6	3.9	46	24	2.3	0.39	51
Vinyl chloride	0.020 U	0.26 U	0.19 U	0.26 U	0.051 U	0.051 U	0.31 U	0.10 U	0.051 U	0.1 U	0.51 U	0.41 U	0.41 U	0.051 U	0.82 U
m-Xylene & p-Xylene	0.93	1.7	65	3.6	1.4	0.43	2.4	0.17 U	2.8	1.7	6.9	3.3	12	1.2	2.9
o-Xylene	0.34	0.61	16	1.1	0.37	0.15	0.87	0.087 U	0.91	0.56	2.7	1.2	4.0	0.40	1.0

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

NA - Not Applicable

NJ - Tentative in identification and estimated in value due to poor mass spectral quality

Table 2
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample Description	BUILDING 10 INDOOR AIR																		
Sample ID	IA-B10-01																		
Date Collected	7/15/2003	10/2/2003	1/20/2004	2/14/2006	6/28/2006	9/13/2006	12/12/2006	3/20/2007	6/21/2007	9/19/2007	12/11/2007	3/26/2008	6/17/2008	9/24/2008	12/18/2008	3/26/2009	6/25/2009	9/23/2009	12/17/2009
1,1,1-Trichloroethane	0.20	1.4	0.50	0.55	0.25	0.29 NJ	1.0	0.76	0.13	0.082	0.65 J	0.27	0.24	0.14 U	0.55 U	0.43 U	0.43	0.12	1.1 U
1,1,2,2-Tetrachloroethane	0.14 U	0.69 U	0.34 U	0.069 U	0.27 U	0.27 U	0.55 U	0.27 U	0.069 U	0.069 U	0.55 U	0.17 U	0.17 U	0.17 U	0.69 UJ	0.54 U	0.54 U	0.07 U	1.4 U
1,1,2-Trichloroethane	0.10 U	0.55 U	0.27 U	0.055 U	0.22 U	0.22 U	0.44 U	0.22 U	0.055 U	0.055 U	0.44 U	0.14 U	0.14 U	0.14 U	0.55 U	0.43 U	0.43 U	0.06 U	1.1 U
1,1-Dichloroethane	0.08 U	0.4 U	0.20 U	0.040 UJ	0.16 U	0.16 U	0.32 U	0.16 U	0.040 U	0.040 U	0.32 U	0.10 U	0.10 U	0.10 U	0.40 U	0.32 U	0.32 U	0.040 U	0.81 U
1,1-Dichloroethene	0.04 U	0.4 U	0.20 U	0.075	0.16 U	0.16 U	0.32 U	0.16 U	0.040 U	0.040 U	0.32 U	0.099 U	0.099 U	0.099 U	0.40 U	0.31 U	0.31 U	0.040 U	0.79 U
1,2-Dichloroethane	0.08 U	0.4 U	0.20 U	0.040 U	0.32 U	0.32 U	0.65 U	0.32 U	0.081 U	0.081 U	0.65 U	0.20 U	0.20 U	0.20 U	0.81 U	0.65 U	0.65 U	0.081 U	1.6 U
Benzene	0.90	3.1	3.5	3.8	3.2	2.2	7.0	6.4	0.67	0.58	2.6	2.8	0.77	0.70	4.2	4.2	4.5	1.4	3.2
cis-1,2-Dichloroethene	0.70	4.0	4.4	1.4	4.0	0.95 NJ	2.6	1.9	0.63	0.38	2.8	2.5	3.2	0.75	2.9	3.2	7.5	2.2	3.5
Ethylbenzene	0.59	0.91	6.9	1.7	1.6	0.65	2.4	1.0	0.39	0.24	0.74	0.74	1.90	0.42	1.7	2.1	4.8	0.69	1.4
Tetrachloroethene	6.4	5.2	8.1	22	20	4.1	10	6.2	2.5	0.43	9.5	2.8	1.7	12	1.0	1.2	3.1	0.66	1.4 U
Toluene	4.3	5.3	8.7	4.9 J	4.5	3.5	9.4	6.0 J	1.6	1.1	3.8	4.5	2.6	2.2	11	11	28	2.8	7.2
trans-1,2-Dichloroethene	0.056 U	0.40 U	0.20 U	0.044	0.16 U	0.16 U	0.32 U	0.16 U	0.040 U	0.040 U	0.32 U	0.099 U	0.099 U	0.099 U	0.40 U	0.31 U	0.31 U	0.040 U	0.79 U
Trichloroethene	4.0	30	26	45	9.7	15	32	17	2.4	3.0	24	10	5.4	4.3	37	31	13	3.8	64
Vinyl chloride	0.020 U	0.26 U	0.13 U	0.074 J	0.20 U	0.20 U	0.41 U	0.20 U	0.051 U	0.051 U	0.41 U	0.13 U	0.13 U	0.13 U	0.51 U	0.41 U	0.41 U	0.09	1.0 U
m,p-Xylene	1.8	2.8	29	4.3	6.1	2.0	6.9	3.5	1.3	0.61	2.5	2.8	6.9	1.4	6.5	7.4	18	2.3	4.3
o-Xylene	0.69	1.0	6.9	2.3	2.5	0.74	2.5	1.1	0.43	0.21	0.91	0.87	2.3	0.52	2.1	2.4	6.1	0.87	1.6

Building Number	BUILDING 10 SUB-SLAB VAPOR																		
Sample ID	SVSS-B10-01																		
Date Collected	7/17/2003	10/2/2003	1/20/2004	2/14/2006	6/28/2006	9/13/2006	12/12/2006	3/20/2007	6/21/2007	9/19/2007	12/11/2007	3/26/2008	6/17/2008	9/24/2008	12/18/2008	3/26/2009	6/25/2009	9/23/2009	12/17/2009
1,1,1-Trichloroethane	26 U	NS	NS	11 U	NS	NS	16 U	NS	NS	NS	11 U	NS	NS	NS	8.7 U	NS	NS	NS	8.7 U
1,1,2,2-Tetrachloroethane	32 U	NS	NS	14 U	NS	NS	21 U	NS	NS	NS	14 U	NS	NS	NS	11 U	NS	NS	NS	11 U
1,1,2-Trichloroethane	26 U	NS	NS	11 U	NS	NS	16 U	NS	NS	NS	11 U	NS	NS	NS	8.7 U	NS	NS	NS	8.7 U
1,1-Dichloroethane	19 U	NS	NS	8.1 U	NS	NS	12 U	NS	NS	NS	8.1 U	NS	NS	NS	6.5 U	NS	NS	NS	6.5 U
1,1-Dichloroethene	19 U	NS	NS	7.9 U	NS	NS	12 U	NS	NS	NS	7.9 U	NS	NS	NS	6.3 U	NS	NS	NS	6.3 U
1,2-Dichloroethane	19 U	NS	NS	8.1 U	NS	NS	12 U	NS	NS	NS	8.1 U	NS	NS	NS	6.5 U	NS	NS	NS	6.5 U
Benzene	15 U	NS	NS	6.4 U	NS	NS	9.6 U	NS	NS	NS	6.4 U	NS	NS	NS	5.1 U	NS	NS	NS	5.1 U
cis-1,2-Dichloroethene	38	NS	NS	11	NS	NS	26	NS	NS	NS	14	NS	NS	NS	6.7 NJ	NS	NS	NS	6.3
Ethylbenzene	20 U	NS	NS	8.7 U	NS	NS	13 U	NS	NS	NS	8.7 U	NS	NS	NS	6.9 U	NS	NS	NS	6.9 U
Tetrachloroethene	32 U	NS	NS	14 U	NS	NS	20 U	NS	NS	NS	14 U	NS	NS	NS	11 U	NS	NS	NS	11 U
Toluene	18 U	NS	NS	7.5 U	NS	NS	11 U	NS	NS	NS	7.5 U	NS	NS	NS	6.0 U	NS	NS	NS	6.0 U
trans-1,2-Dichloroethene	19 U	NS	NS	7.9 U	NS	NS	12 U	NS	NS	NS	7.9 U	NS	NS	NS	6.3 U	NS	NS	NS	6.3 U
Trichloroethene	2700	NS	NS	1100	NS	NS	3200	NS	NS	NS	1800	NS	NS	NS	1700	NS	NS	NS	1200
Vinyl chloride	12 U	NS	NS	5.1 U	NS	NS	7.7 U	NS	NS	NS	5.1 U	NS	NS	NS	4.1 U	NS	NS	NS	4.1 U
m,p-Xylene	20 U	NS	NS	22 U	NS	NS	33 U	NS	NS	NS	22 U	NS	NS	NS	17 U	NS	NS	NS	17 U
o-Xylene	21 U	NS	NS	8.7 U	NS	NS	13 U	NS	NS	NS	8.7 U	NS	NS	NS	6.9 U	NS	NS	NS	6.9 U

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated in value due to poor mass spectral quality

NS - Not Sampled

Table 2
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample Description	BUILDING 10A INDOOR AIR																		
Sample ID	IA-B10A-01																		
Date Collected	7/15/2003	10/2/2003	1/20/2004	2/14/2006	6/28/2006	9/13/2006	12/12/2006	3/20/2007	6/21/2007	9/19/2007	12/11/2007	3/26/2008	6/17/2008	9/24/2008	12/18/2008	3/26/2009	6/25/2009	9/23/2009	12/17/2009
1,1,1-Trichloroethane	0.30	1.1	0.49	0.49	0.29	0.34	1.4	0.76	0.21	0.27	0.82 J	0.28	0.19	0.19	0.51	0.43 U	0.65	0.28	0.43 U
1,1,2,2-Tetrachloroethane	0.14 U	0.34 U	0.21 U	0.069 U	0.34 U	0.14 U	0.55 U	0.27 U	0.069 U	0.082 U	0.41 U	0.14 U	0.14 U	0.10 U	0.41 UJ	0.54 U	0.54 U	0.10 U	0.54 U
1,1,2-Trichloroethane	0.10 U	0.27 U	0.16 U	0.055 U	0.27 U	0.11 U	0.44 U	0.22 U	0.055 U	0.065 U	0.33 U	0.11 U	0.11 U	0.082 U	0.33 U	0.43 U	0.43 U	0.08 U	0.43 U
1,1-Dichloroethane	0.08 U	0.20 U	0.12 U	0.040 UJ	0.20 U	0.081 U	0.32 U	0.16 U	0.040 U	0.049 U	0.24 U	0.081 U	0.081 U	0.061 U	0.24 U	0.32 U	0.32 U	0.06 U	0.32 U
1,1-Dichloroethene	0.04 U	0.20 U	0.12 U	0.056	0.20 U	0.079 U	0.32 U	0.16 U	0.040 U	0.048 U	0.24 U	0.079 U	0.079 U	0.059 U	0.24 U	0.31 U	0.31 U	0.06 U	0.31 U
1,2-Dichloroethane	0.08 U	0.20 U	0.15	0.040 U	0.40 U	0.16 U	0.65 U	0.32 U	0.081 U	0.10 U	3.1 J	0.16 U	0.16 U	0.12 U	0.49 U	0.65 U	0.65 U	0.12 U	0.65 U
Benzene	2.3	1.5	2.7	2.8	2.7	1.4	7.7	3.8	0.64	0.70	2.6	2.7	0.64	0.83	3.5	4.2	4.5	2.6	2.9
cis-1,2-Dichloroethene	0.89	2.2	4.8	1.1	4.8	0.38 NJ	3.0	1.9	1.3	1.2	3.3	3.2	1.4	1.5	3.3	5.2	8.7	4.0	4.0
Ethylbenzene	2.1	0.65	2.3	1.3	2.3	0.69	2.8	0.78	0.52	0.42	0.78	0.87	1.4 NJ	0.48	1.5	2.3	5.2	1.0	1.3
Tetrachloroethene	7.6	2.7	5.4	6.0	22	3.0	12	6.1	3.2	0.81	12	2.6	1.2	3.1	1.3	1.8	4.1	1.8	0.88
Toluene	11	3.3	6.0	3.8 J	6.4	2.8	10	4.9 J	2.4	1.5	4.1	4.5	2.1	2.3	8.7	12	28	4.5	7.2
trans-1,2-Dichloroethene	0.056 U	0.20 U	0.12 U	0.040 U	0.20 U	0.079 U	0.32 U	0.16 U	0.040 U	0.048 U	0.24 U	0.079 U	0.079 U	0.059 U	0.24 U	0.31 U	0.31 U	0.06 U	0.31 U
Trichloroethene	4.5	12	19	32	9.1	7.0	32	15	3.0	4.9	23	9.7	2.8	4.8	19	21	15	4.6	25
Vinyl chloride	0.020 U	0.13 U	0.10 NJ	0.066 J	0.26 U	0.10 U	0.41 U	0.20 U	0.051 U	0.064 U	0.31 U	0.10 U	0.10 U	0.077 U	0.31 U	0.41 U	0.41 U	0.12	0.41 U
m,p-Xylene	7.5	2.0	9.1	3.4	9.1	2.3	7.8	2.9	1.7	1.3	2.2	3.2	5.2	1.8	6.1	9.6	17	3.4	4.8
o-Xylene	2.7	0.74	2.4	1.8	3.6	0.78	2.5	1.0	0.56	0.48	0.69	1.1	1.8	0.65	1.9	3.0	5.2	1.2	1.6

Building Number	BUILDING 10A SUB-SLAB VAPOR																		
Sample ID	SVSS-B10A-01																		
Date Collected	7/17/2003	10/2/2003	1/20/2004	2/14/2006	6/28/2006	9/13/2006	12/12/2006	3/20/2007	6/21/2007	9/19/2007	12/11/2007	3/26/2008	6/17/2008	9/24/2008	12/18/2008	3/26/2009	6/25/2009	9/23/2009	12/17/2009
1,1,1-Trichloroethane	14	NS	NS	11 U	NS	NS	3.4	NS	NS	NS	1.1	NS	NS	NS	2.5	NS	NS	NS	2.2
1,1,2,2-Tetrachloroethane	3.2 U	NS	NS	14 U	NS	NS	1.4 U	NS	NS	NS	1.4 U	NS	NS	NS	1.4 U	NS	NS	NS	1.4 U
1,1,2-Trichloroethane	2.3 U	NS	NS	11 U	NS	NS	1.1 U	NS	NS	NS	1.1 U	NS	NS	NS	1.1 U	NS	NS	NS	1.1 U
1,1-Dichloroethane	2.5	NS	NS	8.1 U	NS	NS	2.1	NS	NS	NS	0.81 U	NS	NS	NS	1.5	NS	NS	NS	1.4
1,1-Dichloroethene	0.9 U	NS	NS	7.9 U	NS	NS	0.79 U	NS	NS	NS	0.79 U	NS	NS	NS	0.79 U	NS	NS	NS	0.79 U
1,2-Dichloroethane	1.8 U	NS	NS	8.1 U	NS	NS	0.81 U	NS	NS	NS	0.81 U	NS	NS	NS	0.81 U	NS	NS	NS	0.81 U
Benzene	3.4 U	NS	NS	6.4 U	NS	NS	0.64 U	NS	NS	NS	0.64 U	NS	NS	NS	0.64 U	NS	NS	NS	0.64 U
cis-1,2-Dichloroethene	10	NS	NS	7.9 U	NS	NS	0.79 U	NS	NS	NS	0.79 U	NS	NS	NS	0.79 U	NS	NS	NS	0.79 U
Ethylbenzene	2 U	NS	NS	8.7 U	NS	NS	0.87 U	NS	NS	NS	0.87 U	NS	NS	NS	0.87 U	NS	NS	NS	0.87 U
Tetrachloroethene	920	NS	NS	44	NS	NS	140	NS	NS	NS	81	NS	NS	NS	95	NS	NS	NS	100
Toluene	3.2	NS	NS	7.5 U	NS	NS	2.6	NS	NS	NS	0.75 U	NS	NS	NS	0.75 U	NS	NS	NS	0.75 U
trans-1,2-Dichloroethene	1.3 U	NS	NS	7.9 U	NS	NS	0.79 U	NS	NS	NS	0.79 U	NS	NS	NS	0.79 U	NS	NS	NS	0.79 U
Trichloroethene	120	NS	NS	11 U	NS	NS	20	NS	NS	NS	9.1	NS	NS	NS	10	NS	NS	NS	13
Vinyl chloride	0.45 U	NS	NS	5.1 U	NS	NS	0.51 U	NS	NS	NS	0.51 U	NS	NS	NS	0.51 U	NS	NS	NS	0.51 U
m,p-Xylene	3.8 U	NS	NS	22 U	NS	NS	2.2 U	NS	NS	NS	2.2 U	NS	NS	NS	2.2 U	NS	NS	NS	2.2 U
o-Xylene	2 U	NS	NS	8.7 U	NS	NS	0.87 U	NS	NS	NS	0.9 U	NS	NS	NS	0.87 U	NS	NS	NS	0.87 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated in value due to poor mass spectral quality

NS - Not Sampled

Table 2
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample Description	BUILDING 11 INDOOR AIR																			
Sample ID	IA-B11-01																			
Date Collected	7/15/2003	10/2/2003	1/20/2004	2/14/2006	6/28/2006	9/13/2006	12/12/2006	3/20/2007	6/21/2007	8/30/2007	9/19/2007	12/11/2007	3/26/2008	6/17/2008	9/24/2008	12/18/2008	3/26/2009	6/25/2009	9/23/2009	12/17/2009
1,1,1-Trichloroethane	0.29	2.0	0.65	0.65	0.24	0.40	0.82	0.87	0.25	0.093	0.15	0.87 J	0.25	0.25	0.16	0.60	0.22 U	0.37	0.14	0.55
1,1,1,2,2-Tetrachloroethane	0.14 U	0.69 U	0.51 U	0.069 U	0.27 U	0.34 U	0.27 U	0.21 U	0.10 U	0.069 U	0.069 U	0.34 U	0.12 U	0.12 U	0.10 U	0.21 UJ	0.27 U	0.43 U	0.069 U	0.62 U
1,1,2-Trichloroethane	0.10 U	0.55 U	0.41 U	0.055 U	0.22 U	0.27 U	0.22 U	0.16 U	0.082 U	0.055 U	0.055 U	0.27 U	0.093 U	0.093 U	0.082 U	0.16 U	0.22 U	0.34 U	0.055 U	0.50 U
1,1-Dichloroethane	0.080 U	0.40 U	0.30 U	0.040 UJ	0.16 U	0.20 U	0.16 U	0.12 U	0.061 U	0.04 U	0.040 U	0.20 U	0.069 U	0.069 U	0.061 U	0.12 U	0.16 U	0.25 U	0.04 U	0.37 U
1,1-Dichloroethene	0.040 U	0.40 U	0.30 U	0.099	0.16 U	0.20 U	0.16 U	0.23 J	0.059 U	0.04 U	0.040 U	0.20 U	0.067 U	0.067 U	0.059 U	0.15 NJ	0.16 U	0.25 U	0.04 U	0.36 U
1,2-Dichloroethane	0.080 U	0.40 U	0.30 U	0.040 U	0.32 U	0.40 U	0.32 U	0.24 U	0.12 U	0.081 U	0.081 U	0.40 U	0.14 U	0.13 U	0.12 U	0.24 U	0.32 U	0.49 U	0.081 U	0.73 U
Benzene	1.1	3.8	3.2	3.0	2.1	2.6	7.0	4.5	0.89	0.58	0.77	2.9	2.4	1.2	0.96	2.9	3.8	3.1	1.5	2.4
cis-1,2-Dichloroethene	0.55	4.8	2.5	1.6	0.91	0.83 NJ	1.6	1.5	1.2	0.25	0.52	2.3	1.2	2.1	0.95	1.9	2.1	2.6	0.35	3.2
Ethylbenzene	1.4	1.0	3.0	1.9	1.6	0.74	2.6	1.1	0.69	0.52	0.30	1.0	0.91	1.80	0.19	1.1	3.2	3.6	0.96	1.5
Tetrachloroethene	7.8	6.8	4.7	6.6	14	6.0	6.4	3.5	7.5	1.8	0.75	8.8	1.5	2.7	1.8	0.64	0.75	1.2	0.37	0.62 U
Toluene	12	11	6.0	5.3 J	3.7	3.6	11	7.5	2.2	1.5	1.2	5.3	5.3	2.5	1.4	5.3	7.9	17	3.4	6.0
trans-1,2-Dichloroethene	0.056 U	0.40 U	0.30 U	0.040 U	0.16 U	0.20 U	0.16 U	0.12 U	0.059 U	0.04 U	0.040 U	0.20 U	0.067 U	0.067 U	0.059 U	0.12 U	0.16 U	0.25 U	0.04 U	0.36 U
Trichloroethene	5.0	36	33	59	3.4	20	20	9.1	3.4	0.70	3.9	18	5.9	4.0	6.4	14	12	5.4	1.5	26
Vinyl chloride	0.020 U	0.26 U	0.19 U	0.064 J	0.20 U	0.26 U	0.20 U	0.15 U	0.077 U	0.051 U	0.051 U	0.26 U	0.087 U	0.084 U	0.077 U	0.15 U	0.2 U	0.31 U	0.051 U	0.46 U
m,p-Xylene	3.5	3.0	11	4.3	7.4	2.2	7.4	4.3	2.2	1.4	0.91	3.7	3.5	6.9	0.25	3.8	13	13	3.5	5.6
o-Xylene	1.2	1.0	2.9	2.6	2.9	0.83	2.4	1.4	0.83	0.52	0.31	1.3	1.2	2.3	0.078	1.3	4.3	4.8	1.3	2.0

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated in value due to poor mass spectral quality

Table 2
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample Description	BUILDING 11A INDOOR AIR																			
Sample ID	IA-B11-02																			
Date Collected	7/15/2003	10/2/2003	1/20/2004	2/14/2006	6/28/2006	9/13/2006	12/12/2006	3/20/2007	6/21/2007	8/30/2007	9/19/2007	12/11/2007	3/26/2008	6/17/2008	9/24/2008	12/18/2008	3/26/2009	6/25/2009	9/23/2009	12/17/2009
1,1,1-Trichloroethane	0.56	2.2	0.65	0.65	0.23	0.49	0.87	0.98	0.22	0.11	0.21	0.82 J	0.23	0.21	0.15	0.49	0.19 NJ	0.51	0.12	0.65
1,1,1,2,2-Tetrachloroethane	0.14 U	0.69 U	0.34 U	0.069 U	0.21 U	0.34 U	0.27 U	0.21 U	0.096 U	0.069 U	0.10 U	0.34 U	0.21 U	0.21 U	0.10 U	0.27 UJ	0.23 U	0.43 U	0.10 U	0.62 U
1,1,2-Trichloroethane	0.10 U	0.55 U	0.27 U	0.055 U	0.16 U	0.27 U	0.22 U	0.16 U	0.076 U	0.055 U	0.082 U	0.27 U	0.16 U	0.16 U	0.082 U	0.22 U	0.18 U	0.34 U	0.082 U	0.50 U
1,1-Dichloroethane	0.08 U	0.40 U	0.20 U	0.040 UJ	0.12 U	0.20 U	0.16 U	0.12 U	0.057 U	0.04 U	0.061 U	0.20 U	0.12 U	0.12 U	0.061 U	0.16 U	0.13 U	0.25 U	0.061 U	0.37 U
1,1-Dichloroethene	0.04 U	0.40 U	0.20 U	0.079	0.12 U	0.20 U	0.16 U	0.12 U	0.056 U	0.04 U	0.059 U	0.20 U	0.12 U	0.12 U	0.059 U	0.16 U	0.13 U	0.40 NJ	0.059 U	0.36 U
1,2-Dichloroethane	0.08 U	0.40 U	0.20 U	0.040 U	0.24 U	0.40 U	0.32 U	0.24 U	0.12 U	0.081 U	0.12 U	0.40 U	0.24 U	0.24 U	0.12 U	0.32 U	0.27 U	0.49 U	0.12 U	0.73 U
Benzene	1.6	3.5	3.0	4.2	1.9	2.9	7.3	4.8	1.2	0.61	0.80	3.8	3.1	1.1	1.2	3.2	4.5	1.9	1.3	2.8
cis-1,2-Dichloroethene	1.8	5.6	3.0	1.5	1.1	1.1 NJ	2.0	1.7	0.71	0.39	0.79	2.3	1.1	1.3	0.87	2.1	2.3	0.95 NJ	0.30	3.5
Ethylbenzene	4.7	1.0	3.0	2.0	1.8	0.91	2.6	1.3	0.87	0.74	0.52	1.1	1.0	2.2 NJ	1.0	1.4	3.3	2.4 J	0.87	1.4
Tetrachloroethene	18	8.1	5.4	14 J	14	6.8	6.8	4.5	5.6	3	1.3	8.8	1.3	1.2	0.75	0.68	0.81	0.81	0.31	0.62 U
Toluene	10	9.8	6	7.5 J	4.5	3.8	9.8	7.9	2.9	2.1	2.1	7.5	7.9	2.9	3.0	6.8	9.0	11	3.2	6.0
trans-1,2-Dichloroethene	0.056 U	0.40 U	0.20 U	0.040 U	0.12 U	0.20 U	0.16 U	0.12 U	0.056 U	0.04 U	0.059 U	0.20 U	0.12 U	0.12 U	0.059 U	0.16 U	0.13 U	0.25 U	0.12	0.36 U
Trichloroethene	39	97	42	81	3.9	20	21	12	2.5	1.5	5.4	18	4.8	3.0	5.9	13	13	5.4	1.8	30
Vinyl chloride	0.020 U	0.26 U	0.13 U	0.072 J	0.15 U	0.26 U	0.20 U	0.15 U	0.074 U	0.051 U	0.077 U	0.26 U	0.15 U	0.15 U	0.077 U	0.20 U	0.17 U	0.31 U	0.077 U	0.46 U
m,p-Xylene	15	3.2	12	6.9 J	6.9	2.8	6.9	4.8	2.9	2.4	2.0	4.1	3.8	8.7	4.0	5.2	13	7.8 J	3.2	5.6
o-Xylene	3.7	1.0	3.0	3.0 J	2.9	1.1	2.3	1.6	1.0	0.78	0.61	1.4	1.3	2.8	1.7	1.8	4.2	2.3 J	1.2	2.0

Sample Description	BUILDING 11A SUB-SLAB VAPOR																			
Sample ID	SVSS-B11-01																			
Date Collected	7/17/2003	10/2/2003	1/20/2004	2/14/2006	6/28/2006	9/13/2006	12/12/2006	3/20/2007	6/21/2007	8/30/2007	9/19/2007	12/11/2007	3/26/2008	6/17/2008	9/24/2008	12/18/2008	3/26/2009	6/25/2009	9/23/2009	12/17/2009
1,1,1-Trichloroethane	1900 U	NS	NS	11 U	NS	NS	1.6 U	NS	NS	1.1 U	1.6 U	1.1 U	NS	NS	NS	1.1 U	NS	NS	NS	1.1 U
1,1,1,2,2-Tetrachloroethane	2400 U	NS	NS	14 U	NS	NS	2.1 U	NS	NS	1.4 U	2.1 U	1.4 U	NS	NS	NS	1.4 U	NS	NS	NS	1.4 U
1,1,2-Trichloroethane	1900 U	NS	NS	11 U	NS	NS	1.6 U	NS	NS	1.1 U	1.6 U	1.1 U	NS	NS	NS	1.1 U	NS	NS	NS	1.1 U
1,1-Dichloroethane	1400 U	NS	NS	8.1 U	NS	NS	1.2 U	NS	NS	0.81 U	1.2 U	0.81 U	NS	NS	NS	0.81 U	NS	NS	NS	0.81 U
1,1-Dichloroethene	1400 U	NS	NS	7.9 U	NS	NS	1.2 U	NS	NS	0.79 U	1.2 U	0.79 U	NS	NS	NS	0.79 U	NS	NS	NS	0.79 U
1,2-Dichloroethane	1400 U	NS	NS	8.1 U	NS	NS	1.2 U	NS	NS	0.81 U	1.2 U	0.81 U	NS	NS	NS	0.81 U	NS	NS	NS	0.81 U
Benzene	1100 U	NS	NS	6.4 U	NS	NS	0.96 U	NS	NS	0.64 U	0.96 U	0.64 U	NS	NS	NS	0.64 U	NS	NS	NS	0.64 U
cis-1,2-Dichloroethene	2600	NS	NS	11	NS	NS	12	NS	NS	6.7	17	10	NS	NS	NS	11	NS	NS	NS	5.2
Ethylbenzene	1500 U	NS	NS	8.7 U	NS	NS	1.3 U	NS	NS	0.87 U	1.3 U	0.87 U	NS	NS	NS	0.87 U	NS	NS	NS	0.87 U
Tetrachloroethene	3700	NS	NS	31	NS	NS	18	NS	NS	16	20	12	NS	NS	NS	6.1	NS	NS	NS	5.6
Toluene	1300 U	NS	NS	7.5 U	NS	NS	3.4 J	NS	NS	0.75 U	1.1 U	0.75 U	NS	NS	NS	0.75 U	NS	NS	NS	0.75 U
trans-1,2-Dichloroethene	1400 U	NS	NS	7.9 U	NS	NS	1.2 U	NS	NS	0.79 U	1.2 U	0.79 U	NS	NS	NS	0.79 U	NS	NS	NS	0.79 U
Trichloroethene	160000	NS	NS	540	NS	NS	230	NS	NS	140	240	110	NS	NS	NS	86	NS	NS	NS	64
Vinyl chloride	900 U	NS	NS	5.1 U	NS	NS	0.77 U	NS	NS	0.51 U	0.77 U	0.51 U	NS	NS	NS	0.51 U	NS	NS	NS	0.51 U
m,p-Xylene	1500 U	NS	NS	22 U	NS	NS	3.3 U	NS	NS	2.2 U	3.3 U	2.2 U	NS	NS	NS	2.2 U	NS	NS	NS	2.2 U
o-Xylene	1600 U	NS	NS	8.7 U	NS	NS	1.3 U	NS	NS	0.87 U	1.3 U	0.87 U	NS	NS	NS	0.87 U	NS	NS	NS	0.87 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated in value due to poor mass spectral quality

NS - Not Sampled

Table 2
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample Description	BUILDING 13 INDOOR AIR																		
Sample ID	IA-B13-01																		
Date Collected	7/15/2003	10/2/2003	1/20/2004	2/14/2006	6/28/2006	9/13/2006	12/12/2006	3/20/2007	6/21/2007	9/19/2007	12/11/2007	3/26/2008	6/17/2008	9/24/2008	12/18/2008	3/26/2009	6/25/2009	9/23/2009	12/17/2009
1,1,1-Trichloroethane	0.55	2.8	1.0	1.0	0.22 U	1.6	1.1	0.82	0.38	0.45	0.87 J	0.20	0.21	1.6	1.4	0.65	0.53	0.39	1.4
1,1,2,2-Tetrachloroethane	0.14 U	0.34 U	0.14 U	0.069 U	0.27 U	0.21 U	0.27 U	0.14 U	0.10 U	0.14 U	0.27 U	0.12 U	0.12 U	0.10 U	0.14 UJ	0.14 U	0.27 U	0.14 U	0.069 U
1,1,2-Trichloroethane	0.10 U	0.27 U	0.11 U	0.055 U	0.22 U	0.16 U	0.22 U	0.11 U	0.082 U	0.11 U	0.22 U	0.093 U	0.093 U	0.082 U	0.11 U	0.11 U	0.22 U	0.11 U	0.055 U
1,1-Dichloroethane	0.080 U	0.20 U	0.081 U	0.040 UJ	0.16 U	0.12 U	0.16 U	0.081 U	0.061 U	0.081 U	0.16 U	0.069 U	0.069 U	0.061 U	0.081 U	0.081 U	0.16 U	0.081 U	0.053
1,1-Dichloroethene	0.044	0.52	0.23	0.14	0.16 U	0.12 U	0.16 U	0.17 J	0.067	0.079 U	0.16 U	0.067 U	0.079	0.39	0.29 NJ	0.14	0.27	0.079 U	0.40
1,2-Dichloroethane	0.080 U	0.20 U	0.12	0.040 U	0.32 U	0.24 U	0.32 U	0.16 U	0.12 U	0.16 U	0.32 U	0.14 U	0.13 U	0.12 U	0.16 U	0.16 U	0.32 U	0.16 U	0.081 U
Benzene	2.3	1.9	1.5	3.1	2.1	3.8	7.7	3.8	1.4	1.3	2.9	2.7	1.5	0.80	2.0	1.9	1.9	2.2	0.48
cis-1,2-Dichloroethene	1.1	4.0	2.1	1.1	0.44	1.5 NJ	2.1	0.83	0.95	1.3	1.7	0.48	0.52	0.63	0.56	1.3	0.95	0.95	0.19
Ethylbenzene	2.4	0.69	0.74	3.9	4.2	2.9	3.6	1.3	2.0	2.0	1.3	0.83	2.9 NJ	0.96	0.74	1.4	2.6	1.8	0.16
Tetrachloroethene	19	4.8	2.6	3.8	5.2	9.5	7.5	1.8	4.5	1.3	7.5	0.61	8.1	0.31	0.22	0.63	0.75	0.66	0.068 U
Toluene	11	3.8	3.1	6.8 J	4.1	5.7	9.8	7.5 EJ	4.1	2.9	6.0	3.7	3.3	3.8	3.8	5.3	11	6.4	0.60
trans-1,2-Dichloroethene	0.056 U	0.20 U	0.079 U	0.040 U	0.16 U	0.12 U	0.16 U	0.079 U	0.059 U	0.079 U	0.16 U	0.067 U	0.067 U	0.059 U	0.079 U	0.079 U	0.16 U	0.079 U	0.04 U
Trichloroethene	11	13	8.6	41	1.6	16	21	5.4	2.6	6.4	12	2.6	1.5	4.1	5.2	7.5	5.4	3.5	2.4
Vinyl chloride	0.026	0.13 U	0.051 U	0.056 J	0.2 U	0.15 U	0.20 U	0.10 U	0.077 U	0.10 U	0.20 U	0.087 U	0.084 U	0.077 U	0.10 U	0.10 U	0.20 U	0.10 U	0.051 U
m,p-Xylene	7.5	2.0	2.6	9.6	19	10	9.1	4.3	6.5	6.9	4.3	3.0	11 EJ	3.5	2.3	5.2	8.7	6.9	0.52
o-Xylene	2.4	0.74	0.74	3.4	7.8	4.3	3.2	1.5	2.4	2.5	1.7	1.1	3.8	1.1	0.78	1.7	2.6	2.2	0.18

Building Number	BUILDING 13 SUB-SLAB VAPOR																		
Sample ID	SVSS-B13-01																		
Date Collected	7/17/2003	10/2/2003	1/20/2004	2/14/2006	6/28/2006	9/13/2006	12/12/2006	3/20/2007	6/21/2007	9/19/2007	12/11/2007	3/26/2008	6/17/2008	9/24/2008	12/18/2008	3/26/2009	6/25/2009	9/23/2009	12/17/2009
1,1,1-Trichloroethane	18	NS	NS	11 U	NS	NS	8.2	NS	NS	NS	3.9	NS	NS	NS	3.5	NS	NS	NS	3.2
1,1,2,2-Tetrachloroethane	0.14 U	NS	NS	14 U	NS	NS	1.4 U	NS	NS	NS	1.4 U	NS	NS	NS	1.4 U	NS	NS	NS	1.4 U
1,1,2-Trichloroethane	0.1 U	NS	NS	11 U	NS	NS	1.1 U	NS	NS	NS	1.1 U	NS	NS	NS	1.1 U	NS	NS	NS	1.1 U
1,1-Dichloroethane	0.08 U	NS	NS	8.1 U	NS	NS	0.81 U	NS	NS	NS	0.81 U	NS	NS	NS	0.81 U	NS	NS	NS	0.81 U
1,1-Dichloroethene	0.04 U	NS	NS	7.9 U	NS	NS	0.79 U	NS	NS	NS	0.79 U	NS	NS	NS	0.79 U	NS	NS	NS	0.79 U
1,2-Dichloroethane	0.08 U	NS	NS	8.1 U	NS	NS	0.81 U	NS	NS	NS	0.81 U	NS	NS	NS	0.81 U	NS	NS	NS	0.81 U
Benzene	3.6	NS	NS	6.4 U	NS	NS	0.64 U	NS	NS	NS	0.64 U	NS	NS	NS	0.67	NS	NS	NS	0.64 U
cis-1,2-Dichloroethene	0.056 U	NS	NS	7.9 U	NS	NS	0.79 U	NS	NS	NS	0.79 U	NS	NS	NS	0.79 U	NS	NS	NS	0.79 U
Ethylbenzene	1.5	NS	NS	8.7 U	NS	NS	0.87 U	NS	NS	NS	0.87 U	NS	NS	NS	0.87 U	NS	NS	NS	0.87 U
Tetrachloroethene	37	NS	NS	14 U	NS	NS	13	NS	NS	NS	5.8	NS	NS	NS	3.5	NS	NS	NS	3.3
Toluene	11	NS	NS	7.5 U	NS	NS	0.75 U	NS	NS	NS	0.75 U	NS	NS	NS	1.3	NS	NS	NS	0.75 U
trans-1,2-Dichloroethene	0.056 U	NS	NS	7.9 U	NS	NS	0.79 U	NS	NS	NS	0.79 U	NS	NS	NS	0.79 U	NS	NS	NS	0.79 U
Trichloroethene	2.8	NS	NS	11 U	NS	NS	1.3	NS	NS	NS	1.1	NS	NS	NS	1.6	NS	NS	NS	1.1
Vinyl chloride	0.02 U	NS	NS	5.1 U	NS	NS	0.51 U	NS	NS	NS	0.51 U	NS	NS	NS	0.51 U	NS	NS	NS	0.51 U
m,p-Xylene	22	NS	NS	22 U	NS	NS	2.2 U	NS	NS	NS	2.2 U	NS	NS	NS	2.2 U	NS	NS	NS	2.2 U
o-Xylene	6.6	NS	NS	8.7 U	NS	NS	0.87 U	NS	NS	NS	0.87 U	NS	NS	NS	0.87 U	NS	NS	NS	0.87 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J - Estimated

E - Result exceeded upper limit of calibration range

NJ - Tentative in identification and estimated in value due to poor mass spectral quality

NS - Not Sampled

Table 2
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample Description	BUILDING 13A INDOOR AIR																			
Sample ID	IA-B13A-01																			
Date Collected	7/15/2003	10/2/2003	1/20/2004	2/14/2006	6/28/2006	9/13/2006	12/12/2006	3/20/2007	6/21/2007	9/19/2007	12/11/2007	3/26/2008	6/17/2008	9/24/2008	12/18/2008	3/26/2009	6/25/2009	9/23/2009	12/17/2009	
1,1,1-Trichloroethane	0.58	1.9	1.0	0.93	0.23	1.5	1.1	1.1	0.41	0.45	0.93 J	0.27	0.25	1.3	1.3	0.65	0.35	0.35	1.5	
1,1,2,2-Tetrachloroethane	0.14 U	0.069 U	0.21 U	0.069 U	0.27 U	0.27 U	0.27 U	0.21 U	0.082 U	0.14 U	0.27 U	0.14 U	0.14 U	0.069 U	0.14 UJ	0.10 U	0.17 U	0.14 U	0.069 U	
1,1,2-Trichloroethane	0.10 U	0.055 U	0.16 U	0.055 U	0.22 U	0.22 U	0.22 U	0.16 U	0.065 U	0.11 U	0.22 U	0.11 U	0.11 U	0.055 U	0.11 U	0.082 U	0.14 U	0.11 U	0.055 U	
1,1-Dichloroethane	0.080 U	0.040 U	0.12 U	0.040 UJ	0.16 U	0.16 U	0.16 U	0.12 U	0.049 U	0.081 U	0.16 U	0.081 U	0.081 U	0.040 U	0.081 U	0.061 U	0.10 U	0.081 U	0.065	
1,1-Dichloroethene	0.054	0.25	0.12 U	0.12	0.16 U	0.16 U	0.16 U	0.12 U	0.095	0.079 U	0.16 U	0.079 U	0.079 U	0.33	0.28 NJ	0.14	0.11	0.11	0.37	
1,2-Dichloroethane	0.080 U	0.040 U	0.12 U	0.040 U	0.32 U	0.32 U	0.32 U	0.24 U	0.10 U	0.16 U	0.32 U	0.16 U	0.16 U	0.081 U	0.16 U	0.12 U	0.20 U	0.16 U	0.081 U	
Benzene	2.6	1.8	1.2	2.7	2.4	3.5	6.7	3.5	1.2	1.3	2.5	1.9	1.7	0.70	1.30	2.1	1.9	2.3	0.54	
cis-1,2-Dichloroethene	1.2	3.1	1.5	0.91	0.67	1.8 NJ	1.8	1.4	1.1	1.3	1.7	0.95	0.75	0.48	0.56	1.2	0.48	0.59	0.25	
Ethylbenzene	3.1	0.78	0.56	3.9	4.8	3.0	3.7	1.9	3.7	2.6	1.3	1.4	4.3	0.96	0.52	1.6	2.7	2.0	0.36	
Tetrachloroethene	20	3.9	2.2	2.9	8.1	8.1	6.8	3.0	5.2	1.3	8.1	1.2	0.75	0.25	0.22	0.88	0.50	0.54	0.095	
Toluene	12	4.1	2.6	6.8 J	4.5	6.0	9.0	8.7 J	4.1	3.5	4.5	4.9	4.5	3.3	2.4	4.1	7.9	5.3	0.94	
trans-1,2-Dichloroethene	0.056 U	0.04 U	0.12 U	0.040 U	0.16 U	0.16 U	0.16 U	0.12 U	0.048 U	0.079 U	0.16 U	0.079 U	0.079 U	0.040 U	0.079 U	0.059 U	0.099 U	0.079 U	0.04 U	
Trichloroethene	11	12	7.0	15	2.2	15	19	10	3.1	6.4	12	5.2	1.9	3.3	4.7	8.1	3.3	3.4	2.7	
Vinyl chloride	0.020 U	0.026 U	0.077 U	0.049 J	0.20 U	0.20 U	0.20 U	0.15 U	0.064 U	0.10 U	0.20 U	0.10 U	0.10 U	0.051 U	0.10 U	0.08 U	0.13 U	0.10 U	0.051 U	
m,p-Xylene	9.6	2.6	1.7	12	21	11	9.1	6.1	9.6	9.1	4.3	5.2	17 E	3.5	1.7	5.6	9.1	6.9	1.2	
o-Xylene	3.1	0.043 U	0.56	3.9	8.3	4.3	3.0	2.1	3.5	3.1	1.5	1.8	6.1	1.1	0.61	1.8	2.6	2.2	0.38	

Building Number	BUILDING 13A SUB-SLAB VAPOR																			
Sample ID	SVSS-B13A-01																			
Date Collected	7/17/2003	10/2/2003	1/20/2004	2/14/2006	6/28/2006	9/13/2006	12/12/2006	3/20/2007	6/21/2007	9/19/2007	12/11/2007	3/26/2008	6/17/2008	9/24/2008	12/18/2008	3/26/2009	6/25/2009	9/23/2009	12/17/2009	
1,1,1-Trichloroethane	1.4	NS	NS	11 U	NS	NS	1.9	NS	NS	NS	1.1 U	NS	NS	NS	1.1 U	NS	NS	NS	1.1 U	
1,1,2,2-Tetrachloroethane	0.28 U	NS	NS	14 U	NS	NS	1.4 U	NS	NS	NS	1.4 U	NS	NS	NS	1.4 U	NS	NS	NS	1.4 U	
1,1,2-Trichloroethane	0.2 U	NS	NS	11 U	NS	NS	1.1 U	NS	NS	NS	1.1 U	NS	NS	NS	1.1 U	NS	NS	NS	1.1 U	
1,1-Dichloroethane	0.16 U	NS	NS	8.1 U	NS	NS	0.81 U	NS	NS	NS	0.81 U	NS	NS	NS	0.81 U	NS	NS	NS	0.81 U	
1,1-Dichloroethene	0.08 U	NS	NS	7.9 U	NS	NS	0.79 U	NS	NS	NS	0.79 U	NS	NS	NS	0.79 U	NS	NS	NS	0.79 U	
1,2-Dichloroethane	0.16 U	NS	NS	8.1 U	NS	NS	0.81 U	NS	NS	NS	0.81 U	NS	NS	NS	0.81 U	NS	NS	NS	0.81 U	
Benzene	0.32	NS	NS	6.4 U	NS	NS	0.64 U	NS	NS	NS	0.64 U	NS	NS	NS	0.64 U	NS	NS	NS	0.64 U	
cis-1,2-Dichloroethene	1.2	NS	NS	7.9 U	NS	NS	11	NS	NS	NS	0.79 U	NS	NS	NS	0.79 U	NS	NS	NS	0.79 U	
Ethylbenzene	0.17 U	NS	NS	8.7 U	NS	NS	0.87 U	NS	NS	NS	0.87 U	NS	NS	NS	0.87 U	NS	NS	NS	0.87 U	
Tetrachloroethene	5.1	NS	NS	14 U	NS	NS	1.4 U	NS	NS	NS	1.4 U	NS	NS	NS	1.4 U	NS	NS	NS	1.4 U	
Toluene	0.35	NS	NS	7.5 U	NS	NS	0.75 U	NS	NS	NS	0.75 U	NS	NS	NS	0.75 U	NS	NS	NS	0.75 U	
trans-1,2-Dichloroethene	0.11 U	NS	NS	7.9 U	NS	NS	0.79 U	NS	NS	NS	0.79 U	NS	NS	NS	0.79 U	NS	NS	NS	0.79 U	
Trichloroethene	53	NS	NS	34	NS	NS	64	NS	NS	NS	1.1 U	NS	NS	NS	1.1 U	NS	NS	NS	1.1 U	
Vinyl chloride	0.04 U	NS	NS	5.1 U	NS	NS	0.51 U	NS	NS	NS	0.51 U	NS	NS	NS	0.51 U	NS	NS	NS	0.51 U	
m,p-Xylene	0.59	NS	NS	22 U	NS	NS	2.2 U	NS	NS	NS	2.2 U	NS	NS	NS	2.2 U	NS	NS	NS	2.2 U	
o-Xylene	0.24	NS	NS	8.7 U	NS	NS	0.87 U	NS	NS	NS	0.87 U	NS	NS	NS	0.87 U	NS	NS	NS	0.87 U	

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J - Estimated

E - Result exceeded upper limit of calibration range

NJ - Tentative in identification and estimated in value due to poor mass spectral quality

NS - Not Sampled

Table 3
Building 7 Area Analytical Data Summary
Former Philips Display Facility - Seneca Falls, New York

Sample Description	BUILDING 7 INDOOR AIR															
Sample ID	IA-B7-01															
Date Collected	7/15/2003	10/2/2003	1/20/2004	12/12/2006	3/20/2007	6/21/2007	9/28/2007	12/11/2007	3/26/2008	6/17/2008	9/25/2008	12/18/2008	3/26/2009	6/25/2009	9/23/2009	12/17/2009
1,1,1-Trichloroethane	0.42	0.45	0.35	0.28	0.43	0.055	0.060	0.16 U	0.14	0.11 U	0.16 UJ	0.60 U	0.18 U	0.27 U	0.082 U	0.11 U
1,1,2,2-Tetrachloroethane	0.14 U	0.34 U	0.21 U	0.34 U	0.34 U	0.069 U	0.069 U	0.21 U	0.14 U	0.14 U	0.21 UJ	0.76 UJ	0.23 U	0.34 U	0.10 U	0.14 U
1,1,2-Trichloroethane	0.1 U	0.27 U	0.16 U	0.27 U	0.27 U	0.055 U	0.055 U	0.16 U	0.11 U	0.11 U	0.16 UJ	0.60 U	0.18 U	0.27 U	0.082 U	0.11 U
1,1-Dichloroethane	0.08 U	0.2 U	0.12 U	0.2 U	0.2 U	0.040 U	0.040 U	0.12 U	0.081 U	0.081 U	0.12 UJ	0.45 U	0.13 U	0.20 U	0.061 U	0.081 U
1,1-Dichloroethene	0.04 U	0.2 U	0.12 U	0.2 U	0.2 U	0.040 U	0.040 U	0.12 U	0.079 U	0.079 U	0.12 UJ	0.44 U	0.13 U	0.20 U	0.059 U	0.079 U
1,2-Dichloroethane	0.08 U	0.2 U	0.12 U	0.4 U	0.4 U	0.081 U	0.081 U	0.24 U	0.16 U	0.16 U	0.24 UJ	0.89 U	0.27 U	0.40 U	0.12 U	0.16 U
Benzene	1.1	1.4	2.5	6.1	3.5	0.29 NJ	0.42	2.0	2.2	1.2	1.2 J	5.8	2.1	2.8	1.1	2.8
cis-1,2-Dichloroethene	0.21	0.95	1.0	0.52	0.95	0.095 NJ	0.075	0.63	0.75	0.44	0.12 J	0.52	4.4	0.34 NJ	0.067	0.26
Ethylbenzene	1.1	1.6	2.6	2.6	0.87	0.24	0.23	0.78	0.87	1.3	1.1 J	4.3	0.91	2.1	0.74	1.5
Tetrachloroethene	0.62	0.62	2.2	4.5	2.4	0.19	0.14	3.0	0.75	0.35	0.28 J	0.75 U	0.36	0.34 U	0.10 U	0.14 U
Toluene	7.0	2.5	9.4	16	5.3	1.4	1.4	5.3	7.2	6.8	8.3 J	27	8.3	13	4.5	7.2
trans-1,2-Dichloroethene	0.056 U	0.2 U	0.12 U	0.2 U	0.2 U	0.040 U	0.040 U	0.12 U	0.079 U	0.079 U	0.12 UJ	0.44 U	0.13 U	0.20 U	0.059 U	0.079 U
Trichloroethene	2.7	13	5.9	5.9	18	0.64	1.1	3.9	9.7	1.5	1.2 J	6.4	4.8	2.5	0.70	5.4
Vinyl chloride	0.02 U	0.13 U	0.077 U	0.26 U	0.26 U	0.051 U	0.051 U	0.15 U	0.10 U	0.10 U	0.15 UJ	0.56 U	0.95	0.26 U	0.077 U	0.10 U
m-Xylene & p-Xylene	3.6	3.0	10	9.1	2.8	0.74	0.56	2.5	3.2	4.8	4.0 J	14	3.1	6.5	2.2	5.6
o-Xylene	1.3	0.87	3.1	3.2	1.0	0.24	0.22	0.87	1.1	1.7	1.6 J	4.8	1.2	2.4	0.83	2.1

Sample Description	BUILDING 7 SUB-SLAB VAPOR															
Sample ID	SVSS-B7-01															
Date Collected	7/17/2003	10/2/2003	1/20/2004	12/12/2006	3/20/2007	6/21/2007	9/28/2007	12/11/2007	3/26/2008	6/17/2008	9/24/2008	12/18/2008	3/26/2009	6/25/2009	9/23/2009	12/17/2009
1,1,1-Trichloroethane	33 U	NS	NS	11 U	4.4 U	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U
1,1,2,2-Tetrachloroethane	41 U	NS	NS	14 U	5.5 U	1.4 U	1.4 U	1.4 U	1.4 U	1.4 U	1.4 U	1.4 U	1.4 U	1.4 U	1.4 U	1.4 U
1,1,2-Trichloroethane	33 U	NS	NS	11 U	4.4 U	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U
1,1-Dichloroethane	24 U	NS	NS	8.1 U	3.2 U	0.81 U	0.81 U	0.81 U	0.81 U	0.81 U	0.81 U	0.81 U	0.81 U	0.81 U	0.81 U	0.81 U
1,1-Dichloroethene	24 U	NS	NS	7.9 U	3.2 U	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U
1,2-Dichloroethane	24 U	NS	NS	8.1 U	3.2 U	0.81 U	0.81 U	0.81 U	0.81 U	0.81 U	0.81 U	0.81 U	0.81 U	0.81 U	0.81 U	0.81 U
Benzene	19 U	NS	NS	6.4 U	2.6 U	0.64 U	0.64 U	0.64 U	0.64 U	0.64 U	0.64 U	0.64 U	0.64 U	0.64 U	0.64 U	0.67
cis-1,2-Dichloroethene	24 U	NS	NS	7.9 U	3.2 U	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U
Ethylbenzene	26 U	NS	NS	8.7 U	3.5 U	0.87 U	0.87 U	0.87 U	0.87 U	0.87 U	0.87 U	0.87 U	0.87 U	0.87 U	0.87 U	0.87 U
Tetrachloroethene	40	NS	NS	17	8.1	1.7	1.4 U	1.4 U	1.4 U	2.0	1.4 U	1.4 U	2.0	2.2	1.5	1.4 U
Toluene	22 U	NS	NS	7.5 U	3.0 U	1.2	0.79	0.75 U	0.75 U	0.75 U	1.2	0.75 U	0.75 U	1.1	0.75 U	2.5
trans-1,2-Dichloroethene	24 U	NS	NS	7.9 U	3.2 U	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U
Trichloroethene	3300	NS	NS	1700	470	11	12	12	70	64	24	40	59	59	64	70
Vinyl chloride	15 U	NS	NS	5.1 U	2.0 U	0.51 U	0.51 U	0.51 U	0.51 U	0.51 U	0.51 U	0.51 U	0.51 U	0.51 U	0.51 U	0.51 U
m-Xylene & p-Xylene	26 U	NS	NS	22 U	8.7 U	2.2 U	2.2 U	2.2 U	2.2 U	2.2 U	2.2 U	2.2 U	2.2 U	2.2 U	2.2 U	2.2 U
o-Xylene	27 U	NS	NS	8.7 U	3.5 U	0.87 U	0.87 U	0.87 U	0.87 U	0.87 U	0.87 U	0.87 U	0.87 U	0.87 U	0.87 U	0.87 U

Notes:

All values are shown in units of micrograms per cubic meter (µg/m3).

U - Not detected above reporting limit

NJ - Tentative in identification and estimated in value due to poor mass spectral quality

NS - Not Sampled

J - Estimated

Table 4
Ambient Air Sample Analytical Data Summary
Former Philips Display Facility - Seneca Falls, New York

Sample Description	AMBIENT AIR OUTSIDE OF BUILDING 2															
Sample ID	OA-B2-01															
Date Collected	7/15/2003	10/2/2003	1/20/2004	3/20/2007	6/21/2007	8/30/2007	9/28/2007	12/11/2007	3/26/2008	6/17/2008	9/24/2008	12/18/2008	3/26/2009	6/25/2009	9/23/2009	12/17/2009
1,1,1-Trichloroethane	0.21	0.16	0.12	0.15	0.060	NS	0.055 U	0.065	0.055 U	0.060	0.055 U	0.055	0.065	0.11 U	0.065	0.055 U
1,1,2,2-Tetrachloroethane	0.14 U	0.069 U	0.069 U	0.069 U	0.069 U	NS	0.069 U	0.069 U	0.069 U	0.069 U	0.069 U	0.069 UJ	0.069 U	0.14 U	0.069 U	0.069 U
1,1,2-Trichloroethane	0.10 U	0.055 U	0.055 U	0.055 U	0.055 U	NS	0.055 U	0.055 U	0.055 U	0.055 U	0.055 U	0.055 U	0.055 U	0.11 U	0.055 U	0.055 U
1,1-Dichloroethane	0.080 U	0.040 U	0.040 U	0.040 U	0.040 U	NS	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.081 U	0.040 U	0.040 U
1,1-Dichloroethene	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	NS	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.079 U	0.040 U	0.040 U
1,2-Dichloroethane	0.080 U	0.040 U	0.040 U	0.089	0.081 U	NS	0.081 U	0.085	0.081 U	0.081 U	0.081 U	0.081 U	0.081 U	0.16 U	0.081 U	0.081 U
Benzene	0.44	0.38	0.45	0.58	0.21	NS	0.32	0.51	0.28	0.24	0.16	0.70	0.08	0.54	0.42	0.42
cis-1,2-Dichloroethene	0.056 U	0.040 U	0.040 U	0.040 U	0.040 U	NS	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.120	0.079 U	0.040 U	0.040 U	0.040 U
Ethylbenzene	0.35	0.13	0.19	0.043 U	0.087	NS	0.15	0.10	0.078	0.16	0.091	0.22	0.25	0.69	0.48	0.061
Tetrachloroethene	0.30	0.068 U	0.075	0.088	0.068 U	NS	0.11	0.068 U	0.068 U	0.068 U	0.068 U	0.088	0.14	0.14 U	0.075	0.068 U
Toluene	3.2	0.64	0.90	0.22	0.49	NS	1.0	0.53	0.36	1.7	0.57	1.2	0.98	5.3	1.2	0.35
trans-1,2-Dichloroethene	0.056 U	0.04 U	0.04 U	0.04 U	0.040 U	NS	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.079 U	0.075	0.040 U
Trichloroethene	0.58	0.52	0.81	2.8	0.70	NS	0.31	0.054 U	0.054 U	0.054 U	0.054 U	0.11	0.086	0.86	0.91	0.054 U
Vinyl chloride	0.020 U	0.026 U	0.026 U	0.051 U	0.051 U	NS	0.051 U	0.051 U	0.051 U	0.051 U	0.051 U	0.051 U	0.051 U	0.10 U	0.051 U	0.051 U
m-Xylene & p-Xylene	1.1	0.35	0.48	0.087 U	0.23	NS	0.38	0.26	0.20	0.52	0.26	0.69	1.3	1.7	0.74	0.15
o-Xylene	0.35	0.13	0.19	0.043 U	0.083	NS	0.13	0.10	0.078	0.20	0.091	0.29	0.65	0.56	0.26	0.056

Sample Description	AMBIENT AIR OUTSIDE OF BUILDING 11															
Sample ID	OA-B11-01															
Date Collected	7/15/2003	10/2/2003	1/20/2004	3/20/2007	6/21/2007	8/30/2007	9/28/2007	12/11/2007	3/26/2008	6/17/2008	9/24/2008	12/18/2008	3/26/2009	6/25/2009	9/23/2009	12/17/2009
1,1,1-Trichloroethane	0.18	0.15	0.11	0.15	0.055 U	0.055 U	0.055	0.065	0.060	0.055 U	0.055 U	0.055 U	0.071	0.071	0.060	0.055 U
1,1,2,2-Tetrachloroethane	0.14 U	0.069 U	0.069 U	0.069 U	0.069 U	0.069 U	0.069 U	0.069 U	0.069 U	0.069 U	0.069 U	0.069 UJ	0.069 U	0.069 U	0.069 U	0.069 U
1,1,2-Trichloroethane	0.10 U	0.055 U	0.055 U	0.055 U	0.055 U	0.055 U	0.055 U	0.055 U	0.055 U	0.055 U	0.055 U	0.055 U	0.055 U	0.055 U	0.055 U	0.055 U
1,1-Dichloroethane	0.080 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U
1,1-Dichloroethene	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U
1,2-Dichloroethane	0.080 U	0.040 U	0.040 U	0.081 U	0.081 U	0.081 U	0.081 U	0.085	0.081 U	0.081 U	0.081 U	0.081 U	0.085	0.081 U	0.081 U	0.081 U
Benzene	0.32	0.30	0.45	0.54	0.15	0.17	0.29	0.58	0.31	0.13	0.14	0.54	0.67	0.32	0.26	0.38
cis-1,2-Dichloroethene	0.056 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.083	0.040 U	0.040 U	0.040 NJ
Ethylbenzene	0.16	0.091	0.15	0.10	0.061	0.091	0.15	0.19	0.065	0.12	0.096	0.18	0.18	0.23	0.14	0.065
Tetrachloroethene	0.14 U	0.068 U	0.068	0.075	0.068 U	0.081	0.12	0.068 U	0.068 U	0.068 U	0.068 U	0.095	0.14	0.088	0.068 U	0.068 U
Toluene	1.4	0.45	0.68	0.38	0.32	0.49	0.60	0.72	0.37	0.75	0.64	1.1	0.94	1.4	0.83	0.35
trans-1,2-Dichloroethene	0.056 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U
Trichloroethene	0.074	0.13	0.12	0.14	0.12	0.12	0.11	0.086	0.054 U	0.086	0.07	0.13	0.075	0.075	0.51	0.11
Vinyl chloride	0.020 U	0.026 U	0.026 U	0.051 U	0.051 U	0.051 U	0.051 U	0.051 U	0.051 U	0.051 U	0.051 U	0.051 U	0.051 U	0.051 U	0.051 U	0.051 U
m,p-Xylene	0.32	0.26	0.34	0.29	0.16	0.22	0.43	0.56	0.20	0.38	0.24	0.48	0.41	0.69	0.43	0.18
o-Xylene	0.14	0.10	0.13	0.11	0.052	0.078	0.13	0.21	0.083	0.11	0.083	0.21	0.16	0.23	0.17	0.074

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

NS - Not Sampled

J - Estimated

NJ - Tentative in identification and estimated in value due to poor mass spectral quality

Attachment D
Data Validation Report

Data Validation Services

120 Cobble Creek Road P.O. Box 208
North Creek, NY 12853

Phone 518-251-4429
Facsimile 518-251-4428

February 4, 2010

Mark Flusche
Malcolm Pirnie, Inc.
855 Rt 146 Suite 210
Clifton Park, NY 12065

RE: Validation of the Former Philips Display Components Facility, Seneca Falls site data package-
Indoor Air and Soil Vapor samples- -December 2009
TestAmerica-VT SDG No. NY135184

Dear Mr. Flusche:

Review has been completed for the data package generated by TestAmerica Laboratories (TAL-VT) that pertains to air samples collected on 12/17/09 at the Seneca Falls site. Ten 6-L summa canister indoor/outdoor air samples, an indoor air field duplicate, six 6-L summa canister soil vapor samples, and a soil vapor field duplicate were analyzed for sixteen site-specific volatile analytes using USEPA method TO-15 (for soil vapor samples) and low level USEPA method TO-15 (for indoor/outdoor air samples).

Data validation was performed with guidance from the 2006 USEPA Region II validation SOP HW-31, with consideration for the specific requirements of the analytical methodology. The following items were reviewed:

- * Data Completeness
- * Case Narrative
- * Custody Documentation
- * Holding Times
- * Blind Field Duplicate Correlations
- * Internal Standard Recoveries
- * Method and Canister Blanks
- * Laboratory Control Samples (LCSs)
- * Instrumental Tunes
- * Initial and Continuing Calibration Standards
- * Method Compliance
- * Sample Result Verification

Those items showing deficiencies are discussed in the following sections of this report. All others were found to be acceptable as outlined in the above-mentioned validation procedures, and as applicable for the methodology. Unless noted specifically in the following text, reported results are substantiated by the raw data, and generated in compliance with project requirements.

In summary, sample processing was conducted in compliance with project requirements. All sample results are usable as reported, with the exception that one analyte in one sample has minor qualification.

A copy of the laboratory case narrative is attached to this text, and should be reviewed in conjunction with this report. Also attached are the laboratory sample result forms, edited to reflect the validation qualifiers noted within this report.

Volatile Analyses by EPA TO-15

The detected result for cis-1,2-dichloroethene in OA-B11-01 has been qualified as being tentative in identification and estimated in value, due to mass spectral interferences.

Holding times and instrument tunes meet requirements. Internal standard recoveries are acceptable.

The blind field duplicate correlations for samples IA-B11-02 and SVSS-B11-01 fall within validation guidelines.

Method and canister blanks show no contamination. The clean canister certification raw data documentation was reviewed during validation.


Initial and continuing calibration standard responses were acceptable, with all response factors (RRFs) above 0.05, linearity within the 30%RSD limit, and continuing responses not above 30%D.

Laboratory Control Samples show acceptable recoveries.

Following a laboratory screening, some of the samples were processed at initial dilution due to detected target analyte concentrations. Therefore, reporting limits for the compounds that were not detected in those samples are elevated.

Please do not hesitate to contact me if questions or comments arise during your review of this report.

Very truly yours,


Judy Harry

VALIDATION DATA QUALIFIER DEFINITIONS

U The analyte was analyzed for, but was not detected above the level of the associated reported quantitation limit.

J The analyte was positively identified; the associated numerical value is an approximate concentration of the analyte in the sample.

UJ The analyte was not detected. The associated reported quantitation limit is an estimate and may be inaccurate or imprecise.

NJ The detection is tentative in identification and estimated in value. Although there is presumptive evidence of the analyte, the result should be used with caution as a potential false positive and/or elevated quantitative value.

R The data are unusable. The analyte may or may not be present.

EMPC The results do not meet all criteria for a confirmed identification. The quantitative value represents the Estimated Maximum Possible Concentration of the analyte in the sample.

**CLIENT and LABORATORY SAMPLE IDs
and CASE NARRATIVE**



THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

January 11, 2010

Mr. Daniel Lang
Malcolm Pirnie
855 Route 146
Suite 210
Clifton Park, NY 12065

Re: Laboratory Project No. 29000
Case: 29000; SDG: NY135184

Dear Mr. Lang:

Enclosed are the analytical results for the samples that were received by TestAmerica Burlington on December 18th, 2009. Laboratory identification numbers were assigned, and designated as follows:

<u>Lab ID</u>	<u>Client Sample ID</u>	<u>Sample Date</u>	<u>Sample Matrix</u>
Received: 12/18/09 ETR No: 135184			
816289	IA-B11-02	12/17/09	AIR
816290	IA-DUP	12/17/09	AIR
816291	OA-B11-01	12/17/09	AIR
816292	IA-B11-01	12/17/09	AIR
816293	IA-B13-01	12/17/09	AIR
816294	IA-B13A-01	12/17/09	AIR
816295	IA-B10A-01	12/17/09	AIR
816296	IA-B10-01	12/17/09	AIR
816297	IA-B9-02	12/17/09	AIR
816298	IA-B7-01	12/17/09	AIR
816299	OA-B2-01	12/17/09	AIR
816300	SVSS-B7-01	12/17/09	AIR
816301	SVSS-B10-01	12/17/09	AIR
816302	SVSS-B10A-01	12/17/09	AIR
816303	SVSS-B13-01	12/17/09	AIR
816304	SVSS-B13A-01	12/17/09	AIR
816305	SVSS-B11-01	12/17/09	AIR
816306	SVSS-DUP	12/17/09	AIR

Documentation of the condition of the samples at the time of their receipt and any exception to the laboratory's Sample Acceptance Policy is documented in the Sample Handling section of this submittal.



THE LEADER IN ENVIRONMENTAL TESTING

Each sample was analyzed for volatile organics by Method TO-15. The analytical results are reported both in terms of parts per billion on a volume/volume basis (ppbv) and micrograms per cubic meter ($\mu\text{g}/\text{m}^3$). Certain of the samples were analyzed at dilution based on screen analyses to ensure quantitation of all target analytes within the calibrated range.

Any reference within this report to Severn Trent Laboratories, Inc. or STL, should be understood to refer to TestAmerica Laboratories, Inc. (formerly known as Severn Trent Laboratories, Inc.) The analytical results associated with the samples presented in this test report were generated under a quality system that adheres to requirements specified in the NELAC standard. Release of the data in this test report and any associated electronic deliverables is authorized by the Laboratory Director's designee as verified by the following signature.

If there are any questions regarding this submittal, please contact me at 802 660-1990.

Sincerely,

A handwritten signature in black ink, appearing to read 'D. Dawicki', with a stylized flourish at the end.

Don Dawicki
Project Manager

QUALIFIED SAMPLE RESULTS FORMS

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

IA-B11-02

Lab Name: TAL Burlington

SDG Number: NY135184

Dilution Factor: 9.09

Sample Matrix: AIR

Lab Sample No.: 816289

Date Analyzed: 1/7/2010

Date Received: 12/18/2009

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Vinyl Chloride	75-01-4	0.18	U	0.18	0.46	U	0.46
1,1-Dichloroethene	75-35-4	0.091	U	0.091	0.36	U	0.36
trans-1,2-Dichloroethene	156-60-5	0.091	U	0.091	0.36	U	0.36
1,1-Dichloroethane	75-34-3	0.091	U	0.091	0.37	U	0.37
cis-1,2-Dichloroethene	156-59-2	0.89		0.091	3.5		0.36
1,1,1-Trichloroethane	71-55-6	0.12		0.091	0.65		0.50
Benzene	71-43-2	0.89		0.091	2.8		0.29
1,2-Dichloroethane	107-06-2	0.18	U	0.18	0.73	U	0.73
Trichloroethene	79-01-6	5.5		0.091	30		0.49
Toluene	108-88-3	1.6		0.091	6.0		0.34
1,1,2-Trichloroethane	79-00-5	0.091	U	0.091	0.50	U	0.50
Tetrachloroethene	127-18-4	0.091	U	0.091	0.62	U	0.62
Ethylbenzene	100-41-4	0.33		0.091	1.4		0.40
Xylene (m,p)	1330-20-7	1.3		0.18	5.6		0.78
Xylene (o)	95-47-6	0.45		0.091	2.0		0.40
1,1,2,2-Tetrachloroethane	79-34-5	0.091	U	0.091	0.62	U	0.62

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

IA-DUP

Lab Name: TAL Burlington

SDG Number: NY135184

Dilution Factor: 9.09

Sample Matrix: AIR

Lab Sample No.: 816290

Date Analyzed: 1/6/2010

Date Received: 12/18/2009

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Vinyl Chloride	75-01-4	0.18	U	0.18	0.46	U	0.46
1,1-Dichloroethene	75-35-4	0.091	U	0.091	0.36	U	0.36
trans-1,2-Dichloroethene	156-60-5	0.091	U	0.091	0.36	U	0.36
1,1-Dichloroethane	75-34-3	0.091	U	0.091	0.37	U	0.37
cis-1,2-Dichloroethene	156-59-2	0.88		0.091	3.5		0.36
1,1,1-Trichloroethane	71-55-6	0.12		0.091	0.65		0.50
Benzene	71-43-2	0.90		0.091	2.9		0.29
1,2-Dichloroethane	107-06-2	0.18	U	0.18	0.73	U	0.73
Trichloroethene	79-01-6	5.2		0.091	28		0.49
Toluene	108-88-3	2.1		0.091	7.9		0.34
1,1,2-Trichloroethane	79-00-5	0.091	U	0.091	0.50	U	0.50
Tetrachloroethene	127-18-4	0.095		0.091	0.64		0.62
Ethylbenzene	100-41-4	0.46		0.091	2.0		0.40
Xylene (m,p)	1330-20-7	1.8		0.18	7.8		0.78
Xylene (o)	95-47-6	0.61		0.091	2.6		0.40
1,1,2,2-Tetrachloroethane	79-34-5	0.091	U	0.091	0.62	U	0.62

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

OA-B11-01

Lab Name: TAL Burlington

SDG Number: NY135184

Dilution Factor: 1.00

Sample Matrix: AIR

Lab Sample No.: 816291

Date Analyzed: 1/4/2010

Date Received: 12/18/2009

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Vinyl Chloride	75-01-4	0.020	U	0.020	0.051	U	0.051
1,1-Dichloroethene	75-35-4	0.010	U	0.010	0.040	U	0.040
trans-1,2-Dichloroethene	156-60-5	0.010	U	0.010	0.040	U	0.040
1,1-Dichloroethane	75-34-3	0.010	U	0.010	0.040	U	0.040
cis-1,2-Dichloroethene	156-59-2	0.010	NJ	0.010	0.040	NJ	0.040
1,1,1-Trichloroethane	71-55-6	0.010	U	0.010	0.055	U	0.055
Benzene	71-43-2	0.12		0.010	0.38		0.032
1,2-Dichloroethane	107-06-2	0.020	U	0.020	0.081	U	0.081
Trichloroethene	79-01-6	0.020		0.010	0.11		0.054
Toluene	108-88-3	0.092		0.010	0.35		0.038
1,1,2-Trichloroethane	79-00-5	0.010	U	0.010	0.055	U	0.055
Tetrachloroethene	127-18-4	0.010	U	0.010	0.068	U	0.068
Ethylbenzene	100-41-4	0.015		0.010	0.065		0.043
Xylene (m,p)	1330-20-7	0.041		0.020	0.18		0.087
Xylene (o)	95-47-6	0.017		0.010	0.074		0.043
1,1,2,2-Tetrachloroethane	79-34-5	0.010	U	0.010	0.069	U	0.069

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

IA-B11-01

Lab Name: TAL Burlington

SDG Number: NY135184

Dilution Factor: 9.09

Sample Matrix: AIR

Lab Sample No.: 816292

Date Analyzed: 1/6/2010

Date Received: 12/18/2009

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Vinyl Chloride	75-01-4	0.18	U	0.18	0.46	U	0.46
1,1-Dichloroethene	75-35-4	0.091	U	0.091	0.36	U	0.36
trans-1,2-Dichloroethene	156-60-5	0.091	U	0.091	0.36	U	0.36
1,1-Dichloroethane	75-34-3	0.091	U	0.091	0.37	U	0.37
cis-1,2-Dichloroethene	156-59-2	0.81		0.091	3.2		0.36
1,1,1-Trichloroethane	71-55-6	0.10		0.091	0.55		0.50
Benzene	71-43-2	0.76		0.091	2.4		0.29
1,2-Dichloroethane	107-06-2	0.18	U	0.18	0.73	U	0.73
Trichloroethene	79-01-6	4.8		0.091	26		0.49
Toluene	108-88-3	1.6		0.091	6.0		0.34
1,1,2-Trichloroethane	79-00-5	0.091	U	0.091	0.50	U	0.50
Tetrachloroethene	127-18-4	0.091	U	0.091	0.62	U	0.62
Ethylbenzene	100-41-4	0.35		0.091	1.5		0.40
Xylene (m,p)	1330-20-7	1.3		0.18	5.6		0.78
Xylene (o)	95-47-6	0.47		0.091	2.0		0.40
1,1,2,2-Tetrachloroethane	79-34-5	0.091	U	0.091	0.62	U	0.62

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

IA-B13-01

Lab Name: TAL Burlington

SDG Number: NY135184

Dilution Factor: 1.00

Sample Matrix: AIR

Lab Sample No.: 816293

Date Analyzed: 1/4/2010

Date Received: 12/18/2009

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Vinyl Chloride	75-01-4	0.020	U	0.020	0.051	U	0.051
1,1-Dichloroethene	75-35-4	0.10		0.010	0.40		0.040
trans-1,2-Dichloroethene	156-60-5	0.010	U	0.010	0.040	U	0.040
1,1-Dichloroethane	75-34-3	0.013		0.010	0.053		0.040
cis-1,2-Dichloroethene	156-59-2	0.048		0.010	0.19		0.040
1,1,1-Trichloroethane	71-55-6	0.25		0.010	1.4		0.055
Benzene	71-43-2	0.15		0.010	0.48		0.032
1,2-Dichloroethane	107-06-2	0.020	U	0.020	0.081	U	0.081
Trichloroethene	79-01-6	0.44		0.010	2.4		0.054
Toluene	108-88-3	0.16		0.010	0.60		0.038
1,1,2-Trichloroethane	79-00-5	0.010	U	0.010	0.055	U	0.055
Tetrachloroethene	127-18-4	0.010	U	0.010	0.068	U	0.068
Ethylbenzene	100-41-4	0.036		0.010	0.16		0.043
Xylene (m,p)	1330-20-7	0.12		0.020	0.52		0.087
Xylene (o)	95-47-6	0.042		0.010	0.18		0.043
1,1,2,2-Tetrachloroethane	79-34-5	0.010	U	0.010	0.069	U	0.069

**TO-14/15
Result Summary**

CLIENT SAMPLE NO

IA-B13A-01

Lab Name: TAL Burlington

SDG Number: NY135184

Dilution Factor: 1.00

Sample Matrix: AIR

Lab Sample No.: 816294

Date Analyzed: 1/5/2010

Date Received: 12/18/2009

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Vinyl Chloride	75-01-4	0.020	U	0.020	0.051	U	0.051
1,1-Dichloroethene	75-35-4	0.094		0.010	0.37		0.040
trans-1,2-Dichloroethene	156-60-5	0.010	U	0.010	0.040	U	0.040
1,1-Dichloroethane	75-34-3	0.016		0.010	0.065		0.040
cis-1,2-Dichloroethene	156-59-2	0.064		0.010	0.25		0.040
1,1,1-Trichloroethane	71-55-6	0.27		0.010	1.5		0.055
Benzene	71-43-2	0.17		0.010	0.54		0.032
1,2-Dichloroethane	107-06-2	0.020	U	0.020	0.081	U	0.081
Trichloroethene	79-01-6	0.50		0.010	2.7		0.054
Toluene	108-88-3	0.25		0.010	0.94		0.038
1,1,2-Trichloroethane	79-00-5	0.010	U	0.010	0.055	U	0.055
Tetrachloroethene	127-18-4	0.014		0.010	0.095		0.068
Ethylbenzene	100-41-4	0.083		0.010	0.36		0.043
Xylene (m,p)	1330-20-7	0.27		0.020	1.2		0.087
Xylene (o)	95-47-6	0.087		0.010	0.38		0.043
1,1,2,2-Tetrachloroethane	79-34-5	0.010	U	0.010	0.069	U	0.069

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

IA-B10A-01

Lab Name: TAL Burlington

SDG Number: NY135184

Dilution Factor: 7.94

Sample Matrix: AIR

Lab Sample No.: 816295

Date Analyzed: 1/6/2010

Date Received: 12/18/2009

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Vinyl Chloride	75-01-4	0.16	U	0.16	0.41	U	0.41
1,1-Dichloroethene	75-35-4	0.079	U	0.079	0.31	U	0.31
trans-1,2-Dichloroethene	156-60-5	0.079	U	0.079	0.31	U	0.31
1,1-Dichloroethane	75-34-3	0.079	U	0.079	0.32	U	0.32
cis-1,2-Dichloroethene	156-59-2	1.0		0.079	4.0		0.31
1,1,1-Trichloroethane	71-55-6	0.079	U	0.079	0.43	U	0.43
Benzene	71-43-2	0.90		0.079	2.9		0.25
1,2-Dichloroethane	107-06-2	0.16	U	0.16	0.65	U	0.65
Trichloroethene	79-01-6	4.6		0.079	25		0.42
Toluene	108-88-3	1.9		0.079	7.2		0.30
1,1,2-Trichloroethane	79-00-5	0.079	U	0.079	0.43	U	0.43
Tetrachloroethene	127-18-4	0.13		0.079	0.88		0.54
Ethylbenzene	100-41-4	0.30		0.079	1.3		0.34
Xylene (m,p)	1330-20-7	1.1		0.16	4.8		0.69
Xylene (o)	95-47-6	0.36		0.079	1.6		0.34
1,1,2,2-Tetrachloroethane	79-34-5	0.079	U	0.079	0.54	U	0.54

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

IA-B10-01

Lab Name: TAL Burlington

SDG Number: NY135184

Dilution Factor: 20.00

Sample Matrix: AIR

Lab Sample No.: 816296

Date Analyzed: 1/6/2010

Date Received: 12/18/2009

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Vinyl Chloride	75-01-4	0.40	U	0.40	1.0	U	1.0
1,1-Dichloroethene	75-35-4	0.20	U	0.20	0.79	U	0.79
trans-1,2-Dichloroethene	156-60-5	0.20	U	0.20	0.79	U	0.79
1,1-Dichloroethane	75-34-3	0.20	U	0.20	0.81	U	0.81
cis-1,2-Dichloroethene	156-59-2	0.88		0.20	3.5		0.79
1,1,1-Trichloroethane	71-55-6	0.20	U	0.20	1.1	U	1.1
Benzene	71-43-2	1.0		0.20	3.2		0.64
1,2-Dichloroethane	107-06-2	0.40	U	0.40	1.6	U	1.6
Trichloroethene	79-01-6	12		0.20	64		1.1
Toluene	108-88-3	1.9		0.20	7.2		0.75
1,1,2-Trichloroethane	79-00-5	0.20	U	0.20	1.1	U	1.1
Tetrachloroethene	127-18-4	0.20	U	0.20	1.4	U	1.4
Ethylbenzene	100-41-4	0.32		0.20	1.4		0.87
Xylene (m,p)	1330-20-7	1.0		0.40	4.3		1.7
Xylene (o)	95-47-6	0.37		0.20	1.6		0.87
1,1,2,2-Tetrachloroethane	79-34-5	0.20	U	0.20	1.4	U	1.4

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

IA-B9-02

Lab Name: TAL Burlington

SDG Number: NY135184

Dilution Factor: 16.10

Sample Matrix: AIR

Lab Sample No.: 816297

Date Analyzed: 1/5/2010

Date Received: 12/18/2009

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Vinyl Chloride	75-01-4	0.32	U	0.32	0.82	U	0.82
1,1-Dichloroethene	75-35-4	0.16	U	0.16	0.63	U	0.63
trans-1,2-Dichloroethene	156-60-5	0.16	U	0.16	0.63	U	0.63
1,1-Dichloroethane	75-34-3	0.16	U	0.16	0.65	U	0.65
cis-1,2-Dichloroethene	156-59-2	0.42		0.16	1.7		0.63
1,1,1-Trichloroethane	71-55-6	0.16	U	0.16	0.87	U	0.87
Benzene	71-43-2	0.76		0.16	2.4		0.51
1,2-Dichloroethane	107-06-2	0.32	U	0.32	1.3	U	1.3
Trichloroethene	79-01-6	9.4		0.16	51		0.86
Toluene	108-88-3	1.1		0.16	4.1		0.60
1,1,2-Trichloroethane	79-00-5	0.16	U	0.16	0.87	U	0.87
Tetrachloroethene	127-18-4	0.16	U	0.16	1.1	U	1.1
Ethylbenzene	100-41-4	0.20		0.16	0.87		0.69
Xylene (m,p)	1330-20-7	0.67		0.32	2.9		1.4
Xylene (o)	95-47-6	0.24		0.16	1.0		0.69
1,1,2,2-Tetrachloroethane	79-34-5	0.16	U	0.16	1.1	U	1.1

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

IA-B7-01

Lab Name: TAL Burlington

SDG Number: NY135184

Dilution Factor: 2.00

Sample Matrix: AIR

Lab Sample No.: 816298

Date Analyzed: 1/7/2010

Date Received: 12/18/2009

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Vinyl Chloride	75-01-4	0.040	U	0.040	0.10	U	0.10
1,1-Dichloroethene	75-35-4	0.020	U	0.020	0.079	U	0.079
trans-1,2-Dichloroethene	156-60-5	0.020	U	0.020	0.079	U	0.079
1,1-Dichloroethane	75-34-3	0.020	U	0.020	0.081	U	0.081
cis-1,2-Dichloroethene	156-59-2	0.066		0.020	0.26		0.079
1,1,1-Trichloroethane	71-55-6	0.020	U	0.020	0.11	U	0.11
Benzene	71-43-2	0.87		0.020	2.8		0.064
1,2-Dichloroethane	107-06-2	0.040	U	0.040	0.16	U	0.16
Trichloroethene	79-01-6	1.0		0.020	5.4		0.11
Toluene	108-88-3	1.9		0.020	7.2		0.075
1,1,2-Trichloroethane	79-00-5	0.020	U	0.020	0.11	U	0.11
Tetrachloroethene	127-18-4	0.020	U	0.020	0.14	U	0.14
Ethylbenzene	100-41-4	0.35		0.020	1.5		0.087
Xylene (m,p)	1330-20-7	1.3		0.040	5.6		0.17
Xylene (o)	95-47-6	0.48		0.020	2.1		0.087
1,1,2,2-Tetrachloroethane	79-34-5	0.020	U	0.020	0.14	U	0.14

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

OA-B2-01

Lab Name: TAL Burlington

SDG Number: NY135184

Dilution Factor: 1.00

Sample Matrix: AIR

Lab Sample No.: 816299

Date Analyzed: 1/5/2010

Date Received: 12/18/2009

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Vinyl Chloride	75-01-4	0.020	U	0.020	0.051	U	0.051
1,1-Dichloroethene	75-35-4	0.010	U	0.010	0.040	U	0.040
trans-1,2-Dichloroethene	156-60-5	0.010	U	0.010	0.040	U	0.040
1,1-Dichloroethane	75-34-3	0.010	U	0.010	0.040	U	0.040
cis-1,2-Dichloroethene	156-59-2	0.010	U	0.010	0.040	U	0.040
1,1,1-Trichloroethane	71-55-6	0.010	U	0.010	0.055	U	0.055
Benzene	71-43-2	0.13		0.010	0.42		0.032
1,2-Dichloroethane	107-06-2	0.020	U	0.020	0.081	U	0.081
Trichloroethene	79-01-6	0.010	U	0.010	0.054	U	0.054
Toluene	108-88-3	0.094		0.010	0.35		0.038
1,1,2-Trichloroethane	79-00-5	0.010	U	0.010	0.055	U	0.055
Tetrachloroethene	127-18-4	0.010	U	0.010	0.068	U	0.068
Ethylbenzene	100-41-4	0.014		0.010	0.061		0.043
Xylene (m,p)	1330-20-7	0.035		0.020	0.15		0.087
Xylene (o)	95-47-6	0.013		0.010	0.056		0.043
1,1,2,2-Tetrachloroethane	79-34-5	0.010	U	0.010	0.069	U	0.069

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

SVSS-B7-01

Lab Name: TAL Burlington

SDG Number: NY135184

Dilution Factor: 1.00

Sample Matrix: AIR

Lab Sample No.: 816300

Date Analyzed: 12/26/2009

Date Received: 12/18/2009

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Vinyl Chloride	75-01-4	0.20	U	0.20	0.51	U	0.51
1,1-Dichloroethene	75-35-4	0.20	U	0.20	0.79	U	0.79
trans-1,2-Dichloroethene	156-60-5	0.20	U	0.20	0.79	U	0.79
1,1-Dichloroethane	75-34-3	0.20	U	0.20	0.81	U	0.81
cis-1,2-Dichloroethene	156-59-2	0.20	U	0.20	0.79	U	0.79
1,1,1-Trichloroethane	71-55-6	0.20	U	0.20	1.1	U	1.1
Benzene	71-43-2	0.21		0.20	0.67		0.64
1,2-Dichloroethane	107-06-2	0.20	U	0.20	0.81	U	0.81
Trichloroethene	79-01-6	13		0.20	70		1.1
Toluene	108-88-3	0.67		0.20	2.5		0.75
1,1,2-Trichloroethane	79-00-5	0.20	U	0.20	1.1	U	1.1
Tetrachloroethene	127-18-4	0.20	U	0.20	1.4	U	1.4
Ethylbenzene	100-41-4	0.20	U	0.20	0.87	U	0.87
Xylene (m,p)	1330-20-7	0.50	U	0.50	2.2	U	2.2
Xylene (o)	95-47-6	0.20	U	0.20	0.87	U	0.87
1,1,2,2-Tetrachloroethane	79-34-5	0.20	U	0.20	1.4	U	1.4

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

SVSS-B10-01

Lab Name: TAL Burlington

SDG Number: NY135184

Dilution Factor: 8.00

Sample Matrix: AIR

Lab Sample No.: 816301

Date Analyzed: 12/26/2009

Date Received: 12/18/2009

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Vinyl Chloride	75-01-4	1.6	U	1.6	4.1	U	4.1
1,1-Dichloroethene	75-35-4	1.6	U	1.6	6.3	U	6.3
trans-1,2-Dichloroethene	156-60-5	1.6	U	1.6	6.3	U	6.3
1,1-Dichloroethane	75-34-3	1.6	U	1.6	6.5	U	6.5
cis-1,2-Dichloroethene	156-59-2	1.6		1.6	6.3		6.3
1,1,1-Trichloroethane	71-55-6	1.6	U	1.6	8.7	U	8.7
Benzene	71-43-2	1.6	U	1.6	5.1	U	5.1
1,2-Dichloroethane	107-06-2	1.6	U	1.6	6.5	U	6.5
Trichloroethene	79-01-6	230		1.6	1200		8.6
Toluene	108-88-3	1.6	U	1.6	6.0	U	6.0
1,1,2-Trichloroethane	79-00-5	1.6	U	1.6	8.7	U	8.7
Tetrachloroethene	127-18-4	1.6	U	1.6	11	U	11
Ethylbenzene	100-41-4	1.6	U	1.6	6.9	U	6.9
Xylene (m,p)	1330-20-7	4.0	U	4.0	17	U	17
Xylene (o)	95-47-6	1.6	U	1.6	6.9	U	6.9
1,1,2,2-Tetrachloroethane	79-34-5	1.6	U	1.6	11	U	11

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

SVSS-B10A-01

Lab Name: TAL Burlington

SDG Number: NY135184

Dilution Factor: 1.00

Sample Matrix: AIR

Lab Sample No.: 816302

Date Analyzed: 12/26/2009

Date Received: 12/18/2009

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Vinyl Chloride	75-01-4	0.20	U	0.20	0.51	U	0.51
1,1-Dichloroethene	75-35-4	0.20	U	0.20	0.79	U	0.79
trans-1,2-Dichloroethene	156-60-5	0.20	U	0.20	0.79	U	0.79
1,1-Dichloroethane	75-34-3	0.35		0.20	1.4		0.81
cis-1,2-Dichloroethene	156-59-2	0.20	U	0.20	0.79	U	0.79
1,1,1-Trichloroethane	71-55-6	0.40		0.20	2.2		1.1
Benzene	71-43-2	0.20	U	0.20	0.64	U	0.64
1,2-Dichloroethane	107-06-2	0.20	U	0.20	0.81	U	0.81
Trichloroethene	79-01-6	2.5		0.20	13		1.1
Toluene	108-88-3	0.20	U	0.20	0.75	U	0.75
1,1,2-Trichloroethane	79-00-5	0.20	U	0.20	1.1	U	1.1
Tetrachloroethene	127-18-4	15		0.20	100		1.4
Ethylbenzene	100-41-4	0.20	U	0.20	0.87	U	0.87
Xylene (m,p)	1330-20-7	0.50	U	0.50	2.2	U	2.2
Xylene (o)	95-47-6	0.20	U	0.20	0.87	U	0.87
1,1,2,2-Tetrachloroethane	79-34-5	0.20	U	0.20	1.4	U	1.4

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

SVSS-B13-01

Lab Name: TAL Burlington

SDG Number: NY135184

Dilution Factor: 1.00

Sample Matrix: AIR

Lab Sample No.: 816303

Date Analyzed: 12/26/2009

Date Received: 12/18/2009

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Vinyl Chloride	75-01-4	0.20	U	0.20	0.51	U	0.51
1,1-Dichloroethene	75-35-4	0.20	U	0.20	0.79	U	0.79
trans-1,2-Dichloroethene	156-60-5	0.20	U	0.20	0.79	U	0.79
1,1-Dichloroethane	75-34-3	0.20	U	0.20	0.81	U	0.81
cis-1,2-Dichloroethene	156-59-2	0.20	U	0.20	0.79	U	0.79
1,1,1-Trichloroethane	71-55-6	0.59		0.20	3.2		1.1
Benzene	71-43-2	0.20	U	0.20	0.64	U	0.64
1,2-Dichloroethane	107-06-2	0.20	U	0.20	0.81	U	0.81
Trichloroethene	79-01-6	0.21		0.20	1.1		1.1
Toluene	108-88-3	0.20	U	0.20	0.75	U	0.75
1,1,2-Trichloroethane	79-00-5	0.20	U	0.20	1.1	U	1.1
Tetrachloroethene	127-18-4	0.48		0.20	3.3		1.4
Ethylbenzene	100-41-4	0.20	U	0.20	0.87	U	0.87
Xylene (m,p)	1330-20-7	0.50	U	0.50	2.2	U	2.2
Xylene (o)	95-47-6	0.20	U	0.20	0.87	U	0.87
1,1,2,2-Tetrachloroethane	79-34-5	0.20	U	0.20	1.4	U	1.4

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

SVSS-B13A-01

Lab Name: TAL Burlington

SDG Number: NY135184

Dilution Factor: 1.00

Sample Matrix: AIR

Lab Sample No.: 816304

Date Analyzed: 12/26/2009

Date Received: 12/18/2009

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Vinyl Chloride	75-01-4	0.20	U	0.20	0.51	U	0.51
1,1-Dichloroethene	75-35-4	0.20	U	0.20	0.79	U	0.79
trans-1,2-Dichloroethene	156-60-5	0.20	U	0.20	0.79	U	0.79
1,1-Dichloroethane	75-34-3	0.20	U	0.20	0.81	U	0.81
cis-1,2-Dichloroethene	156-59-2	0.20	U	0.20	0.79	U	0.79
1,1,1-Trichloroethane	71-55-6	0.20	U	0.20	1.1	U	1.1
Benzene	71-43-2	0.20	U	0.20	0.64	U	0.64
1,2-Dichloroethane	107-06-2	0.20	U	0.20	0.81	U	0.81
Trichloroethene	79-01-6	0.20	U	0.20	1.1	U	1.1
Toluene	108-88-3	0.20	U	0.20	0.75	U	0.75
1,1,2-Trichloroethane	79-00-5	0.20	U	0.20	1.1	U	1.1
Tetrachloroethene	127-18-4	0.20	U	0.20	1.4	U	1.4
Ethylbenzene	100-41-4	0.20	U	0.20	0.87	U	0.87
Xylene (m,p)	1330-20-7	0.50	U	0.50	2.2	U	2.2
Xylene (o)	95-47-6	0.20	U	0.20	0.87	U	0.87
1,1,2,2-Tetrachloroethane	79-34-5	0.20	U	0.20	1.4	U	1.4

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

SVSS-B11-01

Lab Name: TAL Burlington

SDG Number: NY135184

Dilution Factor: 1.00

Sample Matrix: AIR

Lab Sample No.: 816305

Date Analyzed: 12/26/2009

Date Received: 12/18/2009

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Vinyl Chloride	75-01-4	0.20	U	0.20	0.51	U	0.51
1,1-Dichloroethene	75-35-4	0.20	U	0.20	0.79	U	0.79
trans-1,2-Dichloroethene	156-60-5	0.20	U	0.20	0.79	U	0.79
1,1-Dichloroethane	75-34-3	0.20	U	0.20	0.81	U	0.81
cis-1,2-Dichloroethene	156-59-2	1.3		0.20	5.2		0.79
1,1,1-Trichloroethane	71-55-6	0.20	U	0.20	1.1	U	1.1
Benzene	71-43-2	0.20	U	0.20	0.64	U	0.64
1,2-Dichloroethane	107-06-2	0.20	U	0.20	0.81	U	0.81
Trichloroethene	79-01-6	12		0.20	64		1.1
Toluene	108-88-3	0.20	U	0.20	0.75	U	0.75
1,1,2-Trichloroethane	79-00-5	0.20	U	0.20	1.1	U	1.1
Tetrachloroethene	127-18-4	0.82		0.20	5.6		1.4
Ethylbenzene	100-41-4	0.20	U	0.20	0.87	U	0.87
Xylene (m,p)	1330-20-7	0.50	U	0.50	2.2	U	2.2
Xylene (o)	95-47-6	0.20	U	0.20	0.87	U	0.87
1,1,2,2-Tetrachloroethane	79-34-5	0.20	U	0.20	1.4	U	1.4

**TO-14/15
Result Summary**

CLIENT SAMPLE NO

SVSS-DUP

Lab Name: TAL Burlington

SDG Number: NY135184

Dilution Factor: 1.00

Sample Matrix: AIR

Lab Sample No.: 816306

Date Analyzed: 12/26/2009

Date Received: 12/18/2009

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Vinyl Chloride	75-01-4	0.20	U	0.20	0.51	U	0.51
1,1-Dichloroethene	75-35-4	0.20	U	0.20	0.79	U	0.79
trans-1,2-Dichloroethene	156-60-5	0.20	U	0.20	0.79	U	0.79
1,1-Dichloroethane	75-34-3	0.20	U	0.20	0.81	U	0.81
cis-1,2-Dichloroethene	156-59-2	1.4		0.20	5.6		0.79
1,1,1-Trichloroethane	71-55-6	0.20	U	0.20	1.1	U	1.1
Benzene	71-43-2	0.20	U	0.20	0.64	U	0.64
1,2-Dichloroethane	107-06-2	0.20	U	0.20	0.81	U	0.81
Trichloroethene	79-01-6	13		0.20	70		1.1
Toluene	108-88-3	0.20	U	0.20	0.75	U	0.75
1,1,2-Trichloroethane	79-00-5	0.20	U	0.20	1.1	U	1.1
Tetrachloroethene	127-18-4	0.83		0.20	5.6		1.4
Ethylbenzene	100-41-4	0.20	U	0.20	0.87	U	0.87
Xylene (m,p)	1330-20-7	0.50	U	0.50	2.2	U	2.2
Xylene (o)	95-47-6	0.20	U	0.20	0.87	U	0.87
1,1,2,2-Tetrachloroethane	79-34-5	0.20	U	0.20	1.4	U	1.4