



GTE Operations Support Incorporated
One Verizon Way (VC34W414)
Basking Ridge, NJ 07920-1097
(908) 559-3691

September 3, 2013

Thomas Festa
New York State Department of Environmental Conservation
Division of Environmental Remediation
625 Broadway, 12th Floor
Albany, NY 12233-7017

Re: *June 2013 Indoor Air Sampling Report*

Dear Mr. Festa:

Attached are the June 2013 indoor air sampling results for the former Philips Display Components facility in Seneca Falls, New York. Volatile organic compounds, primarily trichloroethene, were reported in indoor air. Three subslab depressurization and one ventilation system continue to operate.

The next monitoring event is tentatively scheduled for the week of September 16, 2013.

Please call me at (908) 559-3691 if you have any questions.

Sincerely,

Pam M. Cox /MAF

Pam M. Cox
Manager – Workplace Safety & Environmental Compliance

ATTACHMENTS

Attachment A – June 2013 Indoor Air Sampling Event Summary
Attachment B – Figures
Attachment C – Tables
Attachment D – Data Validation Report

CD:

Mr. Ray Larkin
Environmental Consultant
9 Hawthorne Court
North Kingstown, RI 02852-4646

ecc:

Ms. Patricia Jones
Seneca County Industrial Development Agency
1 DiPronio Drive
Waterloo, NY 13165-1681

Ms. Denise Radtke
NYS Dept of Environmental Conservation
625 Broadway
Albany, New York 12233-7252

Ms. Marzi Sharfaei
ARCADIS U.S., Inc.
2800 West Higgins Road, 10th Floor
Hoffman Estates, Illinois 60169

Mr. Daniel Lang
ARCADIS U.S., Inc.
855 Route 146, Suite 210
Clifton Park, NY 12065

Mr. Michael Hanna
Seneca Falls Specialty Company
21 McCoord Woods Drive
Fairport, NY 14450

Mr. Matt Dukat
H.P. Neun
100 Dunn Road
Lyons NY 14489

Mr. Nidal Azzam
U.S. Environmental Protection Agency
290 Broadway
New York, NY 10007-1866

Mr. Sam Ezekwo
USEPA, Region 2
Div. of Environ. Planning and Protection
290 Broadway, 22nd Floor
New York, NY 10007-1866

Ms. Melissa A. Menetti
New York State Department of Health
547 River Street
Troy, NY 12180

Attachment A
June 2013 Indoor Air Sampling Event Summary

In June 2013, indoor air samples were collected at the former Philips Display Components facility in Seneca Falls, New York (Figure 1). Indoor air samples are collected and analyzed quarterly to monitor the effectiveness of the following subslab depressurization (SSD) and ventilation systems:

- Building 9 Office Area crawl space ventilation system¹,
- Building 11 Area SSD system,
- Building 7 Area SSD system,
- Building 10 Area SSD system, and
- Building 1A sump/trench ventilation and SSD system.

These systems were installed to minimize volatile organic compound (VOC), primarily trichloroethene (TCE), concentrations in subslab vapor and indoor air. Either a digital manometer or U-tube vacuum indicator are used to confirm that the SSD systems and the sump/trench ventilation system are operating as designed. The manometer measures pressure at subslab monitoring points near the SSD systems. The U-tube vacuum indicator measures the negative pressure in the sump/trench ventilation system piping.

On June 19, 2013, twelve indoor, one duplicate, one crawl space, and two outdoor (ambient) air samples were collected. The sample locations are shown on Figures 2 through 6. Samples were analyzed by TestAmerica Laboratories, Inc. of Burlington, Vermont for 16 site-specific VOCs. The subslab samples were analyzed using United States Environmental Protection Agency (USEPA) Method TO-15. Crawl space and indoor- and outdoor-air samples were analyzed using low-level USEPA Method TO-15. Analytical results are provided in Tables 1 through 6 and displayed graphically on Figures 7 through 11.

Sampling, laboratory analysis, quality assurance and quality control, and data validation were conducted in accordance with the *Soil Vapor Intrusion Pathway Investigation Work Plan and Quality Assurance Project Plan* dated May 7, 2003. Data Validation Services, Inc. of North Creek, New York performed third-party data validation. Sample results are usable as reported or with minor qualifications (Attachment).

Concentration Trends

The June 2013 indoor air TCE concentrations ranged from 0.32 to 2.7 micrograms per cubic meter ($\mu\text{g}/\text{m}^3$), which was similar to the June 2012 concentration range (0.35 to 4.0 $\mu\text{g}/\text{m}^3$) and within the historical range (0.091 to 30 $\mu\text{g}/\text{m}^3$) during SSD system operation.

Building 9 Area

The Building 9 office indoor air TCE concentration (1.8 $\mu\text{g}/\text{m}^3$) was lower than the June 2012 TCE concentration (4.0 $\mu\text{g}/\text{m}^3$) and within the previous concentration range (0.12 to 30 $\mu\text{g}/\text{m}^3$). The Building 9 warehouse indoor air TCE concentration (1.1 $\mu\text{g}/\text{m}^3$) was slightly higher than the June 2012 TCE concentration (0.35 $\mu\text{g}/\text{m}^3$), but within the previous concentration range (0.091 to 51 $\mu\text{g}/\text{m}^3$).

¹The Building 9 Office Area crawl space ventilation system operated from November 2004 to June 2010.

The Building 9 crawlspace air TCE concentration (estimated at 19 $\mu\text{g}/\text{m}^3$) was the than the June 2012 concentration (23 $\mu\text{g}/\text{m}^3$) and within the previous concentration range (2.8 to 210 $\mu\text{g}/\text{m}^3$) (Figure 7 and Table 1).

Building 11 Area

The Building 11 Area comprises parts of Buildings 11, 11A, 13, and 13A.

The March 2013 Building 11 Area indoor air TCE concentrations ranged from 0.50 to 1.2 $\mu\text{g}/\text{m}^3$, which was slightly higher than the June 2012 concentrations (0.53 to 0.90 $\mu\text{g}/\text{m}^3$), and was within the previous concentration range (0.35 to 30 $\mu\text{g}/\text{m}^3$) during SSD system operation. The following table summarizes the March 2012 and 2013 Building 11 Area indoor air TCE concentrations.

Building	June 2013 TCE Concentration in Indoor Air ($\mu\text{g}/\text{m}^3$)	June 2012 TCE Concentration in Indoor Air ($\mu\text{g}/\text{m}^3$)
11	1.2	0.82
11A	1.0	0.90
13	0.50	0.53
13A	0.53	0.72

The Building 11 Area SSD system continues to sustain subslab negative pressures greater than 100 feet from the extraction wells.

Building 7 Area

The June 2013 TCE concentration in the Building 7 office area (1.4 $\mu\text{g}/\text{m}^3$) was similar to the June 2012 concentration (1.2 $\mu\text{g}/\text{m}^3$), but within the previous concentration range (0.82 to 18 $\mu\text{g}/\text{m}^3$) (Figure 9). The June 2013 warehouse indoor air TCE concentration (1.2 $\mu\text{g}/\text{m}^3$) was slightly higher than the June 2012 concentration (0.93 $\mu\text{g}/\text{m}^3$), but within the previous concentration range (0.64 to 18 $\mu\text{g}/\text{m}^3$) during SSD system operation.

The Building 7 SSD system continues to sustain negative subslab pressures greater than 45 feet from the extraction wells. Options for depressurizing additional portions of the subslab beneath Building 7 are being evaluated.

Building 10 Area

The Buildings 10 and 10A indoor air TCE concentrations were 0.84 and 0.32 $\mu\text{g}/\text{m}^3$, respectively. The concentrations were the same as or lower than the Building 10 and 10A June 2012 TCE concentrations (0.84 and 0.40 $\mu\text{g}/\text{m}^3$, respectively).

The Building 10 SSD system sustains negative subslab pressures greater than 100 feet from the extraction wells.


Building 1A Area

The Building 1A first floor indoor air TCE concentration ($2.7 \mu\text{g}/\text{m}^3$) was higher than the June 2012 concentration ($1.3 \mu\text{g}/\text{m}^3$), but was within the previous concentration range (0.059 to $27 \mu\text{g}/\text{m}^3$). The Building 1A basement indoor air TCE concentration ($13 \mu\text{g}/\text{m}^3$) was higher than the June 2012 concentration ($5 \mu\text{g}/\text{m}^3$), but within the previous concentration range (0.081 to $160 \mu\text{g}/\text{m}^3$).

Conclusions


The analytical results and field measurements indicate the ventilation and SSD systems are effective at sustaining negative differential pressures. Ventilation and SSD systems operation has continued to lower the indoor air VOC concentrations. Options for depressurizing additional portions of the subslab are being evaluated.


Attachment B
Figures





MAP SOURCE: USGS 7.5 MINUTE TOPOGRAPHIC SERIES, SENECA FALLS QUADRANGLE


APPROXIMATE SCALE IN MILES














Figure 7: Building 9 Area TCE Concentrations




Figure 8: Building 11 Area TCE Concentrations




Figure 9: Building 7 Area TCE Concentrations




Figure 10: Building 10 Area TCE Concentrations





Figure 11: Building 1A Area TCE Concentrations



Attachment C
Tables

Table 1
Building 9 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B9-01														
Description	BUILDING 9 OFFICE INDOOR AIR														
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Vinyl Chloride
7/15/2003	0.22	0.14 U	0.1 U	0.08 U	0.04 U	0.087	1.3	0.22	1.4	5	2	0.77	9.6	0.056 U	22
10/2/2003	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	2.2	0.67	1.1	2.8	1.2	0.68 U	4.1	0.4 U	30
1/20/2004	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	2.3	0.2 U	2.7	10	3.2	0.75	11	0.2 U	15
12/22/2004	0.17	0.069 U	0.055 U	0.04 U	0.04 U	0.077	2.7	0.27	0.87	3.3	1.2	3.1	5.7	0.04 U	4.6
3/31/2005	0.076	0.069 U	0.055 U	0.04 U	0.04 U	0.049	0.77	0.04 U	0.28	0.91	0.33	0.088	1.4	0.04 U	0.12
7/22/2005	0.1	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	2	0.16	2.9	8.3	2.4	0.52	9.4	0.04 U	4.3
9/20/2005	0.12	0.14 U	0.11 U	0.081 U	0.16 U	0.081 U	1.3	0.16	0.96	3.6	1.2	2.6	2.9	0.079 U	0.7
11/17/2005	0.26	0.069 U	0.055 U	0.04 U	0.04 U	0.065	2.9	0.67	0.96	3.4	1.2	0.95	5.3 J	0.04 U	42
1/11/2006	0.13	0.069 U	0.055 U	0.04 U	0.04 U	0.093	3.5	0.17	2	5.6	3	0.51	9.4	0.04 U	4
7/17/2006	0.23	0.21 U	0.16 U	0.12 U	0.12 U	0.34	3.1	1.1	4	18	6.5	8.8	10	0.12 U	4.2
12/12/2006	0.21	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.9	0.27	1.3	4.3	1.6	2	6.8	0.079 U	9.1
3/20/2007	0.44	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.1	0.52	1.1	3.8	1.3	2	4.5	0.16 U	14
6/21/2007	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.42	0.04	0.43	1.8	0.61	0.35	1.5	0.04 U	0.34
9/19/2007	0.071	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.51	0.04 U	0.32	1	0.36	0.31	1.8	0.04 U	0.37
12/11/2007	0.25	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.5	0.31	0.52	1.6	0.56	1.6	3.1	0.059 U	5.9
3/26/2008	0.14	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.4	0.4	0.48	1.8	0.65	0.52	4.1	0.079 U	5.3
6/17/2008	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.61	0.52	0.69	2.6	0.91	1.1	11	0.16 U	1.2
9/24/2008	0.18	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.51	0.075	0.43	1.6	0.56	1.6	2.8	0.04 U	2.6
12/18/2008	0.34	0.38 U	0.31 U	0.23 U	0.22 U	0.45 U	2.8	0.67	1.4	5.2	1.8	0.38 U	8.3	0.22 U	18
3/26/2009	0.38	0.082 U	0.065 U	0.049 U	0.048 U	0.11	1.1	0.12	0.43	1.4	0.52	0.16	4.1	0.048 U	1.2
6/25/2009	0.39	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.4	0.24	1.5	5.6	2.1	0.34 U	12	0.2 U	1.7
9/23/2009	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.96	0.16 U	0.91	3.3	1.3	0.27 U	14	0.16 U	0.34
3/24/2010	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.7	0.87	1.1	4	1.4	1.1	12	0.2 U	5.9
6/22/2010	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	0.67	0.12 U	0.69	2.5	1 J	0.2 U	5.7	0.12 U	0.91
9/23/2010	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.87	0.13	0.58	1.9	0.7	0.14	4.2	0.079 U	3
12/28/2010	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.65	0.14	0.22	0.69	0.25	0.1 U	3.2	0.059 U	3
3/23/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.52	0.096	0.35	0.95	0.34	0.11	2.3	0.04 U	3.8
6/22/2011	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.43	0.078	0.54	1.6	0.65	0.18	3.5	0.079 U	2.1
9/21/2011	0.084 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.094 NJ	0.55	0.055	0.056	0.087	0.043 U	0.1	0.66	0.04 U	1.8
12/20/2011	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.4	0.12	0.48	1.6	0.54	0.9	6.5	0.079 U	5.3
3/28/2012	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	1.7	0.12 U	0.6	2	0.71	5.8	6	0.12 U	1.3
6/14/2012	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.3	0.14 NJ	0.73	1.8	0.7	1.2	5.5	0.079 U	4
10/9/2012	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	0.66	0.12	0.3	0.91	0.29	0.2 U	1.7	0.12 U	5.8
1/3/2013	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.62	0.14	0.19	0.51	0.19	0.14 U	1.7	0.079 U	6.5
3/28/2013	0.068 U	0.086 UJ	0.068 U	0.051 U	0.2 U	0.1 U	0.45	0.14	0.16	0.4 J	0.19 J	0.085 U	0.95	0.05 U	4.3
6/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.25	0.35 NJ	0.41	1.4	0.46	0.094	2.1	0.04 U	1.8

Sample ID	IA-B9-CS														
Description	BUILDING 9 CRAWL SPACE AIR														
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Vinyl Chloride
10/2/2003	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	0.64	1.6	0.48	1.2	0.52	0.88	1.3	0.4 U	210
1/20/2004	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	1.6	0.95	1.4	4.8	1.7	0.54	7.2	0.2 U	75
12/22/2004	0.14	0.069 U	0.055 U	0.04 U	0.04 U	0.057	1.7	0.24	0.61	2.1	0.87	1.2	4.1	0.04 U	10
3/31/2005	0.076	0.069 U	0.055 U	0.04 U	0.04 U	0.04	0.51	0.19	0.22	0.65	0.22	0.14	0.9	0.04 U	15
7/22/2005	0.093	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	0.96	0.87	1.7	5.2	2.7	0.41	4.5	0.04 U	35
9/20/2005	0.55 U	0.69 U	0.55 U	0.4 U	0.79 U	0.4 U	0.96	1.1	0.83	3	1	1.4	3	0.4 U	43
11/17/2005	0.17	0.069 U	0.055 U	0.04 U	0.04 U	0.061	1.7	0.75	0.48	1.8	0.61	0.61	3.1 J	0.04 U	38
1/11/2006	0.12	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	2.4	0.29	1.2	3.8	1.6	0.35	6.4	0.04 U	11
7/17/2006	0.44 U	0.55 U	0.44 U	0.32 U	0.32 U	0.65 U	2.9	1.2	3.5	15	5.6	4.8	16	0.32 U	35
12/12/2006	0.17	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2.8	0.29	1.6	5.2	1.9	1.5	7.5	0.12 U	11
3/20/2007	0.27	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2.1	0.56	0.65	2.4	0.83	1	3.1	0.12 U	14
6/21/2007	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.13 U	0.44	0.17 U	0.35 U	0.17 U	0.27 U	0.15 U	0.16 U	12
9/19/2007	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.38	0.48	0.24	0.61	0.25	0.55	0.87	0.2 U	19
12/11/2007	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	1.1	0.21	0.32	1	0.4	0.75	1.9	0.12 U	10
3/26/2008	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.1	0.23	0.38	1.3	0.48	0.23	2.8	0.059 U	5.9
6/17/2008	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.42	0.87	0.56	1.9	0.65	0.62	3.5	0.2 U	18
9/24/2008	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.38	0.18	0.25	0.87	0.33	0.37	1.8	0.16 U	15
12/18/2008	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.6	0.31	0.78	2.6	0.96	0.27 U	4.5	0.16 U	15
3/26/2009	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.8	0.18	0.28	0.91	0.37	0.22	1.7	0.079 U	5.4
6/25/2009	0.43 U	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	1.5	0.39 NJ	1.4	4.8	1.7	0.54 U	17	0.31 U	24
9/23/2009	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.99	0.4	0.69	2.5	0.83	0.34 U	5.7	0.2 U	20
3/24/2010	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 NJ	1.2	0.29	0.61	2.4	0.87	0.38	3.5	0.04 U	5.4
9/22/2010	0.68 U	0.86 U	0.68 U	0.51 U	0.5 U	1 U	0.99	0.69	0.65	2.4	0.83	0.85 U	4.5	0.5 U	60
12/28/2010	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.49	0.12	0.11	0.29	0.11	0.14 U	0.71	0.079 U	8.5
3/23/2011	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.45	0.2 U	0.22 U	0.43 U	0.22 U	0.34 U	0.44	0.2 U	16
6/22/2011	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	0.39	0.42	0.52	1.4	0.5	0.68 U	4.6	0.4 U	48
9/21/2011	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	1.7	0.4 U	0.43 U	0.87 U	0.43 U	0.68 U	2.5	0.4 U	37
12/20/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.22	0.13	0.043 U	0.043 U	0.043 U	0.068 U	0.091	0.04 U	2.8
3/28/2012	0.27 UJ	0.34 UJ	0.27 UJ	0.2 UJ	0.2 UJ	0.4 UJ	0.66 J	0.2 UJ	0.58 J	2.3 J	0.87 J	0.87 J	5.8 J	0.2 UJ	14 J
6/14/2012	0.44 U	0.55 U	0.44 U	0.32 U	0.32 U	0.65 U	0.8	0.32 U	0.41	1	0.35	0.58	2.2	0.32 U	23
10/9/2012	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	0.49	0.4 U	0.43 U	0.87 U	0.43 U	0.68 U	0.76	0.4 U	29
1/3/2013	0.33 U	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	0.63	0.29	0.26 U	0.52 U	0.26 U	0.41 U	0.67	0.24 U	27
3/28/2013	0.33 U	0.41 UJ	0.33 U	0.24 U	0.96 U	0.49 U	0.33 NJ	0.48 U	0.26 U	0.52 UJ	0.96 UJ	0.41 U	0.23 U	0.24 U	14
6/19/2013	0.43 UJ	0.55 UJ	0.43 UJ	0.32 UJ	0.31 UJ	0.64 UJ	0.25 UJ	0.31 UJ	0.34 UJ	0.69 UJ	0.34 UJ	0.54 UJ	0.74 J	0.31 UJ	19 J

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative

Table 1
Building 9 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B9-02															
Description	BUILDING 9 WAREHOUSE INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,1-Dichloroethane	1,1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.15	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	1.1	0.056 U	0.35	0.93	0.34	1.9	2.1	0.056 U	0.22	0.02 U
10/2/2003	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	3.1	2.2	0.65	1.7	0.61	2	2.4	0.4 U	30	0.26 U
1/20/2004	0.41 U	0.51 U	0.41 U	0.3 U	0.3 U	0.3 U	5.1	3	16	65	16	7.5	9.8	0.3 U	24	0.19 U
3/20/2007	0.49	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	3.8	0.87	1.1	3.6	1.1	2.8	3.8	0.2 U	19	0.26 U
6/21/2007	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.45	0.083	0.48	1.4	0.37	0.39	2.1	0.04 U	0.3	0.051 U
9/19/2007	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.51	0.04 U	0.2	0.43	0.15	0.21	0.83	0.04 U	1	0.051 U
12/11/2007	0.33 U	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	2.5	0.99	0.74	2.4	0.87	5.5	4.5	0.24 U	19	0.31 U
3/26/2008	0.14	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.83	1.1	0.087 U	0.17 U	0.087 U	0.14	0.21	0.079 U	7	0.1 U
6/17/2008	0.1	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.58	0.79	0.83	2.8	0.91	0.56	2.3	0.04 U	1.6	0.051 U
9/24/2008	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.83	0.14	0.52	1.7	0.56	12	3	0.079 U	3.9	0.1 U
12/18/2008	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	4.8	1.8	2	6.9	2.7	0.68 U	12	0.4 U	46	0.51 U
3/26/2009	0.43 U	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	3.8	1.1	1.1	3.3	1.2	0.54 U	6.8	0.31 U	24	0.41 U
6/25/2009	0.43 U	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	3.5	0.79	3.5	12	4	0.75	26	0.31 U	2.3	0.41 U
9/23/2009	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.2	0.04 U	0.4	1.2	0.4	0.11	1.9	0.04 U	0.39	0.051 U
12/17/2009	0.87 U	1.1 U	0.87 U	0.65 U	0.63 U	1.3 U	2.4	1.7	0.87	2.9	1	1.1 U	4.1	0.63 U	51	0.82 U
3/24/2010	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.8	1.9	1.5	5.6	1.9	2	5.3	0.16 U	13	0.2 U
6/22/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.38	0.04 U	0.16	0.48	0.21 J	0.088	0.68	0.04 U	0.091	0.051 U
9/22/2010	0.068 U	0.086 U	0.068 U	0.051 U	0.05 U	0.1 U	3	0.11	0.73	2.2	0.72	0.12	4.6	0.05 U	0.63	0.064 U
12/28/2010	0.34 U	0.43 U	0.34 U	0.25 U	0.25 U	0.51 U	3.1	1.7	0.67	2	0.76	0.68	3.7	0.25 U	23	0.32 U
3/23/2011	0.11	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	3.3	0.67	1.6	3.6	1.2	0.58	4.1	0.079 U	11	0.1 U
6/22/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.62	0.04 U	0.54	0.98	0.35	0.19	0.99	0.04 U	0.15	0.051 U
9/21/2011	0.36	0.069 U	0.055 U	0.04 U	0.5	0.081 U	0.7	0.6	0.66	1.2	0.42	0.13	1.5	0.04 U	1.6	0.051 U
12/20/2011	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.1	0.49	0.17 U	0.17 U	0.17 U	1.7	0.43	0.16 U	17	0.2 U
3/28/2012	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.5	0.17	1.4	3.8	1.3	14	5.6	0.16 U	2.3	0.2 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.1	0.2 U	0.81	1.1	0.43	7.6	1.6	0.2 U	0.35	0.26 U
10/9/2012	0.43 U	0.55 U	0.43 U	0.32 U	0.31 U	0.64 U	1.1	0.33	0.69	1.6	0.76	0.54 U	1.5	0.31 U	16	0.41 U
1/3/2013	0.23 U	0.29 U	0.23 U	0.17 U	0.17 U	0.34 U	0.13 U	0.3	0.18 U	0.36 U	0.18 U	0.28 U	0.16 U	0.17 U	2.7	0.21 U
3/28/2013	0.16	0.14 UJ	0.11 U	0.081 U	0.32 U	0.16 U	0.97	0.47	0.48	0.81 J	0.35 J	0.14 U	1.2	0.079 U	6.1	0.1 U
6/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.27	0.46 NJ	0.66	2.1	0.67	0.078	1.9	0.04 U	1.1	0.051 U

Notes:
All values are shown in units of micrograms per cubic meter (µg/m³).
U - Not detected above reporting limit
J - Estimated
NJ - Tentative in identification and estimated

Table 2
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B11-01															
Description	BUILDING 11 INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.29	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	1.1	0.55	1.4	3.5	1.2	7.8	12	0.056 U	5	0.02 U
10/2/2003	2	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	3.8	4.8	1	3	1	6.8	11	0.4 U	36	0.26 U
1/20/2004	0.65	0.51 U	0.41 U	0.3 U	0.3 U	0.3 U	3.2	2.5	3	11	2.9	4.7	6	0.3 U	33	0.19 U
2/14/2006	0.65	0.069 U	0.055 U	0.04 UJ	0.099	0.04 U	3	1.6	1.9	4.3	2.6	6.6	5.3 J	0.04 U	59	0.064 J
6/28/2006	0.24	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.1	0.91	1.6	7.4	2.9	14	3.7	0.16 U	3.4	0.2 U
9/13/2006	0.4	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.6	0.83	0.74	2.2	0.83	6	3.6	0.2 U	20	0.26 U
12/12/2006	0.82	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	7	1.6	2.6	7.4	2.4	6.4	11	0.16 U	20	0.2 U
3/20/2007	0.87	0.21 U	0.16 U	0.12 U	0.23	0.24 U	4.5	1.5	1.1	4.3	1.4	3.5	7.5	0.12 U	9.1	0.15 U
6/21/2007	0.25	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.89	1.2	0.69	2.2	0.83	7.5	2.2	0.059 U	3.4	0.077 U
8/30/2007	0.093	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.58	0.25	0.52	1.4	0.52	1.8	1.5	0.04 U	0.7	0.051 U
9/19/2007	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.77	0.52	0.3	0.91	0.31	0.75	1.2	0.04 U	3.9	0.051 U
12/11/2007	0.87	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.9	2.3	1	3.7	1.3	8.8	5.3	0.2 U	18	0.26 U
3/26/2008	0.25	0.12 U	0.093 U	0.069 U	0.067 U	0.14 U	2.4	1.2	0.91	3.5	1.2	1.5	5.3	0.067 U	5.9	0.087 U
6/17/2008	0.25	0.12 U	0.093 U	0.069 U	0.067 U	0.13 U	1.2	2.1	1.8	6.9	2.3	2.7	2.5	0.067 U	4	0.084 U
9/24/2008	0.16	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.96	0.95	0.19	0.25	0.078	1.8	1.4	0.059 U	6.4	0.077 U
12/18/2008	0.6	0.21 U	0.16 U	0.12 U	0.15	0.24 U	2.9	1.9	1.1	3.8	1.3	0.64	5.3	0.12 U	14	0.15 U
3/26/2009	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.8	2.1	3.2	13	4.3	0.75	7.9	0.16 U	12	0.2 U
6/25/2009	0.37	0.43 U	0.34 U	0.25 U	0.25 U	0.49 U	3.1	2.6	3.6	13	4.8	1.2	17	0.25 U	5.4	0.31 U
9/23/2009	0.14	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.5	0.35	0.96	3.5	1.3	0.37	3.4	0.04 U	1.5	0.051 U
12/17/2009	0.55	0.62 U	0.5 U	0.37 U	0.36 U	0.73 U	2.4	3.2	1.5	5.6	2	0.62 U	6	0.36 U	26	0.46 U
3/24/2010	0.37	0.14 U	0.11 U	0.081 U	0.12	0.16 U	1.9	3.3	2.7	12	4.3	0.68	5.7	0.079 U	7.5	0.1 U
6/22/2010	0.12	0.082 U	0.065 U	0.049 U	0.048 U	0.1 U	0.99	1	1.1	4.3	1.5 J	0.42	3	0.048 U	2.8	0.064 U
9/22/2010	0.11 NJ	0.11 U	0.091 U	0.068 U	0.066 U	0.14 U	1.7	0.78	0.83	3.2	1.1	0.82	4.6	0.066 U	2.2	0.085 U
12/28/2010	0.34	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.4	1.2	0.63	2.3	0.85	1.1	2.6	0.079 U	5.6	0.1 U
3/23/2011	0.34	0.14 U	0.11 U	0.081 U	0.094	0.16 U	1.9	1.1	1.1	4.2	1.6	1.3	2.7	0.079 U	3.7	0.1 U
6/22/2011	0.15 U	0.19 U	0.15 U	0.11 U	0.11 U	0.23 U	0.99	0.47	1.5	5.9	2.3	1.6	4.5	0.11 U	0.98	0.14 U
9/21/2011	0.13 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.5	0.52	1	3.8	1.4	0.49	2	0.04 U	1.8	0.051 U
12/20/2011	0.28	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.3	0.65	1.2	4.5	1.7	2.9	1.9	0.079 U	4.8	0.1 U
3/28/2012	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	2.2	0.75	3.6	11	3.9	2.5	5.4	0.099 U	4.9	0.13 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.1	0.59	4.4	2.5	1.1	0.83	4.6	0.2 U	0.82	0.26 U
10/9/2012	0.36	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.3	0.66	0.75	2.9	1	0.27 U	0.92	0.16 U	9.5	0.2 U
1/3/2013	0.43	0.16 U	0.12 U	0.093 U	0.14	0.19 U	0.78	1.1	0.6	2.3	0.86	0.16 U	1.1	0.091 U	9.3	0.12 U
3/28/2013	0.15	0.069 UJ	0.055 U	0.04 U	0.16 U	0.081 U	0.74	0.47	0.55	1.3 J	0.53 J	0.068	0.87	0.04 U	1.4	0.051 U
6/19/2013	0.23	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.27	0.6 NJ	0.82	3.5	1.2	0.14	1.5	0.04 U	1.2	0.051 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated

Table 2
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B11-02															
Description	BUILDING 11A INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.56	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	1.6	1.8	4.7	15	3.7	18	10	0.056 U	39	0.02 U
10/2/2003	2.2	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	3.5	5.6	1	3.2	1	8.1	9.8	0.4 U	97	0.26 U
1/20/2004	0.65	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	3	3	3	12	3	5.4	6	0.2 U	42	0.13 U
2/14/2006	0.65	0.069 U	0.055 U	0.04 UJ	0.079	0.04 U	4.2	1.5	2	6.9 J	3 J	14 J	7.5 J	0.04 U	81	0.072 J
6/28/2006	0.23	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	1.9	1.1	1.8	6.9	2.9	14	4.5	0.12 U	3.9	0.15 U
9/13/2006	0.49	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.9	1.1	0.91	2.8	1.1	6.8	3.8	0.2 U	20	0.26 U
12/12/2006	0.87	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	7.3	2	2.6	6.9	2.3	6.8	9.8	0.16 U	21	0.2 U
3/20/2007	0.98	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	4.8	1.7	1.3	4.8	1.6	4.5	7.9	0.12 U	12	0.15 U
6/21/2007	0.22	0.096 U	0.076 U	0.057 U	0.056 U	0.12 U	1.2	0.71	0.87	2.9	1	5.6	2.9	0.056 U	2.5	0.074 U
8/30/2007	0.11	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.61	0.39	0.74	2.4	0.78	3	2.1	0.04 U	1.5	0.051 U
9/19/2007	0.21	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.8	0.79	0.52	2	0.61	1.3	2.1	0.059 U	5.4	0.077 U
12/11/2007	0.82	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	3.8	2.3	1.1	4.1	1.4	8.8	7.5	0.2 U	18	0.26 U
3/26/2008	0.23	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	3.1	1.1	1	3.8	1.3	1.3	7.9	0.12 U	4.8	0.15 U
6/17/2008	0.21	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	1.1	1.3	2.2 NJ	8.7	2.8	1.2	2.9	0.12 U	3	0.15 U
9/24/2008	0.15	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.2	0.87	1	4	1.7	0.75	3	0.059 U	5.9	0.077 U
12/18/2008	0.49	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.2	2.1	1.4	5.2	1.8	0.68	6.8	0.16 U	13	0.2 U
3/26/2009	0.19 NJ	0.23 U	0.18 U	0.13 U	0.13 U	0.27 U	4.5	2.3	3.3	13	4.2	0.81	9	0.13 U	13	0.17 U
6/25/2009	0.51	0.43 U	0.34 U	0.25 U	0.4 NJ	0.49 U	1.9	0.95 NJ	2.4 J	7.8 J	2.3 J	0.81	11	0.25 U	5.4	0.31 U
9/23/2009	0.12	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.3	0.3	0.87	3.2	1.2	0.31	3.2	0.12	1.8	0.077 U
12/17/2009	0.65	0.62 U	0.5 U	0.37 U	0.36 U	0.73 U	2.8	3.5	1.4	5.6	2	0.62 U	6	0.36 U	30	0.46 U
3/24/2010	0.4	0.14 U	0.11 U	0.081 U	0.13	0.16 U	2.3	3.8	3.3	15	5.2	0.81	6.8	0.079 U	9.1	0.1 U
6/22/2010	0.14	0.069 U	0.055 U	0.04 U	0.04 U	0.085 NJ	1.2	1.3	1.7	7.8	2.8 J	0.59	3.8 J	0.04 U	2.5	0.051 U
9/22/2010	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.6	0.9	0.86	3.3	1.1	0.93	4.8	0.079 U	2.3	0.1 U
12/28/2010	0.39	0.1 U	0.082 U	0.061 U	0.11	0.12 U	2.8	1.2	0.72	2.6	0.89	1.3	3.3	0.059 U	6.1	0.077 U
3/23/2011	0.43	0.14 U	0.11 U	0.081 U	0.13	0.16 U	2.4	1.4	1.3	5.2	1.9	1.6	3.3	0.079 U	4.6	0.1 U
6/22/2011	0.079 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.8	0.38	1.7	6	2.2	1.3	2.7	0.04 U	0.86	0.051 U
9/21/2011	0.11 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.1	0.34	0.86	3.2	1.2	0.38	1.3	0.04 U	1.2	0.051 U
12/20/2011	0.35	0.1 U	0.082 U	0.061 U	0.085 NJ	0.12 U	1.4	0.84	1.5 J	5.7 J	2.2 J	3.6 J	2.4 J	0.059 U	6.2	0.077 U
3/28/2012	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	1.4	0.44	2.8	8.3	2.9	1.7	4.8	0.099 U	2.9	0.13 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.5	0.5	4.1	4	1.6	1.5	4.6	0.2 U	0.9	0.26 U
10/9/2012	0.36	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.1	0.62	0.79	3	1	0.27 U	0.99	0.16 U	7.2	0.2 U
1/3/2013	0.42	0.19 U	0.15 U	0.11 U	0.11	0.22 U	0.92 J	1.2	0.81	3.3	1.2	0.18 U	1.3	0.11 U	9.3	0.14 U
3/28/2013	0.21	0.069 UJ	0.055 U	0.04 U	0.16 U	0.081 U	0.85	0.7 NJ	0.85	2.3 J	0.99 J	0.081	1.2	0.04 U	2.2	0.051 U
6/19/2013	0.18	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.25 J	0.44 NJ	0.69	2.1 J	0.68 J	0.17	1.1 J	0.04 U	1	0.051 U

Sample ID	SVSS-B11-01															
Description	BUILDING 11A SUB-SLAB VAPOR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/17/2003	1900 U	2400 U	1900 U	1400 U	1400 U	1400 U	1100 U	2600	1500 U	1500 U	1600 U	3700	1300 U	1400 U	160000	900 U
2/14/2006	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	11	8.7 U	22 U	8.7 U	31	7.5 U	7.9 U	540	5.1 U
12/12/2006	1.6 U	2.1 U	1.6 U	1.2 U	1.2 U	1.2 U	0.96 U	12	1.3 U	3.3 U	1.3 U	18	3.4 J	1.2 U	230	0.77 U
8/30/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	6.7	0.87 U	2.2 U	0.87 U	16	0.75 U	0.79 U	140	0.51 U
9/20/2007	1.6 U	2.1 U	1.6 U	1.2 U	1.2 U	1.2 U	0.96 U	17	1.3 U	3.3 U	1.3 U	20	1.1 U	1.2 U	240	0.77 U
12/11/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	10	0.87 U	2.2 U	0.87 U	12	0.75 U	0.79 U	110	0.51 U
12/18/2008	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	11	0.87 U	2.2 U	0.87 U	6.1	0.75 U	0.79 U	86	0.51 U
12/17/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	5.2	0.87 U	2.2 U	0.87 U	5.6	0.75 U	0.79 U	64	0.51 U
12/28/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	2.2	2.2	0.87 U	2.2	0.87 U	2.5	3.8	0.79 U	18	0.51 U
12/20/2011	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64	1.7	0.87 U	2.2 U	0.87 U	4.3	1.3	0.79 U	20	0.51 U
12/19/2012	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	1.3 J	2.2 J	0.87 UJ	2.2 UJ	0.87 UJ	2.6	1.4 J	0.79 U	20	0.51 U

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated

Table 2
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B13-01															
Description	BUILDING 13 INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.55	0.14 U	0.1 U	0.08 U	0.044	0.08 U	2.3	1.1	2.4	7.5	2.4	19	11	0.056 U	11	0.026
10/2/2003	2.8	0.34 U	0.27 U	0.2 U	0.52	0.2 U	1.9	4	0.69	2	0.74	4.8	3.8	0.2 U	13	0.13 U
1/20/2004	1	0.14 U	0.11 U	0.081 U	0.23	0.12	1.5	2.1	0.74	2.6	0.74	2.6	3.1	0.079 U	8.6	0.051 U
2/14/2006	1	0.069 U	0.055 U	0.04 U	0.14	0.04 U	3.1 D	1.1	3.9	9.6	3.4	3.8	6.8 J	0.04 U	41	0.056 J
6/28/2006	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.1	0.44	4.2	19	7.8	5.2	4.1	0.16 U	1.6	0.2 U
9/13/2006	1.6	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	3.8	1.5	2.9	10	4.3	9.5	5.7	0.12 U	16	0.15 U
12/12/2006	1.1	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	7.7	2.1	3.6	9.1	3.2	7.5	9.8	0.16 U	21	0.2 U
3/20/2007	0.82	0.14 U	0.11 U	0.081 U	0.17	0.16 U	3.8	0.83	1.3	4.3	1.5	1.8	7.5	0.079 U	5.4	0.1 U
6/21/2007	0.38	0.1 U	0.082 U	0.061 U	0.067	0.12 U	1.4	0.95	2	6.5	2.4	4.5	4.1	0.059 U	2.6	0.077 U
9/19/2007	0.45	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.3	1.3	2	6.9	2.5	1.3	2.9	0.079 U	6.4	0.1 U
12/11/2007	0.87	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.9	1.7	1.3	4.3	1.7	7.5	6	0.16 U	12	0.2 U
3/26/2008	0.2	0.12 U	0.093 U	0.069 U	0.067 U	0.14 U	2.7	0.48	0.83	3	1.1	0.61	3.7	0.067 U	2.6	0.087 U
6/17/2008	0.21	0.12 U	0.093 U	0.069 U	0.079	0.13 U	1.5	0.52	2.9 NJ	11 J	3.8	8.1	3.3	0.067 U	1.5	0.084 U
9/24/2008	1.6	0.1 U	0.082 U	0.061 U	0.39	0.12 U	0.8	0.63	0.96	3.5	1.1	0.31	3.8	0.059 U	4.1	0.077 U
12/18/2008	1.4	0.14 U	0.11 U	0.081 U	0.29	0.16 U	2	0.56	0.74	2.3	0.78	0.22	3.8	0.079 U	5.2	0.1 U
3/26/2009	0.65	0.14 U	0.11 U	0.081 U	0.14	0.16 U	1.9	1.3	1.4	5.2	1.7	0.63	5.3	0.079 U	7.5	0.1 U
6/25/2009	0.53	0.27 U	0.22 U	0.16 U	0.27	0.32 U	1.9	0.95	2.6	8.7	2.6	0.75	11	0.16 U	5.4	0.2 U
9/23/2009	0.39	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.2	0.95	1.8	6.9	2.2	0.66	6.4	0.079 U	3.5	0.1 U
12/17/2009	1.4	0.069 U	0.055 U	0.053	0.4	0.081 U	0.48	0.19	0.16	0.52	0.18	0.068 U	0.6	0.04 U	2.4	0.051 U
3/24/2010	1.2	0.069 U	0.055 U	0.049	0.34	0.081 U	0.73	0.33	0.48	1.7	0.56	0.16	2.1	0.04 U	1.8	0.051 U
6/22/2010	0.93	0.14 U	0.11 U	0.081 U	0.31	0.16 U	1.5	1.3	2.1	7.8	2.4 J	0.51	4.5	0.079 U	6.4	0.1 U
9/22/2010	0.27 J	0.27 UJ	0.22 UJ	0.16 UJ	0.16 UJ	0.32 UJ	3.5 J	1.1 J	1.3 J	4.6 J	1.5 J	1.2 J	7.3 J	0.16 UJ	3.7 J	0.2 UJ
12/28/2010	0.59	0.14 U	0.11 U	0.081 U	0.21	0.16 U	2.1	0.25	0.54	1.6	0.58	0.54	5.2	0.079 U	6.9	0.1 U
3/23/2011	0.72	0.069 U	0.055 U	0.04 U	0.18	0.081 U	0.79	0.44	0.45	1.7	0.6	0.67	1.3	0.04 U	2.1	0.051 U
6/22/2011	0.21	0.1 U	0.082 U	0.061 U	0.058	0.12 U	2.2	0.39	1.4	5	1.5	2.2	4.6	0.059 U	1.5	0.077 U
9/21/2011	0.82	0.069 U	0.055 U	0.04 U	0.15	0.081	1.7	0.97	1.8	7.1	2.5	1.2	3	0.04 U	2.8	0.051 U
12/20/2011	0.68	0.069 U	0.055 U	0.04 U	0.22 NJ	0.085 U	1.3	0.25 NJ	1.3	2.5	1 NJ	1.4	3.5	0.04 U	3.1	0.051 U
3/28/2012	0.39	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.1	0.61	7.1	3	1.6 NJ	0.9	9.8	0.2 U	3.9	0.26 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.5	0.2 U	9.4	1.5	1.3	0.34	7.9	0.2 U	0.53	0.26 U
10/9/2012	0.6	0.14 U	0.11 U	0.081 U	0.2	0.16 U	0.68	0.46	0.55	2.2	0.72	0.14 U	1	0.079 U	3.3	0.1 U
1/3/2013	0.69	0.069 U	0.055 U	0.04 U	0.21	0.081 U	0.56	0.3	0.48	2	0.61	0.15	1.1	0.04 U	2.6	0.051 U
3/28/2013	0.22 J	0.069 UJ	0.055 U	0.04 U	0.063 NJ	0.081 U	0.15	0.05	0.043 U	0.087 UJ	0.043 UJ	0.068 U	0.038 U	0.04 U	0.35	0.051 U
6/19/2013	0.15	0.069 U	0.055 U	0.04 U	0.08	0.081 U	0.16	0.04 U	0.28	1.1	0.33	0.068 U	1	0.04 U	0.5	0.051 U

Sample ID	SVSS-B13-01															
Description	BUILDING 13 SUB-SLAB VAPOR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/17/2003	18	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	3.6	0.056 U	1.5	22	6.6	37	11	0.056 U	2.8	0.02 U
2/14/2006	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	7.9 U	8.7 U	22 U	8.7 U	14 U	7.5 U	7.9 U	11 U	5.1 U
12/12/2006	8.2	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	13	0.75 U	0.79 U	1.3	0.51 U
12/11/2007	3.9	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	5.8	0.75 U	0.79 U	1.1	0.51 U
12/18/2008	3.5	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.67	0.79 U	0.87 U	2.2 U	0.87 U	3.5	1.3	0.79 U	1.6	0.51 U
12/17/2009	3.2	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	3.3	0.75 U	0.79 U	1.1	0.51 U
12/28/2010	2.1	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.68	0.79 U	0.87 U	2.2 U	0.87 U	2.6	1.1	0.79 U	2.1	0.51 U
12/20/2011	5.5 U	6.9 U	5.5 U	4 U	4 U	4 U	3.2 U	4 U	4.3 U	11 U	4.3 U	6.8 U	3.8 U	4 U	5.4 U	2.6 U
12/19/2012	2.2	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	1.2	0.79 U	0.87 U	2.2 U	0.87 U	4.2	2	0.79 U	1.1 U	0.51 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated

Table 2
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B13A-01															
Description	BUILDING 13A INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.58	0.14 U	0.1 U	0.08 U	0.054	0.08 U	2.6	1.2	3.1	9.6	3.1	20	12	0.056 U	11	0.02 U
10/2/2003	1.9	0.069 U	0.055 U	0.04 U	0.25	0.04 U	1.8	3.1	0.78	2.6	0.043 U	3.9	4.1	0.04 U	12	0.026 U
1/20/2004	1	0.21 U	0.16 U	0.12 U	0.12 U	0.12 U	1.2	1.5	0.56	1.7	0.56	2.2	2.6	0.12 U	7	0.077 U
2/14/2006	0.93	0.069 U	0.055 U	0.04 U	0.12	0.04 U	2.7	0.91	3.9	12	3.9	2.9	6.8 J	0.04 U	15	0.049 J
6/28/2006	0.23	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.4	0.67	4.8	21	8.3	8.1	4.5	0.16 U	2.2	0.2 U
9/13/2006	1.5	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.5	1.8	3	11	4.3	8.1	6	0.16 U	15	0.2 U
12/12/2006	1.1	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	6.7	1.8	3.7	9.1	3	6.8	9	0.16 U	19	0.2 U
3/20/2007	1.1	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	3.5	1.4	1.9	6.1	2.1	3	8.7	0.12 U	10	0.15 U
6/21/2007	0.41	0.082 U	0.065 U	0.049 U	0.095	0.1 U	1.2	1.1	3.7	9.6	3.5	5.2	4.1	0.048 U	3.1	0.064 U
9/19/2007	0.45	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.3	1.3	2.6	9.1	3.1	1.3	3.5	0.079 U	6.4	0.1 U
12/11/2007	0.93	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.5	1.7	1.3	4.3	1.5	8.1	4.5	0.16 U	12	0.2 U
3/26/2008	0.27	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.9	0.95	1.4	5.2	1.8	1.2	4.9	0.079 U	5.2	0.1 U
6/17/2008	0.25	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.7	0.75	4.3	17	6.1	0.75	4.5	0.079 U	1.9	0.1 U
9/24/2008	1.3	0.069 U	0.055 U	0.04 U	0.33	0.081 U	0.7	0.48	0.96	3.5	1.1	0.25	3.3	0.04 U	3.3	0.051 U
12/18/2008	1.3	0.14 U	0.11 U	0.081 U	0.28	0.16 U	1.3	0.56	0.52	1.7	0.61	0.22	2.4	0.079 U	4.7	0.1 U
3/26/2009	0.65	0.1 U	0.082 U	0.061 U	0.14	0.12 U	2.1	1.2	1.6	5.6	1.8	0.88	4.1	0.059 U	8.1	0.077 U
6/25/2009	0.35	0.17 U	0.14 U	0.1 U	0.11	0.2 U	1.9	0.48	2.7	9.1	2.6	0.5	7.9	0.099 U	3.3	0.13 U
9/23/2009	0.35	0.14 U	0.11 U	0.081 U	0.11	0.16 U	2.3	0.59	2	6.9	2.2	0.54	5.3	0.079 U	3.4	0.1 U
12/17/2009	1.5	0.069 U	0.055 U	0.065	0.37	0.081 U	0.54	0.25	0.36	1.2	0.38	0.095	0.94	0.04 U	2.7	0.051 U
3/24/2010	1.3	0.069 U	0.055 U	0.061	0.4	0.081 U	0.67	0.4	0.61	2	0.65	0.19	1.9	0.04 U	2.1	0.051 U
6/22/2010	0.82	0.1 U	0.082 U	0.061 U	0.25	0.12 U	1.2	0.67	2.8	9.6	3 J	0.41	4.5	0.059 U	4.7	0.077 U
9/22/2010	0.26 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	3.1	1.1	1.4	4.6	1.6	1.2	7.1	0.099 U	3.4	0.13 U
12/28/2010	0.75	0.069 U	0.055 U	0.041 NJ	0.2	0.081 U	1.3	0.096	0.26	0.67	0.24	0.14	1.4	0.04 U	2.3	0.051 U
3/23/2011	0.54	0.069 U	0.055 U	0.04 U	0.12	0.081 U	0.75	0.39	0.47	1.7	0.59	0.62	1.2	0.04 U	1.8	0.051 U
6/22/2011	0.33 NJ	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.5	0.4	1.8	6.8	2.2	2.9	3	0.079 U	2.4	0.1 U
9/21/2011	0.46	0.069 U	0.055 U	0.04 U	0.12	0.081 U	1.7	0.51 NJ	1.4	5.4	1.9	0.57	3	0.04 U	1.4	0.051 U
12/20/2011	0.5	0.069 U	0.055 U	0.04 U	0.17 NJ	0.081 U	0.97	0.25	1.2	2.7	1.1 NJ	1.4	3.1	0.04 U	2.7	0.051 U
3/28/2012	0.36	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.8	0.52	5.8	2.5	1.4 NJ	0.66	7.9	0.2 U	3.2	0.26 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.4	0.2 U	9.6	3.1	1.8 U	0.35	8	0.2 U	0.72	0.26 U
10/9/2012	0.33	0.069 U	0.055 U	0.04 U	0.12	0.081 U	0.44	0.25	0.69	2.5	0.89	0.068 U	1	0.04 U	1.6	0.051 U
1/3/2013	0.58	0.069 U	0.055 U	0.04 U	0.18	0.081 U	0.51	0.28	0.45	1.8	0.55	0.078	2	0.04 U	3.7	0.051 U
3/28/2013	0.34	0.069 U	0.055 U	0.04 U	0.086 J	0.087	0.55	0.17	0.66	0.75 J	0.3 J	0.068 U	0.62	0.04 U	1	0.051 U
6/19/2013	0.13	0.069 U	0.055 U	0.04 U	0.08	0.081 U	0.29	0.04 U	0.11	0.2	0.049	1.2	1.1	0.04 U	0.53	0.051 U

Sample ID	SVSS-B13A-01															
Description	BUILDING 13A SUB-SLAB VAPOR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/17/2003	1.4	0.28 U	0.2 U	0.16 U	0.08 U	0.16 U	0.32	1.2	0.17 U	0.59	0.24	5.1	0.35	0.11 U	53	0.04 U
2/14/2006	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	7.9 U	8.7 U	22 U	8.7 U	14 U	7.5 U	7.9 U	34	5.1 U
12/12/2006	1.9	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	11	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	64	0.51 U
12/11/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/18/2008	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/17/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/28/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/20/2011	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	1.1	0.79 U	1.1 U	0.51 U
12/19/2012	1.3	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated

Table 3
Building 7 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B7-01															
Description	BUILDING 7 WAREHOUSE INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.42	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	1.1	0.21	1.1	3.6	1.3	0.62	7	0.056 U	2.7	0.02 U
10/2/2003	0.45	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	1.4	0.95	1.6	3	0.87	0.62	2.5	0.2 U	13	0.13 U
1/20/2004	0.35	0.21 U	0.16 U	0.12 U	0.12 U	0.12 U	2.5	1	2.6	10	3.1	2.2	9.4	0.12 U	5.9	0.077 U
3/31/2005	0.15	0.069 U	0.055 U	0.04 U	0.04 U	1.4	1.2	0.12	0.74	3	1.1	0.28	3.4	0.04 U	1	0.026 U
12/12/2006	0.28	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	6.1	0.52	2.6	9.1	3.2	4.5	16	0.2 U	5.9	0.26 U
3/20/2007	0.43	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	3.5	0.95	0.87	2.8	1	2.4	5.3	0.2 U	18	0.26 U
6/21/2007	0.055	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.29	0.095	0.24	0.74	0.24	0.19	1.4	0.04 U	0.64	0.051 U
9/19/2007	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.42	0.075	0.23	0.56	0.22	0.14	1.4	0.04 U	1.1	0.051 U
12/11/2007	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2	0.63	0.78	2.5	0.87	3	5.3	0.12 U	3.9	0.15 U
3/26/2008	0.14	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.2	0.75	0.87	3.2	1.1	0.75	7.2	0.079 U	9.7	0.1 U
6/17/2008	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.2	0.44	1.3	4.8	1.7	0.35	6.8	0.079 U	1.5	0.1 U
9/25/2008	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	1.2	0.12	1.1	4	1.6	0.28	8.3	0.12 U	1.2	0.15 U
12/18/2008	0.6 U	0.76 U	0.6 U	0.45 U	0.44 U	0.89 U	5.8	0.52	4.3	14	4.8	0.75 U	27	0.44 U	6.4	0.56 U
3/26/2009	0.18 U	0.23 U	0.18 U	0.13 U	0.13 U	0.27 U	2.1	4.4	0.91	3.1	1.2	0.36	8.3	0.13 U	4.8	0.95
6/25/2009	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.8	0.34 NJ	2.1	6.5	2.4	0.34 U	13	0.2 U	2.5	0.26 U
9/23/2009	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.1	0.067	0.74	2.2	0.83	0.1 U	4.5	0.059 U	0.7	0.077 U
12/17/2009	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.8	0.26	1.5	5.6	2.1	0.14 U	7.2	0.079 U	5.4	0.1 U
3/24/2010	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	3.2	0.75	1.9	6.9	2.4	1.2	11	0.12 U	4.7	0.15 U
6/22/2010	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	0.73	0.099	0.61	2	0.87 J	0.17 U	4.9	0.099 U	1.1	0.13 U
9/22/2010	0.33 U	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	1.7	0.24 U	1.1	3.4	1.3	0.41 U	9.7	0.24 U	1.3	0.31 U
12/28/2010	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2	0.66	0.79	2.5	0.85	0.38	6.3	0.12 U	8.9	0.15 U
3/23/2011	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.7	0.14	0.89	3	0.98	0.19	4.2	0.079 U	1.6	0.1 U
6/22/2011	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.1	0.16 U	1.5	5.3	2	0.3	9.9	0.16 U	1	0.2 U
9/21/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.9	0.083	0.85	3.1	1.1	0.1	3.7	0.04 U	1.3	0.051 U
12/20/2011	0.055 U	0.099 U	0.055 U	0.04 U	0.04 U	0.094	0.87	0.17	0.68	2.6	0.99	3.4	2.7	0.04 U	3.5	0.051 U
3/28/2012	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	2.7	0.4 U	2.1	5.6	2	8.1	17	0.4 U	1.6	0.51 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.8	0.2 U	1	2.3	0.84	3.6	3.4	0.2 U	0.93	0.26 U
10/9/2012	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.3	0.3	0.74	2.4	0.8	0.27 U	5.7	0.16 U	11	0.2 U
1/3/2013	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1	0.64	0.44	1.3	0.5	0.34 U	2.8	0.2 U	20	0.26 U
3/28/2013	0.11	0.097 UJ	0.077 U	0.057 U	0.22 U	0.16	1	0.46	0.48	1.3 J	0.52 J	0.15	2.3	0.056 U	4.1	0.073 U
6/19/2013	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.33	0.28 NJ	0.44	1.5	0.55	0.14 U	3.5	0.079 U	1.2	0.1 U

Sample ID	SVSS-B7-01															
Description	BUILDING 7 SUB-SLAB VAPOR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2-Dichloroethane	Trichloroethane	Vinyl Chloride
7/17/2003	33 U	41 U	33 U	24 U	24 U	24 U	19 U	24 U	26 U	26 U	27 U	40	22 U	24 U	3300	15 U
12/12/2006	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	7.9 U	8.7 U	22 U	8.7 U	17	7.5 U	7.9 U	1700	5.1 U
3/20/2007	4.4 U	5.5 U	4.4 U	3.2 U	3.2 U	3.2 U	2.6 U	3.2 U	3.5 U	8.7 U	3.5 U	8.1	3 U	3.2 U	470	2 U
6/21/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.7	1.2	0.79 U	11	0.51 U
9/19/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.79	0.79 U	12	0.51 U
12/11/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	12	0.51 U
3/26/2008	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	70	0.51 U
6/17/2008	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	2	0.75 U	0.79 U	64	0.51 U
9/24/2008	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	1.2	0.79 U	24	0.51 U
12/18/2008	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	40	0.51 U
3/26/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	2	0.75 U	0.79 U	59	0.51 U
6/25/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	2.2	1.1	0.79 U	59	0.51 U
9/23/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.5	0.75 U	0.79 U	64	0.51 U
12/17/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.67	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	2.5	0.79 U	70	0.51 U
3/24/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	1.7 U	0.87 U	1.4 U	0.75 U	0.79 U	43	0.51 U
6/22/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	1.7 U	0.87 U	2.6	0.75 U	0.79 U	100	0.51 U
9/22/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	30	0.51 U
12/28/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	2.2	0.75 U	0.79 U	19	0.51 U
3/23/2011	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.7	0.94	0.79 U	28	0.51 U
6/22/2011	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.7	0.85	2.8	1.7	0.79 U	43	0.51 U
9/21/2011	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	1	0.79 U	2.5	10	3.4	1.4 U	15	0.79 U	13	0.51 U
12/20/2011	1.1 UJ	1.4 UJ	1.1 UJ	0.81 UJ	0.79 UJ	0.81 UJ	0.64 UJ	0.79 UJ	0.87 UJ	2.2 UJ	0.87 UJ	3.8 J	0.75 UJ	0.79 UJ	23 J	0.51 UJ
12/19/2012	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	5.6	0.8	0.79 U	23	0.51 U

Sample ID	IA-B7-02															
Description	BUILDING 7 OFFICE INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
9/21/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.38	0.04 U	0.21	0.63	0.21	0.068 U	1.4	0.04 U	0.82	0.051 U
12/20/2011	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.5	0.17	0.57	1.7	0.62	2	14	0.16 U	3.8	0.2 U
3/28/2012	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.49	3	0.12 U	1.5	3.9	1.4	9.5	6.3	0.12 U	1.8	0.15 U
6/14/2012	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	1.3	1.8	0.19 NJ	3.9	9.7	3.3	2.6	6.7	0.079 U	1.2	0.1 U
10/9/2012	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.43	0.6	0.16 U	0.37	0.94	0.35	0.27 U	1.5	0.16 U	6.8	0.2 U
1/3/2013	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.92	0.47	0.35	0.96	0.38	0.34 U	2.1	0.2 U	18	0.26 U
3/28/2013	0.11 U	0.14 U	0.11 U	0.081 U	0.32 U	0.44	0.82	0.38	0.83	1 J	0.54 NJ	0.14 U	2	0.079 U	4.6	0.1 U
6/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.82	0.37	0.04 U	0.79	2.3	0.89	0.1	3.6	0.04 U	1.4	0.051 U

Notes:
 All values are shown in units of micrograms per cubic meter (µg/m³).
 U - Not detected above reporting limit
 J - Estimated
 NJ - Tentative in identification and estimated

Table 4
Building 10 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B10-01															
Description	BUILDING 10 INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.2	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	0.9	0.7	0.59	1.8	0.69	6.4	4.3	0.056 U	4	0.02 U
10/2/2003	1.4	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	3.1	4	0.91	2.8	1	5.2	5.3	0.4 U	30	0.26 U
1/20/2004	0.5	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	3.5	4.4	6.9	29	6.9	8.1	8.7	0.2 U	26	0.13 U
2/14/2006	0.55	0.069 U	0.055 U	0.04 U	0.075	0.04 U	3.8	1.4	1.7	4.3	2.3	22	4.9 J	0.044	45	0.074 J
6/28/2006	0.25	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.2	4	1.6	6.1	2.5	20	4.5	0.16 U	9.7	0.2 U
9/13/2006	0.29	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.2	0.95	0.65	2	0.74	4.1	3.5	0.16 U	15	0.2 U
12/12/2006	1	0.55 U	0.44 U	0.32 U	0.32 U	0.65 U	7	2.6	2.4	6.9	2.5	10	9.4	0.32 U	32	0.41 U
3/20/2007	0.76	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	6.4	1.9	1	3.5	1.1	6.2	6	0.16 U	17	0.2 U
6/21/2007	0.13	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.67	0.63	0.39	1.3	0.43	2.5	1.6	0.04 U	2.4	0.051 U
9/19/2007	0.082	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.58	0.38	0.24	0.61	0.21	0.43	1.1	0.04 U	3	0.051 U
12/11/2007	0.65	0.55 U	0.44 U	0.32 U	0.32 U	0.65 U	2.6	2.8	0.74	2.5	0.91	9.5	3.8	0.32 U	24	0.41 U
3/26/2008	0.27	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	2.8	2.5	0.74	2.8	0.87	2.8	4.5	0.099 U	10	0.13 U
6/17/2008	0.24	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	0.77	3.2	1.9	6.9	2.3	1.7	2.6	0.099 U	5.4	0.13 U
9/24/2008	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	0.7	0.75	0.42	1.4	0.52	12	2.2	0.099 U	4.3	0.13 U
12/18/2008	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	4.2	2.9	1.7	6.5	2.1	1	11	0.4 U	37	0.51 U
3/26/2009	0.43 U	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	4.2	3.2	2.1	7.4	2.4	1.2	11	0.31 U	31	0.41 U
6/25/2009	0.43	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	4.5	7.5	4.8	18	6.1	3.1	28	0.31 U	13	0.41 U
9/23/2009	0.12	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.4	2.2	0.69	2.3	0.87	0.66	2.8	0.04 U	3.8	0.087
12/17/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	1.6 U	3.2	3.5	1.4	4.3	1.6	1.4 U	7.2	0.79 U	64	1 U
3/24/2010	0.25	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2.5	4.4	2.1	8.7	2.9	1.5	7.2	0.12 U	11	0.15 U
6/22/2010	0.16	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.2	1.8	0.83	3	1 J	0.75	2.2	0.04 U	4.4	0.056 NJ
9/22/2010	0.13 NJ	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.7	1.8	0.89	3.2	1	0.5	5.1	0.079 U	5	0.1 U
11/16/2010	0.91 U	1.1 U	0.91 U	0.68 U	0.66 U	1.4 U	4.9	4.5	2.3	7.2	2.5	73	14	0.66 U	21	0.85 U
12/28/2010	0.34 U	0.43 U	0.34 U	0.25 U	0.25 U	0.51 U	4.1	2.3	0.72	2.2	0.84	0.71	3.9	0.25 U	20	0.32 U
3/23/2011	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	2.6	0.96	1.1	2.9	1	0.64	3.7	0.099 U	11	0.13 U
6/22/2011	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.3	0.31	0.74	2.4	0.84	0.79	3.8	0.079 U	0.61	0.1 U
9/21/2011	0.071 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.84	0.64	0.61	2	0.7	0.19	1.5	0.04 U	1.4	0.051 U
12/20/2011	0.21	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	1.7	1.3	0.93	2.5	0.95	3.2	2	0.099 U	13	0.13 U
3/28/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.8	0.7	1.9	4.1	1.4	5.5	7.2	0.2 U	5.2	0.26 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.5	0.81	1.6	1.5	0.59	5.9	2.9	0.2 U	0.84	0.26 U
10/9/2012	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	1.5	0.81	0.46	1.2	0.43 U	0.68 U	0.98	0.4 U	23	0.51 U
1/3/2013	0.41 U	0.51 U	0.41 U	0.3 U	0.3 U	0.6 U	0.9	1.6	0.32 U	1.1	0.43 J	0.51 U	1.2	0.3 U	27	0.38 U
3/28/2013	0.16	0.086 U	0.068 U	0.051 U	0.2 U	0.1 U	0.86	0.72	0.47	0.77 J	0.33 J	0.085 U	1	0.05 U	5.1	0.064 U
6/19/2013	0.15	0.069 U	0.055 U	0.04 U	0.043	0.081 U	0.18	0.96	0.063	0.16	0.044	0.25	0.7	0.04 U	0.84	0.051 U

Sample ID	SVSS-B10-01															
Description	BUILDING 10 SUB-SLAB VAPOR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/17/2003	26 U	32 U	26 U	19 U	19 U	19 U	15 U	38	20 U	20 U	21 U	32 U	18 U	19 U	2700	12 U
2/14/2006	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	11	8.7 U	22 U	8.7 U	14 U	7.5 U	7.9 U	1100	5.1 U
12/12/2006	16 U	21 U	16 U	12 U	12 U	12 U	9.6 U	26	13 U	33 U	13 U	20 U	11 U	12 U	3200	7.7 U
12/11/2007	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	14	8.7 U	22 U	8.7 U	14 U	7.5 U	7.9 U	1800	5.1 U
6/18/2008	28 U	35 U	28 U	21 U	20 U	21 U	16 U	20 U	22 U	56 U	22 U	35 U	19 U	20 U	2300	13 U
12/18/2008	8.7 U	11 U	8.7 U	6.5 U	6.3 U	6.5 U	5.1 U	6.7	6.9 U	17 U	6.9 U	11 U	6 U	6.3 U	1700	4.1 U
12/17/2009	8.7 U	11 U	8.7 U	6.5 U	6.3 U	6.5 U	5.1 U	6.3	6.9 U	17 U	6.9 U	11 U	6 U	6.3 U	1200	4.1 U
12/28/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	2.9	0.87 U	2.2 U	0.87 U	3.6	3.7	0.79 U	130	0.51 U
12/20/2011	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	6.5 J	1.3 J	0.79 U	34 J	0.51 U
12/19/2012	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	22	0.51 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated

Table 4
Building 10 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B10A-01															
Description	BUILDING 10A INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.3	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	2.3	0.89	2.1	7.5	2.7	7.6	11	0.056 U	4.5	0.02 U
10/2/2003	1.1	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	1.5	2.2	0.65	2	0.74	2.7	3.3	0.2 U	12	0.13 U
1/20/2004	0.49	0.21 U	0.16 U	0.12 U	0.12 U	0.15	2.7	4.8	2.3	9.1	2.4	5.4	6	0.12 U	19	0.1
2/14/2006	0.49 J	0.069 U	0.055 U	0.04 U	0.056	0.04 U	2.8	1.1	1.3	3.4	1.8	6	3.8 J	0.04 U	32	0.066 J
6/28/2006	0.29	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.7	4.8	2.3	9.1	3.6	22	6.4	0.2 U	9.1	0.26 U
9/13/2006	0.34	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.4	0.38	0.69	2.3	0.78	3	2.8	0.079 U	7	0.1 U
12/12/2006	1.4	0.55 U	0.44 U	0.32 U	0.32 U	0.65 U	7.7	3	2.8	7.8	2.5	12	10	0.32 U	32	0.41 U
3/20/2007	0.76	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.8	1.9	0.78	2.9	1	6.1	4.9	0.16 U	15	0.2 U
6/21/2007	0.21	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.64	1.3	0.52	1.7	0.56	3.2	2.4	0.04 U	3	0.051 U
9/19/2007	0.27	0.082 U	0.065 U	0.049 U	0.048 U	0.1 U	0.7	1.2	0.42	1.3	0.48	0.81	1.5	0.048 U	4.9	0.064 U
12/11/2007	0.82	0.41 U	0.33 U	0.24 U	0.24 U	3.1	2.6	3.3	0.78	2.2	0.69	12	4.1	0.24 U	23	0.31 U
3/26/2008	0.28	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.7	3.2	0.87	3.2	1.1	2.6	4.5	0.079 U	9.7	0.1 U
6/17/2008	0.19	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.64	1.4	1.4 NJ	5.2	1.8	1.2	2.1	0.079 U	2.8	0.1 U
9/24/2008	0.19	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.83	1.5	0.48	1.8	0.65	3.1	2.3	0.059 U	4.8	0.077 U
12/18/2008	0.51	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	3.5	3.3	1.5	6.1	1.9	1.3	8.7	0.24 U	19	0.31 U
3/26/2009	0.43 U	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	4.2	5.2	2.3	9.6	3	1.8	12	0.31 U	21	0.41 U
6/25/2009	0.65	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	4.5	8.7	5.2	17	5.2	4.1	28	0.31 U	15	0.41 U
9/23/2009	0.28	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	2.6	4	1	3.4	1.2	1.8	4.5	0.059 U	4.6	0.12
12/17/2009	0.43 U	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	2.9	4	1.3	4.8	1.6	0.88	7.2	0.31 U	25	0.41 U
3/24/2010	0.28	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2.7	5.2	2.5	10	3.6	1.1	8.3	0.12 U	9.7	0.15 U
6/22/2010	0.34	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.3	4.4	1.2	4.8	1.6 J	1.4	4.1	0.059 U	6.4	0.095 NJ
9/22/2010	0.17	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	1.9	1.9	0.91	3.2	1.1	0.72	5.3	0.12 U	3.8	0.15 U
12/28/2010	0.29	0.21 U	0.17 U	0.13 U	0.12 U	0.25 U	5.9	3.6	1.1	3.4	1.2	0.97	6.4	0.12 U	13	0.16 U
3/23/2011	0.24	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.2	1.9	1.1	3.6	1.2	0.8	4.9	0.079 U	5.7	0.1 U
6/22/2011	0.14 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.9	0.51	0.75	2.6	0.93	1.2	2.2	0.04 U	0.91	0.051 U
9/21/2011	0.14 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.3	0.67	0.61	2.1	0.76	0.24	1.7	0.04 U	1.1	0.051 U
12/20/2011	0.28	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	1.8	2.1	0.98	3.3	1.2	3.7	2.7	0.099 U	8	0.13 U
3/28/2012	0.17	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2.6	1.3	2.3	4.6	1.7	3.7	5.6	0.12 U	5.7	0.15 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.7	0.42	0.77	0.73	0.25	0.8	1.4	0.2 U	0.4	0.26 U
10/9/2012	0.37	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.81	1.3	0.38	1.1	0.37	0.27 U	0.76	0.16 U	7.9	0.2 U
1/3/2013	0.45	0.32 U	0.25 U	0.19 U	0.18 U	0.37 U	1.1	1.8	0.37	1.2	0.46	0.31 U	1.3	0.18 U	18	0.23 U
3/28/2013	0.22	0.069 UJ	0.055 U	0.04 U	0.16 U	0.082 NJ	0.97	1.3	0.57	1.1 J	0.48 J	0.23	1.3	0.04 U	2.7	0.051 U
6/19/2013	0.11	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.1	0.34	0.16	0.61	0.23	0.068 U	0.46	0.04 U	0.32	0.051 U

Sample ID	SVSS-B10A-01															
Description	BUILDING 10A SUB-SLAB VAPOR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/17/2003	14	3.2 U	2.3 U	2.5	0.9 U	1.8 U	3.4 U	10	2 U	3.8 U	2 U	920	3.2	1.3 U	120	0.45 U
2/14/2006	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	7.9 U	8.7 U	22 U	8.7 U	44	7.5 U	7.9 U	11 U	5.1 U
12/12/2006	3.4	1.4 U	1.1 U	2.1	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	140	2.6	0.79 U	20	0.51 U
12/11/2007	1.1	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	81	0.75 U	0.79 U	9.1	0.51 U
12/18/2008	2.5	1.4 U	1.1 U	1.5	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	95	0.75 U	0.79 U	10	0.51 U
12/17/2009	2.2	1.4 U	1.1 U	1.4	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	100	0.75 U	0.79 U	13	0.51 U
12/28/2010	2.5	1.4 U	1.1 U	1.8	0.79 U	0.81 U	0.64 U	0.79 U	1	4	1.7	49	3.3	0.79 U	13	0.51 U
12/20/2011	2.3	1.4 U	1.1 U	1.8	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	50	0.96	0.79 U	12	0.51 U
12/19/2012	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	1.6	0.79 U	0.87 U	2.2 U	0.87 U	20	1.8	0.79 U	5.7	0.51 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated

Table 5
Building 1A Basement and First Floor Indoor Air Sample Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B1A-01															
Description	BUILDING 1A FIRST FLOOR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.63	0.14 U	0.1 U	0.08 U	0.04 U	0.95	1.8	0.89	3.4	12	3.5	25	52	0.056 U	6.9	0.02 U
10/2/2003	0.35 J	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	1.3	1.5	0.91	2.6	0.74	1.9	11	0.2 U	10	0.13 U
1/20/2004	0.19	0.14 U	0.11 U	0.081 U	0.079 U	0.14	0.89	0.59	0.61	1.7	0.56	8.1	2.8	0.079 U	2.1	0.051 U
12/12/2006	0.21	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	3.5	0.71	2	6.1	1.4	3.6	8.7	0.12 U	9.1	0.15 U
3/20/2007	0.26	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.3	0.75	0.78	2.6	0.61	0.88	3.4	0.16 U	12	0.2 U
6/21/2007	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.24	0.04 U	0.21	0.74	0.18	0.095	1.5	0.04 U	0.39	0.051 U
9/19/2007	1	0.69 U	0.55 U	0.4 U	0.4 U	0.97	1.2	0.67	3.8	12	2.1	2.4	17	0.4 U	3.4	1.6
12/11/2007	0.093	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.4	0.32	0.61	1.7	0.4	1.6	2.9	0.059 U	2.9	0.077 U
3/26/2008	0.098	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.4	0.28	0.74	2.6	0.69	0.75	1.9	0.059 U	4.9	0.077 U
6/17/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.14	0.04 U	0.65	2.6	0.74	0.068 U	2.1	0.04 U	0.059	0.051 U
9/24/2008	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.89	0.48	1	3.2	0.96	0.88	11	0.16 U	2.3	0.2 U
12/18/2008	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	4.8	0.59	0.78	2.9	1	0.56	6.8	0.12 U	9.7	0.15 U
3/26/2009	0.18 U	0.23 U	0.18 U	0.13 U	0.13 U	0.27 U	3.8	1	1.1	3.7	1.2	0.46	8.7	0.13 U	7	0.17 U
6/25/2009	0.18 U	0.23 U	0.18 U	0.13 U	0.13 U	0.27 U	1.7	0.27	1.1	3.8	1.1	0.22 U	7.2	0.13 U	0.59	0.17 U
9/23/2009	0.82 U	1 U	0.82 U	0.61 U	0.59 U	1.2 U	2.4	0.59 U	6.1	17	3.9	1 U	37	0.59 U	2.7	0.77 U
12/17/2009	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.7	0.52	0.69	2.3	1.1	0.58	4.5	0.079 U	3.7	0.1 U
3/24/2010	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.3	1	1	3.2	0.83	0.6	4.9	0.079 U	7.5	0.1 U
6/22/2010	0.44 U	0.56 U	0.44 U	0.33 U	0.32 U	0.65 U	1.9	2.7	2	6.5	1.8	0.75	9	0.32 U	27	0.41 U
8/30/2010	0.069 NJ	0.069 UJ	0.055 U	0.04 U	0.04 U	0.081 U	0.7	0.094	0.67	2	0.67	0.13	3.4	0.04 U	1.5	0.051 U
9/22/2010	0.33 U	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	1.6	0.24 U	2.4	11	2.9	0.43	16	0.24 U	2.4	0.31 U
12/28/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.8	0.071	0.17	0.55	0.19	0.1	1.6	0.04 U	1.1	0.051 U
3/23/2011	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2	0.59	0.45	1.3	0.46	0.58	2.5	0.079 U	6.8	0.1 U
6/22/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.35	0.04 U	0.48	1.3	0.47	0.11	3.5	0.04 U	0.26	0.051 U
9/21/2011	0.096 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.22	0.44	0.16	0.094	0.32	0.12	0.081	0.4	0.04 U	0.75	0.051 U
12/20/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.11	0.52	0.086	0.8	3.7	1.4	2.8	1.3	0.04 U	1.1	0.051 U
3/28/2012	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.32	0.079 U	0.38	0.82	0.29	0.18	3.5	0.079 U	1.3	0.1 U
6/14/2012	0.068 U	0.086 U	0.068 U	0.051 U	0.05 U	0.14	1.1	0.29	0.54	1.8	0.62	0.16	3.8	0.05 U	1.3	0.064 U
10/9/2012	0.28	0.21 U	0.16 U	0.12 U	0.12 U	0.33	0.83	0.55	0.74	2.4	0.74	1.1	4	0.12 U	5.2	0.15 U
1/3/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.09 NJ	0.96	0.12	0.18	0.51	0.17	0.28	2	0.04 U	1.6	0.051 U
3/28/2013	0.055 U	0.069 UJ	0.055 U	0.04 U	0.16 U	0.081 U	0.93	0.08 U	0.12	0.29 J	0.1 NJ	0.071	1.1	0.04 U	0.95	0.051 U
6/19/2013	0.067	0.069 U	0.055 U	0.04 U	0.04 U	0.081	0.15	0.17 NJ	0.28	0.98	0.39	0.26	3.1	0.04 U	2.7	0.051 U

Sample ID	IA-B1A-BASE															
Description	BUILDING 1A BASEMENT															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
10/2/2003	0.6 J	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	0.77	5.2	0.43 U	1	0.43 U	1.8	3.1	0.4 U	160	0.26 U
1/20/2004	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	1.1	0.71	0.3	0.74	0.27	3.1	1.5	0.2 U	9.1	0.13 U
12/12/2006	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	2.7	2.8	1.7	5.2	1.3	3.8	6	0.4 U	45	0.51 U
3/20/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	1.6 U	3.5	4.8	0.87 U	2.1	0.87 U	1.4 U	3.3	0.79 U	81	1 U
6/21/2007	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.35	0.14	1.4	3.7	0.83	0.24	4.5	0.079 U	2.1	0.1 U
9/19/2007	0.43	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.45	0.29	0.48	1.4	0.32	1.1	2.2	0.079 U	7	0.1 U
12/11/2007	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.1	1.5	0.48	1.4	0.37	1.2	1.9	0.16 U	20	0.2 U
3/26/2008	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.73	1.1	0.32	0.91	0.3	0.56	1	0.16 U	17	0.2 U
6/17/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.14	0.04 U	0.091	0.33	0.1	0.068 U	1.8	0.04 U	0.081	0.051 U
9/24/2008	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.7	0.83	0.48	1.7	0.56	0.81	5.7	0.2 U	16	0.26 U
12/18/2008	0.35 U	0.45 U	0.35 U	0.26 U	0.26 U	0.53 U	2	1.5	0.56	2.1	0.78	0.52	4.5	0.26 U	24	0.33 U
3/26/2009	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	1.7	1.9	0.56	2.2	1.1	0.68 U	4.1	0.4 U	29	0.51 U
6/25/2009	0.071	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.5	0.079	0.43	1.6	0.52	0.095	3.1	0.04 U	0.27	0.051 U
9/23/2009	1.4 U	1.7 U	1.4 U	1 U	0.99 U	2 U	2.8	3.8	2.9	7.8	2	1.7 U	18	0.99 U	86	1.3 U
12/17/2009	0.33 U	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	1.1	0.91	0.26 U	0.78	0.28	0.54	1.5	0.24 U	14	0.31 U
3/24/2010	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.86	1.7	0.52	1.6	0.4	0.68	1.7	0.2 U	24	0.26 U
6/22/2010	2.2 U	2.7 U	2.2 U	1.6 U	1.6 U	3.3 U	2.3	12	1.7 U	4.8	1.7 U	2.7 U	6	1.6 U	120	2.1 U
8/30/2010	0.19 U	0.24 UJ	0.19 U	0.14 U	0.14 U	0.28 U	1.9	0.77	1.1	3.5	1.1	0.26	7.2	0.14 U	14	0.18 U
9/22/2010	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.8	0.16 U	0.91	3.9	1.1	0.27 U	9.4	0.16 U	4.5	0.2 U
12/28/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.96	0.074	0.17 NJ	0.53	0.17	0.18	2	0.04 U	1.8	0.051 U
3/23/2011	0.82 U	1 U	0.82 U	0.61 U	0.59 U	1.2 U	4.4	5.2	0.65 U	1.3 U	0.65 U	1 U	1	0.59 U	67	0.77 U
6/22/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.04 U	0.32	1.1	0.39	0.12	2.7	0.04 U	0.43	0.051 U
9/21/2011	0.12 NJ	0.1 U	0.082 U	0.061 U	0.059 U	0.27 U	0.55	0.24	0.35	0.73	0.19	0.81	2.3	0.059 U	5.1	0.077 U
12/20/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.49	0.11	0.43	2	0.79	1.6	0.71	0.04 U	1.6	0.051 U
3/28/2012	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.47	0.52	0.18	0.58	0.2	0.28	1	0.16 U	11	0.2 U
6/14/2012	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.73	0.24	0.46	1.5	0.52	0.2	2.6	0.079 U	5	0.1 U
10/9/2012	0.11	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.28	0.22	0.11	0.37	0.13	0.36	0.69	0.079 U	4.5	0.1 U
1/3/2013	0.16 U	0.42	0.16 U	0.12 U	0.12 U	0.24 U	0.74	0.21	0.19	0.57	0.23	0.25	6.6	0.12 U	3	0.15 U
3/28/2013	0.22 UJ	0.27 UJ	0.22 UJ	0.16 UJ	0.64 UJ	0.32 UJ	1.1 J	0.32 UJ	0.23 NJ	0.56 NJ	0.64 UJ	0.29 J	4.4 J	0.16 UJ	2.4 J	0.2 UJ
6/19/2013	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.16	0.58	0.24	0.82	0.37	0.35	2.5	0.16 U	13	0.2 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit shown

J - Estimated by data validator

NJ - Tentative in identification and estimated

Table 6
Ambient Air Sample Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	OA-B2-01															
Description	AMBIENT AIR OUTSIDE OF BUILDING 2															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2-Dichloroethane	Trichloroethane	Vinyl Chloride
7/15/2003	0.21	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	0.44	0.056 U	0.35	1.1	0.35	0.3	3.2	0.056 U	0.58	0.02 U
10/2/2003	0.16	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	0.38	0.04 U	0.13	0.35	0.13	0.068 U	0.64	0.04 U	0.52	0.026 U
1/20/2004	0.12	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	0.45	0.04 U	0.19	0.48	0.19	0.075	0.9	0.04 U	0.81	0.026 U
3/20/2007	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.089	0.58	0.04 U	0.043 U	0.087 U	0.043 U	0.088	0.22	0.04 U	2.8	0.051 U
6/21/2007	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.21	0.04 U	0.087	0.23	0.083	0.068 U	0.49	0.04 U	0.7	0.051 U
9/19/2007	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.32	0.04 U	0.15	0.38	0.13	0.11	1	0.04 U	0.31	0.051 U
12/11/2007	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.085	0.51	0.04 U	0.1	0.26	0.1	0.068 U	0.53	0.04 U	0.054 U	0.051 U
3/26/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.04 U	0.078	0.2	0.078	0.068 U	0.36	0.04 U	0.054 U	0.051 U
6/17/2008	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.24	0.04 U	0.16	0.52	0.2	0.068 U	1.7	0.04 U	0.054 U	0.051 U
9/24/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.16	0.04 U	0.091	0.26	0.091	0.068 U	0.57	0.04 U	0.054 U	0.051 U
12/18/2008	0.055	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.7	0.04 U	0.22	0.69	0.29	0.088	1.2	0.04 U	0.11	0.051 U
3/26/2009	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.081	0.7	0.12	0.25	1.3	0.65	0.14	0.98	0.04 U	0.086	0.051 U
6/25/2009	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.54	0.079 U	0.69	1.7	0.56	0.14 U	5.3	0.079 U	0.86	0.1 U
9/23/2009	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.42	0.04 U	0.48	0.74	0.26	0.075	1.2	0.075	0.91	0.051 U
12/17/2009	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.42	0.04 U	0.061	0.15	0.056	0.068 U	0.35	0.04 U	0.054 U	0.051 U
3/24/2010	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1	0.059 U	0.52	1.8	0.52	0.26	4.1	0.059 U	0.081 U	0.077 U
6/22/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.22	0.04 U	0.069	0.11	0.043 U	0.068	0.45	0.04 U	0.075	0.051 U
8/30/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.35	0.04 U	0.14	0.34	0.13	0.081	0.76	0.04 U	0.074	0.051 U
9/22/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.58	0.04 U	0.29	0.9	0.32	0.077	2.4	0.04 U	0.066	0.051 U
12/28/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.49	0.04 U	0.11	0.26	0.1	0.068 U	0.65	0.04 U	0.21	0.051 U
3/23/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.41	0.04 U	0.084	0.2	0.079	0.071	0.48	0.04 U	0.054 U	0.051 U
6/22/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.04 U	0.32	0.96	0.33	0.12	3.3	0.04 U	0.066	0.051 U
9/21/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.19	0.04 U	0.085	0.21	0.077	0.068 U	0.82	0.04 U	0.054 U	0.051 U
12/20/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.53	0.04 U	0.052	0.14	0.058	0.11	0.47	0.04 U	0.054 U	0.051 U
3/28/2012	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	0.31	0.099 U	0.5	0.95	0.34	0.17 U	4.7	0.099 U	0.13 U	0.13 U
6/14/2012	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.04 U	0.19	0.74	0.28	0.068 U	0.59	0.04 U	0.054 U	0.051 U
10/9/2012	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.23	0.04 U	0.043 U	0.087 U	0.043 U	0.068 U	0.35	0.04 U	0.11	0.051 U
1/3/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.52	0.04 U	0.096	0.26	0.1	0.068 U	0.53	0.04 U	0.075	0.051 U
3/28/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.16 U	0.081 U	0.35	0.2 U	0.059 U	0.15 J	0.4 U	0.068 U	0.27	0.04 U	0.054 U	0.051 U
6/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.068	0.04 U	0.043 U	0.087 U	0.043 U	0.15	0.18	0.04 U	0.085 U	0.051 U

Sample ID	OA-B11-01															
Description	AMBIENT AIR OUTSIDE OF BUILDING 11															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2-Dichloroethane	Trichloroethane	Vinyl Chloride
7/15/2003	0.18	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	0.32	0.056 U	0.16	0.32	0.14	0.14 U	1.4	0.056 U	0.074	0.02 U
10/2/2003	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	0.3	0.04 U	0.091	0.26	0.096	0.068 U	0.45	0.04 U	0.13	0.026 U
1/20/2004	0.11	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	0.45	0.04 U	0.15	0.34	0.13	0.068	0.68	0.04 U	0.12	0.026 U
3/20/2007	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.54	0.04 U	0.1	0.29	0.11	0.075	0.38	0.04 U	0.14	0.051 U
6/21/2007	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.15	0.04 U	0.061	0.16	0.052	0.068 U	0.32	0.04 U	0.12	0.051 U
8/30/2007	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.17	0.04 U	0.091	0.22	0.078	0.081	0.49	0.04 U	0.12	0.051 U
9/19/2007	0.055	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.29	0.04 U	0.15	0.43	0.13	0.12	0.6	0.04 U	0.11	0.051 U
12/11/2007	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.085	0.58	0.04 U	0.19	0.56	0.21	0.068 U	0.72	0.04 U	0.086	0.051 U
3/26/2008	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.31	0.04 U	0.065	0.2	0.083	0.068 U	0.37	0.04 U	0.054 U	0.051 U
6/17/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.13	0.04 U	0.12	0.38	0.11	0.068 U	0.75	0.04 U	0.086	0.051 U
9/24/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.14	0.04 U	0.096	0.24	0.083	0.068 U	0.64	0.04 U	0.07	0.051 U
12/18/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.54	0.04 U	0.18	0.48	0.21	0.095	1.1	0.04 U	0.13	0.051 U
3/26/2009	0.071	0.069 U	0.055 U	0.04 U	0.04 U	0.085	0.67	0.083	0.18	0.41	0.16	0.14	0.94	0.04 U	0.075	0.051 U
6/25/2009	0.071	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.32	0.04 U	0.23	0.69	0.23	0.088	1.4	0.04 U	0.075	0.051 U
9/23/2009	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.26	0.04 U	0.14	0.43	0.17	0.068 U	0.83	0.04 U	0.51	0.051 U
12/17/2009	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.38	0.04 NJ	0.065	0.18	0.074	0.068 U	0.35	0.04 U	0.11	0.051 U
3/24/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 NJ	0.51	0.04 U	0.15	0.43	0.16	0.095	1.1	0.04 U	0.081	0.051 U
6/22/2010	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.31	0.079	0.16	0.48	0.19 J	0.081	0.79	0.04 U	0.22	0.051 U
9/22/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.42	0.04 U	0.19	0.46	0.17	0.068 U	1.1	0.04 U	0.077	0.051 U
12/28/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.73	0.14	0.28	0.72	0.25	0.33	2.3	0.04 U	3.4	0.051 U
3/23/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.39	0.04 U	0.061	0.18	0.077	0.068 U	0.3	0.04 U	0.068	0.051 U
6/22/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.2	0.04 U	0.1	0.3	0.12	0.068 U	0.55	0.04 U	0.054 U	0.051 U
9/21/2011	0.057 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.54	0.084	0.22	0.66	0.24	0.16	1.1	0.04 U	0.32	0.051 U
12/20/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.45	0.04 U	0.043 U	0.043 U	0.043 U	0.068 U	0.16	0.04 U	0.21	0.051 U
3/28/2012	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.29	0.04 U	0.11	0.31	0.12	0.068 U	0.56	0.04 U	0.056	0.051 U
6/14/2012	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.26	0.058	0.32	0.46	0.17	0.11	0.83	0.04 U	1.2	0.051 U
10/9/2012	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.066	0.086	0.24	0.1	0.068 U	0.47	0.04 U	0.19	0.051 U
1/3/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.77	0.04 U	0.28	0.9	0.29	0.095	1.2	0.04 U	0.086	0.051 U
3/28/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.16 U	0.081 U	0.37	0.08 U	0.073 NJ	0.16 J	0.16 U	0.068 U	0.24	0.04 U	0.085	0.051 U
6/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.7	0.04 U	0.043 U	0.98	0.43 U	0.068 U	0.2	0.04 U	0.087	0.051 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated

Attachment D
Data Validation Report

Data Validation Services

120 Cobble Creek Road P.O. Box 208
North Creek, NY 12853

Phone 518-251-4429
harry@frontiernet.net

July 28, 2013

Mark Flusche
ARCADIS
855 Route 146 Suite 210
Clifton Park, NY 12065

RE: Validation of the Former Philips Display Components Facility, Seneca Falls Site Data Package
Indoor and Outdoor Air Samples
TestAmerica-VT SDG No. 200-17105-1

Dear Mr. Flusche:

Review has been completed for the data package generated by TestAmerica Laboratories (TAL-VT) that pertains to air samples collected on June 19, 2013 at the Seneca Falls, NY site. Fifteen 6-L summa canisters and a field duplicate were analyzed for sixteen site-specific volatile analytes using USEPA method TO-15.

Data validation was performed using guidance from the 2006 USEPA Region II validation SOP HW-31, with consideration for the specific requirements of the analytical methodology. The following items were reviewed:

- * Data Completeness
- * Case Narrative
- * Custody Documentation
- * Holding Times
- * Internal Standard Recoveries
- * Method and Canister Blanks
- * Blind Field Duplicate Correlation
- * Laboratory Control Samples (LCSs)
- * Instrumental Tunes
- * Initial and Continuing Calibration Standards
- * Method Compliance
- * Sample Result Verification

Those items showing deficiencies are discussed in the following sections of this report. All others were found to be acceptable as outlined in the above-mentioned validation procedures, and as applicable for the methodology. Unless noted specifically in the following text, reported results are substantiated by the raw data, and generated in compliance with project requirements.

In summary, all sample results are usable either as reported or with minor qualification.

The client and laboratory sample identifications and the laboratory case narrative are attached to this text, and should be reviewed in conjunction with this report. Also attached is the client Equis file edited to reflect the qualifiers and edits discussed in this report.

Chain-of-Custody/Sample Receipt

IA-B9-CS was received with excessive vacuum, and results for that sample have therefore been qualified as estimated in value.

Volatile Analyses by EPA TO-15

The detected results of cis-1,2-dichloroethene in IA-B1A-01, IA-B7-01, IA-B11-01, IA-B11-02, IA-B9-01, and IA-B9-02 Are qualified as tentative in identification and estimated in value due to interferences in the mass spectra.

The following detected results are edited to non-detection due to very poor mass spectral quality:

- cis-1,2-dichloroethene in IA-DUPE, IA-B13-01, IA-B13A-01, and IA-B7-02
- 1,1,1-trichloroethane in IA-B7-02, IA-B9-01, and IA-B9-02
- 1,2-dichloroethane in IA-B9-01 and IA-B9-02


The blind field duplicate evaluation of IA-B11-02 shows correlations above the validation guidelines (of 35%RPD/ $\geq \pm$ CRDL) for benzene, toluene, o-xylene, and m,p-xylene. The results for those analytes are to be qualified as estimated in the parent sample and the field duplicate.

Initial and continuing calibration standard responses fall within analytical requirements and validation guidelines.

Holding times and instrument tunes meet requirements. Method and canister blanks show no contamination. The clean canister certifications were reviewed during validation.

Please do not hesitate to contact me if questions or comments arise during your review of this report.

Very truly yours,



Judy Harry

VALIDATION DATA QUALIFIER DEFINITIONS

- U** The analyte was analyzed for, but was not detected above the level of the associated reported quantitation limit.
- J** The analyte was positively identified; the associated numerical value is an approximate concentration of the analyte in the sample.
- UJ** The analyte was not detected. The associated reported quantitation limit is an estimate and may be inaccurate or imprecise.
- NJ** The detection is tentative in identification and estimated in value. Although there is presumptive evidence of the analyte, the result should be used with caution as a potential false positive and/or elevated quantitative value.
- R** The data are unusable. The analyte may or may not be present.
- EMPC** The results do not meet all criteria for a confirmed identification. The quantitative value represents the Estimated Maximum Possible Concentration of the analyte in the sample.

**CLIENT and LABORATORY SAMPLE IDs
and LABORATORY CASE NARRATIVE**

SAMPLE SUMMARY

Client: ARCADIS U.S. Inc

Job Number: 200-17105-1

Sdg Number: 200-17105

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
200-17105-1	IA-B1A-01	Air	06/19/2013 1515	06/20/2013 1030
200-17105-2	IA-B1A-BASE	Air	06/19/2013 1351	06/20/2013 1030
200-17105-3	OA-B2-01	Air	06/19/2013 1515	06/20/2013 1030
200-17105-4	IA-B7-01	Air	06/19/2013 1511	06/20/2013 1030
200-17105-5	IA-B11-01	Air	06/19/2013 1408	06/20/2013 1030
200-17105-6	IA-B11-02	Air	06/19/2013 1449	06/20/2013 1030
200-17105-7	IA-DUPE	Air	06/19/2013 1449	06/20/2013 1030
200-17105-8	OA-B11-01	Air	06/19/2013 1449	06/20/2013 1030
200-17105-9	IA-B13-01	Air	06/19/2013 1404	06/20/2013 1030
200-17105-10	IA-B13A-01	Air	06/19/2013 1454	06/20/2013 1030
200-17105-11	IA-B7-02	Air	06/19/2013 1507	06/20/2013 1030
200-17105-12	IA-B9-CS	Air	06/19/2013 1533	06/20/2013 1030
200-17105-13	IA-B9-01	Air	06/19/2013 1506	06/20/2013 1030
200-17105-14	IA-B9-02	Air	06/19/2013 1504	06/20/2013 1030
200-17105-15	IA-B10-01	Air	06/19/2013 1458	06/20/2013 1030
200-17105-16	IA-B10A-01	Air	06/19/2013 1456	06/20/2013 1030

CASE NARRATIVE

Client: ARCADIS U.S. Inc

Project: Seneca Falls

Report Number: 200-17105-1

The samples in this sample set were analyzed by the EPA Compendium Method TO-15 for specific volatile organic constituents. Unless otherwise noted below, the analytical work followed the requirements outlined in the New Jersey DEP guidelines.

The practice of the laboratory is to analyze one canister from each batch of canisters that have been cleaned for re-use in order to certify the batch. The canisters that were used for this sampling event were from multiple batches. The certifying analyses were free of target analytes down to the concentration levels that are contractually required (nominally 0.2 PPBV). In order to provide for the lower level of detection required for canister certification, the laboratory analyzed a 500 milliliter volume. The laboratory's established practice for the analysis of field samples is based on the analysis of a 200 milliliter sample volume. Documentation of the analytical work supporting canister certification is included in the "Clean Can Certification" section of this submittal. Documentation of canister vacuum as delivered to, and received from, the field is included in the "Clean Can Certification" section of this submittal.

Manual integration was employed in deriving certain of the analytical results. The values that have been derived from manual integration are qualified on the quantitation reports, and extracted ion current profiles are included in the data package.

The following details the column type and trap design that were used in the performance of the analytical work for the sample in this sample set:

Chromatography Column - Restek RTX-624

Length - 60 meters

Inner Diameter - 0.32 millimeters

Film thickness - 1.8 micrometers

Trap Design - Entech Model 7100A (glass bead and Tenax with cryo-focusing)

A summary of the laboratory's current Method Detection Limits (MDLs) has been provided as part of this submittal, immediately following this transmittal letter.

RECEIPT

The samples were received on 06/20/2013; the samples arrived in good condition.

LOW LEVEL VOLATILE ORGANIC COMPOUNDS

Samples IA-B1A-01, IA-B1A-BASE, OA-B2-01, IA-B7-01, IA-B11-01, IA-B11-02, IA-DUPE, OA-B11-01, IA-B13-01, IA-B13A-01, IA-B7-02, IA-B9-CS, IA-B9-01, IA-B9-02, IA-B10-01 and IA-B10A-01 were analyzed for Low Level Volatile Organic Compounds in accordance with EPA Method TO-15. The samples were analyzed on 06/29/2013, 06/30/2013 and 07/01/2013.

Samples IA-B1A-BASE[4X], IA-B7-01[2X] and IA-B9-CS[7.94X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No difficulties were encountered during the Low Level VOC analysis.

All quality control parameters were within the acceptance limits.

QUALIFIED RESULTS FORMS

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-17105-1

Sdg Number: 200-17105

Client Sample ID: IA-B1A-01

Lab Sample ID: 200-17105-1

Date Sampled: 06/19/2013 1515

Client Matrix: Air

Date Received: 06/20/2013 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-57835	Instrument ID:	E.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efvh005.d
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	06/29/2013 1244			Final Weight/Volume:	500 mL
Prep Date:	06/29/2013 1244			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.042	NJ	0.010	0.010
1,1,1-Trichloroethane	0.012		0.010	0.010
Benzene	0.048		0.010	0.010
1,2-Dichloroethane	0.020		0.020	0.020
Trichloroethene	0.51		0.010	0.010
Toluene	0.82		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.038		0.010	0.010
Ethylbenzene	0.065		0.010	0.010
o-Xylene	0.091		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.23		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.17	NJ	0.040	0.040
1,1,1-Trichloroethane	0.067		0.055	0.055
Benzene	0.15		0.032	0.032
1,2-Dichloroethane	0.081		0.081	0.081
Trichloroethene	2.7		0.054	0.054
Toluene	3.1		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.26		0.068	0.068
Ethylbenzene	0.28		0.043	0.043
o-Xylene	0.39		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	0.98		0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-17105-1

Sdg Number: 200-17105

Client Sample ID: IA-B1A-BASE

Lab Sample ID: 200-17105-2

Date Sampled: 06/19/2013 1351

Client Matrix: Air

Date Received: 06/20/2013 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-57835	Instrument ID:	E.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efvh006.d
Dilution:	4.0			Initial Weight/Volume:	125 mL
Analysis Date:	06/29/2013 1339			Final Weight/Volume:	500 mL
Prep Date:	06/29/2013 1339			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.080	U	0.080	0.080
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.15		0.040	0.040
1,1,1-Trichloroethane	0.040	U	0.040	0.040
Benzene	0.049		0.040	0.040
1,2-Dichloroethane	0.080	U	0.080	0.080
Trichloroethene	2.4		0.040	0.040
Toluene	0.67		0.040	0.040
1,1,2-Trichloroethane	0.040	U	0.040	0.040
Tetrachloroethene	0.052		0.040	0.040
Ethylbenzene	0.056		0.040	0.040
o-Xylene	0.086		0.040	0.040
1,1,2,2-Tetrachloroethane	0.040	U	0.040	0.040
m-Xylene & p-Xylene	0.19		0.040	0.080

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.20	U	0.20	0.20
1,1-Dichloroethene	0.16	U	0.16	0.16
trans-1,2-Dichloroethene	0.16	U	0.16	0.16
1,1-Dichloroethane	0.16	U	0.16	0.16
cis-1,2-Dichloroethene	0.58		0.16	0.16
1,1,1-Trichloroethane	0.22	U	0.22	0.22
Benzene	0.16		0.13	0.13
1,2-Dichloroethane	0.32	U	0.32	0.32
Trichloroethene	13		0.21	0.21
Toluene	2.5		0.15	0.15
1,1,2-Trichloroethane	0.22	U	0.22	0.22
Tetrachloroethene	0.35		0.27	0.27
Ethylbenzene	0.24		0.17	0.17
o-Xylene	0.37		0.17	0.17
1,1,2,2-Tetrachloroethane	0.27	U	0.27	0.27
m-Xylene & p-Xylene	0.82		0.17	0.35

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-17105-1

Sdg Number: 200-17105

Client Sample ID: OA-B2-01

Lab Sample ID: 200-17105-3

Date Sampled: 06/19/2013 1515

Client Matrix: Air

Date Received: 06/20/2013 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-57835	Instrument ID:	E.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efvh007.d
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	06/29/2013 1434			Final Weight/Volume:	500 mL
Prep Date:	06/29/2013 1434			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1,1-Trichloroethane	0.010	U	0.010	0.010
Benzene	0.021		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.016		0.010	0.010
Toluene	0.047		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.021		0.010	0.010
Ethylbenzene	0.010	U	0.010	0.010
o-Xylene	0.010	U	0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.020	U	0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1,1-Trichloroethane	0.055	U	0.055	0.055
Benzene	0.068		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	0.085		0.054	0.054
Toluene	0.18		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.15		0.068	0.068
Ethylbenzene	0.043	U	0.043	0.043
o-Xylene	0.043	U	0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	0.087	U	0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-17105-1

Sdg Number: 200-17105

Client Sample ID: IA-B7-01

Lab Sample ID: 200-17105-4

Date Sampled: 06/19/2013 1511

Client Matrix: Air

Date Received: 06/20/2013 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-57835	Instrument ID:	E.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efvh008.d
Dilution:	2.0			Initial Weight/Volume:	250 mL
Analysis Date:	06/29/2013 1529			Final Weight/Volume:	500 mL
Prep Date:	06/29/2013 1529			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.040	U	0.040	0.040
1,1-Dichloroethene	0.020	U	0.020	0.020
trans-1,2-Dichloroethene	0.020	U	0.020	0.020
1,1-Dichloroethane	0.020	U	0.020	0.020
cis-1,2-Dichloroethene	0.070	NS	0.020	0.020
1,1,1-Trichloroethane	0.020	U	0.020	0.020
Benzene	0.10		0.020	0.020
1,2-Dichloroethane	0.040	U	0.040	0.040
Trichloroethene	0.22		0.020	0.020
Toluene	0.92		0.020	0.020
1,1,2-Trichloroethane	0.020	U	0.020	0.020
Tetrachloroethene	0.020	U	0.020	0.020
Ethylbenzene	0.10		0.020	0.020
o-Xylene	0.13		0.020	0.020
1,1,2,2-Tetrachloroethane	0.020	U	0.020	0.020
m-Xylene & p-Xylene	0.35		0.020	0.040

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.10	U	0.10	0.10
1,1-Dichloroethene	0.079	U	0.079	0.079
trans-1,2-Dichloroethene	0.079	U	0.079	0.079
1,1-Dichloroethane	0.081	U	0.081	0.081
cis-1,2-Dichloroethene	0.28	NS	0.079	0.079
1,1,1-Trichloroethane	0.11	U	0.11	0.11
Benzene	0.33		0.064	0.064
1,2-Dichloroethane	0.16	U	0.16	0.16
Trichloroethene	1.2		0.11	0.11
Toluene	3.5		0.075	0.075
1,1,2-Trichloroethane	0.11	U	0.11	0.11
Tetrachloroethene	0.14	U	0.14	0.14
Ethylbenzene	0.44		0.087	0.087
o-Xylene	0.55		0.087	0.087
1,1,2,2-Tetrachloroethane	0.14	U	0.14	0.14
m-Xylene & p-Xylene	1.5		0.087	0.17

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-17105-1

Sdg Number: 200-17105

Client Sample ID: IA-B11-01

Lab Sample ID: 200-17105-5

Date Sampled: 06/19/2013 1408

Client Matrix: Air

Date Received: 06/20/2013 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-57835	Instrument ID:	E.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efvh009.d
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	06/29/2013 1624			Final Weight/Volume:	500 mL
Prep Date:	06/29/2013 1624			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.15	NJ	0.010	0.010
1,1,1-Trichloroethane	0.041		0.010	0.010
Benzene	0.085		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.22		0.010	0.010
Toluene	0.39		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.020		0.010	0.010
Ethylbenzene	0.19		0.010	0.010
o-Xylene	0.28		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.81		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.60	NJ	0.040	0.040
1,1,1-Trichloroethane	0.23		0.055	0.055
Benzene	0.27		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	1.2		0.054	0.054
Toluene	1.5		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.14		0.068	0.068
Ethylbenzene	0.82		0.043	0.043
o-Xylene	1.2		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	3.5		0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-17105-1

Sdg Number: 200-17105

Client Sample ID: IA-B11-02

Lab Sample ID: 200-17105-6

Date Sampled: 06/19/2013 1449

Client Matrix: Air

Date Received: 06/20/2013 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-57835	Instrument ID:	E.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efvh010.d
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	06/29/2013 1719			Final Weight/Volume:	500 mL
Prep Date:	06/29/2013 1719			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.11	NJ	0.010	0.010
1,1,1-Trichloroethane	0.033		0.010	0.010
Benzene	0.079	J	0.010	0.010
1,2-Dichloroethane	0.020	U J	0.020	0.020
Trichloroethene	0.19		0.010	0.010
Toluene	0.30	J	0.010	0.010
1,1,2-Trichloroethane	0.010	U J	0.010	0.010
Tetrachloroethene	0.026		0.010	0.010
Ethylbenzene	0.16		0.010	0.010
o-Xylene	0.16	J	0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U J	0.010	0.010
m-Xylene & p-Xylene	0.49	J	0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.44	NJ	0.040	0.040
1,1,1-Trichloroethane	0.18		0.055	0.055
Benzene	0.25	J	0.032	0.032
1,2-Dichloroethane	0.081	U J	0.081	0.081
Trichloroethene	1.0		0.054	0.054
Toluene	1.1	J	0.038	0.038
1,1,2-Trichloroethane	0.055	U J	0.055	0.055
Tetrachloroethene	0.17		0.068	0.068
Ethylbenzene	0.69		0.043	0.043
o-Xylene	0.68	J	0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U J	0.069	0.069
m-Xylene & p-Xylene	2.1	J	0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-17105-1

Sdg Number: 200-17105

Client Sample ID: IA-DUPE

Lab Sample ID: 200-17105-7

Date Sampled: 06/19/2013 1449

Client Matrix: Air

Date Received: 06/20/2013 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-57835	Instrument ID:	E.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efvh011.d
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	06/29/2013 1814			Final Weight/Volume:	500 mL
Prep Date:	06/29/2013 1814			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.096	U	0.010	0.010
1,1,1-Trichloroethane	0.028		0.010	0.010
Benzene	0.12	J	0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.17		0.010	0.010
Toluene	0.88	J	0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.017		0.010	0.010
Ethylbenzene	0.21		0.010	0.010
o-Xylene	0.33	J	0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.92	J	0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.38	U	0.040	0.040
1,1,1-Trichloroethane	0.15		0.055	0.055
Benzene	0.39	J	0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	0.91		0.054	0.054
Toluene	3.3	J	0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.11		0.068	0.068
Ethylbenzene	0.93		0.043	0.043
o-Xylene	1.4	J	0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	4.0	J	0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-17105-1

Sdg Number: 200-17105

Client Sample ID: OA-B11-01

Lab Sample ID: 200-17105-8

Date Sampled: 06/19/2013 1449

Client Matrix: Air

Date Received: 06/20/2013 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-57835	Instrument ID:	E.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efvh012.d
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	06/29/2013 1908			Final Weight/Volume:	500 mL
Prep Date:	06/29/2013 1908			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1,1-Trichloroethane	0.010	U	0.010	0.010
Benzene	0.022		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.016		0.010	0.010
Toluene	0.052		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.010	U	0.010	0.010
Ethylbenzene	0.010	U	0.010	0.010
o-Xylene	0.010	U	0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.023		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1,1-Trichloroethane	0.055	U	0.055	0.055
Benzene	0.070		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	0.087		0.054	0.054
Toluene	0.20		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.068	U	0.068	0.068
Ethylbenzene	0.043	U	0.043	0.043
o-Xylene	0.043	U	0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	0.098		0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-17105-1

Sdg Number: 200-17105

Client Sample ID: IA-B13-01

Lab Sample ID: 200-17105-9

Date Sampled: 06/19/2013 1404

Client Matrix: Air

Date Received: 06/20/2013 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-57835	Instrument ID:	E.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efvh013.d
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	06/29/2013 2003			Final Weight/Volume:	500 mL
Prep Date:	06/29/2013 2003			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.020		0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.028	U	0.010	0.010
1,1,1-Trichloroethane	0.028		0.010	0.010
Benzene	0.050		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.092		0.010	0.010
Toluene	0.27		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.010	U	0.010	0.010
Ethylbenzene	0.063		0.010	0.010
o-Xylene	0.076		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.24		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.080		0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.11	U	0.040	0.040
1,1,1-Trichloroethane	0.15		0.055	0.055
Benzene	0.16		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	0.50		0.054	0.054
Toluene	1.0		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.068	U	0.068	0.068
Ethylbenzene	0.28		0.043	0.043
o-Xylene	0.33		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	1.1		0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-17105-1

Sdg Number: 200-17105

Client Sample ID: IA-B13A-01

Lab Sample ID: 200-17105-10

Date Sampled: 06/19/2013 1454

Client Matrix: Air

Date Received: 06/20/2013 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-57835	Instrument ID:	E.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efvh014.d
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	06/29/2013 2057			Final Weight/Volume:	500 mL
Prep Date:	06/29/2013 2057			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.020		0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.033	U	0.010	0.010
1,1,1-Trichloroethane	0.023		0.010	0.010
Benzene	0.089		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.099		0.010	0.010
Toluene	0.28		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.18		0.010	0.010
Ethylbenzene	0.025		0.010	0.010
o-Xylene	0.011		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.046		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.080		0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.13	U	0.040	0.040
1,1,1-Trichloroethane	0.13		0.055	0.055
Benzene	0.29		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	0.53		0.054	0.054
Toluene	1.1		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	1.2		0.068	0.068
Ethylbenzene	0.11		0.043	0.043
o-Xylene	0.049		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	0.20		0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-17105-1

Sdg Number: 200-17105

Client Sample ID: IA-B7-02

Lab Sample ID: 200-17105-11

Date Sampled: 06/19/2013 1507

Client Matrix: Air

Date Received: 06/20/2013 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-57835	Instrument ID:	E.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efvh015.d
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	06/29/2013 2152			Final Weight/Volume:	500 mL
Prep Date:	06/29/2013 2152			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.079	U	0.010	0.010
1,1,1-Trichloroethane	0.015	U	0.010	0.010
Benzene	0.12		0.010	0.010
1,2-Dichloroethane	0.20		0.020	0.020
Trichloroethene	0.26		0.010	0.010
Toluene	0.95		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.015		0.010	0.010
Ethylbenzene	0.18		0.010	0.010
o-Xylene	0.21		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.52		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.31	U	0.040	0.040
1,1,1-Trichloroethane	0.084	U	0.055	0.055
Benzene	0.37		0.032	0.032
1,2-Dichloroethane	0.82		0.081	0.081
Trichloroethene	1.4		0.054	0.054
Toluene	3.6		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.10		0.068	0.068
Ethylbenzene	0.79		0.043	0.043
o-Xylene	0.89		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	2.3		0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-17105-1

Sdg Number: 200-17105

Client Sample ID: IA-B9-CS

Lab Sample ID: 200-17105-12

Date Sampled: 06/19/2013 1533

Client Matrix: Air

Date Received: 06/20/2013 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-57898	Instrument ID:	E.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efvi005.d
Dilution:	7.94			Initial Weight/Volume:	63 mL
Analysis Date:	07/01/2013 1441			Final Weight/Volume:	500 mL
Prep Date:	07/01/2013 1441			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.16	U UJ	0.16	0.16
1,1-Dichloroethene	0.079	U	0.079	0.079
trans-1,2-Dichloroethene	0.079	U	0.079	0.079
1,1-Dichloroethane	0.079	U	0.079	0.079
cis-1,2-Dichloroethene	0.079	U	0.079	0.079
1,1,1-Trichloroethane	0.079	U	0.079	0.079
Benzene	0.079	U	0.079	0.079
1,2-Dichloroethane	0.16	U	0.16	0.16
Trichloroethene	3.5	J	0.079	0.079
Toluene	0.20	J	0.079	0.079
1,1,2-Trichloroethane	0.079	U UJ	0.079	0.079
Tetrachloroethene	0.079	U	0.079	0.079
Ethylbenzene	0.079	U	0.079	0.079
o-Xylene	0.079	U	0.079	0.079
1,1,2,2-Tetrachloroethane	0.079	U	0.079	0.079
m-Xylene & p-Xylene	0.16	U	0.079	0.16

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.41	U UJ	0.41	0.41
1,1-Dichloroethene	0.31	U	0.31	0.31
trans-1,2-Dichloroethene	0.31	U	0.31	0.31
1,1-Dichloroethane	0.32	U	0.32	0.32
cis-1,2-Dichloroethene	0.31	U	0.31	0.31
1,1,1-Trichloroethane	0.43	U	0.43	0.43
Benzene	0.25	U	0.25	0.25
1,2-Dichloroethane	0.64	U	0.64	0.64
Trichloroethene	19	J	0.43	0.43
Toluene	0.74	J	0.30	0.30
1,1,2-Trichloroethane	0.43	U UJ	0.43	0.43
Tetrachloroethene	0.54	U	0.54	0.54
Ethylbenzene	0.34	U	0.34	0.34
o-Xylene	0.34	U	0.34	0.34
1,1,2,2-Tetrachloroethane	0.55	U	0.55	0.55
m-Xylene & p-Xylene	0.69	U	0.34	0.69

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-17105-1

Sdg Number: 200-17105

Client Sample ID: IA-B9-01

Lab Sample ID: 200-17105-13

Date Sampled: 06/19/2013 1506

Client Matrix: Air

Date Received: 06/20/2013 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-57835	Instrument ID:	E.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efvh017.d
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	06/29/2013 2342			Final Weight/Volume:	500 mL
Prep Date:	06/29/2013 2342			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.089	NJ	0.010	0.010
1,1,1-Trichloroethane	0.020	U	0.010	0.010
Benzene	0.077		0.010	0.010
1,2-Dichloroethane	0.028	U	0.020	0.020
Trichloroethene	0.33		0.010	0.010
Toluene	0.55		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.014		0.010	0.010
Ethylbenzene	0.094		0.010	0.010
o-Xylene	0.11		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.32		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.35	NJ	0.040	0.040
1,1,1-Trichloroethane	0.11	U	0.055	0.055
Benzene	0.25		0.032	0.032
1,2-Dichloroethane	0.11	U	0.081	0.081
Trichloroethene	1.8		0.054	0.054
Toluene	2.1		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.094		0.068	0.068
Ethylbenzene	0.41		0.043	0.043
o-Xylene	0.46		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	1.4		0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-17105-1

Sdg Number: 200-17105

Client Sample ID: IA-B9-02

Lab Sample ID: 200-17105-14

Client Matrix: Air

Date Sampled: 06/19/2013 1504

Date Received: 06/20/2013 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-57835	Instrument ID:	E.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efvh018.d
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	06/30/2013 0037			Final Weight/Volume:	500 mL
Prep Date:	06/30/2013 0037			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.12	NJ	0.010	0.010
1,1,1-Trichloroethane	0.020	U	0.010	0.010
Benzene	0.084		0.010	0.010
1,2-Dichloroethane	0.022	U	0.020	0.020
Trichloroethene	0.20		0.010	0.010
Toluene	0.50		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.011		0.010	0.010
Ethylbenzene	0.15		0.010	0.010
o-Xylene	0.15		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.49		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.46	NJ	0.040	0.040
1,1,1-Trichloroethane	0.11	U	0.055	0.055
Benzene	0.27		0.032	0.032
1,2-Dichloroethane	0.090	U	0.081	0.081
Trichloroethene	1.1		0.054	0.054
Toluene	1.9		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.078		0.068	0.068
Ethylbenzene	0.66		0.043	0.043
o-Xylene	0.67		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	2.1		0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-17105-1

Sdg Number: 200-17105

Client Sample ID: IA-B10-01

Lab Sample ID: 200-17105-15

Date Sampled: 06/19/2013 1458

Client Matrix: Air

Date Received: 06/20/2013 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-57835	Instrument ID:	E.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efvh019.d
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	06/30/2013 0132			Final Weight/Volume:	500 mL
Prep Date:	06/30/2013 0132			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.011		0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.24		0.010	0.010
1,1,1-Trichloroethane	0.027		0.010	0.010
Benzene	0.055		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.16		0.010	0.010
Toluene	0.19		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.037		0.010	0.010
Ethylbenzene	0.014		0.010	0.010
o-Xylene	0.010		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.037		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.043		0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.96		0.040	0.040
1,1,1-Trichloroethane	0.15		0.055	0.055
Benzene	0.18		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	0.84		0.054	0.054
Toluene	0.70		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.25		0.068	0.068
Ethylbenzene	0.063		0.043	0.043
o-Xylene	0.044		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	0.16		0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-17105-1

Sdg Number: 200-17105

Client Sample ID: IA-B10A-01

Lab Sample ID: 200-17105-16

Date Sampled: 06/19/2013 1456

Client Matrix: Air

Date Received: 06/20/2013 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-57835	Instrument ID:	E.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efvh020.d
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	06/30/2013 0227			Final Weight/Volume:	500 mL
Prep Date:	06/30/2013 0227			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.085		0.010	0.010
1,1,1-Trichloroethane	0.021		0.010	0.010
Benzene	0.032		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.060		0.010	0.010
Toluene	0.12		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.010	U	0.010	0.010
Ethylbenzene	0.037		0.010	0.010
o-Xylene	0.052		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.14		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.34		0.040	0.040
1,1,1-Trichloroethane	0.11		0.055	0.055
Benzene	0.10		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	0.32		0.054	0.054
Toluene	0.46		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.068	U	0.068	0.068
Ethylbenzene	0.16		0.043	0.043
o-Xylene	0.23		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	0.61		0.043	0.087