



GTE Operations Support Incorporated
One Verizon Way (VC34W414)
Basking Ridge, NJ 07920-1097
(908) 559-3691

November 26, 2013

Thomas Festa
New York State Department of Environmental Conservation
Division of Environmental Remediation
625 Broadway, 12th Floor
Albany, NY 12233-7017

Re: *September 2013 Indoor Air Sampling Report*

Dear Mr. Festa:

Attached are the September 2013 indoor air sampling results for the former Philips Display Components facility in Seneca Falls, New York. Three subslab depressurization (SSD) and one ventilation system continue to operate. Volatile organic compounds, primarily trichloroethene (TCE), were reported in indoor air. Except for in the Building 1A basement, the September 2013 indoor air TCE concentrations were lower than the October 2012 concentrations.

On October 1, 2013 a third SSD extraction point was installed and connected to the Building 7 SSD system to depressurize additional portions of the subslab. From October 3 to 7, 2013, a SSD system was installed in Building 1, consisting of one extraction point in the center of the building. The work was completed in accordance with an August 26, 2013 proposal, which was accepted by NYSDEC on September 3, 2013.

The next monitoring event is tentatively scheduled for the week of December 16, 2013.

Please call me at (908) 559-3691 if you have any questions.

Sincerely,

A handwritten signature in blue ink, appearing to read "Pam Cox", written over a light blue horizontal line.

Pam M. Cox
Manager –Workplace Safety & Environmental Compliance

ATTACHMENTS

Attachment A – September 2013 Indoor Air Sampling Event Summary
Attachment B – Figures
Attachment C – Tables
Attachment D – Data Validation Report

ec:

Ms. Denise Radtke (NYSDEC)
Ms. Melissa A. Menetti (New York State Department of Health)
Mr. Nidal Azzam (USEPA)
Mr. Sam Ezekwo (USEPA)
Ms. Patricia Jones (Seneca County Industrial Development Agency)
Mr. Matt Dukat (H.P. Neun)
Mr. Michael Hanna (Seneca Falls Specialty Company)
Ms. Marzi Sharfaei (ARCADIS U.S., Inc.)
Mr. Daniel Lang (ARCADIS U.S., Inc.)
Mr. Ray Larkin (Environmental Consultant)

Attachment A
September 2013 Indoor Air Sampling Event Summary

In September 2013, indoor air samples were collected at the former Philips Display Components facility in Seneca Falls, New York (Figure 1). Indoor air samples are collected and analyzed quarterly to monitor the subslab depressurization (SSD) and ventilation systems effectiveness. The systems (Building 9 Office Area crawl space ventilation system¹, Building 11 Area SSD system, Building 7 Area SSD system, Building 10 Area SSD system, and Building 1A sump/trench ventilation and SSD system) were installed to minimize volatile organic compound (VOC), primarily trichloroethene (TCE), concentrations in subslab vapor and indoor air.

Either a digital manometer or U-tube vacuum indicator are used to confirm that the SSD systems and the sump/trench ventilation system are operating as designed. The manometer measures pressure at subslab monitoring points near the SSD systems. The U-tube vacuum indicator measures the negative pressure in the sump/trench ventilation system piping.

On September 19, 2013, 12 indoor, 1 duplicate, 1 crawl space, and 2 outdoor (ambient) air samples were collected. The sample locations are shown on Figure 2. Samples were analyzed by TestAmerica Laboratories, Inc. of Burlington, Vermont using United States Environmental Protection Agency (USEPA) Method TO-15 or low-level USEPA Method TO-15. Analytical results for 16 site specific compounds are provided in Tables 1 through 6 and displayed graphically on Figures 3 through 7.

Sampling, quality assurance and quality control sampling, laboratory analysis, and data validation were conducted in accordance with the *Soil Vapor Intrusion Pathway Investigation Work Plan and Quality Assurance Project Plan* dated May 7, 2003. Data Validation Services, Inc. of North Creek, New York performed third-party data validation. Sample results are usable as reported or with minor qualifications (Attachment).

Concentration Trends

The September 2013 indoor air TCE concentrations ranged from 0.11 to 5.4 micrograms per cubic meter ($\mu\text{g}/\text{m}^3$), which were lower than the October 2012 concentration range (1.6 to 23 $\mu\text{g}/\text{m}^3$) and within the previous concentration range (0.091 to 30 $\mu\text{g}/\text{m}^3$) during SSD system operation.

Building 9 Area

The Building 9 office indoor air TCE concentration (3 $\mu\text{g}/\text{m}^3$) was lower than the October 2012 TCE concentration (5.8 $\mu\text{g}/\text{m}^3$) and within the previous concentration range (0.12 to 30 $\mu\text{g}/\text{m}^3$). The Building 9 warehouse indoor air TCE concentration (5.2 $\mu\text{g}/\text{m}^3$) was lower than the October 2012 TCE concentration (16 $\mu\text{g}/\text{m}^3$) and within the previous concentration range (0.091 to 51 $\mu\text{g}/\text{m}^3$).

The Building 9 crawlspace air TCE concentration (24 $\mu\text{g}/\text{m}^3$) was lower than the October 2012 concentration (29 $\mu\text{g}/\text{m}^3$) and within the previous concentration range (2.8 to 210 $\mu\text{g}/\text{m}^3$) (Figure 3 and Table 1).

¹The Building 9 Office Area crawl space ventilation system operated from November 2004 to June 2010.

Building 11 Area

The Building 11 Area comprises parts of Buildings 11, 11A, 13, and 13A.

The September 2013 Building 11 Area indoor air TCE concentrations ranged from 2.1 to 3.5 $\mu\text{g}/\text{m}^3$, which was lower than the October 2012 concentrations (1.6 to 9.5 $\mu\text{g}/\text{m}^3$), and within the previous concentration range (0.35 to 30 $\mu\text{g}/\text{m}^3$) during SSD system operation. The following table summarizes the October 2012 and September 2013 Building 11 Area indoor air TCE concentrations.

Building	September 2013 TCE Concentration in Indoor Air ($\mu\text{g}/\text{m}^3$)	October 2012 TCE Concentration in Indoor Air ($\mu\text{g}/\text{m}^3$)
11	3.2	9.5
11A	3.5	7.2
13	2.3	3.3
13A	2.1	1.6

The Building 11 Area SSD system continues to sustain negative pressures beneath the slab greater than 100 feet from the extraction wells.

Building 7 Area

The September 2013 TCE concentration in the Building 7 office area (2.8 $\mu\text{g}/\text{m}^3$) was lower than the October 2012 TCE concentration (6.8 $\mu\text{g}/\text{m}^3$) and within the previous concentration range (0.82 to 18 $\mu\text{g}/\text{m}^3$) (Figure 5). The September 2013 warehouse indoor air TCE concentration (3.8 $\mu\text{g}/\text{m}^3$) was less than the October 2012 TCE concentration (11 $\mu\text{g}/\text{m}^3$) and within the previous TCE concentration range (0.64 to 18 $\mu\text{g}/\text{m}^3$) during SSD system operation. The Building 7 SSD system continues to sustain negative subslab pressures greater than 45 feet from the extraction wells.

Building 10 Area

The Building 10 and 10A indoor air TCE concentrations were 5.4 and 3.0 $\mu\text{g}/\text{m}^3$, respectively. The concentrations were lower than the October 2012 TCE concentrations (23 and 7.9 $\mu\text{g}/\text{m}^3$, respectively). The Building 10 SSD system sustains negative pressures beneath the slab more than 100 feet from the extraction wells.


Building 1A Area

The Building 1A first floor indoor air TCE concentration (0.11 $\mu\text{g}/\text{m}^3$) was lower than the October 2012 concentration (5.2 $\mu\text{g}/\text{m}^3$) and within the previous concentration range (0.059 to 27 $\mu\text{g}/\text{m}^3$). The Building 1A basement indoor air TCE concentration (7 $\mu\text{g}/\text{m}^3$) was higher than the October 2012 concentration (4.5 $\mu\text{g}/\text{m}^3$), but within the previous concentration range (0.081 to 160 $\mu\text{g}/\text{m}^3$).

Conclusions

The analytical results and field measurements indicate the SSD systems are effective at sustaining negative differential pressures. The SSD systems continue to lower the indoor air VOC concentrations.

Attachment B
Figures



MAP SOURCE: USGS 7.5 MINUTE TOPOGRAPHIC SERIES, SENECA FALLS QUADRANGLE

APPROXIMATE SCALE IN MILES





Figure 3: Building 9 Area TCE Concentrations




Figure 4: Building 11 Area TCE Concentrations




Figure 5: Building 7 Area TCE Concentrations




Figure 6: Building 10 Area TCE Concentrations





Figure 7: Building 1A Area TCE Concentrations



Attachment C
Tables

Table 1
Building 9 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B9-01													
Description	BUILDING 9 OFFICE INDOOR AIR													
Volatiles Organic Compound	1,1,1- Trichloroethane	1,1,2,2- Tetrachloroethane	1,1,2- Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	Benzene	Cis-1,2- Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2- Dichloroethane
7/15/2003	0.22	0.14 U	0.1 U	0.08 U	0.04 U	0.087	1.3	0.22	1.4	5	2	0.77	9.6	0.056 U
10/2/2003	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	2.2	0.67	1.1	2.8	1.2	0.68 U	4.1	0.4 U
1/20/2004	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	2.3	0.2 U	2.7	10	3.2	0.75	11	0.2 U
12/22/2004	0.17	0.069 U	0.055 U	0.04 U	0.04 U	0.077	2.7	0.27	0.87	3.3	1.2	3.1	5.7	0.04 U
3/31/2005	0.076	0.069 U	0.055 U	0.04 U	0.04 U	0.049	0.77	0.04 U	0.28	0.91	0.33	0.088	1.4	0.04 U
7/22/2005	0.1	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	2	0.16	2.9	8.3	2.4	0.52	9.4	0.04 U
9/20/2005	0.12	0.14 U	0.11 U	0.081 U	0.16 U	0.081 U	1.3	0.16	0.96	3.6	1.2	2.6	2.9	0.079 U
11/17/2005	0.26	0.069 U	0.055 U	0.04 U	0.04 U	0.065	2.9	0.67	0.96	3.4	1.2	0.95	5.3 J	0.04 U
1/11/2006	0.13	0.069 U	0.055 U	0.04 U	0.04 U	0.093	3.5	0.17	2	5.6	3	0.51	9.4	0.04 U
7/17/2006	0.23	0.21 U	0.16 U	0.12 U	0.12 U	0.34	3.1	1.1	4	18	6.5	8.8	10	0.12 U
12/12/2006	0.21	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.9	0.27	1.3	4.3	1.6	2	6.8	0.079 U
3/20/2007	0.44	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.1	0.52	1.1	3.8	1.3	2	4.5	0.16 U
6/21/2007	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.42	0.04	0.43	1.8	0.61	0.35	1.5	0.04 U
9/19/2007	0.071	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.51	0.04 U	0.32	1	0.36	0.31	1.8	0.04 U
12/11/2007	0.25	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.5	0.31	0.52	1.6	0.56	1.6	3.1	0.059 U
3/26/2008	0.14	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.4	0.4	0.48	1.8	0.65	0.52	4.1	0.079 U
6/17/2008	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.61	0.52	0.69	2.6	0.91	1.1	11	0.16 U
9/24/2008	0.18	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.51	0.075	0.43	1.6	0.56	1.6	2.8	0.04 U
12/18/2008	0.34	0.38 U	0.31 U	0.23 U	0.22 U	0.45 U	2.8	0.67	1.4	5.2	1.8	0.38 U	8.3	0.22 U
3/26/2009	0.38	0.082 U	0.065 U	0.049 U	0.048 U	0.11	1.1	0.12	0.43	1.4	0.52	0.16	4.1	0.048 U
6/25/2009	0.39	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.4	0.24	1.5	5.6	2.1	0.34 U	12	0.2 U
9/23/2009	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.96	0.16 U	0.91	3.3	1.3	0.27 U	14	0.16 U
3/24/2010	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.7	0.87	1.1	4	1.4	1.1	12	0.2 U
6/22/2010	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	0.67	0.12 U	0.69	2.5	1 J	0.2 U	5.7	0.12 U
9/23/2010	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.87	0.13	0.58	1.9	0.7	0.14	4.2	0.079 U
12/28/2010	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.65	0.14	0.22	0.69	0.25	0.1 U	3.2	0.059 U
3/23/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.52	0.096	0.35	0.95	0.34	0.11	2.3	0.04 U
6/22/2011	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.43	0.078	0.54	1.6	0.65	0.18	3.5	0.079 U
9/21/2011	0.084 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.094 NJ	0.55	0.055	0.056	0.087	0.043 U	0.1	0.66	0.04 U
12/20/2011	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.4	0.12	0.48	1.6	0.54	0.9	6.5	0.079 U
3/28/2012	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	1.7	0.12 U	0.6	2	0.71	5.8	6	0.12 U
6/14/2012	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.3	0.14 NJ	0.73	1.8	0.7	1.2	5.5	0.079 U
10/9/2012	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	0.66	0.12	0.3	0.91	0.29	0.2 U	1.7	0.12 U
1/3/2013	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.62	0.14	0.19	0.51	0.19	0.14 U	1.7	0.079 U
3/28/2013	0.068 U	0.086 UJ	0.068 U	0.051 U	0.2 U	0.1 U	0.45	0.14	0.16	0.4 J	0.19 J	0.085 U	0.95	0.05 U
6/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.25	0.35 NJ	0.41	1.4	0.46	0.094	2.1	0.04 U
9/19/2013	0.14 U	0.17 U	0.14 U	0.10 U	0.099 U	0.2 U	0.31	0.099 U	0.25	0.72	0.24	0.17 U	5.9	0.099 U

Sample ID	IA-B9-CS													
Description	BUILDING 9 CRAWL SPACE AIR													
Volatiles Organic Compound	1,1,1- Trichloroethane	1,1,2,2- Tetrachloroethane	1,1,2- Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	Benzene	Cis-1,2- Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2- Dichloroethane
10/2/2003	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	0.64	1.6	0.48	1.2	0.52	0.88	1.3	0.4 U
1/20/2004	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	1.6	0.95	1.4	4.8	1.7	0.54	7.2	0.2 U
12/22/2004	0.14	0.069 U	0.055 U	0.04 U	0.04 U	0.057	1.7	0.24	0.61	2.1	0.87	1.2	4.1	0.04 U
3/31/2005	0.076	0.069 U	0.055 U	0.04 U	0.04 U	0.04	0.51	0.19	0.22	0.65	0.22	0.14	0.9	0.04 U
7/22/2005	0.093	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	0.96	0.87	1.7	5.2	2.7	0.41	4.5	0.04 U
9/20/2005	0.55 U	0.69 U	0.55 U	0.4 U	0.79 U	0.4 U	0.96	1.1	0.83	3	1	1.4	3	0.4 U
11/17/2005	0.17	0.069 U	0.055 U	0.04 U	0.04 U	0.061	1.7	0.75	0.48	1.8	0.61	0.61	3.1 J	0.04 U
1/11/2006	0.12	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	2.4	0.29	1.2	3.8	1.6	0.35	6.4	0.04 U
7/17/2006	0.44 U	0.55 U	0.44 U	0.32 U	0.32 U	0.65 U	2.9	1.2	3.5	15	5.6	4.8	16	0.32 U
12/12/2006	0.17	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2.8	0.29	1.6	5.2	1.9	1.5	7.5	0.12 U
3/20/2007	0.27	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2.1	0.56	0.65	2.4	0.83	1	3.1	0.12 U
6/21/2007	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.13 U	0.44	0.17 U	0.35 U	0.17 U	0.27 U	0.15 U	0.16 U
9/19/2007	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.38	0.48	0.24	0.61	0.25	0.55	0.87	0.2 U
12/11/2007	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	1.1	0.21	0.32	1	0.4	0.75	1.9	0.12 U
3/26/2008	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.1	0.23	0.38	1.3	0.48	0.23	2.8	0.059 U
6/17/2008	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.42	0.87	0.56	1.9	0.65	0.62	3.5	0.2 U
9/24/2008	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.38	0.18	0.25	0.87	0.33	0.37	1.8	0.16 U
12/18/2008	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.6	0.31	0.78	2.6	0.96	0.27 U	4.5	0.16 U
3/26/2009	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.8	0.18	0.28	0.91	0.37	0.22	1.7	0.079 U
6/25/2009	0.43 U	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	1.5	0.39 NJ	1.4	4.8	1.7	0.54 U	17	0.31 U
9/23/2009	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.99	0.4	0.69	2.5	0.83	0.34 U	5.7	0.2 U
3/24/2010	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 NJ	1.2	0.29	0.61	2.4	0.87	0.38	3.5	0.04 U
9/22/2010	0.68 U	0.86 U	0.68 U	0.51 U	0.5 U	1 U	0.99	0.69	0.65	2.4	0.83	0.85 U	4.5	0.5 U
12/28/2010	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.49	0.12	0.11	0.29	0.11	0.14 U	0.71	0.079 U
3/23/2011	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.45	0.2 U	0.22 U	0.43 U	0.22 U	0.34 U	0.44	0.2 U
6/22/2011	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	0.39	0.42	0.52	1.4	0.5	0.68 U	4.6	0.4 U
9/21/2011	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	1.7	0.4 U	0.43 U	0.87 U	0.43 U	0.68 U	2.5	0.4 U
12/20/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.22	0.13	0.043 U	0.043 U	0.043 U	0.068 U	0.091	0.04 U
3/28/2012	0.27 UJ	0.34 UJ	0.27 UJ	0.2 UJ	0.2 UJ	0.4 UJ	0.66 J	0.2 UJ	0.58 J	2.3 J	0.87 J	0.87 J	5.8 J	0.2 UJ
6/14/2012	0.44 U	0.55 U	0.44 U	0.32 U	0.32 U	0.65 U	0.8	0.32 U	0.41	1	0.35	0.58	2.2	0.32 U
10/9/2012	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	0.49	0.4 U	0.43 U	0.87 U	0.43 U	0.68 U	0.76	0.4 U
1/3/2013	0.33 U	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	0.63	0.29	0.26 U	0.52 U	0.26 U	0.41 U	0.67	0.24 U
3/28/2013	0.33 U	0.41 UJ	0.33 U	0.24 U	0.24 U	0.49 U	0.33 NJ	0.48 U	0.26 U	0.52 UJ	0.96 UJ	0.41 U	0.23 U	0.24 U
6/19/2013	0.43 UJ	0.55 UJ	0.43 UJ	0.32 UJ	0.31 UJ	0.64 UJ	0.25 UJ	0.31 UJ	0.34 UJ	0.69 UJ	0.34 UJ	0.54 UJ	0.74 J	0.31 UJ
9/19/2013	0.33 U	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	0.34	0.24 U	0.26 U	0.68	0.26 U	0.41 U	1.4	0.24 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$)

U - Not detected above reporting limit

J - Estimated

NJ - Tentative identification and estimated

Table 1
Building 9 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B9-02															
Description	BUILDING 9 WAREHOUSE INDOOR AIR															
Volatiles Organic Compound	1,1,1- Trichloroethane	1,1,2,2- Tetrachloroethane	1,1,2- Trichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2- Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2- Dichloroethane	Trichloroethane	Vinyl Chloride
7/15/2003	0.15	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	1.1	0.056 U	0.35	0.93	0.34	1.9	2.1	0.056 U	0.22	0.02 U
10/2/2003	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	3.1	2.2	0.65	1.7	0.61	2	2.4	0.4 U	30	0.26 U
1/20/2004	0.41 U	0.51 U	0.41 U	0.3 U	0.3 U	0.3 U	5.1	3	16	65	16	7.5	9.8	0.3 U	24	0.19 U
3/20/2007	0.49	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	3.8	0.87	1.1	3.6	1.1	2.8	3.8	0.2 U	19	0.26 U
6/21/2007	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.45	0.083	0.48	1.4	0.37	0.39	2.1	0.04 U	0.3	0.051 U
9/19/2007	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.51	0.04 U	0.2	0.43	0.15	0.21	0.83	0.04 U	1	0.051 U
12/11/2007	0.33 U	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	2.5	0.99	0.74	2.4	0.87	5.5	4.5	0.24 U	19	0.31 U
3/26/2008	0.14	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.83	1.1	0.087 U	0.17 U	0.087 U	0.14	0.21	0.079 U	7	0.1 U
6/17/2008	0.1	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.58	0.79	0.83	2.8	0.91	0.56	2.3	0.04 U	1.6	0.051 U
9/24/2008	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.83	0.14	0.52	1.7	0.56	12	3	0.079 U	3.9	0.1 U
12/18/2008	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	4.8	1.8	2	6.9	2.7	0.68 U	12	0.4 U	46	0.51 U
3/26/2009	0.43 U	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	3.8	1.1	1.1	3.3	1.2	0.54 U	6.8	0.31 U	24	0.41 U
6/25/2009	0.43 U	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	3.5	0.79	3.5	12	4	0.75	26	0.31 U	2.3	0.41 U
9/23/2009	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.2	0.04 U	0.4	1.2	0.4	0.11	1.9	0.04 U	0.39	0.051 U
12/17/2009	0.87 U	1.1 U	0.87 U	0.65 U	0.63 U	1.3 U	2.4	1.7	0.87	2.9	1	1.1 U	4.1	0.63 U	51	0.82 U
3/24/2010	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.8	1.9	1.5	5.6	1.9	2	5.3	0.16 U	13	0.2 U
6/22/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.38	0.04 U	0.16	0.48	0.21 J	0.088	0.68	0.04 U	0.091	0.051 U
9/22/2010	0.068 U	0.086 U	0.068 U	0.051 U	0.05 U	0.1 U	3	0.11	0.73	2.2	0.72	0.12	4.6	0.05 U	0.63	0.064 U
12/28/2010	0.34 U	0.43 U	0.34 U	0.25 U	0.25 U	0.51 U	3.1	1.7	0.67	2	0.76	0.68	3.7	0.25 U	23	0.32 U
3/23/2011	0.11	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	3.3	0.67	1.6	3.6	1.2	0.58	4.1	0.079 U	11	0.1 U
6/22/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.62	0.04 U	0.54	0.98	0.35	0.19	0.99	0.04 U	0.15	0.051 U
9/21/2011	0.36	0.069 U	0.055 U	0.04 U	0.5	0.081 U	0.7	0.6	0.66	1.2	0.42	0.13	1.5	0.04 U	1.6	0.051 U
12/20/2011	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.1	0.49	0.17 U	0.17 U	0.17 U	1.7	0.43	0.16 U	17	0.2 U
3/28/2012	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.5	0.17	1.4	3.8	1.3	14	5.6	0.16 U	2.3	0.2 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.1	0.2 U	0.81	1.1	0.43	7.6	1.6	0.2 U	0.35	0.26 U
10/9/2012	0.43 U	0.55 U	0.43 U	0.32 U	0.31 U	0.64 U	1.1	0.33	0.69	1.6	0.76	0.54 U	1.5	0.31 U	16	0.41 U
1/3/2013	0.23 U	0.29 U	0.23 U	0.17 U	0.17 U	0.34 U	0.13 U	0.3	0.18 U	0.36 U	0.18 U	0.28 U	0.16 U	0.17 U	2.7	0.21 U
3/28/2013	0.16	0.14 UJ	0.11 U	0.081 U	0.32 U	0.16 U	0.97	0.47	0.48	0.81 J	0.35 J	0.14 U	1.2	0.079 U	6.1	0.1 U
6/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.27	0.46 NJ	0.66	2.1	0.67	0.078	1.9	0.04 U	1.1	0.051 U
9/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.36	0.04 U	0.33	0.84	0.24	0.097	1.4	0.04 U	5.2	0.051 U

Notes

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated

Table 2
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B11-01															
Description	BUILDING 11 INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	1,2-Dichloroethane	Benzene	Cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2-Dichloroethane	Trichloroethane	Vinyl Chloride
7/15/2003	0.29	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	1.1	0.55	1.4	3.5	1.2	7.8	12	0.056 U	5	0.02 U
10/2/2003	2	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	3.8	4.8	1	3	1	6.8	11	0.4 U	36	0.26 U
1/20/2004	0.65	0.51 U	0.41 U	0.3 U	0.3 U	0.3 U	3.2	2.5	3	11	2.9	4.7	6	0.3 U	33	0.19 U
2/14/2006	0.65	0.069 U	0.055 U	0.04 U	0.099	0.04 U	3	1.6	1.9	4.3	2.6	6.6	5.3 J	0.04 U	59	0.064 J
6/28/2006	0.24	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.1	0.91	1.6	7.4	2.9	14	3.7	0.16 U	3.4	0.2 U
9/13/2006	0.4	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.6	0.83	0.74	2.2	0.83	6	3.6	0.2 U	20	0.26 U
12/12/2006	0.82	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	7	1.6	2.6	7.4	2.4	6.4	11	0.16 U	20	0.2 U
3/20/2007	0.87	0.21 U	0.16 U	0.12 U	0.23	0.24 U	4.5	1.5	1.1	4.3	1.4	3.5	7.5	0.12 U	9.1	0.15 U
6/21/2007	0.25	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.89	1.2	0.69	2.2	0.83	7.5	2.2	0.059 U	3.4	0.077 U
8/30/2007	0.093	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.58	0.25	0.52	1.4	0.52	1.8	1.5	0.04 U	0.7	0.051 U
9/19/2007	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.77	0.52	0.3	0.91	0.31	0.75	1.2	0.04 U	3.9	0.051 U
12/11/2007	0.87	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.9	2.3	1	3.7	1.3	8.8	5.3	0.2 U	18	0.26 U
3/26/2008	0.25	0.12 U	0.093 U	0.069 U	0.067 U	0.14 U	2.4	1.2	0.91	3.5	1.2	1.5	5.3	0.067 U	5.9	0.087 U
6/17/2008	0.25	0.12 U	0.093 U	0.069 U	0.067 U	0.13 U	1.2	2.1	1.8	6.9	2.3	2.7	2.5	0.067 U	4	0.084 U
9/24/2008	0.16	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.96	0.95	0.19	0.25	0.078	1.8	1.4	0.059 U	6.4	0.077 U
12/18/2008	0.6	0.21 U	0.16 U	0.12 U	0.15	0.24 U	2.9	1.9	1.1	3.8	1.3	0.64	5.3	0.12 U	14	0.15 U
3/26/2009	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.8	2.1	3.2	13	4.3	0.75	7.9	0.16 U	12	0.2 U
6/25/2009	0.37	0.43 U	0.34 U	0.25 U	0.25 U	0.49 U	3.1	2.6	3.6	13	4.8	1.2	17	0.25 U	5.4	0.31 U
9/23/2009	0.14	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.5	0.35	0.96	3.5	1.3	0.37	3.4	0.04 U	1.5	0.051 U
12/17/2009	0.55	0.62 U	0.5 U	0.37 U	0.36 U	0.73 U	2.4	3.2	1.5	5.6	2	0.62 U	6	0.36 U	26	0.46 U
3/24/2010	0.37	0.14 U	0.11 U	0.081 U	0.12	0.16 U	1.9	3.3	2.7	12	4.3	0.68	5.7	0.079 U	7.5	0.1 U
6/22/2010	0.12	0.082 U	0.065 U	0.049 U	0.048 U	0.1 U	0.99	1	1.1	4.3	1.5 J	0.42	3	0.048 U	2.8	0.064 U
9/22/2010	0.11 NJ	0.11 U	0.091 U	0.068 U	0.066 U	0.14 U	1.7	0.78	0.83	3.2	1.1	0.82	4.6	0.066 U	2.2	0.085 U
12/28/2010	0.34	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.4	1.2	0.63	2.3	0.85	1.1	2.6	0.079 U	5.6	0.1 U
3/23/2011	0.34	0.14 U	0.11 U	0.081 U	0.094	0.16 U	1.9	1.1	1.1	4.2	1.6	1.3	2.7	0.079 U	3.7	0.1 U
6/22/2011	0.15 U	0.19 U	0.15 U	0.11 U	0.11 U	0.23 U	0.99	0.47	1.5	5.9	2.3	1.6	4.5	0.11 U	0.98	0.14 U
9/21/2011	0.13 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.5	0.52	1	3.8	1.4	0.49	2	0.04 U	1.8	0.051 U
12/20/2011	0.28	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.3	0.65	1.2	4.5	1.7	2.9	1.9	0.079 U	4.8	0.1 U
3/28/2012	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	2.2	0.75	3.6	11	3.9	2.5	5.4	0.099 U	4.9	0.13 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.1	0.59	4.4	2.5	1.1	0.83	4.6	0.2 U	0.82	0.26 U
10/9/2012	0.36	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.3	0.66	0.75	2.9	1	0.27 U	0.92	0.16 U	9.5	0.2 U
1/3/2013	0.43	0.16 U	0.12 U	0.093 U	0.14	0.19 U	0.78	1.1	0.6	2.3	0.86	0.16 U	1.1	0.091 U	9.3	0.12 U
3/28/2013	0.15	0.069 U	0.055 U	0.04 U	0.16 U	0.081 U	0.74	0.47	0.55	1.3 J	0.53 J	0.068	0.87	0.04 U	1.4	0.051 U
6/19/2013	0.23	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.27	0.6 NJ	0.82	3.5	1.2	0.14	1.5	0.04 U	1.2	0.051 U
9/19/2013	0.16	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.39	0.4	0.32	1.2	0.43	0.1	0.99	0.04 U	3.2	0.051 U

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³)

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated

Table 2
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B11-02																
Description	BUILDING 11A INDOOR AIR																
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2-Dichloroethane	Trichloroethane	Vinyl Chloride	
7/15/2003	0.56	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	1.6	1.8	4.7	15	3.7	18	10	0.056 U	39	0.02 U	
10/2/2003	2.2	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	3.5	5.6	1	3.2	1	8.1	9.8	0.4 U	97	0.26 U	
1/20/2004	0.65	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	3	3	3	12	3	5.4	6	0.2 U	42	0.13 U	
2/14/2006	0.65	0.069 U	0.055 U	0.04 U	0.079	0.04 U	4.2	1.5	2	6.9 J	3 J	14 J	7.5 J	0.04 U	81	0.072 J	
6/28/2006	0.23	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	1.9	1.1	1.8	6.9	2.9	14	4.5	0.12 U	3.9	0.15 U	
9/13/2006	0.49	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.9	1.1	0.91	2.8	1.1	6.8	3.8	0.2 U	20	0.26 U	
12/12/2006	0.87	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	7.3	2	2.6	6.9	2.3	6.8	9.8	0.16 U	21	0.2 U	
3/20/2007	0.98	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	4.8	1.7	1.3	4.8	1.6	4.5	7.9	0.12 U	12	0.15 U	
6/21/2007	0.22	0.096 U	0.076 U	0.057 U	0.056 U	0.12 U	1.2	0.71	0.87	2.9	1	5.6	2.9	0.056 U	2.5	0.074 U	
8/30/2007	0.11	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.61	0.39	0.74	2.4	0.78	3	2.1	0.04 U	1.5	0.051 U	
9/19/2007	0.21	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.8	0.79	0.52	2	0.61	1.3	2.1	0.059 U	5.4	0.077 U	
12/11/2007	0.82	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	3.8	2.3	1.1	4.1	1.4	8.8	7.5	0.2 U	18	0.26 U	
3/26/2008	0.23	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	3.1	1.1	1	3.8	1.3	1.3	7.9	0.12 U	4.8	0.15 U	
6/17/2008	0.21	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	1.1	1.3	2.2 NJ	8.7	2.8	1.2	2.9	0.12 U	3	0.15 U	
9/24/2008	0.15	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.2	0.87	1	4	1.7	0.75	3	0.059 U	5.9	0.077 U	
12/18/2008	0.49	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.2	2.1	1.4	5.2	1.8	0.68	6.8	0.16 U	13	0.2 U	
3/26/2009	0.19 NJ	0.23 U	0.18 U	0.13 U	0.13 U	0.27 U	4.5	2.3	3.3	13	4.2	0.81	9	0.13 U	13	0.17 U	
6/25/2009	0.51	0.43 U	0.34 U	0.25 U	0.4 NJ	0.49 U	1.9	0.95 NJ	2.4 J	7.8 J	2.3 J	0.81	11	0.25 U	5.4	0.31 U	
9/23/2009	0.12	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.3	0.3	0.87	3.2	1.2	0.31	3.2	0.12	1.8	0.077 U	
12/17/2009	0.65	0.62 U	0.5 U	0.37 U	0.36 U	0.73 U	2.8	3.5	1.4	5.6	2	0.62 U	6	0.36 U	30	0.46 U	
3/24/2010	0.4	0.14 U	0.11 U	0.081 U	0.13	0.16 U	2.3	3.8	3.3	15	5.2	0.81	6.8	0.079 U	9.1	0.1 U	
6/22/2010	0.14	0.069 U	0.055 U	0.04 U	0.04 U	0.085 NJ	1.2	1.3	1.7	7.8	2.8 J	0.59	3.8 J	0.04 U	2.5	0.051 U	
9/22/2010	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.6	0.9	0.86	3.3	1.1	0.93	4.8	0.079 U	2.3	0.1 U	
12/28/2010	0.39	0.1 U	0.082 U	0.061 U	0.11	0.12 U	2.8	1.2	0.72	2.6	0.89	1.3	3.3	0.059 U	6.1	0.077 U	
3/23/2011	0.43	0.14 U	0.11 U	0.081 U	0.13	0.16 U	2.4	1.4	1.3	5.2	1.9	1.6	3.3	0.079 U	4.6	0.1 U	
6/22/2011	0.079 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.8	0.38	1.7	6	2.2	1.3	2.7	0.04 U	0.86	0.051 U	
9/21/2011	0.11 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.1	0.34	0.86	3.2	1.2	0.38	1.3	0.04 U	1.2	0.051 U	
12/20/2011	0.35	0.1 U	0.082 U	0.061 U	0.085 NJ	0.12 U	1.4	0.84	1.5 J	5.7 J	2.2 J	3.6 J	2.4 J	0.059 U	6.2	0.077 U	
3/28/2012	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	1.4	0.44	2.8	8.3	2.9	1.7	4.8	0.099 U	2.9	0.13 U	
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.5	0.5	4.1	4	1.6	1.5	4.6	0.2 U	0.9	0.26 U	
10/9/2012	0.36	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.1	0.62	0.79	3	1	0.27 U	0.99	0.16 U	7.2	0.2 U	
1/3/2013	0.42	0.19 U	0.15 U	0.11 U	0.11	0.22 U	0.92 J	1.2	0.81	3.3	1.2	0.18 U	1.3	0.11 U	9.3	0.14 U	
3/28/2013	0.21	0.069 U	0.055 U	0.04 U	0.16 U	0.081 U	0.85	0.7 NJ	0.85	2.3 J	0.99 J	0.081	1.2	0.04 U	2.2	0.051 U	
6/19/2013	0.18	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.25 J	0.44 NJ	0.69	2.1 J	0.68 J	0.17	1.1 J	0.04 U	1	0.051 U	
9/19/2013	0.18	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.41	0.45	0.42 J	1.5 J	0.52 J	0.12	1.1	0.04 U	3.5	0.051 U	

Sample ID	SVSS-B11-01																
Description	BUILDING 11A SUB-SLAB VAPOR																
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2-Dichloroethane	Trichloroethane	Vinyl Chloride	
7/17/2003	1900 U	2400 U	1900 U	1400 U	1400 U	1400 U	1100 U	2600	1500 U	1500 U	1600 U	3700	1300 U	1400 U	160000	900 U	
2/14/2006	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	11	8.7 U	22 U	8.7 U	31	7.5 U	7.9 U	540	5.1 U	
12/12/2006	1.6 U	2.1 U	1.6 U	1.2 U	1.2 U	1.2 U	0.96 U	12	1.3 U	3.3 U	1.3 U	18	3.4 J	1.2 U	230	0.77 U	
8/30/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	6.7	0.87 U	2.2 U	0.87 U	16	0.75 U	0.79 U	140	0.51 U	
9/20/2007	1.6 U	2.1 U	1.6 U	1.2 U	1.2 U	1.2 U	0.96 U	17	1.3 U	3.3 U	1.3 U	20	1.1 U	1.2 U	240	0.77 U	
12/11/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	10	0.87 U	2.2 U	0.87 U	12	0.75 U	0.79 U	110	0.51 U	
12/18/2008	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	11	0.87 U	2.2 U	0.87 U	6.1	0.75 U	0.79 U	86	0.51 U	
12/17/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	5.2	0.87 U	2.2 U	0.87 U	5.6	0.75 U	0.79 U	64	0.51 U	
12/28/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	2.2	2.2	0.87 U	2.2	0.87 U	2.5	3.8	0.79 U	18	0.51 U	
12/20/2011	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64	1.7	0.87 U	2.2 U	0.87 U	4.3	1.3	0.79 U	20	0.51 U	
12/19/2012	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	1.3 J	2.2 J	0.87 UJ	2.2 UJ	0.87 UJ	2.6	1.4 J	0.79 U	20	0.51 U	

Notes

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated

Table 2
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B13-01															
Description	BUILDING 13 INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	Benzene	Cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2-Dichloroethane	Trichloroethane	Vinyl Chloride
7/15/2003	0.55	0.14 U	0.1 U	0.08 U	0.044	0.08 U	2.3	1.1	2.4	7.5	2.4	19	11	0.056 U	11	0.026
10/2/2003	2.8	0.34 U	0.27 U	0.2 U	0.52	0.2 U	1.9	4	0.69	2	0.74	4.8	3.8	0.2 U	13	0.13 U
1/20/2004	1	0.14 U	0.11 U	0.081 U	0.23	0.12	1.5	2.1	0.74	2.6	0.74	2.6	3.1	0.079 U	8.6	0.051 U
2/14/2006	1	0.069 U	0.055 U	0.04 UJ	0.14	0.04 U	3.1 D	1.1	3.9	9.6	3.4	3.8	6.8 J	0.04 U	41	0.056 J
6/28/2006	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.1	0.44	4.2	19	7.8	5.2	4.1	0.16 U	1.6	0.2 U
9/13/2006	1.6	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	3.8	1.5	2.9	10	4.3	9.5	5.7	0.12 U	16	0.15 U
12/12/2006	1.1	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	7.7	2.1	3.6	9.1	3.2	7.5	9.8	0.16 U	21	0.2 U
3/20/2007	0.82	0.14 U	0.11 U	0.081 U	0.17	0.16 U	3.8	0.83	1.3	4.3	1.5	1.8	7.5	0.079 U	5.4	0.1 U
6/21/2007	0.38	0.1 U	0.082 U	0.061 U	0.067	0.12 U	1.4	0.95	2	6.5	2.4	4.5	4.1	0.059 U	2.6	0.077 U
9/19/2007	0.45	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.3	1.3	2	6.9	2.5	1.3	2.9	0.079 U	6.4	0.1 U
12/11/2007	0.87	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.9	1.7	1.3	4.3	1.7	7.5	6	0.16 U	12	0.2 U
3/26/2008	0.2	0.12 U	0.093 U	0.069 U	0.067 U	0.14 U	2.7	0.48	0.83	3	1.1	0.61	3.7	0.067 U	2.6	0.087 U
6/17/2008	0.21	0.12 U	0.093 U	0.069 U	0.079	0.13 U	1.5	0.52	2.9 NJ	11 J	3.8	8.1	3.3	0.067 U	1.5	0.084 U
9/24/2008	1.6	0.1 U	0.082 U	0.061 U	0.39	0.12 U	0.8	0.63	0.96	3.5	1.1	0.31	3.8	0.059 U	4.1	0.077 U
12/18/2008	1.4	0.14 U	0.11 U	0.081 U	0.29	0.16 U	2	0.56	0.74	2.3	0.78	0.22	3.8	0.079 U	5.2	0.1 U
3/26/2009	0.65	0.14 U	0.11 U	0.081 U	0.14	0.16 U	1.9	1.3	1.4	5.2	1.7	0.63	5.3	0.079 U	7.5	0.1 U
6/25/2009	0.53	0.27 U	0.22 U	0.16 U	0.27	0.32 U	1.9	0.95	2.6	8.7	2.6	0.75	11	0.16 U	5.4	0.2 U
9/23/2009	0.39	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.2	0.95	1.8	6.9	2.2	0.66	6.4	0.079 U	3.5	0.1 U
12/17/2009	1.4	0.069 U	0.055 U	0.053	0.4	0.081 U	0.48	0.19	0.16	0.52	0.18	0.068 U	0.6	0.04 U	2.4	0.051 U
3/24/2010	1.2	0.069 U	0.055 U	0.049	0.34	0.081 U	0.73	0.33	0.48	1.7	0.56	0.16	2.1	0.04 U	1.8	0.051 U
6/22/2010	0.93	0.14 U	0.11 U	0.081 U	0.31	0.16 U	1.5	1.3	2.1	7.8	2.4 J	0.51	4.5	0.079 U	6.4	0.1 U
9/22/2010	0.27 J	0.27 UJ	0.22 UJ	0.16 UJ	0.16 UJ	0.32 UJ	3.5 J	1.1 J	1.3 J	4.6 J	1.5 J	1.2 J	7.3 J	0.16 UJ	3.7 J	0.2 UJ
12/28/2010	0.59	0.14 U	0.11 U	0.081 U	0.21	0.16 U	2.1	0.25	0.54	1.6	0.58	0.54	5.2	0.079 U	6.9	0.1 U
3/23/2011	0.72	0.069 U	0.055 U	0.04 U	0.18	0.081 U	0.79	0.44	0.45	1.7	0.6	0.67	1.3	0.04 U	2.1	0.051 U
6/22/2011	0.21	0.1 U	0.082 U	0.061 U	0.058	0.12 U	2.2	0.39	1.4	5	1.5	2.2	4.6	0.059 U	1.5	0.077 U
9/21/2011	0.82	0.069 U	0.055 U	0.04 U	0.15	0.081	1.7	0.97	1.8	7.1	2.5	1.2	3	0.04 U	2.8	0.051 U
12/20/2011	0.68	0.069 U	0.055 U	0.04 U	0.22 NJ	0.085 U	1.3	0.25 NJ	1.3	2.5	1 NJ	1.4	3.5	0.04 U	3.1	0.051 U
3/28/2012	0.39	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.1	0.61	7.1	3	1.6 NJ	0.9	9.8	0.2 U	3.9	0.26 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.5	0.2 U	9.4	1.5	1.3	0.34	7.9	0.2 U	0.53	0.26 U
10/9/2012	0.6	0.14 U	0.11 U	0.081 U	0.2	0.16 U	0.68	0.46	0.55	2.2	0.72	0.14 U	1	0.079 U	3.3	0.1 U
1/3/2013	0.69	0.069 U	0.055 U	0.04 U	0.21	0.081 U	0.56	0.3	0.48	2	0.61	0.15	1.1	0.04 U	2.6	0.051 U
3/28/2013	0.22 J	0.069 UJ	0.055 U	0.04 U	0.063 NJ	0.081 U	0.15	0.05	0.043 U	0.087 UJ	0.043 UJ	0.068 U	0.038 U	0.04 U	0.38	0.051 U
6/19/2013	0.15	0.069 U	0.055 U	0.04 U	0.08	0.081 U	0.16	0.04 U	0.28	1.1	0.33	0.068 U	1	0.04 U	0.5	0.051 U
9/19/2013	0.45	0.069 U	0.055 U	0.04 U	0.094 U	0.081 U	0.41	0.41 U	0.059	0.087 U	0.043 U	0.068 U	0.67	0.04 U	2.3	0.051 U

Sample ID	SVSS-B13-01															
Description	BUILDING 13 SUB-SLAB VAPOR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2-Dichloroethane	Trichloroethane	Vinyl Chloride
7/17/2003	18	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	3.6	0.056 U	1.5	22	6.6	37	11	0.056 U	2.8	0.02 U
2/14/2006	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	7.9 U	8.7 U	22 U	8.7 U	14 U	7.5 U	7.9 U	11 U	5.1 U
12/12/2006	8.2	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	13	0.75 U	0.79 U	1.3	0.51 U
12/11/2007	3.9	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	5.8	0.75 U	0.79 U	1.1	0.51 U
12/18/2008	3.5	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.67	0.79 U	0.87 U	2.2 U	0.87 U	3.5	1.3	0.79 U	1.6	0.51 U
12/17/2009	3.2	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	3.3	0.75 U	0.79 U	1.1	0.51 U
12/28/2010	2.1	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.68	0.79 U	0.87 U	2.2 U	0.87 U	2.6	1.1	0.79 U	2.1	0.51 U
12/20/2011	5.5 U	6.9 U	5.5 U	4 U	4 U	4 U	3.2 U	4 U	4.3 U	11 U	4.3 U	6.8 U	3.8 U	4 U	5.4 U	2.6 U
12/19/2012	2.2	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	1.2	0.79 U	0.87 U	2.2 U	0.87 U	4.2	2	0.79 U	1.1 U	0.51 U

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated

Table 2
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B13A-01															
Description	BUILDING 13A INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2-Dichloroethane	Trichloroethane	Vinyl Chloride
7/15/2003	0.58	0.14 U	0.1 U	0.08 U	0.054	0.08 U	2.6	1.2	3.1	9.6	3.1	20	12	0.056 U	11	0.02 U
10/2/2003	1.9	0.069 U	0.055 U	0.04 U	0.25	0.04 U	1.8	3.1	0.78	2.6	0.043 U	3.9	4.1	0.04 U	12	0.026 U
1/20/2004	1	0.21 U	0.16 U	0.12 U	0.12 U	0.12 U	1.2	1.5	0.56	1.7	0.56	2.2	2.6	0.12 U	7	0.077 U
2/14/2006	0.93	0.069 U	0.055 U	0.04 U	0.12	0.04 U	2.7	0.91	3.9	12	3.9	2.9	6.8 J	0.04 U	15	0.049 J
6/28/2006	0.23	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.4	0.67	4.8	21	8.3	8.1	4.5	0.16 U	2.2	0.2 U
9/13/2006	1.5	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.5	1.8	3	11	4.3	8.1	6	0.16 U	15	0.2 U
12/12/2006	1.1	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	6.7	1.8	3.7	9.1	3	6.8	9	0.16 U	19	0.2 U
3/20/2007	1.1	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	3.5	1.4	1.9	6.1	2.1	3	8.7	0.12 U	10	0.15 U
6/21/2007	0.41	0.082 U	0.065 U	0.049 U	0.095	0.1 U	1.2	1.1	3.7	9.6	3.5	5.2	4.1	0.048 U	3.1	0.064 U
9/19/2007	0.45	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.3	1.3	2.6	9.1	3.1	1.3	3.5	0.079 U	6.4	0.1 U
12/11/2007	0.93	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.5	1.7	1.3	4.3	1.5	8.1	4.5	0.16 U	12	0.2 U
3/26/2008	0.27	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.9	0.95	1.4	5.2	1.8	1.2	4.9	0.079 U	5.2	0.1 U
6/17/2008	0.25	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.7	0.75	4.3	17	6.1	0.75	4.5	0.079 U	1.9	0.1 U
9/24/2008	1.3	0.069 U	0.055 U	0.04 U	0.33	0.081 U	0.7	0.48	0.96	3.5	1.1	0.25	3.3	0.04 U	3.3	0.051 U
12/18/2008	1.3	0.14 U	0.11 U	0.081 U	0.28	0.16 U	1.3	0.56	0.52	1.7	0.61	0.22	2.4	0.079 U	4.7	0.1 U
3/26/2009	0.65	0.1 U	0.082 U	0.061 U	0.14	0.12 U	2.1	1.2	1.6	5.6	1.8	0.88	4.1	0.059 U	8.1	0.077 U
6/25/2009	0.35	0.17 U	0.14 U	0.1 U	0.11	0.2 U	1.9	0.48	2.7	9.1	2.6	0.5	7.9	0.099 U	3.3	0.13 U
9/23/2009	0.35	0.14 U	0.11 U	0.081 U	0.11	0.16 U	2.3	0.59	2	6.9	2.2	0.54	5.3	0.079 U	3.4	0.1 U
12/17/2009	1.5	0.069 U	0.055 U	0.065	0.37	0.081 U	0.54	0.25	0.36	1.2	0.38	0.095	0.94	0.04 U	2.7	0.051 U
3/24/2010	1.3	0.069 U	0.055 U	0.061	0.4	0.081 U	0.67	0.4	0.61	2	0.65	0.19	1.9	0.04 U	2.1	0.051 U
6/22/2010	0.82	0.1 U	0.082 U	0.061 U	0.25	0.12 U	1.2	0.67	2.8	9.6	3 J	0.41	4.5	0.059 U	4.7	0.077 U
9/22/2010	0.26 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	3.1	1.1	1.4	4.6	1.6	1.2	7.1	0.099 U	3.4	0.13 U
12/28/2010	0.75	0.069 U	0.055 U	0.041 NJ	0.2	0.081 U	1.3	0.096	0.26	0.67	0.24	0.14	1.4	0.04 U	2.3	0.051 U
3/23/2011	0.54	0.069 U	0.055 U	0.04 U	0.12	0.081 U	0.75	0.39	0.47	1.7	0.59	0.62	1.2	0.04 U	1.8	0.051 U
6/22/2011	0.33 NJ	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.5	0.4	1.8	6.8	2.2	2.9	3	0.079 U	2.4	0.1 U
9/21/2011	0.46	0.069 U	0.055 U	0.04 U	0.12	0.081 U	1.7	0.51 NJ	1.4	5.4	1.9	0.57	3	0.04 U	1.4	0.051 U
12/20/2011	0.5	0.069 U	0.055 U	0.04 U	0.17 NJ	0.081 U	0.97	0.25	1.2	2.7	1.1 NJ	1.4	3.1	0.04 U	2.7	0.051 U
3/28/2012	0.36	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.8	0.52	5.8	2.5	1.4 NJ	0.66	7.9	0.2 U	3.2	0.26 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.4	0.2 U	9.6	3.1	1.8 U	0.35	8	0.2 U	0.72	0.26 U
10/9/2012	0.33	0.069 U	0.055 U	0.04 U	0.12	0.081 U	0.44	0.25	0.69	2.5	0.89	0.068 U	1	0.04 U	1.6	0.051 U
1/3/2013	0.58	0.069 U	0.055 U	0.04 U	0.18	0.081 U	0.51	0.28	0.45	1.8	0.55	0.078	2	0.04 U	3.7	0.051 U
3/28/2013	0.34	0.069 U	0.055 U	0.04 U	0.086 J	0.087	0.55	0.17	0.66	0.75 J	0.3 J	0.068 U	0.62	0.04 U	1	0.051 U
6/19/2013	0.13	0.069 U	0.055 U	0.04 U	0.08	0.081 U	0.29	0.04 U	0.11	0.2	0.049	1.2	1.1	0.04 U	0.53	0.051 U
9/19/2013	0.72	0.069 U	0.055 U	0.04 U	0.18 U	0.082 NJ	0.55	0.43 NJ	0.99	3.1	1.1	0.11	2.1	0.04 U	2.1	0.051 U

Sample ID	SVSS-B13A-01															
Description	BUILDING 13A SUB-SLAB VAPOR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2-Dichloroethane	Trichloroethane	Vinyl Chloride
7/17/2003	1.4	0.28 U	0.2 U	0.16 U	0.08 U	0.16 U	0.32	1.2	0.17 U	0.59	0.24	5.1	0.35	0.11 U	53	0.04 U
2/14/2006	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	7.9 U	8.7 U	22 U	8.7 U	14 U	7.5 U	7.9 U	34	5.1 U
12/12/2006	1.9	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	11	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	64	0.51 U
12/11/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/18/2008	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/17/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/28/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/20/2011	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	1.1	0.79 U	1.1 U	0.51 U
12/19/2012	1.3	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U

Notes

All values are shown in units of micrograms per cubic meter (µg/m³)

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated

Table 3
Building 7 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

IA-B7-01														
Sample ID	BUILDING 7 WAREHOUSE INDOOR AIR													
Description	Volatiles Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene
Sample ID	Volatiles Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene
7/15/2003	0.42	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	0.08 U	1.1	0.21	1.1	3.6	1.3	0.62	7
10/2/2003	0.45	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	0.2 U	1.4	0.95	1.6	3	0.87	0.62	2.5
1/20/2004	0.35	0.21 U	0.16 U	0.12 U	0.12 U	0.12 U	0.12 U	2.5	1	2.6	10	3.1	2.2	9.4
3/31/2005	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	0.04 U	1.4	1.2	0.12	0.74	3	1.1	0.28
12/12/2006	0.28	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.4 U	6.1	0.52	2.6	9.1	3.2	4.5	16
3/20/2007	0.43	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.4 U	3.5	0.95	0.87	2.8	1	2.4	5.3
6/21/2007	0.055	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.081 U	0.29	0.095	0.24	0.74	0.24	0.19	1.4
9/19/2007	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.081 U	0.42	0.075	0.23	0.56	0.22	0.14	1.4
12/11/2007	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	0.24 U	2	0.63	0.78	2.5	0.87	3	5.3
3/26/2008	0.14	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.16 U	2.2	0.75	0.87	3.2	1.1	0.75	7.2
6/17/2008	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.16 U	1.2	0.44	1.3	4.8	1.7	0.35	6.8
9/25/2008	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	0.24 U	1.2	0.12	1.1	4	1.6	0.28	8.3
12/18/2008	0.6 U	0.76 U	0.6 U	0.45 U	0.44 U	0.89 U	0.89 U	5.8	0.52	4.3	14	4.8	0.75 U	27
3/26/2009	0.18 U	0.23 U	0.18 U	0.13 U	0.13 U	0.27 U	0.27 U	2.1	4.4	0.91	3.1	1.2	0.36	8.3
6/25/2009	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.4 U	2.8	0.34 NJ	2.1	6.5	2.4	0.34 U	13
9/23/2009	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.12 U	1.1	0.067	0.74	2.2	0.83	0.1 U	4.5
12/17/2009	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.16 U	2.8	0.26	1.5	5.6	2.1	0.14 U	7.2
3/24/2010	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	0.24 U	3.2	0.75	1.9	6.9	2.4	1.2	11
6/22/2010	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	0.2 U	0.73	0.099	0.61	2	0.87 U	0.17 U	4.9
9/22/2010	0.33 U	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	0.49 U	1.7	0.24 U	1.1	3.4	1.3	0.41 U	9.7
12/28/2010	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	0.24 U	2	0.66	0.79	2.5	0.85	0.38	6.3
3/23/2011	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.16 U	1.7	0.14	0.89	3	0.98	0.19	4.2
6/22/2011	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.32 U	1.1	0.16 U	1.5	5.3	2	0.3	9.9
9/21/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.081 U	0.9	0.083	0.85	3.1	1.1	0.1	3.7
12/20/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.094	0.094	0.87	0.17	0.68	2.6	0.99	3.4	2.7
3/28/2012	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	0.81 U	2.7	0.4 U	2.1	5.6	2	8.1	17
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.4 U	1.8	0.2 U	1	2.3	0.84	3.6	3.4
10/9/2012	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.32 U	1.3	0.3	0.74	2.4	0.8	0.27 U	5.7
1/3/2013	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.4 U	1	0.64	0.44	1.3	0.5	0.34 U	2.8
3/28/2013	0.11	0.097 UJ	0.077 U	0.057 U	0.057 U	0.16 U	0.16 U	1	0.46	0.48	1.3 U	0.52 U	0.15	2.3
6/19/2013	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.16 U	0.33	0.28 NJ	0.44	1.5	0.55	0.14 U	3.5
9/19/2013	1.3 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.081 U	0.4	0.14	0.28	0.77	0.28	0.12	2.5

SVSS-B7-01														
Sample ID	BUILDING 7 SUB-SLAB VAPOR													
Description	Volatiles Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene
Sample ID	Volatiles Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene
7/17/2003	33 U	41 U	33 U	24 U	24 U	24 U	24 U	19 U	24 U	26 U	26 U	27 U	40	22 U
12/12/2006	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	8.1 U	6.4 U	7.9 U	8.7 U	22 U	8.7 U	17	7.5 U
3/20/2007	4.4 U	5.5 U	4.4 U	3.2 U	3.2 U	3.2 U	3.2 U	2.6 U	3.2 U	3.5 U	8.7 U	3.5 U	8.1	3 U
6/21/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.7	1.2
9/19/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.79
12/11/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.79
3/26/2008	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.79
6/17/2008	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	2	0.75
9/24/2008	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	1.2
12/18/2008	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75
3/26/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	2	0.75
6/25/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	2.2	1.1
9/23/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.5	0.75
12/17/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.81 U	0.67	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	2.5
3/24/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.81 U	0.64 U	0.79 U	0.87 U	1.7 U	0.87 U	1.4 U	0.75
6/22/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.81 U	0.64 U	0.79 U	0.87 U	1.7 U	0.87 U	2.6	0.75
9/22/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75
12/28/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	2.2	0.75
3/23/2011	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.7	0.94
6/22/2011	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.81 U	0.64 U	0.79 U	0.87 U	2.7	0.85	2.8	1.7
9/21/2011	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.81 U	1	0.79 U	2.5	10	3.4	1.4 U	15
12/20/2011	1.1 UJ	1.4 UJ	1.1 UJ	0.81 UJ	0.79 UJ	0.81 UJ	0.81 UJ	0.64 UJ	0.79 UJ	0.87 UJ	2.2 UJ	0.87 UJ	3.8 UJ	0.75 UJ
12/19/2012	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	5.6	0.8

IA-B7-02														
Sample ID	BUILDING 7 OFFICE INDOOR AIR													
Description	Volatiles Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene
Sample ID	Volatiles Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene
9/21/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.081 U	0.38	0.04 U	0.21	0.63	0.21	0.068 U	1.4
12/20/2011	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.32 U	1.5	0.17	0.57	1.7	0.62	2	14
3/28/2012	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	0.24 U	0.49	0.12 U	1.5	3.9	1.4	9.5	6.3
6/14/2012	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.16 U	1.3	0.19 NJ	3.9	9.7	3.3	2.6	6.7
10/9/2012	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.32 U	0.6	0.16 U	0.37	0.94	0.35	0.27 U	1.5
1/3/2013	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.4 U	0.92	0.47	0.35	0.96	0.38	0.34 U	2.1
3/28/2013	0.11 U	0.14 UJ	0.11 U	0.081 U	0.079 U	0.16 U	0.16 U	0.44	0.38	0.83	1 J	0.54 NJ	0.14 U	2
6/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.081 U	0.82	0.37	0.04 U	0.79	2.3	0.89	0.1
9/19/2013	0.17 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.081 U	0.51	0.094 U	0.38	0.92	0.31	0.1	1.7

Notes
 All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).
 U - Not detected above reporting limit
 J - Estimated
 NJ - Tentative in identification and estimated

Table 4
Building 10 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B10-01																
Description	BUILDING 10 INDOOR AIR																
Volatiles Organic Compound	1,1,1- Trichloroethane	1,1,2,2- Tetrachloroethane	1,1,2- Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2- Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2- Dichloroethane	Trichloroethane	Vinyl Chloride	
7/15/2003	0.2	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	0.9	0.7	0.59	1.8	0.69	6.4	4.3	0.056 U	4	0.02 U	
10/2/2003	1.4	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	3.1	4	0.91	2.8	1	5.2	5.3	0.4 U	30	0.26 U	
1/20/2004	0.5	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	3.5	4.4	6.9	29	6.9	8.1	8.7	0.2 U	26	0.13 U	
2/14/2006	0.55	0.069 U	0.055 U	0.04 U	0.075	0.04 U	3.8	1.4	1.7	4.3	2.3	22	4.9 J	0.044	45	0.074 J	
6/28/2006	0.25	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.2	4	1.6	6.1	2.5	20	4.5	0.16 U	9.7	0.2 U	
9/13/2006	0.29	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.2	0.95	0.65	2	0.74	4.1	3.5	0.16 U	15	0.2 U	
12/12/2006	1	0.55 U	0.44 U	0.32 U	0.32 U	0.65 U	7	2.6	2.4	6.9	2.5	10	9.4	0.32 U	32	0.41 U	
3/20/2007	0.76	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	6.4	1.9	1	3.5	1.1	6.2	6	0.16 U	17	0.2 U	
6/21/2007	0.13	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.67	0.63	0.39	1.3	0.43	2.5	1.6	0.04 U	2.4	0.051 U	
9/19/2007	0.082	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.58	0.38	0.24	0.61	0.21	0.43	1.1	0.04 U	3	0.051 U	
12/11/2007	0.65	0.55 U	0.44 U	0.32 U	0.32 U	0.65 U	2.6	2.8	0.74	2.5	0.91	9.5	3.8	0.32 U	24	0.41 U	
3/26/2008	0.27	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	2.8	2.5	0.74	2.8	0.87	2.8	4.5	0.099 U	10	0.13 U	
6/17/2008	0.24	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	0.77	3.2	1.9	6.9	2.3	1.7	2.6	0.099 U	5.4	0.13 U	
9/24/2008	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	0.7	0.75	0.42	1.4	0.52	12	2.2	0.099 U	4.3	0.13 U	
12/18/2008	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	4.2	2.9	1.7	6.5	2.1	1	11	0.4 U	37	0.51 U	
3/26/2009	0.43 U	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	4.2	3.2	2.1	7.4	2.4	1.2	11	0.31 U	31	0.41 U	
6/25/2009	0.43	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	4.5	7.5	4.8	18	6.1	3.1	28	0.31 U	13	0.41 U	
9/23/2009	0.12	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.4	2.2	0.69	2.3	0.87	0.66	2.8	0.04 U	3.8	0.087	
12/17/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	1.6 U	3.2	3.5	1.4	4.3	1.6	1.4 U	7.2	0.79 U	64	1 U	
3/24/2010	0.25	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2.5	4.4	2.1	8.7	2.9	1.5	7.2	0.12 U	11	0.15 U	
6/22/2010	0.16	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.2	1.8	0.83	3	1 J	0.75	2.2	0.04 U	4.4	0.056 NJ	
9/22/2010	0.13 NJ	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.7	1.8	0.89	3.2	1	0.5	5.1	0.079 U	5	0.1 U	
11/16/2010	0.91 U	1.1 U	0.91 U	0.68 U	0.66 U	1.4 U	4.9	4.5	2.3	7.2	2.5	73	14	0.66 U	21	0.85 U	
12/28/2010	0.34 U	0.43 U	0.34 U	0.25 U	0.25 U	0.51 U	4.1	2.3	0.72	2.2	0.84	0.71	3.9	0.25 U	20	0.32 U	
3/23/2011	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	2.6	0.96	1.1	2.9	1	0.64	3.7	0.099 U	11	0.13 U	
6/22/2011	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.3	0.31	0.74	2.4	0.84	0.79	3.8	0.079 U	0.61	0.1 U	
9/21/2011	0.071 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.84	0.64	0.61	2	0.7	0.19	1.5	0.04 U	1.4	0.051 U	
12/20/2011	0.21	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	1.7	1.3	0.93	2.5	0.95	3.2	2	0.099 U	13	0.13 U	
3/28/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.8	0.7	1.9	4.1	1.4	5.5	7.2	0.2 U	5.2	0.26 U	
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.5	0.81	1.6	1.5	0.59	5.9	2.9	0.2 U	0.84	0.26 U	
10/9/2012	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	1.5	0.81	0.46	1.2	0.43 U	0.68 U	0.98	0.4 U	23	0.51 U	
1/3/2013	0.41 U	0.51 U	0.41 U	0.3 U	0.3 U	0.6 U	0.9	1.6	0.32 U	1.1	0.43 J	0.51 U	1.2	0.3 U	27	0.38 U	
3/28/2013	0.16	0.086 U	0.068 U	0.051 U	0.2 U	0.1 U	0.86	0.72	0.47	0.77 J	0.33 J	0.085 U	1	0.05 U	5.1	0.064 U	
6/19/2013	0.15	0.069 U	0.055 U	0.04 U	0.043	0.081 U	0.18	0.96	0.063	0.16	0.044	0.25	0.7	0.04 U	0.84	0.051 U	
9/19/2013	0.13	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.36	0.58	0.19	0.56	0.2	0.13	0.81	0.04 U	5.4	0.051 U	

Sample ID	SVSS-B10-01															
Description	BUILDING 10 SUB-SLAB VAPOR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/17/2003	26 U	32 U	26 U	19 U	19 U	19 U	15 U	38	20 U	20 U	21 U	32 U	18 U	19 U	2700	12 U
2/14/2006	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	11	8.7 U	22 U	8.7 U	14 U	7.5 U	7.9 U	1100	5.1 U
12/12/2006	16 U	21 U	16 U	12 U	12 U	12 U	9.6 U	26	13 U	33 U	13 U	20 U	11 U	12 U	3200	7.7 U
12/11/2007	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	14	8.7 U	22 U	8.7 U	14 U	7.5 U	7.9 U	1800	5.1 U
6/18/2008	28 U	35 U	28 U	21 U	20 U	21 U	16 U	20 U	22 U	56 U	22 U	35 U	19 U	20 U	2300	13 U
12/18/2008	8.7 U	11 U	8.7 U	6.5 U	6.3 U	6.5 U	5.1 U	6.7	6.9 U	17 U	6.9 U	11 U	6 U	6.3 U	1700	4.1 U
12/17/2009	8.7 U	11 U	8.7 U	6.5 U	6.3 U	6.5 U	5.1 U	6.3	6.9 U	17 U	6.9 U	11 U	6 U	6.3 U	1200	4.1 U
12/28/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	2.9	0.87 U	2.2 U	0.87 U	3.6	3.7	0.79 U	130	0.51 U
12/20/2011	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	6.5 J	1.3 J	0.79 U	34 J	0.51 U
12/19/2012	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	22	0.51 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated

Table 4
Building 10 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B10A-01															
Description	BUILDING 10A INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2-Dichloroethane	Trichloroethane	Vinyl Chloride
7/15/2003	0.3	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	2.3	0.89	2.1	7.5	2.7	7.6	11	0.056 U	4.5	0.02 U
10/2/2003	1.1	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	1.5	2.2	0.65	2	0.74	2.7	3.3	0.2 U	12	0.13 U
1/20/2004	0.49	0.21 U	0.16 U	0.12 U	0.12 U	0.15	2.7	4.8	2.3	9.1	2.4	5.4	6	0.12 U	19	0.1
2/14/2006	0.49 J	0.069 U	0.055 U	0.04 U	0.056	0.04 U	2.8	1.1	1.3	3.4	1.8	6	3.8 J	0.04 U	32	0.066 J
6/28/2006	0.29	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.7	4.8	2.3	9.1	3.6	22	6.4	0.2 U	9.1	0.26 U
9/13/2006	0.34	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.4	0.38	0.69	2.3	0.78	3	2.8	0.079 U	7	0.1 U
12/12/2006	1.4	0.55 U	0.44 U	0.32 U	0.32 U	0.65 U	7.7	3	2.8	7.8	2.5	12	10	0.32 U	32	0.41 U
3/20/2007	0.76	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.8	1.9	0.78	2.9	1	6.1	4.9	0.16 U	15	0.2 U
6/21/2007	0.21	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.64	1.3	0.52	1.7	0.56	3.2	2.4	0.04 U	3	0.051 U
9/19/2007	0.27	0.082 U	0.065 U	0.049 U	0.048 U	0.1 U	0.7	1.2	0.42	1.3	0.48	0.81	1.5	0.048 U	4.9	0.064 U
12/11/2007	0.82	0.41 U	0.33 U	0.24 U	0.24 U	3.1	2.6	3.3	0.78	2.2	0.69	12	4.1	0.24 U	23	0.31 U
3/26/2008	0.28	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.7	3.2	0.87	3.2	1.1	2.6	4.5	0.079 U	9.7	0.1 U
6/17/2008	0.19	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.64	1.4	1.4 NJ	5.2	1.8	1.2	2.1	0.079 U	2.8	0.1 U
9/24/2008	0.19	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.83	1.5	0.48	1.8	0.65	3.1	2.3	0.059 U	4.8	0.077 U
12/18/2008	0.51	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	3.5	3.3	1.5	6.1	1.9	1.3	8.7	0.24 U	19	0.31 U
3/26/2009	0.43 U	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	4.2	5.2	2.3	9.6	3	1.8	12	0.31 U	21	0.41 U
6/25/2009	0.65	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	4.5	8.7	5.2	17	5.2	4.1	28	0.31 U	15	0.41 U
9/23/2009	0.28	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	2.6	4	1	3.4	1.2	1.8	4.5	0.059 U	4.6	0.12
12/17/2009	0.43 U	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	2.9	4	1.3	4.8	1.6	0.88	7.2	0.31 U	25	0.41 U
3/24/2010	0.28	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2.7	5.2	2.5	10	3.6	1.1	8.3	0.12 U	9.7	0.15 U
6/22/2010	0.34	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.3	4.4	1.2	4.8	1.6 J	1.4	4.1	0.059 U	6.4	0.095 NJ
9/22/2010	0.17	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	1.9	1.9	0.91	3.2	1.1	0.72	5.3	0.12 U	3.8	0.15 U
12/28/2010	0.29	0.21 U	0.17 U	0.13 U	0.12 U	0.25 U	5.9	3.6	1.1	3.4	1.2	0.97	6.4	0.12 U	13	0.16 U
3/23/2011	0.24	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.2	1.9	1.1	3.6	1.2	0.8	4.9	0.079 U	5.7	0.1 U
6/22/2011	0.14 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.9	0.51	0.75	2.6	0.93	1.2	2.2	0.04 U	0.91	0.051 U
9/21/2011	0.14 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.3	0.67	0.61	2.1	0.76	0.24	1.7	0.04 U	1.1	0.051 U
12/20/2011	0.28	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	1.8	2.1	0.98	3.3	1.2	3.7	2.7	0.099 U	8	0.13 U
3/28/2012	0.17	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2.6	1.3	2.3	4.6	1.7	3.7	5.6	0.12 U	5.7	0.15 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.7	0.42	0.77	0.73	0.25	0.8	1.4	0.2 U	0.4	0.26 U
10/9/2012	0.37	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.81	1.3	0.38	1.1	0.37	0.27 U	0.76	0.16 U	7.9	0.2 U
1/3/2013	0.45	0.32 U	0.25 U	0.19 U	0.18 U	0.37 U	1.1	1.8	0.37	1.2	0.46	0.31 U	1.3	0.18 U	18	0.23 U
3/28/2013	0.22	0.069 UJ	0.055 U	0.04 U	0.16 U	0.082 NJ	0.97	1.3	0.57	1.1 J	0.48 J	0.23	1.3	0.04 U	2.7	0.051 U
6/19/2013	0.11	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.1	0.34	0.16	0.61	0.23	0.068 U	0.46	0.04 U	0.32	0.051 U
9/19/2013	0.25	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.37	0.67	0.25	0.91	0.32	0.089	0.89	0.04 U	3	0.051 U

Sample ID	SVSS-B10A-01															
Description	BUILDING 10A SUB-SLAB VAPOR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2-Dichloroethane	Trichloroethane	Vinyl Chloride
7/17/2003	14	3.2 U	2.3 U	2.5	0.9 U	1.8 U	3.4 U	10	2 U	3.8 U	2 U	920	3.2	1.3 U	120	0.45 U
2/14/2006	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	7.9 U	8.7 U	22 U	8.7 U	44	7.5 U	7.9 U	11 U	5.1 U
12/12/2006	3.4	1.4 U	1.1 U	2.1	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	140	2.6	0.79 U	20	0.51 U
12/11/2007	1.1	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	81	0.75 U	0.79 U	9.1	0.51 U
12/18/2008	2.5	1.4 U	1.1 U	1.5	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	95	0.75 U	0.79 U	10	0.51 U
12/17/2009	2.2	1.4 U	1.1 U	1.4	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	100	0.75 U	0.79 U	13	0.51 U
12/28/2010	2.5	1.4 U	1.1 U	1.8	0.79 U	0.81 U	0.64 U	0.79 U	1	4	1.7	49	3.3	0.79 U	13	0.51 U
12/20/2011	2.3	1.4 U	1.1 U	1.8	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	50	0.96	0.79 U	12	0.51 U
12/19/2012	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	1.6	0.79 U	0.87 U	2.2 U	0.87 U	20	1.8	0.79 U	5.7	0.51 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative identification and estimated

Table 5
Building 1A Basement and First Floor Indoor Air Sample Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B1A-01															
Description	BUILDING 1A FIRST FLOOR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2-Dichloroethane	Trichloroethane	Vinyl Chloride
7/15/2003	0.63	0.14 U	0.1 U	0.08 U	0.04 U	0.95	1.8	0.89	3.4	12	3.5	25	52	0.056 U	6.9	0.02 U
10/2/2003	0.35 J	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	1.3	1.5	0.91	2.6	0.74	1.9	11	0.2 U	10	0.13 U
1/20/2004	0.19	0.14 U	0.11 U	0.081 U	0.079 U	0.14	0.89	0.59	0.61	1.7	0.56	8.1	2.8	0.079 U	2.1	0.051 U
12/12/2006	0.21	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	3.5	0.71	2	6.1	1.4	3.6	8.7	0.12 U	9.1	0.15 U
3/20/2007	0.26	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.3	0.75	0.78	2.6	0.61	0.88	3.4	0.16 U	12	0.2 U
6/21/2007	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.24	0.04 U	0.21	0.74	0.18	0.095	1.5	0.04 U	0.39	0.051 U
9/19/2007	1	0.69 U	0.55 U	0.4 U	0.4 U	0.97	1.2	0.67	3.8	12	2.1	2.4	17	0.4 U	3.4	1.6
12/11/2007	0.093	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.4	0.32	0.61	1.7	0.4	1.6	2.9	0.059 U	2.9	0.077 U
3/26/2008	0.098	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.4	0.28	0.74	2.6	0.69	0.75	1.9	0.059 U	4.9	0.077 U
6/17/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.14	0.04 U	0.65	2.6	0.74	0.068 U	2.1	0.04 U	0.059	0.051 U
9/24/2008	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.89	0.48	1	3.2	0.96	0.88	11	0.16 U	2.3	0.2 U
12/18/2008	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	4.8	0.59	0.78	2.9	1	0.56	6.8	0.12 U	9.7	0.15 U
3/26/2009	0.18 U	0.23 U	0.18 U	0.13 U	0.13 U	0.27 U	3.8	1	1.1	3.7	1.2	0.46	8.7	0.13 U	7	0.17 U
6/25/2009	0.18 U	0.23 U	0.18 U	0.13 U	0.13 U	0.27 U	1.7	0.27	1.1	3.8	1.1	0.22 U	7.2	0.13 U	0.59	0.17 U
9/23/2009	0.82 U	1 U	0.82 U	0.61 U	0.59 U	1.2 U	2.4	0.59 U	6.1	17	3.9	1 U	37	0.59 U	2.7	0.77 U
12/17/2009	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.7	0.52	0.69	2.3	1.1	0.58	4.5	0.079 U	3.7	0.1 U
3/24/2010	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.3	1	1	3.2	0.83	0.6	4.9	0.079 U	7.5	0.1 U
6/22/2010	0.44 U	0.56 U	0.44 U	0.33 U	0.32 U	0.65 U	1.9	2.7	2	6.5	1.8	0.75	9	0.32 U	27	0.41 U
8/30/2010	0.069 NJ	0.069 UJ	0.055 U	0.04 U	0.04 U	0.081 U	0.7	0.094	0.67	2	0.67	0.13	3.4	0.04 U	1.5	0.051 U
9/22/2010	0.33 U	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	1.6	0.24 U	2.4	11	2.9	0.43	16	0.24 U	2.4	0.31 U
12/28/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.8	0.071	0.17	0.55	0.19	0.1	1.6	0.04 U	1.1	0.051 U
3/23/2011	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2	0.59	0.45	1.3	0.46	0.58	2.5	0.079 U	6.8	0.1 U
6/22/2011	0.055 U	0.069 UJ	0.055 U	0.04 U	0.04 U	0.081 U	0.35	0.04 U	0.48	1.3	0.47	0.11	3.5	0.04 U	0.26	0.051 U
9/21/2011	0.096 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.22	0.44	0.16	0.094	0.32	0.12	0.081	0.4	0.04 U	0.75	0.051 U
12/20/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.11	0.52	0.086	0.8	3.7	1.4	2.8	1.3	0.04 U	1.1	0.051 U
3/28/2012	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.32	0.079 U	0.38	0.82	0.29	0.18	3.5	0.079 U	1.3	0.1 U
6/14/2012	0.068 U	0.086 U	0.068 U	0.051 U	0.05 U	0.14	1.1	0.29	0.54	1.8	0.62	0.16	3.8	0.05 U	1.3	0.064 U
10/9/2012	0.28	0.21 U	0.16 U	0.12 U	0.12 U	0.33	0.83	0.55	0.74	2.4	0.74	1.1	4	0.12 U	5.2	0.15 U
1/3/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.09 NJ	0.96	0.12	0.18	0.51	0.17	0.28	2	0.04 U	1.6	0.051 U
3/28/2013	0.055 U	0.069 UJ	0.055 U	0.04 U	0.16 U	0.081 U	0.93	0.08 U	0.12	0.29 J	0.1 NJ	0.071	1.1	0.04 U	0.95	0.051 U
6/19/2013	0.067	0.069 U	0.055 U	0.04 U	0.04 U	0.081	0.15	0.17 NJ	0.28	0.98	0.39	0.26	3.1	0.04 U	2.7	0.051 U
9/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.032 U	0.14	0.043 U	0.087 U	0.043 U	0.068 U	0.038 U	0.04 U	0.11	0.051 U

Sample ID	IA-B1A-BASE															
Description	BUILDING 1A BASEMENT															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2-Dichloroethane	Trichloroethane	Vinyl Chloride
10/2/2003	0.6 J	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	0.77	5.2	0.43 U	1	0.43 U	1.8	3.1	0.4 U	160	0.26 U
1/20/2004	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	1.1	0.71	0.3	0.74	0.27	3.1	1.5	0.2 U	9.1	0.13 U
12/12/2006	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	2.7	2.8	1.7	5.2	1.3	3.8	6	0.4 U	45	0.51 U
3/20/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	1.6 U	3.5	4.8	0.87 U	2.1	0.87 U	1.4 U	3.3	0.79 U	81	1 U
6/21/2007	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.35	0.14	1.4	3.7	0.83	0.24	4.5	0.079 U	2.1	0.1 U
9/19/2007	0.43	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.45	0.29	0.48	1.4	0.32	1.1	2.2	0.079 U	7	0.1 U
12/11/2007	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.1	1.5	0.48	1.4	0.37	1.2	1.9	0.16 U	20	0.2 U
3/26/2008	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.73	1.1	0.32	0.91	0.3	0.56	1	0.16 U	17	0.2 U
6/17/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.14	0.04 U	0.091	0.33	0.1	0.068 U	1.8	0.04 U	0.081	0.051 U
9/24/2008	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.7	0.83	0.48	1.7	0.56	0.81	5.7	0.2 U	16	0.26 U
12/18/2008	0.35 U	0.45 U	0.35 U	0.26 U	0.26 U	0.53 U	2	1.5	0.56	2.1	0.78	0.52	4.5	0.26 U	24	0.33 U
3/26/2009	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	1.7	1.9	0.56	2.2	1.1	0.68 U	4.1	0.4 U	29	0.51 U
6/25/2009	0.071	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.5	0.079	0.43	1.6	0.52	0.095	3.1	0.04 U	0.27	0.051 U
9/23/2009	1.4 U	1.7 U	1.4 U	1 U	0.99 U	2 U	2.8	3.8	2.9	7.8	2	1.7 U	18	0.99 U	86	1.3 U
12/17/2009	0.33 U	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	1.1	0.91	0.26 U	0.78	0.28	0.54	1.5	0.24 U	14	0.31 U
3/24/2010	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.86	1.7	0.52	1.6	0.4	0.68	1.7	0.2 U	24	0.26 U
6/22/2010	2.2 U	2.7 U	2.2 U	1.6 U	1.6 U	3.3 U	2.3	12	1.7 U	4.8	1.7 U	2.7 U	6	1.6 U	120	2.1 U
8/30/2010	0.19 U	0.24 UJ	0.19 U	0.14 U	0.14 U	0.28 U	1.9	0.77	1.1	3.5	1.1	0.26	7.2	0.14 U	14	0.18 U
9/22/2010	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.8	0.16 U	0.91	3.9	1.1	0.27 U	9.4	0.16 U	4.5	0.2 U
12/28/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.96	0.074	0.17 NJ	0.53	0.17	0.18	2	0.04 U	1.8	0.051 U
3/23/2011	0.82 U	1 U	0.82 U	0.61 U	0.59 U	1.2 U	4.4	5.2	0.65 U	1.3 U	0.65 U	1 U	1	0.59 U	67	0.77 U
6/22/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.04 U	0.32	1.1	0.39	0.12	2.7	0.04 U	0.43	0.051 U
9/21/2011	0.12 NJ	0.1 U	0.082 U	0.061 U	0.059 U	0.27 U	0.55	0.24	0.35	0.73	0.19	0.81	2.3	0.059 U	5.1	0.077 U
12/20/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.49	0.11	0.43	2	0.79	1.6	0.71	0.04 U	1.6	0.051 U
3/28/2012	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.47	0.52	0.18	0.58	0.2	0.28	1	0.16 U	11	0.2 U
6/14/2012	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.73	0.24	0.46	1.5	0.52	0.2	2.6	0.079 U	5	0.1 U
10/9/2012	0.11	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.28	0.22	0.11	0.37	0.13	0.36	0.69	0.079 U	4.5	0.1 U
1/3/2013	0.16 U	0.42	0.16 U	0.12 U	0.12 U	0.24 U	0.74	0.21	0.19	0.57	0.23	0.25	6.6	0.12 U	3	0.15 U
3/28/2013	0.22 UJ	0.27 UJ	0.22 UJ	0.16 UJ	0.16 UJ	0.32 UJ	1.1 J	0.32 UJ	0.23 NJ	0.56 NJ	0.64 UJ	0.29 J	4.4 J	0.16 UJ	2.4 J	0.2 UJ
6/19/2013	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.16	0.58	0.24	0.82	0.37	0.35	2.5	0.16 U	13	0.2 U
9/19/2013	1.2	0.098 U	0.078 U	0.058 U	0.82	0.12 U	0.34	0.43	0.33	0.97	0.34	0.29	4.2	0.057 U	7	0.073 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit shown

J - Estimated by data validator

NJ - Tentative in identification and estimated

Table 6
Ambient Air Sample Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	OA-B2-01															
Description	AMBIENT AIR OUTSIDE OF BUILDING 2															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	1,2-Dichloroethane	Benzene	o,1,2-Dichlorobenzene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2-Dichloroethane	Trichloroethane	Vinyl Chloride
7/15/2003	0.21	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	0.44	0.056 U	0.35	1.1	0.35	0.3	3.2	0.056 U	0.58	0.02 U
10/2/2003	0.16	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	0.38	0.04 U	0.13	0.35	0.13	0.068 U	0.64	0.04 U	0.52	0.026 U
1/20/2004	0.12	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	0.45	0.04 U	0.19	0.48	0.19	0.075	0.9	0.04 U	0.81	0.026 U
3/20/2007	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.089	0.58	0.04 U	0.043 U	0.087 U	0.043 U	0.088	0.22	0.04 U	2.8	0.051 U
6/21/2007	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.21	0.04 U	0.087	0.23	0.083	0.068 U	0.49	0.04 U	0.7	0.051 U
9/19/2007	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.32	0.04 U	0.15	0.38	0.13	0.11	1	0.04 U	0.31	0.051 U
12/11/2007	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.085	0.51	0.04 U	0.1	0.26	0.1	0.068 U	0.53	0.04 U	0.054 U	0.051 U
3/26/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.04 U	0.078	0.2	0.078	0.068 U	0.36	0.04 U	0.054 U	0.051 U
6/17/2008	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.24	0.04 U	0.16	0.52	0.2	0.068 U	1.7	0.04 U	0.054 U	0.051 U
9/24/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.16	0.04 U	0.091	0.26	0.091	0.068 U	0.57	0.04 U	0.054 U	0.051 U
12/18/2008	0.055	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.7	0.04 U	0.22	0.69	0.29	0.088	1.2	0.04 U	0.11	0.051 U
3/26/2009	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.081	0.7	0.12	0.25	1.3	0.65	0.14	0.98	0.04 U	0.086	0.051 U
6/25/2009	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.54	0.079 U	0.69	1.7	0.56	0.14 U	5.3	0.079 U	0.86	0.1 U
9/23/2009	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.42	0.04 U	0.48	0.74	0.26	0.075	1.2	0.075	0.91	0.051 U
12/17/2009	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.42	0.04 U	0.061	0.15	0.056	0.068 U	0.35	0.04 U	0.054 U	0.051 U
3/24/2010	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1	0.059 U	0.52	1.8	0.52	0.26	4.1	0.059 U	0.081 U	0.077 U
6/22/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.22	0.04 U	0.069	0.11	0.043 U	0.068	0.45	0.04 U	0.075	0.051 U
8/30/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.35	0.04 U	0.14	0.34	0.13	0.081	0.76	0.04 U	0.074	0.051 U
9/22/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.58	0.04 U	0.29	0.9	0.32	0.077	2.4	0.04 U	0.066	0.051 U
12/28/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.49	0.04 U	0.11	0.26	0.1	0.068 U	0.65	0.04 U	0.21	0.051 U
3/23/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.41	0.04 U	0.084	0.2	0.079	0.071	0.48	0.04 U	0.054 U	0.051 U
6/22/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.04 U	0.32	0.96	0.33	0.12	3.3	0.04 U	0.066	0.051 U
9/21/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.19	0.04 U	0.085	0.21	0.077	0.068 U	0.82	0.04 U	0.054 U	0.051 U
12/20/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.53	0.04 U	0.052	0.14	0.058	0.11	0.47	0.04 U	0.054 U	0.051 U
3/28/2012	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	0.31	0.099 U	0.5	0.95	0.34	0.17 U	4.7	0.099 U	0.13 U	0.13 U
6/14/2012	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.04 U	0.19	0.74	0.28	0.068 U	0.59	0.04 U	0.054 U	0.051 U
10/9/2012	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.23	0.04 U	0.043 U	0.087 U	0.043 U	0.068 U	0.35	0.04 U	0.11	0.051 U
1/3/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.52	0.04 U	0.096	0.26	0.1	0.068 U	0.53	0.04 U	0.075	0.051 U
3/28/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.16 U	0.081 U	0.35	0.2 U	0.059 U	0.15 J	0.4 U	0.068 U	0.27	0.04 U	0.054 U	0.051 U
6/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.068	0.04 U	0.043 U	0.087 U	0.043 U	0.15	0.18	0.04 U	0.085 U	0.051 U
9/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.21	0.04 U	0.063	0.17 NJ	0.058	0.068 U	0.72	0.04 U	0.054 U	0.051 U

Sample ID	OA-B11-01															
Description	AMBIENT AIR OUTSIDE OF BUILDING 11															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	1,2-Dichloroethane	Benzene	o,1,2-Dichlorobenzene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2-Dichloroethane	Trichloroethane	Vinyl Chloride
7/15/2003	0.18	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	0.32	0.056 U	0.16	0.32	0.14	0.14 U	1.4	0.056 U	0.074	0.02 U
10/2/2003	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	0.3	0.04 U	0.091	0.26	0.096	0.068 U	0.45	0.04 U	0.13	0.026 U
1/20/2004	0.11	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	0.45	0.04 U	0.15	0.34	0.13	0.068	0.68	0.04 U	0.12	0.026 U
3/20/2007	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.54	0.04 U	0.1	0.29	0.11	0.075	0.38	0.04 U	0.14	0.051 U
6/21/2007	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.15	0.04 U	0.061	0.16	0.052	0.068 U	0.32	0.04 U	0.12	0.051 U
8/30/2007	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.17	0.04 U	0.091	0.22	0.078	0.081	0.49	0.04 U	0.12	0.051 U
9/19/2007	0.055	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.29	0.04 U	0.15	0.43	0.13	0.12	0.6	0.04 U	0.11	0.051 U
12/11/2007	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.085	0.58	0.04 U	0.19	0.56	0.21	0.068 U	0.72	0.04 U	0.086	0.051 U
3/26/2008	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.31	0.04 U	0.065	0.2	0.083	0.068 U	0.37	0.04 U	0.054 U	0.051 U
6/17/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.13	0.04 U	0.12	0.38	0.11	0.068 U	0.75	0.04 U	0.086	0.051 U
9/24/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.14	0.04 U	0.096	0.24	0.083	0.068 U	0.64	0.04 U	0.07	0.051 U
12/18/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.54	0.04 U	0.18	0.48	0.21	0.095	1.1	0.04 U	0.13	0.051 U
3/26/2009	0.071	0.069 U	0.055 U	0.04 U	0.04 U	0.085	0.67	0.083	0.18	0.41	0.16	0.14	0.94	0.04 U	0.075	0.051 U
6/25/2009	0.071	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.32	0.04 U	0.23	0.69	0.23	0.088	1.4	0.04 U	0.075	0.051 U
9/23/2009	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.26	0.04 U	0.14	0.43	0.17	0.068 U	0.83	0.04 U	0.51	0.051 U
12/17/2009	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.38	0.04 NJ	0.065	0.18	0.074	0.068 U	0.35	0.04 U	0.11	0.051 U
3/24/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 NJ	0.51	0.04 U	0.15	0.43	0.16	0.095	1.1	0.04 U	0.081	0.051 U
6/22/2010	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.31	0.079	0.16	0.48	0.19 J	0.081	0.79	0.04 U	0.22	0.051 U
9/22/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.42	0.04 U	0.19	0.46	0.17	0.068 U	1.1	0.04 U	0.077	0.051 U
12/28/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.73	0.14	0.28	0.72	0.25	0.33	2.3	0.04 U	3.4	0.051 U
3/23/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.39	0.04 U	0.061	0.18	0.077	0.068 U	0.3	0.04 U	0.068	0.051 U
6/22/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.2	0.04 U	0.1	0.3	0.12	0.068 U	0.55	0.04 U	0.054 U	0.051 U
9/21/2011	0.057 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.54	0.084	0.22	0.66	0.24	0.16	1.1	0.04 U	0.32	0.051 U
12/20/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.45	0.04 U	0.043 U	0.043 U	0.043 U	0.068 U	0.16	0.04 U	0.21	0.051 U
3/28/2012	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.29	0.04 U	0.11	0.31	0.12	0.068 U	0.56	0.04 U	0.056	0.051 U
6/14/2012	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.26	0.058	0.32	0.46	0.17	0.11	0.83	0.04 U	1.2	0.051 U
10/9/2012	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.066	0.086	0.24	0.1	0.068 U	0.47	0.04 U	0.19	0.051 U
1/3/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.77	0.04 U	0.28	0.9	0.29	0.095	1.2	0.04 U	0.086	0.051 U
3/28/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.16 U	0.081 U	0.37	0.08 U	0.073 NJ	0.16 J	0.16 U	0.068 U	0.24	0.04 U	0.085	0.051 U
6/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.7	0.04 U	0.043 U	0.98	0.43 U	0.068 U	0.2	0.04 U	0.087	0.051 U
9/19/2013	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.4	0.079 U	0.75	3	1.1	0.14 U	4.3	0.079 U	0.39	0.1 U*

Notes

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

Attachment D Data Validation Report

Attachment D
Data Validation Report

Data Validation Services

120 Cobble Creek Road P.O. Box 208
North Creek, NY 12853

Phone 518-251-4429
harry@frontiernet.net

October 26, 2013

Mark Flusche
ARCADIS Macolm Pirnie, Inc.
855 Route 146 Suite 210
Clifton Park, NY 12065

RE: Validation of the Former Philips Display Components Facility, Seneca Falls Site Data Package
Indoor and Outdoor Air Samples
TestAmerica-VT SDG No. 200-18548-1

Dear Mr. Flusche:

Review has been completed for the data package generated by TestAmerica Laboratories (TAL-VT) that pertains to air samples collected on September 9, 2013 at the Seneca Falls, NY site. Fifteen 6-L summa canisters and a field duplicate were analyzed for sixteen site-specific volatile analytes using USEPA method TO-15.

Data validation was performed using guidance from the 2006 USEPA Region II validation SOP HW-31, with consideration for the specific requirements of the analytical methodology. The following items were reviewed:

- * Data Completeness
- * Case Narrative
- * Custody Documentation
- * Holding Times
- * Internal Standard Recoveries
- * Method and Canister Blanks
- * Blind Field Duplicate Correlation
- * Laboratory Control Samples (LCSs)
- * Instrumental Tunes
- * Initial and Continuing Calibration Standards
- * Method Compliance
- * Sample Result Verification

Those items showing deficiencies are discussed in the following sections of this report. All others were found to be acceptable as outlined in the above-mentioned validation procedures, and as applicable for the methodology. Unless noted specifically in the following text, reported results are substantiated by the raw data, and generated in compliance with project requirements.

In summary, all sample results are usable either as reported or with minor qualification.

The client and laboratory sample identifications and the laboratory case narrative are attached to this text, and should be reviewed in conjunction with this report. Also attached is the client Equis file edited to reflect the qualifiers and edits discussed in this report.

Chain-of-Custody

No relinquish entries for signature, date, or time were present on the custody forms.

Volatile Analyses by EPA TO-15

The following detected results are qualified as tentative in identification and estimated in value due to interferences in the mass spectra:

- cis-1,2-dichloroethene and 1,2-dichloroethane in IA-B13A-01
- m,p-xylene in OA-B2-01
- 1,1,1-trichloroethane in IA-B7-01 and IA-B7-02

The detected results of 1,1-dichloroethene in IA-B13-01, IA-B13A-01, and IA-B7-02, and those for cis-1,2-dichloroethene in IA-B7-02 and IA-B13-01 are edited to non-detection due to very poor mass spectral quality, primarily due to matrix interferences. In some cases the adjusted reporting limits are significantly elevated.

The result for trichloroethene in IA-B10-01 was flagged by the laboratory as "E" to indicate a response above the calibration range of the instrument. The quantitative calculated value is minimally (1%) higher than the highest calibration concentration, but the instrument area response is within the calibration response range, and no qualification is made.


The blind field duplicate evaluation of IA-B11-02 shows correlations above the validation guidelines of $\geq \pm \text{CRDL}$ for ethylbenzene, o-xylene, and m,p-xylene. The results for those analytes are qualified as estimated in the parent sample and the field duplicate.

Initial and continuing calibration standard responses fall within analytical requirements and validation guidelines.

Holding times and instrument tunes meet requirements. Method and canister blanks show no contamination. The clean canister certifications were reviewed during validation.

Please do not hesitate to contact me if questions or comments arise during your review of this report.

Very truly yours,


Judy Harry

VALIDATION DATA QUALIFIER DEFINITIONS

- U** The analyte was analyzed for, but was not detected above the level of the associated reported quantitation limit.
- J** The analyte was positively identified; the associated numerical value is an approximate concentration of the analyte in the sample.
- UJ** The analyte was not detected. The associated reported quantitation limit is an estimate and may be inaccurate or imprecise.
- NJ** The detection is tentative in identification and estimated in value. Although there is presumptive evidence of the analyte, the result should be used with caution as a potential false positive and/or elevated quantitative value.
- R** The data are unusable. The analyte may or may not be present.
- EMPC** The results do not meet all criteria for a confirmed identification. The quantitative value represents the Estimated Maximum Possible Concentration of the analyte in the sample.

**CLIENT and LABORATORY SAMPLE IDs
and LABORATORY CASE NARRATIVE**

SAMPLE SUMMARY

Client: ARCADIS U.S. Inc

Job Number: 200-18548-1

Sdg Number: 200-18548-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
200-18548-1	IA-B10-01	Air	09/19/2013 1532	09/20/2013 1020
200-18548-2	IA-B10A-01	Air	09/19/2013 1320	09/20/2013 1020
200-18548-3	IA-B11-01	Air	09/19/2013 1522	09/20/2013 1020
200-18548-4	IA-B11-02	Air	09/19/2013 1433	09/20/2013 1020
200-18548-5	IA-DUPLICATE	Air	09/19/2013 1433	09/20/2013 1020
200-18548-6	IA-B13-01	Air	09/19/2013 1519	09/20/2013 1020
200-18548-7	IA-B13A-01	Air	09/19/2013 1438	09/20/2013 1020
200-18548-8	OA-B2-01	Air	09/19/2013 1541	09/20/2013 1020
200-18548-9	OA-B11-01	Air	09/19/2013 1523	09/20/2013 1020
200-18548-10	IA-B1A-01	Air	09/19/2013 1542	09/20/2013 1020
200-18548-11	IA-B1A-BASE	Air	09/19/2013 1540	09/20/2013 1020
200-18548-12	IA-B9-CS	Air	09/19/2013 1610	09/20/2013 1020
200-18548-13	IA-B7-01	Air	09/19/2013 1445	09/20/2013 1020
200-18548-14	IA-B7-02	Air	09/19/2013 1520	09/20/2013 1020
200-18548-15	IA-B9-01	Air	09/19/2013 1519	09/20/2013 1020
200-18548-16	IA-B9-02	Air	09/19/2013 1427	09/20/2013 1020

CASE NARRATIVE

Client: ARCADIS U.S. Inc

Project: Seneca Falls

Report Number: 200-18548-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 09/20/2013; the samples arrived in good condition.

LOW LEVEL VOLATILE ORGANIC COMPOUNDS

Samples IA-B10-01, IA-B10A-01, IA-B11-01, IA-B11-02, IA-DUPLICATE, IA-B13-01, IA-B13A-01, OA-B2-01, OA-B11-01, IA-B1A-01, IA-B1A-BASE, IA-B9-CS, IA-B7-01, IA-B7-02, IA-B9-01 and IA-B9-02 were analyzed for Low Level Volatile Organic Compounds in accordance with EPA Method TO-15. The samples were analyzed on 09/27/2013, 09/28/2013 and 10/01/2013.

Vinyl chloride failed the recovery criteria high for LCS 200-61951/3.

The continuing calibration verification (CCV) for vinyl chloride associated with batch 61951 recovered above the upper control limit. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

The analysis of sample IA-B10-1 yielded a concentration of Trichloroethene at the upper limit of the instrument calibration. Since the raw on-column value exceeded the concentration of the upper calibration point (1.0ppbv), the associated result is qualified with the E qualifier. Since this concentration rounds to 1.0ppbv, an additional dilution analysis was not performed.

Samples OA-B11-01[2X], IA-B1A-BASE[1.43X], IA-B9-CS[6.02X] and IA-B9-01[2.5X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

QUALIFIED RESULTS FORMS

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-18548-1

Sdg Number: 200-18548-1

Client Sample ID: IA-B10-01

Lab Sample ID: 200-18548-1

Date Sampled: 09/19/2013 1532

Client Matrix: Air

Date Received: 09/20/2013 1020

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-61900	Instrument ID:	E.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efzc005.d
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	09/27/2013 1307			Final Weight/Volume:	500 mL
Prep Date:	09/27/2013 1307			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.15		0.010	0.010
1,1,1-Trichloroethane	0.024		0.010	0.010
Benzene	0.11		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	1.0	E	0.010	0.010
Toluene	0.21		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.020		0.010	0.010
Ethylbenzene	0.043		0.010	0.010
o-Xylene	0.045		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.13		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.58		0.040	0.040
1,1,1-Trichloroethane	0.13		0.055	0.055
Benzene	0.36		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	5.4	E	0.054	0.054
Toluene	0.81		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.13		0.068	0.068
Ethylbenzene	0.19		0.043	0.043
o-Xylene	0.20		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	0.56		0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-18548-1

Sdg Number: 200-18548-1

Client Sample ID: IA-B10A-01

Lab Sample ID: 200-18548-2

Client Matrix: Air

Date Sampled: 09/19/2013 1320

Date Received: 09/20/2013 1020

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-61900	Instrument ID:	E.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efzc006.d
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	09/27/2013 1402			Final Weight/Volume:	500 mL
Prep Date:	09/27/2013 1402			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.17		0.010	0.010
1,1,1-Trichloroethane	0.047		0.010	0.010
Benzene	0.12		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.56		0.010	0.010
Toluene	0.24		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.013		0.010	0.010
Ethylbenzene	0.057		0.010	0.010
o-Xylene	0.074		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.21		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.67		0.040	0.040
1,1,1-Trichloroethane	0.25		0.055	0.055
Benzene	0.37		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	3.0		0.054	0.054
Toluene	0.89		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.089		0.068	0.068
Ethylbenzene	0.25		0.043	0.043
o-Xylene	0.32		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	0.91		0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-18548-1

Sdg Number: 200-18548-1

Client Sample ID: IA-B11-01

Lab Sample ID: 200-18548-3

Date Sampled: 09/19/2013 1522

Client Matrix: Air

Date Received: 09/20/2013 1020

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-61900	Instrument ID:	E.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efzc007.d
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	09/27/2013 1456			Final Weight/Volume:	500 mL
Prep Date:	09/27/2013 1456			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.10		0.010	0.010
1,1,1-Trichloroethane	0.029		0.010	0.010
Benzene	0.12		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.60		0.010	0.010
Toluene	0.26		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.015		0.010	0.010
Ethylbenzene	0.074		0.010	0.010
o-Xylene	0.10		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.28		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.40		0.040	0.040
1,1,1-Trichloroethane	0.16		0.055	0.055
Benzene	0.39		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	3.2		0.054	0.054
Toluene	0.99		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.10		0.068	0.068
Ethylbenzene	0.32		0.043	0.043
o-Xylene	0.43		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	1.2		0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-18548-1

Sdg Number: 200-18548-1

Client Sample ID: IA-B11-02

Lab Sample ID: 200-18548-4

Client Matrix: Air

Date Sampled: 09/19/2013 1433

Date Received: 09/20/2013 1020

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-61900	Instrument ID:	E.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efzc008.d
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	09/27/2013 1550			Final Weight/Volume:	500 mL
Prep Date:	09/27/2013 1550			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.11		0.010	0.010
1,1,1-Trichloroethane	0.032		0.010	0.010
Benzene	0.13		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.65		0.010	0.010
Toluene	0.30		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.017		0.010	0.010
Ethylbenzene	0.098	J	0.010	0.010
o-Xylene	0.12	J	0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.34	J	0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.45		0.040	0.040
1,1,1-Trichloroethane	0.18		0.055	0.055
Benzene	0.41		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	3.5		0.054	0.054
Toluene	1.1		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.12		0.068	0.068
Ethylbenzene	0.42	J	0.043	0.043
o-Xylene	0.52	J	0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	1.5	J	0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-18548-1

Sdg Number: 200-18548-1

Client Sample ID: IA-DUPLICATE

Lab Sample ID: 200-18548-5

Date Sampled: 09/19/2013 1433

Client Matrix: Air

Date Received: 09/20/2013 1020

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-61900	Instrument ID:	E.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efzc009 d
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	09/27/2013 1643			Final Weight/Volume:	500 mL
Prep Date:	09/27/2013 1643			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.11		0.010	0.010
1,1,1-Trichloroethane	0.035		0.010	0.010
Benzene	0.13		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.70		0.010	0.010
Toluene	0.23		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.015		0.010	0.010
Ethylbenzene	0.032	J	0.010	0.010
o-Xylene	0.020	J	0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.069	J	0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.45		0.040	0.040
1,1,1-Trichloroethane	0.19		0.055	0.055
Benzene	0.42		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	3.7		0.054	0.054
Toluene	0.88		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.10		0.068	0.068
Ethylbenzene	0.14	J	0.043	0.043
o-Xylene	0.085	J	0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	0.30	J	0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-18548-1

Sdg Number: 200-18548-1

Client Sample ID: IA-B13-01

Lab Sample ID: 200-18548-6

Date Sampled: 09/19/2013 1519

Client Matrix: Air

Date Received: 09/20/2013 1020

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-61900	Instrument ID:	E.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efzc010.d
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	09/27/2013 1738			Final Weight/Volume:	500 mL
Prep Date:	09/27/2013 1738			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.024	U	0.010	0.010 0.024
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.10	U	0.010	0.010 0.10
1,1,1-Trichloroethane	0.083		0.010	0.010
Benzene	0.13		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.42		0.010	0.010
Toluene	0.18		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.010	U	0.010	0.010
Ethylbenzene	0.014		0.010	0.010
o-Xylene	0.010	U	0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.020	U	0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.094	U	0.040	0.040 0.094
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.41	U	0.040	0.040 0.41
1,1,1-Trichloroethane	0.45		0.055	0.055
Benzene	0.41		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	2.3		0.054	0.054
Toluene	0.67		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.068	U	0.068	0.068
Ethylbenzene	0.059		0.043	0.043
o-Xylene	0.043	U	0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	0.087	U	0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-18548-1

Sdg Number: 200-18548-1

Client Sample ID: IA-B13A-01

Lab Sample ID: 200-18548-7

Date Sampled: 09/19/2013 1438

Client Matrix: Air

Date Received: 09/20/2013 1020

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-61900	Instrument ID:	E.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efzc011.d
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	09/27/2013 1833			Final Weight/Volume:	500 mL
Prep Date:	09/27/2013 1833			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.046	U	0.010	0.010 0.046
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.11	NJ	0.010	0.010
1,1,1-Trichloroethane	0.13		0.010	0.010
Benzene	0.17		0.010	0.010
1,2-Dichloroethane	0.020	NJ	0.020	0.020
Trichloroethene	0.40		0.010	0.010
Toluene	0.55		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.016		0.010	0.010
Ethylbenzene	0.23		0.010	0.010
o-Xylene	0.24		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.70		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.18	U	0.040	0.040 0.18
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.43	NJ	0.040	0.040
1,1,1-Trichloroethane	0.72		0.055	0.055
Benzene	0.55		0.032	0.032
1,2-Dichloroethane	0.082	NJ	0.081	0.081
Trichloroethene	2.1		0.054	0.054
Toluene	2.1		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.11		0.068	0.068
Ethylbenzene	0.99		0.043	0.043
o-Xylene	1.1		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	3.1		0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-18548-1

Sdg Number: 200-18548-1

Client Sample ID: OA-B2-01

Lab Sample ID: 200-18548-8

Client Matrix: Air

Date Sampled: 09/19/2013 1541

Date Received: 09/20/2013 1020

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-61900	Instrument ID:	E.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efzc012.d
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	09/27/2013 1927			Final Weight/Volume:	500 mL
Prep Date:	09/27/2013 1927			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1,1-Trichloroethane	0.010	U	0.010	0.010
Benzene	0.065		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.010	U	0.010	0.010
Toluene	0.19		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.010	U	0.010	0.010
Ethylbenzene	0.015		0.010	0.010
o-Xylene	0.013		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.040	NJ	0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1,1-Trichloroethane	0.055	U	0.055	0.055
Benzene	0.21		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	0.054	U	0.054	0.054
Toluene	0.72		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.068	U	0.068	0.068
Ethylbenzene	0.063		0.043	0.043
o-Xylene	0.058		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	0.17	NJ	0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-18548-1

Sdg Number: 200-18548-1

Client Sample ID: OA-B11-01

Lab Sample ID: 200-18548-9

Client Matrix: Air

Date Sampled: 09/19/2013 1523

Date Received: 09/20/2013 1020

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-61951	Instrument ID:	E.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efzd014.d
Dilution:	2.0			Initial Weight/Volume:	250 mL
Analysis Date:	10/01/2013 1120			Final Weight/Volume:	500 mL
Prep Date:	10/01/2013 1120			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.040	U *	0.040	0.040
1,1-Dichloroethene	0.020	U	0.020	0.020
trans-1,2-Dichloroethene	0.020	U	0.020	0.020
1,1-Dichloroethane	0.020	U	0.020	0.020
cis-1,2-Dichloroethene	0.020	U	0.020	0.020
1,1,1-Trichloroethane	0.020	U	0.020	0.020
Benzene	0.13		0.020	0.020
1,2-Dichloroethane	0.040	U	0.040	0.040
Trichloroethene	0.072		0.020	0.020
Toluene	1.1		0.020	0.020
1,1,2-Trichloroethane	0.020	U	0.020	0.020
Tetrachloroethene	0.020	U	0.020	0.020
Ethylbenzene	0.17		0.020	0.020
o-Xylene	0.26		0.020	0.020
1,1,2,2-Tetrachloroethane	0.020	U	0.020	0.020
m-Xylene & p-Xylene	0.69		0.020	0.040

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.10	U *	0.10	0.10
1,1-Dichloroethene	0.079	U	0.079	0.079
trans-1,2-Dichloroethene	0.079	U	0.079	0.079
1,1-Dichloroethane	0.081	U	0.081	0.081
cis-1,2-Dichloroethene	0.079	U	0.079	0.079
1,1,1-Trichloroethane	0.11	U	0.11	0.11
Benzene	0.40		0.064	0.064
1,2-Dichloroethane	0.16	U	0.16	0.16
Trichloroethene	0.39		0.11	0.11
Toluene	4.3		0.075	0.075
1,1,2-Trichloroethane	0.11	U	0.11	0.11
Tetrachloroethene	0.14	U	0.14	0.14
Ethylbenzene	0.75		0.087	0.087
o-Xylene	1.1		0.087	0.087
1,1,2,2-Tetrachloroethane	0.14	U	0.14	0.14
m-Xylene & p-Xylene	3.0		0.087	0.17

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-18548-1

Sdg Number: 200-18548-1

Client Sample ID: IA-B1A-01

Lab Sample ID: 200-18548-10

Date Sampled: 09/19/2013 1542

Client Matrix: Air

Date Received: 09/20/2013 1020

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-61900	Instrument ID:	E.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efzc014.d
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	09/27/2013 2116			Final Weight/Volume:	500 mL
Prep Date:	09/27/2013 2116			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.035		0.010	0.010
1,1,1-Trichloroethane	0.010	U	0.010	0.010
Benzene	0.010	U	0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.021		0.010	0.010
Toluene	0.010	U	0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.010	U	0.010	0.010
Ethylbenzene	0.010	U	0.010	0.010
o-Xylene	0.010	U	0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.020	U	0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.14		0.040	0.040
1,1,1-Trichloroethane	0.055	U	0.055	0.055
Benzene	0.032	U	0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	0.11		0.054	0.054
Toluene	0.038	U	0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.068	U	0.068	0.068
Ethylbenzene	0.043	U	0.043	0.043
o-Xylene	0.043	U	0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	0.087	U	0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-18548-1

Sdg Number: 200-18548-1

Client Sample ID: IA-B1A-BASE

Lab Sample ID: 200-18548-11

Client Matrix: Air

Date Sampled: 09/19/2013 1540

Date Received: 09/20/2013 1020

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-61900	Instrument ID:	E.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efzc015.d
Dilution:	1.43			Initial Weight/Volume:	350 mL
Analysis Date:	09/27/2013 2211			Final Weight/Volume:	500 mL
Prep Date:	09/27/2013 2211			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.029	U	0.029	0.029
1,1-Dichloroethene	0.21		0.014	0.014
trans-1,2-Dichloroethene	0.014	U	0.014	0.014
1,1-Dichloroethane	0.014	U	0.014	0.014
cis-1,2-Dichloroethene	0.11		0.014	0.014
1,1,1-Trichloroethane	0.21		0.014	0.014
Benzene	0.10		0.014	0.014
1,2-Dichloroethane	0.029	U	0.029	0.029
Trichloroethene	1.3		0.014	0.014
Toluene	1.1		0.014	0.014
1,1,2-Trichloroethane	0.014	U	0.014	0.014
Tetrachloroethene	0.043		0.014	0.014
Ethylbenzene	0.075		0.014	0.014
o-Xylene	0.077		0.014	0.014
1,1,2,2-Tetrachloroethane	0.014	U	0.014	0.014
m-Xylene & p-Xylene	0.22		0.014	0.029

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.073	U	0.073	0.073
1,1-Dichloroethene	0.82		0.057	0.057
trans-1,2-Dichloroethene	0.057	U	0.057	0.057
1,1-Dichloroethane	0.058	U	0.058	0.058
cis-1,2-Dichloroethene	0.43		0.057	0.057
1,1,1-Trichloroethane	1.2		0.078	0.078
Benzene	0.34		0.046	0.046
1,2-Dichloroethane	0.12	U	0.12	0.12
Trichloroethene	7.0		0.077	0.077
Toluene	4.2		0.054	0.054
1,1,2-Trichloroethane	0.078	U	0.078	0.078
Tetrachloroethene	0.29		0.097	0.097
Ethylbenzene	0.33		0.062	0.062
o-Xylene	0.34		0.062	0.062
1,1,2,2-Tetrachloroethane	0.098	U	0.098	0.098
m-Xylene & p-Xylene	0.97		0.062	0.12

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-18548-1

Sdg Number: 200-18548-1

Client Sample ID: IA-B9-CS

Lab Sample ID: 200-18548-12

Date Sampled: 09/19/2013 1610

Client Matrix: Air

Date Received: 09/20/2013 1020

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-61900	Instrument ID:	E.I
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efzc016.d
Dilution:	6.02			Initial Weight/Volume:	83 mL
Analysis Date:	09/27/2013 2305			Final Weight/Volume:	500 mL
Prep Date:	09/27/2013 2305			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.12	U	0.12	0.12
1,1-Dichloroethene	0.060	U	0.060	0.060
trans-1,2-Dichloroethene	0.060	U	0.060	0.060
1,1-Dichloroethane	0.060	U	0.060	0.060
cis-1,2-Dichloroethene	0.060	U	0.060	0.060
1,1,1-Trichloroethane	0.060	U	0.060	0.060
Benzene	0.11		0.060	0.060
1,2-Dichloroethane	0.12	U	0.12	0.12
Trichloroethene	4.5		0.060	0.060
Toluene	0.38		0.060	0.060
1,1,2-Trichloroethane	0.060	U	0.060	0.060
Tetrachloroethene	0.060	U	0.060	0.060
Ethylbenzene	0.060	U	0.060	0.060
o-Xylene	0.060	U	0.060	0.060
1,1,2,2-Tetrachloroethane	0.060	U	0.060	0.060
m-Xylene & p-Xylene	0.16		0.060	0.12

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.31	U	0.31	0.31
1,1-Dichloroethene	0.24	U	0.24	0.24
trans-1,2-Dichloroethene	0.24	U	0.24	0.24
1,1-Dichloroethane	0.24	U	0.24	0.24
cis-1,2-Dichloroethene	0.24	U	0.24	0.24
1,1,1-Trichloroethane	0.33	U	0.33	0.33
Benzene	0.34		0.19	0.19
1,2-Dichloroethane	0.49	U	0.49	0.49
Trichloroethene	24		0.32	0.32
Toluene	1.4		0.23	0.23
1,1,2-Trichloroethane	0.33	U	0.33	0.33
Tetrachloroethene	0.41	U	0.41	0.41
Ethylbenzene	0.26	U	0.26	0.26
o-Xylene	0.26	U	0.26	0.26
1,1,2,2-Tetrachloroethane	0.41	U	0.41	0.41
m-Xylene & p-Xylene	0.68		0.26	0.52

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-18548-1

Sdg Number: 200-18548-1

Client Sample ID: IA-B7-01

Lab Sample ID: 200-18548-13

Date Sampled: 09/19/2013 1445

Client Matrix: Air

Date Received: 09/20/2013 1020

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-61900	Instrument ID:	E.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efzc017.d
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	09/28/2013 0000			Final Weight/Volume:	500 mL
Prep Date:	09/28/2013 0000			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.25		0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.036		0.010	0.010
1,1,1-Trichloroethane	0.24	NJ	0.010	0.010
Benzene	0.12		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.71		0.010	0.010
Toluene	0.66		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.018		0.010	0.010
Ethylbenzene	0.063		0.010	0.010
o-Xylene	0.063		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.18		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.98		0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.14		0.040	0.040
1,1,1-Trichloroethane	1.3	NJ	0.055	0.055
Benzene	0.40		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	3.8		0.054	0.054
Toluene	2.5		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.12		0.068	0.068
Ethylbenzene	0.28		0.043	0.043
o-Xylene	0.28		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	0.77		0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-18548-1

Sdg Number: 200-18548-1

Client Sample ID: IA-B7-02

Lab Sample ID: 200-18548-14

Date Sampled: 09/19/2013 1520

Client Matrix: Air

Date Received: 09/20/2013 1020

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-61900	Instrument ID:	E.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efzc018.d
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	09/28/2013 0055			Final Weight/Volume:	500 mL
Prep Date:	09/28/2013 0055			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.030		0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.024	U	0.010	0.010
1,1,1-Trichloroethane	0.031	U	0.010	0.010
Benzene	0.16		0.010	0.010
1,2-Dichloroethane	0.15		0.020	0.020
Trichloroethene	0.52		0.010	0.010
Toluene	0.44		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.015		0.010	0.010
Ethylbenzene	0.086		0.010	0.010
o-Xylene	0.072		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.21		0.010	0.020

0.024

0.094

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.12		0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.094	U	0.040	0.040
1,1,1-Trichloroethane	0.17	U	0.055	0.055
Benzene	0.51		0.032	0.032
1,2-Dichloroethane	0.61		0.081	0.081
Trichloroethene	2.8		0.054	0.054
Toluene	1.7		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.10		0.068	0.068
Ethylbenzene	0.38		0.043	0.043
o-Xylene	0.31		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	0.92		0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-18548-1

Sdg Number: 200-18548-1

Client Sample ID: IA-B9-01

Lab Sample ID: 200-18548-15

Date Sampled: 09/19/2013 1519

Client Matrix: Air

Date Received: 09/20/2013 1020

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-61951	Instrument ID:	E.I
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efzd015.d
Dilution:	2.5			Initial Weight/Volume:	200 mL
Analysis Date:	10/01/2013 1215			Final Weight/Volume:	500 mL
Prep Date:	10/01/2013 1215			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.050	U *	0.050	0.050
1,1-Dichloroethene	0.025	U	0.025	0.025
trans-1,2-Dichloroethene	0.025	U	0.025	0.025
1,1-Dichloroethane	0.025	U	0.025	0.025
cis-1,2-Dichloroethene	0.025	U	0.025	0.025
1,1,1-Trichloroethane	0.025	U	0.025	0.025
Benzene	0.096		0.025	0.025
1,2-Dichloroethane	0.050	U	0.050	0.050
Trichloroethene	0.55		0.025	0.025
Toluene	1.6		0.025	0.025
1,1,2-Trichloroethane	0.025	U	0.025	0.025
Tetrachloroethene	0.025	U	0.025	0.025
Ethylbenzene	0.058		0.025	0.025
o-Xylene	0.055		0.025	0.025
1,1,2,2-Tetrachloroethane	0.025	U	0.025	0.025
m-Xylene & p-Xylene	0.17		0.025	0.050

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.13	U *	0.13	0.13
1,1-Dichloroethene	0.099	U	0.099	0.099
trans-1,2-Dichloroethene	0.099	U	0.099	0.099
1,1-Dichloroethane	0.10	U	0.10	0.10
cis-1,2-Dichloroethene	0.099	U	0.099	0.099
1,1,1-Trichloroethane	0.14	U	0.14	0.14
Benzene	0.31		0.080	0.080
1,2-Dichloroethane	0.20	U	0.20	0.20
Trichloroethene	3.0		0.13	0.13
Toluene	5.9		0.094	0.094
1,1,2-Trichloroethane	0.14	U	0.14	0.14
Tetrachloroethene	0.17	U	0.17	0.17
Ethylbenzene	0.25		0.11	0.11
o-Xylene	0.24		0.11	0.11
1,1,2,2-Tetrachloroethane	0.17	U	0.17	0.17
m-Xylene & p-Xylene	0.72		0.11	0.22

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-18548-1

Sdg Number: 200-18548-1

Client Sample ID: IA-B9-02

Lab Sample ID: 200-18548-16

Client Matrix: Air

Date Sampled: 09/19/2013 1427

Date Received: 09/20/2013 1020

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-61900	Instrument ID:	E.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	efzc020.d
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	09/28/2013 0244			Final Weight/Volume:	500 mL
Prep Date:	09/28/2013 0244			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1,1-Trichloroethane	0.010	U	0.010	0.010
Benzene	0.11		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.97		0.010	0.010
Toluene	0.38		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.014		0.010	0.010
Ethylbenzene	0.075		0.010	0.010
o-Xylene	0.056		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.19		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1,1-Trichloroethane	0.055	U	0.055	0.055
Benzene	0.36		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	5.2		0.054	0.054
Toluene	1.4		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.097		0.068	0.068
Ethylbenzene	0.33		0.043	0.043
o-Xylene	0.24		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	0.84		0.043	0.087

