



GTE Operations Support Incorporated
One Verizon Way (VC 34W443)
Basking Ridge, NJ 07920-1097
908-559-3691

December 17, 2015

Mr. Christopher Magee
New York State Department of Environmental Conservation
Division of Environmental Remediation
625 Broadway, 12th Floor
Albany, NY 12233-7017

Re: *September 2015 Indoor Air Sampling Report*

Dear Mr. Magee:

Attached are the September 2015 indoor air sampling results for the former Philips Display Components facility in Seneca Falls, New York. Volatile organic compounds, primarily trichloroethene, were reported in the indoor air. Five subslab depressurization systems continue to operate.

The December monitoring event was conducted on December 15, 2015.

Please call me at (908) 559-3691 if you have any questions.

Sincerely,

Matthew T. Walsh
Manager – Corporate Workplace Safety & Environmental Compliance

ATTACHMENTS

Attachment A – September 2015 Indoor Air Sampling Event Summary
Attachment B – Tables
Attachment C – Figures
Attachment D – Data Validation Report

ec:

Ms. Denise Radtke (NYSDEC)
Mr. Justin Deming (New York State Department of Health)
Mr. Nidal Azzam (USEPA)
Mr. Sam Ezekwo (USEPA)
Ms. Patricia Jones (Seneca County Industrial Development Agency)
Mr. Stephen Bregande (H.P. Neun)
Mr. J. Christopher Woods (H.P. Neun)
Ms. Anna Kunkel (Environmental Consultant)
Ms. Pam Cox (GTE Operations Support Incorporated)
Ms. Daniel Lang (ARCADIS U.S., Inc.)
Mr. Mark Flusche (ARCADIS U.S., Inc.)

Attachment A
September 2015 Indoor Air
Sampling Event Summary

In September 2015, indoor air samples were collected at the former Philips Display Components facility in Seneca Falls, New York (Figure 1). Indoor air samples are collected and analyzed quarterly to monitor the subslab depressurization (SSD) systems' effectiveness. The systems (Building 9 Office Area crawl space ventilation system¹, Building 11 Area SSD system, Building 7 Area SSD system, Building 10 Area SSD system, Building 1 SSD system, and Building 1A sump/trench ventilation and SSD system) were installed to reduce volatile organic compound (VOC) concentrations (primarily trichloroethene [TCE]) in subslab vapor and indoor air.

Field measurements are made using either a digital manometer or U-tube vacuum indicator to confirm that the SSD systems and the sump/trench ventilation system are operating as designed. The manometer measures pressure at subslab monitoring points near the SSD systems. The U-tube vacuum indicator measures the negative pressure in the Buildings 1 and 1A SSD system piping.

On September 9, 2015, 13 indoor air, 1 indoor air duplicate, 1 crawl space air, and 2 outdoor (ambient) air samples were collected. The sample locations are shown on Figure 2. Samples were analyzed by TestAmerica Laboratories, Inc., of Burlington, Vermont, using United States Environmental Protection Agency (USEPA) Method TO-15 or low-level USEPA Method TO-15. Analytical results for 16 site-specific compounds are provided in Tables 1 through 7 (Attachment B) and selected TCE results are displayed graphically on Figures 3 through 7 (Attachment C).

Sampling, laboratory analyses, and data validation were conducted in accordance with the *Soil Vapor Intrusion Pathway Investigation Work Plan and Quality Assurance Project Plan* dated May 7, 2003. Data Validation Services, Inc., of North Creek, New York, performed third-party data validation. Sample results are usable as reported or with minor qualifications (Attachment D).

Analytical Results

The September 2015 indoor air TCE concentrations ranged from 0.16 to 3.4 micrograms per cubic meter ($\mu\text{g}/\text{m}^3$), which is slightly lower than the September 2014 concentration range (0.35 to 5.9 $\mu\text{g}/\text{m}^3$) and within the historical range during SSD system operation ($<0.054 \mu\text{g}/\text{m}^3$ to 51 $\mu\text{g}/\text{m}^3$). Monitoring results for each SSD and ventilation system area are summarized below.

Building 9 Area

The Building 9 office indoor air TCE concentration (3.4 $\mu\text{g}/\text{m}^3$) was lower than the September 2014 TCE concentration (5.9 $\mu\text{g}/\text{m}^3$) and within the previous concentration range (0.12 to 30 $\mu\text{g}/\text{m}^3$). The Building 9 warehouse indoor air TCE concentration (0.16 $\mu\text{g}/\text{m}^3$) was lower than the September 2014 TCE concentration (2.6 $\mu\text{g}/\text{m}^3$) and within the previous concentration range (0.091 to 51 $\mu\text{g}/\text{m}^3$).

¹ The Building 9 Office Area crawl space ventilation system operated from November 2004 to June 2010.

The Building 9 crawlspace air TCE concentration ($73 \mu\text{g}/\text{m}^3$) was similar to the September 2014 concentration ($66 \mu\text{g}/\text{m}^3$) and within the previous concentration range (2.8 to $210 \mu\text{g}/\text{m}^3$) (Figure 3 and Table 1).

Building 11 Area

The Building 11 Area comprises parts of Buildings 11, 11A, 13, and 13A. The September 2015 Building 11 Area indoor air TCE concentrations ranged between 0.46 and $0.72 \mu\text{g}/\text{m}^3$, which are lower than the September 2014 concentration range (1.7 to $3.0 \mu\text{g}/\text{m}^3$) and within the previous concentration range during SSD system operation (0.2 to $30 \mu\text{g}/\text{m}^3$). The following table summarizes the September 2015 and September 2014 Building 11 Area indoor air TCE concentrations.

Building	September 2015 TCE Concentration in Indoor Air ($\mu\text{g}/\text{m}^3$)	September 2014 TCE Concentration in Indoor Air ($\mu\text{g}/\text{m}^3$)
11	0.46	1.7
11A	0.47	2.2
13	0.72	3.0
13A	0.66	2.2

The Building 11 Area SSD system continues to sustain subslab negative pressures greater than 100 feet from the extraction wells.

Building 7 Area

The September 2015 TCE concentration in the Building 7 office area ($1.1 \mu\text{g}/\text{m}^3$) was equal to the September 2014 concentration ($1.1 \mu\text{g}/\text{m}^3$) and within the previous concentration range (0.82 to $18 \mu\text{g}/\text{m}^3$) (Figure 5). The September 2015 Building 7 warehouse indoor air TCE concentration ($0.92 \mu\text{g}/\text{m}^3$) was lower than the September 2014 concentration ($2.1 \mu\text{g}/\text{m}^3$) and within the previous concentration range during SSD system operation (0.64 to $20 \mu\text{g}/\text{m}^3$). The Building 7 SSD system sustains negative subslab pressures greater than 45 feet from the extraction wells.

Building 10 Area

The indoor air TCE concentrations in Buildings 10 and 10A were 0.39 and $0.77 \mu\text{g}/\text{m}^3$, respectively. The concentrations were lower than the September 2014 TCE concentrations (5.1 and $4.4 \mu\text{g}/\text{m}^3$, respectively) and within the previous concentration ranges (<0.054 to $64 \mu\text{g}/\text{m}^3$ in Building 10, and 0.32 to $32 \mu\text{g}/\text{m}^3$ in Building 10A). The Building 10 SSD system sustains negative subslab pressures greater than 100 feet from the extraction wells.

Building 1A Area

The Building 1A first floor indoor air TCE concentration ($1.0 \mu\text{g}/\text{m}^3$) was slightly higher than the September 2014 concentration ($0.35 \mu\text{g}/\text{m}^3$), but within the previous concentration range ($<0.054 \mu\text{g}/\text{m}^3$ to $27 \mu\text{g}/\text{m}^3$). The Building 1A basement indoor air TCE concentration ($1.4 \mu\text{g}/\text{m}^3$) was slightly higher than the September 2014 concentration ($0.31 \mu\text{g}/\text{m}^3$), but within the previous concentration range ($<0.054 \mu\text{g}/\text{m}^3$ to $160 \mu\text{g}/\text{m}^3$).

Building 1 Area

The September 2015 Building 1 indoor air TCE concentration ($2.0 \mu\text{g}/\text{m}^3$) was lower than the September 2014 concentration ($3.5 \mu\text{g}/\text{m}^3$) and within the previous concentration range (0.40 to $7.5 \mu\text{g}/\text{m}^3$). The Building 1 SSD system sustains negative subslab pressures greater than 50 feet from the extraction well.

Conclusions

The analytical results and field measurements indicate the ventilation and SSD systems are effective at sustaining negative pressures. Operation of the ventilation and SSD systems continues to maintain reduced subslab and indoor air VOC concentrations.

Attachment B
Tables

Table 1
Building 9 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID Description	IA-B9-01															
	BUILDING 9 OFFICE INDOOR AIR															
	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.22	0.14 U	0.1 U	0.08 U	0.04 U	0.087	1.3	0.22	1.4	5	2	0.77	9.6	0.056 U	22	0.02 U
10/2/2003	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	2.2	0.67	1.1	2.8	1.2	0.68 U	4.1	0.4 U	30	0.26 U
1/20/2004	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	2.3	0.2 U	2.7	10	3.2	0.75	11	0.2 U	15	0.13 U
12/22/2004	0.17	0.069 U	0.055 U	0.04 U	0.04 U	0.077	2.7	0.27	0.87	3.3	1.2	3.1	5.7	0.04 U	4.6	0.028
3/31/2005	0.076	0.069 U	0.055 U	0.04 U	0.04 U	0.049	0.77	0.04 U	0.28	0.91	0.33	0.088	1.4	0.04 U	0.12	0.026 U
7/22/2005	0.1	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	2	0.16	2.9	8.3	2.4	0.52	9.4	0.04 U	4.3	0.026 U
9/20/2005	0.12	0.14 U	0.11 U	0.081 U	0.16 U	0.081 U	1.3	0.16	0.96	3.6	1.2	2.6	2.9	0.079 U	0.7	0.051 U
11/17/2005	0.26	0.069 U	0.055 U	0.04 U	0.04 U	0.065	2.9	0.67	0.96	3.4	1.2	0.95	5.3 J	0.04 U	42	0.026 U
1/11/2006	0.13	0.069 U	0.055 U	0.04 U	0.04 U	0.093	3.5	0.17	2	5.6	3	0.51	9.4	0.04 U	4	0.026 U
7/17/2006	0.23	0.21 U	0.16 U	0.12 U	0.12 U	0.34	3.1	1.1	4	18	6.5	8.8	10	0.12 U	4.2	0.15 U
12/12/2006	0.21	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.9	0.27	1.3	4.3	1.6	2	6.8	0.079 U	9.1	0.1 U
3/20/2007	0.44	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.1	0.52	1.1	3.8	1.3	2	4.5	0.16 U	14	0.2 U
6/21/2007	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.42	0.04	0.43	1.8	0.61	0.35	1.5	0.04 U	0.34	0.051 U
9/19/2007	0.071	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.51	0.04 U	0.32	1	0.36	0.31	1.8	0.04 U	0.37	0.051 U
12/11/2007	0.25	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.5	0.31	0.52	1.6	0.56	1.6	3.1	0.059 U	5.9	0.077 U
3/26/2008	0.14	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.4	0.4	0.48	1.8	0.65	0.52	4.1	0.079 U	5.3	0.1 U
6/17/2008	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.61	0.52	0.69	2.6	0.91	1.1	11	0.16 U	1.2	0.2 U
9/24/2008	0.18	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.51	0.075	0.43	1.6	0.56	1.6	2.8	0.04 U	2.6	0.051 U
12/18/2008	0.34	0.38 U	0.31 U	0.23 U	0.22 U	0.45 U	2.8	0.67	1.4	5.2	1.8	0.38 U	8.3	0.22 U	18	0.28 U
3/26/2009	0.38	0.082 U	0.065 U	0.049 U	0.048 U	0.11	1.1	0.12	0.43	1.4	0.52	0.16	4.1	0.048 U	1.2	0.064 U
6/25/2009	0.39	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.4	0.24	1.5	5.6	2.1	0.34 U	12	0.2 U	1.7	0.26 U
9/23/2009	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.96	0.16 U	0.91	3.3	1.3	0.27 U	14	0.16 U	0.34	0.2 U
3/24/2010	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.7	0.87	1.1	4	1.4	1.1	12	0.2 U	5.9	0.26 U
6/22/2010	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	0.67	0.12 U	0.69	2.5	1 J	0.2 U	5.7	0.12 U	0.91	0.15 U
9/23/2010	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.87	0.13	0.58	1.9	0.7	0.14	4.2	0.079 U	3	0.1 U
12/28/2010	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.65	0.14	0.22	0.69	0.25	0.1 U	3.2	0.059 U	3	0.077 U
3/23/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.52	0.096	0.35	0.95	0.34	0.11	2.3	0.04 U	3.8	0.051 U
6/22/2011	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.43	0.078	0.54	1.6	0.65	0.18	3.5	0.079 U	2.1	0.1 U
9/21/2011	0.084 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.094 NJ	0.55	0.055	0.056	0.087	0.043 U	0.1	0.66	0.04 U	1.8	0.051 U
12/20/2011	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.4	0.12	0.48	1.6	0.54	0.9	6.5	0.079 U	5.3	0.1 U
3/28/2012	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	1.7	0.12 U	0.6	2	0.71	5.8	6	0.12 U	1.3	0.15 U
6/14/2012	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.3	0.14 NJ	0.73	1.8	0.7	1.2	5.5	0.079 U	4	0.1 U
10/9/2012	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	0.66	0.12	0.3	0.91	0.29	0.2 U	1.7	0.12 U	5.8	0.15 U
1/3/2013	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.62	0.14	0.19	0.51	0.19	0.14 U	1.7	0.079 U	6.5	0.1 U
3/28/2013	0.068 U	0.086 UJ	0.068 U	0.051 U	0.2 U	0.1 U	0.45	0.14	0.16	0.4 J	0.19 J	0.085 U	0.95	0.05 U	4.3	0.064 U
6/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.25	0.35 NJ	0.41	1.4	0.46	0.094	2.1	0.04 U	1.8	0.051 U
9/19/2013	0.14 U	0.17 U	0.14 U	0.10 U	0.099 U	0.2 U	0.31	0.099 U	0.25	0.72	0.24	0.17 U	5.9	0.099 U	3	0.13 U
12/18/2013	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	0.63	0.16	0.21	0.57	0.21	0.2 U	1.1	0.12 U	6.8	0.15 U
3/20/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.1	0.82	0.12 NJ	0.22	0.59	0.21	0.11	1.3	0.04 U	2.9	0.051 U
6/18/2014	0.13 UJ	0.16 UJ	0.13 UJ	0.096 UJ	0.094 UJ	0.19 UJ	0.42 J	0.16 NJ	0.5 J	2 J	0.65 J	0.16 UJ	8.6 J	0.094 UJ	2.3 J	0.12 UJ
9/23/2014	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.47	0.19	0.28	0.77	0.29	0.1 U	2.7	0.079 U	5.9	0.077 U
12/16/2014	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.59	0.089	0.065 U	0.13 U	0.065 U	0.29	0.53	0.059 U	4.3	0.077 U
3/24/2015	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	1.0	0.30 NJ	0.25	0.72	0.28	0.17 U	0.92	0.099 U	8.9	0.13 U
6/15/2015	0.084 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.14	0.39	0.3	0.71	2.4	0.81	0.1	1.6	0.04 U	1.8	0.051 U
9/9/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.11	0.22	0.068	0.21	0.60	0.24	0.068 U	1.0	0.04 U	3.4	0.051 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated

Table 1
Building 9 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID Description	IA-B9-CS																
	BUILDING 9 CRAWL SPACE AIR																
	Volatile Organic Compound	1,1,1- Trichloroethane	1,1,2,2- Tetrachloroethane	1,1,2- Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2- Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2- Dichloroethene	Trichloroethene	Vinyl Chloride
10/2/2003	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	0.64	1.6	0.48	1.2	0.52	0.88	1.3	0.4 U	210	0.26 U	
1/20/2004	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	1.34	0.95	1.4	4.8	1.7	0.54	7.2	0.2 U	75	0.13 U	
12/22/2004	0.14	0.069 U	0.055 U	0.04 U	0.04 U	0.057	1.7	0.24	0.61	2.1	0.87	1.2	4.1	0.04 U	10	0.026 U	
3/31/2005	0.076	0.069 U	0.055 U	0.04 U	0.04 U	0.04	0.51	0.19	0.22	0.65	0.22	0.14	0.9	0.04 U	15	0.026 U	
7/22/2005	0.093	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	0.96	0.87	1.7	5.2	2.7	0.41	4.5	0.04 U	35	0.026 U	
9/20/2005	0.55 U	0.69 U	0.55 U	0.4 U	0.79 U	0.4 U	0.96	1.1	0.83	3	1	1.4	3	0.4 U	43	0.26 U	
11/17/2005	0.17	0.069 U	0.055 U	0.04 U	0.04 U	0.061	1.7	0.75	0.48	1.8	0.61	0.61	3.1 J	0.04 U	38	0.026 U	
1/11/2006	0.12	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	2.4	0.29	1.2	3.8	1.6	0.35	6.4	0.04 U	11	0.026 U	
7/17/2006	0.44 U	0.55 U	0.44 U	0.32 U	0.32 U	0.65 U	2.9	1.2	3.5	15	5.6	4.8	16	0.32 U	35	0.41 U	
12/12/2006	0.17	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2.8	0.29	1.6	5.2	1.9	1.5	7.5	0.12 U	11	0.15 U	
3/20/2007	0.27	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2.1	0.56	0.65	2.4	0.83	1	3.1	0.12 U	14	0.15 U	
6/21/2007	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.13 U	0.44	0.17 U	0.35 U	0.17 U	0.27 U	0.15 U	0.16 U	12	0.2 U	
9/19/2007	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.38	0.48	0.24	0.61	0.25	0.55	0.87	0.2 U	19	0.26 U	
12/11/2007	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	1.1	0.21	0.32	1	0.4	0.75	1.9	0.12 U	10	0.15 U	
3/26/2008	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.1	0.23	0.38	1.3	0.48	0.23	2.8	0.059 U	5.9	0.077 U	
6/17/2008	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.42	0.87	0.56	1.9	0.65	0.62	3.5	0.2 U	18	0.26 U	
9/24/2008	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.38	0.18	0.25	0.87	0.33	0.37	1.8	0.16 U	15	0.2 U	
12/18/2008	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.6	0.31	0.78	2.6	0.96	0.27 U	4.5	0.16 U	15	0.2 U	
3/26/2009	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.8	0.18	0.28	0.91	0.37	0.22	1.7	0.079 U	5.4	0.1 U	
6/25/2009	0.43 U	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	1.5	0.39 NJ	1.4	4.8	1.7	0.54 U	17	0.31 U	24	0.41 U	
9/23/2009	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.99	0.4	0.69	2.5	0.83	0.34 U	5.7	0.2 U	20	0.26 U	
3/24/2010	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 NJ	1.2	0.29	0.61	2.4	0.87	0.38	3.5	0.04 U	5.4	0.051 U	
9/22/2010	0.68 U	0.86 U	0.68 U	0.51 U	0.5 U	1 U	0.99	0.69	0.65	2.4	0.83	0.85 U	4.5	0.5 U	60	0.64 U	
12/28/2010	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.49	0.12	0.11	0.29	0.11	0.14 U	0.71	0.079 U	8.5	0.1 U	
3/23/2011	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.45	0.2 U	0.22 U	0.43 U	0.22 U	0.34 U	0.44	0.2 U	16	0.26 U	
6/22/2011	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	0.39	0.42	0.52	1.4	0.5	0.68 U	4.6	0.4 U	48	0.51 U	
9/21/2011	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	1.7	0.4 U	0.43 U	0.87 U	0.43 U	0.68 U	2.5	0.4 U	37	0.51 U	
12/20/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.22	0.13	0.043 U	0.043 U	0.043 U	0.068 U	0.091	0.04 U	2.8	0.051 U	
3/28/2012	0.27 UJ	0.34 UJ	0.27 UJ	0.2 UJ	0.2 UJ	0.4 UJ	0.66 J	0.2 UJ	0.58 J	2.3 J	0.87 J	0.87 J	5.8 J	0.2 UJ	14 J	0.26 UJ	
6/14/2012	0.44 U	0.55 U	0.44 U	0.32 U	0.32 U	0.65 U	0.8	0.32 U	0.41	1	0.35	0.58	2.2	0.32 U	23	0.41 U	
10/9/2012	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	0.49	0.4 U	0.43 U	0.87 U	0.43 U	0.68 U	0.76	0.4 U	29	0.51 U	
1/3/2013	0.33 U	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	0.63	0.29	0.26 U	0.52 U	0.26 U	0.41 U	0.67	0.24 U	27	0.31 U	
3/28/2013	0.33 U	0.41 UJ	0.33 U	0.24 U	0.96 U	0.49 U	0.33 NJ	0.48 U	0.26 U	0.52 UJ	0.96 UJ	0.41 U	0.23 U	0.24 U	14	0.31 U	
6/19/2013	0.43 UJ	0.55 UJ	0.43 UJ	0.32 UJ	0.31 UJ	0.64 UJ	0.25 UJ	0.31 UJ	0.34 UJ	0.69 UJ	0.34 UJ	0.54 UJ	0.74 J	0.31 UJ	19 J	0.41 UJ	
9/19/2013	0.33 U	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	0.34	0.24 U	0.26 U	0.68	0.26 U	0.41 U	1.4	0.24 U	24	0.31 U	
12/18/2013	0.44 U	0.55 U	0.44 U	0.33 U	0.32 U	0.65 U	0.41	0.32 U	0.35 U	0.7 U	0.35 U	0.55 U	0.62	0.32 U	21	0.41 U	
3/20/2014	0.45 U	0.57 U	0.45 U	0.34 U	0.33 U	0.67 U	0.37	0.33 U	0.36 U	0.72 U	0.36 U	0.56 U	0.40	0.33 U	19	0.43 U	
6/18/2014	0.41 U	0.51 U	0.41 U	0.3 U	0.3 U	0.6 U	0.24 U	0.38	0.32 U	0.65 U	0.32 U	0.51 U	1.2	0.3 U	32	0.38 U	
9/23/2014	0.65 U	0.82 U	0.65 U	0.49 U	0.48 U	0.97 U	0.38 U	0.74	0.52 U	1 U	0.52 U	0.81 U	0.77	0.48 U	66	0.61 U	
12/16/2014	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	0.53	0.4 U	0.43 U	0.87 U	0.43 U	0.68 U	0.49	0.4 U	32	0.51 U	
3/24/2015	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.40	0.21 NJ	0.22 U	0.43 U	0.22 U	0.34 U	0.37	0.2 U	13	0.26 U	
6/15/2015	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	0.32 U	0.44	0.43 U	1.5	0.47	0.68 U	0.61	0.4 U	45	0.51 U	
9/9/2015	0.82 U	1 U	0.82 U	0.61 U	0.6 U	1.2 U	0.48 U	0.72	0.66 U	1.3 U	0.66 U	1 U	0.81	0.6 U	73	0.77 U	

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated

Table 1
Building 9 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID Description	IA-B9-02																
	BUILDING 9 WAREHOUSE INDOOR AIR																
Volatile Organic Compound	1,1,1- Trichloroethane	1,1,1,2,2- Tetrachloroethane	1,1,2- Trichloroethane	1,1,1-Dichloroethane	1,1,2-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2- Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2- Dichloroethane	Trichloroethane	Vinyl Chloride	
7/15/2003	0.15	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	1.1	0.056 U	0.35	0.93	0.34	1.9	2.1	0.056 U	0.22	0.02 U	
10/2/2003	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	3.1	2.2	0.65	1.7	0.61	2	2.4	0.4 U	30	0.26 U	
1/20/2004	0.41 U	0.51 U	0.41 U	0.3 U	0.3 U	0.3 U	5.1	3	16	65	16	7.5	9.8	0.3 U	24	0.19 U	
3/20/2007	0.49	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	3.8	0.87	1.1	3.6	1.1	2.8	3.8	0.2 U	19	0.26 U	
6/21/2007	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.45	0.083	0.48	1.4	0.37	0.39	2.1	0.04 U	0.3	0.051 U	
9/19/2007	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.51	0.04 U	0.2	0.43	0.15	0.21	0.83	0.04 U	1	0.051 U	
12/11/2007	0.33 U	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	2.5	0.99	0.74	2.4	0.87	5.5	4.5	0.24 U	19	0.31 U	
3/26/2008	0.14	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.83	1.1	0.087 U	0.17 U	0.087 U	0.14	0.21	0.079 U	7	0.1 U	
6/17/2008	0.1	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.58	0.79	0.83	2.8	0.91	0.56	2.3	0.04 U	1.6	0.051 U	
9/24/2008	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.83	0.14	0.52	1.7	0.56	12	3	0.079 U	3.9	0.1 U	
12/18/2008	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	4.8	1.8	2	6.9	2.7	0.68 U	12	0.4 U	46	0.51 U	
3/26/2009	0.43 U	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	3.8	1.1	1.1	3.3	1.2	0.54 U	6.8	0.31 U	24	0.41 U	
6/25/2009	0.43 U	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	3.5	0.79	3.5	12	4	0.75	26	0.31 U	2.3	0.41 U	
9/23/2009	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.2	0.04 U	0.4	1.2	0.4	0.11	1.9	0.04 U	0.39	0.051 U	
12/17/2009	0.87 U	1.1 U	0.87 U	0.65 U	0.63 U	1.3 U	2.4	1.7	0.87	2.9	1	1.1 U	4.1	0.63 U	51	0.82 U	
3/24/2010	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.8	1.9	1.5	5.6	1.9	2	5.3	0.16 U	13	0.2 U	
6/22/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.38	0.04 U	0.16	0.48	0.21 J	0.088	0.68	0.04 U	0.091	0.051 U	
9/22/2010	0.068 U	0.086 U	0.068 U	0.051 U	0.05 U	0.1 U	3	0.11	0.73	2.2	0.72	0.12	4.6	0.05 U	0.63	0.064 U	
12/28/2010	0.34 U	0.43 U	0.34 U	0.25 U	0.25 U	0.51 U	3.1	1.7	0.67	2	0.76	0.68	3.7	0.25 U	23	0.32 U	
3/23/2011	0.11	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	3.3	0.67	1.6	3.6	1.2	0.58	4.1	0.079 U	11	0.1 U	
6/22/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.62	0.04 U	0.54	0.98	0.35	0.19	0.99	0.04 U	0.15	0.051 U	
9/21/2011	0.36	0.069 U	0.055 U	0.04 U	0.5	0.081 U	0.7	0.6	0.66	1.2	0.42	0.13	1.5	0.04 U	1.6	0.051 U	
12/20/2011	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.1	0.49	0.17 U	0.17 U	0.17 U	1.7	0.43	0.16 U	17	0.2 U	
3/28/2012	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.5	0.17	1.4	3.8	1.3	14	5.6	0.16 U	2.3	0.2 U	
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.1	0.2 U	0.81	1.1	0.43	7.6	1.6	0.2 U	0.35	0.26 U	
10/9/2012	0.43 U	0.55 U	0.43 U	0.32 U	0.31 U	0.64 U	1.1	0.33	0.69	1.6	0.76	0.54 U	1.5	0.31 U	16	0.41 U	
1/3/2013	0.23 U	0.29 U	0.23 U	0.17 U	0.17 U	0.34 U	0.13 U	0.3	0.18 U	0.36 U	0.18 U	0.28 U	0.16 U	0.17 U	2.7	0.21 U	
3/28/2013	0.16	0.14 UJ	0.11 U	0.081 U	0.32 U	0.16 U	0.97	0.47	0.48	0.81 J	0.35 J	0.14 U	1.2	0.079 U	6.1	0.1 U	
6/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.27	0.46 NJ	0.66	2.1	0.67	0.078	1.9	0.04 U	1.1	0.051 U	
9/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.36	0.04 U	0.33	0.84	0.24	0.097	1.4	0.04 U	5.2	0.051 U	
12/18/2013	0.44 U	0.55 U	0.44 U	0.33 U	0.32 U	0.65 U	0.75	0.54	0.35 U	0.7 U	0.35 U	0.55 U	1.1	0.32 U	20	0.41 U	
3/20/2014	0.086 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.089	0.99	0.45	0.22	0.54	0.16	0.68	1.2	0.04 U	3.5	0.051 U	
6/18/2014	0.11 NJ	0.099 U	0.079 U	0.058 U	0.057 U	0.12 U	0.38	0.63	0.34	0.59	0.13	0.1	1.4	0.057 U	1	0.074 U	
9/23/2014	0.093 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.3	0.31	0.095	0.23	0.082	0.068 U	0.39	0.04 U	2.6	0.051 U	
12/16/2014	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.9	0.35	0.31	0.77	0.25 J+	0.34 U	1.6	0.2 U	14	0.26 U	
3/24/2015	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.1	0.60	0.30	0.80	0.32	0.34 U	0.93	0.2 U	14	0.26 U	
6/15/2015	0.1	0.3	0.055 U	0.04 U	0.04 U	0.08 NJ	0.5	0.55 U	1.8	6.5	1.9	0.12	2.6	0.04 U	0.72	0.051 U	
9/9/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.26	0.04 U	0.29	0.67	0.22	0.068 U	0.64	0.04 U	0.16	0.051 U	

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J - Estimated

J+ - Estimated and may be biased high

NJ - Tentative in identification and estimated

Table 2
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B11-01																
Description	BUILDING 11 INDOOR AIR																
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2-Dichloroethane	Trichloroethane	Vinyl Chloride	
7/15/2003	0.29	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	1.1	0.55	1.4	3.5	1.2	7.8	12	0.056 U	5	0.02 U	
10/2/2003	2	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	3.8	4.8	1	3	1	6.8	11	0.4 U	36	0.26 U	
1/20/2004	0.65	0.51 U	0.41 U	0.3 U	0.3 U	0.3 U	3.2	2.5	3	11	2.9	4.7	6	0.3 U	33	0.19 U	
2/14/2006	0.65	0.069 U	0.055 U	0.04 UJ	0.099	0.04 U	3	1.6	1.9	4.3	2.6	6.6	5.3 J	0.04 U	59	0.064 J	
6/28/2006	0.24	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.1	0.91	1.6	7.4	2.9	14	3.7	0.16 U	3.4	0.2 U	
9/13/2006	0.4	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.6	0.83	0.74	2.2	0.83	6	3.6	0.2 U	20	0.26 U	
12/12/2006	0.82	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	7	1.6	2.6	7.4	2.4	6.4	11	0.16 U	20	0.2 U	
3/20/2007	0.87	0.21 U	0.16 U	0.12 U	0.23	0.24 U	4.5	1.5	1.1	4.3	1.4	3.5	7.5	0.12 U	9.1	0.15 U	
6/21/2007	0.25	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.89	1.02	0.69	2.2	0.83	7.5	2.2	0.059 U	3.4	0.077 U	
8/30/2007	0.093	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.58	0.25	0.52	1.4	0.52	1.8	1.5	0.04 U	0.7	0.051 U	
9/19/2007	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.77	0.52	0.3	0.91	0.31	0.75	1.2	0.04 U	3.9	0.051 U	
12/11/2007	0.87	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.9	2.3	1	3.7	1.3	8.8	5.3	0.2 U	18	0.26 U	
3/26/2008	0.25	0.12 U	0.093 U	0.069 U	0.067 U	0.14 U	2.4	1.2	0.91	3.5	1.2	1.5	5.3	0.067 U	5.9	0.087 U	
6/17/2008	0.25	0.12 U	0.093 U	0.069 U	0.067 U	0.13 U	1.2	2.1	1.8	6.9	2.3	2.7	2.5	0.067 U	4	0.084 U	
9/24/2008	0.16	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.96	0.95	0.19	0.25	0.078	1.8	1.4	0.059 U	6.4	0.077 U	
12/18/2008	0.6	0.21 U	0.16 U	0.12 U	0.15	0.24 U	2.9	1.9	1.1	3.8	1.3	0.64	5.3	0.12 U	14	0.15 U	
3/26/2009	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.8	2.1	3.2	13	4.3	0.75	7.9	0.16 U	12	0.2 U	
6/25/2009	0.37	0.43 U	0.34 U	0.25 U	0.25 U	0.49 U	3.1	2.6	3.6	13	4.8	1.2	17	0.25 U	5.4	0.31 U	
9/23/2009	0.14	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.5	0.35	0.96	3.5	1.3	0.37	3.4	0.04 U	1.5	0.051 U	
12/17/2009	0.55	0.62 U	0.5 U	0.37 U	0.36 U	0.73 U	2.4	3.2	1.5	5.6	2	0.62 U	6	0.36 U	26	0.46 U	
3/24/2010	0.37	0.14 U	0.11 U	0.081 U	0.12	0.16 U	1.9	3.3	2.7	12	4.3	0.68	5.7	0.079 U	7.5	0.1 U	
6/22/2010	0.12	0.082 U	0.065 U	0.049 U	0.048 U	0.1 U	0.99	1	1.1	4.3	1.5 J	0.42	3	0.048 U	2.8	0.064 U	
9/22/2010	0.11 NJ	0.11 U	0.091 U	0.068 U	0.066 U	0.14 U	1.7	0.78	0.83	3.2	1.1	0.82	4.6	0.066 U	2.2	0.085 U	
12/28/2010	0.34	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.4	1.2	0.63	2.3	0.85	1.1	2.6	0.079 U	5.6	0.1 U	
3/23/2011	0.34	0.14 U	0.11 U	0.081 U	0.094	0.16 U	1.9	1.1	1.1	4.2	1.6	1.3	2.7	0.079 U	3.7	0.1 U	
6/22/2011	0.15 U	0.19 U	0.15 U	0.11 U	0.11 U	0.23 U	0.99	0.47	1.5	5.9	2.3	1.6	4.5	0.11 U	0.98	0.14 U	
9/21/2011	0.13 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.5	0.52	1	3.8	1.4	0.49	2	0.04 U	1.8	0.051 U	
12/20/2011	0.28	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.3	0.65	1.2	4.5	1.7	2.9	1.9	0.079 U	4.8	0.1 U	
3/28/2012	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	2.2	0.75	3.6	11	3.9	2.5	5.4	0.099 U	4.9	0.13 U	
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.1	0.59	4.4	2.5	1.1	0.83	4.6	0.2 U	0.82	0.26 U	
10/9/2012	0.36	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.3	0.66	0.75	2.9	1	0.27 U	0.92	0.16 U	9.5	0.2 U	
1/3/2013	0.43	0.16 U	0.12 U	0.093 U	0.14	0.19 U	0.78	1.1	0.6	2.3	0.86	0.16 U	1.1	0.091 U	9.3	0.12 U	
3/28/2013	0.15	0.069 UJ	0.055 U	0.04 U	0.16 U	0.081 U	0.74	0.47	0.55	1.3 J	0.53 J	0.068	0.87	0.04 U	1.4	0.051 U	
6/19/2013	0.23	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.27	0.6 NJ	0.82	3.5	1.2	0.14	1.5	0.04 U	1.2	0.051 U	
9/19/2013	0.16	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.39	0.4	0.32	1.2	0.43	0.1	0.99	0.04 U	3.2	0.051 U	
12/18/2013	0.38	0.14 U	0.11 U	0.081 U	0.097	0.16 U	0.85	0.53	0.42	0.98	0.37	0.14 U	1.2	0.079 U	4.2	0.1 U	
3/20/2014	0.15 NJ	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	4.6	0.64	0.27	0.93	0.33	0.17 U	1.4	0.099 U	2.5	0.13 U	
6/18/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.08	0.23	0.12 NJ	0.39	1.2	0.38	0.12	1.6	0.04 U	0.43	0.051 U	
9/23/2014	0.24 U	0.069 U	0.055 U	0.04 U	0.068 NJ	0.081 U	0.31	0.34	0.47	1.8	0.67	0.068 U	1.9	0.04 U	1.7	0.051 U	
12/16/2014	0.26	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	1	1.1	0.48	1.5	0.58	0.17 U	1.8	0.099 U	11	0.13 U	
3/24/2015	0.22	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.71	0.77	0.40	1.3	0.56	0.14 U	0.86	0.079 U	4.4	0.1 U	
6/15/2015	0.43 U	0.55 U	0.43 U	0.32 U	0.31 U	0.64 U	0.5	0.49	8.7	37	10	0.54 U	2.9	0.31 U	1.2	0.41 U	
9/9/2015	0.12	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.27	0.13 NJ	0.50	1.9	0.76	0.098	1.0	0.04 U	0.46	0.051 U	

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated

Table 2
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID Description	IA-B11-02																
	BUILDING 11A INDOOR AIR																
	Volatile Organic Compound	1,1,1- Trichloroethane	1,1,2,2- Tetrachloroethane	1,1,2- Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2- Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2- Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.56	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	1.6	1.8	4.7	15	3.7	18	10	0.056 U	39	0.02 U	
10/2/2003	2.2	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	3.5	5.6	1	3.2	1	8.1	9.8	0.4 U	97	0.26 U	
1/20/2004	0.65	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	3	3	3	12	3	5.4	6	0.2 U	42	0.13 U	
2/14/2006	0.65	0.069 U	0.055 U	0.04 UJ	0.079	0.04 U	4.2	1.5	2	6.9 J	3 J	14 J	7.5 J	0.04 U	81	0.072 J	
6/28/2006	0.23	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	1.9	1.1	1.8	6.9	2.9	14	4.5	0.12 U	3.9	0.15 U	
9/13/2006	0.49	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.9	1.1	0.91	2.8	1.1	6.8	3.8	0.2 U	20	0.26 U	
12/12/2006	0.87	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	7.3	2	2.6	6.9	2.3	6.8	9.8	0.16 U	21	0.2 U	
3/20/2007	0.98	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	4.8	1.7	1.3	4.8	1.6	4.5	7.9	0.12 U	12	0.15 U	
6/21/2007	0.22	0.096 U	0.076 U	0.057 U	0.056 U	0.12 U	1.2	0.71	0.87	2.9	1	5.6	2.9	0.056 U	2.5	0.074 U	
8/30/2007	0.11	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.61	0.39	0.74	2.4	0.78	3	2.1	0.04 U	1.5	0.051 U	
9/19/2007	0.21	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.8	0.79	0.52	2	0.61	1.3	2.1	0.059 U	5.4	0.077 U	
12/11/2007	0.82	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	3.8	2.3	1.1	4.1	1.4	8.8	7.5	0.2 U	18	0.26 U	
3/26/2008	0.23	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	3.1	1.1	1	3.8	1.3	1.3	7.9	0.12 U	4.8	0.15 U	
6/17/2008	0.21	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	1.1	1.3	2.2 NJ	8.7	2.8	1.2	2.9	0.12 U	3	0.15 U	
9/24/2008	0.15	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.2	0.87	1	4	1.7	0.75	3	0.059 U	5.9	0.077 U	
12/18/2008	0.49	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.2	2.1	1.4	5.2	1.8	0.68	6.8	0.16 U	13	0.2 U	
3/26/2009	0.19 NJ	0.23 U	0.18 U	0.13 U	0.13 U	0.27 U	4.5	2.3	3.3	13	4.2	0.81	9	0.13 U	13	0.17 U	
6/25/2009	0.51	0.43 U	0.34 U	0.25 U	0.4 NJ	0.49 U	1.9	0.95 NJ	2.4 J	7.8 J	2.3 J	0.81	11	0.25 U	5.4	0.31 U	
9/23/2009	0.12	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.3	0.3	0.87	3.2	1.2	0.31	3.2	0.12	1.8	0.077 U	
12/17/2009	0.65	0.62 U	0.5 U	0.37 U	0.36 U	0.73 U	2.8	3.5	1.4	5.6	2	0.62 U	6	0.36 U	30	0.46 U	
3/24/2010	0.4	0.14 U	0.11 U	0.081 U	0.13	0.16 U	2.3	3.8	3.3	15	5.2	0.81	6.8	0.079 U	9.1	0.1 U	
6/22/2010	0.14	0.069 U	0.055 U	0.04 U	0.04 U	0.085 NJ	1.2	1.3	1.7	7.8	2.8 J	0.59	3.8 J	0.04 U	2.5	0.051 U	
9/22/2010	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.6	0.9	0.86	3.3	1.1	0.93	4.8	0.079 U	2.3	0.1 U	
12/28/2010	0.39	0.1 U	0.082 U	0.061 U	0.11	0.12 U	2.8	1.2	0.72	2.6	0.89	1.3	3.3	0.059 U	6.1	0.077 U	
3/23/2011	0.43	0.14 U	0.11 U	0.081 U	0.13	0.16 U	2.4	1.4	1.3	5.2	1.9	1.6	3.3	0.079 U	4.6	0.1 U	
6/22/2011	0.079 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.8	0.38	1.7	6	2.2	1.3	2.7	0.04 U	0.86	0.051 U	
9/21/2011	0.11 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.1	0.34	0.86	3.2	1.2	0.38	1.3	0.04 U	1.2	0.051 U	
12/20/2011	0.35	0.1 U	0.082 U	0.061 U	0.085 NJ	0.12 U	1.4	0.84	1.5 J	5.7 J	2.2 J	3.6 J	2.4 J	0.059 U	6.2	0.077 U	
3/28/2012	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	1.4	0.44	2.8	8.3	2.9	1.7	4.8	0.099 U	2.9	0.13 U	
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.5	0.5	4.1	4	1.6	1.5	4.6	0.2 U	0.9	0.26 U	
10/9/2012	0.36	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.1	0.62	0.79	3	1	0.27 U	0.99	0.16 U	7.2	0.2 U	
1/3/2013	0.42	0.19 U	0.15 U	0.11 U	0.11	0.22 U	0.92 J	1.2	0.81	3.3	1.2	0.18 U	1.3	0.11 U	9.3	0.14 U	
3/28/2013	0.21	0.069 UJ	0.055 U	0.04 U	0.16 U	0.081 U	0.85	0.7 NJ	0.85	2.3 J	0.99 J	0.081	1.2	0.04 U	2.2	0.051 U	
6/18/2013	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.39 J	0.38 U	0.93	4.0 J	1.4 J	0.11	3.3 J	0.04 U	0.91	0.051 U	
6/19/2013	0.18	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.25 J	0.44 NJ	0.69	2.1 J	0.68 J	0.17	1.1 J	0.04 U	1	0.051 U	
9/19/2013	0.18	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.41	0.45	0.42 J	1.5 J	0.52 J	0.12	1.1	0.04 U	3.5	0.051 U	
12/18/2013	0.32	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1	0.67	0.56	1.8	0.65	0.14 UJ	1.5	0.079 U	5.8	0.1 U	
3/20/2014	0.16 NJ	0.069 U	0.055 U	0.04 U	0.051 U	0.17	0.62 J	0.66	0.053 J	0.087 UJ	0.043 UJ	0.14	0.69 J	0.04 U	2.4	0.051 U	
6/18/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.24	0.12	0.92	3.6	1.4	0.14	1.7	0.04 U	0.43	0.051 U	
9/23/2014	0.27 U	0.069 U	0.055 U	0.04 U	0.083	0.081 U	0.36	0.4	0.52 J	2 J	0.73 J	0.073	1.6	0.04 U	2.2	0.051 U	
12/16/2014	0.45	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2 J	1.9 J	0.42	0.9 J	0.31 J	0.27 U	2.3 J	0.16 U	18 J	0.2 U	
3/24/2015	0.27	0.069 U	0.055 U	0.04 U	0.04 U	0.098	0.88	0.93	0.51	1.7	0.73	1.4 J	1.3	0.04 U	5.1	0.051 U	
6/15/2015	0.12	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.47	0.37	3.3	14	4.7	0.51 J	3.4	0.079 U	1.5	0.1 U	
9/9/2015	0.055 U	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.44 J	0.12 NJ	0.79	2.7	1.2	0.089	1.2	0.040 U	0.47	0.051 U	

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated

Table 2
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	SVSS-B11-01															
Description	BUILDING 11A SUB-SLAB VAPOR															
Volatile Organic Compound	<i>1,1,1-Trichloroethane</i>	<i>1,1,2,2-Tetrachloroethane</i>	<i>1,1,2-Trichloroethane</i>	<i>1,1-Dichloroethane</i>	<i>1,1-Dichloroethene</i>	<i>1,2-Dichloroethane</i>	<i>Benzene</i>	<i>cis-1,2-Dichloroethene</i>	<i>Ethylbenzene</i>	<i>m,p-Xylene</i>	<i>o-Xylene</i>	<i>Tetrachloroethene</i>	<i>Toluene</i>	<i>trans-1,2-Dichloroethene</i>	<i>Trichloroethene</i>	<i>Vinyl Chloride</i>
7/17/2003	1900 U	2400 U	1900 U	1400 U	1400 U	1400 U	1100 U	2600	1500 U	1500 U	1600 U	3700	1300 U	1400 U	160000	900 U
2/14/2006	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	11	8.7 U	22 U	8.7 U	31	7.5 U	7.9 U	540	5.1 U
12/12/2006	1.6 U	2.1 U	1.6 U	1.2 U	1.2 U	1.2 U	0.96 U	12	1.3 U	3.3 U	1.3 U	18	3.4 J	1.2 U	230	0.77 U
8/30/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	6.7	0.87 U	2.2 U	0.87 U	16	0.75 U	0.79 U	140	0.51 U
9/20/2007	1.6 U	2.1 U	1.6 U	1.2 U	1.2 U	1.2 U	0.96 U	17	1.3 U	3.3 U	1.3 U	20	1.1 U	1.2 U	240	0.77 U
12/11/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	10	0.87 U	2.2 U	0.87 U	12	0.75 U	0.79 U	110	0.51 U
12/18/2008	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	11	0.87 U	2.2 U	0.87 U	6.1	0.75 U	0.79 U	86	0.51 U
12/17/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	5.2	0.87 U	2.2 U	0.87 U	5.6	0.75 U	0.79 U	64	0.51 U
12/28/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	2.2	2.2	0.87 U	2.2	0.87 U	2.5	3.8	0.79 U	18	0.51 U
12/20/2011	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64	1.7	0.87 U	2.2 U	0.87 U	4.3	1.3	0.79 U	20	0.51 U
12/19/2012	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	1.3 J	2.2 J	0.87 UJ	2.2 UJ	0.87 UJ	2.6	1.4 J	0.79 U	20	0.51 U
12/18/2013	1.1 UJ	1.4 UJ	1.1 UJ	0.81 UJ	0.79 UJ	0.81 UJ	0.64 UJ	1.1 J	0.87 UJ	2.2 UJ	0.87 UJ	3.2 J	0.75 UJ	0.79 UJ	15 J	0.51 UJ
12/16/2014	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.65	2.8	0.87 U	2.2 U	0.87 U	3.4	0.99	0.79 U	35	0.51 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J - Estimated

Table 2
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B13-01															
Description	BUILDING 13 INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.55	0.14 U	0.1 U	0.08 U	0.044	0.08 U	2.3	1.1	2.4	7.5	2.4	19	11	0.056 U	11	0.026
10/2/2003	2.8	0.34 U	0.27 U	0.2 U	0.52	0.2 U	1.9	4	0.69	2	0.74	4.8	3.8	0.2 U	13	0.13 U
1/20/2004	1	0.14 U	0.11 U	0.081 U	0.23	0.12	1.5	2.1	0.74	2.6	0.74	2.6	3.1	0.079 U	8.6	0.051 U
2/14/2006	1	0.069 U	0.055 U	0.04 UJ	0.14	0.04 U	3.1 D	1.1	3.9	9.6	3.4	3.8	6.8 J	0.04 U	41	0.056 J
6/28/2006	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.1	0.44	4.2	19	7.8	5.2	4.1	0.16 U	1.6	0.2 U
9/13/2006	1.6	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	3.8	1.5	2.9	10	4.3	9.5	5.7	0.12 U	16	0.15 U
12/12/2006	1.1	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	7.7	2.1	3.6	9.1	3.2	7.5	9.8	0.16 U	21	0.2 U
3/20/2007	0.82	0.14 U	0.11 U	0.081 U	0.17	0.16 U	3.8	0.83	1.3	4.3	1.5	1.8	7.5	0.079 U	5.4	0.1 U
6/21/2007	0.38	0.1 U	0.082 U	0.061 U	0.067	0.12 U	1.4	0.95	2	6.5	2.4	4.5	4.1	0.059 U	2.6	0.077 U
9/19/2007	0.45	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.3	1.3	2	6.9	2.5	1.3	2.9	0.079 U	6.4	0.1 U
12/11/2007	0.87	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.9	1.7	1.3	4.3	1.7	7.5	6	0.16 U	12	0.2 U
3/26/2008	0.2	0.12 U	0.093 U	0.069 U	0.067 U	0.14 U	2.7	0.48	0.83	3	1.1	0.61	3.7	0.067 U	2.6	0.087 U
6/17/2008	0.21	0.12 U	0.093 U	0.069 U	0.079	0.13 U	1.5	0.52	2.9 NJ	11 J	3.8	8.1	3.3	0.067 U	1.5	0.084 U
9/24/2008	1.6	0.1 U	0.082 U	0.061 U	0.39	0.12 U	0.8	0.63	0.96	3.5	1.1	0.31	3.8	0.059 U	4.1	0.077 U
12/18/2008	1.4	0.14 U	0.11 U	0.081 U	0.29	0.16 U	2	0.56	0.74	2.3	0.78	0.22	3.8	0.079 U	5.2	0.1 U
3/26/2009	0.65	0.14 U	0.11 U	0.081 U	0.14	0.16 U	1.9	1.3	1.4	5.2	1.7	0.63	5.3	0.079 U	7.5	0.1 U
6/25/2009	0.53	0.27 U	0.22 U	0.16 U	0.27	0.32 U	1.9	0.95	2.6	8.7	2.6	0.75	11	0.16 U	5.4	0.2 U
9/23/2009	0.39	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.2	0.95	1.8	6.9	2.2	0.66	6.4	0.079 U	3.5	0.1 U
12/17/2009	1.4	0.069 U	0.055 U	0.053	0.4	0.081 U	0.48	0.19	0.16	0.52	0.18	0.068 U	0.6	0.04 U	2.4	0.051 U
3/24/2010	1.2	0.069 U	0.055 U	0.049	0.34	0.081 U	0.73	0.33	0.48	1.7	0.56	0.16	2.1	0.04 U	1.8	0.051 U
6/22/2010	0.93	0.14 U	0.11 U	0.081 U	0.31	0.16 U	1.5	1.3	2.1	7.8	2.4 J	0.51	4.5	0.079 U	6.4	0.1 U
9/22/2010	0.27 J	0.27 UJ	0.22 UJ	0.16 UJ	0.16 UJ	0.32 UJ	3.5 J	1.1 J	1.3 J	4.6 J	1.5 J	1.2 J	7.3 J	0.16 UJ	3.7 J	0.2 UJ
12/28/2010	0.59	0.14 U	0.11 U	0.081 U	0.21	0.16 U	2.1	0.25	0.54	1.6	0.58	0.54	5.2	0.079 U	6.9	0.1 U
3/23/2011	0.72	0.069 U	0.055 U	0.04 U	0.18	0.081 U	0.79	0.44	0.45	1.7	0.6	0.67	1.3	0.04 U	2.1	0.051 U
6/22/2011	0.21	0.1 U	0.082 U	0.061 U	0.058	0.12 U	2.2	0.39	1.4	5	1.5	2.2	4.6	0.059 U	1.5	0.077 U
9/21/2011	0.82	0.069 U	0.055 U	0.04 U	0.15	0.081	1.7	0.97	1.8	7.1	2.5	1.2	3	0.04 U	2.8	0.051 U
12/20/2011	0.68	0.069 U	0.055 U	0.04 U	0.22 NJ	0.085 U	1.3	0.25 NJ	1.3	2.5	1 NJ	1.4	3.5	0.04 U	3.1	0.051 U
3/28/2012	0.39	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.1	0.61	7.1	3	1.6 NJ	0.9	9.8	0.2 U	3.9	0.26 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.5	0.2 U	9.4	1.5	1.3	0.34	7.9	0.2 U	0.53	0.26 U
10/9/2012	0.6	0.14 U	0.11 U	0.081 U	0.2	0.16 U	0.68	0.46	0.55	2.2	0.72	0.14 U	1	0.079 U	3.3	0.1 U
1/3/2013	0.69	0.069 U	0.055 U	0.04 U	0.21	0.081 U	0.56	0.3	0.48	2	0.61	0.15	1.1	0.04 U	2.6	0.051 U
3/28/2013	0.22 J	0.069 UJ	0.055 U	0.04 U	0.063 NJ	0.081 U	0.15	0.05	0.043 U	0.087 UJ	0.043 UJ	0.068 U	0.038 U	0.04 U	0.38	0.051 U
6/19/2013	0.15	0.069 U	0.055 U	0.04 U	0.08	0.081 U	0.16	0.04 U	0.28	1.1	0.33	0.068 U	1	0.04 U	0.5	0.051 U
9/19/2013	0.45	0.069 U	0.055 U	0.04 U	0.094 U	0.081 U	0.41	0.41 U	0.059	0.087 U	0.043 U	0.068 U	0.67	0.04 U	2.3	0.051 U
12/18/2013	0.62 J	0.14 UJ	0.11 UJ	0.081 UJ	0.18 J	0.16 UJ	0.94 J	0.5 J	0.53 J	0.88 J	0.32 J	0.14 UJ	1.2 J	0.079 UJ	4.7 J	0.1 UJ
3/20/2014	0.21 NJ	0.069 U	0.055 U	0.04 U	0.082	0.1	0.77	0.31	0.25	0.8	0.28	0.13	1.2	0.04 U	1.8	0.051 U
6/18/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.21	0.04 U	0.47	1.6	0.51	0.079	1.3	0.04 U	0.2	0.051 U
9/23/2014	0.82 NJ	0.069 U	0.055 U	0.04 U	0.3	0.081 U	0.43	0.55	0.99	3.8	1.5	0.1	3.4	0.04 U	3	0.051 U
12/16/2014	0.92	0.14 U	0.11 U	0.081 U	0.28	0.16 U	0.9	1	1.1	3	1.2 J+	0.14 U	3.4	0.079 U	9.4	0.1 U
3/24/2015	0.15	0.069 U	0.055 U	0.04 U	0.18	0.081 U	0.050	0.23	0.043 U	0.087 U	0.043 U	0.068 U	0.038 U	0.04 U	0.16	0.051 U
6/15/2015	0.089 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.11 NJ	0.21	0.04 U	0.092	0.085	0.043 U	0.068 U	0.25	0.04 U	0.45	0.051 U
9/9/2015	0.11	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.33	0.20	1.5	3.3	1.6	0.12	1.8	0.04 U	0.72	0.051 U

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J - Estimated

J+ - Estimated and may be biased high

NJ - Tentative in identification and estimated

Table 2
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	SVSS-B13-01															
Description	BUILDING 13 SUB-SLAB VAPOR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/17/2003	18	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	3.6	0.056 U	1.5	22	6.6	37	11	0.056 U	2.8	0.02 U
2/14/2006	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	7.9 U	8.7 U	22 U	8.7 U	14 U	7.5 U	7.9 U	11 U	5.1 U
12/12/2006	8.2	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	13	0.75 U	0.79 U	1.3	0.51 U
12/11/2007	3.9	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	5.8	0.75 U	0.79 U	1.1	0.51 U
12/18/2008	3.5	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.67	0.79 U	0.87 U	2.2 U	0.87 U	3.5	1.3	0.79 U	1.6	0.51 U
12/17/2009	3.2	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	3.3	0.75 U	0.79 U	1.1	0.51 U
12/28/2010	2.1	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.68	0.79 U	0.87 U	2.2 U	0.87 U	2.6	1.1	0.79 U	2.1	0.51 U
12/20/2011	5.5 U	6.9 U	5.5 U	4 U	4 U	4 U	3.2 U	4 U	4.3 U	11 U	4.3 U	6.8 U	3.8 U	4 U	5.4 U	2.6 U
12/19/2012	2.2	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	1.2	0.79 U	0.87 U	2.2 U	0.87 U	4.2	2	0.79 U	1.1 U	0.51 U
12/18/2013	1.4	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	4.6	0.75 U	0.79 U	1.6	0.51 U
12/16/2014	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

Table 2
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B13A-01															
Description	BUILDING 13A INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
10/2/2003	1.9	0.069 U	0.055 U	0.04 U	0.25	0.04 U	1.8	3.1	0.78	2.6	0.043 U	3.9	4.1	0.04 U	12	0.026 U
1/20/2004	1	0.21 U	0.16 U	0.12 U	0.12 U	0.12 U	1.2	1.5	0.56	1.7	0.56	2.2	2.6	0.12 U	7	0.077 U
2/14/2006	0.93	0.069 U	0.055 U	0.04 U	0.12	0.04 U	2.7	0.91	3.9	12	3.9	2.9	6.8 J	0.04 U	15	0.049 J
6/28/2006	0.23	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.4	0.67	4.8	21	8.3	8.1	4.5	0.16 U	2.2	0.2 U
9/13/2006	1.5	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.5	1.8	3	11	4.3	8.1	6	0.16 U	15	0.2 U
12/12/2006	1.1	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	6.7	1.8	3.7	9.1	3	6.8	9	0.16 U	19	0.2 U
3/20/2007	1.1	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	3.5	1.4	1.9	6.1	2.1	3	8.7	0.12 U	10	0.15 U
6/21/2007	0.41	0.082 U	0.065 U	0.049 U	0.095	0.1 U	1.2	1.1	3.7	9.6	3.5	5.2	4.1	0.048 U	3.1	0.064 U
9/19/2007	0.45	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.3	1.3	2.6	9.1	3.1	1.3	3.5	0.079 U	6.4	0.1 U
12/11/2007	0.93	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.5	1.7	1.3	4.3	1.5	8.1	4.5	0.16 U	12	0.2 U
3/26/2008	0.27	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.9	0.95	1.4	5.2	1.8	1.2	4.9	0.079 U	5.2	0.1 U
6/17/2008	0.25	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.7	0.75	4.3	17	6.1	0.75	4.5	0.079 U	1.9	0.1 U
9/24/2008	1.3	0.069 U	0.055 U	0.04 U	0.33	0.081 U	0.7	0.48	0.96	3.5	1.1	0.25	3.3	0.04 U	3.3	0.051 U
12/18/2008	1.3	0.14 U	0.11 U	0.081 U	0.28	0.16 U	1.3	0.56	0.52	1.7	0.61	0.22	2.4	0.079 U	4.7	0.1 U
3/26/2009	0.65	0.1 U	0.082 U	0.061 U	0.14	0.12 U	2.1	1.2	1.6	5.6	1.8	0.88	4.1	0.059 U	8.1	0.077 U
6/25/2009	0.35	0.17 U	0.14 U	0.1 U	0.11	0.2 U	1.9	0.48	2.7	9.1	2.6	0.5	7.9	0.099 U	3.3	0.13 U
9/23/2009	0.35	0.14 U	0.11 U	0.081 U	0.11	0.16 U	2.3	0.59	2	6.9	2.2	0.54	5.3	0.079 U	3.4	0.1 U
12/17/2009	1.5	0.069 U	0.055 U	0.065	0.37	0.081 U	0.54	0.25	0.36	1.2	0.38	0.095	0.94	0.04 U	2.7	0.051 U
3/24/2010	1.3	0.069 U	0.055 U	0.061	0.4	0.081 U	0.67	0.4	0.61	2	0.65	0.19	1.9	0.04 U	2.1	0.051 U
6/22/2010	0.82	0.1 U	0.082 U	0.061 U	0.25	0.12 U	1.2	0.67	2.8	9.6	3 J	0.41	4.5	0.059 U	4.7	0.077 U
9/22/2010	0.26 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	3.1	1.1	1.4	4.6	1.6	1.2	7.1	0.099 U	3.4	0.13 U
12/28/2010	0.75	0.069 U	0.055 U	0.041 NJ	0.2	0.081 U	1.3	0.096	0.26	0.67	0.24	0.14	1.4	0.04 U	2.3	0.051 U
3/23/2011	0.54	0.069 U	0.055 U	0.04 U	0.12	0.081 U	0.75	0.39	0.47	1.7	0.59	0.62	1.2	0.04 U	1.8	0.051 U
6/22/2011	0.33 NJ	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.5	0.4	1.8	6.8	2.2	2.9	3	0.079 U	2.4	0.1 U
9/21/2011	0.46	0.069 U	0.055 U	0.04 U	0.12	0.081 U	1.7	0.51 NJ	1.4	5.4	1.9	0.57	3	0.04 U	1.4	0.051 U
12/20/2011	0.5	0.069 U	0.055 U	0.04 U	0.17 NJ	0.081 U	0.97	0.25	1.2	2.7	1.1 NJ	1.4	3.1	0.04 U	2.7	0.051 U
3/28/2012	0.36	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.8	0.52	5.8	2.5	1.4 NJ	0.66	7.9	0.2 U	3.2	0.26 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.4	0.2 U	9.6	3.1	1.8 U	0.35	8	0.2 U	0.72	0.26 U
10/9/2012	0.33	0.069 U	0.055 U	0.04 U	0.12	0.081 U	0.44	0.25	0.69	2.5	0.89	0.068 U	1	0.04 U	1.6	0.051 U
1/3/2013	0.58	0.069 U	0.055 U	0.04 U	0.18	0.081 U	0.51	0.28	0.45	1.8	0.55	0.078	2	0.04 U	3.7	0.051 U
3/28/2013	0.34	0.069 U	0.055 U	0.04 U	0.086 J	0.087	0.55	0.17	0.66	0.75 J	0.3 J	0.068 U	0.62	0.04 U	1	0.051 U
6/19/2013	0.13	0.069 U	0.055 U	0.04 U	0.08	0.081 U	0.29	0.04 U	0.11	0.2	0.049	1.2	1.1	0.04 U	0.53	0.051 U
9/19/2013	0.72	0.069 U	0.055 U	0.04 U	0.18 U	0.082 NJ	0.55	0.43 NJ	0.99	3.1	1.1	0.11	2.1	0.04 U	2.1	0.051 U
12/18/2013	0.58	0.14 U	0.11 U	0.081 U	0.12	0.16 U	0.95	0.61	0.56	1.2	0.41	0.14 U	1.4	0.079 U	5.3	0.1 U
3/20/2014	0.23 NJ	0.069 U	0.055 U	0.04 U	0.075 NJ	0.1	0.75	0.34	0.29	0.95	0.33	0.15	1.2	0.04 U	2.1	0.051 U
6/18/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.29	0.04 U	0.68	2.3	0.77	0.24	2.1	0.04 U	0.24	0.051 U
9/23/2014	0.61 NJ	0.14 U	0.11 U	0.081 U	0.25	0.16 U	0.46	0.38	0.88	2.8	1.2	0.14 U	4.3	0.079 U	2.2	0.1 U
12/16/2014	1	0.14 U	0.11 U	0.081 U	0.3	0.16 U	0.88	1.1	1.2	3.8	1.6 J+	0.14 U	3.5	0.079 U	8.3	0.1 U
3/24/2015	0.46	0.069 U	0.055 U	0.04 U	0.19	0.096	0.65	0.40	0.65	2.2	0.95	0.068 U	1.1	0.04 U	2.1	0.051 U
6/15/2015	0.13 NJ	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.57	0.29	4.3	9.5	5.6	0.14 U	4.9	0.079 U	0.85	0.1 U
9/9/2015	0.10	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.42	0.04 U	1.1	3.5	1.9	0.12	2.0	0.04 U	0.66	0.051 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J - Estimated

J+ - Estimated and may be biased high

NJ - Tentative in identification and estimated

Table 2
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	SVSS-B13A-01															
Description	BUILDING 13A SUB-SLAB VAPOR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/17/2003	1.4	0.28 U	0.2 U	0.16 U	0.08 U	0.16 U	0.32	1.2	0.17 U	0.59	0.24	5.1	0.35	0.11 U	53	0.04 U
2/14/2006	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	7.9 U	8.7 U	22 U	8.7 U	14 U	7.5 U	7.9 U	34	5.1 U
12/12/2006	1.9	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	11	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	64	0.51 U
12/11/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/18/2008	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/17/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/28/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/20/2011	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	1.1	0.79 U	1.1 U	0.51 U
12/19/2012	1.3	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/18/2013	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	11 J	0.75 U	0.79 U	8.2	0.51 U
12/16/2014	2.5	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	3.1	1.4	0.79 U	1.1	0.51 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J - Estimated

Table 3
Building 7 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B7-01															
Description	BUILDING 7 WAREHOUSE INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.42	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	1.1	0.21	1.1	3.6	1.3	0.62	7	0.056 U	2.7	0.02 U
10/2/2003	0.45	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	1.4	0.95	1.6	3	0.87	0.62	2.5	0.2 U	13	0.13 U
1/20/2004	0.35	0.21 U	0.16 U	0.12 U	0.12 U	0.12 U	2.5	1	2.6	10	3.1	2.2	9.4	0.12 U	5.9	0.077 U
3/31/2005	0.15	0.069 U	0.055 U	0.04 U	0.04 U	1.4	1.2	0.12	0.74	3	1.1	0.28	3.4	0.04 U	1	0.026 U
12/12/2006	0.28	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	6.1	0.52	2.6	9.1	3.2	4.5	16	0.2 U	5.9	0.26 U
3/20/2007	0.43	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	3.5	0.95	0.87	2.8	1	2.4	5.3	0.2 U	18	0.26 U
6/21/2007	0.055	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.29	0.095	0.24	0.74	0.24	0.19	1.4	0.04 U	0.64	0.051 U
9/19/2007	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.42	0.075	0.23	0.56	0.22	0.14	1.4	0.04 U	1.1	0.051 U
12/11/2007	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2	0.63	0.78	2.5	0.87	3	5.3	0.12 U	3.9	0.15 U
3/26/2008	0.14	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.2	0.75	0.87	3.2	1.1	0.75	7.2	0.079 U	9.7	0.1 U
6/17/2008	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.2	0.44	1.3	4.8	1.7	0.35	6.8	0.079 U	1.5	0.1 U
9/25/2008	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	1.2	0.12	1.1	4	1.6	0.28	8.3	0.12 U	1.2	0.15 U
12/18/2008	0.6 U	0.76 U	0.6 U	0.45 U	0.44 U	0.89 U	5.8	0.52	4.3	14	4.8	0.75 U	27	0.44 U	6.4	0.56 U
3/26/2009	0.18 U	0.23 U	0.18 U	0.13 U	0.13 U	0.27 U	2.1	4.4	0.91	3.1	1.2	0.36	8.3	0.13 U	4.8	0.95
6/25/2009	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.8	0.34 NJ	2.1	6.5	2.4	0.34 U	13	0.2 U	2.5	0.26 U
9/23/2009	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.1	0.067	0.74	2.2	0.83	0.1 U	4.5	0.059 U	0.7	0.077 U
12/17/2009	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.8	0.26	1.5	5.6	2.1	0.14 U	7.2	0.079 U	5.4	0.1 U
3/24/2010	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	3.2	0.75	1.9	6.9	2.4	1.2	11	0.12 U	4.7	0.15 U
6/22/2010	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	0.73	0.099	0.61	2	0.87 J	0.17 U	4.9	0.099 U	1.1	0.13 U
9/22/2010	0.33 U	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	1.7	0.24 U	1.1	3.4	1.3	0.41 U	9.7	0.24 U	1.3	0.31 U
12/28/2010	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2	0.66	0.79	2.5	0.85	0.38	6.3	0.12 U	8.9	0.15 U
3/23/2011	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.7	0.14	0.89	3	0.98	0.19	4.2	0.079 U	1.6	0.1 U
6/22/2011	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.1	0.16 U	1.5	5.3	2	0.3	9.9	0.16 U	1	0.2 U
9/21/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.9	0.083	0.85	3.1	1.1	0.1	3.7	0.04 U	1.3	0.051 U
12/20/2011	0.055 U	0.099 U	0.055 U	0.04 U	0.04 U	0.094	0.87	0.17	0.68	2.6	0.99	3.4	2.7	0.04 U	3.5	0.051 U
3/28/2012	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	2.7	0.4 U	2.1	5.6	2	8.1	17	0.4 U	1.6	0.51 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.8	0.2 U	1	2.3	0.84	3.6	3.4	0.2 U	0.93	0.26 U
10/9/2012	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.3	0.3	0.74	2.4	0.8	0.27 U	5.7	0.16 U	11	0.2 U
1/3/2013	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1	0.64	0.44	1.3	0.5	0.34 U	2.8	0.2 U	20	0.26 U
3/28/2013	0.11	0.097 UJ	0.077 U	0.057 U	0.22 U	0.16	1	0.46	0.48	1.3 J	0.52 J	0.15	2.3	0.056 U	4.1	0.073 U
6/19/2013	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.33	0.28 NJ	0.44	1.5	0.55	0.14 U	3.5	0.079 U	1.2	0.1 U
9/19/2013	1.3 NJ	0.069 U	0.055 U	0.04 U	0.98	0.081 U	0.4	0.14	0.28	0.77	0.28	0.12	2.5	0.04 U	3.8	0.051 U
12/18/2013	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	1.2	0.4	0.5	1.7	0.53	0.17 U	4.2	0.099 U	9.1	0.13 U
3/20/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.16	1.1	0.26	0.38	1.3	0.43	0.1	2.7	0.04 U	2.2	0.051 U
6/18/2014	0.091 U	0.11 U	0.091 U	0.068 U	0.066 U	0.14 U	0.88	0.2	0.95	3.6	0.98	0.11 U	5.4	0.066 U	1	0.085 U
9/23/2014	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.39	0.18	0.27	0.89	0.31	0.1 U	4.2	0.059 U	2.1	0.077 U
12/16/2014	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.28	0.96	0.12 U	0.54	1.8	0.62 J+	0.1	2.8	0.059 U	3.4	0.077 U
3/24/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.15	1.1	0.27	0.41	1.3	0.46	0.082	1.6	0.04 U	5.1	0.051 U
6/15/2015	0.083 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.083	0.47	0.38	2.1	8.5	2.3	0.13	3	0.04 U	0.91	0.051 U
9/9/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.23	0.051	0.22	0.68	0.25	0.068 U	1.1	0.04 U	0.92	0.051 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J - Estimated

J+ - Estimated and may be biased high

NJ - Tentative in identification and estimated

Table 3
Building 7 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	SVSS-B7-01															
Description	BUILDING 7 SUB-SLAB VAPOR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/17/2003	33 U	41 U	33 U	24 U	24 U	24 U	19 U	24 U	26 U	26 U	27 U	40	22 U	24 U	3300	15 U
12/12/2006	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	7.9 U	8.7 U	22 U	8.7 U	17	7.5 U	7.9 U	1700	5.1 U
3/20/2007	4.4 U	5.5 U	4.4 U	3.2 U	3.2 U	3.2 U	2.6 U	3.2 U	3.5 U	8.7 U	3.5 U	8.1	3 U	3.2 U	470	2 U
6/21/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.7	1.2	0.79 U	11	0.51 U
9/19/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.79	0.79 U	12	0.51 U
12/11/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	12	0.51 U
3/26/2008	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	70	0.51 U
6/17/2008	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	2	0.75 U	0.79 U	64	0.51 U
9/24/2008	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	1.2	0.79 U	24	0.51 U
12/18/2008	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	40	0.51 U
3/26/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	2	0.75 U	0.79 U	59	0.51 U
6/25/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	2.2	1.1	0.79 U	59	0.51 U
9/23/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.5	0.75 U	0.79 U	64	0.51 U
12/17/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.67	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	2.5	0.79 U	70	0.51 U
3/24/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	1.7 U	0.87 U	1.4 U	0.75 U	0.79 U	43	0.51 U
6/22/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	1.7 U	0.87 U	2.6	0.75 U	0.79 U	100	0.51 U
9/22/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	30	0.51 U
12/28/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	2.2	0.75 U	0.79 U	19	0.51 U
3/23/2011	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.7	0.94	0.79 U	28	0.51 U
6/22/2011	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.7	0.85	2.8	1.7	0.79 U	43	0.51 U
9/21/2011	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	1.0	0.79 U	2.5	10	3.4	1.4 U	15	0.79 U	13	0.51 U
12/20/2011	1.1 UJ	1.4 UJ	1.1 UJ	0.81 UJ	0.79 UJ	0.81 UJ	0.64 UJ	0.79 UJ	0.87 UJ	2.2 UJ	0.87 UJ	3.8 J	0.75 UJ	0.79 UJ	23 J	0.51 UJ
12/19/2012	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	5.6	0.8	0.79 U	23	0.51 U
12/18/2013	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	20	0.51 U
12/16/2014	5	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	1.1	0.87 U	2.2 U	0.87 U	19	1	0.79 U	30	0.51 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J - Estimated

Table 3
Building 7 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B7-02															
Description	BUILDING 7 OFFICE INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
9/21/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.38	0.04 U	0.21	0.63	0.21	0.068 U	1.4	0.04 U	0.82	0.051 U
12/20/2011	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.5	0.17	0.57	1.7	0.62	2	14	0.16 U	3.8	0.2 U
3/28/2012	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.49	3	0.12 U	1.5	3.9	1.4	9.5	6.3	0.12 U	1.8	0.15 U
6/14/2012	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	1.3	1.8	0.19 NJ	3.9	9.7	3.3	2.6	6.7	0.079 U	1.2	0.1 U
10/9/2012	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.43	0.6	0.16 U	0.37	0.94	0.35	0.27 U	1.5	0.16 U	6.8	0.2 U
1/3/2013	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.92	0.47	0.35	0.96	0.38	0.34 U	2.1	0.2 U	18	0.26 U
3/28/2013	0.11 U	0.14 U	0.11 U	0.081 U	0.32 U	0.44	0.82	0.38	0.83	1 J	0.54 NJ	0.14 U	2	0.079 U	4.6	0.1 U
6/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.82	0.37	0.04 U	0.79	2.3	0.89	0.1	3.6	0.04 U	1.4	0.051 U
9/19/2013	0.17 NJ	0.069 U	0.055 U	0.04 U	0.12	0.61	0.51	0.094 U	0.38	0.92	0.31	0.1	1.7	0.04 U	2.8	0.051 U
12/18/2013	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.35	0.98	0.43	0.4	0.89	0.29	0.27 U	3.2	0.16 U	12	0.2 U
3/20/2014	0.45 U	0.57 U	0.45 U	0.34 U	0.33 U	0.67 U	0.37	0.33 U	0.36 U	0.72 U	0.36 U	0.56 U	0.4	0.33 U	3.0	0.43 U
6/18/2014	0.18 U	0.23 U	0.18 U	0.13 U	0.13 U	0.27 U	0.47	0.26	1	3.7	0.95	0.23 U	7.3	0.13 U	1.3	0.17 U
9/23/2014	0.43 U	0.55 U	0.43 U	0.32 U	0.31 U	0.64 U	0.31	0.31 U	0.34 U	0.69 U	0.34 U	0.54 U	7.8	0.31 U	1.1	0.41 U
12/16/2014	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.18 J+	0.94	0.16 NJ	0.42	1.3	0.47	0.18	2.5	0.079 U	7.2	0.1 U
3/24/2015	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.96	0.34	0.32	0.87	0.32	0.14 U	1.3	0.079 U	8.0	0.1 U
6/15/2015	0.077	0.069 U	0.055 U	0.04 U	0.04 U	0.12	0.58	0.31	1.1	4.4	1.4	0.092	2.2	0.04 U	2.3	0.051 U
9/9/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.088	0.33	0.041 NJ	0.40	1.2	0.48	0.068 U	3.0	0.04 U	1.1	0.051 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J - Estimated

J+ - Estimated and may be biased high

NJ - Tentative in identification and estimated

Table 4
Building 10 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B10-01															
Description	BUILDING 10 INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,1,2-Tetrachloroethane	1,1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2-Dichloroethane	Trichloroethane	Vinyl Chloride
7/15/2003	0.2	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	0.9	0.7	0.59	1.8	0.69	6.4	4.3	0.056 U	4	0.02 U
10/2/2003	1.4	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	3.1	4	0.91	2.8	1	5.2	5.3	0.4 U	30	0.26 U
1/20/2004	0.5	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	3.5	4.4	6.9	29	6.9	8.1	8.7	0.2 U	26	0.13 U
2/14/2006	0.55	0.069 U	0.055 U	0.04 UJ	0.075	0.04 U	3.8	1.4	1.7	4.3	2.3	22	4.9 J	0.044	45	0.074 J
6/28/2006	0.25	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.2	4	1.6	6.1	2.5	20	4.5	0.16 U	9.7	0.2 U
9/13/2006	0.29	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.2	0.95	0.65	2	0.74	4.1	3.5	0.16 U	15	0.2 U
12/12/2006	1	0.55 U	0.44 U	0.32 U	0.32 U	0.65 U	7	2.6	2.4	6.9	2.5	10	9.4	0.32 U	32	0.41 U
3/20/2007	0.76	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	6.4	1.9	1	3.5	1.1	6.2	6	0.16 U	17	0.2 U
6/21/2007	0.13	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.67	0.63	0.39	1.3	0.43	2.5	1.6	0.04 U	2.4	0.051 U
9/19/2007	0.082	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.58	0.38	0.24	0.61	0.21	0.43	1.1	0.04 U	3	0.051 U
12/11/2007	0.65	0.55 U	0.44 U	0.32 U	0.32 U	0.65 U	2.6	2.8	0.74	2.5	0.91	9.5	3.8	0.32 U	24	0.41 U
3/26/2008	0.27	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	2.8	2.5	0.74	2.8	0.87	2.8	4.5	0.099 U	10	0.13 U
6/17/2008	0.24	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	0.77	3.2	1.9	6.9	2.3	1.7	2.6	0.099 U	5.4	0.13 U
9/24/2008	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	0.7	0.75	0.42	1.4	0.52	12	2.2	0.099 U	4.3	0.13 U
12/18/2008	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	4.2	2.9	1.7	6.5	2.1	1	11	0.4 U	37	0.51 U
3/26/2009	0.43 U	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	4.2	3.2	2.1	7.4	2.4	1.2	11	0.31 U	31	0.41 U
6/25/2009	0.43	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	4.5	7.5	4.8	18	6.1	3.1	28	0.31 U	13	0.41 U
9/23/2009	0.12	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.4	2.2	0.69	2.3	0.87	0.66	2.8	0.04 U	3.8	0.087
12/17/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	1.6 U	3.2	3.5	1.4	4.3	1.6	1.4 U	7.2	0.79 U	64	1 U
3/24/2010	0.25	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2.5	4.4	2.1	8.7	2.9	1.5	7.2	0.12 U	11	0.15 U
6/22/2010	0.16	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.2	1.8	0.83	3	1 J	0.75	2.2	0.04 U	4.4	0.056 NJ
9/22/2010	0.13 NJ	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.7	1.8	0.89	3.2	1	0.5	5.1	0.079 U	5	0.1 U
11/16/2010	0.91 U	1.1 U	0.91 U	0.68 U	0.66 U	1.4 U	4.9	4.5	2.3	7.2	2.5	73	14	0.66 U	21	0.85 U
12/28/2010	0.34 U	0.43 U	0.34 U	0.25 U	0.25 U	0.51 U	4.1	2.3	0.72	2.2	0.84	0.71	3.9	0.25 U	20	0.32 U
3/23/2011	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	2.6	0.96	1.1	2.9	1	0.64	3.7	0.099 U	11	0.13 U
6/22/2011	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.3	0.31	0.74	2.4	0.84	0.79	3.8	0.079 U	0.61	0.1 U
9/21/2011	0.071 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.84	0.64	0.61	2	0.7	0.19	1.5	0.04 U	1.4	0.051 U
12/20/2011	0.21	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	1.7	1.3	0.93	2.5	0.95	3.2	2	0.099 U	13	0.13 U
3/28/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.8	0.7	1.9	4.1	1.4	5.5	7.2	0.2 U	5.2	0.26 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.5	0.81	1.6	1.5	0.59	5.9	2.9	0.2 U	0.84	0.26 U
10/9/2012	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	1.5	0.81	0.46	1.2	0.43 U	0.68 U	0.98	0.4 U	23	0.51 U
1/3/2013	0.41 U	0.51 U	0.41 U	0.3 U	0.3 U	0.6 U	0.9	1.6	0.32 U	1.1	0.43 J	0.51 U	1.2	0.3 U	27	0.38 U
3/28/2013	0.16	0.086 UJ	0.068 U	0.051 U	0.2 U	0.1 U	0.86	0.72	0.47	0.77 J	0.33 J	0.085 U	1	0.05 U	5.1	0.064 U
6/19/2013	0.15	0.069 U	0.055 U	0.04 U	0.043	0.081 U	0.18	0.96	0.063	0.16	0.044	0.25	0.7	0.04 U	0.84	0.051 U
9/19/2013	0.13	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.36	0.58	0.19	0.56	0.2	0.13	0.81	0.04 U	5.4	0.051 U
12/18/2013	0.44 U	0.55 U	0.44 U	0.33 U	0.32 U	0.65 U	0.91	1.1	0.35 U	0.7 U	0.35 U	0.55 U	1.3	0.32 U	22	0.41 U
3/20/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.032 U	0.2	0.043 U	0.087 U	0.043 U	0.068 U	0.038 U	0.04 U	0.054 U	0.051 U
6/18/2014	0.099	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	1.1	0.42	1.5	0.55	0.11	1.3	0.04 U	1	0.051 U
9/23/2014	0.32 U	0.1 U	0.082 U	0.061 U	0.075	0.12 U	0.42	1.5	0.38	1.3	0.48	0.1 U	1.8	0.059 U	5.1	0.077 U
12/16/2014	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.92	1.2	0.34	0.85	0.25	0.34	1.9	0.2 U	20	0.26 U
3/24/2015	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.1	1.3	0.47	1.4	0.54	0.34 U	1.5	0.2 U	15	0.26 U
6/15/2015	0.19	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	0.49	1.4	4.4	18	4.8	0.21	2	0.12 U	0.95	0.15 U
9/9/2015	0.064	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.36	0.04 U	0.66	1.3	0.52	0.068 U	0.72	0.04 U	0.39	0.051 U

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J - Estimated

Table 4
Building 10 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	SVSS-B10-01															
Description	BUILDING 10 SUB-SLAB VAPOR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,1,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/17/2003	26 U	32 U	26 U	19 U	19 U	19 U	15 U	38	20 U	20 U	21 U	32 U	18 U	19 U	2700	12 U
2/14/2006	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	11	8.7 U	22 U	8.7 U	14 U	7.5 U	7.9 U	1100	5.1 U
12/12/2006	16 U	21 U	16 U	12 U	12 U	12 U	9.6 U	26	13 U	33 U	13 U	20 U	11 U	12 U	3200	7.7 U
12/11/2007	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	14	8.7 U	22 U	8.7 U	14 U	7.5 U	7.9 U	1800	5.1 U
6/18/2008	28 U	35 U	28 U	21 U	20 U	21 U	16 U	20 U	22 U	56 U	22 U	35 U	19 U	20 U	2300	13 U
12/18/2008	8.7 U	11 U	8.7 U	6.5 U	6.3 U	6.5 U	5.1 U	6.7	6.9 U	17 U	6.9 U	11 U	6 U	6.3 U	1700	4.1 U
12/17/2009	8.7 U	11 U	8.7 U	6.5 U	6.3 U	6.5 U	5.1 U	6.3	6.9 U	17 U	6.9 U	11 U	6 U	6.3 U	1200	4.1 U
12/28/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	2.9	0.87 U	2.2 U	0.87 U	3.6	3.7	0.79 U	130	0.51 U
12/20/2011	1.1 UJ	1.4 UJ	1.1 UJ	0.81 UJ	0.79 UJ	0.81 UJ	0.64 UJ	0.79 UJ	0.87 UJ	2.2 UJ	0.87 UJ	6.5 J	1.3 J	0.79 UJ	34 J	0.51 UJ
12/19/2012	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	22	0.51 U
12/18/2013	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	11	0.51 U
12/16/2014	6.6	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	19	4	12	34	10	4.5	66	0.79 U	51	0.51 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J - Estimated

Table 4
Building 10 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B10A-01															
Description	BUILDING 10A INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.3	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	2.3	0.89	2.1	7.5	2.7	7.6	11	0.056 U	4.5	0.02 U
10/2/2003	1.1	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	1.5	2.2	0.65	2	0.74	2.7	3.3	0.2 U	12	0.13 U
1/20/2004	0.49	0.21 U	0.16 U	0.12 U	0.12 U	0.15	2.7	4.8	2.3	9.1	2.4	5.4	6	0.12 U	19	0.1
2/14/2006	0.49 J	0.069 U	0.055 U	0.04 U	0.056	0.04 U	2.8	1.1	1.3	3.4	1.8	6	3.8 J	0.04 U	32	0.066 J
6/28/2006	0.29	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.7	4.8	2.3	9.1	3.6	22	6.4	0.2 U	9.1	0.26 U
9/13/2006	0.34	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.4	0.38	0.69	2.3	0.78	3	2.8	0.079 U	7	0.1 U
12/12/2006	1.4	0.55 U	0.44 U	0.32 U	0.32 U	0.65 U	7.7	3	2.8	7.8	2.5	12	10	0.32 U	32	0.41 U
3/20/2007	0.76	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.8	1.9	0.78	2.9	1	6.1	4.9	0.16 U	15	0.2 U
6/21/2007	0.21	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.64	1.3	0.52	1.7	0.56	3.2	2.4	0.04 U	3	0.051 U
9/19/2007	0.27	0.082 U	0.065 U	0.049 U	0.048 U	0.1 U	0.7	1.2	0.42	1.3	0.48	0.81	1.5	0.048 U	4.9	0.064 U
12/11/2007	0.82	0.41 U	0.33 U	0.24 U	0.24 U	3.1	2.6	3.3	0.78	2.2	0.69	12	4.1	0.24 U	23	0.31 U
3/26/2008	0.28	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.7	3.2	0.87	3.2	1.1	2.6	4.5	0.079 U	9.7	0.1 U
6/17/2008	0.19	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.64	1.4	1.4 NJ	5.2	1.8	1.2	2.1	0.079 U	2.8	0.1 U
9/24/2008	0.19	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.83	1.5	0.48	1.8	0.65	3.1	2.3	0.059 U	4.8	0.077 U
12/18/2008	0.51	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	3.5	3.3	1.5	6.1	1.9	1.3	8.7	0.24 U	19	0.31 U
3/26/2009	0.43 U	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	4.2	5.2	2.3	9.6	3	1.8	12	0.31 U	21	0.41 U
6/25/2009	0.65	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	4.5	8.7	5.2	17	5.2	4.1	28	0.31 U	15	0.41 U
9/23/2009	0.28	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	2.6	4	1	3.4	1.2	1.8	4.5	0.059 U	4.6	0.12
12/17/2009	0.43 U	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	2.9	4	1.3	4.8	1.6	0.88	7.2	0.31 U	25	0.41 U
3/24/2010	0.28	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2.7	5.2	2.5	10	3.6	1.1	8.3	0.12 U	9.7	0.15 U
6/22/2010	0.34	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.3	4.4	1.2	4.8	1.6 J	1.4	4.1	0.059 U	6.4	0.095 NJ
9/22/2010	0.17	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	1.9	1.9	0.91	3.2	1.1	0.72	5.3	0.12 U	3.8	0.15 U
12/28/2010	0.29	0.21 U	0.17 U	0.13 U	0.12 U	0.25 U	5.9	3.6	1.1	3.4	1.2	0.97	6.4	0.12 U	13	0.16 U
3/23/2011	0.24	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.2	1.9	1.1	3.6	1.2	0.8	4.9	0.079 U	5.7	0.1 U
6/22/2011	0.14 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.9	0.51	0.75	2.6	0.93	1.2	2.2	0.04 U	0.91	0.051 U
9/21/2011	0.14 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.3	0.67	0.61	2.1	0.76	0.24	1.7	0.04 U	1.1	0.051 U
12/20/2011	0.28	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	1.8	2.1	0.98	3.3	1.2	3.7	2.7	0.099 U	8	0.13 U
3/28/2012	0.17	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2.6	1.3	2.3	4.6	1.7	3.7	5.6	0.12 U	5.7	0.15 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.7	0.42	0.77	0.73	0.25	0.8	1.4	0.2 U	0.4	0.26 U
10/9/2012	0.37	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.81	1.3	0.38	1.1	0.37	0.27 U	0.76	0.16 U	7.9	0.2 U
1/3/2013	0.45	0.32 U	0.25 U	0.19 U	0.18 U	0.37 U	1.1	1.8	0.37	1.2	0.46	0.31 U	1.3	0.18 U	18	0.23 U
3/28/2013	0.22	0.069 UJ	0.055 U	0.04 U	0.16 U	0.082 NJ	0.97	1.3	0.57	1.1 J	0.48 J	0.23	1.3	0.04 U	2.7	0.051 U
6/19/2013	0.11	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.1	0.34	0.16	0.61	0.23	0.068 U	0.46	0.04 U	0.32	0.051 U
9/19/2013	0.25	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.37	0.67	0.25	0.91	0.32	0.089	0.89	0.04 U	3	0.051 U
12/18/2013	0.36	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.98	1.3	0.4	1.1	0.39	0.27 U	1.4	0.16 U	12	0.2 U
3/20/2014	0.27 NJ	0.069 U	0.055 U	0.04 U	0.044 NJ	0.1 NJ	1	1.3	0.34	1.1	0.4	0.2	1.3	0.04 U	4	0.051 U
6/18/2014	0.35	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.29	0.7	0.53	1.7	0.6	0.13	1.4	0.04 U	0.73	0.051 U
9/23/2014	0.52 U	0.069 U	0.055 U	0.04 U	0.12 NJ	0.081 U	0.47	1.7	0.52	1.9	0.7	0.076	2.1	0.04 U	4.4	0.051 U
12/16/2014	0.31	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.94	1.9	0.5	1.4	0.51	0.27 U	1.7	0.16 U	16	0.2 U
3/24/2015	0.25	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.90	1.3	0.40	1.2	0.50	0.14 U	0.92	0.079 U	6.1	0.1 U
6/15/2015	0.47	0.069 U	0.055 U	0.04 U	0.04 U	0.12	0.54	0.92	2.1	8	2.4	0.34	2.5	0.04 U	0.79	0.051 U
9/9/2015	0.65	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.55	0.53	0.88	3.0	1.2	0.21	1.3	0.04 U	0.77	0.051 U

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated

Table 4
Building 10 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	SVSS-B10A-01															
Description	BUILDING 10A SUB-SLAB VAPOR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/17/2003	14	3.2 U	2.3 U	2.5	0.9 U	1.8 U	3.4 U	10	2 U	3.8 U	2 U	920	3.2	1.3 U	120	0.45 U
2/14/2006	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	7.9 U	8.7 U	22 U	8.7 U	44	7.5 U	7.9 U	11 U	5.1 U
12/12/2006	3.4	1.4 U	1.1 U	2.1	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	140	2.6	0.79 U	20	0.51 U
12/11/2007	1.1	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	81	0.75 U	0.79 U	9.1	0.51 U
12/18/2008	2.5	1.4 U	1.1 U	1.5	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	95	0.75 U	0.79 U	10	0.51 U
12/17/2009	2.2	1.4 U	1.1 U	1.4	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	100	0.75 U	0.79 U	13	0.51 U
12/28/2010	2.5	1.4 U	1.1 U	1.8	0.79 U	0.81 U	0.64 U	0.79 U	1	4	1.7	49	3.3	0.79 U	13	0.51 U
12/20/2011	2.3	1.4 U	1.1 U	1.8	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	50	0.96	0.79 U	12	0.51 U
12/19/2012	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	1.6	0.79 U	0.87 U	2.2 U	0.87 U	20	1.8	0.79 U	5.7	0.51 U
12/18/2013	2.1	1.4 U	1.1 U	1.1	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	34	0.75 U	0.79 U	7.3	0.51 U
12/16/2014	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.84	2.3	2	8.1	2.6	6.3	1.7	0.79 U	9.5	0.51 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

Table 5
Building 1A Basement and First Floor Indoor Air Sample Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID Description	IA-B1A-01															
	BUILDING 1A FIRST FLOOR															
	Volatile Organic Compound	1,1,1- Trichloroethane	1,1,1,2- Tetrachloroethane	1,1,2- Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2- Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2- Dichloroethene	Trichloroethene
7/15/2003	0.63	0.14 U	0.1 U	0.08 U	0.04 U	0.95	1.8	0.89	3.4	12	3.5	25	52	0.056 U	6.9	0.02 U
10/2/2003	0.35 J	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	1.3	1.5	0.91	2.6	0.74	1.9	11	0.2 U	10	0.13 U
1/20/2004	0.19	0.14 U	0.11 U	0.081 U	0.079 U	0.14	0.89	0.59	0.61	1.7	0.56	8.1	2.8	0.079 U	2.1	0.051 U
12/12/2006	0.21	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	3.5	0.71	2	6.1	1.4	3.6	8.7	0.12 U	9.1	0.15 U
3/20/2007	0.26	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.3	0.75	0.78	2.6	0.61	0.88	3.4	0.16 U	12	0.2 U
6/21/2007	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.24	0.04 U	0.21	0.74	0.18	0.095	1.5	0.04 U	0.39	0.051 U
9/19/2007	1	0.69 U	0.55 U	0.4 U	0.4 U	0.97	1.2	0.67	3.8	12	2.1	2.4	17	0.4 U	3.4	1.6
12/11/2007	0.093	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.4	0.32	0.61	1.7	0.4	1.6	2.9	0.059 U	2.9	0.077 U
3/26/2008	0.098	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.4	0.28	0.74	2.6	0.69	0.75	1.9	0.059 U	4.9	0.077 U
6/17/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.14	0.04 U	0.65	2.6	0.74	0.068 U	2.1	0.04 U	0.059	0.051 U
9/24/2008	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.89	0.48	1	3.2	0.96	0.88	11	0.16 U	2.3	0.2 U
12/18/2008	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	4.8	0.59	0.78	2.9	1	0.56	6.8	0.12 U	9.7	0.15 U
3/26/2009	0.18 U	0.23 U	0.18 U	0.13 U	0.13 U	0.27 U	3.8	1	1.1	3.7	1.2	0.46	8.7	0.13 U	7	0.17 U
6/25/2009	0.18 U	0.23 U	0.18 U	0.13 U	0.13 U	0.27 U	1.7	0.27	1.1	3.8	1.1	0.22 U	7.2	0.13 U	0.59	0.17 U
9/23/2009	0.82 U	1 U	0.82 U	0.61 U	0.59 U	1.2 U	2.4	0.59 U	6.1	17	3.9	1 U	37	0.59 U	2.7	0.77 U
12/17/2009	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.7	0.52	0.69	2.3	1.1	0.58	4.5	0.079 U	3.7	0.1 U
3/24/2010	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.3	1	1	3.2	0.83	0.6	4.9	0.079 U	7.5	0.1 U
6/22/2010	0.44 U	0.56 U	0.44 U	0.33 U	0.32 U	0.65 U	1.9	2.7	2	6.5	1.8	0.75	9	0.32 U	27	0.41 U
8/30/2010	0.069 NJ	0.069 UJ	0.055 U	0.04 U	0.04 U	0.081 U	0.7	0.094	0.67	2	0.67	0.13	3.4	0.04 U	1.5	0.051 U
9/22/2010	0.33 U	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	1.6	0.24 U	2.4	11	2.9	0.43	16	0.24 U	2.4	0.31 U
12/28/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.8	0.071	0.17	0.55	0.19	0.1	1.6	0.04 U	1.1	0.051 U
3/23/2011	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2	0.59	0.45	1.3	0.46	0.58	2.5	0.079 U	6.8	0.1 U
6/22/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.35	0.04 U	0.48	1.3	0.47	0.11	3.5	0.04 U	0.26	0.051 U
9/21/2011	0.096 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.22	0.44	0.16	0.094	0.32	0.12	0.081	0.4	0.04 U	0.75	0.051 U
12/20/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.11	0.52	0.086	0.8	3.7	1.4	2.8	1.3	0.04 U	1.1	0.051 U
3/28/2012	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.32	0.079 U	0.38	0.82	0.29	0.18	3.5	0.079 U	1.3	0.1 U
6/14/2012	0.068 U	0.086 U	0.068 U	0.051 U	0.05 U	0.14	1.1	0.29	0.54	1.8	0.62	0.16	3.8	0.05 U	1.3	0.064 U
10/9/2012	0.28	0.21 U	0.16 U	0.12 U	0.12 U	0.33	0.83	0.55	0.74	2.4	0.74	1.1	4	0.12 U	5.2	0.15 U
1/3/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.09 NJ	0.96	0.12	0.18	0.51	0.17	0.28	2	0.04 U	1.6	0.051 U
3/28/2013	0.055 U	0.069 UJ	0.055 U	0.04 U	0.16 U	0.081 U	0.93	0.08 U	0.12	0.29 J	0.1 NJ	0.071	1.1	0.04 U	0.95	0.051 U
6/19/2013	0.067	0.069 U	0.055 U	0.04 U	0.04 U	0.081	0.15	0.17 NJ	0.28	0.98	0.39	0.26	3.1	0.04 U	2.7	0.051 U
9/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.032 U	0.14	0.043 U	0.087 U	0.043 U	0.068 U	0.038 U	0.04 U	0.11	0.051 U
12/18/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.92	0.04 U	0.2	0.65	0.24	0.068 U	1.7	0.04 U	0.072	0.051 U
3/20/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.62	0.04 U	0.09	0.23	0.093	0.068 U	0.85	0.04 U	0.054 U	0.051 U
6/18/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.23	0.04 U	0.25	0.88	0.29	0.083	1.8	0.04 U	0.095	0.051 U
9/23/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.079	0.31	0.1	0.37	1.3	0.44	0.093	2.8	0.04 U	0.35	0.051 U
12/16/2014	0.084 U	0.069 U	0.055 U	0.04 U	0.04 U	0.094 J+	0.74	0.04 U	0.21	0.53	0.2	0.11	1.6	0.04 U	0.54	0.051 U
3/24/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.093	0.87	0.04 U	0.11	0.35	0.13	0.068 U	0.69	0.04 U	0.17	0.051 U
6/15/2015	0.091 U	0.069 U	0.055 U	0.04 U	0.04 U	0.35	0.27	0.21	0.41	1.4	0.49	0.44	2.1	0.04 U	1.6	0.051 U
9/9/2015	0.12	0.069 U	0.055 U	0.04 U	0.04 U	0.40	0.22	0.04 U	0.35	1.1	0.40	0.49	1.4	0.04 U	1.0	0.051 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J+ - Estimated and may be biased high

Table 5
Building 1A Basement and First Floor Indoor Air Sample Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B1A-BASE															
Description	BUILDING 1A BASEMENT															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,1,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
10/2/2003	0.6 J	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	0.77	5.2	0.43 U	1	0.43 U	1.8	3.1	0.4 U	160	0.26 U
1/20/2004	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	1.1	0.71	0.3	0.74	0.27	3.1	1.5	0.2 U	9.1	0.13 U
12/12/2006	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	2.7	2.8	1.7	5.2	1.3	3.8	6	0.4 U	45	0.51 U
3/20/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	1.6 U	3.5	4.8	0.87 U	2.1	0.87 U	1.4 U	3.3	0.79 U	81	1 U
6/21/2007	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.35	0.14	1.4	3.7	0.83	0.24	4.5	0.079 U	2.1	0.1 U
9/19/2007	0.43	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.45	0.29	0.48	1.4	0.32	1.1	2.2	0.079 U	7	0.1 U
12/11/2007	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.1	1.5	0.48	1.4	0.37	1.2	1.9	0.16 U	20	0.2 U
3/26/2008	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.73	1.1	0.32	0.91	0.3	0.56	1	0.16 U	17	0.2 U
6/17/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.14	0.04 U	0.091	0.33	0.1	0.068 U	1.8	0.04 U	0.081	0.051 U
9/24/2008	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.7	0.83	0.48	1.7	0.56	0.81	5.7	0.2 U	16	0.26 U
12/18/2008	0.35 U	0.45 U	0.35 U	0.26 U	0.26 U	0.53 U	2	1.5	0.56	2.1	0.78	0.52	4.5	0.26 U	24	0.33 U
3/26/2009	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	1.7	1.9	0.56	2.2	1.1	0.68 U	4.1	0.4 U	29	0.51 U
6/25/2009	0.071	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.5	0.079	0.43	1.6	0.52	0.095	3.1	0.04 U	0.27	0.051 U
9/23/2009	1.4 U	1.7 U	1.4 U	1 U	0.99 U	2 U	2.8	3.8	2.9	7.8	2	1.7 U	18	0.99 U	86	1.3 U
12/17/2009	0.33 U	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	1.1	0.91	0.26 U	0.78	0.28	0.54	1.5	0.24 U	14	0.31 U
3/24/2010	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.86	1.7	0.52	1.6	0.4	0.68	1.7	0.2 U	24	0.26 U
6/22/2010	2.2 U	2.7 U	2.2 U	1.6 U	1.6 U	3.3 U	2.3	12	1.7 U	4.8	1.7 U	2.7 U	6	1.6 U	120	2.1 U
8/30/2010	0.19 U	0.24 UJ	0.19 U	0.14 U	0.14 U	0.28 U	1.9	0.77	1.1	3.5	1.1	0.26	7.2	0.14 U	14	0.18 U
9/22/2010	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.8	0.16 U	0.91	3.9	1.1	0.27 U	9.4	0.16 U	4.5	0.2 U
12/28/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.96	0.074	0.17 NJ	0.53	0.17	0.18	2	0.04 U	1.8	0.051 U
3/23/2011	0.82 U	1 U	0.82 U	0.61 U	0.59 U	1.2 U	4.4	5.2	0.65 U	1.3 U	0.65 U	1 U	1	0.59 U	67	0.77 U
6/22/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.04 U	0.32	1.1	0.39	0.12	2.7	0.04 U	0.43	0.051 U
9/21/2011	0.12 NJ	0.1 U	0.082 U	0.061 U	0.059 U	0.27 U	0.55	0.24	0.35	0.73	0.19	0.81	2.3	0.059 U	5.1	0.077 U
12/20/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.49	0.11	0.43	2	0.79	1.6	0.71	0.04 U	1.6	0.051 U
3/28/2012	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.47	0.52	0.18	0.58	0.2	0.28	1	0.16 U	11	0.2 U
6/14/2012	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16	0.73	0.24	0.46	1.5	0.52	0.2	2.6	0.079 U	5	0.1 U
10/9/2012	0.11	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.28	0.22	0.11	0.37	0.13	0.36	0.69	0.079 U	4.5	0.1 U
1/3/2013	0.16 U	0.42	0.16 U	0.12 U	0.12 U	0.24 U	0.74	0.21	0.19	0.57	0.23	0.25	6.6	0.12 U	3	0.15 U
3/28/2013	0.22 UJ	0.27 UJ	0.22 UJ	0.16 UJ	0.64 UJ	0.32 UJ	1.1 J	0.32 UJ	0.23 NJ	0.56 NJ	0.64 UJ	0.29 J	4.4 J	0.16 UJ	2.4 J	0.2 UJ
6/19/2013	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.16	0.58	0.24	0.82	0.37	0.35	2.5	0.16 U	13	0.2 U
9/19/2013	1.2	0.098 U	0.078 U	0.058 U	0.82	0.12 U	0.34	0.43	0.33	0.97	0.34	0.29	4.2	0.057 U	7	0.073 U
12/18/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.8	0.04 U	0.16	0.45	0.15	0.068 U	1.4	0.04 U	0.07	0.051 U
3/20/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.65	0.04 U	0.12	0.57	0.3	0.068 U	0.8	0.04 U	0.054 U	0.051 U
6/18/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.23	0.04 U	0.28	0.97	0.33 NJ	0.096	1.8	0.04 U	0.1	0.051 U
9/23/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.29	0.085	0.28	1	0.36	0.079	2	0.04 U	0.31	0.051 U
12/16/2014	0.068 U	0.069 U	0.055 U	0.04 U	0.04 U	0.091 J+	0.69	0.04 U	0.17	0.47	0.16	0.094	1.3	0.04 U	0.6	0.051 U
3/24/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081	0.77	0.04 U	0.097	0.26	0.11	0.068 U	0.53	0.04 U	0.054 U	0.051 U
6/15/2015	0.077	0.069 U	0.055 U	0.056	0.04 U	0.19	0.19	0.13	0.17	0.63	0.23	0.25	0.74	0.04 U	1.2	0.051 U
9/9/2015	0.076	0.069 U	0.055 U	0.04 U	0.04 U	0.27	0.22	0.057	0.15	0.51	0.20	0.31	0.61	0.04 U	1.4	0.051 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

J - Estimated

J+ - Estimated and may be biased high

NJ - Tentative in identification and estimated

Table 6
Building 1 Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B1-01															
Description																
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,1,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.57	0.14 U	0.1 U	0.08 U	0.045	1.1	1.3	0.38	1.9	6.2	2	12	17	0.056 U	4.8	0.02 U
10/2/2003	0.71	0.069 U	0.055 U	0.073	0.15	0.49	1.6	1.3	1.1	2.7	0.87	5.6	5.3	0.04 U	7.5	0.026 U
1/20/2004	0.32	0.14 U	0.11 U	0.081 U	0.079 U	0.28	1.4	1	1.1	3.6	1.1	9.5	3.8	0.079 U	4.8	0.051 U
12/18/2013	0.091 U	0.11 U	0.091 U	0.068 U	0.066 U	0.14 U	0.90	0.066 U	0.20	0.50	0.23	0.11 U	4.1	0.066 U	0.40	0.085 U
3/20/2014	0.13 NJ	0.14 U	0.11 U	0.081 U	0.079 U	0.21	0.99	0.21	1.1	4.7	1.8	0.23	4.9	0.079 U	1.8	0.1 U
6/18/2014	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.47 NJ	0.45	1.9	4.6	19	5	0.34 U	18	0.2 U	1.8	0.26 U
9/23/2014	0.35	0.069 U	0.055 U	0.04 U	0.074	0.13	0.42	0.4	0.5	1.9	0.57	1.2	2.9	0.04 U	3.5	0.051 U
12/16/2014	0.086	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.034	0.048 NJ	0.043 U	0.087 U	0.043 U	0.068 U	0.038 U	0.04 U	0.12	0.051 U
3/24/2015	0.16	0.069 U	0.055 U	0.04 U	0.04 U	0.16	0.99	0.21	0.42	1.4	0.50	1.1	2.6	0.04 U	2.7	0.051 U
6/15/2015	0.18	0.069 U	0.055 U	0.04 U	0.04 U	0.84	0.44	0.38	2.1	8.3	2.3	1	2.2	0.04 U	3.6	0.051 U
9/9/2015	0.31	0.069 U	0.055 U	0.04 U	0.04 U	0.93	0.28	0.04 U	0.37	1.2	0.48	0.94	1.3	0.04 U	2.0	0.051 U

Sample ID	SVSS-B1-01															
Description																
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,1,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/17/2003	39 U	49 U	39 U	29 U	28 U	29 U	23 U	47	31 U	31 U	32 U	110	27 U	28 U	6600	18 U
12/16/2014-FD	17 U	22 U	17 U	13 U	13 U	13 U	10 U	51	14 U	35 U	14 U	23	12 U	13 U	2600	8.1 U
12/16/2014	24 U	30 U	24 U	18 U	17 U	18 U	14 U	70	19 U	47 U	19 U	31	16 U	17 U	3500	11 U

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J+ - Estimated and may be biased high

NJ - Tentative in identification and estimated

Table 7
Ambient Air Sample Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	OA-B2-01															
Description	AMBIENT AIR OUTSIDE OF BUILDING 2															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.21	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	0.44	0.056 U	0.35	1.1	0.35	0.3	3.2	0.056 U	0.58	0.02 U
10/2/2003	0.16	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	0.38	0.04 U	0.13	0.35	0.13	0.068 U	0.64	0.04 U	0.52	0.026 U
1/20/2004	0.12	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	0.45	0.04 U	0.19	0.48	0.19	0.075	0.9	0.04 U	0.81	0.026 U
3/20/2007	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.089	0.58	0.04 U	0.043 U	0.087 U	0.043 U	0.088	0.22	0.04 U	2.8	0.051 U
6/21/2007	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.21	0.04 U	0.087	0.23	0.083	0.068 U	0.49	0.04 U	0.7	0.051 U
9/19/2007	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.32	0.04 U	0.15	0.38	0.13	0.11	1	0.04 U	0.31	0.051 U
12/11/2007	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.085	0.51	0.04 U	0.1	0.26	0.1	0.068 U	0.53	0.04 U	0.054 U	0.051 U
3/26/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.04 U	0.078	0.2	0.078	0.068 U	0.36	0.04 U	0.054 U	0.051 U
6/17/2008	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.24	0.04 U	0.16	0.52	0.2	0.068 U	1.7	0.04 U	0.054 U	0.051 U
9/24/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.16	0.04 U	0.091	0.26	0.091	0.068 U	0.57	0.04 U	0.054 U	0.051 U
12/18/2008	0.055	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.7	0.04 U	0.22	0.69	0.29	0.088	1.2	0.04 U	0.11	0.051 U
3/26/2009	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.081	0.7	0.12	0.25	1.3	0.65	0.14	0.98	0.04 U	0.086	0.051 U
6/25/2009	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.54	0.079 U	0.69	1.7	0.56	0.14 U	5.3	0.079 U	0.86	0.1 U
9/23/2009	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.42	0.04 U	0.48	0.74	0.26	0.075	1.2	0.075	0.91	0.051 U
12/17/2009	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.42	0.04 U	0.061	0.15	0.056	0.068 U	0.35	0.04 U	0.054 U	0.051 U
3/24/2010	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.0	0.059 U	0.52	1.8	0.52	0.26	4.1	0.059 U	0.081 U	0.077 U
6/22/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.22	0.04 U	0.069	0.11	0.043 U	0.068	0.45	0.04 U	0.075	0.051 U
8/30/2010	0.055 U	0.069 UJ	0.055 U	0.04 U	0.04 U	0.081 U	0.35	0.04 U	0.14	0.34	0.13	0.081	0.76	0.04 U	0.074	0.051 U
9/22/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.58	0.04 U	0.29	0.9	0.32	0.077	2.4	0.04 U	0.066	0.051 U
12/28/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.49	0.04 U	0.11	0.26	0.1	0.068 U	0.65	0.04 U	0.21	0.051 U
3/23/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.41	0.04 U	0.084	0.2	0.079	0.071	0.48	0.04 U	0.054 U	0.051 U
6/22/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.04 U	0.32	0.96	0.33	0.12	3.3	0.04 U	0.066	0.051 U
9/21/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.19	0.04 U	0.085	0.21	0.077	0.068 U	0.82	0.04 U	0.054 U	0.051 U
12/20/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.53	0.04 U	0.052	0.14	0.058	0.11	0.47	0.04 U	0.054 U	0.051 U
3/28/2012	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	0.31	0.099 U	0.5	0.95	0.34	0.17 U	4.7	0.099 U	0.13 U	0.13 U
6/14/2012	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.04 U	0.19	0.74	0.28	0.068 U	0.59	0.04 U	0.054 U	0.051 U
10/9/2012	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.23	0.04 U	0.043 U	0.087 U	0.043 U	0.068 U	0.35	0.04 U	0.11	0.051 U
1/3/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.52	0.04 U	0.096	0.26	0.1	0.068 U	0.53	0.04 U	0.075	0.051 U
3/28/2013	0.055 U	0.069 UJ	0.055 U	0.04 U	0.16 U	0.081 U	0.35	0.2 U	0.059 U	0.15 J	0.4 UJ	0.068 U	0.27	0.04 U	0.054 U	0.051 U
6/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.068	0.04 U	0.043 U	0.087 U	0.043 U	0.15	0.18	0.04 U	0.085 U	0.051 U
9/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.21	0.04 U	0.063	0.17 NJ	0.058	0.068 U	0.72	0.04 U	0.054 U	0.051 U
12/18/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.71	0.04 U	0.15	0.48	0.18	0.068 U	1.3	0.04 U	0.054 U	0.051 U
3/20/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.9	0.04 U	0.09	0.22	0.085	0.068 U	1.1	0.04 U	0.054 U	0.051 U
6/18/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.29	0.04 U	0.15	0.42	0.13	0.071	2.4	0.04 U	0.054 U	0.051 U
9/23/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.27	0.04 U	0.16	0.53	0.24	0.068 U	0.77	0.04 U	0.054 U	0.051 U
12/16/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.087	0.62	0.04 U	0.17	0.47	0.19	0.068 U	1.4	0.04 U	0.077	0.051 U
3/24/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.37	0.04 U	0.055	0.14	0.053	0.068 U	0.26	0.04 U	0.054 U	0.051 U
6/15/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.18	0.04 U	0.075	0.25	0.1	0.07	0.38	0.04 U	0.054 U	0.051 U
9/9/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.24	0.04 U	0.10	0.32	0.12	0.068 U	0.61	0.04 U	0.054 U	0.051 U

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated

Table 7
Ambient Air Sample Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	OA-B11-01															
Description	AMBIENT AIR OUTSIDE OF BUILDING 11															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.18	0.14 U	0.1 U	0.08 U	0.04 U	0.04 U	0.32	0.056 U	0.16	0.32	0.14	0.14 U	1.4	0.056 U	0.074	0.02 U
10/2/2003	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	0.3	0.04 U	0.091	0.26	0.096	0.068 U	0.45	0.04 U	0.13	0.026 U
1/20/2004	0.11	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	0.45	0.04 U	0.15	0.34	0.13	0.068	0.68	0.04 U	0.12	0.026 U
3/20/2007	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.54	0.04 U	0.1	0.29	0.11	0.075	0.38	0.04 U	0.14	0.051 U
6/21/2007	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.15	0.04 U	0.061	0.16	0.052	0.068 U	0.32	0.04 U	0.12	0.051 U
8/30/2007	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.17	0.04 U	0.091	0.22	0.078	0.081	0.49	0.04 U	0.12	0.051 U
9/19/2007	0.055	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.29	0.04 U	0.15	0.43	0.13	0.12	0.6	0.04 U	0.11	0.051 U
12/11/2007	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.085	0.58	0.04 U	0.19	0.56	0.21	0.068 U	0.72	0.04 U	0.086	0.051 U
3/26/2008	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.31	0.04 U	0.065	0.2	0.083	0.068 U	0.37	0.04 U	0.054 U	0.051 U
6/17/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.13	0.04 U	0.12	0.38	0.11	0.068 U	0.75	0.04 U	0.086	0.051 U
9/24/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.14	0.04 U	0.096	0.24	0.083	0.068 U	0.64	0.04 U	0.07	0.051 U
12/18/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.54	0.04 U	0.18	0.48	0.21	0.095	1.1	0.04 U	0.13	0.051 U
3/26/2009	0.071	0.069 U	0.055 U	0.04 U	0.04 U	0.085	0.67	0.083	0.18	0.41	0.16	0.14	0.94	0.04 U	0.075	0.051 U
6/25/2009	0.071	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.32	0.04 U	0.23	0.69	0.23	0.088	1.4	0.04 U	0.075	0.051 U
9/23/2009	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.26	0.04 U	0.14	0.43	0.17	0.068 U	0.83	0.04 U	0.51	0.051 U
12/17/2009	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.38	0.04 NJ	0.065	0.18	0.074	0.068 U	0.35	0.04 U	0.11	0.051 U
3/24/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 NJ	0.51	0.04 U	0.15	0.43	0.16	0.095	1.1	0.04 U	0.081	0.051 U
6/22/2010	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.31	0.079	0.16	0.48	0.19 J	0.081	0.79	0.04 U	0.22	0.051 U
9/22/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.42	0.04 U	0.19	0.46	0.17	0.068 U	1.1	0.04 U	0.077	0.051 U
12/28/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.73	0.14	0.28	0.72	0.25	0.33	2.3	0.04 U	3.4	0.051 U
3/23/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.39	0.04 U	0.061	0.18	0.077	0.068 U	0.3	0.04 U	0.068	0.051 U
6/22/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.2	0.04 U	0.1	0.3	0.12	0.068 U	0.55	0.04 U	0.054 U	0.051 U
9/21/2011	0.057 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.54	0.084	0.22	0.66	0.24	0.16	1.1	0.04 U	0.32	0.051 U
12/20/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.45	0.04 U	0.043 U	0.043 U	0.043 U	0.068 U	0.16	0.04 U	0.21	0.051 U
3/28/2012	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.29	0.04 U	0.11	0.31	0.12	0.068 U	0.56	0.04 U	0.056	0.051 U
6/14/2012	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.26	0.058	0.32	0.46	0.17	0.11	0.83	0.04 U	1.2	0.051 U
10/9/2012	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.066	0.086	0.24	0.1	0.068 U	0.47	0.04 U	0.19	0.051 U
1/3/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.77	0.04 U	0.28	0.9	0.29	0.095	1.2	0.04 U	0.086	0.051 U
3/28/2013	0.055 U	0.069 UJ	0.055 U	0.04 U	0.16 U	0.081 U	0.37	0.08 U	0.073 NJ	0.16 J	0.16 UJ	0.068 U	0.24	0.04 U	0.085	0.051 U
6/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.7	0.04 U	0.043 U	0.98	0.43 U	0.068 U	0.2	0.04 U	0.087	0.051 U
9/19/2013	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.4	0.079 U	0.75	3	1.1	0.14 U	4.3	0.079 U	0.39	0.1 U
12/28/2013	0.055 UJ	0.069 UJ	0.055 UJ	0.04 UJ	0.04 UJ	0.081 UJ	0.54 J	0.04 UJ	0.099 J	0.28 J	0.1 J	0.068 UJ	0.85 J	0.04 UJ	0.063 J	0.051 UJ
3/20/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.47	0.04 U	0.099	0.3	0.12	0.068 U	0.53	0.04 U	0.054 U	0.051 U
6/18/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.17	0.04 U	0.07	0.19	0.065	0.068 U	0.44	0.04 U	0.081	0.051 U
9/23/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.26	0.046	0.086	0.26	0.11	0.068 U	0.63	0.04 U	0.71	0.051 U
12/16/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.082 U	0.6	0.04 U	0.11	0.24	0.1	0.068 U	0.82	0.04 U	0.15	0.051 U
3/24/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.44	0.04 U	0.055	0.16	0.070	0.068 U	0.28	0.04 U	0.054 U	0.051 U
6/15/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.2	0.04 U	0.18	0.66	0.22	0.068 U	0.38	0.04 U	0.054 U	0.051 U
9/9/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.20	0.069	0.12	0.41	0.16	0.075	1.1	0.04 U	0.24	0.051 U

Notes:


All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J - Estimated


NJ - Tentative in identification and estimated

Attachment C
Figures



MAP SOURCE: USGS 7.5 MINUTE TOPOGRAPHIC SERIES, SENECA FALLS QUADRANGLE

APPROXIMATE SCALE IN MILES






Figure 3: Building 9 Area TCE Concentrations




Figure 4: Building 11 Area TCE Concentrations




Figure 5: Building 7 Area TCE Concentrations




Figure 6: Building 10 Area TCE Concentrations




Figure 7: Building 1A Area TCE Concentrations





Figure 8: Building 1 Area TCE Concentrations



Attachment D
Data Validation Report

Data Validation Services

120 Cobble Creek Road P.O. Box 208

North Creek, NY 12853

Phone 518-251-4429

harry@frontiernet.net

October 24, 2015

Mark Flusche
ARCADIS US, Inc.
855 Route 146 Suite 210
Clifton Park, NY 12065

RE: Validation of the Former Philips Display Components Facility, Seneca Falls Site Data Package
Indoor, Outdoor, and Sub Slab Air Samples
TestAmerica-VT SDG No. 200-29676-1

Dear Mr. Flusche:

Review has been completed for the data package generated by TestAmerica Laboratories (TAL-VT) that pertains to air samples collected on 09/09/15 at the Seneca Falls, NY site. Sixteen 6-L summa canisters and a field duplicate were analyzed for sixteen site-specific volatile analytes using USEPA method TO-15.

Data validation was performed using guidance from the 2006 USEPA Region II validation SOP HW-31, with consideration for the specific requirements of the analytical methodology. The following items were reviewed:

- * Data Completeness
- * Case Narrative
- * Custody Documentation
- * Holding Times
- * Internal Standard Recoveries
- * Method and Canister Blanks
- * Blind Field Duplicate Correlation
- * Laboratory Control Samples (LCSs)
- * Instrumental Tunes
- * Initial and Continuing Calibration Standards
- * Method Compliance
- * Sample Result Verification

Those items showing deficiencies are discussed in the following sections of this report. All others were found to be acceptable as outlined in the above-mentioned validation procedures, and as applicable for the methodology. Unless noted specifically in the following text, reported results are substantiated by the raw data, and generated in compliance with project requirements.

In summary, all sample results are usable either as reported or with minor qualification.

The client and laboratory sample identifications and the laboratory case narrative are attached to this text, and should be reviewed in conjunction with this report. Also attached are the report forms, qualified to reflect the qualifications recommended in this report.

Volatile Analyses by EPA TO-15

Due to poor mass spectral quality, the results for cis-1,2-dichloroethene in IA-B11-01, IA-B7-02, and IA-B11-02 are qualified as tentative in identification and estimated in value.

The blind field duplicate evaluation of IA-B11-02 shows an outlying correlation for benzene (69%RPD). Results for that compound in the parent sample and its duplicate have been qualified as estimated.


Initial and continuing calibration standard responses fall within validation guidelines.

Holding times and instrument tunes meet requirements. Method and canister blanks show no contamination. The clean canister certifications were reviewed during validation.

IA-B9-CS was processed only at dilution due to target analyte concentrations. This results in elevated reporting limits for undetected analytes.

Please do not hesitate to contact me if questions or comments arise during your review of this report.

Very truly yours,



Judy Harry

VALIDATION DATA QUALIFIER DEFINITIONS

U	The analyte was analyzed for, but was not detected above the level of the associated reported quantitation limit.
J	The analyte was positively identified; the associated numerical value is an approximate concentration of the analyte in the sample.
J-	The analyte was positively identified; the associated numerical value is an estimated quantity that may be biased low.
J+	The analyte was positively identified; the associated numerical value is an estimated quantity that may be biased high.
UJ	The analyte was analyzed for, but was not detected. The associated reported quantitation limit is approximate and may be inaccurate or imprecise.
NJ	The detection is tentative in identification and estimated in value. Although there is presumptive evidence of the analyte, the result should be used with caution as a potential false positive and/or elevated quantitative value.
R	The data are unusable. The sample results are rejected due to serious deficiencies in meeting Quality Control limits. The analyte may or may not be present.
EMPC	The results do not meet all criteria for a confirmed identification. The quantitative value represents the Estimated Maximum Possible Concentration of the analyte in the sample.

**CLIENT and LABORATORY SAMPLE IDs
and CASE NARRATIVES**

SAMPLE SUMMARY

Client: ARCADIS U.S. Inc

Job Number: 200-29676-1

Sdg Number: 200-29676

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
200-29676-1	IA-B10-01	Air	09/09/2015 1532	09/10/2015 1030
200-29676-2	IA-B10A-01	Air	09/09/2015 1529	09/10/2015 1030
200-29676-3	IA-B11-01	Air	09/09/2015 1445	09/10/2015 1030
200-29676-4	IA-B11-02	Air	09/09/2015 1524	09/10/2015 1030
200-29676-5	IA-B13-01	Air	09/09/2015 1450	09/10/2015 1030
200-29676-6	IA-B13A-01	Air	09/09/2015 1555	09/10/2015 1030
200-29676-7	IA-B1A-01	Air	09/09/2015 1434	09/10/2015 1030
200-29676-8	IA-B1A-BASE	Air	09/09/2015 1528	09/10/2015 1030
200-29676-9	IA-B9-01	Air	09/09/2015 1425	09/10/2015 1030
200-29676-10	IA-B9-02	Air	09/09/2015 1535	09/10/2015 1030
200-29676-11	IA-B9-CS	Air	09/09/2015 1423	09/10/2015 1030
200-29676-12	IA-B7-01	Air	09/09/2015 1427	09/10/2015 1030
200-29676-13	IA-B7-02	Air	09/09/2015 1520	09/10/2015 1030
200-29676-14	OA-B2-01	Air	09/09/2015 1526	09/10/2015 1030
200-29676-15	OA-B11-01	Air	09/09/2015 1555	09/10/2015 1030
200-29676-16	IA-B1-01	Air	09/09/2015 1436	09/10/2015 1030
200-29676-17	IA-DUPE	Air	09/09/2015 0000	09/10/2015 1030

CASE NARRATIVE

Client: ARCADIS U.S. Inc

Project: Seneca Falls

Report Number: 200-29676-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 09/10/2015; the samples arrived in good condition.

LOW LEVEL VOLATILE ORGANIC COMPOUNDS

Samples IA-B10-01, IA-B10A-01, IA-B11-01, IA-B11-02, IA-B13-01, IA-B13A-01, IA-B1A-01, IA-B1A-BASE, IA-B9-01, IA-B9-02, IA-B9-CS, IA-B7-01, IA-B7-02, OA-B2-01, OA-B11-01, IA-B1-01 and IA-DUPE were analyzed for Low Level Volatile Organic Compounds in accordance with EPA Method TO-15. The samples were analyzed on 09/11/2015 and 09/12/2015.

Sample IA-B9-CS[15.1X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

QUALIFIED REPORT OF ANALYSIS RESULTS FORMS

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-29676-1

Sdg Number: 200-29676

Client Sample ID: IA-B10-01

Lab Sample ID: 200-29676-1

Date Sampled: 09/09/2015 1532

Client Matrix: Air

Date Received: 09/10/2015 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-93792	Instrument ID:	CHE.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	15685_016.D
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	09/11/2015 0049			Final Weight/Volume:	500 mL
Prep Date:	09/11/2015 0049			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1,1-Trichloroethane	0.012		0.010	0.010
Benzene	0.11		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.073		0.010	0.010
Toluene	0.19		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.010	U	0.010	0.010
Ethylbenzene	0.15		0.010	0.010
o-Xylene	0.12		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.29		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1,1-Trichloroethane	0.064		0.055	0.055
Benzene	0.36		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	0.39		0.054	0.054
Toluene	0.72		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.068	U	0.068	0.068
Ethylbenzene	0.66		0.043	0.043
o-Xylene	0.52		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	1.3		0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-29676-1

Sdg Number: 200-29676

Client Sample ID: IA-B10A-01

Lab Sample ID: 200-29676-2

Date Sampled: 09/09/2015 1529

Client Matrix: Air

Date Received: 09/10/2015 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-93792	Instrument ID:	CHE.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	15685_017.D
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	09/11/2015 0147			Final Weight/Volume:	500 mL
Prep Date:	09/11/2015 0147			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.13		0.010	0.010
1,1,1-Trichloroethane	0.12		0.010	0.010
Benzene	0.17		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.14		0.010	0.010
Toluene	0.35		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.031		0.010	0.010
Ethylbenzene	0.20		0.010	0.010
o-Xylene	0.28		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.69		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.53		0.040	0.040
1,1,1-Trichloroethane	0.65		0.055	0.055
Benzene	0.55		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	0.77		0.054	0.054
Toluene	1.3		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.21		0.068	0.068
Ethylbenzene	0.88		0.043	0.043
o-Xylene	1.2		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	3.0		0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-29676-1

Sdg Number: 200-29676

Client Sample ID: IA-B11-01

Lab Sample ID: 200-29676-3

Date Sampled: 09/09/2015 1445

Client Matrix: Air

Date Received: 09/10/2015 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method: TO15 LL	Analysis Batch: 200-93792	Instrument ID: CHE.i
Prep Method: Summa Canister	Prep Batch: N/A	Lab File ID: 15685_018.D
Dilution: 1.0		Initial Weight/Volume: 500 mL
Analysis Date: 09/11/2015 0244		Final Weight/Volume: 500 mL
Prep Date: 09/11/2015 0244		Injection Volume: 500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.032	NJ	0.010	0.010
1,1,1-Trichloroethane	0.022		0.010	0.010
Benzene	0.084		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.085		0.010	0.010
Toluene	0.27		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.014		0.010	0.010
Ethylbenzene	0.12		0.010	0.010
o-Xylene	0.17		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.43		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.13	NJ	0.040	0.040
1,1,1-Trichloroethane	0.12		0.055	0.055
Benzene	0.27		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	0.46		0.054	0.054
Toluene	1.0		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.098		0.068	0.068
Ethylbenzene	0.50		0.043	0.043
o-Xylene	0.76		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	1.9		0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-29676-1

Sdg Number: 200-29676

Client Sample ID: IA-B11-02

Lab Sample ID: 200-29676-4

Date Sampled: 09/09/2015 1524

Client Matrix: Air

Date Received: 09/10/2015 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method: TO15 LL	Analysis Batch: 200-93792	Instrument ID: CHE.i
Prep Method: Summa Canister	Prep Batch: N/A	Lab File ID: 15685_019.D
Dilution: 1.0		Initial Weight/Volume: 500 mL
Analysis Date: 09/11/2015 0342		Final Weight/Volume: 500 mL
Prep Date: 09/11/2015 0342		Injection Volume: 500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.031	NJ	0.010	0.010
1,1,1-Trichloroethane	0.010	U	0.010	0.010
Benzene	0.14	J	0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.088		0.010	0.010
Toluene	0.32		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.013		0.010	0.010
Ethylbenzene	0.18		0.010	0.010
o-Xylene	0.27		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.63		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.12	NJ	0.040	0.040
1,1,1-Trichloroethane	0.055	U	0.055	0.055
Benzene	0.44	J	0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	0.47		0.054	0.054
Toluene	1.2		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.089		0.068	0.068
Ethylbenzene	0.79		0.043	0.043
o-Xylene	1.2		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	2.7		0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-29676-1

Sdg Number: 200-29676

Client Sample ID: IA-B13-01

Lab Sample ID: 200-29676-5

Date Sampled: 09/09/2015 1450

Client Matrix: Air

Date Received: 09/10/2015 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-93792	Instrument ID:	CHE.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	15685_020.D
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	09/11/2015 0440			Final Weight/Volume:	500 mL
Prep Date:	09/11/2015 0440			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.050		0.010	0.010
1,1,1-Trichloroethane	0.021		0.010	0.010
Benzene	0.10		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.13		0.010	0.010
Toluene	0.47		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.018		0.010	0.010
Ethylbenzene	0.34		0.010	0.010
o-Xylene	0.36		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.75		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.20		0.040	0.040
1,1,1-Trichloroethane	0.11		0.055	0.055
Benzene	0.33		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	0.72		0.054	0.054
Toluene	1.8		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.12		0.068	0.068
Ethylbenzene	1.5		0.043	0.043
o-Xylene	1.6		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	3.3		0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-29676-1

Sdg Number: 200-29676

Client Sample ID: IA-B13A-01

Lab Sample ID: 200-29676-6

Client Matrix: Air

Date Sampled: 09/09/2015 1555

Date Received: 09/10/2015 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-93792	Instrument ID:	CHE.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	15685_023.D
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	09/11/2015 0732			Final Weight/Volume:	500 mL
Prep Date:	09/11/2015 0732			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1,1-Trichloroethane	0.019		0.010	0.010
Benzene	0.13		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.12		0.010	0.010
Toluene	0.54		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.018		0.010	0.010
Ethylbenzene	0.25		0.010	0.010
o-Xylene	0.43		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.81		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1,1-Trichloroethane	0.10		0.055	0.055
Benzene	0.42		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	0.66		0.054	0.054
Toluene	2.0		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.12		0.068	0.068
Ethylbenzene	1.1		0.043	0.043
o-Xylene	1.9		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	3.5		0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-29676-1

Sdg Number: 200-29676

Client Sample ID: IA-B1A-01

Lab Sample ID: 200-29676-7

Date Sampled: 09/09/2015 1434

Client Matrix: Air

Date Received: 09/10/2015 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method: TO15 LL	Analysis Batch: 200-93846	Instrument ID: CHE.i
Prep Method: Summa Canister	Prep Batch: N/A	Lab File ID: 15701_005.D
Dilution: 1.0		Initial Weight/Volume: 500 mL
Analysis Date: 09/11/2015 1600		Final Weight/Volume: 500 mL
Prep Date: 09/11/2015 1600		Injection Volume: 500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1,1-Trichloroethane	0.021		0.010	0.010
Benzene	0.068		0.010	0.010
1,2-Dichloroethane	0.098		0.020	0.020
Trichloroethene	0.19		0.010	0.010
Toluene	0.38		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.073		0.010	0.010
Ethylbenzene	0.081		0.010	0.010
o-Xylene	0.091		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.25		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1,1-Trichloroethane	0.12		0.055	0.055
Benzene	0.22		0.032	0.032
1,2-Dichloroethane	0.40		0.081	0.081
Trichloroethene	1.0		0.054	0.054
Toluene	1.4		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.49		0.068	0.068
Ethylbenzene	0.35		0.043	0.043
o-Xylene	0.40		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	1.1		0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-29676-1

Sdg Number: 200-29676

Client Sample ID: IA-B1A-BASE

Lab Sample ID: 200-29676-8

Date Sampled: 09/09/2015 1528

Client Matrix: Air

Date Received: 09/10/2015 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-93846	Instrument ID:	CHE.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	15701_006.D
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	09/11/2015 1658			Final Weight/Volume:	500 mL
Prep Date:	09/11/2015 1658			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.014		0.010	0.010
1,1,1-Trichloroethane	0.014		0.010	0.010
Benzene	0.067		0.010	0.010
1,2-Dichloroethane	0.066		0.020	0.020
Trichloroethene	0.27		0.010	0.010
Toluene	0.16		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.045		0.010	0.010
Ethylbenzene	0.034		0.010	0.010
o-Xylene	0.046		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.12		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.057		0.040	0.040
1,1,1-Trichloroethane	0.076		0.055	0.055
Benzene	0.22		0.032	0.032
1,2-Dichloroethane	0.27		0.081	0.081
Trichloroethene	1.4		0.054	0.054
Toluene	0.61		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.31		0.068	0.068
Ethylbenzene	0.15		0.043	0.043
o-Xylene	0.20		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	0.51		0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-29676-1

Sdg Number: 200-29676

Client Sample ID: IA-B9-01

Lab Sample ID: 200-29676-9

Date Sampled: 09/09/2015 1425

Client Matrix: Air

Date Received: 09/10/2015 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-93846	Instrument ID:	CHE.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	15701_007.D
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	09/11/2015 1756			Final Weight/Volume:	500 mL
Prep Date:	09/11/2015 1756			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.017		0.010	0.010
1,1,1-Trichloroethane	0.010	U	0.010	0.010
Benzene	0.068		0.010	0.010
1,2-Dichloroethane	0.027		0.020	0.020
Trichloroethene	0.62		0.010	0.010
Toluene	0.27		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.010	U	0.010	0.010
Ethylbenzene	0.047		0.010	0.010
o-Xylene	0.055		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.14		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.068		0.040	0.040
1,1,1-Trichloroethane	0.055	U	0.055	0.055
Benzene	0.22		0.032	0.032
1,2-Dichloroethane	0.11		0.081	0.081
Trichloroethene	3.4		0.054	0.054
Toluene	1.0		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.068	U	0.068	0.068
Ethylbenzene	0.21		0.043	0.043
o-Xylene	0.24		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	0.60		0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-29676-1

Sdg Number: 200-29676

Client Sample ID: IA-B9-02

Lab Sample ID: 200-29676-10

Date Sampled: 09/09/2015 1535

Client Matrix: Air

Date Received: 09/10/2015 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-93846	Instrument ID:	CHE.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	15701_008.D
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	09/11/2015 1854			Final Weight/Volume:	500 mL
Prep Date:	09/11/2015 1854			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1,1-Trichloroethane	0.010	U	0.010	0.010
Benzene	0.081		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.029		0.010	0.010
Toluene	0.17		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.010	U	0.010	0.010
Ethylbenzene	0.067		0.010	0.010
o-Xylene	0.051		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.16		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1,1-Trichloroethane	0.055	U	0.055	0.055
Benzene	0.26		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	0.16		0.054	0.054
Toluene	0.64		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.068	U	0.068	0.068
Ethylbenzene	0.29		0.043	0.043
o-Xylene	0.22		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	0.67		0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-29676-1

Sdg Number: 200-29676

Client Sample ID: IA-B9-CS

Lab Sample ID: 200-29676-11

Date Sampled: 09/09/2015 1423

Client Matrix: Air

Date Received: 09/10/2015 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-93846	Instrument ID:	CHE.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	15701_009.D
Dilution:	15.1			Initial Weight/Volume:	75 mL
Analysis Date:	09/11/2015 1952			Final Weight/Volume:	500 mL
Prep Date:	09/11/2015 1952			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.30	U	0.30	0.30
1,1-Dichloroethene	0.15	U	0.15	0.15
trans-1,2-Dichloroethene	0.15	U	0.15	0.15
1,1-Dichloroethane	0.15	U	0.15	0.15
cis-1,2-Dichloroethene	0.18		0.15	0.15
1,1,1-Trichloroethane	0.15	U	0.15	0.15
Benzene	0.15	U	0.15	0.15
1,2-Dichloroethane	0.30	U	0.30	0.30
Trichloroethene	14		0.15	0.15
Toluene	0.22		0.15	0.15
1,1,2-Trichloroethane	0.15	U	0.15	0.15
Tetrachloroethene	0.15	U	0.15	0.15
Ethylbenzene	0.15	U	0.15	0.15
o-Xylene	0.15	U	0.15	0.15
1,1,2,2-Tetrachloroethane	0.15	U	0.15	0.15
m-Xylene & p-Xylene	0.30	U	0.15	0.30

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.77	U	0.77	0.77
1,1-Dichloroethene	0.60	U	0.60	0.60
trans-1,2-Dichloroethene	0.60	U	0.60	0.60
1,1-Dichloroethane	0.61	U	0.61	0.61
cis-1,2-Dichloroethene	0.72		0.60	0.60
1,1,1-Trichloroethane	0.82	U	0.82	0.82
Benzene	0.48	U	0.48	0.48
1,2-Dichloroethane	1.2	U	1.2	1.2
Trichloroethene	73		0.81	0.81
Toluene	0.81		0.57	0.57
1,1,2-Trichloroethane	0.82	U	0.82	0.82
Tetrachloroethene	1.0	U	1.0	1.0
Ethylbenzene	0.66	U	0.66	0.66
o-Xylene	0.66	U	0.66	0.66
1,1,2,2-Tetrachloroethane	1.0	U	1.0	1.0
m-Xylene & p-Xylene	1.3	U	0.66	1.3

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-29676-1

Sdg Number: 200-29676

Client Sample ID: IA-B7-01

Lab Sample ID: 200-29676-12

Date Sampled: 09/09/2015 1427

Client Matrix: Air

Date Received: 09/10/2015 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-93846	Instrument ID:	CHE.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	15701_013.D
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	09/11/2015 2342			Final Weight/Volume:	500 mL
Prep Date:	09/11/2015 2342			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.013		0.010	0.010
1,1,1-Trichloroethane	0.010	U	0.010	0.010
Benzene	0.072		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.17		0.010	0.010
Toluene	0.29		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.010	U	0.010	0.010
Ethylbenzene	0.051		0.010	0.010
o-Xylene	0.057		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.16		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.051		0.040	0.040
1,1,1-Trichloroethane	0.055	U	0.055	0.055
Benzene	0.23		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	0.92		0.054	0.054
Toluene	1.1		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.068	U	0.068	0.068
Ethylbenzene	0.22		0.043	0.043
o-Xylene	0.25		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	0.68		0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-29676-1

Sdg Number: 200-29676

Client Sample ID: IA-B7-02

Lab Sample ID: 200-29676-13

Date Sampled: 09/09/2015 1520

Client Matrix: Air

Date Received: 09/10/2015 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-93846	Instrument ID:	CHE.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	15701_014.D
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	09/12/2015 0040			Final Weight/Volume:	500 mL
Prep Date:	09/12/2015 0040			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.010	NJ	0.010	0.010
1,1,1-Trichloroethane	0.010	U	0.010	0.010
Benzene	0.10		0.010	0.010
1,2-Dichloroethane	0.022		0.020	0.020
Trichloroethene	0.20		0.010	0.010
Toluene	0.80		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.010	U	0.010	0.010
Ethylbenzene	0.093		0.010	0.010
o-Xylene	0.11		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.27		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.041	NJ	0.040	0.040
1,1,1-Trichloroethane	0.055	U	0.055	0.055
Benzene	0.33		0.032	0.032
1,2-Dichloroethane	0.088		0.081	0.081
Trichloroethene	1.1		0.054	0.054
Toluene	3.0		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.068	U	0.068	0.068
Ethylbenzene	0.40		0.043	0.043
o-Xylene	0.48		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	1.2		0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-29676-1

Sdg Number: 200-29676

Client Sample ID: OA-B2-01

Lab Sample ID: 200-29676-14

Client Matrix: Air

Date Sampled: 09/09/2015 1526

Date Received: 09/10/2015 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-93846	Instrument ID:	CHE.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	15701_015.D
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	09/12/2015 0137			Final Weight/Volume:	500 mL
Prep Date:	09/12/2015 0137			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1,1-Trichloroethane	0.010	U	0.010	0.010
Benzene	0.076		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.010	U	0.010	0.010
Toluene	0.16		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.010	U	0.010	0.010
Ethylbenzene	0.023		0.010	0.010
o-Xylene	0.028		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.073		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1,1-Trichloroethane	0.055	U	0.055	0.055
Benzene	0.24		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	0.054	U	0.054	0.054
Toluene	0.61		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.068	U	0.068	0.068
Ethylbenzene	0.10		0.043	0.043
o-Xylene	0.12		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	0.32		0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-29676-1

Sdg Number: 200-29676

Client Sample ID: OA-B11-01

Lab Sample ID: 200-29676-15

Date Sampled: 09/09/2015 1555

Client Matrix: Air

Date Received: 09/10/2015 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-93846	Instrument ID:	CHE.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	15701_016.D
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	09/12/2015 0234			Final Weight/Volume:	500 mL
Prep Date:	09/12/2015 0234			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.017		0.010	0.010
1,1,1-Trichloroethane	0.010	U	0.010	0.010
Benzene	0.064		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.045		0.010	0.010
Toluene	0.28		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.011		0.010	0.010
Ethylbenzene	0.027		0.010	0.010
o-Xylene	0.036		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.095		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.069		0.040	0.040
1,1,1-Trichloroethane	0.055	U	0.055	0.055
Benzene	0.20		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	0.24		0.054	0.054
Toluene	1.1		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.075		0.068	0.068
Ethylbenzene	0.12		0.043	0.043
o-Xylene	0.16		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	0.41		0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-29676-1

Sdg Number: 200-29676

Client Sample ID: IA-B1-01

Lab Sample ID: 200-29676-16

Date Sampled: 09/09/2015 1436

Client Matrix: Air

Date Received: 09/10/2015 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-93846	Instrument ID:	CHE.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	15701_019.D
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	09/12/2015 0525			Final Weight/Volume:	500 mL
Prep Date:	09/12/2015 0525			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1,1-Trichloroethane	0.056		0.010	0.010
Benzene	0.088		0.010	0.010
1,2-Dichloroethane	0.23		0.020	0.020
Trichloroethene	0.37		0.010	0.010
Toluene	0.34		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.14		0.010	0.010
Ethylbenzene	0.086		0.010	0.010
o-Xylene	0.11		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.27		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1,1-Trichloroethane	0.31		0.055	0.055
Benzene	0.28		0.032	0.032
1,2-Dichloroethane	0.93		0.081	0.081
Trichloroethene	2.0		0.054	0.054
Toluene	1.3		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.94		0.068	0.068
Ethylbenzene	0.37		0.043	0.043
o-Xylene	0.48		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	1.2		0.043	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-29676-1

Sdg Number: 200-29676

Client Sample ID: IA-DUPE

Lab Sample ID: 200-29676-17

Date Sampled: 09/09/2015 0000

Client Matrix: Air

Date Received: 09/10/2015 1030

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method: TO15 LL	Analysis Batch: 200-93846	Instrument ID: CHE.i
Prep Method: Summa Canister	Prep Batch: N/A	Lab File ID: 15701_020.D
Dilution: 1.0		Initial Weight/Volume: 500 mL
Analysis Date: 09/12/2015 0622		Final Weight/Volume: 500 mL
Prep Date: 09/12/2015 0622		Injection Volume: 500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.030		0.010	0.010
1,1,1-Trichloroethane	0.010	U	0.010	0.010
Benzene	0.068	J	0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.066		0.010	0.010
Toluene	0.23		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.010		0.010	0.010
Ethylbenzene	0.15		0.010	0.010
o-Xylene	0.25		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.55		0.010	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.12		0.040	0.040
1,1,1-Trichloroethane	0.055	U	0.055	0.055
Benzene	0.22	J	0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	0.35		0.054	0.054
Toluene	0.86		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.069		0.068	0.068
Ethylbenzene	0.67		0.043	0.043
o-Xylene	1.1		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	2.4		0.043	0.087