



GTE Operations Support Incorporated  
One Verizon Way (VC 34W443)  
Basking Ridge, NJ 07920-1097  
908-559-3691

July 25, 2016

Mr. Christopher Magee  
New York State Department of Environmental Conservation  
Division of Environmental Remediation  
625 Broadway, 12th Floor  
Albany, NY 12233-7017

Re: *March 2016 Indoor Air Sampling Report*

Dear Mr. Magee:

Attached are the March 2016 indoor air sampling results for the former Philips Display Components facility in Seneca Falls, New York. Volatile organic compounds, primarily trichloroethene, were reported in the indoor air. Five subslab depressurization systems continue to operate.

Please call me at (908) 559-3691 if you have any questions.

Sincerely,

Matthew T. Walsh  
Manager – Corporate Workplace Safety & Environmental Compliance

**ATTACHMENTS**

Attachment A – March 2016 Indoor Air Sampling Event Summary  
Attachment B – Tables  
Attachment C – Figures  
Attachment D – Data Validation Report

ec:

Ms. Denise Radtke (NYSDEC)  
Mr. Justin Deming (New York State Department of Health)  
Mr. Nidal Azzam (USEPA)  
Mr. Ernst Jabouin (USEPA)  
Ms. Kelly Kline (Seneca County Industrial Development Agency)  
Mr. Stephen Bregande (H.P. Neun)  
Mr. J. Christopher Woods (H.P. Neun)  
Ms. Anna Kunkel (Environmental Consultant)  
Ms. Pam Cox (GTE Operations Support Incorporated)  
Mr. Daniel Lang (Arcadis U.S., Inc.)  
Mr. Mark Flusche (Arcadis U.S., Inc.)  
Ms. Marzi Sharfaei (Arcadis U.S., Inc.)

**Attachment A**  
**March 2016**  
**Indoor Air**  
**Sampling Event Summary**

In March 2016, indoor air samples were collected at the former Philips Display Components facility in Seneca Falls, New York (Figure 1). Indoor air samples are collected and analyzed quarterly to monitor the subslab depressurization (SSD) systems' effectiveness. The systems (Building 9 Office Area crawl space ventilation system<sup>1</sup>, Building 11 Area SSD system, Building 7 Area SSD system, Building 10 Area SSD system, Building 1 SSD system, and Building 1A sump/trench ventilation and SSD system) were installed to reduce volatile organic compound (VOC) concentrations (primarily trichloroethene [TCE]) in subslab vapor and indoor air.

Field measurements are made using either a digital manometer or U-tube vacuum indicator to confirm that the SSD systems and the sump/trench ventilation system are operating as designed. The manometer measures pressure at subslab monitoring points near the SSD systems. The U-tube vacuum indicator measures the negative pressure in the Buildings 1 and 1A SSD system piping.

On March 31, 2016, 14 indoor air, 1 indoor air duplicate, 1 crawl space air, and 2 outdoor (ambient) air samples were collected. The sample locations are shown on Figure 2. Samples were analyzed by TestAmerica Laboratories, Inc., of Burlington, Vermont, using United States Environmental Protection Agency (USEPA) Method TO-15 or low-level USEPA Method TO-15. Analytical results for 16 site-specific compounds are provided in Tables 1 through 8 (Attachment B) and selected TCE results are displayed graphically on Figures 3 through 8 (Attachment C).

Sampling, laboratory analyses, and data validation were conducted in accordance with the *Soil Vapor Intrusion Pathway Investigation Work Plan and Quality Assurance Project Plan* dated May 7, 2003. Data Validation Services, Inc., of North Creek, New York, performed third-party data validation. Sample results are usable as reported or with minor qualifications (Attachment D).

### ***Analytical Results***

The March 2016 indoor air TCE concentrations ranged from 0.34 micrograms per cubic meter ( $\mu\text{g}/\text{m}^3$ ) to 3.2  $\mu\text{g}/\text{m}^3$ , which is below the range of the March 2015 concentrations (0.17 to 15  $\mu\text{g}/\text{m}^3$ ) and the historical range during SSD system operation (<0.054  $\mu\text{g}/\text{m}^3$  to 51  $\mu\text{g}/\text{m}^3$ ). Monitoring results for each SSD and ventilation system area are summarized below.

#### ***Building 9 Area***

The Building 9 office indoor air TCE concentration (0.34  $\mu\text{g}/\text{m}^3$ ) was lower than the March 2015 TCE concentration (8.9  $\mu\text{g}/\text{m}^3$ ) and within the previous concentration range (0.12 to 30  $\mu\text{g}/\text{m}^3$ ). The Building 9 warehouse indoor air TCE concentration (1.7  $\mu\text{g}/\text{m}^3$ ) was lower than the March 2015 TCE concentration (14  $\mu\text{g}/\text{m}^3$ ) and within the previous concentration range (0.091 to 51  $\mu\text{g}/\text{m}^3$ ).

The Building 9 crawlspace air TCE concentration (0.79  $\mu\text{g}/\text{m}^3$ ) was lower than the March 2015 concentration (13  $\mu\text{g}/\text{m}^3$ ) and below the previous concentration range (2.8 to 210  $\mu\text{g}/\text{m}^3$ ) (Figure 3 and Table 1).

---

<sup>1</sup> The Building 9 Office Area crawl space ventilation system operated from November 2004 to June 2010.

### ***Building 11 Area***

The Building 11 Area comprises parts of Buildings 11, 11A, 13, and 13A. The March 2016 Building 11 Area indoor air TCE concentration range (2.0 to 3.1  $\mu\text{g}/\text{m}^3$ ) was within the March 2015 concentration range (0.16 to 5.1  $\mu\text{g}/\text{m}^3$ ) and within the previous concentration range during SSD system operation (0.16 to 30  $\mu\text{g}/\text{m}^3$ ). The Building 11 Area SSD system continues to sustain subslab negative pressures greater than 100 feet from the extraction wells.

### ***Building 7 Area***

The March 2016 TCE concentration in the Building 7 office area (0.53  $\mu\text{g}/\text{m}^3$ ) was lower than the March 2015 concentration (8  $\mu\text{g}/\text{m}^3$ ) and below the previous concentration range (0.82 to 18  $\mu\text{g}/\text{m}^3$ ) (Figure 5). The March 2016 Building 7 warehouse indoor air TCE concentration (0.42  $\mu\text{g}/\text{m}^3$ ) was lower than the March 2015 concentration (5.1  $\mu\text{g}/\text{m}^3$ ) and below the previous concentration range during SSD system operation (0.64 to 20  $\mu\text{g}/\text{m}^3$ ). The Building 7 SSD system sustains negative subslab pressures greater than 45 feet from the extraction wells.

### ***Building 10 Area***

March 2016 indoor air TCE concentration in Buildings 10 and 10A (both 3.2  $\mu\text{g}/\text{m}^3$ ) were lower than the March 2015 TCE concentrations (15 and 6.1  $\mu\text{g}/\text{m}^3$ , respectively) and within the previous concentration ranges (<0.054 to 64  $\mu\text{g}/\text{m}^3$  in Building 10, and 0.32 to 32  $\mu\text{g}/\text{m}^3$  in Building 10A). The Building 10 SSD system sustains negative subslab pressures greater than 100 feet from the extraction wells.

### ***Building 1A Area***

The Building 1A first floor indoor air TCE concentration (0.83  $\mu\text{g}/\text{m}^3$ ) was slightly higher than the March 2015 concentration (0.17  $\mu\text{g}/\text{m}^3$ ), but within the previous concentration range (<0.054  $\mu\text{g}/\text{m}^3$  to 27  $\mu\text{g}/\text{m}^3$ ). The Building 1A basement indoor air TCE concentration (0.24  $\mu\text{g}/\text{m}^3$ ) was higher than the March 2015 concentration (<0.054  $\mu\text{g}/\text{m}^3$ ), but within the previous concentration range (<0.054  $\mu\text{g}/\text{m}^3$  to 160  $\mu\text{g}/\text{m}^3$ ).

### ***Building 1 Area***

The March 2016 Building 1 indoor air TCE concentration (1.6  $\mu\text{g}/\text{m}^3$ ) was less than the March 2015 concentration (2.7  $\mu\text{g}/\text{m}^3$ ), but within the previous concentration range (0.12 to 7.5  $\mu\text{g}/\text{m}^3$ ). The Building 1 SSD system sustains negative subslab pressures greater than 50 feet from the extraction well.

### ***Building 8 Area***

Quarterly sampling of indoor air from Building 8 began in December 2015. The March 2016 Building 8 indoor air TCE concentration (1.1  $\mu\text{g}/\text{m}^3$ ) was lower than the December 2015 concentration (2.5  $\mu\text{g}/\text{m}^3$ ) and below the previous concentration range (1.4 to 10  $\mu\text{g}/\text{m}^3$ ).

### ***Conclusions***

The analytical results and field measurements indicate the ventilation and SSD systems are effective at sustaining negative pressures. Operation of the ventilation and SSD systems continues to maintain reduced subslab and indoor air VOC concentrations.

**Attachment B**  
**Tables**

**Table 1**  
**Building 9 Area Analytical Data Summary**  
**Former Philips Display Components Facility - Seneca Falls, New York**

| Sample ID                 | IA-B9-01                     |                             |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
|---------------------------|------------------------------|-----------------------------|-----------------------|--------------------|--------------------|--------------------|---------|------------------------|--------------|------------|----------|-------------------|---------|--------------------------|-----------------|----------------|
| Description               | BUILDING 9 OFFICE INDOOR AIR |                             |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
| Volatile Organic Compound | 1,1,1-Trichloroethane        | 1,1,1,2,2-Tetrachloroethane | 1,1,2-Trichloroethane | 1,1-Dichloroethane | 1,1-Dichloroethene | 1,2-Dichloroethane | Benzene | cis-1,2-Dichloroethene | Ethylbenzene | m,p-Xylene | o-Xylene | Tetrachloroethene | Toluene | trans-1,2-Dichloroethene | Trichloroethene | Vinyl Chloride |
| 7/15/2003                 | 0.22                         | 0.14 U                      | 0.1 U                 | 0.08 U             | 0.04 U             | 0.087              | 1.3     | 0.22                   | 1.4          | 5          | 2        | 0.77              | 9.6     | 0.056 U                  | 22              | 0.02 U         |
| 10/2/2003                 | 0.55 U                       | 0.69 U                      | 0.55 U                | 0.4 U              | 0.4 U              | 0.4 U              | 2.2     | 0.67                   | 1.1          | 2.8        | 1.2      | 0.68 U            | 4.1     | 0.4 U                    | 30              | 0.26 U         |
| 1/20/2004                 | 0.27 U                       | 0.34 U                      | 0.27 U                | 0.2 U              | 0.2 U              | 0.2 U              | 2.3     | 0.2 U                  | 2.7          | 10         | 3.2      | 0.75              | 11      | 0.2 U                    | 15              | 0.13 U         |
| 12/22/2004                | 0.17                         | 0.069 U                     | 0.055 U               | 0.04 U             | 0.04 U             | 0.077              | 2.7     | 0.27                   | 0.87         | 3.3        | 1.2      | 3.1               | 5.7     | 0.04 U                   | 4.6             | 0.028          |
| 3/31/2005                 | 0.076                        | 0.069 U                     | 0.055 U               | 0.04 U             | 0.04 U             | 0.049              | 0.77    | 0.04 U                 | 0.28         | 0.91       | 0.33     | 0.088             | 1.4     | 0.04 U                   | 0.12            | 0.026 U        |
| 7/22/2005                 | 0.1                          | 0.069 U                     | 0.055 U               | 0.04 U             | 0.04 U             | 0.04 U             | 2       | 0.16                   | 2.9          | 8.3        | 2.4      | 0.52              | 9.4     | 0.04 U                   | 4.3             | 0.026 U        |
| 9/20/2005                 | 0.12                         | 0.14 U                      | 0.11 U                | 0.081 U            | 0.16 U             | 0.081 U            | 1.3     | 0.16                   | 0.96         | 3.6        | 1.2      | 2.6               | 2.9     | 0.079 U                  | 0.7             | 0.051 U        |
| 11/17/2005                | 0.26                         | 0.069 U                     | 0.055 U               | 0.04 U             | 0.04 U             | 0.065              | 2.9     | 0.67                   | 0.96         | 3.4        | 1.2      | 0.95              | 5.3 J   | 0.04 U                   | 42              | 0.026 U        |
| 1/11/2006                 | 0.13                         | 0.069 U                     | 0.055 U               | 0.04 U             | 0.04 U             | 0.093              | 3.5     | 0.17                   | 2            | 5.6        | 3        | 0.51              | 9.4     | 0.04 U                   | 4               | 0.026 U        |
| 7/17/2006                 | 0.23                         | 0.21 U                      | 0.16 U                | 0.12 U             | 0.12 U             | 0.34               | 3.1     | 1.1                    | 4            | 18         | 6.5      | 8.8               | 10      | 0.12 U                   | 4.2             | 0.15 U         |
| 12/12/2006                | 0.21                         | 0.14 U                      | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 2.9     | 0.27                   | 1.3          | 4.3        | 1.6      | 2                 | 6.8     | 0.079 U                  | 9.1             | 0.1 U          |
| 3/20/2007                 | 0.44                         | 0.27 U                      | 0.22 U                | 0.16 U             | 0.16 U             | 0.32 U             | 3.1     | 0.52                   | 1.1          | 3.8        | 1.3      | 2                 | 4.5     | 0.16 U                   | 14              | 0.2 U          |
| 6/21/2007                 | 0.065                        | 0.069 U                     | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.42    | 0.04                   | 0.43         | 1.8        | 0.61     | 0.35              | 1.5     | 0.04 U                   | 0.34            | 0.051 U        |
| 9/19/2007                 | 0.071                        | 0.069 U                     | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.51    | 0.04 U                 | 0.32         | 1          | 0.36     | 0.31              | 1.8     | 0.04 U                   | 0.37            | 0.051 U        |
| 12/11/2007                | 0.25                         | 0.1 U                       | 0.082 U               | 0.061 U            | 0.059 U            | 0.12 U             | 1.5     | 0.31                   | 0.52         | 1.6        | 0.56     | 1.6               | 3.1     | 0.059 U                  | 5.9             | 0.077 U        |
| 3/26/2008                 | 0.14                         | 0.14 U                      | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 1.4     | 0.4                    | 0.48         | 1.8        | 0.65     | 0.52              | 4.1     | 0.079 U                  | 5.3             | 0.1 U          |
| 6/17/2008                 | 0.22 U                       | 0.27 U                      | 0.22 U                | 0.16 U             | 0.16 U             | 0.32 U             | 0.61    | 0.52                   | 0.69         | 2.6        | 0.91     | 1.1               | 11      | 0.16 U                   | 1.2             | 0.2 U          |
| 9/24/2008                 | 0.18                         | 0.069 U                     | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.51    | 0.075                  | 0.43         | 1.6        | 0.56     | 1.6               | 2.8     | 0.04 U                   | 2.6             | 0.051 U        |
| 12/18/2008                | 0.34                         | 0.38 U                      | 0.31 U                | 0.23 U             | 0.22 U             | 0.45 U             | 2.8     | 0.67                   | 1.4          | 5.2        | 1.8      | 0.38 U            | 8.3     | 0.22 U                   | 18              | 0.28 U         |
| 3/26/2009                 | 0.38                         | 0.082 U                     | 0.065 U               | 0.049 U            | 0.048 U            | 0.11               | 1.1     | 0.12                   | 0.43         | 1.4        | 0.52     | 0.16              | 4.1     | 0.048 U                  | 1.2             | 0.064 U        |
| 6/25/2009                 | 0.39                         | 0.34 U                      | 0.27 U                | 0.2 U              | 0.2 U              | 0.4 U              | 1.4     | 0.24                   | 1.5          | 5.6        | 2.1      | 0.34 U            | 12      | 0.2 U                    | 1.7             | 0.26 U         |
| 9/23/2009                 | 0.22 U                       | 0.27 U                      | 0.22 U                | 0.16 U             | 0.16 U             | 0.32 U             | 0.96    | 0.16 U                 | 0.91         | 3.3        | 1.3      | 0.27 U            | 14      | 0.16 U                   | 0.34            | 0.2 U          |
| 3/24/2010                 | 0.27 U                       | 0.34 U                      | 0.27 U                | 0.2 U              | 0.2 U              | 0.4 U              | 1.7     | 0.87                   | 1.1          | 4          | 1.4      | 1.1               | 12      | 0.2 U                    | 5.9             | 0.26 U         |
| 6/22/2010                 | 0.16 U                       | 0.21 U                      | 0.16 U                | 0.12 U             | 0.12 U             | 0.24 U             | 0.67    | 0.12 U                 | 0.69         | 2.5        | 1 J      | 0.2 U             | 5.7     | 0.12 U                   | 0.91            | 0.15 U         |
| 9/23/2010                 | 0.11 U                       | 0.14 U                      | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 0.87    | 0.13                   | 0.58         | 1.9        | 0.7      | 0.14              | 4.2     | 0.079 U                  | 3               | 0.1 U          |
| 12/28/2010                | 0.082 U                      | 0.1 U                       | 0.082 U               | 0.061 U            | 0.059 U            | 0.12 U             | 0.65    | 0.14                   | 0.22         | 0.69       | 0.25     | 0.1 U             | 3.2     | 0.059 U                  | 3               | 0.077 U        |
| 3/23/2011                 | 0.055 U                      | 0.069 U                     | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.52    | 0.096                  | 0.35         | 0.95       | 0.34     | 0.11              | 2.3     | 0.04 U                   | 3.8             | 0.051 U        |
| 6/22/2011                 | 0.11 U                       | 0.14 U                      | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 0.43    | 0.078                  | 0.54         | 1.6        | 0.65     | 0.18              | 3.5     | 0.079 U                  | 2.1             | 0.1 U          |
| 9/21/2011                 | 0.084 NJ                     | 0.069 U                     | 0.055 U               | 0.04 U             | 0.04 U             | 0.094 NJ           | 0.55    | 0.055                  | 0.056        | 0.087      | 0.043 U  | 0.1               | 0.66    | 0.04 U                   | 1.8             | 0.051 U        |
| 12/20/2011                | 0.11 U                       | 0.14 U                      | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 1.4     | 0.12                   | 0.48         | 1.6        | 0.54     | 0.9               | 6.5     | 0.079 U                  | 5.3             | 0.1 U          |
| 3/28/2012                 | 0.16 U                       | 0.21 U                      | 0.16 U                | 0.12 U             | 0.12 U             | 0.24 U             | 1.7     | 0.12 U                 | 0.6          | 2          | 0.71     | 5.8               | 6       | 0.12 U                   | 1.3             | 0.15 U         |
| 6/14/2012                 | 0.11 U                       | 0.14 U                      | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 1.3     | 0.14 NJ                | 0.73         | 1.8        | 0.7      | 1.2               | 5.5     | 0.079 U                  | 4               | 0.1 U          |
| 10/9/2012                 | 0.16 U                       | 0.21 U                      | 0.16 U                | 0.12 U             | 0.12 U             | 0.24 U             | 0.66    | 0.12                   | 0.3          | 0.91       | 0.29     | 0.2 U             | 1.7     | 0.12 U                   | 5.8             | 0.15 U         |
| 1/3/2013                  | 0.11 U                       | 0.14 U                      | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 0.62    | 0.14                   | 0.19         | 0.51       | 0.19     | 0.14 U            | 1.7     | 0.079 U                  | 6.5             | 0.1 U          |
| 3/28/2013                 | 0.068 U                      | 0.086 UJ                    | 0.068 U               | 0.051 U            | 0.2 U              | 0.1 U              | 0.45    | 0.14                   | 0.16         | 0.4 J      | 0.19 J   | 0.085 U           | 0.95    | 0.05 U                   | 4.3             | 0.064 U        |
| 6/19/2013                 | 0.055 U                      | 0.069 U                     | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.25    | 0.35 NJ                | 0.41         | 1.4        | 0.46     | 0.094             | 2.1     | 0.04 U                   | 1.8             | 0.051 U        |
| 9/19/2013                 | 0.14 U                       | 0.17 U                      | 0.14 U                | 0.10 U             | 0.099 U            | 0.2 U              | 0.31    | 0.099 U                | 0.25         | 0.72       | 0.24     | 0.17 U            | 5.9     | 0.099 U                  | 3               | 0.13 U         |
| 12/18/2013                | 0.16 U                       | 0.21 U                      | 0.16 U                | 0.12 U             | 0.12 U             | 0.24 U             | 0.63    | 0.16                   | 0.21         | 0.57       | 0.21     | 0.2 U             | 1.1     | 0.12 U                   | 6.8             | 0.15 U         |
| 3/20/2014                 | 0.055 U                      | 0.069 U                     | 0.055 U               | 0.04 U             | 0.04 U             | 0.1                | 0.82    | 0.12 NJ                | 0.22         | 0.59       | 0.21     | 0.11              | 1.3     | 0.04 U                   | 2.9             | 0.051 U        |
| 6/18/2014                 | 0.13 UJ                      | 0.16 UJ                     | 0.13 UJ               | 0.096 UJ           | 0.094 UJ           | 0.19 UJ            | 0.42 J  | 0.16 NJ                | 0.5 J        | 2 J        | 0.65 J   | 0.16 UJ           | 8.6 J   | 0.094 UJ                 | 2.3 J           | 0.12 UJ        |
| 9/23/2014                 | 0.082 U                      | 0.1 U                       | 0.082 U               | 0.061 U            | 0.059 U            | 0.12 U             | 0.47    | 0.19                   | 0.28         | 0.77       | 0.29     | 0.1 U             | 2.7     | 0.07                     | 5.9             | 0.077 U        |
| 12/16/2014                | 0.082 U                      | 0.1 U                       | 0.082 U               | 0.061 U            | 0.059 U            | 0.12 U             | 0.59    | 0.089                  | 0.065 U      | 0.13 U     | 0.065 U  | 0.29              | 0.53    | 0.059 U                  | 4.3             | 0.077 U        |
| 3/24/2015                 | 0.14 U                       | 0.17 U                      | 0.14 U                | 0.1 U              | 0.099 U            | 0.2 U              | 1.0     | 0.30 NJ                | 0.25         | 0.72       | 0.28     | 0.17 U            | 0.92    | 0.099 U                  | 8.9             | 0.13 U         |
| 6/15/2015                 | 0.084 NJ                     | 0.069 U                     | 0.055 U               | 0.04 U             | 0.04 U             | 0.14               | 0.39    | 0.3                    | 0.71         | 2.4        | 0.81     | 0.1               | 1.6     | 0.04 U                   | 1.8             | 0.051 U        |
| 9/9/2015                  | 0.055 U                      | 0.069 U                     | 0.055 U               | 0.04 U             | 0.04 U             | 0.11               | 0.22    | 0.068                  | 0.21         | 0.60       | 0.24     | 0.068 U           | 1.0     | 0.04 U                   | 3.4             | 0.051 U        |
| 12/15/2015                | 0.055 U                      | 0.069 U                     | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.45    | 0.13                   | 0.15         | 0.46       | 0.17     | 0.068 U           | 0.78    | 0.04 U                   | 2.7             | 0.051 U        |
| 3/31/2016                 | 0.055 U                      | 0.069 U                     | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.26    | 0.040 U                | 0.072        | 0.19       | 0.066    | 0.068 U           | 0.39    | 0.04 U                   | 0.34            | 0.051 U        |

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated

**Table 1**  
**Building 9 Area Analytical Data Summary**  
**Former Philips Display Components Facility - Seneca Falls, New York**

| Sample ID                 | IA-B9-CS                   |                           |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
|---------------------------|----------------------------|---------------------------|-----------------------|--------------------|--------------------|--------------------|---------|------------------------|--------------|------------|----------|-------------------|---------|--------------------------|-----------------|----------------|
| Description               | BUILDING 9 CRAWL SPACE AIR |                           |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
| Volatile Organic Compound | 1,1,1-Trichloroethane      | 1,1,1,2-Tetrachloroethane | 1,1,2-Trichloroethane | 1,1-Dichloroethane | 1,1-Dichloroethane | 1,2-Dichloroethane | Benzene | cis-1,2-Dichloroethane | Ethylbenzene | m,p-Xylene | o-Xylene | Tetrachloroethane | Toluene | trans-1,2-Dichloroethane | Trichloroethane | Vinyl Chloride |
| 10/2/2003                 | 0.55 U                     | 0.69 U                    | 0.55 U                | 0.4 U              | 0.4 U              | 0.4 U              | 0.64    | 1.6                    | 0.48         | 1.2        | 0.52     | 0.88              | 1.3     | 0.4 U                    | 210             | 0.26 U         |
| 1/20/2004                 | 0.27 U                     | 0.34 U                    | 0.27 U                | 0.2 U              | 0.2 U              | 0.2 U              | 1.6     | 0.95                   | 1.4          | 4.8        | 1.7      | 0.54              | 7.2     | 0.2 U                    | 75              | 0.13 U         |
| 12/22/2004                | 0.14                       | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.057              | 1.7     | 0.24                   | 0.61         | 2.1        | 0.87     | 1.2               | 4.1     | 0.04 U                   | 10              | 0.026 U        |
| 3/31/2005                 | 0.076                      | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.04               | 0.51    | 0.19                   | 0.22         | 0.65       | 0.22     | 0.14              | 0.9     | 0.04 U                   | 15              | 0.026 U        |
| 7/22/2005                 | 0.093                      | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.04 U             | 0.96    | 0.87                   | 1.7          | 5.2        | 2.7      | 0.41              | 4.5     | 0.04 U                   | 35              | 0.026 U        |
| 9/20/2005                 | 0.55 U                     | 0.69 U                    | 0.55 U                | 0.4 U              | 0.79 U             | 0.4 U              | 0.96    | 1.1                    | 0.83         | 3          | 1        | 1.4               | 3       | 0.4 U                    | 43              | 0.26 U         |
| 11/17/2005                | 0.17                       | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.061              | 1.7     | 0.75                   | 0.48         | 1.8        | 0.61     | 0.61              | 3.1 J   | 0.04 U                   | 38              | 0.026 U        |
| 1/11/2006                 | 0.12                       | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.04 U             | 2.4     | 0.29                   | 1.2          | 3.8        | 1.6      | 0.35              | 6.4     | 0.04 U                   | 11              | 0.026 U        |
| 7/17/2006                 | 0.44 U                     | 0.55 U                    | 0.44 U                | 0.32 U             | 0.32 U             | 0.65 U             | 2.9     | 1.2                    | 3.5          | 15         | 5.6      | 4.8               | 16      | 0.32 U                   | 35              | 0.41 U         |
| 12/12/2006                | 0.17                       | 0.21 U                    | 0.16 U                | 0.12 U             | 0.12 U             | 0.24 U             | 2.8     | 0.29                   | 1.6          | 5.2        | 1.9      | 1.5               | 7.5     | 0.12 U                   | 11              | 0.15 U         |
| 3/20/2007                 | 0.27                       | 0.21 U                    | 0.16 U                | 0.12 U             | 0.12 U             | 0.24 U             | 2.1     | 0.56                   | 0.65         | 2.4        | 0.83     | 1                 | 3.1     | 0.12 U                   | 14              | 0.15 U         |
| 6/21/2007                 | 0.22 U                     | 0.27 U                    | 0.22 U                | 0.16 U             | 0.16 U             | 0.32 U             | 0.13 U  | 0.44                   | 0.17 U       | 0.35 U     | 0.17 U   | 0.27 U            | 0.15 U  | 0.16 U                   | 12              | 0.2 U          |
| 9/19/2007                 | 0.27 U                     | 0.34 U                    | 0.27 U                | 0.2 U              | 0.2 U              | 0.4 U              | 0.38    | 0.48                   | 0.24         | 0.61       | 0.25     | 0.55              | 0.87    | 0.2 U                    | 19              | 0.26 U         |
| 12/11/2007                | 0.16 U                     | 0.21 U                    | 0.16 U                | 0.12 U             | 0.12 U             | 0.24 U             | 1.1     | 0.21                   | 0.32         | 1          | 0.4      | 0.75              | 1.9     | 0.12 U                   | 10              | 0.15 U         |
| 3/26/2008                 | 0.082 U                    | 0.1 U                     | 0.082 U               | 0.061 U            | 0.059 U            | 0.12 U             | 1.1     | 0.23                   | 0.38         | 1.3        | 0.48     | 0.23              | 2.8     | 0.059 U                  | 5.9             | 0.077 U        |
| 6/17/2008                 | 0.27 U                     | 0.34 U                    | 0.27 U                | 0.2 U              | 0.2 U              | 0.4 U              | 0.42    | 0.87                   | 0.56         | 1.9        | 0.65     | 0.62              | 3.5     | 0.2 U                    | 18              | 0.26 U         |
| 9/24/2008                 | 0.22 U                     | 0.27 U                    | 0.22 U                | 0.16 U             | 0.16 U             | 0.32 U             | 0.38    | 0.18                   | 0.25         | 0.87       | 0.33     | 0.37              | 1.8     | 0.16 U                   | 15              | 0.2 U          |
| 12/18/2008                | 0.22 U                     | 0.27 U                    | 0.22 U                | 0.16 U             | 0.16 U             | 0.32 U             | 1.6     | 0.31                   | 0.78         | 2.6        | 0.96     | 0.27 U            | 4.5     | 0.16 U                   | 15              | 0.2 U          |
| 3/26/2009                 | 0.11 U                     | 0.14 U                    | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 0.8     | 0.18                   | 0.28         | 0.91       | 0.37     | 0.22              | 1.7     | 0.079 U                  | 5.4             | 0.1 U          |
| 6/25/2009                 | 0.43 U                     | 0.54 U                    | 0.43 U                | 0.32 U             | 0.31 U             | 0.65 U             | 1.5     | 0.39 NJ                | 1.4          | 4.8        | 1.7      | 0.54 U            | 17      | 0.31 U                   | 24              | 0.41 U         |
| 9/23/2009                 | 0.27 U                     | 0.34 U                    | 0.27 U                | 0.2 U              | 0.2 U              | 0.4 U              | 0.99    | 0.4                    | 0.69         | 2.5        | 0.83     | 0.34 U            | 5.7     | 0.2 U                    | 20              | 0.26 U         |
| 3/24/2010                 | 0.06                       | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 NJ           | 1.2     | 0.29                   | 0.61         | 2.4        | 0.87     | 0.38              | 3.5     | 0.04 U                   | 5.4             | 0.051 U        |
| 9/22/2010                 | 0.68 U                     | 0.86 U                    | 0.68 U                | 0.51 U             | 0.5 U              | 1 U                | 0.99    | 0.69                   | 0.65         | 2.4        | 0.83     | 0.85 U            | 4.5     | 0.5 U                    | 60              | 0.64 U         |
| 12/28/2010                | 0.11 U                     | 0.14 U                    | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 0.49    | 0.12                   | 0.11         | 0.29       | 0.11     | 0.14 U            | 0.71    | 0.079 U                  | 8.5             | 0.1 U          |
| 3/23/2011                 | 0.27 U                     | 0.34 U                    | 0.27 U                | 0.2 U              | 0.2 U              | 0.4 U              | 0.45    | 0.2 U                  | 0.22 U       | 0.43 U     | 0.22 U   | 0.34 U            | 0.44    | 0.2 U                    | 16              | 0.26 U         |
| 6/22/2011                 | 0.55 U                     | 0.69 U                    | 0.55 U                | 0.4 U              | 0.4 U              | 0.81 U             | 0.39    | 0.42                   | 0.52         | 1.4        | 0.5      | 0.68 U            | 4.6     | 0.4 U                    | 48              | 0.51 U         |
| 9/21/2011                 | 0.55 U                     | 0.69 U                    | 0.55 U                | 0.4 U              | 0.4 U              | 0.81 U             | 1.7     | 0.4 U                  | 0.43 U       | 0.87 U     | 0.43 U   | 0.68 U            | 2.5     | 0.4 U                    | 37              | 0.51 U         |
| 12/20/2011                | 0.055 U                    | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.22    | 0.13                   | 0.043 U      | 0.043 U    | 0.043 U  | 0.068 U           | 0.091   | 0.04 U                   | 2.8             | 0.051 U        |
| 3/28/2012                 | 0.27 UJ                    | 0.34 UJ                   | 0.27 UJ               | 0.2 UJ             | 0.2 UJ             | 0.4 UJ             | 0.66 J  | 0.2 UJ                 | 0.58 J       | 2.3 J      | 0.87 J   | 0.87 J            | 5.8 J   | 0.2 UJ                   | 14 J            | 0.26 UJ        |
| 6/14/2012                 | 0.44 U                     | 0.55 U                    | 0.44 U                | 0.32 U             | 0.32 U             | 0.65 U             | 0.8     | 0.32 U                 | 0.41         | 1          | 0.35     | 0.58              | 2.2     | 0.32 U                   | 23              | 0.41 U         |
| 10/9/2012                 | 0.55 U                     | 0.69 U                    | 0.55 U                | 0.4 U              | 0.4 U              | 0.81 U             | 0.49    | 0.4 U                  | 0.43 U       | 0.87 U     | 0.43 U   | 0.68 U            | 0.76    | 0.4 U                    | 29              | 0.51 U         |
| 1/3/2013                  | 0.33 U                     | 0.41 U                    | 0.33 U                | 0.24 U             | 0.24 U             | 0.49 U             | 0.63    | 0.29                   | 0.26 U       | 0.52 U     | 0.26 U   | 0.41 U            | 0.67    | 0.24 U                   | 27              | 0.31 U         |
| 3/28/2013                 | 0.33 U                     | 0.41 UJ                   | 0.33 U                | 0.24 U             | 0.96 U             | 0.49 U             | 0.33 NJ | 0.48 U                 | 0.26 U       | 0.52 UJ    | 0.96 UJ  | 0.41 U            | 0.23 U  | 0.24 U                   | 14              | 0.31 U         |
| 6/19/2013                 | 0.43 UJ                    | 0.55 UJ                   | 0.43 UJ               | 0.32 UJ            | 0.31 UJ            | 0.64 UJ            | 0.25 UJ | 0.31 UJ                | 0.34 UJ      | 0.69 UJ    | 0.34 UJ  | 0.54 UJ           | 0.74 J  | 0.31 UJ                  | 19 J            | 0.41 UJ        |
| 9/19/2013                 | 0.33 U                     | 0.41 U                    | 0.33 U                | 0.24 U             | 0.24 U             | 0.49 U             | 0.34    | 0.24 U                 | 0.26 U       | 0.68       | 0.26 U   | 0.41 U            | 1.4     | 0.24 U                   | 24              | 0.31 U         |
| 12/18/2013                | 0.44 U                     | 0.55 U                    | 0.44 U                | 0.33 U             | 0.32 U             | 0.65 U             | 0.41    | 0.32 U                 | 0.35 U       | 0.7 U      | 0.35 U   | 0.55 U            | 0.62    | 0.32 U                   | 21              | 0.41 U         |
| 3/20/2014                 | 0.45 U                     | 0.57 U                    | 0.45 U                | 0.34 U             | 0.33 U             | 0.67 U             | 0.37    | 0.33 U                 | 0.36 U       | 0.72 U     | 0.36 U   | 0.56 U            | 0.40    | 0.33 U                   | 19              | 0.43 U         |
| 6/18/2014                 | 0.41 U                     | 0.51 U                    | 0.41 U                | 0.3 U              | 0.3 U              | 0.6 U              | 0.24 U  | 0.38                   | 0.32 U       | 0.65 U     | 0.32 U   | 0.51 U            | 1.2     | 0.3 U                    | 32              | 0.38 U         |
| 9/23/2014                 | 0.65 U                     | 0.82 U                    | 0.65 U                | 0.49 U             | 0.48 U             | 0.97 U             | 0.38 U  | 0.74                   | 0.52 U       | 1 U        | 0.52 U   | 0.81 U            | 0.77    | 0.48 U                   | 66              | 0.61 U         |
| 12/16/2014                | 0.55 U                     | 0.69 U                    | 0.55 U                | 0.4 U              | 0.4 U              | 0.81 U             | 0.53    | 0.4 U                  | 0.43 U       | 0.87 U     | 0.43 U   | 0.68 U            | 0.49    | 0.4 U                    | 32              | 0.51 U         |
| 3/24/2015                 | 0.27 U                     | 0.34 U                    | 0.27 U                | 0.2 U              | 0.2 U              | 0.4 U              | 0.40    | 0.21 NJ                | 0.22 U       | 0.43 U     | 0.22 U   | 0.34 U            | 0.37    | 0.2 U                    | 13              | 0.26 U         |
| 6/15/2015                 | 0.55 U                     | 0.69 U                    | 0.55 U                | 0.4 U              | 0.4 U              | 0.81 U             | 0.32 U  | 0.44                   | 0.43 U       | 1.5        | 0.47     | 0.68 U            | 0.61    | 0.4 U                    | 45              | 0.51 U         |
| 9/9/2015                  | 0.82 U                     | 1 U                       | 0.82 U                | 0.61 U             | 0.6 U              | 1.2 U              | 0.48 U  | 0.72                   | 0.66 U       | 1.3 U      | 0.66 U   | 1 U               | 0.81    | 0.6 U                    | 73              | 0.77 U         |
| 12/15/2015                | 0.27 U                     | 0.34 U                    | 0.27 U                | 0.2 U              | 0.2 U              | 0.4 U              | 0.25    | 0.2 U                  | 0.22 U       | 0.43 U     | 0.22 U   | 0.34 U            | 0.25    | 0.2 U                    | 11              | 0.26 U         |
| 3/31/2016                 | 0.055 U                    | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.051   | 0.04 U                 | 0.043 U      | 0.087 U    | 0.043 U  | 0.068 U           | 0.038 U | 0.04 U                   | 0.79            | 0.051 U        |

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated

**Table 1**  
**Building 9 Area Analytical Data Summary**  
**Former Philips Display Components Facility - Seneca Falls, New York**

| Sample ID                 | IA-B9-02                        |                             |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
|---------------------------|---------------------------------|-----------------------------|-----------------------|--------------------|--------------------|--------------------|---------|------------------------|--------------|------------|----------|-------------------|---------|--------------------------|-----------------|----------------|
| Description               | BUILDING 9 WAREHOUSE INDOOR AIR |                             |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
| Volatile Organic Compound | 1,1,1-Trichloroethane           | 1,1,1,2,2-Tetrachloroethane | 1,1,2-Trichloroethane | 1,1-Dichloroethane | 1,1-Dichloroethene | 1,2-Dichloroethane | Benzene | cis-1,2-Dichloroethene | Ethylbenzene | m,p-Xylene | o-Xylene | Tetrachloroethene | Toluene | trans-1,2-Dichloroethene | Trichloroethene | Vinyl Chloride |
| 7/15/2003                 | 0.15                            | 0.14 U                      | 0.1 U                 | 0.08 U             | 0.04 U             | 0.08 U             | 1.1     | 0.056 U                | 0.35         | 0.93       | 0.34     | 1.9               | 2.1     | 0.056 U                  | 0.22            | 0.02 U         |
| 10/2/2003                 | 0.55 U                          | 0.69 U                      | 0.55 U                | 0.4 U              | 0.4 U              | 0.4 U              | 3.1     | 2.2                    | 0.65         | 1.7        | 0.61     | 2                 | 2.4     | 0.4 U                    | 30              | 0.26 U         |
| 1/20/2004                 | 0.41 U                          | 0.51 U                      | 0.41 U                | 0.3 U              | 0.3 U              | 0.3 U              | 5.1     | 3                      | 16           | 65         | 16       | 7.5               | 9.8     | 0.3 U                    | 24              | 0.19 U         |
| 3/20/2007                 | 0.49                            | 0.34 U                      | 0.27 U                | 0.2 U              | 0.2 U              | 0.4 U              | 3.8     | 0.87                   | 1.1          | 3.6        | 1.1      | 2.8               | 3.8     | 0.2 U                    | 19              | 0.26 U         |
| 6/21/2007                 | 0.055 U                         | 0.069 U                     | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.45    | 0.083                  | 0.48         | 1.4        | 0.37     | 0.39              | 2.1     | 0.04 U                   | 0.3             | 0.051 U        |
| 9/19/2007                 | 0.06                            | 0.069 U                     | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.51    | 0.04 U                 | 0.2          | 0.43       | 0.15     | 0.21              | 0.83    | 0.04 U                   | 1               | 0.051 U        |
| 12/11/2007                | 0.33 U                          | 0.41 U                      | 0.33 U                | 0.24 U             | 0.24 U             | 0.49 U             | 2.5     | 0.99                   | 0.74         | 2.4        | 0.87     | 5.5               | 4.5     | 0.24 U                   | 19              | 0.31 U         |
| 3/26/2008                 | 0.14                            | 0.14 U                      | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 0.83    | 1.1                    | 0.087 U      | 0.17 U     | 0.087 U  | 0.14              | 0.21    | 0.079 U                  | 7               | 0.1 U          |
| 6/17/2008                 | 0.1                             | 0.069 U                     | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.58    | 0.79                   | 0.83         | 2.8        | 0.91     | 0.56              | 2.3     | 0.04 U                   | 1.6             | 0.051 U        |
| 9/24/2008                 | 0.11 U                          | 0.14 U                      | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 0.83    | 0.14                   | 0.52         | 1.7        | 0.56     | 12                | 3       | 0.079 U                  | 3.9             | 0.1 U          |
| 12/18/2008                | 0.55 U                          | 0.69 U                      | 0.55 U                | 0.4 U              | 0.4 U              | 0.81 U             | 4.8     | 1.8                    | 2            | 6.9        | 2.7      | 0.68 U            | 12      | 0.4 U                    | 46              | 0.51 U         |
| 3/26/2009                 | 0.43 U                          | 0.54 U                      | 0.43 U                | 0.32 U             | 0.31 U             | 0.65 U             | 3.8     | 1.1                    | 1.1          | 3.3        | 1.2      | 0.54 U            | 6.8     | 0.31 U                   | 24              | 0.41 U         |
| 6/25/2009                 | 0.43 U                          | 0.54 U                      | 0.43 U                | 0.32 U             | 0.31 U             | 0.65 U             | 3.5     | 0.79                   | 3.5          | 12         | 4        | 0.75              | 26      | 0.31 U                   | 2.3             | 0.41 U         |
| 9/23/2009                 | 0.065                           | 0.069 U                     | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 1.2     | 0.04 U                 | 0.4          | 1.2        | 0.4      | 0.11              | 1.9     | 0.04 U                   | 0.39            | 0.051 U        |
| 12/17/2009                | 0.87 U                          | 1.1 U                       | 0.87 U                | 0.65 U             | 0.63 U             | 1.3 U              | 2.4     | 1.7                    | 0.87         | 2.9        | 1        | 1.1 U             | 4.1     | 0.63 U                   | 51              | 0.82 U         |
| 3/24/2010                 | 0.22 U                          | 0.27 U                      | 0.22 U                | 0.16 U             | 0.16 U             | 0.32 U             | 2.8     | 1.9                    | 1.5          | 5.6        | 1.9      | 2                 | 5.3     | 0.16 U                   | 13              | 0.2 U          |
| 6/22/2010                 | 0.055 U                         | 0.069 U                     | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.38    | 0.04 U                 | 0.16         | 0.48       | 0.21 J   | 0.088             | 0.68    | 0.04 U                   | 0.091           | 0.051 U        |
| 9/22/2010                 | 0.068 U                         | 0.086 U                     | 0.068 U               | 0.051 U            | 0.05 U             | 0.1 U              | 3       | 0.11                   | 0.73         | 2.2        | 0.72     | 0.12              | 4.6     | 0.05 U                   | 0.63            | 0.064 U        |
| 12/28/2010                | 0.34 U                          | 0.43 U                      | 0.34 U                | 0.25 U             | 0.25 U             | 0.51 U             | 3.1     | 1.7                    | 0.67         | 2          | 0.76     | 0.68              | 3.7     | 0.25 U                   | 23              | 0.32 U         |
| 3/23/2011                 | 0.11                            | 0.14 U                      | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 3.3     | 0.67                   | 1.6          | 3.6        | 1.2      | 0.58              | 4.1     | 0.079 U                  | 11              | 0.1 U          |
| 6/22/2011                 | 0.055 U                         | 0.069 U                     | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.62    | 0.04 U                 | 0.54         | 0.98       | 0.35     | 0.19              | 0.99    | 0.04 U                   | 0.15            | 0.051 U        |
| 9/21/2011                 | 0.36                            | 0.069 U                     | 0.055 U               | 0.04 U             | 0.5                | 0.081 U            | 0.7     | 0.6                    | 0.66         | 1.2        | 0.42     | 0.13              | 1.5     | 0.04 U                   | 1.6             | 0.051 U        |
| 12/20/2011                | 0.22 U                          | 0.27 U                      | 0.22 U                | 0.16 U             | 0.16 U             | 0.32 U             | 1.1     | 0.49                   | 0.17 U       | 0.17 U     | 0.17 U   | 1.7               | 0.43    | 0.16 U                   | 17              | 0.2 U          |
| 3/28/2012                 | 0.22 U                          | 0.27 U                      | 0.22 U                | 0.16 U             | 0.16 U             | 0.32 U             | 3.5     | 0.17                   | 1.4          | 3.8        | 1.3      | 14                | 5.6     | 0.16 U                   | 2.3             | 0.2 U          |
| 6/14/2012                 | 0.27 U                          | 0.34 U                      | 0.27 U                | 0.2 U              | 0.2 U              | 0.4 U              | 1.1     | 0.2 U                  | 0.81         | 1.1        | 0.43     | 7.6               | 1.6     | 0.2 U                    | 0.35            | 0.26 U         |
| 10/9/2012                 | 0.43 U                          | 0.55 U                      | 0.43 U                | 0.32 U             | 0.31 U             | 0.64 U             | 1.1     | 0.33                   | 0.69         | 1.6        | 0.76     | 0.54 U            | 1.5     | 0.31 U                   | 16              | 0.41 U         |
| 1/3/2013                  | 0.23 U                          | 0.29 U                      | 0.23 U                | 0.17 U             | 0.17 U             | 0.34 U             | 0.13 U  | 0.3                    | 0.18 U       | 0.36 U     | 0.18 U   | 0.28 U            | 0.16 U  | 0.17 U                   | 2.7             | 0.21 U         |
| 3/28/2013                 | 0.16                            | 0.14 UJ                     | 0.11 U                | 0.081 U            | 0.32 U             | 0.16 U             | 0.97    | 0.47                   | 0.48         | 0.81 J     | 0.35 J   | 0.14 U            | 1.2     | 0.079 U                  | 6.1             | 0.1 U          |
| 6/19/2013                 | 0.055 U                         | 0.069 U                     | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.27    | 0.46 NJ                | 0.66         | 2.1        | 0.67     | 0.078             | 1.9     | 0.04 U                   | 1.1             | 0.051 U        |
| 9/19/2013                 | 0.055 U                         | 0.069 U                     | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.36    | 0.04 U                 | 0.33         | 0.84       | 0.24     | 0.097             | 1.4     | 0.04 U                   | 5.2             | 0.051 U        |
| 12/18/2013                | 0.44 U                          | 0.55 U                      | 0.44 U                | 0.33 U             | 0.32 U             | 0.65 U             | 0.75    | 0.54                   | 0.35 U       | 0.7 U      | 0.35 U   | 0.55 U            | 1.1     | 0.32 U                   | 20              | 0.41 U         |
| 3/20/2014                 | 0.086 NJ                        | 0.069 U                     | 0.055 U               | 0.04 U             | 0.04 U             | 0.089              | 0.99    | 0.45                   | 0.22         | 0.54       | 0.16     | 0.68              | 1.2     | 0.04 U                   | 3.5             | 0.051 U        |
| 6/18/2014                 | 0.11 NJ                         | 0.099 U                     | 0.079 U               | 0.058 U            | 0.057 U            | 0.12 U             | 0.38    | 0.63                   | 0.34         | 0.59       | 0.13     | 0.1               | 1.4     | 0.057 U                  | 1               | 0.074 U        |
| 9/23/2014                 | 0.093 U                         | 0.069 U                     | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.3     | 0.31                   | 0.095        | 0.23       | 0.082    | 0.068 U           | 0.39    | 0.04 U                   | 2.6             | 0.051 U        |
| 12/16/2014                | 0.27 U                          | 0.34 U                      | 0.27 U                | 0.2 U              | 0.2 U              | 0.4 U              | 0.9     | 0.35                   | 0.31         | 0.77       | 0.25 J+  | 0.34 U            | 1.6     | 0.2 U                    | 14              | 0.26 U         |
| 3/24/2015                 | 0.27 U                          | 0.34 U                      | 0.27 U                | 0.2 U              | 0.2 U              | 0.4 U              | 1.1     | 0.60                   | 0.30         | 0.80       | 0.32     | 0.34 U            | 0.93    | 0.2 U                    | 14              | 0.26 U         |
| 6/15/2015                 | 0.1                             | 0.3                         | 0.055 U               | 0.04 U             | 0.04 U             | 0.08 NJ            | 0.5     | 0.55 U                 | 1.8          | 6.5        | 1.9      | 0.12              | 2.6     | 0.04 U                   | 0.72            | 0.051 U        |
| 9/9/2015                  | 0.055 U                         | 0.069 U                     | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.26    | 0.04 U                 | 0.29         | 0.67       | 0.22     | 0.068 U           | 0.64    | 0.04 U                   | 0.16            | 0.051 U        |
| 12/15/2015                | 0.11 U                          | 0.14 U                      | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 0.70    | 0.33                   | 0.30         | 0.74       | 0.24     | 0.14 U            | 1.3     | 0.079 U                  | 5.3             | 0.1 U          |
| 3/31/2016                 | 0.055 U                         | 0.069 U                     | 0.055 U               | 0.04 U             | 0.04 U             | 0.080              | 0.46    | 0.057                  | 0.28         | 0.54       | 0.17     | 0.13              | 0.81    | 0.04 U                   | 1.7             | 0.051 U        |

Notes:

All values are shown in units of micrograms per cubic meter ( $\mu\text{g}/\text{m}^3$ ).

U - Not detected above reporting limit

J - Estimated

J+ - Estimated and may be biased high

NJ - Tentative in identification and estimated

**Table 2**  
**Building 11 Area Analytical Data Summary**  
**Former Philips Display Components Facility - Seneca Falls, New York**

| Sample ID<br>Description | IA-B11-01<br>BUILDING 11 INDOOR AIR |                               |                           |                    |                    |                    |         |                            |              |            |          |                   |         |                              |                 |                |
|--------------------------|-------------------------------------|-------------------------------|---------------------------|--------------------|--------------------|--------------------|---------|----------------------------|--------------|------------|----------|-------------------|---------|------------------------------|-----------------|----------------|
|                          | 1,1,1-<br>Trichloroethane           | 1,1,2,2-<br>Tetrachloroethane | 1,1,2-<br>Trichloroethane | 1,1-Dichloroethane | 1,1-Dichloroethene | 1,2-Dichloroethane | Benzene | cis-1,2-<br>Dichloroethene | Ethylbenzene | m,p-Xylene | o-Xylene | Tetrachloroethene | Toluene | trans-1,2-<br>Dichloroethene | Trichloroethene | Vinyl Chloride |
| 7/15/2003                | 0.29                                | 0.14 U                        | 0.1 U                     | 0.08 U             | 0.04 U             | 0.08 U             | 1.1     | 0.55                       | 1.4          | 3.5        | 1.2      | 7.8               | 12      | 0.056 U                      | 5               | 0.02 U         |
| 10/2/2003                | 2                                   | 0.69 U                        | 0.55 U                    | 0.4 U              | 0.4 U              | 0.4 U              | 3.8     | 4.8                        | 1            | 3          | 1        | 6.8               | 11      | 0.4 U                        | 36              | 0.26 U         |
| 1/20/2004                | 0.65                                | 0.51 U                        | 0.41 U                    | 0.3 U              | 0.3 U              | 0.3 U              | 3.2     | 2.5                        | 3            | 11         | 2.9      | 4.7               | 6       | 0.3 U                        | 33              | 0.19 U         |
| 2/14/2006                | 0.65                                | 0.069 U                       | 0.055 U                   | 0.04 U             | 0.099              | 0.04 U             | 3       | 1.6                        | 1.9          | 4.3        | 2.6      | 6.6               | 5.3 J   | 0.04 U                       | 59              | 0.064 J        |
| 6/28/2006                | 0.24                                | 0.27 U                        | 0.22 U                    | 0.16 U             | 0.16 U             | 0.32 U             | 2.1     | 0.91                       | 1.6          | 7.4        | 2.9      | 14                | 3.7     | 0.16 U                       | 3.4             | 0.2 U          |
| 9/13/2006                | 0.4                                 | 0.34 U                        | 0.27 U                    | 0.2 U              | 0.2 U              | 0.4 U              | 2.6     | 0.83                       | 0.74         | 2.2        | 0.83     | 6                 | 3.6     | 0.2 U                        | 20              | 0.26 U         |
| 12/12/2006               | 0.82                                | 0.27 U                        | 0.22 U                    | 0.16 U             | 0.16 U             | 0.32 U             | 7       | 1.6                        | 2.6          | 7.4        | 2.4      | 6.4               | 11      | 0.16 U                       | 20              | 0.2 U          |
| 3/20/2007                | 0.87                                | 0.21 U                        | 0.16 U                    | 0.12 U             | 0.23               | 0.24 U             | 4.5     | 1.5                        | 1.1          | 4.3        | 1.4      | 3.5               | 7.5     | 0.12 U                       | 9.1             | 0.15 U         |
| 6/21/2007                | 0.25                                | 0.1 U                         | 0.082 U                   | 0.061 U            | 0.059 U            | 0.12 U             | 0.89    | 1.2                        | 0.69         | 2.2        | 0.83     | 7.5               | 2.2     | 0.059 U                      | 3.4             | 0.077 U        |
| 8/30/2007                | 0.093                               | 0.069 U                       | 0.055 U                   | 0.04 U             | 0.04 U             | 0.081 U            | 0.58    | 0.25                       | 0.52         | 1.4        | 0.52     | 1.8               | 1.5     | 0.04 U                       | 0.7             | 0.051 U        |
| 9/19/2007                | 0.15                                | 0.069 U                       | 0.055 U                   | 0.04 U             | 0.04 U             | 0.081 U            | 0.77    | 0.52                       | 0.3          | 0.91       | 0.31     | 0.75              | 1.2     | 0.04 U                       | 3.9             | 0.051 U        |
| 12/11/2007               | 0.87                                | 0.34 U                        | 0.27 U                    | 0.2 U              | 0.2 U              | 0.4 U              | 2.9     | 2.3                        | 1            | 3.7        | 1.3      | 8.8               | 5.3     | 0.2 U                        | 18              | 0.26 U         |
| 3/26/2008                | 0.25                                | 0.12 U                        | 0.093 U                   | 0.069 U            | 0.067 U            | 0.14 U             | 2.4     | 1.2                        | 0.91         | 3.5        | 1.2      | 1.5               | 5.3     | 0.067 U                      | 5.9             | 0.087 U        |
| 6/17/2008                | 0.25                                | 0.12 U                        | 0.093 U                   | 0.069 U            | 0.067 U            | 0.13 U             | 1.2     | 2.1                        | 1.8          | 6.9        | 2.3      | 2.7               | 2.5     | 0.067 U                      | 4               | 0.084 U        |
| 9/24/2008                | 0.16                                | 0.1 U                         | 0.082 U                   | 0.061 U            | 0.059 U            | 0.12 U             | 0.96    | 0.95                       | 0.19         | 0.25       | 0.078    | 1.8               | 1.4     | 0.059 U                      | 6.4             | 0.077 U        |
| 12/18/2008               | 0.6                                 | 0.21 U                        | 0.16 U                    | 0.12 U             | 0.15               | 0.24 U             | 2.9     | 1.9                        | 1.1          | 3.8        | 1.3      | 0.64              | 5.3     | 0.12 U                       | 14              | 0.15 U         |
| 3/26/2009                | 0.22 U                              | 0.27 U                        | 0.22 U                    | 0.16 U             | 0.16 U             | 0.32 U             | 3.8     | 2.1                        | 3.2          | 13         | 4.3      | 0.75              | 7.9     | 0.16 U                       | 12              | 0.2 U          |
| 6/25/2009                | 0.37                                | 0.43 U                        | 0.34 U                    | 0.25 U             | 0.25 U             | 0.49 U             | 3.1     | 2.6                        | 3.6          | 13         | 4.8      | 1.2               | 17      | 0.25 U                       | 5.4             | 0.31 U         |
| 9/23/2009                | 0.14                                | 0.069 U                       | 0.055 U                   | 0.04 U             | 0.04 U             | 0.081 U            | 1.5     | 0.35                       | 0.96         | 3.5        | 1.3      | 0.37              | 3.4     | 0.04 U                       | 1.5             | 0.051 U        |
| 12/17/2009               | 0.55                                | 0.62 U                        | 0.5 U                     | 0.37 U             | 0.36 U             | 0.73 U             | 2.4     | 3.2                        | 1.5          | 5.6        | 2        | 0.62 U            | 6       | 0.36 U                       | 26              | 0.46 U         |
| 3/24/2010                | 0.37                                | 0.14 U                        | 0.11 U                    | 0.081 U            | 0.12               | 0.16 U             | 1.9     | 3.3                        | 2.7          | 12         | 4.3      | 0.68              | 5.7     | 0.079 U                      | 7.5             | 0.1 U          |
| 6/22/2010                | 0.12                                | 0.082 U                       | 0.065 U                   | 0.049 U            | 0.048 U            | 0.1 U              | 0.99    | 1                          | 1.1          | 4.3        | 1.5 J    | 0.42              | 3       | 0.048 U                      | 2.8             | 0.064 U        |
| 9/22/2010                | 0.11 NJ                             | 0.11 U                        | 0.091 U                   | 0.068 U            | 0.066 U            | 0.14 U             | 1.7     | 0.78                       | 0.83         | 3.2        | 1.1      | 0.82              | 4.6     | 0.066 U                      | 2.2             | 0.085 U        |
| 12/28/2010               | 0.34                                | 0.14 U                        | 0.11 U                    | 0.081 U            | 0.079 U            | 0.16 U             | 2.4     | 1.2                        | 0.63         | 2.3        | 0.85     | 1.1               | 2.6     | 0.079 U                      | 5.6             | 0.1 U          |
| 3/23/2011                | 0.34                                | 0.14 U                        | 0.11 U                    | 0.081 U            | 0.094              | 0.16 U             | 1.9     | 1.1                        | 1.1          | 4.2        | 1.6      | 1.3               | 2.7     | 0.079 U                      | 3.7             | 0.1 U          |
| 6/22/2011                | 0.15 U                              | 0.19 U                        | 0.15 U                    | 0.11 U             | 0.11 U             | 0.23 U             | 0.99    | 0.47                       | 1.5          | 5.9        | 2.3      | 1.6               | 4.5     | 0.11 U                       | 0.98            | 0.14 U         |
| 9/21/2011                | 0.13 NJ                             | 0.069 U                       | 0.055 U                   | 0.04 U             | 0.04 U             | 0.081 U            | 1.5     | 0.52                       | 1            | 3.8        | 1.4      | 0.49              | 2       | 0.04 U                       | 1.8             | 0.051 U        |
| 12/20/2011               | 0.28                                | 0.14 U                        | 0.11 U                    | 0.081 U            | 0.079 U            | 0.16 U             | 1.3     | 0.65                       | 1.2          | 4.5        | 1.7      | 2.9               | 1.9     | 0.079 U                      | 4.8             | 0.1 U          |
| 3/28/2012                | 0.14 U                              | 0.17 U                        | 0.14 U                    | 0.1 U              | 0.099 U            | 0.2 U              | 2.2     | 0.75                       | 3.6          | 11         | 3.9      | 2.5               | 5.4     | 0.099 U                      | 4.9             | 0.13 U         |
| 6/14/2012                | 0.27 U                              | 0.34 U                        | 0.27 U                    | 0.2 U              | 0.2 U              | 0.4 U              | 2.1     | 0.59                       | 4.4          | 2.5        | 1.1      | 0.83              | 4.6     | 0.2 U                        | 0.82            | 0.26 U         |
| 10/9/2012                | 0.36                                | 0.27 U                        | 0.22 U                    | 0.16 U             | 0.16 U             | 0.32 U             | 1.3     | 0.66                       | 0.75         | 2.9        | 1        | 0.27 U            | 0.92    | 0.16 U                       | 9.5             | 0.2 U          |
| 1/3/2013                 | 0.43                                | 0.16 U                        | 0.12 U                    | 0.093 U            | 0.14               | 0.19 U             | 0.78    | 1.1                        | 0.6          | 2.3        | 0.86     | 0.16 U            | 1.1     | 0.091 U                      | 9.3             | 0.12 U         |
| 3/28/2013                | 0.15                                | 0.069 U                       | 0.055 U                   | 0.04 U             | 0.16 U             | 0.081 U            | 0.74    | 0.47                       | 0.55         | 1.3 J      | 0.53 J   | 0.068             | 0.87    | 0.04 U                       | 1.4             | 0.051 U        |
| 6/19/2013                | 0.23                                | 0.069 U                       | 0.055 U                   | 0.04 U             | 0.04 U             | 0.081 U            | 0.27    | 0.6 NJ                     | 0.82         | 3.5        | 1.2      | 0.14              | 1.5     | 0.04 U                       | 1.2             | 0.051 U        |
| 9/19/2013                | 0.16                                | 0.069 U                       | 0.055 U                   | 0.04 U             | 0.04 U             | 0.081 U            | 0.39    | 0.4                        | 0.32         | 1.2        | 0.43     | 0.1               | 0.99    | 0.04 U                       | 3.2             | 0.051 U        |
| 12/18/2013               | 0.38                                | 0.14 U                        | 0.11 U                    | 0.081 U            | 0.097              | 0.16 U             | 0.85    | 0.53                       | 0.42         | 0.98       | 0.37     | 0.14 U            | 1.2     | 0.079 U                      | 4.2             | 0.1 U          |
| 3/20/2014                | 0.15 NJ                             | 0.17 U                        | 0.14 U                    | 0.1 U              | 0.099 U            | 0.2 U              | 4.6     | 0.64                       | 0.27         | 0.93       | 0.33     | 0.17 U            | 1.4     | 0.099 U                      | 2.5             | 0.13 U         |
| 6/18/2014                | 0.055 U                             | 0.069 U                       | 0.055 U                   | 0.04 U             | 0.04 U             | 0.081 U            | 0.23    | 0.12 NJ                    | 0.39         | 1.2        | 0.38     | 0.12              | 1.6     | 0.04 U                       | 0.43            | 0.051 U        |
| 9/23/2014                | 0.24 U                              | 0.069 U                       | 0.055 U                   | 0.04 U             | 0.068 NJ           | 0.081 U            | 0.31    | 0.34                       | 0.47         | 1.8        | 0.67     | 0.068 U           | 1.9     | 0.04 U                       | 1.7             | 0.051 U        |
| 12/16/2014               | 0.26                                | 0.17 U                        | 0.14 U                    | 0.1 U              | 0.099 U            | 0.2 U              | 1       | 1.1                        | 0.48         | 1.5        | 0.58     | 0.17 U            | 1.8     | 0.099 U                      | 11              | 0.13 U         |
| 3/24/2015                | 0.22                                | 0.14 U                        | 0.11 U                    | 0.081 U            | 0.079 U            | 0.16 U             | 0.71    | 0.77                       | 0.40         | 1.3        | 0.56     | 0.14 U            | 0.86    | 0.079 U                      | 4.4             | 0.1 U          |
| 6/15/2015                | 0.43 U                              | 0.55 U                        | 0.43 U                    | 0.32 U             | 0.31 U             | 0.64 U             | 0.5     | 0.49                       | 8.7          | 37         | 10       | 0.54 U            | 2.9     | 0.31 U                       | 1.2             | 0.41 U         |
| 9/9/2015                 | 0.12                                | 0.069 U                       | 0.055 U                   | 0.04 U             | 0.04 U             | 0.081 U            | 0.27    | 0.13 NJ                    | 0.50         | 1.9        | 0.76     | 0.098             | 1.0     | 0.04 U                       | 0.46            | 0.051 U        |
| 12/15/2015               | 0.19 J+                             | 0.069 U                       | 0.055 U                   | 0.04 U             | 0.04 U             | 0.081 U*           | 0.34    | 0.53                       | 0.31         | 1.2        | 0.46     | 0.068             | 0.91 J  | 0.04 U                       | 1.8             | 0.051 U        |
| 3/31/2016                | 0.055 U                             | 0.069 U                       | 0.055 U                   | 0.04 U             | 0.04 U             | 0.081 U            | 0.39    | 0.27                       | 0.29         | 0.94       | 0.39     | 0.14              | 0.74    | 0.04 U                       | 2.2             | 0.051 U        |

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated

**Table 2**  
**Building 11 Area Analytical Data Summary**  
**Former Philips Display Components Facility - Seneca Falls, New York**

| Sample ID<br>Description | IA-B11-02<br>BUILDING 11A INDOOR AIR |                               |                           |                    |                    |                    |         |                            |              |            |          |                   |         |                              |                 |                |
|--------------------------|--------------------------------------|-------------------------------|---------------------------|--------------------|--------------------|--------------------|---------|----------------------------|--------------|------------|----------|-------------------|---------|------------------------------|-----------------|----------------|
|                          | 1,1,1-<br>Trichloroethane            | 1,1,2,2-<br>Tetrachloroethane | 1,1,2-<br>Trichloroethane | 1,1-Dichloroethane | 1,1-Dichloroethene | 1,2-Dichloroethane | Benzene | cis-1,2-<br>Dichloroethene | Ethylbenzene | m,p-Xylene | o-Xylene | Tetrachloroethene | Toluene | trans-1,2-<br>Dichloroethene | Trichloroethene | Vinyl Chloride |
| 7/15/2003                | 0.56                                 | 0.14 U                        | 0.1 U                     | 0.08 U             | 0.04 U             | 0.08 U             | 1.6     | 1.8                        | 4.7          | 15         | 3.7      | 18                | 10      | 0.056 U                      | 39              | 0.02 U         |
| 10/2/2003                | 2.2                                  | 0.69 U                        | 0.55 U                    | 0.4 U              | 0.4 U              | 0.4 U              | 3.5     | 5.6                        | 1            | 3.2        | 1        | 8.1               | 9.8     | 0.4 U                        | 97              | 0.26 U         |
| 1/20/2004                | 0.65                                 | 0.34 U                        | 0.27 U                    | 0.2 U              | 0.2 U              | 0.2 U              | 3       | 3                          | 3            | 12         | 3        | 5.4               | 6       | 0.2 U                        | 42              | 0.13 U         |
| 2/14/2006                | 0.65                                 | 0.069 U                       | 0.055 U                   | 0.04 UJ            | 0.079              | 0.04 U             | 4.2     | 1.5                        | 2            | 6.9 J      | 3 J      | 14 J              | 7.5 J   | 0.04 U                       | 81              | 0.072 J        |
| 6/28/2006                | 0.23                                 | 0.21 U                        | 0.16 U                    | 0.12 U             | 0.12 U             | 0.24 U             | 1.9     | 1.1                        | 1.8          | 6.9        | 2.9      | 14                | 4.5     | 0.12 U                       | 3.9             | 0.15 U         |
| 9/13/2006                | 0.49                                 | 0.34 U                        | 0.27 U                    | 0.2 U              | 0.2 U              | 0.4 U              | 2.9     | 1.1                        | 0.91         | 2.8        | 1.1      | 6.8               | 3.8     | 0.2 U                        | 20              | 0.26 U         |
| 12/12/2006               | 0.87                                 | 0.27 U                        | 0.22 U                    | 0.16 U             | 0.16 U             | 0.32 U             | 7.3     | 2                          | 2.6          | 6.9        | 2.3      | 6.8               | 9.8     | 0.16 U                       | 21              | 0.2 U          |
| 3/20/2007                | 0.98                                 | 0.21 U                        | 0.16 U                    | 0.12 U             | 0.12 U             | 0.24 U             | 4.8     | 1.7                        | 1.3          | 4.8        | 1.6      | 4.5               | 7.9     | 0.12 U                       | 12              | 0.15 U         |
| 6/21/2007                | 0.22                                 | 0.096 U                       | 0.076 U                   | 0.057 U            | 0.056 U            | 0.12 U             | 1.2     | 0.71                       | 0.87         | 2.9        | 1        | 5.6               | 2.9     | 0.056 U                      | 2.5             | 0.074 U        |
| 8/30/2007                | 0.11                                 | 0.069 U                       | 0.055 U                   | 0.04 U             | 0.04 U             | 0.081 U            | 0.61    | 0.39                       | 0.74         | 2.4        | 0.78     | 3                 | 2.1     | 0.04 U                       | 1.5             | 0.051 U        |
| 9/19/2007                | 0.21                                 | 0.1 U                         | 0.082 U                   | 0.061 U            | 0.059 U            | 0.12 U             | 0.8     | 0.79                       | 0.52         | 2          | 0.61     | 1.3               | 2.1     | 0.059 U                      | 5.4             | 0.077 U        |
| 12/11/2007               | 0.82                                 | 0.34 U                        | 0.27 U                    | 0.2 U              | 0.2 U              | 0.4 U              | 3.8     | 2.3                        | 1.1          | 4.1        | 1.4      | 8.8               | 7.5     | 0.2 U                        | 18              | 0.26 U         |
| 3/26/2008                | 0.23                                 | 0.21 U                        | 0.16 U                    | 0.12 U             | 0.12 U             | 0.24 U             | 3.1     | 1.1                        | 1            | 3.8        | 1.3      | 1.3               | 7.9     | 0.12 U                       | 4.8             | 0.15 U         |
| 6/17/2008                | 0.21                                 | 0.21 U                        | 0.16 U                    | 0.12 U             | 0.12 U             | 0.24 U             | 1.1     | 1.3                        | 2.2 NJ       | 8.7        | 2.8      | 1.2               | 2.9     | 0.12 U                       | 3               | 0.15 U         |
| 9/24/2008                | 0.15                                 | 0.1 U                         | 0.082 U                   | 0.061 U            | 0.059 U            | 0.12 U             | 1.2     | 0.87                       | 1            | 4          | 1.7      | 0.75              | 3       | 0.059 U                      | 5.9             | 0.077 U        |
| 12/18/2008               | 0.49                                 | 0.27 U                        | 0.22 U                    | 0.16 U             | 0.16 U             | 0.32 U             | 3.2     | 2.1                        | 1.4          | 5.2        | 1.8      | 0.68              | 6.8     | 0.16 U                       | 13              | 0.2 U          |
| 3/26/2009                | 0.19 NJ                              | 0.23 U                        | 0.18 U                    | 0.13 U             | 0.13 U             | 0.27 U             | 4.5     | 2.3                        | 3.3          | 13         | 4.2      | 0.81              | 9       | 0.13 U                       | 13              | 0.17 U         |
| 6/25/2009                | 0.51                                 | 0.43 U                        | 0.34 U                    | 0.25 U             | 0.4 NJ             | 0.49 U             | 1.9     | 0.95 NJ                    | 2.4 J        | 7.8 J      | 2.3 J    | 0.81              | 11      | 0.25 U                       | 5.4             | 0.31 U         |
| 9/23/2009                | 0.12                                 | 0.1 U                         | 0.082 U                   | 0.061 U            | 0.059 U            | 0.12 U             | 1.3     | 0.3                        | 0.87         | 3.2        | 1.2      | 0.31              | 3.2     | 0.12                         | 1.8             | 0.077 U        |
| 12/17/2009               | 0.65                                 | 0.62 U                        | 0.5 U                     | 0.37 U             | 0.36 U             | 0.73 U             | 2.8     | 3.5                        | 1.4          | 5.6        | 2        | 0.62 U            | 6       | 0.36 U                       | 30              | 0.46 U         |
| 3/24/2010                | 0.4                                  | 0.14 U                        | 0.11 U                    | 0.081 U            | 0.13               | 0.16 U             | 2.3     | 3.8                        | 3.3          | 15         | 5.2      | 0.81              | 6.8     | 0.079 U                      | 9.1             | 0.1 U          |
| 6/22/2010                | 0.14                                 | 0.069 U                       | 0.055 U                   | 0.04 U             | 0.04 U             | 0.085 NJ           | 1.2     | 1.3                        | 1.7          | 7.8        | 2.8 J    | 0.59              | 3.8 J   | 0.04 U                       | 2.5             | 0.051 U        |
| 9/22/2010                | 0.11 U                               | 0.14 U                        | 0.11 U                    | 0.081 U            | 0.079 U            | 0.16 U             | 1.6     | 0.9                        | 0.86         | 3.3        | 1.1      | 0.93              | 4.8     | 0.079 U                      | 2.3             | 0.1 U          |
| 12/28/2010               | 0.39                                 | 0.1 U                         | 0.082 U                   | 0.061 U            | 0.11               | 0.12 U             | 2.8     | 1.2                        | 0.72         | 2.6        | 0.89     | 1.3               | 3.3     | 0.059 U                      | 6.1             | 0.077 U        |
| 3/23/2011                | 0.43                                 | 0.14 U                        | 0.11 U                    | 0.081 U            | 0.13               | 0.16 U             | 2.4     | 1.4                        | 1.3          | 5.2        | 1.9      | 1.6               | 3.3     | 0.079 U                      | 4.6             | 0.1 U          |
| 6/22/2011                | 0.079 NJ                             | 0.069 U                       | 0.055 U                   | 0.04 U             | 0.04 U             | 0.081 U            | 0.8     | 0.38                       | 1.7          | 6          | 2.2      | 1.3               | 2.7     | 0.04 U                       | 0.86            | 0.051 U        |
| 9/21/2011                | 0.11 NJ                              | 0.069 U                       | 0.055 U                   | 0.04 U             | 0.04 U             | 0.081 U            | 1.1     | 0.34                       | 0.86         | 3.2        | 1.2      | 0.38              | 1.3     | 0.04 U                       | 1.2             | 0.051 U        |
| 12/20/2011               | 0.35                                 | 0.1 U                         | 0.082 U                   | 0.061 U            | 0.085 NJ           | 0.12 U             | 1.4     | 0.84                       | 1.5 J        | 5.7 J      | 2.2 J    | 3.6 J             | 2.4 J   | 0.059 U                      | 6.2             | 0.077 U        |
| 3/28/2012                | 0.14 U                               | 0.17 U                        | 0.14 U                    | 0.1 U              | 0.099 U            | 0.2 U              | 1.4     | 0.44                       | 2.8          | 8.3        | 2.9      | 1.7               | 4.8     | 0.099 U                      | 2.9             | 0.13 U         |
| 6/14/2012                | 0.27 U                               | 0.34 U                        | 0.27 U                    | 0.2 U              | 0.2 U              | 0.4 U              | 2.5     | 0.5                        | 4.1          | 4          | 1.6      | 1.5               | 4.6     | 0.2 U                        | 0.9             | 0.26 U         |
| 10/9/2012                | 0.36                                 | 0.27 U                        | 0.22 U                    | 0.16 U             | 0.16 U             | 0.32 U             | 1.1     | 0.62                       | 0.79         | 3          | 1        | 0.27 U            | 0.99    | 0.16 U                       | 7.2             | 0.2 U          |
| 1/3/2013                 | 0.42                                 | 0.19 U                        | 0.15 U                    | 0.11 U             | 0.11               | 0.22 U             | 0.92 J  | 1.2                        | 0.81         | 3.3        | 1.2      | 0.18 U            | 1.3     | 0.11 U                       | 9.3             | 0.14 U         |
| 3/28/2013                | 0.21                                 | 0.069 UJ                      | 0.055 U                   | 0.04 U             | 0.16 U             | 0.081 U            | 0.85    | 0.7 NJ                     | 0.85         | 2.3 J      | 0.99 J   | 0.081             | 1.2     | 0.04 U                       | 2.2             | 0.051 U        |
| 6/19/2013                | 0.18                                 | 0.069 U                       | 0.055 U                   | 0.04 U             | 0.04 U             | 0.081 U            | 0.25 J  | 0.44 NJ                    | 0.69         | 2.1 J      | 0.68 J   | 0.17              | 1.1 J   | 0.04 U                       | 1               | 0.051 U        |
| 9/19/2013                | 0.18                                 | 0.069 U                       | 0.055 U                   | 0.04 U             | 0.04 U             | 0.081 U            | 0.41    | 0.45                       | 0.42 J       | 1.5 J      | 0.52 J   | 0.12              | 1.1     | 0.04 U                       | 3.5             | 0.051 U        |
| 12/18/2013               | 0.32                                 | 0.14 U                        | 0.11 U                    | 0.081 U            | 0.079 U            | 0.16 U             | 1       | 0.67                       | 0.56         | 1.8        | 0.65     | 0.14 UJ           | 1.5     | 0.079 U                      | 5.8             | 0.1 U          |
| 3/20/2014                | 0.16 NJ                              | 0.069 U                       | 0.055 U                   | 0.04 U             | 0.051 U            | 0.17               | 0.62 J  | 0.66                       | 0.053 J      | 0.087 UJ   | 0.043 UJ | 0.14              | 0.69 J  | 0.04 U                       | 2.4             | 0.051 U        |
| 6/18/2014                | 0.055 U                              | 0.069 U                       | 0.055 U                   | 0.04 U             | 0.04 U             | 0.081 U            | 0.24    | 0.12                       | 0.92         | 3.6        | 1.4      | 0.14              | 1.7     | 0.04 U                       | 0.43            | 0.051 U        |
| 9/23/2014                | 0.27 U                               | 0.069 U                       | 0.055 U                   | 0.04 U             | 0.083              | 0.081 U            | 0.36    | 0.4                        | 0.52 J       | 2 J        | 0.73 J   | 0.073             | 1.6     | 0.04 U                       | 2.2             | 0.051 U        |
| 12/16/2014               | 0.45                                 | 0.27 U                        | 0.22 U                    | 0.16 U             | 0.16 U             | 0.32 U             | 2 J     | 1.9 J                      | 0.42         | 0.9 J      | 0.31 J   | 0.27 U            | 2.3 J   | 0.16 U                       | 18 J            | 0.2 U          |
| 3/24/2015                | 0.27                                 | 0.069 U                       | 0.055 U                   | 0.04 U             | 0.04 U             | 0.098              | 0.88    | 0.93                       | 0.51         | 1.7        | 0.73     | 1.4 J             | 1.3     | 0.04 U                       | 5.1             | 0.051 U        |
| 9/9/2015                 | 0.055 U                              | 0.069 U                       | 0.055 U                   | 0.040 U            | 0.040 U            | 0.081 U            | 0.44 J  | 0.12 NJ                    | 0.79         | 2.7        | 1.2      | 0.089             | 1.2     | 0.040 U                      | 0.47            | 0.051 U        |
| 12/15/2015               | 0.21 J+                              | 0.069 U                       | 0.055 U                   | 0.04 U             | 0.041              | 0.081 U*           | 0.37    | 0.54                       | 0.35         | 1.3        | 0.49     | 0.078             | 0.91    | 0.04 U                       | 2.0             | 0.051 U        |
| 3/31/2016                | 0.055 U                              | 0.069 U                       | 0.055 U                   | 0.04 U             | 0.04 U             | 0.081 U            | 0.36    | 0.19                       | 0.22         | 0.70       | 0.26     | 0.21              | 0.56    | 0.04 U                       | 2.0             | 0.051 U        |

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J+ - Estimated and may be biased high

NJ - Tentative in identification and estimated

**Table 2**  
**Building 11 Area Analytical Data Summary**  
**Former Philips Display Components Facility - Seneca Falls, New York**

| Sample ID                 | SVSS-B11-01                 |                           |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |         |
|---------------------------|-----------------------------|---------------------------|-----------------------|--------------------|--------------------|--------------------|---------|------------------------|--------------|------------|----------|-------------------|---------|--------------------------|-----------------|----------------|---------|
| Description               | BUILDING 11A SUB-SLAB VAPOR |                           |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |         |
| Volatile Organic Compound | 1,1,1-Trichloroethane       | 1,1,2,2-Tetrachloroethane | 1,1,2-Trichloroethane | 1,1-Dichloroethane | 1,1-Dichloroethene | 1,2-Dichloroethane | Benzene | cis-1,2-Dichloroethene | Ethylbenzene | m,p-Xylene | o-Xylene | Tetrachloroethene | Toluene | trans-1,2-Dichloroethene | Trichloroethene | Vinyl Chloride |         |
|                           | 7/17/2003                   | 1900 U                    | 2400 U                | 1900 U             | 1400 U             | 1400 U             | 1400 U  | 1100 U                 | 2600         | 1500 U     | 1500 U   | 1600 U            | 3700    | 1300 U                   | 1400 U          | 160000         | 900 U   |
|                           | 12/12/2006                  | 1.6 U                     | 2.1 U                 | 1.6 U              | 1.2 U              | 1.2 U              | 1.2 U   | 0.96 U                 | 12           | 1.3 U      | 3.3 U    | 1.3 U             | 18      | 3.4 J                    | 1.2 U           | 230            | 0.77 U  |
|                           | 8/30/2007                   | 1.1 U                     | 1.4 U                 | 1.1 U              | 0.81 U             | 0.79 U             | 0.81 U  | 0.64 U                 | 6.7          | 0.87 U     | 2.2 U    | 0.87 U            | 16      | 0.75 U                   | 0.79 U          | 140            | 0.51 U  |
|                           | 12/19/2012                  | 1.1 U                     | 1.4 U                 | 1.1 U              | 0.81 U             | 0.79 U             | 0.81 U  | 1.3 J                  | 2.2 J        | 0.87 UJ    | 2.2 UJ   | 0.87 UJ           | 2.6     | 1.4 J                    | 0.79 U          | 20             | 0.51 U  |
|                           | 12/18/2013                  | 1.1 UJ                    | 1.4 UJ                | 1.1 UJ             | 0.81 UJ            | 0.79 UJ            | 0.81 UJ | 0.64 UJ                | 1.1 J        | 0.87 UJ    | 2.2 UJ   | 0.87 UJ           | 3.2 J   | 0.75 UJ                  | 0.79 UJ         | 15 J           | 0.51 UJ |
|                           | 12/16/2014                  | 1.1 U                     | 1.4 U                 | 1.1 U              | 0.81 U             | 0.79 U             | 0.81 U  | 0.65                   | 2.8          | 0.87 U     | 2.2 U    | 0.87 U            | 3.4     | 0.99                     | 0.79 U          | 35             | 0.51 U  |
|                           | 12/16/2015                  | 1.1 U                     | 1.4 U                 | 1.1 U              | 0.81 U             | 0.79 U             | 0.81 U  | 0.64 U                 | 0.79 U       | 0.87 U     | 2.2 U    | 0.87 U            | 1.4 U   | 0.75 U                   | 0.79 U          | 4.6            | 0.51 U  |

Notes:

All values are shown in units of micrograms per cubic meter ( $\mu\text{g}/\text{m}^3$ ).

U - Not detected above reporting limit

J - Estimated

**Table 2**  
**Building 11 Area Analytical Data Summary**  
**Former Philips Display Components Facility - Seneca Falls, New York**

| Sample ID                 | IA-B13-01              |                           |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
|---------------------------|------------------------|---------------------------|-----------------------|--------------------|--------------------|--------------------|---------|------------------------|--------------|------------|----------|-------------------|---------|--------------------------|-----------------|----------------|
| Description               | BUILDING 13 INDOOR AIR |                           |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
| Volatile Organic Compound | 1,1,1-Trichloroethane  | 1,1,1,2-Tetrachloroethane | 1,1,2-Trichloroethane | 1,1-Dichloroethane | 1,1-Dichloroethene | 1,2-Dichloroethane | Benzene | cis-1,2-Dichloroethene | Ethylbenzene | m,p-Xylene | o-Xylene | Tetrachloroethene | Toluene | trans-1,2-Dichloroethene | Trichloroethene | Vinyl Chloride |
| 7/15/2003                 | 0.55                   | 0.14 U                    | 0.1 U                 | 0.08 U             | 0.044              | 0.08 U             | 2.3     | 1.1                    | 2.4          | 7.5        | 2.4      | 19                | 11      | 0.056 U                  | 11              | 0.026          |
| 10/2/2003                 | 2.8                    | 0.34 U                    | 0.27 U                | 0.2 U              | 0.52               | 0.2 U              | 1.9     | 4                      | 0.69         | 2          | 0.74     | 4.8               | 3.8     | 0.2 U                    | 13              | 0.13 U         |
| 1/20/2004                 | 1                      | 0.14 U                    | 0.11 U                | 0.081 U            | 0.23               | 0.12               | 1.5     | 2.1                    | 0.74         | 2.6        | 0.74     | 2.6               | 3.1     | 0.079 U                  | 8.6             | 0.051 U        |
| 2/14/2006                 | 1                      | 0.069 U                   | 0.055 U               | 0.04 UJ            | 0.14               | 0.04 U             | 3.1 D   | 1.1                    | 3.9          | 9.6        | 3.4      | 3.8               | 6.8 J   | 0.04 U                   | 41              | 0.056 J        |
| 6/28/2006                 | 0.22 U                 | 0.27 U                    | 0.22 U                | 0.16 U             | 0.16 U             | 0.32 U             | 2.1     | 0.44                   | 4.2          | 19         | 7.8      | 5.2               | 4.1     | 0.16 U                   | 1.6             | 0.2 U          |
| 9/13/2006                 | 1.6                    | 0.21 U                    | 0.16 U                | 0.12 U             | 0.12 U             | 0.24 U             | 3.8     | 1.5                    | 2.9          | 10         | 4.3      | 9.5               | 5.7     | 0.12 U                   | 16              | 0.15 U         |
| 12/12/2006                | 1.1                    | 0.27 U                    | 0.22 U                | 0.16 U             | 0.16 U             | 0.32 U             | 7.7     | 2.1                    | 3.6          | 9.1        | 3.2      | 7.5               | 9.8     | 0.16 U                   | 21              | 0.2 U          |
| 3/20/2007                 | 0.82                   | 0.14 U                    | 0.11 U                | 0.081 U            | 0.17               | 0.16 U             | 3.8     | 0.83                   | 1.3          | 4.3        | 1.5      | 1.8               | 7.5     | 0.079 U                  | 5.4             | 0.1 U          |
| 6/21/2007                 | 0.38                   | 0.1 U                     | 0.082 U               | 0.061 U            | 0.067              | 0.12 U             | 1.4     | 0.95                   | 2            | 6.5        | 2.4      | 4.5               | 4.1     | 0.059 U                  | 2.6             | 0.077 U        |
| 9/19/2007                 | 0.45                   | 0.14 U                    | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 1.3     | 1.3                    | 2            | 6.9        | 2.5      | 1.3               | 2.9     | 0.079 U                  | 6.4             | 0.1 U          |
| 12/11/2007                | 0.87                   | 0.27 U                    | 0.22 U                | 0.16 U             | 0.16 U             | 0.32 U             | 2.9     | 1.7                    | 1.3          | 4.3        | 1.7      | 7.5               | 6       | 0.16 U                   | 12              | 0.2 U          |
| 3/26/2008                 | 0.2                    | 0.12 U                    | 0.093 U               | 0.069 U            | 0.067 U            | 0.14 U             | 2.7     | 0.48                   | 0.83         | 3          | 1.1      | 0.61              | 3.7     | 0.067 U                  | 2.6             | 0.087 U        |
| 6/17/2008                 | 0.21                   | 0.12 U                    | 0.093 U               | 0.069 U            | 0.079              | 0.13 U             | 1.5     | 0.52                   | 2.9 NJ       | 11 J       | 3.8      | 8.1               | 3.3     | 0.067 U                  | 1.5             | 0.084 U        |
| 9/24/2008                 | 1.6                    | 0.1 U                     | 0.082 U               | 0.061 U            | 0.39               | 0.12 U             | 0.8     | 0.63                   | 0.96         | 3.5        | 1.1      | 0.31              | 3.8     | 0.059 U                  | 4.1             | 0.077 U        |
| 12/18/2008                | 1.4                    | 0.14 U                    | 0.11 U                | 0.081 U            | 0.29               | 0.16 U             | 2       | 0.56                   | 0.74         | 2.3        | 0.78     | 0.22              | 3.8     | 0.079 U                  | 5.2             | 0.1 U          |
| 3/26/2009                 | 0.65                   | 0.14 U                    | 0.11 U                | 0.081 U            | 0.14               | 0.16 U             | 1.9     | 1.3                    | 1.4          | 5.2        | 1.7      | 0.63              | 5.3     | 0.079 U                  | 7.5             | 0.1 U          |
| 6/25/2009                 | 0.53                   | 0.27 U                    | 0.22 U                | 0.16 U             | 0.27               | 0.32 U             | 1.9     | 0.95                   | 2.6          | 8.7        | 2.6      | 0.75              | 11      | 0.16 U                   | 5.4             | 0.2 U          |
| 9/23/2009                 | 0.39                   | 0.14 U                    | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 2.2     | 0.95                   | 1.8          | 6.9        | 2.2      | 0.66              | 6.4     | 0.079 U                  | 3.5             | 0.1 U          |
| 12/17/2009                | 1.4                    | 0.069 U                   | 0.055 U               | 0.053              | 0.4                | 0.081 U            | 0.48    | 0.19                   | 0.16         | 0.52       | 0.18     | 0.068 U           | 0.6     | 0.04 U                   | 2.4             | 0.051 U        |
| 3/24/2010                 | 1.2                    | 0.069 U                   | 0.055 U               | 0.049              | 0.34               | 0.081 U            | 0.73    | 0.33                   | 0.48         | 1.7        | 0.56     | 0.16              | 2.1     | 0.04 U                   | 1.8             | 0.051 U        |
| 6/22/2010                 | 0.93                   | 0.14 U                    | 0.11 U                | 0.081 U            | 0.31               | 0.16 U             | 1.5     | 1.3                    | 2.1          | 7.8        | 2.4 J    | 0.51              | 4.5     | 0.079 U                  | 6.4             | 0.1 U          |
| 9/22/2010                 | 0.27 J                 | 0.27 UJ                   | 0.22 UJ               | 0.16 UJ            | 0.16 UJ            | 0.32 UJ            | 3.5 J   | 1.1 J                  | 1.3 J        | 4.6 J      | 1.5 J    | 1.2 J             | 7.3 J   | 0.16 UJ                  | 3.7 J           | 0.2 UJ         |
| 12/28/2010                | 0.59                   | 0.14 U                    | 0.11 U                | 0.081 U            | 0.21               | 0.16 U             | 2.1     | 0.25                   | 0.54         | 1.6        | 0.58     | 0.54              | 5.2     | 0.079 U                  | 6.9             | 0.1 U          |
| 3/23/2011                 | 0.72                   | 0.069 U                   | 0.055 U               | 0.04 U             | 0.18               | 0.081 U            | 0.79    | 0.44                   | 0.45         | 1.7        | 0.6      | 0.67              | 1.3     | 0.04 U                   | 2.1             | 0.051 U        |
| 6/22/2011                 | 0.21                   | 0.1 U                     | 0.082 U               | 0.061 U            | 0.058              | 0.12 U             | 2.2     | 0.39                   | 1.4          | 5          | 1.5      | 2.2               | 4.6     | 0.059 U                  | 1.5             | 0.077 U        |
| 9/21/2011                 | 0.82                   | 0.069 U                   | 0.055 U               | 0.04 U             | 0.15               | 0.081              | 1.7     | 0.97                   | 1.8          | 7.1        | 2.5      | 1.2               | 3       | 0.04 U                   | 2.8             | 0.051 U        |
| 12/20/2011                | 0.68                   | 0.069 U                   | 0.055 U               | 0.04 U             | 0.22 NJ            | 0.085 U            | 1.3     | 0.25 NJ                | 1.3          | 2.5        | 1 NJ     | 1.4               | 3.5     | 0.04 U                   | 3.1             | 0.051 U        |
| 3/28/2012                 | 0.39                   | 0.34 U                    | 0.27 U                | 0.2 U              | 0.2 U              | 0.4 U              | 2.1     | 0.61                   | 7.1          | 3          | 1.6 NJ   | 0.9               | 9.8     | 0.2 U                    | 3.9             | 0.26 U         |
| 6/14/2012                 | 0.27 U                 | 0.34 U                    | 0.27 U                | 0.2 U              | 0.2 U              | 0.4 U              | 1.5     | 0.2 U                  | 9.4          | 1.5        | 1.3      | 0.34              | 7.9     | 0.2 U                    | 0.53            | 0.26 U         |
| 10/9/2012                 | 0.6                    | 0.14 U                    | 0.11 U                | 0.081 U            | 0.2                | 0.16 U             | 0.68    | 0.46                   | 0.55         | 2.2        | 0.72     | 0.14 U            | 1       | 0.079 U                  | 3.3             | 0.1 U          |
| 1/3/2013                  | 0.69                   | 0.069 U                   | 0.055 U               | 0.04 U             | 0.21               | 0.081 U            | 0.56    | 0.3                    | 0.48         | 2          | 0.61     | 0.15              | 1.1     | 0.04 U                   | 2.6             | 0.051 U        |
| 3/28/2013                 | 0.22 J                 | 0.069 UJ                  | 0.055 U               | 0.04 U             | 0.063 NJ           | 0.081 U            | 0.15    | 0.05                   | 0.043 U      | 0.087 UJ   | 0.043 UJ | 0.068 U           | 0.038 U | 0.04 U                   | 0.38            | 0.051 U        |
| 6/19/2013                 | 0.15                   | 0.069 U                   | 0.055 U               | 0.04 U             | 0.08               | 0.081 U            | 0.16    | 0.04 U                 | 0.28         | 1.1        | 0.33     | 0.068 U           | 1       | 0.04 U                   | 0.5             | 0.051 U        |
| 9/19/2013                 | 0.45                   | 0.069 U                   | 0.055 U               | 0.04 U             | 0.094 U            | 0.081 U            | 0.41    | 0.41 U                 | 0.059        | 0.087 U    | 0.043 U  | 0.068 U           | 0.67    | 0.04 U                   | 2.3             | 0.051 U        |
| 12/18/2013                | 0.62 J                 | 0.14 UJ                   | 0.11 UJ               | 0.081 UJ           | 0.18 J             | 0.16 UJ            | 0.94 J  | 0.5 J                  | 0.53 J       | 0.88 J     | 0.32 J   | 0.14 UJ           | 1.2 J   | 0.079 UJ                 | 4.7 J           | 0.1 UJ         |
| 3/20/2014                 | 0.21 NJ                | 0.069 U                   | 0.055 U               | 0.04 U             | 0.082              | 0.1                | 0.77    | 0.31                   | 0.25         | 0.8        | 0.28     | 0.13              | 1.2     | 0.04 U                   | 1.8             | 0.051 U        |
| 6/18/2014                 | 0.055 U                | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.21    | 0.04 U                 | 0.47         | 1.6        | 0.51     | 0.079             | 1.3     | 0.04 U                   | 0.2             | 0.051 U        |
| 9/23/2014                 | 0.82 NJ                | 0.069 U                   | 0.055 U               | 0.04 U             | 0.3                | 0.081 U            | 0.43    | 0.55                   | 0.99         | 3.8        | 1.5      | 0.1               | 3.4     | 0.04 U                   | 3               | 0.051 U        |
| 12/16/2014                | 0.92                   | 0.14 U                    | 0.11 U                | 0.081 U            | 0.28               | 0.16 U             | 0.9     | 1                      | 1.1          | 3          | 1.2 J+   | 0.14 U            | 3.4     | 0.079 U                  | 9.4             | 0.1 U          |
| 3/24/2015                 | 0.15                   | 0.069 U                   | 0.055 U               | 0.04 U             | 0.18               | 0.081 U            | 0.050   | 0.23                   | 0.043 U      | 0.087 U    | 0.043 U  | 0.068 U           | 0.038 U | 0.04 U                   | 0.16            | 0.051 U        |
| 6/15/2015                 | 0.089 NJ               | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.11 NJ            | 0.21    | 0.04 U                 | 0.092        | 0.085      | 0.043 U  | 0.068 U           | 0.25    | 0.04 U                   | 0.45            | 0.051 U        |
| 9/9/2015                  | 0.11                   | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.33    | 0.20                   | 1.5          | 3.3        | 1.6      | 0.12              | 1.8     | 0.04 U                   | 0.72            | 0.051 U        |
| 12/15/2015                | 0.30 J+                | 0.069 U                   | 0.055 U               | 0.04 U             | 0.095              | 0.081 U*           | 0.34    | 0.43                   | 0.42         | 1.6        | 0.62     | 0.070             | 1.3     | 0.04 U                   | 1.8             | 0.051 U        |
| 3/31/2016                 | 0.070                  | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.40    | 0.36                   | 0.27         | 0.58       | 0.19     | 0.14              | 1.1     | 0.04 U                   | 3.1             | 0.051 U        |

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J - Estimated

J+ - Estimated and may be biased high

NJ - Tentative in identification and estimated

**Table 2**  
**Building 11 Area Analytical Data Summary**  
**Former Philips Display Components Facility - Seneca Falls, New York**

| Sample ID                 | SVSS-B13-01                |                           |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
|---------------------------|----------------------------|---------------------------|-----------------------|--------------------|--------------------|--------------------|---------|------------------------|--------------|------------|----------|-------------------|---------|--------------------------|-----------------|----------------|
| Description               | BUILDING 13 SUB-SLAB VAPOR |                           |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
| Volatile Organic Compound | 1,1,1-Trichloroethane      | 1,1,2,2-Tetrachloroethane | 1,1,2-Trichloroethane | 1,1-Dichloroethane | 1,1-Dichloroethene | 1,2-Dichloroethane | Benzene | cis-1,2-Dichloroethene | Ethylbenzene | m,p-Xylene | o-Xylene | Tetrachloroethene | Toluene | trans-1,2-Dichloroethene | Trichloroethene | Vinyl Chloride |
| 7/17/2003                 | 18                         | 0.14 U                    | 0.1 U                 | 0.08 U             | 0.04 U             | 0.08 U             | 3.6     | 0.056 U                | 1.5          | 22         | 6.6      | 37                | 11      | 0.056 U                  | 2.8             | 0.02 U         |
| 2/14/2006                 | 11 U                       | 14 U                      | 11 U                  | 8.1 U              | 7.9 U              | 8.1 U              | 6.4 U   | 7.9 U                  | 8.7 U        | 22 U       | 8.7 U    | 14 U              | 7.5 U   | 7.9 U                    | 11 U            | 5.1 U          |
| 12/12/2006                | 8.2                        | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 13                | 0.75 U  | 0.79 U                   | 1.3             | 0.51 U         |
| 12/11/2007                | 3.9                        | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 5.8               | 0.75 U  | 0.79 U                   | 1.1             | 0.51 U         |
| 12/18/2008                | 3.5                        | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.67    | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 3.5               | 1.3     | 0.79 U                   | 1.6             | 0.51 U         |
| 12/17/2009                | 3.2                        | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 3.3               | 0.75 U  | 0.79 U                   | 1.1             | 0.51 U         |
| 12/28/2010                | 2.1                        | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.68    | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 2.6               | 1.1     | 0.79 U                   | 2.1             | 0.51 U         |
| 12/20/2011                | 5.5 U                      | 6.9 U                     | 5.5 U                 | 4 U                | 4 U                | 4 U                | 3.2 U   | 4 U                    | 4.3 U        | 11 U       | 4.3 U    | 6.8 U             | 3.8 U   | 4 U                      | 5.4 U           | 2.6 U          |
| 12/19/2012                | 2.2                        | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 1.2     | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 4.2               | 2       | 0.79 U                   | 1.1 U           | 0.51 U         |
| 12/18/2013                | 1.4                        | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 4.6               | 0.75 U  | 0.79 U                   | 1.6             | 0.51 U         |
| 12/16/2014                | 1.1 U                      | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 1.4 U             | 0.75 U  | 0.79 U                   | 1.1 U           | 0.51 U         |
| 12/16/2015                | 1.1 U                      | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 1.5               | 0.98    | 0.79 U                   | 1.9             | 0.51 U         |

Notes:

All values are shown in units of micrograms per cubic meter ( $\mu\text{g}/\text{m}^3$ ).

NS - Not Sampled

**Table 2**  
**Building 11 Area Analytical Data Summary**  
**Former Philips Display Components Facility - Seneca Falls, New York**

| Sample ID<br>Description | IA-B13A-01<br>BUILDING 13A INDOOR AIR |                           |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
|--------------------------|---------------------------------------|---------------------------|-----------------------|--------------------|--------------------|--------------------|---------|------------------------|--------------|------------|----------|-------------------|---------|--------------------------|-----------------|----------------|
|                          | 1,1,1-Trichloroethane                 | 1,1,2,2-Tetrachloroethane | 1,1,2-Trichloroethane | 1,1-Dichloroethane | 1,1-Dichloroethene | 1,2-Dichloroethane | Benzene | cis-1,2-Dichloroethene | Ethylbenzene | m,p-Xylene | o-Xylene | Tetrachloroethene | Toluene | trans-1,2-Dichloroethene | Trichloroethene | Vinyl Chloride |
| 7/15/2003                | 0.58                                  | 0.14 U                    | 0.1 U                 | 0.08 U             | 0.054              | 0.08 U             | 2.6     | 1.2                    | 3.1          | 9.6        | 3.1      | 20                | 12      | 0.056 U                  | 11              | 0.02 U         |
| 10/2/2003                | 1.9                                   | 0.069 U                   | 0.055 U               | 0.04 U             | 0.25               | 0.04 U             | 1.8     | 3.1                    | 0.78         | 2.6        | 0.043 U  | 3.9               | 4.1     | 0.04 U                   | 12              | 0.026 U        |
| 1/20/2004                | 1                                     | 0.21 U                    | 0.16 U                | 0.12 U             | 0.12 U             | 0.12 U             | 1.2     | 1.5                    | 0.56         | 1.7        | 0.56     | 2.2               | 2.6     | 0.12 U                   | 7               | 0.077 U        |
| 2/14/2006                | 0.93                                  | 0.069 U                   | 0.055 U               | 0.04 UJ            | 0.12               | 0.04 U             | 2.7     | 0.91                   | 3.9          | 12         | 3.9      | 2.9               | 6.8 J   | 0.04 U                   | 15              | 0.049 J        |
| 6/28/2006                | 0.23                                  | 0.27 U                    | 0.22 U                | 0.16 U             | 0.16 U             | 0.32 U             | 2.4     | 0.67                   | 4.8          | 21         | 8.3      | 8.1               | 4.5     | 0.16 U                   | 2.2             | 0.2 U          |
| 9/13/2006                | 1.5                                   | 0.27 U                    | 0.22 U                | 0.16 U             | 0.16 U             | 0.32 U             | 3.5     | 1.8                    | 3            | 11         | 4.3      | 8.1               | 6       | 0.16 U                   | 15              | 0.2 U          |
| 12/12/2006               | 1.1                                   | 0.27 U                    | 0.22 U                | 0.16 U             | 0.16 U             | 0.32 U             | 6.7     | 1.8                    | 3.7          | 9.1        | 3        | 6.8               | 9       | 0.16 U                   | 19              | 0.2 U          |
| 3/20/2007                | 1.1                                   | 0.21 U                    | 0.16 U                | 0.12 U             | 0.12 U             | 0.24 U             | 3.5     | 1.4                    | 1.9          | 6.1        | 2.1      | 3                 | 8.7     | 0.12 U                   | 10              | 0.15 U         |
| 6/21/2007                | 0.41                                  | 0.082 U                   | 0.065 U               | 0.049 U            | 0.095              | 0.1 U              | 1.2     | 1.1                    | 3.7          | 9.6        | 3.5      | 5.2               | 4.1     | 0.048 U                  | 3.1             | 0.064 U        |
| 9/19/2007                | 0.45                                  | 0.14 U                    | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 1.3     | 1.3                    | 2.6          | 9.1        | 3.1      | 1.3               | 3.5     | 0.079 U                  | 6.4             | 0.1 U          |
| 12/11/2007               | 0.93                                  | 0.27 U                    | 0.22 U                | 0.16 U             | 0.16 U             | 0.32 U             | 2.5     | 1.7                    | 1.3          | 4.3        | 1.5      | 8.1               | 4.5     | 0.16 U                   | 12              | 0.2 U          |
| 3/26/2008                | 0.27                                  | 0.14 U                    | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 1.9     | 0.95                   | 1.4          | 5.2        | 1.8      | 1.2               | 4.9     | 0.079 U                  | 5.2             | 0.1 U          |
| 6/17/2008                | 0.25                                  | 0.14 U                    | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 1.7     | 0.75                   | 4.3          | 17         | 6.1      | 0.75              | 4.5     | 0.079 U                  | 1.9             | 0.1 U          |
| 9/24/2008                | 1.3                                   | 0.069 U                   | 0.055 U               | 0.04 U             | 0.33               | 0.081 U            | 0.7     | 0.48                   | 0.96         | 3.5        | 1.1      | 0.25              | 3.3     | 0.04 U                   | 3.3             | 0.051 U        |
| 12/18/2008               | 1.3                                   | 0.14 U                    | 0.11 U                | 0.081 U            | 0.28               | 0.16 U             | 1.3     | 0.56                   | 0.52         | 1.7        | 0.61     | 0.22              | 2.4     | 0.079 U                  | 4.7             | 0.1 U          |
| 3/26/2009                | 0.65                                  | 0.1 U                     | 0.082 U               | 0.061 U            | 0.14               | 0.12 U             | 2.1     | 1.2                    | 1.6          | 5.6        | 1.8      | 0.88              | 4.1     | 0.059 U                  | 8.1             | 0.077 U        |
| 6/25/2009                | 0.35                                  | 0.17 U                    | 0.14 U                | 0.1 U              | 0.11               | 0.2 U              | 1.9     | 0.48                   | 2.7          | 9.1        | 2.6      | 0.5               | 7.9     | 0.099 U                  | 3.3             | 0.13 U         |
| 9/23/2009                | 0.35                                  | 0.14 U                    | 0.11 U                | 0.081 U            | 0.11               | 0.16 U             | 2.3     | 0.59                   | 2            | 6.9        | 2.2      | 0.54              | 5.3     | 0.079 U                  | 3.4             | 0.1 U          |
| 12/17/2009               | 1.5                                   | 0.069 U                   | 0.055 U               | 0.065              | 0.37               | 0.081 U            | 0.54    | 0.25                   | 0.36         | 1.2        | 0.38     | 0.095             | 0.94    | 0.04 U                   | 2.7             | 0.051 U        |
| 3/24/2010                | 1.3                                   | 0.069 U                   | 0.055 U               | 0.061              | 0.4                | 0.081 U            | 0.67    | 0.4                    | 0.61         | 2          | 0.65     | 0.19              | 1.9     | 0.04 U                   | 2.1             | 0.051 U        |
| 6/22/2010                | 0.82                                  | 0.1 U                     | 0.082 U               | 0.061 U            | 0.25               | 0.12 U             | 1.2     | 0.67                   | 2.8          | 9.6        | 3 J      | 0.41              | 4.5     | 0.059 U                  | 4.7             | 0.077 U        |
| 9/22/2010                | 0.26 U                                | 0.17 U                    | 0.14 U                | 0.1 U              | 0.099 U            | 0.2 U              | 3.1     | 1.1                    | 1.4          | 4.6        | 1.6      | 1.2               | 7.1     | 0.099 U                  | 3.4             | 0.13 U         |
| 12/28/2010               | 0.75                                  | 0.069 U                   | 0.055 U               | 0.041 NJ           | 0.2                | 0.081 U            | 1.3     | 0.096                  | 0.26         | 0.67       | 0.24     | 0.14              | 1.4     | 0.04 U                   | 2.3             | 0.051 U        |
| 3/23/2011                | 0.54                                  | 0.069 U                   | 0.055 U               | 0.04 U             | 0.12               | 0.081 U            | 0.75    | 0.39                   | 0.47         | 1.7        | 0.59     | 0.62              | 1.2     | 0.04 U                   | 1.8             | 0.051 U        |
| 6/22/2011                | 0.33 NJ                               | 0.14 U                    | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 1.5     | 0.4                    | 1.8          | 6.8        | 2.2      | 2.9               | 3       | 0.079 U                  | 2.4             | 0.1 U          |
| 9/21/2011                | 0.46                                  | 0.069 U                   | 0.055 U               | 0.04 U             | 0.12               | 0.081 U            | 1.7     | 0.51 NJ                | 1.4          | 5.4        | 1.9      | 0.57              | 3       | 0.04 U                   | 1.4             | 0.051 U        |
| 12/20/2011               | 0.5                                   | 0.069 U                   | 0.055 U               | 0.04 U             | 0.17 NJ            | 0.081 U            | 0.97    | 0.25                   | 1.2          | 2.7        | 1.1 NJ   | 1.4               | 3.1     | 0.04 U                   | 2.7             | 0.051 U        |
| 3/28/2012                | 0.36                                  | 0.34 U                    | 0.27 U                | 0.2 U              | 0.2 U              | 0.4 U              | 1.8     | 0.52                   | 5.8          | 2.5        | 1.4 NJ   | 0.66              | 7.9     | 0.2 U                    | 3.2             | 0.26 U         |
| 6/14/2012                | 0.27 U                                | 0.34 U                    | 0.27 U                | 0.2 U              | 0.2 U              | 0.4 U              | 1.4     | 0.2 U                  | 9.6          | 3.1        | 1.8 U    | 0.35              | 8       | 0.2 U                    | 0.72            | 0.26 U         |
| 10/9/2012                | 0.33                                  | 0.069 U                   | 0.055 U               | 0.04 U             | 0.12               | 0.081 U            | 0.44    | 0.25                   | 0.69         | 2.5        | 0.89     | 0.068 U           | 1       | 0.04 U                   | 1.6             | 0.051 U        |
| 1/3/2013                 | 0.58                                  | 0.069 U                   | 0.055 U               | 0.04 U             | 0.18               | 0.081 U            | 0.51    | 0.28                   | 0.45         | 1.8        | 0.55     | 0.078             | 2       | 0.04 U                   | 3.7             | 0.051 U        |
| 3/28/2013                | 0.34                                  | 0.069 UJ                  | 0.055 U               | 0.04 U             | 0.086 J            | 0.087              | 0.55    | 0.17                   | 0.66         | 0.75 J     | 0.3 J    | 0.068 U           | 0.62    | 0.04 U                   | 1               | 0.051 U        |
| 6/19/2013                | 0.13                                  | 0.069 U                   | 0.055 U               | 0.04 U             | 0.08               | 0.081 U            | 0.29    | 0.04 U                 | 0.11         | 0.2        | 0.049    | 1.2               | 1.1     | 0.04 U                   | 0.53            | 0.051 U        |
| 9/19/2013                | 0.72                                  | 0.069 U                   | 0.055 U               | 0.04 U             | 0.18 U             | 0.082 NJ           | 0.55    | 0.43 NJ                | 0.99         | 3.1        | 1.1      | 0.11              | 2.1     | 0.04 U                   | 2.1             | 0.051 U        |
| 12/18/2013               | 0.58                                  | 0.14 U                    | 0.11 U                | 0.081 U            | 0.12               | 0.16 U             | 0.95    | 0.61                   | 0.56         | 1.2        | 0.41     | 0.14 U            | 1.4     | 0.079 U                  | 5.3             | 0.1 U          |
| 3/20/2014                | 0.23 NJ                               | 0.069 U                   | 0.055 U               | 0.04 U             | 0.075 NJ           | 0.1                | 0.75    | 0.34                   | 0.29         | 0.95       | 0.33     | 0.15              | 1.2     | 0.04 U                   | 2.1             | 0.051 U        |
| 6/18/2014                | 0.055 U                               | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.29    | 0.04 U                 | 0.68         | 2.3        | 0.77     | 0.24              | 2.1     | 0.04 U                   | 0.24            | 0.051 U        |
| 9/23/2014                | 0.61 NJ                               | 0.14 U                    | 0.11 U                | 0.081 U            | 0.25               | 0.16 U             | 0.46    | 0.38                   | 0.88         | 2.8        | 1.2      | 0.14 U            | 4.3     | 0.079 U                  | 2.2             | 0.1 U          |
| 12/16/2014               | 1                                     | 0.14 U                    | 0.11 U                | 0.081 U            | 0.3                | 0.16 U             | 0.88    | 1.1                    | 1.2          | 3.8        | 1.6 J+   | 0.14 U            | 3.5     | 0.079 U                  | 8.3             | 0.1 U          |
| 3/24/2015                | 0.46                                  | 0.069 U                   | 0.055 U               | 0.04 U             | 0.19               | 0.096              | 0.65    | 0.40                   | 0.65         | 2.2        | 0.95     | 0.068 U           | 1.1     | 0.04 U                   | 2.1             | 0.051 U        |
| 6/15/2015                | 0.13 NJ                               | 0.14 U                    | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 0.57    | 0.29                   | 4.3          | 9.5        | 5.6      | 0.14 U            | 4.9     | 0.079 U                  | 0.85            | 0.1 U          |
| 9/9/2015                 | 0.10                                  | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.42    | 0.04 U                 | 1.1          | 3.5        | 1.9      | 0.12              | 2.0     | 0.04 U                   | 0.66            | 0.051 U        |
| 12/15/2015               | 0.15 J+                               | 0.069 U                   | 0.055 U               | 0.04 U             | 0.040              | 0.081 U*           | 0.31    | 0.30                   | 0.45         | 1.7        | 0.63     | 0.068 U           | 1.2     | 0.04 U                   | 1.4             | 0.051 U        |
| 3/31/2016                | 0.055 U                               | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.33    | 0.32                   | 0.043 U      | 0.087 U    | 0.043 U  | 0.089             | 0.40    | 0.04 U                   | 2.7             | 0.051 U        |

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J - Estimated

J+ - Estimated and may be biased high

NS - Not Sampled

**Table 2**  
**Building 11 Area Analytical Data Summary**  
**Former Philips Display Components Facility - Seneca Falls, New York**

| Sample ID<br>Description | SVSS-B13A-01                |                           |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
|--------------------------|-----------------------------|---------------------------|-----------------------|--------------------|--------------------|--------------------|---------|------------------------|--------------|------------|----------|-------------------|---------|--------------------------|-----------------|----------------|
|                          | BUILDING 13A SUB-SLAB VAPOR |                           |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
|                          | 1,1,1-Trichloroethane       | 1,1,2,2-Tetrachloroethane | 1,1,2-Trichloroethane | 1,1-Dichloroethane | 1,1-Dichloroethene | 1,2-Dichloroethane | Benzene | cis-1,2-Dichloroethene | Ethylbenzene | m,p-Xylene | o-Xylene | Tetrachloroethene | Toluene | trans-1,2-Dichloroethene | Trichloroethene | Vinyl Chloride |
| 7/17/2003                | 1.4                         | 0.28 U                    | 0.2 U                 | 0.16 U             | 0.08 U             | 0.16 U             | 0.32    | 1.2                    | 0.17 U       | 0.59       | 0.24     | 5.1               | 0.35    | 0.11 U                   | 53              | 0.04 U         |
| 2/14/2006                | 11 U                        | 14 U                      | 11 U                  | 8.1 U              | 7.9 U              | 8.1 U              | 6.4 U   | 7.9 U                  | 8.7 U        | 22 U       | 8.7 U    | 14 U              | 7.5 U   | 7.9 U                    | 34              | 5.1 U          |
| 12/12/2006               | 1.9                         | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 11                     | 0.87 U       | 2.2 U      | 0.87 U   | 1.4 U             | 0.75 U  | 0.79 U                   | 64              | 0.51 U         |
| 12/11/2007               | 1.1 U                       | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 1.4 U             | 0.75 U  | 0.79 U                   | 1.1 U           | 0.51 U         |
| 12/18/2008               | 1.1 U                       | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 1.4 U             | 0.75 U  | 0.79 U                   | 1.1 U           | 0.51 U         |
| 12/17/2009               | 1.1 U                       | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 1.4 U             | 0.75 U  | 0.79 U                   | 1.1 U           | 0.51 U         |
| 12/28/2010               | 1.1 U                       | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 1.4 U             | 0.75 U  | 0.79 U                   | 1.1 U           | 0.51 U         |
| 12/20/2011               | 1.1 U                       | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 1.4 U             | 1.1     | 0.79 U                   | 1.1 U           | 0.51 U         |
| 12/19/2012               | 1.3                         | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 1.4 U             | 0.75 U  | 0.79 U                   | 1.1 U           | 0.51 U         |
| 12/18/2013               | 1.1 U                       | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 11 J              | 0.75 U  | 0.79 U                   | 8.2             | 0.51 U         |
| 12/16/2014               | 2.5                         | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 3.1               | 1.4     | 0.79 U                   | 1.1             | 0.51 U         |
| 12/16/2015               | 1.1 U                       | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 1.4 U             | 0.75 U  | 0.79 U                   | 1.1 U           | 0.51 U         |

Notes:

All values are shown in units of micrograms per cubic meter ( $\mu\text{g}/\text{m}^3$ ).

U - Not detected above reporting limit

**Table 3**  
**Building 7 Area Analytical Data Summary**  
**Former Philips Display Components Facility - Seneca Falls, New York**

| Sample ID                 | IA-B7-01                        |                           |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
|---------------------------|---------------------------------|---------------------------|-----------------------|--------------------|--------------------|--------------------|---------|------------------------|--------------|------------|----------|-------------------|---------|--------------------------|-----------------|----------------|
| Description               | BUILDING 7 WAREHOUSE INDOOR AIR |                           |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
| Volatile Organic Compound | 1,1,1-Trichloroethane           | 1,1,2,2-Tetrachloroethane | 1,1,2-Trichloroethane | 1,1-Dichloroethane | 1,1-Dichloroethene | 1,2-Dichloroethane | Benzene | cis-1,2-Dichloroethene | Ethylbenzene | m-p-Xylene | o-Xylene | Tetrachloroethene | Toluene | trans-1,2-Dichloroethene | Trichloroethene | Vinyl Chloride |
| 7/15/2003                 | 0.42                            | 0.14 U                    | 0.1 U                 | 0.08 U             | 0.04 U             | 0.08 U             | 1.1     | 0.21                   | 1.1          | 3.6        | 1.3      | 0.62              | 7       | 0.056 U                  | 2.7             | 0.02 U         |
| 10/2/2003                 | 0.45                            | 0.34 U                    | 0.27 U                | 0.2 U              | 0.2 U              | 0.2 U              | 1.4     | 0.95                   | 1.6          | 3          | 0.87     | 0.62              | 2.5     | 0.2 U                    | 13              | 0.13 U         |
| 1/20/2004                 | 0.35                            | 0.21 U                    | 0.16 U                | 0.12 U             | 0.12 U             | 0.12 U             | 2.5     | 1                      | 2.6          | 10         | 3.1      | 2.2               | 9.4     | 0.12 U                   | 5.9             | 0.077 U        |
| 3/31/2005                 | 0.15                            | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 1.4                | 1.2     | 0.12                   | 0.74         | 3          | 1.1      | 0.28              | 3.4     | 0.04 U                   | 1               | 0.026 U        |
| 12/12/2006                | 0.28                            | 0.34 U                    | 0.27 U                | 0.2 U              | 0.2 U              | 0.4 U              | 6.1     | 0.52                   | 2.6          | 9.1        | 3.2      | 4.5               | 16      | 0.2 U                    | 5.9             | 0.26 U         |
| 3/20/2007                 | 0.43                            | 0.34 U                    | 0.27 U                | 0.2 U              | 0.2 U              | 0.4 U              | 3.5     | 0.95                   | 0.87         | 2.8        | 1        | 2.4               | 5.3     | 0.2 U                    | 18              | 0.26 U         |
| 6/21/2007                 | 0.055                           | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.29    | 0.095                  | 0.24         | 0.74       | 0.24     | 0.19              | 1.4     | 0.04 U                   | 0.64            | 0.051 U        |
| 9/19/2007                 | 0.06                            | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.42    | 0.075                  | 0.23         | 0.56       | 0.22     | 0.14              | 1.4     | 0.04 U                   | 1.1             | 0.051 U        |
| 12/11/2007                | 0.16 U                          | 0.21 U                    | 0.16 U                | 0.12 U             | 0.12 U             | 0.24 U             | 2       | 0.63                   | 0.78         | 2.5        | 0.87     | 3                 | 5.3     | 0.12 U                   | 3.9             | 0.15 U         |
| 3/26/2008                 | 0.14                            | 0.14 U                    | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 2.2     | 0.75                   | 0.87         | 3.2        | 1.1      | 0.75              | 7.2     | 0.079 U                  | 9.7             | 0.1 U          |
| 6/17/2008                 | 0.11 U                          | 0.14 U                    | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 1.2     | 0.44                   | 1.3          | 4.8        | 1.7      | 0.35              | 6.8     | 0.079 U                  | 1.5             | 0.1 U          |
| 9/25/2008                 | 0.16 U                          | 0.21 U                    | 0.16 U                | 0.12 U             | 0.12 U             | 0.24 U             | 1.2     | 0.12                   | 1.1          | 4          | 1.6      | 0.28              | 8.3     | 0.12 U                   | 1.2             | 0.15 U         |
| 12/18/2008                | 0.6 U                           | 0.76 U                    | 0.6 U                 | 0.45 U             | 0.44 U             | 0.89 U             | 5.8     | 0.52                   | 4.3          | 14         | 4.8      | 0.75 U            | 27      | 0.44 U                   | 6.4             | 0.56 U         |
| 3/26/2009                 | 0.18 U                          | 0.23 U                    | 0.18 U                | 0.13 U             | 0.13 U             | 0.27 U             | 2.1     | 4.4                    | 0.91         | 3.1        | 1.2      | 0.36              | 8.3     | 0.13 U                   | 4.8             | 0.95           |
| 6/25/2009                 | 0.27 U                          | 0.34 U                    | 0.27 U                | 0.2 U              | 0.2 U              | 0.4 U              | 2.8     | 0.34 NJ                | 2.1          | 6.5        | 2.4      | 0.34 U            | 13      | 0.2 U                    | 2.5             | 0.26 U         |
| 9/23/2009                 | 0.082 U                         | 0.1 U                     | 0.082 U               | 0.061 U            | 0.059 U            | 0.12 U             | 1.1     | 0.067                  | 0.74         | 2.2        | 0.83     | 0.1 U             | 4.5     | 0.059 U                  | 0.7             | 0.077 U        |
| 12/17/2009                | 0.11 U                          | 0.14 U                    | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 2.8     | 0.26                   | 1.5          | 5.6        | 2.1      | 0.14 U            | 7.2     | 0.079 U                  | 5.4             | 0.1 U          |
| 3/24/2010                 | 0.16 U                          | 0.21 U                    | 0.16 U                | 0.12 U             | 0.12 U             | 0.24 U             | 3.2     | 0.75                   | 1.9          | 6.9        | 2.4      | 1.2               | 11      | 0.12 U                   | 4.7             | 0.15 U         |
| 6/22/2010                 | 0.14 U                          | 0.17 U                    | 0.14 U                | 0.1 U              | 0.099 U            | 0.2 U              | 0.73    | 0.099                  | 0.61         | 2          | 0.87 J   | 0.17 U            | 4.9     | 0.099 U                  | 1.1             | 0.13 U         |
| 9/22/2010                 | 0.33 U                          | 0.41 U                    | 0.33 U                | 0.24 U             | 0.24 U             | 0.49 U             | 1.7     | 0.24 U                 | 1.1          | 3.4        | 1.3      | 0.41 U            | 9.7     | 0.24 U                   | 1.3             | 0.31 U         |
| 12/28/2010                | 0.16 U                          | 0.21 U                    | 0.16 U                | 0.12 U             | 0.12 U             | 0.24 U             | 2       | 0.66                   | 0.79         | 2.5        | 0.85     | 0.38              | 6.3     | 0.12 U                   | 8.9             | 0.15 U         |
| 3/23/2011                 | 0.11 U                          | 0.14 U                    | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 1.7     | 0.14                   | 0.89         | 3          | 0.98     | 0.19              | 4.2     | 0.079 U                  | 1.6             | 0.1 U          |
| 6/22/2011                 | 0.22 U                          | 0.27 U                    | 0.22 U                | 0.16 U             | 0.16 U             | 0.32 U             | 1.1     | 0.16 U                 | 1.5          | 5.3        | 2        | 0.3               | 9.9     | 0.16 U                   | 1               | 0.2 U          |
| 9/21/2011                 | 0.055 U                         | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.9     | 0.083                  | 0.85         | 3.1        | 1.1      | 0.1               | 3.7     | 0.04 U                   | 1.3             | 0.051 U        |
| 12/20/2011                | 0.055 U                         | 0.099 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.094              | 0.87    | 0.17                   | 0.68         | 2.6        | 0.99     | 3.4               | 2.7     | 0.04 U                   | 3.5             | 0.051 U        |
| 3/28/2012                 | 0.55 U                          | 0.69 U                    | 0.55 U                | 0.4 U              | 0.4 U              | 0.81 U             | 2.7     | 0.4 U                  | 2.1          | 5.6        | 2        | 8.1               | 17      | 0.4 U                    | 1.6             | 0.51 U         |
| 6/14/2012                 | 0.27 U                          | 0.34 U                    | 0.27 U                | 0.2 U              | 0.2 U              | 0.4 U              | 1.8     | 0.2 U                  | 1            | 2.3        | 0.84     | 3.6               | 3.4     | 0.2 U                    | 0.93            | 0.26 U         |
| 10/9/2012                 | 0.22 U                          | 0.27 U                    | 0.22 U                | 0.16 U             | 0.16 U             | 0.32 U             | 1.3     | 0.3                    | 0.74         | 2.4        | 0.8      | 0.27 U            | 5.7     | 0.16 U                   | 11              | 0.2 U          |
| 1/3/2013                  | 0.27 U                          | 0.34 U                    | 0.27 U                | 0.2 U              | 0.2 U              | 0.4 U              | 1       | 0.64                   | 0.44         | 1.3        | 0.5      | 0.34 U            | 2.8     | 0.2 U                    | 20              | 0.26 U         |
| 3/28/2013                 | 0.11                            | 0.097 UJ                  | 0.077 U               | 0.057 U            | 0.22 U             | 0.16               | 1       | 0.46                   | 0.48         | 1.3 J      | 0.52 J   | 0.15              | 2.3     | 0.056 U                  | 4.1             | 0.073 U        |
| 6/19/2013                 | 0.11 U                          | 0.14 U                    | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 0.33    | 0.28 NJ                | 0.44         | 1.5        | 0.55     | 0.14 U            | 3.5     | 0.079 U                  | 1.2             | 0.1 U          |
| 9/19/2013                 | 1.3 NJ                          | 0.069 U                   | 0.055 U               | 0.04 U             | 0.98               | 0.081 U            | 0.4     | 0.14                   | 0.28         | 0.77       | 0.28     | 0.12              | 2.5     | 0.04 U                   | 3.8             | 0.051 U        |
| 12/18/2013                | 0.14 U                          | 0.17 U                    | 0.14 U                | 0.1 U              | 0.099 U            | 0.2 U              | 1.2     | 0.4                    | 0.5          | 1.7        | 0.53     | 0.17 U            | 4.2     | 0.099 U                  | 9.1             | 0.13 U         |
| 3/20/2014                 | 0.055 U                         | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.16               | 1.1     | 0.26                   | 0.38         | 1.3        | 0.43     | 0.1               | 2.7     | 0.04 U                   | 2.2             | 0.051 U        |
| 6/18/2014                 | 0.091 U                         | 0.11 U                    | 0.091 U               | 0.068 U            | 0.066 U            | 0.14 U             | 0.88    | 0.2                    | 0.95         | 3.6        | 0.98     | 0.11 U            | 5.4     | 0.066 U                  | 1               | 0.085 U        |
| 9/23/2014                 | 0.082 U                         | 0.1 U                     | 0.082 U               | 0.061 U            | 0.059 U            | 0.12 U             | 0.39    | 0.18                   | 0.27         | 0.89       | 0.31     | 0.1 U             | 4.2     | 0.059 U                  | 2.1             | 0.077 U        |
| 12/16/2014                | 0.082 U                         | 0.1 U                     | 0.082 U               | 0.061 U            | 0.059 U            | 0.28               | 0.96    | 0.12 U                 | 0.54         | 1.8        | 0.62 J+  | 0.1               | 2.8     | 0.059 U                  | 3.4             | 0.077 U        |
| 3/24/2015                 | 0.055 U                         | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.15               | 1.1     | 0.27                   | 0.41         | 1.3        | 0.46     | 0.082             | 1.6     | 0.04 U                   | 5.1             | 0.051 U        |
| 6/15/2015                 | 0.083 NJ                        | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.083              | 0.47    | 0.38                   | 2.1          | 8.5        | 2.3      | 0.13              | 3       | 0.04 U                   | 0.91            | 0.051 U        |
| 9/9/2015                  | 0.055 U                         | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.23    | 0.051                  | 0.22         | 0.68       | 0.25     | 0.068 U           | 1.1     | 0.04 U                   | 0.92            | 0.051          |
| 12/15/2015                | 0.055 U*                        | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U*           | 0.67    | 0.10                   | 0.63         | 2.5        | 0.47     | 0.068 U           | 3.4     | 0.04 U                   | 1.8             | 0.051 U        |
| 3/31/2016                 | 0.055 U                         | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.62    | 0.04 U                 | 0.27         | 0.80       | 0.27     | 0.081 U           | 2.3     | 0.04 U                   | 0.42            | 0.051 U        |

Notes:

All values are shown in units of micrograms per cubic meter ( $\mu\text{g}/\text{m}^3$ ).

U - Not detected above reporting limit

J - Estimated

J+ - Estimated and may be biased high

NJ - Tentative in identification and estimated

**Table 3**  
**Building 7 Area Analytical Data Summary**  
**Former Philips Display Components Facility - Seneca Falls, New York**

| Sample ID                 | SVSS-B7-01                |                           |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
|---------------------------|---------------------------|---------------------------|-----------------------|--------------------|--------------------|--------------------|---------|------------------------|--------------|------------|----------|-------------------|---------|--------------------------|-----------------|----------------|
| Description               | BUILDING 7 SUB-SLAB VAPOR |                           |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
| Volatile Organic Compound | 1,1,1-Trichloroethane     | 1,1,1,2-Tetrachloroethane | 1,1,2-Trichloroethane | 1,1-Dichloroethane | 1,2-Dichloroethane | 1,2-Dichloroethane | Benzene | cis-1,2-Dichloroethane | Ethylbenzene | m,p-Xylene | o-Xylene | Tetrachloroethane | Toluene | trans-1,2-Dichloroethane | Trichloroethene | Vinyl Chloride |
| 7/17/2003                 | 33 U                      | 41 U                      | 33 U                  | 24 U               | 24 U               | 24 U               | 19 U    | 24 U                   | 26 U         | 26 U       | 27 U     | 40                | 22 U    | 24 U                     | 3300            | 15 U           |
| 12/12/2006                | 11 U                      | 14 U                      | 11 U                  | 8.1 U              | 7.9 U              | 8.1 U              | 6.4 U   | 7.9 U                  | 8.7 U        | 22 U       | 8.7 U    | 17                | 7.5 U   | 7.9 U                    | 1700            | 5.1 U          |
| 3/20/2007                 | 4.4 U                     | 5.5 U                     | 4.4 U                 | 3.2 U              | 3.2 U              | 3.2 U              | 2.6 U   | 3.2 U                  | 3.5 U        | 8.7 U      | 3.5 U    | 8.1               | 3 U     | 3.2 U                    | 470             | 2 U            |
| 6/21/2007                 | 1.1 U                     | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 1.7               | 1.2     | 0.79 U                   | 11              | 0.51 U         |
| 9/19/2007                 | 1.1 U                     | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 1.4 U             | 0.79    | 0.79 U                   | 12              | 0.51 U         |
| 12/11/2007                | 1.1 U                     | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 1.4 U             | 0.75 U  | 0.79 U                   | 12              | 0.51 U         |
| 3/26/2008                 | 1.1 U                     | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 1.4 U             | 0.75 U  | 0.79 U                   | 70              | 0.51 U         |
| 6/17/2008                 | 1.1 U                     | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 2                 | 0.75 U  | 0.79 U                   | 64              | 0.51 U         |
| 9/24/2008                 | 1.1 U                     | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 1.4 U             | 1.2     | 0.79 U                   | 24              | 0.51 U         |
| 12/18/2008                | 1.1 U                     | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 1.4 U             | 0.75 U  | 0.79 U                   | 40              | 0.51 U         |
| 3/26/2009                 | 1.1 U                     | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 2                 | 0.75 U  | 0.79 U                   | 59              | 0.51 U         |
| 6/25/2009                 | 1.1 U                     | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 2.2               | 1.1     | 0.79 U                   | 59              | 0.51 U         |
| 9/23/2009                 | 1.1 U                     | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 1.5               | 0.75 U  | 0.79 U                   | 64              | 0.51 U         |
| 12/17/2009                | 1.1 U                     | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.67    | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 1.4 U             | 2.5     | 0.79 U                   | 70              | 0.51 U         |
| 3/24/2010                 | 1.1 U                     | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 1.7 U      | 0.87 U   | 1.4 U             | 0.75 U  | 0.79 U                   | 43              | 0.51 U         |
| 6/22/2010                 | 1.1 U                     | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 1.7 U      | 0.87 U   | 2.6               | 0.75 U  | 0.79 U                   | 100             | 0.51 U         |
| 9/22/2010                 | 1.1 U                     | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 1.4 U             | 0.75 U  | 0.79 U                   | 30              | 0.51 U         |
| 12/28/2010                | 1.1 U                     | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 2.2               | 0.75 U  | 0.79 U                   | 19              | 0.51 U         |
| 3/23/2011                 | 1.1 U                     | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 1.7               | 0.94    | 0.79 U                   | 28              | 0.51 U         |
| 6/22/2011                 | 1.1 U                     | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.7        | 0.85     | 2.8               | 1.7     | 0.79 U                   | 43              | 0.51 U         |
| 9/21/2011                 | 1.1 U                     | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 1.0     | 0.79 U                 | 2.5          | 10         | 3.4      | 1.4 U             | 15      | 0.79 U                   | 13              | 0.51 U         |
| 12/20/2011                | 1.1 UJ                    | 1.4 UJ                    | 1.1 UJ                | 0.81 UJ            | 0.79 UJ            | 0.81 UJ            | 0.64 UJ | 0.79 UJ                | 0.87 UJ      | 2.2 UJ     | 0.87 UJ  | 3.8 J             | 0.75 UJ | 0.79 UJ                  | 23 J            | 0.51 UJ        |
| 12/19/2012                | 1.1 U                     | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 5.6               | 0.8     | 0.79 U                   | 23              | 0.51 U         |
| 12/18/2013                | 1.1 U                     | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 1.4 U             | 0.75 U  | 0.79 U                   | 20              | 0.51 U         |
| 12/16/2014                | 5                         | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 1.1                    | 0.87 U       | 2.2 U      | 0.87 U   | 19                | 1       | 0.79 U                   | 30              | 0.51 U         |
| 12/16/2015                | 1.1 U                     | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 1.4 U             | 0.75 U  | 0.79 U                   | 15              | 0.51 U         |

Notes:

All values are shown in units of micrograms per cubic meter ( $\mu\text{g}/\text{m}^3$ ).

U - Not detected above reporting limit

J - Estimated

**Table 3**  
**Building 7 Area Analytical Data Summary**  
**Former Philips Display Components Facility - Seneca Falls, New York**

| Sample ID                 | IA-B7-02                     |                           |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
|---------------------------|------------------------------|---------------------------|-----------------------|--------------------|--------------------|--------------------|---------|------------------------|--------------|------------|----------|-------------------|---------|--------------------------|-----------------|----------------|
| Description               | BUILDING 7 OFFICE INDOOR AIR |                           |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
| Volatile Organic Compound | 1,1,1-Trichloroethane        | 1,1,2,2-Tetrachloroethane | 1,1,2-Trichloroethane | 1,1-Dichloroethane | 1,1-Dichloroethene | 1,2-Dichloroethane | Benzene | cis-1,2-Dichloroethene | Ethylbenzene | m,p-Xylene | o-Xylene | Tetrachloroethene | Toluene | trans-1,2-Dichloroethene | Trichloroethene | Vinyl Chloride |
| 9/21/2011                 | 0.055 U                      | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.38    | 0.04 U                 | 0.21         | 0.63       | 0.21     | 0.068 U           | 1.4     | 0.04 U                   | 0.82            | 0.051 U        |
| 12/20/2011                | 0.22 U                       | 0.27 U                    | 0.22 U                | 0.16 U             | 0.16 U             | 0.32 U             | 1.5     | 0.17                   | 0.57         | 1.7        | 0.62     | 2                 | 14      | 0.16 U                   | 3.8             | 0.2 U          |
| 3/28/2012                 | 0.16 U                       | 0.21 U                    | 0.16 U                | 0.12 U             | 0.12 U             | 0.49               | 3       | 0.12 U                 | 1.5          | 3.9        | 1.4      | 9.5               | 6.3     | 0.12 U                   | 1.8             | 0.15 U         |
| 6/14/2012                 | 0.11 U                       | 0.14 U                    | 0.11 U                | 0.081 U            | 0.079 U            | 1.3                | 1.8     | 0.19 NJ                | 3.9          | 9.7        | 3.3      | 2.6               | 6.7     | 0.079 U                  | 1.2             | 0.1 U          |
| 10/9/2012                 | 0.22 U                       | 0.27 U                    | 0.22 U                | 0.16 U             | 0.16 U             | 0.43               | 0.6     | 0.16 U                 | 0.37         | 0.94       | 0.35     | 0.27 U            | 1.5     | 0.16 U                   | 6.8             | 0.2 U          |
| 1/3/2013                  | 0.27 U                       | 0.34 U                    | 0.27 U                | 0.2 U              | 0.2 U              | 0.4 U              | 0.92    | 0.47                   | 0.35         | 0.96       | 0.38     | 0.34 U            | 2.1     | 0.2 U                    | 18              | 0.26 U         |
| 3/28/2013                 | 0.11 U                       | 0.14 U                    | 0.11 U                | 0.081 U            | 0.32 U             | 0.44               | 0.82    | 0.38                   | 0.83         | 1 J        | 0.54 NJ  | 0.14 U            | 2       | 0.079 U                  | 4.6             | 0.1 U          |
| 6/19/2013                 | 0.055 U                      | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.82               | 0.37    | 0.04 U                 | 0.79         | 2.3        | 0.89     | 0.1               | 3.6     | 0.04 U                   | 1.4             | 0.051 U        |
| 9/19/2013                 | 0.17 NJ                      | 0.069 U                   | 0.055 U               | 0.04 U             | 0.12               | 0.61               | 0.51    | 0.094 U                | 0.38         | 0.92       | 0.31     | 0.1               | 1.7     | 0.04 U                   | 2.8             | 0.051 U        |
| 12/18/2013                | 0.22 U                       | 0.27 U                    | 0.22 U                | 0.16 U             | 0.16 U             | 0.35               | 0.98    | 0.43                   | 0.4          | 0.89       | 0.29     | 0.27 U            | 3.2     | 0.16 U                   | 12              | 0.2 U          |
| 3/20/2014                 | 0.45 U                       | 0.57 U                    | 0.45 U                | 0.34 U             | 0.33 U             | 0.67 U             | 0.37    | 0.33 U                 | 0.36 U       | 0.72 U     | 0.36 U   | 0.56 U            | 0.4     | 0.33 U                   | 3.0             | 0.43 U         |
| 6/18/2014                 | 0.18 U                       | 0.23 U                    | 0.18 U                | 0.13 U             | 0.13 U             | 0.27 U             | 0.47    | 0.26                   | 1            | 3.7        | 0.95     | 0.23 U            | 7.3     | 0.13 U                   | 1.3             | 0.17 U         |
| 9/23/2014                 | 0.43 U                       | 0.55 U                    | 0.43 U                | 0.32 U             | 0.31 U             | 0.64 U             | 0.31    | 0.31 U                 | 0.34 U       | 0.69 U     | 0.34 U   | 0.54 U            | 7.8     | 0.31 U                   | 1.1             | 0.41 U         |
| 12/16/2014                | 0.11 U                       | 0.14 U                    | 0.11 U                | 0.081 U            | 0.079 U            | 0.18 J+            | 0.94    | 0.16 NJ                | 0.42         | 1.3        | 0.47     | 0.18              | 2.5     | 0.079 U                  | 7.2             | 0.1 U          |
| 3/24/2015                 | 0.11 U                       | 0.14 U                    | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 0.96    | 0.34                   | 0.32         | 0.87       | 0.32     | 0.14 U            | 1.3     | 0.079 U                  | 8.0             | 0.1 U          |
| 6/15/2015                 | 0.077                        | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.12               | 0.58    | 0.31                   | 1.1          | 4.4        | 1.4      | 0.092             | 2.2     | 0.04 U                   | 2.3             | 0.051 U        |
| 9/9/2015                  | 0.055 U                      | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.088              | 0.33    | 0.041 NJ               | 0.40         | 1.2        | 0.48     | 0.068 U           | 3.0     | 0.04 U                   | 1.1             | 0.051 U        |
| 12/15/2015                | 0.16 U*                      | 0.21 U                    | 0.16 U                | 0.12 U             | 0.12 U             | 0.24 U*            | 0.50    | 0.12 U                 | 0.48         | 1.7        | 0.39     | 0.2 U             | 7.0     | 0.12 U                   | 3.2             | 0.15 U         |
| 3/31/2016                 | 0.055 U                      | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.41    | 0.04 U                 | 0.15         | 0.34       | 0.14     | 0.11              | 1.0     | 0.04 U                   | 0.53            | 0.051 U        |

Notes:

All values are shown in units of micrograms per cubic meter ( $\mu\text{g}/\text{m}^3$ ).

U - Not detected above reporting limit

J - Estimated

J+ - Estimated and may be biased high

NJ - Tentative in identification and estimated

**Table 4**  
**Building 10 Area Analytical Data Summary**  
**Former Philips Display Components Facility - Seneca Falls, New York**

| Sample ID                 | IA-B10-01              |                           |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
|---------------------------|------------------------|---------------------------|-----------------------|--------------------|--------------------|--------------------|---------|------------------------|--------------|------------|----------|-------------------|---------|--------------------------|-----------------|----------------|
| Description               | BUILDING 10 INDOOR AIR |                           |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
| Volatile Organic Compound | 1,1,1-Trichloroethane  | 1,1,1,2-Tetrachloroethane | 1,1,2-Trichloroethane | 1,1-Dichloroethane | 1,1-Dichloroethene | 1,2-Dichloroethane | Benzene | cis-1,2-Dichloroethene | Ethylbenzene | m,p-Xylene | o-Xylene | Tetrachloroethene | Toluene | trans-1,2-Dichloroethene | Trichloroethene | Vinyl Chloride |
| 7/15/2003                 | 0.2                    | 0.14 U                    | 0.1 U                 | 0.08 U             | 0.04 U             | 0.08 U             | 0.9     | 0.7                    | 0.59         | 1.8        | 0.69     | 6.4               | 4.3     | 0.056 U                  | 4               | 0.02 U         |
| 10/2/2003                 | 1.4                    | 0.69 U                    | 0.55 U                | 0.4 U              | 0.4 U              | 0.4 U              | 3.1     | 4                      | 0.91         | 2.8        | 1        | 5.2               | 5.3     | 0.4 U                    | 30              | 0.26 U         |
| 1/20/2004                 | 0.5                    | 0.34 U                    | 0.27 U                | 0.2 U              | 0.2 U              | 0.2 U              | 3.5     | 4.4                    | 6.9          | 29         | 6.9      | 8.1               | 8.7     | 0.2 U                    | 26              | 0.13 U         |
| 2/14/2006                 | 0.55                   | 0.069 U                   | 0.055 U               | 0.04 UJ            | 0.075              | 0.04 U             | 3.8     | 1.4                    | 1.7          | 4.3        | 2.3      | 22                | 4.9 J   | 0.044                    | 45              | 0.074 J        |
| 6/28/2006                 | 0.25                   | 0.27 U                    | 0.22 U                | 0.16 U             | 0.16 U             | 0.32 U             | 3.2     | 4                      | 1.6          | 6.1        | 2.5      | 20                | 4.5     | 0.16 U                   | 9.7             | 0.2 U          |
| 9/13/2006                 | 0.29                   | 0.27 U                    | 0.22 U                | 0.16 U             | 0.16 U             | 0.32 U             | 2.2     | 0.95                   | 0.65         | 2          | 0.74     | 4.1               | 3.5     | 0.16 U                   | 15              | 0.2 U          |
| 12/12/2006                | 1                      | 0.55 U                    | 0.44 U                | 0.32 U             | 0.32 U             | 0.65 U             | 7       | 2.6                    | 2.4          | 6.9        | 2.5      | 10                | 9.4     | 0.32 U                   | 32              | 0.41 U         |
| 3/20/2007                 | 0.76                   | 0.27 U                    | 0.22 U                | 0.16 U             | 0.16 U             | 0.32 U             | 6.4     | 1.9                    | 1            | 3.5        | 1.1      | 6.2               | 6       | 0.16 U                   | 17              | 0.2 U          |
| 6/21/2007                 | 0.13                   | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.67    | 0.63                   | 0.39         | 1.3        | 0.43     | 2.5               | 1.6     | 0.04 U                   | 2.4             | 0.051 U        |
| 9/19/2007                 | 0.082                  | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.58    | 0.38                   | 0.24         | 0.61       | 0.21     | 0.43              | 1.1     | 0.04 U                   | 3               | 0.051 U        |
| 12/11/2007                | 0.65                   | 0.55 U                    | 0.44 U                | 0.32 U             | 0.32 U             | 0.65 U             | 2.6     | 2.8                    | 0.74         | 2.5        | 0.91     | 9.5               | 3.8     | 0.32 U                   | 24              | 0.41 U         |
| 3/26/2008                 | 0.27                   | 0.17 U                    | 0.14 U                | 0.1 U              | 0.099 U            | 0.2 U              | 2.8     | 2.5                    | 0.74         | 2.8        | 0.87     | 2.8               | 4.5     | 0.099 U                  | 10              | 0.13 U         |
| 6/17/2008                 | 0.24                   | 0.17 U                    | 0.14 U                | 0.1 U              | 0.099 U            | 0.2 U              | 0.77    | 3.2                    | 1.9          | 6.9        | 2.3      | 1.7               | 2.6     | 0.099 U                  | 5.4             | 0.13 U         |
| 9/24/2008                 | 0.14 U                 | 0.17 U                    | 0.14 U                | 0.1 U              | 0.099 U            | 0.2 U              | 0.7     | 0.75                   | 0.42         | 1.4        | 0.52     | 12                | 2.2     | 0.099 U                  | 4.3             | 0.13 U         |
| 12/18/2008                | 0.55 U                 | 0.69 U                    | 0.55 U                | 0.4 U              | 0.4 U              | 0.81 U             | 4.2     | 2.9                    | 1.7          | 6.5        | 2.1      | 1                 | 11      | 0.4 U                    | 37              | 0.51 U         |
| 3/26/2009                 | 0.43 U                 | 0.54 U                    | 0.43 U                | 0.32 U             | 0.31 U             | 0.65 U             | 4.2     | 3.2                    | 2.1          | 7.4        | 2.4      | 1.2               | 11      | 0.31 U                   | 31              | 0.41 U         |
| 6/25/2009                 | 0.43                   | 0.54 U                    | 0.43 U                | 0.32 U             | 0.31 U             | 0.65 U             | 4.5     | 7.5                    | 4.8          | 18         | 6.1      | 3.1               | 28      | 0.31 U                   | 13              | 0.41 U         |
| 9/23/2009                 | 0.12                   | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 1.4     | 2.2                    | 0.69         | 2.3        | 0.87     | 0.66              | 2.8     | 0.04 U                   | 3.8             | 0.087          |
| 12/17/2009                | 1.1 U                  | 1.4 U                     | 1.1 U                 | 0.81 U             | 0.79 U             | 1.6 U              | 3.2     | 3.5                    | 1.4          | 4.3        | 1.6      | 1.4 U             | 7.2     | 0.79 U                   | 64              | 1 U            |
| 3/24/2010                 | 0.25                   | 0.21 U                    | 0.16 U                | 0.12 U             | 0.12 U             | 0.24 U             | 2.5     | 4.4                    | 2.1          | 8.7        | 2.9      | 1.5               | 7.2     | 0.12 U                   | 11              | 0.15 U         |
| 6/22/2010                 | 0.16                   | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 1.2     | 1.8                    | 0.83         | 3          | 1 J      | 0.75              | 2.2     | 0.04 U                   | 4.4             | 0.056 NJ       |
| 9/22/2010                 | 0.13 NJ                | 0.14 U                    | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 1.7     | 1.8                    | 0.89         | 3.2        | 1        | 0.5               | 5.1     | 0.079 U                  | 5               | 0.1 U          |
| 11/16/2010                | 0.91 U                 | 1.1 U                     | 0.91 U                | 0.68 U             | 0.66 U             | 1.4 U              | 4.9     | 4.5                    | 2.3          | 7.2        | 2.5      | 73                | 14      | 0.66 U                   | 21              | 0.85 U         |
| 12/28/2010                | 0.34 U                 | 0.43 U                    | 0.34 U                | 0.25 U             | 0.25 U             | 0.51 U             | 4.1     | 2.3                    | 0.72         | 2.2        | 0.84     | 0.71              | 3.9     | 0.25 U                   | 20              | 0.32 U         |
| 3/23/2011                 | 0.14 U                 | 0.17 U                    | 0.14 U                | 0.1 U              | 0.099 U            | 0.2 U              | 2.6     | 0.96                   | 1.1          | 2.9        | 1        | 0.64              | 3.7     | 0.099 U                  | 11              | 0.13 U         |
| 6/22/2011                 | 0.11 U                 | 0.14 U                    | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 1.3     | 0.31                   | 0.74         | 2.4        | 0.84     | 0.79              | 3.8     | 0.079 U                  | 0.61            | 0.1 U          |
| 9/21/2011                 | 0.071 NJ               | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.84    | 0.64                   | 0.61         | 2          | 0.7      | 0.19              | 1.5     | 0.04 U                   | 1.4             | 0.051 U        |
| 12/20/2011                | 0.21                   | 0.17 U                    | 0.14 U                | 0.1 U              | 0.099 U            | 0.2 U              | 1.7     | 1.3                    | 0.93         | 2.5        | 0.95     | 3.2               | 2       | 0.099 U                  | 13              | 0.13 U         |
| 3/28/2012                 | 0.27 U                 | 0.34 U                    | 0.27 U                | 0.2 U              | 0.2 U              | 0.4 U              | 2.8     | 0.7                    | 1.9          | 4.1        | 1.4      | 5.5               | 7.2     | 0.2 U                    | 5.2             | 0.26 U         |
| 6/14/2012                 | 0.27 U                 | 0.34 U                    | 0.27 U                | 0.2 U              | 0.2 U              | 0.4 U              | 1.5     | 0.81                   | 1.6          | 1.5        | 0.59     | 5.9               | 2.9     | 0.2 U                    | 0.84            | 0.26 U         |
| 10/9/2012                 | 0.55 U                 | 0.69 U                    | 0.55 U                | 0.4 U              | 0.4 U              | 0.81 U             | 1.5     | 0.81                   | 0.46         | 1.2        | 0.43 U   | 0.68 U            | 0.98    | 0.4 U                    | 23              | 0.51 U         |
| 1/3/2013                  | 0.41 U                 | 0.51 U                    | 0.41 U                | 0.3 U              | 0.3 U              | 0.6 U              | 0.9     | 1.6                    | 0.32 U       | 1.1        | 0.43 J   | 0.51 U            | 1.2     | 0.3 U                    | 27              | 0.38 U         |
| 3/28/2013                 | 0.16                   | 0.086 UJ                  | 0.068 U               | 0.051 U            | 0.2 U              | 0.1 U              | 0.86    | 0.72                   | 0.47         | 0.77 J     | 0.33 J   | 0.085 U           | 1       | 0.05 U                   | 5.1             | 0.064 U        |
| 6/19/2013                 | 0.15                   | 0.069 U                   | 0.055 U               | 0.04 U             | 0.043              | 0.081 U            | 0.18    | 0.96                   | 0.063        | 0.16       | 0.044    | 0.25              | 0.7     | 0.04 U                   | 0.84            | 0.051 U        |
| 9/19/2013                 | 0.13                   | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.36    | 0.58                   | 0.19         | 0.56       | 0.2      | 0.13              | 0.81    | 0.04 U                   | 5.4             | 0.051 U        |
| 12/18/2013                | 0.44 U                 | 0.55 U                    | 0.44 U                | 0.33 U             | 0.32 U             | 0.65 U             | 0.91    | 1.1                    | 0.35 U       | 0.7 U      | 0.35 U   | 0.55 U            | 1.3     | 0.32 U                   | 22              | 0.41 U         |
| 3/20/2014                 | 0.055 U                | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.032 U | 0.2                    | 0.043 U      | 0.087 U    | 0.043 U  | 0.068 U           | 0.038 U | 0.04 U                   | 0.054 U         | 0.051 U        |
| 6/18/2014                 | 0.099                  | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.28    | 1.1                    | 0.42         | 1.5        | 0.55     | 0.11              | 1.3     | 0.04 U                   | 1               | 0.051 U        |
| 9/23/2014                 | 0.32 U                 | 0.1 U                     | 0.082 U               | 0.061 U            | 0.075              | 0.12 U             | 0.42    | 1.5                    | 0.38         | 1.3        | 0.48     | 0.1 U             | 1.8     | 0.059 U                  | 5.1             | 0.077 U        |
| 12/16/2014                | 0.27 U                 | 0.34 U                    | 0.27 U                | 0.2 U              | 0.2 U              | 0.4 U              | 0.92    | 1.2                    | 0.34         | 0.85       | 0.25     | 0.34              | 1.9     | 0.2 U                    | 20              | 0.26 U         |
| 3/24/2015                 | 0.27 U                 | 0.34 U                    | 0.27 U                | 0.2 U              | 0.2 U              | 0.4 U              | 1.1     | 1.3                    | 0.47         | 1.4        | 0.54     | 0.34 U            | 1.5     | 0.2 U                    | 15              | 0.26 U         |
| 6/15/2015                 | 0.19                   | 0.21 U                    | 0.16 U                | 0.12 U             | 0.12 U             | 0.24 U             | 0.49    | 1.4                    | 4.4          | 18         | 4.8      | 0.21              | 2       | 0.12 U                   | 0.95            | 0.15 U         |
| 9/9/2015                  | 0.064                  | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.36    | 0.04 U                 | 0.66         | 1.3        | 0.52     | 0.068 U           | 0.72    | 0.04 U                   | 0.39            | 0.051 U        |
| 12/15/2015                | 0.13 J+                | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U*           | 0.45    | 0.74                   | 0.26         | 0.88       | 0.33     | 0.068 U           | 0.92    | 0.04 U                   | 4.5             | 0.051 U        |
| 3/31/2016                 | 0.055 U                | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.50    | 0.25                   | 0.29         | 0.67       | 0.25     | 0.16              | 0.89    | 0.04 U                   | 3.2             | 0.051 U        |

Notes:

All values are shown in units of micrograms per cubic meter (µg/m<sup>3</sup>).

U - Not detected above reporting limit

J - Estimated

**Table 4**  
**Building 10 Area Analytical Data Summary**  
**Former Philips Display Components Facility - Seneca Falls, New York**

| Sample ID                 | SVSS-B10-01                |                             |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
|---------------------------|----------------------------|-----------------------------|-----------------------|--------------------|--------------------|--------------------|---------|------------------------|--------------|------------|----------|-------------------|---------|--------------------------|-----------------|----------------|
| Description               | BUILDING 10 SUB-SLAB VAPOR |                             |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
| Volatile Organic Compound | 1,1,1-Trichloroethane      | 1,1,1,2,2-Pentachloroethane | 1,1,2-Trichloroethane | 1,1-Dichloroethane | 1,1-Dichloroethene | 1,2-Dichloroethane | Benzene | cis-1,2-Dichloroethene | Ethylbenzene | m,p-Xylene | o-Xylene | Tetrachloroethene | Toluene | trans-1,2-Dichloroethene | Trichloroethene | Vinyl Chloride |
| 7/17/2003                 | 26 U                       | 32 U                        | 26 U                  | 19 U               | 19 U               | 19 U               | 15 U    | 38                     | 20 U         | 20 U       | 21 U     | 32 U              | 18 U    | 19 U                     | 2700            | 12 U           |
| 2/14/2006                 | 11 U                       | 14 U                        | 11 U                  | 8.1 U              | 7.9 U              | 8.1 U              | 6.4 U   | 11                     | 8.7 U        | 22 U       | 8.7 U    | 14 U              | 7.5 U   | 7.9 U                    | 1100            | 5.1 U          |
| 12/12/2006                | 16 U                       | 21 U                        | 16 U                  | 12 U               | 12 U               | 12 U               | 9.6 U   | 26                     | 13 U         | 33 U       | 13 U     | 20 U              | 11 U    | 12 U                     | 3200            | 7.7 U          |
| 12/11/2007                | 11 U                       | 14 U                        | 11 U                  | 8.1 U              | 7.9 U              | 8.1 U              | 6.4 U   | 14                     | 8.7 U        | 22 U       | 8.7 U    | 14 U              | 7.5 U   | 7.9 U                    | 1800            | 5.1 U          |
| 6/18/2008                 | 28 U                       | 35 U                        | 28 U                  | 21 U               | 20 U               | 21 U               | 16 U    | 20 U                   | 22 U         | 56 U       | 22 U     | 35 U              | 19 U    | 20 U                     | 2300            | 13 U           |
| 12/18/2008                | 8.7 U                      | 11 U                        | 8.7 U                 | 6.5 U              | 6.3 U              | 6.5 U              | 5.1 U   | 6.7                    | 6.9 U        | 17 U       | 6.9 U    | 11 U              | 6 U     | 6.3 U                    | 1700            | 4.1 U          |
| 12/17/2009                | 8.7 U                      | 11 U                        | 8.7 U                 | 6.5 U              | 6.3 U              | 6.5 U              | 5.1 U   | 6.3                    | 6.9 U        | 17 U       | 6.9 U    | 11 U              | 6 U     | 6.3 U                    | 1200            | 4.1 U          |
| 12/28/2010                | 1.1 U                      | 1.4 U                       | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 2.9                    | 0.87 U       | 2.2 U      | 0.87 U   | 3.6               | 3.7     | 0.79 U                   | 130             | 0.51 U         |
| 12/20/2011                | 1.1 UJ                     | 1.4 UJ                      | 1.1 UJ                | 0.81 UJ            | 0.79 UJ            | 0.81 UJ            | 0.64 UJ | 0.79 UJ                | 0.87 UJ      | 2.2 UJ     | 0.87 UJ  | 6.5 J             | 1.3 J   | 0.79 UJ                  | 34 J            | 0.51 UJ        |
| 12/19/2012                | 1.1 U                      | 1.4 U                       | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 1.4 U             | 0.75 U  | 0.79 U                   | 22              | 0.51 U         |
| 12/18/2013                | 1.1 U                      | 1.4 U                       | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 1.4 U             | 0.75 U  | 0.79 U                   | 11              | 0.51 U         |
| 12/16/2014                | 6.6                        | 1.4 U                       | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 19      | 4                      | 12           | 34         | 10       | 4.5               | 66      | 0.79 U                   | 51              | 0.51 U         |
| 12/16/2015                | 1.1 U                      | 1.4 U                       | 1.1 U                 | 0.81 U             | 0.79 U             | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 1.4 U             | 1.1     | 0.79 U                   | 47              | 0.51 U         |

Notes:

All values are shown in units of micrograms per cubic meter ( $\mu\text{g}/\text{m}^3$ ).

U - Not detected above reporting limit

J - Estimated

**Table 4**  
**Building 10 Area Analytical Data Summary**  
**Former Philips Display Components Facility - Seneca Falls, New York**

| Sample ID<br>Description        | IA-B10A-01                |                                 |                           |                      |                      |                    |         |                            |              |            |          |                   |         |                              |                 |                |
|---------------------------------|---------------------------|---------------------------------|---------------------------|----------------------|----------------------|--------------------|---------|----------------------------|--------------|------------|----------|-------------------|---------|------------------------------|-----------------|----------------|
|                                 | BUILDING 10A INDOOR AIR   |                                 |                           |                      |                      |                    |         |                            |              |            |          |                   |         |                              |                 |                |
| Volatile<br>Organic<br>Compound | 1,1,1-<br>Trichloroethane | 1,1,1,2,2-<br>Tetrachloroethane | 1,1,2-<br>Trichloroethane | 1,1,1-Dichloroethane | 1,1,1-Dichloroethene | 1,2-Dichloroethane | Benzene | cis-1,2-<br>Dichloroethene | Ethylbenzene | m,p-Xylene | o-Xylene | Tetrachloroethene | Toluene | trans-1,2-<br>Dichloroethene | Trichloroethene | Vinyl Chloride |
| 7/15/2003                       | 0.3                       | 0.14 U                          | 0.1 U                     | 0.08 U               | 0.04 U               | 0.08 U             | 2.3     | 0.89                       | 2.1          | 7.5        | 2.7      | 7.6               | 11      | 0.056 U                      | 4.5             | 0.02 U         |
| 10/2/2003                       | 1.1                       | 0.34 U                          | 0.27 U                    | 0.2 U                | 0.2 U                | 0.2 U              | 1.5     | 2.2                        | 0.65         | 2          | 0.74     | 2.7               | 3.3     | 0.2 U                        | 12              | 0.13 U         |
| 1/20/2004                       | 0.49                      | 0.21 U                          | 0.16 U                    | 0.12 U               | 0.12 U               | 0.15               | 2.7     | 4.8                        | 2.3          | 9.1        | 2.4      | 5.4               | 6       | 0.12 U                       | 19              | 0.1            |
| 2/14/2006                       | 0.49 J                    | 0.069 U                         | 0.055 U                   | 0.04 U               | 0.056                | 0.04 U             | 2.8     | 1.1                        | 1.3          | 3.4        | 1.8      | 6                 | 3.8 J   | 0.04 U                       | 32              | 0.066 J        |
| 6/28/2006                       | 0.29                      | 0.34 U                          | 0.27 U                    | 0.2 U                | 0.2 U                | 0.4 U              | 2.7     | 4.8                        | 2.3          | 9.1        | 3.6      | 22                | 6.4     | 0.2 U                        | 9.1             | 0.26 U         |
| 9/13/2006                       | 0.34                      | 0.14 U                          | 0.11 U                    | 0.081 U              | 0.079 U              | 0.16 U             | 1.4     | 0.38                       | 0.69         | 2.3        | 0.78     | 3                 | 2.8     | 0.079 U                      | 7               | 0.1 U          |
| 12/12/2006                      | 1.4                       | 0.55 U                          | 0.44 U                    | 0.32 U               | 0.32 U               | 0.65 U             | 7.7     | 3                          | 2.8          | 7.8        | 2.5      | 12                | 10      | 0.32 U                       | 32              | 0.41 U         |
| 3/20/2007                       | 0.76                      | 0.27 U                          | 0.22 U                    | 0.16 U               | 0.16 U               | 0.32 U             | 3.8     | 1.9                        | 0.78         | 2.9        | 1        | 6.1               | 4.9     | 0.16 U                       | 15              | 0.2 U          |
| 6/21/2007                       | 0.21                      | 0.069 U                         | 0.055 U                   | 0.04 U               | 0.04 U               | 0.081 U            | 0.64    | 1.3                        | 0.52         | 1.7        | 0.56     | 3.2               | 2.4     | 0.04 U                       | 3               | 0.051 U        |
| 9/19/2007                       | 0.27                      | 0.082 U                         | 0.065 U                   | 0.049 U              | 0.048 U              | 0.1 U              | 0.7     | 1.2                        | 0.42         | 1.3        | 0.48     | 0.81              | 1.5     | 0.048 U                      | 4.9             | 0.064 U        |
| 12/11/2007                      | 0.82                      | 0.41 U                          | 0.33 U                    | 0.24 U               | 0.24 U               | 3.1                | 2.6     | 3.3                        | 0.78         | 2.2        | 0.69     | 12                | 4.1     | 0.24 U                       | 23              | 0.31 U         |
| 3/26/2008                       | 0.28                      | 0.14 U                          | 0.11 U                    | 0.081 U              | 0.079 U              | 0.16 U             | 2.7     | 3.2                        | 0.87         | 3.2        | 1.1      | 2.6               | 4.5     | 0.079 U                      | 9.7             | 0.1 U          |
| 6/17/2008                       | 0.19                      | 0.14 U                          | 0.11 U                    | 0.081 U              | 0.079 U              | 0.16 U             | 0.64    | 1.4                        | 1.4 NJ       | 5.2        | 1.8      | 1.2               | 2.1     | 0.079 U                      | 2.8             | 0.1 U          |
| 9/24/2008                       | 0.19                      | 0.1 U                           | 0.082 U                   | 0.061 U              | 0.059 U              | 0.12 U             | 0.83    | 1.5                        | 0.48         | 1.8        | 0.65     | 3.1               | 2.3     | 0.059 U                      | 4.8             | 0.077 U        |
| 12/18/2008                      | 0.51                      | 0.41 U                          | 0.33 U                    | 0.24 U               | 0.24 U               | 0.49 U             | 3.5     | 3.3                        | 1.5          | 6.1        | 1.9      | 1.3               | 8.7     | 0.24 U                       | 19              | 0.31 U         |
| 3/26/2009                       | 0.43 U                    | 0.54 U                          | 0.43 U                    | 0.32 U               | 0.31 U               | 0.65 U             | 4.2     | 5.2                        | 2.3          | 9.6        | 3        | 1.8               | 12      | 0.31 U                       | 21              | 0.41 U         |
| 6/25/2009                       | 0.65                      | 0.54 U                          | 0.43 U                    | 0.32 U               | 0.31 U               | 0.65 U             | 4.5     | 8.7                        | 5.2          | 17         | 5.2      | 4.1               | 28      | 0.31 U                       | 15              | 0.41 U         |
| 9/23/2009                       | 0.28                      | 0.1 U                           | 0.082 U                   | 0.061 U              | 0.059 U              | 0.12 U             | 2.6     | 4                          | 1            | 3.4        | 1.2      | 1.8               | 4.5     | 0.059 U                      | 4.6             | 0.12           |
| 12/17/2009                      | 0.43 U                    | 0.54 U                          | 0.43 U                    | 0.32 U               | 0.31 U               | 0.65 U             | 2.9     | 4                          | 1.3          | 4.8        | 1.6      | 0.88              | 7.2     | 0.31 U                       | 25              | 0.41 U         |
| 3/24/2010                       | 0.28                      | 0.21 U                          | 0.16 U                    | 0.12 U               | 0.12 U               | 0.24 U             | 2.7     | 5.2                        | 2.5          | 10         | 3.6      | 1.1               | 8.3     | 0.12 U                       | 9.7             | 0.15 U         |
| 6/22/2010                       | 0.34                      | 0.1 U                           | 0.082 U                   | 0.061 U              | 0.059 U              | 0.12 U             | 1.3     | 4.4                        | 1.2          | 4.8        | 1.6 J    | 1.4               | 4.1     | 0.059 U                      | 6.4             | 0.095 NJ       |
| 9/22/2010                       | 0.17                      | 0.21 U                          | 0.16 U                    | 0.12 U               | 0.12 U               | 0.24 U             | 1.9     | 1.9                        | 0.91         | 3.2        | 1.1      | 0.72              | 5.3     | 0.12 U                       | 3.8             | 0.15 U         |
| 12/28/2010                      | 0.29                      | 0.21 U                          | 0.17 U                    | 0.13 U               | 0.12 U               | 0.25 U             | 5.9     | 3.6                        | 1.1          | 3.4        | 1.2      | 0.97              | 6.4     | 0.12 U                       | 13              | 0.16 U         |
| 3/23/2011                       | 0.24                      | 0.14 U                          | 0.11 U                    | 0.081 U              | 0.079 U              | 0.16 U             | 2.2     | 1.9                        | 1.1          | 3.6        | 1.2      | 0.8               | 4.9     | 0.079 U                      | 5.7             | 0.1 U          |
| 6/22/2011                       | 0.14 NJ                   | 0.069 U                         | 0.055 U                   | 0.04 U               | 0.04 U               | 0.081 U            | 1.9     | 0.51                       | 0.75         | 2.6        | 0.93     | 1.2               | 2.2     | 0.04 U                       | 0.91            | 0.051 U        |
| 9/21/2011                       | 0.14 NJ                   | 0.069 U                         | 0.055 U                   | 0.04 U               | 0.04 U               | 0.081 U            | 1.3     | 0.67                       | 0.61         | 2.1        | 0.76     | 0.24              | 1.7     | 0.04 U                       | 1.1             | 0.051 U        |
| 12/20/2011                      | 0.28                      | 0.17 U                          | 0.14 U                    | 0.1 U                | 0.099 U              | 0.2 U              | 1.8     | 2.1                        | 0.98         | 3.3        | 1.2      | 3.7               | 2.7     | 0.099 U                      | 8               | 0.13 U         |
| 3/28/2012                       | 0.17                      | 0.21 U                          | 0.16 U                    | 0.12 U               | 0.12 U               | 0.24 U             | 2.6     | 1.3                        | 2.3          | 4.6        | 1.7      | 3.7               | 5.6     | 0.12 U                       | 5.7             | 0.15 U         |
| 6/14/2012                       | 0.27 U                    | 0.34 U                          | 0.27 U                    | 0.2 U                | 0.2 U                | 0.4 U              | 0.7     | 0.42                       | 0.77         | 0.73       | 0.25     | 0.8               | 1.4     | 0.2 U                        | 0.4             | 0.26 U         |
| 10/9/2012                       | 0.37                      | 0.27 U                          | 0.22 U                    | 0.16 U               | 0.16 U               | 0.32 U             | 0.81    | 1.3                        | 0.38         | 1.1        | 0.37     | 0.27 U            | 0.76    | 0.16 U                       | 7.9             | 0.2 U          |
| 1/3/2013                        | 0.45                      | 0.32 U                          | 0.25 U                    | 0.19 U               | 0.18 U               | 0.37 U             | 1.1     | 1.8                        | 0.37         | 1.2        | 0.46     | 0.31 U            | 1.3     | 0.18 U                       | 18              | 0.23 U         |
| 3/28/2013                       | 0.22                      | 0.069 UJ                        | 0.055 U                   | 0.04 U               | 0.16 U               | 0.082 NJ           | 0.97    | 1.3                        | 0.57         | 1.1 J      | 0.48 J   | 0.23              | 1.3     | 0.04 U                       | 2.7             | 0.051 U        |
| 6/19/2013                       | 0.11                      | 0.069 U                         | 0.055 U                   | 0.04 U               | 0.04 U               | 0.081 U            | 0.1     | 0.34                       | 0.16         | 0.61       | 0.23     | 0.068 U           | 0.46    | 0.04 U                       | 0.32            | 0.051 U        |
| 9/19/2013                       | 0.25                      | 0.069 U                         | 0.055 U                   | 0.04 U               | 0.04 U               | 0.081 U            | 0.37    | 0.67                       | 0.25         | 0.91       | 0.32     | 0.089             | 0.89    | 0.04 U                       | 3               | 0.051 U        |
| 12/18/2013                      | 0.36                      | 0.27 U                          | 0.22 U                    | 0.16 U               | 0.16 U               | 0.32 U             | 0.98    | 1.3                        | 0.4          | 1.1        | 0.39     | 0.27 U            | 1.4     | 0.16 U                       | 12              | 0.2 U          |
| 3/20/2014                       | 0.27 NJ                   | 0.069 U                         | 0.055 U                   | 0.04 U               | 0.044 NJ             | 0.1 NJ             | 1       | 1.3                        | 0.34         | 1.1        | 0.4      | 0.2               | 1.3     | 0.04 U                       | 4               | 0.051 U        |
| 6/18/2014                       | 0.35                      | 0.069 U                         | 0.055 U                   | 0.04 U               | 0.04 U               | 0.081 U            | 0.29    | 0.7                        | 0.53         | 1.7        | 0.6      | 0.13              | 1.4     | 0.04 U                       | 0.73            | 0.051 U        |
| 9/23/2014                       | 0.52 U                    | 0.069 U                         | 0.055 U                   | 0.04 U               | 0.12 NJ              | 0.081 U            | 0.47    | 1.7                        | 0.52         | 1.9        | 0.7      | 0.076             | 2.1     | 0.04 U                       | 4.4             | 0.051 U        |
| 12/16/2014                      | 0.31                      | 0.27 U                          | 0.22 U                    | 0.16 U               | 0.16 U               | 0.32 U             | 0.94    | 1.9                        | 0.5          | 1.4        | 0.51     | 0.27 U            | 1.7     | 0.16 U                       | 16              | 0.2 U          |
| 3/24/2015                       | 0.25                      | 0.14 U                          | 0.11 U                    | 0.081 U              | 0.079 U              | 0.16 U             | 0.90    | 1.3                        | 0.40         | 1.2        | 0.50     | 0.14 U            | 0.92    | 0.079 U                      | 6.1             | 0.1 U          |
| 6/15/2015                       | 0.47                      | 0.069 U                         | 0.055 U                   | 0.04 U               | 0.04 U               | 0.12               | 0.54    | 0.92                       | 2.1          | 8          | 2.4      | 0.34              | 2.5     | 0.04 U                       | 0.79            | 0.051 U        |
| 9/9/2015                        | 0.65                      | 0.069 U                         | 0.055 U                   | 0.04 U               | 0.04 U               | 0.081 U            | 0.55    | 0.53                       | 0.88         | 3.0        | 1.2      | 0.21              | 1.3     | 0.04 U                       | 0.77            | 0.051 U        |
| 12/15/2015                      | 0.40 J+                   | 0.069 U                         | 0.055 U                   | 0.04 U               | 0.04 U               | 0.081 U*           | 0.43    | 0.70                       | 0.33         | 1.3        | 0.50     | 0.074             | 1.0     | 0.04 U                       | 2.5             | 0.051 U        |
| 3/31/2016                       | 0.088                     | 0.069 U                         | 0.055 U                   | 0.04 U               | 0.04 U               | 0.081 U            | 0.54    | 0.39                       | 0.43         | 1.4        | 0.55     | 0.19              | 1.1     | 0.04 U                       | 3.2             | 0.051 U        |

**Notes:**

All values are shown in units of micrograms per cubic meter (µg/m<sup>3</sup>).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated

**Table 4**  
**Building 10 Area Analytical Data Summary**  
**Former Philips Display Components Facility - Seneca Falls, New York**

| Sample ID                 | SVSS-B10A-01                |                             |                       |                      |                      |                    |         |                        |              |            |          |                   |         |                          |                 |                |
|---------------------------|-----------------------------|-----------------------------|-----------------------|----------------------|----------------------|--------------------|---------|------------------------|--------------|------------|----------|-------------------|---------|--------------------------|-----------------|----------------|
| Description               | BUILDING 10A SUB-SLAB VAPOR |                             |                       |                      |                      |                    |         |                        |              |            |          |                   |         |                          |                 |                |
| Volatile Organic Compound | 1,1,1-Trichloroethane       | 1,1,1,2,2-Pentachloroethane | 1,1,2-Trichloroethane | 1,1,1-Dichloroethane | 1,1,2-Dichloroethane | 1,2-Dichloroethane | Benzene | cis-1,2-Dichloroethane | Ethylbenzene | m,p-Xylene | o-Xylene | Tetrachloroethene | Toluene | trans-1,2-Dichloroethane | Trichloroethene | Vinyl Chloride |
| 7/17/2003                 | 14                          | 3.2 U                       | 2.3 U                 | 2.5                  | 0.9 U                | 1.8 U              | 3.4 U   | 10                     | 2 U          | 3.8 U      | 2 U      | 920               | 3.2     | 1.3 U                    | 120             | 0.45 U         |
| 2/14/2006                 | 11 U                        | 14 U                        | 11 U                  | 8.1 U                | 7.9 U                | 8.1 U              | 6.4 U   | 7.9 U                  | 8.7 U        | 22 U       | 8.7 U    | 44                | 7.5 U   | 7.9 U                    | 11 U            | 5.1 U          |
| 12/12/2006                | 3.4                         | 1.4 U                       | 1.1 U                 | 2.1                  | 0.79 U               | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 140               | 2.6     | 0.79 U                   | 20              | 0.51 U         |
| 12/11/2007                | 1.1                         | 1.4 U                       | 1.1 U                 | 0.81 U               | 0.79 U               | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 81                | 0.75 U  | 0.79 U                   | 9.1             | 0.51 U         |
| 12/18/2008                | 2.5                         | 1.4 U                       | 1.1 U                 | 1.5                  | 0.79 U               | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 95                | 0.75 U  | 0.79 U                   | 10              | 0.51 U         |
| 12/17/2009                | 2.2                         | 1.4 U                       | 1.1 U                 | 1.4                  | 0.79 U               | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 100               | 0.75 U  | 0.79 U                   | 13              | 0.51 U         |
| 12/28/2010                | 2.5                         | 1.4 U                       | 1.1 U                 | 1.8                  | 0.79 U               | 0.81 U             | 0.64 U  | 0.79 U                 | 1            | 4          | 1.7      | 49                | 3.3     | 0.79 U                   | 13              | 0.51 U         |
| 12/20/2011                | 2.3                         | 1.4 U                       | 1.1 U                 | 1.8                  | 0.79 U               | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 50                | 0.96    | 0.79 U                   | 12              | 0.51 U         |
| 12/19/2012                | 1.1 U                       | 1.4 U                       | 1.1 U                 | 0.81 U               | 0.79 U               | 0.81 U             | 1.6     | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 20                | 1.8     | 0.79 U                   | 5.7             | 0.51 U         |
| 12/18/2013                | 2.1                         | 1.4 U                       | 1.1 U                 | 1.1                  | 0.79 U               | 0.81 U             | 0.64 U  | 0.79 U                 | 0.87 U       | 2.2 U      | 0.87 U   | 34                | 0.75 U  | 0.79 U                   | 7.3             | 0.51 U         |
| 12/16/2014                | 1.1 U                       | 1.4 U                       | 1.1 U                 | 0.81 U               | 0.79 U               | 0.81 U             | 0.84    | 2.3                    | 2            | 8.1        | 2.6      | 6.3               | 1.7     | 0.79 U                   | 9.5             | 0.51 U         |
| 12/16/2015                | 1.1                         | 1.4 U                       | 1.1 U                 | 0.81 U               | 0.79 U               | 0.81 U             | 0.64 U  | 0.79 U                 | 2.0          | 8.5        | 3.1      | 24                | 2.1     | 0.79 U                   | 8.1             | 0.51 U         |

Notes:

All values are shown in units of micrograms per cubic meter ( $\mu\text{g}/\text{m}^3$ ).

U - Not detected above reporting limit

**Table 5**  
**Building 1A Basement and First Floor Indoor Air Sample Analytical Data Summary**  
**Former Philips Display Components Facility - Seneca Falls, New York**

| Sample ID                 | IA-B1A-01               |                           |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
|---------------------------|-------------------------|---------------------------|-----------------------|--------------------|--------------------|--------------------|---------|------------------------|--------------|------------|----------|-------------------|---------|--------------------------|-----------------|----------------|
| Description               | BUILDING 1A FIRST FLOOR |                           |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
| Volatile Organic Compound | 1,1,1-Trichloroethane   | 1,1,1,2-Tetrachloroethane | 1,1,2-Trichloroethane | 1,1-Dichloroethane | 1,1-Dichloroethene | 1,2-Dichloroethane | Benzene | cis-1,2-Dichloroethene | Ethylbenzene | m,p-Xylene | o-Xylene | Tetrachloroethene | Toluene | trans-1,2-Dichloroethene | Trichloroethene | Vinyl Chloride |
| 7/15/2003                 | 0.63                    | 0.14 U                    | 0.1 U                 | 0.08 U             | 0.04 U             | 0.95               | 1.8     | 0.89                   | 3.4          | 12         | 3.5      | 25                | 52      | 0.056 U                  | 6.9             | 0.02 U         |
| 10/2/2003                 | 0.35 J                  | 0.34 U                    | 0.27 U                | 0.2 U              | 0.2 U              | 0.2 U              | 1.3     | 1.5                    | 0.91         | 2.6        | 0.74     | 1.9               | 11      | 0.2 U                    | 10              | 0.13 U         |
| 1/20/2004                 | 0.19                    | 0.14 U                    | 0.11 U                | 0.081 U            | 0.079 U            | 0.14               | 0.89    | 0.59                   | 0.61         | 1.7        | 0.56     | 8.1               | 2.8     | 0.079 U                  | 2.1             | 0.051 U        |
| 12/12/2006                | 0.21                    | 0.21 U                    | 0.16 U                | 0.12 U             | 0.12 U             | 0.24 U             | 3.5     | 0.71                   | 2            | 6.1        | 1.4      | 3.6               | 8.7     | 0.12 U                   | 9.1             | 0.15 U         |
| 3/20/2007                 | 0.26                    | 0.27 U                    | 0.22 U                | 0.16 U             | 0.16 U             | 0.32 U             | 2.3     | 0.75                   | 0.78         | 2.6        | 0.61     | 0.88              | 3.4     | 0.16 U                   | 12              | 0.2 U          |
| 6/21/2007                 | 0.06                    | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.24    | 0.04 U                 | 0.21         | 0.74       | 0.18     | 0.095             | 1.5     | 0.04 U                   | 0.39            | 0.051 U        |
| 9/19/2007                 | 1                       | 0.69 U                    | 0.55 U                | 0.4 U              | 0.4 U              | 0.97               | 1.2     | 0.67                   | 3.8          | 12         | 2.1      | 2.4               | 17      | 0.4 U                    | 3.4             | 1.6            |
| 12/11/2007                | 0.093                   | 0.1 U                     | 0.082 U               | 0.061 U            | 0.059 U            | 0.12 U             | 1.4     | 0.32                   | 0.61         | 1.7        | 0.4      | 1.6               | 2.9     | 0.059 U                  | 2.9             | 0.077 U        |
| 3/26/2008                 | 0.098                   | 0.1 U                     | 0.082 U               | 0.061 U            | 0.059 U            | 0.12 U             | 1.4     | 0.28                   | 0.74         | 2.6        | 0.69     | 0.75              | 1.9     | 0.059 U                  | 4.9             | 0.077 U        |
| 6/17/2008                 | 0.055 U                 | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.14    | 0.04 U                 | 0.65         | 2.6        | 0.74     | 0.068 U           | 2.1     | 0.04 U                   | 0.059           | 0.051 U        |
| 9/24/2008                 | 0.22 U                  | 0.27 U                    | 0.22 U                | 0.16 U             | 0.16 U             | 0.32 U             | 0.89    | 0.48                   | 1            | 3.2        | 0.96     | 0.88              | 11      | 0.16 U                   | 2.3             | 0.2 U          |
| 12/18/2008                | 0.16 U                  | 0.21 U                    | 0.16 U                | 0.12 U             | 0.12 U             | 0.24 U             | 4.8     | 0.59                   | 0.78         | 2.9        | 1        | 0.56              | 6.8     | 0.12 U                   | 9.7             | 0.15 U         |
| 3/26/2009                 | 0.18 U                  | 0.23 U                    | 0.18 U                | 0.13 U             | 0.13 U             | 0.27 U             | 3.8     | 1                      | 1.1          | 3.7        | 1.2      | 0.46              | 8.7     | 0.13 U                   | 7               | 0.17 U         |
| 6/25/2009                 | 0.18 U                  | 0.23 U                    | 0.18 U                | 0.13 U             | 0.13 U             | 0.27 U             | 1.7     | 0.27                   | 1.1          | 3.8        | 1.1      | 0.22 U            | 7.2     | 0.13 U                   | 0.59            | 0.17 U         |
| 9/23/2009                 | 0.82 U                  | 1 U                       | 0.82 U                | 0.61 U             | 0.59 U             | 1.2 U              | 2.4     | 0.59 U                 | 6.1          | 17         | 3.9      | 1 U               | 37      | 0.59 U                   | 2.7             | 0.77 U         |
| 12/17/2009                | 0.11 U                  | 0.14 U                    | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 2.7     | 0.52                   | 0.69         | 2.3        | 1.1      | 0.58              | 4.5     | 0.079 U                  | 3.7             | 0.1 U          |
| 3/24/2010                 | 0.11 U                  | 0.14 U                    | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 1.3     | 1                      | 1            | 3.2        | 0.83     | 0.6               | 4.9     | 0.079 U                  | 7.5             | 0.1 U          |
| 6/22/2010                 | 0.44 U                  | 0.56 U                    | 0.44 U                | 0.33 U             | 0.32 U             | 0.65 U             | 1.9     | 2.7                    | 2            | 6.5        | 1.8      | 0.75              | 9       | 0.32 U                   | 27              | 0.41 U         |
| 8/30/2010                 | 0.069 NJ                | 0.069 UJ                  | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.7     | 0.094                  | 0.67         | 2          | 0.67     | 0.13              | 3.4     | 0.04 U                   | 1.5             | 0.051 U        |
| 9/22/2010                 | 0.33 U                  | 0.41 U                    | 0.33 U                | 0.24 U             | 0.24 U             | 0.49 U             | 1.6     | 0.24 U                 | 2.4          | 11         | 2.9      | 0.43              | 16      | 0.24 U                   | 2.4             | 0.31 U         |
| 12/28/2010                | 0.055 U                 | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 1.8     | 0.071                  | 0.17         | 0.55       | 0.19     | 0.1               | 1.6     | 0.04 U                   | 1.1             | 0.051 U        |
| 3/23/2011                 | 0.11 U                  | 0.14 U                    | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 2       | 0.59                   | 0.45         | 1.3        | 0.46     | 0.58              | 2.5     | 0.079 U                  | 6.8             | 0.1 U          |
| 6/22/2011                 | 0.055 U                 | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.35    | 0.04 U                 | 0.48         | 1.3        | 0.47     | 0.11              | 3.5     | 0.04 U                   | 0.26            | 0.051 U        |
| 9/21/2011                 | 0.096 NJ                | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.22               | 0.44    | 0.16                   | 0.094        | 0.32       | 0.12     | 0.081             | 0.4     | 0.04 U                   | 0.75            | 0.051 U        |
| 12/20/2011                | 0.055 U                 | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.11               | 0.52    | 0.086                  | 0.8          | 3.7        | 1.4      | 2.8               | 1.3     | 0.04 U                   | 1.1             | 0.051 U        |
| 3/28/2012                 | 0.11 U                  | 0.14 U                    | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 0.32    | 0.079 U                | 0.38         | 0.82       | 0.29     | 0.18              | 3.5     | 0.079 U                  | 1.3             | 0.1 U          |
| 6/14/2012                 | 0.068 U                 | 0.086 U                   | 0.068 U               | 0.051 U            | 0.05 U             | 0.14               | 1.1     | 0.29                   | 0.54         | 1.8        | 0.62     | 0.16              | 3.8     | 0.05 U                   | 1.3             | 0.064 U        |
| 10/9/2012                 | 0.28                    | 0.21 U                    | 0.16 U                | 0.12 U             | 0.12 U             | 0.33               | 0.83    | 0.55                   | 0.74         | 2.4        | 0.74     | 1.1               | 4       | 0.12 U                   | 5.2             | 0.15 U         |
| 1/3/2013                  | 0.055 U                 | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.09 NJ            | 0.96    | 0.12                   | 0.18         | 0.51       | 0.17     | 0.28              | 2       | 0.04 U                   | 1.6             | 0.051 U        |
| 3/28/2013                 | 0.055 U                 | 0.069 UJ                  | 0.055 U               | 0.04 U             | 0.16 U             | 0.081 U            | 0.93    | 0.08 U                 | 0.12         | 0.29 J     | 0.1 NJ   | 0.071             | 1.1     | 0.04 U                   | 0.95            | 0.051 U        |
| 6/19/2013                 | 0.067                   | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081              | 0.15    | 0.17 NJ                | 0.28         | 0.98       | 0.39     | 0.26              | 3.1     | 0.04 U                   | 2.7             | 0.051 U        |
| 9/19/2013                 | 0.055 U                 | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.032 U | 0.14                   | 0.043 U      | 0.087 U    | 0.043 U  | 0.068 U           | 0.038 U | 0.04 U                   | 0.11            | 0.051 U        |
| 12/18/2013                | 0.055 U                 | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.92    | 0.04 U                 | 0.2          | 0.65       | 0.24     | 0.068 U           | 1.7     | 0.04 U                   | 0.072           | 0.051 U        |
| 3/20/2014                 | 0.055 U                 | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.62    | 0.04 U                 | 0.09         | 0.23       | 0.093    | 0.068 U           | 0.85    | 0.04 U                   | 0.054 U         | 0.051 U        |
| 6/18/2014                 | 0.055 U                 | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.23    | 0.04 U                 | 0.25         | 0.88       | 0.29     | 0.083             | 1.8     | 0.04 U                   | 0.095           | 0.051 U        |
| 9/23/2014                 | 0.055 U                 | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.079              | 0.31    | 0.1                    | 0.37         | 1.3        | 0.44     | 0.093             | 2.8     | 0.04 U                   | 0.35            | 0.051 U        |
| 12/16/2014                | 0.084 U                 | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.094 J+           | 0.74    | 0.04 U                 | 0.21         | 0.53       | 0.2      | 0.11              | 1.6     | 0.04 U                   | 0.54            | 0.051 U        |
| 3/24/2015                 | 0.055 U                 | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.093              | 0.87    | 0.04 U                 | 0.11         | 0.35       | 0.13     | 0.068 U           | 0.69    | 0.04 U                   | 0.17            | 0.051 U        |
| 6/15/2015                 | 0.091 U                 | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.35               | 0.27    | 0.21                   | 0.41         | 1.4        | 0.49     | 0.44              | 2.1     | 0.04 U                   | 1.6             | 0.051 U        |
| 9/9/2015                  | 0.12                    | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.40               | 0.22    | 0.04 U                 | 0.35         | 1.1        | 0.40     | 0.49              | 1.4     | 0.04 U                   | 1.0             | 0.051 U        |
| 12/15/2015                | 0.055 U*                | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U*           | 0.29    | 0.04 U                 | 0.068        | 0.20       | 0.077    | 0.068 U           | 0.52    | 0.04 U                   | 0.054 U         | 0.051 U        |
| 3/31/2016                 | 0.084                   | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.12               | 0.24    | 0.04 U                 | 0.10         | 0.29       | 0.12     | 0.19              | 0.46    | 0.04 U                   | 0.83            | 0.051 U        |

Notes:

All values are shown in units of micrograms per cubic meter ( $\mu\text{g}/\text{m}^3$ ).

U - Not detected above reporting limit

J - Estimated

**Table 5**  
**Building 1A Basement and First Floor Indoor Air Sample Analytical Data Summary**  
**Former Philips Display Components Facility - Seneca Falls, New York**

| Sample ID<br>Description | IA-B1A-BASE                     |                           |                               |                           |                      |                      |                      |         |                            |              |            |          |                   |         |                              |                 |
|--------------------------|---------------------------------|---------------------------|-------------------------------|---------------------------|----------------------|----------------------|----------------------|---------|----------------------------|--------------|------------|----------|-------------------|---------|------------------------------|-----------------|
|                          | BUILDING 1A BASEMENT            |                           |                               |                           |                      |                      |                      |         |                            |              |            |          |                   |         |                              |                 |
|                          | Volatile<br>Organic<br>Compound | 1,1,1-<br>Trichloroethane | 1,1,2,2-<br>Tetrachloroethane | 1,1,2-<br>Trichloroethane | 1,1,1-Dichloroethane | 1,1,1-Dichloroethene | 1,1,2-Dichloroethane | Benzene | cis-1,2-<br>Dichloroethene | Ethylbenzene | m,p-Xylene | o-Xylene | Tetrachloroethene | Toluene | trans-1,2-<br>Dichloroethene | Trichloroethene |
| 10/2/2003                | 0.6 J                           | 0.69 U                    | 0.55 U                        | 0.4 U                     | 0.4 U                | 0.4 U                | 0.77                 | 5.2     | 0.43 U                     | 1            | 0.43 U     | 1.8      | 3.1               | 0.4 U   | 160                          | 0.26 U          |
| 1/20/2004                | 0.27 U                          | 0.34 U                    | 0.27 U                        | 0.2 U                     | 0.2 U                | 0.2 U                | 1.1                  | 0.71    | 0.3                        | 0.74         | 0.27       | 3.1      | 1.5               | 0.2 U   | 9.1                          | 0.13 U          |
| 12/12/2006               | 0.55 U                          | 0.69 U                    | 0.55 U                        | 0.4 U                     | 0.4 U                | 0.81 U               | 2.7                  | 2.8     | 1.7                        | 5.2          | 1.3        | 3.8      | 6                 | 0.4 U   | 45                           | 0.51 U          |
| 3/20/2007                | 1.1 U                           | 1.4 U                     | 1.1 U                         | 0.81 U                    | 0.79 U               | 1.6 U                | 3.5                  | 4.8     | 0.87 U                     | 2.1          | 0.87 U     | 1.4 U    | 3.3               | 0.79 U  | 81                           | 1 U             |
| 6/21/2007                | 0.11 U                          | 0.14 U                    | 0.11 U                        | 0.081 U                   | 0.079 U              | 0.16 U               | 0.35                 | 0.14    | 1.4                        | 3.7          | 0.83       | 0.24     | 4.5               | 0.079 U | 2.1                          | 0.1 U           |
| 9/19/2007                | 0.43                            | 0.14 U                    | 0.11 U                        | 0.081 U                   | 0.079 U              | 0.16 U               | 0.45                 | 0.29    | 0.48                       | 1.4          | 0.32       | 1.1      | 2.2               | 0.079 U | 7                            | 0.1 U           |
| 12/11/2007               | 0.22 U                          | 0.27 U                    | 0.22 U                        | 0.16 U                    | 0.16 U               | 0.32 U               | 1.1                  | 1.5     | 0.48                       | 1.4          | 0.37       | 1.2      | 1.9               | 0.16 U  | 20                           | 0.2 U           |
| 3/26/2008                | 0.22 U                          | 0.27 U                    | 0.22 U                        | 0.16 U                    | 0.16 U               | 0.32 U               | 0.73                 | 1.1     | 0.32                       | 0.91         | 0.3        | 0.56     | 1                 | 0.16 U  | 17                           | 0.2 U           |
| 6/17/2008                | 0.055 U                         | 0.069 U                   | 0.055 U                       | 0.04 U                    | 0.04 U               | 0.081 U              | 0.14                 | 0.04 U  | 0.091                      | 0.33         | 0.1        | 0.068 U  | 1.8               | 0.04 U  | 0.081                        | 0.051 U         |
| 9/24/2008                | 0.27 U                          | 0.34 U                    | 0.27 U                        | 0.2 U                     | 0.2 U                | 0.4 U                | 0.7                  | 0.83    | 0.48                       | 1.7          | 0.56       | 0.81     | 5.7               | 0.2 U   | 16                           | 0.26 U          |
| 12/18/2008               | 0.35 U                          | 0.45 U                    | 0.35 U                        | 0.26 U                    | 0.26 U               | 0.53 U               | 2                    | 1.5     | 0.56                       | 2.1          | 0.78       | 0.52     | 4.5               | 0.26 U  | 24                           | 0.33 U          |
| 3/26/2009                | 0.55 U                          | 0.69 U                    | 0.55 U                        | 0.4 U                     | 0.4 U                | 0.81 U               | 1.7                  | 1.9     | 0.56                       | 2.2          | 1.1        | 0.68 U   | 4.1               | 0.4 U   | 29                           | 0.51 U          |
| 6/25/2009                | 0.071                           | 0.069 U                   | 0.055 U                       | 0.04 U                    | 0.04 U               | 0.081 U              | 1.5                  | 0.079   | 0.43                       | 1.6          | 0.52       | 0.095    | 3.1               | 0.04 U  | 0.27                         | 0.051 U         |
| 9/23/2009                | 1.4 U                           | 1.7 U                     | 1.4 U                         | 1 U                       | 0.99 U               | 2 U                  | 2.8                  | 3.8     | 2.9                        | 7.8          | 2          | 1.7 U    | 18                | 0.99 U  | 86                           | 1.3 U           |
| 12/17/2009               | 0.33 U                          | 0.41 U                    | 0.33 U                        | 0.24 U                    | 0.24 U               | 0.49 U               | 1.1                  | 0.91    | 0.26 U                     | 0.78         | 0.28       | 0.54     | 1.5               | 0.24 U  | 14                           | 0.31 U          |
| 3/24/2010                | 0.27 U                          | 0.34 U                    | 0.27 U                        | 0.2 U                     | 0.2 U                | 0.4 U                | 0.86                 | 1.7     | 0.52                       | 1.6          | 0.4        | 0.68     | 1.7               | 0.2 U   | 24                           | 0.26 U          |
| 6/22/2010                | 2.2 U                           | 2.7 U                     | 2.2 U                         | 1.6 U                     | 1.6 U                | 3.3 U                | 2.3                  | 12      | 1.7 U                      | 4.8          | 1.7 U      | 2.7 U    | 6                 | 1.6 U   | 120                          | 2.1 U           |
| 8/30/2010                | 0.19 U                          | 0.24 UJ                   | 0.19 U                        | 0.14 U                    | 0.14 U               | 0.28 U               | 1.9                  | 0.77    | 1.1                        | 3.5          | 1.1        | 0.26     | 7.2               | 0.14 U  | 14                           | 0.18 U          |
| 9/22/2010                | 0.22 U                          | 0.27 U                    | 0.22 U                        | 0.16 U                    | 0.16 U               | 0.32 U               | 1.8                  | 0.16 U  | 0.91                       | 3.9          | 1.1        | 0.27 U   | 9.4               | 0.16 U  | 4.5                          | 0.2 U           |
| 12/28/2010               | 0.055 U                         | 0.069 U                   | 0.055 U                       | 0.04 U                    | 0.04 U               | 0.081 U              | 0.96                 | 0.074   | 0.17 NJ                    | 0.53         | 0.17       | 0.18     | 2                 | 0.04 U  | 1.8                          | 0.051 U         |
| 3/23/2011                | 0.82 U                          | 1 U                       | 0.82 U                        | 0.61 U                    | 0.59 U               | 1.2 U                | 4.4                  | 5.2     | 0.65 U                     | 1.3 U        | 0.65 U     | 1 U      | 1                 | 0.59 U  | 67                           | 0.77 U          |
| 6/22/2011                | 0.055 U                         | 0.069 U                   | 0.055 U                       | 0.04 U                    | 0.04 U               | 0.081 U              | 0.28                 | 0.04 U  | 0.32                       | 1.1          | 0.39       | 0.12     | 2.7               | 0.04 U  | 0.43                         | 0.051 U         |
| 9/21/2011                | 0.12 NJ                         | 0.1 U                     | 0.082 U                       | 0.061 U                   | 0.059 U              | 0.27 U               | 0.55                 | 0.24    | 0.35                       | 0.73         | 0.19       | 0.81     | 2.3               | 0.059 U | 5.1                          | 0.077 U         |
| 12/20/2011               | 0.055 U                         | 0.069 U                   | 0.055 U                       | 0.04 U                    | 0.04 U               | 0.081 U              | 0.49                 | 0.11    | 0.43                       | 2            | 0.79       | 1.6      | 0.71              | 0.04 U  | 1.6                          | 0.051 U         |
| 3/28/2012                | 0.22 U                          | 0.27 U                    | 0.22 U                        | 0.16 U                    | 0.16 U               | 0.32 U               | 0.47                 | 0.52    | 0.18                       | 0.58         | 0.2        | 0.28     | 1                 | 0.16 U  | 11                           | 0.2 U           |
| 6/14/2012                | 0.11 U                          | 0.14 U                    | 0.11 U                        | 0.081 U                   | 0.079 U              | 0.16                 | 0.73                 | 0.24    | 0.46                       | 1.5          | 0.52       | 0.2      | 2.6               | 0.079 U | 5                            | 0.1 U           |
| 10/9/2012                | 0.11                            | 0.14 U                    | 0.11 U                        | 0.081 U                   | 0.079 U              | 0.16 U               | 0.28                 | 0.22    | 0.11                       | 0.37         | 0.13       | 0.36     | 0.69              | 0.079 U | 4.5                          | 0.1 U           |
| 1/3/2013                 | 0.16 U                          | 0.42                      | 0.16 U                        | 0.12 U                    | 0.12 U               | 0.24 U               | 0.74                 | 0.21    | 0.19                       | 0.57         | 0.23       | 0.25     | 6.6               | 0.12 U  | 3                            | 0.15 U          |
| 3/28/2013                | 0.22 UJ                         | 0.27 UJ                   | 0.22 UJ                       | 0.16 UJ                   | 0.64 UJ              | 0.32 UJ              | 1.1 J                | 0.32 UJ | 0.23 NJ                    | 0.56 NJ      | 0.64 UJ    | 0.29 J   | 4.4 J             | 0.16 UJ | 2.4 J                        | 0.2 UJ          |
| 6/19/2013                | 0.22 U                          | 0.27 U                    | 0.22 U                        | 0.16 U                    | 0.16 U               | 0.32 U               | 0.16                 | 0.58    | 0.24                       | 0.82         | 0.37       | 0.35     | 2.5               | 0.16 U  | 13                           | 0.2 U           |
| 9/19/2013                | 1.2                             | 0.098 U                   | 0.078 U                       | 0.058 U                   | 0.82                 | 0.12 U               | 0.34                 | 0.43    | 0.33                       | 0.97         | 0.34       | 0.29     | 4.2               | 0.057 U | 7                            | 0.073 U         |
| 12/18/2013               | 0.055 U                         | 0.069 U                   | 0.055 U                       | 0.04 U                    | 0.04 U               | 0.081 U              | 0.8                  | 0.04 U  | 0.16                       | 0.45         | 0.15       | 0.068 U  | 1.4               | 0.04 U  | 0.07                         | 0.051 U         |
| 3/20/2014                | 0.055 U                         | 0.069 U                   | 0.055 U                       | 0.04 U                    | 0.04 U               | 0.081 U              | 0.65                 | 0.04 U  | 0.12                       | 0.57         | 0.3        | 0.068 U  | 0.8               | 0.04 U  | 0.054 U                      | 0.051 U         |
| 6/18/2014                | 0.055 U                         | 0.069 U                   | 0.055 U                       | 0.04 U                    | 0.04 U               | 0.081 U              | 0.23                 | 0.04 U  | 0.28                       | 0.97         | 0.33 NJ    | 0.096    | 1.8               | 0.04 U  | 0.1                          | 0.051 U         |
| 9/23/2014                | 0.055 U                         | 0.069 U                   | 0.055 U                       | 0.04 U                    | 0.04 U               | 0.081 U              | 0.29                 | 0.085   | 0.28                       | 1            | 0.36       | 0.079    | 2                 | 0.04 U  | 0.31                         | 0.051 U         |
| 12/16/2014               | 0.068 U                         | 0.069 U                   | 0.055 U                       | 0.04 U                    | 0.04 U               | 0.091 J+             | 0.69                 | 0.04 U  | 0.17                       | 0.47         | 0.16       | 0.094    | 1.3               | 0.04 U  | 0.6                          | 0.051 U         |
| 3/24/2015                | 0.055U                          | 0.069 U                   | 0.055 U                       | 0.04 U                    | 0.04 U               | 0.081                | 0.77                 | 0.04 U  | 0.097                      | 0.26         | 0.11       | 0.068 U  | 0.53              | 0.04U   | 0.054 U                      | 0.051 U         |
| 6/15/2015                | 0.077                           | 0.069 U                   | 0.055 U                       | 0.056                     | 0.04 U               | 0.19                 | 0.19                 | 0.13    | 0.17                       | 0.63         | 0.23       | 0.25     | 0.74              | 0.04 U  | 1.2                          | 0.051 U         |
| 9/9/2015                 | 0.076                           | 0.069 U                   | 0.055 U                       | 0.04 U                    | 0.04 U               | 0.27                 | 0.22                 | 0.057   | 0.15                       | 0.51         | 0.20       | 0.31     | 0.61              | 0.04 U  | 1.4                          | 0.051 U         |
| 12/15/2015               | 0.055 U*                        | 0.069 U                   | 0.055 U                       | 0.04 U                    | 0.04 U               | 0.081 U*             | 0.32                 | 0.04 U  | 0.075                      | 0.23         | 0.078      | 0.068 U  | 0.53              | 0.04 U  | 0.054 U                      | 0.051 U         |
| 3/31/2016                | 0.055 U                         | 0.069 U                   | 0.055 U                       | 0.04 U                    | 0.04 U               | 0.081 U              | 0.24                 | 0.04 U  | 0.072                      | 0.19         | 0.049      | 0.093    | 0.65              | 0.04 U  | 0.24                         | 0.051 U         |

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

J - Estimated

NJ - Tentative in identification and estimated

**Table 6**  
**Building 1 Analytical Data Summary**  
**Former Philips Display Components Facility - Seneca Falls, New York**

| Sample ID                 | IA-B1-01              |                           |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
|---------------------------|-----------------------|---------------------------|-----------------------|--------------------|--------------------|--------------------|---------|------------------------|--------------|------------|----------|-------------------|---------|--------------------------|-----------------|----------------|
| Description               |                       |                           |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
| Volatile Organic Compound | 1,1,1-Trichloroethane | 1,1,2,2-Tetrachloroethane | 1,1,2-Trichloroethane | 1,1-Dichloroethane | 1,1-Dichloroethene | 1,2-Dichloroethane | Benzene | cis-1,2-Dichloroethene | Ethylbenzene | m,p-Xylene | o-Xylene | Tetrachloroethene | Toluene | trans-1,2-Dichloroethene | Trichloroethene | Vinyl Chloride |
| 7/15/2003                 | 0.57                  | 0.14 U                    | 0.1 U                 | 0.08 U             | 0.045              | 1.1                | 1.3     | 0.38                   | 1.9          | 6.2        | 2        | 12                | 17      | 0.056 U                  | 4.8             | 0.02 U         |
| 10/2/2003                 | 0.71                  | 0.069 U                   | 0.055 U               | 0.073              | 0.15               | 0.49               | 1.6     | 1.3                    | 1.1          | 2.7        | 0.87     | 5.6               | 5.3     | 0.04 U                   | 7.5             | 0.026 U        |
| 1/20/2004                 | 0.32                  | 0.14 U                    | 0.11 U                | 0.081 U            | 0.079 U            | 0.28               | 1.4     | 1                      | 1.1          | 3.6        | 1.1      | 9.5               | 3.8     | 0.079 U                  | 4.8             | 0.051 U        |
| 12/18/2013                | 0.091 U               | 0.11 U                    | 0.091 U               | 0.068 U            | 0.066 U            | 0.14 U             | 0.90    | 0.066 U                | 0.20         | 0.50       | 0.23     | 0.11 U            | 4.1     | 0.066 U                  | 0.40            | 0.085 U        |
| 3/20/2014                 | 0.13 NJ               | 0.14 U                    | 0.11 U                | 0.081 U            | 0.079 U            | 0.21               | 0.99    | 0.21                   | 1.1          | 4.7        | 1.8      | 0.23              | 4.9     | 0.079 U                  | 1.8             | 0.1 U          |
| 6/18/2014                 | 0.27 U                | 0.34 U                    | 0.27 U                | 0.2 U              | 0.2 U              | 0.47 NJ            | 0.45    | 1.9                    | 4.6          | 19         | 5        | 0.34 U            | 18      | 0.2 U                    | 1.8             | 0.26 U         |
| 9/23/2014                 | 0.35                  | 0.069 U                   | 0.055 U               | 0.04 U             | 0.074              | 0.13               | 0.42    | 0.4                    | 0.5          | 1.9        | 0.57     | 1.2               | 2.9     | 0.04 U                   | 3.5             | 0.051 U        |
| 12/16/2014                | 0.086                 | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.034   | 0.048 NJ               | 0.043 U      | 0.087 U    | 0.043 U  | 0.068 U           | 0.038 U | 0.04 U                   | 0.12            | 0.051 U        |
| 3/24/2015                 | 0.16                  | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.16               | 0.99    | 0.21                   | 0.42         | 1.4        | 0.50     | 1.1               | 2.6     | 0.04 U                   | 2.7             | 0.051 U        |
| 6/15/2015                 | 0.18                  | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.84               | 0.44    | 0.38                   | 2.1          | 8.3        | 2.3      | 1                 | 2.2     | 0.04 U                   | 3.6             | 0.051 U        |
| 9/9/2015                  | 0.31                  | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.93               | 0.28    | 0.04 U                 | 0.37         | 1.2        | 0.48     | 0.94              | 1.3     | 0.04 U                   | 2.0             | 0.051 U        |
| 12/15/2015                | 0.061 J+              | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.12 J+            | 0.42    | 0.072 U                | 0.27         | 0.93       | 0.20     | 0.11              | 1.1     | 0.04 U                   | 1.3             | 0.051 U        |
| 3/31/2016                 | 0.13                  | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.18               | 0.35    | 0.04 U                 | 0.17         | 0.47       | 0.17     | 0.31              | 0.76    | 0.04 U                   | 1.6             | 0.051 U        |

| Sample ID                 | SVSS-B1-01            |                           |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
|---------------------------|-----------------------|---------------------------|-----------------------|--------------------|--------------------|--------------------|---------|------------------------|--------------|------------|----------|-------------------|---------|--------------------------|-----------------|----------------|
| Description               |                       |                           |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
| Volatile Organic Compound | 1,1,1-Trichloroethane | 1,1,2,2-Tetrachloroethane | 1,1,2-Trichloroethane | 1,1-Dichloroethane | 1,1-Dichloroethene | 1,2-Dichloroethane | Benzene | cis-1,2-Dichloroethene | Ethylbenzene | m,p-Xylene | o-Xylene | Tetrachloroethene | Toluene | trans-1,2-Dichloroethene | Trichloroethene | Vinyl Chloride |
| 7/17/2003                 | 39 U                  | 49 U                      | 39 U                  | 29 U               | 28 U               | 29 U               | 23 U    | 47                     | 31 U         | 31 U       | 32 U     | 110               | 27 U    | 28 U                     | 6600            | 18 U           |
| 12/16/2014                | 24 U                  | 30 U                      | 24 U                  | 18 U               | 17 U               | 18 U               | 14 U    | 70                     | 19 U         | 47 U       | 19 U     | 31                | 16 U    | 17 U                     | 3500            | 11 U           |
| 12/16/2015                | 32 U                  | 40 U                      | 32 U                  | 23 U               | 23 U               | 23 U               | 19 U    | 87                     | 25 U         | 63 U       | 25 U     | 39 U              | 22 U    | 23 U                     | 4100            | 15 U           |

Notes:

All values are shown in units of micrograms per cubic meter ( $\mu\text{g}/\text{m}^3$ ).

U - Not detected above reporting limit

J+ - Estimated and may be biased high

NJ - Tentative in identification and estimated

**Table 7**  
**Building 8 Analytical Data Summary**  
**Former Philips Display Components Facility - Seneca Falls, New York**

| Sample ID   | IA-B8-01                     |                                  |                              |                           |                           |                           |                |                               |                     |                   |                 |                          |                |                                 |                        |                       |
|-------------|------------------------------|----------------------------------|------------------------------|---------------------------|---------------------------|---------------------------|----------------|-------------------------------|---------------------|-------------------|-----------------|--------------------------|----------------|---------------------------------|------------------------|-----------------------|
| Description | BUILDING 8 INDOOR AIR        |                                  |                              |                           |                           |                           |                |                               |                     |                   |                 |                          |                |                                 |                        |                       |
|             | <i>1,1,1-Trichloroethane</i> | <i>1,1,2,2-Tetrachloroethane</i> | <i>1,1,2-Trichloroethane</i> | <i>1,1-Dichloroethane</i> | <i>1,1-Dichloroethene</i> | <i>1,2-Dichloroethane</i> | <i>Benzene</i> | <i>cis-1,2-Dichloroethene</i> | <i>Ethylbenzene</i> | <i>m,p-Xylene</i> | <i>o-Xylene</i> | <i>Tetrachloroethene</i> | <i>Toluene</i> | <i>trans-1,2-Dichloroethene</i> | <i>Trichloroethene</i> | <i>Vinyl chloride</i> |
| 7/15/2003   | 0.68                         | 0.14 U                           | 0.1 U                        | 0.08 U                    | 0.049                     | 1.3                       | 1.7            | 0.56                          | 1.2                 | 7.4               | 1.5             | 6                        | 7.1            | 0.056 U                         | 4.1                    | 0.02 U                |
| 10/2/2003   | 0.76                         | 0.069 U                          | 0.055 U                      | 0.04 U                    | 0.063                     | 1.6                       | 2.2            | 1.9                           | 0.78                | 2                 | 0.69            | 5.1                      | 2.5            | 0.04 U                          | 10                     | 0.026 U               |
| 1/20/2004   | 0.46                         | 0.21 U                           | 0.16 U                       | 0.12 U                    | 0.12 U                    | 0.32                      | 1.8            | 1.3                           | 2                   | 7.8               | 2.2             | 10                       | 4.9            | 0.12 U                          | 4.2                    | 0.077 U               |
| 3/31/2005   | 0.21                         | 0.069 U                          | 0.055 U                      | 0.04 U                    | 0.04 U                    | 4.5                       | 1.7            | 0.19                          | 0.52                | 1.7               | 0.61            | 0.75                     | 2.3            | 0.04 U                          | 1.4                    | 0.026 U               |
| 12/16/2014  | 0.48                         | 0.1 U                            | 0.082 U                      | 0.061 U                   | 0.059 U                   | 0.27                      | 0.94           | 0.14                          | 0.37                | 1.2               | 0.40            | 0.21                     | 2.7            | 0.059 U                         | 2.7                    | 0.077 U               |
| 12/15/2015  | 0.095 J+                     | 0.069 U                          | 0.055 U                      | 0.04 U                    | 0.04 U                    | 0.095 J+                  | 0.55           | 0.17                          | 0.54                | 1.9               | 0.35            | 0.18                     | 1.7            | 0.04 U                          | 2.5                    | 0.051 U               |
| 3/31/2016   | 0.15                         | 0.069 U                          | 0.055 U                      | 0.04 U                    | 0.04 U                    | 0.12                      | 0.35           | 0.04 U                        | 0.16                | 0.44              | 0.16            | 0.51                     | 0.73           | 0.04 U                          | 1.1                    | 0.051 U               |

| Sample ID   | SVSS-B8-01                   |                                  |                              |                           |                           |                           |                |                               |                     |                   |                 |                          |                |                                 |                        |                       |
|-------------|------------------------------|----------------------------------|------------------------------|---------------------------|---------------------------|---------------------------|----------------|-------------------------------|---------------------|-------------------|-----------------|--------------------------|----------------|---------------------------------|------------------------|-----------------------|
| Description | BUILDING 8 SUB-SLAB VAPOR    |                                  |                              |                           |                           |                           |                |                               |                     |                   |                 |                          |                |                                 |                        |                       |
|             | <i>1,1,1-Trichloroethane</i> | <i>1,1,2,2-Tetrachloroethane</i> | <i>1,1,2-Trichloroethane</i> | <i>1,1-Dichloroethane</i> | <i>1,1-Dichloroethene</i> | <i>1,2-Dichloroethane</i> | <i>Benzene</i> | <i>cis-1,2-Dichloroethene</i> | <i>Ethylbenzene</i> | <i>m,p-Xylene</i> | <i>o-Xylene</i> | <i>Tetrachloroethene</i> | <i>Toluene</i> | <i>trans-1,2-Dichloroethene</i> | <i>Trichloroethene</i> | <i>Vinyl chloride</i> |
| 7/17/2003   | 18                           | 14 U                             | 11 U                         | 10                        | 7.9 U                     | 8.1 U                     | 7.6            | 29                            | 8.7 U               | 43                | 19              | 180                      | 26             | 7.9 U                           | 1600                   | 5.1 U                 |
| 2/25/2015   | 3.7                          | 2.2 U                            | 1.7 U                        | 1.5                       | 1.3 U                     | 1.3 U                     | 2.0            | 13                            | 1.4 U               | 8.2               | 2.7             | 16                       | 6.0            | 1.3 U                           | 160                    | 0.82 U                |

Notes:

All values are shown in units of micrograms per cubic meter ( $\mu\text{g}/\text{m}^3$ ).

U - Not detected above reporting limit

J - Estimated

**Table 8**  
**Ambient Air Sample Analytical Data Summary**  
**Former Philips Display Components Facility - Seneca Falls, New York**

| Sample ID                 | OA-B2-01                          |                           |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
|---------------------------|-----------------------------------|---------------------------|-----------------------|--------------------|--------------------|--------------------|---------|------------------------|--------------|------------|----------|-------------------|---------|--------------------------|-----------------|----------------|
| Description               | AMBIENT AIR OUTSIDE OF BUILDING 2 |                           |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
| Volatile Organic Compound | 1,1,1-Trichloroethane             | 1,1,2,2-Tetrachloroethane | 1,1,2-Trichloroethane | 1,1-Dichloroethane | 1,1-Dichloroethene | 1,2-Dichloroethane | Benzene | cis-1,2-Dichloroethene | Ethylbenzene | m,p-Xylene | o-Xylene | Tetrachloroethene | Toluene | trans-1,2-Dichloroethene | Trichloroethene | Vinyl Chloride |
| 7/15/2003                 | 0.21                              | 0.14 U                    | 0.1 U                 | 0.08 U             | 0.04 U             | 0.04 U             | 0.44    | 0.056 U                | 0.35         | 1.1        | 0.35     | 0.3               | 3.2     | 0.056 U                  | 0.58            | 0.02 U         |
| 10/2/2003                 | 0.16                              | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.04 U             | 0.38    | 0.04 U                 | 0.13         | 0.35       | 0.13     | 0.068 U           | 0.64    | 0.04 U                   | 0.52            | 0.026 U        |
| 1/20/2004                 | 0.12                              | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.04 U             | 0.45    | 0.04 U                 | 0.19         | 0.48       | 0.19     | 0.075             | 0.9     | 0.04 U                   | 0.81            | 0.026 U        |
| 3/20/2007                 | 0.15                              | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.089              | 0.58    | 0.04 U                 | 0.043 U      | 0.087 U    | 0.043 U  | 0.088             | 0.22    | 0.04 U                   | 2.8             | 0.051 U        |
| 6/21/2007                 | 0.06                              | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.21    | 0.04 U                 | 0.087        | 0.23       | 0.083    | 0.068 U           | 0.49    | 0.04 U                   | 0.7             | 0.051 U        |
| 9/19/2007                 | 0.055 U                           | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.32    | 0.04 U                 | 0.15         | 0.38       | 0.13     | 0.11              | 1       | 0.04 U                   | 0.31            | 0.051 U        |
| 12/11/2007                | 0.065                             | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.085              | 0.51    | 0.04 U                 | 0.1          | 0.26       | 0.1      | 0.068 U           | 0.53    | 0.04 U                   | 0.054 U         | 0.051 U        |
| 3/26/2008                 | 0.055 U                           | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.28    | 0.04 U                 | 0.078        | 0.2        | 0.078    | 0.068 U           | 0.36    | 0.04 U                   | 0.054 U         | 0.051 U        |
| 6/17/2008                 | 0.06                              | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.24    | 0.04 U                 | 0.16         | 0.52       | 0.2      | 0.068 U           | 1.7     | 0.04 U                   | 0.054 U         | 0.051 U        |
| 9/24/2008                 | 0.055 U                           | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.16    | 0.04 U                 | 0.091        | 0.26       | 0.091    | 0.068 U           | 0.57    | 0.04 U                   | 0.054 U         | 0.051 U        |
| 12/18/2008                | 0.055                             | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.7     | 0.04 U                 | 0.22         | 0.69       | 0.29     | 0.088             | 1.2     | 0.04 U                   | 0.11            | 0.051 U        |
| 3/26/2009                 | 0.065                             | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081              | 0.7     | 0.12                   | 0.25         | 1.3        | 0.65     | 0.14              | 0.98    | 0.04 U                   | 0.086           | 0.051 U        |
| 6/25/2009                 | 0.11 U                            | 0.14 U                    | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 0.54    | 0.079 U                | 0.69         | 1.7        | 0.56     | 0.14 U            | 5.3     | 0.079 U                  | 0.86            | 0.1 U          |
| 9/23/2009                 | 0.065                             | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.42    | 0.04 U                 | 0.48         | 0.74       | 0.26     | 0.075             | 1.2     | 0.075                    | 0.91            | 0.051 U        |
| 12/17/2009                | 0.055 U                           | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.42    | 0.04 U                 | 0.061        | 0.15       | 0.056    | 0.068 U           | 0.35    | 0.04 U                   | 0.054 U         | 0.051 U        |
| 3/24/2010                 | 0.082 U                           | 0.1 U                     | 0.082 U               | 0.061 U            | 0.059 U            | 0.12 U             | 1.0     | 0.059 U                | 0.52         | 1.8        | 0.52     | 0.26              | 4.1     | 0.059 U                  | 0.081 U         | 0.077 U        |
| 6/22/2010                 | 0.055 U                           | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.22    | 0.04 U                 | 0.069        | 0.11       | 0.043 U  | 0.068             | 0.45    | 0.04 U                   | 0.075           | 0.051 U        |
| 8/30/2010                 | 0.055 U                           | 0.069 UJ                  | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.35    | 0.04 U                 | 0.14         | 0.34       | 0.13     | 0.081             | 0.76    | 0.04 U                   | 0.074           | 0.051 U        |
| 9/22/2010                 | 0.055 U                           | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.58    | 0.04 U                 | 0.29         | 0.9        | 0.32     | 0.077             | 2.4     | 0.04 U                   | 0.066           | 0.051 U        |
| 12/28/2010                | 0.055 U                           | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.49    | 0.04 U                 | 0.11         | 0.26       | 0.1      | 0.068 U           | 0.65    | 0.04 U                   | 0.21            | 0.051 U        |
| 3/23/2011                 | 0.055 U                           | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.41    | 0.04 U                 | 0.084        | 0.2        | 0.079    | 0.071             | 0.48    | 0.04 U                   | 0.054 U         | 0.051 U        |
| 6/22/2011                 | 0.055 U                           | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.28    | 0.04 U                 | 0.32         | 0.96       | 0.33     | 0.12              | 3.3     | 0.04 U                   | 0.066           | 0.051 U        |
| 9/21/2011                 | 0.055 U                           | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.19    | 0.04 U                 | 0.085        | 0.21       | 0.077    | 0.068 U           | 0.82    | 0.04 U                   | 0.054 U         | 0.051 U        |
| 12/20/2011                | 0.055 U                           | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.53    | 0.04 U                 | 0.052        | 0.14       | 0.058    | 0.11              | 0.47    | 0.04 U                   | 0.054 U         | 0.051 U        |
| 3/28/2012                 | 0.14 U                            | 0.17 U                    | 0.14 U                | 0.1 U              | 0.099 U            | 0.2 U              | 0.31    | 0.099 U                | 0.5          | 0.95       | 0.34     | 0.17 U            | 4.7     | 0.099 U                  | 0.13 U          | 0.13 U         |
| 6/14/2012                 | 0.055 U                           | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.28    | 0.04 U                 | 0.19         | 0.74       | 0.28     | 0.068 U           | 0.59    | 0.04 U                   | 0.054 U         | 0.051 U        |
| 10/9/2012                 | 0.055 U                           | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.23    | 0.04 U                 | 0.043 U      | 0.087 U    | 0.043 U  | 0.068 U           | 0.35    | 0.04 U                   | 0.11            | 0.051 U        |
| 1/3/2013                  | 0.055 U                           | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.52    | 0.04 U                 | 0.096        | 0.26       | 0.1      | 0.068 U           | 0.53    | 0.04 U                   | 0.075           | 0.051 U        |
| 3/28/2013                 | 0.055 U                           | 0.069 UJ                  | 0.055 U               | 0.04 U             | 0.16 U             | 0.081 U            | 0.35    | 0.2 U                  | 0.059 U      | 0.15 J     | 0.4 UJ   | 0.068 U           | 0.27    | 0.04 U                   | 0.054 U         | 0.051 U        |
| 6/19/2013                 | 0.055 U                           | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.068   | 0.04 U                 | 0.043 U      | 0.087 U    | 0.043 U  | 0.15              | 0.18    | 0.04 U                   | 0.085 U         | 0.051 U        |
| 9/19/2013                 | 0.055 U                           | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.21    | 0.04 U                 | 0.063        | 0.17 NJ    | 0.058    | 0.068 U           | 0.72    | 0.04 U                   | 0.054 U         | 0.051 U        |
| 12/18/2013                | 0.055 U                           | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.71    | 0.04 U                 | 0.15         | 0.48       | 0.18     | 0.068 U           | 1.3     | 0.04 U                   | 0.054 U         | 0.051 U        |
| 3/20/2014                 | 0.055 U                           | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.9     | 0.04 U                 | 0.09         | 0.22       | 0.085    | 0.068 U           | 1.1     | 0.04 U                   | 0.054 U         | 0.051 U        |
| 6/18/2014                 | 0.055 U                           | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.29    | 0.04 U                 | 0.15         | 0.42       | 0.13     | 0.071             | 2.4     | 0.04 U                   | 0.054 U         | 0.051 U        |
| 9/23/2014                 | 0.055 U                           | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.27    | 0.04 U                 | 0.16         | 0.53       | 0.24     | 0.068 U           | 0.77    | 0.04 U                   | 0.054 U         | 0.051 U        |
| 12/16/2014                | 0.055 U                           | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.087              | 0.62    | 0.04 U                 | 0.17         | 0.47       | 0.19     | 0.068 U           | 1.4     | 0.04 U                   | 0.077           | 0.051 U        |
| 3/24/2015                 | 0.055 U                           | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.37    | 0.04 U                 | 0.055        | 0.14       | 0.053    | 0.068 U           | 0.26    | 0.04 U                   | 0.054 U         | 0.051 U        |
| 6/15/2015                 | 0.055 U                           | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.18    | 0.04 U                 | 0.075        | 0.25       | 0.1      | 0.07              | 0.38    | 0.04 U                   | 0.054 U         | 0.051 U        |
| 9/9/2015                  | 0.055 U                           | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.24    | 0.04 U                 | 0.10         | 0.32       | 0.12     | 0.068 U           | 0.61    | 0.04 U                   | 0.054 U         | 0.051 U        |
| 12/15/2015                | 0.055 U                           | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.31    | 0.04 U                 | 0.067        | 0.20       | 0.070    | 0.068 U           | 0.52    | 0.04 U                   | 0.054 U         | 0.051 U        |
| 3/31/2016                 | 0.055 U                           | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.31    | 0.04 U                 | 0.055        | 0.14       | 0.055    | 0.068 U           | 0.35    | 0.04 U                   | 0.054 U         | 0.051 U        |

Notes:

All values are shown in units of micrograms per cubic meter ( $\mu\text{g}/\text{m}^3$ ).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated

**Table 8**  
**Ambient Air Sample Analytical Data Summary**  
**Former Philips Display Components Facility - Seneca Falls, New York**

| Sample ID                 | OA-B11-01                          |                           |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
|---------------------------|------------------------------------|---------------------------|-----------------------|--------------------|--------------------|--------------------|---------|------------------------|--------------|------------|----------|-------------------|---------|--------------------------|-----------------|----------------|
| Description               | AMBIENT AIR OUTSIDE OF BUILDING 11 |                           |                       |                    |                    |                    |         |                        |              |            |          |                   |         |                          |                 |                |
| Volatile Organic Compound | 1,1,1-Trichloroethane              | 1,1,2,2-Tetrachloroethane | 1,1,2-Trichloroethane | 1,1-Dichloroethane | 1,1-Dichloroethene | 1,2-Dichloroethane | Benzene | cis-1,2-Dichloroethene | Ethylbenzene | m,p-Xylene | o-Xylene | Tetrachloroethene | Toluene | trans-1,2-Dichloroethene | Trichloroethene | Vinyl Chloride |
| 7/15/2003                 | 0.18                               | 0.14 U                    | 0.1 U                 | 0.08 U             | 0.04 U             | 0.04 U             | 0.32    | 0.056 U                | 0.16         | 0.32       | 0.14     | 0.14 U            | 1.4     | 0.056 U                  | 0.074           | 0.02 U         |
| 10/2/2003                 | 0.15                               | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.04 U             | 0.3     | 0.04 U                 | 0.091        | 0.26       | 0.096    | 0.068 U           | 0.45    | 0.04 U                   | 0.13            | 0.026 U        |
| 1/20/2004                 | 0.11                               | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.04 U             | 0.45    | 0.04 U                 | 0.15         | 0.34       | 0.13     | 0.068             | 0.68    | 0.04 U                   | 0.12            | 0.026 U        |
| 3/20/2007                 | 0.15                               | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.54    | 0.04 U                 | 0.1          | 0.29       | 0.11     | 0.075             | 0.38    | 0.04 U                   | 0.14            | 0.051 U        |
| 6/21/2007                 | 0.055 U                            | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.15    | 0.04 U                 | 0.061        | 0.16       | 0.052    | 0.068 U           | 0.32    | 0.04 U                   | 0.12            | 0.051 U        |
| 8/30/2007                 | 0.055 U                            | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.17    | 0.04 U                 | 0.091        | 0.22       | 0.078    | 0.081             | 0.49    | 0.04 U                   | 0.12            | 0.051 U        |
| 9/19/2007                 | 0.055                              | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.29    | 0.04 U                 | 0.15         | 0.43       | 0.13     | 0.12              | 0.6     | 0.04 U                   | 0.11            | 0.051 U        |
| 12/11/2007                | 0.065                              | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.085              | 0.58    | 0.04 U                 | 0.19         | 0.56       | 0.21     | 0.068 U           | 0.72    | 0.04 U                   | 0.086           | 0.051 U        |
| 3/26/2008                 | 0.06                               | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.31    | 0.04 U                 | 0.065        | 0.2        | 0.083    | 0.068 U           | 0.37    | 0.04 U                   | 0.054 U         | 0.051 U        |
| 6/17/2008                 | 0.055 U                            | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.13    | 0.04 U                 | 0.12         | 0.38       | 0.11     | 0.068 U           | 0.75    | 0.04 U                   | 0.086           | 0.051 U        |
| 9/24/2008                 | 0.055 U                            | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.14    | 0.04 U                 | 0.096        | 0.24       | 0.083    | 0.068 U           | 0.64    | 0.04 U                   | 0.07            | 0.051 U        |
| 12/18/2008                | 0.055 U                            | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.54    | 0.04 U                 | 0.18         | 0.48       | 0.21     | 0.095             | 1.1     | 0.04 U                   | 0.13            | 0.051 U        |
| 3/26/2009                 | 0.071                              | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.085              | 0.67    | 0.083                  | 0.18         | 0.41       | 0.16     | 0.14              | 0.94    | 0.04 U                   | 0.075           | 0.051 U        |
| 6/25/2009                 | 0.071                              | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.32    | 0.04 U                 | 0.23         | 0.69       | 0.23     | 0.088             | 1.4     | 0.04 U                   | 0.075           | 0.051 U        |
| 9/23/2009                 | 0.06                               | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.26    | 0.04 U                 | 0.14         | 0.43       | 0.17     | 0.068 U           | 0.83    | 0.04 U                   | 0.51            | 0.051 U        |
| 12/17/2009                | 0.055 U                            | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.38    | 0.04 NJ                | 0.065        | 0.18       | 0.074    | 0.068 U           | 0.35    | 0.04 U                   | 0.11            | 0.051 U        |
| 3/24/2010                 | 0.055 U                            | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 NJ           | 0.51    | 0.04 U                 | 0.15         | 0.43       | 0.16     | 0.095             | 1.1     | 0.04 U                   | 0.081           | 0.051 U        |
| 6/22/2010                 | 0.065                              | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.31    | 0.079                  | 0.16         | 0.48       | 0.19 J   | 0.081             | 0.79    | 0.04 U                   | 0.22            | 0.051 U        |
| 9/22/2010                 | 0.055 U                            | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.42    | 0.04 U                 | 0.19         | 0.46       | 0.17     | 0.068 U           | 1.1     | 0.04 U                   | 0.077           | 0.051 U        |
| 12/28/2010                | 0.055 U                            | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.73    | 0.14                   | 0.28         | 0.72       | 0.25     | 0.33              | 2.3     | 0.04 U                   | 3.4             | 0.051 U        |
| 3/23/2011                 | 0.055 U                            | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.39    | 0.04 U                 | 0.061        | 0.18       | 0.077    | 0.068 U           | 0.3     | 0.04 U                   | 0.068           | 0.051 U        |
| 6/22/2011                 | 0.055 U                            | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.2     | 0.04 U                 | 0.1          | 0.3        | 0.12     | 0.068 U           | 0.55    | 0.04 U                   | 0.054 U         | 0.051 U        |
| 9/21/2011                 | 0.057 NJ                           | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.54    | 0.084                  | 0.22         | 0.66       | 0.24     | 0.16              | 1.1     | 0.04 U                   | 0.32            | 0.051 U        |
| 12/20/2011                | 0.055 U                            | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.45    | 0.04 U                 | 0.043 U      | 0.043 U    | 0.043 U  | 0.068 U           | 0.16    | 0.04 U                   | 0.21            | 0.051 U        |
| 3/28/2012                 | 0.055 U                            | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.29    | 0.04 U                 | 0.11         | 0.31       | 0.12     | 0.068 U           | 0.56    | 0.04 U                   | 0.056           | 0.051 U        |
| 6/14/2012                 | 0.055 U                            | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.26    | 0.058                  | 0.32         | 0.46       | 0.17     | 0.11              | 0.83    | 0.04 U                   | 1.2             | 0.051 U        |
| 10/9/2012                 | 0.055 U                            | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.28    | 0.066                  | 0.086        | 0.24       | 0.1      | 0.068 U           | 0.47    | 0.04 U                   | 0.19            | 0.051 U        |
| 1/3/2013                  | 0.055 U                            | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.77    | 0.04 U                 | 0.28         | 0.9        | 0.29     | 0.095             | 1.2     | 0.04 U                   | 0.086           | 0.051 U        |
| 3/28/2013                 | 0.055 U                            | 0.069 UJ                  | 0.055 U               | 0.04 U             | 0.16 U             | 0.081 U            | 0.37    | 0.08 U                 | 0.073 NJ     | 0.16 J     | 0.16 UJ  | 0.068 U           | 0.24    | 0.04 U                   | 0.085           | 0.051 U        |
| 6/19/2013                 | 0.055 U                            | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.7     | 0.04 U                 | 0.043 U      | 0.98       | 0.43 U   | 0.068 U           | 0.2     | 0.04 U                   | 0.087           | 0.051 U        |
| 9/19/2013                 | 0.11 U                             | 0.14 U                    | 0.11 U                | 0.081 U            | 0.079 U            | 0.16 U             | 0.4     | 0.079 U                | 0.75         | 3          | 1.1      | 0.14 U            | 4.3     | 0.079 U                  | 0.39            | 0.1 U          |
| 12/28/2013                | 0.055 UJ                           | 0.069 UJ                  | 0.055 UJ              | 0.04 UJ            | 0.04 UJ            | 0.081 UJ           | 0.54 J  | 0.04 UJ                | 0.099 J      | 0.28 J     | 0.1 J    | 0.068 UJ          | 0.85 J  | 0.04 UJ                  | 0.063 J         | 0.051 UJ       |
| 3/20/2014                 | 0.055 U                            | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.47    | 0.04 U                 | 0.099        | 0.3        | 0.12     | 0.068 U           | 0.53    | 0.04 U                   | 0.054 U         | 0.051 U        |
| 6/18/2014                 | 0.055 U                            | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.17    | 0.04 U                 | 0.07         | 0.19       | 0.065    | 0.068 U           | 0.44    | 0.04 U                   | 0.081           | 0.051 U        |
| 9/23/2014                 | 0.055 U                            | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.26    | 0.046                  | 0.086        | 0.26       | 0.11     | 0.068 U           | 0.63    | 0.04 U                   | 0.71            | 0.051 U        |
| 12/16/2014                | 0.055 U                            | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.082 U            | 0.6     | 0.04 U                 | 0.11         | 0.24       | 0.1      | 0.068 U           | 0.82    | 0.04 U                   | 0.15            | 0.051 U        |
| 3/24/2015                 | 0.055 U                            | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.44    | 0.04 U                 | 0.055        | 0.16       | 0.070    | 0.068 U           | 0.28    | 0.04 U                   | 0.054 U         | 0.051 U        |
| 6/15/2015                 | 0.055 U                            | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.2     | 0.04 U                 | 0.18         | 0.66       | 0.22     | 0.068 U           | 0.38    | 0.04 U                   | 0.054 U         | 0.051 U        |
| 9/9/2015                  | 0.055 U                            | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.20    | 0.069                  | 0.12         | 0.41       | 0.16     | 0.075             | 1.1     | 0.04 U                   | 0.24            | 0.051 U        |
| 12/15/2015                | 0.055 U                            | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.25    | 0.04 U                 | 0.049        | 0.10       | 0.043 U  | 0.068 U           | 0.38    | 0.04 U                   | 0.071           | 0.051 U        |
| 3/31/2016                 | 0.055 U                            | 0.069 U                   | 0.055 U               | 0.04 U             | 0.04 U             | 0.081 U            | 0.22    | 0.04 U                 | 0.043 U      | 0.087 U    | 0.043 U  | 0.068 U           | 0.20    | 0.04 U                   | 0.054 U         | 0.051 U        |

Notes:


All values are shown in units of micrograms per cubic meter ( $\mu\text{g}/\text{m}^3$ ).

U - Not detected above reporting limit

J - Estimated


NJ - Tentative in identification and estimated

**Attachment C**  
**Figures**



MAP SOURCE: USGS 7.5 MINUTE TOPOGRAPHIC SERIES, SENECA FALLS QUADRANGLE

APPROXIMATE SCALE IN MILES






Figure 3: Building 9 Area TCE Concentrations




Figure 4: Building 11 Area TCE Concentrations




Figure 5: Building 7 Area TCE Concentrations




Figure 6: Building 10 Area TCE Concentrations




Figure 7: Building 1A Area TCE Concentrations





Figure 8: Building 1 Area TCE Concentrations



**Attachment D**  
**Data Validation Report**

# Data Validation Services

120 Cobble Creek Road P.O. Box 208  
North Creek, NY 12853

Phone 518-251-4429  
harry@frontiernet.net

May 25, 2016

Mark Flusche  
ARCADIS US, Inc.  
855 Route 146 Suite 210  
Clifton Park, NY 12065

RE: Validation of the Former Philips Display Components Facility, Seneca Falls Site Data Package  
Indoor, Outdoor, and Sub Slab Air Samples  
TestAmerica-VT SDG Nos. 200-32800-1

Dear Mr. Flusche:

Review has been completed for the data package generated by TestAmerica Laboratories (TAL-VT) that pertains to air samples collected on 03/31/16 at the Seneca Falls, NY site. Seventeen 6-L summa canisters and a field duplicate were analyzed for sixteen site-specific volatile analytes using USEPA method TO-15.

Data validation was performed using guidance from the 2006 USEPA Region II validation SOP HW-31, with consideration for the specific requirements of the analytical methodology. The following items were reviewed:

- \* Data Completeness
- \* Case Narrative
- \* Custody Documentation
- \* Holding Times
- \* Internal Standard Recoveries
- \* Method and Canister Blanks
- \* Blind Field Duplicate Correlation
- \* Laboratory Control Samples (LCSs)
- \* Instrumental Tunes
- \* Initial and Continuing Calibration Standards
- \* Method Compliance
- \* Sample Result Verification

Those items showing deficiencies are discussed in the following sections of this report. All others were found to be acceptable as outlined in the above-mentioned validation procedures, and as applicable for the methodology. Unless noted specifically in the following text, reported results are substantiated by the raw data, and generated in compliance with project requirements.

**In summary**, all sample results are usable as reported.

The client and laboratory sample identifications and the laboratory case narrative are attached to this text, and should be reviewed in conjunction with this report. Also attached are the report forms.

**Volatile Analyses by EPA TO-15**

The blind field duplicate evaluation of IA-B11-02 shows acceptable correlations.


Holding times and instrument tunes meet requirements. Method and canister blanks show no contamination. The clean canister certifications were reviewed during validation.

Initial and continuing calibration standard responses fall within validation guidelines.

An observed elevated LCS recovery does not affect associated sample results, as they show no detection of that analyte.

Please do not hesitate to contact me if questions or comments arise during your review of this report.

Very truly yours,



Judy Harry

**CLIENT and LABORATORY SAMPLE IDs  
and CASE NARRATIVE**

## SAMPLE SUMMARY

Client: ARCADIS U.S. Inc

Job Number: 200-32800-1

Sdg Number: 200-32800-1

| Lab Sample ID | Client Sample ID | Client Matrix | Date/Time<br>Sampled | Date/Time<br>Received |
|---------------|------------------|---------------|----------------------|-----------------------|
| 200-32800-1   | IA-B10-01        | Air           | 03/31/2016 1511      | 04/01/2016 1130       |
| 200-32800-2   | IA-B10A-01       | Air           | 03/31/2016 1551      | 04/01/2016 1130       |
| 200-32800-3   | IA-B11-01        | Air           | 03/31/2016 1641      | 04/01/2016 1130       |
| 200-32800-4   | IA-B11-02        | Air           | 03/31/2016 1458      | 04/01/2016 1130       |
| 200-32800-5   | IA-B13-01        | Air           | 03/31/2016 1454      | 04/01/2016 1130       |
| 200-32800-6   | IA-B13A-01       | Air           | 03/31/2016 1402      | 04/01/2016 1130       |
| 200-32800-7   | IA-B1A-01        | Air           | 03/31/2016 1456      | 04/01/2016 1130       |
| 200-32800-8   | IA-B1A-BASE      | Air           | 03/31/2016 1455      | 04/01/2016 1130       |
| 200-32800-9   | IA-B9-01         | Air           | 03/31/2016 1443      | 04/01/2016 1130       |
| 200-32800-10  | IA-B9-02         | Air           | 03/31/2016 1328      | 04/01/2016 1130       |
| 200-32800-11  | IA-B9-CS         | Air           | 03/31/2016 1447      | 04/01/2016 1130       |
| 200-32800-12  | IA-B7-01         | Air           | 03/31/2016 1510      | 04/01/2016 1130       |
| 200-32800-13  | IA-B7-02         | Air           | 03/31/2016 1450      | 04/01/2016 1130       |
| 200-32800-14  | IA-B8-01         | Air           | 03/31/2016 1502      | 04/01/2016 1130       |
| 200-32800-15  | OA-B2-01         | Air           | 03/31/2016 1454      | 04/01/2016 1130       |
| 200-32800-16  | OA-B11-01        | Air           | 03/31/2016 1502      | 04/01/2016 1130       |
| 200-32800-17  | IA-B1-01         | Air           | 03/31/2016 1500      | 04/01/2016 1130       |
| 200-32800-18  | IA-DUPE          | Air           | 03/31/2016 0000      | 04/01/2016 1130       |

## **CASE NARRATIVE**

**Client: ARCADIS U.S. Inc**

**Project: Seneca Falls**

**Report Number: 200-32800-1**

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

### **RECEIPT**

The samples were received on 04/01/2016; the samples arrived in good condition.

### **LOW LEVEL VOLATILE ORGANIC COMPOUNDS**

Samples IA-B10-01, IA-B10A-01, IA-B11-01, IA-B11-02, IA-B13-01, IA-B13A-01, IA-B1A-01, IA-B1A-BASE, IA-B9-01, IA-B9-02, IA-B9-CS, IA-B7-01, IA-B7-02, IA-B8-01, OA-B2-01, OA-B11-01, IA-B1-01 and IA-DUPE were analyzed for Low Level Volatile Organic Compounds in accordance with EPA Method TO-15. The samples were analyzed on 04/11/2016, 04/12/2016, 04/13/2016 and 04/14/2016.

The laboratory control sample (LCS) for batch analytical batch 200-102989 recovered outside control limits for 1,1-Dichloroethene. The analyte was biased high in the LCS and was not detected in the associated samples; therefore, the data have been reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

## **SAMPLE RESULTS FORMS**

## Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-32800-1

Sdg Number: 200-32800-1

**Client Sample ID: IA-B10-01**

Lab Sample ID: 200-32800-1

Date Sampled: 03/31/2016 1511

Client Matrix: Air

Date Received: 04/01/2016 1130

### TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

|                                |                            |                               |
|--------------------------------|----------------------------|-------------------------------|
| Analysis Method: TO15 LL       | Analysis Batch: 200-102989 | Instrument ID: CHE.i          |
| Prep Method: Summa Canister    | Prep Batch: N/A            | Lab File ID: 19318_008.D      |
| Dilution: 1.0                  |                            | Initial Weight/Volume: 500 mL |
| Analysis Date: 04/11/2016 1527 |                            | Final Weight/Volume: 500 mL   |
| Prep Date: 04/11/2016 1527     |                            | Injection Volume: 500 mL      |

| Analyte                   | Result (ppb v/v) | Qualifier                             | MDL   | RL    |
|---------------------------|------------------|---------------------------------------|-------|-------|
| Vinyl chloride            | 0.020            | U                                     | 0.020 | 0.020 |
| 1,1-Dichloroethene        | 0.010            | U <span style="color: red;">*-</span> | 0.010 | 0.010 |
| trans-1,2-Dichloroethene  | 0.010            | U                                     | 0.010 | 0.010 |
| 1,1-Dichloroethane        | 0.010            | U                                     | 0.010 | 0.010 |
| cis-1,2-Dichloroethene    | 0.064            |                                       | 0.010 | 0.010 |
| 1,1,1-Trichloroethane     | 0.010            | U                                     | 0.010 | 0.010 |
| Benzene                   | 0.16             |                                       | 0.010 | 0.010 |
| 1,2-Dichloroethane        | 0.020            | U                                     | 0.020 | 0.020 |
| Trichloroethene           | 0.60             |                                       | 0.010 | 0.010 |
| Toluene                   | 0.24             |                                       | 0.010 | 0.010 |
| 1,1,2-Trichloroethane     | 0.010            | U                                     | 0.010 | 0.010 |
| Tetrachloroethene         | 0.024            |                                       | 0.010 | 0.010 |
| Ethylbenzene              | 0.066            |                                       | 0.010 | 0.010 |
| o-Xylene                  | 0.057            |                                       | 0.010 | 0.010 |
| 1,1,2,2-Tetrachloroethane | 0.010            | U                                     | 0.010 | 0.010 |
| m-Xylene & p-Xylene       | 0.15             |                                       | 0.010 | 0.020 |

| Analyte                   | Result (ug/m3) | Qualifier                             | MDL   | RL    |
|---------------------------|----------------|---------------------------------------|-------|-------|
| Vinyl chloride            | 0.051          | U                                     | 0.051 | 0.051 |
| 1,1-Dichloroethene        | 0.040          | U <span style="color: red;">*-</span> | 0.040 | 0.040 |
| trans-1,2-Dichloroethene  | 0.040          | U                                     | 0.040 | 0.040 |
| 1,1-Dichloroethane        | 0.040          | U                                     | 0.040 | 0.040 |
| cis-1,2-Dichloroethene    | 0.25           |                                       | 0.040 | 0.040 |
| 1,1,1-Trichloroethane     | 0.055          | U                                     | 0.055 | 0.055 |
| Benzene                   | 0.50           |                                       | 0.032 | 0.032 |
| 1,2-Dichloroethane        | 0.081          | U                                     | 0.081 | 0.081 |
| Trichloroethene           | 3.2            |                                       | 0.054 | 0.054 |
| Toluene                   | 0.89           |                                       | 0.038 | 0.038 |
| 1,1,2-Trichloroethane     | 0.055          | U                                     | 0.055 | 0.055 |
| Tetrachloroethene         | 0.16           |                                       | 0.068 | 0.068 |
| Ethylbenzene              | 0.29           |                                       | 0.043 | 0.043 |
| o-Xylene                  | 0.25           |                                       | 0.043 | 0.043 |
| 1,1,2,2-Tetrachloroethane | 0.069          | U                                     | 0.069 | 0.069 |
| m-Xylene & p-Xylene       | 0.67           |                                       | 0.043 | 0.087 |

## Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-32800-1

Sdg Number: 200-32800-1

Client Sample ID: IA-B10A-01

Lab Sample ID: 200-32800-2

Client Matrix: Air

Date Sampled: 03/31/2016 1551

Date Received: 04/01/2016 1130

### TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

|                  |                 |                 |            |                        |             |
|------------------|-----------------|-----------------|------------|------------------------|-------------|
| Analysis Method: | TO15 LL         | Analysis Batch: | 200-102989 | Instrument ID:         | CHE.i       |
| Prep Method:     | Summa Canister  | Prep Batch:     | N/A        | Lab File ID:           | 19318_010.D |
| Dilution:        | 1.0             |                 |            | Initial Weight/Volume: | 500 mL      |
| Analysis Date:   | 04/11/2016 1730 |                 |            | Final Weight/Volume:   | 500 mL      |
| Prep Date:       | 04/11/2016 1730 |                 |            | Injection Volume:      | 500 mL      |

| Analyte                   | Result (ppb v/v) | Qualifier        | MDL   | RL    |
|---------------------------|------------------|------------------|-------|-------|
| Vinyl chloride            | 0.020            | U                | 0.020 | 0.020 |
| 1,1-Dichloroethene        | 0.010            | U <del>---</del> | 0.010 | 0.010 |
| trans-1,2-Dichloroethene  | 0.010            | U                | 0.010 | 0.010 |
| 1,1-Dichloroethane        | 0.010            | U                | 0.010 | 0.010 |
| cis-1,2-Dichloroethene    | 0.097            |                  | 0.010 | 0.010 |
| 1,1,1-Trichloroethane     | 0.016            |                  | 0.010 | 0.010 |
| Benzene                   | 0.17             |                  | 0.010 | 0.010 |
| 1,2-Dichloroethane        | 0.020            | U                | 0.020 | 0.020 |
| Trichloroethene           | 0.60             |                  | 0.010 | 0.010 |
| Toluene                   | 0.29             |                  | 0.010 | 0.010 |
| 1,1,2-Trichloroethane     | 0.010            | U                | 0.010 | 0.010 |
| Tetrachloroethene         | 0.027            |                  | 0.010 | 0.010 |
| Ethylbenzene              | 0.099            |                  | 0.010 | 0.010 |
| o-Xylene                  | 0.13             |                  | 0.010 | 0.010 |
| 1,1,2,2-Tetrachloroethane | 0.010            | U                | 0.010 | 0.010 |
| m-Xylene & p-Xylene       | 0.33             |                  | 0.010 | 0.020 |

| Analyte                   | Result (ug/m3) | Qualifier        | MDL   | RL    |
|---------------------------|----------------|------------------|-------|-------|
| Vinyl chloride            | 0.051          | U                | 0.051 | 0.051 |
| 1,1-Dichloroethene        | 0.040          | U <del>---</del> | 0.040 | 0.040 |
| trans-1,2-Dichloroethene  | 0.040          | U                | 0.040 | 0.040 |
| 1,1-Dichloroethane        | 0.040          | U                | 0.040 | 0.040 |
| cis-1,2-Dichloroethene    | 0.39           |                  | 0.040 | 0.040 |
| 1,1,1-Trichloroethane     | 0.088          |                  | 0.055 | 0.055 |
| Benzene                   | 0.54           |                  | 0.032 | 0.032 |
| 1,2-Dichloroethane        | 0.081          | U                | 0.081 | 0.081 |
| Trichloroethene           | 3.2            |                  | 0.054 | 0.054 |
| Toluene                   | 1.1            |                  | 0.038 | 0.038 |
| 1,1,2-Trichloroethane     | 0.055          | U                | 0.055 | 0.055 |
| Tetrachloroethene         | 0.19           |                  | 0.068 | 0.068 |
| Ethylbenzene              | 0.43           |                  | 0.043 | 0.043 |
| o-Xylene                  | 0.55           |                  | 0.043 | 0.043 |
| 1,1,2,2-Tetrachloroethane | 0.069          | U                | 0.069 | 0.069 |
| m-Xylene & p-Xylene       | 1.4            |                  | 0.043 | 0.087 |

## Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-32800-1

Sdg Number: 200-32800-1

Client Sample ID: IA-B11-01

Lab Sample ID: 200-32800-3

Date Sampled: 03/31/2016 1641

Client Matrix: Air

Date Received: 04/01/2016 1130

### TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

|                                |                            |                               |
|--------------------------------|----------------------------|-------------------------------|
| Analysis Method: TO15 LL       | Analysis Batch: 200-102989 | Instrument ID: CHE.i          |
| Prep Method: Summa Canister    | Prep Batch: N/A            | Lab File ID: 19318_012.D      |
| Dilution: 1.0                  |                            | Initial Weight/Volume: 500 mL |
| Analysis Date: 04/11/2016 1932 |                            | Final Weight/Volume: 500 mL   |
| Prep Date: 04/11/2016 1932     |                            | Injection Volume: 500 mL      |

| Analyte                   | Result (ppb v/v) | Qualifier | MDL   | RL    |
|---------------------------|------------------|-----------|-------|-------|
| Vinyl chloride            | 0.020            | U         | 0.020 | 0.020 |
| 1,1-Dichloroethene        | 0.010            | U ***     | 0.010 | 0.010 |
| trans-1,2-Dichloroethene  | 0.010            | U         | 0.010 | 0.010 |
| 1,1-Dichloroethane        | 0.010            | U         | 0.010 | 0.010 |
| cis-1,2-Dichloroethene    | 0.068            |           | 0.010 | 0.010 |
| 1,1,1-Trichloroethane     | 0.010            | U         | 0.010 | 0.010 |
| Benzene                   | 0.12             |           | 0.010 | 0.010 |
| 1,2-Dichloroethane        | 0.020            | U         | 0.020 | 0.020 |
| Trichloroethene           | 0.41             |           | 0.010 | 0.010 |
| Toluene                   | 0.20             |           | 0.010 | 0.010 |
| 1,1,2-Trichloroethane     | 0.010            | U         | 0.010 | 0.010 |
| Tetrachloroethene         | 0.021            |           | 0.010 | 0.010 |
| Ethylbenzene              | 0.066            |           | 0.010 | 0.010 |
| o-Xylene                  | 0.090            |           | 0.010 | 0.010 |
| 1,1,2,2-Tetrachloroethane | 0.010            | U         | 0.010 | 0.010 |
| m-Xylene & p-Xylene       | 0.22             |           | 0.010 | 0.020 |

| Analyte                   | Result (ug/m3) | Qualifier | MDL   | RL    |
|---------------------------|----------------|-----------|-------|-------|
| Vinyl chloride            | 0.051          | U         | 0.051 | 0.051 |
| 1,1-Dichloroethene        | 0.040          | U ***     | 0.040 | 0.040 |
| trans-1,2-Dichloroethene  | 0.040          | U         | 0.040 | 0.040 |
| 1,1-Dichloroethane        | 0.040          | U         | 0.040 | 0.040 |
| cis-1,2-Dichloroethene    | 0.27           |           | 0.040 | 0.040 |
| 1,1,1-Trichloroethane     | 0.055          | U         | 0.055 | 0.055 |
| Benzene                   | 0.39           |           | 0.032 | 0.032 |
| 1,2-Dichloroethane        | 0.081          | U         | 0.081 | 0.081 |
| Trichloroethene           | 2.2            |           | 0.054 | 0.054 |
| Toluene                   | 0.74           |           | 0.038 | 0.038 |
| 1,1,2-Trichloroethane     | 0.055          | U         | 0.055 | 0.055 |
| Tetrachloroethene         | 0.14           |           | 0.068 | 0.068 |
| Ethylbenzene              | 0.29           |           | 0.043 | 0.043 |
| o-Xylene                  | 0.39           |           | 0.043 | 0.043 |
| 1,1,2,2-Tetrachloroethane | 0.069          | U         | 0.069 | 0.069 |
| m-Xylene & p-Xylene       | 0.94           |           | 0.043 | 0.087 |

## Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-32800-1

Sdg Number: 200-32800-1

**Client Sample ID: IA-B11-02**

Lab Sample ID: 200-32800-4

Date Sampled: 03/31/2016 1458

Client Matrix: Air

Date Received: 04/01/2016 1130

### TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

|                                |                            |                               |
|--------------------------------|----------------------------|-------------------------------|
| Analysis Method: TO15 LL       | Analysis Batch: 200-102989 | Instrument ID: CHE.i          |
| Prep Method: Summa Canister    | Prep Batch: N/A            | Lab File ID: 19318_014.D      |
| Dilution: 1.0                  |                            | Initial Weight/Volume: 500 mL |
| Analysis Date: 04/11/2016 2134 |                            | Final Weight/Volume: 500 mL   |
| Prep Date: 04/11/2016 2134     |                            | Injection Volume: 500 mL      |

| Analyte                   | Result (ppb v/v) | Qualifier | MDL   | RL    |
|---------------------------|------------------|-----------|-------|-------|
| Vinyl chloride            | 0.020            | U         | 0.020 | 0.020 |
| 1,1-Dichloroethene        | 0.010            | U ***     | 0.010 | 0.010 |
| trans-1,2-Dichloroethene  | 0.010            | U         | 0.010 | 0.010 |
| 1,1-Dichloroethane        | 0.010            | U         | 0.010 | 0.010 |
| cis-1,2-Dichloroethene    | 0.048            |           | 0.010 | 0.010 |
| 1,1,1-Trichloroethane     | 0.010            | U         | 0.010 | 0.010 |
| Benzene                   | 0.11             |           | 0.010 | 0.010 |
| 1,2-Dichloroethane        | 0.020            | U         | 0.020 | 0.020 |
| Trichloroethene           | 0.37             |           | 0.010 | 0.010 |
| Toluene                   | 0.15             |           | 0.010 | 0.010 |
| 1,1,2-Trichloroethane     | 0.010            | U         | 0.010 | 0.010 |
| Tetrachloroethene         | 0.030            |           | 0.010 | 0.010 |
| Ethylbenzene              | 0.051            |           | 0.010 | 0.010 |
| o-Xylene                  | 0.060            |           | 0.010 | 0.010 |
| 1,1,2,2-Tetrachloroethane | 0.010            | U         | 0.010 | 0.010 |
| m-Xylene & p-Xylene       | 0.16             |           | 0.010 | 0.020 |

| Analyte                   | Result (ug/m3) | Qualifier | MDL   | RL    |
|---------------------------|----------------|-----------|-------|-------|
| Vinyl chloride            | 0.051          | U         | 0.051 | 0.051 |
| 1,1-Dichloroethene        | 0.040          | U ***     | 0.040 | 0.040 |
| trans-1,2-Dichloroethene  | 0.040          | U         | 0.040 | 0.040 |
| 1,1-Dichloroethane        | 0.040          | U         | 0.040 | 0.040 |
| cis-1,2-Dichloroethene    | 0.19           |           | 0.040 | 0.040 |
| 1,1,1-Trichloroethane     | 0.055          | U         | 0.055 | 0.055 |
| Benzene                   | 0.36           |           | 0.032 | 0.032 |
| 1,2-Dichloroethane        | 0.081          | U         | 0.081 | 0.081 |
| Trichloroethene           | 2.0            |           | 0.054 | 0.054 |
| Toluene                   | 0.56           |           | 0.038 | 0.038 |
| 1,1,2-Trichloroethane     | 0.055          | U         | 0.055 | 0.055 |
| Tetrachloroethene         | 0.21           |           | 0.068 | 0.068 |
| Ethylbenzene              | 0.22           |           | 0.043 | 0.043 |
| o-Xylene                  | 0.26           |           | 0.043 | 0.043 |
| 1,1,2,2-Tetrachloroethane | 0.069          | U         | 0.069 | 0.069 |
| m-Xylene & p-Xylene       | 0.70           |           | 0.043 | 0.087 |

## Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-32800-1

Sdg Number: 200-32800-1

**Client Sample ID: IA-B13-01**

Lab Sample ID: 200-32800-5

Date Sampled: 03/31/2016 1454

Client Matrix: Air

Date Received: 04/01/2016 1130

### TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

|                                |                            |                               |
|--------------------------------|----------------------------|-------------------------------|
| Analysis Method: TO15 LL       | Analysis Batch: 200-102989 | Instrument ID: CHE.i          |
| Prep Method: Summa Canister    | Prep Batch: N/A            | Lab File ID: 19318_016.D      |
| Dilution: 1.0                  |                            | Initial Weight/Volume: 500 mL |
| Analysis Date: 04/11/2016 2331 |                            | Final Weight/Volume: 500 mL   |
| Prep Date: 04/11/2016 2331     |                            | Injection Volume: 500 mL      |

| Analyte                   | Result (ppb v/v) | Qualifier        | MDL   | RL    |
|---------------------------|------------------|------------------|-------|-------|
| Vinyl chloride            | 0.020            | U                | 0.020 | 0.020 |
| 1,1-Dichloroethene        | 0.010            | U <sup>***</sup> | 0.010 | 0.010 |
| trans-1,2-Dichloroethene  | 0.010            | U                | 0.010 | 0.010 |
| 1,1-Dichloroethane        | 0.010            | U                | 0.010 | 0.010 |
| cis-1,2-Dichloroethene    | 0.090            |                  | 0.010 | 0.010 |
| 1,1,1-Trichloroethane     | 0.013            |                  | 0.010 | 0.010 |
| Benzene                   | 0.12             |                  | 0.010 | 0.010 |
| 1,2-Dichloroethane        | 0.020            | U                | 0.020 | 0.020 |
| Trichloroethene           | 0.58             |                  | 0.010 | 0.010 |
| Toluene                   | 0.28             |                  | 0.010 | 0.010 |
| 1,1,2-Trichloroethane     | 0.010            | U                | 0.010 | 0.010 |
| Tetrachloroethene         | 0.021            |                  | 0.010 | 0.010 |
| Ethylbenzene              | 0.063            |                  | 0.010 | 0.010 |
| o-Xylene                  | 0.044            |                  | 0.010 | 0.010 |
| 1,1,2,2-Tetrachloroethane | 0.010            | U                | 0.010 | 0.010 |
| m-Xylene & p-Xylene       | 0.13             |                  | 0.010 | 0.020 |

| Analyte                   | Result (ug/m3) | Qualifier        | MDL   | RL    |
|---------------------------|----------------|------------------|-------|-------|
| Vinyl chloride            | 0.051          | U                | 0.051 | 0.051 |
| 1,1-Dichloroethene        | 0.040          | U <sup>***</sup> | 0.040 | 0.040 |
| trans-1,2-Dichloroethene  | 0.040          | U                | 0.040 | 0.040 |
| 1,1-Dichloroethane        | 0.040          | U                | 0.040 | 0.040 |
| cis-1,2-Dichloroethene    | 0.36           |                  | 0.040 | 0.040 |
| 1,1,1-Trichloroethane     | 0.070          |                  | 0.055 | 0.055 |
| Benzene                   | 0.40           |                  | 0.032 | 0.032 |
| 1,2-Dichloroethane        | 0.081          | U                | 0.081 | 0.081 |
| Trichloroethene           | 3.1            |                  | 0.054 | 0.054 |
| Toluene                   | 1.1            |                  | 0.038 | 0.038 |
| 1,1,2-Trichloroethane     | 0.055          | U                | 0.055 | 0.055 |
| Tetrachloroethene         | 0.14           |                  | 0.068 | 0.068 |
| Ethylbenzene              | 0.27           |                  | 0.043 | 0.043 |
| o-Xylene                  | 0.19           |                  | 0.043 | 0.043 |
| 1,1,2,2-Tetrachloroethane | 0.069          | U                | 0.069 | 0.069 |
| m-Xylene & p-Xylene       | 0.58           |                  | 0.043 | 0.087 |

## Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-32800-1

Sdg Number: 200-32800-1

Client Sample ID: IA-B13A-01

Lab Sample ID: 200-32800-6

Client Matrix: Air

Date Sampled: 03/31/2016 1402

Date Received: 04/01/2016 1130

### TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

|                  |                 |                 |            |                        |             |
|------------------|-----------------|-----------------|------------|------------------------|-------------|
| Analysis Method: | TO15 LL         | Analysis Batch: | 200-103064 | Instrument ID:         | CHE.i       |
| Prep Method:     | Summa Canister  | Prep Batch:     | N/A        | Lab File ID:           | 19355_008.D |
| Dilution:        | 1.0             |                 |            | Initial Weight/Volume: | 500 mL      |
| Analysis Date:   | 04/12/2016 1816 |                 |            | Final Weight/Volume:   | 500 mL      |
| Prep Date:       | 04/12/2016 1816 |                 |            | Injection Volume:      | 500 mL      |

| Analyte                   | Result (ppb v/v) | Qualifier | MDL   | RL    |
|---------------------------|------------------|-----------|-------|-------|
| Vinyl chloride            | 0.020            | U         | 0.020 | 0.020 |
| 1,1-Dichloroethene        | 0.010            | U         | 0.010 | 0.010 |
| trans-1,2-Dichloroethene  | 0.010            | U         | 0.010 | 0.010 |
| 1,1-Dichloroethane        | 0.010            | U         | 0.010 | 0.010 |
| cis-1,2-Dichloroethene    | 0.081            |           | 0.010 | 0.010 |
| 1,1,1-Trichloroethane     | 0.010            | U         | 0.010 | 0.010 |
| Benzene                   | 0.10             |           | 0.010 | 0.010 |
| 1,2-Dichloroethane        | 0.020            | U         | 0.020 | 0.020 |
| Trichloroethene           | 0.50             |           | 0.010 | 0.010 |
| Toluene                   | 0.11             |           | 0.010 | 0.010 |
| 1,1,2-Trichloroethane     | 0.010            | U         | 0.010 | 0.010 |
| Tetrachloroethene         | 0.013            |           | 0.010 | 0.010 |
| Ethylbenzene              | 0.010            | U         | 0.010 | 0.010 |
| o-Xylene                  | 0.010            | U         | 0.010 | 0.010 |
| 1,1,2,2-Tetrachloroethane | 0.010            | U         | 0.010 | 0.010 |
| m-Xylene & p-Xylene       | 0.020            | U         | 0.010 | 0.020 |

| Analyte                   | Result (ug/m3) | Qualifier | MDL   | RL    |
|---------------------------|----------------|-----------|-------|-------|
| Vinyl chloride            | 0.051          | U         | 0.051 | 0.051 |
| 1,1-Dichloroethene        | 0.040          | U         | 0.040 | 0.040 |
| trans-1,2-Dichloroethene  | 0.040          | U         | 0.040 | 0.040 |
| 1,1-Dichloroethane        | 0.040          | U         | 0.040 | 0.040 |
| cis-1,2-Dichloroethene    | 0.32           |           | 0.040 | 0.040 |
| 1,1,1-Trichloroethane     | 0.055          | U         | 0.055 | 0.055 |
| Benzene                   | 0.33           |           | 0.032 | 0.032 |
| 1,2-Dichloroethane        | 0.081          | U         | 0.081 | 0.081 |
| Trichloroethene           | 2.7            |           | 0.054 | 0.054 |
| Toluene                   | 0.40           |           | 0.038 | 0.038 |
| 1,1,2-Trichloroethane     | 0.055          | U         | 0.055 | 0.055 |
| Tetrachloroethene         | 0.089          |           | 0.068 | 0.068 |
| Ethylbenzene              | 0.043          | U         | 0.043 | 0.043 |
| o-Xylene                  | 0.043          | U         | 0.043 | 0.043 |
| 1,1,2,2-Tetrachloroethane | 0.069          | U         | 0.069 | 0.069 |
| m-Xylene & p-Xylene       | 0.087          | U         | 0.043 | 0.087 |

## Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-32800-1

Sdg Number: 200-32800-1

Client Sample ID: IA-B1A-01

Lab Sample ID: 200-32800-7

Client Matrix: Air

Date Sampled: 03/31/2016 1456

Date Received: 04/01/2016 1130

### TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

|                                |                            |                               |
|--------------------------------|----------------------------|-------------------------------|
| Analysis Method: TO15 LL       | Analysis Batch: 200-102989 | Instrument ID: CHE.i          |
| Prep Method: Summa Canister    | Prep Batch: N/A            | Lab File ID: 19318_020.D      |
| Dilution: 1.0                  |                            | Initial Weight/Volume: 500 mL |
| Analysis Date: 04/12/2016 0323 |                            | Final Weight/Volume: 500 mL   |
| Prep Date: 04/12/2016 0323     |                            | Injection Volume: 500 mL      |

| Analyte                   | Result (ppb v/v) | Qualifier        | MDL   | RL    |
|---------------------------|------------------|------------------|-------|-------|
| Vinyl chloride            | 0.020            | U                | 0.020 | 0.020 |
| 1,1-Dichloroethene        | 0.010            | U <sup>***</sup> | 0.010 | 0.010 |
| trans-1,2-Dichloroethene  | 0.010            | U                | 0.010 | 0.010 |
| 1,1-Dichloroethane        | 0.010            | U                | 0.010 | 0.010 |
| cis-1,2-Dichloroethene    | 0.010            | U                | 0.010 | 0.010 |
| 1,1,1-Trichloroethane     | 0.015            |                  | 0.010 | 0.010 |
| Benzene                   | 0.076            |                  | 0.010 | 0.010 |
| 1,2-Dichloroethane        | 0.031            |                  | 0.020 | 0.020 |
| Trichloroethene           | 0.15             |                  | 0.010 | 0.010 |
| Toluene                   | 0.12             |                  | 0.010 | 0.010 |
| 1,1,2-Trichloroethane     | 0.010            | U                | 0.010 | 0.010 |
| Tetrachloroethene         | 0.028            |                  | 0.010 | 0.010 |
| Ethylbenzene              | 0.023            |                  | 0.010 | 0.010 |
| o-Xylene                  | 0.027            |                  | 0.010 | 0.010 |
| 1,1,2,2-Tetrachloroethane | 0.010            | U                | 0.010 | 0.010 |
| m-Xylene & p-Xylene       | 0.067            |                  | 0.010 | 0.020 |

| Analyte                   | Result (ug/m3) | Qualifier        | MDL   | RL    |
|---------------------------|----------------|------------------|-------|-------|
| Vinyl chloride            | 0.051          | U                | 0.051 | 0.051 |
| 1,1-Dichloroethene        | 0.040          | U <sup>***</sup> | 0.040 | 0.040 |
| trans-1,2-Dichloroethene  | 0.040          | U                | 0.040 | 0.040 |
| 1,1-Dichloroethane        | 0.040          | U                | 0.040 | 0.040 |
| cis-1,2-Dichloroethene    | 0.040          | U                | 0.040 | 0.040 |
| 1,1,1-Trichloroethane     | 0.084          |                  | 0.055 | 0.055 |
| Benzene                   | 0.24           |                  | 0.032 | 0.032 |
| 1,2-Dichloroethane        | 0.12           |                  | 0.081 | 0.081 |
| Trichloroethene           | 0.83           |                  | 0.054 | 0.054 |
| Toluene                   | 0.46           |                  | 0.038 | 0.038 |
| 1,1,2-Trichloroethane     | 0.055          | U                | 0.055 | 0.055 |
| Tetrachloroethene         | 0.19           |                  | 0.068 | 0.068 |
| Ethylbenzene              | 0.10           |                  | 0.043 | 0.043 |
| o-Xylene                  | 0.12           |                  | 0.043 | 0.043 |
| 1,1,2,2-Tetrachloroethane | 0.069          | U                | 0.069 | 0.069 |
| m-Xylene & p-Xylene       | 0.29           |                  | 0.043 | 0.087 |

## Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-32800-1

Sdg Number: 200-32800-1

Client Sample ID: IA-B1A-BASE

Lab Sample ID: 200-32800-8

Client Matrix: Air

Date Sampled: 03/31/2016 1455

Date Received: 04/01/2016 1130

### TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

|                  |                 |                 |            |                        |             |
|------------------|-----------------|-----------------|------------|------------------------|-------------|
| Analysis Method: | TO15 LL         | Analysis Batch: | 200-102989 | Instrument ID:         | CHE.i       |
| Prep Method:     | Summa Canister  | Prep Batch:     | N/A        | Lab File ID:           | 19318_022.D |
| Dilution:        | 1.0             |                 |            | Initial Weight/Volume: | 500 mL      |
| Analysis Date:   | 04/12/2016 0517 |                 |            | Final Weight/Volume:   | 500 mL      |
| Prep Date:       | 04/12/2016 0517 |                 |            | Injection Volume:      | 500 mL      |

| Analyte                   | Result (ppb v/v) | Qualifier | MDL   | RL    |
|---------------------------|------------------|-----------|-------|-------|
| Vinyl chloride            | 0.020            | U         | 0.020 | 0.020 |
| 1,1-Dichloroethene        | 0.010            | U ***     | 0.010 | 0.010 |
| trans-1,2-Dichloroethene  | 0.010            | U         | 0.010 | 0.010 |
| 1,1-Dichloroethane        | 0.010            | U         | 0.010 | 0.010 |
| cis-1,2-Dichloroethene    | 0.010            | U         | 0.010 | 0.010 |
| 1,1,1-Trichloroethane     | 0.010            | U         | 0.010 | 0.010 |
| Benzene                   | 0.076            |           | 0.010 | 0.010 |
| 1,2-Dichloroethane        | 0.020            | U         | 0.020 | 0.020 |
| Trichloroethene           | 0.045            |           | 0.010 | 0.010 |
| Toluene                   | 0.17             |           | 0.010 | 0.010 |
| 1,1,2-Trichloroethane     | 0.010            | U         | 0.010 | 0.010 |
| Tetrachloroethene         | 0.014            |           | 0.010 | 0.010 |
| Ethylbenzene              | 0.017            |           | 0.010 | 0.010 |
| o-Xylene                  | 0.011            |           | 0.010 | 0.010 |
| 1,1,2,2-Tetrachloroethane | 0.010            | U         | 0.010 | 0.010 |
| m-Xylene & p-Xylene       | 0.043            |           | 0.010 | 0.020 |

| Analyte                   | Result (ug/m3) | Qualifier | MDL   | RL    |
|---------------------------|----------------|-----------|-------|-------|
| Vinyl chloride            | 0.051          | U         | 0.051 | 0.051 |
| 1,1-Dichloroethene        | 0.040          | U ***     | 0.040 | 0.040 |
| trans-1,2-Dichloroethene  | 0.040          | U         | 0.040 | 0.040 |
| 1,1-Dichloroethane        | 0.040          | U         | 0.040 | 0.040 |
| cis-1,2-Dichloroethene    | 0.040          | U         | 0.040 | 0.040 |
| 1,1,1-Trichloroethane     | 0.055          | U         | 0.055 | 0.055 |
| Benzene                   | 0.24           |           | 0.032 | 0.032 |
| 1,2-Dichloroethane        | 0.081          | U         | 0.081 | 0.081 |
| Trichloroethene           | 0.24           |           | 0.054 | 0.054 |
| Toluene                   | 0.65           |           | 0.038 | 0.038 |
| 1,1,2-Trichloroethane     | 0.055          | U         | 0.055 | 0.055 |
| Tetrachloroethene         | 0.093          |           | 0.068 | 0.068 |
| Ethylbenzene              | 0.072          |           | 0.043 | 0.043 |
| o-Xylene                  | 0.049          |           | 0.043 | 0.043 |
| 1,1,2,2-Tetrachloroethane | 0.069          | U         | 0.069 | 0.069 |
| m-Xylene & p-Xylene       | 0.19           |           | 0.043 | 0.087 |

## Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-32800-1

Sdg Number: 200-32800-1

Client Sample ID: IA-B9-01

Lab Sample ID: 200-32800-9

Date Sampled: 03/31/2016 1443

Client Matrix: Air

Date Received: 04/01/2016 1130

### TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

|                  |                 |                 |            |                        |             |
|------------------|-----------------|-----------------|------------|------------------------|-------------|
| Analysis Method: | TO15 LL         | Analysis Batch: | 200-102989 | Instrument ID:         | CHE.i       |
| Prep Method:     | Summa Canister  | Prep Batch:     | N/A        | Lab File ID:           | 19318_024.D |
| Dilution:        | 1.0             |                 |            | Initial Weight/Volume: | 500 mL      |
| Analysis Date:   | 04/12/2016 0713 |                 |            | Final Weight/Volume:   | 500 mL      |
| Prep Date:       | 04/12/2016 0713 |                 |            | Injection Volume:      | 500 mL      |

| Analyte                   | Result (ppb v/v) | Qualifier | MDL   | RL    |
|---------------------------|------------------|-----------|-------|-------|
| Vinyl chloride            | 0.020            | U         | 0.020 | 0.020 |
| 1,1-Dichloroethene        | 0.010            | U *--     | 0.010 | 0.010 |
| trans-1,2-Dichloroethene  | 0.010            | U         | 0.010 | 0.010 |
| 1,1-Dichloroethane        | 0.010            | U         | 0.010 | 0.010 |
| cis-1,2-Dichloroethene    | 0.010            | U         | 0.010 | 0.010 |
| 1,1,1-Trichloroethane     | 0.010            | U         | 0.010 | 0.010 |
| Benzene                   | 0.081            |           | 0.010 | 0.010 |
| 1,2-Dichloroethane        | 0.020            | U         | 0.020 | 0.020 |
| Trichloroethene           | 0.063            |           | 0.010 | 0.010 |
| Toluene                   | 0.10             |           | 0.010 | 0.010 |
| 1,1,2-Trichloroethane     | 0.010            | U         | 0.010 | 0.010 |
| Tetrachloroethene         | 0.010            | U         | 0.010 | 0.010 |
| Ethylbenzene              | 0.017            |           | 0.010 | 0.010 |
| o-Xylene                  | 0.015            |           | 0.010 | 0.010 |
| 1,1,2,2-Tetrachloroethane | 0.010            | U         | 0.010 | 0.010 |
| m-Xylene & p-Xylene       | 0.044            |           | 0.010 | 0.020 |

| Analyte                   | Result (ug/m3) | Qualifier | MDL   | RL    |
|---------------------------|----------------|-----------|-------|-------|
| Vinyl chloride            | 0.051          | U         | 0.051 | 0.051 |
| 1,1-Dichloroethene        | 0.040          | U *--     | 0.040 | 0.040 |
| trans-1,2-Dichloroethene  | 0.040          | U         | 0.040 | 0.040 |
| 1,1-Dichloroethane        | 0.040          | U         | 0.040 | 0.040 |
| cis-1,2-Dichloroethene    | 0.040          | U         | 0.040 | 0.040 |
| 1,1,1-Trichloroethane     | 0.055          | U         | 0.055 | 0.055 |
| Benzene                   | 0.26           |           | 0.032 | 0.032 |
| 1,2-Dichloroethane        | 0.081          | U         | 0.081 | 0.081 |
| Trichloroethene           | 0.34           |           | 0.054 | 0.054 |
| Toluene                   | 0.39           |           | 0.038 | 0.038 |
| 1,1,2-Trichloroethane     | 0.055          | U         | 0.055 | 0.055 |
| Tetrachloroethene         | 0.068          | U         | 0.068 | 0.068 |
| Ethylbenzene              | 0.072          |           | 0.043 | 0.043 |
| o-Xylene                  | 0.066          |           | 0.043 | 0.043 |
| 1,1,2,2-Tetrachloroethane | 0.069          | U         | 0.069 | 0.069 |
| m-Xylene & p-Xylene       | 0.19           |           | 0.043 | 0.087 |

## Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-32800-1

Sdg Number: 200-32800-1

Client Sample ID: IA-B9-02

Lab Sample ID: 200-32800-10

Client Matrix: Air

Date Sampled: 03/31/2016 1328

Date Received: 04/01/2016 1130

### TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

|                  |                 |                 |            |                        |             |
|------------------|-----------------|-----------------|------------|------------------------|-------------|
| Analysis Method: | TO15 LL         | Analysis Batch: | 200-103064 | Instrument ID:         | CHE.i       |
| Prep Method:     | Summa Canister  | Prep Batch:     | N/A        | Lab File ID:           | 19355_010.D |
| Dilution:        | 1.0             |                 |            | Initial Weight/Volume: | 500 mL      |
| Analysis Date:   | 04/12/2016 2013 |                 |            | Final Weight/Volume:   | 500 mL      |
| Prep Date:       | 04/12/2016 2013 |                 |            | Injection Volume:      | 500 mL      |

| Analyte                   | Result (ppb v/v) | Qualifier | MDL   | RL    |
|---------------------------|------------------|-----------|-------|-------|
| Vinyl chloride            | 0.020            | U         | 0.020 | 0.020 |
| 1,1-Dichloroethene        | 0.010            | U         | 0.010 | 0.010 |
| trans-1,2-Dichloroethene  | 0.010            | U         | 0.010 | 0.010 |
| 1,1-Dichloroethane        | 0.010            | U         | 0.010 | 0.010 |
| cis-1,2-Dichloroethene    | 0.014            |           | 0.010 | 0.010 |
| 1,1,1-Trichloroethane     | 0.010            | U         | 0.010 | 0.010 |
| Benzene                   | 0.14             |           | 0.010 | 0.010 |
| 1,2-Dichloroethane        | 0.020            |           | 0.020 | 0.020 |
| Trichloroethene           | 0.32             |           | 0.010 | 0.010 |
| Toluene                   | 0.22             |           | 0.010 | 0.010 |
| 1,1,2-Trichloroethane     | 0.010            | U         | 0.010 | 0.010 |
| Tetrachloroethene         | 0.020            |           | 0.010 | 0.010 |
| Ethylbenzene              | 0.064            |           | 0.010 | 0.010 |
| o-Xylene                  | 0.039            |           | 0.010 | 0.010 |
| 1,1,2,2-Tetrachloroethane | 0.010            | U         | 0.010 | 0.010 |
| m-Xylene & p-Xylene       | 0.12             |           | 0.010 | 0.020 |

| Analyte                   | Result (ug/m3) | Qualifier | MDL   | RL    |
|---------------------------|----------------|-----------|-------|-------|
| Vinyl chloride            | 0.051          | U         | 0.051 | 0.051 |
| 1,1-Dichloroethene        | 0.040          | U         | 0.040 | 0.040 |
| trans-1,2-Dichloroethene  | 0.040          | U         | 0.040 | 0.040 |
| 1,1-Dichloroethane        | 0.040          | U         | 0.040 | 0.040 |
| cis-1,2-Dichloroethene    | 0.057          |           | 0.040 | 0.040 |
| 1,1,1-Trichloroethane     | 0.055          | U         | 0.055 | 0.055 |
| Benzene                   | 0.46           |           | 0.032 | 0.032 |
| 1,2-Dichloroethane        | 0.080          |           | 0.081 | 0.081 |
| Trichloroethene           | 1.7            |           | 0.054 | 0.054 |
| Toluene                   | 0.81           |           | 0.038 | 0.038 |
| 1,1,2-Trichloroethane     | 0.055          | U         | 0.055 | 0.055 |
| Tetrachloroethene         | 0.13           |           | 0.068 | 0.068 |
| Ethylbenzene              | 0.28           |           | 0.043 | 0.043 |
| o-Xylene                  | 0.17           |           | 0.043 | 0.043 |
| 1,1,2,2-Tetrachloroethane | 0.069          | U         | 0.069 | 0.069 |
| m-Xylene & p-Xylene       | 0.54           |           | 0.043 | 0.087 |

## Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-32800-1

Sdg Number: 200-32800-1

Client Sample ID: IA-B9-CS

Lab Sample ID: 200-32800-11

Date Sampled: 03/31/2016 1447

Client Matrix: Air

Date Received: 04/01/2016 1130

### TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

|                  |                 |                 |            |                        |             |
|------------------|-----------------|-----------------|------------|------------------------|-------------|
| Analysis Method: | TO15 LL         | Analysis Batch: | 200-103185 | Instrument ID:         | CHE.i       |
| Prep Method:     | Summa Canister  | Prep Batch:     | N/A        | Lab File ID:           | 19406_008.D |
| Dilution:        | 1.0             |                 |            | Initial Weight/Volume: | 500 mL      |
| Analysis Date:   | 04/14/2016 1538 |                 |            | Final Weight/Volume:   | 500 mL      |
| Prep Date:       | 04/14/2016 1538 |                 |            | Injection Volume:      | 500 mL      |

| Analyte                   | Result (ppb v/v) | Qualifier | MDL   | RL    |
|---------------------------|------------------|-----------|-------|-------|
| Vinyl chloride            | 0.020            | U         | 0.020 | 0.020 |
| 1,1-Dichloroethene        | 0.010            | U         | 0.010 | 0.010 |
| trans-1,2-Dichloroethene  | 0.010            | U         | 0.010 | 0.010 |
| 1,1-Dichloroethane        | 0.010            | U         | 0.010 | 0.010 |
| cis-1,2-Dichloroethene    | 0.010            | U         | 0.010 | 0.010 |
| 1,1,1-Trichloroethane     | 0.010            | U         | 0.010 | 0.010 |
| Benzene                   | 0.016            |           | 0.010 | 0.010 |
| 1,2-Dichloroethane        | 0.020            | U         | 0.020 | 0.020 |
| Trichloroethene           | 0.15             |           | 0.010 | 0.010 |
| Toluene                   | 0.010            | U         | 0.010 | 0.010 |
| 1,1,2-Trichloroethane     | 0.010            | U         | 0.010 | 0.010 |
| Tetrachloroethene         | 0.010            | U         | 0.010 | 0.010 |
| Ethylbenzene              | 0.010            | U         | 0.010 | 0.010 |
| o-Xylene                  | 0.010            | U         | 0.010 | 0.010 |
| 1,1,2,2-Tetrachloroethane | 0.010            | U         | 0.010 | 0.010 |
| m-Xylene & p-Xylene       | 0.020            | U         | 0.010 | 0.020 |

| Analyte                   | Result (ug/m3) | Qualifier | MDL   | RL    |
|---------------------------|----------------|-----------|-------|-------|
| Vinyl chloride            | 0.051          | U         | 0.051 | 0.051 |
| 1,1-Dichloroethene        | 0.040          | U         | 0.040 | 0.040 |
| trans-1,2-Dichloroethene  | 0.040          | U         | 0.040 | 0.040 |
| 1,1-Dichloroethane        | 0.040          | U         | 0.040 | 0.040 |
| cis-1,2-Dichloroethene    | 0.040          | U         | 0.040 | 0.040 |
| 1,1,1-Trichloroethane     | 0.055          | U         | 0.055 | 0.055 |
| Benzene                   | 0.051          |           | 0.032 | 0.032 |
| 1,2-Dichloroethane        | 0.081          | U         | 0.081 | 0.081 |
| Trichloroethene           | 0.79           |           | 0.054 | 0.054 |
| Toluene                   | 0.038          | U         | 0.038 | 0.038 |
| 1,1,2-Trichloroethane     | 0.055          | U         | 0.055 | 0.055 |
| Tetrachloroethene         | 0.068          | U         | 0.068 | 0.068 |
| Ethylbenzene              | 0.043          | U         | 0.043 | 0.043 |
| o-Xylene                  | 0.043          | U         | 0.043 | 0.043 |
| 1,1,2,2-Tetrachloroethane | 0.069          | U         | 0.069 | 0.069 |
| m-Xylene & p-Xylene       | 0.087          | U         | 0.043 | 0.087 |

## Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-32800-1

Sdg Number: 200-32800-1

Client Sample ID: IA-B7-01

Lab Sample ID: 200-32800-12

Date Sampled: 03/31/2016 1510

Client Matrix: Air

Date Received: 04/01/2016 1130

### TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

|                  |                 |                 |            |                        |             |
|------------------|-----------------|-----------------|------------|------------------------|-------------|
| Analysis Method: | TO15 LL         | Analysis Batch: | 200-103064 | Instrument ID:         | CHE.i       |
| Prep Method:     | Summa Canister  | Prep Batch:     | N/A        | Lab File ID:           | 19355_014.D |
| Dilution:        | 1.0             |                 |            | Initial Weight/Volume: | 500 mL      |
| Analysis Date:   | 04/13/2016 0004 |                 |            | Final Weight/Volume:   | 500 mL      |
| Prep Date:       | 04/13/2016 0004 |                 |            | Injection Volume:      | 500 mL      |

| Analyte                   | Result (ppb v/v) | Qualifier | MDL   | RL    |
|---------------------------|------------------|-----------|-------|-------|
| Vinyl chloride            | 0.020            | U         | 0.020 | 0.020 |
| 1,1-Dichloroethene        | 0.010            | U         | 0.010 | 0.010 |
| trans-1,2-Dichloroethene  | 0.010            | U         | 0.010 | 0.010 |
| 1,1-Dichloroethane        | 0.010            | U         | 0.010 | 0.010 |
| cis-1,2-Dichloroethene    | 0.010            | U         | 0.010 | 0.010 |
| 1,1,1-Trichloroethane     | 0.010            | U         | 0.010 | 0.010 |
| Benzene                   | 0.19             |           | 0.010 | 0.010 |
| 1,2-Dichloroethane        | 0.020            | U         | 0.020 | 0.020 |
| Trichloroethene           | 0.078            |           | 0.010 | 0.010 |
| Toluene                   | 0.60             |           | 0.010 | 0.010 |
| 1,1,2-Trichloroethane     | 0.010            | U         | 0.010 | 0.010 |
| Tetrachloroethene         | 0.012            |           | 0.010 | 0.010 |
| Ethylbenzene              | 0.061            |           | 0.010 | 0.010 |
| o-Xylene                  | 0.061            |           | 0.010 | 0.010 |
| 1,1,2,2-Tetrachloroethane | 0.010            | U         | 0.010 | 0.010 |
| m-Xylene & p-Xylene       | 0.18             |           | 0.010 | 0.020 |

| Analyte                   | Result (ug/m3) | Qualifier | MDL   | RL    |
|---------------------------|----------------|-----------|-------|-------|
| Vinyl chloride            | 0.051          | U         | 0.051 | 0.051 |
| 1,1-Dichloroethene        | 0.040          | U         | 0.040 | 0.040 |
| trans-1,2-Dichloroethene  | 0.040          | U         | 0.040 | 0.040 |
| 1,1-Dichloroethane        | 0.040          | U         | 0.040 | 0.040 |
| cis-1,2-Dichloroethene    | 0.040          | U         | 0.040 | 0.040 |
| 1,1,1-Trichloroethane     | 0.055          | U         | 0.055 | 0.055 |
| Benzene                   | 0.62           |           | 0.032 | 0.032 |
| 1,2-Dichloroethane        | 0.081          | U         | 0.081 | 0.081 |
| Trichloroethene           | 0.42           |           | 0.054 | 0.054 |
| Toluene                   | 2.3            |           | 0.038 | 0.038 |
| 1,1,2-Trichloroethane     | 0.055          | U         | 0.055 | 0.055 |
| Tetrachloroethene         | 0.081          |           | 0.068 | 0.068 |
| Ethylbenzene              | 0.27           |           | 0.043 | 0.043 |
| o-Xylene                  | 0.27           |           | 0.043 | 0.043 |
| 1,1,2,2-Tetrachloroethane | 0.069          | U         | 0.069 | 0.069 |
| m-Xylene & p-Xylene       | 0.80           |           | 0.043 | 0.087 |

## Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-32800-1

Sdg Number: 200-32800-1

Client Sample ID: IA-B7-02

Lab Sample ID: 200-32800-13

Date Sampled: 03/31/2016 1450

Client Matrix: Air

Date Received: 04/01/2016 1130

### TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

|                  |                 |                 |            |                        |             |
|------------------|-----------------|-----------------|------------|------------------------|-------------|
| Analysis Method: | TO15 LL         | Analysis Batch: | 200-103064 | Instrument ID:         | CHE.i       |
| Prep Method:     | Summa Canister  | Prep Batch:     | N/A        | Lab File ID:           | 19355_016.D |
| Dilution:        | 1.0             |                 |            | Initial Weight/Volume: | 500 mL      |
| Analysis Date:   | 04/13/2016 0158 |                 |            | Final Weight/Volume:   | 500 mL      |
| Prep Date:       | 04/13/2016 0158 |                 |            | Injection Volume:      | 500 mL      |

| Analyte                   | Result (ppb v/v) | Qualifier | MDL   | RL    |
|---------------------------|------------------|-----------|-------|-------|
| Vinyl chloride            | 0.020            | U         | 0.020 | 0.020 |
| 1,1-Dichloroethene        | 0.010            | U         | 0.010 | 0.010 |
| trans-1,2-Dichloroethene  | 0.010            | U         | 0.010 | 0.010 |
| 1,1-Dichloroethane        | 0.010            | U         | 0.010 | 0.010 |
| cis-1,2-Dichloroethene    | 0.010            | U         | 0.010 | 0.010 |
| 1,1,1-Trichloroethane     | 0.010            | U         | 0.010 | 0.010 |
| Benzene                   | 0.13             |           | 0.010 | 0.010 |
| 1,2-Dichloroethane        | 0.020            | U         | 0.020 | 0.020 |
| Trichloroethene           | 0.098            |           | 0.010 | 0.010 |
| Toluene                   | 0.27             |           | 0.010 | 0.010 |
| 1,1,2-Trichloroethane     | 0.010            | U         | 0.010 | 0.010 |
| Tetrachloroethene         | 0.016            |           | 0.010 | 0.010 |
| Ethylbenzene              | 0.034            |           | 0.010 | 0.010 |
| o-Xylene                  | 0.033            |           | 0.010 | 0.010 |
| 1,1,2,2-Tetrachloroethane | 0.010            | U         | 0.010 | 0.010 |
| m-Xylene & p-Xylene       | 0.077            |           | 0.010 | 0.020 |

| Analyte                   | Result (ug/m3) | Qualifier | MDL   | RL    |
|---------------------------|----------------|-----------|-------|-------|
| Vinyl chloride            | 0.051          | U         | 0.051 | 0.051 |
| 1,1-Dichloroethene        | 0.040          | U         | 0.040 | 0.040 |
| trans-1,2-Dichloroethene  | 0.040          | U         | 0.040 | 0.040 |
| 1,1-Dichloroethane        | 0.040          | U         | 0.040 | 0.040 |
| cis-1,2-Dichloroethene    | 0.040          | U         | 0.040 | 0.040 |
| 1,1,1-Trichloroethane     | 0.055          | U         | 0.055 | 0.055 |
| Benzene                   | 0.41           |           | 0.032 | 0.032 |
| 1,2-Dichloroethane        | 0.081          | U         | 0.081 | 0.081 |
| Trichloroethene           | 0.53           |           | 0.054 | 0.054 |
| Toluene                   | 1.0            |           | 0.038 | 0.038 |
| 1,1,2-Trichloroethane     | 0.055          | U         | 0.055 | 0.055 |
| Tetrachloroethene         | 0.11           |           | 0.068 | 0.068 |
| Ethylbenzene              | 0.15           |           | 0.043 | 0.043 |
| o-Xylene                  | 0.14           |           | 0.043 | 0.043 |
| 1,1,2,2-Tetrachloroethane | 0.069          | U         | 0.069 | 0.069 |
| m-Xylene & p-Xylene       | 0.34           |           | 0.043 | 0.087 |

## Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-32800-1

Sdg Number: 200-32800-1

Client Sample ID: IA-B8-01

Lab Sample ID: 200-32800-14

Client Matrix: Air

Date Sampled: 03/31/2016 1502

Date Received: 04/01/2016 1130

### TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

|                  |                 |                 |            |                        |             |
|------------------|-----------------|-----------------|------------|------------------------|-------------|
| Analysis Method: | TO15 LL         | Analysis Batch: | 200-103064 | Instrument ID:         | CHE.i       |
| Prep Method:     | Summa Canister  | Prep Batch:     | N/A        | Lab File ID:           | 19355_018.D |
| Dilution:        | 1.0             |                 |            | Initial Weight/Volume: | 500 mL      |
| Analysis Date:   | 04/13/2016 0353 |                 |            | Final Weight/Volume:   | 500 mL      |
| Prep Date:       | 04/13/2016 0353 |                 |            | Injection Volume:      | 500 mL      |

| Analyte                   | Result (ppb v/v) | Qualifier | MDL   | RL    |
|---------------------------|------------------|-----------|-------|-------|
| Vinyl chloride            | 0.020            | U         | 0.020 | 0.020 |
| 1,1-Dichloroethene        | 0.010            | U         | 0.010 | 0.010 |
| trans-1,2-Dichloroethene  | 0.010            | U         | 0.010 | 0.010 |
| 1,1-Dichloroethane        | 0.010            | U         | 0.010 | 0.010 |
| cis-1,2-Dichloroethene    | 0.010            | U         | 0.010 | 0.010 |
| 1,1,1-Trichloroethane     | 0.028            |           | 0.010 | 0.010 |
| Benzene                   | 0.11             |           | 0.010 | 0.010 |
| 1,2-Dichloroethane        | 0.029            |           | 0.020 | 0.020 |
| Trichloroethene           | 0.21             |           | 0.010 | 0.010 |
| Toluene                   | 0.19             |           | 0.010 | 0.010 |
| 1,1,2-Trichloroethane     | 0.010            | U         | 0.010 | 0.010 |
| Tetrachloroethene         | 0.075            |           | 0.010 | 0.010 |
| Ethylbenzene              | 0.037            |           | 0.010 | 0.010 |
| o-Xylene                  | 0.036            |           | 0.010 | 0.010 |
| 1,1,2,2-Tetrachloroethane | 0.010            | U         | 0.010 | 0.010 |
| m-Xylene & p-Xylene       | 0.10             |           | 0.010 | 0.020 |

| Analyte                   | Result (ug/m3) | Qualifier | MDL   | RL    |
|---------------------------|----------------|-----------|-------|-------|
| Vinyl chloride            | 0.051          | U         | 0.051 | 0.051 |
| 1,1-Dichloroethene        | 0.040          | U         | 0.040 | 0.040 |
| trans-1,2-Dichloroethene  | 0.040          | U         | 0.040 | 0.040 |
| 1,1-Dichloroethane        | 0.040          | U         | 0.040 | 0.040 |
| cis-1,2-Dichloroethene    | 0.040          | U         | 0.040 | 0.040 |
| 1,1,1-Trichloroethane     | 0.15           |           | 0.055 | 0.055 |
| Benzene                   | 0.35           |           | 0.032 | 0.032 |
| 1,2-Dichloroethane        | 0.12           |           | 0.081 | 0.081 |
| Trichloroethene           | 1.1            |           | 0.054 | 0.054 |
| Toluene                   | 0.73           |           | 0.038 | 0.038 |
| 1,1,2-Trichloroethane     | 0.055          | U         | 0.055 | 0.055 |
| Tetrachloroethene         | 0.51           |           | 0.068 | 0.068 |
| Ethylbenzene              | 0.16           |           | 0.043 | 0.043 |
| o-Xylene                  | 0.16           |           | 0.043 | 0.043 |
| 1,1,2,2-Tetrachloroethane | 0.069          | U         | 0.069 | 0.069 |
| m-Xylene & p-Xylene       | 0.44           |           | 0.043 | 0.087 |

## Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-32800-1

Sdg Number: 200-32800-1

Client Sample ID: OA-B2-01

Lab Sample ID: 200-32800-15

Date Sampled: 03/31/2016 1454

Client Matrix: Air

Date Received: 04/01/2016 1130

### TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

|                  |                 |                 |            |                        |             |
|------------------|-----------------|-----------------|------------|------------------------|-------------|
| Analysis Method: | TO15 LL         | Analysis Batch: | 200-103185 | Instrument ID:         | CHE.i       |
| Prep Method:     | Summa Canister  | Prep Batch:     | N/A        | Lab File ID:           | 19406_009.D |
| Dilution:        | 1.0             |                 |            | Initial Weight/Volume: | 500 mL      |
| Analysis Date:   | 04/14/2016 1636 |                 |            | Final Weight/Volume:   | 500 mL      |
| Prep Date:       | 04/14/2016 1636 |                 |            | Injection Volume:      | 500 mL      |

| Analyte                   | Result (ppb v/v) | Qualifier | MDL   | RL    |
|---------------------------|------------------|-----------|-------|-------|
| Vinyl chloride            | 0.020            | U         | 0.020 | 0.020 |
| 1,1-Dichloroethene        | 0.010            | U         | 0.010 | 0.010 |
| trans-1,2-Dichloroethene  | 0.010            | U         | 0.010 | 0.010 |
| 1,1-Dichloroethane        | 0.010            | U         | 0.010 | 0.010 |
| cis-1,2-Dichloroethene    | 0.010            | U         | 0.010 | 0.010 |
| 1,1,1-Trichloroethane     | 0.010            | U         | 0.010 | 0.010 |
| Benzene                   | 0.098            |           | 0.010 | 0.010 |
| 1,2-Dichloroethane        | 0.020            | U         | 0.020 | 0.020 |
| Trichloroethene           | 0.010            | U         | 0.010 | 0.010 |
| Toluene                   | 0.093            |           | 0.010 | 0.010 |
| 1,1,2-Trichloroethane     | 0.010            | U         | 0.010 | 0.010 |
| Tetrachloroethene         | 0.010            | U         | 0.010 | 0.010 |
| Ethylbenzene              | 0.013            |           | 0.010 | 0.010 |
| o-Xylene                  | 0.013            |           | 0.010 | 0.010 |
| 1,1,2,2-Tetrachloroethane | 0.010            | U         | 0.010 | 0.010 |
| m-Xylene & p-Xylene       | 0.033            |           | 0.010 | 0.020 |

| Analyte                   | Result (ug/m3) | Qualifier | MDL   | RL    |
|---------------------------|----------------|-----------|-------|-------|
| Vinyl chloride            | 0.051          | U         | 0.051 | 0.051 |
| 1,1-Dichloroethene        | 0.040          | U         | 0.040 | 0.040 |
| trans-1,2-Dichloroethene  | 0.040          | U         | 0.040 | 0.040 |
| 1,1-Dichloroethane        | 0.040          | U         | 0.040 | 0.040 |
| cis-1,2-Dichloroethene    | 0.040          | U         | 0.040 | 0.040 |
| 1,1,1-Trichloroethane     | 0.055          | U         | 0.055 | 0.055 |
| Benzene                   | 0.31           |           | 0.032 | 0.032 |
| 1,2-Dichloroethane        | 0.081          | U         | 0.081 | 0.081 |
| Trichloroethene           | 0.054          | U         | 0.054 | 0.054 |
| Toluene                   | 0.35           |           | 0.038 | 0.038 |
| 1,1,2-Trichloroethane     | 0.055          | U         | 0.055 | 0.055 |
| Tetrachloroethene         | 0.068          | U         | 0.068 | 0.068 |
| Ethylbenzene              | 0.055          |           | 0.043 | 0.043 |
| o-Xylene                  | 0.055          |           | 0.043 | 0.043 |
| 1,1,2,2-Tetrachloroethane | 0.069          | U         | 0.069 | 0.069 |
| m-Xylene & p-Xylene       | 0.14           |           | 0.043 | 0.087 |

## Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-32800-1

Sdg Number: 200-32800-1

Client Sample ID: OA-B11-01

Lab Sample ID: 200-32800-16

Client Matrix: Air

Date Sampled: 03/31/2016 1502

Date Received: 04/01/2016 1130

### TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

|                  |                 |                 |            |                        |             |
|------------------|-----------------|-----------------|------------|------------------------|-------------|
| Analysis Method: | TO15 LL         | Analysis Batch: | 200-103064 | Instrument ID:         | CHE.i       |
| Prep Method:     | Summa Canister  | Prep Batch:     | N/A        | Lab File ID:           | 19355_022.D |
| Dilution:        | 1.0             |                 |            | Initial Weight/Volume: | 500 mL      |
| Analysis Date:   | 04/13/2016 0743 |                 |            | Final Weight/Volume:   | 500 mL      |
| Prep Date:       | 04/13/2016 0743 |                 |            | Injection Volume:      | 500 mL      |

| Analyte                   | Result (ppb v/v) | Qualifier | MDL   | RL    |
|---------------------------|------------------|-----------|-------|-------|
| Vinyl chloride            | 0.020            | U         | 0.020 | 0.020 |
| 1,1-Dichloroethene        | 0.010            | U         | 0.010 | 0.010 |
| trans-1,2-Dichloroethene  | 0.010            | U         | 0.010 | 0.010 |
| 1,1-Dichloroethane        | 0.010            | U         | 0.010 | 0.010 |
| cis-1,2-Dichloroethene    | 0.010            | U         | 0.010 | 0.010 |
| 1,1,1-Trichloroethane     | 0.010            | U         | 0.010 | 0.010 |
| Benzene                   | 0.070            |           | 0.010 | 0.010 |
| 1,2-Dichloroethane        | 0.020            | U         | 0.020 | 0.020 |
| Trichloroethene           | 0.010            | U         | 0.010 | 0.010 |
| Toluene                   | 0.053            |           | 0.010 | 0.010 |
| 1,1,2-Trichloroethane     | 0.010            | U         | 0.010 | 0.010 |
| Tetrachloroethene         | 0.010            | U         | 0.010 | 0.010 |
| Ethylbenzene              | 0.010            | U         | 0.010 | 0.010 |
| o-Xylene                  | 0.010            | U         | 0.010 | 0.010 |
| 1,1,2,2-Tetrachloroethane | 0.010            | U         | 0.010 | 0.010 |
| m-Xylene & p-Xylene       | 0.020            | U         | 0.010 | 0.020 |

| Analyte                   | Result (ug/m3) | Qualifier | MDL   | RL    |
|---------------------------|----------------|-----------|-------|-------|
| Vinyl chloride            | 0.051          | U         | 0.051 | 0.051 |
| 1,1-Dichloroethene        | 0.040          | U         | 0.040 | 0.040 |
| trans-1,2-Dichloroethene  | 0.040          | U         | 0.040 | 0.040 |
| 1,1-Dichloroethane        | 0.040          | U         | 0.040 | 0.040 |
| cis-1,2-Dichloroethene    | 0.040          | U         | 0.040 | 0.040 |
| 1,1,1-Trichloroethane     | 0.055          | U         | 0.055 | 0.055 |
| Benzene                   | 0.22           |           | 0.032 | 0.032 |
| 1,2-Dichloroethane        | 0.081          | U         | 0.081 | 0.081 |
| Trichloroethene           | 0.054          | U         | 0.054 | 0.054 |
| Toluene                   | 0.20           |           | 0.038 | 0.038 |
| 1,1,2-Trichloroethane     | 0.055          | U         | 0.055 | 0.055 |
| Tetrachloroethene         | 0.068          | U         | 0.068 | 0.068 |
| Ethylbenzene              | 0.043          | U         | 0.043 | 0.043 |
| o-Xylene                  | 0.043          | U         | 0.043 | 0.043 |
| 1,1,2,2-Tetrachloroethane | 0.069          | U         | 0.069 | 0.069 |
| m-Xylene & p-Xylene       | 0.087          | U         | 0.043 | 0.087 |

## Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-32800-1

Sdg Number: 200-32800-1

Client Sample ID: IA-B1-01

Lab Sample ID: 200-32800-17

Date Sampled: 03/31/2016 1500

Client Matrix: Air

Date Received: 04/01/2016 1130

### TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

|                  |                 |                 |            |                        |             |
|------------------|-----------------|-----------------|------------|------------------------|-------------|
| Analysis Method: | TO15 LL         | Analysis Batch: | 200-103185 | Instrument ID:         | CHE.i       |
| Prep Method:     | Summa Canister  | Prep Batch:     | N/A        | Lab File ID:           | 19406_010.D |
| Dilution:        | 1.0             |                 |            | Initial Weight/Volume: | 500 mL      |
| Analysis Date:   | 04/14/2016 1733 |                 |            | Final Weight/Volume:   | 500 mL      |
| Prep Date:       | 04/14/2016 1733 |                 |            | Injection Volume:      | 500 mL      |

| Analyte                   | Result (ppb v/v) | Qualifier | MDL   | RL    |
|---------------------------|------------------|-----------|-------|-------|
| Vinyl chloride            | 0.020            | U         | 0.020 | 0.020 |
| 1,1-Dichloroethene        | 0.010            | U         | 0.010 | 0.010 |
| trans-1,2-Dichloroethene  | 0.010            | U         | 0.010 | 0.010 |
| 1,1-Dichloroethane        | 0.010            | U         | 0.010 | 0.010 |
| cis-1,2-Dichloroethene    | 0.010            | U         | 0.010 | 0.010 |
| 1,1,1-Trichloroethane     | 0.025            |           | 0.010 | 0.010 |
| Benzene                   | 0.11             |           | 0.010 | 0.010 |
| 1,2-Dichloroethane        | 0.044            |           | 0.020 | 0.020 |
| Trichloroethene           | 0.30             |           | 0.010 | 0.010 |
| Toluene                   | 0.20             |           | 0.010 | 0.010 |
| 1,1,2-Trichloroethane     | 0.010            | U         | 0.010 | 0.010 |
| Tetrachloroethene         | 0.045            |           | 0.010 | 0.010 |
| Ethylbenzene              | 0.039            |           | 0.010 | 0.010 |
| o-Xylene                  | 0.039            |           | 0.010 | 0.010 |
| 1,1,2,2-Tetrachloroethane | 0.010            | U         | 0.010 | 0.010 |
| m-Xylene & p-Xylene       | 0.11             |           | 0.010 | 0.020 |

| Analyte                   | Result (ug/m3) | Qualifier | MDL   | RL    |
|---------------------------|----------------|-----------|-------|-------|
| Vinyl chloride            | 0.051          | U         | 0.051 | 0.051 |
| 1,1-Dichloroethene        | 0.040          | U         | 0.040 | 0.040 |
| trans-1,2-Dichloroethene  | 0.040          | U         | 0.040 | 0.040 |
| 1,1-Dichloroethane        | 0.040          | U         | 0.040 | 0.040 |
| cis-1,2-Dichloroethene    | 0.040          | U         | 0.040 | 0.040 |
| 1,1,1-Trichloroethane     | 0.13           |           | 0.055 | 0.055 |
| Benzene                   | 0.35           |           | 0.032 | 0.032 |
| 1,2-Dichloroethane        | 0.18           |           | 0.081 | 0.081 |
| Trichloroethene           | 1.6            |           | 0.054 | 0.054 |
| Toluene                   | 0.76           |           | 0.038 | 0.038 |
| 1,1,2-Trichloroethane     | 0.055          | U         | 0.055 | 0.055 |
| Tetrachloroethene         | 0.31           |           | 0.068 | 0.068 |
| Ethylbenzene              | 0.17           |           | 0.043 | 0.043 |
| o-Xylene                  | 0.17           |           | 0.043 | 0.043 |
| 1,1,2,2-Tetrachloroethane | 0.069          | U         | 0.069 | 0.069 |
| m-Xylene & p-Xylene       | 0.47           |           | 0.043 | 0.087 |

## Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-32800-1

Sdg Number: 200-32800-1

Client Sample ID: IA-DUPE

Lab Sample ID: 200-32800-18

Date Sampled: 03/31/2016 0000

Client Matrix: Air

Date Received: 04/01/2016 1130

### TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

|                  |                 |                 |            |                        |             |
|------------------|-----------------|-----------------|------------|------------------------|-------------|
| Analysis Method: | TO15 LL         | Analysis Batch: | 200-103185 | Instrument ID:         | CHE.i       |
| Prep Method:     | Summa Canister  | Prep Batch:     | N/A        | Lab File ID:           | 19406_011.D |
| Dilution:        | 1.0             |                 |            | Initial Weight/Volume: | 500 mL      |
| Analysis Date:   | 04/14/2016 1830 |                 |            | Final Weight/Volume:   | 500 mL      |
| Prep Date:       | 04/14/2016 1830 |                 |            | Injection Volume:      | 500 mL      |

| Analyte                   | Result (ppb v/v) | Qualifier | MDL   | RL    |
|---------------------------|------------------|-----------|-------|-------|
| Vinyl chloride            | 0.020            | U         | 0.020 | 0.020 |
| 1,1-Dichloroethene        | 0.010            | U         | 0.010 | 0.010 |
| trans-1,2-Dichloroethene  | 0.010            | U         | 0.010 | 0.010 |
| 1,1-Dichloroethane        | 0.010            | U         | 0.010 | 0.010 |
| cis-1,2-Dichloroethene    | 0.060            |           | 0.010 | 0.010 |
| 1,1,1-Trichloroethane     | 0.010            | U         | 0.010 | 0.010 |
| Benzene                   | 0.12             |           | 0.010 | 0.010 |
| 1,2-Dichloroethane        | 0.020            | U         | 0.020 | 0.020 |
| Trichloroethene           | 0.44             |           | 0.010 | 0.010 |
| Toluene                   | 0.18             |           | 0.010 | 0.010 |
| 1,1,2-Trichloroethane     | 0.010            | U         | 0.010 | 0.010 |
| Tetrachloroethene         | 0.034            |           | 0.010 | 0.010 |
| Ethylbenzene              | 0.063            |           | 0.010 | 0.010 |
| o-Xylene                  | 0.074            |           | 0.010 | 0.010 |
| 1,1,2,2-Tetrachloroethane | 0.010            | U         | 0.010 | 0.010 |
| m-Xylene & p-Xylene       | 0.19             |           | 0.010 | 0.020 |

| Analyte                   | Result (ug/m3) | Qualifier | MDL   | RL    |
|---------------------------|----------------|-----------|-------|-------|
| Vinyl chloride            | 0.051          | U         | 0.051 | 0.051 |
| 1,1-Dichloroethene        | 0.040          | U         | 0.040 | 0.040 |
| trans-1,2-Dichloroethene  | 0.040          | U         | 0.040 | 0.040 |
| 1,1-Dichloroethane        | 0.040          | U         | 0.040 | 0.040 |
| cis-1,2-Dichloroethene    | 0.24           |           | 0.040 | 0.040 |
| 1,1,1-Trichloroethane     | 0.055          | U         | 0.055 | 0.055 |
| Benzene                   | 0.39           |           | 0.032 | 0.032 |
| 1,2-Dichloroethane        | 0.081          | U         | 0.081 | 0.081 |
| Trichloroethene           | 2.4            |           | 0.054 | 0.054 |
| Toluene                   | 0.68           |           | 0.038 | 0.038 |
| 1,1,2-Trichloroethane     | 0.055          | U         | 0.055 | 0.055 |
| Tetrachloroethene         | 0.23           |           | 0.068 | 0.068 |
| Ethylbenzene              | 0.27           |           | 0.043 | 0.043 |
| o-Xylene                  | 0.32           |           | 0.043 | 0.043 |
| 1,1,2,2-Tetrachloroethane | 0.069          | U         | 0.069 | 0.069 |
| m-Xylene & p-Xylene       | 0.82           |           | 0.043 | 0.087 |