



GTE Operations Support Incorporated
One Verizon Way (VC 34W443)
Basking Ridge, NJ 07920-1097
908-559-3691

August 30, 2016

Mr. Christopher Magee
New York State Department of Environmental Conservation
Division of Environmental Remediation
625 Broadway, 12th Floor
Albany, NY 12233-7017

Re: *June 2016 Indoor Air Sampling Report*

Dear Mr. Magee:

Attached are the June 2016 indoor air sampling results for the former Philips Display Components facility in Seneca Falls, New York. Volatile organic compounds, primarily trichloroethene, were reported in the indoor air. Five subslab depressurization systems continue to operate.

The next monitoring event is tentatively scheduled for the week of September 12, 2016.

Please call me at (908) 559-3691 if you have any questions.

Sincerely,

Matthew T. Walsh
Manager – Corporate Environmental, Health, Safety, and Compliance

ATTACHMENTS

Attachment A – June 2016 Indoor Air Sampling Event Summary
Attachment B – Tables
Attachment C – Figures
Attachment D – Data Validation Report

Mr. Christopher Magee
August 30, 2016
Page 2

ec:

Mr. Alex Czuhanich (NYSDEC)
Mr. Justin Deming (New York State Department of Health)
Ms. Melissa Doroski (New York State Department of Health)
Mr. Nidal Azzam (USEPA)
Mr. Ernst Jabouin (USEPA)
Ms. Kelly Kline (Seneca County Industrial Development Agency)
Mr. Stephen Bregande (H.P. Neun)
Mr. J. Christopher Woods (H.P. Neun)
Ms. Anna Kunkel (Environmental Consultant)
Ms. Pam Cox (GTE Operations Support Incorporated)
Mr. Daniel Lang (Arcadis U.S., Inc.)
Mr. Mark Flusche (Arcadis U.S., Inc.)
Ms. Marzi Sharfaei (Arcadis U.S., Inc.)

Attachment A
June 2016
Indoor Air
Sampling Event Summary

In June 2016, indoor air samples were collected at the former Philips Display Components facility in Seneca Falls, New York (Figure 1). Indoor air samples are collected and analyzed quarterly to monitor the subslab depressurization (SSD) systems' effectiveness. The systems (Building 9 Office Area crawl space ventilation system¹, Building 11 Area SSD system, Building 7 Area SSD system, Building 10 Area SSD system, Building 1 SSD system, and Building 1A sump/trench ventilation and SSD system) were installed to reduce volatile organic compound (VOC) concentrations (primarily trichloroethene [TCE]) in subslab vapor and indoor air.

Field measurements are collected using either a digital manometer or U-tube vacuum indicator to confirm that the SSD systems and the sump/trench ventilation system are operating as designed. The manometer measures pressure at subslab monitoring points near the SSD systems. The U-tube vacuum indicator measures the negative pressure in the Buildings 1 and 1A SSD system piping.

On June 30, 2016, 14 indoor air, 1 indoor air duplicate, 1 crawl space air, and 2 outdoor (ambient) air samples were collected over an approximately 8-hour period. The sample locations are shown on Figure 2. Samples were analyzed by TestAmerica Laboratories, Inc., of Burlington, Vermont, using United States Environmental Protection Agency (USEPA) Method TO-15 or low-level USEPA Method TO-15. Analytical results for 16 site-specific compounds are provided in Tables 1 through 8 (Attachment B) and selected TCE results are displayed graphically on Figures 3 through 8 (Attachment C).

Sampling, laboratory analyses, and data validation were conducted in accordance with the *Soil Vapor Intrusion Pathway Investigation Work Plan and Quality Assurance Project Plan* dated May 7, 2003. Data Validation Services, Inc., of North Creek, New York, performed third-party data validation. Sample results are usable as reported or with minor qualifications (Attachment D).

Analytical Results

The June 2016 indoor air TCE concentrations ranged from 1.2 micrograms per cubic meter ($\mu\text{g}/\text{m}^3$) to 5.6 $\mu\text{g}/\text{m}^3$, which are similar to the June 2015 concentrations (0.45 to 3.6 $\mu\text{g}/\text{m}^3$) and within the historical range during SSD system operation (<0.054 $\mu\text{g}/\text{m}^3$ to 81 $\mu\text{g}/\text{m}^3$).

Monitoring results for each SSD and ventilation system area are summarized below.

Building 9 Area

The Building 9 office indoor air TCE concentration (5.6 $\mu\text{g}/\text{m}^3$) was higher than the June 2015 TCE concentration (1.8 $\mu\text{g}/\text{m}^3$) and within the previous concentration range (0.12 to 30 $\mu\text{g}/\text{m}^3$). The Building 9 warehouse indoor air TCE concentration (1.6 $\mu\text{g}/\text{m}^3$) was slightly higher than the June 2015 TCE concentration (0.72 $\mu\text{g}/\text{m}^3$) and within the previous concentration range (0.091 to 51 $\mu\text{g}/\text{m}^3$).

The Building 9 crawlspace air TCE concentration (52 $\mu\text{g}/\text{m}^3$) was slightly higher than the June 2015 concentration (45 $\mu\text{g}/\text{m}^3$) and within the previous concentration range (0.79 to 210 $\mu\text{g}/\text{m}^3$) (Figure 3 and Table 1).

¹ The Building 9 Office Area crawl space ventilation system operated from November 2004 to June 2010.

Building 11 Area

The Building 11 Area comprises parts of Buildings 11, 11A, 13, and 13A. The June 2016 Building 11 Area indoor air TCE concentration range (1.3 to 2.7 $\mu\text{g}/\text{m}^3$) was slightly higher than the June 2015 concentration range (0.45 to 1.2 $\mu\text{g}/\text{m}^3$) and within the previous concentration range during SSD system operation (0.16 to 81 $\mu\text{g}/\text{m}^3$) (Figure 4). The Building 11 Area SSD system continues to sustain subslab negative pressures greater than 100 feet from the extraction wells.

Building 7 Area

The June 2016 TCE concentration in the Building 7 office area (1.9 $\mu\text{g}/\text{m}^3$) was slightly lower than the June 2015 concentration (2.3 $\mu\text{g}/\text{m}^3$) and within the previous concentration range (0.53 to 18 $\mu\text{g}/\text{m}^3$) (Figure 5). The June 2016 Building 7 warehouse indoor air TCE concentration (1.2 $\mu\text{g}/\text{m}^3$) was similar to the June 2015 concentration (0.91 $\mu\text{g}/\text{m}^3$) and within the previous concentration range during SSD system operation (0.42 to 20 $\mu\text{g}/\text{m}^3$). The Building 7 SSD system sustains negative subslab pressures greater than 45 feet from the extraction wells.

Building 10 Area

June 2016 indoor air TCE concentrations in Buildings 10 and 10A (1.9 and 2.2 $\mu\text{g}/\text{m}^3$, respectively) were slightly higher than the June 2015 TCE concentrations (0.95 and 0.79 $\mu\text{g}/\text{m}^3$, respectively) and within the previous concentration ranges during SSD system operation (<0.054 to 27 $\mu\text{g}/\text{m}^3$ in Building 10, and 0.32 to 18 $\mu\text{g}/\text{m}^3$ in Building 10A) (Figure 6). The Building 10 SSD system sustains negative subslab pressures greater than 100 feet from the extraction wells.

Building 1A Area

The Building 1A first floor indoor air TCE concentration (1.5 $\mu\text{g}/\text{m}^3$) was slightly lower than the June 2015 concentration (1.6 $\mu\text{g}/\text{m}^3$), and within the previous concentration range during SSD system operation (<0.054 $\mu\text{g}/\text{m}^3$ to 6.8 $\mu\text{g}/\text{m}^3$). The Building 1A basement indoor air TCE concentration (0.47 $\mu\text{g}/\text{m}^3$) was lower than the June 2015 concentration (1.2 $\mu\text{g}/\text{m}^3$), and within the previous concentration range during SSD system operation (<0.054 $\mu\text{g}/\text{m}^3$ to 67 $\mu\text{g}/\text{m}^3$) (Figure 7).

Building 1 Area

The June 2016 Building 1 indoor air TCE concentration (1.6 $\mu\text{g}/\text{m}^3$) was lower than the June 2015 concentration (3.6 $\mu\text{g}/\text{m}^3$), and within the previous concentration range during SSD system operation (0.12 to 3.5 $\mu\text{g}/\text{m}^3$) (Figure 8). The Building 1 SSD system sustains negative subslab pressures greater than 50 feet from the extraction well.

Building 8 Area

Quarterly sampling of indoor air from Building 8 began in December 2015. The June 2016 Building 8 indoor air TCE concentration (3.5 $\mu\text{g}/\text{m}^3$) was slightly higher than the December 2015 concentration (2.5 $\mu\text{g}/\text{m}^3$) but within the previous concentration range (1.1 to 10 $\mu\text{g}/\text{m}^3$).

Conclusions

The analytical results and field measurements indicate the ventilation and SSD systems are effective at sustaining negative pressures. Operation of the ventilation and SSD systems continues to maintain reduced subslab and indoor air VOC concentrations.

Attachment B
Tables

Table 1
Building 9 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B9-01															
Description	BUILDING 9 OFFICE INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.22	0.14 U	0.1 U	0.08 U	0.04 U	0.087	1.3	0.22	1.4	5	2	0.77	9.6	0.056 U	22	0.02 U
10/2/2003	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	2.2	0.67	1.1	2.8	1.2	0.68 U	4.1	0.4 U	30	0.26 U
1/20/2004	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	2.3	0.2 U	2.7	10	3.2	0.75	11	0.2 U	15	0.13 U
12/22/2004	0.17	0.069 U	0.055 U	0.04 U	0.04 U	0.077	2.7	0.27	0.87	3.3	1.2	3.1	5.7	0.04 U	4.6	0.028
3/31/2005	0.076	0.069 U	0.055 U	0.04 U	0.04 U	0.049	0.77	0.04 U	0.28	0.91	0.33	0.088	1.4	0.04 U	0.12	0.026 U
7/22/2005	0.1	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	2	0.16	2.9	8.3	2.4	0.52	9.4	0.04 U	4.3	0.026 U
9/20/2005	0.12	0.14 U	0.11 U	0.081 U	0.16 U	0.081 U	1.3	0.16	0.96	3.6	1.2	2.6	2.9	0.079 U	0.7	0.051 U
1/11/2006	0.13	0.069 U	0.055 U	0.04 U	0.04 U	0.093	3.5	0.17	2	5.6	3	0.51	9.4	0.04 U	4	0.026 U
7/17/2006	0.23	0.21 U	0.16 U	0.12 U	0.12 U	0.34	3.1	1.1	4	18	6.5	8.8	10	0.12 U	4.2	0.15 U
12/12/2006	0.21	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.9	0.27	1.3	4.3	1.6	2	6.8	0.079 U	9.1	0.1 U
3/20/2007	0.44	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.1	0.52	1.1	3.8	1.3	2	4.5	0.16 U	14	0.2 U
6/21/2007	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.42	0.04	0.43	1.8	0.61	0.35	1.5	0.04 U	0.34	0.051 U
9/19/2007	0.071	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.51	0.04 U	0.32	1	0.36	0.31	1.8	0.04 U	0.37	0.051 U
12/11/2007	0.25	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.5	0.31	0.52	1.6	0.56	1.6	3.1	0.059 U	5.9	0.077 U
3/26/2008	0.14	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.4	0.4	0.48	1.8	0.65	0.52	4.1	0.079 U	5.3	0.1 U
6/17/2008	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.61	0.52	0.69	2.6	0.91	1.1	11	0.16 U	1.2	0.2 U
9/24/2008	0.18	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.51	0.075	0.43	1.6	0.56	1.6	2.8	0.04 U	2.6	0.051 U
12/18/2008	0.34	0.38 U	0.31 U	0.23 U	0.22 U	0.45 U	2.8	0.67	1.4	5.2	1.8	0.38 U	8.3	0.22 U	18	0.28 U
3/26/2009	0.38	0.082 U	0.065 U	0.049 U	0.048 U	0.11	1.1	0.12	0.43	1.4	0.52	0.16	4.1	0.048 U	1.2	0.064 U
6/25/2009	0.39	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.4	0.24	1.5	5.6	2.1	0.34 U	12	0.2 U	1.7	0.26 U
9/23/2009	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.96	0.16 U	0.91	3.3	1.3	0.27 U	14	0.16 U	0.34	0.2 U
3/24/2010	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.7	0.87	1.1	4	1.4	1.1	12	0.2 U	5.9	0.26 U
6/22/2010	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	0.67	0.12 U	0.69	2.5	1 J	0.2 U	5.7	0.12 U	0.91	0.15 U
9/23/2010	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.87	0.13	0.58	1.9	0.7	0.14	4.2	0.079 U	3	0.1 U
12/28/2010	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.65	0.14	0.22	0.69	0.25	0.1 U	3.2	0.059 U	3	0.077 U
3/23/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.52	0.096	0.35	0.95	0.34	0.11	2.3	0.04 U	3.8	0.051 U
6/22/2011	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.43	0.078	0.54	1.6	0.65	0.18	3.5	0.079 U	2.1	0.1 U
9/21/2011	0.084 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.094 NJ	0.55	0.055	0.056	0.087	0.043 U	0.1	0.66	0.04 U	1.8	0.051 U
12/20/2011	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.4	0.12	0.48	1.6	0.54	0.9	6.5	0.079 U	5.3	0.1 U
3/28/2012	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	1.7	0.12 U	0.6	2	0.71	5.8	6	0.12 U	1.3	0.15 U
6/14/2012	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.3	0.14 NJ	0.73	1.8	0.7	1.2	5.5	0.079 U	4	0.1 U
10/9/2012	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	0.66	0.12	0.3	0.91	0.29	0.2 U	1.7	0.12 U	5.8	0.15 U
1/3/2013	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.62	0.14	0.19	0.51	0.19	0.14 U	1.7	0.079 U	6.5	0.1 U
3/28/2013	0.068 U	0.086 UJ	0.068 U	0.051 U	0.2 U	0.1 U	0.45	0.14	0.16	0.4 J	0.19 J	0.085 U	0.95	0.05 U	4.3	0.064 U
6/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.25	0.35 NJ	0.41	1.4	0.46	0.094	2.1	0.04 U	1.8	0.051 U
9/19/2013	0.14 U	0.17 U	0.14 U	0.10 U	0.099 U	0.2 U	0.31	0.099 U	0.25	0.72	0.24	0.17 U	5.9	0.099 U	3	0.13 U
12/18/2013	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	0.63	0.16	0.21	0.57	0.21	0.2 U	1.1	0.12 U	6.8	0.15 U
3/20/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.1	0.82	0.12 NJ	0.22	0.59	0.21	0.11	1.3	0.04 U	2.9	0.051 U
6/18/2014	0.13 UJ	0.16 UJ	0.13 UJ	0.096 UJ	0.094 UJ	0.19 UJ	0.42 J	0.16 NJ	0.5 J	2 J	0.65 J	0.16 UJ	8.6 J	0.094 UJ	2.3 J	0.12 UJ
9/23/2014	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.47	0.19	0.28	0.77	0.29	0.1 U	2.7	0.07	5.9	0.077 U
12/16/2014	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.59	0.089	0.065 U	0.13 U	0.065 U	0.29	0.53	0.059 U	4.3	0.077 U
3/24/2015	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	1.0	0.30 NJ	0.25	0.72	0.28	0.17 U	0.92	0.099 U	8.9	0.13 U
6/15/2015	0.084 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.14	0.39	0.3	0.71	2.4	0.81	0.1	1.6	0.04 U	1.8	0.051 U
9/9/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.11	0.22	0.068	0.21	0.60	0.24	0.068 U	1.0	0.04 U	3.4	0.051 U
12/15/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.45	0.13	0.15	0.46	0.17	0.068 U	0.78	0.04 U	2.7	0.051 U
3/31/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.26	0.040 U	0.072	0.19	0.066	0.068 U	0.39	0.04 U	0.34	0.051 U
6/30/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.097	0.21	0.078	0.25	0.72	0.28	0.071	1.3	0.10	5.6 J	0.051 U

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated

Table 1
Building 9 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B9-CS															
Description	BUILDING 9 CRAWL SPACE AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
10/2/2003	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	0.64	1.6	0.48	1.2	0.52	0.88	1.3	0.4 U	210	0.26 U
1/20/2004	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	1.6	0.95	1.4	4.8	1.7	0.54	7.2	0.2 U	75	0.13 U
12/22/2004	0.14	0.069 U	0.055 U	0.04 U	0.04 U	0.057	1.7	0.24	0.61	2.1	0.87	1.2	4.1	0.04 U	10	0.026 U
3/31/2005	0.076	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	0.51	0.19	0.22	0.65	0.22	0.14	0.9	0.04 U	15	0.026 U
7/22/2005	0.093	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	0.96	0.87	1.7	5.2	2.7	0.41	4.5	0.04 U	35	0.026 U
9/20/2005	0.55 U	0.69 U	0.55 U	0.4 U	0.79 U	0.4 U	0.96	1.1	0.83	3	1	1.4	3	0.4 U	43	0.26 U
11/17/2005	0.17	0.069 U	0.055 U	0.04 U	0.04 U	0.061	1.7	0.75	0.48	1.8	0.61	0.61	3.1 J	0.04 U	38	0.026 U
1/11/2006	0.12	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	2.4	0.29	1.2	3.8	1.6	0.35	6.4	0.04 U	11	0.026 U
7/17/2006	0.44 U	0.55 U	0.44 U	0.32 U	0.32 U	0.65 U	2.9	1.2	3.5	15	5.6	4.8	16	0.32 U	35	0.41 U
12/12/2006	0.17	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2.8	0.29	1.6	5.2	1.9	1.5	7.5	0.12 U	11	0.15 U
3/20/2007	0.27	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2.1	0.56	0.65	2.4	0.83	1	3.1	0.12 U	14	0.15 U
6/21/2007	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.13 U	0.44	0.17 U	0.35 U	0.17 U	0.27 U	0.15 U	0.16 U	12	0.2 U
9/19/2007	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.38	0.48	0.24	0.61	0.25	0.55	0.87	0.2 U	19	0.26 U
12/11/2007	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	1.1	0.21	0.32	1	0.4	0.75	1.9	0.12 U	10	0.15 U
3/26/2008	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.1	0.23	0.38	1.3	0.48	0.23	2.8	0.059 U	5.9	0.077 U
6/17/2008	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.42	0.87	0.56	1.9	0.65	0.62	3.5	0.2 U	18	0.26 U
9/24/2008	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.38	0.18	0.25	0.87	0.33	0.37	1.8	0.16 U	15	0.2 U
12/18/2008	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.6	0.31	0.78	2.6	0.96	0.27 U	4.5	0.16 U	15	0.2 U
3/26/2009	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.8	0.18	0.28	0.91	0.37	0.22	1.7	0.079 U	5.4	0.1 U
6/25/2009	0.43 U	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	1.5	0.39 NJ	1.4	4.8	1.7	0.54 U	17	0.31 U	24	0.41 U
9/23/2009	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.99	0.4	0.69	2.5	0.83	0.34 U	5.7	0.2 U	20	0.26 U
3/24/2010	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 NJ	1.2	0.29	0.61	2.4	0.87	0.38	3.5	0.04 U	5.4	0.051 U
9/22/2010	0.68 U	0.86 U	0.68 U	0.51 U	0.5 U	1 U	0.99	0.69	0.65	2.4	0.83	0.85 U	4.5	0.5 U	60	0.64 U
12/28/2010	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.49	0.12	0.11	0.29	0.11	0.14 U	0.71	0.079 U	8.5	0.1 U
3/23/2011	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.45	0.2 U	0.22 U	0.43 U	0.22 U	0.34 U	0.44	0.2 U	16	0.26 U
6/22/2011	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	0.39	0.42	0.52	1.4	0.5	0.68 U	4.6	0.4 U	48	0.51 U
9/21/2011	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	1.7	0.4 U	0.43 U	0.87 U	0.43 U	0.68 U	2.5	0.4 U	37	0.51 U
12/20/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.22	0.13	0.043 U	0.043 U	0.043 U	0.068 U	0.091	0.04 U	2.8	0.051 U
3/28/2012	0.27 UJ	0.34 UJ	0.27 UJ	0.2 UJ	0.2 UJ	0.4 UJ	0.66 J	0.2 UJ	0.58 J	2.3 J	0.87 J	0.87 J	5.8 J	0.2 UJ	14 J	0.26 UJ
6/14/2012	0.44 U	0.55 U	0.44 U	0.32 U	0.32 U	0.65 U	0.8	0.32 U	0.41	1	0.35	0.58	2.2	0.32 U	23	0.41 U
10/9/2012	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	0.49	0.4 U	0.43 U	0.87 U	0.43 U	0.68 U	0.76	0.4 U	29	0.51 U
1/3/2013	0.33 U	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	0.63	0.29	0.26 U	0.52 U	0.26 U	0.41 U	0.67	0.24 U	27	0.31 U
3/28/2013	0.33 U	0.41 UJ	0.33 U	0.24 U	0.96 U	0.49 U	0.33 NJ	0.48 U	0.26 U	0.52 UJ	0.96 UJ	0.41 U	0.23 U	0.24 U	14	0.31 U
6/19/2013	0.43 UJ	0.55 UJ	0.43 UJ	0.32 UJ	0.31 UJ	0.64 UJ	0.25 UJ	0.31 UJ	0.34 UJ	0.69 UJ	0.34 UJ	0.54 UJ	0.74 J	0.31 UJ	19 J	0.41 UJ
9/19/2013	0.33 U	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	0.34	0.24 U	0.26 U	0.68	0.26 U	0.41 U	1.4	0.24 U	24	0.31 U
12/18/2013	0.44 U	0.55 U	0.44 U	0.33 U	0.32 U	0.65 U	0.41	0.32 U	0.35 U	0.7 U	0.35 U	0.55 U	0.62	0.32 U	21	0.41 U
3/20/2014	0.45 U	0.57 U	0.45 U	0.34 U	0.33 U	0.67 U	0.37	0.33 U	0.36 U	0.72 U	0.36 U	0.56 U	0.40	0.33 U	19	0.43 U
6/18/2014	0.41 U	0.51 U	0.41 U	0.3 U	0.3 U	0.6 U	0.24 U	0.38	0.32 U	0.65 U	0.32 U	0.51 U	1.2	0.3 U	32	0.38 U
9/23/2014	0.65 U	0.82 U	0.65 U	0.49 U	0.48 U	0.97 U	0.38 U	0.74	0.52 U	1 U	0.52 U	0.81 U	0.77	0.48 U	66	0.61 U
12/16/2014	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	0.53	0.4 U	0.43 U	0.87 U	0.43 U	0.68 U	0.49	0.4 U	32	0.51 U
3/24/2015	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.40	0.21 NJ	0.22 U	0.43 U	0.22 U	0.34 U	0.37	0.2 U	13	0.26 U
6/15/2015	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	0.32 U	0.44	0.43 U	1.5	0.47	0.68 U	0.61	0.4 U	45	0.51 U
9/9/2015	0.82 U	1 U	0.82 U	0.61 U	0.6 U	1.2 U	0.48 U	0.72	0.66 U	1.3 U	0.66 U	1 U	0.81	0.6 U	73	0.77 U
12/15/2015	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.25	0.2 U	0.22 U	0.43 U	0.22 U	0.34 U	0.25	0.2 U	11	0.26 U
3/31/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.051	0.04 U	0.043 U	0.087 U	0.043 U	0.068 U	0.038 U	0.04 U	0.79	0.051 U
6/30/2016	0.65 U	0.82 U	0.65 U	0.49 U	0.48 U	0.97 U	0.38 U	0.48 U	0.52 U	1 U	0.52 U	0.81 U	1.2	0.48 U	52	0.61 U

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated

Table 1
Building 9 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	1A-B9-02															
Description	BUILDING 9 WAREHOUSE INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.15	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	1.1	0.056 U	0.35	0.93	0.34	1.9	2.1	0.056 U	0.22	0.02 U
10/2/2003	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	3.1	2.2	0.65	1.7	0.61	2	2.4	0.4 U	30	0.26 U
1/20/2004	0.41 U	0.51 U	0.41 U	0.3 U	0.3 U	0.3 U	5.1	3	16	65	16	7.5	9.8	0.3 U	24	0.19 U
3/20/2007	0.49	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	3.8	0.87	1.1	3.6	1.1	2.8	3.8	0.2 U	19	0.26 U
6/21/2007	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.45	0.083	0.48	1.4	0.37	0.39	2.1	0.04 U	0.3	0.051 U
9/19/2007	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.51	0.04 U	0.2	0.43	0.15	0.21	0.83	0.04 U	1	0.051 U
12/11/2007	0.33 U	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	2.5	0.99	0.74	2.4	0.87	5.5	4.5	0.24 U	19	0.31 U
3/26/2008	0.14	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.83	1.1	0.087 U	0.17 U	0.087 U	0.14	0.21	0.079 U	7	0.1 U
6/17/2008	0.1	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.58	0.79	0.83	2.8	0.91	0.56	2.3	0.04 U	1.6	0.051 U
9/24/2008	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.83	0.14	0.52	1.7	0.56	12	3	0.079 U	3.9	0.1 U
12/18/2008	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	4.8	1.8	2	6.9	2.7	0.68 U	12	0.4 U	46	0.51 U
3/26/2009	0.43 U	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	3.8	1.1	1.1	3.3	1.2	0.54 U	6.8	0.31 U	24	0.41 U
6/25/2009	0.43 U	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	3.5	0.79	3.5	12	4	0.75	26	0.31 U	2.3	0.41 U
9/23/2009	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.2	0.04 U	0.4	1.2	0.4	0.11	1.9	0.04 U	0.39	0.051 U
12/17/2009	0.87 U	1.1 U	0.87 U	0.65 U	0.63 U	1.3 U	2.4	1.7	0.87	2.9	1	1.1 U	4.1	0.63 U	51	0.82 U
3/24/2010	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.8	1.9	1.5	5.6	1.9	2	5.3	0.16 U	13	0.2 U
6/22/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.38	0.04 U	0.16	0.48	0.21 J	0.088	0.68	0.04 U	0.091	0.051 U
9/22/2010	0.068 U	0.086 U	0.068 U	0.051 U	0.05 U	0.1 U	3	0.11	0.73	2.2	0.72	0.12	4.6	0.05 U	0.63	0.064 U
12/28/2010	0.34 U	0.43 U	0.34 U	0.25 U	0.25 U	0.51 U	3.1	1.7	0.67	2	0.76	0.68	3.7	0.25 U	23	0.32 U
3/23/2011	0.11	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	3.3	0.67	1.6	3.6	1.2	0.58	4.1	0.079 U	11	0.1 U
6/22/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.62	0.04 U	0.54	0.98	0.35	0.19	0.99	0.04 U	0.15	0.051 U
9/21/2011	0.36	0.069 U	0.055 U	0.04 U	0.5	0.081 U	0.7	0.6	0.66	1.2	0.42	0.13	1.5	0.04 U	1.6	0.051 U
12/20/2011	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.1	0.49	0.17 U	0.17 U	0.17 U	1.7	0.43	0.16 U	17	0.2 U
3/28/2012	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.5	0.17	1.4	3.8	1.3	14	5.6	0.16 U	2.3	0.2 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.1	0.2 U	0.81	1.1	0.43	7.6	1.6	0.2 U	0.35	0.26 U
10/9/2012	0.43 U	0.55 U	0.43 U	0.32 U	0.31 U	0.64 U	1.1	0.33	0.69	1.6	0.76	0.54 U	1.5	0.31 U	16	0.41 U
1/3/2013	0.23 U	0.29 U	0.23 U	0.17 U	0.17 U	0.34 U	0.13 U	0.3	0.18 U	0.36 U	0.18 U	0.28 U	0.16 U	0.17 U	2.7	0.21 U
3/28/2013	0.16	0.14 UJ	0.11 U	0.081 U	0.32 U	0.16 U	0.97	0.47	0.48	0.81 J	0.35 J	0.14 U	1.2	0.079 U	6.1	0.1 U
6/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.27	0.46 NJ	0.66	2.1	0.67	0.078	1.9	0.04 U	1.1	0.051 U
9/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.36	0.04 U	0.33	0.84	0.24	0.097	1.4	0.04 U	5.2	0.051 U
12/18/2013	0.44 U	0.55 U	0.44 U	0.33 U	0.32 U	0.65 U	0.75	0.54	0.35 U	0.7 U	0.35 U	0.55 U	1.1	0.32 U	20	0.41 U
3/20/2014	0.086 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.089	0.99	0.45	0.22	0.54	0.16	0.68	1.2	0.04 U	3.5	0.051 U
6/18/2014	0.11 NJ	0.099 U	0.079 U	0.058 U	0.057 U	0.12 U	0.38	0.63	0.34	0.59	0.13	0.1	1.4	0.057 U	1	0.074 U
9/23/2014	0.093 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.3	0.31	0.095	0.23	0.082	0.068 U	0.39	0.04 U	2.6	0.051 U
12/16/2014	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.9	0.35	0.31	0.77	0.25 J+	0.34 U	1.6	0.2 U	14	0.26 U
3/24/2015	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.1	0.60	0.30	0.80	0.32	0.34 U	0.93	0.2 U	14	0.26 U
6/15/2015	0.1	0.3	0.055 U	0.04 U	0.04 U	0.08 NJ	0.5	0.55 U	1.8	6.5	1.9	0.12	2.6	0.04 U	0.72	0.051 U
9/9/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.26	0.04 U	0.29	0.67	0.22	0.068 U	0.64	0.04 U	0.16	0.051 U
12/15/2015	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.70	0.33	0.30	0.74	0.24	0.14 U	1.3	0.079 U	5.3	0.1 U
3/31/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.080	0.46	0.057	0.28	0.54	0.17	0.13	0.81	0.04 U	1.7	0.051 U
6/30/2016	0.066	0.069 U	0.055 U	0.04 U	0.04 U	0.084	0.35	0.13 NJ	0.78	1.7	0.59	0.12	1.7	0.04 U	1.6	0.051 U

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J - Estimated

J+ - Estimated and may be biased high

NJ - Tentative in identification and estimated

Table 2
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID Description	IA-B11-01 BUILDING 11 INDOOR AIR															
	1,1,1- Trichloroethane	1,1,2,2- Tetrachloroethane	1,1,2- Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2- Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2- Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.29	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	1.1	0.55	1.4	3.5	1.2	7.8	12	0.056 U	5	0.02 U
10/2/2003	2	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	3.8	4.8	1	3	1	6.8	11	0.4 U	36	0.26 U
1/20/2004	0.65	0.51 U	0.41 U	0.3 U	0.3 U	0.3 U	3.2	2.5	3	11	2.9	4.7	6	0.3 U	33	0.19 U
2/14/2006	0.65	0.069 U	0.055 U	0.04 U	0.099	0.04 U	3	1.6	1.9	4.3	2.6	6.6	5.3 J	0.04 U	59	0.064 J
6/28/2006	0.24	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.1	0.91	1.6	7.4	2.9	14	3.7	0.16 U	3.4	0.2 U
9/13/2006	0.4	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.6	0.83	0.74	2.2	0.83	6	3.6	0.2 U	20	0.26 U
12/12/2006	0.82	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	7	1.6	2.6	7.4	2.4	6.4	11	0.16 U	20	0.2 U
3/20/2007	0.87	0.21 U	0.16 U	0.12 U	0.23	0.24 U	4.5	1.5	1.1	4.3	1.4	3.5	7.5	0.12 U	9.1	0.15 U
6/21/2007	0.25	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.89	1.2	0.69	2.2	0.83	7.5	2.2	0.059 U	3.4	0.077 U
8/30/2007	0.093	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.58	0.25	0.52	1.4	0.52	1.8	1.5	0.04 U	0.7	0.051 U
9/19/2007	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.77	0.52	0.3	0.91	0.31	0.75	1.2	0.04 U	3.9	0.051 U
12/11/2007	0.87	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.9	2.3	1	3.7	1.3	8.8	5.3	0.2 U	18	0.26 U
3/26/2008	0.25	0.12 U	0.093 U	0.069 U	0.067 U	0.14 U	2.4	1.2	0.91	3.5	1.2	1.5	5.3	0.067 U	5.9	0.087 U
6/17/2008	0.25	0.12 U	0.093 U	0.069 U	0.067 U	0.13 U	1.2	2.1	1.8	6.9	2.3	2.7	2.5	0.067 U	4	0.084 U
9/24/2008	0.16	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.96	0.95	0.19	0.25	0.078	1.8	1.4	0.059 U	6.4	0.077 U
12/18/2008	0.6	0.21 U	0.16 U	0.12 U	0.15	0.24 U	2.9	1.9	1.1	3.8	1.3	0.64	5.3	0.12 U	14	0.15 U
3/26/2009	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.8	2.1	3.2	13	4.3	0.75	7.9	0.16 U	12	0.2 U
6/25/2009	0.37	0.43 U	0.34 U	0.25 U	0.25 U	0.49 U	3.1	2.6	3.6	13	4.8	1.2	17	0.25 U	5.4	0.31 U
9/23/2009	0.14	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.5	0.35	0.96	3.5	1.3	0.37	3.4	0.04 U	1.5	0.051 U
12/17/2009	0.55	0.62 U	0.5 U	0.37 U	0.36 U	0.73 U	2.4	3.2	1.5	5.6	2	0.62 U	6	0.36 U	26	0.46 U
3/24/2010	0.37	0.14 U	0.11 U	0.081 U	0.12	0.16 U	1.9	3.3	2.7	12	4.3	0.68	5.7	0.079 U	7.5	0.1 U
6/22/2010	0.12	0.082 U	0.065 U	0.049 U	0.048 U	0.1 U	0.99	1	1.1	4.3	1.5 J	0.42	3	0.048 U	2.8	0.064 U
9/22/2010	0.11 NJ	0.11 U	0.091 U	0.068 U	0.066 U	0.14 U	1.7	0.78	0.83	3.2	1.1	0.82	4.6	0.066 U	2.2	0.085 U
12/28/2010	0.34	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.4	1.2	0.63	2.3	0.85	1.1	2.6	0.079 U	5.6	0.1 U
3/23/2011	0.34	0.14 U	0.11 U	0.081 U	0.094	0.16 U	1.9	1.1	1.1	4.2	1.6	1.3	2.7	0.079 U	3.7	0.1 U
6/22/2011	0.15 U	0.19 U	0.15 U	0.11 U	0.11 U	0.23 U	0.99	0.47	1.5	5.9	2.3	1.6	4.5	0.11 U	0.98	0.14 U
9/21/2011	0.13 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.5	0.52	1	3.8	1.4	0.49	2	0.04 U	1.8	0.051 U
12/20/2011	0.28	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.3	0.65	1.2	4.5	1.7	2.9	1.9	0.079 U	4.8	0.1 U
3/28/2012	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	2.2	0.75	3.6	11	3.9	2.5	5.4	0.099 U	4.9	0.13 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.1	0.59	4.4	2.5	1.1	0.83	4.6	0.2 U	0.82	0.26 U
10/9/2012	0.36	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.3	0.66	0.75	2.9	1	0.27 U	0.92	0.16 U	9.5	0.2 U
1/3/2013	0.43	0.16 U	0.12 U	0.093 U	0.14	0.19 U	0.78	1.1	0.6	2.3	0.86	0.16 U	1.1	0.091 U	9.3	0.12 U
3/28/2013	0.15	0.069 U	0.055 U	0.04 U	0.16 U	0.081 U	0.74	0.47	0.55	1.3 J	0.53 J	0.068	0.87	0.04 U	1.4	0.051 U
6/19/2013	0.23	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.27	0.6 NJ	0.82	3.5	1.2	0.14	1.5	0.04 U	1.2	0.051 U
9/19/2013	0.16	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.39	0.4	0.32	1.2	0.43	0.1	0.99	0.04 U	3.2	0.051 U
12/18/2013	0.38	0.14 U	0.11 U	0.081 U	0.097	0.16 U	0.85	0.53	0.42	0.98	0.37	0.14 U	1.2	0.079 U	4.2	0.1 U
3/20/2014	0.15 NJ	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	4.6	0.64	0.27	0.93	0.33	0.17 U	1.4	0.099 U	2.5	0.13 U
6/18/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.08	0.23	0.12 NJ	0.39	1.2	0.38	0.12	1.6	0.04 U	0.43	0.051 U
9/23/2014	0.24 U	0.069 U	0.055 U	0.04 U	0.068 NJ	0.081 U	0.31	0.34	0.47	1.8	0.67	0.068 U	1.9	0.04 U	1.7	0.051 U
12/16/2014	0.26	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	1	1.1	0.48	1.5	0.58	0.17 U	1.8	0.099 U	11	0.13 U
3/24/2015	0.22	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.71	0.77	0.40	1.3	0.56	0.14 U	0.86	0.079 U	4.4	0.1 U
6/15/2015	0.43 U	0.55 U	0.43 U	0.32 U	0.31 U	0.64 U	0.5	0.49	8.7	37	10	0.54 U	2.9	0.31 U	1.2	0.41 U
9/9/2015	0.12	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.27	0.13 NJ	0.50	1.9	0.76	0.098	1.0	0.04 U	0.46	0.051 U
12/15/2015	0.19 J+	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.34	0.53	0.31	1.2	0.46	0.068	0.91 J	0.04 U	1.8	0.051 U
3/31/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.39	0.27	0.29	0.94	0.39	0.14	0.74	0.04 U	2.2	0.051 U
6/30/2016	0.16	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.35	0.53	0.66	2.6	1.1	0.15	1.8	0.04 U	2.7	0.051 U

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated

Table 2
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID Description	IA-B11-02															
	BUILDING 11A INDOOR AIR															
	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.56	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	1.6	1.8	4.7	15	3.7	18	10	0.056 U	39	0.02 U
10/2/2003	2.2	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	3.5	5.6	1	3.2	1	8.1	9.8	0.4 U	97	0.26 U
1/20/2004	0.65	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	3	3	3	12	3	5.4	6	0.2 U	42	0.13 U
2/14/2006	0.65	0.069 U	0.055 U	0.04 UJ	0.079	0.04 U	4.2	1.5	2	6.9 J	3 J	14 J	7.5 J	0.04 U	81	0.072 J
6/28/2006	0.23	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	1.9	1.1	1.8	6.9	2.9	14	4.5	0.12 U	3.9	0.15 U
9/13/2006	0.49	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.9	1.1	0.91	2.8	1.1	6.8	3.8	0.2 U	20	0.26 U
12/12/2006	0.87	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	7.3	2	2.6	6.9	2.3	6.8	9.8	0.16 U	21	0.2 U
3/20/2007	0.98	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	4.8	1.7	1.3	4.8	1.6	4.5	7.9	0.12 U	12	0.15 U
6/21/2007	0.22	0.096 U	0.076 U	0.057 U	0.056 U	0.12 U	1.2	0.71	0.87	2.9	1	5.6	2.9	0.056 U	2.5	0.074 U
8/30/2007	0.11	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.61	0.39	0.74	2.4	0.78	3	2.1	0.04 U	1.5	0.051 U
9/19/2007	0.21	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.8	0.79	0.52	2	0.61	1.3	2.1	0.059 U	5.4	0.077 U
12/11/2007	0.82	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	3.8	2.3	1.1	4.1	1.4	8.8	7.5	0.2 U	18	0.26 U
3/26/2008	0.23	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	3.1	1.1	1	3.8	1.3	1.3	7.9	0.12 U	4.8	0.15 U
6/17/2008	0.21	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	1.1	1.3	2.2 NJ	8.7	2.8	1.2	2.9	0.12 U	3	0.15 U
9/24/2008	0.15	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.2	0.87	1	4	1.7	0.75	3	0.059 U	5.9	0.077 U
12/18/2008	0.49	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.2	2.1	1.4	5.2	1.8	0.68	6.8	0.16 U	13	0.2 U
3/26/2009	0.19 NJ	0.23 U	0.18 U	0.13 U	0.13 U	0.27 U	4.5	2.3	3.3	13	4.2	0.81	9	0.13 U	13	0.17 U
6/25/2009	0.51	0.43 U	0.34 U	0.25 U	0.4 NJ	0.49 U	1.9	0.95 NJ	2.4 J	7.8 J	2.3 J	0.81	11	0.25 U	5.4	0.31 U
9/23/2009	0.12	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.3	0.3	0.87	3.2	1.2	0.31	3.2	0.12	1.8	0.077 U
12/17/2009	0.65	0.62 U	0.5 U	0.37 U	0.36 U	0.73 U	2.8	3.5	1.4	5.6	2	0.62 U	6	0.36 U	30	0.46 U
3/24/2010	0.4	0.14 U	0.11 U	0.081 U	0.13	0.16 U	2.3	3.8	3.3	15	5.2	0.81	6.8	0.079 U	9.1	0.1 U
6/22/2010	0.14	0.069 U	0.055 U	0.04 U	0.04 U	0.085 NJ	1.2	1.3	1.7	7.8	2.8 J	0.59	3.8 J	0.04 U	2.5	0.051 U
9/22/2010	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.6	0.9	0.86	3.3	1.1	0.93	4.8	0.079 U	2.3	0.1 U
12/28/2010	0.39	0.1 U	0.082 U	0.061 U	0.11	0.12 U	2.8	1.2	0.72	2.6	0.89	1.3	3.3	0.059 U	6.1	0.077 U
3/23/2011	0.43	0.14 U	0.11 U	0.081 U	0.13	0.16 U	2.4	1.4	1.3	5.2	1.9	1.6	3.3	0.079 U	4.6	0.1 U
6/22/2011	0.079 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.8	0.38	1.7	6	2.2	1.3	2.7	0.04 U	0.86	0.051 U
9/21/2011	0.11 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.1	0.34	0.86	3.2	1.2	0.38	1.3	0.04 U	1.2	0.051 U
12/20/2011	0.35	0.1 U	0.082 U	0.061 U	0.085 NJ	0.12 U	1.4	0.84	1.5 J	5.7 J	2.2 J	3.6 J	2.4 J	0.059 U	6.2	0.077 U
3/28/2012	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	1.4	0.44	2.8	8.3	2.9	1.7	4.8	0.099 U	2.9	0.13 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.5	0.5	4.1	4	1.6	1.5	4.6	0.2 U	0.9	0.26 U
10/9/2012	0.36	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.1	0.62	0.79	3	1	0.27 U	0.99	0.16 U	7.2	0.2 U
1/3/2013	0.42	0.19 U	0.15 U	0.11 U	0.11	0.22 U	0.92 J	1.2	0.81	3.3	1.2	0.18 U	1.3	0.11 U	9.3	0.14 U
3/28/2013	0.21	0.069 UJ	0.055 U	0.04 U	0.16 U	0.081 U	0.85	0.7 NJ	0.85	2.3 J	0.99 J	0.081	1.2	0.04 U	2.2	0.051 U
6/19/2013	0.18	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.25 J	0.44 NJ	0.69	2.1 J	0.68 J	0.17	1.1 J	0.04 U	1	0.051 U
9/19/2013	0.18	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.41	0.45	0.42 J	1.5 J	0.52 J	0.12	1.1	0.04 U	3.5	0.051 U
12/18/2013	0.32	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1	0.67	0.56	1.8	0.65	0.14 UJ	1.5	0.079 U	5.8	0.1 U
3/20/2014	0.16 NJ	0.069 U	0.055 U	0.04 U	0.051 U	0.17	0.62 J	0.66	0.053 J	0.087 UJ	0.043 UJ	0.14	0.69 J	0.04 U	2.4	0.051 U
6/18/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.24	0.12	0.92	3.6	1.4	0.14	1.7	0.04 U	0.43	0.051 U
9/23/2014	0.27 U	0.069 U	0.055 U	0.04 U	0.083	0.081 U	0.36	0.4	0.52 J	2 J	0.73 J	0.073	1.6	0.04 U	2.2	0.051 U
12/16/2014	0.45	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2 J	1.9 J	0.42	0.9 J	0.31 J	0.27 U	2.3 J	0.16 U	18 J	0.2 U
3/24/2015	0.27	0.069 U	0.055 U	0.04 U	0.04 U	0.098	0.88	0.93	0.51	1.7	0.73	1.4 J	1.3	0.04 U	5.1	0.051 U
6/15/2015	0.12	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.47	0.37	3.3	14	4.7	0.51 J	3.4	0.079 U	1.5	0.1 U
9/9/2015	0.055 U	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.44 J	0.12 NJ	0.79	2.7	1.2	0.089	1.2	0.040 U	0.47	0.051 U
12/15/2015	0.21 J+	0.069 U	0.055 U	0.04 U	0.041	0.081 U	0.37	0.54	0.35	1.3	0.49	0.078	0.91	0.04 U	2.0	0.051 U
3/31/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.36	0.19	0.22	0.70	0.26	0.21	0.56	0.04 U	2.0	0.051 U
6/30/2016	0.17	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.38	0.46	0.93	3.8	1.7	0.20	2.2	0.04 U	2.7	0.051 U

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J+ - Estimated and may be biased high

NJ - Tentative in identification and estimated

Table 2
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID Description	SVSS-B11-01 BUILDING 11A SUB-SLAB VAPOR															
	1,1,1- Trichloroethane	1,1,2,2- Tetrachloroethane	1,1,2- Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2- Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2- Dichloroethene	Trichloroethene	Vinyl Chloride
7/17/2003	1900 U	2400 U	1900 U	1400 U	1400 U	1400 U	1100 U	2600	1500 U	1500 U	1600 U	3700	1300 U	1400 U	160000	900 U
12/12/2006	1.6 U	2.1 U	1.6 U	1.2 U	1.2 U	1.2 U	0.96 U	12	1.3 U	3.3 U	1.3 U	18	3.4 J	1.2 U	230	0.77 U
8/30/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	6.7	0.87 U	2.2 U	0.87 U	16	0.75 U	0.79 U	140	0.51 U
12/19/2012	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	1.3 J	2.2 J	0.87 UJ	2.2 UJ	0.87 UJ	2.6	1.4 J	0.79 U	20	0.51 U
12/18/2013	1.1 UJ	1.4 UJ	1.1 UJ	0.81 UJ	0.79 UJ	0.81 UJ	0.64 UJ	1.1 J	0.87 UJ	2.2 UJ	0.87 UJ	3.2 J	0.75 UJ	0.79 UJ	15 J	0.51 UJ
12/16/2014	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.65	2.8	0.87 U	2.2 U	0.87 U	3.4	0.99	0.79 U	35	0.51 U
12/16/2015	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	4.6	0.51 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J - Estimated

Table 2
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID Description	IA-B13-01															
	BUILDING 13 INDOOR AIR															
Volatile Organic Compound	1,1,1- Trichloroethane	1,1,2,2- Tetrachloroethane	1,1,2- Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2- Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2- Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.55	0.14 U	0.1 U	0.08 U	0.044	0.08 U	2.3	1.1	2.4	7.5	2.4	19	11	0.056 U	11	0.026
10/2/2003	2.8	0.34 U	0.27 U	0.2 U	0.52	0.2 U	1.9	4	0.69	2	0.74	4.8	3.8	0.2 U	13	0.13 U
1/20/2004	1	0.14 U	0.11 U	0.081 U	0.23	0.12	1.5	2.1	0.74	2.6	0.74	2.6	3.1	0.079 U	8.6	0.051 U
2/14/2006	1	0.069 U	0.055 U	0.04 UJ	0.14	0.04 U	3.1 D	1.1	3.9	9.6	3.4	3.8	6.8 J	0.04 U	41	0.056 J
6/28/2006	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.1	0.44	4.2	19	7.8	5.2	4.1	0.16 U	1.6	0.2 U
9/13/2006	1.6	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	3.8	1.5	2.9	10	4.3	9.5	5.7	0.12 U	16	0.15 U
12/12/2006	1.1	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	7.7	2.1	3.6	9.1	3.2	7.5	9.8	0.16 U	21	0.2 U
3/20/2007	0.82	0.14 U	0.11 U	0.081 U	0.17	0.16 U	3.8	0.83	1.3	4.3	1.5	1.8	7.5	0.079 U	5.4	0.1 U
6/21/2007	0.38	0.1 U	0.082 U	0.061 U	0.067	0.12 U	1.4	0.95	2	6.5	2.4	4.5	4.1	0.059 U	2.6	0.077 U
9/19/2007	0.45	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.3	1.3	2	6.9	2.5	1.3	2.9	0.079 U	6.4	0.1 U
12/11/2007	0.87	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.9	1.7	1.3	4.3	1.7	7.5	6	0.16 U	12	0.2 U
3/26/2008	0.2	0.12 U	0.093 U	0.069 U	0.067 U	0.14 U	2.7	0.48	0.83	3	1.1	0.61	3.7	0.067 U	2.6	0.087 U
6/17/2008	0.21	0.12 U	0.093 U	0.069 U	0.079	0.13 U	1.5	0.52	2.9 NJ	11 J	3.8	8.1	3.3	0.067 U	1.5	0.084 U
9/24/2008	1.6	0.1 U	0.082 U	0.061 U	0.39	0.12 U	0.8	0.63	0.96	3.5	1.1	0.31	3.8	0.059 U	4.1	0.077 U
12/18/2008	1.4	0.14 U	0.11 U	0.081 U	0.29	0.16 U	2	0.56	0.74	2.3	0.78	0.22	3.8	0.079 U	5.2	0.1 U
3/26/2009	0.65	0.14 U	0.11 U	0.081 U	0.14	0.16 U	1.9	1.3	1.4	5.2	1.7	0.63	5.3	0.079 U	7.5	0.1 U
6/25/2009	0.53	0.27 U	0.22 U	0.16 U	0.27	0.32 U	1.9	0.95	2.6	8.7	2.6	0.75	11	0.16 U	5.4	0.2 U
9/23/2009	0.39	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.2	0.95	1.8	6.9	2.2	0.66	6.4	0.079 U	3.5	0.1 U
12/17/2009	1.4	0.069 U	0.055 U	0.053	0.4	0.081 U	0.48	0.19	0.16	0.52	0.18	0.068 U	0.6	0.04 U	2.4	0.051 U
3/24/2010	1.2	0.069 U	0.055 U	0.049	0.34	0.081 U	0.73	0.33	0.48	1.7	0.56	0.16	2.1	0.04 U	1.8	0.051 U
6/22/2010	0.93	0.14 U	0.11 U	0.081 U	0.31	0.16 U	1.5	1.3	2.1	7.8	2.4 J	0.51	4.5	0.079 U	6.4	0.1 U
9/22/2010	0.27 J	0.27 UJ	0.22 UJ	0.16 UJ	0.16 UJ	0.32 UJ	3.5 J	1.1 J	1.3 J	4.6 J	1.5 J	1.2 J	7.3 J	0.16 UJ	3.7 J	0.2 UJ
12/28/2010	0.59	0.14 U	0.11 U	0.081 U	0.21	0.16 U	2.1	0.25	0.54	1.6	0.58	0.54	5.2	0.079 U	6.9	0.1 U
3/23/2011	0.72	0.069 U	0.055 U	0.04 U	0.18	0.081 U	0.79	0.44	0.45	1.7	0.6	0.67	1.3	0.04 U	2.1	0.051 U
6/22/2011	0.21	0.1 U	0.082 U	0.061 U	0.058	0.12 U	2.2	0.39	1.4	5	1.5	2.2	4.6	0.059 U	1.5	0.077 U
9/21/2011	0.82	0.069 U	0.055 U	0.04 U	0.15	0.081	1.7	0.97	1.8	7.1	2.5	1.2	3	0.04 U	2.8	0.051 U
12/20/2011	0.68	0.069 U	0.055 U	0.04 U	0.22 NJ	0.085 U	1.3	0.25 NJ	1.3	2.5	1 NJ	1.4	3.5	0.04 U	3.1	0.051 U
3/28/2012	0.39	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.1	0.61	7.1	3	1.6 NJ	0.9	9.8	0.2 U	3.9	0.26 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.5	0.2 U	9.4	1.5	1.3	0.34	7.9	0.2 U	0.53	0.26 U
10/9/2012	0.6	0.14 U	0.11 U	0.081 U	0.2	0.16 U	0.68	0.46	0.55	2.2	0.72	0.14 U	1	0.079 U	3.3	0.1 U
1/3/2013	0.69	0.069 U	0.055 U	0.04 U	0.21	0.081 U	0.56	0.3	0.48	2	0.61	0.15	1.1	0.04 U	2.6	0.051 U
3/28/2013	0.22 J	0.069 UJ	0.055 U	0.04 U	0.063 NJ	0.081 U	0.15	0.05	0.043 U	0.087 UJ	0.043 UJ	0.068 U	0.038 U	0.04 U	0.38	0.051 U
6/19/2013	0.15	0.069 U	0.055 U	0.04 U	0.08	0.081 U	0.16	0.04 U	0.28	1.1	0.33	0.068 U	1	0.04 U	0.5	0.051 U
9/19/2013	0.45	0.069 U	0.055 U	0.04 U	0.094 U	0.081 U	0.41	0.41 U	0.059	0.087 U	0.043 U	0.068 U	0.67	0.04 U	2.3	0.051 U
12/18/2013	0.62 J	0.14 UJ	0.11 UJ	0.081 UJ	0.18 J	0.16 UJ	0.94 J	0.5 J	0.53 J	0.88 J	0.32 J	0.14 UJ	1.2 J	0.079 UJ	4.7 J	0.1 UJ
3/20/2014	0.21 NJ	0.069 U	0.055 U	0.04 U	0.082	0.1	0.77	0.31	0.25	0.8	0.28	0.13	1.2	0.04 U	1.8	0.051 U
6/18/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.21	0.04 U	0.47	1.6	0.51	0.079	1.3	0.04 U	0.2	0.051 U
9/23/2014	0.82 NJ	0.069 U	0.055 U	0.04 U	0.3	0.081 U	0.43	0.55	0.99	3.8	1.5	0.1	3.4	0.04 U	3	0.051 U
12/16/2014	0.92	0.14 U	0.11 U	0.081 U	0.28	0.16 U	0.9	1	1.1	3	1.2 J+	0.14 U	3.4	0.079 U	9.4	0.1 U
3/24/2015	0.15	0.069 U	0.055 U	0.04 U	0.18	0.081 U	0.050	0.23	0.043 U	0.087 U	0.043 U	0.068 U	0.038 U	0.04 U	0.16	0.051 U
6/15/2015	0.089 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.11 NJ	0.21	0.04 U	0.092	0.085	0.043 U	0.068 U	0.25	0.04 U	0.45	0.051 U
9/9/2015	0.11	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.33	0.20	1.5	3.3	1.6	0.12	1.8	0.04 U	0.72	0.051 U
12/15/2015	0.30 J+	0.069 U	0.055 U	0.04 U	0.095	0.081 U*	0.34	0.43	0.42	1.6	0.62	0.070	1.3	0.04 U	1.8	0.051 U
3/31/2016	0.070	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.40	0.36	0.27	0.58	0.19	0.14	1.1	0.04 U	3.1	0.051 U
6/30/2016	0.20	0.069 U	0.14	0.04 U	0.081 U	0.081 U	0.36	0.15 U	0.78	3.0	1.3	0.068 U	2.3	0.04 U	1.3	0.051 U

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J - Estimated

J+ - Estimated and may be biased high

NJ - Tentative in identification and estimated

Table 2
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID Description	SVSS-B13-01 BUILDING 13 SUB-SLAB VAPOR															
	1,1,1- Trichloroethane	1,1,2,2- Tetrachloroethane	1,1,2- Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2- Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2- Dichloroethene	Trichloroethene	Vinyl Chloride
7/17/2003	18	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	3.6	0.056 U	1.5	22	6.6	37	11	0.056 U	2.8	0.02 U
2/14/2006	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	7.9 U	8.7 U	22 U	8.7 U	14 U	7.5 U	7.9 U	11 U	5.1 U
12/12/2006	8.2	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	13	0.75 U	0.79 U	1.3	0.51 U
12/11/2007	3.9	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	5.8	0.75 U	0.79 U	1.1	0.51 U
12/18/2008	3.5	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.67	0.79 U	0.87 U	2.2 U	0.87 U	3.5	1.3	0.79 U	1.6	0.51 U
12/17/2009	3.2	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	3.3	0.75 U	0.79 U	1.1	0.51 U
12/28/2010	2.1	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.68	0.79 U	0.87 U	2.2 U	0.87 U	2.6	1.1	0.79 U	2.1	0.51 U
12/20/2011	5.5 U	6.9 U	5.5 U	4 U	4 U	4 U	3.2 U	4 U	4.3 U	11 U	4.3 U	6.8 U	3.8 U	4 U	5.4 U	2.6 U
12/19/2012	2.2	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	1.2	0.79 U	0.87 U	2.2 U	0.87 U	4.2	2	0.79 U	1.1 U	0.51 U
12/18/2013	1.4	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	4.6	0.75 U	0.79 U	1.6	0.51 U
12/16/2014	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/16/2015	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.5	0.98	0.79 U	1.9	0.51 U

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

NS - Not Sampled

Table 2
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID Description	IA-B13A-01 BUILDING 13A INDOOR AIR															
	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.58	0.14 U	0.1 U	0.08 U	0.054	0.08 U	2.6	1.2	3.1	9.6	3.1	20	12	0.056 U	11	0.02 U
10/2/2003	1.9	0.069 U	0.055 U	0.04 U	0.25	0.04 U	1.8	3.1	0.78	2.6	0.043 U	3.9	4.1	0.04 U	12	0.026 U
1/20/2004	1	0.21 U	0.16 U	0.12 U	0.12 U	0.12 U	1.2	1.5	0.56	1.7	0.56	2.2	2.6	0.12 U	7	0.077 U
2/14/2006	0.93	0.069 U	0.055 U	0.04 UJ	0.12	0.04 U	2.7	0.91	3.9	12	3.9	2.9	6.8 J	0.04 U	15	0.049 J
6/28/2006	0.23	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.4	0.67	4.8	21	8.3	8.1	4.5	0.16 U	2.2	0.2 U
9/13/2006	1.5	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.5	1.8	3	11	4.3	8.1	6	0.16 U	15	0.2 U
12/12/2006	1.1	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	6.7	1.8	3.7	9.1	3	6.8	9	0.16 U	19	0.2 U
3/20/2007	1.1	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	3.5	1.4	1.9	6.1	2.1	3	8.7	0.12 U	10	0.15 U
6/21/2007	0.41	0.082 U	0.065 U	0.049 U	0.095	0.1 U	1.2	1.1	3.7	9.6	3.5	5.2	4.1	0.048 U	3.1	0.064 U
9/19/2007	0.45	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.3	1.3	2.6	9.1	3.1	1.3	3.5	0.079 U	6.4	0.1 U
12/11/2007	0.93	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.5	1.7	1.3	4.3	1.5	8.1	4.5	0.16 U	12	0.2 U
3/26/2008	0.27	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.9	0.95	1.4	5.2	1.8	1.2	4.9	0.079 U	5.2	0.1 U
6/17/2008	0.25	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.7	0.75	4.3	17	6.1	0.75	4.5	0.079 U	1.9	0.1 U
9/24/2008	1.3	0.069 U	0.055 U	0.04 U	0.33	0.081 U	0.7	0.48	0.96	3.5	1.1	0.25	3.3	0.04 U	3.3	0.051 U
12/18/2008	1.3	0.14 U	0.11 U	0.081 U	0.28	0.16 U	1.3	0.56	0.52	1.7	0.61	0.22	2.4	0.079 U	4.7	0.1 U
3/26/2009	0.65	0.1 U	0.082 U	0.061 U	0.14	0.12 U	2.1	1.2	1.6	5.6	1.8	0.88	4.1	0.059 U	8.1	0.077 U
6/25/2009	0.35	0.17 U	0.14 U	0.1 U	0.11	0.2 U	1.9	0.48	2.7	9.1	2.6	0.5	7.9	0.099 U	3.3	0.13 U
9/23/2009	0.35	0.14 U	0.11 U	0.081 U	0.11	0.16 U	2.3	0.59	2	6.9	2.2	0.54	5.3	0.079 U	3.4	0.1 U
12/17/2009	1.5	0.069 U	0.055 U	0.065	0.37	0.081 U	0.54	0.25	0.36	1.2	0.38	0.095	0.94	0.04 U	2.7	0.051 U
3/24/2010	1.3	0.069 U	0.055 U	0.061	0.4	0.081 U	0.67	0.4	0.61	2	0.65	0.19	1.9	0.04 U	2.1	0.051 U
6/22/2010	0.82	0.1 U	0.082 U	0.061 U	0.25	0.12 U	1.2	0.67	2.8	9.6	3 J	0.41	4.5	0.059 U	4.7	0.077 U
9/22/2010	0.26 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	3.1	1.1	1.4	4.6	1.6	1.2	7.1	0.099 U	3.4	0.13 U
12/28/2010	0.75	0.069 U	0.055 U	0.041 NJ	0.2	0.081 U	1.3	0.096	0.26	0.67	0.24	0.14	1.4	0.04 U	2.3	0.051 U
3/23/2011	0.54	0.069 U	0.055 U	0.04 U	0.12	0.081 U	0.75	0.39	0.47	1.7	0.59	0.62	1.2	0.04 U	1.8	0.051 U
6/22/2011	0.33 NJ	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.5	0.4	1.8	6.8	2.2	2.9	3	0.079 U	2.4	0.1 U
9/21/2011	0.46	0.069 U	0.055 U	0.04 U	0.12	0.081 U	1.7	0.51 NJ	1.4	5.4	1.9	0.57	3	0.04 U	1.4	0.051 U
12/20/2011	0.5	0.069 U	0.055 U	0.04 U	0.17 NJ	0.081 U	0.97	0.25	1.2	2.7	1.1 NJ	1.4	3.1	0.04 U	2.7	0.051 U
3/28/2012	0.36	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.8	0.52	5.8	2.5	1.4 NJ	0.66	7.9	0.2 U	3.2	0.26 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.4	0.2 U	9.6	3.1	1.8 U	0.35	8	0.2 U	0.72	0.26 U
10/9/2012	0.33	0.069 U	0.055 U	0.04 U	0.12	0.081 U	0.44	0.25	0.69	2.5	0.89	0.068 U	1	0.04 U	1.6	0.051 U
1/3/2013	0.58	0.069 U	0.055 U	0.04 U	0.18	0.081 U	0.51	0.28	0.45	1.8	0.55	0.078	2	0.04 U	3.7	0.051 U
3/28/2013	0.34	0.069 UJ	0.055 U	0.04 U	0.086 J	0.087	0.55	0.17	0.66	0.75 J	0.3 J	0.068 U	0.62	0.04 U	1	0.051 U
6/19/2013	0.13	0.069 U	0.055 U	0.04 U	0.08	0.081 U	0.29	0.04 U	0.11	0.2	0.049	1.2	1.1	0.04 U	0.53	0.051 U
9/19/2013	0.72	0.069 U	0.055 U	0.04 U	0.18 U	0.082 NJ	0.55	0.43 NJ	0.99	3.1	1.1	0.11	2.1	0.04 U	2.1	0.051 U
12/18/2013	0.58	0.14 U	0.11 U	0.081 U	0.12	0.16 U	0.95	0.61	0.56	1.2	0.41	0.14 U	1.4	0.079 U	5.3	0.1 U
3/20/2014	0.23 NJ	0.069 U	0.055 U	0.04 U	0.075 NJ	0.1	0.75	0.34	0.29	0.95	0.33	0.15	1.2	0.04 U	2.1	0.051 U
6/18/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.29	0.04 U	0.68	2.3	0.77	0.24	2.1	0.04 U	0.24	0.051 U
9/23/2014	0.61 NJ	0.14 U	0.11 U	0.081 U	0.25	0.16 U	0.46	0.38	0.88	2.8	1.2	0.14 U	4.3	0.079 U	2.2	0.1 U
12/16/2014	1	0.14 U	0.11 U	0.081 U	0.3	0.16 U	0.88	1.1	1.2	3.8	1.6 J+	0.14 U	3.5	0.079 U	8.3	0.1 U
3/24/2015	0.46	0.069 U	0.055 U	0.04 U	0.19	0.096	0.65	0.40	0.65	2.2	0.95	0.068 U	1.1	0.04 U	2.1	0.051 U
6/15/2015	0.13 NJ	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.57	0.29	4.3	9.5	5.6	0.14 U	4.9	0.079 U	0.85	0.1 U
9/9/2015	0.10	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.42	0.04 U	1.1	3.5	1.9	0.12	2.0	0.04 U	0.66	0.051 U
12/15/2015	0.15 J+	0.069 U	0.055 U	0.04 U	0.040	0.081 U*	0.31	0.30	0.45	1.7	0.63	0.068 U	1.2	0.04 U	1.4	0.051 U
3/31/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.33	0.32	0.043 U	0.087 U	0.043 U	0.089	0.40	0.04 U	2.7	0.051 U
6/30/2016	0.24	0.11 U	0.19	0.068 U	0.066 U	0.14 U	0.67	0.17	1.8	5.7	2.9	0.11 U	3.1	0.066 U	1.6	0.085 U

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J - Estimated

J+ - Estimated and may be biased high

NS - Not Sampled

Table 2
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID Description	SVSS-B13A-01 BUILDING 13A SUB-SLAB VAPOR															
	1,1,1- Trichloroethane	1,1,2,2- Tetrachloroethane	1,1,2- Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2- Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2- Dichloroethene	Trichloroethene	Vinyl Chloride
7/17/2003	1.4	0.28 U	0.2 U	0.16 U	0.08 U	0.16 U	0.32	1.2	0.17 U	0.59	0.24	5.1	0.35	0.11 U	53	0.04 U
2/14/2006	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	7.9 U	8.7 U	22 U	8.7 U	14 U	7.5 U	7.9 U	34	5.1 U
12/12/2006	1.9	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	11	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	64	0.51 U
12/11/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/18/2008	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/17/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/28/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/20/2011	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	1.1	0.79 U	1.1 U	0.51 U
12/19/2012	1.3	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/18/2013	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	11 J	0.75 U	0.79 U	8.2	0.51 U
12/16/2014	2.5	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	3.1	1.4	0.79 U	1.1	0.51 U
12/16/2015	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

Table 3
Building 7 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B7-01															
Description	BUILDING 7 WAREHOUSE INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m-p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.42	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	1.1	0.21	1.1	3.6	1.3	0.62	7	0.056 U	2.7	0.02 U
10/2/2003	0.45	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	1.4	0.95	1.6	3	0.87	0.62	2.5	0.2 U	13	0.13 U
1/20/2004	0.35	0.21 U	0.16 U	0.12 U	0.12 U	0.12 U	2.5	1	2.6	10	3.1	2.2	9.4	0.12 U	5.9	0.077 U
3/31/2005	0.15	0.069 U	0.055 U	0.04 U	0.04 U	1.4	1.2	0.12	0.74	3	1.1	0.28	3.4	0.04 U	1	0.026 U
12/12/2006	0.28	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	6.1	0.52	2.6	9.1	3.2	4.5	16	0.2 U	5.9	0.26 U
3/20/2007	0.43	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	3.5	0.95	0.87	2.8	1	2.4	5.3	0.2 U	18	0.26 U
6/21/2007	0.055	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.29	0.095	0.24	0.74	0.24	0.19	1.4	0.04 U	0.64	0.051 U
9/19/2007	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.42	0.075	0.23	0.56	0.22	0.14	1.4	0.04 U	1.1	0.051 U
12/11/2007	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2	0.63	0.78	2.5	0.87	3	5.3	0.12 U	3.9	0.15 U
3/26/2008	0.14	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.2	0.75	0.87	3.2	1.1	0.75	7.2	0.079 U	9.7	0.1 U
6/17/2008	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.2	0.44	1.3	4.8	1.7	0.35	6.8	0.079 U	1.5	0.1 U
9/25/2008	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	1.2	0.12	1.1	4	1.6	0.28	8.3	0.12 U	1.2	0.15 U
12/18/2008	0.6 U	0.76 U	0.6 U	0.45 U	0.44 U	0.89 U	5.8	0.52	4.3	14	4.8	0.75 U	27	0.44 U	6.4	0.56 U
3/26/2009	0.18 U	0.23 U	0.18 U	0.13 U	0.13 U	0.27 U	2.1	4.4	0.91	3.1	1.2	0.36	8.3	0.13 U	4.8	0.95
6/25/2009	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.8	0.34 NJ	2.1	6.5	2.4	0.34 U	13	0.2 U	2.5	0.26 U
9/23/2009	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.1	0.067	0.74	2.2	0.83	0.1 U	4.5	0.059 U	0.7	0.077 U
12/17/2009	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.8	0.26	1.5	5.6	2.1	0.14 U	7.2	0.079 U	5.4	0.1 U
3/24/2010	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	3.2	0.75	1.9	6.9	2.4	1.2	11	0.12 U	4.7	0.15 U
6/22/2010	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	0.73	0.099	0.61	2	0.87 J	0.17 U	4.9	0.099 U	1.1	0.13 U
9/22/2010	0.33 U	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	1.7	0.24 U	1.1	3.4	1.3	0.41 U	9.7	0.24 U	1.3	0.31 U
12/28/2010	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2	0.66	0.79	2.5	0.85	0.38	6.3	0.12 U	8.9	0.15 U
3/23/2011	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.7	0.14	0.89	3	0.98	0.19	4.2	0.079 U	1.6	0.1 U
6/22/2011	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.1	0.16 U	1.5	5.3	2	0.3	9.9	0.16 U	1	0.2 U
9/21/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.9	0.083	0.85	3.1	1.1	0.1	3.7	0.04 U	1.3	0.051 U
12/20/2011	0.055 U	0.099 U	0.055 U	0.04 U	0.04 U	0.094	0.87	0.17	0.68	2.6	0.99	3.4	2.7	0.04 U	3.5	0.051 U
3/28/2012	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	2.7	0.4 U	2.1	5.6	2	8.1	17	0.4 U	1.6	0.51 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.8	0.2 U	1	2.3	0.84	3.6	3.4	0.2 U	0.93	0.26 U
10/9/2012	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.3	0.3	0.74	2.4	0.8	0.27 U	5.7	0.16 U	11	0.2 U
1/3/2013	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1	0.64	0.44	1.3	0.5	0.34 U	2.8	0.2 U	20	0.26 U
3/28/2013	0.11	0.097 UJ	0.077 U	0.057 U	0.22 U	0.16	1	0.46	0.48	1.3 J	0.52 J	0.15	2.3	0.056 U	4.1	0.073 U
6/19/2013	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.33	0.28 NJ	0.44	1.5	0.55	0.14 U	3.5	0.079 U	1.2	0.1 U
9/19/2013	1.3 NJ	0.069 U	0.055 U	0.04 U	0.98	0.081 U	0.4	0.14	0.28	0.77	0.28	0.12	2.5	0.04 U	3.8	0.051 U
12/18/2013	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	1.2	0.4	0.5	1.7	0.53	0.17 U	4.2	0.099 U	9.1	0.13 U
3/20/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.16	1.1	0.26	0.38	1.3	0.43	0.1	2.7	0.04 U	2.2	0.051 U
6/18/2014	0.091 U	0.11 U	0.091 U	0.068 U	0.066 U	0.14 U	0.88	0.2	0.95	3.6	0.98	0.11 U	5.4	0.066 U	1	0.085 U
9/23/2014	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.39	0.18	0.27	0.89	0.31	0.1 U	4.2	0.059 U	2.1	0.077 U
12/16/2014	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.28	0.96	0.12 U	0.54	1.8	0.62 J+	0.1	2.8	0.059 U	3.4	0.077 U
3/24/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.15	1.1	0.27	0.41	1.3	0.46	0.082	1.6	0.04 U	5.1	0.051 U
6/15/2015	0.083 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.083	0.47	0.38	2.1	8.5	2.3	0.13	3	0.04 U	0.91	0.051 U
9/9/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.23	0.051	0.22	0.68	0.25	0.068 U	1.1	0.04 U	0.92	0.051
12/15/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.67	0.10	0.63	2.5	0.47	0.068 U	3.4	0.04 U	1.8	0.051 U
3/31/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.62	0.04 U	0.27	0.80	0.27	0.081 U	2.3	0.04 U	0.42	0.051 U
6/30/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.32	0.063	0.26	0.84	0.28	0.092	1.1	0.04 U	1.2	0.051 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J - Estimated

J+ - Estimated and may be biased high

NJ - Tentative in identification and estimated

Table 3
Building 7 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	SVSS-B7-01															
Description	BUILDING 7 SUB-SLAB VAPOR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/17/2003	33 U	41 U	33 U	24 U	24 U	24 U	19 U	24 U	26 U	26 U	27 U	40	22 U	24 U	3300	15 U
12/12/2006	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	7.9 U	8.7 U	22 U	8.7 U	17	7.5 U	7.9 U	1700	5.1 U
3/20/2007	4.4 U	5.5 U	4.4 U	3.2 U	3.2 U	3.2 U	2.6 U	3.2 U	3.5 U	8.7 U	3.5 U	8.1	3 U	3.2 U	470	2 U
6/21/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.7	1.2	0.79 U	11	0.51 U
9/19/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.79	0.79 U	12	0.51 U
12/11/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	12	0.51 U
3/26/2008	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	70	0.51 U
6/17/2008	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	2	0.75 U	0.79 U	64	0.51 U
9/24/2008	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	1.2	0.79 U	24	0.51 U
12/18/2008	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	40	0.51 U
3/26/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	2	0.75 U	0.79 U	59	0.51 U
6/25/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	2.2	1.1	0.79 U	59	0.51 U
9/23/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.5	0.75 U	0.79 U	64	0.51 U
12/17/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.67	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	2.5	0.79 U	70	0.51 U
3/24/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	1.7 U	0.87 U	1.4 U	0.75 U	0.79 U	43	0.51 U
6/22/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	1.7 U	0.87 U	2.6	0.75 U	0.79 U	100	0.51 U
9/22/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	30	0.51 U
12/28/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	2.2	0.75 U	0.79 U	19	0.51 U
3/23/2011	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.7	0.94	0.79 U	28	0.51 U
6/22/2011	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.7	0.85	2.8	1.7	0.79 U	43	0.51 U
9/21/2011	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	1.0	0.79 U	2.5	10	3.4	1.4 U	15	0.79 U	13	0.51 U
12/20/2011	1.1 UJ	1.4 UJ	1.1 UJ	0.81 UJ	0.79 UJ	0.81 UJ	0.64 UJ	0.79 UJ	0.87 UJ	2.2 UJ	0.87 UJ	3.8 J	0.75 UJ	0.79 UJ	23 J	0.51 UJ
12/19/2012	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	5.6	0.8	0.79 U	23	0.51 U
12/18/2013	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	20	0.51 U
12/16/2014	5	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	1.1	0.87 U	2.2 U	0.87 U	19	1	0.79 U	30	0.51 U
12/16/2015	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	15	0.51 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J - Estimated

Table 3
Building 7 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B7-02															
Description	BUILDING 7 OFFICE INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
9/21/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.38	0.04 U	0.21	0.63	0.21	0.068 U	1.4	0.04 U	0.82	0.051 U
12/20/2011	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.5	0.17	0.57	1.7	0.62	2	14	0.16 U	3.8	0.2 U
3/28/2012	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.49	3	0.12 U	1.5	3.9	1.4	9.5	6.3	0.12 U	1.8	0.15 U
6/14/2012	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	1.3	1.8	0.19 NJ	3.9	9.7	3.3	2.6	6.7	0.079 U	1.2	0.1 U
10/9/2012	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.43	0.6	0.16 U	0.37	0.94	0.35	0.27 U	1.5	0.16 U	6.8	0.2 U
1/3/2013	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.92	0.47	0.35	0.96	0.38	0.34 U	2.1	0.2 U	18	0.26 U
3/28/2013	0.11 U	0.14 U	0.11 U	0.081 U	0.32 U	0.44	0.82	0.38	0.83	1 J	0.54 NJ	0.14 U	2	0.079 U	4.6	0.1 U
6/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.82	0.37	0.04 U	0.79	2.3	0.89	0.1	3.6	0.04 U	1.4	0.051 U
9/19/2013	0.17 NJ	0.069 U	0.055 U	0.04 U	0.12	0.61	0.51	0.094 U	0.38	0.92	0.31	0.1	1.7	0.04 U	2.8	0.051 U
12/18/2013	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.35	0.98	0.43	0.4	0.89	0.29	0.27 U	3.2	0.16 U	12	0.2 U
3/20/2014	0.45 U	0.57 U	0.45 U	0.34 U	0.33 U	0.67 U	0.37	0.33 U	0.36 U	0.72 U	0.36 U	0.56 U	0.4	0.33 U	3.0	0.43 U
6/18/2014	0.18 U	0.23 U	0.18 U	0.13 U	0.13 U	0.27 U	0.47	0.26	1	3.7	0.95	0.23 U	7.3	0.13 U	1.3	0.17 U
9/23/2014	0.43 U	0.55 U	0.43 U	0.32 U	0.31 U	0.64 U	0.31	0.31 U	0.34 U	0.69 U	0.34 U	0.54 U	7.8	0.31 U	1.1	0.41 U
12/16/2014	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.18 J+	0.94	0.16 NJ	0.42	1.3	0.47	0.18	2.5	0.079 U	7.2	0.1 U
3/24/2015	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.96	0.34	0.32	0.87	0.32	0.14 U	1.3	0.079 U	8.0	0.1 U
6/15/2015	0.077	0.069 U	0.055 U	0.04 U	0.04 U	0.12	0.58	0.31	1.1	4.4	1.4	0.092	2.2	0.04 U	2.3	0.051 U
9/9/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.088	0.33	0.041 NJ	0.40	1.2	0.48	0.068 U	3.0	0.04 U	1.1	0.051 U
12/15/2015	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	0.50	0.12 U	0.48	1.7	0.39	0.2 U	7.0	0.12 U	3.2	0.15 U
3/31/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.41	0.04 U	0.15	0.34	0.14	0.11	1.0	0.04 U	0.53	0.051 U
6/30/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.17	0.056 NJ	0.17	0.48	0.18	0.068 U	1.1	0.04 U	1.9	0.051 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J - Estimated

J+ - Estimated and may be biased high

NJ - Tentative in identification and estimated

Table 4
Building 10 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B10-01															
Description	BUILDING 10 INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.2	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	0.9	0.7	0.59	1.8	0.69	6.4	4.3	0.056 U	4	0.02 U
10/2/2003	1.4	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	3.1	4	0.91	2.8	1	5.2	5.3	0.4 U	30	0.26 U
1/20/2004	0.5	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	3.5	4.4	6.9	29	6.9	8.1	8.7	0.2 U	26	0.13 U
2/14/2006	0.55	0.069 U	0.055 U	0.04 U	0.075	0.04 U	3.8	1.4	1.7	4.3	2.3	22	4.9 J	0.044	45	0.074 J
6/28/2006	0.25	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.2	4	1.6	6.1	2.5	20	4.5	0.16 U	9.7	0.2 U
9/13/2006	0.29	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.2	0.95	0.65	2	0.74	4.1	3.5	0.16 U	15	0.2 U
12/12/2006	1	0.55 U	0.44 U	0.32 U	0.32 U	0.65 U	7	2.6	2.4	6.9	2.5	10	9.4	0.32 U	32	0.41 U
3/20/2007	0.76	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	6.4	1.9	1	3.5	1.1	6.2	6	0.16 U	17	0.2 U
6/21/2007	0.13	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.67	0.63	0.39	1.3	0.43	2.5	1.6	0.04 U	2.4	0.051 U
9/19/2007	0.082	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.58	0.38	0.24	0.61	0.21	0.43	1.1	0.04 U	3	0.051 U
12/11/2007	0.65	0.55 U	0.44 U	0.32 U	0.32 U	0.65 U	2.6	2.8	0.74	2.5	0.91	9.5	3.8	0.32 U	24	0.41 U
3/26/2008	0.27	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	2.8	2.5	0.74	2.8	0.87	2.8	4.5	0.099 U	10	0.13 U
6/17/2008	0.24	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	0.77	3.2	1.9	6.9	2.3	1.7	2.6	0.099 U	5.4	0.13 U
9/24/2008	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	0.7	0.75	0.42	1.4	0.52	12	2.2	0.099 U	4.3	0.13 U
12/18/2008	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	4.2	2.9	1.7	6.5	2.1	1	11	0.4 U	37	0.51 U
3/26/2009	0.43 U	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	4.2	3.2	2.1	7.4	2.4	1.2	11	0.31 U	31	0.41 U
6/25/2009	0.43	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	4.5	7.5	4.8	18	6.1	3.1	28	0.31 U	13	0.41 U
9/23/2009	0.12	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.4	2.2	0.69	2.3	0.87	0.66	2.8	0.04 U	3.8	0.087
12/17/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	1.6 U	3.2	3.5	1.4	4.3	1.6	1.4 U	7.2	0.79 U	64	1 U
3/24/2010	0.25	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2.5	4.4	2.1	8.7	2.9	1.5	7.2	0.12 U	11	0.15 U
6/22/2010	0.16	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.2	1.8	0.83	3	1 J	0.75	2.2	0.04 U	4.4	0.056 NJ
9/22/2010	0.13 NJ	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.7	1.8	0.89	3.2	1	0.5	5.1	0.079 U	5	0.1 U
11/16/2010	0.91 U	1.1 U	0.91 U	0.68 U	0.66 U	1.4 U	4.9	4.5	2.3	7.2	2.5	73	14	0.66 U	21	0.85 U
12/28/2010	0.34 U	0.43 U	0.34 U	0.25 U	0.25 U	0.51 U	4.1	2.3	0.72	2.2	0.84	0.71	3.9	0.25 U	20	0.32 U
3/23/2011	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	2.6	0.96	1.1	2.9	1	0.64	3.7	0.099 U	11	0.13 U
6/22/2011	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.3	0.31	0.74	2.4	0.84	0.79	3.8	0.079 U	0.61	0.1 U
9/21/2011	0.071 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.84	0.64	0.61	2	0.7	0.19	1.5	0.04 U	1.4	0.051 U
12/20/2011	0.21	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	1.7	1.3	0.93	2.5	0.95	3.2	2	0.099 U	13	0.13 U
3/28/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.8	0.7	1.9	4.1	1.4	5.5	7.2	0.2 U	5.2	0.26 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.5	0.81	1.6	1.5	0.59	5.9	2.9	0.2 U	0.84	0.26 U
10/9/2012	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	1.5	0.81	0.46	1.2	0.43 U	0.68 U	0.98	0.4 U	23	0.51 U
1/3/2013	0.41 U	0.51 U	0.41 U	0.3 U	0.3 U	0.6 U	0.9	1.6	0.32 U	1.1	0.43 J	0.51 U	1.2	0.3 U	27	0.38 U
3/28/2013	0.16	0.086 U	0.068 U	0.051 U	0.2 U	0.1 U	0.86	0.72	0.47	0.77 J	0.33 J	0.085 U	1	0.05 U	5.1	0.064 U
6/19/2013	0.15	0.069 U	0.055 U	0.04 U	0.043	0.081 U	0.18	0.96	0.063	0.16	0.044	0.25	0.7	0.04 U	0.84	0.051 U
9/19/2013	0.13	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.36	0.58	0.19	0.56	0.2	0.13	0.81	0.04 U	5.4	0.051 U
12/18/2013	0.44 U	0.55 U	0.44 U	0.33 U	0.32 U	0.65 U	0.91	1.1	0.35 U	0.7 U	0.35 U	0.55 U	1.3	0.32 U	22	0.41 U
3/20/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.032 U	0.2	0.043 U	0.087 U	0.043 U	0.068 U	0.038 U	0.04 U	0.054 U	0.051 U
6/18/2014	0.099	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	1.1	0.42	1.5	0.55	0.11	1.3	0.04 U	1	0.051 U
9/23/2014	0.32 U	0.1 U	0.082 U	0.061 U	0.075	0.12 U	0.42	1.5	0.38	1.3	0.48	0.1 U	1.8	0.059 U	5.1	0.077 U
12/16/2014	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.92	1.2	0.34	0.85	0.25	0.34	1.9	0.2 U	20	0.26 U
3/24/2015	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.1	1.3	0.47	1.4	0.54	0.34 U	1.5	0.2 U	15	0.26 U
6/15/2015	0.19	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	0.49	1.4	4.4	18	4.8	0.21	2	0.12 U	0.95	0.15 U
9/9/2015	0.064	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.36	0.04 U	0.66	1.3	0.52	0.068 U	0.72	0.04 U	0.39	0.051 U
12/15/2015	0.13 J+	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.45	0.74	0.26	0.88	0.33	0.068 U	0.92	0.04 U	4.5	0.051 U
3/31/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.50	0.25	0.29	0.67	0.25	0.16	0.89	0.04 U	3.2	0.051 U
6/30/2016	0.14	0.11 U	0.091 U	0.068 U	0.066 U	0.14 U	0.41	0.27	0.67	2.3	0.85	0.19	4.1	0.23	1.9	0.085 U

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J - Estimated

Table 4
Building 10 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	SVSS-B10-01															
Description	BUILDING 10 SUB-SLAB VAPOR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/17/2003	26 U	32 U	26 U	19 U	19 U	19 U	15 U	38	20 U	20 U	21 U	32 U	18 U	19 U	2700	12 U
2/14/2006	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	11	8.7 U	22 U	8.7 U	14 U	7.5 U	7.9 U	1100	5.1 U
12/12/2006	16 U	21 U	16 U	12 U	12 U	12 U	9.6 U	26	13 U	33 U	13 U	20 U	11 U	12 U	3200	7.7 U
12/11/2007	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	14	8.7 U	22 U	8.7 U	14 U	7.5 U	7.9 U	1800	5.1 U
6/18/2008	28 U	35 U	28 U	21 U	20 U	21 U	16 U	20 U	22 U	56 U	22 U	35 U	19 U	20 U	2300	13 U
12/18/2008	8.7 U	11 U	8.7 U	6.5 U	6.3 U	6.5 U	5.1 U	6.7	6.9 U	17 U	6.9 U	11 U	6 U	6.3 U	1700	4.1 U
12/17/2009	8.7 U	11 U	8.7 U	6.5 U	6.3 U	6.5 U	5.1 U	6.3	6.9 U	17 U	6.9 U	11 U	6 U	6.3 U	1200	4.1 U
12/28/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	2.9	0.87 U	2.2 U	0.87 U	3.6	3.7	0.79 U	130	0.51 U
12/20/2011	1.1 UJ	1.4 UJ	1.1 UJ	0.81 UJ	0.79 UJ	0.81 UJ	0.64 UJ	0.79 UJ	0.87 UJ	2.2 UJ	0.87 UJ	6.5 J	1.3 J	0.79 UJ	34 J	0.51 UJ
12/19/2012	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	22	0.51 U
12/18/2013	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	11	0.51 U
12/16/2014	6.6	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	19	4	12	34	10	4.5	66	0.79 U	51	0.51 U
12/16/2015	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	1.1	0.79 U	47	0.51 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J - Estimated

Table 4
Building 10 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B10A-01															
Description	BUILDING 10A INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.3	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	2.3	0.89	2.1	7.5	2.7	7.6	11	0.056 U	4.5	0.02 U
10/2/2003	1.1	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	1.5	2.2	0.65	2	0.74	2.7	3.3	0.2 U	12	0.13 U
1/20/2004	0.49	0.21 U	0.16 U	0.12 U	0.12 U	0.15	2.7	4.8	2.3	9.1	2.4	5.4	6	0.12 U	19	0.1
2/14/2006	0.49 J	0.069 U	0.055 U	0.04 U	0.056	0.04 U	2.8	1.1	1.3	3.4	1.8	6	3.8 J	0.04 U	32	0.066 J
6/28/2006	0.29	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.7	4.8	2.3	9.1	3.6	22	6.4	0.2 U	9.1	0.26 U
9/13/2006	0.34	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.4	0.38	0.69	2.3	0.78	3	2.8	0.079 U	7	0.1 U
12/12/2006	1.4	0.55 U	0.44 U	0.32 U	0.32 U	0.65 U	7.7	3	2.8	7.8	2.5	12	10	0.32 U	32	0.41 U
3/20/2007	0.76	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.8	1.9	0.78	2.9	1	6.1	4.9	0.16 U	15	0.2 U
6/21/2007	0.21	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.64	1.3	0.52	1.7	0.56	3.2	2.4	0.04 U	3	0.051 U
9/19/2007	0.27	0.082 U	0.065 U	0.049 U	0.048 U	0.1 U	0.7	1.2	0.42	1.3	0.48	0.81	1.5	0.048 U	4.9	0.064 U
12/11/2007	0.82	0.41 U	0.33 U	0.24 U	0.24 U	3.1	2.6	3.3	0.78	2.2	0.69	12	4.1	0.24 U	23	0.31 U
3/26/2008	0.28	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.7	3.2	0.87	3.2	1.1	2.6	4.5	0.079 U	9.7	0.1 U
6/17/2008	0.19	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.64	1.4	1.4 NJ	5.2	1.8	1.2	2.1	0.079 U	2.8	0.1 U
9/24/2008	0.19	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.83	1.5	0.48	1.8	0.65	3.1	2.3	0.059 U	4.8	0.077 U
12/18/2008	0.51	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	3.5	3.3	1.5	6.1	1.9	1.3	8.7	0.24 U	19	0.31 U
3/26/2009	0.43 U	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	4.2	5.2	2.3	9.6	3	1.8	12	0.31 U	21	0.41 U
6/25/2009	0.65	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	4.5	8.7	5.2	17	5.2	4.1	28	0.31 U	15	0.41 U
9/23/2009	0.28	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	2.6	4	1	3.4	1.2	1.8	4.5	0.059 U	4.6	0.12
12/17/2009	0.43 U	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	2.9	4	1.3	4.8	1.6	0.88	7.2	0.31 U	25	0.41 U
3/24/2010	0.28	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2.7	5.2	2.5	10	3.6	1.1	8.3	0.12 U	9.7	0.15 U
6/22/2010	0.34	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.3	4.4	1.2	4.8	1.6 J	1.4	4.1	0.059 U	6.4	0.095 NJ
9/22/2010	0.17	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	1.9	1.9	0.91	3.2	1.1	0.72	5.3	0.12 U	3.8	0.15 U
12/28/2010	0.29	0.21 U	0.17 U	0.13 U	0.12 U	0.25 U	5.9	3.6	1.1	3.4	1.2	0.97	6.4	0.12 U	13	0.16 U
3/23/2011	0.24	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.2	1.9	1.1	3.6	1.2	0.8	4.9	0.079 U	5.7	0.1 U
6/22/2011	0.14 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.9	0.51	0.75	2.6	0.93	1.2	2.2	0.04 U	0.91	0.051 U
9/21/2011	0.14 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.3	0.67	0.61	2.1	0.76	0.24	1.7	0.04 U	1.1	0.051 U
12/20/2011	0.28	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	1.8	2.1	0.98	3.3	1.2	3.7	2.7	0.099 U	8	0.13 U
3/28/2012	0.17	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2.6	1.3	2.3	4.6	1.7	3.7	5.6	0.12 U	5.7	0.15 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.7	0.42	0.77	0.73	0.25	0.8	1.4	0.2 U	0.4	0.26 U
10/9/2012	0.37	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.81	1.3	0.38	1.1	0.37	0.27 U	0.76	0.16 U	7.9	0.2 U
1/3/2013	0.45	0.32 U	0.25 U	0.19 U	0.18 U	0.37 U	1.1	1.8	0.37	1.2	0.46	0.31 U	1.3	0.18 U	18	0.23 U
3/28/2013	0.22	0.069 UJ	0.055 U	0.04 U	0.16 U	0.082 NJ	0.97	1.3	0.57	1.1 J	0.48 J	0.23	1.3	0.04 U	2.7	0.051 U
6/19/2013	0.11	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.1	0.34	0.16	0.61	0.23	0.068 U	0.46	0.04 U	0.32	0.051 U
9/19/2013	0.25	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.37	0.67	0.25	0.91	0.32	0.089	0.89	0.04 U	3	0.051 U
12/18/2013	0.36	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.98	1.3	0.4	1.1	0.39	0.27 U	1.4	0.16 U	12	0.2 U
3/20/2014	0.27 NJ	0.069 U	0.055 U	0.04 U	0.044 NJ	0.1 NJ	1	1.3	0.34	1.1	0.4	0.2	1.3	0.04 U	4	0.051 U
6/18/2014	0.35	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.29	0.7	0.53	1.7	0.6	0.13	1.4	0.04 U	0.73	0.051 U
9/23/2014	0.52 U	0.069 U	0.055 U	0.04 U	0.12 NJ	0.081 U	0.47	1.7	0.52	1.9	0.7	0.076	2.1	0.04 U	4.4	0.051 U
12/16/2014	0.31	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.94	1.9	0.5	1.4	0.51	0.27 U	1.7	0.16 U	16	0.2 U
3/24/2015	0.25	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.90	1.3	0.40	1.2	0.50	0.14 U	0.92	0.079 U	6.1	0.1 U
6/15/2015	0.47	0.069 U	0.055 U	0.04 U	0.04 U	0.12	0.54	0.92	2.1	8	2.4	0.34	2.5	0.04 U	0.79	0.051 U
9/9/2015	0.65	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.55	0.53	0.88	3.0	1.2	0.21	1.3	0.04 U	0.77	0.051 U
12/15/2015	0.40 J+	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.43	0.70	0.33	1.3	0.50	0.074	1.0	0.04 U	2.5	0.051 U
3/31/2016	0.088	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.54	0.39	0.43	1.4	0.55	0.19	1.1	0.04 U	3.2	0.051 U
6/30/2016	0.41	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.34	0.42	0.57	2.1	0.94	0.12	1.7	0.04 U	2.2	0.051 U

Notes:

All values are shown in units of micrograms per cubic meter (µg/m³).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated

Table 4
Building 10 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	SVSS-B10A-01															
Description	BUILDING 10A SUB-SLAB VAPOR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/17/2003	14	3.2 U	2.3 U	2.5	0.9 U	1.8 U	3.4 U	10	2 U	3.8 U	2 U	920	3.2	1.3 U	120	0.45 U
2/14/2006	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	7.9 U	8.7 U	22 U	8.7 U	44	7.5 U	7.9 U	11 U	5.1 U
12/12/2006	3.4	1.4 U	1.1 U	2.1	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	140	2.6	0.79 U	20	0.51 U
12/11/2007	1.1	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	81	0.75 U	0.79 U	9.1	0.51 U
12/18/2008	2.5	1.4 U	1.1 U	1.5	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	95	0.75 U	0.79 U	10	0.51 U
12/17/2009	2.2	1.4 U	1.1 U	1.4	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	100	0.75 U	0.79 U	13	0.51 U
12/28/2010	2.5	1.4 U	1.1 U	1.8	0.79 U	0.81 U	0.64 U	0.79 U	1	4	1.7	49	3.3	0.79 U	13	0.51 U
12/20/2011	2.3	1.4 U	1.1 U	1.8	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	50	0.96	0.79 U	12	0.51 U
12/19/2012	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	1.6	0.79 U	0.87 U	2.2 U	0.87 U	20	1.8	0.79 U	5.7	0.51 U
12/18/2013	2.1	1.4 U	1.1 U	1.1	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	34	0.75 U	0.79 U	7.3	0.51 U
12/16/2014	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.84	2.3	2	8.1	2.6	6.3	1.7	0.79 U	9.5	0.51 U
12/16/2015	1.1	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	2.0	8.5	3.1	24	2.1	0.79 U	8.1	0.51 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

Table 5
Building 1A Basement and First Floor Indoor Air Sample Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B1A-01															
Description	BUILDING 1A FIRST FLOOR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,1-Dichloroethane	1,1,1-Dichloroethene	1,1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.63	0.14 U	0.1 U	0.08 U	0.04 U	0.95	1.8	0.89	3.4	12	3.5	25	52	0.056 U	6.9	0.02 U
10/2/2003	0.35 J	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	1.3	1.5	0.91	2.6	0.74	1.9	11	0.2 U	10	0.13 U
1/20/2004	0.19	0.14 U	0.11 U	0.081 U	0.079 U	0.14	0.89	0.59	0.61	1.7	0.56	8.1	2.8	0.079 U	2.1	0.051 U
12/12/2006	0.21	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	3.5	0.71	2	6.1	1.4	3.6	8.7	0.12 U	9.1	0.15 U
3/20/2007	0.26	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.3	0.75	0.78	2.6	0.61	0.88	3.4	0.16 U	12	0.2 U
6/21/2007	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.24	0.04 U	0.21	0.74	0.18	0.095	1.5	0.04 U	0.39	0.051 U
9/19/2007	1	0.69 U	0.55 U	0.4 U	0.4 U	0.97	1.2	0.67	3.8	12	2.1	2.4	17	0.4 U	3.4	1.6
12/11/2007	0.093	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.4	0.32	0.61	1.7	0.4	1.6	2.9	0.059 U	2.9	0.077 U
3/26/2008	0.098	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.4	0.28	0.74	2.6	0.69	0.75	1.9	0.059 U	4.9	0.077 U
6/17/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.14	0.04 U	0.65	2.6	0.74	0.068 U	2.1	0.04 U	0.059	0.051 U
9/24/2008	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.89	0.48	1	3.2	0.96	0.88	11	0.16 U	2.3	0.2 U
12/18/2008	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	4.8	0.59	0.78	2.9	1	0.56	6.8	0.12 U	9.7	0.15 U
3/26/2009	0.18 U	0.23 U	0.18 U	0.13 U	0.13 U	0.27 U	3.8	1	1.1	3.7	1.2	0.46	8.7	0.13 U	7	0.17 U
6/25/2009	0.18 U	0.23 U	0.18 U	0.13 U	0.13 U	0.27 U	1.7	0.27	1.1	3.8	1.1	0.22 U	7.2	0.13 U	0.59	0.17 U
9/23/2009	0.82 U	1 U	0.82 U	0.61 U	0.59 U	1.2 U	2.4	0.59 U	6.1	17	3.9	1 U	37	0.59 U	2.7	0.77 U
12/17/2009	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.7	0.52	0.69	2.3	1.1	0.58	4.5	0.079 U	3.7	0.1 U
3/24/2010	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.3	1	1	3.2	0.83	0.6	4.9	0.079 U	7.5	0.1 U
6/22/2010	0.44 U	0.56 U	0.44 U	0.33 U	0.32 U	0.65 U	1.9	2.7	2	6.5	1.8	0.75	9	0.32 U	27	0.41 U
8/30/2010	0.069 NJ	0.069 UJ	0.055 U	0.04 U	0.04 U	0.081 U	0.7	0.094	0.67	2	0.67	0.13	3.4	0.04 U	1.5	0.051 U
9/22/2010	0.33 U	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	1.6	0.24 U	2.4	11	2.9	0.43	16	0.24 U	2.4	0.31 U
12/28/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.8	0.071	0.17	0.55	0.19	0.1	1.6	0.04 U	1.1	0.051 U
3/23/2011	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2	0.59	0.45	1.3	0.46	0.58	2.5	0.079 U	6.8	0.1 U
6/22/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.35	0.04 U	0.48	1.3	0.47	0.11	3.5	0.04 U	0.26	0.051 U
9/21/2011	0.096 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.22	0.44	0.16	0.094	0.32	0.12	0.081	0.4	0.04 U	0.75	0.051 U
12/20/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.11	0.52	0.086	0.8	3.7	1.4	2.8	1.3	0.04 U	1.1	0.051 U
3/28/2012	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.32	0.079 U	0.38	0.82	0.29	0.18	3.5	0.079 U	1.3	0.1 U
6/14/2012	0.068 U	0.086 U	0.068 U	0.051 U	0.05 U	0.14	1.1	0.29	0.54	1.8	0.62	0.16	3.8	0.05 U	1.3	0.064 U
10/9/2012	0.28	0.21 U	0.16 U	0.12 U	0.12 U	0.33	0.83	0.55	0.74	2.4	0.74	1.1	4	0.12 U	5.2	0.15 U
1/3/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.09 NJ	0.96	0.12	0.18	0.51	0.17	0.28	2	0.04 U	1.6	0.051 U
3/28/2013	0.055 U	0.069 UJ	0.055 U	0.04 U	0.16 U	0.081 U	0.93	0.08 U	0.12	0.29 J	0.1 NJ	0.071	1.1	0.04 U	0.95	0.051 U
6/19/2013	0.067	0.069 U	0.055 U	0.04 U	0.04 U	0.081	0.15	0.17 NJ	0.28	0.98	0.39	0.26	3.1	0.04 U	2.7	0.051 U
9/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.032 U	0.14	0.043 U	0.087 U	0.043 U	0.068 U	0.038 U	0.04 U	0.11	0.051 U
12/18/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.92	0.04 U	0.2	0.65	0.24	0.068 U	1.7	0.04 U	0.072	0.051 U
3/20/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.62	0.04 U	0.09	0.23	0.093	0.068 U	0.85	0.04 U	0.054 U	0.051 U
6/18/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.23	0.04 U	0.25	0.88	0.29	0.083	1.8	0.04 U	0.095	0.051 U
9/23/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.079	0.31	0.1	0.37	1.3	0.44	0.093	2.8	0.04 U	0.35	0.051 U
12/16/2014	0.084 U	0.069 U	0.055 U	0.04 U	0.04 U	0.094 J+	0.74	0.04 U	0.21	0.53	0.2	0.11	1.6	0.04 U	0.54	0.051 U
3/24/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.093	0.87	0.04 U	0.11	0.35	0.13	0.068 U	0.69	0.04 U	0.17	0.051 U
6/15/2015	0.091 U	0.069 U	0.055 U	0.04 U	0.04 U	0.35	0.27	0.21	0.41	1.4	0.49	0.44	2.1	0.04 U	1.6	0.051 U
9/9/2015	0.12	0.069 U	0.055 U	0.04 U	0.04 U	0.40	0.22	0.04 U	0.35	1.1	0.40	0.49	1.4	0.04 U	1.0	0.051 U
12/15/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.29	0.04 U	0.068	0.20	0.077	0.068 U	0.52	0.04 U	0.054 U	0.051 U
3/31/2016	0.084	0.069 U	0.055 U	0.04 U	0.04 U	0.12	0.24	0.04 U	0.10	0.29	0.12	0.19	0.46	0.04 U	0.83	0.051 U
6/30/2016	0.25	0.069 U	0.055 U	0.04 U	0.04 U	0.77	0.23	0.11 NJ	0.080	0.12	0.043 U	0.61	2.4	0.04 U	1.5	0.051 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J - Estimated

Table 5
Building 1A Basement and First Floor Indoor Air Sample Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B1A-BASE															
Description	BUILDING 1A BASEMENT															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,1,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
10/2/2003	0.6 J	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	0.77	5.2	0.43 U	1	0.43 U	1.8	3.1	0.4 U	160	0.26 U
1/20/2004	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	1.1	0.71	0.3	0.74	0.27	3.1	1.5	0.2 U	9.1	0.13 U
12/12/2006	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	2.7	2.8	1.7	5.2	1.3	3.8	6	0.4 U	45	0.51 U
3/20/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	1.6 U	3.5	4.8	0.87 U	2.1	0.87 U	1.4 U	3.3	0.79 U	81	1 U
6/21/2007	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.35	0.14	1.4	3.7	0.83	0.24	4.5	0.079 U	2.1	0.1 U
9/19/2007	0.43	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.45	0.29	0.48	1.4	0.32	1.1	2.2	0.079 U	7	0.1 U
12/11/2007	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.1	1.5	0.48	1.4	0.37	1.2	1.9	0.16 U	20	0.2 U
3/26/2008	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.73	1.1	0.32	0.91	0.3	0.56	1	0.16 U	17	0.2 U
6/17/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.14	0.04 U	0.091	0.33	0.1	0.068 U	1.8	0.04 U	0.081	0.051 U
9/24/2008	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.7	0.83	0.48	1.7	0.56	0.81	5.7	0.2 U	16	0.26 U
12/18/2008	0.35 U	0.45 U	0.35 U	0.26 U	0.26 U	0.53 U	2	1.5	0.56	2.1	0.78	0.52	4.5	0.26 U	24	0.33 U
3/26/2009	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	1.7	1.9	0.56	2.2	1.1	0.68 U	4.1	0.4 U	29	0.51 U
6/25/2009	0.071	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.5	0.079	0.43	1.6	0.52	0.095	3.1	0.04 U	0.27	0.051 U
9/23/2009	1.4 U	1.7 U	1.4 U	1 U	0.99 U	2 U	2.8	3.8	2.9	7.8	2	1.7 U	18	0.99 U	86	1.3 U
12/17/2009	0.33 U	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	1.1	0.91	0.26 U	0.78	0.28	0.54	1.5	0.24 U	14	0.31 U
3/24/2010	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.86	1.7	0.52	1.6	0.4	0.68	1.7	0.2 U	24	0.26 U
6/22/2010	2.2 U	2.7 U	2.2 U	1.6 U	1.6 U	3.3 U	2.3	12	1.7 U	4.8	1.7 U	2.7 U	6	1.6 U	120	2.1 U
8/30/2010	0.19 U	0.24 UJ	0.19 U	0.14 U	0.14 U	0.28 U	1.9	0.77	1.1	3.5	1.1	0.26	7.2	0.14 U	14	0.18 U
9/22/2010	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.8	0.16 U	0.91	3.9	1.1	0.27 U	9.4	0.16 U	4.5	0.2 U
12/28/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.96	0.074	0.17 NJ	0.53	0.17	0.18	2	0.04 U	1.8	0.051 U
3/23/2011	0.82 U	1 U	0.82 U	0.61 U	0.59 U	1.2 U	4.4	5.2	0.65 U	1.3 U	0.65 U	1 U	1	0.59 U	67	0.77 U
6/22/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.04 U	0.32	1.1	0.39	0.12	2.7	0.04 U	0.43	0.051 U
9/21/2011	0.12 NJ	0.1 U	0.082 U	0.061 U	0.059 U	0.27 U	0.55	0.24	0.35	0.73	0.19	0.81	2.3	0.059 U	5.1	0.077 U
12/20/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.49	0.11	0.43	2	0.79	1.6	0.71	0.04 U	1.6	0.051 U
3/28/2012	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.47	0.52	0.18	0.58	0.2	0.28	1	0.16 U	11	0.2 U
6/14/2012	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16	0.73	0.24	0.46	1.5	0.52	0.2	2.6	0.079 U	5	0.1 U
10/9/2012	0.11	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.28	0.22	0.11	0.37	0.13	0.36	0.69	0.079 U	4.5	0.1 U
1/3/2013	0.16 U	0.42	0.16 U	0.12 U	0.12 U	0.24 U	0.74	0.21	0.19	0.57	0.23	0.25	6.6	0.12 U	3	0.15 U
3/28/2013	0.22 UJ	0.27 UJ	0.22 UJ	0.16 UJ	0.64 UJ	0.32 UJ	1.1 J	0.32 UJ	0.23 NJ	0.56 NJ	0.64 UJ	0.29 J	4.4 J	0.16 UJ	2.4 J	0.2 UJ
6/19/2013	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.16	0.58	0.24	0.82	0.37	0.35	2.5	0.16 U	13	0.2 U
9/19/2013	1.2	0.098 U	0.078 U	0.058 U	0.82	0.12 U	0.34	0.43	0.33	0.97	0.34	0.29	4.2	0.057 U	7	0.073 U
12/18/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.8	0.04 U	0.16	0.45	0.15	0.068 U	1.4	0.04 U	0.07	0.051 U
3/20/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.65	0.04 U	0.12	0.57	0.3	0.068 U	0.8	0.04 U	0.054 U	0.051 U
6/18/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.23	0.04 U	0.28	0.97	0.33 NJ	0.096	1.8	0.04 U	0.1	0.051 U
9/23/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.29	0.085	0.28	1	0.36	0.079	2	0.04 U	0.31	0.051 U
12/16/2014	0.068 U	0.069 U	0.055 U	0.04 U	0.04 U	0.091 J+	0.69	0.04 U	0.17	0.47	0.16	0.094	1.3	0.04 U	0.6	0.051 U
3/24/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081	0.77	0.04 U	0.097	0.26	0.11	0.068 U	0.53	0.04 U	0.054 U	0.051 U
6/15/2015	0.077	0.069 U	0.055 U	0.056	0.04 U	0.19	0.19	0.13	0.17	0.63	0.23	0.25	0.74	0.04 U	1.2	0.051 U
9/9/2015	0.076	0.069 U	0.055 U	0.04 U	0.04 U	0.27	0.22	0.057	0.15	0.51	0.20	0.31	0.61	0.04 U	1.4	0.051 U
12/15/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.32	0.04 U	0.075	0.23	0.078	0.068 U	0.53	0.04 U	0.054 U	0.051 U
3/31/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.24	0.04 U	0.072	0.19	0.049	0.093	0.65	0.04 U	0.24	0.051 U
6/30/2016	0.066	0.069 U	0.055 U	0.04 U	0.04 U	0.15	0.18	0.04 U	0.21	0.75	0.26	0.34	2.1	0.04 U	0.47	0.051 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

J - Estimated

NJ - Tentative in identification and estimated

Table 6
Building 1 Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B1-01															
Description																
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.57	0.14 U	0.1 U	0.08 U	0.045	1.1	1.3	0.38	1.9	6.2	2	12	17	0.056 U	4.8	0.02 U
10/2/2003	0.71	0.069 U	0.055 U	0.073	0.15	0.49	1.6	1.3	1.1	2.7	0.87	5.6	5.3	0.04 U	7.5	0.026 U
1/20/2004	0.32	0.14 U	0.11 U	0.081 U	0.079 U	0.28	1.4	1	1.1	3.6	1.1	9.5	3.8	0.079 U	4.8	0.051 U
12/18/2013	0.091 U	0.11 U	0.091 U	0.068 U	0.066 U	0.14 U	0.90	0.066 U	0.20	0.50	0.23	0.11 U	4.1	0.066 U	0.40	0.085 U
3/20/2014	0.13 NJ	0.14 U	0.11 U	0.081 U	0.079 U	0.21	0.99	0.21	1.1	4.7	1.8	0.23	4.9	0.079 U	1.8	0.1 U
6/18/2014	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.47 NJ	0.45	1.9	4.6	19	5	0.34 U	18	0.2 U	1.8	0.26 U
9/23/2014	0.35	0.069 U	0.055 U	0.04 U	0.074	0.13	0.42	0.4	0.5	1.9	0.57	1.2	2.9	0.04 U	3.5	0.051 U
12/16/2014	0.086	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.034	0.048 NJ	0.043 U	0.087 U	0.043 U	0.068 U	0.038 U	0.04 U	0.12	0.051 U
3/24/2015	0.16	0.069 U	0.055 U	0.04 U	0.04 U	0.16	0.99	0.21	0.42	1.4	0.50	1.1	2.6	0.04 U	2.7	0.051 U
6/15/2015	0.18	0.069 U	0.055 U	0.04 U	0.04 U	0.84	0.44	0.38	2.1	8.3	2.3	1	2.2	0.04 U	3.6	0.051 U
9/9/2015	0.31	0.069 U	0.055 U	0.04 U	0.04 U	0.93	0.28	0.04 U	0.37	1.2	0.48	0.94	1.3	0.04 U	2.0	0.051 U
12/15/2015	0.061 J+	0.069 U	0.055 U	0.04 U	0.04 U	0.12 J+	0.42	0.072 U	0.27	0.93	0.20	0.11	1.1	0.04 U	1.3	0.051 U
3/31/2016	0.13	0.069 U	0.055 U	0.04 U	0.04 U	0.18	0.35	0.04 U	0.17	0.47	0.17	0.31	0.76	0.04 U	1.6	0.051 U
6/30/2016	0.19	0.069 U	0.055 U	0.04 U	0.04 U	0.26	0.15	0.074	0.27	0.92	0.32	1.2	2.1	0.04 U	1.6	0.051 U

Sample ID	SVSS-B1-01															
Description																
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/17/2003	39 U	49 U	39 U	29 U	28 U	29 U	23 U	47	31 U	31 U	32 U	110	27 U	28 U	6600	18 U
12/16/2014	24 U	30 U	24 U	18 U	17 U	18 U	14 U	70	19 U	47 U	19 U	31	16 U	17 U	3500	11 U
12/16/2015	32 U	40 U	32 U	23 U	23 U	23 U	19 U	87	25 U	63 U	25 U	39 U	22 U	23 U	4100	15 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J+ - Estimated and may be biased high

NJ - Tentative in identification and estimated

Table 7
Building 8 Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B8-01															
Description	BUILDING 8 INDOOR AIR															
	<i>1,1,1-Trichloroethane</i>	<i>1,1,1,2,2-Tetrachloroethane</i>	<i>1,1,2-Trichloroethane</i>	<i>1,1-Dichloroethane</i>	<i>1,1-Dichloroethene</i>	<i>1,2-Dichloroethane</i>	<i>Benzene</i>	<i>cis-1,2-Dichloroethene</i>	<i>Ethylbenzene</i>	<i>m,p-Xylene</i>	<i>o-Xylene</i>	<i>Tetrachloroethene</i>	<i>Toluene</i>	<i>trans-1,2-Dichloroethene</i>	<i>Trichloroethene</i>	<i>Vinyl chloride</i>
7/15/2003	0.68	0.14 U	0.1 U	0.08 U	0.049	1.3	1.7	0.56	1.2	7.4	1.5	6	7.1	0.056 U	4.1	0.02 U
10/2/2003	0.76	0.069 U	0.055 U	0.04 U	0.063	1.6	2.2	1.9	0.78	2	0.69	5.1	2.5	0.04 U	10	0.026 U
1/20/2004	0.46	0.21 U	0.16 U	0.12 U	0.12 U	0.32	1.8	1.3	2	7.8	2.2	10	4.9	0.12 U	4.2	0.077 U
3/31/2005	0.21	0.069 U	0.055 U	0.04 U	0.04 U	4.5	1.7	0.19	0.52	1.7	0.61	0.75	2.3	0.04 U	1.4	0.026 U
12/16/2014	0.48	0.1 U	0.082 U	0.061 U	0.059 U	0.27	0.94	0.14	0.37	1.2	0.40	0.21	2.7	0.059 U	2.7	0.077 U
12/15/2015	0.095 J+	0.069 U	0.055 U	0.04 U	0.04 U	0.095 J+	0.55	0.17	0.54	1.9	0.35	0.18	1.7	0.04 U	2.5	0.051 U
3/31/2016	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.12	0.35	0.04 U	0.16	0.44	0.16	0.51	0.73	0.04 U	1.1	0.051 U
6/30/2016	0.27	0.069 U	0.055 U	0.04 U	0.04 U	0.20	0.31	0.29	0.35	1.2	0.41	1.8	2.0	0.04 U	3.5	0.051 U

Sample ID	SVSS-B8-01															
Description	BUILDING 8 SUB-SLAB VAPOR															
	<i>1,1,1-Trichloroethane</i>	<i>1,1,1,2,2-Tetrachloroethane</i>	<i>1,1,2-Trichloroethane</i>	<i>1,1-Dichloroethane</i>	<i>1,1-Dichloroethene</i>	<i>1,2-Dichloroethane</i>	<i>Benzene</i>	<i>cis-1,2-Dichloroethene</i>	<i>Ethylbenzene</i>	<i>m,p-Xylene</i>	<i>o-Xylene</i>	<i>Tetrachloroethene</i>	<i>Toluene</i>	<i>trans-1,2-Dichloroethene</i>	<i>Trichloroethene</i>	<i>Vinyl chloride</i>
7/17/2003	18	14 U	11 U	10	7.9 U	8.1 U	7.6	29	8.7 U	43	19	180	26	7.9 U	1600	5.1 U
2/25/2015	3.7	2.2 U	1.7 U	1.5	1.3 U	1.3 U	2.0	13	1.4 U	8.2	2.7	16	6.0	1.3 U	160	0.82 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J - Estimated

Table 8
Ambient Air Sample Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	OA-B2-01															
Description	AMBIENT AIR OUTSIDE OF BUILDING 2															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.21	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	0.44	0.056 U	0.35	1.1	0.35	0.3	3.2	0.056 U	0.58	0.02 U
10/2/2003	0.16	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	0.38	0.04 U	0.13	0.35	0.13	0.068 U	0.64	0.04 U	0.52	0.026 U
1/20/2004	0.12	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	0.45	0.04 U	0.19	0.48	0.19	0.075	0.9	0.04 U	0.81	0.026 U
3/20/2007	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.089	0.58	0.04 U	0.043 U	0.087 U	0.043 U	0.088	0.22	0.04 U	2.8	0.051 U
6/21/2007	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.21	0.04 U	0.087	0.23	0.083	0.068 U	0.49	0.04 U	0.7	0.051 U
9/19/2007	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.32	0.04 U	0.15	0.38	0.13	0.11	1	0.04 U	0.31	0.051 U
12/11/2007	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.085	0.51	0.04 U	0.1	0.26	0.1	0.068 U	0.53	0.04 U	0.054 U	0.051 U
3/26/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.04 U	0.078	0.2	0.078	0.068 U	0.36	0.04 U	0.054 U	0.051 U
6/17/2008	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.24	0.04 U	0.16	0.52	0.2	0.068 U	1.7	0.04 U	0.054 U	0.051 U
9/24/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.16	0.04 U	0.091	0.26	0.091	0.068 U	0.57	0.04 U	0.054 U	0.051 U
12/18/2008	0.055	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.7	0.04 U	0.22	0.69	0.29	0.088	1.2	0.04 U	0.11	0.051 U
3/26/2009	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.081	0.7	0.12	0.25	1.3	0.65	0.14	0.98	0.04 U	0.086	0.051 U
6/25/2009	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.54	0.079 U	0.69	1.7	0.56	0.14 U	5.3	0.079 U	0.86	0.1 U
9/23/2009	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.42	0.04 U	0.48	0.74	0.26	0.075	1.2	0.075	0.91	0.051 U
12/17/2009	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.42	0.04 U	0.061	0.15	0.056	0.068 U	0.35	0.04 U	0.054 U	0.051 U
3/24/2010	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.0	0.059 U	0.52	1.8	0.52	0.26	4.1	0.059 U	0.081 U	0.077 U
6/22/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.22	0.04 U	0.069	0.11	0.043 U	0.068	0.45	0.04 U	0.075	0.051 U
8/30/2010	0.055 U	0.069 UJ	0.055 U	0.04 U	0.04 U	0.081 U	0.35	0.04 U	0.14	0.34	0.13	0.081	0.76	0.04 U	0.074	0.051 U
9/22/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.58	0.04 U	0.29	0.9	0.32	0.077	2.4	0.04 U	0.066	0.051 U
12/28/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.49	0.04 U	0.11	0.26	0.1	0.068 U	0.65	0.04 U	0.21	0.051 U
3/23/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.41	0.04 U	0.084	0.2	0.079	0.071	0.48	0.04 U	0.054 U	0.051 U
6/22/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.04 U	0.32	0.96	0.33	0.12	3.3	0.04 U	0.066	0.051 U
9/21/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.19	0.04 U	0.085	0.21	0.077	0.068 U	0.82	0.04 U	0.054 U	0.051 U
12/20/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.53	0.04 U	0.052	0.14	0.058	0.11	0.47	0.04 U	0.054 U	0.051 U
3/28/2012	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	0.31	0.099 U	0.5	0.95	0.34	0.17 U	4.7	0.099 U	0.13 U	0.13 U
6/14/2012	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.04 U	0.19	0.74	0.28	0.068 U	0.59	0.04 U	0.054 U	0.051 U
10/9/2012	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.23	0.04 U	0.043 U	0.087 U	0.043 U	0.068 U	0.35	0.04 U	0.11	0.051 U
1/3/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.52	0.04 U	0.096	0.26	0.1	0.068 U	0.53	0.04 U	0.075	0.051 U
3/28/2013	0.055 U	0.069 UJ	0.055 U	0.04 U	0.16 U	0.081 U	0.35	0.2 U	0.059 U	0.15 J	0.4 UJ	0.068 U	0.27	0.04 U	0.054 U	0.051 U
6/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.068	0.04 U	0.043 U	0.087 U	0.043 U	0.15	0.18	0.04 U	0.085 U	0.051 U
9/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.21	0.04 U	0.063	0.17 NJ	0.058	0.068 U	0.72	0.04 U	0.054 U	0.051 U
12/18/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.71	0.04 U	0.15	0.48	0.18	0.068 U	1.3	0.04 U	0.054 U	0.051 U
3/20/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.9	0.04 U	0.09	0.22	0.085	0.068 U	1.1	0.04 U	0.054 U	0.051 U
6/18/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.29	0.04 U	0.15	0.42	0.13	0.071	2.4	0.04 U	0.054 U	0.051 U
9/23/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.27	0.04 U	0.16	0.53	0.24	0.068 U	0.77	0.04 U	0.054 U	0.051 U
12/16/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.087	0.62	0.04 U	0.17	0.47	0.19	0.068 U	1.4	0.04 U	0.077	0.051 U
3/24/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.37	0.04 U	0.055	0.14	0.053	0.068 U	0.26	0.04 U	0.054 U	0.051 U
6/15/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.18	0.04 U	0.075	0.25	0.1	0.07	0.38	0.04 U	0.054 U	0.051 U
9/9/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.24	0.04 U	0.10	0.32	0.12	0.068 U	0.61	0.04 U	0.054 U	0.051 U
12/15/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.31	0.04 U	0.067	0.20	0.070	0.068 U	0.52	0.04 U	0.054 U	0.051 U
3/31/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.31	0.04 U	0.055	0.14	0.055	0.068 U	0.35	0.04 U	0.054 U	0.051 U
6/30/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.12	0.04 U	0.12	0.40	0.17	0.068 U	0.98	0.04 U	0.053	0.051 U

Notes:

All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J - Estimated

NJ - Tentative in identification and estimated

Table 8
Ambient Air Sample Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	OA-B11-01															
Description	AMBIENT AIR OUTSIDE OF BUILDING 11															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,1,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.18	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	0.32	0.056 U	0.16	0.32	0.14	0.14 U	1.4	0.056 U	0.074	0.02 U
10/2/2003	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	0.3	0.04 U	0.091	0.26	0.096	0.068 U	0.45	0.04 U	0.13	0.026 U
1/20/2004	0.11	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	0.45	0.04 U	0.15	0.34	0.13	0.068	0.68	0.04 U	0.12	0.026 U
3/20/2007	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.54	0.04 U	0.1	0.29	0.11	0.075	0.38	0.04 U	0.14	0.051 U
6/21/2007	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.15	0.04 U	0.061	0.16	0.052	0.068 U	0.32	0.04 U	0.12	0.051 U
8/30/2007	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.17	0.04 U	0.091	0.22	0.078	0.081	0.49	0.04 U	0.12	0.051 U
9/19/2007	0.055	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.29	0.04 U	0.15	0.43	0.13	0.12	0.6	0.04 U	0.11	0.051 U
12/11/2007	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.085	0.58	0.04 U	0.19	0.56	0.21	0.068 U	0.72	0.04 U	0.086	0.051 U
3/26/2008	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.31	0.04 U	0.065	0.2	0.083	0.068 U	0.37	0.04 U	0.054 U	0.051 U
6/17/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.13	0.04 U	0.12	0.38	0.11	0.068 U	0.75	0.04 U	0.086	0.051 U
9/24/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.14	0.04 U	0.096	0.24	0.083	0.068 U	0.64	0.04 U	0.07	0.051 U
12/18/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.54	0.04 U	0.18	0.48	0.21	0.095	1.1	0.04 U	0.13	0.051 U
3/26/2009	0.071	0.069 U	0.055 U	0.04 U	0.04 U	0.085	0.67	0.083	0.18	0.41	0.16	0.14	0.94	0.04 U	0.075	0.051 U
6/25/2009	0.071	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.32	0.04 U	0.23	0.69	0.23	0.088	1.4	0.04 U	0.075	0.051 U
9/23/2009	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.26	0.04 U	0.14	0.43	0.17	0.068 U	0.83	0.04 U	0.51	0.051 U
12/17/2009	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.38	0.04 NJ	0.065	0.18	0.074	0.068 U	0.35	0.04 U	0.11	0.051 U
3/24/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 NJ	0.51	0.04 U	0.15	0.43	0.16	0.095	1.1	0.04 U	0.081	0.051 U
6/22/2010	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.31	0.079	0.16	0.48	0.19 J	0.081	0.79	0.04 U	0.22	0.051 U
9/22/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.42	0.04 U	0.19	0.46	0.17	0.068 U	1.1	0.04 U	0.077	0.051 U
12/28/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.73	0.14	0.28	0.72	0.25	0.33	2.3	0.04 U	3.4	0.051 U
3/23/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.39	0.04 U	0.061	0.18	0.077	0.068 U	0.3	0.04 U	0.068	0.051 U
6/22/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.2	0.04 U	0.1	0.3	0.12	0.068 U	0.55	0.04 U	0.054 U	0.051 U
9/21/2011	0.057 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.54	0.084	0.22	0.66	0.24	0.16	1.1	0.04 U	0.32	0.051 U
12/20/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.45	0.04 U	0.043 U	0.043 U	0.043 U	0.068 U	0.16	0.04 U	0.21	0.051 U
3/28/2012	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.29	0.04 U	0.11	0.31	0.12	0.068 U	0.56	0.04 U	0.056	0.051 U
6/14/2012	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.26	0.058	0.32	0.46	0.17	0.11	0.83	0.04 U	1.2	0.051 U
10/9/2012	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.066	0.086	0.24	0.1	0.068 U	0.47	0.04 U	0.19	0.051 U
1/3/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.77	0.04 U	0.28	0.9	0.29	0.095	1.2	0.04 U	0.086	0.051 U
3/28/2013	0.055 U	0.069 UJ	0.055 U	0.04 U	0.16 U	0.081 U	0.37	0.08 U	0.073 NJ	0.16 J	0.16 UJ	0.068 U	0.24	0.04 U	0.085	0.051 U
6/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.7	0.04 U	0.043 U	0.98	0.43 U	0.068 U	0.2	0.04 U	0.087	0.051 U
9/19/2013	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.4	0.079 U	0.75	3	1.1	0.14 U	4.3	0.079 U	0.39	0.1 U
12/28/2013	0.055 UJ	0.069 UJ	0.055 UJ	0.04 UJ	0.04 UJ	0.081 UJ	0.54 J	0.04 UJ	0.099 J	0.28 J	0.1 J	0.068 UJ	0.85 J	0.04 UJ	0.063 J	0.051 UJ
3/20/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.47	0.04 U	0.099	0.3	0.12	0.068 U	0.53	0.04 U	0.054 U	0.051 U
6/18/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.17	0.04 U	0.07	0.19	0.065	0.068 U	0.44	0.04 U	0.081	0.051 U
9/23/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.26	0.046	0.086	0.26	0.11	0.068 U	0.63	0.04 U	0.71	0.051 U
12/16/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.082 U	0.6	0.04 U	0.11	0.24	0.1	0.068 U	0.82	0.04 U	0.15	0.051 U
3/24/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.44	0.04 U	0.055	0.16	0.070	0.068 U	0.28	0.04 U	0.054 U	0.051 U
6/15/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.2	0.04 U	0.18	0.66	0.22	0.068 U	0.38	0.04 U	0.054 U	0.051 U
9/9/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.20	0.069	0.12	0.41	0.16	0.075	1.1	0.04 U	0.24	0.051 U
12/15/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.25	0.04 U	0.049	0.10	0.043 U	0.068 U	0.38	0.04 U	0.071	0.051 U
3/31/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.22	0.04 U	0.043 U	0.087 U	0.043 U	0.068 U	0.20	0.04 U	0.054 U	0.051 U
6/30/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.084	0.048	0.087	0.26	0.11	0.17	0.55	0.041	2.5	0.051 U

Notes:


All values are shown in units of micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

U - Not detected above reporting limit

J - Estimated


NJ - Tentative in identification and estimated

Attachment C
Figures



MAP SOURCE: USGS 7.5 MINUTE TOPOGRAPHIC SERIES, SENECA FALLS QUADRANGLE

APPROXIMATE SCALE IN MILES






Figure 3: Building 9 Area TCE Concentrations




Figure 4: Building 11 Area TCE Concentrations




Figure 5: Building 7 Area TCE Concentrations




Figure 6: Building 10 Area TCE Concentrations




Figure 7: Building 1A Area TCE Concentrations





Figure 8: Building 1 Area TCE Concentrations



Attachment D
Data Validation Report

Data Validation Services

120 Cobble Creek Road P.O. Box 208
North Creek, NY 12853

Phone 518-251-4429
harry@frontiernet.net

August 9, 2016

Mark Flusche
ARCADIS US, Inc.
855 Route 146 Suite 210
Clifton Park, NY 12065

RE: Validation of the Former Philips Display Components Facility, Seneca Falls Site Data Package
Indoor, Outdoor, and Sub Slab Air Samples
TestAmerica-VT SDG Nos. 200-34221-1

Dear Mr. Flusche:

Review has been completed for the data package generated by TestAmerica Laboratories (TAL-VT) that pertains to air samples collected on 08/09/16 at the Seneca Falls, NY site. Seventeen 6-L summa canisters and a field duplicate were analyzed for sixteen site-specific volatile analytes using USEPA method TO-15.

Data validation was performed using guidance from the 2006 USEPA Region II validation SOP HW-31, with consideration for the specific requirements of the analytical methodology. The following items were reviewed:

- * Data Completeness
- * Case Narrative
- * Custody Documentation
- * Holding Times
- * Internal Standard Recoveries
- * Method and Canister Blanks
- * Blind Field Duplicate Correlation
- * Laboratory Control Samples (LCSs)
- * Instrumental Tunes
- * Initial and Continuing Calibration Standards
- * Method Compliance
- * Sample Result Verification

Those items showing deficiencies are discussed in the following sections of this report. All others were found to be acceptable as outlined in the above-mentioned validation procedures, and as applicable for the methodology. Unless noted specifically in the following text, reported results are substantiated by the raw data, and generated in compliance with project requirements.

In summary, all sample results are usable either as reported or with minor qualification.

The client and laboratory sample identifications and the laboratory case narrative are attached to this text, and should be reviewed in conjunction with this report. Also attached are the laboratory sample results forms, with the validation qualifiers applied in red.

Volatile Analyses by EPA TO-15

The results for cis-1,2-dichloroethene in IA-B1A-01, IA-B9-02, and IA-B7-02 are qualified as tentative in identification and estimated in value due to poor mass spectral quality.

Results for cis-1,2-dichloroethene and 1,1-dichloroethene in IA-B13-01 are edited to reflect non-detection due to very poor mass spectral quality.

The trichloroethene response in IA-B9-01 exceeded the established instrument calibration range, and that result has therefore been qualified as estimated in value.

The blind field duplicate evaluation of IA-B11-02 shows acceptable correlations.


Holding times and instrument tunes meet requirements. Method and canister blanks show no contamination. The clean canister certifications were reviewed during validation.

Initial and continuing calibration standard responses fall within validation guidelines.

Observed elevated LCS recoveries do not affect associated sample results, as they show no detection of that analyte.

Please do not hesitate to contact me if questions or comments arise during your review of this report.

Very truly yours,


Judy Harry

VALIDATION DATA QUALIFIER DEFINITIONS

U	The analyte was analyzed for, but was not detected above the level of the associated reported quantitation limit.
J	The analyte was positively identified; the associated numerical value is an approximate concentration of the analyte in the sample.
J-	The analyte was positively identified; the associated numerical value is an estimated quantity that may be biased low.
J+	The analyte was positively identified; the associated numerical value is an estimated quantity that may be biased high.
UJ	The analyte was analyzed for, but was not detected. The associated reported quantitation limit is approximate and may be inaccurate or imprecise.
NJ	The detection is tentative in identification and estimated in value. Although there is presumptive evidence of the analyte, the result should be used with caution as a potential false positive and/or elevated quantitative value.
R	The data are unusable. The sample results are rejected due to serious deficiencies in meeting Quality Control limits. The analyte may or may not be present.
EMPC	The results do not meet all criteria for a confirmed identification. The quantitative value represents the Estimated Maximum Possible Concentration of the analyte in the sample.

**CLIENT and LABORATORY SAMPLE IDs
and CASE NARRATIVE**

SAMPLE SUMMARY

Client: ARCADIS U.S. Inc

Job Number: 200-34221-1

Sdg Number: 200-34221-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
200-34221-1	IA-B1A-01	Air	06/30/2016 1610	07/01/2016 1000
200-34221-2	IA-B1A-BASE	Air	06/30/2016 1528	07/01/2016 1000
200-34221-3	IA-B9-01	Air	06/30/2016 1442	07/01/2016 1000
200-34221-4	IA-B9-02	Air	06/30/2016 1525	07/01/2016 1000
200-34221-5	IA-B10-01	Air	06/30/2016 1510	07/01/2016 1000
200-34221-6	IA-B10A-01	Air	06/30/2016 1445	07/01/2016 1000
200-34221-7	IA-B11-01	Air	06/30/2016 1505	07/01/2016 1000
200-34221-8	IA-B11-02	Air	06/30/2016 1548	07/01/2016 1000
200-34221-9	IA-B13-01	Air	06/30/2016 1544	07/01/2016 1000
200-34221-10	IA-B13A-01	Air	06/30/2016 1530	07/01/2016 1000
200-34221-11	IA-B9-CS	Air	06/30/2016 1443	07/01/2016 1000
200-34221-12	IA-B7-01	Air	06/30/2016 1456	07/01/2016 1000
200-34221-13	IA-B7-02	Air	06/30/2016 1612	07/01/2016 1000
200-34221-14	IA-B8-01	Air	06/30/2016 1453	07/01/2016 1000
200-34221-15	OA-B2-01	Air	06/30/2016 1526	07/01/2016 1000
200-34221-16	OA-B11-01	Air	06/30/2016 1550	07/01/2016 1000
200-34221-17	IA-B1-01	Air	06/30/2016 1532	07/01/2016 1000
200-34221-18	IA-DUPE	Air	06/30/2016 0000	07/01/2016 1000

CASE NARRATIVE

Client: ARCADIS U.S. Inc

Project: Seneca Falls

Report Number: 200-34221-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 07/01/2016; the samples arrived in good condition.

LOW LEVEL VOLATILE ORGANIC COMPOUNDS

Samples IA-B1A-01, IA-B1A-BASE, IA-B9-01, IA-B9-02, IA-B10-01, IA-B10A-01, IA-B11-01, IA-B11-02, IA-B13-01, IA-B13A-01, IA-B9-CS, IA-B7-01, IA-B7-02, IA-B8-01, OA-B2-01, OA-B11-01, IA-B1-01 and IA-DUPE were analyzed for Low Level Volatile Organic Compounds in accordance with EPA Method TO-15. The samples were analyzed on 07/05/2016, 07/06/2016, 07/08/2016, 07/09/2016 and 07/11/2016.

The laboratory control sample (LCS) for analytical batches 200-106593, 200-106809, and 200-106886 recovered outside control limits for Vinyl chloride. The analyte was biased high in the LCS and was not detected in the associated samples; therefore, the data have been reported.

The analysis of sample IA-B9-01 yielded a concentration of Trichloroethene at the value of the upper range of calibrated instrument response. Since the raw on-column concentration exceeds the value of the upper calibration point, the result is qualified using the "E" qualifier.

Samples IA-B10-01[1.67X], IA-B13A-01[1.67X] and IA-B9-CS[12X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

QUALIFIED SAMPLE RESULTS FORMS

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-34221-1

Sdg Number: 200-34221-1

Client Sample ID: IA-B1A-01

Lab Sample ID: 200-34221-1

Date Sampled: 06/30/2016 1610

Client Matrix: Air

Date Received: 07/01/2016 1000

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method: TO15 LL	Analysis Batch: 200-106593	Instrument ID: CHE.i
Prep Method: Summa Canister	Prep Batch: N/A	Lab File ID: 20716_008.D
Dilution: 1.0		Initial Weight/Volume: 500 mL
Analysis Date: 07/05/2016 1635		Final Weight/Volume: 500 mL
Prep Date: 07/05/2016 1635		Injection Volume: 500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U *--	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.027	NJ	0.010	0.010
1,1,1-Trichloroethane	0.046		0.010	0.010
Benzene	0.072		0.010	0.010
1,2-Dichloroethane	0.19		0.020	0.020
Trichloroethene	0.27		0.010	0.010
Toluene	0.64		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.089		0.010	0.010
Ethylbenzene	0.018		0.010	0.010
o-Xylene	0.010	U	0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.029		0.020	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U *--	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.11	NJ	0.040	0.040
1,1,1-Trichloroethane	0.25		0.055	0.055
Benzene	0.23		0.032	0.032
1,2-Dichloroethane	0.77		0.081	0.081
Trichloroethene	1.5		0.054	0.054
Toluene	2.4		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.61		0.068	0.068
Ethylbenzene	0.080		0.043	0.043
o-Xylene	0.043	U	0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	0.12		0.087	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-34221-1

Sdg Number: 200-34221-1

Client Sample ID: IA-B1A-BASE

Lab Sample ID: 200-34221-2

Date Sampled: 06/30/2016 1528

Client Matrix: Air

Date Received: 07/01/2016 1000

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method: TO15 LL	Analysis Batch: 200-106593	Instrument ID: CHE.i
Prep Method: Summa Canister	Prep Batch: N/A	Lab File ID: 20716_009.D
Dilution: 1.0		Initial Weight/Volume: 500 mL
Analysis Date: 07/05/2016 1735		Final Weight/Volume: 500 mL
Prep Date: 07/05/2016 1735		Injection Volume: 500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U *-	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1,1-Trichloroethane	0.012		0.010	0.010
Benzene	0.057		0.010	0.010
1,2-Dichloroethane	0.036		0.020	0.020
Trichloroethene	0.087		0.010	0.010
Toluene	0.55		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.050		0.010	0.010
Ethylbenzene	0.049		0.010	0.010
o-Xylene	0.059		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.17		0.020	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U *-	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1,1-Trichloroethane	0.066		0.055	0.055
Benzene	0.18		0.032	0.032
1,2-Dichloroethane	0.15		0.081	0.081
Trichloroethene	0.47		0.054	0.054
Toluene	2.1		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.34		0.068	0.068
Ethylbenzene	0.21		0.043	0.043
o-Xylene	0.26		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	0.75		0.087	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-34221-1

Sdg Number: 200-34221-1

Client Sample ID: IA-B9-01

Lab Sample ID: 200-34221-3

Date Sampled: 06/30/2016 1442

Client Matrix: Air

Date Received: 07/01/2016 1000

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method: TO15 LL	Analysis Batch: 200-106593	Instrument ID: CHE.i
Prep Method: Summa Canister	Prep Batch: N/A	Lab File ID: 20716_010.D
Dilution: 1.0		Initial Weight/Volume: 500 mL
Analysis Date: 07/05/2016 1834		Final Weight/Volume: 500 mL
Prep Date: 07/05/2016 1834		Injection Volume: 500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U *	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.026		0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.020		0.010	0.010
1,1,1-Trichloroethane	0.010	U	0.010	0.010
Benzene	0.067		0.010	0.010
1,2-Dichloroethane	0.024		0.020	0.020
Trichloroethene	1.0	E J	0.010	0.010
Toluene	0.34		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.010		0.010	0.010
Ethylbenzene	0.056		0.010	0.010
o-Xylene	0.064		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.17		0.020	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U *	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.10		0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.078		0.040	0.040
1,1,1-Trichloroethane	0.055	U	0.055	0.055
Benzene	0.21		0.032	0.032
1,2-Dichloroethane	0.097		0.081	0.081
Trichloroethene	5.6	E J	0.054	0.054
Toluene	1.3		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.071		0.068	0.068
Ethylbenzene	0.25		0.043	0.043
o-Xylene	0.28		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	0.72		0.087	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-34221-1

Sdg Number: 200-34221-1

Client Sample ID: IA-B9-02

Lab Sample ID: 200-34221-4

Date Sampled: 06/30/2016 1525

Client Matrix: Air

Date Received: 07/01/2016 1000

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method: TO15 LL	Analysis Batch: 200-106593	Instrument ID: CHE.i
Prep Method: Summa Canister	Prep Batch: N/A	Lab File ID: 20716_011.D
Dilution: 1.0		Initial Weight/Volume: 500 mL
Analysis Date: 07/05/2016 1934		Final Weight/Volume: 500 mL
Prep Date: 07/05/2016 1934		Injection Volume: 500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U ⁺	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.033	NJ	0.010	0.010
1,1,1-Trichloroethane	0.012		0.010	0.010
Benzene	0.11		0.010	0.010
1,2-Dichloroethane	0.021		0.020	0.020
Trichloroethene	0.30		0.010	0.010
Toluene	0.44		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.018		0.010	0.010
Ethylbenzene	0.18		0.010	0.010
o-Xylene	0.14		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.40		0.020	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U ⁺	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.13	NJ	0.040	0.040
1,1,1-Trichloroethane	0.066		0.055	0.055
Benzene	0.35		0.032	0.032
1,2-Dichloroethane	0.084		0.081	0.081
Trichloroethene	1.6		0.054	0.054
Toluene	1.7		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.12		0.068	0.068
Ethylbenzene	0.78		0.043	0.043
o-Xylene	0.59		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	1.7		0.087	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-34221-1

Sdg Number: 200-34221-1

Client Sample ID: IA-B10-01

Lab Sample ID: 200-34221-5

Date Sampled: 06/30/2016 1510

Client Matrix: Air

Date Received: 07/01/2016 1000

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method: TO15 LL	Analysis Batch: 200-106809	Instrument ID: CHE.i
Prep Method: Summa Canister	Prep Batch: N/A	Lab File ID: 20785_008.D
Dilution: 1.67		Initial Weight/Volume: 300 mL
Analysis Date: 07/08/2016 1441		Final Weight/Volume: 500 mL
Prep Date: 07/08/2016 1441		Injection Volume: 500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.033	U *-	0.033	0.033
1,1-Dichloroethene	0.017	U	0.017	0.017
trans-1,2-Dichloroethene	0.057		0.017	0.017
1,1-Dichloroethane	0.017	U	0.017	0.017
cis-1,2-Dichloroethene	0.067		0.017	0.017
1,1,1-Trichloroethane	0.026		0.017	0.017
Benzene	0.13		0.017	0.017
1,2-Dichloroethane	0.033	U	0.033	0.033
Trichloroethene	0.36		0.017	0.017
Toluene	1.1		0.017	0.017
1,1,2-Trichloroethane	0.017	U	0.017	0.017
Tetrachloroethene	0.028		0.017	0.017
Ethylbenzene	0.15		0.017	0.017
o-Xylene	0.19		0.017	0.017
1,1,2,2-Tetrachloroethane	0.017	U	0.017	0.017
m-Xylene & p-Xylene	0.52		0.033	0.033

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.085	U *-	0.085	0.085
1,1-Dichloroethene	0.066	U	0.066	0.066
trans-1,2-Dichloroethene	0.23		0.066	0.066
1,1-Dichloroethane	0.068	U	0.068	0.068
cis-1,2-Dichloroethene	0.27		0.066	0.066
1,1,1-Trichloroethane	0.14		0.091	0.091
Benzene	0.41		0.053	0.053
1,2-Dichloroethane	0.14	U	0.14	0.14
Trichloroethene	1.9		0.090	0.090
Toluene	4.1		0.063	0.063
1,1,2-Trichloroethane	0.091	U	0.091	0.091
Tetrachloroethene	0.19		0.11	0.11
Ethylbenzene	0.67		0.073	0.073
o-Xylene	0.85		0.073	0.073
1,1,2,2-Tetrachloroethane	0.11	U	0.11	0.11
m-Xylene & p-Xylene	2.3		0.15	0.15

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-34221-1

Sdg Number: 200-34221-1

Client Sample ID: IA-B10A-01

Lab Sample ID: 200-34221-6

Client Matrix: Air

Date Sampled: 06/30/2016 1445

Date Received: 07/01/2016 1000

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-106593	Instrument ID:	CHE.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	20716_013.D
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	07/05/2016 2132			Final Weight/Volume:	500 mL
Prep Date:	07/05/2016 2132			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U ⁺	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.11		0.010	0.010
1,1,1-Trichloroethane	0.075		0.010	0.010
Benzene	0.11		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.41		0.010	0.010
Toluene	0.45		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.018		0.010	0.010
Ethylbenzene	0.13		0.010	0.010
o-Xylene	0.22		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.49		0.020	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U ⁺	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.42		0.040	0.040
1,1,1-Trichloroethane	0.41		0.055	0.055
Benzene	0.34		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	2.2		0.054	0.054
Toluene	1.7		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.12		0.068	0.068
Ethylbenzene	0.57		0.043	0.043
o-Xylene	0.94		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	2.1		0.087	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-34221-1

Sdg Number: 200-34221-1

Client Sample ID: IA-B11-01

Lab Sample ID: 200-34221-7

Date Sampled: 06/30/2016 1505

Client Matrix: Air

Date Received: 07/01/2016 1000

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method: TO15 LL	Analysis Batch: 200-106593	Instrument ID: CHE.i
Prep Method: Summa Canister	Prep Batch: N/A	Lab File ID: 20716_014.D
Dilution: 1.0		Initial Weight/Volume: 500 mL
Analysis Date: 07/05/2016 2231		Final Weight/Volume: 500 mL
Prep Date: 07/05/2016 2231		Injection Volume: 500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U +	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.13		0.010	0.010
1,1,1-Trichloroethane	0.030		0.010	0.010
Benzene	0.11		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.51		0.010	0.010
Toluene	0.47		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.023		0.010	0.010
Ethylbenzene	0.15		0.010	0.010
o-Xylene	0.25		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.60		0.020	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U +	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.53		0.040	0.040
1,1,1-Trichloroethane	0.16		0.055	0.055
Benzene	0.35		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	2.7		0.054	0.054
Toluene	1.8		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.15		0.068	0.068
Ethylbenzene	0.66		0.043	0.043
o-Xylene	1.1		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	2.6		0.087	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-34221-1

Sdg Number: 200-34221-1

Client Sample ID: IA-B11-02

Lab Sample ID: 200-34221-8

Date Sampled: 06/30/2016 1548

Client Matrix: Air

Date Received: 07/01/2016 1000

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-106809	Instrument ID:	CHE.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	20785_009.D
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	07/08/2016 1539			Final Weight/Volume:	500 mL
Prep Date:	07/08/2016 1539			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U *	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.12		0.010	0.010
1,1,1-Trichloroethane	0.032		0.010	0.010
Benzene	0.12		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.50		0.010	0.010
Toluene	0.58		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.029		0.010	0.010
Ethylbenzene	0.21		0.010	0.010
o-Xylene	0.38		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.87		0.020	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U *	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.46		0.040	0.040
1,1,1-Trichloroethane	0.17		0.055	0.055
Benzene	0.38		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	2.7		0.054	0.054
Toluene	2.2		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.20		0.068	0.068
Ethylbenzene	0.93		0.043	0.043
o-Xylene	1.7		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	3.8		0.087	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-34221-1

Sdg Number: 200-34221-1

Client Sample ID: IA-B13-01

Lab Sample ID: 200-34221-9

Client Matrix: Air

Date Sampled: 06/30/2016 1544

Date Received: 07/01/2016 1000

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-106809	Instrument ID:	CHE.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	20785_011.D
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	07/08/2016 1737			Final Weight/Volume:	500 mL
Prep Date:	07/08/2016 1737			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U ⁺	0.020	0.020
1,1-Dichloroethene	0.021	U	0.010	0.010 0.021
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.038	U	0.010	0.010 0.038
1,1,1-Trichloroethane	0.037		0.010	0.010
Benzene	0.11		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.25		0.010	0.010
Toluene	0.61		0.010	0.010
1,1,2-Trichloroethane	0.026		0.010	0.010
Tetrachloroethene	0.010	U	0.010	0.010
Ethylbenzene	0.18		0.010	0.010
o-Xylene	0.31		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.70		0.020	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U ⁺	0.051	0.051
1,1-Dichloroethene	0.081	U	0.040	0.040 0.081
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.15	U	0.040	0.040 0.15
1,1,1-Trichloroethane	0.20		0.055	0.055
Benzene	0.36		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	1.3		0.054	0.054
Toluene	2.3		0.038	0.038
1,1,2-Trichloroethane	0.14		0.055	0.055
Tetrachloroethene	0.068	U	0.068	0.068
Ethylbenzene	0.78		0.043	0.043
o-Xylene	1.3		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	3.0		0.087	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-34221-1

Sdg Number: 200-34221-1

Client Sample ID: IA-B13A-01

Lab Sample ID: 200-34221-10

Date Sampled: 06/30/2016 1530

Client Matrix: Air

Date Received: 07/01/2016 1000

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-106886	Instrument ID:	CHE.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	20816_005.D
Dilution:	1.67			Initial Weight/Volume:	300 mL
Analysis Date:	07/11/2016 1316			Final Weight/Volume:	500 mL
Prep Date:	07/11/2016 1316			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.033	U +	0.033	0.033
1,1-Dichloroethene	0.017	U	0.017	0.017
trans-1,2-Dichloroethene	0.017	U	0.017	0.017
1,1-Dichloroethane	0.017	U	0.017	0.017
cis-1,2-Dichloroethene	0.042		0.017	0.017
1,1,1-Trichloroethane	0.045		0.017	0.017
Benzene	0.21		0.017	0.017
1,2-Dichloroethane	0.033	U	0.033	0.033
Trichloroethene	0.30		0.017	0.017
Toluene	0.81		0.017	0.017
1,1,2-Trichloroethane	0.035		0.017	0.017
Tetrachloroethene	0.017	U	0.017	0.017
Ethylbenzene	0.41		0.017	0.017
o-Xylene	0.66		0.017	0.017
1,1,2,2-Tetrachloroethane	0.017	U	0.017	0.017
m-Xylene & p-Xylene	1.3		0.033	0.033

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.085	U +	0.085	0.085
1,1-Dichloroethene	0.066	U	0.066	0.066
trans-1,2-Dichloroethene	0.066	U	0.066	0.066
1,1-Dichloroethane	0.068	U	0.068	0.068
cis-1,2-Dichloroethene	0.17		0.066	0.066
1,1,1-Trichloroethane	0.24		0.091	0.091
Benzene	0.67		0.053	0.053
1,2-Dichloroethane	0.14	U	0.14	0.14
Trichloroethene	1.6		0.090	0.090
Toluene	3.1		0.063	0.063
1,1,2-Trichloroethane	0.19		0.091	0.091
Tetrachloroethene	0.11	U	0.11	0.11
Ethylbenzene	1.8		0.073	0.073
o-Xylene	2.9		0.073	0.073
1,1,2,2-Tetrachloroethane	0.11	U	0.11	0.11
m-Xylene & p-Xylene	5.7		0.15	0.15

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-34221-1

Sdg Number: 200-34221-1

Client Sample ID: IA-B9-CS

Lab Sample ID: 200-34221-11

Date Sampled: 06/30/2016 1443

Client Matrix: Air

Date Received: 07/01/2016 1000

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-106886	Instrument ID:	CHE.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	20816_006.D
Dilution:	12			Initial Weight/Volume:	250 mL
Analysis Date:	07/11/2016 1415			Final Weight/Volume:	500 mL
Prep Date:	07/11/2016 1415			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.24	U *--	0.24	0.24
1,1-Dichloroethene	0.12	U	0.12	0.12
trans-1,2-Dichloroethene	0.12	U	0.12	0.12
1,1-Dichloroethane	0.12	U	0.12	0.12
cis-1,2-Dichloroethene	0.12	U	0.12	0.12
1,1,1-Trichloroethane	0.12	U	0.12	0.12
Benzene	0.12	U	0.12	0.12
1,2-Dichloroethane	0.24	U	0.24	0.24
Trichloroethene	9.6		0.12	0.12
Toluene	0.31		0.12	0.12
1,1,2-Trichloroethane	0.12	U	0.12	0.12
Tetrachloroethene	0.12	U	0.12	0.12
Ethylbenzene	0.12	U	0.12	0.12
o-Xylene	0.12	U	0.12	0.12
1,1,2,2-Tetrachloroethane	0.12	U	0.12	0.12
m-Xylene & p-Xylene	0.24	U	0.24	0.24

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.61	U *--	0.61	0.61
1,1-Dichloroethene	0.48	U	0.48	0.48
trans-1,2-Dichloroethene	0.48	U	0.48	0.48
1,1-Dichloroethane	0.49	U	0.49	0.49
cis-1,2-Dichloroethene	0.48	U	0.48	0.48
1,1,1-Trichloroethane	0.65	U	0.65	0.65
Benzene	0.38	U	0.38	0.38
1,2-Dichloroethane	0.97	U	0.97	0.97
Trichloroethene	52		0.64	0.64
Toluene	1.2		0.45	0.45
1,1,2-Trichloroethane	0.65	U	0.65	0.65
Tetrachloroethene	0.81	U	0.81	0.81
Ethylbenzene	0.52	U	0.52	0.52
o-Xylene	0.52	U	0.52	0.52
1,1,2,2-Tetrachloroethane	0.82	U	0.82	0.82
m-Xylene & p-Xylene	1.0	U	1.0	1.0

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-34221-1

Sdg Number: 200-34221-1

Client Sample ID: IA-B7-01

Lab Sample ID: 200-34221-12

Date Sampled: 06/30/2016 1456

Client Matrix: Air

Date Received: 07/01/2016 1000

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method: TO15 LL	Analysis Batch: 200-106809	Instrument ID: CHE.i
Prep Method: Summa Canister	Prep Batch: N/A	Lab File ID: 20785_015.D
Dilution: 1.0		Initial Weight/Volume: 500 mL
Analysis Date: 07/08/2016 2135		Final Weight/Volume: 500 mL
Prep Date: 07/08/2016 2135		Injection Volume: 500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U *--	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.016		0.010	0.010
1,1,1-Trichloroethane	0.010	U	0.010	0.010
Benzene	0.099		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.23		0.010	0.010
Toluene	0.30		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.014		0.010	0.010
Ethylbenzene	0.060		0.010	0.010
o-Xylene	0.065		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.19		0.020	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U *--	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.063		0.040	0.040
1,1,1-Trichloroethane	0.055	U	0.055	0.055
Benzene	0.32		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	1.2		0.054	0.054
Toluene	1.1		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.092		0.068	0.068
Ethylbenzene	0.26		0.043	0.043
o-Xylene	0.28		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	0.84		0.087	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-34221-1

Sdg Number: 200-34221-1

Client Sample ID: IA-B7-02

Lab Sample ID: 200-34221-13

Date Sampled: 06/30/2016 1612

Client Matrix: Air

Date Received: 07/01/2016 1000

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method: TO15 LL	Analysis Batch: 200-106809	Instrument ID: CHE.i
Prep Method: Summa Canister	Prep Batch: N/A	Lab File ID: 20785_016.D
Dilution: 1.0		Initial Weight/Volume: 500 mL
Analysis Date: 07/08/2016 2234		Final Weight/Volume: 500 mL
Prep Date: 07/08/2016 2234		Injection Volume: 500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U *--	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.014	NJ	0.010	0.010
1,1,1-Trichloroethane	0.010	U	0.010	0.010
Benzene	0.054		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.36		0.010	0.010
Toluene	0.30		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.010	U	0.010	0.010
Ethylbenzene	0.038		0.010	0.010
o-Xylene	0.042		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.11		0.020	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U *--	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.056	NJ	0.040	0.040
1,1,1-Trichloroethane	0.055	U	0.055	0.055
Benzene	0.17		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	1.9		0.054	0.054
Toluene	1.1		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.068	U	0.068	0.068
Ethylbenzene	0.17		0.043	0.043
o-Xylene	0.18		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	0.48		0.087	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-34221-1

Sdg Number: 200-34221-1

Client Sample ID: IA-B8-01

Lab Sample ID: 200-34221-14

Date Sampled: 06/30/2016 1453

Client Matrix: Air

Date Received: 07/01/2016 1000

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method: TO15 LL	Analysis Batch: 200-106809	Instrument ID: CHE.i
Prep Method: Summa Canister	Prep Batch: N/A	Lab File ID: 20785_017.D
Dilution: 1.0		Initial Weight/Volume: 500 mL
Analysis Date: 07/08/2016 2332		Final Weight/Volume: 500 mL
Prep Date: 07/08/2016 2332		Injection Volume: 500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U *-	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.072		0.010	0.010
1,1,1-Trichloroethane	0.049		0.010	0.010
Benzene	0.097		0.010	0.010
1,2-Dichloroethane	0.051		0.020	0.020
Trichloroethene	0.66		0.010	0.010
Toluene	0.54		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.26		0.010	0.010
Ethylbenzene	0.082		0.010	0.010
o-Xylene	0.095		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.27		0.020	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U *-	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.29		0.040	0.040
1,1,1-Trichloroethane	0.27		0.055	0.055
Benzene	0.31		0.032	0.032
1,2-Dichloroethane	0.20		0.081	0.081
Trichloroethene	3.5		0.054	0.054
Toluene	2.0		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	1.8		0.068	0.068
Ethylbenzene	0.35		0.043	0.043
o-Xylene	0.41		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	1.2		0.087	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-34221-1

Sdg Number: 200-34221-1

Client Sample ID: OA-B2-01

Lab Sample ID: 200-34221-15

Date Sampled: 06/30/2016 1526

Client Matrix: Air

Date Received: 07/01/2016 1000

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method: TO15 LL	Analysis Batch: 200-106809	Instrument ID: CHE.i
Prep Method: Summa Canister	Prep Batch: N/A	Lab File ID: 20785_019.D
Dilution: 1.0		Initial Weight/Volume: 500 mL
Analysis Date: 07/09/2016 0130		Final Weight/Volume: 500 mL
Prep Date: 07/09/2016 0130		Injection Volume: 500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U *--	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1,1-Trichloroethane	0.010	U	0.010	0.010
Benzene	0.036		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.010		0.010	0.010
Toluene	0.26		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.010	U	0.010	0.010
Ethylbenzene	0.028		0.010	0.010
o-Xylene	0.038		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.092		0.020	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U *--	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1,1-Trichloroethane	0.055	U	0.055	0.055
Benzene	0.12		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	0.053		0.054	0.054
Toluene	0.98		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.068	U	0.068	0.068
Ethylbenzene	0.12		0.043	0.043
o-Xylene	0.17		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	0.40		0.087	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-34221-1

Sdg Number: 200-34221-1

Client Sample ID: OA-B11-01

Lab Sample ID: 200-34221-16

Date Sampled: 06/30/2016 1550

Client Matrix: Air

Date Received: 07/01/2016 1000

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method: TO15 LL	Analysis Batch: 200-106593	Instrument ID: CHE.i
Prep Method: Summa Canister	Prep Batch: N/A	Lab File ID: 20716_023.D
Dilution: 1.0		Initial Weight/Volume: 500 mL
Analysis Date: 07/06/2016 0717		Final Weight/Volume: 500 mL
Prep Date: 07/06/2016 0717		Injection Volume: 500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U *--	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010		0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.012		0.010	0.010
1,1,1-Trichloroethane	0.010	U	0.010	0.010
Benzene	0.026		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.47		0.010	0.010
Toluene	0.15		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.025		0.010	0.010
Ethylbenzene	0.020		0.010	0.010
o-Xylene	0.025		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.060		0.020	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U *--	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.041		0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.048		0.040	0.040
1,1,1-Trichloroethane	0.055	U	0.055	0.055
Benzene	0.084		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	2.5		0.054	0.054
Toluene	0.55		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.17		0.068	0.068
Ethylbenzene	0.087		0.043	0.043
o-Xylene	0.11		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	0.26		0.087	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-34221-1

Sdg Number: 200-34221-1

Client Sample ID: IA-B1-01

Lab Sample ID: 200-34221-17

Date Sampled: 06/30/2016 1532

Client Matrix: Air

Date Received: 07/01/2016 1000

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-106809	Instrument ID:	CHE.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	20785_020.D
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	07/09/2016 0229			Final Weight/Volume:	500 mL
Prep Date:	07/09/2016 0229			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U *-	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.019		0.010	0.010
1,1,1-Trichloroethane	0.035		0.010	0.010
Benzene	0.047		0.010	0.010
1,2-Dichloroethane	0.065		0.020	0.020
Trichloroethene	0.29		0.010	0.010
Toluene	0.56		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.18		0.010	0.010
Ethylbenzene	0.062		0.010	0.010
o-Xylene	0.075		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.21		0.020	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U *-	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.074		0.040	0.040
1,1,1-Trichloroethane	0.19		0.055	0.055
Benzene	0.15		0.032	0.032
1,2-Dichloroethane	0.26		0.081	0.081
Trichloroethene	1.6		0.054	0.054
Toluene	2.1		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	1.2		0.068	0.068
Ethylbenzene	0.27		0.043	0.043
o-Xylene	0.32		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	0.92		0.087	0.087

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 200-34221-1

Sdg Number: 200-34221-1

Client Sample ID: IA-DUPE

Lab Sample ID: 200-34221-18

Date Sampled: 06/30/2016 0000

Client Matrix: Air

Date Received: 07/01/2016 1000

TO15 LL Volatile Organic Compounds in Ambient Air, Low Concentration (GC/MS)

Analysis Method:	TO15 LL	Analysis Batch:	200-106809	Instrument ID:	CHE.i
Prep Method:	Summa Canister	Prep Batch:	N/A	Lab File ID:	20785_007.D
Dilution:	1.0			Initial Weight/Volume:	500 mL
Analysis Date:	07/08/2016 1343			Final Weight/Volume:	500 mL
Prep Date:	07/08/2016 1343			Injection Volume:	500 mL

Analyte	Result (ppb v/v)	Qualifier	MDL	RL
Vinyl chloride	0.020	U ⁺	0.020	0.020
1,1-Dichloroethene	0.010	U	0.010	0.010
trans-1,2-Dichloroethene	0.010	U	0.010	0.010
1,1-Dichloroethane	0.010	U	0.010	0.010
cis-1,2-Dichloroethene	0.10		0.010	0.010
1,1,1-Trichloroethane	0.031		0.010	0.010
Benzene	0.11		0.010	0.010
1,2-Dichloroethane	0.020	U	0.020	0.020
Trichloroethene	0.46		0.010	0.010
Toluene	0.40		0.010	0.010
1,1,2-Trichloroethane	0.010	U	0.010	0.010
Tetrachloroethene	0.020		0.010	0.010
Ethylbenzene	0.18		0.010	0.010
o-Xylene	0.29		0.010	0.010
1,1,2,2-Tetrachloroethane	0.010	U	0.010	0.010
m-Xylene & p-Xylene	0.67		0.020	0.020

Analyte	Result (ug/m3)	Qualifier	MDL	RL
Vinyl chloride	0.051	U ⁺	0.051	0.051
1,1-Dichloroethene	0.040	U	0.040	0.040
trans-1,2-Dichloroethene	0.040	U	0.040	0.040
1,1-Dichloroethane	0.040	U	0.040	0.040
cis-1,2-Dichloroethene	0.41		0.040	0.040
1,1,1-Trichloroethane	0.17		0.055	0.055
Benzene	0.35		0.032	0.032
1,2-Dichloroethane	0.081	U	0.081	0.081
Trichloroethene	2.5		0.054	0.054
Toluene	1.5		0.038	0.038
1,1,2-Trichloroethane	0.055	U	0.055	0.055
Tetrachloroethene	0.14		0.068	0.068
Ethylbenzene	0.80		0.043	0.043
o-Xylene	1.3		0.043	0.043
1,1,2,2-Tetrachloroethane	0.069	U	0.069	0.069
m-Xylene & p-Xylene	2.9		0.087	0.087