



GTE Operations Support Incorporated
One Verizon Way (VC 33E047C)
Basking Ridge, NJ 07920-1097
908-559-3691

December 10, 2021

Ms. Danielle Miles
Assistant Engineer, Division of Environmental Remediation
New York State Department of Environmental Conservation
6274 East Avon-Lima Road
Avon, NY 14414

Re: *September 2021 Semi-Annual Groundwater Sampling Event*

Dear Ms. Miles:

Results are attached for semi-annual groundwater sampling conducted in September 2021 at the Former Philips Display Components Facility in Seneca Falls, New York. Chlorinated volatile organic compounds, primarily trichloroethene and cis-1,2-dichloroethene, were reported in select groundwater samples at concentrations greater than New York State Department of Environmental Conservation (NYSDEC) Class GA Standards.

The next semi-annual groundwater sampling event is tentatively scheduled for March 2022.

Please contact me if you have any questions.

Sincerely,

A handwritten signature in blue ink, appearing to read "Matthew T. Walsh".

Matthew T. Walsh
Manager – Environment, Health and Safety

Attachments

- A – September 2021 Groundwater Sampling Event Summary
- B – Figures
- C – Tables
- D – Groundwater VOC Concentration Graphs
- E – Data Validation Report

ec:

Mr. Eamonn O'Neil (NYSDOH)

Mr. Andy Park (USEPA)

Mr. Charles Harewood (USEPA)

Mr. Stephen Bregande (Seneca Falls Specialties & Logistics Company, Inc.)

Mr. J. Christopher Woods (Seneca Falls Specialties & Logistics Company, Inc.)

Mr. Anthony Halling (Philips North America LLC)

Mr. Mark Flusche (Arcadis U.S., Inc.)

ATTACHMENT A

September 2021 Groundwater Sampling Event Summary



September 2021 Semi-Annual Groundwater Sampling

On September 28, 2021, Arcadis of New York, Inc. measured depths to groundwater in 17 monitoring wells and retrieved passive diffusion bags (PDBs) from 14 monitoring wells where PDBs were deployed on March 29, 2021 (Attachment B Figure 1). Fifteen groundwater samples, including one duplicate sample was collected for analysis of volatile organic compounds (VOC) from PDBs retrieved from nine shallow monitoring wells (MW-1, MW-20, MW-22 through MW-26, MW-28, and MW-29), one weathered bedrock monitoring well (MW-BR-06), and four bedrock monitoring wells (MW-BR-01, MW-BR-02, MW-BR-04, and MW-BR-05).

The samples were shipped overnight with a trip blank to Eurofins TestAmerica Laboratories, Inc., of Buffalo, New York. The samples were analyzed for VOCs using United States Environmental Protection Agency Method 8260C. A table summarizing the analytical results is in Attachment C and graphs of groundwater VOC analytical results are in Attachment D. Data Validation Services, Inc., of North Creek, New York, performed third-party data validation. Sample results are usable as reported (Attachment E).

Table 1 provides depth to water measurements and groundwater elevations (Attachment C). Groundwater potentiometric surface contours for September 2021 (Attachment B Figure 2) show groundwater flow through the overburden is toward the south and east.

Table 2 provides analytical results for the September 2021 groundwater and quality assurance and quality control samples (Attachment C). VOC concentrations in the September 2021 samples were compared to the New York State Department of Environmental Conservation (NYSDEC) Class GA Standards.

- Trichloroethene was reported at concentrations greater than the NYSDEC Class GA Standard of 5 micrograms per liter ($\mu\text{g/L}$) in samples from monitoring wells MW-22, MW-23, MW-25, and MW-26.
- *cis*-1,2-Dichloroethene was reported at concentrations greater than the NYSDEC Class GA Standard of 5 $\mu\text{g/L}$ in samples from monitoring wells MW-22 through MW-26, and MW-29, and in the duplicate sample from monitoring well MW-24.
- 1,1-Dichloroethane was reported at a concentration greater than the NYSDEC Class GA Standard of 5 $\mu\text{g/L}$ in the sample and duplicate sample from monitoring well MW-25.
- Vinyl chloride was reported at concentrations greater than the NYSDEC Class GA Standard of 2 $\mu\text{g/L}$ in samples from monitoring wells MW-24 and MW-26.

On September 28, 2021, after groundwater samples were collected, new PDBs were deployed in the 8 monitoring wells scheduled for groundwater sampling in March 2022. The PDBs were installed in the middle of the well screen, consistent with previous sampling procedures.

ATTACHMENT B

Figures




CITY: CITY DIV\GROUP\EN\CAD DB\EN\CAD C:\Users\robertm\BIM 360\Arcadis\ANA - GTE OPERATIONS SUPPORT INC\Project Files\GTE-Former Philips Seneca Falls\2020\3000275501-DWG\GEN-FIG01-SITEPLAN.dwg LAYOUT: 1 SAVED: 4/22/2020 3:42 PM PAGESETUP: ---- PLOTSTYLETABLE: PLTFULL.CTB PLOTTED: 10/21/2020 9:51 AM BY: OBERLANDER, ROSEANNE


LEGEND

- MW-22  SEMI-ANNUAL MONITORING WELL
- MW-BR-02  ANNUAL MONITORING WELL
- MW-21  MONITORING WELL IN WHICH WATER LEVELS ONLY ARE MEASURED

10A

-  BUILDING NUMBER
-  PROPERTY BOUNDARY
-  EDGE OF WATER
-  EDGE OF TREE LINE

-  RAILROAD
-  CHAIN-LINK FENCE



GTE OPERATIONS SUPPORT INC.,
FORMER PHILIPS DISPLAY COMPONENTS FACILITY
SENECA FALLS, NEW YORK

SITE PLAN




FIGURE
1



CITY: CITY DIV\GROUP\ENV\CAD DB\ENV\CAD C:\BIM\OneDrive - ARCADIS\BIM\360 - OneDrive Sync\Location\AUS-GTE Operations Support-FMR Philips Display Fac- Seneca Falls New York\Project Files\2021\In Progress\01+DWG\GWMON-3Q2021-FIG02-GW CONTOURS.dwg LAYOUT: 2 SAVED: 12/6/2021 8:32 PM PAGESETUP: --- PLOTSTYLETABLE: PLT\FULL.CTB PLOTTED: 12/7/2021 12:10 PM BY: MEYER, JULIE

LEGEND

- | | | | | | | |
|----------|--|---|-----------|-------------------|-----------|-----------------------|
| MW-22 | | SEMI-ANNUAL MONITORING WELL | --- | PROPERTY BOUNDARY | +++++ | RAILROAD |
| MW-BR-02 | | ANNUAL MONITORING WELL | - - - - - | EDGE OF WATER | - x - x - | CHAIN-LINK FENCE |
| MW-21 | | MONITORING WELL IN WHICH WATER LEVELS ONLY ARE MEASURED | ~~~~~ | TOP OF BANK | 464.65 | GROUNDWATER ELEVATION |
| | | | | | 462 | GROUNDWATER CONTOUR |




GTE OPERATIONS SUPPORT INC.,
FORMER PHILIPS DISPLAY COMPONENTS FACILITY
SENECA FALLS, NEW YORK

**OVERBURDEN GROUNDWATER
POTENTIOMETRIC SURFACE MAP
SEPTEMBER 28, 2021**

ARCADIS Design & Consultancy
for natural and built assets

FIGURE
2



ATTACHMENT C

Tables



Table 1
Depth to Water Measurements
Former Philips Display Components Facility
Seneca Falls, New York

Well Number	Datum Elevation	Depth to Water (feet)	Water Level Elevation (feet AMSL)
MW-1	460.83	10.06	450.77
MW-20	463.42	2.16	461.26
MW-21	467.39	2.28	465.11
MW-22	460.77	6.19	454.58
MW-23	460.59	2.85	457.74
MW-24	462.76	3.64	459.12
MW-25	460.74	4.11	456.63
MW-26	458.80	4.60	454.20
MW-27	460.45	6.86	453.59
MW-28	461.26	7.10	454.16
MW-29	459.89	8.70	451.19
MW-BR-01	462.64	34.22	428.42
MW-BR-02	467.87	29.76	438.11
MW-BR-03	457.06	11.51	445.55
MW-BR-04	396.39	--	Artesian
MW-BR-05	401.34	19.38	381.96
MW-BR-06	436.30	37.18	399.12

Notes:

AMSL - Above mean sea level

-- - Not Measured

Depth to water measurements were recorded September 28, 2021.

Table 2
Groundwater Analytical Results (September 2021)
Former Philips Display Components Facility
Seneca Falls, New York

VOCs	CAS #	NYS Class GA Standard	MW-1	MW-20	MW-22	MW-23	MW-24	MW-24 Dup	MW-25	MW-26	MW-28	MW-29	MW-BR-01	MW-BR-02	MW-BR-04	MW-BR-05	MW-BR-06	TRIP BLANK
1,1,1-Trichloroethane	71-55-6	5	5 U	5 U	5 U	10 U	200 U	2000 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1,2,2-Tetrachloroethane	79-34-5	5	5 U	5 U	5 U	10 U	200 U	2000 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1,2-Trichloroethane	79-00-5	1	5 U	5 U	5 U	10 U	200 U	2000 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethane	75-34-3	5	5 U	5 U	5 U	10 U	200 U	2000 U	12	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethene	75-35-4	5	5 U	5 U	5 U	10 U	200 U	2000 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,2-Dichloroethane	107-06-2	0.6	5 U	5 U	5 U	10 U	200 U	2000 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,2-Dichloropropane	78-87-5	1	5 U	5 U	5 U	10 U	200 U	2000 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
2-Hexanone	591-78-6	50	10 U	10 U	10 U	20 U	400 U	4000 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Acetone	67-64-1	50	10 U	10 U	10 U	20 U	400 U	4000 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Benzene	71-43-2	1	5 U	5 U	5 U	10 U	200 U	2000 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Bromodichloromethane	75-27-4	50	5 U	5 U	5 U	10 U	200 U	2000 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Bromoform	75-25-2	50	5 U	5 U	5 U	10 U	200 U	2000 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Bromomethane	74-83-9	5	5 U	5 U	5 U	10 U	200 U	2000 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Disulfide	75-15-0	60	5 U	5 U	5 U	10 U	200 U	2000 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Tetrachloride	56-23-5	5	5 U	5 U	5 U	10 U	200 U	2000 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Chlorobenzene	108-90-7	5	5 U	5 U	5 U	10 U	200 U	2000 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Chloroethane	75-00-3	5	5 U	5 U	5 U	10 U	200 U	2000 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Chloroform	67-66-3	7	5 U	5 U	5 U	10 U	200 U	2000 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Chloromethane	74-87-3	5	5 U	5 U	5 U	10 U	200 U	2000 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
cis-1,2-Dichloroethene	156-59-2	5	5 U	5 U	5.4	120	20000	21000	150 F1	89	5 U	91	5 U	5 U	5 U	5 U	5 U	5 U
cis-1,3-Dichloropropene	10061-01-5	0.4	5 U	5 U	5 U	10 U	200 U	2000 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Dibromochloromethane	124-48-1	50	5 U	5 U	5 U	10 U	200 U	2000 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Dichlorodifluoromethane	75-71-8	5	5 U	5 U	5 U	10 U	200 U	2000 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Ethylbenzene	100-41-4	5	5 U	5 U	5 U	10 U	200 U	2000 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
2-Butanone (MEK)	78-93-3	50	10 U	10 U	10 U	20 U	400 U	4000 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
4-Methyl-2-Pentanone (MIBK)	108-10-1	5	10 U	10 U	10 U	20 U	400 U	4000 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Methylene Chloride	75-09-2	5	5 U	5 U	5 U	10 U	200 U	2000 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Styrene	100-42-5	5	5 U	5 U	5 U	10 U	200 U	2000 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	127-18-4	5	5 U	5 U	5 U	10 U	200 U	2000 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Toluene	108-88-3	5	5 U	5 U	5 U	10 U	200 U	2000 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
trans-1,2-Dichloroethene	156-60-5	5	5 U	5 U	5 U	10 U	200 U	2000 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
trans-1,3-Dichloropropene	10061-02-6	0.4	5 U	5 U	5 U	10 U	200 U	2000 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Trichloroethene	79-01-6	5	5 U	5 U	8.1	940	200 U	2000 U	7.0	59	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Trichlorofluoromethane	75-69-4	5	5 U	5 U	5 U	10 U	200 U	2000 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Vinyl chloride	75-01-4	2	5 U	5 U	5 U	10 U	1700	2000 U	5 U	5.8	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Total Xylenes	1330-20-7	5	5 U	5 U	5 U	10 U	200 U	2000 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U

NOTES:
Bolded results were greater than the NYSDEC Class GA Standards
All values are shown in units of micrograms per liter (ug/L).


U = Not detected. Reporting limit shown.
F1 = MS and/or MSD recovery exceeds control limits

ATTACHMENT D


Groundwater VOC Concentration Graphs



MW-1



MW-20




Notes:

ND - Not detected.

Reporting limit is 5 ug/L.

Results less than the reporting limit are estimated.

MW-22




Notes:

ND - Not detected.

Reporting limit is 5 ug/L.

Results less than the reporting limit are estimated.

MW-23




Notes:

ND - Not detected.


Reporting limit is 5 ug/L.

Results less than the reporting limit are estimated.

MW-24



MW-25




Notes:

ND - Not detected.

Reporting limit is 5 ug/L.


Results less than the reporting limit are estimated.

MW-26



Notes:
 ND - Not detected.
 Reporting limit is 5 ug/L.
 Results less than the reporting limit are estimated.

MW-28




Notes:

ND - Not detected.

Reporting limit is 5 ug/L.

Results less than the reporting limit are estimated.

MW-29




Notes:

ND - Not detected.

Reporting limit is 5 ug/L.

Results less than the reporting limit are estimated.

MW-BR-01




Notes:

ND - Not detected.

Reporting limit is 5 ug/L.

Results less than the reporting limit are estimated.

MW-BR-02




Notes:

ND - Not detected.

Reporting limit is 5 ug/L.

Results less than the reporting limit are estimated.

MW-BR-04




Notes:

ND - Not detected.

Reporting limit is 5 ug/L.

Results less than the reporting limit are estimated.

MW-BR-05




Notes:

ND - Not detected.

Reporting limit is 5 ug/L.

Results less than the reporting limit are estimated.

MW-BR-06



Notes:

ND - Not detected.

Reporting limit is 5 ug/L.

Results less than the reporting limit are estimated.

ATTACHMENT E

Data Validation Report



Data Validation Services

120 Cobble Creek Road P. O. Box 208

North Creek, NY 12853

Phone (518) 251-4429

harry@frontiernet.net

November 17, 2021

Mark Flusche
ARCADIS US, Inc.
855 Route 146 Suite 210
Clifton Park, NY 12065

RE: Validation of the Former Philips Display Components Facility--Seneca Falls Site Data
Package-Groundwater
Eurofins TAL-Buffalo SDG No. 480-190231-1

Dear Mr. Flusche:

Review has been completed for the data package generated by Eurofins TestAmerica Laboratories that pertains to samples collected 09/28/21 at Seneca Falls, NY. Fourteen aqueous samples, a field duplicate, and a trip blank were analyzed for volatiles by USEPA SW846 method 8260C.

Data validation was performed with guidance from the USEPA Region II validation SOP HW-6, the USEPA CLP National Functional Guidelines for Organic Data Review, and the specific requirements of the analytical methodologies. The data packages were reviewed for the following items:

- * Data Completeness
- * Case Narrative
- * Custody Documentation
- * Holding Times
- * Surrogate Standard Recoveries
- * Matrix Spike Evaluations
- * Blind Field Duplicate Correlations
- * Blank Contamination
- * Laboratory Control Samples (LCSs)
- * Calibration Standard Responses
- * Internal Standard Responses
- * Method Compliance
- * Sample Results Verification

Those items showing deficiencies are discussed in the following sections of this report. All others were found to be acceptable as outlined in the above-mentioned validation procedures, and as applicable for the methodology. Unless noted specifically in the following text, reported results of validated sample analytes are substantiated by the raw data, and generated in compliance with project requirements.

In summary, samples were processed in compliance with stated protocols. Sample results are usable as reported.

The sample identifications and laboratory case narrative are attached to this text, and should be reviewed in conjunction with this report. Also included are laboratory results forms.

VOA Analyses by EPA 8260C

Results for analytes initially reported with the “E” flag are derived from the dilution analyses of the samples, thus reflecting responses within the linear range of the instrument.

Matrix spikes (MSs) of MW-25 show recoveries and correlations for the eleven evaluated analytes that are within validation guidelines.

The blind field duplicate correlations of MW-24 are acceptable.

Surrogate and internal standard responses are within required range, and holding times were met. Blanks show no contamination. LCS recoveries show compliant recoveries. Calibration standards show acceptable responses.

Some of the samples were processed only at initial dilution due to high concentrations of target analytes. Reporting limits for undetected analytes in those samples are therefore proportionally elevated.

Please do not hesitate to contact me if questions or comments arise during your review of this report.

Very truly yours,



Judy Harry

Att: Sample Identifications
Laboratory Case Narrative
Sample Results Forms

Sample Summary

Client: ARCADIS U.S. Inc
Project/Site: GTEOSI - Seneca Falls

Job ID: 480-190231-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
480-190231-1	MW-23	Water	09/28/21 10:20	09/29/21 10:00
480-190231-2	MW-24	Water	09/28/21 10:40	09/29/21 10:00
480-190231-3	MW-BR-06	Water	09/28/21 11:00	09/29/21 10:00
480-190231-4	MW-26	Water	09/28/21 11:10	09/29/21 10:00
480-190231-5	MW-BR-01	Water	09/28/21 11:30	09/29/21 10:00
480-190231-6	MW-BR-02	Water	09/28/21 11:45	09/29/21 10:00
480-190231-7	MW-20	Water	09/28/21 11:50	09/29/21 10:00
480-190231-8	MW-28	Water	09/28/21 12:05	09/29/21 10:00
480-190231-9	MW-29	Water	09/28/21 12:15	09/29/21 10:00
480-190231-10	MW-1	Water	09/28/21 12:25	09/29/21 10:00
480-190231-11	DUP-092821	Water	09/28/21 00:00	09/29/21 10:00
480-190231-12	MW-25	Water	09/28/21 12:40	09/29/21 10:00
480-190231-13	MW-22	Water	09/28/21 12:55	09/29/21 10:00
480-190231-14	MW-BR-04	Water	09/28/21 13:45	09/29/21 10:00
480-190231-15	MW-BR-05	Water	09/28/21 14:00	09/29/21 10:00
480-190231-16	TRIP BLANK	Water	09/28/21 00:00	09/29/21 10:00

Laboratory Case Narrative

Job Narrative
480-190231-1

Comments

No additional comments.

Receipt

The samples were received on 9/29/2021 10:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 3.6° C.

GC/MS VOA

Method 8260C: The following samples were diluted to bring the concentration of target analytes within the calibration range: MW-23 (480-190231-1) and MW-24 (480-190231-2). Elevated reporting limits (RLs) are provided.

Method 8260C: The following samples were diluted to bring the concentration of target analytes within the calibration range: MW-25 (480-190231-12), MW-25 (480-190231-12[MS]) and MW-25 (480-190231-12[MSD]). Elevated reporting limits (RLs) are provided.

Method 8260C: The continuing calibration verification (CCVIS) associated with batch 480-598472 recovered outside acceptance criteria, low biased, for Carbon disulfide, 1,1-Dichloroethene and Trichlorofluoromethane. A reporting limit (RL) standard was analyzed, and the target analyte was detected. Since the associated samples were non-detect for this analyte, the data have been reported. The associated samples are: MW-25 (480-190231-12) and (480-190231-B-12).

Method 8260C: The following sample was diluted to bring the concentration of target analytes within the calibration range: DUP-092821 (480-190231-11). Elevated reporting limits (RLs) are provided.

Method 8260C: The continuing calibration verification (CCV) associated with batch 480-598663 recovered outside acceptance criteria, low biased, for Trichlorofluoromethane. A reporting limit (RL) standard was analyzed, and the target analyte was detected. Since the associated samples were non-detect for this analyte, the data have been reported. The associated sample is impacted: DUP-092821 (480-190231-11).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Sample Results Forms

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: GTEOSI - Seneca Falls

Job ID: 480-190231-1

Client Sample ID: MW-23

Lab Sample ID: 480-190231-1

Date Collected: 09/28/21 10:20

Matrix: Water

Date Received: 09/29/21 10:00

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		10		ug/L			09/29/21 23:23	2
1,1,2,2-Tetrachloroethane	ND		10		ug/L			09/29/21 23:23	2
1,1,2-Trichloroethane	ND		10		ug/L			09/29/21 23:23	2
1,1-Dichloroethane	ND		10		ug/L			09/29/21 23:23	2
1,1-Dichloroethene	ND		10		ug/L			09/29/21 23:23	2
1,2-Dichloroethane	ND		10		ug/L			09/29/21 23:23	2
1,2-Dichloropropane	ND		10		ug/L			09/29/21 23:23	2
2-Butanone (MEK)	ND		20		ug/L			09/29/21 23:23	2
2-Hexanone	ND		20		ug/L			09/29/21 23:23	2
4-Methyl-2-pentanone (MIBK)	ND		20		ug/L			09/29/21 23:23	2
Acetone	ND		20		ug/L			09/29/21 23:23	2
Benzene	ND		10		ug/L			09/29/21 23:23	2
Bromodichloromethane	ND		10		ug/L			09/29/21 23:23	2
Bromoform	ND		10		ug/L			09/29/21 23:23	2
Bromomethane	ND		10		ug/L			09/29/21 23:23	2
Carbon disulfide	ND		10		ug/L			09/29/21 23:23	2
Carbon tetrachloride	ND		10		ug/L			09/29/21 23:23	2
Chlorobenzene	ND		10		ug/L			09/29/21 23:23	2
Chloroethane	ND		10		ug/L			09/29/21 23:23	2
Chloroform	ND		10		ug/L			09/29/21 23:23	2
Chloromethane	ND		10		ug/L			09/29/21 23:23	2
cis-1,2-Dichloroethene	120		10		ug/L			09/29/21 23:23	2
cis-1,3-Dichloropropene	ND		10		ug/L			09/29/21 23:23	2
Dibromochloromethane	ND		10		ug/L			09/29/21 23:23	2
Dichlorodifluoromethane	ND		10		ug/L			09/29/21 23:23	2
Ethylbenzene	ND		10		ug/L			09/29/21 23:23	2
Methylene Chloride	ND		10		ug/L			09/29/21 23:23	2
Styrene	ND		10		ug/L			09/29/21 23:23	2
Tetrachloroethene	ND		10		ug/L			09/29/21 23:23	2
Toluene	ND		10		ug/L			09/29/21 23:23	2
trans-1,2-Dichloroethene	ND		10		ug/L			09/29/21 23:23	2
trans-1,3-Dichloropropene	ND		10		ug/L			09/29/21 23:23	2
Trichloroethene	1000-E	940	10		ug/L			09/29/21 23:23	2
Trichlorofluoromethane	ND		10		ug/L			09/29/21 23:23	2
Vinyl acetate	ND		10		ug/L			09/29/21 23:23	2
Vinyl chloride	ND		10		ug/L			09/29/21 23:23	2
Xylenes, Total	ND		10		ug/L			09/29/21 23:23	2

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		77 - 120		09/29/21 23:23	2
4-Bromofluorobenzene (Surr)	96		73 - 120		09/29/21 23:23	2
Dibromofluoromethane (Surr)	92		75 - 123		09/29/21 23:23	2
Toluene-d8 (Surr)	103		80 - 120		09/29/21 23:23	2

Method: 8260C - Volatile Organic Compounds by GC/MS - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		100		ug/L			09/30/21 00:56	20
1,1,2,2-Tetrachloroethane	ND		100		ug/L			09/30/21 00:56	20
1,1,2-Trichloroethane	ND		100		ug/L			09/30/21 00:56	20
1,1-Dichloroethane	ND		100		ug/L			09/30/21 00:56	20

Eurofins TestAmerica, Buffalo

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: GTEOSI - Seneca Falls

Job ID: 480-190231-1

Client Sample ID: MW-23

Lab Sample ID: 480-190231-1

Date Collected: 09/28/21 10:20

Matrix: Water

Date Received: 09/29/21 10:00

~~Method: 8260C - Volatile Organic Compounds by GC/MS - DL (Continued)~~

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	ND		100		ug/L			09/30/21 00:56	20
1,2-Dichloroethane	ND		100		ug/L			09/30/21 00:56	20
1,2-Dichloropropane	ND		100		ug/L			09/30/21 00:56	20
2-Butanone (MEK)	ND		200		ug/L			09/30/21 00:56	20
2-Hexanone	ND		200		ug/L			09/30/21 00:56	20
4-Methyl-2-pentanone (MIBK)	ND		200		ug/L			09/30/21 00:56	20
Acetone	ND		200		ug/L			09/30/21 00:56	20
Benzene	ND		100		ug/L			09/30/21 00:56	20
Bromodichloromethane	ND		100		ug/L			09/30/21 00:56	20
Bromoform	ND		100		ug/L			09/30/21 00:56	20
Bromomethane	ND		100		ug/L			09/30/21 00:56	20
Carbon disulfide	ND		100		ug/L			09/30/21 00:56	20
Carbon tetrachloride	ND		100		ug/L			09/30/21 00:56	20
Chlorobenzene	ND		100		ug/L			09/30/21 00:56	20
Chloroethane	ND		100		ug/L			09/30/21 00:56	20
Chloroform	ND		100		ug/L			09/30/21 00:56	20
Chloromethane	ND		100		ug/L			09/30/21 00:56	20
cis-1,2-Dichloroethene	120		100		ug/L			09/30/21 00:56	20
cis-1,3-Dichloropropene	ND		100		ug/L			09/30/21 00:56	20
Dibromochloromethane	ND		100		ug/L			09/30/21 00:56	20
Dichlorodifluoromethane	ND		100		ug/L			09/30/21 00:56	20
Ethylbenzene	ND		100		ug/L			09/30/21 00:56	20
Methylene Chloride	ND		100		ug/L			09/30/21 00:56	20
Styrene	ND		100		ug/L			09/30/21 00:56	20
Tetrachloroethene	ND		100		ug/L			09/30/21 00:56	20
Toluene	ND		100		ug/L			09/30/21 00:56	20
trans-1,2-Dichloroethene	ND		100		ug/L			09/30/21 00:56	20
trans-1,3-Dichloropropene	ND		100		ug/L			09/30/21 00:56	20
Trichloroethene	940		100		ug/L			09/30/21 00:56	20
Trichlorofluoromethane	ND		100		ug/L			09/30/21 00:56	20
Vinyl acetate	ND		100		ug/L			09/30/21 00:56	20
Vinyl chloride	ND		100		ug/L			09/30/21 00:56	20
Xylenes, Total	ND		100		ug/L			09/30/21 00:56	20

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		77 - 120		09/30/21 00:56	20
4-Bromofluorobenzene (Surr)	89		73 - 120		09/30/21 00:56	20
Dibromofluoromethane (Surr)	93		75 - 123		09/30/21 00:56	20
Toluene-d8 (Surr)	98		80 - 120		09/30/21 00:56	20

Client Sample ID: MW-24

Lab Sample ID: 480-190231-2

Date Collected: 09/28/21 10:40

Matrix: Water

Date Received: 09/29/21 10:00

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		200		ug/L			09/29/21 23:46	40
1,1,2,2-Tetrachloroethane	ND		200		ug/L			09/29/21 23:46	40
1,1,2-Trichloroethane	ND		200		ug/L			09/29/21 23:46	40
1,1-Dichloroethane	ND		200		ug/L			09/29/21 23:46	40

Eurofins TestAmerica, Buffalo

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: GTEOSI - Seneca Falls

Job ID: 480-190231-1

Client Sample ID: MW-24

Lab Sample ID: 480-190231-2

Date Collected: 09/28/21 10:40

Matrix: Water

Date Received: 09/29/21 10:00

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	ND		200		ug/L			09/29/21 23:46	40
1,2-Dichloroethane	ND		200		ug/L			09/29/21 23:46	40
1,2-Dichloropropane	ND		200		ug/L			09/29/21 23:46	40
2-Butanone (MEK)	ND		400		ug/L			09/29/21 23:46	40
2-Hexanone	ND		400		ug/L			09/29/21 23:46	40
4-Methyl-2-pentanone (MIBK)	ND		400		ug/L			09/29/21 23:46	40
Acetone	ND		400		ug/L			09/29/21 23:46	40
Benzene	ND		200		ug/L			09/29/21 23:46	40
Bromodichloromethane	ND		200		ug/L			09/29/21 23:46	40
Bromoform	ND		200		ug/L			09/29/21 23:46	40
Bromomethane	ND		200		ug/L			09/29/21 23:46	40
Carbon disulfide	ND		200		ug/L			09/29/21 23:46	40
Carbon tetrachloride	ND		200		ug/L			09/29/21 23:46	40
Chlorobenzene	ND		200		ug/L			09/29/21 23:46	40
Chloroethane	ND		200		ug/L			09/29/21 23:46	40
Chloroform	ND		200		ug/L			09/29/21 23:46	40
Chloromethane	ND		200		ug/L			09/29/21 23:46	40
cis-1,2-Dichloroethene	27000 -E 20000		200		ug/L			09/29/21 23:46	40
cis-1,3-Dichloropropene	ND		200		ug/L			09/29/21 23:46	40
Dibromochloromethane	ND		200		ug/L			09/29/21 23:46	40
Dichlorodifluoromethane	ND		200		ug/L			09/29/21 23:46	40
Ethylbenzene	ND		200		ug/L			09/29/21 23:46	40
Methylene Chloride	ND		200		ug/L			09/29/21 23:46	40
Styrene	ND		200		ug/L			09/29/21 23:46	40
Tetrachloroethene	ND		200		ug/L			09/29/21 23:46	40
Toluene	ND		200		ug/L			09/29/21 23:46	40
trans-1,2-Dichloroethene	ND		200		ug/L			09/29/21 23:46	40
trans-1,3-Dichloropropene	ND		200		ug/L			09/29/21 23:46	40
Trichloroethene	ND		200		ug/L			09/29/21 23:46	40
Trichlorofluoromethane	ND		200		ug/L			09/29/21 23:46	40
Vinyl acetate	ND		200		ug/L			09/29/21 23:46	40
Vinyl chloride	1700		200		ug/L			09/29/21 23:46	40
Xylenes, Total	ND		200		ug/L			09/29/21 23:46	40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		77 - 120		09/29/21 23:46	40
4-Bromofluorobenzene (Surr)	93		73 - 120		09/29/21 23:46	40
Dibromofluoromethane (Surr)	97		75 - 123		09/29/21 23:46	40
Toluene-d8 (Surr)	100		80 - 120		09/29/21 23:46	40

Method: 8260C - Volatile Organic Compounds by GC/MS - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		2000		ug/L			09/30/21 01:19	400
1,1,2,2-Tetrachloroethane	ND		2000		ug/L			09/30/21 01:19	400
1,1,2-Trichloroethane	ND		2000		ug/L			09/30/21 01:19	400
1,1-Dichloroethane	ND		2000		ug/L			09/30/21 01:19	400
1,1-Dichloroethene	ND		2000		ug/L			09/30/21 01:19	400
1,2-Dichloroethane	ND		2000		ug/L			09/30/21 01:19	400
1,2-Dichloropropane	ND		2000		ug/L			09/30/21 01:19	400
2-Butanone (MEK)	ND		4000		ug/L			09/30/21 01:19	400

Eurofins TestAmerica, Buffalo

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: GTEOSI - Seneca Falls

Job ID: 480-190231-1

Client Sample ID: MW-24

Lab Sample ID: 480-190231-2

Date Collected: 09/28/21 10:40

Matrix: Water

Date Received: 09/29/21 10:00

~~Method: 8260C - Volatile Organic Compounds by GC/MS - DL (Continued)~~

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2-Hexanone	ND		4000		ug/L			09/30/21 01:19	400
4-Methyl-2-pentanone (MIBK)	ND		4000		ug/L			09/30/21 01:19	400
Acetone	ND		4000		ug/L			09/30/21 01:19	400
Benzene	ND		2000		ug/L			09/30/21 01:19	400
Bromodichloromethane	ND		2000		ug/L			09/30/21 01:19	400
Bromoform	ND		2000		ug/L			09/30/21 01:19	400
Bromomethane	ND		2000		ug/L			09/30/21 01:19	400
Carbon disulfide	ND		2000		ug/L			09/30/21 01:19	400
Carbon tetrachloride	ND		2000		ug/L			09/30/21 01:19	400
Chlorobenzene	ND		2000		ug/L			09/30/21 01:19	400
Chloroethane	ND		2000		ug/L			09/30/21 01:19	400
Chloroform	ND		2000		ug/L			09/30/21 01:19	400
Chloromethane	ND		2000		ug/L			09/30/21 01:19	400
cis-1,2-Dichloroethene	20000		2000		ug/L			09/30/21 01:19	400
cis-1,3-Dichloropropene	ND		2000		ug/L			09/30/21 01:19	400
Dibromochloromethane	ND		2000		ug/L			09/30/21 01:19	400
Dichlorodifluoromethane	ND		2000		ug/L			09/30/21 01:19	400
Ethylbenzene	ND		2000		ug/L			09/30/21 01:19	400
Methylene Chloride	ND		2000		ug/L			09/30/21 01:19	400
Styrene	ND		2000		ug/L			09/30/21 01:19	400
Tetrachloroethene	ND		2000		ug/L			09/30/21 01:19	400
Toluene	ND		2000		ug/L			09/30/21 01:19	400
trans-1,2-Dichloroethene	ND		2000		ug/L			09/30/21 01:19	400
trans-1,3-Dichloropropene	ND		2000		ug/L			09/30/21 01:19	400
Trichloroethene	ND		2000		ug/L			09/30/21 01:19	400
Trichlorofluoromethane	ND		2000		ug/L			09/30/21 01:19	400
Vinyl acetate	ND		2000		ug/L			09/30/21 01:19	400
Vinyl chloride	ND		2000		ug/L			09/30/21 01:19	400
Xylenes, Total	ND		2000		ug/L			09/30/21 01:19	400

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		77 - 120		09/30/21 01:19	400
4-Bromofluorobenzene (Surr)	93		73 - 120		09/30/21 01:19	400
Dibromofluoromethane (Surr)	94		75 - 123		09/30/21 01:19	400
Toluene-d8 (Surr)	99		80 - 120		09/30/21 01:19	400

Client Sample ID: MW-BR-06

Lab Sample ID: 480-190231-3

Date Collected: 09/28/21 11:00

Matrix: Water

Date Received: 09/29/21 10:00

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		5.0		ug/L			09/30/21 01:42	1
1,1,2,2-Tetrachloroethane	ND		5.0		ug/L			09/30/21 01:42	1
1,1,2-Trichloroethane	ND		5.0		ug/L			09/30/21 01:42	1
1,1-Dichloroethane	ND		5.0		ug/L			09/30/21 01:42	1
1,1-Dichloroethene	ND		5.0		ug/L			09/30/21 01:42	1
1,2-Dichloroethane	ND		5.0		ug/L			09/30/21 01:42	1
1,2-Dichloropropane	ND		5.0		ug/L			09/30/21 01:42	1
2-Butanone (MEK)	ND		10		ug/L			09/30/21 01:42	1

Eurofins TestAmerica, Buffalo

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: GTEOSI - Seneca Falls

Job ID: 480-190231-1

Client Sample ID: MW-BR-06

Lab Sample ID: 480-190231-3

Date Collected: 09/28/21 11:00

Matrix: Water

Date Received: 09/29/21 10:00

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2-Hexanone	ND		10		ug/L			09/30/21 01:42	1
4-Methyl-2-pentanone (MIBK)	ND		10		ug/L			09/30/21 01:42	1
Acetone	ND		10		ug/L			09/30/21 01:42	1
Benzene	ND		5.0		ug/L			09/30/21 01:42	1
Bromodichloromethane	ND		5.0		ug/L			09/30/21 01:42	1
Bromoform	ND		5.0		ug/L			09/30/21 01:42	1
Bromomethane	ND		5.0		ug/L			09/30/21 01:42	1
Carbon disulfide	ND		5.0		ug/L			09/30/21 01:42	1
Carbon tetrachloride	ND		5.0		ug/L			09/30/21 01:42	1
Chlorobenzene	ND		5.0		ug/L			09/30/21 01:42	1
Chloroethane	ND		5.0		ug/L			09/30/21 01:42	1
Chloroform	ND		5.0		ug/L			09/30/21 01:42	1
Chloromethane	ND		5.0		ug/L			09/30/21 01:42	1
cis-1,2-Dichloroethene	ND		5.0		ug/L			09/30/21 01:42	1
cis-1,3-Dichloropropene	ND		5.0		ug/L			09/30/21 01:42	1
Dibromochloromethane	ND		5.0		ug/L			09/30/21 01:42	1
Dichlorodifluoromethane	ND		5.0		ug/L			09/30/21 01:42	1
Ethylbenzene	ND		5.0		ug/L			09/30/21 01:42	1
Methylene Chloride	ND		5.0		ug/L			09/30/21 01:42	1
Styrene	ND		5.0		ug/L			09/30/21 01:42	1
Tetrachloroethene	ND		5.0		ug/L			09/30/21 01:42	1
Toluene	ND		5.0		ug/L			09/30/21 01:42	1
trans-1,2-Dichloroethene	ND		5.0		ug/L			09/30/21 01:42	1
trans-1,3-Dichloropropene	ND		5.0		ug/L			09/30/21 01:42	1
Trichloroethene	ND		5.0		ug/L			09/30/21 01:42	1
Trichlorofluoromethane	ND		5.0		ug/L			09/30/21 01:42	1
Vinyl acetate	ND		5.0		ug/L			09/30/21 01:42	1
Vinyl chloride	ND		5.0		ug/L			09/30/21 01:42	1
Xylenes, Total	ND		5.0		ug/L			09/30/21 01:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		77 - 120		09/30/21 01:42	1
4-Bromofluorobenzene (Surr)	98		73 - 120		09/30/21 01:42	1
Dibromofluoromethane (Surr)	106		75 - 123		09/30/21 01:42	1
Toluene-d8 (Surr)	101		80 - 120		09/30/21 01:42	1

Client Sample ID: MW-26

Lab Sample ID: 480-190231-4

Date Collected: 09/28/21 11:10

Matrix: Water

Date Received: 09/29/21 10:00

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		5.0		ug/L			09/30/21 02:05	1
1,1,2,2-Tetrachloroethane	ND		5.0		ug/L			09/30/21 02:05	1
1,1,2-Trichloroethane	ND		5.0		ug/L			09/30/21 02:05	1
1,1-Dichloroethane	ND		5.0		ug/L			09/30/21 02:05	1
1,1-Dichloroethene	ND		5.0		ug/L			09/30/21 02:05	1
1,2-Dichloroethane	ND		5.0		ug/L			09/30/21 02:05	1
1,2-Dichloropropane	ND		5.0		ug/L			09/30/21 02:05	1
2-Butanone (MEK)	ND		10		ug/L			09/30/21 02:05	1

Eurofins TestAmerica, Buffalo

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: GTEOSI - Seneca Falls

Job ID: 480-190231-1

Client Sample ID: MW-26

Lab Sample ID: 480-190231-4

Date Collected: 09/28/21 11:10

Matrix: Water

Date Received: 09/29/21 10:00

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2-Hexanone	ND		10		ug/L			09/30/21 02:05	1
4-Methyl-2-pentanone (MIBK)	ND		10		ug/L			09/30/21 02:05	1
Acetone	ND		10		ug/L			09/30/21 02:05	1
Benzene	ND		5.0		ug/L			09/30/21 02:05	1
Bromodichloromethane	ND		5.0		ug/L			09/30/21 02:05	1
Bromoform	ND		5.0		ug/L			09/30/21 02:05	1
Bromomethane	ND		5.0		ug/L			09/30/21 02:05	1
Carbon disulfide	ND		5.0		ug/L			09/30/21 02:05	1
Carbon tetrachloride	ND		5.0		ug/L			09/30/21 02:05	1
Chlorobenzene	ND		5.0		ug/L			09/30/21 02:05	1
Chloroethane	ND		5.0		ug/L			09/30/21 02:05	1
Chloroform	ND		5.0		ug/L			09/30/21 02:05	1
Chloromethane	ND		5.0		ug/L			09/30/21 02:05	1
cis-1,2-Dichloroethene	89		5.0		ug/L			09/30/21 02:05	1
cis-1,3-Dichloropropene	ND		5.0		ug/L			09/30/21 02:05	1
Dibromochloromethane	ND		5.0		ug/L			09/30/21 02:05	1
Dichlorodifluoromethane	ND		5.0		ug/L			09/30/21 02:05	1
Ethylbenzene	ND		5.0		ug/L			09/30/21 02:05	1
Methylene Chloride	ND		5.0		ug/L			09/30/21 02:05	1
Styrene	ND		5.0		ug/L			09/30/21 02:05	1
Tetrachloroethene	ND		5.0		ug/L			09/30/21 02:05	1
Toluene	ND		5.0		ug/L			09/30/21 02:05	1
trans-1,2-Dichloroethene	ND		5.0		ug/L			09/30/21 02:05	1
trans-1,3-Dichloropropene	ND		5.0		ug/L			09/30/21 02:05	1
Trichloroethene	59		5.0		ug/L			09/30/21 02:05	1
Trichlorofluoromethane	ND		5.0		ug/L			09/30/21 02:05	1
Vinyl acetate	ND		5.0		ug/L			09/30/21 02:05	1
Vinyl chloride	5.8		5.0		ug/L			09/30/21 02:05	1
Xylenes, Total	ND		5.0		ug/L			09/30/21 02:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		77 - 120		09/30/21 02:05	1
4-Bromofluorobenzene (Surr)	93		73 - 120		09/30/21 02:05	1
Dibromofluoromethane (Surr)	92		75 - 123		09/30/21 02:05	1
Toluene-d8 (Surr)	97		80 - 120		09/30/21 02:05	1

Client Sample ID: MW-BR-01

Lab Sample ID: 480-190231-5

Date Collected: 09/28/21 11:30

Matrix: Water

Date Received: 09/29/21 10:00

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		5.0		ug/L			09/30/21 02:28	1
1,1,2,2-Tetrachloroethane	ND		5.0		ug/L			09/30/21 02:28	1
1,1,2-Trichloroethane	ND		5.0		ug/L			09/30/21 02:28	1
1,1-Dichloroethane	ND		5.0		ug/L			09/30/21 02:28	1
1,1-Dichloroethene	ND		5.0		ug/L			09/30/21 02:28	1
1,2-Dichloroethane	ND		5.0		ug/L			09/30/21 02:28	1
1,2-Dichloropropane	ND		5.0		ug/L			09/30/21 02:28	1
2-Butanone (MEK)	ND		10		ug/L			09/30/21 02:28	1

Eurofins TestAmerica, Buffalo

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: GTEOSI - Seneca Falls

Job ID: 480-190231-1

Client Sample ID: MW-BR-01

Lab Sample ID: 480-190231-5

Date Collected: 09/28/21 11:30

Matrix: Water

Date Received: 09/29/21 10:00

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2-Hexanone	ND		10		ug/L			09/30/21 02:28	1
4-Methyl-2-pentanone (MIBK)	ND		10		ug/L			09/30/21 02:28	1
Acetone	ND		10		ug/L			09/30/21 02:28	1
Benzene	ND		5.0		ug/L			09/30/21 02:28	1
Bromodichloromethane	ND		5.0		ug/L			09/30/21 02:28	1
Bromoform	ND		5.0		ug/L			09/30/21 02:28	1
Bromomethane	ND		5.0		ug/L			09/30/21 02:28	1
Carbon disulfide	ND		5.0		ug/L			09/30/21 02:28	1
Carbon tetrachloride	ND		5.0		ug/L			09/30/21 02:28	1
Chlorobenzene	ND		5.0		ug/L			09/30/21 02:28	1
Chloroethane	ND		5.0		ug/L			09/30/21 02:28	1
Chloroform	ND		5.0		ug/L			09/30/21 02:28	1
Chloromethane	ND		5.0		ug/L			09/30/21 02:28	1
cis-1,2-Dichloroethene	ND		5.0		ug/L			09/30/21 02:28	1
cis-1,3-Dichloropropene	ND		5.0		ug/L			09/30/21 02:28	1
Dibromochloromethane	ND		5.0		ug/L			09/30/21 02:28	1
Dichlorodifluoromethane	ND		5.0		ug/L			09/30/21 02:28	1
Ethylbenzene	ND		5.0		ug/L			09/30/21 02:28	1
Methylene Chloride	ND		5.0		ug/L			09/30/21 02:28	1
Styrene	ND		5.0		ug/L			09/30/21 02:28	1
Tetrachloroethene	ND		5.0		ug/L			09/30/21 02:28	1
Toluene	ND		5.0		ug/L			09/30/21 02:28	1
trans-1,2-Dichloroethene	ND		5.0		ug/L			09/30/21 02:28	1
trans-1,3-Dichloropropene	ND		5.0		ug/L			09/30/21 02:28	1
Trichloroethene	ND		5.0		ug/L			09/30/21 02:28	1
Trichlorofluoromethane	ND		5.0		ug/L			09/30/21 02:28	1
Vinyl acetate	ND		5.0		ug/L			09/30/21 02:28	1
Vinyl chloride	ND		5.0		ug/L			09/30/21 02:28	1
Xylenes, Total	ND		5.0		ug/L			09/30/21 02:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		77 - 120		09/30/21 02:28	1
4-Bromofluorobenzene (Surr)	95		73 - 120		09/30/21 02:28	1
Dibromofluoromethane (Surr)	92		75 - 123		09/30/21 02:28	1
Toluene-d8 (Surr)	100		80 - 120		09/30/21 02:28	1

Client Sample ID: MW-BR-02

Lab Sample ID: 480-190231-6

Date Collected: 09/28/21 11:45

Matrix: Water

Date Received: 09/29/21 10:00

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		5.0		ug/L			09/30/21 02:51	1
1,1,2,2-Tetrachloroethane	ND		5.0		ug/L			09/30/21 02:51	1
1,1,2-Trichloroethane	ND		5.0		ug/L			09/30/21 02:51	1
1,1-Dichloroethane	ND		5.0		ug/L			09/30/21 02:51	1
1,1-Dichloroethene	ND		5.0		ug/L			09/30/21 02:51	1
1,2-Dichloroethane	ND		5.0		ug/L			09/30/21 02:51	1
1,2-Dichloropropane	ND		5.0		ug/L			09/30/21 02:51	1
2-Butanone (MEK)	ND		10		ug/L			09/30/21 02:51	1

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: GTEOSI - Seneca Falls

Job ID: 480-190231-1

Client Sample ID: MW-BR-02

Lab Sample ID: 480-190231-6

Date Collected: 09/28/21 11:45

Matrix: Water

Date Received: 09/29/21 10:00

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2-Hexanone	ND		10		ug/L			09/30/21 02:51	1
4-Methyl-2-pentanone (MIBK)	ND		10		ug/L			09/30/21 02:51	1
Acetone	ND		10		ug/L			09/30/21 02:51	1
Benzene	ND		5.0		ug/L			09/30/21 02:51	1
Bromodichloromethane	ND		5.0		ug/L			09/30/21 02:51	1
Bromoform	ND		5.0		ug/L			09/30/21 02:51	1
Bromomethane	ND		5.0		ug/L			09/30/21 02:51	1
Carbon disulfide	ND		5.0		ug/L			09/30/21 02:51	1
Carbon tetrachloride	ND		5.0		ug/L			09/30/21 02:51	1
Chlorobenzene	ND		5.0		ug/L			09/30/21 02:51	1
Chloroethane	ND		5.0		ug/L			09/30/21 02:51	1
Chloroform	ND		5.0		ug/L			09/30/21 02:51	1
Chloromethane	ND		5.0		ug/L			09/30/21 02:51	1
cis-1,2-Dichloroethene	ND		5.0		ug/L			09/30/21 02:51	1
cis-1,3-Dichloropropene	ND		5.0		ug/L			09/30/21 02:51	1
Dibromochloromethane	ND		5.0		ug/L			09/30/21 02:51	1
Dichlorodifluoromethane	ND		5.0		ug/L			09/30/21 02:51	1
Ethylbenzene	ND		5.0		ug/L			09/30/21 02:51	1
Methylene Chloride	ND		5.0		ug/L			09/30/21 02:51	1
Styrene	ND		5.0		ug/L			09/30/21 02:51	1
Tetrachloroethene	ND		5.0		ug/L			09/30/21 02:51	1
Toluene	ND		5.0		ug/L			09/30/21 02:51	1
trans-1,2-Dichloroethene	ND		5.0		ug/L			09/30/21 02:51	1
trans-1,3-Dichloropropene	ND		5.0		ug/L			09/30/21 02:51	1
Trichloroethene	ND		5.0		ug/L			09/30/21 02:51	1
Trichlorofluoromethane	ND		5.0		ug/L			09/30/21 02:51	1
Vinyl acetate	ND		5.0		ug/L			09/30/21 02:51	1
Vinyl chloride	ND		5.0		ug/L			09/30/21 02:51	1
Xylenes, Total	ND		5.0		ug/L			09/30/21 02:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		77 - 120		09/30/21 02:51	1
4-Bromofluorobenzene (Surr)	93		73 - 120		09/30/21 02:51	1
Dibromofluoromethane (Surr)	94		75 - 123		09/30/21 02:51	1
Toluene-d8 (Surr)	99		80 - 120		09/30/21 02:51	1

Client Sample ID: MW-20

Lab Sample ID: 480-190231-7

Date Collected: 09/28/21 11:50

Matrix: Water

Date Received: 09/29/21 10:00

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		5.0		ug/L			09/30/21 03:14	1
1,1,2,2-Tetrachloroethane	ND		5.0		ug/L			09/30/21 03:14	1
1,1,2-Trichloroethane	ND		5.0		ug/L			09/30/21 03:14	1
1,1-Dichloroethane	ND		5.0		ug/L			09/30/21 03:14	1
1,1-Dichloroethene	ND		5.0		ug/L			09/30/21 03:14	1
1,2-Dichloroethane	ND		5.0		ug/L			09/30/21 03:14	1
1,2-Dichloropropane	ND		5.0		ug/L			09/30/21 03:14	1
2-Butanone (MEK)	ND		10		ug/L			09/30/21 03:14	1

Eurofins TestAmerica, Buffalo

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: GTEOSI - Seneca Falls

Job ID: 480-190231-1

Client Sample ID: MW-20

Lab Sample ID: 480-190231-7

Date Collected: 09/28/21 11:50

Matrix: Water

Date Received: 09/29/21 10:00

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2-Hexanone	ND		10		ug/L			09/30/21 03:14	1
4-Methyl-2-pentanone (MIBK)	ND		10		ug/L			09/30/21 03:14	1
Acetone	ND		10		ug/L			09/30/21 03:14	1
Benzene	ND		5.0		ug/L			09/30/21 03:14	1
Bromodichloromethane	ND		5.0		ug/L			09/30/21 03:14	1
Bromoform	ND		5.0		ug/L			09/30/21 03:14	1
Bromomethane	ND		5.0		ug/L			09/30/21 03:14	1
Carbon disulfide	ND		5.0		ug/L			09/30/21 03:14	1
Carbon tetrachloride	ND		5.0		ug/L			09/30/21 03:14	1
Chlorobenzene	ND		5.0		ug/L			09/30/21 03:14	1
Chloroethane	ND		5.0		ug/L			09/30/21 03:14	1
Chloroform	ND		5.0		ug/L			09/30/21 03:14	1
Chloromethane	ND		5.0		ug/L			09/30/21 03:14	1
cis-1,2-Dichloroethene	ND		5.0		ug/L			09/30/21 03:14	1
cis-1,3-Dichloropropene	ND		5.0		ug/L			09/30/21 03:14	1
Dibromochloromethane	ND		5.0		ug/L			09/30/21 03:14	1
Dichlorodifluoromethane	ND		5.0		ug/L			09/30/21 03:14	1
Ethylbenzene	ND		5.0		ug/L			09/30/21 03:14	1
Methylene Chloride	ND		5.0		ug/L			09/30/21 03:14	1
Styrene	ND		5.0		ug/L			09/30/21 03:14	1
Tetrachloroethene	ND		5.0		ug/L			09/30/21 03:14	1
Toluene	ND		5.0		ug/L			09/30/21 03:14	1
trans-1,2-Dichloroethene	ND		5.0		ug/L			09/30/21 03:14	1
trans-1,3-Dichloropropene	ND		5.0		ug/L			09/30/21 03:14	1
Trichloroethene	ND		5.0		ug/L			09/30/21 03:14	1
Trichlorofluoromethane	ND		5.0		ug/L			09/30/21 03:14	1
Vinyl acetate	ND		5.0		ug/L			09/30/21 03:14	1
Vinyl chloride	ND		5.0		ug/L			09/30/21 03:14	1
Xylenes, Total	ND		5.0		ug/L			09/30/21 03:14	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		77 - 120		09/30/21 03:14	1
4-Bromofluorobenzene (Surr)	92		73 - 120		09/30/21 03:14	1
Dibromofluoromethane (Surr)	95		75 - 123		09/30/21 03:14	1
Toluene-d8 (Surr)	98		80 - 120		09/30/21 03:14	1

Client Sample ID: MW-28

Lab Sample ID: 480-190231-8

Date Collected: 09/28/21 12:05

Matrix: Water

Date Received: 09/29/21 10:00

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		5.0		ug/L			09/30/21 03:37	1
1,1,2,2-Tetrachloroethane	ND		5.0		ug/L			09/30/21 03:37	1
1,1,2-Trichloroethane	ND		5.0		ug/L			09/30/21 03:37	1
1,1-Dichloroethane	ND		5.0		ug/L			09/30/21 03:37	1
1,1-Dichloroethene	ND		5.0		ug/L			09/30/21 03:37	1
1,2-Dichloroethane	ND		5.0		ug/L			09/30/21 03:37	1
1,2-Dichloropropane	ND		5.0		ug/L			09/30/21 03:37	1
2-Butanone (MEK)	ND		10		ug/L			09/30/21 03:37	1

Eurofins TestAmerica, Buffalo

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: GTEOSI - Seneca Falls

Job ID: 480-190231-1

Client Sample ID: MW-28

Date Collected: 09/28/21 12:05

Date Received: 09/29/21 10:00

Lab Sample ID: 480-190231-8

Matrix: Water

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2-Hexanone	ND		10		ug/L			09/30/21 03:37	1
4-Methyl-2-pentanone (MIBK)	ND		10		ug/L			09/30/21 03:37	1
Acetone	ND		10		ug/L			09/30/21 03:37	1
Benzene	ND		5.0		ug/L			09/30/21 03:37	1
Bromodichloromethane	ND		5.0		ug/L			09/30/21 03:37	1
Bromoform	ND		5.0		ug/L			09/30/21 03:37	1
Bromomethane	ND		5.0		ug/L			09/30/21 03:37	1
Carbon disulfide	ND		5.0		ug/L			09/30/21 03:37	1
Carbon tetrachloride	ND		5.0		ug/L			09/30/21 03:37	1
Chlorobenzene	ND		5.0		ug/L			09/30/21 03:37	1
Chloroethane	ND		5.0		ug/L			09/30/21 03:37	1
Chloroform	ND		5.0		ug/L			09/30/21 03:37	1
Chloromethane	ND		5.0		ug/L			09/30/21 03:37	1
cis-1,2-Dichloroethene	ND		5.0		ug/L			09/30/21 03:37	1
cis-1,3-Dichloropropene	ND		5.0		ug/L			09/30/21 03:37	1
Dibromochloromethane	ND		5.0		ug/L			09/30/21 03:37	1
Dichlorodifluoromethane	ND		5.0		ug/L			09/30/21 03:37	1
Ethylbenzene	ND		5.0		ug/L			09/30/21 03:37	1
Methylene Chloride	ND		5.0		ug/L			09/30/21 03:37	1
Styrene	ND		5.0		ug/L			09/30/21 03:37	1
Tetrachloroethene	ND		5.0		ug/L			09/30/21 03:37	1
Toluene	ND		5.0		ug/L			09/30/21 03:37	1
trans-1,2-Dichloroethene	ND		5.0		ug/L			09/30/21 03:37	1
trans-1,3-Dichloropropene	ND		5.0		ug/L			09/30/21 03:37	1
Trichloroethene	ND		5.0		ug/L			09/30/21 03:37	1
Trichlorofluoromethane	ND		5.0		ug/L			09/30/21 03:37	1
Vinyl acetate	ND		5.0		ug/L			09/30/21 03:37	1
Vinyl chloride	ND		5.0		ug/L			09/30/21 03:37	1
Xylenes, Total	ND		5.0		ug/L			09/30/21 03:37	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		77 - 120		09/30/21 03:37	1
4-Bromofluorobenzene (Surr)	97		73 - 120		09/30/21 03:37	1
Dibromofluoromethane (Surr)	108		75 - 123		09/30/21 03:37	1
Toluene-d8 (Surr)	103		80 - 120		09/30/21 03:37	1

Client Sample ID: MW-29

Date Collected: 09/28/21 12:15

Date Received: 09/29/21 10:00

Lab Sample ID: 480-190231-9

Matrix: Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		5.0		ug/L			09/30/21 00:10	1
1,1,2,2-Tetrachloroethane	ND		5.0		ug/L			09/30/21 00:10	1
1,1,2-Trichloroethane	ND		5.0		ug/L			09/30/21 00:10	1
1,1-Dichloroethane	ND		5.0		ug/L			09/30/21 00:10	1
1,1-Dichloroethene	ND		5.0		ug/L			09/30/21 00:10	1
1,2-Dichloroethane	ND		5.0		ug/L			09/30/21 00:10	1
1,2-Dichloropropane	ND		5.0		ug/L			09/30/21 00:10	1
2-Butanone (MEK)	ND		10		ug/L			09/30/21 00:10	1

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: GTEOSI - Seneca Falls

Job ID: 480-190231-1

Client Sample ID: MW-29

Lab Sample ID: 480-190231-9

Date Collected: 09/28/21 12:15

Matrix: Water

Date Received: 09/29/21 10:00

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2-Hexanone	ND		10		ug/L			09/30/21 00:10	1
4-Methyl-2-pentanone (MIBK)	ND		10		ug/L			09/30/21 00:10	1
Acetone	ND		10		ug/L			09/30/21 00:10	1
Benzene	ND		5.0		ug/L			09/30/21 00:10	1
Bromodichloromethane	ND		5.0		ug/L			09/30/21 00:10	1
Bromoform	ND		5.0		ug/L			09/30/21 00:10	1
Bromomethane	ND		5.0		ug/L			09/30/21 00:10	1
Carbon disulfide	ND		5.0		ug/L			09/30/21 00:10	1
Carbon tetrachloride	ND		5.0		ug/L			09/30/21 00:10	1
Chlorobenzene	ND		5.0		ug/L			09/30/21 00:10	1
Chloroethane	ND		5.0		ug/L			09/30/21 00:10	1
Chloroform	ND		5.0		ug/L			09/30/21 00:10	1
Chloromethane	ND		5.0		ug/L			09/30/21 00:10	1
cis-1,2-Dichloroethene	91		5.0		ug/L			09/30/21 00:10	1
cis-1,3-Dichloropropene	ND		5.0		ug/L			09/30/21 00:10	1
Dibromochloromethane	ND		5.0		ug/L			09/30/21 00:10	1
Dichlorodifluoromethane	ND		5.0		ug/L			09/30/21 00:10	1
Ethylbenzene	ND		5.0		ug/L			09/30/21 00:10	1
Methylene Chloride	ND		5.0		ug/L			09/30/21 00:10	1
Styrene	ND		5.0		ug/L			09/30/21 00:10	1
Tetrachloroethene	ND		5.0		ug/L			09/30/21 00:10	1
Toluene	ND		5.0		ug/L			09/30/21 00:10	1
trans-1,2-Dichloroethene	ND		5.0		ug/L			09/30/21 00:10	1
trans-1,3-Dichloropropene	ND		5.0		ug/L			09/30/21 00:10	1
Trichloroethene	ND		5.0		ug/L			09/30/21 00:10	1
Trichlorofluoromethane	ND		5.0		ug/L			09/30/21 00:10	1
Vinyl acetate	ND		5.0		ug/L			09/30/21 00:10	1
Vinyl chloride	ND		5.0		ug/L			09/30/21 00:10	1
Xylenes, Total	ND		5.0		ug/L			09/30/21 00:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		77 - 120		09/30/21 00:10	1
4-Bromofluorobenzene (Surr)	96		73 - 120		09/30/21 00:10	1
Dibromofluoromethane (Surr)	94		75 - 123		09/30/21 00:10	1
Toluene-d8 (Surr)	98		80 - 120		09/30/21 00:10	1

Client Sample ID: MW-1

Lab Sample ID: 480-190231-10

Date Collected: 09/28/21 12:25

Matrix: Water

Date Received: 09/29/21 10:00

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		5.0		ug/L			09/30/21 04:23	1
1,1,2,2-Tetrachloroethane	ND		5.0		ug/L			09/30/21 04:23	1
1,1,2-Trichloroethane	ND		5.0		ug/L			09/30/21 04:23	1
1,1-Dichloroethane	ND		5.0		ug/L			09/30/21 04:23	1
1,1-Dichloroethene	ND		5.0		ug/L			09/30/21 04:23	1
1,2-Dichloroethane	ND		5.0		ug/L			09/30/21 04:23	1
1,2-Dichloropropane	ND		5.0		ug/L			09/30/21 04:23	1
2-Butanone (MEK)	ND		10		ug/L			09/30/21 04:23	1

Eurofins TestAmerica, Buffalo

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: GTEOSI - Seneca Falls

Job ID: 480-190231-1

Client Sample ID: MW-1

Lab Sample ID: 480-190231-10

Date Collected: 09/28/21 12:25

Matrix: Water

Date Received: 09/29/21 10:00

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2-Hexanone	ND		10		ug/L			09/30/21 04:23	1
4-Methyl-2-pentanone (MIBK)	ND		10		ug/L			09/30/21 04:23	1
Acetone	ND		10		ug/L			09/30/21 04:23	1
Benzene	ND		5.0		ug/L			09/30/21 04:23	1
Bromodichloromethane	ND		5.0		ug/L			09/30/21 04:23	1
Bromoform	ND		5.0		ug/L			09/30/21 04:23	1
Bromomethane	ND		5.0		ug/L			09/30/21 04:23	1
Carbon disulfide	ND		5.0		ug/L			09/30/21 04:23	1
Carbon tetrachloride	ND		5.0		ug/L			09/30/21 04:23	1
Chlorobenzene	ND		5.0		ug/L			09/30/21 04:23	1
Chloroethane	ND		5.0		ug/L			09/30/21 04:23	1
Chloroform	ND		5.0		ug/L			09/30/21 04:23	1
Chloromethane	ND		5.0		ug/L			09/30/21 04:23	1
cis-1,2-Dichloroethene	ND		5.0		ug/L			09/30/21 04:23	1
cis-1,3-Dichloropropene	ND		5.0		ug/L			09/30/21 04:23	1
Dibromochloromethane	ND		5.0		ug/L			09/30/21 04:23	1
Dichlorodifluoromethane	ND		5.0		ug/L			09/30/21 04:23	1
Ethylbenzene	ND		5.0		ug/L			09/30/21 04:23	1
Methylene Chloride	ND		5.0		ug/L			09/30/21 04:23	1
Styrene	ND		5.0		ug/L			09/30/21 04:23	1
Tetrachloroethene	ND		5.0		ug/L			09/30/21 04:23	1
Toluene	ND		5.0		ug/L			09/30/21 04:23	1
trans-1,2-Dichloroethene	ND		5.0		ug/L			09/30/21 04:23	1
trans-1,3-Dichloropropene	ND		5.0		ug/L			09/30/21 04:23	1
Trichloroethene	ND		5.0		ug/L			09/30/21 04:23	1
Trichlorofluoromethane	ND		5.0		ug/L			09/30/21 04:23	1
Vinyl acetate	ND		5.0		ug/L			09/30/21 04:23	1
Vinyl chloride	ND		5.0		ug/L			09/30/21 04:23	1
Xylenes, Total	ND		5.0		ug/L			09/30/21 04:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		77 - 120		09/30/21 04:23	1
4-Bromofluorobenzene (Surr)	93		73 - 120		09/30/21 04:23	1
Dibromofluoromethane (Surr)	96		75 - 123		09/30/21 04:23	1
Toluene-d8 (Surr)	99		80 - 120		09/30/21 04:23	1

Client Sample ID: DUP-092821

Lab Sample ID: 480-190231-11

Date Collected: 09/28/21 00:00

Matrix: Water

Date Received: 09/29/21 10:00

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		2000		ug/L			10/01/21 11:53	400
1,1,2,2-Tetrachloroethane	ND		2000		ug/L			10/01/21 11:53	400
1,1,2-Trichloroethane	ND		2000		ug/L			10/01/21 11:53	400
1,1-Dichloroethane	ND		2000		ug/L			10/01/21 11:53	400
1,1-Dichloroethene	ND		2000		ug/L			10/01/21 11:53	400
1,2-Dichloroethane	ND		2000		ug/L			10/01/21 11:53	400
1,2-Dichloropropane	ND		2000		ug/L			10/01/21 11:53	400
2-Butanone (MEK)	ND		4000		ug/L			10/01/21 11:53	400

Eurofins TestAmerica, Buffalo

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: GTEOSI - Seneca Falls

Job ID: 480-190231-1

Client Sample ID: DUP-092821

Lab Sample ID: 480-190231-11

Date Collected: 09/28/21 00:00

Matrix: Water

Date Received: 09/29/21 10:00

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2-Hexanone	ND		4000		ug/L			10/01/21 11:53	400
4-Methyl-2-pentanone (MIBK)	ND		4000		ug/L			10/01/21 11:53	400
Acetone	ND		4000		ug/L			10/01/21 11:53	400
Benzene	ND		2000		ug/L			10/01/21 11:53	400
Bromodichloromethane	ND		2000		ug/L			10/01/21 11:53	400
Bromoform	ND		2000		ug/L			10/01/21 11:53	400
Bromomethane	ND		2000		ug/L			10/01/21 11:53	400
Carbon disulfide	ND		2000		ug/L			10/01/21 11:53	400
Carbon tetrachloride	ND		2000		ug/L			10/01/21 11:53	400
Chlorobenzene	ND		2000		ug/L			10/01/21 11:53	400
Chloroethane	ND		2000		ug/L			10/01/21 11:53	400
Chloroform	ND		2000		ug/L			10/01/21 11:53	400
Chloromethane	ND		2000		ug/L			10/01/21 11:53	400
cis-1,2-Dichloroethene	21000		2000		ug/L			10/01/21 11:53	400
cis-1,3-Dichloropropene	ND		2000		ug/L			10/01/21 11:53	400
Dibromochloromethane	ND		2000		ug/L			10/01/21 11:53	400
Dichlorodifluoromethane	ND		2000		ug/L			10/01/21 11:53	400
Ethylbenzene	ND		2000		ug/L			10/01/21 11:53	400
Methylene Chloride	ND		2000		ug/L			10/01/21 11:53	400
Styrene	ND		2000		ug/L			10/01/21 11:53	400
Tetrachloroethene	ND		2000		ug/L			10/01/21 11:53	400
Toluene	ND		2000		ug/L			10/01/21 11:53	400
trans-1,2-Dichloroethene	ND		2000		ug/L			10/01/21 11:53	400
trans-1,3-Dichloropropene	ND		2000		ug/L			10/01/21 11:53	400
Trichloroethene	ND		2000		ug/L			10/01/21 11:53	400
Trichlorofluoromethane	ND		2000		ug/L			10/01/21 11:53	400
Vinyl acetate	ND		2000		ug/L			10/01/21 11:53	400
Vinyl chloride	ND		2000		ug/L			10/01/21 11:53	400
Xylenes, Total	ND		2000		ug/L			10/01/21 11:53	400

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		77 - 120		10/01/21 11:53	400
4-Bromofluorobenzene (Surr)	95		73 - 120		10/01/21 11:53	400
Dibromofluoromethane (Surr)	92		75 - 123		10/01/21 11:53	400
Toluene-d8 (Surr)	101		80 - 120		10/01/21 11:53	400

Client Sample ID: MW-25

Lab Sample ID: 480-190231-12

Date Collected: 09/28/21 12:40

Matrix: Water

Date Received: 09/29/21 10:00

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		5.0		ug/L			09/30/21 18:31	1
1,1,2,2-Tetrachloroethane	ND		5.0		ug/L			09/30/21 18:31	1
1,1,2-Trichloroethane	ND		5.0		ug/L			09/30/21 18:31	1
1,1-Dichloroethane	12		5.0		ug/L			09/30/21 18:31	1
1,1-Dichloroethene	ND		5.0		ug/L			09/30/21 18:31	1
1,2-Dichloroethane	ND		5.0		ug/L			09/30/21 18:31	1
1,2-Dichloropropane	ND		5.0		ug/L			09/30/21 18:31	1
2-Butanone (MEK)	ND		10		ug/L			09/30/21 18:31	1

Eurofins TestAmerica, Buffalo

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: GTEOSI - Seneca Falls

Job ID: 480-190231-1

Client Sample ID: MW-25

Lab Sample ID: 480-190231-12

Date Collected: 09/28/21 12:40

Matrix: Water

Date Received: 09/29/21 10:00

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2-Hexanone	ND		10		ug/L			09/30/21 18:31	1
4-Methyl-2-pentanone (MIBK)	ND		10		ug/L			09/30/21 18:31	1
Acetone	ND		10		ug/L			09/30/21 18:31	1
Benzene	ND		5.0		ug/L			09/30/21 18:31	1
Bromodichloromethane	ND		5.0		ug/L			09/30/21 18:31	1
Bromoform	ND		5.0		ug/L			09/30/21 18:31	1
Bromomethane	ND		5.0		ug/L			09/30/21 18:31	1
Carbon disulfide	ND		5.0		ug/L			09/30/21 18:31	1
Carbon tetrachloride	ND		5.0		ug/L			09/30/21 18:31	1
Chlorobenzene	ND		5.0		ug/L			09/30/21 18:31	1
Chloroethane	ND		5.0		ug/L			09/30/21 18:31	1
Chloroform	ND		5.0		ug/L			09/30/21 18:31	1
Chloromethane	ND		5.0		ug/L			09/30/21 18:31	1
cis-1,2-Dichloroethene	150	E	5.0		ug/L			09/30/21 18:31	1
cis-1,3-Dichloropropene	ND		5.0		ug/L			09/30/21 18:31	1
Dibromochloromethane	ND		5.0		ug/L			09/30/21 18:31	1
Dichlorodifluoromethane	ND		5.0		ug/L			09/30/21 18:31	1
Ethylbenzene	ND		5.0		ug/L			09/30/21 18:31	1
Methylene Chloride	ND		5.0		ug/L			09/30/21 18:31	1
Styrene	ND		5.0		ug/L			09/30/21 18:31	1
Tetrachloroethene	ND		5.0		ug/L			09/30/21 18:31	1
Toluene	ND		5.0		ug/L			09/30/21 18:31	1
trans-1,2-Dichloroethene	ND		5.0		ug/L			09/30/21 18:31	1
trans-1,3-Dichloropropene	ND		5.0		ug/L			09/30/21 18:31	1
Trichloroethene	7.0		5.0		ug/L			09/30/21 18:31	1
Trichlorofluoromethane	ND		5.0		ug/L			09/30/21 18:31	1
Vinyl acetate	ND		5.0		ug/L			09/30/21 18:31	1
Vinyl chloride	ND		5.0		ug/L			09/30/21 18:31	1
Xylenes, Total	ND		5.0		ug/L			09/30/21 18:31	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		77 - 120		09/30/21 18:31	1
4-Bromofluorobenzene (Surr)	99		73 - 120		09/30/21 18:31	1
Dibromofluoromethane (Surr)	102		75 - 123		09/30/21 18:31	1
Toluene-d8 (Surr)	106		80 - 120		09/30/21 18:31	1

Method: 8260C - Volatile Organic Compounds by GC/MS - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		20		ug/L			09/30/21 19:18	4
1,1,2,2-Tetrachloroethane	ND		20		ug/L			09/30/21 19:18	4
1,1,2-Trichloroethane	ND		20		ug/L			09/30/21 19:18	4
1,1-Dichloroethane	ND		20		ug/L			09/30/21 19:18	4
1,1-Dichloroethene	ND	F1 F2	20		ug/L			09/30/21 19:18	4
1,2-Dichloroethane	ND		20		ug/L			09/30/21 19:18	4
1,2-Dichloropropane	ND		20		ug/L			09/30/21 19:18	4
2-Butanone (MEK)	ND		40		ug/L			09/30/21 19:18	4
2-Hexanone	ND		40		ug/L			09/30/21 19:18	4
4-Methyl-2-pentanone (MIBK)	ND		40		ug/L			09/30/21 19:18	4
Acetone	ND		40		ug/L			09/30/21 19:18	4
Benzene	ND		20		ug/L			09/30/21 19:18	4

Eurofins TestAmerica, Buffalo

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: GTEOSI - Seneca Falls

Job ID: 480-190231-1

Client Sample ID: MW-25

Lab Sample ID: 480-190231-12

Date Collected: 09/28/21 12:40

Matrix: Water

Date Received: 09/29/21 10:00

Method: 8260C - Volatile Organic Compounds by GC/MS - DL (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bromodichloromethane	ND		20		ug/L			09/30/21 19:18	4
Bromoform	ND		20		ug/L			09/30/21 19:18	4
Bromomethane	ND		20		ug/L			09/30/21 19:18	4
Carbon disulfide	ND		20		ug/L			09/30/21 19:18	4
Carbon tetrachloride	ND		20		ug/L			09/30/21 19:18	4
Chlorobenzene	ND		20		ug/L			09/30/21 19:18	4
Chloroethane	ND		20		ug/L			09/30/21 19:18	4
Chloroform	ND		20		ug/L			09/30/21 19:18	4
Chloromethane	ND		20		ug/L			09/30/21 19:18	4
cis-1,2-Dichloroethene	150	F1	20		ug/L			09/30/21 19:18	4
cis-1,3-Dichloropropene	ND		20		ug/L			09/30/21 19:18	4
Dibromochloromethane	ND		20		ug/L			09/30/21 19:18	4
Dichlorodifluoromethane	ND		20		ug/L			09/30/21 19:18	4
Ethylbenzene	ND		20		ug/L			09/30/21 19:18	4
Methylene Chloride	ND		20		ug/L			09/30/21 19:18	4
Styrene	ND		20		ug/L			09/30/21 19:18	4
Tetrachloroethene	ND		20		ug/L			09/30/21 19:18	4
Toluene	ND		20		ug/L			09/30/21 19:18	4
trans-1,2-Dichloroethene	ND		20		ug/L			09/30/21 19:18	4
trans-1,3-Dichloropropene	ND		20		ug/L			09/30/21 19:18	4
Trichloroethene	ND		20		ug/L			09/30/21 19:18	4
Trichlorofluoromethane	ND		20		ug/L			09/30/21 19:18	4
Vinyl acetate	ND		20		ug/L			09/30/21 19:18	4
Vinyl chloride	ND		20		ug/L			09/30/21 19:18	4
Xylenes, Total	ND		20		ug/L			09/30/21 19:18	4

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		77 - 120		09/30/21 19:18	4
4-Bromofluorobenzene (Surr)	97		73 - 120		09/30/21 19:18	4
Dibromofluoromethane (Surr)	99		75 - 123		09/30/21 19:18	4
Toluene-d8 (Surr)	102		80 - 120		09/30/21 19:18	4

Client Sample ID: MW-22

Lab Sample ID: 480-190231-13

Date Collected: 09/28/21 12:55

Matrix: Water

Date Received: 09/29/21 10:00

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		5.0		ug/L			09/30/21 05:33	1
1,1,2,2-Tetrachloroethane	ND		5.0		ug/L			09/30/21 05:33	1
1,1,2-Trichloroethane	ND		5.0		ug/L			09/30/21 05:33	1
1,1-Dichloroethane	ND		5.0		ug/L			09/30/21 05:33	1
1,1-Dichloroethene	ND		5.0		ug/L			09/30/21 05:33	1
1,2-Dichloroethane	ND		5.0		ug/L			09/30/21 05:33	1
1,2-Dichloropropane	ND		5.0		ug/L			09/30/21 05:33	1
2-Butanone (MEK)	ND		10		ug/L			09/30/21 05:33	1
2-Hexanone	ND		10		ug/L			09/30/21 05:33	1
4-Methyl-2-pentanone (MIBK)	ND		10		ug/L			09/30/21 05:33	1
Acetone	ND		10		ug/L			09/30/21 05:33	1
Benzene	ND		5.0		ug/L			09/30/21 05:33	1

Eurofins TestAmerica, Buffalo

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: GTEOSI - Seneca Falls

Job ID: 480-190231-1

Client Sample ID: MW-22

Lab Sample ID: 480-190231-13

Date Collected: 09/28/21 12:55

Matrix: Water

Date Received: 09/29/21 10:00

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bromodichloromethane	ND		5.0		ug/L			09/30/21 05:33	1
Bromoform	ND		5.0		ug/L			09/30/21 05:33	1
Bromomethane	ND		5.0		ug/L			09/30/21 05:33	1
Carbon disulfide	ND		5.0		ug/L			09/30/21 05:33	1
Carbon tetrachloride	ND		5.0		ug/L			09/30/21 05:33	1
Chlorobenzene	ND		5.0		ug/L			09/30/21 05:33	1
Chloroethane	ND		5.0		ug/L			09/30/21 05:33	1
Chloroform	ND		5.0		ug/L			09/30/21 05:33	1
Chloromethane	ND		5.0		ug/L			09/30/21 05:33	1
cis-1,2-Dichloroethene	5.4		5.0		ug/L			09/30/21 05:33	1
cis-1,3-Dichloropropene	ND		5.0		ug/L			09/30/21 05:33	1
Dibromochloromethane	ND		5.0		ug/L			09/30/21 05:33	1
Dichlorodifluoromethane	ND		5.0		ug/L			09/30/21 05:33	1
Ethylbenzene	ND		5.0		ug/L			09/30/21 05:33	1
Methylene Chloride	ND		5.0		ug/L			09/30/21 05:33	1
Styrene	ND		5.0		ug/L			09/30/21 05:33	1
Tetrachloroethene	ND		5.0		ug/L			09/30/21 05:33	1
Toluene	ND		5.0		ug/L			09/30/21 05:33	1
trans-1,2-Dichloroethene	ND		5.0		ug/L			09/30/21 05:33	1
trans-1,3-Dichloropropene	ND		5.0		ug/L			09/30/21 05:33	1
Trichloroethene	8.1		5.0		ug/L			09/30/21 05:33	1
Trichlorofluoromethane	ND		5.0		ug/L			09/30/21 05:33	1
Vinyl acetate	ND		5.0		ug/L			09/30/21 05:33	1
Vinyl chloride	ND		5.0		ug/L			09/30/21 05:33	1
Xylenes, Total	ND		5.0		ug/L			09/30/21 05:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		77 - 120		09/30/21 05:33	1
4-Bromofluorobenzene (Surr)	99		73 - 120		09/30/21 05:33	1
Dibromofluoromethane (Surr)	94		75 - 123		09/30/21 05:33	1
Toluene-d8 (Surr)	100		80 - 120		09/30/21 05:33	1

Client Sample ID: MW-BR-04

Lab Sample ID: 480-190231-14

Date Collected: 09/28/21 13:45

Matrix: Water

Date Received: 09/29/21 10:00

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		5.0		ug/L			09/30/21 05:56	1
1,1,2,2-Tetrachloroethane	ND		5.0		ug/L			09/30/21 05:56	1
1,1,2-Trichloroethane	ND		5.0		ug/L			09/30/21 05:56	1
1,1-Dichloroethane	ND		5.0		ug/L			09/30/21 05:56	1
1,1-Dichloroethene	ND		5.0		ug/L			09/30/21 05:56	1
1,2-Dichloroethane	ND		5.0		ug/L			09/30/21 05:56	1
1,2-Dichloropropane	ND		5.0		ug/L			09/30/21 05:56	1
2-Butanone (MEK)	ND		10		ug/L			09/30/21 05:56	1
2-Hexanone	ND		10		ug/L			09/30/21 05:56	1
4-Methyl-2-pentanone (MIBK)	ND		10		ug/L			09/30/21 05:56	1
Acetone	ND		10		ug/L			09/30/21 05:56	1
Benzene	ND		5.0		ug/L			09/30/21 05:56	1

Eurofins TestAmerica, Buffalo

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: GTEOSI - Seneca Falls

Job ID: 480-190231-1

Client Sample ID: MW-BR-04

Lab Sample ID: 480-190231-14

Date Collected: 09/28/21 13:45

Matrix: Water

Date Received: 09/29/21 10:00

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bromodichloromethane	ND		5.0		ug/L			09/30/21 05:56	1
Bromoform	ND		5.0		ug/L			09/30/21 05:56	1
Bromomethane	ND		5.0		ug/L			09/30/21 05:56	1
Carbon disulfide	ND		5.0		ug/L			09/30/21 05:56	1
Carbon tetrachloride	ND		5.0		ug/L			09/30/21 05:56	1
Chlorobenzene	ND		5.0		ug/L			09/30/21 05:56	1
Chloroethane	ND		5.0		ug/L			09/30/21 05:56	1
Chloroform	ND		5.0		ug/L			09/30/21 05:56	1
Chloromethane	ND		5.0		ug/L			09/30/21 05:56	1
cis-1,2-Dichloroethene	ND		5.0		ug/L			09/30/21 05:56	1
cis-1,3-Dichloropropene	ND		5.0		ug/L			09/30/21 05:56	1
Dibromochloromethane	ND		5.0		ug/L			09/30/21 05:56	1
Dichlorodifluoromethane	ND		5.0		ug/L			09/30/21 05:56	1
Ethylbenzene	ND		5.0		ug/L			09/30/21 05:56	1
Methylene Chloride	ND		5.0		ug/L			09/30/21 05:56	1
Styrene	ND		5.0		ug/L			09/30/21 05:56	1
Tetrachloroethene	ND		5.0		ug/L			09/30/21 05:56	1
Toluene	ND		5.0		ug/L			09/30/21 05:56	1
trans-1,2-Dichloroethene	ND		5.0		ug/L			09/30/21 05:56	1
trans-1,3-Dichloropropene	ND		5.0		ug/L			09/30/21 05:56	1
Trichloroethene	ND		5.0		ug/L			09/30/21 05:56	1
Trichlorofluoromethane	ND		5.0		ug/L			09/30/21 05:56	1
Vinyl acetate	ND		5.0		ug/L			09/30/21 05:56	1
Vinyl chloride	ND		5.0		ug/L			09/30/21 05:56	1
Xylenes, Total	ND		5.0		ug/L			09/30/21 05:56	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		77 - 120		09/30/21 05:56	1
4-Bromofluorobenzene (Surr)	94		73 - 120		09/30/21 05:56	1
Dibromofluoromethane (Surr)	93		75 - 123		09/30/21 05:56	1
Toluene-d8 (Surr)	99		80 - 120		09/30/21 05:56	1

Client Sample ID: MW-BR-05

Lab Sample ID: 480-190231-15

Date Collected: 09/28/21 14:00

Matrix: Water

Date Received: 09/29/21 10:00

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		5.0		ug/L			09/30/21 06:20	1
1,1,2,2-Tetrachloroethane	ND		5.0		ug/L			09/30/21 06:20	1
1,1,2-Trichloroethane	ND		5.0		ug/L			09/30/21 06:20	1
1,1-Dichloroethane	ND		5.0		ug/L			09/30/21 06:20	1
1,1-Dichloroethene	ND		5.0		ug/L			09/30/21 06:20	1
1,2-Dichloroethane	ND		5.0		ug/L			09/30/21 06:20	1
1,2-Dichloropropane	ND		5.0		ug/L			09/30/21 06:20	1
2-Butanone (MEK)	ND		10		ug/L			09/30/21 06:20	1
2-Hexanone	ND		10		ug/L			09/30/21 06:20	1
4-Methyl-2-pentanone (MIBK)	ND		10		ug/L			09/30/21 06:20	1
Acetone	ND		10		ug/L			09/30/21 06:20	1
Benzene	ND		5.0		ug/L			09/30/21 06:20	1

Eurofins TestAmerica, Buffalo

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: GTEOSI - Seneca Falls

Job ID: 480-190231-1

Client Sample ID: MW-BR-05

Lab Sample ID: 480-190231-15

Date Collected: 09/28/21 14:00

Matrix: Water

Date Received: 09/29/21 10:00

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bromodichloromethane	ND		5.0		ug/L			09/30/21 06:20	1
Bromoform	ND		5.0		ug/L			09/30/21 06:20	1
Bromomethane	ND		5.0		ug/L			09/30/21 06:20	1
Carbon disulfide	ND		5.0		ug/L			09/30/21 06:20	1
Carbon tetrachloride	ND		5.0		ug/L			09/30/21 06:20	1
Chlorobenzene	ND		5.0		ug/L			09/30/21 06:20	1
Chloroethane	ND		5.0		ug/L			09/30/21 06:20	1
Chloroform	ND		5.0		ug/L			09/30/21 06:20	1
Chloromethane	ND		5.0		ug/L			09/30/21 06:20	1
cis-1,2-Dichloroethene	ND		5.0		ug/L			09/30/21 06:20	1
cis-1,3-Dichloropropene	ND		5.0		ug/L			09/30/21 06:20	1
Dibromochloromethane	ND		5.0		ug/L			09/30/21 06:20	1
Dichlorodifluoromethane	ND		5.0		ug/L			09/30/21 06:20	1
Ethylbenzene	ND		5.0		ug/L			09/30/21 06:20	1
Methylene Chloride	ND		5.0		ug/L			09/30/21 06:20	1
Styrene	ND		5.0		ug/L			09/30/21 06:20	1
Tetrachloroethene	ND		5.0		ug/L			09/30/21 06:20	1
Toluene	ND		5.0		ug/L			09/30/21 06:20	1
trans-1,2-Dichloroethene	ND		5.0		ug/L			09/30/21 06:20	1
trans-1,3-Dichloropropene	ND		5.0		ug/L			09/30/21 06:20	1
Trichloroethene	ND		5.0		ug/L			09/30/21 06:20	1
Trichlorofluoromethane	ND		5.0		ug/L			09/30/21 06:20	1
Vinyl acetate	ND		5.0		ug/L			09/30/21 06:20	1
Vinyl chloride	ND		5.0		ug/L			09/30/21 06:20	1
Xylenes, Total	ND		5.0		ug/L			09/30/21 06:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		77 - 120		09/30/21 06:20	1
4-Bromofluorobenzene (Surr)	93		73 - 120		09/30/21 06:20	1
Dibromofluoromethane (Surr)	95		75 - 123		09/30/21 06:20	1
Toluene-d8 (Surr)	100		80 - 120		09/30/21 06:20	1

Client Sample ID: TRIP BLANK

Lab Sample ID: 480-190231-16

Date Collected: 09/28/21 00:00

Matrix: Water

Date Received: 09/29/21 10:00

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		5.0		ug/L			09/30/21 06:43	1
1,1,2,2-Tetrachloroethane	ND		5.0		ug/L			09/30/21 06:43	1
1,1,2-Trichloroethane	ND		5.0		ug/L			09/30/21 06:43	1
1,1-Dichloroethane	ND		5.0		ug/L			09/30/21 06:43	1
1,1-Dichloroethene	ND		5.0		ug/L			09/30/21 06:43	1
1,2-Dichloroethane	ND		5.0		ug/L			09/30/21 06:43	1
1,2-Dichloropropane	ND		5.0		ug/L			09/30/21 06:43	1
2-Butanone (MEK)	ND		10		ug/L			09/30/21 06:43	1
2-Hexanone	ND		10		ug/L			09/30/21 06:43	1
4-Methyl-2-pentanone (MIBK)	ND		10		ug/L			09/30/21 06:43	1
Acetone	ND		10		ug/L			09/30/21 06:43	1
Benzene	ND		5.0		ug/L			09/30/21 06:43	1

Eurofins TestAmerica, Buffalo

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: GTEOSI - Seneca Falls

Job ID: 480-190231-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 480-190231-16

Date Collected: 09/28/21 00:00

Matrix: Water

Date Received: 09/29/21 10:00

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bromodichloromethane	ND		5.0		ug/L			09/30/21 06:43	1
Bromoform	ND		5.0		ug/L			09/30/21 06:43	1
Bromomethane	ND		5.0		ug/L			09/30/21 06:43	1
Carbon disulfide	ND		5.0		ug/L			09/30/21 06:43	1
Carbon tetrachloride	ND		5.0		ug/L			09/30/21 06:43	1
Chlorobenzene	ND		5.0		ug/L			09/30/21 06:43	1
Chloroethane	ND		5.0		ug/L			09/30/21 06:43	1
Chloroform	ND		5.0		ug/L			09/30/21 06:43	1
Chloromethane	ND		5.0		ug/L			09/30/21 06:43	1
cis-1,2-Dichloroethene	ND		5.0		ug/L			09/30/21 06:43	1
cis-1,3-Dichloropropene	ND		5.0		ug/L			09/30/21 06:43	1
Dibromochloromethane	ND		5.0		ug/L			09/30/21 06:43	1
Dichlorodifluoromethane	ND		5.0		ug/L			09/30/21 06:43	1
Ethylbenzene	ND		5.0		ug/L			09/30/21 06:43	1
Methylene Chloride	ND		5.0		ug/L			09/30/21 06:43	1
Styrene	ND		5.0		ug/L			09/30/21 06:43	1
Tetrachloroethene	ND		5.0		ug/L			09/30/21 06:43	1
Toluene	ND		5.0		ug/L			09/30/21 06:43	1
trans-1,2-Dichloroethene	ND		5.0		ug/L			09/30/21 06:43	1
trans-1,3-Dichloropropene	ND		5.0		ug/L			09/30/21 06:43	1
Trichloroethene	ND		5.0		ug/L			09/30/21 06:43	1
Trichlorofluoromethane	ND		5.0		ug/L			09/30/21 06:43	1
Vinyl acetate	ND		5.0		ug/L			09/30/21 06:43	1
Vinyl chloride	ND		5.0		ug/L			09/30/21 06:43	1
Xylenes, Total	ND		5.0		ug/L			09/30/21 06:43	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		77 - 120		09/30/21 06:43	1
4-Bromofluorobenzene (Surr)	94		73 - 120		09/30/21 06:43	1
Dibromofluoromethane (Surr)	97		75 - 123		09/30/21 06:43	1
Toluene-d8 (Surr)	100		80 - 120		09/30/21 06:43	1