



**Department of
Environmental
Conservation**

KATHY HOCHUL
Governor

AMANDA LEFTON
Commissioner

August 21, 2026

Matthew Walsh
Manager, Health & Safety
GTE Operations Support Incorporated
1 Verizon Way, VC33E039
Basking Ridge, New Jersey 07920-1097

Re: June 2026 Air Sampling Report
G.T.E. Products Corporation Site
Site No.: 850003
Town of Seneca Falls, Seneca (C)

Dear Mr. Walsh:

The New York State Department of Environmental Conservation (Department) in conjunction with New York State Department of Health (NYSDOH) have completed a review of the June 2026 Air Sampling Report (Report) dated August 18, 2026 for the G.T.E. Products Corporation site (Site) located at 50 Johnston Street, Town of Seneca Falls, Seneca County. The sub-slab depressurization system appears to be operating as designed and the indoor air samples were within the background concentrations for TCE. The Department and NYSDOH understand that any soil vapor intrusion sampling completed at the Site will be completed in accordance with the May 7, 2003 Vapor Intrusion Pathway Investigation Work Plan (Work Plan) and Quality Assurance Project Plan (QAPP). The next scheduled indoor air sampling event is scheduled for the 3rd week of September 2026.

NYSDEC seeks to resolve outstanding differences in a mutually agreeable manner which addresses the requirements of the RCRA Corrective Action Order on Consent, Part 375, and all applicable laws, regulations, and guidance. If you or your technical team have any questions or concerns regarding this request, please contact me via email at charlotte.theobald@dec.ny.gov or at 585-226-5354. If your legal team have any questions or concerns regarding this request, please feel free to contact Michael Murphy via e-mail at Michael.Murphy1@dec.ny.gov or at 518-402-8564.

Sincerely,

Charlotte B. Theobald
Assistant Engineer

cc:

Mark Flusche (Arcadis)
Christopher Davern (Arcadis)
Michael Higgins (Arcadis)
Suzie Bower (Arcadis)
Stephen Bregande (Seneca Falls Specialties & Logistics)
J. Christopher Woods (Seneca Falls Specialties & Logistics)

Anthony Halling (Philips North America, LLC)
Justin Demining (NYSDOH)
Julia Kenney (NYSDOH)
Greg MacLean (NYSDEC)



**GTE Operations Support Incorporated
One Verizon Way (VC33E048B)
Basking Ridge, New Jersey 07920**

**Matthew Walsh
Sr. Manager, EHS
(908) 559-3691**

August 18, 2026

Ms. Charlotte Theobald
Assistant Engineer
New York State Department of Environmental Conservation
Division of Environmental Remediation
6274 East Avon-Lima Road
Avon, NY 14414

**Re: June 2026 Air Sampling Report
Site #850003 - G.T.E. Products Corporation
Former Philips Display Components Facility
Seneca Falls, New York**

Dear Ms. Theobald:

Results of the quarterly indoor air sampling conducted on June 18, 2026, at the former Philips Display Components Facility (New York State Department of Environmental Conservation Site No. 850003) located at 50 Johnston Street, Seneca Falls, New York, are provided in Attachments A, B, and C. Volatile organic compounds, primarily trichloroethene (TCE), were reported in the June 2026 indoor air samples. The data validation report for these results is provided in Attachment D.

Five sub-slab depressurization (SSD) systems installed in Buildings 1A, 1, 7, 10, and 11 between 2006 and 2013 remain operational. Key vapor intrusion mitigation measures implemented since 2013 include:

- **Q1 2017:** Activated SSD system in Building 8, activated basement ventilation in Building 2, and added three extraction points to Building 7 SSD system.
- **Q2 2018:** Expanded SSD systems in Building 10 (+6 extraction points) and Building 11 (+8 extraction points).
- **Q1 2019:** Added three extraction points in Building 9 warehouse, connecting them to Building 10/11 SSD system.
- **Q3 2021:** Added one extraction point to Building 7 SSD system.
- **Q1 2023:** Installed sub-membrane depressurization (SMD) system in Building 9 crawl space, replacing the 2017 ventilation system.
- **Q1 2024:** Added three SSD extraction points to Building 7 and eight to Buildings 9 and 9A.

The third quarter 2026 air sampling event is tentatively scheduled for the third week of September.

Please contact me if you have any questions.

Sincerely,



Matthew T. Walsh
Sr. Manager – Environment, Health and Safety

Attachments

Attachment A – June 2026 Sampling Summary
Attachment B – Figures
Attachment C – Tables
Attachment D – Data Validation Report

ec:

Mr. David Pratt (NYSDEC)
Ms. Julia Kenney (NYSDOH)
Mr. Andy Park (USEPA)
Mr. Charles Harewood (USEPA)
Mr. Stephen Bregande (Seneca Falls Specialties & Logistics Company, Inc.)
Mr. J. Christopher Woods (Seneca Falls Specialties & Logistics Company, Inc.)
Mr. Anthony Halling (Philips North America LLC)
Mr. Mark Flusche (Arcadis)

Attachment A

June 2026 Sampling Summary

June 2026 Sampling Summary

Indoor air and crawl space air samples are collected quarterly and sub-slab vapor samples are collected annually (in December) to monitor the effectiveness of the vapor intrusion (VI) mitigation systems installed at the G.T.E. Products Corporation site (Former Philips Display Components Facility) in Seneca Falls, New York (Attachment B, Figure 1). The quarterly indoor air and crawl space air samples were collected on June 18, 2026. Analytical results for the June 2026 quarterly air sampling event are summarized herein.

Vapor Intrusion Mitigation Systems Overview

VI mitigation systems operate at the facility to reduce concentrations of volatile organic compounds (VOCs), primarily trichloroethene (TCE), in indoor air. The following VI mitigation systems operate at the facility:

1. Building 1 sub-slab depressurization (SSD) system,
2. Building 1A sump/trench ventilation and SSD system,
3. Building 2 basement ventilation system,
4. Building 7 SSD system,
5. Building 8 SSD system,
6. Building 9 office crawl space sub-membrane depressurization (SMD) system,
7. Building 9/10/11 SSD system.

The ventilation and SSD/SMD system extraction point locations are shown on Figure 2 (Attachment B). The SSD systems in Buildings 7 and 9 were expanded in February 2024 with the installation of three additional SSD extraction points in Building 7 and eight additional SSD extraction points in Building 9. The additional SSD extraction points were connected to the Building 7 and Building 9/10/11 SSD systems on March 4, 2024.

Performance monitoring data are collected to confirm that the SSD and SMD systems are operating as designed. A micromanometer is used to measure differential pressure at vacuum monitoring points within the SSD/SMD areas. Applied vacuum levels at individual SSD/SMD and ventilation system extraction points are measured using field-mounted vacuum indicators.

Sampling, Analysis, and Data Validation Overview

During the quarterly indoor air sampling event on June 18, 2026, 14 indoor air samples (plus one duplicate sample), one crawl space air sample, and two outdoor ambient air samples were collected. Sample locations are shown on Figure 2 (Attachment B).

Samples were analyzed by Eurofins Air Toxics of Folsom, California, using United States Environmental Protection Agency low-level Method TO-15 for indoor and outdoor air samples. Air and sub-slab vapor sample analytical results for 16 site-specific compounds are provided in Attachment C (Tables 1 through 8) and select TCE results are displayed graphically on concentration plots in Attachment B (Figures 3 through 9).

Sampling, laboratory analysis, and data validation were conducted in accordance with the approved *Soil Vapor Intrusion Pathway Investigation Work Plan and Quality Assurance Project Plan*¹ dated May 7, 2003.

¹ The *Soil Vapor Intrusion Pathway Investigation Work Plan* and *Quality Assurance Project Plan* documents are being revised and will be provided to the New York State Department of Environmental Conservation for review and approval.

Data Validation Services, Inc., of North Creek, New York, performed third-party data validation on the analytical data from samples collected on June 18, 2026. Air sample results are usable as reported (Attachment D).

June 2026 Air Sampling Results

Reported TCE concentrations in the indoor air samples collected on June 18, 2026, ranged between <0.17 micrograms per cubic meter ($\mu\text{g}/\text{m}^3$) and $1.5 \mu\text{g}/\text{m}^3$. This is similar to the ranges observed in the previous two sampling events in December 2025 (<0.16 $\mu\text{g}/\text{m}^3$ to $0.46 \mu\text{g}/\text{m}^3$) and March 2026 (0.073 to $0.84 \mu\text{g}/\text{m}^3$), and significantly lower than the historical range during mitigation system operation (<0.054 to $81 \mu\text{g}/\text{m}^3$).

The New York State Department of Health (NYSDOH) Air Guideline Value (AGV) of $2 \mu\text{g}/\text{m}^3$ for TCE is shown on the concentration plots in Attachment B (Figures 3 through 9). None of the air samples collected in June 2026 exceeded this AGV. Analytical results for the indoor air, ambient air, and crawl space air samples collected on June 18, 2026, are summarized below and presented in Attachment C (Tables 1 through 8).

QUARTERLY AIR SAMPLING RESULTS – June 18, 2026

Sample ID	Sample Type and Location	June 18, 2026 TCE Conc. ($\mu\text{g}/\text{m}^3$)	Previous Concentration Range During System Operation ($\mu\text{g}/\text{m}^3$)	Table	Figure	Notes
IA-B1-01	Building 1 Indoor Air	1.0	0.12 to 4.1	1	3	The Building 1 SSD system was installed in October 2013. Three additional in-line fan SSD extraction points began operating in February 2017. The Building 1 SSD system currently consists of four SSD extraction points.
IA-B1A-01	Building 1A First Floor	0.40	<0.054 to 6.8	2	4	The Building 1A Sump and Trench Ventilation system was installed in December 2010 and an SSD extraction point was added in April 2011.
IA-B1A-BASE	Building 1A Basement Air	0.20	<0.054 to 67	2	4	
OA-B2-01	Ambient Air near Building 2	<0.22	0.053 to 2.8	8	NA	NA
IA-B7-01	Building 7 Warehouse Indoor Air	1.5	0.31 to 20	3	5	The Building 7 SSD system was installed in October 2006. Two of the three SSD extraction points were replaced in January 2017, three SSD extraction points were added in February 2017, one SSD extraction point was added in September 2021, and three SSD extraction points were added in March 2024. The Building 7 SSD system currently consists of ten SSD extraction points.
IA-B7-02	Building 7 Office Indoor Air	0.57	0.28 to 19	3	5	
IA-B8-01	Building 8 Indoor Air	0.30	0.20 to 8.4	4	6	The Building 8 SSD system currently consists of two SSD extraction points which began operating in February 2017.
IA-B9-01	Building 9 Former Office Indoor Air	<0.17	0.12 to 18	5	7	Three new SSD extraction points were installed in Building 9 in March 2019 and eight new SSD extraction points were installed in Buildings 9 and 9A in March 2024. The eleven Building 9 and 9A SSD extraction points are connected to the Building 9/10/11 SSD system.
IA-B9-02	Building 9 Warehouse Indoor Air	0.45	0.091 to 51	5	7	

Sample ID	Sample Type and Location	June 18, 2026 TCE Conc. ($\mu\text{g}/\text{m}^3$)	Previous Concentration Range During System Operation ($\mu\text{g}/\text{m}^3$)	Table	Figure	Notes
IA-B9-CS	Building 9 Crawl Space Air	<0.18	0.11 to 75	5	7	A Building 9 Office Area crawl space ventilation system operated November 2004 to June 2010 and February 2017 to December 2022. A sub-membrane depressurization system was installed in the Building 9 crawl space in December 2022, replacing the crawl space ventilation system.
IA-B10-01	Building 10 Indoor Air	0.38	<0.054 to 27	6	8	The Building 10 SSD system was installed in September 2010. Additional Building 10/10A SSD extraction points were installed in May and October 2018. The ten Building 10/10A SSD extraction points are connected to the Building 9/10/11 SSD system.
IA-B10A-01	Building 10A Indoor Air	0.35	0.32 to 18	6	8	
IA-B11-01	Building 11 Indoor Air	0.35	0.21 to 59	7	9	The Building 11 SSD system was installed in November 2005. Additional Building 11/11A SSD extraction points were installed in 2007, 2010, and 2018. The eleven Building 11/11A SSD extraction points are connected to the Building 9/10/11 SSD system.
IA-B11-02	Building 11A Indoor Air	0.46	0.20 to 81	7	9	
OA-B11-01	Ambient Air Near Building 11	<0.16	<0.054 to 3.4	8	NA	NA
IA-B13-01	Building 13 Indoor Air	0.39	0.16 to 41 ^a	7	NA	NA
IA-B13A-01	Building 13A Indoor Air	0.31	0.24 to 19 ^a	7	NA	NA

NOTES:

NA = Not applicable

^a Buildings 13 and 13A do not contain SSD systems, so the entire historical range of indoor air concentrations is shown for these areas.

Summary and Conclusions


Indoor air and crawl space samples were collected on June 18, 2026 to monitor the effectiveness of the VI mitigation systems installed at the facility. The indoor air TCE concentration range for the June 2026 sampling event (<0.17 $\mu\text{g}/\text{m}^3$ to 1.50 $\mu\text{g}/\text{m}^3$) was similar to the concentration ranges in the previous two sampling events in December 2025 (<0.16 $\mu\text{g}/\text{m}^3$ to 0.46 $\mu\text{g}/\text{m}^3$) and March 2026 (0.073 $\mu\text{g}/\text{m}^3$ to 0.84 $\mu\text{g}/\text{m}^3$). All indoor air TCE concentrations from the June 2026 quarterly air sampling event were less than NYSDOH's AGV of 2 $\mu\text{g}/\text{m}^3$.

The TCE concentration in Building 1 indoor air sample IA-B1-01 in June 2026 (1.0 $\mu\text{g}/\text{m}^3$) remained less than the AGV and the September 2025 concentration of 2.6 $\mu\text{g}/\text{m}^3$. To address potential VI pathways, GTEOSI sealed and repaired portions of the Building 1 slab on July 17 and 18, 2026. These activities, outlined in the December 2025 Air Sampling Report (March 24, 2026) were approved by the New York State Department of Environmental Conservation on April 21, 2026. GTEOSI will continue to evaluate the Building 1 SSD system to determine if modifications are appropriate. This assessment may include measuring sub-slab differential pressure at existing and new vacuum monitoring points or collecting sub-slab vapor samples. Findings and recommendations will be provided in a future quarterly air sampling report.


Attachment B

Figures

CITY:SYRACUSE-NY DIV:GROUP-ENVCAD DB: LD: PIC: PM:CD:DAVERN TM:(Opt) Lyr:Option="OFF-REF"
C:\Users\gsheinberger\ACCDocs\Arcadis\AUS-GTE OPERATIONS SUPPORT-FMIR PHILIPS DISPLAY FAC-SENECA FALLS New York\Project Files\2022\01-In Progress\01-DWG\GEN-FIG01-VICMAP.dwg LAYOUT: 1 SAVED: 6/3/2022 11:09 AM ACADVER: 24.1S (LMS TECH) PAGESETUP: ---
PLOTSTYLETABLE: PLT:FULL CTB PLOTTED: 6/3/2022 11:23 AM BY: STEINBERGER, GEORGE



REFERENCE: BASE MAP USGS 7.5 MINUTE QUADRANGLE,
SENECA FALLS, NY., 1953, PHOTOREVISED 1978



FORMER PHILIPS DISPLAY COMPONENTS FACILITY
SENECA FALLS, NEW YORK

SITE LOCATION



FIGURE
1



Figure 3: Building 1 Area TCE Concentrations




Figure 4: Building 1A Area TCE Concentrations




Figure 5: Building 7 Area TCE Concentrations




Figure 6: Building 8 Area TCE Concentrations




Figure 7: Building 9 Area TCE Concentrations




Figure 8: Building 10 Area TCE Concentrations





Figure 9: Building 11 Area TCE Concentrations



Attachment C

Tables

Table 1
Building 1 Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B1-01															
Description	BUILDING 1 INDOOR AIR															
Volatiles Organic Compound	1,1,1- Trichloroethane	1,1,2,2- Tetrachloroethane	1,1,2- Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2- Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2- Dichloroethane	Trichloroethane	Vinyl Chloride
7/15/2003	0.57	0.14 U	0.1 U	0.08 U	0.045	1.1	1.3	0.38	1.9	6.2	2	12	17	0.056 U	4.8	0.02 U
10/2/2003	0.71	0.069 U	0.055 U	0.073	0.15	0.49	1.6	1.3	1.1	2.7	0.87	5.6	5.3	0.04 U	7.5	0.026 U
1/20/2004	0.32	0.14 U	0.11 U	0.081 U	0.079 U	0.28	1.4	1	1.1	3.6	1.1	9.5	3.8	0.079 U	4.8	0.051 U
12/18/2013	0.091 U	0.11 U	0.091 U	0.068 U	0.066 U	0.14 U	0.90	0.066 U	0.20	0.50	0.23	0.11 U	4.1	0.066 U	0.40	0.085 U
3/20/2014	0.13 NJ	0.14 U	0.11 U	0.081 U	0.077 U	0.28	0.86	0.061 U	1.1	4.7	1.8	0.23	4.9	0.079 U	1.8	0.1 U
6/18/2014	0.27 U	0.34 U	0.27 U	0.2 U	0.47 NJ	0.45	0.19	0.46	0.5	1	0.25	0.34 U	18	0.2 U	1.8	0.26 U
9/23/2014	0.35	0.069 U	0.055 U	0.04 U	0.074	0.13	0.42	0.4	0.5	1.9	0.57	1.2	2.9	0.04 U	3.5	0.051 U
12/16/2014	0.086	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.034	0.048 NJ	0.043 U	0.087 U	0.043 U	0.068 U	0.038 U	0.04 U	0.12	0.051 U
3/24/2015	0.16	0.069 U	0.055 U	0.04 U	0.04 U	0.16	0.99	0.21	0.42	1.4	0.50	1.1	2.6	0.04 U	2.7	0.051 U
6/15/2015	0.18	0.069 U	0.055 U	0.04 U	0.04 U	0.84	0.44	0.38	2.1	8.3	2.3	1	2.2	0.04 U	3.6	0.051 U
9/9/2015	0.31	0.069 U	0.055 U	0.04 U	0.04 U	0.93	0.28	0.04 U	0.37	1.2	0.48	0.94	1.3	0.04 U	2.0	0.051 U
12/15/2015	0.061 J+	0.069 U	0.055 U	0.04 U	0.04 U	0.12 J+	0.42	0.072 U	0.27	0.93	0.20	0.11	1.1	0.04 U	1.3	0.051 U
3/31/2016	0.13	0.069 U	0.055 U	0.04 U	0.04 U	0.18	0.35	0.04 U	0.17	0.47	0.17	0.31	0.76	0.04 U	1.6	0.051 U
6/30/2016	0.19	0.069 U	0.055 U	0.04 U	0.04 U	0.26	0.15	0.074	0.27	0.92	0.32	1.2	2.1	0.04 U	1.6	0.051 U
9/13/2016	0.74	0.069 U	0.055 U	0.04 U	0.058	0.97	0.48	0.12	0.75	2.5	0.93	4.3	1.8	0.04 U	2.4	0.051 U
12/9/2016	0.20 J+	0.069 U	0.055 U	0.040 U	0.04 U	0.081 U	0.40	0.20	0.15	0.45	0.14	1.4	0.68	0.04 U	3.4	0.051 U
3/29/2017	0.079	0.069 U	0.055 U	0.040 U	0.04 U	0.086	0.32	0.04 U	0.21	0.85	0.26	0.60	0.38	0.04 U	0.49	0.051 U
6/28/2017	0.33	0.069 U	0.055 U	0.04 U	0.04 U	0.63	0.35	0.25	0.54	1.8	0.56	0.59	2.6	0.04 U	2.1	0.051 U
9/28/2017	0.16	0.069 U	0.055 U	0.04 U	0.04 U	0.35	0.46	0.16	0.29	0.65	0.21	2.1	1.2	0.04 U	1.5	0.051 U
12/14/2017	0.20	0.069 U	0.055 U	0.04 U	0.04 U	0.18	0.46	0.39	0.11	0.35	0.13	2.1	0.56	0.04 U	2.1	0.051 U
3/22/2018	0.24	0.069 U	0.055 U	0.04 U	0.04 U	0.24	0.45	0.26	0.18	0.21	0.068	0.63	1.1	0.04 U	1.5	0.051 U
5/14/2018	0.76	0.069 U	0.055 U	0.04 U	0.04 U	1.4	0.31	0.047	0.35	1.1	0.35	0.28	1.2	0.04 U	1.7	0.051 U
9/20/2018	0.19	0.069 U	0.055 U	0.04 U	0.04 U	0.17	0.33	0.10	0.33	1.1	0.39	1.8	1.3	0.04 U	1.3	0.051 U
12/6/2018	0.20	0.069 U	0.055 U	0.04 U	0.04 U	0.089	0.50	0.10	0.19	0.59	0.20	0.43	0.88	0.073	1.7	0.051 U
3/28/2019	0.081	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.40	0.04 U	0.043 U	0.087 U	0.043 U	0.12	0.26	0.04 U	0.35	0.051 U
6/26/2019	0.24	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.29	0.12	0.29	0.89	0.27	0.26	2.2	0.04 U	0.87	0.051 U
9/26/2019	0.32	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.18	0.47	1.6	0.52	1.0	1.3	0.04 U	1.9	0.051 U
12/11/2019	0.14	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.36	0.11	0.14	0.47	0.18	0.63	0.63	0.040 U	0.58	0.051 U
3/17/2020	0.13	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.27	0.064	0.091	0.31	0.11	0.21	0.43	0.040 U	0.69	0.051 U
6/25/2020	0.18	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.11	0.056	0.21	0.77	0.26	0.78	0.58	0.040 U	0.74	0.051 U
9/17/2020	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	35	1.3	0.79 U	1.1	0.51 U
11/3/2020	0.12	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.28	0.35	0.11	0.33	0.12	0.46	0.36	0.040 U	1.2	0.051 U
12/16/2020	0.17	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.39	0.53	0.19	0.55	0.16	5.6	0.45	0.040 U	1.2	0.051 U
3/30/2021	0.087	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.36	0.040 U	0.16	0.53	0.17	0.25	0.42	0.040 U	0.62	0.051 U
6/30/2021	0.34	0.069 U	0.055 U	0.040 U	0.040 U	0.12	0.26	0.12	0.65	2.1	0.72	0.57	1.4	0.040 U	2.2	0.051 U
9/29/2021	0.22	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.19	0.49	0.21	0.71	0.24	0.27	0.51	0.04 U	1.5	0.051 U
12/14/2021	0.16	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.35	0.39	0.17	0.56	0.19	0.73	0.53	0.040 U	1.7	0.051 U
03/31/2022	0.065	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.27	0.11	0.30	1.3	0.52	0.068 U	0.68	0.040 U	1.2	0.051 U
06/14/2022	0.11	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.14	0.088	0.25	0.84	0.28	0.22	0.88	0.04 U	0.46	0.051 U
09/13/2022	0.48	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.28	0.53	0.70	2.2	0.81	2.6	1.3	0.040 U	1.3	0.051 U
01/19/2023	0.13	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.33	0.15	0.28	0.72	0.19	2.4	0.86	0.040 U	1.6	0.051 U
03/13/2023	0.095	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.57	0.064	0.19	0.59	0.20	0.83	0.54	0.040 U	0.67	0.051 U
06/21/2023	1.1 U	1.4 U	1.1 U	0.81 U	0.20 U	0.81 U	0.64 U	0.20 U	0.87 U	2.2 U	0.87 U	1.7	0.94	0.79 U	1.4	0.20 U
09/12/2023	0.32	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.26	0.15	0.17	0.51	0.25	1.4	2.2	0.040 U	1.7	0.051 U
12/15/2023	0.15	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.51	0.35	0.16	0.45	0.18	0.73	1.1	0.37	4.1	0.051 U
03/28/2024	0.12	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.33	0.040 U	0.10	0.23	0.058	0.25	0.37	0.040 U	1.7	0.051 U
06/27/2024	0.18	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.17	0.70	0.30	1.1	0.71	0.50	0.61	0.040 U	1.2	0.051 U
09/13/2024	0.22	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.18	0.15	0.14	0.51	0.19	0.94	0.40	0.040 U	1.3	0.051 U
12/30/2024	0.055 U	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.24	0.040 U	0.043 U	0.10	0.045	0.096	0.21	0.040 U	0.70	0.051 U
03/21/2025	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.26	0.04 U	0.13	0.43	0.13	0.27	0.18	0.04 U	0.43	0.051 U
06/20/2025	0.19	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.44	0.061	0.28	0.94	0.36	0.23	0.96	0.040 U	1.2	0.051 U
09/11/2025	0.43	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.54	0.24	1.0	1.5	0.51	10	1.4	0.040 U	2.6	0.051 U
12/19/2025	0.16 U	0.21 U	0.16 U	0.12 U	0.060 U	0.12 U	0.33	0.12 U	0.13 U	0.26 U	0.13 U	0.35	0.37	0.60 U	0.46	0.039 U
3/19/2026	0.20 U	0.26 U	0.20 U	0.15 U	0.074 U	0.15 U	0.41	0.15 U	0.16 U	0.33 U	0.16 U	0.34	1.3	0.74 U	0.84	0.048 U
6/18/2026	0.22	0.23 U	0.18 U	0.13 U	0.065 U	0.13 U	0.26 U	0.13 U	0.14 U	0.30	0.14 U	1.2	0.51	0.65 U	1.0	0.042 U

Sample ID	SVSS-B1-01															
Description	BUILDING 1 SUB-SLAB VAPOR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/17/2003	39 U	49 U	39 U	29 U	28 U	29 U	23 U	47	31 U	31 U	32 U	110	27 U	28 U	6600	18 U
12/18/2013	73 U	92 U	73 U	54 U	53 U	54 U	43 U	140	58 U	150 U	58 U	91 U	50 U	53 U	8200	34 U
12/16/2014-FD	17 U	22 U	17 U	13 U	13 U	13 U	10 U	51	14 U	35 U	14 U	23	12 U	13 U	2600	8.1 U
12/16/2014	24 U	30 U	24 U	18 U	17 U	18 U	14 U	70	19 U	47 U	19 U	31	16 U	17 U	3500	11 U
12/16/2015 (FD)	40 U	51 U	40 U	30 U	29 U	30 U	24 U	85	32 U	80 U	32 U	50 U	28 U	29 U	4100	19 U
12/16/2015	32 U	40 U	32 U	23 U	23 U	23 U	19 U	97	25 U	63 U	25 U	39 U	22 U	23 U	4100	15 U
12/9/2016	40 U	50 U	40 U	29 U	29 U	29 U	23 U	120	32 U	79 U	32 U	49 U	27 U	29 U	6400	19 U
12/14/2017	23 U	29 U	23 U	17 U	17 U	17 U	14 U	67	18 U	46 U	18 U	29 U	16 U	17 U	2400	11 U
12/6/2018	14 U	17 U	14 U	10 U	9.9 U	10 U	8 U	52	11 U	27 U	11 U	31	9.4 U	9.9 U	1600	6.4 U
12/11/2019	3.3 U	4.1 U	3.3 U	2.4 U	2.4 U	2.4 U	1.9 U	65	2.6 U	6.5 U	2.6 U	18	2.3 U	2.4 U	2100 D	1.5 U
12/16/2020	6.6 U	8.3 U	6.6 U	4.9 U	4.8 U	4.9 U	3.9 U	51	5.3 U	13 U	5.3 U	8.7 U	4.6 U	4.8 U	770	3.1 U
12/14/2021	8.7 U	11 U	8.7 U	6.5 U	6.3 U	6.5 U	5.1 U	42	6.9 U	17 U	6.9 U	11 U	6.0 U	6.3 U	1100	4.1 U
01/19/2023	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	25	0.87 U	2.4	0.87 U	7.0	0.75 U	0.79 U	650 D	0.51 U
12/15/2023	3.3 U	4.1 U	3.3 U	2.4 U	2.4 U	2.4 U	1.9 U	33	2.6 U	6.5 U	2.6 U	4.1 U	2.3 U	2.4 U	540	1.5 U
12/30/2024	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	42	0.87 U	2.2 U	0.87 U	6.3	0.75 U	1.1	1200	0.51 U
12/19/2025	3.8 U	4.7 U	3.8 U	2.8 U	2.7 U	2.8 U	2.2 U	19	3.0 U	6.0 U	3.0 U	4.9	5.2 U	2.7 U	690	1.8 U

Table 2
Building 1A Basement and First Floor Indoor Air Sample Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B1A-01															
Description	BUILDING 1A FIRST FLOOR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,1,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2-Dichloroethane	Trichloroethane	Vinyl Chloride
7/15/2003	0.63	0.14 U	0.1 U	0.08 U	0.04 U	0.95	1.8	0.89	3.4	12	3.5	25	52	0.056 U	6.9	0.02 U
10/2/2003	0.35 J	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	1.3	1.5	0.91	2.6	0.74	1.9	11	0.2 U	10	0.13 U
1/20/2004	0.19	0.14 U	0.11 U	0.081 U	0.079 U	0.14	0.89	0.59	0.61	1.7	0.56	8.1	2.8	0.079 U	2.1	0.051 U
12/12/2006	0.21	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	3.5	0.71	2	6.1	1.4	3.6	8.7	0.12 U	9.1	0.15 U
3/20/2007	0.26	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.3	0.75	0.78	2.6	0.61	0.88	3.4	0.16 U	12	0.2 U
6/21/2007	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.24	0.04 U	0.21	0.74	0.18	0.095	1.5	0.04 U	0.39	0.051 U
9/19/2007	1	0.69 U	0.55 U	0.4 U	0.4 U	0.97	1.2	0.67	3.8	12	2.1	2.4	17	0.4 U	3.4	1.6
12/11/2007	0.093	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.4	0.32	0.61	1.7	0.4	1.6	2.9	0.059 U	2.9	0.077 U
3/26/2008	0.098	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.4	0.28	0.74	2.6	0.69	0.75	1.9	0.059 U	4.9	0.077 U
6/17/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.14	0.04 U	0.65	2.6	0.74	0.068 U	2.1	0.04 U	0.059	0.051 U
9/24/2008	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.89	0.48	1	3.2	0.96	0.88	11	0.16 U	2.3	0.2 U
12/18/2008	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	4.8	0.59	0.78	2.9	1	0.56	6.8	0.12 U	9.7	0.15 U
3/26/2009	0.18 U	0.23 U	0.18 U	0.13 U	0.13 U	0.27 U	3.8	1	1.1	3.7	1.2	0.46	8.7	0.13 U	7	0.17 U
6/25/2009	0.18 U	0.23 U	0.18 U	0.13 U	0.13 U	0.27 U	1.7	0.27	1.1	3.8	1.1	0.22 U	7.2	0.13 U	0.59	0.17 U
9/23/2009	0.82 U	1 U	0.82 U	0.61 U	0.59 U	1.2 U	2.4	0.59 U	6.1	17	3.9	1 U	37	0.59 U	2.7	0.77 U
12/17/2009	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.7	0.52	0.69	2.3	1.1	0.58	4.5	0.079 U	7.7	0.1 U
3/24/2010	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.3	1	1	3.2	0.83	0.6	4.9	0.079 U	7.5	0.1 U
6/22/2010	0.44 U	0.56 U	0.44 U	0.33 U	0.32 U	0.65 U	1.9	2.7	2	6.5	1.8	0.75	9	0.32 U	27	0.41 U
8/30/2010	0.069 NJ	0.069 UJ	0.055 U	0.04 U	0.04 U	0.081 U	0.7	0.094	0.67	2	0.67	0.13	3.4	0.04 U	1.5	0.051 U
9/22/2010	0.33 U	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	1.6	0.24 U	2.4	11	2.9	0.43	16	0.24 U	2.4	0.31 U
12/28/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.8	0.071	0.17	0.55	0.19	0.1	1.6	0.04 U	1.1	0.051 U
3/23/2011	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2	0.59	0.45	1.3	0.46	0.58	2.5	0.079 U	6.8	0.1 U
6/22/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.35	0.04 U	0.48	1.3	0.47	0.11	3.5	0.04 U	0.26	0.051 U
9/21/2011	0.055 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.22	0.44	0.16	0.094	0.32	0.12	0.081	0.4	0.04 U	0.75
12/20/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.11	0.55	0.089	0.3	0.14	0.28	1.3	0.04 U	1.1	0.051 U
3/28/2012	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.32	0.079 U	0.38	0.82	0.29	0.18	3.5	0.079 U	1.3	0.1 U
6/14/2012	0.068 U	0.086 U	0.068 U	0.051 U	0.05 U	0.14	1.1	0.29	0.54	1.8	0.62	0.16	3.8	0.05 U	1.3	0.064 U
10/9/2012	0.28	0.21 U	0.16 U	0.12 U	0.12 U	0.33	0.83	0.55	0.74	2.4	0.74	1.1	4	0.12 U	5.2	0.15 U
1/3/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.09 NJ	0.96	0.12	0.18	0.51	0.17	0.28	2	0.04 U	1.6	0.051 U
3/28/2013	0.055 U	0.069 UJ	0.055 U	0.04 U	0.16 U	0.081 U	0.93	0.08 U	0.12	0.29 J	0.1 NJ	0.071	1.1	0.04 U	0.95	0.051 U
6/19/2013	0.067	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.15	0.17 NJ	0.28	0.98	0.39	0.26	3.1	0.04 U	2.7	0.051 U
9/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.032 U	0.14	0.043 U	0.087 U	0.043 U	0.068 U	0.038 U	0.04 U	0.11	0.051 U
12/18/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.92	0.04 U	0.2	0.65	0.24	0.068 U	1.7	0.04 U	0.072	0.051 U
3/20/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.62	0.04 U	0.09	0.23	0.093	0.068 U	0.85	0.04 U	0.054 U	0.051 U
6/18/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.23	0.04 U	0.25	0.88	0.29	0.083	1.8	0.04 U	0.095	0.051 U
9/23/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.079	0.31	0.1	0.37	1.3	0.44	0.093	2.8	0.04 U	0.35	0.051 U
12/16/2014	0.084 U	0.069 U	0.055 U	0.04 U	0.04 U	0.094 J+	0.74	0.04 U	0.21	0.53	0.2	0.11	1.6	0.04 U	0.54	0.051 U
3/24/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.093	0.87	0.04 U	0.11	0.35	0.13	0.068 U	0.69	0.04 U	0.17	0.051 U
6/15/2015	0.091 U	0.069 U	0.055 U	0.04 U	0.04 U	0.35	0.27	0.21	0.41	1.4	0.49	0.44	2.1	0.04 U	1.6	0.051 U
9/9/2015	0.12	0.069 U	0.055 U	0.04 U	0.04 U	0.40	0.22	0.04 U	0.35	1.1	0.40	0.49	1.4	0.04 U	1.0	0.051 U
12/15/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.29	0.04 U	0.068	0.20	0.077	0.068 U	0.52	0.04 U	0.054 U	0.051 U
3/31/2016	0.084	0.069 U	0.055 U	0.04 U	0.04 U	0.12	0.24	0.04 U	0.10	0.29	0.12	0.19	0.46	0.04 U	0.83	0.051 U
6/30/2016	0.25	0.069 U	0.055 U	0.04 U	0.04 U	0.77	0.23	0.11 NJ	0.080	0.12	0.043 U	0.61	2.4	0.04 U	1.5	0.051 U
9/13/2016	0.40	0.069 U	0.055 U	0.04 U	0.04 U	0.69	0.36	0.093	1.0	4.0	1.6	3.0	1.6	0.04 U	1.4	0.051 U
12/9/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.47	0.089	0.062	0.17	0.064	0.092	0.49	0.040 U	0.24	0.051 U
3/29/2017	0.055	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.39	0.091	0.17	0.67	0.17	0.58	0.38	0.040 U	0.54	0.051 U
6/28/2017	0.099	0.069 U	0.055 U	0.04 U	0.04 U	0.15	0.24	0.082	0.19	0.46	0.15	0.56	1.3	0.04 U	0.71	0.051 U
9/28/2017	0.078	0.069 U	0.055 U	0.04 U	0.04 U	0.27	0.22	0.15	0.043 U	0.087 U	0.043 U	0.58	0.26	0.04 U	0.81	0.051 U
12/14/2017	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.44	0.095	0.076	0.20	0.084	0.068 U	0.45	0.04 U	0.085	0.051 U
3/22/2018	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.44	0.22	0.043 U	0.091	0.043 U	0.068 U	0.30	0.04 U	0.25	0.051 U
5/14/2018	0.11	0.069 U	0.055 U	0.04 U	0.04 U	0.28	0.25	0.04 U	0.15	0.41	0.17	0.15	0.73	0.04 U	0.23	0.051 U
9/20/2018	0.082	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.24	0.076	0.20	0.56	0.20	0.65	0.98	0.04 U	0.58	0.051 U
12/6/2018	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.18	0.04 U	0.043 U	0.087 U	0.043 U	0.068 U	0.048	0.04 U	0.054 U	0.051 U
3/28/2019	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.52	0.04 U	0.075	0.24	0.11	0.084	0.43	0.04 U	0.085	0.051 U
6/26/2019	0.37	0.069 U	0.055 U	0.04 U	0.04 U	0.10	0.31	0.16	0.47	1.5	0.47	0.19	1.5	0.04 U	0.73	0.051 U
9/26/2019	0.10	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.33	0.057	0.27	0.83	0.32	0.20	0.98	0.04 U	0.29	0.051 U
12/11/2019	0.055 U	0.069 U	0.055 U	0.040 U	0.040 U	0.088	0.48	0.056	0.33	1.3	0.63	0.14	5.1 D	0.11	0.095	0.051 U
3/17/2020	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.04 U	0.043 U	0.12	0.043 U	0.0				

Table 3
Building 7 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B7-01															
Description	BUILDING 7 WAREHOUSE INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	Cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.42	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	1.1	0.21	1.1	3.6	1.3	0.62	7	0.056 U	2.7	0.02 U
10/2/2003	0.45	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	1.4	0.85	1.6	3	0.87	0.62	2.5	0.2 U	13	0.13 U
1/20/2004	0.35	0.21 U	0.16 U	0.12 U	0.12 U	0.12 U	2.5	1	2.6	10	3.1	2.2	9.4	0.12 U	5.9	0.077 U
3/31/2005	0.15	0.069 U	0.055 U	0.04 U	0.04 U	1.4	1.2	0.12	0.74	3	1.1	0.28	3.4	0.04 U	1	0.026 U
12/12/2006	0.28	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	6.1	0.52	2.6	9.1	3.2	4.5	16	0.2 U	5.9	0.26 U
3/20/2007	0.43	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	3.5	0.95	0.87	2.8	1	2.4	5.3	0.2 U	18	0.26 U
6/21/2007	0.055	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.29	0.095	0.24	0.74	0.24	0.19	1.4	0.04 U	0.64	0.051 U
9/19/2007	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.42	0.075	0.23	0.56	0.22	0.14	1.4	0.04 U	1.1	0.051 U
12/11/2007	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2	0.63	0.78	2.5	0.87	3	5.3	0.12 U	3.9	0.15 U
3/26/2008	0.14	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.2	0.75	0.87	3.2	1.1	0.75	7.2	0.079 U	9.7	0.1 U
6/17/2008	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.2	0.44	1.3	4.8	1.7	0.35	6.8	0.079 U	1.5	0.1 U
9/25/2008	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	1.2	0.12	1.1	4	1.6	0.28	8.3	0.12 U	1.2	0.15 U
12/18/2008	0.6 U	0.76 U	0.6 U	0.45 U	0.44 U	0.89 U	5.8	0.52	4.3	1.4	4.8	0.75 U	27	0.44 U	6.4	0.56 U
3/26/2009	0.18 U	0.23 U	0.18 U	0.13 U	0.13 U	0.27 U	2.1	4.4	0.91	3.1	1.2	0.36	8.3	0.13 U	4.8	0.95
6/25/2009	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.8	0.34 NJ	2.1	6.5	2.4	0.34 U	13	0.2 U	2.5	0.26 U
9/23/2009	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.1	0.067	0.74	2.2	0.83	0.1 U	4.5	0.059 U	0.7	0.077 U
12/17/2009	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.8	0.26	1.5	5.6	2.1	0.14 U	7.2	0.079 U	5.4	0.1 U
3/24/2010	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	3.2	0.75	1.9	6.9	2.4	1.2	11	0.12 U	4.7	0.15 U
6/22/2010	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	0.73	0.099	0.61	2	0.87 J	0.17 U	4.9	0.099 U	1.1	0.13 U
9/22/2010	0.33 U	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	1.7	0.24 U	1.1	3.4	1.3	0.41 U	9.7	0.24 U	1.3	0.31 U
12/28/2010	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2	0.66	0.79	2.5	0.85	0.38	6.3	0.12 U	8.9	0.15 U
3/23/2011	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.7	0.14	0.89	3	0.98	0.19	4.2	0.079 U	1.6	0.1 U
6/22/2011	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.1	0.16 U	1.5	5.3	2	0.3	9.9	0.16 U	1	0.2 U
9/21/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.9	0.083	0.85	3.1	1.1	0.1	3.7	0.04 U	1.3	0.051 U
12/20/2011	0.055 U	0.099 U	0.055 U	0.04 U	0.04 U	0.094	0.87	0.17	0.68	2.6	0.99	3.4	2.7	0.04 U	3.5	0.051 U
3/28/2012	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	2.7	0.4 U	2.1	5.6	2	8.1	17	0.4 U	1.6	0.51 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.8	0.2 U	1	2.3	0.84	3.6	3.4	0.2 U	0.93	0.26 U
10/9/2012	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.3	0.3	0.74	2.4	0.8	0.27 U	5.7	0.16 U	11	0.2 U
1/3/2013	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1	0.64	0.44	1.3	0.5	0.34 U	2.8	0.2 U	20	0.26 U
3/28/2013	0.11	0.097 UJ	0.077 U	0.057 U	0.22 U	0.16	1	0.46	0.48	1.3 J	0.52 J	0.15	2.3	0.056 U	4.1	0.073 U
6/19/2013	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.33	0.28 NJ	0.44	1.5	0.55	0.14 U	3.5	0.079 U	1.2	0.1 U
9/19/2013	1.3 NJ	0.069 U	0.055 U	0.04 U	0.98	0.081 U	0.4	0.14	0.28	0.77	0.28	0.12	2.5	0.04 U	3.8	0.051 U
12/18/2013	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	1.2	0.4	0.5	1.7	0.53	0.17 U	4.2	0.099 U	9.1	0.13 U
3/20/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.16	1.1	0.26	0.38	1.3	0.43	0.1	2.7	0.04 U	2.2	0.051 U
6/18/2014	0.091 U	0.11 U	0.091 U	0.068 U	0.066 U	0.14 U	0.88	0.2	0.95	3.6	0.98	0.11 U	5.4	0.066 U	1	0.085 U
9/23/2014	0.12 U	0.15 U	0.12 U	0.09 U	0.089 U	0.2 U	0.39	0.12	0.7	0.89	0.31	0.1 U	4.2	0.059 U	2.1	0.077 U
12/16/2014	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.28	0.96	0.12 U	0.54	1.8	0.62 J+	0.1	2.8	0.059 U	3.4	0.077 U
3/24/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.15	1.1	0.27	0.41	1.3	0.46	0.082	1.6	0.04 U	5.1	0.051 U
6/15/2015	0.083 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.083	0.47	0.38	2.1	8.5	2.3	0.13	3	0.04 U	0.91	0.051 U
9/9/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.23	0.051	0.22	0.68	0.25	0.068 U	1.1	0.04 U	0.92	0.051
12/15/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.67	0.10	0.63	2.5	0.47	0.068 U	3.4	0.04 U	1.8	0.051 U
3/31/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.62	0.04 U	0.27	0.80	0.27	0.081 U	2.3	0.04 U	0.42	0.051 U
6/30/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.32	0.063	0.26	0.84	0.28	0.092	1.1	0.04 U	1.2	0.051 U
9/13/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.23	0.04 U	0.22	0.39	0.15	0.068 U	0.54	0.04 U	0.51	0.051 U
12/9/2016	0.23	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.62	0.31	0.32	0.84	0.28	0.14 U	3.0	0.079 U	7.7	0.10 U
3/29/2017	0.55	0.069 U	0.055 U	0.040 U	0.040 U	0.40	0.87	0.20	0.58	2	0.51	0.23	1.4	0.040 U	1.3	0.051 U
6/28/2017	0.14	0.069 U	0.055 U	0.04 U	0.04 U	0.083	0.82	0.095	0.55	2.0	0.60	0.068 U	3.1	0.04 U	1.4	0.051 U
9/28/2017	0.17	0.069 U	0.099	0.04 U	0.06 U	0.12	0.39	0.25	0.96	3.4	1.4	0.12	2.1	0.04 U	1.8	0.051 U
12/14/2017	0.32	0.14 U	0.11 U	0.081 U	0.079 U	0.31	0.49	0.34	0.087 U	0.17 U	0.087 U	0.14 U	0.23	0.079 U	7.9	0.1 U
1/25/2018	0.35	0.069 U	0.055 U	0.04 U	0.04 U	0.37 J+	0.49	0.17	0.20	0.61	0.18	0.078	0.69	0.04 U	4.6	0.051 U
3/22/2018	0.71	0.069 U	0.055 U	0.04 U	0.04 U	0.73	0.62	0.42	1.5	1.7	0.49	0.45	4.0 D	0.04 U	4.7	0.051 U
5/14/2018	0.21	0.069 U	0.055 U	0.04 U	0.04 U	0.18	0.88	0.073	0.63	1.8	0.62	0.099	2.8	0.04 U	0.61	0.051 U
9/20/2018	0.16	0.069 U	0.055 U	0.04 U	0.04 U	0.24	0.37	0.082	0.27	0.63	0.21	0.068 U	1.4	0.04 U	1.6	0.051 U
12/6/2018	0.16	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.36	0.092	0.18	0.60	0.19	0.068 U	0.81	0.078	3.1	0.051 U
3/28/2019	0.077	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.59	0.04 U	0.13	0.38	0.13	0.068 U	1.1	0.04 U	0.31	0.051 U
6/26/2019	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.086	0.11	0.04 U	0.043 U	0.087 U	0.043 U	0.068 U	0.14	0.04 U	0.079	0.051 U
9/26/2019	0.25	0.069 U	0.055 U	0.04 U	0.04 U	0.28	0.40	0.064	0.46	1.3	0.46	0.11	3.7	0.04 U	1.2	0.051 U
12/11/2019	0.19	0.069 U	0.055 U	0.04 U	0.040 U	0.083	0.55	0								

Table 3
Building 7 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B7-01 (cont.)																
Description	BUILDING 7 WAREHOUSE INDOOR AIR																
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride	
	03/21/2025	0.063	0.075 U	0.059 U	0.044 U	0.043 U	0.088 U	0.50	0.043 U	0.56	2.1	0.58	0.074 U	0.78	0.043 U	0.45	0.056 U
	06/20/2025	0.099	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.61	0.089	0.35	1.2	0.45	0.13	1.1	0.040 U	0.89	0.051 U
	09/11/2025	0.14	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.70	0.091	0.64	1.4	0.55	0.13	1.2	0.040 U	1.1	0.051 U
	12/19/2025	0.16 U	0.21 U	0.16 U	0.12 U	0.059 U	0.12 U	0.54	0.12 U	0.16	0.38	0.15	0.20 U	0.62	0.59 U	0.33	0.038 U
	3/19/2026	0.15 U	0.19 U	0.15 U	0.11 U	0.056 U	0.11 U	0.51	0.11 U	0.12	0.31	0.12 U	0.19 U	1.9	0.56 U	0.35	0.036 U
	6/18/2026	0.17 U	0.22 U	0.17 U	0.13 U	0.063 U	0.13 U	0.28	0.13 U	0.14 U	0.28 U	0.14 U	0.22 U	0.42	0.63 U	1.5	0.041 U

Sample ID	SVSS-B7-01															
Description	BUILDING 7 SUB-SLAB VAPOR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,1-Dichloroethane	1,1,2-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2-Dichloroethane	Trichloroethane	Vinyl Chloride
7/17/2003	33 U	41 U	33 U	24 U	24 U	24 U	19 U	24 U	26 U	26 U	27 U	40	22 U	24 U	3300	15 U
12/12/2006	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	7.9 U	8.7 U	22 U	8.7 U	17	7.5 U	7.9 U	1700	5.1 U
3/20/2007	4.4 U	5.5 U	4.4 U	3.2 U	3.2 U	3.2 U	2.6 U	3.2 U	3.5 U	8.7 U	3.5 U	8.1	3 U	3.2 U	470	2 U
6/21/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.7	1.2	0.79 U	11	0.51 U
9/19/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.79	0.79 U	12	0.51 U
12/11/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	12	0.51 U
3/26/2008	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	70	0.51 U
6/17/2008	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	2	0.75 U	0.79 U	64	0.51 U
9/24/2008	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	1.2	0.79 U	24	0.51 U
12/18/2008	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	40	0.51 U
3/26/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	2	0.75 U	0.79 U	59	0.51 U
6/25/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	2.2	1.1	0.79 U	59	0.51 U
9/23/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.5	0.75 U	0.79 U	64	0.51 U
12/17/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.67	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	2.5	0.79 U	70	0.51 U
3/24/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	1.7 U	0.87 U	1.4 U	0.75 U	0.79 U	43	0.51 U
6/22/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	1.7 U	0.87 U	2.6	0.75 U	0.79 U	100	0.51 U
9/22/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	30	0.51 U
12/28/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	2.2	0.75 U	0.79 U	19	0.51 U
3/23/2011	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.7	0.94	0.79 U	28	0.51 U
6/22/2011	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.7	0.85	2.8	1.7	0.79 U	43	0.51 U
9/21/2011	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	1.0	0.79 U	2.5	10	3.4	1.4 U	15	0.79 U	13	0.51 U
12/20/2011	1.1 UJ	1.4 UJ	1.1 UJ	0.81 UJ	0.79 UJ	0.81 UJ	0.64 UJ	0.79 UJ	0.87 UJ	2.2 UJ	0.87 UJ	3.8 J	0.75 UJ	0.79 UJ	23 J	0.51 UJ
12/19/2012	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	5.6	0.8	0.79 U	23	0.51 U
12/18/2013	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	20	0.51 U
12/16/2014	5	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	1.1	0.87 U	2.2 U	0.87 U	19	1	0.79 U	30	0.51 U
12/16/2015	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	15	0.51 U
12/9/2016	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	14	0.51 U
12/14/2017	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	11	0.51 U
12/6/2018	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	3.3	0.75 U	0.79 U	13	0.51 U
12/11/2019	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	16	0.51 U
12/16/2020	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U+	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.6	0.75 U	0.79 U	13	0.51 U
12/14/2021	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.9	0.75 U	0.79 U	6.0	0.51 U
1/19/2023	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	7.8	0.51 U
12/15/2023	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	9.3	0.51 U
12/30/2024	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	16	0.51 U
12/19/2025	3.7 U	4.6 U	3.7 U	2.7 U	2.7 U	2.7 U	2.1 U	2.7 U	2.9 U	5.8 U	2.9 U	4.5 U	5.0 U	2.7 U	18	1.7 U

See notes on Page 3.

Table 3
Building 7 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B7-02															
Description	BUILDING 7 OFFICE INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,1-Dichloroethane	1,1,2-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2-Dichloroethane	Trichloroethane	Vinyl Chloride
9/21/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.38	0.04 U	0.21	0.63	0.21	0.068 U	1.4	0.04 U	0.82	0.051 U
12/20/2011	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.5	0.17	0.57	1.7	0.62	2	14	0.16 U	3.8	0.2 U
3/28/2012	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.49	3	0.12 U	1.5	3.9	1.4	9.5	6.3	0.12 U	1.8	0.15 U
6/14/2012	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	1.3	1.8	0.19 NJ	3.9	9.7	3.3	2.6	6.7	0.079 U	1.2	0.1 U
10/9/2012	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.43	0.6	0.16 U	0.37	0.94	0.35	0.27 U	1.5	0.16 U	6.8	0.2 U
1/3/2013	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.92	0.47	0.35	0.96	0.38	0.34 U	2.1	0.2 U	1.8	0.26 U
3/28/2013	0.11 U	0.14 U	0.11 U	0.081 U	0.32 U	0.44	0.82	0.38	0.83	1 J	0.54 NJ	0.14 U	2	0.079 U	4.6	0.1 U
6/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.82	0.37	0.04 U	0.79	2.3	0.89	0.1	3.6	0.04 U	1.4	0.051 U
9/19/2013	0.17 NJ	0.069 U	0.055 U	0.04 U	0.12	0.61	0.51	0.094 U	0.38	0.92	0.31	0.1	1.7	0.04 U	2.8	0.051 U
12/18/2013	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.35	0.98	0.43	0.4	0.89	0.29	0.27 U	3.2	0.16 U	12	0.2 U
3/20/2014	0.45 U	0.57 U	0.45 U	0.34 U	0.33 U	0.67 U	0.37	0.33 U	0.36 U	0.72 U	0.36 U	0.56 U	0.4	0.33 U	3.0	0.43 U
6/18/2014	0.18 U	0.23 U	0.18 U	0.13 U	0.13 U	0.27 U	0.47	0.26	1	3.7	0.95	0.23 U	7.3	0.13 U	1.3	0.17 U
9/23/2014	0.43 U	0.55 U	0.43 U	0.32 U	0.31 U	0.64 U	0.31	0.31 U	0.34 U	0.69 U	0.34 U	0.54 U	7.8	0.31 U	1.1	0.41 U
12/16/2014	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.18 J+	0.94	0.16 NJ	0.42	1.3	0.47	0.18	2.5	0.079 U	7.2	0.1 U
3/24/2015	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.96	0.34	0.32	0.87	0.32	0.14 U	1.3	0.079 U	8.0	0.1 U
6/15/2015	0.077	0.069 U	0.055 U	0.04 U	0.04 U	0.12	0.58	0.31	1.1	4.4	1.4	0.092	2.2	0.04 U	2.3	0.051 U
9/9/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.088	0.33	0.041 NJ	0.40	1.2	0.48	0.068 U	3.0	0.04 U	1.1	0.051 U
12/15/2015	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	0.50	0.12 U	0.48	1.7	0.39	0.2 U	7.0	0.12 U	3.2	0.15 U
3/31/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.41	0.04 U	0.15	0.34	0.14	0.11	1.0	0.04 U	0.53	0.051 U
6/30/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.17	0.056 NJ	0.17	0.48	0.18	0.068 U	1.1	0.04 U	1.9	0.051 U
9/13/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.18	0.04 U	0.094	0.30	0.11	0.068 U	0.54	0.04 U	0.28	0.051 U
12/9/2016	0.24	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	0.57	0.41	0.28	0.75	0.29	0.20 U	1.5	0.12 U	12	0.15 U
3/29/2017	0.22	0.069 U	0.055 U	0.040 U	0.040 U	0.18	0.54	0.17	0.16	0.46	0.12	0.12	1.0	0.040 U	1.6	0.051 U
6/28/2017	0.13	0.069 U	0.055 U	0.04 U	0.04 U	0.16	0.41	0.11	0.48	1.7	0.68	0.068 U	2.7	0.04 U	1.1	0.051 U
9/28/2017	0.12	0.069 U	0.059	0.04 U	0.04 U	0.081 U	0.27	0.18	0.52	1.9	0.76	0.12	0.87	0.04 U	2.0	0.051 U
12/14/2017	0.28	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.54	0.33	0.21	0.53	0.21	0.27 U	0.70	0.16 U	13	0.2 U
1/25/2018	0.29	0.069 U	0.055 U	0.04 U	0.04 U	0.31 J+	0.60	0.22	0.31	0.93	0.31	0.068 U	2.4	0.04 U	7.6	0.051 U
3/22/2018	0.33	0.069 U	0.055 U	0.04 U	0.04 U	0.34	0.47	0.33	0.59	1.0	0.34	0.48	2.2	0.04 U	5.2 D	0.051 U
5/14/2018	0.090	0.069 U	0.055 U	0.04 U	0.04 U	0.15	0.57	0.060	0.47	1.4	0.57	0.089	2.5	0.04 U	1.1	0.051 U
9/20/2018	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.04 U	0.19	0.55	0.21	0.068 U	0.84	0.04 U	1.3	0.051 U
12/6/2018	0.083	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.41	0.083	0.043 U	0.087 U	0.043 U	0.068 U	0.42	0.069	3.6	0.051 U
3/28/2019	0.073	0.069 U	0.055 U	0.04 U	0.04 U	0.088	0.56	0.04 U	0.20	0.59	0.22	0.072	0.93	0.04 U	0.96	0.051 U
6/26/2019	0.068	0.069 U	0.055 U	0.04 U	0.04 U	0.19	0.53	0.052	0.84	2.7	1.1	0.076	5.0 D	0.04 U	0.43	0.051 U
9/26/2019	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.15	0.41	0.056	0.46	1.4	0.50	0.17	2.3	0.04 U	1.4	0.051 U
12/11/2019	0.14	0.069 U	0.055 U	0.040 U	0.040 U	0.094	0.51	0.14	0.31	0.84	0.32	0.068 U	1.0	0.040 U	4.0	0.051 U
1/30/2020	0.15	0.069 U	0.055 U	0.040 U	0.040 U	0.11 U	0.62	0.074	0.30	1.0	0.41	0.068 U	1.0	0.040 U	0.69	0.051 U
3/17/2020	0.12	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.34	0.04 U	0.15	0.54	0.18	0.068 U	0.65	0.04 U	0.74	0.051 U
6/25/2020	0.055 U	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.14	0.040 U	0.30	1.1	0.46	0.068 U	0.97	0.040 U	0.81	0.051 U
9/17/2020	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	39	2.2	0.79 U	1.1 U	0.51 U
11/3/2020	0.16	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.37	0.058	0.18	0.61	0.23	0.068 U	0.56	0.040 U	3.8	0.051 U
12/16/2020	0.13	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.96	0.13	1.3	4.1	1.4	27	2.3	0.040 U	4.5	0.051 U
3/30/2021	0.055 U	0.069 U	0.059	0.040 U	0.040 U	0.10	0.64	0.040 U	0.54	1.8	0.57	0.069	1.9	0.040 U	1.8	0.051 U
6/30/2021	0.055 U	0.069 U	0.055 U	0.040 U	0.040 U	0.17	0.60	0.041	1.0	3.3	1.3	0.073	3.3	0.040 U	1.4	0.051 U
9/29/2021	0.13	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.27	0.04 U	0.39	1.5	0.60	0.068 U	0.99	0.04 U	1.6	0.051 U
12/14/2021	0.17	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.45	0.19	0.41	1.6	0.50	0.068 U	0.96	0.040 U	4.3	0.051 U
03/31/2022	0.055 U	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.34	0.040 U	0.20	0.75	0.24	0.068 U	0.80	0.040 U	2.4	0.051 U
06/14/2022	0.067	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.071	0.97	3.8	1.7	0.068 U	1.7	0.04 U	0.50	0.051 U
09/13/2022	0.13	0.069 U	0.055 U	0.040 U	0.040 U	0.083	0.41	0.040 U	0.52	1.1	0.46	0.068 U	2.1	0.040 U	2.5	0.051 U
01/19/2023	0.16	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.40	0.29	3.5	13	3.4	1.2	1.2	0.040 U	7.1	0.051 U
01/26/2023	0.083	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.41	0.12	0.85	2.9	0.82	0.47	0.80	0.040 U	3.6	0.051 U
03/13/2023	0.089	0.069 U	0.055 U	0.040 U	0.040 U	0.080	0.84	0.12	0.72	2.6	0.74	0.11	2.3	0.040 U	3.9	0.051 U
03/29/2023	0.055 U	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.22	0.040 U	0.27	0.96	0.29	0.068 U	0.46	0.040 U	0.72	0.051 U
06/21/2023	1.1 U	1.4 U	1.1 U	0.81 U	0.20 U	0.81 U	0.64 U	0.20 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	0.21	0.20 U
09/12/2023	0.10	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.23	0.040 U	0.34	1.4	0.93	0.068 U	0.88	0.040 U	0.55	0.051 U
12/15/2023	0.18	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.51	0.45	0.24	0.72	0.25	0.11	1.6	0.79	19 D	0.051 U
01/18/2023	0.055 U	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.29	0.083	0.084	0.24	0.083	0.075	0.37	0.040 U	4.1	0.051 U
03/07/2024	0.074	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.32	0.13	0.94	3.6	0.84	0.082	0.42	0.040 U	4.2	0.051 U
03/28/2024	0.055 U	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.26	0.13	0.17	0.52	0.17	0.079	0.33	0.040 U	4.7	0.051 U

Table 4
Building 8 Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B8-01														
Description	BUILDING 8 INDOOR AIR														
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,1-Dichloroethane	1,1,1-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Vinyl chloride
7/15/2003	0.68	0.14 U	0.1 U	0.08 U	0.049	1.3	1.7	0.56	1.2	7.4	1.5	6	7.1	0.056 U	4.1
10/2/2003	0.76	0.069 U	0.055 U	0.04 U	0.063	1.6	2.2	1.9	0.78	2	0.69	5.1	2.5	0.04 U	10
1/20/2004	0.46	0.21 U	0.16 U	0.12 U	0.12 U	0.32	1.8	1.3	2	7.8	2.2	10	4.9	0.12 U	4.2
3/31/2005	0.21	0.069 U	0.055 U	0.04 U	0.04 U	4.5	1.7	0.19	0.52	1.7	0.61	0.75	2.3	0.04 U	1.4
12/16/2014	0.48	0.1 U	0.082 U	0.061 U	0.059 U	0.27	0.94	0.14	0.37	1.2	0.40	0.21	2.7	0.059 U	2.7
12/15/2015	0.095 J+	0.069 U	0.055 U	0.04 U	0.04 U	0.095 J+	0.55	0.17	0.54	1.9	0.35	0.18	2.7	0.04 U	2.5
3/31/2016	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.12	0.35	0.04 U	0.16	0.44	0.16	0.51	0.73	0.04 U	1.1
6/30/2016	0.27	0.069 U	0.055 U	0.04 U	0.04 U	0.20	0.31	0.29	0.35	1.2	0.41	1.8	2.0	0.04 U	3.5
9/13/2016	0.73	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.32	0.31	0.32	1.0	0.37	2.1	1.1	0.079 U	5.0
12/9/2016	0.3	0.14 U	0.11 U	0.081 U	0.079 U	0.17	0.56	0.33	0.36	1.1	0.31	0.18	3.9	0.079 U	7.1
3/29/2017	0.13	0.069 U	0.12	0.04 U	0.04 U	0.12	0.51	0.074	0.25	0.91	0.28	1.2	0.58	0.04 U	0.64
6/28/2017	0.24	0.069 U	0.055 U	0.04 U	0.04 U	0.18	0.56	0.11	0.69	2.5	0.89	0.13	2.9	0.04 U	0.88
9/28/2017	0.11	0.069 U	0.056 U	0.041 U	0.04 U	0.082 U	0.63	0.13	0.52	2.0	0.76	0.15	1.3	0.04 U	0.96
12/14/2017	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.16	0.55	0.11	0.35	1.2	0.39	0.074	2.8	0.04 U	1.9
3/22/2018	0.26	0.069 U	0.055 U	0.04 U	0.04 U	0.26	0.56	0.16	0.73	1.8	0.57	0.24	4.7	0.04 U	1.6
5/14/2018	0.31	0.069 U	0.055 U	0.04 U	0.04 U	0.42	0.57	0.049	0.85	3.1	1.1	0.29	2.9 D	0.04 U	0.47
9/20/2018	0.13	0.069 U	0.055 U	0.04 U	0.04 U	0.18	0.34	0.069	0.29	0.72	0.22	0.25	1.5	0.04 U	1.2
12/6/2018	0.17	0.069 U	0.055 U	0.04 U	0.04 U	0.088	0.57	0.093	0.27	0.85	0.28	0.082	1.3	0.11	2.1
3/28/2019	0.060	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.48	0.04 U	0.16	0.52	0.19	0.16	0.87	0.04 U	0.2
6/26/2019	0.13	0.069 U	0.055 U	0.04 U	0.04 U	0.096	0.27	0.07	0.33	1.1	0.5	0.16	1.2	0.04 U	0.31
9/26/2019	0.34	0.069 U	0.055 U	0.04 U	0.04 U	0.15	0.31	0.075	0.63	2.2	0.74	0.74	1.9	0.045	0.87
12/11/2019	0.095	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.38	0.097	0.14	0.44	0.16	0.080	0.75	0.040 U	0.76
3/17/2020	0.12	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.37	0.04 U	0.11	0.37	0.13	0.31	0.55	0.04 U	0.33
6/25/2020	0.097	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.13	0.040 U	0.27	0.99	0.44	0.17	0.86	0.040 U	0.47
9/17/2020	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	300	1.2	0.79 U	1.1 U
11/3/2020	0.16	0.069 U	0.055 U	0.04 U	0.068 U	0.04 U	0.26	0.081	0.26	0.71 J	0.25 J	0.068 U	0.33	0.04 U	3.3 J
12/16/2020	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.47	0.069	0.36	1.2	0.38	4.4	0.61	0.04 U	0.76
3/30/2021	0.058	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.42	0.040 U	0.27	0.96	0.30	0.10	0.43	0.040 U	0.30
6/30/2021	0.099	0.069 U	0.055 U	0.040 U	0.040 U	0.17	0.44	0.054	0.77	2.3	1.0	0.17	1.6	0.040 U	0.74
9/29/2021	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.22	0.088	0.25	0.91	0.34	0.21	0.59	0.04 U	0.89
12/14/2021	0.15	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.42	0.15	0.18	0.58	0.19	0.091	0.62	0.040 U	1.8
03/14/2022	0.055 U	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.24	0.04 U	0.29	1.1	0.22	0.097	0.28	0.040 U	0.25
06/14/2022	0.082	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.27	0.062	0.34	1.2	0.48	0.23	1.0	0.04 U	0.45
09/13/2022	0.17	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.38	0.040 U	0.95	2.9	1.2	1.2	2.4	0.040 U	0.57
01/19/2023	0.095	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.45	0.12	0.90	3.3	0.90	0.76	1.2	0.040 U	1.8
03/13/2023	0.073	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.64 U	0.040 U	0.18	0.57	0.22	0.083	1.2	0.040 U	0.54
06/21/2023	1.1 U	1.4 U	1.1 U	0.81 U	0.20 U	0.81 U	0.64 U	0.20 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	0.33
09/12/2023	0.099 J	0.094 UJ	0.075 UJ	0.055 UJ	0.054 UJ	0.11 UJ	0.22 J	0.054 UJ	0.19 J	0.75 J	0.41 J	0.51 J	1.9 J	0.054 UJ	0.57 J
12/15/2023	0.17	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.61	0.31	0.19	0.58	0.22	1.3	1.6	0.50	0.84
03/28/2024	0.089	0.069 U	0.055 U	0.040 U	0.040 U	0.081	0.45	0.040 U	0.26	0.90	0.29	0.15	0.56	0.040 U	3.6
06/27/2024	0.061	0.069 U	0.055 U	0.040 U	0.040 U	0.087	0.23	0.040 U	0.33	1.4	0.92	0.13	0.71	0.040 U	0.34
09/13/2024	0.17	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.20	0.040 U	0.14	0.42	0.17	0.69	0.44	0.040 U	0.78
12/30/2024	0.055 U	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.25	0.040 U	0.050	0.13	0.052	0.15	0.22	0.040 U	0.69
03/21/2025	0.058 U	0.073 U	0.058 U	0.043 U	0.042 U	0.087 U	0.41	0.042 U	0.27	0.93	0.26	0.26	0.30	0.042 U	0.30
06/20/2025	0.090	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.55	0.070	0.36	1.2	0.46	0.14	1.2	0.040 U	0.76
09/11/2025	0.26	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.68	0.19	0.79	1.6	0.58	3.1	1.6	0.040 U	1.5
12/19/2025	0.17 U	0.21 U	0.17 U	0.12 U	0.061 U	0.12 U	0.38	0.12 U	0.13 U	0.27 U	0.13 U	0.21	0.43	0.61 U	0.38
3/19/2026	0.16 U	0.21 U	0.16 U	0.12 U	0.06 U	0.12 U	0.43	0.12 U	0.13 U	0.26 U	0.13 U	0.2	1.8	0.6 U	0.18
6/18/2026	0.23 U	0.28 U	0.23 U	0.17 U	0.082 U	0.17 U	0.33 U	0.16 U	0.18 U	0.36 U	0.18 U	0.29	0.47	0.82 U	0.30

Sample ID	SVSS-B8-01														
Description	BUILDING 8 SUB-SLAB VAPOR														
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,1-Dichloroethane	1,1,1-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Vinyl chloride
7/17/2003	18	14 U	11 U	10	7.9 U	8.1 U	7.6	29	8.7 U	43	19	180	26	7.9 U	1600
2/25/2015	3.7	2.2 U	1.7 U	1.5	1.3 U	1.3 U	2.0	13	1.4 U	8.2	2.7	16	6.0	1.3 U	160
12/14/2017	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	3.8	0.87 U	2.2 U	0.87 U	1.4 U	1.5	0.79 U	13
12/6/2018	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	4.1	1.1	0.79 U	3.5
12/11/2019	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U
12/16/2020	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	2.1	0.76	0.79 U	7.5
12/14/2021	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.79	0.79 U	2.7
01/19/2023	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.2
12/30/2024	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1
12/19/2025	4.0 U	5.0 U	4.0 U	2.9 U	2.9 U	2.9 U	2.3 U	2.9 U	3.2 U	6.3 U	3.2 U	4.9 U	5.5 U	2.9 U	3.9 U

Notes:
 All values are shown in units of micrograms per cubic meter (µg/m3).
 U - The concentration is below the laboratory reporting limit
 J - Estimated
 J+ - Estimated and may be biased high

Table 5
Building 9 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B9-01															
Description	BUILDING 9 OFFICE INDOOR AIR															
Volatiles Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2-Dichloroethane	Trichloroethane	Vinyl Chloride
7/15/2003	0.22	0.14 U	0.1 U	0.08 U	0.04 U	0.087	1.3	0.22	1.4	5	2	0.77	9.6	0.056 U	22	0.02 U
10/2/2003	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	2.2	0.67	1.1	2.8	1.2	0.68 U	4.1	0.4 U	30	0.26 U
1/20/2004(Dup)	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	2.4	0.2 U	2.7	9.6	2.9	0.68	11	0.2 U	15	0.13 U
1/20/2004	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	2.3	0.2 U	2.7	10	3.2	0.75	11	0.2 U	15	0.13 U
12/22/2004	0.17	0.069 U	0.055 U	0.04 U	0.04 U	0.077	2.7	0.27	0.87	3.3	1.2	3.1	5.7	0.04 U	4.6	0.028
3/31/2005	0.076	0.069 U	0.055 U	0.04 U	0.04 U	0.049	0.77	0.04 U	0.28	0.91	0.33	0.088	1.4	0.04 U	0.12	0.026 U
7/22/2005	0.1	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	2	0.16	2.9	8.3	2.4	0.52	9.4	0.04 U	4.3	0.026 U
9/20/2005	0.12	0.14 U	0.11 U	0.081 U	0.16 U	0.081 U	1.3	0.16	0.96	3.6	1.2	2.6	2.9	0.079 U	0.7	0.051 U
1/11/2006	0.13	0.069 U	0.055 U	0.04 U	0.04 U	0.093	3.5	0.17	2	5.6	3	0.51	9.4	0.04 U	4	0.026 U
7/17/2006	0.23	0.21 U	0.16 U	0.12 U	0.12 U	0.34 U	3.1	1.1	4	18	6.5	8.8	10	0.12 U	4.2	0.15 U
12/12/2006	0.21	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.9	0.27	1.3	4.3	1.6	2	6.8	0.079 U	9.1	0.1 U
3/20/2007	0.44	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.1	0.52	1.1	3.8	1.3	2	4.5	0.16 U	14	0.2 U
6/21/2007	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.42	0.04	0.43	1.8	0.61	0.35	1.5	0.04 U	0.34	0.051 U
9/19/2007	0.071	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.51	0.04 U	0.32	1	0.36	0.31	1.8	0.04 U	0.37	0.051 U
12/11/2007	0.25	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.5	0.31	0.52	1.6	0.56	1.6	3.1	0.059 U	5.9	0.077 U
3/26/2008	0.14	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.4	0.4	0.48	1.8	0.65	0.52	4.1	0.079 U	5.3	0.1 U
6/17/2008	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.61	0.52	0.69	2.6	0.91	1.1	11	0.16 U	1.2	0.2 U
9/24/2008	0.18	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.51	0.075	0.43	1.6	0.56	1.6	2.8	0.04 U	2.6	0.051 U
12/18/2008	0.34	0.38 U	0.31 U	0.23 U	0.22 U	0.45 U	2.8	0.67	1.4	5.2	1.8	0.38 U	8.3	0.22 U	18	0.28 U
3/26/2009	0.38	0.082 U	0.065 U	0.049 U	0.048 U	0.11	1.1	0.12	0.43	1.4	0.52	0.16	4.1	0.048 U	1.2	0.064 U
6/25/2009	0.39	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.4	0.24	1.5	5.6	2.1	0.34 U	12	0.2 U	1.7	0.26 U
9/23/2009	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.96	0.16 U	0.91	3.3	1.3	0.27 U	14	0.16 U	0.34	0.2 U
3/24/2010	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.7	0.87	1.1	4	1.4	1.1	12	0.2 U	5.9	0.26 U
6/22/2010	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	0.67	0.12 U	0.69	2.5	1.1	0.2 U	5.7	0.12 U	0.91	0.15 U
9/23/2010	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.87	0.13	0.58	1.9	0.7	0.14	4.2	0.079 U	3	0.1 U
12/28/2010	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.65	0.14	0.22	0.69	0.25	0.1 U	3.2	0.059 U	3	0.077 U
3/23/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.52	0.096	0.35	0.95	0.34	0.11	2.3	0.04 U	3.8	0.051 U
6/22/2011	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.43	0.078	0.54	1.6	0.65	0.18	3.5	0.079 U	2.1	0.1 U
9/21/2011	0.084 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.094 NJ	0.55	0.055	0.056	0.087	0.043 U	0.1	0.66	0.04 U	1.8	0.051 U
12/20/2011	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.4	0.12	0.48	1.6	0.54	0.9	6.5	0.079 U	5.3	0.1 U
3/28/2012	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	1.7	0.12 U	0.6	2	0.71	5.8	6	0.12 U	1.3	0.15 U
6/14/2012	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.3	0.14 NJ	0.73	1.8	0.7	1.2	5.5	0.079 U	4	0.1 U
10/9/2012	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	0.66	0.12	0.3	0.91	0.29	0.2 U	1.7	0.12 U	5.8	0.15 U
1/3/2013	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.62	0.14	0.19	0.51	0.19	0.14 U	1.7	0.079 U	6.5	0.1 U
3/28/2013	0.068 U	0.086 UJ	0.068 U	0.051 U	0.2 U	0.1 U	0.45	0.14	0.16	0.4 J	0.19 J	0.085 U	0.95	0.05 U	4.3	0.064 U
6/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.25	0.35 NJ	0.41	1.4	0.46	0.094	2.1	0.04 U	1.8	0.051 U
9/19/2013	0.14 U	0.17 U	0.14 U	0.10 U	0.099 U	0.2 U	0.31	0.099 U	0.25	0.72	0.24	0.17 U	5.9	0.099 U	3	0.13 U
12/18/2013	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	0.63	0.16	0.21	0.57	0.21	0.2 U	1.1	0.12 U	6.8	0.15 U
3/20/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.1	0.82	0.12 NJ	0.22	0.59	0.21	0.11	1.3	0.04 U	2.9	0.051 U
6/18/2014	0.13 UJ	0.16 UJ	0.13 UJ	0.096 UJ	0.094 UJ	0.19 UJ	0.42 J	0.16 NJ	0.5 J	2.2	0.65 J	0.16 UJ	8.6 J	0.094 UJ	2.3 J	0.12 UJ
9/23/2014	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.47	0.19	0.28	0.77	0.29	0.1 U	2.7	0.07	5.9	0.077 U
12/16/2014	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.59	0.089	0.065 U	0.13 U	0.065 U	0.29	0.53	0.059 U	4.3	0.077 U
3/24/2015	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	1.0	0.30 NJ	0.25	0.72	0.28	0.17 U	0.92	0.099 U	8.9	0.13 U
6/15/2015	0.084 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.14	0.39	0.3	0.71	2.4	0.81	0.1	1.6	0.04 U	1.8	0.051 U
9/9/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.11	0.22	0.068	0.21	0.60	0.24	0.068 U	1.0	0.04 U	3.4	0.051 U
12/15/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.45	0.13	0.15	0.46	0.17	0.068 U	0.78	0.04 U	2.7	0.051 U
3/31/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.26	0.040 U	0.072	0.19	0.066	0.068 U	0.39	0.04 U	0.34	0.051 U
6/30/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.077	0.21	0.072	0.25	0.72	0.28	0.071	1.3	0.10	5.6	0.051 U
9/13/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.11	0.16	0.044	0.24	0.75	0.27	0.068 U	1.2	0.04 U	2.7	0.051 U
12/9/2016	0.14 U	0.17 U	0.14 U	0.10 U	0.099 U	0.2 U	0.61	0.22	0.63	2.0	0.17	0.17 U	2.8	0.099 U	7.5	0.13 U
3/29/2017	0.16	0.069 U	0.055 U	0.040 U	0.040 U	0.13	0.49	0.11	0.27	0.85	0.27	0.12	0.87	0.040 U	2.1	0.051 U
6/28/2017	0.059	0.069 U	0.055 U	0.04 U	0.04 U	0.11	0.36	0.062	0.62	2.5	0.98	0.12	2.8	0.04 U	1.7	0.051 U
9/28/2017	0.087	0.069 U	0.055 U	0.04 U	0.04 U	0.10	0.20	0.13	0.40	1.4	0.59	0.17	0.89	0.04 U	2.4	0.051 U
12/14/2017	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.37	0.25	0.20	0.73	0.35	0.27 U	0.51	0.16 U	13	0.2 U
1/25/2018	0.12	0.069 U	0.055 U	0.04 U	0.04 U	0.16 J+	0.45	0.18	0.18	0.54	0.19	0.068 U	0.49	0.04 U	6.9	0.051 U
3/22/2018	0.23	0.069 U	0.055 U	0.04 U	0.04 U	0.25	0.36	0.35	0.46	0.88	0.29	0.18	1.3	0.04 U	8.9 D	0.051 U
5/14/2018	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.094	0.32	0.04 U	0.15	0.39	0.14	0.076	0.80	0.04 U	1.1	0.051 U
9/20/2018	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.17	0.24	0.055								

Table 5
Building 9 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B9-01 (cont.)																
Description	BUILDING 9 OFFICE INDOOR AIR																
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethane	1,2-Dichloroethane		Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2-Dichloroethane	Trichloroethane	Vinyl Chloride
	09/11/2025	0.12	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.72	0.040 U	1.2	1.8	0.64	0.13	3.6	0.040 U	0.52	0.051 U
	12/19/2025	0.18 U	0.22 U	0.18 U	0.13 U	0.064 U	0.13 U	0.30	0.13 U	0.14 U	0.28 U	0.14 U	0.22 U	0.34	0.64 U	0.17 U	0.041 U
	3/19/2026	0.18 U	0.23 U	0.18 U	0.14 U	0.067 U	0.14 U	0.41	0.13 U	0.15 U	0.29 U	0.15 U	0.23 U	0.44	0.67 U	0.18 U	0.043 U
	6/18/2026	0.18 U	0.22 U	0.18 U	0.13 U	0.064 U	0.13 U	0.26 U	0.13 U	0.14 U	0.28 U	0.14 U	0.22 U	0.48	0.64 U	0.17 U	0.041 U

Sample ID	IA-B9-CS															
Description	BUILDING 9 CRAWL SPACE AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
10/2/2003	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	0.64	1.6	0.48	1.2	0.52	0.88	1.3	0.4 U	210	0.26 U
1/20/2004	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	1.6	0.95	1.4	4.8	1.7	0.54	7.2	0.2 U	75	0.13 U
12/22/2004	0.14	0.069 U	0.055 U	0.04 U	0.04 U	0.057	1.7	0.24	0.61	2.1	0.87	1.2	4.1	0.04 U	10	0.026 U
3/31/2005	0.076	0.069 U	0.055 U	0.04 U	0.04 U	0.04	0.51	0.19	0.22	0.65	0.22	0.14	0.9	0.04 U	15	0.026 U
7/22/2005	0.093	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	0.96	0.87	1.7	5.2	2.7	0.41	4.5	0.04 U	35	0.026 U
9/20/2005	0.55 U	0.69 U	0.55 U	0.4 U	0.79 U	0.4 U	0.96	1.1	0.83	3	1	1.4	3	0.4 U	43	0.26 U
11/17/2005	0.17	0.069 U	0.055 U	0.04 U	0.04 U	0.061	1.7	0.75	0.48	1.8	0.61	0.61	3.1 J	0.04 U	38	0.026 U
1/11/2006	0.12	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	2.4	0.29	1.2	3.8	1.6	0.35	6.4	0.04 U	11	0.026 U
7/17/2006	0.44 U	0.55 U	0.44 U	0.32 U	0.32 U	0.65 U	2.9	1.2	3.5	15	5.6	4.8	16	0.32 U	35	0.41 U
12/12/2006	0.17	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2.8	0.29	1.6	5.2	1.9	1.5	7.5	0.12 U	11	0.15 U
3/20/2007	0.27	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2.1	0.56	0.65	2.4	0.83	1	3.1	0.12 U	14	0.15 U
6/21/2007	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.13 U	0.44	0.17 U	0.35 U	0.17 U	0.27 U	0.15 U	0.16 U	12	0.2 U
9/19/2007	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.38	0.48	0.24	0.61	0.25	0.55	0.87	0.2 U	19	0.26 U
12/11/2007	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	1.1	0.21	0.32	1	0.4	0.75	1.9	0.12 U	10	0.15 U
3/26/2008	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.1	0.23	0.38	1.3	0.48	0.23	2.8	0.059 U	5.9	0.077 U
6/17/2008	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.42	0.87	0.56	1.9	0.65	0.82	3.5	0.2 U	18	0.26 U
9/24/2008	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.38	0.18	0.25	0.87	0.33	0.27	1.8	0.16 U	15	0.2 U
12/18/2008	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.6	0.31	0.78	2.6	0.96	0.27 U	4.5	0.16 U	15	0.2 U
3/26/2009	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.8	0.18	0.28	0.91	0.37	0.22	1.7	0.079 U	5.4	0.1 U
6/25/2009	0.43 U	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	1.5	0.39 NJ	1.4	4.8	1.7	0.54 U	17	0.31 U	24	0.41 U
9/23/2009	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.99	0.4	0.69	2.5	0.83	0.34 U	5.7	0.2 U	20	0.26 U
3/24/2010	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 NJ	1.2	0.29	0.61	2.4	0.87	0.38	3.5	0.04 U	5.4	0.051 U
9/22/2010	0.68 U	0.86 U	0.68 U	0.51 U	0.5 U	1 U	0.99	0.69	0.65	2.4	0.83	0.85 U	4.5	0.5 U	60	0.64 U
12/28/2010	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.49	0.12	0.11	0.29	0.11	0.14 U	0.71	0.079 U	8.5	0.1 U
3/23/2011	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.45	0.2 U	0.22 U	0.43 U	0.22 U	0.34 U	0.44	0.2 U	16	0.26 U
6/22/2011	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	0.39	0.42	0.52	1.4	0.5	0.68 U	4.6	0.4 U	48	0.51 U
9/21/2011	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	1.7	0.4 U	0.43 U	0.87 U	0.43 U	0.68 U	2.5	0.4 U	37	0.51 U
12/20/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.22	0.13	0.043 U	0.043 U	0.043 U	0.068 U	0.091	0.04 U	2.8	0.051 U
3/28/2012	0.27 UJ	0.34 UJ	0.27 UJ	0.2 UJ	0.2 UJ	0.4 UJ	0.66 J	0.2 UJ	0.58 J	2.3 J	0.87 J	0.87 J	5.8 J	0.2 UJ	14 J	0.26 UJ
6/14/2012	0.44 U	0.55 U	0.44 U	0.32 U	0.32 U	0.65 U	0.8	0.32 U	0.41	1	0.35	0.58	2.2	0.32 U	23	0.41 U
10/9/2012	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	0.49	0.4 U	0.43 U	0.87 U	0.43 U	0.68 U	0.76	0.4 U	29	0.51 U
1/9/2013	0.33 U	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	0.63	0.29	0.26 U	0.52 U	0.26 U	0.41 U	0.67	0.24 U	27	0.31 U
3/28/2013	0.33 U	0.41 UJ	0.33 U	0.24 U	0.24 U	0.49 U	0.33 NJ	0.48 U	0.26 U	0.52 UJ	0.96 UJ	0.41 U	0.23 U	0.24 U	14	0.31 U
6/19/2013	0.43 UJ	0.55 UJ	0.43 UJ	0.32 UJ	0.31 UJ	0.64 UJ	0.25 UJ	0.31 UJ	0.34 UJ	0.69 UJ	0.34 UJ	0.54 UJ	0.74 J	0.31 UJ	19 J	0.41 UJ
9/19/2013	0.33 U	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	0.34	0.24 U	0.26 U	0.68	0.26 U	0.41 U	1.4	0.24 U	24	0.31 U
12/18/2013	0.44 U	0.55 U	0.44 U	0.33 U	0.32 U	0.65 U	0.41	0.32 U	0.35 U	0.7 U	0.35 U	0.55 U	0.62	0.32 U	21	0.41 U
3/20/2014	0.45 U	0.57 U	0.45 U	0.34 U	0.33 U	0.67 U	0.37	0.33 U	0.36 U	0.72 U	0.36 U	0.56 U	0.40	0.33 U	19	0.43 U
6/18/2014	0.41 U	0.51 U	0.41 U	0.3 U	0.3 U	0.6 U	0.24 U	0.38	0.32 U	0.65 U	0.32 U	0.51 U	1.2	0.3 U	32	0.38 U
9/23/2014	0.65 U	0.82 U	0.65 U	0.49 U	0.48 U	0.97 U	0.38 U	0.74	0.52 U	1 U	0.52 U	0.81 U	0.77	0.48 U	66	0.61 U
12/16/2014	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	0.53	0.4 U	0.43 U	0.87 U	0.43 U	0.68 U	0.49	0.4 U	32	0.51 U
3/24/2015	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.40	0.21 NJ	0.22 U	0.43 U	0.22 U	0.34 U	0.37	0.2 U	13	0.26 U
6/15/2015	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	0.32 U	0.44	0.45 U	1.5	0.47	0.68 U	0.61	0.4 U	45	0.51 U
9/9/2015	0.82 U	1 U	0.82 U	0.61 U	0.6 U	1.2 U	0.48 U	0.72	0.66 U	1.3 U	0.66 U	1 U	0.81	0.6 U	73	0.77 U
12/15/2015	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.25	0.2 U	0.22 U	0.43 U	0.22 U	0.34 U	0.25	0.2 U	11	0.26 U
3/31/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.051	0.04 U	0.043 U	0.087 U	0.043 U	0.068 U	0.038 U	0.04 U	0.79	0.051 U
6/30/2016	0.65 U	0.82 U	0.65 U	0.49 U	0.48 U	0.97 U	0.38 U	0.74	0.52 U	1 U	0.52 U	0.81 U	1.2	0.48 U	52	0.61 U
9/13/2016	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	0.32 U	0.4 U	0.43 U	0.87 U	0.43 U	0.68 U	0.38 U	0.4 U	30	0.51 U
12/9/2016	0.34 U	0.43 U	0.34 U	0.25 U	0.25 U	0.25 U	0.33	0.25 U	0.27 U	0.54 U	0.27 U	0.42 U	0.55	0.25 U	21	0.32 U
3/29/2017	0.082 U	0.10 U	0.082 U	0.061 U	0.059 U	0.12 U	0.32	0.059 U	0.10	0.25	0.098	0.10 U	0.32	0.059 U	5.2	0.077 U
6/28/2017	0.82 U	1 U	0.82 U	0.61 U	0.59 U	1.2 U	0.48 U	0.59 U	0.65 U	1.3 U	0.65 U	1 U	0.71	0.59 U	35	0.77 U
9/28/2017	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	1.6 U	0.64 U	0.94	0.87 U	1.7 U	0.87 U	1.4 U	0.75 U	0.79 U	60	1 U
12/14/2017	0.33 U	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	0.37	0.25	0.26 U	0.52 U	0.26 U	0.41 U	0.30	0.24 U	16	0.31 U
3/22/2018	0.058	0.069 U	0.055 U	0.04 U	0.04 U	0.11	0.32	0.13	0.077	0.16	0.059	0.13	0.30	0.04 U	7.9 D	0.051 U
5/14/2018	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.32	0.12	0.14	0.42	0.17	0.15	0.83	0.04 U	9.4 D	0.051 U
9/20/2018	0.055	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.14	0.61	0.043 U	0.087 U	0.043 U	0.18	0.082	0.04 U	48 D	0.051 U
12/6/2018	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.32	0.16	0.25	0.96	0.43	0.23	0.81	0.04 U	15	0.051 U
3/28/2019	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.33	0.15	0.21	0.62	0.27	0.21	0.46	0.04 U	4.8	0.051 U
6/26/2019	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.12	0.22	0.18	0.093	0.31	0.13	0.17	0.43	0.04 U	9.1 D	0.051 U
9/26/2019	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.27	0.22	0.18	0.55	0.22	0.53	0.79	0.04 U	23 D	0.051 U
12/11/2019	0.055 U	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.34	0.22	0.23	0.73	0.32	0.26	0.54	0.040 U	18 D	0.051 U
1/30/2020	0.055 U	0.069 U	0.055 U	0.040 U	0.040 U	0.097	0.40	0.093	0.043 U	0.097	0.045	0.068 U	0.27	0.041	3.4 D	0.051 U
3/17/2020	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.094	0.40	0.23	0.075	0.26	0.10	0.27	0.44	0.04 U	10	0.051 U
6/25/2020	0.055 U	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.12	0.22	0.086	0.23	0.10	0.26	0.61	0.040 U	21	0.051 U
9/17/2020	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	0.9	0.96	0.79 U	45	0.51 U
12/16/2020	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.90	0.79 U	2.4	6.7	2.9	150	3.8	0.79 U	23	0.51 U
3/30/2021	0.055 U	0.069 U	0.055 U	0.040 U	0.040 U	0.079	0.29	0.32	0.65	2.7	0.87	0.26	0.31	0.040 U	27	0.051 U
6/30/2021	0.055 U	0.069 U	0.055 U	0.040 U	0.040 U	0.11	0.23	0.53	0.21	0.83	0.33	0.26	0.76	0.040 U	43	0.051 U
9/29/2021	0.055 U	0.069 U	0.0													

Table 5
Building 9 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B9-CS (cont.)															
Description	BUILDING 9 CRAWL SPACE AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2-Dichloroethane	Trichloroethane	Vinyl Chloride
06/21/2023	1.1 U	1.4 U	1.1 U	0.81 U	0.20 U	0.81 U	0.64 U	0.20 U	0.95	3.6	1.2	1.4 U	0.75 U	0.79 U	0.20 U	0.20 U
09/12/2023	0.055 U	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.21	0.040 U	0.24	1.0	0.50	0.068 U	0.65	0.040 U	0.23	0.051 U
12/15/2023	0.055 U	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.45	0.040 U	0.11	0.28	0.090	0.068 U	0.78	0.069	1.7	0.051 U
03/28/2024	0.055 U	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.29	0.040 U	0.057	0.18	0.068	0.068 U	0.32	0.040 U	0.35	0.051 U
06/27/2024	0.055 U	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.29	0.040 U	1.5	6.1	2.6	0.073	3.6	0.068	0.19	0.051 U
09/13/2024	0.055 U	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.16	0.040 U	0.079	0.24	0.11	0.068 U	0.28	0.040 U	0.21	0.051 U
12/30/2024	0.055 U	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.23	0.040 U	0.043 U	0.087 U	0.043 U	0.068 U	0.18	0.040 U	0.11	0.051 U
03/21/2025	0.063 U	0.08 U	0.063 U	0.047 U	0.046 U	0.094 U	0.32	0.046 U	0.29	1.1	0.31	0.079 U	0.35	0.046 U	0.099	0.059 U
06/20/2025	0.055 U	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.52	0.040 U	0.16	0.57	0.22	0.068 U	0.76	0.040 U	0.30	0.051 U
09/11/2025	0.055 U	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.43	0.040 U	0.60	0.70	0.25	0.10	0.89	0.040 U	0.25	0.051 U
12/19/2025	0.18 U	0.23 U	0.18 U	0.13 U	0.065 U	0.13 U	0.29	0.13 U	0.14 U	0.29 U	0.14 U	0.22 U	0.31 U	0.65 U	0.18 U	0.042 U
3/19/2026	0.16 U	0.20 U	0.16 U	0.12 U	0.057 U	0.12 U	0.37	0.11 U	0.13 U	0.25 U	0.13 U	0.20 U	0.27	0.57 U	0.16 U	0.037 U
6/18/2026	0.18 U	0.23 U	0.18 U	0.13 U	0.065 U	0.13 U	0.26 U	0.13 U	0.14 U	0.29 U	0.14 U	0.22 U	0.44	0.65 U	0.18 U	0.042 U

Sample ID	IA-B9-02															
Description	BUILDING 9 WAREHOUSE INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.15	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	1.1	0.056 U	0.35	0.93	0.34	1.9	2.1	0.056 U	0.22	0.02 U
10/2/2003	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	3.1	2.2	0.65	1.7	0.61	2	2.4	0.4 U	30	0.26 U
1/20/2004	0.41 U	0.51 U	0.41 U	0.3 U	0.3 U	0.3 U	5.1	3	16	65	16	7.5	9.8	0.3 U	24	0.19 U
3/20/2007	0.49	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	3.8	0.87	1.1	3.6	1.1	2.8	3.8	0.2 U	19	0.26 U
6/21/2007	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.45	0.083	0.48	1.4	0.37	0.39	2.1	0.04 U	0.3	0.051 U
9/19/2007	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.51	0.04 U	0.2	0.43	0.15	0.21	0.83	0.04 U	1	0.051 U
12/11/2007	0.33 U	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	2.5	0.98	0.74	2.4	0.87	5.5	4.5	0.24 U	19	0.31 U
3/26/2008	0.14	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.83	1.1	0.087 U	0.17 U	0.087 U	0.14	0.21	0.079 U	7	0.1 U
6/17/2008	0.1	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.58	0.79	0.83	2.8	0.91	0.56	2.3	0.04 U	1.6	0.051 U
9/24/2008	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.83	0.14	0.52	1.7	0.56	12	3	0.079 U	3.9	0.1 U
12/18/2008	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	4.8	1.8	2	6.9	2.7	0.68 U	12	0.4 U	46	0.51 U
3/26/2009	0.43 U	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	3.8	1.1	1.1	3.3	1.2	0.54 U	6.8	0.31 U	24	0.41 U
6/25/2009	0.43 U	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	3.5	0.79	3.5	12	4	0.75	26	0.31 U	2.3	0.41 U
9/23/2009	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.2	0.04 U	0.4	1.2	0.4	0.11	1.9	0.04 U	0.39	0.051 U
12/17/2009	0.87 U	1.1 U	0.87 U	0.65 U	0.63 U	1.3 U	2.4	1.7	0.87	2.9	1	1.1 U	4.1	0.63 U	51	0.82 U
3/24/2010	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.8	1.9	1.5	5.6	1.9	2	5.3	0.16 U	13	0.2 U
6/22/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.38	0.04 U	0.16	0.48	0.21 J	0.088	0.68	0.04 U	0.091	0.051 U
9/22/2010	0.068 U	0.086 U	0.068 U	0.051 U	0.05 U	0.1 U	3	0.11	0.73	2.2	0.72	0.12	4.6	0.05 U	0.63	0.064 U
12/28/2010	0.34 U	0.43 U	0.34 U	0.25 U	0.25 U	0.51 U	3.1	1.7	0.67	2	0.76	0.68	3.7	0.25 U	23	0.32 U
3/23/2011	0.11	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	3.3	0.67	1.6	3.6	1.2	0.58	4.1	0.079 U	11	0.1 U
6/22/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.62	0.04 U	0.54	0.98	0.35	0.19	0.99	0.04 U	0.15	0.051 U
9/21/2011	0.36	0.069 U	0.055 U	0.04 U	0.081 U	0.7	0.7	0.6	0.66	1.2	0.42	0.13	1.5	0.04 U	1.6	0.051 U
12/20/2011	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.1	0.49	0.17 U	0.17 U	0.17 U	1.7	0.43	0.16 U	17	0.2 U
3/28/2012	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.5	0.17	1.4	3.8	1.3	1.4	5.6	0.16 U	2.3	0.2 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.1	0.2 U	0.81	1.1	0.43	7.6	1.6	0.2 U	0.35	0.26 U
10/9/2012	0.43 U	0.55 U	0.43 U	0.32 U	0.31 U	0.64 U	1.1	0.33	0.69	1.6	0.76	0.54 U	1.5	0.31 U	16	0.41 U
1/9/2013	0.23 U	0.29 U	0.23 U	0.17 U	0.17 U	0.34 U	0.13 U	0.3	0.18 U	0.36 U	0.18 U	0.28 U	0.16 U	0.17 U	2.7	0.21 U
3/28/2013	0.16	0.14 UJ	0.11 U	0.081 U	0.32 U	0.16 U	0.97	0.47	0.48	0.81 J	0.35 J	0.14 U	1.2	0.079 U	6.1	0.1 U
6/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.27	0.46 NJ	0.66	2.1	0.67	0.078	1.9	0.04 U	1.1	0.051 U
9/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.36	0.04 U	0.33	0.84	0.24	0.097	1.4	0.04 U	5.2	0.051 U
12/18/2013	0.44 U	0.55 U	0.44 U	0.33 U	0.32 U	0.65 U	0.75	0.54	0.35 U	0.7 U	0.35 U	0.55 U	1.1	0.32 U	20	0.41 U
3/20/2014	0.086 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.089	0.99	0.45	0.22	0.54	0.16	0.68	1.2	0.04 U	3.5	0.051 U
6/18/2014	0.11 NJ	0.099 U	0.079 U	0.058 U	0.057 U	0.12 U	0.38	0.63	0.34	0.59	0.13	0.1	1.4	0.057 U	1	0.074 U
9/23/2014	0.093 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.3	0.31	0.095	0.23	0.082	0.068 U	0.39	0.04 U	2.6	0.051 U
12/16/2014	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.9	0.35	0.31	0.77	0.25 J+	0.34 U	1.6	0.2 U	14	0.26 U
3/24/2015	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.1	0.60	0.30	0.80	0.32	0.34 U	0.93	0.2 U	14	0.26 U
6/15/2015	0.1	0.3	0.055 U	0.04 U	0.04 U	0.08 NJ	0.5	0.55 U	1.8	6.5	1.9	0.12	2.6	0.04 U	0.72	0.051 U
9/9/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.26	0.04 U	0.29	0.67	0.22	0.068 U	0.64	0.04 U	0.16	0.051 U
12/15/2015	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.70	0.33	0.30	0.74	0.24	0.14 U	1.3	0.079 U	5.3	0.1 U
3/31/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.08	0.46	0.057	0.28	0.54	0.17	0.13	0.81	0.04 U	1.7	0.051 U
6/30/2016	0.066	0.069 U	0.055 U	0.04 U	0.04 U	0.084	0.35	0.13 NJ	0.78	1.7	0.59	0.12	1.7	0.04 U	1.6	0.051 U
9/13/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.17	0.055	0.17	0.38	0.12	0.068 U	0.38	0.04 U	0.39	0.051 U
12/9/2016	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.47	0.38	0.25	0.73	0.22	0.27 U	1.1	0.16 U	9.4	0.2 U
3/29/2017	0.23	0.069 U	0.055 U	0.04 U	0.04 U	0.13	0.59	0.2	0.41	1.3	0.4	0.13	1.3	0.04 U	2.1	0.051 U
6/28/2017	0.13	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.24	0.11	0.76	2.3	0.83	0.075	1.5	0.04 U	0.68	0.051 U
9/28/2017	0.14	0.069 U	0.055 U	0.04 U	0.081 U	0.7	0.7	0.6	0.66	1.2	0.42	0.13	1.5	0.04 U	1.6	0.051 U
12/14/2017	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	0.46	0.73	0.43 U	0.87 U	0.43 U	0.68 U	0.44	0.4 U	31	0.51 U
1/25/2018	0.25	0.069 U	0.055 U	0.04 U	0.04 U	0.22 J+	0.56	0.33	0.3	0.92	0.31	0.072	0.83	0.04 U	11	0.051 U
3/22/2018	0.33	0.069 U	0.055 U	0.04 U	0.04 U	0.32	0.41	0.54	0.68	1.3	0.42	0.082	1.9	0.04 U	13 D	0.051 U
5/14/2018	0.18	0.069 U	0.055 U	0.04 U	0.04 U	0.18	0.46	0.056	0.69	1.8	0.66	0.083	1.9	0.04 U	0.88	0.051 U
9/20/2018	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.3	0.04 U	0.41	1.1	0.35	0.068 U	0.82	0.04 U	0.67	0.051 U
12/6/2018	0.19	0.069 U	0.055 U	0.04 U	0.061	0.098	0.51	0.22	0.23	0.65	0.22	0.068 U	0.66	0.11	8.8	0.051 U
3/28/2019	0.16	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.49	0.048	0.25	0.78	0.23	0.072	0.69	0.04 U	1.4	0.051 U
6/26/2019	0.063	0.069 U	0.055 U	0.04 U	0.04 U	0.089	0.32	0.05	0.36	1	0.41	0.068 U	0.79	0.04 U	0.21	0.051 U
9/26/2019	0.26	0.069 U	0.055 U	0.04 U	0.04 U	0.15	0.46	0.064	0.71	2.1	0.69	0.17	1.4	0.04 U	1.2	0.051 U
12/11/2019	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.36	0.18	0.23	0.64	0.19	0.068 U	0.62	0.04 U	6.6 D	0.051 U
1/30/2020	0.17	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.56	0.098	0.21	0.66	0.22	0.068 U	0.77	0.048	0.85	0.051 U
3/17/2020	0.13	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.27	0.04 U	0.16	0.51	0.18	0.068 U	0.40	0.04 U	0.30	0.051 U
6/25/2020	0.067	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.13	0.040 U	0.44	1.8	0.73	0.068 U	0.96	0.040 U	0.31	0.051 U
9/17/2020	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.73 U	0.87 U	2.2 U	0.87 U	63	0.9	0.79 U	1.8	0.51 U
11/3/2020	0.062	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.32	0.048	0.1	0.31	0.12	0.14	0.39	0.04 U	0.63	0.051 U
12/16/2020	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.093	0.056	0.11	0.32	0.095	1.8	0.12	0.04 U	1.3	0.051 U
3/30/2021	0.055 U	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.36	0.040 U	0.043 U	0.087 U	0.043 U	0.068 U	0.18	0.040 U	0.64	0.051 U
6/30/2021	0.080	0.069 U	0.055 U	0.040 U	0.040 U	0.16	0.46	0.040 U	1.5	4.4	1.6	0.090	2.4	0.040 U	0.89	0.051 U
9/29/2021	0.28	0.069 U	0.055 U	0.04 U	0.07	0.081 U	0.3	0.09	0.63	2.3	0.89	0.068 U	1	0.04 U	2.2	0.051 U
12/14/2021	0.16	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.39	0.19	0.29	0.96	0.31	0.068 U	0.77	0.040 U	5.4	0.051 U

Table 5
Building 9 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B9-02 (cont.)															
Description	BUILDING 9 WAREHOUSE INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
03/31/2022	0.055 U	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.33	0.040 U	0.19	0.66	0.20	0.068 U	0.41	0.040 U	1.1	0.051 U
06/14/2022	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.27	0.071	0.91	3.6	1.8	0.068 U	1.6	0.04 U	0.37	0.051 U
09/13/2022	0.16	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.54	0.070	1.8	5.0	3.1	0.10	5.6 D	0.040 U	0.73	0.051 U
01/19/2023	0.18	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.42	0.36	2.4	7.6	2.0	1.0	1.7	0.040 U	9.9	0.051 U
01/26/2023	0.26	0.17 U	0.14 U	0.10 U	0.099 U	0.20 U	0.82	0.39	2.8	8.5	2.6	1.6	1.9	0.15	15	0.13 U
03/13/2023	0.094	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.43	0.15	0.38	1.1	0.38	0.068 U	0.74	0.040 U	5.8	0.051 U
03/29/2023	0.084	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.52	0.040 U	0.29	0.82	0.26	0.068 U	0.79	0.040 U	2.7	0.051 U
06/21/2023	1.1 U	1.4 U	1.1 U	0.81 U	0.20 U	0.81 U	0.64 U	0.20 U	0.87 U	2.2 U	0.87 U	1.4 U	0.80	0.79 U	0.20 U	0.20 U
09/12/2023	0.17	0.069 U	0.055 U	0.040 U	0.048	0.081 U	0.32	0.062	0.61	2.6	1.7	0.068 U	1.4	0.040 U	0.61	0.051 U
12/15/2023	0.21	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.51	0.65	0.24	0.73	0.29	0.11	1.5	0.80	34 D	0.051 U
01/18/2024	0.27 U	0.34 U	0.27 U	0.20 U	0.20 U	0.40 U	0.95	0.41	0.34	1.0	0.33	0.34 U	1.6	0.20 U	28	0.26 U
03/07/2024	0.11	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.41	0.17	1.6	6.0	1.4	0.088	0.55	0.040 U	7.2	0.051 U
03/28/2024	0.089	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.34	0.20	0.37	1.3	0.44	0.13	0.41	0.040 U	11 D	0.051 U
05/10/2024	0.11	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.4	0.11	0.69	2.7	1.4	0.068 U	0.96	0.040 U	1.5	0.051 U
06/27/2024	0.12	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.21	0.040 U	0.93	4.1	3.0	0.068 U	1.5	0.040 U	0.43	0.051 U
09/13/2024	0.18	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.39	0.040 U	0.46	1.5	0.75	0.068 U	0.81	0.040 U	0.80	0.051 U
12/08/2024	0.055 U	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.24	0.040 U	0.043 U	0.087 U	0.043 U	0.068 U	0.16	0.040 U	72 D	0.051 U
12/30/2024	1.1 U	1.4 U	1.1 U	0.81 U	0.20 U	0.81 U	0.64 U	0.24	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	15	0.20 U
01/15/2025	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	40	0.51 U
01/22/2025	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	36	0.51 U
01/24/2025	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.75	0.79 U	0.96	3.0	0.85	1.4 U	13	0.79 U	22	0.51 U
01/27/2025	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	1.9	0.79 U	1.1	3.9	1.1	1.4 U	15	0.79 U	37	0.51 U
02/05/2025	1.1 U	1.4 U	1.1 U	0.81 U	0.2 U	0.81 U	0.64 U	0.2 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	2.8	0.2 U
02/24/2025	1.1 U	1.4 U	1.1 U	0.81 U	0.2 U	0.81 U	0.72	0.2 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	0.89	0.2 U
03/14/2025	1.1 U	1.4 U	1.1 U	0.81 U	0.2 U	0.81 U	0.67	0.2 U	0.89	3.2	0.90	1.4 U	2.6	0.79 U	0.61	0.2 U
03/21/2025	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.25	0.04 U	0.33	1.2	0.34	0.068 U	0.20	0.04 U	0.29	0.051 U
06/20/2025	0.11	0.069 U	0.055 U	0.040 U	0.058	0.081 U	0.51	0.098	0.46	1.5	0.55	0.13	1.0	0.040 U	1.0	0.051 U
09/11/2025	0.22	0.069 U	0.055 U	0.040 U	0.075	0.081 U	0.73	0.040 U	1.2	1.8	0.58	0.12	1.4	0.040 U	0.62	0.051 U
12/19/2025	0.17 U	0.22 U	0.17 U	0.13 U	0.062 U	0.13 U	0.49	0.12 U	0.20	0.43	0.17	0.21 U	0.51	0.62 U	0.23	0.040 U
3/19/2026	0.17 U	0.21 U	0.17 U	0.12 U	0.061 U	0.12	0.49	0.12 U	0.13	0.27	0.13 U	0.21 U	1.9	0.61 U	0.17	0.039 U
6/18/2026	0.16 U	0.20 U	0.16 U	0.12 U	0.058 U	0.12 U	0.45	0.12 U	0.22	0.55	0.22	0.20 U	0.68	0.58 U	0.45	0.038 U

Notes:
All values are shown in units of micrograms per cubic meter (µg/m3).
May 10, 2024 data is not validated.
U - The concentration is below the laboratory reporting limit
J - Estimated
J+ - Estimated and may be biased high
NS - Not Sampled
* - This differential pressure was maintained during the sampling event, but the ventilation system operated intermittently and was inoperable for one week prior to the sampling event.
NJ - Tentative in identification and estimated
D - Result from diluted sample

Table 6
Building 10 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

IA-B10-01																
Description	BUILDING 10 INDOOR AIR															
Volatiles Organic Compound	1,1,1- Trichloroethane	1,1,2,2- Tetrachloroethane	1,1,2- Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2- Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2- Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.2	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	0.9	0.7	0.59	1.8	0.69	6.4	4.3	0.056 U	4	0.02 U
10/27/2003	1.4	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	3.1	4	0.91	2.8	1	5.2	5.3	0.4 U	30	0.26 U
1/20/2004	0.5	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	3.5	4.4	3.16	2.9	6.9	8.1	8.7	0.2 U	26	0.13 U
2/14/2006	0.55	0.069 U	0.055 U	0.04 U	0.075	0.04 U	3.8	1.4	1.7	4.3	2.3	2.2	4.3 J	0.044	45	0.074 J
6/28/2006	0.25	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.2	4	1.6	6.1	2.5	20	4.5	0.16 U	9.7	0.2 U
9/13/2006	0.29	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.2	0.95	0.65	2	0.74	4.1	3.5	0.16 U	15	0.2 U
12/12/2006	1	0.55 U	0.44 U	0.32 U	0.32 U	0.65 U	7	2.6	2.4	6.9	2.5	10	9.4	0.32 U	32	0.41 U
3/20/2007	0.76	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	6.4	1.9	1	3.5	1.1	6.2	6	0.16 U	17	0.2 U
6/21/2007	0.13	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.67	0.63	0.39	1.3	0.43	2.5	1.6	0.04 U	2.4	0.051 U
9/19/2007	0.082	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.58	0.38	0.24	0.61	0.21	0.43	1.1	0.04 U	3	0.051 U
12/11/2007	0.65	0.55 U	0.44 U	0.32 U	0.32 U	0.65 U	2.6	2.8	0.74	2.5	0.91	9.5	3.8	0.32 U	24	0.41 U
3/25/2008	0.27	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	2.8	2.5	0.74	2.8	0.87	2.8	4.5	0.099 U	10	0.13 U
6/17/2008	0.24	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	0.77	3.2	1.9	6.9	2.3	1.7	2.6	0.099 U	5.4	0.13 U
9/24/2008	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	0.7	0.75	0.42	1.4	0.52	1.2	2.2	0.099 U	4.3	0.13 U
12/18/2008	0.65 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	4.5	4.2	1.7	6.9	2.1	1	4	0.4 U	31	0.41 U
3/25/2009	0.43 U	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	4.2	2.2	1.7	7.2	2.4	1.2	1.1	0.31 U	31	0.41 U
6/25/2009	0.43	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	4.5	7.5	4.8	18	6.1	3.1	28	0.31 U	13	0.41 U
9/23/2009	0.12	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.4	2.2	0.69	2.3	0.87	0.66	2.8	0.04 U	3.8	0.087
12/17/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	1.6 U	3.2	3.5	1.4	4.3	1.6	1.4 U	7.2	0.79 U	64	1 U
3/24/2010	0.25	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2.5	4.4	2.1	8.7	2.9	1.5	7.2	0.12 U	11	0.15 U
6/22/2010	0.16	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.2	1.8	0.83	3	1 J	0.75	2.2	0.04 U	4.4	0.056 NJ
9/22/2010	0.13 NJ	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.7	1.8	0.89	3.2	1	0.5	5.1	0.079 U	5	0.1 U
11/16/2010	0.91 U	1.1 U	0.91 U	0.68 U	0.66 U	1.4 U	4.9	4.5	2.3	7.2	2.5	7.3	14	0.66 U	21	0.85 U
12/28/2010	0.34 U	0.43 U	0.34 U	0.25 U	0.25 U	0.51 U	4.1	2.3	0.72	2.2	0.84		1.7	0.25 U	20	0.32 U
3/23/2011	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	2.6	0.96	1.1	2.9	1	0.64	3.7	0.099 U	11	0.13 U
6/22/2011	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.3	0.31	0.74	2.4	0.84	0.79	3.8	0.079 U	6.1	0.1 U
9/21/2011	0.071 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.84	0.64	0.61	2	0.7	0.19	1.5	0.04 U	1.4	0.051 U
12/20/2011	0.21	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	1.7	1.3	0.93	2.5	0.95	3.2	2	0.099 U	13	0.13 U
3/28/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.8	0.7	1.9	4.1	1.4	5.5	7.2	0.2 U	5.2	0.26 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.5	0.81	1.6	1.5	0.59	5.9	2.9	0.2 U	0.84	0.26 U
10/9/2012	0.55 U	0.69 U	0.55 U	0.4 U	0.4 U	0.81 U	1.5	0.81	0.46	1.2	0.43 U	0.68 U	0.98	0.4 U	23	0.51 U
1/30/2013	0.41 U	0.51 U	0.41 U	0.3 U	0.3 U	0.6 U	0.9	1.6	0.32 U	1.1	0.43 J	0.51 U	1.2	0.3 U	27	0.38 U
3/28/2013	0.16	0.086 U	0.068 U	0.051 U	0.2 U	0.1 U	0.86	0.72	0.47	0.77 J	0.33 J	0.085 U	1	0.05 U	5.1	0.064 U
6/19/2013	0.15	0.069 U	0.055 U	0.04 U	0.043	0.081 U	0.18	0.96	0.063	0.16	0.044	0.25	0.7	0.04 U	0.84	0.051 U
9/19/2013	0.13	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.36	0.58	0.19	0.56	0.2	0.13	0.81	0.04 U	5.4	0.051 U
12/18/2013	0.44 U	0.55 U	0.44 U	0.33 U	0.32 U	0.65 U	0.91	1.1	0.35 U	0.7 U	0.35 U	0.55 U	1.3	0.32 U	22	0.41 U
3/20/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.032 U	0.02	0.043 U	0.087 U	0.043 U	0.068 U	0.038 U	0.04 U	0.054 U	0.051 U
6/18/2014	0.099	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	1.1	0.42	1.5	0.55	0.11	1.3	0.04 U	1	0.051 U
9/23/2014	0.32 U	0.1 U	0.082 U	0.061 U	0.075	0.12 U	0.42	1.5	0.38	1.3	0.48	0.1 U	1.3	0.059 U	5.1	0.077 U
12/16/2014	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.92	1.2	0.34	0.85	0.25	0.34	1.9	0.2 U	20	0.26 U
3/24/2015	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.1	1.3	0.47	1.4	0.54	0.34 U	1.5	0.2 U	15	0.26 U
6/15/2015	0.19	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	0.49	1.4	0.4	18	4.8	0.21	2	0.12 U	0.95	0.15 U
9/9/2015	0.064	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.36	0.04 U	0.66	1.3	0.52	0.068 U	0.72	0.04 U	0.39	0.051 U
12/15/2015	0.13 J+	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.45	0.74	0.26	0.88	0.33	0.068 U	0.92	0.04 U	4.5	0.051 U
3/31/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.5	0.25	0.29	0.67	0.25	0.16	0.89	0.04 U	3.2	0.051 U
6/30/2016	0.14	0.11 U	0.091 U	0.068 U	0.066 U	0.14 U	0.41	0.27	0.67	2.3	0.85	0.19	4.1	0.23	1.9	0.085 U
9/13/2016	0.064	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.19	0.36	0.19	0.59	0.23	0.068 U	1.1	0.04 U	0.69	0.051 U
12/9/2016	0.37 J+	0.14 U	0.11 U	0.081 U	0.098	0.16 U	0.3	0.72	0.087 U	0.17 U	0.087 U	0.14 U	0.17	0.079 U	7	0.1 U
3/23/2017	0.18 U	0.069 U	0.055 U	0.04 U	0.04 U	0.12	0.44	0.36	0.32	1.1	0.38	0.1	0.65	0.04 U	2.1	0.051 U
6/28/2017	0.26	0.069 U	0.055 U	0.04 U	0.072	0.061 U	0.18	0.22	0.1	0.16	0.051	0.068 U	0.87	0.04 U	0.91	0.051 U
9/28/2017	0.26	0.07 U	0.16	0.041 U	0.062	0.062	0.37	0.34	1.1	4.4	2	0.62	1.7	0.04 U	1.7	0.052 U
12/14/2017	0.43	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.53	0.72	0.22	0.69	0.29	0.27 U	0.67	0.16 U	13	0.2 U
1/25/2018	0.32	0.069 U	0.055 U	0.04 U	0.11	0.13 J+	0.44	0.74	0.48	1.6	0.48	0.068 U	0.49	0.04 U	7.9	0.051 U
3/22/2018	0.25	0.069 U	0.055 U	0.04 U	0.048	0.17	0.27	0.94	0.043 U	0.087 U	0.043 U	0.068 U	0.22	0.04 U	4.5	0.051 U
5/14/2018	0.2	0.069 U	0.063	0.04 U	0.04 U	0.17	0.4	0.37	1	3.4	1.3	0.094	3.9	0.04 U	2.6	0.051 U
7/2/2018	0.13	0.069 U	0.076	0.04 U	0.04 U	0.22	0.63	0.04	1.7	6.4	2.8	0.091	2.7	0.04 U	0.73	0.051 U
8/2/2018	0.16	0.069 U	0.055 U	0.04 U	0.04 U	0.15	0.49	0.056	1.9	8.5	2.9	0.11	1.6	0.04 U	0.78	0.051 U
9/20/2018	0.44	0.069 U	0.055 U	0.04 U	0.16	0.083	0.38	0.15	0.73	2.6	1	0.075	1.4	0.04 U	1.9	0.051 U
12/6/2018	0.23	0.069 U	0.055 U	0.04 U	0.062	0.081 U	0.36	0.2	0.17	0.59	0.23	0.068 U	0.52	0.06	3.3	0.051 U
3/25/2019	0.13	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.58	0.091	0.94	1.1	0.43	0.068 U	1.4	0.04 U	1.2	0.051 U
6/26/2019	0.059	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.046	0.62	2.5	1.1	0.068 U	1.5	0.04 U	0.33	0.051 U
9/26/2019	0.28	0.069 U	0.055 U	0.04 U	0.063	0.1	0.3	0.072	0.67	2.5	1	0.11	1.3	0.04 U	1.6	0.051 U
12/11/2019	0.3	0.069 U	0.055 U	0.04 U	0.068	0.081 U	0.4	0.21	0.31	1.2	0.44	0.068 U	0.97	0.04 U	4.1	0.051 U
1/30/2020	0.23	0.069 U	0.055 U	0.040 U	0.052	0.081 U	0.47	0.11	0.26	0.95	0.35	0.068	0.83	0.060	0.89	0.051 U
3/17/2020	0.16	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.31	0.04 U	0.24	0.96	0.37	0.068 U	0.83	0.04 U	0.39	0.051 U
6/25/2020	0.11	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.12	0.040 U	0.54	2.3	1.1	0.068 U	1.3	0.040 U	0.44	0.051 U
9/17/2020	0.23	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.2	0.098	0.44	1.7	0.59	2.2	1.4	0.04 U	1.9	0.051 U
12/16/2020	0.33	0.069 U	0.055 U	0.04 U	0.04 U	0.082	0.41	0.16	0.058	0.12	0.047	1.1	0.24	0.04 U	3.7	0.051 U
3/30/2021	0.081	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.34	0.074	0.65	2.3	0.67	0.068 U	0.65	0.040 U	1.0	0.051 U
6/30/2021	0.090	0.069 U	0.055 U	0.040 U	0.040 U	0.11	0.47	0.040 U	1.7	6.6	2.7	0.078	3.2	0.040 U	0.80	0.051 U
9/23/2021	0.38	0.069 U	0.055 U	0.04 U	0.098	0.081 U	0.27	0.12	0.61	2.4	1.0	0.068 U	1.1	0.040 U	1.8	0.051 U
12/14/2021	0.21	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.35	0.15	0.38	1.6	0.58	0.068 U	1.4	0.040 U	3.3	0.051 U
3/31/2022	0.059	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.29	0.0								

See Notes on Page 3.

Building 10 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	SVSS-B10-01															
Description	BUILDING 10 SUB-SLAB VAPOR															
Volatiles Organic Compound	1,1,1- Trichloroethane	1,1,2,2- Tetrachloroethane	1,1,2- Trichloroethane	1,1,2,2-Dichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2- Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2- Dichloroethane	Trichloroethane	Vinyl Chloride
7/17/2003	26 U	32 U	26 U	19 U	19 U	19 U	15 U	38	20 U	20 U	21 U	32 U	18 U	19 U	2700	12 U
2/14/2006	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	11	8.7 U	22 U	8.7 U	14 U	7.5 U	7.9 U	1100	5.1 U
12/12/2006	16 U	21 U	16 U	12 U	12 U	12 U	9.6 U	26	13 U	33 U	13 U	20 U	11 U	12 U	3200	7.7 U
12/11/2007	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	14	8.7 U	22 U	8.7 U	14 U	7.5 U	7.9 U	1800	5.1 U
6/18/2008	28 U	35 U	28 U	21 U	20 U	21 U	16 U	20 U	22 U	56 U	22 U	35 U	19 U	20 U	2300	13 U
12/18/2008	8.7 U	11 U	8.7 U	6.5 U	6.3 U	6.5 U	5.1 U	6.7	6.9 U	17 U	6.9 U	11 U	6 U	6.3 U	1700	4.1 U
12/17/2009	8.7 U	11 U	8.7 U	6.5 U	6.3 U	6.5 U	5.1 U	6.3	6.9 U	17 U	6.9 U	11 U	6 U	6.3 U	1200	4.1 U
12/28/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	2.9	0.87 U	2.2 U	0.87 U	3.6	3.7	0.79 U	130	0.51 U
12/20/2011	1.1 UJ	1.4 UJ	1.1 UJ	0.81 UJ	0.79 UJ	0.81 UJ	0.64 UJ	0.79 UJ	0.87 UJ	2.2 UJ	0.87 UJ	6.5 J	1.3 J	0.79 UJ	34 J	0.51 UJ
12/19/2012	1.1 U	1.4 U	1.1 U	0.81 U	0.78 U	0.81 U	0.64 U	0.78 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	22	0.51 U
12/18/2013	1.1 U	1.4 U	1.1 U	0.81 U	0.78 U	0.81 U	0.64 U	0.78 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	11	0.51 U
12/16/2014	6.6	14 U	13 U	0.81 U	0.78 U	0.81 U	19	4	12	34	10	4.5	66	0.79 U	51	0.51 U
12/16/2015	1.1 U	1.4 U	1.1 U	0.81 U	0.78 U	0.81 U	0.64 U	0.78 U	0.87 U	2.2 U	0.87 U	1.4 U	1.1	0.79 U	47	0.51 U
12/9/2016	1.1 U	1.4 U	1.1 U	0.81 U	0.78 U	0.81 U	0.64 U	0.78 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	69	0.51 U
12/14/2017	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	1.3	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	42	0.51 U
12/6/2018	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	7.1	0.51 U
12/11/2019	1.1 UJ	1.4 UJ	1.1 UJ	0.81 UJ	0.79 UJ	0.81 UJ	0.64 UJ	0.79 UJ	0.87 UJ	2.2 UJ	0.87 UJ	1.4 UJ	0.75 UJ	0.79 UJ	1.1 UJ	0.51 UJ
12/16/2020	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	3.6	0.51 U
12/14/2021	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	6.1	0.51 U
01/19/2023	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.3	0.75 U	0.79 U	5.8	0.51 U
12/15/2023	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.78	18	0.51 U
12/30/2024	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	10	0.51 U
01/03/2025	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	9.3	0.51 U
12/23/2025	3.9 U	4.9 U	3.9 U	2.9 U	2.8 U	2.9 U	2.3 U	2.8 U	3.1 U	6.2 U	3.1 U	4.9 U	5.4 U	2.8 U	3.8 U	1.8 U

Sample ID	IA-B10A-01															
Description	BUILDING 10A INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,1,2-Tetrachloroethane	1,1,1,2,2-Pentachloroethane	1,1-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/15/2003	0.3	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	2.3	0.89	2.1	7.5	2.7	7.6	11	0.056 U	4.5	0.02 U
10/2/2003	1.1	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	1.5	2.2	0.65	2	0.74	2.7	3.3	0.2 U	12	0.13 U
1/20/2004	0.49	0.21 U	0.16 U	0.12 U	0.12 U	0.15	2.7	4.8	2.3	9.1	2.4	5.4	6	0.12 U	19	0.1
2/14/2006	0.49 J	0.069 U	0.055 U	0.04 U	0.056	0.04 U	2.8	1.1	1.3	3.4	1.8	6	3.8 J	0.04 U	32	0.066 J
6/28/2006	0.29	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.7	4.8	2.3	9.1	3.6	22	6.4	0.2 U	9.1	0.26 U
9/13/2006	0.34	0.14 U	0.11 U	0.081 U	0.078 U	0.16 U	1.4	0.38	0.69	2.3	0.78	3	2.8	0.079 U	7	0.1 U
12/12/2006	1.4	0.55 U	0.44 U	0.32 U	0.32 U	0.65 U	7.7	3	2.8	7.8	2.5	12	10	0.32 U	32	0.41 U
3/20/2007	0.76	0.27 U	0.22 U	0.16 U	0.16 U	0.38 U	3.8	1.6	0.6	2.9	1	8.1	4.8	0.16 U	15	0.2 U
6/21/2007	0.21	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.84	1.3	0.52	1.7	0.56	3.2	2.4	0.04 U	3	0.051 U
9/19/2007	0.27	0.082 U	0.065 U	0.049 U	0.048 U	0.1 U	0.7	1.2	0.42	1.3	0.48	0.81	1.5	0.048 U	4.9	0.064 U
12/11/2007	0.82	0.41 U	0.33 U	0.24 U	0.24 U	0.31	2.6	3.3	0.78	2.2	0.69	12	4.1	0.24 U	23	0.31 U
3/26/2008	0.28	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.7	3.2	0.87	3.2	1.1	2.6	4.5	0.079 U	9.7	0.1 U
6/17/2008	0.19	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.64	1.4	1.4 NJ	5.2	1.8	1.2	2.1	0.079 U	2.8	0.1 U
9/24/2008	0.19	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.83	1.5	0.48	1.8	0.65	3.1	2.3	0.059 U	4.8	0.077 U
12/18/2008	0.51	0.41 U	0.33 U	0.24 U	0.24 U	0.49 U	3.5	3.3	1.5	6.1	1.9	1.3	8.7	0.24 U	19	0.31 U
3/26/2009	0.43 U	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	4.2	5.2	2.3	9.6	3	1.8	12	0.31 U	21	0.41 U
6/25/2009	0.65	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	4.5	8.7	5.2	17	5.2	4.1	28	0.31 U	15	0.41 U
9/23/2009	0.28	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	2.6	4	1	3.4	1.2	1.8	4.5	0.059 U	4.6	0.12
12/17/2009	0.43 U	0.54 U	0.43 U	0.32 U	0.31 U	0.65 U	2.9	4	1.3	4.8	6.6	0.88	7.2	0.31 U	25	0.41 U
3/24/2010	0.28	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2.7	5.2	2.5	10	3.6	1.1	8.3	0.12 U	9.7	0.15 U
6/22/2010	0.34	0.1 U	0.082 U	0.061 U	0.058 U	0.12 U	1.3	4.4	1.2	4.8	1.3	1.4	4.1	0.059 U	6.4	0.095 NJ
9/22/2010	0.27	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	1.9	1.3	0.91	3.2	1.1	0.72	5.3	0.12 U	3.8	0.15 U
12/28/2010	0.29	0.21 U	0.17 U	0.13 U	0.12 U	0.25 U	5.9	3.6	1.1	3.4	1.2	0.97	6.4	0.12 U	13	0.16 U
3/22/2011	0.24	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.2	1.9	1.1	3.6	1.2	0.8	4.9	0.079 U	5.7	0.1 U
6/22/2011	0.14 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.9	0.51	0.75	2.6	0.93	1.2	2.2	0.04 U	0.91	0.051 U
9/21/2011	0.14 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.3	0.67	0.61	2.1	0.76	0.24	1.7	0.04 U	1.1	0.051 U
12/20/2011	0.28	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	1.8	2.1	0.98	3.3	1.2	3.7	2.7	0.099 U	8	0.13 U
3/28/2012	0.17	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	2.6	1.3	2.3	4.6	1.7	3.7	5.6	0.12 U	5.7	0.15 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	0.7	0.42	0.77	0.73	0.25	0.8	1.4	0.2 U	0.4	0.26 U
10/9/2012	0.37	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.81	1.3	0.38	1.1	0.37	0.27 U	0.76	0.16 U	7.9	0.2 U
1/3/2013	0.45	0.32 U	0.25 U	0.19 U	0.18 U	0.37 U	1.1	1.8	0.37	1.2	0.46	0.31 U	1.3	0.18 U	18	0.23 U
3/28/2013	0.22	0.069 U	0.055 U	0.04 U	0.04 U	0.082 NJ	0.97	1.3	0.57	1.1 J	0.48 J	0.23	1.3	0.04 U	2.7	0.051 U
6/15/2013	0.11	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.1	0.34	0.16	0.61	0.23	0.069 U	0.46	0.04 U	0.32	0.051 U
9/15/2013	0.25	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.37	0.67	0.25	0.91	0.32	0.089	0.59	0.04 U	3	0.051 U
12/18/2013	0.36	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.98	1.3	0.4	1.1	0.39	0.27 U	1.4	0.16 U	12	0.2 U
3/20/2014	0.27 NJ	0.069 U	0.055 U	0.04 U	0.044 NJ	0.1 NJ	1	1.3	0.34	1.1	0.4	0.2	1.3	0.04 U	4	0.051 U
6/18/2014	0.35	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.29	0.7	0.53	1.7	0.6	0.13	1.4	0.04 U	0.73	0.051 U
9/23/2014	0.52 U	0.069 U	0.055 U	0.04 U	0.12 NJ	0.081 U	0.47	0.7	0.52	1.9	0.7	0.076	2.1	0.04 U	4.4	0.051 U
12/16/2014	0.31	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.94	1.9	0.5	1.4	0.51	0.27 U	1.7	0.16 U	16	0.2 U
3/24/2015	0.25	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.90	1.3	0.40	1.2	0.50	0.14 U	0.92	0.079 U	6.1	0.1 U
6/15/2015	0.47	0.069 U	0.055 U	0.04 U	0.04 U	0.12	0.54	0.92	2.1	8	2.4	0.34	2.5	0.04 U	0.79	0.051 U
9/9/2015	0.65	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.55	0.53	0.88	3	1.2	0.21	1.3	0.04 U	0.77	0.051 U

See Notes on Page 3.

Table 6
Building 10 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B10A-01 (cont.)															
Description	BUILDING 10A INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2-Dichloroethane	Trichloroethane	Vinyl Chloride
12/15/2015	0.40 J+	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.43	0.70	0.33	1.3	0.50	0.074	1.0	0.04 U	2.5	0.051 U
3/31/2016	0.089	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.54	0.39	0.43	1.4	0.55	0.19	1.1	0.04 U	3.2	0.051 U
6/30/2016	0.41	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.34	0.42	0.57	2.1	0.94	0.12	1.7	0.04 U	2.2	0.051 U
9/13/2016	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.19	0.45	0.25	0.84	0.32	0.068 U	1.9	0.04 U	0.98	0.051 U
12/9/2016	0.36	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.41	0.68	0.17 U	0.35 U	0.17 U	0.27 U	7.0	0.16 U	5.4	0.20 U
3/29/2017	0.13	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.33	0.26	0.21	0.79	0.31	0.082	0.63	0.04 U	1.4	0.051 U
6/28/2017	0.43	0.14 U	0.12	0.081 U	0.12	0.16 U	0.30	0.24	0.83	3.5	1.6	0.15	3.8	0.079 U	1.4	0.1 U
9/28/2017	0.11	0.069 U	0.13	0.04 U	0.04 U	0.081 U	0.42	0.21	0.94	3.7	1.6	0.19	1.5	0.04 U	0.93	0.051 U
12/14/2017	0.40	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.38	0.83	0.19	0.71	0.26	0.46	0.54	0.16 U	12	0.2 U
3/22/2018	0.16	0.069 U	0.055 U	0.04 U	0.04 U	0.12	0.43	0.81	0.31	0.87	0.33	0.073	1.4	0.04 U	4.2	0.051 U
5/14/2018	0.14	0.069 U	0.055 U	0.04 U	0.04 U	0.099	0.21	0.22	0.082	0.15	0.055	0.068 U	0.46	0.04 U	1.2	0.051 U
7/2/2018	0.14	0.069 U	0.068	0.04 U	0.04 U	0.21	0.78	0.045	1.7	6.2	2.7	0.11	2.8	0.04 U	0.79	0.051 U
9/20/2018	0.49	0.069 U	0.055 U	0.04 U	0.16	0.081 U	0.34	0.14	0.72	2.6	1.1	0.071	1.2	0.04 U	1.6	0.051 U
12/6/2018	0.28	0.069 U	0.055 U	0.04 U	0.083	0.081 U	0.37	0.17	0.17	0.55	0.20	0.068 U	0.46	0.064	3.4	0.051 U
3/28/2019	0.12	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.55	0.055	2.2	0.99	0.50	0.068 U	2.5	0.04 U	0.93	0.051 U
6/26/2019	0.081	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.063	1.0	4.3	1.9	0.095	2.1	0.04 U	0.51	0.051 U
9/26/2019	0.26	0.069 U	0.055 U	0.04 U	0.060	0.095	0.31	0.061	0.68	2.7	1.0	0.12	1.6	0.04 U	1.6	0.051 U
12/11/2019	0.24	0.069 U	0.055 U	0.040 U	0.061	0.081 U	0.34	0.19	0.31	1.1	0.44	0.068 U	0.81	0.040 U	3.0	0.051 U
1/30/2020	0.29	0.069 U	0.055 U	0.040 U	0.069	0.081 U	0.30	0.15	0.043 U	0.087 U	0.043 U	0.068 U	0.14	0.040 U	0.85	0.051 U
3/17/2020	0.17	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.37	0.04 U	0.24	0.93	0.36	0.068 U	1.1	0.04 U	0.43	0.051 U
6/25/2020	0.14	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.14	0.040 U	0.66	3.0	1.3	0.068 U	1.6	0.040 U	0.56	0.051 U
9/17/2020	0.25	0.069 U	0.055 U	0.040 U	0.066	0.081 U	0.28	0.056	0.60	2.6	0.95	0.23	2.0	0.040 U	1.8	0.051 U
12/16/2020	0.29	0.069 U	0.055 U	0.040 U	0.13	0.085	0.39	0.14	0.50	1.8	0.62	1.1	0.64	0.040 U	3.5	0.051 U
3/30/2021	0.14	0.069 U	0.055 U	0.040 U	0.040 U	0.084	0.41	0.079	1.3	4.5	1.3	0.068 U	1.0	0.040 U	1.2	0.051 U
6/30/2021	0.11	0.069 U	0.055 U	0.040 U	0.040 U	0.13	0.51	0.040 U	2.1	8.0	3.1	0.12	3.4	0.040 U	0.95	0.051 U
9/29/2021	0.28	0.069 U	0.055 U	0.04 U	0.078	0.081 U	0.25	0.096	0.57	2.1	0.91	0.077	0.96	0.04 U	1.7	0.051 U
12/14/2021	0.20	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.33	0.13	0.36	1.5	0.57	0.068 U	1.8	0.040 U	2.5	0.051 U
03/31/2022	0.068	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.30	0.085	0.43	1.7	0.67	0.068 U	1.4	0.040 U	1.4	0.051 U
06/14/2022	0.091	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.24	0.087	1.1	3.5	1.5	0.080	2.9 D	0.04 U	0.49	0.051 U
09/13/2022	0.23	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.69	0.040 U	2.0	7.0	3.2 D	0.23	10 D	0.040 U	0.56	0.051 U
01/19/2023	0.11	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.36	0.15	1.8	6.1	1.7	0.41	1.3	0.040 U	2.1	0.051 U
03/13/2023	0.18	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.45	0.23	0.70	2.3	0.99	0.071	1.8	0.040 U	5.5	0.051 U
03/29/2023	0.055 U	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.23	0.078	0.19	0.64	0.27	0.068 U	0.67	0.040 U	0.80	0.051 U
06/21/2023	1.1 U	1.4 U	1.1 U	0.81 U	0.20 U	0.81 U	0.64 U	0.20 U	1.6	6.1	3.6	1.4 U	2.3	0.79 U	0.40	0.20 U
09/12/2023	0.21	0.069 U	0.055 U	0.040 U	0.073	0.081 U	0.41	0.055	0.68	3.0	2.1	0.068 U	1.8	0.040 U	0.48	0.051 U
12/15/2023	0.23	0.069 U	0.055 U	0.040 U	0.043	0.081 U	0.48	0.33	0.20	0.69	0.30	0.077	1.3	0.60	1.3 D	0.051 U
03/28/2024	0.087	0.069 U	0.055 U	0.040 U	0.040 U	0.079	0.30	0.040 U	0.19	0.69	0.34	0.068 U	0.37	0.040 U	2.0	0.051 U
06/27/2024	0.14	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.23	0.040 U	1.2	5.3	4.3	0.068 U	2.2	0.040 U	0.50	0.051 U
09/13/2024	0.23	0.069 U	0.055 U	0.040 U	0.040 U	0.16	0.49	0.040 U	0.059	0.13	0.071	0.068 U	0.47	0.040 U	0.64	0.051 U
12/30/2024	0.065	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.52	0.14	0.13	0.43	0.17	0.068 U	0.50	0.040 U	6.9	0.051 U
03/21/2025	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.33	0.04 U	0.30	1.2	0.41	0.068 U	0.39	0.04 U	0.22	0.051 U
06/20/2025	0.089	0.069 U	0.055 U	0.040 U	0.043	0.081 U	0.71	0.087	0.45	1.7	0.60	0.19	1.3	0.040 U	0.72	0.051 U
09/11/2025	0.62	0.069 U	0.055 U	0.040 U	0.18	0.081 U	1.1	0.040 U	2.1	2.4	0.86	0.25	2.0	0.040 U	0.85	0.051 U
12/19/2025	0.17 U	0.21 U	0.17 U	0.13 U	0.061 U	0.13 U	0.76	0.12 U	0.14	0.34	0.14	0.21 U	0.56	0.61 U	0.22	0.040 U
3/19/2026	0.17 U	0.21 U	0.17 U	0.12 U	0.060 U	0.12 U	0.56	0.12 U	0.13	0.26	0.13	0.21 U	0.59	0.60 U	0.24	0.039 U
6/18/2026	0.19 U	0.24 U	0.19 U	0.14 U	0.070 U	0.14 U	0.63	0.14 U	0.40	1.2	0.44	0.24 U	1.1	0.70 U	0.35	0.045 U

Sample ID	SVSS-B10A-01															
Description	BUILDING 10A SUB-SLAB VAPOR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2-Dichloroethane	Trichloroethane	Vinyl Chloride
7/17/2003	14	32 U	23 U	2.5	0.9 U	1.8 U	3.4 U	10	2 U	3.8 U	2 U	920	32	13 U	120	0.45 U
2/14/2006	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	7.9 U	8.7 U	22 U	8.7 U	44	7.5 U	7.9 U	11 U	5.1 U
12/12/2006	3.4	1.4 U	1.1 U	2.1	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	140	2.6	0.79 U	20	0.51 U
12/11/2007	1.1	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	81	0.75 U	0.79 U	9.1	0.51 U
12/18/2008	2.5	1.4 U	1.1 U	1.5	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	95	0.75 U	0.79 U	10	0.51 U
12/17/2009	2.2	1.4 U	1.1 U	1.4	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	100	0.75 U	0.79 U	13	0.51 U
12/28/2010	2.5	1.4 U	1.1 U	1.8	0.79 U	0.81 U	0.64 U	0.79 U	1	4	1.7	49	3.3	0.79 U	13	0.51 U
12/20/2011	2.3	1.4 U	1.1 U	1.8	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	50	0.96	0.79 U	12	0.51 U
12/19/2012	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	1.6	0.79 U	0.87 U	2.2 U	0.87 U	20	1.8	0.79 U	5.7	0.51 U
12/18/2013	2.1	1.4 U	1.1 U	1.1	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	34	0.75 U	0.79 U	7.3	0.51 U
12/16/2014	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.84	2.3	2	8.1	2.6	63	1.7	0.79 U	9.5	0.51 U
12/16/2015	1.1	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	2.0	8.5	3.1	24	2.1	0.79 U	8.1	0.51 U
12/9/2016	2.9	1.4 U	1.1 U	2.8	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	42	0.75 U	0.79 U	12	0.51 U
12/14/2017	1.4	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	18	0.75 U	0.79 U	7.6	0.51 U
12/6/2018	1.6	1.4 U	1.1 U	0.87	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	21	0.75 U	0.79 U	6.1	0.51 U
12/11/2019	3.3	1.4 U	1.1 U	1.9	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	28	0.75 U	0.79 U	8.4	0.51 U
12/16/2020	1.9	1.4 U	1.1 U	0.83	0.79 U	0.81 U+	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	15	0.75 U	0.79 U	4.6	0.51 U
12/14/2021	1.5	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	10	0.75 U	0.79 U	4.3	0.51 U
01/19/2023	1.1	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	11	0.75 U	0.79 U	4.4	0.51 U
12/15/2023	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.3	0.75 U	0.79 U	11	0.51 U
12/30/2024	1.1	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	11	0.75 U	0.79 U	6.4	0.51 U
12/19/2025	3.8 U	4.7 U	3.8 U	2.8 U	2.7 U	2.8 U	2.2 U	2.7 U	3.0 U	6.0 U	3.0 U	12	5.2 U	2.7 U	4.5	1.8 U

Table 7
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B11-01															
Description	BUILDING 11 INDOOR AIR															
Volatiles Organic Compound	1,1,1- Trichloroethane	1,1,2,2- Tetrachloroethane	1,1,2- Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2- Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2- Dichloroethane	Trichloroethane	Vinyl Chloride
7/15/2003	0.29	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	1.1	0.55	1.4	3.5	1.2	7.8	12	0.056 U	5	0.02 U
10/2/2003	2	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	3.8	4.8	1	3	1	6.8	11	0.4 U	36	0.26 U
1/20/2004	0.65	0.51 U	0.41 U	0.3 U	0.3 U	0.3 U	3.2	2.5	3	11	2.9	4.7	6	0.3 U	33	0.19 U
2/14/2006	0.65	0.069 U	0.055 U	0.04 U	0.04 U	0.099	0.04 U	3	1.6	1.9	4.3	2.6	5.3 J	0.04 U	59	0.064 J
6/28/2006	0.24	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.1	0.91	1.6	7.4	2.9	14	3.7	0.16 U	3.4	0.2 U
9/13/2006	0.4	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.6	0.83	0.74	2.2	0.83	6	3.6	0.2 U	20	0.26 U
12/12/2006	0.82	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	7	1.6	2.6	7.4	2.4	6.4	11	0.16 U	20	0.2 U
3/20/2007	0.87	0.21 U	0.16 U	0.12 U	0.23	0.24 U	4.5	1.5	1.1	4.3	1.4	3.5	7.5	0.12 U	9.1	0.15 U
6/21/2007	0.25	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.89	1.2	0.69	2.2	0.83	7.5	2.2	0.059 U	3.4	0.077 U
8/30/2007	0.093	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.58	0.25	0.52	1.4	0.52	1.8	1.5	0.04 U	0.7	0.051 U
9/19/2007	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.77	0.52	0.3	0.91	0.31	0.75	1.3	0.04 U	3.9	0.051 U
12/11/2007	0.87	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.9	2.3	1	3.7	1.3	8.8	5.3	0.2 U	18	0.26 U
3/26/2008	0.25	0.12 U	0.093 U	0.069 U	0.067 U	0.14 U	2.4	1.2	0.91	3.5	1.2	1.5	5.3	0.067 U	5.9	0.087 U
6/17/2008	0.25	0.12 U	0.093 U	0.069 U	0.067 U	0.13 U	1.2	2.1	1.8	6.9	2.3	2.7	2.5	0.067 U	4	0.084 U
9/24/2008	0.16	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.96	0.95	0.19	0.25	0.078	1.8	1.4	0.059 U	6.4	0.077 U
12/18/2008 (Dup)	0.6	0.25 U	0.2 U	0.15 U	0.15 U	0.3 U	3.2	2.3	1.3	4.8	1.7	0.57	6.4	0.15 U	15	0.19 U
12/18/2008	0.6	0.21 U	0.16 U	0.12 U	0.15	0.24 U	2.9	1.9	1.1	3.8	1.3	0.64	5.3	0.12 U	14	0.15 U
3/26/2009	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.8	2.1	3.2	13	4.3	0.75	7.9	0.16 U	12	0.2 U
6/25/2009	0.37	0.43 U	0.34 U	0.25 U	0.25 U	0.49 U	3.1	2.6	3.6	13	4.8	1.2	17	0.25 U	5.4	0.31 U
9/23/2009	0.14	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.5	0.35	0.96	3.5	1.3	0.37	3.4	0.04 U	1.5	0.051 U
12/17/2009	0.55	0.62 U	0.5 U	0.37 U	0.36 U	0.73 U	2.4	3.2	1.5	5.6	2	0.62 U	6	0.36 U	26	0.46 U
3/24/2010	0.37	0.14 U	0.11 U	0.081 U	0.12	0.16 U	1.9	3.3	2.7	12	4.3	0.68	5.7	0.079 U	7.5	0.1 U
6/22/2010	0.12	0.082 U	0.065 U	0.049 U	0.048 U	0.1 U	0.99	1	1.1	4.3	1.5 J	0.42	3	0.048 U	2.8	0.064 U
9/22/2010	0.11 NJ	0.11 U	0.091 U	0.068 U	0.066 U	0.14 U	1.7	0.78	0.83	3.2	1.1	0.82	4.6	0.066 U	2.2	0.085 U
12/28/2010	0.34	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.4	1.2	0.63	2.3	0.85	1.1	2.6	0.079 U	5.6	0.1 U
3/23/2011	0.34	0.14 U	0.11 U	0.081 U	0.094	0.16 U	1.9	1.1	1.1	4.2	1.6	1.3	2.7	0.079 U	3.7	0.1 U
6/22/2011	0.15 U	0.19 U	0.15 U	0.11 U	0.11 U	0.23 U	0.99	0.47	1.5	5.9	2.3	1.6	4.5	0.11 U	0.98	0.14 U
9/21/2011	0.13 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.5	0.52	1	3.8	1.4	0.49	1.6	0.04 U	1.8	0.051 U
12/20/2011	0.28	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.3	0.65	1.2	4.8	1.7	0.79	1.9	0.079 U	4.8	0.1 U
3/28/2012	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	1.2	0.75	1.2	1.1	3.9	2.5	1.4	0.099 U	4.8	0.13 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.1	0.68	0.75	2.6	1.1	0.83	4.6	0.2 U	4.8	0.26 U
10/9/2012	0.36	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.3	0.68	0.75	2.6	1.1	0.83	4.6	0.2 U	4.8	0.26 U
1/3/2013	0.43	0.16 U	0.12 U	0.093 U	0.14	0.19 U	0.78	1.1	0.6	2.3	0.86	0.16 U	1.1	0.091 U	9.3	0.12 U
3/28/2013	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.74	0.57	0.55	1.3	0.53 J	0.68	0.8	0.04 U	1.2	0.051 U
6/19/2013	0.23	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.27	0.6 NJ	0.82	3.5	1.2	0.14	1.5	0.04 U	1.2	0.051 U
9/19/2013	0.16	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.39	0.4	0.32	1.1	0.43	0.1	0.99	0.04 U	3.2	0.051 U
12/18/2013	0.38	0.14 U	0.11 U	0.081 U	0.097	0.16 U	0.85	0.53	0.42	0.98	0.37	0.14 U	1.2	0.079 U	4.2	0.1 U
3/20/2014	0.15 NJ	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	4.6	0.64	0.27	0.93	0.33	0.17 U	1.4	0.099 U	2.5	0.13 U
6/18/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.08	0.23	0.12 NJ	0.39	1.2	0.38	0.12	1.6	0.04 U	0.43	0.051 U
9/23/2014	0.24 U	0.069 U	0.055 U	0.04 U	0.068 NJ	0.081 U	0.31	0.34	0.47	1.8	0.67	0.068 U	1.9	0.04 U	1.7	0.051 U
12/16/2014	0.26	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	1	1.1	0.48	1.5	0.58	0.17 U	1.8	0.099 U	11	0.13 U
3/24/2015	0.22	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.71	0.77	0.40	1.3	0.56	0.14 U	0.86	0.079 U	4.4	0.1 U
6/15/2015	0.43 U	0.55 U	0.43 U	0.32 U	0.31 U	0.64 U	0.5	0.49	8.7	37	10	0.54 U	2.9	0.31 U	1.2	0.41 U
9/9/2015	0.12	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.27	0.13 NJ	0.50	1.9	0.76	0.098	1.0	0.04 U	0.46	0.051 U
12/15/2015	0.19 J+	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.34	0.53	0.31	1.2	0.46	0.068	0.91 J	0.04 U	1.8	0.051 U
3/31/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.39	0.27	0.29	0.94	0.39	0.14	0.74	0.04 U	2.2	0.051 U
6/30/2016	0.16	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.35	0.53	0.66	2.6	1.1	0.15	1.8	0.04 U	2.7	0.051 U
9/13/2016	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.14	0.20	0.27	0.78	0.31	0.27 U	5.6	0.16 U	0.21 U	0.2 U
12/9/2016	0.40 J+	0.17 U	0.14 U	0.10 U	0.11	0.20 U	0.37	0.86	0.16	0.50	0.18	0.17 U	5.1	0.099 U	5.0	0.13 U
3/29/2017	0.21	0.069 U	0.055 U	0.04 U	0.04 U	0.095	0.48	0.63	0.36	1.3	0.55	0.15	2.6	0.04 U	3.1	0.051 U
6/28/2017	0.35	0.069 U	0.12	0.04 U	0.12	0.11	0.25	0.31	0.89	3.6	1.6	0.13	3.8	0.04 U	1.6	0.051 U
9/28/2017	0.45	0.14 U	0.26	0.081 U	0.14	0.16 U	0.28	0.33	1.3	5.4	2.4	0.32	2.1	0.079 U	1.7	0.1 U
12/14/2017	0.49	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	0.40	0.70	0.20	0.63	0.26	0.27 U	0.61	0.16 U	11	0.2 U
1/25/2018	0.43	0.069 U	0.055 U	0.04 U	0.15	0.11 J+	0.46	1.3	0.70	2.4	0.76	0.070	0.61	0.04 U	6.5	0.051 U
3/22/2018	0.30	0.069 U	0.055 U	0.04 U	0.080	0.15	0.40	1.7	0.43	1.3	0.46	0.10	3.4	0.04 U	6.4 D	0.051 U
5/14/2018	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.13	0.35	0.32	0.92	3.5	1.5	0.093	5.3 D	0.04 U	2.2	0.051 U
7/2/2018	0.13	0.069 U	0.080	0.04 U	0.04 U	0.21	0.55	0.04 U	1.6	6.1	2.6	0.10	2.7	0.04 U	0.71	0.051 U
9/20/2018	0.62	0.069 U	0.055 U	0.04 U	0.19	0.081 U	0.33	0.18	0.80	3.1	1.2	0.081	1.3	0.04 U	1.8	0.051 U
12/6/2018	0.24	0.069 U	0.055 U	0.04 U	0.062	0.081 U	0.40	0.21	0.16	0.55	0.21	0.068 U	0.51	0.04 U	2.2	0.051 U
3/28/2019	0.098	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.42									

Table 7
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B11-02															
Description	BUILDING 11A INDOOR AIR															
Volatiles Organic Compound	1,1,1- Trichloroethane	1,1,2,2- Tetrachloroethane	1,1,2- Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2- Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2- Dichloroethane	Trichloroethane	Vinyl Chloride
7/15/2003	0.56	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	1.6	1.8	4.7	15	3.7	18	10	0.056 U	39	0.02 U
10/2/2003	2.2	0.69 U	0.55 U	0.4 U	0.4 U	0.4 U	3.5	5.6	1	3.2	1	8.1	9.8	0.4 U	97	0.26 U
1/20/2004	0.65	0.34 U	0.27 U	0.2 U	0.2 U	0.2 U	3	5.9	2	1.2	1	5.4	2	0.2 U	42	0.13 U
2/14/2006	0.65	0.069 U	0.055 U	0.04 UJ	0.079	0.04 U	4.2	1.5	2	6.9 J	3 J	14 J	7.5 J	0.04 U	81	0.072 J
6/28/2006	0.23	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	1.9	1.1	1.8	6.9	2.9	14	4.5	0.12 U	3.9	0.15 U
9/13/2006	0.49	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.9	1.1	0.91	2.8	1.1	6.8	3.8	0.2 U	20	0.26 U
12/12/2006	0.87	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	7.3	2	2.6	6.9	2.3	6.8	9.8	0.16 U	21	0.2 U
3/20/2007	0.98	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	4.8	1.7	1.3	4.8	1.6	4.5	7.9	0.12 U	12	0.15 U
6/21/2007	0.22	0.096 U	0.076 U	0.057 U	0.056 U	0.12 U	1.2	0.71	0.87	2.9	1	5.6	2.9	0.056 U	2.5	0.074 U
8/30/2007	0.11	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.61	0.39	0.74	2.4	0.78	3	2.1	0.04 U	1.5	0.051 U
9/19/2007	0.21	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	0.8	0.79	0.52	2	0.61	1.3	2.1	0.059 U	5.4	0.077 U
12/11/2007	0.82	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	3.8	2.3	1.1	4.1	1.4	8.8	7.5	0.2 U	18	0.26 U
3/26/2008	0.23	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	3.1	1.1	1	3.8	1.3	1.3	7.9	0.12 U	4.8	0.15 U
6/17/2008	0.21	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	1.1	1.3	2.2 NJ	8.7	2.8	1.2	2.9	0.12 U	3	0.15 U
9/24/2008	0.15	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.2	0.87	1	4	1.7	0.75	3	0.059 U	5.9	0.077 U
12/18/2008	0.49	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.2	2.1	1.4	5.2	1.8	0.68	6.8	0.16 U	13	0.2 U
3/26/2009	0.19 NJ	0.23 U	0.18 U	0.13 U	0.13 U	0.27 U	4.5	2.3	3.3	13	4.2	0.81	9	0.13 U	13	0.17 U
6/25/2009	0.51	0.43 U	0.34 U	0.25 U	0.4 NJ	0.49 U	1.9	0.95 NJ	2.4 J	7.8 J	2.3 J	0.81	11	0.25 U	5.4	0.31 U
9/23/2009	0.12	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.3	0.3	0.87	3.2	1.2	0.31	3.2	0.12	1.8	0.077 U
12/17/2009	0.65	0.62 U	0.5 U	0.37 U	0.36 U	0.73 U	2.8	3.5	1.4	5.6	2	0.62 U	6	0.36 U	30	0.46 U
3/24/2010	0.4	0.14 U	0.11 U	0.081 U	0.13	0.16 U	2.3	3.8	3.3	15	5.2	0.81	6.8	0.079 U	9.1	0.1 U
6/22/2010	0.14	0.069 U	0.055 U	0.04 U	0.04 U	0.085 NJ	1.2	1.3	1.7	7.8	2.8 J	0.59	3.8 J	0.04 U	2.5	0.051 U
9/22/2010	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.6	0.9	0.86	3.3	1.1	0.93	4.8	0.079 U	2.3	0.1 U
12/28/2010	0.39	0.1 U	0.082 U	0.061 U	0.11	0.12 U	2.8	1.2	0.72	2.6	0.89	1.3	3.3	0.059 U	6.1	0.077 U
3/23/2011	0.43	0.14 U	0.11 U	0.081 U	0.13	0.16 U	2.4	1.4	1.3	5.2	1.9	1.6	3.3	0.079 U	4.6	0.1 U
6/22/2011	0.079 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.8	0.38	1.7	6	2.2	1.3	2.7	0.04 U	0.86	0.051 U
9/21/2011	0.11 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	1.1	0.34	0.86	3.2	1.2	0.38	1.3	0.04 U	1.2	0.051 U
12/20/2011	0.35	0.1 U	0.082 U	0.061 U	0.085 NJ	0.12 U	1.4	0.84	1.5 J	5.7 J	2.2 J	3.6 J	2.4 J	0.059 U	6.2	0.077 U
3/28/2012	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	1.4	0.44	2.8	8.3	2.9	1.7	4.8	0.089 U	2.9	0.13 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.5	0.5	4.1	4	1.6	1.5	4.6	0.2 U	0.9	0.26 U
10/9/2012	0.36	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	1.1	0.62	0.9	1.2	0.9	0.9	1.2	0.04 U	7.2	0.2 U
1/3/2013	0.42	0.19 U	0.15 U	0.11 U	0.11 U	0.22 U	0.92 J	1.2	0.81	3.3	1.2	0.18 U	1.3	0.11 U	9.3	0.14 U
3/28/2013	0.21	0.069 UJ	0.055 U	0.04 U	0.04 U	0.081 U	0.58	0.7 NJ	0.85	2.3 J	0.99 J	0.081	1.2	0.04 U	2.2	0.051 U
6/19/2013	0.18	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.25 J	0.44 NJ	0.69	2.1 J	0.68 J	0.17	1.1	0.04 U	3.5	0.051 U
9/19/2013	0.18	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.41	0.45	0.42 J	1.5 J	0.52 J	0.12	1.1	0.04 U	3.5	0.051 U
12/18/2013	0.32	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1	0.57	0.56	1.8	0.65	0.14 UJ	0.079 U	0.04 U	5.8	0.1 U
3/20/2014	0.16 NJ	0.069 U	0.055 U	0.04 U	0.051 U	0.17	0.62 J	0.66	0.053 J	0.087 UJ	0.043 UJ	0.14	0.69 J	0.04 U	2.4	0.051 U
6/18/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.24	0.12	0.92	3.6	1.4	0.14	1.7	0.04 U	0.43	0.051 U
9/23/2014	0.27 U	0.069 U	0.055 U	0.04 U	0.083	0.081 U	0.36	0.4	0.52 J	2 J	0.73 J	0.073	1.6	0.04 U	2.2	0.051 U
12/16/2014	0.45	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2 J	1.9 J	0.42	0.9 J	0.31 J	0.27 U	2.3 J	0.16 U	18 J	0.2 U
3/24/2015	0.27	0.069 U	0.055 U	0.04 U	0.04 U	0.098	0.88	0.93	0.51	1.7	0.73	1.4 J	1.3	0.04 U	5.1	0.051 U
6/15/2015	0.12	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.47	0.37	3.3	14	4.7	0.51 J	3.4	0.079 U	1.5	0.1 U
9/9/2015	0.055 U	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.44 J	0.12 NJ	0.79	2.7	1.2	0.089	1.2	0.040 U	0.47	0.051 U
6/15/2015	0.12	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.47	0.37	3.3	14	4.7	0.51 J	3.4	0.079 U	1.5	0.1 U
12/15/2015	0.21 J+	0.069 U	0.055 U	0.04 U	0.041	0.081 U	0.37	0.54	0.35	1.3	0.49	0.078	0.91	0.04 U	2.0	0.051 U
3/31/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.36	0.19	0.22	0.70	0.26	0.21	0.56	0.04 U	2.0	0.051 U
6/30/2016	0.17	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.38	0.46	0.93	3.8	1.7	0.20	2.2	0.04 U	2.7	0.051 U
9/13/2016	0.16 U	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	0.18	0.24	0.36	1.3	0.53	0.2 U	4.1	0.12 U	0.86	0.15 U
12/9/2016	0.44	0.14 U	0.11 U	0.081 U	0.14	0.16 U	0.30 J	0.94	0.16 J	0.46 J	0.18 J	0.14 U	0.50 J	0.079	5.5	0.10 U
3/29/2017	0.02	0.069 U	0.055 U	0.04 U	0.04 U	0.089	0.39	0.65	0.29	1.1	0.41	0.077	0.89	0.04 U	2.7	0.051 U
6/28/2017	0.27	0.069 U	0.093	0.04 U	0.085	0.097	0.22	0.27	0.88	3.6	1.6	0.12	2.6	0.04 U	1.4	0.051 U
9/28/2017	0.57	0.1 U	0.29	0.061 U	0.17	0.12 U	0.34	0.40	1.6	6.2	2.7	0.50	2.4	0.059 U	2.2	0.077 U
12/14/2017	0.52	0.21 U	0.16 U	0.12 U	0.21	0.24 U	0.47	0.77	0.20	0.64	0.24	0.2 U	0.60 J	0.12 U	12	0.15 U
3/22/2018	0.29	0.069 U	0.055 U	0.04 U	0.074	0.15	0.43	1.8	0.46	1.3	0.49	0.11	3.3 D	0.04 U	6.6 D	0.051 U
5/14/2018	0.12 J	0.069 U	0.055 U	0.04 U	0.04 U	0.098 J	0.29 J	0.27 J	0.85	3.3	1.4	0.21	14 DJ	0.04 U	2.0 J	0.051 U
7/2/2018	0.13	0.069 U	0.077	0.04 U	0.04 U	0.19	0.58	0.041	1.6	6.3	2.7	0.16	2.7	0.04 U	0.94	0.051 U
9/20/2018	0.52	0.069 U	0.055 U	0.04 U	0.19	0.081 U	0.32	0.18	0.88	3.3	1.3	0.091	1.1	0.04 U	1.7	0.051 U
12/6/2018	0.23 J	0.069 U	0.055 U	0.04 U	0.067	0.081 U	0.36	0.23	0.18	0.69	0.30	0.068 U	0.60	0.040	2.2 J	0.051 U
3/28/2019	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28 J	0.04 U	0.094 J	0.22 J	0.089 J	0.068 U	0.27 J	0.04 U	0.20	0.051 U
6/26/2019	0.089	0.069 U	0.													

Table 7
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	SVSS-B11-01													
Description	BUILDING 11A SUB-SLAB VAPOR													
Volatiles Organic Compound	1,1,1- Trichloroethane	1,1,2,2- Tetrachloroethane	1,1,2- Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2- Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2- Dichloroethane
Trichloroethane	Trichloroethane	Trichloroethane	Trichloroethane	Trichloroethane	Trichloroethane	Trichloroethane	Trichloroethane	Trichloroethane	Trichloroethane	Trichloroethane	Trichloroethane	Trichloroethane	Trichloroethane	Trichloroethane
Vinyl Chloride	Vinyl Chloride	Vinyl Chloride	Vinyl Chloride	Vinyl Chloride	Vinyl Chloride	Vinyl Chloride	Vinyl Chloride	Vinyl Chloride	Vinyl Chloride	Vinyl Chloride	Vinyl Chloride	Vinyl Chloride	Vinyl Chloride	Vinyl Chloride
7/17/2003	1900 U	2400 U	1900 U	1400 U	1400 U	1400 U	1100 U	2600	1500 U	1500 U	1600 U	3700	1300 U	1400 U
2/14/2006	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	11	8.7 U	22 U	8.7 U	31	7.5 U	7.9 U
12/12/2006	1.6 U	2.1 U	1.6 U	1.2 U	1.2 U	1.2 U	0.96 U	12	1.3 U	3.3 U	1.3 U	18	3.4 J	1.2 U
8/30/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	6.7	0.87 U	2.2 U	0.87 U	16	0.75 U	0.79 U
9/20/2007	1.6 U	2.1 U	1.6 U	1.2 U	1.2 U	1.2 U	0.96 U	17	1.3 U	3.3 U	1.3 U	20	1.1 U	1.2 U
12/11/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	10	0.87 U	2.2 U	0.87 U	12	0.75 U	0.79 U
12/18/2008	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	11	0.87 U	2.2 U	0.87 U	6.1	0.75 U	0.79 U
12/17/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	5.2	0.87 U	2.2 U	0.87 U	5.6	0.75 U	0.79 U
12/28/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	2.2	0.87 U	2.2 U	0.87 U	2.5	0.75 U	0.79 U
12/20/2011	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	2.7	0.87 U	2.2 U	0.87 U	4.3	0.75 U	0.79 U
12/19/2012	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	1.3 J	2.2 J	0.87 UJ	2.2 UJ	0.87 UJ	2.6	0.75 UJ	0.79 UJ
12/18/2013	1.1 UJ	1.4 UJ	1.1 UJ	0.81 UJ	0.79 UJ	0.81 UJ	0.64 UJ	1.1 J	0.87 UJ	2.2 UJ	0.87 UJ	3.2 J	0.75 UJ	0.79 UJ
12/16/2014	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.65	2.8	0.87 U	2.2 U	0.87 U	3.4	0.99	0.79 U
12/16/2015	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U
12/9/2016	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	1.7	0.87 U	2.2 U	0.87 U	1.9	1.7	0.79 U
12/14/2017	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.87	0.87 U	2.2 U	0.87 U	2.3	0.75 U	0.79 U
12/6/2018	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	1.8	0.87 U	2.2 U	0.87 U	3.9	0.75 U	0.79 U
12/11/2019	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	1.1	0.87 U	2.2 U	0.87 U	8.5	0.75 U	0.79 U
12/16/2020	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U+	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U
12/14/2021	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U
01/19/2023	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 UJ	0.87 U	1.4 U	0.75 U	0.79 U
12/15/2023	1.6	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	11 J	0.75 U	0.79 U
12/30/2024	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U
12/19/2025	3.7 U	4.6 U	3.7 U	2.7 U	2.7 U	2.7 U	2.1 U	2.7 U	2.9 U	5.8 U	2.9 U	4.5 U	5.1 U	2.7 U

Sample ID	IA-B13-01															
Description	BUILDING 13 INDOOR AIR															
Volatiles Organic Compound	1,1,1- Trichloroethane	1,1,2,2- Tetrachloroethane	1,1,2- Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2- Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2- Dichloroethane	Trichloroethane	Vinyl Chloride
7/15/2003	0.55	0.14 U	0.1 U	0.08 U	0.044	0.08 U	2.3	1.1	2.4	7.5	2.4	19	11	0.056 U	11	0.026
10/2/2003	2.8	0.34 U	0.27 U	0.2 U	0.52	0.2 U	1.9	4	0.69	2	0.74	4.8	3.8	0.2 U	13	0.13 U
1/20/2004	1	0.14 U	0.11 U	0.081 U	0.23	0.12	1.5	2.1	0.74	2.6	0.74	2.6	3.1	0.079 U	13	0.051 U
2/14/2006	1	0.069 U	0.055 U	0.04 UJ	0.14	0.04 U	3.1 D	1.1	3.9	9.6	3.4	3.8	6.8 J	0.04 U	41	0.056 J
6/28/2006	0.22 U	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.1	0.44	4.2	19	7.8	5.2	4.1	0.16 U	16	0.2 U
9/13/2006	1.6	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	3.8	1.5	2.9	10	4.3	9.5	5.7	0.12 U	16	0.15 U
12/12/2006	1.1	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	7.7	2.1	3.6	9.1	3.2	7.5	9.8	0.16 U	21	0.2 U
3/20/2007	0.82	0.14 U	0.11 U	0.081 U	0.17	0.16 U	3.8	0.83	1.3	4.3	1.5	1.8	7.5	0.079 U	5.4	0.1 U
6/21/2007	0.38	0.1 U	0.082 U	0.061 U	0.067	0.12 U	1.4	0.95	2	6.5	2.4	4.5	4.1	0.059 U	2.6	0.077 U
9/19/2007	0.45	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.3	1.3	2	6.9	2.5	1.3	2.9	0.079 U	6.4	0.1 U
12/11/2007	0.87	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.9	1.7	1.3	4.3	1.7	7.5	6	0.16 U	12	0.2 U
3/26/2008	0.2	0.12 U	0.093 U	0.069 U	0.067 U	0.14 U	2.7	0.48	0.83	3	1.1	0.61	3.7	0.067 U	2.6	0.087 U
6/17/2008	0.21	0.12 U	0.093 U	0.069 U	0.079	0.13 U	1.5	0.52	2.9 NJ	11 J	3.8	8.1	3.3	0.067 U	1.5	0.084 U
9/24/2008	1.6	0.1 U	0.082 U	0.061 U	0.39	0.12 U	0.8	0.63	0.96	3.5	1.1	0.31	3.8	0.059 U	4.1	0.077 U
12/18/2008	1.4	0.14 U	0.11 U	0.081 U	0.29	0.16 U	2	0.56	0.74	2.3	0.78	0.22	3.8	0.079 U	5.2	0.1 U
3/26/2009	0.65	0.14 U	0.11 U	0.081 U	0.14	0.16 U	1.9	1.3	1.4	5.2	1.7	0.63	5.3	0.079 U	7.5	0.1 U
6/25/2009	0.53	0.27 U	0.22 U	0.16 U	0.27	0.32 U	1.9	0.95	2.6	8.7	2.6	0.75	11	0.16 U	5.4	0.2 U
9/23/2009	0.39	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	2.2	0.95	1.8	6.9	2.2	0.66	6.4	0.079 U	3.5	0.1 U
12/17/2009	1.4	0.069 U	0.055 U	0.053	0.4	0.081 U	0.48	0.19	0.16	0.52	0.18	0.068 U	0.6	0.04 U	2.4	0.051 U
3/24/2010	1.2	0.069 U	0.055 U	0.049	0.34	0.081 U	0.73	0.33	0.48	1.7	0.56	0.16	2.1	0.04 U	1.8	0.051 U
6/22/2010	0.93	0.14 U	0.11 U	0.081 U	0.31	0.16 U	1.5	1.3	2.1	7.8	2.4 J	0.51	4.5	0.079 U	6.4	0.1 U
9/22/2010	0.27 J	0.27 UJ	0.22 UJ	0.16 UJ	0.16 UJ	0.32 UJ	3.5 J	1.1 J	1.3 J	4.6 J	1.5 J	1.2 J	7.3 J	0.16 UJ	3.7 J	0.2 UJ
12/28/2010	0.59	0.14 U	0.11 U	0.081 U	0.21	0.16 U	2.1	0.25	0.54	1.6	0.58	0.54	5.2	0.079 U	6.9	0.1 U
3/23/2011	0.72	0.069 U	0.055 U	0.04 U	0.18	0.081 U	0.79	0.44	0.45	1.7	0.6	0.67	1.3	0.04 U	2.1	0.051 U
6/22/2011	0.21	0.1 U	0.082 U	0.061 U	0.058	0.12 U	2.2	0.39	1.4	5	1.5	2.2	4.6	0.059 U	1.5	0.077 U
9/21/2011	0.82	0.069 U	0.055 U	0.04 U	0.15	0.081 U	1.7	0.97	1.8	7.1	2.5	1.2	3	0.04 U	2.8	0.051 U
12/20/2011	0.68	0.069 U	0.055 U	0.04 U	0.22 NJ	0.085 U	1.3	0.25 NJ	1.3	2.5	1 NJ	1.4	3.5	0.04 U	3.1	0.051 U
3/28/2012	0.39	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	2.1	0.61	7.1	3	1.6 NJ	0.9	9.8	0.2 U	3.9	0.26 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.5	0.2 U	9.4	1.5	1.3	0.34	7.9	0.2 U	0.53	0.26 U
10/9/2012	0.6	0.14 U	0.11 U	0.081 U	0.2	0.16 U	0.68	0.46	0.55	2.2	0.72	0.14 U	1	0.079 U	3.3	0.1 U
1/3/2013	0.69	0.069 U	0.055 U	0.04 U	0.21	0.081 U	0.56	0.3	0.48	2	0.61	0.15	1.1	0.04 U	2.6	0.051 U
3/28/2013	0.22 J	0.069 UJ	0.055 U	0.04 U	0.063 NJ	0.081 U	0.15	0.05	0.043 U	0.087 UJ	0.043 UJ	0.068 U	0.038 U	0.04 U	0.38	0.051 U
6/19/2013	0.15	0.069 U	0.055 U	0.04 U	0.08	0.081 U	0.16	0.04 U	0.28	1.1	0.33	0.068 U	1	0.04 U	0.5	0.051 U
9/19/2013	0.45	0.069 U	0.055 U	0.04 U	0.094 U	0.081 U	0.41	0.41 U	0.059	0.087 U	0.043 U	0.068 U	0.67	0.04 U	2.3	0.051 U
12/18/2013	0.62 J	0.14 UJ	0.11 UJ	0.081 UJ	0.13 J	0.16 UJ	0.94 J	0.5 J	0.53 J	0.88 J	0.32 J	0.14 UJ	1.2 J	0.079 UJ	4.7 J	0.1 UJ
3/20/2014	0.21 NJ	0.069 U	0.055 U	0.04 U	0.082 U	0.081 U	0.15	0.25	0.15 U	0.79	0.3	0.068 U	1	0.04 U	1.8	0.051 U
6/18/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.21	0.04 U	0.47	1.6	0.51	0.079	1.3	0.04 U	0.2	0.051 U
9/23/2014	0.82 NJ	0.069 U	0.055 U	0.04 U	0.3	0.081 U	0.43	0.55	0.99	3.8	1.5	0.1	3.4	0.04 U	3	0.051 U
12/16/2014	0.92	0.14 U	0.11 U	0.081 U	0.28	0.16 U	0.9	1	1.1	3	1.2 J+	0.14 U	3.4	0.079 U	9.4	0.1 U
3/24/2015	0.15	0.069 U	0.055 U	0.04 U	0.18	0.081 U	0.050	0.23	0.043 U	0.087 U	0.043 U	0.068 U	0.038 U	0.04 U	0.16	0.051 U
6/15/2015	0.089 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.11 NJ	0.21	0.04 U	0.092	0.085	0.043 U	0.068 U	0.25	0.04 U	0.45	0.051 U
9/9/2015	0.11	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.33	0.20	1.5	3.3	1.6	0.12	1.8	0.04 U	0.72	0.051 U
12/15/2015	0.30 J+	0.069 U	0.055 U	0.04 U	0.095	0.081 U	0.34	0.43	0.42	1.6	0.62	0.070	1.3	0.04 U	1.8	0.051 U
3/31/2016	0.070	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.40	0.36	0.27	0.58	0.19	0.14	1.1	0.04 U	3.1	0.051 U
6/30/2016	0.20	0.069 U	0.055 U	0.04 U	0.081 U	0.081 U	0.36	0.15 U	0.78	3.0	1.3	0.068 U	2.3	0.04 U	1.8	0.051 U
9/13/2016	0.49	0.069 U	0.055 U	0.04 U	0.20	0.081 U	0.31	0.36	0.75	2.6	1.1	0.068 U	2.4	0.04 U	1.7	0.051 U
12/9/2016	0.55	0.069 U	0.055 U	0.050	0.34	0.050	0.29	0.33	0.15	0.51	0.24	0.068 U	0.83	0.040 U	2.5	0.051 U
3/29/2017	0.31	0.069 U	0.055 U	0.040 U	0.19	0.17	0.35	0.18	0.39	1.6	0.67	0.068 U	1.0	0.040 U	1.2	0.051 U
6/28/2017	0.58	0.069 U	0.34	0.04 U	0.25	0.081 U	0.29	0.04 U	1.6	5.9	2.9	0.13	3.6	0.04 U	1.3	0.051 U
9/28/2017	0.33	0.069 U	0.41	0.04 U	0.26	0.081 U	0.28	0.068	1.4	4.9	2.3	0.11	2.1	0.04 U	1.3	0.051 U
12/14/2017	0.45	0.069 U	0.055 U	0.04 U	0.18	0.081 U	0.25	0.11	0.043 U	0.087 U	0.043 U	0.068 U	0.12	0.04 U	1.6	0.051 U
3/22/2018	0.43	0.069 U	0.082	0.043	0.18	0.088	0.35	0.29	0.047	0.092	0.043 U	0.068 U	1.1	0.04 U	1.6	0.051 U
5/14/2018	2.2 U	2.8 U	2.2 U	1.6 U	1.6 U	3.3 U	1.3 U	1.6 U	3.3	13	4.9	2.7 U	440 D	1.6 U	2.2 U	2.1 U
9/20/2018	1.0	0.069 U	0.086	0.054	0.48	0.081 U	0.43	0.14	0.97	3.5	1.8	0.080	2.2	0.04 U	2.0	0.051 U

Table 7
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B13-01 (cont.)															
Description	BUILDING 13 INDOOR AIR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
12/6/2018	0.59	0.069 U	0.055 U	0.046	0.17	0.084	0.41	0.11	0.16	0.45	0.18	0.068 U	0.65	0.04 U	1.2	0.051 U
3/28/2019	0.29	0.069 U	0.055 U	0.04 U	0.084	0.095	0.48	0.10	0.45	1.1	0.47	0.068 U	1.0	0.04 U	1.0	0.051 U
6/26/2019	0.12	0.069 U	0.055 U	0.04 U	0.046	0.081 U	0.33	0.062	0.80	3.1	1.4	0.068 U	2.1	0.04 U	0.78	0.051 U
9/26/2019	0.56	0.069 U	0.055 U	0.04 U	0.18	0.081 U	0.41	0.062	0.82	3.3	1.5	0.097	4.6 D	0.04 U	1.9	0.051 U
12/11/2019	0.66	0.069 U	0.055 U	0.055	0.24	0.081 U	0.36	0.16	0.20	0.71	0.27	0.068 U	2.4	0.040 U	1.5	0.051 U
3/17/2020	0.27	0.069 U	0.055 U	0.04 U	0.075	0.081 U	0.25	0.044	0.11	0.27	0.099	0.068 U	1.2	0.04 U	0.44	0.051 U
6/25/2020	0.20	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.17	0.040 U	0.73	3.0	1.4	0.068 U	3.9	0.040 U	0.67	0.051 U
9/17/2020	0.55	0.069 U	0.055 U	0.040 U	0.18	0.081 U	0.25	0.040 U	0.56	2.3	1.1	0.069	3.0	0.040 U	1.3	0.051 U
12/16/2020	0.80	0.069 U	0.055 U	0.051	0.26	0.081 U	0.34	0.079	0.30	1.3	0.46	0.11	0.62	0.040 U	1.3	0.051 U
3/30/2021	0.24	0.069 U	0.055 U	0.040 U	0.11	0.082	0.36	0.11	1.8	6.5	1.8	0.068 U	2.0	0.040 U	0.84	0.051 U
6/30/2021	0.084	0.069 U	0.064	0.040 U	0.058	0.081 U	0.30	0.054	1.2	4.3	1.9	0.14	6.8	0.040 U	0.70	0.051 U
9/29/2021	0.38	0.069 U	0.055 U	0.04 U	0.29	0.081 U	0.22	0.071	1.3	0.59	0.068 U	0.84	0.04 U	1.3	0.051 U	
12/14/2021	0.28	0.069 U	0.055 U	0.040 U	0.094	0.081 U	0.29	0.10	0.29	1.2	0.49	0.068 U	0.92	0.040 U	1.4	0.051 U
03/31/2022	0.10	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.29	0.10	0.59	2.6	1.4	0.068 U	0.98	0.040 U	1.2	0.051 U
06/14/2022	0.096	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.31	0.055	2.0	10 D	6.6 D	0.068 U	2.9	0.04 U	0.43	0.051 U
09/13/2022	0.27	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.51	0.040 U	1.8	7.3	4.3 D	0.068 U	2.4	0.040 U	0.60	0.051 U
01/19/2023	0.33	0.069 U	0.055 U	0.040 U	0.11	0.081 U	0.38	0.14	1.4	4.6	1.5	0.22	1.1	0.040 U	1.2	0.051 U
03/13/2023	0.30	0.069 U	0.055 U	0.040 U	0.091	0.081 U	0.44	0.22	0.76	2.7	1.5	0.068 U	1.7	0.040 U	2.6	0.051 U
03/29/2023	0.20	0.069 U	0.055 U	0.040 U	0.063	0.081 U	0.24	0.15	0.043 U	0.087 U	0.043 U	0.068 U	0.19	0.040 U	0.97	0.051 U
06/21/2023	1.1 U	1.4 U	1.1 U	0.81 U	0.20 U	0.81 U	0.64	0.20 U	4.6	20	14	1.4 U	5.8	0.79 U	0.73	0.20 U
09/12/2023	0.50	0.069 U	0.055 U	0.040 U	0.20	0.081 U	0.35	0.080	1.2	5.6	4.9	0.068 U	2.1	0.040 U	0.77	0.051 U
12/15/2023	0.43	0.069 U	0.055 U	0.040 U	0.13	0.081 U	0.51	0.20	0.29	1.0	0.52	0.087	1.7	0.36	6.8	0.051 U
03/28/2024	0.31	0.069 U	0.055 U	0.040 U	0.095	0.081 U	0.31	0.094	0.38	1.7	1.0	0.068 U	0.60	0.040 U	1.2	0.051 U
06/27/2024	0.25	0.069 U	0.055 U	0.040 U	0.13	0.097	0.34	0.040 U	2.5	12	11 D	0.068 U	4.4	0.040 U	1.0	0.051 U
09/13/2024	0.31	0.069 U	0.055 U	0.040 U	0.040 U	0.082	0.55	0.040 U	0.97	4.5	4.0	0.068 U	2.2	0.040 U	0.73	0.051 U
12/30/2024	0.11	0.069 U	0.055 U	0.040 U	0.040 U	0.081 U	0.62	0.11	0.22	0.69	0.25	0.068 U	1.1	0.040 U	3.1	0.051 U
03/21/2025	0.16	0.069 U	0.055 U	0.04 U	0.11	0.081 U	0.22	0.04 U	0.056	0.20	0.074	0.068 U	0.11	0.04 U	0.48	0.051 U
06/20/2025	0.13	0.069 U	0.055 U	0.040 U	0.072	0.081 U	0.40	0.040 U	0.13	0.46	0.19	0.068 U	0.47	0.040 U	0.33	0.051 U
09/11/2025	0.56	0.069 U	0.055 U	0.040 U	0.24	0.081 U	0.89	0.040 U	0.68	1.3	0.51	0.13	1.4	0.040 U	0.75	0.051 U
12/19/2025	0.22	0.20 U	0.16 U	0.12 U	0.058 U	0.12 U	0.51	0.12 U	0.13 U	0.27	0.13 U	0.20 U	0.45	0.58 U	0.39	0.038 U
3/20/2026	0.39	0.26 U	0.21 U	0.15 U	0.10	0.15 U	0.55	0.15 U	0.17	0.45	0.17 U	0.26 U	1.1	0.76 U	0.51	0.049 U
6/18/2026	0.23 U	0.29 U	0.23 U	0.17 U	0.083 U	0.17 U	0.54	0.17 U	0.44	1.5	0.48	0.28 U	1.4	0.83 U	0.39	0.054 U

Sample ID	SVSS-B13-01															
Description	BUILDING 13 SUB-SLAB VAPOR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/17/2003	18	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	3.6	0.056 U	1.5	22	6.6	37	11	0.056 U	2.8	0.02 U
2/14/2006	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	7.9 U	8.7 U	22 U	8.7 U	14 U	7.5 U	7.9 U	11 U	5.1 U
12/12/2006	8.2	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	13	0.75 U	0.79 U	1.3	0.51 U
12/11/2007	3.9	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	5.8	0.75 U	0.79 U	1.1	0.51 U
12/18/2008	3.5	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.67 U	0.79 U	0.87 U	2.2 U	0.87 U	3.5	1.3	0.79 U	1.6	0.51 U
12/17/2009	3.2	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	3.3	0.75 U	0.79 U	1.1	0.51 U
12/28/2010	2.1	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.68	0.79 U	0.87 U	2.2 U	0.87 U	2.6	1.1	0.79 U	2.1	0.51 U
12/20/2011	5.5 U	6.9 U	5.5 U	4 U	4 U	4 U	3.2 U	4 U	4.3 U	11 U	4.3 U	6.8 U	3.8 U	4 U	5.4 U	2.6 U
12/19/2012	2.2	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	1.2	0.79 U	0.87 U	2.2 U	0.87 U	4.2	2	0.79 U	1.1 U	0.51 U
12/18/2013	1.4	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	4.6	0.75 U	0.79 U	1.6	0.51 U
12/16/2014	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/16/2015	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.5	0.98	0.79 U	1.9	0.51 U
12/9/2016	1.2	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4	0.75 U	0.79 U	2.5	0.51 U
12/14/2017	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/6/2018	1.1	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.2	0.51 U
12/11/2019	1.1	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	1.5	0.79 U	2.3	0.51 U
12/16/2020	1.3	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U+	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4	0.75 U	0.79 U	1.1 U	0.51 U
12/14/2021	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	1.1	0.79 U	1.4	0.51 U
01/19/2023	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	2.2	8.2	2.8	1.4 U	1.7	0.79 U	1.5	0.51 U
12/15/2023	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	1.3	0.79 U	8.8	0.51 U
12/30/2024	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	1.1	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.98	0.79 U	2.9	0.51 U
12/19/2025	3.8 U	4.8 U	3.8 U	2.8 U	2.8 U	2.8 U	2.2 U	2.8 U	3.0 U	6.1 U	3.0 U	4.8 U	5.3 U	2.8 U	3.8 U	1.8 U

See Notes on Page 6.

Table 7
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	IA-B13A-01															
Description	BUILDING 13A INDOOR AIR															
	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
Volatile Organic Compound																
7/15/2003	0.58	0.14 U	0.1 U	0.08 U	0.054	0.08 U	2.6	1.2	3.1	9.6	3.1	20	12	0.056 U	11	0.02 U
10/2/2003	1.9	0.069 U	0.055 U	0.04 U	0.25	0.04 U	1.8	3.1	0.78	2.6	0.043 U	3.9	4.1	0.04 U	12	0.026 U
1/20/2004	1	0.21 U	0.16 U	0.12 U	0.12 U	0.12 U	1.2	1.5	0.56	1.7	0.56	2.2	2.6	0.12 U	7	0.077 U
2/14/2006	0.93	0.069 U	0.055 U	0.04 UJ	0.12	0.04 U	2.7	0.91	3.9	12	5.9	2.9	6.8 J	0.04 U	16	0.049 U
6/28/2006	0.23	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.4	0.67	4.8	21	8.3	8.1	4.5	0.16 U	2.2	0.2 U
9/13/2006	1.5	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	3.5	1.8	3	11	4.3	8.1	6	0.16 U	15	0.2 U
12/12/2006	1.1	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	6.7	1.8	3.7	9.1	3	6.8	9	0.16 U	19	0.2 U
3/20/2007	1.1	0.21 U	0.16 U	0.12 U	0.12 U	0.24 U	3.5	1.4	1.9	6.1	2.1	3	8.7	0.12 U	10	0.15 U
6/21/2007	0.41	0.082 U	0.065 U	0.049 U	0.095	0.1 U	1.2	1.1	3.7	9.6	3.5	5.2	4.1	0.048 U	3.1	0.064 U
9/19/2007	0.45	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.3	1.3	2.6	9.1	3.1	1.3	3.5	0.079 U	6.4	0.1 U
12/11/2007	0.93	0.27 U	0.22 U	0.16 U	0.16 U	0.32 U	2.5	1.7	1.3	4.3	1.5	8.1	4.5	0.16 U	12	0.2 U
3/26/2008	0.27	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.9	0.95	1.4	5.2	1.8	1.2	4.9	0.079 U	5.2	0.1 U
6/17/2008	0.25	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.7	0.75	4.3	17	6.1	0.75	4.5	0.079 U	1.9	0.1 U
9/24/2008	1.3	0.069 U	0.055 U	0.04 U	0.33	0.081 U	0.7	0.48	0.96	3.5	1.1	0.25	3.3	0.04 U	3.3	0.051 U
12/18/2008	1.3	0.14 U	0.11 U	0.081 U	0.33	0.15 U	1.3	0.56	0.52	1.7	0.61	0.22	2.4	0.079 U	4.7	0.1 U
3/26/2009	0.65	0.1 U	0.082 U	0.061 U	0.14	0.12 U	2.1	1.2	1.6	5.6	1.8	0.88	4.1	0.059 U	8.1	0.077 U
6/25/2009	0.35	0.17 U	0.14 U	0.1 U	0.11	0.2 U	1.9	0.48	2.7	9.1	2.6	0.5	7.9	0.099 U	3.3	0.13 U
9/23/2009	0.35	0.14 U	0.11 U	0.081 U	0.11	0.16 U	2.3	0.59	2	6.9	2.2	0.54	5.3	0.079 U	3.4	0.1 U
12/17/2009	1.5	0.069 U	0.055 U	0.065	0.37	0.081 U	0.54	0.25	0.36	1.2	0.38	0.095	0.94	0.04 U	2.7	0.051 U
3/24/2010	1.3	0.069 U	0.055 U	0.061	0.4	0.081 U	0.67	0.4	0.61	2	0.65	0.19	1.9	0.04 U	2.1	0.051 U
6/22/2010	0.82	0.1 U	0.082 U	0.061 U	0.25	0.12 U	1.2	0.67	2.8	9.6	3 J	0.41	4.5	0.059 U	4.7	0.077 U
9/22/2010	0.26 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	3.1	1.1	1.4	4.6	1.6	1.2	7.1	0.099 U	3.4	0.13 U
12/28/2010	0.75	0.069 U	0.055 U	0.041 NJ	0.2	0.081 U	1.3	0.096	0.26	0.67	0.24	0.14	1.4	0.04 U	2.3	0.051 U
3/23/2011	0.54	0.069 U	0.055 U	0.04 U	0.12	0.081 U	0.75	0.39	0.47	1.7	0.59	0.62	1.2	0.04 U	1.8	0.051 U
6/22/2011	0.33 NJ	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	1.5	0.4	1.8	6.8	2.2	2.9	3	0.079 U	2.4	0.1 U
9/21/2011	0.46	0.069 U	0.055 U	0.04 U	0.12	0.081 U	1.7	0.51 NJ	1.4	5.4	1.9	0.57	3	0.04 U	1.4	0.051 U
12/20/2011	0.5	0.069 U	0.055 U	0.04 U	0.17 NJ	0.081 U	0.97	0.25	1.2	2.7	1.1 NJ	1.4	3.1	0.04 U	2.7	0.051 U
3/28/2012	0.36	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.8	0.52	5.8	2.5	1.4 NJ	0.66	7.9	0.2 U	3.2	0.26 U
6/14/2012	0.27 U	0.34 U	0.27 U	0.2 U	0.2 U	0.4 U	1.4	0.2 U	9.6	3.1	1.8 U	0.35	8	0.2 U	0.72	0.26 U
10/9/2012	0.33	0.069 U	0.055 U	0.04 U	0.12	0.081 U	0.44	0.25	0.69	2.5	0.89	0.068 U	1	0.04 U	1.6	0.051 U
1/3/2013	0.58	0.069 U	0.055 U	0.04 U	0.18	0.081 U	0.51	0.28	0.45	1.8	0.55	0.078	2	0.04 U	3.7	0.051 U
3/28/2013	0.34	0.069 UJ	0.055 U	0.04 U	0.086 J	0.087	0.55	0.17	0.66	0.75 J	0.3 J	0.068 U	0.62	0.04 U	1	0.051 U
6/19/2013	0.13	0.069 U	0.055 U	0.04 U	0.08	0.081 U	0.29	0.04 U	0.11	0.2	0.049	1.2	1.1	0.04 U	0.53	0.051 U
9/19/2013	0.72	0.069 U	0.055 U	0.04 U	0.18 U	0.082 NJ	0.55	0.43 NJ	0.99	3.1	1.1	0.11	2.1	0.04 U	2.1	0.051 U
12/18/2013	0.58	0.14 U	0.11 U	0.081 U	0.12	0.16 U	0.95	0.61	0.56	1.2	0.41	0.14 U	1.4	0.079 U	5.3	0.1 U
3/20/2014	0.23 NJ	0.069 U	0.055 U	0.04 U	0.086 NJ	0.1	0.75	0.24	0.29	0.95	0.33	0.15	1.2	0.04 U	2.1	0.051 U
6/18/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.29	0.34 U	0.68	2.3	0.77	0.24	2.1	0.04 U	0.24	0.051 U
9/23/2014	0.61 NJ	0.14 U	0.11 U	0.081 U	0.25	0.16 U	0.46	0.38	0.88	2.8	1.2	0.14 U	4.3	0.079 U	2.2	0.1 U
12/16/2014	1	0.14 U	0.11 U	0.081 U	0.3	0.16 U	0.88	1.1	1.2	3.8	1.6 J+	0.14 U	3.5	0.079 U	8.3	0.1 U
3/24/2015	0.46	0.069 U	0.055 U	0.04 U	0.19	0.096	0.65	0.40	0.65	2.2	0.95	0.068 U	1.1	0.04 U	2.1	0.051 U
6/15/2015	0.13 NJ	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.57	0.29	4.3	9.5	5.6	0.14 U	4.9	0.079 U	0.85	0.1 U
9/9/2015	0.10	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.42	0.04 U	1.1	3.5	1.9	0.12	2.0	0.04 U	0.66	0.051 U
12/15/2015	0.15 J+	0.069 U	0.055 U	0.04 U	0.040	0.081 U	0.31	0.30	0.45	1.7	0.63	0.068 U	1.2	0.04 U	1.4	0.051 U
3/31/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.33	0.32	0.043 U	0.087 U	0.043 U	0.089	0.40	0.04 U	2.7	0.051 U
6/30/2016	0.24	0.11 U	0.18	0.068 U	0.066 U	0.14 U	0.67	0.17	1.8	5.7	2.9	0.11 U	3.1	0.066 U	1.7	0.085 U
9/13/2016	0.56	0.069 U	0.055 U	0.04 U	0.24	0.081 U	0.58	0.30	1.4	4.6	2.1	0.068 U	2.7	0.04 U	1.6	0.051 U
12/9/2016	0.77	0.069 U	0.055 U	0.050	0.040 U	0.081 U	0.40	0.47	0.30	1.0	0.47	0.068 U	1.1	0.040 U	3.5	0.051 U
3/29/2017	0.25	0.069 U	0.055 U	0.040 U	0.11	0.081 U	0.26	0.16	0.37	1.5	0.66	0.068 U	0.89	0.040 U	0.98	0.051 U
6/28/2017	0.37	0.14 U	1.0	0.081 U	0.18	0.16 U	0.33	0.079 U	1.8	5.7	3.1	0.14 U	2.6	0.079 U	0.86	0.1 U
9/28/2017	0.45	0.21 U	3.5	0.12 U	0.27	0.24 U	0.49	0.12 U	4.9	11	5.8	0.32	2.9	0.12 U	1.4	0.15 U
12/14/2017	0.52	0.069 U	0.27	0.04 U	0.20	0.081 U	0.48	0.18	0.34	0.84	0.34	0.20	0.83	0.04 U	3.5	0.051 U
3/22/2018	0.42	0.069 U	0.16	0.04 U	0.15	0.091	0.37	0.27	0.40	1.4	0.62	0.13	1.5	0.04 U	1.7	0.051 U
5/14/2018	2.2 U	2.7 U	2.2 U	1.6 U	1.6 U	3.2 U	1.3 U	1.6 U	4.0	13	5.8	2.7 U	320 D	1.6 U	2.1 U	2 U
9/20/2018	0.77	0.069 U	0.18	0.04 U	0.38	0.081 U	0.56	0.090	0.24	0.51	0.23	0.068 U	1.4	0.04 U	1.5	0.051 U
12/6/2018	0.67	0.069 U	0.055 U	0.046	0.17	0.095	0.43	0.12	0.19	0.53	0.22	0.068 U	0.73	0.04 U	1.3	0.051 U
3/28/2019	0.33	0.069 U	0.055 U	0.04 U	0.088	0.14	0.54	0.12	0.64	1.6	0.67	0.068 U	1.4	0.04 U	1.1	0.051 U
6/26/2019	0.18	0.069 U	0.055 U	0.04 U	0.050	0.080	0.50	0.066	1.2	4.4	1.9	0.081	3.0	0.04 U	1.1	0.051 U
9/26/2019	0.49	0.069 U	0.055 U	0.04 U	0.16	0.081 U	0.43	0.077	0.93	3.3	1.4	0.11	3.4	0.04 U	2.2	0.051 U
12/11/2019	0.58	0.069 U	0.055 U	0.042	0.21	0.081 U	0.31	0.15	0.15	0.37	0.15	0.068 U	1.7	0.040 U	1.2	0.0

Table 7
Building 11 Area Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	SVSS-B13A-01															
Description	BUILDING 13A SUB-SLAB VAPOR															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethene	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl Chloride
7/17/2003	1.4	0.28 U	0.2 U	0.16 U	0.08 U	0.16 U	0.32	1.2	0.17 U	0.59	0.24	5.1	0.35	0.11 U	53	0.04 U
2/14/2006	11 U	14 U	11 U	8.1 U	7.9 U	8.1 U	6.4 U	7.9 U	8.7 U	22 U	8.7 U	14 U	7.5 U	7.9 U	34	5.1 U
12/12/2006	1.9	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	11	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	64	0.51 U
12/11/2007	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/18/2008	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/17/2009	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/28/2010	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/20/2011	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	1.1	0.79 U	1.1 U	0.51 U
12/19/2012	1.3	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/18/2013	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	11 J	0.75 U	0.79 U	8.2	0.51 U
12/16/2014	2.5	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	3.1	1.4	0.79 U	1.1	0.51 U
12/16/2015	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/9/2016	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	2.0	0.79 U	1.1 U	0.51 U
12/14/2017	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.9	0.51 U
12/6/2018	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/11/2019	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/14/2020	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
01/19/2023	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/15/2023	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1	0.51 U
12/30/2024	1.1 U	1.4 U	1.1 U	0.81 U	0.79 U	0.81 U	0.64 U	0.79 U	0.87 U	2.2 U	0.87 U	1.4 U	0.75 U	0.79 U	1.1 U	0.51 U
12/19/2025	3.8 U	4.8 U	3.8 U	2.8 U	2.8 U	2.8 U	2.2 U	2.8 U	3.0 U	6.1 U	3.0 U	4.8 U	5.3 U	2.8 U	3.8 U	1.8 U

Notes:

All values are shown in units of micrograms per cubic meter (µg/m3).

U - The concentration is below the laboratory reporting limit

J - Estimated

J+ - Estimated and may be biased high

NJ - Tentative in identification and estimated

NS - Not Sampled

Table 8
Ambient Air Sample Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	OA-B2-01															
Description	AMBIENT AIR OUTSIDE OF BUILDING 2															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2-Dichloroethane	Trichloroethane	Vinyl Chloride
7/15/2003	0.21	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	0.44	0.056 U	0.35	1.1	0.35	0.3	3.2	0.056 U	0.58	0.02 U
10/2/2003	0.16	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	0.38	0.04 U	0.13	0.35	0.13	0.068 U	0.64	0.04 U	0.52	0.026 U
1/20/2004	0.12	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	0.45	0.04 U	0.19	0.48	0.19	0.075	0.9	0.04 U	0.81	0.026 U
3/20/2007	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.089	0.58	0.04 U	0.043 U	0.087 U	0.043 U	0.088	0.22	0.04 U	2.8	0.051 U
6/21/2007	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.21	0.04 U	0.087	0.23	0.083	0.068 U	0.49	0.04 U	0.7	0.051 U
9/19/2007	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.32	0.04 U	0.15	0.38	0.13	0.11	1	0.04 U	0.31	0.051 U
12/11/2007	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.085	0.51	0.04 U	0.1	0.26	0.1	0.068 U	0.53	0.04 U	0.054 U	0.051 U
3/26/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.04 U	0.078	0.2	0.078	0.068 U	0.36	0.04 U	0.054 U	0.051 U
6/17/2008	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.24	0.04 U	0.16	0.52	0.2	0.068 U	1.7	0.04 U	0.054 U	0.051 U
9/24/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.16	0.04 U	0.091	0.26	0.091	0.068 U	0.57	0.04 U	0.054 U	0.051 U
12/18/2008	0.055	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.7	0.04 U	0.22	0.69	0.29	0.088	1.2	0.04 U	0.11	0.051 U
3/26/2009	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.081	0.7	0.12	0.25	1.3	0.65	0.14	0.98	0.04 U	0.086	0.051 U
6/25/2009	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.54	0.079 U	0.69	1.7	0.56	0.14 U	5.3	0.079 U	0.86	0.1 U
9/23/2009	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.42	0.04 U	0.48	0.74	0.26	0.075	1.2	0.075	0.91	0.051 U
12/17/2009	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.42	0.04 U	0.061	0.15	0.056	0.068 U	0.35	0.04 U	0.054 U	0.051 U
3/24/2010	0.082 U	0.1 U	0.082 U	0.061 U	0.059 U	0.12 U	1.0	0.059 U	0.52	1.8	0.52	0.26	4.1	0.059 U	0.081 U	0.077 U
6/22/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.22	0.04 U	0.069	0.11	0.043 U	0.068	0.45	0.04 U	0.075	0.051 U
8/30/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.35	0.04 U	0.14	0.34	0.13	0.081	0.76	0.04 U	0.074	0.051 U
9/22/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.58	0.04 U	0.29	0.9	0.32	0.077	2.4	0.04 U	0.066	0.051 U
12/28/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.49	0.04 U	0.11	0.26	0.1	0.068 U	0.65	0.04 U	0.21	0.051 U
3/23/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.41	0.04 U	0.084	0.2	0.079	0.071	0.48	0.04 U	0.054 U	0.051 U
6/22/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.04 U	0.32	0.96	0.33	0.12	3.3	0.04 U	0.066	0.051 U
9/21/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.19	0.04 U	0.085	0.21	0.077	0.068 U	0.82	0.04 U	0.054 U	0.051 U
12/20/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.53	0.04 U	0.052	0.14	0.058	0.11	0.47	0.04 U	0.054 U	0.051 U
3/28/2012	0.14 U	0.17 U	0.14 U	0.1 U	0.099 U	0.2 U	0.31	0.099 U	0.5	0.95	0.34	0.17 U	4.7	0.099 U	0.13 U	0.13 U
6/14/2012	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.04 U	0.19	0.74	0.28	0.068 U	0.59	0.04 U	0.054 U	0.051 U
10/9/2012	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.23	0.04 U	0.043 U	0.087 U	0.043 U	0.068 U	0.35	0.04 U	0.11	0.051 U
1/3/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.52	0.04 U	0.096	0.26	0.1	0.068 U	0.53	0.04 U	0.075	0.051 U
3/28/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.16 U	0.081 U	0.35	0.2 U	0.059 U	0.15 J	0.4 U	0.068 U	0.27	0.04 U	0.054 U	0.051 U
6/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.068	0.04 U	0.043 U	0.087 U	0.043 U	0.15	0.18	0.04 U	0.085 U	0.051 U
9/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.21	0.04 U	0.063	0.17 NJ	0.058	0.068 U	0.72	0.04 U	0.054 U	0.051 U
12/18/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.71	0.04 U	0.15	0.48	0.18	0.068 U	1.3	0.04 U	0.054 U	0.051 U
3/20/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.9	0.04 U	0.09	0.22	0.085	0.068 U	1.1	0.04 U	0.054 U	0.051 U
6/18/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.29	0.04 U	0.15	0.42	0.13	0.071	2.4	0.04 U	0.054 U	0.051 U
9/23/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.27	0.04 U	0.16	0.53	0.24	0.068 U	0.77	0.04 U	0.054 U	0.051 U
12/16/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.087	0.62	0.04 U	0.17	0.47	0.19	0.068 U	1.4	0.04 U	0.077	0.051 U
3/24/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.37	0.04 U	0.055	0.14	0.053	0.068 U	0.26	0.04 U	0.054 U	0.051 U
6/15/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.18	0.04 U	0.075	0.25	0.1	0.07	0.38	0.04 U	0.054 U	0.051 U
9/9/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.24	0.04 U	0.10	0.32	0.12	0.068 U	0.61	0.04 U	0.054 U	0.051 U
12/15/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.31	0.04 U	0.067	0.20	0.070	0.068 U	0.52	0.04 U	0.054 U	0.051 U
3/31/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.31	0.04 U	0.055	0.14	0.055	0.068 U	0.35	0.04 U	0.054 U	0.051 U
6/30/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.12	0.04 U	0.12	0.40	0.17	0.068 U	0.98	0.04 U	0.053	0.051 U
9/13/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.088	0.04 U	0.043 U	0.087 U	0.043 U	0.068 U	0.16	0.04 U	0.054 U	0.051 U
12/9/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.21	0.04 U	0.043 U	0.087 U	0.043 U	0.068 U	0.3	0.04 U	0.054 U	0.051 U
3/29/2017	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.19	0.04 U	0.043 U	0.087 U	0.043 U	0.068 U	0.088	0.04 U	0.054 U	0.051 U
6/28/2017	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.19	0.04 U	0.15	0.44	0.16	0.068 U	0.78	0.04 U	0.054 U	0.051 U
9/28/2017	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.15	0.04 U	0.095	0.29	0.11	0.068 U	0.4	0.04 U	0.085	0.051 U
12/14/2017	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.4	0.04 U	0.073	0.21	0.092	0.068 U	0.39	0.04 U	0.054 U	0.051 U
3/22/2018	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.24	0.04 U	0.043 U	0.087 U	0.043 U	0.068 U	0.12	0.04 U	0.054 U	0.051 U
5/14/2018	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.19	0.04 U	0.058	0.14	0.063	0.068 U	0.32	0.04 U	0.054 U	0.051 U
9/20/2018	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.14	0.04 U	0.072	0.21	0.077	0.073	0.32	0.04 U	0.054 U	0.051 U
12/6/2018	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.25	0.04 U	0.043 U	0.087 U	0.043 U	0.068 U	0.24	0.04 U	0.054 U	0.051 U
3/28/2019	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.33	0.04 U	0.051	0.14	0.054	0.068 U	0.3	0.04 U	0.054 U	0.051 U
6/26/2019	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.19	0.04 U	0.06	0.17	0.063	0.068 U	0.54	0.04 U	0.054 U	0.051 U
9/26/2019	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.21	0.04 U	0.43	1.8	0.888					

Table 8
Ambient Air Sample Analytical Data Summary
Former Philips Display Components Facility - Seneca Falls, New York

Sample ID	OA-B11-01															
Description	AMBIENT AIR OUTSIDE OF BUILDING 11															
Volatile Organic Compound	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	Benzene	cis-1,2-Dichloroethane	Ethylbenzene	m,p-Xylene	o-Xylene	Tetrachloroethane	Toluene	trans-1,2-Dichloroethane	Trichloroethane	Vinyl Chloride
7/15/2003	0.18	0.14 U	0.1 U	0.08 U	0.04 U	0.08 U	0.32	0.056 U	0.16	0.32	0.14	0.14 U	1.4	0.056 U	0.074	0.02 U
10/2/2003	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	0.3	0.04 U	0.091	0.26	0.096	0.068 U	0.45	0.04 U	0.13	0.026 U
1/20/2004	0.11	0.069 U	0.055 U	0.04 U	0.04 U	0.04 U	0.45	0.04 U	0.15	0.34	0.13	0.068	0.68	0.04 U	0.12	0.026 U
3/20/2007	0.15	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.54	0.04 U	0.1	0.29	0.11	0.075	0.38	0.04 U	0.14	0.051 U
6/21/2007	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.15	0.04 U	0.061	0.16	0.052	0.068 U	0.32	0.04 U	0.12	0.051 U
8/30/2007	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.17	0.04 U	0.091	0.22	0.078	0.081	0.49	0.04 U	0.12	0.051 U
9/19/2007	0.055	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.29	0.04 U	0.15	0.43	0.13	0.12	0.6	0.04 U	0.11	0.051 U
12/11/2007	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.085	0.58	0.04 U	0.19	0.56	0.21	0.068 U	0.72	0.04 U	0.086	0.051 U
3/26/2008	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.31	0.04 U	0.065	0.2	0.083	0.068 U	0.37	0.04 U	0.054 U	0.051 U
6/17/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.13	0.04 U	0.12	0.38	0.11	0.068 U	0.75	0.04 U	0.086	0.051 U
9/24/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.14	0.04 U	0.096	0.24	0.083	0.068 U	0.64	0.04 U	0.087	0.051 U
12/18/2008	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.54	0.04 U	0.18	0.48	0.21	0.095	1.1	0.04 U	0.13	0.051 U
3/26/2009	0.071	0.069 U	0.055 U	0.04 U	0.04 U	0.085	0.67	0.083	0.18	0.41	0.16	0.14	0.94	0.04 U	0.075	0.051 U
6/25/2009	0.071	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.32	0.04 U	0.23	0.69	0.23	0.088	1.4	0.04 U	0.075	0.051 U
9/23/2009	0.06	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.26	0.04 U	0.14	0.43	0.17	0.068 U	0.83	0.04 U	0.51	0.051 U
12/17/2009	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.38	0.04 NJ	0.065	0.18	0.074	0.068 U	0.35	0.04 U	0.11	0.051 U
3/24/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 NJ	0.51	0.04 U	0.15	0.43	0.16	0.095	1.1	0.04 U	0.081	0.051 U
6/22/2010	0.065	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.31	0.079	0.16	0.48	0.19 J	0.081	0.79	0.04 U	0.22	0.051 U
9/22/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.42	0.04 U	0.19	0.46	0.17	0.068 U	1.1	0.04 U	0.077	0.051 U
12/28/2010	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.73	0.14	0.28	0.72	0.25	0.33	2.3	0.04 U	0.34	0.051 U
3/23/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.39	0.04 U	0.061	0.18	0.077	0.068 U	0.3	0.04 U	0.068	0.051 U
6/22/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.2	0.04 U	0.1	0.3	0.12	0.068 U	0.55	0.04 U	0.054 U	0.051 U
9/21/2011	0.057 NJ	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.54	0.084	0.22	0.66	0.24	0.16	1.1	0.04 U	0.32	0.051 U
12/20/2011	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.45	0.04 U	0.043 U	0.043 U	0.043 U	0.068 U	0.16	0.04 U	0.21	0.051 U
3/28/2012	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.29	0.04 U	0.11	0.31	0.12	0.068 U	0.56	0.04 U	0.056	0.051 U
6/14/2012	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.26	0.058	0.32	0.46	0.17	0.11	0.83	0.04 U	1.2	0.051 U
10/9/2012	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.066	0.086	0.24	0.1	0.068 U	0.47	0.04 U	0.19	0.051 U
1/3/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.77	0.04 U	0.28	0.9	0.29	0.095	1.2	0.04 U	0.086	0.051 U
3/28/2013	0.055 U	0.069 UJ	0.055 U	0.04 U	0.16 U	0.081 U	0.37	0.08 U	0.073 NJ	0.16 J	0.16 UJ	0.068 U	0.24	0.04 U	0.085	0.051 U
6/19/2013	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.7	0.04 U	0.043 U	0.98	0.43 U	0.068 U	0.2	0.04 U	0.087	0.051 U
9/19/2013	0.11 U	0.14 U	0.11 U	0.081 U	0.079 U	0.16 U	0.4	0.079 U	0.75	3	1.1	0.14 U	4.3	0.079 U	0.39	0.1 U
12/28/2013	0.055 UJ	0.069 UJ	0.055 UJ	0.04 UJ	0.04 UJ	0.081 UJ	0.54 J	0.04 UJ	0.099 J	0.28 J	0.1 J	0.068 UJ	0.85 J	0.04 UJ	0.063 J	0.051 UJ
3/20/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.47	0.04 U	0.099	0.3	0.12	0.068 U	0.53	0.04 U	0.054 U	0.051 U
6/18/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.17	0.04 U	0.07	0.19	0.065	0.068 U	0.44	0.04 U	0.081	0.051 U
9/23/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.26	0.046	0.086	0.26	0.11	0.068 U	0.63	0.04 U	0.71	0.051 U
12/16/2014	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.082 U	0.6	0.04 U	0.11	0.24	0.1	0.068 U	0.82	0.04 U	0.15	0.051 U
3/24/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.44	0.04 U	0.055	0.16	0.070	0.068 U	0.28	0.04 U	0.054 U	0.051 U
6/15/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.2	0.04 U	0.18	0.66	0.22	0.068 U	0.38	0.04 U	0.054 U	0.051 U
9/9/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.20	0.069	0.12	0.41	0.16	0.075	1.1	0.04 U	0.24	0.051 U
12/15/2015	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.25	0.04 U	0.049	0.10	0.043 U	0.068 U	0.38	0.04 U	0.071	0.051 U
3/31/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.22	0.04 U	0.043 U	0.087 U	0.043 U	0.068 U	0.20	0.04 U	0.054 U	0.051 U
6/30/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.084	0.048	0.087	0.26	0.11	0.17	0.55	0.041	2.5	0.051 U
9/13/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.16	0.04 U	0.043 U	0.088	0.043 U	0.068 U	0.39	0.04 U	0.054 U	0.051 U
12/9/2016	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.21	0.04 U	0.043 U	0.087 U	0.043 U	0.068 U	0.30	0.04 U	0.095	0.051 U
3/29/2017	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.19	0.04 U	0.043 U	0.090	0.043 U	0.068 U	0.12	0.04 U	0.054 U	0.051 U
6/28/2017	0.055	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.14	0.11	0.080	0.24	0.097	0.086	0.34	0.04 U	2.3	0.051 U
9/28/2017	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.11	0.04 U	0.043 U	0.11	0.043 U	0.068 U	0.16	0.04 U	0.069	0.051 U
12/14/2017	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.33	0.04 U	0.053	0.14	0.065	0.068 U	0.24	0.04 U	0.12	0.051 U
3/22/2018	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.28	0.04 U	0.050	0.14	0.065	0.068 U	0.24	0.04 U	0.12	0.051 U
6/14/2018	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.17	0.04 U	0.043 U	0.087 U	0.043 U	0.068 U	0.24	0.04 U	0.054 U	0.051 U
7/2/2018	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.46	0.04 U	0.69	2.7	1.4	0.38	4.3	0.04 U	0.27	0.051 U
9/20/2018	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.18	0.04 U	0.072	0.25	0.097	0.068 U	0.35	0.04 U	0.059	0.051 U
12/6/2018	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.26	0.04 U	0.043 U	0.087 U	0.046	0.068 U	0.21	0.04 U	0.054 U	0.051 U
3/28/2019	0.067	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.40	0.04 U	0.26	0.60	0.23	0.068	0.54	0.04 U	0.54	0.051 U
6/26/2019	0.055 U	0.069 U	0.055 U	0.04 U	0.04 U	0.081 U	0.19	0.04 U	0.076	0.26	0.11	0.068 U	0.62	0.04 U	0.099	0.051 U
9/26/2019	0.0															

Attachment D

Data Validation Reports

Data Validation Services

120 Cobble Creek Road P. O. Box 208

North Creek, NY 12853

Phone (518) 251-4429

harry@frontiernet.net

July 28, 2026

Mark Flusche
Arcadis of New York, Inc.
646 Plank Rd, Suite 100
Clifton Park, NY 12065

RE: Validation of the Former Philips Display Components Facility, Seneca Falls Site Data Package
Indoor and Outdoor Air Samples
Eurofins TestAmerica-VT SDG No. 650-13117-1

Dear Mr. Flusche:

Review has been completed for the data package generated by Eurofins TestAmerica Laboratories that pertains to indoor air samples collected 06/18/26 at the Former Philips Display Components Facility, Seneca Falls, NY site. Seventeen 6-L summa canisters and a field duplicate were analyzed for sixteen site-specific volatile analytes using USEPA method TO-15.

Data validation was performed using guidance from the 2006 USEPA Region II validation SOP HW-31, with consideration for the specific requirements of the analytical methodology. The following items were reviewed:

- * Data Completeness
- * Case Narrative
- * Custody Documentation
- * Holding Times
- * Internal Standard Recoveries
- * Method and Canister Blanks
- * Blind Field Duplicate Correlation
- * Laboratory Control Samples (LCSs)
- * Instrumental Tunes
- * Initial and Continuing Calibration Standards
- * Canister Pressures at Laboratory Receipt
- * Method Compliance
- * Sample Result Verification

Those items showing deficiencies are discussed in the following sections of this report. All others were found to be acceptable as outlined in the above-mentioned validation procedures, and as applicable for the methodology. Unless noted specifically in the following text, reported results are substantiated by the raw data, and generated in compliance with project requirements.

In summary, sample results are usable as reported. Accuracy, data completeness, sensitivity, representativeness, and comparability are acceptable.

Client and laboratory sample identifications, and the laboratory case narrative are attached to this text, and should be reviewed in conjunction with this report. The laboratory sample report forms are also attached.

Volatile Analyses by EPA TO-15

The blind field duplicate evaluation was performed on IA-B11-02, and the correlations are within validation guidelines.

Holding times and instrument tunes meet requirements. Method and canister blanks show no contamination. The clean canister certifications were reviewed during validation. Canister pressures at receipt are within validation guidelines.

Initial and continuing calibration standard responses fall within validation guidelines. LCS recoveries are compliant.

Please do not hesitate to contact me if questions or comments arise during your review of this report.

Very truly yours,



Judy Harry

Att: Sample Identifications
Laboratory Case Narrative
Sample Results Forms

Sample Identification Summary

Sample Summary

Client: Arcadis US Inc
Project/Site: Seneca Falls

Job ID: 650-13117-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
650-13117-1	IA-B10-01	Air	06/18/26 13:21	06/19/26 12:51	Air Canister (6-Liter) - Ambient #6L3344
650-13117-2	IA-B10A-01	Air	06/18/26 14:33	06/19/26 12:51	Air Canister (6-Liter) - Ambient #6L4153
650-13117-3	IA-B11-01	Air	06/18/26 13:14	06/19/26 12:51	Air Canister (6-Liter) - Ambient #6L3329
650-13117-4	IA-B11-02	Air	06/18/26 13:28	06/19/26 12:51	Air Canister (6-Liter) - Ambient #6L3456
650-13117-5	IA-B13-01	Air	06/18/26 12:55	06/19/26 12:51	Air Canister (6-Liter) - Ambient #6L2676
650-13117-6	IA-B13A-01	Air	06/18/26 13:50	06/19/26 12:51	Air Canister (6-Liter) - Ambient #6L3746
650-13117-7	IA-B1A-01	Air	06/18/26 13:27	06/19/26 12:51	Air Canister (6-Liter) - Ambient #6L0798
650-13117-8	IA-B1A-BASE	Air	06/18/26 13:25	06/19/26 12:51	Air Canister (6-Liter) - Ambient #6L3959
650-13117-9	IA-B9-01	Air	06/18/26 13:00	06/19/26 12:51	Air Canister (6-Liter) - Ambient #6L0786
650-13117-10	IA-B9-02	Air	06/18/26 14:19	06/19/26 12:51	Air Canister (6-Liter) - Ambient #6L0444
650-13117-11	IA-B9-CS	Air	06/18/26 13:59	06/19/26 12:51	Air Canister (6-Liter) - Ambient #6L0633
650-13117-12	IA-B7-01	Air	06/18/26 14:01	06/19/26 12:51	Air Canister (6-Liter) - Ambient #6L1852
650-13117-13	IA-B7-02	Air	06/18/26 13:34	06/19/26 12:51	Air Canister (6-Liter) - Ambient #6L2427
650-13117-14	IA-B8-01	Air	06/18/26 13:08	06/19/26 12:51	Air Canister (6-Liter) - Ambient #6L3801
650-13117-15	OA-B2-01	Air	06/18/26 14:15	06/19/26 12:51	Air Canister (6-Liter) - Ambient #6L0553
650-13117-16	OA-B11-01	Air	06/18/26 14:25	06/19/26 12:51	Air Canister (6-Liter) - Ambient #6L2473
650-13117-17	IA-B1-01	Air	06/18/26 13:29	06/19/26 12:51	Air Canister (6-Liter) - Ambient #6L4216
650-13117-18	IA-DUPE	Air	06/18/26 13:28	06/19/26 12:51	Air Canister (6-Liter) - Ambient #6L4040

Laboratory Case Narrative

Job Narrative
650-13117-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 6/19/2026 12:51 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice.

Air - GC/MS VOA

Method TO-15: The continuing calibration verification (CCV) associated with batch 650-22386 recovered above the upper control limit for 1,2-Dichloroethane. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.