

March 11, 2010

Mr. Gary Bonarski  
Division of Environmental Remediation  
New York State Department of Environmental Conservation Region 8  
6274 East Avon - Lima Road  
Avon, NY 14414

Re: 124 Victory Highway, Painted Post, NY  
Interim Remedial Measure Report

Dear Mr. Bonarski:

This letter report summarizes the Interim Remedial Measure (IRM) activities conducted in September 2009 by The Palmerton Group, LLC (Palmerton Group) per the request of T&K Realty, LLC (T&K), at 124 Victory Highway, Painted Post, New York ("site", see Figure 1). The IRM was performed in accordance with the New York State Department of Environmental Conservation (NYSDEC) approved IRM Plan (approved June 19, 2009) and pursuant to Consent Order Index # B8-0736-07-01 (Order). The IRM consisted of two excavations, one in each area of concern identified in the IRM Plan, the former underground storage tank (UST) area and the drainage ditch (see Figure 2). A detailed summary of IRM activities is presented below, as well as a response to the September 25, 2009 letter from Mr. Gary Bonarski of the NYSDEC regarding the Soil Vapor Characterization Report, dated July 2009.

## **1.0 Background**

In September 2008, Palmerton Group performed a Site Characterization Investigation (SCI), at the site per the request of T&K. The SCI focused on six areas of concern. All work was performed in accordance with the NYSDEC approved work plan (approved August 8, 2008) and pursuant to the Order. The investigation characterized the nature and extent of constituents of concern released at the site, and pathways for those constituents, if present, to potentially reach onsite and offsite receptors. The findings of the SCI were presented in a Site Characterization Report (SCR), dated August 2009 (approved December 1, 2009). Concentrations of detected volatile organic compounds (VOCs) and semi-volatile organic compounds (SVOCs) in soil from the SCI are summarized on Figures 3 and 4, respectively. As presented in the SCR, it was concluded that remedial measures were necessary in two of the original areas of concern, the former UST area and the drainage ditch.

## **2.0 Summary of Proposed Remedial Actions**

The IRM Plan proposed remediation activities for each of the areas of concern identified in the SCR as requiring remedial measures. The proposed remedial actions are summarized below.

### **Former UST Area Proposed Remediation Summary**

In the area of the former UST, it was estimated that 60 cubic yards of material would be removed to address VOC-impacted soil. The anticipated horizontal extent of the excavation was 9 feet by 18 feet as depicted on Figure 5. The deepest part of the excavation was anticipated to extend 10 feet below ground surface (bgs). It was expected that the extent of the excavation could increase based on field observations, photo-ionization detector (PID) readings, and in consultation with NYSDEC field personnel. Excavated soils were to be screened on a per-bucket interval with a PID as they were removed, and segregated into contaminated and uncontaminated piles based on the PID readings. It was anticipated that a sewer force main would be exposed during the excavation. Should the pipe be exposed during the excavation, it was to be supported in accordance with the manufacturer's recommendations.

Once the contaminated soils were removed, five confirmatory samples were to be collected from the resulting excavation; one from each side wall and one from the bottom of the excavation. Additionally, a sample from the contaminated and non-contaminated soil piles was to be collected. Should the excavation exceed 100 cubic yards, an additional soil sample would be collected from the contaminated soil pile for VOCs. The five excavation samples and the sample from the non-contaminated soil pile were to be analyzed for VOCs per Method 8260B Target Compound List (TCL) and SVOCs per USEPA Method 8270C TCL with a rush turnaround time. The sample from the contaminated soil pile was to be analyzed for VOCs per Method 8260B for waste characterization and disposal purposes. All samples were to be analyzed at an approved New York State Department of Health Environmental Laboratory Approval Program (ELAP) laboratory and were to be compared to NYSDEC 6 NYCRR Part 375-6 – unrestricted soil use cleanup objectives.

Upon receipt of analytical results confirming the non-contaminated soil pile was suitable for use as backfill, the excavation in the former UST area was to be backfilled using the non-contaminated soil pile and additional offsite soil from an approved source meeting NYSDEC 6 NYCRR Part 375 - soil cleanup objectives for unrestricted soil use, as needed. The sewer force main, where exposed during the former UST excavation activities, was to be bedded in sand. The excavation was to be backfilled in six to 12-inch thick lifts, mechanically compacted into place, to the original lines and grades.

Contaminated soils were to be disposed of at an approved facility and manifests were to be obtained by Palmerton Group for all materials removed from the site for disposal and provided to T&K.

### **Drainage Ditch Proposed Remediation Summary**

Surface soils within the drainage ditch were to be removed to address SVOC impacts detected during the SCI. It was anticipated that the excavation would not exceed an area measuring approximately 40 feet long by 20 feet wide, and extending approximately two feet below grade, a volume of approximately 60 cubic yards (see Figure 6). The north-south center of the drainage ditch excavation was to be the 12-inch diameter outfall pipe. The excavation of the drainage ditch was to take place only when there was no standing water in the ditch prior to beginning the excavation.

As with the UST excavation, the excavated soils were to be screened with a PID and segregated into contaminated and non-contaminated piles. Based on field observations, PID readings, and in consultation with NYSDEC field personnel, the extent of the excavation was anticipated to potentially increase. Upon completion of the excavation, five confirmatory soil samples, one from each side wall and one from the floor of the excavation, were to be collected. Should the excavation exceed the 40 foot sidewall length, one additional soil sample was to be collected for each additional length of sidewall, up to 30 feet long. An additional excavation floor sample was to be collected for every 900 square feet of additional floor area. Should the excavation area exceed 100 cubic yards, an additional soil sample was to be collected from the contaminated soil pile for SVOCs. Collected soil samples were to be analyzed at an approved ELAP laboratory for VOCs per Method 8260B TCL and SVOCs per Method 8270C TCL and were to be compared to NYSDEC 6 NYCRR Part 375-6 – unrestricted soil use cleanup objectives.

Upon receipt of analytical results confirming the non-contaminated soil pile was suitable for use as backfill, the excavation in the drainage ditch was to be backfilled using the non-contaminated drainage ditch soil pile. Additional offsite soil from an approved source meeting NYSDEC 6 NYCRR Part 375 - soil cleanup objectives for unrestricted soil use was to be used, as needed, to backfill the ditch to the original lines and grades.

Contaminated soils were to be disposed of off-site at an approved facility. Manifests were to be retained by Palmerton Group for all soil materials removed for disposal from the site.

### **3.0 Remedial Actions Completed**

The excavation of the former UST area and the drainage ditch were completed on September 21 and 22, 2009. Each day, prior to commencement of the excavation activities, a community air monitoring program (CAMP) was set up as described in the NYSDEC approved IRM Plan submitted by Palmerton Group in May 2009. No exceedances of measured concentrations were observed by the CAMP during excavation activities.

#### **Former UST Area Remedial Action**

The excavation of the former UST area was performed by Ontario Specialty Contracting, Inc. (OSC) using a John Deere 230 C excavator with a 1.5 cubic yard bucket in accordance with the IRM Plan and as summarized in Section 2 above. The excavation activity began on September

21 and was completed on September 22, 2009 and was observed by Gary Bonarski of the NYSDEC.

During the excavation activities, soil was observed on a per bucket basis to segregate impacted from clean soil. Soil that appeared to be impacted was screened by placing a sample of the material in a 1-gallon Zip-lock bag. The bag was allowed to sit in the outdoor air (temperature of approximately 55°F) for approximately five minutes before being screened with the PID. Soil was deemed impacted if the PID screening exceeded the 5.0 parts per million (ppm) action level from the IRM Plan. Impacted soil was segregated and stockpiled separately on plastic sheeting. Impacted soil was encountered at variable depths between approximately four and six feet bgs and extended approximately 11 feet bgs. A portion of the south wall of the excavation was extended beyond the proposed limits, to remove impacted soil which was concentrated near the building. These modifications to the dimensions of the former UST area excavation were agreed to in the field by Gary Bonarski. Residual impacted soil extending beneath the building was left in place to avoid compromising the structural integrity of the building foundation after consultation and agreement in the field with Gary Bonarski. Groundwater was encountered at approximately 10.5 feet bgs, making groundwater at or below the impacted soils. Due to the low groundwater elevation, dewatering was not necessary.

During the course of the excavation, the sewer force main was encountered approximately 6 feet bgs and 16 feet east of the building wall. The line was observed to be constructed with a two-inch diameter polyvinyl chloride (PVC) pipe bedded in pea gravel. The sewer pipe was supported with a steel pipe and mounded clean soil during material excavation.

As the excavation extended south, an approximately 15-foot section of the building oil/water separator effluent pipe was encountered. The steel pipe was observed to be approximately four inches in diameter and had a "T" connection to a green PVC riser pipe. During the course of the excavation activities in this area, the exposed portion of the effluent pipe was removed and capped at the building wall. A small volume of black liquid (less than a quart) from inside the pipe was released into the excavation when the pipe was removed. The spilled liquid and soil in the immediate area were promptly removed from the excavation and added to the impacted soil pile.

Figure 5 shows the proposed and final horizontal extent of the excavation. In total, approximately 60 cubic yards of impacted soil was removed from the area of the former UST. Confirmatory samples were taken from each sidewall of the excavation and from the excavation floor. Samples were collected from biased locations that appeared to represent the "worst case" areas of impacted soil and were screened with the PID. PID screening of all samples indicated VOC concentrations below 5.0 ppm. The soil samples were submitted to Test America Laboratories, Inc. in Buffalo, New York for VOC and SVOC analysis following Method 8260 TCL and Method 8270 TCL, respectively. These samples were labeled UST-EW, UST-WW, UST-NW, UST-SW and UST-F. Figure 7 shows the confirmatory sample locations and the associated VOC and SVOC concentrations detected. All confirmatory sample analysis was performed according to Category B standards. An electronic version of all analytical data is available upon request.



In addition to the excavation wall and floor samples, a sample of the clean soil pile was collected for laboratory analysis of VOCs and SVOCs according to Method 8260 TCL and Method 8270 TCL, respectively. Due to the large size of the clean pile, a duplicate soil sample was collected for VOC analysis according to Method 8260 TCL.

A summary of the laboratory analytical results are presented in Table 1 and Table 2. A sample of the impacted soil pile was not collected for analysis because the facility accepting the impacted soil (Ontario County Landfill, New York) deemed the waste characterization analytical data associated with the SCI to be sufficient. A copy of the SCI waste characterization analytical data is attached as Waste Disposal Analytical.

The laboratory analysis indicated that VOC and SVOC concentrations detected in the wall samples and the floor sample of the former UST area excavation were below NYSDEC 6 NYCRR Part 375-6 – unrestricted soil use cleanup objectives, with the exception of acetone. Acetone was detected in soil sample UST-WW at an estimated concentration of 0.056 ppm which marginally exceeds the NYSDEC 6 NYCRR Part 375-6 – unrestricted soil use cleanup objective of 0.05 ppm. Upon receipt of the laboratory analytical data, Gary Bonarski of NYSDEC was contacted and approved the backfilling of the UST area excavation. All impacted soil removed from the former UST area excavation was transported offsite by Riccelli for disposal at the Ontario County Landfill on September 23 and 24, 2009.

On September 24, 2009, the former UST area excavation was backfilled using the clean soil pile and sand and gravel from an approved source meeting NYSDEC 6 NYCRR Part 375- soil cleanup objectives for unrestricted soil use brought onsite by Riccelli Enterprises, Inc. (Riccelli). During backfill, the sewer line was bedded in clean sand as the backfill progressed. The fill was compacted using the bucket of the excavator. The top one foot of the excavation was backfilled with crushed gravel.

### **Drainage Ditch Remedial Action**

The drainage ditch excavation was completed on September 22, 2009 by OSC using the same John Deere 230C excavator used in the excavation of the former UST area. Prior to commencing the drainage ditch excavation, a silt fence was installed crossing the drainage ditch approximately 40 feet down-gradient of the proposed southern-most extent of the excavation. No water was observed in the ditch when the drainage ditch excavation began. However, intermittent rain occurred at the time the excavation was started and runoff from the parking lot to the east of the site entered the drainage ditch after the excavation work was initiated. To prevent further parking lot runoff from entering the excavation, a trench was dug, circumventing the runoff around the ditch. Shortly after the parking lot runoff was addressed, rain water from the roof drains entered the ditch excavation through the 12-inch diameter outfall pipe. None of the rain water from the roof drains that entered the drainage ditch left the impoundment created by the excavation.

Approximately 55 cubic yards of soil was removed from the drainage ditch. The drainage ditch excavation extended 20 feet to the south and 16 feet to the north of the 12-inch diameter outfall pipe, was approximately 17 feet wide and extended to a depth of approximately 2.5 feet bgs. The dimensions of the drainage ditch excavation were modified in the field as compared to the IRM Plan (3 feet narrower) due to the presence of large trees on the east bank of the ditch. Based on in-field consultation with Gary Bonarski of the NYSDEC, it was agreed that it was not necessary to remove the trees. In addition, the excavation was shortened on the north end by four feet because there was no evidence, visual or PID screening, of impacted soil. This modification to the IRM Plan was also agreed to in the field with Gary Bonarski.

Upon completion of the excavation, confirmatory soil samples were collected from each excavation sidewall and the excavation floor and screened with the PID. The samples were taken from biased areas that visually appeared to contain impacted soils. The samples were labeled DD-NW, DD-WW, DD-SW, DD-EW and DD-F. The soil samples were submitted to Test America for laboratory analysis for VOCs following Method 8260 TCL and SVOCs following Method 8270 TCL.

Analytical results are summarized in Table 1 and Table 2, and on Figure 8. Concentrations of VOCs were below NYSDEC 6 NYCRR Part 375-6 – unrestricted soil use cleanup objectives. Concentrations of SVOCs in samples DD-EW, DD-WW and DD-F were also below NYSDEC 6 NYCRR Part 375-6 – unrestricted soil use cleanup objectives. Laboratory analysis of the soil samples collected from the drainage ditch excavation north wall and south wall, DD-NW and DD-SW, respectively, detected concentrations of SVOCs marginally exceeding NYSDEC 6 NYCRR Part 375-6 – unrestricted soil use cleanup objectives. Gary Bonarski noted that SVOCs detected in the drainage ditch were not inconsistent with downstream background concentrations, as shown in Table 2, sample DS-4, and agreed that acceptable soil cleanup levels had been achieved, the degree of soil removal was adequate and the drainage ditch remediation was complete.

On September 24, 2009, the drainage ditch excavation was backfilled to the approximate original lines and grades with a combination of imported gravel from an approved source that meets NYSDEC 6 NYCRR Part 375- soil cleanup objectives for unrestricted soil use and onsite soils. The onsite soils were obtained from the area between the paved area and the ditch, and did not exceed more than two or three cubic yards. Upon completion of backfill activities, the excavation area was seeded with grass. All soil removed from the drainage ditch was deemed impacted by SVOCs.

The impacted soils from the former UST area excavation and the impacted soils from the drainage ditch excavation were transported offsite on September 23 and 24, 2009 by Riccelli for disposal at the Ontario County Landfill. A copy of the certified clean letter for the imported fill, the disposal manifests and the weight tickets are attached under Manifests, Weight Tickets & Certificate of Clean Fill.

#### **4.0 Response to SVI Comments**

On September 25, 2009, Gary Bonarski provided comments regarding the Soil Vapor Characterization Report issued by Palmerton Group on July 10, 2009. Further comments were provided in a letter dated February 8, 2010. In his letters, Mr. Bonarski sites concern for tetrachloroethene (PCE) and trichloroethene (TCE) concentrations detected in the indoor air samples. A review of the VOC analysis of soils collected during the SCI and the IRM shows non-detectable to J-value (estimated concentrations) of PCE and TCE that are less than the NYSDEC 6 NYCRR Part 375-6 – unrestricted soil use cleanup objectives (see Table 1 and Figure 3). During the soil vapor intrusion investigation (SVI), ZEP 45, a solvent containing TCE was found to be in regular use throughout the facility, explaining the concentrations of TCE detected in the indoor air samples. Use of this product has since been terminated by the operator. PCE is found in a wide range of consumer aerosol products. For aerosol products PCE can be used as a solvent in a cleaner or spotting agent and a carrier in a glue, adhesive, lubricant or automotive detailing products. Many of these types of products have been used in the building historically.

No direct evidence of active use of PCE was identified during the building inventory, though it could not be eliminated as an historical operational source. It was theorized that PCE was potentially introduced to the sub-slab through the floor drains or sub-slab pipeline repairs during past operational activities, though analytical data collected during this investigation does not confirm or deny this theory.

Soil samples from monitoring well MW-5, installed during the SCI, were the only soil samples from the SCI to have detectable concentrations of PCE, and those concentrations were less than NYSDEC 6 NYCRR Part 375-6 – unrestricted soil use cleanup objectives. The soil in the immediate area of MW-5 was removed as part of the IRM of the former UST area excavation and PCE was not detected in any of the IRM confirmatory samples. The Palmerton Group believes that the PCE concentrations detected in soil of MW-5 may have been the source for the PCE detected during the SVI, but cannot confirm this area as the only source.

As stated in the Soil Vapor Characterization Report:

The concentrations of PCE detected in the indoor air and sub-slab soil vapor samples are sufficiently low enough to warrant only “reasonable and practical actions to identify source(s) and reduce exposures” be taken, according to Soil Vapor/Indoor Air Matrix 2 (NYSDOH, 2009).


No PCE-containing products are known to be used at this time. The removal of the soil in the immediate area of MW-5 has remediated the only known source of PCE. Furthermore, “reasonable and practical actions to identify source(s) and reduce exposures” have been taken. Therefore, Palmerton Group believes that the TCE and PCE concentrations detected during the SVI have been adequately addressed.


## 5.0 Summary

Both the former UST area excavation and the drainage ditch excavation were performed in accordance with the approved IRM Plan and the Order with NYSDEC-approved in-field modifications. VOCs detected in the facility interior air during the SVI are deemed to be operational in nature. As such, and on behalf of T&K, Palmerton Group requests a No Further Action status be granted by the NYSDEC and NYSDOH for the site and to close the Order.

Please feel free to contact us with any questions.

Sincerely,

  
Matthew Hoskins  
Geologist

  
Meghan Platt, PE  
Engineer




Enclosures

cc: Katherine Comerford, NYSDOH  
Tim Birnie, T&K Realty  
Tim O'Rourke, O'Rourke Incorporated


Richard Capozza, Esq., Hiscock & Barclay

## **FIGURES**





SOURCE: USGS 7.5 MIN. TOPOGRAPHIC QUADRANGLE - CORNING, NEW YORK, 1969, PHOTOINSPECTED 1976.




124 VICTORY HIGHWAY  
PAINTED POST, NEW YORK

**SITE LOCATION**

**PALMERTON GROUP**  
Environmental Consulting Services  
6296 Fly Road, East Syracuse, NY 13057

FIGURE  
**1**






**LEGEND:**

- DRAINAGE DITCH
- APPROXIMATE PROPERTY LINE
- EASEMENT
- MONITORING WELL
- SEWER BEDDING MATERIAL SAMPLE LOCATION
- SURFACE SOIL SAMPLE LOCATION
- SOIL BORING LOCATION
- STORM DRAIN SAMPLE LOCATION
- DRAINAGE DITCH SAMPLE LOCATION

**NOTES:**

1. BASE MAP DIGITIZED FROM NYSGIS CLEARINGHOUSE 2002 AERIAL PHOTOGRAPH; FROM TEETER ENVIRONMENTAL SERVICES FIGURE ENTITLED "SITE MAP", DATED 10/25/06; AND FROM PHOTOCOPY OF SITE SURVEYS BY JAMES D. EVANS, DATED 4/21/06 AND 9/18/08.
2. ALL LOCATIONS ARE APPROXIMATE.




124 VICTORY HIGHWAY  
PAINTED POST, NEW YORK

**SITE PLAN**

**PALMERTON GROUP**  
Environmental Consulting Services  
6296 Fly Road, East Syracuse, NY 13057

FIGURE  
**2**




**LEGEND:**

- DRAINAGE DITCH
- APPROXIMATE PROPERTY LINE
- EASEMENT
- APPROXIMATE SEWER LINE
- SD-1 O SURFACE DRAIN
- DRAINAGE DITCH SAMPLE LOCATION
- STORM DRAIN SAMPLE LOCATION

DS- (9/9/08)		SAMPLE NUMBER (DATE)
COMPOUND	RESULTS	
ACETONE	ND	ACETONE
BENZENE	ND	BENZENE
2-BUT	ND	2-BUTANONE (MEK)
CHLOROB	ND	CHLOROBENZENE
CYCLOHEX	ND	CYCLOHEXANE
1,2-DICHL	ND	1,2-DICHLOROBENZENE
1,3-DICHL	ND	1,3-DICHLOROBENZENE
1,4-DICHL	ND	1,4-DICHLOROBENZENE
CIS-1,2	ND	CIS-1,2-DICHLOROETHENE
ETHYLBEN	ND	ETHYLBENZENE
ISOPROBEN	ND	ISOPROPYLBENZENE
P-ISOPRO	ND	P-ISOPROPYLBENZENE
METHYLCYC	ND	METHYLCYCLOHEXANE
METH_CHL	ND	METHYLENE CHLORIDE
N-PROPYL	ND	N-PROPYLBENZENE
PCE	ND	TETRACHLOROETHENE
1,2,4-TRI	ND	1,2,4-TRICHLOROBENZENE
1,2,4-TRIM	ND	1,2,4-TRIMETHYLBENZENE
1,3,5-TRIM	ND	1,3,5-TRIMETHYLBENZENE
TCE	ND	TRICHLOROETHENE
XYLENES	ND	XYLENES (TOTAL)

- J ESTIMATED VALUE
- \* SUSPECTED LAB CONTAMINATION
- ND NOT DETECTED
- (ND) DUPLICATE SAMPLE RESULTS
- B ALSO FOUND IN ASSOCIATED ANALYTICAL BLANK
- 47,000** BOLD VALUE INDICATES THE RESULT EXCEEDS THE RECOMMENDED SOIL CLEANUP OBJECTIVE

- NOTES:**
- BASE MAP DIGITIZED FROM NYSGIS CLEARINGHOUSE 2002 AERIAL PHOTOGRAPH; FROM TEETER ENVIRONMENTAL SERVICES FIGURE ENTITLED "SITE MAP", DATED 10/25/06; AND FROM PHOTOCOPIES OF SITE SURVEYS BY JAMES D. EVANS, DATED 4/21/06 AND 9/18/08.
  - ALL LOCATIONS ARE APPROXIMATE.
  - CONCENTRATIONS IN MICROGRAMS PER KILOGRAM (UG/KG).



124 VICTORY HIGHWAY  
PAINTED POST, NEW YORK

---

**SCI SOIL RESULTS DETECTED VOCs**

---

**PALMERTON GROUP**  
Environmental Consulting Services  
6296 Fly Road, East Syracuse, NY 13057

FIGURE  
**3**



SD-1 (9/11/08)	
COMPOUND	RESULTS
ACENAPHTH	1,500 J
ANTHRA	2,500 J
BENZO(A)AN	<b>14,000</b>
BENZO(A)PY	<b>14,000</b>
BENZO(B)FL	<b>13,000</b>
BENZO(G,H,I)	<b>10,000</b>
BENZO(K)	<b>15,000</b>
BIS (2-E)	2,300 J
CARBAZOLE	3,500 J
CHRYSENE	<b>18,000</b>
DIBEN (A,H)	2,800 J
FLOURAN	40,000
FLUORENE	1,300 J
INDENO	<b>9,100</b>
PHENAN	20,000
PYRENE	32,000

SB-5 (9/8/08) 4-6'	
COMPOUND	RESULTS
BIS (2-E)	62 J

SB-2 (9/8/08) 6-8'	
COMPOUND	RESULTS
BENZO(A)AN	78 J (ND)
BENZO(A)PY	90 J (ND)
BENZO(B)FL	110 J (ND)
BENZO(G,H,I)	78 J (ND)
BENZO(K)	94 J (ND)
BIS (2-E)	270 J (150 J)
CHRYSENE	120 J (36 J)
FLOURAN	220 J (64 J)
INDENO	69 J (ND)
PHENAN	87 J (ND)
PYRENE	180 J (50 J)
PCB 1260	NA

DS-1 (9/9/08)	
COMPOUND	RESULTS
BENZO(A)AN	52 J (60 J)
BENZO(A)PY	ND (71 J)
BENZO(B)FL	ND (77 J)
BENZO(G,H,I)	ND (55 J)
BENZO(K)	ND (60 J)
CHRYSENE	72 J (86 J)
FLOURAN	110 J (140 J)
INDENO	ND (48 J)
PHENAN	43 J (58 J)
PYRENE	93 J (110 J)
PCB 1260	ND (84)

SB-4 (9/8/08) 4-6'	
COMPOUND	RESULTS
BIS (2-E)	190 J
FLOURAN	42 J
PCB 1260	NA

SB-4 (9/8/08) 10-12'	
COMPOUND	RESULTS
BIS (2-E)	100 J
DI-N-BUT	42 J
PCB 1260	NA

SB-1 (9/8/08) 2-4'	
COMPOUND	RESULTS
BIS (2-E)	68 J
DI-N-BUT	44 J
PCB 1260	NA

SB-2 (9/8/08) 10-12'	
COMPOUND	RESULTS
BIS (2-E)	81 J
DI-N-BUT	41 J
PCB 1260	NA

DS-6 (9/11/08)	
COMPOUND	RESULTS
ACENAPHTH	350 J
ANTHRA	710 J
BENZO(A)AN	<b>2,600</b>
BENZO(A)PY	<b>3,300</b>
BENZO(B)FL	<b>3,500</b>
BENZO(G,H,I)	3,200
BENZO(K)	<b>3,000</b>
BIS (2-E)	1,200 J
CARBAZOLE	470 J
CHRYSENE	<b>3,600</b>
DIBEN (A,H)	730 J
FLOURAN	<b>8,100</b>
FLUORENE	310 J
INDENO	2,500
PHENAN	4,500
PYRENE	6,300
PCB 1260	NA

MW-5 (9/8/08) 4-6'	
COMPOUND	RESULTS
ANTHRA	53 J
BENZO(A)AN	320 J
BENZO(A)PY	390
BENZO(B)FL	440
BENZO(G,H,I)	380 J
BENZO(K)	330 J
1,1'-BIPHEN	40 J
BIS (2-E)	390
CARBAZOLE	52 J
CHRYSENE	460
DI-N-BUT	44 J
FLOURAN	890
FLUORENE	50 J
INDENO	280 J
2-METHYL	310 J
NAPHTH	69 J
PHENAN	380 J
PYRENE	770
PCB 1260	NA

MW-5 (9/8/08) 8-10'	
COMPOUND	RESULTS
ANTHRA	42 J
BENZO(A)AN	330 J
BENZO(A)PY	460
BENZO(B)FL	470
BENZO(G,H,I)	480
BENZO(K)	360 J
BIS (2-E)	490
CHRYSENE	430
FLOURAN	670
INDENO	350 J
PHENAN	190 J
PYRENE	570
PCB 1260	NA

SB-3 (9/8/08) 4-6'	
COMPOUND	RESULTS
BIS (2-E)	250 J
DI-N-BUT	51 J
PCB 1260	NA

SB-3 (9/8/08) 12-14'	
COMPOUND	RESULTS
BIS (2-E)	1100
FLOURAN	91 J
PHENAN	51 J
PYRENE	70 J
PCB 1260	NA

DS-2 (9/9/08)	
COMPOUND	RESULTS
ACENAPHTH	1,000 J
ANTHRA	3,300 J
BENZO(A)AN	<b>28,000</b>
BENZO(A)PY	<b>42,000</b>
BENZO(B)FL	<b>51,000</b>
BENZO(G,H,I)	42,000
BENZO(K)	<b>44,000</b>
BIS (2-E)	2,000 J
CARBAZOLE	5,700 J
CHRYSENE	<b>53,000</b>
DIBEN (A,H)	<b>11,000</b>
FLOURAN	91,000
FLUORENE	1,200 J
INDENO	<b>37,000</b>
PHENAN	33,000
PYRENE	62,000
PCB 1260	NA

DS-3 (9/9/08)	
COMPOUND	RESULTS
ANTHRA	6,400 J
BENZO(A)AN	<b>36,000</b>
BENZO(A)PY	<b>47,000</b>
BENZO(B)FL	<b>52,000</b>
BENZO(G,H,I)	41,000
BENZO(K)	<b>39,000</b>
BIS (2-E)	3,700 J
CARBAZOLE	6,600 J
CHRYSENE	<b>53,000</b>
DIBEN (A,H)	<b>11,000 J</b>
FLOURAN	<b>110,000</b>
FLUORENE	2,300 J
INDENO	<b>34,000</b>
PHENAN	47,000
PYRENE	75,000
PCB 1260	NA

DS-4 (9/9/08)	
COMPOUND	RESULTS
BENZO(A)AN	<b>1,400 J</b>
BENZO(A)PY	<b>2,000 J</b>
BENZO(B)FL	<b>2,300 J</b>
BENZO(G,H,I)	1,600 J
BENZO(K)	<b>1,800 J</b>
BIS (2-E)	1,400 J
CHRYSENE	<b>2,300 J</b>
FLOURAN	3,800 J
INDENO	<b>1,300 J</b>
PHENAN	1,400 J
PYRENE	2,500 J
PCB 1260	NA

LEGEND:


- DRAINAGE DITCH
- APPROXIMATE PROPERTY LINE
- EASEMENT
- APPROXIMATE SEWER LINE
- SD-1 ○ SURFACE DRAIN
- DRAINAGE DITCH SAMPLE LOCATION
- SURFACE DRAIN SAMPLE LOCATION

DS- (9/18/08)		SAMPLE NUMBER (SAMPLE DATE)
COMPOUND	RESULTS	
ACENAPHTH	ND	ACENAPHTHENE
ANTHRA	ND	ANTHRACENE
BENZO(A)AN	ND	BENZO(A)ANTHRACENE
BENZO(A)PY	ND	BENZO(A)PYRENE
BENZO(B)FL	ND	BENZO(B)FLOURANTHENE
BENZO(G,H,I)	ND	BENZO(G,H,I)PERYLENE
BENZO(K)	ND	BENZO(K)FLOURANTHENE
BIS (2-E)	ND	BIS (2-ETHYLHEXYL) PHTHALATE
CARBAZOLE	ND	CARBAZOLE
CHRYSENE	ND	CHRYSENE
DIBEN (A,H)	ND	DIBENZO (A,H) ANTHRACENE
FLOURAN	ND	FLOURANTHENE
FLUORENE	ND	FLUORENE
INDENO	ND	INDENO (1,2,3-CD) PYRENE
PHENAN	ND	PHENANTHRENE
PYRENE	ND	PYRENE
PCB 1260	ND	PCB 1260

- J ESTIMATED VALUE
- ND NOT DETECTED
- NA NOT ANALYZED FOR
- (ND) DUPLICATE SAMPLE RESULTS
- 47,000** BOLD VALUE INDICATES THE RESULT EXCEEDS THE NYSDEC 6 NYCRR PART 375-6.8(a) STANDARD

NOTES:


- BASE MAP DIGITIZED FROM NYSGIS CLEARINGHOUSE 2002 AERIAL PHOTOGRAPH; FROM TEETER ENVIRONMENTAL SERVICES FIGURE ENTITLED "SITE MAP", DATED 10/25/06; AND FROM PHOTOCOPY OF SITE SURVEYS BY JAMES D. EVANS, DATED 4/21/06 AND 9/18/08.
- ALL LOCATIONS ARE APPROXIMATE.
- CONCENTRATIONS IN MICROGRAMS PER KILOGRAM (UG/KG).
















124 VICTORY HIGHWAY  
PAINTED POST, NEW YORK

SCI SOIL RESULTS DETECTED SVOCs

**PALMERTON GROUP**  
Environmental Consulting Services  
6296 Fly Road, East Syracuse, NY 13057




**LEGEND:**

-  DRAINAGE DITCH
-  APPROXIMATE PROPERTY LINE
-  APPROXIMATE SEWER LINE LOCATION
-  EASEMENT
-  APPROXIMATE UST EXCAVATION
-  TEST PIT LOCATION (6/19/06)
- SD-1  SURFACE DRAIN
-  MONITORING WELL
-  SEWER BEDDING MATERIAL SAMPLE LOCATION
-  SURFACE SOIL SAMPLE LOCATION
-  SOIL BORING LOCATION
-  FINAL EXCAVATION LIMITS
-  PROPOSED EXCAVATION LIMITS

**NOTES:**

1. BASE MAP DIGITIZED FROM NYSGIS CLEARINGHOUSE 2002 AERIAL PHOTOGRAPH; FROM TEETER ENVIRONMENTAL SERVICES FIGURE ENTITLED "SITE MAP", DATED 10/25/06; AND FROM PHOTOCOPY OF SITE SURVEYS BY JAMES D. EVANS, DATED 4/21/06 AND 9/18/08.
2. ALL LOCATIONS ARE APPROXIMATE.



124 VICTORY HIGHWAY  
PAINTED POST, NEW YORK

**FORMER UST AREA PROPOSED  
AND FINAL EXCAVATION**

**PALMERTON GROUP**  
Environmental Consulting Services  
6296 Fly Road, East Syracuse, NY 13057

FIGURE  
**5**






**LEGEND:**

- DRAINAGE DITCH
- APPROXIMATE PROPERTY LINE
- EASEMENT
- 12" DIAMETER OUTFALL PIPE
- SD-1 ○ SURFACE DRAIN
- DRAINAGE DITCH SAMPLE LOCATION
- FINAL EXCAVATION LIMITS
- PROPOSED EXCAVATION LIMITS

**NOTES:**

1. BASE MAP DIGITIZED FROM NYSGIS CLEARINGHOUSE 2002 AERIAL PHOTOGRAPH; FROM TEETER ENVIRONMENTAL SERVICES FIGURE ENTITLED "SITE MAP", DATED 10/25/06; AND FROM PHOTOCOPY OF SITE SURVEYS BY JAMES D. EVANS, DATED 4/21/06 AND 9/18/08.
2. ALL LOCATIONS ARE APPROXIMATE.




124 VICTORY HIGHWAY  
PAINTED POST, NEW YORK

**DRAINAGE DITCH PROPOSED  
AND FINAL EXCAVATION**

**PALMERTON GROUP**  
Environmental Consulting Services  
6296 Fly Road, East Syracuse, NY 13057

FIGURE  
**6**

**LEGEND:**



UST-WW (9/21/09)		UST-WW (9/21/09)	
COMPOUND	RESULTS	COMPOUND	RESULTS
1,2-DIC-B	0.02 J	BENZO(A)AN	0.17 D10,J
1,4-DICHL	0.063	BENZO(G,H,I)	0.27 D10,J
ACETONE	<b>0.056 J</b>	CHRYSENE	0.21 D10,J
N-BUTYLB	0.062	FLOURAN	0.29 D10,J
CHLOROB	0.19 B	FLUORENE	0.12 D10,J
ISOPROBEN	0.017 J	NAPHTH	0.021 J
METH CHL	0.031	PHENAN	0.37 D10,J
N-PROP	0.048	PYRENE	0.47 D10,J
4-ISOPROP	0.0073 J		
SEC-B	0.025 J		
TOLUENE	0.046 B		
1,2,4-TRIM	0.075		
1,3,5-TRIM	0.024 J		
XYLENES	0.028 J		

UST-F (9/22/09)	
COMPOUND	RESULTS
1,2-DIC-B	0.140
1,4-DICHL	0.0083
CHLOROB	0.0073 B
METH CHL	0.0075
TOLUENE	0.009 B
1,2,4-TRIM	0.0043 J
1,3,5-TRIM	0.0012 J
XYLENES	0.0066 J

UST-F (9/22/09)	
COMPOUND	RESULTS
NAPHTH	0.0018 J

UST-SW (9/21/09)	
COMPOUND	RESULTS
CHLOROB	0.0011 J,B
METH CHL	0.0071
TOLUENE	0.0028 J,B

UST-NW (9/21/09)	
COMPOUND	RESULTS
CHLOROB	0.0017 J,B
METH CHL	0.0065
TOLUENE	0.0061 B

UST-EW (9/22/09)	
COMPOUND	RESULTS
ANTHRA	0.016 J
BENZO(A)AN	0.058 J
BENZO(A)PY	0.051 J
BENZO(B)FL	0.068 J
BENZO(G,H,I)	0.036 J
BENZO(K)	0.024 J
CHRYSENE	0.059 J
FLOURAN	0.14 J
INDENO	0.029 J
PHENAN	0.078 J
PYRENE	0.11 J

UST-EW (9/22/09)	
COMPOUND	RESULTS
METH CHL	0.0071
TOLUENE	0.0025 J,B

UST- (DATE)		SAMPLE NUMBER (DATE)
COMPOUND	RESULTS	
1,2-DIC-B	ND	1,2-DICHLOROBENZENE
1,4-DICHL	ND	1,4-DICHLOROBENZENE
ACETONE	ND	ACETONE
ANTHRA	ND	ANTHRACENE
BENZO(A)AN	ND	BENZO(A)ANTHRACENE
BENZO(A)PY	ND	BENZO(A)PYRENE
BENZO(B)FL	ND	BENZO(B)FLOURANTHENE
BENZO(G,H,I)	ND	BENZO(G,H,I)PERYLENE
BENZO(K)	ND	BENZO(K)FLOURANTHENE
N-BUTYLB	ND	N-BUTYLBENZENE
CHLOROB	ND	CHLOROBENZENE
CHRYSENE	ND	CHRYSENE
FLOURAN	ND	FLOURANTHENE
INDENO	ND	INDENO (1,2,3-CD) PYRENE
ISOPROBEN	ND	ISOPROPYLBENZENE*
METH CHL	ND	METHYLENE CHLORIDE
NAPHTH	ND	NAPHTHALENE
PHENAN	ND	PHENANTHRENE
N-PROP	ND	N - PROPYLBENZENE
4-ISOPROP	ND	4 - ISOPROPYLTOLUENE*
PYRENE	ND	PYRENE
SEC-B	ND	SEC - BUTYLBENZENE
TOLUENE	ND	TOLUENE
1,2,4-TRIM	ND	1,2,4-TRIMETHYLBENZENE
1,3,5-TRIM	ND	1,3,5-TRIMETHYLBENZENE
XYLENES	ND	XYLENES (MIXED)

\* NYSDEC 6NYCRR PART 375-6 UNRESTRICTED USE SOIL CLEANUP OBJECTIVES FOR ISOBUTYLBENZENE AND 4-ISOPROPYLTOLUENE DO NOT EXIST, THEREFORE NYSDEC TAGM 4046 RECOMMENDED SOIL CLEANUP OBJECTIVES WERE USED

J ANALYTE DETECTED AT A LEVEL LESS THAN THE REPORTING LIMIT (RL) AND GREATER THAN OR EQUAL TO THE METHOD DETECTION LIMIT (MDL). CONCENTRATIONS WITHIN THIS RANGE ARE ESTIMATED.


B ANALYTE WAS DETECTED IN THE ASSOCIATED METHOD BLANK

D10 DILUTION REQUIRED DUE TO SAMPLE COLOR

47,000 EXCEEDS UNRESTRICTED SOIL USE CRITERIA

**NOTES:**

1. BASE MAP DIGITIZED FROM NYSGIS 2002 AERIAL PHOTOGRAPH; FROM TEETERCLEARINGHOUSE ENVIRONMENTAL SERVICES FIGURE ENTITLED "SITE MAP", DATED 10/25/06; AND FROM PHOTOCOPY OF SITE SURVEYS BY JAMES D. EVANS, DATED 4/21/06 AND 9/18/08.
2. ALL LOCATIONS ARE APPROXIMATE.
3. CONCENTRATIONS IN MILLIGRAMS PER KILOGRAM (MG/KG) OR PARTS PER MILLION (PPM).



124 VICTORY HIGHWAY  
PAINTED POST, NEW YORK

**FORMER UST AREA CONFIRMATORY  
SAMPLE LOCATIONS  
DETECTED VOCs AND SVOCs**







**PALMERTON GROUP**  
Environmental Consulting Services

6296 Fly Road, East Syracuse, NY 13057

FIGURE  
**7**





**LEGEND:**

-  DRAINAGE DITCH
-  APPROXIMATE PROPERTY LINE
-  EASEMENT
-  12" DIAMETER OUTFALL PIPE
-  DRAINAGE DITCH SAMPLE
-  FINAL EXCAVATION LIMITS

DD- (DATE)		SAMPLE NUMBER (DATE)
COMPOUND	RESULTS	
BENZO(A)AN	ND	BENZO(A)ANTHRACENE
BENZO(A)PY	ND	BENZO(A)PYRENE
BENZO(B)FL	ND	BENZO(B)FLOURANTHENE
BENZO(G,H,I)	ND	BENZO(G,H,I)PERYLENE
BENZO(K)	ND	BENZO(K)FLOURANTHENE
CHRYSENE	ND	CHRYSENE
DIBENZ(A,H)AN	ND	DIBENZ(A,H)ANTHRACENE
FLOURAN	ND	FLOURANTHENE
INDENO	ND	INDENO (1,2,3-CD) PYRENE
METH_CHL	ND	METHYLENE CHLORIDE
PHENAN	ND	PHENANTHRENE
PYRENE	ND	PYRENE
TOLUENE	ND	TOLUENE

- J ANALYTE DETECTED AT A LEVEL LESS THAN THE REPORTING LIMIT (RL) AND GREATER THAN OR EQUAL TO THE METHOD DETECTION LIMIT (MDL). CONCENTRATIONS WITHIN THIS RANGE ARE ESTIMATED.
- B ANALYTE WAS DETECTED IN THE ASSOCIATED METHOD BLANK
- D10 DILUTION REQUIRED DUE TO SAMPLE COLOR
- 47,000 EXCEEDS UNRESTRICTED SOIL USE CRITERIA

- NOTES:**
- BASE MAP DIGITIZED FROM NYSGIS CLEARINGHOUSE 2002 AERIAL PHOTOGRAPH; FROM TEETER ENVIRONMENTAL SERVICES FIGURE ENTITLED "SITE MAP", DATED 10/25/06; AND FROM PHOTOCOPY OF SITE SURVEYS BY JAMES D. EVANS, DATED 4/21/06 AND 9/18/08.
  - ALL LOCATIONS ARE APPROXIMATE.
  - CONCENTRATIONS IN MILLIGRAMS PER KILOGRAM (MG/KG) OR PARTS PER MILLION (PPM).



DD-NW (9/22/09)	
COMPOUND	RESULTS
METH_CHL	0.0065
TOLUENE	0.0052 J,B

DD-NW (9/22/09)	
COMPOUND	RESULTS
BENZO(A)AN	1.5 D10,J
BENZO(A)PY	2.2 D10,J
BENZO(B)FL	3 D10,J
BENZO(G,H,I)	2.3 D10,J
BENZO(K)	0.89 D10,J
CHRYSENE	1.9 D10,J
FLOURAN	3.8 D10
INDENO	1.8 D10,J
PHENAN	1.5 D10,J
PYRENE	3 D10,J

DD-EW (9/22/09)	
COMPOUND	RESULTS
METH_CHL	0.0062
TOLUENE	0.0015 J,B

DD-EW (9/22/09)	
COMPOUND	RESULTS
BENZO(A)AN	0.17 D10,J
BENZO(A)PY	0.19 D10,J
BENZO(B)FL	0.24 D10,J
BENZO(G,H,I)	0.18 D10,J
BENZO(K)	0.12 D10,J
CHRYSENE	0.17 D10,J
FLOURAN	0.38 D10,J
INDENO	0.14 D10,J
PHENAN	0.17 D10,J
PYRENE	0.31 D10,J

DD-WW (9/22/09)	
COMPOUND	RESULTS
METH_CHL	0.0058
TOLUENE	0.0048 J,B

DD-WW (9/22/09)	
COMPOUND	RESULTS
BENZO(A)AN	0.42 D10,J
BENZO(A)PY	0.51 D10,J
BENZO(B)FL	0.66 D10,J
BENZO(G,H,I)	0.44 D10,J
BENZO(K)	0.21 D10,J
CHRYSENE	0.48 D10,J
FLOURAN	1.1 D10,J
INDENO	0.33 D10,J
PHENAN	0.6 D10,J
PYRENE	0.87 D10,J

DD-SW (9/22/09)	
COMPOUND	RESULTS
METH_CHL	0.0074
TOLUENE	0.0019 J,B

DD-SW (9/22/09)	
COMPOUND	RESULTS
BENZO(A)AN	1.5 D10,J
BENZO(A)PY	2.1 D10,J
BENZO(B)FL	3 D10,J
BENZO(G,H,I)	2.3 D10,J
BENZO(K)	0.96 D10,J
CHRYSENE	1.9 D10,J
DIBENZ(A,H)AN	0.4 D10,J
FLOURAN	3.8 D10,J
INDENO	1.8 D10,J
PHENAN	1.6 D10,J
PYRENE	3 D10,J

DD-F (9/22/09)	
COMPOUND	RESULTS
METH_CHL	0.0068
TOLUENE	0.007 B

124 VICTORY HIGHWAY  
PAINTED POST, NEW YORK

**DRAINAGE DITCH CONFIRMATORY  
SAMPLE LOCATIONS  
DETECTED VOCs AND SVOCs**

**PALMERTON GROUP**  
Environmental Consulting Services  
6296 Fly Road, East Syracuse, NY 13057

FIGURE  
**8**

## TABLES



**Table 1  
Summary of Soil Analytical Results  
Volatile Organic Compounds  
124 Victory Highway  
Painted Post, New York**

Volatile Organic Compound	NYSDEC 6NYCRR Part 375-6 Remedial Program Soil Cleanup Objectives Unrestricted Use (ppm or mg/kg)	Samples Collected												
		UST-NW	UST-SW	UST-WW	UST-EW	UST-F	UST-CP	UST-CP DUP	DD-NW	DD-EW	DD-WW	DD-SW	DD-F	DS-4
		Sampled 9/21/09	Sampled 9/21/09	Sampled 9/21/09	Sampled 9/22/09	Sampled 9/22/09	Sampled 9/22/09	Sampled 9/22/09	Sampled 9/22/09	Sampled 9/22/09	Sampled 9/22/09	Sampled 9/22/09	Sampled 9/22/09	Sampled 9/22/09
1,1,1-Trichloroethane	0.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,1-Dichloroethane	0.27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,1-Dichloroethene	0.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,2-Dichlorobenzene	1.1	ND	ND	0.02 J	ND	0.140	0.053	0.038	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	0.02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
cis -1,2-Dichloroethene	0.25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	0.19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,3-Dichlorobenzene	2.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	1.8	ND	ND	0.063	ND	0.0083	0.003 J	0.0022 J	ND	ND	ND	ND	ND	ND
1,4-Dioxane	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
Acetone	0.05	ND	ND	0.056 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0011 J,B
Benzene	0.06	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
n-Butylbenzene	12	ND	ND	0.062	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
Carbon tetrachloride	0.76	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
Chlorobenzene	1.1	0.0017 J,B	0.0011 J,B	0.19 B	ND	0.0073 B	0.0013 J,B	ND	ND	ND	ND	ND	ND	ND
Chloroform	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
Ethylbenzene	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Hexachlorobenzene	0.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
Isopropylbenzene*	2.3	ND	ND	0.017 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methyl ethyl ketone	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methyl tert-butyl ether	0.93	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
Methylene chloride	0.05	0.0065	0.0071	0.031	0.0071	0.0075	0.0079	0.0078	0.0065	0.0062	0.0058	0.0074	0.0068	ND
n - Propylbenzene	3.9	ND	ND	0.048	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4 - Isopropyltoluene*	10	ND	ND	0.0073 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
sec - Butylbenzene	11	ND	ND	0.025 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
tert - Butylbenzene	5.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
Tetrachloroethene	1.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Toluene	0.7	0.0061 B	0.0028 J,B	0.046 B	0.0025 J,B	0.009 B	0.0073 B	0.0036 J,B	0.0052 J,B	0.0015 J,B	0.0048 J,B	0.0019 J,B	0.007 B	ND
Trichloroethene	0.47	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trimethylbenzene	3.6	ND	ND	0.075	ND	0.0043 J	ND	ND	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	8.4	ND	ND	0.024 J	ND	0.0012 J	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl chloride	0.02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
Xylene (mixed)	0.26	ND	ND	0.028 J	ND	0.0066 J	ND	ND	ND	ND	ND	ND	ND	ND

Notes:

\* NYSDEC 6NYCRR Part 375-6 Unrestricted Use Soil Cleanup Objectives for Isobutylbenzene and 4-Isopropyltoluene do not exist, therefore NYSDEC TAGM 4046 Recommended Soil Cleanup Objectives were used.

Soil Concentration Units = milligrams per kilogram (mg/kg) or parts per million (ppm)

ND – Not Detected Above Laboratory Detection Limit

NA – Compound Not Analyzed

– Concentration exceeds NYSDEC 6NYCRR Part 375-6 Unrestricted Use Soil Cleanup Objectives

J - Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). Concentrations within this range are estimated.

B - Analyte was detected in the associated Method Blank.

**Table 2  
Summary of Soil Analytical Results  
Semi-Volatile Organic Compounds  
124 Victory Highway  
Painted Post, New York**

Semi-Volatile Organic Compound	NYSDEC 6NYCRR Part 375-6 Remedial Program Soil Cleanup Objectives Unrestricted Use (ppm or mg/kg)	Samples Collected													
		UST-NW	UST-SW	UST-WW	UST-EW	UST-F	UST-CP	UST-CP DUP	DD-NW	DD-EW	DD-WW	DD-SW	DD-F	DS-4	
		Sampled 9/21/09	Sampled 9/21/09	Sampled 9/21/09	Sampled 9/22/09	Sampled 9/22/09	Sampled 9/22/09	Sampled 9/22/09	Sampled 9/22/09	Sampled 9/22/09	Sampled 9/22/09	Sampled 9/22/09	Sampled 9/22/09	Sampled 9/22/09	Sampled 9/9/08
Acenaphthene	20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Acenaphthylene	100	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
Anthracene	100	ND	ND	ND	0.016 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(a)anthracene	1	ND	ND	0.17 D10,J	0.058 J	ND	ND	ND	1.5 D10,J	0.17 D10,J	0.42 D10,J	1.5 D10,J	ND	1.4 J	
Benzo(a)pyrene	1	ND	ND	ND	0.051 J	ND	ND	ND	2.2 D10,J	0.19 D10,J	0.51 D10,J	2.1 D10,J	ND	2 J	
Benzo(b)fluoranthene	1	ND	ND	ND	0.068 J	ND	0.42 D10,J	ND	3 D10,J	0.24 D10,J	0.66 D10,J	3 D10,J	ND	2.3 J	
Benzo(g,h,i)perylene	100	ND	ND	0.27 D10,J	0.036 J	ND	ND	ND	2.3 D10,J	0.18 D10,J	0.44 D10,J	2.3 D10,J	ND	1.6 J	
Benzo(k)fluoranthene	0.8	ND	ND	ND	0.024 J	ND	ND	ND	0.89 D10,J	0.12 D10,J	0.21 D10,J	0.96 D10,J	ND	1.8 J	
Chrysene	1	ND	ND	0.21 D10,J	0.059 J	ND	0.24 D10,J	ND	1.9 D10,J	0.17 D10,J	0.48 D10,J	1.9 D10,J	ND	2.3 J	
Dibenz(a,h)anthracene	0.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.4 D10,J	ND	ND	
Fluoranthene	100	ND	ND	0.29 D10,J	0.14 J	ND	ND	ND	3.8 D10	0.38 D10,J	1.1 D10,J	3.8 D10,J	ND	3.8 J	
Fluorene	30	ND	ND	0.12 D10,J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Indeno(1,2,3-cd)pyrene	0.5	ND	ND	ND	0.029 J	ND	ND	ND	1.8 D10,J	0.14 D10,J	0.33 D10,J	1.8 D10,J	ND	1.3 J	
m-Cresol	0.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	
Naphthalene	12	ND	ND	0.021 J	ND	0.0018 J	ND	0.0012 J	ND	ND	ND	ND	ND	ND	
o-Cresol	0.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	
p-Cresol	0.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	
Pentachlorophenol	0.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	
Phenanthrene	100	ND	ND	0.37 D10,J	0.078 J	ND	ND	ND	1.5 D10,J	0.17 D10,J	0.6 D10,J	1.6 D10,J	ND	1.4 J	
Phenol	0.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	
Pyrene	100	ND	ND	0.47 D10,J	0.11 J	ND	0.34 D10,J	ND	3 D10,J	0.31 D10,J	0.87 D10,J	3 D10,J	ND	2.5 J	

Notes:

Soil Concentration Units = milligrams per kilogram (mg/kg) or parts per million (ppm)

ND – Not Detected Above Laboratory Detection Limit

NA – Compound Not Analyzed

– Concentration exceeds NYSDEC 6NYCRR Part 375-6 Unrestricted Use Soil Cleanup Objectives

D10 - Dilution required due to sample color

J - Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). Concentrations within this range are estimated.



**MANIFESTS, WEIGHT TICKETS &  
CERTIFICATE OF CLEAN FILL**



Syracuse  
P.O. Box 6418  
Syracuse, NY 13217  
(315) 433-5115

Rochester  
6800 W. Henrietta Road  
Rush, NY 14543  
(585) 344-8410

Geneva  
1210 Gifford Road  
Phelps, NY 14532  
(315) 548-4049

25679

### NON-HAZARDOUS SOLID WASTE MANIFEST

TRANSPORTER  RIGCELLI ENTERPRISES INC. P.O. BOX 6418 SYRACUSE, NY 13217	DATE	TIME IN	OUT
	9-23-09	2:45	3:15
TRUCK # 204	TRAILER # 151		

CONSIGNEE RIGCELLI ENTERPRISES INC. P.O. BOX 6418 SYRACUSE, NY 13217  PHONE # (315) 433-5115	SHIPPER TK Realty
---	----------------------

NO. PIECES	ARTICLES OR DESCRIPTION	WEIGHT
1	Contn soil #1945	WEIGHT IN 87360
		WEIGHT OUT 35840
		BILLED WEIGHT 51520 lbs

SHIPPER SIGNATURE *[Signature]* PRINT NAME *Subrahmanyan*

DRIVER SIGNATURE *[Signature]* PRINT NAME *Tony DeGloria*

SPECIAL INSTRUCTIONS:

---

DESTINATION: *Flint NY*

FOR APPROVAL:	Solid waste being interpreted to mean only solid waste or waste containing animal and vegetable matter, rubbish, trash, debris, ashes and metal non-toxic sludge and other waste materials which is not a radioactive volatile, highly flammable explosive toxic or hazardous nature as listed.		
CONSIGNEE PRINT NAME _____			
CONSIGNEE SIGN HERE _____ (NO INITIALS)			
RECEIVED ABOVE MATERIAL IN GOOD CONDITION			
DATE _____	BY _____	TIME _____	<input type="checkbox"/> AM <input type="checkbox"/> PM

White Copy - Riccelli      Yellow Copy - Driver      Pink Copy - Land Fill      Gold Copy - Shipper



Syracuse  
P.O. Box 6418  
Syracuse, NY 13217  
(315) 433-5115

Rochester  
6800 W. Henrietta Road  
Rush, NY 14543  
(585) 344-8410

Geneva  
1210 Gifford Road  
Phelps, NY 14532  
(315) 548-4049

31354

### NON-HAZARDOUS SOLID WASTE MANIFEST

TRANSPORTER  RICCELLI ENTERPRISES INC. P.O. BOX 6418 SYRACUSE, NY 13217	DATE	TIME	IN / OUT
	9/23/09	8:00 AM	
TRUCK # 157	TRAILER # 208		

CONSIGNEE RICCELLI ENTERPRISES INC. P.O. BOX 6418 SYRACUSE, NY 13217  PHONE # (315) 433-5115	SHIPPER Ontario Specialties T & K Realities Painted Post, N.Y.
---	---

NO. PIECES	ARTICLES OR DESCRIPTION	WEIGHT
1 T/L	Contaminated Soil  Profile # 1945	WEIGHT IN
		WEIGHT OUT
		BILLED WEIGHT

SHIPPER SIGNATURE Joe Bradburn PRINT NAME Joe Bradburn

DRIVER SIGNATURE Matthew J. Britton PRINT NAME Matthew J. Britton

SPECIAL INSTRUCTIONS:

DESTINATION:

FOR APPROVAL:	Solid waste being interpreted to mean only solid waste or waste containing animal and vegetable matter, rubbish, trash, debris, ashes and metal non-toxic sludge and other waste materials which is not a radioactive volatile, highly flammable explosive toxic or hazardous nature as listed.
CONSIGNEE PRINT NAME	
CONSIGNEE SIGN HERE (NO INITIALS)	
RECEIVED ABOVE MATERIAL IN GOOD CONDITION	FIRM _____ DATE _____ <input type="checkbox"/> AM BY _____ TIME _____ <input type="checkbox"/> PM

White Copy - Riccelli

Yellow Copy - Driver

Pink Copy - Land Fill

Gold Copy - Shipper

Mile  
6999



Hanson Aggregates New York, Inc.  
P.O. Box 231  
Easton, PA 18044-0231

TICKET NO.  
834991

WEIGHTS  
ACKNOWLEDGED  
TRUCKER'S SIGNATURE  
*Fory de Stone*

SEE PRODUCT WARNING ON REVERSE

ENTER ADDRESS TO ALL SORTS OF COLLECTION FOR THE CITY.  
INCLUDING ANY REASONS IF APPLICABLE. TEL:

HANSON AGGREGATES

Geneva Plant  
Country Rd 4E Pre-Erection Rd  
Daks Corners, NY 14518  
315-799-6692  
DRIVE SAFELY/SENSIBLE

RECEIVERS INITIALS  
\*OURS DELIVERED ONLY  
NOT RESPONSIBLE FOR  
ANY DAMAGE BEYOND  
CURB.



Syracuse  
P.O. Box 8418  
Syracuse, NY 13217  
(315) 433-5115  
Fax (315) 433-1920

Rochester  
6800 W. Henrietta Road  
Rush, NY 14543  
(585) 334-8410  
Fax (585) 334-8435

Geneva  
1210 Gifford Road  
Phelps, NY 14532  
(315) 548-4049  
Fax (315) 548-5025

www.riccettiltrucking.com

CUSTOMER NUMBER 1524142 SALES ORDER 731529 PRODUCT NO. DESCRIPTION  
DATE 9/23/2009 TIME 12:45:43 PM CARRIER FLIGHT  
074235

SOLO TO : RICCELLI ENTERPRISES INC  
S.O. REF : CPU  
JOB LOC : CPU

WEIGHTS		LOAD #
SC21#	WGT.	1
09038	44487	
TARE	16175	
NET	28332	
TONS	31.12	
	28.22	

CASH SALE ONLY  
MATERIAL TAX PAID  
TOTAL PER TONS PER TONS  
WEIGHMASTER LICENSE NUMBER  
WEIGHMASTER SIGNATURE  
R-69-K REV 2/2009

TRUCKING INFO.  
HAWKER / R1234  
HAWKER NAME RICCELLI  
HAWKER PHONE  
WEIGHMASTER LICENSE NUMBER  
WEIGHMASTER SIGNATURE  
R-69-K REV 2/2009

PRODUCT BANK RUN SAND  
PURCHASERS NAME Ontario Specialty Cor.  
DELIVERED TO Ontario Specialty  
Victory hwy  
Painted post, NY

GROSS: 92940 lb  
TARE: 27682 lb  
NET: 65260 lb  
Net Tons: 31.12

DRIVERS SIGNATURE: *[Signature]*  
CUSTOMER SIGNATURE: *[Signature]*

109-22-09 04:37 PM  
LAKE ROAD QUARRY  
TRUCK NO: 204 R I C

TICKET NO 55611

NOTICE: THE CUSTOMER HEREBY ACCEPTS ALL RESPONSIBILITY FOR DAMAGE RESULTING BY TRUCK LEAVING PUBLIC HIGHWAY

OFFICE COPY

NEWS INC / ONTARIO COUNTY LANDFILL  
A Division of Casella Waste Systems  
1879 NYS Route 5820  
Stanley, NY 14561

TICKET: 312051  
DATE: 09/23/2009  
TIME: 11:54 - 12:16

CUSTOMER: LE00163 / RICCELLI P.O. #  
HAULCUST: W01 0 APPROVAL #:  
ORIGIN: SN / STEUBEN TRAILER:  
TRUCK: RIC204 T&K STORAGE/REAR/FILE #: 1945  
GENERATOR: T&K / RICCELLI ROUTE: NA / NON APPLICABLE  
HAULER: RIC / RICCELLI CELL/TANK: P5  
COMMENT: app1945-25678  
MATERIAL QUANTITY UNIT  
AC / ALTERNATIVE DAILY COVER 32.1200 ST

I Certify under penalty of perjury that I am familiar with wastes authorized at this facility and that to the best of my knowledge all waste contained in this load is authorized for disposal at this facility.  
Welpheaster  
Driver:

IN: Lisa B: PCSALE-OC OUT: Lisa B: PCSALE-OC

*Lisa Belpheaster*



Syracuse  
P.O. Box 6418  
Syracuse, NY 13217  
(315) 433-5115

Rochester  
6800 W. Henrietta Road  
Rush, NY 14543  
(585) 344-8410

Geneva  
1210 Gifford Road  
Phelps, NY 14532  
(315) 548-4049

25678

### NON-HAZARDOUS SOLID WASTE MANIFEST

TRANSPORTER  RICCELLI ENTERPRISES INC. P.O. BOX 6418 SYRACUSE, NY 13217	DATE	TIME IN	OUT
	9-23-09	7:30	8:30
TRUCK # 204	TRAILER # 151		

CONSIGNEE RICCELLI ENTERPRISES INC. P.O. BOX 6418 SYRACUSE, NY 13217 PHONE # (315) 433-5115	SHIPPER <del>CANTARIO Specialties</del> TK Realty
---	---

NO. PIECES	ARTICLES OR DESCRIPTION	WEIGHT
1	CONTA soil #1945	WEIGHT IN 99840
		WEIGHT OUT 36000
		BILLED WEIGHT 64240 lbs

SHIPPER SIGNATURE *Joe Bradburn* PRINT NAME Joe Bradburn

DRIVER SIGNATURE *Tony DeGroma* PRINT NAME TONY DEGROMA

SPECIAL INSTRUCTIONS:

DESTINATION:  
Flint, NY

FOR APPROVAL:	Solid waste being interpreted to mean only solid waste or waste containing animal and vegetable matter, rubbish, trash, debris, ashes and metal non-toxic sludge and other waste materials which is not a radioactive volatile, highly flammable explosive toxic or hazardous nature as listed.
CONSIGNEE PRINT NAME _____	
CONSIGNEE SIGN HERE (NO INITIALS) _____	
RECEIVED ABOVE MATERIAL IN GOOD CONDITION	
FIRM _____ DATE _____	<input type="checkbox"/> AM
BY _____ TIME _____	<input type="checkbox"/> PM

White Copy - Riccelli

Yellow Copy - Driver

Pink Copy - Landfill

800  
888  
888

**Hanson**

Hanson Aggregates New York, Inc.

P.O. Box 231  
Easton, PA 18044-0231

TICKET NO.  
**834992**

GROSS WEIGHT ACKNOWLEDGED

TRUCKER'S SIGNATURE

SEE PRODUCT WARNING ON REVERSE

COVER RECEIPT TO PAY ALL COSTS OF COLLECTIONS FOR THIS TICKET INCLUDING ANY REASONABLE ATTORNEY'S FEES.

**HANSON AGGREGATES**

Geneva Plant  
Country Rd #6 Pre-Errolion Rd  
Oaks Corners, NY 14518  
315-789-8202  
DRIVE SAFE&SENSIBLE

RECEIVERS INITIALS  
\*CURB DELIVERY ONLY  
NOT RESPONSIBLE FOR  
ANY DAMAGE BEYOND  
CURB.

CUSTOMER NUMBER 1524148  
SALES ORDER NUMBER 731529  
DATE 9/23/09 TIME 12:50:55 PM  
PRODUCT NO. DESCRIPTION 074335  
Crusher Run

SOLD TO: RICCELLI ENTERPRISES INC

S.O. DESC: CPU

S.O. NRO:

JOB LOC: CPU

LOAD # 2

WEIGHTS

Scale 1 -LBS-

GROSS 106100

TARE 38420

NET 67680

TONS 30.70

TONS TODAY 64.96

TONNES TO DATE 2732.55

TONNES TODAY 58.93

TONNES TO DATE

CASH SALE ONLY

MATERIAL PER TONS

TAX PER TONS

HAUL PER TONS

TOTAL

HAULER NAME /K132P

HAULER PHONE 468918

HAULER NAME Riccelli Ent

MGW 107000

WEIGHMASTER LICENSE NUMBER

WEIGHMASTER SIGNATURE Leonard K. Clay

TICKET NO. 834992

R-63-K REV 2/289

AN EQUAL OPPORTUNITY EMPLOYER M/F

**RICCELLI ENTERPRISES**  
INC.



www.riccellitrucking.com

**Syracuse**  
P.O. Box 6418  
Syracuse, NY 13217  
(315) 433-5115  
Fax (315) 433-1920

**Rochester**  
6800 W. Henrietta Road  
Rush, NY 14543  
(585) 334-8410  
Fax (585) 334-8435

**Geneva**  
1210 Gifford Road  
Pheips, NY 14532  
(315) 548-4049  
Fax (315) 548-5025

PRODUCT	BANK RUN SAND	
PURCHASERS NAME	Ontario Specialty Con.	
DELIVERED TO	Ontario Specialty Victory hwy Painted post, NY	
GROSS: 106100 lb	09-23-09 03:58 PM LAKE ROAD QUARRY TRUCK NO. 3011C	DRIVER'S SIGNATURE: <i>[Signature]</i>
TARE: 38000 lb With Pup		
NET: 70120 lb		
Net Tons: 30.70		

**RICELLI  
ENTERPRISES  
INC.**



Syracuse  
P.O. Box 6418  
Syracuse, NY 13217  
(315) 433-5115

Rochester  
6601 W. Henrietta Road  
Rush, NY 14543  
(585) 344-8410

Geneva  
1210 Gifford Road  
Phelps, NY 14522  
(315) 548-4049

247370

Date 9-23-09

OFFICE COPY 1

Charge To ONTARIO SPECIALTIES

Job Site 124 VICTORY HWY PHARAD POST

Truck No 33 Driver Bill Hours

Wgt. Yards Loads

Contractor's Signature [Signature]

A.M.		P.M.	
IN	OUT	IN	OUT
		2:45	3:15

NEWS NE / ONTARIO COUNTY LANDFILL  
A Division of Casella Waste Systems  
1879 NYS Route 5&20  
Stanley, NY 14561

TICKET: 312050  
DATE: 09/23/2009  
TIME: 11:54 - 12:14

CUSTOMER: LE00163 / RICELLI

HAULCUST: NO: 0 APPROVAL #:

ORIGIN: SN / STEUBEN

TRUCK: RIC32

GENERATOR: T&K / T&K STORAGE/REARPROFILE #: 1945

HAULER: RIC / RICELLI

COMMENT: app1945-25682

MATERIAL

AC / ALTERNATIVE DAILY COVER 35.4500 ST

P.O.:

GROSS: 109240 LBS

TARE: 38340 LBS

NET: 70900 LBS

TRAILER:

ROUTE: NA / NON APPLICABLE

CELL/TANK: P3

I Certify under penalty of perjury that I am familiar with wastes authorized at this facility and that to the best of my knowledge all waste contained in this load is authorized for disposal at this facility.

Weightmaster:

Driver:

IN: Lisa

B: POSCALE-DC

OUT: Lisa

B: POSCALE-DC

[Signature]





Syracuse  
P.O. Box 6418  
Syracuse, NY 13217  
(315) 433-5115

Rochester  
6800 W. Henrietta Road  
Rush, NY 14543  
(585) 344-8410

Geneva  
1210 Gifford Road  
Pineps, NY 14532  
(316) 648-4049

25682

### NON-HAZARDOUS SOLID WASTE MANIFEST

TRANSPORTER  RICELLI ENTERPRISES INC. P.O. BOX 6418 SYRACUSE, NY 13217	DATE	TIME IN	OUT
	9-23-09	7:30	9:50
TRUCK # 32	TRAILER # 402		

CONSIGNEE  RICELLI ENTERPRISES INC. P.O. BOX 6418 SYRACUSE, NY 13217  PHONE # (315) 433-5115	SHIPPER <del>Joe Broadhurst</del> TJK ProHites
--	---

NO. PIECES	ARTICLES OR DESCRIPTION	WEIGHT
1	COMTASOIL # 1945	WEIGHT IN 109240
		WEIGHT OUT 38340
		BILLED WEIGHT 70900
		#312050 35.45 TON

SHIPPER SIGNATURE Joe Broadhurst PRINT NAME Joe Broadhurst

DRIVER SIGNATURE Bill DeVito PRINT NAME Bill DeVito

SPECIAL INSTRUCTIONS:

DESTINATION:

FOR APPROVAL:	Solid waste being interpreted to mean only solid waste or waste containing animal and vegetable matter, rubbish, trash, debris, ashes and metal non-toxic sludge and other waste materials which is not a radioactive volatile, highly flammable explosive toxic or hazardous nature as listed.
CONSIGNEE PRINT NAME	
CONSIGNEE SIGN HERE (NO INITIALS)	
RECEIVED ABOVE MATERIAL IN GOOD CONDITION	FIRM _____ DATE _____ BY _____ TIME _____ <input type="checkbox"/> AM <input type="checkbox"/> PM

White Copy - Ricelli      Yellow Copy - Driver      Pink Copy - Land Fill      Gold Copy - Shipper



Syracuse  
P.O. Box 6418  
Syracuse, NY 13217  
(315) 433-5115

Rochester  
6800 W. Henrietta Road  
Rush, NY 14543  
(585) 344-8410

Geneva  
1210 Gifford Road  
Phelps, NY 14532  
(315) 648-4049

25683

### NON-HAZARDOUS SOLID WASTE MANIFEST

TRANSPORTER  RICCELLI ENTERPRISES INC. P.O. BOX 6418 SYRACUSE, NY 13217	DATE	TIME	IN	OUT
	9-23-09			
TRUCK # 32	TRAILER # 402			

CONSIGNEE RICCELLI ENTERPRISES INC. P.O. BOX 6418 SYRACUSE, NY 13217  PHONE # (315) 433-5115	SHIPPER TJK KEMITT  ONTARIO SOLID WASTE
---	---

NO. PIECES	ARTICLES OR DESCRIPTION	WEIGHT
1	COAT SOIL #1945	WEIGHT IN 68020
		WEIGHT OUT 38500
		BILLED WEIGHT <del>29520</del>
		#312145 14,76700

SHIPPER SIGNATURE *Joe Broadbuhn* PRINT NAME Joe Broadbuhn

DRIVER SIGNATURE *Bill Jolley* PRINT NAME Bill Jolley

SPECIAL INSTRUCTIONS:

DESTINATION:  
Flint ONTARIO WASTE

FOR APPROVAL: CONSIGNEE PRINT NAME _____ CONSIGNEE SIGN HERE _____ (NO INITIALS)	Solid waste being interpreted to mean only solid waste or waste containing animal and vegetable matter, rubbish, trash, debris, ashes and metal non-toxic sludge and other waste materials which is not a radioactive volatile, highly flammable explosive toxic or hazardous nature as listed.
RECEIVED ABOVE MATERIAL IN GOOD CONDITION FIRM _____ DATE _____ BY _____ TIME _____	

White Copy - Riccelli      Yellow Copy - Driver      Pink Copy - Land Fill      Gold Copy - Shipper

To: Lerry

716-842-1785

NEW YORK / ONTARIO COUNTY LANDFILL  
A Division of Cassia's Waste Systems  
1879 NYS Route 5220  
Stanley, NY 14881

TICKET: 312058  
DATE: 03/23/2009  
TIME: 10:52 AM

CUSTOMER: LE00163 / RICCELLI  
HAULCOST: NO: 0 APPROVAL #: GROSS: 130600 LBS  
ORIGIN: ON / STEUBEN TRAILER: TARE: 42120 LBS  
TRUCK: R12157 NET: 88480 LBS  
GENERATOR: TIK / TIK STORAGE/REARDFILE #: 1945  
HAULER: RIC / RICCELLI ROUTE: NA / NON APPLICABLE  
COMMENT: app 949-31354 CELL/TANK: 05

MATERIAL QUANTITY UNIT  
AG / ALTERNATIVE DAILY COVER 44.2700 BT

I Certify under penalty of perjury that I am familiar with wastes  
authorized at this facility and that to the best of my knowledge all  
waste contained in this load is authorized for disposal at this facility.  
Weighmaster: \_\_\_\_\_ Driver: *[Signature]*

IN: Lisa B: PESCALE-DC OUT: Lisa B: PESCALE-DC

NEWS NE / ONTARIO COUNTY LANDFILL  
A Division of Casella Waste Systems  
1879 NYS Route 5&20  
Stanley, NY 14561

TICKET: 312145  
DATE: 09/24/2009  
TIME: 06:27 - 06:54

CUSTOMER: LE00163 / RICCELLI  
HAULCUST: WO: 0 APPROVAL #: P.O. #  
ORIGIN: SN / STEUBEN GROSS: 88020 LBS  
TRUCK: RIC32 TRAILER: TARE: 38500 LBS  
GENERATOR: T&K / T&K STORAGE/REARPROFILE #: 1945 NET: 29520 LBS  
HAULER: RIC / RICCELLI ROUTE: NA / NON APPLICABLE  
COMMENT: app1945-25683 CELL/TANK: P5

MATERIAL	QUANTITY	UNIT
AD / ALTERNATIVE DAILY COVER	14.7600	ST

I Certify under penalty of perjury that I am familiar with wastes authorized at this facility and that to the best of my knowledge all waste contained in this load is authorized for disposal at this facility.

Weighmaster: \_\_\_\_\_  
Driver: \_\_\_\_\_  
IN: Lisa B: PCSCALE-OC OUT: Lisa B: PCSCALE-OC

NEWS NE / ONTARIO COUNTY LANDFILL  
A Division of Casella Waste Systems  
1879 NYS Route 5&20  
Stanley, NY 14561

TICKET: 312147  
DATE: 09/24/2009  
TIME: 06:28 - 06:56

CUSTOMER: LE00163 / RICCELLI  
HAULCUST: WO: 0 APPROVAL #: P.O. #  
ORIGIN: SN / STEUBEN GROSS: 87360 LBS  
TRUCK: RIC204 TRAILER: TARE: 35840 LBS  
GENERATOR: T&K / T&K STORAGE/REARPROFILE #: 1945 NET: 51520 LBS  
HAULER: RIC / RICCELLI ROUTE: NA / NON APPLICABLE  
COMMENT: app1945-25679 CELL/TANK: P5

MATERIAL	QUANTITY	UNIT
AD / ALTERNATIVE DAILY COVER	25.7600	ST

I Certify under penalty of perjury that I am familiar with wastes authorized at this facility and that to the best of my knowledge all waste contained in this load is authorized for disposal at this facility.

Weighmaster: \_\_\_\_\_  
Driver: \_\_\_\_\_  
IN: Lisa B: PCSCALE-OC OUT: Lisa B: PCSCALE-OC

*Riccelli Enterprises, Inc P.O. Box 6418 Syracuse, NY 13217 315-433-5115*


Ontario Specialty Contracting, Inc  
333 Ganson St  
Buffalo, NY 14203  
Attn: Larry

10/8/09

Job: Birnie Bus -Painted Post, NY

The materials supplied out of Hanson Aggregates and Riccelli Enterprise pit were from NYS D.O.T approved sources that meets NYSDEC 6NYCRR part 375-6 soil cleanup objectives for unrestricted soil use. The stone from Hanson and the gravel from our pit are clean, processed materials. Thank you.

Please call me with any questions.



Michael Relf

Operations Manager

## **WASTE DISPOSAL ANALYTICAL**

COLUMBIA ANALYTICAL SERVICES

Reported: 10/09/08

The Palmerton Group  
Project Reference: 124 VICTORY HWY  
Client Sample ID : MW2

---

Date Sampled : 09/10/08 10:40                      Order #: 1133338                      Sample Matrix: WATER  
Date Received: 09/10/08                      Submission #: R2845791

---

ANALYTE	METHOD	PQL	RESULT	UNITS	DATE ANALYZED	DILUTION
<b><u>METALS</u></b>						
ARSENIC	6010B	0.0100	0.0295	MG/L	09/22/08	1.0
BARIUM	6010B	0.0200	1.17	MG/L	09/22/08	1.0
CADMIUM	6010B	0.00500	0.00500 U	MG/L	09/22/08	1.0
CHROMIUM	6010B	0.0100	0.0864	MG/L	09/22/08	1.0
LEAD	6010B	0.00500	0.0382	MG/L	09/22/08	1.0
MERCURY	7470A	0.000200	0.000200 U	MG/L	09/16/08	1.0
SELENIUM	6010B	0.0100	0.0100 U	MG/L	09/22/08	1.0
SILVER	6010B	0.0100	0.0100 U	MG/L	09/22/08	1.0
<b><u>WET CHEMISTRY</u></b>						
FLASH POINT	1010		>100	°C	09/15/08 14:45	1.0

---

COLUMBIA ANALYTICAL SERVICES

VOLATILE ORGANICS  
 METHOD 8260B  
 Reported: 10/09/08

The Palmerton Group  
 Project Reference: 124 VICTORY HWY  
 Client Sample ID : MW2

Date Sampled : 09/10/08 10:40 Order #: 1133338 Sample Matrix: WATER  
 Date Received: 09/10/08 Submission #: R2845791 Analytical Run 168117

ANALYTE	PQL	RESULT	UNITS
DATE ANALYZED	: 09/19/08		
ANALYTICAL DILUTION:	1.00		
ACETONE	10	2.7 J	UG/L
BENZENE	1.0	1.0 U	UG/L
BROMODICHLOROMETHANE	1.0	1.0 U	UG/L
BROMOFORM	1.0	1.0 U	UG/L
BROMOMETHANE	2.0	2.0 U	UG/L
2-BUTANONE (MEK)	5.0	5.0 U	UG/L
METHYL-TERT-BUTYL ETHER	1.0	1.0 U	UG/L
CARBON DISULFIDE	1.0	1.0 U	UG/L
CARBON TETRACHLORIDE	1.0	1.0 U	UG/L
CHLOROBENZENE	1.0	1.0 U	UG/L
CHLOROETHANE	2.0	2.0 U	UG/L
CHLOROFORM	1.0	1.0 U	UG/L
CHLOROMETHANE	2.0	2.0 U	UG/L
1, 2-DIBROMO-3-CHLOROPROPANE	2.0	2.0 U	UG/L
CYCLOHEXANE	1.0	1.0 U	UG/L
DIBROMOCHLOROMETHANE	1.0	1.0 U	UG/L
1, 2-DIBROMOETHANE	1.0	1.0 U	UG/L
1, 3-DICHLOROBENZENE	1.0	1.0 U	UG/L
1, 4-DICHLOROBENZENE	1.0	1.0 U	UG/L
1, 2-DICHLOROBENZENE	1.0	1.0 U	UG/L
DICHLORODIFLUOROMETHANE	1.0	1.0 U	UG/L
1, 1-DICHLOROETHANE	1.0	1.0 U	UG/L
1, 2-DICHLOROETHANE	1.0	1.0 U	UG/L
1, 1-DICHLOROETHENE	1.0	1.0 U	UG/L
CIS-1, 2-DICHLOROETHENE	1.0	1.0 U	UG/L
TRANS-1, 2-DICHLOROETHENE	1.0	1.0 U	UG/L
1, 2-DICHLOROPROPANE	1.0	1.0 U	UG/L
CIS-1, 3-DICHLOROPROPENE	1.0	1.0 U	UG/L
TRANS-1, 3-DICHLOROPROPENE	1.0	1.0 U	UG/L
ETHYLBENZENE	1.0	1.0 U	UG/L
2-HEXANONE	5.0	5.0 U	UG/L
ISOPROPYLBENZENE	1.0	1.0 U	UG/L
METHYL ACETATE	10	10 U	UG/L
METHYLCYCLOHEXANE	1.0	1.0 U	UG/L
METHYLENE CHLORIDE	1.0	1.0 U	UG/L
4-METHYL-2-PENTANONE (MIBK)	5.0	5.0 U	UG/L
STYRENE	1.0	1.0 U	UG/L
1, 1, 2, 2-TETRACHLOROETHANE	1.0	1.0 U	UG/L
TETRACHLOROETHENE	1.0	1.0 U	UG/L
TOLUENE	1.0	1.0 U	UG/L
1, 2, 4-TRICHLOROBENZENE	1.0	1.0 U	UG/L
1, 1, 1-TRICHLOROETHANE	1.0	1.0 U	UG/L
1, 1, 2-TRICHLOROETHANE	1.0	1.0 U	UG/L
TRICHLOROETHENE	1.0	1.0 U	UG/L



COLUMBIA ANALYTICAL SERVICES

VOLATILE ORGANICS  
METHOD 8260B  
Reported: 10/09/08

The Palmerton Group  
Project Reference: 124 VICTORY HWY  
Client Sample ID : MW2

---

Date Sampled : 09/10/08 10:40 Order #: 1133338      Sample Matrix: WATER  
Date Received: 09/10/08 Submission #: R2845791      Analytical Run 168117

---

ANALYTE	PQL	RESULT	UNITS
DATE ANALYZED	: 09/19/08		
ANALYTICAL DILUTION:	1.00		
TRICHLOROFLUOROMETHANE	1.0	1.0 U	UG/L
1,1,2-TRICHLORO1,2,2-TRIFLUOROETHA	1.0	1.0 U	UG/L
VINYL CHLORIDE	1.0	1.0 U	UG/L
O-XYLENE	1.0	1.0 U	UG/L
M+P-XYLENE	1.0	1.0 U	UG/L

<u>SURROGATE RECOVERIES</u>	<u>QC LIMITS</u>		
4-BROMOFLUOROBENZENE	(80 - 123 %)	100	%
TOLUENE-D8	(88 - 124 %)	101	%
DIBROMOFLUOROMETHANE	(89 - 115 %)	105	%

---

---

COLUMBIA ANALYTICAL SERVICES

EXTRACTABLE ORGANICS  
METHOD 8082 PCB'S  
Reported: 10/09/08

The Palmerton Group  
Project Reference: 124 VICTORY HWY  
Client Sample ID : MW1

---

Date Sampled : 09/10/08 10:00 Order #: 1133337 Sample Matrix: WATER  
Date Received: 09/10/08 Submission #: R2845791 Analytical Run 167182

---

ANALYTE	PQL	RESULT	UNITS
DATE EXTRACTED : 09/15/08			
DATE ANALYZED : 09/19/08			
ANALYTICAL DILUTION: 1.00			
PCB 1016	0.94	0.94 U	UG/L
PCB 1221	1.9	1.9 U	UG/L
PCB 1232	0.94	0.94 U	UG/L
PCB 1242	0.94	0.94 U	UG/L
PCB 1248	0.94	0.94 U	UG/L
PCB 1254	0.94	0.94 U	UG/L
PCB 1260	0.94	0.94 U	UG/L

SURROGATE RECOVERIES

QC LIMITS

DECACHLOROBIPHENYL	(10 - 129 %)	19	%
TETRACHLORO-META-XYLENE	(34 - 113 %)	53	%

---

---

COLUMBIA ANALYTICAL SERVICES

VOLATILE ORGANICS  
 METHOD 8260B  
 Reported: 10/09/08

The Palmerton Group  
 Project Reference: 124 VICTORY HIGHWAY  
 Client Sample ID : SB-1 2-4'

Date Sampled : 09/08/08 11:20 Order #: 1132905 Sample Matrix: SOIL/SEDIMENT  
 Date Received: 09/09/08 Submission #: R2845770 Percent Solid: 85.7

ANALYTE	PQL	RESULT	UNITS
DATE ANALYZED : 09/17/08			
ANALYTICAL DILUTION: 1.00			Dry Weight
ACETONE	20	1.8 JB	UG/KG
BENZENE	5.0	5.8 U	UG/KG
BROMODICHLOROMETHANE	5.0	5.8 U	UG/KG
BROMOFORM	5.0	5.8 U	UG/KG
BROMOMETHANE	5.0	5.8 U	UG/KG
2-BUTANONE (MEK)	10	12 U	UG/KG
METHYL-TERT-BUTYL ETHER	5.0	5.8 U	UG/KG
CARBON DISULFIDE	10	12 U	UG/KG
CARBON TETRACHLORIDE	5.0	5.8 U	UG/KG
CHLOROBENZENE	5.0	5.8 U	UG/KG
CHLOROETHANE	10	12 U	UG/KG
CHLOROFORM	5.0	5.8 U	UG/KG
CHLOROMETHANE	5.0	5.8 U	UG/KG
1,2-DIBROMO-3-CHLOROPROPANE	5.0	5.8 U	UG/KG
CYCLOHEXANE	5.0	5.8 U	UG/KG
DIBROMOCHLOROMETHANE	5.0	5.8 U	UG/KG
1,2-DIBROMOETHANE	5.0	5.8 U	UG/KG
1,3-DICHLOROBENZENE	5.0	5.8 U	UG/KG
1,4-DICHLOROBENZENE	5.0	5.8 U	UG/KG
1,2-DICHLOROBENZENE	5.0	5.8 U	UG/KG
DICHLORODIFLUOROMETHANE	5.0	5.8 U	UG/KG
1,1-DICHLOROETHANE	5.0	5.8 U	UG/KG
1,2-DICHLOROETHANE	5.0	5.8 U	UG/KG
1,1-DICHLOROETHENE	5.0	5.8 U	UG/KG
CIS-1,2-DICHLOROETHENE	5.0	5.8 U	UG/KG
TRANS-1,2-DICHLOROETHENE	5.0	5.8 U	UG/KG
1,2-DICHLOROPROPANE	5.0	5.8 U	UG/KG
CIS-1,3-DICHLOROPROPENE	5.0	5.8 U	UG/KG
TRANS-1,3-DICHLOROPROPENE	5.0	5.8 U	UG/KG
ETHYLBENZENE	5.0	5.8 U	UG/KG
2-HEXANONE	10	12 U	UG/KG
ISOPROPYLBENZENE	5.0	5.8 U	UG/KG
METHYL ACETATE	10	12 U	UG/KG
METHYLCYCLOHEXANE	5.0	5.8 U	UG/KG
METHYLENE CHLORIDE	5.0	5.8 U	UG/KG
4-METHYL-2-PENTANONE (MIBK)	10	12 U	UG/KG
STYRENE	5.0	5.8 U	UG/KG
1,1,2,2-TETRACHLOROETHANE	5.0	5.8 U	UG/KG
TETRACHLOROETHENE	5.0	5.8 U	UG/KG
TOLUENE	5.0	5.8 U	UG/KG
1,2,4-TRICHLOROBENZENE	5.0	5.8 U	UG/KG
1,1,1-TRICHLOROETHANE	5.0	5.8 U	UG/KG
1,1,2-TRICHLOROETHANE	5.0	5.8 U	UG/KG
TRICHLOROETHENE	5.0	5.8 U	UG/KG

COLUMBIA ANALYTICAL SERVICES

VOLATILE ORGANICS  
METHOD 8260B  
Reported: 10/09/08

The Palmerton Group  
Project Reference: 124 VICTORY HIGHWAY  
Client Sample ID : SB-1 2-4'

Date Sampled : 09/08/08 11:20 Order #: 1132905 Sample Matrix: SOIL/SEDIMENT  
Date Received: 09/09/08 Submission #: R2845770 Percent Solid: 85.7

ANALYTE	PQL	RESULT	UNITS
DATE ANALYZED : 09/17/08			
ANALYTICAL DILUTION: 1.00			Dry Weight
TRICHLOROFLUOROMETHANE	5.0	5.8 U	UG/KG
1,1,2-TRICHLORO1,2,2-TRIFLUOROETHA	5.0	5.8 U	UG/KG
VINYL CHLORIDE	5.0	5.8 U	UG/KG
O-XYLENE	5.0	5.8 U	UG/KG
M+P-XYLENE	5.0	5.8 U	UG/KG

<u>SURROGATE RECOVERIES</u>	<u>QC LIMITS</u>		
4-BROMOFLUOROBENZENE	(50 - 135 %)	89	%
TOLUENE-D8	(75 - 128 %)	108	%
DIBROMOFLUOROMETHANE	(58 - 133 %)	100	%

COLUMBIA ANALYTICAL SERVICES

EXTRACTABLE ORGANICS

METHOD 8082 PCB'S

Reported: 10/09/08

The Palmerton Group

Project Reference: 124 VICTORY HIGHWAY

Client Sample ID : SB-5 4-6'

---

Date Sampled : 09/09/08 08:11 Order #: 1132916      Sample Matrix: SOIL/SEDIMENT  
Date Received: 09/09/08 Submission #: R2845770      Percent Solid: 81.1

---

ANALYTE	PQL	RESULT	UNITS
DATE EXTRACTED	: 09/16/08		
DATE ANALYZED	: 09/20/08		
ANALYTICAL DILUTION:	1.00		Dry Weight
PCB 1016	33	41 U	UG/KG
PCB 1221	67	83 U	UG/KG
PCB 1232	33	41 U	UG/KG
PCB 1242	33	41 U	UG/KG
PCB 1248	33	41 U	UG/KG
PCB 1254	33	41 U	UG/KG
PCB 1260	33	41 U	UG/KG

SURROGATE RECOVERIES

QC LIMITS

DECACHLOROBIPHENYL	(29 - 153 %)	76	%
TETRACHLORO-META-XYLENE	(27 - 134 %)	61	%

---

---

COLUMBIA ANALYTICAL SERVICES

Reported: 10/09/08

The Palmerton Group  
Project Reference: 124 VICTORY HIGHWAY  
Client Sample ID : SB-4 4-6'

Date Sampled : 09/08/08 11:40      Order #: 1132906      Sample Matrix: SOIL/SEDIMENT  
Date Received: 09/09/08      Submission #: R2845770

ANALYTE	METHOD	PQL	RESULT	DRY WEIGHT UNITS	DATE ANALYZED	DILUTION
<b><u>METALS</u></b>						
ALUMINUM	6010B	10.0	10300	MG/KG	09/22/08	1.0
ANTIMONY	6010B	6.00	6.60 U	MG/KG	09/22/08	1.0
ARSENIC	6010B	1.00	6.47	MG/KG	09/22/08	1.0
BARIUM	6010B	2.00	95.3	MG/KG	09/22/08	1.0
BERYLLIUM	6010B	0.500	0.550 U	MG/KG	09/22/08	1.0
CADMIUM	6010B	0.500	0.550 U	MG/KG	09/22/08	1.0
CALCIUM	6010B	100	9350	MG/KG	09/22/08	1.0
CHROMIUM	6010B	1.00	13.9	MG/KG	09/22/08	1.0
COBALT	6010B	5.00	8.72	MG/KG	09/22/08	1.0
COPPER	6010B	2.00	18.8	MG/KG	09/22/08	1.0
IRON	6010B	10.0	20100	MG/KG	09/22/08	1.0
LEAD	6010B	5.00	11.8	MG/KG	09/22/08	1.0
MAGNESIUM	6010B	100	4550	MG/KG	09/22/08	1.0
MANGANESE	6010B	1.00	592	MG/KG	09/22/08	1.0
MERCURY	7471A	0.0333	0.0366 U	MG/KG	09/17/08	1.0
NICKEL	6010B	4.00	18.8	MG/KG	09/22/08	1.0
POTASSIUM	6010B	200	871	MG/KG	09/22/08	1.0
SELENIUM	6010B	1.00	1.10 U	MG/KG	09/22/08	1.0
SILVER	6010B	1.00	1.10 U	MG/KG	09/22/08	1.0
SODIUM	6010B	100	110 U	MG/KG	09/22/08	1.0
THALLIUM	6010B	1.00	5.50 U	MG/KG	09/24/08	5.0
VANADIUM	6010B	5.00	15.1	MG/KG	09/22/08	1.0
ZINC	6010B	2.00	58.0	MG/KG	09/22/08	1.0

COLUMBIA ANALYTICAL SERVICES

Reported: 10/22/08

The Palmerton Group  
Project Reference: 124 VICTORY HIGHWAY  
Client Sample ID : SB2 6-8/SB3 12-14 COMPOSITE

---

Date Sampled : 09/08/08                      Order #: 1144393                      Sample Matrix: SOIL/SEDIMENT  
Date Received: 09/09/08                      Submission #: R2846547

---


ANALYTE	METHOD	PQL	RESULT	UNITS	DATE ANALYZED	TIME ANALYZED	DILUTION
<u>WET CHEMISTRY</u>							
FLASH POINT	1010.M		>100	°C	10/20/08		1.0

---

---

## **UST EXCAVATION PICTURES**





Picture 1 – UST excavation with steel pipe supporting sewer force main.



Picture 2 – UST excavation in progress



Picture 3 – UST excavation at building wall showing capped oil/water separator effluent line.



Picture 4 – UST excavation with sewer force main supported by mounded soil.





**Picture 5 – UST excavation, removing section of separator effluent line**



**Picture 6 – UST excavation backfill.**

**DRAINAGE DITCH EXCAVATION  
PICTURES**



**Picture 1 – Drainage ditch excavation**





**Picture 2 – Completed drainage ditch excavation**





**Picture 3 – Drainage ditch excavation backfill with imported fill.**





**Picture 4 – Completion of drainage ditch backfill using onsite soils scraped from berm between ditch and pavement.**