

INTERIM REMEDIAL MEASURES WORK PLAN

Study Area Bounded by Pyrex Street, E. Pulteney Street, Post Creek and Chemung River Corning, NY

NYSDEC Project ID 851046

Corning-Painted Post School District Property

November 10, 2016

Prepared for:

Corning Incorporated Corning, New York

Prepared by:

WESTON SOLUTIONS, INC. West Chester, Pennsylvania 19380

W.O. No. 02005.056.002.0001



Certification

I, Michael H. Corbin, certify that I am currently a New York State registered professional engineer as defined in 6 NYCRR Part 375 and that this Interim Remedial Measures Work Plan was prepared in accordance with all applicable standards and regulations and in substantial conformance with the DER Technical Guidance for Site Investigation and Remediation (DER-10).

Executed on the 10^{th} day of November, 2016

Weston Solutions, Inc.

Technical Director, P.E.





TABLE OF CONTENTS

Section	on		Page
1.	INTR	ODUCTION	1-1
	1.1	ENVIRONMENTAL SETTING	1-1
		1.1.1 Land Use	1-1
		1.1.2 Topography	
		1.1.3 Geology	
		1.1.4 Hydrology	
	1.2	ORGANIZATION OF THIS DOCUMENT	
2.		RENT CONDITIONS	
2.	2.1	CHARACTERIZATION ACTIVITIES	
		2.1.1 Surface and Shallow Soil Sampling	
		2.1.2 Soil Boring Sampling	
		2.1.3 Groundwater Sampling Results	
	2.2	CORNING-PAINTED POST EAST HIGH SCHOOL CONSTRUCTION	2.0
	2.3	PROJECTSUMMARY OF CURRENT CONDITIONS	
_			
3.		RIM REMEDIAL MEASURES APPROACH	
	3.1	INTERIM REMEDIAL MEASURES OBJECTIVE	
	3.2	INTERIM REMEDIAL MEASURES APPROACH	
4.		RIM REMEDIAL MEASURES ACTIVITIES & METHODOLOGIES	
	4.1	WRITTEN ACCESS CONSENT	
	4.2	ADDITIONAL SURFACE SOIL SAMPLING	
		4.2.1 Quality Assurance / Quality Control	
	4.3	SOIL EXCAVATION ACTIVITIES	4-3
		4.3.1 Pre-Excavation Activities	
		4.3.2 Excavation Activities	
	4.4	WASTE HANDLING	
		4.4.1 Staging and Loading	
	4.5	SURVEY ACTIVITIES	
	4.6	INSPECTIONS	4-8
5.	PROJ	ECT MANAGEMENT	5-1
	5.1	SCHEDULE	5-1
	5.2	DOCUMENTATION	
		5.2.1 Field Logs	
		5.2.2 Photo Log	
		J.L.J FICH Weasurements	J-1



TABLE OF CONTENTS (Continued)

Sec	tion	Page		
		5.2.4	Field Reports	5-2
		5.2.5	Reporting	5-2
	5.3	HEAL	TH AND SAFETY PLAN	5-2
	5.4	TEMP	ORARY FIELD OFFICE	5-3
6.	REF	ERENCI	ES	6-1

APPENDIX A – CHARACTERIZATION SAMPLING RESULTS

APPENDIX B – HEALTH AND SAFETY PLAN (HASP)

APPENDIX C – COMMUNITY AIR MONITORING PLAN (CAMP)

November 10, 2016



LIST OF FIGURES

Title

Figure 1-1	Location of the Study Area
Figure 1-2	Study Area Features
Figure 1-3	Corning-Painted Post School District Property Features
Figure 2-1	Sample Locations, Corning-Painted Post School District Property
Figure 2-2	IRM Areas, Corning-Painted Post School District Property
Figure 3-1	IRM Limits of Excavation, Corning-Painted Post School District Property
Figure 5-1	Corning-Painted Post School District Property IRM Schedule



LIST OF TABLES

Title

Table 2-1 Soil Boring Log Summary, Corning-Painted Post School District Property



LIST OF ACRONYMS

CAMP Community Air Monitoring Plan

cfs cubic feet per second

EPA Environmental Protection Agency

FEMA Federal Emergency Management Agency

ft amsl feet above mean sea level
ft bgs feet below ground surface
GPS global positioning system
HASP Health and Safety Plan

IDW investigative derived waste in bgs inches below ground surface IRM Interim Remedial Measure mg/Kg milligram per kilogram

mg/L milligram per liter

NYSDEC New York State Department of Environmental Conservation

NYSDOH New York State Department of Health

NYSNPDES New York State Pollutant Discharge Elimination System

PC public-conservation zoning
PCBs polychlorinated bi-phenyls

QA Quality Assurance

QAPP Quality Assurance Project Plan

QC Quality Control

RCRA Resource Conservation Recovery Act

SCO Soil Cleanup Objectives

SOP standard operating procedure

SVOCs semi-volatile organic compounds

TAL Target Analyte List

TCL Target Compound List

TCLP Toxicity Characteristic Leaching Procedure

TOGS New York State Division of Water Technical Operation and Guidance

Series

TPH total petroleum hydrocarbons



LIST OF ACRONYMS (Continued)

USACE U.S. Army Corps of Engineers

USEPA U.S. Environmental Protection Agency

USGS U.S. Geological Survey

μg/Kg microgram per kilogram

VOCs volatile organic compounds

WESTON® Weston Solutions, Inc.



1. INTRODUCTION

The Study Area is located in the City of Corning, New York, and is bounded by Pyrex Street on the west, E. Pulteney Street on the north, Post Creek on the east and the Chemung River on the south, as illustrated on Figure 1-1. The Corning-Painted Post School District property, subject of this Interim Remedial Measure (IRM) Work Plan, is located along the northern bank of the Chemung River in the southern portion of the Study Area, as illustrated on Figure 1-2 (the Property).

On June 27, 2014 Corning Incorporated entered into an Order on Consent and Administrative Settlement (Order on Consent) with the New York State Department of Environmental Conservation (NYSDEC) to perform preliminary characterization activities within the Study Area. Weston Solutions, Inc. (WESTON®) prepared, on behalf of Corning Incorporated, a Study Area Characterization Work Plan dated June 2014, which was Attachment B to the Order on Consent (WESTON, 2014a). Subsequent to the Order on Consent, the NYSDEC approved Study Area Work Plan Addendum 3 (Work Plan Addendum 3) for additional characterization activities at the Property (WESTON, 2015). Collectively the June 2014 Study Area Characterization Work Plan and its Addenda, as modified, amended and approved by NYSDEC will be referred to herein as the Study Area Work Plan.

In accordance with Section II.5 and Appendix A, Section III of the Order on Consent, an IRM is proposed for the Property based on analytical data collected during field investigation activities performed from July 2014 through June 2015 under the Study Area Work Plan.

1.1 ENVIRONMENTAL SETTING

1.1.1 Land Use

The Property consists of three parcels of continuous land covering approximately 24.6 acres. All three parcels are owned by the Corning-Painted Post School District (the District). According to City of Corning zoning information, all three parcels are zoned Public-Conservation (PC) and classified as a School. The Property is primarily used for educational and athletic purposes. As illustrated on Figure 1-3, the surface area for the Property is covered by the Corning-Painted Post High School buildings, a variety of impervious surfaces (i.e., rubberized tennis courts, concrete



sidewalks, asphalt roadways and asphalt parking areas), and a large area of pervious surfaces (i.e., grass covered areas, athletic fields, etc.).

1.1.2 Topography

The Corning, New York 1976 U.S. Geological Service (USGS) 7.5-minute topographic quadrangle map indicates that the Property is approximately 929 feet above mean sea level (ft amsl). Within approximately one mile radius of the Property, the ground surface elevation ranges from 915 ft amsl to 1,459 ft amsl, with two steep elevation changes, one located to the north and one to the east.

The Property is located adjacent to the Chemung River and the southern boundary of the property runs along an earthen dike located within the NYSDEC-maintained flood control lands. As a result, the Property is located outside but adjacent to the Federal Emergency Management Agency (FEMA) 100-year and 500-year flood zones (FEMA, 2002).

1.1.3 Geology

The Property is located in the Chemung River valley which contains predominately sand and gravel deposits of glaciofluvial origin and more recent alluvial deposits. In the vicinity of the Property, a low permeability, lacustrine silt and clay layer (approximately 10 feet thick) appears to be present about 30 feet below ground surface (ft bgs) in the Chemung River valley-fill deposits (Miller, 1982). The river valley deposits are on the order of 100 feet thick in the vicinity of the Property. These river valley deposits are underlain by low permeability shale/siltstone bedrock (Miller, 1982).

1.1.4 Hydrology

The saturated portions of the Chemung River valley deposits are recharged principally by infiltration of precipitation. This valley-filled glacial/alluvial aquifer is generally unconfined (i.e., the water table forms the upper boundary of the aquifer) and saturated approximately to the level of nearby rivers (such as the Chemung River) (Olcot, 1995). The depth to the water table at the Property ranges from approximately 16 to 21 ft bgs. Groundwater in the valley aquifer generally flows toward and discharges to nearby rivers/creeks; however, groundwater flow directions can be locally altered by supply well withdrawals from the valley aquifer.



1.1.5 Ecological Setting

The Property is composed of a terrestrial cultural ecological community created and maintained by human activities and has been modified by human influence to such a degree that the physical conformation of the substrate and the biological composition of the resident community is substantially different from the character of the substrate or community as it existed prior to human influence.

1.2 ORGANIZATION OF THIS DOCUMENT

This Work Plan is organized into the following sections:

- **Section 1 Introduction.** This section contains an introduction to the project and environmental setting information.
- **Section 2 Current Conditions.** This section contains a description of characterization activities conducted at the Property, including the location, types and number of samples collected. Construction activities previously conducted at the Property are also discussed.
- Section 3 Interim Remedial Measure Approach. This section contains a description of the approach and objectives of the proposed IRM.
- Section 4 Interim Remedial Measure Activities and Methodologies. This section contains a description of the activities to be conducted, including the locations, rationale for design, and execution of the planned work.
- **Section 5 Project Management.** This section contains information regarding the scheduling of the work as well as the reporting schedule. Additionally, this section provides details about project logistics, including project controls, management and public relations.
- Section 6 References.

Generally, tables and figures are provided at the end of each section for ease of review.


Tables of validated analytical results for samples collected on the Property are provided in Appendix A.




SECTION 1


FIGURES

CPP_IRM_WP_11-10-2016.docx November 10, 2016



Document Name: Site Location.MXD







2. CURRENT CONDITIONS

2.1 CHARACTERIZATION ACTIVITIES

In accordance with the Study Area Work Plan and Work Plan Addendum 3, WESTON on behalf of Corning Incorporated, has collected soil samples at 23 surface and shallow soil locations and 26 soil boring locations on the Property. In addition, in accordance with the Study Area Work Plan and the NYSDEC-approved Groundwater Wells plan (WESTON, 2014b) four groundwater monitoring wells have been installed at the Property. Cumulatively, a total of 101 soil samples and ten groundwater samples, along with associated quality assurance/quality control (QA/QC) samples have been collected at the Property. Samples were analyzed for Target Analyte List (TAL) metals plus mercury, Toxicity Characteristic Leaching Procedure (TCLP) Resource Conservation and Recovery Act (RCRA) metals, total petroleum hydrocarbons (TPH), polychlorinated biphenyls (PCBs), Target Compound List (TCL) semi-volatile organic compounds (SVOCs), volatile organic compounds (VOCs), or a subset thereof. The locations of the soil samples, soil borings and groundwater monitoring wells are illustrated on Figure 2-1. Tables of validated analytical results for soil samples and groundwater samples collected on the Property are provided in Appendix A.

2.1.1 Surface and Shallow Soil Sampling

Twenty-three surface and shallow soil sampling locations (CPPSS001 to CPPSS008 and CPPSS013 to CPPSS024) were sampled throughout the Property. Of these 23 locations, six were located in grass covered areas within the parking lots, five were collected in the courtyard of the building, and 12 were collected near the tennis courts and along Corning Boulevard. At each sampling location, a surface (0 to 2 inches bgs [in bgs]) and a shallow (2 to 24 in bgs or refusal) soil sample was collected excluding three sample locations in the building courtyard (CPPSS025, CPPSS026 and CPPSS027) where only one surface soil sample (0 to 2 inches bgs) was collected. A summary of the surface soil analytical results is provided in Appendix A and a summary of the soil boring logs is included in Table 2-1. It should be noted that the 23 surface and shallow soil sampling locations (CPPSS001 to CPPSS008 and CPPSS013 to CPPSS027) were not labeled consecutively.

November 10, 2016



For ease of review, the discussion of findings will be divided into three main subsections; the western half of the Property, the building courtyard, and the eastern half of the Property. The western half of the Property includes the areas around the buildings and parking lot areas, while the eastern half consists of the newly constructed athletic fields and the area north of the newly constructed athletic fields along Corning Boulevard and west of the tennis courts.

2.1.1.1 Western half of the Property – Buildings and Parking Lots

All six of the sampling locations in the western half of the Property (CPPSS001 and CPPSS004 to CPPSS008) had analytical results for both the surface and shallow soil samples below the NYSDEC restricted residential Soil Cleanup Objectives (NYSDEC restricted residential SCOs; NYSDEC Subpart 375-6). These sampling locations were located in grass covered areas adjacent to or in the center of asphalt roadways and parking areas as shown in Figure 2-1. At soil sampling location CPPSS006 hand auger refusal was encountered at 23 in bgs.

2.1.1.2 Building Courtyard

Within the western half of the Property, five additional sampling locations were collected in the courtyard of the building (CPPSS002, CPPSS003 and CPPSS025 to CPPSS027). At sampling locations CPPSS002 and CPPSS003 a surface and a shallow soil sample were collected. The depths of the shallow soil samples were 18.5 and 20 in bgs, respectively, due to hand auger refusal. All sample results from these two locations were less than or equal to the NYSDEC restricted residential SCOs. The surface soil sample collected at CPPSS002 had an arsenic concentration of 16 mg/Kg, which is the NYSDEC restricted residential SCO for arsenic.

A second round of sampling was conducted in the building courtyard in 2015 at the request of NYSDEC. In June 2015 surface soil samples were collected at three additional sampling locations (CPPSS025 to CPPSS027). Analytical results for these samples were less than the NYSDEC restricted residential SCOs, with the exception of the sample collected at location CPPSS025, where arsenic was detected at a concentration of 18.7 mg/Kg which is close to the NYSDEC restricted residential SCO for arsenic of 16 mg/Kg. Based on direction provided by the NYSDEC and NYSDOH an IRM is not needed in the building courtyard.



2.1.1.3 Eastern half of the Property – Athletic Fields

In the eastern half of the Property, surface and shallow soil samples were collected at twelve locations (CPPSS013 to CPPSS024) along Corning Boulevard and the western edge of the tennis courts. At seven of the twelve locations (CPPSS013 to CPPSS016, CPPSS018, CPPSS022 and CPPSS023) analytical results for both the surface and shallow soil samples were below the NYSDEC restricted residential SCOs. The analytical result for cadmium in the shallow soil at location CPPSS014, located adjacent to a residential property, was detected at a concentration of 4.2 mg/Kg. Although this is below the NYSDEC restricted residential SCO of 4.3 mg/Kg, this concentration is greater than the NYSDEC residential SCO for cadmium (2.5 mg/Kg). The analytical results for the corresponding surface soil sample (0 to 2 in bgs) collected at this location were below the NYSDEC residential SCOs.

At four of the twelve sampling locations (CPPSS017, CPPSS019, CPPSS020 and CPPSS021) the analytical results for arsenic, cadmium and lead were less than or equal to the NYSDEC restricted residential SCOs in the surface soil sample, and greater than the NYSDEC restricted residential SCOs in the shallow soil sample.

Lastly, at one location (CPPSS024), cadmium was detected at a concentration above the NYSDEC restricted residential SCO in the surface soil sample and analytical results for the shallow soil sample were below the NYSDEC restricted residential SCOs.

2.1.2 Soil Boring Sampling

Of the 26 soil borings advanced to approximately 16 ft bgs on the Property, nine soil borings were advanced in the western half of the property in areas around the building and parking lots and 17 were advanced in the eastern half of the property in the area of newly constructed athletic fields. The locations of the soil borings are illustrated on Figure 2-1. Two to four samples were collected from each soil boring in accordance with the Study Area Work Plan. A summary of the soil boring analytical results is provided in Appendix A and a summary of the soil boring logs is in included in Table 2-1.



2.1.2.1 Western half of the Property – Building and Parking Lots

Of the nine soil borings advanced in the western half of the Property (CPPSB001 to CPPSB005 and CPPSB015 to CPPSB018), three were advanced near the building entrance (CPPSB001, CPPSB015, and CPPSB016), two were advanced south of the building (CPPSB002 and CPPSB004), three were advanced in the new parking lot (CPPSB003, CPPSB017/017R, and CPPSB018) and one was advanced east of the building expansion (CPPSB005).

No layer of fill material containing ash, brick and/or glass was observed at any of the three soil borings advanced in the area near the entrance to the building (CPPSB001, CPPSB015, and CPPSB016). Furthermore, the analytical results for all soil samples collected from these three soil borings were below the NYSDEC restricted residential SCOs.

No layer of fill material containing ash, brick and/or glass was observed at either of the two soil borings advanced south of the building along the southern boundary of the Property (CPPSB002 and CPPSB004). Soil boring CPPSB002 was advanced in a grass covered area located between the building and the driveway. Soil boring CPPSB004 was advanced beneath the driveway that runs along the south side of the building. Analytical results for all soil samples collected from these two soil borings were below the NYSDEC restricted residential SCOs.

Three soil borings were advanced in the area of the newly constructed parking lot northeast of the building and west of the newly constructed athletic fields (CPPSB003, CPPSB017/017R, and CPPSB018). No layer of fill material containing ash, brick and/or glass was observed at two of the three borings advanced: soil boring CPPSB003 located in a grass covered island in the northern area of the parking lot and soil boring CPPSB018 located in the grass covered area north of the parking lot. At the third location, soil boring CPPSB017, a layer of fill material containing ash, brick and glass was encountered from 1.5 to 1.8 ft bgs and refusal was hit at 12.2 ft bgs. A second boring (CPPSB017R) was advanced immediately adjacent to CPPSB017. Due to better recovery of soil in this second boring, soil samples were collected and analyzed from soil boring CPPSB017R only and were labeled as CPPSB017. A layer of fill material containing ash, brick and glass was encountered from 1.5 to 1.9 ft bgs at soil boring CPPSB017R. Analytical results for all soil samples collected from these three soil borings (CPPSB003, CPPSB017 and CPPSB018)



were below the NYSDEC restricted residential SCOs. In addition, samples collected and analyzed using the TCLP method did not indicate concentrations of leachate above the USEPA criteria.

One soil boring was advanced beneath the parking lot east of the building expansion. A layer of fill material containing ash and brick was observed between 5 ft and 7 ft bgs at soil boring CPPSB005(1). At the request of NYSDEC, a second soil boring, CPPSB005(2), was advanced in the same area and a layer of fill material containing ash, brick and glass was observed between 6.7 ft and 7.5 ft bgs. The analytical results for all soil samples collected from soil borings CPPSB005(1) and CPPSB005(2) were below the NYSDEC restricted residential SCOs.

2.1.2.2 Eastern Half of the Property – Athletic Fields

Seventeen soil borings were advanced east of the building in the area of the newly constructed athletic fields: three soil borings (CPPSB009, CPPSB011, and CPPSB013) along the northern property boundary and Corning Boulevard; one soil boring (CPPSB020) was advanced west of the tennis courts; ten soil borings (CPPSB006, CPPSB010, CPPSB012, CPPSB014, CPPSB019, CPPSB021 to CPPSB024 and CPPSS026) were advanced across the center of the newly constructed athletic fields; and three soil borings (CPPSB007, CPPSB008 and CPPSB025) were advanced along the southern end of the newly constructed athletic fields. All of these soil borings were advanced within the footprint of the newly constructed athletic fields with the exception of CPPSS020, which was located to the west of the tennis courts. At the time of soil boring activities, construction of the new athletic fields was ongoing and the soil borings in the eastern end of the athletic field area (CPPSB012 to CPPSS014 and CPPSB026) were advanced prior to completion of the athletic fields in that area.

A layer of fill material containing ash, brick and glass was observed in three soil borings advanced along the northern property boundary in the area along Corning Boulevard (CPPSB009, CPPSB011, and CPPSB013). The layer of fill material containing ash, brick and glass was observed in soil borings CPPSB009, CPPSB011 and CPPSB013 between 6 ft and 16 ft bgs, 2.5 ft and 13 ft bgs and 7.5 ft and 13 ft bgs, respectively. At these three soil boring locations (CPPSB009, CPPSB011 and CPPSB013) the analytical results in the layer of fill material containing ash, brick and glass had concentrations of arsenic, cadmium and lead above the NYSDEC restricted residential SCOs. In soil boring CPPSB013, arsenic was also found above the NYSDEC restricted



residential SCO in the layer immediately below the layer of fill. In soil boring CPPSB011, concentrations of barium and SVOCs were detected above their respective NYSDEC restricted residential SCOs in the layer of fill. In addition, a sample of the fill material containing ash, brick and glass from soil boring CPPSB011 was analyzed using the TCLP method and lead was detected in this sample at a concentration above the USEPA criterion.

In soil boring CPPSB020, advanced to the west of the tennis courts and outside of the footprint of the newly constructed athletic fields, no layer of fill material containing ash, brick and/or glass was observed. The analytical results for all the soil samples collected from soil boring CPPSB020 were below the NYSDEC restricted residential SCOs, however, the analytical result for cadmium at CPPSB020 was detected above the NYSDEC residential SCO (2.5mg/Kg) in both the 0 to 2 ft bgs and 2 to 4 ft bgs samples, at concentrations of 2.6 mg/Kg and 3.3 mg/Kg, respectively.

A layer of fill material containing ash, brick and/or glass was observed in ten soil borings (CPPSB006, CPPSB010, CPPSB012, CPPSB014, CPPSB019, CPPSB021 to CPPSB024, and CPPSB026) advanced across the center of the newly constructed athletic fields. Fill material containing ash, brick, and/or glass was encountered at depths greater than 1 ft bgs in all of these soil borings with the exception of CPPSB014 and CPPSB012 where it was encountered at depths less than 1 ft bgs. These two soil borings (CPPSB014 and CPPSB012) were advanced prior to the construction of the athletic fields and one foot cover system in this area.

At four of the ten soil boring locations across the center of the newly constructed athletic fields (CPPSB006, CPPSB012, CPPSB014 and CPPSB0026) concentrations of arsenic, cadmium and/or lead were greater than the NYSDEC restricted residential SCOs for samples collected in the layer of fill material containing ash, brick and/or glass. At two of these soil boring locations (CPPSB014 and CPPSB026) analytical results in the soils below the layer of fill material containing ash, brick and/or glass had concentrations of arsenic, cadmium and/or lead greater than the NYSDEC restricted residential SCOs. Soil boring CPPSB006 is located on the south eastern edge of the tennis courts. Soil borings CPPSB012, CPPSB014 and CPPSB026 are located near the eastern property boundary.

The remaining six of the ten soil boring locations across the center of the newly constructed athletic fields (CPPSB010, CPPSB019, and CPPSB021 to CPPSB024) were advanced in the footprint of



the former Kent Phillips School. A layer of fill material containing ash, brick and glass was observed in these six soil borings. For two of the six borings (CPPSB019 and CPPSB022), analytical results for all soil samples collected were below the NYSDEC restricted residential SCOs. At soil boring CPPSB010, concentrations of arsenic, cadmium, lead, copper, and benzene were detected above the NYSDEC restricted residential SCOs for the sample collected from the layer of material containing ash, brick and glass. In four of the six borings advanced in the footprint of the former Kent Phillips School (CPPSB010, CPPSB021, CPPSB023 and CPPSB024), SVOC concentrations were detected above their respective NYSDEC restricted residential SCOs in the layer of fill material containing ash, brick and glass and/or in the soil immediately below the layer of fill material.

A layer of fill material containing ash, brick and glass was observed in three soil borings (CPPSB007, CPPSB008 and CPPSB025) advanced in the southern portion of the newly constructed athletic fields. The analytical results for all soil samples collected from soil boring CPPSB025 were below the NYSDEC restricted residential SCOs. At soil borings CPPSB007 and CPPSB008 concentrations of arsenic, cadmium and lead were greater than the NYSDEC restricted residential SCOs for samples collected from the layer of fill material containing ash, brick and/or glass. Analytical results from the soil sample collected below the layer of fill material containing ash, brick and glass in soil boring CPPSB008 (6.5 to 8 ft bgs interval) had an arsenic concentration greater than the NYSDEC restricted residential SCO. In soil boring CPPSB007, barium was detected at concentrations greater than the NYSDEC restricted residential SCOs in the layer of fill containing ash, brick, and glass. In addition, a sample of the layer of fill material containing ash, brick, and glass was analyzed using the TCLP method and lead was detected at a concentration above the USEPA criteria.

2.1.3 Groundwater Sampling Results

In December 2014, as part of the Study Area Work Plan, four groundwater monitoring wells were installed on the Property. These four monitoring wells (CPPMW-01 to CPPMW-04) were installed in the vicinity of CPPSB007, CPPSB008, CPPSB010 and CPPSB014, as described in the NYSDEC-approved Groundwater Wells plan (WESTON, 2014b). These four groundwater monitoring wells are located in the newly constructed athletic fields of the Property. It is believed that groundwater flow in this area flows in a southeasterly direction towards the Chemung River.



Two rounds of groundwater samples were collected from each of the groundwater monitoring wells and from the District irrigation well (CPPIW-01), one round in January 2015 and a second round in April 2015. Analytical results from both of these sampling events indicate that the groundwater has not been impacted by the layers of fill material containing ash, brick and/or glass. Arsenic, cadmium and lead, the primary constituents detected in soils above restricted residential standards at the Property were not detected in the groundwater at concentrations above the TOGS standards. The only compounds detected in groundwater above New York State Division of Water Technical and Operational Guidance Series (TOGS) standards were boron, iron, manganese, selenium and sodium. Iron is believed to be naturally occurring, and sodium concentrations in groundwater are generally elevated in the area of the Property.

Total boron was detected in CPPMW-03 at concentrations of 2.2 mg/L (2.2 mg/L-duplicate) in January 2015 and at concentrations of 7.6 mg/L (7.0 mg/L-duplicate) in April 2015, which is greater than the TOGS groundwater standard of 1 mg/L. Total manganese was detected in the irrigation well (CPPIW-01) in both the January 2015 and April 2015 sampling events at concentrations of 0.45 mg/L and 0.47 mg/L, respectively. Total manganese was also detected in CPPMW-03 at a concentration of 0.96 J mg/L (0.24 J mg/L-duplicate) in April 2015 and was below the TOGS standard of 0.30 mg/L in January 2015. Selenium was detected at concentrations of 0.013 J mg/L (0.013 J mg/L-duplicate) in January 2015 and 0.092 mg/L (0.085 mg/L-duplicate) in April 2015, above the TOGS groundwater standard of 0.01 mg/L. A summary table of validated analytical results from the groundwater samples collected on the Property is provided in Appendix A.

2.2 CORNING-PAINTED POST EAST HIGH SCHOOL CONSTRUCTION PROJECT

As a part of the District construction activities, extensive work has been performed by the District including, but not limited to, an expansion to the building, the construction of new asphalt roadways and parking areas, the construction of concrete sidewalks, and the construction of natural turf athletic fields in the eastern portion of the Property (referred to herein as the newly constructed athletic fields). The District has represented that it built the newly constructed athletic fields by rough grading the area, installing a geotextile demarcation layer over the existing soils and placing a minimum of 1 foot cover soil with seed on top of the demarcation layer. The expansion of the



building as well as the newly constructed parking lot, roadway and sidewalk areas and natural turf fields are depicted on the Property features map provided in the previous section (see Figure 1-3).

2.3 SUMMARY OF CURRENT CONDITIONS

Based on the characterization activities and previous work performed by the District at the Property, two areas have been identified where soil concentrations of arsenic, cadmium and/or lead were detected above the NYSDEC restricted residential SCOs in the top 1 foot of soil (i.e., 0 to 1 ft bgs). These areas are (1) along the northern edge of the tennis courts extending along Corning Boulevard, between the Property line and the newly constructed athletic fields, to the entrance of the parking lot in the east side of the newly constructed athletic fields and (2) in the grass covered area east of the City of Corning Memorial Stadium property in the vicinity of a sample on the City of Corning Memorial Stadium property where analytical results were detected above the NYSDEC restricted residential SCOs extending to sample CPPSS006 on the Property. In addition, the grass covered area along the western edge of the tennis courts is an area immediately adjacent to a residential property where cadmium was detected below the NYSDEC restricted residential SCO, but above the NYSDEC residential SCOs in the 2 in to 2 ft bgs sample in shallow soil sample CPPSS014 and in the 0 to 2 ft bgs sample in soil boring CPPSB020. These areas are illustrated in Figure 2-2.

All other areas with analytical results greater than the NYSDEC restricted residential SCOs were collected within the footprint of the newly constructed athletic fields where the District has placed a minimum of 1 foot of cover material and which NYSDEC has indicated do not require additional actions to be taken.


Based on a review of the sampling activities at the Property, and the construction work performed by the District, there is one area north of the building where no sampling was conducted and no excavation and grading was conducted during the recent construction project. As identified on Figure 2-2, five surface soil samples will be collected in this area.




SECTION 2

FIGURES

CPP_IRM_WP_11-10-2016.docx November 10, 2016







SECTION 2

TABLES

CPP_IRM_WP_11-10-2016.docx November 10, 2016



Table 2-1 Soil Boring Log Summary Study Area, Corning, NY

O-marks I di	Observance of ash, br	Interval of Observed	Depth to	Total Boring								
Sample Location -	Comment / Notes	Interval (ft bgs)	Thickness (ft)	Construction Fill ¹ (ft bgs)	Native Soil (ft bgs)	Depth (ft bgs)						
Corning-Painted Post School District Property (CPP)												
CPPSB001	None				1.8 ft	16.0 ft						
CPPSB002	None				5.8 ft	16.0 ft						
CPPSB003	None			0.3 to 3.5 ft	3.5 ft	16.0 ft						
CPPSB004	None			0 to 5.8 ft	5.8 ft	16.0 ft						
CPPSB005(1)	Ash and brick	5 to 7 ft	2.0 ft	0 to 7.0 ft	7.0 ft	16.0 ft						
CPPSB005(2)	Ash, brick, and glass	6.7 to 7.5 ft	0.8 ft	0 to 6.7 ft	7.5 ft	16.0 ft						
CPPSB006	Ash and glass	3.5 to 4.5 ft	1.0 ft	0.7 to 3.5 ft	4.5 ft	16.0 ft						
CPPSB007	Ash, brick, and glass	5.5 to 11.5 ft	6.0 ft	0.8 to 5.5 ft	11.5 ft	16.0 ft						
CPPSB008	Ash, brick, and glass	2.0 to 6.5 ft	4.5 ft	0.5 to 2.0 ft	6.5 ft	16.0 ft						
CPPSB009	Ash, brick, and glass	6.0 to 16.0 ft	10.0 ft	0.5 to 6.0 ft	16.0 ft	20.0 ft						
CPPSB010	Ash, brick, and glass	2.5 to 11.0 ft	8.5 ft	0.4 to 2.5 ft	11.0 ft	16.0 ft						
CPPSB011	Ash, brick, and glass	2.5 to13.0 ft	11.5 ft	0.5 to 2.5 ft	13.0 ft	16.0 ft						
CPPSB012	Ash, brick, and glass	1.0 to 11.0 ft	10.0 ft		11.0 ft	16.0 ft						
CPPSB013	Ash, brick, and glass	7.5 to 13.0 ft	5.5 ft		13.0 ft	16.0 ft						
CPPSB014	Ash, brick, and glass	0.5 to 13.5 ft	13.0 ft		13.5 ft	16.0 ft						
CPPSB015	None	-	-	-	3.5 ft	16 ft						
CPPSB016	None	-	-	0.5 to 2.5 ft	2.5 ft	16 ft						
CPPSB017	Ash, brick, and glass	1.5 ft - 1.8 ft	0.3 ft	-	2.2 ft	12.2 ft						
CPPSB017R	Ash, brick, and glass	1.5 ft - 1.9 ft	0.4 ft	-	1.9 ft	15 ft						
CPPSB018	None	-	-	-	4.0 ft	15 ft						
CPPSB019	Ash, brick, and glass	3.0 ft - 13.0 ft	10.0 ft	0.2 to 3.0 ft	13 ft	20 ft						
CPPSB020	Piece of glass	-	-	-	4.5 ft	16 ft						
CPPSB021	Ash, brick, and glass	2.7 ft - 10.5 ft	7.8 ft	0.2 to 2.7 ft	10.5 ft	16 ft						
CPPSB022	Ash, brick, and glass	3.3 ft - 13.5 ft	10.2 ft	0.2 to 3.3 ft	13.5	16 ft						
CPPSB023	Ash, brick, and glass	6.2 ft - 8.4 ft	2.2 ft	0.4 to 6.2 ft	8.4 ft	16 ft						
CPPSB024	Ash, brick, and glass	2.5 ft - 14.0 ft	11.5 ft	0.4 to 2.4 ft	14.0 ft	16 ft						
CPPSB025	Ash, brick, and glass	1.9 ft - 5.0 ft	3.1 ft	0.4 to 1.9 ft	5.0 ft	16 ft						
CPPSB026	Ash, brick, and glass	7.0 ft - 15.0 ft	8.0 ft	0.3 to 7.0 ft	15 ft	20 ft						



3. INTERIM REMEDIAL MEASURES APPROACH

3.1 INTERIM REMEDIAL MEASURES OBJECTIVE

An IRM is proposed to be conducted at the Property to "mitigate potential environmental or human exposure" to soils with concentrations greater than the NYSDEC restricted residential SCOs [DER-10 1.11(a)1]. In accordance with the NYSDEC DER-10 Technical Guidance for Site Investigation and Remediation (DER-10) a "non-emergency" IRM is being proposed because the exposure to soils and fill material containing ash, brick and/or glass with concentrations above NYSDEC restricted residential SOCs can be effectively addressed before completion of the ongoing investigation activities in the Study Area [DER-10 1.11(c)1].

The specific objective of the IRM is to provide one foot cover in the following two areas: (1) along the western and northern edge of the tennis courts extending along Corning Boulevard, between the Property line and the newly constructed athletic fields, to the entrance of the parking lot in the east side of the newly constructed athletic fields and (2) in the grass covered area east of the City of Corning Memorial Stadium property in the vicinity of a soil sample on the City of Corning Memorial Stadium property where analytical results were detected above the NYSDEC restricted residential SCOs extending to sample CPPSS006 on the Property.

3.2 INTERIM REMEDIAL MEASURES APPROACH

One foot of soil will be excavated and removed from the two areas identified on Figure 3-1 ("defined limits of excavation"). The area of soil to be excavated along Corning Boulevard was identified based on the presence of various constituents in soil at concentrations above the NYSDEC restricted residential SCOs in the area between the newly constructed athletic fields and the Property boundary. The length of the strip from the tennis courts to the entrance to the athletic field area is bounded by sampling locations on either side with soil concentrations below the NYSDEC restricted residential SCOs. The area to the west of the tennis courts was included within the proposed IRM area along Corning Boulevard due to detections of cadmium above the NYSDEC residential SCO in an area immediately adjacent to a residential property. The footprint of the excavation to the west of the tennis courts was identified by radiating outward from the sample locations with soil concentrations above the NYSDEC residential SCOs (CPPSS014 and



CPPSB020) either to sampling locations where soil concentrations were below the NYSDEC residential SCOs, or to the Property boundary. The entire excavation area was then refined to exclude areas of impervious surface (i.e., asphalt and concrete covered areas). In addition to the previously stated criteria, final excavation limits will be established based on utility clearance and accessibility.

The second area identified on Figure 3-1, near CPPSS006, was identified based on analytical results for a sample collected at the Corning Memorial Stadium property extending to sample CPPSS006 on the Property. The excavation footprint identified on Figure 3-1 runs from the Property line to sampling location CPPSS006 where soil concentrations were below the NYSDEC restricted residential SCOs and refined by areas of impervious surface.


Five additional surface soil sampling locations are proposed in this IRM Work Plan to characterize areas not previously sampled. Surface (0 to 2 in bgs) and shallow (2 to 12 in bgs) soil samples will be collected at five locations in the grass covered area north of the building. This is an area where no sampling was conducted and no excavation and grading was conducted during the recent District construction project.

Following completion of the IRM activities, the Corning-Painted Post School District has committed to impose an institutional control in the form of an Environmental Easement restricting use of the Corning-Painted Post School District property to Restricted Residential Uses and requiring compliance with a NYSDEC-approved Site Management Plan (SMP) that will be prepared by Corning Incorporated.



SECTION 3

FIGURES





4. INTERIM REMEDIAL MEASURES ACTIVITIES & METHODOLOGIES

4.1 WRITTEN ACCESS CONSENT

The Property is not owned by or under the control of Corning Incorporated or NYSDEC, therefore, activities proposed in this IRM Work Plan will be performed under a written access agreement between Corning Incorporated and the District.

4.2 ADDITIONAL SURFACE SOIL SAMPLING

Prior to the start of excavation activities, ten soil samples will be collected at five additional locations in the grass covered area north of the building as shown on Figure 2-2. The ten samples, five surface (0 to 2 in bgs) and five shallow (2 to 12 in bgs) soil samples, will be analyzed for arsenic, cadmium and lead. If the analytical results are above the NYSDEC restricted residential SCOs, this area will also be addressed during the IRM activities proposed herein and in a manner consistent with the approach described in the following subsections.

Surface and shallow soil samples will be collected for analysis from 0 to 2 in bgs and 2 to 12 in bgs excluding the vegetative cover or sod layer. Prior to sample collection, gross vegetative matter will be removed (i.e., sod layer). Surface and shallow soil samples will be collected using a small Geoprobe rig, a hand-held steel soil auger, or a hand-held scoop. Each soil sample will be homogenized and placed directly into the appropriate sample containers. The soil will be described as appropriate noting the color, moisture content, texture, layering, evidence of disturbance (foreign debris), and the distribution/abundance of roots, as applicable. Sample locations will be recorded using a hand-held GPS unit with sub-meter accuracy.

All sample locations will be backfilled with bagged topsoil and the surface will be restored with appropriate material (e.g., sod). Any investigative derived waste (IDW) from this additional sampling will be contained in sealed containers (e.g., drums or other appropriate containers) and staged in the NYSDEC-approved Study Area staging area.

All non-dedicated sampling equipment will be decontaminated by washing with phosphate-free detergent and rinsing with distilled water prior to and between sampling locations or disposable



equipment (e.g., scoops, plastic blending trays) will be used. Decontamination fluids will be collected and contained in sealed containers (e.g., drums or other appropriate containers) and staged in the NYSDEC-approved Study Area staging area.

Samples and appropriate QC samples (e.g., duplicate samples) will be placed in appropriate sample containers, in iced coolers and shipped with completed chain-of-custody documentation to TestAmerica for analysis. Sampling will be performed in a manner consistent with the Quality Assurance Project Plan (QAPP) contained in Study Area Work Plan.

4.2.1 Quality Assurance / Quality Control

To ensure quality throughout the project, the involvement of trained and experienced personnel will be utilized, and proven operating procedures and analytical methods for sample collection, preservation, analysis, and documentation will be followed.

In addition to the laboratory QA and QC samples analyzed in accordance with the laboratory QA/QC Plan, several types of field QC samples will be obtained and submitted for analysis during the course of the field investigation activities to assess the quality of the data resulting from the field sampling program. These samples include:

- Duplicates: These samples are duplicate samples collected in the field and submitted to the laboratory without indication of the corresponding parent sample. These samples will be collected at a rate of one per every 20 samples and will provide a measure of laboratory precision and matrix variability.
- Field Rinsate Blanks: These samples will be collected to document the field decontamination of reusable sampling equipment. Field rinsate blanks will be prepared by pouring deionized water over the sampling equipment after a decontamination procedure has been completed. This rinse water is then collected and submitted for analysis to provide an indication of the effectiveness of decontamination procedures (carry-over from sample to sample). These samples will be collected at a rate of one per 20 samples.

Based on the anticipated collection of samples (10 samples) one duplicate sample and one rinsate blank sample will be collected. Further description of the QA/QC samples and analytical procedures are provided in the QAPP.

CPP IRM WP 11-10-2016.docx November 10, 2016



Laboratory data deliverable packages will meet the requirements of NYSDEC Analytical Services Protocol (ASP) Category B (See DER-10 Appendix 2B Section 1.0b). Validation of laboratory data deliverable packages will be performed as described in Section 5.2.2.

4.3 SOIL EXCAVATION ACTIVITIES

A map identifying the limits of excavation where IRMs will be conducted at the Property under this IRM Work Plan is provided as Figure 3-1. The proposed IRMs within the defined limits of excavation include excavation to one foot below ground surface and placement of a demarcation layer followed by backfill and re-vegetation.

The vertical extent of excavation will be limited to 1 ft bgs. As analytical results from the characterization sampling activities indicate, some of the soil below 1 ft bgs has concentrations greater than NYSDEC restricted residential SCOs, a demarcation layer will be installed in all excavation areas at the base of the excavation between the existing in-place soils and the imported backfill material. The demarcation layer will be the same, or equivalent to, the demarcation layer used by the District during the Construction Project.

4.3.1 Pre-Excavation Activities

Prior to the start of any excavation activities, construction health and safety perimeters will be established around the project work areas (i.e. exclusion zone) to prevent unauthorized personnel from entering. The perimeters will be established through the use of temporary barriers, fencing and/or signage to prevent access to the area during excavation and backfilling activities.

The established perimeter will encompass an area large enough to provide a safe construction buffer and for excavation equipment to operate freely to perform the excavation as well as the staging of the excavated soils. The exclusion zone will also provide an area of protection around open excavations and have signage to prevent trespassers from entering the established exclusion zone. The exclusion zone will remain in place until backfilling of the excavation has been completed.



Prior to excavation activities, the locations of subsurface utilities will be identified by non-intrusive subsurface scans using a combination of geophysical methods to assist in identifying subsurface details.

Prior to and/or during excavation activities, temporary construction erosion and sedimentation control measures (i.e., silt fences, erosion eels) will be installed as needed, adjusted during the course of the work, and removed when the area is stabilized. It should be noted that the proposed work will not require a New York State Pollutant Discharge Elimination System (NYSPDES) General Permit for Stormwater Discharges since less than one acre of soil disturbance is proposed.

4.3.2 Excavation Activities

Soil removal will generally be accomplished through the use of conventional earth moving equipment such as an excavator, backhoe, front-end loader, skid steer loader and/or other construction equipment. It is anticipated that smaller equipment (i.e., small to mid-size excavator and a skid steer loader) will be used for the excavation activities given the shallow excavation depth and location of the excavation relative to existing property structures and roadways. Excavation activities will be performed in a continuous manner to limit the exposed earthen areas and minimize the effect on soil erosion. Shovels, rakes and other hand tools will be used as needed for precise removal of material around existing property structures, foundations and utilities.

Staging of excavated soils will be conducted in a controlled manner such as (1) on a prepared pad lined with plastic sheeting (i.e., visqueen), bermed and tarped to provide containment and protection from precipitation, or (2) in roll-off containers. As described in the Community Air Monitoring Plan (CAMP) and subsection 4.4.1, additional actions will be undertaken as needed during hauling and excavation activities to manage dust generation. Wherever possible, excavated soil will be directly loaded onto trucks or into roll off containers for hauling to an appropriate landfill or staging area. Additional information about the handling of excavated soils is described in subsection 4.4. Where possible, care will be taken to allow traffic to pass around the staging and excavation areas and the District will be notified of planned excavation activities at least 48 hours prior to the start of activities. To the extent practicable, hauling will be limited to off-peak school hours (i.e., traffic will be minimized during peak student arrival and departure times).



Erosion and sediment control measures will be implemented as needed and inspected weekly and after each major storm event during excavation activities. Maintenance and repair of the sediment and erosion control measures will be performed on an as needed basis. Excavation activities will be performed in a manner such that erosion is adequately controlled and soil and sediments are not allowed to flow into or onto any watercourse, adjacent properties, roadways, parking areas, walkways or storm and sanitary sewers. In most of the areas, excavation will be conducted in a below grade manner which will minimize uncontrolled run-off. Soil staging/stockpiling areas will be bermed and covered/tarped. Water that collects in an excavation area will be allowed to infiltrate to the maximum extent practical. Excavation will proceed in a manner to minimize water management; however, excess water may have to be removed by pumping prior to backfill.

The demarcation layer, which will be the same, or equivalent to, the demarcation layer used by the District during the Construction Project, will be placed at the base of excavation between the subsurface existing soil and the imported backfill material. The excavated areas will then be initially backfilled with structural fill, covered with a minimum of 6 inches of vegetative support soil (i.e., top soil, amended soil), and graded to the natural surrounding topographic contours or pre-determined elevations. Following placement of the vegetative support soil, sod will be installed at the ground surface or, in the event sod is not available due to time of year, a natural seed blanket will be installed and covered with a protective stabilization blanket composed of biodegradable materials. If a sidewalk or impervious surface is replaced, the topsoil layer and revegetation would not be needed.

The order of excavation activities on the Property will be determined based on a variety of factors, typically including: weather, traffic, ongoing activities at the Property and communication with the District. Backfilling will occur after excavation areas are completed to minimize the time that excavations remain open. To prevent cross contamination, separate backfilling equipment will typically be used or equipment will be decontaminated prior to being utilized to move imported backfill material. Equipment decontamination will be conducted in accordance with Standard Operating Procedures included in Appendix D to the Study Area Work Plan (Weston, 2014a).

Prior to importing backfill material, analytical samples will be collected at the source to ensure the material meets the requirements for soil to be imported under DER-10 Section 5.4(e). These



samples will be collected and analyzed in accordance with QAPP. Analytical results for soil samples will be submitted to NYSDEC for approval prior to use during the IRM activities.

Confirmation sampling will not be collected in a horizontal direction during the execution of the IRM activities because the lateral extent of excavation is bound by either impervious surface, by sampling locations where soil concentrations are below NYSDEC restricted residential SCOs, or by Property boundary. Confirmation sampling will not be collected in a vertical direction because soils will be excavated to a depth of one foot within the defined limits of excavation and the purpose of the IRM is to provide 1 foot cover.

4.4 WASTE HANDLING

Excavated soil generated during removal activities will be direct loaded for disposal or loaded into roll-off containers and moved to a NYSDEC-approved Study Area staging area for disposal profiling and subsequent disposal. In lieu of moving soil to a staging area, soil alternately can be directly loaded onto haul trucks for disposal in accordance with applicable NYSDEC waste regulations. For disposal profiling of the removed material, including decontamination water and/or solids, samples of the various excavated media will be collected and analyzed in accordance with the QAPP conducted in the Study Area Work Plan. Sampling for disposal profiling can include collection of *in situ* composite samples prior to excavation activities, to facilitate landfill pre-acceptance of material that is excavated and direct loaded for disposal. Excavated materials will then be disposed in accordance with all applicable federal and state laws. If any material, including decontamination water, excavated soil and/or other solids are found to be characteristically hazardous based on disposal profiling sampling, a Study Area-specific USEPA Identification Number will be used for disposal documentation in accordance with all applicable federal and state laws.

Reasonable care will be taken by the equipment operator in handling and loading of excavated soils to minimize spillage and tracking. In the event of spillage or tracking of soils, traffic areas will be cleaned using hand shovels, brooms, a skid steer loader or an industrial street sweeper.



4.4.1 Staging and Loading

Prior to any staging and loading activities, an exclusion zone will be established around the excavation areas. To the extent practical, the exclusion zone will be set up in a manner to allow haul trucks to remain outside of the exclusion zone where they can be loaded by equipment located inside the exclusion zone. This will minimize the need for decontamination and potential for tracking soil out of the exclusion zone.

Staging and loading activities will be conducted on existing asphalt roadways/driveways to the extent practical. Transportation vehicles will not be permitted to be staged on the grass at the Property. If soils are directly loaded, all trucks will be operated by a licensed hauling company. A route of access will be determined for all truck vehicles going to or from the Property and WESTON will inspect all vehicles prior to leaving the property to assure the load is secured to prevent spillage, leakage or airborne movement during transit. Staging of excavated soils at the NYSDEC-approved Study Area staging area will occur on an as needed basis.

Any construction water or accumulated precipitation collecting in the excavation will be allowed to infiltrate. Excavation will proceed in a manner to minimize water collecting in the excavation, however excess water may have to be removed by pumping prior to backfill.

In the event of excessive dry conditions that could create dust, the spread of dust and dirt will be limited by the use of water mist or other suitable methods. Air monitoring will be performed by WESTON to ensure excessive migration of dust particles does not occur during the excavation activities. Ambient air concentrations greater than the action level will result in actions being taken to control fugitive emissions (see the CAMP).

4.5 SURVEY ACTIVITIES

The final limits of the excavations will be surveyed by a New York State licensed professional surveyor prior to backfilling. The professional surveyor will produce and stamp a set of "as-built" drawings to document the limits of removal.



4.6 INSPECTIONS

Following backfilling and restoration, WESTON will perform monthly inspections of the areas where the IRM excavation activities were performed under this IRM Work Plan to (1) initially ensure the stability of the area and reestablishment of vegetation in backfilled areas and to (2) confirm that no visual indicators of soil disturbance at depth occurred. These monthly inspections will be conducted until a final remedy is implemented for the Property, unless otherwise approved by the NYSDEC.



5. PROJECT MANAGEMENT

The proposed activities will be performed by WESTON on behalf of Corning Incorporated. It is anticipated that this work, consistent with the activities performed to date in the Study Area, will be performed under the oversight of an NYSDEC field representative.

5.1 SCHEDULE

The activities described in this IRM Work Plan are scheduled to be performed following the NYSDEC approval of this IRM Work Plan and upon receipt of consent to access from the property owner. The anticipated project schedule is provided as Figure 5-1.

5.2 DOCUMENTATION

5.2.1 Field Logs

Essential project information pertinent to field activities will be recorded in bound field logbooks and/or field hauling inspection sheets (if applicable). Information pertinent to field activities may include the following: active excavation area, daily excavation and backfill volumes, inspection reports, equipment decontamination, placement of demarcation barrier, waste profiling, project manifests, etc.

5.2.2 Photo Log

A project photo log will be prepared and maintained throughout the IRM activities to provide photo documentation of field activities.

5.2.3 Field Measurements

The limits of excavation will be measured and documented as the work progresses primarily using GPS survey controls. Final depths of excavation will be measured prior to backfilling in addition to the location of buried utilities or other structures encountered in the excavation area. After backfilling final elevations will be measured prior to placing sod or seeding.



5.2.4 Field Reports

NYSDEC and NYSDOH will be provided updates in the weekly progress reports, including select supporting photographs. All air monitoring data will be recorded in the site field logbook, in designated field sheets, or digitally, and the results of the air monitoring will be communicated to the NYSDEC and NYSDOH on a scheduled basis (i.e. daily for levels which require actions, weekly for routine monitoring data).

5.2.5 Reporting

Following implementation of IRM activities, a Construction Completion Report documenting the work performed will be prepared and submitted to NYSDEC in accordance with DER-10 subdivision 5.8(b)-(d).

The aforementioned report will typically contain the following information:

- Summary description of the removal action as implemented pursuant to the IRM Work Plan
- Quantity of material removed and disposal facility
- Source of backfill and analytical test results
- A set of "as-built" survey drawings documenting the limits of removal (i.e., depth and extent) and final elevations after backfilling
- Description of institutional controls (if applicable)
- Documentation of any changes to the IRM Work Plan activities

5.3 HEALTH AND SAFETY PLAN

The health and safety of field workers, visitors, and the community are of utmost importance. For the field work, it is planned that workers will be in Level D personal protection (i.e., coveralls or work clothes, work boots, safety glasses, and hard hats). All field activities will be conducted in accordance with the Study Area Health and Safety Plan (HASP) and CAMP contained in Appendices B and C. An exclusion zone will be established around the work area in accordance with the HASP. To the extent possible, haul trucks will operate outside of the exclusion zone to



minimize the need for decontamination and potential for tracking soils. As excavation areas are completed the exclusion zone will be adjusted accordingly.

5.4 TEMPORARY FIELD OFFICE


The excavation activities will involve mobilization of personnel and equipment. The temporary field office and equipment staging area, approved by NYSDEC for the ongoing Study Area work, will be utilized. This temporary field office area is surrounded by temporary fencing for security. The office area and access gate are closed and locked when not in use and consist of an office trailer and staging area for field equipment.



SECTION 5

FIGURE

CPP_IRM_WP_11-10-2016.docx November 10, 2016



Notes:

¹Subject to approval by NYSDEC

² Predicated upon obtaining written access consent from the property owner

Figure 5-1
Corning-Painted Post School District Property IRM Schedule
Study Area, Corning, NY





6. REFERENCES

FEMA, 2002. Federal Emergency Management Agency. 2002. Firm Flood Insurance Rate Map, City of Corning, New York.

Miller, 1982. Miller, T.S., Belli, J.L., Allen, R.V. Geohydrology of the valley-fill aquifer in the Corning area, Steuben County, New York, 1982.

Olcot, 1995. Olcot, Perry G., USGS. Groundwater Atlas of the United States. Connecticut, Maine, Massachusetts, New Hampshire, New York, Rhode Island, Vermont, 1995.

USGS, 2014. USGS National Water Information System. Station Number 01529950 Chemung River at Corning, New York. http://nwis.waterdata.usgs.gov/nwis/uv?site_no=01529950 accessed 3/7/2014.

WESTON, 2014a. Study Area Characterization Work Plan, June 2014. Prepared by Weston Solutions, Inc. for Corning Incorporated.

WESTON, 2014b. Groundwater Wells, October 24, 2014. Prepared by Weston Solutions, Inc. for Corning Incorporated.

WESTON, 2015, Study Area Characterization Work Plan Addendum Number 3, 20 March 2015. Prepared by Weston Solutions, Inc. for Corning Incorporated.



APPENDIX A

CHARACTERIZATION SAMPLING RESULTS



			-	-	-		-			
Location ID			CPPSB001	CPPSB001	CPPSB002	CPPSB002	CPPSB003	CPPSB003	CPPSB004	CPPSB004
Sample ID			CPPSB001-0-000	CPPSB001-0-020	CPPSB002-0-000	CPPSB002-0-020	CPPSB003-0-035	CPPSB003-0-150	CPPSB004-0-000	CPPSB004-0-060
Date			7/30/2014	7/30/2014	7/30/2014	7/30/2014	8/6/2014	8/6/2014	7/30/2014	7/30/2014
Sample Depth	Restricted		0 - 2 feet	2 - 7 feet	0 - 2 feet	2 - 7 feet	3.5 - 6 feet	15 - 15 feet	0 - 2 feet	6 - 8 feet
Sample Type	Residential	TCLP	0 - Primary							
Matrix	Screening	Regulatory	SB							
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-64768-5	480-64768-6	480-64768-12	480-64768-13	480-65111-3	480-65111-2	480-64768-10	480-64768-11
Toxicity Characteristic Leaching Procedure (TCLP) Metals, mg/L										
Arsenic, TCLP	~	5	~	~	~	~	~	~	~	~
Barium, TCLP	~	100	~	~	~	~	~	~	~	~
Cadmium, TCLP	~	1	~	~	~	~	~	~	~	~
Chromium, TCLP	~	5	~	~	~	~	~	~	~	~
Lead, TCLP	~	5	~	~	~	~	~	~	~	~
Mercury, TCLP	~	0.2	~	~	~	~	~	~	~	~
Selenium, TCLP	~	1	~	~	~	~	~	~	~	~
Silver, TCLP	~	5	~	~	~	~	~	~	~	~
Total Metals, mg/Kg										
Aluminum, Total	~	~	~	~	~	~	~	~	~	~
Antimony, Total	~	~	~	~	~	~	~	~	~	~
Arsenic, Total	16	~	8.3	4.6	7.3	6.6	6.6	~	7.4	8.1
Barium, Total	400	~	~	~	~	~	~	~	~	~
Beryllium, Total	72	~	~	~	~	~	~	~	~	~
Boron, Total	~	~	~	~	~	~	~	~	~	~
Cadmium, Total	4.3	~	0.29	0.21 U	0.36	0.26	0.066 J	~	0.17 J	0.32
Calcium, Total	~	~	~	~	~	~	~	~	~	~
Chromium, Total	180	~	~	~	~	~	~	~	~	~
Cobalt, Total	~	~	~	~	~	~	~	~	~	~
Copper, Total	270	~	~	~	~	~	~	~	~	~
Iron, Total	~	~	~	~	~	~	~	~	~	~
Lead, Total	400	~	41	8.2	49	35	24	~	10	33
Magnesium, Total	~	~	~	~	~	~	~	~	~	~
Manganese, Total	2000	~	~	~	~	~	~	~	~	~
Mercury, Total	0.81	~	~	~	~	~	~	~	~	~
Nickel, Total	310	~	~	~	~	~	~	~	~	~
Potassium, Total	~	~	~	~	~	~	~	~	~	~
Selenium, Total	180	~	~	~	~	~	~	~	~	~
Silver, Total	180	~	~	~	~	~	~	~	~	~
Sodium, Total	~	~	~	~	~	~	~	~	~	~
Thallium, Total	~	~	~	~	~	~	~	~	~	~
Vanadium, Total Zinc, Total	10000	~	~	~	~ ~	~	~	~	~	~
Volatile Organic Compounds (VOCs), ug/Kg	10000	~	~	~	~	~	~	~	~	~
1,1,1-Trichloroethane	100000	~	~	~	~	~	~	0.29 U	~	~
1,1,2,2-Tetrachloroethane	~	~	~	~	~	~	~	0.29 U	~	~
1,1,2-Trichloro-1,2,2-trifluoroethane	~	~	~	~	~	~	~	0.92 U	~	~
1,1,2-Trichloroethane	~	~	~	~	~	~	~	0.53 U	~	~
1,1-Dichloroethane	26000	~	~	~	~	~	~	0.49 U	~	~
1,1-Dichloroethene	100000	~	~	~	~	~	~	0.50 U	~	~
1,2,4-Trichlorobenzene, VOC	~	~	~	~	~	~	~	0.25 U	~	~
1,2-Dibromo-3-chloropropane	~	~	~	~	~	~	~	2.0 U	~	~
1,2-Dibromoethane	~	~	~	~	~	~	~	0.52 U	~	~
1,2-Dichlorobenzene, VOC	~	~	~	~	~	~	~	0.32 U	~	~
1,2-Dichloroethane	3100	~	~	~	~	~	~	0.20 U	~	~
1,2-Dichloropropane	~	~	~	~	~	~	~	2.0 U	~	~
1,3-Dichlorobenzene, VOC	~	~	~	~	~	~	~	0.21 U	~	~
1,4-Dichlorobenzene, VOC	~	~	~	~	~	~	~	0.57 U	~	~
2-Butanone	~	~	~	~	~	~	~	1.5 U	~	~
2 Butanono		i				<u> </u>		0	I .	l



·										
Location ID			CPPSB001	CPPSB001	CPPSB002	CPPSB002	CPPSB003	CPPSB003	CPPSB004	CPPSB004
Sample ID			CPPSB001-0-000	CPPSB001-0-020	CPPSB002-0-000	CPPSB002-0-020	CPPSB003-0-035	CPPSB003-0-150	CPPSB004-0-000	CPPSB004-0-060
Date			7/30/2014	7/30/2014	7/30/2014	7/30/2014	8/6/2014	8/6/2014	7/30/2014	7/30/2014
Sample Depth	Restricted		0 - 2 feet	2 - 7 feet	0 - 2 feet	2 - 7 feet	3.5 - 6 feet	15 - 15 feet	0 - 2 feet	6 - 8 feet
Sample Type	Residential	TCLP	0 - Primary							
Matrix	Screening	Regulatory	SB							
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-64768-5	480-64768-6	480-64768-12	480-64768-13	480-65111-3	480-65111-2	480-64768-10	480-64768-11
Volatile Organic Compounds (VOCs), ug/Kg (continued)										
2-Hexanone	~	~	~	~	~	~	~	2.0 U	~	~
4-Methyl-2-pentanone	~	~	~	~	~	~	~	1.3 U	~	~
Acetone	100000	~	~	~	~	~	~	38	~	~
Benzene	4800	~	~	~	~	~	~	0.58 J	~	~
Bromodichloromethane	~	~	~	~	~	~	~	0.54 U	~	~
Bromoform	~	~	~	~	~	~	~	2.0 U	~	~
Bromomethane	~	~	~	~	~	~	~	0.36 U	~	~
Carbon disulfide	~	~	~	~	~	~	~	2.0 UJ	~	~
Carbon tetrachloride	2400	~	~	~	~	~	~	0.39 U	~	~
Chlorobenzene	100000	~	~	~	~	~	~	0.53 U	~	~
Chloroethane	~	~	~	~	~	~	~	0.92 U	~	~
Chloroform	49000	~	~	~	~	~	~	0.25 U	~	~
Chloromethane	~	~	~	~	~	~	~	0.24 U	~	~
cis-1,2-Dichloroethene	100000	~	~	~	~	~	~	0.52 U	~	~
cis-1,3-Dichloropropene	~	~	~	~	~	~	~	0.58 U	~	~
Cyclohexane	~	~	~	~	~	~	~	1.1 J	~	~
Cyclohexane, Methyl-	~	~	~	~	~	~	~	1.9 J	~	~
Dibromochloromethane	~	~	~	~	~	~	~	0.52 U	~	~
Dichlorodifluoromethane	~	~	~	~	~	~	~	0.33 U	~	~
Ethylbenzene	41000	~	~	~	~	~	~	0.28 U	~	~
Isopropylbenzene	~	~	~	~	~	~	~	0.61 U	~	~
Methyl acetate	~	~	~	~	~	~	~	0.75 U	~	~
Methyl tert-butyl ether	100000	~	~	~	~	~	~	0.40 U	~	~
Methylene chloride	100000	~	~	~	~	~	~	1.9 U	~	~
Styrene	~	~	~	~	~	~	~	0.20 U	~	~
Tetrachloroethene	19000	~	~	~	~	~	~	0.54 U	~	~
Toluene	100000	~	~	~	~	~	~	1.5 J	~	~
trans-1,2-Dichloroethene	100000	~	~	~	~	~	~	0.42 U	~	~
trans-1,3-Dichloropropene	~	~	~	~	~	~	~	1.8 U	~	~
Trichloroethene	21000	~	~	~	~	~	~	0.89 U	~	~
Trichlorofluoromethane	~	~	~	~	~	~	~	0.38 U	~	~
Vinylchloride	~	~	~	~	~	~	~	0.49 U	~	~
Xylenes, Total	100000	~	~	~	~	~	~	1.5 J	~	~
Semi-Volatile Organic Compounds (SVOCs), ug/Kg										
2,4,5-Trichlorophenol	~	~	~	~	~	~	~	~	~	~
2,4,6-Trichlorophenol	~	~	~	~	~	~	~	~	~	~
2,4-Dichlorophenol	~	~	~	~	~	~	~	~	~	~
2,4-Dimethylphenol	~	~	~	~	~	~	~	~	~	~
2,4-Dinitrophenol	~	~	~	~	~	~	~	~	~	~
2,4-Dinitrotoluene	~	~	~	~	~	~	~	~	~	~
2,6-Dinitrotoluene	~	~	~	~	~	~	~	~	~	~
2-Chloronaphthalene	~	~	~	~	~	~	~	~	~	~
2-Chlorophenol	~	~	~	~	~	~	~	~	~	~
2-Methylnaphthalene	~	~	~	~	~	~	~	~	~	~
2-Methylphenol	100000	~	~	~	~	~	~	~	~	~
2-Nitroaniline	~	~	~	~	~	~	~	~	~	~
2-Nitrophenol	~	~	~	~	~	~	~	~	~	~
3,3'-Dichlorobenzidine	~	~	~	~	~	~	~	~	~	~
3-Nitroaniline	~	~	~	~	~	~	~	~	~	~
					•	•				•



		T								
Location ID			CPPSB001	CPPSB001	CPPSB002	CPPSB002	CPPSB003	CPPSB003	CPPSB004	CPPSB004
Sample ID			CPPSB001-0-000	CPPSB001-0-020	CPPSB002-0-000	CPPSB002-0-020	CPPSB003-0-035	CPPSB003-0-150	CPPSB004-0-000	CPPSB004-0-060
Date			7/30/2014	7/30/2014	7/30/2014	7/30/2014	8/6/2014	8/6/2014	7/30/2014	7/30/2014
Sample Depth	Restricted		0 - 2 feet	2 - 7 feet	0 - 2 feet	2 - 7 feet	3.5 - 6 feet	15 - 15 feet	0 - 2 feet	6 - 8 feet
Sample Type	Residential	TCLP	0 - Primary							
Matrix	Screening	Regulatory	SB							
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-64768-5	480-64768-6	480-64768-12	480-64768-13	480-65111-3	480-65111-2	480-64768-10	480-64768-11
Semi-Volatile Organic Compounds (SVOCs), ug/Kg (continued)	LCVCIS	ECTUS	400 041 00 0	400 041 00 0	400 04700 12	400 041 00 10	400 00111 0	400 00111 2	400 047 00 10	400 04100 11
4,6-Dinitro-2-methylphenol	~	~	~	~	~	~	~	~	~	~
4-Bromophenyl-phenylether	~	~	~	~	~	~	~	~	~	~
4-Chloro-3-methylphenol	~	~	~	~	~	~	~	~	~	~
4-Chloroaniline	~	~	~	~	~	~	~	~	~	~
4-Chlorophenyl-phenylether	~	~	~	~	~	~	~	~	~	~
4-Methylphenol	100000	~	~	~	~	~	~	~	~	~
4-Nitroaniline	~	~	~	~	~	~	~	~	~	~
4-Nitrophenol, SVOC	~	~	~	~	~	~	~	~	~	~
Acenaphthene	100000	~	~	~	~	~	~	~	~	~
Acenaphthylene	100000	~	~	~	~	~	~	~	~	~
Acetophenone	~	~	~	~	~	~	~	~	~	~
	100000	~	~	~	~	~	~	~	~	~
Anthracene	~		~	~	~ ~		~ ~	~	~	~ ~
Atrazine	1000	~ ~	~	~	~ ~	~	~	~ ~	~	~
Benz(a)anthracene					~	_ ~				
Benzaldehyde	1000	~	~	~	~	~	~	~	~	~
Benzo(a)pyrene		~								
Benzo(b)fluoranthene	1000	~	~	~	~	~	~	~	~	~
Benzo(g,h,i)perylene	100000	~	~	~	~	~	~	~	~	~
Benzo(k)fluoranthene	3900	~	~	~	~	~	~	~	~	~
Biphenyl	~	~	~	~	~	~	~	~	~	~
bis (2-chloroisopropyl) ether	~	~	~	~	~	~	~	~	~	~
bis(2-Chloroethoxy)methane	~	~	~	~	~	~	~	~	~	~
bis(2-Chloroethyl)ether	~	~	~	~	~	~	~	~	~	~
bis(2-Ethylhexyl)phthalate	~	~	~	~	~	~	~	~	~	~
Butyl benzyl phthalate	~	~	~	~	~	~	~	~	~	~
Caprolactam	~	~	~	~	~	~	~	~	~	~
Carbazole	~	~	~	~	~	~	~	~	~	~
Chrysene	3900	~	~	~	~	~	~	~	~	~
Dibenz(a,h)anthracene	330	~	~	~	~	~	~	~	~	~
Dibenzofuran	59000	~	~	~	~	~	~	~	~	~
Diethylphthalate	~	~	~	~	~	~	~	~	~	~
Dimethyl phthalate	~	~	~	~	~	~	~	~	~	~
Di-N-Butyl phthalate	~	~	~	~	~	~	~	~	~	~
Di-N-Octyl phthalate	~	~	~	~	~	~	~	~	~	~
Fluoranthene	100000	~	~	~	~	~	~	~	~	~
Fluorene	100000	~	~	~	~	~	~	~	~	~
Hexachlorobenzene	1200	~	~	~	~	~	~	~	~	~
Hexachlorobutadiene, SVOC	~	~	~	~	~	~	~	~	~	~
Hexachlorocyclopentadiene	~	~	~	~	~	~	~	~	~	~
Hexachloroethane	~	~	~	~	~	~	~	~	~	~
Indeno(1,2,3-cd)pyrene	500	~	~	~	~	~	~	~	~	~
Isophorone	~	~	~	~	~	~	~	~	~	~
Naphthalene, SVOC	100000	~	~	~	~	~	~	~	~	~
Nitrobenzene	15000	~	~	~	~	~	~	~	~	~
N-Nitroso-di-N-propylamine	~	~	~	~	~	~	~	~	~	~
N-Nitrosodiphenylamine	~	~	~	~	~	~	~	~	~	~
Pentachlorophenol, SVOC	6700	~	~	~	~	~	~	~	~	~
Phenanthrene	100000	~	~	~	~	~	~	~	~	~
Phenol	100000	~	~	~	~	~	~	~	~	~
Pyrene	100000	~	~	~	~	~	~	~	~	~
						L	i .		1	



Location ID			CPPSB001	CPPSB001	CPPSB002	CPPSB002	CPPSB003	CPPSB003	CPPSB004	CPPSB004
Sample ID			CPPSB001-0-000	CPPSB001-0-020	CPPSB002-0-000	CPPSB002-0-020	CPPSB003-0-035	CPPSB003-0-150	CPPSB004-0-000	CPPSB004-0-060
Date			7/30/2014	7/30/2014	7/30/2014	7/30/2014	8/6/2014	8/6/2014	7/30/2014	7/30/2014
Sample Depth	Restricted		0 - 2 feet	2 - 7 feet	0 - 2 feet	2 - 7 feet	3.5 - 6 feet	15 - 15 feet	0 - 2 feet	6 - 8 feet
Sample Type	Residential	TCLP	0 - Primary							
Matrix	Screening	Regulatory	SB							
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-64768-5	480-64768-6	480-64768-12	480-64768-13	480-65111-3	480-65111-2	480-64768-10	480-64768-11
Polychlorinated Biphenyls (PBCs), mg/Kg										
Aroclor-1016	~	~	~	~	~	~	~	~	~	~
Aroclor-1221	~	~	~	~	~	~	~	~	~	~
Aroclor-1232	~	~	~	~	~	~	~	~	~	~
Aroclor-1242	~	~	~	~	~	~	2	2	~	~
Aroclor-1248	~	~	~	~	~	~	~	~	~	~
Aroclor-1254	~	~	~	~	~	~	~	2	~	~
Aroclor-1260	~	~	~	~	~	~	~	~	~	~
Aroclor-1262	~	~	~	~	~	~	~	~	~	~
Aroclor-1268	~	~	~	~	~	~	~	~	~	~
Total Petroleum Hydrocarbons, mg/Kg										
TPH	~	~	~	~	~	~	~	~	~	~

Notes:

mg/Kg = milligram per kilogram.

mg/L = milligram per liter.

ug/Kg = microgram per kilogram.

- U = The analyte was analyzed for but was not detected above the level of the detection quantitation limit.
- UJ = The analyte was analyzed for but not detected. The quantitation limit is approximate and may be inaccurate or imprecise.
- $\label{eq:Jacobian} J = \mbox{The positive result reported is estimated either because the result is less than the LOQ or because certain quality control criteria were not met.}$
- J- = The result is an estimated quantity, but the result may be biased low because certain quality control criteria were not met.
- J+ = The result is an estimated quantity, but the result may be biased high because certain quality control criteria were not met.
- SB = Soil boring.
- SS = Surface soil.
- (1) New York State Department of Environmental Conservation (NSYDEC) Subpart 375-6 Remedial Program Soil Cleanup Objectives (SCOs).
- (2) Federal Code of Regulations, Section 261.24 Toxicity characteristic. Context: Title 40 Protection of Environment. CHAPTER I ENVIRONMENTAL PROTECTION AGENCY (CONTINUED). SUBCHAPTER I SOLID WASTES (CONTINUED). PART 261 -
- IDENTIFICATION AND LISTING OF HAZARDOUS WASTE. Subpart C Characteristics of Hazardous Waste (2012-07-01).
- ~ = Analysis not performed or No standard or guidance value listed for this constituent.



							_				
Location ID			CPPSB00		CPPSB005	CPPSB005	CPPSB005	CPPSB006	CPPSB006	CPPSB007	CPPSB007
Sample ID			CPPSB005-0	-000	CPPSB005-0-020	CPPSB005-0-067	CPPSB005-0-070	CPPSB006-0-035	CPPSB006-0-045	CPPSB007-0-055	CPPSB007-0-115
Date			7/30/2014	1	7/30/2014	8/12/2014	7/30/2014	8/7/2014	8/7/2014	8/7/2014	8/7/2014
Sample Depth	Restricted		0 - 2 feet		2 - 7 feet	6.7 - 7.5 feet	7 - 10 feet	3.5 - 4.5 feet	4.5 - 6.5 feet	5.5 - 11.5 feet	11.5 - 13.5 feet
Sample Type	Residential	TCLP	0 - Primai	·y	0 - Primary	0 - Primary					
Matrix	Screening	Regulatory	SB		SB	SB	SB	SB	SB	SB	SB
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-64768	-7	480-64768-8	480-65370-1	480-64768-9	480-65230-20	480-65230-21	480-65230-9	480-65230-10
Toxicity Characteristic Leaching Procedure (TCLP) Metals, mg/L											
Arsenic, TCLP	~	5	0.0056	U	0.0056 U	0.0090 J	0.0056 U	~	~	0.084	0.0056 U
Barium, TCLP	~	100	0.71		0.72	1.4	0.49	~	~	0.34	0.38
Cadmium, TCLP	~	1	0.0014	J	0.0055	0.026	0.00050 U	~	~	0.43	0.00050 U
Chromium, TCLP	~	5	0.0040	U	0.028 J-	· 0.0010 U	0.0010 U	~	~	0.0091 J+	0.0040 U
Lead, TCLP	~	5	0.0030	U	0.028 J-	0.88	0.0030 U	~	~	14	0.0030 U
Mercury, TCLP	~	0.2	0.00019	J	0.00012 U	0.00012 U	0.00012 U	~	~	0.00012 U	0.00012 U
Selenium, TCLP	~	1	0.0087	U	0.0087 U	0.0087 U	0.0087 U	~	~	0.0087 U	0.0087 U
Silver, TCLP	~	5	0.0017	U	0.0017 U	0.0017 U	0.0017 U	~	~	0.0017 U	0.0017 U
Total Metals, mg/Kg											
Aluminum, Total	~	~	9100		9400	8800	8400	~	~	6700	7200
Antimony, Total	~	~	0.41	U	0.47 U	2.0 J	0.45 U	~	~	12 J	1.0 J
Arsenic, Total	16	~	7.4		8.3	13	5.2	40	7.3	46	5.1
Barium, Total	400	~	62		220	230	100	~	~	730	86
Beryllium, Total	72	~	0.43		0.43	0.38	0.46	~	~	0.51	0.41
Boron, Total	~	~	2.6		4.3	45	3.8	~	~	160	31
Cadmium, Total	4.3	~	0.031	U	0.17 J	1.3	0.034 U	11	0.25	21	0.16 J
Calcium, Total	~	~	23000		19000	10000	1900	~	~	18000	1400
Chromium, Total	180	~	12		20	11	9.5	~	~	17	8.5
Cobalt, Total	~	~	8.8		9.0	6.6	7.9	~	~	37	7.2
Copper, Total	270	~	26		32	23	9.9	~	~	46	9.5
Iron, Total	~	~	21000		21000	14000	16000	~	~	15000	16000
Lead, Total	400	~	15		47	310	12	1700	14	1800	9.0
Magnesium, Total	~	~	8400		7600	4000	2200	~	~	2600	2100
Manganese, Total	2000	~	560		890	400	460	~	~	320	420
Mercury, Total	0.81	~	~		~	~	~	~	~	~	~
Nickel, Total	310	~	23		23	15	18	~	~	31	16
Potassium, Total	~	~	960		820	810	680	~	~	820	650
Selenium, Total	180	~	0.41	U	0.47 U			~	~	8.4	0.45 U
Silver, Total	180	~	0.25	J	0.29 J			~	~	0.54 J	0.22 U
Sodium, Total	~	~	93	J	63 J			~	~	280	63 J
Thallium, Total	~	~	0.31	U	0.35 U			~	~	0.33 U	0.34 U
Vanadium, Total	~	~	14		16	13	11	~	~	14	9.4
Zinc, Total	10000	~	74		100	130	43	~	~	440	46
Volatile Organic Compounds (VOCs), ug/Kg	100000										
1,1,1-Trichloroethane	100000	~	~		~	~	~	~	~	~	~
1,1,2,2-Tetrachloroethane	~	~	~		~	~	~	~	~	~	~
1,1,2-Trichloro-1,2,2-trifluoroethane	~	~	~		~	~	~	~	~	~	~
1,1,2-Trichloroethane	26000	~	~		~	~	~	~	~	~	~
1,1-Dichloroethane		~	~		~	~	~	~	~	~	~
1,1-Dichloroethene	100000	~	~ ~		~	~	~	~	~	~	~
1,2,4-Trichlorobenzene, VOC	~	~	~ ~		~	~	~		~	~	~
1,2-Dibromo-3-chloropropane	~	~	~ ~		~	~ ~	~	~	~	~	~
1,2-Dibromoethane	~		~ ~		~ ~		~	~	~ ~	~ ~	
1,2-Dichlorobenzene, VOC	3100	~	~ ~		~ ~	~ ~	~	~	~	~	~
1,2-Dichloroethane 1,2-Dichloropropane											~
1,3-Dichlorobenzene, VOC	~	~	~ ~		~ ~	~ ~	~	~	~	~	~
1,4-Dichlorobenzene, VOC	~	~	~ ~		~ ~	~	~	~	~ ~	~	~
	~	~	~ ~		~ ~	~	~	~	~ ~	~	~ ~
2-Butanone	~	_ ~	~		~	~	~	_ ~	~	~	~



										-
Location ID			CPPSB005	CPPSB005	CPPSB005	CPPSB005	CPPSB006	CPPSB006	CPPSB007	CPPSB007
Sample ID			CPPSB005-0-000	CPPSB005-0-020	CPPSB005-0-067	CPPSB005-0-070	CPPSB006-0-035	CPPSB006-0-045	CPPSB007-0-055	CPPSB007-0-115
Date			7/30/2014	7/30/2014	8/12/2014	7/30/2014	8/7/2014	8/7/2014	8/7/2014	8/7/2014
Sample Depth	Restricted		0 - 2 feet	2 - 7 feet	6.7 - 7.5 feet	7 - 10 feet	3.5 - 4.5 feet	4.5 - 6.5 feet	5.5 - 11.5 feet	11.5 - 13.5 feet
Sample Type	Residential	TCLP	0 - Primary	0 - Primary						
Matrix	Screening	Regulatory	SB	SB						
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-64768-7	480-64768-8	480-65370-1	480-64768-9	480-65230-20	480-65230-21	480-65230-9	480-65230-10
Volatile Organic Compounds (VOCs), ug/Kg (continued)	2010.0	2010.0	100 011 00 1	100 011 00 0	100 00010 1	100 0 11 00 0	100 00200 20	100 00200 21	100 00200 0	100 00200 10
2-Hexanone	~	~	~	~	~	~	~	~	~	~
4-Methyl-2-pentanone	~	~	~	~	~	~	~	~	~	~
Acetone	100000	~	~	~	~	~	~	~	~	~
Benzene	4800	~	~	~	~	~	~	~	~	~
Bromodichloromethane	~	~	~	~	~	~	~	~	~	~
Bromoform	~	~	~	~	~	~	~	~	~	~
Bromomethane	~	~	~	~	~	~	~	~	~	~
Carbon disulfide	~	~	~	~	~	~	~	~	~	~
Carbon tetrachloride	2400	~	~	~	~	~	~	~	~	~
Chlorobenzene	100000	~	~	~	~	~	~	~	~	~
Chloroethane	~	~	~	~	~	~	~	~	~	~
Chloroform	49000	~	~	~	~	~	~	~	~	~
Chloromethane	~	~	~	~	~	~	~	~	~	~
cis-1,2-Dichloroethene	100000	~	~	~	~	~	~	~	~	~
cis-1,3-Dichloropropene	~	~	~	~	~	~	~	~	~	~
Cyclohexane	~	~	~	~	~	~	~	~	~	~
Cyclohexane, Methyl-	~	~	~	~	~	~	~	~	~	~
Dibromochloromethane	~	~	~	~	~	~	~	~	~	~
Dichlorodifluoromethane Dichlorodifluoromethane	~	~	~	~	~	~	~	~	~	~
Ethylbenzene Ethylbenzene	41000	~	~	~	~	~	~	~	~	~
Isopropylbenzene	~	~	~	~	~	~	~	~	~	~
Methyl acetate	~	~	~	~	~	~	~	~	~	~
Methyl tert-butyl ether	100000	~	~	~	~	~	~	~	~	~
Methylene chloride	100000	~	~	~	~	~	~	~	~	~
Styrene	~	~	~	~	~	~	~	~	~	~
Tetrachloroethene	19000	~	~	~	~	~	~	~	~	~
Toluene	100000	~	~	~	~	~	~	~	~	~
trans-1,2-Dichloroethene	100000	~	~	~	~	~	~	~	~	~
trans-1,3-Dichloropropene	~	~	~	~	~	~	~	~	~	~
Trichloroethene	21000	~	~	~	~	~	~	~	~	~
Trichlorofluoromethane	~	~	~	~	~	~	~	~	~	~
Vinylchloride	~	~	~	~	~	~	~	~	~	~
Xylenes, Total	100000	~	~	~	~	~	~	~	~	~
Semi-Volatile Organic Compounds (SVOCs), ug/Kg										
2,4,5-Trichlorophenol	~	~	39 U	40 U	43 U	44 U	~	~	43 U	43 U
2,4,6-Trichlorophenol	~	~	12 U	12 U	13 U		~	~	13 U	13 U
2,4-Dichlorophenol	~	~	9.3 U	9.6 U	10 U	11 U	~	~	10 U	10 U
2,4-Dimethylphenol	~	~	48 U	50 U	53 U		~	~	53 U	53 U
2,4-Dinitrophenol	~	~	62 U	64 U	68 UJ	71 U	~	~	68 U	69 U
2,4-Dinitrotoluene	~	~	28 U	28 U	30 U			~	30 U	30 U
2,6-Dinitrotoluene	~	~	44 U	45 U	48 U	50 U	~	~	48 U	48 U
2-Chloronaphthalene	~	~	12 U	12 U	13 U		~	~	13 U	13 U
2-Chlorophenol	~	~	9.1 U	9.3 U	9.9 U		~	~	10 U	10 U
2-Methylnaphthalene	~	~	2.2 U	93 J	43 J		~	~	49 J	2.4 U
2-Methylphenol	100000	~	5.5 U	8.7 J	6.0 U	6.2 U	~	~	6.0 U	6.0 U
2-Nitroaniline	~	~	57 U	59 U	63 U	65 U	~	~	63 U	63 U
2-Nitrophenol	~	~	8.2 U	8.4 U	8.9 U	9.3 U	~	~	8.9 U	9.0 U
3,3'-Dichlorobenzidine	~	~	160 U	160 U	170 U	180 U	~	~	170 U	170 U
3-Nitroaniline	~	~	41 U	42 U	45 U	47 U	~	~	45 U	45 U
ט־ואונוטמוווווווּכ	~		41 0	72 0	40 0	47 0	~	~	1 40 0	45 0



, ,, , , , , , , , , , , , , , , , , ,			0000000		0000000	0000000	1		0000000		0000000	0000000
Location ID			CPPSB005		CPPSB005	CPPSB005		CPPSB005	CPPSB006	CPPSB006	CPPSB007	CPPSB007
Sample ID			CPPSB005-0-00	00	CPPSB005-0-020	CPPSB005-0-0	167	CPPSB005-0-070	CPPSB006-0-035	CPPSB006-0-045	CPPSB007-0-055	CPPSB007-0-115
Date			7/30/2014		7/30/2014	8/12/2014		7/30/2014	8/7/2014	8/7/2014	8/7/2014	8/7/2014
Sample Depth	Restricted		0 - 2 feet		2 - 7 feet	6.7 - 7.5 feet	İ	7 - 10 feet	3.5 - 4.5 feet	4.5 - 6.5 feet	5.5 - 11.5 feet	11.5 - 13.5 feet
Sample Type	Residential	TCLP	0 - Primary		0 - Primary	0 - Primary		0 - Primary	0 - Primary	0 - Primary	0 - Primary	0 - Primary
Matrix	Screening	Regulatory	SB		SB	SB		SB	SB	SB	SB	SB
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-64768-7		480-64768-8	480-65370-1		480-64768-9	480-65230-20	480-65230-21	480-65230-9	480-65230-10
Semi-Volatile Organic Compounds (SVOCs), ug/Kg (continued)												
4,6-Dinitro-2-methylphenol	~	~	62	U	63 U	67	U	70 U	~	~	68 U	68 U
4-Bromophenyl-phenylether	~	~	57	U	58 U	62	U	64 U	~	~	62 U	63 U
4-Chloro-3-methylphenol	~	~	7.3	U	7.5 U	8.0	U	8.3 U	~	~	8.0 U	8.1 U
4-Chloroaniline	~	~	52	U	54 U	57	U	59 U	~	~	57 U	58 U
4-Chlorophenyl-phenylether	~	~	3.8	U	3.9 U	4.2	U	4.3 U	~	~	4.2 U	4.2 U
4-Methylphenol	100000	~	9.9	U	37 J	11	U	11 U	~	~	11 U	11 U
4-Nitroaniline	~	~	20	U	21 U	22	U	23 U	~	~	22 U	22 U
4-Nitrophenol, SVOC	~	~	43	U	44 U	47	U	49 U	~	~	47 U	48 U
Acenaphthene	100000	~	2.1	U	61 J	2.3	U	2.4 U	~	~	42 J	2.3 U
Acenaphthylene	100000	~	1.5	U	120 J	1.6	U	1.7 U	~	~	38 J	1.6 U
Acetophenone	~	~	9.1	U	9.4 U	10	U	10 U	~	~	10 U	10 U
Anthracene	100000	~	4.6	U	190	55	J	5.2 U	~	~	180 J	5.0 U
Atrazine	~	~	7.9	U	8.2 U	8.7	U	9.0 U	~	~	8.7 U	8.7 U
Benz(a)anthracene	1000	~	3.1	U	560	250		3.5 U	~	~	680	3.4 U
Benzaldehyde	~	~	20	С	20 U	21	U	22 U	~	~	21 U	22 U
Benzo(a)pyrene	1000	~	4.3	С	550	230		4.9 U	~	~	620	4.7 U
Benzo(b)fluoranthene	1000	~	3.5	С	690	380		3.9 U	~	~	970	3.8 U
Benzo(g,h,i)perylene	100000	~	2.1	U	450	180	J	2.4 U	~	~	320	2.4 U
Benzo(k)fluoranthene	3900	~	2.0	U	260	140	J	2.2 U	~	~	400	2.2 U
Biphenyl	~	~	11	U	28 J	12	U	13 U	~	~	20 J	12 U
bis (2-chloroisopropyl) ether	~	~	19	U	19 U	20	UJ	21 U	~	~	20 U	20 U
bis(2-Chloroethoxy)methane	~	~	9.7	С	10 U	11	U	11 U	~	~	11 U	11 U
bis(2-Chloroethyl)ether	~	~	15	U	16 U	17	U	17 U	~	~	17 U	17 U
bis(2-Ethylhexyl)phthalate	~	~	57	U	59 U	120	J	65 U	~	~	100 J	63 U
Butyl benzyl phthalate	~	~	48	U	49 U	52	U	54 U	~	~	52 U	53 U
Caprolactam	~	~	77	U	79 U	84	U	87 U	~	~	85 U	85 U
Carbazole	~	~	2.1	U	190	25	J	2.3 U	~	~	82 J	2.3 U
Chrysene	3900	~	1.8	U	680	240		2.0 U	~	~	690	2.0 U
Dibenz(a,h)anthracene	330	~	2.1	U	130 J	45	J	2.4 U	~	~	120 J	2.3 U
Dibenzofuran	59000	~	1.9	U	170 J	2.0	U	2.1 U	~	~	47 J	2.0 U
Diethylphthalate	~	~	5.4	U	5.5 U	5.9	U	6.1 U	~	~	5.9 U	5.9 U
Dimethyl phthalate	~	~	4.6	U	4.8 U	5.1	U	5.3 U	~	~	5.1 U	5.1 U
Di-N-Butyl phthalate	~	~	62	U	63 U	67	U	70 U	~	~	68 U	68 U
Di-N-Octyl phthalate	~	~	4.2	U	4.3 U	4.6	U	4.7 U	~	~	4.6 U	4.6 U
Fluoranthene	100000	~	2.6	U	1700	330		2.9 U	~	~	1400	2.9 U
Fluorene	100000	~	4.1	U	180	26	J	4.7 U	~	~	50 J	4.5 U
Hexachlorobenzene	1200	~	8.9	U	9.1 U	9.7	U	10 U	~	~	9.7 U	9.8 U
Hexachlorobutadiene, SVOC	~	~	9.1	U	9.4 U	10	U	10 U	~	~	10 U	10 U
Hexachlorocyclopentadiene	~	~	54	U	55 U	59	U	61 U	~	~	59 U	59 U
Hexachloroethane	~	~	14	U	14 U	15	U	16 U	~	~	15 U	15 U
Indeno(1,2,3-cd)pyrene	500	~	4.9	U	500	230		5.6 U	~	~	420 J	5.4 U
Isophorone	~	~	8.9	U	16 J	9.8	U	10 U	~	~	9.8 U	9.8 U
Naphthalene, SVOC	100000	~	3.0	U	200	40	J	3.4 U	~	~	54 J	3.3 U
Nitrobenzene	15000	~	7.9	U	8.1 U	8.7	U	9.0 U	~	~	8.7 U	8.7 U
N-Nitroso-di-N-propylamine	~	~	14	U	15 U	16	U	16 U	~	~	16 U	16 U
N-Nitrosodiphenylamine	~	~	9.7	U	10 U	11	U	11 U	~	~	11 U	11 U
Pentachlorophenol, SVOC	6700	~	61	U	63 U	67	U	69 U	~	~	67 U	67 U
Phenanthrene	100000	~	3.7	U	1900	220		4.2 U	~	~	700	4.1 U
Phenol	100000	~	19	U	19 U	21	U	21 U	~	~	21 U	21 U
Pyrene	100000	~	1.2	U	1300	360		1.3 U	~	~	910	1.3 U



Location ID			CPPSB005	CPPSB005	CPPSB005	CPPSB005	CPPSB006	CPPSB006	CPPSB007	CPPSB007
Sample ID			CPPSB005-0-000	CPPSB005-0-020	CPPSB005-0-067	CPPSB005-0-070	CPPSB006-0-035	CPPSB006-0-045	CPPSB007-0-055	CPPSB007-0-115
Date			7/30/2014	7/30/2014	8/12/2014	7/30/2014	8/7/2014	8/7/2014	8/7/2014	8/7/2014
Sample Depth	Restricted		0 - 2 feet	2 - 7 feet	6.7 - 7.5 feet	7 - 10 feet	3.5 - 4.5 feet	4.5 - 6.5 feet	5.5 - 11.5 feet	11.5 - 13.5 feet
Sample Type	Residential	TCLP	0 - Primary	0 - Primary						
Matrix	Screening	Regulatory	SB	SB						
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-64768-7	480-64768-8	480-65370-1	480-64768-9	480-65230-20	480-65230-21	480-65230-9	480-65230-10
Polychlorinated Biphenyls (PBCs), mg/Kg										
Aroclor-1016	~	~	0.0034 U	0.0035 U	0.0037 U	0.0039 U	~	~	0.0037 U	0.0038 U
Aroclor-1221	~	~	0.0034 U	0.0035 U	0.0037 U	0.0039 U	~	~	0.0037 U	0.0038 U
Aroclor-1232	~	~	0.0034 U	0.0035 U	0.0037 U	0.0039 U	~	~	0.0037 U	0.0038 U
Aroclor-1242	~	~	0.0034 U	0.0035 U	0.0037 U	0.0039 U	~	~	0.0037 U	0.0038 U
Aroclor-1248	~	~	0.0034 U	0.0035 U	0.0037 U	0.0039 U	~	~	0.0037 U	0.0038 U
Aroclor-1254	~	~	0.0082 U	0.066	0.0089 U	0.0093 U	~	~	0.0089 U	0.0091 U
Aroclor-1260	~	~	0.0082 U	0.0083 U	0.0097 J	0.0093 U	~	~	0.0089 U	0.0091 U
Aroclor-1262	~	~	0.0082 U	0.0083 U	0.0089 U	0.0093 U	~	~	0.036	0.0091 U
Aroclor-1268	~	~	0.0082 U	0.0083 U	0.0089 U	0.0093 U	~	~	0.0089 U	0.0091 U
Total Petroleum Hydrocarbons, mg/Kg										
TPH	~	~	140	210	520	380	~	~	280	45 U

Notes:

mg/Kg = milligram per kilogram.

mg/L = milligram per liter.

ug/Kg = microgram per kilogram.

- U = The analyte was analyzed for but was not detected above the level of the detection quantitation limit.
- UJ = The analyte was analyzed for but not detected. The quantitation limit is approximate and may be inaccurate or imprecise.
- $\label{eq:J} J = \mbox{The positive result reported is estimated either because the result is less than the LOQ or because certain quality control criteria were not met.}$
- J- = The result is an estimated quantity, but the result may be biased low because certain quality control criteria were not met.
- J+ = The result is an estimated quantity, but the result may be biased high because certain quality control criteria were not met.
- SB = Soil boring.
- SS = Surface soil.
- (1) New York State Department of Environmental Conservation (NSYDEC) Subpart 375-6 Remedial Program Soil Cleanup Objectives (SCOs).
- (2) Federal Code of Regulations, Section 261.24 Toxicity characteristic. Context: Title 40 Protection of Environment. CHAPTER I ENVIRONMENTAL PROTECTION AGENCY (CONTINUED). SUBCHAPTER I SOLID WASTES (CONTINUED). PART 261 -
- IDENTIFICATION AND LISTING OF HAZARDOUS WASTE. Subpart C Characteristics of Hazardous Waste (2012-07-01).
- $^{\sim}$ = Analysis not performed or No standard or guidance value listed for this constituent.



·										
Location ID			CPPSB008	CPPSB008	CPPSB009	CPPSB009	CPPSB009	CPPSB009	CPPSB010	CPPSB010
Sample ID			CPPSB008-0-020	CPPSB008-0-065	CPPSB009-0-060	CPPSB009-1-060	CPPSB009-3-060	CPPSB009-0-160	CPPSB010-0-025	CPPSB010-0-110
Date			8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014
Sample Depth	Restricted		2 - 6.5 feet	6.5 - 8 feet	6 - 16 feet	6 - 16 feet	6 - 16 feet	16 - 18 feet	2.5 - 11 feet	11 - 16 feet
Sample Type	Residential	TCLP	0 - Primary	0 - Primary	0 - Primary	1 - Duplicate	1 - DUP2	0 - Primary	0 - Primary	0 - Primary
Matrix	Screening	Regulatory	SB							
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-65068-7	480-65068-8	480-65068-4	480-65068-5	480-65068-20	480-65068-6	480-65068-9	480-65068-11
Toxicity Characteristic Leaching Procedure (TCLP) Metals, mg/L		_							0.44	0.0050
Arsenic, TCLP	~	5	~	~	~	~	~	~	0.11	0.0056 U
Barium, TCLP	~	100	~	~	~	~	~	~	0.62	0.41 J+
Cadmium, TCLP	~	1	~	~	~	~	~	~	0.35 0.0055	0.036
Chromium, TCLP	~	5	~	~	~	~	~	~	16	0.0010 U 0.058 J+
Lead, TCLP Mercury, TCLP	~	0.2	~	~	~	~	~	~	0.00012 J	0.058 J+ 0.00012 U
Selenium, TCLP	~	1	~	~	~	~	~ ~	~	0.00012 J	0.00012 U
Silver, TCLP	~	5	~	~	~	~	~	~	0.0007 U	0.0007 U
Total Metals, mg/Kg		Ü							0.0017	0.0017
Aluminum, Total	~	~	~	~	~	~	~	~	9600	7400
Antimony, Total	~	~	~	~	~	~	~	~	8.9 J	0.43 U
Arsenic, Total	16	~	400	49	180 J	490 J	530 J	9.6	190	15
Barium, Total	400	~	~	~	~	~	~	~	370	120
Beryllium, Total	72	~	~	~	~	~	~	~	0.39	0.41
Boron, Total	~	~	~	~	~	~	~	~	210	38
Cadmium, Total	4.3	~	420	2.0	5.9 J	10 J	5.3 J	0.13 J	23	3.1
Calcium, Total	~	~	~	~	~	~	~	~	6600	2100
Chromium, Total	180	~	~	~	~	~	~	~	24	9.5
Cobalt, Total	~	~	~	~	~	~	~	~	39	7.6
Copper, Total	270	~	~	~	~	~	~	~	280	14
Iron, Total	~	~	~	~	~	~	~	~	22000	18000
Lead, Total	400	~	3700	30	720 J	790 J	790 J	18	3500	110
Magnesium, Total	~	~	~	~	~	~	~	~	2400	2100
Manganese, Total	2000	~	~	~	~	~	~	~	450	750
Mercury, Total	0.81	~	~	~	~	~	~	~	~	~
Nickel, Total	310	~	~	~	~	~	~	~	47	17
Potassium, Total	~	~	~	~	~	~	~	~	800	950
Selenium, Total	180	~	~	~	~	~	~	~	8.6	0.43 U
Silver, Total	180	~	~	~	~	~	~	~	5.7	0.29 J
Sodium, Total	~	~	~	~	~	~	~	~	1600	78 J
Thallium, Total	~	~	~	~	~	~	~	~	0.30 U	0.32 U
Vanadium, Total	~	~	~	~	~	~	~	~	16	10
Zinc, Total	10000	~	~	~	~	~	~	~	510	100
Volatile Organic Compounds (VOCs), ug/Kg	100000								0.40	0.00
1,1,1-Trichloroethane	100000	~	~	~	~	~	~	~	0.49 U	0.32 UJ 0.72 UJ
1,1,2,2-Tetrachloroethane	~	~	~	~	~	~	~	~	1.1 U 1.5 U	0.72 UJ 1.0 UJ
1,1,2-Trichloro-1,2,2-trifluoroethane	~	~ ~	~	~	~	~ ~	~	~ ~	0.87 U	0.58 UJ
1,1,2-Trichloroethane 1,1-Dichloroethane	26000	~	~	~	~	~	~	~	0.82 U	0.54 UJ
1,1-Dichloroethane	100000	~	~	~	~	~	~	~	0.82 U	0.55 UJ
1,2,4-Trichlorobenzene, VOC	~	~	~	~	~	~	~	~	0.82 U	0.33 UJ
1,2-Dibromo-3-chloropropane	~	~	~	~	~	~	~	~	3.4 U	2.2 UJ
1,2-Dibromoethane	~	~	~	~	~	~	~	~	0.86 U	0.57 UJ
1,2-Dichlorobenzene, VOC	~	~	~	~	~	~	~	~	0.52 U	0.35 UJ
1,2-Dichloroethane	3100	~	~	~	~	~	~	~	0.32 U	0.33 UJ
1,2-Dichloropropane	~	~	~	~	~	~	~	~	3.4 U	2.2 UJ
1,3-Dichlorobenzene, VOC	~	~	~	~	~	~	~	~	0.34 U	0.23 UJ
1,4-Dichlorobenzene, VOC	~	~	~	~	~	~	~	~	0.94 U	0.62 UJ
2-Butanone	~	~	~	~	~	~	~	~	2.5 U	1.6 UJ
2 Datanone		L	•	•		·	-	-		1.0 00



						_				
Location ID			CPPSB008	CPPSB008	CPPSB009	CPPSB009	CPPSB009	CPPSB009	CPPSB010	CPPSB010
Sample ID			CPPSB008-0-020	CPPSB008-0-065	CPPSB009-0-060	CPPSB009-1-060	CPPSB009-3-060	CPPSB009-0-160	CPPSB010-0-025	CPPSB010-0-110
Date			8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014
Sample Depth	Restricted		2 - 6.5 feet	6.5 - 8 feet	6 - 16 feet	6 - 16 feet	6 - 16 feet	16 - 18 feet	2.5 - 11 feet	11 - 16 feet
Sample Type	Residential	TCLP	0 - Primary	0 - Primary	0 - Primary	1 - Duplicate	1 - DUP2	0 - Primary	0 - Primary	0 - Primary
Matrix	Screening	Regulatory	SB	SB						
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-65068-7	480-65068-8	480-65068-4	480-65068-5	480-65068-20	480-65068-6	480-65068-9	480-65068-11
Volatile Organic Compounds (VOCs), ug/Kg (continued)										
2-Hexanone	~	~	~	~	~	~	~	~	3.4 U	2.2 UJ
4-Methyl-2-pentanone	~	~	~	~	~	~	~	~	2.2 U	1.5 UJ
Acetone	100000	~	~	~	~	~	~	~	63	26 J
Benzene	4800	~	~	~	~	~	~	~	6100	0.22 UJ
Bromodichloromethane	~	~	~	~	~	~	~	~	0.90 U	0.60 UJ
Bromoform	~	~	~	~	~	~	~	~	3.4 U	2.2 UJ
Bromomethane	~	~	~	~	~	~	~	~	0.60 U	0.40 UJ
Carbon disulfide	~	~	~	~	~	~	~	~	3.4 UJ	2.2 UJ
Carbon tetrachloride	2400	~	~	~	~	~	~	~	0.65 U	0.43 UJ
Chlorobenzene	100000	~	~	~	~	~	~	~	0.89 U	0.59 UJ
Chloroethane	40000	~	~	~	~	~	~	~	1.5 U	1.0 UJ
Chloroform	49000	~	~	~	~	~	~	~	0.41 U	0.28 UJ
Chloromethane	400000	~	~	~	~	~	~	~	0.41 U	0.27 UJ
cis-1,2-Dichloroethene	100000	~	~	~	~	~	~	~	0.86 U	0.57 UJ
cis-1,3-Dichloropropene	~	~	~	~	~	~	~	~	0.97 U	0.64 UJ
Cyclohexane	~	~	~	~	~	~	~	~	0.94 U	0.62 UJ
Cyclohexane, Methyl-	~	~	~	~	~	~	~	~	1.0 U	0.68 UJ
Dibromochloromethane	~	~	~	~	~	~	~	~	0.86 U	0.57 UJ
Dichlorodifluoromethane	~	~	~	~	~	~	~	~	0.55 U	0.37 UJ
Ethylbenzene	41000	~	~	~	~	~	~	~	17	0.31 UJ
Isopropylbenzene	~	~	~	~	~	~	~	~	1.0 U	0.67 UJ
Methyl acetate	~	~	~	~	~	~	~	~	1.2 U	0.83 UJ
Methyl tert-butyl ether	100000	~	~	~	~	~	~	~	0.66 U	0.44 UJ
Methylene chloride	100000	~	~	~	~	~	~	~	3.1 U 7.3	2.1 UJ 0.22 UJ
Styrene	19000	~	~	~	~	~	~	~	0.90 U	0.22 UJ 0.60 UJ
Tetrachloroethene	100000	~	~	~	~	~	~	~	190	
Toluene	100000	~	~	~	~	~	~	~		
trans-1,2-Dichloroethene		~	~	~	~	~	~	~		
trans-1,3-Dichloropropene Trichloroethene	21000	~	~	~	~	~	~	~	3.0 U 1.5 U	2.0 UJ 0.98 UJ
Trichlorofluoromethane		~		~		~	~		0.63 U	0.42 UJ
	~	~	~	~	~	~	~	~	0.82 U	0.54 UJ
Vinylchloride Xylenes, Total	100000	~	~	~		~			150	0.75 UJ
Semi-Volatile Organic Compounds (SVOCs), ug/Kg	100000	~	~	~	~	~	~	~	100	0.75 03
2,4,5-Trichlorophenol	~	~	~	~	~	~	~	~	4000 U	88 U
2,4,6-Trichlorophenol	~	~	~	~	~	~	~	~	1200 U	27 U
2,4-Dichlorophenol	~	~	~	~	~	~	~	~	970 U	21 U
2,4-Dimethylphenol	~ ~	~	~	~	~	~	~	~	5000 U	110 U
2,4-Dinitrophenol	~	~	~	~	~	~	~	~	6500 U	140 U
2,4-Dinitrotoluene	~	~	~	~	~	~	~	~	2900 U	63 U
2,6-Dinitrotoluene	~	~	~	~	~	~	~	~	4500 U	99 U
2-Chloronaphthalene	~	~	~	~	~	~	~	~	1200 U	27 U
2-Chlorophenol	~	~	~	~	~	~	~	~	940 U	21 U
2-Methylnaphthalene	~	~	~	~	~	~	~	~	18000 J	160 J
2-Methylphenol	100000	~	~	~	~	~	~	~	570 U	12 U
2-Nitroaniline	~	~	~	~	~	~	~	~	5900 U	130 U
2-Nitrophenol	~	~	~	~	~	~	~	~	850 U	19 U
3,3'-Dichlorobenzidine	~	~	~	~	~	~	~	~	16000 U	360 U
3-Nitroaniline	~	~	~	~	~	~	~	~	4300 U	93 U
o-rain oaniiii ic			. -	. -	· -	1 ~	<u> </u>		- -000 0	



		T.								
Location ID			CPPSB008	CPPSB008	CPPSB009	CPPSB009	CPPSB009	CPPSB009	CPPSB010	CPPSB010
Sample ID			CPPSB008-0-020	CPPSB008-0-065	CPPSB009-0-060	CPPSB009-1-060	CPPSB009-3-060	CPPSB009-0-160	CPPSB010-0-025	CPPSB010-0-110
Date			8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014
Sample Depth	Restricted		2 - 6.5 feet	6.5 - 8 feet	6 - 16 feet	6 - 16 feet	6 - 16 feet	16 - 18 feet	2.5 - 11 feet	11 - 16 feet
Sample Type	Residential	TCLP	0 - Primary	0 - Primary	0 - Primary	1 - Duplicate	1 - DUP2	0 - Primary	0 - Primary	0 - Primary
Matrix		Regulatory	SB							
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-65068-7	480-65068-8	480-65068-4	480-65068-5	480-65068-20	480-65068-6	480-65068-9	480-65068-11
Semi-Volatile Organic Compounds (SVOCs), ug/Kg (continued)										
4,6-Dinitro-2-methylphenol	~	~	~	~	~	~	~	~	6400 U	140 U
4-Bromophenyl-phenylether	~	~	~	~	~	~	~	~	5900 U	130 U
4-Chloro-3-methylphenol	~	~	~	~	~	~	~	~	760 U	17 U
4-Chloroaniline	~	~	~	~	~	~	~	~	5400 U	120 U
4-Chlorophenyl-phenylether	~	~	2	~	~	~	~	~	400 U	8.7 U
4-Methylphenol	100000	~	~	~	~	~	~	~	1000 U	23 U
4-Nitroaniline	~	~	~	~	~	~	~	~	2100 U	45 U
4-Nitrophenol, SVOC	~	~	~	~	~	~	~	~	4500 U	98 U
Acenaphthene	100000	~	~	~	~	~	~	~	60000	560
Acenaphthylene	100000	~	~	~	~	~	~	~	2300 J	27 J
Acetophenone	~	~	~	~	~	~	~	~	950 U	21 U
Anthracene	100000	~	~	~	~	~	~	~	51000	620
Atrazine	~	~	~	~	~	~	~	~	820 U	18 U
Benz(a)anthracene	1000	~	~	~	~	~	~	~	120000	2500
Benzaldehyde	~	~	~	~	~	~	~	~	2000 U	44 U
Benzo(a)pyrene	1000	~	~	~	~	~	~	~	120000	2600
Benzo(b)fluoranthene	1000	~	~	~	~	~	~	~	180000	4500
Benzo(g,h,i)perylene	100000	~	2	•	~	~	•	2	67000	2400
Benzo(k)fluoranthene	3900	~	~	~	~	~	~	~	89000	2100
Biphenyl	~	~	~	~	~	~	~	~	5900 J	51 J
bis (2-chloroisopropyl) ether	~	~	~	~	~	~	~	~	1900 U	42 U
bis(2-Chloroethoxy)methane	~	~	~	~	~	~	~	~	1000 U	22 U
bis(2-Chloroethyl)ether	~	~	~	~	~	~	~	~	1600 U	35 U
bis(2-Ethylhexyl)phthalate	~	~	2	~	~	~	~	~	6000 U	130 U
Butyl benzyl phthalate	~	~	~	~	~	~	~	~	5000 U	110 U
Caprolactam	~	~	~	~	~	~	~	~	8000 U	180 U
Carbazole	~	~	~	~	~	~	~	~	27000	420
Chrysene	3900	~	~	~	~	~	~	~	110000	2500
Dibenz(a,h)anthracene	330	~	~	~	~	~	~	~	21000	580
Dibenzofuran	59000	~	~	~	~	~	~	~	29000	300 J
Diethylphthalate	~	~	~	~	~	~	~	~	560 U	12 U
Dimethyl phthalate	~	~	~	~	~	~	~	~	480 U	11 U
Di-N-Butyl phthalate	~	~	~	~	~	~	~	~	6400 U	140 U
Di-N-Octyl phthalate	~	~	~	~	~	~	~	~	430 U	9.5 U
Fluoranthene	100000	~	~	~	~	~	~	~	210000	3700
Fluorene	100000	~	~	~	~	~	~	~	47000	360 J
Hexachlorobenzene	1200	~	~	~	~	~	~	~	920 U	20 U
Hexachlorobutadiene, SVOC	~	~	~	~	~	~	~	~	950 U	21 U
Hexachlorocyclopentadiene	~	~	~	~	~	~	~	~	5600 U	120 U
Hexachloroethane	~	~	~	~	~	~	~	~	1400 U	31 U
Indeno(1,2,3-cd)pyrene	500	~	~	~	~	~	~	~	84000	2500
Isophorone	~	~	~	~	~	~	~	~	930 U	20 U
Naphthalene, SVOC	100000	~	~	~	~	~	~	~	32000	370 J
Nitrobenzene	15000	~	~	~	~	~	~	~	820 U	18 U
N-Nitroso-di-N-propylamine	~	~	~	~	~	~	~	~	1500 U	32 U
N-Nitrosodiphenylamine	~	~	~	~	~	~	~	~	1000 U	22 U
Pentachlorophenol, SVOC	6700	~	~	~	~	~	~	~	6400 U	140 U
Phenanthrene	100000	~	~	~	~	~	~	~	180000	2100
Phenol	100000	~	~	~	~	~	~	~	2000 U	43 U
Pyrene	100000	~	~	~	~	~	~	~	160000	3500



Location ID			CPPSB008	CPPSB008	CPPSB009	CPPSB009	CPPSB009	CPPSB009	CPPSB010	CPPSB010
Sample ID			CPPSB008-0-020	CPPSB008-0-065	CPPSB009-0-060	CPPSB009-1-060	CPPSB009-3-060	CPPSB009-0-160	CPPSB010-0-025	CPPSB010-0-110
Date			8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014
Sample Depth	Restricted		2 - 6.5 feet	6.5 - 8 feet	6 - 16 feet	6 - 16 feet	6 - 16 feet	16 - 18 feet	2.5 - 11 feet	11 - 16 feet
Sample Type	Residential	TCLP	0 - Primary	0 - Primary	0 - Primary	1 - Duplicate	1 - DUP2	0 - Primary	0 - Primary	0 - Primary
Matrix	Screening	Regulatory	SB							
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-65068-7	480-65068-8	480-65068-4	480-65068-5	480-65068-20	480-65068-6	480-65068-9	480-65068-11
Polychlorinated Biphenyls (PBCs), mg/Kg										
Aroclor-1016	~	~	~	~	~	~	~	~	0.0035 UJ	0.0038 U
Aroclor-1221	~	~	~	~	~	~	~	~	0.0035 UJ	0.0038 U
Aroclor-1232	~	~	~	~	~	~	~	~	0.0035 UJ	0.0038 U
Aroclor-1242	~	~	~	~	~	~	~	~	0.0035 UJ	0.0038 U
Aroclor-1248	~	~	~	~	~	~	~	~	0.0035 UJ	0.0038 U
Aroclor-1254	~	~	~	~	~	~	~	~	0.0084 UJ	0.0092 U
Aroclor-1260	~	~	~	~	~	~	~	~	0.0084 UJ	0.0092 U
Aroclor-1262	~	~	~	~	~	~	~	~	0.0084 UJ	0.0092 U
Aroclor-1268	~	~	~	~	~	~	~	~	0.0084 UJ	0.0092 U
Total Petroleum Hydrocarbons, mg/Kg										
TPH	~	~	~	~	~	~	~	~	1300	120

Notes:

mg/Kg = milligram per kilogram.

mg/L = milligram per liter.

ug/Kg = microgram per kilogram.

- U = The analyte was analyzed for but was not detected above the level of the detection quantitation limit.
- UJ = The analyte was analyzed for but not detected. The quantitation limit is approximate and may be inaccurate or imprecise.
- $\label{eq:J} J = \mbox{The positive result reported is estimated either because the result is less than the LOQ or because certain quality control criteria were not met.}$
- J- = The result is an estimated quantity, but the result may be biased low because certain quality control criteria were not met.
- J+ = The result is an estimated quantity, but the result may be biased high because certain quality control criteria were not met.
- SB = Soil boring.
- SS = Surface soil.
- (1) New York State Department of Environmental Conservation (NSYDEC) Subpart 375-6 Remedial Program Soil Cleanup Objectives (SCOs).
- (2) Federal Code of Regulations, Section 261.24 Toxicity characteristic. Context: Title 40 Protection of Environment. CHAPTER I ENVIRONMENTAL PROTECTION AGENCY (CONTINUED). SUBCHAPTER I SOLID WASTES (CONTINUED). PART 261 -
- IDENTIFICATION AND LISTING OF HAZARDOUS WASTE. Subpart C Characteristics of Hazardous Waste (2012-07-01).
- $^{\sim}$ = Analysis not performed or No standard or guidance value listed for this constituent.



Location ID			CPPSB010	CPPSB011	CPPSB011	CPPSB011	CPPSB012	CPPSB012	CPPSB013	CPPSB013
Sample ID			CPPSB010-1-110	CPPSB011-0-000	CPPSB011-0-025	CPPSB011-0-130	CPPSB012-0-010	CPPSB012-0-110	CPPSB013-0-000	CPPSB013-0-075
Date			8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014
Sample Depth	Restricted		11 - 16 feet	0 - 2 feet	2.5 - 13 feet	13 - 15 feet	1 - 11 feet	11 - 13 feet	0 - 2 feet	7.5 - 13 feet
Sample Type	Residential	TCLP	1 - Duplicate	0 - Primary						
Matrix	Screening	Regulatory	SB	SB	SB	SB	SB	SB	SB	SB
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-65068-10	480-65068-1	480-65068-2	480-65068-3	480-65068-12	480-65068-13	480-65068-16	480-65068-17
Toxicity Characteristic Leaching Procedure (TCLP) Metals, mg/L										
Arsenic, TCLP	~	5	~	0.0056 U	0.064	0.0056 U	~	~	~	~
Barium, TCLP	~	100	~	0.86	2.4	0.37 J+	~	~	~	~
Cadmium, TCLP	~	1	~	0.0040	0.28	0.00050 U	~	~	~	~
Chromium, TCLP	~	5	~	0.0040 U	0.0040 U	0.0010 U	~	~	~	~
Lead, TCLP	~	5	~	0.022 J+	6.3	0.0030 U	~	~	~	~
Mercury, TCLP	~	0.2	~	0.00012 U	0.00012 U	0.00016 J	~	~	~	~
Selenium, TCLP	~	1	~	0.0087 U	0.0087 U	0.0087 U	~	~	~	~
Silver, TCLP	~	5	~	0.0017 U	0.0017 U	0.0017 U	~	~	~	~
Total Metals, mg/Kg										
Aluminum, Total	~	~	~	9300	5100	9500	~	~	~	~
Antimony, Total	~	~	~	0.40 U	4.0 J	0.44 U	~	~	~	~
Arsenic, Total	16	~	~	8.6	45	4.0	180	7.4	13	170
Barium, Total	400	~	~	98	3000	87	~	~	~	~
Beryllium, Total	72	~	~	0.45	0.43	0.51	~	~	~	~
Boron, Total	~	~	~	2.0 U	2200	21	~	~	~	~
Cadmium, Total	4.3	~	~	0.11 J	12	0.033 U	54	0.032 U	0.27	21
Calcium, Total	~	~	~	5800	20000	1300	~	~	~	~
Chromium, Total	180	~	~	11	10	11	~	~	~	~
Cobalt, Total	~	~	~	9.3	8.1	9.0	~	~	~	~
Copper, Total	270	~	2	17	57	11	2	~	~	~
Iron, Total	~	~	~	19000	12000	17000	~	~	~	~
Lead, Total	400	~	~	36	1400	12	1300	61	45	4900
Magnesium, Total	~	~	~	4200	2400	2600	~	~	~	~
Manganese, Total	2000	~	~	440	250	290	~	~	~	~
Mercury, Total	0.81	~	~	~	~	~	~	~	~	~
Nickel, Total	310	~	~	21	20	20	~	~	~	~
Potassium, Total	~	~	~	800	1200	980	~	~	~	~
Selenium, Total	180	~	~	0.40 U	1.6 J	0.44 U	~	~	~	~
Silver, Total	180	~	~	0.20 J	1.7	0.22 U	~	~	~	~
Sodium, Total	~	~	~	78 J	2900	71 J	~	~	~	~
Thallium, Total	~	~	~	0.30 U	0.28 U	0.33 U	~	~	~	~
Vanadium, Total	~	~	~	13	14	12	~	~	~	~
Zinc, Total	10000	~	~	57	190	49	~	~	~	~
Volatile Organic Compounds (VOCs), ug/Kg	100000		0.00							
1,1,1-Trichloroethane	100000	~	0.30 UJ	~	~	~	~	~	~	~
1,1,2,2-Tetrachloroethane	~	~	0.66 UJ	~	~	~	~	~	~	~
1,1,2-Trichloro-1,2,2-trifluoroethane	~	~	0.93 UJ	~	~	~	~	~	~	~
1,1,2-Trichloroethane	~	~	0.53 UJ	~	~	~	~	~	~	~
1,1-Dichloroethane	26000	~	0.50 UJ	~	~	~	~	~	~	~
1,1-Dichloroethene	100000	~	0.50 UJ	~	~	~	~	~	~	~
1,2,4-Trichlorobenzene, VOC	~	~	0.25 UJ	~	~	~	~	~	~	~
1,2-Dibromo-3-chloropropane	~	~	2.0 UJ	~	~	~	~	~	~	~
1,2-Dibromoethane	~	~	0.52 UJ 0.32 UJ	~	~	~	~	~	~	~
1,2-Dichlorobenzene, VOC	3100	~		~	~	~	~	~	~	~
1,2-Dichloroethane		~	0.20 UJ	~	~	~	~	~	~	~
1,2-Dichloropropane	~	~	2.0 UJ 0.21 UJ	~	~	~	~	~	~	~
1,3-Dichlorobenzene, VOC 1,4-Dichlorobenzene, VOC	~	~	0.21 UJ	~	~	~	~	~	~	~
	~	~	1.5 UJ	~	~	~	~	~	~	~
2-Butanone	~	~	1.0 00	~	~	~	~	~	~	~



Location ID			CPPSB010		CPPSB011	CPPSB011	CPPSB011	CPPSB012	CPPSB012	CPPSB013	CPPSB013
Sample ID			CPPSB010-1-1	110	CPPSB011-0-000	CPPSB011-0-025	CPPSB011-0-130	CPPSB012-0-010	CPPSB012-0-110	CPPSB013-0-000	CPPSB013-0-075
Date			8/5/2014		8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014
Sample Depth	Restricted		11 - 16 feet		0 - 2 feet	2.5 - 13 feet	13 - 15 feet	1 - 11 feet	11 - 13 feet	0 - 2 feet	7.5 - 13 feet
Sample Type	Residential	TCLP	1 - Duplicate	9	0 - Primary						
Matrix	Screening	Regulatory	SB		SB						
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-65068-1	0	480-65068-1	480-65068-2	480-65068-3	480-65068-12	480-65068-13	480-65068-16	480-65068-17
Volatile Organic Compounds (VOCs), ug/Kg (continued)	LCVCIS	Levels	400 00000 1		400 00000 1	400 00000 E	400 00000 0	400 00000 1Z	400 00000 10	400 00000 10	400 00000 17
2-Hexanone	~	~	2.0	UJ	~	~	~	~	~	~	~
4-Methyl-2-pentanone	~	~	1.3	UJ	~	~	~	~	~	~	~
Acetone	100000	~	7.8	J	~	~	~	~	~	~	~
Benzene	4800	~	0.20	UJ	~	~	~	~	~	~	~
Bromodichloromethane	~	~	0.55	UJ	~	~	~	~	~	~	~
Bromoform	~	~	2.0	UJ	~	~	~	~	~	~	~
Bromomethane	~	~	0.37	UJ	~	~	~	~	~	~	~
Carbon disulfide	~	~	2.0	UJ	~	~	~	~	~	~	~
Carbon tetrachloride	2400	~	0.39	UJ	~	~	~	~	~	~	~
Chlorobenzene	100000	~	0.54	UJ	~	~	~	~	~	~	~
Chloroethane	~	~	0.92	UJ	~	~	~	~	~	~	~
Chloroform	49000	~	0.25	UJ	~	~	~	~	~	~	~
Chloromethane	~	~	0.25	UJ	~	~	~	~	~	~	~
cis-1,2-Dichloroethene	100000	~	0.52	UJ	~	~	~	~	~	~	~
cis-1,3-Dichloropropene	~	~	0.59	UJ	~	~	~	~	~	~	~
Cyclohexane	~	~	0.57	UJ	~	~	~	~	~	~	~
Cyclohexane, Methyl-	~	~	0.62	UJ	~	~	~	~	~	~	~
Dibromochloromethane	~	~	0.52	UJ	~	~	~	~	~	~	~
Dichlorodifluoromethane	~	~	0.34	UJ	~	~	~	~	~	~	~
Ethylbenzene	41000	~	0.28	UJ	~	~	~	~	~	~	~
Isopropylbenzene	~	~	0.61	UJ	~	~	~	~	~	~	~
Methyl acetate	~	~	0.76	UJ	~	~	~	~	~	~	~
Methyl tert-butyl ether	100000	~	0.40	UJ	~	~	~	~	~	~	~
Methylene chloride	100000	~	1.9	UJ	~	~	~	~	~	~	~
Styrene	~	~	0.20	UJ	~	~	~	~	~	~	~
Tetrachloroethene	19000	~	0.55	UJ	~	~	~	~	~	~	~
Toluene	100000	~	0.31	UJ	~	~	~	~	~	~	~
trans-1,2-Dichloroethene	100000	~	0.42	UJ	~	~	~	~	~	~	~
trans-1,3-Dichloropropene	~	~	1.8	UJ	~	~	~	~	~	~	~
Trichloroethene	21000	~	0.90	UJ	~	~	~	~	~	~	~
Trichlorofluoromethane	~	~	0.39	UJ	~	~	~	~	~	~	~
Vinylchloride	~	~	0.50	UJ	~	~	~	~	~	~	~
Xylenes, Total	100000	~	0.68	UJ	~	~	~	~	~	~	~
Semi-Volatile Organic Compounds (SVOCs), ug/Kg											
2,4,5-Trichlorophenol	~	~	~		39 U	41 U	47 U	~	~	~	~
2,4,6-Trichlorophenol	~	~	~		12 U	12 U		~	~	~	~
2,4-Dichlorophenol	~	~	~		9.4 U	9.8 U		~	~	~	~
2,4-Dimethylphenol	~	~	~		48 U	50 U		~	~	~	~
2,4-Dinitrophenol	~	~	~		63 U	65 U		~	~	~	~
2,4-Dinitrotoluene	~	~	~		28 U	29 U		~	~	~	~
2,6-Dinitrotoluene	~	~	~		44 U	46 U		~	~	~	~
2-Chloronaphthalene	~	~	~		12 U	12 U		~	~	~	~
2-Chlorophenol	~	~	~		9.1 U	9.5 U		~	~	~	~
2-Methylnaphthalene	~	~	~		3.9 J	60 J		~	~	~	~
2-Methylphenol	100000	~	~		5.5 U	5.7 U		~	~	~	~
2-Nitroaniline	~	~	~		57 U	60 U		~	~	~	~
2-Nitrophenol	~	~	~		8.2 U	8.5 U		~	~	~	~
3,3'-Dichlorobenzidine	~	~	~		160 U	160 U		~	~	~	~
3-Nitroaniline	~	~	~		41 U	43 U	49 U	~	~	~	~



		T								
Location ID			CPPSB010	CPPSB011	CPPSB011	CPPSB011	CPPSB012	CPPSB012	CPPSB013	CPPSB013
Sample ID			CPPSB010-1-110	CPPSB011-0-000	CPPSB011-0-025	CPPSB011-0-130	CPPSB012-0-010	CPPSB012-0-110	CPPSB013-0-000	CPPSB013-0-075
Date			8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014
Sample Depth	Restricted		11 - 16 feet	0 - 2 feet	2.5 - 13 feet	13 - 15 feet	1 - 11 feet	11 - 13 feet	0 - 2 feet	7.5 - 13 feet
Sample Type	Residential	TCLP	1 - Duplicate	0 - Primary						
Matrix	Screening	Regulatory	SB							
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-65068-10	480-65068-1	480-65068-2	480-65068-3	480-65068-12	480-65068-13	480-65068-16	480-65068-17
Semi-Volatile Organic Compounds (SVOCs), ug/Kg (continued)			100 00000 10				100 00000 12	100 00000 10		100 00000 11
4,6-Dinitro-2-methylphenol	~	~	~	62 U	64 U	74 U	~	~	~	~
4-Bromophenyl-phenylether	~	~	~	57 U	59 U	68 U	~	~	~	~
4-Chloro-3-methylphenol	~	~	~	7.4 U	7.7 U	8.8 U	~	~	~	~
4-Chloroaniline	~	~	~	53 U	55 U	63 U	~	~	~	~
4-Chlorophenyl-phenylether	~	~	~	3.8 U	4.0 U	4.6 U	~	~	~	~
4-Methylphenol	100000	~	~	10 U	10 U	12 U	~	~	~	~
4-Nitroaniline	~	~	~	20 U	21 U	24 U	~	~	~	~
4-Nitrophenol, SVOC	~	~	~	43 U	45 U	52 U	~	~	~	~
Acenaphthene	100000	~	~	4.7 J	43 U	2.5 U	~	~	~	~
Acenaphthylene	100000	~	~	9.0 J	140 J	1.8 U	~	~	~	~
Acetophenone	~	~	~	9.0 J	9.5 U	1.6 U	~	~	~	~
-	100000	~	~	9.2 U	200	5.5 U		~	~	~
Anthracene				8.0 U	8.3 U	9.5 U	~			
Atrazine Penz/alanthragena	1000	~	~ ~		690	9.5 U	~	~	~	~
Benz(a)anthracene		~	~	56 J 20 U				~		~
Benzaldehyde	1000	~	~		20 U 820	23 U 5.2 U	~	~	~	~
Benzo(a)pyrene	1000	~	~				~	~	~	~
Benzo(b)fluoranthene	1000	~	~	80 J	1200	4.2 U	~	~	~	~
Benzo(g,h,i)perylene	100000	~	~	46 J	540	2.6 U	~	~	~	~
Benzo(k)fluoranthene	3900	~	~	36 J	440	2.4 U	~	~	~	~
Biphenyl	~	~	~	11 U	12 J	13 U	~	~	~	~
bis (2-chloroisopropyl) ether	~	~	~	19 U	19 U	22 U	~	~	~	~
bis(2-Chloroethoxy)methane	~	~	~	9.8 U	10 U	12 U	~	~	~	~
bis(2-Chloroethyl)ether	~	~	~	16 U	16 U	19 U	~	~	~	~
bis(2-Ethylhexyl)phthalate	~	~	~	58 U	60 U	69 U	~	~	~	~
Butyl benzyl phthalate	~	~	~	48 U	50 U	58 U	~	~	~	~
Caprolactam	~	~	~	78 U	80 U	93 U	~	~	~	~
Carbazole	~	~	~	2.1 U	66 J	2.5 U	~	~	~	~
Chrysene	3900	~	~	61 J	770	2.1 U	~	~	~	~
Dibenz(a,h)anthracene	330	~	~	13 J	160 J	2.5 U	~	~	~	~
Dibenzofuran	59000	~	~	4.2 J	63 J	2.2 U	~	~	~	~
Diethylphthalate	~	~	~	5.4 U	5.6 U	6.5 U	~	~	~	~
Dimethyl phthalate	~	~	~	4.7 U	4.9 U	5.6 U	~	~	~	~
Di-N-Butyl phthalate	~	~	~	62 U	64 U	74 U	~	~	~	~
Di-N-Octyl phthalate	~	~	~	4.2 U	4.4 U	5.0 U	~	~	~	~
Fluoranthene	100000	~	~	96 J	1100	3.1 U	~	~	~	~
Fluorene	100000	~	~	7.6 J	72 J	4.9 U	~	~	~	~
Hexachlorobenzene	1200	~	~	8.9 U	9.2 U	11 U	~	~	~	~
Hexachlorobutadiene, SVOC	~	~	~	9.2 U	9.5 U	11 U	~	~	~	~
Hexachlorocyclopentadiene	~	~	~	54 U	56 U		~	~	~	~
Hexachloroethane	~	~	~	14 U	14 U	17 U	~	~	~	~
Indeno(1,2,3-cd)pyrene	500	~	~	46 J	640	5.9 U	~	~	~	~
Isophorone	~	~	~	9.0 U	9.3 U	11 U	~	~	~	~
Naphthalene, SVOC	100000	~	~	12 J	100 J	3.6 U	~	~	~	~
Nitrobenzene	15000	~	~	7.9 U	8.2 U	9.5 U	~	~	~	~
N-Nitroso-di-N-propylamine	~	~	~	14 U	15 U	17 U	~	~	~	~
N-Nitrosodiphenylamine	~	~	~	9.8 U	10 U	12 U	~	~	~	~
Pentachlorophenol, SVOC	6700	~	~	62 U	64 U	74 U	~	~	~	~
Phenanthrene	100000	~	~	61 J	720	4.5 U	~	~	~	~
Phenol	100000	~	~	19 U	20 U	23 U	~	~	~	~
Pyrene	100000	~	~	91 J	1000	1.4 U	~	~	~	~
		1				I			I .	



Lagation ID			CDDCD040	CDDCD044	CDDCD044	CDDCD044	CDDCD040	CDDCD040	CDDCD040	CDDCD040
Location ID			CPPSB010	CPPSB011	CPPSB011	CPPSB011	CPPSB012	CPPSB012	CPPSB013	CPPSB013
Sample ID			CPPSB010-1-110	CPPSB011-0-000	CPPSB011-0-025	CPPSB011-0-130	CPPSB012-0-010	CPPSB012-0-110	CPPSB013-0-000	CPPSB013-0-075
Date			8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014	8/5/2014
Sample Depth	Restricted		11 - 16 feet	0 - 2 feet	2.5 - 13 feet	13 - 15 feet	1 - 11 feet	11 - 13 feet	0 - 2 feet	7.5 - 13 feet
Sample Type	Residential	TCLP	1 - Duplicate	0 - Primary						
Matrix	Screening	Regulatory	SB							
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-65068-10	480-65068-1	480-65068-2	480-65068-3	480-65068-12	480-65068-13	480-65068-16	480-65068-17
Polychlorinated Biphenyls (PBCs), mg/Kg										
Aroclor-1016	~	~	~	0.0034 U	0.0036 U	0.0041 U	~	~	~	~
Aroclor-1221	~	~	~	0.0034 U	0.0036 U	0.0041 U	~	~	~	~
Aroclor-1232	~	~	~	0.0034 U	0.0036 U	0.0041 U	~	~	~	~
Aroclor-1242	~	~	~	0.0034 U	0.0036 U	0.0041 U	~	~	~	~
Aroclor-1248	~	~	~	0.0034 U	0.0036 U	0.0041 U	~	~	~	~
Aroclor-1254	~	~	~	0.0081 U	0.0085 U	0.0098 U	~	~	~	~
Aroclor-1260	~	~	~	0.0081 U	0.0085 U	0.0098 U	~	~	~	~
Aroclor-1262	~	~	~	0.0081 U	0.0085 U	0.0098 U	~	~	~	~
Aroclor-1268	~	~	~	0.0081 U	0.0085 U	0.0098 U	~	~	~	~
Total Petroleum Hydrocarbons, mg/Kg										
TPH	~	~	~	41 U	1700	50 U	~	~	~	~

Notes:

mg/Kg = milligram per kilogram.

mg/L = milligram per liter.

ug/Kg = microgram per kilogram.

- U = The analyte was analyzed for but was not detected above the level of the detection quantitation limit.
- UJ = The analyte was analyzed for but not detected. The quantitation limit is approximate and may be inaccurate or imprecise.
- $\label{eq:J} J = \mbox{The positive result reported is estimated either because the result is less than the LOQ or because certain quality control criteria were not met.}$
- J- = The result is an estimated quantity, but the result may be biased low because certain quality control criteria were not met.
- J+ = The result is an estimated quantity, but the result may be biased high because certain quality control criteria were not met.
- SB = Soil boring.
- SS = Surface soil.
- (1) New York State Department of Environmental Conservation (NSYDEC) Subpart 375-6 Remedial Program Soil Cleanup Objectives (SCOs).
- (2) Federal Code of Regulations, Section 261.24 Toxicity characteristic. Context: Title 40 Protection of Environment. CHAPTER I ENVIRONMENTAL PROTECTION AGENCY (CONTINUED). SUBCHAPTER I SOLID WASTES (CONTINUED). PART 261 -
- IDENTIFICATION AND LISTING OF HAZARDOUS WASTE. Subpart C Characteristics of Hazardous Waste (2012-07-01).
- \sim = Analysis not performed or No standard or guidance value listed for this constituent.



					-					-
Location ID			CPPSB013	CPPSB014	CPPSB014	CPPSB015	CPPSB015	CPPSB016	CPPSB016	CPPSB017
Sample ID			CPPSB013-0-130	CPPSB014-0-005	CPPSB014-0-135	CPPSB015-0-000	CPPSB015-0-035	CPPSB016-0-025	CPPSB016-0-045	CPPSB017-0-000
Date			8/5/2014	8/5/2014	8/5/2014	6/15/2015	6/15/2015	6/15/2015	6/15/2015	6/19/2015
Sample Depth	Restricted		13 - 15 feet	0.5 - 13.5 feet	13.5 - 16 feet	0-2 feet	3.5-5.5 feet	2.5-4.5 feet	4.5-6.5 feet	0-2 feet
Sample Type	Residential	TCLP	0 - Primary	0 - Primary	0 - Primary	0-Primary	0-Primary	0-Primary	0-Primary	0-Primary
Matrix	Screening	Regulatory	SB	SB	SB	SB	SB	SB	SB	SB
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-65068-18	480-65068-14	480-65068-15	480-82611-2	480-82611-3	480-82611-4	480-82611-5	480-82612-2
Toxicity Characteristic Leaching Procedure (TCLP) Metals, mg/L										
Arsenic, TCLP	~	5	~	~	~	~	~	~	~	0.0061 J
Barium, TCLP	~	100	~	~	~	~	~	~	~	1.2
Cadmium, TCLP	~	1	~	~	~	~	~	~	~	0.013
Chromium, TCLP	~	5	~	~	~	~	~	~	~	0.010 U
Lead, TCLP	~	5	~	~	~	~	~	~	~	0.094
Mercury, TCLP	~	0.2	~	~	~	~	~	~	~	0.00012 U
Selenium, TCLP	~	1	~	~	~	~	~	~	~	0.0087 U
Silver, TCLP	~	5	~	~	~	~	~	~	~	0.0017 U
Total Metals, mg/Kg										
Aluminum, Total	~	~	~	~	~	~	~	~	~	13000 J
Antimony, Total	?	~	~	~	~	~	~	~	~	1.3 J
Arsenic, Total	16	~	18	89	79	9.0	6.7	6.8	5.2	10.7
Barium, Total	400	~	~	~	~	~	~	~	~	148
Beryllium, Total	72	~	~	~	~	~	~	~	~	0.82
Boron, Total	~	~	~	~	~	~	~	~	~	6.7
Cadmium, Total	4.3	~	0.068 J	60	3.4	0.35	0.080 J	0.12 J	0.053 J	1.6
Calcium, Total	~	~	~	~	~	~	~	~	~	8880
Chromium, Total	180	~	~	~	~	~	~	~	~	17.6
Cobalt, Total	~	~	~	~	~	~	~	~	~	10.9
Copper, Total	270	~	~	~	~	~	~	~	~	35.8
Iron, Total	~	~	~	~	~	~	~	~	~	22100
Lead, Total	400	~	23	2100	40	58.5	14.5	21.1	8.1	170
Magnesium, Total	~	~	~	~	~	~	~	~	~	4570
Manganese, Total	2000	~	~	~	~	~	~	~	~	505
Mercury, Total	0.81	~	~	~	~	0.026	0.017 J	0.015 J	0.0089 U	0.062
Nickel, Total	310	~	~	~	~	~	~	~	~	25.7
Potassium, Total	~	~	~	~	~	~	~	~	~	1600
Selenium, Total	180	~	~	~	~	~	~	~	~	0.59 J
Silver, Total	180	~	~	~	~	~	~	~	~	0.25 U
Sodium, Total	~	~	~	~	~	~	~	~	~	165 J
Thallium, Total	~	~	~	~	~	~	~	~	~	0.38 U
Vanadium, Total	~	~	~	~	~	~	~	~	~	25.7
Zinc, Total	10000	~	~	~	~	~	~	~	~	189
Volatile Organic Compounds (VOCs), ug/Kg	10000									
1,1,1-Trichloroethane	100000	~	~	~	~	~	~	~	~	~
1,1,2,2-Tetrachloroethane	~	~	~	~	~	~	~	~	~	~
1,1,2-Trichloro-1,2,2-trifluoroethane	~	~	~	~	~	~	~	~	~	~
1,1,2-Trichloroethane	~	~	~	~	~	~	~	~	~	~
1,1-Dichloroethane	26000	~	~	~	~	~	~	~	~	~
1,1-Dichloroethene	100000	~	~	~	~	~	~	~	~	~
1,2,4-Trichlorobenzene, VOC	~	~	~	~	~	~	~	~	~	~
1,2-Dibromo-3-chloropropane	~	~	~	~	~	~	~	~	~	~
1,2-Dibromoethane	~	~	~	~	~	~	~	~	~	~
1,2-Dichlorobenzene, VOC	~	~	~	~	~	~	~	~	~	~
1,2-Dichloroethane	3100	~	~	~	~	~	~	~	~	~
1,2-Dichloropropane	~	~	~	~	~	~	~	~	~	~
1,3-Dichlorobenzene, VOC	~	~	~	~	~	~	~	~	~	~
1,4-Dichlorobenzene, VOC	~	~	~	~	~	~	~	~	~	~
2-Butanone	~	~	~	~	~	~	~	~	~	~



									-	
Location ID			CPPSB013	CPPSB014	CPPSB014	CPPSB015	CPPSB015	CPPSB016	CPPSB016	CPPSB017
Sample ID			CPPSB013-0-130	CPPSB014-0-005	CPPSB014-0-135	CPPSB015-0-000	CPPSB015-0-035	CPPSB016-0-025	CPPSB016-0-045	CPPSB017-0-000
Date			8/5/2014	8/5/2014	8/5/2014	6/15/2015	6/15/2015	6/15/2015	6/15/2015	6/19/2015
Sample Depth	Restricted		13 - 15 feet	0.5 - 13.5 feet	13.5 - 16 feet	0-2 feet	3.5-5.5 feet	2.5-4.5 feet	4.5-6.5 feet	0-2 feet
Sample Type	Residential	TCLP	0 - Primary	0 - Primary	0 - Primary	0-Primary	0-Primary	0-Primary	0-Primary	0-Primary
Matrix	Screening	Regulatory	SB	SB	SB	SB	SB	SB	SB	SB
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-65068-18	480-65068-14	480-65068-15	480-82611-2	480-82611-3	480-82611-4	480-82611-5	480-82612-2
Volatile Organic Compounds (VOCs), ug/Kg (continued)										
2-Hexanone	~	~	~	~	~	~	~	~	~	~
4-Methyl-2-pentanone	~	~	~	~	~	~	~	~	~	~
Acetone	100000	~	~	~	~	~	~	~	~	~
Benzene	4800	~	~	~	~	~	~	~	~	~
Bromodichloromethane	~	~	~	~	~	~	~	~	~	~
Bromoform	~	~	~	~	~	~	~	~	~	~
Bromomethane	~	~	~	~	~	~	~	~	~	~
Carbon disulfide	~	~	~	~	~	~	~	~	~	~
Carbon tetrachloride	2400	~	~	~	~	~	~	~	~	~
Chlorobenzene	100000	~	~	~	~	~	~	~	~	~
Chloroethane	~	~	~	~	~	~	~	~	~	~
Chloroform	49000	~	~	~	~	~	~	~	~	~
Chloromethane	~	~	~	~	~	~	~	~	~	~
cis-1,2-Dichloroethene	100000	~	~	~	~	~	~	~	~	~
cis-1,3-Dichloropropene	~	~	~	~	~	~	~	~	~	~
Cyclohexane	~	~	~	~	~	~	~	~	~	~
Cyclohexane, Methyl-	~	~	~	~	~	~	~	~	~	~
Dibromochloromethane	~	~	~	~	~	~	~	~	~	~
Dichlorodifluoromethane	~	~	~	~	~	~	~	~	~	~
Ethylbenzene	41000	~	~	~	~	~	~	~	~	~
Isopropylbenzene	~	~	~	~	~	~	~	~	~	~
Methyl acetate	~	~	~	~	~	~	~	~	~	~
Methyl tert-butyl ether	100000	~	~	~	~	~	~	~	~	~
Methylene chloride	100000	~	2	~	~	~	~	~	~	~
Styrene	~	~	2	~	~	~	~	~	~	~
Tetrachloroethene	19000	~	~	~	~	~	~	~	~	~
Toluene	100000	~	~	~	~	~	~	~	~	~
trans-1,2-Dichloroethene	100000	~	~	~	~	~	~	~	~	~
trans-1,3-Dichloropropene	~	~	~	~	~	~	~	~	~	~
Trichloroethene	21000	~	~	~	~	~	~	~	~	~
Trichlorofluoromethane	~	~	~	~	~	~	~	~	~	~
Vinylchloride	~	~	~	~	~	~	~	~	~	~
Xylenes, Total	100000	~	~	~	~	~	~	~	~	~
Semi-Volatile Organic Compounds (SVOCs), ug/Kg										
2,4,5-Trichlorophenol	~	~	~	~	~	~	~	~	~	290 U
2,4,6-Trichlorophenol	~	~	~	~	~	~	~	~	~	210 U
2,4-Dichlorophenol	~	~	~	~	~	~	~	~	~	110 U
2,4-Dimethylphenol	~	~	~	~	~	~	~	~	~	260 U
2,4-Dinitrophenol	~	~	~	~	~	~	~	~	~	4900 U
2,4-Dinitrotoluene	~	~	~	~	~	~	~	~	~	220 U
2,6-Dinitrotoluene	~	~	~	~	~	~	~	~	~	120 U
2-Chloronaphthalene	~	~	~	~	~	~	~	~	~	170 U
2-Chlorophenol	~	~	~	~	~	~	~	~	~	190 U
2-Methylnaphthalene	~	~	~	~	~	~	~	~	~	210 U
2-Methylphenol	100000	~	~	~	~	~	~	~	~	120 U
2-Nitronaline	~	~	~	~	~	~	~	~	~	160 U
2-Nitrophenol	~	~	~	~	~	~	~	~	~	300 U
3,3'-Dichlorobenzidine	~	~	~	~	~	~	~	~	~	1200 U
3-Nitroaniline	~	~	~	~	~	~	~	~	~	290 U



		ī								
Location ID			CPPSB013	CPPSB014	CPPSB014	CPPSB015	CPPSB015	CPPSB016	CPPSB016	CPPSB017
Sample ID			CPPSB013-0-130	CPPSB014-0-005	CPPSB014-0-135	CPPSB015-0-000	CPPSB015-0-035	CPPSB016-0-025	CPPSB016-0-045	CPPSB017-0-000
Date			8/5/2014	8/5/2014	8/5/2014	6/15/2015	6/15/2015	6/15/2015	6/15/2015	6/19/2015
Sample Depth	Restricted		13 - 15 feet	0.5 - 13.5 feet	13.5 - 16 feet	0-2 feet	3.5-5.5 feet	2.5-4.5 feet	4.5-6.5 feet	0-2 feet
Sample Type	Residential	TCLP	0 - Primary	0 - Primary	0 - Primary	0-Primary	0-Primary	0-Primary	0-Primary	0-Primary
Matrix	Screening	Regulatory	SB	SB	SB	SB	SB	SB	SB	SB
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-65068-18	480-65068-14	480-65068-15	480-82611-2	480-82611-3	480-82611-4	480-82611-5	480-82612-2
Semi-Volatile Organic Compounds (SVOCs), ug/Kg (continued)										
4,6-Dinitro-2-methylphenol	~	~	~	~	~	~	~	~	~	1100 U
4-Bromophenyl-phenylether	~	~	~	~	~	~	~	~	~	150 U
4-Chloro-3-methylphenol	~	~	~	~	~	~	~	~	~	260 U
4-Chloroaniline	~	~	~	~	~	~	~	~	~	260 U
4-Chlorophenyl-phenylether	~	~	~	~	~	~	~	~	~	130 U
4-Methylphenol	100000	~	~	~	~	~	~	~	~	120 U
4-Nitroaniline	~	~	~	~	~	~	~	~	~	550 U
4-Nitrophenol, SVOC	~	~	~	~	~	~	~	~	~	740 U
Acenaphthene	100000	~	~	~	~	~	~	~	~	160 U
Acenaphthylene	100000	~	~	~	~	~	~	~	~	140 U
Acetophenone	~	~	~	~	~	~	~	~	~	140 UJ
Anthracene	100000	~	~	~	~	~	~	~	~	260 U
Atrazine	~	~	~	~	~	~	~	~	~	370 U
Benz(a)anthracene	1000	~	~	~	~	~	~	~	~	110 U
Benzaldehyde	~	~	~	~	~	~	~	~	~	840 U
Benzo(a)pyrene	1000	~	~	~	~	~	~	~	~	160 U
Benzo(b)fluoranthene	1000	~	~	~	~	~	~	~	~	170 U
Benzo(g,h,i)perylene	100000	~	~	~	~	~	~	~	~	110 U
Benzo(k)fluoranthene	3900	~	~	~	~	~	~	~	~	140 U
Biphenyl	~	~	~	~	~	~	~	~	~	160 UJ
bis (2-chloroisopropyl) ether	~	~	~	~	~	~	~	~	~	210 U
bis(2-Chloroethoxy)methane	~	~	~	~	~	~	~	~	~	220 U
bis(2-Chloroethyl)ether	~	~	~	~	~	~	~	~	~	140 U
bis(2-Ethylhexyl)phthalate	~	~	~	~	~	~	~	~	~	360 U
Butyl benzyl phthalate	~	~	~	•	~	~	•	~	~	170 U
Caprolactam	~	~	~	~	~	~	~	~	~	320 U
Carbazole	~	~	~	~	~	~	~	~	~	120 U
Chrysene	3900	~	~	~	~	~	~	~	~	240 U
Dibenz(a,h)anthracene	330	~	~	~	~	~	~	~	~	190 U
Dibenzofuran	59000	~	~	~	~	~	~	~	~	120 U
Diethylphthalate	~	~	~	~	~	~	~	~	~	140 U
Dimethyl phthalate	~	~	~	~	~	~	~	~	~	120 U
Di-N-Butyl phthalate	~	~	~	~	~	~	~	~	~	180 U
Di-N-Octyl phthalate	~	~	~	~	~	~	~	~	~	120 U
Fluoranthene	100000	~	~	~	~	~	~	~	~	110 U
Fluorene	100000	~	~	~	~	~	~	~	~	120 U
Hexachlorobenzene	1200	~	~	~	~	~	~	~	~	140 U
Hexachlorobutadiene, SVOC	~	~	~	~	~	~	~	~	~	160 U
Hexachlorocyclopentadiene	~	~	~	~	~	~	~	~	~	140 U
Hexachloroethane	~	~	~	~	~	~	~	~	~	140 U
Indeno(1,2,3-cd)pyrene	500	~	~	~	~	~	~	~	~	130 U
Isophorone	~	~	~	~	~	~	~	~	~	220 U
Naphthalene, SVOC	100000	~	~	~	~	~	~	~	~	140 U
Nitrobenzene	15000	~	~	~	~	~	~	~	~	120 U
N-Nitroso-di-N-propylamine	~	~	~	~	~	~	~	~	~	180 U
N-Nitrosodiphenylamine	~	~	~	~	~	~	~	~	~	860 U
Pentachlorophenol, SVOC	6700	~	~	~	~	~	~	~	~	1100 U
Phenanthrene	100000	~	~	~	~	~	~	~	~	160 U
Phenol	100000	~	~	~	~	~	~	~	~	160 U
Pyrene	100000	~	~	~	~	~	~	~	~	120 U



				-						
Location	n ID		CPPSB013	CPPSB014	CPPSB014	CPPSB015	CPPSB015	CPPSB016	CPPSB016	CPPSB017
Samp	le ID		CPPSB013-0-130	CPPSB014-0-005	CPPSB014-0-135	CPPSB015-0-000	CPPSB015-0-035	CPPSB016-0-025	CPPSB016-0-045	CPPSB017-0-000
	Date		8/5/2014	8/5/2014	8/5/2014	6/15/2015	6/15/2015	6/15/2015	6/15/2015	6/19/2015
Sample D	epth Restricted		13 - 15 feet	0.5 - 13.5 feet	13.5 - 16 feet	0-2 feet	3.5-5.5 feet	2.5-4.5 feet	4.5-6.5 feet	0-2 feet
Sample	Type Residential	TCLP	0 - Primary	0 - Primary	0 - Primary	0-Primary	0-Primary	0-Primary	0-Primary	0-Primary
N	atrix Screening	Regulatory	SB	SB	SB	SB	SB	SB	SB	SB
Laboratory Samp	le ID Levels ⁽¹⁾	Levels ⁽²⁾	480-65068-18	480-65068-14	480-65068-15	480-82611-2	480-82611-3	480-82611-4	480-82611-5	480-82612-2
Polychlorinated Biphenyls (PBCs), mg/Kg										
Aroclor-1016	~	~	~	~	~	~	~	~	~	~
Aroclor-1221	~	~	~	~	~	~	~	~	~	~
Aroclor-1232	~	~	~	~	~	~	~	~	~	~
Aroclor-1242	~	~	~	~	~	~	~	~	~	~
Aroclor-1248	~	~	~	~	~	~	~	~	~	~
Aroclor-1254	~	~	~	~	~	~	~	~	~	~
Aroclor-1260	~	~	~	~	~	~	~	~	~	~
Aroclor-1262	~	~	~	~	~	~	~	~	~	~
Aroclor-1268	~	~	~	~	~	~	~	~	~	~
Total Petroleum Hydrocarbons, mg/Kg										
TPH	~	~	~	~	~	~	~	~	~	~

Notes:

mg/Kg = milligram per kilogram.

mg/L = milligram per liter.

ug/Kg = microgram per kilogram.

- U = The analyte was analyzed for but was not detected above the level of the detection quantitation limit.
- UJ = The analyte was analyzed for but not detected. The quantitation limit is approximate and may be inaccurate or imprecise.
- J = The positive result reported is estimated either because the result is less than the LOQ or because certain quality control criteria were not met.
- J- = The result is an estimated quantity, but the result may be biased low because certain quality control criteria were not met.
- J+ = The result is an estimated quantity, but the result may be biased high because certain quality control criteria were not met.
- SB = Soil boring.
- SS = Surface soil.
- (1) New York State Department of Environmental Conservation (NSYDEC) Subpart 375-6 Remedial Program Soil Cleanup Objectives (SCOs).
- (2) Federal Code of Regulations, Section 261.24 Toxicity characteristic. Context: Title 40 Protection of Environment. CHAPTER I ENVIRONMENTAL PROTECTION AGENCY (CONTINUED). SUBCHAPTER I SOLID WASTES (CONTINUED). PART 261 -
- IDENTIFICATION AND LISTING OF HAZARDOUS WASTE. Subpart C Characteristics of Hazardous Waste (2012-07-01).
- $^{\sim}$ = Analysis not performed or No standard or guidance value listed for this constituent.



					-						
Location ID			CPPSB01		CPPSB017	CPPSB018	CPPSB018	CPPSB019	CPPSB020	CPPSB020	CPPSB021
Sample ID			CPPSB017-0	-020	CPPSB017-1-020	CPPSB018-0-000	CPPSB018-0-020	CPPSB019-0-140	CPPSB020-0-000	CPPSB020-0-020	CPPSB021-0-025
Date			6/19/2015	;	6/19/2015	6/15/2015	6/15/2015	6/18/2015	6/17/2015	6/17/2015	6/18/2015
Sample Depth	Restricted		2-6 feet		2-6 feet	0-2 feet	2-6 feet	14-16 feet	0-2 feet	2-4 feet	2.5-11 feet
Sample Type	Residential	TCLP	0-Primary	,	1-Duplicate	0-Primary	0-Primary	0-Primary	0-Primary	0-Primary	0-Primary
Matrix	Screening	Regulatory	SB		SB						
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-82612-	-3	480-82612-4	480-82611-6	480-82611-7	480-82612-5	480-82611-8	480-82611-9	480-82612-7
Toxicity Characteristic Leaching Procedure (TCLP) Metals, mg/L			100 0001								
Arsenic, TCLP	~	5	0.0056	U	0.0056 l	~	~	~	~	~	~
Barium, TCLP	~	100	0.61	J	0.58	l ~	~	~	~	~	~
Cadmium, TCLP	~	1	0.0040		0.0040	~	~	~	~	~	~
Chromium, TCLP	~	5	0.010	U		J ~	~	~	~	~	~
Lead, TCLP	~	5	0.078	J	0.14	~	~	~	~	~	~
Mercury, TCLP	~	0.2	0.00012	UJ		J ~	~	~	~	~	~
Selenium, TCLP	~	1	0.0087	U		J ~	~	~	~	~	~
Silver, TCLP	~	5	0.0017	U		J ~	~	~	~	~	~
Total Metals, mg/Kg											
Aluminum, Total	~	~	10400	J	10700	l ~	~	~	~	~	~
Antimony, Total	~	~	0.45	J		I ~	~	~	~	~	~
Arsenic, Total	16	~	6.6		6.4	8.2	8.8	10.6	15.0	10.8	~
Barium, Total	400	~	98.0	J	_	J ~	~	~	~	~	~
Beryllium, Total	72	~	0.48	-	0.49	~	~	~	~	~	~
Boron, Total	~	~	3.7		3.6	~	~	~	~	~	~
Cadmium, Total	4.3	~	0.41		0.37	0.34	0.17 J	0.87	2.6	3.3	~
Calcium, Total	~	~	1270	J		J ~	~	~	~	~	~
Chromium, Total	180	~	11.6	J		l ~	~	~	~	~	~
Cobalt, Total	~	~	8.1		8.4	~	~	~	~	~	~
Copper, Total	270	~	13.7		14.2	~	~	~	~	~	~
Iron, Total	~	~	17600		18700	~	~	~	~	~	~
Lead, Total	400	~	51.7		57.5	53.9	23.1	20.7	326	158	~
Magnesium, Total	~	~	2390	J		l ~	~	~	~	~	~
Manganese, Total	2000	~	439	J	464		~	~	~	~	~
Mercury, Total	0.81	~	0.032		0.016	0.025	0.014 J	0.038	0.16	0.088	~
Nickel, Total	310	~	17.8		18.5	~	~	~	~	~	~
Potassium, Total	~	~	1220	J		l ~	~	~	~	~	~
Selenium, Total	180	~	0.53	J	0.47 l	J ~	~	~	~	~	~
Silver, Total	180	~	0.23	U	0.23 l	J ~	~	~	~	~	~
Sodium, Total	~	~	50.0	J		~	~	~	~	~	~
Thallium, Total	~	~	0.34	U		J ~	~	~	~	~	~
Vanadium, Total	~	~	14.7		14.9	~	~	~	~	~	~
Zinc, Total	10000	~	74.7	J		l ~	~	~	~	~	~
Volatile Organic Compounds (VOCs), ug/Kg											
1,1,1-Trichloroethane	100000	~	~		~	~	~	~	~	~	~
1,1,2,2-Tetrachloroethane	~	~	~		~	~	~	~	~	~	~
1,1,2-Trichloro-1,2,2-trifluoroethane	~	~	~		~	~	~	~	~	~	~
1,1,2-Trichloroethane	~	~	~		~	~	~	~	~	~	~
1,1-Dichloroethane	26000	~	~		~	~	~	~	~	~	~
1,1-Dichloroethene	100000	~	~		~	~	~	~	~	~	~
1,2,4-Trichlorobenzene, VOC	~	~	~		~	~	~	~	~	~	~
1,2-Dibromo-3-chloropropane	~	~	~		~	~	~	~	~	~	~
1,2-Dibromoethane	~	~	~		~	~	~	~	~	~	~
1,2-Dichlorobenzene, VOC	~	~	~		~	~	~	~	~	~	~
1,2-Dichloroethane	3100	~	~		~	~	~	~	~	~	~
1,2-Dichloropropane	~	~	~		~	~	~	~	~	~	~
1,3-Dichlorobenzene, VOC	~	~	~		~	~	~	~	~	~	~
1,4-Dichlorobenzene, VOC	~	~	~		~	~	~	~	~	~	~
2-Butanone	~	~	~		~	~	~	~	~	~	~
2 Datanone		i .				ı	l	1			1



										-
Location ID			CPPSB017	CPPSB017	CPPSB018	CPPSB018	CPPSB019	CPPSB020	CPPSB020	CPPSB021
Sample ID			CPPSB017-0-020	CPPSB017-1-020	CPPSB018-0-000	CPPSB018-0-020	CPPSB019-0-140	CPPSB020-0-000	CPPSB020-0-020	CPPSB021-0-025
Date			6/19/2015	6/19/2015	6/15/2015	6/15/2015	6/18/2015	6/17/2015	6/17/2015	6/18/2015
Sample Depth	Restricted		2-6 feet	2-6 feet	0-2 feet	2-6 feet	14-16 feet	0-2 feet	2-4 feet	2.5-11 feet
Sample Type	Residential	TCLP	0-Primary	1-Duplicate	0-Primary	0-Primary	0-Primary	0-Primary	0-Primary	0-Primary
Matrix	Screening	Regulatory	SB							
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-82612-3	480-82612-4	480-82611-6	480-82611-7	480-82612-5	480-82611-8	480-82611-9	480-82612-7
Volatile Organic Compounds (VOCs), ug/Kg (continued)										
2-Hexanone	~	~	~	~	~	~	~	~	~	~
4-Methyl-2-pentanone	~	~	~	~	~	~	~	~	~	~
Acetone	100000	~	~	~	~	~	~	~	~	~
Benzene	4800	~	~	~	~	~	~	~	~	~
Bromodichloromethane	~	~	~	~	~	~	~	~	~	~
Bromoform	~	~	~	~	~	~	~	~	~	~
Bromomethane	~	~	~	~	~	~	~	~	~	~
Carbon disulfide	~	~	~	~	~	~	~	~	~	~
Carbon tetrachloride	2400	~	~	~	~	~	~	~	~	~
Chlorobenzene	100000	~	~	~	~	~	~	~	~	~
Chloroethane	~	~	~	~	~	~	~	~	~	~
Chloroform	49000	~	~	~	~	~	~	~	~	~
Chloromethane	~	~	~	~	~	~	~	~	~	~
cis-1,2-Dichloroethene	100000	~	~	~	~	~	~	~	~	~
cis-1,3-Dichloropropene	~	~	~	~	~	~	~	~	~	~
Cyclohexane	~	~	~	~	~	~	~	~	~	~
Cyclohexane, Methyl-	~	~	~	~	~	~	~	~	~	~
Dibromochloromethane	~	~	~	~	~	~	~	~	~	~
Dichlorodifluoromethane	~	~	~	~	~	~	~	~	~	~
Ethylbenzene	41000	~	~	~	~	~	~	~	~	~
Isopropylbenzene	~	~	~	~	~	~	~	~	~	~
Methyl acetate	~	~	~	~	~	~	~	~	~	~
Methyl tert-butyl ether	100000	~	~	~	~	~	~	~	~	~
Methylene chloride	100000	~	~	~	~	~	~	~	~	~
Styrene	~	~	~	~	~	~	~	~	~	~
Tetrachloroethene	19000	~	~	~	~	~	~	~	~	~
Toluene	100000	~	~	~	~	~	~	~	~	~
trans-1,2-Dichloroethene	100000	~	~	~	~	~	~	~	~	~
trans-1,3-Dichloropropene	~	~	~	~	~	~	~	~	~	~
Trichloroethene	21000	~	~	~	~	~	~	~	~	~
Trichlorofluoromethane	~	~	~	~	~	~	~	~	~	~
Vinylchloride	400000	~	~	~	~	~	~	~	~	~
Xylenes, Total	100000	~	~	~	~	~	~	~	~	~
Semi-Volatile Organic Compounds (SVOCs), ug/Kg			54	54 11			54 11			240
2,4,5-Trichlorophenol	~	~	54 U 40 U	54 U 40 U	~	~	54 U 40 U	~	~	240 U 180 U
2,4,6-Trichlorophenol 2,4-Dichlorophenol	~	~	21 U	21 U	~	~	21 U	~	~	95 U
2,4-Dichlorophenol	~	~ ~	48 U	48 U	~	~	49 U	~ ~	~	220 U
2,4-Dinitrophenol	~	~	920 U	930 U	~	~	930 U		~	4200 U
2,4-Dinitroprierioi 2,4-Dinitrotoluene	~	~	41 U	41 U	~	~	41 U	~	~	190 U
2,6-Dinitrotoluene	~	~	23 U	24 U	~	~	24 U	~	~	110 U
2-Chloronaphthalene	~	~	33 U	33 U	~	~	33 U	~	~	150 U
2-Chlorophenol	~	~	36 U	37 U	~	~	37 U	~	~	160 U
2-Methylnaphthalene	~	~	40 U	40 U	~	~	40 U	~	~	180 U
2-Methylphenol	100000	~	23 U	24 U	~	~	24 U	~	~	110 U
2-Nitroaniline	~	~	29 U	30 U	~	~	30 U	~	~	130 U
2-Nitrophenol	~	~	56 U	57 U	~	~	57 U	~	~	250 U
3,3'-Dichlorobenzidine	~	~	230 U	240 U	~	~	240 U	~	~	1100 U
3-Nitroaniline	~	~	55 U	56 U	~	~	56 U	~	~	250 U
יאוויטמוווווופ	~		33 0	30 0	~	_ ~	30 0	2	_	250 0



			0000004=		0000045	1 00	202010	1 0000040	0000	2010		0000000	0000004
Location ID			CPPSB017		CPPSB017		PSB018	CPPSB018	CPPS		CPPSB020	CPPSB020	CPPSB021
Sample ID			CPPSB017-0-02	20	CPPSB017-1-020		3018-0-000	CPPSB018-0-020		19-0-140	CPPSB020-0-000	CPPSB020-0-020	CPPSB021-0-025
Date			6/19/2015		6/19/2015		5/2015	6/15/2015		2015	6/17/2015	6/17/2015	6/18/2015
Sample Depth	Restricted		2-6 feet		2-6 feet		2 feet	2-6 feet		6 feet	0-2 feet	2-4 feet	2.5-11 feet
Sample Type	Residential	TCLP	0-Primary		1-Duplicate	0-F	Primary	0-Primary	0-Pri	mary	0-Primary	0-Primary	0-Primary
Matrix	Screening	Regulatory	SB		SB		SB	SB	S	В	SB	SB	SB
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-82612-3		480-82612-4	480	82611-6	480-82611-7	480-8	2612-5	480-82611-8	480-82611-9	480-82612-7
Semi-Volatile Organic Compounds (SVOCs), ug/Kg (continued)													
4,6-Dinitro-2-methylphenol	~	~	200	U	200 U	~		~	200	U	~	~	900 U
4-Bromophenyl-phenylether	~	~	28	U	28 U			~	28	U	~	~	130 U
4-Chloro-3-methylphenol	~	~	49	U	50 U	~		~	50	U	~	~	220 U
4-Chloroaniline	~	~	49	U	50 U			~	50	U	~	~	220 U
4-Chlorophenyl-phenylether	~	~	25	U	25 U			~	25	U	~	~	110 U
4-Methylphenol	100000	~	23	U	24 U			~	24	U	~	~	110 U
4-Nitroaniline	~	~	100	U	110 U			~	110	U	~	~	470 U
4-Nitrophenol, SVOC	~	~	140	U	140 U			~	140	U	~	~	630 U
Acenaphthene	100000	~	29	U	30 U			~	30	U	~	~	130 U
Acenaphthylene	100000	~	26	U	26 U			~	26	U	~	~	120 U
Acetophenone	~	~	27	UJ	27 UJ			~	27	UJ	~	~	120 UJ
Anthracene	100000	~	49	U	50 U			~	50	U	~	~	220 U
Atrazine	~	~	69	U	70 U			~	70	U	~	~	310 U
Benz(a)anthracene	1000	~	20	U	20 U			~	20	U	~	~	90 U
Benzaldehyde	~	~	160	U	160 U			~	160	U	~	~	720 U
Benzo(a)pyrene	1000	~	51	J	30 U			~	30	U	~	~	130 U
Benzo(b)fluoranthene	1000	~	64	J	32 U			~	32	U	~	~	140 U
Benzo(g,h,i)perylene	100000	~	43	J	21 U			~	21	U	~	~	95 U
Benzo(k)fluoranthene	3900	~	37	J	26 U			~	26	U	~	~	120 U
Biphenyl	~	~	29	UJ	30 UJ			~	30	UJ	~	~	130 UJ
bis (2-chloroisopropyl) ether	~	~	40	U	40 U			~	40	U	~	~	180 U
bis(2-Chloroethoxy)methane	~	~	42	U	43 U			~	43	U	~	~	190 U
bis(2-Chloroethyl)ether	~	~	26	U	26 U			~	26	U	~	~	120 U
bis(2-Ethylhexyl)phthalate	~	~	68 33	U	69 U 33 U			~	69 33	U	~	~	310 U 150 U
Butyl benzyl phthalate	~	~	60	U	33 U 60 U			~	60	U	~	~	150 U 270 U
Carbonale	~	~	23	U	24 U			~	24	U	~	~	110 U
Carbazole	3900	~	44	U	45 U			~	45	U U	~	~	200 U
Chrysene Dibenz(a.h)anthracene	330	~	35	U	35 U			~	36	U	~	~	160 U
Dibenzofuran	59000	~	23	U	24 U			~	24	U	~	~	110 U
Diethylphthalate	~	~	26	Ū	26 U			~	26	U	~	~	120 U
Directly phthalate	~	~	23	U	24 U			~	24	U	~	~	110 U
Di-N-Butyl phthalate	~	~	34	Ū	34 U			~	34	U	~	~	150 U
Di-N-Octyl phthalate	~	~	23	U	24 U			~	24	U	~	~	110 U
Fluoranthene	100000	~	84	J	23 J			~	21	U	~	~	95 U
Fluorene	100000	~	23	U	24 U			~	24	U	~	~	110 U
Hexachlorobenzene	1200	~	27	U	27 U			~	27	U	~	~	120 U
Hexachlorobutadiene. SVOC	~	~	29	Ū	30 U			~	30	Ü	~	~	130 U
Hexachlorocyclopentadiene	~	~	27	Ū	27 U			~	27	U	~	~	120 U
Hexachloroethane	~	~	26	U	26 U			~	26	U	~	~	120 U
Indeno(1,2,3-cd)pyrene	500	~	40	J	25 U			~	25	U	~	~	110 U
Isophorone	~	~	42	Ū	43 U			~	43	U	~	~	190 U
Naphthalene, SVOC	100000	~	26	U	26 U			~	26	U	~	~	120 U
Nitrobenzene	15000	~	22	Ū	22 U			~	22	Ü	~	~	100 U
N-Nitroso-di-N-propylamine	~	~	34	U	34 U			~	34	U	~	~	150 U
N-Nitrosodiphenylamine	~	~	160	U	160 U			~	160	U	~	~	730 U
Pentachlorophenol, SVOC	6700	~	200	U	200 U			~	200	U	~	~	900 U
Phenanthrene	100000	~	29	U	30 U			~	30	U	~	~	130 U
Phenol	100000	~	30	U	31 U			~	31	U	~	~	140 U
Pyrene	100000	~	67	J	24 U			~	24	U	~	~	110 U
i jiono			<u> </u>					1			1		



	•									
Location	ID		CPPSB017	CPPSB017	CPPSB018	CPPSB018	CPPSB019	CPPSB020	CPPSB020	CPPSB021
Sample	ID		CPPSB017-0-020	CPPSB017-1-020	CPPSB018-0-000	CPPSB018-0-020	CPPSB019-0-140	CPPSB020-0-000	CPPSB020-0-020	CPPSB021-0-025
D	ite		6/19/2015	6/19/2015	6/15/2015	6/15/2015	6/18/2015	6/17/2015	6/17/2015	6/18/2015
Sample De	th Restricted		2-6 feet	2-6 feet	0-2 feet	2-6 feet	14-16 feet	0-2 feet	2-4 feet	2.5-11 feet
Sample Ty	pe Residential	TCLP	0-Primary	1-Duplicate	0-Primary	0-Primary	0-Primary	0-Primary	0-Primary	0-Primary
Mat	rix Screening	Regulatory	SB							
Laboratory Sample	ID Levels ⁽¹⁾	Levels ⁽²⁾	480-82612-3	480-82612-4	480-82611-6	480-82611-7	480-82612-5	480-82611-8	480-82611-9	480-82612-7
Polychlorinated Biphenyls (PBCs), mg/Kg										
Aroclor-1016	~	~	~	~	~	~	~	~	~	~
Aroclor-1221	~	~	2	~	~	~	~	~	2	~
Aroclor-1232	~	~	~	~	~	~	~	~	~	~
Aroclor-1242	~	~	~	~	~	~	~	~	~	~
Aroclor-1248	~	~	~	~	~	~	~	~	~	~
Aroclor-1254	~	~	2	~	~	~	~	•	2	~
Aroclor-1260	~	~	~	~	~	~	~	~	~	~
Aroclor-1262	~	~	~	~	~	~	~	~	~	~
Aroclor-1268	~	~	~	~	~	~	~	~	~	~
Total Petroleum Hydrocarbons, mg/Kg										
TPH	~	~	~	~	~	~	~	~	~	~

Notes:

mg/Kg = milligram per kilogram.

mg/L = milligram per liter.

ug/Kg = microgram per kilogram.

- U = The analyte was analyzed for but was not detected above the level of the detection quantitation limit.
- UJ = The analyte was analyzed for but not detected. The quantitation limit is approximate and may be inaccurate or imprecise.
- $\label{eq:Jacobian} J = \mbox{The positive result reported is estimated either because the result is less than the LOQ or because certain quality control criteria were not met.}$
- J- = The result is an estimated quantity, but the result may be biased low because certain quality control criteria were not met.
- J+ = The result is an estimated quantity, but the result may be biased high because certain quality control criteria were not met.
- SB = Soil boring.
- SS = Surface soil.
- (1) New York State Department of Environmental Conservation (NSYDEC) Subpart 375-6 Remedial Program Soil Cleanup Objectives (SCOs).
- (2) Federal Code of Regulations, Section 261.24 Toxicity characteristic. Context: Title 40 Protection of Environment. CHAPTER I ENVIRONMENTAL PROTECTION AGENCY (CONTINUED). SUBCHAPTER I SOLID WASTES (CONTINUED). PART 261 -
- IDENTIFICATION AND LISTING OF HAZARDOUS WASTE. Subpart C Characteristics of Hazardous Waste (2012-07-01).
- $^{\sim}$ = Analysis not performed or No standard or guidance value listed for this constituent.



							-			
Location ID	-		CPPSB021	CPPSB021	CPPSB022	CPPSB022	CPPSB022	CPPSB023	CPPSB023	CPPSB023
Sample ID			CPPSB021-0-070	CPPSB021-0-110	CPPSB022-0-025	CPPSB022-0-070	CPPSB022-0-110	CPPSB023-0-025	CPPSB023-1-025	CPPSB023-0-070
Date			6/18/2015	6/18/2015	6/18/2015	6/18/2015	6/18/2015	6/18/2015	6/18/2015	6/18/2015
Sample Depth	Restricted		7-7 feet	11-16 feet	2.5-11 feet	7-7 feet	11-16 feet	2.5-11 feet	2.5-11 feet	7-7 feet
Sample Type	Residential	TCLP	0-Primary	0-Primary	0-Primary	0-Primary	0-Primary	0-Primary	1-Duplicate	0-Primary
Matrix	Screening	Regulatory	SB							
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-82612-8	480-82612-9	480-82612-10	480-82612-11	480-82612-12	480-82612-13	480-82612-16	480-82612-14
Toxicity Characteristic Leaching Procedure (TCLP) Metals, mg/L										
Arsenic, TCLP	~	5	~	~	~	~	~	~	~	~
Barium, TCLP	~	100	~	~	~	~	~	~	~	~
Cadmium, TCLP	~	1	~	~	~	~	~	~	~	~
Chromium, TCLP	~	5	~	~	~	~	~	~	~	~
Lead, TCLP	~	5	~	~	~	~	~	~	~	~
Mercury, TCLP	~	0.2	~	~	~	~	~	~	~	~
Selenium, TCLP	~	1	~	~	~	~	~	~	~	~
Silver, TCLP	~	5	~	~	~	~	~	~	~	~
Total Metals, mg/Kg										
Aluminum, Total	~	~	~	~	~	~	~	~	~	~
Antimony, Total	~	~	~	~	~	~	~	~	~	~
Arsenic, Total	16	~	~	~	~	~	~	~	~	~
Barium, Total	400	~	~	~	~	~	~	~	~	~
Beryllium, Total	72	~	~	~	~	~	~	~	~	~
Boron, Total	~	~	~	~	~	~	~	~	~	~
Cadmium, Total	4.3	~	~	~	~	~	~	~	~	~
Calcium, Total	~	~	~	~	~	~	~	~	~	~
Chromium, Total	180	~	~	~	~	~	~	~	~	~
Cobalt, Total	~	~	~	~	~	~	~	~	~	~
Copper, Total	270	~	~	~	~	~	~	~	~	~
Iron, Total	~	~	~	~	~	~	~	~	~	~
Lead, Total	400	~	~	~	~	~	~	~	~	~
Magnesium, Total	~	~	~	~	~	~	~	~	~	~
Manganese, Total	2000	~	2	~	~	~	~	~	~	~
Mercury, Total	0.81	~	2	~	~	~	~	~	~	~
Nickel, Total	310	~	~	~	~	~	~	~	~	~
Potassium, Total	~	~	2	~	~	~	~	~	~	~
Selenium, Total	180	~	~	~	~	~	~	~	~	~
Silver, Total	180	~	~	~	~	~	~	~	~	~
Sodium, Total	~	~	~	~	~	~	~	~	~	~
Thallium, Total	~	~	~	~	~	~	~	~	~	~
Vanadium, Total	~	~	~	~	~	~	~	~	~	~
Zinc, Total	10000	~	~	~	~	~	~	~	~	~
Volatile Organic Compounds (VOCs), ug/Kg										
1,1,1-Trichloroethane	100000	~	0.39 U	~	~	0.54 U	~	~	~	0.30 U
1,1,2,2-Tetrachloroethane	~	~	0.88 U	~	~	1.2 U	~	~	~	0.66 U
1,1,2-Trichloro-1,2,2-trifluoroethane	~	~	1.2 U	~	~	1.7 U	~	~	~	0.93 U
1,1,2-Trichloroethane	~	~	0.70 U	~	~	0.97 U	~	~	~	0.53 U
1,1-Dichloroethane	26000	~	0.66 U	~	~	0.91 U	~	~	~	0.50 U
1,1-Dichloroethene	100000	~	0.66 U	~	~	0.91 U		~	~	0.50 U
1,2,4-Trichlorobenzene, VOC	~	~	0.33 U	~	~	0.45 U	~	~	~	0.25 U
1,2-Dibromo-3-chloropropane	~	~	2.7 U	~	~	3.7 U	~	~	~	2.0 U
1,2-Dibromoethane	~	~	0.69 U	~	~	0.96 U	~	~	~	0.52 U
1,2-Dichlorobenzene, VOC	~	~	0.42 U	~	~	0.58 U	~	~	~	0.32 U
1,2-Dichloroethane	3100	~	0.27 U	~	~	0.37 U	~	~	~	0.20 U
1,2-Dichloropropane	~	~	2.7 U	~	~	3.7 U	~	~	~	2.0 U
1,3-Dichlorobenzene, VOC	~	~	0.28 U	~	~	0.38 U	~	~	~	0.21 U
1,4-Dichlorobenzene, VOC	~	~	0.76 U	~	~	1.0 U	~	~	~	0.57 U
2-Butanone	~	~	2.0 U	~	~	2.7 U	~	~	~	1.5 U



								-			
Location ID			CPPSB021		CPPSB021	CPPSB022	CPPSB022	CPPSB022	CPPSB023	CPPSB023	CPPSB023
Sample ID			CPPSB021-0-070	0	CPPSB021-0-110	CPPSB022-0-025	CPPSB022-0-070	CPPSB022-0-110	CPPSB023-0-025	CPPSB023-1-025	CPPSB023-0-070
Date			6/18/2015		6/18/2015	6/18/2015	6/18/2015	6/18/2015	6/18/2015	6/18/2015	6/18/2015
Sample Depth	Restricted		7-7 feet		11-16 feet	2.5-11 feet	7-7 feet	11-16 feet	2.5-11 feet	2.5-11 feet	7-7 feet
Sample Type	Residential	TCLP	0-Primary		0-Primary	0-Primary	0-Primary	0-Primary	0-Primary	1-Duplicate	0-Primary
Matrix	Screening	Regulatory	SB		SB	SB	SB	SB	SB	SB	SB
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-82612-8		480-82612-9	480-82612-10	480-82612-11	480-82612-12	480-82612-13	480-82612-16	480-82612-14
Volatile Organic Compounds (VOCs), ug/Kg (continued)											
2-Hexanone	~	~	2.7	U	~	~	3.7 U	~	~	~	2.0 U
4-Methyl-2-pentanone	~	~	1.8	U	~	~	2.4 U	~	~	~	1.3 U
Acetone	100000	~	10	J	~	~	6.3 U	~	~	~	29
Benzene	4800	~		U	~	~	0.37 U	~	~	~	0.20 U
Bromodichloromethane	~	~		U	~	~	1.0 U	~	~	~	0.54 U
Bromoform	~	~		U	~	~	3.7 U	~	~	~	2.0 U
Bromomethane	~	~		U	~	~	0.67 U	~	~	~	0.37 U
Carbon disulfide	~	~		U	~	~	3.7 U	~	~	~	2.0 U
Carbon tetrachloride	2400	~	0.52	U	~	~	0.72 U	~	~	~	0.39 U
Chlorobenzene	100000	~		U	~	~	0.99 U	~	~	~	0.54 U
Chloroethane	~	~		U	~	~	1.7 U	~	~	~	0.92 U
Chloroform	49000	~		U	~	~	0.46 U	~	~	~	0.25 U
Chloromethane	~	~	0.33	U	~	~	0.45 U	~	~	~	0.25 U
cis-1,2-Dichloroethene	100000	~	0.69	U	~	~	0.96 U	~	~	~	0.52 U
cis-1,3-Dichloropropene	~	~		U	~	~	1.1 U	~	~	~	0.59 U
Cyclohexane	~	~		U	~	~	1.1 J	~	~	~	0.57 U
Cyclohexane, Methyl-	~	~		U	~	~	2.4 J	~	~	~	0.62 U
Dibromochloromethane	~	~		U	~	~	0.96 U	~	~	~	0.52 U
Dichlorodifluoromethane	~	~	0.45	U	~	~	0.62 U	~	~	~	0.34 U
Ethylbenzene	41000	~		U	~	~	0.52 U	~	~	~	0.28 U
Isopropylbenzene	~	~		U	~	~	1.1 U	~	~	~	0.61 U
Methyl acetate	~	~		U	~	~	1.4 U	~	~	~	0.76 U
Methyl tert-butyl ether	100000	~		U	~	~	0.73 U	~	~	~	0.40 U
Methylene chloride	100000	~		U	~	~	3.4 U	~	~	~	1.9 U
Styrene	~	~		U	~	~	0.37 U	~	~	~	0.20 U
Tetrachloroethene	19000	~	0.73	U	~	~	1.0 U	~	~	~	0.55 U
Toluene	100000	~		U	~	~	0.56 U	~	~	~	0.31 U
trans-1,2-Dichloroethene	100000	~		U	~	~	0.77 U	~	~	~	0.42 U
trans-1,3-Dichloropropene	~	~		U	~	~	3.3 U	~	~	~	1.8 U
Trichloroethene	21000	~	1.2	U	~	~	1.6 U	~	~	~	0.89 U
Trichlorofluoromethane	~	~		U	~	~	0.71 U	~	~	~	0.38 U
Vinylchloride	~	~	0.66	U	~	~	0.91 U	~	~	~	0.50 U
Xylenes, Total	100000	~	0.91	U	~	~	1.3 U	~	~	~	0.68 U
Semi-Volatile Organic Compounds (SVOCs), ug/Kg					FC00 II	250		FO 11	200 11	F20 II	
2,4,5-Trichlorophenol	~	~	~		5600 U	250 U	~	59 U	260 U	530 U	~
2,4,6-Trichlorophenol	~	~	~		4100 U 2200 U	190 U 98 U		43 U 23 U	190 U 100 U	390 U 210 U	~
2,4-Dichlorophenol	~	~	~ ~		5000 U	220 U		52 U		470 U	~ ~
2,4-Dimethylphenol	~										
2,4-Dinitrophenol 2,4-Dinitrotoluene	~	~	~		95000 U 4300 U	4300 U 190 U		1000 U 45 U	4500 U 200 U	9100 U 410 U	~ ~
2,4-Dinitrotoluene 2,6-Dinitrotoluene	~	~	~ ~		2400 U	190 U		26 U	110 U	230 U	~
2-Chloronaphthalene	~	~	~ ~		3400 U	150 U		36 U	160 U	320 U	~
,	~	~	~ ~		3800 U	170 U		40 U	180 U	360 U	~
2-Chlorophenol 2-Methylnaphthalene	~ ~	~	~ ~		4100 U	190 U		40 U	190 U	390 U	~
2-Methylphenol	100000	~	~ ~		2400 U	110 U		26 U	190 U	230 U	~
2-Nitroaniline	~	~	~ ~		3000 U	140 U		32 U	140 U	290 U	~
2-Nitrophenol	~	~	~		5800 U	260 U		61 U	270 U	560 U	~
3,3'-Dichlorobenzidine	~	~	~		24000 U	1100 U		260 U	1100 U	2300 U	~
3-Nitroaniline	~	~	~ ~		5700 U	260 U		60 U	270 U	540 U	
3-INIII Oaliiii ile	~		~		3700 0	200 0	_ ~	00 0	210 0	J-40 U	~



		1			1					
Location ID			CPPSB021	CPPSB021	CPPSB022	CPPSB022	CPPSB022	CPPSB023	CPPSB023	CPPSB023
Sample ID			CPPSB021-0-070	CPPSB021-0-110	CPPSB022-0-025	CPPSB022-0-070	CPPSB022-0-110	CPPSB023-0-025	CPPSB023-1-025	CPPSB023-0-070
Date			6/18/2015	6/18/2015	6/18/2015	6/18/2015	6/18/2015	6/18/2015	6/18/2015	6/18/2015
Sample Depth	Restricted		7-7 feet	11-16 feet	2.5-11 feet	7-7 feet	11-16 feet	2.5-11 feet	2.5-11 feet	7-7 feet
Sample Type	Residential	TCLP	0-Primary	0-Primary	0-Primary	0-Primary	0-Primary	0-Primary	1-Duplicate	0-Primary
Matrix	Screening	Regulatory	SB							
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-82612-8	480-82612-9	480-82612-10	480-82612-11	480-82612-12	480-82612-13	480-82612-16	480-82612-14
Semi-Volatile Organic Compounds (SVOCs), ug/Kg (continued)										
4,6-Dinitro-2-methylphenol	~	~	~	21000 U		~	220 U	970 U	2000 U	~
4-Bromophenyl-phenylether	~	~	~	2900 U	130 U	~	31 U	140 U	280 U	~
4-Chloro-3-methylphenol	~	~	~	5100 U	230 U	~	54 U	240 U	490 U	~
4-Chloroaniline	~	~	~	5100 U	230 U	~	54 U	240 U	490 U	~
4-Chlorophenyl-phenylether	~	~	~	2600 U	110 U	~	27 U	120 U	240 U	~
4-Methylphenol	100000	~	~	2400 U	110 U	~	26 U	110 U	230 U	~
4-Nitroaniline	~	~	~	11000 U	490 U		110 U	510 U	1000 U	~
4-Nitrophenol, SVOC	~	~	~	14000 U	650 U		150 U	680 U	1400 U	~
Acenaphthene	100000	~	~	3000 U	140 U		32 U	140 U	290 U	~
Acenaphthylene	100000	~	~	2700 U	120 U		28 U	130 U	250 U	~
Acetophenone	~	~	~	2800 UJ	130 UJ		29 UJ	130 UJ	270 UJ	~
Anthracene	100000	~	~	5100 U	230 U		54 U	240 U	490 U	~
Atrazine	~	~	~	7200 U			75 U	340 U	680 U	~
Benz(a)anthracene	1000	~	~	2100 U	93 U	~	22 U	97 U	200 U	~
Benzaldehyde	~	~	~	16000 U	740 U	~	170 U	770 U	1600 U	~
Benzo(a)pyrene	1000	~	~	3000 U	200 J		32 U	250 J	290 U	~
Benzo(b)fluoranthene	1000	~	~	3300 U	220 J		34 U	380 J	310 U	~
Benzo(g,h,i)perylene	100000	~	~	2200 U		~	23 U	170 J	210 U	~
Benzo(k)fluoranthene	3900	~	~	2700 U	150 J	~	28 U	180 J	250 U	~
Biphenyl	~	~	~	3000 UJ		~	32 UJ	140 UJ	290 UJ	~
bis (2-chloroisopropyl) ether	~	~	~	4100 U	190 U	~	43 U	190 U	390 U	~
bis(2-Chloroethoxy)methane	~	~	~	4400 U	200 U	~	46 U	210 U	420 U	~
bis(2-Chloroethyl)ether	~	~	~	2700 U	120 U	~	28 U	130 U	250 U	~
bis(2-Ethylhexyl)phthalate	~	~	~	7100 U	320 U	~	74 U	330 U	670 U	~
Butyl benzyl phthalate	~	~	~	3400 U	150 U	~	36 U	160 U	320 U	~
Caprolactam	~	~	~	6200 U		~	65 U	290 U	590 U	~
Carbazole	~	~	~	2400 U	110 U	~	26 U	110 U	230 U	~
Chrysene	3900	~	~	4600 U	210 U	~	48 U	310 J	440 U	~
Dibenz(a,h)anthracene	330	~	~	3600 U	160 U	~	38 U	170 U	350 U	~
Dibenzofuran	59000	~	~	2400 U		~	26 U	110 U	230 U	~
Diethylphthalate	~	~	~	2700 U	120 U	~	28 U	130 U	250 U	~
Dimethyl phthalate	~	~	~	2400 U	110 U	~	26 U	110 U	230 U	~
Di-N-Butyl phthalate	~	~	~	3500 U	160 U	~	37 U	170 U	340 U	~
Di-N-Octyl phthalate	~	~	~	2400 U	110 U	~	26 U	110 U	230 U	~
Fluoranthene	100000	~	~	2200 U	330 J		23 J	570 J	490 J	~
Fluorene	100000	~	~	2400 U	110 U		26 U	110 U	230 U	~
Hexachlorobenzene	1200	~	~	2800 U	130 U		29 U	130 U	270 U	~
Hexachlorobutadiene, SVOC	~	~	~	3000 U			32 U	140 U	290 U	~
Hexachlorocyclopentadiene	~	~	~	2800 U			29 U	130 U	270 U	~
Hexachloroethane	~	~	~	2700 U	120 U		28 U	130 U	250 U	~
Indeno(1,2,3-cd)pyrene	500	~	~	2600 U			27 U	170 J	240 U	~
Isophorone	~	~	~	4400 U	200 U		46 U	210 U	420 U	~
Naphthalene, SVOC	100000	~	~	2700 U		+	28 U	130 U	250 U	~
Nitrobenzene	15000	~	~	2300 U	100 U	~	24 U	110 U	220 U	~
N-Nitroso-di-N-propylamine	~	~	~	3500 U	160 U	+	37 U	170 U	340 U	~
N-Nitrosodiphenylamine	~	~	~	17000 U	750 U	~	180 U	790 U	1600 U	~
Pentachlorophenol, SVOC	6700	~	~	21000 U	930 U		220 U	970 U	2000 U	~
Phenanthrene	100000	~	~	3000 U	140 U	~	32 U	140 U	290 U	~
Phenol	100000	~	~	3200 U			33 U	150 U	300 U	~
Pyrene	100000	~	~	2400 U	290 J	~	26 U	490 J	380 J	~



Location	n ID		CPPSB021	CPPSB021	CPPSB022	CPPSB022	CPPSB022	CPPSB023	CPPSB023	CPPSB023
Samp	e ID		CPPSB021-0-070	CPPSB021-0-110	CPPSB022-0-025	CPPSB022-0-070	CPPSB022-0-110	CPPSB023-0-025	CPPSB023-1-025	CPPSB023-0-070
	Date		6/18/2015	6/18/2015	6/18/2015	6/18/2015	6/18/2015	6/18/2015	6/18/2015	6/18/2015
Sample D	epth Restricted		7-7 feet	11-16 feet	2.5-11 feet	7-7 feet	11-16 feet	2.5-11 feet	2.5-11 feet	7-7 feet
Sample 5	ype Residential	TCLP	0-Primary	0-Primary	0-Primary	0-Primary	0-Primary	0-Primary	1-Duplicate	0-Primary
M	atrix Screening	Regulatory	SB							
Laboratory Samp	e ID Levels ⁽¹⁾	Levels ⁽²⁾	480-82612-8	480-82612-9	480-82612-10	480-82612-11	480-82612-12	480-82612-13	480-82612-16	480-82612-14
Polychlorinated Biphenyls (PBCs), mg/Kg										
Aroclor-1016	~	~	~	~	~	~	~	~	~	~
Aroclor-1221	~	~	~	~	~	~	~	~	~	~
Aroclor-1232	~	~	~	~	~	~	~	~	~	~
Aroclor-1242	~	~	~	~	~	~	~	~	~	~
Aroclor-1248	~	~	~	~	~	~	~	~	~	~
Aroclor-1254	~	~	~	~	~	~	~	•	•	~
Aroclor-1260	~	~	~	~	~	~	~	~	~	~
Aroclor-1262	~	~	~	~	~	~	~	~	~	~
Aroclor-1268	~	~	~	~	~	~	~	~	~	~
Total Petroleum Hydrocarbons, mg/Kg										
TPH	~	~	~	~	~	~	~	~	~	~

Notes:

mg/Kg = milligram per kilogram.

mg/L = milligram per liter.

- U = The analyte was analyzed for but was not detected above the level of the detection quantitation limit.
- UJ = The analyte was analyzed for but not detected. The quantitation limit is approximate and may be inaccurate or imprecise.
- $\label{eq:J} J = \mbox{The positive result reported is estimated either because the result is less than the LOQ or because certain quality control criteria were not met.}$
- J- = The result is an estimated quantity, but the result may be biased low because certain quality control criteria were not met.
- J+ = The result is an estimated quantity, but the result may be biased high because certain quality control criteria were not met.
- SB = Soil boring.
- SS = Surface soil.
- (1) New York State Department of Environmental Conservation (NSYDEC) Subpart 375-6 Remedial Program Soil Cleanup Objectives (SCOs).
- (2) Federal Code of Regulations, Section 261.24 Toxicity characteristic. Context: Title 40 Protection of Environment. CHAPTER I ENVIRONMENTAL PROTECTION AGENCY (CONTINUED). SUBCHAPTER I SOLID WASTES (CONTINUED). PART 261 -
- IDENTIFICATION AND LISTING OF HAZARDOUS WASTE. Subpart C Characteristics of Hazardous Waste (2012-07-01).
- ~ = Analysis not performed or No standard or guidance value listed for this constituent.



							-			-
Location ID			CPPSB023	CPPSB024	CPPSB024	CPPSB024	CPPSB024	CPPSB025	CPPSB025	CPPSB026
Sample ID			CPPSB023-0-110	CPPSB024-0-025	CPPSB024-0-070	CPPSB024-1-070	CPPSB024-0-110	CPPSB025-0-080	CPPSB025-1-080	CPPSB026-0-160
Date			6/18/2015	6/18/2015	6/18/2015	6/18/2015	6/18/2015	6/18/2015	6/18/2015	6/18/2015
Sample Depth	Restricted		11-16 feet	2.5-11 feet	7-7 feet	7-7 feet	11-16 feet	8-10 feet	8-10 feet	16-18 feet
Sample Type	Residential	TCLP	0-Primary	0-Primary	0-Primary	1-Duplicate	0-Primary	0-Primary	1-Duplicate	0-Primary
Matrix	Screening	Regulatory	SB							
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-82612-15	480-82612-17	480-82612-18	480-82612-20	480-82612-19	480-82611-10	480-82611-12	480-82611-13
Toxicity Characteristic Leaching Procedure (TCLP) Metals, mg/L										
Arsenic, TCLP	~	5	~	~	~	~	~	~	~	~
Barium, TCLP	~	100	~	~	~	~	~	~	~	~
Cadmium, TCLP	~	1	~	~	~	~	~	~	~	~
Chromium, TCLP	~	5	~	~	~	~	~	~	~	~
Lead, TCLP	~	5	~	~	~	~	~	~	~	~
Mercury, TCLP	~	0.2	~	~	~	~	~	~	~	~
Selenium, TCLP	~	1	~	~	~	~	~	~	~	~
Silver, TCLP	~	5	~	~	~	~	~	~	~	~
Total Metals, mg/Kg										
Aluminum, Total	~	~	~	~	~	~	~	~	~	~
Antimony, Total	~	~	~	~	~	~	~	~	~	~
Arsenic, Total	16	~	~	~	~	~	~	5.3	6.6	19.6
Barium, Total	400	~	~	~	~	~	~	~	~	~
Beryllium, Total	72	~	~	~	~	~	~	~	~	~
Boron, Total	~	~	~	~	~	~	~	~	~	~
Cadmium, Total	4.3	~	~	~	~	~	~	0.12 J	0.15 J	0.22 J
Calcium, Total	~	~	~	~	~	~	~	~	~	~
Chromium, Total	180	~	~	~	~	~	~	~	~	~
Cobalt, Total	~	~	~	~	~	~	~	~	~	~
Copper, Total	270	~	~	~	~	~	~	~	~	~
Iron, Total	~	~	~	~	~	~	~	~	~	~
Lead, Total	400	~	2	~	~	~	~	10.3	12.5	21.7
Magnesium, Total	~	~	~	~	~	~	~	~	~	~
Manganese, Total	2000	~	~	~	~	~	~	~	~	~
Mercury, Total	0.81	~	~	~	~	~	~	~	~	~
Nickel, Total	310	~	~	~	~	~	~	~	~	~
Potassium, Total	~	~	~	~	~	~	~	~	~	~
Selenium, Total	180	~	~	~	~	~	~	~	~	~
Silver, Total	180	~	~	~	~	~	~	~	~	~
Sodium, Total	~	~	~	~	~	~	~	~	~	~
Thallium, Total	~	~	~	~	~	~	~	~	~	~
Vanadium, Total	~	~	~	~	~	~	~	~	~	~
Zinc, Total	10000	~	~	~	~	~	~	~	~	~
Volatile Organic Compounds (VOCs), ug/Kg	400000				0.50	0.00				
1,1,1-Trichloroethane	100000	~	~	~	0.59 UJ	0.62 UJ	~	~	~	~
1,1,2,2-Tetrachloroethane	~	~	~	~	1.3 UJ	1.4 UJ	~	~	~	~
1,1,2-Trichloro-1,2,2-trifluoroethane	~	~	~	~	1.8 UJ	2.0 UJ	~	~	~	~
1,1,2-Trichloroethane	~	~	~	~	1.1 UJ	1.1 UJ	~	~	~	~
1,1-Dichloroethane	26000	~	~	~	0.99 UJ	1.0 UJ	~	~	~	~
1,1-Dichloroethene	100000	~	~	~	0.99 UJ		~	~	~	~
1,2,4-Trichlorobenzene, VOC	~	~	~	~	0.49 UJ	0.52 UJ	~	~	~	~
1,2-Dibromo-3-chloropropane	~	~	~	~	4.1 UJ	4.3 UJ	~	~	~	~
1,2-Dibromoethane	~	~	~	~	1.0 UJ	1.1 UJ	~	~	~	~
1,2-Dichlorobenzene, VOC	2100	~	~	~	0.63 UJ		~	~	~	~
1,2-Dichloroethane	3100	~	~	~	0.41 UJ	0.43 UJ	~	~	~	~
1,2-Dichloropropane	~	~	~	~	4.1 UJ	4.3 UJ	~	~	~	~
1,3-Dichlorobenzene, VOC	~	~	~	~	0.42 UJ	0.44 UJ	~	~	~	~
1,4-Dichlorobenzene, VOC	~	~	~	~	1.1 UJ		~	~	~	~
2-Butanone	~	~	~	~	3.0 UJ	3.1 UJ	~	~	~	~



Location ID			CPPSB023	CPPSB024	CPPSB024	CPPSB024	CPPSB024	CPPSB025	CPPSB025	CPPSB026
Sample ID			CPPSB023-0-110	CPPSB024-0-025	CPPSB024-0-070	CPPSB024-1-070	CPPSB024-0-110	CPPSB025-0-080	CPPSB025-1-080	CPPSB026-0-160
Date			6/18/2015	6/18/2015	6/18/2015	6/18/2015	6/18/2015	6/18/2015	6/18/2015	6/18/2015
Sample Depth	Restricted		11-16 feet	2.5-11 feet	7-7 feet	7-7 feet	11-16 feet	8-10 feet	8-10 feet	16-18 feet
Sample Type	Residential	TCLP	0-Primary	0-Primary	0-Primary	1-Duplicate	0-Primary	0-Primary	1-Duplicate	0-Primary
Matrix	Screening	Regulatory	SB							
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-82612-15	480-82612-17	480-82612-18	480-82612-20	480-82612-19	480-82611-10	480-82611-12	480-82611-13
Volatile Organic Compounds (VOCs), ug/Kg (continued)			100 02012 10		100 02012 10		100 02012 10	100 02011 10		
2-Hexanone	~	~	~	~	4.1 UJ	4.3 UJ	~	~	~	~
4-Methyl-2-pentanone	~	~	~	~	2.7 UJ	2.8 UJ	~	~	~	~
Acetone	100000	~	~	~	8.4 J	7.2 UJ	~	~	~	~
Benzene	4800	~	~	~	0.40 UJ	0.42 UJ	~	~	~	~
Bromodichloromethane	~	~	~	~	1.1 UJ	1.2 UJ	~	~	~	~
Bromoform	~	~	~	~	4.1 UJ	4.3 UJ	~	~	~	~
Bromomethane	~	~	~	~	0.73 UJ	0.77 UJ	~	~	~	~
Carbon disulfide	~	~	~	~	4.1 UJ	4.3 UJ	~	~	~	~
Carbon tetrachloride	2400	~	~	~	0.78 UJ	0.83 UJ	~	~	~	~
Chlorobenzene	100000	~	~	~	1.1 UJ	1.1 UJ	~	~	~	~
Chloroethane	~	~	~	~	1.8 UJ	1.9 UJ	~	~	~	~
Chloroform	49000	~	~	~	0.50 UJ	0.53 UJ	~	~	~	~
Chloromethane	~	~	~	~	0.49 UJ	0.52 UJ	~	~	~	~
cis-1,2-Dichloroethene	100000	~	~	~	1.0 UJ	1.1 UJ	~	~	~	~
cis-1,3-Dichloropropene	~	~	~	~	1.2 UJ	1.2 UJ	~	~	~	~
Cyclohexane	~	~	~	~	1.1 UJ	1.2 UJ	~	~	~	~
Cyclohexane, Methyl-	~	~	~	~	1.2 UJ	1.3 UJ	~	~	~	~
Dibromochloromethane	~	~	~	~	1.0 UJ	1.1 UJ	~	~	~	~
Dichlorodifluoromethane	~	~	~	~	0.67 UJ	0.71 UJ	~	~	~	~
Ethylbenzene	41000	~	~	~	0.56 UJ	0.59 UJ	~	~	~	~
Isopropylbenzene	~	~	~	~	1.2 UJ	1.3 UJ	~	~	~	~
Methyl acetate	~	~	~	~	1.5 UJ	1.6 UJ	~	~	~	~
Methyl tert-butyl ether	100000	~	~	~	0.80 UJ	0.84 UJ	~	~	~	~
Methylene chloride	100000	~	~	~	3.7 UJ	4.0 UJ	~	~	~	~
Styrene	~	~	~	~	0.41 UJ	0.43 UJ	~	~	~	~
Tetrachloroethene	19000	~	~	~	1.1 UJ	1.2 UJ	~	~	~	~
Toluene	100000	~	~	~	0.61 UJ	0.65 UJ	~	~	~	~
trans-1,2-Dichloroethene	100000	~	~	~	0.84 UJ	0.89 UJ	~	~	~	~
trans-1,3-Dichloropropene	~	~	~	~	3.6 UJ	3.8 UJ	~	~	~	~
Trichloroethene	21000	~	~	~	1.8 UJ	1.9 UJ	~	~	~	~
Trichlorofluoromethane	~	~	~	~	0.77 UJ	0.81 UJ	~	~	~	~
Vinylchloride	~	~	~	~	0.99 UJ	1.0 UJ	~	~	~	~
Xylenes, Total	100000	~	~	~	1.4 UJ	1.4 UJ	~	~	~	~
Semi-Volatile Organic Compounds (SVOCs), ug/Kg										
2,4,5-Trichlorophenol	~	~	290 U	990 U	~	~	280 U	~	~	~
2,4,6-Trichlorophenol	~	~	210 U		~	~	210 U	~	~	~
2,4-Dichlorophenol	~	~	110 U		~	~	110 U	~	~	~
2,4-Dimethylphenol	~	~	260 U	890 U	~	~	250 U	~	~	~
2,4-Dinitrophenol	~	~	4900 U	17000 U	~	~	4800 U	~	~	~
2,4-Dinitrotoluene	~	~	220 U		~	~	220 U	~	~	~
2,6-Dinitrotoluene	~	~	130 U		~	~	120 U	~	~	~
2-Chloronaphthalene	~	~	180 U	600 U	~	~	170 U	~	~	~
2-Chlorophenol	~	~	190 U		~	~	190 U	~	~	~
2-Methylnaphthalene	~	~	210 U	730 U	~	~	210 U	~	~	~
2-Methylphenol	100000	~	130 U		~	~	120 U	~	~	~
2-Nitroaniline	~	~	160 U		~	~	150 U	~	~	~
2-Nitrophenol	~	~	300 U		~	~	300 U	~	~	~
3,3'-Dichlorobenzidine	~	~	1300 U	4300 U	~	~	1200 U	~	~	~
3-Nitroaniline	~	~	290 U		~	~	290 U	~	~	~



Location ID Sample ID Date Sample Depth Sample Type			CPPSB023 CPPSB023-0-1	10	CPPSB024 CPPSB024-0-025	CPPSB024 CPPSB024-0-070	CPPSB024	CPPSB024 CPPSB024-0-110	CPPSB025	CPPSB025	CPPSB026
Date Sample Depth Sample Type			CPPSB023-0-1	10	CPPSB024-0-025	CDDCDAAA AAAA	CDDCDC04 4 070	CDDCD024 0 440			
Sample Depth Sample Type				. •			CPPSB024-1-070		CPPSB025-0-080	CPPSB025-1-080	CPPSB026-0-160
Sample Type			6/18/2015		6/18/2015	6/18/2015	6/18/2015	6/18/2015	6/18/2015	6/18/2015	6/18/2015
· · · ·	Restricted		11-16 feet		2.5-11 feet	7-7 feet	7-7 feet	11-16 feet	8-10 feet	8-10 feet	16-18 feet
	Residential	TCLP	0-Primary		0-Primary	0-Primary	1-Duplicate	0-Primary	0-Primary	1-Duplicate	0-Primary
Matrix	Screening	Regulatory	SB		SB	SB	SB	SB	SB	SB	SB
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-82612-15	5	480-82612-17	480-82612-18	480-82612-20	480-82612-19	480-82611-10	480-82611-12	480-82611-13
Semi-Volatile Organic Compounds (SVOCs), ug/Kg (continued)											
4,6-Dinitro-2-methylphenol	~	~	1100	U	3700 U	~	~	1000 U	~	~	~
4-Bromophenyl-phenylether	~	~	150	U	520 U	~	~	150 U	~	~	~
4-Chloro-3-methylphenol	~	~	260	U	910 U	~	~	260 U	~	~	~
4-Chloroaniline	~	~	260	U	910 U	~	~	260 U	~	~	~
4-Chlorophenyl-phenylether	~	~	130	U	450 U	~	~	130 U	~	~	~
4-Methylphenol	100000	~	130	U	430 U	~	~	120 U	~	~	~
4-Nitroaniline	~	~	560	U	1900 U	~	~	550 U	~	~	~
4-Nitrophenol, SVOC	~	~	750	U	2600 U	~	~	730 U	~	~	~
Acenaphthene	100000	~	160	U	11000	~	~	150 U	~	~	~
Acenaphthylene	100000	~	140	U	470 U	~	~	140 U	~	~	~
Acetophenone	~	~	140	UJ	500 UJ	~	~	140 UJ	~	~	~
Anthracene	100000	~	260	U	31000	~	~	260 U	~	~	~
Atrazine	~	~	370	U	1300 U	~	~	360 U	~	~	~
Benz(a)anthracene	1000	~	110	U	12000	~	~	100 U	~	~	~
Benzaldehyde	~	~	850	U	2900 U	~	~	830 U	~	~	~
Benzo(a)pyrene	1000	~	160	U		~	~	150 U	~	~	~
Benzo(b)fluoranthene	1000	~	170	U	11000	~	~	170 U	~	~	~
Benzo(g,h,i)perylene	100000	~	110	U	1700 J	~	~	110 U	~	~	~
Benzo(k)fluoranthene	3900	~	140	U	5000	~	~	140 U	~	~	~
Biphenyl	~	~	160	UJ	540 UJ	~	~	150 UJ	~	~	~
bis (2-chloroisopropyl) ether	~	~	210	U	730 U	~	~	210 U	~	~	~
bis(2-Chloroethoxy)methane	~	~	230	U	780 U	~	~	220 U	~	~	~
bis(2-Chloroethyl)ether	~	~	140	U	470 U	~	~	140 U	~	~	~
bis(2-Ethylhexyl)phthalate	~	~	360	U	1300 U	~	~	360 U	~	~	~
Butyl benzyl phthalate	~	~	180	U	600 U	~	~	170 U	~	~	~
Caprolactam	~	~	320	U	1100 U	~	~	310 U	~	~	~
Carbazole	~	~	130	U	9700	~	~	120 U	~	~	~
Chrysene	3900	~	240	U	11000	~	~	230 U	~	~	~
Dibenz(a,h)anthracene	330	~	190	U	650 J	~	~	190 U	~	~	~
Dibenzofuran	59000	~	130	U	11000	~	~	120 U	~	~	~
Diethylphthalate	~	~	140	U	470 U	~	~	140 U	~	~	~
Dimethyl phthalate	~	~	130	U	430 U	~	~	120 U	~	~	~
Di-N-Butyl phthalate	~	~	180	U	630 U	~	~	180 U	~	~	~
Di-N-Octyl phthalate	~	~	130	U	430 U	~	~	120 U	~	~	~
Fluoranthene	100000	~	110	U	54000	~	~	110 U	~	~	~
Fluorene	100000	~	130	U	17000	~	~	120 U	~	~	~
Hexachlorobenzene	1200	~	140	U	500 U	~	~	140 U	~	~	~
Hexachlorobutadiene, SVOC	~	~	160	U	540 U	~	~	150 U	~	~	~
Hexachlorocyclopentadiene	~	~	140	U	500 U	~	~	140 U	~	~	~
Hexachloroethane	~	~	140	U	470 U	~	~	140 U	~	~	~
Indeno(1,2,3-cd)pyrene	500	~	130	U	2100 J	~	~	130 U	~	~	~
Isophorone	~	~	230	U	780 U	~	~	220 U	~	~	~
Naphthalene, SVOC	100000	~	140	U	470 U	~	~	140 U	~	~	~
Nitrobenzene	15000	~	120	U	410 U	~	~	120 U	~	~	~
N-Nitroso-di-N-propylamine	~	~	180	U	630 U	~	~	180 U	~	~	~
N-Nitrosodiphenylamine	~	~	870	U	3000 U	~	~	850 U	~	~	~
Pentachlorophenol, SVOC	6700	~	1100	U	3700 U	~	~	1000 U	~	~	~
Phenanthrene	100000	~	160	U	84000	~	~	150 U	~	~	~
Phenol	100000	~	160	U	560 U	~	~	160 U	~	~	~
Pyrene	100000	~	130	U	35000	~	~	120 U	~	~	~



Location ID			CPPSB023	CPPSB024	CPPSB024	CPPSB024	CPPSB024	CPPSB025	CPPSB025	CPPSB026
Sample ID			CPPSB023-0-110	CPPSB024-0-025	CPPSB024-0-070	CPPSB024-1-070	CPPSB024-0-110	CPPSB025-0-080	CPPSB025-1-080	CPPSB026-0-160
Date			6/18/2015	6/18/2015	6/18/2015	6/18/2015	6/18/2015	6/18/2015	6/18/2015	6/18/2015
Sample Depth	Restricted		11-16 feet	2.5-11 feet	7-7 feet	7-7 feet	11-16 feet	8-10 feet	8-10 feet	16-18 feet
Sample Type	Residential	TCLP	0-Primary	0-Primary	0-Primary	1-Duplicate	0-Primary	0-Primary	1-Duplicate	0-Primary
Matrix	Screening	Regulatory	SB							
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-82612-15	480-82612-17	480-82612-18	480-82612-20	480-82612-19	480-82611-10	480-82611-12	480-82611-13
Polychlorinated Biphenyls (PBCs), mg/Kg										
Aroclor-1016	~	~	~	~	~	~	~	~	~	~
Aroclor-1221	~	~	~	~	~	~	~	~	~	~
Aroclor-1232	~	~	~	~	~	~	~	~	~	~
Aroclor-1242	~	~	2	~	~	~	~	~	~	~
Aroclor-1248	~	~	~	~	~	~	~	~	~	~
Aroclor-1254	~	~	~	~	~	~	~	~	~	~
Aroclor-1260	~	~	~	~	~	~	~	~	~	~
Aroclor-1262	~	~	~	~	~	~	~	~	~	~
Aroclor-1268	~	~	~	~	~	~	~	~	~	~
Total Petroleum Hydrocarbons, mg/Kg										
TPH	~	~	~	~	~	~	~	~	~	~

Notes:

mg/Kg = milligram per kilogram.

mg/L = milligram per liter.

- U = The analyte was analyzed for but was not detected above the level of the detection quantitation limit.
- UJ = The analyte was analyzed for but not detected. The quantitation limit is approximate and may be inaccurate or imprecise.
- $\label{eq:J} J = \mbox{The positive result reported is estimated either because the result is less than the LOQ or because certain quality control criteria were not met.}$
- J- = The result is an estimated quantity, but the result may be biased low because certain quality control criteria were not met.
- J+ = The result is an estimated quantity, but the result may be biased high because certain quality control criteria were not met.
- SB = Soil boring.
- SS = Surface soil.
- (1) New York State Department of Environmental Conservation (NSYDEC) Subpart 375-6 Remedial Program Soil Cleanup Objectives (SCOs).
- (2) Federal Code of Regulations, Section 261.24 Toxicity characteristic. Context: Title 40 Protection of Environment. CHAPTER I ENVIRONMENTAL PROTECTION AGENCY (CONTINUED). SUBCHAPTER I SOLID WASTES (CONTINUED). PART 261 -
- IDENTIFICATION AND LISTING OF HAZARDOUS WASTE. Subpart C Characteristics of Hazardous Waste (2012-07-01).
- $^{\sim}$ = Analysis not performed or No standard or guidance value listed for this constituent.



						_				
Location ID			CPPSB026	CPPSS001	CPPSS001	CPPSS002	CPPSS002	CPPSS003	CPPSS003	CPPSS004
Sample ID			CPPSB026-0-180	CPPSS001-0-000	CPPSS001-0-002	CPPSS002-0-000	CPPSS002-0-002	CPPSS003-0-000	CPPSS003-0-002	CPPSS004-0-000
Date			6/18/2015	8/6/2014	8/6/2014	8/7/2014	8/7/2014	8/7/2014	8/7/2014	7/30/2014
Sample Depth	Restricted		18-20 feet	0 - 2 inches	2 - 24 inches	0 - 2 inches	2 - 18.5 inches	0 - 2 inches	2 - 20 inches	0 - 2 inches
Sample Type	Residential	TCLP	0-Primary	0 - Primary	0 - Primary	0 - Primary	0 - Primary	0 - Primary	0 - Primary	0 - Primary
Matrix	Screening	Regulatory	SB	SS	SS	SS	SS	SS	SS	SS
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-82611-14	480-65240-4	480-65240-5	480-65233-15	480-65233-16	480-65233-13	480-65233-14	480-64772-5
Toxicity Characteristic Leaching Procedure (TCLP) Metals, mg/L								0.0050	0.0050	0.0070
Arsenic, TCLP	~	5	~	~	~	~	~	0.0056 U	0.0056 U	0.0076 J
Barium, TCLP	~	100	~	~	~	~	~	0.32 0.0023	0.71 0.0069	0.72 0.0033
Cadmium, TCLP Chromium, TCLP	~	5	~	~	~	~	~	0.0023 0.0010 U	0.0069 0.0010 U	0.0033 0.013 J+
Lead, TCLP	~	5	~	~	~	~	~	0.0010 U	0.0010	0.035
Mercury, TCLP	~	0.2	~	~	~	~	~	0.0004 U	0.00012 U	0.00012 U
Selenium, TCLP	~	1	~	~	~	~	~	0.0087 U	0.0087 U	0.0087 U
Silver, TCLP	~	5	~	~	~	~	~	0.0017 U	0.0017 U	0.0017 U
Total Metals, mg/Kg										3.22.1.
Aluminum, Total	~	~	~	~	~	~	~	9400	7600	7400
Antimony, Total	~	~	~	~	~	~	~	1.2 J	0.50 J	0.45 U
Arsenic, Total	16	~	30.1	13	11	16	12	11	7.5	7.1
Barium, Total	400	~	~	~	~	~	~	110	81	100
Beryllium, Total	72	~	~	~	~	~	~	0.46	0.35	0.40
Boron, Total	~	~	~	~	~	~	~	4.3	3.5	4.7
Cadmium, Total	4.3	~	0.087 J	0.84	0.56	1.6	1.0	0.77	0.36	0.23
Calcium, Total	~	~	~	~	~	~	~	1900	3700	3500
Chromium, Total	180	~	~	~	~	~	~	12	9.6	11
Cobalt, Total	~	~	~	~	~	~	~	8.9	7.1	7.1
Copper, Total	270	~	~	~	~	~	~	18	16	15
Iron, Total	~	~	~	~	~	~	~	18000	16000	15000
Lead, Total	400	~	9.5	100	60	270	150	100	41	58
Magnesium, Total	~	~	~	~	~	~	~	2600	3600	2600
Manganese, Total	2000	~	~	~	~	~	~	530	460	450
Mercury, Total	0.81	~	~	~	~	~	~	~ 19	 17	~ 4 <i>E</i>
Nickel, Total	310	~	~	~	~	~	~	1100	900	15 720
Potassium, Total Selenium, Total	180	~ ~	~ ~	~ ~	~	~	~	0.53 U	0.47 U	0.45 U
Silver, Total	180	~	~	~	~	~	~	0.33 U	0.47 U	0.43 U
Sodium, Total	~	~	~	~	~	~	~	62 J	100 J	660
Thallium, Total	~	~	~	~	~	~	~	0.40 U	0.36 U	0.34 U
Vanadium, Total	~	~	~	~	~	~	~	14	12	11
Zinc, Total	10000	~	~	~	~	~	~	82	60	60
Volatile Organic Compounds (VOCs), ug/Kg										
1,1,1-Trichloroethane	100000	~	~	~	~	~	~	~	~	~
1,1,2,2-Tetrachloroethane	~	~	~	~	~	~	~	~	~	~
1,1,2-Trichloro-1,2,2-trifluoroethane	~	~	~	~	~	~	~	~	~	~
1,1,2-Trichloroethane	~	~	~	~	~	~	~	~	~	~
1,1-Dichloroethane	26000	~	~	~	~	~	~	~	~	~
1,1-Dichloroethene	100000	~	~	~	~	~	~	~	~	~
1,2,4-Trichlorobenzene, VOC	~	~	~	~	~	~	~	~	~	~
1,2-Dibromo-3-chloropropane	~	~	~	~	~	~	~	~	~	~
1,2-Dibromoethane	~	~	~	~	~	~	~	~	~	~
1,2-Dichlorobenzene, VOC	~	~	~	~	~	~	~	~	~	~
1,2-Dichloroethane	3100	~	~	~	~	~	~	~	~	~
1,2-Dichloropropane	~	~	~	~	~	~	~	~	~	~
1,3-Dichlorobenzene, VOC	~	~	~	~	~	~	~	~	~	~
1,4-Dichlorobenzene, VOC	~	~	~	~	~	~	~	~	~	~
2-Butanone	~	~	~	~	~	~	~	~	~	~



Location ID			CPPSB026	CPPSS001	CPPSS001	CPPSS002	CPPSS002	CPPSS003	CPPSS003	CPPSS004
Sample ID			CPPSB026-0-180	CPPSS001-0-000	CPPSS001-0-002	CPPSS002-0-000	CPPSS002-0-002	CPPSS003-0-000	CPPSS003-0-002	CPPSS004-0-000
Date			6/18/2015	8/6/2014	8/6/2014	8/7/2014	8/7/2014	8/7/2014	8/7/2014	7/30/2014
Sample Depth	Restricted		18-20 feet	0 - 2 inches	2 - 24 inches	0 - 2 inches	2 - 18.5 inches	0 - 2 inches	2 - 20 inches	0 - 2 inches
Sample Type	Residential	TCLP	0-Primary	0 - Primary	0 - Primary	0 - Primary	0 - Primary	0 - Primary	0 - Primary	0 - Primary
Matrix	Screening	Regulatory	SB	SS	SS	SS	SS	SS	SS	SS
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-82611-14	480-65240-4	480-65240-5	480-65233-15	480-65233-16	480-65233-13	480-65233-14	480-64772-5
Volatile Organic Compounds (VOCs), ug/Kg (continued)										
2-Hexanone	~	~	~	~	~	~	~	~	~	~
4-Methyl-2-pentanone	~	~	~	~	~	~	~	~	~	~
Acetone	100000	~	~	~	~	~	~	~	~	~
Benzene	4800	~	~	~	~	~	~	~	~	~
Bromodichloromethane	~	~	~	~	~	~	~	~	~	~
Bromoform	~	~	~	~	~	~	~	~	~	~
Bromomethane	~	~	~	~	~	~	~	~	~	~
Carbon disulfide	~	~	~	~	~	~	~	~	~	~
Carbon tetrachloride	2400	~	~	~	~	~	~	~	~	~
Chlorobenzene	100000	~	~	~	~	~	~	~	~	~
Chloroethane	~	~	~	~	~	~	~	~	~	~
Chloroform	49000	~	~	~	~	~	~	~	~	~
Chloromethane	~	~	~	~	~	~	~	~	~	~
cis-1,2-Dichloroethene	100000	~	~	~	~	~	~	~	~	~
cis-1,3-Dichloropropene	~	~	~	~	~	~	~	~	~	~
Cyclohexane	~	~	~	~	~	~	~	~	~	~
Cyclohexane, Methyl-	~	~	~	~	~	~	~	~	~	~
Dibromochloromethane	~	~	~	~	~	~	~	~	~	~
Dichlorodifluoromethane	~	~	~	~	~	~	~	~	~	~
Ethylbenzene	41000	~	~	~	~	~	~	~	~	~
Isopropylbenzene	~	~	~	~	~	~	~	~	~	~
Methyl acetate	~	~	~	~	~	~	~	~	~	~
Methyl tert-butyl ether	100000	~	~	~	~	~	~	~	~	~
Methylene chloride	100000	~	~	~	~	~	~	~	~	~
Styrene	~	~	~	~	~	~	~	~	~	~
Tetrachloroethene	19000	~	~	~	~	~	~	~	~	~
Toluene	100000	~	~	~	~	~	~	~	~	~
trans-1,2-Dichloroethene	100000	~	~	~	~	~	~	~	~	~
trans-1,3-Dichloropropene	~	~	~	~	~	~	~	~	~	~
Trichloroethene	21000	~	~	~	~	~	~	~	~	~
Trichlorofluoromethane	~	~	~	~	~	~	~	~	~	~
Vinylchloride	~	~	~	~	~	~	~	~	~	~
Xylenes, Total	100000	~	~	~	~	~	~	~	~	~
Semi-Volatile Organic Compounds (SVOCs), ug/Kg										
2,4,5-Trichlorophenol	~	~	~	~	~	~	~	47 U	41 U	42 U
2,4,6-Trichlorophenol	~	~	~	~	~	~	~	14 U	12 U	13 U
2,4-Dichlorophenol	~	~	~	~	~	~	~	11 U	9.8 U	10 U
2,4-Dimethylphenol	~	~	~	~	~	~	~	58 U	51 U	52 U
2,4-Dinitrophenol	~	~	~	~	~	~	~	75 U	66 U	
2,4-Dinitrotoluene	~	~	~	~	~	~	~	33 U	29 U	
2,6-Dinitrotoluene	~	~	~	~	~	~	~	52 U	46 U	47 U
2-Chloronaphthalene	~	~	~	~	~	~	~	14 U	13 U	
2-Chlorophenol	~	~	~	~	~	~	~	11 U	9.5 U	9.7 U
2-Methylnaphthalene	~	~	~	~	~	~	~	12 J	7.2 J	4.6 J
2-Methylphenol	100000	~	~	~	~	~	~	6.6 U	5.8 U	5.9 U
2-Nitroaniline	~	~	~	~	~	~	~	69 U	60 U	61 U
2-Nitrophenol	~	~	~	~	~	~	~	9.8 U	8.6 U	8.7 U
3,3'-Dichlorobenzidine	~	~	~	~	~	~	~	190 U	160 U	170 U
3-Nitroaniline	~	~	~	~	~	~	~	49 U	43 U	44 U



Location ID			CPPSB026	CPPSS001	CPPSS001	CPPSS002	CPPSS002	CPPSS003	CPPSS003	CPPSS004
Sample ID			CPPSB026-0-180	CPPSS001-0-000	CPPSS001-0-002	CPPSS002-0-000	CPPSS002-0-002	CPPSS003-0-000	CPPSS003-0-002	CPPSS004-0-000
Date			6/18/2015	8/6/2014	8/6/2014	8/7/2014	8/7/2014	8/7/2014	8/7/2014	7/30/2014
Sample Depth	Restricted		18-20 feet	0 - 2 inches	2 - 24 inches	0 - 2 inches	2 - 18.5 inches	0 - 2 inches	2 - 20 inches	0 - 2 inches
Sample Type	Residential	TCLP	0-Primary	0 - Primary	0 - Primary	0 - Primary	0 - Primary	0 - Primary	0 - Primary	0 - Primary
Matrix	Screening	Regulatory	SB	SS	SS	SS	SS	SS	SS	SS
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-82611-14	480-65240-4	480-65240-5	480-65233-15	480-65233-16	480-65233-13	480-65233-14	480-64772-5
Semi-Volatile Organic Compounds (SVOCs), ug/Kg (continued)										
4,6-Dinitro-2-methylphenol	~	~	~	~	~	~	~	74 U	65 U	66 U
4-Bromophenyl-phenylether	~	~	~	~	~	~	~	68 U	60 U	61 U
4-Chloro-3-methylphenol	~	~	~	~	~	~	~	8.8 U	7.7 U	7.8 U
4-Chloroaniline	~	~	~	~	~	~	~	63 U	55 U	56 U
4-Chlorophenyl-phenylether	~	~	~	2	2	~	~	4.6 U	4.0 U	4.1 U
4-Methylphenol	100000	~	~	~	~	~	~	12 U	10 U	11 U
4-Nitroaniline	~	~	~	~	~	~	~	24 U	21 U	21 U
4-Nitrophenol, SVOC	~	~	~	~	~	~	~	52 U	45 U	46 U
Acenaphthene	100000	~	~	~	~	~	~	110 J	65 J	18 J
Acenaphthylene	100000	~	~	~	~	~	~	5.8 J	1.5 U	1.6 U
Acetophenone	~	~	~	~	~	~	~	11 U	9.6 U	9.8 U
Anthracene	100000	~	~	~	~	~	~	160 J	100 J	23 J
Atrazine	~	~	~	~	~	~	~	9.5 U	8.3 U	8.5 U
Benz(a)anthracene	1000	~	~	~	~	~	~	360	220	82 J
Benzaldehyde	~	~	~	~	~	~	~	23 U	21 U	21 U
Benzo(a)pyrene	1000	~	~	~	~	~	~	310	180 J	90 J
Benzo(b)fluoranthene	1000	~	~	~	~	~	~	470	280	130 J
Benzo(g,h,i)perylene	100000	~	~	~	~	~	~	200 J	120 J	79 J
Benzo(k)fluoranthene	3900	~	~	~	~	~	~	2.4 U	120 J	56 J
Biphenyl	~	~	~	~	~	~	~	13 U	12 U	12 U
bis (2-chloroisopropyl) ether	~	~	~	~	~	~	~	22 U	20 U	20 U
bis(2-Chloroethoxy)methane	~	~	~	~	~	~	~	12 U	10 U	10 U
bis(2-Chloroethyl)ether	~	~	~	~	~	~	~	18 U	16 U	17 U
bis(2-Ethylhexyl)phthalate	~	~	~	~	2	~	~	69 U	60 U	62 U
Butyl benzyl phthalate	~	~	~	~	2	~	~	57 U	50 U	51 U
Caprolactam	~	~	~	~	~	~	~	92 U	81 U	83 U
Carbazole	~	~	~	~	2	~	~	85 J	58 J	15 J
Chrysene	3900	~	~	~	2	~	~	370	230	110 J
Dibenz(a,h)anthracene	330	~	~	~	2	~	~	59 J	31 J	21 J
Dibenzofuran	59000	~	~	~	~	~	~	49 J	30 J	7.1 J
Diethylphthalate	~	~	~	~	~	~	~	6.5 U	5.7 U	5.8 U
Dimethyl phthalate	~	~	~	~	~	~	~	5.6 U	4.9 U	5.0 U
Di-N-Butyl phthalate	~	~	~	~	~	~	~	74 U	65 U	66 U
Di-N-Octyl phthalate	~	~	~	~	~	~	~	5.0 U	4.4 U	4.5 U
Fluoranthene	100000	~	~	~	~	~	~	740	440	170 J
Fluorene	100000	~	~	~	~	~	~	100 J	65 J	14 J
Hexachlorobenzene	1200	~	~	~	~	~	~	11 U	9.3 U	9.5 U
Hexachlorobutadiene, SVOC	~	~	~	~	~	~	~	11 U	9.6 U	9.8 U
Hexachlorocyclopentadiene	~	~	~	~	~	~	~	65 U	57 U	58 U
Hexachloroethane	~	~	~	~	~	~	~	17 U	15 U	15 U
Indeno(1,2,3-cd)pyrene	500	~	~	~	~	~	~	270	150 J	75 J
Isophorone	~	~	~	~	~	~	~	11 U	9.4 U	9.5 U
Naphthalene, SVOC	100000	~	~	~	~	~	~	9.7 J	6.0 J	4.2 J
Nitrobenzene	15000	~	~	~	~	~	~	9.5 U	8.3 U	8.5 U
N-Nitroso-di-N-propylamine	~	~	~	~	~	~	~	17 U	15 U	15 U
N-Nitrosodiphenylamine	~	~	~	~	~	~	~	12 U	10 U	10 U
Pentachlorophenol, SVOC	6700	~	~	~	~	~	~	73 U	64 U	65 U
Phenanthrene	100000	~	~	~	~	~	~	670	420	110 J
Phenol	100000	~	~	~	~	~	~	23 U	20 U	20 U
Pyrene	100000	~	~	~	~	~	~	550	360 J	170 J



L C 15			0000000	0000004	0000004	0000000	0000000	0000000	0000000	0000001
Location ID			CPPSB026	CPPSS001	CPPSS001	CPPSS002	CPPSS002	CPPSS003	CPPSS003	CPPSS004
Sample ID			CPPSB026-0-180	CPPSS001-0-000	CPPSS001-0-002	CPPSS002-0-000	CPPSS002-0-002	CPPSS003-0-000	CPPSS003-0-002	CPPSS004-0-000
Date			6/18/2015	8/6/2014	8/6/2014	8/7/2014	8/7/2014	8/7/2014	8/7/2014	7/30/2014
Sample Depth	Restricted		18-20 feet	0 - 2 inches	2 - 24 inches	0 - 2 inches	2 - 18.5 inches	0 - 2 inches	2 - 20 inches	0 - 2 inches
Sample Type	Residential	TCLP	0-Primary	0 - Primary	0 - Primary	0 - Primary	0 - Primary	0 - Primary	0 - Primary	0 - Primary
Matrix	Screening	Regulatory	SB	SS	SS	SS	SS	SS	SS	SS
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-82611-14	480-65240-4	480-65240-5	480-65233-15	480-65233-16	480-65233-13	480-65233-14	480-64772-5
Polychlorinated Biphenyls (PBCs), mg/Kg										
Aroclor-1016	~	~	2	~	~	~	~	0.0041 U	0.0018 U	0.0036 U
Aroclor-1221	~	~	~	~	~	~	~	0.0041 U	0.0018 U	0.0036 U
Aroclor-1232	~	~	~	~	~	~	~	0.0041 U	0.0018 U	0.0036 U
Aroclor-1242	~	~	~	~	~	~	~	0.0041 U	0.0018 U	0.0036 U
Aroclor-1248	~	~	~	~	~	~	~	0.0041 U	0.0018 U	0.0036 U
Aroclor-1254	~	~	~	~	~	~	~	0.0098 U	0.0043 U	0.039
Aroclor-1260	~	~	~	~	~	~	~	0.0098 U	0.0043 U	0.019
Aroclor-1262	~	~	~	~	~	~	~	0.0098 U	0.0043 U	0.0087 U
Aroclor-1268	~	~	~	~	~	~	~	0.0098 U	0.0043 U	0.0087 U
Total Petroleum Hydrocarbons, mg/Kg										
TPH	~	~	~	~	~	~	~	51 J	66 J	320

Notes:

mg/Kg = milligram per kilogram.

mg/L = milligram per liter.

- U = The analyte was analyzed for but was not detected above the level of the detection quantitation limit.
- UJ = The analyte was analyzed for but not detected. The quantitation limit is approximate and may be inaccurate or imprecise.
- $\label{eq:J} J = \mbox{The positive result reported is estimated either because the result is less than the LOQ or because certain quality control criteria were not met.}$
- J- = The result is an estimated quantity, but the result may be biased low because certain quality control criteria were not met.
- J+ = The result is an estimated quantity, but the result may be biased high because certain quality control criteria were not met.
- SB = Soil boring.
- SS = Surface soil.
- (1) New York State Department of Environmental Conservation (NSYDEC) Subpart 375-6 Remedial Program Soil Cleanup Objectives (SCOs).
- (2) Federal Code of Regulations, Section 261.24 Toxicity characteristic. Context: Title 40 Protection of Environment. CHAPTER I ENVIRONMENTAL PROTECTION AGENCY (CONTINUED). SUBCHAPTER I SOLID WASTES (CONTINUED). PART 261 -
- IDENTIFICATION AND LISTING OF HAZARDOUS WASTE. Subpart C Characteristics of Hazardous Waste (2012-07-01).
- $^{\sim}$ = Analysis not performed or No standard or guidance value listed for this constituent.



							_	_			
Location ID			CPPSS004		CPPSS005	CPPSS005	CPPSS006	CPPSS006	CPPSS006	CPPSS007	CPPSS007
Sample ID			CPPSS004-0-0	02	CPPSS005-0-000	CPPSS005-0-002	CPPSS006-0-000	CPPSS006-0-002	CPPSS006-1-002	CPPSS007-0-000	CPPSS007-0-002
Date			7/30/2014		7/30/2014	7/30/2014	8/7/2014	8/7/2014	8/7/2014	7/30/2014	7/30/2014
Sample Depth	Restricted		2 - 24 inches	;	0 - 2 inches	2 - 24 inches	0 - 2 inches	2 - 23 inches	2 - 23 inches	0 - 2 inches	2 - 24 inches
Sample Type	Residential	TCLP	0 - Primary		0 - Primary	0 - Primary	0 - Primary	0 - Primary	1 - Duplicate	0 - Primary	0 - Primary
Matrix	Screening	Regulatory	SS		SS						
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-64772-6		480-64772-3	480-64772-4	480-65233-1	480-65233-2	480-65233-3	480-64772-1	480-64772-2
Toxicity Characteristic Leaching Procedure (TCLP) Metals, mg/L											
Arsenic, TCLP	~	5	0.0079	J	~	~	~	~	~	~	~
Barium, TCLP	~	100	0.44		~	~	~	~	~	~	~
Cadmium, TCLP	~	1	0.00053	J	~	~	~	~	~	~	~
Chromium, TCLP	~	5	0.0040	U	~	~	~	~	~	~	~
Lead, TCLP	~	5	0.0030	J	~	~	~	~	~	~	~
Mercury, TCLP	~	0.2	0.00012	U	~	~	~	~	~	~	~
Selenium, TCLP	~	1	0.0087	U	~	~	~	~	~	~	~
Silver, TCLP	~	5	0.0017	U	~	~	~	~	~	~	~
Total Metals, mg/Kg											
Aluminum, Total	~	~	8000		~	~	~	~	~	~	~
Antimony, Total	~	~	0.47	U	~	~	~	~	~	~	~
Arsenic, Total	16	~	6.7		9.1	8.1	8.9	11	13	10	7.5
Barium, Total	400	~	110		~	~	~	~	~	~	~
Beryllium, Total	72	~	0.43		~	~	~	~	~	~	~
Boron, Total	~	~	2.7		~	~	~	~	~	~	~
Cadmium, Total	4.3	~	0.036	U	0.57	0.38	0.55	0.96	1.2	1.0	0.18 J
Calcium, Total	~	~	1600		~	~	~	~	~	~	~
Chromium, Total	180	~	9.8		~	~	~	~	~	~	~
Cobalt, Total	~	~	8.1		~	~	~	~	~	~	~
Copper, Total	270	~	12		~	~	~	~	~	~	~
Iron, Total	~	~	16000		~	~	~	~	~	~	~
Lead, Total	400	~	27		120	75	66	120 J-	230 J-	110	33
Magnesium, Total	~	~	2300		~	~	~	~	~	~	~
Manganese, Total	2000	~	470		~	~	~	~	~	~	~
Mercury, Total	0.81 310	~	~ 17		~	~	~	~	~	~	~
Nickel, Total		~	690		~	~	~	~			
Potassium, Total Selenium, Total	180	~	0.47	U	~	~	~	~	~	~	~
Silver, Total	180	~	0.47	U	~	~	~	~	~	~	~
Sodium, Total	~	~	240		~	~	~	~	~	~	~
Thallium, Total	~	~	0.36	U	~	~	~	~	~	~	~
Vanadium, Total	~	~	12		~	~	~	~	~	~	~
Zinc, Total	10000	~	53		~	~	~	~	~	~	~
Volatile Organic Compounds (VOCs), ug/Kg											
1,1,1-Trichloroethane	100000	~	~		~	~	~	~	~	~	~
1,1,2,2-Tetrachloroethane	~	~	~		~	~	~	~	~	~	~
1,1,2-Trichloro-1,2,2-trifluoroethane	~	~	~		~	~	~	~	~	~	~
1,1,2-Trichloroethane	~	~	~		~	~	~	~	~	~	~
1,1-Dichloroethane	26000	~	~		~	~	~	~	~	~	~
1,1-Dichloroethene	100000	~	~		~	~	~	~	~	~	~
1,2,4-Trichlorobenzene, VOC	~	~	~		~	~	~	~	~	~	~
1,2-Dibromo-3-chloropropane	~	~	~		~	~	~	~	~	~	~
1,2-Dibromoethane	~	~	~		~	~	~	~	~	~	~
1,2-Dichlorobenzene, VOC	~	~	~		~	~	~	~	~	~	~
1,2-Dichloroethane	3100	~	~		~	~	~	~	~	~	~
1,2-Dichloropropane	~	~	~		~	~	~	~	~	~	~
1,3-Dichlorobenzene, VOC	~	~	~		~	~	~	~	~	~	~
1,4-Dichlorobenzene, VOC	~	~	~		~	~	~	~	~	~	~
2-Butanone	~	~	~		~	~	~	~	~	~	~



Location ID			CPPSS004	CPPSS005	CPPSS005	CPPSS006	CPPSS006	CPPSS006	CPPSS007	CPPSS007
Sample ID			CPPSS004-0-002	CPPSS005-0-000	CPPSS005-0-002	CPPSS006-0-000	CPPSS006-0-002	CPPSS006-1-002	CPPSS007-0-000	CPPSS007-0-002
Date			7/30/2014	7/30/2014	7/30/2014	8/7/2014	8/7/2014	8/7/2014	7/30/2014	7/30/2014
Sample Depth	Restricted		2 - 24 inches	0 - 2 inches	2 - 24 inches	0 - 2 inches	2 - 23 inches	2 - 23 inches	0 - 2 inches	2 - 24 inches
Sample Type	Residential	TCLP	0 - Primary	1 - Duplicate	0 - Primary	0 - Primary				
Matrix	Screening	Regulatory	SS							
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-64772-6	480-64772-3	480-64772-4	480-65233-1	480-65233-2	480-65233-3	480-64772-1	480-64772-2
Volatile Organic Compounds (VOCs), ug/Kg (continued)										
2-Hexanone	~	~	~	~	~	~	~	~	~	~
4-Methyl-2-pentanone	~	~	~	~	~	~	~	~	~	~
Acetone	100000	~	~	~	~	~	~	~	~	~
Benzene	4800	~	~	~	~	~	~	~	~	~
Bromodichloromethane	~	~	~	~	~	~	~	~	~	~
Bromoform	~	~	~	~	~	~	~	~	~	~
Bromomethane	~	~	~	~	~	~	~	~	~	~
Carbon disulfide	~	~	~	~	~	~	~	~	~	~
Carbon tetrachloride	2400	~	~	~	~	~	~	~	~	~
Chlorobenzene	100000	~	~	~	~	~	~	~	~	~
Chloroethane	~	~	~	~	~	~	~	~	~	~
Chloroform	49000	~	~	~	~	~	~	~	~	~
Chloromethane	~	~	~	~	~	~	~	~	~	~
cis-1,2-Dichloroethene	100000	~	~	~	~	~	~	~	~	~
cis-1,3-Dichloropropene	~	~	~	~	~	~	~	~	~	~
Cyclohexane	~	~	~	~	~	~	~	~	~	~
Cyclohexane, Methyl-	~	~	~	~	~	~	~	~	~	~
Dibromochloromethane	~	~	~	~	~	~	~	~	~	~
Dichlorodifluoromethane	~	~	~	~	~	~	~	~	~	~
Ethylbenzene	41000	~	~	~	~	~	~	~	~	~
Isopropylbenzene	~	~	~	~	~	~	~	~	~	~
Methyl acetate	~	~	~	~	~	~	~	~	~	~
Methyl tert-butyl ether	100000	~	~	~	~	~	~	~	~	~
Methylene chloride	100000	~	~	~	~	~	~	~	~	~
Styrene	~	~	~	~	~	~	~	~	~	~
Tetrachloroethene	19000	~	~	~	~	~	~	~	~	~
Toluene	100000	~	~	~	~	~	~	~	~	~
trans-1,2-Dichloroethene	100000	~	~	~	~	~	~	~	~	~
trans-1,3-Dichloropropene	~	~	~	~	~	~	~	~	~	~
Trichloroethene	21000	~	~	~	~	~	~	~	~	~
Trichlorofluoromethane	~	~	7	2	~	~	•	•	4	~
Vinylchloride	~	~	~	~	~	~	~	~	~	~
Xylenes, Total	100000	~	~	~	~	~	~	~	~	~
Semi-Volatile Organic Compounds (SVOCs), ug/Kg										
2,4,5-Trichlorophenol	~	~	42 U	~	~	~	~	~	~	~
2,4,6-Trichlorophenol	~	~	13 U	~	~	~	~	~	~	~
2,4-Dichlorophenol	~	~	10 U	~	~	~	~	~	~	~
2,4-Dimethylphenol	~	~	52 U	~	~	~	~	~	~	~
2,4-Dinitrophenol	~	~	67 U	~	~	~	~	~	~	~
2,4-Dinitrotoluene	~	~	30 U	~	~	~	~	~	~	~
2,6-Dinitrotoluene	~	~	47 U	~	~	~	~	~	~	~
2-Chloronaphthalene	~	~	13 U	~	~	~	~	~	~	~
2-Chlorophenol	~	~	9.8 U	~	~	~	~	~	~	~
2-Methylnaphthalene	~	~	2.3 U	~	~	~	~	~	~	~
2-Methylphenol	100000	~	5.9 U	~	~	~	~	~	~	~
2-Nitroaniline	~	~	62 U	~	~	~	~	~	~	~
2-Nitrophenol	~	~	8.8 U	~	~	~	~	~	~	~
3,3'-Dichlorobenzidine	~	~	170 U	~	~	~	~	~	~	~
3-Nitroaniline	~	~	44 U	~	~	~	~	~	~	~



		T									
Location ID			CPPSS004		CPPSS005	CPPSS005	CPPSS006	CPPSS006	CPPSS006	CPPSS007	CPPSS007
Sample ID			CPPSS004-0-00	2	CPPSS005-0-000	CPPSS005-0-002	CPPSS006-0-000	CPPSS006-0-002	CPPSS006-1-002	CPPSS007-0-000	CPPSS007-0-002
Date			7/30/2014		7/30/2014	7/30/2014	8/7/2014	8/7/2014	8/7/2014	7/30/2014	7/30/2014
Sample Depth	Restricted		2 - 24 inches		0 - 2 inches	2 - 24 inches	0 - 2 inches	2 - 23 inches	2 - 23 inches	0 - 2 inches	2 - 24 inches
Sample Type	Residential	TCLP	0 - Primary		0 - Primary	0 - Primary	0 - Primary	0 - Primary	1 - Duplicate	0 - Primary	0 - Primary
Matrix	Screening	Regulatory	SS		SS						
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-64772-6		480-64772-3	480-64772-4	480-65233-1	480-65233-2	480-65233-3	480-64772-1	480-64772-2
Semi-Volatile Organic Compounds (SVOCs), ug/Kg (continued)	LCVCIO	Levels	400 04112 0		400 04112 0	100 04772 4	400 00200 1	400 00200 Z	400 00200 0	400 04172 1	400 04112 2
4,6-Dinitro-2-methylphenol	~	~	67	U	~	~	~	~	~	~	~
4-Bromophenyl-phenylether	~	~	61	U	~	~	~	~	~	~	~
4-Chloro-3-methylphenol	~	~	7.9	Ü	~	~	~	~	~	~	~
4-Chloroaniline	~	~	56	Ü	~	~	~	~	~	~	~
4-Chlorophenyl-phenylether	~	~	4.1	Ü	~	~	~	~	~	~	~
4-Methylphenol	100000	~	11	Ü	~	~	~	~	~	~	~
4-Nitroaniline	~	~	22	Ü	~	~	~	~	~	~	~
4-Nitrophenol, SVOC	~	~	47	Ü	~	~	~	~	~	~	~
Acenaphthene	100000	~	2.3	U	~	~	~	~	~	~	~
	100000	~	1.6	U	~	~	~	~	~	~	~
Acetaphone			9.9	U	~		~				-
Acetophenone	100000	~	9.9 4.9			~	~	~	~	~	~
Anthracene		~		U	~	~	~	~	~	~	~
Atrazine	~	~	8.6	U	~	~	~	~	~	~	~
Benz(a)anthracene	1000	~	3.3	U	~	~	~	~	~	~	~
Benzaldehyde	~	~	21	U	~	~	~	~	~	~	~
Benzo(a)pyrene	1000	~	4.6	U	~	~	~	~	~	~	~
Benzo(b)fluoranthene	1000	~	3.7	U	~	~	~	~	~	~	~
Benzo(g,h,i)perylene	100000	~	2.3	U	~	~	~	~	~	~	~
Benzo(k)fluoranthene	3900	~	2.1	U	~	~	~	~	~	~	~
Biphenyl	~	~	12	U	~	~	~	~	~	~	~
bis (2-chloroisopropyl) ether	~	~	20	U	~	~	~	~	~	~	~
bis(2-Chloroethoxy)methane	~	~	10	U	~	~	~	~	~	~	~
bis(2-Chloroethyl)ether	~	~	17	U	~	~	~	~	~	~	~
bis(2-Ethylhexyl)phthalate	~	~	62	U	~	~	~	~	~	~	~
Butyl benzyl phthalate	~	~	52	U	~	~	~	~	~	~	~
Caprolactam	~	~	83	U	~	~	~	~	~	~	~
Carbazole	~	~	2.2	U	~	~	~	~	~	~	~
Chrysene	3900	~	1.9	U	~	~	~	~	~	~	~
Dibenz(a,h)anthracene	330	~	2.3	U	~	~	~	~	~	~	~
Dibenzofuran	59000	~	2.0	U	~	~	~	~	~	~	~
Diethylphthalate	~	~	5.8	U	~	~	~	~	~	~	~
Dimethyl phthalate	~	~	5.0	U	~	~	~	~	~	~	~
Di-N-Butyl phthalate	~	~	67	U	~	~	~	~	~	~	~
Di-N-Octyl phthalate	~	~	4.5	U	~	~	~	~	~	~	~
Fluoranthene	100000	~	6.1	J	~	~	~	~	~	~	~
Fluorene	100000	~	4.4	U	~	~	~	~	~	~	~
Hexachlorobenzene	1200	~	9.6	U	~	~	~	~	~	~	~
Hexachlorobutadiene, SVOC	~	~	9.9	U	~	~	~	~	~	~	~
Hexachlorocyclopentadiene	~	~	58	U	~	~	~	~	~	~	~
Hexachloroethane	~	~	15	U	~	~	~	~	~	~	~
Indeno(1,2,3-cd)pyrene	500	~	5.3	U	~	~	~	~	~	~	~
Isophorone	~	~	9.6	U	~	~	~	~	~	~	~
Naphthalene, SVOC	100000	~	3.2	U	~	~	~	~	~	~	~
Nitrobenzene	15000	~	8.5	U	~	~	~	~	~	~	~
N-Nitroso-di-N-propylamine	~	~	15	U	~	~	~	~	~	~	~
N-Nitrosodiphenylamine	~	~	11	U	~	~	~	~	~	~	~
Pentachlorophenol, SVOC	6700	~	66	U	~	~	~	~	~	~	~
Phenanthrene	100000	~	4.0	U	~	~	~	~	~	~	~
Phenol	100000	~	20	U	~	~	~	~	~	~	~
Pyrene	100000	~	5.8	J	~	~	~	~	~	~	~
. ,		l	2.0	-			<u> </u>		<u> </u>	<u> </u>	



Location ID			CPPSS004	CPPSS005	CPPSS005	CPPSS006	CPPSS006	CPPSS006	CPPSS007	CPPSS007
Sample ID			CPPSS004-0-002	CPPSS005-0-000	CPPSS005-0-002	CPPSS006-0-000	CPPSS006-0-002	CPPSS006-1-002	CPPSS007-0-000	CPPSS007-0-002
Date			7/30/2014	7/30/2014	7/30/2014	8/7/2014	8/7/2014	8/7/2014	7/30/2014	7/30/2014
Sample Depth	Restricted		2 - 24 inches	0 - 2 inches	2 - 24 inches	0 - 2 inches	2 - 23 inches	2 - 23 inches	0 - 2 inches	2 - 24 inches
Sample Type	Residential	TCLP	0 - Primary	1 - Duplicate	0 - Primary	0 - Primary				
Matrix	Screening	Regulatory	SS							
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-64772-6	480-64772-3	480-64772-4	480-65233-1	480-65233-2	480-65233-3	480-64772-1	480-64772-2
Polychlorinated Biphenyls (PBCs), mg/Kg										
Aroclor-1016	~	~	0.0037 U	~	~	~	~	~	~	~
Aroclor-1221	~	~	0.0037 U	~	~	~	~	~	~	~
Aroclor-1232	~	~	0.0037 U	~	~	~	~	~	~	~
Aroclor-1242	~	~	0.0037 U	~	~	~	~	~	~	~
Aroclor-1248	~	~	0.0037 U	~	~	~	~	~	~	~
Aroclor-1254	~	~	0.0088 U	~	~	~	~	~	~	~
Aroclor-1260	~	~	0.0088 U	~	~	~	~	~	~	~
Aroclor-1262	~	~	0.0088 U	~	~	~	~	~	~	~
Aroclor-1268	~	~	0.0088 U	~	~	~	~	~	~	~
Total Petroleum Hydrocarbons, mg/Kg										
TPH	~	~	330	~	~	~	~	~	~	~

Notes:

mg/Kg = milligram per kilogram.

mg/L = milligram per liter.

- U = The analyte was analyzed for but was not detected above the level of the detection quantitation limit.
- UJ = The analyte was analyzed for but not detected. The quantitation limit is approximate and may be inaccurate or imprecise.
- $\label{eq:J} J = \mbox{The positive result reported is estimated either because the result is less than the LOQ or because certain quality control criteria were not met.}$
- J- = The result is an estimated quantity, but the result may be biased low because certain quality control criteria were not met.
- J+ = The result is an estimated quantity, but the result may be biased high because certain quality control criteria were not met.
- SB = Soil boring.
- SS = Surface soil.
- (1) New York State Department of Environmental Conservation (NSYDEC) Subpart 375-6 Remedial Program Soil Cleanup Objectives (SCOs).
- (2) Federal Code of Regulations, Section 261.24 Toxicity characteristic. Context: Title 40 Protection of Environment. CHAPTER I ENVIRONMENTAL PROTECTION AGENCY (CONTINUED). SUBCHAPTER I SOLID WASTES (CONTINUED). PART 261 -
- IDENTIFICATION AND LISTING OF HAZARDOUS WASTE. Subpart C Characteristics of Hazardous Waste (2012-07-01).
- \sim = Analysis not performed or No standard or guidance value listed for this constituent.



Location ID			CPPSS00		CPPSS008	CPPSS008		CPPSS008	CPPSS013	CPPSS013	CPPSS014	CPPSS014
Sample ID			CPPSS008-0-		CPPSS008-1-000	CPPSS008-0-002	2	CPPSS008-1-002	CPPSS013-0-000	CPPSS013-0-002	CPPSS014-0-000	CPPSS014-0-002
Date			7/30/2014		7/30/2014	7/30/2014		7/30/2014	8/6/2014	8/6/2014	8/6/2014	8/6/2014
Sample Depth	Restricted		0 - 2 inche	S	0 - 2 inches	2 - 24 inches		2 - 24 inches	0 - 2 inches	2 - 24 inches	0 - 2 inches	2 - 24 inches
Sample Type	Residential	TCLP	0 - Primar	/	1 - Duplicate	0 - Primary		1 - Duplicate	0 - Primary	0 - Primary	0 - Primary	0 - Primary
Matrix	Screening	Regulatory	SS		SS	SS		SS	SS	SS	SS	SS
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-64772-	7	480-64772-8	480-64772-9		480-64772-10	480-65240-1	480-65240-2	480-65111-6	480-65111-7
Toxicity Characteristic Leaching Procedure (TCLP) Metals, mg/L												
Arsenic, TCLP	~	5	0.0056	U	~		U	0.0056 U	~	~	~	~
Barium, TCLP	~	100	0.45		~	0.84		0.74	~	~	~	~
Cadmium, TCLP	~	1	0.0014	J	~	0.0028		0.0024	~	~	~	~
Chromium, TCLP	~	5	0.0040	U	~		U	0.0040 U	~	~	~	~
Lead, TCLP	~	5	0.0069	J	~		J	0.0066 J	~	~	~	~
Mercury, TCLP	~	0.2	0.00012 0.016	U	~		U	0.00012 U 0.015 J	~	~	~	~
Selenium, TCLP	~	5	0.016	J	~		U		~	~	~	~
Silver, TCLP	~	5	0.0017	U	~	0.0017	U	0.0017 U	~	~	~	~
Total Metals, mg/Kg Aluminum, Total		_	7500			8800	J	9000 J		_	_	_
	~	~ ~	0.44	U	~		UJ	0.46 UJ	~	~ ~	~ ~	~
Antimony, Total Arsenic, Total	16	~	7.1	U	~	7.6	JJ	8.6	4.8	10	9.0	14
Barium, Total	400	~	110		~		J	130 J	4.0 ~	~	9.0	~
Beryllium, Total	72	~	0.42		~ ~	0.45	J	0.47	~	~	~	~
Boron, Total	~	~	4.7		~	4.0		4.0	~	~	~	~
Cadmium, Total	4.3	~	0.34		~	0.25		0.26	0.20 J	1.2	1.7	4.2
Calcium, Total	~	~	2900		~		J	6500 J	~	~	~	~
Chromium, Total	180	~	10		~	12	3	12	~	~	~	~
Cobalt, Total	~	~	7.7		~	8.9		9.5	~	~	~	~
Copper, Total	270	~	15		~	18		19	~	~	~	~
Iron, Total	~	~	15000		~	18000		19000	~	~	~	~
Lead, Total	400	~	58		~	57		50	8.6	120	87	140
Magnesium, Total	~	~	2400		~	3100	J	3600 J	~	~	~	~
Manganese, Total	2000	~	450		~	440		480	~	~	~	~
Mercury, Total	0.81	~	~		~	~		~	~	~	~	~
Nickel, Total	310	~	17		~	20		21	~	~	~	~
Potassium, Total	~	~	890		~	720		710	~	~	~	~
Selenium, Total	180	~	0.44	U	~	0.45	U	0.46 U	~	~	~	~
Silver, Total	180	~	0.22	U	~	0.22	U	0.23 U	~	~	~	~
Sodium, Total	~	~	27	J	~	44	J	37 J	~	~	~	~
Thallium, Total	~	~	0.33	U	~	0.34	U	0.35 U	~	~	~	~
Vanadium, Total	~	~	12		~	14		14	~	~	~	~
Zinc, Total	10000	~	72		~	75		76	~	~	~	~
Volatile Organic Compounds (VOCs), ug/Kg												
1,1,1-Trichloroethane	100000	~	0.37	UJ	0.36 U		U	~	~	~	~	~
1,1,2,2-Tetrachloroethane	~	~	0.83	UJ	0.81 U		U	~	~	~	~	~
1,1,2-Trichloro-1,2,2-trifluoroethane	~	~	1.2	UJ	1.1 U		U	~	~	~	~	~
1,1,2-Trichloroethane	~	~	0.67	UJ	0.65 U		U	~	~	~	~	~
1,1-Dichloroethane	26000	~	0.63	UJ	0.61 U		U	~	~	~	~	~
1,1-Dichloroethene	100000	~	0.63	UJ	0.61 U		U	~	~	~	~	~
1,2,4-Trichlorobenzene, VOC	~	~	0.31	UJ	0.30 U		U	~	~	~	~	~
1,2-Dibromo-3-chloropropane	~	~	2.6	UJ	2.5 U		U	~	~	~	~	~
1,2-Dibromoethane	~	~	0.66	UJ	0.64 U		U	~	~	~	~	~
1,2-Dichlorobenzene, VOC	~	~	0.40	UJ	0.39 U		U	~	~	~	~	~
1,2-Dichloroethane	3100	~	0.26	UJ	0.25 U		U	~	~	~	~	~
1,2-Dichloropropane	~	~	2.6	UJ	2.5 U		U	~	~	~	~	~
1,3-Dichlorobenzene, VOC	~	~	0.26	UJ	0.26 U		U	~	~	~	~	~
1,4-Dichlorobenzene, VOC	~	~	0.72	UJ	0.70 U		U	~	~	~	~	~
2-Butanone	~	~	1.9	UJ	1.8 U	J 1.6	U	~	~	~	~	~



Location ID		_	CPPSS00		CPPSS008		CPPSS008	CPPSS008		CPPSS013	CPPSS013	CPPSS014	CPPSS014
Sample ID		_	CPPSS008-0-	-000	CPPSS008-1-0	000	CPPSS008-0-002	CPPSS008-1-00)2	CPPSS013-0-000	CPPSS013-0-002	CPPSS014-0-000	CPPSS014-0-002
Date		_	7/30/2014		7/30/2014		7/30/2014	7/30/2014		8/6/2014	8/6/2014	8/6/2014	8/6/2014
Sample Depth	Restricted	_	0 - 2 inche		0 - 2 inches		2 - 24 inches	2 - 24 inches		0 - 2 inches	2 - 24 inches	0 - 2 inches	2 - 24 inches
Sample Type	Residential	TCLP	0 - Primar	у	1 - Duplicate	е	0 - Primary	1 - Duplicate		0 - Primary	0 - Primary	0 - Primary	0 - Primary
Matrix	Screening	Regulatory	SS		SS		SS	SS		SS	SS	SS	SS
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-64772-	-7	480-64772-8	3	480-64772-9	480-64772-10		480-65240-1	480-65240-2	480-65111-6	480-65111-7
Volatile Organic Compounds (VOCs), ug/Kg (continued)													
2-Hexanone	~	~	2.6	UJ	2.5	UJ	2.2 U			~	~	~	~
4-Methyl-2-pentanone	~	~	1.7	UJ	1.6	UJ	1.4 U			~	~	~	~
Acetone	100000	~	4.3	UJ	4.2	UJ	3.6 U	<u> </u>		~	~	~	~
Benzene	4800	~	0.25	UJ	0.24	UJ	0.21 U			~	~	~	~
Bromodichloromethane	~	~	0.69 2.6	UJ	0.67 2.5	UJ	0.58 U			~	~	~	~
Bromoform	~	~	0.46	UJ	0.45	UJ	2.2 U 0.39 U			~	~	~	~ ~
Bromomethane Carbon disulfide	~	~	2.6	UJ	2.5	UJ	2.2 U				~	~	
Carbon tetrachloride	2400	~	0.50	UJ	0.48	UJ	0.42 U			~	~	~	~ ~
Chlorobenzene	100000	~	0.68	UJ	0.66	UJ	0.42 U			~	~	~	~
Chloroethane	~	~	1.2	UJ	1.1	UJ	0.98 U			~	~	~	~
Chloroform	49000	~	0.32	UJ	0.31	UJ	0.98 U	<u> </u>		~	~	~	~
Chloromethane	~	~	0.31	UJ	0.30	UJ	0.26 U			~	~	~	~
cis-1,2-Dichloroethene	100000	~	0.66	UJ	0.64	UJ	0.55 U			~	~	~	~
cis-1,3-Dichloropropene	~	~	0.74	UJ	0.72	UJ	0.62 U			~	~	~	~
Cyclohexane	~	~	0.72	UJ	0.70	UJ	0.60 U			~	~	~	~
Cyclohexane, Methyl-	~	~	0.78	UJ	0.76	UJ	0.66 U	~		~	~	~	~
Dibromochloromethane	~	~	0.66	UJ	0.64	UJ	0.55 U	~		~	~	~	~
Dichlorodifluoromethane	~	~	0.42	UJ	0.41	UJ	0.36 U	~		~	~	~	~
Ethylbenzene	41000	~	0.35	UJ	0.34	UJ	0.30 U	~		~	~	~	~
Isopropylbenzene	~	~	0.77	UJ	0.75	UJ	0.65 U	~		~	~	~	~
Methyl acetate	~	~	0.95	UJ	0.93	UJ	0.80 U	~		~	~	~	~
Methyl tert-butyl ether	100000	~	0.50	UJ	0.49	UJ	0.42 U	~		~	~	~	~
Methylene chloride	100000	~	2.4	UJ	2.3	UJ	2.0 U	~		2	2	~	~
Styrene	~	~	0.26	UJ	0.25	UJ	0.22 U			~	~	~	~
Tetrachloroethene	19000	~	0.69	UJ	0.67	UJ	0.58 U	~		~	~	~	~
Toluene	100000	~	0.39	UJ	0.38	UJ	0.33 U			~	~	~	~
trans-1,2-Dichloroethene	100000	~	0.53	UJ	0.51	UJ	0.45 U	<u> </u>		~	~	~	~
trans-1,3-Dichloropropene	~	~	2.3	UJ	2.2	UJ	1.9 U			~	~	~	~
Trichloroethene	21000	~	1.1	UJ	1.1	UJ	0.95 U			~	~	~	~
Trichlorofluoromethane	~	~	0.48	UJ	0.47	UJ	0.41 U			~	~	~	~
Vinylchloride	~	~	0.63	UJ	0.61	UJ	0.53 U			~	~	~	~
Xylenes, Total	100000	~	0.86	UJ	0.84	UJ	0.72 U	~		~	~	~	~
Semi-Volatile Organic Compounds (SVOCs), ug/Kg 2,4,5-Trichlorophenol			43	U			41 U	12	11				
2,4,6-Trichlorophenol	~ ~	~ ~	13	U	~ ~	+	41 U 12 U		U	~ ~	~ ~	~	~
2,4-b-1 richlorophenol	~	~	10	U	~ ~	+	9.9 U		U	~	~	~ ~	~
2,4-Dimethylphenol	~	~	54	Ü	~		51 U	<u> </u>	Ü	~	~	~	~
2,4-Dinitrophenol	~	~	69	Ü	~		66 U		U	~	~	~	~
2,4-Dinitrotoluene	~	~	31	Ü	~		29 U		Ü	~	~	~	~
2,6-Dinitrotoluene	~	~	48	Ü	~	+	46 U		Ü	~	~	~	~
2-Chloronaphthalene	~	~	13	Ü	~		13 U		Ü	~	~	~	~
2-Chlorophenol	~	~	10	Ü	~		9.6 U		Ü	~	~	~	~
2-Methylnaphthalene	~	~	9.2	J	~		20 J		J	~	~	~	~
2-Methylphenol	100000	~	6.1	U	~		5.8 U		U	~	~	~	~
2-Nitroaniline	~	~	64	Ü	~		61 U		Ü	~	~	~	~
2-Nitrophenol	~	~	9.1	U	~	+	8.7 U	<u> </u>	Ü	~	~	~	~
3,3'-Dichlorobenzidine	~	~	170	U	~		170 U		U	~	~	~	~
3-Nitroaniline	~	~	46	U	~		44 U		U	~	~	~	~
				-									1



Location ID Sample ID Date Sample Depth Sample Type Matrix Laboratory Sample ID Level: Semi-Volatile Organic Compounds (SVOCs), ug/Kg (continued) 4,6-Dinitro-2-methylphenol 4-Bromophenyl-phenylether 4-Chloro-3-methylphenol 4-Chloroaniline 4-Chlorophenyl-phenylether 4-Methylphenol 4-Nitrophenol, SVOC 4-Nitrophenol, SVOC	ial TCLP ng Regulatory	CPPSS008 CPPSS008-0-000 7/30/2014 0 - 2 inches 0 - Primary SS 480-64772-7	CPPSS008 CPPSS008-1-000 7/30/2014 0 - 2 inches 1 - Duplicate SS 480-64772-8	CPPSS008 CPPSS008-0-002 7/30/2014 2 - 24 inches 0 - Primary SS	CPPSS008 CPPSS008-1-002 7/30/2014 2 - 24 inches 1 - Duplicate SS	CPPSS013 CPPSS013-0-000 8/6/2014 0 - 2 inches 0 - Primary	CPPSS013 CPPSS013-0-002 8/6/2014 2 - 24 inches 0 - Primary	CPPSS014 CPPSS014-0-000 8/6/2014 0 - 2 inches 0 - Primary	CPPSS014 CPPSS014-0-002 8/6/2014 2 - 24 inches
Date Sample Depth Sample Type Matrix Laboratory Sample ID Level: Semi-Volatile Organic Compounds (SVOCs), ug/Kg (continued) 4,6-Dinitro-2-methylphenol 4-Bromophenyl-phenylether 4-Chloro-3-methylphenol 4-Chloroaniline 4-Chlorophenyl-phenylether 4-Methylphenol 100000 4-Nitroaniline	ial TCLP ng Regulatory Levels ⁽²⁾ ~	7/30/2014 0 - 2 inches 0 - Primary SS 480-64772-7	7/30/2014 0 - 2 inches 1 - Duplicate SS	7/30/2014 2 - 24 inches 0 - Primary SS	7/30/2014 2 - 24 inches 1 - Duplicate	8/6/2014 0 - 2 inches 0 - Primary	8/6/2014 2 - 24 inches	8/6/2014 0 - 2 inches	8/6/2014 2 - 24 inches
Sample Depth Sample Type Matrix Laboratory Sample ID Level: Semi-Volatile Organic Compounds (SVOCs), ug/Kg (continued) 4,6-Dinitro-2-methylphenol ~ 4-Bromophenyl-phenylether ~ 4-Chloro-3-methylphenol ~ 4-Chloroaniline ~ 4-Chlorophenyl-phenylether ~ 4-Methylphenol 100000 4-Nitroaniline ~	ial TCLP ng Regulatory Levels ⁽²⁾ ~	0 - 2 inches 0 - Primary SS 480-64772-7	0 - 2 inches 1 - Duplicate SS	2 - 24 inches 0 - Primary SS	2 - 24 inches 1 - Duplicate	0 - 2 inches 0 - Primary	2 - 24 inches	0 - 2 inches	2 - 24 inches
Sample Type Matrix Laboratory Sample ID Semi-Volatile Organic Compounds (SVOCs), ug/Kg (continued) 4,6-Dinitro-2-methylphenol 4-Bromophenyl-phenylether 4-Chloro-3-methylphenol 4-Chloroaniline 4-Chlorophenyl-phenylether - 4-Methylphenol 100000 4-Nitroaniline - ~	ial TCLP ng Regulatory Levels ⁽²⁾ ~	0 - Primary SS 480-64772-7	1 - Duplicate SS	0 - Primary SS	1 - Duplicate	0 - Primary			
Matrix Laboratory Sample ID Semi-Volatile Organic Compounds (SVOCs), ug/Kg (continued) 4,6-Dinitro-2-methylphenol ~ 4-Bromophenyl-phenylether ~ 4-Chloro-3-methylphenol ~ 4-Chloroaniline ~ 4-Chlorophenyl-phenylether ~ 4-Methylphenol 100000 4-Nitroaniline ~	Regulatory Levels ⁽²⁾	SS 480-64772-7	SS	SS	•		0 - Primary	0 - Primary	
Laboratory Sample ID Semi-Volatile Organic Compounds (SVOCs), ug/Kg (continued) 4,6-Dinitro-2-methylphenol ~ 4-Bromophenyl-phenylether ~ 4-Chloro-3-methylphenol ~ 4-Chloroaniline ~ 4-Chlorophenyl-phenylether ~ 4-Methylphenol 100000 4-Nitroaniline ~	Levels ⁽²⁾	480-64772-7			66		,	U - i illiai y	0 - Primary
Semi-Volatile Organic Compounds (SVOCs), ug/Kg (continued) 4,6-Dinitro-2-methylphenol ~ 4-Bromophenyl-phenylether ~ 4-Chloro-3-methylphenol ~ 4-Chloroaniline ~ 4-Chlorophenyl-phenylether ~ 4-Methylphenol 100000 4-Nitroaniline ~	~		480-64772-8	400.04====	35	SS	SS	SS	SS
4,6-Dinitro-2-methylphenol ~ 4-Bromophenyl-phenylether ~ 4-Chloro-3-methylphenol ~ 4-Chloroaniline ~ 4-Chlorophenyl-phenylether ~ 4-Methylphenol 100000 4-Nitroaniline ~		68		480-64772-9	480-64772-10	480-65240-1	480-65240-2	480-65111-6	480-65111-7
4-Bromophenyl-phenylether ~ 4-Chloro-3-methylphenol ~ 4-Chloroaniline ~ 4-Chlorophenyl-phenylether ~ 4-Methylphenol 100000 4-Nitroaniline ~		68							
4-Bromophenyl-phenylether ~ 4-Chloro-3-methylphenol ~ 4-Chloroaniline ~ 4-Chlorophenyl-phenylether ~ 4-Methylphenol 100000 4-Nitroaniline ~	~	00	J ~	65 U	68 U	~	~	~	~
4-Chloroaniline ~ 4-Chlorophenyl-phenylether ~ 4-Methylphenol 100000 4-Nitroaniline ~		63	J ~	60 U	62 U	~	~	~	~
4-Chlorophenyl-phenylether ~ 4-Methylphenol 100000 4-Nitroaniline ~	~	8.1	J ~	7.8 U	8.1 U	~	~	~	~
4-Methylphenol 100000 4-Nitroaniline ~	~	58	J ~	56 U	57 U	~	~	~	~
4-Nitroaniline ~	~	4.2	J ~	4.0 U	4.2 U	~	~	~	~
4-Nitroaniline ~	~	11	J ~	11 U	11 U	~	~	~	~
4 Nitrophonal SVOC	~	22	J ~	21 U	22 U	~	~	~	~
4-Nitrophenoi, 3VOC	~	48	J ~	46 U	48 U	~	~	~	~
Acenaphthene 100000	~	22	~	180 J	9.6 J	~	~	~	~
Acenaphthylene 100000	~		J ~	15 J	18 J	~	~	~	~
Acetophenone ~	~		J ~	9.7 U	10 U	~	~	~	~
Anthracene 100000	~	73	J ~	300	23 J	~	~	~	~
Atrazine ~	~		J ~	8.4 UJ	8.7 UJ	~	~	~	~
Benz(a)anthracene 1000	~	450	~	540 J	99 J	~	~	~	~
Benzaldehyde ~	~		J ~	21 U	21 U	~	~	~	~
Benzo(a)pyrene 1000	~	520	~	540 J	120 J	~	~	~	~
Benzo(b)fluoranthene 1000	~	620	~	640 J	140 J	~	~	~	~
Benzo(g,h,i)perylene 100000	~	480	~	340	100 J	~	~	~	~
Benzo(k)fluoranthene 3900	~	210	~	250	57 J	~	~	~	~
Biphenyl ~	~	12	~	12 U	12 U	~	~	~	~
bis (2-chloroisopropyl) ether ~	~	21	J ~	20 U	20 U	~	~	~	~
bis(2-Chloroethoxy)methane ~	~		J ~	10 U	11 U	~	~	~	~
bis(2-Chloroethyl)ether ~	~	17	J ~	16 U	17 U	~	~	~	~
bis(2-Ethylhexyl)phthalate ~	~	70	~	61 U	82 J	~	~	~	~
Butyl benzyl phthalate ~	~	53	J ~	51 U	53 U	~	~	~	~
Caprolactam ~	~	86	J ~	82 U	85 U	~	~	~	~
Carbazole ~	~	41	J ~	160 J	12 J	~	~	~	~
Chrysene 3900	~	530	~	590 J	120 J	~	~	~	~
Dibenz(a,h)anthracene 330	~	140	J ~	96 J	26 J	~	~	~	~
Dibenzofuran 59000	~	14	J ~	86 J	8.0 J	~	~	~	~
Diethylphthalate ~	~	6.0	J ~	5.7 U	5.9 U	~	~	~	~
Dimethyl phthalate ~	~	5.2	J ~	4.9 U	5.1 U	~	~	~	~
Di-N-Butyl phthalate ~	~	68	J ~	65 U	68 U	~	~	~	~
Di-N-Octyl phthalate ~	~	4.6	J ~	4.4 U	4.6 U	~	~	~	~
Fluoranthene 100000	~	750	~	1300 J	160 J	~	~	~	~
Fluorene 100000	~		~	140 J	11 J	~	~	~	~
Hexachlorobenzene 1200	~	9.9	J ~	9.4 U	9.7 U	~	~	~	~
Hexachlorobutadiene, SVOC ~	~	10	J ~	9.7 U	10 U	~	~	~	~
Hexachlorocyclopentadiene ~	~	60	J ~	57 U	59 U	~	~	~	~
Hexachloroethane ~	~	15	J ~	15 U	15 U	~	~	~	~
Indeno(1,2,3-cd)pyrene 500	~	470	~	380	100 J	~	~	~	~
Isophorone ~	~	9.9	J ~	9.5 U	9.8 U	~	~	~	~
Naphthalene, SVOC 100000	~	10	· ~	45 J	10 J	~	~	~	~
Nitrobenzene 15000	~	8.8	J ~	8.4 U	8.7 U	~	~	~	~
N-Nitroso-di-N-propylamine ~	~	16	J ~	15 U	16 U	~	~	~	~
N-Nitrosodiphenylamine ~	~	11	J ~	10 U	11 U	~	~	~	~
Pentachlorophenol, SVOC 6700	~	68	J ~	65 U	67 U	~	~	~	~
Phenanthrene 100000	~	450	~	1300 J	110 J	~	~	~	~
Phenol 100000	~		J ~	20 U	21 U	~	~	~	~
Pyrene 100000	~	870	~	1100 J	200 J	~	~	~	~



Location ID		1	CPPSS008	CPPSS008	CPPSS008	CPPSS008	CPPSS013	CPPSS013	CPPSS014	CPPSS014
Sample ID			CPPSS008-0-000	CPPSS008-1-000	CPPSS008-0-002	CPPSS008-1-002	CPPSS013-0-000	CPPSS013-0-002	CPPSS014-0-000	CPPSS014-0-002
Date			7/30/2014	7/30/2014	7/30/2014	7/30/2014	8/6/2014	8/6/2014	8/6/2014	8/6/2014
Sample Depth	Restricted		0 - 2 inches	0 - 2 inches	2 - 24 inches	2 - 24 inches	0 - 2 inches	2 - 24 inches	0 - 2 inches	2 - 24 inches
Sample Type	Residential	TCLP	0 - Primary	1 - Duplicate	0 - Primary	1 - Duplicate	0 - Primary	0 - Primary	0 - Primary	0 - Primary
Matrix	Screening	Regulatory	SS							
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-64772-7	480-64772-8	480-64772-9	480-64772-10	480-65240-1	480-65240-2	480-65111-6	480-65111-7
Polychlorinated Biphenyls (PBCs), mg/Kg										
Aroclor-1016	~	~	0.0038 U	~	0.0036 U	0.0038 U	~	~	~	~
Aroclor-1221	~	~	0.0038 U	~	0.0036 U	0.0038 U	~	~	~	~
Aroclor-1232	~	~	0.0038 U	~	0.0036 U	0.0038 U	~	~	~	~
Aroclor-1242	~	~	0.0038 U	~	0.0036 U	0.0038 U	~	~	~	~
Aroclor-1248	~	~	0.0038 U	~	0.0036 U	0.0038 U	~	~	~	~
Aroclor-1254	~	~	0.0091 U	~	0.0088 U	0.0091 U	~	~	~	~
Aroclor-1260	~	~	0.0091 U	~	0.0088 U	0.0091 U	~	~	~	~
Aroclor-1262	~	~	0.0091 U	~	0.0088 U	0.0091 U	~	~	~	~
Aroclor-1268	~	~	0.0091 U	~	0.0088 U	0.0091 U	~	~	~	~
Total Petroleum Hydrocarbons, mg/Kg										
TPH	~	~	300	~	400 J	68 J	~	~	~	~

Notes:

mg/Kg = milligram per kilogram.

mg/L = milligram per liter.

- U = The analyte was analyzed for but was not detected above the level of the detection quantitation limit.
- UJ = The analyte was analyzed for but not detected. The quantitation limit is approximate and may be inaccurate or imprecise.
- $\label{eq:Jacobian} J = \mbox{The positive result reported is estimated either because the result is less than the LOQ or because certain quality control criteria were not met.}$
- J- = The result is an estimated quantity, but the result may be biased low because certain quality control criteria were not met.
- J+ = The result is an estimated quantity, but the result may be biased high because certain quality control criteria were not met.
- SB = Soil boring.
- SS = Surface soil.
- (1) New York State Department of Environmental Conservation (NSYDEC) Subpart 375-6 Remedial Program Soil Cleanup Objectives (SCOs).
- (2) Federal Code of Regulations, Section 261.24 Toxicity characteristic. Context: Title 40 Protection of Environment. CHAPTER I ENVIRONMENTAL PROTECTION AGENCY (CONTINUED). SUBCHAPTER I SOLID WASTES (CONTINUED). PART 261 -
- IDENTIFICATION AND LISTING OF HAZARDOUS WASTE. Subpart C Characteristics of Hazardous Waste (2012-07-01).
- $^{\sim}$ = Analysis not performed or No standard or guidance value listed for this constituent.



					_					
Location ID			CPPSS015	CPPSS015	CPPSS016	CPPSS016	CPPSS016	CPPSS017	CPPSS017	CPPSS018
Sample ID			CPPSS015-0-000	CPPSS015-0-002	CPPSS016-0-000	CPPSS016-0-002	CPPSS016-1-002	CPPSS017-0-000	CPPSS017-0-002	CPPSS018-0-000
Date			8/8/2014	8/8/2014	8/8/2014	8/8/2014	8/8/2014	8/8/2014	8/8/2014	8/8/2014
Sample Depth	Restricted		0 - 2 inches	2 - 24 inches	0 - 2 inches	2 - 24 inches	2 - 24 inches	0 - 2 inches	2 - 24 inches	0 - 2 inches
Sample Type	Residential	TCLP	0 - Primary	0 - Primary	0 - Primary	0 - Primary	1 - Duplicate	0 - Primary	0 - Primary	0 - Primary
Matrix	Screening	Regulatory	SS							
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-65236-4	480-65236-5	480-65236-6	480-65236-7	480-65236-8	480-65236-9	480-65236-10	480-65236-11
Toxicity Characteristic Leaching Procedure (TCLP) Metals, mg/L										
Arsenic, TCLP	~	5	~	~	0.0056 U	0.0068 J	0.0084 J	~	~	~
Barium, TCLP	~	100	~	~	0.33	0.52	0.74	~	~	~
Cadmium, TCLP	~	1	~	~	0.0019 J	0.0027	0.0045	~	~	~
Chromium, TCLP	~	5	~	~	0.0010 U	0.0010 U	0.0010 U	~	~	~
Lead, TCLP	~	5	~	~	0.040	0.0081 J	0.019	~	~	~
Mercury, TCLP	~	0.2	~	~	0.00012 U	0.00012 U	0.00012 U	~	~	~
Selenium, TCLP	~	1	~	~	0.0087 U	0.0087 U	0.0087 U	~	~	~
Silver, TCLP	~	5	~	~	0.0017 U	0.0017 U	0.0017 U	~	~	~
Total Metals, mg/Kg										
Aluminum, Total	~	~	~	~	8500	8400 J+	8000 J+	~	~	~
Antimony, Total	~	~	~	~	0.55 J	0.61 J	0.42 UJ	~	~	~
Arsenic, Total	16	~	9.9	8.2	9.1	13	10	8.3	16	7.2
Barium, Total	400	~	~	~	110	120 J	110 J	~	~	~
Beryllium, Total	72	~	~	~	0.47	0.48	0.47	~	~	~
Boron, Total	~	~	~	~	4.2	3.4	3.1	~	~	~
Cadmium, Total	4.3	~	0.84	0.59	0.52	0.70	0.57	0.43	5.6	0.18 J
Calcium, Total	~	~	~	~	2200	2300	1900	~	~	~
Chromium, Total	180	~	~	~	11	11	11	~	~	~
Cobalt, Total	~	~	~	~	8.5	8.6	8.3	~	~	~
Copper, Total	270	~	~	~	16	18	15	~	~	~
Iron, Total	~	~	~	~	16000	17000 J	16000 J	~	~	~
Lead, Total	400	~	110	61	63	180 J-	72 J-	40	580	14
Magnesium, Total	~	~	~	~	2400	2700	2500	~	~	~
Manganese, Total	2000	~	~	~	490	450	460	~	~	~
Mercury, Total	0.81	~	~	~	~	~	~	~	~	~
Nickel, Total	310	~	~	~	17	18	18	~	~	~
Potassium, Total	~	~	~	~	1300	990	900	~	~	~
Selenium, Total	180	~	~	~	0.55 U	0.43 U	0.42 U	~	~	~
Silver, Total	180	~	~	~	0.27 U	0.21 U	0.21 U	~	~	~
Sodium, Total	~	~	~	~	59 J	89 J	78 J	~	~	~
Thallium, Total	~	~	~	~	0.41 U	0.32 U 13	0.31 U	~	~	~
Vanadium, Total	10000	~	~	~	13 84	89	13 76	~	~	~
Zinc, Total	10000	~	~	~	04	09	10	~	~	~
Volatile Organic Compounds (VOCs), ug/Kg 1,1,1-Trichloroethane	100000	~	~	~	~	~	~	~	~	~
1,1,2,2-Tetrachloroethane	~	~	~	~	~	~	~	~	~	~
1,1,2-Trichloro-1,2,2-trifluoroethane	~	~	~	~	~	~	~	~	~	~
1,1,2-Trichloroethane	~	~	~	~	~	~	~	~	~	~
1,1-Dichloroethane	26000	~	~	~	~	~	~	~	~	~
1,1-Dichloroethane	100000	~	~	~	~	~	~	~	~	~
1,2,4-Trichlorobenzene, VOC	~	~	~	~	~	~	~	~	~	~
1,2-Dibromo-3-chloropropane	~	~	~	~	~	~	~	~	~	~
1,2-Dibromoethane	~	~	~	~	~	~	~	~	~	~
1,2-Dichlorobenzene, VOC	~	~	~	~	~	~	~	~	~	~
1,2-Dichloroethane	3100	~	~	~	~	~	~	~	~	~
1,2-Dichloropropane	~	~	~	~	~	~	~	~	~	~
1,3-Dichlorobenzene, VOC	~	~	~	~	~	~	~	~	~	~
1,4-Dichlorobenzene, VOC	~	~	~	~	~	~	~	~	~	~
2-Butanone	~	~	~	~	~	~	~	~	~	~
2 Betaliono			l .	l .]	<u>I</u>			l .]



Location ID			CPPSS015	CPPSS015	CPPSS016	CPPSS016	CPPSS016	CPPSS017	CPPSS017	CPPSS018
Sample ID			CPPSS015-0-000	CPPSS015-0-002	CPPSS016-0-000	CPPSS016-0-002	CPPSS016-1-002	CPPSS017-0-000	CPPSS017-0-002	CPPSS018-0-000
Date			8/8/2014	8/8/2014	8/8/2014	8/8/2014	8/8/2014	8/8/2014	8/8/2014	8/8/2014
Sample Depth	Restricted		0 - 2 inches	2 - 24 inches	0 - 2 inches	2 - 24 inches	2 - 24 inches	0 - 2 inches	2 - 24 inches	0 - 2 inches
Sample Type	Residential	TCLP	0 - Primary	0 - Primary	0 - Primary	0 - Primary	1 - Duplicate	0 - Primary	0 - Primary	0 - Primary
Matrix	Screening	Regulatory	SS							
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-65236-4	480-65236-5	480-65236-6	480-65236-7	480-65236-8	480-65236-9	480-65236-10	480-65236-11
Volatile Organic Compounds (VOCs), ug/Kg (continued)	2010.0	2010.0	100 00200 1	100 00200 0	100 00200 0	100 00200 1	100 00200 0	100 00200 0	100 00200 10	100 00200 11
2-Hexanone	~	~	~	~	~	~	~	~	~	~
4-Methyl-2-pentanone	~	~	~	~	~	~	~	~	~	~
Acetone	100000	~	~	~	~	~	~	~	~	~
Benzene	4800	~	~	~	~	~	~	~	~	~
Bromodichloromethane	~	~	~	~	~	~	~	~	~	~
Bromoform	~	~	~	~	~	~	~	~	~	~
Bromomethane	~	~	~	~	~	~	~	~	~	~
Carbon disulfide	~	~	~	~	~	~	~	~	~	~
Carbon tetrachloride	2400	~	~	~	~	~	~	~	~	~
Chlorobenzene	100000	~	~	~	~	~	~	~	~	~
Chloroethane	~	~	~	~	~	~	~	~	~	~
Chloroform	49000	~	~	~	~	~	~	~	~	~
Chloromethane	~	~	~	~	~	~	~	~	~	~
cis-1,2-Dichloroethene	100000	~	~	~	~	~	~	~	~	~
cis-1,3-Dichloropropene	~	~	~	~	~	~	~	~	~	~
Cyclohexane	~	~	~	~	~	~	~	~	~	~
Cyclohexane, Methyl-	~	~	~	~	~	~	~	~	~	~
Dibromochloromethane	~	~	~	~	~	~	~	~	~	~
Dichlorodifluoromethane Dichlorodifluoromethane	~	~	~	~	~		~	~	~	~
<u></u>	41000	~	~	~	~	~	~	~	~	~
Ethylbenzene	~	~	~	~	~	~	~	~	~	~
Isopropylbenzene Methyl acetate	~	~	~	~	~	~	~	~	~	~
Methyl tert-butyl ether	100000	~	~	~	~	~	~	~	~	~
Methylene chloride	100000	~	~	~	~	~	~	~	~	~
Styrene	~	~	~	~	~	~	~	~	~	~
Tetrachloroethene	19000	~	~	~	~	~	~	~	~	~
Toluene	100000	~	~	~	~	~	~	~	~	~
trans-1,2-Dichloroethene	100000	~	~	~	~	~	~	~	~	~
trans-1,3-Dichloropropene	~	~	~	~	~	~	~	~	~	~
Trichloroethene	21000	~	~	~	~	~	~	~	~	~
Trichlorofluoromethane	~	~	~	~	~	~	~	~	~	~
Vinylchloride	~	~	~	~	~	~	~	~	~	~
Xylenes, Total	100000	~	~	~	~	~	~	~	~	~
Semi-Volatile Organic Compounds (SVOCs), ug/Kg	10000		··	··	··			··		
2,4,5-Trichlorophenol	~	~	~	~	47 U	45 U	44 U	~	~	~
2,4,6-Trichlorophenol	~	~	~	~	14 U		13 U	~	~	~
2,4-Dichlorophenol	~	~	~	~	11 U	11 U	13 U	~	~	~
2,4-Dimethylphenol	~	~	~	~	59 U		55 U	~	~	~
2,4-Dinitrophenol	~	~	~	~	76 UJ	72 U	71 U	~	~	~
2,4-Dinitrotoluene	~	~	~	~	34 U			~	~	~
2,6-Dinitrotoluene	~	~	~	~	53 U	50 U	50 U	~	~	~
2-Chloronaphthalene	~	~	~	~	15 U		14 U	~	~	~
2-Chlorophenol	~	~	~	~	13 U		10 U	~	~	~
2-Methylnaphthalene	~	~	~	~	5.4 J	24 J	2.5 U	~	~	~
2-Methylphenol	100000	~	~	~	6.7 U	6.3 U	6.3 U	~	~	~
2-Nitroaniline	~	~	~	~	70 U	66 U	65 U	~	~	~
2-Nitrophenol	~	~	~	~	9.9 U	9.4 U	9.3 U	~	~	~
3,3'-Dichlorobenzidine	~	~	~	~	190 U	180 U	180 U	~	~	~
	~	~		~	50 U	47 U	47 U			
3-Nitroaniline	~	~	~	~	30 0	47 0	47 0	~	~	~



		•								
Location ID			CPPSS015	CPPSS015	CPPSS016	CPPSS016	CPPSS016	CPPSS017	CPPSS017	CPPSS018
Sample ID		1	CPPSS015-0-000	CPPSS015-0-002	CPPSS016-0-000	CPPSS016-0-002	CPPSS016-1-002	CPPSS017-0-000	CPPSS017-0-002	CPPSS018-0-000
Date			8/8/2014	8/8/2014	8/8/2014	8/8/2014	8/8/2014	8/8/2014	8/8/2014	8/8/2014
Sample Depth	Restricted		0 - 2 inches	2 - 24 inches	0 - 2 inches	2 - 24 inches	2 - 24 inches	0 - 2 inches	2 - 24 inches	0 - 2 inches
Sample Type	Residential	TCLP	0 - Primary	0 - Primary	0 - Primary	0 - Primary	1 - Duplicate	0 - Primary	0 - Primary	0 - Primary
Matrix	Screening	Regulatory	SS							
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-65236-4	480-65236-5	480-65236-6	480-65236-7	480-65236-8	480-65236-9	480-65236-10	480-65236-11
Semi-Volatile Organic Compounds (SVOCs), ug/Kg (continued)										
4,6-Dinitro-2-methylphenol	~	~	~	~	75 UJ	71 U	70 U	~	~	~
4-Bromophenyl-phenylether	~	~	~	~	69 UJ	65 U	65 U	~	~	~
4-Chloro-3-methylphenol	~	~	2	~	8.9 U	8.4 U	8.4 U	~	~	~
4-Chloroaniline	~	~	~	~	64 U	60 U	60 U	~	~	~
4-Chlorophenyl-phenylether	~	~	~	~	4.6 U	4.4 U	4.3 U	~	~	~
4-Methylphenol	100000	~	~	~	12 U	11 U	11 U	~	~	~
4-Nitroaniline	~	~	~	~	24 U	23 U	23 U	~	~	~
4-Nitrophenol, SVOC	~	~	~	~	53 U	50 U	49 U	~	~	~
Acenaphthene	100000	~	~	~	2.5 U	2.4 U	2.4 U	~	~	~
Acenaphthylene	100000	~	~	~	7.2 J	26 J	1.7 U	~	~	~
Acetophenone	~	~	~	~	11 U	11 U	10 U	~	~	~
Anthracene	100000	~	~	~	9.0 J	16 J	5.2 U	~	~	~
Atrazine	~	~	~	~	9.7 UJ	9.1 UJ	9.1 UJ	~	~	~
Benz(a)anthracene	1000	~	~	~	73 J	56 J	66 J	~	~	~
Benzaldehyde	~	~	~	~	24 U	22 U	22 U	~	~	~
Benzo(a)pyrene	1000	~	~	~	90 J	79 J	72 J	~	~	~
Benzo(b)fluoranthene	1000	~	~	~	130 J	100 J	110 J	~	~	~
Benzo(g,h,i)perylene	100000	~	~	~	96 J	110 J	56 J	~	~	~
Benzo(k)fluoranthene	3900	~	~	~	2.4 U	43 J	47 J	~	~	~
Biphenyl	~	~	~	~	14 U	13 U	13 U	~	~	~
bis (2-chloroisopropyl) ether	~	~	~	~	23 U	21 U	21 U	~	~	~
bis(2-Chloroethoxy)methane	~	~	~	~	12 U	11 U	11 U	~	~	~
bis(2-Chloroethyl)ether	~	~	~	~	19 U	18 U	18 U	~	~	~
bis(2-Ethylhexyl)phthalate	~	~	~	~	560	330	260	~	~	~
Butyl benzyl phthalate	~	~	~	~	58 U	55 U	55 U	~	~	~
Caprolactam	~	~	~	~	94 U	89 U	88 U	~	~	~
Carbazole	~	~	~	~	6.4 J	2.4 U	2.4 U	~	~	~
Chrysene	3900	~	~	~	100 J	80 J	80 J	~	~	~
Dibenz(a,h)anthracene	330	~	~	~	29 J	31 J	22 J	~	~	~
Dibenzofuran	59000	~	~	~	2.3 U	2.1 U	2.1 U	~	~	~
Diethylphthalate	~	~	~	~	6.6 U	6.2 U	6.1 U	~	~	~
Dimethyl phthalate	~	~	~	~	5.7 U	5.3 U	5.3 U	~	~	~
Di-N-Butyl phthalate	~	~	~	~	75 UJ	71 U	70 U	~	~	~
Di-N-Octyl phthalate	~	~	~	~	5.1 U	4.8 U	4.8 U	~	~	~
Fluoranthene	100000	~	~	~	140 J	90 J	100 J	~	~	~
Fluorene	100000	~	~	~	5.0 U	4.7 U	4.7 U	~	~	~
Hexachlorobenzene	1200	~	~	~	11 UJ	10 U	10 U	~	~	~
Hexachlorobutadiene, SVOC	~	~	~	~	11 U	11 U	10 U	~	~	~
Hexachlorocyclopentadiene	~	~	~	~	66 U	62 U	61 U	~	~	~
Hexachloroethane	~	~	~	~	17 U	16 U	16 U	~	~	~
Indeno(1,2,3-cd)pyrene	500	~	~	~	100 J	96 J	68 J	~	~	~
Isophorone	~	~	~	~	11 U	10 U	10 U	~	~	~
Naphthalene, SVOC	100000	~	~	~	5.1 J	3.4 U	3.4 U	~	~	~
Nitrobenzene	15000	~	~	~	9.6 U	9.1 U	9.0 U	~	~	~
N-Nitroso-di-N-propylamine	~	~	~	~	17 U	16 U	16 U	~	~	~
N-Nitrosodiphenylamine	~	~	~	~	12 UJ	11 U	11 U	~	~	~
Pentachlorophenol, SVOC	6700	~	~	~	75 UJ	70 U	70 U	~	~	~
Phenanthrene	100000	~	~	~	45 J	78 J	52 J	~	~	~
Phenol	100000	~	~	~	23 U	22 U	21 U	~	~	~
Pyrene	100000	~	~	~	100 J	98 J	100 J	~	~	~



Location ID			CPPSS015	CPPSS015	CPPSS016	CPPSS016	CPPSS016	CPPSS017	CPPSS017	CPPSS018
Sample ID			CPPSS015-0-000	CPPSS015-0-002	CPPSS016-0-000	CPPSS016-0-002	CPPSS016-1-002	CPPSS017-0-000	CPPSS017-0-002	CPPSS018-0-000
Date			8/8/2014	8/8/2014	8/8/2014	8/8/2014	8/8/2014	8/8/2014	8/8/2014	8/8/2014
Sample Depth	Restricted		0 - 2 inches	2 - 24 inches	0 - 2 inches	2 - 24 inches	2 - 24 inches	0 - 2 inches	2 - 24 inches	0 - 2 inches
Sample Type	Residential	TCLP	0 - Primary	0 - Primary	0 - Primary	0 - Primary	1 - Duplicate	0 - Primary	0 - Primary	0 - Primary
Matrix	Screening	Regulatory	SS							
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-65236-4	480-65236-5	480-65236-6	480-65236-7	480-65236-8	480-65236-9	480-65236-10	480-65236-11
Polychlorinated Biphenyls (PBCs), mg/Kg										
Aroclor-1016	٠	~	~	~	0.0041 U	0.0038 U	0.0039 U	~	~	~
Aroclor-1221	~	~	~	~	0.0041 U	0.0038 U	0.0039 U	~	~	~
Aroclor-1232	~	~	~	~	0.0041 U	0.0038 U	0.0039 U	~	~	~
Aroclor-1242	~	~	~	~	0.0041 U	0.0038 U	0.0039 U	~	~	~
Aroclor-1248	~	~	~	~	0.0041 U	0.0038 U	0.0039 U	~	~	~
Aroclor-1254	~	~	~	~	0.0099 U	0.0092 U	0.0093 U	~	~	~
Aroclor-1260	~	~	~	~	0.0099 U	0.0092 U	0.0093 U	~	~	~
Aroclor-1262	~	~	~	~	0.0099 U	0.0092 U	0.0093 U	~	~	~
Aroclor-1268	~	~	~	~	0.0099 U	0.0092 U	0.0093 U	~	~	~
Total Petroleum Hydrocarbons, mg/Kg										
TPH	~	~	~	~	130	350	360	~	~	~

Notes:

mg/Kg = milligram per kilogram.

mg/L = milligram per liter.

- U = The analyte was analyzed for but was not detected above the level of the detection quantitation limit.
- UJ = The analyte was analyzed for but not detected. The quantitation limit is approximate and may be inaccurate or imprecise.
- $\label{eq:J} J = \mbox{The positive result reported is estimated either because the result is less than the LOQ or because certain quality control criteria were not met.}$
- J- = The result is an estimated quantity, but the result may be biased low because certain quality control criteria were not met.
- J+ = The result is an estimated quantity, but the result may be biased high because certain quality control criteria were not met.
- SB = Soil boring.
- SS = Surface soil.
- (1) New York State Department of Environmental Conservation (NSYDEC) Subpart 375-6 Remedial Program Soil Cleanup Objectives (SCOs).
- (2) Federal Code of Regulations, Section 261.24 Toxicity characteristic. Context: Title 40 Protection of Environment. CHAPTER I ENVIRONMENTAL PROTECTION AGENCY (CONTINUED). SUBCHAPTER I SOLID WASTES (CONTINUED). PART 261 -
- IDENTIFICATION AND LISTING OF HAZARDOUS WASTE. Subpart C Characteristics of Hazardous Waste (2012-07-01).
- $^{\sim}$ = Analysis not performed or No standard or guidance value listed for this constituent.



Location ID			CPPSS018	CPPSS019	CPPSS019	CPPSS020	CPPSS020	CPPSS021	CPPSS021	CPPSS022
Sample ID			CPPSS018-0-002	CPPSS019-0-000	CPPSS019-0-002	CPPSS020-0-000	CPPSS020-0-002	CPPSS021-0-000	CPPSS021-0-002	CPPSS022-0-000
Date			8/8/2014	8/8/2014	8/8/2014	8/7/2014	8/7/2014	8/7/2014	8/7/2014	8/5/2014
Sample Depth	Restricted		2 - 24 inches	0 - 2 inches	2 - 24 inches	0 - 2 inches	2 - 24 inches	0 - 2 inches	2 - 24 inches	0 - 2 inches
Sample Type	Residential	TCLP	0 - Primary							
Matrix	Screening	Regulatory	SS							
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-65236-12	480-65236-13	480-65236-14	480-65233-8	480-65233-9	480-65233-6	480-65233-7	480-65115-13
Toxicity Characteristic Leaching Procedure (TCLP) Metals, mg/L										
Arsenic, TCLP	~	5	~	~	~	~	~	~	~	~
Barium, TCLP	~	100	~	~	~	~	~	~	~	~
Cadmium, TCLP	~	1	~	~	~	~	~	~	~	~
Chromium, TCLP	~	5	~	~	~	~	~	~	~	~
Lead, TCLP	~	5	~	~	~	~	~	~	~	~
Mercury, TCLP	~	0.2	•	•	·	~	•	~	·	~
Selenium, TCLP	~	1	~	~	~	~	~	~	~	~
Silver, TCLP	~	5	~	~	~	~	~	~	~	~
Total Metals, mg/Kg										
Aluminum, Total	~	~	~	~	~	~	~	~	~	~
Antimony, Total	~	~	~	~	~	~	~	~	~	~
Arsenic, Total	16	~	9.0	7.1	13	7.2	16	6.8	33	11
Barium, Total	400	~	~	~	~	~	~	~	~	~
Beryllium, Total	72	~	~	~	~	~	~	~	~	~
Boron, Total	~	~	~	~	~	~	~	~	~	~
Cadmium, Total	4.3	~	0.88	0.18 J	0.64	0.19 J	19	0.17 J	3.1	1.4
Calcium, Total	~	~	~	~	~	~	~	~	~	~
Chromium, Total	180	~	~	~	~	~	~	~	~	~
Cobalt, Total	~	~	~	~	~	~	~	~	~	~
Copper, Total	270	~	~	~	~	~	~	~	~	~
Iron, Total	~	~	~	~	~	~	~	~	~	~
Lead, Total	400	~	180	13	2400	13	3700	14	740	130
Magnesium, Total	~	~	~	~	~	~	~	~	~	~
Manganese, Total	2000	~	~	~	~	~	~	~	~	~
Mercury, Total	0.81	~	~	~	~	~	~	~	~	~
Nickel, Total	310	~	~	~	~	~	~	~	~	~
Potassium, Total	~	~	~	~	~	~	~	~	~	~
Selenium, Total	180	~	~	~	~	~	~	~	~	~
Silver, Total	180	~	~	~	~	~	~	~	~	~
Sodium, Total	~	~	~	~	~	~	~	~	~	~
Thallium, Total	~	~	~	~	~	~	~	~	~	~
Vanadium, Total Zinc, Total	10000	~	~	~	~	~	~	~	~	~
Volatile Organic Compounds (VOCs), ug/Kg	10000	~	~	~	~	~	~	~	~	~
1,1,1-Trichloroethane	100000	~	~		_	_		_	~	~
1,1,2,2-Tetrachloroethane	~	~	~ ~	~ ~	~	~	~ ~	~ ~	~ ~	~
1,1,2-Trichloro-1,2,2-trifluoroethane	~	~	~	~	~	~	~	~	~	~
1,1,2-Trichloro-1,2,2-trilluoroethane	~	~	~	~	~	~	~	~	~	~
1,1-Dichloroethane	26000	~	~	~	~	~	~	~	~	~
1,1-Dichloroethane	100000	~	~	~	~	~	~	~	~	~
1,2,4-Trichlorobenzene, VOC	~	~	~	~	~	~	~	~	~	~
1,2-Dibromo-3-chloropropane	~	~	~	~	~	~	~	~	~	~
1,2-Dibromoethane	~	~	~	~	~	~	~	~	~	~
1,2-Dichlorobenzene, VOC	~	~	~	~	~	~	~	~	~	~
1,2-Dichloroethane	3100	~	~	~	~	~	~	~	~	~
1,2-Dichloropropane	~	~	~	~	~	~	~	~	~	~
1,3-Dichlorobenzene, VOC	~	~	~	~	~	~	~	~	~	~
1,4-Dichlorobenzene, VOC	~	~	~	~	~	~	~	~	~	~
2-Butanone	~	~	~	~	~	~	~	~	~	~
Z-Dutanone		L								I



Location ID			CPPSS018	CPPSS019	CPPSS019	CPPSS020	CPPSS020	CPPSS021	CPPSS021	CPPSS022
Sample ID			CPPSS018-0-002	CPPSS019-0-000	CPPSS019-0-002	CPPSS020-0-000	CPPSS020-0-002	CPPSS021-0-000	CPPSS021-0-002	CPPSS022-0-000
Date			8/8/2014	8/8/2014	8/8/2014	8/7/2014	8/7/2014	8/7/2014	8/7/2014	8/5/2014
Sample Depth	Restricted		2 - 24 inches	0 - 2 inches	2 - 24 inches	0 - 2 inches	2 - 24 inches	0 - 2 inches	2 - 24 inches	0 - 2 inches
Sample Type	Residential	TCLP	0 - Primary	0 - Primary	0 - Primary	0 - Primary	0 - Primary	0 - Primary	0 - Primary	0 - Primary
Matrix	Screening	Regulatory	SS	SS	SS	SS	SS	SS	SS	SS
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-65236-12	480-65236-13	480-65236-14	480-65233-8	480-65233-9	480-65233-6	480-65233-7	480-65115-13
Volatile Organic Compounds (VOCs), ug/Kg (continued)	LEVEIS	Levels	1 00-03230-12	400-03230-13	400-03230-14	400-03233-0	700-03233-3	400-03233-0	400-03233-1	400-03113-13
2-Hexanone	~	~	~	~	~	~	~	~	~	~
4-Methyl-2-pentanone	~	~	~	~	~	~	~	~	~	~
Acetone	100000	~	~	~	~	~	~	~	~	~
Benzene	4800	~	~	~	~	~	~	~	~	~
Bromodichloromethane	~	~	~	~	~	~	~	~	~	~
Bromoform	~	~	~	~	~	~	~	~	~	~
Bromomethane	~	~	~	~	~	~	~	~	~	~
Carbon disulfide	~	~	~	~	~	~	~	~	~	~
Carbon tetrachloride	2400	~	~	~	~	~	~	~	~	~
Chlorobenzene	100000	~	~	~	~	~	~	~	~	~
Chloroethane	~	~	~	~	~	~	~	~	~	~
Chloroform	49000	~	~	~	~	~	~	~	~	~
Chloromethane	49000 ~	~	~	~	~	~	~	~	~	~
cis-1,2-Dichloroethene	100000	~	~	~	~	~	~	~	~	~
cis-1,3-Dichloropropene	~	~	~	~	~	~	~	~	~	~
					~	~				
Cyclohexane	~	~	~ ~	~	~	~	~	~	~	~
Cyclohexane, Methyl- Dibromochloromethane		~			~	~	~		~	
	~	~	~	~	~	~	~	~	~	~
Dichlorodifluoromethane	41000	~								
Ethylbenzene		~	~	~	~	~	~	~	~	~
Isopropylbenzene	~	~	~	~	~	~	~	~	~	~
Methyl acetate	100000	~	~	~	~	~	~	~	~	~
Methyl tert-butyl ether	100000	~	~	~	~	~	~	~	~	~
Methylene chloride		~	~ ~	~	~	~	~	~	~	~
Styrene	19000	~		~	~	~	~	~	~	~
Tetrachloroethene	100000	~	~	~	~	~	~	~	~	~
Toluene	100000	~	~	~	~	~	~	~	~	~
trans-1,2-Dichloroethene		~	~	~	~	~	~	~	~	~
trans-1,3-Dichloropropene	21000	~	~	~	~	~	~	~	~	~
Trichloroethene		~	~	~	~	~	~	~	~	~
Trichlorofluoromethane	~	~	~	~	~	~	~	~	~	~
Vinylchloride Vylanca, Total	100000	~	~	~	~	~	~	~	~	~
Xylenes, Total Semi-Volatile Organic Compounds (SVOCs), ug/Kg	100000	~	~	~	~	~	~	~	~	~
2,4,5-Trichlorophenol										
·	~	~	~ ~	~	~ ~	~	~	~	~	~
2,4,6-Trichlorophenol		~		~		~	~	~		~
2,4-Dichlorophenol	~	~	~	~	~	~	~	~	~	~
2,4-Dimethylphenol		~	~	~	~	~	~	~	~	~
2,4-Dinitrophenol	~	~	~	~	~	~	~	~	~	~
2,4-Dinitrotoluene	~	~	~	~	~	~	~	~	~	~
2,6-Dinitrotoluene	~	~	~	~	~	~	~	~	~	~
2-Chloronaphthalene	~	~	~	~	~	~	~	~	~	~
2-Chlorophenol	~	~	~	~	~	~	~	~	~	~
2-Methylnaphthalene	~	~	~	~	~	~	~	~	~	~
2-Methylphenol	100000	~	~	~	~	~	~	~	~	~
2-Nitroaniline	~	~	~	~	~	~	~	~	~	~
2-Nitrophenol	~	~	~	~	~	~	~	~	~	~
3,3'-Dichlorobenzidine	~	~	~	~	~	~	~	~	~	~
3-Nitroaniline	~	~	~	~	~	~	~	~	~	~



		T								
Location ID			CPPSS018	CPPSS019	CPPSS019	CPPSS020	CPPSS020	CPPSS021	CPPSS021	CPPSS022
Sample ID			CPPSS018-0-002	CPPSS019-0-000	CPPSS019-0-002	CPPSS020-0-000	CPPSS020-0-002	CPPSS021-0-000	CPPSS021-0-002	CPPSS022-0-000
Date			8/8/2014	8/8/2014	8/8/2014	8/7/2014	8/7/2014	8/7/2014	8/7/2014	8/5/2014
Sample Depth	Restricted		2 - 24 inches	0 - 2 inches	2 - 24 inches	0 - 2 inches	2 - 24 inches	0 - 2 inches	2 - 24 inches	0 - 2 inches
Sample Type	Residential	TCLP	0 - Primary							
Matrix	Screening	Regulatory	SS							
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-65236-12	480-65236-13	480-65236-14	480-65233-8	480-65233-9	480-65233-6	480-65233-7	480-65115-13
Semi-Volatile Organic Compounds (SVOCs), ug/Kg (continued)	LCVCIS	ECTUS	400 00200 12	400 00200 10	400 00200 14	400 00200 0	400 00200 0	400 00200 0	400 00200 1	400 00110 10
4,6-Dinitro-2-methylphenol	~	~	~	~	~	~	~	~	~	~
4-Bromophenyl-phenylether	~	~	~	~	~	~	~	~	~	~
4-Chloro-3-methylphenol	~	~	~	~	~	~	~	~	~	~
4-Chloroaniline	~	~	~	~	~	~	~	~	~	~
4-Chlorophenyl-phenylether	~	~	~	~	~	~	~	~	~	~
4-Methylphenol	100000	~	~	~	~	~	~	~	~	~
4-Nitroaniline	~	~	~	~	~	~	~	~	~	~
4-Nitrophenol, SVOC	~	~	~	~	~	~	~	~	~	~
Acenaphthene	100000	~	~	~	~	~	~	~	~	~
Acenaphthylene	100000	~	~	~	~	~	~	~	~	~
Acetophenone	~	~	~	~	~	~	~	~	~	~
Anthracene	100000	~	~	~	~	~	~	~	~	~
Atrazine	~	~	~	~	~	~	~	~	~	~
Benz(a)anthracene	1000	~	~	~	~	~	~	~	~	~
Benzaldehyde	~	~	~	~		~	~	~	~	~
Benzo(a)pyrene	1000	~	~	~	~	~	~	~	~	~
Benzo(b)fluoranthene	1000	~	~	~	~	~	~	~	~	~
Benzo(g,h,i)perylene	100000	~	~	~	~		~	~	~	~
Benzo(k)fluoranthene	3900	~	~	~	~	~	~	~	~	~
Biphenyl	~	~	~	~	~	~	~	~	~	~
bis (2-chloroisopropyl) ether	~	~	~	~	~	~	~	~	~	~
bis(2-Chloroethoxy)methane	~	~	~	~	~	~	~	~	~	~
bis(2-Chloroethyl)ether	~	~	~	~	~	~	~	~	~	~
bis(2-Ethylhexyl)phthalate	~	~	~	~	~	~	~	~	~	~
Butyl benzyl phthalate	~	~	~	~	~	~	~	~	~	~
Caprolactam	~	~	~	~	~	~	~	~	~	~
Carbazole	~	~	~	~	~	~	~	~	~	~
Chrysene	3900	~	~	~	~	~	~	~	~	~
Dibenz(a,h)anthracene	330	~	~	~	~	~	~	~	~	~
Dibenzofuran	59000	~	~	~	~	~	~	~	~	~
Diethylphthalate	~	~	~	~	~	~	~	~	~	~
Dimethyl phthalate	~	~	~	~	~	~	~	~	~	~
Di-N-Butyl phthalate	~	~	~	~	~	~	~	~	~	~
Di-N-Octyl phthalate	~	~	~	~	~	~	~	~	~	~
Fluoranthene	100000	~	~	~	~	~	~	~	~	~
Fluorene	100000	~	~	~	~	~	~	~	~	~
Hexachlorobenzene	1200	~	~	~	~	~	~	~	~	~
Hexachlorobutadiene, SVOC	~	~	~	~	~	~	~	~	~	~
Hexachlorocyclopentadiene	~	~	~	~	~	~	~	~	~	~
Hexachloroethane	~	~	~	~	~	~	~	~	~	~
Indeno(1,2,3-cd)pyrene	500	~	~	~	~	~	~	~	~	~
Isophorone	~	~	~	~	~	~	~	~	~	~
Naphthalene, SVOC	100000	~	~	~	~	~	~	~	~	~
Nitrobenzene	15000	~	~	~	~	~	~	~	~	~
N-Nitroso-di-N-propylamine	~	~	~	~	~	~	~	~	~	~
N-Nitrosodiphenylamine	~	~	~	~	~	~	~	~	~	~
Pentachlorophenol, SVOC	6700	~	~	~	~	~	~	~	~	~
Phenanthrene	100000	~	~	~	~	~	~	~	~	~
Phenol	100000	~	~	~	~	~	~	~	~	~
Pyrene	100000	~	~	~	~	~	~	~	~	~
i yiolio	100000								1	



Location ID			CPPSS018	CPPSS019	CPPSS019	CPPSS020	CPPSS020	CPPSS021	CPPSS021	CPPSS022
Sample ID			CPPSS018-0-002	CPPSS019-0-000	CPPSS019-0-002	CPPSS020-0-000	CPPSS020-0-002	CPPSS021-0-000	CPPSS021-0-002	CPPSS022-0-000
Date			8/8/2014	8/8/2014	8/8/2014	8/7/2014	8/7/2014	8/7/2014	8/7/2014	8/5/2014
Sample Depth	Restricted		2 - 24 inches	0 - 2 inches	2 - 24 inches	0 - 2 inches	2 - 24 inches	0 - 2 inches	2 - 24 inches	0 - 2 inches
Sample Type	Residential	TCLP	0 - Primary							
Matrix	Screening	Regulatory	SS							
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-65236-12	480-65236-13	480-65236-14	480-65233-8	480-65233-9	480-65233-6	480-65233-7	480-65115-13
Polychlorinated Biphenyls (PBCs), mg/Kg										
Aroclor-1016	~	~	~	~	~	~	~	~	~	~
Aroclor-1221	~	~	~	~	~	~	~	~	~	~
Aroclor-1232	~	~	~	~	~	~	~	~	~	~
Aroclor-1242	~	~	~	~	~	~	~	~	~	~
Aroclor-1248	~	~	~	~	~	~	~	~	~	~
Aroclor-1254	~	~	•	~	2	~	2	2	~	~
Aroclor-1260	~	~	~	~	~	~	~	~	~	~
Aroclor-1262	~	~	~	~	~	~	~	~	~	~
Aroclor-1268	~	~	~	~	~	~	~	~	~	~
Total Petroleum Hydrocarbons, mg/Kg										
TPH	~	~	~	~	~	~	~	~	~	~

Notes:

mg/Kg = milligram per kilogram.

mg/L = milligram per liter.

- U = The analyte was analyzed for but was not detected above the level of the detection quantitation limit.
- UJ = The analyte was analyzed for but not detected. The quantitation limit is approximate and may be inaccurate or imprecise.
- $\label{eq:J} J = \mbox{The positive result reported is estimated either because the result is less than the LOQ or because certain quality control criteria were not met.}$
- J- = The result is an estimated quantity, but the result may be biased low because certain quality control criteria were not met.
- J+ = The result is an estimated quantity, but the result may be biased high because certain quality control criteria were not met.
- SB = Soil boring.
- SS = Surface soil.
- (1) New York State Department of Environmental Conservation (NSYDEC) Subpart 375-6 Remedial Program Soil Cleanup Objectives (SCOs).
- (2) Federal Code of Regulations, Section 261.24 Toxicity characteristic. Context: Title 40 Protection of Environment. CHAPTER I ENVIRONMENTAL PROTECTION AGENCY (CONTINUED). SUBCHAPTER I SOLID WASTES (CONTINUED). PART 261 -
- IDENTIFICATION AND LISTING OF HAZARDOUS WASTE. Subpart C Characteristics of Hazardous Waste (2012-07-01).
- $^{\sim}$ = Analysis not performed or No standard or guidance value listed for this constituent.



Location ID			CPPSS022	CPPSS023	CPPSS023	CPPSS024	CPPSS024	CPPSS025	CPPSS026	CPPSS027
Sample ID			CPPSS022-0-002	CPPSS023-0-000	CPPSS023-0-002	CPPSS024-0-000	CPPSS024-0-002	CPPSS025-0-000	CPPSS026-0-000	CPPSS027-0-000
Date			8/5/2014	8/5/2014	8/5/2014	8/6/2014	8/6/2014	6/19/2015	6/19/2015	6/19/2015
Sample Depth	Restricted		2 - 24 inches	0 - 2 inches	2 - 24 inches	0 - 2 inches	2 - 24 inches	0-2 inches	0-2 inches	0-2 inches
Sample Type	Residential	TCLP	0 - Primary	0-Primary	0-Primary	0-Primary				
Matrix	Screening	Regulatory	SS							
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-65115-14	480-65115-11	480-65115-12	480-65111-4	480-65111-5	480-82611-15	480-82611-16	480-82611-17
Toxicity Characteristic Leaching Procedure (TCLP) Metals, mg/L			100 00110 11	100 00110 11	100 00110 12		100 001111			
Arsenic, TCLP	~	5	~	~	~	0.0068 J	0.0056 U	~	~	~
Barium, TCLP	~	100	~	~	~	0.54	1.1	~	~	~
Cadmium, TCLP	~	1	~	~	~	0.0034	0.0059	~	~	~
Chromium, TCLP	~	5	~	~	~	0.0040 U	0.0040 U	~	~	~
Lead, TCLP	~	5	~	~	~	0.014	0.019	~	~	~
Mercury, TCLP	~	0.2	~	~	~	0.00012 U	0.00012 U	~	~	~
Selenium, TCLP	~	1	~	~	~	0.0087 U	0.0087 U	~	~	~
Silver, TCLP	~	5	~	~	~	0.0017 U	0.0017 U	~	~	~
Total Metals, mg/Kg										
Aluminum, Total	~	~	~	~	~	8900	12000	~	~	~
Antimony, Total	~	~	~	~	~	0.50 U	0.44 U	~	~	~
Arsenic, Total	16	~	12	8.6	12	13	12	18.7	10.6	10.0
Barium, Total	400	~	~	~	~	120	140	~	~	~
Beryllium, Total	72	~	~	~	~	0.52	0.60	~	~	~
Boron, Total	~	~	~	~	~	5.9	13	~	~	~
Cadmium, Total	4.3	~	1.1	0.67	0.44	4.9	0.22	2.3	0.84	0.95
Calcium, Total	~	~	~	~	~	2400	11000	~	~	~
Chromium, Total	180	~	~	~	~	11	14	~	~	~
Cobalt, Total	~	~	~	~	~	9.4	11	~	~	~
Copper, Total	270	~	~	~	~	23	33	~	~	~
Iron, Total	~	~	~	~	~	18000	24000	~	~	~
Lead, Total	400	~	160	63	42	100	42	322	123	160
Magnesium, Total	~	~	~	~	~	2700	7800	~	~	~
Manganese, Total	2000	~	~	~	~	540	620	~	~	~
Mercury, Total	0.81	~	~	~	~	~	~	~	~	~
Nickel, Total	310	~	~	~	~	21	28	~	~	~
Potassium, Total	~	~	~	~	~	750	920	~	~	~
Selenium, Total	180	~	~	~	~	3.2 J	0.44 U	~	~	~
Silver, Total	180	~	~	~	~	0.25 U	0.29 J	~	~	~
Sodium, Total	~	~	~	~	~	40 J	88 J	~	~	~
Thallium, Total	~	~	~	~	~	0.37 U	0.33 U	~	~	~
Vanadium, Total	~	~	~	~	~	14	17	~	~	~
Zinc, Total	10000	~	~	~	~	93	70	~	~	~
Volatile Organic Compounds (VOCs), ug/Kg										
1,1,1-Trichloroethane	100000	~	~	~	~	~	~	~	~	~
1,1,2,2-Tetrachloroethane	~	~	~	~	~	~	~	~	~	~
1,1,2-Trichloro-1,2,2-trifluoroethane	~	~	~	~	~	~	~	~	~	~
1,1,2-Trichloroethane	~	~	~	~	~	~	~	~	~	~
1,1-Dichloroethane	26000	~	~	~	~	~	~	~	~	~
1,1-Dichloroethene	100000	~	~	~	~	~	~	~	~	~
1,2,4-Trichlorobenzene, VOC	~	~	~	~	~	~	~	~	~	~
1,2-Dibromo-3-chloropropane	~	~	~	~	~	~	~	~	~	~
1,2-Dibromoethane	~	~	~	~	~	~	~	~	~	~
1,2-Dichlorobenzene, VOC	~	~	~	~	~	~	~	~	~	~
1,2-Dichloroethane	3100	~	~	~	~	~	~	~	~	~
1,2-Dichloropropane	~	~	~	~	~	~	~	~	~	~
1,3-Dichlorobenzene, VOC	~	~	~	~	~	~	~	~	~	~
1,4-Dichlorobenzene, VOC	~	~	~	~	~	~	~	~	~	~
2-Butanone	~	~	~	~	~	~	~	~	~	~



Location ID			CPPSS022	CPPSS023	CPPSS023	CPPSS024	CPPSS024	CPPSS025	CPPSS026	CPPSS027
Sample ID			CPPSS022-0-002	CPPSS023-0-000	CPPSS023-0-002	CPPSS024-0-000	CPPSS024-0-002	CPPSS025-0-000	CPPSS026-0-000	CPPSS027-0-000
Date			8/5/2014	8/5/2014	8/5/2014	8/6/2014	8/6/2014	6/19/2015	6/19/2015	6/19/2015
Sample Depth	Restricted		2 - 24 inches	0 - 2 inches	2 - 24 inches	0 - 2 inches	2 - 24 inches	0-2 inches	0-2 inches	0-2 inches
Sample Type	Residential	TCLP	0 - Primary	0-Primary	0-Primary	0-Primary				
Matrix	Screening	Regulatory	SS	SS	SS	SS	SS	SS	SS	SS
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-65115-14	480-65115-11	480-65115-12	480-65111-4	480-65111-5	480-82611-15	480-82611-16	480-82611-17
Volatile Organic Compounds (VOCs), ug/Kg (continued)	Levels	Levels	400-03113-14	700-03113-11	700-03113-12	400-03111-4	1 00-03111-3	700-02011-13	400-02011-10	400-02011-17
2-Hexanone	~	~	~	~	~	~	~	~	~	~
4-Methyl-2-pentanone	~	~	~	~	~	~	~	~	~	~
Acetone	100000	~	~	~	~	~	~	~	~	~
Benzene	4800	~	~	~	~	~	~	~	~	~
Bromodichloromethane	~	~	~	~	~	~	~	~	~	~
Bromoform	~	~	~	~	~	~	~	~	~	~
Bromomethane	~	~	~	~	~	~	~	~	~	~
Carbon disulfide	~	~	~	~	~	~	~	~	~	~
Carbon tetrachloride	2400	~	~	~	~	~	~	~	~	~
Chlorobenzene	100000	~	~	~	~	~	~	~	~	~
Chloroethane	~	~	~	~	~	~	~	~	~	~
Chloroform	49000	~	~	~	~	~	~	~	~	~
Chloromethane	~	~	~	~	~	~	~	~	~	~
cis-1,2-Dichloroethene	100000	~	~	~	~	~	~	~	~	~
cis-1,3-Dichloropropene	~	~	~	~	~	~	~	~	~	~
Cyclohexane	~	~	~	~	~		~	~	~	~
Cyclohexane, Methyl-	~	~	~	~	~	~	~	~	~	~
Dibromochloromethane	~	~	~	~	~	~	~	~	~	~
Dichlorodifluoromethane Dichlorodifluoromethane	~	~	~	~	~	~	~	~	~	~
Ethylbenzene	41000	~	~	~	~	~	~	~	~	~
Isopropylbenzene	~	~	~	~	~	~	~	~	~	~
Methyl acetate	~	~	~	~	~	~	~	~	~	~
Methyl tert-butyl ether	100000	~	~	~	~	~	~	~	~	~
Methylene chloride	100000	~	~	~	~	~	~	~	~	~
Styrene	~	~	~	~	~	~	~	~	~	~
Tetrachloroethene	19000	~	~	~	~	~	~	~	~	~
Toluene	100000	~	~	~	~	~	~	~	~	~
trans-1,2-Dichloroethene	100000	~	~	~	~	~	~	~	~	~
trans-1,3-Dichloropropene	~	~	~	~	~	~	~	~	~	~
Trichloroethene	21000	~	~	~	~	~	~	~	~	~
Trichlorofluoromethane	~	~	~	~	~	~	~	~	~	~
Vinylchloride	~	~	~	~	~	~	~	~	~	~
Xylenes, Total	100000	~	~	~	~	~	~	~	~	~
Semi-Volatile Organic Compounds (SVOCs), ug/Kg										
2,4,5-Trichlorophenol	~	~	~	~	~	47 U	43 U	~	~	~
2,4,6-Trichlorophenol	~	~	~	~	~	14 U	13 U	~	~	~
2,4-Dichlorophenol	~	~	~	~	~	11 U	10 U	~	~	~
2,4-Dimethylphenol	~	~	~	~	~	58 U	54 U	~	~	~
2,4-Dinitrophenol	~	~	~	~	~	75 U	69 U	~	~	~
2,4-Dinitrotoluene	~	~	~	~	~	33 U		~	~	~
2,6-Dinitrotoluene	~	~	~	~	~	53 U	49 U	~	~	~
2-Chloronaphthalene	~	~	~	~	~	14 U	13 U	~	~	~
2-Chlorophenol	~	~	~	~	~	11 U	10 U	~	~	~
2-Methylnaphthalene	~	~	~	~	~	2.6 U	2.4 U	~	~	~
2-Methylphenol	100000	~	~	~	~	6.6 U	6.1 U	~	~	~
2-Nitroaniline	~	~	~	~	~	69 U	64 U	~	~	~
2-Nitrophenol	~	~	~	~	~	9.8 U	9.1 U	~	~	~
3,3'-Dichlorobenzidine	~	~	~	~	~	190 U	170 U	~	~	~
3-Nitroaniline	~	~	~	~	~	49 U	46 U	~	~	~
3-INITUATIIIITE	~		~	~	~	1 49 0	40 0		_ ~	_ ~



		-								
Location ID			CPPSS022	CPPSS023	CPPSS023	CPPSS024	CPPSS024	CPPSS025	CPPSS026	CPPSS027
Sample ID			CPPSS022-0-002	CPPSS023-0-000	CPPSS023-0-002	CPPSS024-0-000	CPPSS024-0-002	CPPSS025-0-000	CPPSS026-0-000	CPPSS027-0-000
Date			8/5/2014	8/5/2014	8/5/2014	8/6/2014	8/6/2014	6/19/2015	6/19/2015	6/19/2015
Sample Depth	Restricted		2 - 24 inches	0 - 2 inches	2 - 24 inches	0 - 2 inches	2 - 24 inches	0-2 inches	0-2 inches	0-2 inches
Sample Type	Residential	TCLP	0 - Primary	0-Primary	0-Primary	0-Primary				
Matrix	Screening	Regulatory	SS							
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-65115-14	480-65115-11	480-65115-12	480-65111-4	480-65111-5	480-82611-15	480-82611-16	480-82611-17
Semi-Volatile Organic Compounds (SVOCs), ug/Kg (continued)										
4,6-Dinitro-2-methylphenol	~	~	~	~	~	74 U	68 U	~	~	~
4-Bromophenyl-phenylether	~	~	~	~	~	68 U	63 U	~	~	~
4-Chloro-3-methylphenol	~	~	~	~	~	8.8 U	8.2 U	~	~	~
4-Chloroaniline	~	~	~	~	~	63 U	58 U	~	~	~
4-Chlorophenyl-phenylether	~	~	~	~	~	4.6 U	4.2 U	~	~	~
4-Methylphenol	100000	~	~	~	~	12 U	11 U	~	~	~
4-Nitroaniline	~	~	~	~	~	24 U	22 U	~	~	~
4-Nitrophenol, SVOC	~	~	~	~	~	52 U	48 U	~	~	~
Acenaphthene	100000	~	~	~	~	2.5 U	2.3 U	~	~	~
Acenaphthylene	100000	~	~	~	~	1.8 U	1.6 U	~	~	~
Acetophenone	~	~	~	~	~	11 U	10 U	~	~	~
Anthracene	100000	~	~	~	~	5.5 U	5.1 U	~	~	~
Atrazine	~	~	~	~	~	9.6 U	8.8 U	~	~	~
Benz(a)anthracene	1000	~	~	~	~	59 J	3.4 U	~	~	~
Benzaldehyde	~	~	~	~	~	24 U	22 U	~	~	~
Benzo(a)pyrene	1000	~	~	~	~	71 J	16 J	~	~	~
Benzo(b)fluoranthene	1000	~	~	~	~	100 J	27 J	~	~	~
Benzo(g,h,i)perylene	100000	~	~	~	~	81 J	21 J	~	~	~
Benzo(k)fluoranthene	3900	~	~	~	~	2.4 U	2.2 U	~	~	~
Biphenyl	~	~	~	~	~	13 U	12 U	~	~	~
bis (2-chloroisopropyl) ether	~	~	~	~	~	22 U	21 U	~	~	~
bis(2-Chloroethoxy)methane	~	~	~	~	~	12 U	11 U	~	~	~
bis(2-Chloroethyl)ether	~	~	~	~	~	19 U	17 U	~	~	~
bis(2-Ethylhexyl)phthalate	~	~	~	~	~	69 U	65 J	~	~	~
Butyl benzyl phthalate	~	~	~	~	~	58 U	53 U	~	~	~
Caprolactam	~	~	~	~	~	93 U	86 U	~	~	~
Carbazole	~	~	~	~	~	2.5 U	2.3 U	~	~	~
Chrysene	3900	~	~	~	~	81 J	2.0 U	~	~	~
Dibenz(a,h)anthracene	330	~	~	~	~	24 J	2.3 U	~	~	~
Dibenzofuran	59000	~	~	~	~	2.2 U	2.1 U	~	~	~
Diethylphthalate	~	~	~	~	~	6.5 U	6.0 U	~	~	~
Dimethyl phthalate	~	~	~	~	~	5.6 U	5.2 U	~	~	~
Di-N-Butyl phthalate	~	~	~	~	~	74 U	68 U	~	~	~
Di-N-Octyl phthalate	100000	~	~	~	~	5.0 U	4.6 U	~	~	~
Fluoranthene	100000 100000	~	~	~	~	110 J 4.9 U	29 J 4.6 U	~	~	~
Fluorene	100000	~	~	~	~	4.9 U 11 U	4.6 U 9.9 U	~	~	~
Hexachlorobenzene	~	~	~	~	~	11 U	9.9 U	~	~	~
Hexachlorobutadiene, SVOC	~	~	~	~		65 U	60 U	~	~	~
Hexachlorocyclopentadiene	~		~	~	~	17 U		~	~	~
Hexachloroethane Indeno(1,2,3-cd)pyrene	500	~	~ ~	~	~	82 J	20 J	~	~	~
	~	~ ~	~	~ ~	~	82 J 11 U	9.9 U	~	~	~
Isophorone Naphthalene, SVOC	100000	~	~	~	~	3.6 U	3.3 U	~	~	~ ~
Nitrobenzene	15000	~	~	~	~	9.5 U	8.8 U	~	~	~
N-Nitroso-di-N-propylamine	~	~	~	~	~	9.5 U	16 U	~	~	~
N-Nitrosodiphenylamine	~	~	~	~	~	17 U	10 U	~	~	~
Pentachlorophenol, SVOC	6700	~	~	~	~	74 U	68 U	~	~	~
Phenanthrene	100000	~	~	~	~	54 J	4.2 U	~ ~	~	~
Phenol	100000	~	~	~	~	23 U	21 U	~	~	~
Pyrene	100000	~	~	~	~	100 J	26 J	~	~	~
i yiene	100000					100	20 J			L



Location ID		l	CPPSS022	CPPSS023	CPPSS023	CPPSS024	CPPSS024	CPPSS025	CPPSS026	CPPSS027
			CPPSS022-0-002	CPPSS023-0-000		CPPSS024-0-000	CPPSS024-0-002	CPPSS025-0-000	CPPSS026-0-000	CPPSS027-0-000
Sample ID					CPPSS023-0-002					
Date			8/5/2014	8/5/2014	8/5/2014	8/6/2014	8/6/2014	6/19/2015	6/19/2015	6/19/2015
Sample Depth	Restricted		2 - 24 inches	0 - 2 inches	2 - 24 inches	0 - 2 inches	2 - 24 inches	0-2 inches	0-2 inches	0-2 inches
Sample Type	Residential	TCLP	0 - Primary	0-Primary	0-Primary	0-Primary				
Matrix	Screening	Regulatory	SS							
Laboratory Sample ID	Levels ⁽¹⁾	Levels ⁽²⁾	480-65115-14	480-65115-11	480-65115-12	480-65111-4	480-65111-5	480-82611-15	480-82611-16	480-82611-17
Polychlorinated Biphenyls (PBCs), mg/Kg										
Aroclor-1016	~	~	~	~	~	0.0041 U	0.0037 U	~	~	~
Aroclor-1221	~	~	~	~	~	0.0041 U	0.0037 U	~	~	~
Aroclor-1232	~	~	~	~	~	0.0041 U	0.0037 U	~	~	~
Aroclor-1242	~	~	~	~	~	0.0041 U	0.0037 U	~	~	~
Aroclor-1248	~	~	~	~	~	0.0041 U	0.0037 U	~	~	~
Aroclor-1254	~	~	~	~	~	0.0098 U	0.0090 U	~	~	~
Aroclor-1260	~	~	~	~	~	0.0098 U	0.0090 U	~	~	~
Aroclor-1262	~	~	~	~	~	0.0098 U	0.0090 U	~	~	~
Aroclor-1268	~	~	~	~	~	0.0098 U	0.0090 U	~	~	~
Total Petroleum Hydrocarbons, mg/Kg										
TPH	~	~	~	~	~	200	69 J	~	~	~

Notes:

mg/Kg = milligram per kilogram.

mg/L = milligram per liter.

- U = The analyte was analyzed for but was not detected above the level of the detection quantitation limit.
- UJ = The analyte was analyzed for but not detected. The quantitation limit is approximate and may be inaccurate or imprecise.
- $\label{eq:J} J = \mbox{The positive result reported is estimated either because the result is less than the LOQ or because certain quality control criteria were not met.}$
- J- = The result is an estimated quantity, but the result may be biased low because certain quality control criteria were not met.
- J+ = The result is an estimated quantity, but the result may be biased high because certain quality control criteria were not met.
- SB = Soil boring.
- SS = Surface soil.
- (1) New York State Department of Environmental Conservation (NSYDEC) Subpart 375-6 Remedial Program Soil Cleanup Objectives (SCOs).
- (2) Federal Code of Regulations, Section 261.24 Toxicity characteristic. Context: Title 40 Protection of Environment. CHAPTER I ENVIRONMENTAL PROTECTION AGENCY (CONTINUED). SUBCHAPTER I SOLID WASTES (CONTINUED). PART 261 -
- IDENTIFICATION AND LISTING OF HAZARDOUS WASTE. Subpart C Characteristics of Hazardous Waste (2012-07-01).
- \sim = Analysis not performed or No standard or guidance value listed for this constituent.



Location II			CPPIW01		CPPIW01		CPPMW01		CPPMW01	1	CPPMW02		CPPMW02		CPPMW03	
Sample II			CPPIW01-0-15	0106	CPPIW01-0-15		CPPMW01-0-15		CPPMW01-0-1504	127	CPPMW02-0-15		CPPMW02-0-15		CPPMW03-0-15	
Dat		TOGS	1/6/2015	0.00	4/28/2015		1/5/2015	0.00	4/27/2015		1/6/2015	0100	4/27/2015		1/6/2015	7.00
Sample Typ		Groundwater	0 - Primary	,	0 - Primar		0 - Primary	,	0 - Primary		0 - Primary	,	0 - Primary		0 - Primary	\dashv
Matri	1	Guidance	GW	'	GW	,	GW	/	GW		GW	'	GW	′	GW	$\overline{}$
Laboratory Sample II		Value ⁽²⁾	480-73808-	5	480-79302-	11	480-73808-	2	480-79302-7		480-73808-	4	480-79302-	8	480-73808-6	.
Total Metals, mg/L		74.00	100.1000	_	.00.0002			_				•	.00.0002	_		
Aluminum, Total	~	~	0.067	J	0.060	U	~		~		~		~		0.65	$\overline{}$
Antimony, Total	0.003	~	0.0068	Ü	0.0068	Ū	~		~		~		~		0.0068	U
Arsenic, Total	0.025	~	0.0056	U	0.0056	U	0.0056	U	0.0056	U	0.0056	U	0.0056	U	0.0056	U
Barium, Total	1	~	0.53		0.54		~		~		~		~		0.10	
Beryllium, Total	~	0.003	0.00030	U	0.00030	U	~		~		~		~		0.00030	U
Boron, Total	1	~	0.74		0.76		~		~		~		~		2.2	
Cadmium, Total	0.005	~	0.00050	U	0.00050	U	0.00050	U	0.00050	U	0.00050	U	0.00050	U	0.00050	U
Calcium, Total	~	~	85.5		92.1		~		~		~		~		67.9	
Chromium, Total	0.05	~	0.0010	U	0.0010	U	~		~		~		~		0.0044	
Cobalt, Total	~	~	0.00063	U	0.00063	U	~		~		~		~		0.00063	U
Copper, Total	0.2	~	0.012	J+	0.019		~		~		~		~		0.010	U
Iron, Total	0.3	~	2.1		2.3		~		~		~		~		0.58	
Lead, Total	0.025	~	0.0030	U	0.0030	U	0.0030	U	0.0030	U	0.0030	U	0.0030	U	0.0031	J
Magnesium, Total	~	35	18.2		19.4		~		~		~		~		13.7	
Manganese, Total	0.3	~	0.45		0.47		~		~		~		~		0.13	
Mercury, Total	0.0007	~	0.00012	U	0.00012	U	~		~		~		~		0.00012	U
Nickel, Total	0.1	~	0.0013	U	0.0013	U	~		~		~		~		0.0026	J
Potassium, Total	~	~	3.0		3.0		~		~		~		~		8.1	
Selenium, Total	0.01	~	0.0087	U	0.0087	U	~		~		~		~		0.013	J
Silver, Total	0.05	~	0.0017	U	0.0017	U	~		~		~		~		0.0017	U
Sodium, Total	20	~	54.8		53.9		~		~		~		~		39.4	
Thallium, Total	~	0.0005	0.010	U	0.010	U	~		~		~		~		0.010	U
Vanadium, Total	~	~	0.0015	U	0.0015	U	~		~		~		~		0.0015	U
Zinc, Total	~	2	0.055		0.058		~		~		~		~		0.010	U
Volatile Organic Compounds (VOCs), ug/L																
1,1,1-Trichloroethane	5	~	0.82	U	0.82	U	~		~		~		~		0.82	U
1,1,2,2-Tetrachloroethane	5	~	0.21	U	0.21	U	~		~		~		~		0.21	U
1,1,2-Trichloro-1,2,2-trifluoroethane	5	~	0.31	U	0.31	U	~		~		~		~		0.31	U
1,1,2-Trichloroethane	1	~	0.23	U	0.23	U	~		~		~		~		0.23	U
1,1-Dichloroethane	5	~	0.38	U	0.38	U	~		~		~		~		0.38	U
1,1-Dichloroethene	5	~	0.29	U	0.29	U	~		~		~		~		0.29	U
1,2,4-Trichlorobenzene, VOC	5	~	0.41	U	0.41	U	~		~		~		~		0.41	U
1,2-Dibromo-3-chloropropane	0.04	~	0.39	U	0.39	U	~		~		~		~		0.39	U
1,2-Dibromoethane	0.0006	~	0.73	U	0.73	U	~		~		~		~		0.73	U
1,2-Dichlorobenzene, VOC	3	~	0.79	U	0.79	U	~		~		~		~		0.79	U
1,2-Dichloroethane	0.6	~	0.21	U	0.21	U	~		~		~		~		0.21	U
1,2-Dichloropropane	1	~	0.72	U	0.72	U	~		~		~		~		0.72	U
1,3-Dichlorobenzene, VOC	3	~	0.78	U	0.78	U	~		~		~		~		0.78	U
1,4-Dichlorobenzene, VOC	3	~	0.84	U	0.84	U	~		~		~		~		0.84	U
2-Butanone	~	50	1.3	U	1.3	UJ	~		~		~		~		1.3	U
2-Hexanone	~	50	1.2	U	1.2	UJ	~		~		~		~		1.2	U
4-Methyl-2-pentanone	~	~	2.1	U	2.1	UJ	~		~		~		~		2.1	U
Acetone	~	50	4.3	J	3.0	UJ	~		~		~		~		3.0	U
Benzene	1	~	0.41	U	0.41	U	~		~		~		~		0.41	U
Bromodichloromethane	~	50	0.39	U	0.39	U	~		~		~		~		0.39	U
Bromoform	~	50	0.26	U	0.26	U	~		~		~		~		0.26	U
Bromomethane	5	~	0.69	U	0.69	UJ	~		~		~		~		0.69	U
Carbon disulfide	~	60 (3)	0.19	U	0.19	U	~		~		~		~		0.19	U
Carbon tetrachloride	5	~	0.27	U	0.27	U	~		~		~		~		0.27	U



Location ID		1	CPPIW01		CPPIW01		CPPMW01	CPPMW01	CPPMW02	CPPMW02	CPPMW03
Sample ID			CPPIW01-0-150	1106	CPPIW01-0-15042	20	CPPMW01-0-150105	CPPMW01-0-150427	CPPMW02-0-150106	CPPMW02-0-150427	CPPMW03-0-150106
Date		TOGS	1/6/2015	7100	4/28/2015	20	1/5/2015	4/27/2015	1/6/2015	4/27/2015	1/6/2015
Sample Type	TOGS	Groundwater	0 - Primary		0 - Primary		0 - Primary	0 - Primary	0 - Primary	0 - Primary	0 - Primary
Matrix	Groundwater	Guidance	GW		GW		GW	GW	GW	GW	GW
Laboratory Sample ID		Value ⁽²⁾	480-73808-5		480-79302-11		480-73808-2	480-79302-7	480-73808-4	480-79302-8	480-73808-6
Volatile Organic Compounds (VOCs), ug/L (continued)	Otandard	Value	400-73000-0	,	400-7330 <u>2</u> -11		400-13000-Z	400-1330 <u>2</u> -1	400-73000-4	400-73302-0	400-73000-0
Chlorobenzene	5	~	0.75	U	0.75	U	~	~	~	~	0.75 U
Chloroethane	5	~	0.32	U		Ū	~	~	~	~	0.32 U
Chloroform	7	~	0.34	Ū		Ū	~	~	~	~	0.34 U
Chloromethane	5	~	0.35	U		Ū	~	~	~	~	0.35 U
cis-1,2-Dichloroethene	5	~	0.81	Ū		Ū	~	~	~	~	0.81 U
cis-1,3-Dichloropropene	0.4 (4)	~	0.36	Ū		U	~	~	~	~	0.36 U
Cyclohexane	~	~	0.18	U		U	~	~	~	~	0.18 U
Cyclohexane, Methyl-	~	~	0.16	U	0.16	U	~	~	~	~	0.16 U
Dibromochloromethane	~	50	0.32	U	0.32	U	~	~	~	~	0.32 U
Dichlorodifluoromethane	5	~	0.68	U		U	~	~	~	~	0.68 U
Ethylbenzene	5	~	0.74	U	0.74	U	~	~	~	~	0.74 U
Isopropylbenzene	5	~	0.79	U	0.79	U	~	~	~	~	0.79 U
Methyl acetate	~	~	0.50	U	0.50	U	~	~	~	~	0.50 U
Methyl tert-butyl ether	~	10 (3)	0.16	U	0.16	U	~	~	~	~	0.16 U
Methylene chloride	5	~	0.44	U	0.44	U	~	~	~	~	0.44 U
Styrene	5	~	0.73	U	0.73	U	~	~	~	~	0.73 U
Tetrachloroethene	5	~	0.36	U	0.36	U	~	~	~	~	0.36 U
Toluene	5	~	0.51	U	0.51	U	2	~	~	~	0.51 U
trans-1,2-Dichloroethene	5	~	0.90	U		U	ı	2	~	~	0.90 U
trans-1,3-Dichloropropene	0.4	~	0.37	U	0.37	U	2	~	~	~	0.37 U
Trichloroethene	5	~	0.46	U		U	2	2	~	~	0.46 U
Trichlorofluoromethane	5	~	0.88	UJ		U	~	~	~	~	0.88 UJ
Vinylchloride	2	~	0.90	U		U	~	~	~	~	0.90 U
Xylenes, Total	5 (5)	~	0.66	U	0.66	U	~	~	~	~	0.66 U
Semi-Volatile Organic Compounds (SVOCs), ug/L											
2,4,5-Trichlorophenol	~	~	1.1	U		U	~	~	~	~	1.1 U
2,4,6-Trichlorophenol	~	~	0.73	U		U	~	~	~	~	0.70 U
2,4-Dichlorophenol	5	~	0.57	U	-	U	~	~	~	~	0.55 U
2,4-Dimethylphenol	~	50	0.63	U		U	~	~	~	~	0.60 U
2,4-Dinitrophenol	~	10	1.0	U		U	~	~	~	~	1.0 UJ
2,4-Dinitrotoluene	5	~	0.15	U	-	U	~	~	~	~	0.14 U
2,6-Dinitrotoluene	5	~	0.14	U		U	~	~	~	~	0.14 U
2-Chloronaphthalene	~	10	0.68	U		U	~	~	~	~	0.65 U
2-Chlorophenol	~	~	0.48	U	0.49	U	~	~	~	~	0.47 U
2-Methylnaphthalene	~	~	0.78	U		U	~	~	~	~	0.75 U
2-Methylphenol	~	~	0.73	U		U	~	~	~	~	0.70 U
2-Nitroaniline	5	~	1.0	U		U	~	~	~	~	1.0 U
2-Nitrophenol	~	~	0.35	U		U	~	~	~	~	0.34 U
3,3'-Dichlorobenzidine	5	~	1.7	U		U	~	~	~	~	1.6 U
3-Nitroaniline	5	~	1.5	U	_	U	~	~	~	~	1.5 U
4,6-Dinitro-2-methylphenol	~	~	1.6	U	2.0	U	~	~	~	~	1.5 UJ



Leastley ID		1	ODDIMOA	1	ODDIMOA		ODDINA	ODDINA	ODDINA	ODDINA	ODDMINO
Location ID			CPPIW01	00	CPPIW01		CPPMW01	CPPMW01	CPPMW02	CPPMW02	CPPMW03
Sample ID		TOGS	CPPIW01-0-1501 1/6/2015	06	CPPIW01-0-15042 4/28/2015	8	CPPMW01-0-150105 1/5/2015	CPPMW01-0-150427 4/27/2015	CPPMW02-0-150106 1/6/2015	CPPMW02-0-150427 4/27/2015	CPPMW03-0-150106 1/6/2015
Date Samula Tuna	TOGS	Groundwater									
Sample Type Matrix	Groundwater	Guidance	0 - Primary GW		0 - Primary GW		0 - Primary GW	0 - Primary GW	0 - Primary GW	0 - Primary GW	0 - Primary GW
Laboratory Sample ID		Value ⁽²⁾	480-73808-5		480-79302-11		480-73808-2	480-79302-7	480-73808-4	480-79302-8	480-73808-6
Semi-Volatile Organic Compounds (SVOCs), ug/L (continued)	Staridard	value	400-73000-3		400-79302-11		400-73000-2	400-13302-1	400-73000-4	400-7 9302-0	400-7 3000-0
4-Bromophenyl-phenylether	~	~	0.57	U	0.42	U	~	~	~	~	0.55 U
4-Chloro-3-methylphenol	~	~	0.57	Ū		Ū	~	~	~	~	0.55 U
4-Chloroaniline	5	~	0.17	Ū		Ū	~	~	~	~	0.16 U
4-Chlorophenyl-phenylether	~	~	0.78	Ū		Ū	~	~	~	~	0.75 U
4-Methylphenol	~	~	0.52	U		U	~	~	~	~	0.50 UJ
4-Nitroaniline	5	~	1.5	U		U	~	~	~	~	1.5 U
4-Nitrophenol, SVOC	~	~	1.0	U		U	~	~	~	~	1.0 U
Acenaphthene	~	20	0.57	U	0.38	U	~	~	~	~	0.55 U
Acenaphthylene	~	~	0.94	U		U	~	~	~	~	0.90 U
Acetophenone	~	~	0.46	U	0.50	U	~	~	~	~	0.45 UJ
Anthracene	~	50	0.44	U		U	~	~	~	~	0.43 U
Atrazine	7.5	~	0.52	U	0.42	U	~	~	~	~	0.50 UJ
Benz(a)anthracene	~	0.002	0.094	U	0.33	U	~	~	~	~	0.090 U
Benzaldehyde	~	~	1.1	U	0.25 l	UJ	~	~	~	~	1.1 U
Benzo(a)pyrene	ND	~	0.073	U	0.43	U	~	~	~	~	0.070 U
Benzo(b)fluoranthene	~	0.002	0.11	U	0.31	U	~	~	~	~	0.11 U
Benzo(g,h,i)perylene	~	~	0.48	U	0.32	U	~	~	~	~	0.47 U
Benzo(k)fluoranthene	~	0.002	0.073	U	0.67	U	~	~	~	~	0.070 U
Biphenyl	5	~	0.94	U	0.60	U	~	~	~	~	0.90 U
bis (2-chloroisopropyl) ether	5	~	0.68	U	0.48	U	~	~	~	~	0.65 U
bis(2-Chloroethoxy)methane	5	~	0.52	U	0.32	U	~	~	~	~	0.50 U
bis(2-Chloroethyl)ether	1.0	~	0.16	U	0.37	U	~	2	~	~	0.15 U
bis(2-Ethylhexyl)phthalate	5	~	1.3	J	* * * * * * * * * * * * * * * * * * * *	U	~	2	~	~	0.41 U
Butyl benzyl phthalate	~	50	0.73	U		U	~	2	~	~	0.70 U
Caprolactam	~	~	0.47	U		U	~	2	~	~	0.46 UJ
Carbazole	~	~	0.63	U		U	~	~	~	~	0.60 U
Chrysene	~	0.002	0.73	U		U	~	~	~	~	0.70 U
Dibenz(a,h)anthracene	~	~	0.083	U		U	~	~	~	~	0.080 U
Dibenzofuran	~	~	0.78	U		U	~	~	~	~	0.75 U
Diethylphthalate	~	50	0.73	U		U	~	~	~	~	0.70 U
Dimethyl phthalate	~	50	0.57	U		U	~	~	~	~	0.55 U
Di-N-Butyl phthalate	50	~	0.52	U		U	~	2	~	~	0.50 U
Di-N-Octyl phthalate	~	50	0.46	UJ		U	~	~	~	~	0.44 U
Fluoranthene	~	50	0.57	U	0.01	U	~	~	~	~	0.55 U
Fluorene	~	50	0.89	U		U	~	~	~	~	0.85 U
Hexachlorobenzene	0.04	~	0.10	U		U	~	~	~	~	0.10 U
Hexachlorobutadiene, SVOC	0.5	~	0.35	U		U	~	~	~	~	0.34 U
Hexachlorocyclopentadiene	5	~	0.78	U		U	~	~	~	~	0.75 U
Hexachloroethane	5	~	0.078	U		U	~	~	~	~	0.075 U
Indeno(1,2,3-cd)pyrene	~	0.002	0.057	U		U	~	~	~	~	0.055 U
Isophorone Nambula Isophorone	~	50	0.68	U		U	~	~	~	~	0.65 U
Naphthalene, SVOC	~	10	1.0	U		U	~	~	~	~	1.0 U 0.17 U
Nitrobenzene	0.4	~	0.18 0.14	U		U	~	~	~	~	0.17 U 0.14 UJ
N-Nitroso-di-N-propylamine	~	~				U	~	~	~	~	
N-Nitrosodiphenylamine	~ 1 ⁽⁶⁾	50	0.52 1.4	U		U	~	~	~	~	0.50 U 1.4 U
Pentachlorophenol, SVOC		~ 50	0.63	U		U	~				0.60 U
Phenanthrene	~ 1 ⁽⁶⁾		0.63	U		U	~	~	~	~	0.80 U
Phenol	I	~	0.31	U	0.30	J	~	~	~	~	0.30



Location ID			CPPIW01	CPPIW01	CPPMW01	CPPMW01	CPPMW02	CPPMW02	CPPMW03
Sample ID			CPPIW01-0-150106	CPPIW01-0-150428	CPPMW01-0-150105	CPPMW01-0-150427	CPPMW02-0-150106	CPPMW02-0-150427	CPPMW03-0-150106
Date		TOGS	1/6/2015	4/28/2015	1/5/2015	4/27/2015	1/6/2015	4/27/2015	1/6/2015
Sample Type	TOGS	Groundwater	0 - Primary						
Matrix	Groundwater	Guidance	GW						
Laboratory Sample ID	Standard ⁽¹⁾	Value ⁽²⁾	480-73808-5	480-79302-11	480-73808-2	480-79302-7	480-73808-4	480-79302-8	480-73808-6
Semi-Volatile Organic Compounds (SVOCs), ug/L (continued)									
Pyrene	~	50	0.57 UJ	0.31 U	~	~	~	~	0.55 U

Notes:

mg/L = milligram per liter.

ug/L = microgram per liter.

- U = The analyte was analyzed for but was not detected above the level of the detection quantitation limit.
- UJ = The analyte was analyzed for but not detected. The quantitation limit is approximate and may be inaccurate or imprecise.
- J = The positive result reported is estimated either because the result is less than the LOQ or because certain quality control criteria were not met.
- J+ = The result is an estimated quantity, but the result may be biased high because certain quality control criteria were not met.

GW = Groundwater.

- (1) Groundwater standards for water class GW (groundwater as a source for drinking water) from Table 1 of the New York State Division of Water Technical and Operational Guidance Series (TOGS) No. 1.1.1 Ambient Water Quality Standards and Guidance Values Memorandum, Part 1 (Reissued June 1998).
- (2) TOGS guidance value for water class GA included in the TOGS No. 111 Ambient Water Quality Standards and Guidance Values Memorandum, Part 1 (Reissued June 1998).
- (3) TOGS guidance value for water class GA included in the April 2000 Addendum to June 1998 Division of Water Technical and Operational Guidance Series (TOGS) No. 1.1.1.
- (4) Standard for total 1,3-dichloropene (cis- and trans-).
- (5) Standard for total xylenes.
- (6) Standard for total phenols.



Table 2: Validated Aqueous Analytical Results - Corning-Painted Post School District Property Study Area, Corning, NY

Loc	ation ID	CPPMW03	}	CPPMW0	3	CPPMW0	3	CPPMW04	l .	CPPMW04	4
	mple ID	CPPMW03-1-15		CPPMW03-0-1		CPPMW03-1-1		CPPMW04-0-1		CPPMW04-0-1	
	Date	1/6/2015	70.00	4/28/2015		4/28/2015		1/5/2015	,,,,,,	4/27/2015	
Samr	ole Type	1 - Duplicat	e	0 - Primar		1 - Duplica		0 - Primar	,	0 - Primar	
	Matrix	GW		GW	,	GW		GW	,	GW	
Laboratory Sa		480-73808-	7	480-79302-	12	480-79302-	13	480-73808-	3	480-79302-	-9
Total Metals, mg/L											
Aluminum, Total		0.58		1.6	J	0.81	J	~		~	
Antimony, Total		0.0068	U	0.0068	U	0.0068	U	~		~	
Arsenic, Total		0.0056	U	0.0056	U	0.0056	U	0.0056	U	0.0056	U
Barium, Total		0.10		0.16		0.15		~		~	
Beryllium, Total		0.00030	U	0.00030	U	0.00030	U	~		~	
Boron, Total		2.2		7.6		7.0		~		~	
Cadmium, Total		0.00050	U	0.0025		0.00073	J	0.00050	U	0.00050	U
Calcium, Total		69.0		110		97.1		~		~	
Chromium, Total		0.0064		0.020	J	0.0064	J	~		~	
Cobalt, Total		0.00063	U	0.0028	J	0.0011	J	~		~	
Copper, Total		0.010	U	0.0031	J	0.010	U	~		~	
Iron, Total		0.62		2.6	J	1.5	J	~		~	
Lead, Total		0.0045	J	0.022	J	0.0095	J	0.0054	J	0.0030	U
Magnesium, Total		14.0		24.6	J+	21.2	J+	~		~	
Manganese, Total		0.14		0.96	J	0.24	J	~		~	
Mercury, Total		0.00012	U	0.00012	U	0.00012	U	~		~	
Nickel, Total		0.0039	J	0.014		0.0049	J	~		~	
Potassium, Total		8.1		14.8		13.7		~		~	
Selenium, Total		0.013	J	0.092		0.085		~		~	
Silver, Total		0.0017	U	0.0017	U	0.0017	U	~		~	
Sodium, Total		39.6		68.3		65.7		~		~	
Thallium, Total		0.010	U	0.010	U	0.010	U	~		~	
Vanadium, Total		0.0015	U	0.0025	J	0.0015	U	~		~	
Zinc, Total		0.010	U	0.030	J	0.019	J	~		~	
Volatile Organic Compounds (VOCs), ug/L											
1,1,1-Trichloroethane		0.82	U	0.82	U	0.82	U	~		~	
1,1,2,2-Tetrachloroethane		0.21	U	0.21	U	0.21	U	~		~	
1,1,2-Trichloro-1,2,2-trifluoroethane		0.31	U	0.31	U	0.31	U	~		~	
1,1,2-Trichloroethane		0.23	U	0.23	U	0.23	U	~		~	
1,1-Dichloroethane		0.38	U	0.38	U	0.38	U	~		~	
1,1-Dichloroethene		0.29	U	0.29	U	0.29	U	~		~	
1,2,4-Trichlorobenzene, VOC		0.41	U	0.41	U	0.41	U	~		~	
1,2-Dibromo-3-chloropropane		0.39	U	0.39	U	0.39	U	~		~	
1,2-Dibromoethane		0.73	U	0.73	U	0.73	U	~		~	
1,2-Dichlorobenzene, VOC		0.79	U	0.79	U	0.79	U	~		~	
1,2-Dichloroethane		0.21	U	0.21	U	0.21	U	~		~	
1,2-Dichloropropane		0.72	U	0.72	U	0.72	U	~		~	
1,3-Dichlorobenzene, VOC		0.78	U	0.78	U	0.78	U	~		~	
1,4-Dichlorobenzene, VOC		0.84	U	0.84	U	0.84	U	~		~	
2-Butanone		1.3	U	1.3	U	1.3	UJ	~		~	
2-Hexanone		1.2	U	1.2	U	1.2	UJ	~		~	
4-Methyl-2-pentanone		2.1	U	2.1	U	2.1	UJ	~		~	
Acetone		3.0	U	3.0	U	3.0	UJ	~		~	
Benzene		0.41	U	0.41	U	0.41	U	~		~	
Bromodichloromethane		0.39	U	0.39	U	0.39	U	~		~	
Bromoform		0.26	U	0.26	U	0.26	U	~		~	
Bromomethane		0.69	U	0.69	U	0.69	UJ	~		~	
Carbon disulfide		0.19	U	0.19	U	0.19	U	~		~	
Carbon tetrachloride		0.27	U	0.27	U	0.27	U	~		~	



Table 2: Validated Aqueous Analytical Results - Corning-Painted Post School District Property Study Area, Corning, NY

Location ID Sample ID	CPPMW0 CPPMW03-1-1		CPPMW03-0-1		CPPMW03		CPPMW04 CPPMW04-0-150105	CPPMW04 CPPMW04-0-150427
Date	1/6/2015		4/28/2015		4/28/2015		1/5/2015	4/27/2015
Sample Type	1 - Duplica	ate	0 - Primar	У	1 - Duplica	te	0 - Primary	0 - Primary
Matrix	GW		GW	_	GW		GW	GW
Laboratory Sample ID	480-73808	3-7	480-79302-	12	480-79302-	13	480-73808-3	480-79302-9
Volatile Organic Compounds (VOCs), ug/L (continued)								
Chlorobenzene	0.75	U	0.75	U	0.75	U	~	~
Chloroethane	0.32	U	0.32	U	0.32	U	~	~
Chloroform	0.34	U	0.53	J	0.47	J	~	~
Chloromethane	0.35	U	0.35	U	0.35	U	~	~
cis-1,2-Dichloroethene	0.81	U	0.81	U	0.81	U	~	~
cis-1,3-Dichloropropene	0.36	U	0.36	U	0.36	U	~	~
Cyclohexane	0.18	U	0.18	U	0.18	U	~	~
Cyclohexane, Methyl-	0.16	U	0.16	U	0.16	U	~	~
Dibromochloromethane	0.32	U	0.32	U	0.32	U	~	~
Dichlorodifluoromethane	0.68	U	0.68	U	0.68	U	~	~
Ethylbenzene	0.74	U	0.74	U	0.74	U	~	~
Isopropylbenzene	0.79	U	0.79	U	0.79	U	~	~
Methyl acetate	0.50	U	0.50	U	0.50	U	~	~
Methyl tert-butyl ether	0.16	U	0.16	U	0.16	U	~	~
Methylene chloride	0.44	U	0.44	U	0.44	U	~	~
Styrene	0.73	U	0.73	U	0.73	U	~	~
Tetrachloroethene	0.36	U	0.36	U	0.36	U	~	~
Toluene	0.51	U	0.51	U	0.51	U	~	~
trans-1,2-Dichloroethene	0.90	U	0.90	U	0.90	U	~	~
trans-1,3-Dichloropropene	0.37	U	0.37	U	0.37	U	~	~
Trichloroethene	0.46	U	0.46	U	0.46	U	~	~
Trichlorofluoromethane	0.88	UJ	0.88	U	0.88	U	~	~
Vinylchloride	0.90	U	0.90	U	0.90	U	~	~
Xylenes, Total	0.66	U	0.66	U	0.66	U	~	~
Semi-Volatile Organic Compounds (SVOCs), ug/L								
2,4,5-Trichlorophenol	1.1	U	0.47	U	0.45	U	~	~
2,4,6-Trichlorophenol	0.73	U	0.59	U	0.57	U	~	~
2,4-Dichlorophenol	0.57	U	0.50	U	0.48	U	~	~
2,4-Dimethylphenol	0.63	U	0.49	U	0.47	U	~	~
2,4-Dinitrophenol	1.0	U	2.2	U	2.1	U	~	~
2,4-Dinitrotoluene	0.15	U	0.44	U	0.42	U	~	~
2,6-Dinitrotoluene	0.14	U	0.39	U	0.38	U	~	~
2-Chloronaphthalene	0.68	U	0.45	U	0.43	U	~	~
2-Chlorophenol	0.48	U	0.52	U	0.50	U	~	~
2-Methylnaphthalene	0.78	U	0.58	U	0.57	U	~	~
2-Methylphenol	0.73	U	0.39	U	0.38	U	~	~
2-Nitroaniline	1.0	U	0.41	U	0.40	U	~	~
2-Nitrophenol	0.35	U	0.47	U	0.45	U	~	~
3,3'-Dichlorobenzidine	1.7	U	0.39	U	0.38	U	~	~
3-Nitroaniline	1.5	U	0.47	UJ	0.45	U	~	~
4,6-Dinitro-2-methylphenol	1.6	U	2.1	U	2.1	U	~	~



Table 2: Validated Aqueous Analytical Results - Corning-Painted Post School District Property Study Area, Corning, NY

Location ID	CPPMW03	3	CPPMW0	3	CPPMW0	3	CPPMW04	CPPMW04
Sample ID	CPPMW03-1-15	50106	CPPMW03-0-1	50428	CPPMW03-1-1	50428	CPPMW04-0-150105	CPPMW04-0-150427
Date	1/6/2015		4/28/2015	5	4/28/2015	5	1/5/2015	4/27/2015
Sample Type	1 - Duplicat	te	0 - Primar	У	1 - Duplica	te	0 - Primary	0 - Primary
Matrix	GW		GW	_	GW		GW	GW
Laboratory Sample ID	480-73808-	·7	480-79302-	12	480-79302-	13	480-73808-3	480-79302-9
Semi-Volatile Organic Compounds (SVOCs), ug/L (continued)								
4-Bromophenyl-phenylether	0.57	U	0.44	U	0.42	U	~	~
4-Chloro-3-methylphenol	0.57	U	0.44	U	0.42	U	~	~
4-Chloroaniline	0.17	U	0.57	UJ	0.56	U	~	~
4-Chlorophenyl-phenylether	0.78	U	0.34	U	0.33	U	~	~
4-Methylphenol	0.52	U	0.35	U	0.34	U	~	~
4-Nitroaniline	1.5	U	0.24	U	0.24	U	~	~
4-Nitrophenol, SVOC	1.0	U	1.5	U	1.4	U	~	~
Acenaphthene	0.57	U	0.40	U	0.39	U	~	~
Acenaphthylene	0.94	U	0.37	U	0.36	U	~	~
Acetophenone	0.46	U	0.53	U	0.51	U	~	~
Anthracene	0.44	U	0.27	U	0.26	U	~	~
Atrazine	0.52	UJ	0.45	U	0.43	U	~	~
Benz(a)anthracene	0.094	U	0.35	U	0.34	U	~	~
Benzaldehyde	1.1	U	0.29	UJ	0.25	UJ	~	~
Benzo(a)pyrene	0.073	U	0.46	U	0.44	U	~	~
Benzo(b)fluoranthene	0.11	U	0.33	U	0.32	U	~	~
Benzo(g,h,i)perylene	0.48	U	0.34	U	0.33	U	~	~
Benzo(k)fluoranthene	0.073	U	0.71	U	0.69	U	~	~
Biphenyl	0.94	U	0.64	U	0.62	U	~	~
bis (2-chloroisopropyl) ether	0.68	U	0.51	U	0.49	U	~	~
bis(2-Chloroethoxy)methane	0.52	U	0.34	U	0.33	U	~	~
bis(2-Chloroethyl)ether	0.16	U	0.39	U	0.38	U	~	~
bis(2-Ethylhexyl)phthalate	0.42	U	1.8	U	1.7	U	~	~
Butyl benzyl phthalate	0.73	U	0.55	U	0.67	U	~	~
Caprolactam	0.47	U	2.1	U	2.1	U	~	~
Carbazole	0.63	U	0.29	U	0.28	U	~	~
Chrysene	0.73	U	0.32	U	0.31	U	~	~
Dibenz(a,h)anthracene	0.083	U	0.41	U	0.40	U	~	~
Dibenzofuran	0.78	U	0.50	U	0.48	U	~	~
Diethylphthalate	0.73	U	0.21	U	0.21	U	~	~
Dimethyl phthalate	0.57	U	0.35	U	0.34	U	~	~
Di-N-Butyl phthalate	0.52	U	0.30	U	0.29	U	~	~
Di-N-Octyl phthalate	0.46	UJ	0.46	U	0.44	U	~	~
Fluoranthene	0.57	U	0.39	U	0.38	U	~	~
Fluorene	0.89	U	0.35	U	0.34	U	~	~
Hexachlorobenzene	0.10	U	0.50	U	0.48	U	~	~
Hexachlorobutadiene, SVOC	0.35	U	0.66	U	0.64	U	~	~
Hexachlorocyclopentadiene	0.78	U	0.57	U	0.56	U	~	~
Hexachloroethane	0.078	U	0.57	U	0.56	U	~	~
Indeno(1,2,3-cd)pyrene	0.057	U	0.46	UJ	0.44	U	~	~
Isophorone	0.68	U	0.42	U	0.41	U	~	~
Naphthalene, SVOC	1.0	U	0.74	U	0.72	U	~	~
Nitrobenzene	0.18	U	0.28	U	0.27	U	~	~
N-Nitroso-di-N-propylamine	0.14	U	0.53	U	0.51	U	~	~
N-Nitrosodiphenylamine	0.52	U	0.50	U	0.48	U	~	~
Pentachlorophenol, SVOC	1.4	U	2.1	U	2.1	U	~	~
Phenanthrene	0.63	U	0.43	U	0.41	U	~	~
Phenol	0.31	U	0.38	U	0.37	U	~	~



Table 2: Validated Aqueous Analytical Results - Corning-Painted Post School District Property Study Area, Corning, NY

Location ID	CPPMW03	CPPMW03	CPPMW03	CPPMW04	CPPMW04
Sample ID	CPPMW03-1-150106	CPPMW03-0-150428	CPPMW03-1-150428	CPPMW04-0-150105	CPPMW04-0-150427
Date	1/6/2015	4/28/2015	4/28/2015	1/5/2015	4/27/2015
Sample Type	1 - Duplicate	0 - Primary	1 - Duplicate	0 - Primary	0 - Primary
Matrix	GW	GW	GW	GW	GW
Laboratory Sample ID	480-73808-7	480-79302-12	480-79302-13	480-73808-3	480-79302-9
Semi-Volatile Organic Compounds (SVOCs), ug/L (continued)					
Pyrene	0.57 UJ	0.33 U	0.32 U	~	~

Notes:

mg/L = milligram per liter.

ug/L = microgram per liter.

- U = The analyte was analyzed for but was not detected above the level of the detection quantitation limit.
- UJ = The analyte was analyzed for but not detected. The quantitation limit is approximate and may be inaccurate or imprecise.
- $\label{eq:J} J = \mbox{The positive result reported is estimated either because the result is less than the LOQ or because certain quality control criteria were not met.}$
- J+ = The result is an estimated quantity, but the result may be biased high because certain quality control criteria were not met.

GW = Groundwater.

- (1) Groundwater standards for water class GW (groundwater as a source for drinking water) from Table 1 of the New York State Division of Water Technical and Operational Guidance Series (TOGS) No. 1.1.1 Ambient Water Quality Standards and Guidance Values Memorandum, Part 1 (Reissued June 1998).
- (2) TOGS guidance value for water class GA included in the TOGS No. 111 Ambient Water Quality Standards and Guidance Values Memorandum, Part 1 (Reissued June 1998).
- (3) TOGS guidance value for water class GA included in the April 2000 Addendum to June 1998 Division of Water Technical and Operational Guidance Series (TOGS) No.
- 1.1.1.
- (4) Standard for total 1,3-dichloropene (cis- and trans-).
- (5) Standard for total xylenes.
- (6) Standard for total phenols.



APPENDIX B

HEALTH AND SAFETY PLAN (HASP)

The final Health and Safety Plan will be maintained at the Study Area during field activities.

HEALTH AND SAFETY PLAN (HASP)

Office: West Chester, PA

Project Name: Study Area Bounded by Pyrex Street, E. Pulteney Street,

Post Creek and Chemung River

Client: Corning Incorporated

Work Location: Corning, NY

WO#: 02005.056.001.0001



HEALTH AND SAFETY PLAN (HASP)

Work Order Number	Date	Project Manager Approval	Project Safety Manager Approval





HEALTH AND SAFETY PLAN (HASP)								
Prepared by: A. J	ayne / R. McLo	ughlin	W.O. Number	: 02005.056.001.0001	Date: 04/03/2015			
Study Area Bounded by Pyrex St., E. Pulteney St., Post Creek and Chemung Project Identification River Office: West Chester, PA Site Name: Study Area, Corning, New York Client: Corning Incorporated			History: Soil and/or groundwater characterization activities at a site with potential fill containing ash, brick and glass pieces.					
Work Location Address:		Corning, New York Chemung River (s						
Scope of Work: S								
☐ Site visit only; s	site HASP not ne	ecessary. List pers	sonnel here and	sign off below:				
				ency, authorization number, and ent utility clearance.	d valid dates:			
		Re	egulatory Stat	us:				
Site regulatory status CERCLA/SARA		r Federal Agency	Based on the H	Manual (Required to be On-Site) azard Assessment and Regulatory Sta	atus, determine the Standard			
☐ U.S. EPA	U.S. EPA	☐ DOE	. ,	able to this project. Indicate below which the appropriate pages of this form a				
☐ State	☐ State	USACE	* *	used and append the appropriate pages of this form along with the Standard Plan Stack Test				
☐ NPL Site	NRC	☐ Air Force	☐ Air Emissions					
☐ OSHA	☐ 10 CFR 20		Asbestos		-			
Hazard Communication (Req'd See Attachment D) 1910				-				
Review and Approval Documentation:								
Reviewed by: SO/DEHSM/CEHS	George Craw	ford	Signature Signature	M Crawfor J CIH	Date: 04/06/2015			
Environmental. Compliance Advisor	Name (Print)		Signature		Date:			
Approved by:	Name (Print)		Signature					
Project Manager	John Sontag				Date:			
	Name (Print)		Signature					
				ipment Selection:				
personnel beginnin	g work, the FSC nt selection outl	and/or the Site Mined within this HA	lanager have e\ \SP is appropria	ram and 29 CFR 1910.132, at valuated conditions and verifie tte for the hazards known or e or guidance.)	d that the personal			
⊠ FSO	Stephan Roy	/			Date:			
	Name		Signature					
⊠ Site Manager	John Sontag				Date:			
	Name		Signature					
During to								
Project Enviro Compliance Off		John Sontag			Date:			
☐ Dangerous God	ods Shipping	Name						
Coordinator		Namo			Date:			
		Name						





BEHAVIOR-BASED SAFETY (BBS) - Pledge

I Accept and Understand 100% Safe Work Is an Achievable Goal

- ★ I will work to develop strong connections and team with my co-workers to establish a culture of working safely 100% of the time.
- ★ I will actively care about all Weston employees, our families, team contractors and clients.
- ★ I will help to keep our projects safe and will meet and exceed compliance requirements.
- ★ I will understand and comply with the Health and Safety Plan, Accident Prevention Plan, and Environmental Compliance Plan for each field project. They guide my actions.
- ★ I will stop any work that presents an imminent hazard to people or the environment or is not adequately addressed in the Health and Safety Plan, Accident Prevention Plan, or Environmental Compliance Plan.
- ★ I will identify changing conditions to address safety implications. No surprises!
- ★ I will identify unsafe working conditions and be proactive in correcting them.
- ★ I will coach and mentor and will accept coaching from others to encourage safe work behaviors.
- ★ I am empowered to share lessons-learned and foster continuous improvement.

I will Learn where I can get Assistance

- ★ I will develop high quality relationships with my Division Environmental, Health, and Safety (EHS) Manager; Profit Center Safety Officer; and Field Safety Officer.
- ★ I will learn how and when to contact our Environmental Advisors.
- ★ I will get to know our Corporate EHS staff and become familiar with the Corporate EHS Portal Site.

<u>I will Report All Incidents</u>

- ★ If a safety incident occurs, even if there is no injury or damage but there could have been, I will report the incident immediately.
- ★ I will conduct safety reviews of all incidents with my supervisor, if requested. The review will focus on cause and lessons-learned so that we can be proactive in preventing it from happening again.



TABLE OF CONTENTS

Se	ection	Page
1.	PERSONNEL ON SITE INFORMATION	1-1
	1.1 WESTON REPRESENTATIVES	1-2
	1.2 WESTON SUBCONTRACTORS	
	1.3 SITE PERSONNEL AND CERTIFICATION STATUS	
	1.3.1 WESTON Employee Certification	
	1.3.2 Subcontractor's Health and Safety Program Evaluation	
2.	HEALTH AND SAFETY EVALUATION	2-1
	2.1 HEALTH AND SAFETY EVALUATION	2-2
	2.1.1 Task Hazard Assessment	
	2.1.2 Chemical Hazards of Concern	2-3
	2.1.3 Biological Hazards of Concern	2-4
	2.1.4 Radiation Hazards of Concern	2-5
	2.1.5 Physical Hazards of Concern	2-6
3.	SITE SECURITY	3-1
	3.1 SITE SECURITY ASSESSMENT FORM	
	3.2 WESTON SITE SECURITY CHECKLIST	
4.	TASK BY TASK ASSESSMENT	4-1
	4.1 TASK-BY-TASK RISK ASSESSMENT	4-2
	4.1.1 Task 1 Description	
	4.1.2 Task 2 Description	4-3
	4.1.3 Task 3 Description	
	4.2 PERSONNEL PROTECTION PLAN	
	4.3 DESCRIPTION OF LEVELS OF PROTECTION	4-7
5.		5-1
	5.1.1 Air Monitoring Instruments	
	5.1.1 Air Monitoring Instruments Calibration Record	
	5.2 SITE AIR MONITORING PROGRAM	
	5.3 ACTION LEVELS	
6.	HOSPITAL INFORMATION	6-1
	6.1 CONTINGENCIES	
	6.1.1 Emergency Contacts and Phone Numbers	
	6.1.2 Hospital Map	
	6.1.3 Response Plans	
7.	DECONTAMINATION PLAN	7-1
	7.1 GENERAL DECONTAMINATION PLAN	
	7.2 LEVEL D DECONTAMINATION PLAN	
	7.3 LEVEL C DECONTAMINATION PLAN	
	7.4 LEVEL B () or Level A () DECONTAMINATION PLAN	
8.	TRAINING AND BRIEFING TOPICS/SIGN OFF SHEET	8-1
	8.1 TRAINING AND BRIEFING TOPICS	
	8.2 HEALTH AND SAFETY PLAN APPROVAL/SIGNOFF FORM	8-3



ATTACHMENTS

ATTACHMENT A Chemical Contaminants Data Sheets

ATTACHMENT B Safety Data Sheets

ATTACHMENT C Safety Procedures/Field Operating Procedures (FLD Ops)

ATTACHMENT D Hazard Communication Program

ATTACHMENT E Air Sampling Data Sheets

ATTACHMENT F Incident Reporting
ATTACHMENT G Traffic Control Plan

ATTACHMENT H Environmental Health & Safety Inspection Checklist



1. PERSONNEL ON SITE INFORMATION



1.1 WESTON REPRESENTATIVES						
Organization/Branch	Name/Title	Address	Telephone			
National Accounts	John Sontag/Project Manager	1400 Weston Way West Chester, PA 19380	610-701-3679			
National Accounts	Stephane Roy/ Project Geoscientist	1400 Weston Way West Chester, PA 19380	610-701-3147			
National Accounts	Rachel McLoughlin/ Project Scientist	1400 Weston Way West Chester, PA 19380	610-701-3428			

Roles and Responsibilities:

Manage and implement site characterization program.

1.2 WESTON SUBCONTRACTORS					
Organization/Branch	Name/Title	Address	Telephone		
	Name:	Street:			
	Title:	City:			
		State, Zip:			
	Name:	Street:			
Title:		City:			
		State, Zip:			
	Name:	Street:			
	Title:	City:			
		State, Zip:			

Roles and Responsibilities:

SITE-SPECIFIC HEALTH AND SAFETY PERSONNEL

The Site Field Safety Officer (FSO) for activities to be conducted at this site is: Stephane Roy / Rachel McLoughlin

The Site Manager has ultimate responsibility for ensuring that the provisions of this Site HASP are adequate and implemented in the field.

Changing field conditions may require decisions to be made concerning adequate protection programs. Therefore, the personnel assigned as FSOs must be experienced and meet the additional training requirements specified by OSHA in 29 CFR 1910.120.

Qualifications:

40-hour OSHA HAZWOPER certification; annual 8-hour OSHA HAZWOPER refresher certification; current Adult First Aid and CPR certification; familiarity with jobs of similar scope.

Designated alternates include: John Sontag



1.3 SITE PERSONNEL AND CERTIFICATION STATUS					
	1.3.1 WESTON Emplo	yee Certification			
Name: John Sontag Title: Project Manager Task(s): All	·	Name: Stephane Roy Title: Project Geoscientist Task(s): All	ŧ		
Certification Level or Description:		Certification Level or Desc	ription:		
⊠Medical Current □Fit Test Current (Qual.)	⊠Training Current □Fit Test Current (Quant.)				
Name: Rachel McLoughlin Title: Project Scientist		Name: Matt Barela Title: Associate Project Sc	cientist		
Task(s): All Certification Level or Description:		Task(s): All Certification Level or Desc	rintion:		
	☑Training Current ☐Fit Test Current (Quant.)		☐ Training Current☐ Fit Test Current (Quant.)		
Name: Devon Hollenden		Name: Greg Flasinski			
Title: Assistant Geoscientist		Title:			
Task(s): All		Task(s): All			
Certification Level or Description:		Certification Level or Desc	-		
Medical Current	☐Training Current	Medical Current	☐ Training Current		
Fit Test Current (Qual.)	Fit Test Current (Quant.)	Fit Test Current (Qual.)	☐Fit Test Current (Quant.)		
Title:		Title:			
Task(s):		Task(s):			
Certification Level or Description:		Certification Level or Description:			
Medical Current	Training Current	Medical Current	Training Current		
Fit Test Current (Qual.)	Fit Test Current (Quant.)	Fit Test Current (Qual.)	Fit Test Current (Quant.)		
Name:		Name:			
Title:		Title:			
Task(s):		Task(s):			
Certification Level or Description:		Certification Level or Desc	ription:		
Medical Current	Training Current	Medical Current	Training Current		
Fit Test Current (Qual.)	Fit Test Current (Quant.)	Fit Test Current (Qual.)	Fit Test Current (Quant.)		

TRAINING CURRENT - Training: All personnel, including visitors, entering the exclusion or contamination reduction zones must have certifications of completion of training in accordance with OSHA 29 CFR 1910, 29 CFR 1926, or 29 CFR 1910.120.

FIT TEST CURRENT - Respirator Fit Testing: All persons, including visitors, entering any area requiring the use or potential use of any tight-fitting respirator must have had, as a minimum, a qualitative fit test, administered in accordance with OSHA 29 CFR 1910.134 or ANSI, within the last 12 months. If site conditions require the use of a full-face, tight-fitting, air-purifying respirator for protection from asbestos or lead, employees must have had a quantitative fit test, administered according to OSHA 29 CFR 1910.1001 or .1025 or 29 CFR 1926.1101 or .62, within the last 12 months.

MEDICAL CURRENT - Medical Monitoring Requirements: All personnel, including visitors, entering the exclusion or contamination reduction zones must be certified as medically fit to work and able to wear a respirator, if appropriate, in accordance with 29 CFR 1910 or 29 CFR 1926 (substance-specific), or 29 CFR 1910.120 (HAZWOPER).

The Site Field Safety Officer is responsible for verifying all certifications and fit tests.



SITE PERSONNEL AND CERTIFICATION STATUS						
1.3.2 Subce	ontractor's Health and	d Safety Progra	am Evaluation			
1.3.2 Subcontractor's Health and Safety Program Evaluation Name of Subcontractor: TBD Address:						
Activities To Be Conducted by Subcon	tractor:					
	Evaluation C	riteria				
Medical Program meets OSHA/WESTON criteria	Personal Protective Equipm	Personal Protective Equipment available On-site monitoring calibrated, and open				
Acceptable	Acceptable		Acceptable			
Unacceptable	Unacceptable		Unacceptable			
Comments:	Comments:		Comments:			
Safe Working Procedures clearly specified	Training meets OSHA/WES	STON criteria	Emergency Procedures			
Acceptable	Acceptable		Acceptable			
Unacceptable	Unacceptable		Unacceptable			
Comments:	Comments:		Comments:			
Decontamination Procedures	General Health and Safety evaluation	Program	Additional comments:			
Acceptable	Acceptable		Subcontractor has agreed to and will conform to the WESTON HASP for this			
Unacceptable	Unacceptable		project.			
Comments:	Comments:		Subcontractor will work under its own HASP, which has been accepted by Project PM.			
Evaluation Conducted by:			Date:			
Evaluation Source (SubTrack, etc.):						
	Subcontra	ctor				
Certifications for all subcontractor per	sonnel will be added to	the HASP prior	to beginning work.			
Name:		Name:				
Title:		Title:				
Task(s):		Task(s):				
Certification Level or Description:		Certification Level or Description:				
Medical Current	Training Current	Medical Current	Training Current			
Fit Test Current (Qual.)	Fit Test Current (Quant.)	Fit Test Current (0	Qual.) Fit Test Current (Quant.)			
Name:		Name:				
Title:		Title:				
Task(s):		Task(s):				
Certification Level or Description:		Certification Level or Description:				
Medical Current	Training Current	Medical Current	Training Current			
Fit Test Current (Qual.)	Fit Test Current (Quant.)	Fit Test Current (0	Qual.) Fit Test Current (Quant.)			



2. HEALTH AND SAFETY EVALUATION



	2.1 HEALTH AND SAFETY EVALUATION							
	2.1.1 Task Hazard Assessment							
Background	d Review: X	Complete	artial If par	tial why? N/A				
Activities	Covered U	nder This Plan:						
No.		/Subtask	A combination of	Description		Schedule		
1 2		ndwater		soil boring and surfactions in surfaction in some solution in surfaction		2015 - TBD 2015 - TBD		
-		stigation		oundwater sampling	Wells and	2010 188		
3	Test Pittin	g/Excavation	Excavation and	d backfill of test pits/su	rface soil	2015 - TBD		
Types of I	Hazards:	<u> </u>						
		the following hazar	d evaluation forms. Com	plete hazard evaluation for	ms for each approp	riate hazard class.		
Physioche	mical 1	Chemically Toxi	c 1	Radiation 3	Biological 2			
☐ Flamma	able		□ Carcinogen	lonizing:	☐ Etiological Agent			
☐ Explosiv	ve			☐ Internal exposure				
☐ Corrosiv	ve		☐ Teratogen	☐ External exposure				
☐ Reactive	е	☐ Absorption		·				
O ₂ Rich		OSHA 1910.1000 Substance (Air Contaminants)		Non-ionizing:	☐ Physical Haz	ards 4		
O ₂ Defic	cient			⊠ UV □ IR	☐ Characterizati			
					Onaracterizati	on Activities		
				RF MicroW				
		(Refer to following page for listing)		Laser				
		Source/Loc	cation of Contaminar	nts and Hazardous Sub	stances:			
Directly Re	lated to Tas	ks		to Tasks — Nearby Proce	ss(es) That Could	Affect Team		
☐ Air			Members:					
☐ Other Surface								
			☐ Nearby Non-Clie	☐ Nearby Non-Client Facility				
⊠ Soil			Describe:					
☐ Surface Water								
☐ Sanitary	y Wastewater		☐ Have activities (☐ Have activities (task[s]) been coordinated with facility?				
	Wastewater		Comments:					
☐ Other								



HEALTH AND SAFETY EVALUATION							
	2.1.2 Chemical Hazards of Concern						
□ N/A				□ N/A			
Chemical Contaminants of Concern Attach data sheets from an acceptable source such as NIOSH pocket guide, condensed chemical dictionary, ACGIH TLV booklet, Hazardous Substances Data base (HSDB), etc. List chemicals and concentrations below and locate data sheets in Attachment A of this HASP.				Identify hazardous materials used or on-si reagent type chemicals, solutions, or other performing tasks related to this project could all subcontractors and other parties working chemicals and the location of the SDSs. Of the hazardous materials they use or have List chemicals and quantities below and lo	r identified materials that in normal ald produce hazardous substances ag nearby are informed of the prese obtain from subcontractors and other we on-site and identify location of the	use in . Ensure that ence of these er parties, lists ne SDSs here.	
Chemical Na	me	Concen	tration \	Chemical N	ame	Quantity	
Arsenic		,					
Lead							
Cadmium							
	00114 01		474000	NIO OLIDOTANIOSO			
				OUS SUBSTANCES			
1910.1001 Asbestos	1910.1002 Coal tar pitch volat	tiles	<u> 1910.</u>	1003 4-Nitrobiphenyl, etc.	1910.1004 alpha-Naphthylan	nine	
1910.1005 [Reserved]	1910.1006 Methyl chloromethyl ether		<u> </u>	1007 3,3'-Dichlorobenzidine (and its salts)	1910.1008 bis-Chloromethyl	ether	
1910.1009 beta-Naphthylamine	1910.1010 Benzidine		1910.1011 4-Aminodiphenyl		1910.1012 Ethyleneimine		
1910.1013 beta-Propiolactone	1910.1014 2-Acetylaminofluorene		1910.1015 4-Dimethylaminoazobenzene		1910.1016 N-Nitrosodimethylamine		
1910.1017 Vinyl chloride	910.1017 Vinyl chloride 🔀 1910.1018 Inorganic arsenic		☐ 1910.1025 Lead (Att. FLD# 46)		1910.1026 Chromium VI (att.	FLD 53)	
☐ 1910.1027 Cadmium (Att. 50 FLD) ☐ 1910.1028 Benzene (Att. FLD# 54 or 61)		1910.1029 Coke oven emissions		1910.1043 Cotton dust			
1910.1044 1,2-Dibromo-3-chloropropane 1910.1045 Acrylonitrile			1910.1047 Ethylene oxide		1910.1048 Formaldehyde		
☐ 1910.1050 Methylenedianiline ☐ 1910.1051 1,3 Butadiene			1910.1052 Methylene chloride		1926.60 Methylenedianiline		
⊠1926.62 Lead	1926.1101 Asbestos (Att. FLD	52)		1127 Cadmium			



HEALTH AND SAFETY EVALUATION					
		2.1.3 Biological	Hazards of Conce	rn	
⊠ Poisonous Plan	ts (FLD 43-D)		☑ Insects (FLD 43	-B)	
Location/Task No(s) Source: Route of Exposure:	AII Known Inhalation Contact	☑ Suspect☐ Ingestion☐ Direct Penetration	Location/Task No(s) Source: Route of Exposure:	All Known Inhalation Contact	☑ Suspect☐ Ingestion☑ Direct Penetration
Team Member(s) All Immunization require	-	☐ Yes ⊠ No ☐ Yes ⊠ No	Team Member(s) Al Immunization require	-	☐ Yes ⊠ No ☐ Yes ⊠ No
⊠ Snakes, Reptiles	s (FLD 43-A)		Animals (FLD 43	B-A)	
Location/Task No(s) Source: Route of Exposure:	All Known Inhalation Contact	SuspectIngestionDirect Penetration	Location/Task No(s) Source: Route of Exposure:	All Known Inhalation Contact	SuspectIngestionDirect Penetration
Team Member(s) All Immunization require	•	☐ Yes ⊠ No ☐ Yes ⊠ No	Team Member(s) All Immunization require	•	☐ Yes ⊠ No ☐ Yes ⊠ No
FLD 43 — WESTON	l Biohazard Fie	eld Operating Procedure	s: Att. OP		
☐ Sewage			Etiologic Agent	s (FLD –C) (Li s	st)
Location/Task No.(s) Source: Route of Exposure:): Known Inhalation Contact	Suspect Ingestion Direct Penetration	Location/Task No.(s Source: Route of Exposure:): Known Inhalation Contact	Suspect Ingestion Direct Penetration
Team Member(s) Allergic: Yes No Immunization required: Yes No		Team Member(s) All Immunization require	•	☐ Yes ☐ No ☐ Yes ☐ No	
Tetanus Vaccination	within Past 10	yrs: Yes No			
FLD 43-C — Mold and Fungus. Att. OP					
FLD 44 — WESTON	FLD 44 — WESTON Bloodborne Pathogens Exposure Control Plan – First Aid Procedures: Att. OP ⊠				
FLD 45 — WESTON Bloodborne Pathogens Exposure Control Plan – Working with Infectious Waste: Att. OP					



	HEALTH AND SAFETY EVALUATION									
				2	2.1.4	· Radiation H	azards of Conce	rn		
					ı	NONIONIZING	RADIATION			
Task No.	Type of Nonionizing Radiation		Source O	n-Site	TLV/	PEL	Wavelength Range	Control Measures	Monitoring Inst	rument
1	Ultraviolet		Solar					Appropriate clothing/ sunscreen	None	
	Infrared									
	Radio Frequency									
	Microwave									
	Laser									
					l	IONIZING R	ADIATION			
						DAC (µCii/mL)			
Task No.	Radionuclide	Maj Rad	or liations	Radioactiv Half-Life (Years)	ve	D	w	Υ	Surface Contamination Limit	Monitoring Instrument



HEALTH AND SAFETY EVALUATION

2.1.5 Physical Hazards of Concern

Zi i i i i i i i i i i i i i i i i i i							
Physical Hazard Condition	Physical Hazard	Attach OP	WESTON OP Titles				
Loud noise	Hearing loss/disruption of communication		Section 7.0 - ECH&S Program Manual Occupational Noise & HC Program				
Inclement weather	Rain/humidity/cold/ice/snow/lightning		FLD02 - Inclement Weather				
Steam heat stress	Burns/displaced oxygen/wet working surfaces		FLD03 - Hot Process - Steam				
Heat stress	Burns/hot surfaces/low pressure steam		FLD04 - Hot Process - LT3				
Ambient heat stress	Heat rash/cramps/exhaustion/heat stroke		FLD05 - Heat Stress Prevention/Monitoring				
Cold stress	Hypothermia/frostbite	\boxtimes	FLD06 - Cold Stress				
Cold/wet	Trench/paddy/immersion foot/edema		FLD02 - Inclement Weather				
Confined spaces	Falls/burns/drowning/engulfment/electrocution		FLD08 - Confined Space Entry				
Industrial Trucks	Fork Lift Truck Safety		FLD09 – Powered Industrial Trucks				
Improper lifting	Back strain/abdomen/arm/leg muscle/joint injury	\boxtimes	FLD10 - Manual Lifting/Handling Heavy Objects				
Uneven surfaces	Vehicle accidents/slips/trips/falls		FLD11 - Rough Terrain				
Poor housekeeping	Slips/trips/falls/punctures/cuts/fires		FLD12 - Housekeeping				
Structural integrity	Crushing/overhead hazards/compromised floors		FLD13 - Structural Integrity				
Improper cylinder. handling	Mechanical injury/fire/explosion/suffocation		FLD16 - Pressure Systems - Compressed Gases				
Water hazards	Poor visibility/entanglement/drowning/cold stress		FLD17 - Diving				
Water hazards	Drowning/heat/cold stress/hypothermia/falls		FLD18 - Operation and Use of Boats				
Water hazards	Drowning/frostbite/hypothermia/falls/electrocution	\boxtimes	FLD19 - Working Over Water				
Vehicle hazards	Struck by vehicle/collision	\boxtimes	FLD20 - Traffic				
Explosions	Explosion/fire/thermal burns		FLD21 - Explosives				
Moving mechanical parts	Crushing/pinch points/overhead hazards/electrocution		FLD22 – Earth Moving Equipment				
Moving mech. parts	Overhead hazards/electrocution		FLD23 – Cranes, Rigging, and Slings				
Working at elevation	Overhead hazards/falls/electrocution		FLD24 - Aerial Lifts/Man lifts				
Working at elevation	Overhead hazards/falls/electrocution		FLD25 - Working at Elevation				
Working at elevation	Overhead hazards/falls/electrocution/slips		FLD26 - Ladders				
Working at elevation	Slips/trips/falls/overhead hazards		FLD27 - Scaffolding				
Trench cave-in	Crushing/falling/overhead hazards/suffocation		FLD28 - Excavating/Trenching				
Physiochemical	Explosions/fires from oxidizing, flam./corr. material		FLD30 - Hazardous Materials Use/Storage				
Physiochemical	Fire and explosion		FLD31 - Fire Prevention/Response Plan Required				
Physiochemical	Fire		FLD32 - Fire Extinguishers Required				
Structural integrity	Overhead/electrocution/slips/trips/falls/fire		FLD33 - Demolition				
Electrical	Electrocution/shock/thermal burns		FLD34 - Utilities				
Electrical	Electrocution/shock/thermal burns		FLD35 - Electrical Safety				
Burns/fires	Heat stress/fires/burns		FLD36 - Welding/Cutting/Brazing/Radiography				
Impact/thermal	Thermal burns/high pressure impaction/heat stress		FLD37 - Pressure Washers/Sand Blasting				
Impaction/electrical	Smashing body parts/pinching/cuts/electrocution		FLD38 - Hand and Power Tools				
Poor visibility	Slips/trips/falls		FLD39 - Illumination				
Fire/explosion	Burns/impaction		FLD40 - Storage Tank Removal/Decommissioning				
Communications	Disruption of communications		FLD41 - Std. Hand/Emergency Signals				
Energy/release	Unexpected release of energy		FLD42 - Lockout/Tag-out				
Biological Hazards	Biological Hazards at site		FLD43 - Biological Hazards				
Animals	Animals		FLD43A - Animals				
Insects	Stinging and Biting Insects		FLD43B - Stinging and Biting Insects				
Molds/Fungi	Molds and Fungi		FLD43C - Molds and Fungi				



2.1.5 Physical Hazards of Concern (Continued)						
Physical Hazard Condition			WESTON OP Titles			
Hazardous Plants	Hazardous Plants		FLD43D - Hazardous Plants			
Etiologic Agents	Etiologic Agents		FLD43E - Etiologic Agents			
Biological Hazards/BBP	Biological Hazards/BBP at site/First Aid Providers		FLD44 - Biological Hazards – Bloodborne Pathogens Exposure Control Plan – First Aid Providers			
Infectious Waste	Infectious Waste at site/BBP/ at site/Infectious Waste		FLD45 – Biological Hazards – Bloodborne Pathogens Exposure Control Plan – Work With Infectious Waste			
Lead Contaminated sites	Lead poisoning	\boxtimes	FLD46 - Control of Exposure to Lead			
Puncture/cuts	Cuts/ dismemberment/gouges		FLD47 - Clearing, Grubbing and Logging Operations			
Government Inspector	Disruption of Operations		FLD48 – Federal, State, Local Regulatory Agency Inspections			
Unknown Chemicals	Exposure to hazardous materials/waste	\boxtimes	FLD49 – Safe Storage of Samples			
Cadmium	Exposure Control	\boxtimes	FLD50 – Cadmium Exposure Control Plan			
Process Safety Procedure	Safety Procedure	\boxtimes	FLD51 – Process Safety Procedure			
Asbestos	Asbestos Exposure		FLD52 – Asbestos Exposure Control Plan			
Hexavalent Chromium	Exposure Control Plan		FLD53 – Hexavalent Chromium Exposure Control Plan			
Benzene	Exposure Control Plan		FLD54 - Benzene Exposure Control Plan			
Hydrofluoric acid	Working with HF		FLD55 – Working with Hydrofluoric Acid			
Moving drill rig parts	Crushing/pinch points/overhead hazards/electrocution	\boxtimes	FLD56 – Drilling Safety			
Vehicles/driving	Accidents,/fatigue/cell phone use	\boxtimes	FLD 57 – Motor Vehicle Safety			
Improper material handling	Back injury/crushing from load shifts/equipment/tools	\boxtimes	FLD 58 – Drum Handling Operations			
COC decontamination	COCs/slip, trip, and falls/waste generation/environmental compliance/PPE		FLD59 - Decontamination			
Drilling hazards	Electrocution/overhead hazards/pinch points		Environmental Remediation Drilling Safety Guideline - 2005			
Fatigue	Long work hours	\boxtimes	FLD60 – Employee Duty Schedule			
Benzene/Gasoline	Benzene exposure		FLD61 – Gasoline Contaminant Exposure			
Cardiac Arrest	Accident/Heart Attack		FLD62 – 2009 Automatic External Defibrillator (AED) Program Guidelines			
Ionizing Radiation	lonizing Radiation		FLD63 – Using Handheld X-Ray Fluorescence (XRF) Analyzers			
Working Alone	Isolated Working Conditions		FLD64 – Employees Working Alone			



3. SITE SECURITY



3.1 SITE SECURITY ASSESSMENT FORM						
	DESCRIPTION					
Site Name and Location: Former Study Area, Corning NY	Number of Employees and Subcontract	tors on Site:				
Type of Work: Study Area characterization sampling activities (Soil a	Type of Work: Study Area characterization sampling activities (Soil and/or groundwater sampling)					
Projected Start Date: 2014	Projected Completion Date: TBD					
Are Chemicals Used or Stored That Meet DHS/CF/ http://www.dhs.gov/files/programs/gc 118590957018						
If Yes, Attach Plan and DHS Approvals to HASP. http://www.dhs.gov/files/programs/gc 116950148619	<u>7.shtm</u>					
SURROUNDING AREA (urban/suburban/rural; res		lume, population density, etc				
Suburban, residential neighborhood with school prope	erty within Study Area limits.					
THREAT INDICATORS (apparent social, economic	c, political, ethnic, criminal, gang related,	and other risk factors)				
N/A						
COUNTERMEASURES (Current and projected risk	mitigation factors)					
Security Systems (Reference Site Security Checklist):						
Security Procedures (Reference Site Security Checklist):						
Closest police station location and contact information: Corning Police Department – 607-962-0340 1 Center Way Corning, NY 14830						
Other relevant observations or information to fact N/A	or into the Site Security Plan:					
OVERALL SECURITY ASSESSMENT (Submit "Med	dium" and "High" risk assessments to C	orporate Security for review)				
Risk Level: Low Medium	☐ High	Date:				
Site Safety Officer:	Division Safety Manager:					
USE ATTACHMENTS FOR ADDITIONAL COMMENTS. MAPS AND DIAGRAMS						



3.2 WESTON SITE SECURITY CHECKLIST

To be used for completing the Site Security Assessment Form required on all WESTON projects. Contact Corporate Security for guidance on any items that are "NEEDED" and "NOT IN PLACE".

CONTROL MEASURES:	In-Place / Not In-Place	Needed / Not Needed
 Fencing, lockable gates, no holes (enter details below): a. Chain Link material b. Other material (describe) c. Height (in feet and inches) d. Top cover (e.g., razor wire) e. Signage (e.g., No Trespassing) 		
 2. Guard service: a. During working hours? b. During non-working hours? c. As a stationary post? d. As a roving patrol? e. Do they have written instructions? f. Do they have adequate training? g. Do they have adequate supervision? h. Do they have daily reports? i. Do they have daily inspections? 		
3. ID badges displayed by:a. Employees?b. Contractors?c. Visitors?		
 4. Log books for: a. Employee sign-in? b. Visitor sign-in? c. Vehicle sign-in? d. Incident reports? e. Property removal? f. Keys and access cards? 		
 5. Electronics and hardware options (enter details below): a. Access card readers b. Adequate lighting c. Closed circuit TV d. Alarm system e. Other (describe) 		
 6. Procedures documented for: a. Security training? b. Security instructions? c. Contingency plans? d. Opening and closing protocols? e. Other (describe)? 		
7. Law enforcement liaison documented for:a. Municipal police?b. County sheriff?c. State police?d. Federal agencies (specify)?		



WESTON SITE SECURITY CHECKLIST (CONTINUED)

To be used for completing the Site Security Assessment Form required on all WESTON projects. Contact Corporate Security for guidance on any items that are "NEEDED" and "NOT IN PLACE".

	Contact Corporate Coodinty for guidante on any frome diatetric 112222 and 1101 in 12102 i						
CH	AIN OF COMMAND:	Name	24/7 Contact Information				
a.	Security Coordinator						
b.	Site Supervisor						
C.	Project Manager	John Sontag	610-701-3679				
d.	PC Manager						

CII	AIN OF COMMAND.	INAIIIE	24// Contact information
a.	Security Coordinator		
b.	Site Supervisor		
C.	Project Manager	John Sontag	610-701-3679
d.	PC Manager		
RE	MARKS (use this section and	। d supplemental pages to comme	nt on details, exceptions or additional observations):
1			



4. TASK BY TASK ASSESSMENT



4.1 TASK-BY-TASK RISK ASSESSMENT

4.1.1 Task 1 Description				
TASK 1: Soil sampling. Includes a combination of soil boring and surface soil sampling.				
EQUIPMENT REQUIRED/USED				
Geoprobe and/or Hollow-stem auger Hand tools rig				
Scoops Hearing Protection				
Nitrile gloves Mini Rae Safety Boots				
Safety Glasses				
Dust Monitoring				
POTENTIAL HAZARDS/RISKS				
Chemical				
☐ Hazard Present Risk Level: ☐ H ☐ M ☐ L What justifies risk level?				
Sampling soil with potential metals.				
Physical				
Hazard Present Risk Level: ☐ H ☐ M ☐ L				
What justifies risk level?				
Work generally will occur at residential or school property, with some work in utility right-of-way areas and floodplain areas.				
and noodplain areas.				
Biological				
What justifies risk level? Potential for ticks, bees, snakes, vegetation and small animals.				
DADIOLOGICAL				
RADIOLOGICAL ☐ Hazard Present Risk Level: ☐ H ☐ M ☐ L				
What justifies risk level?				
LEVELS OF PROTECTION/JUSTIFICATION				
Level D				
SAFETY PROCEDURES REQUIRED AND/OR FIELD OPS UTILIZED				
All work will be performed in accordance with the provisions of this HASP, OSHA guidelines, and WESTON Standard				
Operating Procedures. FLD 02, 05, 06, 10,11, 12, 13, 19, 20, 22, 28, 34, 37, 38, 41, 43, 47, 56, 57, 59, 60, Section 7.0, Environmental				
Remediation Drilling Safety Guidance – 2005. Air monitoring in accordance with the Study Area-specific				

Remediation Drilling Safety Guidance – 2 Community Air Monitoring Plan (CAMP).



TASK-BY-TASK RISK ASSESSMENT (Continued)

4.1.2 Task 2 Description						
TASK 2: Groundwater sampling activities, includes the installation of groundwater monitoring wells and groundwater sampling						
	EQUIPMENT	REQUIRED/USED				
Hollow-stem auger Rig Nitrile Gloves	Hand Tools Sample Bottles	Dust Monitoring				
Safety Boots Safety Glasses Hearing Protection MiniRae	Water Level Indicator Groundwater Pumps Bailers Tubing					
	POTENTIAL	HAZARDS/RISKS				
	CI	hemical				
☐ Hazard PresentWhat justifies risk level?Ground water sampling with	Risk Level: H	□ M □ L sat lower levels				
	Р	hysical				
☐ Hazard PresentWhat justifies risk level?Work generally will occur a	Risk Level: H	□ M □ L broperty, with some work possibly in utility right-of-way				
areas	•					
	Bi	ological				
☐ Hazard Present What justifies risk level?	Risk Level: ☐ H	□ M □ L				
Potential for ticks, bees, sr	nakes, vegetation and sr	naii animais.				
	RADI	OLOGICAL				
☐ Hazard Present What justifies risk level?	Risk Level: H	_ M _ L				
LEVELS OF PROTECTION/JUSTIFICATION						
Level D						
SAFET	SAFETY PROCEDURES REQUIRED AND/OR FIELD OPS UTILIZED					
All work will be performed in accordance with the provisions of this HASP, OSHA guidelines, and WESTON Standard Operating Procedures. FLD 01, 02, 05, 06, 10, 11, 12, 17, 18, 19, 20, 32, 34, 35, 36, 37, 41, 43, 47, 57, 59, 60 Section 7.0, Environmental Remediation Drilling Safety Guidance – 2005, Air monitoring in accordance with the Study						

Area-specific Community Air Monitoring Plan (CAMP).



4.1 TASK-BY-TASK RISK ASSESSMENT (Continued)

4.1.3 Task 3 Description

TASK 3: Excavation/test pitting, backfilling and sampling activities. Test pits will be approximately 1 foot

to 18 inches wide, 4 to 7 feet long and up to 4 feet deep. Excavation activities include surface excavation/scraping up to 1 ft below ground surface.				
EQUIPMENT REQUIRED/USED				
Construction Equipment (Mini- Dust Monitoring				
backhoe/excavator/front end loader) Safety Boots Hearing Protection				
Safety Glasses				
Hearing Protection				
MiniRae				
POTENTIAL HAZARDS/RISKS				
Chemical ⊠ Hazard Present Risk Level: ☐ H ☐ M ☑ L				
│				
Sampling soil with potential metals.				
Dhysical				
Physical ⊠ Hazard Present Risk Level: ☐ H ⊠ M ☐ L				
What justifies risk level?				
Activities include the use of heavy equipment in residential and public areas.				
Biological ☐ Hazard Present Risk Level: ☐ H ☐ M ☐ L				
│				
Potential for ticks, bees, snakes, vegetation and small animals.				
RADIOLOGICAL				
☐ Hazard Present Risk Level: ☐ H ☐ M ☐ L What justifies risk level?				
What justified hisk level:				
LEVELS OF PROTECTION/JUSTIFICATION				
Level D				
SAFETY PROCEDURES REQUIRED AND/OR FIELD OPS UTILIZED				
All work will be performed in accordance with the provisions of this HASP, OSHA guidelines, and WESTON Standard				
Operating Procedures. FLD 02, 05, 06, 10,11, 12, 13, 20, 22, 28, 34, 37, 38, 41, 43, 47, 56, 57, 59, Section 7.0, Environmental				
Remediation Drilling Safety Guidance – 2005, Air monitoring in accordance with the Study Area-specific				

4-4

Community Air Monitoring Plan (CAMP).



4.1 TASK-BY-TASK RISK ASSESSMENT (Continued)					
4.1.4 Task 4 Description					
FOLUDING NET DECLUDED (LICED					
EQUIPMENT REQUIRED/USED					
POTENTIAL HAZARDS/RISKS					
Chemical					
☐ Hazard Present Risk Level: ☐ H ☐ M ☐ L					
What justifies risk level?					
Physical					
☐ Hazard Present Risk Level: ☐ H ☐ M ☐ L What justifies risk level?					
What justifies his level:					
Biological					
☐ Hazard Present Risk Level: ☐ H ☐ M ☐ L What justifies risk level?					
Think Jack Hot I of St.					
RADIOLOGICAL					
☐ Hazard Present Risk Level: ☐ H ☐ M ☐ L What justifies risk level?					
LEVELS OF PROTECTION/JUSTIFICATION					
SAFETY PROCEDURES REQUIRED AND/OR FIELD OPS UTILIZED					
All work will be performed in accordance with the provisions of this HASP, OSHA guidelines, and WESTON Standard					
Operating Procedures.					



4.2 PERSONNEL PROTECTION PLAN					
Engineering Controls Describe Engineering Controls used as part of Personnel Protection Plan:					
Task(s) Tasks 1-3					
Administrative Controls Describe Administrative Controls used as part of Personnel Protection Plan:					
Task(s) Tasks 1-3 All Conduct hazard analysis of all work tasks. All Conduct safety briefings with contractors prior to performing daily tasks to discuss safety hazards and controls Taken to minimize or eliminate hazards					
Personal Protective Equipment Action Levels for Changing Levels of Protection. Refer to Site Air Monitoring Program—Action Levels. Define Action Levels for up or down grade for each task:					
Task(s) Tasks 1-3 All Hard hat, safety glasses, safety shoes, hearing protection (as necessary) All PPE will be reviewed with each hazard analysis to ensure level of PPE is appropriate for scope of work All Study Area Air Monitoring plan (i.e., Community Air Monitoring Plan [CAMP])					
Description of Levels of Protection					
Level D			Level D Modified		
Task(s): A ☑ Head	II	Hard hat when near drilling rig	Task(s): NA ☐ Head		
☑ Eye and Face		Safety Glasses Ear plugs in designated	☐ Eye and Face		
☑ Hearing		areas	Hearing		
☐ Arms and Legs Only		Coveralls or long pants and appropriate shirt Nitrile (as needed)	Arms and Legs Only		
Appropriate Work Uniform			☐ Whole Body		
Manu - Cloves		Steel-toed boots	Apron		
M 1 00t - Salety Boots		0.001.000.000	Hand - Gloves		
Fall Protection Flotation			☐ Gloves ☐ Gloves		
Other			☐ Foot - Safety Boots		
			☐ Over Boots		



4.3 DESCRIPTION OF LEVELS OF PROTECTION			
Level C	Level B () or Level A ()		
Task(s): NA	Task(s): NA		
☐ Head	☐ Head		
☐ Eye and Face	☐ Eye and Face		
☐ Hearing	☐ Hearing		
☐ Arms and Legs Only	☐ Arms and Legs Only		
☐ Whole Body	☐ Whole Body		
☐ Apron	☐ Apron		
☐ Hand – Gloves	☐ Hand - Gloves		
☐ Gloves	☐ Gloves		
☐ Gloves	☐ Gloves		
☐ Foot - Safety Boots	☐ Foot - Safety Boots		
☐ Outer Boots	☐ Outer Boots		
☐ Boots (Other)	☐ Boots (Other)		
☐ Half Face	☐ SAR - Airline		
☐ Cart./Canister	□ SCBA		
☐ Full Face	☐ Comb. Airline/SCBA		
☐ Cart./Canister	☐ Cascade System		
□ PAPR	☐ Compressor		
☐ Cart./Canister	☐ Fall Protection		
☐ Type C	☐ Flotation		
☐ Fall Protection	☐ Other		
☐ Flotation			
☐ Other			



5. MONITORING PROGRAM



SITE OR PROJECT HAZARD MONITORING PROGRAM 5.1 **5.1.1** Air Monitoring Instruments **Instrument Selection and Initial Check Record** Reporting Format: X Field Notebook X Field Data Sheets* Air Monitoring Log Trip Report [Other Checked Task Number Number Upon Instrument No.(s) Required Received Receipt Comment Initials RAD ☐ GM (Pancake) ☐ Nal (Micro R) ZnS (Alpha Scintillator) Other ____ ⋈ PID 1-3 MiniRAE MultiRAE (LEL/O2/H2S/CO/PID) TVA 1000 (PID/FID) Other ☐ FID TVA 1000 (FID/PID) Other ____ 1-3 PDR 1000 (Particulate) ☐ Single Gas Meter (SGM) Specify Chemical: ☐ Personal Sampling Pump Specify Media: ☐ Bio-Aerosol Monitor Tubes/type: _____ Tubes/type: _____ Tubes/type: _____ ☐ Tubes/type: __



5.1 SITE OR PROJECT HAZARD MONITORING PROGRAM 5.1.1 Air Monitoring Instruments Calibration Record Instrument, Mfg., Calib. Initial **Final** Model, Setting and Setting and Calib. Method Calibrator's Equip. ID No. Date Time Material Mfg.'s Other Reading Reading Initials



5.2 SITE AIR MONITORING PROGRAM

Action Levels

These Action Levels, if not defined by regulation, are some percent (usually 50%) of the applicable PEL/TLV/REL. That number must also be adjusted to account for instrument response factors.

instrument response factors.	Tasks	Action Le	Action	
Explosive or Flammable Atmosphere		Ambient Air Concentration	Confined Space Concentration	
		<10% LEL	0 to 1% LEL	Work may continue. Consider toxicity potential.
				Work may continue. Increase monitoring frequency.
				Work must stop. Ventilate area before returning.
Oxygen		Ambient Air Concentration	Confined Space Concentration	
		<19.5% O ₂	<19.5% O ₂	Leave area. Re-enter only with self-contained breathing apparatus.
		19.5% to 25% O ₂	19.5% to 23.5% O ₂	Work may continue. Investigate changes from 21%.
		>25% O ₂	>23.5% O ₂	Work must stop. Ventilate area before returning.
Radiation	3, Radiation	< 3 times background		Continue work.
	screening related to XRF to be performed by selected subcontractor for XRF work	3 times background	Radiation above background levels (normally 0.01-0.02 mR/hr) signifies possible radiation source(s) present. Continue investigation with caution. Perform thorough monitoring. Consult with a Health Physicist.	
		> 1 mrem/	Potential radiation hazard. Evacuate site. Continue investigation only upon the advice of Health Physicist.	
☑ Organic Gases and Vapors	1, 2	1.0 units sustained		Increase monitoring frequency. Stop work and evaluate appropriate PPE
☑ Inorganic Gases, Vapors, and Particulates	1, 2	100 μg/m³ above backgr minute period	Continue work with dust suppression techniques. If levels exceed 150 µg/m³ above background per 15-minute period. Stop work and re-evaluate dust suppression.	



5.3 ACTION LEVELS

(Attach action level calculations)



6. HOSPITAL INFORMATION



6.1 CONTINGENCIES						
Agency Contact Phone Number						
		455-6155 and dia	From 6 am to 4:30 pm Pacific Time call 800- 455-6155 and dial 0 for the Operator or ext. 475 for Heather Lind to request the on-call clinician.			
After-Business Hours Contact (In Case of Emergency Only)		4:31 p.m. – 5:59 Saturday, Sunda 6155 Dial 3 to rea service. Request with the on-call c	4:31 p.m. – 5:59 a.m. Pacific Time, all day Saturday, Sunday, and Holidays call 800-455 6155 Dial 3 to reach the after-hours answering service. Request that the service connect you with the on-call clinician or the on-call clinician will return your call within 30 minutes.			
lealth & Safety	Harold Hannah	(610) 701-3024 -	(267) 516-0274 (Cell)			
afety Manager	George Crawford	(610) 701-3771 -	(610) 701-3771 - (484) 437-5976 (Cell)			
	George Crawford	` '	(610) 701-3771- (484) 437-5976 (Cell)			
Fire Department		911				
Police Department		911				
WESTON FSO Cell Phone						
WESTON PM Cell Phone		(610) 701-3679				
		(800) 222-1222	-			
Local Med	lical Emergency Facili	ity(s) - LMF				
ospital			<u>-</u>			
Y 14830			Phone No.: 607-937-8674			
			Phone No.:			
	ital:		Travel time from site:			
(See Attached			9 Minutes			
			Distance to hospital: 5.2 Miles			
			Name/no. of 24-hr ambulance service: 911			
	6.1.1 Emergations istrator Health & Safety Afety Manager Afety Officer Local Medicuspital Y 14830 Route to Hosp	Contact Dr. Peter Greaney Heather Lind Health & Safety Harold Hannah George Crawford George Crawford Ty Officer John Sontag Local Medical Emergency Faciliospital	Contact Phone Numbers Contact Phone Number Dr. Peter Greaney Heather Lind From 6 am to 4: 455-6155 and dial for Heather Lind to 4:31 p.m. – 5:55 Saturday, Sunda 6155 Dial 3 to resservice. Request with the on-call confidence will return your feel of the service of the servic			



	Secondary or Specialty Service Provider			
Name of Hospital:				
Address:		Phone No.:		
Name of Contact:		Phone No.:		
Type of Service:	Route to Hospital (see attached):	Travel time from site:		
Physical trauma only				
☐ Chemical exposure only		Distance to hospital:		
Physical trauma and chemical exposure		Name/no. of 24-hr ambulance service:		
Available 24 hours		1		


See reporting an incident in Attachment F.



6.1.2 Hospital Map

This map is subject to Google's Terms of Service, and Google is the owner of rights therein.

Portions of this image may have been removed for clarity.



1.	Head south on Canisteo St toward Woodview Ave	go 82 f t total 82 ft
) 2.	Take the 1st right onto Woodview Ave	go 0.1 m total 0.1 m
1 3.	Take the 1st left onto Conhocton St	go 495 fi total 0.2 m
352) ⁴ .	Take the 2nd left onto NY-352 E/E Corning Rd/Denison Pkwy E Continue to follow NY-352 E/E Corning Rd About 5 mins	go 3.8 mi total 4.0 mi
5.	Continue straight onto E Corning Rd Destination will be on the left About 2 mins	go 1.2 m total 5.2 mi



6.1 CONTINGENCIES							
6.1.3 Response Plans							
Provide first aid, if trained; assess and determine need for further medical assistance. Transport or arrange for transport after appropriate.		First Aid Kit: Yes No Blood Borne Pathogens Kit: Yes No	Type Appropriate sized ANSI-approved Type III Kit, plus BBP	In Vehicle near work area	Special First-Aid Procedures: Cyanides on-site Yes No If yes, contact LMF. Do they have antidote kit? Yes No		
LIVIF = Local Medical Facility		Eyewash required Yes No	Туре	Location	HF on-site Yes No If yes, need neutralizing ointment for first- aid kit. Contact LMF.		
		Shower required Yes No	Туре	Location			
Plan for Response to Spill/Release		Plan for Response to Fire/Explosion		Fire Extinguishers			
In the event of a spill or release, ensure safety, assess situation, and perform containment and control measures, as appropriate.	 a. Cleanup per SDSs if small; or sound alarm, call for assistance, notify Emergency Coordinator b. Evacuate to predetermined safe place c. Account for personnel d. Determine if team can respond safely e. Mobilize per Site Spill Response Plan 	In the event of a fire or explosion, ensure personal safety, assess situation, and perform containment and control measures, as appropriate:	vent of a fire or on, ensure al safety, assess n, and perform ment and control es, as a. Sound alarm and call for assistance, notify Emergency Coordinator b. Evacuate to predetermined safe		Type/Location ABC/Vehicle / / / / / / / / / / / / / / / / / /		
Description of Spill Response Gear	Location	Description (Other Fire Re	esponse Equipr	ment)	Location		
Plan to Respond to Sec	urity Problems				<u> </u>		
911 Emergency							



7. DECONTAMINATION PLAN



7.1 GENERAL DECONTAMINATION PLAN **Personnel Decontamination** Consistent with the levels of protection required, step-by-step procedures for personnel decontamination for each level of protection are attached. Level D PPE with used PPE properly disposed on-site Levels of Protection Required for Decontamination Personnel The levels of protection required for personnel assisting with decontamination will be: Level D Level B Level C Modifications include: **Disposition of Decontamination Wastes** Drill cuttings and other waste soil/water generated during characterization activities will be containerized daily in 55-gallon drums or other appropriate containers (as described in the Study Area Work Plan). The filled containers will be staged in a secure, designated area (TBD). The waste soil and waste water will be properly disposed in accordance with sample results. **Equipment Decontamination** A procedure for decontamination steps required for non-sampling equipment and heavy machinery follows: Equipment will be decontaminated in accordance with the decontamination SOP included in the Study Area Work Plan. **Sampling Equipment Decontamination** Sampling equipment will be decontaminated in accordance with the following procedure: All non-dedicated sampling and monitoring equipment will be decontaminated in accordance with the decontamination SOP included in the Study Area Work Plan.



7.2 LEVEL D DECONTAMINATION PLAN
Check indicated functions or add steps, as necessary:
Function Description of Process, Solution, and Container
Segregated equipment drop
Boot cover and glove wash
Boot cover and glove rinse
☐Tape removal - outer glove and boot
Boot cover removal
Outer glove removal
HOTLINE
Suit/safety boot wash
Suit/boot/glove rinse
Safety boot removal
Suit removal
☐Inner glove wash
☐Inner glove rinse
☐Inner glove removal
Inner clothing removal
CONTAMINATION REDUCTION ZONE (CRZ)/SAFE ZONE BOUNDARY
Field wash
Redress
Disposal Plan, End of Day:
Disposal Plan, End of Week:
Disposal Plan, End of Project:



7.3 LEVEL C DECONTAMINATION PLAN
Check indicated functions or add steps, as necessary:
Function Description of Process, Solution, and Container
Segregated equipment drop
Boot cover and glove wash
Boot cover and glove rinse
☐Tape removal - outer glove and boot
Boot cover removal
Outer glove removal
HOTLINE
Suit/safety boot wash
Suit/boot/glove rinse
Safety boot removal
☐Suit removal
☐Inner glove wash
☐Inner glove rinse
Face piece removal
☐Inner glove removal
☐Inner clothing removal
CONTAMINATION REDUCTION ZONE (CRZ)/SAFE ZONE BOUNDARY
Field wash
Redress
Disposal Plan, End of Day:
Disposal Plan, End of Week:
Disposal Plan, End of Project:



7.4 LEVEL B () or Level A () DECONTAMINATION PLAN
Check indicated functions or add steps, as necessary:
Function Description of Process, Solution, and Container
Segregated equipment drop
Boot cover and glove wash
Boot cover and glove rinse
Tape removal - outer glove and boot
Boot cover removal
Outer glove removal
HOTLINE
☐Suit/safety boot wash
☐Suit/SCBA/boot/glove rinse
☐Safety boot removal
Remove SCBA backpack without disconnecting
☐Splash suit removal
☐Inner glove wash
☐Inner glove rinse
SCBA disconnect and face piece removal
☐Inner glove removal
Inner clothing removal
CONTAMINATION REDUCTION ZONE (CRZ)/SAFE ZONE BOUNDARY
Field wash
Redress
Disposal Plan, End of Day: All materials will be decontaminated daily in accordance with the decontamination SOP included in the Study Area Work Plan and containerized in 55-gallon drums or other appropriate containers in a secure area.
Disposal Plan, End of Week:
Disposal Plan, End of Project: All material, will be disposed of properly and in accordance with sampling results.



8. TRAINING AND BRIEFING TOPICS/SIGN OFF SHEET



8.1 TRAINING AND	8.1 TRAINING AND BRIEFING TOPICS					
The following items will be covered at the site-specific training me	eeting, daily or periodically.					
Site characterization and analysis, Sec. 3.0, 29 CFR 1910.120 I	Level A					
Physical hazards	Level B					
Chemical hazards	Level C					
Animal bites, stings, and poisonous plants	Level D					
Etiologic (infectious) agents	Monitoring, 29 CFR 1910.120 (h)					
Site control, 29 CFR 1910.120 d	Decontamination, 29 CFR 1910.120 (k)					
Engineering controls and work practices, 29 CFR 1910.120 (g)	Emergency response, 29 CFR 1910.120 (I)					
Heavy machinery	Elements of an emergency response, 29 CFR 1910.120 (I)					
Forklift	Procedures for handling site emergency incidents, 29 CFR 1910.120 (I)					
Backhoe	Off-site emergency response, 29 CFR 1910.120 (I)					
Equipment	Handling drums and containers, 29 CFR 1910.120 (j)					
Tools	Opening drums and containers					
Ladder, 29 CFR 1910.25.26.26 + 29 CFR 1926.1053	Electrical material handling equipment					
Overhead and underground utilities	Radioactive waste					
Scaffolds	Shock-sensitive waste					
Structural integrity	Laboratory waste packs					
Unguarded openings - wall, floor, ceilings	Sampling drums and containers					
Pressurized air cylinders	Shipping and transport, 49 CFR 172.101, IATA					
Personal protective equipment, 29 CFR 1910.120 (g); 29 CFR 1910.134	Tank and vault procedures					
Respiratory protection, 29 CFR 1910.120 (g); ANSI Z88.2	Illumination, 29 CFR 1926.26					
Working over water FLD-19	Sanitation, 29 CFR 1926.27					
Boating safety FLD-18	Proper lifting techniques					
Heat Stress / Cold Stress	Lead, Arsenic, Cadmium exposure training					



8.2 HEALTH AND SAFETY PLAN APPROVAL/SIGNOFF FORM

Site Name: Study Area, Corning, New York WO#: 02005.056.001.0001

Address: Located in Corning, New York on the north bank of the Chemung River (see Figure 1).

I understand, agree to, and will conform with the information set forth in this Health and Safety Plan (and attachments) and discussed in the personnel health and safety briefing(s).

Name	Signature	Date



ATTACHMENT A CHEMICAL CONTAMINANTS DATA SHEETS



ATTACHMENT B SAFETY DATA SHEETS

(ATTACH SDS)



ATTACHMENT C

SAFETY PROCEDURES/FIELD OPERATING PROCEDURES (FLD OPS)

In lieu of attaching individual copies of FLDs, the site safety officer or his designee may elect to maintain an electronic copy of the WESTON Corporate Environmental Compliance, Health, and Safety Program Manual (including all FLDs) on site in an electronic format. The most recent version of the CEHS Program Manual and supporting documents are located at:

http://portal/services/EHS/SitePages/CEHSProgramElements.aspx



ATTACHMENT D HAZARD COMMUNICATION PROGRAM



SITE-SPECIFIC HAZARD COMMUNICATION PROGRAM

Location-Specific Hazard Communication Program/Checklist

To ensure an understanding of and compliance with the Hazard Communication Standard, WESTON will use this checklist/document (or similar document) in conjunction with the WESTON Written Hazard Communication Program as a means of meeting site- or location-specific requirements.

While responsibility for activities within this document reference the WESTON Safety Officer (SO), it is the responsibility of all personnel to ensure compliance. Responsibilities under various conditions can be found within the WESTON Written Hazard Communication Program.

To ensure that information about the dangers of all hazardous chemicals used by WESTON is known by all affected employees, the following Hazard Communication Program has been established. All affected personnel will participate in the Hazard Communication Program. This written program, as well as WESTON's Corporate Hazard Communication Program, will be available for review by any employee, employee representative, representative of OSHA, NIOSH, or any affected employer/employee on a multi-employer site.

Site or other location name/addre	ess: Study Area, Corning, NY	
Site/Project/Location Manager:	John Sontag	
Site/Location Safety Officer:	TBD	
List of chemicals compiled, forma	at: x HASP	
Location of SDS files:	Attached	
Training conducted by: Name:	TBD	Date: ———
Indicate format of training docum	entation: X Field Log: Other:	
Client briefing conducted regardi	ng hazard communication:	
If multi-employer site (client, sub-	contractor, agency, etc.), indicate name of af	fected companies:
Other employer(s) notified of che	micals, labeling, and SDS information:	
Has WESTON been notified of o necessary? ☐ Yes X No	ther employer's or client's hazard communica	ation program(s), as

List of Hazardous Chemicals

A list of known hazardous chemicals used by WESTON personnel must be prepared and attached to this document or placed in a centrally identified location with the SDSs. Further information on each chemical may be obtained by reviewing the appropriate SDS. The list will be arranged to enable cross-reference with the SDS file and the label on the container. The SO or Location Manager is responsible for ensuring the chemical listing remains up-to-date.

Container Labeling

The WESTON SO will verify that all containers received from the chemical manufacturer, importer, or distributor for use on-site are clearly labeled.

The SO is responsible for ensuring that labels are placed where required and for comparing SDSs and other information with label information to ensure correctness.



Safety Data Sheets (SDSs)

The SO is responsible for establishing and monitoring WESTON's SDS program for the location. The SO will ensure that procedures are developed to obtain the necessary SDSs and will review incoming SDSs for new or significant health and safety information. He/she will see that any new information is passed on to the affected employees. If an SDS is not received at the time of initial shipment, the SO will call the manufacturer and have an SDS delivered for that product in accordance with the requirements of WESTON's Written Hazard Communication Program.

A log for, and copies of, SDSs for all hazardous chemicals in use will be kept in the SDS folder at a location known to all site workers. SDSs will be readily available to all employees during each work shift. If an MSDS is not available, immediately contact the WESTON SO or the designated alternate. When a revised SDS is received, the SO will immediately replace the old SDS.

Employee Training and Information

The SO is responsible for the WESTON site-specific personnel training program. The SO will ensure that all program elements specified below are supplied to all affected employees.

At the time of initial assignment for employees to the work site, or whenever a new hazard is introduced into the work area, employees will attend a health and safety meeting or briefing that includes the information indicated below.

- Hazardous chemicals present at the work site.
- Physical and health risks of the hazardous chemicals.
- The signs and symptoms of overexposure.
- Procedures to follow if employees are overexposed to hazardous chemicals.
- Location of the SDS file and Written Hazard Communication Program.
- How to determine the presence or release of hazardous chemicals in the employee's work area.
- How to read labels and review SDSs to obtain hazard information.
- Steps WESTON has taken to reduce or prevent exposure to hazardous chemicals.
- How to reduce or prevent exposure to hazardous chemicals through the use of controls procedures, work practices, and personal protective equipment.
- Hazardous, non-routine tasks to be performed (if any).
- · Chemicals within unlabeled piping (if any).

Hazardous Non-routine Tasks

When employees are required to perform hazardous non-routine tasks, the affected employee(s) will be given information by the SO about the hazardous chemicals he or she may use during such activity. This information will include specific chemical hazards, protective and safety measures the employee can use, and steps WESTON is using to reduce the hazards. These steps include, but are not limited to, ventilation, respirators, presence of another employee, and emergency procedures.

Chemicals in Unlabeled Pipes

Work activities may be performed by employees in areas where chemicals are transferred through unlabeled pipes. Prior to starting work in these areas, the employee will contact the SO, at which time information as to the chemical(s) in the pipes, potential hazards of the chemicals or the process involved, and the safety precautions that should be taken will be determined and presented.

Multi-Employer Work Sites

It is the responsibility of the SO to provide other employers with information about hazardous chemicals imported by WESTON to which their employees may be exposed, along with suggested safety precautions. It is also the responsibility of the SO and the Site Manager to obtain information about hazardous chemicals used by other employers to which WESTON employees may be exposed.



WESTON's chemical listing will be made available to other employers, as requested. SDSs will be available for viewing, as necessary.

The location, format, and/or procedures for accessing SDS information must be relayed to affected employees.



ATTACHMENT E AIR SAMPLING DATA SHEETS



			AIR MON	TORING F	PROGRAM	1			
			Fie	eld Data She	ets				
Location:				Aerosol	GM: Shield Probe/ Thin Window				
% LEL	% O ₂	PID (units)	FID (units)	units) FID (units)	Monitor (mg/m³)	mR/hr	cpm	Nal (uR/hr)	ZnS (cpm)
	Monit	tox (ppm)			D	etector Tube	(s)		
Sound Lev	vols (dRA)	Illumination	рН	Other	Other	Other	Other	Other	
Souria Lev	leis (dBA)	munimation	рп	Otilei	Other	Other	Other	Other	
Location:									
				Aerosol Monitor	GM: Shie Thin W	ld Probe/ /indow	Nal	ZnS	
% LEL	% O ₂	PID (units)	FID (units)	(mg/m³)	mR/hr	срт	(uR/hr)	(cpm)	
	Monit	tox (ppm)			D	etector Tube	(s)		
Sound Lev	vels (dBA)	Illumination	рН	Other	Other	Other	Other	Other	




AIR MONITORING/SAMPLING DATA LOG							
Client:			W.O. No.:		Sampl	Sample No.:	
Address:			Sample	d By:		Date:	
	Emplo	yee ar	nd Locati	on Info	rmation		
Employee Name:		Em	ployee No	o.:	,	Job Title:	
Respirator ☐ APR ☐ PAPR ☐ SAR ☐ SCBA	☐ ½ Mask ☐ Full Fa	ace 🗌	Hood Hood	Manufa			Cartridge Type:
PPE: Hard Ha	at HPD Gloves	s 🗆	Safety Sho	es 🗆 (Coveralls	Other:	
		Sa	ampling	Data			
. 0 ,.		Media:				Pump Typ	pe/Serial No.:
☐ TWA ☐ STEL						,	
☐ Full Shift ☐ Partial S	Shift						
Calibrator/Serial No.:			bration:			Post-Calib	oration:
1		1. 2.				1. 2.	
		3.		3.			
Start Time:	Restart Time:	avg-pre: Resta	<u> </u>		% Change:		
1 st Stop Time:	2 nd Stop Time:	3rd St	top Time:	Total Time:		Volume:	
•			-				
Multiple Samples for this ☐ Yes ☐ No	s TWA: Multip □ Ye		nical Expos	sures:	Exposure Time: ☐ Normal ☐ Worst Case		
	, _	Samp	oling Cor	nditions			_
Weather Conditions:	Tomp: D	H:	Ь	.P.:	Ot	her:	
Engineering Controls:	Temp: R	.п.	В	.r	Oti	ner.	
		Subst	onoos E	valuato	-		
Substance	Result S	ubstanc	ances E	Resu		Substan	ce Result
	Ob	servat	ions and	Comm	ents		
QA by:							Date:



ATTACHMENT F INCIDENT REPORTING





Please go to NOITrack using the following link to complete incident reporting. If you are in the field and do not have access to NOITrack, please contact someone in your office to do the reporting for you.

http://asweb/noitrack/IncidentInfo.aspx

Questions can be directed to Susan Hipp-Ludwick at 610.701.3046.



ATTACHMENT G TRAFFIC CONTROL PLAN



ATTACHMENT H ENVIRONMENTAL HEALTH & SAFETY INSPECTION CHECKLIST



ENVIRONMENTAL HEALTH AND SAFETY INSPECTION CHECKLIST

Project Name:	_	
Inspector:	_	
Submit to:	<u> </u>	
	Date [.]	



THE WESTON SITE APPEARANCE

YES	NO		COMMENT
		Is the site secured to prevent inadvertent, unnecessary, or unauthorized access? Are gates closed and locked at any time that the access point is not occupied or visible to site workers?	
		Are access points posted with signs to indicate client and end-user client name, WESTON's name and logo, names of other contractors and sub-contractors, project name and location, and appropriate safety messages?	
		Are required postings in place (e.g., Labor Poster, Emergency Phone Numbers, Site Map, etc.)?	
		Are site trailers tied down per local code and provided with stairs that have a landing platform with guard and stair railings?	
		Is a Site Safety file system established in the office to maintain records required by applicable safety regulations	
		Is the Health and Safety Plan (HASP) or Accident Prevention Plan (APP) amended as scope of work changes, hazards are discovered or eliminated or if risk change?	
		Is the Site Safety Plan and the Safety Officers Field Manual on site?	
		Is new employee indoctrination provided?	
		Have site Rules been provided, discussed and signed off on by all employees	
		Incident Reporting procedure explained to all?	
		Is site management trained in the WESTON (and client as applicable) Incident Reporting system?	
		Are NOI and Supplemental Report forms and OSHA 300 Log available on site?	
		Is Site Management aware of the Case Management and Incident Investigation Procedures?	
		Is there a list of preferred provider medical facilities available?	
		Has the "Inspection By A Regulatory Agency" procedure been reviewed by all site management?	
		Will Competent Persons be required because of activities to be performed, equipment to be used or hazards to be encountered?	
		POLICIES	
YES	NO		COMMENT
		Each individual employee is aware that he or she responsible for complying with applicable safety requirements, wearing prescribed safety equipment and preventing avoidable accidents.	
		Do employees understand that they will wear clothing suitable for existing weather and work conditions and the minimum work uniform will include long pants, sleeved work shirts, protective footwear, hard hat, and safety glasses unless otherwise specified via the HASP.	
		Are employees provided safety and health training to enable them to perform their work safely? Is all training documented to indicate the date of the session, topics covered, and names of participants?	
		Safety meetings are conducted daily. The purpose of the meetings are to review past activities, review pertinent tailgate safety topics and establish safe working procedures for anticipated hazards encountered during the day.	
		Training has been provided to all personnel regarding handling of emergency situations that may arise from the activity or use of equipment on the project.	
		Employees/contractors are informed and understand that they may not be under the influence of alcohol, narcotics, intoxicants, or similar mind-altering substances at any time. Employees found under the influence of or consuming such substances will be immediately removed from the job site.	
		Site workers and operators of any equipment or vehicles are able to read and understand the signs, signals, and operating instructions of their use.	
		Have contractors performing work provided copies of relevant documentation (such as medical fit-for-duty, training certificates, fit-tests, etc.) prior to initiation of the project?	



SANITATION 29 CFR 1926 Subparts C, D. EM 385-1-1, Section 2

YES	NO		COMMENT
		Is an adequate supply of drinking water provided? Is potable/drinking water labeled as such? Are there sufficient drinking cups provided?	COMMENT
		Are there a sufficient number of toilets?	
		Are washing facilities readily available and appropriate for the cleaning needs?	
		Are washing facilities kept sanitary with adequate cleansing and drying materials?	
		Waste is secured so as not to attract rodents, insects, or other vermin?	
		Is an effective housekeeping program established and implemented?	
		ACCIDENT PREVENTION SIGNS, TAGS, LABELS, SIGNALS, AND PIPING SYSTEM IDE 29 CFR 1926 Subpart G. EM 385-1-1, Section 8	NTIFICATION
YES	NO		COMMENT
		Are signs, tags, and labels provided to give adequate warning and caution of hazards and instruction/directions to workers and the public?	
		Are all employees informed as to the meaning of the various signs, tags, and labels used in the workplace and what special precautions are required?	
		Are construction areas posted with legible traffic signs at points of hazard?	
		Are signs required to be seen at night lighted or reflectorized?	
		Tags contain a signal word ("danger" or "caution") and a major message to indicate the specific hazardous condition or the instruction to be communicated to the employee. Tags follow requirements as outlined in 29 CFR 1926.200.	
		MEDICAL SERVICES AND FIRST AID 29 CFR 1926 Subparts C, D. EM 385-1-1, Section 3	
YES	NO		COMMENT
		Is a local medical emergency facility (LMEF) identified in the HASP or APP?	
		Has the LMEF been visited to verify the directions and establish contacts?	
		Has site management reviewed WESTON's incident management procedures?	
		Have clinics and specialists that will help WESTON manage injuries and illnesses been identified?	
		Is there at least two (2) people certified in First Aid and CPR?	
		Are first aid kits available at the command post and appropriate remote locations?	
		Are first Aid Kits and Eyewash/Safety Showers inspected weekly?	
		Are 15 minute eyewash/safety showers in place if required?	



FIRE PREVENTION AND PROTECTION 29 CFR 1926 Subpart F. EM 385-1-1, Section 9

L	YES	NO		COMMENT
			Is an Emergency Response and Contingency Plan in place?	
			Are emergency phone numbers posted?	
			Are fire extinguishers selected and provided based on the types of materials and potential fire classes in each area?	
			Are fire extinguishers provided in each administrative and storage trailer, within 50 ft but no closer than 25 ft of any fuel or flammable liquids storage, on welding and cutting equipment, on mechanical equipment?	
			Are fire extinguishers checked daily and inspected monthly?	
			Do site personnel know the location of fire extinguishers and how to use them?	
			Are flammable and combustible liquids stored in approved containers?	
			Safety cans are used for dispensing flammable or combustible liquids in 5 gallon or less volumes.	
Ī			Are flammable and combustible liquids stored in flammable storage cabinets or appropriate storage areas?	
ſ			Are flammable materials separated from oxidizers by at least 20 feet (or 5 foot tall, ½ -hour rated fire wall) when in storage?	
Ī			Are fuel storage tanks double walled or placed in a lined berm?	
Ī			Spills are cleaned up immediately and wastes are disposed of properly.	
Ī			Combustible scrap, debris, and waste material (oily rags) are stored in closed metal containers and disposed of promptly.	
Ī			Vehicle fueling tanks are grounded and bonding between the tank and vehicle being fueled is provided?	
Ī			LPG is stored, handled, and used according to OSHA regulations 29 CFR 1926.	
Ī			LPG cylinders are not stored indoors.	
Ī			Is a hot work permit program in place? See WESTON FLD-36	
ľ			Is smoking limited to specific areas, prohibited in flammable storage areas and are signs posted to this effect?	



HAZARDOUS SUBSTANCES, AGENTS, AND ENVIRONMENTS 29 CFR 1926 Subparts D, Z. EM 385-1-1, Sections 6, 28

YES	NO		COMMENT
		Are operations, materials and equipment evaluated to determine the presence of hazardous contaminants or if hazardous agents could be released in the work environment?	
		Are SDS for substances made available at the work-site when any hazardous substance is procured, used, or stored?	
		Are all containers and piping containing hazardous substances labeled appropriately?	
		Is there an inventory of hazardous substances?	
		Is there a site Specific Hazard Communication Program?	
		Spill kits appropriate for the hazardous materials present are on site and their location is known to spill responders.	
		Is disposal of excess hazardous chemicals performed according to WESTON's guidelines and RCRA regulations?	
		Before initiation of activities where there is an identified asbestos or lead hazard, is there a written plan detailing compliance with OSHA and EPA asbestos or lead abatement requirements? Does the plan comply with state and local authority, and USACE requirements, as applicable?	
		Are personnel trained and provided with protection against hazards from animals, poisonous plants, and insects?	



PERSONAL PROTECTIVE AND SAFETY EQUIPMENT, RESPIRATORY AND FALL PROTECTION 29 CFR 1926 Subparts D, E, M. EM 385-1-1, Section 5

YES	NO		COMMENT
		Do employees understand that the minimum PPE is hard hat, safety glasses with side shields and safety shoes or boots and that long pants and a sleeved shirt are required?	
		Has the SSHC reviewed the PPE requirements in the HASP against actual site conditions and certified that the PPE is appropriate? (see Field Manual, PPE Program)	
		PPE is inspected, tested and maintained in serviceable and sanitary condition as recommended by the manufacturer. Is defective or damaged equipment taken out of service and repaired or replaced?	
		Are workers trained in the use of the PPE required?	
		Are personnel exposed to vehicular or equipment traffic, including signal persons, spotters or inspectors required to vests or apparel marked with a reflective or high visibility material?	
		Is there a noise hazard? If yes, hearing protection will be required.	
		Is there a splash or splatter hazard? Face shields or goggles will be required.	
		Will personnel be working in or over water? Personnel Floatation devices will be required.	
		Is there a welding hazard? Welding helmet and leathers will be required. Is there a cutting torch hazard? Goggles and protective clothing will be required.	
		Is each person on a walking/working surface with an unprotected side or edge which is 6 feet (1.8 m) or more above a lower level protected from falling by the use of guardrail systems, safety net systems or personal fall arrest systems? See WESTON FLD 25 (Note General Industry standard is four feet).	
		Guardrail systems are used as primary protection whenever feasible. Guardrail construction meets criteria in 29 CFR 1926.502(b).	
		Personal fall arrest systems (PFAS) are inspected and appropriate for use.	
		Ropes and straps (webbing) used in lanyards, lifelines, and strength components of body belts and body harnesses are from synthetic fibers.	
		Safety nets and safety net installations are constructed, tested and used according to 29 CFR 1926.502.c	
		Is respirator use required? See WESTON Respiratory Protection Program	
		Persons using respiratory protection have been successfully medically cleared, trained, and fit tested.	
		Respirators are used according to the manufacturer's instructions, regulatory requirements, selection criteria, and health and safety plan provisions.	
		For Level C operations with organic vapor contamination, is the cartridge change-out schedule documented?	
		Is breathing certified as Grade D, or better, and certification available on-site?	



MACHINERY AND MECHANIZED EQUIPMENT 29 CFR 1926 Subparts N, O, CC and DD. EM 385-1-1, Sections 16, 17, 18

YE	-S NO		COMMENT
		Are inspections of machinery by a competent person established?	
		Is equipment inspected daily before its next use?	
		Equipment inspection reports are reviewed, followed-up on negative findings and records of inspections are maintained?	
		Machinery or equipment found to be unsafe is taken out of service until the unsafe condition has been corrected.	
		Is there a preventive maintenance program established?	
		Are operators of equipment qualified and authorized to operate?	
		Is all self-propelled construction and industrial equipment equipped with a reverse signal alarm?	
		Are seats or equal protection provided for each person required to ride on equipment. Are seatbelts installed and worn on motor vehicles, as appropriate.	
		All equipment with windshields is equipped with powered wipers. If fogging or frosting is possible, operable defogging or defrosting devices are required.	
		Internal combustion engines are not operated in enclosed areas unless adequate ventilation is made. Air monitoring is conducted to assure safe working conditions.	
		Is each bulldozer, scraper, dragline, crane, motor grader, front-end loader, mechanical shovel, backhoe, or similar equipment equipped with at least one dry chemical or carbon dioxide fire extinguisher with a minimum rating of 5-B:C?	
		Will cranes or other lifting devices be used? If so, are the following documents available on site: 1) a copy of the operating manual, 2) load rating chart, 3) log book, 4) a copy of the last annual inspection and 5) the initial on-site inspection?	
		Do operators have certificates of training to operate the type of crane(s) to be used?	
		Is a signal person provided when the point of operation is not in full view of the vehicle, machine, or equipment operator? When manual (hand) signals are used, is only one person designated to give signals to the operator?	
		Signal persons back one vehicle at a time. While under the control of a signal person, drivers do not back or maneuver until directed. Drivers stop if contact with the signal person is lost.	
		Is a critical lift plan prepared by a competent person whenever: a lift is not routine, or a lift exceeds 75% of a crane's capacity, a lift results in the load being out of the operator's line of sight, or a lift involves more than one crane, a man basket is used, or the operator believes there is a need for a critical lift plan.	
		Fork Lifts (Powered Industrial Trucks) - Will forklifts be used on site?	
		All forklifts meet the requirements of design, construction, stability, inspection, testing, maintenance, and operation as indicated in ANSI/ASME B56.1 Safety Standards for Low Lift and High Lift Trucks.	
		Do forklift operators have certificates of training?	
		Are pile driving operations conducted according to EM 385-1-1, Section 16.L?	
		Is drilling equipment operated, inspected, and maintained as specified in the manufacturer's operating manual? Is a copy of the manual available at the work-site? See also the Drilling Safety Guide in the Safety Officers Field Manual.	
		Are flag persons provided when operations or equipment on or near a highway expose workers to traffic hazards? Do flag persons and persons working in proximity to a road wear high visibility vests? Are persons exposed to highway vehicle traffic protected by signs in all directions warning of the presence of the flag persons and the work? Do signs and distances from the work zone conform to federal and local regulations?	



MOTOR VEHICLES 29 CFR 1926 Subpart O. EM 385-1-1, Section 18

L	YES	NO		COMMENT
			Motor vehicle operators have a valid permit, license, or certification of ability for the equipment being operated.	
			Inspection, maintenance, and repair is according to manufacturer's requirements by qualified persons.	
			Vehicles are inspected on a scheduled maintenance program.	
			Vehicles not in safe operating condition are removed from service until defects are corrected.	
			Glass in windshields, windows, and doors is safety glass. Any cracked or broken glass is replaced.	
			Seatbelts are installed and worn.	
			The number of passengers in passenger-type vehicles does not exceed the number which can be seated.	
			Trucks used to transport personnel have securely anchored seating, a rear end gate, and a guardrail.	
			No person is permitted to ride with arms or legs outside of a vehicle body; in a standing position on the body; on running boards; seated on side fenders, cabs, cab shields, rear of the truck or on the load.	
ſ			ATV operators possess a valid state driver's license, have completed an ATV training course prior to operation of the vehicle, and wear appropriate protective equipment such as helmets, boots, and gloves.	



EXCAVATING AND TRENCHING 29 CFR 1926 Subpart P. EM 385-1-1, Section 25

YES	NO		COMMENT
		Has the known or estimated location of utility installations such as sewer, telephone, fuel, electric, water lines, or any other underground installations that may be expected to be encountered during excavation been determined before excavation? Have utility locations been verified by designated state services according to state regulations? Has the client provided clearance where state jurisdiction doesn't apply?	
		Have overhead utilities in excavation areas been identified and either de-energized, shielded or barricaded so excavating equipment will not come within 10 feet?	
		Are inspections of the excavation, the adjacent areas, and protective systems made daily and as necessary by a competent person?	
		Are Protective systems in place as prescribed by the competent person?	
		Is material removed from excavations managed so it will not overwhelm the protective systems?	
		Are barriers provided between excavations and walkways?	
		Are excavations by roadways barricaded to warn vehicles of presence or to prevent them from falling in?	
		Is there a means of exit from the excavation every 25 feet?	
		Is air monitoring required? If yes, Is it performed?	
		CONFINED SPACES 29 CFR 1910 Subpart J. EM 385-1-1, Section 6	
YES	NO		COMMENT
		Is there a Confined Space Entry Program in place?	
		Are the confined Spaces identified and labeled?	
		Will the Confined Spaces be entered?	
		Is appropriate entry documentation used and on-file?	



ELECTRICAL 29 CFR 1926 Subpart K. EM 385-1-1, Section 11

YES	NO		COMMENT
		Are electrical installations made according to the National Electrical Code and applicable local codes?	
		Qualified electricians make all connections and perform all work within 10 feet of live electric equipment.	
		Location of underground, overhead, under floor, behind wall electrical lines is known and communicated. Lines are documented by qualified person as de-energized where necessary.	
		Workers understand they must not work near live parts of electric circuits, unless they are qualified as required by OSHA or are protected by de-energizing and grounding the parts, guarding the parts by insulation, or other effective means?	
		Employees who regularly work on or around energized electrical equipment or lines are instructed in the cardiopulmonary resuscitation (CPR) methods.	
		Workers are prohibited from working alone on energized lines or equipment over 600 volts.	
		Are Ground-fault circuit interrupters (GFCl's) or is ground fault circuit protection provided to protect employees from ground-fault hazards for all 115 – 120 Volt, 15 and 20 amp receptacle outlets which are not a part of the permanent wiring of a building or structure at construction sites?	
		Circuit breakers are labeled.	
		Circuit breaker and all cabinets with exposed electric conductors are kept tightly closed.	
		Unused openings (including conduit knockouts) in electrical enclosures and fittings are closed with appropriate covers, plugs, or plates.	
		Sufficient access and working space is provided and maintained about all electrical equipment to permit ready and safe operations and maintenance.	
		Motors are located within sight of their controllers or controller disconnecting means are capable of being locked in the pen position or is a separate disconnecting means installed in the circuit within sight of the motor.	
		Are visual inspections of extension cords and cord-and plug-connected equipment conducted daily? Is equipment found damaged or defective tagged and removed from service, and not used until repaired?	
		Wet Areas - Is portable lighting used in wet or conductive locations, such as tanks or boilers operated at no more than 12 volts and protected by GFCIs.	
		Are electrical installations in hazardous areas to NEC?	
		Metal ladders and tools including tape measures or fabric with metal thread are prohibited where contact with energized electrically parts is possible.	
		All extension cords are the three-wire type, designed and rated for hard or extra hard usage?	
		Worn or frayed electrical cords or cables are taken out of service. Fastening with staples, hanging from nails or suspending extension cords by wire is prohibited.	
		Electric wire/flexible cord passing through work areas is protected from damage such as foot traffic, vehicles, sharp corners, projections and pinching? Flexible cords and cables passing through holes are protected by bushings or fittings?	
		Before an employee or contractor performs any service or maintenance on a system where the unexpected energizing, start up, or release of kinetic or stored energy could occur and cause injury or damage, the system is to be isolated. Only authorized persons may apply and remove lockouts and tags.	
		Contractors planning to use hazardous energy control procedures submit their hazardous energy control plan to the WESTON site safety officer or designee before implementing lockout/tagout procedures.	
		There is a site specific hazardous energy control plan that clearly and specifically outlines the scope, purpose, authorization, rules and techniques to be used for the control of hazardous energy.	
		Workers possess the knowledge and skills required for the safe application, usage, and removal of energy controls.	



WELDING AND CUTTING 29 CFR 1926 Subpart J. EM 385-1-1, Section 10

YES	NO		COMMENT
		Prior to performing welding, cutting or any other heat or spark producing activity, an assessment of the area is made by a	
	ш	competent person to identify combustible materials and potential sources of flammable atmospheres.	
		Welders, cutters and their supervisors are trained in the safe operation of their equipment, safe welding and cutting practices, hot	
		work permit requirements, and fire protection.	
		Welding and cutting equipment is inspected daily before use. Unsafe equipment is taken out of use, replaced, or repaired.	
		Workers and the public are shielded from welding rays, flashes, sparks, molten metal, and slag.	
		Employees performing welding, cutting, or heating are protected by PPE appropriate for the hazards (e.g., respiratory, vision and skin protection).	
		Compatible fire extinguishing equipment is provided in the immediate vicinity of welding or cutting operations.	
		Drums, tanks, or other containers and equipment which have contained hazardous materials shall be thoroughly cleaned before	
		welding or cutting. Cleaning shall be performed in accordance with NFPA 327, <u>Cleaning or Safeguarding Small Tanks and</u>	
		Containers, ANSI/AWS F4.1, Recommended Safe Practices for the Preparation for Welding and Cutting of Containers That Have	
		Held Hazardous Substances, and applicable health and safety plan requirements.	
		HAND AND POWER TOOL SAFETY	
		29 CFR 1926 Subpart I. EM 385-1-1, Section 13	
		29 CFN 1920 Subpart I. Ewi 303-1-1, Section 13	
YES	NO		COMMENT
		Power tools are from a manufacturer listed by a nationally recognized testing laboratory for the specific application for which they	
		are to be used.	
		Hand & power tools are inspected, maintained, tested, and determined to be in safe operating condition before use.	
		Tools found to be unsafe are not used, tagged and repaired or destroyed.	
		Users of tools are trained in safe use.	
		Electrical tools have cords and plug connections in good repair.	
		Electrical tools are effectively grounded or approved double insulated.	
		Reciprocating, rotating, and moving parts of equipment are guarded if they may be accessed by employees or they otherwise create a hazard.	
$\vdash \vdash$		Safety clips/retainers are installed and maintained on pneumatic impact tool connections.	
_Щ			
		Chain saws have an automatic chain brake or anti-kickback device.	
		Pneumatic and hydraulic hoses and fittings are inspected regularly.	
		Employees who operate powder actuated tools are trained and carry valid operator's cards.	
		Powder activated tools are stored in individual locked containers, when not in use and are not loaded until ready to use.	
		Powder actuated tools are inspected for obstructions or defects daily before use.	
		Powder actuated tool operators have appropriate PPE.	



RIGGING 29 CFR 1926 Subpart H. EM 385-1-1, Section 15

YES	NO		COMMENT
		Rigging equipment is inspected as specified by the manufacturer, by a qualified person, before use on each shift and as necessary to assure that it is safe.	
		Defective equipment is removed from service.	
		Rigging not in use is removed from the work area, properly stored, and maintained in good condition.	
		Wire rope removed from service for defects is cut up or plainly marked as unfit for use as rigging.	
		The number of saddle clips used to form eyes in wire rope conforms with Table H-20, are spaced evenly and the saddles are on the live side.	
		Chain rigging has a tag clearly indicating load limits, is inspected before initial use, then weekly, and is of alloyed metal.	
		Fiber rope rigging is not used if it is frozen or has been subject to acids or excessive heat.	
		Slings and their fittings and fastenings are inspected before use on each shift and as needed during use.	
		Drums, sheaves, and pulleys on rigging hardware are smooth and free of surface defects that can damage rigging.	
		MATERIAL HANDLING, STORAGE, AND DISPOSAL 29 CFR 1926 Subpart H. EM 385-1-1, Section 14	
YES	NO		COMMENT
		Employees are trained in and use safe lifting techniques.	
		Materials are not moved or suspended over workers unless positive precautions have been taken to protect workers.	
		Conveyors are constructed, inspected, & maintained by qualified persons according to manufacturer's recommendations.	
		All conveyors are to be equipped with emergency stopping devices.	
		Hazardous exposed moving machine parts are guarded mechanically, electrically or by location.	
		Controls are clearly marked and/or labeled to indicate the function controlled.	
		Taglines are used for suspended loads where the movement may be hazardous to persons.	
		Material in storage is protected from falling or collapse by effective stacking, blocking, cribbing, etc.	
		Walkways and aisles are to be kept clear.	
		Materials are not stored on scaffolds or runways in excess of normal placement or in excess of safe load limits.	
		Work areas and means of access are maintained safe and orderly.	
		Tools, materials, extension cords, hoses or debris do not cause tripping or other hazards.	
		Storage and construction sites are kept free from the accumulation of combustible materials.	
		Waste materials and rubbish are placed in containers or, if appropriate, in piles. Waste materials are disposed of in accord with applicable local, state, or federal requirements.	



FLOATING PLANT AND MARINE ACTIVITIES 29 CFR 1926 Subpart O. EM 385-1-1 Section 19

YES	NO		COMMENT
		Floating plants that are regulated by the USCG have current inspections and certificates.	
		Before any floating plant is brought to the job site and placed in service it is inspected and determined to be in safe operating condition	
		Periodic inspections are made such that safe operating conditions are maintained. Strict compliance with EM 385-1-1, Section 19 is expected.	
		Plans are in place for removing or securing the plant and evacuation of personnel endangered by severe weather and other marine emergencies such as; fire, flooding, man overboard, hazardous materials incidents, etc.	
		Means of access are properly secured, guarded, and maintained free of slipping and tripping hazards.	
		Dredging operations follow guidelines as established in EM 385-1-1, Section 19.D.	
		PRESSURIZED EQUIPMENT AND SYSTEMS 29 CFR 1926 Subparts I, F. EM 385-1-1, Section 20	
YES	NO	Described a sign and and a set on a sign and a left of the being a lead into a sign and	COMMENT
Ш		Pressurized equipment and systems are inspected before being placed into service.	
		Pressurized equipment or systems found to be unsafe are tagged "Out of Service-Do Not Use".	
		Systems and equipment are operated, inspected, and maintained by qualified, designated personnel.	
		Safe clearance, lockout/tagout procedures are followed as appropriate during maintenance or repair.	
		Air hose, pipes, fittings are pressure-rated for the activity. Defective hoses are removed from service.	
		Hoses aren't laid over ladders, steps, scaffolds, or walkways in a manner that creates a tripping hazard.	
		The use of compressed air for personal cleaning is prohibited. The use of compressed air for other cleaning is restricted to less than 30 psig.	
		Compressed gas cylinders are stored in well-ventilated locations.	
		Cylinders in storage are separated from flammable or combustible liquids and from easily ignitable materials by at least 40 feet or by a minimum five feet tall, ½ -hour fire resistive partition.	
		Stored cylinders containing oxidizing gases are separated from fuel gas cylinders by at least 20 feet or by a minimum five feet tall, ½ -hour fire resistive partition.	
		Cylinder valve caps are in place when cylinders are in storage, in transit, or a regulator is not in place.	
		Compressed gas cylinders in service are secured in substantial fixed or portable racks or hand trucks.	
		Oxygen cylinders and fittings are kept away from, and free from oil and grease.	
		Cylinder Storage areas are posted with the names of the gases in storage and with signs indicating "No Smoking or Open Flame".	
		Cylinders are to be stored such that mechanical and corrosion damage is avoided. Cylinders are not to be stored in areas required as an egress path.	
		Cylinders may be stored in the open outdoors, however, they must be protected from the ground to prevent corrosion and must	



WORK PLATFORMS/SCAFFOLDS 29 CFR 1926 Subparts L, M, N. EM 385-1-1 Sections 21, 22

YES	NO		COMMENT
		Work platforms are erected, used, inspected, tested, maintained and repaired according to manufacturer's requirements.	
		Construction, inspection, and disassembly of scaffolds is under the direction of a competent person.	
		Workers on scaffolding have been trained by a qualified person.	
		Scaffolds are erected on a firm and level surface and are square and plumb.	
		Scaffolds are not loaded in excess of rated capacity.	
		Working levels of work platforms are fully planked or decked.	
		Planks are in good condition and free from obvious defects.	
		Fabricated frame scaffolding four times higher than the base width is secured to building/structure according to manufacturer's instruction and/or OSHA requirements.	
		Working platforms of scaffolding over ten feet in height have guard rails meeting OSHA specifications. Fall protection is suggested at four feet or greater.	
		Scaffolding/work platforms are accessed by means of a properly secured ladder or equivalent. Built on ladders conform to scaffold ladder requirements. Climbing of braces is not allowed.	
		Crane supported work platforms are designed and used in accordance with OSHA standards.	
		Elevating work platforms are operated, inspected, and maintained according to the equipment operations manual.	
		Employees working in aerial lifts remain firmly on the floor of the basket. Employees use fall protection while in an aerial lift basket.	



WALKING AND WORKING SURFACES AND STAIRS 29 CFR 1926 Subparts L, M, X. EM 385-1-1, Sections 21, 22, 24

YES	NO		COMMENT
		Work areas are clean, sanitary, and orderly	
		Work surfaces are kept dry or appropriate means are taken to assure the surfaces are slip-resistant	
		Accumulations of combustible dust are routinely removed.	
		Aisles and passageways are kept clear and marked as appropriate.	
		There is safe clearance for walking in aisles where motorized or mechanical handling equipment is operating.	
		Materials or equipment is stored in such a way that sharp projections will not interfere with the walkway.	
		Changes of direction or elevation are readily identifiable.	
		Aisles or walkways that pass near moving or operating machinery, welding operations or similar operations are arranged so employees will not be subjected to potential hazards.	
		Standard guardrails are provided wherever aisle or walkway surfaces are elevated more than 30 inches above any adjacent floor or the ground and bridges provided where workers must cross over conveyors and similar hazards.	
		There are standard stair rails or handrails on all stairways having four or more risers or with an elevation of 30 or more inches.	
		Stairways are at least 22 inches wide. (General Industry Standard)	
		Stairs angle no more than 50 and no less than 30 degrees, risers are uniform from top to bottom (plus or minus 1/4 inch) and are provided with a surface that renders them slip resistant.	
		Stairway handrails are not less than 36 inches above the leading edge of stair treads and have at least 3 inches of clearance between the handrails and the wall or surface they are mounted on.	
		Where doors or gates open directly on a stairway, there is a platform provided so the swing of the door does not reduce the width of the platform to less than 20 inches.	
		Where stairs or stairways exit directly into any area where vehicles may be operated, there are adequate barriers and warnings provided to prevent employees stepping into the path of traffic.	
		Signs are posted showing the load capacity of elevated storage areas.	
		An appropriate means of access and egress is provided for surfaces with 19 or more inches of elevation change.	
		Material on elevated surfaces is minimized, with that necessary for immediate work requirements piled, stacked, or racked in a manner to prevent it from tipping, falling, collapsing, rolling, or spreading.	
		FLOOR AND WALL HOLES AND OPENINGS 29 CFR 1926 Subpart M. EM 385-1-1, Section 24	
YES	NO		COMMENT
		Floor and roof openings that persons can walk into or fall through are guarded by a physical barrier or covered.	
		Holes (defined as equal to or greater than 2 inches in least dimension) where person could trip must be covered/protected.	
		Unprotected sides and edges on a walking/working surface six feet or more (note four feet in General Industry) are protected by guardrail system, safety net, or Personal Fall Arrest System (PFAS).	
		Unused portions of service pits and pits not actually in use are either covered or protected by guardrails or equivalent.	
		Coverings for holes or other openings must be constructed of sufficient strength to support any anticipated load, must be secured in place to prevent accidental removal or displacement, and must be marked indicating purpose (e.g., stenciled "Hole" or painted contrasting color to surroundings).	



LADDERS 29 CFR 1926 Subpart X. EM 385-1-1, Section 21

	25 Of R 1520 Subpart X. Lin 505-1-1, Section 21	
10	-	COMMENT
	Portable ladders are used for their designed purpose only.	
	Portable ladders are examined for defects prior to, and after use.	
	Ladders found to be defective are clearly tagged to indicate "DO NOT USE" if repairable, or destroyed immediately if no repair is possible.	
	Workers are trained in hazards associated with ladder use and how to inspect ladders.	
	Ladders have secure footing provided by a combination of safety feet, top of ladder tie-offs and mud cills or a person holding the ladder to prevent slipping.	
	The handrails of a straight ladder used to get from one level to another extend at least 36 inches above the landing.	
	Ladders conform to construction criteria of ANSI Standards A-14.1 and A-14.2.	
	Wooden ladders are not painted with an opaque covering such that signs of flaws, cracks, or drying are obscured.	
	Fixed ladders are constructed and used according to OSHA Standards, 29 CFR 1910.27 and ANSI A-14.3.	
	Rungs, cleats or steps, and side rails that may be used for handholds when climbing, offer adequate gripping surface and are free of splinters, slivers or burrs, and substances that could cause slipping.	
	Fixed ladders of greater than 24 feet have cages or other approved fall protection devices. (Note General Industry is 20 feet).	
	Where fall protection is provided by ladder safety systems (body belts or harnesses, lanyards and braking devices with safety lines or rails), systems meet the requirements of and are used in accordance with WESTON Fall Protection Standard Practices and are compatible with construction of the ladder system.	
	DEMOLITION	
	29 CFR 1926 Subpart T. EM 385-1-1, Section 23	
10		COMMENT
	person) is completed.	
	All employees engaged in demolition activities are instructed in the demolition plan.	
	It has been determined through the engineering survey and outlined in the plan, if any hazardous materials or conditions (e.g., asbestos, lead, utility connections, etc.) exist. Such hazards are controlled or eliminated before demolition is started.	
	Continued inspections, by a competent person, are conducted to ensure safe employee working conditions.	
		Wooden ladders are not painted with an opaque covering such that signs of flaws, cracks, or drying are obscured. Fixed ladders are constructed and used according to OSHA Standards, 29 CFR 1910.27 and ANSI A-14.3. Rungs, cleats or steps, and side rails that may be used for handholds when climbing, offer adequate gripping surface and are free of splinters, slivers or burrs, and substances that could cause slipping. Fixed ladders of greater than 24 feet have cages or other approved fall protection devices. (Note General Industry is 20 feet). Where fall protection is provided by ladder safety systems (body belts or harnesses, lanyards and braking devices with safety lines or rails), systems meet the requirements of and are used in accordance with WESTON Fall Protection Standard Practices and are compatible with construction of the ladder system. DEMOLITION 29 CFR 1926 Subpart T. EM 385-1-1, Section 23 Prior to initiating demolition activities an engineering survey (by a competent person) and a demolition plan (by a competent person) is completed. All employees engaged in demolition activities are instructed in the demolition plan. It has been determined through the engineering survey and outlined in the plan, if any hazardous materials or conditions (e.g., asbestos, lead, utility connections, etc.) exist. Such hazards are controlled or eliminated before demolition is started.



TREE MAINTENANCE AND REMOVAL 29 CFR 1910 Subpart R. EM 385-1-1, Section 31

YES	NO		COMMENT
		Tree maintenance or removal is done is under the direction of a qualified person.	
		Tree work, in the vicinity of charged electric lines, is by trained persons qualified to work with electricity and tree work. Appropriate distances are maintained for all workers who are not qualified.	
		Equipment is inspected, maintained, repaired, and used in accordance with the manufacturer's directions.	
		Prior to felling actions are planned to include clearing of the area to permit safe working conditions and escape.	
		Employees must be trained in the safe operation of all equipment.	
		All equipment and machinery is inspected and determined safe prior to use.	
		Work is performed under requirements of FLD 43.	
		BLASTING 29 CFR 1926 Subpart U. EM 385-1-1, Section 29	
YES	NO		COMMENT
		A blasting safety plan is developed prior to bringing explosives on-site.	
		The transportation, handling, storage, and use of explosives, blasting agents, and blasting equipment must be directed and supervised by a person with proven experience and ability in blasting operations. Licensing of person is verified.	
		Blasting operations in or adjacent to cofferdams, piers, underwater structures, buildings, structures, or other facilities must be carefully planned with full consideration to potential vibration and damage.	
		HAZARDOUS, TOXIC, AND RADIOACTIVE WASTE AND UNDERGROUND STORAGE TANK 29 CFR 1926 Subpart D. EM 385-1-1, Section 28	(UST) ACTIVITIES
YES	NO		COMMENT
		All construction activities performed with known or potential exposure to hazardous waste are conducted in accordance with Hazardous Waste Operations and Emergency Response requirements.	



CONCRETE and MASONRY CONSTRUCTION 29 CFR 1926 Subpart Q. EM 385-1-1, Section 27

YES	NO		COMMENT
		Construction loads are not placed on a concrete or masonry structure or portion of a concrete or masonry structure unless the employer determines, based on information from a person who is qualified in structural design, that the structure or portion of the structure is capable of supporting the loads.	
		Employees are not permitted to work above or in positions exposed to protruding reinforcing steel or other impalement hazards unless provisions have been made to control the hazard.	
		Sections of concrete conveyances and airlines under pressure are secured with wire rope (or equivalent material) in addition to the regular couplings or connections.	
		Structural and reinforcing steel for walls, piers, columns, and similar vertical structures is supported and/or guyed to prevent overturning or collapse	
		All form-work, shoring, and bracing is designed, fabricated, erected, supported, braced, and maintained so it will safely support all vertical and lateral loads that may be applied until the loads can be supported by the structure.	
		Shoring equipment is inspected prior to erection to determine that it is specified in the shoring design. Any equipment found to be damaged is not used.	
		Erected shoring equipment is inspected immediately prior to, during, and immediately after the placement of concrete. Any shoring equipment that is found to be damaged, displaced, or weakened is immediately reinforced or re-shored.	
		Shoring, vertical slip forms and jacks conform with requirements of Section 27.B.08-13 of USACE EM 385-1-1.	
		Forms and shores (except those on slab or grade and slip forms) are not removed until the individual responsible for forming and/or shoring determines that the concrete has gained sufficient strength to support its weight and all superimposed loads.	
		Precast concrete members are adequately supported to prevent overturning or collapse until permanent connections are complete	
		No one is permitted under pre-cast concrete members being lifted or tilted into position except employees required for the erection of those members.	
		Lift slab operations are planned and designed by a registered engineer or architect.	
		Hydraulic jacks used in lift slab construction have a safety device that causes the jacks to support the load in any position if the jack malfunctions	
		No one is permitted under the slab during jacking operations.	
		A limited access zone is established whenever a masonry wall is being constructed.	
		Fall protection is provided to masonry workers exposed to falls of 6 feet or more.	



STEEL ERECTION 29 CFR 1926 Subpart R. EM 385-1-1, Section 27

YES	NO		COMMENT
		Impact wrenches have a locking device for retaining the socket. Containers shall be provided for storing or carrying rivets, bolts,	
Ш	ш	and drift pins, and secured against accidental displacement when aloft.	
		Structural and reinforcing steel for walls, piers, columns, and similar vertical structures shall be guyed and supported to prevent	
	ш	collapse	
		No loading is placed upon steel joists until all bridging is completely and permanently installed.	
		Workers are provided fall protection whenever they are exposed to falls of 1.8 m (6 ft) or more (EM 385-1-1).	
		Temporary flooring in skeleton steel erection conforms with Section 27.F of USACE 385-1-1	
		ROOFING 29 CFR 1926 Subpart M. EM 385-1-1, Sections 21, 22, 24, 27	
Yes	No		COMMENT
		In the construction, maintenance, repair, and demolition, of roofs, fall protection systems is provided that will prevent personnel	
		In the construction, maintenance, repair, and demolition, of roofs, fall protection systems is provided that will prevent personnel from slipping and failing from the roof and prevent personnel on lower levels from being struck by falling objects	
		from slipping and failing from the roof and prevent personnel on lower levels from being struck by falling objects On all roofs greater than 4.8 m (16 ft) in height, a hoisting device, stairways, or progressive platforms are furnished for supplying	
		from slipping and failing from the roof and prevent personnel on lower levels from being struck by falling objects	
		from slipping and failing from the roof and prevent personnel on lower levels from being struck by falling objects On all roofs greater than 4.8 m (16 ft) in height, a hoisting device, stairways, or progressive platforms are furnished for supplying materials and equipment.	
		from slipping and failing from the roof and prevent personnel on lower levels from being struck by falling objects On all roofs greater than 4.8 m (16 ft) in height, a hoisting device, stairways, or progressive platforms are furnished for supplying materials and equipment. Roofing materials and accessories that could be moved by the wind, including metal roofing panels, that are on the roof and	
		from slipping and failing from the roof and prevent personnel on lower levels from being struck by falling objects On all roofs greater than 4.8 m (16 ft) in height, a hoisting device, stairways, or progressive platforms are furnished for supplying materials and equipment. Roofing materials and accessories that could be moved by the wind, including metal roofing panels, that are on the roof and unattached are secured when wind speeds are greater than, or are anticipated to exceed, 10 mph.	
		from slipping and failing from the roof and prevent personnel on lower levels from being struck by falling objects On all roofs greater than 4.8 m (16 ft) in height, a hoisting device, stairways, or progressive platforms are furnished for supplying materials and equipment. Roofing materials and accessories that could be moved by the wind, including metal roofing panels, that are on the roof and unattached are secured when wind speeds are greater than, or are anticipated to exceed, 10 mph. Level, guarded platforms are provided at the landing area on the roof. When their use is permitted, warning line systems comply with USACE Section 27.07 of EM 385-1-1. Workers involved in roof-edge materials handling or working in a storage area located on a roof with a slope -/= to four vertical to	
		from slipping and failing from the roof and prevent personnel on lower levels from being struck by falling objects On all roofs greater than 4.8 m (16 ft) in height, a hoisting device, stairways, or progressive platforms are furnished for supplying materials and equipment. Roofing materials and accessories that could be moved by the wind, including metal roofing panels, that are on the roof and unattached are secured when wind speeds are greater than, or are anticipated to exceed, 10 mph. Level, guarded platforms are provided at the landing area on the roof. When their use is permitted, warning line systems comply with USACE Section 27.07 of EM 385-1-1.	



ENVIRONMENTAL COMPLIANCE

Yes	No		Comments
		Environmental Compliance and Waste Management Plan on file.	
		Waste Determination Made.	
		Manifest and/or Shipping Papers prepared and filed.	
		Manifest Exception Reports Prepared, as necessary. Procedures to track manifests in place.	
		State Annual and EPA Biennial Reporting Information Available.	
		RCRA Personnel Training Records on file.	
		CAA Permits on file.	
		CWA Permits on file.	
		RCRA Permits on file.	
		State and/or Local Permits on file.	
		RCRA Inspections conducted and Documentation on file.	
		Transporter and TSD compliance information on file.	
		Waste Accumulation Areas Managed Properly.	
		Wetlands Areas Identified and Protected.	
		Endangered, Threatened, or Special Concern Species or Areas Identified and Protective Methods Determined.	
		Run-on and Runoff Concerns Identified and Managed.	
		Adjacent Land Areas Protected as Necessary.	
		Non-Hazardous Solid Wastes Managed Properly.	



MISCELLANEOUS REGULATORY and POLICY COMPLIANCE

Yes	No		Comments
		Personnel Training Records for DOT Materials Handling on file.	
		Noise Control Issues Addressed and Managed.	
		Site Security Issues Identified and Managed.	
		Known Historical, Archeological, and Cultural Resources Identified and Managed.	
		WESTON EHS Analysis Checklist In Use.	
		Safety Observation and Recognition Program in place.	
		Weekly EHS Report Card System in place.	
		Federal, State, and Local Required Postings in place.	
		Site specific Lockout/Tagout Program is in place.	
		Site-specific Confined Space Program is in place.	
		Site Safety Officer filing system is in place and up to date.	



APPENDIX C

COMMUNITY AIR MONITORING PLAN (CAMP)



Community Air Monitoring Plan

Study Area Bounded by Pyrex Street, E. Pulteney Street, Post Creek and Chemung River Corning, NY NYSDEC Project ID 851046

June 2014

Prepared for

Corning Incorporated Corning, New York

Prepared by

WESTON SOLUTIONS, INC. West Chester, Pennsylvania 19380

W.O. No. 02005.056.001.0001



TABLE OF CONTENTS

Section		Page
1.	INTRODUCTION	1
2.	METHODS	1
3.	CALIBRATIONS	2
4.	DATA RECORDING	3
5.	ACTION LEVELS	3



LIST OF ACRONYMS

CAMP Community Air Monitoring Plan

COPCs constituents of potential concern

HASP Health and Safety Plan

mg/m³ milligrams per cubic meter

 $\mu g/m^3$ micrograms per cubic meter

NYSDEC New York State Department of Environmental Conservation

WESTON® Weston Solutions, Inc.



1. INTRODUCTION

This Community Air Monitoring Plan (CAMP) has been prepared by Weston Solutions, Inc. (WESTON®) on behalf of Corning Incorporated to detail the dust control and air monitoring procedures to be performed during the execution of characterization activities at the Study Area located in Corning, New York, bounded by Pyrex Street on the west, E. Pulteney Street on the north, Post Creek on the east and the Chemung River on the south (Study Area). This air monitoring plan will supplement the existing Health and Safety Plan (HASP) and provide an additional measure of protection to potential receptors not directly involved with the characterization activities.

As presented in the Study Area Characterization Work Plan (Work Plan), intrusive characterization activities planned to be conducted within the Study Area may include subsurface soil sampling and groundwater investigations. Since the primary constituents of potential concern (COPCs) at the Study Area are arsenic, cadmium, and lead, air monitoring for dust particulates and dust control techniques will be performed during intrusive activities to provide an additional measure of protection to the surrounding community.

2. METHODS

Perimeter air monitoring for dust particles will be conducted at a minimum of two stations, one generally located upwind, and one generally located downwind of any intrusive characterization activity. In addition, due to the close proximity of playgrounds, athletic playing fields, schools and childcare centers, more stringent CAMP requirements will be necessary. When work areas are within 20 feet of these locations, the continuous monitoring locations for particulates must reflect the nearest potentially exposed individuals. The use of engineering controls such as dust barriers will be considered to prevent exposures related to the work activities and to control dust and odors. Consideration will be given to implementing the planned activities when potentially exposed populations are at a minimum (i.e. during hours when children are not likely to be present). Common-sense measures to keep dust and odors at a minimum around the work areas



will also be implemented to ensure that the children are protected at all times. No visible dust will leave the work area.

As the location of characterization activities will change, the location of the monitoring point relative to the activity will be modified as needed and documented. The monitoring location will be positioned to provide data representative of potential migration of dust in the direction of nearby receptors. The perimeter monitoring equipment will be portable, which will allow the monitoring network to be adjusted if needed to adapt to changes in activities or meteorological conditions.

Particulate monitoring is the measurement of fine liquid or solid particles such as dust, smoke, mist, fumes or smog, in particle sizes less than 10 microns (PM₁₀), in the ambient air. During intrusive activities such as subsurface soil sampling and groundwater monitoring well installation, the generation of dust particles will be monitored. The equipment selected to monitor PM₁₀ will be the Thermo Electron Corporation personal DataRAM (pDR), or equivalent. The pDR is a light-scattering monitor, designed for measuring airborne particulates such as aerosols and dusts. The units are portable and measure the concentration of airborne particulate matter (up to 10 μ m in size) continuously and in real time, with results expressed in milligrams per cubic meter (mg/m³), or 1,000 micrograms per cubic meter (μ g/m³). Particulate concentrations can be measured over the following ranges: 0.01 – 10 mg/m³ (equivalent to 10 – 10,000 μ g/m³) and 0.1 – 100 mg/m³ (equivalent to 100 – 100,000 μ g/m³). The pDR meets performance standard for a real-time particulate monitor according to the New York State Department of Environmental Conservation (NYSDEC) Technical Guidance for Site Investigation and Remediation; May 2010.

3. CALIBRATIONS

Calibration of instruments will be performed prior to the start of daily activities. Additional calibrations will be performed as needed or whenever maintenance is performed involving the functional elements of the unit. Calibration data will be documented in the field log book or on designated calibration log sheets.



4. DATA RECORDING

The data collected during the monitoring program will be used for real-time data display and notification to on-site personnel when the action levels are exceeded (action levels are discussed in Section 5). All ambient air monitoring data will be recorded in the site field logbook or designated field sheets and the results of the air monitoring will be communicated to the NYSDEC and NYSDOH on scheduled basis (i.e. daily for levels which require actions, weekly for routine monitoring data).

5. ACTION LEVELS

The action level established herein will be used as an indicator that potential excessive migration of dust particles may be occurring during the characterization activities. Monitored ambient air concentrations above the action level will result in actions being taken to more stringently control fugitive emissions or trigger quantitative sampling.

The NYSDEC recommended action level for fugitive dust is $100 \,\mu\text{g/m}^3$ greater than background (measured at the upwind location) for a 15 minute period. At this concentration, work may continue with dust suppression techniques provided that no visible dust is migrating from the working area, and the downwind particulate levels do not exceed $150 \,\mu\text{g/m}^3$ greater than background (measured at the upwind location). If the downwind particulate levels exceed $150 \,\mu\text{g/m}^3$ greater than background (measured at the upwind location), work will stop and dust suppression techniques will be re-evaluated.

If the perimeter monitors detect concentrations above the $100 \mu g/m^3$ action level, Site supervisory personnel will be notified. Notifications will be sent to the WESTON Site Manager and the Site Health and Safety Officer. Upon receiving the notification message, the supervisor will assess the situation and initiate appropriate administrative and/or engineering controls to mitigate the migration of dust particles.