

## PRE-DESIGN INVESTIGATION WORK PLAN

**Denison Park - Site # 851066** Denison Park Corning, New York 14830

#### **Prepared For:**

Contract# D009808, Work Assignment No. 57 New York State Department of Environmental Conservation Division of Environmental Remediation 625 Broadway Albany, New York 12233-7012

#### Prepared By:

HRP Associates, Inc. 1 Fairchild Square, Suite 110 Clifton Park, NY 12065

HRP #: DEC1057.P3

Issued On: November 5, 2025



#### **TABLE OF CONTENTS**

1.0	INTF	RODUCTION	1
	1.1 1.2 1.3	Site Description and Background Information	2
2.0	PRE-	DESIGN INVESTIGATION	4
	<ul><li>2.1</li><li>2.2</li><li>2.3</li><li>2.4</li></ul>	Preliminary Activities	45668881111
		Pre-Design Investigation Report	11
3.0	GRE	EN AND SUSTAINABLE REMEDIATION BEST MANAGEMENT PRACTICE	S12
4.0	PRO.	JECT SCHEDULE	14
	5.1	Pre-Design Investigation Schedule	14
5.0	KEY	PROJECT PERSONNEL	15
6.0	RFFF	FRENCES	16



#### **Figures**

Figure 1 Site Location Map

Figure 2 Site Plan

#### **Tables**

Table 1 Remedial Design Sample Summary

Table 2 Analytical Methods/Quality Assurance Summary

Table 3 Site Investigation Green and Sustainable Remediation Calculation Sheet

#### **Appendices**

Appendix A 2023 Parsons Site Characterization Report Callout Figures

Appendix B Site-Specific Health and Safety Plan Appendix C Community Air Monitoring Program

#### **PE Certification:**

I Thomas Battlescertify that I am currently a NYS registered professional engineer and that this Remedial Design was prepared in accordance with all applicable statutes and regulations and in substantial conformance with the DER Technical Guidance for Site Investigation and Remediation (DER-10) and that all activities were performed in full accordance with the DER-approved work plan and any DER-approved modifications.

Thomas Battles- NYS PE #



#### 1.0 INTRODUCTION

On September 2, 2025, HRP Associates, Inc. (HRP) was authorized to complete New York State Department of Environmental Conservation (NYSDEC) Work Assignment (WA) No. 57 (D009808-57) for Remedial Investigation/Feasibility Study (RI/FS) at Denison Park (the Site), located at Denison Park, Corning, New York (**Figure 1 – Site Location Map**). The scope of work was developed based on HRP's review of documents detailing previous subsurface investigations completed at the property including a 2023 site characterization (SC) investigation (Parsons, 2023) at the Site and discussions with NYSDEC staff.

This Pre-Design Investigation Work Plan (PDI WP) describes the details of the scope of work for the pre-design field investigation, a brief description of the presumptive remedy and a project timeline.

Specific standards, criteria, and guidance values (SCGs) relevant to the design and implementation of the NYSDEC-selected remedy were identified by the NYSDEC based on current land use and zoning, and include the following:

- Residential Use (RU) Soil Cleanup Objectives (SCOs) for the Protection of Public Health and Protection of Groundwater based on NYSDEC's Title 6 of the New York Code of Rules and Regulations (NYCRR) Part 375-6 (6 NYCRR Part 375-6).
- Restricted Residential Use (RRU) SCOs for the Protection of Public Health and Protection of Groundwater based on NYSDEC's Title 6 of the New York Code of Rules and Regulations (NYCRR) Part 375-6 (6 NYCRR Part 375-6).

#### 1.1 Site Description and Background Information

The Denison Park Site is located in the southeastern portion of the City of Corning. It is bounded by NYS flood control land and the Chemung River to the east, residential neighborhoods to the west and south, the Wastewater Treatment facility and Baseball Complex on the southeast, and commercial and industrial facilities to the north.

The Site is an active city park managed by the Corning Parks and Recreation Department, and is split into north and south sections by New York State Route 352, an elevated roadway and bridge that spans the Chemung River to connect the City of Corning with the City of Elmira, New York. The Site consists of two tax parcels including parcel ID 318.14-03-074.000 (majority of the park) and the southern portion of tax parcel 318.14-03-078.000 (includes three baseball diamonds). The Site is improved with a swimming pool, two tennis courts, two basketball courts, three picnic pavilions, a playground, a 1.8-acre pond, three baseball fields, and two buildings.

The Site is currently operated as Denison Park and owned by the City of Corning. According to the 2023 SC, the site was undeveloped with several low-lying areas representing floodplain ponds or drainages in 1857. In 1906, 33 acres were purchased by the Business Men's Association for a park, and Harold A. Caparn, a prominent Landscape Architect from New York City, was hired to design the park. Park construction began in 1907 and included a small zoo and a 10-15 foot high levee along the Chemung River floodplain that was wide enough to be used as a carriage path.



Ongoing construction in 1910 included a concrete children's wading pool, picnic pavilions, drinking fountains, a concrete bridge, a tower, a baseball field, a quarter mile running track and a playground. The original spatial organization of the park (1907-1910) indicated a U-shaped water feature which appears to correspond to the two original drainages (as arms of the U) and mill pond location from 1873. Additional Park features were added from 1916-1919, including sandboxes, a large open-air picnic pavilion, tennis courts, and Memorial Gate. A public swimming pool and bath house were built and opened in 1921. The 1972 flood destroyed much of Denison Park. When the park was rehabilitated and repaired, the original 1920s pool and bath house were demolished and replaced. Portions of the two arms of the lake were truncated and infilled south of the elevated roadway and a portion of the eastern arm north of the elevated roadway was isolated becoming a lagoon. Subsequently, the lagoon in the north park area was infilled and by 1973, the west arm was infilled and the west side of the lake was squared off in the south park area. Glass and brick were identified during a 2019 sewer right-of-way excavation and sewer replacement at Denison Park.

The Site is currently zoned as PC (Public Conservation) as a municipal park, and the surrounding parcels are currently zoned residential or commercial. The nearest residential areas are immediately to the east of the Site along Park Avenue and Mill Lane. The Site is serviced by a public water supply.

#### 1.2 Site Geology and Hydrogeology

The Site is located in the Chemung River Valley and contains predominately sand and gravel deposits of glaciofluvial origin and more recent alluvia deposits. According to the 2023 SC, river valley deposits are on the order of 100 feet in thickness in the vicinity of the Site. These river deposits are underlain by low permeability shale/siltstone bedrock. Depth to bedrock has not been confirmed but is likely more than 80 feet below grade (ft bg) on published information. Depth to the water table is expected to be on the order of 20 ft bg. Groundwater generally flows north towards the Chemung River.

#### 1.3 Nature and Extent of Environmental Impacts

This section summarizes the assessment of existing presented in the Site Characterization Report (SCR) dated October 2023 by Parsons. The SCR was completed to investigate potential impacts to the Site from the presence of glass manufacturing waste consisting of ash, brick, and glass (ABG) which was previously identified in the park right-of-way.

ABG was observed in subsurface soil borings and test pits installed across the Site during the 2023 site characterization investigation conducted by Parsons. Pesticides, semi-volatile organic compounds (SVOCs), and metals were detected at concentrations that exceed RRU SCOs from subsurface soil boring samples. ABG was not observed in surface soil samples, however two metals (arsenic and barium) were detected at concentrations that exceed RRU SCOs. **Appendix A** includes surface soil, subsurface soil, and test pit callout figures from the 2023 SC.

Metals such as arsenic, barium, cadmium, chromium, copper, lead, nickel, and mercury were detected above RRU SCOs in test pits soils across the Site.



Pre-Design Investigation Work Plan Denison Park – Site # 851066 Denison Park, Corning, NY Page 3 of 16

Additional characterization of Site surface and subsurface soils to evaluate the nature and extent of contamination and observed ABG at the Site was recommended in the Site Characterization Report.



#### 2.0 PRE-DESIGN INVESTIGATION

This scope of work has been designed to gather the details necessary for the construction, operation, and implementation of the interim remedial design (IRM). The following sections provide specifics regarding the scope of work developed under this NYSDEC-approved Work Assignment (D009808-57) in support of an IRM at the Denison Park Site.

#### 2.1 Preliminary Activities

As part of the pre-design investigation, the following documents have been prepared under this Work Assignment:

- Project-specific pre-design work plan (this document); and
- Site-specific Health and Safety Plan (HASP) (included as **Appendix B** of this Work Plan), including a Community Air Monitoring Plan (CAMP) (included as **Appendix C** of this Work Plan).

The site-specific elements are provided below.

#### 2.1.1 Pre-Design Investigation Field Activities Work Plan (FAP)

This work plan has been prepared for use in performing the pre-design investigation and will serve as the "site-specific FAP". This plan describes each task to be performed, including the specific methods and procedures that will be used to conduct field sampling. The results from field sampling will provide the details necessary for the construction, operation, and implementation of the remedial program. A proposed project schedule is included in **Section 4** of this PDI WP.

#### 2.1.2 Health and Safety Plan (HASP)

A site-specific HASP was prepared as part of this Work Assignment and provides guidance to maximize health and safety of on-site workers during the field activities. Included in the site-specific HASP is a Community Air Monitoring Plan (CAMP) that details procedures for air monitoring during ground-intrusive activities. The site-specific HASP was prepared as a supplement to HRP's NYSDEC – approved generic HASP. The generic HASP provides guidelines for health and safety supervision, air monitoring, medical monitoring, personal protective equipment, site controls, safe work practices and decontamination, etc.

#### 2.1.3 Quality Assurance Project Plan (QAPP)

A site-specific Quality Assurance Project Plan (QAPP) has been prepared and is included in **Section 2.3** of this PDI WP The site-specific QAPP was prepared as a supplement to the HRP's NYSDEC-approved Generic QAPP. Deviations from the protocols specified in the QAPP will be subject to the NYSDEC approval.

The Generic QAPP provides general information related to QA/QC procedures associated with the collection and analysis of samples of environmental media and includes specific representative



standard operating procedures (SOPs) applicable to sample handling and field instrumentation use. Information provided in the Generic QAPP includes definitions and generic goals for data quality and required types and quantities of QA/QC samples. The procedures address field documentation; sample handling, custody, and shipping; instrument calibration and maintenance; auditing; data reduction, validation, and reporting; corrective action requirements; and QA/QC reporting specific to the analyses performed by the laboratories that are used for analysis of environmental media collected under Standby Contract No. D009808.

All laboratory analytical work will be performed by a New York State Department of Health (NYSDOH) Environmental Laboratory Approval Program (ELAP) approved laboratory certified in all categories of Contract Laboratory Protocol (CLP) and Solid and Hazardous Waste analytical testing. A Data Usability Summary Report (DUSR) will be included in for each round of analytical data collected during the field sampling. Category B deliverables will be retained in the project files and available for full data validation by a qualified, independent third party.

#### 2.2 Pre-Design Investigation

The pre-design investigation sampling will include the components described below and consist of characterizing and sampling surface soil and pond sediment to meet project objectives. The number and type of samples to be collected for laboratory analysis is discussed below. Field investigation tasks are listed below in the order that they will be completed:

- 1. Ground Penetrating Radar (GPR) and Utility Locate
- 2. GPS Survey of 75 x 75-foot grid
- 3. Soil Boring Installation and Surface Soil Sampling
- 4. Pond and River Sediment Sampling
- 5. Characterization and Disposal of Investigation Derived Waste (IDW)
- 6. Base Map Development and Site Survey

#### 2.2.1 Geophysical Investigation/Ground Penetrating Radar (GPR)

Prior to the initiation of subsurface drilling activities completed during the pre-design investigation and in accordance with New York state law, the Site will be marked out for underground utilities by Dig Safely New York. In addition, since Dig Safe does not locate any on-site private utilities, a ground penetrating radar (GPR) survey of proposed sampling locations will be completed at the Site under HRP supervision in order to clear unmarked, underground utilities and identify subsurface anomalies, such as possible USTs, hydraulic lifts, septic tanks, etc. All identified subsurface anomalies will be painted and marked at the ground surface. Geophysical techniques include the use of GPR, radio frequency, and electromagnetic induction within each 75 x 75-foot cell and at the 194-196 Park Avenue property. A map will be provided of identified Site utilities and subsurface anomalies to HRP by the geophysical contractor prior to any subsurface intrusive work. HRP will coordinate with the City of Corning Parks and Recreation department prior to mobilization to discuss known utilities and safely manage each work area.



#### 2.2.2 GPS Survey

The proposed layout consists of a 75 x 75-foot grid, with one, 2-foot deep boring advanced towards the center of each grid cell. Specific sampling locations will be marked using a GPS unit to establish soil sampling coordinates prior to subsurface work. Any boring locations that were planned will be field-verified during the GPS survey to ensure that the proposed location can be accessed by a drill rig.

#### 2.2.3 Soil Boring Installation and Surface Soil Sampling

#### 2.2.3.1. Park Soil Borings

All installed soil borings will be named in accordance with the established grid (**Figure 2**). The grid is established to provide adequate distribution and coverage across the Site area. Subsurface anomalies and utilities as well as overhead utilities may affect planned soil boring locations prior to installation. A minimum 10-foot distance will be maintained for soil borings in close proximity to marked or observed utilities. A GPS unit will be used to locate the coordinates for each installed boring.

Shallow soil borings will be installed to evaluate for the presence of ABG and SCO exceedances to support and determine the footprint of any remedial actions. Soil borings will be advanced using a direct-push technique (DPT) drilling rig equipped with MacroCore samplers to confirm the degree and extent of surface soil impacts above the RRU SCO. Soil cores will be advanced continuously until a depth of two-feet below grade is achieved.

Each soil core will be examined for the presence of ABG. If ABG is observed during soil boring installation, field personnel will describe and document the location, depth, and photograph the material. All soil samples will be screened for organic vapors using a photoionization detector (PID) and any evidence of contamination will be noted and/or used for selection of soil samples for laboratory analysis. All samples will be submitted to a New York State Department of Health (NYSDOH) Environmental Laboratory Approval Program (ELAP) certified laboratory for analysis of Target Compound List (TCL) SVOCs by EPA Method 8270 and Target Analyte List metals by EPA Methods 6010D & 6020B. Quality control samples will be collected during soil sampling to ensure precision and accuracy of results. Duplicate and matrix/matrix spike duplicates will be collected at a frequency of 1 per 20 samples. A summary of soil sample collection and analysis is provided in **Table 2**.

Up to three soil sample samples from each boring will be collected from the depths intervals summarized below and results will be compared against the Part 375 Restricted Residential Use SCO. Soil samples will only be collected from native soils or fill that does not contain ABG. Any samples containing ABG will be considered to be contaminated in accordance with Commissioner Policy CP-51 Section G and do not require laboratory analysis. Soil boring samples will be collected from the following intervals and submitted for laboratory analysis:



- 0-2 inches (excludes sod/grass/organic)
- 2-12 inches
- 12-24 inches

Upon completion, each soil boring will be backfilled with clean sand and topped with topsoil. The area surrounding each soil boring will be returned to match previous existing conditions prior to soil boring installation.

#### 2.2.3.2. Residential Soil Borings

Off-site residential properties surrounding the Site may be sampled during the PDI. Sampling will include up to four soil borings at each offsite residential property. Specific boring locations will be determined in coordination with the property owner. Access to the property will be coordinated with both the property owner and the NYSDEC. Accordingly, access agreements for the residential properties will be sent out prior to the commencement of field activities.

Shallow soil borings will be installed to evaluate for the presence of ABG and SCO exceedances to support and determine the footprint of any remedial actions. Soil borings will be advanced using a DPT drilling rig equipped with MacroCore samplers to confirm the degree and extent of surface soil impacts above the Residential Use SCO. Soil cores will be advanced continuously until a depth of four-feet below grade is achieved.

Each soil core will be examined for the presence of ABG. If ABG is observed during soil boring installation, field personnel will describe and document the location, depth, and photograph the material. All soil samples will be screened for organic vapors using a PID and any evidence of contamination will be noted and/or used for selection of soil samples for laboratory analysis. All samples will be submitted to a NYSDOH ELAP certified laboratory for analysis of TCL SVOCs by EPA Method 8270 and Target Analyte List metals by EPA Methods 6010D & 6020B. Quality control samples will be collected during soil sampling to ensure precision and accuracy of results. Duplicate and matrix/matrix spike duplicates will be collected at a frequency of 1 per 20 samples. A summary of soil sample collection and analysis is provided in **Table 2**.

Up to five soil sample samples from each boring will be collected from the depths intervals summarized below and results will be compared against the Part 375 Residential Use SCO. Soil samples will only be collected from native soils or fill that does not contain ABG. Any samples containing ABG will be considered to be contaminated in accordance with Commissioner Policy CP-51 Section G and do not require laboratory analysis. Soil boring samples will be collected from the following intervals and submitted for laboratory analysis:

- 0-2 inches (excludes sod/grass/organic)
- 2-12 inches
- 12-24 inches
- 24-36 inches
- 36-48 inches



Upon completion, each soil boring will be backfilled with clean sand and topped with topsoil. The area surrounding each soil boring will be returned to match previous existing conditions prior to soil boring installation.

#### 2.2.4 Denison Park Pond and Chemung River Sediment Sampling

Sediment samples will be collected using a direct-push stainless steel hand auger or stainless steel trowel from the 1.3-acre on-site pond and along the western bank of the Chemung River located east of the park. Sediment samples will be collected to a depth of up to 2 ft bg from locations depicted on **Figure 2**. If a depth of 2 ft bg cannot be achieved due to poor recovery, additional sampling locations may be needed until a depth of 2 ft bg is achieved. Sediment samples will be evaluated against *the Screening and Assessment of Contaminated Sediments* guidance document (NYSDEC 2014). All sampling tools are to be decontaminated in between sampling locations using an Alconox-water spray, scrubbed, and rinsed with deionized water.

All sediment collected during sampling will be observed for the presence of ABG and will be recorded on each log. Photographs will be taken of any ABG identified during sediment sampling. Sediment samples will be screened with a PID and headspace VOC readings will be recorded on each log. One sample will be collected from up to eight locations across the pond and one sample will be collected from up to nine locations along the western bank of the Chemung River. Sediment samples will be submitted to a NYSDOH ELAP certified laboratory for analysis of TCL SVOCs by EPA Method 8270 and Target Analyte List metals by EPA Methods 6010D & 6020B as shown on **Table 1.** 

QA/QC samples will be collected during sediment sampling for parameters listed in **Table 1** at a rate of one site of QA/QC samples for every 20 regular samples collected. Results from the analytical sampling will be compared to Class A Sediment Guidance Values.

#### 2.2.5 Soil and Sediment Sampling Collection and Handling Procedures

Soil and sediment sampling equipment to be used includes stainless steel trowels, bowls, spoons, or scoops, hand auger, sample containers, sampling zip lock bags, and coolers with ice. Nitrile gloves will be worn by personnel collecting and handling the samples. All non-disposable equipment and tooling used for sampling will be properly decontaminated as described in **Section 2.3.2** between sampling locations and intervals. Soil samples will be collected using clean laboratory-supplied appropriate containers (as listed in **Table 2** of this work plan) and will be preserved on ice in coolers during field sampling activities. Target samples will then be submitted for laboratory analysis, and contingency samples will be stored at proper temperatures, as listed in **Table 2**, pending follow-up analysis, as necessary.

#### 2.2.6 Disposal of Investigation Derived Waste (IDW)

Soils from the PDI may be disposed within the direct push hole (cuttings may be used to backfill holes resulting from soil sampling), the direct push hole did not penetrate an aquitard nor an aquiclude, and backfilling the hole with cuttings will not create a significant path for vertical movement of contaminants. Material that is visually stained, creates high PID measurements, or



exhibits strong odors shall be sampled and analyzed to ensure chemical compatibility with other cuttings before placing the materials in a common storage/disposal area if staining is present in the cuttings.

Investigation-derived waste (IDW) generated during the PDI will be containerized in NYSDOT-approved 55-gallon drums or roll-off container, labeled as IDW, and temporarily staged in a secure area. One composite sample of soil will be collected, if needed, for waste disposal profiling. The specific parameters to be analyzed for soil waste disposal were determined in consultation with a potential disposal facility, the Steuben County Landfill (Bath Landfill) and include the following analyses:

- Corrosivity (pH)
- Ignitability
- TCLP SVOCs
- TCLP RCRA 8 Metals
- Total petroleum hydrocarbons
- Reactive sulfide
- Reactive cyanide
- Total PCBs
- Percent Solids

Upon receipt of laboratory results, HRP will arrange for disposal of the wastes. Data validation will not be required for the waste characterization samples.

Decontamination fluids will be containerized separately from other IDW, and any decontamination fluids that do not exhibit evidence of contamination will be containerized separately from those exhibiting evidence of contamination, if present.

An IDW storage area will be established at the Site at the start of field work. The IDW storage area will include plastic sheeting and silt sock to prevent rainwater runoff. IDW will be stored in 55-gallon steel drums in the designated storage area until waste characterization analytical results are received and sent to the disposal facility for approval. IDW will be disposed of in accordance with DER-10 as well as local, State, and Federal regulations.

Although not expected, any intrusive ground work that involves the transport and disposal of large quantities of IDW will be performed by licensed waste haulers and in accordance with local, State, and Federal regulations. Haulers will be appropriately licensed and trucks placarded. Materials to be transported by haulers will be secured using covers or tarps. If wet materials are being transported, truck liners will be used prior to leaving the Site.

#### 2.2.7 Base Map Development and Site Survey

Following the completion of the geophysical survey and utility mark out, the surveyor contractor will collect and incorporate all previously identified utilities and subsurface anomalies as a part of the Site survey. The corners of existing hardscapes (such as paved asphalt parking lots, pools, courts, sidewalks, and buildings) will be surveyed at the Site.



A comprehensive topographic and American Land Tile Association (ALTA) survey will be performed to provide base maps for developing the remedial design. A New York State licensed professional land surveyor will perform the survey and collect ground surface point elevation data to construct a Site contour map with 1-foot intervals. The surveyor will provide Computer-Aided Design (CAD) and PDF survey files for all collected Site data. The survey will be referenced horizontally to the North American Datum 1983, 2011 adjustment (NAD83/2011), and vertically to the North American Vertical Datum of 1988 (NAVD88).

The Site and surrounding areas will be surveyed by a New York State licensed land surveyor. The field survey will include establishing project horizontal control and the collection of planimetric features for the development of 2D mapping. Only the exterior Site features will be recorded on the survey. Subsequently, a base map of the Site will be developed using CAD software that will be utilized to place all PDI soil borings and previous on-site investigations. The sample locations will be placed on the base map by geo-referencing previous figures into the local CAD coordinate system, and will include all Geoprobe® boring locations.

#### 2.2.8 Analytical Data Quality Evaluation

This work plan describes the data quality objectives and analytical requirements needed for this WA.

To achieve these objectives, QA/QC measures will be implemented throughout the pre-design investigation to provide input as to the validity and usability of data generated through soil sampling. The procedures for data QA/QC management includes field documentation, sample handling, chain of custody, shipping, instrument calibration, auditing, data reduction, validation, corrective action requirements, and QA/QC reporting specific to the analyses performed by the laboratory under subcontract to HRP. **Table 2** provides a list of the sample containers, preservation, and holding time requirements for the parameters specific to this Site. These tables will be referenced by field personnel.

During the final PDI WP review period, the site-specific QAPP work plan elements will be reviewed and modified according to NYSDEC requirements and comments. Once the plans are finalized, deviations from protocols specified in the plans, if required, will be approved in advance by NYSDEC. As required, the selected analytical laboratory will maintain NYSDOH ELAP certification in all categories of CLP and Solid and Hazardous Waste analytical testing for the duration of the project.

For all data generated during the PDI, a Category B Data package and DUSR will be prepared to provide a thorough evaluation of analytical data utilizing third-party data validation.

The selected laboratory will supply all required data deliverables (EPA CLP and NYSDEC Analytical Services Protocols [ASP] deliverable format) to enable the data to be validated. All environmental data will be submitted electronically in a specified format named 'NYSDEC' in accordance with the data submission procedures outlined on the NYSDEC's website (http://www.dec.ny.gov/chemical/62440.html).



Upon receipt of the sample data, a data validation contractor will quantitatively and qualitatively validate the laboratory data. The validation of the analytical data will be performed according to the protocols and quality control requirements of the analytical methods, the USEPA CLP National Functional Guidelines for Organic and Inorganic Data Review (February 1994), the USEPA Region II CLP Data Review SOP, and the reviewer's professional judgment.

#### 2.3 Site-specific Quality Assurance Project Plan (QAPP)

This site-specific QAPP has been prepared as a companion Section to accompany the Generic QAPP for the standby subcontract prepared by HRP for NYSDEC. The QAPP will be used to specify QA/QC procedures for the collection, analysis, and evaluation of data.

#### 2.3.1 Sample Handling

Detailed sampling procedures for collection of soil samples are detailed in Section 4.0 of the Generic QAPP. Matrix types, number of samples (including QA/QC) and analytical details are summarized in **Table 1** (follows text). Proposed sample locations are depicted in **Figure 2**.

#### 2.3.2 Decontamination Procedures

Non-dedicated sampling equipment (i.e., submersible pumps, water level indicators, drilling tooling, etc.) will be subject to decontamination procedures prior to each sample collected to reduce the potential for cross-contamination. The decontamination procedures will include the use of a scrub wash with a solution consisting of Alconox® detergent and potable water followed by a rinse with deionized water (DI) water. The decontaminated equipment will be stored in clean environments (i.e., the manufacturer's storage case). Decontamination fluids will be properly labeled and securely stored in the designated waste-container staging area.

#### 2.4 Pre-Design Investigation Report

A Pre-Design Investigation (PDI) Report will be prepared following completion of the pre-design field activities. The report will provide a description of the field activities, data collected during this investigation, a physical description of the Site including geology and hydrogeology, and an evaluation of the available data in the context of existing Site conditions.

The PDI report prepared as part of this assignment will also provide an analytical data validation/usability evaluation and description of sampling results. The results of the report will be used to prepare the remedial design.

#### 2.4.1 Electronic Data Delivery

In addition to appropriate data summary tables included in the report, all environmental data will be submitted electronically in a specified Electronic Data Deliverable (EDD) format named in accordance with the data submission procedures outlined by the NYSDEC.



### 3.0 GREEN AND SUSTAINABLE REMEDIATION BEST MANAGEMENT PRACTICES

Through the course of the pre-design investigation, HRP will implement Green and Sustainable Best Management Practices (BMPs) to reduce negative impacts to air, water, solid waste, etc. (presented in Section 17.0 and Appendix C of the NYSDEC-approved Revised FAP, dated February 2, 2022). **Table 3** summarizes BMPs to be implemented as part of the Denison Park PDI and will be used to assess and track environmental impact reductions versus traditional field activity approaches.

In consultation with NYSDEC, quantifiable impact reductions achieved by green and sustainable remediation BMPs implemented during the PDI (e.g. tons of carbon reduced, gallons of fuel saved, pounds of waste reduced) may be included in Site fact sheets to promote public awareness of NYSDEC green and sustainable BMPs.

Green and Sustainable Remediation BMPs to be implemented as part of this project are summarized below, organized by BMPs implemented in project planning and field work phases of work.

#### **Project Planning BMPs**

- BMP 1) A well-conceived dynamic sampling plan has been developed for the Site to assure that the data collected at project on-set adequately addresses Site data gaps, consequently reducing remobilization of field crews and equipment. A conceptual site model (CSM) will be developed for the Site, incorporating the Site sampling data, Site history, and current and historical land use to identify data gaps and allows for refinement as additional data becomes available. Data visualization techniques such as concentration "heat maps" for contaminants of concern will be utilized to refine the CSM and project SOW. No alterations will be made to the SOW without NYSDEC approval. Refinement of the CSM and SOW will be performed with the primary goal of achieving the purposes and objectives of the PDI as described in **Section 1.3**. Green and sustainable impact reductions will be a secondary goal of CSM/SOW refinement and care will be taken to ensure SOW changes do not impact the efficacy of the PDI.
- BMP 2) Efforts will be made to schedule Site visits and field work to reduce energy consumption and air emissions associated with mobilizations to and from the Site. The following BMPs will be implemented related to HRP mobilization:
  - BMP 2a) Field work schedules will be consolidated by coordinating with contractors. Specifically, the Site walkthrough and GPR work will be completed within the same mobilization.
  - BMP 2b) When two or more HRP personnel are involved in a trip to and from the Site which requires a passenger vehicle (i.e., cannot be completed by mass-transit), personnel will "car-pool" by sharing a vehicle, reducing energy consumption and emissions associated with taking multiple vehicles to the Site.

#### Field Work BMPs



Pre-Design Investigation Work Plan Denison Park – Site # 851066 Denison Park, Corning, NY Page 13 of 16

- BMP 3) All soil borings will be installed with direct push drilling methods instead of hollow stem auger methods to reduce the generation of waste drill cuttings and reduce drill rig operation time.
- BMP 4) When not in use, vehicles, trucks, drill rigs, and other equipment will be shut off to reduce energy consumption and emissions related to engine idling.
- BMP 5) Waste cardboard generated from labware (sample jars, bottle ware, and summa cannisters) will be reused or recycled to reduce waste.
- BMP 6) Soil samples collected for any VOC analysis will be collected in soil jars, reducing material and waste associated with terrorcore kits (additional glassware and plastic sample plungers).

As part of the remedial design program, to evaluate the remedy with respect to green and sustainable remediation principles, an environmental footprint analysis will be completed using a NYSDEC-accepted environmental footprint analysis tool.

Additionally, the remedial design program will include a NYSDEC climate screening checklist to evaluate the impact of climate change on the Site and the proposed remedy. Potential vulnerabilities associated with extreme weather events, flooding, and sea level rise will be identified and the remedial program will incorporate measures to minimize the impact of climate change on potential identified vulnerabilities.



#### 4.0 PROJECT SCHEDULE

The scope of work for this task includes preparation of PDI documents consistent with the requirements of NYSDEC DER-10. Following approval of this work plan by the NYSDEC, the schedule below will be implemented. Specific technical design elements to be developed during the design process will include detailed engineering designs that provide quantities, locations, and construction details for the implementation of the remedy.

#### 5.1 Pre-Design Investigation Schedule

The anticipated schedule for completing the preliminary design investigation activities identified in this PDI WP and a preliminary schedule for completion of the remedial design and construction of the selected remedy for the site is presented in the table below.

#### **Preliminary Project Schedule**

CATEGORY	TASK	Start	End
	File Review	9/2/2025	9/5/2025
	Development of 2.11's	9/8/2025	9/15/2025
Task 1 – Preliminary Activities	Preparation of Pre-Design Investigation Work Plan (PDI WP)	9/8/2025	9/26/2025
	DEC Review of PDI WP	9/26/2025	10/10/2025
	Development of Fact Sheet	10/10/2025	10/24/2025
	Geophysical Investigation and Survey	10/27/2025	11/4/2025
	Drilling Mobilization	11/3/2025	11/3/2025
	Drilling/Soil Boring Installation/Sample Collection	11/3/2025	12/1/2025
Task 2 – Field Work/Field Investigation	Pond and Chemung River Sediment Sampling	11/24/2025	11/24/2025
	Topography/Boundary Survey	12/1/2025	12/1/2025
	Investigation Derived Waste Transport and Disposal	12/1/2025	12/1/2025
	Laboratory Analysis	11/3/2025	12/16/2025
Tack 2. Deporting	Draft PDI Report/Data Review	12/15/2025	1/22/2026
Task 3: Reporting	DUSR Preparation	1/10/2026	1/22/2026
Task 4 – Engineering Services in Support of Interim Remedial Measure	Green Remediation Footprint Analysis and Climate Change Vulnerability Assessment Draft Interim Remedial Measure Designs under NYSDEC review Excavate, Transport/Dispose of Contaminated Surface Soils, Install Site Cover	4/2026	10/31/2026



#### 5.0 KEY PROJECT PERSONNEL

A list of the project personnel of the prime consultant and subcontractors responsible for performance of the investigation has been submitted to the NYSDEC for approval. Primary project staffs are listed below:

Personnel	Company	Title for this Work Assignment	Responsibility
Mark Wright PG, (DEC Contracts Manager)	HRP Associates, Inc. (Prime Consultant)	Contracts Manager	Overall management of the WA
<u>John Gorman</u> (Project Manager)	HRP Associates, Inc. (Prime Consultant)	Project Manager	Overall management of the WA
Bryan Sherman, CSP (Project Manager)	HRP Associates, Inc.	Office Health & Safety Manager	Approval of HASP and responsible for overall health and safety issues with the WA
Michael Varni, PG (Senior Project Geologist)	HRP Associates, Inc.	Corporate QA/QC Officer	Responsible for QA/QC on the WA
Stephanie Pascual (Consultant)	HRP Associates, Inc.	Field Manager and Site Health & Safety Officer	Responsible for oversight and implementation the on-site sampling and investigative tasks
Elaine Yu (Consultant)	HRP Associates, Inc.	Field Oversight and Sampling	Responsible for the on-site sampling and investigative tasks



#### 6.0 REFERENCES

Caldwell, D.H., et.al., 1986, Surficial Geologic Map of New York, New York State Museum – Geological Survey, Map and Chart series Finger Lakes Sheet.

Curry, George W and Kenneth J. Allen. 1994. *Historic Landscape Report: Canfield Park and Denison Park, Corning, New York*. Prepared for the Market Street Restoration Agency, Corning, New York. Prepared by the State University of New York, College of Environmental Science and Forestry, Faculty of Landscape Architecture, Syracuse, New York. Available online at: https://www.esf.edu/cclp/documents/CanfieldDenison.pdf. Accessed September 2025

Fisher, D.W., et. al., 1970, Geologic Map of New York, New York State Museum and Science Service, Map and Chart Series Finger Lakes Sheet.

New York State Department of Environmental Conservation, Division of Environmental Remediation, DER-10 Technical Guidance for Site Investigation and Remediation, May 2010.

New York State Department of Environmental Conservation, CP-51, *Soil Clean Up Guidance*. New York State Department of Environmental Conservation. Issued October 21, 2010.

New York State Department of Environmental Conservation, *Screening and Assessment of Contaminated Sediment*. Division of Fish, Wildlife, and Marine Resources, Bureau of Habitat. Issued June 24, 2014.

New York State Department of Environmental Conservation. Subpart 375-6 "Remedial Program Soil Cleanup Objectives" in *6 NYCRR Part 375 Environmental Remediation Programs.* Effective December 14, 2006.

Parsons. 2022a. Site Characterization Work Plan, Denison Park Site, Corning, Steuben County, New York. Prepared for the New York State Department of Environmental Conservation, Albany, New York. August 2022.

Parsons. 2023. *Site Characterization Report – Denison Park – Site Number 851066.* Prepared for the New York State Department of Environmental Conservation, Albany, New York. October 2023.

Stantec. 2020. Draft Interim Remedial Measure 60-inch Storm Sewer Replacement Final Engineering Report.

United States Environmental Protection Agency, Office of Superfund Remediation and Technology Innovation, National Functional Guidelines for Inorganic Data Review, January 2017.




Pre-Design Investigation Work Plan Denison Park – Site # 851066 Denison Park, Corning, NY

### **FIGURES**



Ν




USGS Quadrangle Information Quad ID: 42077-B1 Name: Corning, New York Date Rev: 2016 Date Pub: 2019

Figure 1
Site Location
Denison Park
Corning New York
HRP # DEC1057.P3



ONE FAIRCHILD SQUARE SUITE 110 CLIFTON PARK, NY 12065 (518) 877-7101 HRPASSOCIATES.COM



Denison Park Site ID 851066 Corning, New York 14830

Issue Date:	Designed By:	Re	visions	
10/31/2025	CMS	No.	Date	
Project No:	Drawn By:			
DEC1057.P3	CMS			
Sheet Size:	Reviewed By:			
11x17	MEW			]

105

210

Feet

(518) 877-7101

HRPASSOCIATES.COM

Pre-Design Investigation Work Plan Denison Park – Site # 851066 Denison Park, Corning, NY

### **TABLES**



## Table 1 Remedial Design Sample Summary Denison Park - Site # 851066 Denison Park Corning, New York

			Ì	<del></del>
Activity/ Matrix	Number of Sample Locations	Location	Samples to be Collected	Analyses
Surface Soil 0-2 inches below grade (Including MS/MSD 1 per 20 samples Trip blank- 1/cooler Duplicate 1 per 20 samples)	Up to 381*	See Figure 2 Sampling Locations	Up to 1,143* (Including QA/QC)	Target Compound List SVOCs +20 by EPA Method 8270 Target Analyte List Metals by EPA Method 6010B including Mercury and Boron
Surface Soil 2-12 inches below grade (Including MS/MSD 1 per 20 samples Trip blank- 1/cooler Duplicate 1 per 20 samples)	Up to 381*	See Figure 2 Sampling Locations	Up to 1,143* (Including QA/QC)	Target Compound List SVOCs +20 by EPA Method 8270 Target Analyte List Metals by EPA Method 6010B including Mercury and Boron
Surface Soil 12-24 inches below grade (Including MS/MSD 1 per 20 samples Trip blank- 1/cooler Duplicate 1 per 20 samples)	Up to 381*	See Figure 2 Sampling Locations	Up to 1,143* (Including QA/QC)	Target Compound List SVOCs +20 by EPA Method 8270 Target Analyte List Metals by EPA Method 6010B including Mercury and Boron
24-36 inches below grade (Including MS/MSD 1 per 20 samples Trip blank- 1/cooler Duplicate 1 per 20 samples)	Up to 4	194-196 Park Avenue	Up to 7* (Including QA/QC)	Target Compound List SVOCs +20 by EPA Method 8270 Target Analyte List Metals by EPA Method 6010B including Mercury and Boron
36-48 inches below grade (Including MS/MSD 1 per 20 samples Trip blank- 1/cooler Duplicate 1 per 20 samples)	Up to 4	194-196 Park Avenue	Up to 7* (Including QA/QC)	Target Compound List SVOCs +20 by EPA Method 8270 Target Analyte List Metals by EPA Method 6010B including Mercury and Boron
Surface Soil Waste Characterization Sampling	Up to 400	See Figure 2 Sampling Locations	Up to 400 (No QA/QC required)	Toxicity Characteristic Leaching Procedure (TCLP) SVOCs TCLP RCRA 8 Metals Ignitability Corrosivity (pH) Reactive Cyanide Reactive Sulfide



## Table 1 Remedial Design Sample Summary Denison Park - Site # 851066 Denison Park

**Corning, New York** 

				Total PCBs Total Petroleum Hydrocarbons Percent Solids
Chemung River and Pond Sediment	Up to 17	See Figure 2 Sampling Locations	Up to 20* (Including QA/QC)	Target Compound List SVOCs +20 by EPA Method 8270 Target Analyte List Metals by EPA Method 6010B including Mercury and Boron

<sup>\*</sup> The total number of samples collected is dependent on the observation of ash, brick, and glass in each boring. Samples will not be collected if ash, brick, or glass are observed in the sample interval.

Acronym List:

PCBs: Polychlorinated biphenyls VOCs: Volatile Organic Compounds SVOCs: Semi-Volatile Organic Compounds

TAL: Target Analyte List QA: Quality Assurance QC: Quality Control



# Table 2 Analytical Methods/Quality Assurance Summary Denison Park - Site # 851066 Denison Park Corning, New York

					Containers per Sample			Preservation Requirements			
Parameter	Matrix	Number of Samples (including Field QC)	Preparation Method	Analytical Method*	No.	Size	Туре	Temp.	Light Sensitive	Chemical	Maximum Holding Time
Surface Soil, Sediment											
TCL SVOCs by GC/MS	Soil	Up to 1,176*	3546	SW-846 Method 8270C	1	8 oz	amber glass jar	2-6º C	Yes	NA	14 days
TAL Metals (including Mercury and Boron) by ICP	Soil	Up to 1,176*	3050B	SW-846 Method 6010B	1	8 oz	clear glass jar	NA	No	NA	6 months
Waste Characterization Soil											
TCLP SVOCs	Soil	Up to 400	1311	8270	1	8 oz	amber glass jar	2-6º C	Yes	NA	14 days
TCLP RCRA 8 Metals	Soil	Up to 400	1311	6010D	1	8 oz	clear glass jar	2-6º C	No	NA	28 days for mercury, otherwise 6 months
Ignitability	Soil	Up to 400	NA	1030	1	8 oz	clear glass jar	2-6º C	No	NA	28 days
Corrosivity/pH	Soil	Up to 400	NA	1110/9045D	1	8 oz	clear glass jar	2-6º C	No	NA	Immediate
Total PCBs	Soil	Up to 400	6003A	8082A	1	4 oz	clear glass jar	2-6º C	No	NA	14 days
Total Petroleum Hydrocarbons	Soil	Up to 400	418.1	8015	1	4 oz	clear glass jar	2-6º C	No	NA	14 days
Reactive Sulfide	Soil	Up to 400	NA	9030A	1	8 oz	clear glass jar	2-6º C	No	NA	7 days
Reactive Cyanide	Soil	Up to 400	9012	9012B	1	4 oz	clear glass jar	2-6º C	No	NA	14 days

<sup>\*</sup> The total number of samples collected is dependent on the observation of ash, brick, and glass in each boring. Samples will not be collected if ash, brick, or glass are observed in the sample interval.


Acronym List:

GC: Gas Chromatography
ICP: Inductively Coupled Plasma
HCL: Hydrochloric Acid

ı

CV: Cold Vapor VOCs: Volatile Organic Compounds SVOCs: Semi-Volatile Organic Compounds NA: Not Applicable PCBs: Polychlorinated Biphenyls Oz: ounce

RCRA: Resource Conservation and Recovery Act



# Table 3 Site Investigation Green and Sustainable Remediation Calculation Sheet Denison Park - Site #851066 Denison Park Corning, New York

BMP No.	Activity	Negative Impact	Green Remediation Option/ Best Management Practice (BMP)	Comments and Assumptions			Imp	act Reduction			
					Material & Waste	Water	Energy	Air	Sustainable Transportation	Species & Habitat Protection	Educational Programing and Outreach
				PROJECT PLANNING	BMPs						
1	Investigation Activities	* Drill cuttings (soil) IDW generated during soil boring installation *Combustion emissions associated with site mobilizations and drill rig operation	Reduce sampling locations by using data visualization techniques to refine CSM/SOW	TBD							BMPs and impact reductions to be included on fact sheet <sup>†</sup>
2a	and from Site	Fuel consumption and combustion emissions associated with HRP travel	walkthrough and GPR work will be	* 440 miles per round trip from HRP office in Clifton Park, NY to Site. * Light duty truck, 22.9 miles/gallon <sup>1</sup> * 8,774 grams (19.34 lbs.) CO2 emitted per gallon, light duty truck <sup>3</sup>							BMPs and impact reductions to be included on fact sheet <sup>†</sup>
2b	and from Site	Fuel consumption and combustion emissions associated with HRP travel	Car-pool using a single vehicle whenever two or more HRP personnel are required for a site visit.	* 440 miles per round trip from HRP office in Clifton Park, NY to Site. * Crew of two HRP personnel will car-pool for soil sampling/drilling mobilization, saving one round trip. * Light duty vehicle, 22.9 miles/gallon <sup>1</sup> * 8,774 grams (19.34 lbs.) CO2 emitted per gallon, light duty truck <sup>3</sup>							BMPs and impact reductions to be included on fact sheet †



# Table 3 Site Investigation Green and Sustainable Remediation Calculation Sheet Denison Park - Site #851066 Denison Park Corning, New York

BMP No.	Activity	Negative Impact			Imp	act Reduction					
					Material & Waste	Water	Energy	Air	Sustainable Transportation	Species & Habitat Protection	Educational Programing and Outreach
				FIELD WORK BMF	OS						
3	Drilling (Soil Borings)	Drill cuttings (soil) IDW generated	Reduce drill cutting generation by installing soil borings using the direct push method instead of hollow stem auger method	*Soil borings will be installed using direct push/2-inch macrocores instead of 4-inch hollow stem auger. * Soil from all borings will be removed as IDW. * Soil weighs 1.5 tons per cu yd.							BMPs and impact reductions to be included on fact sheet <sup>†</sup>
4	Installation	Fuel consumption and combustion emissions associated with drill rig operation	Shut off drill rig when not in use.	* Geoprobe 7822 DT, Kubota 03 Series 4-cylinder engine, 0.5 gallons of diesel/hour operating at 15% engine output (when idling) <sup>2</sup> .  * 10,217 grams (22.53 lbs.) CO2 emitted per gallon, construction equipment <sup>3</sup>							BMPs and impact reductions to be included on fact sheet †



## Table 3 Site Investigation Green and Sustainable Remediation Calculation Sheet Denison Park - Site #851066 Denison Park Corning, New York

BMP No.	Activity	Negative Impact	Green Remediation Option/ Best Management Practice (BMP)	Comments and Assumptions			Impa	act Reduction			
						Water	Energy	Air	Sustainable Transportation	Species & Habitat Protection	Educational Programing and Outreach
5			Re-use or recycle cardboard generated by sample-ware delivery	* 1 cardboard box generated from groundwater sample containers.  * 1 cardboard boxes used per summa cannister.  * Each box is equivalent to 0.0067 cu ft of cardboard.  * 1 cu ft cardboard weighs 43 lbs.							BMPs and impact reductions to be included on fact sheet <sup>†</sup>
6			for VOC sample collection	* 2-ounce glass soil jars will be used in place of terrorcore kits. * Each terrorcore kit consists of 2.8 oz glass, 0.8 oz plastic, 0.2 oz Styrofoam.							BMPs and impact reductions to be included on fact sheet <sup>†</sup>
Totals											BMPs and impact reductions to be included on fact sheet <sup>†</sup>

#### Notes:

Activity – Describe the field activity including duration, amount material consumed.

Negative Impact- describe and quantify the negative impact on material and waste, water, energy air emissions (i.e. 300 ft of plastic tubing consumed, amount of fuel used on-site and to mobilize to the site, etc.)

Green and Sustainable Remediation Option/ Best Management Practice (BMP) - see partial list included in Appendix C of Field Activity Plan

Impact Reduction- quantify the reduction of material, air emissions, energy consumption etc.

Comment and Assumptions- list basis of calculations.


- 1 Bureau of Transportation Statistics, Average Fuel Efficiency of Light Duty Vehicles, Light Duty Vehicle, Short Wheel Base
- 2- Kubota Corporation, Kubota 03 Series (4 -Cylinder) V2403-M-DIE3B Specification Sheet
- 3 United States Environmental Protection Agency, Office of Transportation and Air Quality, U.S. Transportation Sector Greenhouse Gas Emissions 1990-2020, May 2022
- 4 U.S. Energy Information Administration Heavy-Duty Trucks Fuel Economy, Annual 2020
- † Quantifiable impact reductions achieved by green and sustainable remediation BMPs may be included in site fact sheets to promote public awareness of NYSDEC green and sustainable BMPs.





### APPENDIX A


2023 Parsons Site Characterization Callout Figures














### APPENDIX B

Site-Specific Health and Safety Plan





## SITE-SPECIFIC HEALTH AND SAFETY PLAN (HASP)

#### Denison Park - Site # 851066

Denison Park City of Corning, New York 14830

#### Prepared For:

New York State Department of Environmental Conservation 625 Broadway Albany, New York 12233 Contract #D009808

#### Prepared By:

HRP Associates, Inc. 1 Fairchild Square, Suite 110 Clifton Park, NY 12065

HRP #: DEC1057.P3

Issued On: September 19, 2025

ADDENDUM LOG		
Addendum Number Date Issued Modification(s) Needed/Reason(s)		



#### **DISCLAIMER**

HRP Associates, Inc. does not guarantee the health or safety of any person entering this site. Due to the potential hazards of this site and the activity occurring thereon, it is not possible to discover, evaluate, and provide protection for all possible hazards which may be encountered. Strict adherence to the health and safety guidelines set forth herein will reduce, but not eliminate, the potential for injury at this site. The health and safety guidelines in this plan were prepared specifically for this site for use and should not be used on any other site.

If unexpected conditions were to arise, any employee will have "Stop Work Authority." Employees should be capable of identifying existing and predictable hazards in their surroundings or working conditions that are unsanitary, hazardous, or dangerous to the workers. The employee(s) has the authority to impose prompt corrective measures to eliminate these hazards. Some examples include the ability to stop work, close a jobsite, or evacuate workers if needed.



#### **TABLE OF CONTENTS**

1.0	INTE	RODUCTION	1
2.0	EME	RGENCY CONTACTS AND PROCEDURES	2
	2.1 2.2 2.3	Contacts Emergency Procedures Emergency Supplies and Equipment	2
3.0	SCO	PE OF WORK	4
	3.1 3.2 3.3 3.4	Site's Background Project's Description Site Type Scope of Work 3.4.1 Geophysical Investigation/Ground Penetrating Radar (GPR) 3.4.2 GPS Survey 3.4.3 Site Survey 3.4.4 Soil Boring Installation and Surface Soil Sampling 3.4.5 Soil Sampling Collection and Handling Procedures 3.4.6 Decontamination Procedures 3.4.7 Disposal of Investigation Derived Waste (IDW) 3.4.7.1. Base Map Development and Site Survey	5 6 6 7
4.0	ROL	ES AND RESPONSIBILITIES	10
5.0	PRO.	JECT HAZARDS AND CONTROL MEASURES	12
	5.1 5.2 5.3 5.4	Identifying HazardsTask Policy RemindersCommunity Air Monitoring (required by DER 10)Equipment Usage	12 14
6.0	SUSI	PECTED CONTAMINATION AND DECONTAMINATION	18
	6.1 6.2 6.3 6.4 6.5	Suspected Contamination	18 18 19
7.0	PERS	SONAL PROTECTIVE EQUIPMENT	20
	7.1	Levels of Personal Protective Equipment	21
8.0	TRA	INING/MEDICAL SURVEILLANCE	22
	8.1 8.2 8.3	Training Requirements Pre-Entry Briefing Toolbox Talk (Daily Job Brief)	23



	8.4	Medical Surveillance	23
9.0	AUTH	ORIZATION	23
10.0	RECO	RDKEEPING	24
11.0	SITE-S	SPECIFIC HEALTH AND SAFETY PLAN APPROVAL	24
12.0	FIELD	TEAM ACKNOWLEDGMENT	26
<u>Figure</u>	<u>es</u>		
Figure Figure Figure	2	Site Location Map Site Plan with Areas of Environmental Concern Route and Map to Nearest Hospital	
<u>Tables</u>	<u>S</u>		
TABLE Table :	2 3 4 5 6 7 9 10 11	General Information Emergency Contacts Emergency Supplies/Equipment Site Type Tasks Roles and Responsibilities Action Levels Hazards Known or Suspected Onsite Hazardous Material Summary Equipment Usage Personal Protective Equipment Potential Field Activity Tasks and Associated PPE Contaminants of Known or Suspected Onsite (FOLLOWS TEXT)	
<u>Apper</u>	<u>ndices</u>		
Append Append Append Append Append Append	dix B dix C dix D dix E	Safety and Logistics Planning Call Log Personnel Log Job Safety Analysis (JSA) Toolbox Talk Specific Procedures Safety Data Sheets (for chemicals brought to the site)	



#### 1.0 INTRODUCTION

This Health and Safety Plan (HASP) has been prepared for the Denison Park (NYSDEC Site #851066) Remedial Investigation/Feasibility Study (RI/FS). The general and contact information of the site can be found on **Table 1** below.

This HASP has been developed in accordance with HRP Associates, Inc.'s (HRP) Health and Safety (H&S) procedures as required under the Occupational Safety and Health Administration's (OSHA) Hazardous Waste Operations and Emergency Response (HAZWOPER) regulation (Code of Federal Regulations (CFR), 29 CFR 1910.120). Specific H&S information for the project is contained in this HASP. This Plan has also been developed to establish minimum standards necessary for onsite investigation activities to protect the H&S of HRP personnel.

HRP personnel and associated contractors shall be familiar with this HASP prior to conducting proposed site work. This plan must be present onsite and be available for reference/inspection when the subject site work is being conducted.

All project personnel shall sign the certification page acknowledging that they have read and understand this HASP. Changes in the scope of the project or introduction of new hazards to the project shall require revision of the HASP, and approval by the Project Manager (PM) under the Addendum Loq.

TABLE 1 GENERAL INFORMATION			
Project Number	DEC1057.P3		
Site/Project Name	Denison Park – Site #851066		
Site Address/Location	Denison Park, Corning, NY		
CONTACTS			
HRP's Contacts			
Title	Name Phone Number		
Project Manager	John Gorman 716-225-5545		
Site Safety Officer	Stephanie Pascual 518-914-6012		
Site-Specific Contacts			
Name	Thoren Gianuzzi, Project Manager		
Title	Project Manager, New York State Department of Environmental Conservation		
Phone	518-402-8246		



#### 2.0 EMERGENCY CONTACTS AND PROCEDURES

#### 2.1 Contacts

**Table 2** presents the Emergency Contact information associated with the planned RI/FS work. The following information, including directions to the nearest hospital shall be posted at the Site. When contacting the local authorities, be sure to provide: your name, facility name, full address, telephone number, and the nature of the emergency. The information on **Table 2** should be revised, if necessary, upon review of the work to be completed and prior to initializing the activities.

TABLE 2 EMERGENCY CONTACTS		
Contact	Name	Phone Number
Local Police	City of Corning Police Department	607-962-0340 ext. 1500
Local Ambulance	Guthrie Corning Hospital	607-937-7200
Local Fire Department	City of Corning Fire Department	607-962-0340
Poison Control Center		1-800-222-1222
National Response Center		800-424-8802
Spill Response Agency	NYSDEC Spills Hotline	1-800-457-7362
Local Hospital	Guthrie Corning Hospital	607-937-7200
Local Hospital Address (Map in Figure 3)	1 Guthrie Drive, Corning, NY	
HRP's Site Safety Officer	Stephanie Pascual	518-914-6012
Project Manager	John Gorman	716-225-5545
State Agency PM	Thoren Gianuzzi, Project Manager, NYSDEC	518-402-8246
Site Owner/Contact	Alex Hamilton, Recreation Director – City of Corning	607-962-0340 ext 1125

#### For the police, ambulance, and fire department, contact 9-1-1.

The Site Safety Officer will coordinate the entry and exit of response personnel in the event of an emergency.

Map and directions to the following medical facilities are provided on **Figure 3**.

#### 2.2 Emergency Procedures

In the event of a worker injury, fire, explosion, spill, flood, or other emergency that threatens the safety and health of site workers, the following procedure will be followed:

1. If the emergency originates within the work area covered by this Plan, the HRP Site Safety Officer shall act as the Emergency Coordinator. The emergency evacuation signal <u>is an air horn or a loud yell</u>. All emergency situations (including worker injuries, no matter how



- small) will be reported to the Site Safety Officer, who will determine the appropriate emergency response, up to and including evacuation. The Site Safety Officer will be responsible for reporting any emergency situation to the appropriate authorities, using a telephone or other appropriate method.
- 2. In the case of an evacuation, site workers will exit the site along the safest route(s) and assemble with team members at a safe rally point. Those workers in the Exclusion Zone will follow the emergency decontamination procedures outlined in **Section 6.4**. Accounting for all site personnel will be conducted by the Site Safety Officer using the personnel log at a location determined by the Site Safety Officer.
- 3. HRP personnel are not permitted to participate in handling the emergency. Fire and medical emergencies will be handled by the local fire department and ambulance service. In the case of a spill of hazardous materials, a local commercial spill clean-up firm should be contacted.
  - If the spill begins to flow overland and threatens to contaminate a storm drain or surface water, HRP personnel may attempt to contain and isolate the spill using any available resources, but only if, in the judgment of the Site Safety Officer, such action will not expose the workers to dangerous levels of hazardous substances and is necessary to preserve life or property. In the event that a spill of material of any amount threatens to reach navigable waters, the National Response Center (NRC) shall be contacted.
- 4. Once initial emergency procedures to protect worker safety and health have been addressed, and control of emergency has been completed, the Site Safety Officer will complete HRP's Incident Investigation Report and submit this form to the appropriate personnel (HRP and/or client contact).
- 5. All site workers will be familiarized with the above procedures during the pre-entry briefing to be conducted before site work begins.

In the event of an evacuation, meet at the following rally points (shown on **Figure 2**):

Denison Park Pool Buildings

#### 2.3 Emergency Supplies and Equipment

**Table 3** presents the appropriate Emergency Supplies and Equipment List for the planned listed work. Select the appropriate supplies and equipment based on the proposed work. The information on **Table 3** should be revised, if necessary, upon review of the listed work and prior to initializing the activities.

TABLE 3 EMERGENCY SUPPLIES/EQUIPMENT		
SUPPLY ITEM LOCATION ONSITE		
⊠ First Aid Kit	In Vehicle	
	In Vehicle	
⊠ Eye Wash (Bottle)	In Vehicle	
⊠ Spill Kit	In Vehicle	



TABLE 3 EMERGENCY SUPPLIES/EQUIPMENT		
SUPPLY ITEM	LOCATION ONSITE	
	In Vehicle	
□ Caution Tape, Cones	In Vehicle	
☐ Air Horn	In Vehicle	
⊠ Flashlight	In Vehicle	
	In Vehicle	
	In Vehicle	
⊠ Sunscreen	In Vehicle	
☐ Insect Repellant	In Vehicle	
⊠ Cooling Aids (cooling towels, vests, etc.)	In Vehicle	
□ Other		

#### 3.0 SCOPE OF WORK

#### 3.1 Site's Background

Denison Park is located in the southeastern portion of the City of Corning, NY and is bordered by residential neighborhoods to the west and south, the Wastewater Treatment facility and Baseball Complex on the southeast, the Chemung River to the east, and commercial and industrial facilities to the north.

The Site is a City park and is split into north and south sections by New York State Route 352, an elevated roadway and bridge that spans the Chemung River to connect the City of Corning with the City of Elmira, New York.

In 1857, the site was undeveloped with several low-lying areas representing floodplain ponds or drainages. In 1906, 33 acres were purchased by the Business Men's Association for a park, and Harold A. Caparn, a prominent Landscape Architect from New York City, was hired to design the park. With donations from the Denison family and the public, park construction began in 1907 and included a small zoo and a 10-15 foot high levee along the Chemung River floodplain that was wide enough to be used as a carriage path. Ongoing construction in 1910 included a concrete children's wading pool, picnic pavilions, drinking fountains, a concrete bridge, a tower, a baseball field, a quarter mile running track and a playground. The original spatial organization of the park (1907-1910) indicated a U-shaped water feature which appears to correspond to the two original drainages (as arms of the U) and mill pond location from 1873. Additional park features were added from 1916-1919, including sandboxes, a large open-air picnic pavilion, tennis courts, and Memorial Gate, designed by James Walker, an Architect from Buffalo, New York. A public swimming pool and bath house were built and opened in 1921. The 1972 flood destroyed much of Denison Park. When the



park was rehabilitated and repaired, the original 1920s pool and bath house were demolished and replaced. Portions of the two arms of the lake were truncated and infilled south of the elevated roadway and a portion of the eastern arm north of the elevated roadway was isolated becoming a lagoon. Subsequently, the lagoon in the north park area was infilled and by 1973, the west arm was infilled and the west side of the lake was squared off in the south park area.

**Figure 1** shows the site's location map.

#### 3.2 Project's Description

The Site is currently utilized for passive and active recreation with uses including sports fields, walking trails, playgrounds, picnic areas, a community pool, disc golf course, and a small pond. Based on investigations conducted to date, on-site soils and groundwater are contaminated with metals and semi-volatile organic compounds at levels exceeding applicable standards, criteria, and guidance. Glass manufacturing waste material, including ash, brick, and/or glass (ABG), was also observed in Site soils. This investigation will further delineate the nature and extent of contamination identified in previous investigations to assist in the design of the presumed remedy of excavating contaminated surface soils and installing a site cover.

**Figure 2** shows the areas of environmental concern(s).

Refer to the Introduction (**Section 1.0**) for the site's information and contacts.

#### 3.3 Site Type

TABLE 4 SITE TYPE (Check all that may apply to the site/project.)		
	☐ Abandoned	
□ Industrial	□ Landfill	
☐ Inactive	⊠ Unsecured	
□ Well Field	□ Water Work	
☐ Residential	□ Railroad	
□ Undeveloped	☐ Commercial	
☐ Secure	☐ Service Station	
☑ Other – Active Park		

#### 3.4 Scope of Work

In general, the work to be performed by HRP and/or HRP's subcontractors consists of investigative methods to evaluate the environmental condition of the Site. The fieldwork for this task includes the following subtasks:

• The pre-design investigation sampling will include the components described below and consist of characterizing and sampling surface soil to meet project objectives. The number and type of samples



to be collected for laboratory analysis is discussed below. Field investigation tasks are listed below in the order that they will be completed:

- 1. Ground Penetrating Radar (GPR) and Utility Locate
- 2. GPS Survey of 75 x 75-foot Sampling Points
- 3. Soil Boring Installation and Surface Soil Sampling
- 4. Site Survey
- 5. Characterization and Disposal of Investigation Derived Waste (IDW)
- 6. Analytical Data Quality Evaluation
- 7. Base Map Development and Site Survey

#### 3.4.1 Geophysical Investigation/Ground Penetrating Radar (GPR)

Prior to the initiation of subsurface drilling activities completed during the pre-design investigation and in accordance with New York state law, the Site will be marked out for underground utilities by Dig Safely New York. In addition, since Dig Safe does not locate any on-site private utilities, a ground penetrating radar (GPR) survey of proposed sampling locations will be completed at the Site under HRP supervision in order to clear unmarked, underground utilities and identify subsurface anomalies, such as possible USTs, hydraulic lifts, septic tanks, etc. All identified subsurface anomalies will be painted and marked at the ground surface. Geophysical techniques include the use of GPR, radio frequency, and electromagnetic induction within each 75 x 75-foot cell. A map will be provided of identified Site utilities and subsurface anomalies to HRP by the geophysical contractor prior to any subsurface intrusive work.

#### 3.4.2 GPS Survey

The proposed layout consists of a 75 x 75-foot grid, with one, 2-foot deep boring advanced towards the center of each grid cell. Specific sampling locations will be marked using a GPS unit to establish soil sampling coordinates prior to subsurface work. Any boring locations that were planned will be field-verified during the GPS survey to ensure that the proposed location can be accessed by a drill rig.

#### 3.4.3 Site Survey

Following the completion of the geophysical survey and utility mark out, the surveyor contractor will collect and incorporate all previously identified utilities and subsurface anomalies as a part of the Site survey. The corners of existing hardscapes (such as paved asphalt parking lots, pools, courts, sidewalks, and buildings) will be surveyed at the Site.

A comprehensive topographic survey will be performed to provide base maps for developing the remedial design. A New York State licensed professional land surveyor will perform the survey and collect ground surface point elevation data to construct a Site contour map with 1-foot intervals. The surveyor will provide Computer-Aided Design (CAD) and PDF survey files for all collected Site data.



The survey will be referenced horizontally to the North American Datum 1983, 2011 adjustment (NAD83/2011), and vertically to the North American Vertical Datum of 1988 (NAVD88).

#### 3.4.4 Soil Boring Installation and Surface Soil Sampling

All installed soil borings will be named in accordance with the established grid (**Figure 2**). The grid is established to provide adequate distribution and coverage across the Site area. Subsurface anomalies and utilities as well as overhead utilities may affect planned soil boring locations prior to installation. A minimum 10-foot distance will be maintained for soil borings in close proximity to marked or observed utilities. A GPS unit will be used to locate the coordinates for each installed boring.

Shallow soil borings will be installed to evaluate for the presence of ABG and Soil Cleanup Objective (SCO) exceedances to support and determine the footprint of any remedial actions. Soil borings will be advanced using a direct-push technique (DPT) drilling rig equipped with MacroCore samplers to confirm the degree and extent of surface soil impacts above the RRU SCO. Soil cores will be advanced continuously until a depth of two-feet below grade is achieved. If ABG is observed during soil boring installation, field personnel will describe and document the location, depth, and photograph the material.

All soil samples will be screened for organic vapors using a photoionization detector (PID) and any evidence of contamination will be noted and/or used for selection of soil samples for laboratory analysis. All samples will be submitted to a New York State Department of Health (NYSDOH) Environmental Laboratory Approval Program (ELAP) certified laboratory for analysis of Target Compound List (TCL) SVOCs by EPA Method 8270 and Target Analyte List metals by EPA Methods 6010D & 6020B. Quality control samples will be collected during soil sampling to ensure precision and accuracy of results. Duplicate and matrix/matrix spike duplicates will be collected at a frequency of 1 per 20 samples.

Up to three soil sample samples from each boring will be collected from the depths intervals summarized below and results will be compared against the Part 375 Commercial Use SCO. Soil samples will only be collected from native soils or fill that does not contain ABG. Any samples containing ABG will be considered to be contaminated in accordance with Commissioner Policy CP-51 Section G and do not require laboratory analysis. Soil boring samples will be collected from the following intervals and submitted for laboratory analysis:

- 0-2 inches (excludes sod/grass/organic)
- 2-12 inches
- 12-24 inches

Upon completion, each soil boring will be backfilled with clean sand and topped with topsoil. The area surrounding each soil boring will be returned to match previous existing conditions prior to soil boring installation.

#### 3.4.5 Soil Sampling Collection and Handling Procedures



Soil sampling equipment to be used includes stainless steel trowels, bowls, spoons, or scoops, hand auger, sample containers, sampling zip lock bags, and coolers with ice. Nitrile gloves will be worn by personnel collecting and handling the samples. All non-disposable equipment and tooling used for sampling will be properly decontaminated as described in **Sections 3.4.6 and 6.3** between sampling locations and intervals. Soil samples will be collected using clean laboratory-supplied appropriate containers and will be preserved on ice in coolers during field sampling activities. Target samples will then be submitted for laboratory analysis, and contingency samples will be stored at proper temperatures, pending follow-up analysis, as necessary.

#### 3.4.6 Decontamination Procedures

Non-dedicated sampling equipment (i.e., drill rods, shovels, augers, etc.) will be subject to decontamination procedures prior to each sample collected to reduce the potential for cross-contamination. The decontamination procedures will include the use of a scrub wash with a solution consisting of Alconox® detergent and potable water followed by a rinse with DI water. The decontaminated equipment will be stored in clean environments (i.e., the manufacturer's storage case). Decontamination fluids will be properly labeled and securely stored in the designated waste-container staging area.

#### 3.4.7 Disposal of Investigation Derived Waste (IDW)

Soils from the PDI may be disposed within the direct push hole (cuttings may be used to backfill holes resulting from soil sampling), the direct push hole did not penetrate an aquitard nor an aquiclude and backfilling the hole with cuttings will not create a significant path for vertical movement of contaminants. Material that is visually stained, creates high PID measurements, or exhibits strong odors shall be sampled and analyzed to ensure chemical compatibility with other cuttings before placing the materials in a common storage/disposal area if staining is present in the cuttings.

Investigation-derived waste (IDW) generated during the PDI will be containerized in NYSDOT-approved 55-gallon drums or roll-off container, labeled as IDW, and temporarily staged in a secure area. One composite sample of soil will be collected, if needed, for waste disposal profiling. The specific parameters to be analyzed will be determined in consultation with the selected disposal facility but are likely to include the following analyses:

- Corrosivity (pH)
- Ignitability
- TCLP SVOCs
- TCLP RCRA 8 Metals
- Total petroleum hydrocarbons
- Reactive sulfide
- Reactive cyanide
- Total PCBs
- Percent Solids

Upon receipt of laboratory results, HRP will arrange for disposal of the wastes. HRP will sign any waste manifests as agent of the generator (NYSDEC) prior to waste transport leaving the Site. HRP



Health and Safety Plan Denison Park– Site # 851066 Denison Park, Corning, NY Page 9 of 27

will label drums as hazardous waste or as non-hazardous waste upon receipt of laboratory analytical data, or as "Pending Analysis" if results have not been received. Data validation will not be required for the waste characterization samples.

Decontamination fluids will be containerized separately from other IDW, and any decontamination fluids that do not exhibit evidence of contamination will be containerized separately from those exhibiting evidence of contamination, if present.

An IDW storage area will be established at the Site at the start of field work. The IDW storage area will include plastic sheeting and silt sock to prevent rainwater runoff. Daily IDW will be drummed and labeled as "Pending Analysis". IDW will be stored in 55-gallon steel drums in the designated storage area until waste characterization analytical results are received and sent to the disposal facility for approval. IDW will be disposed of in accordance with DER-10 as well as local, State, and Federal regulations.

Although not expected, any intrusive ground work that involves the transport and disposal of large quantities of IDW will be performed by licensed waste haulers and in accordance with local, State, and Federal regulations. Haulers will be appropriately licensed and trucks placarded. Materials to be transported by haulers will be secured using covers or tarps. If wet materials are being transported, truck liners will be used prior to leaving the Site.

#### 3.4.7.1. Base Map Development and Site Survey

The Site and surrounding areas will be surveyed by a New York State licensed land surveyor. The field survey will include establishing project horizontal control and the collection of planimetric features for the development of 2D mapping. Only the exterior Site features will be recorded on the survey. Subsequently, a base map of the Site will be developed using CAD software that will be utilized to place all PDI soil borings and previous on-site investigations. The sample locations will be placed on the base map by geo-referencing previous figures into the local CAD coordinate system, and will include all Geoprobe® boring locations.

Check the box for the following topics that are applicable to the project being completed (**Table 5**).

TABLE 5 TASKS		
☐ Site Inspections (e.g., ESA)	□ Drum Sampling	
☐ Industrial Hygiene	☐ Ground Water Sampling	
☐ Asbestos Survey	☐ Landfill Sampling	
☐ Bridge Inspections	☐ Product Sampling	
□ Drilling/Probing	☐ Remediation Monitoring (air/water)	
☐ Well Repair/Abandonment	☐ Soil Gas Sampling	
☐ Stack Testing	☐ Stormwater Sampling	
☐ Surface Water Sampling	⊠ Surveying	
☐ Wastewater Sampling/Benchmark Test	☐ Confined Space Entry	



Health and Safety Plan Denison Park- Site # 851066 Denison Park, Corning, NY Page 10 of 27

□ Excavation	☐ Emergency Spill Response Oversight	
☐ Chemical/Waste Exposure/Handling		

Should conditions or the scope of work described herein change significantly; a HASP Addendum will be completed.

A Safety and Logistics Planning call will be held prior to conducting any intrusive activities at the site. Representatives from HRP and each subcontractor will attend the call to discuss logistical and safety challenges general to the scope of work and specific to the Site. This call is documented on the Safety and Logistics Planning Log in **Appendix A**.

Specific procedures may be needed for certain job tasks, include at the end of this HASP.

#### 4.0 ROLES AND RESPONSIBILITIES

The following personnel on **Table 6** are designated to perform the stated project activities and to ensure that the requirements of this HASP are met. The same person may fill more than one role, and/or serve as an alternate in the absence of the designated team member.

A complete list of HRP employee and subcontractor responsibilities (as applicable) can be found in the HRP's H&S procedures.

**NOTE**: Any employee has the STOP WORK AUTHORITY (sometimes known as PAUSE WORK).



	TABLE 6 ROLES AND RESPONSIBILITIES		
Project Team Member	Project Team  Responsibilities and Tasks		
Stephanie Pascual, Consultant	<ul> <li>HRP's Site Safety Officer: Ensuring all site work is performed in accordance with HRP's H&amp;S Programs, as well as in accordance with local, state, and federal regulations.</li> <li>Directing and implementing HRP's HASP.</li> <li>Reviewing the Subcontractor's HASP and being aware of the hazards detailed therein.</li> <li>Conduct a job orientation meeting and routine safety meetings for HRP employees and subcontractors, as applicable.</li> <li>Provide copies of these inspections, recordkeeping/personnel logs to the engineer/contractor as required.</li> <li>Ensuring all project personnel have been adequately trained in the recognition and avoidance of unsafe conditions.</li> <li>Address Stop Work Orders that shall be executed upon the determination of an imminent H&amp;S concern and will notify the appropriate contacts upon issuance of this order.</li> <li>Authorizing work to resume, upon approval from the Contractor.</li> <li>Directing activities, as defined in the HRP's and the Contractor's written HASP, during emergency situations.</li> <li>Providing personnel monitoring where applicable.</li> <li>Ensuring that adequate personal protective equipment (PPE) and first aid supplies are available.</li> <li>Ensure site security, to the extent practicable.</li> <li>Ensure accident victims are promptly cared for, and the incident is investigated and properly reported.</li> <li>Communicating with HRP's PM, Office H&amp;S Manager (OHSM), and others when needed.</li> <li>Report all injuries, illnesses, and other incidents to the PM.</li> </ul>		
John Gorman – Project Manager	<ul> <li>HRP's Site Supervisor/Project Manager</li> <li>Monitor and assist the Site Safety Officer.</li> <li>Maintain appropriate rules, regulations, and codes at the job site.</li> </ul>		
Mark Wright, DEC Contracts Manager	<ul> <li>Provide advanced safety planning for all activities through the use of scheduling and administrative controls.</li> <li>Obtain site-specific H&amp;S information and communicate that information with the appropriate personnel (i.e., contractors, client, etc.)</li> <li>Report all injuries, illnesses, and other incidents to the Regional Office Manager (ROM) and Corporate H&amp;S Officer (CHSO). If ROM or CHSO cannot be reached, contact Chief Operating Officer (COO) or Human Resources.</li> <li>Ensure all HRP personnel are trained and qualified to perform site work.</li> </ul>		
Site Workers (Subcontractors)	<ul> <li>Site Workers</li> <li>Read and work in accordance with this HASP.</li> <li>Report all unsafe work practices to the Site Safety Officer.</li> <li>Report all incidents, including near-misses to the Site Safety Officer.</li> <li>Work in a safe manner.</li> <li>Provide designated Competent Person</li> </ul>		

<sup>\*</sup>A list of site workers will be maintained in the Personnel Log (**Appendix B**).



#### 5.0 PROJECT HAZARDS AND CONTROL MEASURES

#### 5.1 Identifying Hazards

The Site Supervisor/PM shall complete the Job Safety Analysis (JSA) in **Appendix C** prior to the start of the project. The JSA identifies the steps of the task to be performed with its hazards, unsafe conditions, and materials that are known or suspected to be onsite. The hazards that are listed in the JSA must be ranked using HIGH (H), MEDIUM (M), or LOW (L) based on current site knowledge. Use the results of this analysis to verify that controls in the JSA are adequate to mitigate task hazards.

Details of specific hazards associated with individual tasks will be discussed in the Toolbox Talk (formerly known as the Daily Job Brief Record (**Appendix D**)). **The Toolbox Talk is the key to the entire operation**. We are writing this HASP prior to going onsite and therefore cannot anticipate all of the site-specific hazards. The PM must do a thorough job on the Toolbox Talk, so we remain compliant. The Daily Toolbox Talk records will be reviewed by the PM at the conclusion of the field work.

#### 5.2 Task Policy Reminders

#### **Confined Spaces**

Only properly trained HRP personnel are authorized to enter confined spaces. Confined space entry may be performed by subcontractors who have the proper training and experience to conduct this work.

#### **Emergency Spill Response Oversight**

HRP personnel are not permitted to participate in handling the emergency, only the oversight of such activities.

#### **Excavations**

It is HRP's policy to ensure that for excavation projects the subcontracted environmental contractor will provide a competent person to perform daily and as needed inspections of excavation sites. This policy will be conveyed through the subcontract agreement with the environmental contractor. At a minimum HRP will provide our employees involved with construction projects with awareness level training regarding excavation hazards and notify the subcontracted firm if any obvious excavation safety hazard exists during the course of onsite activities.

#### Drilling

HRP employees will not perform drilling, rather HRP will use a competent subcontractor to perform drilling services. At a minimum, HRP will provide our employees involved with this type of project with awareness level training regarding drilling, the hazards of the equipment and distance of the drilling.

#### Chemical Hazards

Hazardous materials and/or chemicals are listed on **Table 9**. Contaminants that are known or suspected onsite are listed at the end of this document on **Table 13** includes Chemical name, odor threshold OSHA permissible exposure limit (PEL), the American Conference of Governmental



Industrial Hygienists (ACGIH) threshold limit value (TLV), OSHA short-term exposure limit (STEL), Immediately Dangerous to Life or Health (IDLH) Concentrations, routes of exposure, and symptoms of acute exposure. Chemicals likely to be encountered during site work are highlighted.

#### **Physical Hazards**

Physical hazards known or suspected to be onsite are listed on **Table 8**. **Table 8** includes description of potential hazards, methods to identify/minimize them, potential for occurrence and potentially affected tasks.

#### Air Monitoring

In order to determine potential health hazards and to determine the level of personal protection needed during drilling, excavation, and sampling activities within the areas of concern, a photoionization detector (PID) will be periodically operated to monitor air quality for the purpose of ensuring minimal exposure to volatile organic compounds.

Background ambient air levels will be established outside the exclusion zone prior to commencement of site work. Ambient air sampling will occur in the breathing zone of site workers for comparison to the action levels (described below). Additionally, air sampling will be conducted in the vicinity of any intrusive exploration (i.e., near excavations, trenches, etc.) to determine if any contaminants are present. See **Table 7** for action levels to be used.

TABLE 7 ACTION LEVELS Use the following Action Levels			
INSTRUMENT	ACTION LEVEL	LEVEL OF PROTECTION OR ACTION REQUIRED	
PID	<5 ppm	<ul> <li>Continue to monitor</li> <li>Recheck levels after fifteen minutes</li> <li>If levels are sustained, reassess</li> <li>Use engineering controls to lower breathing zone vapors</li> <li>Level C protection (at the H&amp;S Officer's (HSO) discretion)</li> </ul>	
PID	>5 ppm	<ul> <li>Stop work and evacuate exclusion zone</li> <li>Recheck levels after fifteen mins</li> <li>Use engineering controls to lower breathing zone vapors</li> <li>If levels are sustained, contact CHSO and/or OHSM, and re-evaluate HASP</li> </ul>	

When an action level is equaled or exceeded, the work area should be evacuated, and the area retested with the sampling device. If the appropriate action level continues to be exceeded, the Site Safety Officer will have to assess the use of engineering controls to lower vapor levels or availability of required increased personal protection equipment before authorizing re-entry.

**NOTE:** When the background reading is >1 ppm, assess the area and equipment, but continue PID monitoring and



wear Level D protection ppm = parts per million

#### 5.3 Community Air Monitoring (required by DER 10)

#### **AWARENESS FOR NEW YORK ONLY:**

To ensure the protection of receptors surrounding the site HRP has developed and will implement a Community Air Monitoring Program (CAMP), which requires real time monitoring of volatile organics and dust during the remedial investigation. The CAMP will be implemented during all intrusive activities.

Particulate concentrations will be monitored continuously at the upwind and downwind perimeters of the exclusion zone at temporary particulate monitoring stations. The particulate monitoring will be performed using real-time monitoring equipment capable of measuring particulate matter less than ten micrometers ( $10~\mu m$ ) in size (PM-10) and capable of integrating over a period of fifteen minutes (or less) for comparison to the airborne particulate action level. The equipment will be equipped with an audible alarm to indicate exceedance of the action level. In addition, fugitive dust migration will be visually assessed during all work activities.

If the downwind PM-10 particulate level is 100 micrograms per cubic meter( $\mu g/m^3$ ) greater than the background (upwind perimeter) for the fifteen-minute period or if airborne dust is observed leaving the work area, then dust suppression techniques will be employed. Work may continue with dust suppression techniques provided that no visible dust is migrating from the work area.

If, after implementation of dust suppression techniques, downwind PM-10 particulate levels are greater than 150  $\mu g/m^3$  above the upwind level, work will be stopped, and a re-evaluation of activities initiated. Work can resume provided that dust suppression measures and other controls are successful in reducing the downwind PM-10 particulate concentration to within 150  $\mu g/m^3$  of the upwind level and in preventing visible dust migration.



TABLE 8				
*Check all that may potentially apply to the tasks being performed. Chemical Hazards are included on <b>Table 8</b> .				
PHYSICAL HAZARDS	SAFETY HAZARDS	BIOLOGICAL HAZARDS	ERGONOMIC HAZARDS	PSYCHOLOGICAL HAZARDS
□ Structure Unsafe □ Uneven Floors/Surfaces □ Ceiling Unsafe □ Falling Objects/Loads □ Flying Debris □ Slippery Floor/Ground □ Obstructed Walking Areas □ Misuse of Machinery □ Excessive/Loud Noise □ Poor Lighting □ Fire □ Radiation □ Magnetic Fields □ Pressure Extremes □ Extreme Heat/Cold □ Inclement Weather □ Confined Space Entry □ Atmosphere □ Drowning □ Flooding □ Poor Visibility □ Other (Specify)	⊠ Slipping/Tripping/Falling     □ Improper Machine Guard     □ Equipment Malfunction     ⊠ Struck By     □ Homeless Encampments     □ Falling Into     □ Cave In/Collapses     ☑ Underground Utilities     □ Excavation Spoils     □ Superimposed Loads     ☑ Mobile Equipment/Machinery     □ Electrical     □ Poor Housekeeping     □ Suspicious Activity/Person     □ Security     □ Traffic     □ Other (Specify)	□ Bacteria □ Viruses □ Insects □ Plants □ Animals/Birds □ Other (Specify)	<ul> <li>☑ Repetitive Movements</li> <li>☐ Improper Work Setup</li> <li>☐ Poor Equipment Design</li> <li>☐ Poor Workstation Design</li> <li>☑ Postural/Workflow</li> <li>☑ Manual Handling</li> <li>☐ Other (Specify)</li> </ul>	□ Workload □ New Worker □ Lone Worker □ Stress □ Harassment □ Communication Issue □ Other (Specify)
CONTROL MEASURES AND WORK PRACTICES				
NOTE: Hand signals are encouraged to communicate during a job where hearing is limited, but vision is not. These hand signals should be listed within the Toolbox Talk and JSA.				
REQUIRED PERMITS				
<ul> <li>None ☐ Excavation ☐ Encroachment ☐ Confined Space Entry ☐ Hot Tap ☐ Street Open/Closing ☐ Hot Work</li> <li>☐ Energized Equipment ☐ Other (Specify)</li> </ul>				
*These permits may not be issued by HRP employees. You may reference them as needed.				



#### TABLE 9 **HAZARDOUS MATERIAL SUMMARY** Check all that may apply onsite. Attach Safety Data Sheets (SDS) in **Appendix F** for each chemical that will be brought to the site. **KNOWN CHEMICALS HAZARDOUS MATERIAL LIST** List the actual chemical name that HRP employees are exposed to. ☐ Acids ☐ Diesel Fuel/Oil Arsenic, barium, boron, cadmium, chromium, lead, mercury ☐ Pickling Liquors □ Lubricants Benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(k)fluoranthene □ PCBs ☐ Caustics Chrysene, dibenz(a,h)anthracene, indeno(1,2,3-cd)pyrene, phenol ⋈ PAHs □ Pesticides Trichloroethylene, 1,4-dioxane, 1,4-dichlorobenzene ☐ Dyes/Inks ☐ Kerosene □ Cyanides □ Propane **PFOS PCBs** □ Mold ☐ Halogens P,P'-DDD, P,P'-DDE, P,P'-DDT ☐ Dioxins ☐ Distillation Bottoms ☐ Fecal Matter/Animal Waste ☐ Asbestos ☐ Laboratory Waste ☐ Millings/Mine Tailings □ Pharmaceuticals **CONTROL MEASURES:** ☐ Ferrous Smelter ☐ Hospital Waste □ Non-Ferrous Smelter ☐ Radiological Waste Metals ☐ Municipal Waste □ Chlorinated Solvents ☐ Hydrocarbons ☐ Aluminum ☐ Alcohols □ Paint Avoid skin contact with surface soil. Wear nitrile gloves when sampling/handling soils. □ Ketones □ Pigments ☐ Metal Sludges □ Esters □ Ethers ☐ POTW Sludges ☐ Oily Wastes ☐ Gasoline



#### 5.4 Equipment Usage

**Table 10** below lists the equipment that will be used for the above task(s). Equipment must be included in the JSA and/or Toolbox Talk for proper hazard identification of tasks being performed.

TABLE 10 EQUIPMENT USAGE				
EQUIPMENT/ INSTRUMENT	USED FOR	CALIBRATION BY	CALIBRATION DATE	
MiniRae 3000 PID	Screening Soils			
MiniRae 3000 PID x 2	CAMP - VOCs			
DustTrack x 2	CAMP – Particulates			



#### 6.0 SUSPECTED CONTAMINATION AND DECONTAMINATION

#### **6.1** Suspected Contamination

Prior to commencement of work in the area of suspected contamination, protective zones specific for each phase of the HASP will be established by the Site Safety Officer, if necessary, prior to the start of field work. These zones will be defined during the Toolbox Talk.

The purpose of the protective zones is to prevent potential cross-contamination of adjacent areas as well as to protect project personnel from exposure to contaminated areas.

#### 6.2 Protective Zones

Protective zones shall be delineated as follows:

#### • Exclusion Zone:

This is the contaminated area in which intrusive activities are performed. The area of environmental concern (AOEC) is located within this area. A single access point for entrance and exit should be established and maintained, if possible. This zone should be delineated from the Contaminant Reduction Zone via perimeter cones or caution tape, or other applicable method. Work areas are shown on **Figure 2**. The Exclusion Zone delineation and any necessary modifications will be based onsite conditions.

#### Contaminant Reduction Zone:

This zone is a transition zone located between the Exclusion Zone and the Support Zone and is utilized to decontaminate personnel and equipment.

#### Support Zone:

This zone will be utilized by equipment and vehicle storage and will be kept free of contaminated material. The Site Safety Officer will determine the location of this zone. In the event of a site evacuation, see **Figure 2** and **Section 2.2** (Emergency Contacts/Planning) for the rally point. The designated rally point may be relocated by the Site Safety Officer based on project or site conditions. All site workers will be notified of any relocation prior to implementation.

**NOTE**: Protective zones are not anticipated for this project.

#### **6.3 Decontamination Procedures**

All personnel and equipment leaving the exclusion zone must be properly cleaned and decontaminated. When there is evidence of chemical contamination during the site operations, all personnel will be decontaminated under the direction of the Site Safety Officer. Clean-up and/or decontamination of personnel shall consist of washing off excessively soiled PPE with a disinfectant detergent scrub and water. At the very least, all personnel should wash their hands and face before leaving the exclusion zone. After washing, all disposable clothing (Tyvek, gloves, etc.) will be removed and placed in a double lined plastic bag.



Health and Safety Plan Denison Park– Site # 851066 Denison Park, Corning, NY Page 19 of 27

Sampling tools and any other non-disposable items will be decontaminated between sampling points, and at the direction of HRP personnel, to prevent cross-contamination of work areas or environmental samples, as applicable.

#### 6.4 Emergency Decontamination

If immediate medical attention is required in an emergency, decontamination will be performed after the victim has been stabilized. If a worker has been exposed to an extremely toxic or corrosive material, then emergency decontamination will consist of flushing with copious amounts of water. If the victim cannot be decontaminated because it will interfere with emergency medical aid being administered, then the victim should be wrapped with plastic or other available items (i.e., an uncontaminated coverall) to reduce potential contamination of other personnel or medical equipment.

If a site worker has been overcome by heat related illness, then any protective clothing should be removed immediately. In the case of non-medical emergency evacuation, decontamination should be performed as quickly as possible, unless instant evacuation is necessary to save life or prevent injury.

#### 6.5 Personal Hygiene

All employees will be required to wash their hands and face prior to eating, smoking, drinking, and going to the bathroom. Workers will be required to remove contaminated PPE and clothing prior to leaving the Contaminant Reduction Zone. All field personnel should avoid contact with potentially contaminated substances such as puddles, pools, mud, etcetera.



#### 7.0 PERSONAL PROTECTIVE EQUIPMENT

There is different equipment that is worn to minimize exposure to hazards that can cause serious work injuries and illnesses. **Table 11** will list out the PPE that is required onsite and for the job that needs to be performed.

TABLE 11 PERSONAL PROTECTIVE EQUIPMENT			
Check all the PPE that may apply and give the description of PPE.			
TYPE of PPE	DESCRIPTION of PPE		
HEAD AND FACE:			
□ Not Needed			
⊠ Safety Glasses			
□ Safety Goggles	Hearing protection needed when drilling		
□ Face Shield	31		
☐ Hard Hat			
☐ Other FEET:			
□ Not Needed			
☑ Not Needed  ☑ Steel Toes			
□ Overboots			
☐ Disposable Booties			
□ Rubber Boots			
☐ Electrostatic Discharge (ESD)			
☐ Chemical Resistant			
□ Other			
PROTECTIVE CLOTHING:			
□ Not Needed			
☐ Encapsulated Suit			
☐ Splash Suit			
☐ Apron			
☐ Coveralls			
□ Other			
HANDS:			
□ Not Needed			
☐ Cut Resistant			
☐ Chemical Resistant	Nitrile Gloves		
☐ Under Gloves			
□ Over Gloves			
☐ Heat Resistant			
☑ Other			
RESPIRATOR:  ☑ Not Needed	☐ Filtering Face Piece (N95/Dust Mask)		
	☐ Half Face		
□ Supplied Air □ APR	☐ Full Face		



#### 7.1 Levels of Personal Protective Equipment

As identified in **Section 5.0**, the overall H&S risk associated with chemical hazards for HRP, and associated contractors is considered significant. This is primarily due to the moderate concentrations of chemical contaminants expected based on minimal contact personnel will have with any potentially contaminated media. Therefore, the minimal level of protection for HRP personnel during the conduct of all the environmental work performed at the site will be Level D PPE. The following constitute Level D PPE; it may be used as appropriate:

- Coveralls
- Gloves, as applicable
- Chemical-resistant steel toe and shank shoes
- Boots, outer, chemical-resistant (disposable), as applicable
- · Safety glasses or chemical splash goggles
- Hard hat, as applicable
- Escape mask, as applicable
- Face shield, as applicable

If site conditions warrant, an upgrade to Level C PPE may be required. If required, the Contractor will make Level C PPE readily available. The following constitute Level C PPE; it may be used as appropriate:

- Full-face or half-mask, air purifying respirators (National Institute for Occupational Safety and Health (NIOSH) approved)
- Hooded chemical-resistant clothing (e.g., Tyvek, overalls, two-piece chemical-splash suit, disposable chemical-resistant overalls)
- Coveralls, as applicable
- Gloves, outer, chemical-resistant
- Gloves, inner, chemical-resistant
- Boots (outer), chemical-resistant steel toe and shank, as applicable
- Boot-covers, outer, chemical-resistant (disposable), as applicable
- Hard hat, as applicable
- Escape mask, as applicable
- Face shield, as applicable

**NOTE**: Safety vest may or may not be required depending onsite conditions/location and will be addressed at the time of task assignment by the Site Safety Officer.

If the Toolbox Talk determines that protection beyond Level D is required, HRP will re-evaluate the HASP as well as the site conditions, and will revise the HASP as required.



**NOTE**: The level of protection identified here does not include the necessary equipment for entering confined spaces.

The following table provides a general description of potential field activity tasks to be performed and associated (recommended) PPE. The use of this PPE may or may not vary depending onsite conditions and will be addressed at the time of task assignment by the Site Safety Officer.

TABLE 12 POTENTIAL FIELD ACTIVITY TASKS AND ASSOCIATED PPE			
Task Description	Invasive (Y/N)	Protection Level	
<u>Site Mobilization</u> - Surveying, fence and barrier installation, hay bale installation, decon and work zone set up, soil staging areas preparation	N	Level D	
Soil and Water Sampling - Drilling, sampling, soil moving as needed.	mpling - Drilling, sampling, ded. Y	Modified Level D or Level C – Respirator as needed based on monitoring. Eye protection required during collection of any liquid sample	
Soil Excavation, Staging and Load-Out	Y	Modified Level D – or Upgrade to Level C dependent on monitoring	
<u>Decontamination</u> - Truck dry sweeping, decon pressure wash of equipment, PPE change out	Y	Modified Level D – or Upgrade to Level C dependent on monitoring	
<u>Waste Management</u> - Soil load-out for offsite disposal, water removal for disposal, PPE disposal			
<u>Site Control (Exclusion, Decontamination, Support Zones)</u>	N	Modified Level D – or Upgrade to Level C dependent on monitoring	
<u>Communications</u> - Use of hand signals, backup alarms, and voice	N	NA	
Site Restoration	Y	Level D	

#### 8.0 TRAINING/MEDICAL SURVEILLANCE

#### 8.1 Training Requirements

All HRP and HRP subcontractor personnel who enter the work zone and/or Exclusion Zone must have successfully completed the 40-hour or 24-hour training requirement outlined in 29 CFR 1910.120(e). If the 40-hour or 24-hour training of any person occurred more than twelve months prior to commencement of work, then that person must have attended an 8-hour refresher course within the twelve months prior to commencement of work.

If respirators are in use in the Exclusion Zone, then all personnel must have undergone respirator training and a fit test within the last twelve months.

Training certificates and records for HRP employee(s) are maintained by HRP. All other contractors will be required to supply written proof of training before being allowed into the Exclusion Zone.



#### 8.2 Pre-Entry Briefing

Prior to commencement of work in an area of suspected contamination, HRP's HSO will conduct a pre-entry briefing with onsite contractors, which will include the following:

- Name of the Site Safety Officer and person responsible for the visitor log
- Description of the parcel as well as location of emergency telephones and the location/boundaries of the Exclusion Zone, Contamination Reduction Zone, and Support Zone, if established
- Review of hospital locations and directions
- Review of tasks to be conducted within the parcel by the site workers
- Review of the Emergency Action Plan and rally point, including the nearest emergency communications and telephone numbers
- The nature, level, and degree of anticipated hazards (physical and chemical) involved in the site work
- Required PPE
- Decontamination procedures

The Site Safety Officer should also, at this time, ensure that all onsite HRP and HRP subcontractor personnel have read the HASP and signed the Field Team Acknowledgement (**Section 12.0**). If additional information on the site becomes available, the Site Safety Officer will call additional briefings, as necessary.

#### 8.3 Toolbox Talk (Daily Job Brief)

The HRP Site Safety Officer will conduct a safety overview meeting at the beginning of each workday on the site. The meeting will be given in addition to any safety meetings that the subcontractor conducts. A summary of the meeting topics signed by the personnel attending the meeting is included in **Appendix D**.

#### 8.4 Medical Surveillance

All HRP and HRP subcontractor personnel entering the Exclusion Zone must have had a physical within the twelve months prior to commencement of site work. A physician's written opinion regarding fitness for work for each employee including work limitations, if any, is on file at HRP, as applicable. A written opinion for all other site personnel must be supplied prior to commencement of site work to the HRP Site Safety Officer. Any work limitations for site personnel, or relevant medical information (i.e., allergic reactions to medication) should be included in this Plan.

#### 9.0 AUTHORIZATION

Personnel authorized to enter the Exclusion Zone include the personnel listed from **Table 6** of this plan. Persons not listed on **Table 6** may enter the Exclusion Zone only if the appropriate training and medical fitness certifications have been supplied to either the HRP PM or OHSM and the Site



Health and Safety Plan Denison Park– Site # 851066 Denison Park, Corning, NY Page 24 of 27

Safety Officer or his/her designee onsite has approved site entry. All personnel entering or leaving the Exclusion Zone must sign in and sign out with the recordkeeper.

#### 10.0 RECORDKEEPING

By the completion of the Project this Site-Specific HASP document, and all associated records (Toolbox Talks, JSA, Monitoring data, etc.) must be provided to the appropriate personnel at the office that implemented the Project. The appropriate personnel will then electronically store these records into the project folder. It is expected that some scanning will be necessary.

#### 11.0 SITE-SPECIFIC HEALTH AND SAFETY PLAN APPROVAL

This plan meets the minimum requirements of 29 CFR 1910.120 and 29 CFR 1929.65 and has been written for specified site conditions, dates, and personnel, and must be amended if conditions change. By their signature, the undersigned certify that this HASP is approved and will be utilized during activities at the project.

Stephanie Pascual Site Safety Officer	Date
John Danier	
V .	9/19/2025
John Gorman Project Manager	Date
Br	9/18/2025
Bryan Sherman Office Health and Safety Manager	Date
<b>Subcontractor:</b> I have been provided a copy of this HASP for review	
[Name]	Date
Representing	

The Designated Competent person representing [subcontractor] at the site will be:



ADDITIONAL APPROVALS (or Re-Approvals)	
Name:	Date:

Any alternate Competent Person will be noted in the Toolbox Talk (Appendix D).



#### 12.0 FIELD TEAM ACKNOWLEDGMENT

All HRP personnel shall sign below after reading this HASP and shall agree with the following statement:

"I have read and understand this Site-Specific Health and Safety Plan.

I will comply with the provisions set forth therein."

Printed Name	Signature	Date




## **FIGURES**



# Figure 1 Site Location Map



Ν






Figure 1
Site Location
Denison Park
Corning New York
HRP # DEC1057.P3



SUITE 110 CLIFTON PARK, NY 12065 (518) 877-7101 HRPASSOCIATES.COM

# Figure 2 Site Plan with Areas of Environmental Concern





2

**Proposed Sediment and** Soil Sampling Grid

Denison Park Site ID 851066 Corning, New York 14830

	Issue Date:	Designed By: CMS	Revisions	
	9/26/2025		No.	Date
	Project No:	Drawn By:		
	DEC1057.P3	CMS		
	Sheet Size:	Reviewed By:		
	11x17	MEW		

**North** 

210

Feet

105

SUITE 110 CLIFTON PARK, NY 12065 (518) 877-7101 HRPASSOCIATES.COM


# Figure 3 Route and Map to Nearest Hospital



### **Directions to Guthrie Corning Hospital**

**Starting Address:** Denison Park Corning, NY **Ending Address:** 1 Guthrie Drive, Corning, NY

**Total Estimated Time:** 10 minutes **Total Estimated Distance:** 5.3 miles





## **TABLES**



## TABLE 13 CONTAMINANTS OF CHEMICALS KNOWN OR SUSPECTED ONSITE \*HIGHLIGHT THOSE THAT APPLY TO THE TASK BEING PERFORMED.

*HIGHLIGHT THOSE THAT APPLY TO THE TASK BEING PERFORMED.								
CONTAMINANT	ODOR THRESHOLD	OSHA PEL <sup>1</sup>	TLV (ACGIH)	OSHA CEILING <sup>2</sup> /STEL	IDLH CONC.	ROUTES OF EXPOSURE	SYMPTOMS OF ACUTE EXPOSURE <sup>3</sup>	
1,1,1 Trichloroethane	44 ppm	350 ppm	350 ppm		700 ppm	Inh, Ing, Con	Head, Lass, CNS, Derm	
1,1,2-Trichloroethane		10 ppm	10 ppm		[100 ppm]	Inh, Ing, Abs, Con	Eyes, Nose Irrit, Resp Irrit, CNS, Liver, Kidney Damage, Derm, [Carc]	
1,2,4 Trimethylbenzene 1,3,5 Trimethylbenzene		25 mg/m <sup>3</sup>	25 ppm	25 mg/m <sup>3</sup>	ND	Inh, Ing, Con	Irrit Eyes, Skin, Nose, Throat, Resp Sys, Bron, Hyprochronic Anemia, Head, Drow, Ftg, Dizz, Nau, Inco, Vomit, Conf, Chemical Pneu (aspir lig)	
1,1' Biphenyl	0.0062 mg/m <sup>3</sup>	0.2 ppm	0.2 ppm		100 mg/m <sup>3</sup>	Inh		
1,1-Dichloroethane	120 ppm	100 ppm	100 ppm		3,000 ppm	Inh, Ing, Con	CNS Depres, Skin Irrit, Liver, Lung, and Kidney Damage	
1,1-Dichloroethylene***	500 ppm		5 ppm			Inh, Con	CNS depress, Resp, [Carc]	
1,2-Dichlorobenzene	50 ppm	50 ppm	25 ppm		200 ppm	Inh, Ing, Abs, Con	Irrit, Resp	
1,2-Dichloroethylene	26-87 ppm	200 ppm	200 ppm		1,000 ppm	Inh, Ing, Con	Vomit, Irrit Eyes, Resp Sys; CNS Depres	
1,2-Dichloropropane	130-190 ppm	75 ppm	75 ppm		[400 ppm]	Inh, Con, Ing	Eye irritation, Drow, light-headedness; irritated skin, [Carc]	
1,3-Dichlorobenzene								
1,4-Dichlorobenzene	20 ppm	75 ppm	10 ppm		[150 ppm]	Inh, Ing	[Carc], Eye Irrit, swelling around eye, headache, nausea, vomiting	
1-Methylnaphthalene	0.02 ppm							
2,4-Dichlorophenol	1.4007 mg/m <sup>3</sup>							
2,4-Dimethylphenol	0.001 mg/m <sup>3</sup>							
2-Methylnaphthalene	0.01 ppm							
2-Methylphenol (o-cresol) [skin]	1.4 mg/L	5 ppm	5 ppm		250 ppm	Inh, Abs, Ing, Con	Confusion, depression, Resp Fail; difficulty breathing, irregular rapid respiration, weak pulse; skin, eye burns; dermatitis	



### TABLE 13 CONTAMINANTS OF CHEMICALS KNOWN OR SUSPECTED ONSITE

*HIGHLIGHT THOSE THAT APPLY TO THE TASK BEING PERFORMED.								
CONTAMINANT	ODOR THRESHOLD	OSHA PEL <sup>1</sup>	TLV (ACGIH)	OSHA CEILING <sup>2</sup> /STEL	IDLH CONC.	ROUTES OF EXPOSURE	SYMPTOMS OF ACUTE EXPOSURE <sup>3</sup>	
3, 3'-Dichlorobenzidine		None				Inh, Abs, Ing, Con	Sens, Derm, Head, Dizz, Burns, GI Upset, [Carc]	
4-Isopropyltoluene						Con, Inh, Ing	Defat, Eryt	
Acenephthene	0.5048 mg/m <sup>3</sup>							
Acenaphthylene								
Acetone	47.5 mg/m <sup>3</sup>	1,000 ppm	500 ppm		2,500 ppm	Ing, Inh, Con	Head, Dizz; Irrit Eyes, Nose, Throat; Derm, CNS, Depress, Derm	
Acetonitrile	70 mg/m <sup>3</sup>	40 ppm	20 ppm	-	500 ppm	Inh, Ing, Abs, Con	Asphy; Nau, Vomit; Chest Pain; Weak, Stupor, Convuls; Eye Irrit	
Aldrin		0.25 mg/m <sup>3</sup>	0.25 mg/m <sup>3</sup>		25 mg/m <sup>3</sup>	Inh, Abs, Ing, Con	Head, Dizz, Nau, Vomit, Mal, Myo, [Carc]	
Anthracene (Coal Tar Pitch)		0.2 mg/m <sup>3</sup>			[80 mg/m <sup>3</sup> ]	Inh, Con	Derm, bron, [carc]	
Antifreeze		50 ppm	100 mg/m³ (aerosol)		ND	Inh, Ing, Con	Irrit Eyes, Skin, Nose, Throat, Nau, Vomit, Abdom Pain, Lass, Dizz, Stup, Conv, CNS, Depres, Skin Sen	
Arsenic		0.010 mg/m <sup>3</sup>	0.01 mg/m <sup>3</sup>		[5 mg/m <sup>3</sup> ]	Abs, Inh, Con, Ing	Derm; GI; Resp Irrit; ulceration of nasal septum; Resp, Irrit, Hyper Pig of Skin, [Carc]	
Barium (elemental)		0.5 mg/m <sup>3</sup>	0.5 mg/m <sup>3</sup>		50 mg/m <sup>3</sup> (barium components)	Inh, Ing, Con	Resp. Irrit, GI, Muscle Spasm, Eye Irrit, Slow Pulse; skin burns	
Benzene*	4.7 ppm	1 ppm	0.5 ppm	5 ppm	[500 ppm]	Inh, Ing, Abs, Con	Irrit Eyes, Nose, Throat; Head, Nau, Derm, Ftg, Anor, Lass, [Carc]	
Benzo(a)anthracene (coal tar pitch)		0.2 mg/m <sup>3</sup>			[80 mg/m <sup>3</sup> ]	Inh, Con	[Carc], Derm, Bron	
Benzo(a)pyrene (coal tar pitch)		0.2 mg/m <sup>3</sup>			[80 mg/m <sup>3</sup> ]	Inh, Con	[Carc], Derm, Bron	



#### **TABLE 13** CONTAMINANTS OF CHEMICALS KNOWN OR SUSPECTED ONSITE \*HIGHLIGHT THOSE THAT APPLY TO THE TASK BEING PERFORMED. **OSHA** ODOR **OSHA** TLV **ROUTES OF** SYMPTOMS OF ACUTE **IDLH CONTAMINANT CEILING<sup>2</sup>** PEL1 **THRESHOLD** (ACGIH) CONC. **EXPOSURE EXPOSURE**<sup>3</sup> /STEL Benzo(b)fluoranthene $0.2 \text{ mg/m}^3$ Inh, Con [Carc], Derm, Bron ---[80 mg/m<sup>3</sup>] (coal tar pitch) $0.2 \text{ mg/m}^{3}$ [80 mg/m<sup>3</sup>] Benzo(q,h,i)perylene Inh, Con [Carc], Derm, Bron (coal tar pitch) Benzo(k)fluoranthene $0.2 \text{ mg/m}^{3}$ $[80 \text{ mg/m}^3]$ Inh, Con [Carc], Derm, Bron (coal tar pitch) Bis (2-ethylhexyl) N/A $5 \text{ mg/m}^3$ $5 \text{ mg/m}^3$ 10 mg/m<sup>3</sup> [5,000 Inh, Ing, Con [Carc], Irrit Eyes Phthalate\*\* $mq/m^3$ CNS, Resp, Irrit, Vomit, Cough, Cadmium (dust) $0.005 \text{ mg/m}^3$ Lowest [9 mg/m<sup>3</sup>] Inh, Ing concentratio Head, Chills, Nau, Diarr, Pulm n feasible Edema, Dysp, Chest Tight, [Carc] $0.01 \text{ mg/m}^3$ Carbazole ------Inh ---------Carbon disulfide 0.1-0.2 ppm 20 ppm 1 ppm 30 ppm 500 ppm Inh, Abs, Ing, Con Diz, Head, Ftg, Ner, anorexia, trembling hands, loss of fine motor coord, gastritis, eye, skin burns, Derm CNS Depres, Nau, Vomit, Irrit, Irrit Carbon Tetrachloride\*\*\* 21.4 ppm 10 ppm 5 ppm [200 ppm] Inh, Abs, Con, Ing 25 ppm Eyes, Skin, Drow, Dizz, [Carc] Irrit, Drow, CNS, Depres, Eyes, Chlorobenzene\*\*\* $0.98 \text{ mg/m}^3$ 75 ppm 10 ppm 1,000 ppm Inh, Ing, Con Skin, Nose, Inco. Chloroform\*\*\* [500 ppm] Inh, Ing. Con, Abs Dizz, Dullness, Nau, Head, Ftg, Irrit 85 ppm 50 ppm 10 ppm 50 ppm Eyes, Skin, Conf, [Carc] Irrit Eyes, Sens Derm Chromium $1 \text{ mg/m}^3$ $0.5 \text{ mg/m}^3$ 250 mg/m<sup>3</sup> Inh, Ing, Con Chrysene (coal tar pitch) $0.2 \text{ mg/m}^{3}$ $[80 \text{ mg/m}^3]$ Inh, Con Derm, Bron, [Carc] Cis-1-2-Dichloroethylene 200 ppm 200 ppm 1000 ppm Inh, Con, Ing Irrit Eyes, Resp, CNS Depress -------Copper (dusts and mists) $1 \text{ mg/m}^3$ $1 \text{ mg/m}^3$ 100 mg/m<sup>3</sup> Inh, Ing, Con Vomit, Derm, CNS, Irrit, Derm, (fumes) $0.1 \text{ mg/m}^{3}$ $0.2 \text{ mg/m}^{3}$ Nau, Taste (metallic)



### **TABLE 13 CONTAMINANTS OF CHEMICALS KNOWN OR SUSPECTED ONSITE**

*HIGHLIGHT THOSE THAT APPLY TO THE TASK BEING PERFORMED.								
CONTAMINANT	ODOR THRESHOLD	OSHA PEL <sup>1</sup>	TLV (ACGIH)	OSHA CEILING <sup>2</sup> /STEL	IDLH CONC.	ROUTES OF EXPOSURE	SYMPTOMS OF ACUTE EXPOSURE <sup>3</sup>	
Cyanide	0.9 mg/m <sup>3</sup>	5 mg/m <sup>3</sup>	5 mg/m <sup>3</sup> (10 min)	5 mg/m <sup>3</sup>	25 mg/m <sup>3</sup>	Inh, Ing, Abs, Con	Weak, Head, Nau, Conf, Cyan	
Dibenzo(a,h)anthracene						Inh, Ing		
Dichloromethane	540 mg/m <sup>3</sup>	25 ppm	50 ppm	125 ppm	[2,300 ppm]	Inh, Abs, Ing, Con	Irrit Eyes, Skin, lass, drow, dizz, Numb, tingl, Nau, [Carc]	
Diethylphthalate**		None	5 mg/m <sup>3</sup>		N.D.	Inh, Ing, Con	Irrit Eyes, Skin, Nose, Throat, Head, Dizz, Nau, Lac, Possible Polyneur, Vestibular Dysfunc, Pain, Numb, lass, Spasms in Arms and Legs	
Di-n-octylphthalate						Inh, Ing, Con		
Dimethylpthalate		5 mg/m <sup>3</sup>	5 mg/m <sup>3</sup>		2,000 mg/m <sup>3</sup>	Inh, Ing, Con	Irrit, Resp, Abdom	
Ethyl Benzene*	8.7 mg/m <sup>3</sup>	100 ppm	100 ppm	125 ppm	700 ppm	Inh, Abs, Con	Head. Irrit, Derm, Narc., Irrit Eyes, Skin; Coma	
Fluoranthene		0.2 mg/m <sup>3</sup>	0.2 mg/m <sup>3</sup>			Ing, Inh	[Carc]	
Fluorine*	6 mg/m <sup>3</sup>	0.1 ppm	1 ppm	2 ppm	25 ppm	Inh, Con		
Fuel Oil/#2			300 ppm			Inh, Abs, Ins, Con	Irrit Eyes, Skin, Derm, Head, Ftg, Blurred Vision, Dizz, Conf	
Ideno(1,2,3-cd)pyrene		0.2 mg/m <sup>3</sup>				Ing, Inh		
Lead (inorganic forms and dust as Pb)****		0.05 mg/m <sup>3</sup>	0.05 mg/m <sup>3</sup>		100 mg/m <sup>3</sup>	Inh, Ing, Con	Irrit, Cns, Vomit, Narco, Weak, Pall, Insom, Lass, Abdom, Constip	
Mercury (organic alkyl compounds) [skin]		0.01 mg/m <sup>3</sup>	0.01 mg/m <sup>3</sup>	0.03 mg/m <sup>3</sup>	2 mg/m <sup>3</sup>	Inh, Abs, Ing, Con	Irrit Eyes, Skin; Cough & Chest Pain, Bron Pneu, Tremor, Insom, Irrty, Indecision, Head, Ftg, Weak, Stomatitis, Salv, GI Dist, Anor, Low- wgt, Ataxia	



#### **TABLE 13** CONTAMINANTS OF CHEMICALS KNOWN OR SUSPECTED ONSITE \*HIGHLIGHT THOSE THAT APPLY TO THE TASK BEING PERFORMED. **OSHA** ODOR **OSHA** TLV **ROUTES OF** SYMPTOMS OF ACUTE **IDLH CONTAMINANT CEILING<sup>2</sup>** PEL<sup>1</sup> **THRESHOLD** (ACGIH) CONC. **EXPOSURE EXPOSURE**<sup>3</sup> /STEL Irrit Eyes, Skin; Cough & Chest Mercury (compounds) 0.1 mg/m<sup>3</sup> 0.025 mg/m<sup>3</sup> 0.1 mg/m<sup>3</sup> 10 mg/m<sup>3</sup> Inh, Abs, Ing, Con Pain, Bron Pneu, Tremor, Insom, Irrty, Indecision, Head, Ftg, Weak, Stomatitis, Salv, GI Dist, Anor, Lowwgt, Ataxia Methanol Irrit Eyes, Skin, Resp, Head, drow, 13.1150 200 ppm 200 ppm 6,000 ppm Inh, Abs, Ing, Con dizz, Nau, Vomit, vis dist, Optic, mg/m<sup>3</sup> derm Methyl Ether Poison Inh Methyl Ethyl Ketone $0.7375 \text{ mg/m}^3$ 200 ppm 3,000 ppm Inh, Con, Ing Irrit Eyes, Skin, Nose, Throat, 200 ppm 300 ppm (2-Butanone)\*\*\* Head, Dizz, Vomit, Derm Ftg, Weak, dizz, drow, Numb, Methylene Chloride 540 ma/m<sup>3</sup> 125 ppm [2,300 ppm] Inh, Ing, Con, Abs 25 ppm 50 ppm Tingle [carc], Irrit Eyes, Skin, Nau Irrit Eyes, Nose, Throat, Dizz, Mineral Spirit 20 ppm 500 ppm 100 ppm 20,000 Inh, Ing, Con Derm, Chemical pneu mg/m<sup>3</sup> Methyl tert butyl ether Inh, Abs 50 ppm (MTBE) Light Head, Drow, Irrit, Derm, Irrit Naphtha 0.86 ppm 100 ppm 400 ppm 1,000 ppm Inh, Con, Ing Eyes, Skin, Nose Eye irritation; headache; confusion, Naphthalene\* 0.084 ppm 250 ppm Inh, Abs, Ina, Con 10 ppm 10 ppm 15 ppm excitement, malaise (vague feeling of ill-being); nausea, vomiting, abdominal pain; irritated bladder; profuse sweating; renal shutdown; dermatitis Head, Verti, Nau, Vomit, Pain, Nickel (metal) $1 \text{ mg/m}^3$ $1.5 \text{ mg/m}^{3}$ $[10 \text{ mg/m}^3]$ Inh, Ing, Con Cough, Weak, Convuls, Delirium, Pneu, ,[Carc] Irrit Eyes, Skin, Anoxia, Derm, Nitrobenzene 0.0235 mg/m<sup>3</sup> 1 ppm 1 ppm 200 ppm Inh, Abs, Ing, Con Anem, Methem



#### **TABLE 13** CONTAMINANTS OF CHEMICALS KNOWN OR SUSPECTED ONSITE \*HIGHLIGHT THOSE THAT APPLY TO THE TASK BEING PERFORMED. **OSHA ODOR OSHA** TLV **ROUTES OF** SYMPTOMS OF ACUTE **IDLH CONTAMINANT CEILING<sup>2</sup>** PEL<sup>1</sup> **THRESHOLD** (ACGIH) CONC. **EXPOSURE EXPOSURE**<sup>3</sup> /STEL n-Butylbenzene -----------------n-Propylbenzene ------Irrit Eyes, Chloracne, Liver Damage PCBs 42% chlorine $1 \text{ mg/m}^3$ 1 mg/m<sup>3</sup> $[5 \text{ mg/m}^3]$ Inh, Abs, Ing, Con (Aroclor 1242) (skin) (skin) [carc] PCBs 54% chlorine $0.5 \text{ mg/m}^{3}$ $0.5 \text{ mg/m}^{3}$ Irrit Eyes; Chloracne, Liver Damage $[5 \text{ mg/m}^3]$ Inh, Abs, Ing, Con (skin) [carc] (Aroclor 1254) (skin) There are currently no established exposure limits for PFAS. If your project involves potential exposure to PFAS, reach out to the CHSO or OHSM PFAS about current best practices relative to exposure controls. Petroleum Distillates 500 ppm 100 ppm [1,100 ppm] Inh, Ing, Con Dizz, Drow, Head, Dry Skin, Nau, ---Irrit Eyes, Nose, Throat, [Carc] Phenanthrene (Coal Tar $0.2 \text{ mg/m}^{3}$ $0.2 \text{ mg/m}^{3}$ $[80 \text{ mg/m}^3]$ Inh, Con Derm, bron, (carc) Pitch) Phenol\*\* Irrit Eyes, Nose, Throat, Anor, Low 0.1786 mg/m<sup>3</sup> 5 ppm 5 ppm 250 ppm Inh, Abs, Ing, Con Wgt, Weak Musc Ache, Pain, Dark Urine, Cyan, Liver, Kidney Damage, Skin, Burns, Derm, Ochronosis, Tremor, Convuls, Twitch $0.2 \text{ mg/m}^{3}$ Inh, Con [Carc] Pyrene $[80 \text{ mg/m}^3]$ Sec-Butylbenzene Selenium N/A $0.2 \text{ mg/m}^{3}$ $0.2 \text{ mg/m}^{3}$ Unknown $1 \text{ mg/m}^3$ Inh, Ing, Con Irrit, Head, Fever, Chills, Skin/Eye Burns, Metallic Taste, GI, Dysp, Bron Blue-gray Eves, Nasal Septum, Silver (metal and soluble $0.01 \text{ mg/m}^3$ Metal = 10 ma/m<sup>3</sup> Inh, Ing, Con ---- $0.1 \text{ mg/m}^{3}$ Throat, Skin; Irrit, Ulcer, Skin, GI compounds as Aq) Soluble 0.01 Dist mg/m<sup>3</sup> Tetrachloroethylene 4.68 ppm 100 ppm 25 ppm [150 ppm] Inh, Ing, Con, Abs Irrit Eyes, Skin, Nose, throat, Resp. 200 ppm (a.k.a. Nau, flush face, Neck, dizz, inco, perchloroethylene)\*\*\* head, drow, eryth, [Carc]



Hands, Vomit, [Carc]

#### **TABLE 13** CONTAMINANTS OF CHEMICALS KNOWN OR SUSPECTED ONSITE \*HIGHLIGHT THOSE THAT APPLY TO THE TASK BEING PERFORMED. **OSHA ODOR OSHA** TLV **ROUTES OF** SYMPTOMS OF ACUTE **IDLH CONTAMINANT CEILING<sup>2</sup>** PEL<sup>1</sup> **THRESHOLD** (ACGIH) CONC. **EXPOSURE EXPOSURE**<sup>3</sup> /STEL Toluene\* 300 ppm Resp, Irrit, Ftg, Conf, Dizz, Head, 2.14 ppm 200 ppm 50 ppm 500 ppm Inh, Abs, Ins, Con Derm, Euph, Head, Dilated Pupils, Lac, Ner, Musc FTg, Insom, Pares, Derm, lass Distillates Con, Inh, Ing Petroleum 10 ppm 100 ppm 400 ppm 1,000 ppm (naphtha) Trans 1,2-Dichloroethylene 0.3357 mg/m<sup>3</sup> 200 ppm 200 ppm 1,000 ppm Inh, Con Irrit, Resp, CNS depress Trichloroethylene\*\*\* Head, Vert, Nau, Vomit, Derm, Vis 21.4 ppm 100 ppm 50 ppm 200 ppm [1,000 ppm] Inh, Con, Abs, Ing Dist, Tremors, Som, Nau, Irrit Eyes, Skin, Card Acc., Ftg, [Carc] Trichlorofluoromethane 28 mg/m<sup>3</sup> 2,000 ppm Inco, trem, derm, card, asph, frost 1,000 ppm 1,000 ppm Inh, Con, Ing Trichlorotrifluoroethane 45 ppm 1,000 ppm 1,000 ppm 1,250 ppm 2,000 ppm Inh, Con, Ing Irrit Skin, throat, Drow, Derm, CSN, **Depress** Vinyl Chloride\*\*\* Abdom, Gi Bleeding; Inh, Con 10-20 ppm 1 ppm 1 ppm 5 ppm ND Hepatomegaly; Pallor or Cyan of Extremities; Liq: Frostbite; [Carc] Irrit Eyes, Nose, Throat, Dizz, drow, VM&P Naphtha ---300 ppm ND Con, Ing, Inh head, nau, dry skin, chem. (petroleum naphtha) **Pneumonitis** Dizz, Drow, Irrit, Excite, Nau, Xvlene\* 4.5 ma/m<sup>3</sup> 100 ppm 100 ppm 150 ppm 900 ppm Inh, Ing, Abs, Con Vomit, Eyes, Skin, Nose, Throat Zinc (oxide) $5 \text{ mg/m}^3$ $2 \text{ mg/m}^3$ 500 mg/m<sup>3</sup> Inh Dry Throat, Cough, Chills, Tight ---Chest, Blurred Vision 4.4' DDD ---------Ing, Inh, Con ------4,4' DDE ------Ing, Inh, Con ---4,4' DDT Irrit Eyes, Skin, Pares, Tonque, Inh, Abs, Ing, Con 5.0725 mg/m<sup>3</sup> $1 \text{ mg/m}^3$ 1 mg/m<sup>3</sup> [500 mg/m<sup>3</sup>] Lips, Face, Trem, Anxi, Dizz, Conf, Mal, Head, Lass, Conv, Paresi



### TABLE 13 CONTAMINANTS OF CHEMICALS KNOWN OR SUSPECTED ONSITE

*HIGHLIGHT THOSE THAT APPLY TO THE TASK BEING PERFORMED.								
CONTAMINANT	ODOR THRESHOLD	OSHA PEL <sup>1</sup>	TLV (ACGIH)	OSHA CEILING <sup>2</sup> /STEL	IDLH CONC.	ROUTES OF EXPOSURE	SYMPTOMS OF ACUTE EXPOSURE <sup>3</sup>	
Aldrin		0.25 mg/m <sup>3</sup>	0.25 mg/m <sup>3</sup>		[25 mg/m <sup>3</sup> ]	Inh, Abs, Ing, Con	Head, Dizz, Nau, Vomit, Mal, Myo [Carc]	
Chlordane [skin]	0.0084 mg/m <sup>3</sup>	0.5 mg/m <sup>3</sup>	0.5 mg/m <sup>3</sup>		[100 mg/m <sup>3</sup> ]	Inh, Abs, Ing, Con	Blurred vision, confusion, delirium, cough; abdominal pian, nausea, vomiting diarrhea; irritability, tremor, convulsions [Carc]	
EDB	76.8 mg/m <sup>3</sup>	20 ppm		30 ppm	[100 ppm]	Inh, Abs	Resp. Irr, Eye Irr. [Carc]	
Endosulfan I Endosulfan II		0.1 mg/m <sup>3</sup>	0.1 mg/m <sup>3</sup>		N.D.	Inh, Abs, Ing, Con	Irrit, Skin, Nau, Conf, Agit, Flush, Dry, Trem, Conv, Head	
Endosulfan Sulfate			0.1 mg/m <sup>3</sup>			Ing, Con		
Endrin	1.8 x 10 <sup>-2</sup> ppm	0.1 mg/m <sup>3</sup>	0.1 mg/m <sup>-3</sup>		2 mg/m <sup>3</sup>	Inh, Abs, Ing, Con	Epil Conv, Stup, Head, Dizz, Abdom, Nau, Vomit, Insom, Agress, Conf, Drow, Lass, Anor	
Endrin Aldehyde	1.8 x 10 <sup>-2</sup> ppm					Inh, Con		
Endrin Ketone								
Heptachlor	0.02 ppm	0.5 mg/m <sup>3</sup>	0.05 mg/m <sup>3</sup>		[35 mg/m <sup>3</sup> ]	Inh, Abs, Ing, Con	In animals, Trem, Conv, [Carc]	
Heptachlor epoxide	0.02 ppm		0.05 mg/m <sup>3</sup>			Ing, Inh	Trem, Conv, [Carc]	
Hydrogen Cyanide(Hydrocyanic Acid)	0.9 mg/m <sup>3</sup>	10 ppm (11 mg/m³)	4.7 ppm	4.7 ppm	50 ppm	Con, Inh, Ing, Abs	Asphy & death at high levels; Weak, Head, Conf, Nau, Vomit, Incr. Rate and Depth of Respiration or Respiration Slow and Gasping	



TABLE 13  CONTAMINANTS OF CHEMICALS KNOWN OR SUSPECTED ONSITE  *HIGHLIGHT THOSE THAT APPLY TO THE TASK BEING PERFORMED.							
CONTAMINANT  ODOR THRESHOLD  OSHA PEL¹  TLV (ACGIH)  OSHA CEILING² /STEL  IDLH CONC.  ROUTES OF EXPOSURE  SYMPTOMS OF ACUTE EXPOSURE³							
<u>NOTES</u>							
* = Constituent found in ETPI	+						
**=Constituent found in Acid,	/Base/Neutral Extract	able Compounds					
***=Constituent found in Vol	atile Organic Compou	ınds					
****=Constituent found in Le	eaching Lead						
<sup>1</sup> PEL = Permissible Exposure I	Limit. If no PEL is ava	ailable, then the NIO	SH Threshold Limit	Value (TLV) should	l be used, if availab	le.	
<sup>2</sup> Ceiling limit or Short-Term Exposure Limit (STEL), if available. Again, the NIOSH TLV may be used if no OSHA standard exists.							
<sup>3</sup> Abbreviations are contained of	on the next page						
[ ] = Potential Occupational	Carcinogen						



ND = Not Been Determined

#### **ABBREVIATIONS**

abdom = Abdominal abs = Absorption

aggress = Aggressiveness

agit = Agitation anor = Anorexia

anos = Anosmia (loss of the sense of smell)

Anxi = anxiety anem – Anemia aspir = Aspiration asph – asphyxia bron = Bronchitis

bron pneu = Bronchitis pneumonitis [carc] = Potential occupational carcinogen

Card = Cardiac arrhythmias CNS = Central nervous system

conf = Confusion constip = Constipation

con = Skin and/or eye contact

conv = Convulsions corn = Corneal cyan = Cyanosis defat = Defatting

depres = Depressant/Depression

derm = Dermatitis diarr = Diarrhea dist = Disturbance dizz = Dizziness drow = Drowsiness dry = Dry mouth

dysp = Dyspnea (breathing difficulty)

emphy = Emphysema

epil-conv = Epileptiform convulsions

eryth = Erythema euph = Euphoria fib = Fibrosis frost = frostbite ftg = Fatigue flush = Flushing GI = Gastrointestinal head = Headache

hyperpig = Hyperpigmentation

inco = Incoordination ing = Ingestion inh = Inhalation inj = Injury insom = Insomnia irrit = Irritation irrty = Irritability

lac = Lacrimination (discharge of tears)
lass = Lassitude (weakness, exhaustion)

li-head = Lightheadedness

liq = Liquid

low-wgt = Weight loss

mal = Malaise (vague feeling of discomfort)

malnut = Malnutrition

methem = Methemoglobinemia myo = Myochonic (jerks of limbs) mg/m = milligrams/cubic meter muc memb = Mucous membrane

mus ftg = Muscle fatigue

narco = Narcosis nau = Nausea ner = Nervousness numb = Numbness

optic = Optic nerve damage (blindness)

pall = Facial pallor parap = Paralysis ppm = Parts per million pares = Paresthesia paresi = Paresis

peri neur = Peripheral neuropathy

pneu = Pneumonitis prot = Proteinuria pulm = Pulmonary

peri neur = Peripheral neuropathy

pneu = Pneumonia prot = Proteinuria pulm = Pulmonary repro = Reproductive resp = Respiratory

skin sen = skin sensitization

salv = Salvation

som = Somnolence (sleepiness unnatural

drowsiness)

subs = Substernal (occurring beneath the sternum)

stup = Stupor sys = System tingle = tingle limbs trem - Tremors verti = Vertigo

vis dist = Visual disturbance

vomit = Vomiting weak = Weakness



# APPENDIX A Safety and Logistics Planning Log





### Safety and Logistics Planning Log DEC009808

Date of Call		
Work Assignment	Number / Task	
DEC Site Name and	d Number	

	ATTENDEES	
HRP		
POSITION	NAME	NUMBER
HRP PM		
HRP SSO		
HRP Other:		
HRP Other:		
SUBCONTRACTORS		
POSITION	NAME	NUMBER
Driller Contact		
Utility Survey		
Surveyor		
Construction		
Other		
DEC		
POSITION	NAME	NUMBER
DEC PM		
DEC Other:		
DEC Other:		
BRIEF DESCRIPTION: SCOPE OF W	ORK (Task Specific) *Use additional for	ms for additional tasks

Time to Meet						
e by						
Describe any unusual site-specific conditions/logistics here (if any):						

QUESTIONS		Y/N	NOTES			
Water Needed? Source Confirmed?		Y/N				
Electricity Needed? Source Confirmed?		Y/N				
Water Storage Needed?		Y/N				
Water Discharges? Permits Needed/Atta	ined?	Y/N				
Air Monitoring – CAMP?		Y/N				
Will there be intrusive work?		Y/N				
Locations marked in the field?		Y/N				
NYS Code Rule 753/Dig Safe System		Y/N	Ticket Number:			
Confirmed that mark-out complete?		Y/N				
Anticipated Subsurface Conditions (Geol	ogy, Utilities	s, etc.):				
Anticipated Depth to Groundwater:						
Will NAPL/Product be Present?	Y/N Des	scribe:				
Will there be any other parties entering the work zones? Describe control measures.						

Health and Safety Plan Denison Park– Site # 851066 Denison Park, Corning, NY

# APPENDIX B Personnel Log



	PERSONNEL L	og		
Name	Representing	Date	Time In	Time Out
	-			



# APPENDIX C Job Safety Analysis (JSA)



JSA (	Com	pleted By							
				HAZARD RANKING	CHART				
		CON	NSEQUENCE				PROBABILITY	,	
			Injury		Frequent	Likely	Occasional	Seldom	Unlikely
шу				Н	Н	Н	Н	М	
SEVERITY			Injury F	Requiring Hospitalization	Н	Н	Н	М	L
S		Injury Requ	uiring Medical Tre	atment Beyond First Aid	н	М	М	L	L
			I	М	L	L	L	L	
TASK							l		
LOCA	TION	OF TASK PERFORMED					DATE OF JS	A	
				TASK DESCRIP					
*There	e are	different categories of hazar STEPS	ds to include: Bi	ological, Physical, Safety, HAZARD		Ergonomics ONTROL M		ь	ISK RATING
		SILFS		HAZAKU		ZONTROL M	LASUKLS		ISK KATIN

## APPENDIX D Toolbox Talk



### TOOLBOX TALK

GENERAL INFORMATION							
Person Conducting	Site Name/Address	HRP Client Name/Job #					
Client Contact/Phone	HRP H&S Rep.	HRP Supervisor					
	111111111111111111111111111111111111111						
Date/Time	Number Attending	Weather					
Date/Time	Number Accending	Weather					
Designated Competent Person:							
Description of Work							
Description of Work							
	DEES (Use additional sheets as ne						
Name	Company	Signature					
r.	ICDOCKICY CONTACT INCODMATIO						
	IERGENCY CONTACT INFORMATIO FIRE / POLICE / AMBULANCE: 911	N					
Hospital Name & Location:	FIRE / POLICE / AMBULANCE: 911						
riospital Name & Escadom							
NYSDEC Spill Line: 1-518-457-7362	National Response Center: 800-424-8802	CBYD: 800-922-4455					
Health & Safety Manager:							
HAZARDS							
Toxic	☐ Extreme Cold/Heat	☐ Soil Excavation					
Corrosive	☐ Drains/Sumps	☐ Tank Excavation					
☐ Flammable	☐ Sharp Objects	☐ Trenching					
Combustible	☐ Drilling in Soil	☐ Floor Holes					
Reactive	☐ Lighting	☐ Working on/near Water					
☐ Path Waste	☐ Slips/Trips/Falls	☐ Underground/Overhead Utilities					
Asbestos	☐ Lead	☐ Power washing					
☐ Abrasive Blasting	☐ Abrasive Blasting	Lifting					
☐ Drum Handling	Live Electrical Circuits	☐ Noise					
☐ Pneumatic Tools	☐ Elevated Work Area	☐ Ladders					
☐ Vac Truck	☐ Hot Work	☐ Vehicle Traffic					
Other (s):							



### TOOLBOX TALK

PERS	PERSONAL SAFETY / PERSONAL PROTECTIVE EQUIPMENT (PPE)										
☐ Supplied Air Respirator ☐ SAR w/Egress Bottle			□ SCBA			☐ Air Purifying Respirator Cartridge:					
☐ Fully Encapsulating Suit	☐ Flash Suit			☐ NOMEX (flam resistant)			☐ Protected Coveralls, Type:				
☐ Overboots	☐ Lifebelt/Lanyard			☐ Hardhats			Outer Gloves, Type:				
☐ Safety Glasses	☐ Chemical Goggles			☐ Face Shield			☐ Inner Gloves, Type:				
☐ Reflective Vests	☐ Eye Wash			☐ Safety Shower			☐ First Aid Kit				
☐ Hearing Protection	Evacuation Plan			Communications			☐ Properly Sloped Excavation/ Trench				
☐ PFD's	□ Ve	Ventilation			Steel Toe Boots						
FIRE SAFETY											
☐ Fire Extinguishers		П н	ot Work Permit		☐ Fire Blanket			☐ Expl	osion-Proof Equipment		
☐ Equipment Grounded & Bond	☐ Equipment Grounded & Bonded ☐		Non-Sparking Tools		☐ Eliminate Ignition Sources			☐ Area Kept Wet			
☐ Smoking Area Designated Lo	ation:	☐ Fi	Fire Hose Laid Out		☐ Alarm Box in Area, Location:		ion:				
ISOLATE EQUIPMENT & ELECTRICAL EQUIPMENT											
☐ Establish Exclusion Zone/Tr	affic Cor	nes [	☐ Work Signs		☐ LockOut/TagOut		☐ Non-Conductive Tools		uctive Tools		
Stop Transfers			Caution Tape	Area	☐ Equipment Grounded		☐ FR Suits/Coveralls		overalls		
☐ GFCIS	] GFCIS			☐ Temporary Fencing							
Time of Motors			AIR	MONI	TORING	Data	last s	libusta	4.		
Type of Meter: SUBSTANCE		IFV	/EL B MAX.	ACTION LEVEL/LEVEL C MA				st calibrated:  AX. LEVEL D MAX.			
SSESTANCE			LL D I II I		HOTTON ELVEL	LEVEL			LLVLL D I II DI		
HEALTH & CAFETY COMMENTS OFFICE TONG CONCERNS / TORGES & CAFET BUILTS DESCRIPTION											
HEALTH & SAFETY COMMENTS-QUESTIONS-CONCERNS / TOPICS & SAFET RULES REVIEWED											
Contaminants of Concern:											
HEALTH & SAFETY SIGNAT	URE:						0	ate:			
s there a Health & Safety Plan available on-site? Yes No											
☐ HAZARD ZONES NOT APP	LTCABL	F. GEN	IFRAL WORK A	RFA	Level D	Modifi	ed Lev	el D 🗌	Level C		
					_						
Anything above Level C, foren											
Note: HOT WORK requires a hot work permit and minimum 20# fire extinguisher. Foreman or HSM must record at least one contaminant of concern above. Toxic plants may be considered a COC if no chemical hazards are expected.											
Respirator Type:											
						Time In Time C		ut Decon Tuno			
Name			7000		Time In	Time C	No off		econ Type		
			Zone		Time In	Time 0	)ut	D	econ Type		

Before performing Level C work, ALL employees must review HRP's Respiratory Protection Program - a copy of which must be on-site along with a HASP.



# APPENDIX E Specific Procedures



### APPENDIX F

Safety Data Sheets (for chemicals brought to the site)



### **REVISION HISTORY**

REVISION AND APPROVAL LOG							
REVISION DATE	REVISION CONTENT	REVISED BY	APPROVED BY				
1/18/2021	Initiation of document/Reviewed by Jackie Baxley	SF	TAG				
6/6/2024	<ul> <li>Update formatting</li> <li>Update order of headers</li> <li>Implemented tables within HASP, not as Appendix</li> <li>Combining NY and other states – generic HASP to make site-specific</li> <li>Checkbox formatting</li> <li>Updated Action Levels Table</li> </ul>	JLE	TAG				



# APPENDIX C Community Air Monitoring Program



### <u>Community Air Monitoring Plan</u> *Denison Park, Corning, New York*

This Community Air Monitoring Plan (CAMP) requires real-time monitoring for volatile organic compounds (VOCs) and particulates (i.e., dust) at the downwind perimeter of each designated work area when certain activities are in progress during remedial activities at the site. The CAMP is not intended for use in establishing action levels for workers respiratory protection. Rather, its intent is to provide a measure of protection for the downwind community (i.e., off-site receptors including residences and businesses and on-site workers not directly involved with the subject work activities) from potential airborne contaminant releases as a direct result of investigative and remedial work activities. The action levels specified herein require increased monitoring, corrective actions to abate emissions, and/or work shutdown. Additionally, the CAMP helps to confirm that work activities did not spread contamination off-site through the air.

Reliance on the CAMP should not preclude simple, common sense measures to keep VOCs, dust, and odors at a minimum around the work areas.

Depending on the nature of known or potential contaminants at the site, real-time air monitoring for VOCs and/or particulate levels at the perimeter of the exclusion zone or work area will be necessary.

**Continuous monitoring** will be required for all <u>ground intrusive</u> activities. Ground intrusive activities include, but are not limited to, soil/waste excavation and handling, test pitting or trenching.

**Periodic monitoring** for VOCs will be required during <u>non-intrusive</u> activities such as the collection of soil samples. "Periodic" monitoring during sample collection might reasonably consist of taking a reading upon arrival at a sample location, monitoring while opening a well cap or overturning soil, monitoring during well baling/purging, and taking a reading prior to leaving a sample location. In some instances, depending upon the proximity of potentially exposed individuals, continuing monitoring may be required during sampling activities.

#### **Particulate Monitoring, Response Levels, and Actions**

Particulate concentrations will be monitored continuously at the upwind and downwind perimeters of the exclusion zone at temporary particulate monitoring stations. The particulate monitoring will be performed using real-time monitoring equipment capable of measuring particulate matter less than 10 micrometers in size (PM-10) and capable of integrating over a period of 15 minutes (or less) for comparison to the airborne particulate action level. The equipment will be equipped with an audible alarm to indicate exceedance of the action level. In addition, fugitive dust migration will be visually assessed during all work activities.

- If the downwind PM-10 particulate level is 100 micrograms per cubic meter (mcg/m³) greater than the background (upwind perimeter) for the 15-minute period or if airborne dust is observed leaving the work area, then dust suppression techniques will be employed. Work may continue with dust suppression techniques provided that no visible dust is migrating from the work area.
- If, after implementation of dust suppression techniques, downwind PM-10 particulate levels are greater than 150 mcg/m³ above the upwind level, work will be stopped and a reevaluation of activities initiated. Work can resume provided that dust suppression measures

and other controls are successful in reducing the downwind PM-10 particulate concentration to within 150 mcg/m<sup>3</sup> of the upwind level and in preventing visible dust migration.

All readings will be recorded and be available for State (DEC and DOH) personnel to review.

### **VOC Monitoring, Response Levels, and Actions**

VOCs will be monitored at the downwind perimeter of the immediate work area (i.e., the exclusion zone) on a continuous basis or as otherwise specified. Upwind concentrations will be measured at the start of each workday and periodically thereafter to establish background conditions. The monitoring work will be performed using a photo ionization detector (PID) equipped with a 10.2 eV bulb. The PID will be calibrated at least daily for the contaminant(s) of concern or for an appropriate surrogate. The equipment will be capable of calculating 15-minute running average concentrations, which will be compared to the levels specified below.

- If the ambient air concentration of total organic vapors at the downwind perimeter of the
  work area or exclusion zone exceeds 5 parts per million (ppm) above background for the 15minute average, work activities must be temporarily halted and monitoring continued. If the
  total organic vapor level readily decreases (per instantaneous readings) below 5 ppm over
  background, work activities can resume with continued monitoring.
- If total organic vapor levels at the downwind perimeter of the work area or exclusion zone persist at levels in excess of 5 ppm over background but less than 25 ppm, work activities will be halted, the source of the vapors identified, corrective actions taken to abate emissions, and monitoring continued. After these steps, work activities can resume provided that the total organic vapor level 200 feet downwind of the exclusion zone or half the distance to the nearest potential receptor or residential/commercial structure, whichever is less- but in no case less than 20 feet, is below 5 ppm over background for the 15-minute average.
- If the organic vapor level is above 25 ppm at the perimeter of the work area, activities will be shutdown.

All 15-minute readings will be recorded and be available for State (DEC and DOH) personnel to review. Instantaneous readings, if any, used for decision purposes will also be recorded.