Daily Log

Project Name:	Project Number:	Client Name:	Report Date:
NYSEG Clyde Former MGP Site	30351828	NYSEG	10/13/2026
Project Location: Clyde, NY		**Time Onsite:** 0700	**Time Offsite: 1700**
Arcadis Project Manager: Nicholas Beyrle		**Onsite Field Manager:** Kaitlyn Ludwig	
General Weather Conditions: Cloudy/Partly Cloudy, 59-75 degrees			**Wind Direction: ESE**

Personnel Onsite

Name	Company	Employee Task
Kaitlyn Ludwig	Arcadis	Field Lead
David DeOrdio	LaBella	FCM Project Manager
Mick Lee	Northline	Foreman
David Wiemer	Maxim	Operator
Sergio Candelario	Maxim	Laborer
Greg Shove	Maxim	Laborer

Scope of Work

☑ Subcontractor Oversight	☐ Third Party Oversight	☐ Heavy Equipment Inspection
☐ Materials Utilized	☐ Materials Shipped and Delivered	☐ Waste Tracking
☐ Health & Safety	☐ Earthwork	☐ Data Collection
☐ Others	Baseline groundwater sampling	

Contractor Oversight

Contractor(s)	
Contractor Name: NYSEG/Maxim	Number of personnel onsite: 5

Contractor Daily Scope Performed: Continued excavating; import materials arrived onsite; bedded piping in import sand. Arcadis observed the sand was sourced from a non-approved source. Sand will be removed and correct (NYSDEC-approved) sand will be sourced and used.

Any questions that require engineering input? ☐ Yes ☑ No

Problems or Deficiencies: Non NYSDEC-approved sand used as pipe bedding material.

Corrective Actions (if applicable): Sand will be removed and the NYSDEC-approved sand will be sourced and used.

Are any submittals required? ☐ Yes ☑ No

Were field testing and/or QA inspections conducted? ☐ Yes ☑ No

Describe test/inspection: N/A

Did contractor pass test/inspection? ☐ Yes ☐ No

General Comments

Any deviations from planned scope, including weather delays? ☐ Yes No ☑

Are there any anticipated cost or schedule implications due to change? ☑ Yes ☐ No

Describe deviations: Piping and sand will be removed, correct sand sourced, and work will resume.

Approved by PM? ☑ Yes ☐ No

Was any change order work completed? ☐ Yes ☑ No

Describe change order work and include duration:

Any site visitors (regulatory agencies, city inspectors, client, public)? ☐ Yes ☑ No

Please make sure to capture these visitors in the H&S tailgate form	
Are as-built drawings up to date? ☑ Yes ☐ No	Upcoming scope: Re-excavate material, remove sand, use new sand tomorrow and continue backfilling.
General Comments: It was confirmed that the sand originating from the "Silk road north location" was not the same location as the NYSDEC-approved sand sourced from the "Lake Road Pit" location. Based on the import ticket for the crusher run, that material was sourced correctly from the NYSDEC-approved location.	
Name of person completing form:	Kaitlyn Ludwig — Kaitlyn Ludwig

Daily Field Photos


Direction photo was taken: NA	Direction photo was taken: NA
	
Photo Comments: Sand in trench (will be removed).	Photo Comments: Compacted material (will be re-excavated to remove non-approved sand).

aeroqual	Site Contribution - All Units Report	NYSEG - Clyde Former MGP Site	
		DER-10 contribution	
		Report Period	
		From:	10/13/2026 07:00
		To:	10/13/2026 18:00


Sensor	Action Level
PM10	150 µg/m³
VOC	5 ppm


Daily Environmental Summary	Temp (°F)	Relative Humidity (%)	Barometer (inHg)	Wind Speed (mph)	Prevailing Wind Direction
10/13/2026	58.3 - 84.2	50.3 - 89.1	29.7 - 30.0	0.4 - 4.7	SE

Daily Monitoring Summary	PM10 (µg/m³)	Time	VOC (ppm)	Time
Min Contribution (15 min avg.) - 10/13/2026	0.0	11:00	0.0000	08:15
Max Contribution (15 min avg.) - 10/13/2026	3.2	15:45	0.0167	09:30
Daily Avg. Contribution (15 min avg.) - 10/13/2026	1.1	-	0.0007	-




The following monitoring locations have been omitted from this report as no data was recorded for them during the selected date range: Eastern Location, Northwest Location, Southeast Location, Western Location.



Stopped
Initial Avg
Rolling Avg
PM10 Average Contribution (µg/m³)
200.0
150.0
100.0
50.0
0.0
-50.0
-100.0
PM10 (µg/m³)
PM10 - 150 ug/m3 (150 µg/m³)
PM10 - 100 ug/m3 (100 µg/m³)
07:00
08:00
09:00
10:00
11:00
12:00
13:00
14:00
15:00
16:00
17:00
Time
15 Min Rolling Avg PM10 Contribution


Stopped
Initial Avg
Rolling Avg
VOC Average Contribution (ppm)
6.0000
5.0000
4.0000
3.0000
2.0000
1.0000
0.0000
-1.0000
VOC (ppm)
VOC Alert - 5 ppm (5 ppm)
VOC Alert - 3 ppm (3 ppm)
07:00
08:00
09:00
10:00
11:00
12:00
13:00
14:00
15:00
16:00
17:00
Time
15 Min Rolling Avg VOC Contribution


Wind rose (mph)



Northeast Location



Southwest Location



DER-10 Summary: 15 Min Rolling Avg Data

Date/Time	Average Upwind PM10 (µg/m³)	Average Downwind PM10 (µg/m³)	Average Contribution PM10 (µg/m³)	Average Upwind VOC (ppm)	Average Downwind VOC (ppm)	Average Contribution VOC (ppm)	Wind Speed	Wind Direction
10/13/2026 08:15	16.7	18.6	1.8	0.0000	0.0000	0.0000	0.5	SE
10/13/2026 08:30	13.5	14.9	1.4	0.0000	0.0000	0.0000	0.8	SE
10/13/2026 08:45	12.1	14.6	2.6	0.0000	0.0000	0.0000	0.8	ESE
10/13/2026 09:00	12.3	13.6	1.4	0.0000	0.0000	0.0000	0.5	ESE
10/13/2026 09:15	12.2	14.8	2.6	0.0000	0.0000	0.0000	0.4	ESE
10/13/2026 09:30	12.0	13.7	1.7	0.0060	0.0227	0.0167	0.4	ESE
10/13/2026 09:45	13.3	13.6	0.3	0.0033	0.0040	0.0007	0.4	SE
10/13/2026 10:00	12.4	15.2	2.9	0.0000	0.0000	0.0000	0.9	ESE
10/13/2026 10:15	12.7	14.7	2.0	0.0000	0.0000	0.0000	0.9	SE
10/13/2026 10:30	13.2	15.6	2.4	0.0000	0.0000	0.0000	0.7	ESE
10/13/2026 10:45	16.7	17.1	0.4	0.0000	0.0000	0.0000	0.8	SE
10/13/2026 11:00	17.7	17.6	0.0	0.0000	0.0000	0.0000	0.9	SE
10/13/2026 11:15	16.1	17.3	1.1	0.0000	0.0000	0.0000	0.8	SE
10/13/2026 11:30	16.0	17.3	1.3	0.0000	0.0000	0.0000	0.4	ESE
10/13/2026 11:45	14.9	16.7	1.7	0.0000	0.0000	0.0000	0.7	SE
10/13/2026 12:00	17.0	17.3	0.4	0.0373	0.0367	0.0000	0.6	SSE
10/13/2026 12:15	16.7	16.1	0.0	0.0000	0.0000	0.0000	0.5	SSE
10/13/2026 12:30	17.7	16.4	0.0	0.0000	0.0000	0.0000	0.5	SSW
10/13/2026 12:45	17.2	16.2	0.0	0.0000	0.0000	0.0000	0.5	SSW
10/13/2026 13:00	17.3	15.7	0.0	0.0000	0.0000	0.0000	0.7	SW
10/13/2026 13:15	17.5	15.8	0.0	0.0000	0.0000	0.0000	0.9	SW

Date/Time	Average Upwind PM10 (µg/m³)	Average Downwind PM10 (µg/m³)	Average Contribution PM10 (µg/m³)	Average Upwind VOC (ppm)	Average Downwind VOC (ppm)	Average Contribution VOC (ppm)	Wind Speed	Wind Direction
10/13/2026 13:30	17.7	16.0	0.0	0.0000	0.0000	0.0000	1.1	WSW
10/13/2026 13:45	17.6	16.2	0.0	0.0000	0.0000	0.0000	0.7	SW
10/13/2026 14:00	16.8	15.9	0.0	0.0000	0.0000	0.0000	0.4	SW
10/13/2026 14:15	16.3	16.2	0.0	0.0000	0.0000	0.0000	0.5	SSE
10/13/2026 14:30	17.8	18.2	0.4	0.0000	0.0000	0.0000	0.3	SSE
10/13/2026 14:45	16.8	17.6	0.7	0.0000	0.0000	0.0000	0.4	SE
10/13/2026 15:00	16.3	17.1	0.8	0.0000	0.0000	0.0000	0.3	SE
10/13/2026 15:15	16.6	17.7	1.0	0.0000	0.0000	0.0000	0.5	ESE
10/13/2026 15:30	19.0	21.2	2.3	0.0000	0.0027	0.0027	0.8	E
10/13/2026 15:45	18.1	21.2	3.2	0.0000	0.0000	0.0000	0.7	E
10/13/2026 16:00	17.4	19.9	2.5	0.0000	0.0033	0.0033	0.7	E

Air Monitoring Data by Location: 15 Min Avg Data

Date/Time	Northeast Location PM10 (µg/m³)	Northeast Location VOC (ppm)	Southwest Location PM10 (µg/m³)	Southwest Location VOC (ppm)	Wind Direction	Wind Speed
10/13/2026 08:15	16.6	0.0000	18.8	0.0000	SE	0.5
10/13/2026 08:30	12.7	0.0000	15.7	0.0000	SE	0.8
10/13/2026 08:45	12.1	0.0000	14.6	0.0000	ESE	0.8
10/13/2026 09:00	12.0	0.0000	13.9	0.0000	ESE	0.5
10/13/2026 09:15	11.9	0.0000	15.1	0.0000	ESE	0.4
10/13/2026 09:30	11.9	0.0000	13.8	0.0287	ESE	0.4
10/13/2026 09:45	12.3	0.0000	14.6	0.0073	SE	0.4
10/13/2026 10:00	12.4	0.0000	15.2	0.0000	ESE	0.9
10/13/2026 10:15	12.3	0.0000	15.1	0.0000	SE	0.9
10/13/2026 10:30	12.8	0.0000	16.0	0.0000	ESE	0.7
10/13/2026 10:45	15.5	0.0000	18.3	0.0000	SE	0.8
10/13/2026 11:00	16.1	0.0000	19.2	0.0000	SE	0.9
10/13/2026 11:15	15.1	0.0000	18.2	0.0000	SE	0.8
10/13/2026 11:30	14.8	0.0000	18.6	0.0000	ESE	0.4
10/13/2026 11:45	14.3	0.0000	17.2	0.0000	SE	0.7
10/13/2026 12:00	16.9	0.0740	17.3	0.0000	SSE	0.6
10/13/2026 12:15	15.0	0.0000	17.7	0.0000	SSE	0.5
10/13/2026 12:30	15.8	0.0000	18.3	0.0000	SSW	0.5
10/13/2026 12:45	15.6	0.0000	17.8	0.0000	SSW	0.5
10/13/2026 13:00	15.6	0.0000	17.5	0.0000	SW	0.7
10/13/2026 13:15	15.7	0.0000	17.6	0.0000	SW	0.9
10/13/2026 13:30	16.0	0.0000	17.7	0.0000	WSW	1.1
10/13/2026 13:45	16.1	0.0000	17.7	0.0000	SW	0.7
10/13/2026 14:00	15.7	0.0000	17.0	0.0000	SW	0.4
10/13/2026 14:15	15.6	0.0000	16.9	0.0000	SSE	0.5
10/13/2026 14:30	17.9	0.0000	18.1	0.0000	SSE	0.3
10/13/2026 14:45	16.2	0.0000	18.2	0.0000	SE	0.4
10/13/2026 15:00	15.9	0.0000	17.5	0.0000	SE	0.3
10/13/2026 15:15	16.4	0.0000	18.0	0.0000	ESE	0.5
10/13/2026 15:30	19.0	0.0000	21.2	0.0027	E	0.8
10/13/2026 15:45	18.1	0.0000	21.2	0.0000	E	0.7
10/13/2026 16:00	17.4	0.0000	19.9	0.0033	E	0.7
10/13/2026 16:15			19.9	0.0000		