Daily Log

Project Name: NYSEG Clyde Former MGP Site	**Project Number:** TBD (Temporary PN is 30351828)	**Client Name:** NYSEG	**Report Date:** 10/15/2026
Project Location: Clyde, NY		**Time Onsite:** 0650	**Time Offsite:** 1620
Arcadis Project Manager: Nicholas Beyrle		**Onsite Field Manager: Robbie Sullivan**	
General Weather Conditions: Cloudy, 49-57 degrees			**Wind Direction: NNE**

Personnel Onsite

Name	Company	Employee Task
Robbie Sullivan	Arcadis	CAMP/Oversight
David DeOrdio	LaBella	FCM Project Manager
Mick Lee	Northline	Foreman
David Wiemer	Maxim	Operator
Sergio Candelario	Maxim	Laborer
Greg Shove	Maxim	Laborer

Scope of Work

☑ Subcontractor Oversight	☐ Third Party Oversight	☐ Heavy Equipment Inspection
☐ Materials Utilized	☐ Materials Shipped and Delivered	☐ Waste Tracking
☐ Health & Safety	☐ Earthwork	☐ Data Collection
☐ Others	Trenching to install equipment to update components of the substation.	

Contractor Oversight

Contractor(s)	
Contractor Name: NYSEG/Maxim	Number of personnel onsite: 6

Contractor Daily Scope Performed: Continued trench work. Backfilled completed areas (first layer sand topped with demarcation tape, then "native fill"/excavated material, then crusher run gravel). Incorrect sand and excavation materials are staged in piles awaiting roll off.

Any questions that require engineering input? ☐ Yes ☑ No

Problems or Deficiencies: None

Corrective Actions (if applicable): N/A

Are any submittals required? ☐ Yes ☑ No

Were field testing and/or QA inspections conducted? ☐ Yes ☑ No

Describe test/inspection: N/A

Did contractor pass test/inspection? ☐ Yes ☐ No

General Comments

Any deviations from planned scope, including weather delays? ☐ Yes No ☑

Are there any anticipated cost or schedule implications due to change? ☐ Yes ☑ No

Describe deviations: N/A

Approved by PM? ☐ Yes ☐ No

Was any change order work completed? ☐ Yes ☑ No

Describe change order work and include duration:

Any site visitors (regulatory agencies, city inspectors, client, public)? ☐ Yes ☑ No

Please make sure to capture these visitors in the H&S tailgate form	
Are as-built drawings up to date? ☑ Yes ☐ No	Upcoming scope: Continue monitoring excavation and conducting CAMP.
General Comments: Contractors are awaiting roll off and additional construction materials. Will continue backfilling work tomorrow. Further excavation and construction is contingent on weather.	
Name of person completing form:	Robbie Sullivan

Daily Field Photos

Direction photo was taken: NA



Photo Comments: Beginning to backfill trench

Direction photo was taken: NA



Photo Comments: Backfilled and tamped trench



Photo Comments: Excavated material




Photo Comments: Excess excavated material staged in a pile

aeroqual	Site Contribution - All Units Report	NYSEG - Clyde Former MGP Site	
		DER-10 contribution	
		Report Period	
		From:	10/15/2026 07:00
		To:	10/15/2026 18:00


Sensor	Action Level
PM10	150 µg/m³
VOC	5 ppm


Daily Environmental Summary	Temp (°F)	Relative Humidity (%)	Barometer (inHg)	Wind Speed (mph)	Prevailing Wind Direction
10/15/2026	46.6 - 64.6	43.7 - 83.0	30.2 - 30.4	0.5 - 6.4	E

Daily Monitoring Summary	PM10 (µg/m³)	Time	VOC (ppm)	Time
Min Contribution (15 min avg.) - 10/15/2026	0.0	07:45	0.0000	08:00
Max Contribution (15 min avg.) - 10/15/2026	26.4	14:15	0.0167	08:45
Daily Avg. Contribution (15 min avg.) - 10/15/2026	1.0	-	0.0017	-




The following monitoring locations have been omitted from this report as no data was recorded for them during the selected date range: Eastern Location, Northwest Location, Southeast Location, Western Location.



Stopped
Initial Avg
Rolling Avg
PM10 Average Contribution (µg/m³)
200.0
150.0
100.0
50.0
0.0
-50.0
-100.0
PM10 (µg/m³)
PM10 - 150 ug/m3 (150 µg/m³)
PM10 - 100 ug/m3 (100 µg/m³)
07:00
08:00
09:00
10:00
11:00
12:00
13:00
14:00
15:00
16:00
17:00
Time
15 Min Rolling Avg PM10 Contribution


Stopped
Initial Avg
Rolling Avg
VOC Average Contribution (ppm)
6.0000
5.0000
4.0000
3.0000
2.0000
1.0000
0.0000
-1.0000
VOC (ppm)
VOC Alert - 5 ppm (5 ppm)
VOC Alert - 3 ppm (3 ppm)
07:00
08:00
09:00
10:00
11:00
12:00
13:00
14:00
15:00
16:00
17:00
Time
15 Min Rolling Avg VOC Contribution


Wind rose (mph)



Northeast Location



Southwest Location



DER-10 Summary: 15 Min Rolling Avg Data

Date/Time	Average Upwind PM10 (µg/m³)	Average Downwind PM10 (µg/m³)	Average Contribution PM10 (µg/m³)	Average Upwind VOC (ppm)	Average Downwind VOC (ppm)	Average Contribution VOC (ppm)	Wind Speed	Wind Direction
10/15/2026 07:45	3.0	3.0	0.0	0.0000	0.0129	0.0129	1.0	ENE
10/15/2026 08:00	2.6	2.7	0.1	0.0000	0.0000	0.0000	1.5	ENE
10/15/2026 08:15	2.7	2.5	0.0	0.0000	0.0000	0.0000	1.1	ENE
10/15/2026 08:30	2.5	2.2	0.0	0.0000	0.0000	0.0000	1.1	ENE
10/15/2026 08:45	2.2	2.1	0.0	0.0000	0.0167	0.0167	1.2	ENE
10/15/2026 09:00	2.1	2.0	0.0	0.0000	0.0060	0.0060	0.9	ENE
10/15/2026 09:15	2.5	2.1	0.0	0.0000	0.0000	0.0000	1.1	E
10/15/2026 09:30	2.4	2.1	0.0	0.0000	0.0000	0.0000	1.4	ENE
10/15/2026 09:45	2.0	1.8	0.0	0.0000	0.0000	0.0000	1.5	ENE
10/15/2026 10:00	2.9	1.5	0.0	0.0000	0.0000	0.0000	1.8	ENE
10/15/2026 10:15	1.8	1.8	0.0	0.0000	0.0000	0.0000	1.5	ENE
10/15/2026 10:30	2.0	1.7	0.0	0.0000	0.0000	0.0000	1.5	ENE
10/15/2026 10:45	1.9	1.7	0.0	0.0000	0.0000	0.0000	1.6	E
10/15/2026 11:00	1.9	1.8	0.0	0.0000	0.0080	0.0080	1.2	E
10/15/2026 11:15	2.2	1.8	0.0	0.0000	0.0080	0.0080	1.0	E
10/15/2026 11:30	1.6	1.5	0.0	0.0000	0.0027	0.0027	0.6	E
10/15/2026 11:45	1.6	1.4	0.0	0.0000	0.0033	0.0033	1.4	ENE
10/15/2026 12:00	1.6	1.6	0.0	0.0000	0.0000	0.0000	0.9	E
10/15/2026 12:15	1.8	1.6	0.0	0.0000	0.0000	0.0000	1.1	ESE
10/15/2026 12:30	1.7	1.7	0.0	0.0000	0.0000	0.0000	0.7	ESE
10/15/2026 12:45	1.8	1.8	0.0	0.0000	0.0000	0.0000	1.1	ESE

Date/Time	Average Upwind PM10 (µg/m³)	Average Downwind PM10 (µg/m³)	Average Contribution PM10 (µg/m³)	Average Upwind VOC (ppm)	Average Downwind VOC (ppm)	Average Contribution VOC (ppm)	Wind Speed	Wind Direction
10/15/2026 13:00	2.0	2.2	0.2	0.0000	0.0000	0.0000	1.2	E
10/15/2026 13:15	2.0	2.2	0.3	0.0000	0.0000	0.0000	1.0	E
10/15/2026 13:30	1.9	2.1	0.2	0.0007	0.0000	0.0000	0.4	SE
10/15/2026 13:45	2.2	2.4	0.2	0.0000	0.0000	0.0000	0.8	E
10/15/2026 14:00	2.1	2.5	0.4	0.0000	0.0000	0.0000	0.5	NE
10/15/2026 14:15	3.6	30.0	26.4	0.0000	0.0000	0.0000	1.0	ESE
10/15/2026 14:30	7.0	10.0	3.0	0.0000	0.0000	0.0000	0.7	E
10/15/2026 14:45	3.5	3.7	0.1	0.0000	0.0000	0.0000	0.6	SE
10/15/2026 15:00	2.8	2.9	0.1	0.0000	0.0000	0.0000	0.4	SE
10/15/2026 15:15	2.7	2.6	0.0	0.0000	0.0000	0.0000	0.7	ESE
10/15/2026 15:30	2.7	2.4	0.0	0.0000	0.0000	0.0000	0.8	ENE
10/15/2026 15:45	3.2	5.3	2.1	0.0000	0.0000	0.0000	0.9	ENE
10/15/2026 16:00	3.3	5.5	2.2	0.0000	0.0000	0.0000	0.9	ESE

Air Monitoring Data by Location: 15 Min Avg Data

Date/Time	Northeast Location PM10 (µg/m³)	Northeast Location VOC (ppm)	Southwest Location PM10 (µg/m³)	Southwest Location VOC (ppm)	Wind Direction	Wind Speed
10/15/2026 07:45	3.0	0.0000	3.0	0.0120	ENE	1.0
10/15/2026 08:00	2.6	0.0000	2.7	0.0000	ENE	1.5
10/15/2026 08:15	2.7	0.0000	2.5	0.0000	ENE	1.1
10/15/2026 08:30	2.5	0.0000	2.2	0.0000	ENE	1.1
10/15/2026 08:45	2.2	0.0000	2.1	0.0167	ENE	1.2
10/15/2026 09:00	2.1	0.0000	2.0	0.0060	ENE	0.9
10/15/2026 09:15	2.5	0.0000	2.1	0.0000	E	1.1
10/15/2026 09:30	2.4	0.0000	2.1	0.0000	ENE	1.4
10/15/2026 09:45	2.0	0.0000	1.8	0.0000	ENE	1.5
10/15/2026 10:00	2.9	0.0000	1.5	0.0000	ENE	1.8
10/15/2026 10:15	1.8	0.0000	1.8	0.0000	ENE	1.5
10/15/2026 10:30	2.0	0.0000	1.7	0.0000	ENE	1.5
10/15/2026 10:45	1.9	0.0000	1.7	0.0000	E	1.6
10/15/2026 11:00	1.9	0.0000	1.8	0.0080	E	1.2
10/15/2026 11:15	2.3	0.0000	1.8	0.0080	E	1.0
10/15/2026 11:30	1.7	0.0000	1.5	0.0027	E	0.6
10/15/2026 11:45	1.6	0.0000	1.4	0.0033	ENE	1.4
10/15/2026 12:00	1.6	0.0000	1.6	0.0000	E	0.9
10/15/2026 12:15	1.8	0.0000	1.6	0.0000	ESE	1.1
10/15/2026 12:30	1.7	0.0000	1.6	0.0000	ESE	0.7
10/15/2026 12:45	1.8	0.0000	1.7	0.0000	ESE	1.1
10/15/2026 13:00	2.0	0.0000	2.2	0.0000	E	1.2
10/15/2026 13:15	1.9	0.0000	2.2	0.0000	E	1.0
10/15/2026 13:30	2.0	0.0007	2.0	0.0000	SE	0.4
10/15/2026 13:45	2.2	0.0000	2.4	0.0000	E	0.8
10/15/2026 14:00	2.1	0.0000	2.5	0.0000	NE	0.5
10/15/2026 14:15	2.3	0.0000	31.3	0.0000	ESE	1.0
10/15/2026 14:30	4.9	0.0000	12.1	0.0000	E	0.7
10/15/2026 14:45	2.5	0.0000	4.7	0.0000	SE	0.6
10/15/2026 15:00	3.0	0.0000	2.7	0.0000	SE	0.4
10/15/2026 15:15	2.9	0.0000	2.4	0.0000	ESE	0.7
10/15/2026 15:30	2.7	0.0000	2.3	0.0000	ENE	0.8
10/15/2026 15:45	2.9	0.0000	5.6	0.0000	ENE	0.9
10/15/2026 16:00	3.0	0.0000	5.8	0.0000	ESE	0.9