

Prepared for:
Village of Wellsville
Department of Public Works
200 Bolivar Road
Wellsville, NY 14895

2009 ANNUAL REPORT

Wellsville/Andover Landfill Site
Operations and Maintenance
Site Number 9-02-004
Allegany County, New York

Prepared by:
On-Site Technical Services, Inc.
72 Railroad Avenue
Wellsville, NY 14895

February 2010

TABLE OF CONTENTS

1.0	OVERVIEW	1
1.1	<u>Introduction</u>	1
1.2	<u>Project Background</u>.....	1
1.3	<u>Summary of 2009 Monitoring, Inspection and Maintenance Activities</u>.....	2
2.0	MONITORING, INSPECTION AND MAINTENANCE REQUIREMENTS	3
2.1	<u>Monitoring Requirements</u>.....	3
2.2	<u>Inspection and Maintenance Requirements</u>	4
3.0	GROUNDWATER MONITORING RESULTS	4
4.0	SURFACE WATER AND SEDIMENT MONITORING RESULTS	7
5.0	LEACHATE SUMP AND MANHOLE MONITORING RESULTS	8
6.0	AIR MONITORING RESULTS	8
7.0	RESIDENTIAL WATER SUPPLY MONITORING RESULTS.....	9
8.0	INSPECTIONS AND MAINTENANCE ACTIVITES	10
9.0	CONCLUSIONS.....	11

Tables

Table 2-1 – Approved Monitoring Frequencies

Table 2-2 – Approved Analyte List

Table 2-3 – Well Construction and Static Water Level Information

Table 3-1 – Summary of 2008 and 2009 Groundwater Analytical Results

Table 3-2 – 2009 Groundwater NYSDEC and NYSDOH Exceedances

Table 3-3 – 2009 Groundwater Analytical Results

Table 4-1 – 2008 and 2009 Surface Water Analytical Results

Table 4-2 – 2008 and 2009 Sediment Analytical Results

Table 5-1 – Summary of 2008 and 2009 Leachate Sump and Manhole Analytical Results

Table 5-2 – 2009 Leachate Sump and Manhole Analytical Results

Table 6-1 – April 2009 Air Monitoring Results

Table 6-2 – September 2009 Air Monitoring Results

Table 7-1 – Summary of 2009 Residential Water Supply Sampling

Table 7-2 – Summary of 2008 and 2009 Residential Water Supply Analytical Results

Table 7-3 – 2009 Residential Water Supply Analytical Results

TABLE OF CONTENTS CONTINUED

Figures

Figure 1 – Site Location

Figure 2 – 2009 Sampling Locations

Figure 3 – April 24, 2009 Overburden Monitoring Well Potentiometric Map

Figure 4 – April 24, 2009 Bedrock Monitoring Well Potentiometric Map

Figure 5 – September 8, 2009 Overburden Well Potentiometric Map

Figure 6 – September 8, 2009 Bedrock Well Potentiometric Map

Figure 7 – 2009 Air Monitoring Locations

Appendices

Appendix A – NYSDEC Site Management Periodic Review Report

Appendix B – Monitoring Evaluation, Approved Revised Monitoring Plan and NYSDEC Response

Appendix C – 2009 Quarterly Inspection and Maintenance Checklist

Appendix D – 2009 Leachate Collection System Cleaning and Repair

Appendix E – Groundwater Concentration Time Trend Plots

Appendix F – Electronic Report

1.0 OVERVIEW

1.1 Introduction

This report presents the 2009 operations and maintenance activities associated with the Wellsville/Andover Landfill Site located in Wellsville and Andover townships, Allegany County, New York (Figure 1) and has been prepared by On-Site Technical Services, Inc., (On-Site) of Wellsville, New York. This report summarizes operation and maintenance activities performed from January 1 to December 31, 2009. Operation and maintenance requirements for this project are detailed in the *Operation and Maintenance Manual For The Wellsville/Andover Landfill Site Number 9-02-004 Allegany County, New York*, dated November 1997 (O&M Plan), prepared by Ecology and Environment Engineering, P.C. (E&E) with subsequent revisions. Revisions to the O&M Plan have been approved and the current O&M requirements are outlined in Section 2. Other reports pertaining to 2009 operation and maintenance of this site include:

- *Semi-Annual Groundwater Monitoring Report Wellsville/Andover Landfill Site, April 2009 Event*, dated June 2009.
- *Semi-Annual Residential Water Supply Sampling Report Wellsville/Andover Landfill Site, May 2009 Event*, dated June 2009.
- *Fall 2009 Monitoring Event Summary Wellsville/Andover Landfill Site*, dated October 20, 2009.

As part of ongoing O&M activities, starting in 2009 the New York State Department of Environmental Conservation (NYSDEC) is requiring a Periodic Review Report (PRR) be completed annually. The 2009 PRR, documenting that all Site Management requirements are being met, is included as Appendix A of this report.

1.2 Project Background

The Wellsville/Andover Landfill was operated by the Village of Wellsville from 1964 to 1983, accepting both municipal and industrial waste. The site was added to the New York State Superfund and the NYSDEC selected capping with waste consolidation as the remedial action in the Record of Decision (ROD) for the site (NYSDEC 1994). To accomplish the remedy, a contract to remove waste from the northwest and northeast fill areas, and consolidate and cap on the south/south-central fill area, (please see Figure 2) was awarded to IT Corporation and construction activities commenced in April 1996. Following consolidation, the fill was compacted and capped with a 19-acre cover system, which incorporates a passive landfill gas (LFG) venting system, a leachate collection and

storage system and a groundwater cut-off trench. Construction activities concluded in September 1997. The leachate collection system gravity drains to the Leachate Sump (LS-1), from which it is pumped into two 15,000-gal underground storage tanks. The Village of Wellsville transports water from the storage tanks to the publicly owned wastewater treatment plant (POTW) for treatment. The groundwater cutoff trench is intended to capture up-gradient groundwater from the north and east landfill perimeters prior to contacting waste within the landfill. The north side collection trench drains to Manhole 32 (MH-32) located at the northwest corner of the landfill, while the east side collection trench drains to Manhole 33 (MH-33) at the southeast corner of the landfill. Both MH-32 and MH-33 are piped to drain either to the leachate collection system or to the landfill perimeter surface water drainage channels. To date, water in MH-32 and MH-33 has been drained to the leachate collection system sump. The pipes from the manholes to the drainage channel are closed with removable plugs.

1.3 Summary of 2009 Monitoring, Inspection and Maintenance Activities

This section provides an overview of the monitoring, inspection and maintenance activities completed in 2009.

On-Site has completed the following monitoring events in accordance with procedures set forth in the O&M Plan and the revised sampling program (Appendix B). Semiannual groundwater monitoring events were conducted in April and September 2009. Semiannual residential water supply sampling was performed in May and September 2009. Details of these monitoring activities are provided in Section 3 through 7.

Quarterly inspections are conducted and documented on the Quarterly Inspection and Maintenance Checklist by Village of Wellsville personnel. Maintenance activities generally include annual mowing of the cap vegetation, leachate disposal, leachate collection system maintenance and maintenance of the water treatment unit at the LaDue residence (WAL-19). Quarterly inspection and maintenance checklists are included as Appendix C.

Additional maintenance activities conducted during 2009 include leachate collection system lateral flushing. Details on this work can be found in Section 8 and a Leachate Collection System clean and repair memorandum is included as Appendix D.

2.0 MONITORING, INSPECTION AND MAINTENANCE REQUIREMENTS

This section outlines the approved monitoring, inspection and maintenance requirements specified by the O&M plan and subsequently modified by NYSDEC and New York State Department of Health (NYSDOH).

2.1 Monitoring Requirements

The analytical program for the site is based on the requirements of Title 6 NYCRR Subdivision 360-2.11(c) and 360-2.17(f), which applies to groundwater, residential water supplies, surface water, sediment, leachate, and landfill gas. The most recent revisions were approved in May 2009 and began with the fall 2009 sampling event.

Since the site monitoring program was revised midway through 2009, Table 2-1 presents both the former monitoring plan (used through April 2009) and the revised monitoring program. The current analyte list is presented as Table 2-2. Sampling locations are presented in Figure 2. Details of the revised monitoring requirements are provided below.

- A total of five monitoring wells and one residential monitoring location will be sampled for Volatile Organic Compounds (VOCs) during the spring sampling event. During the fall sampling events 16 monitoring wells will be sampled for field parameters, VOCs and metals. Surface water location SWS-1, Groundwater cut-off system locations MH-32 and MW-33, and the leachate sampling location LS-1 will be sampled annually in the fall event for the respective parameters.
- The Village of Wellsville continues to maintain a water filtration system at residential location WAL-19 which is currently owned and occupied by Mr. and Mrs. LaDue at 3914 Snyder Road in Wellsville, NY 14895. This residence will continue to be sampled on a semi-annual basis for VOCs before the filter, inter-filter and after the filter. WAL-2 and WAL-5 are sampled on an annual basis during the fall event.
- Static water level elevations are required to be measured in the monitoring wells and six piezometers located on and around the landfill cap during each sampling event. These water elevations are used to construct potentiometric maps. Table 2-3 provides a history of the 2009 static water elevations along with well construction information.
- Landfill gas monitoring and perimeter air monitoring are completed during the fall monitoring event for PID, LEL and O₂ levels.

2.2 Inspection and Maintenance Requirements

The inspection and maintenance requirements for the site are specified in the O&M Plan and include the following.

- Quarterly inspections and maintenance (if required) of cover system, leachate collection and storage system, gas venting system, storm water system, groundwater monitoring system, and facility access system (i.e. access roads and gates). Quarterly Inspection and Maintenance Checklists are provided within the O&M Plan and are completed by Village of Wellsville Department of Public Works personnel.
- Annual mowing of the vegetative cover is performed by Village of Wellsville personnel.
- The Village of Wellsville is responsible for maintenance of a water treatment unit at the LaDue residence, located at 3914 Synder Hill Road.

3.0 GROUNDWATER MONITORING RESULTS

Two groundwater monitoring events were completed during 2009. Prior to purging and collecting groundwater samples, static water levels were measured from the site monitoring wells and piezometers. These data were utilized to develop separate potentiometric maps for wells screened in overburden and wells screened in bedrock. The potentiometric maps for the two sampling events completed during 2009 are included as Figures 3, 4, 5 and 6. Each contour represents a line of equivalent water table elevation. The direction of groundwater flow is from higher to lower elevation approximately perpendicular to the contours.

Groundwater samples were collected from 17 of the 18 required wells in April 2009 (MW-15DA was not sampled due to insufficient water volume) and 16 wells scheduled were sampled in October 2009. Groundwater samples were analyzed for metals, VOCs and Wet Chemistry. Table 3-1 exhibits the detection frequency, minimum and maximum detection, NYSDEC Class GA Groundwater Standard (Class GA Standard) and the number of Class GA Standard exceedances for groundwater samples collected in 2008 and 2009. Table 3-2 lists the 2009 Class GA and NYSDOH Maximum Contaminant Level (MCL) exceedances by individual wells. Table 3-3 is a tabular listing of groundwater analytical results from the two sampling events completed in 2009. Monitoring well locations are presented in Figure 2. A discussion of the analytical results is provided below.

Inorganic Compounds (metals)

Groundwater samples requiring inorganic analysis were analyzed for fifteen metals during the April and September 2009 sampling events (Table 2-2). As shown in Table 3-1, nine metals (Barium, Calcium, Iron, Lead, Magnesium, Manganese, Potassium, Sodium and Zinc) were detected in 2008. With the exception of Lead, the same metals were detected in 2009. Iron, Manganese and Sodium exceeded Class GA standards in 2008 and 2009 and are the metals that exceed Class GA Standards on a frequent basis. Based upon NYSDEC request, concentration time trend plots for these three metals have been created. Plots, which include data from 1998 through 2009, are presented in Appendix E for monitoring wells that have shown NYSDEC Class GA Standard exceedances for these metals. Monitoring wells CW-3A, CW-3B, CW-4B, MW-5D, MW-5S, MW-15S and MW-18S are included. In general, no obvious increasing or decreasing time trends are apparent. The three metals have been detected at various concentrations above standards at both upgradient and downgradient wells. These metals are common constituents of soil and often occur naturally at the concentrations detected in site groundwater.

VOCs

Groundwater from each well sampled was analyzed for VOCs, which include 36 compounds (Table 2-2). In 2008, a total of 29 groundwater samples were analyzed for VOCs. In 2009, 34 groundwater samples were analyzed for VOCs. Cis-1,2-Dichloroethene (cDCE), trans-1,2-Dichloroethene (tDCE), Trichloroethene (TCE) and Vinyl chloride were detected at concentrations that exceeded the Class GA Standards during 2008. In 2009 cDCE, TCE and Vinyl chloride were detected and exceeded Class GA Standards. These three VOCs most commonly exceed the Class GA Standard. Based upon NYSDEC request, concentration time trend plots for these three VOCs have been created. The plots include data from 1998 through 2009 and are included in Appendix E for monitoring wells that have shown NYSDEC Class GA Standard exceedances for these compounds. These monitoring wells include CW-3A, CW-3B, CW-4B, MW-4D, MW-5D, MW-5S, MW-11S, MW-15S, MW-16S and MW-18S. The VOC graphs show some trends as discussed below.

- Well CW-3A exhibited TCE at anomalous high results in June 2005, but has returned to lower levels the last nine samplings. cDCE has shown a slight decreasing trend the last three samplings, while Vinyl chloride has been non-detect except for in June 2005.
- CW-3B shows a slight increasing trend in concentrations of TCE and cDCE that

appears to be leveling out.

- CW-4A shows results as non-detect for TCE and Vinyl chloride the last nine years, while cDCE has shown a slight decreasing trend.
- CW-4B shows TCE and Vinyl chloride results as non-detect the last eight years and cDCE has been non-detect the last four years.
- MW-3D has shown non-detect or low level concentrations of cDCE, TCE and Vinyl chloride since 2003.
- MW-4D exhibits an apparent seasonal fluctuation in VOCs with an inverse proportional relationship to groundwater elevation. Elevated concentrations of primarily cDCE occur when groundwater elevations are low (generally fall) and then decrease when groundwater elevations are high (generally spring). However, this seasonal fluctuation is not represented in the graph for the period of 2003 to 2007 when semi-annual sampling was conducted in the months of June and December. Because these months did not include samplings at low groundwater elevation periods it is unknown if there were elevated cDCE concentrations during the lower groundwater elevations.
- MW-5D exhibits no obvious increasing or decreasing trend.
- Well MW-5S exhibits a slight decreasing trend in cDCE, TCE and Vinyl chloride.
- MW-11S was sampled in June 1998 and then semi-annual starting in December 2004. Vinyl chloride has remained near or below detection limits. Starting in spring 2008, cDCE and TCE have shown a decreasing trend with a significant decrease between April and September 2009.
- Well MW-15S has no discernable trends other than the detection of cDCE at concentrations between 0.011 mg/L and 0.057 mg/L, and TCE and Vinyl chloride have been mostly non-detect or at low level concentrations.
- MW-16S has been sampled on the same frequency as MW-11S. MW-16S cDCE, TCE and Vinyl chloride results are near or below detection limits.
- MW-17S does not seem to follow a time trend but does show a correlation between TCE and Vinyl chloride, while cDCE has shown results of non-detect to 0.13 mg/L.
- At MW-18S, no time trend is obvious, but there is a good correlation between cDCE and TCE, while Vinyl chloride has not been detected.

Wet Chemistry

As shown in Table 3-1, groundwater samples collected from wells in April 2009 were analyzed for Wet Chemistry, which includes 13 parameters, plus Turbidity. Wet

chemistry parameters were not sampled in the September 2009 sampling event because they are no longer required. The analyzed wet chemistry parameters detected in 2008 include Alkalinity, Ammonia Nitrogen, BOD, COD, Chloride, Color, Hardness, Sulfate, TDS, TKN and TOC. The same parameters were detected in 2009 with the addition of Bromide. Color and TDS exceeded Class GA Standards in 2008 and 2009.

4.0 SURFACE WATER AND SEDIMENT MONITORING RESULTS

Surface water and sediment samples were collected from one location (SWS-1, see Figure 2) during the April 2009 sampling event. Beginning with the fall 2009 sampling event SWS-1 is required to be sampled annually during the fall event. Surface water and sediment sampling was not conducted during the fall 2009 event due to no flow conditions. SWS-1 is located at the downstream side of the culvert within the drainage ditch that leads to an unnamed tributary to Duffy Hollow Creek. Both the unnamed tributary and Duffy Hollow Creek are classified as NYSDEC Class C streams. Surface water seeps along the perimeter of the landfill were not observed active during 2009; therefore no seep samples were collected. Table 4-1 presents the 2008 and 2009 surface water results, along with the NYSDEC Class C Surface Water Standards. Table 4-2 presents the 2008 and 2009 sediment analytical results for sampling location SWS-1. A discussion of surface water and sediment analytical results is provided below.

Surface Water

One surface water sample was collected in 2008 and one in 2009 (location SWS-1) and analyzed for metals, VOCs and Wet Chemistry. Seven of the 15 metals (Barium, Calcium, Iron, Magnesium, Potassium, Sodium and Zinc) were detected in 2008. The same metals, with the addition of Manganese, were detected in 2009. VOCs were reported non-detect at SWS-1 during 2008 and 2009. Alkalinity, COD, Chloride, Color, Hardness, Sulfate, TDS, TKN and TOC were wet chemistry parameters that were detected in 2008. The same wet chemistry parameters, with the addition of Ammonia nitrogen, were detected in 2009. Analytical results are presented in Table 4.1 and are below Class C Standards at SWS-1 in 2008 and 2009.

Sediment

One sediment sample was collected in 2008 and one in 2009 (location SWS-1) and analyzed for metals, VOCs and Wet Chemistry. In 2008 and 2009, the analyzed metals were detected with the exception of Cadmium, Selenium and Sodium. VOCs were reported non-detect in 2008. With the exception of Acetone and Toluene, VOC's were

also non-detect in 2009. Wet Chemistry parameters detected in 2008 include Alkalinity, Ammonia nitrogen, BOD, COD, Hardness, TKN and TOC. The same wet chemistry parameters were detected in 2009 with the addition of Chloride and the exception of Hardness. Table 4-2 lists the 2008 and 2009 sediment analytical results.

5.0 LEACHATE SUMP AND MANHOLE MONITORING RESULTS

Water samples are required to be collected at the leachate sump (LS-1) and two manholes (MH-32 and MH-33) annually. However, since the updates were not approved until after the spring sampling event was completed, LS-1, MH-32 and MH-33 were sampled on a semi-annual basis in 2009. Sampling locations are presented in Figure 2. Table 5-1 exhibits the detection frequency, minimum and maximum detection for leachate sump and manhole samples collected in 2008 and 2009. Table 5-2 is a tabular listing of 2009 leachate sump and manhole analytical results. A discussion of leachate sump and manhole analytical results is provided below.

Metals

Metals were analyzed in six leachate sump and manhole samples during 2008 and 2009. Metals detected in 2008 include Arsenic, Barium, Calcium, Chromium, Iron, Lead, Magnesium, Manganese, Potassium, Sodium and Zinc. Metals detected in 2009 include Arsenic, Barium, Calcium, Iron, Magnesium, Manganese, Potassium, Selenium and Sodium.

VOCs

VOCs were analyzed in six leachate sump and manhole samples during 2008 and 2009 with seven parameters detected in 2008 (cDCE, Dichloromethane, Ethyl benzene, m&p-Xylene, o-Xylene, TCE and Vinyl chloride). In 2009, detected VOCs include cDCE and Vinyl chloride.

Wet Chemistry

Wet Chemistry parameters were analyzed in six leachate sump and manhole samples during 2008 and 2009. Wet Chemistry parameters analyzed were detected during 2008 and 2009, with the exception of Total Phenolics in 2008. In 2009, Total Phenolics and Bromide were not detected.

6.0 AIR MONITORING RESULTS

Air monitoring locations at the landfill perimeter, gas vents and LCS locations was

conducted during the spring event of 2009 utilizing a Photo Ionization Detector (PID) and an Oxygen (O₂)/Lower Explosive Limit (LEL) meter (please see Figure 7 for monitoring locations).

Prior to commencing each air-monitoring event the air monitoring instruments were properly calibrated according to manufacturer specifications. PID and LEL readings at the gas vents, LCS manholes and clean-out vents were generally high, and O₂ levels generally low, indicating the presence of methane gas. Stressed vegetation around the majority of gas vents and manholes further indicated the presence of methane gas. Vapor concentrations were often high enough to reach the maximum detection limit at many gas vents and manholes. Upwind and downwind PID and LEL readings at the landfill perimeter were not above background readings indicating no measurable organic vapors at the landfill perimeter. O₂ readings at the landfill perimeter were within normal range. All readings were recorded in tabular form and are presented in Table 6-1.

7.0 RESIDENTIAL WATER SUPPLY MONITORING RESULTS

Two residential water supply sampling events were completed during 2009. The sampling events were conducted in May and September 2009. Prior to the approved revisions to the O&M plan made in May 2009, there were 20 residential water supply locations in the monitoring program. The current monitoring schedule requires that one water supply (WAL-19) be sampled semi-annually (spring and fall) and the remaining two locations (WAL-2 and WAL-5) be sampled annually. These changes did not take effect until after the May 2009 sampling event occurred, therefore samples were collected semi-annually in 2009 from WAL-2 and WAL-5.

Table 7-1 presents an overview of residential sampling locations and sampling frequency during 2009. Figure 2 shows the approximate sampling locations.

A total of ten residential water samples were collected in 2009. Table 7-2 exhibits the detection frequency, minimum and maximum detection, NYSDOH MCL, number of NYSDOH MCL exceedances, NYSDEC Class GA Standard and the number of Class GA Standard exceedances for both 2008 and 2009. Table 7-3 is a tabular listing of 2009 residential water analytical results. A discussion of the analytical results is provided below.

Metals

Metals detected during 2008 and 2009 include Barium, Calcium, Copper, Iron, Magnesium, Manganese, Potassium, Sodium and Zinc. In 2008 and 2009, metals with either or both exceedances of the NYSDEC Class GA Standards and the NYSDOH MCLs include Iron, Manganese and Sodium.

VOCs

During 2007 and 2008, residential water samples were analyzed for VOCs with two parameters detected in 2008 and 2009 (cDCE and TCE). These detections were at WAL-19 prior to filtration and were below the NYSDOH MCLs and NYSDEC Class GA Standards in 2008 and 2009.

8.0 INSPECTIONS AND MAINTENANCE ACTIVITIES

Quarterly Inspections and routine maintenance were performed by Village of Wellsville personnel and recorded on the Quarterly Inspection and Maintenance Checklist provided in the O&M Plan. Quarterly inspections were completed on March 30, June 18, September 28 and December 29, 2009. No unresolved problems were noted on inspection forms. The 2009 completed inspection forms are included as Appendix C.

A description of maintenance activities performed during 2009 is provided below.

- During the 2008 quarterly inspection process, two lateral clean-outs in the leachate collection system (L-27 and L-29) were discovered to be separated from the lateral below grade. These clean-outs were excavated and repaired, which included landfill cap repair. During the third quarter 2009 inspection, L-27 was found to be functioning normally. Cleaning and flushing was performed on L-27 and L-29 during the fourth quarter 2009. A memorandum detailing these cleaning and repair activities is included as Appendix D.
- Village of Wellsville personnel mowed the landfill cap in October 2009.
- A total of approximately 1,623,591 gallons of leachate was hauled from the Landfill to the Village of Wellsville POTW during 2009. The table below lists the total leachate gallons by year for the previous six years.

Year/Gallons	2002	2003	2004	2005	2006	2007	2008
	1,891,095	2,428,092	1,986,614	1,643,291	2,100,198	1,797,704	1,482,179

- The Village of Wellsville continues to maintain a water treatment unit at the Ladue (WAL-19) residence.

9.0 CONCLUSIONS

Monitoring and maintenance activities are being performed adequately at the Wellsville/Andover Landfill. Routine maintenance and inspections are being conducted to maintain the site. The site has been monitored for over 11 years following completion of the remedial action. This 2009 annual report is submitted as part of the Site Management Periodic Review required by the NYSDEC.

Table 2-1

**Monitoring Frequencies Effective Through April 2009 Monitoring Event
Wellsville/Andover Landfill
Wellsville, New York**

Location	Sampling Frequency
----------	--------------------

Groundwater

CW-3A	Semiannual
CW-3B	Semiannual
CW-4A	Annual
CW-4B	Semiannual
MW-15DA	Semiannual
MW-15S	Semiannual
MW-17D	Annual
MW-17S	Annual
MW-18D	Annual
MW-18S	Semiannual
MW-1D	Annual
MW-3D	Annual
MW-3S	Annual
MW-4D	Semiannual
MW-5D	Semiannual
MW-5S	Semiannual
MW-11S	Semiannual ¹
MW-16S	Semiannual ¹

Location	Sampling Frequency
----------	--------------------

Leachate

LS-1	Semiannual
MH-32	Semiannual
MH-33	Semiannual

Surface Water

SWS-1	Annual
SWS-2	NR
SWS-3	NR
SEEPS	Seasonal

Sediment

SWS-1	Annual
SWS-2	NR
SWS-3	NR

Note

NR - Not required unless site conditions warrant (i.e., significant leachate breakout, leachate spill, etc.)

1) **MW-11S** and **MW-16S** require semiannual sampling for VOCs effective May 4, 2005

Table 2-1

Approved Monitoring Requirements Effective Fall 2009
Wellsville/Andover Landfill
Wellsville, New York

Location	Revised Sampling Frequency	Spring Analyte List ¹	Fall Analyte List ¹
----------	----------------------------	----------------------------------	--------------------------------

Groundwater

CW-3A	Annual - Fall	NR	Field, VOCs, Metals
CW-3B	Annual - Fall	NR	Field, VOCs, Metals
CW-4A	Annual - Fall	NR	Field, VOCs, Metals
CW-4B	Annual - Fall	NR	Field, VOCs, Metals
MW-15DA	NR	NR	NR
MW-15S	Annual - Fall	NR	Field, VOCs, Metals
MW-17D	Annual - Fall	NR	Field, VOCs, Metals
MW-17S	Annual - Fall	NR	Field, VOCs, Metals
MW-18D	Annual - Fall	NR	Field, VOCs, Metals
MW-18S	Annual - Fall	NR	Field, VOCs, Metals
MW-1D	NR	NR	NR
MW-3D	Annual - Fall	NR	Field, VOCs, Metals
MW-3S	Annual - Fall	NR	Field, VOCs, Metals
MW-4D	Semiannual - Spring/Fall	VOCs	Field, VOCs, Metals
MW-5D	Semiannual - Spring/Fall	VOCs	Field, VOCs, Metals
MW-5S	Semiannual - Spring/Fall	VOCs	Field, VOCs, Metals
MW-11S	Semiannual - Spring/Fall	VOCs	Field, VOCs, Metals
MW-16S	Semiannual - Spring/Fall	VOCs	Field, VOCs, Metals

Surface Water

SWS-1	Annual - Fall	NR	Field, VOCs, Metals, Wet Chem ³
-------	---------------	----	--

Sediment

SWS-1	Annual - Fall	NR	Field, VOCs, Metals, Wet Chem ³
-------	---------------	----	--

Groundwater Cut-Off System

MH-32	Annual - Fall	NR	Field, VOCs, Metals, NO ₃ , TDS
MH-33	Annual - Fall	NR	Field, VOCs, Metals, NO ₃ , TDS

Leachate

LS-1	Annual - Fall	NR	Field, VOCs, Metals
------	---------------	----	---------------------

Location	Revised Sampling Frequency	Spring Analyte List ¹	Fall Analyte List ¹
----------	----------------------------	----------------------------------	--------------------------------

Residential Water Supply

WAL-1	NR	NR	NR
WAL-2	Annual - Fall	NR	Metals
WAL-3	NR	NR	NR
WAL-4	NR	NR	NR
WAL-5	Annual - Fall	NR	VOCs, Metals
WAL-6	NR	NR	NR
WAL-7	NR	NR	NR
WAL-8	NR	NR	NR
WAL-9	NR	NR	NR
WAL-10	NR	NR	NR
WAL-11	NR	NR	NR
WAL-12	NR	NR	NR
WAL-13	NR	NR	NR
WAL-14	NR	NR	NR
WAL-15	NR	NR	NR
WAL-16	NR	NR	NR
WAL-17	NR	NR	NR
WAL-18	NR	NR	NR
WAL-19	Semiannual - Spring/Fall	VOCs ²	VOCs ²
WAL-20	NR	NR	NR

Landfill Gas Monitoring

Vents	Annual - Fall	NR	PID, LEL, O ₂
Leachate Cleanouts	Annual - Fall	NR	PID, LEL, O ₂
Manholes	Annual - Fall	NR	PID, LEL, O ₂
Perimeter	Annual - Fall	NR	PID, LEL, O ₂

Reporting

Spring Event	Summary Letter ⁴
Fall Event	Summary Letter ⁴
Annual	Detailed Annual Report ⁵

Notes

(Revised monitoring program is based on: April 3, 2009 On-Site letter *Site Monitoring Evaluation and Proposed Revised Monitoring Program* ; NYSDEC May 12, 2009 response; and follow up e-mail.)

NR - Not required unless site conditions warrant (i.e., significant leachate breakout, leachate spill, etc.)

¹ - Field = Field Parameters (pH, Conductivity, Dissolved Oxygen, Turbidity, Oxidation Reduction Potential)

- VOCs = Volatile Organic Compounds method 8260

- Metals = As, Ba, Cd, Ca, Cr, Cu, Fe, Pb, Mg, Mn, Ni, P, Se, Na, Z

- NO₃ = Nitrate Nitrogen and TDS = Total Dissolved Solids

² WAL-19 tested for VOCs prior to filters, between filters and after filters

³ Wet Chemistry - Color, TOC, Total Phenolics, Alkalinity, BOD, Cl, Br, SO₄, TDS, NO₃, NH₃, COD, TKN

⁴ Letter reports will include a summary of the sampling event and provide the event's analytical report

⁵ Annual reports will include details of the previous years monitoring and O&M activities along with potentiometric maps and comparison of results to standards and historic results

Table 2-2

**Approved Analyte List
Wellsville/Andover Landfill
Wellsville, New York**

Field Parameters	Inorganic Compounds	Volatile Organic Compounds	Wet Chemistry
Specific Conductance	Arsenic (Ar)	1,1,1-Trichloroethane	Alkalinity
Temperature	Barium (Ba)	1,1,2,2-Tetrachloroethane	Ammonia (NH ₃)
pH	Cadmium (Cd)	1,1,2-Trichloroethane	Biochemical Oxygen Demand (BOD)
Oxygen Reduction Potential	Calcium (Ca)	1,1-Dichloroethane	Bromide (Br)
Dissolved Oxygen	Chromium (Cr)	1,1-Dichloroethene	Chemical Oxygen Demand (COD)
Turbidity	Copper (Cu)	1,2-Dibromoethane	Chloride (Cl)
	Iron (Fe)	1,2-Dichloroethane	Color (True)
	Lead (Pb)	1,2-Dichloropropane	Hardness
	Magnesium (Mg)	2-Butanone (MEK)	Nitrate Nitrogen (NO ₃)
	Manganese (Mn)	2-Hexanone	Sulfate (SO ₄)
	Nickel (Ni)	4-Methyl-2-pentanone	Total Dissolved Solids (TDS)
	Potassium (K)	Acetone	Total Kjeldahl Nitrogen (TKN)
	Selenium (Se)	Benzene	Total Organic Carbon (TOC)
	Sodium (Na)	Bromodichloromethane	Total Phenolics
	Zinc (Z)	Bromoform	Turbidity
		Bromomethane	
		Carbon disulfide	
		Carbon tetrachloride	
		Chlorobenzene	
		Chloroethane	
		Chloroform	
		Chloromethane	
		cis-1,2-Dichloroethene	
		cis-1,3-Dichloropropene	
		Dibromochloromethane	
		Dichloromethane (Methylene chloride)	
		Ethyl benzene	
		m&p-Xylene	
		o-Xylene	
		Styrene	
		Tetrachloroethene	
		Toluene	
		trans-1,2-Dichloroethene	
		trans-1,3-Dichloropropene	
		Trichloroethene	
		Vinyl chloride	

Note:

Revised analyte list pertains to groundwater, leachate, surface water and sediment samples.

Table 2-3

**Well Construction and 2009 Static Water Level Information
Wellsville/Andover Landfill
Wellsville, New York**

Well Number	Well Diameter (in)	TOC Elevation (ft amsl)	Protective Casing Elevation (ft amsl)	Ground Elevation (ft amsl)	Well Depth from TOC (ft) ¹	Screened Interval from Ground (ft)	Screened Bedrock or Overburden	4/24/2009 DTW From TOC (ft)	4/24/2009 Static Water Elevation (ft amsl)	9/8/2009 DTW From TOC (ft)	9/8/2009 Static Water Elevation (ft amsl)
MW-1D	2	2193.32	2193.75	2190.6	77.39	64 - 74	Bedrock	70.45	2122.87	69.75	2123.57
MW-3D	2	2095.80	2096.07	2092.4	46.75	30 - 40	Bedrock	18.80	2077.00	17.05	2078.75
MW-3S	2	2095.70	2095.96	2093.1	25.92	9 - 19	Overburden	11.88	2083.82	11.19	2084.51
MW-4D	2	2092.22	2092.39	2090.3	24.63	12 - 22	Bedrock	12.72	2079.50	12.53	2079.69
MW-5D	2	2066.87	2067.26	2065.4	37.74	26.5 - 36.5	Bedrock	1.68	2065.19	1.94	2064.93
MW-5S	2	2067.30	2067.59	2065.5	21.20	10 - 20	Overburden	2.07	2065.23	2.68	2064.62
MW-7D	2	2012.13	2012.69	2009.6	47.97	35 - 45	Bedrock	NM	NA	34.58	1977.55
MW-11S	2	2003.52	2003.86	2001.6	20.40	18-Aug	Overburden	4.95	1998.57	5.11	1998.41
MW-15S	2	2022.88	2023.05	2020.2	22.10	9 - 19	Overburden	19.62	2003.26	20.04	2002.84
MW-15DA	2	2022.67	2023.08	2020.4	56.28	43 - 53	Bedrock	56.12	1966.55	56.79	1965.88
MW-16D	2	1924.73	1925.25	1922.0	53.00	40 - 50	Bedrock	28.63	1896.10	29.11	1895.62
MW-16S	2	1924.98	1925.15	1922.2	18.67	6 - 16	Overburden	10.44	1914.54	9.36	1915.62
MW-17D	4	2037.36	NA	2034.9	65.1	48 - 63 (open hole)	Bedrock	32.11	2005.25	32.01	2005.35
MW-17S	2	2037.92	2038.12	2035.5	26.94	9 - 24	Overburden	9.60	2028.32	9.79	2028.13
MW-18D	4	2066.19	NA	2062.6	28.50	24.5 - 39.5 (open hole)	Bedrock	14.56	2051.63	13.69	2052.50
MW-18S	2	2064.60	2065.72	2063.0	20.49	4 - 19	Overburden	6.21	2058.39	9.08	2055.52
CW-3A	2	2013.75	2013.90	2012.9	27.47	21 - 26	Overburden	10.72	2003.03	9.49	2004.26
CW-3B	2	2013.90	2014.10	2012.9	37.70	33.5 - 38.5	Overburden	22.16	1991.74	21.34	1992.56
CW-4A	2	2006.11	2006.35	2004.7	19.12	13 - 18	Overburden	4.16	2001.95	4.36	2001.75
CW-4B	2	2005.84	2005.93	2004.7	30.16	25.5 - 30.5	Overburden	3.65	2002.19	3.85	2001.99
PZ-1	2	2095.11	2095.27	2092.2	NM	6 - 13	Overburden, Refuse	15.85	2079.26	14.43	2080.68
PZ-2	2	2095.83	2096.13	2092.9	NM	14 - 24	Overburden, Refuse	20.95	2074.88	20.94	2074.89
PZ-3R	2	2085.50	2085.79	2084.0	NM	22.5 - 32.5	Overburden, Refuse	30.92	2054.58	31.15	2054.35
PZ-4	2	2067.13	2067.38	2064.4	NM	12 - 22	Overburden, Refuse	26.21	2040.92	26.21	2040.92
PZ-5	2	2059.71	2059.71	2056.7	NM	8 - 18	Overburden, Refuse	12.46	2047.25	10.33	2049.38
PZ-6	2	2042.18	2042.31	2039.2	NM	8 - 18	Overburden, Refuse	22.03	2020.15	20.92	2021.26

Notes:**ND** - No Non-Aqueous Phase Liquid (NAPL) Detected**NA** - Not Applicable¹ Well depth from TOC measured on March 26, 2007**Dry** - Insufficient water volume**NS** - Not Sampled**NM** - Not Measured

Table 3-1

**Summary of 2008 and 2009 Groundwater Detection Frequencies
Wellsville/Andover Landfill
Wellsville, New York
(mg/L except where noted)**

Parameter	2008 Detection Frequency	2008 Minimum	2008 Maximum	2009 Detection Frequency	2009 Minimum	2009 Maximum	Class GA Standard	2008 Class GA Exceedances	2009 Class GA Exceedances
-----------	--------------------------------	-----------------	-----------------	--------------------------------	-----------------	-----------------	----------------------	------------------------------	------------------------------

Field Parameter

Turbidity (NTU)	22/22	1.04	97	16/16	0.83	53.8	5	14	9
-----------------	-------	------	----	-------	------	------	---	----	---

Inorganic Compounds

Arsenic	0/24			0/32			0.025	0	0
Barium	20/24	0.0269	0.244	26/32	0.021	0.259	1	0	0
Cadmium	0/24			0/32			0.005	0	0
Calcium	24/24	2.96	97.8	32/32	2.8	101			
Chromium	0/24			0/32			0.05	0	0
Copper	0/24			0/32			0.2	0	0
Iron	21/24	0.124	13.4	29/32	0.13	13	0.3	16	20
Lead	1/24	0.0052	0.0052	0/32			0.025	0	0
Magnesium	24/24	1.1	61.8	31/32	2.4	57.3			
Manganese	23/24	0.018	1.29	27/32	0.01	1.44	0.3	12	16
Nickel	0/24			0/32			0.1	0	0
Potassium	20/24	2.1	24.8	18/32	2	24			
Selenium	0/24			0/32			0.01	0	0
Sodium	24/24	1.73	67.4	32/32	1.7	56.5	20	8	12
Zinc	8/24	0.0208	0.0453	3/32	0.029	0.058			

Volatile Organic Compounds

1,1,1-Trichloroethane	0/29			0/34			0.005	0	0
1,1,2,2-Tetrachloroethane	0/29			0/34			0.005	0	0
1,1,2-Trichloroethane	0/29			0/34			0.001	0	0
1,1-Dichloroethane	0/29			0/34			0.005	0	0
1,1-Dichloroethene	0/29			0/34			0.005	0	0
1,2-Dibromoethane	0/29			0/34					
1,2-Dichloroethane	0/29			0/34			0.0006	0	0
1,2-Dichloropropane	0/29			0/34			0.001	0	0
2-Butanone (MEK)	0/29			0/34					
2-Hexanone	0/29			0/34					
4-Methyl-2-pentanone	0/29			0/34					
Acetone	0/29			0/34					
Benzene	0/29			0/34			0.001	0	0
Bromodichloromethane	0/29			0/34					
Bromoform	0/29			0/34					
Bromomethane	0/29			0/34			0.005	0	0
Carbon disulfide	0/29			0/34					
Carbon tetrachloride	0/29			0/34			0.005	0	0

Table 3-1

**Summary of 2008 and 2009 Groundwater Detection Frequencies
Wellsville/Andover Landfill
Wellsville, New York
(mg/L except where noted)**

Parameter	2008 Detection Frequency	2008 Minimum	2008 Maximum	2009 Detection Frequency	2009 Minimum	2009 Maximum	Class GA Standard	2008 Class GA Exceedances	2009 Class GA Exceedances
VOC's Continued									
Chlorobenzene	0/29			0/34			0.005	0	0
Chloroethane	0/29			0/34			0.005	0	0
Chloroform	0/29			0/34			0.007	0	0
Chloromethane	0/29			0/34			0.005	0	0
cis-1,2-Dichloroethene	20/29	0.005	2.5	20/34	0.0052	1.6	0.005	19	20
cis-1,3-Dichloropropene	0/29			0/34					
Dibromochloromethane	0/29			0/34					
Dichloromethane (Methylene chloride)	0/29			0/34			0.005	0	0
Ethyl benzene	0/29			0/34			0.005	0	0
m&p-Xylene	0/29			0/34					
o-Xylene	0/29			0/34					
Styrene	0/29			0/34			0.005	0	0
Tetrachloroethene	0/29			0/34			0.005	0	0
Toluene	0/29			0/34			0.005	0	0
trans-1,2-Dichloroethene	1/29	0.014	0.014	0/34			0.005	1	0
trans-1,3-Dichloropropene	0/29			0/34					
Trichloroethene	15/29	0.0072	2.8	17/34	0.0051	2.3	0.005	15	17
Vinyl chloride	7/29	0.056	0.83	7/34	0.022	0.35	0.002	7	7
Wet Chemistry									
Alkalinity	22/22	7.6	410	16/16	8	370			
Ammonia Nitrogen	3/22	0.0512	0.091	3/16	0.05	0.156			
Biochemical Oxygen Demand	2/22	4.75	5.58	1/16	7.9	7.9			
Bromide	0/22			1/16	1	1			
Chemical Oxygen Demand	6/22	6.7	18.8	2/16	6.1	13.2			
Chloride	16/22	2.53	56.9	10/16	2.7	56.9	250	0	0
Color (True) (C.U.)	12/22	5	45	5/16	5	20	15	3	1
Hardness	24/24	20	480	16/16	15.9	451			
Sulfate	22/22	4.03	161	16/16	4.5	132	250	0	0
Total Dissolved Solids	22/22	33	630	16/16	34	592	500	1	1
Total Kjeldahl Nitrogen	12/22	0.218	2.74	4/16	0.3	0.47			
Total Organic Carbon (TOC)	15/22	1.01	7.51	10/16	1.2	6.2			
Total Phenolics	0/22			0/16			0.001	0	0

Note:

Class GA Standard - New York State Department of Environmental Conservation Class GA Groundwater Standards Part 703.

Table 3-2

**2009 Groundwater Exceedances
Wellsville/Andover Landfill
Wellsville, New York
(mg/L except where noted)**

Location	Parameter	April 2009 Result	September 2009 Result	Class GA Standard	NYSDOH MCL
CW-3A	Turbidity (NTU)	13.8		5	5
CW-3A	Sodium	51.6	55.6	20	
CW-3A	cis-1,2-Dichloroethene	0.02	0.02	0.005	0.005
CW-3A	Trichloroethene	0.13	0.12	0.005	0.005
CW-3B	Turbidity (NTU)	5.33		5	5
CW-3B	Sodium	21.1	20.9	20	
CW-3B	cis-1,2-Dichloroethene	0.083	0.071	0.005	0.005
CW-3B	Trichloroethene	0.18 D	0.22	0.005	0.005
CW-4A	Turbidity (NTU)	17.8		5	5
CW-4A	Iron	0.73	0.32	0.3	0.3
CW-4A	Manganese		0.735	0.3	0.3
CW-4A	cis-1,2-Dichloroethene		0.0052	0.005	0.005
CW-4B	Manganese	0.583	0.592	0.3	0.3
MW-1D	Turbidity (NTU)	8.22		5	5
MW-1D	Iron	0.41		0.3	0.3
MW-1D	Manganese	0.605		0.3	0.3
MW-3D	cis-1,2-Dichloroethene	0.018	0.019	0.005	0.005
MW-3D	Trichloroethene	0.0057	0.0051	0.005	0.005
MW-3S	Turbidity (NTU)	14.7		5	5
MW-3S	Iron	0.34		0.3	0.3
MW-3S	Sodium	37.4	30.9	20	
MW-4D	Iron	0.93	1.18	0.3	0.3
MW-4D	Manganese	0.534	1.12	0.3	0.3
MW-4D	cis-1,2-Dichloroethene	0.9 D	0.67	0.005	0.005
MW-4D	Vinyl chloride	0.35	0.26	0.002	0.002
MW-5D	Iron	0.49	0.45	0.3	0.3
MW-5D	Manganese	1.26	1.31	0.3	0.3
MW-5D	cis-1,2-Dichloroethene	1.5	1.6	0.005	0.005
MW-5D	Trichloroethene	0.099	0.11	0.005	0.005
MW-5D	Vinyl chloride	0.18	0.18	0.002	0.002
MW-5S	Iron	2.88		0.3	0.3
MW-5S	Manganese	0.307		0.3	0.3
MW-5S	cis-1,2-Dichloroethene	0.29	0.35	0.005	0.005
MW-5S	Trichloroethene	0.042	0.058	0.005	0.005
MW-5S	Vinyl chloride	0.043	0.064	0.002	0.002
MW-11S	Iron		0.38	0.3	0.3
MW-11S	Manganese		1.44	0.3	0.3
MW-11S	cis-1,2-Dichloroethene	0.31	0.018	0.005	0.005
MW-11S	Trichloroethene	2.3 D	0.12	0.005	0.005
MW-11S	Vinyl chloride	0.022		0.002	0.002
MW-15S	Iron	0.42	0.48	0.3	0.3
MW-15S	cis-1,2-Dichloroethene	0.057	0.041	0.005	0.005
MW-15S	Trichloroethene	0.0082	0.0076	0.005	0.005

Table 3-2

**2009 Groundwater Exceedances
Wellsville/Andover Landfill
Wellsville, New York
(mg/L except where noted)**

Location	Parameter	April 2009 Result	September 2009 Result	Class GA Standard	NYSDOH MCL
MW-17D	Turbidity (NTU)	51.4		5	5
MW-17D	Iron	6.21	8.33	0.3	0.3
MW-17D	Manganese	0.997	0.469	0.3	0.3
MW-17D	Sodium	29.4	31.5	20	
MW-17D	Color (True) (C.U.)	20		15	15
MW-17S	Turbidity (NTU)	7.19		5	5
MW-17S	Iron	0.64		0.3	0.3
MW-17S	Manganese	0.342		0.3	0.3
MW-17S	Sodium	51.4	56.5	20	
MW-17S	cis-1,2-Dichloroethene	0.022	0.065	0.005	0.005
MW-17S	Trichloroethene		0.014	0.005	0.005
MW-17S	Total Dissolved Solids	592		500	
MW-18D	Turbidity (NTU)	53.8		5	5
MW-18D	Iron	13	7.05	0.3	0.3
MW-18D	Manganese	0.574	0.565	0.3	0.3
MW-18D	Sodium	21.3	21.5	20	
MW-18S	Turbidity (NTU)	10.5		5	5
MW-18S	Iron	0.89	1.58	0.3	0.3
MW-18S	Manganese	0.634		0.3	0.3
MW-18S	Trichloroethene		0.0052	0.005	0.005

Notes:**Class GA Standard** - NYSDEC Class GA Groundwater Standard**NYSDOH MCL** - New York State Department of Health Maximum Contaminant Level

Table 3-3

2009 Groundwater Analytical Results
Wellsville/Andover Landfill
Wellsville, New York
(mg/L except where noted)

Parameter	CW-3A 4/29/2009	CW-3A 9/14/2009	CW-3B 4/29/2009	CW-3B 9/14/2009	CW-4A 4/29/2009	CW-4A 9/14/2009	CW-4B 4/29/2009	CW-4B 9/14/2009	MW-1D 4/27/2009
-----------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------

Inorganic Compounds

Arsenic	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
Barium	0.078	0.084	0.036	0.033	0.056	0.054	0.045	0.043	0.259
Cadmium	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Calcium	101	87.5	70.2	68.5	26.1	26.9	39.2	40.7	22.1
Chromium	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
Copper	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
Iron	0.13	0.13	0.17	0.15	0.73	0.32	0.13	0.2	0.41
Lead	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Magnesium	3.3	1 U	36.4	36.9	16.9	16.6	17.5	17.9	9.5
Manganese	0.08	0.014	0.044	0.034	0.262	0.735	0.583	0.592	0.605
Nickel	0.04 U	0.04 U	0.04 U	0.04 U	0.04 U	0.04 U	0.04 U	0.04 U	0.04 U
Potassium	22.5	24	2.4	2.4	2 U	2 U	2 U	2	2 U
Selenium	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
Sodium	51.6	55.6	21.1	20.9	16.1	16.9	17.5	16.8	5
Zinc	0.029	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U

Volatile Organic Compounds

1,1,1-Trichloroethane	0.005 U	0.005 U	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
1,1,2,2-Tetrachloroethane	0.005 U	0.005 U	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
1,1,2-Trichloroethane	0.005 U	0.005 U	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
1,1-Dichloroethane	0.005 U	0.005 U	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
1,1-Dichloroethene	0.005 U	0.005 U	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
1,2-Dibromoethane	0.005 U	0.005 U	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
1,2-Dichloroethane	0.005 U	0.005 U	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
1,2-Dichloropropane	0.005 U	0.005 U	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
2-Butanone (MEK)	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
2-Hexanone	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
4-Methyl-2-pentanone	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
Acetone	0.02 U	0.02 U	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
Benzene	0.005 U	0.005 U	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Bromodichloromethane	0.005 U	0.005 U	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Bromoform	0.005 U	0.005 U	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Bromomethane	0.005 U	0.005 U	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Carbon disulfide	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
Carbon tetrachloride	0.005 U	0.005 U	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Chlorobenzene	0.005 U	0.005 U	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Chloroethane	0.005 U	0.005 U	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Chloroform	0.005 U	0.005 U	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Chloromethane	0.005 U	0.005 U	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
cis-1,2-Dichloroethene	0.02	0.02	0.083	0.071	0.005 U	0.0052	0.005 U	0.005 U	0.005 U
cis-1,3-Dichloropropene	0.005 U	0.005 U	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Dibromochloromethane	0.005 U	0.005 U	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Dichloromethane (Methylene chloride)	0.005 U	0.005 U	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Ethyl benzene	0.005 U	0.005 U	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
m&p-Xylene	0.005 U	0.005 U	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
o-Xylene	0.005 U	0.005 U	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Styrene	0.005 U	0.005 U	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Tetrachloroethene	0.005 U	0.005 U	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Toluene	0.005 U	0.005 U	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
trans-1,2-Dichloroethene	0.005 U	0.005 U	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
trans-1,3-Dichloropropene	0.005 U	0.005 U	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Trichloroethene	0.13	0.12	0.18 D	0.22	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Vinyl chloride	0.005 U	0.005 U	0.005 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U

Table 3-3

**2009 Groundwater Analytical Results
Wellsville/Andover Landfill
Wellsville, New York
(mg/L except where noted)**

Parameter	CW-3A 4/29/2009	CW-3A 9/14/2009	CW-3B 4/29/2009	CW-3B 9/14/2009	CW-4A 4/29/2009	CW-4A 9/14/2009	CW-4B 4/29/2009	CW-4B 9/14/2009	MW-1D 4/27/2009
-----------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------

Wet Chemistry

Alkalinity	283	NR	309	NR	135	NR	167	NR	108
Ammonia Nitrogen	0.105	NR	0.05 U	NR	0.05 U	NR	0.05 U	NR	0.05 U
Biochemical Oxygen Demand	2 U	NR	2 U	NR	2 U	NR	2 U	NR	2 U
Bromide	1 U	NR	1	NR	1 U	NR	1 U	NR	1 U
Chemical Oxygen Demand	5 U	NR	5 U	NR	5 U	NR	5 U	NR	5 U
Chloride	2.7	NR	19.7	NR	24.5	NR	29.5	NR	2 U
Color (True) (C.U.)	5 U	NR	5 U	NR	5 U	NR	5 U	NR	5 U
Hardness	305	NR	351	NR	153	NR	182	NR	109
Sulfate	132	NR	42.5	NR	8.9	NR	10.3	NR	4.5
Total Dissolved Solids	489	NR	388	NR	191	NR	236	NR	124
Total Kjeldahl Nitrogen	0.31	NR	0.2 U	NR	0.2 U	NR	0.2 U	NR	0.2 U
Total Organic Carbon (TOC)	1 U	NR	1.4	NR	2.2	NR	2.2	NR	1 U
Total Phenolics	0.005 U	NR	0.005 U	NR	0.005 U	NR	0.005 U	NR	0.005 U
Turbidity (NTU)	13.8	NR	5.33	NR	17.8	NR	2.44	NR	8.22

Table 3-3

2009 Groundwater Analytical Results
Wellsville/Andover Landfill
Wellsville, New York
(mg/L except where noted)

Parameter	MW-3D 4/27/2009	MW-3D 9/9/2009	MW-3S 4/27/2009	MW-3S 9/9/2009	MW-4D 4/28/2009	MW-4D 9/9/2009	MW-5D 4/28/2009	MW-5D 9/9/2009	MW-5S 4/27/2009
-----------	--------------------	-------------------	--------------------	-------------------	--------------------	-------------------	--------------------	-------------------	--------------------

Inorganic Compounds

Arsenic	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
Barium	0.081	0.096	0.037	0.036	0.02 U	0.02 U	0.05	0.048	0.02 U
Cadmium	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Calcium	51.2	63.3	39.8	40.7	19.3	19.7	18.4	20.2	16.8
Chromium	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
Copper	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
Iron	0.1 U	0.1 U	0.34	0.1 U	0.93	1.18	0.49	0.45	2.88
Lead	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Magnesium	23.2	33.5	29.4	32	20.6	18.9	15.3	15.5	11.6
Manganese	0.011	0.017	0.01	0.01 U	0.534	1.12	1.26	1.31	0.307
Nickel	0.04 U	0.04 U	0.04 U	0.04 U	0.04 U	0.04 U	0.04 U	0.04 U	0.04 U
Potassium	3.1	2.1	2.5	3	5.1	3.5	2 U	2 U	2 U
Selenium	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
Sodium	16.7	14.8	37.4	30.9	8.3	8.4	6.5	7.1	6.4
Zinc	0.02 U	0.044	0.02 U	0.058	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U

Volatile Organic Compounds

1,1,1-Trichloroethane	0.005 U	0.005 U	0.005 U	0.005 U	0.025 U	0.025 U	0.05 U	0.05 U	0.013 U
1,1,2,2-Tetrachloroethane	0.005 U	0.005 U	0.005 U	0.005 U	0.025 U	0.025 U	0.05 U	0.05 U	0.013 U
1,1,2-Trichloroethane	0.005 U	0.005 U	0.005 U	0.005 U	0.025 U	0.025 U	0.05 U	0.05 U	0.013 U
1,1-Dichloroethane	0.005 U	0.005 U	0.005 U	0.005 U	0.025 U	0.025 U	0.05 U	0.05 U	0.013 U
1,1-Dichloroethene	0.005 U	0.005 U	0.005 U	0.005 U	0.025 U	0.025 U	0.05 U	0.05 U	0.013 U
1,2-Dibromoethane	0.005 U	0.005 U	0.005 U	0.005 U	0.025 U	0.025 U	0.05 U	0.05 U	0.013 U
1,2-Dichloroethane	0.005 U	0.005 U	0.005 U	0.005 U	0.025 U	0.025 U	0.05 U	0.05 U	0.013 U
1,2-Dichloropropane	0.005 U	0.005 U	0.005 U	0.005 U	0.025 U	0.025 U	0.05 U	0.05 U	0.013 U
2-Butanone (MEK)	0.01 U	0.01 U	0.01 U	0.01 U	0.05 U	0.05 U	0.1 U	0.1 U	0.025 U
2-Hexanone	0.01 U	0.01 U	0.01 U	0.01 U	0.05 U	0.05 U	0.1 U	0.1 U	0.025 U
4-Methyl-2-pentanone	0.01 U	0.01 U	0.01 U	0.01 U	0.05 U	0.05 U	0.1 U	0.1 U	0.025 U
Acetone	0.02 U	0.02 U	0.02 U	0.02 U	0.1 U	0.1 U	0.2 U	0.2 U	0.05 U
Benzene	0.005 U	0.005 U	0.005 U	0.005 U	0.025 U	0.025 U	0.05 U	0.05 U	0.013 U
Bromodichloromethane	0.005 U	0.005 U	0.005 U	0.005 U	0.025 U	0.025 U	0.05 U	0.05 U	0.013 U
Bromoform	0.005 U	0.005 U	0.005 U	0.005 U	0.025 U	0.025 U	0.05 U	0.05 U	0.013 U
Bromomethane	0.005 U	0.005 U	0.005 U	0.005 U	0.025 U	0.025 U	0.05 U	0.05 U	0.013 U
Carbon disulfide	0.01 U	0.01 U	0.01 U	0.01 U	0.05 U	0.05 U	0.1 U	0.1 U	0.025 U
Carbon tetrachloride	0.005 U	0.005 U	0.005 U	0.005 U	0.025 U	0.025 U	0.05 U	0.05 U	0.013 U
Chlorobenzene	0.005 U	0.005 U	0.005 U	0.005 U	0.025 U	0.025 U	0.05 U	0.05 U	0.013 U
Chloroethane	0.005 U	0.005 U	0.005 U	0.005 U	0.025 U	0.025 U	0.05 U	0.05 U	0.013 U
Chloroform	0.005 U	0.005 U	0.005 U	0.005 U	0.025 U	0.025 U	0.05 U	0.05 U	0.013 U
Chloromethane	0.005 U	0.005 U	0.005 U	0.005 U	0.025 U	0.025 U	0.05 U	0.05 U	0.013 U
cis-1,2-Dichloroethene	0.018	0.019	0.005 U	0.005 U	0.9 D	0.67	1.5	1.6	0.29
cis-1,3-Dichloropropene	0.005 U	0.005 U	0.005 U	0.005 U	0.025 U	0.025 U	0.05 U	0.05 U	0.013 U
Dibromochloromethane	0.005 U	0.005 U	0.005 U	0.005 U	0.025 U	0.025 U	0.05 U	0.05 U	0.013 U
Dichloromethane (Methylene chloride)	0.005 U	0.005 U	0.005 U	0.005 U	0.025 U	0.025 U	0.05 U	0.05 U	0.013 U
Ethyl benzene	0.005 U	0.005 U	0.005 U	0.005 U	0.025 U	0.025 U	0.05 U	0.05 U	0.013 U
m&p-Xylene	0.005 U	0.005 U	0.005 U	0.005 U	0.025 U	0.025 U	0.05 U	0.05 U	0.013 U
o-Xylene	0.005 U	0.005 U	0.005 U	0.005 U	0.025 U	0.025 U	0.05 U	0.05 U	0.013 U
Styrene	0.005 U	0.005 U	0.005 U	0.005 U	0.025 U	0.025 U	0.05 U	0.05 U	0.013 U
Tetrachloroethene	0.005 U	0.005 U	0.005 U	0.005 U	0.025 U	0.025 U	0.05 U	0.05 U	0.013 U
Toluene	0.005 U	0.005 U	0.005 U	0.005 U	0.025 U	0.025 U	0.05 U	0.05 U	0.013 U
trans-1,2-Dichloroethene	0.005 U	0.005 U	0.005 U	0.005 U	0.025 U	0.025 U	0.05 U	0.05 U	0.013 U
trans-1,3-Dichloropropene	0.005 U	0.005 U	0.005 U	0.005 U	0.025 U	0.025 U	0.05 U	0.05 U	0.013 U
Trichloroethene	0.0057	0.0051	0.005 U	0.005 U	0.025 U	0.025 U	0.099	0.11	0.042
Vinyl chloride	0.005 U	0.005 U	0.005 U	0.005 U	0.35	0.26	0.18	0.18	0.043

Table 3-3

**2009 Groundwater Analytical Results
Wellsville/Andover Landfill
Wellsville, New York
(mg/L except where noted)**

Parameter	MW-3D 4/27/2009	MW-3D 9/9/2009	MW-3S 4/27/2009	MW-3S 9/9/2009	MW-4D 4/28/2009	MW-4D 9/9/2009	MW-5D 4/28/2009	MW-5D 9/9/2009	MW-5S 4/27/2009
-----------	--------------------	-------------------	--------------------	-------------------	--------------------	-------------------	--------------------	-------------------	--------------------

Wet Chemistry

Alkalinity	100	NR	250	NR	147	NR	86	NR	96
Ammonia Nitrogen	0.156	NR	0.05 U	NR	0.05 U	NR	0.05 U	NR	0.05 U
Biochemical Oxygen Demand	2 U	NR	2 U	NR	7.9	NR	2 U	NR	2 U
Bromide	1 U	NR	1 U	NR	1 U	NR	1 U	NR	1 U
Chemical Oxygen Demand	5 U	NR	5 U	NR	5 U	NR	5 U	NR	6.1
Chloride	51	NR	5.3	NR	3.9	NR	18.1	NR	4.4
Color (True) (C.U.)	5	NR	5 U	NR	5 U	NR	5 U	NR	10
Hardness	231	NR	225	NR	151	NR	112	NR	102
Sulfate	48	NR	45	NR	9.9	NR	20.2	NR	7.1
Total Dissolved Solids	248	NR	324	NR	164	NR	145	NR	116
Total Kjeldahl Nitrogen	0.32	NR	0.2 U	NR	0.3	NR	0.2 U	NR	0.2 U
Total Organic Carbon (TOC)	1.4	NR	2	NR	2.1	NR	1.2	NR	2
Total Phenolics	0.005 U	NR	0.005 U	NR	0.005 U	NR	0.005 U	NR	0.005 U
Turbidity (NTU)	0.83	NR	14.7	NR	1.94	NR	0.83	NR	3.66

Table 3-3

**2009 Groundwater Analytical Results
Wellsville/Andover Landfill
Wellsville, New York
(mg/L except where noted)**

Parameter	MW-5S 9/10/2009	MW-11S 4/30/2009	MW-11S 9/10/2009	MW-15S 4/29 & 4/30/2009	MW-15S 9/10/2009	MW-16S 4/30/2009	MW-16S 9/10/2009	MW-17D 4/28/2009	MW-17D 9/10/2009
Inorganic Compounds									
Arsenic	0.01 U	NR	0.01 U	0.01 U	0.01 U	NR	0.01 U	0.01 U	0.01 U
Barium	0.02 U	NR	0.029	0.024	0.026	NR	0.02 U	0.021	0.02 U
Cadmium	0.005 U	NR	0.005 U	0.005 U	0.005 U	NR	0.005 U	0.005 U	0.005 U
Calcium	15.1	NR	58	2.8	3.1	NR	14.6	56.1	25.6
Chromium	0.01 U	NR	0.01 U	0.01 U	0.01 U	NR	0.01 U	0.01 U	0.01 U
Copper	0.02 U	NR	0.02 U	0.02 U	0.02 U	NR	0.02 U	0.02 U	0.02 U
Iron	0.25	NR	0.38	0.42	0.48	NR	0.2	6.21	8.33
Lead	0.005 U	NR	0.005 U	0.005 U	0.005 U	NR	0.005 U	0.005 U	0.005 U
Magnesium	12	NR	36.8	2.4	2.4	NR	9.6	24.2	23.6
Manganese	0.127	NR	1.44	0.01 U	0.01 U	NR	0.01 U	0.997	0.469
Nickel	0.04 U	NR	0.04 U	0.04 U	0.04 U	NR	0.04 U	0.04 U	0.04 U
Potassium	2 U	NR	2 U	2 U	2 U	NR	2 U	3	4.2
Selenium	0.01 U	NR	0.01 U	0.01 U	0.01 U	NR	0.01 U	0.01 U	0.01 U
Sodium	6.9	NR	19.8	1.7	1.9	NR	7.7	29.4	31.5
Zinc	0.02 U	NR	0.02 U	0.02 U	0.02 U	NR	0.02 U	0.02 U	0.02 U
Volatile Organic Compounds									
1,1,1-Trichloroethane	0.013 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
1,1,2,2-Tetrachloroethane	0.013 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
1,1,2-Trichloroethane	0.013 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
1,1-Dichloroethane	0.013 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
1,1-Dichloroethene	0.013 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
1,2-Dibromoethane	0.013 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
1,2-Dichloroethane	0.013 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
1,2-Dichloropropane	0.013 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
2-Butanone (MEK)	0.025 U	0.02 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
2-Hexanone	0.025 U	0.02 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
4-Methyl-2-pentanone	0.025 U	0.02 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
Acetone	0.05 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
Benzene	0.013 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Bromodichloromethane	0.013 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Bromoform	0.013 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Bromomethane	0.013 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Carbon disulfide	0.025 U	0.02 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
Carbon tetrachloride	0.013 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Chlorobenzene	0.013 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Chloroethane	0.013 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Chloroform	0.013 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Chloromethane	0.013 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
cis-1,2-Dichloroethene	0.35	0.31	0.018	0.057	0.041	0.005 U	0.005 U	0.005 U	0.005 U
cis-1,3-Dichloropropene	0.013 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Dibromochloromethane	0.013 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Dichloromethane (Methylene chloride)	0.013 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Ethyl benzene	0.013 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
m&p-Xylene	0.013 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
o-Xylene	0.013 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Styrene	0.013 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Tetrachloroethene	0.013 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Toluene	0.013 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
trans-1,2-Dichloroethene	0.013 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
trans-1,3-Dichloropropene	0.013 U	0.01 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Trichloroethene	0.058	2.3 D	0.12	0.0082	0.0076	0.005 U	0.005 U	0.005 U	0.005 U
Vinyl chloride	0.064	0.022	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U

Table 3-3

**2009 Groundwater Analytical Results
Wellsville/Andover Landfill
Wellsville, New York
(mg/L except where noted)**

Parameter	MW-5S 9/10/2009	MW-11S 4/30/2009	MW-11S 9/10/2009	MW-15S 4/29 & 4/30/2009	MW-15S 9/10/2009	MW-16S 4/30/2009	MW-16S 9/10/2009	MW-17D 4/28/2009	MW-17D 9/10/2009
-----------	--------------------	---------------------	---------------------	-------------------------------	---------------------	---------------------	---------------------	---------------------	---------------------

Wet Chemistry

Alkalinity	NR	NR	NR	8	NR	NR	NR	225	NR
Ammonia Nitrogen	NR	NR	NR	0.05 U	NR	NR	NR	0.05 U	NR
Biochemical Oxygen Demand	NR	NR	NR	2 U	NR	NR	NR	2 U	NR
Bromide	NR	NR	NR	1 U	NR	NR	NR	1 U	NR
Chemical Oxygen Demand	NR	NR	NR	5 U	NR	NR	NR	5 U	NR
Chloride	NR	NR	NR	2 U	NR	NR	NR	2 U	NR
Color (True) (C.U.)	NR	NR	NR	5 U	NR	NR	NR	20	NR
Hardness	NR	NR	NR	15.9	NR	NR	NR	271	NR
Sulfate	NR	NR	NR	8	NR	NR	NR	90.4	NR
Total Dissolved Solids	NR	NR	NR	34	NR	NR	NR	340	NR
Total Kjeldahl Nitrogen	NR	NR	NR	0.2 U	NR	NR	NR	0.2 U	NR
Total Organic Carbon (TOC)	NR	NR	NR	1 U	NR	NR	NR	1 U	NR
Total Phenolics	NR	NR	NR	0.005 U	NR	NR	NR	0.005 U	NR
Turbidity (NTU)	NR	NR	NR	4.17	NR	NR	NR	51.4	NR

Table 3-3

2009 Groundwater Analytical Results
Wellsville/Andover Landfill
Wellsville, New York
(mg/L except where noted)

Parameter	MW-17S 4/28/2009	MW-17S 9/10/2009	MW-18D 4/28/2009	MW-18D 9/10/2009	MW-18S 4/28/2009	MW-18S 9/10/2009
-----------	---------------------	---------------------	---------------------	---------------------	---------------------	---------------------

Inorganic Compounds

Arsenic	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
Barium	0.03	0.031	0.046	0.043	0.053	0.053
Cadmium	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Calcium	79.1	81.6	27.1	26.7	42.7	38.7
Chromium	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
Copper	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
Iron	0.64	0.23	13	7.05	0.89	1.58
Lead	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Magnesium	57.3	56.7	18.3	18.7	19.2	20.2
Manganese	0.342	0.134	0.574	0.565	0.634	0.073
Nickel	0.04 U	0.04 U	0.04 U	0.04 U	0.04 U	0.04 U
Potassium	3.5	3.6	2.7	2.8	2 U	2.5
Selenium	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
Sodium	51.4	56.5	21.3	21.5	11.5	14
Zinc	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U

Volatile Organic Compounds

1,1,1-Trichloroethane	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
1,1,2,2-Tetrachloroethane	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
1,1,2-Trichloroethane	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
1,1-Dichloroethane	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
1,1-Dichloroethene	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
1,2-Dibromoethane	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
1,2-Dichloroethane	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
1,2-Dichloropropane	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
2-Butanone (MEK)	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
2-Hexanone	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
4-Methyl-2-pentanone	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
Acetone	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
Benzene	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Bromodichloromethane	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Bromoform	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Bromomethane	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Carbon disulfide	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
Carbon tetrachloride	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Chlorobenzene	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Chloroethane	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Chloroform	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Chloromethane	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
cis-1,2-Dichloroethene	0.022	0.065	0.005 U	0.005 U	0.005 U	0.005 U
cis-1,3-Dichloropropene	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Dibromochloromethane	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Dichloromethane (Methylene chloride)	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Ethyl benzene	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
m&p-Xylene	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
o-Xylene	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Styrene	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Tetrachloroethene	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Toluene	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
trans-1,2-Dichloroethene	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
trans-1,3-Dichloropropene	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Trichloroethene	0.005 U	0.014	0.005 U	0.005 U	0.005 U	0.0052
Vinyl chloride	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U

Table 3-3

**2009 Groundwater Analytical Results
Wellsville/Andover Landfill
Wellsville, New York
(mg/L except where noted)**

Parameter	MW-17S 4/28/2009	MW-17S 9/10/2009	MW-18D 4/28/2009	MW-18D 9/10/2009	MW-18S 4/28/2009	MW-18S 9/10/2009
-----------	---------------------	---------------------	---------------------	---------------------	---------------------	---------------------

Wet Chemistry

Alkalinity	370	NR	175	NR	211	NR
Ammonia Nitrogen	0.05 U	NR	0.05 U	NR	0.05	NR
Biochemical Oxygen Demand	2 U	NR	2 U	NR	2 U	NR
Bromide	1 U	NR	1 U	NR	1 U	NR
Chemical Oxygen Demand	5 U	NR	5 U	NR	13.2	NR
Chloride	56.9	NR	2 U	NR	2 U	NR
Color (True) (C.U.)	5 U	NR	5	NR	10	NR
Hardness	451	NR	115	NR	206	NR
Sulfate	95.8	NR	22.6	NR	5.8	NR
Total Dissolved Solids	592	NR	197	NR	215	NR
Total Kjeldahl Nitrogen	0.2 U	NR	0.2 U	NR	0.47	NR
Total Organic Carbon (TOC)	2.4	NR	1 U	NR	6.2	NR
Total Phenolics	0.005 U	NR	0.005 U	NR	0.005 U	NR
Turbidity (NTU)	7.19	NR	53.8	NR	10.5	NR

Notes:

U - Concentration not detected at specified detection limit

D - Concentration diluted

NR - Not required

Table 4-1

**2008 and 2009 Surface Water Analytical Results
Wellsville/Andover Landfill
Wellsville, New York
(mg/L except where noted)**

Parameter	SWS-1 3/24/2008	SWS-1 4/28/2009	Class C Standard
-----------	--------------------	--------------------	---------------------

Inorganic Compounds

Arsenic	0.01 U	0.01 U	
Barium	0.0213	0.045	
Cadmium	0.005 U	0.005 U	
Calcium	23.2	61.8	
Chromium	0.01 U	0.01 U	
Copper	0.02 U	0.02 U	
Iron	0.452	0.31	
Lead	0.005 U	0.005 U	0.008
Magnesium	9.88	23.3	
Manganese	0.01 U	0.515	
Nickel	0.04 U	0.04 U	0.0082
Potassium	2.69	3.8	
Selenium	0.01 U	0.01 U	
Sodium	13.4	35.8	
Zinc	0.0326	0.106	

Volatile Organic Compounds

1,1,1-Trichloroethane	0.005 U	0.005 U	
1,1,2,2-Tetrachloroethane	0.005 U	0.005 U	
1,1,2-Trichloroethane	0.005 U	0.005 U	
1,1-Dichloroethane	0.005 U	0.005 U	
1,1-Dichloroethene	0.005 U	0.005 U	
1,2-Dibromoethane	0.005 U	0.005 U	
1,2-Dichloroethane	0.005 U	0.005 U	
1,2-Dichloropropane	0.005 U	0.005 U	
2-Butanone (MEK)	0.01 U	0.01 U	
2-Hexanone	0.01 U	0.01 U	
4-Methyl-2-pentanone	0.01 U	0.01 U	
Acetone	0.02 U	0.02 U	
Benzene	0.005 U	0.005 U	
Bromodichloromethane	0.005 U	0.005 U	
Bromoform	0.005 U	0.005 U	
Bromomethane	0.005 U	0.005 U	
Carbon disulfide	0.01 U	0.01 U	
Carbon tetrachloride	0.005 U	0.005 U	
Chlorobenzene	0.005 U	0.005 U	0.005
Chloroethane	0.005 U	0.005 U	
Chloroform	0.005 U	0.005 U	
Chloromethane	0.005 U	0.005 U	
cis-1,2-Dichloroethene	0.005 U	0.005 U	
cis-1,3-Dichloropropene	0.005 U	0.005 U	
Dibromochloromethane	0.005 U	0.005 U	
Dichloromethane (Methylene chloride)	0.005 U	0.005 U	0.2

Parameter	SWS-1 3/24/2008	SWS-1 4/28/2009	Class C Standard
-----------	--------------------	--------------------	---------------------

VOC's Continued

Ethyl benzene	0.005 U	0.005 U	
m&p-Xylene	0.005 U	0.005 U	
o-Xylene	0.005 U	0.005 U	
Styrene	0.005 U	0.005 U	
Tetrachloroethene	0.005 U	0.005 U	
Toluene	0.005 U	0.005 U	6
trans-1,2-Dichloroethene	0.005 U	0.005 U	
trans-1,3-Dichloropropene	0.005 U	0.005 U	
Trichloroethene	0.005 U	0.005 U	0.04
Vinyl chloride	0.005 U	0.005 U	

Wet Chemistry

Alkalinity	94.5	242	
Ammonia Nitrogen	0.05 U	0.058	
Biochemical Oxygen Demand	2 U	2 U	
Bromide	1 U	1 U	
Chemical Oxygen Demand	11.3	30.2	
Chloride	22.4	70.7	
Color (True) (C.U.)	20	35	
Hardness	96	270	
Sulfate	5.2	3.1	
Total Dissolved Solids	152	373	500
Total Kjeldahl Nitrogen	0.354	0.76	
Total Organic Carbon (TOC)	4.73	12.7	
Total Phenolics	0.005 U	0.005 U	
Turbidity (NTU)	8.1	3.79	

Class C Standard - NYSDEC Class C Surface Water Standard

Concentrations in bold exceed Class C Standards

U - Concentration not detected at specified detection limit

Table 4-2

**2008 and 2009 Sediment Analytical Results
Wellsville/Andover Landfill
(mg/Kg except where noted)**

Parameter	SWS-1 3/24/2008	SWS-1 4/28/2009
-----------	--------------------	--------------------

Inorganic Compounds

Arsenic	16	10.3
Barium	120	89.4
Cadmium	1.17 U	1.4 U
Calcium	20500	17200
Chromium	18.7	13.8
Copper	24.9	20.9
Iron	28900	19700
Lead	19.1	14
Magnesium	4910	3680
Manganese	1030	845
Nickel	27.5	19
Potassium	2630	2490
Selenium	2.35 U	2.8 U
Sodium	235 U	280 U
Zinc	2610	2670

Volatile Organic Compounds

1,1,1-Trichloroethane	0.012 U	0.014 U
1,1,2,2-Tetrachloroethane	0.012 U	0.014 U
1,1,2-Trichloroethane	0.012 U	0.014 U
1,1-Dichloroethane	0.012 U	0.014 U
1,1-Dichloroethene	0.012 U	0.014 U
1,2-Dibromoethane	0.012 U	0.014 U
1,2-Dichloroethane	0.012 U	0.014 U
1,2-Dichloropropane	0.012 U	0.014 U
2-Butanone (MEK)	0.023 U	0.029 U
2-Hexanone	0.023 U	0.029 U
4-Methyl-2-pentanone	0.023 U	0.029 U
Acetone	0.047 U	0.1
Benzene	0.012 U	0.014 U
Bromodichloromethane	0.012 U	0.014 U
Bromoform	0.012 U	0.014 U
Bromomethane	0.012 U	0.014 U
Carbon disulfide	0.023 U	0.029 U
Carbon tetrachloride	0.012 U	0.014 U
Chlorobenzene	0.012 U	0.014 U
Chloroethane	0.012 U	0.014 U
Chloroform	0.012 U	0.014 U
Chloromethane	0.012 U	0.014 U
cis-1,2-Dichloroethene	0.012 U	0.014 U
cis-1,3-Dichloropropene	0.012 U	0.014 U
Dibromochloromethane	0.012 U	0.014 U
Dichloromethane (Methylene chloride)	0.012 U	0.014 U

Parameter	SWS-1 3/24/2008	SWS-1 4/28/2009
-----------	--------------------	--------------------

VOC's Continued

Ethyl benzene	0.012 U	0.014 U
m&p-Xylene	0.012 U	0.014 U
o-Xylene	0.012 U	0.014 U
Styrene	0.012 U	0.014 U
Tetrachloroethene	0.012 U	0.014 U
Toluene	0.012 U	0.057
trans-1,2-Dichloroethene	0.012 U	0.014 U
trans-1,3-Dichloropropene	0.012 U	0.014 U
Trichloroethene	0.012 U	0.014 U
Vinyl chloride	0.012 U	0.014 U

Wet Chemistry

Alkalinity	4620	5120
Ammonia Nitrogen	27.5	61
Biochemical Oxygen Demand	554	1510
Bromide	23.5 U	29 U
Chemical Oxygen Demand	114000	67100
Chloride	46.9 U	365
Hardness	5450	
Sulfate	46.9 U	58 U
Total Kjeldahl Nitrogen	1890	1940
Total Organic Carbon (TOC)	16300	27500
Total Phenolics	0.235 U	0.29 U
Total Solids (%)	42.6	34.6

Note:

U - Concentration not detected at specified detection limit

Table 5-1

**2008 and 2009 Summary of Leachate Sump and Manhole Detection Frequencies
Wellsville/Andover Landfill
Wellsville, New York
(mg/L except where noted)**

Parameter	2008 Detection Frequency	2008 Minimum	2008 Maximum	2009 Detection Frequency	2009 Minimum	2009 Maximum
Inorganic Compounds						
Arsenic	3/6	0.0189	0.17	1/6	0.021	0.021
Barium	6/6	0.0509	0.482	6/6	0.054	0.161
Cadmium	0/6			0/6		
Calcium	6/6	61	135	6/6	74	137
Chromium	1/6	0.0131	0.0131	0/6		
Copper	0/6			0/6		
Iron	6/6	2.04	284	6/6	0.93	55.2
Lead	2/6	0.0085	0.034	0/6		
Magnesium	6/6	18	39.6	6/6	23.9	33.7
Manganese	6/6	0.531	11.6	6/6	1.88	4.69
Nickel	0/6			0/6		
Potassium	4/6	2.31	6.34	5/6	2.3	5.4
Selenium	0/6			1/6	0.015	0.015
Sodium	6/6	6.19	27.4	6/6	9.2	17.8
Zinc	2/6	0.0232	0.077	0/6		
Volatile Organic Compounds						
1,1,1-Trichloroethane	0/6			0/6		
1,1,2,2-Tetrachloroethane	0/6			0/6		
1,1,2-Trichloroethane	0/6			0/6		
1,1-Dichloroethane	0/6			0/6		
1,1-Dichloroethene	0/6			0/6		
1,2-Dibromoethane	0/6			0/6		
1,2-Dichloroethane	0/6			0/6		
1,2-Dichloropropane	0/6			0/6		
2-Butanone (MEK)	0/6			0/6		
2-Hexanone	0/6			0/6		
4-Methyl-2-pentanone	0/6			0/6		
Acetone	0/6			0/6		
Benzene	0/6			0/6		
Bromodichloromethane	0/6			0/6		
Bromoform	0/6			0/6		
Bromomethane	0/6			0/6		
Carbon disulfide	0/6			0/6		
Carbon tetrachloride	0/6			0/6		
Chlorobenzene	0/6			0/6		
Chloroethane	0/6			0/6		
Chloroform	0/6			0/6		
Chloromethane	0/6			0/6		
cis-1,2-Dichloroethene	5/6	0.018	0.58	6/6	0.025	1.2
cis-1,3-Dichloropropene	0/6			0/6		
Dibromochloromethane	0/6			0/6		
Dichloromethane (Methylene chloride)	1/6	0.042	0.042	0/6		
Ethyl benzene	2/6	0.021	0.026	0/6		
m&p-Xylene	1/6	0.033	0.033	0/6		
o-Xylene	1/6	0.0052	0.0052	0/6		
Styrene	0/6			0/6		
Tetrachloroethene	0/6			0/6		
Toluene	0/6			0/6		
trans-1,2-Dichloroethene	0/6			0/6		
trans-1,3-Dichloropropene	0/6			0/6		
Trichloroethene	2/6	0.0064	0.077	0/6		
Vinyl chloride	3/6	0.0075	0.1	3/6	0.059	0.2

Table 5-1

**2008 and 2009 Summary of Leachate Sump and Manhole Detection Frequencies
Wellsville/Andover Landfill
Wellsville, New York
(mg/L except where noted)**

Parameter	2008 Detention Frequency	2008 Minimum	2008 Maximum	2009 Detection Frequency	2009 Minimum	2009 Maximum
Wet Chemistry						
Alkalinity	6/6	250	543	3/3	300	388
Ammonia Nitrogen	6/6	0.0873	4.74	3/3	0.315	1.81
Biochemical Oxygen Demand	2/6	15	17.7	1/3	21.4	21.4
Bromide	2/6	1.23	1.39	0/3		
Chemical Oxygen Demand	6/6	10.1	263	3/3	12.5	32.9
Chloride	6/6	5.92	80.4	3/3	6.2	36.1
Color (True) (C.U.)	6/6	10	70	3/3	10	100
Hardness	6/6	241	530	3/3	302	371
Sulfate	6/6	2.97	13.5	2/3	8	8.4
Total Dissolved Solids	6/6	260	650	3/3	320	454
Total Kjeldahl Nitrogen	6/6	0.511	10.6	3/3	0.69	3.11
Total Organic Carbon (TOC)	6/6	2.04	20.1	3/3	6.1	12.5
Total Phenolics	0/6			0/3		
Turbidity (NTU)	6/6	7.39	827	3/3	3.91	66.4

Table 5-2

**2009 Leachate Sump and Manhole Analytical Results
Wellsville/Andover Landfill
(mg/L except where noted)**

Parameter	LS-1 4/28/2009	LS-1 9/8/2009	MH-32 4/28/2009	MH-32 9/8/2009	MH-33 4/28/2009	MH-33 9/8/2009
Inorganic Compounds						
Arsenic	0.01 U	0.01 U	0.01 U	0.021	0.01 U	0.01 U
Barium	0.109	0.154	0.113	0.161	0.054	0.066
Cadmium	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Calcium	106	137	89.3	108	74	99.7
Chromium	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
Copper	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
Iron	6.19	9.71	35.3	55.2	0.93	4.59
Lead	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Magnesium	28.7	33.7	24.7	33.3	24	23.9
Manganese	2.83	4.69	4.55	4.66	1.88	4.11
Nickel	0.04 U	0.04 U	0.04 U	0.04 U	0.04 U	0.04 U
Potassium	3.7	4.2	3	5.4	2 U	2.3
Selenium	0.01 U	0.01 U	0.01 U	0.015	0.01 U	0.01 U
Sodium	17.8	17.8	9.9	17.2	9.2	12.5
Zinc	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
Volatile Organic Compounds						
1,1,1-Trichloroethane	0.025 U	0.025 U	0.05 U	0.05 U	0.005 U	0.005 U
1,1,2,2-Tetrachloroethane	0.025 U	0.025 U	0.05 U	0.05 U	0.005 U	0.005 U
1,1,2-Trichloroethane	0.025 U	0.025 U	0.05 U	0.05 U	0.005 U	0.005 U
1,1-Dichloroethane	0.025 U	0.025 U	0.05 U	0.05 U	0.005 U	0.005 U
1,1-Dichloroethene	0.025 U	0.025 U	0.05 U	0.05 U	0.005 U	0.005 U
1,2-Dibromoethane	0.025 U	0.025 U	0.05 U	0.05 U	0.005 U	0.005 U
1,2-Dichloroethane	0.025 U	0.025 U	0.05 U	0.05 U	0.005 U	0.005 U
1,2-Dichloropropane	0.025 U	0.025 U	0.05 U	0.05 U	0.005 U	0.005 U
2-Butanone (MEK)	0.05 U	0.05 U	0.1 U	0.1 U	0.01 U	0.01 U
2-Hexanone	0.05 U	0.05 U	0.1 U	0.1 U	0.01 U	0.01 U
4-Methyl-2-pentanone	0.05 U	0.05 U	0.1 U	0.1 U	0.01 U	0.01 U
Acetone	0.1 U	0.1 U	0.2 U	0.2 U	0.02 U	0.02 U
Benzene	0.025 U	0.025 U	0.05 U	0.05 U	0.005 U	0.005 U
Bromodichloromethane	0.025 U	0.025 U	0.05 U	0.05 U	0.005 U	0.005 U
Bromoform	0.025 U	0.025 U	0.05 U	0.05 U	0.005 U	0.005 U
Bromomethane	0.025 U	0.025 U	0.05 U	0.05 U	0.005 U	0.005 U
Carbon disulfide	0.05 U	0.05 U	0.1 U	0.1 U	0.01 U	0.01 U
Carbon tetrachloride	0.025 U	0.025 U	0.05 U	0.05 U	0.005 U	0.005 U
Chlorobenzene	0.025 U	0.025 U	0.05 U	0.05 U	0.005 U	0.005 U
Chloroethane	0.025 U	0.025 U	0.05 U	0.05 U	0.005 U	0.005 U
Chloroform	0.025 U	0.025 U	0.05 U	0.05 U	0.005 U	0.005 U
Chloromethane	0.025 U	0.025 U	0.05 U	0.05 U	0.005 U	0.005 U
cis-1,2-Dichloroethene	0.59	0.97	1.2	1	0.075	0.025
cis-1,3-Dichloropropene	0.025 U	0.025 U	0.05 U	0.05 U	0.005 U	0.005 U
Dibromochloromethane	0.025 U	0.025 U	0.05 U	0.05 U	0.005 U	0.005 U
Dichloromethane (Methylene chloride)	0.025 U	0.025 U	0.05 U	0.05 U	0.005 U	0.005 U
Ethyl benzene	0.025 U	0.025 U	0.05 U	0.05 U	0.005 U	0.005 U
m&p-Xylene	0.025 U	0.025 U	0.05 U	0.05 U	0.005 U	0.005 U
o-Xylene	0.025 U	0.025 U	0.05 U	0.05 U	0.005 U	0.005 U
Styrene	0.025 U	0.025 U	0.05 U	0.05 U	0.005 U	0.005 U
Tetrachloroethene	0.025 U	0.025 U	0.05 U	0.05 U	0.005 U	0.005 U
Toluene	0.025 U	0.025 U	0.05 U	0.05 U	0.005 U	0.005 U
trans-1,2-Dichloroethene	0.025 U	0.025 U	0.05 U	0.05 U	0.005 U	0.005 U
trans-1,3-Dichloropropene	0.025 U	0.025 U	0.05 U	0.05 U	0.005 U	0.005 U
Trichloroethene	0.025 U	0.025 U	0.05 U	0.05 U	0.005 U	0.005 U
Vinyl chloride	0.025 U	0.059	0.088	0.2	0.005 U	0.005 U

Table 5-2

**2009 Leachate Sump and Manhole Analytical Results
Wellsville/Andover Landfill
(mg/L except where noted)**

Parameter	LS-1 4/28/2009	LS-1 9/8/2009	MH-32 4/28/2009	MH-32 9/8/2009	MH-33 4/28/2009	MH-33 9/8/2009
-----------	-------------------	------------------	--------------------	-------------------	--------------------	-------------------

Wet Chemistry

Alkalinity	388	NR	340	NR	300	NR
Ammonia Nitrogen	1.63	NR	1.81	NR	0.315	NR
Biochemical Oxygen Demand	2 U	NR	21.4	NR	2 U	NR
Bromide	1 U	NR	1 U	NR	1 U	NR
Chemical Oxygen Demand	15.6	NR	32.9	NR	12.5	NR
Chloride	36.1	NR	34	NR	6.2	NR
Color (True) (C.U.)	10	NR	100	NR	10	NR
Hardness	361	NR	371	NR	302	NR
Sulfate	8	NR	2 U	NR	8.4	NR
Total Dissolved Solids	454	NR	407	NR	320	NR
Total Kjeldahl Nitrogen	2.44	NR	3.11	NR	0.69	NR
Total Organic Carbon (TOC)	6.7	NR	12.5	NR	6.1	NR
Total Phenolics	0.005 U	NR	0.005 U	NR	0.005 U	NR
Turbidity (NTU)	17.1	NR	66.4	NR	3.91	NR

Notes:

U - Concentration not detected at specified detection limit

NR - Not required

Table 6-1

Air Monitoring Results
April 2009
Wellsville/Andover Landfill
Wellsville, New York

Monitoring Point	Date	PID (ppm)	O ₂ (%)	LEL (%)
V-1	4/24/2009	0.0	20.9	0
V-2	4/24/2009	0.0	20.3	13
V-3	4/24/2009	0.0	19.5	74
V-4	4/24/2009	0.8	20.9	20
V-5	4/24/2009	0.4	20.5	27
V-6	4/24/2009	1.7	20.9	5
V-7	4/24/2009	0.0	20.9	0
V-8	4/24/2009	7.7	20.1	75
V-9	4/24/2009	11.2	19.8	99
V-10	4/24/2009	0.0	20.9	0
V-11	4/24/2009	2.5	20.9	14
V-12	4/24/2009	0.0	20.9	0
V-13	4/24/2009	0.0	20.4	45
V-14	4/24/2009	0.0	20.5	25
V-15	4/24/2009	0.0	20.2	86
V-16	4/24/2009	0.0	20.5	34
V-17	4/24/2009	0.0	20.4	40
V-18	4/24/2009	0.0	19.0	>100
V-19	4/24/2009	0.0	20.9	9
V-20	4/24/2009	0.0	20.9	0
V-21	4/24/2009	0.0	20.9	0
L-16	4/24/2009	0.5	15.7	49
L-17	4/24/2009	0.0	20.9	2
L-19	4/24/2009	2.2	8.5	>100
L-21	4/24/2009	0.4	12.7	>100
L-23	4/24/2009	0.0	3.9	>100
L-25	4/24/2009	2.2	2.4	>100
L-27	4/24/2009	4.4	11.0	>100
L-29	4/24/2009	2.5	20.9	0
L-31	4/24/2009	91.7	2.5	>100
MH-6	4/24/2009	7.1	12.9	35
MH-7	4/24/2009	1.2	3.9	>100
MH-8	4/24/2009	0.7	20.7	14
MH-9	4/24/2009	7.4	20.3	5
MH-10	4/24/2009	6.7	20.7	11
MH-11	4/24/2009	0.0	20.9	0
MH-12	4/24/2009	6.3	17.4	96
MH-13	4/24/2009	0.0	20.9	0
MH-32	4/24/2009	0.0	20.9	0
MH-33	4/24/2009	0.0	19.6	8
Upwind	4/24/2009	0.0	20.9	0
Downwind-1	4/24/2009	0.0	20.9	0
Downwind-2	4/24/2009	0.0	20.9	0
Downwind-3	4/24/2009	0.0	20.9	0

Notes:

Meters: V-Rae 2000 PID; V-Rae 4 Gas

Background Readings:

PID = 0.0 O₂ = 20.9 LEL = 0

Weather: Mostly Sunny, 55-65, steady breeze with strong gusts from the south

Monitored By: K. Dye

Table 7-1

**Summary of 2009 Residential Water Supply Sampling
Wellsville/Andover Landfill
Wellsville, New York**

Location	Name	Mailing Address	Water Source	Sampled May 09	Sampled Sept 09
WAL-2	Mr. Phil Rosini & Ms. Rosalie Rosini	210 East Linden Ave, E. Rochester, NY 14445	Well ^{1,2} 105 ft.	5/2/2009	9/12/2009
WAL -5	Mr. Eugene Ormsby	4011 Duffy Hollow Road, Wellsville, NY 14895	Spring ^{1,2}	5/4/2009	9/8/2009
WAL-19	Mr. Daniel & Mrs. Barbara LaDue	3914 Snyder Road, Wellsville, NY 14895	Spring ¹	5/4/2009	9/9/2009

Notes:

¹ Water source information from Remedial Investigation Report, Wellsville/Andover Landfill Site, November 1993, prepared by Ecology & Environment

² Water source information from Phase II State Superfund Investigation Report, Wellsville/Andover Landfill Site, December 1986, prepared by Malcolm Pirnie

Table 7-2

**2008 and 2009 Summary of Residential Water Supply Detection Frequencies
Wellsville/Andover Landfill
Wellsville, New York
(mg/L)**

Parameter	2008 Detection Frequency	2008 Minimum	2008 Maximum	2009 Detection Frequency	2009 Minimum	2009 Maximum	NYSDOH MCL	2008 MCL Exceedances	2009 MCL Exceedances	Class GA Standard	2008 Class GA Exceedances	2009 Class GA Exceedances
-----------	--------------------------------	-----------------	-----------------	--------------------------------	-----------------	-----------------	---------------	-------------------------	-------------------------	----------------------	------------------------------	------------------------------

Inorganic Compounds

Aluminum	0/19			0/2								
Antimony	0/19			0/2						0.003	0	0
Arsenic	0/19			0/4			0.05	0	0	0.025	0	0
Barium	19/19	0.01	0.11	3/4	0.0091	0.0327	1	0	0	1	0	0
Beryllium	0/14			0/2								
Cadmium	0/14			0/4			0.01	0	0	0.005	0	0
Calcium	19/19	3.5	48.7	4/4	7.8	50.2						
Chromium	0/14			0/4			0.05	0	0	0.05	0	0
Cobalt	0/14			0/2								
Copper	7/19	0.014	0.047	2/4	0.0412	0.042	1	0	0	0.2	0	0
Iron	12/19	0.05	0.78	2/4	0.824	0.88	0.3	2	2	0.3	2	2
Lead	0/14			0/4			0.05	0	0	0.025	0	0
Magnesium	19/19	1.7	21.1	4/4	3.42	17.8						
Manganese	12/16	0.011	0.78	2/4	0.773	1.01	0.3	2	2	0.3	2	2
Mercury	0/14			0/2			0.002	0	0	0.0007	0	0
Nickel	0/19			0/4						0.1	0	0
Potassium	19/19	0.74	2.2	2/4	0.764	1.89						
Selenium	0/19			0/4			0.01	0	0	0.01	0	0
Silver	0/14			0/2			0.05	0	0	0.05	0	0
Sodium	19/19	1.3	97.6	4/4	1.9	44.8				20	11	2
Thallium	0/19			0/2								
Vanadium	0/14			0/2								
Zinc	6/19	0.011	0.062	3/4	0.0141	0.0522						

Volatile Organic Compounds

1,1,1,2-Tetrachloroethane	0/21			0/4			0.005	0	0	0.005	0	0
1,1,1-Trichloroethane	0/21			0/8			0.005	0	0	0.005	0	0
1,1,2,2-Tetrachloroethane	0/21			0/8			0.005	0	0	0.005	0	0
1,1,2-Trichloroethane	0/21			0/8			0.005	0	0	0.001	0	0
1,1-Dichloroethane	0/21			0/8			0.005	0	0	0.005	0	0
1,1-Dichloroethene	0/21			0/8			0.005	0	0	0.005	0	0
1,1-Dichloropropene	0/21			0/4								
1,2,3-Trichloropropane	0/21			0/4						0.00004	0	0
1,2,4-Trimethylbenzene	0/21			0/4			0.005	0	0	0.005	0	0
1,2-Dibromo-3-chloropropane	0/21			0/4						0.00004	0	0
1,2-Dibromoethane	0/21			0/8								
1,2-Dichlorobenzene	0/21			0/4			0.005	0	0	0.003	0	0
1,2-Dichloroethane	0/21			0/8						0.0006	0	0

Table 7-2

**2008 and 2009 Summary of Residential Water Supply Detection Frequencies
Wellsville/Andover Landfill
Wellsville, New York
(mg/L)**

Parameter	2008 Detection Frequency	2008 Minimum	2008 Maximum	2009 Detection Frequency	2009 Minimum	2009 Maximum	NYSDOH MCL	2008 MCL Exceedances	2009 MCL Exceedances	Class GA Standard	2008 Class GA Exceedances	2009 Class GA Exceedances
VOC's Continued												
1,2-Dichloropropane	0/21			0/8						0.001	0	0
1,2,3-Trichlorobenzene	0/21			0/4			0.005	0	0	0.005	0	0
1,2,4-Trichlorobenzene	0/21			0/4			0.005	0	0	0.005	0	0
1,3,5-Trimethylbenzene	0/21			0/4			0.005	0	0	0.005	0	0
1,3-Dichlorobenzene	0/21			0/4			0.005	0	0	0.003	0	0
1,3-Dichloropropane	0/21			0/4			0.005	0	0	0.005	0	0
1,4-Dichlorobenzene	0/21			0/4			0.005	0	0	0.003	0	0
2,2-Dichloropropane	0/21			0/4			0.005	0	0	0.005	0	0
2-Butanone (MEK)	NS			0/4								
2-Hexanone	NS			0/4								
4-Methyl-2-pentanone	NS			0/4								
Acetone	NS			0/4								
Benzene	0/21			0/8			0.005	0	0	0.001	0	0
Bromobenzene	0/21			0/4			0.005	0	0	0.005	0	0
Bromochloromethane	0/21			0/4			0.005	0	0	0.005	0	0
Bromodichloromethane	0/21			0/8								
Bromoform	0/21			0/8								
Bromomethane	0/21			0/8			0.005	0	0	0.005	0	0
Carbon disulfide	NS			0/4								
Carbon tetrachloride	0/21			0/8			0.005	0	0	0.005	0	0
Chlorobenzene	0/21			0/8			0.005	0	0	0.005	0	0
Chloroethane	0/21			0/8			0.005	0	0	0.005	0	0
Chloroform	0/21			0/8			0.005	0	0	0.007	0	0
Chloromethane	0/21			0/8						0.005	0	0
cis-1,2-Dichloroethene	2/21	0.0018	0.0023	1/8	0.0025	0.0025				0.005	0	0
cis-1,3-Dichloropropene	0/21			0/8								
Dibromochloromethane	0/21			0/8								
Dibromomethane	0/21			0/4			0.005	0	0	0.005	0	0
Dichlorodifluoromethane	0/21			0/4			0.005	0	0	0.005	0	0
Dichloromethane (Methylene chloride)	0/21			0/8			0.005	0	0	0.005	0	0
Ethyl benzene	0/21			0/8			0.005	0	0	0.005	0	0
Hexachlorobutadiene	0/21			0/4						0.0005	0	0
Isopropylbenzene	0/21			0/4			0.005	0	0	0.005	0	0
m&p-Xylene	NS			0/4								
Naphthalene	0/21			0/4								
n-Butylbenzene	0/21			0/4			0.005	0	0	0.005	0	0
n-Propylbenzene	0/21			0/4			0.005	0	0	0.005	0	0
o-Chlorotoluene	0/21			0/4								

Table 7-2

**2008 and 2009 Summary of Residential Water Supply Detection Frequencies
Wellsville/Andover Landfill
Wellsville, New York
(mg/L)**

Parameter	2008 Detection Frequency	2008 Minimum	2008 Maximum	2009 Detection Frequency	2009 Minimum	2009 Maximum	NYSDOH MCL	2008 MCL Exceedances	2009 MCL Exceedances	Class GA Standard	2008 Class GA Exceedances	2009 Class GA Exceedances
-----------	--------------------------------	-----------------	-----------------	--------------------------------	-----------------	-----------------	---------------	-------------------------	-------------------------	----------------------	------------------------------	------------------------------

VOC's Continued

o-Xylene	NS			0/4								
p-Chlorotoluene	0/21			0/4								
p-Cymene	0/21			0/4								
sec-Butylbenzene	0/21			0/4						0.005	0	0
Styrene	0/21			0/8			0.005	0	0	0.005	0	0
tert-Butylbenzene	0/21			0/4						0.005	0	0
Tetrachloroethene	0/21			0/8			0.005	0	0	0.005	0	0
Toluene	0/21			0/8			0.005	0	0	0.005	0	0
trans-1,2-Dichloroethene	0/21			0/8						0.005	0	0
trans-1,3-Dichloropropene	0/21			0/8								
Trichloroethene	2/21	0.002	0.0023	1/8	0.0026	0.0026	0.005	0	0	0.005	0	0
Trichlorofluoromethane	0/21			0/4			0.005	0	0	0.005	0	0
Vinyl chloride	0/21			0/8			0.005	0	0	0.002	0	0
Xylenes (total)	0/21			0/4								

Notes:**Class GA Standard** - NYSDEC Class GA Groundwater Standard**NYSDOH MCL** - NYSDOH Maximum Contaminant Level

Table 7-3

2009 Residential Water Supply Analytical Results
Wellsville/Andover Landfill
Wellsville, New York
(mg/L except where noted)

Parameter	WAL19PRE- 0509 5/4/2009	WAL19PRE- 0909 9/9/2009	WAL19INTER- 0509 5/4/2009	WAL19INTER- 0909 9/9/2009	WAL19POST- 0509 5/4/2009	WAL19POST- 0909 9/9/2009	WAL2- 0509 5/2/2009	WAL2- 0909 9/12/2009	WAL5- 0509 5/4/2009	WAL5- 0909 9/8/2009
-----------	----------------------------	----------------------------	------------------------------	------------------------------	-----------------------------	-----------------------------	---------------------------	----------------------------	---------------------------	---------------------------

Inorganic Compounds

Aluminum	NR	NR	NR	NR	NR	NR	0.2 U		0.2 U	
Antimony	NR	NR	NR	NR	NR	NR	0.02 U		0.02 U	
Arsenic	NR	NR	NR	NR	NR	NR	0.01 U	0.01 U	0.01 U	0.01 U
Barium	NR	NR	NR	NR	NR	NR	0.0327	0.031	0.0091	0.02 U
Beryllium	NR	NR	NR	NR	NR	NR	0.002 U		0.002 U	
Cadmium	NR	NR	NR	NR	NR	NR	0.001 U	0.005 U	0.001 U	0.005 U
Calcium	NR	NR	NR	NR	NR	NR	49.3	50.2	7.8	13.6
Chromium	NR	NR	NR	NR	NR	NR	0.004 U	0.01 U	0.004 U	0.01 U
Cobalt	NR	NR	NR	NR	NR	NR	0.004 U		0.004 U	
Copper	NR	NR	NR	NR	NR	NR	0.01 U	0.02 U	0.0412	0.042
Iron	NR	NR	NR	NR	NR	NR	0.824	0.88	0.05 U	0.1 U
Lead	NR	NR	NR	NR	NR	NR	0.006 U	0.005 U	0.006 U	0.005 U
Magnesium	NR	NR	NR	NR	NR	NR	17.2	17.8	3.42	6.2
Manganese	NR	NR	NR	NR	NR	NR	0.773	1.01	0.003 U	0.01 U
Mercury	NR	NR	NR	NR	NR	NR	0.0002 U		0.0002 U	
Nickel	NR	NR	NR	NR	NR	NR	0.01 U	0.04 U	0.01 U	0.04 U
Potassium	NR	NR	NR	NR	NR	NR	1.89	2 U	0.764	2 U
Selenium	NR	NR	NR	NR	NR	NR	0.015 U	0.01 U	0.015 U	0.01 U
Silver	NR	NR	NR	NR	NR	NR	0.003 U		0.003 U	
Sodium	NR	NR	NR	NR	NR	NR	44.8	39.8	1.9	2.8
Thallium	NR	NR	NR	NR	NR	NR	0.02 U		0.02 U	
Vanadium	NR	NR	NR	NR	NR	NR	0.005 U		0.005 U	
Zinc	NR	NR	NR	NR	NR	NR	0.0522	0.04	0.0141	0.02 U

Volatile Organic Compounds

1,1,1,2-Tetrachloroethane	0.00025 U		0.00025 U		0.00025 U		NR	NR	0.00025 U	
1,1,1-Trichloroethane	0.00025 U	0.005 U	0.00025 U	0.005 U	0.00025 U	0.005 U	NR	NR	0.00025 U	0.005 U
1,1,2,2-Tetrachloroethane	0.00025 U	0.005 U	0.00025 U	0.005 U	0.00025 U	0.005 U	NR	NR	0.00025 U	0.005 U
1,1,2-Trichloroethane	0.00025 U	0.005 U	0.00025 U	0.005 U	0.00025 U	0.005 U	NR	NR	0.00025 U	0.005 U
1,1-Dichloroethane	0.00025 U	0.005 U	0.00025 U	0.005 U	0.00025 U	0.005 U	NR	NR	0.00025 U	0.005 U
1,1-Dichloroethene	0.00025 U	0.005 U	0.00025 U	0.005 U	0.00025 U	0.005 U	NR	NR	0.00025 U	0.005 U
1,1-Dichloropropene	0.00025 U		0.00025 U		0.00025 U		NR	NR	0.00025 U	
1,2,3-Trichloropropane	0.0002 U		0.0002 U		0.0002 U		NR	NR	0.0002 U	
1,2,4-Trimethylbenzene	0.00025 U		0.00025 U		0.00025 U		NR	NR	0.00025 U	
1,2-Dibromo-3-chloropropane	0.00025 U		0.00025 U		0.00025 U		NR	NR	0.00025 U	
1,2-Dibromoethane	0.00025 U	0.005 U	0.00025 U	0.005 U	0.00025 U	0.005 U	NR	NR	0.00025 U	0.005 U
1,2-Dichlorobenzene	0.00025 U		0.00025 U		0.00025 U		NR	NR	0.00025 U	

Table 7-3

2009 Residential Water Supply Analytical Results
Wellsville/Andover Landfill
Wellsville, New York
(mg/L except where noted)

Parameter	WAL19PRE- 0509 5/4/2009	WAL19PRE- 0909 9/9/2009	WAL19INTER- 0509 5/4/2009	WAL19INTER- 0909 9/9/2009	WAL19POST- 0509 5/4/2009	WAL19POST- 0909 9/9/2009	WAL2- 0509 5/2/2009	WAL2- 0909 9/12/2009	WAL5- 0509 5/4/2009	WAL5- 0909 9/8/2009
VOC's Continued										
1,2-Dichloroethane	0.00025 U	0.005 U	0.00025 U	0.005 U	0.00025 U	0.005 U	NR	NR	0.00025 U	0.005 U
1,2-Dichloropropane	0.00025 U	0.005 U	0.00025 U	0.005 U	0.00025 U	0.005 U	NR	NR	0.00025 U	0.005 U
1,2,3-Trichlorobenzene	0.00025 U		0.00025 U		0.00025 U		NR	NR	0.00025 U	
1,2,4-Trichlorobenzene	0.00025 U		0.00025 U		0.00025 U		NR	NR	0.00025 U	
1,3,5-Trimethylbenzene	0.00025 U		0.00025 U		0.00025 U		NR	NR	0.00025 U	
1,3-Dichlorobenzene	0.00025 U		0.00025 U		0.00025 U		NR	NR	0.00025 U	
1,3-Dichloropropane	0.00025 U		0.00025 U		0.00025 U		NR	NR	0.00025 U	
1,4-Dichlorobenzene	0.00025 U		0.00025 U		0.00025 U		NR	NR	0.00025 U	
2,2-Dichloropropane	0.00025 U		0.00025 U		0.00025 U		NR	NR	0.00025 U	
2-Butanone (MEK)		0.01 U		0.01 U		0.01 U	NR	NR		0.01 U
2-Hexanone		0.01 U		0.01 U		0.01 U	NR	NR		0.01 U
4-Methyl-2-pentanone		0.01 U		0.01 U		0.01 U	NR	NR		0.01 U
Acetone		0.02 U		0.02 U		0.02 U	NR	NR		0.02 U
Benzene	0.00025 U	0.005 U	0.00025 U	0.005 U	0.00025 U	0.005 U	NR	NR	0.00025 U	0.005 U
Bromobenzene	0.00025 U		0.00025 U		0.00025 U		NR	NR	0.00025 U	
Bromochloromethane	0.00025 U		0.00025 U		0.00025 U		NR	NR	0.00025 U	
Bromodichloromethane	0.00025 U	0.005 U	0.00025 U	0.005 U	0.00025 U	0.005 U	NR	NR	0.00025 U	0.005 U
Bromoform	0.00025 U	0.005 U	0.00025 U	0.005 U	0.00025 U	0.005 U	NR	NR	0.00025 U	0.005 U
Bromomethane	0.0002 U	0.005 U	0.0002 U	0.005 U	0.0002 U	0.005 U	NR	NR	0.0002 U	0.005 U
Carbon disulfide		0.01 U		0.01 U		0.01 U	NR	NR		0.01 U
Carbon tetrachloride	0.00025 U	0.005 U	0.00025 U	0.005 U	0.00025 U	0.005 U	NR	NR	0.00025 U	0.005 U
Chlorobenzene	0.00025 U	0.005 U	0.00025 U	0.005 U	0.00025 U	0.005 U	NR	NR	0.00025 U	0.005 U
Chloroethane	0.00025 U	0.005 U	0.00025 U	0.005 U	0.00025 U	0.005 U	NR	NR	0.00025 U	0.005 U
Chloroform	0.00025 U	0.005 U	0.00025 U	0.005 U	0.00025 U	0.005 U	NR	NR	0.00025 U	0.005 U
Chloromethane	0.00025 U	0.005 U	0.00025 U	0.005 U	0.00025 U	0.005 U	NR	NR	0.00025 U	0.005 U
cis-1,2-Dichloroethene	0.0025	0.005 U	0.00025 U	0.005 U	0.00025 U	0.005 U	NR	NR	0.00025 U	0.005 U
cis-1,3-Dichloropropene	0.00025 U	0.005 U	0.00025 U	0.005 U	0.00025 U	0.005 U	NR	NR	0.00025 U	0.005 U
Dibromochloromethane	0.00025 U	0.005 U	0.00025 U	0.005 U	0.00025 U	0.005 U	NR	NR	0.00025 U	0.005 U
Dibromomethane	0.00025 U		0.00025 U		0.00025 U		NR	NR	0.00025 U	
Dichlorodifluoromethane	0.0002 U		0.0002 U		0.0002 U		NR	NR	0.0002 U	
Dichloromethane (Methylene chloride)	0.00025 U	0.005 U	0.00025 U	0.005 U	0.00025 U	0.005 U	NR	NR	0.00025 U	0.005 U
Ethyl benzene	0.00025 U	0.005 U	0.00025 U	0.005 U	0.00025 U	0.005 U	NR	NR	0.00025 U	0.005 U
Hexachlorobutadiene	0.00025 U		0.00025 U		0.00025 U		NR	NR	0.00025 U	
Isopropylbenzene	0.00025 U		0.00025 U		0.00025 U		NR	NR	0.00025 U	
m&p-Xylene		0.005 U		0.005 U		0.005 U	NR	NR		0.005 U
Naphthalene	0.00025 U		0.00025 U		0.00025 U		NR	NR	0.00025 U	
n-Butylbenzene	0.00025 U		0.00025 U		0.00025 U		NR	NR	0.00025 U	
n-Propylbenzene	0.00025 U		0.00025 U		0.00025 U		NR	NR	0.00025 U	
o-Chlorotoluene	0.00025 U		0.00025 U		0.00025 U		NR	NR	0.00025 U	

Table 7-3

**2009 Residential Water Supply Analytical Results
Wellsville/Andover Landfill
Wellsville, New York
(mg/L except where noted)**

Parameter	WAL19PRE- 0509 5/4/2009	WAL19PRE- 0909 9/9/2009	WAL19INTER- 0509 5/4/2009	WAL19INTER- 0909 9/9/2009	WAL19POST- 0509 5/4/2009	WAL19POST- 0909 9/9/2009	WAL2- 0509 5/2/2009	WAL2- 0909 9/12/2009	WAL5- 0509 5/4/2009	WAL5- 0909 9/8/2009
-----------	----------------------------	----------------------------	------------------------------	------------------------------	-----------------------------	-----------------------------	---------------------------	----------------------------	---------------------------	---------------------------

VOC's Continued


o-Xylene		0.005 U		0.005 U		0.005 U	NR	NR		0.005 U
p-Chlorotoluene	0.00025 U		0.00025 U		0.00025 U		NR	NR	0.00025 U	
p-Cymene	0.00025 U		0.00025 U		0.00025 U		NR	NR	0.00025 U	
sec-Butylbenzene	0.00025 U		0.00025 U		0.00025 U		NR	NR	0.00025 U	
Styrene	0.00025 U	0.005 U	0.00025 U	0.005 U	0.00025 U	0.005 U	NR	NR	0.00025 U	0.005 U
tert-Butylbenzene	0.00025 U		0.00025 U		0.00025 U		NR	NR	0.00025 U	
Tetrachloroethene	0.00025 U	0.005 U	0.00025 U	0.005 U	0.00025 U	0.005 U	NR	NR	0.00025 U	0.005 U
Toluene	0.00025 U	0.005 U	0.00025 U	0.005 U	0.00025 U	0.005 U	NR	NR	0.00025 U	0.005 U
trans-1,2-Dichloroethene	0.00025 U	0.005 U	0.00025 U	0.005 U	0.00025 U	0.005 U	NR	NR	0.00025 U	0.005 U
trans-1,3-Dichloropropene	0.00025 U	0.005 U	0.00025 U	0.005 U	0.00025 U	0.005 U	NR	NR	0.00025 U	0.005 U
Trichloroethene	0.0026	0.005 U	0.00025 U	0.005 U	0.00025 U	0.005 U	NR	NR	0.00025 U	0.005 U
Trichlorofluoromethane	0.00025 U		0.00025 U		0.00025 U		NR	NR	0.00025 U	
Vinyl chloride	0.00025 U	0.005 U	0.00025 U	0.005 U	0.00025 U	0.005 U	NR	NR	0.00025 U	0.005 U
Xylenes (total)	0.0002 U		0.0002 U		0.0002 U		NR	NR	0.0002 U	

Notes:

U - Concentration not detected at specified detection limit

NR - Not required

SITE LOCATION



SOURCE: WELLSVILLE NORTH, USGS 7.5 MINUTE TOPOGRAPHIC QUADRANGLE, DATED 1965.
NOTE: GORMAN ROAD IS NOW SYNDER ROAD.

3,000 1,500 0 3,000
Feet
1 inch = 3,000 feet

Legend

----- Approximate Site Boundary



ON-SITE TECHNICAL SERVICES, INC.

72 Railroad Aveune Wellsville, NY14895


FIGURE NO.	1
------------	---

PROJECT	WAL
---------	-----

DOCUMENT 2009 Annual Report

FILE NO.	Fig 1.mxd
----------	-----------

2009 SAMPLING LOCATIONS





ON-SITE TECHNICAL SERVICES, INC.

72 Railroad Avenue Wellsville, NY 14895

FIGURE NO.	2
PROJECT	WAL
DOCUMENT	2009 Annual Report
FILE NO.	Fig 2.mxd

APRIL 24, 2009 OVERBURDEN MONITORING WELL POTENTIOMETRIC MAP




ON-SITE TECHNICAL SERVICES, INC.

72 Railroad Avenue Wellsville, NY 14895

FIGURE NO.	3
PROJECT	WAL
DOCUMENT	Annual 2009 Report
FILE NO.	FIG3.MXD

APRIL 24, 2009 BEDROCK MONITORING WELL POTENTIOMETRIC MAP




ON-SITE TECHNICAL SERVICES, INC.

72 Railroad Avenue Wellsville, NY 14895

FIGURE NO.	4
PROJECT	WAL
DOCUMENT	Annual 2009 Report
FILE NO.	FIG4.MXD

SEPTEMBER 8, 2009 OVERBURDEN MONITORING WELL POTENTIOMETRIC MAP




ON-SITE TECHNICAL SERVICES, INC.

72 Railroad Avenue Wellsville, NY 14895

FIGURE NO.	5
PROJECT	WAL
DOCUMENT	2009 Annual Report
FILE NO	Fig 5.mxd

SEPTEMBER 8, 2009 BEDROCK MONITORING WELL POTENTIOMETRIC MAP




ON-SITE TECHNICAL SERVICES, INC.

72 Railroad Avenue Wellsville, NY 14895

FIGURE NO.	6
PROJECT	WAL
DOCUMENT	2009 Annual Report
FILE NO	Fig 6.mxd

2009 Air Monitoring Locations



ON-SITE TECHNICAL SERVICES, INC.

72 Railroad Avenue Wellsville, NY 14895

FIGURE NO.	7
PROJECT	WAL
DOCUMENT	2009 Annual Report
FILE NO.	Fig 7.mxd

New York State Department of Environmental Conservation
Division of Environmental Remediation, 11th Floor
625 Broadway, Albany, New York 12233-7011
Phone: (518) 402-9553 **Fax:** (518) 402-9577
Website: www.dec.ny.gov



45-Day Reminder Notice: Site Management Periodic Review

Village of Wellsville 895
Dept. of Public Works
200 Bolivar Road
Wellsville, NY 14895

June 23, 2009
Site Name: Wellsville-Andover Landfill
Site No.: 902004
Site Address: Snyder Hill Road
Wellsville, NY 14895

Dear : Bill Whitfield

This is a reminder that as part of the last phase of a site's remedial program (i.e., "Site Management" (SM)), a progress report for your site is to be submitted by you, the site owner or Remedial Party, to the New York State Department of Environmental Conservation (Department) by **Friday, February 26, 2010**. This report, now referred to as the Periodic Review Report (PRR) documents the compliance with the Site Management requirements for this site. SM is a concept defined in regulation (6 NYCRR 375-1.2(at)). A suggested outline for the PRR is enclosed. If the site is comprised of multiple properties or parcels, then you as the owner or Remedial Party must arrange to submit one PRR for all parcels that comprise the site.

Depending on the age of the remedial program for your site, the document(s) governing SM for your site will be different. Previously, SM requirements were contained in separate documents with specific titles (e.g., Operation, Maintenance, and Monitoring Plan or Soil Management Plan) and are now being incorporated into one comprehensive "Site Management Plan" (SMP). A SMP may contain one or all of the following elements as applicable to the site; a plan to maintain institutional and/or engineering controls ("IC/EC Plan"), a plan for monitoring the performance and effectiveness of the selected remedy ("Monitoring Plan"), and/or a plan for the operation and maintenance of the selected remedy ("O&M Plan"). Additionally, the requirements for SM are normally stated in the decision document (e.g., Record of Decision) and/or the legal agreement directing the remediation of the site (e.g., order on consent, voluntary agreement, etc.).

When you submit the PRR (by the due date above), please sign and include the enclosed forms documenting that all SM requirements are being met. If there is some reason you cannot certify that all SM requirements are being met, you should indicate this and include a statement of explanation in the PRR with a schedule for addressing the problem(s). The Periodic Review process will not be considered complete until all necessary corrective measures are completed and any required controls are certified. Instructions for completing the certifications are enclosed.

If you have any questions, or need additional information, please contact David Szymanski, Project Manager at 716-851-7220.

Enclosures

cc: David Szymanski, Project Manager
Robert Knizek, Bureau Director
Greg Sutton/Marty Doster, Hazardous Waste Remediation Engineer, Region 9
Gary Litwin, DOH

cc: Dawn Ketchner, Village of Wellsville
Jon Brandes, On-Site Technical Services, Inc.



Enclosure 1
NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
Site Management Periodic Review Report Notice
Institutional and Engineering Controls Certification Form



Site Details

Box 1

Site No. 902004

Site Name Wellsville-Andover Landfill

Site Address: Snyder Hill Road **Zip Code:** 14895

City/Town: Wellsville

County: Allegany

Allowable Use(s) (if applicable, does not address local zoning): Industrial

Site Acreage: 19

Verification of Site Details

Box 2

YES NO

1. Are the Site Details above, correct?

☐☒

If NO, are changes handwritten above or included on a separate sheet?

☒

2. Has some or all of the site property been sold, subdivided, merged, or undergone a tax map amendment since the initial/last certification?

☐☒

If YES, is documentation or evidence that documentation has been previously submitted included with this certification?

☐

3. Have any federal, state, and/or local permits (e.g., building, discharge) been issued for or at the property since the initial/last certification?

☐☒

If YES, is documentation (or evidence that documentation has been previously submitted) included with this certification?

☐

4. If use of the site is restricted, is the current use of the site consistent with those restrictions?

☒☐

If NO, is an explanation included with this certification?

☐

5. For non-significant-threat Brownfield Cleanup Program Sites subject to ECL 27-1415.7(c), has any new information revealed that assumptions made in the Qualitative Exposure Assessment regarding offsite contamination are no longer valid?

☐☐

If YES, is the new information or evidence that new information has been previously submitted included with this Certification?

☐

6. For non-significant-threat Brownfield Cleanup Program Sites subject to ECL 27-1415.7(c), are the assumptions in the Qualitative Exposure Assessment still valid (must be certified every five years)?

☐☐

If NO, are changes in the assessment included with this certification?

☐

SITE NO. 902004

Box 3

Description of Institutional Controls

Parcel

Institutional Control

S_B_L Image:

Box 4

Description of Engineering Controls

None Required

Attach documentation if IC/ECs cannot be certified or why IC/ECs are no longer applicable.
(See instructions)

Control Description for Site No. 902004

Parcel: 201.-1-15.2

Parcel: 201.-1-20

Parcel: 214.-1-2.1

Periodic Review Report (PRR) Certification Statements

1. I certify by checking "YES" below that:

a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the certification;

b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and complete.

YES NO



☐

2. If this site has an IC/EC Plan (or equivalent as required in the Decision Document), for each Institutional or Engineering control listed in Boxes 3 and/or 4, I certify by checking "YES" below that all of the following statements are true:

(a) the Institutional Control and/or Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department;

(b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment;

(c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control;

(d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and

(e) if a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document.

YES NO



☐

3. If this site has an Operation and Maintenance (O&M) Plan (or equivalent as required in the Decision Document);

I certify by checking "YES" below that the O&M Plan Requirements (or equivalent as required in the Decision Document) are being met.

YES NO



☐

4. If this site has a Monitoring Plan (or equivalent as required in the remedy selection document);

I certify by checking "YES" below that the requirements of the Monitoring Plan (or equivalent as required in the Decision Document) is being met.

YES NO



☐

IC CERTIFICATIONS
SITE NO. 902004

Box 6


SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE

I certify that all information and statements in Boxes 2 and/or 3 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I William Whitfield at 200 Bolivar Road, Wellsville, NY 14895
print name print business address

am certifying as Owner (Owner or Remedial Party)

for the Site named in the Site Details Section of this form.


Signature of Owner or Remedial Party Rendering Certification

2/16/10
Date

IC/EC CERTIFICATIONS

Box 7

QUALIFIED ENVIRONMENTAL PROFESSIONAL (QEP) SIGNATURE

I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Jonathan Brandes at 72 Railroad Avenue, Wellsville, NY 14895
print name print business address

am certifying as a Qualified Environmental Professional for the Owner

(Owner or Remedial Party) for the Site named in the Site Details Section of this form.


Signature of Qualified Environmental Professional, for
the Owner or Remedial Party, Rendering Certification

2/16/10
Stamp (if Required) Date

Enclosure 2

Certification Instructions

I. Verification of Site Details (Box 1 and Box 2):

Answer the six questions in the Verification of Site Details Section. Questions 5 and 6 only refer to sites in the Brownfield Cleanup Program. The Owner and/or Qualified Environmental Professional (QEP) may include handwritten changes and/or other supporting documentation, as necessary.

II. Certification of Institutional / Engineering Controls (Boxes 3, 4, and 5)

1. Review the listed IC/ECs, confirming that all existing controls are listed, and that all existing controls are still applicable. If there is a control that is no longer applicable the Owner / Remedial Party is to petition the Department requesting approval to remove the control.
2. In Box 5, complete certifications for all Plan components, as applicable, by checking the corresponding checkbox.
3. If you cannot certify "YES" for each Control and/or certify the other SM Plan components that are applicable, continue to complete the remainder of this **Certification** form. Attach supporting documentation that explains why the **Certification** cannot be rendered, as well as a statement of proposed corrective measures, and an associated schedule for completing the corrective measures. Note that this **Certification** form must be submitted even if an IC or EC cannot be certified; however, the certification process will not be considered complete until corrective action is completed.

If the Department concurs with the explanation, the proposed corrective measures, and the proposed schedule, a letter authorizing the implementation of those corrective measures will be issued by the Department's Project Manager. Once the corrective measures are complete, a new Periodic Review Report (with IC/EC Certification) is to be submitted within 45 days to the Department. If the Department has any questions or concerns regarding the PRR and/or completion of the IC/EC Certification, the Project Manager will contact you.

III. IC/EC Certification by Signature (Box 6 and Box 7):

If you certified "YES" for each Control, please complete and sign the IC/EC Certifications page. Where the only control is an Institutional Control on the use of the property the certification statement in Box 6 shall be completed and may be made by the property owner. Where the site has Institutional and Engineering Controls, the certification statement in Box 7 must be completed by a Professional Engineer or Qualified Environmental Professional (see table below).

Table 1. Signature Requirements for Control Certification Page

Type of Control	Example of IC/EC	Required Signatures
EC which does not include a treatment system or engineered caps.	Fence, Clean Soil Cover, Individual House Water Treatment System, Vapor Mitigation System	A site or property owner or remedial party, and a QEP. (P.E. license not required)
EC that includes treatment system or an engineered cap.	Pump & Treat System providing hydraulic control of a plume, Part 360 Cap.	A site or property owner or remedial party, and a QEP with a P.E. license.

WHERE to mail the signed Certification Form by **Friday, February 26, 2010** 2009:

New York State Department of Environmental Conservation
270 Michigan Ave
Buffalo, NY 14203-2999

Attn: David Szymanski, Project Manager

Please note that extra postage may be required.



ON-SITE TECHNICAL SERVICES, INC

72 Railroad Avenue
Wellsville, New York 14895

Phone: (585) 593-1824
Fax: (585) 593-7471

April 3, 2009

Linda Ross, CPG
New York State Department of Environmental Conservation
Division of Solid and Hazardous Materials, Region 9
270 Michigan Avenue
Buffalo, New York 14203-2999

Re: Wellsville/Andover Landfill Site (Site # 9-02-004) – Site Monitoring Evaluation and Proposed Revised Monitoring Plan

Dear Linda:

On behalf of the Village of Wellsville, this letter has been prepared to evaluate the above referenced site's post remedial action monitoring results and propose a revised monitoring plan tailored to the site for continued ample monitoring.

Background

The Wellsville/Andover Landfill was operated by the Village of Wellsville from 1964 to 1983, accepting both municipal and industrial waste. The site was added to the New York State Superfund and the New York State Department of Environmental Conservation (NYSDEC) selected capping with waste consolidation as the remedial action in the Record of Decision (ROD) for the site (NYSDEC 1994). Waste from the Northwest and Northeast fill areas was consolidated and capped on the South/South-central fill area. Following consolidation, the fill was compacted and capped with a 19-acre cover system, which incorporates a passive landfill gas (LFG) venting system, a leachate collection and storage system and a groundwater cut-off trench. Remedial construction activities were completed in September 1997.

An operation and maintenance plan was prepared for the site: *Operation and Maintenance Manual For The Wellsville/Andover Landfill Site Number 9-02-004 Allegany County, New York*, dated November 1997 (O&M Plan); which details O&M requirements. Section 3.3 of the O&M Plan states:

The primary goals of this action were to minimize leachate production, control and manage leachate produced, control LFG, consolidate the waste to reduce the size of the landfill, reduce the potential for

surface contact with waste and contaminated soils, and mitigate the spread of contaminated groundwater off site. The remedial action mitigated significant threats to the public health and the environment by:

- *Reducing the production of leachate within the fill mass;*
- *Eliminating the threat to surface waters by eliminating any future contaminated surface water runoff from the contaminated soils on site;*
- *Eliminating the potential for direct human or animal contact with the contaminated soils on site;*
- *Mitigate the impacts of contaminated groundwater to the environment;*
- *Mitigating, to the extent practicable, migration of contaminants in the landfill to groundwater; and*
- *Controlling LFG.*

Site Hydrogeology

Groundwater hydrogeology was investigated during the remedial investigation as summarized in the O&M Plan. Generally, groundwater flows from the North-Northeast to the South-Southwest as dictated primarily by topography. The overburden and bedrock beneath the site have been interpreted as being one continuous aquifer with no separating confining layer. However, in some areas of the site discontinuous low permeability horizons of silt and clay are present within the overburden creating perched water bearing zones. Groundwater flow is restricted vertically by localized clay/silt lenses, but aided in other areas by sand and gravel zones. In the top of bedrock, groundwater flow appears to be controlled by fractures and joints. Open and clay-filled bedrock fractures with many orientations were observed from remedial investigation borings. This indicates that groundwater can flow both horizontally and vertically within the overburden and top of bedrock.

Potentiometric mapping as part of approximately 11 years of post remediation monitoring indicate that groundwater flow conditions and directions have shown little variations from that observed during the remedial investigation.

Evaluation of Monitoring Results

Post remedial action site monitoring commenced in June 1998 and was conducted quarterly through 1999. Starting in 2000 and continuing through 2008, site monitoring has been conducted semi-annually. The monitoring has included sampling and analysis of groundwater, surface water and sediment, groundwater collection system water and leachate. These samples are tested for field parameters, Volatile Organic Compounds (VOCs), 15 Metals and 14 wet chemistry compounds listed in the table below.

Field Parameters

Specific Conductance
 Temperature
 pH
 Oxygen Reduction Potential
 Dissolved Oxygen
 Turbidity

Inorganic Compounds

Arsenic
 Barium
 Cadmium
 Calcium
 Chromium
 Copper
 Iron
 Lead
 Magnesium
 Manganese
 Nickel
 Potassium
 Selenium
 Sodium
 Zinc

Volatile Organic Compounds

1,1,1-Trichloroethane
 1,1,2,2-Tetrachloroethane
 1,1,2-Trichloroethane
 1,1-Dichloroethane
 1,1-Dichloroethene
 1,2-Dibromoethane
 1,2-Dichloroethane
 1,2-Dichloropropane
 2-Butanone (MEK)
 2-Hexanone
 4-Methyl-2-pentanone
 Acetone
 Benzene
 Bromodichloromethane
 Bromoform
 Bromomethane
 Carbon disulfide
 Carbon tetrachloride
 Chlorobenzene
 Chloroethane
 Chloroform
 Chloromethane
 cis-1,2-Dichloroethene
 cis-1,3-Dichloropropene
 Dibromochloromethane
 Dichloromethane (Methylene chloride)
 Ethyl benzene
 m&p-Xylene
 o-Xylene
 Styrene
 Tetrachloroethene
 Toluene
 trans-1,2-Dichloroethene
 trans-1,3-Dichloropropene
 Trichloroethene
 Vinyl chloride

Wet Chemistry

Alkalinity
 Ammonia
 Biochemical Oxygen Demand
 Bromide
 Chemical Oxygen Demand
 Chloride
 Color (True)
 Hardness
 Sulfate
 Total Dissolved Solids
 Total Kjeldahl Nitrogen
 Total Organic Carbon (TOC)
 Total Phenolics
 Turbidity

Additionally potentiometric mapping, landfill gas monitoring and sampling and analysis of nearby residential water supplies is conducted. An evaluation of these approximately 11 years of monitoring results is presented below.

Groundwater

The current site monitoring well network consists of 18 wells required to be sampled annually and 11 of the 18 wells sampled semi-annually. Please see attached figure 1 for monitoring well locations. The table below presents a summary of parameters detected in groundwater during the last five years of monitoring.

Summary of 2004 through 2008 Groundwater Detected Parameters (mg/L)

Parameter	Number of Samples	Number of Detections	Minimum Detection	Maximum Detection	Class GA Standard	Number of Class GA Exceedances
-----------	-------------------	----------------------	-------------------	-------------------	-------------------	--------------------------------

Metals

Barium	119	98	0.0202	0.32	1	0
Calcium	119	119	2.96	140		
Chromium	119	1	0.011	0.011	0.05	0
Iron	119	97	0.108	13.4	0.3	77
Lead	119	8	0.0052	0.0733	0.025	1
Magnesium	119	118	0.651	64		
Manganese	119	112	0.0102	1.65	0.3	58
Potassium	119	85	2.1	33.5		
Selenium	119	1	0.00522	0.00522	0.01	0
Sodium	119	119	1.56	67.4	20	45
Zinc	119	21	0.0205	0.347		0

VOCs

1,1-Dichloroethene	134	1	0.0066	0.0066	0.005	1
cis-1,2-Dichloroethene	134	94	0.005	3	0.005	93
Ethyl benzene	134	1	0.0073	0.0073	0.005	1
Toluene	134	1	0.0065	0.0065	0.005	1
trans-1,2-Dichloroethene	134	4	0.011	0.021	0.005	4
Trichloroethene	134	80	0.0052	3.2	0.005	80
Vinyl chloride	134	34	0.005	0.83	0.002	34

Wet Chemistry

Alkalinity	113	113	7.2	410		
Ammonia Nitrogen	115	11	0.0512	0.161	2	0
Biochemical Oxygen Demand	111	15	2.13	13		
Bromide	113	6	1.06	1.38		
Chemical Oxygen Demand	115	40	5.13	18.8		
Chloride	113	89	2.04	71.4	250	0
Color (True) (C.U.)	116	70	5	75	15	10
Hardness	117	117	12.2	519		
Sulfate	113	113	3.49	161	250	0
Total Dissolved Solids	113	113	32	698	500	5
Total Kjeldahl Nitrogen	115	34	0.203	2.74		
Total Organic Carbon (TOC)	115	70	1.01	7.51		
Total Phenolics	114	2	0.00706	0.0181	0.001	2

As observed in the table above and also previously described in site monitoring reports, there are three metals (Iron, Manganese and Sodium) and three VOCs (cis-1,2-Dichloroethene (cDCE), Trichloroethene (TCE) and Vinyl chloride) that frequently exceed NYSDEC Class GA Groundwater Standards. Therefore, concentration verses time plots for these six compounds have been prepared for monitoring wells that exhibit exceedances. These wells include CW-3A, CW-3B, CW-4B, MW-5D, MW-5S, MW-15S and MW-18S for metals and VOCs and MW-11S and MW-16S for VOCs. These plots are attached for reference.

In General, for Iron, Manganese and Sodium, increasing or decreasing time trends are not apparent. The three metals have been detected at various concentrations above standards at both upgradient and downgradient wells. These metals are common constituents of soil and groundwater and often occur naturally at the concentrations detected.

Volatile Organic Compound analyses of groundwater have shown evident time trends and VOCs are the primary constituents of concern at this site. For this reason statistical analysis was performed to evaluate total VOCs (sum of detected VOCs in a given sample). The data set utilized for the analysis includes all available post remediation VOC results, which generally includes 24 sampling events over an 11 year period. The statistical analysis was conducted using the Mann-Kendall test using a normal approximation method in accordance with *USEPA Data Quality Assessment: Statistical Methods for Practitioners EPA QA/G-9S*, dated February 2006. In this analysis, a null hypothesis of "There is no trend" is tested against an alternative hypothesis of either "There is an upward trend" or "There is a downward trend". This analysis involves using a triangular table to compute a Statistic (S) and test it against a critical value and a probability value at a 5 % significance level (95% confidence level). If both criteria are met, then the null hypothesis of no trend is rejected in favor of the alternative hypothesis. Rejecting the null hypothesis suggests that the alternative hypothesis may be true. Alternative hypotheses are upward trend for S greater than zero and downward trend for S less than zero. If only one criterion or neither criteria are met, then the result is not enough evidence to show a trend. These statistical analyses are presented in Table 1 attached. A discussion of time trend plots and statistical analysis by individual monitoring well is provided below.

CW-3A – This is an overburden well located immediately downgradient of the landfill.

Plot observation: This well exhibited anomalous high results in June 2005, but has returned to lower levels the last seven samplings. TCE and cDCE have shown a decreasing trend the last three samplings, while vinyl chloride has been non-detect except in June 2005.

Statistical analysis: There is strong evidence of an upward trend in total VOC concentrations.

CW-3B – This is an overburden well located immediately downgradient of the landfill and adjacent to CW-3A. This well is approximately 12.5 feet deeper than CW-3A.

Plot observation: There is an apparent slight increasing trend in concentrations of TCE and cDCE.

Statistical analysis: There is strong evidence of an upward trend in total VOC concentrations.

CW-4B – This is an overburden well located immediately downgradient of the landfill.

Plot observation: The plot shows a slight downward trend with TCE and Vinyl chloride results non-detect the last five years and cDCE has been non-detect since December 2005.

Statistical Analysis: There is evidence of a downward trend, but not statistically significant at the 5% significance level (95% confidence level). Therefore, the result of the statistics is no trend.

MW-4D – This is a bedrock well located cross-gradient and East of the Northern portion of the landfill.

Plot observation: This well exhibits an apparent seasonal fluctuation in VOCs with an inverse proportional relationship to groundwater elevation. Elevated concentrations of primarily cDCE occur in the fall when groundwater elevations are low and then decrease in the spring when groundwater elevations are high. However, this seasonal fluctuation is not represented in the graph for the period of 2003 to 2007 when semi-annual sampling was conducted in the months of June and December and did not include samplings at low groundwater elevation periods. This period may have included times of elevated cDCE, but this is unknown because sampling was not conducted during periods of low groundwater levels.

Statistical Analysis: There is evidence of a downward trend, but not statistically significant at the 5% significance level (95% confidence level). Therefore, the result of the statistics is no trend.

MW-5S – This is an overburden well located cross-gradient and East of the central portion of the landfill.

Plot observation: There is a decreasing trend apparent from 1998 to 2002 and concentrations have remained low and relatively stable since 2002.

Statistical analysis: There is evidence of a downward trend, but not statistically significant at the 5% significance level (95% confidence level). Therefore, the result of the statistics is no trend.

MW-5D – This is a bedrock well located immediately adjacent to MW-5S.

Plot observations: cDCE is observed at higher concentrations than TCE and Vinyl chloride, but there is not an apparent increasing or decreasing trend.

Statistical analysis: There is no trend.

MW-11S – This is an overburden well located approximately 230 feet downgradient of the landfill and has been sampled semi-annually since 2005.

Plot observation: The plot shows fairly consistent VOC concentrations over time. TCE is the highest concentration (approximately 3 mg/L), cDCE is consistently around 0.5 mg/L and Vinyl chloride has been non-detect.

Statistical analysis: There is no trend.

MW-15S – This is an overburden well located cross/downgradient and approximately 600 feet from the landfill.

Plot observation: There is no discernable upward or downward trend. cDCE has been detected at concentrations between 0.011 mg/L and 0.04 mg/L, TCE fluctuates between

approximately 0.5 mg/L and non-detect and Vinyl chloride has been non-detect since 2002. However, this well does appear to exhibit seasonal fluctuations in VOC concentrations similar to MW-4D.

Statistical analysis: There is no trend.

MW-16S – This is an overburden well located approximately 1000 feet downgradient of the landfill. This well has been sampled on the same frequency as MW-11S.

Plot observation: cDCE, TCE and Vinyl chloride results are below detection limits, with the exception of TCE at 0.066 mg/L in September 2006.

Statistical analysis: Since there is only one VOC detection at this well; statistical analysis is not applicable.

MW-18S - This is an overburden well located cross-gradient and West of the northern portion of the landfill.

Plot observation: A time trend is not obvious, but there is a good correlation between cDCE and TCE, while Vinyl chloride has not been detected. cDCE and TCE concentrations increased in 2000 as compared to 1998 through 1999 and remained at similar concentration through 2007.

Statistical analysis: There is evidence of an upward trend. However, it should be noted that both criteria thresholds were just slightly exceeded, indicating that there is just enough evidence to reject no trend in favor of an upward trend.

Surface Water and Sediment

Surface water and sediment samples have been collected annually since 2000 from location SWS-1 (see figure 1). Prior to spring 2000 surface water and sediment samples were collected quarterly from SWS-1 and two other down stream locations. Additionally, three landfill perimeter seep samples were collected between 2001 and 2003. Seeps have not been observed active since 2003. SWS-1 is the currently required surface water and sediment sampling location; therefore results from this location are discussed below.

Location SWS-1 is located at the downstream side of the culvert within the drainage ditch that leads to an unnamed tributary to Duffy Hollow Creek. Both the unnamed tributary and Duffy Hollow Creek are classified as NYSDEC Class C streams. Since June 1998, 15 surface water samples have been collected at SWS-1. From these 15 samples, four samples have exhibited Class C surface water exceedances as presented in the table below.

SWS-1 Surface Water Class C Exceedances (mg/L)

Parameter	SWS-1 6/25/1998	SWS-1 12/2/1998	SWS-1 3/25/1999	SWS-1 6/16/2005	Class C Standard
Lead	0.0088		0.0089		0.008
Nickel			0.0176 B		0.0082
Thallium		0.0127			0.008
Total Dissolved Solids				642	500

VOCs have not been detected at SWS-1 with the following exceptions. There were three Acetone detections between 1998 and 1999, which are probable laboratory artifacts. cDCE was detected five times at a maximum concentration of 0.0067 mg/L. The last cDCE detection was reported in April 2003.

Sediment sampling at SWS-1 has shown typical metal and wet chemistry parameter detections along with minimal VOC detections. A summary of SWS-1 sediment detections is presented in the table below.

SWS-1 Sediment Analytical Result Summary (mg/Kg)

Parameter	Number of Samples	Number of Detections	Minimum Detection	Maximum Detection
Aluminum	7	7	8780	13100
Arsenic	15	15	7.16	73.4
Barium	15	15	51.2	348
Beryllium	7	5	0.628	0.876
Boron	7	2	27.1	41.1
Cadmium	15	2	0.18	1.14
Calcium	15	15	3850	43200
Chromium	15	15	7.26	21.2
Cobalt	7	7	9.9	17.4
Copper	15	15	10.2	25.5
Iron	15	15	11800	41200
Lead	15	15	6.22	30
Magnesium	15	15	1780	8490
Manganese	15	15	579	8160
Mercury	7	1	0.01	0.01
Nickel	15	15	10.3	32.3
Potassium	15	15	862	4600
Selenium	15	6	1.3	13.1
Sodium	15	12	81.9	1390
Thallium	7	1	3.21	3.21
Vanadium	7	7	11.2	23.4
Zinc	14	14	74.3	2610
1,1,2-Trichloroethane	15	1	0.012	0.012
1,2-Dichloroethane	15	1	0.012	0.012
2-Butanone (MEK)	15	2	0.004	0.033
Acetone	15	5	0.016	0.22
Chloromethane	15	1	0.004	0.004
Toluene	15	2	0.0027	0.071

SWS-1 Sediment Analytical Result Summary (mg/Kg)

Parameter	Number of Samples	Number of Detections	Minimum Detection	Maximum Detection
Alkalinity	15	14	376	14300
Ammonia Nitrogen	15	11	8.12	339
Biochemical Oxygen Demand	14	13	203	49500
Bromide	15	1	13.1	13.1
Chemical Oxygen Demand	15	15	15600	535000
Chloride	15	4	41.8	144
Hardness	14	13	689	44300
Sulfate	15	4	39.3	1700
Total Kjeldahl Nitrogen	15	15	168	5790
Total Organic Carbon (TOC)	10	10	0.34	46700
Total Phenolics	15	1	0.447	0.447
Total Solids	14	14	14.1	82.6

Groundwater Cut-off System

The groundwater cut-off system is intended to capture upgradient groundwater from the North and East landfill perimeters prior to contacting waste within the landfill. The North side collection trench drains to Manhole MH-32 located at the Northwest corner of the landfill, while the East side collection trench drains to Manhole MH-33 at the Southeast corner of the landfill. Both MH-32 and MH-33 are piped to drain either to the leachate collection system or to the landfill perimeter surface water drainage channels. To date, water in MH-32 and MH-33 has been drained to the leachate collection system. The pipes from the manholes to the drainage channel are closed with removable plugs. Sampling of these two manholes has been conducted since 1998 in anticipation of demonstrating acceptable water quality for discharge to the surface water drainage channels. A summary of parameters exceeding Class C surface water standards is provided below.

MH-32 & MH-33 Groundwater Cut-off System Class C Surface Water Exceedance Summary (mg/L)

Parameter	Number of Sample	Number of Detections	Minimum Detection	Maximum Detection	Class C Standard	Number of Class C Exceedances
Cobalt	12	4	0.0056	0.154	0.005	4
Lead	46	11	0.0027	0.165	0.008	7
Nickel	46	4	0.0056	0.272	0.0082	3
Thallium	12	3	0.0055	0.0178	0.008	2
Vanadium	12	4	0.0043	0.0826	0.014	2
Dichloromethane (Methylene chloride)	42	9	0.0027	1.9	0.2	1
Trichloroethene	42	20	0.0011	1.6	0.04	6
Ammonia Nitrogen	42	41	0.0955	7.69	2	12
Total Dissolved Solids	42	42	203	1650	500	16

Additionally, since cDCE, TCE and Vinyl chloride are the three primary constituents of concern in groundwater; time trend plots of these three compounds were created for MH-32 and MH-33 and are attached. MH-32, and to a greater extent MH-33, show a decreasing trend in these VOCs. However, at this time groundwater cut-off trench water does not meet standards to allow discharge to surface water.

Leachate

The quantity of leachate generated at the site has greatly decreased following the remedial action (please see attached graph). Leachate is sampled from the leachate sump. Since the groundwater cut-off system has drained to the leachate sump to date, leachate samples are a composite from the leachate collection system and groundwater cut-off trench. Various metals, VOCs and wet chemistry parameters are typically detected as presented in the summary table below.

Summary of Leachate Sump Detected Parameters (mg/L)

Parameter	Number of Samples	Number of Detections	Minimum Detection	Maximum Detection
Aluminum	5	4	0.164	8.76
Arsenic	21	12	0.0051	0.238
Barium	21	21	0.112	0.961
Boron	4	3	0.163	0.659
Cadmium	21	1	0.00572	0.00572
Calcium	21	21	78.7	151
Chromium	21	4	0.0101	0.0205
Cobalt	4	1	0.0034	0.0034
Copper	21	4	0.0043	0.0392
Iron	21	21	3.22	360
Lead	21	10	0.0043	0.0738
Magnesium	21	21	25.1	62.2
Manganese	21	21	3.72	13.7
Nickel	21	1	0.0054	0.0054
Potassium	21	21	3.57	16.9
Selenium	21	3	0.005	0.00981
Sodium	21	21	14.6	112
Tin	3	1	0.198	0.198
Vanadium	4	1	0.0632	0.0632
Zinc	18	11	0.0159	0.21
1,1-Dichloroethane	21	2	0.0014	0.0022
2-Butanone (MEK)	21	2	0.031	0.05
4-Methyl-2-pentanone	21	1	0.0049	0.0049
Acetone	21	5	0.0056	0.044
Benzene	21	2	0.0022	0.0044
Chlorobenzene	21	1	0.0019	0.0019
Chloroethane	21	1	0.0027	0.0027
Chloroform	21	2	0.0018	0.0034
cis-1,2-Dichloroethene	21	21	0.011	0.95
Dichloromethane (Methylene	21	2	0.0023	0.067

Summary of Leachate Sump Detected Parameters (mg/L)

Parameter	Number of Samples	Number of Detections	Minimum Detection	Maximum Detection
chloride)				
Ethyl benzene	21	6	0.005	0.1
m&p-Xylene	21	1	0.0075	0.0075
o-Xylene	21	1	0.0038	0.0038
Phenol	5	1	0.044	0.044
Toluene	21	4	0.0022	0.026
trans-1,2-Dichloroethene	21	4	0.0026	0.0075
Trichloroethene	21	14	0.0064	0.038
Vinyl chloride	21	16	0.0029	0.05
Alkalinity	19	19	276	566
Ammonia Nitrogen	19	19	0.0873	12.1
Biochemical Oxygen Demand	19	8	2.01	5.4
Bromide	19	3	1.02	1.43
Chemical Oxygen Demand	19	18	12.3	17100
Chloride	19	19	27.8	200
Color (True) (C.U.)	19	19	10	200
Hardness	19	19	328	675
Sulfate	19	19	4.26	26.3
Total Dissolved Solids	19	19	357	925
Total Kjeldahl Nitrogen	19	19	2.17	14.8
Total Organic Carbon (TOC)	18	18	2.04	26
Total Phenolics	19	1	0.00588	0.00588

Landfill Gas Monitoring

Landfill gas monitoring has been conducted at the site for approximately 10 years using an FID and an O₂/LEL meter. This monitoring has provided substantial characterization of the landfill gas and shown fairly consistent results. Several of the gas vents, leachate clean outs and manholes exhibit high concentrations of Methane and low levels of Oxygen, while the landfill perimeter readings are generally within normal background levels. Additional gas monitoring was conducted in June 2005 using a GEM 2000 landfill gas meter to provide more characterization of the landfill gas. The June 2005 monitoring showed several locations with Methane readings between approximately 33% and 97%. This monitoring has demonstrated that the primary landfill gas is Methane. Starting with the March 2007 monitoring event, a PID has been utilized instead of an FID. The PID provides monitoring of VOCs while an O₂/LEL meter continues to be used to monitor Oxygen and Methane.

Residential Water Supplies

There are 20 residential water supply locations in the monitoring program. The current monitoring schedule requires that three water supplies be sampled semi-annually (spring and fall) and the remaining 17 locations be sampled every three years. The table below presents a summary of detected parameters from the last five years of sampling, which includes sampling of the available 20 locations in 2005 and 2008.

Summary of 2004 through 2008 Residential Water Supply Detected Parameters (mg/L)

Parameter	Number of Samples	Number of Detections	Minimum Detection	Maximum Detection	Class GA Standard	Number of Class GA Exceedances	NYSDOH MCL	Number of NYSDOH MCL Exceedances
Barium	53	52	0.002	0.11	1	0	1	0
Calcium	53	53	3.4	54.4				
Copper	53	20	0.01	0.16	0.2	0	1	0
Iron	53	25	0.06	1	0.3	9	0.3	9
Lead	53	1	0.015	0.015	0.025	0	0.05	0
Magnesium	53	53	1.6	20.8				
Manganese	57	35	0.0054	2.8	0.3	14	0.3	14
Potassium	53	53	0.7	4.4				
Sodium	53	53	1.1	104	20	28		0
Zinc	53	11	0.011	0.22			5	0
cis-1,2-Dichloroethene	58	9	0.00084	0.0021	0.005	0		
Trichloroethene	58	9	0.0012	0.0028	0.005	0	0.005	0

As shown in the table above, two parameters (Iron and Manganese) have shown exceedances of standards during the last five years. Eight of the nine Iron exceedances are from location WAL-2, which is a seasonal hunting camp adjacent to the Southwest corner of the landfill. The other Iron exceedance is WAL-17 in November 2005. WAL-17 is located approximately 8000 feet from the landfill; therefore this exceedance is unlikely related to the site. The Manganese exceedances are from WAL-2 and WAL-20. WAL-20 is also located approximately 8000 feet from the site and Manganese concentrations have been near or below detection limits since this residential well was replaced in 2005. The VOC detections shown in the table above are from pre-filtered WAL-19 samples. WAL-19 is located Southeast of the landfill and includes a two-stage carbon treatment system maintained by the Village of Wellsville.

Summary of Monitoring Results Evaluation

Volatile Organic Compounds and to a lesser extent, metals, are the constituents of concern at the site. VOCs groundwater concentrations are stable at most wells and trending upward at three wells. The locations where VOCs are trending upward are immediately adjacent to the landfill and this upward trend is indicative of minimal groundwater flow. Groundwater level drawdown during sampling and slow recovery (in some cases days) further illustrate that groundwater flow is extremely measured. Metals have shown exceedances of standards in both upgradient and downgradient wells and in many cases are naturally occurring. Wet Chemistry parameters in groundwater are generally below standards and do not appear to be a good indicator of landfill impacts on groundwater at this site. This is contrary to typical municipal solid waste landfills and should be considered when evaluating future site monitoring needs. Surface water and sediment sampled at location SWS-1 appears un-impacted by the site. Groundwater collection system sampling shows some signs of decreasing concentrations, but results do not meet surface water standards at this time. Leachate continues to show several detections, but is generally

more dilute as compared to operating municipal landfills. Two Residential water supplies close to the landfill continue to show detections of constituents of concern.

These 11 years of monitoring results demonstrate that the remedial action goals continue to be met. Leachate quantities have greatly decreased following the remedial action. Surface water is not impacted by the site. Contaminated groundwater and landfill gas migration is being controlled. The remedial action has mitigated significant threats to public health and the environment.

Proposed Monitoring Program

Based on the above evaluation of monitoring results, a revised monitoring program has been designed to meet the needs of continued surveillance of the remedial objectives into the future. VOCs and metals are the primary constituents of concern and wet chemistry parameters do not appear to be good indicators at this site. The project analyte list is proposed to be revised to include field parameters, VOCs and metals with a few exceptions. The proposed monitoring requirements are presented in Table 2 attached and discussed below.

Groundwater

Groundwater sampling is proposed to be conducted annually, each Fall, in an attempt to capture annual high groundwater concentrations. Sampling locations will include currently sampled wells, with the following exceptions. Upgradient well MW-1D will not be sampled because upgradient water quality has been adequately characterized and no concern of an upgradient contaminate source. Sampling of overburden wells CW-3A and CW-4A will be discontinued because overburden wells CW-3B and CW-4B are immediately adjacent to these wells and show similar water chemistry. Bedrock well MW-15DA has not been sampled following the remedial action, because it has been dry. MW-15DA will be removed from the required sampling list.

Surface Water and Sediment

Surface water at location SWS-1 will be sampled during the annual Fall event with analysis for field parameters, VOCs, Metals, Nitrate Nitrogen and Total Dissolved Solids (TDS). Nitrate Nitrogen and TDS are tested in anticipation that the groundwater cut-off system may one day discharge to surface water and these two parameters frequently exceed Class C surface water standards in groundwater cut-off system water. Sediment sampling at this location has limited usefulness and is therefore discontinued.

Groundwater Cut-Off System

Manholes MH-32 and MH-33 will be sampled during the annual Fall event with analysis for field parameters, VOCs, Metals, Nitrate Nitrogen and TDS. Sampling of these locations is conducted in anticipation of future discharge to surface water.

Leachate

Leachate sump will be sampled during the annual Fall event.

Landfill Gas Monitoring


Landfill gas has been adequately characterized and has not been detected at the landfill perimeter; therefore landfill gas monitoring will be discontinued.

Residential Water Supply

Hunting camp WAL-2 will be sampled annually for metals. Resident WAL-5 will be sampled annually for VOCs and Metals. The two-stage carbon treatment unit will be maintained at residence WAL-19 with semi-annual sampling for VOCs prior to filtration, between the filters and post filtration. The remainder of the residential water supply sampling will be discontinued.

The Village of Wellsville and On-Site appreciate your review and consideration on this matter. If you have any questions or require any clarification on the information presented in this letter, please call the undersigned.

Sincerely,

A handwritten signature in black ink, appearing to read "Jonathan E. Brandes".

Jonathan E. Brandes, P.G.

Senior Geologist


cc: Bill Whitfield, Village of Wellsville

Judy Lynch, Village Trustee, Liaison to Landfill

Tamara S. Girard, NYSDOH

Attachments

SAMPLING LOCATIONS




ON-SITE TECHNICAL SERVICES, INC.

72 Railroad Avenue Wellsville, NY 14895

FIGURE NO.	1
PROJECT	WAL
DOCUMENT	2009 Site Review
FILE NO.	Fig 1 - Samp Locs.mxd

CW-3A Metals




Notes:

1. The majority of results for Manganese and Iron are non detect.
2. 1/2 Detection limit used for non-detects.

Date


CW-3B Metals



Notes:

1. A majority of results for Manganese and Iron are non-detects.
2. 1/2 detection limit used for non-detects.


CW-4B Metals



Notes:

1. 1/2 detection limit used for non-detects
2. Iron is non-detect on 4/25/2001, 4/9/2002, 6/8/2004, 6/20/2005, 3/28/2006, 9/25/2007 and 3/25/2008


MW-5D Metals



Notes:

- 1/2 Detection limit used for non-detects
- No water elevation available December 2003.


MW-5S Metals



Note:

- 1/2 detection limit used for non-detects.
- No water elevation available for December 2003.


MW-15S Metals



Notes:


1. 1/2 detection limit used for non-detects
2. Manganese is non-detect on 4/10/2002 and 9/28/2006.
3. VOCs only collected on 9/1/2001 due to insufficient water volume.

MW-18S Metals




Note:
1. 1/2 Detection limit used for non-detects

CW-3A VOCs




CW-3B VOCs



Notes:

- 1/2 Detection limit used for non-detects.
- Refer to Table B-1 (following graphs) for analytical results used in graphs.
- The majority of Vinyl chloride results are non-detect. Vinyl chloride results on 3/13/2000, 9/19/2000, 4/25/2001 and on 9/11/2001 are estimated values.
- Results for cDCE on 9/28/1999 are non-detect.
- D - This flag indicates a result from a diluted sample.
- Data with flag labeled on graph as appropriate.


CW-4B VOCs



Notes:

- 1/2 Detection limit used for non-detects.
- Refer to Table B-1 (following graphs) for analytical results used in graphs.
- TCE and Vinyl chloride results are either non-detect or estimated values.
- A majority of cDCE results are non-detect.


MW-4D VOCs



NOTES:

1. 1/2 Detection limit used for non-detects.
2. Refer to Table B-1 (following graphs) for analytical results used in graphs.
3. E - Results are greater than the calibration range of the instrument used for analysis
4. J - Estimated value.
5. D - This flag indicates a result from a diluted sample.
6. TCE is non-detect on 9/25/2007 and 3/24/2008.
7. Data with flag labeled on graph as appropriate.


MW-5S VOCs



Notes:

1. 1/2 Detection limit used for non-detects.
2. Refer to Table B-1 (following graphs) for analytical results used in graphs.
3. TCE result on 9/26/2002 is non-detect.
4. E - Results are greater than the calibration range of the instrument used for analysis.
5. D - This flag indicates a result from a diluted sample.
6. Data with flag labeled on graph as appropriate.
7. No water elevation available for December 2003.


MW-5D VOCs



Notes:

- 1/2 Detection limit used for non-detects.
- Refer to Table B-1 (following graphs) for analytical results used in graphs.
- TCE results on 6/9/1998, 9/23/1999, 6/23/1999, 9/28/1999, 3/14/2000 and 9/12/2001 are estimated values.
- Result for cDCE on 9/28/1999 is non-detect.
- J - Estimated values.
- D - This flag indicates a result from a diluted sample.
- Data with flag labeled on graph as appropriate.
- No water elevation available December 2003.


MW-11S VOCs



NOTES:

1. 1/2 Detection limit used for non-detects.
2. Refer to Table B-1 (following graphs) for analytical results used in graphs.
3. E - Results are greater than the calibration range to the instrument used for analysis.
4. Vinyl chloride results are non-detect with an exception of result on 6/17/1998.
5. Data with flag labeled on graph as appropriate.


MW-15S VOCs



Notes:

- 1/2 Detection limit used for non-detects.
- Refer to Table B-1 (following graphs) for analytical results used in graphs.
- J - Estimated value.
- All Vinyl chloride and a majority of TCE results are non-detect.
- Data with flag labeled on graph as appropriate.


MW-16S VOCs



Notes:


1. All values for cDCE, TCE and Vinyl chloride are non-detect with the exception of TCE on 9/27/2006.
2. There is no data available for MW-16S prior to December 2004.

MW-18S VOCs




Notes:

1. 1/2 Detection limit used for non-detects.
2. Refer to Table B-1 (following graphs) for analytical results used in graphs.
3. TCE results on 6/15/1998, 12/1/1998 and 3/26/1999 are estimated values.
4. Vinyl chloride results are non-detect; cDCE is non-detect on 9/29/1999 and 9/25/2007.



Notes:
1. 1/2 Detection limit used for non-detects.



Notes:
1. 1/2 Detection limit used for non-detects.

Table 1

Statistical Analysis of Groundwater Data (1998-2008)
Wellsville/Andover Landfill
Wellsville, New York

Monitoring Well CW-3A Total VOCs

COMPUTATIONS: Compute Statistic (S).

Date	6/17/98	12/1/98	3/25/99	6/24/99	9/29/99	12/16/99	3/13/00	9/19/00	4/26/01	9/11/01	4/10/02	9/25/02	4/7/03	12/16/03	6/8/04	12/7/04	6/20/05	12/6/05	3/30/06	9/28/06	3/30/07	9/25/07	3/25/08	9/17/08		
Event	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24		
Result (mg/L)	0.086	0.048	0.03	0.021	0.024	0.027	0.017	0.032	0.1301	0.113	0.207	0.178	0.156	0.438	0.451	0.398	1.143	0.291	0.204	0.349	0.26	0.418	0.19	0.118	Count "u"	Count "u"
	0.086	-	-	-	-	-	-	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	16	7
	0.048	-	-	-	-	-	-	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	16	6
	0.03	-	-	-	-	-	-	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	17	4
	0.021	-	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	17	4
	0.024	-	-	-	-	-	-	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	19	1
	0.027	-	-	-	-	-	-	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	18	1
	0.017	-	-	-	-	-	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	17	1
	0.032	-	-	-	-	-	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	17	0
	0.1301	-	-	-	-	-	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	16	0
	0.113	-	-	-	-	-	-	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	13	2
	0.207	-	-	-	-	-	-	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	14	0
	0.178	-	-	-	-	-	-	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	8	5
	0.156	-	-	-	-	-	-	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	10	2
	0.438	-	-	-	-	-	-	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	10	1
	0.451	-	-	-	-	-	-	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	2	8
	0.398	-	-	-	-	-	-	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	2	6
	1.143	-	-	-	-	-	-	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	2	7
	0.291	-	-	-	-	-	-	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	2	4
	0.204	-	-	-	-	-	-	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	3	2
	0.349	-	-	-	-	-	-	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	1	3
	0.26	-	-	-	-	-	-	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	1	2
	0.418	-	-	-	-	-	-	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	2
	0.19	-	-	-	-	-	-	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	1
																									203	73
																									Total "u"	Total "u"

S = Total Number of "u" minus Total Number of "n" = 130 STEP 4. a) Critical Value: From Table A-2, $z_{\alpha/2}$ (critical value at 5% significance level) = 1.645STEP 1. Null Hypothesis: H_0 : There is no trend. STEP 4. b) Probability Value: p -value = $(P(Z > z_\alpha) = 1 - z_\alpha)$ where z_α from Table A-1 = 0.9993 p -value = 0.0007STEP 2. Alternative Hypothesis: H_A : There is an upward trend.

STEP 5. a) Conclusion:

For testing the hypothesis, H_0 (no trend) against H_A - reject H_0 ifabsolute value of z_α is $> z_{\alpha/2}$ Since absolute value $z_\alpha = 3.1998 > 1.645$

we reject the null hypothesis of no trend

STEP 5. b) Conclusion:

For testing the hypothesis, H_0 (no trend) against H_A - reject H_0 if p -value

is less than significance level = 0.05.

Since p -value = 0.0007 < 0.05

we reject the null hypothesis of no trend

Therefore: We reject the null hypothesis of no trend in favor of the alternative hypothesis (i.e. evidence of upward trend).

Reference: USEPA Data Quality Assessment: Statistical Methods for Practitioner EPA QA/G-9S, dated February 2006

Table 1

Statistical Analysis of Groundwater Data (1998-2008)
Wellsville/Andover Landfill
Wellsville, New York

Monitoring Well CW-3B Total VOCs

COMPUTATIONS: Compute Statistic (S).

Date	6/17/98	12/1/98	3/25/99	6/24/99	9/28/99	12/13/99	3/13/00	9/19/00	4/25/01	9/11/01	4/9/02	9/24/02	3/31/03	12/16/03	6/8/04	12/7/04	6/20/05	12/6/05	3/30/06	9/28/06	3/30/07	9/25/07	3/25/08	9/17/08																		
Event	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24																		
Result (mg/L)	0.104	0.094	0.054	0.085	0.08	0.116	0.091	0.093	0.0939	0.0947	0.1251	0.099	0.1251	0.168	0.1765	0.189	0.274	0.537	0.262	0.262	0.326	0.347	0.298	0.348	Count "+"																	
0.104	-	-	-	-	-	+	-	-	-	-	+	-	+	+	+	+	+	+	+	+	+	+	+	+	14																	
0.094	-	-	-	-	-	+	-	-	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	16																	
0.054	-	-	-	+	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	21																	
0.085	-	-	-	-	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	19																	
0.08	-	-	-	-	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	19																	
0.116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0																	
0.091	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13																	
0.093	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17																	
0.0939	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0																	
0.0947	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0																	
0.1251	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14																	
0.099	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11																	
0.1251	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12																	
0.168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0																	
0.1765	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9																	
0.189	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0																	
0.274	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8																	
0.537	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5																	
0.262	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2																	
0.262	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0																	
0.326	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4																	
0.347	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4																	
0.298	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1																	
																									1																	
																									0																	
S = Total Number of "+" minus Total Number of "-" =																								210	STEP 4. a) Critical Value:				From Table A-2, z _{0.05} (critical value at 5% significance level) = 1.645												242	32
																																									Total "+"	Total "-"

S = Total Number of "+" minus Total Number of "-" = 210 STEP 4. a) Critical Value: From Table A-2, $z_{0.05}$ (critical value at 5% significance level) = 1.645

STEP 1. Null Hypothesis: H_0 : There is no trend. STEP 4. b) Probability Value: $p\text{-value} = (P(Z > z_0) = 1 - z_p$, where z_p from Table A-1 = 0.9999 (off scale)

$p\text{-value} = 0.0001$

STEP 2. Alternative Hypothesis: H_A : There is an upward trend.

STEP 5. a) Conclusion:

For testing the hypothesis, H_0 (no trend) against H_A - reject H_0 if

absolute value of z_0 is $> z_{0.05}$

Since absolute value $z_0 = 5.1873 > 1.645$

we reject the null hypothesis of no trend

For testing the hypothesis, H_0 (no trend) against H_A - reject H_0 if $p\text{-value}$

is less than significance level = 0.05.

Since $p\text{-value} = 0.0001 < 0.05$

we reject the null hypothesis of no trend

Therefore: We reject the null hypothesis of no trend in favor of the alternative hypothesis (i.e. evidence of upward trend)

STEP 3. Test Statistics:

$z_0 = S - \text{sign}(S) / \sqrt{V(S)} \times 0.5$ Where: $\text{sign}(S) = 1$ if $S > 0$, 0 if $S = 0$, and -1 if $S < 0$

and $V(S) = 1/18(n-1)(2n+5) - [(t_1-1)(2t_1+5) + t_2(2t_2+5) + \dots \text{up to } t_g]$

Where:

n (number of samples) = 24

t_1 = number of tied samples in the first group = 2

t_2 = number of tied samples in second group = 2

g = the number of tied sample groups

$V(S) = 1623.33$

$z_0 = 5.1873$

Reference: USEPA Data Quality Assessment: Statistical Methods for Practitioner EPA QA/G-9S, dated February 2006

Statistical Analysis of Groundwater Data (1998-2008)
Wellsville/Andover Landfill
Wellsville, New York

COMPUTATIONS: Compute Statistic (S).

[illegible]

S = Total Number of "+" minus Total Number of "-" = -95

STEP 1. Null Hypothesis:

STEP 2. Alternative Hypothesis: H_A : There is a downward trend.

STEP 3. Test Statistics:

$$z_0 = S - \text{sign}(S) / V(S)^{0.5} \quad \text{Where: } \text{sign}(S) = 1 \text{ if } S > 0, 0 \text{ if } S = 0, \text{ and } -1 \text{ if } S < 0$$

$$\text{and } V(S) = 1/18[n(n-1)(2n+5) - \{1, (1-1)(2l_1+5) + \{2, (1_2-1)(2l_2+5) + \dots \text{ up to } l_n\}]$$

Where: n (number of samples) = 19

 $t_1 = \text{number of tied samples in the first group} = 9$ $t_2 = \text{number of tied samples in second group} = 0$

g = the number of tied sample groups

$$V(S) = 725.00$$
$$z_0 = -3.4911$$

Therefore:

Reference: USEPA Data Quality Assessment: Statistical Methods for Practitioner EPA QA/G-9S, dated February 2006

1/2 detection limit used for non-detects.

Page 3 of 9

We fail to reject the null hypothesis of no trend at the 5% significance level (i.e. there is evidence of a downward trend but not enough to overrule no trend)

Table 1

Statistical Analysis of Groundwater Data (1998-2008)
Wellsville/Andover Landfill
Wellsville, New York

Monitoring Well MW-4D Total VOCs

COMPUTATIONS: Compute Statistic (S).

Date	6/9/98	12/1/98	3/24/99	6/23/99	9/28/99	12/13/99	3/14/00	9/21/00	4/24/01	9/12/01	4/11/02	9/26/02	3/28/03	12/18/03	6/9/04	12/9/04	5/21/05	12/7/05	3/29/06	9/27/06	3/27/07	9/25/07	3/24/08	9/16/08	12/11/08	Count "+"	Count "-"
Event	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	Count "+"	Count "-"
Result (mg/L)	1.83	15.3	1.784	6.774	11.25	6.81	2.35	3.07	2.0401	3.037	2.067	1.173	3.012	1.011	0.88	0.659	1.317	1.312	0.503	1.17	0.651	3.68	1.05	3.33	2.3	13	11
	1.83	15.3	-	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	23
	1.784	1.784	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	12	10
	6.774	6.774	-	+	+	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	19
	11.25	11.25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	20
	6.81	6.81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	19
	2.35	2.35	-	-	-	-	-	+	-	+	-	-	+	-	-	-	-	-	-	-	+	+	-	+	+	5	13
	3.07	3.07	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-	-	-	-	+	+	-	+	+	2	15
	2.0401	2.0401	-	-	-	-	-	-	-	+	-	-	+	-	-	-	-	-	-	-	+	+	-	+	+	8	10
	3.037	3.037	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	+	-	+	+	2	13
	2.067	2.067	-	-	-	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-	+	+	-	+	+	4	10
	1.173	1.173	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	+	-	+	+	6	7
	3.012	3.012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	+	-	+	+	2	10
	1.011	1.011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	+	-	+	+	7	4
	0.88	0.88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	+	-	+	+	7	3
	0.659	0.659	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	+	-	+	+	7	2
	1.317	1.317	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	+	-	+	+	3	5
	1.312	1.312	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	+	-	+	+	3	4
	0.503	0.503	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	+	-	+	+	6	0
	1.17	1.17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	+	-	+	+	3	2
	0.651	0.651	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	+	-	+	+	4	0
	3.68	3.68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	+	-	+	+	3	2
	1.06	1.06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	+	-	+	+	0	3
	3.33	3.33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	+	-	+	+	2	0
																										75	189
																										Total "+"	Total "-"

S = Total Number of "+" minus Total Number of "-" = -114 STEP 4. a) Critical Value: From Table A-2, $z_{0.05}$ (critical value at 5% significance level) = 1.645STEP 1. Null Hypothesis: H_0 : There is no trend. p-value = $P(Z > z_0) = 1 - z_0$, where z_0 from Table A-1 = 0.0041
STEP 2. Alternate Hypothesis: H_A : There is a downward trend. p-value = 0.9959STEP 3. Test Statistics: Where: $\text{sign}(S) = 1$ if $S > 0$, 0 if $S = 0$, and -1 if $S < 0$
 $z_0 = S - \text{sign}(S) / \sqrt{V(S)}$ and $V(S) = 1/18(n-1)(2n+5) - [t_1(t_1-1)(2t_1+5) + t_2(t_2-1)(2t_2+5) + \dots + t_g(t_g-1)(2t_g+5)]$
Where: n (number of samples) = 25
 t_1 = number of tied samples in the first group = 0
 t_2 = number of tied samples in second group = 0
 g = the number of tied sample groupsSTEP 4. b) Probability Value: For testing the hypothesis, H_0 (no trend) against H_A - reject H_0 if absolute value of z_0 is $> z_{0.05}$
Since absolute value $z_0 = 2.6391 > 1.645$
we reject the null hypothesis of no trend
STEP 5. a) Conclusion: For testing the hypothesis, H_0 (no trend) against H_A - reject H_0 if p-value is less than significance level = 0.05.
Since p-value = 0.9959 > 0.05
we fail to reject the null hypothesis of no trend
STEP 5. b) Conclusion: Therefore: We fail to reject the null hypothesis of no trend at the 5% significance level (i.e. there is evidence of a downward trend but not enough to over rule no trend)

References: USEPA Data Quality Assessment: Statistical Methods for Practitioner EPA QA/G-9S, dated February 2006

Statistical Analysis of Groundwater Data (1998-2008)
Wellsville/Andover Landfill
Wellsville, New York

Monitoring Well MW-5D Total VOCs

COMPUTATIONS: Compute Statistic (S).

[illegible]

STEP 1. Null Hypothesis:
 H_0 : There is no trend.
STEP 4. b) Probability Value:
 $p\text{-value} = (P(Z > z_0) = 1 - z_p, \text{ where } z_p \text{ from Table A-1} = 0.165$
 $p\text{-value} = 0.8350$

STEP 2. Alternative Hypothesis: H_A : There is a downward trend.

STEP 3. Test Statistics:

$$\epsilon_0 = S - \text{sign}(S) / V(S)^{0.5} \quad \text{Where: } \text{sign}(S) = 1 \text{ if } S > 0, 0 \text{ if } S = 0, \text{ and } -1 \text{ if } S < 0$$
$$n(\text{number of samples}) = 24$$
 t_i = number of tied samples in the first group = 0 n_2 = number of tied samples in second group = 0
$$n = \text{the number of tied cases/a ranking}$$

1575-33

3) = 1023.33
3) = 0.0574

Therefore: We fail to reject the null hypothesis of no trend (i.e. No trend / stable)

Table 1

Statistical Analysis of Groundwater Data (1998-2008)
Wellsville/Andover Landfill
Wellsville, New York

Monitoring Well MW-5S Total VOCs

COMPUTATIONS: Compute Statistic (S).

Date	6/9/98	12/1/98	3/24/99	6/23/99	12/16/99	3/14/00	9/20/00	4/23/01	9/12/01	4/11/02	9/26/02	3/28/03	12/18/03	6/9/04	12/9/04	6/22/05	12/7/05	3/29/06	9/28/06	3/27/07	9/25/07	3/26/08	9/17/08	Count "+"	Count "-"
Event	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
Result (mg/L)	3.06	4.796	0.116	2.413	5.14	2.03	2.41	1.6543	1.7	1.44	0.575	1.09	0.753	0.872	0.233	0.86	0.74	0.391	0.634	1.118	0.651	0.391	0.512		
3.06		+	-	-	+			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	20
4.796			-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	20
0.116				+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	20	0
2.413					+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	18
5.14						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	18
2.03						-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	16
2.41								-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	16
1.6543								-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	14
1.7									+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	14
1.44										-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	13
0.575									-		-	-	-	-	-	-	-	-	-	-	-	-	-	8	4
1.09												+		+	-	+	-	-	+	+	+	+	+	1	10
0.753														+	-	+	-	-	+	+	+	+	3	7	
0.872															-	+	-	-	+	+	+	+	1	8	
0.233														+	-	+	-	-	+	+	+	+	8	0	
0.86																+	-	-	-	+	+	+	1	6	
0.74																		-	-	+	+	+	1	5	
0.391																			+	+	+	+	2	2	
0.634																				+	+	+	4	0	
1.118																					+	+	2	2	
0.651																					-	-	0	3	
0.391																						-	-	0	2
																							+	1	0
S = Total Number of "+" minus Total Number of "-" = -140																								56	196
STEP 4. a) Critical Value: From Table A-2, z _{0.05} (critical value at 5% significance level) = 1.645																								Total "+"	Total "-"

From Table A-2, $Z_{0.05}$ (critical value at 5% significance level) = 1.645

STEP 1. Null Hypothesis: H_0 : There is no trend. p-value = $(P(Z > z_a) = 1 - z_p)$, where z_p from Table A-1 = 0.0001 (off scale)

p-value = 0.9999

STEP 2. Alternative Hypothesis: H_A : There is a downward trend.

STEP 3. Test Statistics: $Z_a = S - \text{sign}(S) / \sqrt{V(S)}$ Where: $\text{sign}(S) = 1$ if $S > 0$, 0 if $S = 0$, and -1 if $S < 0$

and $V(S) = 1/18(n(n-1)(2n+5) - (t_1(1-t_1)(2t_1+5) + t_2(1-t_2)(2t_2+5) + \dots \text{up to } t_g))$

Where: n (number of samples) = 23

t_1 = number of tied samples in the first group = 2

t_2 = number of tied samples in second group = 0

g = the number of tied sample groups

$V(S) = 1432.67$

$Z_a = -3.6723$

For testing the hypothesis, H_0 (no trend) against H_A - reject H_0 if absolute value of Z_a is $> Z_{0.05}$

Since absolute value $Z_a = -3.6723 > 1.645$

we reject the null hypothesis of no trend

For testing the hypothesis, H_0 (no trend) against H_A - reject H_0 if p-value is less than significance level = 0.05.

Since p-value = 0.9999 > 0.05

we fail to reject the null hypothesis of no trend

Therefore: We fail to reject the null hypothesis of no trend at the 5% significance level (i.e. there is evidence of a downward trend but not enough to over rule no trend)

Reference: USEPA Data Quality Assessment: Statistical Methods for Practitioner EPA QA/G-9S, dated February 2006

Table 1

Statistical Analysis of Groundwater Data (1998-2008)
Wellsville/Andover Landfill
Wellsville, New York

Monitoring Well MW-11S Total VOCs

COMPUTATIONS: Compute Statistic (S).

Date Event	6/17/98	12/8/04	6/23/05	12/8/05	3/31/06	9/27/06	3/30/07	9/26/07	3/24/08	9/17/08	
Result (mg/L)	2.752	3.42	3.73	3.73	3.66	3.54	3.4	3.72	3.05	3.21	Count "+"
2.752		+	+	+	+	+	+	+	+	+	Count "-"
3.42		+	+	+	+	+	+	+	+	+	0
3.73				0							3
3.73											6
3.66											6
3.54											4
3.4											3
3.72											2
3.05											0
											Total "+"
											18
											Total "-"
											26

S = Total Number of "+" minus Total Number of "-" = -8

STEP 4. a) Critical Value:

From Table A-2, $z_{0.95}$ (critical value at 5% significance level) = 1.645

STEP 1. Null Hypothesis:

H_0 : There is no trend.

STEP 4. b) Probability Value:

p-value = $(P(Z > z_0)) = 1 - z_{0.95}$ where z_0 from Table A-1 = 0.2648

STEP 2. Alternative Hypothesis:

H_A : There is a downward trend.

STEP 3. Test Statistics:

$z_0 = S - \text{sign}(S) / \sqrt{V(S)}$ Where: $\text{sign}(S) = 1$ if $S > 0$, 0 if $S = 0$, and -1 if $S < 0$
and $V(S) = 1/18(n(n-1)(2n+5) - [t_1(t_1-1)(2t_1+5) + t_2(t_2-1)(2t_2+5)] + \dots \text{up to } t_g\})$

Where:

n (number of samples) = 10

t_1 = number of tied samples in the first group = 2

t_2 = number of tied samples in second group = 0

g = the number of tied sample groups

$V(S) = 124.00$

$z_0 = -0.6286$

STEP 5. a) Conclusion:

For testing the hypothesis, H_0 (no trend) against H_A - reject H_0 if absolute value of z_0 is $> z_{0.95}$

Since absolute value $z_0 = 0.6286 < 1.645$

we fail to reject the null hypothesis of no trend

STEP 5. b) Conclusion:

For testing the hypothesis, H_0 (no trend) against H_A - reject H_0 if p-value is less than significance level = 0.05.

Since p-value = 0.7352 > 0.05

we fail to reject the null hypothesis of no trend

Therefore: We fail to reject the null hypothesis of no trend (i.e. No trend / stable)

Reference: USEPA Data Quality Assessment: Statistical Methods for Practitioner EPA QA/G-9S, dated February 2006

Table 1

Statistical Analysis of Groundwater Data (1998-2008)
Wellsville/Andover Landfill
Wellsville, New York

Monitoring Well MW-15S Total VOCs

COMPUTATIONS: Compute Statistic (S).

Date	6/17/98	3/25/99	12/16/99	3/13/00	4/26/00	9/21/00	9/11/01	4/10/02	3/31/03	12/16/03	6/8/04	12/8/04	12/7/05	3/30/06	9/28/06	3/29/07	9/26/07	3/24/08	9/16/08	9/17/08	Count "+"	Count "-"
Event	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	Count "+"	Count "-"
Result (mg/L)	0.103	0.027	0.073	0.037	0.04	0.0276	0.0286	0.025	0.014	0.0262	0.036	0.011	0.015	0.0463	0.0488	0.02	0.031	0.016	0.0416	0.0416	0	19
0.103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	19
0.027	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	11	7
0.073	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	17
0.037	-	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	11
0.04	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	11
0.0276	-	-	-	-	-	-	+	-	-	-	+	-	-	+	+	-	+	+	+	+	7	7
0.0286	-	-	-	-	-	-	-	-	-	-	+	-	-	+	+	-	+	+	+	+	6	7
0.025	-	-	-	-	-	-	-	-	-	-	+	-	-	+	+	+	+	+	+	+	7	5
0.014	-	-	-	-	-	-	-	-	-	+	+	-	+	+	+	+	+	+	+	+	10	1
0.0262	-	-	-	-	-	-	-	-	-	-	+	-	-	+	+	+	+	+	+	+	6	4
0.036	-	-	-	-	-	-	-	-	-	-	+	-	-	+	+	-	-	-	+	+	4	5
0.011	-	-	-	-	-	-	-	-	-	-	-	-	+	+	+	+	+	+	+	+	8	0
0.015	-	-	-	-	-	-	-	-	-	-	-	-	-	+	+	+	+	+	+	+	7	0
0.0463	-	-	-	-	-	-	-	-	-	-	-	-	-	+	+	+	+	+	+	+	1	5
0.0488	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-	-	-	-	0	5
0.02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1
0.031	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1
0.016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	0
0.0416	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0
																					83	106
																					Total "+"	Total "-"

S = Total Number of "+" minus Total Number of "-" = -23

STEP 1. Null Hypothesis:

H_0 : There is no trend.

STEP 2. Alternative Hypothesis:

H_A : There is a downward trend.

STEP 3. Test Statistics:

$z_a = S - \text{sign}(S) / \sqrt{V(S)}$ Where: $\text{sign}(S) = 1$ if $S > 0$, 0 if $S = 0$, and -1 if $S < 0$
and $V(S) = 1/18(n-1)(2n+5) - [(t_1(t_1-1)(2t_1+5) + t_2(t_2-1)(2t_2+5)) \dots \text{up to } t_g]$

Where:

n (number of samples) = 20

t_1 = number of tied samples in the first group = 2

t_2 = number of tied samples in second group = 0

g = the number of tied sample groups

$V(S) = 949.00$

$z_a = -0.7142$

Therefore:

We fail to reject the null hypothesis of no trend (i.e. No trend / stable)

Reference: USEPA Data Quality Assessment: Statistical Methods for Practitioner EPA QA/G-9S, dated February 2006

Table 1

Statistical Analysis of Groundwater Data (1998-2008)
Wellsville/Andover Landfill
Wellsville, New York

Monitoring Well MW-18S Total VOCs

COMPUTATIONS: Compute Statistic (S).

Date	6/15/98	12/1/98	3/26/99	6/28/99	9/29/99	12/20/99	3/21/00	6/21/00	9/21/00	12/1/01	4/12/02	9/25/02	4/3/03	12/17/03	6/11/04	12/9/04	6/23/05	12/6/05	3/28/06	9/27/06	3/28/07	9/25/07	3/26/08	9/16/08		
Event	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24		
Result (mg/L)	0.024	0.026	0.018	0.038	0.04	0.049	0.087	0.139	0.097	0.132	0.155	0.123	0.134	0.157	0.117	0.167	0.197	0.155	0.099	0.152	0.097	0.0052	0.074	0.0141	Count "+"	Count "-"
	0.024	+	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	20	3
	0.026			+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	19	3
	0.018			+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	19	2
	0.038				+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	18	2
	0.04					+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	17	2
	0.049						+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	16	2
	0.087							+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	14	3
	0.139								+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	6	10
	0.097									+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	11	3
	0.132										+	+	+	+	+	+	+	+	+	+	+	+	+	+	7	7
	0.155											+	+	+	+	+	+	+	+	+	+	+	+	+	3	9
	0.123												+	+	+	+	+	+	+	+	+	+	+	+	6	6
	0.134													+	+	+	+	+	+	+	+	+	+	+	5	6
	0.157														+	+	+	+	+	+	+	+	+	+	2	8
	0.117															+	+	+	+	+	+	+	+	+	4	5
	0.167																+	+	+	+	+	+	+	+	1	7
	0.197																	+	+	+	+	+	+	+	0	7
	0.155																		+	+	+	+	+	+	0	6
	0.099																			+	+	+	+	+	1	4
	0.152																				+	+	+	+	0	3
	0.097																					+	+	+	0	0
	0.0052																						+	+	2	0
	0.074																								0	1
																									Total "+"	Total "-"
																									171	103

S = Total Number of "+" minus Total Number of "-" = 68 STEP 4. a) Critical Value: From Table A-2, $z_{0.95}$ (critical value at 5% significance level) = 1.645STEP 1. Null Hypothesis: H_0 : There is no trend. STEP 4. b) Probability Value: $p\text{-value} = (P(Z > z_0)) = 1 - z_{p_0}$ where z_p from Table A-1 = 0.9516
 $p\text{-value} = 0.0482$ STEP 2. Alternative Hypothesis: H_A : There is an upward trend.STEP 3. Test Statistics: $z_0 = S - \text{sign}(S) / V(S)^{0.5}$ Where: $\text{sign}(S) = 1$ if $S > 0$, 0 if $S = 0$, and -1 if $S < 0$
and $V(S) = 1/18(n(n-1)(2n+5) - [t_1(t_1-1)(2t_1+5) + t_2(t_2-1)(2t_2+5)] + \dots \text{up to } t_g)$
Where: n (number of samples) = 24
 t_1 = number of tied samples in the first group = 2
 t_2 = number of tied samples in second group = 2
 g = the number of tied sample groupsSTEP 5. a) Conclusion: For testing the hypothesis, H_0 (no trend) against H_A - reject H_0 if absolute value of z_0 is $> z_{0.95}$
Since absolute value $z_0 = 1.6529 > 1.645$
we reject the null hypothesis of no trendSTEP 5. b) Conclusion: For testing the hypothesis, H_0 (no trend) against H_A - reject H_0 if $p\text{-value}$ is less than significance level = 0.05.
Since $p\text{-value} = 0.0482 < 0.05$
we reject the null hypothesis of no trend

Therefore: We reject the null hypothesis of no trend in favor of the alternative hypothesis (i.e. evidence of upward trend)

Reference: USEPA Data Quality Assessment: Statistical Methods for Practitioner EPA QA/G-9S, dated February 2006

Table 2

**2009 Proposed Monitoring Program
Wellsville/Andover Landfill**

Location	Current Sampling Frequency	Proposed Sampling Frequency	Proposed Analyte List ¹
----------	----------------------------	-----------------------------	------------------------------------

Groundwater

CW-3A	Semiannual	NR	NR
CW-3B	Semiannual	Annual - Fall	Field, VOCs, Metals
CW-4A	Annual	NR	NR
CW-4B	Semiannual	Annual - Fall	Field, VOCs, Metals
MW-15DA	Semiannual	NR	NR
MW-15S	Semiannual	Annual - Fall	Field, VOCs, Metals
MW-17D	Annual	Annual - Fall	Field, VOCs, Metals
MW-17S	Annual	Annual - Fall	Field, VOCs, Metals
MW-18D	Annual	Annual - Fall	Field, VOCs, Metals
MW-18S	Semiannual	Annual - Fall	Field, VOCs, Metals
MW-1D	Annual	NR	NR
MW-3D	Annual	Annual - Fall	Field, VOCs, Metals
MW-3S	Annual	Annual - Fall	Field, VOCs, Metals
MW-4D	Semiannual	Annual - Fall	Field, VOCs, Metals
MW-5D	Semiannual	Annual - Fall	Field, VOCs, Metals
MW-5S	Semiannual	Annual - Fall	Field, VOCs, Metals
MW-11S	Semiannual	Annual - Fall	VOCs
MW-16S	Semiannual	Annual - Fall	VOCs

Surface Water

SWS-1	Annual	Annual	Field, VOCs, Metals, Wet Chem
-------	--------	--------	-------------------------------

Sediment

SWS-1	Annual	NR	NR
-------	--------	----	----

Groundwater Cut-Off System

MH-32	Semiannual	Annual - Fall	Field, VOCs, Metals, Wet Chem
MH-33	Semiannual	Annual - Fall	Field, VOCs, Metals, Wet Chem

Leachate

LS-1	Semiannual	Annual - Fall	Field, VOCs, Metals
------	------------	---------------	---------------------

Notes

NR = Not required unless site conditions warrant (i.e., significant leachate breakout, leachate spill, etc.)

¹ - Field = Field Parameters (pH, Conductivity, Dissolved Oxygen, Turbidity, Oxidation Reduction Potential)

- VOCs = Volatile Organic Compounds method 8260

- Metals = As, Ba, Cd, Ca, Cr, Cu, Fe, Pb, Mg, Mn, Ni, P, Se, Na, Z

- Wet Chem = Nitrate Nitrogen and Total Dissolved Solids


² WAL-19 tested for VOCs prior to filters, between filters and after filters

Location	Current Sampling Frequency	Proposed Sampling Frequency	Proposed Analyte List ¹
----------	----------------------------	-----------------------------	------------------------------------

Residential Water Supply

WAL-1	Every 3 Years	NR	NR
WAL-2	Semiannual	Annual	Metals
WAL-3	Every 3 Years	NR	NR
WAL-4	Every 3 Years	NR	NR
WAL-5	Semiannual	Annual	VOCs, Metals
WAL-6	Every 3 Years	NR	NR
WAL-7	Every 3 Years	NR	NR
WAL-8	Every 3 Years	NR	NR
WAL-9	Every 3 Years	NR	NR
WAL-10	Every 3 Years	NR	NR
WAL-11	Every 3 Years	NR	NR
WAL-12	Every 3 Years	NR	NR
WAL-13	Every 3 Years	NR	NR
WAL-14	Every 3 Years	NR	NR
WAL-15	Every 3 Years	NR	NR
WAL-16	Every 3 Years	NR	NR
WAL-17	Every 3 Years	NR	NR
WAL-18	Every 3 Years	NR	NR
WAL-19	Semiannual	Semiannual	VOCs ²
WAL-20	Every 3 Years	NR	NR

Leachate Quantity Wellsville-Andover Landfill



New York State Department of Environmental Conservation

Division of Environmental Remediation, Region 9

270 Michigan Avenue, Buffalo, New York 14203-2915

Phone: (716) 851-7220; Fax (716) 851-7226

Website: www.dec.ny.gov



Alexander B. Grannis
Commissioner

May 12, 2009

William Whitfield
Director of Public Works
Village of Wellsville
200 Bolivar Road
Wellsville, New York 14895

Dear Mr. Whitfield:

Wellsville-Andover Landfill
Site hw902004
Wellsville, Alleghany County

The New York State Department of Environmental Conservation (NYSDEC) and the New York State Department of Health (NYSDOH) have reviewed the Site Monitoring Evaluation and Proposed Revised Monitoring Plan dated April 3, 2009, for the Wellsville-Andover Landfill site. This plan recommends modification of the environmental sampling for the landfill and the surrounding residences. Based on this review, the following determinations regarding the sampling frequency have been made.

Groundwater Monitoring Well CW-3A

This overburden monitoring well has increasing Volatile Organic Compounds (VOC) contamination and should be retained for annual sampling for field, VOC and metal analytes. It monitors a different interval of the overburden formation than the neighboring CW-3B monitoring well. The location is adjacent and downgradient from the landfill and could be an important sentinel well if the groundwater flow patterns should change.

Groundwater Monitoring Wells CW-3B, CW-4B, MW-15S, MW-17D, MW-17S, MW-18D, MW-18S, MW-3D, MW-3S

We concur with the proposed annual frequency and the proposed analyte list for these monitoring wells.

Groundwater Monitoring Well CW-4A

This monitoring well should be retained for annual sampling since it monitors a different interval of the overburden formation than the neighboring CW-4B. The location is adjacent and downgradient from the landfill and could be an important sentinel well if the groundwater flow patterns should change.

Groundwater Monitoring Well MW-15DA

This bedrock well has not been sampled following the remedial action since it has been dry. We concur with the removal from the required sampling list. This monitoring well should be decommissioned.

Groundwater Monitoring Well MW-1D

This monitoring well can also be decommissioned. MW-3S and MW-3D can both function as the upgradient monitoring wells. We concur with the deletion from the sampling schedule. This monitoring well is located at too great a distance to be useful as an upgradient well.

Groundwater Monitoring Wells MW-4D, MW-5D, MW-5S, MW-11S and MW-16S

These monitoring wells should all be sampled annually for the field, VOCs and metals parameters. In addition, there should be a sampling round in the spring for VOCs only. The VOCs in MW-4D, MW-5D, MW-5S and MW-11S are of concern to the Departments. In addition, groundwater concentrations in the sentinel landfill well MW-16 is of particular concern, since it is the furthest downgradient monitoring well from the landfill. If MW-16 becomes contaminated, there should be an assessment of both the remedy and the downgradient monitoring and residential sampling.

Surface Water and Sediment Sampling – SWS-1

Since these monitoring points are potential exposure points, they should be monitored annually for the field, VOCs and metals parameters. In addition the surface water and sediment sampling should be sampled for the full wet chemistry list that it currently in effect.

Groundwater Cut-Off System MH-32, MH-33 and Leachate LS-1

We concur with the proposed sampling frequency and analyte list for these sampling points.

Recommendation to discontinue sampling of several residential wells

We concur with the recommendation to discontinue sampling at the following residential wells currently within the sampling program:

WAL-1:Shettine Residence; WAL-16 Cornell Residence

No site-related constituents have been detected in these wells at concentrations that exceed NYSDOH standards for public drinking water supplies. Additionally, given that the WAL-1 residence is currently unoccupied and the WAL-16 residence is significantly distant from the landfill, we agree with the recommendation to discontinue sampling of these wells.

WAL-3: Gephart Residence; WAL-4: Hanabach Residence; WAL-8: Dodge Residence; WAL-9: Greene Residence; WAL-10: Schettine Residence; WAL-14 Carl Residence; WAL-18: Geffer Residence; WAL-13: Wispel Residence; WAL-15: Kelly Residence

Sodium has been detected in these residential wells at concentrations that exceed NYSDOH public drinking water standards. Standards for sodium were originally based on aesthetic and taste properties, and the NYSDOH public drinking water supply guideline for people on severely restricted sodium diet is no more than 20 mg/L of sodium. If concerned about sodium intake, the homeowner may wish to use an alternate supply of water for drinking and cooking purposes. While semi-volatile organic compounds have been detected sporadically in several sampling events, these compounds were detected at concentrations significantly lower than the NYSDOH public drinking water standards. Based on this information, we agree with the recommendation to discontinue sampling of these wells.

WAL-6: Cimino Residence

Iron and manganese have been detected at concentrations that exceed NYSDOH public drinking water standards in two sampling events. However, no compounds were detected at levels which exceed NYSDOH drinking water standards in the last three of the six sampling events completed. Based on this information, we agree with the recommendation to discontinue sampling of this well.

WAL-11: Urban Residence

Iron has been historically detected in WAL-11 at concentrations that exceed NYSDOH public drinking water standards. However, levels of iron detected in the last of the twelve sampling events completed did not exceed drinking water standards. Standards for iron were based on aesthetic properties and were set to prevent problems such as poor taste, odor and fixture staining. Given this information, we concur with the recommendation to discontinue sampling of this well.

WAL-12: Blaske Residence

Iron and sodium have been detected in this residential well during the three completed sampling events at concentrations that exceed NYSDOH public drinking water standards. Standards for sodium and iron were based on aesthetic and taste properties, and the NYSDOH public drinking water supply guideline for people on severely restricted sodium diet is no more than 20 mg/L of sodium. If concerned about sodium intake, the homeowner may wish to use an alternative supply of water for drinking and cooking purposes. Based on this information, we concur with the recommendation to discontinue sampling of this well.

WAL-17: Meisenzahl Residence

Iron and sodium have been detected at WAL-17 at concentrations that exceed NYSDOH public drinking water standards. Standards for sodium and iron were based on aesthetic and taste properties, and the NYSDOH public drinking water supply guideline for people on a severely restricted sodium diet is no more than 20 mg/L of sodium. If concerned about sodium intake, the homeowner may wish to use an alternate supply of water for drinking and cooking purposes. Based on this information, we agree with the proposal to discontinue sampling of this well.

WAL-20: Fanton Residence

Current sampling frequency: every three years

Proposed sampling frequency: discontinue sampling

Three sampling events have been completed since the granulated activated carbon filter system was removed from WAL-20 in January of 2007 (subsequent to placement of a new drinking water well in 2005). With the exception of sodium, no site-related constituents have been detected in WAL-20 at levels that exceed applicable standards. Additionally, this well is located a substantial distance from the landfill. Based on this information, we agree with the recommendation to discontinue sampling of this well.

Recommendation to modify sampling frequency

We concur with the recommendation to modify the sampling frequency at the following residential wells currently within the sampling program:

WAL-2: Rossini Residence

Inorganic compounds (metals), including sodium, iron and manganese have historically been detected in WAL-2 at concentrations that exceed NYSDOH public drinking water standards. We understand that this residence is adjacent to the Wellsville-Andover landfill, is occupied seasonally and that the homeowner uses bottled water as a source of potable water while in-residence. Given this information, we concur with the recommendation of annual sampling for metals compounds. This is reduced from semi-annual sampling for inorganic compounds.

WAL-5: Ormsby Residence

Volatile organic compounds, including cis-1,2-dichloroethene and trichloroethene and metals compounds have been detected at low concentrations (below NYSDOH drinking water standards) in WAL-5. The concentrations of these compounds has remained relatively consistent over semi-annual sampling events completed from 1998 to 2002 and have not been detected in the last twelve sampling events. Based on this information, we concur with the recommendation to reduce the sampling frequency from semi-annual to annual sampling.

WAL-19: LaDue Residence

We concur with the recommendation to continue semi-annual sampling.

Although a review of the available data supports the proposed modifications to the sampling program, it should be noted that, should conditions change additional sampling or re-sampling of the environmental media may be warranted and requested by either NYSDOH or NYSDEC.

If you have any questions, please contact me at 716-851-7220.

Sincerely,

Linda C. Ross

Linda C. Ross
Project Manager
Division of Environmental Remediation

LCR/tml

cc: Mr. Jonathan Brandes, On-Site Technical Services, Inc
Ms. Tamara Girard, NYSDOH

Jon Brandes

From: "Linda Ross" <lcross@gw.dec.state.ny.us>
To: "Jon Brandes" <Jonb@on-sitehs.com>
Cc: "Tamara Girard" <tsg01@health.state.ny.us>; "William Whitfield" <billwhitfield@wellsvillenyny.com>
Sent: Friday, May 22, 2009 1:15 PM
Attach: MON PROGRAM REV Table.xls
Subject: Fwd: Wellsville Andover Landfill

Jon, I agree with your proposal below in the email and the attached monitoring schedule. Please continue with the landfill gas monitoring, since they are potential exposure points. Thanks. L.

Linda C. Ross
Engineering Geologist 1
New York State Department of Environmental Conservation
Region 9
270 Michigan Avenue
Buffalo, NY 14203-2999
lcross@gw.dec.state.ny.us
office: 716. 851. 7220
fax: 716. 851. 7226

>>> "Jon Brandes" <Jonb@on-sitehs.com> 5/22/2009 11:59 AM >>>
Linda,

Based on your response to the site evaluation and proposed monitoring program, we have revised the monitoring program table - please see attached. We will follow this schedule starting with the fall event. One item that was not commented on is the request to discontinue landfill gas monitoring. Please provide comment.

Also I propose the following for reporting:

- 1) The spring 2009 sampling event was completed following the old monitoring schedule and the typical report will be completed.
- 2) For each future spring and fall event a letter report will be prepared once analytical results are received. The letter report will present the results of the monitoring event.
- 3) A annual report each year similar to previous annual reports.

Thanks and have a great holiday weekend!!

Jon Brandes, P.G.
Senior Geologist
On-Site Technical Services, Inc.
72 Railroad Ave
Wellsville, NY 14895
Phone: 585-593-1824
Fax: 585-593-7471

Figure 5-3

**QUARTERLY INSPECTION AND MAINTENANCE CHECKLIST
WELLSVILLE/ANDOVER LANDFILL SITE
NYSDEC SITE NO. 9-02-004**

Inspector: <u>WILLIAM WHITFIELD</u>		Date: <u>3/20/09</u>	
Weather: <u>CLOUDY</u>		Temperature: <u>33°</u>	
Area	Item	Action	Comments
Cover system	Seeps	Delineate, sample, evaluate.	NONE
	Subsidence/ponding	Delineate, fill, and revegetate.	NONE
	Erosion/gullies	Determine cause, grade, and vegetate.	NONE
	Slope stability	Check for erosion, slippage, slope failure.	MINOR SLIPPAGE (EAST) <i>Will Monitor</i>
	Vegetation	Check for areas of weak/no vegetation, revegetate.	OK
		Mow semiannually.	Mowed 10/08
		Remove scrubs and trees from cover system and drainage ways.	NONE
	Vectors	Check for burrows and backfill with clean soil.	NONE
Leachate collection and storage system	USTs	Check leachate levels, check/test leak detection system and auto dialer; check for sediment in bottom of tanks.	JAN./FEB./MAR. 762,740
	Pump stations	Check pump operation.	OK
		Check float operation. Perform manufacturer's recommended maintenance. Operate/cycle valves. Check sump for floating debris and sediments.	OK
	Forcemain	Check for leaks.	NONE
	Laterals and trunk line	Check for and record VOCs at each manhole and cleanout; check for line blockage visually; lubricate locks.	SAMPLING BY ON-SITE TESTING
	Groundwater cutoff manholes	Collect and analyze sample of liquid in cutoff trench. Note which line (surface drainage or LCS) is plugged.	PERFORMED BY ON-SITE TESTING
Gas venting system	Odors	Check for and record VOCs and methane (explosimeter) upwind, at each vent, and at perimeter of property. Check physical condition of vent and screen.	PERFORMED BY ON-SITE TESTING

Figure 5-3

QUARTERLY INSPECTION AND MAINTENANCE CHECKLIST
WELLSVILLE/ANDOVER LANDFILL SITE
NYSDEC SITE NO. 9-02-004

Inspector: <u>William Whitfield</u>		Date: <u>3/30/09</u>	
Weather: <u>Cloudy</u>		Temperature: <u>33°</u>	
Area	Item	Action	Comments
Stormwater system	Ditches and swales	Check for pooling, erosion, excessive vegetation, and weak vegetation.	NONE
	Cover system drainage	Check for cover soils that are excessively wet, slope failure without evidence of fill subsidence. Check condition of geocomposite drainage layer at cover perimeter.	OK
	Culverts	Check condition and for blockage and erosion.	NONE
	Detention ponds	Check outlet structure for blockage and general condition.	OK
		Check for siltation/silt buildup, erosion, condition of vegetation and embankments.	OK
Groundwater monitoring system	Sampling wells	See Section 4.	PERFORMED BY ON-SITE TESTING
		Check condition of caps, locks, surface seals, and markings. Lubricate locks.	OK
Facility access system	Roads	Check condition. Check for erosion, potholes.	OK
	Access gate	Check condition. Lubricate lock.	OK
Other		Comments	L-27, L-29 SCHEDULED
			DBE PRESSURE TESTED THIS
			SPRING

Signed: _____

Date: 3/30/09

Figure 5-3

**QUARTERLY INSPECTION AND MAINTENANCE CHECKLIST
WELLSVILLE/ANDOVER LANDFILL SITE
NYSDEC SITE NO. 9-02-004**

Inspector: <u>WILLIAM WHITEFIELD</u>		Date: <u>6/18/09</u>	
Weather: <u>Cloudy / Seals</u>		Temperature: <u>66°</u>	
Area	Item	Action	Comments
Cover system	Seeps	Delineate, sample, evaluate.	NONE
	Subsidence/ponding	Delineate, fill, and revegetate.	NONE
	Erosion/gullies	Determine cause, grade, and vegetate.	NONE
	Slope stability	Check for erosion, slippage, slope failure.	OK No suppage EVIDENT AT THIS TIME
	Vegetation	Check for areas of weak/no vegetation, revegetate.	OK
		Mow semiannually.	Mowed 10/08
		Remove scrubs and trees from cover system and drainage ways.	NONE
	Vectors	Check for burrows and backfill with clean soil.	NONE
Leachate collection and storage system	USTs	Check leachate levels, check/test leak detection system and auto dialer; check for sediment in bottom of tanks.	APRIL/MAY/JUNE 345,579
	Pump stations	Check pump operation.	OK
		Check float operation. Perform manufacturer's recommended maintenance. Operate/cycle valves. Check sump for floating debris and sediments.	OK
	Forcemain	Check for leaks.	NONE
	Laterals and trunk line	Check for and record VOCs at each manhole and cleanout; check for line blockage visually; lubricate locks.	PERFORMED BY ON-SITE TESTING
	Groundwater cutoff manholes	Collect and analyze sample of liquid in cutoff trench. Note which line (surface drainage or LCS) is plugged.	PERFORMED BY ON-SITE TESTING
Gas venting system	Odors	Check for and record VOCs and methane (explosimeter) upwind, at each vent, and at perimeter of property. Check physical condition of vent and screen.	PERFORMED BY ON-SITE TESTING

Figure 5-3

**QUARTERLY INSPECTION AND MAINTENANCE CHECKLIST
WELLSVILLE/ANDOVER LANDFILL SITE
NYSDEC SITE NO. 9-02-004**

Inspector: <u>WILLIAM WHITFIELD</u>		Date: <u>6/18/09</u>	
Weather: <u>CLOUDY / SHOWERS</u>		Temperature: <u>60</u>	
Area	Item	Action	Comments
Stormwater system	Ditches and swales	Check for pooling, erosion, excessive vegetation, and weak vegetation.	<u>None</u>
	Cover system drainage	Check for cover soils that are excessively wet, slope failure without evidence of fill subsidence. Check condition of geocomposite drainage layer at cover perimeter.	<u>OK</u>
	Culverts	Check condition and for blockage and erosion.	<u>None</u>
	Detention ponds	Check outlet structure for blockage and general condition.	<u>OK</u>
		Check for siltation/silt buildup, erosion, condition of vegetation and embankments.	<u>OK</u>
Groundwater monitoring system	Sampling wells	See Section 4.	<u>PERFORMED BY ON-SITE TESTING</u>
		Check condition of caps, locks, surface seals, and markings. Lubricate locks.	<u>OK</u>
Facility access system	Roads	Check condition. Check for erosion, potholes.	<u>OK</u>
	Access gate	Check condition. Lubricate lock.	<u>OK</u>
Other		Comments	

Signed: [Signature]Date: 6/18/09

Figure 5-3

**QUARTERLY INSPECTION AND MAINTENANCE CHECKLIST
WELLSVILLE/ANDOVER LANDFILL SITE
NYSDEC SITE NO. 9-02-004**

Inspector: <u>WILLIAM WHITFIELD</u>		Date: <u>9/28/09</u>	
Weather: <u>CLOUDY / SHOWERS</u>		Temperature: <u>57°</u>	
Area	Item	Action	Comments
Cover system	Seeps	Delineate, sample, evaluate.	NONE
	Subsidence/ponding	Delineate, fill, and revegetate.	NONE
	Erosion/gullies	Determine cause, grade, and vegetate.	NONE
	Slope stability	Check for erosion, slippage, slope failure.	OK
	Vegetation	Check for areas of weak/no vegetation, revegetate.	NONE
		Mow semiannually.	MOWED 10/08
		Remove scrubs and trees from cover system and drainage ways.	NONE
	Vectors	Check for burrows and backfill with clean soil.	NONE
Leachate collection and storage system	USTs	Check leachate levels, check/test leak detection system and auto dialer; check for sediment in bottom of tanks.	JULY / AUG. / SEPT. 394,937
	Pump stations	Check pump operation.	OK
		Check float operation. Perform manufacturer's recommended maintenance. Operate/cycle valves. Check sump for floating debris and sediments.	OK
	Forcemain	Check for leaks.	NONE
	Laterals and trunk line	Check for and record VOCs at each manhole and cleanout; check for line blockage visually; lubricate locks.	PERFORMED BY ON-SITE TESTING
	Groundwater cutoff manholes	Collect and analyze sample of liquid in cutoff trench. Note which line (surface drainage or LCS) is plugged.	PERFORMED BY ON-SITE TESTING
Gas venting system	Odors	Check for and record VOCs and methane (explosimeter) upwind, at each vent, and at perimeter of property. Check physical condition of vent and screen.	PERFORMED BY ON-SITE TESTING

Figure 5-3

**QUARTERLY INSPECTION AND MAINTENANCE CHECKLIST
WELLSVILLE/ANDOVER LANDFILL SITE
NYSDEC SITE NO. 9-02-004**

Inspector: <u>WILLIAM WHITFIELD</u>		Date: <u>9/28/09</u>	
Weather: <u>CLOUDY/SHOWERS</u>		Temperature: <u>57°</u>	
Area	Item	Action	Comments
Stormwater system	Ditches and swales	Check for pooling, erosion, excessive vegetation, and weak vegetation.	OK
	Cover system drainage	Check for cover soils that are excessively wet, slope failure without evidence of fill subsidence. Check condition of geocomposite drainage layer at cover perimeter.	OK
	Culverts	Check condition and for blockage and erosion.	OK
	Detention ponds	Check outlet structure for blockage and general condition.	OK
		Check for siltation/silt buildup, erosion, condition of vegetation and embankments.	OK
Groundwater monitoring system	Sampling wells	See Section 4.	PERFORMED BY ON-SITE TESTING
		Check condition of caps, locks, surface seals, and markings. Lubricate locks.	OK
Facility access system	Roads	Check condition. Check for erosion, potholes.	NONE
	Access gate	Check condition. Lubricate lock.	
Other		Comments	LATERAL-27 (3 CHECKS) FUNCTIONING NORMALLY. L-29 WILL BE PROFESSIONALLY CLEANED, INSPECTED, THE OTHER 11 LATERALS FUNCTIONING NORMALLY.

Signed: William WhitfieldDate: 9/28/09

Figure 5-3

QUARTERLY INSPECTION AND MAINTENANCE CHECKLIST
WELLSVILLE/ANDOVER LANDFILL SITE
NYSDEC SITE NO. 9-02-004

Inspector: <u>William C. LITERED</u>		Date: <u>12/29/09</u>	
Weather: <u>BURSTY</u>		Temperature: <u>10°</u>	
Area	Item	Action	Comments
Stormwater system	Ditches and swales	Check for pooling, erosion, excessive vegetation, and weak vegetation.	NONE
	Cover system drainage	Check for cover soils that are excessively wet, slope failure without evidence of fill subsidence. Check condition of geocomposite drainage layer at cover perimeter.	GOOD
	Culverts	Check condition and for blockage and erosion.	NONE
	Detention ponds	Check outlet structure for blockage and general condition.	GOOD
		Check for siltation/silt buildup, erosion, condition of vegetation and embankments.	OK
Groundwater monitoring system	Sampling wells	See Section 4.	ON SITE TESTING
		Check condition of caps, locks, surface seals, and markings. Lubricate locks.	GOOD
Facility access system	Roads	Check condition. Check for erosion, potholes.	GOOD
	Access gate	Check condition. Lubricate lock.	GOOD
Other		Comments	LATERALS L-27 AND
			L-29 CLEARED. REPORT WILL
			BE INCLUDED IN ANNUAL REPORT
			SUBMITTED BY ON-SITE.

Signed: William C. LITEREDDate: 12/30/09

Figure 5-3

**QUARTERLY INSPECTION AND MAINTENANCE CHECKLIST
WELLSVILLE/ANDOVER LANDFILL SITE
NYSDEC SITE NO. 9-02-004**

Inspector: <u>WILLIAM WHITFIELD</u>		Date: <u>12/29/09</u>	
Weather: <u>BWSTERY</u>		Temperature: <u>10°</u>	
Area	Item	Action	Comments
Cover system	Seeps	Delineate, sample, evaluate.	NONE DETECTED
	Subsidence/ponding	Delineate, fill, and revegetate.	" "
	Erosion/gullies	Determine cause, grade, and vegetate.	" "
	Slope stability	Check for erosion, slippage, slope failure.	GOOD
	Vegetation	Check for areas of weak/no vegetation, revegetate.	OK
		Mow semi-annually	MOWED 10/09
		Remove scrubs and trees from cover system and drainage ways.	NONE
	Vectors	Check for burrows and backfill with clean soil.	NONE
Leachate collection and storage system	USTs	Check leachate levels, check/test leak detection system and auto dialer; check for sediment in bottom of tanks.	NONE OCT./NOV./DEC, 420,335
	Pump stations	Check pump operation.	GOOD
		Check float operation. Perform manufacturer's recommended maintenance. Operate/cycle valves. Check sump for floating debris and sediments.	GOOD
	Forcemain	Check for leaks.	NONE DETECTED
	Laterals and trunk line	Check for and record VOCs at each manhole and cleanout; check for line blockage visually; lubricate locks.	ON SITE TESTING
	Groundwater cutoff manholes	Collect and analyze sample of liquid in cutoff trench; Note which line (surface drainage or LCS) is plugged.	ON SITE TESTING
Gas venting system	Odors	Check for and record VOCs and methane (explosimeter) upwind, at each vent, and at perimeter of property. Check physical condition of vent and screen.	ON SITE TESTING

ON-SITE TECHNICAL SERVICES, INC

MEMORANDUM



Bill Whitfield, Village of Wellsville Director of Public Works

Jon Brandes

Date: January 26, 2010

CC: Linda Ross, NYSDEC

Subject: 2009 Leachate Collection System Cleaning

Wellsville-Andover Landfill Site, Site Number 9-02-004

The purpose of this memorandum is to document the Leachate Collection System (LCS) cleaning activities completed at the Wellsville-Andover Landfill Site during 2009.

Background

The LCS consists of nine six-inch-diameter slotted corrugated plastic pipe laterals with a designed minimum 2 % westerly slope. The Eastern upstream end of the laterals are connected to an approximately 10 foot long section of six-inch-diameters schedule 80 PVC pipe, which daylights through the landfill cap as a clean-out. The downstream (West) end of the Northern eight laterals is each connected to a manhole. This line of eight manholes gravity drains to the South from manhole to manhole via eight-inch-diameter corrugated plastic pipe, which terminates at the leachate sump located at the Southwest corner. The ninth and Southern most lateral drains directly into the leachate sump. From the leachate sump, water is pumped through a forcemain into two double wall 15,000 gallon underground storage tanks. The Village of Wellsville transports the water from the leachate storage tanks to the Wellsville Public Owned Treatment Works (POTW) by tanker truck. Please see attached LCS figure.

Seven of the nine laterals (L-16, L-17, L-19, L-21, L-23, L-25 and L-31) were successfully flushed with clean water during 2008. Also during 2008 the remaining two

laterals (L-27 and L-29) were determined to have pipe separations approximately 10 feet in from the upstream clean-out and were repaired. Following these repairs additional flushing was attempted at these two laterals. This flushing attempt was inconclusive potentially due to insufficient water supply. Additional flushing efforts of these two laterals were scheduled for 2009. The 2008 lateral flushing and repair activities are documented in a memorandum from Mr. Jon Brandes to Mr. Bill Whitfield dated February 27, 2009.

September 9, 2009 Lateral Cleaning

On September 9, 2009 the Village of Wellsville performed lateral flushing activities utilizing both a sewer cleaning machine and a 2000 gallon capacity fire truck. On-Site observed and documented sewer cleaning activities.

Lateral L-27 was first flushed from the upgradient cleanout using a Village owned sewer machine. Approximately 600 gallons of water was pumped into L-27 clean-out and minimal flow was observed at manhole MH-11 (downgradient manhole). Therefore, a fire truck was utilized, which can provide higher pressure and water volume as compared to the sewer machine. Approximately 2000 gallons of clean water was pumped into L-27 with the fire truck with continuous observations at MH-11. While pumping the first approximately 1000 gallons, flow at MH-11 gradually increased with observation of red-brown semi-solid sludge flowing into the manhole. Pumping was temporarily suspended after pumping approximately 1000 gallons. Pumping into L-27 resumed until the truck was empty (approximately an additional 1000 gallons) with increased flow and no sludge observed.

An attempt was made to flush lateral L-29 with the fire truck, but the lateral would not accept water. The sewer machine was then utilized to clean the pipe from the upgradient clean-out. An obstruction was encountered approximately 17 feet into the pipe. Some debris was removed with the sewer machine, but the obstruction was unable to be penetrated.

October 19, 2009 Lateral Cleaning

On October 19, 2009, Global Environmental Industrial (GEI) mobilized to the site with a 10,000 PSI water blaster and pipe camera to conduct additional lateral L-29 cleaning activities. On-site observed and documented work.

Utilizing the water blaster, the lateral was cleaned from manhole MH-12 towards the upgradient clean-out. From MH-12, approximately 550 feet of the approximately 670 foot long lateral was successfully cleaned. The water blaster could not be advanced beyond approximately 550 feet. A pipe camera was then utilized at the L-29 upstream clean-out. The camera clearly showed the transition from smooth pipe to corrugated pipe 9.5 feet in and an obstruction 18 feet in from the upstream end of the clean-out pipe. The obstruction appeared to be clay. Pipe narrowing at the obstruction was not observed. Therefore a likely cause of the obstruction is pipe separation.

Conclusion

The total combined approximate length of the nine leachate laterals is 5620 feet. During 2008 and 2009 approximately 5500 feet of lateral piping was successfully flushed. Therefore, it can be concluded that approximately 98% of the leachate collection system is operating as constructed. The remaining approximately 120 feet of lateral L-29 appears to be obstructed. This approximately 120 section of L-29 is located at the upgradient (Northeast) portion of the landfill. Functioning laterals downgradient will capture liquid from this portion of the landfill. Repairing the approximately 120 foot section of L-29 would involve opening a large area of the landfill cap, excavating through the waste, repairing the pipe, backfilling the waste, repairing the geosynthetic cap and restoring the cover. The cost to perform this work would greatly exceed the benefit of the lateral repair.





Figure 5-2 LEACHATE COLLECTION AND GAS VENT PLAN
WELLSVILLE-ANDOVER LANDFILL

CW-3A Metals




Notes:


1. The majority of results for Manganese and Iron are non detect.
2. 1/2 Detection limit used for non-detects.

Date

CW-3B Metals



CW-4B Metals




Notes:

1. 1/2 detection limit used for non-detects
2. Iron is non-detect on 4/25/2001, 4/9/2002, 6/8/2004, 6/20/2005, 3/28/2006, 9/25/2007 and 3/25/2008

Date


MW-5D Metals



Notes:

- 1/2 Detection limit used for non-detects
- No water elevation available December 2003.


MW-5S Metals



Note:

1. 1/2 detection limit used for non-detects.
2. No water elevation available for December 2003.

MW-15S Metals




Notes:

1. 1/2 detection limit used for non-detects
2. Manganese is non-detect on 4/10/2002, 9/28/2006 and 4/29/2009.
3. VOCs only collected on 9/11/2001 due to insufficient water volume.


Date

MW-18S Metals




Note:
1. 1/2 Detection limit used for non-detects

CW-3A VOCs




CW-3B VOCs



Notes:

1. 1/2 Detection limit used for non-detects.
2. Refer to Table B-1 (following graphs) for analytical results used in graphs.
3. The majority of Vinyl chloride results are non-detect. Vinyl chloride results on 3/13/2000, 9/19/2000, 4/25/2001 and on 9/11/2001 are estimated values.
4. Results for cDCE on 9/28/1999 are non-detect.
5. D - This flag indicates a result from a diluted sample.
6. Data with flag labeled on graph as appropriate.


CW-4A VOCs



Notes:

- 1/2 Detection limit used for non-detects.
- Refer to Table B-1 (following graphs) for analytical results used in graphs.
- TCE and Vinyl chloride results are either non-detect or estimated values.
- cDCE is non-detect on 9/28/1999 and 4/29/2009.


CW-4B VOCs



Notes:

- 1/2 Detection limit used for non-detects.
- Refer to Table B-1 (following graphs) for analytical results used in graphs.
- TCE and Vinyl chloride results are either non-detect or estimated values.
- A majority of cDCE results are non-detect.


MW-3D VOCs



NOTE:

- 1/2 Detection limit used for non-detects.
- Refer to Table B-1 (following graphs) for analytical results used in graphs.
- TCE on 6/9/1998 is estimated value and non-detect on 3/30/2006.
- Vinyl chloride results on 6/9/1998, 3/24/1999, 6/9/2004, 3/30/2006, 3/29/2007, 3/25/2008 and 4/27/2009 are non-detect. Estimated results are shown on 6/23/1999 and 12/15/1999.
- Results for cDCE on 9/28/1999 are non-detect.


MW-4D VOCs



NOTES:

- 1/2 Detection limit used for non-detects.
- Refer to Table B-1 (following graphs) for analytical results used in graphs.
- E** - Results are greater than the calibration range of the instrument used for analysis
- J** - Estimated value.
- D** - This flag indicates a result from a diluted sample.
- TCE is non-detect on 9/25/2007, 3/24/2008, 9/16/2008, 12/11/2008 and 4/28/2009.
- Flagged data is labeled on the graph as appropriate.


MW-5D VOCs



Notes:

- 1/2 Detection limit used for non-detects.
- Refer to Table B-1 (following graphs) for analytical results used in graphs.
- TCE results on 6/9/1998, 9/23/1999, 6/23/1999, 9/28/1999, 3/14/2000 and 9/12/2001 are estimated values.
- Result for cDCE on 9/28/1999 is non-detect.
- J - Estimated values.
- D - This flag indicates a result from a diluted sample.
- Data with flag labeled on graph as appropriate.
- No water elevation available December 2003.


MW-5S VOCs



Notes:


- 1/2 Detection limit used for non-detects.
- Refer to Table B-1 (following graphs) for analytical results used in graphs.
- TCE result on 9/26/2002 is non-detect.
- E** - Results are greater than the calibration range of the instrument used for analysis.
- D** - This flag indicates a result from a diluted sample.
- Data with flag labeled on graph as appropriate.
- No water elevation available for December 2003.

MW-11S VOCs




NOTES:

- 1/2 Detection limit used for non-detects.
- Refer to Table B-1 (following graphs) for analytical results used in graphs.
- E - Results are greater than the calibration range for the instrument used for analysis.
- Vinyl chloride results are non-detect with an exception of 6/17/1998.
- Flagged data is labeled on the graph as appropriate.




MW-15S VOCs



Notes:

1. 1/2 Detection limit used for non-detects.
2. Refer to Table B-1 (following graphs) for analytical results used in graphs.
3. J - Estimated value.
4. All Vinyl chloride and a majority of TCE results are non-detect.
5. Data with flag labeled on graph as appropriate.




MW-16S VOCs



Notes:

1. All values for cDCE, TCE and Vinyl chloride are non-detect with the exception of TCE on 9/27/2006.
2. There is no data available for MW-16S prior to December 2004.

MW-18S VOCs



Notes:

1. 1/2 Detection limit used for non-detects.
2. Refer to Table B-1 (following graphs) for analytical results used in graphs.
3. TCE results on 6/15/1998, 12/1/1998 and 3/26/1999 are estimated values.
4. Vinyl chloride results are non-detect; cDCE is non-detect on 9/29/1999, 9/25/2007 and 4/28/2009.




Table E.1

Analytical Results for Concentration Time Trend Graphs
Wellsville/Andover Landfill
Wellsville, New York
(mg/L)

Location	Parameter	6/9/1998	6/15/1998	6/17/1998	12/1/1998	12/2/1998	3/23/1999	3/24/1999	3/25/1999	3/26/1999	6/23/1999	6/24/1999	6/28/1999
CW-3A	Iron				15.8								
CW-3A	Manganese				0.306								
CW-3A	Sodium				55.6								
CW-3A	cis-1,2-Dichloroethene												
CW-3A	Trichloroethene			0.081	0.046				0.025			0.019	
CW-3A	Vinyl chloride			0.01 U	0.01 U				0.01 U			0.01 U	
CW-3B	Iron			0 U	0 U				0.0857 B			3.8	
CW-3B	Manganese			0.0396	0 U				0.0054 B			0.0262	
CW-3B	Sodium			19.9	21				22.1			18.9	
CW-3B	cis-1,2-Dichloroethene												
CW-3B	Trichloroethene			0.028	0.038				0.027			0.034	
CW-3B	Vinyl chloride			0.022	0.02				0.01 U			0.01	
CW-4A	Iron		54.8		9.08				69.4			5.76	
CW-4A	Manganese		3.82		2.11				2.56			1.7	
CW-4A	Sodium		21.4		21				20.8			20	
CW-4A	cis-1,2-Dichloroethene												
CW-4A	Trichloroethene		0.001 J		0.01 U				0.002 J			0.002 J	
CW-4A	Vinyl chloride		0.006 J		0.003 J				0.005 J			0.005 J	
CW-4B	Iron		2		9.11				36.3			3.52	
CW-4B	Manganese		2.62		2.88				3.69			3.25	
CW-4B	Sodium		22.6		24.1				30			28.2	
CW-4B	cis-1,2-Dichloroethene												
CW-4B	Trichloroethene		0.01 U		0.01 U				0.01 U			0.01 U	
CW-4B	Vinyl chloride		0.006 J		0.01 U				0.004 J			0.003 J	
MW-3D	Iron	0.558						2.46			39.5		
MW-3D	Manganese	0.0117						0.0592			0.622		
MW-3D	Sodium	14						13			14.3		
MW-3D	cis-1,2-Dichloroethene												
MW-3D	Trichloroethene	0.002 J						0.012			0.01		
MW-3D	Vinyl chloride	0.01 U						0.01 U			0.008 J		
MW-3S	Iron							128			306		
MW-3S	Manganese							2.75			19.9		
MW-3S	Sodium							27.8			25.2		
MW-3S	cis-1,2-Dichloroethene												
MW-3S	Trichloroethene							0.01 U			0.01 U		
MW-3S	Vinyl chloride							0.01 U			0.01 U		
MW-4D	Iron	3.59			3.02			7.36			1.99		
MW-4D	Manganese	0.426			0.985			1.1			0.978		
MW-4D	Sodium	11.9			7.9			11.1			9.42		
MW-4D	cis-1,2-Dichloroethene												
MW-4D	Trichloroethene	0.19			1.3			0.17			0.24		
MW-4D	Vinyl chloride	0.78			2			0.41 E			1.5		
MW-5D	Iron	1.44			0.408		1.15				0.746		
MW-5D	Manganese	1.24			1.3		1.18				1.2		
MW-5D	Sodium	6.6			6.14		6.75				5.43		
MW-5D	cis-1,2-Dichloroethene												
MW-5D	Trichloroethene	0.083 J			0.13		0.09 J				0.04 J		
MW-5D	Vinyl chloride	0.59			0.75		0.45				0.2		
MW-5S	Iron	12			4.08		10.5				3.83		
MW-5S	Manganese	0.25			0.266		0.195				0.22		
MW-5S	Sodium	7.4			7.08		2.44 B				7.74		
MW-5S	cis-1,2-Dichloroethene												
MW-5S	Trichloroethene	0.16			0.29 E		0.026				0.16		
MW-5S	Vinyl chloride	1 E			1 E		0.09				0.64 E		

Table E.1

**Analytical Results for Concentration Time Trend Graphs
Wellsville/Andover Landfill
Wellsville, New York
(mg/L)**

Location	Parameter	6/9/1998	6/15/1998	6/17/1998	12/1/1998	12/2/1998	3/23/1999	3/24/1999	3/25/1999	3/26/1999	6/23/1999	6/24/1999	6/28/1999
MW-11S	Iron			23.3									
MW-11S	Manganese			1.38									
MW-11S	Sodium			15.2									
MW-11S	cis-1,2-Dichloroethene												
MW-11S	Trichloroethene			2 E									
MW-11S	Vinyl chloride			0.084									
MW-15S	Iron								1.94				
MW-15S	Manganese								0.0266				
MW-15S	Sodium								10.4				
MW-15S	cis-1,2-Dichloroethene												
MW-15S	Trichloroethene			0.01					0.004 J				
MW-15S	Vinyl chloride			0.01 U					0.01 U				
MW-17D	Iron		42.1			25.5				18.1			17.5
MW-17D	Manganese		0.857			1.5				1.52			0.982
MW-17D	Sodium		32.3			31.2				31.1			28.8
MW-17D	cis-1,2-Dichloroethene												
MW-17D	Trichloroethene		0.01 U			0.01 U				0.01 U			0.01 U
MW-17D	Vinyl chloride		0.01 U			0.01 U				0.01 U			0.01 U
MW-17S	Iron		3.34		2.61					3.37			4.47
MW-17S	Manganese		1.54		1.56					1.47			0.633
MW-17S	Sodium		46.4		47.8					48.6			46.5
MW-17S	cis-1,2-Dichloroethene												
MW-17S	Trichloroethene		0.007		0.01 U					0.002 J			0.002 J
MW-17S	Vinyl chloride		0.002 J		0.01 U					0.01 U			0.01 U
MW-18D	Iron		15.2			24.3				99.5			105
MW-18D	Manganese		1.53			1.03				2.08			1.94
MW-18D	Sodium		22.1			21.5				23.8			21.9
MW-18D	cis-1,2-Dichloroethene												
MW-18D	Trichloroethene		0.01 U			0.01 U				0.01 U			0.01 U
MW-18D	Vinyl chloride		0.01 U			0.01 U				0.01 U			0.01 U
MW-18S	Iron		44.6		64					69.6			180
MW-18S	Manganese		2.02		2.26					2.32			5.3
MW-18S	Sodium		18.4		21.1					20.2			20.3
MW-18S	cis-1,2-Dichloroethene												
MW-18S	Trichloroethene		0.004 J		0.006 J					0.004 J			0.011
MW-18S	Vinyl chloride		0.01 U		0.01 U					0.01 U			0.01 U

Table E.1

**Analytical Results for Concentration Time Trend Graphs
Wellsville/Andover Landfill
Wellsville, New York
(mg/L)**

Location	Parameter	9/28/1999	9/29/1999	12/13/1999	12/14/1999	12/15/1999	12/16/1999	12/20/1999	3/13/2000	3/14/2000	3/15/2000	3/16/2000
CW-3A	Iron	18.5					7.29					
CW-3A	Manganese	0.371					0.136					
CW-3A	Sodium	70					71					
CW-3A	cis-1,2-Dichloroethene	0.01 U							0.01 U			
CW-3A	Trichloroethene	0.021					0.026		0.017			
CW-3A	Vinyl chloride	0.01 U					0.01 U		0.01 U			
CW-3B	Iron	0.149		0.568					0.196			
CW-3B	Manganese	0.01 U		0.01 U					0.01 U			
CW-3B	Sodium	22.5		22.8					19.7			
CW-3B	cis-1,2-Dichloroethene	0.01 U							0.033			
CW-3B	Trichloroethene	0.035		0.05					0.048			
CW-3B	Vinyl chloride	0.01		0.012					0.008 J			
CW-4A	Iron	1.84		0.258					1.32			
CW-4A	Manganese	2.02		1.63					1.97			
CW-4A	Sodium	23.2		21.3					20.8			
CW-4A	cis-1,2-Dichloroethene	0.01 U							0.018			
CW-4A	Trichloroethene	0.002 J		0.002 J					0.002 J			
CW-4A	Vinyl chloride	0.004 J		0.006 J					0.004 J			
CW-4B	Iron	1.14		0.238					0.841			
CW-4B	Manganese	1.74		1.5					1.39			
CW-4B	Sodium	26.8		26.3					22.8			
CW-4B	cis-1,2-Dichloroethene	0.01 U							0.011			
CW-4B	Trichloroethene	0.01 U		0.01 U					0.01 U			
CW-4B	Vinyl chloride	0.002 J		0.01 U					0.002 J			
MW-3D	Iron	6.34				28.1					2.25	
MW-3D	Manganese	0.125				0.371					0.0393	
MW-3D	Sodium	14.6				20.3					14.3	
MW-3D	cis-1,2-Dichloroethene	0.01 U									0.57	
MW-3D	Trichloroethene	0.017				0.018					0.028	
MW-3D	Vinyl chloride	0.01				0.008 J					0.034	
MW-3S	Iron	86.1				114					49.1	
MW-3S	Manganese	3.46				3.24					1.31	
MW-3S	Sodium	28.8				28.7					32.5	
MW-3S	cis-1,2-Dichloroethene	0.01 U									0.002 J	
MW-3S	Trichloroethene	0.01 U				0.01 U					0.01 U	
MW-3S	Vinyl chloride	0.01 U				0.01 U					0.01 U	
MW-4D	Iron	0.722		0.686						1.21		
MW-4D	Manganese	1.47		0.743						1.55		
MW-4D	Sodium	10.9		17.4						10		
MW-4D	cis-1,2-Dichloroethene	0.01 U								1.7		
MW-4D	Trichloroethene	0.27 J		0.21 J						0.14		
MW-4D	Vinyl chloride	1.8		1						0.51		
MW-5D	Iron	0.315			0.357					0.983		
MW-5D	Manganese	1.03			1.2					1.15		
MW-5D	Sodium	6.65			7.43					6.22		
MW-5D	cis-1,2-Dichloroethene	0.01 U								1.1		
MW-5D	Trichloroethene	0.053 J			0.14					0.089 J		
MW-5D	Vinyl chloride	0.35			0.72					0.38		
MW-5S	Iron					5.82				1.76		
MW-5S	Manganese					0.274				0.258		
MW-5S	Sodium					7.84				7.7		
MW-5S	cis-1,2-Dichloroethene									1.4		
MW-5S	Trichloroethene					0.14				0.14		
MW-5S	Vinyl chloride					0.63				0.49		

Table E.1

Analytical Results for Concentration Time Trend Graphs
Wellsville/Andover Landfill
Wellsville, New York
(mg/L)

Location	Parameter	9/28/1999	9/29/1999	12/13/1999	12/14/1999	12/15/1999	12/16/1999	12/20/1999	3/13/2000	3/14/2000	3/15/2000	3/16/2000
MW-11S	Iron											
MW-11S	Manganese											
MW-11S	Sodium											
MW-11S	cis-1,2-Dichloroethene											
MW-11S	Trichloroethene											
MW-11S	Vinyl chloride											
MW-15S	Iron						19		77.7			
MW-15S	Manganese						0.263		0.959			
MW-15S	Sodium						5.64		9.65			
MW-15S	cis-1,2-Dichloroethene								0.031			
MW-15S	Trichloroethene						0.013		0.006 J			
MW-15S	Vinyl chloride						0.01 U		0.01 U			
MW-17D	Iron		12.3					12.1				18.3
MW-17D	Manganese		1.21					1.2				1.27
MW-17D	Sodium		29.8					28.7				28.4
MW-17D	cis-1,2-Dichloroethene		0.01 U									0.01 U
MW-17D	Trichloroethene		0.01 U					0.01 U				0.01 U
MW-17D	Vinyl chloride		0.01 U					0.01 U				0.01 U
MW-17S	Iron		48.2					43.7				4.29
MW-17S	Manganese		3.82					2.46				1.01
MW-17S	Sodium		48.7					44.7				43.4
MW-17S	cis-1,2-Dichloroethene		0.01 U									0.011
MW-17S	Trichloroethene		0.001 J					0.002 J				0.002 J
MW-17S	Vinyl chloride		0.01 U					0.01 U				0.01 U
MW-18D	Iron		109					786				
MW-18D	Manganese		2.64					9.77				
MW-18D	Sodium		27					28.9				
MW-18D	cis-1,2-Dichloroethene		0.01 U									
MW-18D	Trichloroethene		0.01 U					0.01 U				
MW-18D	Vinyl chloride		0.01 U					0.01 U				
MW-18S	Iron		275					413				
MW-18S	Manganese		6.29					5.83				
MW-18S	Sodium		23.4					21.1				
MW-18S	cis-1,2-Dichloroethene		0.01 U									
MW-18S	Trichloroethene		0.012					0.014				
MW-18S	Vinyl chloride		0.01 U					0.01 U				

Table E.1

**Analytical Results for Concentration Time Trend Graphs
Wellsville/Andover Landfill
Wellsville, New York
(mg/L)**

Location	Parameter	3/21/2000	9/19/2000	9/20/2000	9/21/2000	4/23/2001	4/24/2001	4/25/2001	4/26/2001	4/30/2001	9/10/2001	9/11/2001
CW-3A	Iron		3.07						0.172			0.1 U
CW-3A	Manganese		0.101						0.01 U			0.01 U
CW-3A	Sodium		71.7						32.2			51.1
CW-3A	cis-1,2-Dichloroethene		0.01 U						0.0081 J			0.0096 J
CW-3A	Trichloroethene		0.016						0.11			0.095
CW-3A	Vinyl chloride		0.01 U						0.01 U			0.01 U
CW-3B	Iron		18					0.1 U				0.357
CW-3B	Manganese		0.137					0.0122				0.01 U
CW-3B	Sodium		24.3					21				20
CW-3B	cis-1,2-Dichloroethene		0.03					0.029				0.028
CW-3B	Trichloroethene		0.055					0.056				0.058
CW-3B	Vinyl chloride		0.008 J					0.007 J				0.0068 J
CW-4A	Iron		0.164					0.821			0.142	
CW-4A	Manganese		1.7					1.97			1.75	
CW-4A	Sodium		20.6					21.1			18.7	
CW-4A	cis-1,2-Dichloroethene		0.016					0.016			0.014	
CW-4A	Trichloroethene		0.01 U					0.0022 J			0.0018 J	
CW-4A	Vinyl chloride		0.004 J					0.0047 J			0.0044 J	
CW-4B	Iron							0.1 U				
CW-4B	Manganese							1.23				
CW-4B	Sodium							23.7				
CW-4B	cis-1,2-Dichloroethene							0.0092 J				
CW-4B	Trichloroethene							0.0016 J				
CW-4B	Vinyl chloride							0.0018 J				
MW-3D	Iron							0.23				
MW-3D	Manganese							0.05				
MW-3D	Sodium							12.5				
MW-3D	cis-1,2-Dichloroethene							0.85				
MW-3D	Trichloroethene							0.064				
MW-3D	Vinyl chloride							0.1				
MW-3S	Iron						3.06					
MW-3S	Manganese						0.0876					
MW-3S	Sodium						26.8					
MW-3S	cis-1,2-Dichloroethene						0.0061 J					
MW-3S	Trichloroethene						0.0019 J					
MW-3S	Vinyl chloride						0.01 U					
MW-4D	Iron				0.657		0.489					
MW-4D	Manganese				1.68		1.1					
MW-4D	Sodium				9.89		9.8					
MW-4D	cis-1,2-Dichloroethene				2.1		1.4					
MW-4D	Trichloroethene				0.13		0.08					
MW-4D	Vinyl chloride				0.84		0.55					
MW-5D	Iron			0.418			0.365					
MW-5D	Manganese			1.17			1.28					
MW-5D	Sodium			7			6.5					
MW-5D	cis-1,2-Dichloroethene			2			1.2					
MW-5D	Trichloroethene			0.13			0.11					
MW-5D	Vinyl chloride			0.65			0.36					
MW-5S	Iron			0.206		0.212						
MW-5S	Manganese			0.229		0.227						
MW-5S	Sodium			8.83		7.88						
MW-5S	cis-1,2-Dichloroethene			1.6		1.1						
MW-5S	Trichloroethene			0.18		0.14						
MW-5S	Vinyl chloride			0.63		0.4						

Table E.1

Analytical Results for Concentration Time Trend Graphs
Wellsville/Andover Landfill
Wellsville, New York
(mg/L)

Location	Parameter	3/21/2000	9/19/2000	9/20/2000	9/21/2000	4/23/2001	4/24/2001	4/25/2001	4/26/2001	4/30/2001	9/10/2001	9/11/2001
MW-11S	Iron											
MW-11S	Manganese											
MW-11S	Sodium											
MW-11S	cis-1,2-Dichloroethene											
MW-11S	Trichloroethene											
MW-11S	Vinyl chloride											
MW-15S	Iron				9.73				1.88			
MW-15S	Manganese				0.144				0.0183			
MW-15S	Sodium				6.83				1.42			
MW-15S	cis-1,2-Dichloroethene				0.033				0.023			0.024
MW-15S	Trichloroethene				0.007 J				0.0046 J			0.0046 J
MW-15S	Vinyl chloride				0.01 U				0.01 U			0.01 U
MW-17D	Iron								3.7			
MW-17D	Manganese								0.0466			
MW-17D	Sodium								32.2			
MW-17D	cis-1,2-Dichloroethene								0.01 U			
MW-17D	Trichloroethene								0.01 U			
MW-17D	Vinyl chloride								0.01 U			
MW-17S	Iron								0.11			
MW-17S	Manganese								0.642			
MW-17S	Sodium								44.8			
MW-17S	cis-1,2-Dichloroethene								0.019			
MW-17S	Trichloroethene								0.004 J			
MW-17S	Vinyl chloride								0.01 U			
MW-18D	Iron	292								12.8		
MW-18D	Manganese	4.8								0.952		
MW-18D	Sodium	27.5								22		
MW-18D	cis-1,2-Dichloroethene	0.01 U								0.01 U		
MW-18D	Trichloroethene	0.01 U								0.01 U		
MW-18D	Vinyl chloride	0.01 U								0.01 U		
MW-18S	Iron	181			1.29					12.7		0.264
MW-18S	Manganese	4.78			0.301					0.32		0.0218
MW-18S	Sodium	22.9			15.6					13.6		12.6
MW-18S	cis-1,2-Dichloroethene	0.026			0.082					0.056		0.07
MW-18S	Trichloroethene	0.014			0.057					0.041		0.062
MW-18S	Vinyl chloride	0.01 U			0.01 U					0.01 U		0.01 U

Table E.1

**Analytical Results for Concentration Time Trend Graphs
Wellsville/Andover Landfill
Wellsville, New York
(mg/L)**

Location	Parameter	9/12/2001	4/9/2002	4/10/2002	4/11/2002	4/12/2002	9/24/2002	9/25/2002	9/26/2002	3/28/2003	3/31/2003	4/1/2003
CW-3A	Iron			0.1 U				0.445				1.06
CW-3A	Manganese			0.01 U				0.114				0.0392
CW-3A	Sodium			29.1				44.1				45.6
CW-3A	cis-1,2-Dichloroethene			0.017				0.018				0.016
CW-3A	Trichloroethene			0.19				0.16				0.14
CW-3A	Vinyl chloride			0.005 U				0.005 U				0.005 U
CW-3B	Iron		0.869				1.02				0.447	
CW-3B	Manganese		0.0102				0.0176				0.015	
CW-3B	Sodium		20.9				23.8				23.5	
CW-3B	cis-1,2-Dichloroethene		0.041				0.031				0.035	
CW-3B	Trichloroethene		0.077				0.068				0.085	
CW-3B	Vinyl chloride		0.0071				0.005 U				0.0051	
CW-4A	Iron		0.122				15.3					2.37
CW-4A	Manganese		0.735				9.92					2.41
CW-4A	Sodium		20.2				25.4					21.9
CW-4A	cis-1,2-Dichloroethene		0.011				0.015					0.012
CW-4A	Trichloroethene		0.005 U				0.005 U					0.005 U
CW-4A	Vinyl chloride		0.005 U				0.005 U					0.005 U
CW-4B	Iron		0.1 U									17.8
CW-4B	Manganese		1.12									3.64
CW-4B	Sodium		22.4									20.9
CW-4B	cis-1,2-Dichloroethene		0.0078									0.0091
CW-4B	Trichloroethene		0.005 U									0.005 U
CW-4B	Vinyl chloride		0.005 U									0.005 U
MW-3D	Iron				0.178							
MW-3D	Manganese				0.0486							
MW-3D	Sodium				14.2							
MW-3D	cis-1,2-Dichloroethene				0.12							
MW-3D	Trichloroethene				0.014							
MW-3D	Vinyl chloride				0.017							
MW-3S	Iron			0.487								
MW-3S	Manganese			0.0159								
MW-3S	Sodium			28.1								
MW-3S	cis-1,2-Dichloroethene			0.005 U								
MW-3S	Trichloroethene			0.0071								
MW-3S	Vinyl chloride			0.005 U								
MW-4D	Iron	0.33			0.558				0.169	0.314		
MW-4D	Manganese	1.52			1.15				1.11	0.934		
MW-4D	Sodium	9.83			9.76				10.2	10.5		
MW-4D	cis-1,2-Dichloroethene	2.3			1.5				0.85	1.1		
MW-4D	Trichloroethene	0.097 J			0.077				0.063	0.071		
MW-4D	Vinyl chloride	0.64			0.49				0.26	0.38		
MW-5D	Iron	0.411			0.631			0.478				
MW-5D	Manganese	1.23			1.28			0.726				
MW-5D	Sodium	5.56			6.29			6.6				
MW-5D	cis-1,2-Dichloroethene	1.5			1.8			0.99				
MW-5D	Trichloroethene	0.074 J			0.14			0.005 U				
MW-5D	Vinyl chloride	0.5			0.51			0.2				
MW-5S	Iron	0.136			0.351			0.606	3.02			
MW-5S	Manganese	0.22			0.203			0.114	0.213			
MW-5S	Sodium	7.73			7.84			16.6	9.63			
MW-5S	cis-1,2-Dichloroethene	1.1			1			0.48	0.76			
MW-5S	Trichloroethene	0.14			0.14			0.005 U	0.11			
MW-5S	Vinyl chloride	0.46			0.3			0.095	0.22			

Table E.1

Analytical Results for Concentration Time Trend Graphs
Wellsville/Andover Landfill
Wellsville, New York
(mg/L)

Location	Parameter	9/12/2001	4/9/2002	4/10/2002	4/11/2002	4/12/2002	9/24/2002	9/25/2002	9/26/2002	3/28/2003	3/31/2003	4/1/2003
MW-11S	Iron											
MW-11S	Manganese											
MW-11S	Sodium											
MW-11S	cis-1,2-Dichloroethene											
MW-11S	Trichloroethene											
MW-11S	Vinyl chloride											
MW-15S	Iron			0.15							5.65	
MW-15S	Manganese			0.01 U							0.0533	
MW-15S	Sodium			1.37							1.77	
MW-15S	cis-1,2-Dichloroethene			0.025							0.014	
MW-15S	Trichloroethene			0.005 U							0.005 U	
MW-15S	Vinyl chloride			0.005 U							0.005 U	
MW-17D	Iron					16.4						
MW-17D	Manganese					0.166						
MW-17D	Sodium					33.6						
MW-17D	cis-1,2-Dichloroethene					0.005 U						
MW-17D	Trichloroethene					0.005 U						
MW-17D	Vinyl chloride					0.005 U						
MW-17S	Iron					0.313						
MW-17S	Manganese					0.292						
MW-17S	Sodium					47.1						
MW-17S	cis-1,2-Dichloroethene					0.083						
MW-17S	Trichloroethene					0.014						
MW-17S	Vinyl chloride					0.005 U						
MW-18D	Iron					20.9						
MW-18D	Manganese					0.967						
MW-18D	Sodium					23.4						
MW-18D	cis-1,2-Dichloroethene					0.005 U						
MW-18D	Trichloroethene					0.005 U						
MW-18D	Vinyl chloride					0.005 U						
MW-18S	Iron					3.62		0.394				
MW-18S	Manganese					0.0434		0.058				
MW-18S	Sodium					13.4		15.3				
MW-18S	cis-1,2-Dichloroethene					0.087		0.07				
MW-18S	Trichloroethene					0.068		0.053				
MW-18S	Vinyl chloride					0.005 U		0.005 U				

Table E.1

**Analytical Results for Concentration Time Trend Graphs
Wellsville/Andover Landfill
Wellsville, New York
(mg/L)**

Location	Parameter	4/2/2003	4/3/2003	12/16/2003	12/17/2003	12/18/2003	6/8/2004	6/9/2004	6/11/2004	12/7/2004	12/8/2004	12/9/2004
CW-3A	Iron			0.1 U			0.1 U			0.1 U		
CW-3A	Manganese			0.0124			0.0102			0.0649		
CW-3A	Sodium			50.1			44.1			56		
CW-3A	cis-1,2-Dichloroethene			0.058			0.061			0.038		
CW-3A	Trichloroethene			0.38			0.39			0.36		
CW-3A	Vinyl chloride			0.005 U			0.005 U			0.005 U		
CW-3B	Iron			0.1 U			0.1 U			0.132		
CW-3B	Manganese			0.0192			0.0275			0.0399		
CW-3B	Sodium			21			22.4			20.8		
CW-3B	cis-1,2-Dichloroethene			0.052			0.051			0.049		
CW-3B	Trichloroethene			0.11			0.12			0.14		
CW-3B	Vinyl chloride			0.006			0.0055			0.005 U		
CW-4A	Iron			0.1 U			0.322			0.1 U		
CW-4A	Manganese			1.03			1			0.914		
CW-4A	Sodium			19.6			20.9			18.6		
CW-4A	cis-1,2-Dichloroethene			0.012			0.013			0.0079		
CW-4A	Trichloroethene			0.005 U			0.005 U			0.005 U		
CW-4A	Vinyl chloride			0.005 U			0.005 U			0.005 U		
CW-4B	Iron						0.1 U					
CW-4B	Manganese						0.971					
CW-4B	Sodium						22.3					
CW-4B	cis-1,2-Dichloroethene						0.005 U					
CW-4B	Trichloroethene						0.005 U					
CW-4B	Vinyl chloride						0.005 U					
MW-3D	Iron	0.1 U						0.1 U				
MW-3D	Manganese	0.0244						0.014				
MW-3D	Sodium	14.9						17.9				
MW-3D	cis-1,2-Dichloroethene	0.22						0.033				
MW-3D	Trichloroethene	0.038						0.0057				
MW-3D	Vinyl chloride	0.017						0.005 U				
MW-3S	Iron	125						1.07				
MW-3S	Manganese	3.26						0.0333				
MW-3S	Sodium	29.4						31.3				
MW-3S	cis-1,2-Dichloroethene	0.005 U						0.005 U				
MW-3S	Trichloroethene	0.005 U						0.005 U				
MW-3S	Vinyl chloride	0.005 U						0.005 U				
MW-4D	Iron					0.36		0.543				0.482
MW-4D	Manganese					0.946		0.734				0.632
MW-4D	Sodium					10.8		9.1				8.52
MW-4D	cis-1,2-Dichloroethene					0.73		0.62				0.39
MW-4D	Trichloroethene					0.051		0.05				0.039
MW-4D	Vinyl chloride					0.23		0.21				0.23
MW-5D	Iron	0.391				0.391		0.471				0.443
MW-5D	Manganese	1.16				1.39		1.44				1.43
MW-5D	Sodium	6.56				7.52		6.49				6.66
MW-5D	cis-1,2-Dichloroethene	1.2				1.6		2				1.3
MW-5D	Trichloroethene	0.1				0.11		0.13				0.096
MW-5D	Vinyl chloride	0.36				0.39		0.41				0.29
MW-5S	Iron					5.87		2.03				1.65
MW-5S	Manganese					0.864		0.506				0.489
MW-5S	Sodium					9.44		7.75				4.14
MW-5S	cis-1,2-Dichloroethene					0.54		0.61				0.17
MW-5S	Trichloroethene					0.073		0.072				0.025
MW-5S	Vinyl chloride					0.14		0.19				0.038

Table E.1

**Analytical Results for Concentration Time Trend Graphs
Wellsville/Andover Landfill
Wellsville, New York
(mg/L)**

Location	Parameter	4/2/2003	4/3/2003	12/16/2003	12/17/2003	12/18/2003	6/8/2004	6/9/2004	6/11/2004	12/7/2004	12/8/2004	12/9/2004
MW-11S	Iron										0.1 U	
MW-11S	Manganese										1.52	
MW-11S	Sodium										18.6	
MW-11S	cis-1,2-Dichloroethene										0.52	
MW-11S	Trichloroethene										2.9	
MW-11S	Vinyl chloride										0.005 U	
MW-15S	Iron			13.6			3.62				1.17	
MW-15S	Manganese			0.131			0.0282				0.0166	
MW-15S	Sodium			2.55			1.84				1.64	
MW-15S	cis-1,2-Dichloroethene			0.02			0.036				0.011	
MW-15S	Trichloroethene			0.0062			0.005 U				0.005 U	
MW-15S	Vinyl chloride			0.005 U			0.005 U				0.005 U	
MW-17D	Iron		13						9.01			
MW-17D	Manganese		1.17						1.23			
MW-17D	Sodium		28.9						29.5			
MW-17D	cis-1,2-Dichloroethene		0.005 U						0.005 U			
MW-17D	Trichloroethene		0.005 U						0.005 U			
MW-17D	Vinyl chloride		0.005 U						0.005 U			
MW-17S	Iron		0.284						0.229			
MW-17S	Manganese		0.464						0.459			
MW-17S	Sodium		49.5						58.9			
MW-17S	cis-1,2-Dichloroethene		0.036						0.13			
MW-17S	Trichloroethene		0.0064						0.02			
MW-17S	Vinyl chloride		0.005 U						0.0086			
MW-18D	Iron								7.12			
MW-18D	Manganese								0.628			
MW-18D	Sodium								22.6			
MW-18D	cis-1,2-Dichloroethene								0.005 U			
MW-18D	Trichloroethene								0.005 U			
MW-18D	Vinyl chloride								0.005 U			
MW-18S	Iron		37.3		4.18				1.87			0.254
MW-18S	Manganese		0.888		0.536				0.0704			0.043
MW-18S	Sodium		16.1		14.9				16.1			16.1
MW-18S	cis-1,2-Dichloroethene		0.071		0.12				0.063			0.09
MW-18S	Trichloroethene		0.063		0.037				0.054			0.077
MW-18S	Vinyl chloride		0.005 U		0.005 U				0.005 U			0.005 U

Table E.1

**Analytical Results for Concentration Time Trend Graphs
Wellsville/Andover Landfill
Wellsville, New York
(mg/L)**

Location	Parameter	6/20/2005	6/21/2005	6/22/2005	6/23/2005	12/6/2005	12/7/2005	12/8/2005	3/27/2006	3/28/2006	3/29/2006	3/30/2006
CW-3A	Iron	0.117				0.1 U						0.1 U
CW-3A	Manganese	0.0174				0.0313						0.01 U
CW-3A	Sodium	54.3				63.6						47
CW-3A	cis-1,2-Dichloroethene	0.13				0.041						0.024
CW-3A	Trichloroethene	1				0.25 D						0.18
CW-3A	Vinyl chloride	0.013				0.005 U						0.005 U
CW-3B	Iron	1.62				0.1 U						0.1 U
CW-3B	Manganese	0.0513				0.0473						0.0441
CW-3B	Sodium	22.8				23.6						21.6
CW-3B	cis-1,2-Dichloroethene	0.074				0.081						0.072
CW-3B	Trichloroethene	0.2				0.18 D						0.19
CW-3B	Vinyl chloride	0.01 U				0.005 U						0.01 U
CW-4A	Iron	0.188								0.936		
CW-4A	Manganese	1.04								0.495		
CW-4A	Sodium	19.6								17.1		
CW-4A	cis-1,2-Dichloroethene	0.0086								0.0069		
CW-4A	Trichloroethene	0.005 U								0.005 U		
CW-4A	Vinyl chloride	0.005 U								0.005 U		
CW-4B	Iron	0.1 U					0.633			0.1 U		
CW-4B	Manganese	1.04					1.65			0.946		
CW-4B	Sodium	21.5					20.7			18.5		
CW-4B	cis-1,2-Dichloroethene	0.005 U					0.0057			0.005 U		
CW-4B	Trichloroethene	0.005 U					0.005 U			0.005 U		
CW-4B	Vinyl chloride	0.005 U					0.005 U			0.005 U		
MW-3D	Iron		0.236									0.1 U
MW-3D	Manganese		0.0217									0.01 U
MW-3D	Sodium		15.6									16.9
MW-3D	cis-1,2-Dichloroethene		0.037									0.024
MW-3D	Trichloroethene		0.0076									0.005 U
MW-3D	Vinyl chloride		0.005									0.005 U
MW-3S	Iron		0.621									0.585
MW-3S	Manganese		0.0189									0.0106
MW-3S	Sodium		30.1									26.9
MW-3S	cis-1,2-Dichloroethene		0.005 U									0.005 U
MW-3S	Trichloroethene		0.005 U									0.005 U
MW-3S	Vinyl chloride		0.005 U									0.005 U
MW-4D	Iron		0.382				0.733				0.657	
MW-4D	Manganese		0.604				0.909				0.583	
MW-4D	Sodium		9.01				8.18				7.12	
MW-4D	cis-1,2-Dichloroethene		0.44				0.74 D				0.3	
MW-4D	Trichloroethene		0.032				0.032				0.02	
MW-4D	Vinyl chloride		0.16				0.54 D				0.17	
MW-5D	Iron			0.527			0.482				0.545	
MW-5D	Manganese			1.5			1.38				1.41	
MW-5D	Sodium			7.24			7.23				6.9	
MW-5D	cis-1,2-Dichloroethene			1.6			1.2				1.5	
MW-5D	Trichloroethene			0.081			0.078				0.087	
MW-5D	Vinyl chloride			0.31			0.34				0.31	
MW-5S	Iron			0.866			2.52				3.67	
MW-5S	Manganese			0.156			0.446				1.1	
MW-5S	Sodium			8.04			7.8				5.13	
MW-5S	cis-1,2-Dichloroethene			0.6			0.51 D				0.29	
MW-5S	Trichloroethene			0.1			0.08				0.042	
MW-5S	Vinyl chloride			0.16			0.15				0.059	

Table E.1

Analytical Results for Concentration Time Trend Graphs
Wellsville/Andover Landfill
Wellsville, New York
(mg/L)

Location	Parameter	6/20/2005	6/21/2005	6/22/2005	6/23/2005	12/6/2005	12/7/2005	12/8/2005	3/27/2006	3/28/2006	3/29/2006	3/30/2006
MW-11S	Iron											
MW-11S	Manganese											
MW-11S	Sodium											
MW-11S	cis-1,2-Dichloroethene				0.53			0.63				
MW-11S	Trichloroethene				3.2			3.1				
MW-11S	Vinyl chloride				0.05 U			0.1 U				
MW-15S	Iron						2.71					2.7
MW-15S	Manganese						0.0244					0.0301
MW-15S	Sodium						1.74					1.64
MW-15S	cis-1,2-Dichloroethene						0.015					0.04
MW-15S	Trichloroethene						0.005 U					0.0063
MW-15S	Vinyl chloride						0.005 U					0.005 U
MW-17D	Iron			11.9					5.08			
MW-17D	Manganese			1.12					0.313			
MW-17D	Sodium			30.2					32.4			
MW-17D	cis-1,2-Dichloroethene			0.005 U					0.005 U			
MW-17D	Trichloroethene			0.005 U					0.005 U			
MW-17D	Vinyl chloride			0.005 U					0.005 U			
MW-17S	Iron			0.24					0.151			
MW-17S	Manganese			1.3					0.146			
MW-17S	Sodium			52.7					51.8			
MW-17S	cis-1,2-Dichloroethene			0.06					0.086			
MW-17S	Trichloroethene			0.011					0.014			
MW-17S	Vinyl chloride			0.005 U					0.005 U			
MW-18D	Iron								5.08			
MW-18D	Manganese								0.583			
MW-18D	Sodium								24.6			
MW-18D	cis-1,2-Dichloroethene								0.005 U			
MW-18D	Trichloroethene								0.005 U			
MW-18D	Vinyl chloride								0.005 U			
MW-18S	Iron				0.419	0.634			1.35			
MW-18S	Manganese				0.0453	0.0596			0.0359			
MW-18S	Sodium				16.2	19			16.6			
MW-18S	cis-1,2-Dichloroethene				0.1	0.089			0.053			
MW-18S	Trichloroethene				0.097	0.066			0.046			
MW-18S	Vinyl chloride				0.005 U	0.005 U			0.005 U			

Table E.1

Analytical Results for Concentration Time Trend Graphs
Wellsville/Andover Landfill
Wellsville, New York
(mg/L)

Location	Parameter	3/31/2006	9/27/2006	9/28/2006	3/27/2007	3/28/2007	3/29/2007	3/30/2007	9/25/2007	9/26/2007	3/24/2008	3/25/2008
CW-3A	Iron			0.168				0.1 U	0.661			0.15
CW-3A	Manganese			0.0325				0.0505	1.38			0.018
CW-3A	Sodium			58.4				50.2	47.2			51.2
CW-3A	cis-1,2-Dichloroethene			0.059				0.04	0.058			0.03
CW-3A	Trichloroethene			0.29 D				0.22 D	0.36			0.16
CW-3A	Vinyl chloride			0.005 U				0.005 U	0.01 U			0.005 U
CW-3B	Iron			0.516				4.71	0.156			0.205
CW-3B	Manganese			0.0446				0.0688	0.0438			0.0356
CW-3B	Sodium			22				22.4	20.9			22.6
CW-3B	cis-1,2-Dichloroethene			0.072				0.086	0.087			0.078
CW-3B	Trichloroethene			0.19				0.24	0.26			0.22
CW-3B	Vinyl chloride			0.01 U				0.01 U	0.01 U			0.01 U
CW-4A	Iron						2.76					5.14
CW-4A	Manganese						0.478					0.49
CW-4A	Sodium						17					17.9
CW-4A	cis-1,2-Dichloroethene						0.0052					0.005
CW-4A	Trichloroethene						0.005 U					0.005 U
CW-4A	Vinyl chloride						0.005 U					0.005 U
CW-4B	Iron		0.228				0.322		0.1 U			0.1 U
CW-4B	Manganese		0.953				0.795		1.31			0.844
CW-4B	Sodium		19.6				19.3		20.5			18.8
CW-4B	cis-1,2-Dichloroethene		0.005 U				0.005 U		0.005 U			0.005 U
CW-4B	Trichloroethene		0.005 U				0.005 U		0.005 U			0.005 U
CW-4B	Vinyl chloride		0.005 U				0.005 U		0.005 U			0.005 U
MW-3D	Iron						0.1 U					0.1 U
MW-3D	Manganese						0.0131					0.0183
MW-3D	Sodium						15.8					15.1
MW-3D	cis-1,2-Dichloroethene						0.027					0.027
MW-3D	Trichloroethene						0.0054					0.0085
MW-3D	Vinyl chloride						0.005 U					0.005 U
MW-3S	Iron						0.177					0.196
MW-3S	Manganese						0.01 U					0.01 U
MW-3S	Sodium						27.4					30.4
MW-3S	cis-1,2-Dichloroethene						0.005 U					0.005 U
MW-3S	Trichloroethene						0.005 U					0.005 U
MW-3S	Vinyl chloride						0.005 U					0.005 U
MW-4D	Iron		0.686		1.2				0.806		1.98	
MW-4D	Manganese		0.799		0.406				0.859		0.614	
MW-4D	Sodium		8.24		8.28				7.98		8.48	
MW-4D	cis-1,2-Dichloroethene		0.73 D		0.42 D				3 E		0.75	
MW-4D	Trichloroethene		0.03		0.02				0.05 U		0.025 U	
MW-4D	Vinyl chloride		0.41 D		0.2				0.68		0.31	
MW-5D	Iron			0.595	0.71				0.531			
MW-5D	Manganese			1.37	1.51				1.41			
MW-5D	Sodium			6.97	7.03				7.68			
MW-5D	cis-1,2-Dichloroethene			1.4	1.8				1.4			
MW-5D	Trichloroethene			0.075	0.081				0.066			
MW-5D	Vinyl chloride			0.19	0.28				0.24			
MW-5S	Iron			1.28	8.01				0.794			
MW-5S	Manganese			0.161	0.257				0.18			
MW-5S	Sodium			7.94	7.11				7.92			
MW-5S	cis-1,2-Dichloroethene			0.47 D	0.44				0.49			
MW-5S	Trichloroethene			0.075	0.064				0.071			
MW-5S	Vinyl chloride			0.089	0.08				0.09			

Table E.1

Analytical Results for Concentration Time Trend Graphs
Wellsville/Andover Landfill
Wellsville, New York
(mg/L)

Location	Parameter	3/31/2006	9/27/2006	9/28/2006	3/27/2007	3/28/2007	3/29/2007	3/30/2007	9/25/2007	9/26/2007	3/24/2008	3/25/2008
MW-11S	Iron											
MW-11S	Manganese											
MW-11S	Sodium											
MW-11S	cis-1,2-Dichloroethene	0.56	0.54					0.5		0.52	0.45	
MW-11S	Trichloroethene	3.1	3					2.9		3.2	2.6	
MW-11S	Vinyl chloride	0.1 U	0.1 U					0.1 U		0.13 U	0.1 U	
MW-15S	Iron			0.433			1.24			0.929	5.74	
MW-15S	Manganese			0.01 U			0.0172			0.0208	0.0712	
MW-15S	Sodium			1.9			1.56			1.81	1.73	
MW-15S	cis-1,2-Dichloroethene			0.039			0.02			0.023	0.016	
MW-15S	Trichloroethene			0.0098			0.005 U			0.008	0.005 U	
MW-15S	Vinyl chloride			0.005 U			0.005 U			0.005 U	0.005 U	
MW-17D	Iron					3.91						13.4
MW-17D	Manganese					0.222						1.18
MW-17D	Sodium					33.1						29.6
MW-17D	cis-1,2-Dichloroethene					0.005 U						0.005 U
MW-17D	Trichloroethene					0.005 U						0.005 U
MW-17D	Vinyl chloride					0.005 U						0.005 U
MW-17S	Iron					0.468						2.85
MW-17S	Manganese					0.394						0.0716
MW-17S	Sodium					50.2						8.22
MW-17S	cis-1,2-Dichloroethene					0.056						0.005 U
MW-17S	Trichloroethene					0.0077						0.005 U
MW-17S	Vinyl chloride					0.005 U						0.005 U
MW-18D	Iron					4.15						
MW-18D	Manganese					0.349						
MW-18D	Sodium					23.1						
MW-18D	cis-1,2-Dichloroethene					0.005 U						
MW-18D	Trichloroethene					0.005 U						
MW-18D	Vinyl chloride					0.005 U						
MW-18S	Iron		0.622			2.51			0.753			
MW-18S	Manganese		0.0339			0.0621			0.0567			
MW-18S	Sodium		17.6			17.3			31.6			
MW-18S	cis-1,2-Dichloroethene		0.087			0.058			0.005 U			
MW-18S	Trichloroethene		0.065			0.039			0.0052			
MW-18S	Vinyl chloride		0.005 U			0.005 U			0.005 U			

Table E.1

**Analytical Results for Concentration Time Trend Graphs
Wellsville/Andover Landfill
Wellsville, New York
(mg/L)**

Location	Parameter	3/26/2008	9/16/2008	9/17/2008	12/11/2008	4/27/2009	4/28/2009	4/29/2009	4/30/2009	9/9/2009	9/10/2009	9/14/2009
CW-3A	Iron			0.1 U				0.13				0.13
CW-3A	Manganese			0.12				0.08				0.014
CW-3A	Sodium			67.4				51.6				55.6
CW-3A	cis-1,2-Dichloroethene			0.018				0.02				0.02
CW-3A	Trichloroethene			0.1				0.13				0.12
CW-3A	Vinyl chloride			0.005 U				0.005 U				0.005 U
CW-3B	Iron			0.193				0.17				0.15
CW-3B	Manganese			0.0386				0.044				0.034
CW-3B	Sodium			22				21.1				20.9
CW-3B	cis-1,2-Dichloroethene			0.078				0.083				0.071
CW-3B	Trichloroethene			0.27 D				0.18 D				0.22
CW-3B	Vinyl chloride			0.005 U				0.005 U				0.01 U
CW-4A	Iron							0.73				0.32
CW-4A	Manganese							0.262				0.735
CW-4A	Sodium							16.1				16.9
CW-4A	cis-1,2-Dichloroethene							0.005 U				0.0052
CW-4A	Trichloroethene							0.005 U				0.005 U
CW-4A	Vinyl chloride							0.005 U				0.005 U
CW-4B	Iron		0.124					0.13				0.2
CW-4B	Manganese		1.06					0.583				0.592
CW-4B	Sodium		17.7					17.5				16.8
CW-4B	cis-1,2-Dichloroethene		0.005 U					0.005 U				0.005 U
CW-4B	Trichloroethene		0.005 U					0.005 U				0.005 U
CW-4B	Vinyl chloride		0.005 U					0.005 U				0.005 U
MW-3D	Iron					0.1 U				0.1 U		
MW-3D	Manganese					0.011				0.017		
MW-3D	Sodium					16.7				14.8		
MW-3D	cis-1,2-Dichloroethene					0.018				0.019		
MW-3D	Trichloroethene					0.0057				0.0051		
MW-3D	Vinyl chloride					0.005 U				0.005 U		
MW-3S	Iron					0.34				0.1 U		
MW-3S	Manganese					0.01				0.01 U		
MW-3S	Sodium					37.4				30.9		
MW-3S	cis-1,2-Dichloroethene					0.005 U				0.005 U		
MW-3S	Trichloroethene					0.005 U				0.005 U		
MW-3S	Vinyl chloride					0.005 U				0.005 U		
MW-4D	Iron		0.706				0.93			1.18		
MW-4D	Manganese		0.613				0.534			1.12		
MW-4D	Sodium		7.86				8.3			8.4		
MW-4D	cis-1,2-Dichloroethene		2.5 D		1.8		0.9 D			0.67		
MW-4D	Trichloroethene		0.025 U		0.05 U		0.025 U			0.025 U		
MW-4D	Vinyl chloride		0.83		0.5		0.35			0.26		
MW-5D	Iron	2.24		0.455			0.49			0.45		
MW-5D	Manganese	1.29		1.22			1.26			1.31		
MW-5D	Sodium	6.78		7.04			6.5			7.1		
MW-5D	cis-1,2-Dichloroethene	1.6 D		1.2			1.5			1.6		
MW-5D	Trichloroethene	0.091		0.069			0.099			0.11		
MW-5D	Vinyl chloride	0.24 D		0.2			0.18			0.18		
MW-5S	Iron	3.17		0.452		2.88					0.25	
MW-5S	Manganese	0.3		0.144		0.307					0.127	
MW-5S	Sodium	5.32		7.22		6.4					6.9	
MW-5S	cis-1,2-Dichloroethene	0.29		0.39		0.29					0.35	
MW-5S	Trichloroethene	0.045		0.041		0.042					0.058	
MW-5S	Vinyl chloride	0.056		0.081		0.043					0.064	

Table E.1

**Analytical Results for Concentration Time Trend Graphs
Wellsville/Andover Landfill
Wellsville, New York
(mg/L)**

Location	Parameter	3/26/2008	9/16/2008	9/17/2008	12/11/2008	4/27/2009	4/28/2009	4/29/2009	4/30/2009	9/9/2009	9/10/2009	9/14/2009
MW-11S	Iron										0.38	
MW-11S	Manganese										1.44	
MW-11S	Sodium										19.8	
MW-11S	cis-1,2-Dichloroethene			0.41					0.31		0.018	
MW-11S	Trichloroethene			2.8					2.3 D		0.12	
MW-11S	Vinyl chloride			0.1 U					0.022		0.005 U	
MW-15S	Iron		7.1	7.1				0.42	0.42		0.48	
MW-15S	Manganese		0.109	0.109				0.01 U	0.01 U		0.01 U	
MW-15S	Sodium		1.98	1.98				1.7	1.7		1.9	
MW-15S	cis-1,2-Dichloroethene		0.034	0.034				0.057	0.057		0.041	
MW-15S	Trichloroethene		0.0076	0.0076				0.0082	0.0082		0.0076	
MW-15S	Vinyl chloride		0.005 U	0.005 U				0.005 U	0.005 U		0.005 U	
MW-17D	Iron						6.21				8.33	
MW-17D	Manganese						0.997				0.469	
MW-17D	Sodium						29.4				31.5	
MW-17D	cis-1,2-Dichloroethene						0.005 U				0.005 U	
MW-17D	Trichloroethene						0.005 U				0.005 U	
MW-17D	Vinyl chloride						0.005 U				0.005 U	
MW-17S	Iron						0.64				0.23	
MW-17S	Manganese						0.342				0.134	
MW-17S	Sodium						51.4				56.5	
MW-17S	cis-1,2-Dichloroethene						0.022				0.065	
MW-17S	Trichloroethene						0.005 U				0.014	
MW-17S	Vinyl chloride						0.005 U				0.005 U	
MW-18D	Iron	7.07					13				7.05	
MW-18D	Manganese	0.454					0.574				0.565	
MW-18D	Sodium	22.4					21.3				21.5	
MW-18D	cis-1,2-Dichloroethene	0.005 U					0.005 U				0.005 U	
MW-18D	Trichloroethene	0.005 U					0.005 U				0.005 U	
MW-18D	Vinyl chloride	0.005 U					0.005 U				0.005 U	
MW-18S	Iron	1.59	3.49				0.89				1.58	
MW-18S	Manganese	0.393	0.341				0.634				0.073	
MW-18S	Sodium	52.8	18.5				11.5				14	
MW-18S	cis-1,2-Dichloroethene	0.064	0.0069				0.005 U				0.005 U	
MW-18S	Trichloroethene	0.01	0.0072				0.005 U				0.0052	
MW-18S	Vinyl chloride	0.005 U	0.005 U				0.005 U				0.005 U	

Notes:

- U** - Concentration not detected at specified detection limit
- E** - Concentration exceeded calibration range associated with analysis
- B** - Analyte detected in associated method blank
- D** - Diluted sample
- J** - Estimated value